









Digitized by the Internet Archive  
in 2013

<http://archive.org/details/indexkewensispla22hook>



INDEX KEWENSIS

# INDEX KEWENSIS

AN ENUMERATION OF THE GENERA AND SPECIES

OF

## FLOWERING PLANTS

FROM THE TIME OF LINNAEUS TO THE YEAR 1885 INCLUSIVE  
TOGETHER WITH THEIR AUTHORS' NAMES, THE WORKS IN  
WHICH THEY WERE FIRST PUBLISHED, THEIR NATIVE COUNTRIES  
AND THEIR SYNONYMS

COMPILED AT THE EXPENSE OF  
THE LATE CHARLES ROBERT DARWIN  
UNDER THE DIRECTION OF JOSEPH D. HOOKER

BY

B. DAYDON JACKSON

PART IV

OXFORD

AT THE CLARENDON PRESS

M DCCC XCV



INDEX KEWENSIS  
PLANTARUM PHANEROGAMARUM

NOMINA ET SYNONYMA OMNIUM GENERUM ET SPECIERUM

A LINNAEO USQUE AD ANNUM MDCCCLXXXV

COMPLECTENS

NOMINE RECEPTO AUCTORE PATRIA

UNICUIQUE PLANTAE SUBJECTIS

SUMPTIBUS BEATI CAROLI ROBERTI DARWIN

DUCTU ET CONSILIO JOSEPHI D. HOOKER

CONFECIT B. DAYDON JACKSON

FASCICULUS IV

OXONII

E PRELO CLARENDONIANO

M DCCC XCV

*London*

HENRY FROWDE

OXFORD UNIVERSITY PRESS WAREHOUSE  
AMEN CORNER, E.C.



*New York*

MACMILLAN & CO., 66 FIFTH AVENUE



**PTEROTUM**, Lour. Fl. Cochinch. 292 (1790). *INC. SEDIS*.  
*procumbens*, Lour. l. c. 293.—Cochinch.

**PTERYGIUM**, Endl. Gen. 1013 (1841) = **PTERIGIUM**,  
 Correa = **Dipterocarpus**, Gaertn.

**PTERYGOCALYX**, Maxim. Prim. Fl. Amur. 198, t. 9  
 (1858) = **Crawfordia**, Wall. (Gentian.).  
*volubilis*, Maxim. l. c.—Reg. Amur.

**PTERYGOCARPUS**, Hochst. in Flora, xxvi. (1843) 78  
 = **Dregea**, E. Mey. (Asclep.).  
*abyssinicus*, Hochst. l. c. (= *Hoya africana*).—Afr.  
 trop.

**PTERYGODIUM**, Sw. in Vet. Acad. Handl. Stockh.  
 xxi. (1800) 217. t. 3. **ORCHIDEAE**, Benth. &  
 Hook. f. iii. 632.  
**OMMATODIUM**, Lindl. Gen. et Sp. Orch. 365 (1838).  
*acutifolium*, Lindl. Gen. et Sp. Orch. 366.—Afr.  
 austr.  
*alatum*, Sw. in Vet. Acad. Handl. Stockh. xxi. (1800)  
 218.—Afr. austr.  
*atratum*, Sw. l. c. = *Ceratandra chloroleuca*.  
*caffrum*, Sw. l. c.—Afr. austr.  
*carnosum*, Lindl. Gen. et Sp. Orch. 367.—Afr. austr.  
*catholicum*, Sw. in Vet. Acad. Handl. Stockh. xxi.  
 (1800) 218.—Afr. austr.  
*cruciferum*, Sond. in Linnaea, xix. (1847) 109.—  
 Afr. austr.  
*inversum*, Sw. in Vet. Acad. Handl. Stockh. xxi. (1800)  
 218.—Afr. austr.  
*magnum*, Reichb. f. in Flora, l. (1867) 117.—Afr.  
 austr.  
*platypetalum*, Lindl. Gen. et Sp. Orch. 366.—Afr.  
 austr.  
*rubiginosum*, Sond. ex Drège, in Linnaea, xx. (1847)  
 220, nomen; *Bolus*, in Journ. Linn. Soc. xx. (1884)  
 486.—Afr. austr.  
*sulcata*, Roxb. Hort. Beng. 63; Fl. Ind. iii. 452 =  
*Zeuxine sulcata*.  
*venosum*, Lindl. Gen. et Sp. Orch. 367.—Afr. austr.  
*Volueris*, Sw. in Vet. Acad. Handl. Stockh. xxi. (1800)  
 218.—Afr. austr.

**PTERYGOLEPIS**, Reichb. Nom. 236 (1841) = **PTERO-**  
**LEPIS**, Schrad. = **Scirpus**, Tourn. (Cyperac.).

**PTERYGOLOMA**, Hanst. in Linnaea, xxvi. (1853) 211  
 = **Alloplectus**, Mart. (Gesner.).  
*cristatum*, Griseb. Fl. Brit. W. Ind. 464.—Ind. occ.  
*pubescens*, Griseb. l. c.—Ind. occ.  
*repens*, Hanst. in Linnaea, xxvi. (1853) 211 = *A. repens*.

**PTERYGOPAPPUS**, Hook. f. in Hook. Lond.  
 Journ. Bot. vi. (1847) 120. **COMPOSITAE**, Benth.  
 & Hook. f. ii. 303.  
 MAJA, Wedd. Chlor. And. i. 228, t. 27 D (1855).  
 Lawrencii, Hook. f. in Hook. Lond. Journ. Bot. vi.  
 (1847) 120.—Tasman.

**PTERYGOSTACHYUM**, Nees, ex Steud. Syn. Pl.  
 Gram. 413 (1855) = **Dimeria**, R. Br. (Gramin.).  
*Lehmanni*, Nees, l. c.—Zeylan.

**PTERYGOTA**, Schott & Endl. Melet. 32 (1832) =  
**Stereulia**, Linn.  
*alata*, R. Br. in Benn. Pl. Jav. Rar. 234 = *S. alata*.  
*alata*, Thw. Enum. Pl. Zeyl. 29 = *S. Thwaitesii*.  
*brasiliensis*, F. Allem. in Trab. Comm. Sc. Expl. Bot.  
 i. (1862) 7.—Bras.  
*Roxburghii*, Schott & Endl. Melet. 32 = *S. alata*.

**PTERYPODIUM**, Reichb. f. in Flora, l. (1867) 117,  
 sphalm. = **Pterygodium**, Sw. (Orchid.).

**PTERYXIA**, Nutt. ex Torr. & Gray, Fl. N. Am. i. 624  
 (1840) = **Cymopterus**, Rafin. (Umbell.).  
*albiflora*, Nutt. l. c. 625 = *C. terebinthinus*.  
*foeniculacea*, Nutt. l. c. 624 = *C. terebinthinus*.  
*terebinthacea*, Nutt. l. c. = *C. terebinthinus*.  
*thapsoides*, Nutt. l. c. 625 = *C. terebinthinus*.

**PTICHOCHILUS**, Benth. in Journ. Linn. Soc. xviii.  
 (1881) 341 = **PTYCHOCHILUS**, Schau. = **Tro-**  
**pidia**, Lindl. (Orchid.).

VOL. II.

**PTILAGROSTIS**, Griseb. in Ledeb. Fl. Ross. iv. 447  
 (1853) = **Stipa**, Linn. (Gramin.).  
*mongolica*, Griseb. l. c. = *S. mongolica*.

**PTILANTHELIUM**, Steud. Syn. Pl. Cyp. 166 (1855) =  
**Mesomelaena**, Nees (Cyperac.).  
*Chauvinii*, Steud. l. c. 167 = *M. deusta*.

**PTILEPIDA**, Rafin. in Am. Monthly Mag. (1818) 268 =  
**Cephalophora**, Cav. (Compos.).

**PTILERIS**, Rafin. in Am. Monthly Mag. (1818) 268 =  
**Erechtites**, Rafin. (Compos.).  
*hieracifolius*, Rafin. l. c. = *E. praealta*.

**PTILIMNIUM**, Rafin. in Am. Monthly Mag. (1819)  
 192 = **Discopleura**, DC. (Umbell.).  
*capillaceum*, Rafin. l. c. = *D. capillacea*.  
*costatum*, Rafin. Neogenyt. 2 = *D. capillacea*.  
*juncum*, Rafin. l. c. = *D. Nuttallii*.

**PTILINA**, Nutt. ex Torr. & Gray, Fl. N. Am. i. 479  
 (1840) = **Didiplis**, Rafin. (Lythrac.).  
*aquatica*, Nutt. ex Torr. & Gray, l. c. 480 = *D.*  
*linearis*.

**PTILIUM**, Pers. Syn. i. 359, in syn. (1805) = **PETILIUM**,  
 Linn. = **Fritillaria**, Tourn. (Liliac.).

**PTILOCALYX**, Torr. & Gray, in Pacif. Rail. Rep. ii.  
 170 (1855) = **Coldenia**, Linn. (Borag.).  
*Greggii*, Torr. & Gray, l. c. = *C. Greggii*.

**PTILOCHAETA**, Nees, in Mart. Fl. Bras. ii. i. 147. t. 8  
 (1842) = **Rynchospora**, Vahl (Cyperac.).  
*diodon*, Nees, l. c. 148 = *R. lunata*.

**PTILOCHAETA**, Turcz. in Bull. Soc. Nat. Mosc.  
 xvi. (1843) 52. **MALPIGHIACEAE**, Benth. &  
 Hook. f. i. 258.  
*bahiensis*, Turcz. l. c. = *Bras.*  
*nudipes*, Griseb. in Goett. Abh. xxiv. (1879) 66.—  
 Reg. Argent.

**PTILOCNEMA**, D. Don, Prod. Fl. Nep. 33 (1825) =  
**Pholidota**, Lindl. (Orchid.).  
*bracteata*, D. Don, l. c. = *Pholidota imbricata*.

**PTILOMERIS**, Nutt. in Trans. Am. Phil. Soc. N. S. vii.  
 (1841) 381 = **Baeria**, Fisch. & Mey. (Compos.).  
*affinis*, Nutt. in Journ. Acad. Philad. N. S. i. (1847)  
 174 = *B. affinis*.  
*anthemoides*, Nutt. in Trans. Am. Phil. Soc. N. S. vii.  
 (1841) 382 = *B. anthemoides*.  
*aristata*, Nutt. l. c. = *B. coronaria*.  
*coronaria*, Nutt. l. c. = *B. coronaria*.  
*mutica*, Nutt. l. c. = *B. mutica*.  
*tenella*, Nutt. in Journ. Acad. Philad. N. S. i. (1847)  
 173 = *B. tenella*.

**PTILONEILEMA**, Steud. in Flora, xxxiii. (1850) 229,  
 nomen; Syn. Pl. Gram. 201 (1855) = **Melano-**  
**cenchris**, Nees (Gramin.).  
*plumosum*, Steud. ll. cc. = *M. plumosa*.

**PTILONELLA**, Nutt. in Trans. Am. Phil. Soc. N. S.  
 vii. (1841) 385 = **Blepharipappus**, Hook. (Com-  
 pos.).  
*scabra*, Nutt. l. c. 386 = *B. scaber*.

**PTILOPHORA**, A. Gray, in Mem. Am. Acad. N. S. iv.  
 (1849) (Pl. Fendl.) 112 = **Microseris**, D. Don  
 (Compos.).  
*major*, A. Gray, l. c. 113 = *M. major*.  
*nutans*, A. Gray, l. c. = *M. nutans*.

**PTILORIA**, Rafin. Atl. Journ. 145 (1832) = **Stephano-**  
**meria**, Nutt. (1841) (Compos.).  
*pauciflora*, Rafin. l. c. = *S. runcinata*.  
*tenuifolia*, Rafin. l. c. = *S. minor*.

**PTILOSCIADIUM**, Steud. Syn. Pl. Cyp. 149 (1855) =  
**Rynchospora**, Vahl (Cyperac.).  
*Lindenii*, Steud. l. c. 150 = *R. hirta*.

**PTILOSIA**, Tausch, in Flora, xi. (1828) i. Erg. 78, in  
 nota = **Pieris**, Linn. (Compos.).  
*apargioides*, Tausch, l. c. = *P. sulphurea*.

**PTILOSTEMON**, Cass. in Bull. Soc. Philom. (1816)  
 200 = **Cnicus**, Linn. (Compos.).  
*appendiculatum*, Cass. in Dict. Sc. Nat. xlv. 59 =  
*C. fruticosus*.  
*muticum*, Cass. l. c. = *C. Chamaepeuce*.

**PTILOSTEMUM**, Steud. Nom. ed. II. ii. 415 (1841) =  
 praec.

**PTILOSTEPHIUM**, H. B. & K. Nov. Gen. et Sp. iv.  
 253. tt. 387, 388 (1820) = **Tridax**, Linn. (Compos.).  
*balbisioides*, Spreng. Syst. iii. 570 = *T. balbisioides*.  
*coronopifolium*, H. B. & K. Nov. Gen. et Sp. iv. 255.  
 t. 387 = *T. coronopifolia*.  
*trifidum*, H. B. & K. l. c. 255. t. 388 = *T. trifida*.

**PTILOTRICHUM**, C. A. Mey. in Ledeb. Fl. Alt. iii. 64  
 (1831) = **Alyssum**, Tourn. (Crucif.).  
*Candolleianum*, Jord. & Fourr. Brev. Pl. Nov. fasc. ii.  
 13 = *A. macrocarpum*.  
*canescens*, C. A. Mey. in Ledeb. Fl. Alt. iii. 66 =  
*A. canescens*.  
*cappadocicum*, Boiss. Fl. Orient. i. 288.—As. Min.  
*cretaceum*, Ledeb. Fl. Ross. i. 143 = *A. cretaceum*.  
*cyclocarpum*, Boiss. in Ann. Sc. Nat. Sér. II. xvii.  
 (1842) 159 (= *Koniga scardica*).—Macedon.; As.  
 Min.  
*elongatum*, C. A. Mey. in Ledeb. Fl. Alt. iii. 66 =  
*A. canescens*.  
*emarginatum*, Boiss. in Ann. Sc. Nat. Sér. II. xvii.  
 (1842) 160 (= *Koniga emarginata*).—Graecia.  
*glabrescens*, Boiss. Fl. Orient. i. 289.—Cappadoc.  
*longicaule*, Boiss. Elench. 13 = *A. longicaule*.  
*Peyroussianum*, Willk. in Willk. & Lange, Prod. Fl.  
 Hisp. iii. 835 = *A. Lapeyroussianum*.  
*purpureum*, Boiss. Elench. 12 = *A. Lagascae*.  
*pyrenaicum*, Willk. in Willk. & Lange, Prod. Fl. Hisp.  
 iii. 835 = *A. pyrenaicum*.  
*rupestre*, Boiss. Fl. Orient. i. 288, in obs. = *A.*  
*rupestre*.  
*saxigenum*, Jord. & Fourr. Brev. Pl. Nov. fasc. ii. 13 =  
*A. macrocarpum*.  
*spinosum*, Boiss. Voy. Bot. Espagne, ii. 46 = *A.*  
*spinousum*.  
*strigulosum*, Kunze, in Flora, xxix. (1846) 683 =  
*A. maritimum*.  
*tenuifolium*, C. A. Mey. in Ledeb. Fl. Alt. iii. 67, in  
 obs. = *A. tenuifolium*.  
*tortuosum*, Willk. in Bot. Zeit. v. (1847) 234 =  
*A. Lapeyroussianum*.

**PTILOTUM**, Dulac, Fl. Hautes-Pyr. 313 (1867) =  
**Dryas**, Linn. (Rosac.).  
*octopetalum*, Dulac, l. c. = *D. octopetala*.

**PTILOTUS**, R. Br. Prod. 415 (1810). **AMARANTA-**  
**CEAE**, Benth. & Hook. f. iii. 32.  
*aeroides*, F. Muell. Fragm. vi. 231 = *Trichinium*  
*aeroides*.  
*alopecuroideus*, F. Muell. l. c. 227 = *Trichinium alope-*  
*curoideum*.  
*amabilis*, Span. in Linnaea, xv. (1841) 345 = *corym-*  
*bosus*?  
*arthrolasius*, F. Muell. Fragm. vi. 232 = *Trichinium*  
*arthrolasium*.  
*astrolasius*, F. Muell. l. c. 233 = *Trichinium astro-*  
*lasium*.  
*auriculifolius*, F. Muell. Census, 28 = *Trichinium*  
*auriculifolium*.  
*axillaris*, F. Muell. l. c. = *Trichinium axillare*.  
*Beckeri*, F. Muell. Fragm. vi. 233 = *Trichinium*  
*Beckerianum*.  
*brachyanthus*, F. Muell. Census, 29 = *Trichinium*  
*brachyanthum*.  
*caespitosus*, F. Muell. Fragm. vi. 232 = *Trichinium*  
*caespitosum*.  
*calostachyus*, F. Muell. l. c. 231 = *Trichinium calo-*  
*stachyum*.  
*conicus*, R. Br. Prod. 415.—Austral.  
*corymbosus*, R. Br. l. c.—Austral.  
*declinatus*, Nees, in Lehm. Pl. Preiss. i. 631 =  
*Trichinium declinatum*.  
*dissitiflorus*, F. Muell. Census, 28 = *Trichinium dissiti-*  
*florum*.  
*distans*, Poir. Encyc. Suppl. iv. 620 = *Trichinium*  
*distans*.  
*divaricatus*, F. Muell. Fragm. vi. 229 = *Trichinium*  
*divaricatum*.

4 P

**PTILOLOTUS** :—

- Drummondii*, F. Muell. Fragm. vi. 229 = *Trichinium Drummondii*.  
*erubescens*, Schlecht. in Linnaea, xx. (1847) 575 = *Trichinium erubescens*.  
*esquamatus*, F. Muell. Census, 28 = *Trichinium esquamatum*.  
*exaltatus*, Nees, in Lehm. Pl. Preiss. i. 630 = *Trichinium exaltatum*.  
*floribundus*, F. Muell. Fragm. vi. 233 = *Trichinium sericostachyum*.  
*Forrestii*, F. Muell. Pl. N. W. Austral. v. (1870) 240. —Austral.  
*Fraseri*, F. Muell. Census, 29 = *Trichinium Fraseri*.  
*fusiformis*, Poir. Encyc. Suppl. iv. 619 = *Trichinium fusiforme*.  
*gomphrenoides*, F. Muell. Fragm. vi. 233, nomen; et ex Benth. Fl. Austral. v. 244. —Austral.  
*gracilis*, Poir. Encyc. Suppl. iv. 620 = *Trichinium gracile*.  
*grandiflorus*, F. Muell. Fragm. i. 237. —Austral.  
*helichrysoides*, F. Muell. l. c. vi. 231 = *Trichinium helichrysoides*.  
*helipteroides*, F. Muell. l. c. = *Trichinium helipteroides*.  
*hemisteirus*, F. Muell. l. c. iv. 90 = *Trichinium corymbosum*.  
*holosericeus*, F. Muell. l. c. vi. 229 = *Trichinium holosericeum*.  
*Hoodii*, F. Muell. l. c. viii. 232. —Austral.  
*humilis*, F. Muell. l. c. vi. 229. —Austral.  
*incanus*, Poir. Encyc. Suppl. iv. 620 = *Trichinium incanum*.  
*lanatus*, A. Cunn. ex Moq. in DC. Prod. xiii. ii. 281 = *Trichinium Cunninghamii*.  
*latifolius*, R. Br. in Sturt, Exped. Centr. Austral. ii. App. 88. —Austral.  
*laxus*, F. Muell. Census, 28 = *Trichinium laxum*.  
*lepidus*, F. Muell. Fragm. iv. 89 = *grandiflorus*.  
*leucocomum*, F. Muell. Census, 29 = *Trichinium leucocomum*.  
*Lindleyi*, F. Muell. Fragm. vi. 233 = *Trichinium obovatum*.  
*macrocephalus*, Poir. Encyc. Suppl. iv. 620 = *Trichinium macrocephalum*.  
*macrotrichus*, F. Muell. Fragm. iv. 90. —Austral.  
*Manglesii*, F. Muell. l. c. vi. 230 = *Trichinium Manglesii*.  
*Murrayi*, F. Muell. l. c. iii. 145. —Austral.  
*nobilis*, F. Muell. l. c. vi. 227 = *Trichinium nobile*, exaltatum, semilatum.  
*obovatus*, F. Muell. l. c. 228 = *Trichinium obovatum*.  
*ovatus*, Moq. in DC. Prod. xiii. ii. 281 = *Psilotrichum calceolatum*.  
*pachoccephalus*, F. Muell. Fragm. vi. 228 = *Trichinium macrocephalum*.  
*parviflorus*, F. Muell. Census, 28 = *Trichinium parviflorum*.  
*parvifolius*, F. Muell. Fragm. vi. 229 = *Trichinium parvifolium*.  
*Polakii*, F. Muell. in Wing, South. Sc. Record, ii. (1882) 274. —Austral.  
*polystachyus*, F. Muell. Fragm. vi. 230 = *Trichinium polystachyum*, *Stirlingii*, *roseum*, *laxum*.  
*psilotrichoides*, F. Muell. Census, 29 = *Trichinium corymbosum*.  
*pyramidatus*, F. Muell. Fragm. vi. 230 = *Trichinium pyramidatum*.  
*Roei*, F. Muell. Census, 29 = *Trichinium Roei*.  
*roseus*, F. Muell. l. c. 28 = *Trichinium roseum*.  
*rotundifolius*, F. Muell. Fragm. vi. 230 = *Trichinium rotundifolium*.  
*sandwicensis*, A. Gray, ex H. Mann, in Proc. Am. Acad. vii. (1867) 200. —Ins. Sandvic.  
*sericostachyus*, F. Muell. Fragm. vi. 230 = *Trichinium sericostachyum*.  
*Sewelliae*, F. Muell. 'in Vict. Naturalist (Jan. 1885)' (nobis latet). —Austral.  
*spathulatus*, Poir. Encyc. Suppl. iv. 620 = *Trichinium spathulatum*.  
*spicatus*, F. Muell. ex Benth. Fl. Austral. v. 243. —Austral.  
*Stirlingii*, F. Muell. Census, 28 = *Trichinium Stirlingii*.  
*striatus*, F. Muell. l. c. = *Trichinium striatum*.  
*trichotoma*, Miq. Fl. Ind. Bat. i. i. 1037 = *Psilotrichum trichotomum*.  
*villosiflorus*, F. Muell. Fragm. iii. 125. —Austral.

**PTILURUS**, D. Don, in Trans. Linn. Soc. xvi. (1830) 218 = **Leuceria**, Lag. (Compos.).  
*daucifolius*, D. Don, l. c. 219. —Peruv.

**PTOSIMOPAPPUS**, Boiss. Voy. Bot. Espagne, ii. 739 (1845) = **Centaurea**, Linn. (Compos.).  
*arboreus*, Walp. Ann. ii. 930 = *C. arborea*.  
*argutus*, Boiss. Diagn. Ser. II. iii. 60 = *C. arguta*.  
*bracteatus*, Boiss. l. c. Ser. I. x. 104 = *C. bracteata*.  
*canariensis*, Boiss. Voy. Bot. Espagne, ii. 740 = *C. canariensis*.  
*intybaceus*, Boiss. l. c. = *C. intybacea*.  
*sempervirens*, Boiss. l. c. = *C. sempervirens*.  
*uliginosa*, Boiss. Diagn. Ser. II. iii. 60 = *C. uliginosa*.  
*Webbianus*, Boiss. l. c. 61 = *C. Webbiana*.

**PTYAS**, Salisb. Gen. Pl. Fragm. 76 (1866) = **Aloë**, Tourn. (Liliac.).  
*disticha*, Salisb. l. c. = *A. disticha*.

**PTYCANTHERA**, Decne. in DC. Prod. viii. 606 (1844). **ASCLEPIADEAE**, Benth. & Hook. f. ii. 768.  
*Berterii*, Decne. l. c. —Ins. S. Doming.

**PTYCHANDRA**, Scheff. in Ann. Jard. Buitenz. i. (1876) 140. **PALMAE**, Benth. & Hook. f. iii. 893.  
*glauca*, Scheff. l. c. 160. —Ins. Batjan.  
*Musschenbroekiana*, Becc. Malesia, i. (1877) 100, in obs. —Ins. Ternate.

**PTYCHOCARPA**, Spach, Hist. Vég. Phan. x. 402 (1841) = **Grevillea**, R. Br. (Proteac.).

**PTYCHOCARYA**, R. Br. in Wall. Cat. n. 3538 (1830) = **Scirpodendron**, Zipp. (Cyperac.).  
*macrocarpa*, R. Br. ex Steud. Nom. ed. II. ii. 416 = *S. costatum*.

**PTYCHOCENTRUM**, Benth. in Ann. Wien. Mus. ii. (1838) 113 = **Rhynchosia**, Lour. (Legumin.).

**PTYCHOCHILUS**, Schau. in Nov. Act. Nat. Cur. xix. Suppl. i. (1843) (Pl. Meyen.) 431. t. 12. B = **Tropidia**, Lindl. (Orchid.).  
*septemnervis*, Schau. l. c. = *T. curculigoides*.

**PTYCHOCOCCUS**, Becc. in Ann. Jard. Buitenz. ii. (1885) 90. **PALMAE**.  
*arecinus*, Becc. l. c. 99. —N. Guin.  
*paradoxus*, Becc. l. c. 96. —N. Guin.

**PTYCHODEA**, Willd. ex Cham. & Schlecht. in Linnaea, iv. (1829) 168 = **Sipanea**, Aubl. (Rubiace.).  
*pedunculata*, Willd. ex Cham. & Schlecht. l. c. = *S. dichotoma*.  
*sessiliflora*, Willd. ex Cham. & Schlecht. l. c. = *S. glomerata*.

**PTYCHODON**, Klotzsch, ex Reichb. Nom. 172 (1841) = **Lafoensia**, Vand. (Lythrac.).  
*nummularifolius*, Klotzsch, ex Koehne, in Mart. Fl. Bras. xiii. ii. 347 = *L. nummularifolia*.

**PTYCHOLEPIS**, Griseb. in Lechl. Berb. Am. Austr. 58 (1857) = **Blepharodon**, Decne. (Asclep.).  
*ditassoides*, Griseb. l. c. —Peruv.

**PTYCHOMERIA**, Benth. in Hook. Kew Journ. vii. (1855) 14 = **Gymnosiphon**, Blume (Burm.).  
*capitata*, Benth. l. c. 15. —Bras.  
*cornuta*, Benth. l. c. 16 = *G. cornutum*.  
*cymosa*, Benth. l. c. 15 = *G. cymosum*.  
*divaricata*, Benth. l. c. 16 = *G. divaricatum*.  
*fimbriata*, Benth. l. c. 14. —Bras.  
*mutica*, Benth. l. c. 16. —Bras.  
*nivea*, Griseb. Cat. Pl. Cub. 257. —Cuba.  
*tenella*, Benth. in Hook. Kew Journ. vii. (1855) 17. —Bras.

**PTYCHOPETALUM**, Benth. in Hook. Lond. Journ. Bot. ii. (1843) 376. **OLACINEAE**, Benth. & Hook. f. i. 346.

**ATHESIANDRA**, Miers, ex Benth. & Hook. f. Gen. i. 346 (1862).  
*anceps*, Oliver, Fl. Trop. Afr. i. 347. —Afr. trop.  
*olacoides*, Benth. in Hook. Lond. Journ. Bot. ii. (1843) 377. —Guian.  
*petiolatum*, Oliver, Fl. Trop. Afr. i. 347. —Afr. trop.

**PTYCHOPYXIS**, Miq. Fl. Ind. Bat. Suppl. 402 (1860). **INC. SEDIS**. —Cf. Benth. & Hook. f. Gen. i. 217.  
*costata*, Miq. l. c. —Sumatra.

**PTYCHORAPHIS**, Becc. in Ann. Jard. Bot. Buitenz. ii. (1885) 90. **PALMAE**.  
*augusta*, Becc. l. c. —Ins. Nicobar.  
*philippinensis*, Becc. l. c. —Ins. Philipp.  
*singaporensis*, Becc. l. c. —Malaya.

**PTYCHOSEMA**, Benth. in Lindl. Swan River App. 16 (1839). **LEGUMINOSAE**, Benth. & Hook. f. i. 496.  
*anomalum*, F. Muell. Fragm. ix. 62. —Austral.  
*pusillum*, Benth. in Lindl. Swan River App. 16. —Austral.  
*trifoliolatum*, F. Muell. in Wing, South. Sc. Record, ii. (1882) 72. —Austral.

**PTYCHOSPERMA**, Labill. in Mém. Inst. Par. ix. 1808 (1809), 252. **PALMAE**, Benth. & Hook. f. iii. 891.

*NORMANBYA*, F. Muell. Fragm. xi. 57, in obs. (1878); Becc. in Ann. Jard. Buitenz. ii. (1885) 91.

**PSYCHOSPERMA**, Dum. Anal. Fam. 56 (1829).  
**SEAFORTHIA**, R. Br. Prod. 267 (1810).  
*alba*, Scheff. in Tijdschr. Nederl. Ind. xxvii. (1864) 26 = *Dictyosperma album*.

*Alexandrae*, F. Muell. Fragm. v. 47 = *Archontophoenix Alexandrae*.

*angustifolia*, Blume, Rumphia, ii. 122 = *Coleospadix oninensis*.

*appendiculata*, Blume, l. c. = *Drymophloeus appendiculatus*.

*arecina*, Becc. Malesia, i. (1877) 58 = *Ptychococcus arecinus*.

*arfakiana*, Becc. l. c. 57 = *Rhopaloblaste hexandra*.  
*Beatriceae*, F. Muell. in Melb. Chemist (Feb. 1882). —Austral.

*caesia*, Miq. Fl. Ind. Bat. iii. 20 = *Pinanga caesia*.  
*calapparia*, Miq. l. c. = *Actinorhynchis calapparia*.  
*Capitis-Yorkii*, H. Wendl. & Drude, in Linnaea, xxxix. (1875) 217. —Austral.

*caudata*, Becc. Malesia, i. (1877) 55 = *Pinanga caudata* (in Addend.).

*coccinea*, Hort. ex Teijsm. & Binn. Cat. Hort. Bog. 69 = *Cyrtostachys Renda*.

*cochinchinensis*, Miq. Fl. Ind. Bat. iii. 23 = *Pinanga cochinchinensis*.

*communis*, Miq. l. c. 31 = *Coleospadix oninensis*.  
*coronata*, Miq. l. c. 24 = *Pinanga coronata*.

*costata*, Miq. l. c. 25 = *Pinanga Kuhlii*.  
*Cunninghamiana*, H. Wendl. in Bot. Zeit. xvi. (1858) 346 = *Archontophoenix Cunninghamii*.

*Dicksoni*, Miq. Fl. Ind. Bat. iii. 23 = *Pinanga Dicksonii*.  
*disticha*, Miq. l. c. 28 = *Pinanga disticha*.

*Drudei*, H. Wendl. in Benth. & Hook. f. Gen. iii. 892. —Austral.

*elegans*, Blume, Rumphia, ii. 118. —Austral.

*elegans*, Hort. —Cf. Gard. Chron. (1870) 419 = *Archontophoenix Cunninghamii*.

*filifera*, H. Wendl. in Bonplandia, x. (1862) 195 = *Vitiphoebe filifera*.

*furfuracea*, Miq. Fl. Ind. Bat. iii. 26 = *Pinanga furfuracea*.

*gracilis*, Labill. in Mém. Inst. Par. ix. 1808 (1809), 253. —Nov. Hibernia.

*inaequalis*, Miq. Fl. Ind. Bat. iii. 27 = *Pinanga inaequalis*.

*Junghuhnii*, Miq. l. c. 28 = *Pinanga Junghuhnii*.  
*Kuhlii*, Miq. l. c. 21 = *Pinanga Kuhlii*.

*Laccospadix*, Benth. Fl. Austral. vii. 140 = *Calyptrocalyx australasicus*.

*lacerata*, Hort. —Cf. Gard. Chron. (1868) 1317. —Am. centr.

*latisecta*, Miq. Fl. Ind. Bat. iii. 20 = *Pinanga latisecta*.  
*litigiosa*, Becc. Malesia, i. (1877) 50 = *Coleospadix litigiosa*.

*Macarthurii*, H. Wendl. ex Kew Report, 1882 (1884), 55. —Austral.

*maculata*, Seem. in Gard. Chron. (1870) 697 = *Pinanga maculata*.

*malaiana*, Miq. Fl. Ind. Bat. iii. 25 = *Pinanga malaiana*.  
*micrantha*, Becc. Malesia, i. (1877) 52 = *Rhopaloblaste micrantha*.

*minor*, Miq. Fl. Ind. Bat. iii. 23 = *Pinanga minor*.  
*Musschenbroekiana*, Becc. Malesia, i. (1877) 53 = *Ptychandra Musschenbroekiana*.



## PTYCHOSPERMA:—

- Nenga*, Teijsm. & Binn. Cat. Hort. Bog. 69 = *Nenga Wendlandiana*.  
*nobilis*, Seem. in Gard. Chron. (1870) 697.—Hab. ?  
*Normanbyi*, F. Muell. Fragm. xi. 56 = *Areca Normanbyi*.  
*noxa*, Miq. Fl. Ind. Bat. iii. 23 = *Pinanga noxa*.  
*paniculata*, Miq. in Verh. Kon. Akad. Wetensch. xi. (1868) n. v. 3 = *Mischophloeus paniculatus*.  
*paradoxa*, Scheff. in Ann. Jard. Buitenz. i. (1876) 83 = *Ptychococcus paradoxus*.  
*patula*, Miq. Fl. Ind. Bat. iii. 26 = *Pinanga patula*.  
*pauciflora*, H. Wendl. in Bonplandia, x. (1862) 193.—Ins. Fiji.  
*perbrevis*, H. Wendl. l. c. 193 = *Balaka perbrevis*.  
*Pikeringii*, H. Wendl. l. c. 194.—Ins. Fiji.  
*polystachya*, Miq. Fl. Ind. Bat. Suppl. 590 = *Areca triandra*.  
*punicea*, Miq. Fl. Ind. Bat. iii. 31 = *Pinanga ternatensis*.  
*Rumphii*, Blume, Rumphia, ii. 119 = *Drymophloeus olivaeformis*.  
*rupicola*, Thw. Enum. Pl. Zeyl. 328 = *Loxococcus rupicola*.  
*salicifolia*, Miq. Fl. Ind. Bat. iii. 28 = *Pinanga salicifolia*.  
*saxatilis*, Blume, Rumphia, ii. 121 = *Drymophloeus saxatilis*.  
*Seaforthii*, Miq. Fl. Ind. Bat. iii. 21 = *elegans*, Archontophoenix Cunninghamii.  
*Seemannii*, H. Wendl. in Bonplandia, ix. (1861) 261; x. (1862) 192 = *Balaka Seemannii*.  
*simplicifrons*, Miq. Fl. Ind. Bat. Suppl. 590 = *Pinanga disticha*.  
*singaporensis*, Becc. Malesia, i. (1877) 61 = *Ptychographis singaporensis*.  
*sylvestris*, Miq. Fl. Ind. Bat. iii. 22 = *Pinanga javana*.  
*tahitensis*, H. Wendl. in Bonplandia, x. (1862) 196.—Ins. Tahiti.  
*tenella*, H. Wendl. in Bot. Zeit. xvii. (1859) 63.—Borneo.  
*Veitchii*, H. Wendl. in Linnaea, xxxix. (1875) 213 = *Archontophoenix Veitchii*.  
*vestiaria*, Miq. Fl. Ind. Bat. iii. 31 = *Areca vestiaria*.  
*vitiensis*, H. Wendl. in Bonplandia, ix. (1861) 260; x. (1862) 195.—Ins. Fiji.  
 PTYCHOSTIGMA, Hochst. in Flora, xxvii. (1844) 23 = *Galiniera*, Delile (Rubiaceae).  
*saxifragum*, Hochst. l. c. = *G. coffeoides*.  
 PTYCHOTIS, Koch, in Nov. Act. Nat. Cur. xii. i. (1824) 124 = *Carum*, Rupp. (Umbell.).  
*achilleifolia*, DC. Prod. iv. 109 = *Pimpinella achilleifolia*.  
*Ajowan*, DC. in Mém. Soc. Phys. Genève. iv. (1828) 497 = *C. copticum*.  
*amoides*, Koch, in Nov. Act. Nat. Cur. xii. i. (1824) 125 = *C. ammoides*.  
*anethifolia*, DC. Prod. iv. 108 = *C. anethifolium*.  
*arabica*, T. Anders. in Journ. Linn. Soc. v. Suppl. i. (1860) 21.—Aden.  
*aspera*, Pomel, Nouv. Mat. Fl. Atl. 139 = *C. ammoides*.  
*atlantica*, Coss. & Dur. in Bull. Soc. Bot. Fr. ix. (1862) 296.—Alger.  
*barbata*, DC. Prod. iv. 109 = *Pimpinella barbata*.  
*Bunius*, Reichb. Fl. Germ. Excurs. 474 = *C. Bunius*.  
*carvifolia*, Sond. in Harv. & Sond. Fl. Cap. ii. 537 = *C. carvifolium*.  
*coptica*, DC. in Mém. Soc. Phys. Genève. iv. (1828) 496 = *C. copticum*.  
*dichotoma*, Coss. ex Ball, in Journ. Linn. Soc. xvi. (1878) 469 = *C. dichotomum*.  
*didyma*, Sond. in Harv. & Sond. Fl. Cap. ii. 538 = *C. didymum*.  
*foeniculifolia*, Steud. Nom. ed. II. ii. 572, in syn. = *C. copticum*.  
*heterophylla*, Koch, in Nov. Act. Nat. Cur. xii. i. (1824) 125 = *C. Bunius*.  
*hispidula*, Sond. in Harv. & Sond. Fl. Cap. ii. 537 = *C. hispidum*.  
*involuta*, Royle, Illustr. Bot. Himal. 229 = *C. Roxburghianum*.  
*Meisneri*, Sond. in Harv. & Sond. Fl. Cap. ii. 536 = *Apium humile*.  
*puberula*, DC. Prod. iv. 109 = *Pimpinella puberula*.  
*rigens*, Harv. Gen. S. Afr. Pl. 134 (= *Bunium rigens*).—Afr. austr.  
*Roxburghiana*, DC. Prod. iv. 109 = *C. Roxburghianum*.

## PTYCHOTIS:—

- sylvestris*, Royle, Illustr. Bot. Himal. 228, 229 = *Carum sylvestre*.  
*tenuis*, Sond. in Harv. & Sond. Fl. Cap. ii. 537. Afr. austr.  
*Thorei*, Gren. & Godr. Fl. Fr. i. 735 = *C. inundatum*.  
*Timbali*, Jord. Cat. Gr. Réc. Grenoble (1850), 15.—Gallia.  
*trachysperma*, Boiss. Voy. Bot. Espagne, ii. 731 = *ammoides*.  
*Vargasiana*, DC. Prod. iv. 109.—Venezuela.  
*verticillata*, Duby, Bot. Gall. ed. II. i. 235 = *C. ammoides*.  
 PTYSSIGLOTTIS, T. Anders. in Thw. Enum. Pl. Zeyl. 235 (1860). ACANTHACEAE, Benth. & Hook. f. ii. 1117.  
*radicosa*, T. Anders. l. c.—Zeylan.  
 PTYXOSTOMA, Vahl, in Danske Nat. Selsk. Skriv. vi. (1810) 95 = *Lonchostoma*, Wikstr. (1818) (Bruniac.).  
*monogyna*, Vahl, l. c.—Afr. austr.  
*myrtoides*, Vahl, l. c. 97 = *L. acutiflorum*.  
 PUBETA, Linn. Diss. Pl. Surin. 16 (1775); Amoen. Acad. viii. 264 (1785) = *Duroia*, Linn. f. (Rubiaceae).  
 PUBILARIA, Rafin. Fl. Tellur. ii. 27 (1836) = *Sime-this*, Kunth (1843) (Liliac.).  
*bicolor*, Rafin. l. c. = *S. bicolor*.  
 PUCCINELLIA, Parl. Fl. Ital. i. 366 (1848) = *Glyceria*, R. Br. (Gramin.).  
*convoluta*, Fourr. in Ann. Soc. Linn. Lyon, N. S. xvii. (1869) 184 = *G. distans*.  
*distans*, Parl. Fl. Ital. i. 367 = *G. distans*.  
*festucaeformis*, Parl. l. c. 368 = *G. distans*.  
*Gussonii*, Parl. l. c. 369 = *G. distans*.  
*maritima*, Parl. l. c. 370 = *G. maritima*.  
*permixta*, Parl. l. c. = *G. Borrieri*.  
 PUCEDANUM, Hill, Hort. Kew. 94 (1768), err. typ. = *Peucedanum*, Tourn. (Umbell.).  
 PUERARIA, DC. in Ann. Sc. Nat. Sér. I. iv. (1825) 97. LEGUMINOSAE, Benth. & Hook. f. i. 537.  
 NEUSTANTHUS, Benth. in Miq. Pl. Jungh. i. 234 (1852).  
*anabaptis*, Kurz, in Journ. As. Soc. Beng. xlv. (1876) ii. 253 = *Shuteria hirsuta*.  
*brachycarpa*, Kurz, l. c. xlii. (1873) ii. 232.—Burma.  
*Candollii*, Wall. Cat. n. 5355.—Ind. or.  
*composita*, R. Grah. in Wall. l. c. 5570 = *Wallichii*.  
*ferruginea*, Kurz, in Journ. As. Soc. Beng. xlii. (1873) ii. 232 = *Shuteria ferruginea*.  
*hirsuta*, Kurz, l. c. 254.—Pegu.  
*javanica*, Benth. in Journ. Linn. Soc. ix. (1867) 125 = *phaseoloides*.  
*peduncularis*, R. Grah. in Wall. Cat. n. 5354.—Reg. Himal.  
*phaseoloides*, Benth. in Journ. Linn. Soc. ix. (1867) 125.—Ind. or.; Malaya; China.  
*Stracheyi*, Baker, in Hook. f. Fl. Brit. Ind. ii. 198.—Ind. or.  
*stricta*, Kurz, in Journ. As. Soc. Beng. xlii. (1873) ii. 254.—Burma.  
*subspicata*, Benth. in Journ. Linn. Soc. ix. (1867) 125 = *phaseoloides*.  
*Thomsoni*, Benth. l. c. 122.—Reg. Himal.  
*Thunbergiana*, Benth. l. c.—China; Japon.  
*tuberosa*, DC. in Ann. Sc. Nat. Sér. I. iv. (1825) 97.—Reg. Himal.  
*Wallichii*, DC. l. c.—Reg. Himal.  
 PUGIONELLA, Salisb. Gen. Pl. Fragm. 128 (1866) = *Strumaria*, Jacq. (Amaryll.).  
*angustifolia*, Salisb. l. c. = *S. angustifolia*.  
 PUGIONUM, Gaertn. Fruct. ii. 291. t. 142 (1791).  
 CRUCIFERAE, Benth. & Hook. f. i. 96.  
*cornutum*, Gaertn. l. c.—Oriens.  
*dolabratum*, Maxim. in Bull. Acad. Pétersb. xxvi. (1880) 426.—Mongolia.  
 PUGIOPAPPUS, A. Gray, in Pacif. Rail. Rep. iv. 104 (1857) = *Leptosyne*, DC. (Compos.).  
*Bigelovii*, A. Gray, l. c. = *L. Bigelovii*.  
*Breweri*, A. Gray, in Proc. Am. Acad. viii. (1873) 660 = *L. Bigelovii*.  
*calliopsidea*, A. Gray, l. c. 660 = *L. calliopsidea*.

- PUJA, Molina, Sagg. Chile, ed. II. 153 (1810) = *Puya*, Molina (Orchid.).  
 PUKANTHUS, Rafin. Sylva Tellur. 53 (1838) = *Grabowskia*, Schlecht. (Solan.).  
*odoratus*, Rafin. l. c. = *G. boerhaaviaefolia*.  
 PUKATERIA, Raoul, in Ann. Sc. Nat. Sér. III. ii. (1844) 120 = *Griselinia*, Forst. (Cornac.).  
*littoralis*, Raoul, l. c. = *G. lucida*.  
 PULCHERIA, Noronha, in Verh. Batav. Gen. v. (1790) ed. I. Art. iv. 3 = *Kadsura*, Kaempf. (Magnol.).  
 PULCHIA, Steud. Nom. ed. II. ii. 416 (1841), sphalm. = *PLUCHIA*, Vell. = *Diclidanthera*, Mart. (Styrac.).  
 PULEGIUM, Ray, ex Mill. Gard. Dict. ed. VI (1752) = *Mentha*, Tourn. (Labiata).  
*aromaticum*, S. F. Gray, Nat. Arr. Brit. Pl. ii. 367 = *M. Pulegium*.  
*cervinum*, Mill. Gard. Dict. ed. VIII. n. 3 = *Preslia cervina*.  
*erectum*, Mill. l. c. n. 2 = *M. Pulegium*.  
*heterophyllum*, Opiz, ex Boenn. Prod. Fl. Monast. 174 = *M. Pulegium*.  
*micranthum*, Claus, in Beitr. Pfl. Russ. Reich. viii. 244 = *M. Pulegium*.  
*pubescens*, Opiz, ex Boenn. Prod. Fl. Monast. 174 = *M. Pulegium*.  
*tomentella*, Presl, Fl. Sic. p. xxxvi = *M. Pulegium*.  
*vulgare*, Mill. Gard. Dict. ed. VIII. n. 1 = *M. Pulegium*.  
 PULICARIA, Gaertn. Fruct. ii. 461. t. 173 (1719).  
 COMPOSITAE, Benth. & Hook. f. ii. 835.  
 DUCHESNIA, Cass. in Bull. Soc. Philom. (1817) 153.  
 FRANCOEURIA, Cass. in Dict. Sc. Nat. xxxviii. 374 (1825).  
 FRANKOERIA, Steud. Nom. ed. II. i. 646 (1840).  
 KILIANA, Sch. Bip. ex Hochst. in Flora, xxiv. (1841) i. Intell. 26, nomen.  
 PLATYCHAETA, Boiss. Diagn. Ser. I. xi. 5 (1849).  
 PLATZCHAETE, Sch. Bip. in F. Schultz, Arch. Fl. 131 (1855).  
 POLOA, DC. in Guill. Arch. Bot. ii. (1833) 514.  
 PTEROCHAETA, Boiss. Diagn. Ser. I. vi. 76 (1845).  
 STRABONIA, DC. Prod. v. 481 (1836).  
 TUBILIUM, Cass. in Bull. Soc. Philom. (1817) 153.  
*adenophora*, Franch. in Réveil, Çomali, 37.—Afr. trop.  
*angustifolia*, DC. Prod. v. 479.—Ind. or.  
*annua*, Gaertn. Fruct. ii. 462 = *Erigeron annuus*.  
*arabica*, Bourg. ex Nym. Consp. 394 = *hispanica*.  
*arabica*, Cass. in Dict. Sc. Nat. xlv. 94.—Oriens.  
*argyrophylla*, Franch. in Réveil, Çomali, 38.—Afr. trop.  
*armena*, Boiss. & Kotschy, ex Boiss. Fl. Orient. iii. 204.—Armenia.  
*aromatica*, R. Br. in Salt, Abyss. App. p. 65 = *undulata*.  
*aspera*, Pomel, Nouv. Mat. Fl. Atl. 35 = *longifolia*.  
*Aucherii*, Fieb. & Spach, Illustr. iv. 73. t. 346.—Persia.  
*bellidiflora*, Wallr. Sched. Crit. 483 = *Erigeron annuus*.  
 Boissieri, Hook. f. Fl. Brit. Ind. iii. 300.—Ind. or.  
*calycina*, Presl, Delic. Prag. 96 = *Inula montana*.  
*canariensis*, C. Bolle, in Bonplandia, vii. (1859) 295.—Ins. Canar.  
*capensis*, DC. Prod. v. 479.—Afr. austr.  
*chrysopsidoides*, Sch. Bip. in Schweinf. Beitr. Fl. Aethiop. 153, nomen = *petiolaris*.  
*Clausonis*, Pomel, Nouv. Mat. Fl. Atl. 36 = *vulgaris*.  
*congesta*, C. Koch, in Linnaea, xxiii. (1850) 711 = *odora*.  
*crispa*, Sch. Bip. in Webb & Berth. Phyt. Canar. ii. 223, in syn.; Benth. & Hook. f. Gen. ii. 336.—Afr. bor. et trop.; Arab.; Ind. or.  
*demissa*, Boiss. Fl. Orient. iii. 205.—Afghan.  
*dentata*, DC. Prod. v. 480 = *dysenterica*.  
*dentata*, Guss. Fl. Sic. Syn. ii. 502 = *vulgaris*.  
*desertorum*, DC. ex Decne in Ann. Sc. Nat. Sér. II. ii. (1834) 263.—Arab.  
*diversifolia*, Balf. f. in Proc. Roy. Soc. Edinb. xi. (1882) 840.—Ins. Socotra.  
*dumetorum*, Salzmann, ex Ball, in Journ. Linn. Soc. xvi. (1878) 501 = *odora*.  
*dysenterica*, Gaertn. Fruct. ii. 462.—Europ.

**PULICARIA :—**

*elata*, Boiss. Diagn. Ser. I. xi. 6 = dysenterica.  
*erigeroides*, DC. Prod. v. 480 = capensis.  
*fetida*, Rafin. Fl. Tellur. ii. 48.—Hab.?  
*filaginoides*, Pomel. Nouv. Mat. Fl. Atl. 36.—Alger.  
*foliolosa*, DC. Prod. v. 480.—Ind. or.  
*germanica*, J. & C. Presl, Fl. Čech. 178 = vulgaris.  
*glaucescens*, Faub. & Spach, Illustr. iv. 79. t. 349.—  
 Ind. or.; Persia.  
*glutinosa*, Faub. & Spach, l. c. 77. t. 348.—Arab.  
*gnaphalodes*, Boiss. Diagn. Ser. I. vi. 76.—Persia;  
 Turkestan; Afghan.  
*gracilis*, Heimerl, in Denkschr. Acad. Wien, l. (1885)  
 56.—Persia.  
*gracilis*, Nym. Syll. 19.—Lusit.  
*græca*, Sch. Bip. ex Nym. Consp. 394 = vulgaris.  
*grandidentata*, Faub. & Spach, Illustr. iv. 71. t. 345.—  
 Arab.  
*Grantii*, Oliver & Hiern, ex Oliver, in Trans. Linn.  
 Soc. xxix. (1873) 96.—Afr. trop.  
*graveolens*, Nym. Syll. 19 = Inula graveolens.  
*Hildebrandtii*, Vatke, in Oestr. Bot. Zeitschr. xxv.  
 (1875) 326.—Afr. trop.  
*hirta*, J. & C. Presl, Fl. Čech. 178 = Inula hirta.  
*hispanica*, Boiss. Fl. Orient. iii. 205, in obs.—Lusit.;  
 Hispan.  
*hydrabadensis*, Lindl. ex DC. Prod. v. 480 = Wightiana.  
*incisa*, DC. l. c. 479 = undulata.  
*indica*, Jaub. & Spach, Illustr. iv. 67. t. 343 = angustifolia.  
*indica*, Rafin. Fl. Tellur. ii. 48 (Quid?).—Hab.?  
*inuloides*, DC. Prod. v. 480.—Afr. bor.  
*inuloides*, Schweinf. ex Ball, in Journ. Linn. Soc. xvi.  
 (1878) 501 = longifolia.  
*involuta*, R. Br. in Salt, Abyss. App. 65, nomen  
 = Ruppellii.  
*Kotschyi*, Sch. Bip. ex Boiss. Fl. Orient. iii. 202 =  
 dysenterica.  
*Kurtziana*, Vatke, in Oestr. Bot. Zeitschr. xxv. (1875)  
 327.—Afr. trop.  
*longifolia*, Boiss. Diagn. Ser. II. iii. 16.—Afr. bor.  
*mauritanica*, Coss. in Bull. Soc. Bot. Fr. xxii. (1875)  
 61, nomen.—Marocc.  
*monocephala*, Franch. in Réveil, Çomali, 36.—Afr.  
 trop.  
*odora*, Reichb. Fl. Germ. Excurs. 239.—Europ. austr.  
*orientalis*, Faub. & Spach, Illustr. iv. 65. t. 342.—  
 Arab.  
*paludosa*, Steud. Nom. ed. II. ii. 416.—Lusit.  
*paludosa*, Welw. ex Nym. Consp. 394 = hispanica.  
*palustris*, Hoffmgg. & Link, Fl. Portug. ii. 293.—  
 Lusit.  
*persica*, Jaub. & Spach, Illustr. iv. 75. t. 347 =  
 Aucheri.  
*petiolaris*, Faub. & Spach, l. c. 69. t. 344.—Arab.  
*planifolia*, Steud. Nom. ed. II. ii. 416.—Lusit.  
*pratensis*, Scheele, in Linnaea, xviii. (1844) 460 =  
 vulgaris.  
*prostrata*, Aschers. Fl. Brandenb. 304 = vulgaris.  
*Renschiana*, Vatke, in Oestr. Bot. Zeitschr. xxvii.  
 (1877) 197.—Afr. trop.  
*revoluta*, Nym. Syll. 19.—Lusit.  
*rufescens*, Nym. l. c.—Lusit.  
*Ruppellii*, Sch. Bip. ex A. Rich. Tent. Fl. Abyss. i.  
 401.—Afr. trop.  
*sakhiana*, Klatt, in Sitzb. Akad. Muench. (1878) i.  
 87.—Reg. Himal.  
*salicina*, J. & C. Presl, Fl. Čech. 178 = Inula salicina.  
*salviaefolia*, Bunge, in Mém. Sav. Etr. Pétersb. vii.  
 (1851) 331.—As. centr.  
*saxicola*, Edgew. in Journ. As. Soc. Beng. xxi. (1853)  
 174 = angustifolia.  
*Schimperi*, DC. Prod. vii. 285.—Arab.  
*sicula*, Moris, Fl. Sard. ii. 363.—Europ. austr.  
*stephanocarpa*, Balf. f. in Proc. Roy. Soc. Edinb. xi.  
 (1882) 840.—Ins. Socotra.  
*Steweni*, Nym. Syll. 19 = dysenterica.  
*Stocksii*, Boiss. Diagn. Ser. II. iii. 16 = angustifolia.  
*Stocksii*, Hook. f. Fl. Brit. Ind. iii. 300.—Ind. or.  
*trichocephala*, DC. Prod. v. 478 = arabica.  
*uliginosa*, S. F. Gray, Nat. Arr. Brit. Pl. ii. 463 =  
 vulgaris.  
*uliginosa*, Hoffmgg. & Link, Fl. Portug. ii. 294.—  
 Lusit.  
*uliginosa*, Stev. ex DC. Prod. v. 478 = dysenterica.  
*undulata*, Kostel. Allg. Med.-Pharm. Fl. ii. 660; DC.  
 Prod. v. 479.—Aegypt.; Arab.  
*undulata*, C. A. Mey. Verz. Pfl. Cauc. 79 = vulgaris.

**PULICARIA :—**

*vieraoides*, Balf. f. in Proc. Roy. Soc. Edinb. xi. (1882)  
 840.—Ins. Socotra.  
*villosa*, Link, Enum. Hort. Berol. ii. 336 = arabica.  
*viscida*, R. Br. in Salt, Abyss. App. p. lxx = Felicia  
 abyssinica.  
*viscosa*, Koch, Syn. Fl. Germ. ed. I. 361; ed. II. 395 =  
 Inula viscosa.  
*vulgaris*, Gaertn. Fruct. ii. 461. t. 173.—Geront. temp.  
 Wightiana, C. B. Clarke, Comp. Ind. 128.—Ind. or.

**PULMONARIA, [Tourn.] Linn. Syst. ed. I (1735);**

Gen. ed. I. 37 (1737). *BORAGINEAE*, Benth. &  
 Hook. f. ii. 857.  
*affinis*, Jord. Cat. Jard. Dijon (1848), 13 = saccharata.  
*alpestris*, Lamotte, Prod. Fl. Centr. Fr. ii. 535 =  
 officinalis.  
*alpina*, Mill. Gard. Dict. ed. VIII. n. 2 = officinalis.  
*alpina*, Torr. in Ann. Lyc. N. York, ii. (1828) 224 =  
 Mertensia alpina.  
*amoena*, Stev. ex Lehm. Asperif. 296 = Mertensia  
 dahurica.  
*angustata*, Schrad. ex Roem. & Schult. iv. 54 =  
 angustifolia.  
*angustifolia*, Bess. Prim. Fl. Galic. i. 150 = mollis.  
*angustifolia*, Linn. Sp. Pl. 135.—Europ.  
*armena*, Schrank, in Nov. Act. Nat. Cur. ix. (1818)  
 99 = Mertensia dahurica.  
*azurea*, Bess. Prim. Fl. Galic. i. 150 = angustifolia.  
*bracteata*, Willd. ex Roem. & Schult. Syst. iv. 747 =  
 Mertensia sibirica.  
*ciliata*, James, ex Torr. in Ann. Lyc. N. York, ii. (1828)  
 224 = Mertensia sibirica.  
*Clusii*, Baumg. Enum. Stirp. Transs. i. 123 = angustifolia.  
*cordato-folia*, Gilib. Fl. Lituan. i. 23 = officinalis.  
*daurica*, Cat. Hort. Viln. (1824); ex Roem. & Schult.  
 Syst. iv. 57 = seq.?  
*daurica*, Schrank, in Nov. Act. Nat. Cur. ix. (1818)  
 103 = seq.  
*daurica*, Sims, Bot. Mag. t. 1743 = Mertensia  
 dahurica.  
*denticulata*, Roem. & Schult. Syst. iv. 746 = Mertensia  
 sibirica.  
*digenea* ×, Kern. in Oestr. Bot. Zeitschr. xxiii. (1873)  
 180.—Austria.  
*elegans*, Hort. ex Roem. & Schult. Syst. iv. 745 =  
 Mertensia paniculata.  
*elliptica*, Rafin. New Fl. Am. iv. 17 (Mertensiae sp.?).  
 —Am. bor.  
*Gallorum*, Gueldenst. Reisen, ii. 262 = officinalis.  
*glabra*, Stokes, Bot. Mat. Med. i. 282 = Mertensia pul-  
 monarioides.  
*gracilis*, Willd. ex Roem. & Schult. Syst. iv. 747 =  
 Mertensia dahurica.  
*grandiflora*, DC. Cat. Hort. Monsp. (1813) 135 =  
 saccharata.  
*hirta*, Linn. Sp. Pl. ed. II. 1667 = Hyoscyamus phy-  
 saloides.  
*hybrida* ×, Kern. Monog. Pulmonar. 31.—Europ.  
*Kochii*, Kern. in Oestr. Bot. Zeitschr. xxiii. (1873) 181  
 = oblongata.  
*lanceolata*, Pursh, Fl. Am. Sept. ii. 729 = Mertensia  
 lanceolata.  
*longifolia*, Bast. ex Bor. Fl. Centr. Fr. ed. III. ii. 460  
 = angustifolia.  
*maculata*, F. G. Dietr. Vollst. Lexic. Gaertn. v. 657 =  
 officinalis.  
*maculata*, Stokes, Bot. Mat. Med. i. 278 = angustifolia.  
*maculosa*, Georgi, Reise, i. 2 = mollis.  
*maculosa*, Reichb. Fl. Germ. Excurs. 338, in syn. =  
 officinalis.  
*marginata*, Nutt. Gen. Am. i. 115 = Mertensia lanceo-  
 lata.  
*maritima*, Linn. Sp. Pl. 136 = Mertensia maritima.  
*media*, Host, Fl. Austr. i. 235 = angustifolia.  
*mollis*, Guép. Fl. Maine-et-Loire, ed. III. 162, partim  
 = ovalis.  
*mollis*, Tenore, Syll. Fl. Neap. 84 = officinalis.  
*mollis*, Wolff, ex Heller, Fl. Wirceb. Suppl. 13.—  
 Europ. centr.  
*mollissima*, Kern. Monog. Pulmonar. 47 = mollis.  
*montana*, Lej. Fl. Spa, i. 98 = mollis.  
*montana*, Wulf. ex Schrank, in Nov. Act. Nat. Cur. ix.  
 (1818) 98 = angustifolia.  
*notha* ×, Kern. Monog. Pulmonar. 32.—Europ.  
*oblongata*, Schrad. in Roem. & Schult. Syst. iv. 744  
 (farrago spp.).—Europ.

**PULMONARIA :—**

*oblongifolia*, Nutt. in Journ. Acad. Philad. vii. (1834)  
 43 = Mertensia oblongifolia.  
*obscura*, Dum. in Bull. Soc. Bot. Belg. iv. (1865) 341 =  
 officinalis.  
*obscura*, Rehm. in Verh. Zool.-Bot. Ges. Wien, xviii.  
 (1868) 495 = mollis.  
*officinalis*, Linn. Sp. Pl. 135.—Europ.  
*officinalis*, Oed. in Fl. Dan. t. 482 = saccharata.  
*orientalis*, Mill. Gard. Dict. ed. VIII. n. 5 = Nonnea  
 rosea.  
*ovalis* ×, Bast. Fl. Maine-et-Loire, Suppl. 44.—  
 Europ.  
*paniculata*, Ait. Hort. Kew. ed. I. i. 181 = Mertensia  
 paniculata.  
*parviflora*, Knapp, in Flora, xlv. (1862) 273 = angusti-  
 folia.  
*parviflora*, Michx. Fl. Bor. Am. i. 131 = Mertensia  
 maritima.  
*parviflora*, Schrank, in Nov. Act. Nat. Cur. ix. (1818)  
 103 = Mertensia paniculata.  
*parviflora*, Schur, Enum. Pl. Transs. 472 = mollissima.  
*pauciflora*, Gilib. Fl. Lituan. i. 23 = officinalis.  
*pilosa*, Cham. in Linnaea, iv. (1829) 449 = Mertensia  
 paniculata.  
*procumbens*, Stokes, Bot. Mat. Med. i. 281 = Mertensia  
 maritima.  
*pubescens*, Willd. ex Roem. & Schult. Syst. iv. 744 =  
 Mertensia paniculata.  
*pumila*, Schrank, in Nov. Act. Nat. Cur. ix. (1818)  
 101 = Mertensia paniculata.  
*rubra*, Schott, in Bot. Zeit. ix. (1851) 395 = mollis.  
*saccharata*, Mill. Gard. Dict. ed. VIII. n. 3.—Europ.  
*sibirica*, Linn. Sp. Pl. 135 = Mertensia sibirica.  
*simplicissima*, Ledeb. in Mém. Acad. Pétersb. v. (1812)  
 518 = Mertensia simplicissima.  
*stiriaca*, Kern. Monog. Pulmonar. 36 = angustifolia.  
*stylosa*, Fisch. in Mém. Soc. Nat. Mosc. iii. (1812) 62  
 = Mertensia stylosa.  
*suffruticosa*, Linn. Sp. Pl. ed. II. 1667 = Lithospermum  
 graminifolium.  
*tenella*, Salisb. Prod. 113 = Mertensia pulmonarioides.  
*transsilvanica*, Schur, in Verh. Siebenb. Ver. Naturw.  
 iii. (1852) 88 = mollis.  
*tuberosa*, Mart. Fl. Tam. i. 487, partim = ovalis.  
*tuberosa*, Schrank, in Nov. Act. Nat. Cur. ix. (1818)  
 97 = angustifolia.  
*undulata*, Lavy, Vég. Orig. 12 (sp. obs.).—Hab.?  
*Vallarsae*, Kern. Monog. Pulmonar. 33. t. 11 = officinalis.  
*variabilis*, Godr. Fl. Lorr. ii. 122 = angustifolia.  
*villosula*, Roem. & Schult. Syst. iv. 745 = Mertensia  
 villosula.  
*virginica*, Linn. Sp. Pl. 135 = Mertensia pulmona-  
 rioides.  
*vulgaris*, Holand, Fl. Moselle, i. 90 = officinalis.  
*vulgaris*, Mérat, Fl. Par. ed. I. 70; II. ii. 164 (farrago  
 spp.).—Europ.

**PULSATILLA, [Tourn.] Linn. Syst. ed. I (1735);**

Gen. ed. I. 163 (1737) = *Anemone*, Tourn.  
 (Ranunc.).  
*affinis*, Lasch, in Linnaea, iii. (1828) 166 = A.  
 pratensis.  
*africana*, Spreng. Syst. ii. 664 = A. capensis.  
*ajanensis*, Regel & Tiling, in Nouv. Mém. Soc. Nat.  
 Mosc. xi. (1859) 28 = A. vernalis.  
*alba*, Reichb. Fl. Germ. Excurs. 732 = A. alpina.  
*albana*, Bercht. & Presl, Rostl. i. Ranunculac. 22;  
 Spreng. Syst. ii. 663 = A. albana.  
*alpina*, G. Laws. in Proc. & Trans. Nova Scotian Inst.  
 Nat. Sc. (1870) 23 = A. occidentalis.  
*alpina*, Schrank, Baier. Fl. ii. 81 = A. alpina.  
*ambigua*, Turcz. ex Pritz. in Linnaea, xv. (1841) 601 =  
 A. albana.  
*amoena*, Jord. Diagn. i. 54 = A. Pulsatilla.  
*angustifolia*, Turcz. in Bull. Soc. Nat. Mosc. xiii.  
 (1840) 61.—Sibir.  
*aperta*, Schur, Enum. Pl. Transs. 4 = A. Pulsatilla.  
*apiifolia*, Reichb. Ic. Fl. Germ. iv. t. 51 = A. alpina.  
*apiifolia*, Sweet, Hort. Brit. ed. I. 3 = A. alpina.  
*baldensis*, Delarb. Fl. Auv. ed. II. 553 = A. baldensis.  
*Bauhini*, Tausch, ex Pritz. in Linnaea, xv. (1841)  
 580 = A. patens.  
*Bogenhardiana*, Reichb. Ic. Fl. Germ. iv. 18 =  
 A. Bogenhardiana.  
*Breynii*, Rupr. in Bull. Phys.-Math. Acad. Pétersb. xii.  
 (1854) 218.—Rossia.

## PULSATILLA:—

- Bungeana*, C. A. Mey. ex Ledeb. Fl. Alt. ii. 371 = *Anemone Bungeana*.  
*Burseriana*, Reichb. Fl. Germ. Excurs. 732 = *A. alpina*.  
*caffra*, Eckl. & Zeyh. Enum. Pl. Afr. Austr. 1 = *A. caffra*.  
*campanella*, Fisch. ex Regel, in Bull. Soc. Nat. Mosc. (1861) ii. 31 = *A. albana*.  
*capensis*, Steud. Nom. ed. II. i. 379, in syn. = *A. capensis*.  
*cernua*, Bercht. & Presl, Rostl. i. Ranunculac. 22; Spreng. Syst. ii. 664 = *A. cernua*.  
*chinensis*, C. Muell. in Walp. Ann. vii. 8 = *A. chinensis*.  
*coronaria*, Borkh. in Rhein. Mag. i. (1793) 420 = *A. coronaria*.  
*davurica*, Spreng. Syst. ii. 663 = *A. dahurica*.  
*georgica*, Rupr. Fl. Cauc. 9, in textu = violacea?  
*grandiflora*, Reichb. ex Walp. Rep. i. 19 = *A. alpina*.  
*grandis*, Wender. in Schrift. Marb. ii. (1830) 257 = *A. Pulsatilla*.  
*Hackelii*, Pohl, ex Maly, Fl. Styr. 2; Ledeb. Fl. Ross. i. 20 = *A. Pulsatilla*.  
*Hackelii*, Reichb. Fl. Germ. Excurs. 733 = *A. Halleri*.  
*Halleri*, Willd. Enum. Hort. Berol. 580 = *A. Halleri*.  
*hybrida*, Mikan & Presl, in Sturm, Deutschl. Fl. Heft 46 = *A. Halleri*.  
*intermedia*, Fisch. ex Schrank, in Syll. Ratisb. i. (1824) 221 (Quid?) = Sibir.  
*intermedia*, Hoppe & Hornsch. Reise, 183 = *A. montana*.  
*intermedia*, Lasch, in Linnaea, iii. (1828) 164 = *patens*.  
*intermedia*, Sweet, Hort. Brit. ed. II. 3 = *A. Pulsatilla*.  
*Jankae*, Nym. Syll. Suppl. 28 = *A. pratensis*.  
*Jankae*, Schur, Enum. Pl. Transs. 4 = *A. Jankae*.  
*latifolia*, Rupr. in Bull. Phys.-Math. Acad. Pétersb. xii. (1854) 218. — Rossia.  
*lutea*, Reichb. ex Walp. Rep. i. 19 = *A. alpina*.  
*media*, Bogenh. in Flora, xxiii. (1840) 74 = *A. Pulsatilla*.  
*micrantha*, Sweet, Hort. Brit. ed. II. 3 = *A. alpina*.  
*millefoliata*, Ser. ex Nym. Consp. 2 = *A. alpina*.  
*montana*, Reichb. Fl. Germ. Excurs. 733 = *A. montana*.  
*narcissiflora*, Schrank, Baier. Fl. ii. 85 = *A. narcissiflora*.  
*nemorosa*, Schrank, l. c. 82 = *A. nemorosa*.  
*Nigella*, Jord. Diagn. i. 55 = *A. montana*.  
*nigricans*, Stoerck, ex DC. Syst. i. 193 = *A. pratensis*.  
*nuda*, Regel, in Bull. Soc. Nat. Mosc. xxxiv. (1861) ii. 19. — Sibir.  
*Nuttalliana*, Spreng. Syst. ii. 663 = *A. patens*.  
*obsoleta*, Sweet, Hort. Brit. ed. II. 3 = *A. pratensis*.  
*patens*, Mill. Gard. Dict. ed. VIII. n. 4 = *A. patens*.  
*pratensis*, Mill. l. c. n. 2 = *A. pratensis*.  
*propera*, Jord. Diagn. i. 54 = *A. Pulsatilla*.  
*propinqua*, Lasch, in Linnaea, iii. (1828) 165 = *A. vernalis*.  
*Pseudo-patens*, Schur, Enum. Pl. Transs. 4 = *A. patens*.  
*ranunculoides*, Schrank, Baier. Fl. ii. 84 = *A. ranunculoides*.  
*recta*, Gilib. Fl. Lituan. ii. 278 = *A. Pulsatilla*.  
*reflexa*, Gilib. l. c. = *A. pratensis*.  
*rubra*, Delarb. Fl. Auv. ed. II. 553 = *A. pratensis*.  
*slavica*, Reuss, Květ. Slov. (1853) 5 = *A. slavica*.  
*sulphurea*, Sweet, Hort. Brit. ed. II. 3 = *A. vernalis*.  
*tenuifolia*, Spreng. Syst. ii. 664 = *A. tenuifolia*.  
*transsilvanica*, Schur, Enum. Pl. Transs. 5 = *A. Pulsatilla*.  
*vernalis*, Mill. Gard. Dict. ed. VIII. n. 3 = *A. vernalis*.  
*versicolor*, Andr. ex Rupr. in Bull. Phys.-Math. Acad. Pétersb. xii. (1854) 217 = *A. stellata*?  
*violacea*, Rupr. Fl. Cauc. 6 = *A. albana*.  
*vulgaris*, Mill. Gard. Dict. ed. VIII. n. 1 = *A. Pulsatilla*.  
*Wolfgangiana*, Rupr. in Bull. Phys.-Math. Acad. Pétersb. xii. (1854) 218 = *A. Wolfgangiana*.  
*Zichyi*, Schur, in Oestr. Bot. Zeitschr. xiii. (1863) 317 = *A. pratensis*.

**PULTENAEA**, Sm. Bot. Nov. Holl. 35. t. 12 (1793).  
**LEGUMINOSAE**, Benth. & Hook. f. i. 470.  
**BARTLINGIA**, Brongn. in Ann. Sc. Nat. Sér. I. x. (1848) 373.

## PULTENAEA:—

- EUCHILUS*, R. Br. in Ait. Hort. Kew. ed. II. iii. 17 (1811).  
**SPADOSTYLES**, Benth. in Ann. Wien. Mus. ii. (1838) 80.  
*URODON*, Turcz. in Bull. Soc. Nat. Mosc. xxii. (1849) ii. 17.  
*acerosa*, R. Br. ex Benth. Fl. Austral. ii. 131. — Austral.  
*aciphylla*, Benth. Enum. Pl. Hueg. 35; et in Ann. Wien. Mus. ii. (1838) 81 = *reticulata*.  
*adunca*, Turcz. in Bull. Soc. Nat. Mosc. xxvi. (1853) i. 279. — Austral.  
*altissima*, F. Muell. ex Benth. Fl. Austral. ii. 123. — Austral.  
*amoena*, Sieber, ex Steud. Nom. ed. II. ii. 418 = *linophylla*.  
*argentea*, A. Cunn. in Field, N. S. Wales, 347 = *dentata*.  
*aristata*, Sieber, ex DC. Prod. ii. 112. — Austral.  
*aspalathoides*, Meissn. in Lehm. Pl. Preiss. i. 73. — Austral.  
*aspera*, Sieber, ex DC. Prod. ii. 113 = *Phyllota phyllicoides*.  
*Ausfeldi*, Regel, Gartenfl. (1865) 193. t. 475. f. 1-11. — Austral.  
*baeckevides*, A. Cunn. ex Benth. in Ann. Wien. Mus. ii. (1838) 83 = *Gunnii*.  
*Benthami*, F. Muell. in Trans. Phil. Soc. Vict. i. (1855) 38. — Austral.  
*biloba*, R. Br. in Bot. Mag. t. 2091 = *scabra*.  
*brachyphylla*, Turcz. in Bull. Soc. Nat. Mosc. xxvi. (1853) i. 279 = *verruculosa*.  
*brachyotropis*, Benth. ex Lindl. in Bot. Reg. (1841) Misc. 40. — Austral.  
*bracteata*, Schrad. Sert. Hannov. t. 18 = *linophylla*.  
*Brunonis*, Benth. in Ann. Wien. Mus. ii. (1838) 81 = *Latroba Brunonis*.  
*calycina*, Benth. Fl. Austral. ii. 121. — Austral.  
*caraliculata*, F. Muell. in Trans. Vict. Inst. i. (1855) 119. — Austral.  
*candida*, Lodd. Bot. Cab. t. 1236 = *tenuifolia*.  
*canescens*, A. Cunn. in Field, N. S. Wales, 346 = *plumosa*.  
*caniculata*, Walp. Ann. vii. 662, sphalm. = *canaliculata*.  
*capitellata*, Sieber, ex DC. Prod. ii. 112 = *stricta*.  
*clutiaefolia*, Regel, Ind. Sem. Hort. Petrop. (1860) 108. — Hab.?  
*comosa*, Sieber, ex DC. Prod. ii. 113 = *Phyllota phyllicoides*.  
*conferta*, Benth. Fl. Austral. ii. 118. — Austral.  
*cordata*, R. Grah. in Hook. Bot. Mag. t. 3443 = *juniperina*.  
*cordifolia*, Benth. in Ann. Wien. Mus. ii. (1838) 82 = *praec.*  
*crassifolia*, Lodd. Cat. ex Loud. Hort. Brit. 164, nomen. — Austral.  
*cuneata*, Benth. in Ann. Wien. Mus. ii. (1838) 83 = *microphylla*.  
*daphnoides*, Wendl. Bot. Beobacht. 49. — Austral.  
*deltoides*, Sieber, ex DC. Prod. ii. 110 = *scabra*.  
*densifolia*, F. Muell. in Trans. Vict. Inst. i. (1855) 119. — Austral.  
*dentata*, Labill. Nov. Holl. Pl. i. 103. t. 131. — Austral.  
*diemenica*, Turcz. in Bull. Soc. Nat. Mosc. xxvi. (1853) i. 277 = *pedunculata*.  
*diffusa*, Hook. Fl. Tasm. i. 91. t. 14. — Tasman.  
*Drummondii*, Meissn. in Lehm. Pl. Preiss. ii. 221. — Austral.  
*echinata*, Spreng. Syst. iv. Cur. Post. 173, sphalm. = *seq.*  
*echinula*, Sieber, ex DC. Prod. ii. 112. — Austral.  
*elliptica*, Sm. in Trans. Linn. Soc. ix. (1808) 246. — Austral.  
*empetrifolia*, Meissn. in Lehm. Pl. Preiss. i. 76. — Austral.  
*epacridea*, F. Muell. Fragm. iv. 21 = *staphylloides*.  
*ericafolia*, Benth. in Lindl. Swan River App. 13. — Austral.  
*ericoides*, Vent. Jard. Malm. t. 35 = *Aotus villosa*.  
*eriophora*, Lodd. ex Steud. Nom. ed. II. ii. 418. — Austral.  
*euchila*, DC. Prod. ii. 112. — Austral.  
*fasciculata*, Benth. in Ann. Wien. Mus. ii. (1838) 82. — Austral.  
*ferruginea*, Rudge, in Trans. Linn. Soc. xi. (1815) 300. t. 23 = *villosa*.

## PULTENAEA:—

- filifolia*, F. Muell. Fragm. i. 9 = *tenuifolia*.  
*flexilis*, Sm. in Kon. & Sims, Ann. Bot. i. (1805) 502. — Austral.  
*foliolosa*, A. Cunn. ex Benth. in Ann. Wien. Mus. ii. (1838) 83. — Austral.  
*fuscata*, F. Muell. in Trans. Vict. Inst. i. (1855) 119 = *vestita*.  
*genistoides*, Meissn. in Lehm. Pl. Preiss. i. 73 = *Latroba genistoides*.  
*glabra*, Benth. Fl. Austral. ii. 125. — Austral.  
*glaucescens*, Sieber, ex DC. Prod. ii. 112 = *linophylla*.  
*graveolens*, Tate, in Trans. Roy. Soc. S. Austral. vii. (1885) 68. — Austral.  
*Gunnii*, Benth. in Ann. Wien. Mus. ii. (1838) 82. — Austral.  
*Hartmanni*, F. Muell. Fragm. viii. 166. — Austral.  
*hibbertioides*, Hook. f. Fl. Tasman. i. 89. — Austral.  
*hispidula*, R. Br. ex Benth. Fl. Austral. ii. 133. — Austral.  
*humilis*, Benth. in Hook. f. Fl. Tasman. i. 91. — Austral.  
*hypolampra*, Sieber, ex DC. Prod. ii. 111 = *elliptica*.  
*ilicifolia*, Andr. Bot. Rep. t. 320 = *Oxylobium trilobatum*.  
*incarnata*, Sweet, Hort. Brit. ed. I. 108 (Quid?). — Austral.  
*incurvata*, A. Cunn. in Field, N. S. Wales, 346. — Austral.  
*involucrata*, Benth. Fl. Austral. ii. 138. — Austral.  
*juncea*, Willd. Sp. Pl. ii. 506 = *Viminaria denudata*.  
*juniperina*, Labill. Nov. Holl. Pl. i. 103. t. 130. — Austral.  
*lanata*, A. Cunn. ex Benth. in Ann. Wien. Mus. ii. (1838) 83 = *villosa*.  
*largiflorens*, Benth. Fl. Austral. ii. 134. — Austral.  
*laxa*, Kunze, Pugill. Pl. Nov. 11. — Austral.  
*laxiflora*, Benth. Fl. Austral. ii. 133. — Austral.  
*Lindleyana*, Regel, Ind. Sem. Hort. Petrop. (1856) 39. — Austral.  
*linophylla*, Schrad. Sert. Hannov. 28. — Austral.  
*microphylla*, Sieber, ex DC. Prod. ii. 112. — Austral.  
*mollis*, Lindl. in Mitch. Three Exped. ii. 260. — Austral.  
*montana*, Lindl. l. c. 178 = *scabra*.  
*mucronata*, Lodd. Bot. Cab. t. 1711 = *polifolia*.  
*mucronata*, F. Muell. Fragm. i. 8. — Austral.  
*Muelleri*, Benth. Fl. Austral. ii. 138. — Austral.  
*myrtoides*, A. Cunn. ex Benth. in Ann. Wien. Mus. ii. (1838) 81. — Austral.  
*nana*, Andr. Bot. Rep. t. 434 = *Chorizema ilicifolium*.  
*neurocalyx*, Turcz. in Bull. Soc. Nat. Mosc. xxvi. (1853) i. 281. — Austral.  
*obcordata*, Andr. Bot. Rep. t. 574 = *daphnoides*.  
*obcordata*, Benth. Fl. Austral. ii. 120. — Austral.  
*obovata*, Benth. l. c. 123. — Austral.  
*ochreate*, Meissn. in Lehm. Pl. Preiss. i. 75. — Austral.  
*Otonis*, Regel, Gartenfl. (1857) 343. — Austral.  
*oxalidifolia*, A. Cunn. ex Steud. Nom. ed. II. ii. 418 = *ternata*.  
*paleacea*, Willd. Sp. Pl. ii. 506. — Austral.  
*parviflora*, Sieber, ex DC. Prod. ii. 111. — Austral.  
*peduncularis*, Benth. in Ann. Wien. Mus. ii. (1838) 83 = *seq.*  
*pedunculata*, Hook. Bot. Mag. t. 2859. — Austral.  
*petiolaris*, A. Cunn. ex Benth. in Ann. Wien. Mus. ii. (1838) 82. — Austral.  
*phyllicoides*, Sieber, ex DC. Prod. ii. 113 = *Phyllota phyllicoides*.  
*pimeleoides*, Hook. f. Fl. Tasman. i. 88 = *dentata*.  
*pinifolia*, Meissn. in Lehm. Pl. Preiss. ii. 220. — Austral.  
*plumosa*, Sieber, ex DC. Prod. ii. 111. — Austral.  
*polifolia*, A. Cunn. in Field, N. S. Wales, 346. — Austral.  
*polygalifolia*, Rudge, in Trans. Linn. Soc. xi. (1815) 303. t. 25 = *villosa*.  
*procumbens*, A. Cunn. in Field, N. S. Wales, 347. — Austral.  
*prostrata*, Benth. in Hook. f. Fl. Tasman. i. 89. — Austral.  
*protaeoides*, Sieber, ex DC. Prod. ii. 112 = *stipularis*.  
*psoraloides*, Sieber, ex Steud. Nom. ed. II. ii. 418 = *stipularis*.  
*pteronioides*, Turcz. in Bull. Soc. Nat. Mosc. xxvi. (1853) i. 280 = *strobilifera*.  
*pycnocephala*, F. Muell. ex Benth. Fl. Austral. ii. 114. — Austral.

**PULTENAEA** :—

- racemulosa*, Sieber, ex DC. Prod. ii. 111 = villosa ?  
reticulata, Benth. Fl. Austral. ii. 118.—Austral.  
*retorta*, Wendl. Hort. Herrenh. ii. 13. t. 9 = Dillwynia  
ericifolia.  
*retusa*, Sm. in Kon. & Sims, Ann. Bot. i. (1805) 502 =  
linophylla.  
rigida, R. Br. ex Benth. Fl. Austral. ii. 130.—  
Austral.  
rosea, F. Muell. Fragm. ii. 15.—Austral.  
*rosmarinacea*, Sieber, ex Steud. Nom. ed. II. ii. 418 =  
Aotus villosa.  
*rosmarinifolia*, Lindl. Bot. Reg. t. 1584 = polifolia.  
*rosmarinifolia*, Sieber, ex DC. Prod. ii. 108 = Aotus  
villosa.  
rotundifolia, Benth. Fl. Austral. ii. 121.—Austral.  
*rubiaefolia*, Andr. Bot. Rep. t. 351 = Mirbelia reticu-  
lata.  
rupestris, Baxt. in Loud. Hort. Brit. Suppl. iii. 619,  
nomen (Quid ?).—Austral.  
scabra, R. Br. in Ait. Hort. Kew. ed. II. iii. 18.—  
Austral.  
selaginoides, Hook. f. Fl. Tasman. i. 87.—Tasman.  
setigera, A. Cunn. ex Benth. in Ann. Wien. Mus. ii.  
(1838) 82 = procumbens.  
setulosa, Benth. Fl. Austral. ii. 132.—Austral.  
Skinneri, F. Muell. Fragm. viii. 166.—Austral.  
spinulosa, Benth. Fl. Austral. ii. 121.—Austral.  
*squarrosa*, Sieber, ex DC. Prod. ii. 113 = Phyllota  
phylicoides.  
staphyleoides, A. Cunn. ex G. Don, Gen. Syst. ii. 124.  
—Austral.  
stenophylla, A. Cunn. ex G. Don, l. c. = microphylla.  
stipularis, Sm. Bot. Nov. Holl. 35. t. 12; et in Trans.  
Linn. Soc. ix. (1808) 245.—Austral.  
stricta, Sims, Bot. Mag. t. 1588.—Austral.  
strobilifera, Meissn. in Lehm. Pl. Preiss. i. 76.—  
Austral.  
styphelioides, Steud. Nom. ed. II. ii. 418, sphalm. =  
staphyleoides.  
subspicata, Benth. Fl. Austral. ii. 137.—Austral.  
subumbellata, Hook. Bot. Mag. t. 1584.—Austral.  
*Sweetii*, G. Don, in Sweet, Hort. Brit. ed. III. 150 =  
flexilis.  
sylvatica, Sieber, ex DC. Prod. ii. 104 = Oxylobium  
Pultenaeae.  
tenella, Benth. Fl. Austral. ii. 122.—Austral.  
tenuifolia, R. Br. in Bot. Mag. t. 2086.—Austral.  
ternata, F. Muell. Fragm. i. 8.—Austral.  
thymifolia, Sieber, ex DC. Prod. ii. 111. = elliptica.  
tuberculata, Pers. Syn. i. 454 = elliptica.  
uncinata, A. Cunn. ex Benth. in Ann. Wien. Mus. ii.  
(1838) 83 = microphylla.  
Urodon, Benth. Fl. Austral. ii. 124.—Austral.  
verruculosa, Turcz. in Bull. Soc. Nat. Mosc. xxvi.  
(1853) i. 278.—Austral.  
verticillata, Turcz. l. c. 279 = empetrifolia.  
vestita, R. Br. in Ait. Hort. Kew. ed. II. iii. 19.—  
Austral.  
villifera, Sieber, ex DC. Prod. ii. 111.—Austral.  
villosa, Andr. Bot. Rep. t. 309 = Aotus villosa.  
villosa, Willd. Sp. Pl. ii. 507.—Austral.  
virgata, Sieber, ex DC. Prod. ii. 108 = Aotus villosa.  
viscidula, Tate, in Trans. Roy. Soc. S. Austral. vii.  
(1885) 69.—Austral.  
viscosa, R. Br. ex Benth. Fl. Austral. ii. 127.—  
Austral.

**PULTENEYA**, Hoffmgg. Verz. Pf. 191 (1824) =  
praec.

**PULTNAEA**, R. Grah. in Edinb. N. Phil. Journ. (Jan.  
1836) 195, sphalm. = praec.

**PULVINARIA**, Fourn. in Mart. Fl. Bras. vi. iv. 214  
(1885). *ASCLEPIADEAE*.  
Lhotzkyana, Fourn. l. c. 215.—Bras.

**PUMILEA**, P. Br. Hist. Jamaic. 188 (1756) = **Turnera**,  
Plum

**PUMILO**, Schlecht. in Linnaea, xxi. (1848) 448 =  
**Rutidosia**, DC. (Compos.).  
*argyrolepis*, Schlecht. l. c. = R. Pumilo.  
*Preissii*, Sond. in Linnaea, xxv. (1852) 487 = R.  
Pumilo.

**PUNDUANA**, Steetz, in Peters, Reise Mossamb. Bot.  
345 (1863) = **Vernonia**, Schreb. (Compos.).  
*volkameriaefolia*, Steetz, l. c. 346 = V. volkameriae-  
folia.  
*vulgaris*, Steetz, l. c. = V. volkameriaefolia.

**PUNEERIA**, Stocks, in Journ. As. Soc. Bombay, iii.  
(1849) 55 = **Withania**, Pauq. (Solanac.).  
*coagulans*, Stocks, l. c. 56 = W. coagulans.

**PUNGAMIA**, Lam. Illustr. t. 603 (1792 ?) = **Pongamia**,  
Vent. (Legumin.).

**PUNICA**, [Tourn.] Linn. Syst. ed. I (1735). *LY-  
THRARIEAE*, Benth. & Hook. f. i. 784.  
GRANATUM, St. Lag. in Ann. Soc. Bot. Lyon, vii.  
(1880) 132.  
RHOEA, St. Lag. l. c. 133 (1880).  
*florida*, Salisb. Prod. 354 = P. Granatum.  
Granatum, Linn. Sp. Pl. 472.—Europ. austr.; Maurit.  
*grandiflora*, Hort. ex Steud. Nom. ed. I. 669 =  
P. Granatum.  
*nana*, Linn. Sp. Pl. ed. II. 676 = P. Granatum.  
protopunica, Balf. f. in Proc. Roy. Soc. Edinb. xi.  
(1882) 512.—Ins. Socotra.  
*spinosa*, Lam. Fl. Fr. iii. 483 = P. Granatum.

**PUNICELLA**, Turcz. in Bull. Phys.-Math. Acad.  
Petersb. x. (1852) 333 = **Balaustion**, Hook.  
(Myrtac.).  
*carinata*, Turcz. l. c. = B. pulcherrimum.

**PUPAL**, Adans. Fam. ii. 268 (1763) = seq.

**PUPALIA**, Juss. in Ann. Mus. Par. ii. (1803) 132.  
*AMARANTACEAE*, Benth. & Hook. f. iii. 31.  
CODIVALIA, Rafin. Fl. Tellur. iii. 40 (1836).  
DESMOCHAETA, DC. Cat. Hort. Monsp. 101 (1813).  
KOMMIA, Ehrenb. ex Schweinf. Beitr. Fl. Aethiop.  
181 (1867).  
SYAMA, Jones, in As. Res. iv. (1795) 261.  
*Alopecurus*, Fenzl, ex Moq. in DC. Prod. xiii. ii. 328  
= Cyathula cylindrica.  
*atropurpurea*, Moq. l. c. 331.—As. et Afr. trop.  
*densiflora*, Mart. Nov. Gen. et Sp. ii. tt. 156, 158 =  
Cyathula achyranthoides.  
*distantiiflora*, A. Rich. Tent. Fl. Abyss. ii. 217.—  
Abyss.  
*echinata*, Juss. ex Steud. Nom. ed. I. 269, 669 =  
lappacea.  
Figarei, Tod. Ind. Sem. Hort. Panorum. (1866) 34.—  
Aegypt.  
*globosa*, Hochst. & Steud. in Flora, xxiv. (1841)  
i. Intell. 22, nomen = Cyathula globulifera.  
*holosericea*, Fenzl, ex Moq. in DC. Prod. xiii. ii. 329,  
333 = Cyathula globulifera.  
lappacea, Juss. in Ann. Mus. Par. ii. (1803) 132;  
Moq. l. c. 331.—As. et Afr. trop.  
mollis, Moq. l. c. 333.—Afr. trop.  
*natalensis*, Sond. in Linnaea, xxiii. (1850) 97 =  
Cyathula natalensis.  
orbiculata, Wight, l. c. v. t. 1783.—Ind. or.  
ortacantha, Hochst. ex Schweinf. Beitr. Fl. Aethiop.  
181.—Abyss.  
*patula*, Juss. ex Steud. Nom. ed. I. 269, 669 =  
lappacea.  
*prostrata*, Mart. in Nov. Act. Nat. Cur. xiii. (1826) 321  
= Cyathula geniculata.  
*remotiflora*, Moq. in DC. Prod. xiii. ii. 333.—Afr.  
austr.  
*Schimperia*, Hochst. in Flora, xxiv. (1841) i. Intell.  
22, nomen = Cyathula cylindrica.  
*sordida*, Moq. in DC. Prod. xiii. ii. 333.—Reg.  
Argent.  
*styractifolia*, Juss. ex Steud. Nom. ed. I. 269, 669 =  
lappacea.  
subfusca, Moq. in DC. Prod. xiii. ii. 332.—Afr. trop.  
Thonningii, Moq. l. c. 333.—Afr. trop.  
*velutina*, Moq. l. c. 332 = lappacea.

**PURARIA**, Wall. Cat. n. 5352–55, 5570 (1831 ?) =  
**Pueraria**, DC. (Legumin.).

**PURCHIA**, Dum. Anal. Fam. 24 (1829) = **PURSHIA**,  
Spreng. = **Onosmodium**, Michx. (Borag.).

**PURDIAEA**, Planch. in Hook. Lond. Journ. Bot.  
v. (1846) 250. t. 9. *CYRILLEAE* [Benth. & Hook. f.  
ii. 1226].

**COSTAEA**, A. Rich. Fl. Cub. Fanerog. ii. 75 (1853).  
*angustifolia*, Wright, ex Griseb. Cat. Pl. Cub. 53 =  
stenopetala.  
monodynamia, Griseb. l. c.—Cuba.  
nutans, Planch. in Hook. Lond. Journ. Bot. v. (1846)  
251. t. 9.—N. Granat.  
stenopetala, Griseb. in Goett. Abh. ix. (1861) 45.—  
Cuba.

**PURGOSEA**, Haw. in Phil. Mag. iii. (1828) 184 =  
**Crassula**, Linn.  
*alooides*, Sweet, Hort. Brit. ed. II. 223 = C. alooides.  
*alpestris*, G. Don, Gen. Syst. iii. 104 = C. alpestris.  
*barbata*, G. Don, l. c. = C. barbata.  
*capitellata*, Sweet, Hort. Brit. ed. II. 223 = C. capitella.  
*cephalophora*, G. Don, Gen. Syst. iii. 103 = C. cephalo-  
phora.  
*ciliata*, Sweet, Hort. Brit. ed. II. 223 = C. ciliata.  
*concinna*, Sweet, l. c. = C. concinna.  
*concinella*, Sweet, l. c. = C. concinnella.  
*conspicua*, Sweet, l. c. = C. conspicua (in Addend.).  
*corymbosula*, Loud. ex Steud. Nom. ed. II. ii. 421 =  
seq.  
*corymbulosa*, Sweet, Hort. Brit. ed. II. 223 = C.  
corymbulosa.  
*Cotyledonis*, Sweet, l. c. = C. Cotyledonis.  
*crenulata*, G. Don, Gen. Syst. iii. 103 = C. crenulata.  
*debilis*, G. Don, l. c. 104 = C. debilis.  
*dentata*, G. Don, l. c. = C. dentata.  
*hemisphaerica*, G. Don, l. c. = C. hemisphaerica.  
*hirta*, G. Don, l. c. 103 = C. hirta.  
*ligulifolia*, Sweet, Hort. Brit. ed. II. 223 = C. liguli-  
folia.  
*linguaeifolia*, Sweet, l. c. = C. linguaeifolia.  
*minima*, G. Don, Gen. Syst. iii. 105 = C. minima.  
*montana*, G. Don, l. c. 104 = C. montana.  
*obovata*, Sweet, Hort. Brit. ed. II. 223 = C. obovata.  
*pertusa*, Sweet, l. c. = C. corymbulosa.  
*pertusula*, Haw. in Phil. Mag. iii. (1828) 184.—Afr.  
austr.  
*punctata*, Sweet, Hort. Brit. ed. II. 223 = C. punctata.  
*pyramidalis*, G. Don, Gen. Syst. iii. 104 = C. pyrami-  
dalis.  
*ramuliflora*, Sweet, Hort. Brit. ed. II. 223 = C. ramuli-  
flora.  
*rupestris*, G. Don, Gen. Syst. iii. 105 = C. rupestris.  
*sediflora*, Steud. Nom. ed. II. ii. 421 = C. sediflora.  
*spicata*, G. Don, Gen. Syst. iii. 105 = C. spicata.  
*tecta*, G. Don, l. c. = C. tecta.  
*thyrsiflora*, Sweet, Hort. Brit. ed. II. 223 = C. thyrsi-  
flora.  
*tomentosa*, Sweet, l. c. = C. tomentosa.  
*turrita*, Sweet, l. c. = C. turrita.

**PURGOSIA**, G. Don, Gen. Syst. iii. 103 (1834) =  
praec.

**PURKINJIA**, Presl, Symb. Bot. ii. 17. t. 64 (1833) =  
**Ardisia**, Sw. (Myrsin.).  
*nodosa*, Presl, l. c. = Mexic.

**PURPURELLA**, Naud. in Ann. Sc. Nat. Sér. III. xiii.  
(1849) 301 = **Tibouchina**, Aubl. (Melastom.).  
*albiflora*, Triana, in Trans. Linn. Soc. xxviii. (1871) 35  
= T. hospita.  
*grossa*, Triana, l. c. = T. grossa.  
*Itatiaiae*, Wawra, in Oestr. Bot. Zeitschr. xxxii. (1882)  
38 = T. Itatiaiae.  
*muricata*, Naud. in Ann. Sc. Nat. Sér. III. xiii. (1850)  
301 = T. grossa.  
*reticulata*, Naud. l. c. 302 = T. reticulata.

**PURSHIA**, DC. in Trans. Linn. Soc. xii. (1817) 157.  
*ROSACEAE*, Benth. & Hook. f. i. 617.  
KUNZIA, Spreng. Anleit. ii. 869 (1818).  
TIGAREA, Pursh, Fl. Am. Sept. i. 333. t. 15 (1814).  
*glandulosa*, Curran, in Bull. Calif. Acad. i. n. iii.  
(1885) 153.—Calif.  
*tridentata*, DC. in Trans. Linn. Soc. xii. (1817) 158.—  
Am. bor. occ.

**PURSHIA**, Dennst. Schluess. Hort. Malab. 35 (1818) =  
**Centranthera**, R. Br. (Scrophul.).  
*ciliata*, Dennst. l. c. = C. procumbens.



PURSHIA, Rafin. in Am. Monthly Mag. (1819) 191, sub n. 33 = BURSHIA, Rafin. = *Myriophyllum*, Ponted. (Halorag.).

PURSHIA, Spreng. Anleit. ii. 1. 450 (1817) = *Onosmodium*, Michx. (Borag.).  
*hispida*, Lehm. Asperif. ii. 382 = *O. hispidum*.  
*mollis*, Lehm. l. c. 383 = *O. molle*.

PURUMA, Jaime St. Hil. Expos. ii. 313 (1805) = *Pourouma*, Aubl. (Urtic.).

PUSCHKINIA, Adams, in Nov. Act. Acad. Petrop. xiv. (1805) 164. t. B. *LILIACEAE*, Benth. & Hook. f. iii. 813.

ADAMISIA, Willd. in Ges. Naturf. Fr. Berl. Mag. ii. (1808) 16.

*dubia*, Kunth, Enum. Pl. iv. 338 = *Hyacinthus spicatus*.  
*hyacinthoides*, Baker, in Linn. Soc. Journ. xi. (1871) 435.—Kurdistan.

*libanotica*, Zucc. in Abh. Akad. Muench. iii. (1837-43) 238 = *scilloides*.

*scilloides*, Adams, in Nov. Act. Acad. Petrop. xiv. (1805) 164.—As. Min.; Syria.

*scilloides*, Sieber, Reise Kreta, ii. 319 = *Chionodoxa nana*.

*scicula*, Van Houtte, in Fl. des Serres, xxi. (1875) 117 = *scilloides*.

PUTORIA, Pers. Syn. i. 524 (1805). *RUBIACEAE*, Benth. & Hook. f. ii. 136.

*balearica*, Steud. Nom. ed. II. ii. 67, in syn. = *calabrica*.

*brevifolia*, Coss. & Dur. in Ann. Sc. Nat. Sér. IV. i. (1854) 224, nomen.—Alger.

*calabrica*, Pers. Syn. i. 524.—Reg. Mediterr.

*cymosa*, Pomel, Nouv. Mat. Fl. Atl. 80 = *calabrica*.

*hispanica*, Boiss. & Reut. Diagn. Ser. II. ii. 108 = *calabrica*.

*indica*, DC. Prod. iv. 577 = *Anotis Leschenaultiana*?

*microphylla*, Pomel, Nouv. Mat. Fl. Atl. 79 = *brevifolia*.

*tenella*, Pomel, l. c. 71 = *brevifolia*.

PUTRANJIVA, Wall. Tent. Fl. Nap. 61 (1826). *EUPHORBACEAE*, Benth. & Hook. f. iii. 277.

*NAGEIA*, Roxb. Hort. Beng. 71 (1814); Fl. Ind. iii. 766 (1832).

*PALENGA*, Thw. in Hook. Kew Journ. viii. (1856) 270. t. 7.

*amblyocarpa*, Muell. Arg. in DC. Prod. xv. II. 444 = *Roxburghii*.

*Roxburghii*, Wall. Tent. Fl. Nap. 61.—Ind. or.; Burma.

*sphaerocarpa*, Muell. Arg. in DC. Prod. xv. II. 443 = *Roxburghii*.

*zeylanica*, Muell. Arg. l. c. 444.—Zeylan.

PUTTERLICKIA, Endl. Gen. 1086 (1840). *CELASTRINEAE*, Benth. & Hook. f. i. 366.

*pyracantha*, Endl. l. c.—Afr. austr.

PUTZEYSIA, Klotzsch, in Abh. Akad. Berl. (1855) 134 = *Begonia*, Linn.

*gemmipara*, Klotzsch, l. c. 135 = *B. gemmipara*.

PUTZEYSIA, Planch. & Linden, in Linden, Cat. n. 22 (1857) 3 = *Aesculus*, Linn. (Sapind.).

*rosea*, Planch. & Linden, l. c.; et in Belg. Hort. vii. (1857) 198 (= *Billia columbiana*).—N. Granat.

PUYA, Molina, Sagg. Chile, 160, 351 (1782). *BROMELIACEAE*, Benth. & Hook. f. iii. 666.

*POURRETIA*, Ruiz & Pav. Prod. 46. t. 7 (1794).

PUJA, Molina, Sagg. Chile, ed. II. 153 (1810).

*alpestris*, C. Gay, Fl. Chil. vi. 12 = *Pitcairnia caerulea*.  
*Altensteinii*, Link, Klotzsch & Otto, Ic. Sel. i. 1. t. 1 = *Pitcairnia Altensteinii*.

*Bonplandiana*, Schult. f. Syst. vii. 1236.—N. Granat.

*caerulea*, Auct. = *coerulea*.

*carnea*, Regel, Cat. Pl. Hort. Aksakov. 117 = *Pitcairnia carnea*?

*chilensis*, Molina, Sagg. Chile, 160, 351.—Chili.

*coarctata*, Fisch. Ser. Petrop. t. 19 = *chilensis*.

*coerulea*, Miers, in Lindl. Bot. Reg. (1840) t. 11 = *Pitcairnia caerulea*.

#### PUYA:—

*edulis*, E. Morr. in Belg. Hort. xxviii. (1878) 354.—Bras.

*floccosa*, E. Morr. l. c. xxxv. (1885) 81.—Venezuela.

*gigantea*, Phil. in Linnaea, xxxiii. (1864-65) 246 = *chilensis*.

*Gigas*, E. Andr. in Rev. Hort. (1881) 314.—N. Granat.

*grandiflora*, Hook. Bot. Mag. t. 5234 = *Pitcairnia ferruginea*.

*guyanensis*, Klotzsch, in Schomb. Faun. & Fl. Gui. 1068, nomen.—Guian.

*heterophylla*, Lindl. Bot. Reg. (1840) t. 71 = *Pitcairnia heterophylla*.

*lanata*, Schult. f. Syst. vii. 1233.—Peruv.

*lanuginosa*, Schult. f. l. c. 1234.—Peruv.

*longifolia*, C. Morr. in Ann. Soc. Bot. Gand, ii. (1846) 483. t. 101 = *Pitcairnia heterophylla*.

*macrostachya*, A. Dietr. Allg. Gartenz. xvi. (1848) 141, 146.—Guian.

*maidifolia*, C. Morr. in Ann. Soc. Bot. Gand, v. (1849) 453. t. 289 = *Pitcairnia maidifolia*.

*maydifolia*, Decne. in Rev. Hort. Sér. III. v. (1851) 347 = *maidifolia*.

*meridensis*, E. Morr. in Belg. Hort. xxxv. (1885) 81 = *floccosa*.

*paniculata*, Phil. in Linnaea, xxxiii. (1864-65) 247 (*Pitcairnia* sp.).—Chili.

*pyramidata*, Schult. f. Syst. vii. 1235.—Peruv.

*recurvata*, Schiedw. in Otto & Dietr. Allg. Gartenz. x. (1842) 275 = *Pitcairnia recurvata*.

*Roesli*, E. Morr. in Belg. Hort. xxxv. (1885) 80 (*Pitcairnia* sp.).—Peruv.

*rubricaulis*, Steud. Nom. ed. II. ii. 419 = *Pitcairnia caerulea*?

*saxatilis*, Mart. Reise Bras. ii. 757 (= *Encholirium spectabile*).—Bras.

*suberosa*, Molina, Sagg. Chile, ed. II. 153 = *chilensis*.

*sulphurea*, Hook. Bot. Mag. t. 4696 = *Pitcairnia Wendlandi*.

*virescens*, Hook. l. c. t. 4991 (*Caraguata* sp.).—Peruv.

*Warszewiczii*, H. Wendl. l. c. t. 5225 = *Pitcairnia atrorubens*.

*Whytei*, Hook. f. l. c. t. 5732 = *Pitcairnia caerulea*.

PYCHNANTHEMUM, G. Don, Gen. Syst. iv. 667 (1837), sphalm. = *Pycnanthemum*, Michx. (Labi.).

PYCHNOSTACHYS, G. Don, Gen. Syst. iv. 686 (1837), sphalm. = *Pycnostachys*, Hook. (Labi.).

PYCNANDRA, Benth. in Benth. & Hook. f. Gen. ii. 658 (1876). *SAPOTACEAE*, Benth. & Hook. f. l. c.

PYCNANTHEMUM, Michx. Fl. Bor. Am. ii. 7. t. 33 (1803). *LABIATAE*, Benth. & Hook. f. ii. 1184.

*BRACHYSTEMUM*, Michx. Fl. Bor. Am. ii. 5. tt. 31, 32 (1803).

*KOELLIA*, Moench, Meth. 407 (1794).

*TULLIA*, Leavenw. in Am. Journ. Sc. Ser. I. xx. (1830) 343. t. 5.

*alatum*, Rafin. Fl. Ludov. 40 (Quid?).—Am. bor.

*albescens*, Torr. & Gray, ex A. Gray, in Am. Journ. Sc. Ser. I. xlii. (1842) 45.—Am. bor.

*aristatum*, Michx. Fl. Bor. Am. ii. 8. t. 33.—Am. bor.

*arkansanum*, Fresen. in Flora, xxv. (1842) 325 = *muticum*.

*californicum*, Torr. ex Dur. in Journ. Acad. Philad. Ser. II. iii. (1855) 99.—Calif.

*clinopodioides*, Torr. & Gray, ex A. Gray, in Am. Journ. Sc. Ser. I. xlii. (1842) 45.—Am. bor.

*dubium*, A. Gray, l. c. = *P. Tullia*.

*elongatum*, Blanco, Fl. Filip. ed. II. 333 = *Hyptis spicigera*.

*hyssopifolium*, Benth. Lab. Gen. et Sp. 329 = *aristatum*.

*incanum*, Michx. Fl. Bor. Am. ii. 7.—Am. bor.

*lanceolatum*, Pursh, Fl. Am. Sept. ii. 410.—Am. bor.

*leptodon*, A. Gray, Syn. Fl. N. Am. ii. 1. 355.—Am. bor.

*linifolium*, Pursh, Fl. Am. Sept. ii. 409.—Am. bor.

*Loomisii*, Nutt. in Journ. Acad. Philad. vii. (1834) 100 = *incanum*.

*Monardella*, Michx. Fl. Bor. Am. ii. 8. t. 34 = *Monarda clinopodia*.

*montana*, Michx. l. c. 8.—Am. bor.

*muticum*, Pers. Syn. ii. 128.—Am. bor.

*nudum*, Nutt. Gen. Am. ii. 34.—Am. bor.

*ovatum*, Nutt. ex Benth. in DC. Prod. xii. 188 = *muticum*.

#### PYCNANTHEMUM:—

*pilosum*, Nutt. Gen. Am. ii. 33 = *muticum*.

*rosmarinoides*, Rafin. Fl. Ludov. 40 (Quid?).—Am. bor.

*setosum*, Nutt. in Journ. Acad. Philad. vii. (1834) 100 = *aristatum*.

*subulatum*, Blanco, Fl. Filip. ed. II. 333 = *Hyptis brevipes*.

*tenuifolium*, Schrad. Hort. Gotting. 10 = *linifolium*.

*Torrei*, Benth. Lab. Gen. et Sp. 329.—Am. bor.

*Tullia*, Benth. l. c. 328.—Am. bor.

*verticillatum*, Pers. Syn. ii. 128 = *lanceolatum*.

*verticillatum*, Pursh, Fl. Am. Sept. ii. 410 = *aristatum*.

*virginicum*, Nutt. Gen. Am. ii. 33 = *Torrei*.

*virginicum*, Pers. Syn. ii. 128 = *lanceolatum*.

PYCNANTHES, Rafin. New Fl. Am. iv. 95 (1836) = *Pycnanthemum*? Michx. (Labi.).

*ciliata*, Rafin. l. c.—Am. bor.

*parvifolia*, Rafin. l. c.—Am. bor.

*saxatilis*, Rafin. l. c.—Am. bor.

PYCNARRHENA, Miers, in Ann. & Mag. Nat. Hist. Ser. II. vii. (1851) 44. *MENISPERMACEAE*, Benth. & Hook. f. i. 38.

*longifolia*, Becc. Malesia, i. (1877) 160.—Ins. Timor.

*lucida*, Miq. Ann. Mus. Bot. Lugd. Bat. iv. 87.—Java.

*mecistophylla*, Miers, in Ann. Nat. Hist. Ser. III. xx. (1867) 12; Contrib. iii. 353 (an gen.?).—Reg. Himal.

*novoguineensis*, Miq. Ann. Mus. Bot. Lugd. Bat. iv. 87.—N. Guin.

*planiflora*, Hook. f. & Thoms. Fl. Ind. 206, sphalm. = *pleniflora*.

*plenifolius*, Miers, in Ann. & Mag. Nat. Hist. Ser. II. vii. (1851) 44, sphalm. = seq.

*pleniflora*, Miers, l. c. Ser. III. xx. (1867) 12; Contrib. iii. 353. t. 141.—Reg. Himal.

*tumefacta*, Miers, l. c. 12; 353.—Borneo.

PYCNBOTRYA, Benth. in Benth. & Hook. f. Gen. ii. 715 (1876). *APOCYNACEAE*, Benth. & Hook. f. l. c.

*nitida*, Benth. in Hook. Ic. Pl. t. 1183.—Afr. trop.

PYCNOCEPHALUM, DC. Prod. v. 83 (1836) = *Eremanthus*, Less. (Compos.).

*plantaginifolium*, DC. l. c. = *E. plantaginifolius*.

*scapigerum*, DC. l. c. = *E. scapigerus*.

*spathulaefolium*, DC. l. c. = *E. plantaginifolius*.

PYCNOCOMA, Benth. in Hook. Niger Fl. 508 (1849). *EUPHORBACEAE*, Benth. & Hook. f. iii. 326.

*cornuta*, Muell. Arg. in Flora, xlvii. (1864) 483.—Afr. trop.

*gigantea*, Baill. Etud. Gén. Euph. 411.—Ins. Comor.

*macrophylla*, Benth. in Hook. Niger Fl. 508.—Afr. trop.

*minor*, Muell. Arg. in Flora, xlvii. (1864) 483.—Afr. trop.

*reticulata*, Baill. Adansonia, i. (1860-61) 259.—Madag.

*rigidifolia*, Baill. Etud. Gén. Euph. 411.—Madag.

*trewioides*, Baill. l. c.—Ins. Comor.

PYCNOCOMON, Hoffmgg. & Link, Fl. Port. ii. 93. t. 88 (1820) = *Scabiosa*, Tourn.; et *Cephalaria*, Schrad. (Dipsac.).

*albescens*, Wallr. Sched. Crit. 46, in nota = *C. leucantha*.

*alpina*, Wallr. l. c. = *C. alpina*.

*attenuata*, Wallr. l. c. = *C. attenuata*.

*boetica*, Boiss. Voy. Bot. Espagne, ii. 738 = *C. leucantha*.

*centauroides*, Wallr. Sched. Crit. 46, in nota = *C. corniculata*.

*corniculata*, Wallr. l. c. = *C. corniculata*.

*cretacea*, Wallr. l. c. = *C. cretacea*.

*leucantha*, Wallr. l. c. = *C. leucantha*.

*rigida*, Wallr. l. c. = *C. rigida*.

*rutaeifolia*, Hoffmgg. & Link, Fl. Port. ii. 94. t. 88 = *Scabiosa rutaeifolia*.

*scabra*, Wallr. Sched. Crit. 46, in nota = *C. scabra*.

*syriaca*, Wallr. l. c. = *C. syriaca*.

*tatarica*, Wallr. l. c. = *C. tatarica*.

*transsylvanica*, Wallr. l. c. = *C. transsylvanica*.

*uralensis*, Wallr. l. c. = *C. corniculata*.

*ustulata*, Wallr. l. c. = *C. ustulata*.

**PYCNOCOMON**, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 132 = **PICNOMON**, Adans. = **Cnicus**, Linn. (Compos.).

**PYCNOCOMUS**, Hill, Veg. Syst. iv. 38 (1762) = **Centaurea**, Linn. (Compos.).  
*sonchifolius*, Hill, Hort. Kew. 67 = **C. sonchifolia**.

**PYCNOCYCLA**, Lindl. in Royle, Illustr. Bot. Himal. 232. t. 51 (1834). **UMBELLIFERAE**, Benth. & Hook. f. i. 881.

**DICYCLOPHORA**, Boiss. in Ann. Sc. Nat. Sér. III. ii. (1844) 89.

*abyssinica*, Hochst. ex A. Rich. Tent. Fl. Abyss. i. 333 = **glauca**.

*Aucheriana*, Boiss. in Ann. Sc. Nat. Sér. III. ii. (1844) 88.—Persia; Beluchist.

*cespitosa*, Boiss. & Haussk. ex Boiss. Fl. Orient. ii. 953.—Persia.

*flabellifolia*, Boiss. Diagn. Ser. II. ii. 105.—Persia.

*glauca*, Lindl. in Royle, Illustr. Bot. Himal. 232. t. 51.—Ind. or.; Abyss.

*macrocarpa*, Decne. ex Boiss. in Ann. Sc. Nat. Sér. III. ii. (1844) 75 = **Cachrys eriantha**.

*nodiflora*, Decne. ex Boiss. l. c. 88.—Persia.

*spinosa*, Decne. l. c. Sér. II. iii. (1835) 259.—Persia; Afghan.

*tomentosa*, Decne. l. c. 258.—Arab.

**PYCNOLACHNE**, Turcz. in Bull. Soc. Nat. Mosc. xxxvi. (1863) II. 215 = **Lachnostachys**, Hook. (Verben.).

*ledifolia*, Turcz. l. c. = **L. Walcottii**.

**PYCNONEURUM**, Decne. in Ann. Sc. Nat. Sér. II. ix. (1838) 340. **ASCLEPIADEAE**, Benth. & Hook. f. ii. 761.  
*junciforme*, Decne. l. c.—Madag.  
*sessiliflorum*, Decne. l. c. 341 (sessiliflorum).—Madag.

**PYCNOPHYLLUM**, Remy, in Ann. Sc. Nat. Sér. III. vi. (1846) 355. t. 20. **CARYOPHYLLEAE**, Benth. & Hook. f. i. 153.

**STICHOPHYLLUM**, Phil. Fl. Atac. 19. t. 1 D (1860).

*bryoides*, Rohrb. in Linnaea, xxxvi. (1869–70) 662.—Chili.

*convexum*, Griseb. in Goett. Abh. xix. (1874) 75.—Reg. Argent.

*Lechlerianum*, Rohrb. in Linnaea, xxxvi. (1869–70) 664.—Peruv.

*molle*, Remy, in Ann. Sc. Nat. Sér. III. vi. (1846) 355. t. 20. f. 2–8.—N. Granat.

*sulcatum*, Griseb. in Goett. Abh. xix. (1874) 75.—Am. austr.

*tetrastichum*, Remy, in Ann. Sc. Nat. Sér. III. vi. (1846) 356. t. 20. f. 1.—Bolivia.

**PYCNORHACHIS**, Benth. in Benth. & Hook. f. Gen. ii. 776 (1876). **ASCLEPIADEAE**, Benth. & Hook. f. i. c.

*Maingayi*, Hook. f. Fl. Brit. Ind. iv. 63.—Malacca.

**PYCNOSANDRA**, Blume, Mus. Bot. Lugd. Bat. ii. 191 (1856) = **Cyclostemon**, Blume (Euphorb.).

*serrata*, Blume, l. c. 192 = **C. serratus**.

*timorensis*, Blume, l. c. = **C. Teysmanni**.

**PYCNOSORUS**, Benth. in Enum. Pl. Hueg. 63 (1837) = **Craspedia**, Forst. (Compos.).

*chrysanthus*, Sond. in Linnaea, xxv. (1852) 492 = **C. chrysantha**.

*globosus*, Benth. in Enum. Pl. Hueg. 63 = **C. globosa**.

*globosus*, Lindl. in Mitch. Journ. Trop. Austral. 353 = **C. chrysantha**.

**PYCNOSPORA**, R. Br. ex Wight & Arn. Prod. 197 (1834). **LEGUMINOSAE**, Benth. & Hook. f. i. 521.

*hedysaroides*, R. Br. l. c.—Austral.

*neriosa*, Wight & Arn. l. c. = **hedysaroides**.

**PYCNOSTACHYS**, Hook. Exot. Fl. iii. t. 202 (1827). **LABIATAE**, Benth. & Hook. f. ii. 1177.

**ECHINOSTACHYS**, E. Mey. Comm. Pl. Afr. Austr. 243 (1837).

*abyssinica*, Fresen. in Flora, ii. (1838) 608.—Abyss.

*coerulea*, Hook. Exot. Fl. iii. t. 202.—Madag.

*reticulata*, Benth. in DC. Prod. xii. 83.—Afr. austr.

*urticifolia*, Hook. Bot. Mag. t. 5365.—Afr. trop.

**PYCNOSTELMA**, Bunge, ex Decne. in DC. Prod. viii. 512 (1844). **ASCLEPIADEAE**, Benth. & Hook. f. ii. 759.

*chinensis*, Bunge, ex Decne. l. c.—China; Japon.

**PYCREUS**, Beauv. Fl. Owar. ii. 48. t. 86 (1807). **CYPERACEAE** [Benth. & Hook. f. iii. 1044].

**DISTIMUS**, Rafn. in Journ. Phys. lxxxix. (1819) 105.

*albo-marginatus*, Nees, in Mart. Fl. Bras. ii. 1. 9.—Amphig. trop.

*angulatus*, Nees, in Linnaea, ix. (1834) 283.—Amphig. calid.

*Baccha*, Nees, l. c.—Ind. or.

*Bachu*, Nees, ex Boeck. in Linnaea, xxxv. (1867–68) 473, in syn. = **praeac**.

*capillaris*, Nees, l. c. = **globosus**.

*densiflorus*, Steud. Nom. ed. II. ii. 419, sphalm. = **seq**.

*densiflorus*, Nees, in Linnaea, ix. (1834) 283, nomen. —Hab. ?

*Elliottianus*, Nees, l. c. = **polystachyos**.

*flavescens*, Beauv. ex Reichb. Fl. Germ. Excurs. 72.—Cosmop.

*globosus*, Reichb. l. c. 140<sup>10</sup>.—Cosmop.

*infirmus*, Nees, in Mart. Fl. Bras. ii. 1. 8 = **propinquus**.

*inundatus*, Nees, l. c. 10, in obs. = **P. Baccha**.

*laevigatus*, Nees, in Linnaea, x. (1836) 130 = **Cyperus laevigatus**.

*lateralis*, Nees, l. c. ix. (1834) 283 = **Cyperus laevigatus**.

*Linnaeanus*, Nees, l. c., nomen.—Hab. ?

*Maximiliani*, Nees, in Mart. Fl. Bras. ii. 1. 7 = **propinquus**.

*megapotaemicus*, Nees, l. c. 6.—Bras.

*Monti*, Beauv. ex Reichb. Fl. Germ. Excurs. 72 = **Cyperus Monti**.

*mucronatus*, Nees, in Linnaea, ix. (1834) 283 = **Cyperus laevigatus**.

*Mundtii*, Nees, l. c.—Afr. trop.; Madag.

*nitens*, Nees, in Nov. Act. Nat. Cur. xix. Suppl. i. (1843) 53.—Geront. trop.

*Olfersianus*, Nees, in Mart. Fl. Bras. ii. 1. 8 = **polystachyos**.

*paniculatus*, Nees, in Linnaea, ix. (1834) 283 = **polystachyos**.

*pannonicus*, Beauv. ex Reichb. Fl. Germ. Excurs. 72 = **Cyperus pannonicus**.

*paraensis*, Nees, in Mart. Fl. Bras. ii. 1. 8 = **flavescens**.

*polystachyos*, Beauv. Fl. Owar. ii. 48. t. 86.—Cosmop.

*propinquus*, Nees, in Mart. Fl. Bras. ii. 1. 7.—Am. trop.

*pulvinatus*, Nees, ex Steud. Nom. ed. II. i. 472; ii. 419 = **nitens**.

*pumilus*, Nees, in Linnaea, ix. (1834) 283.—Ind. or.

*puncticulatus*, Nees, in Mart. Fl. Bras. ii. 1. 10, in obs. = **P. Baccha**.

*pygmaeus*, Nees, in Linnaea, ix. (1834) 283 = **Cyperus pygmaeus**.

*retusus*, Nees, ex C. B. Clarke, in Journ. Linn. Soc. xxi. (1884) 71.—Ins. Maurit.

*sabulosus*, Nees, in Mart. Fl. Bras. ii. 1. 10.—Bras.

*sanguinolentus*, Nees, in Linnaea, ix. (1834) 283.—Geront. trop.

*squarrosus*, Nees, l. c. = **Cyperus squarrosus**.

*umbrosus*, Nees, l. c. x. (1835–36) 130.—Afr. austr.

**PYGEUM**, Gaertn. Fruct. i. 218. t. 46 (1788).

**ROSACEAE**, Benth. & Hook. f. i. 610.

**DIGASTER**, Miq. Fl. Ind. Bat. Suppl. 329 (1860).

**GERMARIA**, Presl, Epim. Bot. 221 (1850).

**POLYDONTIA**, Blume, Bijdr. 1104 (1826).

**POLYSTORTHIA**, Blume, Fl. Jav. Praef. viii (1828).

*acuminatum*, Colebr. in Trans. Linn. Soc. xii. (1819) 360. t. 18.—Reg. Himal.

*acuminatum*, Hook. f. & Thoms. ex Hook. f. Fl. Brit. Ind. ii. 319 = **glaberrimum**.

*acuminatum*, Wight, l. c. t. 993 = **Gardneri**.

*africanum*, Hook. f. in Journ. Linn. Soc. vii. (1864) 191.—Afr. trop.

*Andersoni*, Hook. f. Fl. Brit. Ind. ii. 320.—Ind. or.

*arborescens*, Endl. ex Kurz, For. Fl. Brit. Burma, i. 435.—Burma.

*arborescens*, Endl. Gen. 1250 = **parviflorum**.

*Blumei*, Teijsm. & Binn. Cat. Hort. Bog. 252 = **parviflorum**.

*brevifolium*, Hook. f. Fl. Brit. Ind. ii. 321.—Malacca.

*capitellatum*, Hook. f. l. c.—Burma.

**PYGEUM** :—

*celebicum*, Miq. Ann. Mus. Bot. Lugd. Bat. i. 212.—Ins. Celebes.

*ceylanicum*, Auct. = **zeylanicum**.

*ceylanicum*, Bedd. Fl. Sylv. t. 59 = **Wightianum**.

*confusum*, Blume, Mél. Bot. (1855); et in Flora, xli. (1858) 256.—Java.

*denudatum*, Buch.-Ham. ex Wall. Cat. n. 7190 = **acuminatum**.

*Gardneri*, Hook. f. Fl. Brit. Ind. ii. 321.—Ind. or.

*glaberrimum*, Hook. f. l. c. 319.—Reg. Himal.

*Griffithii*, Hook. f. l. c. 322.—Malacca.

*griseum*, Blume, Mél. Bot. (1855); et in Flora, xli. (1858) 256.—Java.

*lampongum*, Miq. Ann. Mus. Bot. Lugd. Bat. i. 212.—Sumatra.

*lanceolatum*, Hook. f. Fl. Brit. Ind. ii. 319.—Singapore.

*latifolium*, Miq. Fl. Ind. Bat. i. 1. 361.—Sumatra.

*Maingayi*, Hook. f. l. c. 319.—Reg. Himal.

*montanum*, Hook. f. l. c. 321.—Reg. Himal.

*ovatum*, Teijsm. & Binn. Cat. Hort. Bog. 252.—Java.

*oxycarpum*, Hance, in Journ. Bot. viii. (1870) 242 = **Prunus macrophylla**.

*parviflorum*, Teijsm. & Binn. in Nederl. Kruidk. Arch. iii. (1855) 412.—Java.

*parvifolium*, Gardn. ex Thw. Enum. Pl. Zeyl. 103 = **Wightianum**.

*persimile*, Kurz, in Journ. As. Soc. Beng. xli. (1872) II. 306.—Burma.

*phaeostictum*, Hance, in Journ. Bot. viii. (1870) 72 = **Prunus punctata**.

*polystachyum*, Hook. f. Fl. Brit. Ind. ii. 320.—Malacca.

*sumatranum*, Miq. Fl. Ind. Bat. Suppl. 619.—Sumatra.

*Walkerii*, Blume, Mél. Bot. (1855); et in Flora, xli. (1858) 256 = **zeylanicum**.

*Wightianum*, Blume, l. c.—Ind. or.

*zeylanicum*, Dalz. & Gibs. Bomb. Fl. 89 = **Gardneri**.

*zeylanicum*, Gaertn. Fruct. i. 218. t. 46.—Zeylan.

**PYGMAEA**, Hook. f. Handb. N. Zeal. Fl. 217 (1864) = **Veronica**, Tourn. (Scrophul.).

*ciliolata*, Hook. f. l. c.—N. Zel.

*pulvinaris*, Hook. f. l. c.—N. Zel.

*Thomsoni*, J. Buch. in Trans. N. Z. Inst. xiv. (1882) 353.—N. Zel.

**PYGMEA**, J. Buch. in Trans. N. Z. Inst. xiv. (1882) 353, err. typ. = **praeac**.

**PYRACANTHA**, M. Roem. Syn. fasc. iii. (Rosifl.) 104, 219 (1847) = **Crataegus**, Tourn. (Rosac.).

*chinensis*, M. Roem. l. c. 220 = **C. Pyracantha**.

*coccinea*, M. Roem. l. c. 219 = **C. Pyracantha**.

*crenulata*, M. Roem. l. c. 220 = **C. crenulata**.

*pauciflora*, M. Roem. l. c. 220 = **C. Pyracantha**.

**PYRAGMA**, Noronha, in Verh. Batav. Gen. v. (1790) ed. I. Art. IV. 3 = **Uvaria**, Linn. (Anonac.).

**PYRAMIA**, Cham. in Linnaea, ix. (1834) 458.

**MELASTOMACEAE**, Benth. & Hook. f. i. 737.

**ACIPETALUM**, Turcz. in Bull. Soc. Nat. Mosc. (1848) i. 577, partim.

*Lychnitis*, Klotzsch, ex Triana, in Trans. Linn. Soc. xxviii. (1871) 29 = **Trembleya Lychnitis**.

*pityrophylla*, Cham. in Linnaea, ix. (1834) 459.—Bras.

*salviaefolia*, Cham. l. c.—Bras.

*striatella*, Naud. in Ann. Sc. Nat. Sér. III. xv. (1851) 60.—Bras.

**PYRAMIDANTHE**, Miq. Ann. Mus. Bot. Lugd. Bat. ii. 39 (1865–66) = **Melodorum**, Hook. f. & Thoms. (Anonac.).

*rufa*, Miq. l. c. = **M. prismaticum**.

**PYRAMIDIUM**, Boiss. Diagn. Ser. II. i. 47 (1853).

**CRUCIFERAE**, Benth. & Hook. f. i. 97.

*Griffithianum*, Boiss. l. c.—Afghan.

**PYRAMIDOCARPUS**, Oliver, in Journ. Linn. Soc. ix. (1867) 171. **SAMYDACEAE**, Benth. & Hook. f. i. 798.

*Blackii*, Oliver, l. c.—Afr. trop.



**PYRAMIDOPTERA**, Boiss. Diagn. Ser. II. ii. 106 (1856). *UMBELLIFERAE*, Benth. & Hook. f. i. 903.  
cabulica, Boiss. l. c.—Afghan.

**PYRAMIDOSTYLUM**, Mart. ex Peyr. in Mart. Fl. Bras. xi. i. 155 (1878) = *Salacia*, Linn. (Celastr.).  
*Bacupari*, Mart. ex Peyr. l. c. 160 = *S. crassifolia*.  
*banisterioides*, Mart. ex Peyr. l. c. 155 = *S. paniculata*.  
*ciliatum*, Mart. ex Peyr. l. c. 156 = *S. undulata*.  
*fimbriatum*, Mart. ex Peyr. l. c. = *S. undulata*.  
*grandifolium*, Mart. ex Peyr. l. c. = *S. grandifolia*.  
*parviflorum*, Mart. ex Peyr. l. c. 160 = *S. glomerata*.

**PYRARDA**, Cass. in Dict. Sc. Nat. xli. 120 (1836) = *Grangea*, Adans. (Compos.).  
*ceruanoides*, Cass. l. c. 121 = *G. maderaspatana*.

**PYRECINIA**, Noronha, in Verh. Batav. Gen. v. (1790) ed. I. Art. IV. 3 (Quid?).

**PYRENACANTHA**, Wight, in Hook. Bot. Misc. ii. (1831) 107. *OLACINEAE*, Benth. & Hook. f. i. 345; iii. 220.  
*ADELANTHUS*, Endl. Gen. 1827. n. 6839; Suppl. ii. 30 (1841).  
*CAVANILLA*, Thunb. Nov. Gen. 105 (1792).  
*MOLDENHAUERA*, Spreng. Syst. i. 373 (1825).  
*SADRUM*, Soland. ex Baill. in DC. Prod. xvii. 18 (1873).  
*chlorantha*, Baker, in Journ. Linn. Soc. xxi. (1884) 331.—Madag.  
*grandiflora*, Baill. *Adansonia*, x. (1872) 270.—Afr. austr.  
*kamassana*, Baill. l. c. 272.—Afr. trop.  
*Kirkii*, Baill. l. c.—Afr. trop.  
*scandens*, Planch. ex Harv. Thes. Cap. i. 14. t. 23.—Afr. austr.  
*Vogeliana*, Baill. *Adansonia*, x. (1872) 271.—Afr. trop.  
*volubilis*, Wight, in Hook. Bot. Misc. ii. (1831) 107.—Ind. or.

**PYRENARIA**, Blume, Bijdr. 1119 (1826). *TERN-STROEMIACEAE*, Benth. & Hook. f. i. 185.  
*EUSYNAXIS*, Griff. Notul. iv. 560 (1854).  
*acuminatā*, Planch. ex Choisy, in Mém. Soc. Phys. Genève. xiv. (1855) 174.—Malaya.  
*attenuata*, Seem. in Bonplandia, vii. (1859) 49.—Burma.  
*barringtoniaefolia*, Seem. l. c.—Ind. or.  
*camelliaeflora*, Kurz, in Journ. As. Soc. Beng. xl. (1871) ii. 46.—Burma.  
*diospyricarpa*, Kurz, l. c. xlii. (1873) ii. 60.—Burma.  
*lanceolata*, Teijsm. & Binn. in Tijdschr. Nederl. Ind. xxvii. (1864) 40.—Java.  
*lasiocarpa*, Korth. Verh. Nat. Gesch. Bot. 147.—Java.  
*masocarpa*, Korth. l. c.—Borneo.  
*oidocarpa*, Korth. l. c.—Java.  
*serrata*, Blume, Bijdr. 1120.—Java.  
*villosula*, Mig. Fl. Ind. Bat. Suppl. 484.—Sumatra.

**PYRENIA**, [Clairv.] Man. Herb. 161 (1811) = *Pyrus*, Tourn. (Rosac.).  
*Amelanchier*, [Clairv.] l. c. 162 = *Amelanchier vulgaris*.  
*Aria*, [Clairv.] l. c. = *Pyrus Aria*.  
*Aucuparia*, [Clairv.] l. c. = *Pyrus Aucuparia*.  
*Chamaemespylus*, [Clairv.] l. c. = *Pyrus Chamaemespylus*.  
*Malus*, [Clairv.] l. c. = *Pyrus Malus*.  
*Pyrus*, [Clairv.] l. c. 161 = *Pyrus communis*.  
*Sorbus*, [Clairv.] l. c. 162 = *Pyrus Sorbus*.  
*terminalis*, [Clairv.] l. c. = *Pyrus terminalis*.

**PYRENOGLYPHIS**, Karst. Fl. Columb. ii. 141. t. 174 (1869) = *Bactris*, Jacq. (Palm.).  
*balanoidea*, Karst. l. c. 142, in obs. = *B. balanoides*.  
*Cruegeriana*, Karst. l. c., in obs. = *B. Cruegeriana*.  
*major*, Karst. l. c. 141. t. 174 = *B. major*.  
*ovata*, Karst. l. c. 142, in obs. = *B. ovata*.

**PYRETHRARIA**, Pers. ex Steud. Nom. ed. II. ii. 420 (1841) = *Cotula*, Tourn. (Compos.).  
*dichotoma*, Pers. ex Steud. l. c. = *C. Pyrethraria*.

**PYRETHRON**, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 133 = seq.

VOL. II.

**PYRETHRUM**, Hall. Enum. Stirp. Helv. ii. 720 (1742) = *Chrysanthemum*, Tourn. (Compos.).  
*abrotanifolium*, Bunge, ex Ledeb. Fl. Ross. ii. 549.—Sibir. altaic.  
*abrotanifolium*, Pourr. ex Willk. & Lange, Prod. Fl. Hisp. ii. 86 = *Anthemis montana*.  
*Achilleae*, DC. Prod. vi. 57 = *C. Achilleae*.  
*Achilleae*, Wendl. in Flora, xii. (1829) i. Erg. 29 = *C. macrophyllum*.  
*achilleifolium*, Bieb. Fl. Taur. Cauc. ii. 327 = *C. achilleaeifolium*.  
*adauctum*, Link. in Buch, Besch. Canar. Ins. 149 = *C. pinnatifidum*.  
*alpestre*, [Clairv.] Man. Herb. 247 = *C. coronopifolium*.  
*alpinum*, Baumg. Enum. Stirp. Transs. iii. 108 = *Anthemis carpathica*.  
*alpinum*, Schrank, Prim. Fl. Salisb. 215 = *C. alpinum*.  
*ambiguum*, Ledeb. Fl. Alt. iv. 118 = *C. montanum*.  
*anethifolium*, Willd. Enum. Hort. Berol. 904 = *C. anethifolium*.  
*anomalum*, Lange, in Kjoeb. Vidensk. Meddel. (1861) 75 = *C. oppositifolium*.  
*argenteum*, Adam, ex Ledeb. Fl. Ross. ii. 552 = *C. praealtum*.  
*argenteum*, Boiss. Fl. Orient. iii. 354 = *C. argenteum*.  
*argyranthemoides*, Boiss. & Kotschy, ex Boiss. Fl. Orient. iii. 343 = *Tanacetum argyranthemoides*.  
*armenum*, C. Koch, in Linnaea, xvii. (1843) 47 = *C. millefoliatum*.  
*arundanum*, Boiss. Voy. Bot. Espagne, ii. 317.—Hispan.  
*arvense*, Salzmann, ex DC. Prod. vi. 54 = *C. tingitanum*; *Matricaria glabra*.  
*Athanasia*, Boiss. Fl. Orient. iii. 353 = *Tanacetum fruticosum*.  
*atratum*, Less. Syn. Comp. 254 = *C. atratum*.  
*Aucher*, Heimerl, ex Stapf, in Denkschr. Akad. Wien, l. (1885) 112.—Caria.  
*Aucherianum*, DC. Prod. vii. 297 = *Tanacetum Aucherianum*.  
*auriculatum*, Boiss. ex Boiss. Fl. Orient. iii. 327 = *C. auriculatum*.  
*balsaminatum*, M. Ward, in Journ. Linn. Soc. xvii. (1880) 532, sphalm. = seq.  
*Balsamita*, Willd. Sp. Pl. iii. 2153 = *C. Balsamita*.  
*Barrelieri*, Dufour, ex DC. Prod. vi. 55 = *C. coronopifolium*.  
*Baummanni*, Stev. in Bull. Soc. Nat. Mosc. xxix. (1856) ii. 283.—Tauria.  
*bipinnatifidum*, Link. in Buch, Besch. Canar. Ins. 149 = *C. anethifolium*.  
*bipinnatum*, Willd. Sp. Pl. iii. 2160 = *C. bipinnatum*.  
*Bocconi*, Willd. l. c. 2159 = *C. Bocconi*.  
*Bonplandianum*, H. B. & K. Nov. Gen. et Sp. iv. 300 = *Xanthocephalum centauroides*.  
*Bourgaei*, Boiss. Fl. Orient. iii. 356.—Armenia.  
*breviradiatum*, Ledeb. in Mém. Acad. Pétersb. v. (1812) 577 = *C. coronarium*.  
*breviradiatum*, Schweinitz, ex Nutt. in Trans. Am. Phil. Soc. N. S. vii. (1841) 397 = *Matricaria discoidea*.  
*Broussonetii*, Choisy, in Buch, Besch. Canar. Ins. 149 = *C. Broussonetii*.  
*cadmeum*, Boiss. Diagn. Ser. I. iv. 10.—Mesopot.  
*canescens*, Boiss. Fl. Orient. iii. 353 = *Tanacetum canescens*.  
*cappadocicum*, DC. Prod. vii. 297 = *Tanacetum cappadocicum*.  
*carneum*, Bieb. Fl. Taur. Cauc. ii. 325 = *C. coronopifolium*, Willd.  
*carniolicum*, Dollin. ex Boiss. Fl. Orient. iii. 342 = *C. corymbosum*.  
*cassium*, Boiss. Diagn. Ser. I. xi. 23.—Syria.  
*Catananche*, Coss. in Bull. Soc. Bot. Fr. xxii. (1875) 61 = *C. Catananche*.  
*caucasicum*, Willd. Sp. Pl. iii. 2156 = *C. caucasicum*.  
*cedrorum*, Schott & Kotschy, in Boiss. Fl. Orient. iii. 347 = *cappadocicum*.  
*ceratophylloides*, Tenore, Fl. Nap. ii. 233 = *C. coronopifolium*.  
*chiliophyllum*, Boiss. Diagn. Ser. I. xi. 26, in syn.—Persia.  
*chiliophyllum*, Fisch. & Mey. ex DC. Prod. vi. 59 = *C. millefoliatum*.  
*chrysanthemifolium*, Hort. Angl. ex DC. Prod. vi. 7 = *Anthemis parthenioides*.  
*cilicium*, Boiss. Diagn. Ser. II. iii. 28.—Syria.

**PYRETHRUM** :—

*cinerarifolium*, Trev. Ind. Sem. Hort. Vratisl. App. ii. (1820) 2; et in Nov. Act. Nat. Cur. xiii. (1826) 204 = *Chrysanthemum cinerariaefolium*.  
*cinereum*, Griseb. Spicil. Fl. Rumel. ii. 202.—Balkan.  
*Clausonis*, Battand. in Bull. Soc. Bot. Fr. xxxii. (1885) 340 = *C. paludosum*.  
*Clusii*, Fisch. ex Reichb. Fl. Germ. Excurs. 232; et ex Koch, Syn. Fl. Germ. ed. I. 379 = *C. corymbosum*.  
*conicum*, Less. in Linnaea, ix. (1834) 189.—Rossia.  
*coronopifolium*, Willd. Enum. Hort. Berol. 904 = *C. grandiflorum*.  
*corymbiferum*, S. G. Gmel. Reise durch Russl. i. 115 = *C. corymbosum*?  
*corymbiferum*, Schrank, Baier. Fl. ii. 405 = *C. corymbiferum*.  
*corymbosum*, Kral. ex Ball, in Journ. Linn. Soc. xvi. (1878) 509 = *C. Webbianum*.  
*corymbosum*, Link. in Buch, Besch. Canar. Ins. 149 = *C. anethifolium*.  
*corymbosum*, Scop. Fl. Carn. ed. II. ii. 148; Moench, Meth. 597 = *C. corymbosum*.  
*Cota*, Eichw. Skizze, 149 = *Anthemis Cota*?  
*crassipes*, Stschegl. in Bull. Soc. Nat. Mosc. xxvii. (1854) i. 172.—Soongar.  
*crithmifolium*, Willd. Enum. Hort. Berol. 903 = *C. anethifolium*.  
*daucifolium*, Ledeb. Fl. Ross. ii. 549 = *C. daucifolium*.  
*Decaisneanum*, Maxim. in Bull. Acad. Pétersb. xvii. (1872) 426.—Japon.  
*decipiens*, Fisch. & Mey. Ind. Sem. Hort. Petrop. i. 48 = *Matricaria decipiens*.  
*defloratum*, Hort. ex A. Br. in Bot. Zeit. x. (1852) 650 = *Matricaria discoidea*.  
*delicatulum*, Fisch. & Mey. in Ann. Sc. Nat. Sér. IV. i. (1854) 31 = *Matricaria oreades*.  
*densum*, Labill. Ic. Pl. Syr. Dec. iii. 12. t. 8 = *C. densum*.  
*discoideum*, Bess. ex DC. Prod. vi. 131 = *C. argenteum*.  
*discoideum*, Ledeb. Ic. Fl. Ross. t. 153 = *Tanacetum Ledebourii*.  
*diversifolium*, R. Grah. in Edinb. N. Phil. Journ. (Apr.—Jul. 1826) 174; et in Hook. Exot. Fl. iii. t. 215 = *Brachycome diversifolia*.  
*duderanum*, Boiss. Diagn. Ser. I. xi. 26 = *myriophyllum*.  
*dumosum*, Boiss. Fl. Orient. iii. 349 = *Tanacetum dumosum*.  
*elegans*, Pollini, in Brugnat. Giorn. Fis. ix. (1816) 101 = *C. maritimum*.  
*elongatum*, Duch. in Journ. Soc. Hort. (1858) 658 = *C. cinerariaefolium*.  
*elongatum*, Fisch. & Mey. ex DC. Prod. vi. 56 = *Matricaria oreades*.  
*elongatum*, Link. in Buch, Besch. Canar. Ins. 149 = *C. Broussonetii*.  
*exaltatum*, Griseb. Spicil. Fl. Rumel. ii. 201 = *C. trichophyllum*.  
*ferulaceum*, Webb & Berth. Phyt. Canar. ii. 281 = *Tanacetum ferulaceum*.  
*filipendulinum*, Boiss. Diagn. Ser. I. xi. 24 = *Tanacetum polycephalum*.  
*Fischeri*, Willd. ex Nym. Consp. 372 = *C. corymbosum*.  
*flabellifolium*, Boiss. Fl. Orient. iii. 355 = *Tanacetum flabellifolium*.  
*flaveolum*, Hoffmgg. & Link, Fl. Port. ii. 341. t. 104.—Hispan.  
*flavo-virens*, Boiss. Diagn. Ser. I. xi. 25.—Persia.  
*foeniculaceum*, Link. in Buch, Besch. Canar. Ins. 149 = seq.?  
*foeniculaceum*, Willd. Enum. Hort. Berol. 903 = *C. anethifolium*.  
*frutescens*, Willd. Sp. Pl. iii. 2150 = *C. frutescens*.  
*fruticosum*, Spreng. ex DC. Prod. vi. 45 = *C. praealtum*.  
*fruticulosum*, Fenzl, ex Boiss. Fl. Orient. iii. 338.—As. Min.  
*fruticulosum*, Spreng. Cent. 37; Fl. Hal. Mant. 51 = *C. praealtum*.  
*fuscum*, Willd. Sp. Pl. iii. 2156 = *Matricaria fuscata*.  
*Gayanum*, Coss. & Dur. in Bull. Soc. Bot. Fr. iv. (1857) 15; xxii. (1875) 61 = *C. Mawii*.  
*glabratum*, Less. Syn. Comp. 254 = *Matricaria glabrata*.  
*glabrum*, Coss. in Bull. Soc. Bot. Fr. xxii. (1875) 48 = seq.?  
*glabrum*, Lag. Gen. et Sp. Nov. 30 = *C. paludosum*.

4 Q

## PYRETHRUM:—

- graminifolium*, Guss. Pl. Rar. 349 = *Chrysanthemum graminifolium*.  
*grandiflorum*, Holl. & Reichb. in Flora, xiii. (1830) 382 = *C. pinnatifidum*.  
*grandiflorum*, Willd. Enum. Hort. Berol. 904 = *C. grandiflorum*.  
*Halleri*, Willd. Sp. Pl. iii. 2152 = *C. coronopifolium*.  
*Heldreichianum*, Fenzl, in Tchihat. Asie Min. Bot. ii. 273 = *fruticulosum*, Fenzl.  
*heterophyllum*, Baumg. ex Fuss, in Verh. Siebenb. Ver. Naturw. x. (1859) 104 = *C. heterophyllum*.  
*hirtum*, Less. Syn. Comp. 254 = *Matricaria hirta*.  
*hispanicum*, Salzm. ex Boiss. Voy. Bot. Espagne, ii. 316 = *Matricaria Chamomilla*.  
*hispanicum*, Willk. in Willk. & Lange, Prod. Fl. Hisp. ii. 98 = *C. pulverulentum*.  
*hispidum*, Link, in Buch, Besch. Canar. Ins. 149 = *C. frutescens*.  
*hybridum*, Wender. Ind. Sem. Hort. Marb. App. 9 = *C. macrophyllum*.  
*incanum*, Ledeb. ex W. Baxt. in Loud. Hort. Brit. Suppl. iii. 620 = *Tanacetum Meyerianum*.  
*indicum*, Cass. in Dict. Sc. Nat. xlv. 149 = *C. indicum*.  
*indicum*, Roxb. Hort. Beng. 62; Fl. Ind. iii. 436 = *C. coronarium*.  
*inodorum*, Moench, Meth. 597 = *Matricaria inodora*.  
*jacobaeeforme*, C. Koch, in Linnaea, xxiv. (1851) 331 = *C. palustre*.  
*Kirilowii*, Turcz. in DC. Prod. vi. 61.—Sibir. baical.  
*Kittaryanum*, C. A. Mey. in Mém. Acad. Pétersb. Sér. VI. Sc. Nat. vii. (1850) 4.—Rossia.  
*Kotschy*, Boiss. Diagn. Ser. I. vi. 88.—Persia.  
*lanatum*, Spreng. ex DC. Prod. vi. 42 = *Egletes bellidiflora*.  
*larvatum*, Nym. Consp. 371, in syn. = *C. coronopifolium*.  
*latifolium*, Willd. Enum. Hort. Berol. 904 = *C. lacustre*.  
*lavandulaefolium*, Fisch. ex Trautv. in Act. Hort. Petrop. i. (1871-72) 181.—Mongol.  
*leptophyllum*, Stev. ex Bieb. Fl. Taur. Cauc. iii. 580 = *Tanacetum leptophyllum*.  
*leucanthemiflorum*, Boiss. & Huet, Diagn. Ser. II. iii. 28 = *Tanacetum Aucherianum*.  
*leucanthemoides*, Tausch, in Flora, xii. (1829) i. Erg. 61 = *C. atratum*.  
*Leucanthemum*, Franch. Fl. Cher-et-Loir, 307 = *C. Leucanthemum*.  
*leucophyllum*, Boiss. & Haussk. in Boiss. Fl. Orient. iii. 355.—Syria.  
*lingulatum*, Boiss. l. c. 357.—Persia.  
*macrocarpum*, Coss. in Bull. Soc. Bot. Fr. xxii. (1875) 61, nomen.—Algeria.  
*macrocephalum*, Coss. & Dur. ex Coss. l. c. 48 = *C. trifurcatum*.  
*macrophyllum*, Willd. Sp. Pl. iii. 2154 = *C. macrophyllum*.  
*macrothum*, Coss. in Bull. Soc. Bot. Fr. xxii. (1875) 61 = *C. macrothum*.  
*Mandarianum*, Hort. ex G. Don, in Loud. Hort. Brit. 353.—Ins. Maurit.  
*Maresii*, Coss. in Bull. Soc. Bot. Fr. iv. (1857) 16 = *C. Maresii*.  
*marginatum*, Miq. Fl. Ind. Bat. ii. 85 = *Tanacetum marginatum*.  
*maritimum*, Sm. Fl. Brit. ii. 901 = *C. maritimum*.  
*matricarioides*, Paxt. ex Vilms. Fl. Pl. Terre, ed. III. 264 = *C. indicum*.  
*maximum*, Hoffmgg. Verz. Pfl. Nachtr. ii. 189 = *C. lacustre*.  
*microcephalum*, Hassk. Cat. Hort. Bog. Alt. 101.—Japan.  
*millefoliatum*, Ledeb. Fl. Alt. iv. 120 = *Tanacetum Meyerianum*.  
*millefoliatum*, Willd. Sp. Pl. iii. 2160 = *C. millefoliatum*.  
*minimum*, DC. Fl. Fr. iv. 924 = *C. tomentosum*.  
*modestum*, Heimerl, ex Stapf, in Denkschr. Akad. Wien, l. (1885) 59.—Persia.  
*montanum*, Pourr. ex Willk. & Lange, Prod. Fl. Hisp. ii. 89 = *C. montanum* ?  
*mucronatum*, Regel & Schmalh. in Act. Hort. Petrop. v. (1877) 619.—Turkestan.  
*mucronulatum*, Hoffmgg. & Link, Fl. Port. ii. 337.—Lusit.  
*multicaule*, Willd. Sp. Pl. iii. 2158 = *C. multicaule*.

## PYRETHRUM:—

- multifidum*, DC. Prod. vi. 63 = *Chrysanthemum multifidum*.  
*Myconis*, Moench, Meth. Suppl. 247 = *C. Myconis*.  
*myriophyllum*, C. A. Mey. Verz. Pfl. Cauc. 74 = *Tanacetum myriophyllum*.  
*nitens*, Boiss. & Noé, Diagn. Ser. II. iii. 30.—Armenia.  
*nivale*, Adam, ex Spreng. Syst. iii. 585 = *Anthemis iberica*.  
*nivale*, Sch. Bip. in Boiss. Fl. Orient. iii. 339 = *Tanacetum nivale*.  
*niveum*, Lag. Elench. Hort. Madr. (1805); Gen. et Sp. Nov. 30 = *C. praealtum*.  
*oligocephalum*, DC. Prod. vii. 297 = *C. millefoliatum*.  
*oppositifolium*, Spreng. Syst. iii. 585 = *C. oppositifolium*.  
*orientale*, Willd. Sp. Pl. iii. 2159 = *Anthemis Biebersteiniana*.  
*Pallasianum*, Maxim. in Bull. Acad. Pétersb. xvii. (1872) 423.—As. bor.  
*palmatifidum*, DC. Prod. vi. 54 = *Tanacetum palmatifidum*.  
*palustre*, Willd. Sp. Pl. iii. 2154 = *C. palustre*.  
*parthenifolium*, Willd. l. c. 2156 = *C. praealtum*.  
*Parthenium*, Sm. Fl. Brit. ii. 900 = *C. Parthenium*.  
*parviflorum*, Willd. Sp. Pl. iii. 2158 = *Matricaria inodora*.  
*paucifolium*, C. A. Mey. ex Boiss. Fl. Orient. iii. 340 = *C. coccineum*.  
*pectinatum*, Fisch. ex Turcz. in Bull. Soc. Nat. Mosc. xix. (1846) 180 = *Tanacetum pulchellum*.  
*pectinatum*, Hoffmgg. & Link, Fl. Port. ii. t. 103 = *C. pectinatum*.  
*persicum*, Boiss. Diagn. Ser. I. vi. 89.—Persia.  
*pinnatifidum*, Link, in Buch, Besch. Canar. Ins. 149 = *C. grandiflorum*.  
*pinnatifidum*, Willd. Sp. Pl. iii. 2154 = *C. multifidum*.  
*pinnatum*, Boiss. Fl. Orient. iii. 355 = *Tanacetum pinnatum*.  
*platyrachis*, Boiss. l. c. 356.—Persia.  
*polycephalum*, Sch. Bip. ex Boiss. l. c. 351.—Mesopot.  
*polyphyllum*, Boiss. l. c. = *Tanacetum millefoliatum*.  
*poterifolium*, Ledeb. ex Nordm. in Bull. Sc. Acad. Pétersb. ii. (1837) 312 = *C. corymbosum*.  
*Pourretii*, Timb. ex Nym. Consp. 372 = *C. corymbosum*.  
*praecox*, Bieb. Fl. Taur. Cauc. ii. 324 = *Matricaria praecox*.  
*procumbens*, Kostel. Allg. Med.-Pharm. Fl. ii. 691 = *C. indicum*.  
*Pseud-anthemis*, Boiss. & Huet, Diagn. Ser. II. iii. 28 = *Tanacetum Aucherianum*.  
*Pseudo-parthenium*, Boiss. & Kotschy, Diagn. Ser. II. iii. 28 = *Tanacetum nivale*.  
*ptarmicaeflorum*, Webb & Berth. Phyt. Canar. ii. 282.—Ins. Canar.  
*ptarmicaefolium*, Willd. Sp. Pl. iii. 2151 = *Achillea grandiflora*.  
*pulchellum*, Turcz. ex DC. Prod. vi. 55 = *Tanacetum pulchellum*.  
*pulchrum*, Ledeb. Ic. Pl. Alt. i. 20. t. 84 = *Tanacetum pulchrum*.  
*Pulicaria*, Willd. ex Spreng. Syst. iii. 589 = *Lidbeckia americana*.  
*pulverulentum*, Lag. in Varied. Cienc. ii. iv. (1805) 40 = *C. pulverulentum*.  
*pulverulentum*, Willd. Enum. Hort. Berol. 906 = *C. praealtum*.  
*pumilum*, Fisch. Cat. Hort. Gorenk. ed. II. (1812) 40 = *Matricaria praecox*.  
*pusillum*, Willd. ex Spreng. Syst. iii. 587 = *Matricaria praecox*.  
*radicans*, Cav. Desc. 199 = *C. radicans*.  
*roseum*, Bieb. Fl. Taur. Cauc. ii. 324 = *C. coccineum*.  
*roseum*, Lindl. Bot. Reg. t. 1084 = *C. coronopifolium*.  
*Roylei*, DC. Prod. vi. 56 = *C. tibeticum*.  
*santolinoides*, DC. in Ann. Sc. Nat. Sér. II. ii. (1834) 264 = *Tanacetum sinaicum*.  
*saxatile*, Kar. & Kir. in Bull. Soc. Nat. Mosc. xv. (1842) 382 = *C. millefoliatum*.  
*saxatile*, Lodd. Bot. Cab. t. 126 = *C. alpinum*.  
*scariosum*, Coss. in Bull. Soc. Bot. Fr. xxii. (1875) 61.—Algeria.  
*segetum*, Moench, Meth. 597 = *C. segetum*.  
*sericeum*, Bieb. Fl. Taur. Cauc. ii. 323 = *C. argenteum*.

## PYRETHRUM:—

- serotinum*, Hort.—Cf. Gard. Chron. (1878) ii. 492 = *Chrysanthemum uliginosum*.  
*serotinum*, Willd. Sp. Pl. iii. 2151 = *C. serotinum*.  
*setaceum*, Regel & Schmalh. ex Regel, Pl. Nov. Fedtsch. 44.—Kokan.  
*seticuspe*, Maxim. in Bull. Acad. Pétersb. xvii. (1872) 423.—Japan.  
*setifolium*, Regel, Ind. Sem. Hort. Petrop. (1876) 36, nomen.—Hab. ?  
*silaiifolium*, Stev. in DC. Prod. vi. 57 = *Matricaria grandiflora*.  
*simplicifolium*, Willd. Sp. Pl. iii. 2151 = *Egletes domingensis*.  
*sinense*, DC. Prod. vi. 62 = *C. sinense*.  
*sorbifolium*, Boiss. ex Boiss. Fl. Orient. iii. 343.—Armenia.  
*spathulaefolium*, J. Gay, ex Nym. Consp. 373.—Oriens.  
*speciosum*, Willd. Enum. Hort. Berol. Suppl. 60 = *C. grandiflorum*.  
*subcorymbosum*, Schur, Bot. Rundreise (1853), 80; et in Verh. Siebenb. Ver. Naturw. (1859) 146 = *C. subcorymbosum*.  
*sulphureum*, Boiss. & Reut. Diagn. Pl. Nov. Hisp. 17 = *Tanacetum sulphureum*.  
*syriacum*, Boiss. Diagn. Ser. I. xi. 24 = *C. densum*.  
*Szowitsii*, Boiss. l. c. 25 = *Tanacetum myriophyllum*.  
*tabrisianum*, Boiss. Fl. Orient. iii. 356.—Persia.  
*tanacetifolium*, Boiss. l. c. 341 = *Tanacetum Aucherianum*.  
*tanacetoides*, DC. Prod. vi. 59 = *Tanacetum Meyerianum*.  
*Tanacetum*, DC. l. c. 63 = *C. Balsamita*.  
*Tchihatchewii*, Hort. ex Clémenc. in Rev. Hortic. (1869) 380.—Oriens ?  
*tenuifolium*, Willd. Enum. Hort. Berol. 906 = *C. corymbosum*.  
*tenuilobum*, Boiss. Fl. Orient. iii. 352 = *Tanacetum Aucheri*.  
*tenuisectum*, Boiss. l. c. 338.—Persia.  
*tenuissimum*, Trautv. in Act. Hort. Petrop. ix. (1884) 392.—Turkest.  
*tibeticum*, Hook. f. & Thoms. ex C. B. Clarke, Comp. Ind. 147 = *C. tibeticum*.  
*tingitanum*, DC. Prod. vi. 54 = *C. tingitanum*.  
*tomentellum*, Boiss. Fl. Orient. iii. 354 = *Tanacetum tomentellum*.  
*tomentosum*, [Clairv]. Man. Herb. 247 = *C. alpinum*.  
*tomentosum*, DC. Fl. Fr. Suppl. 477 = *C. tomentosum*.  
*transiliense*, Regel, in Act. Hort. Petrop. v. (1877) 618.—Turkestan.  
*trichophyllum*, Griseb. Spicil. Fl. Rumel. ii. 201 = *C. trichophyllum* ?  
*trifurcatum*, Willd. Sp. Pl. iii. 2158 = *C. trifurcatum*.  
*Turreyanum*, Less. Syn. Comp. 254 = *C. cinerariaefolium*.  
*uliginosum*, Waldst. & Kit. in Willd. Sp. Pl. iii. 2152 = *C. uliginosum*.  
*umbelliferum*, Boiss. Fl. Orient. iii. 352 = *Tanacetum umbelliferum*.  
*umbrosum*, Boiss. l. c. 357 = *C. umbrosum*.  
*uniflorum*, Fisch. & Mey. in DC. Prod. vi. 60 = *Tanacetum uniflorum*.  
*Vahlui*, Boiss. & Reut. Diagn. Ser. II. iii. 29 = *Tanacetum Vahlui*.  
*velutinum*, Fisch. ex Herd. in Bull. Soc. Nat. Mosc. xxxviii. (1865) i. 419 = *C. bipinnatum*.  
*versicolor*, Pourr. ex Willk. & Lange, Prod. Fl. Hisp. ii. 98 = *C. pulverulentum*.  
*vulgare*, Boiss. Fl. Orient. iii. 352 = *Tanacetum vulgare*.  
*Waldsteinii*, Janka, in Just. Jahresb. iv. (1878) 1062 = *C. rotundifolium*.  
*Webbianum*, Coss. ex Ball, in Journ. Linn. Soc. xvi. (1878) 509 = *C. Webbianum*.  
*Willemoti*, Duch. in Journ. Soc. Hortic. (1859) 210 = *C. cinerariaefolium*.  
*Willkommii*, Sch. Bip. ex Nym. Syll. 11 = *Tanacetum Vahlui*.  
*Zawadskii*, Nym. l. c. = *C. Zawadskii*.

PYRETHRUM, Medic. in Act. Acad. Theod. Palat. iii. (1775) 237. t. 18 = *Spilanthes*, Jacq. (Compos.).  
*Acemella*, Medic. l. c. 243. t. 19 = *S. Acemella*.  
*bidens*, Medic. l. c. 241. t. 18 = seq. ?  
*Spilanthes*, Medic. l. c. 242 = *S. oleracea*.

PYRGOSEA, Eckl. & Zeyh. Enum. 298 (1837) = **PURGOSEA**, Haw. = **Crassula**, Linn.

PYRGUS, Lour. Fl. Cochinch. 120 (1790) = **Ardisia**, Sw. (Myrsin).  
*racemosa*, Lour. l. c. 121 = **A. Pyrgus**.

**PYROLA**, [Tourn.] Linn. Syst. ed. I (1735); Gen. ed. I. 123 (1737). **ERICACEAE**, Benth. & Hook. f. ii. 602.

**ACTINOCYCLUS**, Klotzsch, in Monatsb. Akad. Berl. (1857) 14.

**AMELIA**, Alefeld, in Linnaea, xxviii. (1856) 25.

**ERXLEBENIA**, Opiz, Seznam, 41 (1852).

**RAMISCHIA**, Opiz, l. c. 82 (1852).

**THELAIA**, Alefeld, in Linnaea, xxviii. (1856) 33.

*americana*, G. Don, in Sweet, Hort. Brit. ed. II. 341 = **rotundifolia**.

*angustifolia*, Hemsl. Biol. Centr. Am. Bot. ii. 283. — Mexic.

*aphylla*, Sm. in Rees, Cycl. xxix. n. 7. — Am. bor.

*asarifolia*, Michx. Fl. Bor. Am. i. 251 = **rotundifolia**.

*asarifolia*, Radius, Diss. 23. t. 4 = **chlorantha**.

*bracteata*, Hook. Fl. Bor. Am. ii. 47 = **rotundifolia**.

*chlorantha*, Sw. in Vet. Acad. Handl. Stockh. (1810) 190. t. 5. — Europ.; Am. bor.

*conferta*, Fisch. ex Ledeb. Fl. Ross. ii. 930 = **minor**.

*conferta*, Willd. ex DC. Prod. vii. 773 = **rotundifolia**.

*convoluta*, Barton, Fl. Philad. Prod. 50 = **chlorantha**.

*corymbosa*, Bertol. Misc. Bot. iii. 12 = **Chimaphila umbellata**.

*declinata*, Moench, Meth. 71 = **rotundifolia**.

*dentata*, Sm. in Rees, Cycl. xxix. n. 6 = **picta**.

*Durandi*, Rafin. Atl. Journ. 119 (Quid?). — Am. bor.

*elata*, Nutt. in Trans. Am. Phil. Soc. N. S. viii. (1843) 270 = **rotundifolia**.

*elliptica*, Nutt. Gen. Am. i. 273. — Am. bor.

*flexuosa*, Rafin. Atl. Journ. 151 (Quid?). — Am. bor.

*frutescens*, Gilib. Fl. Lituan. ii. 195 = **Chimaphila umbellata**.

*fruticosa*, Eschsch. ex Ledeb. Fl. Ross. ii. 924 = **Cladanthamnus pyrolaeiflorus**.

*grandiflora*, Radius, Diss. 27. t. 3. f. 2 = **rotundifolia**.

*groenlandica*, Hornem. in Fl. Dan. t. 1817 = **rotundifolia**.

*Halleri*, Steud. Nom. ed. II. ii. 422 = **Moneses grandiflora**.

*hybrida*, Vill. Hist. Pl. Dauph. iii. 588 = **secunda**.

*incarnata*, Fisch. ex DC. Prod. vii. 773 = **rotundifolia**.

*intermedia*, Schleich. Cat. ed. III. 23 = **minor**.

*Liebmannii*, Lange, in Kjoeb. Vidensk. Meddel. (1867) 113. t. 1. — Mexic.

*maculata*, Linn. Sp. Pl. 396 = **Chimaphila maculata**.

*magna*, Gueldenst. ex Ledeb. Fl. Ross. ii. 928 = **rotundifolia**.

*major*, Lam. Fl. Fr. ii. 530 = **rotundifolia**.

*maritima*, Kenyon, in Phytol. ii. (1847) 727 = **rotundifolia**.

*media*, Hayne, Arzneigew. iv. 22 = **chlorantha**.

*media*, Sw. in Vet. Acad. Handl. Stockh. (1804) 257. — Europ.; Reg. Caucas.

*Menziesii*, R. Br. ex D. Don, in Mem. Wern. Soc. v. (1824) 245 = **Chimaphila Menziesii**.

*minor*, Gilib. ex DC. Prod. vii. 773 = **rotundifolia**.

*minor*, Linn. Sp. Pl. 396. — Reg. bor. temp.

*minor*, Pursh, Fl. Am. Sept. i. 299 = **chlorantha**.

*noveboracensis*, Colden, ex Torr. Fl. N. U. St. i. 432 = **rotundifolia**.

*obovata*, Bertol. Misc. Bot. iii. 11 = **rotundifolia**.

*occidentalis*, R. Br. ex D. Don, in Mem. Wern. Soc. v. (1824) 232 = **chlorantha**.

*ovalifolia*, Schur, Enum. Pl. Transs. 449 = **rotundifolia**.

*oxypetal*, C. F. Austin, ex A. Gray, Man. Bot. N. U. St. ed. V. 302. — Am. bor.

*picta*, Sm. in Rees, Cycl. xxix. n. 8. — Am. bor.

*pumila*, Hornem. ex Cham. & Schlecht. in Linnaea, i. (1826) 514 = **rotundifolia**.

*renifolia*, Maxim. Prim. Fl. Amur. 190. — Manchuria.

*reticulata*, Rafin. ex DC. Prod. vii. 773 = **elliptica**.

*rosea*, Sm. Engl. Bot. t. 2543 = **minor**.

*rotundifolia*, Benth. Pl. Hartw. 66 = **angustifolia**.

*rotundifolia*, Linn. Sp. Pl. 396. — Reg. bor. temp.

*rotundifolia*, Michx. Fl. Bor. Am. i. 251, partim = **elliptica**.

*rotundifolia*, Oed. in Fl. Dan. t. 110 = **media**.

*rotundifolia*, Pall. ex DC. Prod. vii. 774 = **minor**.

*rotundifolia*, Sturm, Deutschl. Fl. Heft 13 = **chlorantha**.

## PYROLA:—

Sartori, Hemsl. Biol. Centr. Am. Bot. ii. 283. — Mexic.

*secunda*, Linn. Sp. Pl. 396. — Reg. bor. temp.

*serotina*, Melicocq, in Ann. Pas-de-Calais (1848-49), 223. — Cf. Bull. Soc. Bot. Fr. i. (1854) 162 = **rotundifolia**.

*subaphylla*, Maxim. in Bull. Acad. Pétersb. xi. (1867) 433. — Japon.

*uliginosa*, Torr. & Gray, ex Torr. Fl. N. York, i. 453 = **rotundifolia**.

*umbellata*, Linn. Sp. Pl. 396 = **Chimaphila umbellata**.

*uniflora*, Linn. l. c. 397 = **Moneses grandiflora**.

*urceolata*, Poir. Encyc. v. 743 = **Galax aphylla**.

*verticillata*, Schur, in Verh. Siebenb. Ver. Naturw. iii. (1852) 88 = **Moneses grandiflora**.

*virens*, Schweig. & Koerte, Fl. Erlang. Add. 154 = **chlorantha**.

**PYROLIRION**, Herb. App. [Bot. Reg.] 37 (1821) = **Zephyranthes**, Herb. (Amaryll.).

*albicans*, Herb. Amaryll. 184. — Peruv.

*aurantiacum*, Lem. Jard. Fleur. iv. (1854) t. 377. Misc. 27. — Peruv.

*aureum*, Herb. App. [Bot. Reg.] 37 = **Z. aurea**.

*flammeum*, Herb. l. c. — Peruv.

*flavum*, Herb. l. c. — Peruv.

*tubiflorum*, M. Roem. Syn. Ensac. 127 = **Z. aurea**.

**PYROPHORUM**, DC. Prod. ii. 633 (1825) = **PIROPHORUM**, Neck. = **Pyrus**, Tourn. (Rosac.).

**PYROPSIS**, Hort. ex Fisch. Mey. & Avé-Lall. Ind. Sem. Hort. Petrop. vi. 22 (1840) = **Madia**, Molina (Compos.).

*elegans*, Hort. ex Fisch. Mey. & Avé-Lall. l. c. = **M. elegans**.

**PYROSPERMUM**, Miq. Fl. Ind. Bat. Suppl. 402 (1860) = **Kurrimia**, Wall. (Celastr.).

*calophyllum*, Miq. l. c. = **K. paniculata**.

**PYROSTEGIA**, Presl, (Bot. Bemerk. 93 (1844)); in Abh. Boehm. Ges. V. iii. (1845) 523 = **Bignonia**, Tourn.

*acuminata*, Miers, in Proc. Roy. Hort. Soc. iii. (1863) 188, nomen. — Bras.

*amabilis*, Miers, l. c. — Guian.

*dichotoma*, Miers, l. c. = **B. dichotoma**, Vell.

*ignea*, Presl, Bot. Bemerk. 93 = **B. ignea**.

*intaminata*, Miers, in Proc. Roy. Hort. Soc. iii. (1863) 188, nomen. — Bras.

*lauta*, Miers, l. c. — Bras.

*longiflora*, Miers, l. c. = **B. longiflora**.

*ornata*, Miers, l. c. = **B. ornata**.

*pallida*, Miers, l. c. = **B. pallida**.

*parvifolia*, Miers, l. c. — Bras.

*puberula*, Miers, l. c. — Bras.

*reticulata*, Miers, l. c. — Paraguay.

*venusta*, Miers, l. c. = **B. venusta**.

**PYROSTOMA**, G. F. W. Mey. Prim. Fl. Esseq. 219 (1818) = **Vitex**, Linn. (Verbenac.).

*ternatum*, G. F. W. Mey. l. c. 220 = **V. triflora**.

**PYROSTRIA**, Comm. ex Juss. Gen. 206 (1789). **RUBIACEAE**, Benth. & Hook. f. ii. 111.

*Commersonii*, J. F. Gmel. Syst. 246. — Ins. Maurit.

*comorensis*, Boj. ex Baker, Fl. Maurit. 146 = **Plectronia bibracteata**.

*cordifolia*, A. Rich. in Mém. Soc. Hist. Nat. Par. v. (1834) 216 = **macrophylla**.

*fasciculata*, Boj. ex Baker, Fl. Maurit. 148. — Ins. Mascar.

*lancifolia*, Boj. ex Baker, l. c. 149. — Ins. Mascar.

*macrophylla*, A. Rich. in Mém. Soc. Hist. Nat. Par. v. (1834) 217. — Ins. Maurit.

*obliqua*, Boj. & Baker, Fl. Maurit. 149 = **fasciculata**.

*oleoides*, Boj. Hort. Maurit. 170 = **seq. ?**

*oleoides*, Lam. Illustr. i. 289 = **Commersonii**.

*orbicularis*, A. Rich. in Mém. Soc. Hist. Nat. Par. v. (1834) 216 = **macrophylla**.

*polymorpha*, A. Rich. l. c. 217. — Ins. Maurit.

*salicifolia*, Willd. Sp. Pl. i. 614; Pers. Syn. i. 131 = **Commersonii**.

*spinosa*, Miq. Fl. Ind. Bat. ii. 313 = **Vangueria spinosa**.

*trilocularis*, Balf. f. in Journ. Linn. Soc. xvi. (1877) 14. — Ins. Rodrig.

*umbellata*, Boj. Hort. Maurit. 170 = **Plectronia umbellata**.

**PYROSTRIA**, Roxb. Hort. Beng. 83 (1814); Fl. Ind. i. 403 (1832) = **Timonius**, Rumph. (Rubiace.).

*hexasperma*, Roxb. ll. cc. = **T. Rumphii**?

**PYROTHECA**, Steud. Nom. ed. II. ii. 422 (1841), sphalm. = **GYROTHECA**, Salisb. = **Lachnanthes**, Ell. (Haemod.).

*tinctoria*, Steud. l. c. = **L. tinctoria**.

**PYRRANTHUS**, A. Gray, Bot. U. St. Expl. Exped. i. 615, in syn. (1854) = **seq.**

**PYRRHANTHUS**, Jack, in Malay. Misc. ii. (1822) n. vii. 57 = **Lumnitzera**, Willd. (Combret.).

*albus*, Wall. Cat. n. 4019 = **L. racemosa**.

*littoreus*, Jack, in Malay. Misc. ii. (1822) n. vii. 57 = **L. coccinea**.

**PYRRHEIMA**, Hassk. in Flora, lii. (1869) 366 = **Tradescantia**, Linn. (Commel.).

*Loddigesii*, Hassk. l. c. 367 = **T. fuscata**.

*minus*, Hassk. l. c. 368 = **T. fuscata**.

**PYRRHOCOMA**, Walp. Rep. ii. 593 (1843) = **PYRROCOMA**, Hook. = **Aplopappus**, Cass. (Compos.).

**PYRRHOPAPPUS**, DC. Prod. vii. 144 (1838). **COMPOSITAE**, Benth. & Hook. f. ii. 523.

*Sitilias*, Rafin. New Fl. Am. iv. 85 (1836).

*carolinianus*, DC. Prod. vii. 144. — Am. bor.

*grandiflorus*, Nutt. in Trans. Am. Phil. Soc. N. S. vii. (1841) 430 = **scaposus**.

*multicaulis*, Curtiss, ex A. Gray, Syn. Fl. N. Am. i. ii. 441 = **carolinianus**.

*multicaulis*, DC. Prod. vii. 144. — Texas; Mexic.

*pauciflorus*, DC. l. c. — Mexic.

*Rothrockii*, A. Gray, in Proc. Am. Acad. xi. (1876) 80. — Arizona.

*scaposus*, DC. Prod. vii. 144. — Am. bor. occ.

*Sessaeanus*, DC. l. c. — Mexic.

*taraxacoides*, DC. l. c. 145 (al. gen.). — Afr. austr.

**PYRRHOPAPPUS**, A. Rich. Tent. Fl. Abyss. i. 463 (1847) = **Lactuca**, Tourn. (Compos.).

*Hochstetteri*, A. Rich. l. c. = **L. capensis**.

*humilis*, A. Rich. l. c. = **L. humilis**.

**PYRRHOSA**, Endl. Gen. 830 (1839) = **Myristica**, Linn.

*Horsfieldii*, Wight, Ic. t. 1857 = **M. Horsfieldia**.

**PYRRHOTRICHIA**, Wight & Arn. Prod. 238 (1834) = **Eriosema**, DC. (Legumin.).

*tuberosa*, Wight & Arn. l. c. = **E. chinense**.

**PYRROCOMA**, Hook. Fl. Bor. Am. i. 306. t. 107 (1833) = **Aplopappus**, Cass. (Compos.).

*angustifolia*, DC. Prod. v. 351. — Chili.

*arguta*, Torr. & Gray, Fl. N. Am. ii. 244 = **A. racemosus**.

*aurea*, Phil. in Linnaea, xxviii. (1856) 733. — Chili.

*Bezanillana*, Remy, in C. Gay, Fl. Chil. iv. 65. — Chili.

*canescens*, Phil. in Linnaea, xxviii. (1856) 730. — Chili.

*carthamoides*, Hook. Fl. Bor. Am. i. 307 = **A. carthamoides**.

*Cerberoana*, Remy, in C. Gay, Fl. Chil. iv. 66. — Chili.

*denticulata*, Phil. in Linnaea, xxviii. (1856) 730. — Chili.

*foliosa*, Phil. l. c. 732. — Chili.

*foliosa*, Torr. & Gray, ex Duch. Rev. Bot. i. (1845-46) 81 = **A. Fremonti**.

*glomerata*, Torr. & Gray, Fl. N. Am. ii. 244 = **A. racemosus**.

*grindelioides*, DC. Prod. v. 350 = **A. squarrosus**.

*ilicifolia*, Remy, in C. Gay, Fl. Chil. iv. 67 = **A. Remyanus**.

*linifolia*, Phil. in Linnaea, xxviii. (1856) 730. — Chili.

*longipes*, Phil. l. c. 733. — Chili.

*Macraeana*, Remy, in C. Gay, Fl. Chil. iv. 64. — Chili.

*Menziesii*, Hook. & Arn. Bot. Beech. Voy. 351 = **Bigelovia veneta**.

*Nuttallii*, Remy, in C. Gay, Fl. Chil. iv. 67 = **A. pinnatifidus**.

## PYRROCOMA:—

- paniculata*, Torr. & Gray, Fl. N. Am. ii. 244 = *Aplopappus racemosus*.  
*parvifolia*, DC. Prod. v. 351.—Chili.  
*pineae*, Phil. in Linnaea, xxviii. (1856) 731.—Chili.  
*pristiphylla*, Remy, in C. Gay, Fl. Chil. iv. 65.—Chili.  
*racemosa*, Torr. & Gray, Fl. N. Am. ii. 244 = *A. racemosus*.  
*radiata*, Nutt. in Trans. Am. Phil. Soc. N. S. vii. (1841) 333 = *A. carthamoides*.  
*reticulata*, Phil. in Linnaea, xxviii. (1856) 731.—Chili.  
*rigida*, Phil. l. c. 732.—Chili.  
*saxatilis*, Remy, in C. Gay, Fl. Chil. iv. 64.—Chili.  
*setigera*, Phil. in Linnaea, xxviii. (1856) 733.—Chili.

PYRROTRICHIA, Baker, in Hook. f. Fl. Brit. Ind. ii. 219 (1876) = *praeac*.

## PYRULARIA, Michx. Fl. Bor. Am. ii. 231 (1803).

- SANTALACEAE, Benth. & Hook. f. iii. 223.  
 CALINUX, Rafin. in Med. Repos. N. York, v. (1808) 352.  
 HAMILTONIA, Muhl. ex Willd. Sp. Pl. iv. 1114 (1805).  
 SPHAEROCARYA, Wall. in Roxb. Fl. Ind. ed. Carey, ii. 371 (1824).  
*ceylanica*, A. DC. in DC. Prod. xiv. 629 = *Scleropyrum Wallichianum*.  
*edulis*, A. DC. l. c. 628.—Reg. Himal.  
*moschifera*, A. DC. l. c. 629.—Java.  
*oleifera*, A. Gray, ex Chapm. Fl. S. U. St. 396 = *seq. pubera*, Michx. Fl. Bor. Am. ii. 231.—Am. bor.  
*Wallichiana*, A. DC. in DC. Prod. xiv. 629 = *Scleropyrum Wallichianum*.

## PYRUS, [Tourn.] Linn. Syst. ed. I (1735). ROSA-

- CEAE, Benth. & Hook. f. i. 626.  
 APIOPHORUM, Neck. Elem. ii. 72 (1790).  
 ARIA, M. Roem. Fam. Rosif. iii. 101, 124 (1847).  
 AZAROLUS, Borchh. Handb. Forstb. ii. 1224 (1803).  
 CHAENOMELES, Lindl. in Trans. Linn. Soc. xiii. (1822) 97.  
 CHAMAEMESPIBUS, Medic. Phil. Bot. i. 138, 135 (1789).  
 CYDONIA, Tourn. ex Mill. Gard. Dict. ed. VI. (1752).  
 ERIOLOBUS, M. Roem. Fam. Rosif. iii. 104, 216 (1847).  
 HAHNIA, Medic. Gesch. 81 (1793).  
 LAZAROLUS, Medic. Phil. Bot. i. 15 (1789).  
 MALUS, Tourn. ex Linn. Gen. ed. I. 145, in syn. (1737); Mill. Gard. Dict. ed. VI (1752).  
 MESPILOPHORA, Neck. Elem. ii. 73 (1790).  
 MESPIBUS, [Tourn.] Linn. Syst. ed. I (1735).  
 MICROMELES, Decne. in Nouv. Arch. Mus. Par. Sér. I. x. (1874) 163.  
 PIROPHORUM, Neck. Elem. ii. 72 (1790).  
 PYRENIA, [Clairv.] Man. Herb. 161 (1811).  
 SORBUS, [Tourn.] Linn. Syst. ed. I (1735).  
 TORMINALIS, Medic. Phil. Bot. i. 134, 155 (1789).  
 TORMINARIA, M. Roem. Fam. Rosif. iii. 101, 130 (1847).

- acerba*, DC. Prod. ii. 635 = *P. Malus*.  
*Achras*, Gaertn. Fruct. ii. 44. t. 87 = *communis*.  
*aestivalis*, Lamotte, Prod. Fl. Centr. Fr. i. 279 = *communis*.  
*albicans*, Kit. in Linnaea, xxxii. (1863) 583 = *slavonica*.  
*alnifolia*, Franch. & Sav. Enum. Pl. Jap. ii. 350.—Japan.  
*alnifolia*, Lindl. in Trans. Linn. Soc. xiii. (1821) 98 = *Amelanchier alnifolia*.  
*alpina*, Willd. Enum. Hort. Berol. 527 = *P. Chamaemespilus*?  
*Amelanchier*, Du Roi, Harbk. Baumz. ii. 219; Lam. Fl. Fr. iii. 492; Linn. f. Suppl. 256 = *Amelanchier vulgaris*.  
*Amelanchier*, Hort. ex C. Koch, Dendrol. i. 181 = *Amelanchier canadensis*.  
*americana*, Cooper, in Am. Natural. iii. (1870) 406 = *sambucifolia*.  
*americana*, DC. Prod. ii. 637; Spreng. Syst. ii. 511.—Am. bor.  
*amygdaliformis*, Vill. Cat. Hort. Argent. 323.—Europ. austr.; As. Min.  
*amygdaloides*, Link, Handb. ii. 80, sphalm. = *praeac*.  
*angulata*, Kit. ex Rochel, Bot. Reise Banat. 73; et in Linnaea, xxxii. (1863) 583.—Europ.

## PYRUS:—

- angustifolia*, Ait. Hort. Kew. ed. I. ii. 176.—Am. bor.  
*angustifolia*, Decne. in Ann. Sc. Nat. Sér. II. iv. (1835) 359 = *Bovei*.  
*anthyllidifolia*, Sm. in Rees, Cycl. xxix. n. 29 = *Osteomeles anthyllidifolia*.  
*apetala*, Munchh. Hausv. v. 247 = *P. Malus*.  
*apiosa*, Hort. ex Steud. Nom. ed. I. 670 = *P. Malus*.  
*arbutifolia*, Linn. f. Suppl. 256.—Am. bor.  
*arctica*, Hort. ex C. Koch, Dendrol. i. 192 = *P. Aria*.  
*arguta*, Tausch, in Flora, xvii. (1834) 490 = *intermedia*.  
*Aria*, Brandis, For. Fl. 206 = *lanata*.  
*Aria*, Ehrh. Beitr. iv. 20.—Europ.; As. bor.  
*Aria*, Hook. f. & Thoms. ex Hook. f. Fl. Brit. Ind. ii. 375 = *vestita*.  
*Aria*, Wimm. & Grab. Fl. Siles. (1829) ii. 21 = *sudetica*.  
*armeniacaefolia*, Dochn. Obst. i. 16 = *P. Malus*.  
*astracantha*, DC. Prod. ii. 635 = *P. Malus*.  
*atrovirens*, Hort. ex C. Koch, Dendrol. i. 194 = *rotundifolia*.  
*Aucuparia*, Ehrh. Plantag. 20; ex ej. Beitr. vi. 94; Gaertn. Fruct. ii. 45. t. 87.—Europ.; As. bor.  
*Aucuparia*, E. Mey. Pl. Labrad. 81 = *americana*, *sambucifolia*.  
*auricularis*, Knoop, Pomol. ii. 38. t. 4 = *P. Pollveria*.  
*auriculata*, DC. Prod. ii. 636 = *pinnatifida*?  
*Azarolus*, Scop. Fl. Carn. ed. II. i. 347 = *Crataegus Azarolus*.  
*baccata*, Hort. ex Hoffm. Verz. Pfl. 104 = *rubicunda*.  
*baccata*, Linn. Mant. i. 75.—Reg. Himal.; As. bor.  
*badensis*, Hort. ex C. Koch, Dendrol. i. 192 = *P. Aria*.  
*Balsanae*, Decne. Jard. Fruit. Mus. i. t. 6 = *communis*.  
*barauyensis*, Kit. in Linnaea, xxxii. (1863) 582 (Quid?).—Europ. austr.  
*Bartramiana*, Tausch, in Flora, xxi. (1838) 715 = *Amelanchier canadensis*.  
*betulaefolia*, Bunge, in Mém. Sav. Etr. Pétersb. ii. (1835) 101.—China.  
*Boissieriana*, Boiss. & Buhse, in Nouv. Mém. Soc. Nat. Mosc. xii. (1860) 87 = *cordata*.  
*Bollwylliana*, DC. Fl. Fr. Suppl. 530 = *P. Pollveria*.  
*Botryapium*, Linn. f. Suppl. 255 = *Amelanchier canadensis*.  
*Bourgaeana*, Decne. Jard. Fruit. Mus. i. t. 2 = *communis*.  
*Boveana*, Decne. l. c. t. 10 = *Bovei*.  
*Bovei*, Steud. Nom. ed. II. ii. 423.—Syria.  
*brachypoda*, Kern. ex Wenzig, in Linnaea, xxxviii. (1874) 17 = *communis*.  
*Calleryana*, Decne. Jard. Fruit. Mus. i. sub t. 8.—Japan.  
*canadensis*, Billb. in Linneska Samfund, i. 1832 (1833) 24 = *arbutifolia*, *Amelanchier canadensis*.  
*canescens*, Spach, Hist. Vég. Phan. ii. 129 = *communis*.  
*canoplia*, Guss. ex Decne. Jard. Fruit. Mus. i. sub t. 13 = *amygdaliformis*.  
*capitata*, Hort. ex Lindl. in Trans. Hort. Soc. vii. (1828) 232 = *arbutifolia*.  
*castanea*, Steud. Nom. ed. I. 670, sphalm. = *cestiana*.  
*castaneifolia*, Hook. f. Fl. Brit. Ind. ii. 379.—Reg. Himal.  
*Caucasi*, Gueldenst. Reisen, i. 423 (Quid?).—Reg. Cauc.  
*cavillea*, Hort. ex Steud. Nom. ed. I. 670 = *P. Malus*.  
*cerasifera*, Tausch, in Flora, xxi. (1838) 714.—Sibir.  
*ceratocarpa*, Wender. in Schrift. Marb. ii. (1830) 254 = *prunifolia*.  
*cestiana*, Hort. ex Steud. Nom. ed. I. 670, in syn. = *P. Malus*.  
*Chamaemespilus*, Ehrh. Beitr. iv. 19.—Europ.  
*chinensis*, Hort. ex Steud. Nom. ed. I. 670, in syn. = *communis*.  
*chinensis*, Roxb. Hort. Beng. 38; Fl. Ind. ii. 511 = *sinensis*, Lindl.  
*chinensis*, Spreng. Syst. ii. 510 = *sinensis*, Poir.  
*ciliata*, Kit. in Linnaea, xxxii. (1863) 582 (Quid?).—Europ. austr.  
*communis*, Dur. in Bull. Soc. Bot. Fr. vii. (1860) 31, partim = *cordata*.  
*communis*, Gouan, Hort. Monsp. 242 = *amygdaliformis*.  
*communis*, Linn. Sp. Pl. 479.—Europ.; As. bor.; Reg. Himal.  
*communis*, Thunb. Fl. Jap. 207 = *sinensis*, Lindl.

## PYRUS:—

- cordata*, Desv. Obs. Pl. Anj. 152.—Gallia; Persia.  
*coronaria*, Linn. Sp. Pl. 480.—Am. bor.  
*coronaria*, Wangerh. Nord-Am. Holzart. 61. t. 21. f. 47 = *angustifolia*.  
*corymbosus*, Gilib. Fl. Lituan. ii. 234 = *communis*.  
*Cotoneaster*, Moench, Meth. 681 = *Cotoneaster integerrima*.  
*crataegifolia*, Targ.-Tozz. ex Savi, Tratt. Alb. Tosc. ed. II. i. 169.—Ital.  
*crenata*, D. Don, Prod. Fl. Nep. 237 = *communis*?  
*crenata*, Hort. ex C. Koch, Dendrol. i. 192 = *P. Aria*.  
*crenata*, Lindl. Bot. Reg. t. 1655 = *vestita*.  
*cretica*, Hort. ex C. Koch, l. c. = *P. Aria*.  
*cretica*, Willd. Sp. Pl. ii. 1015 = *Amelanchier vulgaris*.  
*csiklovensis*, Kit. in Linnaea, xxxii. (1863) 583 (Quid?).—Europ. austr.  
*cuneifolia*, Guss. Pl. Rar. 202 = *amygdaliformis*.  
*cuspidata*, Bertol. in Mem. Acad. Sc. Bolog. Ser. II. iv. (1864) 311.—Reg. Himal.  
*Cydonia*, Linn. Sp. Pl. 480.—Reg. Mediterr. et Cauc.  
*dasyphylla*, Bluff & Fingerh. Comp. Fl. Germ. ed. I. i. 604; Borchh. Handb. Forstb. ii. 1269 = *P. Malus*.  
*decipiens*, Bechst. Forstb. ed. V. (1843) 152 = *rotundifolia*.  
*densiflora*, Steud. Nom. ed. II. ii. 423.—Hab.?  
*denticulata*, Hort. Angl. ex Dum.-Cours. Bot. Cult. ed. II. v. 435.—China.  
*depressa*, Lindl. in Trans. Hort. Soc. vii. (1828) 230 = *arbutifolia*.  
*dioica*, Moench, Verz. 87 = *P. Malus*.  
*discolor*, Maxim. Prim. Fl. Amur. 103 = *P. Aucuparia*.  
*diversifolia*, Bong. in Mém. Acad. Pétersb. Sér. VI. ii. (1833) 133 = *rivularis*.  
*divisa*, Link, Enum. Hort. Berol. ii. 38 = *P. Malus*.  
*domestica*, Ehrh. Plantag. p. 20; ex ej. Beitr. vi. 95 = *P. Sorbus*.  
*domestica*, Medic. Gesch. 87; Borchh. in Roem. Arch. i. iii. 90 = *communis*.  
*edulis*, Willd. Enum. Hort. Berol. 527; Wats. Dendrol. Brit. i. 52 = *P. Aria*.  
*elaeagnifolia*, Steud. Nom. ed. I. 670 = *seq.*  
*elaeagnifolia*, Pall. in Nov. Act. Petrop. vii. (1789) 355. t. 10.—As. Min.  
*epirotica*, Hort. ex Steud. Nom. ed. I. 670 = *P. Malus*.  
*eriopileura*, Reichb. Fl. Germ. Excurs. 630 = *amygdaliformis*.  
*eristyla*, Guss. Fl. Sic. Prod. Suppl. 154 = *P. Malus*.  
*falerna*, Hort. ex Steud. Nom. ed. I. 670 = *communis*.  
*favonia*, Hort. ex Steud. l. c. = *communis*.  
*fennica*, Bab. Man. Brit. Bot. ed. III. 111 = *pinnatifida*.  
*ferruginea*, Hook. f. Fl. Brit. Ind. ii. 379.—Reg. Himal.  
*florentina*, Targ.-Tozz. in Mem. Soc. Mod. xx. II. (1829) 302. t. 5 = *crataegifolia*.  
*floribunda*, Lindl. Bot. Reg. t. 1006 = *arbutifolia*.  
*foliolosa*, Wall. Cat. n. 677, partim = *Wallichii*.  
*foliolosa*, Wall. Pl. As. Rar. ii. 81. t. 189.—Reg. Himal.  
*Fontanesiana*, Steud. Nom. ed. II. ii. 423 = *P. Malus*.  
*fraxinifolia*, Cooper, in Am. Natural. iii. (1870) 406 = *sambucifolia*?  
*fusca*, Rafin. Med. Fl. ii. 254 = *rivularis*.  
*germanica*, Hook. f. Stud. Fl. ed. I. 127.—Europ. or.; Oriens.  
*glabra*, Boiss. Diagn. Ser. I. vi. 53.—Persia.  
*glandulosa*, Moench, Meth. 680 = *Crataegus coccinea*.  
*glutinosa*, Madiot, ex Steud. Nom. ed. II. ii. 423 (Quid?).—Hab.?  
*gracilis*, Sieb. & Zucc. in Abb. Akad. Muench. iv. II. (1843) 131 = *sambucifolia*.  
*graeca*, Hort. ex Steud. Nom. ed. II. ii. 423 = *P. Aria*.  
*grandifolia*, Lindl. in Trans. Hort. Soc. vii. (1828) 233; Bot. Reg. t. 1154 = *arbutifolia*.  
*granulosa*, Bertol. in Mem. Acad. Sc. Bolog. Ser. II. iv. (1864) 312.—Reg. Himal.  
*Griffithii*, Hook. f. Fl. Brit. Ind. ii. 377.—Reg. Himal.  
*hadiensis*, Forsk. Fl. Aegypt. Arab. 212.—Arabia.  
*heterophylla*, Regel & Schmalh. in Act. Hort. Petrop. v. (1877) 581.—Turkestan.  
*heterophylla*, Steud. Nom. ed. II. ii. 423.—Hab.?  
*Hoggii*, Franch. & Sav. Enum. Pl. Jap. ii. 349 = *Tschonoskii*.



## PYRUS:—

- hortensis*, Mill. ex Trautv. in Act. Hort. Petrop. viii. (1883) 339, nomen = communis?  
*Hostii*, Hort. ex C. Koch, Dendrol. i. 192 = P. Aria.  
*hyberna*, Pall. Reise in Suedl. Statth. Russ. Reich. i. 349 (Quid?).—Rossia.  
*hybrida*, Moench, Verz. 90. t. 6 = spuria.  
*hybrida*, Sm. Fl. Brit. ii. 534 = pinnatifida.  
*hybrida*, Steud. Nom. ed. I. 670 = prunifolia.  
*hyemalis*, Hort. ex C. Koch, Hort. Dendrol. 183, in adnot.—Hab.?  
*incana*, C. Koch, Dendrol. i. 217.—Armenia.  
*indica*, Coleb. in Wall. Pl. As. Rar. ii. 56 = Docynia indica.  
*indica*, Roxb. Hort. Beng. 38; Fl. Ind. ii. 511 = seq.  
*insignis*, Hook. f. Fl. Brit. Ind. ii. 377.—Reg. Himal.  
*integerrima*, Wall. ex D. Don, Prod. Fl. Nep. 237 = Photinia integrifolia.  
*intermedia*, Bechst. Diana, iv. 110 = rotundifolia.  
*intermedia*, Ehrh. Beitr. iv. 20.—Europ.  
*intermedia*, Soyer-Willems. ex Nym. Consp. 242 = latifolia.  
*intermedia*, Tenore, Fl. Nap. iv. 279 = Crataegus tomentosa?  
*irregularis*, Du Roi, Harbk. Baumz. ii. 216 = P. Pollveria.  
*Jacquemontiana*, Decne. Jard. Fruit. Mus. i. t. 8.—Reg. Himal.  
*japonica*, Thunb. Fl. Jap. 207.—Japon.  
*Kaido*, Siebold, ex C. Koch, Dendrol. i. 209 = spectabilis.  
*kamounensis*, Wall. Cat. n. 678 = lanata.  
*karensium*, Kurz, in Journ. As. Soc. Beng. xli. (1872) ii. 306 = granulosa.  
*khasiana*, Hook. f. Fl. Brit. Ind. ii. 378.—Reg. Himal.  
*Kotschyana*, Boiss. ex Decne. Jard. Fruit. Mus. i. t. 18 = elaeagrifolia.  
*kumaonensis*, Hook. f. Fl. Brit. Ind. ii. 375, sphalm. = kamounensis.  
*Kumaoni*, Decne. Jard. Fruit. Mus. sub t. 7.—Reg. Himal.  
*lanata*, D. Don, Prod. Fl. Nep. 237.—Reg. Himal.  
*lanuginosa*, DC. Prod. ii. 637.—Hungar.  
*latifolia*, Lindl. ex Steud. Nom. ed. II. ii. 424 = intermedia.  
*latifolia*, Syme, in Bot. Exch. Club Rep. 1872-4 (1875) 19 = rotundifolia.  
*liquescens*, Hort. ex Steud. Nom. ed. I. 670 = communis.  
*lobata*, C. Koch, Hort. Dendrol. i. 182 = Docynia indica.  
*longipes*, Coss. & Dur. in Bull. Soc. Bot. Fr. ii. (1855) 310.—Alger.  
*Ludoviciana*, Rafin. Fl. Ludov. 158 (Quid?).—Am. bor.  
*lusitanica*, Hort. ex Steud. Nom. ed. I. 670 = P. Cydonia.  
*malifolia*, Spach, Hist. Vég. Phan. ii. 131 = P. Cydonia.  
*maliformis*, Hort. ex Steud. Nom. ed. I. 670 = P. Cydonia.  
*Malus*, Linn. Sp. Pl. 479.—Europ.; As. bor.; Reg. Himal.  
*marginata*, Kit. in Linnaea, xxxii. (1863) 582 = ciliata.  
*matrensis*, Kit. l. c. (Quid?).—Hungar.  
*Maulei*, Mast. in Gard. Chron. i. (1874) 756 = japonica.  
*melanocarpa*, Willd. Enum. Hort. Berol. 525 = arbutifolia.  
*Mengo*, Siebold, ex C. Koch, Dendrol. i. 213 = Sieboldi.  
*meridionalis*, Guss. Fl. Sic. Syn. ii. 11. 831 = P. Aria.  
*Michauxii*, Bosc, ex Poir. Encyc. Suppl. iv. 452 = amygdaliformis.  
*Michauxii*, Hort. ex C. Koch, Dendrol. i. 216 = communis.  
*micrantha*, Franch. & Sav. Enum. Pl. Jap. ii. 351.—Japon.  
*microcarpa*, DC. Prod. ii. 636; Spreng. Syst. ii. 511 = americana.  
*microcarpa*, Wendl. ex C. Koch, Dendrol. i. 211 = baccata.  
*microphylla*, Wall. Cat. n. 676.—Reg. Himal.  
*mitis*, Syme, Engl. Bot. ed. III. iii. 256 = P. Malus.  
*montana*, Hort. ex C. Koch, Hort. Dendrol. 183, in adnot.—Hab.?  
*Montis-Sinai*, Hort. ex Steud. Nom. ed. I. 670 = amygdaliformis.

## PYRUS:—

- nebrodensis*, Guss. Fl. Sic. Prod. i. 569 = Cotoneaster nebrodensis.  
*nepalensis*, Buch.-Ham. ex Hook. f. Fl. Brit. Ind. ii. 374 = P. Pashia.  
*nepalensis*, Lodd. ex G. Don, in Loud. Hort. Brit. 202 = P. Aria.  
*Neumanniana*, Tausch, in Flora, xxi. (1838) i. Beibl. 76 = Amelanchier canadensis?  
*nivalis*, Jacq. Fl. Austr. ii. 4 = communis.  
*nivalis*, Lindl. Bot. Reg. t. 1484 = amygdaliformis.  
*nivalis*, Pall. ex Georgi, Besch. Russ. Reich. iv. 1014 = elaeagrifolia.  
*Nussia*, Buch.-Ham. ex D. Don, Prod. Fl. Nep. 237 = Stranvaesia glaucescens.  
*oblonga*, Hort. ex Steud. Nom. ed. I. 670 = P. Cydonia.  
*oblongifolia*, Spach, Hist. Vég. Phan. ii. 128 = amygdaliformis.  
*obtusata*, Steud. Nom. ed. II. ii. 424.—Hab.?  
*odorata*, Hort. ex C. Koch, Dendrol. i. 192 = P. Aria.  
*oleaeifolia*, Hort. l. c. 216 = communis.  
*olivaefolia*, Hort. l. c. = communis.  
*orientalis*, Hort. ex Nois. Cat. (1812); ex Thouin, in Mém. Mus. Par. i. (1815) 171 = amygdaliformis.  
*orientalis*, Pall. Reise Suedl. Statth. Russ. Reich. ii. 88, 188, 222, 236, 453 (Quid?).—Rossia.  
*ovalis*, Willd. Berl. Baumz. ed. I. 259 = Amelanchier canadensis.  
*paradisica*, Hort. ex Steud. Nom. ed. I. 670 = P. Malus.  
*parasomila*, Hort. l. c. 671 = P. Malus.  
*parviflora*, Desf. in Ann. Mus. Par. xii. (1808) 52 = amygdaliformis.  
*Pashia*, Buch.-Ham. ex D. Don, Prod. Fl. Nep. 236.—Reg. Himal.  
*pensylvanica*, Fisch. ex Steud. Nom. ed. I. 671 (Quid?).—Am. bor.  
*pensylvanica*, Hort. ex Lindl. in Trans. Hort. Soc. vii. (1828) 231 = arbutifolia.  
*persica*, Pers. Syn. ii. 40 = elaeagrifolia.  
*pinnatifida*, Ehrh. Plantag. p. 22; ex ej. Beitr. vi. 93.—Europ. bor.  
*pinnatifida*, Sm. Engl. Bot. t. 2331, partim = P. Aria.  
*Piraster*, Borkh. Handb. Forstbot. ii. 1287 = communis.  
*pohuashanensis*, Hance, in Journ. Bot. xiii. (1875) 132 = P. Aucuparia.  
*Pollveria*, Lej. Fl. Spa, ii. 311; Rev. Fl. Spa, 94 = P. Malus.  
*Pollveria*, Linn. Mant. ii. 244.—Europ.  
*Pollwilleriana*, Borkh. Handb. Forstb. ii. 1251 = praec.  
*Pollweriana*, Rev. Hort. (1885) 416. f. 76, 78 = praec.  
*Pollwilleriana*, Decne. Jard. Fruit. Mus. i. t. 31 = praec.  
*Pollwilleriana*, Link, Handb. ii. 80; Wallr. Beitr. Fl. Hercyn. 205 = praec.  
*polonica*, Hort. ex C. Koch, Dendrol. i. 208 = prunifolia.  
*polycarpa*, Hook. f. Fl. Brit. Ind. ii. 378.—Reg. Himal.  
*pompejana*, Hort. ex Steud. Nom. ed. I. 671 = communis.  
*praecox*, Hort. ex Lindl. Bot. Reg. t. 1484 = amygdaliformis.  
*praecox*, Pall. Fl. Ross. i. 22 = P. Malus.  
*praemorsa*, Guss. Fl. Sic. Syn. i. 560 = P. Aucuparia.  
*prasomila*, Hort. ex Steud. Nom. ed. I. 670, in syn. = P. Malus.  
*prunifolia*, Hort. ex Steud. l. c. ed. II. ii. 424 = arbutifolia.  
*prunifolia*, Willd. Phyt. 8.—Sibir.  
*pubens*, Lindl. in Trans. Hort. Soc. vii. (1828) 232 = arbutifolia.  
*pulverulenta*, Hort. ex C. Koch, Dendrol. i. 208 = P. Malus.  
*pumila*, Hort. l. c. 203 = P. Malus.  
*pumila*, Neum. ex Tausch, in Flora, xxi. (1838) i. Beibl. 77 = arbutifolia.  
*pyraia*, Rafin. ex Decne. Jard. Fruit. Mus. i. sub t. 13 = amygdaliformis.  
*pyramidalis*, Hort. ex Steud. Nom. ed. I. 671 = communis.  
*Pyraster*, Medic. Gesch. 87; Borkh. in Roem. Arch. i. III. (1798) 90 = communis.  
*quinqueflora*, Buch.-Ham. ex G. Don, Gen. Syst. ii. 647.—Ind. or.

## PYRUS:—

- rhamnoides*, Hook. f. Fl. Brit. Ind. ii. 377.—Reg. Himal.  
*Ringo*, Wenzig, in Linnaea, xxxviii. (1874) 37.—Japon.  
*Riversii*, Hort. ex C. Koch, Dendrol. i. 209 = spectabilis.  
*rivularis*, Dougl. in Hook. Fl. Bor. Am. i. 203. t. 68.—Am. bor. occ.  
*rotundifolia*, Auct. ex Steud. Nom. ed. I. 671 = Amelanchier vulgaris.  
*rotundifolia*, Moench, Meth. 680; Bechst. Forstbot. ed. V. 152.—Europ.  
*rubelliana*, Hort. ex Steud. Nom. ed. I. 671 = P. Malus.  
*rubicunda*, Hoffm. Vers. Pfl. 192.—Sibir.  
*rufescens*, Hort. ex Steud. Nom. ed. I. 671 = communis.  
*rupicola*, Syme, Engl. Bot. ed. III. iii. 244 = P. Aria.  
*salicifolia*, Balb. in Mém. Acad. Turin, 1805-8 (1809), 216; Sibth. & Sm. Fl. Graec. Prod. i. 344 (1809) = amygdaliformis.  
*salicifolia*, Habl. Taur. 107; ex Bieb. Fl. Taur. Cauc. i. 390 = elaeagrifolia.  
*salicifolia*, Pall. Reise, iii. 734.—Reg. Caucas.  
*salviaefolia*, Petter, Bot. Wegw. Spalato, 103 = amygdaliformis.  
*salvifolia*, DC. Prod. ii. 634.—Gallia.  
*sambucifolia*, Cham. & Schlecht. in Linnaea, ii. (1827) 36.—As. bor. or.; Am. bor.  
*sanguinea*, Pursh, Fl. Am. Sept. i. 340 = Amelanchier alnifolia, canadensis.  
*sanguisorbifolia*, Stokes, Bot. Mat. Med. iii. 120 = Amelanchier vulgaris.  
*saracenia*, Hort. ex C. Koch, Dendrol. i. 219 = persica.  
*sativa*, C. Koch, l. c. 215 = communis.  
*sativa*, Noronha, in Verh. Batav. Gen. v. (1790) ed. I. Art. iv. 23 (Quid?).—Java.  
*saxatilis*, Schlecht. ex Ledeb. Fl. Ross. ii. 97 = Sieversii.  
*scabiosa*, Noronha, in Verh. Batav. Gen. v. (1790) ed. I. Art. iv. 23 = Pygeum parviflorum?  
*scandica*, Aschers. Fl. Brandenb. 207 = intermedia.  
*scandica*, Bab. Man. Brit. Bot. ed. III. 111 = rotundifolia.  
*semilobata*, Bechst. Forstbot. ed. V. 152 = rotundifolia.  
*semipinnata*, Bechst. l. c. 153 = intermedia.  
*semipinnata*, Roth, Enum. Pl. Phan. Germ. ii. 438.—Europ.  
*sempervirens*, Willd. Enum. Hort. Berol. Suppl. 35 = angustifolia.  
*septiloba*, Stokes, Bot. Mat. Med. iii. 121 = torminalis.  
*sibirica*, Hort. ex C. Koch, Dendrol. i. 208 = prunifolia.  
*sicula*, Tineo, Cat. Hort. Panorm. (1827) 208 = amygdaliformis.  
*Sieboldi*, Regel, Ind. Sem. Hort. Petrop. (1858) 51.—Japon.  
*Sieversii*, Hort. ex C. Koch, Dendrol. i. 208 = prunifolia.  
*Sieversii*, Ledeb. Fl. Alt. ii. 222.—Sibir. altaic.; Reg. Himal.  
*sikkimensis*, Hook. f. Fl. Brit. Ind. ii. 373.—Reg. Himal.  
*sikkimensis*, Hook. f. l. c. 377, 378, in syn. = granulosa, Griffithii.  
*Simonii*, Carr. in Rev. Hort. (1872) 28.—China.  
*Sinai*, Desf. Hist. Arb. ii. 144 = amygdaliformis.  
*sinaica*, Dum.-Cours. Bot. Cult. ed. II. v. 435; Thouin, in Mém. Mus. Par. i. (1815) 170. t. 9 = amygdaliformis.  
*sinensis*, Dum.-Cours. l. c. 428 = spectabilis.  
*sinensis*, Hort. ex C. Koch, Dendrol. i. 215 = communis.  
*sinensis*, Lindl. in Trans. Hort. Soc. vi. (1826) 396.—China.  
*sinensis*, Poir. Encyc. Suppl. iv. 452 (sp. div.).—China.  
*sinica*, Royle, Illustr. Bot. Himal. 206 = sinensis, Lindl.  
*slavonica*, Kit. in Linnaea, xxxii. (1863) 583.—Europ. austr.  
*sorbifolia*, Bosc, ex Wats. Dendrol. i. t. 53 = pinnatifida.  
*sorbifolia*, Cham. ex Spreng. Syst. iv. Cur. Post. 343.—Kamtschat.  
*Sorbus*, Gaertn. Fruct. ii. 45. t. 87.—Europ.; Afr. bor.

**PYRUS** :—

- spectabilis, *Ait. Hort. Kew.* ed. I. ii. 175.—China.  
*sphaerocarpa*, Wender. Ind. Sem. Hort. Marb. (1835).  
 —Cf. Linnaea, xi. (1837) Litt. 92 = baccata.  
 spinosa, *Forsk. Fl. Aegypt. Arab.* 211.—Anatolia.  
 spuria, *DC. Prod.* ii. 637.—Hab.?  
 stipulacea, Hort. ex Baxt. in Loud. Hort. Brit. Suppl. ii. 662 (Quid?).—Reg. Himal.  
 suaveolens, Wender. in Linnaea, v. (1830) Litt. 55 = coronaria.  
 subcordata, Ledeb. Fl. Ross. ii. 95 = rivularis.  
 sudetica, *Tausch, in Flora*, xvii. (1834) 76.—Suecia.  
 subfusca, *Regel, in Act. Hort. Petrop.* i. (1870) 126.—Rossia.  
 suecica, Roehl. ex Steud. Nom. ed. I. 671; Garcke, Fl. Deutschl. ed. IX. 140 = intermedia.  
 Sumboschia, Spreng. Syst. iv. Cur. Post. 196 = P. Cydonia.  
 sylvestris, S. F. Gray, Nat. Arr. Brit. Pl. ii. 562 = P. Malus.  
 sylvestris, Moench, Meth. 679 = communis.  
 syriaca, *Boiss. Diagn.* Ser. I. x. 1.—As. Min.; Syria.  
 syriensis, *Kit. in Linnaea*, xxxii. (1863) 581.—Europ. austr.  
 Tardeviata, Lamotte, Prod. Fl. Centr. Fr. i. 280 = communis.  
 tenuifolia, Stokes, Bot. Mat. Med. iii. 120 = Amelanchier canadensis.  
 Thomsoni, *King, ex Hook. f. Fl. Brit. Ind.* ii. 379.—Reg. Himal.  
 thuringiaca, Ilse, ex Nym. Consp. 241 = pinnatifida.  
 tianschanica, *Franch. in Ann. Sc. Nat. Sér.* VI. xvi. (1883) 287.—Turkestan.  
 Tinei, Todaro, ex Deene. Jard. Fruit. Mus. i. sub t. 13 = amygdaliformis.  
 tomentosa, *DC. Prod.* ii. 637.—Sibir.  
 tomentosa, Moench, Meth. 680 = P. Pollveria.  
 tomentosa, *Roxb. Fl. Ind.* ii. 512.—Persia.  
 Toringo, Siebold, ex Miq. Ann. Mus. Bot. Lugd. Bat. iii. 41 = Sieboldi.  
 torminalis, *Ehrh. Beitr.* vi. 92.—Europ.  
 trilobata, *DC. Prod.* ii. 636.—Syria.  
 Tschonoskii, *Maxim. in Bull. Acad. Pétersb.* xix. (1874) 169.—Japon.  
 turkestanica, *Franch. in Ann. Sc. Nat. Sér.* VI. xvi. (1883) 288.—Turkestan.  
 umbellata, *Dum.-Cours. Bot. Cult.* ed. II. v. 429.—China.  
 upsaliensis, Hort. Lodd. ex G. Don, in Loud. Hort. Brit. 201 = P. Malus.  
 ursina, Herb. Strach. & Winterb. ex Hook. f. Fl. Brit. Ind. ii. 376 = P. Aucuparia.  
 ursina, Wall. Cat. n. 675 = foliolosa.  
 ussuriensis, Maxim. in Bull. Phys.-Math. Acad. Pétersb. xv. (1856) 132, 237; et in Prim. Fl. Amur. 102 = sinensis, Lindl.  
 Valerna, Hort. ex Steud. Nom. ed. I. 671 = communis.  
 variolosa, Wall. Cat. n. 680 = P. Pashia.  
 verruculosa, Bertol. in Mem. Acad. Sc. Bolog. Ser. II. iv. (1864) 312 = P. Pashia.  
 vestita, Wall. Cat. n. 679.—Reg. Himal.  
 Wallichii, *Hook. f. Fl. Brit. Ind.* ii. 376.—Reg. Himal.  
 Wangerheimiana, Tausch, in Flora, xxi. (1838) 714 = Amelanchier canadensis.
- PYTHAGOREA, Lour. Fl. Cochinch. 243 (1790) = **Homalium**, Jacq. (Samyd.).  
 africana, E. Mey. in Drège, Zwei Pfl. Docum. 214 = H. africanum.  
 cochinchinensis, Lour. Fl. Cochinch. 243 = H. fagifolium.  
 rufescens, E. Mey. ex Presl, Bot. Bemerk. 42 = H. rufescens.
- PYTHAGOREA, Rafin. in Journ. Phys. lxxxix. (1819) 96 = **Lythrum**, Linn.  
 alata, Rafin. l. c. = L. alatum.  
 linearis, Rafin. l. c. = L. lineare.  
 virgata, Rafin. l. c. = L. virgatum.
- PYTHION, Mart. in Flora, xiv. (1831) 459 = **Amorphophallus**, Blume (Aroid.).  
 campanulatum, Mart. l. c. = A. campanulatus.
- PYTHIUS, Rafin. Fl. Tellur. iv. 116 (1836) = **Euphorbia**, Linn.  
 dulcis, Rafin. l. c. = E. dulcis.  
 epithymoides, Rafin. l. c. = E. epithymoides.  
 fuscata, Rafin. l. c. = E. Pithyum.  
 obtusata, Rafin. l. c. = E. obtusata.

PYTHONIUM, Schott, Melet. i. 17 (1832) = **Thomsonia**, Wall. (Aroid.).  
 bulbiferum, Schott, l. c. 18 = Amorphophallus bulbifer.  
 guineense, G. Don, in Sweet, Hort. Brit. ed. III. 631, nomen.—Afr. trop.  
 Hookeri, Kunth, Enum. Pl. iii. 31 = Anchomanes Hookeri.  
 sylvaticum, Wight, Ic. t. 802 = Synantherias sylvatica.  
 Wallichianum, Schott, Melet. i. 17 = T. napalensis.

PYXA, Noronha, in Verh. Batav. Gen. v. (1790) ed. I. Art. iv. 3 = **Costus**, Linn. (Scitam.).

PYXIDANTHERA, Michx. Fl. Bor. Am. i. 152. t. 17 (1803). **DIAPENSIACEAE**, Benth. & Hook. f. ii. 619.  
 barbulate, Michx. l. c. —Am. bor.  
 granulata, Pritz. Ic. Ind. i. 913, sphalm. = praec.  
 spatulata, Muhl. Cat. 25 = Lepuropetalum spatulatum.

PYXIDANTHUS, Naud. in Ann. Sc. Nat. Sér. III. xviii. (1852) 150. t. 6 = **Blakea**, P. Br. (Melastom.).  
 latifolius, Naud. l. c. 152 = B. Pyxidanthus.  
 Lindenianus, Naud. l. c. 151 = B. Lindeniana.  
 Schlimii, Naud. l. c. = B. Schlimii.

PYXIDIUM, Moq. in DC. Prod. xiii. ii. 262 (1849) (vox fructus desc. lapsu pro genere habita) = **Amaranthus**, Tourn.  
 gangeticum, Moq. l. c. 261 = A. gangeticus.  
 graecians, Moq. l. c. 263 = A. Blitum.  
 melancholicum, Moq. l. c. 262 = A. gangeticus.  
 oleraceum, Moq. l. c. 273 = A. oleraceus, lividus.  
 viride, Moq. l. c. 274 = A. viridis.

PYXIPOMA, Fenzl, in Ann. Wien. Mus. ii. (1839) 293 = **Sesuvium**, Linn. (Ficoid.).  
 polyandrum, Fenzl, l. c. = S. Portulacastrum.

**Q**

QUADRANIA, Noronha, in Verh. Batav. Gen. v. (1790) ed. I. Art. iv. 3 (Quid?).

QUADRELLA, J. S. Presl, Rostl. ii. 260 (1825) = **Capparis**, Tourn.  
 Breynia, J. S. Presl, l. c. 261 = C. Breynia.  
 crotonoides, J. S. Presl, l. c. 260 = C. crotonoides.  
 furfuracea, J. S. Presl, l. c. = C. furfuracea.  
 intermedia, J. S. Presl, l. c. 261 = C. odoratissima.  
 jamaicensis, J. S. Presl, l. c. = C. jamaicensis.  
 sidaefolia, J. S. Presl, l. c. 260 = C. crotonoides.  
 torulosa, J. S. Presl, l. c. 261 = C. jamaicensis.

QUADRIA, Ruiz & Pav. Prod. 16. t. 33 (1794) = **Gevuina**, Molina (Proteac.).  
 Avellana, Gaertn. f. Fruct. iii. 220 = G. Avellana.  
 heterophylla, Ruiz & Pav. Fl. Per. i. 63. t. 99 = G. Avellana.

QUADRIALA, Sieb. & Zucc. in Abh. Akad. Muench. iv. ii. (1843) 194 (Fam. Nat. Fl. Jap. i. 86. t. 2) = **Buckleya**, Torr. (Santal.).  
 lanceolata, Sieb. & Zucc. ll. cc. 195 (87) = B. lanceolata (in Addend.).

QUADRICOSTA, Dulac, Fl. Hautes-Pyr. 329 (1867) = **Ludwigia**, Linn. (Onagrar.).  
 palustris, Dulac, l. c. = L. palustris.

QUADRIFARIA, Manetti, ex Gord. Pinet. Suppl. 14 (1862) = **Araucaria**, Juss. (Conif.).  
 imbricata, Manetti, ex Gord. l. c. = A. imbricata.

QUAIACUM, Scop. Introd. 212 (1777), sphalm. = **Guaiacum**, Plum. (Zygophyll.).

**QUALEA**, Aubl. Pl. Gui. i. 5. t. 1, 2 (1775). **VOCHYSIACEAE**, Benth. & Hook. f. i. 976.

- AGARDHIA, Spreng. Syst. i. 4 (1825).  
 AMPHILOCHIA, Mart. Nov. Gen. et Sp. i. 127. t. 77 (1824).  
 LOZANIA, Mutis, ex Caldas, in Seman. Nuev. Gran. (1810) III. 20.  
 SCHUECHIA, Endl. Gen. 1178 (1840).  
 acuminata, *Spruce, ex Warm. in Mart. Fl. Bras.* xiii. II. 40.—Bras.  
 albiflora, *Warm. l. c.* 36.—Am. trop.  
 calcarata, Link, Jahrb. i. III. (1820) 24 = Erisma violaceum.  
 cassiquiarensis, *Spruce, ex Warm. in Mart. Fl. Bras.* xiii. II. 34.—Bras.  
 coerulea, *Aubl. Pl. Gui.* i. 7. t. 2.—Guian.  
 cordata, *Spreng. Syst.* i. 17.—Bras.  
 cryptantha, *Spreng. ex Warm. in Mart. Fl. Bras.* xiii. II. 53.—Bras.  
 densiflora, *Warm. l. c.* 50.—Am. trop.  
 dichotoma, *Warm. ex Wille, in Overs. Danske Vidensk. Selsk. Forh.* (1882) 181.—Am. trop.  
 disticha, *Spreng. Syst.* iv. Cur. Post. 10 = Callisthene major.  
 ecalcarata, *Mart. Nov. Gen. et Sp.* iii. 130. t. 78.—Bras.  
 elongata, *Warm. in Mart. Fl. Bras.* xiii. II. 48.—Am. trop.  
 fasciculata, *Spreng. Syst.* iv. Cur. Post. 10 = Callisthene fasciculata.  
 Gardneriana, *Warm. in Mart. Fl. Bras.* xiii. II. 35.—Am. trop.  
 Gestasiana, *A. St. Hil. in Mém. Mus. Par.* vi. (1820) 254.—Bras.  
 glauca, *Warm. in Mart. Fl. Bras.* xiii. II. 49.—Am. trop.  
 Glaziovii, *Warm. l. c.* 53.—Am. trop.  
 grandiflora, *Mart. Nov. Gen. et Sp.* iii. 133. t. 79.—Bras.  
 ingens, *Warm. in Mart. Fl. Bras.* xiii. II. 40.—Bras.  
 intermedia, *Warm. l. c.* 50.—Am. trop.  
 Jundiahy, *Warm. in Kjoeb. Vidensk. Meddel.* (1867) 31.—Bras.  
 laurifolia, *Spruce, ex Warm. in Mart. Fl. Bras.* xiii. II. 109 = Erisma laurifolium.  
 Lundii, *Warm. l. c.* 47.—Am. trop.  
 lutea, Desf. ex Link, Jahrb. i. III. (1820) 24 = Erisma nitidum.  
 macropetala, *Spruce, ex Warm. in Mart. Fl. Bras.* xiii. II. 41.—Bras.  
 macroptera, *Link, ex A. Dietr. Sp. Pl.* i. 101.—Bras.  
 maliformis, *Link, ex Warm. in Mart. Fl. Bras.* xiii. II. 24 = Callisthene fasciculata.  
 marginata, *Warm. l. c.* 52.—Am. trop.  
 microphylla, *Warm. l. c.* 37.—Am. trop.  
 minor, *Spreng. Syst.* iv. Cur. Post. 10 = Callisthene minor.  
 Muelleriana, *Schomb. Reise in Brit. Guian.* iii. (1848) 1099.—Guian.  
 multiflora, *Mart. Nov. Gen. et Sp.* i. 134. t. 80.—Bras.  
 parviflora, *Mart. l. c.* 135. t. 81.—Bras.  
 Perrini, *Spreng. Syst.* i. 17.—Guian.  
 pilosa, *Warm. in Mart. Fl. Bras.* xiii. II. 45.—Am. trop.  
 psidiifolia, *Spruce, ex Warm. l. c.* 46.—Am. trop.  
 pulcherrima, *Spruce, ex Warm. l. c.* 37.—Am. trop.  
 retusa, *Spruce, ex Warm. l. c.* 34.—Bras.  
 rosea, *Aubl. Pl. Gui.* i. 5. t. 1.—Guian.  
 Schomburgkiana, *Warm. in Mart. Fl. Bras.* xiii. II. 39.—Guian.  
 Selloi, *Warm. l. c.* 49.—Am. trop.  
 Sprucei, *Warm. l. c.* 38.—Am. trop.  
 subvillosa, *Link, ex A. Dietr. Sp. Pl.* i. 101.—Bras.  
 trichanthera, *Spruce, ex Warm. in Mart. Fl. Bras.* xiii. II. 35.—Bras.  
 verticillata, *Spreng. Syst.* i. 17 = Vochysia verticillata.  
 violacea, *Mart. & Zucc. ex Schult. Mant. i. Add.* II. 99 = rosea.

QUAMASSIA, Rafin. in Am. Monthly Mag. (1818) 265 = **Camassia**, Lindl. (Liliac.).  
 esculenta, Rafin. l. c. = C. esculenta.  
 scilloides, Rafin. Cat. 15 = C. esculenta.

QUAMASSIA, Rafin. Fl. Tellur. ii. 25 (1836) = praec.



QUAMOCLIDION, Choisy, in DC. Prod. xiii. ii. 429 (1849) = **Mirabilis**, Riv. (Nyctag.)  
*angulatum*, Choisy, l. c. — Mexic.  
*multiflorum*, Torr. ex A. Gray, in Am. Journ. Sc. Ser. II. xv. (1853) 321 = *M. multiflora*.  
*nyctagineum*, Choisy, in DC. Prod. xiii. ii. 429 = *M. triflora*.  
*oxybaphoides*, A. Gray, in Am. Journ. Sc. Ser. II. xv. (1853) 320 = *Oxybaphus* Wrightii.

QUAMOCLIT, Tourn. ex Moench, Meth. 453 (1794) = **Ipomoea**, Linn. (Convolv.).  
*acuta*, Gard. Chron. (1880) i. 588, sphalm. = *Quercus* *acuta*.  
*acutangula*, Choisy, in DC. Prod. ix. 335 = *I. coccinea*.  
*angulata*, Boj. Hort. Maurit. 224 = *I. angulata*.  
*choluensis*, G. Don, Gen. Syst. iv. 259 = *I. coccinea*.  
*coccinea*, Moench, Meth. 453 = *I. coccinea*.  
*dichotoma*, G. Don, Gen. Syst. iv. 259 = *I. coccinea*.  
*digitata*, G. Don, l. c. 260 = *I. digitata*, Linn.  
*eustachiana*, G. Don, l. c. 259 = *I. triloba*.  
*globosa*, Benth. Pl. Hartw. 89 = *I. Hartwegi*.  
*globosa*, G. Don, Gen. Syst. iv. 259 = *I. peduncularis*.  
*grandiflora*, G. Don, l. c. — *I. Funis*.  
*hastigera*, G. Don, l. c. = *I. hederifolia*.  
*hederifolia*, G. Don, l. c. = *I. hederifolia*.  
*Kerberi*, Fourn. in Bull. Soc. Bot. Fr. xxx. (1883) 187. — Mexic.  
*leucantha*, G. Don, Gen. Syst. iv. 258 = *I. leucantha*.  
*longiflora*, G. Don, l. c. 259 = *I. Bona-nox*.  
*luteola*, G. Don, l. c. 258 = *I. coccinea*.  
*Mina*, G. Don, l. c. 259 = *I. versicolor*.  
*mutica*, Choisy, in DC. Prod. ix. 335 = *I. serotina*.  
*Nationis*, Hook. Bot. Mag. t. 5432 = *I. Nationis*.  
*pallidescens*, Ann. Flor. & Pom. (1839) 85 = *I. hederifolia*.  
*pedata*, Mart. & Gal. in Bull. Acad. Brux. xii. ii. (1845) 270 = *I. armata*.  
*pennata*, Voigt, Hort. Suburb. Calc. 353 = *I. Quamo-clit*.  
*phoenicea*, Choisy, in Mém. Soc. Phys. Genève. vi. (1833) 433 = *I. coccinea*.  
*phoenicea*, Wight, ex Meissn. in Mart. Fl. Bras. vii. 218 = *I. hederifolia*.  
*pinnata*, Boj. Hort. Maurit. 224 = *I. Quamo-clit*.  
*Ruiziana*, G. Don, Gen. Syst. iv. 258 = *I. coccinea*.  
*ruselliaeflora*, Mart. & Gal. in Bull. Acad. Brux. xii. ii. (1845) 271 = *I. hederifolia*.  
*sagittataefolia*, Choisy, in DC. Prod. ix. 335 = *I. sagittataefolia*.  
*sanguinea*, G. Don, Gen. Syst. iv. 259 = *I. hederifolia*.  
*serotina*, G. Don, l. c. = *I. serotina*.  
*solanifolia*, Choisy, in DC. Prod. ix. 335 = *I. solanifolia*.  
*triloba*, G. Don, Gen. Syst. iv. 259 = *I. triloba*.  
*tubulosa*, Mart. & Gal. in Bull. Acad. Brux. xii. ii. (1845) 270 = *I. tubulosa*.  
*vitifolia*, G. Don, Gen. Syst. iv. 259 = *I. peduncularis*.  
*vulgaris*, Choisy, in Mém. Soc. Phys. Genève. vi. (1833) 434 = *I. Quamo-clit*.

QUAMOCLITA, Rafin. Fl. Tellur. iv. 74 (1836) = QUAMOCLIT, Tourn. = **Ipomoea**, Linn. (Convolv.).  
*bipinnata*, Rafin. l. c. (Quid ?). — Hab. ?  
*coccinea*, Rafin. l. c. = *I. coccinea*.  
*cordata*, Rafin. l. c. (Quid ?). — Hab. ?  
*denticulata*, Rafin. l. c. = *I. denticulata*.  
*hybrida*, Rafin. l. c. (Quid ?). — Hab. ?  
*lacunosa*, Rafin. l. c. = *I. lacunosa*.  
*littoralis*, Rafin. l. c. = *I. littoralis*.  
*multifida*, Rafin. New Fl. Am. iv. 57 (Quid ?). — Am. bor.  
*rubra*, Rafin. Fl. Tellur. iv. 74 = *Gilia coronopifolia*.  
*solanifolia*, Rafin. l. c. = *I. solanifolia*.

QUAMOCLITIA, Lowe, Man. Fl. Mad. ii. 51 (1868) = QUAMOCLIT, Tourn. = **Ipomoea**, Linn. (Convolv.).

QUAPIRA, Auct. ex Pfeiff. Nom. ii. 900 (1874) = **Guapira**, Aubl. (Inc. Sed.).

QUAPOJA, Batsch, Tab. Aff. 89 (1800) = seq.

QUAPOYA, Aubl. Pl. Gui. ii. 897 (1775) = **Clusia**, Linn. (Guttif.).  
*acuminata*, Walp. Rep. i. 393 = *C. acuminata*, Spreng.  
*comans*, Planch. & Triana, in Ann. Sc. Nat. Sér. IV. xiv. (1860) 239 = *Renggeria comata*.  
*laxiflora*, Poepp. & Endl. Nov. Gen. et Sp. iii. 11 = *C. laxiflora*.  
*littoralis*, Planch. & Triana, in Ann. Sc. Nat. Sér. IV. xiv. (1860) 239 = *Renggeria littoralis*.  
*Pana-panari*, Aubl. Pl. Gui. ii. 900. t. 344 = *C. macrocarpa*.  
*Pana-Pary*, Stend. Nom. ed. II. ii. 425 = *præc.*  
*scandens*, Aubl. Pl. Gui. ii. 898 = *C. microcarpa*.  
*sulphurea*, Poepp. & Endl. Nov. Gen. et Sp. iii. 12 = *C. sulphurea*.  
*surinamensis*, Miq. Stirp. Surin. Sel. 92 = *C. macrocarpa*.

QUAQUA, N. E. Br. in Gard. Chron. (1879) II. 8. **ASCLEPIADEAE**.  
*hottentotorum*, N. E. Br. l. c. — Afr. austr.

QUARARIBEA, Aubl. Pl. Gui. ii. 691. t. 278 (1775). **MALVACEAE**, Benth. & Hook. f. i. 212.  
*GERBERIA*, Scop. Introd. 286 (1777).  
*guianensis*, Aubl. Pl. Gui. ii. 692. t. 278. — Bras. ; Guian.  
*Martini*, Baill. *Adansonia*, x. (1872) 180. — Guian.  
*pterocalyx*, Hemsl. *Diagn. Pl. Nov.* 4. — Panama.  
*turbinata*, Poir. *Encyc. Suppl.* iv. 636. — Bras.

QUARENA, Rafin. Sylva Tellur. 39 (1838) = **Cordia**, Linn. (Borag.).  
*indica*, Rafin. l. c. = *C. Myxa*.  
*sinensis*, Rafin. l. c. = *C. sinensis*.  
*spinescens*, Rafin. l. c. = *C. spinescens*.

QUARTINIA, Endl. Gen. Suppl. ii. 94 (1842). **LYTHRARIÆAE**, Benth. & Hook. f. i. 777.  
*RHYACOPHILA*, Hochst. in Flora, xxiv. (1841) 659.  
*repens*, Endl. ex Walp. Rep. v. 673. — Abyss.  
*turfosa*, A. Rich. Tent. Fl. Abyss. i. 277. t. 51 = *repens*.

QUARTINIA, A. Rich. in Ann. Sc. Nat. Sér. II. xiv. (1840) 259 = **Pterolobium**, R. Br. (Legumin.).  
*abyssinica*, A. Rich. l. c. 260 = *P. lacerans*.

QUASSIA, Linn. Sp. Pl. ed. II. 553 (1762). **SIMARUBEAE**, Benth. & Hook. f. i. 308.  
*africana*, Baill. *Adansonia*, viii. (1867-68) 89. — Afr. trop.  
*alatifolia*, Stokes, Bot. Mat. Med. ii. 491 = *amara*.  
*amara*, Linn. Sp. Pl. ed. II. 553. — Guian.  
*Aruba*, D. Dietr. Syn. Pl. ii. 1416 = *Simaba Aruba*.  
*Cedron*, Baill. Hist. Pl. iv. 406 = *Simaba Cedron*.  
*crocea*, Vahl, Eclog. Am. iii. 12 = *amara*.  
*dioica*, O. Berg, Mat. Med. 355 = *Simaruba glauca*.  
*excelsa*, Sw. Prod. Veg. Ind. Occ. 67 = *Simaruba excelsa*.  
*ferruginea*, D. Dietr. Syn. Pl. ii. 1416 = *Simaba ferruginea*.  
*floribunda*, D. Dietr. l. c. = *Simaba floribunda*.  
*glauca*, Spreng. Syst. ii. 319 = *Simaruba glauca*.  
*guianensis*, D. Dietr. Syn. Pl. ii. 1416 = *amara*.  
*officinalis*, Rich. in Act. Soc. Hist. Nat. Par. i. (1792) 108. — Guian.  
*orinocensis*, D. Dietr. Syn. Pl. ii. 1416 = *Simaba orinocensis*.  
*pentandra*, Stokes, Bot. Mat. Med. ii. 489 = *Simaruba excelsa*.  
*polygama*, Lindsay, in Trans. Roy. Soc. Edinb. iii. (1794) 205. t. [6] = *Simaruba excelsa*.  
*Simaruba*, Blanco, Fl. Filip. ed. II. 247 = *Cupania glabrata*.  
*Simaruba*, Linn. f. Suppl. 234 = *Simaruba amara*.  
*suaveolens*, D. Dietr. Syn. Pl. ii. 1416 = *Simaba suaveolens*.  
*tricarpa*, Blanco, Fl. Filip. ed. I. 351 = *Cupania pleuropteris*.  
*trichilioides*, D. Dietr. Syn. Pl. ii. 1416 = *Simaba trichilioides*.  
*undulata*, D. Dietr. l. c. = *Zingera undulata*.  
*versicolor*, Spreng. Syst. iv. Cur. Post. 163 = *Simaruba versicolor*.

QUATERNELLA, Ehrh. Beitr. iv. 149 (1789) = **Ceras-tium**, Dill. (Caryoph.).

QUEBITEA, Aubl. Pl. Gui. ii. 838. t. 327 (1775) = **Piper**, Linn.  
*guianensis*, Aubl. l. c. (Quid ?). — Guian.

QUEBRACHIA, Griseb. in Goett. Abh. xix. (1874) 51. 114; xxiv. (1879) 95. **ANACARDIACEAE**.  
*Lorentzii*, Griseb. l. c. — Reg. Argent.

QUEKETIA, Lindl. Bot. Reg. (1839) Misc. 3. **ORCHIDEAE**, Benth. & Hook. f. iii. 569.  
*microscopica*, Lindl. l. c. — Bras.

QUILTIA, Salisb. in Trans. Hort. Soc. i. (1812) 351 = **Narcissus**, Tourn. (Amaryll.).  
*alba*, Haw. Suppl. Pl. Succ. 127 = *N. incomparabilis*.  
*ampla*, Salisb. in Trans. Hort. Soc. i. (1812) 351 = *N. incomparabilis*.  
*apodantha*, Kunth, Enum. Pl. v. 856 = *N. juncifolius*.  
*Assoana*, Kunth, l. c. 730 = *N. juncifolius*.  
*aurantia*, Haw. Suppl. Pl. Succ. 123 = *N. incomparabilis*.  
*aurantiaca*, Salisb. Gen. Pl. Fragm. 100, sphalm. = *præc.*  
*Bernardi*, Fourr. in Ann. Soc. Linn. Lyon, N. S. xvii. (1869) 164 = *N. Macleayi*.  
*biterneus*, Salisb. Gen. Pl. Fragm. 100 = *N. incomparabilis*.  
*capax*, Salisb. in Trans. Hort. Soc. i. (1812) 353 = *N. capax*.  
*cernua*, M. Roem. Syn. Ens. 203 = *N. cernuus*.  
*concolor*, Haw. Suppl. Pl. Succ. 126 = *N. incomparabilis*.  
*Coornei*, M. Roem. Syn. Ens. 204 = *N. triandrus*.  
*coronata*, M. Roem. l. c. 203 = *N. triandrus*.  
*foetida*, Herb. Amaryll. 311 = *N. incomparabilis*.  
*galanthifolia*, Haw. Suppl. Pl. Succ. 128 = *N. galanthifolius*.  
*Gouani*, Haw. Monog. Narciss. 5. n. 2 = *N. incomparabilis*.  
*incomparabilis*, Haw. Suppl. Pl. Succ. 125 = *N. incomparabilis*.  
*Jonquilla*, Herb. Amaryll. 315. t. 38. f. 24 = *N. Jonquilla*.  
*juncifolia*, Herb. l. c. 314. t. 43. f. 1 = *N. juncifolius*.  
*Macleayi*, M. Roem. Syn. Ens. 204 = *N. Macleayi*.  
*Macleana*, Herb. Amaryll. 310. t. 39. f. 1 = *N. Macleayi*.  
*montana*, Herb. l. c. f. 4 = *N. poculiformis*.  
*montana*, Rafin. Fl. Tellur. iv. 123 = *præc.* ?  
*nivea*, Haw. Monog. Narciss. 6. n. 7 = *N. incomparabilis*.  
*odora*, Herb. Amaryll. 313 = *N. odoratus*.  
*orientalis*, Herb. l. c. 312. t. 38. f. 28 = *N. Tazetta*.  
*pallida*, Salisb. Gen. Pl. Fragm. 100 = *N. Tazetta*.  
*Parkinsonii*, M. Roem. Syn. Ens. 205 = *N. Macleayi*.  
*poculiformis*, Haw. Suppl. Pl. Succ. 127 = *N. poculiformis*.  
*poculigera*, Salisb. in Trans. Hort. Soc. i. (1812) 352 = *N. poculiformis*.  
*pumila*, Herb. Amaryll. 316. t. 41. f. 26 = *N. pumilus*.  
*pusilla*, Herb. l. c. 315. t. 43. f. 2 = *N. juncifolius*.  
*Sabini*, M. Roem. Syn. Ens. 205 = *N. Macleayi*.  
*semipartita*, Haw. Suppl. Pl. Succ. 126 = *N. incomparabilis*.  
*triandra*, M. Roem. Syn. Ens. 203 = *N. triandrus*.

QUELUSIA, Vand. Fl. Lusit. 23. t. 10. f. 10 (1788); et in Roem. Script. Hisp. Lusit. 101 (1796) = **Fuchsia**, Linn. (Onagrar.).  
*regia*, Vand. ex Vell. Fl. Flum. 149 (1825); et iv. t. 6 (1827) (Quid ?). — Bras.

QUERCUS, [Tourn.] Linn. Syst. ed. I (1735). **CUPULIFERÆ**, Benth. & Hook. f. iii. 407.  
*ARCAULA*, Rafin. Alsog. Am. 30 (1838).  
*BALANAULAX*, Rafin. l. c. 28 (1838).  
*BALANOPLIS*, Rafin. l. c. 29 (1838).  
*CERRIS*, Rafin. l. c. (1838).  
*CYCLOBALANOPSIS*, Oerst. in Kjoeb. Vidensk. Meddel. (1866) 77.  
*CYCLOBALANUS*, Oerst. l. c. (1866) 80.  
*DRYOPILA*, Rafin. Alsog. Am. 25 (1838).  
*ERIODRYS*, Rafin. l. c. 30 (1838).  
*LITHOCARPUS*, Blume, Bijdr. 526 (1825).  
*PASANIA*, Oerst. in Kjoeb. Vidensk. Meddel. (1866) 81.  
*PERYTIS*, Rafin. Alsog. Am. 29 (1838).  
*SCOLODRYS*, Rafin. l. c. (1838).  
*SYNAEDRYS*, Lindl. Introd. Nat. Syst. ed. II. 441 (1836).

## QUERCUS:—

*Abelicea*, Lam. Encyc. i. 725 = *Zelkova cretica*.  
*abietum*, Kotschy, ex A. DC. in DC. Prod. xvi. ii. 8 = *Q. Robur*.  
*acerifolia*, Hort. ex Petz. & Kirchn. Arb. Muscav. 652 = *rubra*.  
*acroglandis*, Kellogg, in Proc. Calif. Acad. ed. II. i. (1873) 23 = *agrifolia*.  
*acuminata*, Hort. ex Endl. Gen. Suppl. iv. ii. 28 = *annulata*.  
*acuminata*, Mart. & Gal. in Bull. Acad. Brux. x. ii. (1843) 217 = *calophylla*.  
*acuminata*, Roxb. Hort. Beng. 104; *Fl. Ind.* iii. 636. —Ind. or.  
*acuminatissima*, A. DC. in DC. Prod. xvi. ii. 102 = *Junghuhnii*.  
*acuta*, Buch.-Ham. ex Wall. Cat. n. 3735 = *Castanopsis tribuloides*.  
*acuta*, Rafin. Alsog. Am. 22 (Quid?). —Am. bor.  
*acuta*, Siebold, ex Blume, Mus. Bot. Lugd. Bat. i. 290 = *thalassica*.  
*acuta*, Thunb. *Fl. Jap.* 175. —Japon.  
*acutidens*, Torr. Bot. Mex. Bound. 207 = *dumosa*.  
*acutifolia*, Née, in *Anal. Cienc. Nat.* iii. (1801) 267. —Mexic.  
*acutiglans*, Sargent, Rep. For. N. Am. (U. St. 10th Census, ix.) 146 = *agrifolia*.  
*acutissima*, Carruth. in *Journ. Linn. Soc.* vi. (1862) 33. —China.  
*aegilopifolia*, Boiss. ex Endl. Gen. Suppl. iv. ii. 25 = *lusitanica*.  
*Aegilops*, Griseb. Spicil. Fl. Rumel. ii. 44 = *macedonica*.  
*Aegilops*, Linn. *Sp. Pl.* 996. —Europ. austr.; Oriens.  
*Aegilops*, Mill. Gard. Dict. ed. VIII. n. 7 = *lanuginosa*.  
*Aegilops*, Scop. Fl. Carn. ed. II. ii. 241 = *Q. Cerris*.  
*aegilopifolia*, Boiss. ex A. DC. in DC. Prod. xvi. ii. 17 = *lusitanica*.  
*aegilopifolia*, Pers. Syn. ii. 570 = *Q. Pseudo-suber*.  
*Aesculus*, Boiss. Fl. Orient. iv. 1164 = *Q. Robur*.  
*aestivalis*, Stev. in Bull. Soc. Nat. Mosc. xxx. (1857) 1. 385, in textu = *Q. Robur*.  
*Afaves*, Pomel, Nouv. Mat. Fl. Atl. 391 = *castaneae-folia*.  
*affinis*, Mart. & Gal. in Bull. Acad. Brux. x. ii. (1843) 222 = *obtusata*.  
*affinis*, [Scheidw.] in Hort. Belg. iv. (1837) 321. t. 17 = *nitens*.  
*afghanistanensis*, Hort. ex C. Koch, Dendrol. ii. ii. 33 = *Q. Robur*.  
*africana*, Barrow, Trav. S. Afr. i. 83 = *Ocotea bullata*.  
*agnostifolia*, Hort. ex C. Koch, l. c. 62 = *nigra*.  
*agrifolia*, Née, in *Anal. Cienc. Nat.* iii. (1801) 271. —Calif.  
*ajudaghiensis*, Stev. ex Petz. & Kirchn. Arb. Muscav. 614. —Rossia.  
*Alams*, Benth. Pl. Hartw. 55 = *calophylla*.  
*alba*, Linn. *Sp. Pl.* 996. —Am. bor.  
*aliena*, Blume, Mus. Bot. Lugd. Bat. i. 298. —China; Japon.  
*almaguerensis*, Humb. & Bonpl. Pl. Aequin. ii. 157. t. 131. —N. Granat.  
*alnifolia*, Poech, Enum. Pl. Ins. Cyp. 12. —Ins. Cyprus.  
*alpestris*, Boiss. Elench. 83 = *lusitanica*.  
*alpina*, Endl. Gen. Suppl. iv. ii. 25, sphalm. = *Alsina*.  
*altissima*, Hort. ex Petz. & Kirchn. Arb. Muscav. 634 = *Q. Robur*.  
*Alsina*, Lapeyr. Hist. Arbr. Pl. Pyr. ii. 584 = *Q. Ilex*.  
*ambigua*, Humb. & Bonpl. Pl. Aequin. ii. 51. t. 93 = *obtusata*.  
*ambigua*, Kit. ex Rochel, Pl. Banat. Rar. 26, nomen; et in *Linnaea*, xxxii. (1863) 354. —Europ.  
*ambigua*, Michx. f. Hist. Arb. Am. ii. 120. t. 24 = *rubra*.  
*Amherstiana*, Wall. Cat. n. 2783. —Burma.  
*amplifolia*, Guss. Fl. Sic. Syn. ii. 607 = *Q. Robur*.  
*anceps*, Korth. Verh. Nat. Gesch. Bot. 204 = *spicata*.  
*Andersoni*, Hook. f. ex C. B. Clarke, in Journ. Linn. Soc. xv. (1876) 127 = *pachyphylla*.  
*angulizans*, Rafin. Alsog. Am. 22 (Quid?). —Am. bor.  
*angustata*, Blume, in Verh. Batav. Gen. ix. (1825) 212; Fl. Jav. Cup. 15. t. 72. t. 7 = *Q. Pseudo-molucca*.  
*Annenkowi*, Kauffm. ex Trautv. in Act. Hort. Petrop. ix. (1884) 168. —Rossia.  
*annulata*, Buckl. in Proc. Acad. Sc. Philad. 1860 (1861) 445 = *Durandii*.

## QUERCUS:—

*annulata*, Hook. f. ex A. DC. in DC. Prod. xvi. ii. 99 = *semiserrata*.  
*annulata*, Korth. Verh. Nat. Gesch. Bot. 213 = *Teysmannii*.  
*annulata*, Sm. in Rees, Cycl. xxix. n. 22 = *glaucula*.  
*apennina*, Lam. Encyc. i. 725 = *Q. Robur*.  
*aprica*, Rafin. Alsog. Am. 26 (Quid?). —Am. bor.  
*aquatica*, Walt. Fl. Carol. 234. —Am. bor.  
*aquifolia*, Kotschy, ex A. DC. in DC. Prod. xvi. ii. 108 = *coccifera*.  
*Arcaula*, Buch.-Ham. ex D. Don, Prod. Fl. Nep. 56 = *spicata*.  
*arcoglandis*, Kellogg, in Proc. Calif. Acad. ed. II. i. (1873) 23, sphalm. = *acroglandis*.  
*Arcola*, Buch.-Ham. ex Wall. Cat. p. 159. n. 2781 = *Arcaula*.  
*arcuata*, Kotschy, ex A. DC. in DC. Prod. xvi. ii. 56 = *coccifera*.  
*argentata*, Korth. Verh. Nat. Gesch. Bot. 215. t. 47. f. 1-17. —Sumatra.  
*argyrophylla*, Wall. Cat. n. 2788 = *Castanopsis argentea*.  
*aristata*, Hook. & Arn. Bot. Beech. Voy. 444. —Mexic.  
*armata*, D. Don, Prod. Fl. Nep. 56 = *Castanopsis tribuloides*.  
*armata*, Roxb. Hort. Beng. 104; Pl. Corom. iii. 92. t. 296; Fl. Ind. iii. 640 = *Castanopsis armata*.  
*armeniaca*, Kotschy, Eichen, t. 25. —Armenia.  
*aspera*, Bosc, in Mém. Inst. Par. [viii.] (1807) 328 = *Q. Robur*.  
*asperata*, Pers. Syn. ii. 571 = *Q. Robur*.  
*asplenifolia*, Hort. ex A. DC. in DC. Prod. xvi. ii. 42 = *Q. Cerris*.  
*atropurpurea*, Hort. ex C. Koch, Dendrol. ii. ii. 28 = *Q. Robur*.  
*atrosanguinea*, Hort. l. c. = *Q. Robur*.  
*atro-virens*, Sm. in Rees, Cycl. xxix. n. 74 = *Q. Robur*.  
*Aucherii*, Jaub. & Spach, Illustr. i. 113. t. 58. —Archip. Graec.  
*aurea*, Hort. ex C. Koch, Dendrol. ii. ii. 28 = *Q. Robur*.  
*aurea*, Kit. ex Reichb. Ic. Fl. Germ. xii. 8; Wierzb. ex Kotschy, Eichen, t. 4 = *Q. Robur*.  
*aurea*, Rafin. Alsog. Am. 20 (Quid?). —Am. bor.  
*australis*, Kern. in Oestr. Bot. Zeitschr. xxvi. (1876) 233 = *Q. Robur*.  
*australis*, Link, Handb. ii. 466 = *lusitanica*.  
*austriaca*, Willd. Sp. Pl. iv. 454 = *Q. Cerris*.  
*Ausandri*, Gren. & Godr. Fl. Fr. iii. 119 = *Q. Pseudo-coccifera*.  
*Ausin*, Secondat, ex Bosc, in Mém. Inst. Par. [viii.] (1807) 320 = *Q. Robur*.  
*avellanaeformis*, Colm. & Boutel. Exém. Arb. Pen. 9. —Hispan.  
*axillaris*, Schur, in Oestr. Bot. Wochenbl. vii. (1857) 18 = *Q. Robur*.  
*baetica*, Buek, in DC. Ind. Prod. iv. 322 = *lusitanica*.  
*Ballota*, Desf. in Mém. Acad. Sc. Par. 1790 (1797) 895. t. 6; Fl. Atlant. ii. 350 = *Q. Ilex*.  
*Baloot*, Griff. Itin. Notes, 328 = *Q. Ilex*.  
*bambusaefolia*, Fortune, in Gard. Chron. (1860) 170. —China.  
*bambusaefolia*, Hance, ex Miq. Ann. Mus. Bot. Lugd. Bat. i. 116. —China.  
*bancana*, Kurz, For. Fl. Brit. Burma, ii. 485 = *polystachya*.  
*bancana*, Scheff. in Tijdschr. Nederl. Ind. xxxi. (1870) 361; et in *Flora*, liii. (1870) 251. —Ins. Banca.  
*Banga*, Buch.-Ham. ex D. Don, Prod. Fl. Nep. 57 = *lanuginosa*.  
*Banisteri*, Michx. Hist. Chênes Am. t. 27 = *ilicifolia*.  
*Banja*, Endl. Gen. Suppl. iv. ii. 27 = *Q. Banga*.  
*barbinervis*, Benth. Pl. Hartw. 56. —Mexic.  
*Beccariana*, Benth. in Hook. Ic. Pl. t. 1315. —Penang; Borneo.  
*Bennettii*, Miq. Fl. Ind. Bat. i. i. 857. —Malaya.  
*Benthami*, A. DC. in DC. Prod. xvi. ii. 29. —Mexic.  
*berberidifolia*, Liebm. in Overs. Danske Vidensk. Selsk. Forh. (1854) 172 = *dumosa*.  
*bicolor*, Willd. in Ges. Naturf. Fr. Neue Schr. iii. (1801) 396. —Am. bor.  
*Bivoniana*, Guss. Fl. Sic. Syn. ii. 604 = *Q. Ilex*.  
*Blancoi*, A. DC. in DC. Prod. xvi. ii. 97. —Ins. Philipp.  
*Blumeana*, Korth. Verh. Nat. Gesch. Bot. 208. t. 44. —Malaya.

## QUERCUS:—

*Boissieri*, Reut. in Boiss. Diagn. Ser. I. xii. 119 = *lusitanica*.  
*Bombyx*, Hort. Leroy, ex C. Koch, Dendrol. ii. ii. 72 = *serrata*.  
*Bonplandiana*, Sweet, Hort. Brit. ed. I. 370 = *obtusata*.  
*borealis*, Michx. f. N. Am. Sylv. i. 98. t. 26 = *coccinea*.  
*Bourgaei*, Oerst. ex Hemsl. Biol. Centr. Am. Bot. iii. 168. —Mexic.  
*brachybalanos*, Kotschy, ex A. DC. in DC. Prod. xvi. ii. 54 = *coccifera*.  
*brachycarpa*, Guss. ex Parl. Fl. Ital. iv. 180 = *Q. Robur*.  
*brachycarpa*, Kotschy, ex A. DC. in DC. Prod. xvi. ii. 18 = *lusitanica*.  
*brachyphylla*, Kotschy, Eichen, t. 9 = *Q. Robur*.  
*brachystachys*, Benth. Pl. Hartw. 91. —Mexic.  
*Brandisiana*, Kurz, in Journ. As. Soc. Beng. xlii. (1873) ii. 108. —Burma.  
*Brantii*, Lindl. Bot. Reg. (1840) Misc. 41. —Kurdistan.  
*brevifolia*, Kotschy, ex A. DC. in DC. Prod. xvi. ii. 11 = *Q. Robur*.  
*brevipes*, Kern. in Oestr. Bot. Zeitschr. xxvi. (1876) 232 = *Q. Robur*.  
*brevipetiolata*, Scheff. in Tijdschr. Nederl. Ind. xxxi. (1870) 359 = *lamponga*.  
*Breweri*, Engelm. in Bot. Calif. ii. 96 = *Garryana*.  
*Brossa*, Bosc, in Mém. Inst. Par. [viii.] (1807) 319 = *Q. Toza*.  
*brutia*, Tenore, Ind. Sem. Hort. Neap. (1825) 11. n. 20 = *Q. Robur*.  
*Budayana*, Haberle, ex Heuff. in Verh. Zool.-Bot. Ges. Wien, viii. (1858) 195 = *lanuginosa*.  
*Buergerii*, Blume, Mus. Bot. Lugd. Bat. i. 299. —Japon.  
*bumelioides*, Liebm. in Overs. Danske Vidensk. Selsk. Forh. (1854) 188. —Am. centr.  
*Bungeana*, F. B. Forbes, in Journ. Bot. xxii. (1884) 83, 85. —China.  
*calicina*, Poir. Encyc. Suppl. ii. 216 = *Q. Ilex*.  
*californica*, Cooper, in Smithsonian. Rep. (1858) 261 = *Kelloggii*.  
*callicarpifolia*, Griff. Itin. Notes, ii. 87, partim = *fenestrata*.  
*calliprinos*, Webb, Iter Hisp. 15 = *coccifera*.  
*callosa*, Benth. Pl. Hartw. 91 = *tomentosa*.  
*callosa*, Mart. ex A. DC. in DC. Prod. xvi. ii. 28 = *laxa*.  
*calophylla*, Schlecht. & Cham. in *Linnaea*, v. (1830) 79. —Mexic.  
*camata*, Hort. ex Petz. & Kirchn. Arb. Muscav. 628 = *Q. Toza*.  
*cana*, Hort. ex Steud. Nom. ed. II. ii. 426 = *Q. Cerris*.  
*canariensis*, Willd. Enum. Hort. Berol. 975 = *lusitanica*.  
*candicans*, Née, in *Anal. Cienc. Nat.* iii. (1801) 277. —Hispan.  
*candida*, Hort. ex Steud. Nom. ed. II. ii. 426, nomen. —Am. bor.  
*canescens*, Blume, Mus. Bot. Lugd.-Bat. i. 296. —Japon.  
*caraballoana*, Villar, in Blanco, Fl. Philipp. ed. III. Nov. App. 209. —Ins. Philipp.  
*carduchorum*, C. Koch, in *Linnaea*, xxii. (1849) 320. —Kurdistan.  
*carduchorum*, Kotschy, ex A. DC. in DC. Prod. xvi. ii. 49 = *Libani*.  
*carpatia*, Kit. in *Linnaea*, xxxii. (1863) 353. —Hungaria.  
*carpineae*, Kotschy, ex A. DC. in DC. Prod. xvi. ii. 108. —Syria.  
*carpinifolia*, Rafin. Alsog. Am. 21 (Quid?). —Am. bor.  
*Cassura*, Buch.-Ham. ex D. Don, Prod. Fl. Nep. 57 = *semecarpifolia*.  
*castanaefolia*, Pantoč. Adnot. Fl. Hercegov. 31 = *macedonica*.  
*Castanea*, Emerson, Trees Massach. ed. I. 137. t. 5 = *Q. Prinus*.  
*Castanea*, Muhl. in Ges. Naturf. Fr. Neue Schr. iii. (1801) 396 = *prinoides*.  
*Castanea*, Née, in *Anal. Cienc. Nat.* iii. (1801) 276. —Mexic.  
*castanaefolia*, Coss. ex J. Gay, in Bull. Soc. Bot. Fr. viii. (1861) 421 = *Q. Pseudo-suber*.

## QUERCUS:—

*castaneaefolia*, C. A. Mey. *Verz. Pfl. Cauc.* 44.—Reg. Caucas.  
*castanicaarpa*, Roxb. Hort. Beng. 68; Fl. Ind. ii. 640 = *Castanopsis castanicaarpa*.  
*castellana*, Bosc. ex Pers. Syn. ii. 571 = Q. Toza.  
*castellana*, Poir. Encyc. Suppl. ii. 226 = Q. Ilex.  
*Catesbaei*, Michx. *Hist. Chênes Am.* tt. 29, 30.—Am. bor.  
*Catungea*, Buch.-Ham. ex D. Don, Prod. Fl. Nep. 56 = *Castanopsis armata*.  
*caudata*, Lindl. in Wall. Cat. n. 2787 = *Castanopsis tribuloides*?  
*cedrorum*, Kotschy, Eichen, t. 37 = Q. Robur.  
*celebica*, Miq. *Ann. Mus. Bot. Lugd. Bat.* i. 110.—Ins. Celebes.  
*cenomanensis*, Desp. ex Endl. Gen. Suppl. iv. II. 24 = Q. Toza.  
*cerrioides*, Willk. & Costa, in Linnaea, xxx. (1859-60) 123 = Q. Robur.  
*Cerris*, Blanco, Fl. Filip. ed. I. 727 = *Castanopsis javanica*.  
*Cerris*, DC. Fl. Fr. iii. 311 = Q. Toza.  
*Cerris*, Linn. *Sp. Pl.* 997.—Europ.; Oriens.  
*Cerris*, Pall. Fl. Ross. ii. 4 = Q. Robur.  
*chainolepis*, Kotschy, ex A. DC. in DC. Prod. xvi. II. 55 = coccifera.  
*Championi*, Benth. in Hook. *Kew Journ.* vi. (1854) 113.—China.  
*chinantlensis*, Liebm. in Overs. *Danske Vidensk. Selsk. Forh.* (1854) 179 = cuneifolia.  
*Chincapin*, Rafin. Alsog. Am. 23 = Q. Prinus.  
*chinensis*, Abel, *Narr. Journ. China*, 165, cum ic. 363.—China.  
*chinensis*, Bunge, Enum. Pl. Chin. Bor. 61 = Bungeana.  
*Chinquapin*, Pursh, Fl. Am. Sept. ii. 634 = Q. Prinus.  
*chrysolepis*, Liebm. in Overs. *Danske Vidensk. Selsk. Forh.* (1854) 173.—Calif.  
*chrysophylla*, Humb. & Bonpl. *Pl. Aequin.* ii. 42. t. 87.—Mexic.  
*cinerea*, Michx. *Hist. Chênes Am.* t. 14.—Am. bor.  
*cinerea*, Rafin. Alsog. Am. 27 (an praec.?)—Am. bor.  
*cintrana*, Welw. ex Nym. Consp. 662 = occidentalis.  
*circinata*, Née, in *Anal. Cienc. Nat.* iii. (1801) 272.—Mexic.  
*citrifolia*, Liebm. in Overs. *Danske Vidensk. Selsk. Forh.* (1854) 187.—Costa Rica.  
*classinervia*, A. DC. in DC. Prod. xvi. II. 87, sphalm. = crassinervia.  
*Clivia*, Dehnh. ex Pasq. *Cat. Orto Bot. Nap.* (1867) 87.—Ital.  
*coccifera*, Linn. *Sp. Pl.* 995.—Reg. Mediterr.  
*coccinea*, Wangenh. *Beitr. Anpfl. Holz.* 44. f. 9.—Am. bor.  
*collina*, Schleich. ex Endl. Gen. Suppl. iv. II. 24 = Q. Robur.  
*commutata*, Liebm. in Overs. *Danske Vidensk. Selsk. Forh.* (1854) 177 = nitens.  
*Companoana*, Vidal, *Sinops.* 41. t. 92. f. D.—Ins. Philipp.  
*comptoniaefolia*, Hort. ex C. Koch, Dendrol. ii. II. 27 = Q. Robur.  
*concentrica*, Blanco, Fl. Filip. ed. II. 502 = Llanosii.  
*concentrica*, Lour. *Fl. Cochinch.* 572.—Cochinch.  
*Concordia*, Hort. ex C. Koch, Dendrol. ii. II. 28 = Q. Robur.  
*condensata*, Schur, in Oestr. Bot. Wochenbl. vii. (1857) 18 = Q. Robur.  
*conferta*, Kit. in Schult. Oesterr. Fl. ed. II. i. 619 = Q. Farnetto.  
*confertifolia*, Humb. & Bonpl. *Pl. Aequin.* ii. 53. t. 94.—Mexic.  
*confertifolia*, Torr. Böt. Mex. Bound. 207 = hypoleuca.  
*congesta*, Presl, Delic. Prag. 32 = Q. Robur.  
*conglomerata*, Pers. Syn. ii. 570 = Q. Robur.  
*conocarpa*, Naves, ex Villar, in Blanco, Fl. Philipp. ed. III. Nov. App. 207 = Reinwardtii.  
*conocarpa*, Oudem. in *Versl. en Med. Kon. Akad. Wetensch.* xii. (1861) 206.—Malaya.  
*consobrina*, Kotschy, ex A. DC. in DC. Prod. xvi. II. 54 = coccifera.  
*conspersa*, Benth. Pl. Hartw. 91 = acutifolia.  
*Cookii*, Loud. Arb. Brit. iii. 1926 = lusitanica.  
*cooperta*, Blanco, Fl. Filip. ed. II. 503.—Ins. Philipp.  
*cordata*, Mart. & Gal. in Bull. Acad. Brux. x. II. (1843) 211.—Mexic.

VOL. II.

## QUERCUS:—

*coriacea*, Bechst. Forstbot. ed. V. 211 = Q. Robur.  
*cornea*, Lour. *Fl. Cochinch.* 572.—China.  
*coronensis*, Schur, Enum. Pl. Transs. 607 = Q. Robur.  
*corrugata*, Hook. *IC. Pl.* t. 403.—Guatemala.  
*Cortesii*, Liebm. in Overs. *Danske Vidensk. Selsk. Forh.* (1854) 175.—Mexic.  
*corticosa*, Rafin. Alsog. Am. 24 (Quid?)—Am. bor.  
*corymbifolia*, Ehrenb. ex Boiss. Fl. Orient. iv. 1167 = lusitanica.  
*costaricensis*, Liebm. in Overs. *Danske Vidensk. Selsk. Forh.* (1854) 184.—Costa Rica.  
*costata*, Blume, *Bijdr.* 522.—Malaya.  
*costata*, Naves, ex Villar, in Blanco, Fl. Philipp. ed. III. Nov. App. 207 = sundaica.  
*crassifolia*, Benth. Pl. Hartw. 56 = splendens.  
*crassifolia*, Humb. & Bonpl. *Pl. Aequin.* ii. 49. t. 91.—Mexic.  
*crassinervia*, Blume, *Mus. Bot. Lugd. Bat.* i. 292.—Java.  
*crassipes*, Humb. & Bonpl. *Pl. Aequin.* ii. 37. t. 83.—Mexic.  
*crassipocula*, Torr. in Pacif. Rail. Rep. iv. 137; v. 365 = chrysolepis.  
*crenata*, Lam. Encyc. i. 724 = Q. Pseudo-suber.  
*cretensis*, Lam. ex Steud. Nom. ed. I. 673 = Zelkova cretica.  
*cretica*, Raulin, ex A. DC. in DC. Prod. xvi. II. 54 = coccifera.  
*crinita*, Lam. Encyc. i. 718 = Q. Cerris.  
*crispa*, Hort. ex C. Koch, Dendrol. ii. II. 56 = Q. Ilex.  
*crispa*, Hort. ex Steud. Nom. ed. II. ii. 426 = Q. Cerris.  
*crispa*, Vukot. in Rad Jugos. Akad. Zagreb. ii. (1880) 18 = Q. Robur.  
*crispata*, Stev. in Bull. Soc. Nat. Mosc. xxx. (1857) 1. 386 = Q. Robur.  
*crispula*, Blume, *Mus. Bot. Lugd. Bat.* i. 298.—Japan.  
*crispula*, Vukot. in Rad Jugos. Akad. Zagreb. xxii. 1872 (1873) 14 (Quid?)—Europ.  
*cubana*, A. Rich. Fl. Cub. Fanerog. ii. 230 = virginiana.  
*cuneata*, Roxb. ex Wall. Cat. n. 3732 = lucida.  
*cuneata*, Wangenh. Beitr. Deutsch. Holzg. Forstw. Nordam. Holz. 78. t. 5 = falcata.  
*cuneifolia*, Liebm. in Overs. *Danske Vidensk. Selsk. Forh.* (1854) 182.—Mexic.  
*cuneifolia*, Rafin. Alsog. Am. 27 (Quid?)—Am. bor.  
*Cupaniana*, Guss. Fl. Sic. Syn. ii. 606 = Q. Robur.  
*cuprea*, Hort. ex C. Koch, Dendrol. ii. II. 28 = Q. Robur.  
*cupressoides*, Hort. l. c. 29 = Q. Robur.  
*cupulatus*, Gilib. Exercit. ii. 398 = Q. Robur.  
*cuspidata*, Thunb. *Fl. Jap.* 176.—Japan.  
*cyclophora*, Endl. Gen. Suppl. iv. II. 28.—Malaya.  
*cyclophylla*, Welw. ex Nym. Consp. 662 = Q. Ilex.  
*cylindracea*, Guss. ex Parl. Fl. Ital. iv. 178 = Q. Robur.  
*Cypri*, Kotschy, ex A. DC. in DC. Prod. xvi. II. 19 = lusitanica.  
*Cypria*, Jaub. & Spach. Illustr. i. 110 = alnifolia.  
*cyrtopoda*, Miq. *Fl. Ind. Bat.* i. I. 869 (sp. dub.).—Sumatra.  
*cyrtorhyncha*, Miq. *l. c. Suppl.* 350.—Malaya.  
*Daimio*, Hort. ex C. Koch, Dendrol. ii. II. 45 = dentata.  
*Dalbertisii*, F. Muell. in *Vict. Natural.* (Dec. 1884) 124.—N. Guin.  
*Dalechampii*, Tenore, Ind. Sem. Hort. Neap. (1830) 15; et ej. Syll. 469 = Q. Robur.  
*daphnoides*, Blume, *Fl. Fav. Cupul.* 28. t. 16.—Java; Sumatra.  
*dasystachya*, Miq. *Ann. Mus. Bot. Lugd. Bat.* i. 221.—Borneo.  
*dchorochensis*, Boiss. Fl. Orient. iv. 1165, sphalm. = dshorochensis.  
*dealbata*, Hook. f. & Thoms. ex Miq. *Ann. Mus. Bot. Lugd. Bat.* i. 107.—Reg. Himal.  
*dealbata*, Royle, Illustr. Bot. Himal. 346, in nota = dilatata.  
*dealbata*, Wall. Cat. n. 2769 = incana.  
*decipiens*, Bechst. Forstbot. ed. V. 211 = Q. Robur.  
*decipiens*, Mart. ex Gal. in Bull. Acad. Brux. x. II. (1843) 214 = reticulata.  
*densiflora*, Hook. & Arn. Bot. Beech. Voy. 391.—Calif.  
*densifolia*, Abel, *Narr. Journ. China*, 165, 363.—China.

## QUERCUS:—

*dentata*, Bartr. Trav. ed. II. (1794) 28 = aquatica.  
*dentata*, Thunb. *Fl. Jap.* 177.—Japan.  
*dentata*, Wats. Dendrol. t. 93 = Q. Cerris.  
*dentosa*, Lindl. in Wall. Cat. n. 2775 = glauca.  
*depressa*, Blume, in Verh. Batav. Gen. ix. (1825) 209 = spicata.  
*depressa*, Humb. & Bonpl. *Pl. Aequin.* ii. 50. t. 92.—Mexic.  
*depressa*, Roxb. Hort. Beng. 104; Fl. Ind. iii. 640 = cyclophora.  
*Diepenhorstii*, Miq. *Fl. Ind. Bat. Suppl.* 349.—Sumatra.  
*dilatata*, Kern. in Oestr. Bot. Zeitschr. xxvi. (1876) 188 = Q. Robur.  
*dilatata*, Lindl. in Wall. Cat. n. 2785.—Reg. Himal.  
*dilatata*, Rafin. Alsog. Am. 24 (Quid?)—Am. bor.  
*dipsacina*, Kotschy, ex A. DC. in DC. Prod. xvi. II. 55 = coccifera.  
*discocarpa*, Hance, in *Journ. Bot.* xii. (1874) 242.—Malaya.  
*discolor*, Ait. Hort. Kew. ed. I. iii. 358.—Am. bor.  
*dispar*, Kotschy, ex A. DC. in DC. Prod. xvi. II. 55 = coccifera.  
*dispar*, Rafin. Alsog. Am. 19 (Quid?)—Am. bor.  
*dissecta*, Hort. ex C. Koch, Dendrol. ii. II. 27 = Q. Robur.  
*divaricata*, Lindl. in Wall. Cat. n. 2790 (sp. dub.).—Burma.  
*diversifolia*, Née, in *Anal. Cienc. Nat.* iii. (1801) 270 = tomentosa.  
*Douglasii*, Hook. & Arn. Bot. Beech. Voy. 391.—Calif.  
*Drummondii*, Liebm. in Overs. *Danske Vidensk. Selsk. Forh.* (1854) 170.—Texas.  
*dshorochensis*, Kotschy, Eichen, t. 39 = seq.  
*dshorochensis*, C. Koch, in Linnaea, xxii. (1849) 328 = Q. Robur.  
*dubia*, Lindl. in Wall. Cat. n. 2786 = *Castanopsis indica*.  
*dubia*, Linn. Pl. Surin. n. 127; Amoen. Acad. viii. 263 (Quid?)—Guian.  
*dumosa*, Nutt. *N. Am. Sylva*, i. 18.—Calif.  
*Dunnii*, Kellogg, in Pacif. Rural Press (June 1879); ex Curran, in Bull. Calif. Acad. i. n. III. (1885) 147 = Palmeri.  
*Durandii*, Buckl. in *Proc. Acad. Sc. Philad.* 1860 (1861) 445.—Am. bor.  
*Durinus*, Rafin. Alsog. Am. 19 (Quid?)—Am. bor.  
*dysophylla*, Benth. Pl. Hartw. 55.—Mexic.  
*echinacea*, Torr. in Pacif. Rail. Rep. iv. 187 = densiflora.  
*echinata*, A. DC. in DC. Prod. xvi. II. 683, sphalm. = *echinacea*.  
*echinata*, Kotschy, ex A. DC. l. c. 55 = coccifera.  
*echinata*, Lam. Fl. Fr. ii. 207 = Q. Aegilops.  
*echinata*, Salisb. Prod. 393 = Q. Cerris.  
*echinoides*, R. Br. Campst. in Ann. & Mag. Nat. Hist. Ser. IV. vii. (1871) 251 = densiflora.  
*Ehrenbergii*, Kotschy, Eichen, t. 15.—Cilicia; Syria.  
*elegans*, Blume, in Verh. Batav. Gen. ix. (1825) 208 = spicata.  
*elephantum*, Hance, in *Journ. Bot.* xiii. (1875) 365.—Cambodia.  
*elliptica*, Liebm. ex A. DC. in DC. Prod. xvi. II. 31 = glaucoides.  
*elliptica*, Née, in *Anal. Cienc. Nat.* iii. (1801) 278.—Mexic.  
*elongata*, Willd. Sp. Pl. 444 = falcata.  
*Emoryi*, Porter & Coulter, Fl. Colorado, 127 = undulata?  
*Emoryi*, Torr. in Emory, *Not. Mil. Reconnoiss.* 151. t. 9.—Am. bor. occ.  
*encleisacarpa*, Korth. Verh. Nat. Gesch. Bot. 209. t. 45.—Malaya.  
*erucaefolia*, Stev. in Bull. Soc. Nat. Mosc. xxx. (1857) 1. 388 = Q. Robur.  
*esculenta*, Hort. ex C. Koch, Dendrol. ii. II. 80 = lusitanica.  
*Esculus*, Linn. Mant. ii. 496 = Q. Cerris.  
*Esculus*, Linn. Sp. Pl. 996 = Q. Robur.  
*Esculus*, Pollini, Fl. Veron. iii. 125 = Q. Farnetto.  
*eugeniaefolia*, Liebm. in Overs. *Danske Vidensk. Selsk. Forh.* (1854) 185.—Guatemala.  
*eumorpha*, Kurz, in *Journ. As. Soc. Beng.* xlii. (1873) II. 107.—Burma.  
*Ewyckii*, Korth. Verh. Nat. Gesch. Bot. 212. t. 46.—Malaya.

4 R

**QUERCUS:—**

*excelsa*, Liebm. in *Overs. Danske Vidensk. Selsk. Forh.* (1854) 174.—Mexic.  
*exoniensis* ×, Poir. Encyc. Suppl. ii. 225 = seq.  
*exoniensis* ×, Lodd. ex Sweet, Hort. Brit. ed. I. 370; et ex Webb, Iter Hisp. 13.  
*expansa*, Poir. Encyc. Suppl. ii. 216 = Q. Ilex.  
*extensa*, Schur, Enum. Pl. Transs. 609 = Q. Robur.  
*Eyrei*, Champ. ex Benth. in Hook. Kew Journ. vi. (1854) 114.—Ins. Hongkong.  
*Fabri*, Hance, in Journ. Linn. Soc. x. (1869) 202.—China.  
*fagifolia*, Hort. ex C. Koch, Dendrol. ii. II. 56 = Q. Ilex.  
*fagiformis*, Jungh. in Bonplandia, vi. (1858) 83 = Janghuhni.  
*faginea*, Lam. Encyc. i. 725 = lusitanica.  
*faginea*, Tenore, Syll. Fl. Neap. 469 = Q. Robur.  
*falcata*, Michx. Hist. Chênes Am. t. 28.—Am. bor.  
*Falconeri*, Kurz, in Journ. As. Soc. Beng. xlv. (1875) II. 197.—Burma.  
*falkenbergensis*, Booth, ex Loud. Arb. Brit. iii. 1926 = Q. Robur.  
*farinulenta*, Hance, in Journ. Bot. xiii. (1875) 365.—Cambodia.  
*Farnetto*, Tenore, Syll. Fl. Neap. 470.—Europ. austr.  
*fastigiata*, Lam. Encyc. i. 725; DC. Fl. Fr. Suppl. 351 = Q. Robur.  
*Fendleri*, Liebm. in *Overs. Danske Vidensk. Selsk. Forh.* (1854) 170.—Am. bor. occ.  
*fenestrata*, Roxb. Hort. Beng. 68; Fl. Ind. iii. 633.—Reg. Himal.  
*fenestrata*, Wall. Cat. n. 2784, partim = lanceaefolia.  
*Fennessi*, Hort. ex A. DC. in DC. Prod. xvi. II. 6 = Q. Robur.  
*Fenzlii*, Kotschy, Eichen, t. 24 = coccifera.  
*Fernandezii*, Vidal, Sinops. 41. t. 92. f. E.—Ins. Philipp.  
*ferox*, Roxb. Hort. Beng. 104; Fl. Ind. iii. 639 = Castanopsis tribuloides.  
*ferruginea*, Michx. f. Hist. Arb. Am. ii. 92. t. 18 = nigra.  
*filicifolia*, Hort. ex A. DC. in DC. Prod. xvi. II. 6 = Q. Robur.  
*filiformis*, Muhl. ex A. DC. l. c. 21 = bicolor.  
*filipendula*, Vukot. in Flora, li. (1868) 330 = Q. Robur.  
*fissa*, Champ. ex Benth. in Hook. Kew Journ. vi. (1854) 114.—Ins. Hongkong.  
*flava*, Née, ex Spreng. Syst. iii. 857 = magnoliaefolia.  
*flavida*, Liebm. in *Overs. Danske Vidensk. Selsk. Forh.* (1854) 178.—Mexic.  
*floccosa*, Liebm. l. c.—Mexic.  
*floribunda*, Wall. Cat. n. 2773 = dilatata.  
*floridana*, Shuttlew. ex A. DC. in DC. Prod. xvi. II. 22 = obtusiloba.  
*foeminea*, Mill. Gard. Dict. ed. VIII. n. 2 = Q. Robur.  
*Fontanesii*, Guss. Ind. Sem. Hort. Boccad. (1825); ex ej. Fl. Sic. Syn. ii. 605 = Q. Pseudo-suber.  
*Fordii*, Carr. in Rev. Hort. (1861) 114. ff. 24, 25 = Q. Ilex.  
*Frainetto*, Tenore, Cat. Hort. Nap. (1819) 65, sphalm. = Q. Farnetto.  
*frondosa*, Steud. Nom. ed. II. ii. 426 = Q. Cerris.  
*fructipendula*, Schrank, Baier. Fl. i. 660 = Q. Robur.  
*fruticosa*, Brot. Fl. Lusit. ii. 31 = humilis.  
*fulhamensis* ×, Hort. ex Steud. Nom. ed. II. ii. 426.  
*fulva*, Liebm. in *Overs. Danske Vidensk. Selsk. Forh.* (1854) 183.—Mexic.  
*fulvescens*, Kellogg, in Proc. Calif. Acad. ed. II. i. (1873) 70 = chrysolepis.  
*furfuracea*, Liebm. in *Overs. Danske Vidensk. Selsk. Forh.* (1854) 189 = acutifolia.  
*fusca*, Rafin. Alsog. Am. 19 (Quid?).—Am. bor.  
*Galeotti*, Martens, in Bull. Acad. Brux. x. II. (1843) 220.—Mexic.  
*Gambelii*, Nutt. in Journ. Acad. Philad. N. S. i. (1847) 179 = undulata.  
*Gambelii*, Liebm. in *Overs. Danske Vidensk. Selsk. Forh.* (1854) 169 = Douglasii.  
*Garryana*, Dougl. ex Hook. Fl. Bor. Am. ii. 159.—Am. bor. occ.  
*geltowiensis*, Hort. ex C. Koch, Dendrol. ii. II. 32 = Q. Robur.  
*gemelliflora*, Blume, in Verh. Batav. Gen. ix. (1825) 222.—Java.

**QUERCUS:—**

*gemelliflora*, Herb. Buerger, ex Blume, Mus. Bot. Lugd. Bat. i. 299 = Buergerii.  
*Genabii*, Hort. ex C. Koch, Dendrol. ii. II. 62 = nigra.  
*georgiana*, M. A. Curt. in Am. Journ. Sc. Ser. II. vii. (1849) 408.—Am. bor.  
*germana*, Schlecht. & Cham. in Linnaea, v. (1830) 78.—Mexic.  
*germanica*, Lasch, in Bot. Zeit. xv. (1857) 413 = Q. Robur.  
*Ghiesbreghtii*, Mart. & Gal. in Bull. Acad. Brux. x. II. (1843) 212.—Mexic.  
*gibraltarica*, C. Koch, Dendrol. ii. II. 81 = lusitanica.  
*gilva*, Blume, Mus. Bot. Lugd. Bat. i. 306.—Japon.  
*glaberrima*, Blume, in Verh. Batav. Gen. ix. (1825) 210 = spicata.  
*glabra*, Blanco, Fl. Filip. ed. I. 727 = ovalis.  
*glabra*, Buch.-Ham. ex Wall. Cat. n. 3731 = acuminata.  
*glabra*, Buerger, ex Blume, Mus. Bot. Lugd. Bat. i. 290, 304 = thalassica, marginata.  
*glabra*, Thunb. Fl. Jap. 175.—Japon.  
*glabrescens*, Benth. Pl. Hartw. 56, 348.—Mexic.  
*glabrescens*, Kern. in Oestr. Bot. Zeitschr. xxvi. (1876) 230 = Kernerii.  
*glabrescens*, Seem. Bot. Voy. Herald, 252 = Warszewiczii.  
*glandulifera*, Blume, Mus. Bot. Lugd. Bat. i. 295.—Japon.  
*glaucia*, Bosc, Mém. Chênes, 26; ex Loisel. in Duham. Arb. ed. Nov. vii. 161 = humilis.  
*glaucia*, Buerger, ex Blume, Mus. Bot. Lugd. Bat. i. 290 = thalassica.  
*glaucia*, Mart. & Timb. in Bull. Soc. Bot. Fr. xi. (1864) p. xvi = Q. Ilex.  
*glaucia*, Thunb. Fl. Jap. 175.—Reg. Himal.; Japon.  
*glaucescens*, Humb. & Bonpl. Pl. Aequin. ii. 29. t. 78.—Mexic.  
*glaucoides*, Mart. & Gal. in Bull. Acad. Brux. x. II. (1843) 209.—Mexic.  
*glomerata*, Roxb. Hort. Beng. 104; Fl. Ind. iii. 640.—Ins. Penang.  
*glomerata*, Wall. Cat. n. 2791 = Castanopsis sumatrana.  
*glutinosa*, Blume, Mus. Bot. Lugd. Bat. i. 304.—Java.  
*Goedelii*, Balansa & Kotschy, ex A. DC. in DC. Prod. xvi. II. 46 = Q. Aegilops.  
*gonoloba*, Rafin. Alsog. Am. 25 (Quid?).—Am. bor.  
*gracilipes*, Miq. Fl. Ind. Bat. Suppl. 347 = spicata.  
*gracilis*, Korth. Verh. Nat. Gesch. Bot. 207.—Borneo.  
*gracilis*, Lange, in Kjoeb. Vidensk. Meddel. (1861) 36 = Q. Ilex.  
*graeeca*, Kotschy, Eichen, t. 30 = Q. Aegilops.  
*Grahami*, Benth. Pl. Hartw. 57.—Mexic.  
*Grahami*, Hort. Hafn. ex A. DC. in DC. Prod. xvi. II. 66 = acutifolia.  
*gramuntia*, Linn. Sp. Pl. 995 = Q. Ilex.  
*grandifolia*, D. Don, in Lamb. Gen. Pin. ii. 27. t. 8 = spicata.  
*grandis*, Liebm. in *Overs. Danske Vidensk. Selsk. Forh.* (1854) 183.—Guatemala.  
*granulata*, Liebm. l. c. 186.—Costa Rica.  
*granulata*, Rafin. Alsog. Am. 21 (Quid?).—Am. bor.  
*Griffithii*, Hook. f. & Thoms. ex Miq. Ann. Mus. Bot. Lugd. Bat. i. 104.—Reg. Himal.  
*grisea*, Liebm. in *Overs. Danske Vidensk. Selsk. Forh.* (1854) 171.—Am. bor. occ.  
*grosseserrata*, Blume, Mus. Bot. Lugd. Bat. i. 306.—Japon.  
*guatemalensis*, A. DC. in DC. Prod. xvi. II. 78.—Guatemala.  
*Gulliveri*, F. Muell. in Vict. Natural. i. (1885) 167.—N. Guin.  
*Guppyi*, F. Muell. l. c. (Dec. 1884) 123, in textu.—Ins. Salomon.  
*Haas*, Kotschy, Eichen, t. 2 = Q. Robur.  
*haliphlaeos*, Lam. Encyc. i. 718 = Q. Cerris.  
*haliphlaeos*, Guss. Fl. Sic. Syn. ii. 605 = Q. Pseudo-suber.  
*Hancei*, Benth. Fl. Hongk. 322.—China.  
*Harlandi*, Hance, ex Walp. Ann. iii. 382.—China.  
*Hartwegi*, Benth. Pl. Hartw. 56 = obtusata.  
*Hartweissiana*, Stev. in Bull. Soc. Nat. Mosc. xxx. (1857) i. 387 = Q. Robur.  
*Hasseltii*, Korth. ex Miq. Fl. Ind. Bat. i. i. 861 = omalokos.  
*hastata*, Liebm. in *Overs. Danske Vidensk. Selsk. Forh.* (1854) 171 = Emoryi.

**QUERCUS:—**

*Haynaldiana*, Simk. in Magyar Növényt. Lapok, vii. (1883) 63. t. 3.—Hungar.  
*Helferiana*, A. DC. in DC. Prod. xvi. II. 101.—Burma.  
*hemisphaerica*, Bartr. Trav. 320 = nigra.  
*hemisphaerica*, Hort. ex Endl. Gen. Suppl. iv. II. 25 = virginiana.  
*Hentzei*, Petz. Arb. Muscav. 627 = Q. Robur.  
*heteroloba*, Rafin. Alsog. Am. 25 (Quid?).—Am. bor.  
*heterophylla*, Rafin. l. c. 24 (Quid?).—Am. bor.  
*heterophylla*, Hort. Parment. ex A. DC. in DC. Prod. xvi. II. 42 = Q. Cerris.  
*heterophylla*, Michx. f. Hist. Arbr. Am. ii. 87.—Am. bor.  
*Hindsii*, Benth. Bot. Voy. Sulph. 55 = lobata.  
*hirsuta*, Lindl. in Wall. Cat. n. 3734 = lappacea.  
*hirsutula*, Blume, Mus. Bot. Lugd. Bat. i. 298 = aliena.  
*hispanica*, Lam. Encyc. i. 723 = Q. Pseudo-suber.  
*hispanica*, Willk. in Flora, xxxv. (1852) 315 = Q. Robur.  
*Hodginsii*, Lodd. Cat. (1836) ex Steud. Nom. ed. II. ii. 427 = Q. Robur.  
*holosericea*, Blume, Mus. Bot. Lugd. Bat. i. 298 = aliena.  
*Horsfieldii*, Miq. Fl. Ind. Bat. i. i. 856 = semiserrata.  
*Humboldtii*, Bonpl. in Humb. & Bonpl. Pl. Aequin. ii. 155. t. 130.—N. Granat.  
*Humboldtii*, Kotschy, ex A. DC. in DC. Prod. xvi. II. 32 = Lindenii.  
*humilis*, DC. Fl. Fr. iii. 312 = Q. Toza.  
*humilis*, Lam. Encyc. i. 719.—Reg. Mediterr. occ.  
*humilis*, Mill. Gard. Dict. ed. VIII. n. 4 = Q. Robur?  
*humilis*, Walt. Fl. Carol. 234 = cinerea.  
*humosa*, Blume, Mus. Bot. Lugd. Bat. i. 298 = aliena.  
*hungarica*, Hubeny, ex Rochel, Bot. Reise Banat. 73; Kit. in Linnaea, xxxii. (1863) 353 = Q. Farnetto.  
*hybrida*, Bechst. Forstbot. ed. V. 211 = Q. Robur.  
*hybrida*, Brot. Fl. Lusit. ii. 31 = lusitanica.  
*hyemalis*, Stev. in Bull. Soc. Nat. Mosc. xxx. (1857) i. 385, in textu = Q. Robur.  
*hypochrysa*, Stev. l. c. 388 = Q. Robur.  
*hypoleuca*, Engelm. in Trans. Acad. Sc. St. Louis, iii. (1875) 384.—N. Mexic.  
*hypoleuca*, Kotschy, ex A. DC. in DC. Prod. xvi. II. 45 = lusitanica.  
*hypoleuca*, Miq. Fl. Ind. Bat. i. i. 869 = Korthalsii.  
*hypophlaeos*, Petz. Arb. Muscav. 656 = falcata.  
*Hystrix*, Korth. Verh. Nat. Gesch. Bot. 201.—Malaya.  
*iberica*, Bieb. Fl. Taur. Cauc. ii. 402 = Q. Robur.  
*Ibicus*, Kotschy, ex A. DC. in DC. Prod. xvi. II. 9 = Q. Robur.  
*Ijam-ahoso*, Siebold, ex Miq. Ann. Mus. Bot. Lugd. Bat. iii. 93 = Meliosma myriantha.  
*Ilex*, Linn. Sp. Pl. 995.—Reg. Mediterr.; Oriens.  
*Ilex*, Lour. Fl. Cochinch. 571 = Helferiana.  
*ilexoides*, Rafin. Alsog. Am. 23. (Quid?).—Am. bor.  
*ilicifolia*, Salisb. Prod. 392 = Q. Ilex.  
*ilicifolia*, Wangerh. Forstw. 79. f. 17.—Am. centr.  
*imbricaria*, A. Gray, ex A. DC. in DC. Prod. xvi. II. 63 = Q. Phellos.  
*imbricaria*, Michx. Hist. Chênes Am. tt. 15, 16.—Am. bor.  
*imbricata*, Buch.-Ham. ex D. Don, Prod. Fl. Nep. 57 = lamellosa.  
*incana*, Roxb. Hort. Beng. 104; Fl. Ind. iii. 642.—Reg. Himal.  
*incisa*, Hort. ex Steud. Nom. ed. II. ii. 427 = Q. Cerris.  
*induta*, Blume, in Verh. Batav. Gen. ix. (1825) 220.—Java.  
*inermis*, Ehrenb. ex A. DC. in DC. Prod. xvi. II. 18; et ex Unger & Kotschy, Insel Cypren, 216 = lusitanica.  
*infectoria*, Oliv. Voy. Atlas, tt. 14, 15 = lusitanica.  
*inops*, Kotschy, ex A. DC. in DC. Prod. xvi. II. 54 = coccifera.  
*insignis*, Mart. & Gal. in Bull. Acad. Brux. x. II. (1843) 219.—Mexic.  
*integrifolia*, Hort. ex Steud. Nom. ed. I. 673 = Q. Ilex.  
*intermedia*, Boenn. ex Reichb. Fl. Germ. Excurs. 177; D. Don, ex Leighton, Fl. Shrop. 478 = Q. Robur.  
*intermedia*, Mart. & Gal. in Bull. Acad. Brux. x. II. (1843) 223 = calophylla.  
*inversa*, Lindl. & Paxt. Flow. Gard. i. (1850-51) 58. f. 36 = thalassica.



## QUERCUS:—

- Irwini, *Hance*, in *Ann. Sc. Nat. Sér. IV.* xviii. (1862) 229.—Ins. Hongkong.  
 iteaphylla, *Hance*, in *Journ. Bot.* xxii. (1884) 229.—Ins. Hongkong.  
 ithaburensis, Decne. l. c. Sér. II. iv. (1835) 348 = *Q. Aegilops*.  
 Jacobi, R. Br. Campst. in *Ann. & Mag. Nat. Hist. Ser. IV.* vii. (1871) 255 = Garryana.  
 Jama-buwa, Siebold, ex Miq. *Ann. Mus. Bot. Lugd. Bat.* iii. 93 = *Meliosma pungens*.  
 javensis, *Miq. l. c. i.* 117.—Java.  
 Jenkinsii, *Benth. in Hook. Ic. Pl.* t. 1312-13.—Reg. Himal.  
 Jordanae, *Villanueva, Apuntes Un Nuev. Roble*, (1875) 7.—Ins. Philipp.  
 Juergensenii, *Liebm. in Overs. Danske Vidensk. Selsk. Forh.* (1854) 188.—Mexic.  
 Junghuhnii, *Miq. Fl. Ind. Bat. i. I.* 853.—Java.  
 Kajan, *Miq. in Zoll. Syst. Verz. Ind. Archip.* 87 = *Q. Hystrix*.  
 Kamroopii, D. Don, *Prod. Fl. Nep.* 57 = *lineata*?  
 Kelloggii, *Newberry, in Pacif. Rail. Rep. vi. Bot.* 28, 89. f. 6.—Calif.  
 Kernerii x, Simk. in *Magyar Növényt. Lapok*, vii. (1883) 69.—Europ.  
 Korthalsii, *Blume, Mus. Bot. Lugd. Bat. i.* 292.—Java.  
 Korthalsii, *Endl. Gen. Suppl. iv. II.* 28 = *Teysmannii*.  
 Kurzii, *Hance*, in *Journ. Bot.* xvi. (1878) 328 = *lanceaefolia*.  
 lacera, *Blume, Mus. Bot. Lugd. Bat. i.* 306.—Japon.  
 laciniata, *Vukot. in Rad. Jugos. Akad. Zagreb.* xxii. 1872 (1873) 19.—Europ.  
 laciniosa, *Bor. Fl. Centr. Fr. ed. III. ii.* 588, in obs. = *Q. Robur*.  
 laeta, *Liebm. in Overs. Danske Vidensk. Selsk. Forh.* (1854) 179.—Mexic.  
 laevigata, *Blume, Mus. Bot. Lugd. Bat. i.* 304.—Japon.  
 laevis, *Walt. Fl. Carol.* 234 = *Catesbaei*?  
 lamellata, *Roxb. Hort. Beng.* 104; *Fl. Ind. iii.* 641 = *lamellosa*.  
 lamellosa, *Sm. in Rees, Cycl.* xxix. n. 23.—Reg. Himal.  
 lamponga, *Miq. Fl. Ind. Bat. Suppl.* 348.—Malaya.  
 lamprophyllus, C. Koch, in *Linnaea*, xxii. (1849) 327 = *Q. Robur*.  
 lanata, *Sm. in Rees, Cycl.* xxix. n. 27 = *incana*.  
 lanceaefolia, *Roxb. Hort. Beng.* 68; *Fl. Ind. iii.* 634.—Reg. Himal.  
 lanceolata, *Humb. & Bonpl. Pl. Aequin.* ii. 34. t. 81.—Mexic.  
 lanceolata, *Mart. & Gal. ex A. DC. in DC. Prod.* xvi. II. 79 = *oajacana*.  
 lancifolia, *Benth. Pl. Hartw.* 55 = *nitens*.  
 lancifolia, *Liebm. ex A. DC. in DC. Prod.* xvi. II. 72 = *leiophylla*.  
 lancifolia, *Schlecht. & Cham. in Linnaea*, v. (1830) 78.—Mexic.  
 lanigera, *Mart. & Gal. in Bull. Acad. Brux. x. II.* (1843) 215.—Mexic.  
 lanuginosa, D. Don, *Prod. Fl. Nep.* 57.—Reg. Himal.  
 lanuginosa, *Thuill. Fl. Par. ed. II.* 502 = *Q. Robur*.  
 lappacea, *Roxb. Hort. Beng.* 68; *Fl. Ind. iii.* 637.—Reg. Himal.; Malaya.  
 Lasistan, *Kotschy, ex A. DC. Prod.* xvi. II. 5 = *Q. Robur*.  
 latifolia, *Hort. ex Steud. Nom. ed. II. ii.* 427 = *imbri-caria*.  
 laurifolia, *Michx. Hist. Chênes Am.* t. 17.—Am. bor.  
 laurifolia, *Miq. Pl. Jungh.* 11 = *Teysmannii*.  
 laurina, *Humb. & Bonpl. Pl. Aequin.* ii. 32. t. 80.—Mexic.  
 laurina, *Liebm. ex A. DC. in DC. Prod.* xvi. II. 70 = *lanceolata*.  
 laurina, *Mart. & Gal. in Bull. Acad. Brux. x. II.* (1843) 210 = *depressa*.  
 laxa, *Liebm. in Overs. Danske Vidensk. Selsk. Forh.* (1854) 181.—Mexic.  
 laxiflora, *Lindl. ex Wall. Cat. n.* 2774 = *glauca*.  
 Leana, *Nutt. N. Am. Sylv. i.* 25. t. 5 bis.—Am. bor.  
 leiophylla, A. DC. in *DC. Prod.* xvi. II. 71.—Mexic.  
 leptobalana, *Guss. Fl. Sic. Syn. ii.* 608 = *Q. Toza*.  
 leptocarpa, *Vukot.—Cf. Oestr. Bot. Zeitschr.* xxx. (1880) 163.—Europ.  
 leptocarpos, *Kotschy, ex Boiss. Fl. Orient.* iv. 1167 = *lusitanica*.

## QUERCUS:—

- leptogyne, *Korth. Verh. Nat. Gesch. Bot.* 206 (sp. dub.).—Borneo.  
 Lezermiana, *Bosc, ex Poir. Encyc. Suppl. ii.* 226.—Europ. austr.  
 Libani, *Oliv. Voy. Atlas. t.* 32.—Syria.  
 Lindenii, A. DC. in *DC. Prod.* xvi. II. 32.—N. Granat.  
 Lindleyana, *Wall. Cat. n.* 2782.—Burma.  
 lineata, *Blume, Bijdr.* 523.—Reg. Himal.; Java.  
 lineata, *Miq. Pl. Jungh.* 10 = *Junghuhnii*.  
 linguaefolia, *Liebm. in Overs. Danske Vidensk. Selsk. Forh.* (1854) 180.—Mexic.  
 litoralis, *Blume, Mus. Bot. Lugd. Bat. i.* 303 (sp. dub.).—Java.  
 litseifolia, *Hance, in Journ. Bot.* xxii. (1884) 228.—China.  
 Llanosii, A. DC. in *DC. Prod.* xvi. II. 97.—Ins. Philipp.  
 lobata, *Née, in Anal. Cienc. Nat.* iii. (1801) 277.—Calif.  
 lobulata, *Soland. ex Sm. in Abbot, Insects Georgia*, i. 93. t. 47 = *obtusiloba*.  
 longaeva, *Salisb. Prod.* 392 = *Q. Robur*.  
 longepedunculata, *Willk. Forstl. Fl.* 864 (Index) = *longipetiolata*.  
 longifolia, C. Koch, in *Linnaea*, xxii. (1849) 327 = *Q. Robur*.  
 longifolia, *Liebm. in Overs. Danske Vidensk. Selsk. Forh.* (1854) 185 = *acutifolia*.  
 longifolia, *Rafin. Alsog. Am.* 21 (Quid?).—Am. bor.  
 longiglandia, *Torr. & Frém. in Frém. Geol. Mem. Upper Calif.* 15, 17 = *lobata*.  
 longipes, *Stev. in Bull. Soc. Nat. Mosc.* xxx. (1857) 1. 387 = *Q. Robur*.  
 longipetiolata, *Schur, Enum. Pl. Transs.* 607 = *Q. Robur*.  
 Look, *Kotschy, Eichen*, t. 21.—Syria.  
 Lorentii, *Hochst. in Lorent, Wanderung.* 327.—As. Min.  
 Louveirii, *Hance, in Journ. Linn. Soc. x.* (1869) 201 = *Castanopsis tribuloides*.  
 lucida, *Roxb. Hort. Beng.* 104; *Fl. Ind. iii.* 635.—Malaya.  
 Lucombeana x, *Sweet, Hort. Brit. ed. I.* 370.  
 lusitanica, *Lam. Encyc. i.* 719.—Reg. Mediterr.; Oriens.  
 lusitanica, *Salzm. ex Ball, in Journ. Linn. Soc. xvi.* (1878) 666 = *humilis*.  
 lutea, *Née, in Anal. Cienc. Nat.* iii. (1801) 269.—Mexic.  
 lutescens, *Mart. & Gal. in Bull. Acad. Brux. x. II.* (1843) 219.—Mexic.  
 lyrata, *Spreng. Syst. iii.* 864, partim = *lobata*.  
 lyrata, *Walt. Fl. Carol.* 235.—Am. bor.  
 McCormickii, *Carruth. in Journ. Linn. Soc. vi.* (1862) 32.—China.  
 macedonica, A. DC. in *DC. Prod.* xvi. II. 50.—Macedon.  
 Mackiana, *Hook. Ic. Pl. t.* 224 = *lappacea*.  
 macranthera, *Fisch. & Mey. ex Hohen. in Bull. Soc. Nat. Mosc.* (1838) II. 259 = *castaneaefolia*.  
 macrocarpa, *Endl. Gen. Suppl. iv. II.* 24, sphalm. = *microphylla*.  
 macrocarpa, *Michx. Hist. Chênes Am.* tt. 2, 3.—Am. bor.  
 macrolepis, *Kotschy, Eichen*, t. 16 = *Q. Aegilops*.  
 macrophylla, *Miq. Fl. Ind. Bat. Suppl.* 351 = *sundaica*.  
 macrophylla, *Née, in Anal. Cienc. Nat.* iii. (1801) 274 = *magnoliaefolia*.  
 macrostipulata, *Guss. ex Parl. Fl. Ital.* iv. 178 = *Q. Robur*.  
 magnoliaefolia, *Née, in Anal. Cienc. Nat.* iii. (1801) 268.—Mexic.  
 Maingayi, *Benth. in Hook. Ic. Pl. t.* 1314.—Ins. Penang.  
 malacophylla, *Schur, in Oestr. Bot. Zeitschr. x.* (1860) 181 = *Q. Robur*.  
 mannifera, *Lindl. Bot. Reg.* (1840) Misc. 40 = *Q. Robur*.  
 mappacea, *Korth. Verh. Nat. Gesch. Bot.* 202 = *sundaica*.  
 marginata, *Blume, Mus. Bot. Lugd. Bat. i.* 304.—Japon.  
 maritima, *Rafin. Alsog. Am.* 27 (Quid?).—Am. bor.  
 maritima, *Willd. Sp. Pl. iv.* 424 = *aquatica*.  
 marylandica, *Du Roi, Harbk. Faumz.* ii. 274 = *nigra*.

## QUERCUS:—

- Matasii, *Siebold, in Verh. Batav. Gen.* xii. (1830) 26 = *glauca*.  
 menesiensis, *Kit. in Linnaea*, xxxii. (1863) 353.—Hungar.  
 Merkusii, *Endl. Gen. Suppl. iv. II.* 28 = *lineata*.  
 mespilifolia, *Wall. Cat. n.* 2766.—Burma.  
 mespilifolia, *Wallr. Sched. Crit.* 494 = *Q. Robur*.  
 Mesto, *Boiss. Voy. Bot. Espagne*, ii. 579. t. 166 = *coccifera*.  
 mexicana, *Benth. Pl. Hartw.* 56 = *crassipes*.  
 mexicana, *Humb. & Bonpl. Pl. Aequin.* ii. 35. t. 82 = *Q. Castanea*.  
 Michauxii, *Nutt. Gen. Am.* ii. 215.—Am. bor.  
 microbalanos, *Bor. Fl. Centr. Fr. ed. III. ii.* 588, in obs. = *Q. Robur*.  
 microcalyx, *Korth. Verh. Nat. Gesch. Bot.* 204 = *spicata*.  
 microcarpa, *Lapeyr. Hist. Abr. Pl. Pyr.* 582 = *Q. Robur*.  
 microcarpa, *Liebm. in Overs. Danske Vidensk. Selsk. Forh.* (1854) 184 = *elliptica*.  
 microphylla, *Née, in Anal. Cienc. Nat.* iii. (1801) 264.—Mexic.  
 Miqueliana, *Scheff. in Tijdschr. Nederl. Ind.* xxxi. (1870) 360 = *Bennettii*.  
 Mirbeckii, *Dur. in Duch. Rev. Bot.* ii. (1846) 426 = *lusitanica*.  
 mitis, *Banks, ex Lowe, in Trans. Camb. Phil. Soc.* iv. (1831) 15 (sp. dub.).—Ins. Mader.  
 mixta, A. DC. in *DC. Prod.* xvi. II. 83 = *spicata*.  
 mollis, *Mart. & Gal. in Bull. Acad. Brux. x. II.* (1843) 216.—Mexic.  
 mollis, *Nutt. Gen. Am.* ii. 215 = *bicolor*.  
 molucca, *Blanco, Fl. Filip. ed. I.* 726 = *Llanosii*.  
 molucca, *Linn. Sp. Pl.* 1199.—Ins. Molucc.  
 mongolica, *Fisch. ex Turcs. in Bull. Soc. Nat. Mosc.* (1838) 101, nomen; xxvii. (1854) 1. 409.—As. or.  
 montana, *Willd. Sp. Pl. iv.* 440 = *Q. Prinus*.  
 monticola, *Petz. & Kirchn. Arb. Muscav.* 644 = *praec?*  
 Morehus, *Kellogg, in Proc. Calif. Acad.* ii. (1863) 36 = *Wislizeni*.  
 Morisii, *Borzi, in Nuov. Giorn. Bot. Ital.* xiii. (1881) 10. t. 1.—Ins. Sardoia.  
 Moulei, *Hance, in Journ. Bot.* xiii. (1875) 363.—China.  
 mucronata, *Willd. Sp. Pl. iv.* 436 = *Q. Castanea*.  
 Muehlenbergii, *Engelm. in Trans. Acad. Sc. St. Louis*, iii. (1878) 391 = *Q. Prinus*.  
 muricata, *Palau, Pract. Bot.* vii. 172; ex *Willk. & Lange, Prod. Fl. Hisp.* i. 240 = *lusitanica*.  
 muricata, *Roxb. Hort. Beng.* 104; *Fl. Ind. iii.* 635 = *sundaica*.  
 myrsinaefolia, *Blume, Mus. Bot. Lugd. Bat. i.* 305.—Japon.  
 myrtifolia, *Willd. Sp. Pl. iv.* 424 = *aquatica*.  
 naiadarum, *Hance, in Journ. Bot.* xxii. (1884) 227.—China.  
 nana, *Willd. Sp. Pl. iv.* 443 = *aquatica*.  
 Nara, *Hort. ex A. DC. in DC. Prod.* xvi. II. 14 = *aliena*.  
 Neaei, *Liebm. in Overs. Danske Vidensk. Selsk. Forh.* (1854) 173 = *Garryana*.  
 nectandrifolia, *Liebm. l. c.* 175.—Mexic.  
 nepaulensis, *Desf. Cat. Hort. Par. ed. III.* 414 = *incana*.  
 neurophylla, *Miq. Fl. Ind. Bat. Suppl.* 351 = *sundaica?*  
 nigra, *Linn. Sp. Pl.* 995.—Am. bor.  
 nigra, *Marsh. Arbust.* 120 = *discolor*.  
 nigra, *Rugel, ex A. DC. in DC. Prod.* xvi. II. 60 = *rubra*.  
 nigra, *Thore, Chlor. Land.* 381 = *Q. Toza*.  
 nigrescens, *Rafin. Alsog. Am.* 19 (Quid?).—Am. bor.  
 nigricans, *Hort. ex C. Koch, Dendrol.* ii. II. 28 = *Q. Robur*.  
 nitens, *Mart. & Gal. in Bull. Acad. Brux. x. II.* (1843) 217.—Mexic.  
 nitida, *Blume, Mus. Bot. Lugd. Bat. i.* 294 (sp. dub.).—Sumatra.  
 nitida, *Mart. & Gal. in Bull. Acad. Brux. x. II.* (1843) 210 = *acutifolia*.  
 nitida, *Rafin. Alsog. Am.* 20 (Quid?).—Am. bor.  
 nobilis, *Hort. ex C. Koch, Dendrol.* ii. II. 65 = *falcata*.  
 nobilis, *Hort. Ottoland. ex Mast. in Gard. Chron.* (1875) II. 816 = *nigra*.

## QUERCUS:—

- Novi-Orleani*, Petz. & Kirchn. Arb. Muscav. 656 = aquatica.  
*nudinervis*, Liebm. in Overs. Danske Vidensk. Selsk. Forh. (1854) 182 = obtusata.  
*oajacana*, Liebm. l. c. 178.—Mexic.  
*oblonga*, Hort. ex C. Koch, Dendrol. ii. 11. 56 = Q. Ilex.  
*oblongata*, D. Don, Prod. Fl. Nep. 57 = incana?  
*oblongifolia*, R. Br. Campst. in Ann. & Mag. Nat. Hist. Ser. IV. vii. (1871) 252 = chrysolepis?  
*oblongifolia*, Torr. in Sitgreaves, Rep. 173. t. 19.—Calif.; N. Mexic.  
*obovata*, Bunge, Enum. Pl. Chin. Bor. 62.—China.  
*obtecta*, Poir. Encyc. Suppl. ii. 182.—China.  
*obtusata*, Sargent, Rep. For. N. Am. (U. St. 10th Census, ix.) 152, in syn. = laurifolia.  
*obtusata*, Humb. & Bonpl. Pl. Aequin. ii. 26. t. 76.—Mexic.  
*obtusifolia*, D. Don, Prod. Fl. Nep. 56 = semecarpifolia.  
*obtusiloba*, Michx. Hist. Chênes Am. t. 1.—Am. bor.  
*occidentalis*, J. Gay, in Ann. Sc. Nat. Sér. IV. vi. (1856) 243.—Europ. austr.  
*ocoteaeifolia*, Liebm. in Overs. Danske Vidensk. Selsk. Forh. (1854) 176 = nitens.  
*ocrea*, Jungh. ex Miq. Fl. Ind. Bat. i. 1. 937 (= *Lepidadenia sumatrana*).—Sumatra.  
*Oerstediana*, R. Br. Campst. in Ann. & Mag. Nat. Hist. Ser. IV. vii. (1871) 250 = Garryana.  
*oidocarpa*, Korth. Verh. Nat. Gesch. Bot. 216. t. 47. f. 18.—Malaya.  
*oleoides*, Schlecht. & Cham. in Linnaea, v. (1830) 79 = virginiana.  
*oligodes*, Rafin. Alsog. Am. 28 (Quid?).—Am. bor.  
*oligoneura*, Korth. Verh. Nat. Gesch. Bot. 203 (sp. dub.).—Sumatra.  
*olivaeformis*, Michx. f. Hist. Arb. Am. ii. 32. t. 2 = macrocarpa.  
*olla*, Kurz, in Journ. As. Soc. Beng. xlv. (1875) 11. 197 (sp. dub.).—Assam.  
*omalokos*, Korth. Verh. Nat. Gesch. Bot. 214.—Malaya.  
*omissa*, A. DC. in DC. Prod. xvi. 11. 28.—Mexic.  
*ocarpa*, Liebm. in Overs. Danske Vidensk. Selsk. Forh. (1854) 184 = Warszewiczii.  
*oogyne*, Miq. Fl. Ind. Bat. Suppl. 351.—Sumatra.  
*oophora*, Kotschy, Eichen, t. 26 = Brantii.  
*Onizabae*, Liebm. in Overs. Danske Vidensk. Selsk. Forh. (1854) 189.—Mexic.  
*ovalifolia*, Bosc, ex Pers. Syn. ii. 570 = lusitanica.  
*ovalis*, Blanco, Fl. Filip. ed. II. 502.—Ins. Philipp.  
*oxyadenia*, Torr. in Sitgreaves, Rep. 172. t. 17 = agri-folia.  
*oxycarpa*, Vukot. in Rad Jugos. Akad. Zagreb. xxii. 1872 (1873) 13.—Europ.  
*oxyodon*, Miq. Ann. Mus. Bot. Lugd. Bat. i. 114 = lineata.  
*oxyrhyncha*, Miq. Fl. Ind. Bat. Suppl. 347 = lineata.  
*pachyphylla*, Kurz, in Journ. As. Soc. Beng. xlv. (1875) 11. 197.—Reg. Himal.  
*Pagoda*, Rafin. Alsog. Am. 23 (Quid?).—Am. bor.  
*palaestina*, Kotschy, Eichen, t. 19 = coccifera.  
*paleacea*, Desv. Journ. Bot. i. (1813) 48 = Q. Robur.  
*pallida*, Blume, Bijdr. 524.—Java.  
*pallida*, Heuff. in Oestr. Bot. Zeitschr. viii. (1858) 28; et in Verh. Zool.-Bot. Ges. Wien (1858), 195 = Q. Robur.  
*palmata*, Vukot. in Rad Jugos. Akad. Zagreb. xxii. (1872) 11.—Europ.  
*Palmeri*, Engelm. in Trans. Acad. Sc. St. Louis, iii. (1878) 393.—Calif.  
*paludosa*, Hort. ex Petz. Arb. Muscav. 646 = bicolor.  
*palustris*, Du Roi, Harbk. Baumz. ii. 263. t. 5. f. 4.—Am. bor.  
*palustris*, Rugel, ex A. DC. in DC. Prod. xvi. 11. 62 = coccinea.  
*palustris*, Torr. & Gray, in Pacif. Rail. Rep. ii. 175 = rubra.  
*pandurata*, Humb. & Bonpl. Pl. Aequin. ii. 28 = obtusata.  
*pandurata*, Rafin. Alsog. Am. 21.—Am. bor.  
*pannonica*, Hort. ex Endl. Gen. Suppl. iv. 11. 24 = Q. Farnetto.  
*pannosa*, Bosc, ex A. DC. in DC. Prod. xvi. 11. 21 = bicolor.  
*Parmenteria*, Hort. Soulang. ex Mutel, Fl. Fr. iii. 204 = Q. Robur.

## QUERCUS:—

- paucilamellosa*, A. DC. in DC. Prod. xvi. 11. 101 = lamellosa.  
*pectinata*, Hort. ex C. Koch, Dendrol. ii. 11. 27 = Q. Robur.  
*pedemontana*, Colla, Herb. Pedem. v. 185 = Q. Robur.  
*peduncularis*, Née, in Anal. Cienc. Nat. iii. (1801) 270 = tomentosa.  
*pedunculata*, Ehrh. Beitr. v. 161 = Q. Robur.  
*pedunculata*, Née, ex A. DC. in DC. Prod. xvi. 11. 33 = tomentosa.  
*pedunculiflora*, C. Koch, in Linnaea, xxii. (1849) 324 = Q. Robur.  
*penangensis*, Miq. Fl. Ind. Bat. i. 1. 859 = cyclophora.  
*pendula*, Lodd, Cat. (1836) ex Loud. Arboret. iii. 1732 = Q. Robur.  
*pendulina*, Kit. in Schult. Oester. Fl. ed. II. i. 620 = Q. Robur.  
*perseaeifolia*, Liebm. in Overs. Danske Vidensk. Selsk. Forh. (1854) 188 = elliptica.  
*persica*, Faub. & Spach, Illustr. i. 109. t. 55.—Persia.  
*petiolaris*, Benth. Pl. Hartw. 55 = polymorpha.  
*petiolaris*, Boiss. & Reut. Diagn. Ser. I. xii. 120 = lusitanica.  
*petiolata*, Schur, in Oestr. Bot. Wochenbl. vii. (1857) 18 = Q. Robur.  
*Pfaffingeri*, Kotschy, Eichen, t. 23 = lusitanica.  
*phellodrys*, Link, ex Steud. Nom. ed. I. 674; II. ii. 427, nomen.—Hab.?  
*Phellos*, Linn. Sp. Pl. 994.—Am. bor.  
*philippinensis*, A. DC. in DC. Prod. xvi. 11. 97 = lineata?  
*phillyraeoides*, A. Gray, in Mem. Am. Acad. N. S. vi. (1858-59) 406.—Japan.  
*Phyllata*, Buch.-Ham. ex D. Don, Prod. Fl. Nep. 57 = glauca.  
*Pinanga*, Blume, Mus. Bot. Lugd. Bat. i. 303 (sp. dub.).—Java.  
*pinnatifida*, Franch. & Sav. Enum. Pl. Jap. ii. 497.—Japan.  
*pinnatifida*, C. C. Gmel. Fl. Bad. iv. 673 = Q. Robur.  
*pinnatifida*, Vukot. in Rad Jugos. Acad. Zagreb. xxii. 1872 (1873) 12 = Q. Robur?  
*pinnatifida*, C. Koch, in Linnaea, xxii. (1849) 326 = Q. Robur.  
*placentaria*, Blume, Bijdr. 518 = spicata.  
*placentaria*, Wall. Cat. n. 2779 = cyclophora.  
*platycarpa*, Blume, Fl. Fav. Cupulif. 27. t. 15.—Java.  
*plumbea*, Blume, Mus. Bot. Lugd. Bat. i. 293 (sp. dub.).—Sumatra.  
*polyantha*, Lindl. in Wall. Cat. n. 2771 = serrata.  
*polycarpa*, Schur, in Verh. Siebenb. Ver. Naturw. ii. (1851) 174 = Q. Robur.  
*polycarpus*, Kotschy, ex A. DC. in DC. Prod. xvi. 11. 18 = lusitanica.  
*polymorpha*, Schlecht. & Cham. in Linnaea, v. (1830) 78.—Mexic.  
*polyneura*, Miq. Pl. Jungh. 11 = lineata.  
*polystachya*, Wall. Cat. n. 2789.—Burma.  
*pontica*, C. Koch, in Linnaea, xxii. (1849) 319.—As. Min.  
*prasina*, Bosc, ex Endl. Suppl. iv. 11. 25 = humilis.  
*prasina*, Pers. Syn. ii. 568 = Q. Ilex.  
*prinodes*, Voigt, Hort. Suburb. Calc. 277 = Castanopsis indica.  
*prinoides*, Rafin. Alsog. Am. 22 (Quid?).—Am. bor.  
*prinoides*, Willd. Sp. Pl. iv. 440 = Q. Prinus.  
*Prinus*, M. A. Curt. in Rep. Geol. Surv. N. Carol. (1880) 33, partim = Michauxii.  
*Prinus*, Linn. Sp. Pl. 995.—Am. bor.  
*pruinosa*, Blume, in Verh. Batav. Gen. ix. (1825) 217.—Java.  
*pruinosa*, Mor. ex A. DC. in DC. Prod. xvi. 11. 86 = Q. Pseudo-molucca.  
*Pseudo-alex*, Chatin, in Bull. Soc. Bot. Fr. xvi. (1869) 22.—Europ.  
*Pseudo-aegilops*, Petz. Arb. Muscav. 627 = Q. Robur.  
*Pseudo-annulata*, Blume, Mus. Bot. Lugd. Bat. i. 299 = Teysmannii.  
*Pseudo-cerris*, Boiss. Diagn. Ser. I. xii. 118 = Q. Cerris.  
*Pseudo-coccifera*, Desf. Fl. Atlant. ii. 349.—Reg. Mediterr.  
*Pseudo-coccifera*, Labill. Ic. Pl. Syr. Dec. v. 9. t. 6 = coccifera.  
*Pseudo-dchorochensis*, Boiss. Fl. Orient. iv. 1165 = Q. Robur.  
*Pseudo-molucca*, Blume, in Verh. Batav. Gen. ix. (1825) 214.—Java.

## QUERCUS:—

- Pseudo-molucca*, Mor. ex A. DC. in DC. Prod. xvi. 11. 85 = spicata.  
*Pseudo-peduncula*, Vukot. in Rad Jugos. Akad. Zagreb. xlv. (1878) 209 = Q. Robur.  
*Pseudo-sessilis*, Schur, Enum. Pl. Transs. 608 = Q. Robur.  
*Pseudo-suber*, Santi, Viag. Tosc. i. 156. t. 3; Desf. Fl. Atlant. ii. 348.—Europ.  
*Pseudo-tscharakensis*, Kotschy, ex A. DC. in DC. Prod. xvi. 11. 8 = Q. Robur.  
*pubescens*, Brot. Fl. Lusit. ii. 31 = Q. Toza.  
*pubescens*, Szovits, ex A. DC. in DC. Prod. xvi. 11. 13 = castaneaefolia.  
*pubescens*, Willd. Berl. Baumz. 279 = Q. Robur.  
*pubinervis*, Mart. & Gal. in Bull. Acad. Brux. x. 11. (1843) 211.—Mexic.  
*pulchella*, Humb. & Bonpl. Pl. Aequin. ii. 44. t. 88.—Mexic.  
*pulverulenta*, Hort. ex C. Koch, Dendrol. ii. 11. 28 = Q. Robur.  
*pumila*, Michx. Fl. Bor. Am. ii. 196 = Q. Prinus.  
*pumila*, Walt. Fl. Carol. 234 = Q. Phellos.  
*pungens*, Liebm. in Overs. Danske Vidensk. Selsk. Forh. (1854) 171 = grisea.  
*purpurea*, Lodd. ex Loud. Arboret. iii. 1735 = Q. Robur.  
*Pyrami*, Kotschy, Eichen, t. 3 = Q. Aegilops.  
*pyramidalis*, C. C. Gmel. Fl. Bad. iii. 699 = Q. Robur.  
*pyrenaica*, Stev. in Mém. Soc. Nat. Mosc. iv. (1813) 70 = Q. Robur.  
*pyrenaica*, Willd. Sp. Pl. iv. 451 = Q. Toza.  
*pyrifolia*, Blume, Mus. Bot. Lugd. Bat. i. 304 = spicata.  
*Quexigo*, Cook, ex Willk. & Lange, Prod. Fl. Hisp. i. 240 = lusitanica.  
*quinguloba*, Engelm. in Trans. Acad. Sc. St. Louis, iii. (1878) 542 = nigra.  
*racemosa*, Jack, in Malay. Misc. ii. (1822) n. vii. 86 = spicata.  
*racemosa*, Lam. Encyc. i. 715 = Q. Robur.  
*Ragnal*, Lodd. Cat. ex Loud. Arboret. iii. 1849 = Q. Cerris.  
*Raineri*, Béreng. Guir. Forest. t. 1; ex Pritz. Ic. Ind. ii. 238.—Hab.?  
*Rajah*, Hance, in Journ. Bot. xvi. (1878) 198.—Malaya.  
*Ransomi*, Kellogg, in Proc. Calif. Acad. ed. II. i. (1873) 23 = lobata.  
*Rassa*, Miq. Fl. Ind. Bat. Suppl. 350.—Malaya.  
*Ravenscroftiana*, A. Murr. in Gard. Chron. (1866) 1018 (sp. dub.).—Am. austr.  
*Raynal*, C. Koch, Dendrol. ii. 11. 77 = Q. Cerris.  
*recurvans*, Kotschy, ex A. DC. in DC. Prod. xvi. 11. 56 = coccifera.  
*regalis*, Burnet, ex Endl. Gen. Suppl. iv. 11. 24 = Q. Robur.  
*regia*, Lindl. Bot. Reg. (1840) Misc. 41 = Libani.  
*Reinwardtii*, Korth. Verh. Nat. Gesch. Bot. 211.—Sumatra.  
*repanda*, Benth. Pl. Hartw. 55 = microphylla.  
*repanda*, Humb. & Bonpl. Pl. Aequin. ii. 31. t. 79.—Mexic.  
*repanda*, Michx. Hist. Chênes Am. t. 5 = alba.  
*resinosa*, Liebm. in Overs. Danske Vidensk. Selsk. Forh. (1854) 182 = magnoliaefolia.  
*reticulata*, Humb. & Bonpl. Pl. Aequin. ii. 40. t. 86.—Am. bor. occ.  
*retusa*, Liebm. in Overs. Danske Vidensk. Selsk. Forh. (1854) 187 = virginiana.  
*retusa*, Rafin. Alsog. Am. 22 (Quid?).—Am. bor.  
*reversa*, Benth. in Hook. Kew Journ. vi. (1854) 112 = thalassica.  
*rhamnifolia*, Miq. Fl. Ind. Bat. i. 1. 853 = Castanopsis rhamnifolia.  
*rhioënsis*, Hance, in Journ. Bot. xvi. (1878) 198 = spicata.  
*Richardii*, Bosc, in Mém. Inst. Par. [viii.] (1807) 326.—Hispan.  
*rigida*, C. Koch, ex A. DC. in DC. Prod. xvi. 11. 18 = lusitanica.  
*rigida*, Willd. Sp. Pl. iv. 434 = coccifera.  
*Robur*, Asso, Syn. Stirp. Arag. 136 = Q. Toza.  
*Robur*, Linn. Sp. Pl. 996.—Europ.; As. occ.  
*Robur*, Pall. Fl. Ross. ii. 3 = mongolica.  
*rosacea*, Bechst. Forstbot. ed. V. 210 = Q. Robur.  
*rostrata*, Vukot. in Rad Jugos. Akad. Zagreb. li. 1880) 17 (Quid?).—Europ.



## QUERCUS:—

- rotundata, Blume, in *Verh. Batav. Gen.* ix. (1825) 219.—Java.  
*rotundifolia*, Lam. *Encyc.* i. 723 = Q. Ilex.  
*Roxburghii*, Endl. *Gen. Suppl.* iv. II. 28 = serrata.  
*rubens*, Petz. & Kirch. *Arb. Muscav.* 629 = Q. Robur.  
*rubra*, Benth. *Pl. Hartw.* 337 = Kelloggii.  
*rubra*, Linn. *Sp. Pl.* 996.—Am. bor.  
*rubra*, Rugel, ex A. DC. in *DC. Prod.* xvi. II. 63 = nigra.  
*Rudkini* x, Britton, in *Bull. Torrey Bot. Club*, ix. (1882) tt. 10-12.—Am. bor.  
*rugosa*, Née, in *Anal. Cienc. Nat.* iii. (1801) 275 = crassifolia.  
*rugulosa*, Mart. & Gal. in *Bull. Acad. Brux.* x. II. (1843) 209.—Mexic.  
*rumelica*, Griseb. & Schenk, in *Wieg. Archiv*, xviii. (1852) 353, in obs. = Q. Robur.  
*runcinata*, Engelm. in *Trans. Acad. Sc. St. Louis*, iii. (1878) 542 = rubra.  
*Sada*, [Mast. in] *Gard. Chron.* (1875) II. 685 = rubra?  
*Sadleriana*, R. Br. *Campst. in Ann. & Mag. Nat. Hist.* Ser. IV. vii. (1871) 249.—Am. bor. occ.  
*salicifolia*, Benth. *Pl. Hartw.* 56 = tlapuxahuensis.  
*salicifolia*, Hort. ex Steud. *Nom. ed.* II. ii. 428 = Q. Robur.  
*salicifolia*, Née, in *Anal. Cienc. Nat.* iii. (1801) 265.—Mexic.  
*salicina*, Blume, *Mus. Bot. Lugd. Bat.* i. 305.—Japon.  
*Salsmanniana*, Webb, *Iter Hisp.* 12 = lusitanica.  
*San-Sabeana*, Buckley, in *Young, Bot. Texas*, 507; ex Sargent, *Rep. For. N. Am.* (U. St. 10th Census, ix.) 145 = Durandii.  
*sapotaefolia*, Liebm. in *Overs. Danske Vidensk. Selsk. Forh.* (1854) 185.—Guatemala.  
*Sartorii*, Botteri, ex A. DC. in *DC. Prod.* xvi. II. 66 = acutifolia.  
*Sartorii*, Liebm. in *Overs. Danske Vidensk. Selsk. Forh.* (1854) 185.—Guatemala.

## QUERCUS:—

- sinuata*, Martr. & Timb. in *Bull. Soc. Bot. Fr.* xi. (1864) p. xi = Q. Ilex.  
*sinuata*, Walt. *Fl. Carol.* 235 = alba?  
*Sirokasi*, Siebold, in *Verh. Batav. Gen.* xii. (1830) 26.—Japon.  
*Skinneri*, Benth. *Pl. Hartw.* 90.—Mexic.  
*Smilax*, Linn. *Sp. Pl.* 994 = Q. Ilex.  
*sonchifolia*, Booth, ex Petz. & Kirch. *Arb. Muscav.* 658 (Quid?)—Hab.?  
*sonomensis*, Benth. ex A. DC. in *DC. Prod.* xvi. II. 62 = Kelloggii.  
*sororia*, Liebm. in *Overs. Danske Vidensk. Selsk. Forh.* (1854) 175.—Mexic.  
*sphacelata*, Blume, *Mus. Bot. Lugd. Bat.* i. 304 (sp. dub.)—Java.  
*sphaerocarpa*, Vukot. in *Schloss. & Vukot. Bilinar*, 472 = Q. Robur.  
*spicata*, Humb. & Bonpl. *Pl. Aequin.* ii. 46. t. 89 = reticulata.  
*spicata*, Sm. in *Rees, Cycl.* xxix. n. 12.—Reg. Himal.; Malaya.  
*spinulosa*, Mart. & Gal. in *Bull. Acad. Brux.* x. II. (1843) 218 = crassifolia.  
*splendens*, Née, in *Anal. Cienc. Nat.* iii. (1801) 275.—Mexic.  
*squamata*, Roxb. *Hort. Beng.* 68; *Fl. Ind.* iii. 638 = spicata.  
*squarrosa*, Kotschy, ex A. DC. in *DC. Prod.* xvi. II. 108.—Syria.  
*stellata*, Wangenh. *Forstw.* 78. t. 6. f. 15 = obtusiloba.  
*stipularis*, Humb. & Bonpl. *Pl. Aequin.* ii. 47. t. 90 = splendens.  
*stolonifera*, Lapeyr. *Hist. Abr. Pl. Pyr.* 582 = Q. Toza.  
*Streimeri*, Heuff. ex Freyn, in *Verh. Zool.-Bot. Ges. Wien*, xxvii. (1878) 422 = Q. Robur.  
*striata*, Siebold, ex André, in *Illustr. Hort.* xvii. (1870) 242. t. 44.—Japon.  
*striosa*, Wierz. ex Rachel. *Bot. Reise Repert.* 72 (O-12)

## QUERCUS:—

- Thirkeana*, C. Koch, in *Linnaea*, xix. (1847) 14 = lusitanica.  
*Thomasii*, Tenore, *Ind. Sem. Hort. Neap.* (1825) 11. n. 21 = Q. Robur.  
*Thomsoni*, Miq. *Ann. Mus. Bot. Lugd. Bat.* i. 109.—Reg. Himal.  
*Thomsoniana*, A. DC. in *DC. Prod.* xvi. II. 98 = lineata.  
*tinctoria*, Bartr. *Trav. ed.* II. (1794) 37; Michx. *Hist. Chênes Am.* tt. 24, 25 = discolor.  
*tlapuxahuensis*, A. DC. in *DC. Prod.* xvi. II. 29.—Mexic.  
*tolimensis*, Humb. & Bonpl. *Pl. Aequin.* ii. 153. t. 129.—N. Granat.  
*tomentella*, Engelm. in *Trans. Acad. Sc. St. Louis*, iii. (1878) 393.—Calif.  
*tomentosa*, Ehrh. ex A. DC. in *DC. Prod.* xvi. II. 6 = Q. Robur.  
*tomentosa*, Willd. *Sp. Pl.* iv. 437.—Mexic.  
*Tommasini*, Kotschy, ex Vis. *Fl. Dalm. Suppl.* 45 = Q. Robur.  
*torulosa*, Vukot. in *Rad Jugos. Akad. Zagreb.* ii. (1880) 14 (Quid?)—Europ.  
*Tosa*, Loisel. in *Duham. Arb. ed. Nov.* vii. 179 = Q. Toza.  
*totutlensis*, A. DC. in *DC. Prod.* xvi. II. 62.—Mexic.  
*Tournefortii*, Willd. *Sp. Pl.* iv. 453 = Q. Cerris.  
*Toza*, Gillet, ex Bosc, in *Lam. Journ. Hist. Nat.* ii. (1792) 115. t. 2. f. 3.—Europ. austr.  
*Toza*, Griseb. *Spicil. Fl. Rumel.* ii. 337 = Q. Robur.  
*tribuloides*, Sm. in *Rees, Cycl.* xxix. n. 13 = Castanopsi tribuloides.  
*tricolor*, Hort. ex Petz. & Kirch. *Arb. Muscav.* 624 = Q. Robur.  
*tridens*, Humb. & Bonpl. *Pl. Aequin.* ii. 35. t. 82 = Q. Castanea.  
*tridentata*, Engelm. ex A. DC. in *DC. Prod.* xvi. II. 64 = nigra.  
*tridentata*, Michx. in *st. Chênes Am.* t. 26 = falcata.  
*overs. Danske Vidensk. Selsk. Forh.* Castanea.  
*ex A. DC. in DC. Prod.* xvi. II. 46  
*Loud. Gard. Mag.* xv. (1839) 590;  
*Illustr. i. t. 57 A = Q. Aegilops.*  
*in Overs. Danske Vidensk. Selsk.*  
*= polymorpha.*  
*Bijdr. 523 = lineata.*  
*Linnaea*, xxxii. (1863) 353 =  
*in Overs. Danske Vidensk. Selsk.*  
*= guatemalensis.*  
*ort. Beng. 68; Fl. Ind. iii. 636 =*  
*DC. in DC. Prod.* xvi. II. 43 =  
*m. Hort. Berol. 975 = lusitanica.*  
*fus. Bot. Lugd. Bat. i. 300, sphalm.*  
*Forstw. 80. t. 6 = nigra.*  
*n Journ. Bot. xii. (1874) 241 =*  
*Suppl. iv. II. 26 = calophylla.*  
*Hartw. 81 = Benthami.*  
*in Trans. Acad. Sc. St. Louis,*  
*iii. (1878) 392, partim = Durandii.*  
*undulata*, Kit. in *Linnaea*, xxxii. (1863) 354 (Reliq. Kitaib. 110) = Q. Robur.  
*undulata*, C. Koch, l. c. xix. (1847) 14 = lusitanica.  
*undulata*, Torr. in *Ann. Lyc. N. York*, ii. (1828) 248. t. 4.—Am. bor. occ.  
*Ungeri*, Kotschy, Eichen, t. 13 = Q. Aegilops.  
*urceolaris*, Jack, in *Malay. Misc.* ii. (1822) VII. 87.—Sumatra.  
*urticaefolia*, Blume, *Mus. Bot. Lugd. Bat.* i. 296.—China; Japon.  
*uvariifolia*, Hance, in *Journ. Bot.* xxii. (1884) 227.—China.  
*vaccinifolia*, Kellogg, in *Proc. Calif. Acad.* ed. II. i. (1873) 106 = chrysolepis.  
*valentina*, Cav. Ic. ii. 25 = lusitanica.  
*valentina*, Lam. ex Steud. *Nom. ed.* I. 675 = discolor.  
*valida*, Kotschy, ex A. DC. in *DC. Prod.* xvi. II. 55 = coccifera.  
*Vallonea*, A. DC. l. c. 45 = Q. Aegilops.  
*Vallonea*, Kotschy, Eichen, t. 7 = Q. Cerris.  
*variabilis*, Blume, *Mus. Bot. Lugd. Bat.* i. 297.—Japon.

Mr. Hillier

You can safely retain the  
 distinctive name of Q. Ruber  
 for the cork oak

W.R.H.  
 27.11.55

Reduce it

- serrata*, Thunb. *Fl. Jap.* 176.—Reg. Himal.; China; Japon.  
*serratifolia*, Benth. ex Petz. & Kirch. *Arb. Muscav.* 632 = Libani?  
*sessiliflora*, Salisb. *Prod.* 392 = Q. Robur.  
*sessilifolia*, Blume, *Mus. Bot. Lugd. Bat.* i. 305 (sessifolia).—Japon.  
*sessilis*, Ehrh. *Beitr.* v. 161 = Q. Robur.  
*setifera*, Hort.—Cf. *Gard. Chron.* (1874) I. 726; et ex T. Moore, in *Flor. & Pomol.* (1875) 199. f. 8.—Japon.  
*Shumardii*, Buckl. in *Proc. Acad. Sc. Philad.* 1860 (1861) 444 = discolor?  
*Sibthorpian*, Kotschy, ex Boiss. *Fl. Orient.* iv. 1169 = coccifera.  
*sideroxylla*, Humb. & Bonpl. *Pl. Aequin.* ii. 39. t. 85.—Mexic.  
*Sieboldiana*, Blume, *Mus. Bot. Lugd. Bat.* i. 290 = thalassica.  
*silvicularum*, Hance, in *Journ. Bot.* xxii. (1884) 229.—China.

- tardiflora*, Czern. ex Stev. in *Bull. Soc. Nat. Mosc.* xxx. (1857) I. 385 = Q. Robur.  
*tauricola*, Kotschy, Eichen, t. 10 = lusitanica.  
*Tauza*, Desf. *Tabl. ed.* II. 245 = Q. Toza.  
*Tausin*, Pers. *Syn.* ii. 571 = Q. Toza.  
*Tchihatcheffii*, Kotschy, ex A. DC. in *DC. Prod.* xvi. II. 48 = seq.  
*Tchihatchewi*, Kotschy, in *Tchihat. Asie Min. Bot.* ii. 468 = Libani.  
*Tema*, Buch.-Ham. ex Wall. *Cat. n.* 3733 = lanceaefolia.  
*Tennesi*, Hort. ex Wesmael, in *Bull. Congr. Bot. Brux.* (1864) 275 = Q. Robur.  
*tenuicula*, Boiss. *Fl. Orient.* iv. 1167, in syn. sphalm. = tauricola.  
*texana*, Buckl. in *Proc. Acad. Sc. Philad.* 1860 (1861) 444 = rubra.  
*Teysmannii*, Blume, *Mus. Bot. Lugd. Bat.* i. 300 (Tysmannii).—Java; Sumatra.  
*thalassica*, Hance, in *Hook. Kew Journ.* i. (1849) 176.—China.  
*thelecarpa*, Miq. *Pl. Jungh* 9 = Q. Pseudo-molucca.

**QUERCUS:—**

- Novi-Orleani*, Petz. & Kirchn. Arb. Muscav. 656 = aquatica.  
*nudinerwis*, Liebm. in Overs. Danske Vidensk. Selsk. Forh. (1854) 182 = obtusata.  
*oajacana*, Liebm. l. c. 178.—Mexic.  
*oblonga*, Hort. ex C. Koch, Dendrol. ii. 11. 56 = Q. Ilex.  
*oblongata*, D. Don, Prod. Fl. Nep. 57 = incana?  
*oblongifolia*, R. Br. Campst. in Ann. & Mag. Nat. Hist. Ser. IV. vii. (1871) 252 = chrysoplepis?  
*oblongifolia*, Torr. in Sitgreaves, Rep. 173. t. 19.—Calif.; N. Mexic.  
*obovata*, Bunge, Enum. Pl. Chin. Bor. 62.—China.  
*obtecta*, Poir. Encyc. Suppl. ii. 182.—China.  
*obtusa*, Sargent, Rep. For. N. Am. (U. St. 10th Census, ix.) 152, in syn. = laurifolia.  
*obtusata*, Humb. & Bonpl. Pl. Aequin. ii. 26. t. 76.—Mexic.  
*obtusifolia*, D. Don, Prod. Fl. Nep. 56 = semecarpifolia.  
*obtusiloba*, Michx. Hist. Chênes Am. t. 1.—Am. bor.  
*occidentalis*, J. Gay, in Ann. Sc. Nat. Sér. IV. vi. (1856) 243.—Europ. austr.  
*ocoteaefolia*, Liebm. in Overs. Danske Vidensk. Selsk. Forh. (1854) 176 = nitens.  
*ocrea*, Jungh. ex Miq. Fl. Ind. Bat. i. 1. 937 (= *Lepidadenia sumatrana*).—Sumatra.  
*Oerstediana*, R. Br. Campst. in Ann. & Mag. Nat. Hist. Ser. IV. vii. (1871) 250 = Garriana.  
*oidocarpa*, Korth. Verh. Nat. Gesch. Bot. 216. t. 47. f. 18.—Malaya.  
*oleoides*, Schlecht. & Cham. in Linnaea, v. (1830) 79 = virginiana.  
*oligodes*, Rafin. Alsog. Am. 28 (Quid?).—Am. bor.  
*oligoneura*, Korth. Verh. Nat. Gesch. Bot. 203 (sp. dub.).—Sumatra.  
*olivaeformis*, Michx. f. Hist. Arb. Am. ii. 32. t. 2 = macrocarpa.  
*olla*, Kurz, in Journ. As. Soc. Beng. xlv. (1875) 11. 197 (sp. dub.).—Assam.  
*omalokos*, Korth. Verh. Nat. Gesch. Bot. 216. t. 47. f. 18.—Malaya.  
*omissa*, A. DC. in DC. Prod. xvi. 1.  
*ocarpa*, Liebm. in Overs. Dansl. Forh. (1854) 184 = Warszewiczii.  
*oogyne*, Miq. Fl. Ind. Bat. Suppl.  
*oophora*, Kotschy, Eichen, t. 26 = I.  
*Ouizabae*, Liebm. in Overs. Dan. Forh. (1854) 189.—Mexic.  
*ovalifolia*, Bosc, ex Pers. Syn. ii. 5.  
*ovalis*, Blanco, Fl. Filip. ed. II. 5.  
*oxyadenia*, Torr. in Sitgreaves, Rep. 173. t. 19.—Calif.; N. Mexic.  
*oxycarpa*, Vukot. in Rad Jugos. Akad. Zagreb. xxii. (1872) 11.—Europ.  
*oxyodon*, Miq. Ann. Mus. Bot. I. lineata.  
*oxyrhyncha*, Miq. Fl. Ind. Bat. Su. pachyphylla, Kurz, in Journ. As. Soc. Beng. xlv. (1875) 11. 197.—Reg. Himal.  
*Pagoda*, Rafin. Alsog. Am. 23 (Q).  
*palaestina*, Kotschy, Eichen, t. 19.  
*paleacea*, Desv. Journ. Bot. i. (181).  
*pallida*, Blume, Bijdr. 524.—Java.  
*pallida*, Heuff. in Oestr. Bot. 2. 28; et in Verh. Zool.-Bot. Ges. Q. Robur.  
*palmata*, Vukot. in Rad Jugos. Akad. Zagreb. xxii. (1872) 11.—Europ.  
*Palmeri*, Engelm. in Trans. Acad. Sc. St. Louis, iii. (1878) 393.—Calif.  
*paludosa*, Hort. ex Petz. Arb. Muscav. 646 = bicolor.  
*palustris*, Du Roi, Harbk. Baumz. ii. 268. t. 5. f. 4.—Am. bor.  
*palustris*, Rugel, ex A. DC. in DC. Prod. xvi. 11. 62 = coccinea.  
*palustris*, Torr. & Gray, in Pacif. Rail. Rep. ii. 175 = rubra.  
*pandurata*, Humb. & Bonpl. Pl. Aequin. ii. 28 = obtusata.  
*pandurata*, Rafin. Alsog. Am. 21.—Am. bor.  
*pannonica*, Hort. ex Endl. Gen. Suppl. iv. 11. 24 = Q. Farnetto.  
*pannosa*, Bosc, ex A. DC. in DC. Prod. xvi. 11. 21 = bicolor.  
*Parmenteria*, Hort. Soulang. ex Mutel, Fl. Fr. iii. 204 = Q. Robur.

**QUERCUS:—**

- paucilamellosa*, A. DC. in DC. Prod. xvi. 11. 101 = lamellosa.  
*pectinata*, Hort. ex C. Koch, Dendrol. ii. 11. 27 = Q. Robur.  
*pedemontana*, Colla, Herb. Pedem. v. 185 = Q. Robur.  
*peduncularis*, Née, in Anal. Cienc. Nat. iii. (1801) 270 = tomentosa.  
*pedunculata*, Ehrh. Beitr. v. 161 = Q. Robur.  
*pedunculata*, Née, ex A. DC. in DC. Prod. xvi. 11. 33 = tomentosa.  
*pedunculiflora*, C. Koch, in Linnaea, xxii. (1849) 324 = Q. Robur.  
*penangensis*, Miq. Fl. Ind. Bat. i. 1. 859 = cyclophora.  
*pendula*, Lodd. Cat. (1836) ex Loud. Arboret. iii. 1732 = Q. Robur.  
*pendulina*, Kit. in Schult. Oester. Fl. ed. II. i. 620 = Q. Robur.  
*perseaeefolia*, Liebm. in Overs. Danske Vidensk. Selsk. Forh. (1854) 188 = elliptica.  
*persica*, Faub. & Spach, Illustr. i. 109. t. 55.—Persia.  
*petiolaris*, Benth. Fl. Hartw. 55 = polymorpha.  
*petiolaris*, Boiss. & Reut. Diagn. Ser. I. xii. 120 = lusitanica.  
*petiolata*, Schur, in Oestr. Bot. Wochenbl. vii. (1857) 18 = Q. Robur.  
*Pfaeffingeri*, Kotschy, Eichen, t. 23 = lusitanica.  
*phellodrys*, Link, ex Steud. Nom. ed. I. 674; II. ii. 427, nomen.—Hab.?  
*Phellos*, Linn. Sp. Pl. 994.—Am. bor.  
*philippinensis*, A. DC. in DC. Prod. xvi. 11. 97 = lineata?  
*phillyraeoides*, A. Gray, in Mem. Am. Acad. N. S. vi. (1858-59) 406.—Japan.  
*Phyllata*, Buch.-Ham. ex D. Don, Prod. Fl. Nep. 57 = glauca.  
*Pinanga*, Blume, Mus. Bot. Lugd. Bat. i. 303 (sp. dub.).—Java.  
*pinnatifida*, Franch. & Sav. Enum. Pl. Jap. ii. 497.—Japan.  
*pinnatifida*, C. C. Gmel. Fl. Bad. iv. 673 = Q. Robur.
- (1880) 33, partim = Michauxii.  
*Prinus*, Linn. Sp. Pl. 995.—Am. bor.  
*pruinosa*, Blume, in Verh. Batav. Gen. ix. (1825) 217.—Java.  
*pruinosa*, Mor. ex A. DC. in DC. Prod. xvi. 11. 86 = Q. Pseudo-molucca.  
*Pseudo-ilex*, Chatin, in Bull. Soc. Bot. Fr. xvi. (1869) 22.—Europ.  
*Pseudo-aegilops*, Petz. Arb. Muscav. 627 = Q. Robur.  
*Pseudo-annulata*, Blume, Mus. Bot. Lugd. Bat. i. 299 = Teysmannii.  
*Pseudo-cerris*, Boiss. Diagn. Ser. I. xii. 118 = Q. Cerris.  
*Pseudo-coccifera*, Desf. Fl. Atlant. ii. 349.—Reg. Mediterr.  
*Pseudo-coccifera*, Labill. Ic. Pl. Syr. Dec. v. 9. t. 6 = coccifera.  
*Pseudo-dchorochensis*, Boiss. Fl. Orient. iv. 1165 = Q. Robur.  
*Pseudo-molucca*, Blume, in Verh. Batav. Gen. ix. (1825) 214.—Java.

**QUERCUS:—**

- Pseudo-molucca*, Mor. ex A. DC. in DC. Prod. xvi. 11. 85 = spicata.  
*Pseudo-peduncula*, Vukot. in Rad Jugos. Akad. Zagreb. xlv. (1878) 209 = Q. Robur.  
*Pseudo-sessilis*, Schur, Enum. Pl. Transs. 608 = Q. Robur.  
*Pseudo-suber*, Santi, Viag. Tosc. i. 156. t. 3; Desf. Fl. Atlant. ii. 348.—Europ.  
*Pseudo-tscharakensis*, Kotschy, ex A. DC. in DC. Prod. xvi. 11. 8 = Q. Robur.  
*pubescens*, Brot. Fl. Lusit. ii. 31 = Q. Toza.  
*pubescens*, Szovits, ex A. DC. in DC. Prod. xvi. 11. 13 = castaneaefolia.  
*pubescens*, Willd. Berl. Baumz. 279 = Q. Robur.  
*pubinervis*, Mart. & Gal. in Bull. Acad. Brux. x. 11. (1843) 211.—Mexic.  
*pulchella*, Humb. & Bonpl. Pl. Aequin. ii. 44. t. 88.—Mexic.  
*pulverulenta*, Hort. ex C. Koch, Dendrol. ii. 11. 28 = Q. Robur.  
*pumila*, Michx. Fl. Bor. Am. ii. 196 = Q. Prinus.  
*pumila*, Walt. Fl. Carol. 234 = Q. Phellos.  
*pungens*, Liebm. in Overs. Danske Vidensk. Selsk. Forh. (1854) 171 = grisea.  
*purpurea*, Lodd. ex Loud. Arboret. iii. 1735 = Q. Robur.  
*Pyrami*, Kotschy, Eichen, t. 3 = Q. Aegilops.  
*pyramidalis*, C. C. Gmel. Fl. Bad. iii. 699 = Q. Robur.  
*pyrenaica*, Stev. in Mém. Soc. Nat. Mosc. iv. (1813) 70 = Q. Robur.  
*pyrenaica*, Willd. Sp. Pl. iv. 451 = Q. Toza.  
*pyrifolia*, Blume, Mus. Bot. Lugd. Bat. i. 304 = spicata.  
*Quexigo*, Cook, ex Willk. & Lange, Prod. Fl. Hisp. i. 240 = lusitanica.  
*quingueloba*, Engelm. in Trans. Acad. Sc. St. Louis, iii. (1878) 542 = nigra.  
*racemosa*, Jack, in Malay. Misc. ii. (1822) n. VII. 86 = spicata.  
*racemosa*, Lam. Encyc. i. 715 = Q. Robur.
- Am. bor. occ.  
*retusa*, Liebm. in Overs. Danske Vidensk. Selsk. Forh. (1854) 187 = virginiana.  
*retusa*, Rafin. Alsog. Am. 22 (Quid?).—Am. bor.  
*reversa*, Benth. in Hook. Kew Journ. vi. (1854) 112 = thalassica.  
*rhamnifolia*, Miq. Fl. Ind. Bat. i. 1. 853 = Castanopsis rhamnifolia.  
*rhiocensis*, Hance, in Journ. Bot. xvi. (1878) 198 = spicata.  
*Richardii*, Bosc, in Mém. Inst. Par. [viii.] (1807) 326.—Hispan.  
*rigida*, C. Koch, ex A. DC. in DC. Prod. xvi. 11. 18 = lusitanica.  
*rigida*, Willd. Sp. Pl. iv. 434 = coccifera.  
*Robur*, Asso, Syn. Stirp. Arag. 136 = Q. Toza.  
*Robur*, Linn. Sp. Pl. 996.—Europ.; As. occ.  
*Robur*, Pall. Fl. Ross. ii. 3 = mongolica.  
*rosacea*, Bechst. Forstbot. ed. V. 210 = Q. Robur.  
*rostrata*, Vukot. in Rad Jugos. Akad. Zagreb. li. 1880 17 (Quid?).—Europ.

## QUERCUS:—

- rotundata, *Blume, in Verh. Batav. Gen. ix.* (1825) 219.—Java.  
*rotundifolia*, Lam. *Encyc. i.* 723 = *Q. Ilex*.  
*Roxburghii*, Endl. *Gen. Suppl. iv. ii.* 28 = *serrata*.  
*rubens*, Petz. & Kirchn. *Arb. Muscav.* 629 = *Q. Robur*.  
*rubra*, Benth. *Pl. Hartw.* 337 = Kelloggii.  
*rubra*, Linn. *Sp. Pl.* 996.—Am. bor.  
*rubra*, Regel, ex A. DC. in DC. *Prod. xvi. ii.* 63 = *nigra*.  
*Rudkini* ×, Britton, in Bull. Torrey Bot. Club, ix. (1882) tt. 10–12.—Am. bor.  
*rugosa*, Née, in Anal. Cienc. Nat. iii. (1801) 275 = *crassifolia*.  
*rugulosa*, Mart. & Gal. in Bull. Acad. Brux. x. ii. (1843) 209.—Mexico.  
*rumelica*, Griseb. & Schenk, in Wieg. Archiv, xviii. (1852) 353, in obs. = *Q. Robur*.  
*runcinata*, Engelm. in Trans. Acad. Sc. St. Louis, iii. (1878) 542 = *rubra*.  
*Sada*, [Mast. in] Gard. Chron. (1875) ii. 685 = *rubra*?  
*Sadleriana*, R. Br. *Campst. in Ann. & Mag. Nat. Hist. Ser. IV. vii.* (1871) 249.—Am. bor. occ.  
*salicifolia*, Benth. *Pl. Hartw.* 56 = *tlapuxahuensis*.  
*salicifolia*, Hort. ex Steud. *Nom. ed. II. ii.* 428 = *Q. Robur*.  
*salicifolia*, Née, in Anal. Cienc. Nat. iii. (1801) 265.—Mexico.  
*salicina*, *Blume, Mus. Bot. Lugd. Bat. i.* 305.—Japan.  
*Salzmanniana*, Webb, *Iter Hisp.* 12 = *lusitanica*.  
*San-Sabana*, Buckley, in Young, Bot. Texas, 507; ex Sargent, Rep. For. N. Am. (U. St. 10th Census, ix.) 145 = *Durandii*.  
*sapotaeifolia*, Liebm. in Overs. Danske Vidensk. Selsk. Forh. (1854) 185.—Guatemala.  
*Sartorii*, Botteri, ex A. DC. in DC. *Prod. xvi. ii.* 66 = *acutifolia*.  
*Sartorii*, Liebm. in Overs. Danske Vidensk. Selsk. Forh. (1854) 177.—Mexico.  
*sclerophylla*, Lindl. & Paxt. *Flow. Gard. i.* (1850–51) 59. t. 37.—China.  
*scolopendrifolia*, Hort. ex C. Koch, *Dendrol. ii. ii.* 28 = *Q. Robur*.  
*scyphigera*, Hance, in *Journ. Bot. xvi.* (1878) 199.—Ins. Banca.  
*scytophylla*, Liebm. in Overs. Danske Vidensk. Selsk. Forh. (1854) 180.—Mexico.  
*Secondati*, Steud. *Nom. ed. I.* 674 = *Q. Cerris*.  
*Seemannii*, Liebm. in Overs. Danske Vidensk. Selsk. Forh. (1854) 188.—Am. austr.  
*segoviensis*, Liebm. l. c. 186.—Nicaragua.  
*semecarpifolia*, Sm. in Rees, *Cycl. xxix. n.* 20.—Reg. Himal.  
*semiserrata*, Roxb. *Hort. Beng.* 68; *Fl. Ind. iii.* 641.—Reg. Himal.  
*sempervirens*, Mill. *Gard. Dict. ed. VIII. n.* 3 = *Q. Ilex*.  
*sempervirens*, Walt. *Fl. Carol.* 234 = *virginiana*.  
*sericea*, Scheff. in *Tijdschr. Nederl. Ind. xxxi.* (1870) 361.—Ins. Banca.  
*sericea*, Willd. *Sp. Pl. iv.* 424 = *Q. Phellos*.  
*Serra*, Liebm. in Overs. Danske Vidensk. Selsk. Forh. (1854) 174.—Mexico.  
*serrata*, Roxb. *Hort. Beng.* 68; *Fl. Ind. iii.* 641 = *Castanopsis indica*.  
*serrata*, Thunb. *Fl. Jap.* 176.—Reg. Himal.; China; Japan.  
*serratifolia*, Benth. ex Petz. & Kirch. *Arb. Muscav.* 632 = *Libani*?  
*sessiliflora*, Salisb. *Prod.* 392 = *Q. Robur*.  
*sessilifolia*, *Blume, Mus. Bot. Lugd. Bat. i.* 305 (sessilifolia).—Japan.  
*sessilis*, Ehrh. *Beitr. v.* 161 = *Q. Robur*.  
*setifera*, Hort.—*Cf. Gard. Chron.* (1874) i. 726; et ex T. Moore, in *Flor. & Pomol.* (1875) 199. f. 8.—Japan.  
*Shumardii*, Buckl. in Proc. Acad. Sc. Philad. 1860 (1861) 444 = *discolor*?  
*Sibthorpii*, Kotschy, ex Boiss. *Fl. Orient. iv.* 1169 = *coccifera*.  
*sideroxyla*, Humb. & Bonpl. *Pl. Aequin. ii.* 39. t. 85.—Mexico.  
*Sieboldiana*, *Blume, Mus. Bot. Lugd. Bat. i.* 290 = *thalassica*.  
*silvicolarum*, Hance, in *Journ. Bot. xxii.* (1884) 229.—China.

## QUERCUS:—

- sinuata*, Mart. & Timb. in Bull. Soc. Bot. Fr. xi. (1864) p. xi = *Q. Ilex*.  
*sinuata*, Walt. *Fl. Carol.* 235 = *alba*?  
*Sirokasi*, Siebold, in *Verh. Batav. Gen. xii.* (1830) 26.—Japan.  
*Skinneri*, Benth. *Pl. Hartw.* 90.—Mexico.  
*Smilax*, Linn. *Sp. Pl.* 994 = *Q. Ilex*.  
*sonchifolia*, Booth, ex Petz. & Kirch. *Arb. Muscav.* 658 (Quid?)—Hab.?  
*sonomensis*, Benth. ex A. DC. in DC. *Prod. xvi. ii.* 62 = Kelloggii.  
*sororia*, Liebm. in Overs. Danske Vidensk. Selsk. Forh. (1854) 175.—Mexico.  
*sphacelata*, *Blume, Mus. Bot. Lugd. Bat. i.* 304 (sp. dub.).—Java.  
*sphaerocarpa*, Vukot. in Schloss. & Vukot. *Bilinear*, 472 = *Q. Robur*.  
*spicata*, Humb. & Bonpl. *Pl. Aequin. ii.* 46. t. 89 = *reticulata*.  
*spicata*, Sm. in Rees, *Cycl. xxix. n.* 12.—Reg. Himal.; Malaya.  
*spinulosa*, Mart. & Gal. in Bull. Acad. Brux. x. ii. (1843) 218 = *crassifolia*.  
*splendens*, Née, in Anal. Cienc. Nat. iii. (1801) 275.—Mexico.  
*squamata*, Roxb. *Hort. Beng.* 68; *Fl. Ind. iii.* 638 = *spicata*.  
*squarrosa*, Kotschy, ex A. DC. in DC. *Prod. xvi. ii.* 108.—Syria.  
*stellata*, Wangenh. *Forstw.* 78. t. 6. f. 15 = *obtusiloba*.  
*stipularis*, Humb. & Bonpl. *Pl. Aequin. ii.* 47. t. 90 = *splendens*.  
*stolonifera*, Lapeyr. *Hist. Abr. Pl. Pyr.* 582 = *Q. Toza*.  
*Streimeri*, Heuff. ex Freyn, in *Verh. Zool.-Bot. Ges. Wien*, xxvii. (1878) 422 = *Q. Robur*.  
*striata*, Siebold, ex André, in *Illustr. Hort.* xvii. (1870) 242. t. 44.—Japan.  
*strigosa*, Wierz. ex Rochel, Bot. Reise Banat. 73 (Quid?)—Europ.  
*strombocarpa*, Liebm. in Overs. Danske Vidensk. Selsk. Forh. (1854) 176.—Mexico.  
*subalpina*, Kotschy, ex A. DC. in DC. *Prod. xvi. ii.* 9 = *Q. Robur*.  
*Suber*, Kotschy, Eichen, t. 33 = *Q. Pseudo-suber*.  
*Suber*, Linn. *Sp. Pl.* 995 = *Q. Ilex*.  
*subera*, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 133 = *præc.*  
*suberoides*, Rafin. in *Med. Repos. N. York*, v. (1808) 360.—Sicilia.  
*suberosa*, Salisb. *Prod.* 392 = *Q. Ilex*.  
*sublobata*, Kit. in Schult. *Oester. Fl. ed. II. i.* 619 = *Q. Robur*.  
*subvelutina*, Schur, *Enum. Pl. Transs.* 606 = *Q. Robur*.  
*sundaica*, *Blume, in Verh. Batav. Gen. ix.* (1825) 216.—Malaya.  
*sundaica*, Villar, in Blanco, *Fl. Philipp. ed. III. Nov. App.* 207 (excl. syn. Naves) = *Companoana*.  
*susedana*, Vukot. in Rad Jugos. Akad. Zagreb. ii. (1880) 15 = *lanuginosa*.  
*synbalanos*, Hance, in *Journ. Bot. xxii.* (1884) 228.—Ins. Hongkong.  
*syriaca*, Kotschy, Eichen, t. 1 = *lusitanica*.  
*sypsiensis*, C. Koch, in Linnaea, xxii. (1849) 328 = *Q. Robur*.  
*tardiflora*, Czern. ex Stev. in Bull. Soc. Nat. Mosc. xxx. (1857) i. 385 = *Q. Robur*.  
*tauricola*, Kotschy, Eichen, t. 10 = *lusitanica*.  
*Tauza*, Desf. *Tabl. ed. II.* 245 = *Q. Toza*.  
*Tauzin*, Pers. *Syn. ii.* 571 = *Q. Toza*.  
*Tchihatcheffii*, Kotschy, ex A. DC. in DC. *Prod. xvi. ii.* 48 = *seq.*  
*Tchihatchewi*, Kotschy, in Tchihat. Asie Min. Bot. ii. 468 = *Libani*.  
*Tema*, Buch.-Ham. ex Wall. *Cat. n.* 3733 = *lanceaeifolia*.  
*Tennesi*, Hort. ex Wesmael, in Bull. Congr. Bot. Brux. (1864) 275 = *Q. Robur*.  
*tenuicola*, Boiss. *Fl. Orient. iv.* 1167, in syn. *sphalm.* = *tauricola*.  
*texana*, Buckl. in Proc. Acad. Sc. Philad. 1860 (1861) 444 = *rubra*.  
*Teysmannii*, *Blume, Mus. Bot. Lugd. Bat. i.* 300 (Tysmannii).—Java; Sumatra.  
*thalassica*, Hance, in Hook. *Kew Journ. i.* (1849) 176.—China.  
*thelecarpa*, Miq. *Pl. Jungh.* 9 = *Q. Pseudo-molucca*.

## QUERCUS:—

- Thirkeana*, C. Koch, in Linnaea, xix. (1847) 14 = *lusitanica*.  
*Thomasii*, Tenore, Ind. Sem. Hort. Neap. (1825) 11. n. 21 = *Q. Robur*.  
*Thomsoni*, Mig. *Ann. Mus. Bot. Lugd. Bat. i.* 109.—Reg. Himal.  
*Thomsoniana*, A. DC. in DC. *Prod. xvi. ii.* 98 = *lineata*.  
*tinctoria*, Bartr. *Trav. ed. II.* (1794) 37; Michx. *Hist. Chênes Am. tt.* 24, 25 = *discolor*.  
*tlapuxahuensis*, A. DC. in DC. *Prod. xvi. ii.* 29.—Mexico.  
*tolimensis*, Humb. & Bonpl. *Pl. Aequin. ii.* 153. t. 129.—N. Granat.  
*tomentella*, Engelm. in Trans. Acad. Sc. St. Louis, iii. (1878) 393.—Calif.  
*tomentosa*, Ehrh. ex A. DC. in DC. *Prod. xvi. ii.* 6 = *Q. Robur*.  
*tomentosa*, Willd. *Sp. Pl. iv.* 437.—Mexico.  
*Tommasini*, Kotschy, ex Vis. *Fl. Dalm. Suppl.* 45 = *Q. Robur*.  
*torulosa*, Vukot. in Rad Jugos. Akad. Zagreb. ii. (1880) 14 (Quid?)—Europ.  
*Toza*, Loisel. in Duham. *Arb. ed. Nov. vii.* 179 = *Q. Toza*.  
*totutlensis*, A. DC. in DC. *Prod. xvi. ii.* 62.—Mexico.  
*Tournefortii*, Willd. *Sp. Pl. iv.* 453 = *Q. Cerris*.  
*Toza*, Gillet, ex Bosc, in *Lam. Journ. Hist. Nat. ii.* (1792) 115. t. 2. f. 3.—Europ. austr.  
*Toza*, Griseb. *Spicil. Fl. Rumel. ii.* 337 = *Q. Robur*.  
*tribuloides*, Sm. in Rees, *Cycl. xxix. n.* 13 = *Castanopsi tribuloides*.  
*tricolor*, Hort. ex Petz. & Kirch. *Arb. Muscav.* 624 = *Q. Robur*.  
*tridens*, Humb. & Bonpl. *Pl. Aequin. ii.* 35. t. 82 = *Q. Castanea*.  
*tridentata*, Engelm. ex A. DC. in DC. *Prod. xvi. ii.* 64 = *nigra*.  
*triloba*, Michx. *Hist. Chênes Am. t.* 26 = *falcata*.  
*tristis*, Liebm. in Overs. Danske Vidensk. Selsk. Forh. (1854) 174 = *Q. Castanea*.  
*trojana*, Kotschy, ex A. DC. in DC. *Prod. xvi. ii.* 46 = *seq.?*  
*trojana*, Webb, in Loud. *Gard. Mag. xv.* (1839) 590; et Jaub. & Spach, *Illustr. i. t.* 57 A = *Q. Aegilops*.  
*tuberculata*, Liebm. in Overs. Danske Vidensk. Selsk. Forh. (1854) 181 = *polymorpha*.  
*turbinata*, *Blume, Bijdr.* 523 = *lineata*.  
*turbinata*, Kit. in Linnaea, xxxii. (1863) 353 = *Q. Robur*.  
*turbinata*, Liebm. in Overs. Danske Vidensk. Selsk. Forh. (1854) 186 = *guatemalensis*.  
*turbinata*, Roxb. *Hort. Beng.* 68; *Fl. Ind. iii.* 636 = *Thomsoni*.  
*Turneri*, Hort. ex A. DC. in DC. *Prod. xvi. ii.* 43 = *Q. Pseudo-suber*.  
*Turneri*, Willd. *Enum. Hort. Berol.* 975 = *lusitanica*.  
*Tysmannii*, *Blume, Mus. Bot. Lugd. Bat. i.* 300, *sphalm.* = *Teysmannii*.  
*uliginosa*, Wangenh. *Forstw.* 80. t. 6 = *nigra*.  
*umbonata*, Hance, in *Journ. Bot. xii.* (1874) 241 = *cyclophora*.  
*umbrosa*, Endl. *Gen. Suppl. iv. ii.* 26 = *calophylla*.  
*undulata*, Benth. *Pl. Hartw.* 81 = *Benthami*.  
*undulata*, Engelm. in Trans. Acad. Sc. St. Louis, iii. (1878) 392, partim = *Durandii*.  
*undulata*, Kit. in Linnaea, xxxii. (1863) 354 (Reliq. Kitaib. 110) = *Q. Robur*.  
*undulata*, C. Koch, l. c. xix. (1847) 14 = *lusitanica*.  
*undulata*, Torr. in *Ann. Lyc. N. York*, ii. (1828) 248. t. 4.—Am. bor. occ.  
*Ungeri*, Kotschy, Eichen, t. 13 = *Q. Aegilops*.  
*urceolaris*, Jack, in *Malay. Misc. ii.* (1822) vii. 87.—Sumatra.  
*urticaefolia*, *Blume, Mus. Bot. Lugd. Bat. i.* 296.—China; Japan.  
*uvatifolia*, Hance, in *Journ. Bot. xxii.* (1884) 227.—China.  
*vaccinifolia*, Kellogg, in Proc. Calif. Acad. ed. II. i. (1873) 106 = *chrysopsis*.  
*valentina*, Cav. *l. c.* ii. 25 = *lusitanica*.  
*valentina*, Lam. ex Steud. *Nom. ed. I.* 675 = *discolor*.  
*valida*, Kotschy, ex A. DC. in DC. *Prod. xvi. ii.* 55 = *coccifera*.  
*Vallonea*, A. DC. l. c. 45 = *Q. Aegilops*.  
*Vallonea*, Kotschy, Eichen, t. 7 = *Q. Cerris*.  
*variabilis*, *Blume, Mus. Bot. Lugd. Bat. i.* 297.—Japan.

**QUERCUS:—**

- varians*, Mart. & Gal. in Bull. Acad. Brux. x. II. (1843) 214 = polymorpha.  
*variegata*, Lodd. ex Steud. Nom. ed. II. ii. 428 = Q. Cerris.  
*variifolia*, Sweet, Hort. Brit. ed. II. 465 = Q. Ilex.  
*varingaeifolia*, Miq. Pl. Jungh. 12 = javensis.  
Vaseyana, *Buckl. in Bull. Torrey Bot. Club*, x. (1883) 91.—Texas.  
*velutina*, Lam. Encyc. i. 721 = discolor? †  
*velutina*, L'Herit. ex A. DC. in DC. Prod. xvi. II. 21 = bicolor.  
*velutina*, Lindl. in Wall. Pl. As. Rar. ii. 41. t. 150.—Burma.  
*verrucosa*, Rafin. Alsog. Am. 26 (Quid?).—Am. bor.  
*versicolor*, Rafin. l. c. 20 (Quid?).—Am. bor.  
*vertensis*, Kit. in *Linnaea*, xxxii. (1863) 354, nomen.—Hungar.  
*vesca*, Kotschy, Eichen, t. 36 = Libani.  
*Vibrayana*, Franch. & Sav. Enum. Pl. Jap. ii. 498.—Japon.  
Vidalii, F. Villar, in Blanco, Fl. Philipp. ed. III. Nov. App. 209.—Ins. Philipp.  
*villosa*, Walt. Fl. Carol. 235 = obtusiloba?  
*viminalis*, Bosc, in Mém. Inst. Par. [viii.] (1807) 316 = Q. Robur.  
*virens*, Ait. Hort. Kew. ed. I. iii. 356 = virginiana.  
*virgata*, Mart. Fl. Tam. 641 = Q. Robur.  
*Virgiliana*, Tenore, Fl. Nap. v. 262 = Q. Robur.  
*virginiana*, Mill. Gard. Dict. ed. VIII. n. 16.—Am. bor.  
*vulcanica*, Boiss. ex Kotschy, Eichen, t. 18 = Q. Robur.  
Wallichiana, Lindl. in Wall. Cat. n. 2778.—Malaya.  
Warszewiczii, Liebm. in Overs. Danske Vidensk. Selsk. Forh. (1854) 187.—Guatemala.  
*Welandii*, Simk. in Magyar Növényt. Lapok, vii. (1883) 67 = Q. Robur.  
Wislizeni, A. DC. in DC. Prod. xvi. II. 67.—Calif.  
Woodii, Hance, in Journ. Bot. xii. (1874) 240.—Ins. Philipp.  
*xalapensis*, Humb. & Bonpl. Pl. Aequin. ii. 24. t. 75.—Mexic.  
*xylina*, [Scheidw.] Hort. Belge, iv. (1837) 321. t. 18 = reticulata.  
*xylocarpa*, Kurz, in Journ. As. Soc. Beng. xlv. (1875) II. 196.—Assam; Burma.

**QUERIA**, Loeff. It. Hisp. 48 (1752). *CARYO-*

- PHYLLAE*, Benth. & Hook. f. i. 152.  
*argyrocoma*, Eaton, N. Am. Bot. ed. VII.; ex Eaton & Wright, N. Am. Bot. ed. VIII. 343 = Paronychia argyrocoma.  
*canadensis*, Linn. Sp. Pl. 90 = Anychia dichotoma.  
*capillacea*, Nutt. Gen. Am. i. 159 = Anychia dichotoma.  
*chilensis*, Steud. & Hochst. ex Steud. Nom. ed. II. ii. 428 = Donatia fascicularis?  
*dichotoma*, Maxim. ex Franch. & Sav. Enum. Pl. Jap. i. 405 = *trichotoma*.  
*dichotoma*, Moench, Meth. 351 = Anychia dichotoma.  
*hispanica*, Linn. Sp. Pl. 90.—Reg. Mediterr. & Caucas.  
*multiflora*, Hort. ex Steud. Nom. ed. I. 675 = Anychia dichotoma.  
*sessiliflora*, Eaton, N. Am. Bot. ed. VII.; ex Eaton & Wright, N. Am. Bot. ed. VIII. 343 = Paronychia sessiliflora.  
*trichotoma*, Thunb. in Trans. Linn. Soc. ii. (1794) 329 = Wikstroemia japonica.

**QUESNELIA**, Gaudich. Bot. Voy. Bonite, t. 54 (1844-49). *BROMELIACEAE*, Benth. & Hook. f. iii. 665.

- GUESMELIA, Walp. Ann. i. 841 (1849).  
LIEVENA, Regel, Gartenfl. (1880) 289.  
Augustocoburgi, Wawra, in Oestr. Bot. Zeitschr. xxx. (1880) 150.—Bras.  
*centralis*, Wawra, l. c. = lateralis.  
*lateralis*, Wawra, l. c. 149.—Bras.  
*roseo-marginata*, Carr. in Rev. Hort. (1880) 70; et ex E. Morr. in Belg. Hort. xxxi. (1881) 82. t. 4 = rufa, Gaudich.  
*rufa*, Gaudich. Bot. Voy. Bonite, t. 54.—Bras.  
*rufa*, E. Morr. in Belg. Hort. xxxii. (1882) 115. t. 4-6.—Guian.  
*Skinneri*, Hort. ex E. Morr. l. c. xxxi. (1881) 82 = rufa, Gaudich.  
*strobilosica*, Wawra, in Oestr. Bot. Zeitschr. xxx. (1880) 149.—Bras.

**QUESNELIA:—**

- Van Houttei, E. Morr. in Belg. Hort. xxxi. (1881) 163, 350. t. 18.—Bras.

QUETELETIA, Blume, Orch. Archip. Ind. 117. t. 37 (1858) = *Physurus*, Rich. (Orchid.).  
*plantaginifolia*, Blume, l. c. 118 (= *Orchipedum plantaginifolium*).—Java.

**QUIINA**, Aubl. Pl. Gui. Suppl. 19. t. 379 (1775).

- GUTTIFERAE*, Benth. & Hook. f. i. 176.  
GUINA, Crueg. in Linnaea, xx. (1847) 115.  
ROBINSONIA, Scop. Introd. 218 (1777).  
TOUROULIA, Aubl. Pl. Gui. 492. t. 194 (1775).  
*crenata*, Tul. in Ann. Sc. Nat. Sér. III. xi. (1849) 163.—Guian.  
*Cruegeriana*, Griseb. Fl. Brit. W. Ind. 106.—Ins. Trinit.  
Decaisneana, Planch. & Triana, in Ann. Sc. Nat. Sér. IV. xv. (1861) 315.—Guian.  
*florida*, Tul. l. c. Sér. III. xi. (1849) 167.—Bras.  
*guianensis*, Aubl. Pl. Gui. Suppl. 19.—Guian.  
*guianensis*, Crueg. ex Griseb. Fl. Brit. W. Ind. 106 = *Cruegeriana*.  
*jamaicensis*, Griseb. l. c. 105.—Jamaic.  
*leptoclada*, Tul. in Ann. Sc. Nat. Sér. III. xi. (1849) 159.—Guian.  
*longifolia*, Spruce, ex Planch. & Triana, l. c. Sér. IV. xv. (1861) 314.—Bras.  
*macrophylla*, Tul. l. c. Sér. III. xi. (1849) 164.—Venezuela.  
*macrostachya*, Tul. l. c. 162.—Peruv.  
*micrantha*, Tul. l. c. 160.—Bras.  
*obovata*, Tul. l. c. 157.—Guian.  
*Poeppigiana*, Tul. l. c. 161.—Bras.  
*rhytidopus*, Tul. l. c. 166.—Bras.  
*sessilis*, Choisy, Planch. & Triana, l. c. Sér. IV. xv. (1861) 312.—Guian.  
*ternatiflora*, Wright, in Sauv. Fl. Cub. 9.—Cuba.  
*tinifolia*, Planch. & Triana, in Ann. Sc. Nat. Sér. IV. xv. (1861) 311.—Bras.

QUILAMUM, Blanco, Fl. Filip. ed. I. 851 (1837) = *Crypteronia*, Blume (Lythrar.).  
*luteum*, Blanco, l. c. = C. pubescens.

QUILESIA, Blanco, Fl. Filip. ed. I. 176 (1837) = *Chailetia*, DC.

*sericea*, Blanco, l. c. 177 = C. Griffithii.

QUILIUSA, Hook. f. in Journ. Linn. Soc. x. (1869) 460, sphalm. = QUELUSIA, Vand. = *Fuchsia*, Linn. (Onagrar.).

QUILLAIA, Molina = seq.

**QUILLAJA**, Molina, Sagg. Chile, 354 (1782). *ROSACEAE*, Benth. & Hook. f. i. 614.

CULLAY, Molina, ex Steud. Nom. ed. II. i. 452 (1840).

FONTENELLEA, A. St. Hil. & Tul. in Ann. Sc. Nat. Sér. II. xvii. (1842) 141. t. 7.

SMEGMADERMOS, Ruiz & Pav. Prod. 133. t. 31 (1794).

*brasiliensis*, Mart. Syst. Mat. Med. Bras. 127.—Bras.  
*lanceolata*, D. Dietr. Syn. Pl. ii. 1616 = seq.  
*lancifolia*, D. Don, in Edinb. N. Phil. Journ. (Jan.-March 1831) 231.—Bras.

*Molinae*, DC. Prod. ii. 547 = Q. Saponaria.  
*petiolaris*, D. Don, in Edinb. N. Phil. Journ. (Oct.-Dec. 1831) 110 = Azara Gilliesii.

*Poeppigii*, Walp. Rep. ii. 52.—Chili.  
*Saponaria*, Molina, Sagg. Chile, 175, 354.—Chili.

*Saponaria*, Poir. Encyc. vi. 33 = Q. Smegmadermos.  
*Sellowiana*, Walp. Rep. ii. 52.—Bras.

*smegmadermis*, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 133 = seq.

*Smegmadermos*, DC. Prod. ii. 547.—Chili.

*Smegmadermos*, Poepp. ex Walp. Rep. ii. 52 = *Poeppigii*.

QUINARIA, Lour. Fl. Cochinch. 272 (1790) = *Clausena*, Burm. f. (Rutac.).

*Lansium*, Lour. l. c. = C. Wampi.

QUINARIA, Rafin. Med. Fl. ii. 122 (1830) = *Vitis*, Tourn. (Ampel.).

*hederacea*, Rafin. l. c. = V. hederacea.  
*hirsuta*, Rafin. l. c. = V. hederacea.

*japonica*, Rafin. Sylva Tellur. 87 = V. heterophylla.

QUINASIS, Rafin. Sylva Tellur. 150 (1838) = *Polylepis*, Ruiz & Pav. (Rosac.).  
*villosa*, Rafin. l. c. = villosa.

QUINCHAMALA, Willd. Sp. Pl. i. 1217 (1797) = seq.

**QUINCHAMALIUM**, Molina, Sagg. Chile, ed. I. 151 (1782). *SANTALACEAE*, Benth. & Hook. f. iii. 220.

*andinum*, Phil. in Bot. Zeit. xv. (1857) 747.—Chili.  
*Berteroanum*, Phil. l. c. 748.—Chili.

*bracteosum*, Phil. l. c. 747.—Chili.  
*breviflorum*, Presl, Epim. Bot. 246 = majus.

*carnosum*, Phil. Fl. Atac. 48.—Chili.  
*chilense*, Lam. Illustr. ii. 125. t. 142 = procumbens.

*chilense*, Molina, Sagg. Chile, 151.—Chili.  
*chilense*, Phil. ex A. DC. in DC. Prod. xiv. 625 = majus.

*chilense*, Walp. in Nov. Act. Nat. Cur. xix. Suppl. i. (1843) 412 = gracile.

*chilense*, Willd. Sp. Pl. i. 1217 = linifolium.  
*Dombeyi*, Brongn. in Duperr. Voy. Coq. Bot. t. 52 = procumbens.

*elegans*, Presl, Epim. Bot. 246.—Chili.  
*ericoides*, Brongn. in Duperr. Voy. Coq. Bot. t. 52 = gracile.

*excrescens*, Phil. in Bot. Zeit. xv. (1857) 748.—Chili.  
*fruticosum*, Steud. Nom. ed. II. ii. 429.—Cf. Miers, in Journ. Linn. Soc. xvii. (1878) 188.—Chili.

*gracile*, Brongn. in Duperr. Voy. Coq. Bot. 231. t. 52.—Chili.

*linarioides*, Phil. in Bot. Zeit. xv. (1857) 746.—Chili.  
*linifolium*, Meyen, ex Walp. in Nov. Act. Nat. Cur. xix. Suppl. i. (1843) 412 = procumbens.

*linifolium*, Miers, in Journ. Linn. Soc. xvii. (1878) 135.—Chili.

*litorale*, Phil. in Linnaea, xxxiii. (1864-65) 234.—Chili.

*majus*, Brongn. in Duperr. Voy. Coq. Bot. 229. t. 51.—Chili.

*minutum*, Phil. in Linnaea, xxxiii. (1864-65) 233 = gracile.

*parviflorum*, Phil. in Bot. Zeit. xv. (1857) 747.—Chili.

*patagonicum*, Phil. f. in Anal. Soc. Cient. Argent. x. (1880) 143.—Patagon.

*patagonicum*, Spreng. Syst. i. 537 = Arjona tuberosa.

*pratense*, Phil. in Bot. Zeit. xv. (1857) 747.—Chili.

*procumbens*, Ruiz & Pav. Fl. Per. ii. 1.—Peruv.

*purpureum*, Phil. in Bot. Zeit. xv. (1857) 747.—Chili.

*rugosum*, Phil. in Linnaea, xxxiii. (1864-65) 233 = majus.

*tenue*, Steud. Nom. ed. II. ii. 429 = gracile.

*thesioides*, Phil. Fl. Atac. 48.—Chili.

QUINCULA, Rafin. Atl. Journ. 145 (1832) = *Physalis*, Linn. (Solanac.).

*lobata*, Rafin. l. c. = P. lobata.

**QUINETIA**, Cass. in Dict. Sc. Nat. ix. 590 (1830). *COMPOSITAE*, Benth. & Hook. f. ii. 316.

Urvillei, Cass. l. c. 591.—Austral.

QUINIO, Schlecht. in Linnaea, xxvi. (1854) 732 = *Cocculus*, DC. (Menisp.).

*coccuroides*, Schlecht. l. c. = C. macrocarpus.

QUINQUEDULA, Noronha, in Verh. Batav. Gen. v. (1790) ed. I. Art. iv. 3 = *Litsea*, Lam. (Laurin.).

QUINQUEFOLIUM, Tourn. ex Adans. Fam. ii. 295 (1763) = *Potentilla*, Linn. (Rosac.).

QUINQUELOBUS, Benj. in Linnaea, xx. (1847) 316. 'GENUS SPURIUM.'—Cf. Benth. & Hook. f. ii. 987.

BENJAMINIA, Mart. Fl. Bras. x. 255 (1847).

*glaber*, Benj. in Linnaea, xx. (1847) 316 = *Limnophila gratioloides*.

*minor*, Benj. l. c. 317.—Asia.

*splendens*, Benj. l. c. 316.—Asia.

*utriculariaeformis*, Benj. in Mart. Fl. Bras. x. 255 = seq.

*utricularioides*, Benj. in Linnaea, xx. (1847) 316.—Bras.

QUINQUELOCULARIA, C. Koch, in Linnaea, xxiii. (1850) 630 = *Campanula*, Tourn.

*crispa*, C. Koch, l. c. 631 = C. crispa.

QUINQUINA, Condam. in 'Act. Acad. Par. (1738) 226' = *Cinchona*, Linn. (Rubiace).

QUINSONIA, Montr. in Mém. Acad. Lyon, x. (1860) 178 = *Pittosporum*, Banks.  
*coccinea*, Montr. l. c. 179.—N. Caled.

QUINTILIA, Endl. Gen. 1408 (1841) = *Stauranthera*, Benth. (Gesner.).  
*coerulea*, DC. Prod. ix. 278 = *S. ecalcarata*.

QUINTINIA, A. DC. Monog. Camp. 92, in adnot. (1830). *SAXIFRAGEAE*, Benth. & Hook. f. i. 645.  
*elliptica*, Hook. f. *Fl. N. Zel.* i. 78.—N. Zel.  
Fawkenri, *F. Muell. Fragm.* vi. 92.—Austral.  
*serrata*, A. Cunn. in *Ann. Nat. Hist.* Ser. I. ii. (1839) 356.—N. Zel.  
Sieberi, A. DC. Monog. Camp. 92, in adnot.—Austral.  
Verdonii, *F. Muell. Fragm.* ii. 125.—Austral.

QUIRINA, Rafin. Sylva Tellur. 102 (1838) = *Cuphea*, P. Br. (Lythrac.).  
*microphylla*, Rafin. l. c. = *C. microphylla*.

QUIRIVELIA, Poir. Encyc. vi. 42 (1804) = *Ichnocarpus*, R. Br. (1809) (Apocyn.).  
*zeylanica*, Poir. l. c. = *I. frutescens*.

QUIROSIA, Blanco, Fl. Filip. ed. II. 398 (1845) = *Crotalaria*, Dill. (Legumin.).  
*anceps*, Blanco, l. c. = *C. verrucosa*.  
*secunda*, Blanco, l. c. = *C. linifolia*.

QUISQUALIS, Linn. Sp. Pl. ed. II. 556 (1762) = *COMBRETACEAE*, Benth. & Hook. f. i. 689.  
KLEINIA, Crantz, Inst. ii. 488 (1766).  
SPHALANTHUS, Jack, in Malay. Misc. ii. (1822) n. VII. 55 (1822).

*bibracteata*, Regel, Cat. Pl. Hort. Aksakov. 118, nomen.—Hab. ?  
*densiflora*, Wall. Cat. n. 4011.—Burma; Malaya.  
*ebracteata*, Beauv. Fl. Owar. i. 57. t. 5 = *indica*.  
*glabra*, Burm. f. Fl. Ind. 104. t. 28. f. 2 = *indica*.  
*grandiflora*, Miq. in Journ. Bot. Néerl. i. (1861) 119 = *indica*.  
*indica*, Blanco, Fl. Filip. ed. I. 361 = *malabarica*.  
*indica*, Linn. Sp. Pl. ed. II. 556.—As. trop.  
*longiflora*, Presl, Epim. Bot. 216 = *indica*.  
*Loureiri*, G. Don, Gen. Syst. ii. 667 = *indica*.  
*madagascariensis*, Boj. Hort. Maurit. 134, nomen.—Madag.  
*malabarica*, Bedd. Ic. Pl. Ind. Or. i. 33. t. 155.—Ind. or.  
*obovata*, Schum. & Thonn. Beskr. Guin. Pl. 218 = *indica*.  
*parviflora*, Gerr. ex Harv. & Sond. Fl. Cap. ii. 512.—Afr. austr.  
*pubescens*, Burm. f. Fl. Ind. 104. t. 35. f. 2 = *indica*.  
*sinensis*, Lindl. Bot. Reg. (1844) t. 15 = *indica*.  
*spinosa*, Blanco, Fl. Filip. ed. II. 254 = *malabarica*.  
*spinosa*, Naves, ex F. Villar, in Blanco, Fl. Philipp. ed. III. Nov. App. 81 = *indica*.  
*villosa*, Roxb. Hort. Beng. [90]; Fl. Ind. ii. 426 = *indica*.

QUIVISIA, Comm. ex Juss. Gen. 264 (1789).  
*MELIACEAE*, Benth. & Hook. f. i. 330.  
CALODRYUM, Desv. in Ann. Sc. Nat. Sér. I. ix. (1826) 401. t. 57.  
GILBERTIA, J. F. Gmel. Syst. 682 (1791).  
GINNANIA, M. Roem. Syn. Hesper. 79, 90 (1846).  
PAYERIA, Baill. Adansonia, i. (1860–61) 50. t. 3.  
*anomala*, O. Hoffm. Sert. Madag. 10.—Madag.  
*chilosantha*, Boj. Hort. Maurit. 58.—Ins. Maurit.  
*decandra*, Cav. Diss. vii. 367. t. 211.—Ins. Mascar.  
*filipes*, Baker, Fl. Maurit. 46 = *trichopoda* ?  
*fruticosa*, J. F. Gmel. Syst. 633 = *oppositifolia* ?  
*heterophylla*, Cav. Diss. vii. 368. t. 213.—Ins. Mascar.  
*heterophylla*, Sieber, ex Presl, in Oken, Isis, xxi. (1828) 272 = *ovata*.  
*laciniata*, Balf. f. in Journ. Linn. Soc. xvi. (1877) 12; et in Baker, Fl. Maurit. 46.—Ins. Rodrig.  
*laciniosa*, C. DC. in DC. Monog. Phan. i. 431, sphalm. = *praec*.  
*lanceolata*, C. DC. l. c. 433.—Madag.  
*mauritanica*, Baker, Fl. Maurit. 45 = *ovata*, heterophylla, *decandra*, *oppositifolia*.

# QUIVISIA :—

*oppositifolia*, Cav. Diss. vii. 368. t. 214.—Ins. Borbon.  
*ovata*, Cav. l. c. 368. t. 212.—Ins. Borbon.  
*racemosa*, Pers. Syn. i. 468 = *decandra*.  
*rigida*, C. DC. in DC. Monog. Phan. i. 433 = *chilosantha*.  
Sieberi, C. DC. l. c. 430.—Ins. Maurit.  
tetramera, C. DC. l. c. 432.—Madag.  
*trichopoda*, Baill. Adansonia, xi. (1874) 255.—Ins. Maurit.

QUOYA, Gaudich. in Freyc. Voy. Bot. 453. t. 66 (1826) = *Pityrodia*, R. Br. (Verben.).  
*atriplicina*, F. Muell. Fragm. i. 235 = *P. atriplicina*.  
*cuneata*, Gaudich. in Freyc. Voy. Bot. 454 = *P. cuneata*.  
*dilatata*, F. Muell. Fragm. vi. 157 = *P. dilatata*.  
*hemigenioides*, F. Muell. l. c. 156 = *P. hemigenioides*.  
*loxocarpa*, F. Muell. l. c. iv. 80 = *P. Drummondii*.  
*Oldfieldii*, F. Muell. l. c. = *P. Oldfieldii*.  
*paniculata*, F. Muell. l. c. = *P. paniculata*.  
*racemosa*, Turcz. in Bull. Soc. Nat. Mosc. xxxvi. (1863) II. 194 = *P. racemosa*.  
*stachyodes*, F. Muell. Fragm. v. 50; vi. 158 = *P. racemosa*.  
*verbascina*, F. Muell. l. c. iv. 80 = *P. verbascina*.

## R

RABDOCHLOA, Beauv. Agrost. 84 (1812) = *Leptochloa*, Beauv. (Gramin.).  
*cruciata*, Beauv. l. c. = *Chloris cruciata*.  
*domingensis*, Beauv. l. c. = *L. domingensis*.  
*monostachya*, Beauv. l. c. = *L. monostachya*.  
*mucronata*, Beauv. l. c. = *Eleusine aegyptiaca*.  
*virgata*, Beauv. l. c. = *Chloris virgata*.  
*Vulpiastrum*, De Not. Ind. Sem. Hort. Genuens. (1852) 26; et in Ann. Sc. Nat. Sér. III. xix. (1853) 372.—Nubia.

RABDOSIA, Hassk. in Flora, xxv. (1842) II. Beibl. 25 = *Plectranthus*, L'Hérit. (Labiata).  
*javanica*, Hassk. l. c. = *P. javanicus*.

RABELAISIA, Planch. in Hook. Lond. Journ. Bot. iv. (1845) 519. t. 18 = *Lunasia*, Blanco (Rutac.).  
*parvifolia*, Planch. l. c. = *L. parvifolia*.  
*philippinensis*, Planch. l. c. = *L. amara*.

RABENHORSTIA, Reichb. Nom. 159 (1841) = *Berzelia*, Brongn. (Bruniac.).

RACAPA, M. Roem. Syn. Hesper. 123 (1846) = *Carapa*, Aubl. (Meliac.).  
*procera*, M. Roem. l. c. = *C. procera*.

RACARIA, Aubl. Pl. Gui. Suppl. 24. t. 382 (1775).  
Gen. dub. *SAPINDACEARUM*.—Cf. Benth. & Hook. f. i. 392.  
*sylvatica*, Aubl. l. c. —Guian.  
*sylvestris*, Miers, in Journ. Linn. Soc. xvii. (1879) 342, sphalm. = *praec*.

RACHIA, Klotzsch, in Monatsb. Berl. Akad. (Maerz, 1854) 124; et in Abh. Akad. Berl. (1855) 68. t. 6 B = *Begonia*, Linn.  
*auriformis*, Klotzsch, in Monatsb. Berl. Akad. (Maerz, 1854) 124 = *B. incana*.  
*incana*, Klotzsch, in Abh. Akad. Berl. (1855) 69 = *B. incana*.  
*Meyeri*, Klotzsch, l. c. = *B. tomentosa*.  
*peltata*, Klotzsch, in Monatsb. Berl. Akad. (Maerz, 1854) 124 = *B. incana*.  
*polygonata*, Klotzsch, ex A. DC. in DC. Prod. xv. i. 327 = *B. polygonata*.

RACHICALLIS, DC. Prod. iv. 433 (1830). *RUBIACEAE*, Benth. & Hook. f. ii. 49.  
*RHACHICALLIS*, Spach, Hist. Vég. Phan. viii. 374 (1839).  
*capitata*, Benth. Pl. Hartw. 195 = *Hedyotis Hartwegiana*.

# RACHICALLIS :—

*caracasana*, DC. Prod. iv. 434 = *Mallostoma caracasana*.  
*nitida*, DC. l. c. 433 = *Mallostoma nitidum*.  
*rupestris*, DC. l. c. 434.—Ind. occ.  
*setosa*, Steud. Nom. ed. II. ii. 429 = *Mallostoma setosum*.

RACKA, J. F. Gmel. Syst. 245 (1791) = *Avicennia*, Linn. (Verben.).  
*ovata*, Roem. & Schult. Syst. iii. 207 = *A. officinalis*.  
*torrida*, J. F. Gmel. Syst. 245 = *A. officinalis*.

RACLATHRIS, Rafin. Sylva Tellur. 167 (1838) = *Rochelia*, Reichb. (Borag.).  
*cerinthoides*, Rafin. l. c. = *Rochelia stellulata*.

RACLETIA, Adans. Fam. ii. 449 (1763) (Quid?).

RACOMA, Willd. ex Steud. Nom. ed. II. ii. 429 (1841), sphalm. = *ROCAMA*, Forsk. = *Trianthema*, Sauv. (Ficoid.).

RACOUBEA, Aubl. Pl. Gui. i. 589. t. 236 (1775) = *Homalium*, Jacq. (Samyd.).  
*guianensis*, Aubl. l. c. = *H. Racoubea*.

RACUA, J. F. Gmel. Syst. 1612 (Index) = *RACKA*, J. F. Gmel. = *Avicennia*, Linn. (Verben.).

RADACKIA, Cham. & Endl. in Ann. Wien. Mus. i. (1836) 186. Genus indesc. *LEGUMINOSARUM*.  
Cf. Benth. & Hook. f. i. 465.  
*amicorum*, Cham. & Endl. l. c.—Ins. Pacif.

RADAMAEA, Benth. in DC. Prod. x. 509 (1846).  
*SCROPHULARINEAE*, Benth. & Hook. f. ii. 973.  
*montana*, Benth. in DC. Prod. x. 509.—Madag.  
*prostrata*, Benth. l. c. = *Ins. Galea*.

RADDIA, Bertol. in Bologn. Opusc. Sc. iii. (1819) 410 = *Olyra*, Linn. (Gramin.).  
*brasiliensis*, Bertol. l. c. = *O. floribunda*.

RADDIA, Fl. Corc. in Ionios Anthol. ii. (1834) 448 = *Crypsis*, Ait. (Gramin.).  
*aculeata*, Fl. Corc. l. c. 450 = *C. aculeata*.

RADDIA, Spreng. Syst. i. 177, in syn. (1825); Miers, in Trans. Linn. Soc. xxviii. (1872) 388 = *Salacia*, Linn. (Celastrin.).  
*arborea*, Miers, l. c. 389 = *S. undulata*.  
*calypsoides*, Miers, l. c. 396 = *S. calypsoides*.  
*conferta*, Miers, l. c. 394 = *S. conferta*.  
*crassifolia*, Miers, l. c. 396 = *S. crassifolia*.  
*elliptica*, Miers, l. c. 395 = *S. elliptica*.  
*fasciculata*, Miers, l. c. 391.—Bras.  
*firmifolia*, Miers, l. c. 393 = *S. elliptica*.  
*glomerata*, Miers, l. c. 397 = *S. glomerata*.  
*grandiflora*, Miers, l. c. 391 = *S. grandiflora*, Peyr.  
*impressifolia*, Miers, l. c. 392 = *S. grandiflora*, Peyr.  
*lacunosa*, Miers, l. c. = *S. lacunosa*.  
*oblongifolia*, Miers, l. c. 393 = *S. elliptica*.  
*pachyphylla*, Miers, l. c. 396 = *S. pachyphylla*.  
*verrucosa*, Miers, l. c. 395 = *S. verrucosa*, Wright.

RADDISIA, Leandro Sacram. in Denkschr. Akad. Muench. vii. (1821) 237. t. 15 = *Salacia*, Linn. (Celastrin.).  
*arborea*, Schult. Mant. i. 347 = *S. undulata*.

RADEMACHIA, Steud. Nom. ed. I. 676 (1821) err. typ. = *seq.*

RADERMACHIA, Thunb. in Vet. Akad. Handl. Stockh. (1776) 251 = *Artocarpus*, Forst. (Urtic.).  
*arborea*, Steud. Nom. ed. II. ii. 429, sphalm. = *Raddisia arborea*.  
*incisa*, Thunb. in Vet. Akad. Handl. Stockh. (1776) 253 = *A. incisa*.  
*integra*, Thunb. l. c. 254 = *A. integrifolia*.

RADERMACHIA, Zoll. & Mor. in Zoll. Syst. Verz. Ind. Archip. 53 (1854) = *Stereospermum*, Cham. (Bignon.).  
*amoena*, Seem. in Journ. Bot. viii. (1870) 146 = *S. hypostictum*.  
*Banaibana*, Bur. in Baill. Adansonia, ii. (1861–62) 194 = *S. Banaibana*.



- gigantea*, Miq. Ann. Mus. Bot. Lugd. Bat. iii. 250 = *S. hypostictum*.  
*glandulosa*, Miq. l. c. = *S. glandulosum*.  
*Lobbii*, Miq. l. c. = *S. hypostictum*.  
*pinnata*, Seem. in Journ. Bot. viii. (1870) 147 = *S. pinnatum*.  
*quadripinna*, Seem. l. c. = *S. Seemannii*.  
*stricta*, Zoll. & Mor. in Zoll. Syst. Verz. Ind. Archip. 53 = *S. glandulosum*.
- RADIA, Noronha, in Verh. Batav. Gen. v. (1790) ed. I. Art. iv. 3 = *Mimusops*, Linn. (Sapot.).
- RADIA, A. Rich. in Kunth, Syn. Pl. i. 300 (1822) = *Barbacenia*, Vand. (Amaryll.).  
*tubiflora*, A. Rich. l. c. = *B. tubiflora* (in Addend.).
- RADIANA, Rafin. Specch. i. 88 (1814); ex DC. Prod. iii. 353 = *Cypsolea*, Turp. (Ficoid.).  
*petiolata*, Rafin. l. c. = *C. humifusa*.
- RADIATA, Medic. Phil. Bot. i. 208 (1789) = *Medicago*, Tourn. (Legumin.).
- RADICULA, Dill. ex Moench, Meth. 262 (1794) = *Nasturtium*, Linn. (Crucif.).  
*lancifolia*, Moench, l. c. = *N. amphibium*.  
*palustris*, Moench, l. c. 263 = *N. palustre*.  
*pinnata*, Moench, l. c. = *N. sylvestre*.  
*pyrenaica*, Cav. Desc. 423 = *N. pyrenaicum*.
- RADIOLA, [Dill.] Roth, Tent. Fl. Germ. i. 71 (1788).  
*LINEAE*, Benth. & Hook. f. i. 242.  
*LINOIDES*, Rupp. Fl. Jen. ed. Hall. 91 (1745).  
*MILLEGRANA*, Adans. Fam. ii. 269 (1763).  
*dichotoma*, Moench, Meth. 288 = *R. Linoides*.  
*filiformis*, Dulac, Fl. Hautes-Pyr. 226 = *R. Linoides*.  
*linioidea*, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 133 = seq.  
*Linoides*, Roth, Tent. Fl. Germ. i. 71.—Europ.  
*Millegrana*, Sm. Engl. Bot. t. 895 = *R. Linoides*.  
*multiflora*, Aschers. Fl. Brandenb. 106 = *R. Linoides*.  
*tetrapetala*, Steud. Nom. ed. II. ii. 429, sphalm. = *R. Linoides*.
- RADIUSIA, Reichb. Consp. 148 (1828) = *Sophora*, Linn. (Legumin.).  
*alopeuroides*, Reichb. ex Steud. Nom. ed. II. ii. 429 = *S. alopeuroides*.  
*chinensis*, Heynh. Nom. ii. 582 = *S. chinensis*.  
*flavescens*, Endl. ex Heynh. l. c. = *S. flavescens*.  
*galeoides*, Heynh. l. c. = *S. flavescens*.  
*sericea*, Heynh. l. c. = *S. sericea*.
- RADOJITSKYA, Turcz. in Bull. Soc. Nat. Mosc. xxv. (1852) ii. 176 = *Lachnaea*, Linn. (Thymel.).  
*capensis*, Turcz. l. c. 177 = *L. axillaris*.
- RAFFENALDIA, Godr. in Mém. Acad. Montp. (Sect. Médic.) i. (1853) 413. *CRUCIFERAE*, Benth. & Hook. f. i. 101.  
*COSSONIA*, Dur. in Ann. Sc. Nat. Sér. III. xx. (1853) 82. t. 6.  
*primuloides*, Godr. in Mém. Acad. Montp. (Sect. Médic.) i. (1853) 413.—Alger.
- RAFFLESIA, R. Br. in Trans. Linn. Soc. xiii. (1821) 201. *CYTINACEAE*, Benth. & Hook. f. iii. 119.  
*Arnoldi*, R. Br. l. c. 207.—Sumatra.  
*Cumingii*, R. Br. l. c. xix. (1844) 243 = *manillana*.  
*Hasseltii*, Suring. in Veth, Midden-Sumatra, iv. II. Flora, 26, cum ic.—Sumatra.  
*Horsfieldii*, R. Br. in Trans. Linn. Soc. xix. (1844) 242.—Java.  
*Lagascas*, Blanco, Fl. Filip. ed. II. 595 = *R. Patma*.  
*manillana*, Tescem. in Bost. Journ. Nat. Hist. iv. (1844) 63, 65, t. 6.—Ins. Philipp.  
*Patma*, Blume, Korte Besch. Patma (1825), 21.—Java.  
*philippensis*, Blanco, Fl. Filip. ed. II. 565 = *manillana*.  
*Rochussenii*, Teysm. & Binn. in Nat. Tijdschr. Nederl. Ind. (1850) 425.—Java.  
*Schadenbergiana*, Goepf. ex Hieron. in Gartenfl. xxxiv. (1885) 3. t. 1177.—Ins. Philipp.  
*Titan*, Jack, Desc. Malay. Plants, iii. [1823?] 1 = *Arnoldi*.  
*Tuan-Mudae*, Becc. in Atti Soc. Ital. Sc. Nat. xi. (1868) 197.—Borneo.

**RAFINESQUIA**, Nutt. in Trans. Am. Phil. Soc. N. S. vii. (1841) 429. *COMPOSITAE* [Benth. & Hook. f. ii. 533].  
*californica*, Nutt. l. c.—Calif.  
*neo-mexicana*, A. Gray, Pl. Wright. ii. 103.—Am. bor. occ.

**RAFINESQUIA**, Rafin. Fl. Tellur. ii. 96 (1836) = **Hosackia**, Dougl. (Legumin.).  
*comosa*, Rafin. l. c. = *H. bicolor*.  
*obovata*, Rafin. l. c. (Quid. ?).—Am. bor.

**RAFINESQUIA**, Rafin. New Fl. Am. iii. 51 (1836) = **Calamintha**, Tourn. (Labiata).  
*angustifolia*, Rafin. l. c. 52 = *C. Nuttallii*?  
*coccinea*, Rafin. Fl. Tellur. iii. 83 = *C. coccinea*.

**RAFINESQUIA**, Rafin. Sylva Tellur. 79 (1838) = **Jacaranda**, Juss. (Bignon.).  
*caerulea*, Rafin. l. c. = *J. caerulea*.

**RAFANIA**, Thunb. Nov. Gen. 144 (1800); Prod. Pl. Cap. 123 (1800). *LEGUMINOSAE*, Benth. & Hook. f. i. 475.  
*HYBOTROPIS*, E. Mey. ex Steud. Nom. ed. II. i. 780 (1840).  
*OEDMANNIA*, Thunb. Nov. Gen. 136 (1800).  
*PELECYNTHIS*, E. Mey. Comm. Pl. Afr. Austr. 13 (1835).

*VASCOA*, DC. Mém. Leg. 186 (1825); Prod. ii. 119 (1825).  
*affinis*, Harv. in Harv. & Sond. Fl. Cap. ii. 36.—Afr. austr.

*alpina*, Eckl. & Zeyh. Enum. 160 = *triflora*.  
*amplexicaulis*, Thunb. Nov. Gen. 144.—Afr. austr.  
*angulata*, Thunb. l. c. 147.—Afr. austr.  
*angustifolia*, Thunb. l. c. = *angulata*.  
*axillaris*, Benth. in Hook. Lond. Journ. Bot. ii. (1843) 468 = *affinis*.

*axillaris*, Eckl. & Zeyh. Enum. 161 = *crassifolia*.  
*axillaris*, Thunb. Nov. Gen. 146.—Afr. austr.  
*axillaris*, Willd. ex Walp. in Linnaea, xiii. (1839) 505 = *Euchlora* serpens.

*cordata*, Eckl. & Zeyh. Enum. 159 = *ovata*.  
*cordata*, Mart. in Denkschr. Akad. Muench. vi. 1816—1817 (1820) 189.—Afr. austr.

*corymbosa*, Walp. in Linnaea, xiii. (1839) 464 = *cuneifolia*.  
*crassifolia*, Harv. Thes. Cap. i. 45. t. 71.—Afr. austr.  
*cuneifolia*, E. Mey. Comm. Pl. Afr. Austr. 12 = *elliptica*.

*cuneifolia*, Thunb. Nov. Gen. 145.—Afr. austr.  
*dichotoma*, Eckl. & Zeyh. Enum. 161.—Afr. austr.  
*diffusa*, Eckl. & Zeyh. l. c. 160 = *triflora*.  
*diffusa*, Thunb. Nov. Gen. 149.—Afr. austr.  
*Ecklonis*, E. Mey. Comm. Pl. Afr. Austr. 13.—Afr. austr.

*elliptica*, Sieber, ex Presl, Bot. Bemerk. 44 = *myrtifolia*.  
*elliptica*, Thunb. Nov. Gen. 145.—Afr. austr.  
*erecta*, Eckl. & Zeyh. Enum. 160 = *elliptica*.  
*erecta*, Thunb. Nov. Gen. 149.—Afr. austr.  
*fastigiata*, Eckl. & Zeyh. Enum. 160.—Afr. austr.  
*filifolia*, Eckl. ex Walp. Ann. i. 208 = *Aspalathus* corymbosa.

*filifolia*, Thunb. Nov. Gen. 148 = *angulata*.  
*humilis*, Eckl. & Zeyh. Enum. 162.—Afr. austr.  
*intermedia*, Vog. ex Walp. in Linnaea, xiii. (1839) 463 = *elliptica*.

*lancea*, DC. Prod. ii. 119.—Afr. austr.  
*lancea*, E. Mey. Comm. Pl. Afr. Austr. 12 = *lancifolia*.  
*lancifolia*, Presl, Bot. Bemerk. 44.—Afr. austr.  
*Meyeriana*, Presl, l. c. = *elliptica*.

*myrtifolia*, Presl, l. c.—Afr. austr.  
*opposita*, Thunb. Nov. Gen. 146.—Afr. austr.  
*ovata*, E. Mey. Comm. Pl. Afr. Austr. 12.—Afr. austr.

*pauciflora*, Eckl. & Zeyh. Enum. 162 = *opposita*.  
*perfoliata*, E. Mey. Comm. Pl. Afr. Austr. 12.—Afr. austr.

*perfoliata*, Willd. Sp. Pl. iii. 949 = *Baptisia* perfoliata.  
*racemosa*, Eckl. & Zeyh. Enum. 161.—Afr. austr.  
*reflexa*, Walp. Rep. ii. 833, in syn. = *elliptica*.  
*retroflexa*, Benth. in Hook. Lond. Journ. Bot. ii. (1843) 469 = *diffusa*.

*retroflexa*, Eckl. & Zeyh. Enum. 160 = *elliptica*.  
*retroflexa*, Thunb. Nov. Gen. 148.—Afr. austr.  
*retusa*, Vent. Jard. Malm. 53 = *Templetonia* retusa.

# **RAFANIA** :—

*rhomboidea*, Walp. in Linnaea, xiii. (1839) 464 = *cuneifolia*.  
*spicata*, Thunb. Nov. Gen. 147.—Afr. austr.  
*Thunbergii*, Harv. in Harv. & Sond. Fl. Cap. ii. 36.—Afr. austr.  
*triflora*, Thunb. Nov. Gen. 145.—Afr. austr.  
*virens*, E. Mey. Comm. Pl. Afr. Austr. 11.—Afr. austr.

**RAILLARDELLA**, Benth. in Benth. & Hook. f. Gen. ii. 442 (1876). *COMPOSITAE*, Benth. & Hook. f. l. c.  
*argentea*, A. Gray, in Bot. Calif. i. 417.—Calif.  
*Eiseni*, Kellogg, ex A. Gray, Syn. Fl. N. Am. i. II. 380 = *scaposa*.  
*Muirii*, A. Gray, in Bot. Calif. i. 618.—Calif.  
*Pringlei*, Greene, in Bull. Torrey Bot. Club, ix. (1882) 17.—Calif.  
*scaposa*, A. Gray, in Bot. Calif. i. 417.—Calif.

**RAIANIA**, Scop. Introduct. 460 (1838) = **Rajania**, Linn. (Diosc.).

**RAILLARDA**, Endl. Gen. 460 (1838) = seq.

**RAILLARDIA**, Spreng. Gen. ii. 796 (1831) = seq.

**RAILLIARDA**, DC. Prod. vi. 440 (1837) = seq.

**RAILLIARDIA**, Gaudich. in Freyc. Voy. Bot. 469. t. 83 (1826). *COMPOSITAE*, Benth. & Hook. f. ii. 442.

*arborea*, A. Gray, in Proc. Am. Acad. v. (1861) 134.—Ins. Sandvic.

*argentea*, A. Gray, l. c. vi. (1865) 550 = *Raillardella* argentea.

*ciliolata*, DC. Prod. vi. 441.—Ins. Sandvic.

*Hillebrandii*, H. Mann, in Proc. Am. Acad. vii. (1867) 175.—Ins. Sandvic.

*latifolia*, A. Gray, l. c. v. (1861) 132.—Ins. Sandvic.

*laxiflora*, DC. Prod. vi. 441.—Ins. Sandvic.

*linearis*, Gaudich. in Freyc. Voy. Bot. 469. t. 83.—Ins. Sandvic.

*Menziesii*, A. Gray, in Proc. Am. Acad. v. (1861) 133.—Ins. Sandvic.

*montana*, H. Mann, l. c. vii. (1867) 176.—Ins. Sandvic.

*platyphylla*, A. Gray, l. c. v. (1861) 134.—Ins. Sandvic.

*scabra*, DC. Prod. vi. 441.—Ins. Sandvic.

*scaposa*, A. Gray, in Proc. Am. Acad. vi. (1865) 551 = *Raillardella* scaposa.

*struthioloides*, A. Gray, l. c. (1861) 134.—Ins. Sandvic.

**RAJANIA**, Linn. Gen. ed. I. 306 (1737) = *DIOSCOREACEAE*, Benth. & Hook. f. iii. 744.

*JANRAIA*, Adans. Fam. ii. 76 (1763).  
*angustifolia*, Griseb. ex Kunth, Enum. Pl. v. 446 = *cubensis*.

*angustifolia*, Sw. Prod. Veg. Ind. Occ. 59.—Ins. S. Doming.

*brasiliensis*, Griseb. in Mart. Fl. Bras. iii. i. 48.—Bras.

*cirrha*, Billb. ex Beurl. in Vet. Akad. Handl. Stockh. 1854 (1856) 111.—Costa Rica.

*cordata*, Linn. Sp. Pl. 1032.—Ind. occ.

*cubensis*, Kunth, Enum. Pl. v. 446.—Cuba.

*flexuosa*, Bello, in Anal. Soc. Esp. Hist. Nat. xii. (1883) 124 = *hastata*?

*flexuosa*, Poir. Encyc. vi. 59 = *Dioscorea* Bridgesii.

*hastata*, Griseb. in Mart. Fl. Bras. iii. i. 47, excl. syn. = *Dioscorea* trachyandra.

*hastata*, Linn. Sp. Pl. 1032.—Ind. occ.

*hastata*, Poepp. ex Kunth, Enum. Pl. v. 452 = *microphylla*.

*hexaphylla*, Thunb. Fl. Jap. 149 = *Stantonia* hexaphylla.

*lobata*, Poir. Encyc. vi. 58.—Peruv.

*microphylla*, Kunth, Enum. Pl. v. 451.—Cuba.

*mucronata*, Willd. Sp. Pl. iv. 787.—Ins. S. Doming.

*ovata*, Sw. Prod. Veg. Ind. Occ. 59.—Ind. occ.

*pleioneura*, Griseb. Fl. Brit. W. Ind. 588.—Ind. occ.

*quinata*, Thunb. Fl. Jap. 148 = *Akebia* quinata.

*quinquefolia*, Linn. Sp. Pl. 1032.—Ind. occ.

*verticillata*, Vell. Fl. Flum. x. t. 115 = *Herreria* Salsapariha.



RAJANIA, Walt. Fl. Carol. 53, 247 (1788) = **Brun-nichia**, Banks (Polygon).  
*caroliniana*, J. F. Gmel. Syst. 581 = seq.  
*ovata*, Walt. Fl. Carol. 247 = *B. cirrhosa*.

RALEIGHIA, Gardn. in Hook. Lond. Journ. Bot. iv. (1845) 97 = **Abatia**, Ruiz & Pav. (Samyd.).  
*americana*, Gardn. l. c. 98 = *A. americana*.

RAMATUELA, H. B. & K. Nov. Gen. et Sp. vii. 253. t. 656 (1825). **COMBRETACEAE**, Benth. & Hook. f. i. 686.  
*argentea*, H. B. & K. l. c. 254.—Am. trop.  
*virens*, Spruce, ex Eichl. in Mart. Fl. Bras. xiv. ii. 100.—Bras.

RAMATUELLA, Poir. in Dict. Sc. Nat. xlv. 426 (1826) = *praece*.

RAMELIA, Baill. Adansonia, xi. (1874) 132. **EU-PHORBIACEAE**, Benth. & Hook. f. iii. 326.  
*codonostylis*, Baill. l. c.—N. Caled.

RAMEYA, Baill. Adansonia, ix. (1870) 315. **MENI-SPERMACEAE**.  
*caloioicrosia*, Baill. in Bull. Soc. Linn. Par. i. (1885) 458.—Madag.  
*capitata*, Baill. Adansonia, ix. (1870) 315.—Ins. Comor.  
*loucoubensis*, Baill. l. c. = *Triclisia loucoubensis*.  
*macrocarpa*, Baill. in Bull. Soc. Linn. Par. i. (1885) 458.—Madag.

RAMIREZIA, A. Rich. Fl. Cub. t. 39 (1855) = **Poep-pigia**, Presl (Legumin.).  
*cubensis*, A. Rich. l. c. = *P. excelsa*.

RAMISCHIA, Opiz, Seznam, 82 (1852) = **Pyrola**, Tourn. (Ericac.).  
*secunda*, Garcke, Fl. Deutschl. ed. IV. 222 = *P. secunda*.  
*secundiflora*, Opiz, Seznam, 82 = *P. secunda*.

RAMONDIA, Rich. in Pers. Syn. i. 216 (Ramonda) (1805); Jaume St. Hil. Expos. i. 280 (1805). **GES-NERACEAE**, Benth. & Hook. f. ii. 1024.  
CHAIXIA, Lapeyr. Hist. Abr. Pl. Pyr. Suppl. 38 (1818).  
JANCAEA, Boiss. Pl. Or. Nov. Dec. i. 4 (1875).  
JANKAEA, Boiss. Fl. Orient. iv. 82 (1879).  
LOBIROTA, Dulac, Fl. Hautes-Pyr. 430 (1867).  
MYCONIA, Lapeyr. Hist. Abr. Pl. Pyr. 115 (1813).  
Heldreichii, Janka, ex Boiss. Pl. Or. Nov. Dec. i. 5.—Thessalia.  
*Myconi*, Reichb. Fl. Germ. Excurs. 388 = *pyrenaica*.  
*Nathaliae*, Panč. & Petrov. Fl. Agr. Nyssani, 574; ex Just, Bot. Jahresb. xi. 850 = *serbica*.  
*pyrenaica*, Rich. in Pers. Syn. i. 216.—Mont. Pyren.  
*scapiflora*, Jaume St. Hil. Expos. i. 280 = *pyrenaica*.  
*scapigera*, DC. Fl. Fr. Suppl. 417, sphalm. = *praece*.  
*serbica*, Panč. ex C. B. Clarke, in DC. Monog. Phan. v. 168.—Servia.

RAMOTHA, Rafin. Fl. Tellur. ii. 15 (1836) = **Xyris**, (Gronov.).  
*africana*, Rafin. l. c. (Quid?).—Afr.  
*floridana*, Rafin. l. c. = *X. flexuosa*?  
*operculata*, Rafin. l. c. = *X. operculata*.  
*pubescens*, Rafin. l. c. = *X. pubescens*.  
*vera*, Rafin. l. c. = *X. indica*?

RAMPHICARPA, Reichb. Nom. 119 (1841) = **Rham-phicarpa**, Benth. (Scrophul.).

RAMPHIDIA, Miq. Fl. Ind. Bat. iii. 730 (1858) = **RHAMPHIDIA**, Lindl. = **Hetaeria**, Blume (Orchid.).

RAMPHOCARPUS, Neck. Elem. ii. 438 (1790) = **Erodium**?, L'Hérit. (Geran.).

RAMPHOSPERMUM, Andr. ex Reichb. in Moessl. Handb. ed. II. i. p. lvii (1827) = **RHAMPHO-SPERMUM**, Reichb. = **Brassica**, Tourn. (Crucif.).

RAMPINIA, C. B. Clarke, in Journ. Linn. Soc. xv. (1876) 129 = **Herpetospermum**, Wall. (Cucurb.).  
*herpetospermoides*, C. B. Clarke, l. c. 130 = *H. caudi-gerum*.

RAMSPEKIA, Scop. Introd. 145 (1777) = **Posoqueria**, Aubl. (Rubi.).

RAMTILLA, DC. in Wight, Contrib. 18 (1834) = **Guizotia**, Cass. (Compos.).  
*oleifera*, DC. l. c. = *G. abyssinica*.

RAMUSIA, E. Mey. in Drège, Zwei Pfl. Docum. 215 (1843) = **Asystasia**, Blume (Acanth.).  
*nyctaginea*, E. Mey. l. c.; et ex Nees, in DC. Prod. xi. 167 = *A. coromandeliana*.

RAMUSIA, Nees, in DC. Prod. xi. 309 (1847) = **Peri-strophe**, Nees (Acanth.).  
*tridentata*, Nees, l. c.—Afr. austr.

RANAPALUS, Kellogg, in Proc. Calif. Acad. vii. (1877) 113 = **Herpestis**, Gaertn. f. (Scrophul.).  
*Eisenii*, Kellogg, l. c. = *H. rotundifolia*.

RANARIA, Cham. in Linnaea, viii. (1825) 30 = **Her-pestis**, Gaertn. f. (Scrophul.).  
*monnieroides*, Cham. l. c. 31 = *H. Ranaria*.

RANCAGUA, Poepp. & Endl. Nov. Gen. et Sp. i. 15. tt. 24, 25 (1835) = **Lasthenia**, Cass. (Compos.).  
*Bridgesii*, Poepp. & Endl. l. c. t. 25 = *L. obtusifolia*.  
*Fevillei*, Poepp. & Endl. l. c. t. 24 = *L. obtusifolia*.  
*glaberrima*, Endl. ex Walp. Rep. vi. 180 = *L. glabrata*.

RANDALIA, Beauv. ex Desv. in Ann. Sc. Nat. Sér. I. xiii. (1828) 47. t. 5 = **Eriocaulon**, Linn.  
*decanthularis*, Beauv. l. c. = *E. decanthalare*.  
*densa*, Beauv. l. c. = *E. deustum*.  
*depressa*, Beauv. l. c. = *E. depressum*.  
*fistulosa*, Beauv. l. c. = *E. fistulosum*.  
*scariosa*, Beauv. l. c. = *E. scariosum*.

RANDIA, Houst. ex Linn. Gen. ed. I. 376 (1737). **RUBIACEAE**, Benth. & Hook. f. ii. 88.  
CANTHIOPSIS, Seem. Fl. Vit. 166. t. 46 (1866).  
CATU-NAREGAM, Adans. Fam. ii. 85 (1763).  
CERISCUS, Gaertn. f. Fruct. iii. 140. t. 28 (1797).  
CUPI, Adans. Fam. ii. 158 (1763).  
CUPIA, DC. Prod. iv. 393 (1830).  
FOSCARENIA, Vell. ex Vand. Fl. Lusit. 7 (1788); et in Roem. Script. 78 (1796).  
GRIFFITHIA, Wight & Arn. Prod. 399 (1834).  
GYNOPACHIS, Blume, Cat. Gew. Buitenz. 48 (1823).  
LACHNOSIPHONIUM, Hochst. in Flora, xxv. (1842) 236.  
NAREGA, Rafin. Sylva Tellur. 98 (1838).  
OXYCEROS, Lour. Fl. Cochinch. 150 (1790).  
PSEUDIXORA, Miq. Fl. Ind. Bat. ii. 209 (1856).  
STYLOCORYNA, Cav. Ic. iv. 45. t. 368 (1797).  
TALANGENINIA, Chapel. ex DC. Prod. iv. 389 (1830).  
THIOLLIERA, Montr. in Mém. Acad. Lyon, x. (1860) 217.

XEROMPHIS, Rafin. Sylva Tellur. 21 (1838).  
*accedens*, Hance, in Ann. Sc. Nat. Ser. V. v. (1866) 218.—China.  
*aculeata*, Linn. Sp. Pl. 1192.—Ind. occ.  
*acuminata*, Benth. in Hook. Niger Fl. 385.—Afr. trop.  
*africana*, G. Don, Gen. Syst. iii. 502 (Quid?).—Afr. trop.  
*angatisensis*, F. Villar, in Blanco, Fl. Philipp. ed. III. Nov. App. 108.—Ins. Philipp.  
*anisophylla*, Hook. f. Fl. Brit. Ind. iii. 114.—Malaya.  
*armata*, DC. Prod. iv. 387 = *Basanacantha armata*.  
*auriculata*, Steud. Nom. ed. II. ii. 430 = *Anomanthodia auriculata*.  
*Beccariana*, Baill. Adansonia, xii. (1879) 246.—Borneo.  
*Benthamiana*, F. Muell. Fragm. ix. 180.—Austral.  
*Bojeriana*, Baill. Adansonia, xii. (1879) 245.—Madag.  
*Bowieana*, A. Cunn. ex Hook. Bot. Mag. t. 3409 = *macrantha*.  
*Brandzeana*, Baill. Adansonia, xii. (1879) 244.—N. Caled.  
*Buchananii*, Oliver, in Hook. Ic. Pl. t. 1356.—Afr. trop.  
*calophylla*, Griseb. Cat. Pl. Cub. 123 = *Casasia calophylla*.  
*calycina*, Cham. in Linnaea, ix. (1834) 246 (= *Basana-canthea* sp.).—Bras.  
*Candolleana*, Wight & Arn. Prod. 399.—Ind. or.

RANDIA:—

*canthioides*, Champ. ex Benth. in Hook. Kew Journ. iv. (1852) 194.—China.  
*capitata*, DC. Prod. iv. 387.—Mexic.  
*caudata*, Hiern, in Oliver, Fl. Trop. Afr. iii. 96.—Afr. trop.  
*chartacea*, F. Muell. Fragm. ix. 180, in obs.—Austral.  
*chinensis*, DC. Prod. iv. 388, in syn. = *sinensis*.  
*ciliolata*, Wright, in Sauv. Fl. Cub. 60.—Cuba.  
*clusiaefolia*, Chapm. Fl. S. U. St. 179 = *Genipa clusiifolia*.  
*coriacea*, Benth. in Hook. Niger Fl. 387 = *Tricalysia coriacea*.  
*corymbosa*, Wight & Arn. Prod. 399 = *Candolleana Cumingiana*, Vidal, Phan. Cuming. Philipp. 179.—Ins. Philipp.  
*Cupia*, Steud. Nom. ed. II. ii. 430 = *longiflora*.  
*deccanensis*, Bedd. l. c. Pl. Ind. Or. i. 57 = *Candolleana decussata*, Wall. ex Voigt, Hort. Suburb. Calc. 381 = *Hedyotis macrophylla*.  
*densiflora*, Benth. Fl. Hongk. 155.—As. et Austral. trop.  
*Devoniana*, Benth. & Hook. f. Gen. ii. 89.—Afr. trop.  
*dilleniacea*, Baill. Adansonia, xii. (1879) 245.—Borneo.  
*dioica*, Karst. in Linnaea, xxx. (1859–60) 153 = *Basanacantha dioica*.  
*Doniana*, Benth. in Hook. Niger Fl. 385 = *Sherbournia foliosa*.  
*drupacea*, DC. Prod. iv. 389.—Java.  
*dumetorum*, Lam. Illustr. ii. 227.—Geront. trop.  
*echinocarpa*, [Moq. & Sessé], ex DC. Prod. iv. 385.—Mexic.  
*edulis*, Kostel. Allg. Med.-Pharm. Fl. ii. 579.—Cochinch.  
*exaltata*, Griff. Notul. iv. 262.—Burma.  
*fasciculata*, DC. Prod. iv. 386.—Reg. Himal.; Burma.  
*ferox*, DC. l. c. 387.—Mexic.  
*Fitzalani*, F. Muell. ex Benth. Fl. Austral. iii. 411.—Austral.  
*floribunda*, DC. Prod. iv. 386 = *dumetorum*.  
*foliolosa*, Wight & Arn. Prod. 398 = *aculeata*.  
*gambica*, Hiern, in Oliver, Fl. Trop. Afr. iii. 96.—Afr. trop.  
*Gardneri*, Hook. f. Fl. Brit. Ind. iii. 112.—Zeylan.  
*genipaeiflora*, DC. Prod. iv. 389.—Afr. trop.  
*glomerata*, Benth. Bot. Voy. Sulph. 103.—Ecuador.  
*Griffithii*, Hook. f. Fl. Brit. Ind. iii. 112.—Reg. Himal.  
*hebecarpa*, Benth. in Hook. Journ. Bot. iii. (1841) 213 = *Basanacantha hebecarpa*.  
*heterophylla*, Balf. f. in Journ. Linn. Soc. xvi. (1877) 14; et in Baker, Fl. Mauriti. 141.—Ins. Rodrig.  
*hirta*, F. Muell. Census, 74 = *Gardenia hirta*.  
*hondensis*, Karst. in Linnaea, xxx. (1859–60) 154.—N. Granat.  
*horrida*, Roem. & Schult. Syst. v. 248.—Cochinch.  
*Humboldtiana*, DC. Prod. iv. 387 = *Basanacantha Humboldtiana*.  
*hygrophylla*, Hook. f. Fl. Brit. Ind. iii. 115.—Burma.  
*Karstenii*, Polak. in Linnaea, xli. (1877) 568.—Costa Rica.  
*Kraussii*, Harv. Thes. Cap. i. 22 = *dumetorum*.  
*Lachnosiphonium*, Hochst. in Flora, xxv. (1842) 237.—Afr. austr.  
*latifolia*, Lam. Encyc. iii. 24 = *aculeata*.  
*laurifolia*, Benth. & Hook. f. Gen. ii. 88 = *Gardneri*.  
*leucocarpa*, Champ. ex Benth. in Hook. Kew Journ. iv. (1852) 194.—Ins. Hongkong.  
*longiflora*, Lam. Encyc. iii. 26.—Reg. Himal.; Malaya.  
*longiflora*, Salisb. Parad. Lond. t. 93 = *macrantha*.  
*longispina*, DC. Prod. iv. 386 = *dumetorum*.  
*longistyla*, DC. l. c. 388 = *Macrosphyra longistyla*.  
*Macarthurii*, F. Muell. Papuan Pl. i. 68.—N. Guin.  
*macrantha*, Miq. Ann. Mus. Bot. Lugd. Bat. iv. 234.—Java.  
*macrantha*, DC. Prod. iv. 388.—Afr. trop.  
*macrocarpa*, Hiern, in Oliver, Fl. Trop. Afr. iii. 97.—Afr. trop.  
*macrophylla*, Benth. & Hook. f. Gen. ii. 89; et ex Hook. f. Fl. Brit. Ind. iii. 114.—Malaya.  
*maculata*, DC. Prod. iv. 388.—Afr. trop.  
*maculata*, Span. in Linnaea, xv. (1841) 315.—Ins. Timor.  
*madagascariensis*, DC. Prod. iv. 389.—Madag.  
*malabarica*, Lam. Encyc. iii. 25.—Ind. or.

**RANDIA:—**

- malabarica*, Wall. Cat. n. 8255 = fasciculata, dumetorum.
- malleifera*, Benth. & Hook. f. Gen. ii. 89.—Afr. trop.
- malleiflora*, Walp. Ann. ii. 795, sphalm. = praec.
- mitis*, Linn. Sp. Pl. 1192 = aculeata.
- monantha*, Benth. Fl. Hartw. 84 = Basanacantha monantha.
- Moorei, F. Muell. ex Benth. Fl. Austral. iii. 411.—Austral.
- Munsa, Schweinf. ex Hiern, in Oliver, Fl. Trop. Afr. iii. 99.—Afr. trop.
- Mussaenda, DC. Prod. iv. 388.—Am. austr.
- nigrescens, Griseb. Cat. Pl. Cub. 123.—Cuba.
- nitida, DC. Prod. iv. 387.—N. Granat.
- nutans, DC. l. c. 386 = dumetorum.
- obovata, H. B. & K. Nov. Bot. Lugd. Bat. iii. 409.—N. Granat.
- obovata, Ruiz & Pav. Fl. Per. ii. 68 = pubescens.
- obscura, F. Villar, in Blanco, Fl. Philipp. ed. III. Nov. App. 108 = Gardenia obscura.
- octomera, Benth. & Hook. f. Gen. ii. 89.—Afr. trop.
- ovata, Duchass. ex Griseb. in Bonplandia, vi. (1858) 8.—Panama.
- oxypetala, Lindl. Bot. Reg. (1843) Misc. 63.—Reg. Himal.
- pallens, Hiern, in Oliver, Fl. Trop. Afr. iii. 96.—Afr. trop.
- parviflora, Lam. Encyc. iii. 25.—Ind. or.
- parvifolia, Harv. Thes. Cap. i. 23.—Afr. austr.
- parvifolia, Lam. Encyc. iii. 25 = Catesbaea parvifolia.
- patula, Miq. Ann. Mus. Bot. Lugd. Bat. iv. 235.—Java.
- polysperma, Roxb. Hort. Beng. 15; Fl. Ind. i. 527 = Petunga Roxburghii.
- propinqua, G. Don, Gen. Syst. iii. 502 = Gardenia propinqua.
- pubescens, Ruiz & Pav. Fl. Per. ii. t. 220. f. b.—Peruv.
- racemosa, Maxim. in Bull. Acad. Pétersb. xxix. (1884) 167.—Ins. Philipp.; Archip. Luchu.
- racemosa, Roxb. Hort. Beng. 15; Fl. Ind. i. 525 = Petunga Roxburghii.
- reticulata, Benth. in Hook. Niger Fl. 386 = Tricalysia reticulata.
- rigida, DC. Prod. iv. 386 = fasciculata.
- Rottleri, Wight & Arn. Prod. 397 = dumetorum.
- rotundifolia, Ruiz & Pav. Fl. Per. ii. 68.—Peruv.
- rubens, Hiern, in Oliver, Fl. Trop. Afr. iii. 95.—Afr. trop.
- rudis, E. Mey. ex Harv. Thes. Cap. i. 22.—Afr. austr.
- rugulosa, Hook. f. Fl. Brit. Ind. iii. 113.—Ind. or.
- Ruiziana, DC. Prod. iv. 388.—Peruv.
- Sagraeana, Griseb. Cat. Pl. Cub. 122 = Scolosanthus crucifer.
- scandens, DC. Prod. iv. 387 = longiflora.
- scandens, Lam. Encyc. iii. 26 = Gardenia scandens.
- sessilis, F. Muell. Fragm. vii. 47.—Austral.
- Sherborniae, Hook. Niger Fl. 385 = Sherbournia foliosa.
- sikkimensis, Hook. f. Fl. Brit. Ind. iii. 114.—Reg. Himal.
- sinensis, Roem. & Schult. Syst. v. 248.—China.
- speciosa, Bedd. Forest Man. Bot. 133.—Ind. or.
- speciosa, DC. Prod. iv. 388.—Guian.
- speciosa, Hook. Ic. Pl. t. 824 = Gardenia speciosa.
- spinosa, Karst. Fl. Columb. ii. 128, adnot. = Basanacantha armata.
- spinosa, Poir. Encyc. Suppl. ii. 829; Blume, Bijdr. 981 = dumetorum.
- Stanleyana, Walp. Ann. ii. 794.—Afr. trop.
- stipularis, F. Muell. Papuan Pl. i. 69 = stipulosa.
- stipulosa, Miq. Fl. Ind. Bat. ii. 228 = dumetorum.
- stipulosa, Moore & F. Muell. ex F. Muell. Fragm. vii. 47.—Austral.
- stricta, Roxb. Hort. Beng. 15; Fl. Ind. i. 526 = Hyptianthera stricta.
- sumatrana, Miq. Ann. Mus. Bot. Lugd. Bat. iv. 235.—Sumatra.
- tahitensis, Nadeaud, Enum. Pl. Tahiti, 54.—Ins. Tahiti.
- Talanginia, DC. Prod. iv. 389.—Madag.
- tetracantha, DC. l. c. 387 = Basanacantha tetracantha.
- tetrandra, DC. l. c.—N. Granat.
- tetrasperma, Benth. & Hook. f. ex Brand. For. Fl. 272.—Reg. Himal.
- tomentosa, Hook. f. Fl. Brit. Ind. iii. 110.—Burma; Malaya.

**RANDIA:—**

- tomentosa*, Wight & Arn. Prod. 398 = dumetorum.
- triflora, Buch.-Ham. ex D. Don, Prod. Fl. Nep. 138.—Nepal.
- uliginosa, Poir. Encyc. Suppl. ii. 829; DC. Prod. iv. 386.—Ind. or.; Burma.
- urcelliformis, Schweinf. ex Hiern, in Oliver, Fl. Trop. Afr. iii. 104 = Gardenia urcelliformis.
- venulosa, Wall. Cat. n. 8301 = Petunga venulosa.
- Vieillardii, Baill. Adansonia, xii. (1879) 295.—N. Caled.
- virosa, Buch.-Ham. in Trans. Linn. Soc. xvii. (1835) 165.—Ind. or.
- Wallichii, Hook. f. Fl. Brit. Ind. iii. 113.—Reg. Himal.; Burma.
- Wrightiana, Griseb. Cat. Pl. Cub. 122 = Scolosanthus Wrightii.
- xalapensis, Mart. & Gal. in Bull. Acad. Brux. xi. i. (1844) 239.—Mexic.
- Zollingeri, Teijsm. & Binn. in Tijdschr. Nederl. Ind. xxix. (1866) 248.—Ins. Sunda.
- Zollingeriana, Teijsm. & Binn. Cat. Hort. Bog. 384 = praec.

**RANDONIA**, Coss. in Bull. Soc. Bot. Fr. vi. (1859) 391. *RESEDACEAE*, Benth. & Hook. f. i. 111. africana, Coss. l. c. 392.—Alger.

**RANGIA**, Griseb. Cat. Pl. Cub. 122 (1866), err. typ. = **Randia**, Houst. (Rubiaceae).

**RANGIUM**, Juss. in Dict. Sc. Nat. xxiv. 200 (1822) = **Forsythia**, Vahl (Oleaceae).

**RANISIA**, Salisb. Gen. Pl. Fragm. 143 (1866) = **Gladiolus**, Linn. (Irid.).

- concolor*, Salisb. l. c. = G. tristis.
- gracilis*, Salisb. l. c. = G. gracilis.
- hirsuta*, Salisb. l. c. = G. hirsutus.
- recurva*, Salisb. l. c. = G. recurvus.
- trichonemifolia*, Salisb. l. c. = G. trichonemifolius.
- tristis*, Salisb. l. c. = G. tristis.
- versicolor*, Salisb. l. c. = G. grandis.

**RANULA**, Fourr. in Ann. Soc. Linn. Lyon, N. S. xvi. (1868) 324 = **Ranunculus**, Tourn.

- aconitifolia*, Fourr. l. c. = Ranunc. aconitifolius.
- platanifolia*, Fourr. l. c. = Ranunc. aconitifolius.

**RANUNCULASTRUM**, Fourr. in Ann. Soc. Linn. Lyon, N. S. xvi. (1868) 324 = **Ranunculus**, Tourn.

- acre*, Fourr. l. c. = Ranunculus acris.
- albanaevum*, Fourr. l. c. xvii. (1869) 194 = Ranunculus bulbosus.
- auricomum*, Fourr. l. c. xvi. (1868) 324 = Ranunculus auricomus.
- Boraeum*, Fourr. l. c. = Ranunculus acris.
- bulbiferum*, Fourr. l. c. xvii. (1869) 194 = Ranunculus bulbosus.
- bulbosum*, Fourr. l. c. xvi. (1868) 324 = Ranunculus bulbosus.
- gracile*, Fourr. l. c. = Ranunculus montanus.
- lanuginosum*, Fourr. l. c. = Ranunculus lanuginosus.
- mixtum*, Fourr. l. c. = Ranunculus nemorosus.
- nemorivagum*, Fourr. l. c. = Ranunculus acris.
- nemorosum*, Fourr. l. c. = Ranunculus nemorosus.
- radicescens*, Fourr. l. c. = Ranunculus nemorosus.
- repens*, Fourr. l. c. = Ranunculus repens.
- reptabundum*, Fourr. l. c. = Ranunculus repens.
- sparsipilum*, Fourr. l. c. = Ranunculus bulbosus.
- valdepubens*, Fourr. l. c. xvii. (1869) 194 = Ranunculus bulbosus.
- vulgatum*, Fourr. l. c. xvi. (1868) 324 = Ranunculus acris.

**RANUNCULUS**, [Tourn.] Linn. Syst. ed. I (1735). *RANUNCULACEAE*, Benth. & Hook. f. i. 5.

- APHANOSTEMMA**, A. St. Hil. Fl. Bras. Mer. i. 12 (1825).
- BATRACHIUM**, S. F. Gray, Nat. Arr. Brit. Pl. ii. 720 (1821).
- CASALEA**, A. St. Hil. Fl. Bras. Mer. i. 8. t. 1 (1825).
- CERATOCEPHALA**, Moench, Meth. 218 (1794).
- CYNOMORBIUM**, Opiz, Fl. Caslav. Cent. iii. 261, 255 (1804).—Cf. Lotos, iv. (1854) 43.
- CYPRANTHE**, Spach, Hist. Vég. Phan. vii. 220 (1839).

**RANUNCULUS:—**

- CYRTORHYNCHA**, Nutt. ex Torr. & Gray, Fl. N. Am. i. 26 (1838).
- FIGARIA**, [Dill.] Hall. Enum. Stirp. Helv. i. 321 (1742).
- FLAMMULA**, Dod. ex Fourr. in Ann. Soc. Linn. Lyon, N. S. xvi. (1868) 324.
- GAMPSOCERAS**, Stev. in Bull. Soc. Nat. Mosc. xxv. (1852) i. 541, in textu.
- GLOSSOPHYLLUM**, Fourr. in Ann. Soc. Linn. Lyon, N. S. xvi. (1868) 325.
- HECATONIA**, Lour. Fl. Cochinch. 302 (1790); DC. Syst. i. 227 (1818).
- HERICINIA**, Fourr. in Ann. Soc. Linn. Lyon, N. S. xvi. (1868) 325.
- IONOSMANTHUS**, Jord. & Fourr. Ic. Pl. Europ. ii. 13 (1870).
- KRAPPIA**, DC. Syst. i. 228 (1818).
- LEUCONOË**, Fourr. in Ann. Soc. Linn. Lyon, N. S. xvi. (1868) 323.
- NOTOPHILUS**, Fourr. l. c. 325 (1868).
- PACHYLOMA**, Spach, Hist. Vég. Phan. vii. 194 (1839).
- PFUNDIA**, Opiz, Seznam, 73 (1852).
- RANULA**, Fourr. in Ann. Soc. Linn. Lyon, N. S. xvi. (1868) 324.
- RANUNCULASTRUM**, Fourr. l. c. 324 (1868).
- SCOTANUM**, Adans. Fam. ii. 459 (1763).
- STYLURUS**, Rafin. Fl. Ludov. 27 (1817).
- THORA**, Fourr. in Ann. Soc. Linn. Lyon, N. S. xvi. (1868) 325.
- XERODERA**, Fourr. l. c. 324 (1868).
- XIPHOCOMA**, Stev. in Bull. Soc. Nat. Mosc. xxi. (1848) ii. 270, in textu; et xxv. (1852) i. 537.
- abnormis, Cutanda & Willk. in Linnaea, xxx. (1859–60) 83.—Hispan.
- abortivus, Linn. Sp. Pl. 551.—Am. bor.
- abrotanifolius, Auct. ex Steud. Nom. ed. I. 676; ed. II. ii. 431 = divaricatus.
- acaulis, Banks & Soland. in DC. Syst. i. 270.—N. Zel.
- accessivus, Jord. Diagn. i. 70 = Villarsii.
- acetosellaefolius, Boiss. Elench. 5.—Hispan.
- aconitifolius, Linn. Sp. Pl. 551.—Europ.
- acris, Linn. l. c. 554.—Europ.; As. bor.
- acris, Willk. ex Freyn, in Willk. & Lange, Prod. Fl. Hisp. iii. 935 = nemorosus.
- acutidentatus, Rupr. Fl. Cauc. 286 = seq.
- acutilobus, Ledeb. Fl. Ross. i. 40; Rupr. l. c. 22.—Reg. Caucas.
- adoneus, A. Gray, in Proc. Acad. Sc. Philad. 1863 (1864) 56.—Am. bor.
- adscendens, Brot. Fl. Lusit. ii. 370.—Hispan.; Lusit.
- adscendens, Brot. Phyt. Lusit. ii. 229 = Broteri.
- aduncus, Gren. & Godr. Fl. Fr. i. 32 = Villarsii.
- affinis, R. Br. in Parry, 1st. Voy. App. 265.—Reg. arct.
- affinis, F. Schultz, in Flora, xxiv. (1841) 558 = trichophyllus.
- afghanicus, Aitch. & Hemsl. in Journ. Linn. Soc. xix. (1882) 148.—Afghan.
- Agerii, Bertol. in Opusc. Sc. Bologn. iii. (1819) 182. t. 6 = chaerophyllos.
- agrarius, All. Auct. Pedem. 27; Poir. Encyc. vi. 117 = sardous.
- alatus, Poir. l. c. 127 = Soliva sessilis.
- Alberti, Regel & Schmalh. in Act. Hort. Petrop. v. (1877) 223.—Turkest.
- albicans, Jord. Obs. Pl. Crit. vi. (1847) 10 = monspeliacus.
- albanaevus, Jord. Diagn. i. 81 = bulbosus.
- Aleae, Willk. in Linnaea, xxx. (1859–60) 84.—Hispan.
- aleuticus, Mert. in Linnaea, v. (1830) 65, nomen.—Ins. Aleut.
- algidus ×, Bruegg. in Jahresb. Naturf. Ges. Graub. II. xxiii–xxiv. (1880) 78.—Europ.
- alismaefolius, Geyer, ex Benth. Pl. Hartw. 295.—Am. bor. occ.
- alismoides, Bory, in Ann. Gén. Sc. Phys. iii. (1820) 13 = angustifolius.
- alpestris, Linn. Sp. Pl. 553.—Europ.
- alpestris, Pall. Reise, ii. 568 = nivalis.
- alpicola, Schur, in Verh. Siebenb. Ver. Naturw. ii. (1851) 177 = nemorosus.
- alpicola, Timb. in Bull. Soc. Bot. Fr. xv. (1868), Sess. Extr. p. xc = Villarsii.
- altaicus, Laxm. in Nov. Comm. Acad. Petrop. xviii. (1774) 533 = nivalis.

**RANUNCULUS:—**

*Amansii*, Jord. Diagn. i. 79 = nemorosus.  
*Amarillo*, Bertol. Fl. Guatimal. 24.—Guatemala.  
*ambigens*, S. Wats. Bibliog. Ind. N. Am. Bot. i. 16 = obtusiusculus.  
*ambiguus*, Jord. Diagn. i. 76 = polyanthemus.  
*ambiguus*, Schur, in Oestr. Bot. Zeitschr. x. (1860) 252 = cassubicus.  
*amblyobolus*, Boiss. & Hohen. Diagn. Ser. I. viii. 5.—Persia.  
*Ammanni*, Gunn. Fl. Norveg. ii. 103 = hyperboreus.  
*ammoides*, Pall. ex DC. Prod. i. 42 = trilobus.  
*amoenus*, A. Gray, in Am. Journ. Sc. Ser. II. xxxiii. (1862) 241 = adoneus?  
*amoenus*, Ledeb. Fl. Alt. ii. 320 = affinis.  
*amphibius*, James, in Long, Exped. Rocky Mount. ii. 342 = multifidus.  
*amphitricha*, Colenso, in Trans. N. Z. Inst. xvii. (1885) 237.—N. Zel.  
*amplexicaulis*, Linn. Sp. Pl. 549.—Europ. austr.  
*amurensis*, Maxim. ex Trautv. in Act. Hort. Petrop. viii. (1883) 41, nomen.—Reg. Amur.  
*Andersonii*, A. Gray, in Proc. Am. Acad. vii. (1868) 327.—Am. bor. occ.  
*andinus*, Phil. in Linnaea, xxxiii. (1864–65) 2.—Chili.  
*anemoneaeifolius*, DC. ex Poir. Encyc. Suppl. iv. 663.—Turcia.  
*anemoneifolius*, DC. Syst. i. 282.—As. Min.  
*anemoneus*, F. Muell. in Trans. Phil. Soc. Vict. i. (1855) 97.—Austral.  
*anemonoides*, Sievers, ex Steud. Nom. ed. I. 677, 679 = Callianthemum rutaefolium.  
*anemonoides*, Zahlbr. in Flora, vi. (1823) 220.—Styria.  
*angulatus*, Presl, Delic. Prag. 7 = sardous.  
*angustifolius*, DC. Rapp. Voy. i. 78; ex ej. Fl. Fr. Suppl. 636.—Mont. Pyren.  
*apiifolius*, Desf. in Pict. Hort. Par. 37. t. 73; ex DC. Syst. i. 260 = monspeliacus.  
*apiifolius*, Pers. Syn. ii. 105.—Reg. Argent.  
*apiifolius*, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 133 = sceleratus.  
*aquaticus*, Neck. Delic. Gallo-Belg. i. 242; Lam. Fl. Fr. iii. 184 = aquatilis.  
*aquatilis*, Linn. Sp. Pl. 556, partim.—Reg. temp.  
*aquatilis*, Linn. l. c., partim = peltatus.  
*arachnoides*, C. A. Mey. Vers. Pfl. Cauc. 201.—Reg. Caucas.  
*arcticus*, Richards. in Frankl. 1st Journ. ed. I. App. 741 = affinis.  
*argemonifolius*, Griseb. in Goett. Abh. xix. (1874) 70.—Reg. Argent.  
*argyreus*, Boiss. in Ann. Sc. Nat. Sér. II. xvi. (1841) 352.—As. Min.  
*armeniacus*, Boiss. & Huet, Diagn. Ser. II. v. 9 = anemoneifolius.  
*arvensis*, Linn. Sp. Pl. 555.—Europ.; As. bor.  
*ascendens*, Steud. Nom. ed. II. ii. 432 = adscendens.  
*Aschenbornianus*, Schau. in Linnaea, xx. (1847) 719.—Mexic.  
*Aschersonii*, Freyn, in Bot. Centralb. vi. (1881) Beil. [iii.] 13.—Afr. bor.  
*asiaticus*, Bory & Chaub. Nouv. Fl. Pélop. 35 = chaerophyllos.  
*asiaticus*, Gueldenst. Reisen, i. 193 = ophioglossifolius.  
*asiaticus*, Lepech. Reisen, iii. 40 = Trollius asiaticus.  
*asiaticus*, Linn. Sp. Pl. 552.—Oriens.  
*asiaticus*, Thunb. Fl. Jap. 241 = acris.  
*astrantiaefolius*, Boiss. ex Rupr. Fl. Cauc. 25 = caucasicus.  
*astrantiaefolius*, Schur, in Verh. Siebenb. Ver. Naturw. iv. (1853) 29 = nemorosus.  
*atlanticus*, Ball, in Journ. Bot. xi. (1873) 296 = acris.  
*atlanticus*, Pomel, Nouv. Mat. Fl. Atl. 248 = aquatilis.  
*attenuatus*, Royle, Illustr. Bot. Himal. 53 = hirtellus.  
*Aucherii*, Boiss. in Ann. Sc. Nat. Sér. II. xvi. (1841) 351.—Persia.  
*Aucherii*, Clem. ex Boiss. Fl. Orient. i. 43 = Sibthorpii.  
*aucklandicus*, A. Gray, Bot. U. St. Expl. Exped. i. 8.—Ins. Auckland.  
*aurasiacus*, Pomel, Nouv. Mat. Fl. Atl. 379.—Alger.  
*aureus*, Schleich. Cat. Pl. Helv. ed. III. 24 = nemorosus.  
*auricomus*, Linn. Sp. Pl. 551.—Reg. bor. temp.

**RANUNCULUS:—**

*auricomus*, Schlecht. in Linnaea, vi. (1831) 577 = cassubicus.  
*Bachii*, Wirtg. in Verhandl. Preuss. Rheinl. ii. (1846) 22.—Europ.  
*Baerianus*, Bogusl. in Erman, Archiv, vi. (1848) 60 = pygmaeus.  
*Baidarae*, Rupr. Fl. Cauc. 22.—Reg. Caucas.  
*Balbisi*, Moris, Fl. Sard. i. 40 = bulbosus.  
*balearicus*, Freyn, in Oestr. Bot. Zeitschr. xxvi. (1876) 158 = palustris.  
*Barthii*, Schur, in Verh. Naturf. Ver. Brunn, xv. II. (1877) 41 = acris.  
*batrachoides*, Pomel, Nouv. Mat. Fl. Atl. 249.—Alger.  
*Baudotii*, Godr. in Mém. Soc. Roy. Nancy, 1839 (1840), 21.—Europ. occ.; Maroc.  
*Bauhini*, Tausch, in Flora, xvii. (1834) 525 = aquatilis.  
*Baurii*, Mac Owan, in Journ. Linn. Soc. xviii. (1881) 390.—Afr. austr.  
*Beckii*, G. Don, Gen. Syst. i. 39 = multifidus.  
*belgicus*, Dum. Comm. Bot. 52, in nota.—Belgium.  
*Belvisii*, DC. Syst. i. 291 = repens.  
*Berardi*, Vill. ex Steud. Nom. ed. II. ii. 432 = rutaefolius.  
*Berteroanus*, Phil. in Linnaea, xxviii. (1856) 661.—Chili.  
*Berteroanus*, Presl, Bot. Bemer. 7 = saxifragaefolius.  
*Berteronianus*, Steud. Nom. ed. II. ii. 432 = trisepalus.  
*Bertolonii*, Hausm. in Verh. Zool.-Bot. Ges. Wien, viii. (1858) 378, in textu = bilobus.  
*bilobus*, Bertol. Misc. Bot. xix. 5.—Europ. austr.  
*binatus*, Kit. ex Reichb. Fl. Germ. Excurs. 723 = auricomus.  
*bipartitus*, Gromow, ex Trautv. in Act. Hort. Petrop. viii. (1883) 41, nomen.—Rossia.  
*bitematus*, Sm. in Rees, Cyclop. xxix. n. 48.—Reg. Magell.  
*blepharicarpus*, Boiss. Elench. 5 = spicatus.  
*blepharicarpus*, Hack. & Winkl. ex Freyn, in Willk. & Lange, Prod. Fl. Hisp. iii. 921 = suborbiculatus.  
*blepharicarpus*, Lange, in Kjoeb. Vidensk. Meddel. (1865) 57 = escurialensis.  
*Bloomeri*, S. Wats. in Bot. Calif. ii. 426.—Calif.  
*Blumei*, Steud. Nom. ed. II. ii. 432 = diffusus.  
*bonariensis*, Poir. Encyc. vi. 102.—Reg. Argent.  
*Bonplandianus*, H. B. & K. Nov. Gen. et Sp. v. 46.—N. Granat.  
*Boraeianus*, Jord. Obs. Pl. Crit. vi. (1847) 19 = acris.  
*borealis*, Trautv. in Bull. Soc. Nat. Mosc. xxxiii. (1860) 1. 72 = acris.  
*Bourgaei*, Boiss. Fl. Orient. i. 43.—Armenia.  
*brachiatulus*, Schleich. Cat. Pl. Helv. ed. III. 24 = bulbosus.  
*brachylobus*, Boiss. & Hohen. Diagn. Ser. I. viii. 6.—As. Min.; Persia.  
*brachyphyllus*, Tenore, Fl. Nap. t. 149 = brevifolius.  
*bracteatus*, Schleich. ex DC. Prod. i. 41 = bulbosus.  
*brevicaulis*, Hook. Fl. Bor. Am. i. 13 = ovalis.  
*brevifolius*, Tenore, Prod. Fl. Nap. 68.—Ital.; Graec.  
*brevipes*, Triana & Planch. in Ann. Sc. Nat. Sér. IV. xvii. (1862) 14.—N. Granat.  
*brevirostris*, Edgew. in Trans. Linn. Soc. xx. (1846) 28 = laetus.  
*breviscapus*, DC. Syst. i. 253.—Peruv.  
*Breyneii*, J. F. Gmel. Syst. 880 = seq.  
*Breyneinus*, Crantz, Stürp. Austr. ed. I. fasc. ii. 91; ed. II. 115 = nemorosus.  
*Broteri*, Freyn, in Willk. & Lange, Prod. Fl. Hisp. iii. 930.—Hispan.  
*brutius*, Tenore, Prod. Fl. Nap. 61.—Ital.; Graec.; As. Min.  
*Buchanani*, Hook. f. Handb. N. Zeal. Fl. 5.—N. Zel.  
*Buergeri*, Miq. Ann. Mus. Bot. Lugd. Bat. iii. 5.—Japan.  
*Buhsei*, Boiss. Fl. Orient. i. 45.—Persia.  
*bulbifer*, Jord. Diagn. i. 80 = bulbosus.  
*bulbilliferus*, Boiss. & Hohen. Diagn. Ser. I. viii. 3.—Persia.  
*bulbosus*, Costa, Fl. Catal. 7 = Aleae.  
*bulbosus*, Linn. Sp. Pl. 554.—Europ.; Persia.  
*bulbosus*, Plan. Fl. Gallega, 58 = occidentalis, Freyn.  
*bulbosus*, Willk. ex Freyn, in Willk. & Lange, Prod. Fl. Hisp. iii. 932 = castellanus.  
*bullatus*, Linn. Sp. Pl. 550.—Reg. Mediterr.  
*Bungei*, Steud. Nom. ed. II. ii. 432 = aquatilis.

**RANUNCULUS:—**

*bupleurifolius*, DC. Syst. i. 243, in syn. = pyrenaicus.  
*bupleuroides*, Brot. Fl. Lusit. ii. 365.—Lusitan.  
*bupleuroides*, Lapeyr. ex Nym. Consp. 10 = pyrenaicus.  
*cabulicus*, Boiss. Diagn. Ser. II. i. 9 = muricatus.  
*cadmicus*, Boiss. l. c. Ser. I. i. 65.—Caria; Cyprus.  
*caespititius*, Dum. in Bull. Soc. Bot. Belg. vii. (1868) 359 = R. Flammula.  
*caespitosus*, Thuill. Fl. Par. ed. II. i. 279 = divaricatus.  
*caespitosus*, Wall. Cat. n. 4701 = affinis.  
*Calcarae*, Tineo, ex Guss. Fl. Sic. Syn. ii. 889.—Sicilia.  
*Caleyianus*, G. Don, Gen. Syst. i. 37 (Quid?).—Anglia.  
*californicus*, Benth. Pl. Hartw. 295.—Am. bor. occ.  
*calthaeifolius*, Jord. Obs. Pl. Crit. vi. (1847) 2 = R. Ficaria.  
*Calvertii*, Boiss. & Huet, Diagn. Ser. II. v. 8 = anemoneifolius.  
*Camissonis*, Auct. vide Chamissonis.  
*cammarifolius*, Arv. Ess. Pl. Dauph. 21 = acris.  
*Camozianus*, Clem. in Mem. Acc. Sc. Torin. Ser. II. xvi. (1857) 242 = Sibthorpii.  
*camtschaticus*, Steud. Nom. ed. II. ii. 432 = kamchaticus.  
*canadensis*, Jacq. Misc. ii. 343 = pensylvanicus.  
*cantonensis*, DC. Prod. i. 43 = pensylvanicus.  
*canus*, Benth. Pl. Hartw. 294 = occidentalis, Nutt.  
*canus*, Torr. in Pacif. Rail. Rep. iv. 62 = californicus.  
*Canuti*, Coss. ex Ardoine, Fl. Alp. Marit. 16.—Liguria.  
*capensis*, Thunb. Prod. Pl. Cap. 94.—Afr. austr.  
*capillaceus*, Thuill. Fl. Par. ed. II. i. 278 = aquatilis.  
*capillaris*, Gater. Pl. Montaub. 102 = aquatilis.  
*Capillus-naidis*, Arv. Ess. Pl. Dauph. 18 = lutulentus.  
*cappadocius*, Willd. Sp. Pl. ii. 1326.—Cappadoc.  
*cardiophyllus*, Hook. Fl. Bor. Am. i. 14 = affinis.  
*carinatus*, Freyn, in Kern. Sched. Fl. Exsic. i. 21 = confusus.  
*carinthiacus*, Hoppe, in Sturm, Deutschl. Fl. Heft 46 = montanus.  
*carnosus*, Wall. Cat. n. 4699 = sceleratus.  
*carolinianus*, DC. Syst. i. 292 = repens.  
*carolinianus*, Torr. & Gray, Fl. N. Am. i. 23 = palmatus.  
*carpathicus*, Herbach, Sel. Pl. Rar. Gallic. 15 = montanus.  
*carpathicus*, Wahlenb. ex Nym. Consp. 9 = R. Thora.  
*carpetanus*, Boiss. & Reut. Diagn. Pl. Nov. Hisp. 3.—Hispan.  
*carpetanus*, Bourg. ex Freyn, in Willk. & Lange, Prod. Fl. Hisp. iii. 921 = suborbiculatus.  
*cassius*, Boiss. in Ann. Sc. Nat. Sér. II. xvi. (1841) 354.—As. Min.; Syria.  
*cassubicus*, Linn. Sp. Pl. 551.—Europ.; Sibir.  
*castellanus*, Boiss. & Reut. ex Freyn, in Willk. & Lange, Prod. Fl. Hisp. iii. 932.—Hispan.  
*caucasicus*, Bieb. Fl. Taur. Cauc. ii. 27.—Reg. Caucas.  
*caucasicus*, Boiss. & Buhse, in Nouv. Mém. Soc. Nat. Mosc. xii. (1860) 5 = Buhsei.  
*cervicornis*, Kittel, Taschenb. ed. II. 773 = auricomus.  
*Cesatianus*, Caldes. in Nuov. Giorn. Bot. Ital. xi. (1879) 324.—Ital.  
*Cesatii* ×, Bruegg. in Jahresh. Naturf. Ges. Graub. II. xxiii–xxiv. (1880) 79.—Europ.  
*chaerophylloides*, Jord. Obs. Pl. Crit. vi. (1847) 5 = chaerophyllos.  
*chaerophyllos*, Linn. Sp. Pl. 555.—Reg. Mediterr.; Oriens.  
*Chamissoi*, Spreng. Syst. ii. 650 = seq.  
*Chamissonis*, Schlecht. Animad. Ran. i. 12. t. 1 (Chamissonis) = glacialis.  
*chilensis*, Ball, in Journ. Linn. Soc. xxii. (1885) 28.—Peruv.  
*chilensis*, DC. Syst. i. 286.—Chili.  
*chinensis*, Bunge, Enum. Pl. Chin. Bor. 3 = pensylvanicus.  
*chionophilus*, Boiss. Fl. Orient. i. 38.—Syria.  
*Chius*, DC. Syst. i. 299.—Europ. austr.; As. Min.  
*chondrodes*, Pomel, Nouv. Mat. Fl. Atl. 251 = chaerophyllos.  
*choorensis*, Royle, Illustr. Bot. Himal. 53 = hirtellus.  
*chordorhizos*, Hook. f. Handb. N. Zeal. Fl. 723.—N. Zel.  
*chrysanthus* ×, Bruegg. in Jahresh. Naturf. Ges. Graub. II. xxiii–xxiv. (1880) 80.—Europ.  
*cibiniensis*, Schur, Enum. Pl. Transs. 22 = bulbosus.

**RANUNCULUS:—**

cicutarius, Schlecht. *Animad. Ran.* i. 25. t. 4. f. 2.—Reg. Casp.  
 circinatus, Sibth. *Fl. Oxon.* 175.—Europ.  
 circinnatoides, Arv. *Ess. Pl. Dauph.* 18 = divaricatus.  
 circinnatus, Winkler, ex Freyn, in Willk. & Lange, *Prod. Fl. Hisp.* iii. 912 = fucoides.  
 claviformis, Dulac, *Fl. Hautes-Pyr.* 221 = R. Ficaria.  
 Clintonii, Beck, Bot. N. & M. St. 9 = repens.  
 cochlearifolius, Hornem. *Hort. Hafn.* ii. 529 = ophioglossifolius.  
 cochlearifolius, Ruiz & Pav. ex DC. *Prod.* i. 29 = macropetalus.  
 coenosus, Godr. in Gren. & Godr. *Fl. Fr.* i. 19 = Lenormandi.  
 coenosus, Guss. *Suppl. Fl. Sic. Prod.* 187 = omiophyllus.  
 colligens, Steud. in *Flora*, xxxix. (1856) 404.—Chili.  
 collinus, R. Br. ex DC. *Syst.* i. 271 = parviflorus.  
 colocensis, Menyh. *Kalocsa Videk. Növényt.* 26.—Europ.  
 colonorum, Endl. in *Enum. Pl. Hueg.* 1 = lappaceus.  
 Columnae, All. *Fl. Pedem.* ii. 50 = Segueri.  
 comatus, Link, ex Schlecht. *Animad. Ran.* i. 24, in obs. = chaerophyllos.  
 Commersonii, DC. ex Poir. *Encyc. Suppl.* iv. 662 = biternatus.  
 commutatus, Badaro, in *Brugnat. Giorn. Fis.* II. ix. (1826) 81.—Ital.  
 complicatus, Kit. in *Linnaea*, xxxii. (1863) 485.—Hungar.  
 concinnatus, Schott, in *Oestr. Bot. Wochenbl.* vii. (1857) 182 = montanus.  
 confervoides, Fries, *Summa Veg. Scand.* 139 = omiophyllus.  
 confusus, Gren. & Godr. *Fl. Fr.* i. 22.—Europ.  
 confusus, Torrependo, ex Freyn, in Willk. & Lange, *Prod. Fl. Hisp.* iii. 909 = dubius.  
 constantinopolitanus, Bory & Chaub. *Nouv. Fl. Pélop.* 34, in syn. = velutinus.  
 constantinopolitanus, Schur, *Enum. Pl. Transs.* 17 = acris.  
 constantinopolitanus, Stev. in *Bull. Soc. Nat. Mosc.* xxix. (1856) i. 281 = palustris.  
 constantinopolitanus, Urv. in *Mém. Soc. Linn. Par.* i. (1822) 317.—Turc.; As. Min.  
 cordatus, [Clairv.] *Man. Herb.* 177 = parnassifolius.  
 cordifolius, Bast. *Fl. Maine-et-Loire*, 207 = ophioglossifolius.  
 cordifolius, Spreng. *Syst.* iv. *Cur. Post.* 218.—Reg. Argent.  
 cordiformis, Dulac, *Fl. Hautes-Pyr.* 219 = parnassifolius.  
 cordigerus, Viv. *Fl. Cors. Sp. Nov.* 8.—Ins. Corsica.  
 cornutus, Boiss. *Diagn. Ser.* II. v. 10 = Pinardi.  
 cornutus, DC. *Syst.* i. 300.—Syria.  
 coronatus, Ehrenb. ex Boiss. *Fl. Orient.* i. 56 = muricatus.  
 corsicus, DC. *Fl. Fr. Suppl.* 637 = palustris.  
 cortusaefolius, Willd. *Enum. Hort. Berol.* 588.—Ins. Fortunat.  
 Crantzii, Hedw. in *Roem. Coll. Bot.* 38 (Cranzii) = nemorosus.  
 crassicaulis, Hort. Chels. ex G. Don, in *Loud. Hort. Brit.* 231, nomen.—Europ.  
 crassipes, Hook. f. *Fl. Antarct.* 224.—Ins. Kerguel.  
 crenatus, Bertol. *Fl. Ital.* v. 514, excl. syn. = bilobus.  
 crenatus, Waldst. & Kit. *Pl. Rar. Hung.* i. 9. t. 10.—Europ. austr.  
 creticus, Linn. *Sp. Pl.* 550.—Ins. Creta.  
 creticus, Sieber, ex Steud. *Nom. ed.* II. ii. 432 = nemorosus.  
 crithmifolius, Hook. f. *Handb. N. Zeal. Fl.* 6.—N. Zel.  
 crithmifolius, Nym. *Consp.* 10 = glacialis.  
 croaticus, Schott, in *Oestr. Bot. Wochenbl.* vii. (1857) 182 = Gouani.  
 crymophilus, Boiss. & Hohen. *Diagn. Ser.* I. viii. 6.—Persia.  
 Csatoi, Schur, in *Verh. Naturf. Ver. Bruenn*, xv. ii. (1877) 46 = acris.  
 cubensis, Griseb. *Cat. Pl. Cub.* 1.—Cuba.  
 cuneatus, Boiss. *Diagn. Ser.* I. viii. 2.—As. Min.; Syria.  
 cuneatus, Hook. *Journ. Bot.* i. (1834) 242 = lappaceus.  
 cuneatus, Sommerf. in *Mag. Naturvid.* II. i. (1832) 238 = nivalis.

**RANUNCULUS:—**

cuneifolius, Maxim. in *Bull. Acad. Pétersb.* xxiii. (1877) 306.—Mongolia.  
 cuneilobus, A. Rich. *Tent. Fl. Abyss.* i. 7. t. 3 = distrius.  
 cupreus, Boiss. & Heldr. *Diagn. Ser.* I. viii. 3.—Ins. Creta.  
 curvirostratus, Bertol. in *Mem. Acad. Sc. Bolog. Ser.* II. iv. (1864) 313 = arvensis.  
 curvirostris, Freyn, in *Bot. Centralb.* vi. (1881) Beil. [iii.] 15.—Chili.  
 cyclophyllus, Jord. ex Bor. *Fl. Centr. Fr. ed.* III. ii. 19 = monspeliacus.  
 cylindricus, Jord. *Diagn.* i. 61 = monspeliacus.  
 Cymbalaria, Pursh, *Fl. Am. Sept.* ii. 392.—Reg. bor. temp.  
 cymbalarifolius, Balb. ex Moris, *Stirp. Sard. Elench.* 2 = bulbosus.  
 dahuricus, Turcz. ex Ledeb. *Fl. Ross.* i. 732 = affinis.  
 damascenus, Boiss. & Gaill. *Diagn. Ser.* II. vi. 5.—Syria.  
 dasycarpus, Boiss. *Fl. Orient.* i. 28.—Persia.  
 daucifolius, Stev. in *Bull. Soc. Nat. Mosc.* xxi. (1848) ii. 270 = cicutarius.  
 dealbatus, Lapeyr. *Hist. Abr. Pl. Pyr.* 315 = aconitifolius.  
 debilis, Rafin. in *Med. Repos. N. York*, v. (1808) 359.—Pensylvan.  
 decipiens, Pomel, *Nouv. Mat. Fl. Atl.* 381 = palustris.  
 declinatus, Gilib. *Fl. Lituan.* ii. 270 = R. Flammula.  
 decumbens, Bertol. in *Mem. Acad. Sc. Bolog. Ser.* II. v. (1865) 375 = diffusus.  
 Delacouri, Gaud. & Mabilie, *Note sur Renonc.* (1874) 7; ex *Bull. Soc. Dauph. fasc.* iii. (1876) 69 = nemorosus.  
 delphinifolius, Fries, ex Steud. *Nom. ed.* II. ii. 432 = polyanthemus.  
 delphinifolius, H. B. & K. *Nov. Gen. et Sp.* v. 48.—Mexic.  
 delphinifolius, Torr. in *Eaton, Man. Bot. ed.* IV. 424 = multifidus.  
 delphinifolius, Torr. & Gray, *Fl. N. Am.* i. 659 = californicus.  
 demissus, DC. *Syst.* i. 275.—Hispan.; Oriens.  
 demissus, Orphan. ex Nym. *Consp.* 11 = Villarsii.  
 depressus, Fisch. ex Steud. *Nom. ed.* I. 678, nomen = praec.?  
 depressus, Georgi, *Beschr. Russ. Reich.* III. iv. 1070 = ophioglossifolius.  
 depressus, T. Kirk, in *Trans. N. Z. Inst.* xii. (1880) 393.—N. Zel.  
 dertropodius, Steud. ex A. Rich. *Tent. Fl. Abyss.* i. 5 = tembensis.  
 dichotomiflorus, Lag. ex Freyn, in Willk. & Lange, *Prod. Fl. Hisp.* iii. 927.—Hispan.  
 dichotomus, Moç. & Sessé, ex DC. *Syst.* i. 288 = orthorhynchus?  
 diffusus, DC. *Prod.* i. 38.—Ind. or.; Malaya.  
 digitatus, Gilib. *Fl. Lituan.* ii. 266 = sceleratus.  
 digitatus, Hook. *Kew Journ.* iii. (1851) 124. t. 4.—Am. bor.  
 digitatus, Willd. ex Ledeb. *Fl. Ross.* i. 30 = pedatus.  
 dimorphorhizus, Brot. *Phyt. Lusit.* ii. 227 = chaerophyllos.  
 discolor, Steud. in *Lehm. Pl. Preiss.* i. 263 = lepaceus.  
 dissectifolius, F. Muell. ex Benth. *Fl. Austral.* i. 11.—Austral.  
 dissectus, Auch. ex Tchihat. *Asie Min. Bot.* i. 378 = Sibthorpii.  
 dissectus, Bieb. *Fl. Taur. Cauc.* ii. 25.—Tauria.  
 dissectus, Hook. & Arn. *Bot. Beech. Voy.* 316 = californicus.  
 dissectus, Portenschl. ex Steud. *Nom. ed.* II. ii. 433 = alpestris.  
 distans, Royle, *Illustr. Bot. Himal.* 53 = laetus.  
 distrius, Steud. ex A. Rich. *Tent. Fl. Abyss.* i. 7.—Abyss.  
 divaricatus, A. Gray, *Pl. Wright.* ii. 8 = aquatilis.  
 divaricatus, Koch, *Syn. Fl. Germ. ed.* I. 12 = circinatus.  
 divaricatus, Schrank, *Baier. Fl.* ii. 103; Moench, *Meth.* 214.—Europ.  
 divergens, Jord. *Obs. Pl. Crit.* vi. (1847) 14 = Sprunerianus.  
 diversifolius, Boiss. & Kotschy, in *Boiss. Fl. Orient.* i. 45.—Armenia.

**RANUNCULUS:—**

diversifolius, Gilib. *Fl. Lituan.* ii. 262 = aquatilis.  
 dodecapetalus, Steph. ex Ledeb. *Fl. Ross.* i. 47 = Oxygraphis glacialis.  
 dolosus, Fisch. & Mey. in *Bull. Soc. Nat. Mosc.* (1838) 384.—Reg. Casp.  
 Donianus, Pritz. in *Walp. Rep.* ii. 740.—Mexic.  
 Drouetii, F. Schultz, *Arch. Fl. Fr. et Allem.* 10 = trichophyllus.  
 dubius, Freyn, in Willk. & Lange, *Prod. Fl. Hisp.* iii. 909.—Hispan.  
 echinatus, Crantz, *Stirp. Austr.* ed. I. fasc. ii. 95; ed. II. 118 = arvensis.  
 echinatus, Vent. *Jard. Cels.* 73 = muricatus.  
 edulis, Boiss. & Hohen. *Diagn. Ser.* I. viii. 4.—As. Min.; Persia.  
 Eisenii, Kellogg, in *Proc. Calif. Acad.* vii. (1877) 115 = Nelsonii?  
 elatus, Steud. in *Flora*, xxxix. (1856) 405.—Chili.  
 elbrusensis, Boiss. *Fl. Orient.* i. 34.—Persia.  
 elegans, C. Koch, in *Linnaea*, xv. (1841) 248 = anemonefolius.  
 eleophilus, Arv. *Ess. Pl. Dauph.* 19 (Quid?).—Gallia.  
 elongatus, F. Schultz, in *Billotia*, i. (1869) 113.—Europ.  
 Enysii, T. Kirk, in *Trans. N. Z. Inst.* xii. (1880) 394.—N. Zel.  
 ericetorum, Pourr. ex Freyn, in Willk. & Lange, *Prod. Fl. Hisp.* iii. 922 = escurialensis.  
 erinifolius, Tenore, *Syll. Fl. Neap.* 273.—Ital.  
 eriocalyx, Scheele, in *Flora*, xxvi. (1843) 301.—Helvet.  
 eriocarpus, Boiss. in *Ann. Sc. Nat. Sér.* II. xvi. (1841) 351.—Cappadoc.  
 eriophyllus, C. Koch, in *Linnaea*, xix. (1847) 46 = palustris.  
 eriorrhizus, Boiss. & Buhse, in *Nouv. Mém. Soc. Nat. Mosc.* xii. (1860) 5.—Persia.  
 eriotorus, Jord. *Diagn.* i. 69 = Villarsii.  
 erodiifolius, C. Gay, *Fl. Chil.* i. 45.—Chili.  
 Eschscholtzii, A. Gray, in *Am. Journ. Sc. Ser.* II. xxxiii. (1862) 241, partim = affinis.  
 Eschscholtzii, Schlecht. *Animad. Ran.* ii. 16. t. 1 = nivalis.  
 escurialensis, Boiss. & Reut. ex Freyn, in Willk. & Lange, *Prod. Fl. Hisp.* iii. 922.—Hispan.  
 eustrigulosus, Schur, in *Verh. Naturf. Ver. Bruenn*, xv. ii. (1877) 44 = acris.  
 exiguus, Urv. in *Mém. Soc. Linn. Par.* iv. (1826) 615 = biternatus.  
 exilis, Phil. *Fl. Atac.* 7.—Chili.  
 extorris, Hance, in *Ann. Sc. Nat. Sér.* V. v. (1866) 204 = ternatus.  
 falcatus, Linn. *Sp. Pl.* 556.—Europ.; Reg. Himal.  
 fallax, Schur, in *Verh. Naturf. Ver. Bruenn*, xv. ii. (1877) 37 = cassubicus.  
 fascicularis, Barton, *Comp. Fl. Philad.* ii. 25 = repens.  
 fascicularis, Muhl. ex Bigel. *Fl. Bost.* ed. I. 137.—Am. bor.  
 fascicularis, Spreng. *Neue Entdeck.* i. 228 = recurvatus.  
 fascicularis, S. Wats. *Bot. King's Exp.* 9 = californicus.  
 feniculaceus, Gilib. *Exercit.* i. 370 = aquatilis.  
 Fenzlii, Boiss. *Fl. Orient.* i. 44.—Cilicia.  
 fibrillosus, C. Koch, in *Linnaea*, xix. (1847) 47.—Bithynia.  
 fibrosus, Pomel, *Nouv. Mat. Fl. Atl.* 251 = chaerophyllos.  
 fibrosus, Wall. *Cat. n.* 4706 = pensylvanicus.  
 Ficaria, Linn. *Sp. Pl.* 550.—Europ.; Reg. Caucas.  
 Ficaria, Walt. *Fl. Carol.* 159 = Caltha palustris.  
 ficariaeformis, F. Schultz, *Arch. Fl.* 123 = R. Ficaria.  
 ficarioides, Bory & Chaub. *Nouv. Fl. Pélop.* 34.—Graecia.  
 filamentosus, Wedd. *Chlor. And.* ii. 301.—Bolivia.  
 filiformis, Michx. *Fl. Bor. Am.* i. 320 = R. Flammula.  
 fistulosus, Brign. *Fasc. Pl. Forojul.* 25 = ophioglossifolius.  
 fistulosus, Pursh, ex Torr. in *Ann. Lyc. N. York*, ii. (1828) 163 = multifidus.  
 flabellaris, Rafin. in *Am. Monthly Mag.* (1818) 344 = multifidus.  
 flabellatus, Bivona, *Sic. Pl. Cent.* i. 68 = bulbosus.  
 flabellatus, Desf. *Fl. Atlant.* i. 438. t. 114 = chaerophyllos.  
 flabellatus, Henff. ex Kittel, *Taschenb. ed.* II. 773 = auricomus.



**RANUNCULUS:—**

*flabellifolius*, Heuff. ex Reichb. Fl. Germ. Excurs. 723 = *cassubicus*.  
*flaccidus*, Banks & Soland. ex Hook. f. Fl. Antarct. ii. 224 = *biteratus*.  
*flaccidus*, Hook. f. & Thoms. Fl. Ind. i. 38.—Reg. Himal.  
*flaccidus*, Pers. in Usteri, Ann. Bot. xiv. (1795) 39 = *aquatilis*.  
*flagelliformis*, Sm. in Rees, Cycl. xxix. n. 13.—Am. austr.  
*flamma*, Gren. in Mém. Soc. Emul. Doubs, Sér. IV. ix. (1875) 389 = R. *flammula*.  
*flammeus*, S. F. Gray, Nat. Arr. Brit. Pl. ii. 719 = R. *flammula*.  
*flammula*, D. Don, in Royle, Illustr. Bot. Himal. 53 = *pulchellus*.  
*flammula*, Linn. Sp. Pl. 548.—Reg. bor. temp.  
*flammula*, Michx. Fl. Bor. Am. i. 321 = *oblongifolius*.  
*flammula*, Pursh, Fl. Am. Sept. ii. 391 = *obtusiusculus*.  
*flammula*, Walt. Fl. Carol. 159 = *pusillus*.  
*flammulae*, Krock. Fl. Siles. ii. 1. 248 = R. *flammula*.  
*flammuloides*, Rafin. ex DC. Prod. i. 32 = R. *flammula*.  
*floribundus*, Bab. in Trans. Bot. Soc. Edinb. v. (1858) 77 = *peltatus*.  
*fluitans*, Lam. Fl. Fr. iii. 184.—Europ.  
*fluvialis*, Bigel. Fl. Bost. ed. I. 139 = *multifidus*.  
*fluvialis*, Pursh, Fl. Am. Sept. ii. 395 = *aquatilis*.  
*fluvialis*, [Weber, ex] Wigg. Prim. Fl. Holsat. 42 = *fluitans*.  
*fluvialis*, Willd. Sp. Pl. ii. 1333 = *peucedanifolius*.  
*foeniculaceus*, Gilib. Fl. Lituan. ii. 261 = *divaricatus*.  
*fontanus*, Presl, Delic. Prag. 6.—Sicilia.  
*Forskoehlii*, DC. Syst. i. 303.—Arab.  
*Franchetianus*, Bor. in Mém. Soc. Acad. Maine-et-Loire, xxii. (1868) 8 = *acris*.  
*fraternus*, Schrenk, Enum. Pl. Nov. (1841) 103.—Soongaria.  
*Friesianus*, Jord. Obs. Pl. Crit. vi. (1847) 17 = *acris*.  
*Friesii*, Gren. & Godr. Fl. Fr. i. 34.—Gallia.  
*frigidus*, Schrank, Pl. Rar. Hort. Monac. t. 57 = *lacerus*.  
*frigidus*, Willd. Sp. Pl. ii. 1312; DC. Prod. i. 35 = *nivalis*.  
*fucoides*, Freyn, in Willk. & Lange, Prod. Fl. Hisp. iii. 912.—Hispan.  
*fumarifolius*, Desf. ex DC. Syst. i. 256 = *millefolius*.  
*furcatus*, Berger. Fl. Bass. Pyr. ii. 409 = *Gouani*.  
*Galeottii*, Turcz. in Bull. Soc. Nat. Mosc. xxvii. (1854) ii. 276.—Mexic.  
*gallecicus*, Freyn, ex Willk. Illustr. Fl. Hisp. Balear. i. 100.—Hispan.  
*garganicus*, Tenore, Ind. Sem. Hort. Neap. (1830) 13 = *millefolius*.  
*gelidus*, Hoffm. ex Reichb. Fl. Germ. Excurs. 720 = *glacialis*.  
*gelidus*, Kar. & Kir. in Bull. Soc. Nat. Mosc. xv. (1842) 133.—As. centr.  
*gelidus*, Schur, Enum. Pl. Transs. 18 = *montanus*.  
*geoides*, H. B. & K. Nov. Gen. et Sp. v. 47.—Mexic.  
*geoides*, Siev. in Pall. N. Nord. Beitr. vii. 201 = *ophioglossifolius*.  
*geraniifolius*, Hook. f. Fl. N. Zel. i. 9.—N. Zel.  
*geraniifolius*, Pourr. in Mém. Acad. Toul. iii. (1788) 326 = *montanus*.  
*geranioides*, Blume, Bijdr. 2 = *diffusus*.  
*geranioides*, H. B. & K. Nov. Gen. et Sp. v. 44.—N. Granat.  
*giganteus*, Wedd. Chlor. And. ii. 304.—Peruv.  
*Gilliesii*, Steud. in Flora, xxxix. (1856) 404.—Chili.  
*glabellus*, Royle, Illustr. Bot. Himal. 53 = *hirtellus*.  
*glaberrimus*, Hook. f. Fl. Bor. Am. i. 12.—Am. bor. occ.  
*glabratus*, Hook. f. & Thoms. in Hook. f. Fl. Brit. Ind. i. 18 = *hirtellus*.  
*glabrifolius*, Hook. Journ. Bot. i. (1834) 243 = *rivularis*.  
*glabriusculus*, Rupr. in Beitr. Pfl. Russ. Reich. ii. 19.—Terr. Samoyed.  
*glacialis*, Linn. Sp. Pl. 553.—Reg. bor. et arct.  
*glandulifer*, Poepp. Fragm. Syn. Pl. Chile, 28.—Chili.  
*Gmelini*, DC. Syst. i. 303.—Sibir.  
*Gmelini*, Schlecht. Animad. Ranunc. ii. 35 = *multifidus*.  
*Godleyanus*, Hook. f. Handb. N. Zeal. Fl. 723.—N. Zel.

**RANUNCULUS:—**

*Goldei*, Meinsh. ex Trautv. in Act. Hort. Petrop. viii. (1833) 44, nomen.—Rossia.  
*Gonnetii*, Jord. Diagn. i. 65 = *monspeliacus*.  
*Gouani*, Hegetschw. Fl. Schw. i. 402 = *Villarsii*.  
*Gouani*, Lecoq. & Lamotte, Cat. Pl. Vasc. Fr. 52 = *nemorosus*.  
*Gouani*, Sm. in Rees, Cycl. xxix. n. 41 = *montanus*.  
*Gouani*, Willd. Sp. Pl. ii. 1322.—Mont. Pyren.  
*gracilipes*, Hook. f. Handb. N. Zeal. Fl. 8.—N. Zel.  
*gracilis*, Bory & Chaub. Nouv. Fl. Pélop. 35 = *chaerophyllos*.  
*gracilis*, Clarke, Trav. iii. 336; DC. Syst. i. 256.—Ins. Cos.  
*gracilis*, Schleich. Cat. Pl. Helv. ed. III. 24 = *montanus*.  
*gracius*, Griseb. Spicil. Fl. Rumel. i. 314 = *muricatus*.  
*gramineus*, Habl. Phys. Besch. Taur. 149 = *illyricus*.  
*gramineus*, Linn. Sp. Pl. 549.—Europ.; Maroc.  
*gramineus*, Spreng. Syst. ii. 648 = *longicaulis*.  
*graminifolius*, Salisb. Prod. 372 = *gramineus*.  
*granatensis*, Boiss. Diagn. Ser. II. i. 8 = *acris*.  
*grandiflorus*, Linn. Sp. Pl. 555.—Reg. Caucas.; Cappadoc.  
*grandiflorus*, Payot, Fl. Mont-Blanc, 13 (Quid?)—Europ.  
*grandifolius*, C. A. Mey. in Ledeb. Fl. Alt. ii. 330.—Sibir. altaic.  
*grandifolius*, Lowe, in Trans. Camb. Phil. Soc. iv. (1831) 38 = *megaphyllus*.  
*granulatus*, Griseb. Spicil. Fl. Rumel. i. 306; Pomel, Nouv. Mat. Fl. Atl. 380 = *chaerophyllos*.  
*gregarius*, Brot. Fl. Lusit. ii. 369 = *chaerophyllos*.  
*Grenieranus*, Jord. in F. Schultz, Arch. Fl. Fr. et Allem. 304 = *Villarsii*.  
*gruinialis*, Schott, in Nym. & Kotschy, Analect. Bot. 33 = *Gouani*.  
*Guillelmi-Jordani*, Aschers. in Verh. Bot. Ver. Brand. xxi. (1880) 64.—Aegypt.  
*Gunae*, Schweinf. in Verh. Zool.-Bot. Ges. Wien, xviii. (1868) 666.—Abyss.  
*Gunnianus*, Hook. Journ. Bot. i. (1834) 244. t. 133.—Austral.  
*Guzmanni*, Humb. Tabl. 69; ex DC. Syst. i. 263.—Reg. Andin.  
*Haarbachii*, De Not. ex Cesati, in Bibl. Ital. xci. (1838) 347.—Ital.  
*Haastii*, Hook. f. Handb. N. Zeal. Fl. 6.—N. Zel.  
*Halleri* ×, Bruegg. in Jahresh. Naturf. Ges. Graub. ii. xxiii—xxiv. (1880) 78.—Europ.  
*halophilus*, Schlecht. Animad. Ran. i. 23. t. 4. f. 1 = R. *Cymbalaria*.  
*hastatus*, Walker, ex Wight, Illustr. i. 5 = *sagittifolius*.  
*hawaiensis*, A. Gray, Bot. U. St. Expl. Exped. i. 10.—Ins. Sandvic.  
*Haynaldi*, Menyh. Kalocsa Videk. Növényt. 28.—Europ.  
*hebecarpus*, Hook. & Arn. Bot. Beech. Voy. 316.—Am. bor. occ.  
*hederaceus*, Bourg. ex Freyn, in Willk. & Lange, Prod. Fl. Hisp. iii. 908 = *ololeucos*.  
*hederaceus*, Linn. Sp. Pl. 556.—Europ. occ.  
*hederaceus*, Pall. Reise, ii. 511 = *hyperboreus*.  
*hederaceus*, Salisb. Prod. 373 = *hederaceus*.  
*Hegetschweileri*, Ducommun, Taschenb. 18.—Helvet.  
*Heldreichanus*, Jord. Obs. Pl. Crit. vi. (1847) 14 = *Sprunerianus*.  
*hemignostus*, Steud. in Flora, xxxix. (1856) 404.—Peruv.  
*Henriquesii*, Freyn, in Bot. Centralb. vi. (1881) Beil. [iii.] 21.—Europ.  
*heterophyllus*, Lapeyr. Hist. Abr. Pl. Pyr. 316 = *aconitifolius*.  
*heterophyllus*, Sm. in Rees, Cycl. xxix. n. 12 = *bonariensis*.  
*heterophyllus*, [Weber, in] Wigg. Prim. Fl. Holsat. 42 = *aquatilis*.  
*heterorrhizus*, Boiss. & Bal. Diagn. Ser. II. vi. 6.—Phrygia.  
*heucheraceus*, Presl, Fl. Sicul. 15 = *palustris*.  
*hierosolymitanus*, Boiss. Fl. Orient. i. 36.—Syria.  
*Hilarii*, Hieron. in Bol. Acad. Nac. Cordova, iv. (1881) 209.—Reg. Argent.  
*hirtus*, Curt. Fl. Lond. Fasc. ii. t. 40 = *sardous*.  
*hirtellus*, Royle, Illustr. Bot. Himal. 53.—Reg. Himal.  
*hirtus*, Banks & Soland. ex DC. Syst. i. 289 = *plebeius*.

**RANUNCULUS:—**

*hirtus*, Hook. f. Fl. Tasman. i. 6 = *lappaceus*.  
*hirtus*, Muhl. ex Steud. Nom. ed. II. ii. 433 = *recurvatus*.  
*hispidus*, Hook. Fl. Bor. Am. i. 19, partim = *occidentalis*, Nutt.  
*hispidus*, Michx. l. c. 321 = *repens*.  
*hispidus*, Pursh, Fl. Am. Sept. ii. 395 = *pensylvanicus*.  
*Hohenackeri*, Presl, Bot. Bemerck. 7, nomen.—Reg. Cauc.  
*Hollianus*, Reichb. in Flora, xiii. (1830) 130.—Lusitania.  
*hololeucus* Auct. = *ololeucos*.  
*holophyllus*, Hance, in Ann. Sc. Nat. Sér. IV. xv. (1861) 220 = *sceleratus*.  
*homoeophyllus*, Freyn, in Willk. & Lange, Prod. Fl. Hisp. iii. 906 = *omiophyllus*.  
*Hookeri*, Regel, Fl. Ost-Sibir. i. 47.—As. bor. or.; Am. bor. occ.  
*Hookeri*, Schlecht. in Linnaea, ix. (1834) 610 = *repens*?  
*Hornemanni*, Schlecht. Animad. Ran. ii. 36.—Am. bor.  
*Hornschuchii*, Hoppe, in Sturm, Deutschl. Fl. Heft 46 = *Villarsii*.  
*hortensis*, Pers. Syn. ii. 104 = *asiaticus*.  
*hortensis*, Schur, Enum. Pl. Transs. 21 = *repens*.  
*Huetii*, Boiss. Diagn. Ser. II. v. 7.—Armenia.  
*humilis*, Collie, ex Hook. Bot. Beech. Voy. 4. t. 2 = *obtusatus*.  
*humilis*, D. Don, ex G. Don, Gen. Syst. i. 34 = *Donianus*.  
*humilis*, Huet, ex Nym. Consp. 14, in obs. = *parviflorus*?  
*humilis*, Pers. Syn. ii. 102 = *pusillus*.  
*hybridus*, Biria, Hist. Nat. Renoncul. 38.—Europ. austr.  
*hybridus* ×, Payot, Fl. Mont-Blanc, 12.—Europ.  
*hydrocharis*, Spenn. Fl. Friburg. iii. 1007 = *aquatilis*.  
*hydrocharoides*, A. Gray, in Mem. Am. Acad. N. S. v. (1855) 306.—Mexic.  
*Hydrocotyle*, Domb. ex DC. Syst. i. 251 = *flagelliformis*.  
*hydrocotyloides*, Wall. Cat. n. 4703 = *diffusus*.  
*hydrophilus*, Bunge, Enum. Pl. Chin. Bor. 2 = *aquatilis*.  
*hydrophilus*, Gaudich. ex Mirb. in Ann. Sc. Nat. Sér. I. v. (1825) 105.—Ins. Falkland.  
*hyperboreus*, Rottb. in Skrift. Kjöeb. Selsk. x. (1770) 458.—Reg. bor. et arct.  
*hypotrachus*, Turcz. in Bull. Soc. Nat. Mosc. xxvii. (1854) ii. 275 [bis].—Rumel.  
*hystriculus*, A. Gray, in Proc. Am. Acad. vii. (1868) 328 = *Kumlienia hystricula*.  
*illyricus*, Gouan, Fl. Monsp. 269 = *monspeliacus*.  
*illyricus*, Linn. Sp. Pl. 552.—Europ. austr.; Reg. Caucas.  
*illyricus*, Poir. Encyc. vi. 121 = *chaerophyllos*.  
*incisifolius*, Reichb. ex Kittel, Taschenb. ed. II. 773 = *auricomus*.  
*incisus*, Hook. f. Fl. N. Zel. i. 10 = *rivularis*.  
*incomparabilis*, Janka, in Oestr. Bot. Zeitschr. xxii. (1872) 174.—Thracia.  
*inconspicuus*, Hook. f. Fl. Tasman. i. 9. t. 2 = *rivularis*.  
*incrassatus*, Guss. Fl. Sic. Syn. ii. 50 = *chius*.  
*indicus*, Roxb. Hort. Beng. 43; Fl. Ind. ii. 671 = *sceleratus*.  
*infestus*, Salisb. Prod. 373 = *repens*.  
*inops*, Schott, in Oestr. Bot. Wochenbl. vii. (1857) 183 = *Villarsii*.  
*insignis*, Hook. f. Fl. N. Zel. i. 8. t. 2.—N. Zel.  
*insubricus*, Cesati, in Bibl. Ital. xci. (1838) 346.—Ital.  
*insularis*, Viviani, Fl. Cors. Prod. App. i. 2 = *chaerophyllos*.  
*intermedius*, Eaton, Man. Bot. ed. III. 424 = *repens*.  
*intermedius*, Knaf, in Flora, xxix. (1846) 289 = *peltatus*.  
*intermedius*, Poir. Encyc. vi. 116 = *sardous*.  
*intermedius*, Schur, Enum. Pl. Transs. 14 = R. *Ficaria*.  
*inundatus*, R. Br. ex DC. Syst. i. 239 = *rivularis*.  
*involutus*, Lapeyr. Hist. Abr. Pl. Pyr. 318 = *Gouani*.  
*isophyroides*, DC. Syst. i. 238 = *Callianthemum rutae-folium*.  
*isthmicus*, Boiss. Diagn. Ser. I. vi. 4.—Graecia.  
*Jacquini*, Schimp. & Spenn. in Spenn. Fl. Friburg. iii. 1020 = *nivalis*.  
*japonicus*, Langsd. ex DC. Prod. i. 38 = *Langsdorfii*.



**RANUNCULUS:—**

- japonicus*, Thunb. in Trans. Linn. Soc. ii. (1794) 337 = *acris*.  
*javanicus*, Blume, *Bijdr.* 3.—Java.  
*kamchaticus*, DC. Syst. i. 302 = *Oxygraphis glacialis*.  
 Kaufmanni, Clerc, ex Trautv. in Act. Hort. Petrop. viii. (1883) 45, nomen.—Ross.  
*Kayserii*, Schur, in Verh. Naturf. Ver. Bruenn, xv. ii. (1877) 43 = *acris*.  
*Kladnii*, Schur, in Verh. Naturf. Ver. Bruenn, xv. ii. (1877) 42 = *acris*.  
*Kochii*, Beurl. in Bot. Notiser (1852), 156 = seq.?  
*Kochii*, Ledeb. Fl. Ross. i. 731.—Reg. Caucas.  
*Kotschyi*, Boiss. Diagn. Ser. I. vi. 5.—Persia.  
*Krapfia*, DC. in Deless. Ic. Sel. Pl. i. 9. t. 35.—Chili.  
*Kunthii*, Triana & Planch. in Ann. Sc. Nat. Sér. IV. xvii. (1862) 12.—N. Granat.  
*lacerus*, Bell. in Mém. Acad. Turin, v. (1790–91) 233. t. 8.—Gallia.  
*lacerus*, Mutel, Fl. Fr. i. 18 = *pyrenaicus*.  
*laciniatus*, Baumg. Enum. Stirp. Transs. ii. 131 = *sardous*.  
*laciniatus*, [Clairv.] Man. Herb. 177 = *lacerus*.  
*lacustris*, Beck & Tracy, in Trans. Albany Inst. i. (1830) 148; Bot. N. & Mid. St. 9 = *multifidus*.  
*laetus*, Salisb. Prod. 373 = *bulbosus*.  
*laetus*, Wall. Cat. n. 4702.—Reg. Himal.  
*Lagascanus*, DC. Prod. i. 43.—Hispan.  
*Lambertianus*, D. Dietr. Syn. Pl. iii. 316.—Mexic.  
*lanceolatus*, [Clairv.] Man. Herb. 177 = *pyrenaicus*.  
*lanceolatus*, Pall. ex DC. Prod. i. 32 = *R. Flammula*.  
*lanceifolius*, Bertol. in Mém. Acad. Sc. Bolog. Ser. II. iii. (1863) 423 = *R. Cymbalaria*.  
*lanceipetalus*, Griseb. in Goett. Abh. xix. (1874) 69.—Reg. Argent.  
*Langsdorffii*, DC. Prod. i. 34 = *multifidus*.  
*Langsdorffii*, Spreng. Syst. ii. 652.—Japan.  
*lanuginosaeformis*, Selin. ex Fellm. Pl. Lapp. Or. 3 = *acris*.  
*lanuginosus*, Amo, Fl. Iber. vi. 720 = *memorosus*.  
*lanuginosus*, Boiss. & Buhse, in Nouv. Mém. Soc. Nat. Mosc. xii. (1860) 6 = *constantinopolitanus*.  
*lanuginosus*, Costa, Introd. Fl. Catal. 6 = *sardous*.  
*lanuginosus*, Ledeb. Fl. Ross. i. 42 = *acris*.  
*lanuginosus*, Linn. Sp. Pl. 554.—Europ.; Reg. Caucas.  
*lanuginosus*, Pursh, Fl. Am. Sept. ii. 394 = *repens*.  
*lanuginosus*, Walt. Fl. Carol. 159 = *recurvatus*.  
*lappaceus*, Sm. in Rees, Cyclop. xxix. n. 61.—Austral.  
*lapponicus*, Linn. Sp. Pl. 553.—Reg. bor. et arct.  
*lapponicus*, Oed. Fl. Dan. t. 144 = *nevalis*.  
*lapponicus*, Soleir. ex Nym. Consp. 10 = *demissus*.  
*lapponicus*, Vill. Hist. Pl. Dauph. iii. 743 = *Villarsii*.  
*lasiocarpus*, C. A. Mey. in Ledeb. Fl. Alt. ii. 323.—Sibir. altaic.  
*lasiostemon*, Fenzl, Pugill. Pl. Nov. Syr. 15 = *Fenzlii*.  
*lateriflorus*, DC. Syst. i. 251.—Europ. austr.; Oriens.  
*latilobus*, Kit. in Linnaea, xxxii. (1863) 485 = *complicatus*.  
*laxicaulis*, Darby, Bot. S. St. 204 = *obtusiusculus*.  
*Lechleri*, Schlecht. in Linnaea, xxvii. (1854) 557.—Peruv.  
*Lecokii*, Bor. Fl. Centr. Fr. ed. III. ii. 17 = *memorosus*.  
*leiodiscus*, Boiss. & Huet, ex Boiss. Fl. Orient. i. 55 = *marginatus*.  
*Lemmoni*, A. Gray, in Proc. Am. Acad. x. (1874) 68.—Am. bor. occ.  
*Lenormandi*, F. Schultz, in Flora, xx. (1837) 726.—Europ.  
*leontinensis*, Freyn, in Willk. & Lange, Prod. Fl. Hisp. iii. 910.—Hispan.  
*leptaleus*, DC. Syst. i. 258.—Ins. Cyprus.  
*leptocaulis*, Hook. Journ. Bot. i. (1834) 244 = *parviflorus*.  
*leptopetalus*, Rafin. Fl. Ludov. 83 = *recurvatus*.  
*Lerchenfeldianus*, Schur, in Verh. Siebenb. Ver. Naturw. iv. (1853) 14 = *montanus*.  
*leucothrix*, Ball, in Journ. Bot. xi. (1873) 296 = *chaerophylos*.  
*Limosella*, F. Muell. ex T. Kirk, in Trans. N. Z. Inst. iii. (1871) 177.—N. Zel.  
*limoselloides*, F. Muell. ex Hook. f. Ic. Pl. t. 1081.—N. Zel.  
*limoselloides*, Turcz. in Bull. Soc. Nat. Mosc. xxvii. (1854) ii. 275 [bis].—Venezuela.  
*limosus*, Nutt. in Torr. & Gray, Fl. N. Am. i. 20 = *multifidus*.  
*linearilobus*, Bunge, in Arb. Naturf. Ver. Riga, i. (1847) 122.—Turkestan.

**RANUNCULUS:—**

- Lingua*, Linn. Sp. Pl. 549.—Europ.; Sibir.  
*Lingua*, Pursh, Fl. Am. Sept. ii. 391 = *obtusiusculus*.  
*litoralis*, Phil. in Linnaea, xxviii. (1856) 663.—Chili.  
*litoralis*, Schlecht. in Lechl. Berb. Am. Austr. 54, nomen.—Chili.  
*Llaveanus*, Schlecht. in Linnaea, x. (1836) 233.—Mexic.  
*lobatus*, [Clairv.] Herb. Man. 177 = *aconitifolius*.  
*lobatus*, Jacquem. Voy. Bot. 4.—Reg. Himal.  
*lobatus*, Moench, Meth. 214 = *muricatus*.  
*lomatacarpus*, Fisch. & Mey. Ind. Sem. Hort. Petrop. i. (1835) 36.—Oriens.  
*longepedunculatus*, Scheidw. in Hort. Belge, v. (1838) 163. t. 9.—Mexic.  
*longicaulis*, Ledeb. ex Spreng. f. Tent. Suppl. Syst. 15.—Europ. austr.  
*longicaulis*, C. A. Mey. in Ledeb. Fl. Alt. ii. 308 = *pulchellus*.  
*longifolius*, Lam. Fl. Fr. iii. 189 = *R. Lingua*.  
*longipes*, Lange, ex Cut. Fl. Madr. 103 = *pedunculatus*.  
*longirostris*, Godr. in Mém. Soc. Roy. Nancy, 1839 (1840) 39.—Am. bor.  
*Lorentii*, Hochst. in Lorent, Wanderungen, 338 = *lomatacarpus*.  
*lucidus*, Poir. Encyc. vi. 113 = *repens*.  
*lugdunensis*, Jord. Diagn. i. 63 = *monspeliacus*.  
*lusitanicus*, Freyn, in Flora, lxiii. (1880) 24.—Lusitan.  
*lutulentus*, Sonceon & Perrier, in Billot, Annot. Fl. Fr. et Allem. 181.—Europ.  
*luzulaefolius*, Amo, Fl. Iber. vi. 714 = *gramineus*.  
*Lyallii*, Hook. f. Handb. N. Zeal. Fl. 4.—N. Zel.  
*lycoctonifolius*, Hegetschw. Fl. Schw. 544 = *montanus*.  
*Macauleyi*, A. Gray, in Proc. Am. Acad. xv. (1880) 45.—Am. bor.  
*maclovianus*, Urv. in Mém. Soc. Linn. Par. iv. (18 6) 615.—Ins. Falkland.  
*macranthus*, Scheele, in Linnaea, xxi. (1848) 585.—Texas; Mexic.  
*macrocarpus*, Pritz. Ic. Ind. ii. 239, sphalm. = *macrocarpus*, Boiss. & Buhse.  
*macropterus*, DC. Prod. i. 29.—Peruv.  
*macrophyllus*, Desf. Fl. Atlant. i. 437 = *palustris*.  
*macrophyllus*, Ledeb. Fl. Ross. i. 42 = *grandiflorus*.  
*macrophyllus*, Schur, Enum. Pl. Transs. 17 = *acris*.  
*macroptus*, Boiss. & Buhse, in Nouv. Mém. Soc. Nat. Mosc. xii. (1860) 5.—Persia.  
*macroptus*, Hook. f. in Hook. Ic. Pl. t. 634.—N. Zel.  
*macrorhizus*, Schnitzl. Ic. t. 178. f. 1.—Hab.?  
*macrorrhynchus*, Boiss. Diagn. Ser. I. vi. 5.—Mesopot.  
*madagascariensis*, Freyn, in Bremen, Abh. vii. (1880) 7.—Madag.  
*magellanicus*, Comm. ex DC. Syst. i. 294 = *petiolaris*.  
*magellensis*, Tenore, Prod. Fl. Nap. 69 = *crenatus*.  
*major*, Dum. Fl. Belg. Prod. 128 = *acris*.  
*Malabailae*, Boiss. Fl. Orient. i. 37.—Cilicia.  
*malacophyllus*, Schur, Enum. Pl. Transs. 16 = *acris*.  
*Mandonianus*, Wedd. Chlor. And. ii. 299.—Bolivia.  
*marginatus*, Urv. in Mém. Soc. Linn. Par. i. (1822) 318.—Graec.  
*marilandicus*, Poir. Encyc. vi. 126 = *repens*.  
*marinus*, Fries, Summa Veg. Scand. 141 = *Baudotii*.  
*maritimus*, Phil. in Anal. Univ. Chil. (1872) 663.—Chili.  
*Marschlinii*, Steud. Nom. ed. II. ii. 434 = *demissus*.  
*mariscus*, Guss. & Tenore, in Fl. Neap. Syll. App. iv. p. ix = *auricomus*.  
*Martini*, Lamotte, Prod. Fl. Centr. Fr. i. 43 = *trichophyllus*.  
*marylandicus*, Poir. Encyc. vi. 126 = *repens*.  
*mauiensis*, A. Gray, Bot. U. St. Expl. Exped. i. 11.—Ins. Sandvic.  
*mauritanicus*, Pomel, Nouv. Mat. Fl. Atl. 249 = *omio-phyllus*.  
*mediterraneus*, Griseb. ex Schur, Enum. Pl. Transs. 22 = *sardous*.  
*medius*, Bernh. Cat. Pl. Hort. Erfurt.; ex Schlecht. Animad. Ran. i. 14 = *aconitifolius*.  
*meganthus*, Rafin. Fl. Ludov. 82 (Quid?).—Am. bor.  
*megaphyllus*, Steud. Nom. ed. II. ii. 434.—Ins. Mader.  
*meifolius*, Pomel, Nouv. Mat. Fl. Atl. 380 = *millefoliatus*.  
*Meinshauseni*, Schrenk, in Bull. Phys.-Math. Acad. Pétersb. iii. (1845) 309.—Soongar.  
*membranaceus*, Fresen. in Mus. Senckenb. ii. (1837) 270 = *pinnatus*.

**RANUNCULUS:—**

- membranaceus*, Royle, Illustr. Bot. Himal. 53 = *pulchellus*.  
*Meyeri*, Harv. in Harv. & Sond. Fl. Cap. i. 7.—Afr. austr.  
*Meyerianus*, Rupr. Fl. Cauc. 25.—Reg. Caucas.  
*micranthus*, Bruegg. in Zeitschr. Ferdinand. Tirol. III. ix. (1860) 7.—Europ.  
*micranthus*, Nutt. in Torr. & Gray, Fl. N. Am. i. 18 = *abortivus*.  
*microcarpus*, Bertol. Misc. Bot. xxii. 17. t. 6 = *muricatus*.  
*microcarpus*, Presl, Rel. Haenk. ii. 70.—Chili.  
*Millani*, F. Muell. in Hook. Kew Journ. vii. (1855) 358.—Austral.  
*millefoliatus*, Vahl, Symb. Bot. ii. 63.—Reg. Mediterr.  
*millefolius*, [Soland. in] Russ. Aleppo, ed. II. ii. 254 = *myriophyllus*.  
*Millii*, Boiss. & Heldr. ex Boiss. Fl. Orient. i. 35.—Graec.  
*minimus*, Hort. ex Schlecht. Animad. Ran. i. 19 = *ophioglossifolius*.  
*minutiflorus*, Bert. ex Phil. in Linnaea, xxviii. (1856) 661.—Chili.  
*minutus*, C. Gay, Fl. Chil. i. 38.—Chili.  
*minutus*, Leyb. in Flora, xxxvii. (1854) 369 = *montanus*.  
*miser*, Phil. in Linnaea, xxviii. (1856) 662.—Chili.  
*mitis*, Gilib. Fl. Lituan. ii. 268 = *auricomus*.  
*mixtus*, Jord. Obs. Pl. Crit. vii. (1849) 1 = *memorosus*.  
*Moellendorffii*, Hance, in Journ. Bot. xvii. (1879) 7.—China.  
*mollis*, Wall. Cat. n. 4704 = *diffusus*.  
*monanthos*, Phil. in Linnaea, xxviii. (1856) 662.—Chili.  
*Monroi*, Hook. f. Fl. N. Zel. ii. 323.—N. Zel.  
*monspeliacus*, Georgi, Besch. Russ. Reich. III. iv. 1067 = *illyricus*.  
*monspeliacus*, Linn. Sp. Pl. 553.—Reg. Mediterr.  
*monspeliacus*, Winkl. ex Freyn, in Willk. & Lange, Prod. Fl. Hisp. iii. 922 = *Winkleri*.  
*monspessulanus*, Jord. Diagn. i. 64 = *monspeliacus*.  
*montanus*, Orsini, ex Tenore, Syll. 270 = *Villarsii*.  
*montanus*, Presl, ex Nym. Consp. 12 = *acris*.  
*montanus*, Sibth. & Sm. Fl. Graec. Prod. ii. 359 = *Sibthorpii*.  
*montanus*, Willd. Sp. Pl. ii. 1321.—Europ.  
*monteanus*, Phil. in Linnaea, xxx. (1859–60) 185.—Chili.  
*Moorcroftianus*, D. Don, in Royle, Illustr. Bot. Himal. 53 = *pulchellus*.  
*moschatus*, Uspensky, in Bull. Soc. Nat. Mosc. vii. (1834) 375, nomen.—Rossia.  
*Moseleyi*, Hook. f. in Phil. Trans. clxviii. (1879) 10.—Ins. Kerguel.  
*mucronatus*, Bertol. in Nov. Comm. Acad. Bonon. vi. (1843) 224. t. 8. f. 2 = *oxyspermus*.  
*Muelleri*, Benth. Fl. Austral. i. 13.—Austral.  
*mulgellensis*, Steud. Nom. ed. I. 679, sphalm. = *magellensis*.  
*multicaulis*, D. Don, ex G. Don, Gen. Syst. i. 34.—Mexic.  
*multifidus*, Forsk. Fl. Aegypt. Arab. 102 = *Forskochlii*.  
*multifidus*, Pursh, Fl. Am. Sept. ii. 736.—Am. bor.  
*multiflorus*, Dulac, Fl. Hautes-Pyr. 218 = *aconitifolius*.  
*multiflorus*, Gilib. Fl. Lituan. ii. 263 = *polyanthemos*.  
*multiscapus*, Hook. f. Fl. N. Zel. i. 9. t. 5 = *lappaceus*.  
*muricatus*, Linn. Sp. Pl. 555.—Europ.; Oriens.  
*muricatus*, Moench, Meth. 215 = *parviflorus*.  
*myosuroides*, Boiss. & Kotschy, Diagn. Ser. II. v. 6.—Syria.  
*Myosurus*, Afzel. in Liljeb. Svensk Fl. 230 = *Myosurus minimus*.  
*myriophyllus*, DC. Syst. i. 257.—As. Min.; Mesopot.  
*nanus*, Fisch. ex DC. Prod. i. 33 = *R. Cymbalaria*.  
*nanus*, Hook. Journ. Bot. i. (1834) 242 = *lappaceus*.  
*napaulensis*, DC. Prod. i. 39 = *diffusus*.  
*napellifolius*, Crantz, Stirp. Austr. ed. I. fasc. ii. 90; ed. II. 114 = *acris*, *memorosus*, *polyanthemos*.  
*napellifolius*, DC. Syst. i. 282.—Graec.  
*natans*, C. A. Mey. in Ledeb. Fl. Alt. ii. 315 = *hyperboreus*.  
*natans*, Nees, ex G. Don, Gen. Syst. i. 31.—Mexic.  
*neapolitanus*, Bourg. ex Freyn, in Willk. & Lange, Prod. Fl. Hisp. iii. 930, 931 = *Broteri*, *Alaea*.

**RANUNCULUS:—**

*neapolitanus*, Tenore, Ind. Sem. Hort. Neap. (1825) 11. n. 22 = bulbosus.  
*neapolitanus*, Tod. ex Freyn, Kenn. Ranunc. 20 = palustris.  
*Nelsonii*, A. Gray, in Proc. Am. Acad. viii. (1872) 374. —Am. bor. occ.  
*memorivagus*, Jord. Diagn. i. 74 = acris.  
*memorosus*, DC. Syst. i. 280. —Europ. austr.  
*Nendtwichii*, Frivald. in Flora, xix. (1836) 437 = lateriflorus.  
*nepalensis*, Spreng. Syst. ii. 655 = diffusus.  
*nepalinus*, Jacquem. ex Aitch. in Journ. Linn. Soc. xviii. (1880) 30 = hirtellus.  
*nephelogenes*, Edgew. in Trans. Linn. Soc. xx. (1846) 28 = pulchellus.  
*nervosus*, Royle, Illustr. Bot. Himal. 53 = hirtellus.  
*nevadensis*, Willk. in Linnaea, xxx. (1859–60) 85. —Hispan.  
*nidulans*, Pomel, Nouv. Mat. Fl. Atl. 252 = chaerophyllos.  
*nigrescens*, Freyn, in Willk. & Lange, Prod. Fl. Hisp. iii. 921. —Hispan.  
*nitidus*, Muhl. Cat. ed. II. 56 = repens.  
*nitidus*, Walt. Fl. Carol. 159 = abortivus?  
*nivalis*, Lag. in Anal. Cienc. Nat. v. (1804) 280 = demissus.  
*nivalis*, Lerchew. ex Schur, in Verh. Siebenb. Ver. Naturw. iv. (1853) 14 = montanus.  
*nivalis*, Linn. Sp. Pl. 553. —Reg. bor. et arct.  
*nivalis*, Pall. Reise, iii. 653 = polyrhizos.  
*nivalis*, Sibth. & Sm. Fl. Graec. Prod. i. 382 = Sibthorpii.  
*nivicola*, Hook. Ic. Pl. t. 571. —N. Zel.  
*nodiflorus*, Linn. Sp. Pl. 549. —Europ.  
*nubigenus*, H. B. & K. Nov. Gen. et Sp. v. 42. —Peruv.  
*Nuttallii*, A. Gray, in Proc. Acad. Sc. Philad. 1863 (1864) 56. —Am. bor. occ.  
*obesus*, Trautv. in Act. Hort. Petrop. iii. II. (1875) 275. —Reg. Caucas.  
*oblongifolius*, Ell. Sketch, ii. 58. —Am. bor. occ.  
*obtectus*, Wall. Cat. n. 4705 = diffusus.  
*obtusatus*, Poepp. Fragm. Syn. Pl. Chil. 28. —Chili.  
*obtusifolius*, Hornem. Hort. Hafn. ii. 528. —Hispan.  
*obtusiusculus*, Rafin. in Med. Repos. N. York, v. (1808) 359; et in Desv. Journ. Bot. i. (1808) 225. —Am. bor.  
*occidentalis*, Freyn, in Willk. & Lange, Prod. Fl. Hisp. iii. 929. —Hispan.  
*occidentalis*, Nutt. in Torr. & Gray, Fl. N. Am. i. 22, excl. syn. —Am. bor. occ.  
*occidentalis*, Torr. & Gray, l. c., partim = Nelsonii.  
*oceanthefolius*, Tenore & Guss. in Atti Acc. Nap. v. I. (1843) 318 = repens.  
*Olgae*, Regel, Pl. Nov. Fedtsch. I. —Turkestan.  
*oligocarpus*, Hochst. ex A. Rich. Tent. Fl. Abyss. i. 5. —Abyss.  
*oligocarpus*, Bruegg. in Zeitschr. Ferdinand. Tirol, III. ix. (1860) 7. —Europ.  
*ololeucos*, Lloyd, Fl. Loire-Inf. 3. —Europ.  
*ollyssiponensis*, Pers. Syn. ii. 106 = spicatus.  
*omiophyllus*, Tenore, Fl. Nap. iv. 338. —Europ.  
*ophioglossifolius*, Vill. Hist. Pl. Dauph. iii. 731. —Europ. occ.; Reg. Mediterr.  
*ophioglossoides*, Willd. Sp. Pl. ii. 1310 = ophioglossifolius.  
*oppositifolius*, Kanitz, in Verh. Zool.-Bot. Ges. Wien, xiii. (1863) 513. —Hungar.  
*orbicularis*, Steud. in Flora, xxxix. (1856) 406. —Chili.  
*oreophilus*, Bieb. Fl. Taur. Cauc. iii. 383 = Villarsii.  
*oreophilus*, Walp. Ann. iii. 811, sphalm. = seq.  
*oreophytus*, Delile, in Ann. Sc. Nat. Sér. II. xx. (1843) 89. —Afr. trop.  
*orientalis*, Linn. Sp. Pl. 555. —Afr. bor.; Oriens.  
*ornithopodioides*, Stev. ex Ledeb. Fl. Ross. i. 30 = pedatus.  
*ornithorhynchus*, Walp. Rep. i. 43, sphalm. = orthorhynchus.  
*orthophytus*, Walp. l. c. v. 5, sphalm. = oreophytus.  
*orthorhynchus*, Hook. Fl. Bor. Am. i. 21. t. 9. —Am. bor. occ.  
*oryzatorum*, Bunge, Enum. Pl. Chin. Bor. 2 = sceleratus.  
*ovalifolius*, Lamb. ex G. Don, Gen. Syst. i. 33 = rhomboides.  
*ovalis*, Rafin. in Desv. Journ. Bot. iv. (1814) 268. —Am. bor.

**RANUNCULUS:—**

*ovatifolius*, Steud. Nom. ed. II. i. 434 = praec.  
*ovatus*, DC. Syst. i. 247, in syn. = R. Flammula.  
*oxynotus*, A. Gray, in Proc. Am. Acad. x. (1874) 68. —Calif.  
*oxyrhynchus*, Griseb. Spicil. Fl. Rumel. i. 312 = Sprunerianus.  
*oxyspermus*, Willd. Sp. Pl. ii. 1328. —Ross.; As. Min.  
*Pacheri*, Dalla Torre, Atl. Alpenfl. 53. —Europ.  
*pachyrrhizus*, Hook. f. Handb. N. Zeal. Fl. 8. —N. Zel.  
*palaestinus*, Boiss. Diagn. Ser. I. viii. 4 = constantinopolitanus.  
*palensis*, Berger. Fl. Bass. Pyr. ii. 405 = sardous.  
*palimbifolius*, Wedd. Chlor. And. ii. 303. —Ecuador; Peruv.  
*Pallasii*, Schlecht. Animad. Ran. i. 15. t. 2. —Reg. arct.  
*pallidior*, [Chaix, in] Vill. Hist. Pl. Dauph. i. 335; iii. 751 = sardous.  
*pallidus*, [Soland. in] Russ. Aleppo, ed. II. ii. 254 = sardous.  
*palmatus*, [Clairv.] Man. Herb. 177 = aconitifolius.  
*palmatus*, Ell. Sketch, ii. 61. —Am. bor.  
*paludosus*, Poir. Voy. Barb. ii. 184. —Afr. bor.  
*paludosus*, Willk. ex Freyn, in Willk. & Lange, Prod. Fl. Hisp. iii. 924 = chaerophyllos.  
*palustris*, Amo, Fl. Iber. vi. 720 = Broteri.  
*palustris*, Hegetschw. ex Kittel, Taschenb. ed. II. 773 = auricomus.  
*palustris*, Lange, ex Freyn, in Willk. & Lange, Prod. Fl. Hisp. iii. 930 = ascedens.  
*palustris*, Linn. ex Sm. in Rees, Cyclop. xxix, n. 52. —Reg. Mediterr.; Oriens.  
*palustris*, Willk. ex Freyn, in Willk. & Lange, Prod. Fl. Hisp. iii. 931 = Aleae.  
*pangiensis*, Watt, in Journ. Linn. Soc. xviii. (1881) 377. —Reg. Himal.  
*panormitanus*, Tod. in Atti Acc. Sc. Palermo, N. S. i. (1845) 15 = bulbosus.  
*pantothrix*, Brot. Fl. Lusit. ii. 375 = trichophyllus.  
*pantothrix*, Ell. Sketch, ii. 56 = aquatilis.  
*papillatus*, Dulac, Fl. Hautes-Pyr. 218 = hederaceus.  
*paradoxus*, Weihe, in Linnaea, x. (1835–36) 418. t. 2 = acris.  
*Pardalianches*, Steud. Nom. ed. I. 680 = R. Thora.  
*parnassifolius*, Linn. Sp. Pl. 549. —Europ.  
*parviflorus*, Gouan, Fl. Monsp. 270 = sardous.  
*parviflorus*, Linn. Syst. ed. X. 1087. —Reg. Mediterr.  
*parviflorus*, Steud. Nom. ed. II. ii. 434 = parnassifolius.  
*parvulus*, [Clairv.] Man. Herb. 179 = Villarsii.  
*parvulus*, J. F. Gmel. Syst. 879 = falcatus.  
*parvulus*, Linn. Mant. i. 79 = sardous.  
*pascuiculus*, Jord. Diagn. i. 73 = acris.  
*patagonicus*, Poepp. Fragm. Syn. Pl. Chil. 29. —Chili.  
*paucicarpus*, Arv. Ess. Pl. Dauph. 17 = ololeucos.  
*paucidentatus*, Schrenk, in Bull. Phys.-Math. Acad. Pétersb. iii. (1845) 309. —Soongar.  
*pauciflorus*, Spreng. Syst. ii. 657 = parviflorus.  
*paucistamineus*, Tausch, in Flora, xvii. (1834) 525 = trichophyllus.  
*pectinatus*, Dubois, Method. 454 = aquatilis.  
*pedatifidus*, Hook. Fl. Bor. Am. i. 18 = Hookeri.  
*pedatifidus*, Schlecht. Animad. Ran. ii. 18 = affinis.  
*pedatifidus*, Sm. in Rees, Cyclop. xxix, n. 72. —Dahuria.  
*pedatus*, Waldst. & Kit. Pl. Rar. Hung. ii. 112. t. 108. —Hungar.  
*peduncularis*, Sm. in Rees, Cyclop. xxix, n. 49. —Reg. Magellan.  
*peduncularis*, Viv. ex Nym. Consp. 8 = chaerophyllos.  
*pedunculatus*, Lange, Desc. Pl. Nov. Hisp. i. 4. —Hispan.  
*pedunculatus*, Viv. Fl. Cors. Sp. Nov. 8 = sardous.  
*peloponnesiacus*, Boiss. Diagn. Ser. I. i. 63 = chaerophyllos.  
*peltatus*, Moench, Meth. 214 = aquatilis.  
*peltatus*, Schrank, Baier. Fl. ii. 103. —Reg. temp. bor.  
*pensylvanicus*, Linn. f. Suppl. 272. —Am. bor.  
*persicus*, DC. Syst. i. 288. —Persia.  
*Perusianus*, Jeanb. & Timb. in Bull. Soc. Phys. Nat. Toulouse, iii. (1875–76) 330 = nemorosus.  
*peruvianus*, Pers. Syn. ii. 103. —Peruv.  
*petiolaris*, H. B. & K. Nov. Gen. et Sp. v. 45. —Mexic.

**RANUNCULUS:—**

*Petiveri*, Amo, Fl. Iber. vi. 702 = Baudotii.  
*Petiveri*, Coss. & Germ. Fl. Par. i. 10 = ololeucos.  
*Petiveri*, Koch, in Sturm, Deutschl. Fl. Heft 82; et Syn. Fl. Germ. ed. II. 13 = confusus.  
*petroselinus*, Bria, Hist. Nat. Renoncul. 43. t. 2. —Ins. Borbon.  
*peucedanifolius*, All. Fl. Pedem. ii. 53. —Reg. bor. temp.  
*peucedanifolius*, Gilib. Exercit. i. 369 = fluitans.  
*peucedanoides*, Desf. Fl. Atlant. i. 444 = peucedanifolius.  
*Peyrousianus*, Freyn, in Willk. & Lange, Prod. Fl. Hisp. iii. 936 = tuberosus.  
*philonotis*, Ehrh. in Hannov. Mag. (1783) 17tes St. 270 = sardous.  
*philonotis*, Pursh, Fl. Am. Sept. ii. 393 = repens.  
*phrygius*, Boiss. Fl. Orient. i. 29. —Phrygia.  
*Phthora*, Steud. Nom. ed. II. ii. 435 = R. Phthora.  
*phyteumaefolius*, Spreng. Syst. iv. Cur. Post. 218 = bonariensis.  
*pilosus*, Dulac, Fl. Hautes-Pyr. 220 = Gouani.  
*pilosus*, H. B. & K. Nov. Gen. et Sp. v. 45. —Am. austr.  
*pilosus*, C. Muell. in Walp. Ann. vii. 21, sphalm. = setoso-pilosus.  
*pitulifer*, Hook. Ic. Pl. t. 600 = parviflorus.  
*pimpinellifolius*, Hook. Journ. Bot. i. (1834) 243 = lappaceus.  
*pimpinelloides*, D. Don, in Royle, Illustr. Bot. Himal. 53 = Callianthemum cachemirianum.  
*Pinardi*, Boiss. Diagn. Ser. II. v. 10. —Syria.  
*pinguis*, Hook. f. Fl. Antarct. 3. t. 1. —Ins. Auckland.  
*pinnatus*, Poir. Encyc. vi. 126. —Afr. trop.  
*pinnatus*, Wight, Illustr. i. 6 = Wallichianus.  
*plantagineus*, All. Fl. Pedem. ii. 48 = pyrenaeus.  
*plantagineus*, Pers. Syn. ii. 102 = bupleuroides.  
*plantaginifolius*, Murr. in Comm. Gotting. viii. (1777) 39. t. 2. —Sibir.  
*plantaginifolius*, Salisb. Prod. 372 = amplexicaulis.  
*plantaginifolius*, Linn. Mant. i. 79 = aconitifolius.  
*platensis*, Spreng. Syst. v. 586 (Index). —Reg. Argent.  
*platyspermus*, Fisch. Hort. Gorenk. ed. II. (1812) 48. —Reg. Khirgis; Turkestan.  
*plebeius*, R. Br. ex DC. Syst. i. 288. —Austral.; N. Zel.  
*pleurocarpus*, Maxim. Prim. Fl. Amur. 21. —Reg. Amur.  
*polianthos*, Neck. Delic. Gallo-Belg. i. 240 = polyanthemus.  
*polyanthemoides*, Bor. Fl. Centr. Fr. ed. III. ii. 16 = nemorosus.  
*polyanthemoides*, Schur, Enum. Pl. Transs. 20 = polyanthemus.  
*polyanthemus*, Linn. Sp. Pl. 554. —Europ.; Reg. Caucas.  
*polymorphus*, All. Fl. Pedem. ii. 49 = auricomus.  
*polymorphus*, Rochel, Pl. Banat. Rar. in Index, nomen; Bot. Reise Banat. 74 = montanus.  
*polypetalus*, Gill, ex Hook. Bot. Misc. iii. (1833) 134 = peduncularis.  
*polypetalus*, Rafin. Fl. Ludov. 83 (Quid?). —Am. bor.  
*polypetalus*, Royle, Illustr. Bot. Himal. 54. t. 11. f. 2 = Oxygraphis polypetala.  
*polyphyllus*, Waldst. & Kit. ex Willd. Sp. Pl. ii. 1331. —Hungar.  
*polyrhizos*, Steph. ex Willd. Sp. Pl. ii. 1324. —Ross.; Sibir.  
*polyrhizus*, Soleir. ex Nym. Consp. 10 = demissus.  
*ponticus*, C. Koch, in Linnaea, xix. (1847) 46 = Sibthorpii.  
*ponticus*, Willd. Enum. Hort. Berol. Suppl. 40 = nemorosus.  
*pozoaefolius*, C. Gay, Fl. Chil. i. 34. —Chili.  
*praecox*, Salisb. Prod. 372 = R. Ficaria.  
*praemorsus*, H. B. & K. ex DC. Syst. i. 292. —Am. austr.  
*pratensis*, Phil. in Linnaea, xxxiii. (1864–65) 2 = erodiifolius.  
*pratensis*, Presl, Delic. Prag. 9 = palustris.  
*Preslii*, Weihe, ex Opiz, Natural. xi. (1826) 346. —Europ.  
*procerus*, Moris, Fl. Sard. i. 45 = palustris.  
*procumbens*, Boiss. in Ann. Sc. Nat. Sér. II. xvi. (1841) 355. —Persia.  
*proliifer*, Reinw. ex De Vriese, in Miq. Pl. Jungh. 77. —Java.  
*propinquus*, C. A. Mey. in Ledeb. Fl. Alt. ii. 332 = acris.

**RANUNCULUS:—**

*prostratus*, Poir. Encyc. vi. 113 = repens.  
*protensus*, Kit. in *Linnaea*, xxxii. (1863) 484.—Hungar.  
*protractus*, Steud. Nom. ed. II. ii. 435; et in *Flora*, xxxix. (1856) 406.—Chili.  
*Pseudo-bulbosus*, Schur, in Verh. Siebenb. Ver. Naturw. x. (1859) 84 = sardous.  
*Pseudo-cassubicus*, Schur, Enum. Pl. Transs. 23 = auricomus.  
*Pseudo-fluitans*, Newbould, ex Syme, Engl. Bot. ed. III. i. 20 = aquatilis.  
*Pseudo-hirsutus*, Schur, Enum. Pl. Transs. 22 = sardous.  
*Pseudo-montanus*, Schur, in Verh. Naturf. Ver. Bruenn, xv. II. (1877) 42 = montanus.  
*Pseudo-philonotis*, Griseb. in Goett. Abh. xix. (1874) 69.—Reg. Argent.  
*Pseudopsis*, Jord. Diagn. i. 68 = demissus.  
*Pseudo-thora*, Host, Fl. Austr. ii. 108 = hybridus.  
*Pseudo-Villarsii*, Schur, Enum. Pl. Transs. 19 = Villarsii.  
*psilostachys*, Griseb. Spicil. Fl. Rumel. i. 304.—Macedon.  
*psychrophilus*, Wedd. Chlor. And. ii. 300.—Bolivia.  
*Pthora*, Crantz, Stirp. Austr. ed. I. fasc. ii. 98; ed. II. 119 = hybridus.  
*pubescens*, Bert. ex Steud. Nom. ed. II. ii. 435 = protractus.  
*pubescens*, Lag. Gen. et Sp. Nov. 19 = Lagascanus.  
*pubescens*, Thunb. Prod. Pl. Cap. 94.—Afr. austr.  
*pulchellus*, C. A. Mey. in Ledeb. Fl. Alt. ii. 333.—Sibir.; Reg. Himal.  
*Pumilio*, R. Br. ex DC. Syst. i. 271 = parviflorus.  
*pumilus*, Poir. Encyc. vi. 133 = divaricatus.  
*pumilus*, Thuill. Fl. Par. ed. II. i. 277 = sardous.  
*Purshii*, Richards. in Frankl. 1st Journ. ed. II. App. 23 = multifidus.  
*pusillus*, Ledeb. in Mém. Acad. Pétersb. v. (1812) 546 = multifidus.  
*pusillus*, Poir. Encyc. vi. 99.—Am. bor.  
*pusillus*, Pomel, Nouv. Mat. Fl. Atl. 249 = batrachoides.  
*pygmaeus*, Gueldenst. ex Ledeb. Fl. Ross. i. 27 = falcatus.  
*pygmaeus*, Wahlenb. Fl. Lapp. 157. t. 8. f. 1.—Reg. bor. et arct.  
*pyrenaicus*, Gouan, Illustr. 33 = Gouani.  
*pyrenaicus*, Linn. Mant. ii. 248.—Europ. austr.  
*Questieri*, Billot, Annot. Fl. Fr. et Allem. 122 = nemorosus.  
*Raddeanus*, Regel, Ind. Sem. Hort. Petrop. (1865) 39.—Reg. Caucas.  
*radians*, Revel, in Act. Linn. Soc. Bord. xix. (1853) 120 = trichophyllus.  
*radicans*, C. A. Mey. in Ledeb. Fl. Alt. ii. 316 = multifidus.  
*radicescens*, Jord. Pugill. Pl. Nov. 2 = nemorosus.  
*Raimondii*, Wedd. Chlor. And. ii. 305.—Peruv.  
*rectirostris*, Coss. & Dur. in Bull. Soc. Bot. Fr. ii. (1855) 303.—Alger.  
*rectus*, Bor. Fl. Centr. Fr. ed. III. ii. 15 = acris.  
*rectus*, Déségl.—Cf. Bull. Soc. Bot. Fr. xxv. (1878) Bibl. 107 = praec.?  
*rectus*, Ravin, in Bull. Soc. Sc. L'Yonne, xiv. II. (1860) 92 (Quid?).—Gallia.  
*recurvatus*, Bong. Veg. Sitch. 5 = Nelsonii.  
*recurvatus*, Poir. Encyc. vi. 125.—As. et Am. bor.  
*renifolius*, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 133 = R. Thora.  
*reniformis*, Gilib. Fl. Lituan. ii. 269 = cassubicus.  
*reniformis*, Kittel, Taschenb. ed. II. 773 = auricomus.  
*reniformis*, Wall. Cat. n. 4709.—Ind. or.  
*repens*, Linn. Sp. Pl. 554.—Reg. bor. temp.  
*reptabundus*, Jord. Diagn. i. 83 = repens.  
*reptabundus*, Rupr. in Beitr. Pfl. Russ. Reich. ii. 10 = scleratus?  
*reptans*, Linn. Sp. Pl. 549 = R. Flammula.  
*reticulatus*, Regel & Schmitz, ex Seub. in Flora, xxviii. (1845) 334 = arvensis.  
*Reuterianus*, Boiss. Diagn. Ser. I. i. 65.—As. Min.  
*Reveillierii*, Bor. in Mém. Soc. Acad. Maine-et-Loire, i. (1857) 85; iv. (1858) 117 = pedunculatus.  
*rhaeadifolius*, Poir. Encyc. Suppl. iv. 664 = trilobus?  
*rhizophyllus*, Bast. ex Bor. Fl. Centr. Fr. ed. III. ii. 11 = aquatilis.  
*rhaeadifolius*, DC. Syst. i. 284 = trilobus.  
*rhombifolius*, Jord. & Fourr. Brev. Pl. Nov. fasc. i. 1 = bullatus.

**RANUNCULUS:—**

*rhomboides*, Goldie, in Edinb. Phil. Journ. vi. (April 1822) 329. t. 11. f. 1 = ovalis.  
*rhynchocarpus*, Boiss. in Ann. Sc. Nat. Sér. II. xvi. (1841) 355 = lomatoctarpus.  
*rigescens*, Turcz. ex Osten-Sack. & Rupr. Sert. Tiansch. 37.—Turkestan.  
*rigidus*, Godr. in Mém. Soc. Roy. Nancy, 1839 (1840) 41.—Afr. austr.  
*rigidus*, Pers. in Usteri, Ann. Bot. xiv. (1795) 39 = divaricatus.  
*Rionii*, Lager, in Flora, xxxi. (1848) 49.—Helvet.  
*riparius*, Edgew. in Trans. Linn. Soc. xx. (1846) 28 = pensylvanicus.  
*rivularis*, Banks & Soland. ex DC. Syst. i. 270.—Austral.; N. Zel.  
*Robertsoni*, Benth. Fl. Austral. i. 10.—Austral.  
*Robini*, Rafin. Fl. Ludov. 82 = obtusiusculus.  
*robustus*, Pomel, Nouv. Mat. Fl. Atl. 250 = chaerophyllos.  
*Rosani*, Tenore, Prod. Fl. Neap. p. xxxii = trilobus.  
*roseus*, Hegetschw. Fl. Schw. 540 = glacialis.  
*rotundifolius*, Jord. Diagn. i. 66 = monspeliacus.  
*rufosepalus*, Franch. in Ann. Sc. Nat. Sér. VI. xv. (1883) 217.—Turkestan.  
*rufulus*, Brot. Fl. Lusit. ii. 367 = chaerophyllos.  
*rumelicus*, Griseb. Spicil. Fl. Rumel. i. 305.—Graec.  
*rupestris*, Guss. Ind. Sem. Boccad. (1826) 8.—Cf. Willk. & Lange, Prod. Fl. Hisp. iii. 981.—Hispan.  
*rutaefolius*, Linn. Sp. Pl. 552.—Europ.; Sibir.  
*rutaefolius*, Mill. Gard. Dict. ed. VIII. n. 6 = millefolius.  
*Rutenbergii*, Freyn, in Bremen, Abh. vii. (1880) 9.—Madag.  
*ruthenicus*, Jacq. Hort. Vindob. iii. 19 = plantaginifolius.  
*Sabinii*, R. Br. in Parry, 1st Voy. App. 264 = pygmaeus.  
*sagittifolius*, Hook. Ic. Pl. t. 173.—Zeylan.  
*sahendicus*, Boiss. & Buhse, in Nouv. Mém. Soc. Nat. Mosc. xii. (1860) 6.—Persia.  
*salicifolius*, Stokes, Bot. Mat. Med. iii. 259 = R. Lingua.  
*salsugineus*, Link, Handb. ii. 392, sphalm. = salsuginosus, Pall.  
*salsuginosus*, DC. Prod. i. 33 = plantaginifolius.  
*salsuginosus*, D. Don, in Royle, Illustr. Bot. Himal. 53 = lobatus.  
*salsuginosus*, Georgi, Bemerk. Russ. Reich. i. 222 (Quid?).—Rossia.  
*salsuginosus*, Pall. Reise, iii. 213 = R. Cymbalaria.  
*salsuginosus*, Wall. Cat. n. 4708 = pulchellus.  
*salsus*, Pall. Reise Prov. Russ. Reich. iii. 318.—Sibir. or.  
*samojedorum*, Rupr. Beitr. Pfl. Russ. Reich. ii. 18.—Ross. arct.  
*sanguineus*, Mill. Gard. Dict. ed. VIII. n. 10 = asiaticus.  
*saniculaefolius*, Schur, Enum. Pl. Transs. 21 = nemorosus.  
*saniculaefolius*, Viv. Fl. Lib. Spec. 29. t. 11. f. 2.—Afr. bor.  
*saniculaefolius*, Muhl. ex DC. Prod. i. 40 = recurvatus.  
*sardonicus*, Gueldenst. ex Ledeb. Fl. Ross. i. 47 = ophioglossifolius.  
*sardous*, Crantz, Stirp. Austr. ed. I. fasc. ii. 84; ed. II. 111.—Europ.; Afr. bor.; As. Min.  
*sarmentoso-repens*, Steud. in Flora, xxxix. (1856) 403.—Peruv.  
*sarmentosus*, Adams, in Mém. Soc. Nat. Mosc. ix. (1834) 244 = R. Cymbalaria.  
*sarmentosus*, Griseb. in Goett. Abh. xxiv. (1879) 13.—Reg. Argent.  
*Sartorianus*, Boiss. & Heldr. Diagn. Ser. II. i. 8 = Villarsii.  
*saxatilis*, Balb. Misc. Bot. i. 27 = monspeliacus.  
*saxatilis*, Vill. Prosp. 50 = praec.?  
*saxifragaeifolius*, Steph. ex Steud. Nom. ed. II. ii. 435 = R. Cymbalaria.  
*saxifragaeifolius*, Steud. Nom. ed. II. ii. 435; et in Flora, xxxix. (1856) 406.—Chili.  
*scaber*, Presl, Fl. Sicul. i. 13.—Sicilia.  
*scandens*, Bogusl. in Erman, Archiv. vi. (1848) 60.—Ross.  
*scapigerus*, Hook. Journ. Bot. i. (1834) 244 = lappaceus.  
*scleratus*, Linn. Sp. Pl. 551.—Reg. bor. temp.

**RANUNCULUS:—**

*Schimperianus*, Hochst. & A. Rich. Tent. Fl. Abyss. i. 4 = simensis.  
*Schlechtendalii*, Hook. Fl. Bor. Am. i. 21. t. 11 = repens.  
*Schmidtii*, Schur, in Verh. Naturf. Ver. Bruenn, xv. II. (1877) 34, in obs. = R. Lingua.  
*Schottii*, Dalla Torre, Atl. Alpenfl. 54.—Europ.  
*Schowii*, Tin. in Guss. Fl. Sic. Syn. ii. 889.—Sicil.  
*Schraderianus*, Fisch. & Mey. Ind. Sem. Hort. Petrop. iv. 44 = chius.  
*Schrenkianus*, Fisch. & Mey. ex Trautv. in Bull. Soc. Nat. Mosc. xxxiii. (1860) 1. 64.—Soongar.  
*Schurii*, Fuss, ex Schur, Enum. Pl. Transs. 16 = montanus.  
*scutatus*, Schott, ex Dalla Torre, Atl. Alpenfl. 54 = Schottii.  
*scutatus*, Waldst. & Kit. Pl. Rar. Hung. ii. 205 = R. Thora.  
*sedunensis*, Rion, ex Wolf. in Bull. Soc. Murith. vii. (1879) 28 = Rionii.  
*segetalis*, Kit. ex Uechtr. in Flora, iv. (1821) 40 = arvensis.  
*Seguieri*, Vill. Prosp. 50; Hist. Pl. Dauph. iii. 737.—Europ.  
*semicalvus*, Jord. & Fourr. Brev. Pl. Nov. fasc. i. 2, in textu = bulbatus.  
*semidecurrens*, Opiz, in Flora, vii. (1824) 1. Beil. 84 = repens.  
*semiverticillatus*, Phil. in Anal. Univ. Chil. i. (1861) 60.—Chili.  
*septentrionalis*, De Bray, ex Fleisch. & Lindem. Fl. Deutsch. Ostseeprov. 195.—Prov. Balt.  
*septentrionalis*, Poir. Encyc. vi. 125 = repens?  
*serbicus*, Vis. Cat. Sem. Hort. Patav. Suppl. (1858); et in Mem. Ist. Venet. ix. (1860) 168.—Banat.  
*sericans*, Steud. in Flora, xxxix. (1856) 405.—Chili.  
*sericeus*, Poir. Encyc. vi. 109.—Ins. Maurit.  
*sericeus*, Willd. Enum. Hort. Berol. 589 = illyricus.  
*sericocephalus*, Hook. f. Fl. Antarct. 225.—Ins. Falkland.  
*sericophyllus*, Hook. f. Handb. N. Zeal. Fl. 6.—N. Zel.  
*sessiliflorus*, R. Br. ex DC. Syst. i. 302 = parviflorus.  
*sessiliflorus*, Spreng. Syst. iv. Cur. Post. 219 = platensis.  
*sessiliflorus*, Wedd. ex Griseb. in Goett. Abh. xxiv. (1879) 13 = Hilarii.  
*setoso-pilosus*, Steud. in Flora, xxxix. (1856) 404.—Peruv.  
*Sewerzowi*, Regel, in Act. Hort. Petrop. v. (1877) 221.—Turkestan.  
*sibbaldioides*, H. B. & K. ex DC. Syst. i. 293.—Am. austr.  
*sibiricus*, Adams, in Nouv. Mém. Soc. Nat. Mosc. iii. (1834) 246 = nivalis.  
*sibiricus*, Spreng. Syst. ii. 652 = multifidus.  
*sibiricus*, Schraub, ex Schlecht. Animad. Ran. ii. 38, nomen (Quid?).—Hab.?  
*Sibthorpii*, Boiss. Diagn. Ser. II. i. 7.—Graec.  
*siculus*, Presl, Delic. Prag. 8 = acris.  
*Sieboldi*, Mig. Ann. Mus. Bot. Lugd. Bat. iii. 5.—Japon.  
*silvaticus*, Vill. Prosp. 51 = acris?  
*simensis*, Fresen, in Mus. Senckenb. ii. (1837) 269.—Abyss.  
*Sinclairii*, Hook. f. Handb. N. Zeal. Fl. 6.—N. Zel.  
*songaricus*, Schrenk. in Fisch. & Mey. Enum. Pl. Nov. Schrenk. ii. 67.—Soongar; Turkest.  
*sparsipilus*, Jord. Diagn. i. 80 = bulbosus.  
*speciosus*, Hort. ex Vilm. Fl. Pl. Terre, ed. I. 722 = bulbosus.  
*sphaerospermus*, Boiss. & Blanche, Diagn. Ser. II. v. 6 = aquatilis.  
*spicatus*, Desf. Fl. Atlant. i. 438.—Afr. bor.  
*spicatus*, Plan. Fl. Gallega, 54 = nigrescens.  
*spicatus*, Presl, Fl. Sicul. 14 = rupestris.  
*Spreitzenhoferi*, Heldr. in Oestr. Bot. Zeitschr. xxviii. (1878) 50.—Ins. Ionian.  
*spretus*, Jord. ex Bor. Fl. Centr. Fr. ed. III. ii. 17 = nemorosus.  
*Sprunerianus*, Boiss. Diagn. Ser. I. i. 64 (Sprunerianus).—Graec.; Syria.  
*squamosus*, Dulac, Fl. Hautes-Pyr. 218 = R. Thora.  
*squarrosus*, Laest. ex Nym. Consp. 12 = acris?  
*squarrosus*, Pomel, Nouv. Mat. Fl. Atl. 381 = orientalis.

**RANUNCULUS:—**

*stagnalis*, Hochst. ex A. Rich. Tent. Fl. Abyss. i. 5 = *simensis*.  
*stagnatilis*, Wallr. Sched. Crit. 285 = *aquaticus*.  
*stenocarpus* Steud. ex A. Rich. Tent. Fl. Abyss. i. 6. — Abyss.  
*stenopetalus*, Hook. Ic. Pl. t. 677. — Chili.  
*Steveni*, Andr. ex Bess. Enum. Pl. Volh. 22 = *acris*.  
*stipatus*, Jord. Diagn. i. 72 = *acris*.  
*stoloniferus*, Hemsl. Diagn. Pl. Nov. 17. — Mexic.  
*striatus*, Hochst. in Flora, xxiv. (1841) i. Intell. 28, nomen; et ex A. Rich. Tent. Fl. Abyss. i. 8 = *pinnatus*.  
*strigillosus*, Boiss. et Huet, Diagn. Ser. II. v. 7. — As. Min.; Persia.  
*strigosus*, Schur, Enum. Pl. Transs. 17 = *acris*.  
*suaveticus*, Rupr. Fl. Cauc. 21. — Reg. Caucas.  
*subacri-bulbosus*, Wesm. in Bull. Acad. Brux. (1862) 14. t. 298. — Armenia.  
*subalpinus*, Schur, in Verh. Naturf. Ver. Bruenn, xv. II. (1877) 40, in textu = *acris*.  
*subapetalus*, Vict. Aug. in Ann. Linn. Soc. i. 193; ex Duby, Bot. Gall. i. 13 = *parviflorus*.  
*submersus*, Godr. ex Carion, in Bull. Soc. Bot. Fr. vi. (1859) 498 = *aquatilis*.  
*suborbiculatus*, Freyn, in Willk. & Lange, Prod. Fl. Hisp. iii. 921. — Hispan.  
*subpinnatus*, Wight & Arn. Prod. 4 = *diffusus*.  
*subscaposus*, Hook. f. Fl. Antarct. 5. — N. Zel.  
*subtilis*, Schur, in Verh. Naturf. Ver. Bruenn, xv. II. (1877) 41 = *acris*.  
*subtilis*, Trautv. in Bull. Acad. Pétersb. x. (1866) 393. — Reg. Cauc.  
*subtrifolius*, Schur, Enum. Pl. Transs. 22 = *sardous*.  
*subtuberosus*, Gilib. Fl. Lituan. ii. 262 = *acris*.  
*sulphureus*, [Soland. in] Phipps, Voy. 202 = *nivalis*.  
*supranudus*, Jord. & Fourr. Brev. Pl. Nov. fasc. i. 1 = *bullatus*.  
*sylvaticus*, Gren. et Godr. Fl. Fr. i. 33 = *nemorosus*.  
*sylvaticus*, Thuill. Fl. Par. ed. II. 276 = *acris*.  
*Szovitzianus*, Boiss. Fl. Orient. i. 42. — Persia.  
*szurulensis*, Lerch. ex Schur, in Verh. Siebenb. Ver. Naturw. iv. (1853) 14 = *montanus*.  
*Tachireoi*, Franch. & Sav. Enum. Pl. Jap. ii. 267. — Japon.  
*Tappeineri*, Bamberg. in Flora, xxxv. (1852) 625 = *pygmaeus*.  
*tauricus*, Pall. Tabl. Taur. 52 = *ophioglossifolius*.  
*tauriensis*, All. ex Steud. Nom. i. 681 = *pyrenaeus*.  
*telonensis*, Robert, ex Biria, Hist. Nat. Renoncul. 37 = R. Flammula.  
*tembensis*, Fresen. in Mus. Senckenb. ii. (1837) 271. — Abyss.  
*tenellus*, Marschl. in Flora, xvii. (1834) II. Beibl. 84 = *demissus*.  
*tenellus*, Nutt. ex Torr. & Gray, Fl. N. Am. i. 23 = *Nelsonii*.  
*tenellus*, Viv. Pl. Aegypt. Dec. iv. 6. — Aegypt.  
*Teneriffa*, Pers. Syn. ii. 103 = *cortusaefolius*.  
*Tenorii*, Jord. Diagn. i. 62 = *illyricus*.  
*tenuicaulis*, Cheesem. in Trans. N. Z. Inst. xvii. (1885) 235. — N. Zel.  
*tenuifolius*, Schleich. Cat. Pl. Helv. ed. IV. 28 = *montanus*.  
*tenuirostris*, Pomel, Nouv. Mat. Fl. Atl. 250. — Alger.  
*tenuirostris*, Steud. ex Hochst. in Flora, xxvii. (1844) 97 = *oreophytus*.  
*ternatus*, DC. Syst. i. 242 = *acris*.  
*ternatus*, Thunb. Fl. Jap. 241. — China; Japon.  
*testiculatus*, Crantz, Stirp. Austr. ed. I. fasc. ii. 97; ed. II. 119; Bieb. Fl. Taur. Cauc. iii. 386 = *falcatus*.  
*texensis*, Engelm. ex Engelm. & Gray, in Bost. Journ. Nat. Hist. v. (1847) 210 = *oblongifolius*.  
*Thomasii*, Tenore, Ind. Sem. Hort. Neap. (1827) 25 = *millefoliatus*.  
*Thomasii*, Tenore, Prod. Fl. Nap. 69. — Italia.  
*Thora*, Linn. Sp. Pl. 550. — Europ. austr.  
*Thora*, Sibth. & Sm. Fl. Graec. Prod. i. 380 = *brevifolius*.  
*Thora*, Sturm, Deutschl. Fl. Heft 19 = *hybridus*.  
*Thora*, Weigel. ex Steud. Nom. ed. I. 681 = *auricomus*.  
*Timbali*, Mabilie & Gaudf. Not. sur Renonc. (1874). — Cf. Bull. Soc. Bot. Fr. xxi. (1874) Bibl. 216 = *nemorosus*.  
*tomentosus*, Moench, Meth. 212 = *illyricus*.  
*tomentosus*, Poir. Encyc. vi. 127 = *repens*.  
*Tommasinii*, Reichb. ex Freyn, in Oestr. Bot. Zeitschr. xxv. (1875) 116 = *velutinus*.

VOL. II.

**RANUNCULUS:—**

*tomophyllus*, Jord. Diagn. i. 71 = *acris*.  
*trachycarpus*, Fisch. & Mey. Ind. Sem. Hort. Petrop. iii. 46. — Oriens.  
*trachyspermus*, Ell. Sketch, ii. 65 = *parviflorus*.  
*trachyspermus*, Engelm. ex Engelm. & Gray, in Bost. Journ. Nat. Hist. v. (1847) 211. — Am. bor. occ.  
*trachyticus*, Schur, in Verh. Naturf. Ver. Bruenn, xv. II. (1877) 41 = *acris*.  
*transsilvanicus*, Schur, l. c. 46 = *acris*.  
*Traunfellneri*, Hoppe, in Sturm, Deutschl. Fl. Heft 46 = *alpestris*.  
*Traunfellneri*, Schott, Skizz. Ranunk. Alloph. 8 = *praec.*?  
*Traversii*, Hook. f. Handb. N. Zeal. Fl. 4. — N. Zel.  
*trichocarpus*, Boiss. & Kotschy, ex Boiss. Fl. Orient. i. 47. — Armen.; Persia.  
*trichophyllos*, Losc. Ser. Inconf. Pl. Arag. 2 = *confusus*.  
*trichophyllus*, Chaix, in Vill. Hist. Pl. Dauph. i. 335. — Europ.; Oriens.  
*tricroenatus*, Rupr. in Beitr. Pfl. Russ. Reichs, ii. 19. — Reg. Samojed.  
*tridentatus*, H. B. & K. ex DC. Syst. i. 252 = R. Cymbalaria.  
*trifoliatus*, Muhl. ex Steud. Nom. ed. II. ii. 436 = *fascicularis*.  
*trifolius*, Moench, Meth. Suppl. 70 = *pensylvanicus*.  
*trigonocarpus*, Boiss. Diagn. Ser. I. viii. 2. — As. Min.  
*trilobatus*, D. Don, Prod. Fl. Nep. 194 = *diffusus*.  
*trilobatus*, T. Kirk, in Trans. N. Z. Inst. ix. (1877) 547. — N. Zel.  
*trilobatus*, Kit. ex Schlecht. Animad. Ran. ii. 21 = *montanus*.  
*trilobus*, Desf. Fl. Atlant. i. 437. t. 113. — Reg. Mediterr.  
*tripartitus*, DC. Ic. Gall. Rar. i. 15. — Gall. occ.  
*tripartitus*, Dubourg, ex Steud. Nom. ed. II. ii. 436 = *Lenormandi*.  
*tripartitus*, Nolte, Novit. Fl. Holsat. 51 = *aquatilis*.  
*triphyllos*, Wallr. Beitr. Fl. Hercyn. 214; et in Linnaea, xiv. (1840) 584 = *confusus*.  
*trispelalis*, Gill. ex Hook. Bot. Misc. iii. (1833) 133. — Am. austr.  
*triternatus*, Poir. Encyc. Suppl. iv. 662, in syn. = *bitematus*.  
*trullifolius*, Hook. f. Fl. Antarct. 226. — Ins. Falkland.  
*Tschuktschorum*, Rupr. in Beitr. Pfl. Russ. Reich. ii. 19, in textu. — Terr. Tschuktsch.  
*tuberculatus*, DC. Syst. i. 297 = *arvensis*.  
*tuberculatus*, C. A. Mey. Verz. Pfl. Cauc. 202 = *lomatocarpus*.  
*tuberosus*, Hornem. Hort. Hafn. ii. 527 = *Hornemanni*.  
*tuberosus*, Lapeyr. Hist. Abr. Pl. Pyr. i. 320 = *nemorosus*.  
*tuberosus*, Schur, in Oestr. Bot. Zeitschr. xi. (1861) 82 = *montanus*.  
*tuberosus*, Stur, ex Nym. Consp. 12 = *acris*.  
*turkestanicus*, Franch. in Ann. Sc. Nat. Sér. VI. xv. (1883) 217. — Turkestan.  
*udus*, Freyn, in Bremen, Abh. vii. (1880) 10. — Madag.  
*uliginosus*, Willd. Enum. Hort. Berol. 586 = *ophioglossifolius*.  
*umbellatus*, Roxb. ex Willd. l. c. 588 = *sceleratus*.  
*umbrosus*, Tenore & Guss. Fl. Neap. Syll. App. v. 15 = *lanuginosus*.  
*unalaschensis*, Bess. ex Ledeb. Fl. Ross. i. 32 = R. Flammula.  
*uncinatus*, D. Don, ex G. Don, Gen. Syst. i. 35. — Mexic.  
*vaginalis*, Planch. & Linden, ex Triana & Planch. in Ann. Sc. Nat. Sér. IV. xvii. (1862) 13. — N. Granat.  
*vaginalis*, Portenschl. ex Freyn, Kennt. Ranunc. 26 = *palustris*.  
*vaginatus*, Sommerauer, in Flora, xvi. (1833) 182 = *crenatus*.  
*valdepubens*, Jord. Diagn. i. 82 = *bulbosus*.  
*valesiacus*, Suter, Fl. Helvet. i. 325 = *lacerus*.  
*varifolius*, Salisb. Prod. 373 = *auricomus*.  
*velutinus*, Schur, Enum. Pl. Transs. 19 = *lanuginosus*.  
*velutinus*, Tenore, Ind. Sem. Hort. Neap. (1825) 11. n. 23. — Europ. austr.  
*ventricosus*, Vent. Jard. Cels. sub. t. 73 = *muricatus*.  
*vernus*, Schimp. & Spenn. in Spenn. Fl. Friburg. iii. 1018 = *auricomus*, *cassubicus*.  
*Vernyi*, Franch. & Sav. Enum. Pl. Jap. i. 8. — Japon.  
*verrucosulus*, Poir. ex Steud. Nom. ed. II. ii. 436 = *sardous*, *trilobus*.

**RANUNCULUS:—**

*verrucosus*, Bercht. & Presl, Rostl. i. Ranunculac. 61, nomen (Quid?). — Europ.  
*vestitus*, Wall. Cat. n. 4707. — Burma.  
*Villarsii*, DC. Fl. Fr. iv. 896. — Europ. austr.; Reg. Caucas.  
*villiferus*, Jord. Diagn. i. 82 = *bulbosus*.  
*villosus*, DC. Syst. i. 283 = *constantinopolitanus*.  
*villosus*, St. Amans, Fl. Agen. 227. t. 5 = *nemorosus*.  
*villosus*, Salzmann, ex Ball, in Journ. Linn. Soc. xvi. (1877) 306 = *palustris*.  
*vitifolius*, Royle, Illustr. Bot. Himal. 53 = *diffusus*.  
*vulgatus*, Jord. ex Bor. Fl. Centr. Fr. ed. III. ii. 15 = *acris*.  
*Wallichianus*, Wight & Arn. Prod. 4. — Ind. or.  
*Warionii*, Freyn, in Flora, lxiii. (1880) 25 = *spicatus*.  
*Weyleri*, Marès, in Bull. Soc. Bot. Fr. xii. (1865) 232, in textu; et ex Willk. in Linnaea, xl. (1876) 131. — Ins. Balear.  
*Winkleri*, Freyn, in Willk. & Lange, Prod. Fl. Hisp. iii. 922. — Hispan.  
*xantholeucos*, Coss. & Dur. in Bull. Soc. Bot. Fr. xxvii. (1880) 67 = *batrachoides*.  
*Xatardi*, Lapeyr. Suppl. Hist. Pl. Pyr. 77 = *parviflorus*.  
*yunnanensis*, Franch. in Bull. Soc. Bot. Fr. xxxii. (1885) 5. — China.  
*Zuccarinii*, Miq. Ann. Mus. Bot. Lugd. Bat. iii. 5 = *ternatus*.

**RAOULIA**, Hook. f. Fl. N. Zel. i. 134. tt. 36, 37 (1846). **COMPOSITAE**, Benth. & Hook. f. ii. 307.  
*apice-nigra*, T. Kirk, in Trans. N. Z. Inst. xi. (1879) 464. — N. Zel.  
*australis*, Hook. f. ex Raoul, Choix Pl. Nouv. Zél. 20. t. 15. — N. Zel.  
*bryoides*, Hook. f. Fl. N. Zel. ii. 322. — N. Zel.  
*catipes*, Hook. f. Fl. Tasman. i. 206. — Austral.  
*eximia*, Hook. f. Handb. N. Zeal. Fl. 149. — N. Zel.  
*glabra*, Hook. f. Fl. N. Zel. i. 135. — N. Zel.  
*Goyeni*, T. Kirk, in Trans. N. Z. Inst. xvi. (1884) 373. — N. Zel.  
*grandiflora*, Hook. f. Fl. N. Zel. i. 136. t. 37 A. — N. Zel.  
*Haastii*, Hook. f. Handb. N. Zeal. Fl. 148. — N. Zel.  
*Hectori*, Hook. f. l. c. — N. Zel.  
*M'Kayi*, J. Buch. in Trans. N. Z. Inst. xiv. (1882) 354. t. 34. f. 3. — N. Zel.  
*mammillaria*, Hook. f. Handb. N. Zeal. Fl. 150. — N. Zel.  
*Munroi*, Hook. f. l. c. 148. — N. Zel.  
*Parkii*, J. Buch. in Trans. N. Z. Inst. xiv. (1882) 355. — N. Zel.  
*Petriensis*, T. Kirk, in Trans. N. Z. Inst. ix. (1877) 549. — N. Zel.  
*Planchoni*, Hook. f. ex Benth. Fl. Austral. iii. 651. — Tasman.  
*rubra*, J. Buch. in Trans. N. Z. Inst. xiv. (1882) 349. — N. Zel.  
*subsericea*, Hook. f. Fl. N. Zel. i. 136. — N. Zel.  
*subulata*, Hook. f. Handb. N. Zeal. Fl. 149. — N. Zel.  
*tasmanica*, Hook. f. Fl. Tasman. t. 58 = *catipes*.  
*tenuicaulis*, Hook. f. Fl. N. Zel. i. 135. — N. Zel.

**RAPA**, Tourn. ex Linn. Syst. ed. I (1735) = **Brassica**, Tourn. (Crucif.).  
*Napus*, Mill. Gard. Dict. ed. VIII. n. 3 = B. campestris.  
*oblonga*, Mill. l. c. n. 2 = B. campestris.  
*rotunda*, Mill. l. c. n. 1 = B. oleracea.

**RAPANEA**, Aubl. Pl. Gui. i. 121. t. 46 (1775) = **Myrsine**, Linn.  
*guianensis*, Aubl. l. c. = M. floribunda.  
*oblonga*, Pohl, ex Miq. in Mart. Fl. Bras. x. 308 = M. floribunda.  
*oblongifolia*, Pohl, l. c. 310 = M. leuconeura.  
*villosissima*, Miq. l. c. 322 (Index) = M. villosissima.

**RAPATEA**, Aubl. Pl. Gui. i. 305. t. 118 (1775). **RAPATEACEAE**, Benth. & Hook. f. iii. 858.  
**MNASIUM**, Schreb. Gen. 214 (1789).  
*angustifolia*, Spruce, ex Koern. in Linnaea, xxxvii. (1871-73) 469. — Venezuela.  
*arthrophylla*, Mart. ex Seub. in Mart. Fl. Bras. iii. i. 132 = *Schoenocepalum arthrophyllum*.  
*flava*, Kunth, Enum. Pl. iii. 367 (= *Monotrema flavum*). — Venezuela.



**RAPATEA** :—

- Friderici-Augusti, *Rob. Schomb. Rapat. Frid.-Aug. & Saxo-Frid.* 11. t. 1.—Guian.  
*gracilis*, Poepp. & Endl. ex Endl. Gen. 131 = Cephalostemon *gracilis*.  
*gracilis*, Seub. in Mart. Fl. Bras. iii. i. 128 = Cephalostemon Riedelianus.  
*longipes*, Spruce, ex Koern. in *Linnaea*, xxxvii. (1871-73) 472.—Bras.  
*Martiana*, Nees, ex Seub. in Mart. Fl. Bras. iii. i. 130 = Schoenocephalum *Martianum*.  
*paludosa*, Aubl. Pl. Gui. i. 305. t. 118.—Am. trop.  
*pandanoides*, Linden & André, *Illustr. Hort.* xx. (1873) 213. t. 153-4.—Bras.  
*parviflora*, Nees, ex Seub. in Mart. Fl. Bras. iii. i. 132 = Schoenocephalum *arthrophyllum*.  
*pycnocephalus*, Seub. in Mart. Fl. Bras. iii. i. 128.—Bras.  
*sphaerocephala*, Schult. f. Syst. vii. 1149 = Thurnia *sphaerocephala*.  
*Spruceana*, Koern. in *Linnaea*, xxxvii. (1871-73) 470.—Venezuela.  
*squarrosa*, Kunth, Enum. Pl. iii. 367 = Cephalostemon *squarrosus*.  
*squarrosa*, Spruce, ex Koern. in *Linnaea*, xxxvii. (1871-73) 447 = Cephalostemon *affinis*.  
*unilateralis*, Schult. f. Syst. vii. 1149 = *Spathanthus unilateralis*.

**RAPHANIS**, Dod. ex Moench, Meth. 267 (1794) = **Cochlearia**, Tourn. (Crucif.).  
*magna*, Moench, l. c. = *C. Armoracia*.

- RAPHANISTRUM**, Tourn. ex Adans. Fam. ii. 424 (1763) = **Raphanus**, Tourn. (Crucif.).  
*arvense*, Wallr. Sched. Crit. 336 = *Raphanus Raphanistrum*.  
*fugax*, Nym. Consp. 29 = *Raphanus Raphanistrum*.  
*Gayanum*, Fisch. & Mey. Ind. Sem. Hort. Petrop. iv. 44 = *Raphanus sativus*.  
*innocuum*, Moench, Meth. 217; Medic. in Usteri, Ann. Bot. viii. (1794) 39 = *Raphanus Raphanistrum*.  
*Lampisana*, Gaertn. Fruct. ii. 300. t. 143 = *Raphanus Raphanistrum*.  
*Landra*, Reichb. Fl. Germ. Excurs. 656 = *Raphanus Landra*.  
*maritimum*, S. F. Gray, Nat. Arr. Brit. Pl. ii. 688 = *Raphanus maritimus*.  
*odessanum*, Andr. ex Bess. Enum. Pl. Volh. 82 = *Raphanus Raphanistrum*.  
*pterocarpum*, Juss. ex DC. Syst. ii. 661 = *Enarthrocarpus pterocarpus*.  
*recurvatum*, Juss. l. c. = *Enarthrocarpus lyratus*.  
*rostratum*, Fisch. & Mey. Ind. Sem. Hort. Petrop. iv. 22 = *Raphanus rostratus*.  
*segetum*, Baumg. Enum. Stirp. Transs. ii. 280 = *Raphanus Raphanistrum*.  
*silvestre*, Aschers. Fl. Brandenb. 65 = *Raphanus Raphanistrum*.  
*vulgare*, S. F. Gray, Nat. Arr. Brit. Pl. ii. 687 = *Raphanus Raphanistrum*.

**RAPHANOCARPUS**, Hook. f. in Hook. Ic. Pl. t. 1084 (1871). **CUCURBITACEAE**.  
*Kirkii*, Hook. f. l. c.—Afr. trop.  
*Welwitschii*, Hook. f. in Oliver, Fl. Trop. Afr. ii. 541.—Afr. trop.

**RAPHANOPSIS**, Welw. Apont. 547, nomen (1858) (Quid?).

- RAPHANUS**, [Tourn.] Linn. Syst. ed. I (1735); Gen. ed. I. 196 (1737). **CRUCIFERAE**, Benth. & Hook. f. i. 101.  
*DONDISIA*, Scop. Introd. 316 (1777).  
*DURANDEA*, Delarb. Fl. Auv. ed. II. 365 (1800).  
*ORMYCARPUS*, Neck. Elem. iii. 82 (1790).  
*RAPHANISTRUM*, Tourn. ex Adans. Fam. ii. 424 (1763).  
*aegyptius*, L'Hérit. ex DC. Syst. ii. 661 = *Enarthrocarpus pterocarpus*.  
*albiflorus*, Presl, Fl. Sic. i. 109.—Sicilia.  
*albus*, Boenn. ex Reichb. Fl. Germ. Excurs. 656 = *R. Raphanistrum*.  
*amplexicaulis*, Viv. Fl. Lib. Spec. 37 = *Brassica cyrenaica*.  
*arcuatus*, Willd. Sp. Pl. iii. 562 = *Chorispora tenella*.

**RAPHANUS** :—

- articulatus*, Stokes, Bot. Mat. Med. iii. 482 = *R. Raphanistrum*.  
*arvense*, Wallr. ex Aschers. Fl. Brandenb. 65 = *R. Raphanistrum*.  
*Aucherii*, Boiss. Diagn. Ser. I. viii. 45.—Syria; Persia.  
*biarticulatus*, Willd. Enum. Hort. Berol. Suppl. 46.—China.  
*Blaisii*, Godr. & Gren. in Godr. Migr. Vég. ed. II. 37; et in Mém. Acad. Stanislas, Sér. III. [xvii.] 1853 (1854) 361 = *Rapistrum Blaisii*.  
*cahiloides*, DC. Syst. ii. 669 = *Erucaria Oliverii*.  
*caspicus*, Willd. ex Ledeb. Fl. Ross. i. 215 = *Goldbachia laevigata*.  
*caudatus*, Linn. Mant. i. 95 = *sativus*.  
*cheiranthifolius*, Willd. Hort. Berol. i. 19 = *Brassica Cheiranthos*.  
*chinensis*, Mill. Gard. Dict. ed. VIII. n. 5 = *sativus*.  
*cornutus*, Gilib. Fl. Lituan. ii. 57 = *R. Raphanistrum*.  
*Erucaria*, J. F. Gmel. Syst. 991 = *Brassica adpressa*.  
*Erucastrum*, Crantz, ex Steud. Nom. ed. II. ii. 437 = *Brassica Erucastrum*.  
*erucoides*, Linn. f. Suppl. 299 = *Brassica oleracea*.  
*fugax*, Presl, Fl. Sic. i. 109.—Sicilia.  
*Gayanus*, G. Don, in Sweet, Hort. Brit. ed. III. 44 = *sativus*.  
*ibericus*, Bieb. Fl. Taur. Cauc. ii. 129 = *Chorispora iberica*.  
*infestus*, Salisb. Prod. 273 = *R. Raphanistrum*.  
*laevigatus*, Bieb. Fl. Taur. Cauc. ii. 129 = *Goldbachia laevigata*.  
*lanceolatus*, Willd. Sp. Pl. iii. 562 = *Brassica juncea*.  
*Landra*, Moretti, ex DC. Syst. ii. 668.—Italia.  
*longistylus*, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 65, 133 = *R. Raphanistrum*.  
*lyratus*, Forsk. Fl. Aegypt. Arab. 119 = *Enarthrocarpus lyratus*.  
*maritimus*, Sm. Engl. Bot. t. 1643.—Europ. occ.  
*microcarpus*, Willk. in Willk. & Lange, Prod. Fl. Hisp. iii. 750.—Hispan.  
*niger*, Mill. Gard. Dict. ed. VIII. n. 4 = *sativus*.  
*odessanus*, Spreng. Syst. ii. 855 = *R. Raphanistrum*.  
*oleifer*, Hort. ex Steud. Nom. ed. II. ii. 437 = *sativus*.  
*orbicularis*, Mill. Gard. Dict. ed. VIII. n. 3 = *sativus*.  
*orientalis*, Willd. ex Steud. Nom. ed. II. ii. 437 = *Erysimum brachycarpum*.  
*pilosus*, Willd. Sp. Pl. iii. 562 = *Wormskioldia heterophylla*.  
*pinnatus*, Viv. Fl. Lib. Spec. 37. t. 16. f. 4 = *Rapistrum bipinnatum*.  
*primuloides*, Delile, ex Godr. in Mém. Acad. Montp. (Sect. Médic.) i. (1853) 413 = *Raffenaldia primuloides*.  
*pterocarpus*, Pers. Syn. ii. 209 = *Enarthrocarpus pterocarpus*.  
*pugioniformis*, Boiss. Diagn. Ser. I. viii. 46.—Syria.  
*Radicula*, Pers. Syn. ii. 208 = *sativus*.  
*Raphanistrum*, Cav. Desc. 425 = *microcarpus*.  
*Raphanistrum*, Linn. Sp. Pl. 669.—Europ.  
*recurvatus*, Pers. Syn. ii. 209 = *Enarthrocarpus lyratus*.  
*rostratus*, DC. Syst. ii. 666.—Reg. Casp.  
*rotundifolius*, Bieb. Fl. Taur. Cauc. ii. 130 = *Erysimum brachycarpum*.  
*rotundus*, Mill. Gard. Dict. ed. VIII. n. 2 = *sativus*.  
*sativus*, Linn. Sp. Pl. 669.—Europ.  
*segetum*, Clavaud, in Act. Linn. Soc. Bord. xxxv. (1881) 288 = *R. Raphanistrum*.  
*sibiricus*, Linn. Sp. Pl. 669 = *Chorispora sibirica*.  
*sinensis*, Thunb. ex Pritz. Ic. Ind. ii. 239 = *sativus*?  
*strictus*, Fisch. ex Bieb. Fl. Taur. Cauc. iii. 452 = *Diptychocarpus strictus*.  
*stylosus*, Dulac, Fl. Hautes-Pyr. 194 = *R. Raphanistrum*.  
*sylvestris*, Lam. Fl. Fr. ii. 495 = *R. Raphanistrum*.  
*tataricus*, Falk, Beitr. ii. 218. t. 13 = *Chorispora tenella*.  
*tauricus*, Adam, in Weber & Mohr, Beitr. i. 62 = *Erysimum brachycarpum*.  
*tauricus*, Hoffm. ex Steud. Nom. ed. II. ii. 437 = *Sobolewska lithophila*.  
*tenellus*, Pall. Reise, iii. 741 = *Chorispora tenella*.  
*turgidus*, Pers. Syn. ii. 209 (= *Sinapis turgida*).—Aegypt.

**RAPHELINGIA**, Dum. Anal. Fam. 60 (1829) = **Ornithogalum**?, Tourn. (Liliac.).

- RAPHIA**, Beauv. Fl. Owar. i. 75 (1804). **PALMAE**, Benth. & Hook. f. iii. 935.  
**METROXYLON**, Spreng. Gen. 283 (1830).  
*Gaertneri*, G. Mann & H. Wendl. in Trans. Linn. Soc. xxiv. (1864) 437.—Afr. trop.  
*Hookeri*, G. Mann & H. Wendl. l. c. 438.—Afr. trop.  
*longiflora*, G. Mann & H. Wendl. l. c.—Afr. trop.  
*lycosa*, Comm. ex Kunth, Enum. Pl. iii. 217 = *pedunculata*.  
*nicaraguensis*, Oerst. in Kjoeb. Vidensk. Meddel. (1858) 52, in obs. = *vinifera*.  
*pedunculata*, Beauv. Fl. Owar. i. 78.—Madag.  
*polymita*, Comm. ex Kunth, Enum. Pl. iii. 217 = *pedunculata*.  
*Ruffia*, Mart. Hist. Nat. Palm. iii. 217 = *pedunculata*.  
*taedigera*, Mart. l. c. 216 = *vinifera*.  
*textilis*, Welw. Apont. 584. n. 2.—Afr. trop.  
*vinifera*, Beauv. Fl. Owar. i. 77.—Afr. trop.  
*Welwitschii*, H. Wendl. in Trans. Linn. Soc. xxiv. (1864) 439. t. 42.—Afr. trop.

**RAPHIDIOCYSTIS**, Hook. f. in Benth. & Hook. f. Gen. i. 828. **CUCURBITACEAE**, Benth. & Hook. f. l. c.  
*brachypoda*, Baker, in Journ. Bot. xx. (1882) 113.—Madag.  
*Mannii*, Hook. f. in Benth. & Hook. f. Gen. i. 828.—Afr. trop.  
*Welwitschii*, Hook. f. l. c.—Afr. trop.

**RAPHIDOPHORA**, Hassk. in Hov. & De Vriese, Tijdschr. ix. (1842) 168 = **RHAPHIDOPHORA**, Schott.

**RAPHIDOPHYLLUM**, Hochst. in Flora, xxiv. (1841) 666 = **Sopubia**, Buch.-Ham. (Scrophul.).  
*ramosum*, Hochst. l. c. 668 = *S. ramosa*.  
*simplex*, Hochst. l. c. 667 = *S. Dregeana*.

**RAPHIDOSPORA**, Reichb. Handb. 190 (1837) = **RHAPHIDOSPORA**, Nees = **Justicia**, Linn. (Acanth.).

**RAPHIODON**, Benth. in DC. Prod. xii. 96 (1848) = **RHAPHIODON**, Schau. = **Hyptis**, Jacq. (Labiata.).

- RAPHIOLEPIS**, Lindl. in Bot. Reg. t. 468 (1820). **ROSACEAE**, Benth. & Hook. f. i. 627.  
*OPA*, Lour. Fl. Cochinch. 308 (1790), partim.  
*RHAPHIOLEPIS*, Poir. in Dict. Sc. Nat. xv. 314 (1827).  
*crataegoides*, M. Roem. Syn. Rosif. 113 = *indica*.  
*indica*, Lindl. in Bot. Reg. t. 468.—China.  
*integerrima*, Hook. & Arn. Bot. Beech. Voy. 263 = *japonica*.  
*japonica*, Sieb. & Zucc. Fl. Jap. i. 162.—Japon.  
*laevis*, Lodd. ex G. Don, Gen. Syst. ii. 602 = *Photinia laevis*.  
*latifolia*, Lodd. ex G. Don, in Loud. Hort. Brit. 202, nomen (Quid?).—China.  
*Loureiri*, Spreng. Syst. ii. 508 = *indica*?  
*Mertensii*, Sieb. & Zucc. Fl. Jap. i. 164 = *japonica*.  
*ovata*, Briot, in Rev. Hort. (1870-71) 848.—Japon.  
*Pheostemon*, Lindl. Coll. Bot. sub t. 3 = *indica*.  
*pheostemonia*, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 133 = *praec.*  
*rubra*, Lindl. Coll. Bot. t. 3 = *indica*.  
*salicifolia*, Lindl. l. c. sub t. 3 = *indica*.  
*Sieboldii*, Hassk. in Hov. & De Vriese, Tijdschr. x. (1843) 146 = *japonica*.  
*sinensis*, M. Roem. Syn. Rosif. 114 = *indica*.  
*spiralis*, G. Don, Gen. Syst. ii. 602 = *indica*.

- RAPHIONACME**, Harv. in Hook. Lond. Journ. Bot. i. (1842) 22. **ASCLEPIADEAE**, Benth. & Hook. f. ii. 745.  
*APOXYANTHERA*, Hochst. in Flora, xxv. (1842) 18.  
**RHAPHIONACME**, Walp. Rep. vi. 480 (1847).  
**ZUCHELLIA**, Decne. in DC. Prod. viii. 492 (1844).  
*divaricata*, Harv. in Hook. Lond. Journ. Bot. i. (1842) 23.—Afr. austr.  
*obovata*, Turcz. in Bull. Soc. Nat. Mosc. xxi. (1848) i. 250.—Afr. austr.  
*pubescens*, Hochst. in Flora, xxvii. (1844) 827.—Afr. austr.  
*purpurea*, Harv. Thes. Cap. i. 41. t. 66.—Afr. austr.  
*Zeyheri*, Harv. in Hook. Lond. Journ. Bot. i. (1842) 23.—Afr. austr.



RAPHIONE, Salisb. Gen. Pl. Fragm. 89 (1866) = **Allium**, Tourn. (Liliac.).  
*carinata*, Salisb. l. c. = *A. carinatum*.  
*oleracea*, Salisb. l. c. = *A. oleraceum*.  
*pellens*, Salisb. l. c. = *A. paniculatum*.  
*paniculata*, Salisb. l. c. = *A. paniculatum*.

RAPHIOSTYLES, Benth. & Hook. f. Gen. i. 351 (1862) = RHAPHIOSTYLIS, Planch. = **Apodytes**, E. Mey. (Olacin.).

RAPHIS, Beauv. Agrost. 120 (1812) = RHAPHIS, Lour. = **Chrysopogon**, Trin. (Gramin.).

RAPHISANTHE, Lilja, in Linnaea, xv. (1841) 263 = **Blumenbachia**, Schreb. (Loasac.).  
*lateritia*, Lilja, l. c. = *Loasa lateritia*?

RAPHISTEMMA, Wall. Pl. As. Rar. ii. 50. t. 163 (1831). **ASCLEPIADEAE**, Benth. & Hook. f. ii. 758. *ciliatum*, Hook. f. Bot. Mag. t. 5704 = *Daemia extensa*.  
*Hooperianum*, Decne. in DC. Prod. viii. 516.—Siam; Java.  
*pulchellum*, Wall. Pl. As. Rar. ii. 50. t. 163.—Reg. Himal.; Burma.

RAPINIA, Lour. Fl. Cochinch. 127 (1790) = **Sphenoclea**, Gaertn. (Campan.).  
*herbacea*, Lour. l. c. = *S. zeylanica*.

RAPINIA, Montr. in Mém. Acad. Lyon, x. (1860) 243. **VERBENACEAE**, Benth. & Hook. f. ii. 1152. *collina*, Montr. l. c. = *N. Caled.*

RAPISTRELLA, Pomel, Mat. Fl. Atl. 11 (1860) = **Rapistrum**, Tourn. (Crucif.).  
*ramosissima*, Pomel, l. c. = *Afr. bor.*

RAPISTRUM, Tourn. ex Medic. Phil. Bot. i. 190 (1789). **CRUCIFERAE**, Benth. & Hook. f. i. 99. **ARTHOLOBUS**, Andr. ex DC. Syst. ii. 430 (1821). **CORDYLOCARPUS**, Desf. Fl. Atlant. ii. 79. t. 152 (1800).  
*DIDESMUS*, Desv. Journ. Bot. iii. (1814) 160. t. 25. **OTOCARPUS**, Dur. in Duch. Rev. Bot. ii. (1847) 435. **RAPISTRELLA**, Pomel, Mat. Fl. Atl. 11 (1860). **SCHRANKIA**, Medic. Pflanzeng. 42 (1792). **SPHAERULARIA**, Heist. Syst. 9 (1748).  
*aegyptiacum*, R. Br. in Ait. Hort. Kew. ed. II. iv. 74 = *Ochthodium aegyptiacum*.  
*aegyptium*, Baill. Hist. Pl. iii. 197; *Coss. in Bull. Soc. Bot. Fr.* xxii. (1875) 46.—*Afr. bor.*  
*arvense*, All. Fl. Pedem. i. 258 = *Raphanus Raphanistrum*.  
*bipinnatum*, *Coss. & Kral. in Bull. Soc. Bot. Fr.* iv. (1857) 395.—*Alger.*  
*Blaisii*, Gren. in Mém. Soc. Emul. Doubs, Sér. III. ii. (1858) 404.—*Hab. ?*  
*bursaefolium*, Berger. Phyt. iii. 165; ex DC. Syst. ii. 649 = *Calepina Corvini*.  
*Cakile*, Berger. l. c. 163; ex DC. l. c. 429 = *Cakile maritima*.  
*clavatum*, DC. l. c. 433 = *rugosum*.  
*confusum*, Pomel, Nouv. Mat. Fl. Atl. 356 = *rugosum*.  
*conoideum*, Pomel, l. c. 356.—*Alger.*  
*Cordyllocarpus*, Pomel, l. c. = *Moricaria Cordyllocarpus*.  
*costatum*, DC. Syst. ii. 434.—*Syria.*  
*diffusum*, Crantz, Class. Crucif. 105 = *perenne*.  
*filiforme*, Moench, Meth. Suppl. 69 = *Crambe filiformis*.  
*glabrum*, Host, Fl. Austr. ii. 220.—*Austr.*  
*glandulosum*, Berger. Phyt. iii. 163; ex DC. Syst. ii. 672 = *Bunias orientalis*.  
*hirsutum*, Host, Fl. Austr. ii. 220 = *rugosum*.  
*hirtum*, Host, l. c. = *rugosum*.  
*hispanicum*, Boiss. & Reut. Diagn. Pl. Nov. Hisp. 6 = *Linnaeanum*.  
*hispanicum*, Medic. Pflanzeng. 19 = *Crambe hispanica*.  
*hispidum*, Godr. in Mém. Acad. Montp. (Sect. Médic.) i. (1853) 416.—*Hab. ?*  
*hypogaeum*, Duby, Bot. Gall. ed. II. i. 54 = *Morisia hypogaea*.  
*Linnaeanum*, Boiss. & Reut. Diagn. Pl. Nov. Hisp. 5.—*Europ. austr.*  
*maritimum*, Berger. Phyt. iii. 173; ex DC. Syst. ii. 428 = *Cakile maritima*.

**RAPISTRUM :—**

*microcarpum*, Jord. ex Loret, in Bull. Soc. Bot. Fr. vi. (1859) 93 = *Linnaeanum*.  
*orientale*, DC. Syst. ii. 443.—*Graecia.*  
*paniculatum*, Gaertn. Fruct. ii. 285 = *Neslia paniculata*.  
*perenne*, All. Fl. Pedem. i. 258.—*Europ.*  
*perfoliatum*, Berger. Phyt. iii. t. 167; ex DC. Syst. ii. 575 = *Myagrum perfoliatum*.  
*Raphanistrum*, Crantz, Class. Crucif. 107 = *Raphanus Raphanistrum*.  
*rugosum*, All. Fl. Pedem. i. 257.—*Europ.*; *Oriens.*  
*scabrum*, Moench, Meth. 211 = *Crambe hispanica*.  
*strictissimum*, Pomel, Nouv. Mat. Fl. Atl. 356 = *rugosum*.  
*venosum*, Nym. Consp. 29 = *Linnaeanum*.  
*virgatum*, Pomel, Nouv. Mat. Fl. Atl. 357.—*Alger.*

RAPOLOCARPUS, Boj. Hort. Maurit. 44 (1837) err. typ. = **Ropalocarpus**, Boj. (Tiliac.).

RAPOUREA, Reichb. Consp. 118 (1828), sphalm. = **Ropourea**, Aubl. (Verben. ?).

RAPUNCULUS, Fourr. in Ann. Soc. Linn. Lyon, N. S. xvii. (1869) 111 = **Campanula**, Tourn.  
*patulus*, Fourr. l. c. = *C. patula*.  
*persicaefolius*, Fourr. l. c. = *C. persicifolia*.  
*verus*, Fourr. l. c. = *C. Rapunculus*.

RAPUNCULUS, Tourn. ex Mill. Gard. Dict. ed. VI. (1752) = **Phyteuma**, Linn. (Campan.).  
*comosus*, Mill. Gard. Dict. ed. VIII. n. 2 = *P. comosum*.  
*esculentus*, Fl. Dan. ex Steud. Nom. ed. II. ii. 437 = *Campanula rotundifolia*.  
*hemisphaericus*, Mill. Gard. Dict. ed. VIII. n. 3 = *P. hemisphaericum*.  
*orbicularis*, Mill. l. c. n. 5 = *P. orbiculare*.  
*pauciflorus*, Mill. l. c. n. 4 = *P. pauciflorum*.  
*spicatus*, Mill. l. c. n. 1 = *P. spicatum*.

RAPUNTIIUM, Tourn. ex Mill. Gard. Dict. ed. VIII. (1768) = **Lobelia**, Linn. (Campan.).  
*acuminatum*, Presl, Prod. Monog. Lobel. 24 = *L. acuminata*.  
*acutangulum*, Presl, l. c. 16 = *L. triquetra*.  
*affine*, Presl, l. c. 13 = *L. affinis*.  
*affine*, Presl, l. c. 25 = *L. Cliffortiana*.  
*alatum*, Presl, l. c. 14 = *L. anceps*.  
*alsinoides*, Presl, l. c. 22 = *L. alsinoides*.  
*amoenum*, Presl, l. c. 23 = *L. amoena*.  
*amygdalinum*, Presl, l. c. 27 = *L. amygdalina*.  
*anceps*, Presl, l. c. 14 = *L. anceps*.  
*angulatum*, Presl, l. c. 30 = *Pratia angulata*.  
*aquaticum*, Presl, l. c. 21 = *L. aquatica*.  
*arabideum*, Presl, l. c. 18 = *Laurentia arabidea*.  
*arenarioides*, Presl, l. c. 17 = *L. trigona*.  
*bellidifolium*, Presl, l. c. 15 = *L. Erinus*.  
*Besserianum*, Presl, l. c. 28 = *L. polyphylla*.  
*bicolor*, Presl, 17 = *L. Erinus*.  
*bifidum*, Presl, l. c. 30 = *Laurentia Dregeana*.  
*blandum*, Presl, l. c. 27 (= *Tupa blanda*).—*Chili.*  
*Boryanum*, l. c. 24 = *L. serpens*.  
*bracteatum*, Presl, l. c. 29 = *L. polyphylla*.  
*brevifolium*, Presl, l. c. 23 = *L. brevifolia*.  
*Breyonii*, Presl, l. c. 19 = *L. Breyonii*.  
*Bridgesii*, Presl, l. c. 28 = *L. Bridgesii*.  
*Brownianum*, Presl, l. c. 31 = *L. gibbosa*.  
*Burmannieum*, Presl, l. c. 31 = *L. Burmanniana*.  
*caeruleum*, Presl, l. c. 20 = *L. coronopifolia*.  
*caespitosum*, Presl, l. c. 13 = *L. radicans*.  
*campanuloides*, Presl, l. c. 14 = *L. radicans*.  
*camporum*, Presl, l. c. 15 = *L. camporum*.  
*capillifolium*, Presl, l. c. 19 = *L. capillifolia*.  
*capitatum*, Presl, l. c. 11 = *L. lutea*.  
*cardinale*, Mill. Gard. Dict. ed. VIII. n. 1 = *L. cardinalis*.  
*Cavanillesianum*, Presl, Prod. Monog. Lobel. 27 = *L. laxiflora*.  
*ceratophyllum*, Presl, in Eckl. & Zeyh. Enum. 399 = *L. tomentosa*.  
*chamaedrifolium*, Presl, Prod. Monog. Lobel. 21 = *L. chamaedrifolia*.  
*Chamaepitys*, Presl, l. c. 20 = *L. tomentosa*.  
*cheiranthifolium*, Presl, l. c. 18 = *L. serpens*.  
*chenopodifolium*, Presl, l. c. 31 = *L. Cliffortiana*.  
*chinense*, Presl, l. c. 13 = *L. chinensis*.

**RAPUNTIIUM :—**

*cinereum*, Presl, Prod. Monog. Lobel. 30 = *Lightfootia albicaulis*.  
*circaeoides*, Presl, l. c. 25 = *Lobelia circaeoides*.  
*cirsioifolium*, Presl, l. c. 27 = *L. cirsioifolia*.  
*Claytonianum*, Presl, l. c. 23 = *L. spicata*.  
*Cliffortianum*, Mill. Gard. Dict. ed. VIII. n. 3 = *L. Cliffortiana*.  
*coccineum*, Moench, Meth. Suppl. 277 = *L. cardinalis*.  
*coeruleum*, Auct. = *caeruleum*.  
*collinum*, Presl, Prod. Monog. Lobel. 23 = *L. collina*.  
*coloratum*, Presl, l. c. 24 = *L. colorata*.  
*coloratum*, Presl, l. c. 30 = *L. amoena*.  
*cordatum*, Presl, in E. Mey. Comm. Pl. Afr. Austr. 285 = *L. Preslii*.  
*cordifolium*, Moench, Meth. Suppl. 277 = *L. Cliffortiana*.  
*cordigerum*, Presl, Prod. Monog. Lobel. 26 = *L. cordigera*.  
*coronopifolium*, Presl, l. c. 20 = *L. coronopifolia*.  
*corymbosum*, Presl, in E. Mey. Comm. Pl. Afr. Austr. 287 = *L. corymbosa*.  
*cuneiforme*, Presl, Prod. Monog. Lobel. 14 = *L. anceps*.  
*decurrens*, Presl, l. c. 24 = *L. decurrens*.  
*dentatum*, Presl, l. c. 21 = *L. dentata*.  
*Dortmanna*, Presl, l. c. 18 = *L. Dortmanna*.  
*Dregeanum*, Presl, l. c. 22 = *L. Dregeana*.  
*Ecklonianum*, Presl, in Eckl. & Zeyh. Enum. 396 = *L. Eckloniana*.  
*ericoides*, Presl, Prod. Monog. Lobel. 12 = *L. ericoides*.  
*erinoides*, Mill. Gard. Dict. ed. VIII. n. 9 = *Laurentia repens*.  
*Erinus*, Mill. l. c. n. 8 = *L. Erinus*.  
*euphrasioides*, Presl, Prod. Monog. Lobel. 12 = *L. euphrasioides*.  
*exaltatum*, Presl, l. c. 24 = *Haynaldia exaltata*.  
*excelsum*, Presl, l. c. 29 = *L. salicifolia*.  
*fastigiatum*, Presl, l. c. 15 = *L. fastigiata*.  
*fenestratum*, Presl, l. c. 13 = *L. fenestralis*.  
*fervens*, Presl, l. c. 30 = *L. fervens*.  
*filiforme*, Presl, l. c. 18 = *L. serpens*.  
*flaccidum*, Presl, l. c. 13 = *L. Erinus*.  
*flavum*, Presl, in Eckl. & Zeyh. Enum. 394 = *L. flava*.  
*flexuosum*, Presl, Prod. Monog. Lobel. 16 = *L. natalensis*.  
*flexuosum*, Presl, l. c. 23 = *L. flexuosa*.  
*fluviatilis*, Presl, l. c. 30 = *Isotoma fluviatilis*.  
*foliosum*, Presl, l. c. 24 = *L. decurrens*.  
*fulgens*, Presl, l. c. 30 = *L. fulgens*.  
*genistoides*, Presl, in E. Mey. Comm. Pl. Afr. Austr. 285 = *L. linearis*.  
*gibbosum*, Presl, Prod. Monog. Lobel. 13 = *L. gibbosa*.  
*glabrifolium*, Presl, l. c. 12 = *L. leptocarpa*.  
*glandulosum*, Presl, l. c. 21 = *L. glandulosa*.  
*gracile*, Presl, l. c. = *L. gracilis*, Andr.  
*gramineum*, Presl, l. c. 26 = *L. graminea*.  
*gruinum*, Presl, l. c. 25 = *L. gruina*.  
*Haenkeanum*, Presl, l. c. 26 = *L. Haenkeana*.  
*heteromallum*, Presl, l. c. 15 = *L. triquetra*.  
*heterophyllum*, Presl, l. c. 13 = *L. heterophylla*.  
*hirsutum*, Moench, Meth. 656 = *L. hirsuta*.  
*hirtum*, Mill. Gard. Dict. ed. VIII. n. 6 = *L. hirsuta*.  
*hyssopifolium*, Presl, Prod. Monog. Lobel. 29 = *L. hyssopifolia*.  
*incisum*, Presl, in Eckl. & Zeyh. Enum. 397 = *L. pubescens*.  
*inflatum*, Mill. Gard. Dict. ed. VIII. n. 5 = *L. inflata*.  
*inundatum*, Presl, Prod. Monog. Lobel. 30 = *Isotoma fluviatilis*.  
*irriguum*, Presl, l. c. = *Pratia irrigua*.  
*Kalmii*, Presl, l. c. 23 = *L. Kalmii*.  
*kamtschaticum*, Presl, l. c. 24 = *L. sessilifolia*.  
*Kohautianum*, Presl, l. c. 15 = *L. senegalensis*.  
*Kraussii*, Presl, l. c. 27 = *L. Kraussii*.  
*Krebsianum*, Presl, l. c. 15 = *L. Erinus*.  
*Kunthianum*, Presl, l. c. 27 = *L. laxiflora*.  
*laciniatum*, Presl, l. c. = *Siphocampylus Lamarckii*.  
*lasianthum*, Presl, in E. Mey. Comm. Pl. Afr. Austr. 288 = *L. lasiantha*.  
*laxiflorum*, Presl, Prod. Monog. Lobel. 26 = *L. laxiflora*.  
*Leschenaultianum*, Presl, l. c. 24 = *L. excelsa*.  
*linarioides*, Presl, l. c. 22 = *L. linarioides*.  
*longiflorum*, Mill. Gard. Dict. ed. VIII. n. 7 = *Isotoma longiflora*.  
*longifolium*, Presl, Prod. Monog. Lobel. 26 = *L. longifolia*.

## RAPUNTIIUM:—

- Lucaeum*, Presl, Prod. Monog. Lobel. 27 = *Lobelia* *Lucaeana*.  
*luteum*, Presl, l. c. 11 = *L. lutea*.  
*maculare*, Presl, l. c. 20 = *L. coronopifolia*.  
*membranaceum*, Presl, l. c. 30 = *L. membranacea*.  
*Michauxii*, Presl, l. c. 25 = *L. Cliffortiana*?  
*micranthum*, Presl, l. c. = *L. micrantha*.  
*microdon*, Presl, l. c. 15 = *L. Erinus*.  
*molle*, Presl, l. c. 30 = *L. mollis*.  
*monticolum*, Presl, l. c. 25 = *L. monticola*.  
*mucronatum*, Presl, l. c. 29 = *L. mucronata*, Cav.  
*multicaule*, Presl, l. c. 31 = *L. multicaule*.  
*Mundianum*, Presl, in Eckl. & Zeyh. Enum. 395 = *L. leptocarpa*.  
*muscoides*, Presl, Prod. Monog. Lobel. 22 = *L. muscoides*.  
*nanum*, Presl, l. c. = *L. nana*.  
*nicotianaefolium*, Presl, l. c. 24 = *L. nicotianaefolia*.  
*nummularioides*, Presl, l. c. 21 = *L. nummularioides*.  
*nummularium*, Presl, l. c. 30 = *Pratia begonifolia*.  
*Nuttallianum*, Presl, l. c. 23 = *L. Nuttallii*.  
*obovatum*, Presl, l. c. 25 = *L. incana*.  
*Ottonianum*, l. c. 14 = *L. Ottoniana*.  
*ovatum*, Presl, l. c. 16 = *L. pubescens*.  
*ovatum*, Presl, l. c. 29 (= *Tupa ovata*, G. Don).—Peruv.  
*paludosum*, Presl, l. c. 18 = *L. paludosa*.  
*parvifolium*, Presl, l. c. 31 = *L. parvifolium*.  
*patulum*, Presl, l. c. 30 = *L. patula*.  
*paucidentatum*, Presl, l. c. 20 = *L. tomentosa*.  
*pauciflorum*, Presl, l. c. 15 = *L. pauciflora*.  
*pedunculare*, Presl, l. c. 19 = *L. hirsuta*.  
*pedunculatum*, Presl, l. c. 30 = *Pratia pedunculata*.  
*persicifolium*, Presl, l. c. 27 = *L. persicaefolia*.  
*pinifolium*, Presl, l. c. 19 = *L. pinifolia*.  
*platycaulum*, Presl, l. c. 14 = *L. madagascariensis*.  
*Poeppigianum*, Presl, l. c. 29 = *L. polyphylla*.  
*polyphyllum*, Presl, l. c. 28 = *L. polyphylla*.  
*procumbens*, Presl, l. c. 17 = *L. procumbens*.  
*pteropodium*, Presl, l. c. 21 = *L. patula*.  
*puberulum*, Presl, l. c. 23 = *L. puberula*.  
*pubescens*, Presl, l. c. 17 = *P. pubescens*.  
*purpurascens*, Presl, l. c. = *L. purpurascens*.  
*purpureum*, Presl, l. c. 29 = *L. purpurea*, Lindl.  
*pusillum*, Presl, l. c. 22 = *L. pusilla*.  
*pygmaeum*, Presl, l. c. 22 = *Laurentia micrantha*.  
*pyramidale*, Presl, l. c. 23 = *L. pyramidalis*.  
*quadrangulare*, Presl, l. c. 16 = *L. quadrangularis*.  
*racemosum*, Presl, l. c. 25 = *L. racemosa*, Sims.  
*radicans*, Presl, l. c. 14 = *L. radicans*.  
*rapunculooides*, Presl, l. c. 23 = *L. rapunculooides*.  
*Reinwardtianum*, Presl, l. c. 14 = *L. trigona*.  
*reniforme*, Presl, l. c. 15 = *L. reniformis*.  
*Richardianum*, Presl, l. c. 27 = *L. decumbens*.  
*rigidulum*, Presl, l. c. 26 = *L. laxiflora*.  
*roseum*, Presl, l. c. 24 = *L. rosea*.  
*rugulosum*, Presl, l. c. 30 = *Pratia angulata*.  
*rupestre*, Presl, l. c. 15 = *L. rupestre*.  
*scabripes*, Presl, l. c. 17 = *L. Erinus*.  
*secundum*, Presl, l. c. 29 = *L. secunda*.  
*serpens*, Presl, l. c. 15 = *L. serpens*.  
*serrulatum*, Presl, l. c. 14 = *L. urens*.  
*setaceum*, Presl, l. c. 19 = *L. setacea*.  
*simplex*, Presl, l. c. 17 = *L. debilis*.  
*simplicicaule*, Presl, l. c. 30 = *L. gibbosa*.  
*Simsii*, Presl, l. c. 20 = *L. Simsii*.  
*siphiliticum*, Mill. Gard. Dict. ed. VIII. n. 2 = *L. syphilitica*.  
*sonchifolium*, Presl, Prod. Monog. Lobel. 27 = *L. sonchifolia*.  
*spartioides*, Presl, in Eckl. & Zeyh. Enum. 395 = *L. spartioides*.  
*speciosum*, Presl, Prod. Monog. Lobel. 19 = *L. syphilitica*.  
*spicatum*, Presl, l. c. 31 = *L. spicata*, Ruiz & Pav.  
*splendens*, Presl, l. c. 26 = *L. fulgens*.  
*strictum*, Presl, l. c. 27 = *L. stricta*.  
*subdentatum*, Presl, l. c. 28 = *L. polyphylla*.  
*subtile*, Presl, l. c. 25 = *L. trigona*.  
*succulentum*, Presl, l. c. 13 = *L. succulenta*.  
*syphiliticum*, Moench, Meth. 655 = *L. syphilitica*.  
*telephioides*, Presl, Prod. Monog. Lobel. 18 = *L. serpens*.  
*tenerum*, Presl, l. c. 15 = *L. tenera*.  
*tenuifolium*, Presl, in Eckl. & Zeyh. Enum. 395 = *L. ericetorum*.  
*tenuius*, Presl, Prod. Monog. Lobel. 30 = *L. tenuior*.  
*thapsodeum*, Presl, l. c. 24 = *Haynaldia thapsodea*.  
*thermale*, Presl, l. c. 12 = *L. leptocarpa*.

## RAPUNTIIUM:—

- Thunbergii*, Presl, Prod. Monog. Lobel. 20 = *Lobelia* *coronopifolia*.  
*tomentosum*, Presl, l. c. 19 = *L. tomentosa*.  
*trialatum*, Presl, l. c. 13 = *L. trigona*.  
*triquetrum*, Presl, l. c. 16 = *L. triquetra*.  
*Tupa*, Presl, l. c. 28 = *L. Tupa*.  
*umbellatum*, Presl, l. c. 31 = *L. umbellata*.  
*uranocomum*, Presl, l. c. 24 = *Haynaldia uranocoma*.  
*urens*, Mill. Gard. Dict. ed. VIII. n. 4 = *L. urens*.  
*variifolium*, Presl, Prod. Monog. Lobel. 12 = *L. variifolia*.  
*veronicaefolium*, Presl, l. c. 23 = *L. veronicaefolia*.  
*Wallichianum*, Presl, l. c. 24 = *L. pyramidalis*.  
*xalapense*, Presl, l. c. 25 = *L. Cliffortiana*.  
*zeylanicum*, Presl, l. c. 13 = *L. zeylanica*.

## RAPUTIA, Aubl. Pl. Gui. ii. 670. t. 272 (1775).

- RUTACEAE*, [Benth. & Hook. f. i. 285].  
*PHOLIDANDRA*, Neck. Elem. i. 348 (1790).  
*SCIURIS*, Schreb. Gen. 24 (1789).  
*alba*, Engl. in Mart. Fl. Bras. xii. II. 102.—Bras.  
*aromatica*, Aubl. Pl. Gui. ii. 671. t. 272.—Guian.  
*Conchocarpus*, Schult. Mant. i. 126 = *Cusparia macrophylla*.  
*heterophylla*, DC. in Mém. Mus. Par. ix. (1822) 153.—Porto Rico.  
*magnifica*, Engl. in Mart. Fl. Bras. xii. II. 102.—Bras.  
*Ossana*, Engl. l. c. 104.—Cuba.  
*trifoliata*, Engl. l. c. 103.—Bras.

RARAM, Adans. Fam. ii. 35 (1763) = *Cenchrus*, Linn. (Gramin.).RASPAILIA, J. & C. Presl, Rel. Haenk. i. 238. t. 40 (1830) = *Polypogon*, Desf. (Gramin.).

- agrostoides*, J. & C. Presl, l. c. 239 = *P. elongatus*.  
*RASPALIA*, Brongn. in Ann. Sc. Nat. Sér. I. viii. (1826) 377. t. 37. *BRUNACEAE*, Benth. & Hook. f. i. 672.  
*angulata*, E. Mey. in Drège, Zwei Pfl. Docum. 215 = *Erica modesta*.  
*aspera*, E. Mey. l. c., nomen; et ex Harv. & Sond. Fl. Cap. ii. 321.—Afr. austr.  
*capitella*, Presl, Bot. Bemerk. 39 = *Brunia staavioides*.  
*microphylla*, Brongn. in Ann. Sc. Nat. Sér. I. viii. (1826) 378.—Afr. austr.  
*passerinooides*, Presl, Bot. Bemerk. 39.—Afr. austr.  
*phylicoides*, Presl, l. c.—Afr. austr.  
*struthiolooides*, Presl, l. c. 40.—Afr. austr.  
*teres*, E. Mey. in Drège, Zwei Pfl. Docum. 215 = *microphylla*.  
*villosa*, Presl, Bot. Bemerk. 39 = *Brunia villosa*.

RASSIA, Neck. Elem. ii. 12 (1790) = *Gentiana*, Linn.RATABIDA, Loud. Hort. Brit. Suppl. ii. 665 (1839), sphalm. = *RATIBIDA*, Rafin. = *Lepachys*, Rafin. (Compos.).RATHEA, Karst. Fl. Columb. i. 77. t. 38 (1859?) = *Tacsonia*, Juss. (Passifl.).

- floribunda*, Karst. l. c. = *T. floribunda*.  
*RATHEA*, Karst. in C. Koch & Fint. Wochenschr. i. (1858) 377 = *Synechanthus*, H. Wendl. (Palm.).  
*fibrosa*, Karst. l. c. = *S. fibrosus*.

RATHKEA, Schum. & Thonn. Beskr. Guin. Pl. 355 (1827) = *Ormocarpum*, Beauv. (Legumin.).

- glabra*, Schum. & Thonn. l. c. = *O. sennooides*.  
*pubescens*, Walp. Ann. i. 1105 = *O. bibracteatum*.  
*RATIBIDA*, Rafin. in Am. Monthly Mag. (1818) 268 = *Lepachys*, Rafin. (Compos.).  
*columnaris*, Rafin. l. c.; J. Don, in Sweet, Brit. Flow. Gard. Ser. II. t. 361 = *L. columnaris*.  
*pulcherrima*, Steud. Nom. ed. II. ii. 439 = *L. columnaris*.  
*sulcata*, Rafin. in Journ. Phys. lxxxix. (1819) 100 = *L. columnaris*.

RATONIA, DC. Prod. i. 618 (1824). *SAPIN-DACEAE*, Benth. & Hook. f. i. 399.

*ARYTERA*, Blume, Rumphia, iii. 170 (1847).  
*EPHIELIS*, Schreb. Gen. 253 (1789).  
*ERNSTINGIA*, Scop. Introd. 322 (1777).  
*GELONIUM*, Gaertn. Fruct. ii. 271. t. 139 (1791).

## RATONIA:—

- LACHNOPETALUM*, Turcz. in Bull. Soc. Nat. Mosc. xxi. (1848) i. 571.  
*LEPIDOPETALUM*, Blume, Rumphia, iii. 171 (1847).  
*MATAYBA*, Aubl. Pl. Gui. i. 331. t. 123 (1775), nomen prius.  
*MISCHOCARPUS*, Blume, Bijdr. 238 (1825); Rumphia, iii. 166 (1847).  
*PEDICELLIA*, Lour. Fl. Cochinch. 655 (1790).  
*SARCOTOECHIA*, Radlk. in Sitzb. Math.-Phys. Akad. Muench. ix. (1879) 501, 659.  
*TINA*, Roem. & Schult. Syst. v. 414 (1819).  
*ZYGOLEPIS*, Turcz. in Bull. Soc. Nat. Mosc. xxi. (1848) i. 574.  
*Alphandi*, F. Muell. Fragm. iv. 158 = *Castanospora* *Alphandi*.  
*anodonta*, Benth. & Hook. f. Gen. i. 400; Benth. Fl. Austral. i. 461.—Austral.  
*apetala*, Griseb. Fl. Brit. W. Ind. 126.—Ind. occ.  
*apetala*, Seem. Fl. Vit. 47 = *Elattostachys apetala*.  
*Cordierii*, F. Muell. Fragm. ix. 93 = *Synima Cordierii*.  
*Daemelianana*, F. Muell. l. c. 96 = *Toechima Daemelianana*.  
*diphylostegia*, F. Muell. l. c. v. 145 = *Diploglottis Cunninghamii*.  
*distylis*, F. Muell. ex Benth. Fl. Austral. i. 462.—Austral.  
*domingensis*, DC. Prod. i. 618.—Ins. S. Doming.  
*exangulata*, F. Muell. Fragm. iv. 156.—Austral.  
*falcata*, Seem. Fl. Vit. 47.—Ins. Fiji.  
*grandissima*, F. Muell. Fragm. iv. 156.—Austral.  
*Hornei*, Seem. Fl. Vit. 47.—N. Caled.  
*lachnocarpa*, F. Muell. Fragm. iv. 157.—Austral.  
*lachnopetala*, Turcz. in Bull. Soc. Nat. Mosc. xxxvi. (1863) i. 586.—Ins. Philipp.  
*Lessertiana*, Benth. & Hook. f. Gen. i. 400 = *Cupania Lessertiana*.  
*Martyana*, F. Muell. Fragm. v. 6 = *Sarcopteryx Martyana*.  
*O'Shanesiana*, F. Muell. Fragm. ix. 96.—Austral.  
*pyriformis*, Benth. & Hook. f. Gen. i. 400; Benth. Fl. Austral. i. 461.—Austral.  
*spatulata*, Griseb. Cat. Pl. Cub. 45.—Cuba.  
*stipitata*, Benth. Fl. Austral. i. 461.—Austral.  
*Storckii*, Seem. Fl. Vit. 47 = *Cupaniopsis Storckii*.  
*tenax*, Benth. Fl. Austral. i. 461.—Austral.  
*Zygolepis*, Turcz. in Bull. Soc. Nat. Mosc. xxxvi. (1863) i. 586.—Ins. Philipp.  
*RATOPITYS*, Carr. Conif. ed. II. 227 (1867) = *RAXO-PITYS*, Nelson = *Cunninghamia*, R. Br. (Conif.).  
*RATZEBURGIA*, Kunth, Rév. Gram. ii. 487. t. 158 (1830). *GRAMINEAE*, Benth. & Hook. f. iii. 1130.  
*AIKINIA*, Wall. Pl. As. Rar. iii. 46. t. 273 (1832).  
*pulcherrima*, Kunth, Rév. Gram. ii. 487.—Ind. or.  
*Schimperi*, Steud. Nom. ed. II. ii. 439 = *Elionurus* *Royleanus*.  
*RAUIA*, Nees & Mart. in Nov. Act. Nat. Cur. xi. (1823) 151, 167. *RUTACEAE*, [Benth. & Hook. f. i. 285].  
*racemosa*, Nees & Mart. l. c. 169 = *Cusparia Fontanesiana*.  
*resinosa*, Nees & Mart. l. c.—Bras.  
*RAUKANA*, Seem. in Journ. Bot. iv. (1866) 352 = *Panax*, Linn. (Araliac.).  
*Edgerleyi*, Seem. l. c. = *P. Edgerleyi*.  
*RAUVOLFIA*, Plum. ex Linn. Gen. ed. I. 62 (1737) = *Rauwolfia*, Plum. (Apocyn.).  
*RAUWENHOFFIA*, Scheff. in Ann. Jard. Buitenz. ii. (1885) 21. *ANONACEAE*.  
*siamensis*, Scheff. l. c. 23.—Siam.  
*uvarioides*, Scheff. l. c.—Ins. Arn.  
*RAUWOLFIA*, Plum. ex Linn. Gen. ed. I. 62 (1737) (*Rauwolfia*). *APOCYNACEAE*, Benth. & Hook. f. ii. 697.  
*CYRTOSIPHONIA*, Miq. Fl. Ind. Bat. ii. 401 (1856).  
*DISSOLAENA*, Lour. Fl. Cochinch. 137 (1790).  
*HEURCKIA*, Muell. Arg. in Flora, liii. (1870) 168.  
*OPHIOXYLON*, Linn. Fl. Zeyl. 239 (1747).  
*affinis*, Muell. Arg. in Mart. Fl. Bras. vi. i. 34.—Bras.  
*Alphonsiana*, Muell. Arg. in Linnaea, xxx. (1859-60) 394.—Ind. occ.

**RAUWOLFIA**—

- amsoniaefolia, *A. DC. in DC. Prod.* viii. 338.—Ins. Philipp.  
*angustifolia*, Salisb. *Prod.* 146 = nitida.  
 bahiensis, *A. DC. in DC. Prod.* viii. 339.—Bras.  
 Beddomei, *Hook. f. Fl. Brit. Ind.* iii. 634.—Ind. or.  
 bicaiculata, *Muell. Arg. in Linnaea*, xxx. (1859–60) 396.—Ind. occ.  
 Blanchetii, *A. DC. in DC. Prod.* viii. 340.—Bras.  
 brasiliensis, *Spreng. Syst.* i. 884.—Bras.  
 caffra, *Sond. in Linnaea*, xxiii. (1850) 77.—Afr. austr.  
 canescens, *Linn. Sp. Pl.* ed. II. 303.—Ind. occ.  
 cubana, *A. DC. in DC. Prod.* viii. 339.—Cuba.  
 decurva, *Hook. f. Fl. Brit. Ind.* iii. 633.—Ind. or.  
 densiflora, *Benth. ex Hook. f. l. c.*—Ind. or.  
 glabra, *Cav. Ic.* iii. 50 = *Vallesia dichotoma*.  
 grandiflora, *Mart. ex A. DC. in DC. Prod.* viii. 341.—Bras.  
 heterophylla, *Willd. ex Roem. & Schult. Syst.* iv. 805.—Am. austr.  
 hirsuta, *Jacq. Enum. Pl. Carib.* 14 = canescens.  
 laevigata, *Willd. ex Roem. & Schult. Syst.* iv. 805 = *Malouetia jasminoides*.  
 Lamarkii, *A. DC. in DC. Prod.* viii. 337.—Am. trop.  
 lanceolata, *A. DC. l. c.*—Porto Rico.  
 lanceolata, *Griseb. Fl. Brit. W. Ind.* 408, in syn. = *Lamarkii*.  
 latifolia, *A. DC. in DC. Prod.* viii. 339 = *Lamarkii*.  
 ligustrina, *Willd. ex Roem. & Schult. Syst.* iv. 805 = *ternifolia*.  
 longifolia, *A. DC. in DC. Prod.* viii. 338.—Mexic.  
 lycioides, *Cav. in Anal. Cienc. Nat.* v. (1802) 69.—Hab.?  
 micrantha, *Hook. f. Fl. Brit. Ind.* iii. 633.—Ind. or.  
 microcarpa, *Hook. f. l. c.*—Burma.  
 Moricandii, *A. DC. in DC. Prod.* viii. 340.—Bras.  
 natalensis, *Sond. in Linnaea*, xxiii. (1850) 78.—Afr. austr.  
 nitida, *Jacq. Enum. Pl. Carib.* 14; *Select. Am.* 47.—Ind. occ.  
 nitida, *Lam. Illustr.* ii. 304 = *Lamarkii*.  
 nitidissima, *Steud. Nom. ed. I.* 682 = nitida.  
 obtusiflora, *A. DC. in DC. Prod.* viii. 341.—Ins. Nossibé.  
 odontophora, *Heurck & Muell. Arg. in Heurck, Obs. Bot.* 150.—Ecuador.  
 oppositifolia, *Spreng. Neue Entdeck.* iii. 33 = *Tabernaemontana Berterii*?  
 parvifolia, *Bert. ex Spreng. Syst.* i. 834 = *ternifolia*.  
 paucifolia, *A. DC. in DC. Prod.* viii. 340.—Bras.  
 peguana, *Hook. f. Fl. Brit. Ind.* iii. 632.—Burma.  
 polyphylla, *Benth. in Hook. Journ. Bot.* iii. (1841) 241.—Guian.  
 psychotrioides, *H. B. & K. Nov. Gen. et Sp.* iii. 231.—Am. austr.  
 Pulparia, *Roxb. ex Sm. in Rees, Cycl.* xxix. n. 5.—Hort. Calcutt.  
 reflexa, *Teijsm. & Binn. in Nederl. Kruidk. Arch.* iii. (1855) 405.—Java.  
 salicifolia, *Griseb. in Mem. Am. Acad. N. S.* viii. (1863) 519.—Cuba.  
 sandwicensis, *A. DC. in DC. Prod.* viii. 339.—Ins. Sandvic.  
 Sellowii, *Muell. Arg. in Mart. Fl. Bras.* vi. i. 33.—Bras.  
 Senegambiae, *A. DC. in DC. Prod.* viii. 340.—Afr. trop.  
 serpentina, *Benth. ex Kurz, For. Fl. Brit. Burma*, ii. 171.—Ind. or.; Java.  
 Sprucei, *Muell. Arg. in Mart. Fl. Bras.* vi. i. 34.—Bras.  
 strempelioides, *Griseb. Cat. Pl. Cub.* 170.—Cuba.  
 striata, *Poir. Encyc.* vi. 83 = *Ochrosia borbonica*.  
 subpubescens, *Linn. Mant.* ii. 345 = canescens.  
 sumatrana, *Jack, in Malay. Misc.* i. (1820) v. 22.—Sumatra.  
 ternifolia, *H. B. & K. Nov. Gen. et Sp.* iii. 232.—Am. trop.  
 tetraphylla, *Linn. Sp. Pl.* 208 = nitida, canescens.  
 tomentosa, *Jacq. Enum. Pl. Carib.* 14 = canescens.  
 viridis, *Willd. ex Roem. & Schult. Syst.* iv. 805 = *psychotrioides*.  
 vomitoria, *Afzel. Stirp. Guin. Med. Sp.* Nov. 1.—Afr. trop.  
 Weddeliana, *Muell. Arg. in Mart. Fl. Bras.* vi. i. 32.—Bras.

- RAUWOLFIA, Ruiz & Pav. *Fl. Per. et Chil.* ii. 26. t. 152 (1799) = *Citharexylum*, Mill. (Verben.).  
*dentata*, Tafalla, ex D. Don, in *Edinb. N. Phil. Journ.* (Jan.–Mar. 1831) 237 = *C. dentatum*.  
*flexuosa*, Ruiz & Pav. *Fl. Per.* ii. 16 = *C. spinosum*.  
*macrophylla*, Ruiz & Pav. l. c. = *C. spinosum*.  
*pubescens*, Willd. ex Roem. & Schult. *Syst.* iv. 805 = *C. molle*.  
*spinosa*, Cav. *Ic.* vi. 16.—Peruv.

- RAVENALA, Adans. *Fam.* ii. 67 (1763). *SCITAMINEAE*, Benth. & Hook. f. iii. 656.  
 PHENAKOSPERUM, Endl. *Prod. Fl. Norf.* 35, in nota (1833).  
 URANIA, Schreb. *Gen.* 212 (1789).  
 guyanensis, *Steud. Nom. ed. II.* ii. 439.—Guian.  
 madagascariensis, *J. F. Gmel. Syst.* 567; *Poir. Encyc. Suppl.* iv. 656; *Lam. Illustr.* ii. 371.—Madag.

- RAVENEA, H. Wendl. ex Bouché, in *Monatschr. Ver. Beoord. Gartenb.* (1878) 197, 323, 324. Gen. dub.  
 PALMARUM.—Cf. Benth. & Hook. f. iii. 883.  
 Hildebrandti, H. Wendl. ex Bouché, l. c.—Ins. Comor.

- RAVENIA, Benth. & Hook. f. *Gen.* iii. 883 (1883), *sphalm.* = praec.

- RAVENIA, Vell. *Fl. Flum.* 20 (1825); i. t. 49 (1827). *RUTACEAE*, Benth. & Hook. f. i. 286.  
 LEMONIA, Lindl. *Bot. Reg.* (1840) t. 59.  
 infelix, *Vell. Fl. Flum.* 21; i. t. 49.—Bras.  
 spectabilis, *Engl. in Mart. Fl. Bras.* xii. II. 126.—Cuba; Bras.

- RAVENSARA, Sonner. *Voy. Ind. Or.* iii. 248. t. 127 (1782). *LAURINEAE*, Benth. & Hook. f. iii. 151.  
 AGATHOPHYLLUM, Juss. *Gen.* 431 (1789).  
 EVODIA, Gaertn. *Fruct.* ii. 100 [t. 103] (1791).  
 acuminata, *Baill. Adansonia*, ix. (1868–70) 303.—Madag.  
 aromatica, *J. F. Gmel. Syst.* 754.—Madag.  
 floribunda, *Baill. Adansonia*, ix. (1868–70) 304.—Madag.  
 Lastellii, *Baill. in Bull. Soc. Linn. Par.* i. (1885) 447.—Madag.  
 retusa, *Baill. Adansonia*, ix. (1868–70) 303.—Madag.  
 Topak, *Baill. in Bull. Soc. Linn. Par.* i. (1885) 448.—Madag.

- RAVIA, Schult. *Addit.* ii. ad *Mant.* ii. 215, in syn. (1824), *err. typ.* = *Rauia*, Nees & Mart. (*Rutac.*).

- RAVNIA, Oerst. in Kjoeb. *Vidensk. Meddel.* (1852) 49 (Centr. Am. Rub.). *RUBIACEAE*, Benth. & Hook. f. ii. 40.  
 triflora, *Oerst. l. c.* 50.—Costa Rica.

- RAWSONIA, Harv. & Sond. *Fl. Cap.* i. 67 (1859). *BIXINEAE*, Benth. & Hook. f. i. 127.  
 lucida, *Harv. & Sond. l. c.*—Afr. austr.

- RAXAMARIS, Rafin. *Fl. Tellur.* iii. 54 (1836) = *Ornithogalum*, Tourn. (*Liliac.*).  
 parviflora, *Rafin. l. c.* 55 = *O. exscapum*.

- RAXOPITYS, [Nelson], *Senilis*, *Pinaceae*, 97 (1866) = *Cunninghamia*, R. Br. (*Conif.*).  
 Cunninghamii, [Nelson], l. c. = *C. sinensis*.

- RAYANIA, Meissn. in *DC. Prod.* xiv. 185 (1856) = *RAJANIA*, Walt. = *Brunnichia*, Banks (*Polygon.*).

- RAYERIA, Gaudich. *Bot. Voy. Bonite*, t. 108 (1844–52) = *Alona*, Lindl. (*Convolv.*).  
 teretifolia, Gaudich. l. c.—Hab. ?

- RAZISEA, Oerst. in Kjoeb. *Vidensk. Meddel.* (1854) 142. *ACANTHACEAE*, Benth. & Hook. f. ii. 1106.  
 spicata, *Oerst. l. c.*—Costa Rica.

- RAZOUMOWSKIA, Hoffm. *Hort. Mosq.* (1808); ex Bieb. *Fl. Taur. Cauc.* iii. 629 (1819) = *Arceuthobium*, Bieb. (*Loranth.*).  
*capensis*, Hoffm. l. c.; ex J. S. Presl, *Rostlin.* ii. 28 = *Viscum capense*.  
*caucasica*, Hoffm. l. c. *Introd.* n. 1. f. 1; ex Bieb. *Fl. Taur. Cauc.* iii. 629 = *A. Oxycedri*.  
*jamaicensis*, Hoffm. l. c.; ex J. S. Presl, *Rostlin.* ii. 28 = *Dendrophthora opuntoides*.  
*mexicana*, Hoffm. l. c.; ex J. S. Presl, l. c. = *A. vaginatum*.  
*Oxycedri*, F. Schultz, ex Nym. *Consp.* 320 = *A. Oxycedri*.

- RAZUMOVIA, Spreng. ex Juss. in *Dict. Sc. Nat.* xlv. 526 (1826) = *Humea*, Sm. (*Compos.*).  
 paniculata, Spreng. ex *DC. Prod.* vi. 158 = *H. elegans*.

- RAZUMOVIA, Spreng. *Fl. Hal. Mant.* 45 (1807) = *Centranthera*, R. Br. (*Scrophul.*).  
 tranquebarica, Spreng. l. c. = *C. humifusa*.

- REA, Bert. ex Decne. in *Guill. Arch. Bot.* i. (1833) 513. tt. 9, 10 = *Dendroseris*, D. Don (*Compos.*).  
 Berteriana, Decne. l. c. 515 = *D. Berteriana*.  
 lacerata, Phil. in *Bot. Zeit.* xxviii. (1870) 499 = *D. lacerata*.  
 leucantha, Bert. ex *DC. Prod.* vii. 243 = *D. neriifolia*.  
 macrantha, Bert. ex Decne. in *Guill. Arch. Bot.* i. (1833) 514, t. 9 = *D. macrophylla*.  
 marginata, Bert. ex Decne. l. c. 518, t. 9 = *D. macrophylla*.  
 micrantha, Bert. ex Decne. l. c. 517 = *D. micrantha*.  
 mollis, Bert. ex Decne. l. c. 519 = *D. micrantha*.  
 neriifolia, Decne. l. c. 517 = *D. neriifolia*.  
 pinnata, Bert. ex Decne. l. c. 516 = *D. Berteriana*.

- REANA, Brign. *Ind. Sem. Hort. Moden.* (1849).—Cf. *Ann. Sc. Nat. Sér. III.* xii. (1849) 365 = *Euchlaena*, Schrad. (*Gramin.*).  
 Giovannini, Brign. *Il. cc.* = *E. mexicana*.  
 luxurians, Dur. in *Bull. Soc. Acclim. Sér. II.* ix. (1872) 581 = *E. mexicana*.  
 luxurians, Hort.—Cf. *Gard. Chron.* (1875) II. 174; (1876) I. 566 = *Tripsacum dactyloides*.

- REAUMUREA, Steud. *Nom. ed. I.* 682 (1821) = seq.

- REAUMURIA, Linn. *Syst. ed. X.* 1081 (1759). *TAMARISCINEAE*, Benth. & Hook. f. i. 161.  
 EICHWALDIA, Ledeb. in *Eichw. Pl. Casp.* 38. t. 34 (1831).  
 Billardieri, *Faub. & Spach, in Ann. Sc. Nat. Sér. III.* viii. (1847) 381.—Syria.  
 cistoides, Adam, in *Weber & Mohr, Beitr.* i. 61 = *hypericoides*.  
 filifolia, *Faub. & Spach, Illustr.* iii. 54, 58.—Persia.  
 floribunda, *Regel, Cat. Pl. Hort. Aksakov.* 118.—Hab.?  
 Floyeri, S. Moore, in *Journ. Bot.* xv. (1877) 289.—Beluchist.  
 fruticosa, *Boiss. Fl. Orient.* i. 759.—Persia.  
 hirtella, *Faub. & Spach, Illustr.* iii. 54, 55.—Egypt; Arab.  
 hypericoides, *Willd. Sp. Pl.* ii. 1250.—Reg. Caucas.; Persia.  
 hyrcanica, *Jaub. & Spach, Illustr.* iii. 55, 60 = *hypericoides*.  
 kashgarica, *Rupr. Sert. Tiansch.* 42.—Turkestan.  
 linifolia, *Salisb. Parad. Lond.* t. 18 = *hypericoides*.  
 mucronata, *Faub. & Spach, Illustr.* iii. 54, 57.—Egypt.  
 oxiana, *Boiss. Fl. Orient.* i. 759.—Reg. Casp.; Persia.  
 palaestina, *Boiss. Diagn. Ser. I.* x. 10.—Palaestin.  
 persica, *Boiss. Fl. Orient.* i. 761 = *filifolia*.  
 squarrosa, *Faub. & Spach, Illustr.* iii. 59.—Persia; Afghan.  
 stenophylla, *Jaub. & Spach, l. c.* 54 = *mucronata*.  
 Stocksii, *Boiss. Fl. Orient.* i. 761.—Beluchist.  
 tatarica, *Jaub. & Spach, Illustr.* iii. 55 = *hypericoides*.  
 trigyna, *Maxim. in Bull. Acad. Pétersb.* xxvii. (1881) 425.—Mongol.  
 vermiculata, Bieb. *Fl. Taur. Cauc.* ii. 17 = *hypericoides*.  
 vermiculata, *Linn. Syst. ed. X.* 1081.—Ital.; Afr. bor.  
 vermiculata, *Linn. l. c.*, partim = *hirtella*.

REBENTISCHIA, Opiz, in Lotos, iv. (1854) 104 = **Trisetum**, Pers. (Gramin.).  
*flavescens*, Opiz, l. c. = *T. flavescens*.

REBIS, Spach, in Ann. Sc. Nat. Sér. II. iv. (1835) 26 = **Ribes**, Linn. (Saxifr.).  
*alpinoides*, Steud. Nom. ed. II. ii. 439 = *Ribes alpinoides*.  
*discolor*, Spach, in Ann. Sc. Nat. Sér. II. iv. (1835) 28 = *Ribes albifolium*.  
*ebrectolata*, Spach, l. c. 31 = *Ribes alpinoides*.  
*frigida*, Spach, l. c. 29 = *Ribes hirtum*.  
*Gayana*, Spach, l. c. = *Ribes Gayanum*.  
*macrobotrys*, Spach, l. c. 27 = *Ribes macrobotrys*.  
*punctata*, Spach, l. c. 30 = *Ribes punctata*.

REBOUDIA, Coss. & Dur. in Bull. Soc. Bot. Fr. iii. (1856) 704 = **Erucaria**, Gaertn. (Crucif.).  
*erucarioides*, Coss. & Kralik, l. c. 705 = *E. erucarioides*.

REBOULEA, Kunth, Rév. Gram. 841. t. 84 (1830) = **Eatonia**, Rafin. (Gramin.).  
*gracilis*, Kunth, l. c. = *E. obtusata*.  
*obtusata*, A. Gray, Man. Bot. N. U. St. ed. I. 591 = *E. obtusata*.  
*pennsylvanica*, A. Gray, l. c. = *E. purpurascens*.  
*truncata*, Torr. ex Munro, in Journ. Linn. Soc. vi. (1862) 43 = *E. obtusata*.

RECCHIA, Moç. & Sesse, ex DC. Syst. i. 411 (1818) = **Rigiostachys**, Planch. (Simarub.).  
*mexicana*, Moç. & Sesse, l. c. = *Rigiostachys bracteata*.

RECEVEURA, Vell. Fl. Flum. 237 (1825); v. tt. 119, 120 (1827) = **Hypericum**, Linn.  
*cordata*, Vell. Fl. Flum. 237; v. t. 119.—Bras.  
*graveolens*, Vell. l. c. 237; v. t. 120 = *H. brasiliense*.

RECHSTEINERIA, Regel, in Flora, xxi. (1848) 247 = **Gesneria**, Linn.  
*allagophylla*, Regel, l. c. = *G. allagophylla*.  
*spicata*, Kumm. ex Hanst. in Mart. Fl. Bras. viii. 357 = *G. tribracteata*.  
*stricta*, Hanst. in Linnaea, xxvi. (1853) 214. t. 1. f. 19 = *G. stricta*.  
*tribracteata*, Klotzsch, ex Hanst. in Mart. Fl. Bras. viii. 356 = *G. tribracteata*.

RECTOMITRA, Blume, Mus. Bot. Lugd. Bat. i. 6 (1849) = **Kibessia**, DC. (Melastom.).  
*cordata*, Triana, in Trans. Linn. Soc. xxviii. (1871) 153 = *K. cordata*.  
*galeata*, Blume, Mus. Bot. Lugd. Bat. i. 6.—Borneo.  
*tuberculata*, Blume, l. c. 7 = *K. tuberculata*.

REDIA, Casar. Nov. Stirp. Bras. Dec. 51 (1842) = **Cleidion**, Blume (Euphorb.).  
*triccoca*, Casar. l. c. 52 = *C. tricoccum*.

REDOUTEA, Vent. Jard. Cels, t. 11 (1800) = **Fugosia**, Juss. (Malvac.).  
*heterophylla*, Vent. l. c. = *F. heterophylla*.  
*tripartita*, H. B. & K. Nov. Gen. et Sp. v. 293 = *F. tripartita*.

REDOWSKIA, Cham. & Schlecht. in Linnaea, i. (1826) 33. t. 2. **CRUCIFERAE**, Benth. & Hook. f. i. 92.  
*sophiaefolia*, Cham. & Schlecht. l. c.—As. bor.

REDUTEA, Pers. Syn. ii. 254 (1807) = **REDOUTEA**, Vent. = **Fugosia**, Juss. (Malvac.).

REEDIA, F. Muell. Fragm. i. 239. t. 10 (1859). **CYPERACEAE**, Benth. & Hook. f. iii. 1067.  
*spathacea*, F. Muell. l. c. i. 240. t. 10; ii. 182.—Austral.

REEVESIA, Lindl. in Brande, Journ. [II. ii.] (1827) 109, 112; Bot. Reg. t. 1236 (1829). **STERCULIACEAE**, Benth. & Hook. f. i. 219.  
*pubescens*, Mast. in Hook. f. Fl. Brit. Ind. i. 364.—Reg. Himal.  
*thyrsoides*, Lindl. in Brande, Journ. [II. ii.] (1827) 112; Bot. Reg. t. 1236.—China.  
*Wallichii*, R. Br. in Benth. Pl. Fav. Rar. 231, in adnot.—Reg. Himal.

REGELIA, Hort. ex H. Wendl. in Illustr. Hort. xii. (1865) Misc. 6 = **Verschaffeltia**, H. Wendl. (Palm.).  
*magnifica*, Hort. ex H. Wendl. l. c. = *V. splendida*.  
*majestica*, Hort. ex Gard. Chron. (1865) 292 = *V. splendida*.  
*Princeps*, Hort. ex Balf. f. in Baker, Fl. Maurit. 388 = *V. splendida*.

REGELIA, Lem. Illustr. Hort. vii. (1860) sub t. 245, in nota = **Karatas**, Adans. (Bromel.).  
*caeruleum*, Lem. l. c. (= *Nidularium caeruleum*).—Hab.?  
*cruentum*, Lem. l. c. = *K. cruenta*.  
*Innocentii*, Lem. l. c. = *K. Innocentii*.  
*Meyendorffii*, Lem. l. c. = *K. Carolinae*.

REGELIA, Schau. in Linnaea, xvii. (1848) 243. **MYRTACEAE**, Benth. & Hook. f. i. 706.  
*adpressa*, Turcz. in Bull. Soc. Nat. Mosc. xxii. (1849) ii. 25 = *Beaufortia micrantha*.  
*ciliata*, Schau. in Linnaea, xvii. (1848) 244.—Austral.  
*gibbosa*, Turcz. in Bull. Soc. Nat. Mosc. xx. (1847) i. 168 = inops.  
*globosa*, Benth. Fl. Austral. iii. 171, sphalm. = *praec. grandiflora*, Benth. l. c. 170.—Austral.  
*inops*, Schau. in Lehm. Pl. Preiss. ii. 224.—Austral.

REGIA, Loud. ex C. DC. in DC. Prod. xvi. ii. 136 (1864) = **Juglans**, Linn.  
*maxima*, Loud. l. c. = *J. regia*.

REGMUS, Dulac, Fl. Hautes-Pyr. 328 (1867) = **Circaea**, Tourn. (Onagr.).  
*alpinus*, Dulac, l. c. = *C. alpina*.  
*lutetianus*, Dulac, l. c. = *C. lutetiana*.

REGNOLDIA, Baill. Adansonia, i. (1860–61) 187 = **Chaetocarpus**, Thw. (Euphorb.).  
*cluytioides*, Baill. l. c. 188 = *C. castanocarpus*.

REGNELIA, Rodrig. Orch. Nov. i. 81 (1877) = **ORCHIDEAE**.  
*purpurea*, Rodrig. l. c. 79.—Bras.

REHMANNIA, Libosch. ex Fisch. & Mey. Ind. Sem. Hort. Petrop. i. 36 (1835). **SCROPHULARINEAE**, Benth. & Hook. f. ii. 960.  
*SPARMANNIA*, Buch'hoz, Pl. Nouv. Découv. t. I (1779), nomen prius.  
*chinensis*, Libosch. ex Fisch. & Mey. Ind. Sem. Hort. Petrop. i. 36.—China.  
*glutinosa*, Steud. Nom. ed. II. ii. 440 = *chinensis*.  
*lutea*, Maxim. in Bull. Acad. Pétersb. xix. (1874) 538.—Japon.  
*Piasezkii*, Maxim. l. c. xxvi. (1880) 502.—China.

REICHARDIA, Dennst. Schlus. Hort. Malab. 32 (1818) = **Tabernaemontana**, Linn. (Apocyn.).  
*grandiflora*, Dennst. l. c.—Ind. or.  
*jasmynoides*, Dennst. l. c.—Ind. or.

REICHARDIA, Roth, Bot. Abh. 35 (1787) = **Picridium**, Desf. (1799) (Compos.).  
*integrifolia*, Moench, Meth. 546 = *P. vulgare*.  
*picroides*, Roth, Bot. Abh. 35 = *P. vulgare*.  
*runcinata*, Moench, Meth. 546 = *P. tingitanum*.  
*tingitana*, Roth, Bot. Abh. 35 = *P. tingitanum*.

REICHARDIA, Roth, Catalect. ii. 64 (1800) = **Maurandia**, Orteg. (Scrophul.).  
*scandens*, Roth, l. c. 65 = *M. semperflorens*.

REICHARDIA, Roth, Nov. Pl. Sp. 210 (1821) = **Pterolobium**, R. Br. (Legumin.).  
*decapetala*, Roth, l. c. 212 = *Caesalpinia sepiaria*.  
*decapetala*, Wight, ex Steud. Nom. ed. II. ii. 440 = *P. lacerans*.  
*hexapetala*, Roth, Nov. Pl. Sp. 210 = *P. indicum*.  
*pentapetala*, Blanco, Fl. Filip. ed. II. 233 = *P. indicum*.

REICHELEA, A. W. Benn. in Journ. Linn. Soc. xi. (1871) 271, sphalm. = seq.

REICHELIA, Schreb. Gen. 200 (1789) = **Hydrolea**, Linn. (Hydroph.).  
*angustifolia*, J. F. Gmel. Syst. 1613, sphalm. = *Phyllanthus angustifolius*.

REICHELIA:—

*guianensis*, Spreng. Syst. i. 940 = *Hydrolea caroliniana*.  
*montevidensis*, Spreng. l. c. = *H. montevidensis*.  
*palustris*, Bilb. ex Beurl. in Vet. Akad. Handl. Stockh. 1854 (1856) 141 = *H. spinosa*.  
*palustris*, Blanco, Fl. Filip. ed. I. 220 = *Sphenoclea zeylanica*.  
*palustris*, J. F. Gmel. Syst. 499 = *H. caroliniana*.

REICHEMBACHANTHUS, Rodrig. Orch. Nov. ii. 164 (1881). **ORCHIDEAE**.  
*modestus*, Rodrig. l. c. 165.—Bras.

REICHENBACHIA, Spreng. in Bull. Soc. Philom. (1823) 54. t. 1. **NYCTAGINEAE**, Benth. & Hook. f. iii. 8.  
*caniflora*, Mart. in Flora, xx. (1837) ii. Beibl. 90 = *Leucaster caniflorus*.  
*hirsuta*, Spreng. in Bull. Soc. Philom. (1823) 54. t. 1.—Bras.

REICHENHEIMIA, Klotzsch, in Abh. Akad. Berl. 1854 (1855) 54. t. 4A = **Begonia**, Tourn.  
*Stelzneri*, Klotzsch, in Otto & Dietr. Allg. Gartenz. xxiv. (1856) 204.—Hab.?  
*subpeltata*, Klotzsch, in Abh. Akad. Berl. (1855) 55 = *B. subpeltata*.  
*Thwaitesii*, Klotzsch, l. c. = *B. tenera*.  
*zeylanica*, Klotzsch, in Otto & Dietr. Allg. Gartenz. xxiv. (1856) 204 = *B. zeylanica* (in Addend.).

REICHERTIA, Karst. in Bot. Zeit. vi. (1848) 397 = **Schultesia**, Mart. (Gentian.).  
*gracilis*, Karst. Fl. Columb. i. 60, in obs. = *S. gracilis*?  
*linarifolia*, Karst. in Bot. Zeit. vi. (1848) 397; Fl. Columb. i. 59 = *S. stenophylla*.  
*rosea*, Karst. ll. cc. = *S. stenophylla*.

REIDIA, Wight, Ic. v. 27. tt. 1903, 1904 (1852) = **Phyllanthus**, Linn. (Euphorb.).  
*fimbriata*, Wight, l. c. t. 1904 = *P. fimbriatus*.  
*floribunda*, Wight, l. c. t. 1903 = *P. Wightianus*.  
*glabrescens*, Miq. Fl. Ind. Bat. i. ii. 374 = *P. glabrescens*.  
*glaucescens*, Miq. l. c. = *P. pulcher*.  
*gracilipes*, Miq. l. c. = *P. gracilipes*.  
*gracilis*, Miq. l. c. 373 = *P. gracilis*.  
*latifolia*, Wight, Ic. t. 1904 = *P. macrocalyx*.  
*ovalifolia*, Wight, l. c. = *P. longiflorus*?  
*polyphylla*, Wight, l. c. = *P. anabaptizatus*.  
*singalensis*, Miq. Fl. Ind. Bat. Suppl. 449 = *P. singalensis*.

REIFFERSCHIEDIA, Presl, Rel. Haenk. ii. 74. t. 62 (1836). **DILLENACEAE**, Benth. & Hook. f. i. 13.  
*speciosa*, Presl, l. c.—Am. austr.

REIFFERSCHIEDIA, Spach, Hist. Vég. Phan. vii. 413 (1839), sphalm. = *praec.*

REIGERA, Opiz, Seznam, 83 (1852) = **Scirpus**, Tourn. (Cyperac.).  
*maritima*, Opiz, l. c. = *S. maritimus*.

REILIA, Steud. Syn. Pl. Cyp. 311 (1855) = **Eryngium**?, Tourn. (Umbell.).—Cf. Benth. & Hook. iii. 863.  
*eryngioides*, Steud. l. c.—Reg. Argent.

REIMARIA, Fluegge, Gram. Monog. 213 (1810), partim. **GRAMINEAE**, Benth. & Hook. f. iii. 1097.  
*aberrans*, Doell, in Mart. Fl. Bras. ii. ii. 38.—Am. trop.  
*acuta*, Fluegge, Gram. Monog. 217.—Am. trop.  
*brasiliensis*, Schlecht. in Bot. Zeit. x. (1852) 17.—Am. trop.  
*conferta*, Nees, Agrost. Bras. 15; et in Mart. Fl. Bras. ii. ii. 37 = *acuta*.  
*diffusa*, Spreng. Neue Entdeck. iii. 14 = *Zizania miliacea*.  
*elegans*, Fluegge, Gram. Monog. 216 = *Paspalum pulchellum*.  
*fascicularis*, Link, Hort. Berol. ii. 203 = *Panicum Schraderi*.  
*laxa*, Reichb. ex Spreng. f. Tent. Suppl. Syst. 2 = *Panicum lanatum*.



**REIMARIA** :—

oligostachya, *Munro*, ex *Benth. in Journ. Linn. Soc.* xix. (1881) 34.—Cuba; Florida.  
*puberula*, Link, Hort. Berol. ii. 203 = *Paspalum ischnocaulon*.  
*purpurascens*, Link, l. c. 203 = *Panicum violascens*?

**REINECKIA**, Karst. in C. Koch, Wochenschr. i. (1858) 349 = **Synechanthus**, H. Wendl. (Palm.).  
*triandra*, Karst. l. c. = *S. Warszewiczianus*.

**REINECKIA**, Kunth, in Abh. Akad. Berl. 1842 (1844) 29. **LILIACEAE**, Benth. & Hook. f. iii. 771.  
*LIRIOPE*, Salisb. Gen. Pl. Fragm. 74 (1866).  
*SANSEVIELLA*, Reichb. Consp. 44 (1828), nomen prius.  
*carnea*, Kunth, in Abh. Akad. Berl. 1842 (1844) 29.—China; Japon.

**REINERA**, Dennst. Schlusss. Hort. Malab. 33 (1818) = **Curinila**, Roem. & Schult. (Asclep.?).  
*baypinensis*, Dennst. l. c. = *C. Rheedi*.

**REINERIA**, Moench, Meth. Suppl. 44 (1802) = **Te-phrosia**, Pers. (Legumin.).  
*reflexa*, Moench, l. c. 45 = *T. reflexa*.

**REINHARDTIA**, Liebm. in Overs. Vidensk. Selsk. Forh. 1845 (1846) 9. **PALMAE**, Benth. & Hook. f. iii. 906.  
*elegans*, Liebm. l. c.; et ex Mart. Hist. Nat. Palm. iii. 311.—Mexico.

**REINIA**, Franch. & Sav. Enum. Pl. Jap. ii. (1876) 314 = **Itea**, Gronov. (Saxifrag.).  
*racemosa*, Franch. & Sav. l. c. = *I. japonica*.

**REINWARDTIA**, Blume, ex Nees, in Syll. Ratisb. i. (1824) 196 = **Saurauja**, Willd. (Ternstr.).  
*javanica*, Blume, l. c. = *S. Blumia*.

**REINWARDTIA**, Dum. Comm. Bot. 19 (1822). **LINEAE**, Benth. & Hook. f. i. 243.  
*KITTELOCHARIS*, Alef. in Bot. Zeit. xxi. (1863) 282.  
*MACROLINUM*, Reichb. Handb. 306 (1827).  
*indica*, Dum. Comm. Bot. 19 = *trigyna*.  
*repens*, Planch. in Hook. Lond. Journ. Bot. vii. (1848) 523 = *trigyna*.  
*tetragyna*, Planch. l. c.—Ind. or.  
*trigyna*, Dalz. & Gibs. Bomb. Fl. 16 = *tetragyna*.  
*trigyna*, Planch. in Hook. Lond. Journ. Bot. vii. (1848) 522.—Ind. or.

**REINWARDTIA**, Korth. Verh. Nat. Gesch. Bot. 101. t. 12 (1840?) = **Ternstroemia**, Mutis.  
*elongata*, Korth. l. c. 103 = *T. micrantha*.  
*patens*, Korth. l. c. 102. t. 12 = *T. micrantha*.

**REINWARDTIA**, Spreng. Syst. i. 527 (1825) = **Breweria**, R. Br. (Convolv.).  
*ferruginea*, Steud. Nom. ed. II. ii. 440 = *B. ferruginea*.  
*glabra*, Spreng. Syst. i. 863.—N. Granat.  
*heterantha*, Steud. Nom. ed. II. ii. 440.—Bras.  
*sericea*, Spreng. Syst. i. 863.—N. Granat.  
*umbellata*, Steud. Nom. ed. II. ii. 440.—Bras.

**REISSEKIA**, Endl. Gen. 1103 (1840). **RHAMNEAE**, Benth. & Hook. f. i. 386.  
*cordifolia*, Endl. l. c.; A. Gray, Bot. U. St. Expl. Exped. i. 285.—Bras.  
*smilacina*, Endl. l. c. = *cordifolia*.

**REISSIPA**, Steud. ex Klotzsch, in Lehmann, Pl. Preiss. ii. 230 (1847) = **Monotaxis**, Brongn. (Euphorb.).  
*pleurandroides*, Steud. ex Klotzsch, l. c. = *M. grandiflora*.

**REJOUA**, Gaudich. in Freyc. Voy. Bot. 450. t. 61 (1826) = **Tabernaemontana**, Plum. (Asclep.).  
*aurantiaca*, Gaudich. l. c. 451. t. 61 = *T. aurantiaca*.  
*scandens*, Seem. in Bonplandia, x. (1862) 296 = *Carruthersia scandens*.

**RELBUNIUM**, Benth. & Hook. f. Gen. ii. 149 (1873). **RUBIACEAE**, Benth. & Hook. f. l. c.  
*Aschenbornii*, Hemsl. Biol. Centr. Am. Bot. ii. 62.—Mexico.  
*ciliatum*, Hemsl. l. c.—Mexico.  
*hypocarpium*, Hemsl. l. c. 63.—Mexico.  
*laevigatum*, Hemsl. l. c.—Mexico.  
*microphyllum*, Hemsl. l. c.—Mexico.  
*polyplocum*, Hemsl. Diagn. Pl. Nov. 53. = Mexico.  
*tuberculosum*, Ball, in Journ. Linn. Soc. xxii. (1885) 42.—Peruv.

**RELCHELA**, Steud. Syn. Pl. Gram. 101 (1855) = **Deyeuxia**, Clar. (Gramin.).  
*panicoides*, Steud. l. c.—Chili.

**RELHAMIA**, J. F. Gmel. Syst. 247 (1791) = **Curtisia**, Ait. (Cornac.).  
*faginea*, J. F. Gmel. l. c. = *C. faginea*.

**RELHANIA**, L'Hérit. Sert. Angl. 22. t. 29 (1788). **COMPOSITAE**, Benth. & Hook. f. ii. 326.  
*ECLOPES*, Gaertn. Fruct. ii. 440. t. 169 (1791).  
*MICHAUXIA*, Neck. Elem. i. 12 (1790).  
*RHYNCHOCARPUS*, Less. Syn. Comp. 382 (1832).  
*RHYNCHOPSIDIUM*, DC. in Mém. Soc. Phys. Genève. vii. II. (1836) 283, 286.  
*acicularis*, Desf. ex Steud. Nom. ed. II. ii. 440 = *pungens*.  
*affinis*, Sond. in Harv. & Sond. Fl. Cap. iii. 300.—Afr. austr.  
*apiculata*, Harv. l. c. 303 = *quinquenervis*.  
*Bellidiastrum*, L'Hérit. Sert. Angl. 24.—Afr. austr.  
*Bellidiastrum*, Poir. ex DC. Prod. vi. 291 = *Osmites* *Bellidiastrum*.  
*calycina*, L'Hérit. Sert. Angl. 24 = *Peyrousea calycina*.  
*centauroides*, Harv. in Harv. & Sond. Fl. Cap. iii. 301.—Afr. austr.

*cuneata*, L'Hérit. Sert. Angl. 23.—Afr. austr.  
*decussata*, L'Hérit. l. c. 24 = *cuneata*.  
*dichotoma*, Willd. ex Less. Syn. Comp. 372 = *Nestlera humilis*.  
*dumosa*, E. Mey. ex DC. Prod. vi. 284 = *Nestlera conferta*.  
*ericoides*, Cass. in Dict. Sc. Nat. xlv. 30.—Afr. austr.  
*faginea*, Steud. Nom. ed. II. ii. 440, sphalm. = *Curtisia faginea*.  
*genistaeifolia*, L'Hérit. Sert. Angl. 22.—Afr. austr.  
*lateriflora*, L'Hérit. l. c. 23 = *sessiliflora*.  
*lateriflora*, Link, Enum. Hort. Berol. ii. 340 = *quinquenervis*.  
*laxa*, L'Hérit. Sert. Angl. 23.—Afr. austr.  
*linifolia*, Willd. ex Less. Syn. Comp. 371 = *Nestlera humilis*.  
*microphylla*, L'Hérit. Sert. Angl. 22.—Afr. austr.  
*multipunctata*, DC. Prod. vi. 286.—Afr. austr.  
*paleacea*, L'Hérit. Sert. Angl. 24 = *ericoides*.  
*passerinoideis*, L'Hérit. l. c. 23 = *Geigeria passerinoideis*.  
*pedunculata*, Harv. in Harv. & Sond. Fl. Cap. iii. 302.—Afr. austr.

*pedunculata*, L'Hérit. Sert. Angl. 23.—Afr. austr.  
*pinnata*, Thunb. Prod. Pl. Cap. 146 = *Ursinia filiformis*.  
*pumila*, Thunb. l. c. = *pedunculata*, L'Hérit.  
*pungens*, L'Hérit. Sert. Angl. 24.—Afr. austr.  
*quinquenervis*, Thunb. Prod. Pl. Cap. 146.—Afr. austr.  
*recurva*, DC. Prod. vi. 286 = *squarrosa*.  
*recurva*, Less. Syn. Comp. 376.—Afr. austr.  
*reflexa*, Thunb. Prod. Pl. Cap. 146 = *Nestlera biennis*.  
*rotundifolia*, Less. Syn. Comp. 375.—Afr. austr.  
*santolinoides*, L'Hérit. Sert. Angl. 24 = *ericoides*.  
*sedifolia*, Harv. in Harv. & Sond. Fl. Cap. iii. 301.—Afr. austr.

*sessiliflora*, Thunb. Prod. Pl. Cap. 146.—Afr. austr.  
*speciosa*, Harv. in Harv. & Sond. Fl. Cap. iii. 302.—Afr. austr.

*squarrosa*, L'Hérit. Sert. Angl. 22.—Afr. austr.  
*stypelioides*, Harv. in Harv. & Sond. Fl. Cap. iii. 303.—Afr. austr.

*tomentosa*, Thunb. Prod. Pl. Cap. 146 = *Amphiglossa tomentosa*.

*triflora*, E. Mey. ex DC. Prod. vi. 285 = *Nestlera tricephala*.

*trinervis*, Thunb. Prod. Pl. Cap. 146.—Afr. austr.

*virgata*, L'Hérit. Sert. Angl. 23.—Afr. austr.

*viscosa*, L'Hérit. l. c. 22.—Afr. austr.

**RELLESTA**, Turcz. in Bull. Soc. Nat. Mosc. xxii. (1849) ii. 337 = **Swertia**, Linn. (Gentian.).  
*cyanea*, Turcz. l. c. = *S. tetrapetala*.

**REMACLEA**, C. Morr. Belg. Hort. iii. (1853) l. t. 1 = **Trimezia**, Salisb. (Irid.).  
*funeris*, C. Morr. l. c. 3. f. 1 = *T. lurida*.

**REMBERTIA**, Adans. Fam. ii. 226 (1763) = **Diapensia**, Linn.

**REME**, Adans. Fam. ii. 245 (1763) = **Trianthema**, Sauv. (Ficoid.).

**REMIJIA**, DC. in Bibl. Univ. Genève. (1829) ii. 185. **RUBIACEAE**, Benth. & Hook. f. ii. 33.

**MACROCNEUMUM**, Vand. Fl. Lusit. et Bras. 14 (1788).  
*angatisensis*, Blanco, Fl. Filip. ed. II. 115 = *Randia angatisensis*.

*Bergeniana*, Wedd. in Ann. Sc. Nat. Sér. III. x. (1848) 13.—Bras.

*cujabensis*, Wedd. l. c.—Bras.

*densiflora*, Benth. in Hook. Journ. Bot. iii. (1841) 215.—Guian.

*ferruginea*, DC. Prod. iv. 357.—Bras.

*firma*, Wedd. in Ann. Sc. Nat. Sér. III. x. (1848) 13.—Bras.

*Hilarii*, DC. Prod. iv. 357.—Bras.

*lacunosa*, Spruce, in Journ. Linn. Soc. v. (1861) 12.—Bras.

*Lambertiana*, Wedd. in Ann. Sc. Nat. Sér. III. x. (1848) 13 = *Cascarilla Lambertiana*.

*Macrocnemia*, Wedd. l. c.—Bras.

*macrophylla*, Benth. & Hook. f. ex Flueck. Chinarind. 16.—N. Granat.

*obscura*, Blanco, Fl. Filip. ed. II. 116 (*obscura*) = *Gardenia obscura*.

*odorata*, Blanco, l. c. 115 (*odorata*) = *Randia densiflora*.

*paniculata*, DC. Prod. iv. 357.—Bras.

*pedunculata*, Flueck. Chinarind. 17. t. 6.—N. Granat.

*prismatostylis*, Benth. & Hook. f. ex Flueck. l. c. 16.—N. Granat.

*Purdiana*, Wedd. in Ann. Sc. Nat. Sér. III. ix. (1849) 272.—N. Granat.

*Riveroana*, Flueck. Chinarind. 17 = *Cascarilla Riveroana*.

*tenuiflora*, Benth. in Hook. Journ. Bot. iii. (1841) 214.—Guian.

*Vellozii*, DC. Prod. iv. 357.—Bras.

**REMIREA**, Aubl. Pl. Gui. i. 44. t. 16 (1775). **CYPERACEAE**, Benth. & Hook. f. iii. 1058.

**MEGIA**, Schreb. Gen. 786 (1791).  
*diffusa*, Sieber, ex Steud. Syn. Pl. Gram. 194 = *Arundo occidentalis*.

*distichophylla*, Boeck. in Flora, xli. (1858) 410 = *maritima*.

*maritima*, Aubl. Pl. Gui. i. 45. t. 16.—Reg. trop.

*pedunculata*, R. Br. Prod. 236 = *maritima*.

*rigidissima*, Steud. Syn. Pl. Cyp. 317 = *maritima*.  
*Wightiana*, Nees, in Wight, Contrib. 92 = *maritima*.

**REMUSATIA**, Schott, Melet. i. 18 (1832). **AROIDEAE**, Benth. & Hook. f. iii. 974.

*Hookeriana*, Schott, in Oestr. Bot. Wochenbl. viii. (1858) 133.—Reg. Himal.

*vivipara*, Schott, Melet. i. 18.—Ind. or.; Burma.

**REMYA**, Hillebr. ex Benth. & Hook. f. Gen. ii. pars 1<sup>ma</sup>, Add. 536 (1873); 1231 (1876). **COMPOSITAE**.  
*mauiensis*, Hillebr. (in Herb. Kew.).—Ins. Sandvic.

**RENANTHERA**, Lour. Fl. Cochinch. 521 (1790). **ORCHIDEAE**, Benth. & Hook. f. iii. 577.

**NEPHRANTHERA**, Hassk. Cat. Hort. Bog. Alt. 44 (1844).

*amabilis*, Boxall, ex Naves, in Blanco, Fl. Philipp. ed. III. Nov. App. 241 (Quid?).—Ins. Philipp.

*Arachnites*, Lindl. Gen. et Sp. Orch. 217 = *Arachnanthe moschifera*.

*bilinguis*, Reichb. f. Xenia Orch. i. 7. t. 4 = *Arachnanthe bilinguis*.

*coccinea*, Lour. Fl. Cochinch. 521.—China.

*elongata*, Lindl. Gen. et Sp. Orch. 218.—Malaya.

*Flosaëris*, Reichb. f. Xenia Orch. i. 88 = *Arachnanthe moschifera*.



**RENANTHERA** :—

histrionica, Reichb. f. in *Gard. Chron.* (1878) II. 74.—Malaya.  
 Hookeriana, Reichb. f. *Xenia Orch.* ii. 42.—Borneo.  
 labrosa, Reichb. f. l. c. i. 88 = *Arachnanthe* bilinguis.  
 Lowe, Reichb. f. l. c. 89.—Borneo.  
 matutina, Lindl. Bot. Reg. (1843) t. 41 = elongata.  
 matutina, Lindl. Gen. et Sp. Orch. 218; Blume, Mus. Bot. Lugd. Bat. i. 61.—Java.  
 micrantha, Blume, Rumphia, iv. 54; Mus. Bot. Lugd. Bat. i. 60 = elongata.  
 moluccana, Blume, Rumphia, iv. 54.—Ins. Amboin.  
 Rohaniana, Reichb. f. *Xenia Orch.* i. 89 = Hookeriana.  
 Storiei, Reichb. f. in *Gard. Chron.* (1880) II. 296.—Ins. Philipp.  
 Sulingi, Lindl. Gen. et Sp. Orch. 217.—Java.

**RENARDA**, Regel, in Trautv. Regel, Maxim. & Winkl. Decas Pl. Nov. 5 (1882); et in Act. Hort. Petrop. viii. (1883) 277. *UMBELLIFERAE*.  
 siifolia, Regel, II. cc. 6; 278.—Turkestan.

**RENARDIA**, Turcz. in Bull. Soc. Nat. Mosc. xxxi. (1858) i. 466 = **Trimeria**, Harv. (Bixin.).  
 leiocarpa, Turcz. l. c.—Afr. austr.

**RENEALMIA**, R. Br. Prod. Add. [591] (1810) = **Libertia**, Spreng. (Irid.).  
 grandiflora, R. Br. l. c. [592] = *L. grandiflora*.  
 ixioides, Ker-Gawl. Gen. Irid. 27 = *L. ixioides*.  
 paniculata, R. Br. Prod. Add. [592] = *L. paniculata*.  
 pulchella, R. Br. l. c. = *L. pulchella*.

**RENEALMIA**, Hoult. Handleid. viii. 335. t. 47. f. i. (1777) = **Villarsia**, Vent. (Gentian.).  
 capensis, Hoult. l. c. = *V. ovata*.

**RENEALMIA**, Linn. Gen. ed. I. 340 (1737) = **Tillandsia**, Linn. (Bromel.).  
 disticha, Linn. Syst. ed. X. 974 = *T. heliconioides*.  
 monostachia, Linn. Sp. Pl. 287 = *T. tenuifolia*.  
 paniculata, Linn. l. c. 286 = *T. paniculata*.  
 pendula, Gaertn. f. Fruct. iii. 13. t. 102 = *T. pendula*.  
 polystachia, Linn. Sp. Pl. 286 = *T. polystachia*.  
 recurvata, Linn. l. c. 287 = *T. recurvata*.  
 usneoides, Linn. l. c. = *T. usneoides*.

**RENEALMIA**, Linn. f. Suppl. 7 (1781). *SCITAMINEAE*, Benth. & Hook. f. iii. 648.  
 ETHANUM, Salisb. in Trans. Hort. Soc. i. (1812) 281, 282.  
 GETHYRA, Salisb. l. c. (1812).  
 PEPERIDIUM, Lindl. Introd. Nat. Syst. ed. II. 446 (1836).  
 SIPHOTRIA, Rafin. Fl. Tellur. iv. 50 (1836).  
 africana, Benth. in Hook. Ic. Pl. t. 1430.—Afr. trop.  
 amoena, A. Rich. Fl. Cub. Fanerog. ii. 254.—Cuba.  
 aromatica, Griseb. Fl. Brit. W. Ind. 601 = *domingensis*.  
 bracteosa, Griseb. l. c.—Ind. occ.  
 breviscapa, Poepp. & Endl. Nov. Gen. et Sp. ii. 25. t. 135.—Peruv.  
 calcarata, Andr. Bot. Rep. t. 421 = *Alpinia calcarata*.  
 Cardamomum-medium, Sweet, Hort. Brit. ed. II. 493, nomen = *Amomum costatum*.  
 caribaea, Griseb. Fl. Brit. W. Ind. 601 = *racemosa*.  
 concolor, D. Dietr. Syn. Pl. i. 14, sphalm. = *Thalia concolor*.  
 domingensis, Horan. Prod. Scitam. 32 = *occidentalis*.  
 erecta, D. Dietr. Syn. Pl. i. 14, sphalm. = *Thalia erecta*.  
 exaltata, Blanco, Fl. Filip. ed. II. 1 = *Alpinia gracilis*.  
 exaltata, Linn. f. Suppl. 7.—Ind. occ.  
 fasciculata, Rosc. Scit. 14. t. 109 = *fasciculatum*.  
 geniculata, D. Dietr. Syn. Pl. i. 14, sphalm. = *Thalia geniculata*.  
 gracilis, Blanco, Fl. Filip. ed. I. 1 = *Alpinia gracilis*.  
 jamaicensis, Horan. Prod. Scitam. 32 = *occidentalis*.  
 macrantha, Poepp. & Endl. Nov. Gen. et Sp. ii. 25. t. 134.—Peruv.  
 marantaefolia, D. Dietr. Syn. Pl. i. 14, sphalm. = *Thalia marantaefolia*.  
 minor, [Desf.] Hort. Par. ex Roem. & Schult. Syst. i. 32 = *Alpinia calcarata*.  
 monosperma, Miq. in *Linnaea*, xxii. (1849) 80.—Guian.

**RENEALMIA** :—

mutica, Salisb. in Trans. Hort. Soc. i. (1812) 280 = *Alpinia mutica*.  
 nutans, Andr. Bot. Rep. t. 360 = *Alpinia nutans*.  
 occidentalis, Sweet, Hort. Brit. ed. II. 493; Griseb. in Goett. Abh. vii. (1857) 274.—Ind. occ.  
 Paco-Secora, Horan. Prod. Scitam. 32.—Ins. S. Vincent.  
 pauciflora, Griseb. Cat. Pl. Cub. 256, in syn. = *amoena*.  
 polystachia, Jacq. Select. Am. 93.—Cuba.  
 punicea, Sweet, Hort. Brit. ed. II. 493.—Ind. or.  
 racemosa, Poepp. & Endl. Nov. Gen. et Sp. ii. 26 = *breviscapa*.  
 racemosa, A. Rich. Fl. Cub. Fanerog. ii. 254; Griseb. Fl. Brit. W. Ind. 601.—Am. trop.  
 Ruiziana, Horan. Prod. Scitam. 33 = *breviscapa*.  
 strobilifera, Poepp. & Endl. Nov. Gen. et Sp. ii. 25. t. 135.—Peruv.  
 sylvestris, Horan. Prod. Scitam. 32.—Ind. occ.  
 thyrsoides, Poepp. & Endl. Nov. Gen. et Sp. ii. 25. t. 134.—Peruv.  
 tuberosa, D. Dietr. Syn. Pl. i. 14 = *Calathea tuberosa*.  
 ventricosa, Griseb. Cat. Pl. Cub. 256.—Cuba.

**RENGGERIA**, Meissn. Gen. 42; Comm. 31 (1837).  
*GUTTIFERAE*, Benth. & Hook. f. i. 171.  
 SCHWEIGGERA, Mart. Nov. Gen. et Sp. iii. 166. t. 297 (1829).  
 acuminata, Seem. Bot. Voy. Herald, 88 = *Clusia acuminata*.  
 comata, Meissn. ex Walp. Rep. i. 393.—Bras.  
 guianensis, Splitg. in Hov. & De Vriese, Tijdschr. ix. (1842) 104.—Guian.  
 littoralis, Poepp. & Endl. Nov. Gen. et Sp. iii. 11.—Bras.  
 montana, Klotzsch, in Schomb. Faun. & Fl. Brit. Gui. 1093, nomen.—Guian.

**RENGIFA**, Poepp. & Endl. Nov. Gen. et Sp. iii. 12. t. 210 (1842). *GUTTIFERAE*, Benth. & Hook. f. i. 171.  
 acuminata, Planch. & Triana, in Ann. Sc. Nat. Sér. IV. xiv. (1860) 243.—Guian.  
 peruviana, Poepp. & Endl. Nov. Gen. et Sp. iii. 12.—Peruv.  
 scandens, Planch. & Triana, in Ann. Sc. Nat. Sér. IV. xiv. (1860) 241.—Guian.

**RENIA**, Noronha, in Verh. Batav. Gen. v. (1790) ed. I. Art. IV. 3 = **Inocarpus**, Forst. (Legumin.).

**RENNELLIA**, Korth. in Nederl. Kruidk. Arch. ii. ii. (1851) 255. *RUBIACEAE*, Benth. & Hook. f. ii. 118.  
 elliptica, Korth. l. c. 257.—Sumatra.  
 ovalis, Korth. l. c.—Sumatra.  
 speciosa, Benth. & Hook. f. Gen. ii. 118.—Burma.

**RENSCHIA**, Vathe, in *Linnaea*, xliii. (1880–82) 94 = **Tinnea**, Kotschy & Peyr. (Labi.).  
 heterotypica, Vathe, l. c. = *T. heterotypica*.

**RENSSELAERIA**, Beck, Bot. N. Mid. St. 382 (1833) = **Peltandra**, Rafin. (Aroid.).  
 virginica, Beck, l. c. = *P. virginica*.

**REPANDRA**, Lindl. Orch. Seel. 12 (1826) = **Disa**, Berg. (Orchid.).

**REPHESES**, Rafin. Sylva Tellur. 59 (1838) = **Ficus**, Tourn. (Urtic.).  
 calyptrata, Rafin. l. c. = *F. calyptrata*.  
 ovata, Rafin. l. c. = *F. ovata*.

**REPTONIA**, A. DC. in DC. Prod. viii. 153 (1844).  
*MYRSINEAE*, Benth. & Hook. f. ii. 648.  
 EDGEWORTHIA, Falc. in Proc. Linn. Soc. i. (1842) 129.

MONOTHECA, A. DC. in DC. Prod. viii. 152 (1844).  
 buxifolia, A. DC. in DC. Prod. viii. 153.—Ind. or.  
 laurina, Benth. Fl. Hongk. 208 = *Sarcosperma laurina*.

**REQUIENIA**, DC. in Ann. Sc. Nat. Sér. I. iv. (1825) 91 = **Tephrosia**, Pers. (Legumin.).  
 obcordata, DC. l. c.; Lég. Mém. vi. t. 37 = *T. obcordata*.  
 sphaerosperma, DC. II. cc. 91; 38 = *T. sphaerosperma*.

**RESEDA**, Tourn. ex Linn. Syst. ed. I (1735). *RESEDA*, Benth. & Hook. f. i. 112.  
 ARKOPODA, Rafin. Fl. Tellur. iii. 73 (1836).  
 ERESEDA, Spach, Hist. Vég. Phan. vii. 101 (1839).  
 HEXASTYLIS, Rafin. Fl. Tellur. iii. 73 (1836).  
 PECTANISIA, Rafin. l. c. 72 (1836).  
 TEREANTHES, Rafin. l. c. (1836).  
 abyssinica, Fresen. in Mus. Senckenb. ii. (1837) 106 = *Caylusea abyssinica*.  
 affinis, Kotschy, ex Muell. Arg. Monog. Resed. 124 = *arabica*.  
 alba, Delile, Fl. Aegypt. 15 = *decursiva*.  
 alba, Linn. Sp. Pl. 449.—Europ.; Oriens.  
 alba, St. Amans, Fl. Agen. 187 = *Jacquini*.  
 alba, Ruiz, ex Muell. Arg. Monog. Resed. 107 = *bipinnata*.  
 alopecuros, Boiss. Diagn. Ser. I. viii. 55.—Palaestina.  
 Alphonsi, Muell. Arg. in Bot. Zeit. xiv. (1856) 35.—Algeria.  
 amblyocarpa, Fresen. in Mus. Senckenb. ii. (1837) 108.—Abyssin.  
 anomala, J. Gay, ex Muell. Arg. Monog. Resed. 124 = *arabica*.  
 arabica, Boiss. Diagn. Ser. I. i. 6.—Aegypt.; Arab.  
 aragonensis, Loscos & Pardo, Ser. Imperf. 51 = *R. Phyteuma*.  
 arborea, Hort. ex Vilm. Fl. Pl. Terre, ed. II. 722 = *odorata*.  
 armena, Boiss. Diagn. Ser. I. i. 5.—Armenia.  
 atriplicifolia, J. Gay, ex Muell. Arg. Monog. Resed. 146 = *Aucheri*.  
 attenuata, Ball, in Journ. Linn. Soc. xvi. (1877) 338.—Marocc.  
 Aucheri, Boiss. Diagn. Ser. I. i. 5.—Mesopot.; Persia.  
 baetica, J. Gay, ex Muell. Monog. Resed. 109 = *bipinnata*.  
 Balansae, Muell. Arg. l. c. 119.—Cilicia.  
 Barrelieri, Bertol. Fl. Ital. v. 32.—Ital.; Hispan.  
 bipinnata, Loscos & Pardo, Ser. Imperf. 51 = *macrostachya*.  
 bipinnata, Willd. Enum. Hort. Berol. i. 499.—Hispan.  
 Boissieri, Muell. Arg. in Bot. Zeit. xiv. (1856) 37.—Aegypt.  
 bracteata, Boiss. Diagn. Ser. I. vi. 22 = *pruinosa*.  
 Buhseana, Muell. Arg. in Bot. Zeit. xiv. (1856) 36.—Beluchist.  
 Bungei, Boiss. Fl. Orient. i. 433.—Persia.  
 cahirana, Muell. Arg. Monog. Resed. 176 = *Boissieri*.  
 calicinalis, Lam. Fl. Fr. iii. 204 = *R. Phyteuma*.  
 canescens, Linn. Sp. Pl. 448 = *Astrocarpus sesamoides*.  
 canescens, A. St. Hil. in Ann. Sc. Nat. Sér. II. vii. (1837) 375.—Arab.  
 capensis, Burm. ex Muell. Arg. Monog. Resed. 222 = *Astrocarpus Clusii*.  
 capensis, Burm. f. Fl. Cap. Prod. 13 = *Oligomeris capensis*.  
 capensis, Willd. ex Muell. Arg. Monog. Resed. 214 = *Oligomeris glaucescens*.  
 caudata, DC. ex Muell. Arg. l. c. 154 = *pruinosa*.  
 chinensis, Lour. Fl. Cochinch. 299.—China.  
 clausa, Reichb. ex Muell. Arg. in Bot. Zeit. xiv. (1856) 39 = *lutea*.  
 Clusii, Spreng. Fl. Hal. Mant. 41 = *Astrocarpus sesamoides*.  
 cochinchinensis, Lour. Fl. Cochinch. 299.—Cochinch.  
 collina, J. Gay, in Expl. Sc. Algér. t. 71. f. 2 = *R. Phyteuma*.  
 complicata, Bory, in Ann. Gén. Sc. Phys. iii. (1820) 13.—Hispan.  
 confusa, Pomel, Nouv. Mat. Fl. Atl. 224 = *R. Phyteuma*.  
 constricta, Lange, Pl. Nov. Hisp. fasc. i. 6. t. 8 = *lanceolata*.  
 crispa, Mill. Gard. Dict. ed. VIII. n. 2 = *lutea*.  
 crispa, Pourr. ex Willk. & Lange, Prod. Fl. Hisp. iii. 892 = *alba*.  
 crispata, Bertol. Fl. Ital. v. 26.—Sicil.  
 crispata, Link, Enum. Hort. Berol. ii. 8 = *R. Luteola*.  
 crystallina, Webb & Berth. Phytog. Canar. i. 102. t. 9.—Ins. Canar.  
 decursiva, Forsk. Fl. Aegypt. Arab. 67.—Arab.  
 difformis, Moench, Meth. Suppl. 22 = *Caylusea canescens*.  
 diffusa, Ball, in Journ. Linn. Soc. xvi. (1877) 339.—Marocc.  
 dipetala, Ait. Hort. Kew. ed. I. ii. 132 = *Oligomeris capensis*.  
 dipetala, Drège, ex Presl, Bot. Bemerk. 8 = *Oligomeris Dregeana*.

**RESEDA :—**

*Dregeana*, Presl, Bot. Bemerk. 8—Oligomeris Dregeana.  
*Duriaana*, J. Gay, in *Expl. Sc. Algér.* t. 71. f. 1; et  
*ex Muell. Arg. in Bot. Zeit.* xiv. (1856) 38.—Afr. bor.  
*elata*, Coss. & Bal. *ex Muell. Arg. in DC. Prod.* xvi.  
 ii. 578; et in *Bull. Soc. Bot. Fr.* xx. (1873) 242.—  
 Maroc.  
*erecta*, Lag. Gen. et Sp. Nov. 17 = stricta.  
*eremophila*, Boiss. Diagn. Ser. I. viii. 54 = decursiva.  
*filiformis*, Pourr. ex Muell. Arg. Monog. Resed. 200 =  
 virgata.  
*fruticosa*, Ehrenb. ex Muell. Arg. l. c. 229 = Caylusea  
 canescens.  
*fruticulosa*, Linn. Syst. ed. X. 1046 = alba.  
*Gayana*, Boiss. Voy. Bot. Espagne, ii. 76. t. 21 = alba.  
*gigantea*, Pourr. ex Willk. & Lange, in *Prod. Fl. Hisp.*  
 iii. 890 = suffruticosa.  
*glauca*, Brot. Fl. Lusit. ii. 307 = virgata.  
*glauca*; Eichw. Casp. Cauc. 24 = R. Luteola.  
*glauca*, Linn. Sp. Pl. 449.—Hispan.  
*glauca*, Sieber, ex Presl, in Oken, Isis, xxi. (1828) 274  
 = Oligomeris capensis.  
*globulosa*, Fisch. & Mey. Ind. Sem. Hort. Petrop. iv.  
 45.—Reg. Caucas.  
*gracilis*, Tenore, Syll. 232 = lutea.  
*gredensis*, Muell. Arg. in DC. Prod. xvi. ii. 582;  
*Cutanda*, Apend. Fl. Matrit. 743.—Hispan.  
*Gussoni*, Boiss. & Reut. Diagn. Ser. II. i. 49 =  
 R. Luteola.  
*Hausknechtii*, Muell. Arg. in DC. Prod. xvi. ii. 574.  
 —Persia.  
*hexagyna*, Forsk. Fl. Aegypt. Arab. 92 = canescens.  
*Hookeri*, Guss. Enum. Pl. Inar. 28 = alba.  
*incisa*, Tenore, Prod. Fl. Nap. p. xxviii = alba.  
*inflata*, Ehrenb. ex Muell. Arg. Monog. Resed. 189 =  
 lutea.  
*inodora*, Reichb. Ic. Fl. Germ. ii. 22. t. 99 f. 4445.—  
 Europ. occ.  
*Jacquini*, Reichb. l. c.—Europ. austr.  
*kahirina*, Boiss. Fl. Orient. i. 430 = Boissieri.  
*kurdica*, Boiss. & Noé, in Boiss. l. c. 426.—Kurdist.  
*laciniata*, Dulac, Fl. Hautes-Pyr. 183 = R. Phyteuma.  
*laevigata*, G. Don, Gen. Syst. i. 289.—Aegypt.  
*Lamottei*, Jord. ex Nym. Consp. 69 = lutea.  
*lanceolata*, Lag. Gen. et Sp. Nov. 17.—Hispan.  
*Lancerotae*, Webb, ex Delile, Ind. Sem. Hort. Monsp.  
 (1836) 27 = crystallina.  
*leucantha*, Hegelm. ex Willk. & Lange, Prod. Fl.  
 Hisp. iii. 892.—Hispan.  
*linifolia*, Hornem. Hort. Hafn. ii. 501.—Europ. austr.;  
 Aegypt.  
*litorea*, J. Gay, ex Nym. Consp. 69 = Jacquini.  
*littoralis*, Muell. Arg. Monog. Resed. 141 = Jacquini.  
*longicalycina*, St. Lag. in Ann. Soc. Bot. Lyon, vii.  
 (1880) 133 = R. Phyteuma.  
*lurida*, Muell. Arg. Monog. Resed. 152.—Afr. or.  
*lusitanica*, Pourr. ex Willk. & Lange, Prod. Fl. Hisp.  
 iii. 897 = alba.  
*lutea*, Linn. Sp. Pl. 449.—Europ.; Oriens.  
*Luteola*, Linn. l. c. 448.—Europ.; Oriens.  
*macrobotrys*, Boiss. Fl. Orient. i. 433.—Persia.  
*macrocarpa*, Ehrenb. ex Muell. Arg. Monog. Resed.  
 156 = stenostachya.  
*macroserpa*, Reichb. in Flora, xiii. (1830) 130 = media.  
*macrostachya*, Lange, in Willk. & Lange, Prod. Fl.  
 Hisp. iii. 890.—Hispan.  
*media*, Lag. Gen. et Sp. Nov. 17.—Lusitan.  
*mediterranea*, Bess. ex Boiss. Fl. Orient. i. 428 = ino-  
 dora.  
*mediterranea*, Jacq. Coll. i. 147 = Jacquini.  
*mediterranea*, Linn. ex Muell. Arg. Monog. Resed.  
 227 = Caylusea canescens.  
*mediterranea*, Linn. Sp. Pl. ed. II. 564.—Afr. bor.  
*mediterranea*, Sadler, Verz. 71 = inodora.  
*mediterranea*, Schoen, ex Muell. Arg. Monog. Resed.  
 124 = arabica.  
*mediterranea*, Willd. ex Muell. Arg. l. c. 136 =  
 R. Phyteuma.  
*microcarpa*, Muell. Arg. in Bot. Zeit. xiv. (1856) 35.  
 —Persia.  
*microphylla*, Presl, Bot. Bemerk. 8 = Oligomeris  
 capensis.  
*mucronata*, Tineo, Cat. Pl. Hort. Panorm. (1827) 280  
 = lutea.  
*mucronulata*, Guss. Fl. Sic. Prod. Suppl. 147 = lutea.  
*muricata*, Presl, Bot. Bemerk. 8.—Palaest.; Arab.  
*myriophylla*, Tenore, Fl. Neap. App. i. 28 = alba.  
*neglecta*, Muell. Arg. Monog. Resed. 178 = lutea.

VOL. II.

**RESEDA :—**

*nilgherrensis*, Muell. Arg. in Bot. Zeit. xiv. (1856) 34  
 = odorata.  
*ochracea*, Moench, Meth. 58 = alba.  
*Ochradeni*, Boiss. Diagn. Ser. II. i. 49.—Persia.  
*odorata*, Gueldenst. ex Ledeb. Fl. Ross. i. 236 = R.  
 Phyteuma.  
*odorata*, Linn. Syst. ed. X. 1046.—Afr. bor.?  
*oligandra*, Edgew. in Journ. As. Soc. Beng. vii. (1838)  
 ii. 764 = Oligomeris glaucescens.  
*orientalis*, Boiss. Fl. Orient. i. 427.—Syria.  
*orthostyla*, C. Koch, in Linnaea, xv. (1845) 705 = lutea.  
*papillosa*, Muell. Arg. in Bot. Zeit. xiv. (1856) 38 =  
 Duriaana.  
*parviflora*, DC. ex Muell. Arg. Monog. Resed. 114 = alba.  
*pedunculata*, R. Br. in Salt, Abyss. App. 64 = Caylusea  
 abyssinica.  
*Phiteuma*, Neck. Delic. Gallo-Belg. i. 210 = lutea.  
*Phyteuma*, Brot. Fl. Lusit. ii. 305 = media.  
*Phyteuma*, Forsk. Fl. Aegypt. Arab. p. lxxvii =  
 pruinosa.  
*Phyteuma*, Linn. Sp. Pl. 449.—Reg. Mediterr.; As. Min.  
*Phyteuma*, Kralik, ex Muell. Arg. Monog. Resed. 232  
 = afabica.  
*pilosa*, Link, ex Muell. Arg. l. c. 135 = media.  
*podocarpos*, Viv. Pl. Aegypt. Dec. 7 = Caylusea canescens.  
*podolica*, Rehm. Notiz. Veg. Schwarz. Meer. 55.—  
 Podolia.  
*praetervisa*, Muell. Arg. Monog. Resed. 232 = arabica.  
*propinqua*, R. Br. in Denh. & Clapp. Trav. App. 227  
 = decursiva.  
*pruinosa*, Bové, ex Muell. Arg. Monog. Resed. 156 =  
 stenostachya.  
*pruinosa*, Delile, Fl. Aegypt. Illustr. 63.—Aegypt.  
*pruinosa*, Schimp. ex Muell. Arg. Monog. Resed. 159  
 = muricata.  
*Pseudo-phyteuma*, Brot. ex Nym. Consp. 68 = R.  
 Phyteuma.  
*Pseudo-virens*, Frivald. in Flora, xx. (1837) 232 =  
 R. Luteola.  
*purpurascens*, Linn. Sp. Pl. 449 = Astrocarpus Clusii.  
*pygmaea*, Scheele, in Flora, xxvi. (1843) 426 = Astro-  
 carpus sesamoides.  
*quadragna*, Walp. Rep. ii. 464 = tetragyna.  
*Quartiniana*, Buching. ex Muell. Arg. Monog. Resed.  
 152 = lurida.  
*Quartiniana*, A. Rich. Tent. Fl. Abyss. i. 13 =  
 pruinosa.  
*ramosissima*, G. Don, ex Kunze, in Linnaea, xxiv.  
 (1851) 163 = stricta.  
*ramosissima*, Pourr. ex Willd. Enum. Hort. Berol.  
 499; Spreng. Syst. ii. 464.—Hispan.  
*Reuteriana*, Muell. Arg. in Bot. Zeit. xiv. (1856) 37.—  
 Alger.  
*rotundifolia*, Kotschy, ex Muell. Arg. Monog. Resed.  
 147 = Aucheri.  
*salicifolia*, S. F. Gray, Nat. Arr. Brit. Pl. ii. 666 =  
 R. Luteola.  
*saxatilis*, Bal. ex Muell. Arg. Monog. Resed. 165 =  
 Reuteriana.  
*saxatilis*, Pourr. ex Willd. Enum. Hort. Berol. 500 =  
 stricta.  
*Schimperi*, Presl, Bot. Bemerk. 8 = Oligomeris glau-  
 cescens.  
*Schraderi*, Boiss. Diagn. Ser. II. i. 49.—Persia.  
*scoparia*, Brouss. ex Willd. Enum. Hort. Berol. i. 499.  
 —Ins. Mader.  
*sesamoides*, Linn. Sp. Pl. 449 = Astrocarpus sesamoides.  
*sesamoides*, Sieber, ex Muell. Arg. Monog. Resed. 221.  
 = Astrocarpus sesamoides.  
*spartioides*, Sieber, ex Muell. Arg. l. c. 94 = Ochradenus  
 baccatus.  
*spatulata*, E. Mey. ex Muell. Arg. l. c. 211 =  
 Oligomeris spatulata.  
*spicata*, Humb. ex Muell. Arg. l. c. 136 = R. Phyteuma.  
*stellata*, Lam. Fl. Fr. iii. 204 = Astrocarpus sesamoides.  
*stenostachya*, Boiss. Diagn. Ser. I. i. 5.—Anatolia.  
*stipulacea*, DC. ex Muell. Arg. Monog. Resed. 200 =  
 virgata.  
*stricta*, Kralik, ex Muell. Arg. l. c. 187 = lutea.  
*stricta*, Pers. Syn. ii. 10.—Algeria.  
*subulata*, Delile, Fl. Aegypt. 15 = Oligomeris glauces-  
 cens.  
*suffruticosa*, Loeft. It. ed. Germ. 79; ex Willk. &  
 Lange, Prod. Fl. Hisp. iii. 890 = alba.  
*suffruticulosa*, Link, ex Muell. Arg. Monog. Resed.  
 189 = lutea.  
*suffruticulosa*, Linn. Sp. Pl. ed. II. 645 = alba.

**RESEDA :—**

*tenuifolia*, Wallr. Beitr. Fl. Hercyn. 204; et in Linnaea,  
 xiv. (1840) 574 = lutea.  
*tetragyna*, Forsk. Fl. Aegypt. Arab. 92 = arabica.  
*tinctoria*, Salisb. Prod. 345 = R. Luteola.  
*tomentosa*, Boiss. Diagn. Ser. I. i. 4.—Cappadoc.  
*tomentosa*, Coss. in Bull. Soc. Bot. Fr. vi. (1859) 392  
 = villosa.  
*Tournefortii*, Schult. Obs. Bot. 89 = R. Phyteuma.  
*tricuspsis*, Coss. in Bull. Soc. Bot. Fr. xx. (1873) 241.  
 —Marocc.  
*tridens*, Viv. Pl. Aegypt. Dec. 6 = Oligomeris glau-  
 cescens.  
*tripartita*, Buhse, ex Muell. Arg. Monog. Resed. 161 =  
 Buhseana.  
*truncata*, Fisch. & Mey. Ind. Sem. Hort. Petrop. iv.  
 45.—Macedon.; Anatol.  
*truncula*, Ehrenb. ex Muell. Arg. Monog. Resed. 191  
 = lutea.  
*undata*, Amo, Fl. Iber. vi. 322 = suffruticosa.  
*undata*, Boiss. Voy. Bot. Espagne, ii. 75. t. 20 =  
 Barrelieri.  
*undata*, Ehrenb. ex Muell. Arg. Monog. Resed. 109 =  
 decursiva.  
*undata*, Habl. Phys. Desc. Taur. 146 = lutea.  
*undata*, Linn. Syst. ed. X. 1046 = alba.  
*undulata*, Gilib. Fl. Lituan. ii. 210 = R. Luteola.  
*undulata*, Link, Handb. ii. 518, sphalm. = undata.  
*urnigera*, Webb, Fragm. Fl. Aethiop. 25.—Afr. bor.  
*villosa*, Coss. in Bull. Soc. Bot. Fr. vi. (1859) 392.—  
 Algeria.  
*virescens*, Hornem. Hort. Hafn. ii. 501.—Hispan.  
*virgata*, Boiss. & Reut. Diagn. Pl. Nov. Hisp. 6.—  
 Lusitan.  
*viridis*, Balf. f. in Proc. Roy. Soc. Edinb. xi. (1882)  
 501.—Ins. Socotr.  
*vulgaris*, Mill. Gard. Dict. ed. VIII. n. 1 = lutea.  
*Yannesii*, Cutanda, Fl. Comp. Madr. 151 = lutea.

**RESEDELLA**, Webb & Berth. Phyt. Canar. i. 106  
 (1836) = **Oligomeris**, Cambess. (Resed.).  
*dipetala*, Webb & Berth. l. c. 107 = O. glaucescens.  
*Dregeana*, Muell. Arg. in Bot. Zeit. xiv. (1856) 39 =  
 O. Dregeana.  
*subulata*, Webb & Berth. Phyt. Canar. i. 107. t. 11 =  
 O. glaucescens.

**RESINARIA**, Comm. ex Lam. Encyc. i. 349 (1784) =  
**Terminalia**, Linn. (Combret.).

**RESTIARIA**, Lour. Fl. Cochinch. 639 (1790). **INC.**  
**SEDIS.**  
*cordata*, Lour. l. c.—China.

**RESTIO**, Linn. Syst. ed. XII. 725 (1767). **RESTIA-**  
**CEAE**, Benth. & Hook. f. iii. 1031.  
**BALOSKION**, Rafin. Fl. Tellur. iv. 32 (1836).  
**CHONDROPETALON**, Rafin. l. c. 33 (1836).  
**CRASPEDOLEPIS**, Steud. Syn. Pl. Cyp. 264 (1855).  
**ISCHYROLEPIS**, Steud. in Flora, xxiii. (1850) 229,  
 nomen; Syn. Pl. Cyp. 249 (1855).  
**LEIENA**, Rafin. Fl. Tellur. iv. 33 (1836).  
**MEGALOTHECA**, F. Muell. Fragm. viii. 98 (1873).  
**RHODOCOMA**, Nees, in Lindl. Introd. Nat. Syst.  
 ed. II. 450 (1836).  
*abortivus*, Nees, in Lehm. Pl. Preiss. ii. 60.—Austral.  
*acuminatus*, Thunb. Diss. Rest. 13 = Cannamolis  
 simplex.  
*alboaristatus*, Nees, in Linnaea, v. (1830) 635 = Hypo-  
 discus duplicatus.  
*amblycoleus*, F. Muell. Fragm. viii. 65.—Austral.  
*ameles*, Steud. Syn. Pl. Cyp. 252 = ferruginosus.  
*anceps*, Burch. ex Mast. in Journ. Linn. Soc. x. (1869)  
 267 = Hypolaena anceps.  
*applanatus*, Spreng. Syst. i. 185.—Austral.  
*arcuatus*, Mast. in DC. Monog. Phan. i. 247.—Afr.  
 austr.  
*argenteus*, Nees, in Linnaea, v. (1830) 656 = Cerato-  
 caryum argenteum.  
*argenteus*, Thunb. Diss. Rest. 14 = Thamnochortus  
 argenteus.  
*aristatus*, Thunb. l. c. 10. f. 4 = Hypodiscus aristatus.  
*articulatus*, Retz. Obs. iv. 14 = Lepironia mucronata.  
*asperiflora*, Nees, in Linnaea, v. (1830) 656 = Elegia  
 asperiflora.  
*australis*, R. Br. Prod. 245.—Austral.  
*bifarius*, Mast. in Journ. Linn. Soc. x. (1869) 278.—  
 Afr. austr.

4 U

**RESTIO:—**

*bifidus*, Auct. ex Mast. in DC. Monog. Phan. i. 280 = Garnotianus.  
*bifidus*, Thunb. in Hoffm. Phytog. Blaetter, i. (1803) 7.—Afr. austr.  
*bifurcus*, Mast. in Journ. Linn. Soc. viii. (1865) 247, partim = furcatus.  
*bifurcus*, Nees, ex Mast. l. c. —Afr. austr.  
*bigeminus*, Nees, ex Mast. l. c. 246.—Afr. austr.  
*brizoides*, Steud. Syn. Pl. Cyp. 255 = tremulus.  
*Brownii*, Kunth, Enum. Pl. iii. 417 = Leptocarpus aristatus.  
*callistachyus*, Kunth, l. c. 400 = Mastersi.  
*capillaris*, Kunth, l. c. 405.—Afr. austr.  
*caricinus*, Mast. ex Mast. in DC. Monog. Phan. i. 327 = Thamnochortus caricinus.  
*casuarinaeformis*, Nees, ex Mast. in Journ. Linn. Soc. viii. (1865) 227 = subverticillatus.  
*Cephalotes*, Kunth, Enum. Pl. iii. 448, sphalm. = Cannomois Cephalotes.  
*cernuus*, Linn. f. Suppl. 425; Thunb. Diss. Rest. 10. f. 2 = Thamnochortus cernuus.  
*chasmatocoleus*, F. Muell. Fragm. viii. 71 = laxus.  
*chaunocoleus*, F. Muell. l. c. 64.—Austral.  
*Chondropetalum*, Nees, in Linnaea, v. (1830) 652 = Elegia deusta.  
*cincinnatus*, Mast. in Journ. Linn. Soc. viii. (1865) 240.—Afr. austr.  
*cinerascens*, R. Br. Prod. 246.—Austral.  
*cinerascens*, Nees, ex Mast. in DC. Monog. Phan. i. 335 = Leptocarpus tenax.  
*clavatus*, R. Br. 246 = Hypolaena fastigiata.  
*clavatus*, Nees, in Lehm. Pl. Preiss. ii. 58 = Hypolaena exsulca.  
*complanatus*, R. Br. Prod. 245.—Austral.  
*compressus*, R. Br. l. c. = applanatus.  
*compressus*, Rottb. Desc. et Ic. 6. t. 2. f. 4.—Afr. austr.  
*concolor*, Steud. Syn. Pl. Cyp. 251.—Afr. austr.  
*confertospicatus*, Steud. l. c. 256.—Austral.  
*confinis*, Steud. l. c. = ornatus.  
*crinalis*, Mast. in Journ. Linn. Soc. viii. (1865) 229.—Afr. austr.  
*crispatus*, R. Br. Prod. 246.—Austral.  
*crispatus*, Nees, ex Benth. Fl. Austral. vii. 421 = Caustis flexuosa.  
*crispatus*, Nees, ex Benth. l. c. 238 = Hypolaena lateriflora.  
*curviramis*, Kunth, Enum. Pl. iii. 395.—Afr. austr.  
*curvulus*, Nees, in Ann. & Mag. Nat. Hist. Ser. I. vi. (1841) 50.—Austral.  
*cuspidatus*, Thunb. in Hoffm. Phytog. Blaetter, i. 8.—Afr. austr.  
*debilis*, Nees, in Linnaea, v. (1830) 641.—Afr. austr.  
*deformis*, R. Br. Prod. 245.—Austral.  
*deformis*, Steud. Syn. Pl. Cyp. 255 = leptocarpoides.  
*depauperatus*, Kunth, Enum. Pl. iii. 405.—Afr. austr.  
*dichotomus*, Gaertn. Fruct. ii. 12 = Willdenowia teres.  
*dichotomus*, Linn. Syst. ed. XII. 735 = Thamnochortus fruticosus.  
*dichotomus*, Rottb. Desc. 2; Progr. 10 = Thamnochortus dichotomus.  
*dichotomus*, Thunb. Diss. Rest. 21 = triflorus, triticeus.  
*dichotomus*, Willd. ex Kunth, Enum. Pl. iii. 406 = perplexus.  
*diffusus*, Spreng. Syst. i. 185 = Leptocarpus tenax.  
*digitatus*, Nees, in Linnaea, v. (1830) 638 = obtusissimus.  
*digitatus*, Thunb. Diss. Rest. 18.—Afr. austr.  
*digitatus*, Thunb. ex Mast. in Journ. Linn. Soc. xiv. (1875) 417 = Cannomois Cephalotes.  
*digitatus*, Zeyh. ex Kunth, Enum. Pl. iii. 456 = Willdenowia striata.  
*digynus*, Link, ex Mast. in Journ. Linn. Soc. viii. (1865) 250 = Mastersi.  
*dimorphus*, R. Br. Prod. 246.—Austral.  
*dispar*, Mast. in Journ. Linn. Soc. viii. (1865) 246.—Afr. austr.  
*distachyos*, Rottb. Desc. 8; Progr. 11 = Thamnochortus umbellatus.  
*distichus*, Rottb. ll. cc. 6; 11 = Thamnochortus distichus.  
*divaricatus*, Mast. in Journ. Linn. Soc. viii. (1865) 236 = macer.  
*dubius*, Klotzsch, ex Mast. l. c. 250 = Mastersi.  
*echinatus*, Kunth, Enum. Pl. iii. 384 = squarrosus.  
*Ecklonii*, Mast. in Journ. Linn. Soc. viii. (1865) 236.—Afr. austr.  
*egregius*, Hochst. in Flora, xxviii. (1845) 337.—Afr. austr.

**RESTIO:—**

*elatus*, Mast. in Journ. Linn. Soc. viii. (1865) 226.—Afr. austr.  
*elegans*, Poir. Encyc. vi. 171 = Cannomois Cephalotes.  
*Elegia*, Murr. Syst. ed. XIII. 738 = Elegia juncea.  
*Eleocharis*, Nees, ex Mast. in Journ. Linn. Soc. viii. (1865) 238.—Afr. austr.  
*elongatus*, Thunb. in Hoffm. Phytog. Blaetter, i. (1803) 7 = Thamnochortus elongatus.  
*equisetaceus*, Reichb. ex Mast. in Journ. Linn. Soc. x. (1869) 250 = Dovea macrocarpa.  
*erectus*, Nees, ex Mast. l. c. 243 = Elegia juncea.  
*erectus*, Nees, in Linnaea, v. (1830) 655 = Elegia propinqua.  
*erectus*, Thunb. Diss. Rest. 14 = Thamnochortus erectus.  
*eriphorus*, Reichb. ex Mast. in Journ. Linn. Soc. x. (1869) 229 = Thamnochortus fruticosus.  
*fasciculatus*, R. Br. Prod. 247 = Hypolaena fasciculata.  
*fastigiatus*, R. Br. Prod. 246.—Austral.  
*fastigiatus*, Nees, ex Mast. in Journ. Linn. Soc. viii. (1865) 250 = Mastersi.  
*ferruginosus*, Kunth, ex Mast. in DC. Monog. Phan. i. 248 = subverticillatus.  
*ferruginosus*, Link, ex Kunth, Enum. Pl. iii. 393.—Afr. austr.  
*festucaeformis*, Nees, ex Mast. in Journ. Linn. Soc. viii. (1865) 248.—Afr. austr.  
*filiformis*, Poir. Encyc. vi. 173.—Afr. austr.  
*flexuosus*, R. Br. Prod. 247 = Hypolaena flexuosa.  
*fraternus*, Kunth, Enum. Pl. iii. 386.—Afr. austr.  
*fruticosus*, Thunb. Diss. Rest. 16 = Leptocarpus paniculatus.  
*fruticosus*, Thunb. ex Mast. in Journ. Linn. Soc. xiv. (1875) 417 = Leptocarpus modestus.  
*fuirenoides*, Kunth, Enum. Pl. iii. 386 = setiger.  
*furcatus*, Nees, ex Mast. in Journ. Linn. Soc. viii. (1865) 242.—Afr. austr.  
*fuscus*, Nees, ex Mast. l. c. x. (1869) 250 = Dovea macrocarpa.  
*Garnotianus*, Kunth, Enum. Pl. iii. 392.—Afr. austr.  
*Gaudichaudianus*, Kunth, l. c. 387.—Afr. austr.  
*glauca*, Behr, ex Mast. in DC. Monog. Phan. i. 301.—Hab?  
*glomeratus*, Thunb. Diss. Rest. 18.—Afr. austr.  
*glumaceus*, Klotzsch, ex Krauss, in Flora, xxviii. (1845) 339 = triticeus.  
*gracilior*, F. Muell. ex Benth. Fl. Austral. vii. 226.—Austral.  
*gracilis*, R. Br. Prod. 245.—Austral.  
*gracilis*, Nees, ex Benth. Fl. Austral. vii. 233 = Leptocarpus tenax.  
*graminifolius*, Kunth, Enum. Pl. iii. 407.—Afr. austr.  
*grandis*, Spreng. ex Nees, in Linnaea, v. (1830) 660 = Lamprocaulos grandis.  
*Harveii*, Mast. in Journ. Linn. Soc. viii. (1865) 253. t. 15.—Afr. austr.  
*Helenae*, Mast. l. c. 233.—Afr. austr.  
*hirtellus*, Kunth, Enum. Pl. iii. 426 = Leptocarpus peronatus.  
*Hystrix*, Mast. in Journ. Linn. Soc. x. (1869) 276.—Afr. austr.  
*imbricatus*, Thunb. Diss. Rest. 9 = Thamnochortus imbricatus.  
*impolitus*, Kunth, Enum. Pl. iii. 404 = Hypolaena impolita.  
*incurvatus*, Thunb. Diss. Rest. 18 = Leptocarpus incurvatus.  
*intermedius*, Kunth, Enum. Pl. iii. 388.—Afr. austr.  
*intermedius*, Steud. in Flora, xii. (1829) 132 = Elegia juncea.  
*ischaemoides*, Nees, ex Mast. in Journ. Linn. Soc. viii. (1865) 248 = festucaeformis.  
*juncea*, Zeyh. & Nees, ex Nees, in Linnaea, v. (1830) 658 = Elegia juncea.  
*Kunthii*, Steud. Syn. Pl. Cyp. 251 = triflorus.  
*laniger*, Kunth, Enum. Pl. iii. 386.—Afr. austr.  
*lateriflorus*, R. Br. Prod. 247 = Hypolaena lateriflora, elongata.  
*lateriflorus*, Nees, ex Benth. Fl. Austral. vii. 222 = fastigiatus.  
*laxus*, R. Br. Prod. 245. n. 3.—Austral.  
*laxus*, R. Br. l. c. 246. n. 12 = Leptocarpus tenax.  
*Lehmanni*, Nees, ex Mast. in Journ. Linn. Soc. viii. (1865) 225 = ocreatus.  
*leptocarpoides*, Benth. Fl. Austral. vii. 229.—Austral.  
*leptoclados*, Mast. in Journ. Linn. Soc. viii. (1865) 241.—Afr. austr.

**RESTIO:—**

*leptostachyus*, Kunth, Enum. Pl. iii. 407.—Afr. austr.  
*limbatus*, Nees, ex Mast. in Journ. Linn. Soc. viii. (1865) 235 = macer.  
*Loxocarya*, Mast. in DC. Monog. Phan. i. 272 = Loxocarya cinerea.  
*lucaeana*, Kunth, Enum. Pl. iii. 385 = cuspidatus.  
*lucens*, Poir. Encyc. vi. 169.—Afr. austr.  
*Ludwigii*, Steud. Syn. Pl. Cyp. 254.—Afr. austr.  
*macer*, Kunth, Enum. Pl. iii. 390.—Afr. austr.  
*macrogyneus*, Nees, ex Mast. in DC. Monog. Phan. i. 288 = egregius.  
*Mastersi*, F. Muell. Fragm. viii. 68, in textu.—Afr. austr.  
*Megalotheca*, Benth. Fl. Austr. viii. 222 = seq.  
*megalothecus*, F. Muell. l. c. 99.—Austral.  
*membranaceus*, Nees, in Linnaea, v. (1830) 657 = Elegia juncea.  
*micans*, Nees, l. c. 649 = Thamnochortus micans.  
*microstachys*, R. Br. Prod. 246 = Leptocarpus tenax.  
*microstachys*, Nees, ex Mast. in DC. Monog. Phan. i. 247 = Gaudichaudianus.  
*miser*, Kunth, Enum. Pl. iii. 392.—Afr. austr.  
*monanthos*, Mast. in Journ. Linn. Soc. viii. (1865) 238.—Afr. austr.  
*monocephalus*, R. Br. Prod. 245.—Austral.  
*monostachyus*, Steud. in Flora, xii. (1829) 133 = bifidus.  
*mucronatus*, Nees, in Linnaea, v. (1830) 660 = Dovea mucronata.  
*multiflorus*, Spreng. Syst. i. 187.—Afr. austr.  
*Neesii*, Mast. in Journ. Linn. Soc. viii. (1865) 232.—Afr. austr.  
*neglectus*, Klotzsch, ex Hochst. in Flora, xxviii (1845) 338 = Leptocarpus neglectus.  
*nitens*, Nees, in Lehm. Pl. Preiss. ii. 59.—Austral.  
*nudus*, Nees, in Linnaea, v. (1830) 651 = Elegia nuda.  
*nutans*, R. Br. Prod. 245 = Leptocarpus aristatus.  
*nutans*, Steud. in Flora, xii. (1829) 104 = Ludwigii.  
*nutans*, Thunb. in Hoffm. Phytog. Blaetter, i. (1803) 7 = Thamnochortus elongatus.  
*oblongus*, Mast. in Journ. Linn. Soc. viii. (1865) 229.—Afr. austr.  
*obtusissimus*, Steud. Syn. Pl. Cyp. 252.—Afr. austr.  
*ocreatus*, Kunth, Enum. Pl. iii. 385.—Afr. austr.  
*oligocephalus*, F. Muell. Fragm. viii. 68 = monocephalus.  
*oligostachyus*, Kunth, Enum. Pl. iii. 399 = bifidus.  
*ornatus*, Steud. Syn. Pl. Cyp. 256.—Austral.  
*oxylepis*, Kunth, Enum. Pl. iii. 427 = Leptocarpus oxylepis.  
*pachystachyus*, Kunth, l. c. 399.—Afr. austr.  
*paleaceus*, Nees, ex Mast. in Journ. Linn. Soc. x. (1869) 225, 227, 230 = Leptocarpus modestus, Thamnochortus elongatus, dichotomus.  
*pallescens*, R. Br. Prod. 245 = gracilis.  
*pallescens*, Nees, ex Benth. Fl. Austral. vii. 233 = Leptocarpus tenax.  
*paniculatus*, Link, Handb. i. 134 = multiflorus.  
*paniculatus*, Rottb. Desc. 4; Progr. 10 = Leptocarpus paniculatus.  
*pannosus*, Mast. in Journ. Linn. Soc. viii. (1865) 244.—Afr. austr.  
*parviflorus*, Thunb. Diss. Rest. 13 = Elegia parviflora.  
*pauciflorus*, Poir. Encyc. vi. 168.—Afr. austr.  
*pedicellatus*, Mast. in Journ. Linn. Soc. viii. (1865) 252.—Afr. austr.  
*peronatus*, Kunth, Enum. Pl. iii. 426 = ocreatus.  
*perplexus*, Kunth, Enum. Pl. iii. 406.—Afr. austr.  
*pilosepalus*, Steud. Syn. Pl. Cyp. 256 (Cyperacea).—Ins. Waigiou.  
*polystachyus*, Kunth, Enum. Pl. iii. 402 = Mastersi.  
*propinquus*, Nees, in Linnaea, v. (1830) 653 = Elegia propinqua.  
*Pseudoleptocarpus*, Kunth, Enum. Pl. iii. 399 = bifidus.  
*pubescens*, R. Br. Prod. 247 = Hypolaena pubescens.  
*punctulatus*, Nees, ex Mast. in Journ. Linn. Soc. viii. (1865) 242 = Thamnochortus distichus.  
*purpurascens*, Nees, ex Mast. l. c. 249.—Afr. austr.  
*pyncostachyus*, Mast. l. c. 232.—Afr. austr.  
*quadratus*, Mast. l. c. x. (1869) 277.—Afr. austr.  
*quinquefarius*, Nees, in Linnaea, v. (1830) 639.—Afr. austr.  
*racemosus*, Lam. Illustr. iii. 400 = Dovea tectorum.  
*ramiflorus*, Nees, in Linnaea, v. (1830) 644 = Leptocarpus paniculatus.  
*Rhodocoma*, Mast. in Journ. Linn. Soc. x. (1869) 275.—Afr. austr.  
*rotboelliioides*, Kunth, Enum. Pl. iii. 394.—Afr. austr.

**RESTIO:—**

- saroclados, *Mast. in DC. Monog. Phan.* i. 291.—Afr. austr.
- scariosus, Sieber, ex Kunth, *Enum. Pl.* iii. 430 = *Thamnochortus dichotomus*.
- scariosus, Thunb. *Diss. Rest.* 15 = *Thamnochortus fruticosus*.
- schoenoides, *Kunth, Enum. Pl.* iii. 391.—Afr. austr.
- Scopa, Thunb. *Diss. Rest.* 19 = *Cannomois Cephalotes scoparius*, *Kunth, Enum. Pl.* iii. 390.—Afr. austr.
- setiger, *Kunth, l. c.* 385.—Afr. austr.
- setuligerus, Nees, in *Lehm. Pl. Preiss.* ii. 58 = *Leptocarpus tenax*.
- Sieberi, *Kunth, Enum. Pl.* iii. 287.—Afr. austr.
- simplex, Forst. ex Steud. in *Flora*, xii. (1829) 134 = *Thamnochortus elongatus*.
- simplex, Linn. ex Mast. in *Journ. Linn. Soc.* x. (1869) 231 = *Thamnochortus imbricatus*.
- simplex, Murr. *Syst. ed. XIII.* 738 = *Leptocarpus simplex*.
- simplex, *Thunb. Diss. Rest.* 16.—Afr. austr.
- Sonderianus, *Mast. in Journ. Linn. Soc.* viii. (1865) 252.—Afr. austr.
- sphacelatus, *R. Br. Prod.* 246.—Austral.
- spicifer, Lam. *Illustr.* iii. 399 = *Thamnochortus cernuus*.
- spicigerus, *Kunth, Enum. Pl.* iii. 440, sphalm. = *Thamnochortus cernuus*.
- spicigerus, Thunb. *Diss. Rest.* 11 = *Thamnochortus spicigerus*.
- spinulosus, *Kunth, Enum. Pl.* iii. 402.—Afr. austr.
- Sprengelii, Mast. in *Journ. Linn. Soc.* viii. (1865) 224 = *cuspidatus*.
- squamosus, *Thunb. in Hoffm. Phytog. Blatter*, i. (1803) 8.—Afr. austr.
- squarrosus, *Poir. in Lam. Encyc.* vi. 174.—Afr. austr.
- squarrosus, Spreng. *Syst.* i. 186 = *cuspidatus*.
- Stuedelii, F. Muell. *Fragm.* viii. 70 = *ornatus*.
- stipularis, Banks, ex Mast. in *Journ. Linn. Soc.* xxi. (1885) 588 = *Elegia stipularis*.
- strobilifer, *Kunth, Enum. Pl.* iii. 398.—Afr. austr.
- subfalcatus, Nees, ex Mast. in *Journ. Linn. Soc.* viii. (1865) 231.—Afr. austr.
- subtilis, Nees, ex Mast. *l. c.* 251.—Afr. austr.
- subulatus, Mast. *l. c.* 248.—Afr. austr.
- subverticillatus, Mast. *l. c.* 227.—Afr. austr.
- sulcatus, *Kunth, Enum. Pl.* iii. 404 = *Hypodiscus Willdenovia*.
- synchroolepis, Steud. *Syn. Pl. Cyp.* 250 = *Hypodiscus synchroolepis*.
- tectorum, Linn. f. *Suppl.* 425 = *Dovea tectorum*.
- tectorum, Sieber, ex Kunth, *Enum. Pl.* iii. 462 = *Elegia nuda*.
- tectorum, Thunb. *Fl. Cap.* i. 85; Steud. in *Flora*, xii. (1829) 132 = *Elegia deusta*.
- tenellus, Nees, in *Lehm. Pl. Preiss.* ii. 57 = *Leptocarpus aristatus*.
- tenuis, Burch. ex Mast. in *Journ. Linn. Soc.* x. (1869) 265 = *Hypolaena tenuis*.
- tenuis, Krauss, in *Flora*, xxviii. (1845) 337 = *curviramis*.
- tenuissimus, *Kunth, Enum. Pl.* iii. 394.—Afr. austr.
- tetragonus, Thunb. *Diss. Rest.* 17.—Afr. austr.
- tetraphyllus, Labill. *Nov. Holl. Pl.* ii. 77. tt. 226, 227.—Austral.
- tetrasepalus, Steud. *Syn. Pl. Cyp.* 251 = *Thamnochortus imbricatus*.
- Thamnochortus, Thunb. *Diss. Rest.* 15 = *Thamnochortus dichotomus*.
- thyrsifer, Lam. *Illustr.* iii. 399 = *Elegia propinqua*.
- thyrsifer, Rottb. *Desc.* 8; Progr. 11 = *Elegia juncea*.
- tremulus, *R. Br. Prod.* 245.—Austral.
- triflorus, Rottb. *Desc. et Ic.* 3. t. 2. f. 2.—Afr. austr.
- triflorus, Sieber, ex Mast. in *Journ. Linn. Soc.* viii. (1865) 235 = Sieber.
- triflorus, Steud. in *Flora*, xii. (1829) 133 = *bifidus*.
- trisepalus, Nees, in *Lehm. Pl. Preiss.* ii. 58.—Austral.
- triticeus, Rottb. *Desc.* 7; Progr. 11.—Afr. austr.
- triticeus, Thunb. ex Mast. in *Journ. Linn. Soc.* xiv. (1875) 417 = *pannosus*.
- tropicus, *R. Br. Prod.* 246.—Austral.
- umbellatus, Thunb. *Diss. Rest.* 11 = *Thamnochortus umbellatus*.
- umbellatus, Thunb. ex Mast. in *Journ. Linn. Soc.* xiv. (1875) 415 = *Thamnochortus cernuus*, *imbricatus*.
- uncinatus, Nees, ex Benth. *Fl. Austral.* vii. 421 = *Cautis recurvata*.
- vacillans, Steud. *Syn. Pl. Cyp.* 255 = *Hypolaena fastigiata*.

**RESTIO:—**

- vaginatus, Thunb. *Diss. Rest.* 10 = *Thamnochortus imbricatus*.
- vaginatus, Willd. *Sp. Pl.* iv. 719 = *bifidus*.
- venustus, *Kunth, Enum. Pl.* iii. 388.—Afr. austr.
- verticillaris, Linn. f. *Suppl.* 425; Thunb. *Diss. Rest.* 19 = *Elegia verticillaris*.
- verticillatus, Spreng. *Syst.* i. 186 = *Elegia verticillaris*.
- villus, *Kunth, Enum. Pl.* iii. 389.—Afr. austr.
- vimineus, Murr. *Syst. ed. XIII.* 738; Linn. *Herb.* ex Mast. in *Journ. Linn. Soc.* x. (1869) 231 = *Thamnochortus dichotomus*.
- vimineus, Rottb. *Desc. et Ic.* 4. t. 2. f. 1 = *Leptocarpus incurvatus*.
- vimineus, Thunb. ex Mast. in *Journ. Linn. Soc.* xiv. (1875) 420 = *perplexus*.
- virgatus, Rottb. *Desc.* 5; Progr. 10 = *Cannomois Cephalotes*.
- Wallichii, Mast. in *Journ. Linn. Soc.* viii. (1865) 234.—Afr. austr.
- xyridioides, *Kunth, Enum. Pl.* iii. 397 = *quinquefarius*.

- RESTREPIA**, H. B. & K. *Nov. Gen. et Sp.* i. 366. t. 94 (1815). *ORCHIDAE*, Benth. & Hook. f. iii. 491.
- antennifera, H. B. & K. *Nov. Gen. et Sp.* i. 367. t. 9.—N. Granat.
- antennifera, Lindl. *Fol. Orch. Restrep.* 1, partim = *maculata*.
- aspiensium, *Reichb. f. in Bonplandia*, iii. (1855) 70.—Venezuela.
- biflora, Regel, in *Ann. Sc. Nat. Sér. IV.* vi. (1856) 373 = *Pleurothallis hemirhoda*.
- cucullata, Lindl. in *Ann. & Mag. Nat. Hist.* Ser. I. xv. (1845) 108.—N. Granat.
- Dayana, *Reichb. f. in Gard. Chron.* (1875) ii. 257.—Costa Rica.
- elegans, Karst. in *Otto & Dietr. Allg. Gartenz.* xv. (1847) 202; *Ausw. Neuer Gew. Venez.* 8. t. 2.—Venezuela.
- erythroxantha, *Reichb. f. in Linnaea*, xxii. (1849) 817.—N. Granat.
- Falkenbergii, *Reichb. f. in Gard. Chron.* (1880) i. 232.—N. Granat.
- Gardneri, Benth. in *Benth. & Hook. f. Gen.* iii. 491.—Bras.
- guttulata, Lindl. in *Hook. Comp. Bot. Mag.* ii. (1836) 357.—Ecuador.
- hypolepta, *Reichb. f. in Walp. Ann.* vi. 204.—Bras.
- Kegeli, *Reichb. f. in Linnaea*, xli. (1877) 133.—Guian.
- Lansbergii, Hook. *Bot. Mag.* t. 5257 = *xanthophthalma*.
- Lansbergii, *Reichb. f. & Wagen. in Bonplandia*, ii. (1854) 23.—Venezuela.
- lonchophylla, *Rodr. Orch. Nov.* i. 35.—Bras.
- maculata, Lindl. *Orchid. Linden.* 4.—N. Granat.
- microphylla, *Rodr. Rev. de Engenh.* iii. (1881) 110; ex *ej. Orch. Nov.* ii. 115.—Bras.
- Miersii, *Reichb. f. in Wawra, Bot. Ergeb. Maxim. Bras.* 150.—Bras.
- muscifera, *Reichb. f. ex Lindl. Fol. Orchid. Restrep.* 2.—Guatemala.
- nuda, Klotzsch, in *Otto & Dietr. Allg. Gartenz.* xx. (1852) 275 = *Pleurothallis hemirhoda*.
- ophiocephala, *Reichb. f. in Bonplandia*, ii. (1854) 88.—Mexic.
- parvifolia, Lindl. *Orchid. Linden.* 4 = *Brachionidium parvifolium*.
- proreper, *Reichb. f. in Gard. Chron.* (1877) i. 810.—Costa Rica.
- punctulata, Lindl. *Fol. Orchid. Restrep.* 2 = *elegans*.
- Reichenbachiana, Endres, in *Gard. Chron.* (1875) ii. 356.—Costa Rica.
- rhynantha, *Reichb. f. & Warsz. in Bonplandia*, ii. (1854) 114.—Peruv.
- Schlimii, *Reichb. f. in Linnaea*, xli. (1877) 45.—N. Granat.
- tentaculata, *Poepp. & Endl. Nov. Gen. et Sp.* i. 34. t. 59.—Peruv.
- ujarensis, *Reichb. f. in Bonplandia*, iii. (1855) 225.—Costa Rica.
- varicosa, Lindl. *Fol. Orchid. Restrep.* 3.—Peruv.
- vittata, Lindl. in *Journ. Hort. Soc.* iii. (1848) 314 = *Pleurothallis hemirhoda*.
- Wagneri, *Reichb. f. in Bonplandia*, ii. (1854) 23.—Venezuela.
- xanthophthalma, *Reichb. f. in Hamb. Gartenz.* xxi. (1865) 300.—Guatemala.

**RESUPINARIA**, Rafin. *Sylva Tellur.* 115 (1838) = **Sesbania**, Scop. (Legumin.).

*grandiflora*, Rafin. *l. c.* 116 = *S. grandiflora*.

- RETAMA**, Rafin. *Sylva Tellur.* 22 (1838); Boiss. *Voy. Bot. Espagne*, ii. 143 (1839) = **Genista**, Tourn. (Legumin.).
- albiflora*, Rafin. *l. c.* 22 = *Cytisus albus*.
- angulata*, Griseb. *Spicil. Fl. Rumel.* i. 5.—Europ. austr.
- atlantica*, Pomel, *Nouv. Mat. Fl. Atl.* 172 = *G. atlantica*.
- Bovei*, Webb, *Otia Hisp.* 24 = *G. monosperma*.
- dasycarpa*, Coss. in *Bull. Soc. Bot. Fr.* xxii. (1875) 57, nomen = *G. dasycarpa*.
- Duriaei*, Webb, in *Ann. Sc. Nat. Sér. II.* xx. (1843) 279 = *G. Duriaei*.
- Gussonei*, Webb, *l. c.* 280 = *G. monosperma*.
- hipponensis*, Webb, *Otia Hisp.* 25.—Hispan.
- lutea*, Rafin. *Sylva Tellur.* 22 = *G. sphaerocarpa*?
- microcarpa*, Webb, in *Ann. Sc. Nat. Sér. II.* xx. (1843) 280.—Ins. Canar.
- monosperma*, Boiss. *Voy. Bot. Espagne*, ii. 144 = *G. monosperma*.
- parviflora*, Webb, *Otia Hisp.* 23 = *G. parviflora*?
- Raetam*, Webb & Berth. *Phyt. Canar.* ii. 56 = *G. Raetam*.
- rhodorhizoides*, Webb & Berth. *l. c.* 54 = *G. rhodorhizoides*.
- Spachii*, Webb, in *Ann. Sc. Nat. Sér. II.* xx. (1843) 281 = *G. rhodorhizoides*.
- sphaerocarpa*, Boiss. *Voy. Bot. Espagne*, ii. 144 = *G. sphaerocarpa*.
- Webbii*, Webb, *Otia Hisp.* 24; Coss. in *Bull. Soc. Bot. Fr.* xxii. (1875) 57 = *G. monosperma*.

**RETAMILIA**, Miers, in *Ann. & Mag. Nat. Hist.* Ser. III. v. (1860) 483; *Contrib.* i. 285 = **Retanilla**, Brongn. (Rhamn.).

- RETANILLA**, Brongn. in *Ann. Sc. Nat. Sér. I.* x. (1827) 364. t. 2. *RHAMNEAE*, Benth. & Hook. f. i. 384.
- MOLINAEAE**, Comm. ex Brongn. in *Ann. Sc. Nat. Sér. I.* x. (1827) 364.
- RETAMILIA**, Miers, in *Ann. & Mag. Nat. Hist.* Ser. III. v. (1860) 483.
- affinis*, C. Gay, *Fl. Chil.* ii. 26 = *stricta*.
- articulata*, Miers, in *Ann. & Mag. Nat. Hist.* Ser. III. v. (1860) 486.—Chili.
- crassa*, Phil. in *Linnaea*, xxxiii. (1864–65) 38.—Chili.
- Ephedra*, Brongn. in *Ann. Sc. Nat. Sér. I.* x. (1827) 365.—Peruv.
- glauca*, Phil. in *Linnaea*, xxxiii. (1864–65) 37.—Chili.
- obcordata*, Brongn. in *Ann. Sc. Nat. Sér. I.* x. (1827) 365.—Peruv.
- spinifer*, C. Gay, *Fl. Chil.* ii. 27.—Chili.
- stricta*, Hook. & Arn. in *Hook. Bot. Misc.* iii. (1833) 173.—Chili.
- trinervia*, Hook. & Arn. *l. c.* 174 = *Trevoa trinervis*.

**RETINARIA**, Gaertn. *Fruct.* ii. 187. t. 120. f. 4 (1791) = **Gouania**, Linn. (Rhamn.).

*scandens*, Gaertn. *l. c.* = *G. tiliaefolia*.

*volubilis*, Gaertn. *l. c.* t. 120. f. 4 = *G. tiliaefolia*.

- RETINIPHYLLUM**, Humb. & Bonpl. *Pl. Aequin.* i. 86. t. 25 (1808). *RUBIACEAE*, Benth. & Hook. f. ii. 98.
- AMMIANTHUS**, Spruce, ex Benth. & Hook. f. *Gen.* ii. 98 (1873).
- COMMANTHUS**, Benth. in *Hook. Journ. Bot.* iii. (1841) 223.
- concolor*, Muell. *Arg. in Mart. Fl. Bras.* vi. v. 8.—Bras.
- discolor*, Muell. *Arg. l. c.* 11.—Bras.
- Martianum*, Muell. *Arg. l. c.* 9.—Bras.
- pallidum*, Muell. *Arg. l. c.* 12.—Bras.
- pilosum*, Muell. *Arg. l. c.* 7.—Bras.
- rhabdocalyx*, Muell. *Arg. l. c.* 10.—Bras.
- scabrum*, Benth. in *Hook. Journ. Bot.* iii. (1841) 222.—Venezuela.
- Schomburgkii*, Muell. *Arg. in Mart. Fl. Bras.* vi. v. 12.—Bras.
- secundiflorum*, Humb. & Bonpl. *Pl. Aequin.* i. 86. t. 25.—Venezuela.
- speciosum*, Muell. *Arg. in Mart. Fl. Bras.* vi. v. 10.—Bras.
- truncatum*, Muell. *Arg. l. c.* 11.—Bras.



- RETINISPORA, Sieb. & Zucc. Fl. Jap. ii. 36. tt. 121–123 (1842) = *Thuya*, Linn. (Conif.).  
*andelyensis*, Carr. in Rev. Hortic. (1880) 178 = *Cupressus thuyoides* (cf. Addend.).  
*decurvata*, Hort. ex Carr. Conif. ed. II. 141 = *T. orientalis*.  
*decussata*, Hort. ex Gord. Pinet. ed. II. 364 = *T. orientalis*.  
*Devriesiana*, Hort. ex Mast. in Journ. Linn. Soc. xviii. (1881) 495 = *T. occidentalis*.  
*dubia*, Carr. Conif. ed. II. 141 = *T. occidentalis*.  
*Ellwangeriana*, Carr. in Rev. Hortic. (1869) 349 = *T. occidentalis*.  
*ericoides*, Zucc. ex Gord. Pinet. Suppl. 91 = *T. orientalis*, occidentalis.  
*filioides*, Hort. Syme, in Gard. Chron. (1876) i. 235. f. 40 = *Cupressus obtusa* (cf. Addend.).  
*filifera*, Fowler, in Gard. Chron. (1872) 1490; Stand. ex Gord. Pinet. ed. II. 364 = *Cupressus obtusa* (cf. Addend.).  
*Fusinoki*, Zucc. ex Gord. Pinet. Suppl. 95 = *Cupressus obtusa* (cf. Addend.).  
*glaucia*, Hort. ex Mast. in Journ. Linn. Soc. xviii. (1881) 495 (Quid?).—Hab.?  
*japonica*, Hort. l. c. (Quid?).—Hab.?  
*juniperoides*, Carr. Conif. ed. II. 140 = *T. orientalis*.  
*leptoclada*, Zucc. ex Gord. Pinet. Suppl. 91 = *Cupressus thuyoides* (cf. Addend.).  
*lycopodioides*, Gord. l. c. 92 = *Cupressus pisifera* (cf. Addend.).  
*meldensis*, Carr. Conif. ed. II. 103 = *T. occidentalis*.  
*monstrosa*, Hort. ex Carr. l. c. 132 = *Cupressus obtusa* (cf. Addend.).  
*obtusa*, Sieb. & Zucc. Fl. Jap. ii. 38. t. 121 = *Cupressus obtusa* (cf. Addend.).  
*pisifera*, Sieb. & Zucc. l. c. 39. t. 122 = *Cupressus pisifera* (cf. Addend.).  
*plumosa*, Hort. ex Carr. Conif. ed. II. 791; Veitch, ex C. Koch, Dendrol. ii. 17. 170 = *Cupressus pisifera* (cf. Addend.).  
*Pseudo-squarrosa*, Carr. Conif. ed. II. 140 = *Cupressus thuyoides* (cf. Addend.).  
*recurvata*, Hort. ex Mast. in Journ. Linn. Soc. xviii. (1881) 495 = *T. orientalis*.  
*rigida*, Carr. Conif. ed. II. 141 = *T. orientalis*.  
*squarrosa*, Hort. ex Carr. l. c. 140, 141 = *Cupressus pisifera* (cf. Addend.).  
*squarrosa*, Sieb. & Zucc. Fl. Jap. ii. 40. t. 123 = *Cupressus pisifera* (cf. Addend.).  
*stricta*, Hort. ex Gord. Pinet. ed. II. 428 = *Cupressus pisifera* (cf. Addend.).  
*tetragona*, Barron, ex Gord. l. c. 429 = *Cupressus obtusa* (cf. Addend.).
- RETINODENDRON, Korth. Verh. Nat. Gesch. Bot. 55. t. 8 (1839) = *Vatica*, Linn. (Dipteroc.).  
*lanceaeifolium*, Korth. l. c. 56 = *V. lanceaeifolia*.  
*pauciflorum*, Korth. l. c. 58 = *V. pauciflora*.  
*Rassak*, Korth. l. c. 56. t. 8 = *V. Rassak*.
- RETINOPHLEUM, Benth. & Hook. f. Gen. i. 570 (1865), sphalm. = RHETINOPHLOEUM, Karst. = *Cercidium*, Tul. (Legumin.).
- RETINOSPORA, Carr. Conif. ed. I. 132 (1855) = RETINISPORA, Sieb. & Zucc. = *Thuya*, Linn. (Conif.).
- RETTBERGIA, Raddi, Agrost. Bras. 17 (1823) = *Chusquea*, Kunth (Gramin.).  
*bambusaoides*, Raddi, l. c. = *C. Gaudichaudii*.  
*capitata*, Nees, in Linnaea, ix. (1834) 489 = *C. capitata*.
- RETZIA, Thunb. in Phys. Sällsk. Handl. Stockh. i. (1776) i. 55. t. 1. SOLANACEAE, Benth. & Hook. f. ii. 905.  
 SOLENOSTIGMA, Klotzsch, ex Walp. Rep. iii. 125 (1844–45).  
*campanuloides*, Spreng. Syst. i. 589.—Afr. austr.  
*capensis*, Thunb. in Phys. Sällsk. Handl. Stockh. i. (1776) i. 55. t. 1.—Afr. austr.  
*pilosa*, Rottl. ex Choisy, in DC. Prod. ix. 403 = *Convolvulus Rottlerianus*.  
*roelloides*, Spreng. Syst. i. 589.—Afr. austr.  
*spicata*, J. F. Gmel. Syst. 333 = *capensis*.
- REUSSIA, Dennst. Schluess. Hort. Malab. 33 (1818) = *Paederia*, Linn. (Rubiace.).  
*sarmentosa*, Dennst. l. c. = *P. tomentosa*.

- REUSSIA, Endl. Gen. 139 (1836). PONTEDERIA-CEAE.  
*subovata*, Solms, in DC. Monog. Phan. iv. 534.—Am. austr.  
*triflora*, Seub. in Mart. Fl. Bras. iii. i. 96.—Bras.
- REUTERA, Boiss. Elench. 46 (1838) = *Pimpinella*, Riv. (Umbell.).  
*acuminata*, Edgew. in Trans. Linn. Soc. xx. (1846) 52 = *P. acuminata*.  
*albiflora*, Costa, Supl. Fl. Catal. 304.—Hispan.  
*aurea*, Boiss. Fl. Orient. ii. 863 = *P. aurea*.  
*catalaunica*, Costa, ex Nym. Consp. 309 = *gracilis*.  
*cervariaefolia*, Boiss. in Ann. Sc. Nat. Sér. III. i. (1844) 134 = *P. aurea*?  
*deverroides*, Boiss. l. c. 135 = *P. deverroides*.  
*dichotoma*, Boiss. & Haussk. ex Boiss. Fl. Orient. ii. 863.—Persia.  
*flabellifolia*, Boiss. in Ann. Sc. Nat. Sér. III. i. (1844) 135.—Cappadoc.  
*flava*, Boiss. l. c. 135 = *P. aurea*.  
*Fontanesii*, Boiss. Voy. Bot. Espagne, ii. 244 = *P. lutea*.  
*gracilis*, Boiss. Elench. 46.—Hispan.  
*papillaris*, Boiss. Diagn. Ser. II. ii. 76.—Afghan.  
*pastinacaeifolia*, Boiss. in Ann. Sc. Nat. Sér. III. i. (1844) 134.—Persia.  
*procumbens*, Boiss. Elench. 47.—Hispan.  
*puberula*, Loscos & Pardo, Ser. Inconf. Arag. 44 = *gracilis*.  
*rigidula*, Boiss. & Oroph. Diagn. Ser. II. ii. 77 = *P. chrysanthia*.  
*tenuis*, Boiss. & Haussk. ex Boiss. Fl. Orient. ii. 862.—Cataonia.  
*tragiodend*, Boiss. in Ann. Sc. Nat. Sér. III. i. (1844) 135.—Persia.
- REVEESIA, Walp. Ann. i. 105 (1848–49), sphalm. = *Reevesia*, Lindl. (Stercul.).
- REVERCHONIA, A. Gray, in Proc. Am. Acad. xvi. (1881) 107. EUPHORBACEAE, Benth. & Hook. f. iii. 1222.  
*arenaria*, A. Gray, l. c.—Texas.
- REYESIA, Clos, in C. Gay, Fl. Chil. iv. 418. t. 52 (1849). SOLANACEAE, Benth. & Hook. f. ii. 909.  
 PTEROGLOSSIS, Miers, in Ann. & Mag. Nat. Hist. Ser. II. v. (1850) 32.  
*chilensis*, Clos, in C. Gay, Fl. Chil. iv. 419.—Chili.
- REYNANDIA, Kunth, Rév. Gram. 195. t. 9 (1830). GRAMINEAE, Benth. & Hook. f. iii. 1120.  
*filiformis*, Kunth, l. c.—Ins. S. Doming.
- REYNOLDSIA, A. Gray, Bot. U. St. Expl. Exped. i. 723. t. 92, 93 (1854) = *Trevesia*, Vis. (Araliac.).  
*pleiosperma*, A. Gray, l. c. 725. t. 93.—Ins. Samoa.  
*sandwicensis*, A. Gray, l. c. 724. t. 92.—Ins. Sandvic.  
*tahitensis*, Nadeaud, Enum. Pl. Tahiti, 63.—Ins. Tahiti.  
*verrucosa*, Seem. in Journ. Bot. ii. (1864) 245.—Ins. Tahiti.
- REYNOSIA, Griseb. Cat. Pl. Cub. 33 (1866). RHAMNEAE.  
*latifolia*, Griseb. l. c. 34.—Cuba.  
*mucronata*, Griseb. l. c. 34, 283.—Cuba.  
*retusa*, Griseb. l. c. 34.—Cuba.
- REYNOUTHRIA, Steud. Nom. ed. I. 684 (1821) = seq.
- REYNOUTRIA, Houtt. Handleid. viii. 639. t. 51 (1777). INC. SEDIS.  
*japonica*, Houtt. l. c. 640.—Japan.
- RHABBARBARUM, Tourn. ex Adans. Fam. ii. 277 (1763) = *Rheum*, Linn. (Polygon.).  
*palmatum*, Moench, Meth. 628 = *Rheum palmatum*.  
*Rhaponticum*, Moench, l. c. = *Rheum Rhaponticum*.  
*Ribes*, Moench, l. c. = *Rheum Ribes*.
- RHABDADENIA, Muell. Arg. in Mart. Fl. Bras. vi. i. 173. t. 52 (1860). APOCYNACEAE, Benth. & Hook. f. ii. 727.  
*barbata*, Miers, Apocyn. S. Am. 123.—Ind. occ.  
*Berteri*, Muell. Arg. in Linnaea, xxx. (1859–60) 435.—Ins. S. Doming.  
*biflora*, Muell. Arg. in Mart. Fl. Bras. vi. i. 175.—Am. austr.

- RHABDADENIA:—  
*campestris*, Miers, Apocyn. S. Am. 121.—Bras.  
*cordata*, Miers, l. c. 122.—Mexic.  
*cubensis*, Muell. Arg. in Linnaea, xxx. (1859–60) 435.—Ind. occ.  
*Ehrenbergii*, Muell. Arg. ex Griseb. Fl. Brit. W. Ind. 415 = *Echites paludosa*.  
*laxiflora*, Miers, Apocyn. S. Am. 120.—Ind. occ.  
*Lindeniana*, Muell. Arg. in Linnaea, xxx. (1859–60) 437.—Cuba.  
*lucida*, Miers, Apocyn. S. Am. 123.—Venezuela.  
*macrostoma*, Muell. Arg. in Linnaea, xxx. (1859–60) 435.—Guian.  
*madida*, Miers, Apocyn. S. Am. 121.—Bras.  
*nervosa*, Miers, l. c. 122.—Ind. occ.  
*paludosa*, Miers, l. c. 119.—Bras.  
*Pohlui*, Muell. Arg. in Mart. Fl. Bras. vi. i. 174.—Bras.  
*Sagraei*, Muell. Arg. in Griseb. Fl. Brit. W. Ind. 415 = *Echites Sagraei*.  
*Wrighteana*, Muell. Arg. in Linnaea, xxx. (1859–60) 435 = *Mandevilla Wrighteana* (in Addend.).
- RHABDIA, Mart. Nov. Gen. et Sp. ii. 136. t. 195 (1827). BORAGINEAE, Benth. & Hook. f. ii. 842.  
 ROTULA, Lour. Fl. Cochinch. 121 (1790).  
*crebrifolia*, Miers, in Ann. & Mag. Nat. Hist. Ser. IV. ii. (1868) 435; Contrib. ii. 222. t. 84 = *lycioides*.  
*fluvialis*, Edgew. in Journ. As. Soc. Beng. xxi. (1853) 175 = *lycioides*.  
*lycioides*, Mart. Nov. Gen. et Sp. ii. 136. t. 195.—As. Afr. et Am. trop.  
*sericea*, Edgew. in Journ. As. Soc. Beng. xxi. (1853) 176 = *lycioides*.  
*viminea*, Dalz. ex Hook. Ic. Pl. t. 823 = *lycioides*.
- RHABDOCALYX, Lindl. Veg. Kingd. 629 (1847) = *Cordia*, Linn. (Borag.).
- RHABDOCHLOA, Kunth, in Mém. Mus. Par. ii. (1815) 73 = RABDOCHLOA, Beauv. = *Leptochloa*, Beauv. (Gramin.).
- RHABDOCRINUM, Reichb. Consp. 65 (1828) = *Lloydia*, Salisb. (Liliac.).  
*gracum*, Reichb. l. c. = *L. graeca*.  
*serotinum*, Reichb. l. c. = *L. alpina*.
- RHABDOSCIADIUM, Boiss. in Ann. Sc. Nat. Sér. III. ii. (1844) 68. UMBELLIFERAE, Benth. & Hook. f. i. 898.  
*Aucherii*, Boiss. l. c. 69.—Persia.  
*petiolare*, Boiss. & Haussk. ex Boiss. Fl. Orient. ii. 899.—Persia.  
*stenophyllum*, Boiss. & Haussk. l. c. 898.—Persia.
- RHABDOSTIGMA, Hook. f. in Benth. & Hook. f. Gen. ii. 109 (1873). RUBIACEAE, Benth. & Hook. f. l. c.  
*Kirkii*, Hook. f. l. c.—Afr. trop.
- RHABDOTHAMNUS, A. Cunn. in Ann. Nat. Hist. Ser. I. i. (1838) 460. GESNERACEAE, Benth. & Hook. f. ii. 1011.  
*negriana*, F. Muell. Fragm. vii. 152 = *Negria rhabdOTHAMNUS*.  
*scabrosus*, Steud. Nom. ed. II. ii. 443 = seq.  
*Solandri*, A. Cunn. in Ann. Nat. Hist. Ser. I. i. (1838) 460.—N. Zel.
- RHABDOTHECA, Cass. in Dict. Sc. Nat. xlviii. 424 (1827) = *Launaea*, Cass. (Compos.).  
*angustifolia*, Pomel, Nouv. Mat. Fl. Atl. 263 (= *Zollikoferia arabica*).—Alger.  
*asplenifolia*, Webb, in Hook. Niger Fl. 146 = *L. asplenifolia*.  
*Brunnera*, Webb, l. c. 147 = *Sonchus Brunneri*.  
*Candolleana*, Pomel, Nouv. Mat. Fl. Atl. 263 (= *Zollikoferia Candolleana*).—Alger.  
*Cassiniana*, Sch. Bip. ex Schweinf. Beitr. Fl. Aethiop. 286 (= *Zollikoferia Cassiniana*).—Abyss.  
*chondriloides*, Webb, in Hook. Niger Fl. 146 = *L. nudicaulis*.  
*divaricata*, Webb, l. c. = *L. nudicaulis*.  
*longiloba*, Pomel, Nouv. Mat. Fl. Atl. 263 (= *Zollikoferia longituba*).—Alger.  
*nudicaulis*, Pomel, l. c. 262 = *L. nudicaulis*.  
*picridioides*, Webb, in Hook. Niger Fl. 146.—Ins. Cap. Virid.  
*prenanthoides*, Sch. Bip. ex Schweinf. Beitr. Fl. Aethiop. 286 = *Sonchus prenanthoides*.



## RHABDOTHECA:—

- pumila*, Pomel, Nouv. Mat. Fl. Atl. 263 (= *Zollikoferia pumila*).—Alger.  
*quercifolia*, Pomel, l. c. (= *Zollikoferia quercifolia*).—Alger.  
*resedifolia*, Pomel, l. c. = *Launaea nudicapilis*.  
*Rueppellii*, Sch. Bip. ex Schweinf. Beitr. Fl. Aethiop. 286.—Afr. trop.  
*sonchoides*, Cass. in Dict. Sc. Nat. xviii. 425 = *L. nudicaulis*.  
*spinosa*, Webb, in Hook. Niger Fl. 147 = *L. spinosa*.  
*squarrosa*, Pomel, Nouv. Mat. Fl. Atl. 263 (= *Zollikoferia arabica*).—Alger.  
*tenuiloba*, Pomel, l. c. (= *Zollikoferia tenuiloba*).—Alger.

RHACHICALLIS, Spach, Hist. Veg. Phan. viii. 374 (1839) = *Rachicallis*, DC. (Rubiace.).

RHACOMA, Adans. Fam. ii. 117 (1763) = *Leuzea*, DC. (Compos.).

RHACOMA, Linn. Syst. ed. X. 896 (1759) = *Myginda*, Linn. (Celastr.).  
*Crossopetalum*, Linn. l. c. = *M. Rhacoma*.  
*Uragoga*, Baill. Hist. Pl. vi. 27 = *M. Uragoga*.

RHADAMANTHUS, Salisb. Gen. Pl. Fragm. 37 (1866). *LILIACEAE*, Benth. & Hook. f. iii. 808. convallarioides, *Salisb. l. c.*—Afr. austr.

RHADINOCARPUS, Vog. in Linnaea, xii. (1838) 108 = *Chaetocalyx*, DC. (Legumin.).  
*acutifolius*, Vog. l. c. 111 = *C. acutifolia* (cf. Addend.).  
*brasiliensis*, Vog. l. c. 110 = *C. brasiliensis*.  
*multiflorus*, Vog. l. c. 108.—N. Granat.

RHADIOLA, Savi, in Giorn. Tosc. Sc. Med. Fis. Nat. i. (1840) 194, err. typ. = *Radiola*, Dill. (Lineae).

RHAEO, C. B. Clarke, in DC. Monog. Phan. iii. 316 (1881), err. typ. = *Rhoeo*, Hance (Commel.).

RHAGADIOLUS, Tourn. ex Scop. Introd. 122 (1777). *COMPOSITAE*, Benth. & Hook. f. ii. 510. GARHADIOLUS, Jaub. & Spach, Illustr. iii. 119. tt. 284, 285 (1849).

HEDYNOIS, Schreb. Gen. 552 (1791).  
*arenarius*, Benth. & Hook. f. Gen. ii. 510.—Marocc.  
*creticus*, All. Fl. Pedem. i. 226 = *R. Hedynois*.  
*edulis*, Gaertn. Fruct. ii. 354.—Reg. Mediterr.; Oriens.  
*Hedynois*, All. Fl. Pedem. i. 226 = Reg. Mediterr.  
*Hedynois*, Fisch. & Mey. ex Fisch. Mey. & Trautv. Ind. Sem. Hort. Petrop. iv. 46.—Armenia; Persia.  
*intermedius*, Tenore, Fl. Med. ii. 25 = *edulis*.  
*Koelpinia*, F. W. Schmidt, Samml. Phys. Aufs. i. (1795) 265 = *Koelpinia linearis*.  
*Koelpinia*, Lam. Illustr. iii. 234 = *praeac.*  
*lampsanaefolius*, Mirb. Hist. Nat. Pl. xi. [1805] 328 = *edulis*.  
*lampsanoides*, Desf. Fl. Atlant. ii. 234 = *edulis*.  
*lyratus*, Lam. Illustr. iii. 234 = *edulis*.  
*pendulus*, Benth. & Hook. f. Gen. ii. 510.—Reg. Mediterr.  
*radiatus*, All. Fl. Pedem. i. 227 = *Hyoseris radiata*.  
*rigidus*, Pomel, Nouv. Mat. Fl. Atl. 17 = *edulis*.  
*scaber*, All. Fl. Pedem. i. 226 = *Hyoseris scabra*.  
*stellatus*, DC. Prod. vii. 80, in syn. = *Hyoseris radiata*.  
*stellatus*, Gaertn. Fruct. ii. 354 = *edulis*.  
*taraxacoides*, All. Fl. Pedem. i. 227 = *Leontodon hirtus*, hispidus.  
*Zacintha*, All. l. c. = *Zacintha verrucosa*.

RHAGANUS, E. Mey. in Drège, Zwei Pfl. Docum. 216 (1843) = *Bersama*, Fresen. (Sapind.).  
*lucidus*, E. Mey. l. c.; et in Flora, xxxii. (1849) 67.—Afr. austr.

RHAGODIA, R. Br. Prod. 408 (1810). *CHENOPODIACEAE*, Benth. & Hook. f. iii. 49.  
*baccata*, Moq. in DC. Prod. xiii. ii. 50 = *Billardieri*.  
*Billardieri*, R. Br. Prod. 408.—Austral.  
*Candolleana*, Moq. Chenop. Enum. 10 = *Billardieri*.  
*chenopodioides*, Moq. l. c. 11 = *Billardieri*?  
*congesta*, Moq. in DC. Prod. xiii. ii. 51 = *Billardieri*.  
*crassifolia*, R. Br. Prod. 408.—Austral.  
*dioica*, Nees, in Lehm. Pl. Preiss. i. 636.—Austral.  
*Drummondii*, Moq. in DC. Prod. xiii. ii. 52 = *crassifolia*.  
*Eschscholtziana*, Fenzl, in Denkschr. Akad. Wien, (Math.-Nat.) i. (1850) 257.—Ins. Sandvic.

## RHAGODIA:—

- Gaudichaudiana*, Moq. Chenop. Enum. 11.—Austral.  
*hastata*, R. Br. Prod. 408.—Austral.  
*linifolia*, R. Br. l. c. 408.—Austral.  
*linifolia*, Nees, in Lehm. Pl. Preiss. i. 637 = *Preissii*.  
*nitriaracea*, F. Muell. in Trans. Phil. Inst. Vict. ii. (1858) 73 = *Chenopodium nitriaraceum*.  
*nutans*, R. Br. Prod. 408.—Austral.  
*obovata*, Moq. Chenop. Enum. 10.—Austral.  
*parabolica*, R. Br. Prod. 408.—Austral.  
*parvifolia*, Moq. in DC. Prod. xiii. ii. 52 = *crassifolia*.  
*Preissii*, Moq. l. c. 49.—Austral.  
*prostrata*, A. Cunn. ex Benth. Fl. Austral. v. 156 = *spinescens*.  
*radiata*, Nees, in Lehm. Pl. Preiss. i. 637 = *Billardieri*.  
*reclinata*, A. Cunn. ex Benth. Fl. Austral. v. 153 = *parabolica*.  
*spinescens*, R. Br. Prod. 408.—Austral.

RHAMINDIUM, Sargent, Rep. For. N. Am. (U. St. 10<sup>th</sup> Census, ix.) 39 (1884), err. typ. = *Rhamnidium*, Reiss. (Rhamn.).

RHAMNELLA, Miq. Ann. Mus. Bot. Lugd. Bat. iii. 30 (1867) = *Microrhamnus*, A. Gray (Rhamn.).  
*japonica*, Miq. l. c. = *M. franguloides*.

RHAMNIDIUM, Reiss. in Mart. Fl. Bras. xi. i. 94. t. 31 (1861). *RHAMNEAE*, Benth. & Hook. f. i. 378.

*cognatum*, Reiss. l. c. 95.—Bras.  
*elaecarpum*, Reiss. l. c. 94.—Bras.  
*glabrum*, Reiss. l. c. 95.—Bras.  
*molle*, Reiss. l. c.—Bras.  
*reticulatum*, Griseb. Cat. Pl. Cub. 33.—Cuba.  
*retusum*, Griseb. l. c. 32.—Cuba.  
*revolutum*, Chapm. Fl. S. St. Suppl. 612 = *Reynosia latifolia*.  
*revolutum*, Griseb. Cat. Pl. Cub. 32.—Cuba.

RHAMNOIDES, Tourn. ex Moench, Meth. 343 (1794) = *Hippophaë*, Linn. (Elaeagn.).  
*Hippophaë*, Moench, l. c. = *H. Rhamnoides*.

RHAMNOPSIS, Reichb. Consp. 188 (1828) = *Flacourtia*, Comm. (Bixin.).  
*sepiaria*, Reichb. l. c. = *F. sepiaria*.

RHAMNOS, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 133 = seq.

RHAMNUS, Tourn. ex Linn. Syst. ed. I (1735); Gen. ed. I. 58 (1737). *RHAMNEAE*, Benth. & Hook. f. i. 377.

ALATERNUS, Mill. Gard. Dict. ed. VI (1752).  
 AMPELOPLIS, Rafin. Sylva Tellur. 33 (1838).  
 ATADINUS, Rafin. l. c. 30 (1838).  
 ATULANDRA, Rafin. l. c. 31 (1838).  
 CERVISPINIA, [Dill.] Moench, Meth. 686 (1794).  
 ENDOTROPIS, Rafin. Sylva Tellur. 31 (1838).  
 FORGEROUXA, Neck. Elem. ii. 124 (1790).  
 FRANGULA, Tourn. ex Hall. Enum. Helv. i. 164 (1742); et Mill. Gard. Dict. ed. VI (1752).  
 GIRTANNERIA, Neck. Elem. ii. 121 (1790).  
 HETTLINGERIA, Neck. l. c. 124 (1790).  
 LITHOPLIS, Rafin. Sylva Tellur. 32 (1838).  
 MARCORELLA, Neck. Elem. ii. 122 (1790).  
 PALIURUS, Tourn. ex Mill. Gard. Dict. ed. VI (1752).  
 PERFONON, Rafin. Sylva Tellur. 29 (1838).  
 SARCOMPHALUS, Rafin. l. c. (1838).  
 SCIADOPHILA, Phil. in Linnaea, xxviii. (1856) 618.  
 VERLANGIA, Neck. Elem. ii. 125 (1790).  
*acuminata*, Colebr. in Roxb. Fl. Ind. i. 615 = *Colubrina asiatica*.  
*adriatica*, Jord. ex Nym. Consp. 145 = *intermedia*.  
*agrestis*, Lour. Fl. Cochinch. 197 = *Zizyphus agrestis*.  
*affinis*, Blume, Bijdr. 1140.—Java.  
*africana*, Mill. Gard. Dict. ed. VIII. n. 4 = *Noltea africana*.  
*Alaternus*, Linn. Sp. Pl. 193.—Reg. Mediterr.; As. Min.  
*alnifolia*, L'Hérit. Sert. Angl. 5.—Am. bor.  
*alnifolia*, Pursh, Fl. Am. Sept. i. 166 = *Purshiana*.  
*alnoides*, S. F. Gray, Nat. Arr. Brit. Pl. ii. 621 = *R. Frangula*.

## RHAMNUS:—

*alpina*, Linn. Sp. Pl. 193.—Europ.; Afr. bor.  
*alpina*, Pall. Fl. Ross. ii. 23 = *grandifolia*.  
*alpina*, Richards, in Frankl. Journ. App. 734 = *alnifolia*.  
*alpina*, Sibth. & Sm. Fl. Graec. Prod. i. 158 = *fallax*.  
*amygdalina*, Desf. Fl. Atlant. i. 198 = *oleoides*.  
*amygdalina*, Moris, Stirp. Sard. Elench. fasc. i. 11 = *persicaefolia*.  
*angulata*, Pers. Syn. i. 240 = *Zizyphus angulata*.  
*angustifolia*, Hort. ex C. Koch, Dendrol. i. 17 = *R. Alaternus*.  
*aphylla*, Gmel. ex Steud. Nom. ed. II. ii. 443 = *Noaea spinosissima*.  
*aragonensis*, [Asso.] Syn. Arag. 27 = *lycioides*.  
*arenicola*, Casar. Nov. Stirp. Bras. Dec. 76 = *Scutia arenicola*.  
*arguta*, Maxim. in Mém. Acad. Pétersb. Sér. VII. x. (1866) n. XI. 6.—China.  
*Arnottiana*, Gardn. ex Thw. Enum. Pl. Zeyl. 74.—Zeylan.  
*asiatica*, Lam. Encyc. iv. 474 = *Colubrina asiatica*.  
*asplenifolia*, Carr. in Rev. Hortie. (1872) 195 = *incana*, Carr.?  
*australis*, Pers. Syn. i. 241 = *Paliurus aculeatus*.  
*balearica*, Hort. ex Steud. Nom. ed. II. ii. 443 = *R. Alaternus*.  
*balearica*, Hort. Par. ex Link, Handb. ii. 121 = *R. Frangula*?  
*balearica*, Willk. in Oestr. Bot. Zeitschr. xxv. (1875) 112.—Hispan.  
*baptica*, Decne. ex Rondot, Vert de Chine, 58, nomen (Quid?).—China.  
*biflora*, D. Dietr. Syn. Pl. i. 807, sphalm. = seq.  
*biniflora*, [Moq. & Sesse,] ex DC. Prod. ii. 26 = *Karwinskia Humboldtiana*.  
*Boissieri*, Heldr. ex Boiss. Fl. Orient. ii. 18 = *prunifolia*.  
*brasiliensis*, Spreng. Syst. i. 768 = *Ilex pubiflora*.  
*Burgeri*, Miq. Ann. Mus. Bot. Lugd. Bat. iii. 31.—Japan.  
*burgundiaca*, Desf. Tabl. ed. II. 202 = *hybrida*.  
*buxifolia*, Poir. Voy. Barb. ii. 127.—Afr. bor.  
*californica*, Eschsch. in Mém. Acad. Pétersb. x. (1823) 285.—Calif.; Mexic.  
*canadensis*, Hort. ex Koch, Dendrol. i. 610 = *caroliniana*.  
*capensis*, Spreng. Syst. i. 767 = *Elaeodendron croceum*.  
*capensis*, Thunb. Prod. Pl. Cap. 44 = *Scutia Commersonii*.  
*capillaris*, Pourr. ex Willk. & Lange, Prod. Fl. Hisp. iii. 483 = *lycioides*.  
*capreaefolia*, Schlecht. in Linnaea, xx. (1841) 464.—Mexic.  
*cardiocrapa*, Willd. ex Roem. & Schult. Syst. v. 276 = *tinctoria*.  
*cardiosperma*, Willd. ex DC. Prod. i. 24 = *tinctoria*.  
*carniolica*, Kern. in Zeitschr. Ferdinand. Tirol. III. xv. (1870) 282 = *saxatilis*.  
*caroliniana*, Walt. Fl. Carol. 101.—Am. bor.  
*carpinifolia*, Pall. Fl. Ross. i. ii. 24. t. 10 = *Zelkova crenata*.  
*cassinoides*, Lam. Encyc. iv. 474.—Ins. S. Doming.  
*castaneifolia*, Hort. ex Lebas, in Rev. Hortie. (1867) 306.—Hab.?  
*cathartica*, Linn. Sp. Pl. 193.—Europ. As. et Afr. bor.  
*cathartica*, Pall. Reise, iii. 423 = *dahurica*.  
*celtifolia*, Thunb. Prod. Pl. Cap. 44.—Afr. austr.  
*Chacaye*, Domb. ex Brongn. in Ann. Sc. Nat. Sér. I. x. (1827) 366 = *Discaria serratifolia*.  
*chlorophora*, Decne. in Compt. Rend. Par. xlv. (1857) 1141 = *tinctoria*.  
*cinerascens*, Blume, Bijdr. 1141.—Java.  
*circumcissa*, Linn. f. Suppl. 152 = *Scutia Commersonii*.  
*circumcissa*, Russ. ex Wall. Cat. n. 4245 C = *Zizyphus Jujuba*.  
*Clusii*, Willd. Enum. Hort. Berol. 250 = *R. Alaternus*.  
*collina*, Salisb. Prod. 139 = *R. Alaternus*.  
*colubrina*, Jacq. Enum. Pl. Carib. 16; Linn. Sp. Pl. ed. II. 280 = *Colubrina ferruginosa*.  
*coriacea*, Brouss. in Roem. & Schult. Syst. v. 291; Nees, Hor. Phys. Berol. 114. t. 22 = *integrifolia*.  
*coriacea*, Buch. in Abh. Berl. Akad. 1816–17 (1819), 382 = *racemosa*.  
*coriacea*, Willd. ex Spreng. Syst. i. 768 (= *Mespilodaphne glauca*).—Bras.

**RHAMNUS:—**

*cornifolia*, Boiss. & Hohen. *Diagn.* Ser. I. ix. 1.—Kurdist.; Persia.  
*corymbosa*, Vahl, ex Roem. & Schult. *Syst.* v. 294 = *Sageretia corymbosa*.  
*costata*, Maxim. in *Mém. Acad. Pétersb.* Sér. VII. x. (1866) n. xi. 17.—Japon.  
*crenata*, Baker & S. Moore, in *Journ. Linn. Soc.* xvii. (1879) 380 = *parvifolia*.  
*crenata*, Sieb. & Zucc. in *Abh. Akad. Muench.* iv. ii. (1843) 146.—Japon.  
*crenulata*, Ait. *Hort. Kew.* ed. I. i. 263.—Ins. Teneriff.  
*Crini*, Orph. ex Boiss. *Fl. Orient.* ii. 20 = *fallax*.  
*crocea*, Nutt. in *Torr. & Gray, Fl. N. Am.* i. 261.—Am. bor. occ.  
*cubensis*, Jacq. *Enum. Pl. Carib.* 16 = *Ceanothus cubensis*.  
*cubensis*, Pers. *Syn.* i. 240 = *Rhus lineatifolia*.  
*cumanensis*, Loefl. *It. Hisp.* 182.—Venezuela.  
*cuneata*, Dougl. in *Hook. Fl. Bor. Am.* i. 124 = *Ceanothus cuneatus*.  
*cuneifolia*, Poir. *Encyc. Suppl.* iv. 89 = *oleoides*.  
*dahurica*, Pall. *Reise*, iii. 721 (dahurica).—Ind. or.; As. bor.  
*Dalanta*, Blanco, *Fl. Filip.* ed. II. 121 = *Zizyphus Dalanta*.  
*diffusa*, Clos, in *C. Gay, Fl. Chil.* ii. 18.—Chili.  
*divaricata*, Forsk. *Fl. Aegypt. Arab.* 204 = *Zizyphus Spina-Christi*.  
*domingensis*, Jacq. *Enum. Pl. Carib.* 17 = *Ceanothus reclinatus*.  
*Drummondii*, Young, *Fl. Texas*, 204 = *Colubrina texensis*.  
*elegans*, H. B. & K. *Nov. Gen. et Sp.* vii. 53 = *Sageretia elegans*.  
*elliptica*, Sw. *Prod. Veg. Ind. Occ.* 50 = *Ceanothus reclinatus*.  
*Ephedra*, Domb. ex DC. *Prod.* ii. 29 = *Retanilla Ephedra*.  
*erythroxylla*, St. Lag. in *Ann. Soc. Bot. Lyon*, vii. (1880) 133 = *R. Erythroxyllum*.  
*Erythroxyllum*, Georgi, *Beschr. Russ. Reich. Nachtr.* 262; Bieb. *Fl. Taur. Cauc.* i. 168 = *Pallasii*.  
*Erythroxyllum*, Pall. *Reise*, iii. 722.—Sibir.  
*fallax*, Boiss. *Diagn.* Ser. II. v. 73.—Graecia.  
*ferrea*, Vahl, *Symb. Bot.* iii. 41 = *Scutia ferrea*.  
*ferruginea*, Nutt. in *Journ. Acad. Philad.* vii. (1834) 90 = *Colubrina ferruginosa*.  
*filiformis*, Roth, *Nov. Pl. Sp.* 153 = *Sageretia oppositifolia*.  
*Frangula*, Linn. *Sp. Pl.* 193.—Europ.; As. et Afr. bor.  
*franguloides*, Michx. *Fl. Bor. Am.* i. 153 = *alnifolia*.  
*franguloides*, Willd. ex Roem. & Schult. *Syst.* v. 295 = *californica*.  
*glabrata*, Heyne, in *Wall. Cat. n.* 7479 = *Zizyphus rugosa*.  
*glandulosa*, Ait. *Hort. Kew.* ed. I. i. 265.—Ins. Canar.  
*globosa*, Bunge, *Enum. Pl. Chin. Bor.* 14 = *tinctoria*.  
*globosa*, Sieb. & Zucc. in *Abh. Akad. Muench.* iv. ii. (1843) 146 = *japonica*.  
*glomerata*, Hook. ex Benth. *Pl. Hartw.* 9 = *Colubrina glomerata*.  
*Goudotiana*, Triana & Planch. in *Ann. Sc. Nat.* Sér. V. xvi. (1872) 379.—N. Granat.  
*graeca*, Boiss. & Reut. *Diagn.* Ser. II. v. 74.—Graecia.  
*graeca*, Kotschy, ex Boiss. *Fl. Orient.* ii. 14 = *punctata*.  
*grandifolia*, Fisch. & Mey. ex Ledeb. *Fl. Ross.* i. 504.—Reg. Caucas.  
*guayaquilensis*, H. B. & K. *Nov. Gen. et Sp.* vii. 54.—Ecuador.  
*Guicciardii*, Heldr. & Sart. ex Boiss. *Fl. Orient.* ii. 20 = *Sibthorpiana*.  
*hederacea*, Delort. ex Nym. *Consp.* 145 = *R. Alaternus*.  
*Heldreichii*, Boiss. *Diagn.* Ser. II. i. 120.—As. Min.  
*heterogenea*, Burm. f. *Fl. Ind.* 61 = *Zizyphus Spina-Christi*.  
*hirsuta*, Wight & Arn. *Prod.* 165 = *dahurica*.  
*hirtella*, Boiss. *Fl. Orient.* ii. 15.—As. Min.  
*hispanica*, Hort. ex C. Koch, *Dendrol.* i. 617 = *R. Alaternus*.  
*horrida*, Salisb. *Prod.* 139 = *Paliurus aculeatus*.  
*Humboldtiana*, Roem. & Schult. *Syst.* v. 295 = *californica*.  
*humifusa*, Schur, *Enum. Pl. Transs.* 142 = *saxatilis*.  
*hybrida* ×, L'Hérit. *Sert. Angl.* 5.

**RHAMNUS:—**

*hydiensis*, Hacq. *Pl. Alp.* t. 2 = *pumila*.  
*iguanaea*, Jacq. *Enum. Pl. Carib.* 16; Linn. *Sp. Pl.* ed. II. 282 = *Celtis aculeata*.  
*iguanea*, Vell. *Fl. Flum.* 96; ii. t. 147.—Bras.  
*ilicifolia*, Kellogg, in *Proc. Calif. Acad.* ii. (1863) 37 = *crocea*.  
*illyrica*, Griseb. ex Pant. in *Verh. Ver. Nat.-Heilk.* Presb. ii. (1871-72) 110 = *graeca*.  
*incana*, Carr. in *Rev. Hort.* Sér. IV. vii. (1858) 657.—Gall. austr.  
*incana*, Roxb. *Hort. Beng.* 17; *Fl. Ind.* i. 603.—Ins. Molucc.  
*inebrians*, R. Br. in *Salt, Abyss. App.* 64 = *R. Staddo*?  
*inermis*, Gilib. *Fl. Lituan.* ii. 133 = *alpina*.  
*infectoria*, Koch, *Syn. Fl. Germ.* ed. I. 148 = *intermedia*.  
*infectoria*, Linn. *Mant.* i. 40.—Europ. austr.  
*infectoria*, Tchihat. *Asie Min. Bot. Atl.* t. 9 = *petiolaris*.  
*infusum*, Delile, in *Ferr. & Galin. Voy. Abyss.* iii. 111 = *R. Staddo*.  
*insularis*, Kellogg, in *Proc. Calif. Acad.* ii. (1863) 20 (*insulus*) = *crocea*.  
*integrifolia*, DC. *Cat. Hort. Monsp.* 136.—Ins. Canar.  
*integrifolia*, Spreng. ex Meissn. in *DC. Prod.* xv. i. 97 (= *Mespilodaphne glauca*).—Bras.  
*intermedia*, Steud. & Hochst. in *Flora*, x. (1827) 74.—Europ.  
*japonica*, Maxim. in *Mem. Acad. Pétersb.* Sér. VII. x. (1806) n. xi. 11.—Japon.  
*javanica*, Miq. *Fl. Ind. Bat.* i. 1. 647.—Java.  
*Jujuba*, Linn. *Sp. Pl.* 194 = *Zizyphus Jujuba*.  
*kurdica*, Boiss. & Hohen. *Diagn.* Ser. I. ii. 3.—Mesopot.; Persia.  
*laevigata*, Vahl, *Symb. Bot.* iii. 41 = *Reynosia latifolia*.  
*lanceolata*, Pursh, *Fl. Am. Sept.* i. 166.—Am. bor.  
*Lando*, Llanos, *Fragm.* 57 (Quid?).—Ins. Philipp.  
*latifolia*, L'Hérit. *Sert. Angl.* 5. t. 8.—Ins. Azor.  
*laurifolia*, Nutt. in *Torr. & Gray, Fl. N. Am.* i. 260 = *californica*.  
*leprosa*, Blume, *Bijdr.* 1139.—Java.  
*libanotica*, Boiss. *Diagn.* Ser. II. i. 119.—As. Min.; Syria.  
*Lindeniana*, Triana & Planch. in *Ann. Sc. Nat.* Sér. V. xvi. (1872) 379.—N. Granat.  
*linearis*, Clos, in *C. Gay, Fl. Chil.* ii. 19.—Chili.  
*linearis*, Sessé & Moc. ex Brongn. in *Ann. Sc. Nat.* Sér. I. x. (1827) 367 = *Adolphia infesta*.  
*lineata*, Linn. *Cent. Pl.* ii. 11; Amoen. *Acad.* iv. 308 = *Berchemia lineata*.  
*lineata*, Lour. *Fl. Cochinch.* 159 = *Berchemia Loureiriana*.  
*lineatifolia*, Roem. & Schult. *Syst.* v. 294 = *Rhus lineatifolia*.  
*littoralis*, Siebold, ex Miq. *Ann. Mus. Bot. Lugd. Bat.* iii. 30 = *Paliurus ramosissimus*.  
*longifolia*, [Desf.] *Dum.-Cours. Bot. Cult.* ed. II. vi. 260.—Am. bor.  
*longifolia*, Mill. *Gard. Dict.* ed. VIII. n. 3 = *saxatilis*.  
*Lotus*, Linn. *Sp. Pl.* 194 = *Zizyphus Lotus*.  
*lucida*, Roxb. *Hort. Beng.* 86; *Fl. Ind.* i. 605 = *Scutia Commersonii*.  
*lucida*, Salisb. *Prod.* 139 = *Zizyphus sativa*.  
*lycioides*, Brot. *Fl. Lusit.* i. 300 = *oleoides*.  
*lycioides*, Linn. *Sp. Pl.* ed. II. 279.—Reg. Mediterr. occ.  
*lycioides*, Pall. *Fl. Ross.* ii. 26 = *Pallasii*.  
*Lycium*, Scop. *Fl. Carn.* ed. II. i. 163 = *infectoria*, *saxatilis*.  
*macrophylla*, Carr. in *Rev. Hort.* (1876) 159.—China.  
*madagascariensis*, Pourr. ex Baill. *Adansonia*, i. (1860-61) 252 = *Gelonium adenophorum*.  
*major*, Carr. in *Rev. Hort.* (1874) 355 = *californica*?  
*mauritanica*, Soyer-Willem. in *Usteri, Ann. Bot.* xviii. (1796) 20 = *Zizyphus Jujuba*.  
*micrantha*, Linn. *Syst.* ed. X. 937 = *Trema micrantha*.  
*microcarpa*, Boiss. *Fl. Orient.* ii. 20.—Reg. Caucas.  
*microphylla*, Humb. & Bonpl. ex Roem. & Schult. *Syst.* v. 295.—Mexic.  
*microphylla*, Roxb. *Fl. Ind.* i. 613 = *Zizyphus rotundifolia*.  
*minor*, Mill. *Gard. Dict.* ed. VIII. n. 2 = *infectoria*.  
*minutiflora*, Michx. *Fl. Bor. Am.* i. 154 = *Sageretia Michauxii*.  
*montana*, Rosten. in *Feuill. Jeunes Nat.* x. (1879-80) 132, nomen = *alpina*?

**RHAMNUS:—**

*mucronata*, Schlecht. in *Linnaea*, xv. (1841) 465.—Mexic.  
*myrtifolia*, Willk. in *Linnaea*, xxv. (1852) 18.—Hispan.  
*myrtina*, Burm. f. *Fl. Ind.* 60 = *Scutia Commersonii*.  
*mystacina*, Ait. *Hort. Kew.* ed. I. i. 266 = *Helinus mystacinus*.  
*Nabea*, Forsk. *Fl. Aegypt. Arab.* 204 = *Zizyphus Spina-Christi*.  
*nana*, Carr. in *Rev. Hort.* (1874) 355 = *californica*.  
*Napeca*, Linn. *Sp. Pl.* 194 = *Zizyphus Napeca*.  
*neapolitana*, Link. *Handb.* ii. 120 (Quid?).—Italia.  
*memoralis*, Salisb. *Prod.* 139 = *R. Frangula*.  
*Nerija*, Spreng. *Syst.* iv. *Cur. Post.* 86 = *Elaeodendron glaucum*.  
*nipalensis*, M. Laws. in *Hook. f. Fl. Brit. Ind.* i. 640.—Reg. Himal.  
*nummularia*, Burm. f. *Fl. Ind.* 61 = *Zizyphus rotundifolia*.  
*obscura*, Schrank, in *Syll. Ratisb.* i. (1824) 202.—Ind. occ.  
*obtusifolia*, Hook. ex Torr. & Gray, *Fl. N. Am.* i. 685 = *Zizyphus obtusifolia*.  
*Oenopia*, Linn. *Sp. Pl.* ed. II. 279 = *seq.*  
*Oenopia*, Linn. l. c. ed. I. 194 = *Zizyphus Oenopia*.  
*oleifolia*, Hook. *Fl. Bor. Am.* i. 123. t. 44 = *californica*.  
*oleoides*, Lam. *Fl. Fr.* ii. 545 = *infectoria*.  
*oleoides*, Linn. *Sp. Pl.* ed. II. 279.—Reg. Mediterr.  
*oppositifolia*, Noronha, in *Verh. Batav. Gen.* v. (1790) ed. I. Art. iv. 26 = *Luvunga eleutherandra*.  
*oreigenes*, Hance, in *Journ. Bot.* vii. (1869) 114; viii. (1870) 312 = *crenata*.  
*palaestina*, Boiss. *Diagn.* Ser. II. i. 119.—Syria; Arab.  
*Paliurus*, Linn. *Sp. Pl.* 194 = *Paliurus aculeatus*.  
*Pallasii*, Fisch. & Mey. in *Ind. Sem. Hort.* iv. 46.—Reg. Caucas.  
*paniculata*, Thonn. ex DC. *Prod.* ii. 30 = *Chailletia toxicaria*?  
*parviflora*, Klein & Willd. ex Roem. & Schult. *Syst.* v. 295 = *Sageretia oppositifolia*.  
*parvifolia*, Bunge, *Enum. Pl. Chin. Bor.* 14.—China.  
*parvifolia*, Torr. & Gray, *Fl. N. Am.* i. 262 = *lanceolata*.  
*parvifolia*, Turcz. in *Bull. Soc. Nat. Mosc.* (1837) n. vii. 150 = *dahurica*.  
*pauciflora*, Hochst. ex A. Rich. *Tent. Fl. Abyss.* i. 137.—Abyss.  
*pentapetalata*, Gilib. *Fl. Lituan.* ii. 131 = *R. Frangula*.  
*pentaphylla*, Jacq. *Obs. Bot.* ii. 17 = *Rhus pentaphylla*.  
*persica*, Boiss. *Diagn.* Ser. I. ii. 4.—Persia; Reg. Himal.  
*persicaefolia*, Moris, *Stirp. Sard. Elench.* fasc. ii. 2.—Ins. Sardoia.  
*peruviana*, Hort. ex Lam. *Encyc.* iii. 320 = *Maytenus octogona*.  
*petiolaris*, Boiss. & Bal. *Diagn.* Ser. II. v. 75.—As. Min.; Syria.  
*picenensis*, Duval-Jouve, in *Mém. Acad. Montp.* ix. (1878), reimpr. 12.—Gallia.  
*polifolia*, Vahl, *Symb. Bot.* iii. 41 = *Phyllica ramosissima*.  
*polygama*, Jacq. *Enum. Pl. Carib.* 17.—Ind. occ.  
*polymorpha*, Turcz. in *Bull. Soc. Nat. Mosc.* xv. (1842) 713 = *dahurica*.  
*pontica*, Boiss. *Fl. Orient.* ii. 21.—As. Min.  
*prinifolia*, Salisb. *Prod.* 139 = *prinoides*.  
*prinoides*, L'Hérit. *Sert. Angl.* vi. t. 9.—Afr. austr.  
*procumbens*, Edgew. in *Trans. Linn. Soc.* xx. (1846) 43.—Reg. Himal.  
*prunifolia*, Sibth. & Sm. *Fl. Graec. Prod.* i. 157.—Graecia.  
*prunifolia*, Sieber, ex Steud. *Nom.* ed. II. ii. 444 = *oleoides*.  
*pubescens*, Poir. *Encyc.* iv. 464 = *infectoria*.  
*pubescens*, Sibth. & Sm. *Fl. Graec.* iii. 33 = *Sibthorpiana*.  
*pubescens*, Triana & Planch. in *Ann. Sc. Nat.* Sér. V. xvi. (1872) 379 = *Ceanothus pubescens*.  
*pumila*, Linn. *Mant.* i. 49.—Europ.  
*pumila*, Wulf. in *Jacq. Coll.* ii. 141. t. 11 = *rupestris*.  
*punctata*, Boiss. *Diagn.* Ser. I. ii. 4.—Syria; Cilicia.  
*purpurea*, Edgew. in *Trans. Linn. Soc.* xx. (1846) 44.—Reg. Himal.  
*Purshiana*, DC. *Prod.* ii. 25.—Am. bor.  
*pusilla*, Tenore, *Prod. Fl. Neap.* 16 = *pumila*.

**RHAMNUS:**—

- quitensis, *Humb. & Bonpl. ex Roem. & Schult. Syst.* v. 295.—Ecuador.  
*quitensis*, Spreng. *Syst.* i. 769 = *Ilex paraguensis*.  
*racemosa*, *Dukam. Arb. ed. Nov.* iii. 48.—Hab.?  
*ramiflora*, *Rich. in Act. Soc. Hist. Nat. Par. i.* (1792) 107.—Guian.  
*ramosissima*, *Anct. ex Steud. Nom. ed. I.* 686; *ed. II.* ii. 444 = *Paliurus ramosissimus*.  
*recta*, *Forsk. Fl. Aegypt. Arab.* 204 = *Zizyphus Spina-Christi*.  
*repens*, *Page, Prod. Southampt. Bot. Gard.* 23; *Hort. ex C. Koch, Dendrol. i.* 614 = *pumila*.  
*Retamilla*, *Miers, in Ann. & Mag. Nat. Hist. Ser. III.* v. (1860) 483 = *seq.*  
*Retanilla*, *Domb. ex DC. Prod. ii.* 29 = *Retanilla obcordata*.  
*robusta*, *Hort.—Cf. Rev. Hort.* (1879) 100.—Hab.?  
*rotundifolia*, *Dum.-Cours. Bot. Cult. ed. II.* iv. 260 = *R. Alaternus*.  
*rotundifolia*, *Pers. Syn. i.* 240 = *Zizyphus Xylopyrus*.  
*ruffa*, *Vell. Fl. Flum.* 96; *ii. t.* 148.—Bras.  
*rumeliacea*, *Frivald. in Flora*, xviii. (1835) 332 = *rupestris*.  
*rupestris*, *C. A. Mey. Verz. Pfl. Cauc.* 133 = *microcarpa*.  
*rupestris*, *Royle, Illustr. Bot. Himal.* 169, *nomen* = *pro-cumbens*.  
*rupestris*, *Scop. Fl. Carn. ed. II.* i. 164. t. 5.—Europ. or.  
*rupestris*, *Vill. Hist. Pl. Dauph. ii.* 538 = *pumila*.  
*sanguinea*, *Pers. Syn. i.* 239 = *seq.*  
*Sanguino*, *Orteg. Hort. Matr. Dec.* 87 = *R. Frangula*.  
*Saqul*, *Domb. ex Brongn. in Ann. Sc. Nat. Sér. I. x.* (1827) 366 = *Discaria serratifolia*.  
*Sarcomphalus*, *Linn. Syst. ed. X.* 937 = *Sarcomphalus laurinus*.  
*saxatilis*, *Host, Syn.* 119 = *infectoria*.  
*saxatilis*, *Jacq. Enum. Stirp. Vindob.* 39, 212.—Europ. austr.  
*saxatilis*, *Sibth. & Sm. Fl. Graec. Prod. i.* 158 = *graeca*.  
*scandens*, *Hill, Hort. Kew.* 453 = *Berchemia volubilis*.  
*scandens*, *Spreng. Syst. i.* 768 = *Tralliana scandens*.  
*sectipetala*, *Mart. Herb. Fl. Bras. n.* 1085.—Bras.  
*sempervirens*, *Hort. ex Dum.-Cours. Bot. Cult. ed. II.* iv. 258 = *hybrida*.  
*senticosa*, *H. B. & K. Nov. Gen. et Sp.* vii. 54.—Peruv.  
*serrata*, *Willd. ex Roem. & Schult. Syst.* v. 295.—Mexic.  
*serrulata*, *H. B. & K. Nov. Gen. et Sp.* vii. 51. t. 617 = *praec.*  
*Shortii*, *Nutt. in Journ. Acad. Philad. vii.* (1834) 91 = *lanceolata*.  
*Sibthorpiana*, *Roem. & Schult. Syst.* v. 286.—Graecia.  
*sicula*, *Linn. Syst. ed. XII.* iii. App. 229 = *Argania Sideroxylon*.  
*sinensis*, *Ser. ex Rondot, Vert de Chine*, 53 = *dahurica*.  
*Sladdo*, *Walp. Ann. ii.* 267, *sphalm.* = *R. Staddo*.  
*soporifera*, *Lour. Fl. Cochinch.* 158 = *Zizyphus sativa*.  
*Spartium*, *Domb. ex Roem. & Schult. Syst.* v. 512 = *Discaria serratifolia*.  
*spathulaefolia*, *Fisch. & Mey. Ind. Sem. Hort. Petrop.* iv. 46.—Reg. Caucas.  
*sphaerosperma*, *Sw. Prod. Veg. Ind. Occ.* 50.—Ind. occ.  
*spiciflora*, *A. Rich. Tent. Fl. Abyss.* i. 138.—Abyss.  
*Spina-Christi*, *Linn. Sp. Pl.* 195 = *Zizyphus Spina-Christi*.  
*spinosa*, *Gilib. Fl. Lituan. ii.* 132 = *cathartica*.  
*spinosa*, *Hemsl. Diagn. Pl. Nov.* 6.—Panama.  
*splendens*, *Blume, Bijdr.* 1140.—Java.  
*Staddo*, *A. Rich. Tent. Fl. Abyss.* i. 138.—Abyss.  
*subsempervirens*, *Hort. ex C. Koch, Dendrol. i.* 614 = *pumila*.  
*surinamensis*, *Scop. Delic. Pl. Insubr.* iii. 10. t. 5.—Guian.  
*sylvaticus*, *Serres, in Bull. Soc. Bot. Fr.* iv. (1857) 436 = *cathartica*.  
*Talanai*, *Blanco, Fl. Filip. ed. I.* 170.—Ins. Philipp.  
*Teidis*, *Brouss. ex Roem. & Schult. Syst.* v. 291, *in obs.* = *integrifolia*.  
*terminalis*, *Buch.-Ham. ex D. Don, Prod. Fl. Nep.* 190 = *Sageretia oppositifolia*.  
*terniflora*, [*Moq. & Sesse*], *ex DC. Prod. ii.* 26.—Mexic.  
*tetragona*, *Linn. f. Suppl.* 153; *Thunb. Prod. Pl. Cap.* 42 = *Cassine scandens*.

**RHAMNUS:**—

- texensis*, *Torr. & Gray, Fl. N. Am.* i. 263 = *Colubrina texensis*.  
*Thea*, *Osbeck, It.* 232 = *Sageretia theezans*.  
*theezans*, *Linn. Mant. ii.* 207 = *Sageretia theezans*.  
*tinctoria*, *Mutell. Fl. Fr. i.* 218 = *infectoria*.  
*tinctoria*, *Waldest. & Kit. Pl. Rar. Hung.* iii. 283. t. 255.—Europ. or.; *As. Min.*  
*tomentella*, *Benth. Pl. Hartw.* 303 = *californica*.  
*transsilvanica*, *Schur, in Verh. Siebenb. Ver. Naturw.* iv. (1853) 21 = *tinctoria*.  
*trigyna*, *Buch.-Ham. ex D. Don, Prod. Fl. Nep.* 190 = *Sageretia oppositifolia*.  
*trinervis*, *Cav. Ic. vi.* 3 = *Zizyphus exserta*.  
*tripartita*, *Ucria, in Roem. Arch. i.* 1. (1796) 68 = *Rhus alba*.  
*triquetra*, *Wall. in Roxb. Fl. Ind. ed. Carey*, ii. 376.—Reg. Himal.  
*ulmoides*, *Gueldenst. ex Ledeb. Fl. Ross* iii. 645 = *Zelkova crenata*.  
*umbellata*, *Cav. Ic. vi.* 2. t. 504 = *californica*.  
*uninervis*, *Dulac, Fl. Hautes-Pyr.* 333 = *oleoides*.  
*utilis*, *Decne. in Compt. Rend. Par.* xlv. (1857) 1141 = *dahurica*.  
*valentina*, *Willd. Sp. Pl. i.* 1096 = *pumila*.  
*velutina*, *Boiss. Elench. Fl. Nov. Hisp.* 29 = *lycioides*.  
*venosa*, *Lam. ex Poir. Encyc. iv.* 474 = *Ceanothus reclinatus*.  
*Villarsii*, *Link, Handb. ii.* 120 = *pumila*.  
*Villarsii*, *Jord. Obs. Pl. Crit. vii.* (1849) 18 = *infectoria*.  
*virgata*, *Maxim. in Mém. Acad. Pétersb. Sér. VII. x.* (1866) n. xi. 13 = *parvifolia*.  
*virgata*, *Roxb. Hort. Beng.* 17; *Fl. Ind. i.* 604 = *daurica*.  
*virginicus*, *Page, Prod. Bot. Southamp. Gard.* 23 (Quid?).—Am. bor.  
*vitiensis*, *Benth. Fl. Austral. i.* 413 = *Dallachya vitiensis*.  
*Vitis-idea*, *Burm. f. Fl. Ind.* 61 = *Breynea rhamnoides*.  
*volubilis*, *Linn. f. Suppl.* 132 = *Berchemia volubilis*.  
*vulgaris*, *Pers. Syn. i.* 240 = *Zizyphus sativa*.  
*Wichellii*, *Hort. ex C. Koch, Dendrol. i.* 604 = *cathartica*.  
*Wicklia*, *Hort. ex C. Koch, l. c.* = *cathartica*.  
*Wightii*, *Wight & Arn. Prod.* 164.—Ind. or.  
*Wihhor*, *Luce, in Ind. Hort. Dorpat.* (1824) 6; *et in Topog. Nachr. Oescl.* 62 = *cathartica*.  
*Willdenowiana*, *Roem. & Schult. Syst.* v. 295 = *longifolia*.  
*Wulfeni*, [*Hoppe, in*] *Flora*, vi. (1823) 173 = *rupestris*.  
*Wulfenii*, *Roth, Enum. Pl. Phan. Germ. i.* 745 = *pumila*.  
*xanthocarpa*, *Hort. ex C. Koch, Dendrol. i.* 605 = *cathartica*.  
*xylopyra*, *Retz. Obs. ii.* 11 = *Zizyphus Xylopyrus*.  
*Zeyheri*, *Sond. in Harv. & Sond. Fl. Cap. i.* 477.—Afr. austr.  
*Zeyheri*, *Spreng. ex Sond. l. c.* 230, *Add.* 20 = *Elaeodendron croceum*.  
*zizyphoides*, *Spreng. Fl. Hal. Mant.* 37 = *Alphitonia excelsa*.  
*Zizyphus*, *Linn. Pl. Pl.* 194 = *Zizyphus sativa*.  
*zonulata*, *Blanco, Fl. Filip. ed. I.* 172 = *Zizyphus Xylopyrus*.
- RHAMPHICARPA**, *Penth. in Hook. Comp. Bot. Mag. i.* (1835) 368. *SCROPHULARINEAE*, *Benth. & Hook. f. ii.* 969.  
*MACROSIPHON*, *Hochst. in Flora*, xxiv. (1841) 373.  
*Cameroniana*, *Oliver, in Journ. Linn. Soc. xiv.* (1876) 95.—Afr. trop.  
*curviflora*, *Benth. in Hook. Comp. Bot. Mag. i.* (1835) 368.—Madag.  
*fistulosa*, *Benth. in DC. Prod. x.* 504 = *longiflora*.  
*Herzfeldiana*, *Vatke, in Linnaea*, xliii. (1880–82) 311.—Afr. trop.  
*Heuglinii*, *Hochst. ex Schweinf. Beitr. Fl. Aethiop.* 100.—Afr. trop.  
*humilis*, *Hochst. in Flora*, xxvii. (1844) 101 = *Cycnium humifusum*.  
*longiflora*, *Benth. in Hook. Comp. Bot. Mag. i.* (1835) 368.—Ind. or.; *Austral.*  
*recurva*, *Oliver, in Trans. Linn. Soc. xxix.* (1875) 122.—Afr. trop.  
*serrata*, *Klotzsch, in Peters, Reise Mossamb. Bot.* 228.—Afr. trop.  
*tubulosa*, *Benth. in Hook. Comp. Bot. Mag. i.* (1835) 368.—Afr. austr.  
*veronicaefolia*, *Vatke, in Linnaea*, xliii. (1880–82) 312.—Afr. trop.

- RHAMPHIDIA**, *Lindl. in Journ. Linn. Soc. i.* (1857) 181 = *Hetaeria*, *Blume (Orchid.)*.  
*alsinefolia*, *Lindl. l. c.* 182 = *Myrmechis gracilis*.  
*discoidea*, *Reichb. f. in Linnaea*, xli. (1877) 59.—N. Caled.  
*elongata*, *Lindl. in Journ. Linn. Soc. i.* (1857) 181 = *H. elongata*.  
*Gardneri*, *Thw. Enum. Pl. Zeyl.* 313 = *H. Gardneri*.  
*grandiflora*, *Lindl. in Journ. Linn. Soc. i.* (1857) 182 = *Myrmechis glabra*.  
*Mannii*, *Reichb. f. Otia Bot. Hamb.* 109.—Afr. trop.  
*ovalifolia*, *Lindl. in Journ. Linn. Soc. i.* (1857) 181 = *H. ovalifolia*.  
*rubens*, *Lindl. l. c.* 182 = *H. rubens*.  
*rubicunda*, *Reichb. f. in Seem. Fl. Vit.* 294 = *Goodyera rubicunda*?  
*scripta*, *Reichb. f. in Linnaea*, xli. (1877) 59.—N. Caled.  
*tenuis*, *Lindl. in Journ. Linn. Soc. i.* (1857) 182 = *H. tenuis*.  
*Vieillardii*, *Reichb. f. in Linnaea*, xli. (1877) 58.—N. Caled.
- RHAMPHOSPERMUM**, *Andrz. ex Bess. Enum. Pl. Volh.* 83 (1822) = *Brassica*, *Tourn. (Crucif.)*.  
*album*, *Andrz. ex Reichb. in Moessl. Handb. ed. II.* ii. 1186 = *B. alba*.  
*arvense*, *Andrz. ex Bess. Enum. Pl. Volh.* 83 = *B. Sinapis*.  
*orientale*, *Andrz. l. c.* = *B. Sinapis*.  
*volgense*, *Andrz. ex Rupr. Fl. Ingr.* 97 = *B. juncea*.
- RHANTERIUM**, *Desf. Fl. Atlant. ii.* 291. t. 240 (1799). *COMPOSITAE*, *Benth. & Hook. f. ii.* 338.  
*adpressum*, *Coss. & Dur. in Bull. Soc. Bot. Fr.* ii. (1855) 252.—Alger.  
*epapposum*, *Oliver, in Hook. Ic. Pl. t.* 1367.—Beluchist.  
*intermedium*, *Pomel, Nouv. Mat. Fl. Atl.* 37 = *adpressum*.  
*suaveolens*, *Desf. Fl. Atlant. ii.* 291. t. 240.—Afr. bor.
- RHAPHANOS**, *St. Lag. in Ann. Soc. Bot. Lyon*, vii. (1880) 65, 133 = *Raphanus*, *Tourn. (Crucif.)*.  
*landrus*, *St. Lag. l. c.* 133 = *Raphanus Landra*.
- RHAPHEDOSPERA**, *Wight, Ic. t.* 1554 (1850), *sphalm.* = **RHAPHIDOSPORA**, *Nees = Justicia*, *Houst. (Acanth.)*.
- RHAPHIA**, *Auct. ex Steud. Nom. ed. II.* ii. 445 (1841) = *Raphia*, *Beauv. (Palm.)*.
- RHAPHIDIOCYSTIS**, *Hook. f. in Oliver, Fl. Trop. Afr. ii.* 553 (1871) = *Raphidiocystis*, *Hook. f. (Cucurb.)*.
- RHAPHIDOPHORA**, *Hassk. in Flora*, xxv. (1842) ii. Beibl. 11, partim; *Schott, Gen. Aroid. t.* 77 (1858). *AROIDEAE*, *Benth & Hook. f. iii.* 992.  
*RHAPHIDOPHORA*, *Hassk. in Hoev. & De Vriese, Tijdschr. ix.* (1842) 168.  
*affinis*, *Schott, Prod. Aroid.* 385.—Reg. Himal.  
*amplissima*, *Schott, in Miq. Ann. Mus. Lugd. Bat. i.* 129 = *Epipremnum amplissimum*.  
*angulata*, *Schott, Prod. Aroid.* 379 = *montana*.  
*angustata*, *Engl. in DC. Monog. Phan. ii.* 241 = *montana*.  
*angustata*, *Schott, in Miq. Ann. Mus. Bot. Lugd. Bat. i.* 128.—Sumatra.  
*angustifolia*, *Schott, in Bonplandia*, v. (1857) 45.—Malaya; *N. Guin.*  
*Beccarii*, *Engl. Bot. Jahrb. i.* (1881) 181.—Borneo.  
*Calophyllum*, *Schott, Prod. Aroid.* 380 = *R. Peepla*.  
*caudata*, *Schott, l. c.* 382 = *Epipremnum mirabile*.  
*conica*, *Engl. Bot. Jahrb. i.* (1881) 181.—N. Guin.  
*Cunninghamii*, *Schott, in Bonplandia*, ix. (1861) 367 = *Epipremnum mirabile*?  
*decursiva*, *Scott, l. c. v.* (1857) 45.—Ind. or.  
*dilacerata*, *Koch, in Regel, Gartenfl.* (1864) 5. t. 423 = *decursiva*.  
*eximia*, *Schott, in Bonplandia*, v. (1857) 45; *Prod. Aroid.* 387.—Reg. Himal.  
*fallax*, *Schott, in Miq. Ann. Mus. Bot. Lugd. Bat. i.* 128 = *montana*.  
*glaucua*, *Schott, in Bonplandia*, v. (1857) 45.—Reg. Himal.  
*grandis*, *Schott, in Oestr. Bot. Zeitschr. viii.* (1855) 349 = *eximia*.

**RHAPHIDOPHORA** :—

- honkongensis*, Schott, Prod. Aroid. 378 = *angustifolia*. Hookeri, Schott, l. c. 381.—Reg. Himal.  
*Huegelii*, Schott, l. c. 384 = *Epipremnum medium*.  
*insignis*, Schott, Gen. Aroid. t. 77 = *eximia*?  
*Korthalsiana*, Herb. Lugd. Bat. ex Engl. in DC. Monog. Phan. ii. 250 = *Epipremnum medium*.  
*Korthalsii*, Schott, in *Miq. Ann. Mus. Lugd. Bat.* i. 129.—Malaya.  
*lacera*, Hassk. in *Flora*, xxv. (1842) ii. Beibl. 11 = *Epipremnum mirabile*.  
*lanceifolia*, Schott, Prod. Aroid. 380.—Reg. Himal.  
*lingulata*, Schott, in *Bonplandia*, v. (1857) 45.—Java.  
*Lobbii*, Schott, Prod. Aroid. 379.—Malaya.  
*maxima*, Engl. in *Bull. Soc. Tosc.ortic.* iv. (1879) 269.—Borneo.  
*megastigma*, Engl. Bot. *Fahrb.* i. (1881) 180.—Sumatra.  
*montana*, Schott, in *Miq. Ann. Mus. Lugd. Bat.* i. 128.—Java.  
*oblongifolia*, Schott, l. c. 128 = *spathacea*.  
*Peepia*, Schott, in *Bonplandia*, v. (1857) 45.—Ind. or.; Malaya.  
*Peepia*, Thw. Enum. Pl. Zeyl. 336 = *pertusa*.  
*pertusa*, Schott, Prod. Aroid. 382.—As. trop. [Austral.; Ins. Pacif.].  
*pinnata*, Schott, in *Bonplandia*, v. (1857) 45 = *Epipremnum mirabile*.  
*pinnatifida*, Schott, l. c. = *Epipremnum mirabile*?  
*pteropoda*, Engl. in *Bull. Soc. Tosc.ortic.* iv. (1879) 268.—N. Guin.  
*puberula*, Engl. Bot. *Fahrb.* i. (1881) 180.—Sumatra.  
*spathacea*, Schott, in *Miq. Ann. Mus. Lugd. Bat.* i. 129.—Java.  
*Storckiana*, Schott, in *Bonplandia*, x. (1862) 346.—Ins. Fiji.  
*sylvestris*, Engl. in DC. Monog. Phan. ii. 239 = *angustifolia*.  
*tenuis*, Engl. Bot. *Fahrb.* i. (1881) 181.—Borneo.  
*vitiensis*, Schott, in *Bonplandia*, ix. (1861) 367 = *Epipremnum mirabile*.  
*Wallichii*, Schott, Prod. Aroid. 383 = *Epipremnum mirabile*.  
*Zippeliana*, Schott, in *Miq. Ann. Mus. Lug. Bat.* i. 129 = *Epipremnum asperatum*.

**RHAPHIDOPHYLLUM**, Benth. in DC. Prod. x. 521 (1846) = **RAPHIDOPHYLLUM**, Hochst. = **Sopubia**, Buch.-Ham. (Scrophul.).

**RHAPHIDOSPERMA**, G. Don, in Sweet, Hort. Brit. ed. III. 559 (1839), sphalm. = seq.

**RHAPHIDOSPORA**, Nees, in Wall. Pl. As. Rar. iii. 115 (1832) = **Justicia**, Houst. (Acanth.).  
*abyssinica*, Nees, in DC. Prod. xi. 500 = *J. glabra*.  
*ciliata*, Nees, l. c. = *J. pubigera*.  
*cordata*, Nees, l. c. 499 = *J. cordata*.  
*dichotoma*, Nees, l. c. 500 = *Dianthera dichotoma*.  
*glabra*, Nees, in Wall. Pl. As. Rar. iii. 115 = *J. glabra*.  
*leptantha*, Nees, in DC. Prod. xi. 501 = *J. leptantha*.  
*membranifolia*, Miq. Fl. Ind. Bat. ii. 850.—Java.  
*tenella*, T. Anders. in Journ. Linn. Soc. ix. (1867) 515 = *Dianthera collina*.  
*tenella*, Nees, in DC. Prod. xi. 501.—Java.  
*vestita*, G. Don, in Sweet, Hort. Brit. ed. III. 559 = *Nelsonia campestris*.

**RHAPHIODON**, Schau. in *Flora*, xxvii. (1844) 345 = **Hyptis**, Jacq. (Labiata).  
*Echinus*, Schau. l. c. = *H. Sideritis*.

**RHAPHIOLEPIS**, Poir. in Dict. Sc. Nat. xv. 314 (1827) = **Raphiolepis**, Lindl. (Rosac.).

**RHAPHIONACME**, C. Muell. in Walp. Rep. vi. 480 (1846–47) sphalm. = **Raphionacme**, Harv. (Asclep.).

**RHAPHIOPHALLUS**, Schott, Gen. Aroid. t. 27 (1858). **AROIDEAE**, Benth. & Hook. f. iii. 972.  
*Hohenackeri*, Schott, l. c.—Ind. or.

**RHAPHIOSTYLIS**, Planch. ex Benth. in Hook. Niger Fl. 259 (1849) = **Apodytes**, E. Mey. (Olacin.).  
*beninensis*, Planch. ex Benth. l. c. 259 = *A. beninensis*.  
*Heudelotii*, Planch. ex Miers, in Ann. & Mag. Nat. Hist. Ser. II. ix. (1852) 391 = *A. beninensis*.

**RHAPHIS**, Lour. Fl. Cochinch. 552 (1790) = **Chrysopogon**, Trin. (Gramin.).

- acicularis*, Desv. Opusc. 69 = *C. aciculatus*.  
*arguta*, Nees, ex Steud. Syn. Pl. Gram. 391 = *C. argutus*.  
*arundinacea*, Desv. Opusc. 69 = *Sorghum halepense*.  
*arundinacea*, Llanos, in Mem. Acad. Cienc. Madr. ii. (1859) 499.—Ins. Philipp.  
*ciliolata*, Nees, ex Steud. Syn. Pl. Gram. 396 = *C. serrulatus*.  
*coerulescens*, Desv. Opusc. 69 = *C. violascens*.  
*coeruleus*, Nees, in Royle, Illustr. Bot. Himal. 417, nomen; et ex Steud. Syn. Pl. Gram. 395 = *C. serrulatus*.  
*echinulata*, Nees, l. c. 417; 397 = *C. Gryllus*.  
*glaucia*, Nees, ex Steud. l. c. = *C. montanus*.  
*Gryllus*, Desv. Opusc. 69 = *C. Gryllus*.  
*javanica*, Nees, ex Steud. Syn. Pl. Gram. 396 = *C. aciculatus*.  
*microstachya*, Nees, in Royle, Illustr. Bot. Himal. 417; et ex Steud. Syn. Pl. Gram. 397 = *C. violascens*.  
*muricata*, Nees, l. c. 416; 394 = *Andropogon squarrosus*.  
*orientalis*, Desv. Opusc. 69 = *C. Wightianus*.  
*repens*, Nees, ex Steud. Syn. Pl. Gram. 397 = *C. montanus*.  
*Royleana*, Nees, l. c. = *C. Gryllus*.  
*stricta*, Nees, in Hook. Kew Journ. ii. (1850) 99 = *Andropogon intermedius*.  
*trivalvis*, Kunth, Enum. Pl. i. 505, sphalm. = seq.  
*trivialis*, Lour. Fl. Cochinch. 553 = *C. aciculatus*.  
*villosula*, Nees, ex Steud. Syn. Pl. Gram. 397 = *C. violascens*.  
*Wightiana*, Nees, ex Steud. l. c. 395 = *C. Wightianus*.  
*zeylanica*, Nees, ex Steud. l. c. 397 = *C. Arnottianus*.

**RHAPHIS**, Walp. Ann. iii. 471 (1852), sphalm. = **Rhapis**, Linn. f. (Palm.).

**RHAPHISPERMUM**, Benth. in DC. Prod. x. 509 (1848). **SCROPHULARINEAE**, Benth. & Hook. f. ii. 973.  
*gerardioides*, Benth. in DC. Prod. x. 509.—Madag.

**RHAPHISTEMMA**, Meissn. Gen. 268 (1840) = **Raphistemma**, Walt. (Asclep.).

**RHAPHISTEMUM**, Walp. Ann. i. 506 (1848–49) sphalm. = *praeac.*

**RHAPHITAMNUS**, Miers, in Trans. Linn. Soc. xxvii. (1870) 95. t. 26. **VERBENACEAE**, Benth. & Hook. f. ii. 1149.  
**POEPIGIA**, Bert. ex Bull. Férussac, xxiii. (1830) 109.  
*amoenus*, Miers, in Trans. Linn. Soc. xxvii. (1870) 97.—Chili.  
*buxifolius*, Miers, l. c. 98.—Chili.  
*cyanocarpus*, Miers, l. c. 96. t. 26.—Chili.  
*longiflorus*, Miers, l. c. 98.—Chili.  
*parvifolius*, Miers, l. c. 99.—Chili.  
*serratifolius*, Miers, l. c. 99.—Chili.

**RHAPHIDOPHYLLUM**, H. Wendl. & Drude, in Bot. Zeit. xxxiv. (1876) 803. **PALMAE**, Benth. & Hook. f. iii. 925.  
*Hystrix*, H. Wendl. & Drude, l. c.—Florida.

**RHAPHIDOSPORA**, Reichb. Nom. 110 (1841), sphalm. = **RHAPHIDOSPORA**, Nees = **Justicia**, Houst. (Acanth.).

**RHAPIS**, Linn. f. in Ait. Hort. Kew. ed. I. iii. 473 (1789). **PALMAE**, Benth. & Hook. f. iii. 930.  
**RHAPHIS**, Walp. Ann. iii. 471 (1852), sphalm.  
*acaulis*, Willd. Sp. Pl. iv. 1093 = *Sabal Adansonii*.  
*arundinacea*, Ait. Hort. Kew. ed. I. iii. 474; ed. II. v. 474 = *Rhaphidophyllum Hystrix*.  
*aspera*, Hort. ex W. Baxt. in Loud. Hort. Brit. Suppl. iii. 624 (Quid?).—Hab.?  
*caroliniana*, Hort. ex Kunth, Enum. Pl. iii. 246 = *Rhaphidophyllum Hystrix*.  
*cochinchinensis*, Mart. Hist. Nat. Palm. iii. 254.—Cochinch.  
*cordata*, Hort. ex W. Baxt. in Loud. Hort. Brit. Suppl. iii. 624 (Quid?).—Hab.?  
*flabelliformis*, L'Hérit. ex Ait. Hort. Kew. ed. I. iii. 473.—China; Japon.

**RHAPIA** :—

- humilis*, Blume, *Rumphia*, ii. 54.—China.  
*javanica*, Blume, l. c. 56.—Java.  
*Kwanwortsik*, H. Wendl. Ind. Palm. (1854) 34 = *flabelliformis*.  
*major*, Blume, *Rumphia*, ii. 55.—China.  
*Sirotsik*, Hort. ex H. Wendl. in Kerch. Palm. 255 = *humilis*.

**RHAPONTICA**, Hill, Veg. Syst. iv. 47 (1762) = seq.

**RHAPONTICUM**, [Vail.] Hall. Enum. Stirp. Helv. ii. 687 (1742) = **Centaurea**, Linn. (Compos.).  
*acaule*, DC. Prod. vi. 664 = *C. Chamaerhaponticum*.  
*argentatum*, Moench, Meth. 562 = *C. glastifolia*.  
*atriplicifolium*, DC. Prod. vi. 663 = *Serratula atriplicifolia*.  
*Behen*, Kostel. Allg. Med. Pharm. Fl. ii. 606 = *C. Behen*.  
*Calitrapa*, Scop. Fl. Carn. ed. II. ii. 136 = *C. Calitrapa*.  
*canariense*, DC. Prod. vi. 664 = *C. cynaroides*.  
*caspium*, Karel. ex Ledeb. Fl. Ross. ii. 751 = *nitidum*.  
*caulescens*, Coss. & Bal. in Bull. Soc. Bot. Fr. xx. (1873) 251; xxii. (1875) 62 = *C. Cossoniana*.  
*centauroides*, G. Don, ex Loud. Encyc. Pl. Suppl. ii. 1440 = *C. centauroides*.  
*ciliatum*, Lam. Fl. Fr. ii. 39 = *C. nigra*.  
*cynaroides*, Less. Syn. Comp. 6 = *Cnicus cynaroides*.  
*dahuricum*, Turcz. in Bull. Soc. Nat. Mosc. xi. (1838) 96 = *C. monantha*.  
*davuricum*, Ledeb. Fl. Ross. ii. 751 = *praeac.*  
*deltoidum*, G. Don, ex Loud. Encyc. Pl. Suppl. ii. 1440 = *Serratula atriplicifolia*.  
*doronicifolium*, Fisch. ex Sweet, Hort. Brit. ed. II. 287.—Sibir.  
*eriphorum*, Scop. Fl. Carn. ed. II. ii. 135 = *C. eriphora*.  
*heleniifolium*, Gren. & Godr. Fl. Fr. ii. 239 = *C. Rhaponticum*.  
*Jacea*, Scop. Fl. Carn. ed. II. ii. 136 = *C. Jacea*.  
*karatavicum*, Regel & Schmalh. in Act. Hort. Petrop. vi. (1879) 320.—Turkestan.  
*lyratum*, Nym. Consp. 416 = *C. Rhaponticum*.  
*nitidum*, Fisch. in DC. Prod. vi. 664.—Reg. Casp.  
*Pallasii*, G. Don, ex Loud. Hort. Brit. 360, nomen = *C. Rhaponticum*.  
*paniculatum*, Scop. Fl. Carn. ed. II. ii. 136 = *C. paniculata*.  
*pulchrum*, Fisch. & Mey. Ind. Sem. Hort. Petrop. i. 36 = *C. pulchra*.  
*pungens*, Franch. & Sav. Enum. Pl. Jap. ii. 415 = *Serratula atriplicifolia*.  
*pusillum*, Boiss. Fl. Orient. iii. 592 = *C. pygmaea*.  
*pygmaeum*, DC. Prod. vi. 665 = *C. pygmaea*.  
*salinum*, Less. in Linnaea, ix. (1835) 179 = *C. salina*.  
*scariosum*, Lam. Fl. Fr. ii. 38 = *C. Rhaponticum*.  
*uniflorum*, DC. Diss. Comp. 33 = *C. monantha*.

**RHAPTOCARPUS**, Miers, Apocyn. S. Am. 151 (1878) = **Echites**, P. Br. (Apocyn.).  
*apiculatus*, Miers, l. c. 153 = *E. coalita*.  
*coalitus*, Miers, l. c. 152 = *E. coalita*.  
*didymus*, Miers, l. c. = *E. didyma*.  
*Martii*, Miers, l. c. = *E. Martii*.  
*odoriferus*, Miers, l. c. 151 = *E. odorifera*.

**RHAPTOMERIS**, Miers, in Ann. & Mag. Nat. Hist. Ser. II. vii. (1851) 41 = **Cyclea**, Arn. (Menisp.).  
*Burmanni*, Miers, l. c. = *C. Burmannii*, peltata.

**RHAPTONEMA**, Miers, in Ann. & Mag. Nat. Hist. Ser. III. xx. (1867) 261. **MENISPERMACEAE**.  
*cancellata*, Miers, l. c. 262.—Madag.

**RHAPTOPETALUM**, Oliver, in Journ. Linn. Soc. viii. (1865) 159. t. 12. **OLACINEAE**, Benth. & Hook. f. i. 995.  
*coriaceum*, Oliver, l. c. 160.—Afr. trop.  
*Soyauxii*, Oliver, in Hook. Ic. Pl. t. 1405.—Afr. trop.

**RHAPTOSTYLUM**, Humb. & Bonpl. Pl. Aequin. ii. 139. t. 125 (1809) = **Heisteria**, Jacq. (Olacin.).  
*acuminatum*, Humb. & Bonpl. l. c.—N. Granat.  
*pentandrum*, Benth. ex Reiss. in Mart. Fl. Bras. xi. i. 77 = *H. pentandra*.



**RHAZYA**, Decne. in Ann. Sc. Nat. Sér. II. iv. (1835) 80. *APOCYNACEAE*, Benth. & Hook. f. ii. 703.  
*orientalis*, A. DC. in DC. Prod. viii. 386.—Graecia.  
*stricta*, Decne. in Ann. Sc. Nat. Sér. II. iv. (1835) 80.  
 —Arabia; Afghan.

**RHEA**, Endl. Ench. 241, in syn. (1841) = REA, Bert. = *Dendroseris*, D. Don (Compos.).

**RHEEDEA**, Linn. Gen. ed. I. 364 (1737) = seq.

**RHEEDIA**, Linn. Sp. Pl. ed. I. 1193 (1753). *GUTTI-FERAE*, Benth. & Hook. f. i. 175.  
*CHLOROMYRON*, Pers. Syn. ii. 73 (1807).  
*LAMPROPHYLLUM*, Miers, in Trans. Linn. Soc. xxi. (1853) 249. t. 26.  
*VERTICILLARIA*, Ruiz & Pav. Prod. Fl. Per. 81. t. 15 (1794).

*acuminata*, Planch. & Triana, in Ann. Sc. Nat. Sér. IV. xiv. (1860) 314.—Peruv.

*americana*, Hort. ex Steud. Nom. ed. II. ii. 446 = *lateriflora*.

*aristata*, Griseb. Cat. Pl. Cub. 38.—Ind. occ.

*Benthamiana*, Planch. & Triana, in Ann. Sc. Nat. Sér. IV. xiv. (1860) 320 = *macrophylla*.

*brasilensis*, Planch. & Triana, l. c. 310.—Bras.

*calyptata*, Planch. & Triana, l. c. 311.—Bras.

*Commersonii*, Planch. & Triana, l. c. 312.—Madag.

*Cupi*, Planch. & Triana, l. c. 323.—Am. austr.

*edulis*, Planch. & Triana, l. c. 310.—Panama.

*elliptica*, Wright, in Sauv. Fl. Cub. 9.—Cuba.

*floribunda*, Planch. & Triana, in Ann. Sc. Nat. Sér. IV. xiv. (1860) 319.—Bras.

*fruticosa*, Wright, ex Griseb. Cat. Pl. Cub. 38.—Cuba.

*Gardneriana*, Planch. & Triana, in Ann. Sc. Nat. Sér. IV. xiv. (1860) 321.—Bras.

*javatica*, Burm. f. Ind. 118 (Quid?).—Java.

*lateriflora*, Bert. ex DC. Prod. i. 516 = *Sloanea Berteriana*.

*lateriflora*, Linn. Sp. Pl. 1193.—Am. trop.

*longifolia*, Planch. & Triana, in Ann. Sc. Nat. Sér. IV. xiv. (1860) 322.—Bras.

*macrophylla*, Planch. & Triana, l. c. 309.—Bras.

*Madruno*, Planch. & Triana, l. c. 315.—N. Granat.

*parviflora*, Planch. & Triana, l. c. 323.—Guian.

*Pervillei*, Planch. & Triana, l. c. 312.—Madag.

*pulvinata*, Planch. & Triana, l. c. 320.—N. Granat.

*ruscifolia*, Griseb. in Mem. Am. Acad. N. S. viii. (1861) 167.—Ind. occ.

*Sieberi*, Choisy, in Mém. Soc. Phys. Genève. xii. (1851) 427.—Ins. Trinit.

*Smeathmanii*, Planch. & Triana, in Ann. Sc. Nat. Sér. IV. xiv. (1860) 312.—Afr. trop.

*virens*, Planch. & Triana, l. c. 317.—Guian.

**RHEITHROPHYLLUM**, Hassk. Cat. Hort. Bog. Alt. 123 (1844) = seq.

**RHEITROPHYLLUM**, Hassk. in Flora, xxv. (1842) II. Beibl. 56 = *Aeschynanthus*, Jack (Gesner.).  
*subverticillatum*, Hassk. l. c. = A. *angustifolia*.

**RHEKTOPHYLLUM**, N. E. Br. in Journ. Bot. xx. (1882) 194. t. 230. *AROIDEAE*, Benth. & Hook. f. iii. 981.  
*mirabile*, N. E. Br. l. c. 195.—Afr. trop.

**RHESA**, Walp. Rep. i. 538 (1842), sphalm. = BHESA, Buch.-Ham. = *Kurrimia*, Wall. (Celastr.).

**RHETINODENDRON**, Meissn. Gen. 216; Comm. 136 (1839). *COMPOSITAE* [Benth. & Hook. f. ii. 442].  
*BALBISIA*, DC. in Guill. Arch. Bot. ii. (1833) 333.  
*INGENHOUIA*, Bert. ex DC. Prod. vi. 447 (1837).  
*VENDREDIA*, Baill. Hist. Pl. viii. 264 (1882).  
*Berteri*, Hemsl. Bot. Voy. Challenger, i. III. 39.—Ins. J. Fernand.

**RHETINOLEPIS**, Coss. in Bull. Soc. Bot. Fr. iii. (1856) 707 = *Anthemis*, Mich. (Compos.).  
*Ionadioides*, Coss. l. c. 708.—Alger.

**RHETINOPHLOEUM**, Karst. Fl. Columb. ii. 25. t. 113 (1862?) = *Cercidium*, Tul. (Legumin.).  
*viride*, Karst. l. c. —N. Granat.

VOL. II.

**RHEUM**, Linn. Syst. ed. I (1735). *POLYGONACEAE*, Benth. & Hook. f. iii. 100.

*acuminatum*, Hook. f. & Thoms. in Bot. Mag. t. 4877.—Reg. Himal.

*aplostachyum*, Kar. & Kir. in Bull. Soc. Nat. Mosc. xv. (1842) 442 = *rhizostachyum*.

*australe*, D. Don, Prod. Fl. Nep. 75 = *Emodi*.

*austricum*, Hort. ex G. Don, in Loud. Hort. Brit. 161, nomen (Quid?).—Europ.

*caspicum*, Pall. in Nov. Act. Acad. Petrop. x. (1797) 382 = *tataricum*.

*Collinianum*, Baill. in Rev. Hort. (1883) 420.—China.

*compactum*, Kar. & Kir. in Bull. Soc. Nat. Mosc. xv. (1842) 442 = R. *Rhaponticum*.

*compactum*, Linn. Sp. Pl. ed. II. 531.—Mongol.

*cordatum*, Hort. ex Steud. Nom. ed. II. ii. 446 (Quid?).—Hab.?

*crassinervium*, Fisch. ex Lindl. Med. Fl. 950.—Hab.?

*crispum*, Hort. ex G. Don, in Loud. Hort. Brit. 161, nomen = *Rumex crispus*?

*cruentum*, Siev. in Pall. N. Nord. Beitr. vii. 294.—Sibir. altaic.

*cuneatum*, Regel & Herd. in Bull. Soc. Nat. Mosc. xxxvii. (1864) i. 387, nomen.—Turkestan.

*dentatum*, Mart. Ind. Sem. Hort. Monac. (1839).—Cf. *Linnaea*, xiv. (1840) Litt. 135 = *hybridum*.

*digynum*, Wahlenb. Fl. Lapp. 101. t. 9. f. 2 = *Oxyria digyna*.

*Emodi*, Wall. Cat. n. 1727.—Reg. Himal.

*Emodi*, Wall. l. c. 1727 C = *Webbianum*.

*Emodium*, Wall. ex Nees & Eberm. Med.-Pharm. Bot. ii. 455 = *Emodi*.

*esculentum*, Salisb. Prod. 257 = R. *Rhaponticum*.

*Fedtschenkoi*, Maxim. ex Regel, Pl. Nov. Fedtsch. 77.—Turkestan.

*fenestratum*, Loud. Hort. Brit. 161 (Quid?).—Hab.?

*Franzenbachii*, Muent. in Act. Congr. Bot. Amst. 1877 (1879) 212.—As. temp.

*hybridum*, Murr. in Nov. Comm. Gotting. ii. v. 1774 (1775) 50. t. 11.—Mongolia.

*leucorrhizum*, Pall. in Nov. Act. Acad. Petrop. x. (1797) 381.—Sibir.

*macropterum*, Mart. Ind. Sem. Hort. Monac. (1848); ex *Meissn.* in DC. Prod. xiv. 33.—Hab.?

*microcarpum*, Meissn. l. c. —Hab.?

*Moorcroftianum*, Meissn. l. c. 36 = *spiciforme*.

*Moorcroftianum*, Royle, Illustr. Bot. Himal. 315, 318.—Reg. Himal.

*muricatum*, Blanco, Fl. Filip. ed. I. 327 = *undulatum*.

*nanum*, Sievers, ex Pall. in Nov. Act. Acad. Petrop. x. (1797) 381 = *leucorrhizum*.

*nobile*, Hook. f. & Thoms. Illustr. Himal. Pl. t. 19.—Reg. Himal.

*nutans*, Pall. Fl. Ross. ii. i. (Index) = *compactum*.

*officinale*, Baill. *Adansonia*, x. (1871-72) 246; xi. (1873-76) 229.—Tibet.

*palmatum*, Linn. Syst. ed. X. 1010.—Mongol.

*pumilum*, Maxim. in Bull. Acad. Pétersb. xxvi. (1880) 503.—China.

*racemiferum*, Maxim. l. c. —Mongol.

*Rhabarbarum*, Linn. Sp. Pl. 372 = *undulatum*.

*Rhaponticum*, Delarb. Fl. Auv. ed. II. 527 = *Rumex alpinus*.

*Rhaponticum*, S. G. Gmel. ex Ledeb. Fl. Ross. iii. 497 = *tataricum*.

*Rhaponticum*, Linn. Sp. Pl. 371.—Sibir.

*rhizostachyum*, Schrenk, in Bull. Sc. Acad. Pétersb. x. (1842) 254.—Soongaria.

*Ribes*, Linn. Sp. Pl. 372.—Syria; Persia; Afghan.

*rotundatum*, Stokes, Bot. Mat. Med. ii. 429 = R. *Rhaponticum*.

*rotundifolium*, Fisch. ex Sweet, Hort. Brit. ed. II. 440 (Quid?).—Hab.?

*rugosum*, Desf. Cat. Hort. Par. ed. III. 389.—Hab.?

*sanguineum*, Hort. Halens. ex Meissn. in DC. Prod. xiv. 33 = *macropterum*.

*sibiricum*, Pall. N. Nord. Beitr. vii. 264; Fl. Ross. ii. i. (Index) = R. *Rhaponticum*.

*songaricum*, Schrenk, in Bull. Phys.-Math. Acad. Pétersb. ii. (1844) 114.—Soongaria.

*spiciforme*, Royle, Illustr. Bot. Himal. 318. t. 78.—Reg. Himal.

*tataricum*, Linn. f. Suppl. 229.—Tartaria.

*tetragonopus*, Mart. Ind. Sem. Hort. Monac. (1839).—Cf. *Linnaea*, xiv. (1840) Litt. 135.—Hab.?

*undulatum*, Linn. Sp. Pl. ed. II. 531.—As. med.

**RHEUM** :—

*undulatum*, Pall. Reise, iii. 317, 322 = R. *Rhaponticum*.

*uninerve*, Maxim. in Bull. Acad. Pétersb. xxvi. (1880) 503.—Mongol.

*Webbiana*, Royle, Illustr. Bot. Himal. 318. t. 78 A.—Reg. Himal.

**RHEXIA**, Linn. Coroll. Gen. 6. (1737). *MELASTOMACEAE*, Benth. & Hook. f. i. 747.

*acerosa*, Schrank & Mart. ex DC. Prod. iii. 125 = *Marcetia acerosa*.

*Acisanthera*, Linn. Syst. ed. X. 998 = *Acisanthera quadrata*.

*Acisanthera*, Willd. Sp. Pl. ii. 303 = *Acisanthera recurva*.

*acuminata*, Schrank, ex DC. Prod. iii. 139 = *Pyramia pityrophylla*.

*adamantium*, A. St. Hil. ex Humb. & Bonpl. Rhex. 157. t. 60 = *Cambessedesia Hilariana*.

*agrestis*, Mart. & Schrank, ex DC. Prod. iii. 126 = *Microlicia agrestis*.

*Agrostemma*, Mart. & Schrank, l. c. 133 = *Tibouchina gracilis*.

*alata*, Raddi, in Mem. Soc. Ital. Mod. xviii. Fis. (1820) 387 = *Tibouchina granulosa*.

*alba*, Mart. & Schrank, ex DC. Prod. iii. 104 = *Lavoisiera alba*.

*Alifanus*, Walt. Fl. Carol. 130 = *glabella*.

*alpestris*, Mart. ex DC. Prod. iii. 140 = *Pterolepis alpestris*.

*alsinefolia*, Schrank & Mart. l. c. 118 = *Acisanthera alsinaefolia*.

*alternans*, Schrank & Mart. l. c. 120 = *Microlicia serpyllifolia*.

*amazonum*, Schrank, ex DC. l. c. 123 (= *Pachyloma coriaceum*).—Bras.

*angustifolia*, Nutt. Gen. Am. i. 244 = *lanceolata*.

*angusturensis*, Humb. & Bonpl. Rhex. 77. t. 29 = *Pterolepis glomerata*.

*anomala*, Schrank & Mart. ex DC. Prod. iii. 109 = *Macairea rufescens*.

*aquatica*, Sw. Fl. Ind. Occ. ii. 650; Humb. & Bonpl. Rhex. 104. t. 40 = *Nepsera aquatica*.

*arcuata*, Cogn. in Mart. Fl. Bras. xiv. III. 502 (Index), lapsu = *armata*.

*arenaria*, Schrank & Mart. ex DC. Prod. iii. 114 = *Siphantaria arenaria*.

*arenariaefolia*, Mart. & Schrank, l. c. 120 = *Microlicia arenariaefolia*.

*armata*, Spreng. Syst. ii. 308 = *Chaetostoma diosmoides*.

*aspera*, Voigt, in Syll. Ratisb. ii. (1828) 55 (sp. dub.).—Hab.?

*aspera*, Willd. Sp. Pl. ii. 304 = *Tibouchina aspera*.

*aurea*, Desv. ex Ham. Prod. Pl. Ind. Occ. 35 = *lutea*.

*avicularis*, Schrank & Mart. ex DC. Prod. iii. 119 = *Microlicia cinerea*.

*axillaris*, Pav. ex DC. l. c. 101 = *Meriana prunifolia*.

*baccharoides*, Schrank & Mart. ex DC. l. c. 119 = *Microlicia baccharoides*.

*balsamifera*, Mart. & Schrank, l. c. 110 = *Microlicia balsamifera*.

*berberifolia*, Humb. & Bonpl. Rhex. 110. t. 42 = *Comolia berberifolia*.

*bicolor*, Andr. ex D. Don, in Mem. Wern. Soc. iv. (1822) 301 = *Aciotis discolor*.

*bicornis*, Roland, ex Rottb. in Act. Lit. Univ. Hafn. i. (1778) 278 = *Acisanthera recurva*.

*bicuspis*, Schrank, ex DC. Prod. iii. 123 (= *Pachyloma coriaceum*).—Bras.

*bidentata*, Nees & Mart. in Nov. Act. Nat. Cur. xii. i. (1824) 53 = *Cambessedesia Hilariana*.

*bilocularis*, Schrank & Mart. ex DC. Prod. iii. 114 = *Piptanthera paludosa*.

*bivalvis*, Vahl, Eclog. Am. i. 38 = *Acisanthera brevifolia*.

*blepharocentra*, Mart. ex DC. Prod. iii. 103 = *Lavoisiera imbricata*.

*Bonplandii*, Humb. & Bonpl. Rhex. 159 (Index) = *Monochaetum Bonplandii*.

*bracteolaris*, Schrank & Mart. in DC. Prod. iii. 141 = *Marcetia bracteolaris*.

*brasiliensis*, Vand. Fl. Lusit. 23.—Bras.

*brasilensis*, Hofmegg. Verz. Pf. 75 = *Luehea speciosa*.

*brevifolia*, Rich. ex DC. Prod. iii. 117 = *Acisanthera trivalvis*.



**RHEXIA** :—

- Bucardia*, Schrank, ex DC. Prod. iii. 110 = *Cambessedesia latevenosa*.  
*calcarata*, Schlecht. in *Linnaea*, xiii. (1839) 431 = *Monochaetum Candolleianum*.  
*campanularis*, Humb. & Bonpl. Rhex. 35. t. 14 = *Brachyotum campanulare*.  
*Candolleana*, Mart. ex DC. Prod. iii. 129 = *Tibouchina Candolleana*.  
*canescens*, Humb. & Bonpl. Rhex. 14. t. 6 = *Brachyotum canescens*.  
*canescens*, Humb. & Bonpl. l. c. 47. t. 18 = *Monochaetum Bonplandii*.  
*capitata*, Rich. in Humb. & Bonpl. l. c. 84. t. 32 = *Pterolepis glomerata*.  
*cardinalis*, Humb. & Bonpl. l. c. 96. t. 37 = *Tibouchina cardinalis*.  
*cataphracta*, Schrank & Mart. ex DC. Prod. iii. 102 = *Lavoisiera imbricata*.  
*caudata*, Schrank & Mart. l. c. 186 = *Miconia urophylla*.  
*cerastiifolia*, Schrank & Mart. l. c. 137 = *Tibouchina cerastiifolia*.  
*cernua*, Humb. & Bonpl. Rhex. 32. t. 13 = *Brachyotum cernuum*.  
*Chamaecistus*, Sieber, ex DC. Prod. iii. 134 (= *Pleroma Chamaecistus*).—Bras.  
*chamaedrifolia*, Schrank & Mart. ex DC. l. c. 111 = *Cambessedesia Espora*.  
*Christophoriana*, Schrank & Mart. l. c. 107 = *Rhynchanthera dichotoma*.  
*ciliata*, Mart. l. c. 103 = *Lavoisiera imbricata*.  
*ciliosa*, Michx. *Fl. Bor. Am.* i. 221.—Am. bor.  
*cinerea*, Mart. ex DC. Prod. iii. 124 = *Marcetia cinerea*.  
*circaeifolia*, Humb. & Bonpl. Rhex. 101. t. 39 = *Aciotis circaeifolia*.  
*Cochobambae*, Schrank & Mart. ex DC. iii. 120 = *Microlicia oligantha*.  
*cognata*, Weinm. in *Syll. Ratisb.* ii. (1828) 20.—Hab.?  
*collina*, Salzm. ex Triana, in *Trans. Linn. Soc.* xxviii. (1873) 43 = *Tibouchina Lhotzkyana*.  
*compta*, Mart. & Schrank, ex DC. Prod. iii. 103 = *Lavoisiera imbricata*.  
*condylocarpa*, Beurl. in *Vet. Akad. Handl.* Stockh. 1854 (1856) 124 = *Pterogastra cupheoides*.  
*conferta*, Humb. & Bonpl. Rhex. 53. t. 20 = *Brachyotum confertum*.  
*cordata*, Spreng. *Neue Entdeck.* i. 301 = *Microlicia cordata*.  
*cordigera*, Mart. & Schrank, ex DC. Prod. iii. 124 = *Marcetia cordigera*.  
*corymbosa*, Mart. & Schrank, l. c. 110 = *Cambessedesia corymbosa*.  
*corymbosa*, Raddi, in *Mem. Soc. Ital. Sc. Moden.* xx. (1829) 124. t. 2. f. 1 = *Tibouchina corymbosa*.  
*crassifolia*, Mart. & Schrank, ex DC. Prod. iii. 104 = *Lavoisiera crassifolia*.  
*crenulata*, Mart. & Schrank, l. c. 111 = *Microlicia crenulata*.  
*cubensis*, Griseb. *Cat. Pl. Cub.* 104 = *mariana*.  
*dasystaminea*, Schrank, ex DC. Prod. iii. 130 = *Tibouchina granulosa*.  
*decipiens*, Salzm. ex Triana, in *Trans. Linn. Soc.* xxviii (1873) 44 = *Tibouchina setulosa*.  
*decumbens*, Poir. *Encyc. Suppl.* iv. 628 = *Dissotis decumbens*.  
*decussata*, Mart. & Schrank, ex DC. Prod. iii. 124 = *Marcetia decussata*.  
*Deppeana*, Schlecht. & Cham. in *Linnaea*, v. (1830) 566 (= *Arthrostema Schiedeana*).  
*dichotoma*, Sieber, ex Griseb. *Fl. Brit. W. Ind.* 267 = *Pterolepis glomerata*.  
*dichrananthera*, Ruiz & Pav. *Fl. Per.* iii. 84 = *Monochaetum dicranantherum*.  
*diffusa*, Spreng. *Syst.* ii. 307 = *Ossaea microphylla*, Triana.  
*divaricata*, Humb. & Bonpl. Rhex. 59. t. 22 = *Pterogastra divaricata*.  
*diversifolia*, Humb. & Bonpl. l. c. 119. t. 45 = *Arthrostemma ciliatum*.  
*Drummondii*, Hort. *Angl. ex Heynh. Nom.* i. 683 (Quid?).—Am. bor.  
*echinata*, Ruiz & Pav. *Fl. Per.* iii. 85 (= *Pleroma echinatum*).—Peruv.  
*elachistophylla*, Schrank & Mart. in DC. Prod. iii. 120 = *Microlicia variolosa*.  
*elegans*, Bonpl. ex *Spach, Hist. Vég. Phan. Atl.* 16. t. 30.—Hab.?  
*elegans*, Schlecht. in *Linnaea*, xiii. (1839) 432.—Mexic.

**RHEXIA** :—

- elliptica*, Raddi, in *Mem. Soc. Ital. Sc. Moden.* xx. (1829) 116. t. 1. f. 1 = *Tibouchina Fothergillae*.  
*enervia*, Schrank & Mart. ex DC. Prod. iii. 119 = *Microlicia euphorbioides*.  
*ericoides*, Spreng. *Neue Entdeck.* i. 302 = *Marcetia carinata*.  
*Espora*, A. St. Hil. ex Humb. & Bonpl. Rhex. 152. t. 58 = *Cambessedesia Espora*.  
*estrellensis*, Raddi, in *Mem. Soc. Ital. Moden.* xviii. *Fis.* (1820) 388 = *Tibouchina estrellensis*.  
*euphorbioides*, Schrank & Mart. ex DC. Prod. iii. 119 = *Microlicia euphorbioides*.  
*excelsa*, Humb. & Bonpl. Rhex. 90. t. 34 = *Centronia excelsa*.  
*excoriata*, Mart. & Schrank, ex DC. Prod. iii. 124 = *Marcetia excoriata*.  
*Exul*, Schrank & Mart. ex DC. l. c. 119 = *Microlicia graveolens, variolosa*.  
*fasciculata*, Schrank & Mart. l. c. = *Microlicia fasciculata*.  
*fasciculata*, Spreng. *Neue Entdeck.* iii. 62 = *Cambessedesia Hilariana*.  
*Fasikan*, Siebold, ex Blume, *Mus. Bot. Lugd. Bat.* i. 25 = *Bredia hirsuta*.  
*firmula*, Mart. & Schrank, ex DC. Prod. iii. 104 = *Lavoisiera firmula*.  
*fissinervia*, Mart. & Schrank, l. c. = *Tibouchina fissinervia*.  
*flexuosa*, Ruiz & Pav. *Fl. Per.* iii. 85. t. 320 = *Tibouchina longifolia*.  
*floribunda*, Mart. ex DC. Prod. iii. 103 = *Lavoisiera imbricata*.  
*floribunda*, Schlecht. in *Linnaea*, xiii. (1839) 431 = *Monochaetum rivulare*.  
*Fontanesii*, Humb. & Bonpl. Rhex. 93. t. 36 = *Tibouchina granulosa*.  
*formosissima*, Raddi, in *Mem. Soc. Ital. Moden.* xx. (1829) 121 = *Tibouchina granulosa*.  
*Fothergillae*, Schrank & Mart. ex DC. Prod. iii. 108 = *Tibouchina Fothergillae*.  
*fragilis*, Bertol. *Fl. Guatimal.* 16.—Guatemala.  
*frigidula*, Schrank & Mart. ex DC. Prod. iii. 127 = *Tibouchina frigidula*.  
*fulva*, Spreng. *Neue Entdeck.* i. 301; *Syst.* ii. 308 = *Microlicia serpyllifolia*.  
*galioides*, Schrank & Mart. ex DC. Prod. iii. 111 = *Cambessedesia Hilariana*.  
*gentianoides*, Mart. & Schrank, l. c. 104 = *Lavoisiera gentianoides*.  
*glabella*, Michx. *Fl. Bor. Am.* i. 222.—Am. bor.  
*glandulosa*, Bertol. *Fl. Guatimal.* 15.—Guatemala.  
*glandulosa*, Bonpl. *Desc. Pl. Malm.* 70. t. 27 (= *Pleroma glandulosa*).—Guian.  
*glomerata*, Rottb. in *Act. Lit. Univ. Hafn.* i. (1778) 276 = *Pterolepis glomerata*.  
*glutinosa*, Linn. f. *Suppl.* 216 = *Bucquetia glutinosa*.  
*gracilis*, Humb. & Bonpl. Rhex. 138. t. 52 = *Tibouchina gracilis*.  
*grandiflora*, Vahl, *Symb. Bot.* iii. [106] *Corrig.*; Humb. & Bonpl. l. c. 25. t. 11 = *Rhynchanthera grandiflora*.  
*grandifolia*, Schlecht. in *Linnaea*, xiii. (1839) 429.—Mexic.  
*graveolens*, Mart. & Schrank, ex DC. Prod. iii. 119 = *Microlicia graveolens*.  
*helvola*, Spreng. *Syst.* ii. 309 = *Microlicia hypericoides*.  
*herbacea*, Raddi, in *Mem. Soc. Ital. Moden.* xviii. *Fis.* (1820) 389 = *Aciotis paludosa*.  
*herbacea*, Schrank & Mart. ex DC. Prod. iii. 137 = *Tibouchina herbacea*.  
*heteranthera*, Humb. & Bonpl. Rhex. 87. t. 33 = *Melastoma repens*.  
*heterophylla*, Hook. & Arn. in *Hook. Bot. Misc.* iii. (1833) 316 = *Chaetolepis heterophylla*.  
*heterostemon*, Mart. & Schrank, ex DC. Prod. iii. 126 = *Trembleya parviflora*.  
*hexandra*, Schrank, l. c. 115 = *Aciotis paludosa*.  
*hieracioides*, Mart. & Schrank, l. c. 133 = *Tibouchina hieracioides*.  
*Hilariana*, Humb. & Bonpl. Rhex. 147. t. 56 = *Cambessedesia Hilariana*.  
*hirsuta*, Mart. & Schrank, ex DC. Prod. iii. 119 = *Microlicia graveolens, variolosa*.  
*hirsuta*, Salisb. *Prod.* 365 = *virginica*.  
*hispidula*, Rich. in *Act. Soc. Hist. Nat. Par.* i. (1792) 108 = *Pterolepis pumila*.  
*holosericea*, Humb. & Bonpl. Rhex. 29. t. 12 = *Tibouchina holosericea*.

**RHEXIA** :—

- hospita*, Schrank & Mart. ex DC. Prod. iii. 129 = *Tibouchina hospita*.  
*hygrophila*, Mart. ex DC. l. c. 128 = *Tibouchina hygrophila*.  
*hypericoides*, Willd. *Sp. Pl.* ii. 303 = *Desmoscelis villosa*.  
*ilicifolia*, Schrank & Mart. ex DC. Prod. iii. 111 = *Cambessedesia ilicifolia*.  
*imbricata*, Thunb. *Pl. Bras.* Dec. i. 10. t. 2. f. 2 = *Lavoisiera imbricata*.  
*inaequalifolia*, [Moq. & Sesse,] ex DC. Prod. iii. 122 = *Arthrostema ciliatum*.  
*inaequilateralis*, Schlecht. & Cham. in *Linnaea*, v. (1830) 567 = *Centradenia inaequilateralis*.  
*incana*, Spreng. *Syst.* ii. 309 = *Monochaetum Bonplandii*.  
*inconstans*, Vahl, *Eclog. Am.* i. 37 = *Tibouchina ornata*.  
*indecora*, Humb. & Bonpl. Rhex. 131. t. 49 = *Aciotis indecora*.  
*inundata*, Schrank & Mart. ex DC. Prod. iii. 117 = *Acisanthera inundata*.  
*isophylla*, Schrank & Mart. l. c. 120 = *Microlicia isophylla*.  
*itambana*, Mart. & Schrank, l. c. 104 = *Lavoisiera itambana*.  
*jucunda*, Schrank & Mart. l. c. 139 = *Miconia staminea*.  
*jungermannioides*, Mart. & Schrank, l. c. 119 = *Microlicia jungermannioides*.  
*juniperina*, Humb. & Bonpl. ex Spreng. *Syst.* ii. 310 = *Marcetia juniperina*.  
*jussiaeoides*, Linn. f. *Suppl.* 215.—Guian.  
*ladanoides*, Rich. in Humb. & Bonpl. Rhex. 72. t. 27 = *Pterolepis pumila*.  
*lanceaeiflora*, Mart. & Schrank, ex DC. l. c. 118 = *Comolia lanceaeiflora*.  
*lanceolata*, Humb. & Bonpl. Rhex. 56. t. 21 = *Tibouchina longifolia*.  
*lanceolata*, Walt. *Fl. Carol.* 129.—Am. bor.  
*Langsdorffiana*, Humb. & Bonpl. Rhex. 135. t. 51 = *Tibouchina Langsdorffiana*.  
*Langsdorffiana*, Kunth, ex DC. Prod. iii. 124 = *Marcetia taxifolia*.  
*lasiandra*, Schrank & Mart. ex DC. l. c. 127 = *Tibouchina Martinsiana*.  
*latevenosa*, Mart. l. c. 110 = *Cambessedesia latevenosa*.  
*latifolia*, Aubl. *Pl. Gui.* i. 336. t. 129. f. 2 = *Comolia Aubletii*.  
*lepidota*, Humb. & Bonpl. Rhex. 38. t. 15 = *Tibouchina lepidota*.  
*leptophylla*, Humb. & Bonpl. l. c. 64. t. 24 = *Comolia leptophylla*.  
*leucantha*, Sw. *Prod. Veg. Ind. Occ.* 61 = *Meriania leucantha*.  
*Leuzeana*, Humb. & Bonpl. Rhex. 144. tt. 54, 55 = *Bertolonia Leuzeana*.  
*limnobios*, Schrank & Mart. ex DC. Prod. iii. 117 = *Acisanthera limnobios*.  
*limosa*, Mart. ex DC. l. c. 108 = *Rhynchanthera limosa*.  
*linearifolia*, Poir. *Encyc.* vi. 2 = *lutea*.  
*linearifolia*, Poir. ex DC. Prod. iii. 122 = *Ludwigia alternifolia*.  
*linifolia*, Mart. ex DC. l. c. 105 = *Microlicia linifolia*.  
*longifolia*, Vahl, *Eclog. Am.* i. 39 = *Tibouchina longifolia*.  
*ludoviciana*, Rafin. *Fl. Ludov.* 92 = *mariana*.  
*lutea*, Walt. *Fl. Carol.* 130.—Am. bor.  
*lutescens*, Ruiz & Pav. *Fl. Per.* iii. 84 = *Brachyotum lutescens*.  
*Lychnitis*, Schrank & Mart. ex DC. Prod. iii. 126 = *Trembleya Lychnitis*.  
*lychnitoides*, Schrank & Mart. l. c. 132 = *Desmoscelis villosa*.  
*macrochiton*, Mart. l. c. 129 = *Tibouchina macrochiton*.  
*mariana*, Linn. *Sp. Pl.* 346.—Am. bor.  
*Martiusiana*, Ser. in DC. Prod. iii. 137 = *Tibouchina sebastianopolitana*.  
*microphylla*, Humb. & Bonpl. Rhex. 4. t. 2 = *Chaetolepis microphylla*.  
*mollis*, Humb. & Bonpl. l. c. 50. t. 19 = *Tibouchina mollis*.  
*Moricandiana*, Mart. ex DC. Prod. iii. 128 = *Tibouchina Moricandiana*.  
*mucorifera*, Mart. & Schrank, ex DC. l. c. 103 = *Lavoisiera mucorifera*.

**RHEXIA:—**

- multiflora*, Humb. & Bonpl. Rhex. 41. t. 16 = *Monochaetum multiflorum*.  
*muricata*, Humb. & Bonpl. l. c. 1. t. 1 = *Tibouchina grossa*.  
*myrtoidea*, Humb. & Bonpl. l. c. 7. t. 3 = *Monochaetum myrtoideum*.  
*napaulensis*, Ser. ex DC. Prod. iii. 142 = *Osbeckia chinensis*.  
*Nianga*, Mart. & Schrank, ex DC. l. c. 163 = *Oxymeris Nianga*.  
*nummularioides*, Humb. & Bonpl. Rhex. 62. t. 23 = *Comolia nummularioides*.  
*nymphaeifolia*, Humb. & Bonpl. l. c. t. 53 = *Bertolonia nymphaeaeifolia*.  
*obtusa*, Rafin. in Med. Repos. N. York, v. (1808) 354, nomen (Quid?).—Am. bor.  
*obvallata*, Sieber, ex Oken, Isis (1822) 453; Miq. Comm. Phyt. 79 = *Pterolepis glomerata*.  
*ochypetala*, Ruiz & Pav. Fl. Per. iii. 86. t. 321. f. a = *Tibouchina ochypetala*.  
*oleaeifolia*, Schrank & Mart. ex DC. Prod. iii. 139 = *Microlepis oleaeifolia*.  
*ornata*, Rich. in Humb. & Bonpl. Rhex. 69. t. 26 = *Tibouchina ornata*.  
*oxypetala*, Spreng. Syst. ii. 306 = *Tibouchina oxypetala*.  
*Pachyloma*, Mart. ex DC. Prod. iii. 123 (= *Pachyloma coriaceum*).—Bras.  
*paludosa*, Salzm. ex Griseb. Fl. Brit. W. Ind. 269 = *Acisanthera brevifolia*.  
*paniculata*, Buch.-Ham. ex D. Don, Prod. Fl. Nep. 222 = *Oxyspora paniculata*.  
*paniculata*, Mart. & Schrank, ex DC. Prod. iii. 137 = *Tibouchina sebastianopolitana*.  
*parnassifolia*, Mart. & Schrank, l. c. 140 = *Pterolepis parnassiaeifolia*.  
*parvifolia*, Schlecht. in Linnaea, xiii. (1839) 428 = *Centradenia inaequilateralis*.  
*pendulifolia*, Bonpl. Desc. Pl. Malm. 68. t. 26 = *Aciotis pendulifolia*.  
*pentanthera*, Ser. ex DC. Prod. iii. 108 = *Rhynchanthera Schrankiana*.  
*petiolata*, Walt. Fl. Carol. 130 = *ciliosa*?  
*phlogiformis*, Mart. & Schrank, ex DC. Prod. iii. 126 = *Trembleya phlogiformis*.  
*piloselloides*, Humb. & Bonpl. Rhex. 12. t. 5 = *Castratella piloselloides*.  
*pityrophylla*, Mart. ex DC. Prod. iii. 139 = *Pyramia pityrophylla*.  
*polygonoides*, Mart. l. c. 137 = *Pterolepis polygonoides*.  
*polystachya*, Humb. & Bonpl. Rhex. 98. t. 38 = *Aciotis polystachya*.  
*pratensis*, Roland. ex Rottb. in Act. Lit. Univ. Hafn. i. (1778) 276 = *Pterolepis glomerata*.  
*Princeps*, Humb. & Bonpl. Rhex. 122. t. 46 = *Dissotis eximia*.  
*proteaeformis*, Schrank & Mart. ex DC. Prod. iii. 130 = *Tibouchina holosericea*.  
*psammophila*, Mart. ex Triana, in Trans. Linn. Soc. xxviii. (1871) 37 = *Comolia denudata*.  
*pulcherrima*, Mart. & Schrank, ex DC. Prod. iii. 104 = *Lavoisiera pulcherrima*.  
*pumila*, Humb. & Bonpl. Rhex. t. 35 = *Pterolepis pumila*.  
*punctata*, Mart. & Schrank, ex DC. Prod. iii. 104 = *Lavoisiera punctata*.  
*punctatissima*, Mart. & Schrank, l. c. 118 = *Acisanthera punctatissima*.  
*pungens*, Mart. & Schrank, l. c. 112 = *Chaetostoma pungens*.  
*purpurata*, Schrank & Mart. l. c. 110 = *Cambessedesia purpurata*.  
*purpurea*, Sw. Prod. Veg. Ind. Occ. 64 = *Meriania purpurea*.  
*Purshii*, Spreng. Syst. v. 590 (Index) = *virginica*.  
*quadrangularis*, Salzm. ex Triana, in Trans. Linn. Soc. xxviii. (1871) 42 = *Tibouchina urceolaris*.  
*quadrivalvis*, Mart. ex DC. Prod. iii. 124 = *Marcetia taxifolia*.  
*quaternifolia*, Schrank & Mart. ex DC. l. c. 140 = *Microlepis quaternifolia*.  
*quinquenerve*, Ruiz & Pav. Fl. Per. iii. 83 = *Brachyotum quinquenerve*.  
*Raddiana*, Moric. ex DC. Prod. iii. 129 = *Tibouchina Raddiana*.  
*Radula*, Humb. & Bonpl. Rhex. 107. t. 41 = *Macairea Radula*.  
*recurva*, Rich. in Act. Soc. Hist. Nat. Par. i. (1792) 108 = *Acisanthera recurva*.

**RHEXIA:—**

- regalis*, Roland. ex Rottb. in Act. Lit. Univ. Hafn. i. (1778) 277 = *Pterolepis pumila*.  
*repanda*, Mart. & Schrank, ex DC. Prod. iii. 141 = *Pterolepis repanda*.  
*reptans*, Mart. ex Steud. Nom. ed. II. ii. 447 = *Tibouchina clinopodifolia*.  
*resinosa*, Schrank, ex DC. Prod. iii. 111 = *Microlicia sincorensis*.  
*reticulata*, Humb. & Bonpl. Rhex. 21. t. 9 = *Tibouchina reticulata*.  
*rosea*, Rafin. in Med. Repos. N. York, v. (1808) 354, nomen (Quid?).—Am. bor.  
*rosmarinifolia*, Ruiz & Pav. Fl. Per. iii. 84 = *Brachyotum rosmarinifolium*.  
*rosmarinoides*, Schrank & Mart. ex DC. Prod. iii. 126 = *Trembleya rosmarinoides*.  
*rostrata*, Schrank & Mart. l. c. 108 = *Rhynchanthera rostrata*.  
*rotundifolia*, Humb. & Bonpl. Rhex. 66. t. 25 = *Grafenieda rotundifolia*.  
*rufipilis*, Schlecht. in Linnaea, xiii. (1839) 430 (= *Pteroma rufipile*).—Mexic.  
*sarmentosa*, Humb. & Bonpl. Rhex. 23. t. 10 (= *Pteroma laxum*).—Peruv.  
*scabriuscula*, Schlecht. in Linnaea, xiii. (1839) 431 (= *Pteroma scabriusculum*).—Mexic.  
*scandens*, Rich. ex DC. Prod. iii. 127 = *Adelobotrys scandens*.  
*Schiedeana*, Schlecht. & Cham. in Linnaea, v. (1880) 565 (= *Pteroma rufipile*).—Mexic.  
*Schrankiana*, Mart. ex DC. Prod. iii. 107 = *Rhynchanthera Schrankiana*.  
*scoparia*, Mart. ex DC. Prod. iii. 112 = *Marcetia carinata*.  
*scoparia*, A. St. Hil. ex Humb. & Bonpl. Rhex. 154. t. 59 = *Microlicia scoparia*.  
*sebastianopolitana*, Raddi, in Mem. Soc. Ital. Moden. xx. (1829) 126. t. 2 = *Tibouchina sebastianopolitana*.  
*semiadnata*, Schrank, ex DC. Prod. iii. 140 = *Pterolepis alpestris*.  
*semidecandra*, Schrank & Mart. ex DC. l. c. 129 = *Tibouchina semidecandra*.  
*semiserrata*, Schrank & Mart. l. c. 167 = *Huberia semiserrata*.  
*septemnervia*, Walt. Fl. Carol. 130 = *virginica*.  
*Seringeana*, Mart. ex DC. Prod. iii. 119 = *Microlicia graveolens*.  
*serrulata*, Nutt. Gen. Am. i. 243.—Am. bor.  
*serrulata*, Rich. ex Humb. & Bonpl. Rhex. 74. t. 28 = *Rhynchanthera serrulata*.  
*Sertularia*, Schrank & Mart. ex DC. Prod. iii. 125 = *Comolia Sertularia*.  
*setosa*, Schrank & Mart. l. c. 119 = *Microlicia subsetosa*.  
*setosa*, Spreng. Neue Entdeck. i. 301 = *Microlicia setosa*.  
*sheardioides*, Schrank, ex DC. Prod. iii. 133 = *Pterolepis glomerata*.  
*sileniflora*, Humb. & Bonpl. Rhex. 129. t. 48 = *Aciotis sileniflora*.  
*sincorensis*, Mart. ex DC. Prod. iii. 111 = *Microlicia sincorensis*.  
*sipaneoides*, Mart. l. c. 141 = *Pterolepis sipaneoides*.  
*speciosa*, Bert. ex DC. Prod. iii. 101 = *Meriania leucantha*.  
*speciosa*, Humb. & Bonpl. Rhex. 9. t. 4 = *Meriania speciosa*.  
*spicata*, Schrank & Mart. ex DC. Prod. iii. 15 = *Ossaea brachystachya*.  
*stachyoides*, Humb. & Bonpl. Rhex. 113. t. 43 = *Desmoscelis villosa*.  
*stachyoides*, Schrank & Mart. ex DC. iii. 108 = *Rhynchanthera rostrata*.  
*stenocarpa*, Schrank & Mart. l. c. 130 = *Tibouchina stenocarpa*.  
*stricta*, Humb. & Bonpl. Rhex. 19. t. 8 = *Brachyotum strigosum*.  
*stricta*, Pursh, Fl. Bor. Am. i. 258.—Am. bor.  
*strigillosa*, Schrank & Mart. ex DC. Prod. iii. 133 = *Tibouchina gracilis*.  
*strigosa*, Rich. in Act. Soc. Hist. Nat. Par. i. (1792) 108 = *Tibouchina ornata*.  
*strigosa*, Willd. ex Spreng. Syst. ii. 309 = *Pterolepis pumila*.  
*striphnocalyx*, Mart. ex DC. Prod. iii. 140 = *Pterolepis striphnocalyx*.  
*suberosa*, Spreng. Neue Entdeck. i. 302 = *Cambessedesia Hilariana*.

**RHEXIA:—**

- subtripplinervia*, Hort. Berol. ex Heynh. Nom. i. 683 (Quid?).—Hab.?  
*superba*, Raddi, in Mem. Soc. Ital. Moden. xx. (1829) 118. t. 1. f. 4 = *Tibouchina Raddiana*.  
*tamariscina*, Schrank & Mart. ex DC. Prod. iii. 125 = *Marcetia tamariscina*.  
*taxifolia*, A. St. Hil. in Humb. & Bonpl. Rhex. 150. t. 57 = *Marcetia taxifolia*.  
*tenella*, Humb. & Bonpl. l. c. 79. t. 30 = *Ernestia tenella*.  
*tenuifolia*, Mart. ex DC. Prod. iii. 125 = *Marcetia tenuifolia*.  
*tetragona*, Mart. & Schrank, ex DC. l. c. 103 = *Lavoisiera tetragona*.  
*tetraptera*, Desv. ex Ham. Prod. Pl. Ind. Occ. 35 = *virginica*.  
*tetrasticha*, Mart. & Schrank, ex DC. Prod. iii. 112 = *Marcetia tetrasticha*.  
*thymifolia*, Herb. Monac. ex Triana, in Trans. Linn. Soc. xxviii. (1871) 26 = *Microlicia serpyllifolia*.  
*thymifolia*, Humb. & Bonpl. Rhex. 133. t. 50 = *Appendicularia thymifolia*.  
*thymifolia*, Schrank & Mart. ex DC. Prod. iii. 119 = *Microlicia variolosa, serpyllifolia*.  
*tibouchinoides*, Schrank & Mart. l. c. 129 = *Tibouchina trichopoda*.  
*tortuosa*, Humb. & Bonpl. Rhex. 17. t. 7 (= *Pteroma mexicanum*).—Mexic.  
*trichocalycina*, Mart. & Schrank, ex DC. Prod. iii. 120 = *Microlicia trichocalycina*.  
*trichotoma*, Rottb. in Act. Lit. Univ. Hafn. i. (1778) 277 = *Pterolepis glomerata*.  
*trichotoma*, Sieber, ex Presl, in Oken, Isis, xxi. (1828) 272 = *Pterolepis glomerata*.  
*triflora*, Mart. & Schrank, ex DC. Prod. iii. 126 = *Trembleya parviflora*.  
*triflora*, Raddi, in Mem. Soc. Ital. Moden. xx. (1829) 122. t. 1. f. 2 = *Tibouchina Moricandiana*.  
*trifolia*, Schrank & Mart. ex DC. Prod. iii. 127 = *Tibouchina frigidula*.  
*trivalvis*, Vahl, Eclog. Am. i. 39 = *Acisanthera trivalvis*.  
*uda*, Mart. ex DC. Prod. iii. 136 = *Pterolepis pumila*.  
*uncata*, Schrank & Mart. ex DC. l. c. 120 = *Microlicia uncata*.  
*uniflora*, Raddi, in Mem. Soc. Ital. Moden. xviii. Fis. (1820) 388 = *Tibouchina Raddiana*.  
*uniflora*, Vahl, Symb. Bot. ii. 48 = *Acisanthera recurva*.  
*urceolaris*, Schrank & Mart. ex DC. Prod. iii. 139 = *Tibouchina urceolaris*.  
*variabilis*, Mart. & Schrank, l. c. 118 = *Acisanthera variabilis*.  
*variolosa*, Schrank & Mart. ex DC. Prod. iii. 120 = *Microlicia variolosa, cordata*.  
*venusta*, Schrank, & Mart. l. c. 119 = *Microlicia serpyllifolia*.  
*veronicaefolia*, Schrank & Mart. l. c. 121 = *Siphanchera cordata*.  
*versicolor*, Lindl. Bot. Reg. t. 1066 = *Tibouchina versicolor*.  
*vestita*, Schrank & Mart. ex DC. Prod. iii. 119 = *Microlicia vestita*.  
*villosa*, Aubl. Pl. Gu. i. 334. t. 129. f. 1 = *Comolia villosa*.  
*villosissima*, Rich. in Humb. & Bonpl. Rhex. 81. t. 31 = *Desmoscelis villosa*.  
*viminalis*, Mart. & Schrank, ex DC. Prod. iii. 103 = *Microlicia viminalis*.  
*viminea*, D. Don, in Bot. Reg. t. 664 = *Tibouchina viminea*.  
*violacea*, Mart. ex DC. Prod. iii. 118 = *Comolia violacea*.  
*virginica*, Linn. Sp. Pl. 346.—Am. bor.  
*virgulata*, Schrank & Mart. ex DC. Prod. iii. 119 = *Microlicia serpyllifolia*.  
*viscidula*, Mart. ex Cham. in Linnaea, ix. (1834) 385 = *Comolia sessilis*.  
*viscidula*, Schrank & Mart. ex DC. Prod. iii. 118 = *Comolia violacea*.  
*zeylanica*, Link, Enum. Hort. Berol. i. 380 = *Tibouchina holosericea*.
- RHIGIOCARYA, Miers, in Ann. & Mag. Nat. Hist. Ser. III. xiv. (1864) 100 = *Chasmanthera*, Hochst. (Menisp.).  
*racemifera*, Miers, l. c. 101.—Afr. trop.

**RHIGIOPHYLLUM**, Hochst. in Flora, xxv. (1842) 232. *CAMPANULACEAE*, Benth. & Hook. f. ii. 559.  
squarrosus, Hochst. l. c.—Afr. austr.

**RHIGIOTHAMNUS**, Spach, Hist. Vég. Phan. x. 9 (1841) = **Dicoma**, Cass. (Compos.).

**RHIGOSPIRA**, Miers, Apocyn. S. Am. 67 (1878) = **Tabernaemontana**, Linn. (Apocyn.).  
*paucifolia*, Miers, l. c. 69 = *T. paucifolia*.  
*quadrangularis*, Miers, l. c. 68 = *Ambellania quadrangularis*.  
*reticulata*, Miers, l. c. 69 = *T. reticulata*.  
*sinuosa*, Miers, l. c. 70 = *T. Sprucei*.  
*Sprucei*, Miers, l. c. = *T. Sprucei*.  
*ternstroemiacea*, Miers, l. c. 71 = *T. ternstroemiacea*.  
*venulosa*, Miers, l. c. 68 = *Ambellania macrophylla*.

**RHIGOZUM**, Burch. Trav. i. 299 (1822). *BIGNONIACEAE*, Benth. & Hook. f. ii. 1048.

**RHIZOGUM**, Reichb. Consp. 125 (1828).  
*brachiatum*, E. Mey. in Drège, Zwei Pfl. Docum. 264 = *trichotomum*.  
obovatum, Burch. Trav. i. 389.—Afr. austr.  
trichotomum, Burch. l. c. 299.—Afr. austr.

**RHINACANTHUS**, Nees, in Wall. Pl. As. Rar. iii. 76 (1832). *ACANTHACEAE*, Benth. & Hook. f. ii. 1112.

*calcaratus*, Nees, in DC. Prod. xi. 444.—Ind. or.  
*communis*, Nees, in Wall. Pl. As. Rar. iii. 109.—Ind. or.; Malaya.  
*gracilis*, Boj. ex Nees, in DC. Prod. xi. 506 = *Hypoestes gracilis*.  
*gracilis*, Klotzsch, in Peters, Reise Mossamb. Bot. 218.—Afr. trop.  
*macilentus*, Presl, Bot. Bemerk. 95 = *communis*.  
*Nasuta*, Kurz, in Journ. As. Soc. Beng. xxxix. (1870) ii. 79 = *communis*.  
*oblongus*, Nees, in DC. Prod. xi. 444.—Afr. trop.  
*osmospermus*, T. Anders. in Journ. Linn. Soc. vii. (1863) 51; ix. (1868) 522 = *communis*.  
*osmospermus*, Boj. ex Nees, in DC. Prod. xi. 443.—Madag.  
*Rottlerianus*, Nees, in Wall. Pl. As. Rar. iii. 109 = *communis*.  
*scoparius*, Balf. f. in Proc. Roy. Soc. Edinb. xii. (1884) 88.—Ins. Socotra.  
*tubulosus*, Presl, Bot. Bemerk. 95 = *Justicia tubulosa*.

**RHINACTINA**, Less. in Linnaea, vi. (1831) 119 = **Aster**, Tourn. (Compos.).  
*limonifolia*, Less. l. c. = *A. obovatus*.  
*uniflora*, Bunge, ex DC. Prod. v. 279 = *A. eremophilus*.

**RHINACTINA**, Willd. in Ges. Nat. Fr. Berl. Mag. i. (1807) 139 = **Jungia**, Linn. f. (Compos.).  
*cinerarioides*, Willd. ex DC. Prod. vii. 55 = *Jungia ferruginea*.  
*purpurea*, Willd. ex Steud. Nom. ed. I. 687 = *Leuceria purpurea*.

**RHINANTHERA**, Blume, Bijdr. 1121 (1826) = **Sceloparia**, Schreb. (Bixin.).  
*Blumei*, Steud. Nom. ed. II. ii. 448.—Java.  
*odoratissima*, Blume, Bijdr. 1121.—Java.

**RHINANTHUS**, Linn. Sp. Pl. ed. I. 603 (1753), partim; Bieb. Fl. Taur. Cauc. ii. 68 (1808) = **Rhynchocorys**, Griseb. (Scrophul.).  
*Columnae*, Jaub. & Spach, Illustr. iv. 138 = *Rhynch. Elephas*.  
*Elephas*, Linn. Sp. Pl. 603 = *Rhynch. Elephas*.  
*orientalis*, Frivald, ex Griseb. Spicil. Fl. Rumel. ii. 12 = *Rhynch. Elephas*.  
*orientalis*, Linn. Sp. Pl. 603 = *Rhynch. orientalis*.  
*strictus*, C. Koch, in Linnaea, xxii. (1849) 684 = *Rhynch. Elephas*.

**RHINANTHUS**, Linn. Syst. ed. I (1735); Gen. ed. I. 184 (1737). *SCROPHULARINEAE*, Benth. & Hook. f. ii. 979.  
*Alectorolophus*, Hall. Enum. Stirp. Helv. ii. 623 (1742); Moench, Meth. 440 (1794).  
*Crista-galli*, Rupp. Fl. Jen. ed. Hall. 240 (1745).  
*Elephas*, Tourn. ex Adans. Fam. ii. 211 (1763).  
*PROBOSCIPHORA*, Neck. Elem. i. 336 (1790).

# **RHINANTHUS:—**

*acuminatus*, Poir. Encyc. Suppl. v. 624 = *Castilleja pallida*.  
*adulterinus*, Wallr. Beitr. Fl. Hercyn. 226 (Quid?)—Europ.  
*Alectorolophus*, Pollich, Hist. Pl. Palat. ii. 177 = major.  
*alpestris*, Steud. Nom. ed. II. ii. 448 = major.  
*alpinus*, Baumg. Enum. Stirp. Transs. ii. 194 = major.  
*alpinus*, Koch, Syn. Fl. Germ. ed. I. 627 = *angustifolius*.  
*alpinus*, Lam. Fl. Fr. ii. 354 = *Bartsia alpina*.  
*angustifolius*, C. C. Gmel. Fl. Bad. ii. 669.—Europ.  
*aristatus*, Celak. in Oestr. Bot. Zeitschr. xx. (1870) 132 = *angustifolius*.  
*bicolor*, Poir. Encyc. Suppl. v. 623 = *Bartsia Trixago*.  
*bifidus*, Buch.-Ham. ex D. Don, Prod. Fl. Nep. 94 = *Pedicularis carnosus*.  
*buccalis*, Wallr. in Flora, xxv. (1842) 504 = major.  
*capensis*, Linn. Syst. ed. XII. 405; Thunb. Prod. Pl. Cap. 98 = *Bartsia Trixago*.  
*coccineus*, Lam. Encyc. ii. 60 = *Castilleja coccinea*.  
*creticus*, F. G. Dietr. Vollst. Gaertn. Lexik. viii. 137 = *Bartsia Trixago*.  
*Crista-galli*, Linn. Sp. Pl. 603 = major, minor.  
*Crista-galli*, Vill. Fl. Delph. 62 = major.  
*cristatus*, Stokes, Bot. Mat. Med. iii. 378 = major.  
*glaber*, Lam. Fl. Fr. ii. 352 = minor.  
*glacialis*, Personn. in Bull. Soc. Bot. Fr. x. (1863) 745 = major?  
*glauca*, Poir. Encyc. Suppl. ii. 309 = *Lagotis glauca*.  
*grandiflorus*, Bluff, Fingerh. Comp. Fl. Germ. ed. I. ii. 61 = major?  
*hirsutus*, Lam. Fl. Fr. ii. 353 = major.  
*indicus*, Linn. Sp. Pl. 603 = *Geniosporum elongatum*.  
*inflatus*, Salisb. Prod. 96 = major, minor.  
major, Ehrh. Beitr. vi. 144.—Europ.  
*maritimus*, Lam. Fl. Fr. ii. 353 = *Bartsia Trixago*.  
*maximus*, Lam. Encyc. ii. 61 = *Bartsia viscosa*.  
*maximus*, Willd. Sp. Pl. iii. 189 = *Bartsia Trixago*.  
minor, Ehrh. Beitr. vi. 144.—Europ.  
*montanus*, Sauter, in Flora, xl. (1857) 361 = *Bartsia alpina*.  
*nigricans*, Meinsh. Fl. Ingr. 259 = minor?  
*obscurus*, Steph. Nom. Pl. Agric. Mosq. (1804) 35 (Quid?)—Rossia.  
*pallens*, Wibel, Prim. Fl. Werth. 142 = seq.?  
*pallidus*, Lam. Encyc. ii. 60 = *Castilleja pallida*.  
*parviflorus*, Bluff & Fingerh. Comp. Fl. Germ. ed. I. ii. 61 = minor.  
*pratensis*, Vill. Fl. Delph. 62 = minor.  
*pubescens*, Boiss. & Heldr. ex Boiss. Fl. Orient. iv. 479 = major.  
*pulcher*, Schummel, ex Opiz, Natural. xi. (1826) 449 = *Bartsia alpina*.  
*ramosus*, Schur, Enum. Pl. Transs. 511 = minor.  
*Reichenbachii*, Benth. in DC. Prod. x. 558 = major.  
*riphaeus*, Krock. Fl. Siles. Suppl. ii. 160 = major, minor.  
*scaber*, Thunb. Prod. Pl. Cap. 98 = *Alectra melampyroides*.  
*spicatus*, Poir. Encyc. Suppl. v. 623 = *Bartsia aspera*.  
*stenophyllus*, Schur, Enum. Pl. Transs. 512 = minor.  
*tenuifolius*, Poir. Encyc. Suppl. v. 624 = *Orthocarpus tenuifolius*.  
Tournefortii, Jaub. & Spach, Illustr. iv. 137. t. 393.—Oriens.  
*trifidus*, Vahl, Symb. Bot. i. 44 = *Bungea trifida*.  
*Trixago*, Linn. Syst. ed. XII. 1107; Gouan, Hort. Mopsp. 296 = *Bartsia Trixago*.  
*Trixago*, Thuill. Fl. Par. ed. II. 304 = minor.  
*versicolor*, Lam. Encyc. ii. 61 = *Bartsia Trixago*.  
*villosus*, Pers. Syn. ii. 151 = major.  
*virginicus*, Linn. Herb. ex Benth. in DC. Prod. x. 558 = *Lamoureauxia serratifolia*.  
*virginicus*, Linn. Sp. Pl. 603 = *Gerardia quercifolia*.  
*viscosus*, Lam. Fl. Fr. ii. 354; Brot. Fl. Lusit. i. 187 = *Bartsia viscosa*.  
*vulgaris*, Gueldenst. ex Ledeb. Fl. Ross. iii. 266 = major, minor.

**RHINANTUS**, Gilib. Exercit. i. 132 (1792) = *praec.*

**RHINCHOGLOSSUM**, Blume, Bijdr. 741 (1826) = **Rhynchoglossum**, Blume (Gesnerac.).

**RHINCHOSIA**, Zoll. & Mor. in Nat. en Geneesk. Arch. Neêrl. Indie, iii. (1846) 78 = **Rhynchosia**, Lour. (Legumin.).

**RHINCOSPORA**, Gaudich. in Freyc. Voy. Bot. 415 (1826) = **Rynchospora**, Vahl (Cyperac.).

**RHINIACHNE**, Hochst. ex Steud. Syn. Pl. Gram. 360, in syn. (1855) = **Thelepogon**, Roth (Gramin.).  
*Princeps*, Hochst. ex Steud. l. c. = *T. elegans*.

**RHINIUM**, Schreb. Gen. 701 (1791) = **Doliocarpus**, Roland. (Dillen.).

**RHINOCARPUS**, Bert. ex H. B. & K. Nov. Gen. et Sp. viii. 5. t. 601 (1825) = **Anacardium**, Linn.  
*excelsa*, Bert. ex H. B. & K. l. c. = *A. Rhinocarpus*.

**RHINOGLOSSUM**, Pritz. Ic. Ind. i. 933 (1855), sphalm. = **Rhynchoglossum**, Blume (Gesner.).

**RHINOLOBIUM**, Arn. in Mag. Zool. & Bot. ii. (1838) 420 = **Schizoglossum**, E. Mey. (Asclep.).  
*lineare*, Decne. in DC. Prod. viii. 556, in syn. (= *Lagaranthus gracilis*).—Afr. austr.  
*tenuis*, Arn. in Mag. Zool. & Bot. ii. (1838) 421.—Afr. austr.

**RHINOPETALUM**, Fisch. ex Alex. in Edinb. N. Phil. Journ. [viii]. (Oct.-Dec. 1829) 19 = **Fritillaria**, Tourn. (Liliac.).

*Boissieri*, Klatt, in Hamb. Gartenz. xvi. (1860) 439 = *F. gibbosa*.  
*Carelini*, Steud. Nom. ed. II. ii. 448, sphalm. = seq.  
*Karelini*, Fisch. ex Sweet, Brit. Flow. Gard. Ser. II. t. 283 = *F. gibbosa*.  
*stenantherum*, Regel, in Act. Hort. Petrop. iii. ii. (1875) 294.—Turkestan.  
*triste*, Eversm. ex Ledeb. Fl. Ross. iv. 149 = *F. gibbosa*.

**RHINOSTEGIA**, Turcz. in Bull. Soc. Nat. Mosc. xvi. (1843) 56 = **Thesium**, Linn. (Santal.).  
*brevifolia*, Turcz. l. c. 57 = *T. leptocaulis*.  
*longifolia*, Turcz. l. c. = *T. Turczaninowii*.

**RHINOSTIGMA**, Miq. Fl. Ind. Bat. Suppl. 495 (1860) = **Garcinia**, Linn. (Guttif.).  
*macrophyllum*, Miq. l. c. = *G. macrophylla*.  
*parvifolium*, Miq. l. c. = *G. dioica*?

**RHIPIDODENDRON**, Spreng. Anleit. ii. i. 243 (1817) = seq.

**RHIPIDODENDRUM**, Willd. in Ges. Naturf. Fr. Berl. Mag. v. (1811) 164 = **Aloë**, Tourn. (Liliac.).  
*dichotomum*, Willd. l. c. 166 = *A. dichotoma*.  
*distichum*, Willd. l. c. 165 = *A. plicatilis*.  
*plicatile*, Haw. Rev. Pl. Succ. 45 = *A. plicatilis*.

**RHIPIDOSTIGMA**, Hassk. Retzia, 103 (1855) = **Maba**, Forst. (Ebenac.).  
*Teijsmanni*, Hassk. l. c. 106 = *M. Teijsmanni*.  
*Zollingeri*, Hassk. l. c. 104 = *M. hermaphrodita*.

**RHIPOGONUM**, Forst. Char. Gen. 49. t. 25 (1776) (Ripogonum). *LILIACEAE*, Benth. & Hook. f. iii. 764.

*album*, R. Br. Prod. 293.—Austral.  
*album*, Sieber, ex Kunth, Enum. Pl. v. 161 = *Smilax glycyphylla*.  
*discolor*, F. Muell. Fragm. vii. 78.—Austral.  
*dubium*, Endl. Prod. Fl. Norfolk. 30.—Ins. Norfolk.  
*Elseyanum*, F. Muell. Fragm. i. 44.—Austral.  
*Fawcettianum*, F. Muell. ex Benth. Fl. Austral. vii. 9.—Austral.  
*Moorianum*, F. Muell. Fragm. i. 44 = *album*.  
*parviflorum*, R. Br. Prod. 293 = *scandens*.  
*scandens*, Forst. Char. Gen. 50.—N. Zel.

**RHIPSALIS**, Gaertn. Fruct. i. 137. t. 28 (1788).

*CACTEAE*, Benth. & Hook. f. i. 850.  
*CASSYTHA*, Mill. Gard. Dict. ed. VIII. (1768).  
*HARIOIA*, Adans. Fam. ii. 243 (1763).  
*LEPISMIUM*, Pfeiff. in Otto & Dietr. Allg. Gartenz. iii. (1835) 315, 380.  
*PFEIFFERIA*, Salm-Dyck, Cact. Hort. Dyck. ed. I. 40 (1845).  
*aethiopica*, Welw. in Journ. Linn. Soc. iii. (1859) 152, nomen.—Afr. trop.  
*alata*, Steud. Nom. ed. II. i. 333 = *pachyptera*.  
*alternata*, Lem. Cact. 80, nomen.—Am. trop.  
*brachiata*, Hook. Bot. Mag. t. 4039 = *R. Saglionia*.

**RHIPSALIS** :—

- calamiformis*, Hort. ex Pfeiff. Enum. Diagn. Cact. 135 = funalis.  
*Cassutha*, Gaertn. Fruct. i. 137. t. 28 (Cassutha).—Am. trop.  
*cassuthoides*, G. Don, Gen. Syst. iii. 176.—Mexic.  
*cereiformis*, Foerst. Handb. Cact. ed. I. 454.—Hab.?  
*cereuscula*, Haw. ex Phil. Mag. (1830) 112 = R. Saglionis.  
*conferta*, Salm-Dyck, Cact. Hort. Dyck. ed. II. 229.—Hab.?  
*coriacea*, Polak. in Linnaea, xli. (1877) 562.—Costa Rica.  
*cribrata*, Persf. ex N. E. Br. in Gard. Chron. (1877) i. 716 = penduliflora.  
*crispa*, Hort. ex Foerst. Handb. Cact. ed. I. 450 = crispat.  
*crispata*, Pfeiff. Enum. Diagn. Cact. 130.—Hab.?  
*cylindrica*, Steud. Nom. ed. II. ii. 448.—Bras.  
*dichotoma*, G. Don, Gen. Syst. iii. 176.—N. Granat.  
*echinata*, Hort. ex Pfeiff. Enum. Diagn. Cact. 136 = mesembryanthoides.  
*fasciculata*, Haw. Suppl. Pl. Succ. 83.—Ind. occ.  
*floccosa*, Salm-Dyck, ex Pfeiff. Enum. Diagn. Cact. 134.—Hab.?  
*funalis*, Salm-Dyck, ex DC. Prod. iii. 476.—Am. austr.  
*grandiflora*, Haw. Suppl. Pl. Succ. 83 = funalis.  
*Hookeriana*, G. Don, Gen. Syst. iii. 176 = R. Cassutha.  
*horrida*, Baker, in Journ. Linn. Soc. xxi. (1884) 347.—Madag.  
*Houlletiana*, Lem. Illustr. Hortic. v. (1858) Misc. 64.—Bras.  
*Houlletii*, Hook. f. Bot. Mag. t. 6089 = praec.  
*Knightii*, Foerst. Handb. Cact. ed. I. 456.—Bras.  
*Lorentziana*, Griseb. in Goett. Abh. xxiv. (1879) 139.—Reg. Argent.  
*lumbicoides*, Lem. in Salm-Dyck, Hort. Dyck. ed. (1841) 1842; et Rev. Hortic. (1865) 219 = sarmentacea.  
*macrocarpa*, Miq. in Bull. Sc. Nat. Phys. Néerl. (1838) 49.—Hab.?  
*mesembryanthemoides*, Steud. Nom. ed. II. ii. 449 = seq.  
*mesembryanthoides*, Haw. Rev. Pl. Succ. 71.—Am. austr.  
*micrantha*, DC. Prod. iii. 476.—Ecuador.  
*Miquelii*, Lem. Cact. 80, nomen.—Am. trop.  
*Mittleri*, Foerst. Handb. Cact. ed. I. 455.—Bras.  
*monacantha*, Griseb. in Goett. Abh. xxiv. (1879) 140.—Reg. Argent.  
*Myosurus*, Foerst. Handb. Cact. ed. I. 455.—Bras.  
*pachyptera*, Pfeiff. Enum. Diagn. Cact. 132.—Ind. occ.  
*paradoxa*, Salm-Dyck, Cact. Hort. Dyck. ed. I. 39; ed. II. 59, 228.—Bras.  
*parasitica*, DC. Prod. iii. 476 = undulata.  
*parasitica*, Haw. Syn. Pl. Succ. 187 = fasciculata.  
*pendula*, Hort. ex Pfeiff. Enum. Diagn. Cact. 133 = R. Cassutha.  
*penduliflora*, N. E. Br. in Gard. Chron. (1877) i. 716.—Bras.?  
*pentagona*, Hort. ex Foerst. Handb. Cact. ed. I. 453 = seq.  
*pentaptera*, Pfeiff. in Otto & Dietr. Allg. Gartenz. iv. (1836) 105.—Bras.  
*platycarpa*, Lem. in Rev. Hortic. Sér. IV. ix. (1860) 502 = robusta.  
*platycarpa*, Pfeiff. Enum. Diagn. Cact. 131.—Bras.  
*pteroaulis*, Hort. ex Foerst. Handb. Cact. ed. I. 453 = paradoxa.  
*ramulosa*, Pfeiff. Enum. Diagn. Cact. 130.—Hab.?  
*rhombea*, Pfeiff. l. c.—Hab.?  
*Riedeliana*, Regel, Ind. Sem. Hort. Petrop. (1860) 49.—Bras.  
*robusta*, Lem. in Rev. Hortic. Sér. IV. ix. (1860) 502.—Bras.?  
*rugulosa*, Lem. Illustr. Hortic. viii. (1861) sub t. 293.—Ind. occ.  
*Saglionis*, Otto, ex Walp. Rep. ii. 936.—Reg. Argent.  
*salicornioides*, Haw. Suppl. Pl. Succ. 83.—Bras.  
*sarmentacea*, Otto & Dietr. Allg. Gartenz. ix. (1841) 98.—Reg. Argent.  
*spatulata*, Otto, ex Sweet, Hort. Brit. ed. III. 288.—Hab.?  
*Swartziana*, Pfeiff. Enum. Diagn. Cact. 131.—Ind. occ.  
*teres*, Steud. Nom. ed. II. ii. 449.—Bras.  
*trigona*, Pfeiff. Enum. Diagn. Cact. 133.—Bras.  
*Turpinii*, Lem. Cact. 80, nomen.—Am. trop.  
*undulata*, Pfeiff. Enum. Diagn. Cact. 136.—Ind. occ.

**RHIZAERIS**, Rafin. Sylva Tellur. 90 (1888) = **Laguncularia**, Gaertn. (Combret.).  
*alba*, Rafin. l. c. = L. racemosa.

**RHIZEMYS**, Rafin. Fl. Tellur. iv. 26 (1836) = **Tes-tudinaria**, Salisb. (Dioscor.).  
*elephantipes*, Rafin. l. c. = T. elephantipes.  
*montana*, Rafin. l. c.—Hab.?

**RHIZIRIDEUM**, Fourr. in Ann. Soc. Linn. Lyon, N. S. (1869) 160 = **Allium**, Tourn. (Liliac.).  
*acutangulum*, Fourr. l. c. = A. senescens.  
*fallax*, Fourr. l. c. = A. senescens.

**RHIZIUM**, Dulac, Fl. Hautes-Pyr. 243 (1867) = **Ela-tine**, Linn.  
*curvum*, Dulac, l. c. = E. Hydropiper.  
*verticillatum*, Dulac, l. c. = E. Alsinastrum.

**RHIZOBOLUS**, Gaertn. ex Schreb. Gen. 369 (1789); et Fruct. ii. 93. t. 98 (1791) = **Caryocar**, Linn. (Ternstr.).  
*butyrosus*, J. F. Gmel. Syst. 840 = C. butyrosom.  
*glaber*, Steud. Nom. ed. II. ii. 449 = C. glabrum.  
*Pekia*, Gaertn. Fruct. ii. 93. t. 98. f. 1 = C. tomentosum.  
*Saouvari*, Correa, in Ann. Mus. Par. viii. (1806) 394. t. 5. f. 2 = C. glabrum.  
*Souari*, Steud. Nom. ed. I. 688, sphalm. = praec.  
*tuberosum*, J. F. Gmel. Syst. 840 = C. tomentosum.

**RHIZOBOTRYA**, Tausch, in Flora, xix. (1836) 33 = **Cochlearia**, Tourn. (Crucif.).  
*alpina*, Tausch, l. c. 34 = C. brevicaulis.

**RHIZOCEPHALUM**, Wedd. Chlor. And. ii. 11. t. 46 (1857). **CAMPANULACEAE**, Benth. & Hook. f. ii. 549.  
*Candollei*, Wedd. l. c. 12. t. 46.—N. Granat.  
*pumilum*, Wedd. l. c. 13.—Bolivia.  
*subulatum*, Benth. & Hook. f. Gen. ii. 549.—Ecuador.

**RHIZOCEPHALUS**, Boiss. Diagn. Ser. I. v. 68 (1844); xiii. 43 (1853) = **Heleochloa**, Host (Gramin.).  
*orientalis*, Boiss. l. c. 69.—Mesopot.

**RHIZOCORALLON**, Hall. in Rupp. Fl. Jen. 301 (1745) = **Corallorhiza**, Hall. (Orchid.).

**RHIZOGUM**, Reichb. Consp. 125 (1828) = **Rhigozum**, Burch. (Bignon.).

**RHIZOPHORA**, Linn. Gen. ed. I. 137 (1737).  
**RHIZOPHOREAE**, Benth. & Hook. f. i. 679.  
**AZOPHORA**, Neck. Elem. ii. 361 (1790).  
**MANGIUM**, Rumph. ex Scop. Intro. 218 (1777).  
**MANGLE**, Adans. Fam. ii. 445 (1763).  
**MANGLES**, Plum. ex DC. Prod. iii. 32 (1828).  
*Aegiceras*, Gaertn. f. Fruct. iii. t. 45. f. 1 = Aegiceras minus.  
*Aegiceras*, J. F. Gmel. Syst. 747 = Aegiceras majus.  
*americana*, Nutt. N. Am. Sylv. i. 112. t. 24 = R. Mangle.  
*apiculata*, Blume, Fl. Jav. i. 91 = Bruguiera gymnorhiza.  
*australis*, Steud. Nom. ed. II. ii. 449 = Bruguiera Rheedii.  
*Candel*, Linn. Sp. Pl. 443 = Kandelia Rheedii.  
*Candelaria*, DC. Prod. i. 32 = Bruguiera gymnorhiza.  
*Candelaria*, Macrae, ex Blume, Mus. Bot. Lugd. Bat. i. 137 = Bruguiera caryophylloides, malabarica.  
*Candelaria*, Wall. Cat. n. 4878 = mucronata.  
*caryophylloides*, Burm. f. Fl. Ind. 109.—As. trop.  
*caryophylloides*, Jack, in Malay. Misc. i. (1820) n. v. 34 = Bruguiera caryophylloides.  
*caseolaris*, Linn. Amoen. Acad. iv. 123 = Sonneratia acida.  
*ceratophylloides*, Rausch. Nom. ed. III. 136, sphalm. = caryophylloides.  
*confugata*, Linn. Sp. Pl. 443 = Bruguiera gymnorhiza.  
*corniculata*, Linn. Amoen. Acad. iv. 123 = Aegiceras majus.  
*cylindrica*, Linn. Sp. Pl. 443 = Bruguiera caryophylloides.  
*decandra*, Roxb. Hort. Beng. [36], nomen = Ceriops Roxburghiana.

**RHIZOPHORA** :—

- eripetala*, Steud. Nom. ed. II. ii. 449 = Bruguiera eripetala.  
*glomerulata*, Zipp. ex Blume, Mus. Bot. Lugd. Bat. i. 143 = Ceriops Zippeliana.  
*gymnorhiza*, Linn. Sp. Pl. 443 = Bruguiera gymnorhiza.  
*Lamarckii*, Montr. in Mém. Acad. Lyon, x. (1860) 201.—N. Caled.  
*latifolia*, Miq. Fl. Ind. Bat. Suppl. 324.—Sumatra.  
*macrorhiza*, Griff. Notul. iv. 664 (macrohiza) = mucronata.  
*Mangle*, Linn. Sp. Pl. 443.—Littora trop.  
*Mangle*, Roxb. Hort. Beng. [36]; Fl. Ind. ii. [459] = mucronata.  
*mucronata*, Lam. Encyc. vi. 169.—Geront. trop.  
*mucronata*, Naves, in Blanco, Fl. Philipp. ed. III. t. 135 = Bruguiera gymnorhiza.  
*obtusa*, Dennst. Schluess. Hort. Malab. 15, 32 (= *Problastes cuneifolia*).—Java.  
*pachypoda*, Baill. Adansonia, xi. (1873-76) 309.—N. Caled.  
*Palun*, DC. Prod. iii. 33.—Ins. Molucc.  
*parviflora*, Roxb. Fl. Ind. ii. 461 = Bruguiera parviflora.  
*pauciflora*, Griff. Notul. iv. 664, sphalm. = praec.  
*polandra*, Blanco, Fl. Filip. ed. I. 396 = Bruguiera eripetala.  
*racemosa*, G. F. W. Mey. Prim. Fl. Esseq. 185 = R. Mangle.  
*Rheedii*, Steud. Nom. ed. II. ii. 449 = Bruguiera gymnorhiza.  
*rugens*, Ehrenb. ex Schweinf. Beitr. Fl. Aethiop. 233 = mucronata.  
*sexangula*, Lour. Fl. Cochinch. 297.—Cochinch.  
*stylosa*, Griff. Notul. iv. 665 = Kandelia Rheedii.  
*Tagal*, Perr. in Mém. Soc. Linn. Par. iii. (1825) 138 (Quid?).—Guian.  
*timoriensis*, DC. Prod. iii. 32 = Ceriops Candolleana.  
*tinctoria*, Blanco, Fl. Filip. ed. I. 394 = Bruguiera gymnorhiza.

**RHODACTINEA**, Gardn. in Hook. Lond. Journ. Bot. vi. (1847) 449 = **Barnadesia**, Mutis (Compos.).  
*rosea*, Gardn. l. c. 450 = B. rosea.

**RHODACTINIA**, Benth. & Hook. f. Gen. ii. 484 (1873), sphalm. = praec.

**RHODALSINE**, J. Gay, in Ann. Sc. Nat. Sér. III. iv. (1845) 25, in adnot. = **Arenaria**, Rupp. (Caryophyll.).  
*procumbens*, J. Gay, l. c. = A. geniculata.

**RHODAMNIA**, Jack, in Malay. Misc. ii. (1822) n. vii. 48. **MYRTACEAE**, Benth. & Hook. f. i. 715.  
**MONOXORA**, Wight, Illustr. ii. 12. t. 97 (1841).  
*argentea*, Benth. Fl. Austral. iii. 278.—Austral.  
*Blairiana*, F. Muell. Fragm. ix. 141.—Austral.  
*cinerea*, Jack, in Malay. Misc. ii. (1822) n. vii. 48 = trinervia.  
*concolor*, Miq. Fl. Ind. Bat. Suppl. 315 = trinervia.  
*glaucua*, Blume, Mus. Bot. Lugd. Bat. i. 79.—N. Guin.  
*globosa*, Blume, l. c.—Borneo.  
*latifolia*, Miq. Fl. Ind. Bat. i. 1. 480.—Malaya.  
*Mulleri*, Blume, Mus. Bot. Lugd. Bat. i. 79 = trinervia.  
*Nageli*, Miq. Fl. Ind. Bat. i. 1. 478 = trinervia.  
*sessiliflora*, Benth. Fl. Austral. iii. 277.—Austral.  
*spectabilis*, Blume, Mus. Bot. Lugd. Bat. i. 78 = trinervia.  
*subtriflora*, Blume, l. c. 79 = trinervia.  
*trinervia*, Blume, Mus. Bot. Lugd. Bat. i. 79.—Burma; Malaya; Austral.

**RHODANTHE**, Lindl. Bot. Reg. t. 1703 (1834) = **Helipterum**, DC. (Compos.).  
*atropurpurea*, Hort. ex Vilm. Fl. Pl. Terre, ed. II. 776 = atrosanguinea.  
*atrosanguinea*, J. Drumm. in Gard. Chron. (1861) 622.—Austral.  
*immaculata*, Hort. ex Vilm. Fl. Pl. Terre, ed. III. 967 = H. Manglesii.  
*maculata*, Hort. cf. Gard. Chron. (1861) 622 = H. Manglesii?  
*Manglesii*, Lindl. Bot. Reg. t. 1703 = H. Manglesii.



- RHODAX**, Spach, in Ann. Sc. Nat. Sér. II. vi. (1836) 363 = *Helianthemum*, Tourn. (Cistin.).  
*alpestris*, Fuss, Fl. Transs. 78 = *H. cinereum*.  
*ambiguus*, Fuss, l. c. 79.—Transs.  
*canus*, Fuss, l. c. 79 = *H. canum*.  
*Chamaecistus*, Spach, Hist. Veg. Phan. vi. 40 = *H. cinereum*.  
*dichotomus*, Spach, l. c. 44 = *H. dichotomum*.  
*marifolius*, Fuss, Fl. Transs. 79 = *H. vineale*.  
*montanus*, Spach, in Ann. Sc. Nat. Sér. II. vi. (1836) 364 = *H. montanum*.  
*oelandicus*, Fuss, Fl. Transs. 78 = *H. cinereum*.  
*origanifolius*, Spach, in Ann. Sc. Nat. Sér. II. iv. (1836) 364 = *H. origanifolium*.  
*penicillatus*, Fourn. in Ann. Soc. Linn. Lyon, N. S. xvi. (1868) 340 = *H. cinereum*.  
*polyanthus*, Spach, in Ann. Sc. Nat. Sér. II. vi. (1836) 364 = *H. polyanthum*.  
*prostratus*, Pomel, Nouv. Mat. Fl. Atl. 354 = *H. prostratum*.  
*vinealis*, Fuss, Fl. Transs. 79 = *H. vineale*.
- RHODEA**, Endl. Gen. 155 (1837) = *Rohdea*, Roth (Liliac.).
- RHODIA**, Linn. Syst. ed. I (1735) = *Sedum*, Tourn. (Crassul.).  
*officinatum*, Crantz, Inst. i. 191 = *Sedum roseum*, Scop.
- RHODIOLA**, Linn. Gen. ed. I. 318 (1737) = *Sedum*, Tourn. (Crassul.).  
*algida*, Fisch. & Mey. in Schrank, Enum. Pl. Nov. 70 = *S. algidum*.  
*asiatica*, D. Don, Prod. Fl. Nep. 213 = *S. asiaticum*.  
*atropurpurea*, Trautv. & Mey. in Middend. Reise (Fl. Ochot. 39) = *S. atropurpureum*.  
*elongata*, Fisch. & Mey. in Schrank, Enum. Pl. Nov. 68 = *S. roseum*, Scop.  
*gelida*, Schrenk, Enum. Pl. Nov. 67 = *S. gelidum*.  
*imbricatum*, Edgew. in Trans. Linn. Soc. xx. (1846) 47 = *S. roseum*, Scop.  
*integrifolia*, Rafin. Atl. Journ. 146 = *S. roseum*, Scop.  
*Kirilowi*, Regel, ex Maxim. Prim. Fl. Amur. 472 = *S. Kirilowii*.  
*minor*, Mill. Gard. Dict. ed. VIII. n. 2 = *S. roseum*, Scop.  
*odora*, Salisb. Prod. 308 = *S. roseum*, Scop.  
*odorata*, Lam. Fl. Fr. iii. 647 = *S. roseum*, Scop.  
*quadrifida*, Fisch. & Mey. in Schrank, Enum. Pl. Nov. 69 = *S. quadrifidum*.  
*rosea*, Linn. Sp. Pl. 1035 = *S. roseum*, Scop.  
*sibirica*, Sweet, Hort. Brit. ed. III. 268 = *S. roseum*, Scop.  
*Stephani*, Trautv. & Mey. in Middend. Reise (Fl. Ochot. 39) = *S. Stephani*.
- RHODIOLA**, Lour. Fl. Cochinch. 627 (1790) = *Cardiospermum*, Linn. (Sapind.).  
*bitermata*, Lour. l. c. = *C. Halicacabum* (Masc.).
- RHODOCALYX**, Muell. Arg. in Mart. Fl. Bras. vi. i. 172. t. 51 (1860). *APOCYNACEAE*, Benth. & Hook. f. ii. 725.  
*calycosus*, Miers, Apocyn. S. Am. 140 = *Echites calycosa*.  
*cinereus*, Miers, l. c. 141 = *Haplophyton cimicidum*.  
*coccineus*, Miers, l. c. = *Dipladenia coccinea*.  
*crassifolius*, Miers, l. c. 139 = *Echites crassifolia*.  
*crassipes*, Miers, l. c. 140 = *Echites crassipes*.  
*cuneifolius*, Miers, l. c. 142.—Bras.  
*hypoleucus*, Miers, l. c. 140 = *Macrosiphonia hypoleuca*.  
*lanuginosus*, Miers, l. c. 139 = *Macrosiphonia lanuginosa*.  
*ovatus*, Miers, l. c. 141 = *Dipladenia coccinea*.  
*rotundifolius*, Muell. Arg. in Mart. Fl. Bras. vi. i. 173.—Bras.  
*suaveolens*, Miers, Apocyn. S. Am. 139 = *Macrosiphonia hypoleuca*.  
*Tweedianus*, Miers, l. c. 142.—Bras.
- RHODOCHITON**, Zucc. in Abh. Akad. Muench. i. (1832) 306, in syn. t. 13. *SCROPHULARINEAE*, Benth. & Hook. f. ii. 935.  
*volubile*, Zucc. l. c. = Mexico.
- RHODOCHLAENA**, Spreng. Syst. ii. 595 (1825) = *Rhodolaena*, Thou. (Chlaenac.).

- RHODOCHLAMYS**, Schau. in Linnaea, xx. (1847) 706 = *Salvia*, Tourn. (Labiata).  
*speciosa*, Schau. l. c. 707 = *S. Sessei*.
- RHODOCISTUS**, Spach, in Ann. Sc. Nat. Sér. II. vi. (1836) 367 = *Cistus*, Tourn.  
*Berthelotianus*, Spach, l. c. = *C. vaginatus*.
- RHODOCLADA**, Baker, in Journ. Linn. Soc. xxi. (1884) 327. *LINACEAE*.  
*rhopaloides*, Baker, l. c. 328.—Madag.
- RHODOCODON**, Baker, in Journ. Linn. Soc. xviii. (1881) 280. t. 8. *LILIACEAE*, Benth. & Hook. f. iii. 811.  
*madagascariensis*, Baker, l. c.—Madag.
- RHODOCOMA**, Nees, in Lindl. Introd. Nat. Syst. ed. II. 450 (1836) = *Restio*, Linn.  
*capense*, Nees, ex Steud. Syn. Pl. Cyp. 249 = *Restio Rhodocoma*?  
*Equisetum*, Nees, ex Mast. in Journ. Linn. Soc. x. (1869) 275 = *Restio Rhodocoma*.
- RHODODENDRON**, Linn. Sp. Pl. ed. I. 392 (1753). *ERICACEAE*, Benth. & Hook. f. ii. 599.  
**ANTHODENDRON**, Reichb. in Moessl. Handb. i. p. xl. 244, 308 (1827).  
**AZALEA**, Linn. Syst. ed. I. (1735).  
**BRACHYCALYX**, Sweet, ex Steud. Nom. ed. II. i. 220 (1840).  
**CHAMAECISTUS**, Regel, Gartenfl. (1874) 60.  
**HOCHENWARTIA**, Crantz, Inst. ii. 468 (1766).  
**HYMENANTHES**, Blume, Bijdr. 862 (1826).  
**LOISELERIA**, Reichb. Fl. Germ. Excurs. 416, in nota (1831).  
**LOISELEURIA**, Reichb. Nom. 127 (1841).  
**OSMOTHAMNUS**, DC. Prod. vii. 715 (1839).  
**PLINTHOCHROMA**, Dulac, Fl. Hautes-Pyr. 419 (1867).  
**RHODORA**, Linn. Sp. Pl. ed. II. 561 (1762).  
**RHODOTHAMNUS**, Lindl. & Paxt. Flow. Gard. i. (1850) 51. t. 22.  
**STEMOTIS**, Rafin. Sylva Tellur. 152 (1838).  
**THEIS**, Salisb. ex DC. Prod. vii. 715 (1835).  
**TSUTSUSI**, Adans. Fam. ii. 164 (1763).  
**VIREYA**, Blume, Bijdr. 854 (1826).  
*acuminatum*, Hook. f. in Hook. Ic. Pl. t. 886.—Borneo.  
*Adansoni*, Pépin, Ann. Fl. et Pom. (1839) 304.—Hab.?  
*aeruginosum*, Hook. f. Rhod. Sikkim-Himal. t. 22 = *campanulatum*.  
*afghanicum*, Aitch. & Hemsl. in Journ. Linn. Soc. xviii. (1880) 75.—Afghan.  
*albiflorum*, Hook. Fl. Bor. Am. ii. 43. t. 33; ex R. Grah. in Edinb. N. Phil. Journ. xxiv. (1838) 422.—Am. bor. occ.  
*Albrechtii*, Maxim. in Bull. Acad. Pétersb. xv. (1871) 227.—Japan.  
*album*, Blume, Cat. Gew. Buitenz. 72.—Java.  
*album*, Buch.-Ham. ex D. Don, Prod. Fl. Nep. 154 = *arboresum*.  
*album*, Hoffmgg. Verz. Pfl. 192 = *albiflorum*.  
*algarvense*, Page, Prod. Southhampt. Gard. 38 = *baeticum*?  
*alstroemeroides* ×, Lem. Jard. Fleur. iv. (1854) t. 384.  
*altaclerense*, Lindl. Bot. Reg. t. 1414 = *arboresum*.  
*amoenum*, Planch. in Fl. des Serres, ix. (1853-54) 80; et in Rev. Hort. Sér. IV. iii. (1854) 64 = *indicum*.  
*angustifolium*, Hoppe, in Flora, xx. (1837) 185, 205 = *hirsutum*.  
*Anthopogon*, D. Don, in Mem. Wern. Soc. iii. (1821) 409.—As. bor.; Reg. Himal.  
*Anthopogon*, Wall. Cat. n. 759, partim = *setosum*.  
*anthopogonoides*, Maxim. in Bull. Acad. Pétersb. xxiii. (1877) 350.—China.  
*apoaum*, Stein, Gartenfl. (1885) 194. t. 1196.—Ins. Philipp.  
*arborescens*, Torr. Fl. U. St. i. 425.—Am. bor.  
*arboresum*, Sm. Exot. Bot. i. 9.—Ind. or.; Reg. Himal.; Zeylan.  
*arfakianum*, Becc. Malesia, i. (1878) 201.—N. Guin.  
*argenteum*, Hook. f. Rhod. Sikkim-Himal. t. 9 = *grande*.  
*aristatum*, Royle, Illustr. Bot. Himal. 42, nomen = *barbatum*?

**RHODODENDRON:—**

- aromaticum*, Wall. Cat. n. 1520 = *R. Anthopogon*.  
*assamicum*, Hort.—Cf. Gard. Chron. (1881) i. 8 (Quid?).—Assam.  
*Aucklandii*, Hook. f. Rhod. Sikkim-Himal. t. 11 = *Griffithianum*.  
*aureum*, Georgi, Reise Russ. Reich. i. 214 = *chrysanthum*.  
*asaleoides*, Desf. Tabl. ed. II. 272 = *ponticum*.  
*baeticum*, Boiss. & Reut. Diagn. Sér. II. iii. 118.—Hispan.; Lusit.  
*balsaminaeflorum* ×, T. Moore, Fl. & Pomol. (1883) 81. t. 587.  
*barbatum*, G. Don, Gen. Syst. iii. 844.—Reg. Himal.  
*Batemani*, Hook. f. Bot. Mag. t. 5387 = *campanulatum*.  
*bhotanicum*, C. B. Clarke, in Hook. f. Fl. Brit. Ind. iii. 475.—Reg. Himal.  
*bicolor*, Sweet, Hort. Brit. ed. II. 344 = *nudiflorum*.  
*bigener*, Hort. ex Steud. Nom. ed. II. ii. 450 = *maximum*.  
*blandfordiaeflorum*, Hook. Bot. Mag. t. 4930 = *cinabarinum*.  
*Blandinianum*, Martr. in Hérincq, Hort. Franç. (1859) 152. t. 13.—Am. bor.  
*Blumei*, Nutt. in Hook. Kew Journ. v. (1853) 366 = *niveum*.  
*Boothii*, Nutt. l. c. 356.—Reg. Himal.  
*brachycarpum*, D. Don, ex G. Don, Gen. Syst. iii. 843.—Japan.  
*brachycarpum*, Zucc. ex Maxim. in Mém. Acad. Pétersb. Sér. VII. xvi. (1871) 39 = *indicum*.  
*Breynii*, Planch. in Fl. des Serres, ix. (1853-54) 77; et in Rev. Hort. Sér. IV. iii. (1854) 46 = *indicum*.  
*Brookeanum*, Low, ex Lindl. in Journ. Hort. Soc. iii. (1848) 82.—Borneo.  
*Buergeri*, Miq. Ann. Mus. Bot. Lugd. Bat. i. 34 = *indicum*.  
*Burmanni*, G. Don, Gen. Syst. iii. 846 = *ledifolium*.  
*buxifolium*, Low, ex Hook. f. in Hook. Ic. Pl. t. 890.—Borneo.  
*calendulaceum*, Hook. & Arn. Bot. Beech. Voy. 362 = *occidentale*.  
*calendulaceum*, Torr. Fl. U. St. i. 425.—Am. bor.  
*californicum*, Hook. Bot. Mag. t. 4863.—Am. bor. occ.  
*Calleryi*, Planch. in Fl. des Serres, ix. (1853-54) 81; in Rev. Hort. Sér. IV. iii. (1854) 66 = *indicum*.  
*calophyllum*, Nutt. in Hook. Kew Journ. v. (1853) 362 = *Maddenii*.  
*calycinum*, Planch. in Fl. des Serres, ix. (1853-54) 81; et in Rev. Hort. Sér. IV. iii. (1854) 65 = *ledifolium*.  
*camelliaeflorum*, Hook. f. Rhod. Sikkim-Himal. t. 28.—Reg. Himal.  
*campanulatum*, D. Don. in Mem. Wern. Soc. iii. (1821) 410.—Reg. Himal.  
*Campbelliae*, Hook. f. Rhod. Sikkim-Himal. t. 6 = *arboresum*.  
*campylocarpum*, Hook. f. l. c. t. 30.—Reg. Himal.  
*campylogynum*, Franch. in Bull. Soc. Bot. Fr. xxxii. (1885) 10.—China.  
*camtschaticum*, Pall. Fl. Ross. i. 48. t. 33.—Kamtschat.; Ins. Aleut.  
*Candelabrum*, Hook. f. Rhod. Sikkim-Himal. t. 29 = *Thomsonii*.  
*canescens*, G. Don, Gen. Syst. iii. 848 = *nudiflorum*.  
*capitatum*, Maxim. in Bull. Acad. Pétersb. xxiii. (1877) 351.—China.  
*Carnarvoni* ×, Sweet, Hort. Brit. ed. II. 342, nomen.  
*Cartonianum* ×, DC. Prod. vii. 727.  
*catawbiense*, Hoffmgg. Verz. Pfl. Nachtr. ii. 194 = *ellipticum*.  
*catawbiense*, Michx. Fl. Bor. Am. i. 258.—Am. bor.  
*Catesbaei*, Forbes, Hort. Woburn. 90 = *seq.*  
*Catesbaeum*, Dum.-Cours. Bot. Cult. ed. II. vii. 165 = *ponticum*?  
*caucaseum*, Sims, Bot. Mag. t. 1145 = *seq.*  
*caucasicum*, Pall. Fl. Ross. i. 46. t. 31.—Reg. Caucas.  
*Cavroni* ×, André, in Rev. Hort. (1885) 60, cum ic.  
*celebicum*, DC. Prod. vii. 725 = *malayanum*.  
*cephalanthum*, Franch. in Bull. Soc. Bot. Fr. xxxii. (1885) 9.—China.  
*Chamaecistus*, Cham. & Schlecht. in Linnaea, i. (1826) 513 = *Redowskianum*.  
*Chamaecistus*, Linn. Sp. Pl. 392 = *Rodothamnus Chamaecistus*.  
*Championae*, Hook. Bot. Mag. t. 4609.—China.  
*Chapmanii*, A. Gray, in Proc. Am. Acad. xii. (1877) 61.—Am. bor.



## RHODODENDRON :—

- chrysanthum, *Pall. Reise*, iii. 729.—Davuria.  
 ciliatum, *Hook. f. Rhod. Sikkim-Himal.* t. 24.—Reg. Himal.  
 cinnabarinum, *Hook. f. l. c. t. 8*.—Reg. Himal.  
 cinnamomeum, *Wall. Cat. n. 760* = arboreum.  
 cistiflorum, *St. Lag. in Ann. Soc. Bot. Lyon*, vii. (1880) 133 = *R. Chamaecistus*.  
 citrinum, *Hassk. Cat. Pl. Hort. Bog. Alt.* 161.—Java.  
*Clivianum* ×, *J. Sm. in Bot. Mag.* t. 4478.  
 Collettianum, *Aitch. & Hemsl. in Journ. Linn. Soc.* xviii. (1880) 75.—Afghan.  
 cordifolium, *Dehnh. Cat. Pl. Hort. Camald.* ed. II. 23.—Hab. ?  
*crispiflorum*, *Planch. in Fl. des Serres*, ix. (1853–54) 83 = indicum.  
*Cunninghami*, *Hort. ex C. Koch, Dendrol.* ii. i. 166 = ponticum.  
*Curtisii* ×, *T. Moore, Flor. & Pomol.* (1884) 113. t. 615.  
 Dalhousiae, *Hook. f. Rhod. Sikkim-Himal.* 2. t. 2.—Reg. Himal.  
*Danielsianum*, *Planch. in Fl. des Serres*, ix. (1853–54) 79 = indicum.  
 dauricum, *Linn. Sp. Pl.* 392.—Sibir.  
 deciduum, *Andr. ex Steud. Nom. ed. II. ii.* 450 = ponticum.  
*decumbens*, *D. Don, ex G. Don, Gen. Syst.* iii. 846 = indicum.  
*deflexum*, *Griff. Notul.* iv. 303; *Id. Pl. As.* t. 519 = triflorum.  
 Degronianum, *Carr. in Rev. Hort.* (1869) 368.—Japon.  
 dilatatum, *Miq. Ann. Mus. Bot. Lugd. Bat.* i. 34.—Japon.  
 durionifolium, *Becc. Malesia*, i. (1878) 202.—Borneo.  
 Edgarii, *Gamble, Darjeeling List Trees*, 52 = campanulatum.  
 Edgeworthii, *Hook. f. Rhod. Sikkim-Himal.* 2. t. 21.—Reg. Himal.  
 elaeagnoides, *Hook. f. l. c. t. 23 B* = lepidotum.  
 ellipticum, *Hoffmgg. Verz. Pfl. Nachtr.* ii. 194.—Am. bor.  
*enneandrum* ×, *DC. Prod.* vii. 728.  
 ericoides, *Low, ex Hook. f. in Hook. Ic. Pl.* t. 837.—Borneo.  
*eximium*, *Nutt. in Hook. Kew Journ.* v. (1853) 364 = Falconeri.  
 Falconeri, *Hook. f. Rhod. Sikkim-Himal.* t. 10.—Reg. Himal.  
 Farrerae, *Tate, ex Sweet, Brit. Flow. Gard.* Ser. II. t. 95.—China.  
 ferrugineum, *Linn. Sp. Pl.* 392.—Europ.; As. bor.  
 flavum, *G. Don, Gen. Syst.* iii. 847 = ponticum.  
 flavum, *Pall. Reise*, iii. 320 = chrysanthum.  
 formosum, *Wall. Pl. As. Rar.* iii. 3. t. 207.—Reg. Himal.  
 Fortuni, [*T. Moore*,] *Lindl. in Gard. Chron.* (1859) 868; *Hook. f. Bot. Mag.* t. 5596 (Fortunei).—China.  
 fragrans, *Hort. ex DC. Prod.* vii. 722 = maximum.  
 fragrans, *Maxim. Rhod. As. Or.* 16 = *R. Anthopogon*.  
 fulgens, *Hook. f. Rhod. Sikkim-Himal.* t. 25.—Reg. Himal.  
*gaultherioides*, *Boiss. & Bal. ex Boiss. Pl. Or. Nov.* Dec. i. 4 = *Orphanidesia gaultherioides*.  
 germanicum, *Hoppe, in Flora*, xx. (1837) 187 = hirsutum.  
 Gibsonii, *Paxt. Mag. Bot.* viii. (1841) t. 217 = formosum.  
 glabratum, *Hoppe, in Flora*, xx. (1837) 185 = hirsutum.  
 glaucum, *G. Don, Gen. Syst.* iii. 848 = viscosum.  
 glaucum, *Hook. f. Rhod. Sikkim-Himal.* t. 17.—Reg. Himal.  
*Gowenianum* ×, *Sweet, Brit. Flow. Gard.* Ser. I. t. 263.  
 gracile, *Low, ex Lindl. in Journ. Hort. Soc.* iii. (1848) 84.—Borneo.  
 grande, *Wight, in Calc. Journ. Nat. Hist.* viii. (1847) 176.—Reg. Himal.  
 Griffithianum, *Wight, Ic. Pl.* t. 1203.—Reg. Himal.  
 Griffithii, *Hook. f. Rhod. Sikkim-Himal.* 2, sphalm. = praec.  
 halense ×, *Gremb. in Oestr. Bot. Zeitschr.* xxiv. (1874) 375.—Europ.  
 hatamense, *Becc. Malesia*, i. (1878) 202.—N. Guin.  
 Henryi, *Hance, in Journ. Bot.* xix. (1881) 241; xxii. (1884) 22.—China.

## RHODODENDRON :—

- hirsutiformum* ×, *Gremb. in Oestr. Bot. Zeitschr.* xxiv. (1874) 376.—Europ.  
 hirsutum, *Linn. Sp. Pl.* 392.—Europ. med.  
 hispidum, *D. Don, in Edinb. Phil. Journ.* vi. (1822) 48.—Japon.  
*hispidum*, *Torr. Fl. U. St.* i. 425 = viscosum.  
 Hodgsonii, *Hook. f. Rhod. Sikkim-Himal.* t. 15.—Reg. Himal.  
 Hookeri, *Nutt. in Hook. Kew Journ.* v. (1853) 358.—Reg. Himal.  
*hyacinthiflorum*, *Hort. ex Steud. Nom. ed. II. ii.* 450 = ponticum.  
*hybridum* ×, *Ker-Gawl. in Bot. Reg.* t. 195.  
 indicum, *Sweet, Hort. Brit.* ed. II. 343; *Brit. Flow. Gard. Ser. II.* t. 128.—China.  
*intermedium*, *Schur, Enum. Pl. Transs.* 448 = hirsutum.  
*intermedium*, *Tausch, in Flora*, xix. (1836) 36 = ferrugineum.  
*intermedium*, *Wender. l. c.* ix. (1826) 357 = praec. ?  
 jasminiflorum, *Hook. Bot. Mag.* t. 4524.—Java.  
 javanicum, *Benn. Pl. Fav. Rar.* 85. t. 19.—Java.  
 Jenkinsii, *Nutt. in Hook. Kew Journ.* v. (1853) 361.—Reg. Himal.  
*Jodogawa*, *Hort. Bog. ex Hassk. Cat. Hort. Bog. Alt.* 162 = Keiskei.  
*Kaempferi*, *Planch. in Fl. des Serres*, ix. (1853–54) 77 = indicum.  
 kamtschaticum, *Pall. Fl. Ross.* i. 48. t. 33.—As. bor. or.  
 Keiskei, *Miq. Ann. Mus. Bot. Lugd. Bat.* ii. 163.—Japon.  
 Kendrickii, *Nutt. in Ann. & Mag. Nat. Hist.* Ser. II. xii. (1853) 10.—Reg. Himal.  
*Knightianum* ×, *Forbes, Hort. Woburn.* 90.  
 Keysii, *Nutt. in Hook. Kew Journ.* v. (1853) 353.—Reg. Himal.  
 Kochii, *Stein, in Gartenfl.* xxxii. (1885) 193. t. 1195.—Ins. Philipp.  
*Koempferi*, *Planch. in Rev. Hort.* Sér. IV. iii. (1854) 46, sphalm. = *Kaempferi*.  
 Konori, *Becc. Malesia*, i. (1878) 200.—N. Guin.  
 Korthalsii, *Miq. Ann. Mus. Bot. Lugd. Bat.* i. 43.—Sumatra.  
 lampongum, *Miq. Fl. Ind. Bat. Suppl.* 585 = malayanum.  
 lanatum, *Hook. f. Rhod. Sikkim-Himal.* t. 16.—Reg. Himal.  
 lancifolium, *Hook. f. l. c. t. 4* = barbatum.  
 lancifolium, *Moench, Meth.* 45 = ponticum.  
 lapponicum, *Wahlenb. Fl. Suec.* 249.—Reg. bor. et arct.  
*lateritium*, *Planch. in Fl. des Serres*, ix. (1853–54) 80; et in *Rev. Hort.* Sér. IV. iii. (1854) 63 = indicum.  
 latifolium, *Hoffmgg. Verz. Pfl. Nachtr.* ii. 195.—Am. bor. ?  
 latifolium, *Hoppe, in Flora*, xxiii. (1840) 525 = hirsutum.  
 ledifolium, *G. Don, Gen. Syst.* iii. 846.—China.  
 lepidotum, *Wall. Cat. n. 758*.—Reg. Himal.  
 leptocarpum, *Nutt. in Hook. Kew Journ.* vi. (1854) 256.—Reg. Himal.  
*leucanthum*, *Bunge, in Mém. Sav. Etr. Pétersb.* ii. (1835) 115 = ledifolium.  
 Lindleyi, *T. Moore, in Gard. Chron.* (1864) 364.—Ind. or. ?  
 linearifolium, *Poir. Encyc.* vi. 267.—Ind. or. ?  
 linearifolium, *Sieb. & Zucc. in Abh. Akad. Muench.* iv. III. (1846) 131.—Japon.  
 Lobbii, *Hort.—Cf. Gard. Chron.* (1871) 1323.—Hab. ?  
 longiflorum, *Lindl. in Journ. Hort. Soc.* iii. (1848) 88.—Borneo.  
 longiflorum, *Nutt. in Hook. Kew Journ.* v. (1853) 366 = grande.  
 Loureiriana, *G. Don, Gen. Syst.* iii. 846.—Cochinch.  
 Lowei, *Hook. f. in Hook. Ic. Pl.* t. 883.—Borneo.  
 Lowei, *Loud. Gard. Mag.* xi. (1835) 79, 190 = ponticum.  
 lucidum, *Nutt. in Hook. Kew Journ.* v. (1853) 363.—Reg. Himal.  
 luteum, *Sweet, Hort. Brit.* ed. II. 343.—Turcia.  
 macranthum, *G. Don, Gen. Syst.* iii. 846 = indicum.  
 macranthum, *Griff. Notul.* iv. 303; *Id. Pl. As.* t. 520 = Maddenii.  
 macrocarpos, *Griff. Itin. Notes*, 138 = Dalhousiae.

## RHODODENDRON :—

- macrocarpum*, *Van Houtte, in Fl. des Serres*, xi. (1857) 83 (Quid ?).—Ind. or.  
 macrophyllum, *D. Don, ex G. Don, Gen. Syst.* iii. 843.—Am. bor. occ.  
 macrosepalum, *Maxim. in Bull. Acad. Pétersb.* xv. (1871) 228.—Japon.  
 macrostemon, *Maxim. in Mém. Acad. Pétersb. Sér.* VII. xvi. (1871) n. IX. 41.—Japon.  
 Maddenii, *Hook. f. Rhod. Sikkim-Himal.* t. 18.—Reg. Himal.  
 malayanum, *Jack, in Malay. Misc.* ii. (1822) n. VII. 17.—Sumatra.  
*Manglesi* ×, *Hort. Veitch.—Cf. Gard. Chron.* (1885) ii. 48.  
 Mariae, *Hance, in Journ. Bot.* xx. (1882) 230.—China.  
 maximum, *Hook. Fl. Bor. Am.* ii. 43 (excl. syn.) = macrophyllum.  
 maximum, *Linn. Sp. Pl.* 392.—Am. bor.  
 maximum, *Thunb. Fl. Jap.* 181 = Metternichii.  
 Metternichii, *Sieb. & Zucc. Fl. Jap.* i. 23. t. 9.—Japon.  
*micranthum*, *Maxim. in Mém. Acad. Pétersb. Sér.* VII. xvi. (1870) n. IX. 18 = *R. Anthopogon*.  
 micranthum, *Turcz. in Bull. Soc. Nat. Mosc.* xxi. (1848) i. 586.—China.  
 minus, *Michx. Fl. Bor. Am.* i. 258 = punctatum.  
 molle, *G. Don, Gen. Syst.* iii. 846.—China.  
 molle, *Sieb. & Zucc. in Abh. Akad. Muench.* iv. III. (1846) 131 = sinense.  
*Morterii* ×, *Sweet, Brit. Flow. Gard.* Ser. II. i. t. 10.  
 moulmainense, *Hook. Bot. Mag.* t. 4904.—Burma.  
 mucronatum, *G. Don, Gen. Syst.* iii. 846 = ledifolium.  
 mucronulatum, *Turcz. in Bull. Soc. Nat. Mosc.* (1837) n. vii. 155; xxi. (1848) i. 585 = dauricum.  
 multicolor, *Miq. Fl. Ind. Bat. Suppl.* 586.—Sumatra.  
 mutabile, *Webb, ex Royle, Illustr. Bot. Himal.* 259 = campanulatum.  
 myrtifolium, *Lodd. Bot. Cab.* t. 908 = ponticum.  
 myrtifolium, *Schott & Kotschy, ex Schott, in Bot. Zeit.* ix. (1851) 17 = ferrugineum.  
 narcissiflorum, *Planch. in Fl. des Serres*, ix. (1853–54) 82; et in *Rev. Hort.* Sér. IV. iii. (1854) 67 (sp. dub.).—China.  
 nilagiricum, *Zenk. in Ann. Sc. Nat. Sér. II. vi.* (1836) 150; *Pl. Ind.* t. 15 = arboreum.  
 nitidum, *Torr. Fl. U. St.* i. 425 = viscosum.  
 nivale, *Hook. f. Rhod. Sikkim-Himal.* t. 26.—Reg. Himal.  
 niveum, *Hook. f. in Journ. Hort. Soc.* vii. (1852) 78.—Reg. Himal.  
 nobile, *Wall. Cat. n. 1521* = campanulatum, barbatum.  
 Nobleanum, *Hort. ex Lindl. Bot. Reg.* t. 1820. f. 1 = caucasicum.  
 nudiflorum, *Torr. Fl. U. St.* i. 424.—Am. bor.  
 Nuttallii, *Booth, ex Nutt. in Hook. Kew Journ.* v. (1853) 355.—Reg. Himal.  
 oblongum, *Griff. Notul.* iv. 303; *Id. Pl. As.* t. 523 = Griffithianum.  
 obovatum, *Hook. f. Rhod. Sikkim-Himal. Consp.* 6 = lepidotum.  
 obtusum, *Hort. ex Wats. Dendrol.* ii. t. 162 = ponticum.  
 obtusum, *Planch. in Fl. des Serres*, ix. (1853–54) 80 et in *Rev. Hort.* Sér. IV. iii. (1854) 64 = indicum.  
 occidentale, *A. Gray, in Bot. Calif.* i. 458.—Am. bor. occ.  
 odoratum, *Lodd. ex Steud. Nom. ed. II. ii.* 450 = ponticum.  
 officinale, *Salisb. Parad. Lond.* t. 80 = chrysanthum.  
 Oldhami, *Maxim. in Mém. Acad. Pétersb. Sér.* VII. xvi. (1871) n. IX. 34.—Ins. Formosa.  
 orbiculare, *Decne. in Fl. des Serres*, xxii. (1877) 169.—Tibet.  
 ornatisissimum ×, *Versch. in Illustr. Hort.* xiv. (1867) t. 530.  
 ornatum, *Sweet, Brit. Flow. Gard.* Ser. II. t. 137 = viscosum.  
 ovatum, *Maxim. in Bull. Acad. Pétersb.* xv. (1871) 230.—China.  
 palustre, *Turcz. ex DC. Prod.* vii. 724 = *R. Anthopogon*.  
 papuanum, *Becc. Malesia*, i. (1878) 201.—N. Guin.  
 Parishii, *C. B. Clarke, in Hook. f. Fl. Brit. Ind.* iii. 475.—Burma.  
 parviflorum, *Dum.-Cours. Bot. Cult.* ed. I. 253 = ponticum.  
 parviflorum, *Hort. ex DC. Prod.* vii. 723 = punctatum

**RHODODENDRON:—**

- parviflorum*, F. Schmidt, in Mém. Acad. Pétersb. Sér. VII. xii. (1868) n. II. (Reisen Amurl.) 158, sphalm. = *parvifolium*.  
*parvifolium*, Adams, in Mém. Soc. Nat. Mosc. ix. (1834) 237 = R. Anthopogon.  
*pelargonioeflorum* ×, Van Houtte, in Fl. des Serres, x. (1854–55) 225. t. 1063.  
*pendulum*, Hook. f. *Rhod. Sikkim-Himal.* t. 13.—Reg. Himal.  
*phoeniceum*, G. Don, Gen. Syst. iii. 846 = *ledifolium*.  
*pictum* ×, Forbes, Hort. Woburn. 232.  
*planifolium*, Nutt. in Hook. Kew Journ. v. (1853) 365 = *campanulatum*.  
*polifolium*, Scop. Fl. Carn. ed. II. i. 287 = *Andromeda Polifolia*.  
*ponticum*, Linn. Sp. Pl. ed. II. 562.—As. Min.; Syria.  
*praecox* ×, Davis, ex Gard. Chron. (1878) i. 335.  
*procerum*, Salisb. Prod. 287 = maximum.  
*prunifolium*, Forbes, Hort. Woburn. 91 (Quid?).—Ind. or. Przewalskii, Maxim. in Bull. Acad. Pétersb. xxiii. (1877) 350.—China.  
*pulchellum*, Salisb. Prod. 287 = R. Rhodora.  
*pulcherrimum*, Lindl. Bot. Reg. t. 1820 = *caucasicum*.  
*pulchrum*, Sweet, Brit. Flow. Gard. Ser. II. t. 117 = *ledifolium*.  
*pumilum*, Hook. f. *Rhod. Sikkim-Himal.* t. 14.—Reg. Himal.  
*pumilum*, Nutt. in Hook. Kew Journ. v. (1853) 354 = *leptocarpum*.  
*punctatum*, Andr. Bot. Rep. t. 36.—Am. bor.  
*punicum* ×, Planch. in Fl. des Serres, ix. (1853–54) 79.  
*puniceum*, Roxb. Hort. Beng. 33; Fl. Ind. ii. 409 = *arborescens*.  
*purpureum*, G. Don, Gen. Syst. iii. 843 = maximum.  
*purpureum*, Buch.-Ham. ex D. Don, Prod. Fl. Nep. 154 = *arborescens*.  
*Purshii*, G. Don, l. c. = maximum.  
*uinquefolium*, Bisset & S. Moore, in Journ. Bot. xv. (1877) 292.—Japon.  
*ramentaceum*, Planch. in Fl. des Serres, ix. (1853–54) 81; et in Rev. Hort. Sér. IV. iii. (1854) 65 = *indicum*.  
*Redowskianum*, Maxim. Prim. Fl. Amur. 189.—Reg. Amur.  
*reticulatum*, D. Don, ex G. Don, Gen. Syst. iii. 846.—Japon.  
*retusum*, Benn. Pl. Jav. Rar. 88. t. 20.—Java; Sumatr.  
*Rhodora*, F. F. Gmel. Syst. 694.—Am. bor.  
*rhombicum*, Miq. Ann. Mus. Bot. Lugd. Bat. ii. 164.—Japon.  
*Rollissonii*, Lindl. Bot. Reg. (1843) t. 25 = *arborescens*.  
*Rovellii* ×, Leroy, in Rev. Hort. (1867) 159.  
*Roylei*, Hook. f. *Rhod. Sikkim-Himal.* t. 7 = *cinnabarinum*.  
*rugosum*, Low, ex Hook. f. in Hook. Ic. Pl. t. 885.—Borneo.  
*Russelianum* ×, Sweet, Brit. Flow. Gard. Ser. II. t. 9 = *catawbiense*.  
*salicifolium*, Becc. Malesia, i. (1878) 202.—Borneo.  
*salignum*, Hook. f. *Rhod. Sikkim-Himal.* Consp. 6, t. 23 = *lepidotum*.  
*scabrum*, G. Don, Gen. Syst. iii. 846 = *Metternichii*.  
*Schlippenbachii*, Maxim. in Bull. Acad. Pétersb. xv. (1871) 226.—Korea.  
*semibarbatum*, Maxim. l. c. 229.—Japon.  
*Seniavini*, Maxim. in Mém. Acad. Pétersb. Sér. VII. xvi. (1871) n. IX. 33.—China.  
*serpyllifolium*, Miq. Ann. Mus. Bot. Lugd. Bat. ii. 165.—Japon.  
*setosum*, D. Don, in Trans. Wern. Soc. iii. (1821) 408.—Reg. Himal.  
*Seymourii* ×, Herb. ex Otto & Dietr. Allg. Gartenz. v. (1837) 312.  
*Shepherdii*, Nutt. in Hook. Kew Journ. v. (1853) 360.—Reg. Himal.  
*Sieboldii*, Miq. Ann. Mus. Bot. Lugd. Bat. i. 33 = *indicum*.  
*simiarum*, Hance, in Journ. Bot. xix. (1881) 243; xxii. (1884) 22.—China.  
*Simsii*, Planch. in Fl. des Serres, ix. (1853–54) 78 = *indicum*.  
*sinense*, Sweet, Brit. Flow. Gard. Ser. I. t. 290.—Japon.  
*Smirnowi*, Trautv. ex Regel, in Gartenfl. (1885) 335.—Reg. Caucas.  
*Smithii*, Nutt. in Hook. Bot. Mag. t. 5120 = *barbatum*.  
*Smithii* ×, Sweet, Hort. Brit. ed. II. 342.

**RHODODENDRON:—**

- sparsiflorum*, Nutt. in Hook. Kew Journ. v. (1853) 363 = *camelliaeflorum*.  
*speciosum*, Salisb. Prod. 287 = *ponticum*.  
*speciosum*, Sweet, Hort. Brit. ed. II. 343 = *indicum*?  
*Standishii* ×, Paxt. Mag. Bot. xv. (1849) 210.  
*subcordatum*, Becc. Malesia, i. (1878) 203.—Borneo.  
*sublanceolatum*, Miq. Ann. Mus. Bot. Lugd. Bat. ii. 163.—Japon.  
*Taylori* ×, Veitch, in Flor. Mag. N. S. (1877) t. 242.  
*Teysmannii*, Miq. Fl. Ind. Bat. Suppl. 585.—Sumatra.  
*thibaudiense*, Hort. ex Dombr. Fl. Mag. iv. (1865) t. 253 = *cinnabarinum*.  
*Thomsonii*, Hook. f. *Rhod. Sikkim-Himal.* t. 12.—Reg. Himal.  
*Thunbergii*, Planch. in Fl. des Serres, ix. (1853–54) 78 = *indicum*.  
*thymifolium*, Maxim. in Bull. Acad. Pétersb. xxiii. (1877) 351.—China.  
*tigrinum*, Hort. ex Steud. Nom. ed. II. ii. 451 = maximum.  
*Toverenae*, F. Muell. in Vict. Natural. i. (1884) 101.—N. Guin.  
*tricolor* ×, Sweet, Hort. Brit. ed. II. 343.  
*triflorum*, Hook. f. *Rhod. Sikkim-Himal.* t. 19.—Reg. Himal.  
*trispidum*, Torr. Fl. North & Middle St. i. 184, sphalm. = *hispidum*, Torr.  
*Tschonoskii*, Maxim. in Bull. Acad. Pétersb. xv. (1871) 230.—Japon.  
*tubiflorum*, DC. Prod. vii. 725 = *malayanum*.  
*undulatum*, Steud. Nom. ed. II. ii. 451 = *arborescens*.  
*Ungerni*, Trautv. ex Regel, in Gartenfl. (1885) 335.—Reg. Caucas.  
*vaccinioides*, Hook. f. *Rhod. Sikkim-Himal.* t. 3.—Reg. Himal.  
*variolosum*, Becc. Malesia, i. (1878) 206.—Borneo.  
*Vaseyi*, A. Gray, in Proc. Am. Acad. xv. (1880) 48.—Am. bor.  
*Veitchianum*, Hook. Bot. Mag. t. 4992.—Burma.  
*velutinum*, Becc. Malesia, i. (1878) 204.—Borneo.  
*venosum*, Nutt. in Hook. Kew Journ. v. (1853) 365 = *Falconeri*.  
*venustum*, Salisb. Prod. 287 = *arborescens*.  
*verticillatum*, Low, ex Lindl. in Journ. Hort. Soc. iii. (1848) 86.—Borneo.  
*virgatum*, Hook. f. *Rhod. Sikkim-Himal.* t. 26.—Reg. Himal.  
*viscosum*, Fisch. ex Herd. in Act. Hort. Petrop. i. (1870) 350 = *Redowskianum*.  
*viscosum*, Torr. Fl. U. St. i. 424.—Am. bor.  
*vittatum*, Planch. in Rev. Hort. Sér. IV. iii. (1854) 66.—China.  
*Wallichii*, Hook. f. *Rhod. Sikkim-Himal.* t. 6 = *campanulatum*.  
*Weyrichii*, Maxim. in Mém. Acad. Pétersb. Sér. VII. xvi. (1871) n. IX. 26.—Japon.  
*Wightii*, Hook. f. *Rhod. Sikkim-Himal.* t. 27.—Reg. Himal.  
*Wilsoni*, Nutt. ex Hook. Bot. Mag. t. 5116 = *grande*.  
*Windsorii*, Nutt. in Hook. Kew Journ. v. (1853) 357 = *arborescens*.  
*zeylanicum*, Hort. ex Loud. Encyc. Pl. Suppl. ii. 1364 = *arborescens*.

**RHODOGERON**, Griseb. Cat. Pl. Cub. 151 (1866).  
**COMPOSITAE**, Benth. & Hook. f. ii. 291.  
*coronopifolius*, Griseb. l. c. 152.—Cuba.

**RHODOLAENA**, Thou. Hist. Vég. Isles. Afr. 47. t. 13 (1806). **CHLAENACEAE**, Benth. & Hook. f. i. 195.  
*PANDORA*, Noronha, ex Thou. l. c. 48 (1806).  
**RHODOCHLAENA**, Spreng. Syst. ii. 595 (1825).  
*acutifolia*, Baker, in Journ. Linn. Soc. xxi. (1884) 322.—Madag.  
*altivola*, Thou. Hist. Vég. Isles. Afr. 48. t. 13.—Madag.

**RHODOLEIA**, Champ. ex Hook. Bot. Mag. t. 4509 (1850). **HAMAMELIDEAE**, Benth. & Hook. f. i. 668.  
*Championi*, Hook. l. c.—China.  
*formosa*, Champ. ex Hance, in Walp. Ann. iii. 842 = *Championi*.  
*Teysmanni*, Miq. in Versl. en Med. Kon. Akad. Wetensch. vi. (1857) 123.—Sumatra.

**RHODOLIRION**, Phil. in Linnaea, xxix. (1857–58) 65 = **Hippeastrum**, Herb. (Amaryll.).  
*andinum*, Phil. l. c. 66 = H. Rhodolirion.  
*montanum*, Phil. l. c. 65 = H. uniflorum.

**RHODOMYRTUS**, Reichb. Nom. 117 (1841).  
**MYRTACEAE**, Benth. & Hook. f. i. 713.  
*cymiflora*, F. Muell. ex Benth. Fl. Austral. iii. 273.—Austral.  
*macrocarpa*, Benth. Fl. Austral. iii. 273.—Austral.  
*psidioides*, Benth. l. c. 272.—Austral.  
*tomentosa*, Wight, Spicil. Neilgherr. i. 60. t. 71.—Ind. or.; Malaya.  
*trineura*, F. Muell. ex Benth. Fl. Austral. iii. 272.—Austral.

**RHODOPHIALA**, Presl, Bot. Bemer. 115 (1844).  
**Hippeastrum**, Herb. (Amaryll.).  
*amarylloides*, Presl, l. c. = H. pratense.  
*andina*, Phil. in Anal. Univ. Chil. (1873) 543 = H. Herbertianum.  
*biflora*, Phil. in Linnaea, xxix. (1857–58) 66.—Chili.  
*laeta*, Phil. Fl. Atac. 51 = H. pratense.  
*modesta*, Phil. in Anal. Univ. Chil. (1873) 544 = H. modestum.  
*uniflora*, Phil. Fl. Atac. 51 = H. uniflorum.  
*Volckmanni*, Phil. in Linnaea, xxxiii. (1864–65) 259 = H. pratense.

**RHODOPHORA**, Neck. Elem. ii. 91 (1790) = **Rosa**, Tourn.

**RHODOPSIS**, Lilja, Fl. Sverig. Suppl. i. 42 (1840) = **Calandrinia**, H. B. & K. (Portulac).  
*discolor*, Lilja, l. c. = C. discolor.  
*speciosa*, Lilja, l. c. = C. Menziesii?

**RHODOPSIS**, Reichb. Nom. 168 (1841) = **Rosa**, Tourn.

**RHODOPTERA**, Rafin. Fl. Tellur. iii. 45 (1836) = **Rumex**, Tourn. (Polygon.).  
*roseus*, Rafin. l. c. 46 = *Rumex roseus*.

**RHODORA**, Linn. Sp. Pl. ed. II. 561 (1763) = **Rhododendron**, Linn. (Ericac.).  
*canadensis*, Linn. l. c. = Rhodod. Rhodora.  
*congesta*, Moench, Meth. 68 = Rhodod. Rhodora.

**RHODORHIZA**, Webb, in Bot. Reg. (1841) Misc. 69 = **Convolvulus**, Linn.  
*florida*, Webb, l. c. 70 = C. floridus.  
*fruticulosa*, Webb & Berth. Phyt. Canar. iii. 33 = C. fruticulosus.  
*glandulosa*, Webb, in Bot. Reg. (1841) Misc. 70 = C. fruticulosus.  
*Perraudieri*, C. Bolle, in Bonplandia, ix. (1861) 54 = C. Perraudieri (in Addend.).  
*scoparia*, Webb, in Bot. Reg. (1841) Misc. 70 = C. scoparius.  
*virgata*, Webb & Berth. Phyt. Canar. iii. 30 = C. scoparius.  
*volubilis*, C. Bolle, in Bonplandia, ix. (1861) 54 = C. Massoni.

**RHODORMIS**, Rafin. Fl. Tellur. iii. 93 (1836) = **Salvia**, Tourn. (Labi.).  
*rosaefolia*, Rafin. l. c. 94 = S. rosaefolia.

**RHODORRHIZA**, Webb & Berth. Phyt. Canar. iii. 28 (1841–60) = **RHODORIZA**, Webb = **Convolvulus**, Linn.

**RHODOSERIS**, Turcz. in Bull. Soc. Nat. Mosc. xxiv. (1851) ii. 94 = **Onoseris**, DC. (Compos.).  
*conspicua*, Turcz. l. c. 95 = O. Isotypus.

**RHODOSPATHA**, Poepp. & Endl. Nov. Gen. et Sp. iii. 91. t. 300 (1845). **AROIDEAE**, Benth. & Hook. f. iii. 990.  
**ANEPSIAS**, Schott, Gen. Aroid. t. 73 (1858).  
**ATIMETA**, Schott, l. c. t. 71 (1858).  
*blanda*, Schott, in Journ. Bot. ii. (1864) 53.—Bras.  
*heliconiifolia*, Schott, in Oestr. Bot. Zeitschr. viii. (1858) 317.—Bras.  
*latifolia*, Poepp. & Endl. Nov. Gen. et Sp. iii. 91. t. 300.—Peruv.  
*Lechleriana*, Schott, Prod. Aroid. 351 = *latifolia*.  
*Melinoni*, Engl. Bot. Jahrb. i. (1881) 483 = *blanda*.

**RHODOSPATHA:—**

- Moritziana, Schott, in Oestr. Bot. Wochenbl. vii. (1857) 109.—Venezuela.  
 oblongata, Poepp. & Endl. Nov. Gen. et Sp. iii. 91.—Bras.; Peruv.  
 Poeppigii, Schott, Gen. Aroid. 72=latifolia.  
 surinamensis, Schott, in Bonplandia, ix. (1861) 368=oblongata.  
 Wendlandii, Schott, in Journ. Bot. ii. (1864) 52.—Am. centr.

**RHODOSPHAERA**, Engl. Bot. Jahrb. i. (1881) 423. **ANACARDIACEAE**.  
 rhodanthema, Engl. l. c. 424.—Austral.

**RHODOSTACHYS**, Phil. in Linnaea, xxix. (1857-58) 57. **BROMELIACEAE**, Benth. & Hook. f. iii. 662.  
 RUCKIA, Regel, Gartenfl. (1868) 69. t. 571.  
 andina, Phil. in Linnaea, xxix. (1857-58) 58.—Chili.  
 bicolor, Benth. & Hook. f. Gen. iii. 662.—Chili.  
 grandiflora, Phil. in Linnaea, xxx. (1859-60) 202.—Chili.  
 Joinvillei, Benth. & Hook. f. Gen. iii. 662=pitcairniaefolia.  
 litoralis, Phil. in Linnaea, xxx. (1859-60) 201.—Chili.  
 pitcairniaefolia, Benth. & Hook. f. Gen. iii. 662.—Chili.

**RHODOSTOMA**, Scheidw. in Otto & Dietr. Allg. Gartenz. x. (1842) 286=**Palicourea**, Aubl. (Rubiaceae).  
 gardenioides, Scheidw. l. c.=P. gardenioides.

**RHODOTHAMNUS**, Lindl. & Paxt. Flow. Gard. i. (1850-51) t. 22=**Rhododendron**, Linn. (Ericaceae).  
 kamtchaticus, Lindl. & Paxt. l. c.=Rhodod. kamtchaticum.

**RHODOTHAMNUS**, Reichb. in Moessl. Handb. 688 (1827). **ERICACEAE**, Benth. & Hook. f. ii. 596.  
 Chamaecistus, Reichb. l. c.—Europ.

**RHODOTYPOS**, Sieb. & Zucc. Fl. Jap. 187. t. 99 (1835). **ROSACEAE**, Benth. & Hook. f. i. 613.  
 kerrioides, Sieb. & Zucc. l. c.—Japan.

**RHODOXYLON**, Rafin. Fl. Tellur. iv. 79 (1836)=**Convolvulus**, Tourn.  
 floridum, Rafin. l. c. 80=C. floridus.  
 scoparium, Rafin. l. c.=C. scoparius.

**RHOEA**, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 133=**Punica**, Tourn. (Lythraceae).  
 Punica, St. Lag. l. c.=P. Granatum.

**RHOEO**, Hance, in Walp. Ann. iii. 659 (1853). **COM-MELINACEAE**, Benth. & Hook. f. iii. 855.  
 discolor, Hance, l. c. 660.—Mexic.

**RHOIACARPOS**, A. DC. in DC. Prod. xiv. 634 (1857)=**Colpoon**, Berg. (Santal).  
 capensis, A. DC. l. c. 635.—Afr. austr.

**RHOICARPOS**, Ind. Kew. supra, i. 586, in syn., sphalm.=praec.

**RHOMBIFOLIUM**, Rich. ex DC. Prod. ii. 235 (1825)=**Clitoria**, Linn. (Legumin).  
 canescens, Rich. ex DC. l. c. 236=C. guianensis.

**RHOMBODA**, Lindl. in Journ. Linn. Soc. i. (1857) 181=**Hetaeria**, Blume (Orchid.).  
 lamellata, Miq. Fl. Ind. Bat. iii. 747=H. lamellata.  
 longifolia, Lindl. in Journ. Linn. Soc. i. (1857) 181=H. longifolia.

**RHOMBOLYTHRUM**, Link. Hort. Berol. ii. 96 (1833)=**Triodia**, R. Br. (Gramin.).  
 Berteroanum, E. Desv. in C. Gay, Fl. Chil. vi. 387.—Chili.  
 quinquenervium, Phil. in Linnaea, xxxiii. (1864-65) 293.—Chili.  
 rhomboideum, Link. Hort. Berol. ii. 296=T. filiformis.  
 valdivianum, Phil. in Linnaea, xxxiii. (1864-65) 294=Poa valdiviana.

**RHOMBOSPORA**, Korth. in Nederl. Kruidk. Arch. ii. (1850) 114=**Greenia**, Wight & Arn. (Rubiaceae).  
 Commersonii, Korth. l. c.—Sumatra.  
 sumatrana, Miq. Fl. Ind. Bat. ii. 345=Wendlandia glabrata.

VOL. II.

**RHOPALA**, Schreb. Gen. i. 62 (1789)=**Roupala**, Aubl. (Proteaceae).

**RHOPALEPHORA**, Hassk. in Bot. Zeit. xxii. (1864) 58=**Anilema**, R. Br. (Commel.).  
 Blumei, Hassk. l. c. 59=A. monadelphum.

**RHOPALOBASTE**, Scheff. in Ann. Jard. Buitenz. i. (1876) 187. **PALMAE**, Benth. & Hook. f. iii. 891.  
 hexandra, Scheff. l. c. 156. t. 26-27 f. 1.—Ins. Molucc.  
 micrantha, Benth. & Hook. f. Gen. iii. 892.—N. Guin.  
 Princeps, Hort. Bull.—Cf. Gard. Chron. (1880) i. 759.—Hab.?  
 singaporensis, Benth. & Hook. f. Gen. iii. 892=Ptychoraphis singaporensis.

**RHOPALOCARPUS**, Teijsm. & Binn. ex Miq. Ann. Mus. Bat. Lugd. Bat. ii. 22 (1865)=**Anaxagorea**, A. St. Hil. (Anonac.).  
 fruticosus, Teijsm. & Binn. ex Miq. l. c.=A. fruticosa.

**RHOPALOCNEMIS**, Jungh. in Nov. Act. Nat. Cur. xviii. Suppl. i. (1841) 213. **BALANOPHOREAE**, Benth. & Hook. f. iii. 238.  
 PHAEOCORDYLIS, Griff. in Trans. Linn. Soc. xx. (1846) 100. t. 8.  
 phalloides, Jungh. in Nov. Act. Nat. Cur. xviii. Suppl. i. (1841) 215.—Reg. Himal.; Java.

**RHOPALOSTIGMA**, Phil. Fl. Atac. 42. t. 6 (1860)=**Phrodus**, Miers (Solanac.).  
 microphyllum, Phil. l. c.—Chili.  
 pendulum, Phil. l. c.—Chili.  
 thymifolia, Phil. in Linnaea, xxix. (1857-58) 24=P. Bridgesii.

**RHOPALOSTIGMA**, Schott, in Oestr. Bot. Zeit. ix. (1859) 39=**Staurostigma**, Scheidw. (Aroid.).  
 Riedelianum, Schott, l. c.=S. Riedelianum.

**RHOPALOSTYLIS**, Klotzsch, ex Baill. Adansonia, v. (1864-65) 317=**Dalechampia**, Linn. (Euphorb.).  
 buettnerioides, Klotzsch, l. c.=D. micrantha.

**RHOPALOSTYLIS**, H. Wendl. & Drude, in Linnaea, xxxix. (1875) 180. **PALMAE**, Benth. & Hook. f. iii. 890.  
 Baueri, H. Wendl. & Drude, in Bot. Zeit. xxxv. (1877) 638.—Ins. Norfolk et Chatham.  
 sapida, H. Wendl. & Drude, in Kerch. Palm. 255.—N. Zel.

**RHOPIUM**, Schreb. Gen. 608 (1791)=**Phyllanthus**, Linn. (Euphorb.).  
 citrifolium, Willd. Sp. Pl. iv. 150=P. attenuatus.

**RHOPHOSTEMON**, Wittst. Etymol. Handw. 763 (1856)=**ROTROSTEMON**, Blume=**Pogonia**, Juss (Orch.).

**RHORADENDRON**, Griseb. in Lechl. Berb. Am. Austr. 59 (1857), sphalm.=**Phoradendron**, Nutt. (Loranthac.).

**RHUACOPHILA**, Blume, Enum. Pl. Jav. 13 (1827)=**Dianella**, Lam. (Liliac.).  
 celebica, Blume, l. c. 14=D. celebica.  
 javanica, Blume, l. c.=D. nemorosa.

**RHUS**, [Tourn.] Linn. Gen. ed. I. 84 (1737). **ANACARDIACEAE**, Benth. & Hook. f. i. 418.  
 COTINUS, [Tourn.] Linn. Syst. ed. I (1735).  
 LOBADIUM, Rafin. in Am. Monthly Mag. (1819) 357; et in Journ. Phys. lxxxix. (1819) 98.  
 MALOSMA, Engl. in DC. Monog. Phan. iv. 393 (1883).  
 METOPIMUM, P. Br. Hist. Jamaic. 177 (1756).  
 PHILOSTEMON, Rafin. Fl. Ludov. 107 (1817).  
 POCOPHORUM, Neck. Elem. ii. 226 (1790).  
 SCHMALZIA, Desv. ex DC. Prod. ii. 72 (1825).  
 STYPHONIA, Nutt. in Torr. & Gray, Fl. N. Am. i. 220 (1838).  
 TOXICODENDRON, [Tourn.] Linn. Syst. ed. I (1735).  
 TURPINIA, Rafin. in Med. Repos. N. York, v. (1808) 352.  
 VERNIX, Adans. Fam. ii. 342 (1763).

**RHUS:—**

abyssinica, Hochst. in Flora, xxiv. (1841) i. Intell. 31, nomen; & ex Oliver, Fl. Trop. Afr. i. 438.—Abyss.  
 acuminata, DC. Prod. ii. 68=succedanea.  
 acuminata, E. Mey. in Drège, Zwei Pfl. Docum. 216=laevigata.  
 acutidens, Engl. in DC. Monog. Phan. iv. 423.—Afr. austr.  
 acutiloba, Turcz. in Bull. Soc. Nat. Mosc. xxxvi. (1863) i. 612=R. Toxicodendron.  
 aequalis, Pers. Syn. i. 326.—Hab.?  
 affinis, Wall. Cat. n. 995=semialata.  
 africana, Mill. Gard. Dict. ed. VIII. n. 11.—Afr. austr.  
 aglaophylla, Eckl. & Zeyh. Enum. 148=undulata.  
 ailanthoides, Bunge, in Mém. Sav. Etr. Pétersb. ii. (1835) 89=Picrasma quassioides.  
 alata, Thunb. Prod. Pl. Cap. 52=Hippobromus alatus.  
 albicans, Willd. Enum. Hort. Berol. 325=albida.  
 albida, Schousb. Vextr. Marokko, 142.—Afr. bor.; Arab.; Syria.  
 albomarginata, Sond. in Harv. & Sond. Fl. Cap. i. 519.—Afr. austr.  
 amazonica, Poepp. ex Engl. in DC. Monog. Phan. iv. 278=Tapirira guianensis.  
 Amela, D. Don, Prod. Fl. Nep. 248=semialata.  
 amoena, Salisb. Prod. 169=R. Coriaria.  
 ampla, Engl. in DC. Monog. Phan. iv. 429.—Afr. trop.  
 Andrieuxii, Engl. l. c. 389.—Mexic.  
 angolensis, Engl. l. c. 448.—Afr. trop.  
 angustifolia, Linn. Sp. Pl. 267.—Afr. austr.  
 angustifolia, E. Mey. ex Harv. & Sond. Fl. Cap. i. 512=puberula.  
 antillana, Egg. Fl. St. Croix, 41.—Ins. S. Crucis.  
 arborea, DC. Prod. ii. 73=Schmidelia Cominia.  
 arborea, Macfad. ex Griseb. Fl. Brit. W. Ind. 177=Picrodendron arboreum.  
 arborescens, DC. Prod. ii. 73.—N. Granat.  
 arenaria, Wierzb. ex Engl. in DC. Monog. Phan. iv. 351=R. Cotinus.  
 argentea, Eckl. & Zeyh. Enum. 149=dissecta.  
 argentea, Mill. Gard. Dict. ed. VIII. n. 12=angustifolia.  
 argyrophylla, Presl, Bot. Bemerck. 42=Anaphrenium argenteum.  
 aromatica, Ait. Hort. Kew. ed. I. i. 367.—Am. bor.  
 atomaria, Jacq. Hort. Schoenb. iii. 51. t. 343=villosa.  
 atra, Forst. f. Prod. 23=Oncocarpus vitiensis.  
 Aucheri, Boiss. Diagn. Ser. I. ii. 5.—Arab.  
 bahamensis, G. Don, Gen. Syst. ii. 72 (Quid ?).—Ins. Bahama.  
 bicolor, Licht. ex Schult. Syst. vi. 661=tomentosa.  
 Bolusii, Sond. ex Engl. in DC. Monog. Phan. iv. 436.—Afr. austr.  
 brasiliensis, Hoffm. Verz. Pfl. Nachtr. ii. 198.—Bras.  
 Bucki-Amela, Roxb. Fl. Ind. ii. 99=semialata.  
 Bucki-Amelam, Roxb. Hort. Beng. 22=praec.  
 Burchelli, Sond. ex Engl. in DC. Monog. Phan. iv. 412.—Afr. austr.  
 Burkeana, Sond. in Harv. & Sond. Fl. Cap. i. 514.—Afr. austr.  
 Burmanni, DC. Prod. ii. 69=mucronata.  
 Cacodendron, Ehrh. in Hann. Mag. (1783) 227; et ej. Beitr. iii. 20=Ailanthus glandulosa.  
 calycina, Steud. Nom. ed. II. ii. 451=Loxostylis alata.  
 canadensis, Marsh. Arbust. 129=aromatica.  
 canadensis, Mill. Gard. Dict. ed. VIII. n. 5=typhina.  
 carolinense, Marsh. Arbust. 129=glabra?  
 carolinina, Mill. Gard. Dict. ed. VIII. n. 4=glabra.  
 caustica, Hook. & Arn. Bot. Beech. Voy. 15=Lithraea venenosa.  
 Cavanillesii, DC. Prod. ii. 69=lucida.  
 celastroides, Sond. in Harv. & Sond. Fl. Cap. i. 519.—Afr. austr.  
 chinensis, Mill. Gard. Dict. ed. VIII. n. 7=semialata.  
 ciliata, Licht. ex Schult. Syst. vi. 661.—Afr. austr.  
 ciliolata, Turcz. in Bull. Soc. Nat. Mosc. xxxi. (1858) i. 470.—Mexic.  
 cirrhiflora, Linn. f. Suppl. 184 (=Cissus pauciflora).—Afr. austr.  
 Clauseniana, Turcz. in Bull. Soc. Nat. Mosc. xxxi. (1858) i. 469=Lithraea Aroeirinha.  
 Cobbe, Linn. Sp. Pl. 267=Allophylus Cobbe.  
 Cominia, Linn. Syst. ed. X. 964=Schmidelia Cominia.

4 Y

**RHUS:—**

- Commersonii, *Poir. Encyc. Suppl.* v. 264.—Bras. concinna, *Burch. Trav.* i. 360.—Afr. austr.  
 concolor, Presl, Bot. Bemerk. 42 = Anaphrenium concolor.  
 copallina, *Linn. Sp. Pl.* 266.—Am. bor.  
 corallina, J. F. Gmel. Syst. 1615 (Index), sphalm. = praec.  
 coriacea, *Engl. in DC. Monog. Phan.* iv. 418.—Afr. austr.  
 Coriaria, *Linn. Sp. Pl.* 265.—Reg. Mediterr.; Persia.  
 cotina, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 133 = R. Cotinus.  
 cotinoides, *Nutt. ex Torr. & Gray. Fl. N. Am.* i. 217, in syn.; et ex *Chapm. Fl. S. U. St.* 70.—Am. bor.  
 Cotinus, *Linn. Sp. Pl.* 267.—Reg. Medit.; Oriens; Himal.; China.  
 Cotinus, Torr. & Gray, *Fl. N. Am.* i. 216 = cotinoides.  
 crassinervia, Presl, Bot. Bemerk. 42 = laevigata.  
 crataegiformis, Pers. Syn. i. 326 = albida.  
 crenata, *Thunb. in Hoffm. Phytogr. Blätter*, i. (1803) 28.—Afr. austr.  
 crenatifolia, *Schlecht. in Linnaea*, xvi. (1842) 483.—Mexic.  
 crenulata, A. Rich. Tent. Fl. Abyss. i. 142 = glaucescens.  
 crispa, Harv. ex Engl. in DC. Monog. Phan. iv. 443 = Gueinzii.  
 cuneifolia, *Linn. f. Suppl.* 183.—Afr. austr.  
 cuneifolia, E. Mey. ex Harv. & Sond. Fl. Cap. i. 513 = dentata.  
 decipiens, E. Mey. in Drège, Zwei Pfl. Docum. 216 = Schmidelia decipiens.  
 decipiens, Wight & Arn. Prod. 172 = Filicium decipiens.  
 dentata, *Thunb. Prod. Pl. Cap.* 52.—Afr. austr.  
 denudata, Eckl. & Zeyh. Enum. 143 = viminialis.  
 denudata, Licht. ex Schult. Syst. vi. 661 = lancea.  
 Dhuna, *Buch.-Ham. in Wall. Cat. n.* 8502 (sp. dub.).—Nepal.  
 digitata, *Linn. f. Suppl.* 184 (= *Cissus Thunbergii*, Eckl. & Zeyh.).—Afr. austr.  
 dimidiata, *Thunb. in Hoffm. Phytog. Blätter*, i. (1803) 28 (= *Cissus dimidiata*).—Afr. austr.  
 dioica, Brouss. ex Willd. Enum. Hort. Berol. 325 = albida.  
 discolor, E. Mey. in Drège, Zwei Pfl. Docum. 216, nomen; et ex Harv. & Sond. Fl. Cap. i. 507.—Afr. austr.  
 discolor, Schrad. ex Engl. in DC. Monog. Phan. iv. 408 = tomentosa.  
 dispar, Presl, Bot. Bemerk. 42 = Anaphrenium dispar.  
 dissecta *Thunb. in Hoffm. Phytog. Blätter*, i. (1803) 29.—Afr. austr.  
 divaricata, Eckl. & Zeyh. Enum. 146.—Afr. austr.  
 diversifolia, Engl. in DC. Monog. Phan. iv. 395, sphalm. = seq.  
 diversiloba, Torr. & Gray, *Fl. N. Am.* i. 218 = R. Toxicodendron.  
 Dregeana, *Sond. in Harv. & Sond. Fl. Cap.* i. 516.—Afr. austr.  
 Eckloniana, Presl, Bot. Bemerk. 41 = mucronata.  
 Eckloniana, *Sond. in Harv. & Sond. Fl. Cap.* i. 515.—Afr. austr.  
 Ecklonis, Schrad. ex Harv. & Sond. l. c. 509 = tomentosa.  
 elegans, Ait. Hort. Kew. ed. I. i. 366 = glabra.  
 elliptica, *Thunb. Fl. Cap.* ii. 214 = tomentosa.  
 elongata, Eckl. & Zeyh. Enum. 144 = viminialis.  
 elongata, Jacq. Hort. Schoenb. iii. 52 = mucronata.  
 erosa, Drège, ex Presl, Bot. Bemerk. 41 = Schmidelia erosa.  
 erosa, *Thunb. Fl. Cap.* ii. 212.—Afr. austr.  
 excisa, E. Mey. ex Harv. & Sond. Fl. Cap. i. 518 = undulata.  
 excisa, *Thunb. Prod. Pl. Cap.* 187.—Afr. austr.  
 fastigiata, Eckl. & Zeyh. Enum. 146 = puberula.  
 fastuosa, Salisb. Prod. 170 = semialata.  
 ferruginea, Teijsm. & Binn. ex Engl. in DC. Monog. Phan. iv. 450 = rufa.  
 filicina, [Moc. & Sesse,] ex DC. Prod. ii. 67 = Bursera bipinnata.  
 foliosa, A. Rich. Tent. Fl. Abyss. i. 143.—Abyss.  
 fragrans, Licht. ex Schult. Syst. vi. 661 = viminialis.  
 fraxinifolia, D. Don, Prod. Fl. Nep. 248 = Evodia fraxinifolia.  
 fraxinifolia, Salisb. Prod. 169 = succedanea.  
 Gerrardi, Harv. ex Engl. in DC. Monog. Phan. iv. 442 = viminialis.

**RHUS:—**

- glabra, *Linn. Sp. Pl.* 265.—Am. bor.  
 glauca, Hochst. ex Oliver, Fl. Trop. Afr. i. 438 = glaucescens?  
 glauca, *Thunb. in Hoffm. Phytog. Blätter*, i. (1803) 27; Pers. Syn. i. 326; Desf. Hist. Arb. ii. 326.—Afr. austr.  
 glaucescens, A. Rich. Tent. Fl. Abyss. i. 143.—Abyss.  
 glaucovirens, Engl. in DC. Monog. Phan. iv. 432 = Zeyheri.  
 glutinosa, Hochst. ex A. Rich. Tent. Fl. Abyss. i. 144.—Abyss.  
 gracillima, Engl. in DC. Monog. Phan. iv. 445.—Afr. austr.  
 gracilis, Hort. ex Engl. l. c. iv. 377 = typhina.  
 grandidens, Harv. ex Engl. l. c. 440.—Afr. austr.  
 grandidentata, DC. Prod. ii. 72 = dentata.  
 grandifolia, Engl. in DC. Monog. Phan. iv. 434.—Afr. austr.  
 Griffithii, Hook. f. Fl. Brit. Ind. ii. 12.—Reg. Himal.  
 Gueinzii, *Sond. in Harv. & Sond. Fl. Cap.* i. 515.—Afr. austr.  
 heterophylla, DC. Cat. Hort. Monsp. (1813) 136.—Hab.?  
 Hindsiana, Engl. in DC. Monog. Phan. iv. 388.—Calif.  
 hirsuta, Salisb. Prod. 170 = villosa.  
 hirta, Harv. ex Engl. in DC. Monog. Phan. iv. 425 = tridentata.  
 horrida, Eckl. & Zeyh. Enum. 151.—Afr. austr.  
 humilis, Eckl. & Zeyh. l. c. 146 = puberula.  
 humilis, Salisb. Prod. 170 = R. Toxicodendron.  
 hypoleuca, *Champ. ex Benth. in Hook. Kew Journ.* iv. (1852) 43.—China.  
 Hypselodendrum, Moench, Meth. 73 = typhina.  
 incana, Engl. in DC. Monog. Phan. iv. 428.—Afr. austr.  
 incana, Mill. Gard. Dict. ed. VIII. n. 8 = villosa.  
 incisa, *Linn. f. Suppl.* 183.—Afr. austr.  
 indica, Herb. Madr. ex Wight & Arn. Prod. 172 = mysurensis.  
 insignis, Hook. f. Fl. Brit. Ind. ii. 11.—Reg. Himal.  
 insignis, Oliver, Fl. Trop. Afr. i. 437 = Anaphrenium abyssinicum.  
 integerrima, Wall. Cat. n. 8474 = Pistacia Khinjuk.  
 integrifolia, Benth. & Hook. f. ex S. Wats. in Wheeler, Rep. Bot. 84.—Calif.  
 integrifolia, Engl. in DC. Monog. Phan. iv. 388, in syn. sphalm. = Hindsiana.  
 japonica, Buch.-Ham. ex D. Don, Prod. Fl. Nep. 248 = seq.  
 javanica, *Linn. Sp. Pl.* 265 = semialata.  
 juglandifolia, Wall. ex D. Don, Prod. Fl. Nep. 248; Cat. n. 996 = Wallichii.  
 juglandifolia, Willd. ex Schult. Syst. vi. 649; H. B. & K. Nov. Gen. et Sp. vii. 8. t. 603.—Am. trop.  
 Kaempferi, Sweet, Hort. Brit. ed. I. 97 = vernicifera.  
 Kakrasingee, Royle, Illustr. Bot. Himal. 175 = Pistacia Khinjuk.  
 khasiana, Hook. f. Fl. Brit. Ind. ii. 10.—Reg. Himal.  
 Kirkii, Oliver, Fl. Trop. Afr. i. 439.—Afr. trop.  
 Kotschyana, Fenzl, in Flora, xxvii. (1844) 312 = glaucescens.  
 Krebsiana, Presl, Bot. Bemerk. 41.—Afr. austr.  
 laevicaulis, Torr. ex A. Gray, in Mem. Am. Acad. N. S. iv. (1849) 28 = glabra.  
 laevigata, *Linn. Sp. Pl.* ed. II. 1672.—Afr. austr.  
 laevis, Wall. ex G. Don, Gen. Syst. ii. 69 = R. Cotinus.  
 lancea, *Linn. f. Suppl.* 184.—Afr. austr.  
 lancea, E. Mey. ex Harv. & Sond. Fl. Cap. i. 516 = Dregeana.  
 lanceolata, A. Gray, ex Engl. in DC. Monog. Phan. iv. 384 = copallina.  
 laurina, *Nutt. ex Torr. & Gray, Fl. N. Am.* i. 219 = Calif.  
 lavandulaefolia, Presl, Bot. Bemerk. 42 = stenophylla.  
 Lentii, Kellogg, in Proc. Calif. Acad. ii. (1863) 16.—Calif.  
 lentiscifolia, Stokes, Bot. Mat. Med. ii. 164 = copallina.  
 leucanata, Jacq. Hort. Schoenb. iii. 50 = copallina.  
 leucocarpa, E. Mey. in Drège, Zwei Pfl. Docum. 216 = Schmidelia leucocarpa.  
 Lindeniana, Turcz. in Bull. Soc. Nat. Mosc. xxxi. (1858) 1. 468 = juglandifolia.  
 lineata, Spreng. Syst. i. 936 = lineatifolia.

**RHUS:—**

- lineatifolia, *Orteg. Hort. Matr. Dec.* 89.—Cuba.  
 livida, Salisb. Prod. 170 = laevigata.  
 lobata, Hook. Fl. Bor. Am. i. 127 = R. Toxicodendron.  
 lobata, *Poir. Encyc. Suppl.* v. 264.—Ins. Teneriff.  
 longifolia, *Sond. in Harv. & Sond. Fl. Cap.* i. 522 = Protorhus longifolia.  
 longipes, Engl. in DC. Monog. Phan. iv. 431.—Afr. trop.  
 longispina, Eckl. & Zeyh. Enum. 148.—Afr. austr.  
 lucida, Ait. Hort. Kew. ed. II. ii. 166 = mucronata.  
 lucida, *Linn. Sp. Pl.* 267.—Afr. austr.  
 lucida, E. Mey. ex Engl. in DC. Monog. Phan. iv. 412 = glauca.  
 macrocarpa, Engl. l. c. 449.—Afr. austr.  
 macrophylla, Hook. & Arn. Bot. Beech. Voy. 413.—Mexic.  
 macrophylla, A. Rich. ex Engl. in DC. Monog. Phan. iv. 426 = abyssinica.  
 magalismontana, *Sond. in Harv. & Sond. Fl. Cap.* i. 510.—Afr. austr.  
 marginata, E. Mey. in Drège, Zwei Pfl. Docum. 216, nomen.—Afr. austr.  
 Meerburgiana, Schult. Syst. vi. 663.—Hab.?  
 melanocarpa, E. Mey. in Drège, Zwei Pfl. Docum. 216 = Schmidelia melanocarpa.  
 melintangensis, Korth. ex Blume, Mus. Bot. Lugd. Bat. i. 219 = Canarium glaucum.  
 meridionalis, Spreng. Syst. i. 936 = Commersonii.  
 metopia, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 133 = R. Metopium.  
 metopioides, Turcz. in Bull. Soc. Nat. Mosc. xxxi. (1858) 1. 468.—Cuba.  
 Metopium, *Linn. Syst.* ed. X. 964.—Am. bor.; Ind. occ.  
 Meyeriana, Presl, Bot. Bemerk. 41 = puberula.  
 micrantha, Eckl. & Zeyh. Enum. 149 = undulata.  
 micrantha, *Thunb. Fl. Cap.* ii. 221 = dentata.  
 microcarpa, Steud. Nom. ed. I. 689 = R. Toxicodendron.  
 microlepis, Turcz. in Bull. Soc. Nat. Mosc. xxxi. (1858) 1. 468 = hypoleuca.  
 microphylla, Engelm. in A. Gray, Pl. Wright. i. 31.—Texas.  
 mollis, H. B. & K. Nov. Gen. et Sp. vii. 10. t. 602.—Mexic.  
 mollis, Jacq. Fragm. 74.—Afr. austr.  
 mollis, E. Mey. in Drège, Zwei Pfl. Docum. 216 = parvifolia.  
 monophylla, E. Mey. l. c. = Schmidelia monophylla.  
 mucronata, Eckl. & Zeyh. Enum. 150 = africana.  
 mucronata, E. Mey. ex Harv. & Sond. Fl. Cap. i. 519 = excisa.  
 mucronata, *Thunb. in Hoffm. Phytog. Blätter*, i. (1803) 27.—Afr. austr.  
 mucronifolia, *Sond. in Harv. & Sond. Fl. Cap.* i. 521 = Anaphrenium abyssinicum.  
 mysurensis, Heyne, ex Wight & Arn. Prod. 172.—Ind. or.  
 natalensis, Bernh. ex Krauss, in Flora, xxvii. (1844) 349.—Afr. austr.  
 nepalensis, Hoffm. Ver. Pfl. Nachtr. II. 35 = pruinosa.  
 nervosa, Eckl. & Zeyh. Enum. 147 = excisa.  
 nervosa, *Poir. Encyc. Suppl.* v. 264 = undulata.  
 nitida, Engl. in DC. Monog. Phan. iv. 434.—Afr. trop.  
 nodosa, Blume, Bijdr. 1164.—Java.  
 obliqua, E. Mey. ex Harv. & Sond. Fl. Cap. i. 444 = Clausena inaequalis.  
 obliqua, *Thunb. Fl. Cap.* ii. 224.—Afr. austr.  
 oblongifolia, E. Mey. in Drège, Zwei Pfl. Docum. 216 = Sapindus oblongifolius.  
 obovata, *Sond. in Harv. & Sond. Fl. Cap.* i. 508.—Afr. austr.  
 obovatifolia, Stokes, Bot. Mat. Med. ii. 159 = R. Cotinus.  
 obscura, Bieb. Fl. Taur. Cauc. i. 243 = Pterocarya caucasica.  
 Odina, Buch.-Ham. ex Wall. Cat. n. 8475 = Odina Wodier.  
 odorata, Nois. ex Steud. Nom. ed. I. 689, nomen (Quid?).—Hab.?  
 ornifolia, Pall. in Gueldenst. Reisen, i. 282 = R. Coriaria.  
 Osbeckii, Carr. in Rev. Hortic. (1887) 111.—China.  
 Osbeckii, Steud. Nom. ed. II. ii. 452 = semialata.



## RHUS:—

- ovata, S. Wats. in *Proc. Am. Acad.* xx. (1885) 358.—Calif.  
*Oxyacantha*, Schousb. ex Cav. in *Anal. Cienc. Nat.* iii. (1801) 36 = albida.  
*Oxyacanthoides*, Dum.-Cours. Bot. Cult. vi. 662; ed. II. vi. 214 = albida.  
*Oxymetopium*, Griseb. Cat. Pl. Cub. 67 = R. Metopium.  
*pachyrrhachis*, Hemsl. Biol. Centr. Am. Bot. i. 218 = sempervirens.  
*pallens*, Eckl. & Zeyh. Enum. 147 = excisa.  
*pallida*, E. Mey. in Drège, Zwei Pfl. Docum. 216 = viminalis.  
*paniciformis*, F. Muell. Fragm. vii. 22 = rufa.  
*paniculata*, Wall. Cat. n. 993.—Reg. Himal.; Burma.  
*paniculosa*, Sond. in Harv. & Sond. Fl. Cap. i. 522 = Anaphrenium paniculosum.  
*parviflora*, Roxb. Hort. Beng. 22; Fl. Ind. ii. 100.—Reg. Himal.  
*parvifolia*, Engl. in DC. Monog. Phan. iv. 419, sphalm. = praec.  
*parvifolia*, Harv. in Harv. & Sond. Fl. Cap. i. 510.—Afr. austr.  
*pauciflora*, Linn. f. Suppl. 183 = Hippobromus alatus.  
*pendulina*, Eckl. & Zeyh. Enum. 145 = mucronata.  
*pendulina*, Jacq. ex Willd. Enum. Hort. Berol. 324 = viminalis.  
*pentaphylla*, Desf. Fl. Atlant. i. 267. t. 77.—Reg. Mediterr.; Afr. trop.  
*perniciosa*, H. B. & K. Nov. Gen. et Sp. vii. 10 = Pseudosmodium perniciosum.  
*Petitiana*, A. Rich. Tent. Fl. Abyss. i. 144 = glutinosa.  
*pilipes*, Presl, Bot. Bemerk. 41 = mucronata.  
*pistachiaefolia*, Salisb. Prod. 169 = copallina.  
*platypoda*, E. Mey. in Drège, Zwei Pfl. Docum. 216 = horrida.  
*plicaeifolia*, Eckl. & Zeyh. Enum. 148 = excisa.  
*Plukenetiana*, Eckl. & Zeyh. l. c. 147.—Afr. austr.  
*polyantha*, Benth. Pl. Hartw. 60 = Picramnia polyantha.  
*populifolia*, E. Mey. in Drège, Zwei Pfl. Docum. 216. nomen; et ex Harv. & Sond. Fl. Cap. i. 508.—Afr. austr.  
*potentillaefolia*, Turcz. in Bull. Soc. Nat. Mosc. xxxi. (1858) 1. 469.—Mexic.  
*pruinosa*, Hoffmgg. Vers. Pfl. Nachtr. II. 198.—Ind. or.  
*pterocarpa*, [Moç. & Sesse,] ex DC. Prod. ii. 84 = Spathelia rhoifolia.  
*pterota*, Presl, Bot. Bemerk. 41 = longispina.  
*puberula*, Eckl. & Zeyh. Enum. 146.—Afr. austr.  
*pubescens*, Eckl. & Zeyh. l. c. 145 = pyroides.  
*pubescens*, Thunb. Prod. Pl. Cap. 52.—Afr. austr.  
*pubigera*, Blume, Bijdr. 1165 = succedanea.  
*pulcherrima*, Oliver, Fl. Trop. Afr. i. 436 = Anaphrenium pulcherrimum.  
*pumila*, Meerb. Pl. Sel. l. c. t. 14 = Meerburgiana.  
*pumila*, Michx. Fl. Bor. Am. i. 182.—Am. bor.  
*punjabensis*, J. L. Stew. ex Brand. For. Fl. 120.—Reg. Himal.  
*pyroides*, Burch. Trav. i. 340.—Afr. austr.  
*pyroides*, A. Rich. Tent. Fl. Abyss. i. 145 = villosa.  
*Quartiniana*, A. Rich. l. c. 141 = glaucescens.  
*quercifolia*, Steud. Nom. ed. I. 689 = R. Toxicodendron.  
*quinquefolia*, Stokes, Bot. Mat. Med. ii. 161 = R. Metopium.  
*Radaelijawel*, Mill. Gard. Dict. ed. VIII. n. 13 = Connarus monocarpus.  
*radicans*, Linn. Sp. Pl. 266 = R. Toxicodendron.  
*refracta*, Eckl. & Zeyh. Enum. 145.—Afr. austr.  
*Rehmanniana*, Engl. in DC. Monog. Phan. iv. 422.—Afr. austr.  
*retinorrhæa*, Steud. ex A. Rich. Tent. Fl. Abyss. i. 142.—Abyss.  
*retusa*, Zoll. ex Teijsm. & Binn. Cat. Hort. Bog. 230 = rufa.  
*rhodanthema*, F. Muell. in Journ. Pharm. Soc. Vict. i. (1858) 43; et ex Benth. Fl. Austral. i. 489 = Rhodosphaera rhodanthema.  
*rigida*, Mill. Gard. Dict. ed. VIII. n. 14.—Afr. austr.  
*rimosa*, Eckl. & Zeyh. Enum. 150 = rigida.  
*rosaefolia*, Hoffmgg. Vers. Pfl. Nachtr. II. 199.—Bras.  
*rosmarinifolia*, Thunb. Fl. Cap. ed. Schult. 262 = stenophylla.

## RHUS:—

- rosmarinifolia, Vahl, Symb. Bot. iii. 50.—Afr. austr.  
*Roxburghii*, Steud. Nom. ed. II. ii. 452 = semialata.  
*rubifolia*, Turcz. in Bull. Soc. Nat. Mosc. xxxi. (1858) 1. 470.—Mexic.  
*rufa*, Teijsm. & Binn. in Nat. Tijdschr. Nederl. Ind. xxvii. (1863) 52.—Java.  
*rufescens*, Desv. in Ham. Prod. Fl. Ind. Occ. 32 (an Anacard.?).—Jamaic.  
*rufescens*, Eckl. & Zeyh. Enum. 144 = discolor.  
*Saeneb*, Forsk. Fl. Aegypt. Arab. 206 (non Anacard.).—Arabia.  
*salicifolia*, Presl, Bot. Bemerk. 42 = Anaphrenium abyssinicum.  
*salicina*, Sond. in Harv. & Sond. Fl. Cap. i. 522 = Anaphrenium abyssinicum.  
*Samo*, Tul. in Ann. Sc. Nat. Sér. III. vi. (1846) 367 = juglandifolia.  
*sandwicensis*, A. Gray, Bot. U. St. Expl. Exped. i. 369.—Ins. Sandvic.  
*saxatilis*, [Moç. & Sesse,] ex DC. Prod. ii. 71 (non Anacard.).—Mexic.  
*scandens*, Salisb. Prod. 170 = R. Toxicodendron.  
*Schiedeana*, Schlecht. in Linnaea, xvi. (1842) 480.—Mexic.  
*Schimperii*, Hochst. ex Engl. in DC. Monog. Phan. iv. 441 = glaucescens.  
*schinoides*, Willd. ex Schult. Syst. vi. 649 = Schinus terebinthifolius?  
*schmidelioides*, Schlecht. in Linnaea, xvi. (1842) 482 = aromatica.  
*scoparia*, Eckl. & Zeyh. Enum. 148.—Afr. austr.  
*scotyphilla*, Eckl. & Zeyh. l. c. 150.—Afr. austr.  
*semialata*, Murr. in Comm. Gotting. vi. (1784) 27. t. 3.—Reg. Himal.; China; Ins. Sandvic.  
*sempervirens*, Scheele, in Linnaea, xxiii. (1850) 566.—Texas.  
*sericea*, Eckl. & Zeyh. Enum. 146 = puberula.  
*serraeifolia*, Burch. Trav. ii. 100 = cerosa.  
*simarubaeifolia*, A. Gray, Bot. U. St. Expl. Exped. i. 367. t. 44.—Ins. Fiji.  
*Simonii*, Carr. in Rev. Hort. (1866) 339.—China.  
*simplicifolia*, Salisb. Prod. 170 = R. Cotinus.  
*sinuata*, Eckl. & Zeyh. Enum. 147 = obovata.  
*sinuata*, Thunb. Prod. Pl. Cap. 52.—Afr. austr.  
*Sonderi*, Engl. in DC. Monog. Phan. iv. 435.—Afr. austr.  
*spathulata*, Eckl. & Zeyh. Enum. 148 = undulata.  
*spicata*, Thunb. Fl. Cap. ii. 217 = Schmidelia decipiens.  
*stenophylla*, Eckl. & Zeyh. Enum. 144.—Afr. austr.  
*striata*, Ruiz & Pav. Fl. Per. iii. 29. t. 252 = juglandifolia.  
*suaveolens*, Ait. Hort. Kew. ed. I. i. 368 = aromatica.  
*subcordata*, Turcz. in Bull. Soc. Nat. Mosc. xxxi. (1858) 1. 470 = rubifolia.  
*subferruginata*, Presl, Bot. Bemerk. 41 = divaricata.  
*succedanea*, Linn. Mant. ii. 221.—Reg. Himal.; China; Japon.  
*Sumac*, Targ. Tozz. Osserv. Bot. Dec. vi. 3 = R. Coriaria.  
*sylvestris*, Sieb. & Zucc. in Abh. Akad. Muench. iv. II. (1843) 140.—Japon.  
*syriaca*, Boiss. & Bal. ex Boiss. Fl. Orient. ii. 5 = albida.  
*taitensis*, Guill. in Ann. Sc. Nat. Sér. II. vii. (1837) 361 = simarubaeifolia.  
*tenuiflora*, Presl, Bot. Bemerk. 41 = mucronata.  
*tenuinervis*, Engl. in DC. Monog. Phan. iv. 423.—Afr. trop.  
*terebinthifolia*, Schlecht. & Cham. in Linnaea, v. (1830) 600.—Mexic.  
*theesans*, Hort. ex G. Don, in Loud. Hort. Brit. 110 = undulata.  
*Thezera*, Pers. Syn. i. 325 = pentaphylla.  
*Thunbergiana*, Schult. Syst. vi. 651 = glauca.  
*Thunbergii*, Hook. Ic. Pl. t. 595 = Anaphrenium argenteum.  
*thyrsiflora*, Balf. f. in Proc. Roy. Soc. Edinb. xi. (1882) 567.—Ins. Socotra.  
*tomentosa*, Linn. Sp. Pl. 266.—Afr. austr.  
*toxicarium*, Salisb. Prod. 170 = R. Toxicodendron.  
*toxicodendra*, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 133 = seq.  
*Toxicodendron*, Linn. Sp. Pl. 266.—Am. bor.  
*transvaalensis*, Engl. in DC. Monog. Phan. iv. 440.—Afr. austr.  
*triceps*, E. Mey. in Drège, Zwei Pfl. Docum. 216 = rigida.

## RHUS:—

- trichocarpa, Miq. Ann. Mus. Bot. Lugd. Bat. ii. 84.—Japon.  
*tridactyla*, Burch. Trav. i. 340.—Afr. austr.  
*tridactyla*, Eckl. & Zeyh. Enum. 144 = Eckloniana.  
*tridentata*, Linn. f. Suppl. 184 (= Cissus pauciflora).—Afr. austr.  
*tridentata*, Sond. in Harv. & Sond. Fl. Cap. i. 511.—Afr. austr.  
*tridentata*, Willd. ex Engl. in DC. Monog. Phan. iv. 438 = pentaphylla.  
*trifoliata*, Noronha, in Verh. Batav. Gen. v. (1790) ed. I. Art. iv. 26 = Evodia glabra.  
*trifoliata*, Willd. Enum. Hort. Berol. Suppl. 15 = laevigata.  
*trijuga*, Poir. Encyc. vii. 506 = Schinus terebinthifolius?  
*trilobata*, Nutt. in Torr. & Gray, Fl. N. Am. i. 219.—Am. bor. occ.; Mexic.  
*tripartita*, DC. Prod. ii. 72, in syn. = albida.  
*triphylia*, Medic. Pfl. Anat. 106, nomen.—Hab.?  
*typhia*, Crantz, Inst. ii. 275 = seq.  
*typhina*, Linn. Cent. Pl. ii. 14.—Am. bor.  
*undulata*, Jacq. Hort. Schoenb. iii. 52. t. 346.—Afr. austr.  
*undulata*, E. Mey. ex Sond. in Harv. & Sond. Fl. Cap. i. 239 = Schmidelia decipiens.  
*undulata*, A. Rich. Tent. Fl. Abyss. i. 145 = glaucescens.  
*varielobata*, Steud. Nom. ed. II. ii. 452 = R. Toxicodendron.  
*variifolia*, [Moç. & Sesse,] ex DC. Prod. ii. 73 = heterophylla?  
*Veatchiana*, Kellogg, in Proc. Calif. Acad. ii. (1863) 24 = Veatchia cedrosensis.  
*Veitchiana*, Engl. in DC. Monog. Phan. iv. 452, sphalm. = praec.  
*velutina*, Wall. Cat. n. 998; et ex G. Don, Gen. Syst. ii. 69 = R. Cotinus.  
*venenata*, DC. Prod. ii. 68.—Am. bor.  
*venosa*, Griseb. Cat. Pl. Cub. 67.—Cuba.  
*vernificera*, DC. Prod. ii. 68, partim.—Tibet. or.; Japon.  
*vernificera*, DC. l. c., partim = Wallichii.  
*vernificera*, Salisb. Prod. 169 = venenata.  
*vernificiflua*, Stokes, Bot. Mat. Med. ii. 164 = vernificera.  
*Vernix*, Linn. Sp. Pl. 265, partim = venenata, vernificera.  
*Vernix*, Thunb. Fl. Jap. 121 = vernificera.  
*verrucosa*, Scheele, in Linnaea, xxi. (1848) 592 = R. Toxicodendron.  
*villosa*, Hochst. ex A. Rich. Tent. Fl. Abyss. i. 145 = pyroides.  
*villosa*, Linn. f. Suppl. 183.—Afr. trop. et austr.  
*villosa*, E. Mey. ex Engl. in DC. Monog. Phan. iv. 427 = refracta.  
*villosissima*, Engl. l. c. 447.—Afr. austr.  
*viminalis*, Ait. Hort. Kew. ed. I. i. 368; Vahl, Symb. Bot. iii. 50.—Afr. austr.  
*viminalis*, Jacq. Hort. Schoenb. iii. 51. t. 344 = lancea.  
*viminalis*, A. Rich. Tent. Fl. Abyss. i. 142 = retinorrhæa.  
*virens*, Lindheim. ex A. Gray, in Bost. Journ. Nat. Hist. vi. (1850) 159 = sempervirens.  
*viridiflora*, Duham. Arb. ed. Nov. ii. 163 = typhina.  
*viridiflora*, Hort. ex Engl. in DC. Monog. Phan. iv. 376 = glabra.  
*viticifolia*, F. Muell. ex Benth. Fl. Austral. i. 489.—Austral.  
*Wallichii*, Hook. f. Fl. Brit. Ind. ii. 11.—Reg. Himal.  
*Wallichii*, Sweet, Hort. Brit. ed. II. 118 = an praec.?  
*Welwitschii*, Engl. in DC. Monog. Phan. iv. 428.—Afr. trop.  
*Wildingii*, Dehnh. Revis. Napol. i. III. 172; ex Walp. Rep. i. 551 = viminalis.  
*Zeyheri*, Sond. in Harv. & Sond. Fl. Cap. i. 514.—Afr. austr.  
*ziziphina*, Tineo, Pl. Rar. Sic. Pugill. i. 8 = albida.

RHYACOPHILA, Hochst. in Flora, xxiv. (1841) 659 = **Quartinia**, Endl. (Lythrar.).  
*repens*, Hochst. l. c. = Q. repens.

RHYDITOSPERMUM, Walp. Rep. vi. 196 (1846-47), sphalm. = RHYTIDOSPERMUM, Sch. Bip. = **Matricaria**, Tourn. (Compos.).



RHYNCHADENIA, A. Rich. Fl. Cub. Fanerog. ii. 248. t. 85 (1853) = *Macradenia*, R. Br. (Orchid.). *cubensis*, A. Rich. l. c. = *M. lutescens*.

RHYNCHANDRA, Reichb. Nom. 56 (1841) = seq.

RHYNCHANTHERA, Blume, Bijdr. Tabell. 78 (1826) = *Corymbis*, Thou. (Orchid.). *paniculata*, Blume, l. c. = Java.

RHYNCHANTHERA, DC. Prod. iii. 106 (1828).

*MELASTOMACEAE*, Benth. & Hook. f. i. 738.

PROBOSCIDA, Rich. ex DC. Prod. iii. 106 (1828).

THENARDIA, [Moq. & Sesse,] ex DC. l. c. 108 (1828). *acuminata*, Benth. in Hook. Journ. Bot. ii. (1840) 299. —Guian.

*adenophora*, Miq. Comm. Phyt. 73. t. 10 = *Acisanthera recurva*.

*ambigua*, Naud. in Ann. Sc. Nat. Sér. III. xii. (1849) 210 = *grandiflora*.

*betulifolia*, Cogn. in Mart. Fl. Bras. xiv. III. 171. —Guian.

*brachyrhyncha*, Cham. in Linnaea, ix. (1834) 379. —Bras.

*bracteata*, Triana, in Trans. Linn. Soc. xxviii. (1871) 31. —N. Granat.

*collina*, Naud. in Ann. Sc. Nat. Sér. III. xii. (1849) 208. —Bolivia.

*cordata*, DC. Prod. iii. 107. —Bras.

*cordifolia*, Walp. Rep. ii. 120 = *acuminata*.

*dichotoma*, DC. Prod. iii. 107. —Bras.

*Fothergillae*, DC. l. c. 108 = *Tibouchina Fothergillae*.

*Gardneri*, Naud. in Ann. Sc. Nat. Sér. III. xii. (1849) 207. —Bras.

*Glazioviana*, Cogn. in Mart. Fl. Bras. xiv. III. 189. —Bras.

*grandiflora*, DC. Prod. iii. 107. —Guian.; Bras.

*Haenkeana*, DC. l. c. = Peruv.

*hispida*, Naud. in Ann. Sc. Nat. Sér. III. xii. (1849) 212. —Bras.

*Hookeri*, Naud. l. c. = Peruv.

*insignis*, Naud. l. c. 210 = *mexicana*.

*intermedia*, Naud. l. c. 211 = *hispida*.

*latifolia*, Cogn. in Mart. Fl. Bras. xiv. III. 167. —Bras.

*laxa*, Cogn. l. c. 176. —Bras.

*limosa*, DC. Prod. iii. 108. —Bras.

*Matthaei*, Naud. in Ann. Sc. Nat. Sér. III. xii. (1849) 209 = *Haenkeana*.

*Maximowiczii*, Cogn. in Mart. Fl. Bras. xiv. III. 185. —Bras.

*mexicana*, DC. Prod. iii. 108. —Mexic.

*modesta*, Naud. in Ann. Sc. Nat. Sér. III. xii. (1849) 212 = *serrulata*.

*monodynamia*, DC. Prod. iii. 107 = *grandiflora*.

*monodynamia*, Naud. in Ann. Sc. Nat. Sér. III. xii. (1849) 209 = *cordata*.

*novemnervia*, DC. Prod. iii. 107. —Bras.

*ovalifolia*, Naud. in Ann. Sc. Nat. Sér. III. xii. (1849) 208. —Bras.

*parviflora*, Naud. l. c. 213. —Guian.

*pentanthera*, DC. Prod. iii. 108 = *Schrankiana*.

*Regnellii*, Cogn. in Mart. Fl. Bras. xiv. III. 184. —Bras.

*Riedeliana*, Cogn. l. c. = Bras.

*rosea*, Cogn. l. c. 181. —Paraguay.

*rostrata*, DC. Prod. iii. 108. —Bras.

*salicifolia*, Mart. ex DC. l. c. 109 = *serrulata*.

*Schrankiana*, DC. l. c. 107. —Bras.

*Schrankiana*, Naud. in Ann. Sc. Nat. Sér. III. xii. (1849) 214, partim = *dichotoma*.

*secundiflora*, Naud. l. c. 207. —Paraguay.

*serrulata*, DC. Prod. iii. 108. —Am. trop.

*simplicicaulis*, Naud. in Ann. Sc. Nat. Sér. III. xii. (1849) 208 = *ovalifolia*.

*stachydiorpha*, DC. Prod. iii. 108 = *rostrata*.

*stricta*, Cogn. in Mart. Fl. Bras. xiv. III. 168. —Bras.

*ursina*, Naud. in Ann. Sc. Nat. Sér. III. xii. (1849) 207. —Bras.

*verbenoides*, Cham. in Linnaea, ix. (1834) 378. —Bras.

*villosissima*, Cogn. in Mart. Fl. Bras. xiv. III. 187. —Bras.

*Weddellii*, Naud. in Ann. Sc. Nat. Sér. III. xii. (1849) 213. —Bras.

RHYNCHARRHENA, F. Muell. Fragm. i. 128 (1859) = *Pentatropis*, R. Br. (Asclep.). *atropurpurea*, F. Muell. l. c. = *P. atropurpurea*.

*quinquepartita*, F. Muell. l. c. = *P. quinquepartita*.

RHYNCHELYTHRUM, Nees, in Lindl. Introd. Nat. Syst. ed. II. 446 (1836) = *Panicum*, Linn. (Gramin.). *Dregeanum*, Nees, l. c. 447 = *P. roseum*.

RHYNCHELYTRUM, Endl. Gen. 83 (1837) = praec.

RHYNCHELYTRUM, Hochst. in Flora, xxvii. (1844) 249. GRAMINEAE, Benth. & Hook. f. iii. 1120.

*grandiflorum*, Hochst. l. c. (Panici sp.). —Afr. trop.

*microstachyum*, Balf. f. in Proc. Roy. Soc. Edinb. xii. (1884) 97 = *grandiflorum*.

*ruficomum*, Hochst. ex Steud. Syn. Pl. Gram. 120. —Afr. trop.

RHYNCHIUM, Dulac, Fl. Hautes-Pyr. 290 (1867) = *Vicia*, Tourn. (Legumin.).

*plicatum*, Dulac, l. c. 291 = *V. Ervilia*.

RHYNCHOCARPA, Schrad. in Linnaea, xii. (1838) 403 = *Kedrostis*, Medic. (Cucurbit.).

*africana*, Aschers. in Schweinf. Beitr. Fl. Aethiop. 268 = *K. africana*.

*Bainesii*, Hook. f. in Oliver, Fl. Trop. Afr. ii. 564 = *K. Bainesii*.

*corallina*, Naud. in Ann. Sc. Nat. Sér. IV. xvi. (1861) 180 = *Corallocarpus Fenzlii*.

*Courbonii*, Naud. l. c. xviii. (1862) 197 = *Corallocarpus velutinus*.

*deltoidea*, Kurz, in Journ. As. Soc. Beng. xlv. (1877) II. 105 (sp. dub.). —Burma.

*dissecta*, Naud. in Ann. Sc. Nat. Sér. IV. xvi. (1861) 179 = *K. africana*.

*Ehrenbergii*, Schweinf. Beitr. Fl. Aethiop. 251 = *Corallocarpus Ehrenbergii*.

*epigaea*, Naud. in Ann. Sc. Nat. Sér. IV. xvi. (1861) 178 = *Corallocarpus epigaeus*.

*erostris*, Schweinf. in Verh. Zool.-Bot. Ges. Wien, xviii. (1868) 672 = *Corallocarpus erostris*.

*etbaica*, Aschers. ex Cogn. in DC. Monog. Phan. iii. 655 = *Corallocarpus velutinus*.

*foetida*, C. B. Clarke, in Hook. f. Fl. Brit. Ind. ii. 627 = *K. rostrata*.

*foetida*, Schrad. in Linnaea, xii. (1838) 403 = *K. foetidissima*.

*foetidissima*, Walp. Rep. ii. 197 = *K. foetidissima*.

*Gijef*, Schweinf. ex Hook. f. in Oliver, Fl. Trop. Afr. ii. 566 = *Corallocarpus Gijef*.

*glomerata*, Hort. —Cf. Gard. Chron. (1880) II. 819. —Bras.

*hirtella*, Naud. in Ann. Sc. Nat. Sér. IV. xvi. (1861) 181 = *K. hirtella*.

*odorata*, Hance, in Journ. Linn. Soc. xiii. (1873) 104 = *Melothria odorata*.

*pedunculosa*, Naud. in Ann. Sc. Nat. Sér. IV. xvi. (1861) 182 = *Corallocarpus pedunculatus*.

*rostrata*, Naud. l. c. 177 = *K. rostrata*.

*Schimperi*, Naud. l. c. 180 = *Corallocarpus Schimperi*.

*Welwitschii*, Naud. l. c. xviii. (1862) 198. t. 10 = *Corallocarpus Welwitschii*.

RHYNCHOCARPUS, Less. Syn. Comp. 382 (1832) = *Relbania*, L'Hérit. (Compos.).

*lateriflorus*, Less. l. c. 383 = *Relh. sessiliflora*.

RHYNCHOCARPUS, Reinw. ex Blume, Cat. Gew. Buitenz. 84 (1823) = *Cyrtandra*, Forst. (Gesner.).

*coccineus*, Reinw. ex De Vriese, Pl. Ind. Bat. Or. 12 = *Cyrtandra coccinea*.

*cordifolius*, Reinw. ex Blume, Cat. Gew. Buitenz. 84 = *C. cordifolia*.

*glaber*, Reinw. l. c. = *C. longe-petiolata*.

*longirostris*, Reinw. ex De Vriese, Pl. Ind. Bat. Or. 12 = *C. longirostris*.

*mollis*, Reinw. ex De Vriese, l. c. 16 = *C. mollis*.

*nemorosus*, Reinw. ex Blume, Cat. Gew. Buitenz. 84 = *C. longe-petiolata*.

*repens*, Reinw. ex De Vriese, Pl. Ind. Bat. Or. 14 = *C. repens*.

*spicatus*, Reinw. ex De Vriese, l. c. = *C. spicata*.

*umbellatus*, Reinw. ex De Vriese, l. c. 13 = *C. cuneata*.

RHYNCHOCORYS, Griseb. Spicil. Fl. Rumel. ii. 12 (1844). SCROPHULARINEAE, Benth. & Hook. f. ii. 978.

ELEPHANTINA, Bertol. Fl. Ital. vi. 279 (1844).

ELEPHAS, Tourn. ex Adans. Fam. ii. 211 (1763).

PROBOSCIPHORA, Neck. Elem. i. 336 (1790).

RHINANTHUS, Linn. Sp. Pl. 603 (1753), partim.

## RHYNCHOCORYS:—

Elephas, Griseb. Spicil. Fl. Rumel. ii. 12. —Europ. austr.; Oriens.

maxima, Richter, in Denkschr. Akad. Wien, l. (1885) 25. —Persia.

orientalis, Benth. in DC. Prod. x. 559. —Reg. Caucas.

strictus, Boiss. Fl. Orient. iv. 478 = *R. Elephas*.

RHYNCHODIA, Benth. in Benth. & Hook. f. Gen. ii. 719 (1876). APOCYNACEAE, Benth. & Hook. f. l. c.

CERCOCOMA, Miq. Fl. Ind. Bat. ii. 445 (1859 ?).

RHYNCHOSPERMUM, A. DC. in DC. Prod. viii. 431 (1844).

Wallichii, Hook. f. Fl. Brit. Ind. iii. 667. —Ind. or.

RHYNCHODIUM, Presl (Bot. Bemerk. 54 (1844)), in Abh. Boehm. Ges. V. iii. (1845) 484 = *Psoralea*, Linn. (Legumin.).

acaule, Presl, Bot. Bemerk. 54 = *P. acaulis*.

bituminosum, Presl, l. c. = *P. bituminosa*.

foetidum, Presl, l. c. = *P. foetida*.

hirtum, Presl, l. c. = *P. hirta*.

palestinum, Presl, l. c. = *P. bituminosa*.

sericeum, Presl, l. c. = *P. tomentosa*.

RHYNCHOGLOSSUM, Blume, Bijdr. 741 (1826) (Rhynchoglossum). GESNERACEAE, Benth. & Hook. f. ii. 1019.

ANTONIA, R. Br. in Wall. Pl. As. Rar. iii. 65 (1832).

LOXOTIS, R. Br. ex Benth. Scroph. Ind. 57 (1835).

KNAPPIA, Ferd. Bauer, ex Steud. Nom. ed. II. i. 846 (1840); ii. 75 (1841).

RHINOGLOSSUM, Pritz. Ic. Ind. i. 933 (1855).

Blumei, DC. Prod. ix. 274 = *obliquum*.

klugoides, C. B. Clarke, in DC. Monog. Phan. v. 163. —Ins. Philipp.

obliquum, Blume, Bijdr. 741. —Ind. or.; Malaya.

obliquum, Hohen. ex C. B. Clarke, in Hook. f. Fl. Brit. Ind. iv. 366 = *Klugia Notoniana*.

Rheedii, DC. Prod. ix. 274 = *obliquum*.

scabrum, Dalz. in Hook. Kew Journ. ii. (1850) 140 = *Klugia Notoniana*.

zeylanicum, Hook. Bot. Mag. t. 4198 = *obliquum*.

RHYNCHOLACIS, Tul. in Ann. Sc. Nat. Sér. III. xi. (1849) 95. PODOSTOMACEAE, Benth. & Hook. f. iii. 110.

crassipes, Spruce, ex Wedd. in DC. Prod. xvii. 56. —Bras.

Hydrocichorium, Tul. in Ann. Sc. Nat. Sér. III. xi. (1849) 95. —Guian.

linearis, Tul. in Mart. Fl. Bras. iv. i. 241. t. 74. f. 5. —Bras.

macrocarpa, Tul. in Ann. Sc. Nat. Sér. III. xi. (1849) 95. —Guian.

oligandra, Wedd. in DC. Prod. xvii. 57. —Bras.

tenuifolia, Spruce, ex Wedd. l. c. = Bras.

varians, Spruce, ex Wedd. l. c. 56. —Bras.

RHYNCHOLEPIS, Miq. Syst. Pip. 282 (1843) = *Piper*, Linn.

brevicuspis, Miq. l. c. 283 = *P. Rhyncholepis*.

Cumingiana, Miq. l. c. 282 = *P. Rhyncholepis*.

Haenkeana, Miq. l. c. 284 = *P. denudatum*.

Roxburghii, Miq. l. c. = *Peperomia rostrata*.

RHYNCHOLEPSIS, C. DC. in DC. Prod. xvi. i. 240 (1869) = praec.

RHYNCHOPAPPUS, Dulac, Fl. Hautes-Pyr. 493 (1867) = *Crepis*, Vaill. (Compos.).

albidus, Dulac, l. c. = *C. alpina*.

cinereus, Dulac, l. c. = *C. taraxacifolia*.

foetidus, Dulac, l. c. = *C. foetida*.

RHYNCHOPERA, Klotzsch, in Link, Klotzsch & Otto, Ic. Pl. Rar. 103. t. 41 (1850) = *Pleurothallis*, R. Br. (Orchid.).

pedunculata, Klotzsch, l. c. = *pedunculata*.

punctata, Karst. Ausw. Neuer Gew. Venez. 21. t. 7. —Venezuela.

RHYNCHOPETALUM, Fresen. in Flora, xxi. (1838) II. 603 = *Lobelia*, Linn. (Campan.).

montanum, Fresen. l. c. 604 = *L. Rhynchopetalum*.

**RHYNCHOPSIDIUM**, DC. in Mém. Soc. Phys. Genève. vii. ii. (1836) 283, 286 = *Relhania*, L'Hérit. (Compos.).  
*pedunculatum*, DC. Prod. vi. 290 = Relh. pedunculata, Harv.  
*pumilum*, DC. l. c. = Relh. pedunculata, L'Hérit.  
*sessiliflorum*, DC. in Mém. Soc. Phys. Genève. vii. ii. (1836) 283 = Relh. sessiliflora.

**RHYNCHOPYLE**, Engl. Bot. Jahrb. i. (1881) 183.  
*AROIDEAE*, Benth. & Hook. f. iii. 985.  
*elongata*, Engl. l. c. 184. —Borneo.  
*marginata*, Engl. l. c. —Borneo.

**RHYNCHOSIA**, Lour. Fl. Cochinch. 460 (1790).  
*LEGUMINOSAE*, Benth. & Hook. f. i. 542.  
*ARCYPHYLLUM*, Ell. in Journ. Acad. Philad. i. (1818) 371.

*CHRYSOSECIAS*, E. Mey. Comm. Pl. Afr. Austr. 139 (1835).  
*COPISMA*, E. Mey. l. c. 132 (1835).  
*CYANOSPERMUM*, Wight & Arn. Prod. 259 (1834).  
*DOLICHOLUS*, Medic. in Vorles. Churpf. Phys. Ges. ii. (1787) 354.  
*ERIOSEMA*, Reichb. Consp. 150 (1828).  
*EURIOSMA*, Desv. in Ann. Sc. Nat. Ser. I. ix. (1826) 421.  
*HYDROSIA*, E. Mey. Comm. Pl. Afr. Austr. 89 (1835).  
*NOMISMIA*, Wight & Arn. Prod. 236 (1834).  
*ORTHODANUM*, E. Mey. Comm. Pl. Afr. Austr. 131 (1835).  
*PHYLLOMATIA*, Benth. in Ann. Wien. Mus. ii. (1838) 113.  
*PITCHERIA*, Nutt. in Journ. Acad. Philad. vii. (1834) 93.  
*POLYTROPIA*, Presl, Synib. Bot. i. 21. t. 13 (1830).  
*PTYCHOCENTRUM*, Benth. in Ann. Wien. Mus. ii. (1838) 113.  
*SIGMODOSTYLES*, Meissn. in Hook. Lond. Journ. Bot. ii. (1843) 93.

*acuminata*, Eckl. & Zeyh. Enum. 253 = caribaea.  
*acuminatissima*, Miq. Fl. Ind. Bat. i. i. 171. —Java.  
*acutifolia*, Benth. Fl. Austral. ii. 266. —Austral.  
*acutissima*, Thw. Enum. Pl. Zeyl. 413. —Ind. or.  
*adenantha*, Miq. Fl. Ind. Bat. i. i. 170. —Java.  
*adenodes*, Eckl. & Zeyh. Enum. 254. —Afr. austr.  
*aequinoctialis*, Duchass. & Walp. in Linnaea, xxiii. (1850) 743 = reticulata.  
*Afzelii*, R. Br. ex Baker, in Oliver, Fl. Trop. Afr. ii. 225 = *Eriosema Afzelii*.  
*albo-nitens*, Lem. Illustr. Hort. viii. (1861) t. 290 = *Desmodium scutatum*.  
*amatymbica*, Eckl. & Zeyh. Enum. 254 = *adenodes*.  
*angustifolia*, DC. Prod. ii. 388. —Afr. austr.  
*angustifolia*, Engelm. ex A. Gray, Pl. Wright. i. 44 = *texana*.  
*antennulifera*, Baker, in Oliver, Fl. Trop. Afr. ii. 223. —Afr. trop.  
*argentea*, Desv. in Ann. Sc. Nat. Sér. I. ix. (1826) 419. —Afr. trop.  
*argentea*, Harv. in Harv. & Sond. Fl. Cap. ii. 253. —Afr. austr.  
*aurea*, DC. Prod. iii. 386. —Ind. or.  
*aureo-guttata*, Anderss. in Vet. Akad. Handl. Stockh. 1853 (1855) 252. —Ins. Galapag.  
*australis*, Benth. Fl. Austral. ii. 267. —Austral.  
*avensis*, Benth. ex Baker, in Hook. f. Fl. Brit. Ind. ii. 222. —Burma.  
*Balansae*, Micheli, in Mém. Soc. Phys. Genève. xxviii. (1883) n. vii. 31. —Paraguay.  
*barbata*, Steud. Nom. ed. II. ii. 453. —Peruv.  
*Beddomei*, Baker, in Hook. f. Fl. Brit. Ind. ii. 222. —Ind. or.  
*biflora*, DC. Prod. ii. 387 = *Atylosia scarabaeoides*.  
*Bocandeana*, Webb, in Hook. Kew Journ. ii. (1850) 345. —Ins. Cap. Virid.  
*Borianii*, Schweinf. Reliq. Kotschy, 30 = *Glycine Borianii*.  
*bracteata*, Benth. ex Baker, in Hook. f. Fl. Brit. Ind. ii. 225. —Ind. or.  
*bullata*, Benth. ex Harv. & Sond. Fl. Cap. ii. 257. —Afr. austr.  
*cajanoides*, Guill. & Perr. Fl. Seneg. Tent. i. 215 = *Eriosema cajanoides*.  
*calycina*, Guill. & Perr. l. c. 214. —Afr. trop.  
*calycosa*, Hemsl. Diagn. Pl. Nov. 48. —Panama.  
*cana*, DC. Prod. ii. 386. —Ind. or.  
*candicans*, Kurz, in Journ. A. Soc. Beng. xlv. (1876) ii. 258. —Burma.

**RHYNCHOSIA** :—

*Candollei*, Decne. in Nouv. Ann. Mus. Par. iii. (1834) 473 = minima.  
*capitata*, DC. Prod. ii. 386 = aurea.  
*caribaea*, Auct. Plur. ex Benth. in Mart. Fl. Bras. xv. i. 205 = minima.  
*caribaea*, DC. Prod. ii. 384. —Am. bor.; Ind. occ.; Afr. trop. et austr.  
*Cephalotes*, Steud. Nom. ed. II. ii. 453 = *Psoralea tomentosa*.  
*Chapelieri*, Baill. in Bull. Soc. Linn. Par. i. (1883) 387. —Madag.  
*chrysoposta*, Steud. Nom. ed. II. ii. 453. —Afr. austr.  
*Chrysoscias*, Benth. ex Harv. & Sond. Fl. Cap. ii. 248. —Afr. austr.  
*Cienkowski*, Schweinf. Reliq. Kotschy, 31 = *Tephrosia lupinifolia*.  
*Claussen*, Benth. in Mart. Fl. Bras. xv. i. 201. —Bras.  
*clivorum*, S. Moore, in Journ. Bot. xvi. (1878) 131. —Afr. austr.  
*codoorensis*, Bedd. Ic. Pl. Ind. Or. i. 70 = Heynei.  
*confertiflora*, A. Rich. Tent. Fl. Abyss. i. 231 = *Pseudarthria confertiflora*.  
*congensis*, Baker, in Oliver, Fl. Trop. Afr. ii. 217. —Afr. trop.  
*codoorensis*, Baker, in Hook. f. Fl. Brit. Ind. ii. 220 = *codoorensis*.  
*cordata*, Steud. Nom. ed. II. ii. 453 = *Eriosema cordatum*.  
*corylifolia*, Mart. ex Benth. in Mart. Fl. Bras. xv. i. 202. —Bras.  
*crassifolia*, Benth. ex Harv. & Sond. Fl. Cap. ii. 252. —Afr. austr.  
*crinita*, DC. Prod. ii. 389 = *Eriosema crinitum*.  
*crotalarioides*, DC. l. c. 387 = *Flemingia congesta*.  
*Cunninghamii*, Benth. Fl. Austral. ii. 266. —Austral.  
*cyanosperma*, Benth. ex Baker, in Oliver, Fl. Trop. Afr. ii. 218. —As. et Afr. trop.  
*debilis*, G. Don, Gen. Syst. iii. 347. —Afr. trop.  
*densiflora*, DC. Prod. ii. 386. —Ind. or.; Afr. trop.  
*densiflora*, Wall. Cat. n. 5492 D = aurea.  
*difformis*, DC. Prod. ii. 384 = *tomentosa*.  
*diffusa*, DC. l. c. 388. —Mexic.  
*discolor*, Klotzsch, in Peters, Reise Mossamb. Bot. 30 = *R. Memnonia*.  
*discolor*, Mart. & Gal. Bull. Acad. Brux. x. ii. (1843) 199. —Mexic.  
*diversifolia*, Micheli, in Mém. Soc. Phys. Genève. xxviii. (1883) n. vii. 33. —Paraguay.  
*Dregei*, Steud. Nom. ed. II. ii. 453 = *Eriosema squarrosium*.  
*Ecklonei*, Steud. l. c. —Afr. austr.  
*edulis*, Griseb. in Goett. Abh. xix. (1874) 123. —Reg. Argent.  
*elegans*, A. Rich. Tent. Fl. Abyss. i. 228. —Abyss.  
*elongata*, DC. Prod. ii. 386 = aurea.  
*erecta*, DC. l. c. 384 = *tomentosa*.  
*ervoidea*, DC. Mém. Lég. 368; Prod. ii. 386 = minima.  
*erythrinoides*, Schlecht. & Cham. in Linnaea, v. (1830) 587 = *phaseoloides*.  
*exigua*, Anderss. in Vet. Acad. Handl. Stockh. 1853 (1855) 252. —Ins. Galapag.  
*faginea*, Guill. & Perr. Fl. Seneg. Tent. i. 212 = *Flemingia faginea*.  
*falcata*, E. Mey. Comm. Pl. Afr. Austr. 136 = minima.  
*Falconeri*, Baker, in Hook. f. Fl. Brit. Ind. ii. 224. —Reg. Himal.  
*ferruginea*, A. Rich. Tent. Fl. Abyss. i. 229. —Abyss.  
*ferulaefolia*, Benth. ex Harv. & Sond. Fl. Cap. ii. 249. —Afr. austr.  
*ficifolia*, Benth. l. c. 251. —Afr. austr.  
*filicaulis*, R. Grab. in Wall. Cat. n. 5502 = minima.  
*filicaulis*, Welw. ex Baker, in Oliver, Fl. Trop. Afr. ii. 221. —Afr. trop.  
*filipes*, Benth. in Linnaea, xxiv. (1851) 644. —Ind. or.  
*flagellaris*, Fenzl, in Flora, xxvii. (1844) 312, nomen = minima.  
*flavissima*, Hochst. ex Baker, in Oliver, Fl. Trop. Afr. ii. 219. —Afr. trop.  
*Fridericana*, DC. Prod. ii. 387. —Ins. Philipp.  
*frutescens*, Steud. Nom. ed. II. i. 459, sphalm. = *rufescens*.  
*galactioides*, DC. Prod. ii. 387 = *Calopogonium galactioides*.  
*galactioides*, Endl. ex Walp. Rep. i. 790. —Am. bor.  
*Garcini*, DC. Prod. ii. 388. —Persia.

**RHYNCHOSIA** :—

*gibba*, E. Mey. in Linnaea, vii. (1832) 170 = *caribaea*.  
*glabra*, DC. Prod. ii. 387 = *glandulosa*.  
*glandulosa*, DC. l. c. 388. —Afr. austr.  
*glomerata*, Guill. & Perr. Fl. Seneg. Tent. i. 216 = *Eriosema glomeratum*.  
*Grahami*, Wall. Cat. n. 5504 = *Eriosema chinense*.  
*grandiflora*, Schlecht. & Cham. in Linnaea, v. (1830) 588 = *Eriosema grandiflorum*.  
*grandifolia*, Steud. Nom. ed. II. ii. 454. —Afr. austr.  
*Grantii*, Baker, in Oliver, Fl. Trop. Afr. ii. 223. —Afr. trop.  
*Heynei*, Wight & Arn. Prod. 240. —Ind. or.  
*himalensis*, Benth. ex Baker, in Hook. f. Fl. Brit. Ind. ii. 225. —Reg. Himal.  
*hirsuta*, Eckl. & Zeyh. Enum. 256. —Afr. austr.  
*hirsuta*, Mart. & Gal. in Bull. Acad. Brux. x. ii. (1843) 198. —Mexic.  
*Hookeri*, G. Don, Gen. Syst. ii. 347. —Ind. occ.  
*humilis*, Eckl. & Zeyh. Enum. 253 = totta.  
*incana*, Royle, ex Baker, in Hook. f. Fl. Brit. Ind. ii. 223 = *R. Pseudo-cajan*.  
*inflata*, Boj. Hort. Maurit. 104 = *caribaea*.  
*intermedia*, Kotschy & Peyr. Pl. Tinn. 7. n. 10 = *caribaea*?  
*Lablab*, Baill. in Bull. Soc. Linn. Par. i. (1883) 386. —Madag.  
*latifolia*, Nutt. ex Torr. & Gray, Fl. N. Am. i. 285. —Am. bor.  
*latissima*, Welw. ex Baker, in Oliver, Fl. Trop. Afr. ii. 221. —Afr. trop.  
*laxiflora*, Cambess. in Jacquem. Voy. Bot. 44 = minima.  
*leucophylla*, Benth. in Mart. Fl. Bras. xv. i. 202. —Bras.  
*leucoscias*, Benth. ex Harv. & Sond. Fl. Cap. ii. 249. —Afr. austr.  
*lineata*, Benth. in Mart. Fl. Bras. xv. i. 202. —Bras.  
*lobata*, Desv. in Ann. Sc. Nat. Sér. I. ix. (1826) 419. —Bras.  
*longepedunculata*, Hochst. ex A. Rich. Tent. Fl. Abyss. i. 226 = *Eriosema longepedunculatum*.  
*longeracemosa*, Mart. & Gal. in Bull. Acad. Brux. x. ii. (1843) 198. —Mexic.; Panama.  
*longeramosa*, Griseb. Fl. Brit. W. Ind. 191, in syn., sphalm. = *præc.*  
*lucida*, DC. Prod. ii. 387 = *Strongylodon ruber*.  
*Luschnathiana*, Walp. in Linnaea, xiv. (1840) 295. —Bras.  
*macrocarpa*, Benth. Pl. Hartw. 11. —Mexic.  
*macrophylla*, DC. Prod. ii. 385 = *reticulata*.  
*malacophylla*, Boj. Hort. Maurit. 104 = *caribaea*.  
*Mannii*, Baker, in Oliver, Fl. Trop. Afr. ii. 217. —Afr. trop.  
*maxima*, Boj. Hort. Maurit. 105 = *Baukea insignis*.  
*medicaginea*, DC. Prod. ii. 386 = minima.  
*melanosperma*, Klotzsch, in Peters, Reise Mossamb. Bot. 30 = *caribaea*.  
*melanosticta*, Griseb. in Goett. Abh. xix. (1874) 124. —Reg. Argent.  
*Memnonia*, DC. Prod. ii. 386. —Afr. trop.; Arab.; Sind.  
*mendacinensis*, Gill. ex Hook. & Arn. in Bot. Misc. iii. (1833) 199. —Chili.  
*mendosinensis*, Walp. Rep. i. 788 = *præc.*  
*menispermoides*, DC. in Ann. Sc. Nat. Sér. I. iv. (1825) 102. —Am. bor.  
*mexicana*, Hook. & Arn. Bot. Beech. Voy. 287 = minima.  
*mexicana*, Steud. Nom. ed. II. ii. 454 = *Eriosema grandiflorum*.  
*Meyeri*, Steud. l. c. —Afr. austr.  
*microphylla*, Wall. Cat. n. 5497 = minima.  
*microscias*, Benth. ex Harv. & Sond. Fl. Cap. ii. 249. —Afr. austr.  
*minima*, DC. Prod. ii. 385. —Cosmop. trop. et subtrop.  
*mollis*, DC. l. c. 388. —Afr. trop.  
*mollissima*, Dals. in Journ. Linn. Soc. xiii. (1873) 186. —Ind. or.  
*mollissima*, G. Don, Gen. Syst. ii. 347. —Afr. trop.  
*mollissima*, Shuttl. ex S. Wats. Bibliog. Ind. N. Am. Bot. i. 256. —Am. bor.  
*mollissima*, Zoll. & Mor. in Nat. en Geneesk. Arch. Nêrl. Indie, iii. (1846) 78. —Java.  
*monosperma*, Griseb. in Goett. Abh. xix. (1874) 123. —Reg. Argent.  
*nervosa*, Benth. ex Harv. & Sond. Fl. Cap. ii. 253. —Afr. austr.  
*nitens*, Benth. ex Harv. l. c. 257. —Afr. austr.  
*nitida*, Steud. Nom. ed. II. ii. 454. —Afr. austr.

**RHYNCHOSIA** :—

- nuda*, DC. Mém. Légum. 366; Prod. ii. 385 = minima.  
*nummularia*, DC. Prod. ii. 386.—Ind. or.  
*Orthodanum*, Benth. ex Harv. & Sond. Fl. Cap. ii. 257.  
 —Afr. austr.  
*pallida*, Micheli, in Mém. Soc. Phys. Genève. xxviii. (1883) n. vii. 32.—Paraguay.  
*paniculata*, Steud. Nom. ed. II. ii. 454 = totta.  
*parviflora*, Steud. l. c. = *Eriosema parviflorum*.  
*parvifolia*, DC. Mém. Légum. 367; Prod. ii. 385.—Ins. S. Doming.  
*phaseoloides*, DC. Prod. ii. 385.—Am. trop.  
*picta*, Steud. Nom. ed. II. i. 416, in syn., sphalm. = secunda.  
*pilosa*, Steud. l. c. ii. 454.—Afr. austr.  
*pilosa*, Wall. Cat. n. 5499.—Burma.  
*pinnata*, Harv. Thes. Cap. i. 50.—Afr. austr.  
*platyphylla*, Benth. in Mart. Fl. Bras. xv. i. 201.—Bras.  
*polystachya*, A. Rich. Tent. Fl. Abyss. i. 231 = *Eriosema polystachyum*.  
*polystachya*, Steud. Nom. ed. II. ii. 454 = *Eriosema cajanoides*.  
*portobellensis*, Beurl. in Vet. Akad. Handl. Stockh. 1854 (1856) 121.—Panama.  
*precatoria*, DC. Prod. ii. 385 = phaseoloides.  
*prostrata*, R. Grah. in Wall. Cat. n. 5496 = minima.  
*Pseudo-cajan*, Cambess. in Jacquem. Voy. Bot. 45. t. 55.—Reg. Himal.  
*psoraloides*, DC. Prod. ii. 389.—Madag.  
*puberula*, Steud. Nom. ed. II. ii. 454; Harv. in Harv. & Sond. Fl. Cap. ii. 255.—Afr. austr.  
*pubescens*, DC. Prod. ii. 386.—Abyss.  
*pulchella*, DC. l. c. 389.—Am. austr.  
*pulverulenta*, Stocks, in Hook. Kew Journ. iv. (1852) 147 = R. Memnonia.  
*punctata*, DC. Mém. Légum. 365; Prod. ii. 385 = minima.  
*quadrata*, Harv. in Harv. & Sond. Fl. Cap. ii. 254.—Afr. austr.  
*reniformis*, DC. Prod. ii. 384 = tomentosa.  
*resinosa*, Hochst. ex Baker, in Oliver, Fl. Trop. Afr. ii. 218.—Afr. trop.  
*reticulata*, DC. Prod. ii. 385.—Am. trop.  
*rhodophylla*, Baker, in Journ. Linn. Soc. xx. (1883) 133.—Madag.  
*rhombifolia*, DC. Prod. ii. 386 = minima.  
*rhomboidea*, F. Muell. ex Benth. Fl. Austral. ii. 265.—Austral.  
*rigidula*, DC. Prod. ii. 388.—Afr. austr.  
*rigidula*, Eckl. & Zeyh. Enum. 255 = totta.  
*riparia*, Eckl. & Zeyh. l. c. = glandulosa.  
*rosea*, DC. Prod. ii. 387 = Canavalia obtusifolia.  
*rostrata*, Benth. Fl. Austral. ii. 266.—Austral.  
*rotundifolia*, Steud. Nom. ed. II. ii. 454.—Afr. austr.  
*rufa*, DC. Prod. ii. 388 = *Eriosema rufum*.  
*rufescens*, DC. l. c. 387.—Ind. or.; Malaya.  
*saligna*, Steud. Nom. ed. II. ii. 454 = *Eriosema salignum*.  
*scarabaeoides*, DC. Prod. ii. 387 = *Atylosia scarabaeoides*.  
*Schimperii*, Hochst. ex Boiss. Fl. Orient. ii. 626.—Oriens. secunda, Eckl. & Zeyh. Enum. 252.—Afr. austr.  
*Senna*, Gill. ex Hook. & Arn. in Bot. Misc. iii. (1833) 199.—Reg. Argent.  
*sennaarensis*, Hochst. ex Schweinf. in Verh. Zool.-Bot. Ges. Wien, xviii. (1868) 655 = flavissima.  
*sericea*, Gill. ex Hook. & Arn. in Bot. Misc. iii. (1833) 199.—Chili.  
*sericea*, Span. in Linnaea, xv. (1841) 195.—Ind. or.; Malaya.  
*sericea*, Vidal, Sinops. t. 40. f. D = Flemingia congesta.  
*sericophylla*, Kunze, in Linnaea, xx. (1847) 63.—Java.  
*sessiliflora*, DC. Prod. ii. 389 = *Tephrosia brevipes*.  
*sessilifolia*, Benth. in Mart. Fl. Bras. xv. i. 46, sphalm. = praec.  
*sigmodes*, Benth. ex Harv. & Sond. Fl. Cap. ii. 251.—Afr. austr.  
*simplicifolia*, DC. Prod. ii. 389 = *Eriosema simplicifolium*.  
*simplicifolia*, Walp. Rep. i. 787 = *singulifolia*.  
*simplicifolia*, Wood, Class-Book (1861), 321 = *tomentosa*.  
*singulifolia*, Steud. Nom. ed. II. ii. 454.—Afr. austr.  
*splendens*, Schweinf. in Verh. Zool.-Bot. Ges. Wien, xviii. (1868) 654.—Afr. trop.  
*stipulosa*, A. Rich. Tent. Fl. Abyss. i. 229 = viscosa.

**RHYNCHOSIA** :—

- striata*, G. Don, Gen. Syst. ii. 347.—Afr. trop.  
*suaveoleus*, DC. Prod. ii. 387.—Ind. or.  
*subsericea*, Walp. Ann. ii. 434 = *Galactia dubia*.  
*tenuicaulis*, Wall. Cat. n. 5495 = minima.  
*tenuis*, Steud. Nom. ed. II. ii. 454 = minima.  
*texana*, Torr. & Gray, Fl. N. Am. i. 687 = R. Senna.  
*tomentosa*, Baill. in Bull. Soc. Linn. Par. i. (1883) 387 = cyanosperma.  
*tomentosa*, Hook. & Arn. in Hook. Comp. Bot. Mag. i. (1835) 23.—Am. bor.  
*tomentosa*, Kurz, in Journ. As. Soc. Beng. xliii. (1874) ii. 186 = sericea.  
*totta*, DC. Prod. ii. 388.—Afr. austr.  
*trichodes*, Harv. in Harv. & Sond. Fl. Cap. ii. 258 = totta.  
*trinervis*, Steud. Nom. ed. II. ii. 454.—Afr. austr.  
*tuberosa*, Hochst. ex A. Rich. Tent. Fl. Abyss. i. 227 = *Eriosema tuberosum*.  
*uniflora*, Harv. in Harv. & Sond. Fl. Cap. ii. 249 = angustifolia.  
*velutina*, R. Grah. in Wall. Cat. n. 5501 = *Atylosia rugosa*.  
*velutina*, Wight & Arn. Prod. 238.—Ind. or.  
*versicolor*, Baker, in Journ. Linn. Soc. xx. (1883) 132.—Madag.  
*vestita*, Wall. Cat. n. 5505 = *Atylosia barbata*.  
*villosula*, Thw. Enum. Pl. Zeyl. 412 = viscosa.  
*violacea*, DC. Prod. ii. 388 = *Eriosema violaceum*.  
*virgata*, R. Grah. in Wall. Cat. n. 5503 = *Eriosema chinense*.  
*viscida*, DC. Prod. ii. 387 = *Pseudarthria viscida*.  
*viscidula*, Steud. Nom. ed. II. ii. 454.—Afr. austr.  
*viscosa*, DC. Prod. ii. 387.—As. et Afr. trop.  
*volubilis*, Lour. Fl. Cochinch. 460.—China; Japon.  
*volubilis*, Wood, Class-Book (1861), 321; Bot. & Fl. 96 = tomentosa.  
*Wightiana*, R. Grah. in Wall. Cat. n. 5500 = *Atylosia Candollei*.  
*Zeyheri*, Steud. Nom. ed. II. ii. 454 = *Eriosema squarrosium*.  
*RHYNCHOSPERMUM*, A. DC. in DC. Prod. viii. 431 (1844) = *Rhynchodia*, Benth. (Scrophul.).  
*ellipticum*, A. DC. l. c. = *Rhynchodia Wallichii*.  
*Wallichii*, A. DC. l. c. = *Rhynchodia Wallichii*.  
*RHYNCHOSPERMUM*, Lindl. in Journ. Hort. Soc. i. (1846) 74 = *Trachelospermum*, Lem. (Apocyn.).  
*jasminoides*, Lindl. l. c. = *T. jasminoides*.  
*RHYNCHOSPERMUM*, Reinw. in Syll. Ratisb. ii. (1828) 7. *COMPOSITAE*, Benth. & Hook. f. ii. 263.  
*LEPTOCOMA*, Less. in Linnaea, vi. (1831) 130.  
*ZOLLINGERIA*, Sch. Bip. in Flora, xxxvii. (1854) 273.  
*verticillatum*, Reinw. in Syll. Ratisb. ii. (1828) 8.—Java.  
*RHYNCHOSPORA*, Willd. Enum. Hort. Berol. 71 (1809) = *Rhynchospira*, Vahl (Cyperac.).  
*RHYNCHOSTELIS*, Reichb. f. in Bot. Zeit. x. (1852) 770 = *Leochilus*, Knowl. & Westc. (Orchid.).  
*pygmaea*, Reichb. f. l. c. = *L. pygmaeus* (in Addend.).  
*RHYNCHOSTEMON*, Steetz, in Lehm. Pl. Preiss. ii. 333 (1847) = *Thomasia*, J. Gay (Stercul.).  
*canescens*, Steetz, l. c. 335 = *T. glutinosa*.  
*glutinosum*, Steetz, l. c. 334 = *T. glutinosa*.  
*RHYNCHOSTIGMA*, Benth. in Benth. & Hook. f. Gen. ii. 771 (1876) = *Toxocarpus*, Wight & Arn. (Asclep.).  
*brevipes*, Benth. in Hook. Ic. Pl. sub t. 1189.—Afr. trop.  
*parviflorum*, Benth. l. c.—Afr. trop.  
*racemosum*, Benth. l. c. t. 1189.—Afr. trop.  
*RHYNCHOSTYLIS*, Blume, Bijdr. 285. t. 49 (1825) (*Rhynchostylis*). *ORCHIDEAE*, Benth. & Hook. f. iii. 574.  
*guralica*, Reichb. f. in Walp. Ann. vi. 888 = *retusa*.  
*guttata*, Reichb. f. in Bonplandia, ii. (1854) 93 = *retusa*.  
*papillosa*, Heynh. Nom. ii. 594 = *Saccolabium papillosum*.  
*praemorsa*, Blume, Bijdr. 286 = *retusa*.  
*retusa*, Blume, l. c.—Ind. or.; Malaya.  
*violacea*, Reichb. f. in Bonplandia, ii. (1854) 93.—Ins. Philipp.

*RHYNCHOSTYLIS*, Tausch, in Flora, xvii. (1834) 343 = *Chaerophyllum*, Linn. (Umbell.).  
*hirsutus*, Tausch, l. c. = *C. hirsutum*.

*RHYNCHOTECHUM*, Blume, Bijdr. 775 (1825). *GESNERACEAE*, Benth. & Hook. f. ii. 1016.  
*CHEILOANDRA*, Griff. in Lindl. Veg. Kingd. 672 (1847).  
*CHILIANDRA*, Griff. Notul. iv. 150 (1854).  
*CORYSANTHERA*, Wall. Cat. n. 6411 (1831?).  
*alternifolium*, C. B. Clarke, in DC. Monog. Phan. v. 198.—Reg. Himal.  
*Brandisii*, C. B. Clarke, l. c. 199.—Burma.  
*calycinum*, C. B. Clarke, l. c.—Reg. Himal.  
*ellipticum*, DC. Prod. ix. 285.—Reg. Himal.  
*hispidum*, C. B. Clarke, in DC. Monog. Phan. v. 197.—Java.  
*latifolium*, Hook. f. & Thoms. ex C. B. Clarke, Comm. et Cyrt. Beng. t. 93.—Reg. Himal.; Burma.  
*parviflorum*, Blume, Bijdr. 775.—Penang; Java.  
*tenue*, C. B. Clarke, in DC. Monog. Phan. v. 199.—Ins. Philipp.  
*vestitum*, Wall. ex C. B. Clarke, Comm. et Cyrt. Beng. t. 92.—Reg. Himal.

*RHYNCHOTHECA*, Ruiz & Pav. Prod. 82. t. 15 (1794). *GERANIACEAE*, Benth. & Hook. f. i. 275.  
*AULACOSTIGMA*, Turcz. in Bull. Soc. Nat. Mosc. xx. (1847) i. 149.  
*RHYNCHOTHELIA*, Pers. Syn. ii. 92 (1807).  
*diversifolia*, H. B. & K. Nov. Gen. et Sp. v. 233. t. 465 = spinosa.  
*integrifolia*, H. B. & K. l. c. 232. t. 464 = spinosa.  
*spinosa*, Ruiz & Pav. Syst. Veg. 142.—Ecuador.  
*RHYNCHOSIA*, Webb, in Hook. Kew Journ. ii. (1850) 345, sphalm. = *Rhynchosis*, Lour. (Legumin.).

*RHYNCHOSPERMUM*, A. DC. in DC. Prod. viii. 431 (1844), sphalm. = *RHYNCHOSPERMUM*, Lindl.  
*RHYNCHOSTYLIS*, Steud. Nom. ed. II. ii. 457 (1841), sphalm. = *Rhynchostylis*, Blume (Orchid.).

*RHYNCHOTHECUM*, A. DC. in DC. Prod. ix. 285 (1845), sphalm. = *Rhynchotechum*, Blume (Gesner.).

*RHYNCHOTHELIA*, Pers. Syn. ii. 92 (1807) = *Rhynchotheca*, Ruiz & Pav. (Geran.).

*RHYNEA*, DC. Prod. vi. 154 (1837); in Deless. Ic. Sel. iv. t. 52 (1839) = *Cassinia*, R. Br. (Compos.).  
*phylicaeifolia*, DC. ll. cc.—Afr. austr.

*RHYNEA*, Scop. Introd. 262 (1777) = *Mesua*, Linn. (Guttif.).

*RHYNOSPERMUM*, Walp. Ann. iii. 920 (1852-53), sphalm. = *RHYNCHOSPERMUM*, DC. = *Rhynchodia*, Benth. (Scrophul.).

*RHYPARIA*, Hassk. Cat. Hort. Bog. Alt. 239 (1844) = *Ryparosa*, Blume (Euphorb.).

*RHYSOSPERMUM*, Gaertn. f. Fruct. iii. 232. t. 224 (1805) = *Notelaea*, Vent. (Oleac.).  
*ellipticum*, Gaertn. f. l. c. t. 224. f. 2 = *N. nervosa*.  
*nervosa*, Gaertn. f. l. c. 232 = *N. nervosa*.

*RHYSOTOECHIA*, Radlk. in Sitzb. Math.-Phys. Acad. Muench. ix. (1879) 498, 656. *SAPINDACEAE*.  
*bifoliolata*, Radlk. l. c. 656.—Austral.  
*flavescens*, Radlk. l. c. 658.—Austral.  
*grandifolia*, Radlk. l. c. 657.—Borneo.  
*Mortoniana*, Radlk. l. c. 656.—Austral.  
*ramiflora*, Radlk. l. c. 657.—Ins. Celebes.  
*Robertsoni*, Radlk. l. c. 657.—Austral.

*RHYSSOCARPUS*, Endl. in Bot. Zeit. i. (1843) 459. *RUBIACEAE*, Benth. & Hook. f. ii. 81.  
*PLEUROCARPUS*, Klotzsch, in Bonplandia, vii. (1859) 3.  
*pubescens*, Endl. in Bot. Zeit. i. (1843) 459.—Am. trop.

*RHYSSOLOBIUM*, E. Mey. Comm. Pl. Afr. Austr. 217 (1837). *ASCLEPIADEAE*, Benth. & Hook. f. ii. 769.  
*dumosum*, E. Mey. l. c.—Afr. austr.

**RHYSSOSTELMA**, Decne. in DC. Prod. viii. 590 (1844). *ASCLEPIADEAE*, Benth. & Hook. f. ii. 751. nigricans, Decne. l. c.—Reg. Argent.

**RHYTACHNE**, Desv. in Ham. Prod. Pl. Ind. Occ. 11 (1825). Gen. dub. *GRAMINEARUM*, Benth. & Hook. f. iii. 1096. rottboellioides, Desv. l. c. 12.—Afr. trop.; Ind. occ.

**RHYTICARPUS**, Sond. in Harv. & Sond. Fl. Cap. ii. 540 (1862). *UMBELLIFERAE*, Benth. & Hook. f. i. 887. difformis, Benth. & Hook. f. Gen. ii. 887.—Afr. austr. Ecklonis, Sond. in Harv. & Sond. Fl. Cap. ii. 540.—Afr. austr. rugosus, Sond. l. c.—Afr. austr.

**RHYTICARYUM**, Becc. Malesia, i. (1878) 256 = **Ryticaryum**, Becc. (Icacin.).

**RHYTIDANDRA**, A. Gray, Bot. U. St. Expl. Exped. i. 302 (1854) = **Marlea**, Roxb. (Cornac.). *polyosmoides*, F. Muell. Fragm. ii. 176 = *M. vitiensis*. *vitiensis*, A. Gray, Bot. U. St. Expl. Exped. i. 303. t. 28 = *M. vitiensis*.

**RHYTIDANTHE**, Benth. in Enum. Pl. Hueg. 63 (1837) = **Leptorhynchus**, Less. (Compos.). *scabra*, Benth. l. c. = *L. elongatus*.

**RHYTIDOLOBUS**, Dulac, Fl. Hautes-Pyr. 113 (1867) = **Hyacinthus**, Tourn. (Liliac.). *appendiculatus*, Dulac, l. c. = *H. romanus*.

**RHYTIDOPHYLLUM**, Mart. Nov. Gen. et Sp. iii. 38 (1829) (Rytidophyllum). *GESNERACEAE*, Benth. & Hook. f. ii. 1006. *auriculatum*, Hook. Bot. Mag. t. 3562.—Hab. ? Berteroanum, Mart. Nov. Gen. et Sp. iii. 39.—Ind. occ. crenulatum, DC. Prod. vii. 524.—Cuba. *exsertum*, Griseb. Cat. Pl. Cub. 198.—Cuba. *floribundum*, Lem. Fl. des Serres, ii. (1846) t. 178.—Cuba. *grande*, Linden, ex Hanst. in Linnaea, xxxiv. (1865–66) 311 = *tomentosum*. *grande*, Mart. Nov. Gen. et Sp. iii. 39.—Ind. occ. *Humboldtii*, Klotzsch, in Otto & Dietr. Allg. Gartenz. xx. (1852) 18 = *Campanea Humboldtii*. *leucomallon*, Hanst. in Linnaea, xxxiv. (1865–66) 312.—Ind. occ. *melastoma*, Poepp. & Endl. Nov. Gen. et Sp. iii. 7 (= *Moussonia melastoma*).—Peruv. *Oerstedii*, Klotzsch, in Otto & Dietr. Allg. Gartenz. xx. (1852) 17 = *Campanea Oerstedii*. *petiolare*, DC. Prod. vii. 524.—Ins. S. Doming. *Plumerianum*, DC. l. c.—Ins. S. Doming. *prasinatum*, Mart. ex Steud. Nom. ed. II. ii. 448.—Bras. *purpureum*, Poepp. & Endl. Nov. Gen. et Sp. iii. 6. t. 206 = *Isoloma purpurea*. *Tigridia*, Klotzsch, in Otto & Dietr. Allg. Gartenz. xx. (1852) 18 = *Campanea grandiflora*. *tomentosum*, Hort. Berol. ex Hanst. in Linnaea, xxxiv. (1865–66) 310 = *petiolare*. *tomentosum*, Mart. Nov. Gen. et Sp. iii. 39.—Ind. occ. *Wrightianum*, Griseb. Cat. Pl. Cub. 198.—Cuba.

**RHYTIDOSPERMUM**, Sch. Bip. in Webb & Berth. Phyt. Canar. ii. 277 (1836–50) = **Matricaria**, Tourn. (Compos.). *inodorum*, Sch. Bip. l. c. = *M. inodora*.

**RHYTIDOSPORUM**, F. Muell. ex Hook. f. Fl. Tasm. (1855) = **Marianthus**, Hueg. (Pittosp.). *procumbens*, F. Muell. l. c. = *M. procumbens*. *Stuartianum*, F. Muell. l. c. = *M. procumbens*.

**RHYTIDOSTYLIS**, Reichb. Nom. 101 (1841) = **RYTIDOSTYLIS**, Hook. & Arn. = **Elaterium**, Jacq. (Cucurb.).

**RHYTIDOTUS**, Hook. f. in Benth. & Hook. f. Gen. ii. 101 (1873) = **Rytidotus**, Hook. f. (Rubiace.).

**RHYTIGLOSSA**, Nees, in Lindl. Introd. Nat. Syst. ed. II. 285, 444 (1836) = **Dianthera**, Gronov. (Acanth.). *acuminata*, Nees, in DC. Prod. xi. 354 = *D. comata*. *acuminatissima*, Miq. Stirp. Surin. Sel. 129.—Guian.

**RHYTIGLOSSA** :—

*amazonica*, Nees, in Mart. Fl. Bras. ix. 127.—Bras. *Anagallis*, Mart. & Nees, in Mart. l. c. 119 = *Dianthera Anagallis*. *androsaemifolia*, Nees, in DC. Prod. xi. 352 = *D. androsaemifolia*. *angustifolia*, Nees, in Mart. Fl. Bras. ix. 121 = *D. angustifolia*. *Arnottiana*, Nees, in DC. Prod. xi. 343.—Bras. *axillaris*, Nees, in Mart. Fl. Bras. ix. 122.—Bras. *barbata*, Nees, in DC. Prod. xi. 355.—Ind. occ. *breviflora*, Nees, l. c. 352 = *D. breviflora*. *campestris*, Nees, in Mart. Fl. Bras. ix. 118 = *D. campestris*. *Candelariae*, Oerst. in Kjoeb. Vidensk. Meddel. (1854) 158 = *D. Candelariae*. *caracasana*, Nees, in Mart. Fl. Bras. ix. 127.—Am. trop. *cayennensis*, Nees, in DC. Prod. xi. 346 = *D. cayennensis*. *chamaedryoides*, Nees, in Mart. Fl. Bras. ix. 123.—Bras. *ciliata*, Nees, in Linnaea, xv. (1841) 364.—Afr. austr. *cordifolia*, Nees, in Mart. Fl. Bras. ix. 121.—Bras. *corymbulosa*, Nees, in DC. Prod. xi. 355.—Guatemala. *cristata*, Regel, Gartenfl. (1852) 132.—Am. austr. ? *cuspidulata*, Nees, in DC. Prod. xi. 348.—Peruv. *dasyclados*, Mart. ex Nees, in Mart. Fl. Bras. ix. 126 = *D. dasyclados*. *distorta*, Nees, l. c. 125 = *D. distorta*. *divergens*, Nees, l. c. 128.—Bras. *Eckloniana*, Nees, in DC. Prod. xi. 336.—Afr. austr. *ensiformis*, Wood, Class-Book (1861), 536 = *D. americana* ? *geniculata*, Nees, in DC. Prod. xi. 341 = *D. secunda*. *genuflexa*, Nees, in Mart. Fl. Bras. ix. 121.—Bras. *glandulifera*, Presl, Bot. Bemerk. 95 = *origanoides*. *glandulosa*, Hochst. in Flora, xxviii. (1845) 71 = *Blechnum laxiflorum*. *havanensis*, Nees, in DC. Prod. xi. 344 = *D. comata*. *hirsuta*, Nees, l. c. 342.—Peruv. *Hookeriana*, Nees, l. c. 348 = *D. Hookeriana*. *humilis*, Nees, l. c. 340 = *D. ovata*. *Hyssopus*, Nees, l. c. 345.—Mexic. *ilhenis*, Moric. ex Nees, l. c. 342.—Bras. *inaequalis*, Nees, l. c. 349 = *D. inaequalis*. *indica*, Wawra, in Oestr. Bot. Zeitschr. xxxi. (1881) 281 = *D. indica*. *laeta*, Nees, in Mart. Fl. Bras. ix. 126 = *D. laeta*. *laevilinguis*, Nees, l. c. 120.—Bras. *lanceolata*, Buek, Index in DC. Prod. iii. 379 = *lineolata*. *latifolia*, Nees, in DC. l. c. xi. 353 = *D. latifolia*. *lavandulaefolia*, Nees, in Mart. Fl. Bras. ix. 124.—Bras. *leucophloea*, Nees, l. c. 129.—Bras. *Lindeniana*, Nees, in DC. Prod. xi. 349 = *D. Lindeniana*. *linearis*, Nees, in Mart. Fl. Bras. ix. 125.—Bras. *lineolata*, Nees, in DC. Prod. xi. 341.—Peruv. *longiflora*, Nees, in Mart. Fl. Bras. ix. 128 = *D. longiflora*. *lucida*, Nees, in DC. Prod. xi. 341 = *D. secunda*. *maynensis*, Nees, l. c. 346.—Peruv. *menthoides*, Nees, in Mart. Fl. Bras. ix. 122.—Bras. *mexicana*, Oerst. in Kjoeb. Vidensk. Meddel. (1854) 157 = *D. mexicana*. *Meyeniana*, Nees, in Mart. Fl. Bras. ix. 121 = *Beloperrone Meyeniana*. *microphylla*, Oerst. in Kjoeb. Vidensk. Meddel. (1854) 159 = *D. Candelariae*. *microstachya*, Nees, in DC. Prod. xi. 342.—Peruv. *Moricandiana*, Nees, l. c. 341.—Guian. *nana*, Nees, l. c. 346.—Mexic. *nemoralis*, Nees, l. c. 159, in syn., nomen.—Hab. ? *oblonga*, Nees, l. c. 343.—N. Granat. *oblonga*, Nees, in Mart. Fl. Bras. ix. 124 = *D. oblonga*. *obtusifolia*, Nees, l. c. 120 = *D. ovata*. *origanoides*, Nees, in Linnaea, xv. (1841) 365.—Afr. austr. *ovata*, Nees, in DC. Prod. xi. 336.—Afr. austr. *ovatifolia*, Oerst. in Kjoeb. Vidensk. Meddel. (1854) 156.—Mexic. *paniculata*, Hort. Borbon. ex T. Anders. in Journ. Agri.-Hort. Soc. Ind. N. S. i. (1868) 282 (*Justiciae* sp.).—Hab. ? *paniculata*, Nees, in Mart. Fl. Bras. ix. 129.—Bras. *pauciflora*, Nees, l. c. 123.—Bras. *pectoralis*, Nees, l. c. 128 = *D. pectoralis*.

**RHYTIGLOSSA** :—

*pedunculosa*, Nees, in DC. Prod. xi. 339 = *Dianthera americana*. *piachuensis*, Nees, in Mart. Fl. Bras. ix. 124.—Bras. *Poeppigiana*, Nees, l. c. 123.—Bras. *polygonoides*, Nees, in DC. Prod. xi. 353.—N. Granat. *prolixa*, Nees, l. c. 336.—Afr. austr. *ptychostoma*, Nees, l. c. 337 = *Justicia ptychostoma*. *punctata*, Nees, l. c. 355 = *D. punctata*. *radicosa*, Nees, l. c. 344 = *Ptyssiglottis radica*. *repens*, Nees, in Mart. Fl. Bras. ix. 119.—Bras. *reptans*, Nees, in DC. Prod. xi. 343 = *D. reptans*. *rubicunda*, Hochst. in Flora, xxviii. (1845) 71.—Afr. austr. *Ruiziana*, Nees, in DC. Prod. xi. 345 = *D. lineolata*. *Sagraeana*, A. Rich. Fl. Cub. Fanerog. ii. 163 = *D. Sagraeana*. *sarmentosa*, Nees, in Mart. Fl. Bras. ix. 119.—Bras. *scabra*, Nees, in DC. Prod. xi. 354.—Hab. ? *secunda*, Nees, l. c. 340 = *D. secunda*. *sessilis*, Nees, l. c. 345 = *D. sessilis*. *speciosa*, Nees, l. c. 351 = *D. speciosa*. *symphyantha*, Nees, in Mart. Fl. Bras. ix. 125.—Bras. *tenuiflora*, Nees, in DC. Prod. xi. 340.—Peruv. *verticillaris*, Nees, l. c. 354.—Porto Rico. *viridiflora*, Nees, l. c. 346 = *Gatesia laete-virens*.

**RHYTILEUCOMA**, F. Muell. Fragm. ii. 90 (1860) = **Chilocarpus**, Blume (Apocyn.). *chilocarpoides*, F. Muell. l. c. = *C. australis*.

**RHYTIS**, Lour. Fl. Cochinch. 660 (1790) = **Antidesma**, Burm. (Euphorb.). *fruticosa*, Lour. l. c. = *A. fruticosum*.

**RHYTISPERMUM**, Link, Handb. i. 579 (1829) = **Lithospermum**, Linn. (Borag.). *apulum*, Link, l. c. ; Reichb. f. Ic. Fl. Germ. xviii. 67 = *L. apulum*. *apulum*, Webb & Berth. Phyt. Canar. iii. 51 = *L. microspermum*. *arvense*, Link, Handb. i. 579 = *L. arvense*. *dispermum*, Link, l. c. 580 = *Rochelia stellulata*. *fruticosum*, Link, l. c. 579 = *L. fruticosum*. *incrassatum*, Reichb. f. Ic. Fl. Germ. xviii. 67 = *L. incrassatum*. *medium*, Fourr. in Ann. Soc. Linn. Lyon, N. S. xvii. (1869) 122 = *L. arvense*. *minimum*, Reichb. f. Ic. Fl. Germ. xviii. 68 = *L. minimum*. *patulum*, Fourr. in Ann. Soc. Linn. Lyon, N. S. xvii. (1869) 122.—Europ. *prostratum*, Link, Handb. i. 579 = *L. fruticosum*. *purpureo-coeruleum*, Link, l. c. = *L. purpureo-caeruleum*. *tenuiflorum*, Reichb. f. Ic. Fl. Germ. xviii. 67 = *L. tenuiflorum*. *tinctorium*, Link, Handb. i. 579 = *Alkanna tinctoria*. *villosum*, Link, l. c. 580 = *L. villosum*.

**RHYTIGLOSSA**, T. Anders. in Journ. Linn. Soc. vii. (1864) 118, sphalm. = **RHYTIGLOSSA**, Nees = **Dianthera**, Linn. (Acanth.).

**RIANA**, Anbl. Pl. Gui. i. 237. t. 94 (1775) = **Alsodeia**, Thou. (Violar.). *Conohoria*, Pritz. Ic. Ind. 939, sphalm. = *A. flavescens*. *guianensis*, Anbl. Pl. Gui. i. 237 = *A. prunifolia*. *tricapularis*, Blanco, Fl. Filip. ed. I. 850 = *Chailletia Helferiana*.

**RIBEIREA**, Arruda, ex Koster, Trav. Braz. 499 (1816). *ROSACEAE* ? *sorbilis*, Arruda, ex Koster, l. c.—Bras.

**RIBES**, Linn. Gen. ed. I. 68 (1737). *SAXIFRAGEAE*, Benth. & Hook. f. i. 654. **BOTRYCARPUM**, A. Rich. Bot. Méd. ii. 487 (1823), in adnot. **CALOBOTRYA**, Spach, in Ann. Sc. Nat. Sér. II. iv. (1835) 21. **CEROPHYLLUM**, Spach, Hist. Vég. Phan. vi. 152 (1838). **CHRYSOBOTRYA**, Spach, in Ann. Sc. Nat. Sér. II. iv. (1835) 18. **COREOSMA**, Spach, l. c. 22 (1835). **GROSSULARIA**, Tourn. ex Adans. Fam. ii. 243 (1763). **LIEBICHIA**, Opiz, Seznam, 59 (1852).



## RIBES:—

- REBIS, Spach, in Ann. Sc. Nat. Sér. II. iv. (1835) 26.  
 RIBESIIUM, Medic. Phil. Bot. i. 120 (1789).  
 ROBSONIA, Reichb. Handb. 233 (1837).  
*acerifolium*, Hort. ex C. Koch, Dendrol. i. 649 = rubrum.  
*acerrimum*, Rochel, ex Schult. Oesterr. Fl. ed. II. i. 432 = petraeum.  
*aciculare*, Sm. in Rees, Cycl. xxx. n. 25.—Sibir.  
*acidum*, Ehrh. Beitr. v. 161, nomen.—Europ.  
*acidum*, Turcz. ex Steud. Nom. ed. II. ii. 457 = rubrum.  
*aconitifolium*, Hort. ex C. Koch, Dendrol. i. 661 = nigrum.  
*aculeatum*, Salisb. Prod. 355 = R. Grossularia.  
*acuminatum*, Wall. Cat. n. 6834 = glaciale.  
*affine*, Dougl. ex Bong. in Mém. Acad. Pétersb. ii. (1833) 138 = laxiflorum.  
*affine*, H. B. & K. Nov. Gen. et Sp. vi. 60 = campanulatum.  
*albidum*, Paxt. Mag. Bot. x. (1843) 55 = sanguineum.  
*albiflorum*, A. Gray, Bot. U. St. Expl. Exped. i. 662, sphalm. = seq.  
*albifolium*, Ruiz & Pav. Fl. Per. iii. 12. t. 132. f. 6.—Peruv.  
*albinervium*, Michx. Fl. Bor. Am. i. 110 = rubrum.  
*album*, Gilib. Fl. Lituan. ii. 187 = alpinum.  
*alceaefolium*, Kunze, ex Walp. in Nov. Act. Nat. Cur. xix. Suppl. i. (1843) 343 = sanguineum.  
*alpestre*, Wall. ex Decne. in Jacquem. Voy. Bot. 64. t. 75 = R. Grossularia.  
*alpinoides*, Domb. ex Spach, in Ann. Sc. Nat. Sér. II. iv. (1835) 31.—Chili.  
*alpinum*, Linn. Sp. Pl. 200.—Europ.; As. bor.  
*alpinum*, C. A. Mey. Verz. Pfl. Cauc. 154 = orientale.  
*alpinum*, Siev. in Pall. N. Nord. Beitr. vii. 345 = saxatile.  
*altaicum*, Hort. ex C. Koch, Dendrol. i. 660 = nigrum.  
*altaicum*, Lodd. ex Baxt. in Loud. Hort. Brit. Suppl. ii. 667 = triste.  
*altissimum*, Turcz. ex Ledeb. Fl. Ross. ii. 199 = petraeum.  
*ambiguum*, Maxim. in Bull. Acad. Pétersb. xix. (1874) 251.—Japon.  
*americanum*, Hort. ex C. Koch, Dendrol. i. 649 = rubrum.  
*americanum*, Mill. Gard. Dict. ed. VIII. n. 4.—Am. bor.  
*americanum*, Pall. Fl. Ross. i. ii. 34 = laxiflorum.  
*apiifolium*, Hort. ex C. Koch, Dendrol. i. 661 = nigrum.  
*atropurpureum*, C. A. Mey. in Ledeb. Fl. Alt. i. 268 = petraeum.  
*augustum*, Dougl. ex Baxt. in Loud. Hort. Brit. Suppl. ii. 667 = sanguineum.  
*aureum*, Pursh, Fl. Am. Sept. i. 164.—Am. bor. occ.  
*bacciferum*, Hort. ex C. Koch, Dendrol. i. 657 = alpinum.  
*baicalense*, Turcz. ex Steud. Nom. ed. II. ii. 457 = rubrum.  
*balsamiferum*, Kellogg, in Proc. Calif. Acad. ii. (1863) 94 = cereum.  
*Beatonii* x.—Cf. Loud. Gardn. Mag. xix. (1843) 269.  
*Berteroanum*, Phil. in Linnaea, xxviii. (1856) 648.—Chili.  
*bicolor*, Less. ex Ledeb. Fl. Ross. ii. 197 = fragrans.  
*bicolor*, Phil. in Linnaea, xxviii. (1856) 646.—Chili.  
*Biebersteinii*, Berland. in Mém. Soc. Phys. Genève. iii. II. (1826) 60; et in DC. Prod. iii. 482 = petraeum.  
*Billenei*, Medic. Pfl. Anat. 106 = americanum.  
*Billiardii*, Carr. in Rev. Hort. (1867) 140.—Hab.?  
*boreale*, Turcz. ex Steud. Nom. ed. II. ii. 457 = nigrum.  
*brachystachyum*, Phil. in Anal. Univ. Chil. (1872) 723.—Chili.  
*bracteosum*, Dougl. ex Hook. Fl. Bor. Am. i. 233.—Am. bor. occ.  
*bracteosum*, S. Wats. Bot. King's Exped. 99 = Hudsonianum.  
*bullatum*, Otto & Dietr. Allg. Gartenz. x. (1842) 267.—Hab.?  
*burejense*, F. Schmidt, Reisen Amur. 42.—Reg. Amur.  
*californicum*, Hook. & Arn. Bot. Beech. Voy. 346 = Menziesii.  
*callibotrys*, Wender. Analect. Krit. Bemerk. (1852) n. 12.—Am. bor.?

## RIBES:—

- callibotrys*, Wendl. ex Steud. Nom. ed. II. ii. 457; Walp. Ann. v. 23 (Quid?).—Hab.?  
*campanulatum*, Humb. & Bonpl. ex Roem. & Schult. Syst. v. 500.—Mexic.  
*campanulatum*, Moench, Meth. 683 = americanum.  
*carpathicum*, Kit. ex Schult. Oesterr. Fl. ed. II. i. 432 = petraeum.  
*caucasicum*, Adams, ex Roem. & Schult. Syst. v. 507 = R. Grossularia.  
*caucasicum*, Bieb. Fl. Taur. Cauc. iii. 160 = petraeum.  
*cereum*, Dougl. in Trans. Hort. Soc. vii. (1830) 512.—Am. bor. occ.  
*chifuense*, Hance, in Journ. Bot. xiii. (1875) 36 = fasciculatum.  
*chilense*, C. Koch, Wochenschr. ii. (1859) 138 = villosum.  
*ciliatum*, Humb. & Bonpl. ex Roem. & Schult. Syst. v. 500.—Mexic.  
*ciliatum*, C. Koch, in Linnaea, xvi. (1842) 355 = petraeum.  
*collinum*, Phil. in Linnaea, xxviii. (1856) 647.—Chili.  
*crispum*, Dulac, Fl. Hautes-Pyr. 264 = R. Grossularia.  
*crispum*, Hort. ex C. Koch, Dendrol. i. 661 = nigrum.  
*cucullatum*, Hook. & Arn. in Hook. Bot. Misc. iii. (1833) 340.—Chili.  
*cuneatum*, Kar. & Kir. in Bull. Soc. Nat. Mosc. (1841) 426.—Sibir. altaic.  
*cuneifolium*, Ruiz & Pav. Fl. Per. iii. 13.—Peruv.  
*Cynosbati*, Linn. Sp. Pl. 202.—Am. bor.; Japon.  
*dauricum*, Georgi, Reise, i. 381; ex Ledeb. Fl. Ross. ii. 196 = R. Diacantha.  
*decumbens*, Ledeb. ex Steud. Nom. ed. II. ii. 457, nomen (Quid?).—Sibir.  
*densiflorum*, Phil. in Linnaea, xxviii. (1856) 649.—Chili.  
*dependens*, Domb. ex Spach, in Ann. Sc. Nat. Sér. II. iv. (1835) 27 = macrobotrys.  
*desmocarum*, Hook. f. & Thoms. in Journ. Linn. Soc. ii. (1858) 87.—Reg. Himal.  
*Diacantha*, Pall. Reise, iii. 722.—Sibir.  
*Dikuscha*, Fisch. ex Turcz. in Bull. Soc. Nat. Mosc. xvii. (1844) 1. 254 = nigrum.  
*Dillanii*, Medic. Beobacht. (1782) 326 = americanum.  
*dioicum*, Moench, Meth. 683 = alpinum.  
*divaricatum*, Dougl. in Trans. Hort. Soc. vii. (1830) 515.—Am. bor. occ.  
*dubium*, Jacques, in Rev. Hort. Sér. IV. iii. (1854) 279 = R. Grossularia.  
*ebracteatum*, Berland. in Mém. Soc. Phys. Genève. iii. II. (1826) 60 = aureum.  
*ebracteolatum*, C. Gay, Fl. Chil. iii. 34 = alpinoides.  
*echinatum*, Dougl. ex Lindl. Bot. Reg. sub t. 1349 = lacustre.  
*fasciculatum*, Sieb. & Zucc. in Abh. Akad. Muench. iv. II. (1843) 189.—China; Japon.  
*ferox*, Sm. in Rees, Cycl. xxx. n. 26 = Menziesii.  
*flavum*, Berland. in Mém. Soc. Phys. Genève. iii. II. (1826) 60. t. 2.—Hab.?  
*Fleischmanni*, Reichb. ex C. Koch, Dendrol. i. 657 = rubrum.  
*floridum*, Georgi, Besch. Russ. Reich. III. iv. Nachtr. 262 = laxiflorum.  
*floridum*, L'Hérit. Stirp. Nov. 4 = americanum.  
*Fontainesii*, Colla, Hort. Ripul. App. iii. 2 = flavum.  
*fragrans*, Lodd. Bot. Cab. t. 1533 = aureum.  
*fragrans*, Pall. in Nov. Act. Acad. Petrop. x. (1797) 377.—Sibir.  
*frigidum*, H. B. & K. Nov. Gen. et Sp. vi. 62 = hirtum.  
*fuchsoides*, Moc. & Sesse, ex Berland. in Mém. Soc. Phys. Genève. iii. II. (1826) 58 = speciosum.  
*Gayanum*, Steud. Nom. ed. II. ii. 439, in syn.; Walp. Rep. ii. 360.—Chili.  
*glaciale*, Wall. in Roxb. Fl. Ind. ed. Carey, ii. 513.—Reg. Himal.  
*glandulosum*, Ait. Hort. Kew. ed. I. i. 279 = prostratum.  
*glandulosum*, Grauer, Dec. 2.—Hab.?  
*glandulosum*, Ruiz & Pav. Fl. Per. iii. 13.—Chili.  
*glutinosum*, Benth. in Trans. Hort. Soc. Ser. II. i. (1835) 476 = sanguineum.  
*glutinosum*, Jacquem. Voy. Bot. 65 = orientale.  
*Gordonianum* x, Lem. in Fl. des Serres, ii. (1846) t. 165.  
*gracile*, Michx. Fl. Bor. Am. i. 111.—Am. bor.

## RIBES:—

- gracile*, Pursh, Fl. Am. Sept. i. 165 = rotundifolium.  
*gracile*, Torr. Fl. N. U. St. i. 269 = R. Cynosbati.  
*graveolens*, Bunge, in Mém. Sav. Etr. Pétersb. ii. (1835) 535 = fragrans.  
*Griffithii*, Hook. f. & Thoms. in Journ. Linn. Soc. ii. (1858) 88.—Reg. Himal.  
*Grossularia*, Georgi, Besch. Russ. Reich. III. iv. 799 = aciculare.  
*Grossularia*, Linn. Sp. Pl. 201.—Europ.; Afr. bor.; Reg. Himal.  
*grossulariaefolium*, Reichb. ex C. Koch, Dendrol. i. 657 = alpinum.  
*grossularioides*, Maxim. in Bull. Acad. Pétersb. xix. (1874) 250.—Japon.  
*grossularioides*, Michx. ex Steud. Nom. ed. I. 691 = oxyacanthoides.  
*grossularium*, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 133 = R. Grossularia.  
*heterotrichum*, Hort. ex C. Koch, Dendrol. i. 662 = americanum.  
*heterotrichum*, C. A. Mey. in Ledeb. Fl. Alt. i. 270.—Sibir. altaic.  
*himalense*, Decne. in Jacquem. Voy. Bot. 66. t. 67 = rubrum.  
*himalense*, Royle, Illustr. Bot. Himal. 225 = R. Grossularia.  
*hirtellum*, Michx. Fl. Bor. Am. i. 111 = oxyacanthoides.  
*hirtum*, Humb. & Bonpl. ex Roem. & Schult. Syst. v. 501.—Am. austr.  
*Hladnickianum*, Freyer, ex Steud. Nom. ed. II. ii. 457 = rubrum.  
*Hladnikii*, Reichb. ex Nym. Consp. 267 = alpinum.  
*holosericeum*, Hort. Berol. ex Otto & Dietr. Allg. Gartenz. x. (1842) 266.—Hab.?  
*Hookerianum*, A. Murr. Oreg. Circ. 1 = Lobbii?  
*horridum*, Rupr. ex Maxim. Prim. Fl. Amur. 117.—Reg. Amur.  
*hortense*, Lam. ex Steud. Nom. ed. I. 691 = rubrum.  
*hudsonianum*, Bourg. ex S. Wats. Bibliog. Ind. N. Am. Bot. i. 336 = prostratum.  
*hudsonianum*, Richards. in Frankl. 2nd Journ. App. 6.—Am. bor.  
*hybridum*, Bess. Prim. Fl. Galic. i. 186 = R. Grossularia.  
*incarnatum*, Wedd. Chlor. And. ii. 215.—Peruv.  
*inebrians*, Lindl. Bot. Reg. t. 1471 = cereum.  
*inodorum*, Link. Handb. ii. 7 = aureum.  
*integrifolium*, Phil. in Gartenfl. (1881) 195.—Chili.  
*intermedium*, Bercht. & Presl, Rostl. i. Grossular. 3 = nigrum.  
*intermedium*, Tausch, in Flora, xxi. (1838) 720.—Hab.?  
*irriguum*, Dougl. in Trans. Hort. Soc. vii. (1830) 516 = divaricatum.  
*irriguum*, A. Gray, in Mem. Am. Acad. N. S. iv. (1849) 53 = oxyacanthoides.  
*japonicum*, Maxim. in Bull. Acad. Pétersb. xix. (1874) 253.—Japon.  
*jurullense*, H. B. & K. Nov. Gen. et Sp. vi. 61 = ciliatum.  
*Kunthii*, Berland. in Mém. Soc. Phys. Genève. iii. II. (1826) 60.—Mexic.  
*laciniatum*, Hook. f. & Thoms. in Journ. Linn. Soc. ii. (1858) 87 = glaciale.  
*lacustre*, Poir. Encyc. Suppl. ii. 856.—Am. bor.  
*lathraeum*, Hort. ex C. Koch, Dendrol. i. 641 = rotundifolium.  
*laxiflorum*, Pursh, Fl. Am. Sept. ii. 731.—Am. bor.  
*laxiflorum*, Richards. in Frankl. 1st Journ. App. ed. II. 7 = prostratum.  
*leptanthum*, A. Gray, in Mem. Am. Acad. N. S. iv. (1849) 53.—Am. bor. occ.  
*leptostachyum*, Benth. Pl. Hartw. 186.—N. Granat.  
*leptostachyum*, Decne. in Jacquem. Voy. Bot. 65. t. 76 = orientale.  
*leucocladon*, Reichb. ex C. Koch, Dendrol. i. 657 = alpinum.  
*Lobbii*, A. Gray, in Am. Natural. x. (1876) 274.—Calif.  
*longiflorum*, [Nutt.] in Fras. Cat. (1813) n. 74, nomen; et ex Torr. & Gray, Fl. N. Am. i. 552 = aureum.  
*lucidum*, Kit. in Linnaea, xxxii. (1863) 481.—Hungar.  
*luridum*, Hook. f. & Thoms. in Journ. Linn. Soc. ii. (1858) 87.—Reg. Himal.

## RIBES:—

*macracanthum*, Lodd. ex G. Don, in Loud. Hort. Brit. 90, nomen (Quid?).—Hab.?  
*macrobotrys*, Hort. ex C. Koch, Dendrol. i. 653 = *petraeum*.  
*macrobotrys*, Ruiz & Pav. Fl. Per. iii. 12.—Peruv.  
*macrocalyx*, Hance, in Journ. Bot. xiii. (1875) 35 = *grossularioides*.  
*magellanicum*, Poir. Encyc. Suppl. ii. 856.—Reg. Magellan.  
*malvaceum*, Sm. in Rees, Cycl. xxx. n. 13 = *sanguineum*.  
*melancholicum*, Siev. ex Pall. in Nov. Act. Acad. Petrop. x. (1797) 378 = *triste*.  
*melanthum*, Boiss. & Hohen. Diagn. Ser. I. x. 19 = *orientale*.  
*Menziesianum*, Roem. & Schult. Syst. v. 507 = seq.  
*Menziesii*, Pursh, Fl. Am. Sept. ii. 732.—Am. bor. occ.  
*mexicanum*, Spreng. Syst. iv. Cur. Post. 100 = Kunthii.  
*Meyeri*, Maxim. in Bull. Acad. Pétersb. xix. (1874) 260.—Mont. Altai.  
*microphyllum*, H. B. & K. Nov. Gen. et Sp. vi. 62.—Mexic.  
*missouriense*, Hort. ex C. Koch, Dendrol. i. 662 = *americanum*.  
*missouriense*, Nutt. ex Torr. & Gray, Fl. N. Am. i. 548 = *gracile*.  
*missurens*, Lodd. ex Wendl. f. in Bartl. & Wendl. f. Beitr. ii. 17 = *aureum*.  
*mogollonicum*, Greene, in Bull. Torrey Bot. Club, viii. (1881) 121.—N. Mexic.  
*molle*, Poepp. ex Rach, in Ind. Sem. Hort. Petrop. (1858) 42.—Chili.  
*montanum*, Phil. in Linnaea, xxx. (1859–60) 210.—Chili.  
*multiflorum*, H. B. & K. Nov. Gen. et Sp. vi. 60 = Kunthii.  
*multiflorum*, Kit. in Roem. & Schult. Syst. v. 493.—Europ. austr.  
*multiflorum*, Willd. Enum. Hort. Berol. Suppl. 12 = *alpinum*.  
*memorosum*, Phil. in Linnaea, xxviii. (1856) 645.—Chili.  
*nevadense*, Kellogg, in Proc. Calif. Acad. ed. II. i. (1873) 65 = *sanguineum*.  
*nigrum*, Linn. Sp. Pl. 201.—Europ.; As. bor.  
*nigrum*, Richards. in Frankl. Narr. 1st Journ. App. 734 = *hudsonianum*.  
*niveum*, Lindl. Bot. Reg. t. 1692 = *gracile*.  
*nubigenum*, Phil. in Linnaea, xxviii. (1856) 646.—Chili.  
*occidentale*, Hook. & Arn. Bot. Beech. Voy. 346 = *Menziesii*.  
*odoratum*, Schlecht. ex Hemsl. Biol. Centr. Am. Bot. i. 386 = *ciliatum*.  
*odoratum*, Wendl. f. in Bartl. & Wendl. f. Beitr. ii. 15 = *aureum*.  
*odoriferum*, C. Koch, in C. Koch & Fint. Wochenschr. ii. (1859) 137.—Syria.  
*officinale*, Steud. Nom. ed. I. 691, sphalm. = seq.  
*officinatum*, Dum.-Cours. Bot. Cult. ed. II. v. 303 = *rubrum*.  
*olidum*, Moench, Meth. 683 = *nigrum*.  
*opulifolium*, Hort. ex C. Koch, Dendrol. i. 657 = *alpinum*.  
*opulifolium*, Kit. in Linnaea, xxxii. (1863) 483 = *multiflorum*.  
*Oregoni*, Hérincq, Hort. Franc. (1872) t. 8 = *aureum*.  
*orientale*, Desf. Hist. Arb. ii. 88; Poir. Encyc. Suppl. ii. 856.—Oriens; Reg. Himal.  
*Ovallei*, Phil. in Linnaea, xxxiii. (1864–65) 83.—Chili.  
*oxyacanthoides*, Georgi, Beschr. Russ. Reich. III. iv. 799 = R. Grossularia.  
*oxyacanthoides*, Linn. Sp. Pl. 201.—Am. bor.  
*oxyacanthoides*, Michx. Fl. Bor. Am. i. 111 = *lacustre*.  
*pallidum*, Otto & Dietr. Allg. Gartenz. x. (1842) 268.—Hab.?  
*palmatum*, Desf. Cat. Hort. Par. ed. III. 274 = *aureum*.  
*parviflorum*, Phil. in Linnaea, xxviii. (1856) 648.—Chili.  
*parviflorum*, Wedd. Chlor. And. ii. 215.—Ecuador.  
*parvifolium*, Phil. in Linnaea, xxxiii. (1864–65) 84.—Chili.  
*pauciflorum*, Turcz. ex Ledeb. Fl. Ross. ii. 200 = *nigrum*.  
*pendulum*, Salisb. Prod. 355 = *rubrum*.  
*pensylvanicum*, Lam. Encyc. iii. 49 = *americanum*.

VOL. II.

## RIBES:—

*petiolare*, Dougl. in Trans. Hort. Soc. vii. (1830) 514 = *hudsonianum*.  
*petraeum*, Hort. Prag. ex Tausch, in Flora, xxi. (1838) 720 = *urceolatum*.  
*petraeum*, Sm. Engl. Bot. t. 705 = *rubrum*.  
*petraeum*, Wulf. in Jacq. Misc. ii. 36.—Europ.; As. bor.  
*pilosum*, Reichb. ex C. Koch, Dendrol. i. 657 = *alpinum*.  
*pinetorum*, Greene, in Coult. Bot. Gaz. v. (1880) 157.—N. Mexic.  
*pneobalsamum*, Siev. in Pall. N. Nord. Beitr. vii. 218 = *fragrans*.  
*polyanthes*, Phil. in Linnaea, xxviii. (1856) 649.—Chili.  
*polycarpum*, J. F. Gmel. Syst. 419 = *procumbens*.  
*procumbens*, Hort. Fl. Ross. ii. 35. t. 65.—Dahur.  
*propinquum*, Turcz. in Bull. Soc. Nat. Mosc. (1840) 70.—Sibir. or.  
*prostratum*, L'Hérit. Stirp. Nov. 3. t. 2.—Am. bor.  
*pulchellum*, Turcz. in Bull. Soc. Nat. Mosc. v. (1832) 191.—Sibir.  
*pumilum*, Nutt. ex Torr. & Gray, Fl. N. Am. i. 551 = *cereum*.  
*punctatum*, Lindl. Bot. Reg. t. 1278 = *orientale*.  
*punctatum*, Ruiz & Pav. Fl. Per. iii. 12. t. 233. f. a.—Chili.  
*quercetorum*, Greene, in Bull. Calif. Acad. i. n. III. (1885) 83.—Calif.  
*reclinatum*, Linn. Sp. Pl. 201 = R. Grossularia.  
*recurvatum*, Michx. Fl. Bor. Am. i. 109 = *americanum*.  
*reniforme*, Nutt. in Journ. Acad. Philad. vii. (1834) 25 = *cereum*.  
*resinosum*, James, Cat. 177; ex S. Wats. Bibliog. Ind. N. Am. Bot. i. 332 = *cereum*.  
*resinosum*, Pursh, Fl. Am. Sept. i. 163.—Am. bor.  
*resinosum*, Sims, Bot. Mag. t. 1583 = *orientale*.  
*rigens*, Hort. ex Regel, Gartenfl. (1866) 50.—Hab.?  
*rigens*, Michx. Fl. Bor. Am. i. 110 = *prostratum*.  
*ringens*, Hort. ex C. Koch, Dendrol. i. 654 = *petraeum*.  
*Roeseri*, Orph. ex Boiss. Fl. Orient. ii. 816 = *multiflorum*.  
*Roelzi*, Regel, Gartenfl. (1879) 226.—Am. bor. occ.  
*rotundifolium*, Engelm. in Trans. Am. Phil. Soc. N. S. xii. (1861) 193 = *oxyacanthoides*?  
*rotundifolium*, Michx. Fl. Bor. Am. i. 110.—Am. bor.  
*rubrum*, Linn. Sp. Pl. 200.—Europ.; As. et Am. bor.  
*rupicola*, Phil. in Linnaea, xxx. (1859–60) 210.—Chili.  
*sanguineum*, Pursh, Fl. Am. Sept. i. 164.—Am. bor. occ.  
*sativum*, Syme, Eng. Bot. ed. III. iv. 42 = *rubrum*.  
*saxatile*, Pall. in Nov. Act. Acad. Petrop. x. (1797) 376.—Sibir.  
*saxosum*, Hook. Fl. Bor. Am. i. 231 = *oxyacanthoides*.  
*scabrum*, Domb. ex Spach, in Ann. Sc. Nat. Sér. II. iv. (1835) 25 = *viscosum*.  
*Schlechtendalii*, Lange, Ind. Sem. Hort. Haun. (1870) 31 = *rubrum*.  
*Schmidtianum*, Tausch, in Flora, xxi. (1838) 719 = *americanum*.  
*Scopolii*, Reichb. ex C. Koch, Dendrol. i. 657 = *alpinum*.  
*setosum*, A. Gray, in Proc. Am. Acad. viii. (1873) 383 = *lacustre*.  
*setosum*, Lindl. Bot. Reg. t. 1237; et in Trans. Hort. Soc. vii. (1830) 243.—Am. bor.  
*sibiricum*, Hort. ex C. Koch, Dendrol. i. 649 = *rubrum*.  
*speciosum*, Pursh, Fl. Am. Sept. ii. 731.—Am. bor. occ.  
*spicatum*, Robs. in Trans. Linn. Soc. iii. (1797) 240. t. 21 = *rubrum*.  
*spicatum*, Schult. Oesterr. Fl. ed. II. i. 432 = *multiflorum*.  
*spinosum*, Lam. Fl. Fr. iii. 470 = R. Grossularia.  
*Stakori*, Fisch. ex Sweet, Hort. Brit. ed. II. 238, nomen.—Sibir.  
*stamineum*, Hornem. Hort. Hafn. 237 = *rotundifolium*.  
*stamineum*, Sm. in Rees, Cycl. xxx. n. 30 = *speciosum*.  
*stenocarpum*, Maxim. in Bull. Acad. Pétersb. xxvii. (1881) 475.—China.  
*sterile*, Hort. ex C. Koch, Dendrol. i. 657 = *alpinum*.  
*stramineum*, Berland. in Mém. Soc. Phys. Genève. iii. ii. (1856) 58. t. 3, sphalm. = *stamineum*.  
*suaveolens*, Turcz. in Bull. Soc. Nat. Mosc. xvii. (1844) 256 = *fragrans*.  
*sublobatum*, Phil. in Linnaea, xxviii. (1856) 647.—Chili.

## RIBES:—

*subvestitum*, Hook. Bot. Mag. t. 4931 = *Lobbii*.  
*subvestitum*, Hook. & Arn. Bot. Beech. Voy. 346 = *Menziesii*.  
*subvestitum*, Hort. ex C. Koch, Dendrol. i. 645 = *oxyacanthoides*.  
*sylvestre*, Syme, Eng. Bot. ed. III. iv. 43 = *rubrum*.  
*Takare*, D. Don, Prod. Fl. Nep. 208.—Reg. Himal.  
*tenuiflorum*, Lindl. in Trans. Hort. Soc. vii. (1830) 242 = *aureum*.  
*tomentosum*, C. Koch, in Wochenschr. ii. (1859) 138 = *divaricatum*.  
*tortuosum*, Benth. Bot. Voy. Sulph. 17.—Calif.  
*tortuosum*, Hort. ex C. Koch, Dendrol. i. 657 = *alpinum*.  
*trifidum*, Hort. ex C. Koch, l. c. 662 = *americanum*.  
*trifidum*, Michx. Fl. Bor. Am. i. 110 = *prostratum*.  
*triflorum*, Bigel. Fl. Bost. ed. II. 90 = *oxyacanthoides*.  
*triflorum*, Hook. & Arn. Bot. Beech. Voy. 346 = *divaricatum*.  
*triflorum*, Willd. Hort. Berol. t. 61 = *rotundifolium*.  
*trilobum*, Meyen, Reise, i. 314 = *sanguineum*.  
*triste*, Bunge, Verz. Suppl. Fl. Alt. 21 = *petraeum*.  
*triste*, Pall. in Nov. Act. Acad. Petrop. x. (1797) 378.—Sibir.  
*tubiflorum*, C. A. Mey. in Nouv. Mém. Soc. Nat. Mosc. i. (1829) 140 = *sanguineum*.  
*tubulosum*, Eschsch. in Mém. Acad. Pétersb. x. (1821–22) 283 = *sanguineum*.  
*urceolatum*, Tausch, in Flora, xxi. (1838) 720.—Hab.?  
*Uva-crispa*, Linn. Sp. Pl. 201 = R. Grossularia.  
*valdivianum*, Phil. in Linnaea, xxviii. (1856) 650.—Chili.  
*velutinum*, Greene, in Bull. Calif. Acad. i. n. III. (1885) 83.—Calif.  
*viburnifolium*, A. Gray, in Proc. Am. Acad. xvii. (1881–82) 202.—Calif.  
*villosum*, C. Gay, Fl. Chil. iii. 35.—Chili.  
*villosum*, Nutt. ex Torr. & Gray, Fl. N. Am. i. 547 = *divaricatum*.  
*villosum*, Wall. in Roxb. Fl. Ind. ed. Carey, ii. 514 = *orientale*.  
*vinosum*, Dum.-Cours. Bot. Cult. ed. II. vii. App. 57 = *rubrum*.  
*viridissimum*, Reichb. ex C. Koch, Dendrol. i. 657 = *alpinum*.  
*viscosissimum*, Pursh, Fl. Am. Sept. i. 163.—Am. bor. occ.  
*viscosum*, Cels, ex Steud. Nom. ed. I. 691 = *resinosum*.  
*viscosum*, Ruiz & Pav. Fl. Per. iii. 13.—Peruv.  
*vitifolium*, Host, Fl. Austr. i. 308 = *multiflorum*.  
*vulgare*, C. Koch, Fl. Jen. 36 = R. Grossularia.  
*vulgare*, Lam. Encyc. iii. 47 = *rubrum*.  
*Wolfii*, Roth. in Am. Natural. viii. (1874) 358 = *sanguineum*.  
*xorullense*, Spreng. Syst. iv. Cur. Post. 100 = *ciliatum*.

RIBESIOIDES, Linn. Fl. Zeyl. 190 (1747) = **Embelia**, Burm. f. (Myrsin.).

RIBESIUM, Medic. Phil. Bot. i. 120 (1789) = **Ribes**, Linn. (Saxifr.).  
*campanulatum*, Medic. Pfl. Anat. 106 = **Ribes americanum**.  
*Dillenii*, Medic. Phil. Bot. i. 120 = **Ribes americanum**.  
*nigrum*, Medic. l. c. = **Ribes nigrum**.  
*rubrum*, Medic. l. c. = **Ribes rubrum**.

RICHARDIA, Adans. Fam. ii. 158 (1763) = **RICHARDIA**, Houst. = **Richardsonia**, Kunth (Rubiace.).

RICAURTEA, Triana, in Ann. Sc. Nat. Sér. IV. ix. (1858) 47 = **Doloiocarpus**, Roland. (Dillen.).  
*congestiflora*, Triana, l. c. 48 = D. Rolandri.  
*nitida*, Triana, l. c. 47 = D. nitida.

RICHAEIA, Thou. Gen. Nov. Madag. 25 (1806) = **Weihea**, Spreng. (Rhizoph.).  
*madagascariensis*, Poir. in Dict. Sc. Nat. xlv. 446 = **Cassipourea madagascariensis**.

RICHARDIA, Houst. ex Linn. Gen. ed. I. 100 (1737) = **Richardsonia**, Kunth (Rubiace.).  
*adscendens*, Steud. Nom. ed. II. ii. 458 = **Richardsonia adscendens**.  
*brasiliensis*, Gomez, Mem. sobre Ipecac. 31 (1801) = **Richardsonia pilosa**.

4 Z

## RICHARDIA :—

*divergens*, Steud. Nom. ed. II. ii. 459 = *Richardsonia grandiflora*.  
*emetica*, Schult. f. Syst. vii. 87 = *Richardsonia rosea grandiflora*, Steud. Nom. ed. II. ii. 459 = *Richardsonia grandiflora*.  
*Haenkeana*, Steud. l. c. = *Richardsonia Haenkeana*.  
*humistrata*, Steud. l. c. = *Richardsonia humistrata*.  
*lateralis*, Steud. l. c. = *Richardsonia grandiflora*.  
*pilosa*, Ruiz & Pav. Fl. Per. iii. 50 = *Richardsonia pilosa*.  
*rosea*, Schult. f. Syst. vii. 88 = *Richardsonia rosea*.  
*scabra*, Linn. Sp. Pl. 330 = *Richardsonia pilosa*.  
*sparsa*, Steud. Nom. ed. II. ii. 459 = *Richardsonia grandiflora*.  
*stellaris*, Steud. l. c. = *Richardsonia stellaris*.  
*villosa*, [Moq. & Sesse.] ex DC. Prod. iv. 569 = *Richardsonia adscendens*.

**RICHARDIA**, Kunth, in Mém. Mus. Par. iv. (1818) 437. t. 20. *AROIDEAE*, Benth. & Hook. f. iii. 982.  
*COLOCASIA*, Link, Diss. Bot. Suerin (1795) 77; et Handb. i. 267 (1829).  
*OTOSMA*, Rafin. Fl. Tellur. iv. 8. (1836); New Fl. Am. ii. 90 (1836).  
*ZANTEDESCHIA*, Spreng. Syst. iii. 765 (1826).  
*aethiopica*, Spreng. Syst. iii. 765; v. 594, sphalm. = seq.  
*africana*, Kunth, in Mém. Mus. Par. iv. (1818) 433.—Afr. austr.  
*albo-maculata*, Hook. Bot. Mag. t. 5140.—Afr. austr.  
*angustiloba*, Schott, in Journ. Bot. iii. (1865) 35.—Afr. trop.  
*hastata*, Hook. Bot. Mag. t. 5176.—Afr. austr.  
*melanoleuca*, Hook. f. l. c. t. 5765.—Afr. austr.

**RICHARDIA**, Lindl. Veg. Kingd. 715 (1847), sphalm. = **REICHARDIA**, Roth = **Pteridium**, Desf. (Compos.).

**RICHARDSONIA**, Kunth, in Mém. Mus. Par. iv. (1818) 430. *RUBIACEAE*, Benth. & Hook. f. ii. 147.  
*RICARDIA*, Adans. Fam. ii. 158 (1763).  
*RICHARDIA*, Houst. ex Linn. Gen. ed. I. 100 (1737).  
*SCHIEDEA*, Bartl. Ord. 210 (1830).  
*adscendens*, DC. Prod. iv. 569.—Mexic.  
*brasiliensis*, Hayne, Arn. Gew. viii. t. 21 = *pilosa*.  
*cubensis*, A. Rich. Fl. Cub. Fanerog. ii. 31.—Cuba.  
*divergens*, DC. Prod. iv. 568 = *grandiflora*.  
*emetica*, Mart. Spec. Mat. Med. Bras. 11 = *rosea*.  
*grandiflora*, Cham. & Schlecht. in Linnaea, iii. (1828) 351.—Bras.  
*Haenkeana*, DC. Prod. iv. 569.—Mexic.  
*humistrata*, Cham. & Schlecht. in Linnaea, iii. (1828) 353.—Bras.  
*lateralis*, DC. Prod. iv. 568 = *grandiflora*.  
*muricata*, Griseb. Cat. Pl. Cub. 143.—Cuba.  
*pilosa*, H. B. & K. Nov. Gen. et Sp. iii. 350.—Am. trop.  
*rosea*, A. St. Hil. Pl. Us. Brés. n. vii. t. 7.—Bras.  
*scabra*, A. St. Hil. l. c. t. 8; Mart. Spec. Mat. Med. Bras. 10 = *pilosa*.  
*sericea*, Walp. in Nov. Act. Nat. Cur. xix. Suppl. i. (1843) 354.—Bras.  
*sparsa*, DC. Prod. iv. 568 = *grandiflora*.  
*stellaris*, Cham. & Schlecht. in Linnaea, iii. (1828) 352.—Bras.

**RICHEA**, R. Br. Prod. 555 (1810). *EPACRIDEAE*, Benth. & Hook. f. ii. 617.  
*CYSTANTHE*, R. Br. Prod. 555 (1810).  
*PILITIS*, Lindl. Introd. Nat. Syst. ed. II. 443 (1836).  
*acerosa*, F. Muell. Fragm. vi. 69.—Tasman.  
*Desgrassii*, Hombr. & Jacquin. ex Decne. Bot. Voy. Astrol. et Zél. 85.—Tasman.  
*dracophylla*, R. Br. Prod. 555, partim.—Tasman.  
*dracophylla*, R. Br. l. c., partim = *scoparia*.  
*Gunnii*, Hook. f. in Hook. Lond. Journ. Bot. vi. (1847) 273.—Austral.  
*Milligani*, F. Muell. Fragm. vi. 69.—Tasman.  
*pandanifolia*, Hook. f. Fl. Antarct. i. 50.—Tasman.  
*procera*, F. Muell. Fragm. vi. 68.—Tasman.  
*scoparia*, Hook. f. in Hook. Lond. Journ. Bot. vi. (1847) 273.—Tasman.  
*sprengelioides*, F. Muell. Fragm. vi. 68.—Tasman.

**RICHEA**, Labill. Voy. i. 186. t. 16 (1798) = **Craspedia**, Forst. (Compos.).  
*glauca*, Labill. l. c. t. 16 = **C. Richea**.

**RICHEIA**, Steud. Nom. ed. I. 691 (1821) = **RICHAEIA**, Thou. = **Weiheia**, Spreng. (Rhizoph.).

**RICHELLA**, A. Gray, in Proc. Am. Acad. ii. (1852) 325. *ANONACEAE*, Benth. & Hook. f. i. 26.  
*monosperma*, A. Gray, l. c.—Ins. Fiji.

**RICHERIA**, Vahl, Eclog. Am. i. 30. t. 4 (1796). *EUPHORBIACEAE*, Benth. & Hook. f. iii. 286.  
*GUARANIA*, Baill. Etud. Gén. Euph. 598 (1858).  
*PODICALYX*, Klotzsch, in Wieg. Archiv, vii. (1841) 202.  
*australis*, Muell. Arg. in Mart. Fl. Bras. xi. II. 17.—Bras.  
*Gardneriana*, Baill. ex Muell. Arg. in DC. Prod. xv. II. 468 = *grandis*.  
*grandis*, Vahl, Eclog. Am. i. 30. t. 4.—Am. trop.  
*laurifolia*, Baill. ex Muell. Arg. in DC. Prod. xv. II. 468 = *grandis*.  
*longifolia*, Baill. ex Muell. Arg. l. c. 467 = *grandis*.  
*loranthoides*, Muell. Arg. l. c. 469.—Am. trop.  
*purpurascens*, Baill. ex Muell. Arg. l. c. 467 = *grandis*.  
*Spruceana*, Baill. ex Muell. Arg. l. c. 468 = *grandis*.

**RICHIAEA**, Benth. & Hook. f. Gen. i. 681 (1867), sphalm. = **RICHAEIA**, Thou. = **Weiheia**, Spreng. (Rhizoph.).

**RICHIEA**, G. Don, Gen. Syst. i. 276 (1831) = **Ritchiea**, R. Br. (Capparid.).

**RICHTERIA**, Kar. & Kir. in Bull. Soc. Nat. Mosc. xv. (1842) 126 = **Chrysanthemum**, Tourn. (Compos.).  
*pyrethroides*, Kar. & Kir. l. c. 127 = **C. Richteria**.

**RICINELLA**, Muell. Arg. in Linnaea, xxxiv. (1865–66) 153 = **Adelia**, Linn. (Euphorb.).  
*barbinervis*, Muell. Arg. l. c. 154 = **A. barbinervis**.  
*haemilandra*, Muell. Arg. in DC. Prod. xv. II. 730.—Ind. occ.  
*membranifolia*, Muell. Arg. in Mart. Fl. Bras. xi. II. 306.—Bras.  
*myricaefolia*, Muell. Arg. in Linnaea, xxxiv. (1865–66) 154 = **Bernardia myricaefolia**.  
*oaxacana*, Muell. Arg. l. c. = **A. oaxacana**.  
*pedunculosa*, Muell. Arg. l. c. 153 = **A. pedunculosa**.  
*sylvestris*, Muell. Arg. in DC. Prod. xv. II. 730 = **A. sylvestris**.  
*triloba*, Muell. Arg. in Linnaea, xxxiv. (1865–66) 153 = **triloba**.

**RICINOCARPOS**, Desf. in Mém. Mus. Par. iii. (1817) 459. t. 22. *EUPHORBIACEAE*, Benth. & Hook. f. iii. 263.

**ECHINOSPHERA**, Sieber, ex Steud. Nom. ed. II. i. 538 (1840).  
**ROEPERIA**, Spreng. Syst. iii. 13, 147 (1826).  
*Bowmani*, F. Muell. Fragm. i. 181.—Austral.  
*cyanescens*, Muell. Arg. in Linnaea, xxxiv. (1865–66) 60.—Austral.  
*glaucus*, Endl. in Enum. Pl. Hueg. 18.—Austral.  
*ledifolius*, F. Muell. Fragm. i. 76.—Austral.  
*major*, Muell. Arg. in Linnaea, xxxiv. (1865–66) 59.—Tasman.  
*marginatus*, Benth. Fl. Austral. vi. 73.—Austral.  
*Mitchelli*, Sond. in Linnaea, xxviii. (1856) 563 = **Bertya Mitchelli**.  
*muricatus*, Muell. Arg. l. c. xxxiv. (1865–66) 61.—Austral.  
*pinifolius*, Desf. in Mém. Mus. Par. iii. (1817) 459. t. 22.—Austral.  
*psilocladus*, Benth. Fl. Austral. vi. 71.—Austral.  
*puberulus*, Baill. Etud. Gén. Euph. 344 = **Bowmani**.  
*rosmarinifolius*, Benth. Fl. Austral. vi. 72.—Austral.  
*sidaefolius*, Baill. Etud. Gén. Euph. 344 = *pinifolius*.  
*sidaeformis*, F. Muell. ex Benth. Fl. Austral. vi. 70 = *pinifolius*.  
*speciosus*, Muell. Arg. in Flora, xlvii. (1864) 470.—Austral.  
*tasmanicus*, Sond. & F. Muell. in Linnaea, xxviii. (1856) 562 = **Bertya rosmarinifolia**.  
*trichophorus*, Muell. Arg. l. c. xxxiv. (1865–66) 60.—Austral.  
*tuberculatus*, Muell. Arg. l. c.—Austral.  
*undulatus*, Lehm. Pl. Preiss. ii. 370 = *glaucus*.  
*velutinus*, F. Muell. Fragm. ix. 2.—Austral.

**RICINOCARPUS**, A. Juss. Euph. Tent. 36 (1824) = **praec.**

**RICINODENDRON**, Muell. Arg. in Flora, xlvii. (1864–65) 533. *EUPHORBIACEAE*, Benth. & Hook. f. iii. 297.  
*africanus*, Muell. Arg. l. c.—Afr. trop.

**RICINOIDES**, Tourn. ex Moench, Meth. 286 (1794) = **Chrozophora**, Neck. (Euphorb.).  
*tinctoria*, Moench, l. c. = **C. tinctoria**.

**RICINOPHYLLUM**, Pall. ex Ledeb. Fl. Ross. ii. 375 (1844) = **Fatsia**, Decne. & Planch. (Araliac.).  
*americanum*, Pall. ex Ledeb. l. c. = **F. horrida**.

**RICINUS**, [Tourn.] Linn. Syst. ed. I (1735); Gen. ed. I. 295 (1737). *EUPHORBIACEAE*, Benth. & Hook. f. iii. 321.

**CATAPUTIA**, Ludw. Gen. 81 (1760).  
*africanus*, Mill. Gard. Dict. ed. VIII. n. 5 = **communis**.

*americanus*, Mill. l. c. n. 2 = *Jatropha Curcas*.  
*angulatus*, Thunb. Diss. Ricin. 6.—Ind. or.  
*Apelta*, Lour. Fl. Cochinch. 585 = *Mallotus Apelta*.  
*armatus*, Andr. Bot. Rep. t. 430 = **communis**.  
*badius*, Reichb. Ic. Bot. Exot. ii. 21. t. 154 = **communis**.

*chinensis*, Thunb. Diss. Ricin. 5 = **communis**?

*communis*, Linn. Sp. Pl. 1007.—Reg. trop.  
*dicoccus*, Roxb. Fl. Ind. iii. 690 = *Mallotus moluccanus*.  
*digitatus*, Noronha, in Verh. Batav. Gen. v. (1790) ed. I. Art. iv. 26 = **communis**.

*dioicus*, Cheval. ex Steud. Nom. ed. II. ii. 459 = *Mallotus integrifolius*.

*dioicus*, Forst. f. Prod. 67 = *Macaranga dioica*.  
*dioicus*, Roxb. Hort. Beng. 69; Fl. Ind. iii. 690.—Ins. Amboin.

*dioicus*, Wall. Cat. n. 7828 = *Coelodiscus montanus*.

*europaeus*, T. F. Nees, Gen. Pl. Monochl. t. 38 = **communis**.

*floribundus*, Reinw. ex Muell. Arg. in DC. Prod. xv. II. 962 = *Mallotus floribundus*.

*furfuraceus*, Wall. Cat. n. 7805 = *Daphniphyllum majus*.

*Gibsoni*—Cf. Gard. Chron. (1877) II. 692 = **communis**?

*glaucus*, Hoffm. Verz. Pfl. Nachtr. ii. 199 = **communis**.

*globosus*, Willd. Sp. Pl. iv. 567 = *Mettenia globosa*.  
*hybridus*, Bess. Cat. Hort. Crem. (1816) Suppl. ii. 13 = **communis**.

*inermis*, Mill. Gard. Dict. ed. VIII. n. 6; Jacq. Misc. ii. 362 = **communis**.

*inermis*, Wall. Cat. n. 7806 = *Macaranga hypoleuca*.

*integrifolius*, Willd. Sp. Pl. iv. 567 = *Mallotus integrifolius*.

*japonicus*, Thunb. Diss. Ricin. 4 = **communis**?

*Jarak*, Thunb. Fl. Javan. 23 = *Jatropha Curcas*.  
*Krappa*, Hort. Berol. ex Steud. Nom. ed. II. ii. 459 = **communis**.

*laevis*, DC. Not. Jard. Genève. i. 31 = **communis**.  
*lanceolatus*, Thou. ex Baill. Adansonia, i. (1860–61) 255 = *Mallotus integrifolius*.

*leucocarpus*, Bertol. in Giorn. Arcad. xxi. (1824) 192 [bis] = **communis**.

*lividus*, Jacq. Misc. ii. 360 = **communis**.

*macrocarpus*, Hort. ex Steud. Nom. ed. II. ii. 459 = **communis**.

*macrophyllus*, Bertol. in Giorn. Arcad. xxi. (1824) 192 [bis].—Hab.?

*Mappa*, Linn. Amoen. Acad. iv. 124 = *Macaranga Mappa*.

*Mappa*, Roxb. Hort. Beng. 69; Fl. Ind. iii. 690 = *Macaranga Tanarius*.

*Mappa*, Wall. Cat. n. 7810 = *Macaranga Roxburghii*.

*medicus*, Forsk. Fl. Aegypt. Arab. 164 = **communis**.

*medius*, J. F. Gmel. Syst. 1615 = **praec.**

*megalosperma*, Delile, Cent. Pl. Méroé, 89 = **communis**.

*minor*, Mill. Gard. Dict. ed. VIII. n. 7 = **communis**.

*montanus*, Wall. Cat. n. 7727 = *Baliospermum axillare*.

*morifolius*, Noronha, in Verh. Batav. Gen. v. (1790) ed. I. Art. iv. 25 (Quid?).—Java.

*nanus*, Balb. Cat. Hort. Bot. Taurin. (1813) 65 = **communis**.

*Obermanni*, Hort. ex Groenland, in Rev. Hort. Sér. IV. vii. (1858) 601 = *sanguineus*.

*odoratus*, Noronha, in Verh. Batav. Gen. v. (1790) ed. I. Art. iv. 26 = *Commersonia echinata*.

**RICINUS** :—

- paniculatus*, Link & Otto, ex Steud. Nom. ed. II. ii. 459, nomen.—Hab.?  
*peltatus*, Noronha, in Verh. Batav. Gen. v. (1790) ed. I. Art. iv. 25 = communis.  
*perennis*, Hort. ex Steud. Nom. ed. II. ii. 459 = communis.  
*pictus*, Noronha, in Verh. Batav. Gen. v. (1790) ed. I. Art. iv. 26 = *Codiaeum variegatum*.  
*portoricensis*, Juss. ex Baill. Etud. Gén. Euph. 314 = *Jatropha hernandiaefolia*.  
*pulchellus*, Noronha, in Verh. Batav. Gen. v. (1790) ed. I. Art. iv. 26 (Quid?).—Java.  
*purpurascens*, Bertol. Misc. Bot. ix. 4 = communis.  
*rugosus*, Mill. Gard. Dict. ed. VIII. n. 4 = communis.  
*rutilans*, Muell. Arg. in DC. Prod. xv. ii. 1017, in syn. = communis.  
*salicinus*, Hassk. in Hoev. & De Vriese, Tijdschr. x. (1843) 142 = *Homonoia riparia*.  
*sanguineus*, Hort. ex Groenland, in Rev. Hort. Sér. IV. vii. (1858) 601.—Hab.?  
*scaber*, Bertol. ex Moris, Stirp. Sard. Elench. 41 = communis.  
*speciosus*, Burm. f. Fl. Ind. 207 (err. typ. 307) = communis.  
*spectabilis*, Blume, Bijdr. 623 = communis.  
*Tanarius*, Linn. Diss. Herb. Amb. in Amoen. Acad. iv. 125 = *Macaranga Tanarius*.  
*Tanarius*, Lour. Fl. Cochinch. 584 = *Mallotus floribundus*.  
*tomentosus*, Gaud. in Freyc. Voy. Bot. 489. t. 116 = *Adriana tomentosa*.  
*tomentosus*, Thunb. Diss. Ricin. 6 (Quid?).—Java.  
*trilobus*, Reinw. ex Blume, Cat. Gew. Buitenz. 108 = *Macaranga triloba*.  
*trilobus*, Thunb. Diss. Ricin. 6 (= praec.?).—Zeylan.  
*tunisensis*, Desf. Cat. Hort. Par. ed. III. 340 = communis.  
*undulatus*, Bess. Cat. Hort. Bot. Krzem. (1811) 90 = communis.  
*urens*, Mill. Gard. Dict. ed. VIII. n. 3 = communis.  
*viridis*, Willd. Sp. Pl. iv. 564 = communis.  
*vulgaris*, Mill. Gard. Dict. ed. VIII. n. 1 = communis.

**RICOLA**, Renealm. ex Rafin. Fl. Tellur. iii. 23 (1836) = *Gentiana*, Tourn.  
*bavarica*, Rafin. l. c. = *G. bavarica*.  
*pumila*, Rafin. l. c. = *G. pumila*.  
*verna*, Rafin. l. c. = *G. verna*.

**RICOPHORA**, Mill. Gard. Dict. ed. VI. 175 App. (1752) = *Dioscorea*, Plum.

**RICOTIA**, Linn. Sp. Pl. ed. II. 912 (1763). *CRUCIFERAE*, Benth. & Hook. f. i. 72.  
*aegyptiaca*, Linn. l. c. = *R. Lunaria*.  
*cantoniensis*, Lour. Fl. Cochinch. 397.—China.  
*carosula*, Boiss. & Heldr. Diagn. Ser. I. viii. 30.—As. Min.  
*cretica*, Boiss. & Heldr. l. c. 29.—Ins. Creta.  
*Lunaria*, DC. Syst. ii. 284.—Syria.  
*multifida*, Herb. Banks, ex DC. l. c. 685 = *Heliophila diffusa*.  
*Pestalotiana*, Cesati, in Bot. Zeit. xiv. (1856) 532. t. 9.—As. Min.  
*pinnata*, Moench, Meth. 272 = *R. Lunaria*.  
*sinuata*, Boiss. & Heldr. Diagn. Ser. I. viii. 30.—As. Min.  
*tenera*, Herb. Banks, ex DC. Syst. ii. 685 = *Heliophila Peltaria*.  
*tenuifolia*, Sibth. & Sm. Fl. Graec. Prod. ii. 17.—As. Min.

**RIDAN**, Adans. Fam. ii. 130 (1763) = *Actinomeris*, Nutt. (Compos.).

**RIDDELIA**, Rafin. New Fl. Am. iv. 15. (1836) = *Melochia*, Dill. (Stercul.).  
*antiphylla*, Rafin. l. c. 16 = *M. hirsuta*, Cav.

**RIDDELLIA**, Nutt. in Trans. Am. Phil. Soc. N. S. vii. (1841) 371. *COMPOSITAE*, Benth. & Hook. f. ii. 401.  
*PSILOSTROPHE*, DC. Prod. vii. 261 (1838).  
*arachnoidea*, A. Gray, in Mem. Am. Acad. N. S. iv. (1849) 94.—Mexic.  
*Cooperi*, A. Gray, in Proc. Am. Acad. vii. (1868) 358.—Am. bor. occ.  
*tagetina*, Nutt. in Trans. Am. Phil. Soc. N. S. vii. (1841) 371 (*Tagetinae*).—Am. bor. occ.

**RIDELIA**, Spach, Hist. Nat. Vég. Phan. ix. 227 (1840), sphalm. = *RIEDELIA*, Cham. = *Lantana*, Linn. (Verben.).

**RIDLEIA**, Endl. Gen. 1000 (1840) = *RIEDLEA*, Vent. = *Melochia*, Dill. (Stercul.).

**RIDOLFIA**, Moris, Ind. Sem. Hort. Taur. (1841); Fl. Sard. ii. 212. t. 75 (1842) = *Carum*, Rupp. (Umbell.).  
*segetum*, Moris, ll. cc = *C. Ridolfia*.

**RIEDELIA**, Cham. in Linnaea, vii. (1832) 240 = *Lantana*, Linn. (Verben.).  
*lippioides*, Cham. l. c. = *L. Chamissonis*.  
*officinalis*, Lacerda, ex J. A. Schmidt, in Mart. Fl. Bras. viii. 320 = *Vandellia diffusa*.

**RIEDELIA**, Meissn. in Mart. Fl. Bras. vii. 171 (1863) = *Satyria*, Klotzsch (Vaccin.).  
*bahiensis*, Mart. l. c. 172 = *S. panurensis*.

**RIEDELIA**, Oliver, in Hook. Ic. Pl. t. 1419 (1883). *SCITAMINEAE*.  
*curviflora*, Oliver, l. c.—Malaya.

**RIEDELIA**, Trin. ex Kunth, Enum. Pl. i. 515 (1833) = *Arundinella*, Raddi (Gramin.).  
*Mikani*, Trin. ex Kunth. l. c. = *A. brasiliensis*.

**RIEDLEA**, Vent. in Mém. Inst. Sc. Phys. Par. i. (1807) 2 = *Melochia*, Dill. (Stercul.).  
*Aleurodendron*, Steud. Nom. ed. II. ii. 459.—Java.  
*Berteriana*, DC. Prod. i. 492 = *Waltheria glabra*.  
*borbonica*, DC. l. c. 491 = *M. borbonica*.  
*capitata*, Boj. Hort. Maur. 38 = *M. corchorifolia*.  
*caracasana*, DC. Prod. i. 492 = *M. caracasana*.  
*Chamaedrys*, G. Don, Gen. Syst. i. 529 = *M. Chamaedrys*.  
*concatenata*, DC. Prod. i. 492 = *M. corchorifolia*.  
*concinna*, Walp. Ann. ii. 166 = *M. concinna*.  
*corchorifolia*, DC. Prod. i. 491 = *M. corchorifolia*.  
*cordata*, Steud. Nom. ed. II. ii. 459 = *M. arborea*.  
*corymbosa*, [Mog. & Sesse,] ex DC. Prod. i. 491 = *M. corymbosa* (in Addend.).  
*crenata*, DC. Prod. i. 491 = *M. tomentosa*.  
*cubensis*, Turcz. in Bull. Soc. Nat. Mosc. xxxi. (1858) i. 209.—Cuba.  
*depressa*, DC. Prod. i. 491 = *M. depressa*.  
*dichotoma*, Turcz. in Bull. Soc. Nat. Mosc. xxxi. (1858) i. 208.—Guian.  
*elongata*, Presl, Rel. Haenk. ii. 148.—Calif.  
*eriantha*, DC. Prod. i. 492.—Guian.  
*graminifolia*, Steud. Nom. ed. II. ii. 460 = *M. graminifolia*.  
*heterotricha*, Turcz. in Bull. Soc. Nat. Mosc. xxxi. (1858) i. 211 = *M. hirsuta*, Cav.  
*hirsuta*, DC. Prod. i. 492 = *M. hirsuta*, Cav.  
*hypoleuca*, Walp. Ann. ii. 166 = *M. hypoleuca*, Miq.  
*hyptoides*, Turcz. in Bull. Soc. Nat. Mosc. xxxi. (1858) i. 210.—Bras.  
*inflata*, DC. Prod. i. 491 = *M. lupulina*.  
*interrupta*, Schlecht. in Linnaea, xi. (1837) 375 = *M. interrupta*.  
*jamaicensis*, DC. Prod. i. 492 = *M. venosa*.  
*Jurgensenii*, Turcz. in Bull. Soc. Nat. Mosc. xxxi. (1858) i. 211 = *M. Jurgensenii*.  
*littoralis*, Poepp. & Endl. Nov. Gen. et Sp. iii. 73.—Bras.  
*lupulina*, Beurl. in Vet. Akad. Handl. Stockh. 1854 (1856), 115 = *M. lupulina*.  
*melissaeifolia*, Presl, Rel. Haenk. ii. 149.—Mexic.  
*mollis*, DC. Prod. i. 491 = *M. mollis*.  
*multiflora*, Presl, Rel. Haenk. ii. 147.—Peruv.  
*nodiflora*, DC. Prod. i. 491 = *M. nodiflora*.  
*odorata*, DC. l. c. = *M. odorata*.  
*peruviana*, DC. l. c. = *M. peruviana*.  
*polystachya*, DC. l. c. 490 = *M. venosa*.  
*pteronema*, Turcz. in Bull. Soc. Nat. Mosc. xxxi. (1858) i. 208.—Hab.?  
*quinquealata*, Steud. Nom. ed. II. ii. 460 = *Columbia floribunda*.  
*radiata*, Blume, Bijdr. 86 = *M. corchorifolia*.  
*ramosissima*, Turcz. in Bull. Soc. Nat. Mosc. xxxvi. (1863) i. 571, in obs.—Ind. or.  
*ramuliflora*, Miq. in Linnaea, xix. (1847) 132.—Guian.  
*scutellarioides*, Turcz. in Bull. Soc. Nat. Mosc. xxxi. (1858) i. 210 = *M. scutellarioides*.  
*sericea*, Steud. Nom. ed. II. ii. 460 = *M. venosa*.

**RIEDLEA** :—

- serrata*, Vent. Choix, t. 87 = *Melochia hirsuta*, Cav.  
*setulosa*, Miq. in Hoev. & De Vriese, Tijdschr. x. (1843) 80.—Guian.  
*siphonandra*, Turcz. in Bull. Soc. Nat. Mosc. xxxi. (1858) i. 208.—Ecuador.  
*sparsiflora*, Klotzsch, ex Walp. Ann. ii. 166.—Guian.  
*supina*, DC. Prod. i. 491 = *M. corchorifolia*.  
*tenella*, Turcz. in Bull. Soc. Nat. Mosc. xxxi. (1858) i. 212 = *M. tenella*.  
*thymifolia*, Presl, Rel. Haenk. ii. 149.—Peruv.  
*tiliaefolia*, DC. Prod. i. 491 = *M. arborea*.  
*tomentella*, Presl, Rel. Haenk. ii. 148 = *M. tomentella*.  
*truncata*, DC. Prod. i. 491 = *M. corchorifolia*.  
*Ulmariae*, Steud. Nom. ed. II. ii. 460 = *M. ulmarioides*.  
*urticaefolia*, Turcz. in Bull. Soc. Nat. Mosc. xxxi. (1858) i. 209 = *M. nodiflora*.  
*velutina*, DC. Prod. i. 491.—Ind. or.  
*venosa*, DC. Prod. i. 492 = *M. venosa*.  
*villosissima*, Presl, Rel. Haenk. ii. 146.—Ins. Marian.  
*virgultosa*, Macfad. Fl. Jamaica. i. 104 = *M. venosa*.  
*Wallichiana*, Steud. Nom. ed. II. ii. 460 = *M. arborea*.

**RIEDLEIA**, DC. Prod. i. 490 (1824) = praec.

**RIEDLEJA**, Hassk. Cat. Hort. Bog. Alt. 205 (1844) = praec.

**RIEDLIA**, Dum. Anal. Fam. 46 (1829) = praec.

**RIENCOURTIA**, Cass. in Dict. Sc. Nat. xlv. 466 (1827). *COMPOSITAE*, Benth. & Hook. f. ii. 345.

*PONTESIA*, Vell. Fl. Flum. Ic. viii. t. 147 (1827).  
*RIENCURTIA*, Cass. in Bull. Soc. Philom. (1818) 26.  
*TETRANTHA*, Poit. ex DC. Prod. v. 696, 503 (sphalm. *PETRANTHA*) (1836).  
*angustifolia*, Gardn. in Hook. Lond. Journ. Bot. vii. (1848) 287 = oblongifolia.  
*glomerata*, Cass. in Dict. Sc. Nat. xlv. 468.—Guian.  
*latifolia*, Gardn. in Hook. Lond. Journ. Bot. vii. (1848) 286.—Bras.  
*longifolia*, Baker, in Mart. Fl. Bras. vi. iii. 144.—Bras.  
*oblongifolia*, Gardn. in Hook. Lond. Journ. Bot. vii. (1848) 287.—Bras.  
*spiculifera*, Cass. in Dict. Sc. Nat. xlv. 467.—Am. austr.?  
*tenuifolia*, Gardn. in Hook. Lond. Journ. Bot. vii. (1848) 287.—Bras.  
*tenuifolia*, Sch. Bip. ex Baker, in Mart. Fl. Bras. vi. iii. 145 = oblongifolia.

**RIENCURTIA**, Cass. in Bull. Soc. Philom. (1818) 26 = praec.

**RIESENBACHIA**, Presl, Rel. Haenk. ii. 36. t. 54 (1835). *ONAGRARIEAE*, Benth. & Hook. f. i. 792.  
*racemosa*, Presl, l. c.—Mexic.

**RIESSIA**, Klotzsch, in Monatsb. Berl. Acad. (Maerz, 1854) 123; et in Abh. Akad. Berl. (1855) 64. t. 5 C = *Begonia*, Linn.  
*ferruginea*, Klotzsch, l. c. 124 = *B. Hookeriana*.  
*pulchella*, Klotzsch, l. c. = *B. pulchella*.

**RIGIDELLA**, Lindl. Bot. Reg. (1840) t. 16. *IRIDEAE*, Benth. & Hook. f. iii. 691.  
*flammea*, Lindl. l. c.—Mexic.  
*immaculata*, Herb. in Lindl. Bot. Reg. (1841) Misc. 62. t. 68.—Guatemala.  
*maculata*, Walp. Ann. iii. 612, sphalm. = praec.  
*orthantha*, Lem. in Fl. des Serres, Sér. I. i. (1845) 107. t. 45.—Mexic.

**RIGIOLEPIS**, Hook. f. in Hook. Ic. Pl. t. 1160 (1876). *VACCINIACEAE*, Benth. & Hook. f. ii. 572.  
*borneensis*, Hook. f. in Hook. Ic. Pl. t. 1160.—Borneo.

**RIGIOPAPPUS**, A. Gray, in Proc. Am. Acad. vi. (1865) 548. *COMPOSITAE*, Benth. & Hook. f. ii. 406.  
*leptocladius*, A. Gray, l. c.—Calif.



**RIGIOSTACHYS**, Planch. in Hook. Lond. Journ. Bot. vi. (1847) 29. *SIMARUBEAE*, Benth. & Hook. f. i. 309.

*RECCHIA*, Moç. & Sesse ex DC. Syst. i. 411 (1818). bracteata, Planch. in Hook. Lond. Journ. Bot. vi. (1847) 30.—Mexic.

**RIMA**, Sonner. Voy. Nouv. Guin. 99. tt. 57–60 (1776) = *Artocarpus*, Forst. (Urtic.).

**RINANTHUS**, Gilib. Fl. Lituan. i. 307 (1781) = *Rhinanthus*, Linn. (Scrophul.).

**RINDERA**, Pall. Reise, i. 486 (1771). *BORAGINEAE*, Benth. & Hook. f. ii. 849.

*CYPHOMATTIA*, Boiss. Fl. Orient. iv. 272 (1879).

*MATTIA*, Schult. Obs. Bot. 30, 32 (1809).

*angustifolia*, Bunge, in Mém. Sav. Etr. Pétersb. vii. (1851) 415.—Armenia.

*Aucheri*, Bunge, l. c. = *Paracaryum Aucheri*.

*caespitosa*, Bunge, l. c.—As. Min.

*canescens*, DC. ex A. DC. in DC. Prod. x. 168, in obs.—As. Min.; Persia.

*Columnnae*, Roem. & Schult. Syst. iv. 762 = *Cynoglossum Columnnae*.

*corymbiformis*, Bunge, in Mém. Sav. Etr. Pétersb. vii. (1851) 415 = *Paracaryum corymbiforme*.

*corymbulosa*, C. Koch, in Linnaea, xxii. (1849) 648 = *tetraspis*.

*cristata*, Roem. & Schult. Syst. iv. 761 = *Paracaryum cristatum*.

*cyclodonta*, Bunge, in Mém. Sav. Etr. Pétersb. vii. (1851) 415.—Turkest.

*echinata*, Regel, in Bull. Soc. Nat. Mosc. xli. (1868) i. 92.—Soongar.

*emarginata*, Roem. & Schult. Syst. iv. 83 = *Paracaryum angustifolium*.

*eriantha*, Ledeb. ex Bunge, in Mém. Sav. Etr. Pétersb. vii. (1851) 415 = *lanata*.

*glastifolia*, Roem. & Schult. Syst. iv. 83 = *Paracaryum glastifolium*.

*glochidiata*, Wall. Cat. n. 926 = *Paracaryum glochidiatum*.

*graeca*, Boiss. & Heldr. Diagn. Ser. I. vii. 30.—Graecia.

*incana*, Bunge, in Mém. Sav. Etr. Pétersb. vii. (1851) 415 = *Paracaryum incanum*.

*laevigata*, Roem. & Schult. Syst. iv. 83, 765 = *tetraspis*.

*lanata*, Bunge, in Mém. Sav. Etr. Pétersb. vii. (1851) 415.—As. Min.; Persia.

*lateriflora*, Roem. & Schult. Syst. iv. 762 = *Pectocarya lateriflora*.

*leptophylla*, Bunge, in Mém. Sav. Etr. Pétersb. vii. (1851) 415 = *Paracaryum leptophyllum*.

*magellensis*, Roem. & Schult. Syst. iv. 763 = *Cynoglossum magellense*.

*ochroleuca*, Kar. & Kir. in Bull. Soc. Nat. Mosc. xv. (1842) 408.—Sibir. altaic.

*pilosa*, Roem. & Schult. Syst. iv. 762 = *Pectocarya lateriflora*.

*pubescens*, C. Koch, in Linnaea, xxii. (1849) 648.—Pontus.

*punctata*, Bunge, in Mém. Sav. Etr. Pétersb. vii. (1851) 415 = *lanata*.

*tetraspis*, L'Hérit. ex DC. & A. DC. in DC. Prod. x. 168 = *canescens*.

*tetraspis*, Pall. Reise, i. 486.—Ross; Sibir.

*umbellata*, Bunge, in Mém. Sav. Etr. Pétersb. vii. (1851) 415.—Austr.; Sibir.

**RINOPODIUM**, Salisb. Gen. Pl. Fragm. 28 (1866) = *Scilla*, Linn. (Liliac.).

*bifolia*, Salisb. l. c. = *S. bifolia*.

**RINOREA**, Aubl. Pl. Gui. i. 235. t. 93 (1775) = *Alsodeia*, Thou. (Violar.).

*guianensis*, Aubl. l. c. = *A. paniculata*.

*integrifolia*, Ging. in DC. Prod. i. 313 = *A. integrifolia*.

**RINXOSTYLIS**, Rafn. Sylva Tellur. 87 (1838) = *Vitis*, Tourn. (Ampel.).

*repanda*, Rafn. l. c. = *V. repanda*.

**RINZIA**, Schau. in Linnaea, xvii. (1843) 239 = *Baeckea*, Linn. (Myrtac.).

*crassifolia*, Turcz. in Bull. Phys.-Math. Acad. Pétersb. x. (1852) 331 = *B. platystemona*.

**RINZIA** :—

*fumana*, Schau. in Linnaea, xvii. (1843) 239 = *Baeckea fumana*.

*longifolia*, Turcz. in Bull. Phys.-Math. Acad. Pétersb. x. (1852) 331 = *B. scholleraefolia*.

*oxycoccoides*, Turcz. l. c. = *B. oxycoccoides*.

**RIOCREUXIA**, Decne. in DC. Prod. viii. 640 (1848).

*ASCLEPIADEAE*, Benth. & Hook. f. ii. 780.

*torulosa*, Decne. l. c.—Afr. austr.

**RIPASIA**, Rafn. New Fl. Am. ii. 48 (1836) = *Baptisia*, Vent. (Legumin.).

*cerulea*, Rafn. l. c. = *B. australis*.

**RIPIDIUM**, Trin. Fund. Agrost. 169 (1820) = *Erianthus*, Michx. (Gramin.).

*japonicum*, Trin. l. c. = *Miscanthus sinensis*.

*Ravennae*, Trin. l. c. = *E. Ravennae*.

*strictum*, Trin. l. c. = *E. Hostii*.

**RIPOGONUM**, Forst. Char. Gen. 49. t. 25 (1776) = *Rhipogonum*, Forst. (Liliac.).

**RIPSELAXIS**, Rafn. Alsog. Am. 14 (1838) = *Salix*, Tourn.

*herbacea*, Rafn. l. c. = *S. herbacea*.

**RIPSOCTIS**, Rafn. Alsog. Am. 15 (1838) = *Salix*, Tourn.

*egyptiaca*, Rafn. l. c. = *S. Salsaf?*.

*indica*, Rafn. l. c. = *S. tetrasperma*.

**RIQUERIA**, Pers. Syn. i. 152 (1805) = seq.

**RIQUEURIA**, Ruiz & Pav. Prod. 18 (1794). Gen. dub. *RUBIACEARUM*.

*avenia*, Ruiz & Pav. Fl. Per. i. 70.—Peruv.

**RISSOA**, Arn. in Nov. Act. Nat. Cur. xviii. (1836) 324 = *Atalantia*, Correa (Rutac.).

*ceylanica*, Arn. l. c. = *A. ceylanica*.

**RITCHIEA**, R. Br. in Denh. & Clapp. Voy. App. 225 (1826). *CAPPARIDEAE*, Benth. & Hook. f. i. 110.

*erecta*, Hook. f. in Hook. Ic. Pl. t. 769.—Afr. trop.

*fragrans*, R. Br. in Denh. & Clapp. Voy. App. 225.—Afr. trop.

*polypetala*, Hook. ex Hook. f. in Bot. Mag. t. 5344.—Afr. trop.

**RITINOPHORA**, Neck. Elem. ii. 229 (1790) = *Amyris*, P. Br. (Bursar.).

**RITTERA**, Schreb. Gen. 364 (1789) = *Swartzia*, Schreb. (Legumin.).

*dodecandra*, Vahl, Symb. Bot. ii. 60 = *S. dodecandra*.

*grandiflora*, Vahl, Ecl. Am. ii. 37 = *S. grandiflora*.

*pinnata*, Vahl, l. c. 88 = *S. pinnata*.

*simplex*, Vahl, Symb. Bot. ii. 60 = *S. grandiflora*.

*triphyllo*, Sw. ex Steud. Nom. ed. II. ii. 460 = *S. triphyllo*.

**RIVEA**, Choisy, in Mém. Soc. Phys. Genève. vi. (1833) 407. *CONVOLVULACEAE*, Benth. & Hook. f. ii. 868.

*Argyrea*, Mart. ex Choisy, in DC. Prod. ix. 327.—Bras.

*Bona-nox*, Choisy, in Mém. Soc. Phys. Genève. vi. (1833) 409. (Conv. Or. 27) = *hypocrateriformis*.

*brasiliana*, Mart. ex Choisy, in DC. Prod. ix. 326.—Bras.

*cordata*, Choisy, l. c.—Bras.

*cuneata*, Wight, in Hook. Journ. Bot. iii. (1841) 199 = *Argyrea cuneata*.

*exaltata*, Klotzsch, in Schomb. Fauna et Fl. Brit. Gui. 1084, nomen.—Guian.

*fragrans*, Nimmo, in J. Grah. Cat. Pl. Bomb. 127 = *hypocrateriformis*.

*hastata*, Klotzsch, in Schomb. Fauna et Fl. Brit. Gui. 1152, nomen.—Guian.

*hirsuta*, Wight, l. c. t. 891 = *Argyrea hirsuta*.

*hypocrateriformis*, Choisy, in Mém. Soc. Phys. Genève. vi. (1833) 408 (Conv. Or. 26).—Ind. or.

*oblecta*, Choisy, l. c. 410 (Conv. Or. 28) = *Argyrea oblecta*.

*ornata*, Aitch. Cat. Pl. Punj. 100 = *hypocrateriformis*.

*ornata*, Choisy, in Mém. Soc. Phys. Genève. vi. (1833) 409 (Conv. Or. 27).—Ind. or.

*pomacea*, Wight, l. c. t. 888 = *Argyrea pomacea*.

**RIVEA** :—

*subincana*, Choisy, in DC. Prod. ix. 325.—Bras.

*tiliaefolia*, Choisy, in Mém. Soc. Phys. Genève. vi. (1833) 407 (Conv. Or. 25) = *Argyrea tiliaefolia*.

*zeylanica*, Thw. Enum. Pl. Zeyl. 209 = *Argyrea populifolia*.

**RIVERIA**, H. B. & K. Nov. Gen. et Sp. vii. 266. t. 659 (1825) = *Swartzia*, Schreb. (Legumin.).

*nitens*, H. B. & K. l. c. 267 = *S. nitens*.

**RIVINA**, Plum. ex Linn. Syst. ed. I (1735). *PHYTO-LACCACEAE*, Benth. & Hook. f. iii. 80.

*DOBERA?*, Rafn. Fl. Tellur. iii. 55 (1836).

*PIERCEA*, Mill. Gard. Dict. ed. VII. (1759).

*RIVINIA*, Linn. Hort. Cliff. 35 (1737).

*SOLANOIDES*, Tourn. ex Moench, Meth. 307 (1794).

*TITHONA*, Linn. Syst. ed. I. (1735).

*acuminata*, H. B. & K. Nov. Gen. et Sp. ii. 184 = *Mohlana secunda*.

*acuminata*, Rafn. New Fl. Am. iv. 13 = *humilis*.

*affinis*, Nees & Mart. in Nov. Act. Nat. Cur. xi. (1823) 30 = *Mohlana nemoralis*.

*apetala*, Schum. & Thonn. Beskr. Guin. Pl. 84 = *Mohlana guineensis*.

*aurantiaca*, Warsz. ex Schenk, Ind. Sem. Werceburg. (1861); ex Urban, Add. Ind. Sem. Hort. Berol. (1880) 46.—Am. austr.?

*brasiliensis*, Nocca, in Usteri, Ann. Bot. vi. (1793) 63 = *humilis*.

*canescens*, D. Don, ex Steud. Nom. ed. II. ii. 460 = *humilis*.

*dodecandra*, Jacq. Obs. Bot. i. 6 = *Villamilla octandra*.

*Ehrenbergiana*, Klotzsch, ex Moq. in DC. Prod. xiii. ii. 11 = *Villamilla octandra*.

*glabrata*, H. B. & K. Nov. Gen. et Sp. ii. 184 = *humilis*.

*gracilis*, Salisb. Prod. 67 = *humilis*.

*humilis*, Linn. Sp. Pl. 121.—Am. trop.

*inaequalis*, Hook. Ic. Pl. t. 130 = *Mohlana nemoralis*.

*laevis*, Linn. Mant. i. 41 = *humilis*.

*lanceolata*, Willd. Enum. Hort. Berol. Suppl. 8 = *humilis*.

*Latbenia*, Buch.-Ham. ex Wall. Cat. n. 6959 = *humilis*?

*latifolia*, Lam. Illustr. i. 324 = *Mohlana latifolia*.

*mexicana*, Moç. & Sesse, ex Moq. in DC. Prod. xiii. ii. 14 = *humilis*?

*Moritziana*, Klotzsch, ex Moq. l. c. 11 = *Villamilla octandra*.

*Mutisii*, Willd. ex Schult. Mart. iii. 305, in obs. = *Villamilla octandra*.

*obliquata*, Rafn. New Fl. Am. iv. 13.—Am. bor.

*octandra*, Linn. Cent. Pl. ii. 9 = *Villamilla octandra*.

*orientalis*, Moq. in DC. Prod. xiii. ii. 12 = *humilis*.

*pallida*, Salisb. Prod. 67 = *humilis*.

*paniculata*, Linn. Cent. Pl. ii. 9 = *Salvadora persica*.

*paraguayensis*, Parodi, in Anal. Soc. Cient. Argent. v. (1868) 206; Contrib. 55.—Paraguay.

*peruviana*, Moq. in DC. Prod. xiii. ii. 10 = *Villamilla peruviana*.

*plumbaginifolia*, Willd. ex Moq. l. c. 13 = *humilis*.

*portulacoides*, Nutt. in Trans. Am. Phil. Soc. v. (1837) 167 = *humilis*.

*procumbens*, Ruiz, ex Moq. in DC. Prod. xiii. ii. 13 = *humilis*.

*puberula*, H. B. & K. Nov. Gen. et Sp. ii. 184 = *humilis*.

*purpurascens*, Schrad. Gen. Pl. Illustr. 17. t. 5 = *humilis*.

*scandens*, Mill. Gard. Dict. ed. VIII. n. 2 = *Villamilla octandra*.

*secunda*, Ruiz & Pav. Fl. Per. i. 65 = *Mohlana secunda*.

*seguierioides*, Klotzsch, ex Moq. in DC. Prod. xiii. ii. 14 = *Ledenbergia seguierioides*.

*tetrandra*, Desf. Tabl. ed. II. 49 = *humilis*.

*tinctoria*, Ham. ex G. Don, in Loud. Hort. Brit. Suppl. i. 598, nomen (Quid?)—Venezuela.

*tinctoria*, Moq. in DC. Prod. xiii. ii. 10 = *Villamilla peruviana*.

*viridiflora*, Bello, in Anal. Soc. Esp. Hist. Nat. xii. (1883) 105.—Porto Rico.

*viridis*, F. W. Schmidt, in Mayer, Samml. Phys. Auf. i. (1791) 185 = *humilis*.

**RIVINIA**, Linn. Hort. Cliff. 35 (1737) = *praeac*.

**RIXEA**, C. Morr. in Ann. Soc. Bot. Gand, i. (1845) 225, t. 22 = *Tropaeolum*, Linn. (Geran.).

*azurea*, C. Morr. l. c. = *T. azureum*.

RIXIA, Lindl. Veg. Kingd. 367 (1847) = *præc.*

RIZOA, Cav. in Anal. Cienc. Nat. iii. (1801) 132 = **Gardoquia**, Ruiz & Pav. (Labiata).  
*ovatifolia*, Cav. l. c. 133 = *G. multiflora*.

ROBBAIREA, Boiss. Fl. Orient. i. 735 (1867) = **Polycarpaea**, Lam. (Caryophyll.).  
*prostrata*, Boiss. l. c. = *P. prostrata*.

ROBBIA, A. DC. in DC. Prod. viii. 444 (1844) = **Malouetia**, DC. (Apocyn.).  
*cestroides*, A. DC. l. c. 445 = *M. cestroides*.  
*gossypina*, Miers, Apocyn. S. Am. 108. — *Bras. macrocarpa*, Miers, l. c. = *Echites macrocarpa*.

ROBERGIA, Schreb. Gen. 309 (1789) = **Rourea**, Aubl. (Connar.).  
*frutescens*, J. F. Gmel. Syst. 729; Willd. Sp. Pl. ii. 752 = *Rourea frutescens*.  
*glabra*, Spreng. Syst. iv. Cur. Post. 188 = *Rourea glabra*.  
*hirsuta*, Roxb. Hort. Beng. [90]; Fl. Ind. ii. 455 = *Tapiria hirsuta*.

ROBERTA, St. Lag. in Ann. Soc. Bot. Lyon, viii. (1881) 171 = *seq.*

ROBERTIA, DC. Fl. Fr. Suppl. 453 (1815) = **Hypochoeris**, Linn. (Compos.).  
*pinnatifida*, Spreng. Syst. iii. 661 = *H. pinnatifida*.  
*taraxacoides*, DC. Fl. Fr. Suppl. 453 = *H. taraxacoides*.  
*tenuiflora*, Boiss. Diagn. Ser. I. xi. 35 = *H. tenuiflora*.

ROBERTIA, Méral, Fl. Par. 211 (1812) = **Eranthis**, Salisb. (Ranunc.).  
*hiemalis*, Méral, l. c. = *E. hyemalis*.

ROBERTIA, Rich. ex Carr. Conif. ed. I. 498 (1855) = **Phyllocladus**, Rich. (Conif.).

ROBERTIA, Scop. Introd. 154 (1777) = **Bumelia**, Sw. (Sapot.).  
*decandra*, Scop. l. c. = *B. lycioides*.

ROBERTIUM, Picard, in Mém. Soc. Agric. Boulogne, Sér. II. i. (1837) 99 = **Geranium**, Tourn.  
*anemonaefolium*, Picard, l. c. 134 = *G. anemonaefolium*.  
*lucidum*, Picard, l. c. = *G. lucidum*.  
*macrorrhizum*, Picard, l. c. = *G. macrorrhizum*.  
*minutiflorum*, Fourr. in Ann. Soc. Linn. Lyon, N. S. xvi. (1868) 351 = *G. Robertianum*.  
*modestum*, Fourr. l. c. = *G. Robertianum*.  
*purpureum*, Fourr. l. c. = *G. Robertianum*.  
*semiglabrum*, Fourr. l. c. = *G. Robertianum*.  
*simile*, Fourr. l. c. = *G. Robertianum*.  
*vulgare*, Picard, in Mém. Soc. Agric. Boulogne, Sér. II. i. (1837) 134 = *G. Robertianum*.

ROBERTSIA, Endl. Gen. 740 (1839) = **Sideroxylon**, Linn. (Sapot.).

ROBERTSONIA, Haw. Syn. Pl. Succ. 321 (1812) = **Saxifraga**, Linn.  
*crenata*, Haw. l. c. 322 = *S. umbrosa*.  
*cuneifolia*, Haw. Saxif. Enum. 56 = *S. cuneifolia*.  
*daurica*, Haw. l. c. = *S. davurica*.  
*dentata*, Haw. Syn. Pl. Succ. 323 = *S. umbrosa*.  
*Geum*, Haw. Saxif. Enum. 53 = *S. Geum*.  
*hibernica*, Bree, ex Sternb. Rev. Saxif. Suppl. ii. 5 = *S. umbrosa*.  
*hieracifolia*, Link, Handb. ii. 40 = *S. hieracifolia*.  
*hirsuta*, Haw. Saxif. Enum. 54 = *S. umbrosa*.  
*hybrida*, Link, Handb. ii. 39 = *S. hybrida*.  
*micranthifolia*, Haw. Syn. Pl. Succ. 322 = *S. erosa*.  
*nivalis*, Link, Handb. ii. 40 = *S. nivalis*.  
*pensylvanica*, Link, l. c. = *S. pensylvanica*.  
*polita*, Haw. Syn. Pl. Succ. 322 = *S. umbrosa*.  
*punctata*, Haw. Saxif. Enum. 55 = *S. punctata*.  
*sarmentosa*, Link, Handb. ii. 40 = *S. sarmentosa*.  
*semipubescentis*, Link, l. c. = *S. pensylvanica*.  
*serrata*, Haw. Syn. Pl. Succ. 322 = *S. umbrosa*.  
*sphaeroides*, Haw. l. c. = *S. umbrosa*.  
*stellaris*, Link, Handb. ii. 40 = *S. stellaris*.  
*umbrosa*, Haw. Saxif. Enum. 55; S. F. Gray, Nat. Arr. Brit. Pl. ii. 529 = *S. umbrosa*.

ROBESCHIA, Hochst. ex Fourn. Thèse Crucif. 146 (1865) = **Sisymbrium**, Tourn. (Crucif.).  
*sinaica*, Hochst. ex Fourn. l. c. = *S. Sophia*.

ROBINA, Aubl. Pl. Gui. ii. 768 (1775), err. typ. = *seq.*

ROBINIA, Linn. Gen. ed. I. 220 (1737). **LEGUMINOSAE**, Benth. & Hook. f. i. 499.  
PSEUDO-ACACIA, [Tourn.] Medic. in Vorles. Churpf. Phys. Ges. ii. (1787) 364.  
*Acacia*, Linn. Syst. ed. X. 1161 = *R. Pseud-acacia*.  
*aculeata*, Juss. ex DC. Prod. ii. 314 = *Pictetia Jussiaci*.  
*aculeata*, Vahl, in West, Bidr. Ste Croix, 300. — Ind. occ.  
*acuminata*, Schlecht. in Linnaea, xii. (1838) 306. — Mexic.  
*alata*, Mill. Gard. Dict. ed. VIII. n. 6 = *Piscidia Erythrina*.  
*altagana*, Pall. Fl. Ross. i. 68 = *Caragana microphylla*.  
*amara*, Lour. Fl. Cochinch. 455. — China; Cochinch.  
*ambigua*, Poir. Encyc. Suppl. iv. 690 = *dubia*.  
*amoena*, Hort. ex C. Koch, Dendrol. i. 60 = *viscosa*.  
*amorphaefolia*, Hort. ex C. Koch, l. c. 56 = *R. Pseud-acacia*.  
*angulata*, Hort. ex C. Koch, l. c. = *R. Pseud-acacia*.  
*argentea*, Siev. in Pall. N. Nord. Beitr. vii. 326 = *Ammodendrum Sieversii*.  
*argentiflora*, Schum. & Thonn. Beskr. Guin. Pl. 352 = *Lonchocarpus sericeus*.  
*aturensis*, Humb. ex Spreng. Syst. iii. 246. — N. Granat.  
*aurea*, Hort. ex C. Koch, Dendrol. i. 56 = *R. Pseud-acacia*.  
*Bessoniana*, Hort. ex C. Koch, l. c. 58 = *R. Pseud-acacia*.  
*bullata*, Hort. ex C. Koch, l. c. 56 = *R. Pseud-acacia*.  
*Camusetii*, Leroy, ex C. Koch, l. c. = *R. Pseud-acacia*.  
*candida*, Roxb. Hort. Beng. 56; Fl. Ind. iii. 327 = *Tephrosia candida*.  
*capensis*, Burm. f. Fl. Cap. Prod. 22 = *Calpurnia robinoides*.  
*Caragana*, Linn. Sp. Pl. 722 = *Caragana arborescens*.  
*Chamlagu*, L'Hérit. Stirp. Nov. 161. t. 77 = *Caragana Chamlagu*.  
*chinensis*, Pers. Syn. ii. 310 = *Caragana Chamlagu*.  
*coccinea*, Aubl. Pl. Gui. ii. 773 = *Ormosia coccinea*.  
*coluteoides*, Hort. ex C. Koch, Dendrol. i. 56 = *R. Pseud-acacia*.  
*complexa*, Hort. ex C. Koch, l. c. 61 = *hispida*.  
*cornigera*, Hort. ex C. Koch, l. c. 56 = *R. Pseud-acacia*.  
*crispa*, Hort. ex C. Koch, l. c. = *R. Pseud-acacia*.  
*cubensis*, H. B. & K. Nov. Gen. et Sp. vi. 392. — Cuba.  
*cyaneus*, Schum. & Thonn. Beskr. Guin. Pl. 351 = *Lonchocarpus cyaneus*.  
*cylindrica*, Hort. ex C. Koch, Dendrol. i. 56 = *R. Pseud-acacia*.  
*davurica*, Lodd. Cat. ex G. Don, in Loud. Hort. Brit. 304. — Dauria.  
*Decaisneana*, Verlot, in Rev. Hort. (1873) 155 = *R. Pseud-acacia*.  
*dissecta*, Verlot, l. c. = *R. Pseud-acacia*.  
*domingensis*, Spreng. ex DC. Prod. ii. 168 = *Corynella paucifolia*.  
*dubia*, Blume, ex Miq. Fl. Ind. Bat. i. i. 154 = *Milletia sericea*.  
*dubia*, Fouc. in Desv. Journ. Bot. ii. (1813) 204. — Am. bor.  
*dubia*, Poir. Encyc. vi. 227 = *Sabinea dubia*.  
*echinata*, Mill. Gard. Dict. ed. VIII. n. 2 = *R. Pseud-acacia*.  
*edwardsiaefolia*, Verlot, in Rev. Hort. (1873) 155 = *R. Pseud-acacia*.  
Ehrenbergia, Schlecht. in Linnaea, xii. (1838) 303. — Mexic.  
*fastigiata*, Verlot, in Rev. Hort. (1873) 155 = *R. Pseud-acacia*.  
*ferox*, Pall. Reise, iii. 752 = *Caragana spinosa*.  
*ferruginea*, H. B. & K. Nov. Gen. et Sp. vi. 395. — Venezuela.  
*ferruginea*, Roxb. Hort. Beng. [98]; Fl. Ind. iii. 329 = *Derris ferruginea*.  
*filiformis*, Roxb. ex Wight & Arn. Prod. 206 = *Galactia dubia*.  
*flava*, Lour. Fl. Cochinch. 556. — China bor.  
*flexilis*, Salisb. Prod. 336 = *Caragana microphylla*.  
*florida*, Vahl, in West, Bidr. Ste Croix, 300 = *Sabinea florida*.  
*fragilis*, Salisb. Prod. 336 = *R. Pseud-acacia*.

ROBINIA :—

*frutescens*, Linn. Sp. Pl. ed. II. 1044 = *Caragana frutescens*.  
*Frutex*, Linn. l. c. ed. I. 728 = *Caragana arborescens*.  
*fruticosa*, Georgi, Reise, ii. 715 = *Caragana frutescens*.  
*fruticosa*, Roxb. Hort. Beng. 56; Fl. Ind. iii. 328 = *Milletia fruticosa*.  
*Galega*, Walp. Rep. i. 677 = *seq.*  
*Galuga*, Roxb. ex Wight & Arn. Prod. 211 = *Milletia racemosa*.  
*Garagana*, Crantz, Inst. ii. 60, sphalm. = *R. Caragana*.  
*glabra*, Mill. Gard. Dict. ed. VIII. n. 5 = *Dalbergia campechiana*.  
*glabrescens*, Hoffm. Verz. Pfl. Nachtr. ii. 57 = *hispida*.  
*glandulosa*, Spreng. Syst. iii. 248 = *Poiretia psoraloides*.  
*glutinosa*, Sims, Bot. Mag. t. 560 = *viscosa*.  
*glyciphylla*, Poir. Encyc. vi. 227. — Ins. Martinic.  
*grandiflora*, Bieb. Fl. Taur. Cauc. ii. 168 = *Caragana grandiflora*.  
*grandiflora*, Linn. Sp. Pl. 722 = *Sesbania grandiflora*.  
*guineensis*, Willd. Enum. Hort. Berol. 769. — Afr. trop.  
*Halimodendron*, Link, Handb. ii. 201 = *seq.*  
*Halodendrum*, Pall. Reise, ii. 741 = *Halimodendrum argenteum*.  
*Heynei*, Wall. Cat. n. 5653 = *Calpurnia lasiogyne*.  
*hirsuta*, Lindem. in Bull. Soc. Nat. Mosc. lv. (1880) i. 296 = *hispida*?  
*hispida*, Linn. Mant. i. 101. — Am. bor.  
*hybrida*, Audib. ex DC. Prod. ii. 262 = *dubia*.  
*inermis*, Jacq. Select. Am. 210 = *R. Pseud-acacia*.  
*intermedia*, Soulangue, in Ann. Soc. Hort. Par. ii. (1828) 42 = *viscosa*.  
*jaspidea*, Verlot, in Rev. Hort. (1873) 155 = *R. Pseud-acacia*.  
*javanica*, Burm. f. Fl. Ind. 163 = *Cassia glauca*.  
*javanica*, Zipp. ex Miq. Fl. Ind. Bat. i. i. 291 = *Tephrosia candida*.  
*jubata*, Pall. in Nov. Act. Acad. Petrop. x. (1797) 370. t. 6 = *Caragana jubata*.  
*latifolia*, Mill. Gard. Dict. ed. VIII. n. 9 = *Lonchocarpus violaceus*.  
*latifolia*, Poir. Encyc. vi. 224 = *Poitea Campanilla*.  
*latisiliqua*, Verlot, in Rev. Hort. (1873) 155 = *R. Pseud-acacia*.  
*leucantha*, Zipp. ex Miq. Fl. Ind. Bat. i. i. 291 = *Tephrosia candida*.  
*linearis*, Hort. ex C. Koch, Dendrol. i. 56 = *R. Pseud-acacia*.  
*lucida*, Salisb. Prod. 337 = *Caragana Chamlagu*.  
*ludoviciana*, Rafin. Fl. Ludov. 164 (Quid?). — Am. bor.  
*macrophylla*, Roxb. Hort. Beng. 56; Fl. Ind. iii. 329 = *Milletia auriculata*.  
*macrophylla*, Schrad. ex G. Don, Gen. Syst. ii. 238 = *hispida*.  
*macrophylla*, Spreng. Syst. iii. 246. — Bras.  
*maculata*, H. B. & K. Nov. Gen. et Sp. vi. 393. — Mexic.  
*martinicensis*, Pers. Syn. ii. 312 = *Sabinea dubia*.  
*melanocarpa*, Schlecht. in Linnaea, xii. (1838) 305. — Mexic.  
*microphylla*, Hort. ex Loud. Hort. Brit. Suppl. ii. 667 = *R. Pseud-acacia*.  
*microphylla*, Pall. Astragal. 116 = *Caragana microphylla*.  
*mitis*, Linn. Sp. Pl. ed. II. 1044 = *Pongamia glabra*.  
*mitis*, Lour. Fl. Cochinch. 455 = *Pongamia chinensis*.  
*mollis*, Bieb. Fl. Taur. Cauc. iii. 477 = *Caragana frutescens*.  
*mollis*, Vahl, ex DC. Prod. ii. 260 = *Lonchocarpus sericeus*.  
*mollissima*, Vahl, ex Poir. Encyc. vi. 227 = *Cupania Poiratii*.  
*mongolica*, Sw. ex Bess. Cat. Hort. Crem. (1816) 116 = *Caragana arborescens*.  
*monophyllus*, Hort. ex C. Koch, Dendrol. i. 56 = *R. Pseud-acacia*.  
*montana*, Bartr. Cat. ex Pursh, Fl. Am. Sept. ii. 488 = *hispida*.  
*multiflora*, Schum. & Thonn. Beskr. Guin. Pl. 350 (*Milletia* sp.?). — Afr. trop.  
*nana*, Ell. Sketch, ii. 243 = *hispida*.  
*neo-mexicana*, A. Gray, in Mem. Am. Acad. N. S. v. (1855) 314. — Mexic.  
*Nicou*, Aubl. Pl. Gui. ii. 771 = *Lonchocarpus rufescens*.  
*Panacoco*, Aubl. l. c. 768 = *Swartzia tomentosa*.  
*patula*, Verlot, in Rev. Hort. (1873) 155 = *R. Pseud-acacia*.  
*pendula*, Orteg. Hort. Matr. Dec. 26 = *R. Pseud-acacia*.  
*pinnata*, Hort. ex Steud. Nom. ed. I. 693; ed. II. ii. 461 = *R. Pseud-acacia*?

**ROBINIA** :—

- polyanthos*, Sw. Fl. Ind. Occ. iii. 1260 = *Corynella polyantha*.  
*procera*, Lodd. Cat. ex G. Don, in Loud. Hort. Brit. 304 = *R. Pseud-acacia*.  
*Pseud-acacia*, Linn. Sp. Pl. 722. — Am. bor.  
*purpurea*, Hort. ex Link, Enum. Hort. Berol. ii. 242. — Am. bor.  
*pygmaea*, Linn. Sp. Pl. 723 = *Caragana pygmaea*.  
*pyramidalis*, Verlot, in Rev. Hort. (1873) 155 = *R. Pseud-acacia*.  
*pyramidata*, Mill. Gard. Dict. ed. VIII. n. 7. — Am. centr.  
*racemosa*, Roxb. Hort. Beng. 56; Fl. Ind. iii. 329 = *Milletia racemosa*.  
*radicans*, Sw. ex Steud. Nom. ed. I. 693 (Quid?) — Hab. ?  
*rosea*, Loisel. in Duham. Arb. ed. Nov. t. 17 = *hispida*.  
*rosea*, Mill. Gard. Dict. ed. VIII. n. 4. — Am. bor.  
*rubiginosa*, Banks, ex Benth. in Journ. Linn. Soc. iv. Suppl. (1860) 92 = *Lonchocarpus rubiginosus*.  
*rubiginosa*, Nees, ex Mart. in Nov. Act. Nat. Cur. xii. 1. (1824) 31. — Bras.  
*rubiginosa*, Poir. Encyc. vi. 227 = *Cupania Poiratii*.  
*scandens*, Willd. Sp. Pl. iii. 1134 = *Lonchocarpus scandens*.  
*Schiedeana*, Schlecht. in Linnaea, xii. (1838) 306. — Mexic.  
*sennoides*, Roxb. Hort. Beng. [98]; Fl. Ind. iii. 328 = *Mundulea suberosa*.  
*sepium*, Jacq. Enum. Pl. Carib. 28 = *Lonchocarpus sepium*.  
*sepium*, Sw. Fl. Ind. Occ. iii. 1258 = *Lonchocarpus violaceus*.  
*sericea*, Poir. Encyc. vi. 226 = *Lonchocarpus sericeus*.  
*sericea*, Sieber, ex Presl, Symb. Bot. i. 14 = *Tephrosia candida*.  
*sophoraefolia*, Hort. Vindob. ex Steud. Nom. ed. I. 693 = *R. Pseud-acacia*.  
*speciosa*, Sw. ex Bess. Cat. Hort. Crem. (1816) 116 = *Caragana arborescens*.  
*spectabilis*, Dum.-Cours. Bot. Cult. ed. II. vi. 140 = *R. Pseud-acacia*.  
*spinifolia*, Desv. Journ. Bot. (1814) 78 = *Pictetia Desvauxii*.  
*spinosa*, Linn. Mant. ii. 269 = *Caragana spinosa*.  
*spinosissima*, Laxm. in Nov. Comm. Acad. Petrop. xv. (1771) 558 = *Caragana spinosa*.  
*squamata*, Hort. Berol. (1844) ex Walp Ann. i. 231 = *Brongniartia robinoides*.  
*squamata*, Vahl, Symb. Bot. iii. 88 = *Ormocarpum sennoides*.  
*squamosa*, Poir. Encyc. vi. 224 = *Ormocarpum sennoides*.  
*striata*, Willd. Sp. Pl. iii. 1132 = *Geoffraea superba*.  
*stricta*, Hoffmgg. Verz. Pfl. 194 = *R. Pseud-acacia*.  
*subdecandra*, L'Hérit. Stirp. Nov. 157. t. 75 = *Calpurnia lasiogyne*.  
*suberosa*, Roxb. Hort. Beng. 56; Fl. Ind. iii. 327 = *Mundulea suberosa*.  
*Thonningii*, Schum. & Thonn. Beskr. Guin. Pl. 349 = *Milletia Thonningii*.  
*tomentosa*, Fisch. Cat. Hort. Gorenk. (1812) 71 = *Caragana frutescens*.  
*tomentosa*, Willd. Sp. Pl. iii. 1134 = *Swartzia tomentosa*.  
*tortuosa*, Hoffmgg. Verz. Pfl. 193 = *R. Pseud-acacia*.  
*tragacanthoides*, Pall. in Nov. Act. Acad. Petrop. x. (1797) 371. t. 7 = *Caragana tragacanthoides*.  
*triflora*, L'Hérit. Stirp. Nov. 162 = *Halimodendron argenteum*.  
*uliginosa*, Willd. Sp. Pl. iii. 1133 = *Derris uliginosa*.  
*umbraculifera*, Loud. Hort. Brit. Suppl. ii. 667 = *R. Pseud-acacia*.  
*undulata*, Hort. ex C Koch, Dendrol. i. 56 = *R. Pseud-acacia*.  
*Uterhartii*, Poit. in Rev. Hort. Sér. II. ii. (1843-44) 447 = *R. Pseud-acacia*.  
*variegata*, Schlecht. in Linnaea, xii. (1838) 301. — Mexic.  
*vesicaria*, Jacq. Coll. i. 105 = *Sesbania platycarpa*.  
*viciaefolia*, Bert. ex DC. Prod. ii. 263 = *Poitea viciaefolia*?  
*violacea*, Beauv. Fl. Owar. ii. 28. t. 76 = *Lonchocarpus sericeus*.  
*violacea*, Jacq. Enum. Pl. Carib. 28 = *Lonchocarpus violaceus*.  
*viscosa*, Vent. Fard. Cels, t. 4. — Am. bor.

**ROBINSONIA**, DC. in Guill. Arch. Bot. ii. (1833) 333. *COMPOSITAE*, Benth. & Hook. f. ii. 441.  
*corrugata*, Phil. in Bot. Zeit. xiv. (1856) 645 = *Gayana*.  
*evenia*, Phil. l. c. 644. — Ins. J. Fernand.  
*Gayana*, Decne. in Ann. Sc. Nat. Sér. II. i. (1834) 28. t. 1. — Ins. J. Fernand.  
*gracilis*, Decne. l. c. 29. — Ins. J. Fernand.  
*longifolia*, Phil. in Bot. Zeit. xiv. (1856) 644. — Ins. J. Fernand.  
*macrocephala*, Decne. in Ann. Sc. Nat. Sér. II. i. (1834) 28. t. 1. — Chili; Ins. J. Fernand.  
*micrantha*, Phil. ex Hemsl. Bot. Voy. Challenger, i. III. 40 = *gracilis*.  
*nervosa*, Phil. in Bot. Zeit. xiv. (1856) 645 = *Plantago fernandezia*.  
*thurifera*, Decne. in Ann. Sc. Nat. Sér. II. i. (1834) 28. — Ins. J. Fernand.

**ROBINSONIA**, Scop. Introd. 218 (1777) = **Quiina** Aubl. (Guttif.).  
*guianensis*, J. F. Gmel. Syst. 796 = *Q. guianensis*.  
*melianthifolia*, Willd. Sp. Pl. ii. 999 = *Q. guianensis*.

**ROBIQUETIA**, Gaudich. in Freyc. Voy. Bot. 426. t. 34 (1826) = **Saccolabium**, Blume (Orchid.).  
*ascendens*, Gaudich. l. c. = *S. ascendens*.

**ROBSONIA**, Reichb. Handb. 233 (1837) = **Ribes**, Linn. (Saxifr.).  
*speciosa*, Spach, Hist. Vég. Phan. vi. 181 = *Ribes speciosum*.

**ROBYNSIA**, Mart. & Gal. in Bull. Acad. Brux. x. II. (1843) 193 = **Pachyrhizus**, Rich. (Legumin.).  
*lobata*, Mart. & Gal. l. c. 194 = *P. palmatilobus*.  
*macrophylla*, Mart. & Gal. l. c. 193 = *P. angulatus*.

**ROCAMA**, Forsk. Fl. Aegypt. Arab. p. cviii. 71 (1775) = **Trianthema** Linn. (Ficoid.).  
*arabica*, J. F. Gmel. Syst. 455 = *T. pentandra*.  
*digyna*, DC. Prod. iii. 352 = *T. pentandra*.  
*prostrata*, Forsk. Fl. Aegypt. Arab. p. cviii = *T. pentandra*.

**ROCCARDIA**, Neck. Elem. i. 74 (1790) = **Helip-terum**, DC. (Compos.).

**ROCCARDIA**, Rafin. Fl. Tellur. iv. 119 (1836) = **Stachelina**, DC. (Compos.).  
*purpurea*, Rafin. l. c. = *S. dubia*.

**ROCHEA**, DC. Pl. Grass. t. 103 (1810?). *CRASSU-LACEAE*, Benth. & Hook. f. i. 658.  
*DIETRICHIA*, Tratt. Arch. Gew. n. 449 (1812).  
*KALOSANTHES*, Haw. Rev. Succ. 6 (1821).  
*albiflora*, DC. Prod. iii. 393 = *Crassula albiflora*.  
*bicolor*, Steud. Nom. ed. II. ii. 462 = *odoratissima*.  
*biconvexa*, DC. Prod. iii. 394. — Afr. austr.  
*Burmanniiana*, Steud. Nom. ed. II. ii. 462 = *Crassula Burmanniana*.  
*coccinea*, DC. Pl. Grass. t. 1. — Afr. austr.  
*cymosa*, DC. Prod. iii. 394 = *Crassula cymosa*.  
*dejecta*, Steud. Nom. ed. II. ii. 462 = *Crassula dejecta*.  
*dichotoma*, Hochst. ex A. Rich. Tent. Fl. Abyss. i. 309 = *Crassula abyssinica*.  
*falcata*, DC. Pl. Grass. t. 103 = *Crassula falcata*.  
*fascicularis*, DC. Prod. iii. 394. — Afr. austr.  
*flava*, DC. l. c. = *Crassula flava*.  
*jaminea*, DC. l. c. — Afr. austr.  
*media*, DC. l. c. = *versicolor*.  
*microphylla*, E. Mey. ex Harv. & Sond. Fl. Cap. ii. 369 = *jaminea*.  
*odoratissima*, DC. Prod. iii. 394. — Afr. austr.  
*perfoliata*, DC. l. c. 393 = *Crassula perfoliata*.  
*tiniflora*, Lem. Illustr. Hort. viii. (1861) sub t. 269. — Afr. austr.  
*undosa*, Steud. Nom. ed. II. ii. 462. — Afr. austr.  
*undulata*, Steud. l. c. = *Crassula undulata*.  
*vaginata*, Hochst. ex A. Rich. Tent. Fl. Abyss. i. 309 = *Crassula abyssinica*.  
*versicolor*, Eckl. & Zeyh. ex Harv. & Sond. Fl. Cap. ii. 369 = *odoratissima*.  
*versicolor*, Link, Enum. Hort. Berol. i. 299; DC. Prod. iii. 394. — Afr. austr.

**ROCHEA**, Salisb. in Trans. Hort. Soc. i. (1812) 322 = **Geissorhiza**, Ker-Gawl. (Irid.).  
*venusta*, Salisb. l. c. = *G. Rochensis*.

**ROCHEA**, Scop. Introd. 296 (1777) = **Aeschynomene**, Linn. (Legumin.).

**ROCHEFORTIA**, Sw. Prod. Veg. Ind. Occ. 53 (1788); Fl. Ind. Occ. i. 551. t. 11 (1797). *BORAGINEAE*, Benth. & Hook. f. ii. 841.

*DIPLOSTYLIS*, Karst. & Triana, in Linnaea, xxviii. (1856) 433.

*acanthophora*, Griseb. Fl. Brit. W. Ind. 482. — Ind. occ. *brasiliensis*, Willd. ex Schult. Syst. vi. 210. — Bras. *cuneata*, Sw. Prod. Veg. Ind. Occ. 54. — Jamaic. *Jacquini*, Griseb. in Goett. Abh. vii. (1857) 253 = *Ehretia spinosa*.  
*ovata*, Sw. Prod. Veg. Ind. Occ. 54. — Jamaic.

**ROCHELIA**, Reichb. in Flora, vii. (1824) 243. *BORAGINEAE*, Benth. & Hook. f. ii. 852.

*MACCOYA*, F. Muell. Fragm. i. 127 (1859).  
*RACLATHRIS*, Rafin. Sylva Tellur. 167 (1838).

*cancellata*, Boiss. & Bal. Diagn. Ser. II. iii. 136. — Cilicia.

*cardiosepalis*, Bunge, in Mém. Sav. Etr. Pétersb. vii. (1851) 420. — Turkest.

*glomerata*, Torr. in Ann. Lyc. N. York, ii. (1828) 226 = *Krynitzkia glomerata*.

*incana*, Kar. & Kir. in Bull. Soc. Nat. Mosc. xiv. (1841) 710. — Turkest.

*leiocarpa*, Ledeb. Fl. Alt. i. 172. — Turkest.

*leiosperma*, Steud. Nom. ed. II. ii. 56, in syn., sphalm. = *præc.*

*Maccoya*, F. Muell. ex Benth. Fl. Austral. iv. 408. — Austral.

*macrocalyx*, Bunge, in Mém. Sav. Etr. Pétersb. vii. (1851) 419. — Persia; Afghan.

*mollis*, Bunge, ex Boiss. Fl. Orient. iv. 245. — Persia.

*peduncularis*, Boiss. Diagn. Ser. I. vii. 35. — Persia.

*persica*, Bunge, ex Boiss. Fl. Orient. iv. 244. — Persia.

*rectipes*, Stocks, in Hook. Kew Journ. iv. (1852) 176 = *macrocalyx*.

*saccharata*, Reichb. in Flora, vii. (1824) 243 = *stellulata*.

*stellulata*, Aitch. in Journ. Linn. Soc. xix. (1882) 178 = *stylaris*.

*stellulata*, Reichb. Ic. Fl. Germ. ii. 13. t. 123. — Europ.

*stylaris*, Boiss. Fl. Orient. iv. 245. — Afghan.

**ROCHELIA**, Roem. & Schult. Syst. iv. 11 (1819) = **Echinosperrum**, Sw. (Borag.).

*asperata*, Boj. ex DC. Prod. x. 152, in nota = *Cynoglossum Rochelia*.

*barbata*, Roem. & Schult. Syst. iv. 110 = *E. barbatum*.

*Borboniae*, Roem. & Schult. l. c. 108, 781 = *Cynoglossum Rochelia*.

*condylophora*, Roem. & Schult. l. c. 782 = *E. condylophorum*.

*cynoglossoides*, Roem. & Schult. l. c. 111, 783 = *E. cynoglossoides*.

*deflexa*, Roem. & Schult. l. c. 109 = *deflexum*.

*echinophora*, Roem. & Schult. l. c. 110 = *E. minimum*.

*gracilis*, Roem. & Schult. l. c. 111 = *Pectocarya linearis*.

*javanica*, Roem. & Schult. l. c. 108, 780 = *E. javanicum*.

*Lappula*, Roem. & Schult. l. c. 109 = *E. Lappula*.

*marginata*, Roem. & Schult. l. c. 110 = *E. marginatum*.

*patens*, Nutt. in Journ. Acad. Philad. vii. (1834) 44 = *E. patens*.

*patula*, Roem. & Schult. Syst. iv. 781 = *E. patulum*.

*Redowskii*, Roem. & Schult. l. c. 110, 782 = *E. Redowskii*.

*spinocarpus*, Roem. & Schult. l. c. 111, 783 = *E. Vahlia-num*.

*squarrosa*, Roem. & Schult. l. c. 109 = *E. patulum*.

*strigosa*, Roem. & Schult. l. c. 782 = *Cynoglossum borbonicum*.

*virginica*, Roem. & Schult. l. c. 108 = *E. virginicum*.

*zeylanica*, Roem. & Schult. l. c. 108, 780 = *Cynoglossum denticulatum*.

**ROCHETIA**, Delile, in Rochet, Sec. Voy. Choï, 344 (1846) = **Trichilia**, P. Br. (Meliac.).

*choënsis*, Delile, l. c. = *T. emetica*.

**ROCHONIA**, DC. Prod. v. 345 (1836). *COM-POSITAE*, Benth. & Hook. f. ii. 259.

*BREPHOCTON*, Rafin. Fl. Tellur. ii. 49 (1836).

*cinerarioides* DC. Prod. v. 345. — Madag.

*cuneata*, DC. l. c. — Madag.

RODETIA, Moq. in DC. Prod. xiii. ii. 323 (1849) = *Bosea*, Linn. (Amarant.).  
*Amherstiana*, Moq. l. c. = *B. Amherstiana*.

**RODGERSIA**, A. Gray, in Mem. Am. Acad. N. S. vi. (1858-59) 389. *SAXIFRAGEAE*, Benth. & Hook. f. i. 635.  
*japonica*, Regel, Gartenfl. (1871) t. 708 = seq.  
*podophylla*, A. Gray, in Mem. Am. Acad. N. S. vi. (1858-59) 389.—Japon.

**RODIGIA**, Spreng. Neue Entdeck. i. 275 (1820). *COMPOSITAE*, Benth. & Hook. f. ii. 511.  
*PACHYLEPIS*, Less. Syn. Comp. 139 (1832).  
*SCLEROLEPIS*, Monn. Ess. Hierac. 81 (1829).  
*allinata*, G. Don, ex Loud. Hort. Brit. 328 = *Hypochoeris Achyrophorus*.  
*commutata*, Spreng. Neue Entdeck. i. 275.—Graecia.  
*interrupta*, Sch. Bip. Cich. Suppl. ii. 152 = *commutata*.  
*laevigata*, Spreng. Neue Entdeck. i. 276 = *Hypochoeris Achyrophorus*.

**RODRIGUEZIA**, Ruiz & Pav. Prod. 115. t. 25 (1794). *ORCHIDEAE*, Benth. & Hook. f. iii. 559.  
*BURLINGTONIA*, Lindl. Bot. Reg. t. 1927 (1837).  
*PHYSANTHERA*, Bert. ex Steud. Nom. ed. II. ii. 330, 463 (1841).  
*bahiensis*, Reicheb. f. in *Bonplandia*, ii. (1854) 90.—Bras.  
*Barkeri*, Hook. Bot. Mag. t. 2746 (Gomesae sp.)—Bras.  
*Batemani*, Lindl. in Poepp. & Endl. Nov. Ge. Sp. i. 41. t. 70.—Peruv.  
*bifolia*, Rodrig. Orch. Nov. ii. 239.—Bras.  
*brachystachys*, Reicheb. f. & Warm. in *Otia Bot. Hamb.* 87.—Bras.  
*caloplectron*, Reicheb. f. in *Gard. Chron.* (1883) i. 368.—N. Granat.  
*candida*, Batem. in *Bot. Reg.* (1837) sub t. 1927.—Guian.  
*carnea*, Lindl. l. c. (1843) Misc. 72.—N. Granat.  
*cochlearis*, Lindl. l. c. (1842) Misc. 22 = *Leochilus cochlearis*.  
*crispa*, Lindl. l. c. (1839) Misc. 86 = *Gomesa crispa*.  
*decora*, Reicheb. f. in *Bot. Zeit.* x. (1852) 771.—Bras.  
*eleutherosepala*, Rodrig. Orch. Nov. ii. 240.—Bras.  
*ensifolia*, Reicheb. f. in Walp. Ann. vi. 695, sphalm. = seq.  
*ensiformis*, Ruiz & Pav. Syst. Veg. 218.—Peruv.  
*fragrans*, Reicheb. f. in *Bot. Zeit.* x. (1852) 771.—Bras.  
*granadensis*, Reicheb. f. l. c.—N. Granat.  
*lanceolata*, Lodd. Bot. Cab. t. 676 = *secunda*.  
*lanceolata*, Ruiz & Pav. Syst. Veg. 219.—Peruv.  
*laxiflora*, Lindl. Bot. Reg. (1837) Misc. 86 = *Gomesa chrysostoma*.  
*Leeana*, Reicheb. f. in *Gard. Chron.* (1883) ii. 38.—Hab.?  
*Lehmanni*, Reicheb. f. l. c. (1883) i. 403.—N. Granat.  
*leochilina*, Reicheb. f. l. c. (1871) 970.—Costa Rica.  
*leucantha*, Rodrig. Orch. Nov. i. 146.—Bras.  
*luteola*, N. E. Br. in *Gard. Chron.* (1883) i. 688.—Hab.?  
*macrostachya*, Hort. Petrop. ex Regel, Ind. Sem. Hort. Petrop. (1856) 21 = *Gomesa Fischeri*.  
*maculata*, Lindl. Bot. Reg. (1840) Misc. 89 = *Leochilus oncidoides*.  
*maculata*, Reicheb. f. in *Bot. Zeit.* x. (1852) 771.—Bras.  
*mascarenensis*, Spreng. Syst. iii. 719.—Ins. Mascar.  
*mascarenensis*, Steud. Nom. ed. II. ii. 463, sphalm. = praec.  
*microphyta*, Rodrig. Rev. de Engenh. III. 144; ex ej. Orch. Nov. ii. 241.—Bras.  
*obtusifolia*, Reicheb. f. in *Bot. Zeit.* x. (1852) 771.—Bras.  
*pardina*, Reicheb. f. l. c. xx. (1862) 428.—Bras.  
*planifolia*, Lindl. in Trans. Hort. Soc. vii. (1830) 67 = *Gomesa planifolia*.  
*pubescens*, Reicheb. f. in *Bot. Zeit.* x. (1852) 771.—Bras.  
*recurva*, Lindl. in Trans. Hort. Soc. vii. (1830) 67 = *Gomesa recurva*.  
*refracta*, Reicheb. f. in *Bonplandia*, ii. (1854) 90, in syn.—Bras.  
*rigida*, Reicheb. f. in *Bot. Zeit.* x. (1852) 771.—Bras.

**RODRIGUEZIA** :—

*secunda*, H. B. & K. Nov. Gen. et Sp. i. 367. t. 92.—Am. trop.  
*Stangeana*, Reicheb. f. in *Hamb. Gartenz.* xiii. (1857) 314.—Hab.?  
*stenochila*, Lindl. Orchid. Linden. 23 = *Scelochilus stenochila*.  
*sticta*, Steud. Nom. ed. II. ii. 463.—Jamaic.  
*suaveolens*, Lindl. Gen. et Sp. Orch. 195 = *Gomesa foliosa*.  
*venusta*, Reicheb. f. in *Bot. Zeit.* x. (1852) 771.—Bras.

**RODSCHIEDIA**, Dennst. Schluess. Hort. Malab. 31 (1818) = **Croton**? Linn. (Euphorb.).  
*serrata*, Dennst. l. c.—Ind. or.

**RODSCHIEDIA**, Gaertn. Mey. & Scherb. Fl. Wett. ii. 413 (1800) = **Capsella**, Medic. (Crucif.).  
*Bursa-pastoris*, Gaertn. Mey. & Scherb. l. c. 435 = *C. Bursa-pastoris*.

**RODSCHIEDIA**, Miq. in Linnaea, xviii. (1844) 585 = **Securidaca**, Linn. (Polygal.).  
*surinamensis*, Miq. l. c.—Guian.

**ROËA**, Hueg. ex Benth. in Enum. Pl. Hueg. 34 (1837) = **Sphaerolobium**, Sm. (Legumin.).  
*linophylla*, Hueg. l. c. = *S. linophyllum*.  
*nudiflora*, Meissn. in Lehm. Pl. Preiss. i. 59 = *S. nudiflorum*.

**ROEBELIA**, Engel, in Linnaea, xxxiii. (1864-65) 680. t. 3. f. 5. **PALMAE**, Benth. & Hook. f. iii. 883.  
*solitaria*, Engel, l. c.—N. Granat.

**ROEGNERIA**, C. Koch, in Linnaea, xxi. (1848) 413 = **Agropyron**, J. Gaertn. (Gramin.).  
*caucasica*, C. Koch, l. c. = *A. Raegnerii*.

**ROEHLINGIA**, Dennst. Schluess. Hort. Malab. 31 (1818) = **Tetracera**, Linn. (Dillen.).  
*suaveolens*, Dennst. l. c. = *T. laevis*.

**ROELA**, Scop. Introd. 149 (1777), sphalm. = **Roëlla**, Linn. (Campan.).

**ROELANA**, Comm. ex DC. Prod. i. 575 (1824) = **Erythroxylum**, P. Br. (Lineae).  
*laurifolia*, Comm. ex DC. l. c. = *E. laurifolium*.

**ROËLLA**, Linn. Coroll. Gen. 4 (1737). **CAMPANULACEAE**, Benth. & Hook. f. ii. 558.  
*angustifolia*, Roxb. in Beats. Tracts St. Helena, 320 = *Wahlenbergia clivosa*.  
*bracteata*, A. DC. Monog. Camp. 179 = *spicata*.  
*bryoides*, Buek, in Eckl. & Zeyh. Enum. 386.—Afr. austr.  
*caespitosa*, Banks, ex A. DC. in DC. Prod. vii. 447 = *muscosa*.  
*campestris*, A. DC. l. c. = *spicata*.  
*cernua*, Brouss. Elench. Hort. Monsp. (1805) 49 = *Wahlenbergia lobelioides*.  
*ciliata*, Drège, ex A. DC. in DC. Prod. vii. 446 = *Merciera brevifolia*.  
*ciliata*, Linn. Sp. Pl. 170.—Afr. austr.  
*cinerea*, A. DC. Monog. Camp. 175 = *Lightfootia grisea*.  
*compacta*, Thunb. ex A. DC. in DC. Prod. vii. 448, 496 = *Merciera tenuifolia*.  
*decumbens*, Loud. Hort. Brit. 77 = *Wahlenbergia capensis*.  
*decurrens*, Andr. Bot. Rep. t. 238 = *Wahlenbergia capensis*.  
*decurrens*, L'Hérit. Sert. Angl. 4.—Afr. austr.  
*Dregeana*, A. DC. in DC. Prod. vii. 446 = *ciliata*.  
*Dunantii*, A. DC. Monog. Camp. 175 = *reticulata*.  
*Eckloniana*, Buek, in Eckl. & Zeyh. Enum. 385.—Afr. austr.  
*elegans*, Paxt. Mag. Bot. vi. (1839) 27.—Afr. austr.  
*erecta*, Banks, ex A. DC. in DC. Prod. vii. 444 = *Prismatocarpus altiflorus*.  
*ericoides*, Buek, in Eckl. & Zeyh. Enum. 385 = *spicata*.  
*ericoides*, Spreng. Syst. i. 723 = *Prismatocarpus paniculatus*.  
*filiformis*, Lam. Illustr. ii. 66 = *squarrosa*.  
*filiformis*, Poir. Encyc. vi. 232 = *Lightfootia fasciculata*.

**ROËLLA** :—

*fruticosa*, L'Hérit. ex A. DC. in DC. Prod. vii. 444 = *Prismatocarpus fruticosus*.  
*glabra*, Poir. Encyc. vi. 232 = *Lightfootia fasciculata*.  
*glabrella*, Banks, ex A. DC. in DC. Prod. vii. 446 = *Lightfootia grisea*.  
*glauca*, Buek, in Eckl. & Zeyh. Enum. 387 = *spicata*.  
*glomerata*, A. DC. in DC. Prod. vii. 447.—Afr. austr.  
*gracilis*, Eckl. & Zeyh. Enum. 385 = *ciliata*.  
*incurva*, Banks, ex A. DC. Monog. Camp. 172 = *ciliata*.  
*interrupta*, Banks, ex A. DC. in DC. Prod. vii. 443 = *Prismatocarpus interruptus*.  
*lateriflora*, Banks, ex A. DC. l. c. 496 = *Merciera brevifolia*.  
*latiloba*, A. DC. l. c. 447.—Afr. austr.  
*leptosepala*, Sond. in Harv. & Sond. Fl. Cap. iii. 593.—Afr. austr.  
*linifolia*, Roxb. in Beats. Tracts St. Helena, 321 = *Wahlenbergia linifolia*.  
*minor*, Buek, in Eckl. & Zeyh. Enum. 385 = *ciliata*.  
*muscosa*, Linn. f. Suppl. 143.—Afr. austr.  
*nitida*, Banks, ex A. DC. in DC. Prod. vii. 445 = *Prismatocarpus nitidus*.  
*paniculata*, Roxb. in Beats. Tracts St. Helena, 320 = *Wahlenbergia Roxburghii*.  
*pedunculata*, Berg. Desc. Pl. Cap. 42 = *Prismatocarpus paniculatus*.  
*pinifolia*, Thunb. ex A. DC. in DC. Prod. vii. 448, 496 = *Merciera tenuifolia*.  
*prostrata*, Eckl. & Zeyh. Enum. 387 = *spicata*.  
*prostrata*, E. Mey. ex A. DC. in DC. Prod. vii. 447 = *reticulata*.  
*recurva*, Banks, ex A. DC. l. c. 418 = *Lightfootia paniculata*.  
*recurvata*, A. DC. l. c. 447.—Afr. austr.  
*reflexa*, Banks, ex A. DC. l. c. 418 = *Lightfootia fasciculata*.  
*reticulata*, Lam. Encyc. vi. 232; Loisel. Herb. Amat. t. 332 = *ciliata*.  
*reticulata*, Linn. Sp. Pl. 170.—Afr. austr.  
*rigidula*, Banks, ex A. DC. in DC. Prod. vii. 447 = *squarrosa*.  
*secunda*, Buek, in Eckl. & Zeyh. Enum. 386 = *spicata*.  
*spicata*, Linn. f. Suppl. 143.—Afr. austr.  
*squarrosa*, Berg. Desc. Pl. Cap. 42.—Afr. austr.  
*tenuifolia*, Thunb. Fl. Cap. ii. 28 = *Merciera tenuifolia*.  
*ternifolia*, Willd. ex Harv. & Sond. Fl. Cap. iii. 592 = *reticulata*.  
*Thunbergii*, A. DC. Monog. Camp. 174 = *Lightfootia tenella*.

**ROËLLOIDES**, Banks, ex A. DC. Monog. Camp. 164 (1830) = **Prismatocarpus**, L'Hérit. (Campan.).

**ROELPINIA**, Scop. Introd. 231 (1777), err. typ. = **KOELPINIA**, Scop. = **Acronychia**, Forst. (Rutac.).

**ROEMERA**, Tratt. Gen. Pl. Disp. 88 (1802) = **Steriphoma**, Spreng. (1827) (Cappar.).  
*paradoxa*, Tratt. l. c. = *S. desmoides*.

**ROEMERIA**, Dennst. Schluess. Hort. Malab. 30 (1818) = **Scaevola**, Linn. (Gooden.).  
*Lobelia*, Dennst. l. c. = *S. Koenigii*.

**ROEMERIA**, Medic. in Usteri, Ann. Bot. iii. (1792) 15; DC. Syst. ii. 92 (1821). **PAPAVERACEAE**, Benth. & Hook. f. i. 53.  
*argemonoides*, Pomel, Nouv. Mat. Fl. Atl. 247.—Afr. bor.  
*bicolor*, Regel, in Bull. Soc. Nat. Mosc. xliii. (1870) i. 249.—Turkestan.  
*bivalvis*, DC. Syst. ii. 93.—Mesopot.  
*hybrida*, DC. l. c. 92 = *violacea*.  
*hybrida*, Unio It. ex Presl, Bot. Bemerk. 8 = *Schimperi*.  
*orientalis*, Boiss. in Ann. Sc. Nat. Sér. II. xvi. (1841) 374.—Persia; Mesopot.; Afghan.  
*pinnatifida*, Bélanger, Voy. Ind., absque num.—Ind. or.  
*refracta*, DC. Syst. ii. 93.—Tauria.  
*rhoeadiflora*, Boiss. Diagn. Ser. I. vi. 7.—Persia.  
*Schimperi*, Presl, Bot. Bemerk. 8.—Syria.  
*vermiculata*, Lehm. ex Sweet, Hort. Brit. ed. II. 585.—Persia.  
*violacea*, Medic. in Usteri, Ann. Bot. iii. (1792) 15.—Europ.; Afr. bor.



- ROEMERIA, Moench, Meth. 341 (1794) = **Amaranthus**, Linn.  
*polygonoides*, Moench, l. c. = *A. polygonoides*.
- ROEMERIA, Thunb. Nov. Gen. ix. 130 (1798), genus spurium.  
*argentea*, Thunb. l. c. 131 = *Anaphrenium argenteum*.  
*inermis*, Thunb. l. c. = *Sideroxylon inermis*.  
*melanophleas*, Thunb. l. c. = *Myrsine melanophleas*.
- ROEMERIA, Tratt. ex DC. Syst. ii. 92 (1821) = **Steriphoma**, Spreng. (1827) (Cappar.).
- ROEMERIA, Zea, ex Roem. & Schult. Syst. i. 61, 287 (1817) = **Diarrhena**, Rafin. (Gramin.).  
*Zea*, Roem. & Schult. l. c. 287 = *D. americana*.
- ROEPERA, A. Juss. in Mém. Mus. Par. xii. (1825) 454. t. 15. f. 3 = **Zygophyllum**, Linn.  
*aurantiaca*, Lindl. in Mitch. Three Exped. ii. 70 = *Z. fruticosum*.  
*Billardieri*, A. Juss. in Mém. Mus. Par. xii. (1825) 434. t. 5. f. 3 = *Z. Billardieri*.  
*buxifolia*, F. Muell. ex Benth. Fl. Austral. vi. 117 = *Neoroepa buxifolia*.  
*fabagifolia*, A. Juss. in Mém. Mus. Par. xii. (1825) 525. t. 15 = *Z. fruticulosum*.  
*fruticulosa*, A. Juss. l. c. 454. t. 5. f. 3 = *Z. fruticulosum*.  
*latifolia*, Hook. f. Fl. Tasman. i. 60 = *Z. apiculatum*.
- ROEPERIA, F. Muell. in Hook. Kew Journ. ix. (1857) 15 = **Gynandropsis**, DC. (Cappar.).  
*cleomoides*, F. Muell. l. c. = *G. Muellieri*.
- ROEPERIA, Spreng. Syst. iii. 13, 147 (1826) = **Ricinocarpus**, Desf. (Euphorb.).  
*pinifolia*, Spreng. l. c. 147 = *Ricinocarpus pinifolius*.
- ROEPEROCHARIS, Reichb. f. Otia Bot. Hamb. 104 (1881) = **Habenaria**, Willd. (Orchid.).  
*Bennettiana*, Reichb. f. l. c. = *H. Bennettiana* (in Addend.).  
*platyanthera*, Reichb. f. l. c. = *H. platyanthera*.
- ROESLINIA, Moench, Meth. Suppl. 211 (1802) = **Chironia**, Linn. (Gentian.).  
*angustifolia*, G. Don, Gen. Syst. iv. 203 = *C. frutescens*.  
*baccifera*, G. Don, l. c. = *C. baccifera*.  
*decussata*, G. Don, in Sweet, Hort. Brit. ed. III. 472 = *C. frutescens*.  
*frutescens*, G. Don, Gen. Syst. iv. 203 = *C. frutescens*.  
*tetragona*, Moench, Meth. Suppl. 212 = *C. baccifera*.
- ROETTLERA, Vahl, Enum. i. 88 (1805) = **ROTTLERA**, Vahl = **Didymocarpus**, Wall. (Gesner.).
- ROEZLIA, Regel, in Act. Hort. Petrop. i. (1871) 98 = **Monoctactum**, Naud. (Melast.).  
*granadensis*, Regel, l. c.; et Gartenfl. (1871) 353. = *M. quadrangulare*.
- ROGERIA, J. Gay, in Ann. Sc. Nat. Sér. I. i. (1824) 457. **PEDALINEAE**, Benth. & Hook. f. ii. 1057.  
*adenophylla*, J. Gay, l. c. = *Afr. trop.*  
*brasilensis*, J. Gay, l. c. = *Bras.*  
*longiflora*, J. Gay, l. c. = *Afr. austr.*  
*microcarpa*, Klotzsch, in Peters, Reise Mossamb. Bot. 190. = *Afr. trop.*
- ROGIERA, Planch. in Fl. des Serres, v. (1849) t. 442 = **Rondeletia**, Linn. (Rubiace.).  
*amoena*, Planch. l. c. = *Rond. amoena*.  
*cordata*, Planch. l. c. sub t. 442 = *Rond. cordata*.  
*elegans*, Planch. l. c. sub t. 442 = *Rond. Roezlii*.  
*elegantissima*, Regel, Gartenfl. (1865) t. 490 = *Rond. gratissima*.  
*gratissima*, Linden, ex Planch. in Fl. des Serres, xv. (1862-65) 133 = *Rond. gratissima*.  
*latifolia*, Decne. in Rev. Hort. Sér. IV. ii. (1853) 121. t. 7 = *Rond. amoena*.  
*menchma*, Planch. in Fl. des Serres, v. (1849) sub t. 442 = *Rond. amoena*.  
*Roezlii*, Planch. l. c. = *Rond. Roezlii*.  
*rugosa*, Hemsl. Biol. Centr. Am. Bot. ii. 17, in syn. = *Rond. amoena*.  
*urophylla*, Hort. — Cf. Gard. Chron. (1857) 756. — *Mexic.*  
*versicolor*, Lindl. & Paxt. Flow. Gard. ii. (1851-52) 69; Lem. Jard. Fleur. ii. (1852) t. 112 = *Rond. amoena*.

- ROHDEA**, Roth, Nov. Pl. Sp. 196 (1821). **LILIA-CEAE**, Benth. & Hook. f. iii. 772.  
**RHODEA**, Endl. Gen. 155 (1837), sphalm.  
**TITRAGYNE**, Salisb. Gen. Pl. Fragm. 9 (1866).  
*japonica*, Roth, Nov. Pl. Sp. 197. — *Japon.*  
*nutans*, Schult. f. Syst. vii. 1653 = *Tupistra nutans*.  
*Tupistra*, Schult. f. l. c. 173 = *Tupistra squalida*.
- ROHRIA**, Schreb. Gen. 30 (1789) = **Tapura**, Aubl. (Chaillat.).  
*petioliflora*, Willd. Sp. Pl. i. 186 = *T. guianensis*.  
*Schreberi*, J. F. Gmel. Syst. 93 = *T. guianensis*?  
*Tapura*, J. F. Gmel. l. c. = *T. guianensis*.
- ROHRIA**, Vahl, in Danske Nat. Selsk. Skriv. i. II. (1791) 15 = **Berkheya**, Ehrh. (Compos.).  
*armata*, Vahl, l. c. ii. II. (1793) 39 = *B. carthamoides*.  
*bisulca*, Thunb. Nov. Gen. 124 = *Cullumia bisulca*.  
*carlinoides*, Vahl, in Danske Nat. Selsk. Skriv. i. II. (1791) 17 = *B. carlinoides*.  
*carthamoides*, Thunb. l. c. iii. (1793) 103. t. 8 = *B. carthamoides*.  
*ciliaris*, Thunb. l. c. 99 = *Cullumia ciliaris*.  
*cruciata*, Thunb. l. c. 104 = *B. cruciata*.  
*cuneata*, Thunb. l. c. 105 = *B. cuneata*.  
*cynaroides*, Vahl, l. c. i. II. (1791) 16 = *B. cynaroides*.  
*decurrens*, Thunb. l. c. iii. (1793) 104 = *Stephanocoma berkheyoides*.  
*grandiflora*, Thunb. l. c. 107 = *B. grandiflora*.  
*hispida*, Thunb. l. c. 101 = *Cullumia hispida*.  
*ilicifolia*, Vahl, l. c. ii. II. (1793) 40. t. 7 = *B. grandiflora*.  
*incana*, Thunb. l. c. iii. (1793) 106 = *B. fruticosa*.  
*lanceolata*, Thunb. l. c. 98 = *B. lanceolata*.  
*monanthos*, Thunb. l. c. 102 = *B. uniflora*.  
*obovata*, Thunb. l. c. 106 = *B. obovata*.  
*palmata*, Thunb. l. c. 108 = *B. palmata*.  
*patula*, Thunb. Nov. Gen. 124 = *Cullumia patula*.  
*pectinata*, Thunb. l. c. = *Cullumia pectinata*.  
*pungens*, Thunb. l. c. 125 = *B. pungens*.  
*revoluta*, Vahl, in Danske Nat. Selsk. Skriv. ii. II. (1793) 40 = *B. lanceolata*.  
*setosa*, Thunb. l. c. iii. (1793) 101 = *Cullumia setosa*.  
*decurrens*.  
*spinosissima*, Thunb. l. c. 108 = *B. spinosissima*.  
*squarrosa*, Thunb. l. c. 100 = *Cullumia squarrosa*.  
*sulcata*, Thunb. Nov. Gen. 123 = *Cullumia sulcata*.
- ROIA**, Scop. Introd. 226 (1777) = **Swietenia**, Jacq. (Meliac.).
- ROJOC**, Adans. Fam. ii. 146 (1763) = **Morinda**, Linn. (Rubiace.).
- ROKEJEKA**, Forsk. Fl. Aegypt. Arab. 90 (1775) = **Gypsophila**, Linn. (Caryoph.).  
*capillaris*, Forsk. l. c. p. lxvi = *G. Rokejeka*.  
*deserti*, J. F. Gmel. Syst. 703 = *G. Rokejeka*.
- ROLANDRA**, Rottb. in Soc. Med. Havn. Collect. ii. (1775) 256. **COMPOSITAE**, Benth. & Hook. f. ii. 237.  
*argentea*, Rottb. l. c. 258. — *Am. austr.*  
*diacantha*, Cass. in Dict. Sc. Nat. xlvii. 170 = *argentea*.  
*fruticosa*, Rottb. in Soc. Med. Havn. Collect. ii. (1775) 268 = *argentea*.  
*monacantha*, Cass. l. c. = *argentea*.  
*reptans*, Willd. ex DC. Prod. v. 91 = *Trichospira menthoides*.  
*terminalis*, Spreng. Syst. iii. 673 = *Ichthyothere Cunabi*.
- ROLDANA**, La Llave, in La Llave & Lex. Nov. Veg. Desc. fasc. ii. 10 (1825) = **Senecio**, Tourn. (Compos.).  
*lobata*, La Llave, l. c. = *S. Roldana*.
- ROLFINKIA**, Zenk. Pl. Ind. 13. t. 14 (1837) = **Centratherum**, Cass. (Compos.).  
*centaurioides*, Zenk. l. c. 14. t. 14 = *C. reticulatum*.
- ROLLANDIA**, Gaudich. in Freyc. Voy. Bot. 458. t. 74 (1826). **CAMPANULACEAE**, Benth. & Hook. f. ii. 546.  
*ambigua*, G. Don, Gen. Syst. iii. 698. — *Ins. Sandvic.*  
*calycina*, G. Don, l. c. 699. — *Ins. Sandvic.*  
*crispa*, Gaudich. in Freyc. Voy. Bot. 459 = *lanceolata*.  
*Delessertiana*, Gaudich. Bot. Voy. Bonite, t. 75 = *lanceolata*.

**ROLLANDIA** :—

- Humboldtiana*, Gaudich. Bot. Voy. Bonite, t. 76. — *Ins. Sandvic.*  
*Kaalae*, Wawra, in Flora, lvi. (1873) 45 = *Humboldtiana*.  
*lanceolata*, Gaudich. in Freyc. Voy. Bot. 458. — *Ins. Sandvic.*  
*longiflora*, Wawra, in Flora, lvi. (1873) 44. — *Ins. Sandvic.*  
*montana*, Gaudich. in Freyc. Voy. Bot. 13. t. 74 = *lanceolata*.  
*pedunculosa*, Wawra, in Flora, lvi. (1873) 46. — *Ins. Sandvic.*  
*pinnatifida*, G. Don, Gen. Syst. iii. 698 = *Delissea pinnatifida*.  
*scabra*, Wawra, in Flora, lvi. (1873) 46 = *lanceolata*.

- ROLLINIA**, A. St. Hil. Fl. Bras. Mer. i. 28. t. 5 (1825). **ANONACEAE**, Benth. & Hook. f. i. 27.  
*biflora*, G. Don, Gen. Syst. i. 91. — *Peruv.*  
*cuspidata*, Mart. Fl. Bras. xiii. i. 20. — *Bras.*  
*dolabripetala*, A. St. Hil. Fl. Bras. Mer. i. 29 = *longifolia*.  
*edulis*, Planch. & Triana, in Ann. Sc. Nat. Sér. IV. xvii. (1862) 30. — *N. Granat.*  
*emarginata*, Schlecht. in Linnaea, ix. (1835) 318. — *Bras.*  
*exalbida*, Mart. Fl. Bras. xiii. i. 19. — *Bras.*  
*exsucca*, A. DC. in Mém. Soc. Phys. Genève. v. (1832) 199. — *Guian.*  
*fagifolia*, A. St. Hil. Fl. Bras. Mer. i. 29. — *Bras.*  
*fagifolia*, Schlecht. in Linnaea, ix. (1835) 316. — *Bras.*  
*glauescens*, Miq. Stirp. Surin. Sel. 108 = *resinosa*.  
*glauescens*, Sond. in Linnaea, xxii. (1849) 557. — *Bras.*  
*laurifolia*, Schlecht. l. c. ix. (1835) 319. — *Bras.*  
*longifolia*, A. St. Hil. Fl. Bras. Mer. i. 29. — *Bras.*  
*membranacea*, Planch. & Triana, in Ann. Sc. Nat. Sér. IV. xvii. (1862) 30. — *N. Granat.*  
*micrantha*, G. Don, Gen. Syst. i. 91. — *Peruv.*  
*mucosa*, Baill. Adansonia, viii. (1868) 268 = *Sieberi*.  
*multiflora*, Splitg. in Hoev. & De Vriese, Tijdschr. ix. (1842) 97. — *Guian.*  
*orthopetala*, A. DC. in Mém. Soc. Phys. Genève. v. (1832) 200. — *Guian.*  
*parviflora*, A. St. Hil. Pl. Us. Brés. t. 30. — *Bras.*  
*Poeppigii*, Mart. Fl. Bras. xiii. i. 47. — *Bras.*  
*pterocarpa*, G. Don, Gen. Syst. i. 91. — *Peruv.*  
*puberula*, A. DC. in Mém. Soc. Phys. Genève. v. (1832) 200. — *Guian.*  
*pulchrinervia*, A. DC. l. c. 201. — *Guian.*  
*resinosa*, Spruce, ex Benth. in Hook. Kew Journ. v. (1853) 9. — *Guian.*  
*rufinervis*, Triana & Planch. in Ann. Sc. Nat. Sér. IV. xvii. (1862) 30. — *N. Granat.*  
*rugulosa*, Schlecht. in Linnaea, ix. (1835) 317. — *Bras.*  
*salicifolia*, Schlecht. l. c. — *Bras.*  
*Sieberi*, A. DC. in Mém. Soc. Phys. Genève. v. (1832) 199. — *Mexic.*  
*silvatica*, Mart. Fl. Bras. xiii. i. 18. — *Bras.*  
*Sonderiana*, Walp. Ann. iii. 813 = *glauescens*.  
*sylvatica*, Warm. in Kjoeb. Vidensk. Meddel. (1873) 159. — *Bras.*  
*tenuifolia*, DC. ex Steud. Nom. ed. II. ii. 464. — *Guian.*  
*tinifolia*, Klotzsch, in Schomb. Faun. & Fl. Brit. Gui. 1163, nomen. — *Guian.*

- ROLOFA**, Adans. Fam. ii. 256 (1763) = **Mollugo**, Linn. (Ficoid.).

- ROMANA**, Vell. Fl. Flum. 54 (1825), partim = **Buddleia**, Linn. (Logan.).  
*campestris*, Vell. Fl. Flum. 55; i. t. 146 = *B. elegans*.  
*crenata*, Vell. l. c. t. 147. — *Bras.*  
*integerrima*, l. c. t. 148. — *Bras.*

- ROMANZOFFIA**, Cham. in Nees, Hor. Phys. Berol. 71. t. 14 (1820). **HYDROPHYLLACEAE**, Benth. & Hook. f. ii. 830.  
*altera*, Cham. in Linnaea, ii. (1827) 732, 609 = *sitchensis*.  
*sitchensis*, Bong. in Mém. Acad. Pétersb. ii. (1833) 156. — *Ins. Sitcha.*  
*unalaschensis*, Cham. in Nees, Hor. Phys. Berol. 72. t. 14. — *Ins. Aleut.*

- ROMANZOVIA**, Spreng. Syst. i. 584 (1825) = *praece.*

- ROMANZOWIA**, DC. Prod. i. 319 (1824) = *praece.*

ROMBUT, Rumph. ex Adans. Fam. ii. 284 (1763) = *Cassytha*, Linn. (Laurin.).

ROMNEYA, Harv. in Hook. Lond. Journ. Bot. iv. (1845) 74. t. 3. *PAPAVERACEAE*, Benth. & Hook. f. i. 51.  
Coulteri, *Harv. l. c.* 75.—Calif.

ROMOVIA, Muell. Arg. in DC. Prod. xv. II. 1134, in syn. (1866), sphalm. = RONNOWIA, Buc'hoz = *Omphalea*, Linn. (Euphorb.).

ROMUALDEA, Triana & Planch. in Ann. Sc. Nat. Sér. V. xvi. (1872) 370 = *Hippocratea*, Linn. (Celastr.).

*apiculata*, Triana & Planch. l. c., in nota = *H. megacarpa*.

*integrifolia*, Triana & Planch. l. c. = *H. integrifolia*.

*lancifolia*, Triana & Planch. l. c. = *H. lancifolia* (in Addend.).

*macrophylla*, Triana & Planch. l. c. = *H. macrophylla*.

*malpighifolia*, Triana & Planch. l. c. 372 = *H. integrifolia*.

*Wrightiana*, Triana & Planch. l. c. = *H. malpighiae-folia*?

ROMULEA, Maratti, Diss. Romul. et Saturn. Romae, 13. t. 1 (1772). *IRIDEAE*, Benth. & Hook. f. iii. 694.

ILMU, Adans. Fam. ii. 497 (1763), nomen prius.  
SPATALANTHUS, Sweet, Brit. Flow. Gard. Ser. I. t. 300 (1829).

TRICHOMEMA, S. F. Gray, Nat. Arr. Brit. Pl. ii. 195 (1821).

TRICHONEMA, [Ker-Gawl.] in Bot. Mag. t. 575 (1802).

*arenaria*, Eckl. *Top. Verz.* 18.—Afr. austr.

*auvea*, Klatt, in Abh. Naturf. Ges. Halle, xii. (1882) 399 = *sublutea*.

*barbata*, Baker, in *Journ. Bot.* xiv. (1876) 236.—Afr. austr.

*bulbocodioides*, Eckl. *Top. Verz.* 19.—Afr. austr.

*Bulbocodium*, Kunze, in Flora, xxix. (1846) 689 = *Clusiana*.

*Bulbocodium*, Parl. Fl. Ital. iii. 246 = *Linaresii*.

*Bulbocodium*, Sebast. & Mauri, Fl. Roman. 17.—Reg. Mediterr.

*caelestina*, Vis. Cat. Hort. Patav. (1842) 145.—Hab. ?

*camerooniana*, Baker, in *Journ. Bot.* xiv. (1876) 236.—Afr. trop.

*candida*, Tenore, Cat. Ort. Nap. (1845) 95.—Afr. austr.

*caulescens*, Klatt, in Abh. Naturf. Ges. Halle, xii. (1882) 399 = *bulbocodioides*.

*chloroleuca*, Baker, in *Journ. Linn. Soc.* xvi. (1877) 89.—Afr. austr.

*chloroleuca*, Eckl. *Top. Verz.* 20 = *bulbocodioides*.

*Clusiana*, Nym. Syll. Suppl. 62; Baker, in *Journ. Linn. Soc.* xvi. (1877) 87.—Hispan.; Lusit.

*Columnae*, Sebast. & Mauri, Fl. Roman. 18.—Reg. Mediterr.

*corsica*, Jord. & Fourr. Brev. Pl. Nov. Fasc. ii. 107.—Ins. Corsic.

*crocea*, Boiss. & Heldr. Diagn. Ser. I. xiii. 18 = *R. Bulbocodium*.

*crocifolia*, Vis. Fl. Dalm. Suppl. 30. t. 2. f. 2.—Dalmat.

*cruciata*, Eckl. *Top. Verz.* 19; Baker, in *Journ. Linn. Soc.* xvi. (1877) 89.—Afr. austr.

*cuprea*, Baker, in *Journ. Bot.* xiv. (1876) 236.—Afr. austr.

*dichotoma*, Baker, in *Journ. Linn. Soc.* xvi. (1877) 89 = *rosea*.

*elegans*, Klatt, in Abh. Naturf. Ges. Halle, xii. (1882) 400.—Afr. austr.

*elongata*, Baker, in *Journ. Linn. Soc.* xvi. (1877) 87.—Ins. Sardo.

*filifolia*, Eckl. *Top. Verz.* 20.—Afr. austr.

*flaveola*, Jord. & Fourr. Brev. Pl. Nov. Fasc. ii. 106 = *R. Bulbocodium*.

*flexuosa*, Klatt, in Abh. Naturf. Ges. Halle, xii. (1882) 400.—Afr. austr.

*fragrans*, Eckl. *Top. Verz.* 19 = *Ixia fragrans*.

*grandiflora*, Tin. in Todaro, Ind. Sem. Hort. Panorm. (1857) 44 = *R. Bulbocodium*.

*grandiscapa*, F. Gay, ex Baker, in *Journ. Linn. Soc.* xvi. (1877) 87.—Ins. Canar.

*Hartungii*, Parl. ex G. Hartung, Geogn. Verh. Ins. Lanzarote, Fuertav. 143 = *grandiscapa*.

*hirsuta*, Eckl. *Top. Verz.* 19.—Afr. austr.

*hirsuta*, Eckl. *Top. Verz.* 19.—Afr. austr.

*hirsuta*, Eckl. *Top. Verz.* 19.—Afr. austr.

*hirsuta*, Eckl. *Top. Verz.* 19.—Afr. austr.

*hirsuta*, Eckl. *Top. Verz.* 19.—Afr. austr.

*hirsuta*, Eckl. *Top. Verz.* 19.—Afr. austr.

*hirsuta*, Eckl. *Top. Verz.* 19.—Afr. austr.

*hirsuta*, Eckl. *Top. Verz.* 19.—Afr. austr.

*hirsuta*, Eckl. *Top. Verz.* 19.—Afr. austr.

*hirsuta*, Eckl. *Top. Verz.* 19.—Afr. austr.

*hirsuta*, Eckl. *Top. Verz.* 19.—Afr. austr.

# ROMULEA:—

*latifolia*, Baker, in *Journ. Bot.* xiv. (1876) 237.—Afr. austr.

*ligustica*, Parl. Fl. Ital. iii. 249.—Italia.

*Linaresii*, De Not. & Caldesi, ex Parl. Fl. Ital. iii. 249 = *ligustica*.

*Linaresii*, Parl. Fl. Panorm. i. 38.—Europ.; As. Min.

*Linaresii*, Rolli, ex Parl. Fl. Ital. iii. 251 = *ramiflora*.

*longifolia*, Baker, in *Journ. Linn. Soc.* xvi. (1877) 89.—Afr. austr.

*Macowani*, Baker, in *Journ. Bot.* xiv. (1876) 236.—Afr. austr.

*minima*, Tenore, in Mem. Acc. Sc. Borb. Nap. iii. II. (1832) 117.—Italia.

*minuta*, Eckl. *Top. Verz.* 19 = *Pauridia hypoxioides*.

*minutiflora*, Klatt, in Abh. Naturf. Ges. Halle, xii. (1882) 399.—Afr. austr.

*modesta*, Jord. Ic. Fl. Europ. t. 110 = *R. Columnae*.

*multiflora*, Req. ex Parl. Fl. Ital. iii. 243 = *R. Bulbocodium*.

*neglecta*, Jord. & Fourr. Brev. Pl. Nov. Fasc. ii. 107.—Italia.

*nivalis*, Boiss. Fl. Orient. v. 116 = *R. Bulbocodium*.

*nivalis*, Klatt, in Abh. Naturf. Ges. Halle, xii. (1882) 400.—Afr. austr.

*numidica*, Jord. & Fourr. Brev. Pl. Nov. Fasc. i. 49.—Algeria.

*obscura*, Klatt, in Abh. Naturf. Ges. Halle, xii. (1882) 399.—Afr. austr.

*Parlatorii*, Todaro, Ind. Sem. Hort. Panorm. (1857) 45.—Cf. Linnaea, xxix. (1857–58) 749 = *ramiflora*.

*parviflora*, Eckl. *Top. Verz.* 19.—Afr. austr.

*pubica*, Baker, in *Journ. Linn. Soc.* xvi. (1877) 89 = *rosea*.

*pulchella*, Jord. & Fourr. Brev. Pl. Nov. Fasc. ii. 106 = *R. Bulbocodium*.

*purpurascens*, Parl. Fl. Panorm. i. 40 = *ramiflora*.

*purpurascens*, Tenore, in Mem. Acc. Sc. Borb. Nap. iii. II. (1832) 117.—Reg. Mediterr.

*pylia*, Klatt, in Abh. Naturf. Ges. Halle, xii. (1882) 398.—Afr. austr.

*pylia*, Nym. Consp. 704 = *R. Bulbocodium*.

*ramiflora*, Tenore, Ind. Sem. Hort. Neap. (1826) 3; et in Mem. Acc. Sc. Borb. Nap. iii. II. (1832) 117. t. 7.—Reg. Mediterr.

*ramosa*, Eckl. *Top. Verz.* 19 = *arenaria*?

*recurva*, Eckl. l. c. 20 = *bulbocodioides*.

*reflexa*, Eckl. l. c. 18.—Afr. austr.

*Requienii*, Parl. Fl. Ital. iii. 248.—Ins. Corsic.

*Revelieri*, Jord. & Fourr. Brev. Pl. Nov. Fasc. i. 49 = *bulbocodioides*.

*Rollii*, Parl. Fl. Ital. iii. 251 = *ramiflora*.

*rosea*, Eckl. *Top. Verz.* 19.—Afr. austr.

*similis*, Eckl. l. c.—Afr. austr.

*speciosa*, Baker, in *Journ. Linn. Soc.* xvi. (1877) 89 = *rosea*.

*spiralis*, Baker, l. c. 90.—Afr. austr.

*subalbida*, Jord. & Fourr. Brev. Pl. Nov. Fasc. ii. 108 = *R. Columnae*.

*sublutea*, Baker, in *Journ. Linn. Soc.* xvi. (1877) 88.—Afr. austr.

*subpalustris*, Klatt, in Abh. Naturf. Ges. Halle, xii. (1882) 398.—Afr. austr.

*subpalustris*, Nym. Consp. 704 = *purpurascens*.

*syrtica*, Jord. & Fourr. Brev. Pl. Nov. Fasc. i. 48 = *R. Bulbocodium*.

*tabularis*, Eckl. & Zeyh. 18, nomen = *speciosa*.

*tortuosa*, Baker, in *Journ. Linn. Soc.* xvi. (1877) 88.—Afr. austr.

*tridentifera*, Klatt, in Abh. Naturf. Ges. Halle, xii. (1882) 398.—Afr. austr.

*tubata*, Klatt, l. c. 401.—Afr. austr.

*uliginosa*, Kunze, in Flora, xxix. (1846) 690 = *R. Bulbocodium*.

*umbellata*, Klatt, in Abh. Naturf. Ges. Halle, xii. (1882) 402 = *R. Bulbocodium*.

*uncinata*, Klatt, l. c. 401 = *hirsuta*.

*vulgaris*, Eckl. *Top. Verz.* 18 = *rosea*.

*Zeyheri*, Eckl. l. c. 19.—Afr. austr.

*Zeyheri*, Eckl. l. c. 19.—Afr. austr.

*Zeyheri*, Eckl. l. c. 19.—Afr. austr.

*Zeyheri*, Eckl. l. c. 19.—Afr. austr.

*Zeyheri*, Eckl. l. c. 19.—Afr. austr.

*Zeyheri*, Eckl. l. c. 19.—Afr. austr.

*Zeyheri*, Eckl. l. c. 19.—Afr. austr.

*Zeyheri*, Eckl. l. c. 19.—Afr. austr.

*Zeyheri*, Eckl. l. c. 19.—Afr. austr.

*Zeyheri*, Eckl. l. c. 19.—Afr. austr.

*Zeyheri*, Eckl. l. c. 19.—Afr. austr.

*Zeyheri*, Eckl. l. c. 19.—Afr. austr.

*Zeyheri*, Eckl. l. c. 19.—Afr. austr.

*Zeyheri*, Eckl. l. c. 19.—Afr. austr.

*Zeyheri*, Eckl. l. c. 19.—Afr. austr.

*Zeyheri*, Eckl. l. c. 19.—Afr. austr.

# RONABEA:—

*didymocarpus*, A. Rich. in Mém. Soc. Hist. Nat. Par. v. (1834) 170.—Guian.

*emetica*, A. Rich. l. c. = *Psychotria emetica*.

*erecta*, Aubl. Pl. Gui. i. 156 = *P. axillaris*.

*latifolia*, Aubl. l. c. 154. t. 59 = *P. axillaris*.

*morindoides*, A. Rich. in Mém. Soc. Hist. Nat. Par. v. (1834) 170.—Guian.

*myodendron*, A. Rich. l. c. = *P. leiocarpa*.

*viscoides*, A. Rich. l. c. = *P. parasitica*.

*viscoides*, A. Rich. l. c. = *P. parasitica*.

*viscoides*, A. Rich. l. c. = *P. parasitica*.

*viscoides*, A. Rich. l. c. = *P. parasitica*.

*viscoides*, A. Rich. l. c. = *P. parasitica*.

*viscoides*, A. Rich. l. c. = *P. parasitica*.

*viscoides*, A. Rich. l. c. = *P. parasitica*.

*viscoides*, A. Rich. l. c. = *P. parasitica*.

*viscoides*, A. Rich. l. c. = *P. parasitica*.

*viscoides*, A. Rich. l. c. = *P. parasitica*.

*viscoides*, A. Rich. l. c. = *P. parasitica*.

*viscoides*, A. Rich. l. c. = *P. parasitica*.

*viscoides*, A. Rich. l. c. = *P. parasitica*.

*viscoides*, A. Rich. l. c. = *P. parasitica*.

*viscoides*, A. Rich. l. c. = *P. parasitica*.

*viscoides*, A. Rich. l. c. = *P. parasitica*.

*viscoides*, A. Rich. l. c. = *P. parasitica*.

*viscoides*, A. Rich. l. c. = *P. parasitica*.

*viscoides*, A. Rich. l. c. = *P. parasitica*.

*viscoides*, A. Rich. l. c. = *P. parasitica*.

*viscoides*, A. Rich. l. c. = *P. parasitica*.

*viscoides*, A. Rich. l. c. = *P. parasitica*.

*viscoides*, A. Rich. l. c. = *P. parasitica*.

*viscoides*, A. Rich. l. c. = *P. parasitica*.

*viscoides*, A. Rich. l. c. = *P. parasitica*.

*viscoides*, A. Rich. l. c. = *P. parasitica*.

*viscoides*, A. Rich. l. c. = *P. parasitica*.

*viscoides*, A. Rich. l. c. = *P. parasitica*.

*viscoides*, A. Rich. l. c. = *P. parasitica*.

*viscoides*, A. Rich. l. c. = *P. parasitica*.

*viscoides*, A. Rich. l. c. = *P. parasitica*.

*viscoides*, A. Rich. l. c. = *P. parasitica*.

*viscoides*, A. Rich. l. c. = *P. parasitica*.

*viscoides*, A. Rich. l. c. = *P. parasitica*.

*viscoides*, A. Rich. l. c. = *P. parasitica*.

*viscoides*, A. Rich. l. c. = *P. parasitica*.

*viscoides*, A. Rich. l. c. = *P. parasitica*.

*viscoides*, A. Rich. l. c. = *P. parasitica*.

*viscoides*, A. Rich. l. c. = *P. parasitica*.

*viscoides*, A. Rich. l. c. = *P. parasitica*.

*viscoides*, A. Rich. l. c. = *P. parasitica*.

*viscoides*, A. Rich. l. c. = *P. parasitica*.

*viscoides*, A. Rich. l. c. = *P. parasitica*.

*viscoides*, A. Rich. l. c. = *P. parasitica*.

*viscoides*, A. Rich. l. c. = *P. parasitica*.

*viscoides*, A. Rich. l. c. = *P. parasitica*.

*viscoides*, A. Rich. l. c. = *P. parasitica*.

*viscoides*, A. Rich. l. c. = *P. parasitica*.

*viscoides*, A. Rich. l. c. = *P. parasitica*.

*viscoides*, A. Rich. l. c. = *P. parasitica*.

*viscoides*, A. Rich. l. c. = *P. parasitica*.

**RONDELETIA:—**

- elongata, *Bartl. ex DC. Prod.* iv. 409.—Mexic.  
 eriantha, *Benth. Pl. Hartw.* 192.—N. Granat.  
 eriocarpa, *Karst. in Linnaea*, xxx. (1859–60) 147.—  
 N. Granat.  
 erythronura, *Karst. l. c.* 148.—N. Granat.  
 exserta, *Roxb. Hort. Beng.* 14; *Fl. Ind.* i. 523 =  
 Wendlandia exserta.  
 febrifuga, *Afzel. ex G. Don, Gen. Syst.* iii. 516 =  
 Crossopteryx Kotschyana.  
 floribunda, *G. Don, Gen. Syst.* iii. 516 = Holarrhena  
 africana.  
 glauca, *Griseb. Fl. Brit. W. Ind.* 329.—Ind. occ.  
 glomerulata, *Spreng. Syst.* i. 707.—Guian.  
 gracilis, *Hemsl. Diagn. Pl. Nov.* 53.—Mexic.  
 gratissima, *Hemsl. l. c.* 25.—Am. trop.  
 Heynii, *Roem. & Schult. Syst.* v. 234 = Wendlandia  
 exserta.  
 hirsuta, *Spreng. ex DC. Prod.* iv. 409 = Berteriana.  
 hirsuta, *Sw. Prod. Veg. Ind. Occ.* 41.—Jamaic.  
 hirta, *Bartl. ex DC. Prod.* iv. 408 = panamensis.  
 hirta, *Sw. Prod. Veg. Ind. Occ.* 41.—Jamaic.  
 hypoleuca, *Griseb. Cat. Pl. Cub.* 128.—Cuba.  
 incana, *Spreng. Syst.* i. 707 = royaefolia.  
 incana, *Sw. Prod. Veg. Ind. Occ.* 41.—Jamaic.  
 intermedia, *Hemsl. Diagn. Pl. Nov.* 26.—Mexic.  
 Jurgenseni, *Hemsl. l. c.* 29.—Mexic.  
 laevigata, *Ait. Hort. Kew.* ed. II. i. 366.—Ind. occ.  
 laevigata, *DC. Prod.* iv. 408 (sp. dub.).—Ins. Trinit.  
 lanceolata, *Spreng. Syst.* i. 707 = Mussaenda luteola.  
 Landia, *Spreng. l. c.* = Mussaenda Landia.  
 laniflora, *Benth. Pl. Hartw.* 85.—Guatemala.  
 latifolia, *Oerst. in Kjoeb. Vidensk. Meddel.* (1852) 43.  
 —Am. centr.  
 laurifolia, *Sw. Fl. Ind. Occ.* i. 363.—Jamaic.  
 leptacantha, *DC. Prod.* iv. 410.—Cuba.  
 leucophylla, *H. B. & K. Nov. Gen. et Sp.* iii. 395.—  
 Mexic.  
 ligustroides, *Hemsl. Diagn. Pl. Nov.* 26.—Mexic.  
 Lindeniana, *A. Rich. Fl. Cub. Fanerog.* ii. 13.—  
 Cuba.  
 linguiformis, *Hemsl. Diagn. Pl. Nov.* 29.—Mexic.  
 longiflora, *Cham. in Linnaea*, ix. (1834) 240 = Hindsia  
 longiflora.  
 longifolia, *Wall. in Roxb. Fl. Ind. ed. Carey*, ii. 137 =  
 Adenosacme longifolia.  
 loniceroides, *G. Don, Gen. Syst.* iii. 516 = Usteria  
 guineensis.  
 lucida, *Wall. Cat. n.* 8453 (= *Webera fragrans*).—  
 Malaya.  
 macrophylla, *Hort. ex Hemsl. Biol. Centr. Am. Bot.* ii.  
 17 = amoena.  
 microdon, *DC. Prod.* iv. 408.—Cuba.  
 microdonta, *St. Lag. in Ann. Soc. Bot. Lyon*, vii.  
 (1880) 133 = praec.  
 microphylla, *Wright, ex Griseb. Cat. Pl. Cub.* 127.—  
 Cuba.  
 nicaraguensis, *Oerst. in Kjoeb. Vidensk. Meddel.* (1852)  
 43.—Nicarag.  
 nitida, *Hemsl. Diagn. Pl. Nov.* 29.—Mexic.  
 obovata, *Linn. Syst. ed. XII.* 163 = odorata.  
 odorata, *Jacq. Enum. Pl. Carib.* 16.—Cuba; Mexic.  
 orissensis, *Roth, Nov. Pl. Sp.* 142 = Wendlandia  
 exserta.  
 panamensis, *DC. Prod.* iv. 408.—Panama.  
 paniculata, *Roxb. Hort. Beng.* 15; *Fl. Ind.* i. 521 =  
 Wendlandia paniculata.  
 parviflora, *Poir. Encyc.* vi. 252.—Ins. Martinic.  
 pedicellaris, *Wright, in Sawv. Fl. Cub.* 63.—Cuba.  
 peduncularis, *A. Rich. Fl. Cub. Fanerog.* ii. 14.—  
 Cuba.  
 pendula, *Wall. in Roxb. Fl. Ind. ed. Carey*, ii. 140 =  
 Wendlandia pendula.  
 phialanthoides, *Griseb. Cat. Pl. Cub.* 129.—Ind. occ.  
 pilosa, *Sw. Prod. Veg. Ind. Occ.* 41.—Ind. occ.  
 Poitaci, *Griseb. Fl. Brit. W. Ind.* 328; *et in Mem.*  
*Am. Acad. N. S.* viii. (1863) 505.—Ind. occ.  
 polita, *Griseb. l. c.* 326.—Jamaic.  
 proxima, *D. Don, Prod. Fl. Nep.* 139 = Wendlandia  
 tinctoria.  
 pubescens, *H. B. & K. Nov. Gen. et Sp.* iii. 396.—  
 N. Granat.  
 Purdiei, *Hook. f. Bot. Mag.* t. 5669.—N. Granat.  
 racemosa, *Billb. ex Beurl. in Vet. Akad. Handl.*  
*Stockh.* 1854 (1856) 133 = Palicourea laevigata.  
 racemosa, *Hort. ex Tenore, in Parl. Giorn. Bot. Ital.* ii.  
 (1847) VII–VIII. 203 = Psychotria trichotoma.  
 racemosa, *Sw. Fl. Ind. Occ.* i. 360.—Jamaic.

**RONDELETIA:—**

- reflexa, *Benth. Pl. Hartw.* 192.—N. Granat.  
 repens, *Linn. Syst. ed. X.* 928.—Jamaic.?  
 rhynchospora, *H. B. & K. Nov. Gen. et Sp.* iii. 395.—  
 N. Granat.  
 rigida, *Griseb. in Mem. Am. Acad. N. S.* viii. (1863)  
 505.—Ind. occ.  
 Roezlii, *Hemsl. Biol. Centr. Am. Bot.* ii. 23.—  
 Guatemala.  
 royaefolia, *DC. Prod.* iv. 410.—Ins. S. Doming.  
 rugosa, *Benth. ex Oerst. in Kjoeb. Vidensk. Meddel.*  
 (1852) 43.—Am. centr.  
 scabra, *Hemsl. Diagn. Pl. Nov.* 29.—Mexic.  
 scandens, *Roxb. Hort. Beng.* 85; *Fl. Ind.* i. 524.—  
 Ins. Maurit.  
 speciosa, *Lodd. Bot. Cab. t.* 1893; *Paxt. Mag. Bot.* ii.  
 (1836) 242 = odorata.  
 spicata, *Wall. in Roxb. Fl. Ind. ed. Carey*, ii. 139 =  
 Greenea Jackii.  
 spinescens, *Spreng. Syst.* i. 708 = Randia nitida.  
 splendens, *Regel, Cat. Pl. Hort. Aksakov.* 124 (Quid?).  
 —Hab.?  
 stenosisoph, *Hemsl. Diagn. Pl. Nov.* 26.—Mexic.  
 stereocarpa, *Griseb. Fl. Brit. W. Ind.* 327.—Ins.  
 Dominic.  
 stricta, *Roth, Nov. Pl. Sp.* 140 = Hyptianthera stricta.  
 strigosa, *Hemsl. Biol. Centr. Am. Bot.* ii. 24.—  
 Guatemala.  
 superba, *Regel, Cat. Pl. Hort. Askakov.* 124 (Quid?).  
 —Hab.?  
 tetrandra, *Roxb. Hort. Beng.* 85; *Fl. Ind.* i. 524 =  
 Hedyotis macrophylla.  
 thyrsoflora, *Hort. ex Planch. in Fl. des Serres*, viii.  
 (1852–53) 13, sub t. 754 = cordata.  
 thyrsoflora, *Roth, Nov. Pl. Sp.* 141 = Wendlandia  
 exserta.  
 thyrsoidea, *Sw. Prod. Veg. Ind. Occ.* 41.—Jamaic.  
 tinctoria, *Blume, Bijdr.* 974 = Wendlandia glabrata.  
 tinctoria, *Roxb. Hort. Beng.* 15; *Fl. Ind.* i. 522 =  
 Wendlandia tinctoria.  
 tinifolia, *Griseb. Cat. Pl. Cub.* 129.—Cuba.  
 tomentosa, *Sw. Prod. Veg. Ind. Occ.* 41.—Jamaic.  
 triflora, *Vahl, Symb. Bot.* iii. 34 = pilosa.  
 trifolia, *Jacq. Select. Am.* 60. t. 43.—Jamaic.  
 trifoliata, *Linn. Sp. Pl. ed. II.* 1671 = praec.  
 umbellata, *J. F. Gmel. Syst.* 1616 = umbellulata, *Sw.*  
 umbellulata, *Macfad. ex Griseb. Fl. Brit. W. Ind.* 328  
 = hirta.  
 umbellulata, *Sw. Prod. Veg. Ind. Occ.* 41 = buxifolia.  
 venosa, *Wright, ex Griseb. Cat. Pl. Cub.* 128.—Cuba.  
 verbenacea, *Griseb. l. c.* 130 = Ceratopyxis verbenacea.  
 versicolor, *J. Sm. in Bot. Mag.* t. 4579 = amoena.  
 villosa, *Hemsl. Diagn. Pl. Nov.* 27.—Mexic.  
 virgata, *Sw. Prod. Veg. Ind. Occ.* 41.—Ins. S. Doming.  
 volubilis, [*Moc. & Sesse.*] *ex DC. Prod.* iv. 470 =  
 Lygodisodia mexicana.

- RONNBERGIA**, *E. Morr. & André, Illustr. Hort.*  
 (1874) 120. t. 177. **BROMELIACEAE**, *Benth. &*  
*Hook. f.* iii. 661.  
 columbiana, *E. Morr. in Belg. Hort.* (1885) 82.—  
 N. Granat.  
 Morreniana, *Linden & André, in Illustr. Hort.*  
 (1874) 120. t. 177.—N. Granat.

- RONNOWIA**, *Buc'hoz, Pl. Nouv. Découv.* 6. t. 4 (1779)  
 = **Omphalea**, *Linn. (Euphorb.)*.  
 domingensis, *Buc'hoz, l. c.* = O. commutata?

- ROPALA**, *J. F. Gmel. Syst.* 225 (1791) = **Roupala**,  
*Aubl. (Proteac.)*.

- ROPALOCARPUS**, *Boj. Hort. Maur.* 44 (1837).  
**TILLIACEAE**, *Benth. & Hook. f.* i. 238.  
 RAPALOCARPUS *Boj. (err. typ. in loc. cit.)*.  
 lucidus, *Boj. l. c.*—Madag.  
 Thouarsianus, *Baill. in Bull. Soc. Linn. Par.* i. (1883)  
 393.—Madag.  
 triplinervius, *Baill. Adansonia*, x. (1871) 106.—  
 Madag.

- ROPALON**, *Rafin. New Fl. Am.* ii. 17 (1836) = **Nuphar**,  
*Sm. (Nymph.)*.  
 sagittatum, *Rafin. l. c.* = N. sagittaeifolium.

- ROPALOPETALUM**, *Griff. Notul.* iv. 716 (1854) =  
**Artabotrys**, *R. Br. (Anonac.)*.  
 uniflorum, *Griff. l. c.* 717 = A. burmanicus.

- ROPHOSTEMON**, *Endl. Gen.* 21 (1837), sphalm. =  
**ROTROSTEMON**, *Blume = Pogonia*, *Juss.*  
 (Orchid.).

- ROPHOSTEMUM**, *Reichb. Nom.* 55 (1841) = praec.

- ROPOUREA**, *Aubl. Pl. Gui.* i. 198. t. 78 (1775).  
**VERBENACEAE?**  
 CAMAX, *Schreb. Gen.* i. 144 (1789).  
 IDESIA, *Scop. Introd.* 199 (1777).  
 PLOTIA, *Neck. Elem.* ii. 55 (1790).  
 guianensis, *Aubl. Pl. Gui.* i. 198.—Guian.

- ROPTROSTEMON**, *Blume, Fl. Jav. Praef.* p. vi (1828)  
 = **Pogonia**, *Juss. (Orchid.)*.  
 concolor, *Lindl. Gen. et Sp. Orch.* 453 = P. concolor.  
 discolor, *Lindl. l. c.* = P. discolor.

- RORAM**, *Endl. Gen.* 85, in syn. (1836), sphalm. =  
**RARAM**, *Adans. = Cenchrus*, *Linn. (Gramin.)*.

- RORELLA**, *Hall. ex All. Fl. Pedem.* ii. 88 (1785) =  
**Drosera**, *Linn.*  
 longifolia, *All. l. c.* = Drosera longifolia.  
 lusitanica, *Rafin. Fl. Tellur.* iii. 36 = Drosophyllum  
 lusitanicum.  
 rotundifolia, *All. Fl. Pedem.* ii. 88 = Drosera rotundi-  
 folia.

- RORIDA**, *J. F. Gmel. Syst.* 260 (1791) = **Cleome**,  
*Linn. (Cappar.)*.  
 arabica, *J. F. Gmel. l. c.* = C. droserifolia.

- RORIDULA**, *Forsk. Fl. Aegypt. Arab.* 35 (1775) =  
**Cleome**, *Linn. (Cappar.)*.  
 arabica, *Roem. & Schult. Syst.* iii. 13 = C. droserifolia.  
 droserifolia, *Forsk. Fl. Aegypt. Arab.* p. lxii = C.  
 droserifolia.  
 tetrandra, *Vitm. Summa Pl.* ii. 68 = C. droserifolia.

- RORIDULA**, *Linn. Gen. ed. VI.* 567 (1764). **DRO-**  
**SERACEAE**, *Benth. & Hook. f.* i. 664.  
 IREON, *Burm. f. Prod. Fl. Cap.* 6 (1768).  
 IRIDION, *Roem. & Schult. Syst.* v. 436, in syn.  
 (1819).  
 dentata, *Linn. Gen. ed. VI.* 567.—Afr. austr.  
 gorgonias, *Planch. in Ann. Sc. Nat. Sér. III.* ix. (1848)  
 307.—Afr. austr.  
 muscicarpa, *Gaertn. Fruct.* i. 298. t. 62 = dentata.  
 verticillata, *Pers. Syn.* i. 253 = dentata.

- RORIPA**, *Scop. Fl. Carn. ed. I.* 520 (1760) = **Nastur-**  
**tium**, *R. Br. (Crucif.)*.  
 amphibibia, *Bess. Enum. Pl. Volh.* 27 = N. amphibium.  
 anceps, *Fuss, Fl. Transs.* 47 = N. anceps.  
 armoracioides, *Fuss, l. c.* = N. armoracioides.  
 auriculata x, *Menyh. Kalocsa Vidék. Növényt.* 39.—  
 Hungar.  
 austriaca, *Spach, Hist. Vég. Phan.* vi. 513 = N.  
 austriacum.  
 barbareoides, *Čelak. in Arch. Naturw. Landesd. Boehm.*  
 iii. (1875) 458 = N. sylvestre.  
 Borbasii, *Menyh. in Oestr. Bot. Zeitschr.* xxix. (1879)  
 173 = auriculata.  
 Camelinae, *Spach, Hist. Vég. Phan.* vi. 514 = N.  
 austriacum.  
 hispanica, *Willk. in Willk. & Lange, Prod. Fl. Hisp.*  
 iii. 845 = N. hispanicum.  
 Kernerii, *Menyh. Kalocsa Vidék. Növényt.* 39 =  
 N. brachycarpum.  
 lippizensis, *Reichb. Ic. Fl. Germ.* xii. 15 = N. lippizense.  
 Menyharthiana x, *Borb. in Oestr. Bot. Zeitschr.* xxix.  
 (1879) 246.—Hungar.  
 nasturtioides, *Spach, Hist. Vég. Phan.* vi. 506 =  
 N. palustre.  
 palustris, *Bess. Enum. Pl. Volh.* 27; *Willk. in Willk.*  
*& Lange, Prod. Fl. Hisp.* iii. 844 = N. palustre.  
 pyrenaica, *Spach, Hist. Vég. Phan.* vi. 506 =  
 N. pyrenaicum.  
 riparia, *Schur, in Verh. Naturf. Ver. Bruenn.* xv. II.  
 (1877) 71 = N. amphibium.  
 rivularis, *Reichb. Ic. Fl. Germ.* xii. 15 = N. sylvestre.  
 rusticana, *Gr. & Godr. Fl. Fr.* i. 127 = Cochlearia  
 Armoracia.  
 sylvestris, *Fuss, Fl. Transs.* 47 = sylvestris.  
 stolonifera, *Nym. Consp.* 35 = N. amphibium.  
 sylvestris, *Bess. Enum. Pl. Volh.* 27 = N. sylvestre.  
 terrestis, *Fuss, Fl. Transs.* 47 = N. anceps?

**ROSA**, Tourn. ex Linn. Syst. ed. I (1735); Gen. ed. I. 146 (1737). *ROSACEAE*, Benth. & Hook. f. i. 625. *HULTENIA*, Reichb. Handb. 243 (1837). *HULTHEMIA*, Dum. Not. Nov. Gen. Hult. (1824); Anal. Fam. 39 (1829). *LOWEA*, Lindl. Bot. Reg. t. 1261 (1829). *RHODOPHORA*, Neck. Elem. ii. 91 (1790). *RHODOPSIS*, Reichb. Nom. 168 (1841). *abietina*, Gren. Fl. Jurass. 134 = tomentosa. *abscondita*, Christ, in Gremli, Excurs. Schw. ed. IV. 167 = sepium. *abstenta*, Déségl. in Bull. Soc. Bot. Belg. xv. (1876) 347. — Persia. *abyssinica*, R. Br. in Salt, Abyss. App. 64. — Abyss. *acantha*, Waitz, ex Link, Enum. Hort. Berol. ii. 60, nomen. — Hab. ? *Acharii*, Billb. in Svensk Bot. ix. t. 577 = canina. *acicularis*, Lindl. Ros. Monog. 44. t. 8. — As. bor.; Am. bor. *acicularis*, Rupr. ex Nym. Consp. 236 = carelica. *aciphylla*, Rau, Enum. Ros. 69 = canina. *aculeatissima*, Dum.-Cours. Bot. Cult. ed. I. iii. 340 = spinosissima. *acuminata*, Rafin. in Ann. Gén. Sc. Phys. v. (1820) 216 = humilis. *acuminata*, Sw. ex Reichb. Fl. Germ. Excurs. 614 = cinnamomea. *acuta*, Crép. in Bull. Soc. Bot. Belg. viii. (1869) 270 = canina. *acuta*, Fisch. ex Sweet, Hort. Brit. ed. II. 180. — Reg. Caucas. *addita*, Déségl. in Journ. Bot. xi. (1874) 168. — Persia. *adenocalyx*, Gren. in Mém. Soc. Emul. Doubs, Sér. IV. ix. (1875) 434 = canina. *adenophora*, Kit. in Schult. Oestr. Fl. ed. II. ii. 69. — Hungaria. *adenophylla*, Willd. Enum. Hort. Berol. 546. — Hab. ? *adjecta*, Déségl. in Mém. Soc. Acad. Maine-et-Loire, xxviii. (1872) 105 = alpina. *adscita*, Déségl. in Billotia, i. (1864) 34 = canina. *aeduensis*, Déségl. & Gillot, in Bull. Soc. Bot. Belg. xix. (1880) 37 = sepium. *affinis*, Rau, Enum. Ros. 79 = canina. *affinis*, Sternb. in Flora, ix. (1826) i. Beil. 80 = spinosissima. *Afseliana*, Fries, Fl. Halland. 87 = canina. *aginsensis*, Ripart, ex Déségl. in Journ. Bot. xii. (1874) 169 = Amansii. *agraria*, Ripart, ex Déségl. l. c. 350 = canina. *agrestina*, Ripart, ex Déségl. l. c. = canina. *agrestis*, C. C. Gmel. Fl. Bad. ii. 416 = gallica. *agrestis*, Savi, Fl. Pis. i. 475. — Europ.; Afr. bor. *agrestis*, Sw. Summa Pl. 18; Adnot. Bot. 39 = canina. *alba*, All. Fl. Pedem. ii. 139 = sempervirens. *alba*, Gaertn. Mey. & Scherb. Fl. Wett. ii. 232 = tomentosa. *alba*, Linn. Sp. Pl. 492. — Reg. Caucas. *Alberti*, Regel, in Act. Hort. Petrop. viii. (1883) 278. — Turkestan. *albicans*, Godet, ex Boiss. Fl. Orient. ii. 675. — Persia. *albiflora*, Opiz, in Flora, v. (1822) 268 = agrestis. *albiflora*, Steud. Nom. ed. II. ii. 465. — Tauria. *albo-lutescens*, Ripart, ex Déségl. in Bull. Soc. Bot. Belg. xv. (1876) 319, in obs. i. — Gallia. *aleutensis*, Crép. l. c. xiv. (1875) 47; xvi. (1876) 25 = nutkana ? *Aliothi*, Christ, in Gremli, Excurs. Schw. ed. II. 177 = trachyphylla. *Allionii*, Burnat & Gremli, Suppl. Mon. Roses Alpes-Marit. 16. — Europ. *alpestris*, Déségl. Ess. Monog. Obs. 55 = alpina. *alpestris*, Rapin, ex Reut. Cat. Pl. Vasc. Genève. ed. II. 68 = glauca. *alpicola*, Rouy, in Bull. Soc. Bot. Fr. xxii. (1875) 295. — Gallia. *alpina*, Linn. Sp. Pl. ed. II. 703. — Europ. *alpina*, Pall. Fl. Ross. ii. 61 = Gmelini. *alpina*, Pall. Reise, ii. 518 = spinosissima. *alpinoides*, Déségl. in Bull. Soc. Sc. Angers (1878). — Cf. Bull. Soc. Bot. Fr. xxv. (1878) Bibl. 107. — Gallia. *alpine-minuta*, Rouy, in Bull. Soc. Bot. Fr. xxii. (1875) 295 = alpicola. *aliphila*, Arv. Ess. Pl. Dauph. (1871) 27 = glauca. *altaica*, Willd. Enum. Hort. Berol. 543 = spinosissima. *amabilis*, Borck. Forstbot. iii. 1833 = seq. ? *amabilis*, Wrede, ex Steud. Nom. ed. I. 695 = perfecta. *Amansii*, Déségl. & Ripart, ex Déségl. in Journ. Bot. xi. (1874) 169. — Europ.

**ROSA** :—

*ambigens*, Gremli, Excurs. Schw. ed. II. 178 = canina. *ambigua*, Lej. Rev. Fl. Spa, 98 = canina. *ambigua*, Léman, in Journ. Phys. lxxvii. (1818) 366. — Gallia. *ambigua*, Waitz, ex Link, Enum. Hort. Berol. ii. 60, nomen; Spreng. Syst. ii. 548. — Hab. ? *amblyotis*, C. A. Mey. in Mém. Acad. Pétersb. Sér. VI. vi. (1847); (Zimmtr.) 30 = nutkana. *americana*, [Waitz] Breit. Hort. Breit. 416; Link, Enum. Hort. Berol. ii. 56 = blanda. *amoena*, Dum.-Cours. Bot. Cult. ed. II. v. 477 = centifolia. *amoena*, Waitz, ex Link, Enum. Hort. Berol. ii. 60, nomen = praec. ? *amoyensis*, Hance, in Journ. Bot. vi. (1868) 297 = microcarpa. *amphora*, Gren. ex Déségl. in Billotia, i. (1864) 121 = canina. *amygdalifolia*, Ser. in DC. Prod. ii. 601 = laevigata. *analoga*, Déségl. in Bull. Soc. Bot. Belg. xix. (1880) 32 = canina. *anceps*, Bouteill. in Bull. Soc. Bot. Fr. xxvii. (1880) 298. — Gallia. *Ancistrum*, Léman, in Journ. Phys. lxxvii. (1818) 367. — Gallia. *andegavensis*, Bast. Fl. Maine-et-Loire, 189 = canina. *Andorae*, Burnat & Gremli, Suppl. Mon. Roses Alpes-Marit. 45. — Europ. *Andraea*, Lange, Ind. Sem. Hort. Haun. (1874) 23. — Ins. Sachalin. *Andrewsii*, Tratt. Ros. ii. 205 = alpina. *Andrzejouskii*, Bor. Fl. Centr. Fr. ed. II. n. 692 = mollissima. *Andrzejovii*, Bess. Cat. Hort. Crem. Suppl. iv. 19; Enum. Pl. Volh. 19 = canina. *Andrzejowskii*, Nym. Consp. 232 = canina. *Andrzejowsciana*, Koch, Syn. Fl. Germ. ed. I. 227 = seq. *Andrzejowscii*, Stev. ex Bieb. Fl. Taur. Cauc. iii. 339, in nota = canina. *Anemone*, Hort. ex Red. Ros. ii. 116 = centifolia. *anemoneflora*, Andr. Ros. t. 32. — Gallia. *anemoneflora*, Fortune, ex Lindl. in Journ. Hort. Soc. ii. (1847) 316. — China. *anglica*, Hort. ex Steud. Nom. ed. I. 695 = centifolia. *anisopoda*, Christ, in Gremli, Excurs. Schw. ed. IV. 165 = ferox. *anisopoda*, Vukot. in Kern. Sched. Fl. Excurs. iii. 55 = zagrabiensis. *annesiensis*, Déségl. in Mém. Soc. Acad. Maine-et-Loire, xx. (1866) 75 = tomentosa. *anomala*, Ripart, ex Déségl. & Gillot, in Bull. Soc. Bot. Belg. xix. (1880) 37 = tomentosa. *anoplantha*, Christ, in Gremli, Excurs. Schw. ed. IV. 178 = pomifera. *anserinaefolia*, Boiss. Diagn. Ser. I. vi. 51 = Beggeriana. *apennina*, Woods, Tour. Fl. 123 = agrestis. *apiifolia*, Willd. Enum. Hort. Berol. Suppl. 38 = centifolia. *approximata*, Déségl. in Billotia, i. (1864) 37 = gallica. *apricorum*, Ripart, ex Crép. in Bull. Soc. Bot. Belg. viii. (1869) 245 = rubiginosa. *arabica*, Crép. l. c. 344 = rubiginosa. *arborea*, Pers. Syn. ii. 50 = moschata. *arcana*, Déségl. in Bull. Soc. Bot. Belg. xv. (1876) 385. — Europ. *arduenensis*, Crép. in Bull. Acad. Brux. Sér. II. xiv. (1862) 102 = tomentosa. *arduenensis*, Lej. Fl. Spa, ii. 340, sphalm. = Rubus arduennensis. *arenaria*, Bieb. ex Spreng. Syst. ii. 547 = Willdenowii. *arenivaga*, Déségl. ex Jullien, in Mém. Soc. Acad. Maine-et-Loire, xii. (1862) 69 = gallica. *arguta*, Muss.-Pursch. ex Crép. in Bull. Soc. Bot. Belg. xi. (1872) 78. — Reg. Caucas. *arguta*, Stev. ex Bieb. Fl. Taur. Cauc. iii. 348 = tomentosa. *argute-serrata*, Opiz, in Lotos, iv. (1854) 46 (Quid ?). — Europ. *aristata*, Lapeyr. Fl. Pyr. t. 105 = cinnamomea. *arkansana*, Port. & Coult. Fl. Colorado, 38. — Am. bor. occ. *armata*, Stev. ex Bess. Enum. Pl. Volh. 60 = canina. *armatissima*, Déségl. & Ripart, in Mém. Soc. Acad. Maine-et-Loire, xxviii. (1872) 114. — Gallia. *armena*, Boiss. Fl. Orient. ii. 674. — Armenia. *Armidae*, Steud. Nom. ed. II. ii. 465 = canina.

**ROSA** :—

*armoricana*, Boullu, in Ann. Soc. Bot. Lyon, ix. (1882) 328. — Gallia. *arvatica*, Puget, ex Baker, in Naturalist, i. (1864) 101 = canina. *arvensis*, Huds. Fl. Angl. ed. I. 192. — Europ. *arvensis*, Lucé, Fl. Osil. 169 = tomentosa. *arvensis*, Roth, Tent. Fl. Germ. ii. 554 = canina. *arvina*, Krock. Fl. Siles. ii. i. 150 (Quid ?). — Europ. *arvina*, Lloyd, Fl. Ouest Fr. ed. II. 180 = gallica. *aspera*, Schleich. Cat. Pl. Helv. ed. IV. 29. — Helvet. *aspenata*, Déségl. in Journ. Bot. xii. (1874) 171 = canina. *aspermia*, Godet, ex Boiss. Fl. Orient. ii. 678. — Persia. *aspratilus*, Crép. ex Déségl. in Journ. Bot. xii. (1874) 171 = canina. *aspreticola*, Gremli, Excurs. Schw. ed. II. 177 = canina ? *assimilis*, Déségl. in Mém. Soc. Acad. Maine-et-Loire, xxviii. (1872) 103 = gallica. *atrachostyla*, Gren. in Mém. Soc. Emul. Doubs, Sér. IV. ix. (1875) 426. — Gallia. *atropurpurea*, Boullu, in Ann. Soc. Bot. Lyon, ix. (1882) 274. — Gallia. *atropurpurea*, Brot. Fl. Lusit. ii. 488. — Lusitan. *atrovirens*, Viv. Fl. Ital. Fragm. i. 4. t. 6 = semper-virens. *Aucheri*, Crép. in Bull. Soc. Bot. Belg. viii. (1869) 344. — Persia. *Aucheriana*, Crép. in Heurck, Obs. Bot. 30 = praec. *Aunieri*, Cariot, Etr. Fl. ed. IV. ii. 180 = canina. *aurantiaca*, Hort. ex Steud. Nom. ed. I. 695 = R. Eglanteria. *aureliensis*, Red. ex Link, Handb. ii. 93 = gallica. *australis*, Kern. ex Crép. in Bull. Soc. Bot. Belg. viii. (1869) 244 = pomifera. *austriaca*, Crantz, Stirp. Austr. ed. I. fasc. ii. 33 (err. typ. 36); ed. II. 86 = gallica. *austriaca*, Hort. ex C. Koch, Dendrol. i. 225 = R. Eglanteria. *Axmanni*, C. C. Gmel. Fl. Bad. iv. 357 = gallica. *ayreshirea*, Hort. ex Déségl. in Bull. Soc. Bot. Belg. xv. (1876) 211, in obs. = arvensis. *baicalensis*, Turcz. ex Bess. in Flora, xvii. (1834) i. Beibl. 12. — Sibir. baical. *Bakeri*, Déségl. in Journ. Bot. ii. (1864) 267 = canina. *Balansaea*, Déségl. in Bull. Soc. Bot. Belg. xv. (1876) 553. — As. Min. *baldensis*, Kern. ex Déségl. l. c. 217, in obs. = arvensis. *balearica*, Desf. Tabl. ed. I. 175; Pers. Syn. ii. 49 = sempervirens. *ballonianum*, Herm. in Kirsch. Fl. Alsat. i. 245 = spinosissima. *balsamea*, Bess. Cat. Hort. Crem. (1811) Suppl. iv. 18 = sepium. *balsamica*, Willd. Enum. Hort. Berol. Suppl. 38 = canina. *baltica*, Roth, Nov. Pl. Sp. 234. — Europ. *Banksiae*, [R. Br. in] Ait. Hort. Kew. ed. II. iii. 256. — China. *Banksiana*, Abel, Narr. Journ. China, 160 = praec. *barbulata*, Gren. in Mém. Soc. Emul. Doubs, Sér. IV. ix. (1875) 430 = canina. *basilica*, Roess. Ros. i. 184 = gallica. *bataavica*, Breit. Hort. Breit. 416 (Quid ?). — Hab. ? *Beatricis*, Burnat & Gremli, Suppl. Mon. Roses Alpes-Marit. 14. — Gallia. *Beggeriana*, Schrenk, Enum. Pl. Nov. 73. — As. temp. *belgica*, Brot. Fl. Lusit. i. 338 = gallica. *belgica*, Mill. Gard. Dict. ed. VIII. n. 17 = dama-scena. *Belladonna*, Hort. ex Andr. Ros. iii. 46, in obs. = gallica. *bellevallis*, Puget, ex Gren. in Mém. Soc. Emul. Doubs, Sér. IV. ix. (1875) 426 = canina. *bengalensis*, Pers. Syn. ii. 50 = indica. *berberifolia*, Pall. in Nov. Act. Acad. Petrop. x. (1792) 379 t. 10. f. 5. — Persia. *Bernetti*, Schmiedely, in Ann. Soc. Bot. Lyon, vii. (1880) 180. — Europ. *Besseri*, Tratt. Ros. ii. 128 = spinosissima. *bibracteata*, Bast. in DC. Fl. Fr. v. Suppl. 537 = arvensis. *bicolor*, Jacq. Hort. Vindob. i. 1 = R. Eglanteria. *bicolor*, Opiz, in Lotos, iv. (1854) 70 (= praec. ?). — Europ. *Biebersteiniana*, Tratt. Ros. ii. 5 = canina. *Biebersteinii*, Lindl. in Loud. Encyc. Pl. 444 = ferox.



## ROSA :—

- bifera*, Poir. Encyc. vi. 276 = damascena.  
*biflora*, Aubl. Pl. Gui. i. 514 = centifolia?  
*biflora*, Krock. Fl. Siles. ii. i. 151 = alpina.  
*Billietii*, Puget, ex Crép. in Bull. Soc. Bot. Belg. viii. (1869) 337 = agrestis.  
*bipinnata*, Dum.-Cours. Bot. Cult. ed. I. iii. 351 = centifolia.  
*bipinnata*, Hort. ex Steud. Nom. ed. I. 695 = arvina.  
*biserrata*, Mérat, Fl. Par. 190 = canina.  
*biturigenis*, Bor. Fl. Centr. Fr. ed. II. ii. 630 = spinosissima.  
*blanda*, Ait. Hort. Kew. ed. I. ii. 202.—Am. bor.  
*blanda*, Pursh, Fl. Am. Sept. i. 844 = nitida.  
*Blondaeana*, Ripart, ex Déségl. in Mém. Soc. Acad. Maine-et-Loire, x. (1861) 133 = canina.  
*Boissieri*, Crép. in Bull. Soc. Bot. Belg. viii. (1869) 340.—As. Min.  
*Bonnieri*, Rouy, in Bull. Soc. Bot. Fr. xxii. (1875) 295 = alpicola.  
*Boraeana*, Béraud, in Mém. Soc. Agric. Angers, v. (1842) 353 = gallica.  
*Borbasiana*, H. Braun, in Flora, lxxviii. (1885) 114.—Europ.  
*Borboniana*, Desp. Ros. Gall. 106 = indica.  
*Borchhauseni*, Steud. Nom. ed. I. 695 = canina.  
*Boraeana*, Béraud, ex Bor. Fl. Centr. Fr. ed. III. ii. 216 = gallica.  
*borealis*, Tratt. Ros. ii. 141 = spinosissima.  
*Boreykiana*, Bess. Enum. Pl. Volh. 61 = alba.  
*Borkhausenii*, Tratt. Ros. i. 114 = tomentosa.  
*Borkhausii*, Gaud. ex Ser. Mém. Bot. i. 41 = canina.  
*Borveri*, Woods, in Trans. Linn. Soc. xii. (1817) 210 = canina.  
*Bourbonia*, Roess. Rosen, ii. 28 = gallica.  
*Bourgeauiana*, Crép. Prim. Mon. Bor. 303 = acicularis.  
*Boursaultii* x, Sweet, Hort. Brit. ed. I. 138, nomen.  
*Bovernieriana*, Lag. ex Déségl. in Bull. Soc. Bot. Belg. xv. (1876) 392 = canina.  
*brachiata*, Déségl. in Mém. Soc. Acad. Maine-et-Loire, xxviii. (1872) 103.—Europ.  
*brachyantha*, Opiz, in Lotos, iv. (1854) 46 (Quid?).—Europ.  
*brachypoda*, Déségl. & Ripart, ex Déségl. in Bull. Soc. Bot. Belg. xv. (1876) 339.—Gallia.  
*bracteata*, Sieber, ex Presl, in Oken, Isis, xxi. (1828) 274 = involucrata.  
*bracteata*, Wendl. Bot. Beobacht. 50.—China.  
*bractescens*, Woods, in Trans. Linn. Soc. xii. (1817) 216 = canina.  
*Brandisii*, Keller, in Oestr. Bot. Zeitschr. xxxiv. (1884) 12, 172 = Sabini?  
*Braniciana*, Andr. ex Trautv. in Act. Hort. Petrop. viii. (1883) 327, nomen.—Rossia.  
*Braunii*, Keller, in Oestr. Bot. Zeitschr. xxxii. (1882) 39.—Austria.  
*brevipedunculata*, Opiz, in Lotos, ix. (1854) 46 (Quid?).—Europ.  
*brevistyla*, DC. Fl. Fr. Suppl. 537 = stylosa.  
*britannica*, Déségl. ex Baker, in Journ. Linn. Soc. xi. (1871) 218 = tomentosa.  
*Bronneri*, Dierb. in Flora, xi. (1828) i. Erg. 108.—Europ.  
*Broteri*, Tratt. Ros. ii. 98 = moschata.  
*Brotheri*, Scheutz, in Bot. Centralb. ii. (1880) 1245.—Reg. Caucas.  
*Brownii*, Tratt. Ros. ii. 96 = moschata.  
*brunica*, Bouv. in Bull. Inst. Nat. Genève. xix. (1875) 92.—Europ.  
*Brunneri*, Dierb. in Flora, xi. (1828) Index, Erg. 124, sphalm. = Bronneri.  
*Brunonii*, Lindl. Ros. Monog. 120. t. 14 = moschata.  
*Brunonis*, Wall. Cat. n. 689 = praec.  
*bullata*, Savi, Fl. Ital. i. t. 34 = centifolia.  
*Bungeana*, Boiss. & Buhse, in Nouv. Mém. Soc. Nat. Mosc. xii. (1860) 84 = hemisphaerica, Herrm.  
*burgundiaca*, Ehrh. Beitr. vi. 97; Pers. Syn. ii. 48 = centifolia.  
*burgundica*, Gmel. ex Steud. Nom. ed. II. ii. 466 = parvifolia.  
*Burnati*, Burnat. & Gremli, Roses Alpes-Marit. 92 = canina.  
*caballicensis*, Puget, ex Déségl. in Billotia, i. (1864) 35 = montana.  
*cabulica*, Boiss. Fl. Orient. ii. 678.—Afghan.  
*Caesarea*, Boiss. l. c. 672 = hemisphaerica, Herrm.  
*caesia*, Sm. Engl. Bot. t. 2367 = canina.

## ROSA :—

- calabrica*, Huter, ex Burnat. & Gremli, Roses Alpes-Marit. 79 = rubiginosa.  
*Caledoniae*, Borrer, ex Baker, in Journ. Linn. Soc. xi. (1871) 234 = canina.  
*calendarum*, Borck. Forstbot. 330 = damascena.  
*californica*, Schlecht. in Linnaea, ii. (1827) 35.—Calif.  
*calvatostyla*, Gren. in Mém. Soc. Emul. Doubs, Sér. IV. ix. (1875) 429 = canina.  
*calycina*, Bieb. Fl. Taur. Cauc. iii. 349 = canina.  
*calycina*, Moench, Verz. 124 (Quid?).—Europ.  
*camberiensis*, Déségl. in Bull. Soc. Bot. Belg. xiv. (1875) 342 = rubiginosa.  
*campaniaca*, Roess. Rosen, ii. 24.—Hab.?  
*campanulata*, Ehrh. Beitr. vi. 97 = turbinata.  
*campestris*, Dum. Fl. Belg. Prod. 93 = trachyphylla.  
*campestris*, Sw. Summa Pl. 18 = canina.  
*campestris*, Wallr. Ros. Pl. 110 = spinosissima.  
*camtschatica*, Erman, Reise, iii. 303 = nutkana.  
*camtschatica*, Steud. Nom. ed. I. 696 = kamtschatica.  
*canariensis*, Déségl. in Bull. Soc. Bot. Belg. xiv. (1875) 342 = rubiginosa.  
*candida*, Scop. Fl. Carn. ed. II. i. 354 = arvensis.  
*Candolleana*, Thory, Ros. Candoll. 6 = spinosissima.  
*canescens*, Baker, in Naturalist, i. (1864) 97 = canina.  
*canescens*, Krock. Fl. Siles. ii. i. 153.—Europ.  
*canina*, Linn. Sp. Pl. 492.—Europ.; As. temp.  
*canina*, Siev. ex Ledeb. Fl. Alt. ii. 229 = Gmelini.  
*canina*, Soland. ex Bab. in Journ. Linn. Soc. xi. (1871) 304 = spinosissima.  
*cantabrica*, Crép. in Willk. & Lange, Prod. Fl. Hisp. iii. 210 = stylosa.  
*capnoides*, Kern. ex Déségl. in Bull. Soc. Bot. Belg. xv. (1876) 565 = tomentosa.  
*capreolata*, Neill, in Edinb. Phil. Journ. (1820) 104 = arvensis.  
*carbonariensis*, Boullu, in Bull. Soc. Bot. Fr. xxiii. (1876) p. lxvii.—Gallia.  
*cardinalis*, Lawr. Ros. t. 59 = gallica.  
*carelica*, Fries, in Fl. Dan. Suppl. ii. 6. t. 76 = acicularis.  
*carelica*, Fries, Summa Veg. Scand. i. 171, 556.—Europ.  
*Carionii*, Déségl. & Gillot, in Bull. Soc. Bot. Belg. xix. (1880) 34 = canina.  
*Carioti*, Chabert, in Cariot, Etud. Fleurs, ii. (1865) 677 = canina.  
*carissima*, Roess. Rosen, 68.—Hab.?  
*carnea*, Dum.-Cours. Bot. Cult. ed. II. v. 478 = gallica.  
*carnea*, Hort. ex Léman, in Journ. Phys. lxxxvii. (1818) 366 = centifolia.  
*Carolina*, Duroi, Harbk. Baumz. ii. 355; Walt. Fl. Carol. 149 = humilis.  
*Carolina*, Linn. Sp. Pl. 492.—Am. bor.  
*carolinensis*, Marsh. Arbust. 135 = R. Carolina.  
*caroliniana*, Michx. Fl. Bor. Am. i. 295 = humilis.  
*carpatia*, Kit. in Linnaea, xxxii. (1863) 592.—Europ.  
*caryophyllacea*, Bess. Enum. Pl. Volh. 19 = tomentosa.  
*caryophyllacea*, Christ, in Gremli, Excurs. Schw. ed. IV. 164 = rubiginosa.  
*caryophyllata*, Hort. ex Red. Ros. i. 114, in obs. = centifolia.  
*caryophyllea*, Poir. Encyc. vi. 276 = centifolia.  
*casta*, Tratt. ex Link, Handb. ii. 85 = suavis.  
*catalaunica*, Costa, Supl. Fl. Catal. 26 = canina.  
*caucasica*, Lindl. Ros. Monog. 97. t. 11.—Reg. Caucas.  
*caucasica*, Pall. Pl. Ross. i. ii. 62 = canina.  
*celerata*, Baker, in Naturalist, i. (1864) 99 = canina.  
*Celsiana*, Hort. ex C. Koch, Dendrol. i. 252 = damascena.  
*celsicola*, Arv. Ess. Pl. Dauph. (1871) 27 = glauca.  
*Celsii*, Léman, in Journ. Phys. lxxxvii. (1818) 367 (nomen).—Gallia.  
*centifolia*, Linn. Sp. Pl. 491.—Reg. Caucas.  
*centifolia*, Lour. Fl. Cochinch. 323 (Quid?).—China.  
*centipetal*, Stokes, Bot. Mat. Med. iii. 133 = praec.  
*cerasifera*, Timb. in Bull. Soc. Bot. Fr. xi. (1864) 146 = collina.  
*cerea*, Roess. ex Red. Ros. i. 69 = R. Eglanteria.  
*Chaberti*, Déségl. in Cariot, Etud. Fleurs, ii. (1865) 180.—Europ.  
*Chaboissaei*, Gren. Fl. Jurass. 241 = canina.  
*Chailletii*, Déségl. in Bull. Soc. Bot. Belg. xiv. (1875) 339 = rubiginosa.  
*Chamaerhodon*, Vill. Hist. Pl. Dauph. iii. 555 = gallica.  
*Chapusii*, Godet, Fl. Jura, Suppl. 73 = canina.

## ROSA :—

- Chavini*, Rapin, ex Reut. Cat. Pl. Vasc. Genève. ed II. 69 = canina.  
*cheriensis*, Déségl. in Billotia, i. (1864) 45 = agrestis.  
*cherokeensis*, Donn, Hort. Cantab. ed. VI. 144 = laevigata.  
*chinensis*, Jacq. Obs. Bot. iii. 7 = indica.  
*chlorophylla*, Ehrh. Beitr. ii. 69 = R. Eglanteria.  
*Christiana* x, Bruegg. in Jahresb. Naturf. Ges. Graub. II. xxiii.—xxiv. (1880) 62.—Europ.  
*Christii* x, Wiesb. in Oestr. Bot. Zeitschr. xxix. (1879) 146.—Europ.  
*ciliaris*, Wils. ex Baker, in Journ. Linn. Soc. xi. (1871) 229 = canina.  
*ciliata*, Link, Handb. ii. 90.—Europ.  
*ciliato-petala*, Bess. Enum. Pl. Volh. 66 = pomifera.  
*ciliato-petala*, Koch, Syn. Fl. Germ. ed II. 253 = mollissima.  
*cinerascens*, Cariot, Etud. Fleurs, ii. (1865) 677 = canina.  
*cinerascens*, Dum. Fl. Belg. Prod. 93 = tomentosa.  
*cinerea*, Rapin, in Gren. Fl. Jurass. 238 = canina.  
*cinerea*, Sw. in Svensk Bot. viii. t. 553 = cinnamomea.  
*cinerosa*, Déségl. in Bull. Soc. Bot. Belg. xv. (1876) 380 = canina.  
*cinnabarina*, Wrede, ex Breit. Hort. Breit. 419 (Quid?).—Hab.?  
*cinnamomea*, Kar. & Kir. ex Déségl. in Journ. Bot. xii. (1874) 168 = dissimilis.  
*cinnamomea*, Herrm. Diss. 7 = alpina.  
*cinnamomea*, Linn. Sp. Pl. 491.—Europ.; As. bor.  
*cinnamomea*, Roth, Tent. Fl. Germ. i. 214 = R. Eglanteria.  
*ciphiana*, Sm. Fl. Brit. ii. 537 = spinosissima.  
*cladoleia*, Ripart, ex Crép. in Bull. Soc. Bot. Belg. viii. (1869) 265 = canina.  
*clinophylla*, Thory, in Red. Ros. i. 43.—Ind. or.  
*clivorum*, Scheutz, Stud. Skand. Ros. (1872) 28 = tomentosa.  
*clotildea*, Timb. ex Crép. in Bull. Soc. Bot. Belg. viii. (1869) 260 = stylosa.  
*Clusiana*, Bouv. in Bull. Soc. Bot. Fr. xiii. (1866) p. xxiv = pomifera, alpina.  
*Clusiana*, Waitz, ex Tratt. Ros. i. 119.—Europ.  
*coccinea*, Wrede, ex Steud. Nom. ed I. 697 (Quid?).—Hab.?  
*coeruleascens*, Kern. ex Déségl. in Bull. Soc. Bot. Belg. xv. (1876) 293 = ferruginea.  
*coeruleascens*, Link, Handb. ii. 83 (Quid?).—Hab.?  
*cochinchinensis*, G. Don, Gen. Syst. ii. 585.—Cochinch.  
*collina*, Jacq. Fl. Austr. ii. 58 = canina.  
*collina*, Sm. Engl. Bot. t. 1895 = stylosa.  
*collincola*, Ehrh. Beitr. ii. 70 = cinnamomea.  
*collivaga*, Cottet, ex Crép. in Bull. Soc. Bot. Belg. viii. (1869) 247, 297 = tomentosa.  
*columnifera*, Borck. ex Reichb. Fl. Germ. Excurs. 621 = sylvestris.  
*commutata*, Scheutz, Stud. Skand. Ros. (1872) 41 = flexuosa.  
*comosa*, Ripart, in F. Schultz, Arch. Fl. Fr. et Allem. 254 = rubiginosa.  
*complicata*, Gren. Fl. Jurass. 239 = glauca.  
*concauifolia*, Waitz, ex Tratt. Ros. ii. 66.—Hab.?  
*concinna*, Hort. Humb. (1834) ex Steud. Nom. ed II. ii. 467 (Quid?).—Hab.?  
*concinna*, Lagg. & Puget, ex Déségl. in Bull. Soc. Bot. Belg. xv. (1876) 494 = canina.  
*condensata*, Puget, ex Déségl. in Billotia, i. (1864) 118 = canina.  
*conferta*, Puget, ex Cottet, in Bull. Soc. Murith. iv. (1875) 28 = tomentosa.  
*confusa*, Puget, ex Crép. in Bull. Soc. Bot. Belg. viii. (1869) 246 = tomentosa.  
*conica*, Chabert, ex Cariot, Etud. Fleurs, ii. (1865) 171 = arvina.  
*consanguinea*, Gren. Fl. Jurass. 225 = trachyphylla.  
*consimilis*, Déségl. in Mém. Soc. Acad. Maine-et-Loire, x. (1861) 90 = spinosissima.  
*conspicua*, Bor. l. c. xii. (1862) 55 = arvensis.  
*controversa*, Ripart, ex Déségl. in Bull. Soc. Bot. Belg. xv. (1876) 499 = canina.  
*corallina*, Willd. Enum. Hort. Berol. Suppl. 38 = humilis.  
*corbariensis*, Debeaux, in Act. Linn. Soc. Bord. xxx. (1875) p. clxi = sepium.  
*cordata*, Cariot, Etud. Fleurs, ed. VII. ii. (1884) 228.—Gallia.  
*cordifolia*, Baker, in Naturalist, i. (1864) 24 = glauca.

## ROSA :—

*cordifolia*, Host, Fl. Austr. ii. 23 = gallica.  
*coriacea*, Crép. in Heurck, Obs. Bot. 30 = canina.  
*coriacea*, Opiz, in *Flora*, v. (1822) 268.—Europ.  
*coriifolia*, Fries, Novit. Fl. Suec. ed. I. (1814) 33 ; ed. II. 147 = canina.  
*coronata*, Crép. Man. Fl. Belg. 52, in nota = involuta.  
*corrugata*, Caldesi, in *Nuov. Giorn. Bot. Ital.* xii. (1880) 100.—Europ.  
*coruscans*, Waitz, ex Link, Enum. Hort. Berol. ii. 57 = rugosa.  
*corylifolia*, Vukot. ex Borb. in *Rad. Jugos. Akad. Zagreb.* lxxix. (1884) 16.—Croatia.  
*corymbifera*, Borck. Holztart. 319 = canina.  
*corymbosa*, Bast. ex Déségl. in Bull. Soc. Bot. Belg. xv. (1876) 213 = arvensis.  
*corymbosa*, Bosc, ex Desf. Cat. Hort. Par. ed. III. 272 = blanda.  
*corymbosa*, Breit. Hort. Breit. 418 = perfecta.  
*corymbosa*, Ehrh. Beitr. iv. 21 = R. Carolina.  
*corymbosa*, Moench, Vers. 119.—Europ.  
*Cotteti*, Puget, ex Cottet, in Bull. Soc. Murith. iv. (1875) 31 = trachyphylla.  
*Crantsii*, Schultz, Obs. Bot. 94 = rubiginosa.  
*crassifolia*, Wallm. in Liljeb. Svensk Fl. ed. III. 268 = canina.  
*cremsensis*, Kern. ex Déségl. in Bull. Soc. Bot. Belg. xv. (1876) 578 = mollissima.  
*Crepini*, Miègev. ex Crép. l. c. viii. (1869) 274 = glauca.  
*Crepiniana*, Déségl. ex Baker, in *Naturalist*, i. (1864) 97 = canina.  
*cretacea*, Kalenicz. in Bull. Soc. Nat. Mosc. xxii. (1849) i. 297, 301, nomen.—Rossia.  
*cretica*, Bosc, Encyc. Agric. vii. 705 (Quid ?).—Ins. Creta.  
*cretica*, Thory, Ros. (1820) 110 = rubiginosa.  
*cretica*, Vest, ex Tratt. Ros. ii. 83 = glutinosa.  
*cretica*, Wallr. Ros. 144, partim = alpina.  
*crispa*, Hort. ex Red. Ros. ii. 12 = arvina.  
*croatica*, Kit. in Linnaea, xxxii. (1863) 589 = gallica.  
*cryptopoda*, Baker, in *Naturalist*, i. (1864) 66 = agrestis.  
*cryptopoda*, Gren. in Mém. Soc. Emul. Doubs, Sér. IV. ix. (1875) 428 = canina.  
*cucumerina*, Tratt. Ros. ii. 181 = laevigata.  
*cuprea*, Jacq. Fragm. 31 = gallica.  
*Cursor*, Rafin. in Ann. Gén. Sc. Phys. v. (1820) 217 = setigera.  
*curticola*, Puget, ex Déségl. in Mém. Soc. Acad. Maine-et-Loire, xxviii. (1872) 114.—Europ.  
*curvula*, Timb. ex Déségl. in Bull. Soc. Bot. Belg. xv. (1876) 367 = canina.  
*cuspidata*, Bieb. Fl. Taur. Cauc. i. 396 = tomentosa.  
*cuspidatoides*, Crép. in Scheutz, Stud. Skand. Ros. (1872) 37 = tomentosa.  
*cymbifolia*, Léman, in *Journ. Phys.* lxxxvii. (1818) 366.—Gallia.  
*cymosa*, Tratt. Ros. i. 87 = microcarpa.  
*Cynorrhodon*, Wallr. Ros. 206 ; ex Red. Ros. ii. 51 = canina.  
*Czackiana*, Bess. Enum. Pl. Volh. 61 = gallica.  
*daënsensis*, Boiss. Diagn. Ser. I. vii. 51 ; Fl. Orient. ii. 677 = Beggeriana.  
*dahurica*, Auct. = davurica.  
*dalmatica*, Kern. in *Oestr. Bot. Zeitschr.* xx. (1870) 8.—Europ.  
*damascena*, Mill. Gard. Dict. ed. VIII. n. 15.—Oriens.  
*dasistema*, Rafin. in Ann. Gén. Sc. Phys. v. (1820) 219 = blanda.  
*Davidi*, Crép. in Bull. Soc. Bot. Belg. xiii. (1874) 253.—China.  
*davurica*, Pall. Fl. Ross. i. II. 61.—Dahuria.  
*decipiens*, Bor. Fl. Centr. Fr. ed. III. ii. 218 = gallica.  
*decora*, Kern. ex Déségl. in Bull. Soc. Bot. Belg. xv. (1876) 512 = flexuosa.  
*De-la-Soiei*, Lagg. & Puget, in Bull. Soc. Murith. ii. (1873) 43 = glauca.  
*Dematrancea*, Lagg. & Puget, ex Cottet, l. c. iv. (1875) 32.—Helvet.  
*densa*, Timb. in Bull. Soc. Bot. Fr. xi. (1864) 141 = rubiginosa.  
*densiflora*, Tausch, ex Opiz, Boehm. Gew. (1823) 61, nomen (Quid ?).—Bohem.  
*depressa*, Gremli, Excurs. Schw. ed. II. 178 = trachyphylla.  
*Deseglisei*, Bor. Fl. Centr. Fr. ed. III. ii. 224 = canina.  
*Desvauxii*, Desp. Ros. Gall. 107.—Hab. ?

## ROSA :—

*devoniensis* ×, Hort.—Cf. Gard. Chron. (1841) 470.  
*dianthiflora*, Andr. Ros. t. 31.—Europ.  
*dibracteata*, Thory, Ros. (1820) 185 = arvensis.  
*dichroa*, Lerch, in *Oestr. Bot. Zeitschr.* xxii. (1872) 145 = spinosissima.  
*Dicksoni*, Lindl. in *Trans. Hort. Soc.* vii. (1830) 224.—Hibernia.  
*didoënsis*, Boiss. Fl. Orient. ii. 685.—Reg. Caucas.  
*diffusa*, Roxb. Hort. Beng. 92 ; Fl. Ind. ii. 515 = multiflora.  
*digitaria*, Bosc, ex DC. Prod. ii. 622 = alba.  
*dijonensis*, Roess. Ros. i. 93.—Gallia.  
*Dilleniana*, Baker, ex Déségl. in *Journ. Bot.* v. (1867) 42.—Europ.  
*diminuta*, Bor. ex Déségl. in Bull. Soc. Bot. Belg. xv. (1876) 546 = rubiginosa.  
*dimorpha*, Bess. Cat. Hort. Crem. (1811) Suppl. iii. 19 = tomentosa.  
*dimorphacantha*, Martin, ex March. & Hardy, in Bull. Soc. Bot. Belg. vii. (1868) 248 = rubiginosa.  
*Diomedis*, Gren. ex Déségl. in Billotia, i. (1864) 121 = canina.  
*discreta*, Ripart, ex Crép. in Bull. Soc. Bot. Belg. viii. (1869) 237 = glauca.  
*dissimilis*, Déségl. in *Journ. Bot.* xii. (1874) 168.—Rossia.  
*distans*, Christ, in Gremli, Excurs. Schw. ed. IV. 170 = tomentosa.  
*diversifolia*, Vent. Jard. Cels, 35 = indica.  
*diversisepala*, H. Braun, in Beck, Fl. Hernstein, 353.—Europ.  
*djamilensis*, Boiss. Fl. Orient. ii. 673.—As. Min.  
*dolosa*, Godet, Fl. Jura, Suppl. 72 = canina.  
*Doniana*, Woods, in *Trans. Linn. Soc.* xii. (1817) 185 = involuta.  
*drosophora*, H. Braun, ex Kern. Sched. Fl. Exsicc. iii. 56.—Tyrol.  
*druentica*, Rouy, in Bull. Soc. Bot. Fr. xxix. (1882) 344.—Gallia.  
*dryadea*, Ripart, ex Déségl. in Bull. Soc. Bot. Belg. xv. (1876) 502 = trachyphylla.  
*dubia*, Bastard, ex Déségl. l. c. 353 = canina.  
*dubia*, Carr. in Rev. Hort. (1868) 269 = thyrsoflora.  
*dubia*, Wibel, Prim. Fl. Werth. 263 = tomentosa.  
*Duffitii* ×, Schultz, ex Haussk. in Mitth. Geogr. Ges. Jena, ii. (1885) 24.—Europ.  
*dumalis*, Bechst. Forstbot. ed. V. (1843) 582 = canina.  
*dumalis*, Tratt. ex Link, Handb. ii. 94 = gallica.  
*dumetorum*, Lange, in Fl. Dan. t. 2718 = seq. ?  
*dumetorum*, Sm. Engl. Bot. t. 2579 = inodora.  
*dumetorum*, Thuill. Fl. Par. ed. II. 250 = canina.  
*dumosa*, Puget, ex Déségl. in Mém. Soc. Acad. Maine-et-Loire, xx. (1866) 101 = tomentosa.  
*dumosa*, Salisb. Prod. 359 = canina.  
*Durandii*, Crép. in Bull. Soc. Bot. Fr. xxii. (1875) 19 = nutkana.  
*Ecae*, Aitch. in *Journ. Linn. Soc.* xviii. (1880) 54 = xanthina.  
*echinata*, Dupont, ex DC. Prod. ii. 607 = cinnamomea.  
*echinata*, Waitz, ex Link, Enum. Hort. Berol. ii. 60, nomen.—Hab. ?  
*echinocarpa*, Ripart, ex Déségl. in Mém. Soc. Acad. Maine-et-Loire, x. (1861) 150 = macrantha.  
*edita*, Déségl. in Bull. Soc. Bot. Belg. xv. (1876) 347 = canina.  
*editorum*, Ripart, ex Déségl. l. c. 286 = alpina.  
*Eglanteria*, Linn. Sp. Pl. 491.—Europ. ; Oriens.  
*Eglanteria*, Mill. Gard. Dict. ed. VIII. n. 4 = rubiginosa.  
*elasmacantha*, Trautv. Ind. Sem. Hort. Petrop. (1868) 25.—As. bor.  
*elata*, Christ, in Gremli, Excurs. Schw. ed. IV. 163 = gallica.  
*elatiore*, Rouy, in Bull. Soc. Bot. Fr. xxii. (1875) 297 = sepium.  
*elegans*, Rafin. in Ann. Gén. Sc. Phys. v. (1820) 214 = R. Carolina.  
*elegans*, Salisb. Prod. 358 = damascena.  
*elliptica*, Tausch, ex Tratt. Ros. ii. 69 ; et in Opiz, Boehm. Gew. (1823) 60.—Europ.  
*elongata*, Dum.-Cours. Bot. Cult. ed. II. v. 484 (err. typ. 448) = multiflora.  
*elongata*, Roess. ex Steud. Nom. ed. II. ii. 468 = R. Carolina.

## ROSA :—

*elymaica*, Boiss. & Haussk. ex Boiss. Fl. Orient. ii. 675.—Persia.  
*engolismensis*, Déségl. & Guillon, in Ann. Soc. Bot. Lyon, ix. (1882) 6.—Europ.  
*enneaphylla*, Rafin. Préc. Découv. 35 = R. Carolina.  
*episcopalis*, Hort. ex Roess. Rosen, 239 = gallica.  
*erinacea*, Desp. Ros. Gall. 18.—Gallia.  
*erinacea*, Hardy, ex Nym. Consp. 236 = involuta.  
*erioearpa*, Léman, in *Journ. Phys.* lxxxvii. (1818) 367, nomen.—Hab. ?  
*eriosa*, Ripart, ex Déségl. in Bull. Soc. Bot. Belg. xv. (1876) 570 = tomentosa.  
*eristyla*, Ripart & Déségl. l. c. 334 = canina.  
*erratica*, Ripart, in Soc. Dauph. Ech. Pl. iv. (1877) 109 = stylosa.  
*erronea*, Ripart, ex Crép. Bull. Soc. Bot. Belg. viii. (1869) 257 = arvensis.  
*erubescens*, Andr. Ros. t. 18.—Hab. ?  
*erythrantha*, Bor. Fl. Centr. Fr. ed. III. ii. 224 = canina.  
*erythrella*, Ripart, ex Déségl. in Bull. Soc. Bot. Belg. xv. (1876) 330 = canina.  
*Euratianna*, Bosc, ex Link, Handb. ii. 87 = seq. ?  
*Euratianna*, Bosc, ex Poir. Encyc. Suppl. iv. 714 = R. Carolina, rubiginosa, villosa.  
*exilis*, [Crép.] ex Boutt. in Bull. Soc. Bot. Belg. vii. (1868) 220.—Europ.  
*falcata*, Puget, ex Crép. l. c. viii. (1869) 237 = montana.  
*fallaciosa*, Déségl. in Bull. Soc. Bot. Belg. xv. (1876) 391 = canina.  
*fallax*, Gren. ex Gren. & Godr. Fl. Fr. i. 561 = graveolens.  
*fallax*, Puget, ex Baker, in *Journ. Linn. Soc.* xi. (1869) 226 = canina.  
*fallens*, Déségl. in Lamotte, Prod. Fl. Centr. Fr. i. 266 = canina.  
*farinosa*, Bechst. Forstbot. 643 ; Rau, Enum. Ros. 147 = tomentosa.  
*farinulenta*, Crép. in Bull. Soc. Bot. Belg. viii. (1869) 246 = tomentosa.  
*fastigiata*, Bast. Fl. Maine-et-Loire, Suppl. 30 = stylosa.  
*fastigiata*, Salisb. Prod. 358 = arvensis.  
*fastuosa*, Hort. ex C. Koch, Dendrol. i. 239 = rugosa.  
*Favrati*, Christ, in Gremli, Excurs. Schw. ed. IV. 170 = tomentosa.  
*Fedtschenkoana*, Regel, in Del. Sem. Hort. Petrop. (1876) 36, nomen.—Turkestan.  
*Fendleri*, Crép. in Bull. Soc. Bot. Belg. xv. (1876) 91.—Calif.  
*fenestralis*, Hort. ex Red. Ros. iii. 72 = ferruginea.  
*fenestrata*, Donn, Hort. Cantab. ed. VIII. 170 = setigera.  
*ferox*, Ait. Hort. Kew. ed. II. iii. 262 = rugosa.  
*ferox*, Bieb. Fl. Taur. Cauc. iii. 339.—As. Min. ; Persia.  
*ferox*, Lawr. Ros. t. 42 = cinnamomea.  
*ferruginea*, Vill. Prosp. 46.—Europ.  
*fimbriata*, Gremli, Excurs. Schw. ed. II. 178 = tomentosa.  
*finitima*, Déségl. ex Cottet, in Bull. Soc. Murith. iii. (1874) 39 = canina.  
*firma*, Puget, ex Déségl. in Billotia, i. (1869) 118 = canina.  
*firmula*, Godet, Fl. Jura, Suppl. (1874) 38 = canina.  
*Fischeri*, Link, Handb. ii. 88 (= seq. ?).—Sibir.  
*Fischeriana*, Bess. ex Link, Enum. Hort. Berol. ii. 60, nomen.—Rossia.  
*fissispina*, Wierzb. ex Heuff. in Verh. Zool.-Bot. Ges. Wien, viii. (1858) 102 = canina.  
*flagellaris*, Christ, in Gremli, Excurs. Schw. ed. II. 176 = ferox.  
*flava*, Donn, Hort. Cantabr. ed. IV. 121 (Quid ?).—China.  
*flava*, Wickstr. in Vet. Akad. Handl. Stockh. (1820) 273.—Tauria.  
*flavescens*, Hassk. Cat. Pl. Hort. Bog. Alt. 265 = arvina.  
*flexibilis*, Déségl. in Bull. Soc. Bot. Belg. xv. (1876) 317 = canina.  
*flexicaulis*, Godet, ex Boiss. Fl. Orient. ii. 675 = albicans.  
*flexuosa*, Rafin. Préc. Découv. 35 = canina.  
*flexuosa*, Rau, Enum. Ros. 127.—Europ.  
*floccida*, Déségl. in Bull. Soc. Bot. Belg. xv. (1876) 567 = tomentosa.

## ROSA :—

- floribunda*, Bess. Cat. Hort. Crem. (1816) Suppl. iv. 19 = rubiginosa.  
*floribunda*, Hort. ex Andr. Ros. t. 106 = multiflora.  
*florida*, Donn, Hort. Cantab. ed. VIII. 159 = R. Carolina.  
*florida*, Poir. Encyc. Suppl. iv. 715 = multiflora.  
*fluvialis*, O. F. Muell. in Fl. Dan. t. 868 = cinnamomea.  
*foecundissima*, Muench. Hausv. v. (1770) 279 = cinnamomea.  
*foetida*, Bast. Fl. Maine-et-Loire, Suppl. 29 = tomentosa.  
*foetida*, Herrm. Diss. 18 = R. Eglanteria.  
*foliolosa*, Nutt. ex Torr. & Gray, Fl. N. Am. i. 460. — Am. bor.  
*foliosa*, L'eman, in Journ. Phys. lxxxvii. (1818) 366. — Gallia.  
*foliolosa*, Nutt. l. c. partim = carolina.  
*Fontanesii*, Pomel, Nouv. Mat. Fl. Atl. 157 = agrestis.  
*formosa*, Roess. ex Red. Ros. i. 74 = gallica.  
*formosula*, Gren. in Mém. Soc. Emul. Doubs, Sér. IV. ix. (1875) 437 = sepium.  
*Forsteri*, Sm. Engl. Fl. ii. 392 = canina.  
*Fortuneana*, Lem. Jard. Fleur. ii. (1852) Misc. 26 = seq.  
*Fortuniana* ×, Lindl. & Paxt. Flow. Gard. ii. (1851-52) 71. — China.  
*Fourroei*, Déségl. in Mém. Soc. Acad. Maine-et-Loire, xxviii. (1872) 98 = gallica.  
*fragariaeflora*, Ser. ex DC. Prod. ii. 601 = Banksiae ?  
*fragariaefolia*, Steud. Nom. ed. II. ii. 468, sphalm. = praec.  
*fragrans*, Desp. Ros. Gall. 101. — Hab. ?  
*fragrans*, Red. Ros. i. t. 19 = indica.  
*fragrans*, Salisb. Prod. 358 = R. Carolina.  
*francofurtana*, Muench. Hausv. v. (1770) 288 ; Borck. Forst. Besch. Holzt. 312 = turbinata.  
*francofurtensis*, Desf. Tabl. ed. I. 175 = praec.  
*Franzoni*, Christ, Rosen Schweiz (1875), 174 = ferruginea.  
*Fraseriana* ×, Hort. ex G. Don, in Loud. Hort. Brit. 211.  
*fraxinea*, Willd. Enum. Hort. Berol. Suppl. 37 = blanda.  
*fraxinellaefolia*, Andr. Ros. t. 100. — Hab. ?  
*fraxinifolia*, Borck. Vers. Forstw. Besch. Holz. 301 = cinnamomea.  
*fraxinifolia*, Dur. & Hilg. in Pacif. Rail. Rep. v. iii. 7 = californica.  
*fraxinifolia*, C. C. Gmel. Fl. Bad. ii. 413 = blanda.  
*fraxinifolia*, Hook. Fl. Bor. Am. i. 199 = nutkana.  
*fraxinifolia*, Roess. Ros. i. 219 = R. Carolina.  
*friburgensis*, Lagg. & Puget, ex Crép. in Bull. Soc. Bot. Belg. viii. (1869) 248 = pomifera.  
*Friedlaenderi*, Nym. Consp. 235 = seq.  
*Friedlanderiana*, Bess. Enum. Pl. Volh. 46 = canina.  
*Friesii*, Lagg. & Puget, ex Cottet, in Bull. Soc. Murith. iv. (1875) 27. — Europ.  
*Friesii*, Scheutz, Stud. Ros. Skand. (1872) 39 = canina.  
*frondosa*, Stev. ex Spreng. Syst. ii. 554 = canina.  
*frutetorum*, Bess. Cat. Hort. Crem. (1811) Suppl. iii. 20 ; Enum. Pl. Volh. 18 = canina.  
*fugax*, Gren. Fl. Jura (1864) 239 = glauca.  
*fulgens*, Andamow. ex Opiz, Natural. xi. (1826) 449 (Quid ?). — Europ.  
*fulgens*, Christ, in Gremli, Excurs. Schw. ed. IV. 160 = cinnamomea.  
*fusca*, Moench, Meth. 688 = arvensis.  
*fusiformis*, Crép. in Willk. & Lange, Prod. Fl. Hisp. iii. 214 = canina.  
*gallica*, Linn. Sp. Pl. 492. — Europ. ; Reg. Caucas.  
*gallicoides*, Déségl. in Bull. Soc. Bot. Belg. xv. (1876) 218 = arvensis.  
*Gallinariae*, Burnat & Gremli, Suppl. Mon. Ros. Alpes-Marit. 25 = canina ?  
*Gandogeriana*, Debeaux, in Bull. Soc. Bot. Fr. xxi. (1874) 9 = sempervirens.  
*Gaudini*, Puget, in Déségl. Rev. Sect. Toment. Rosa (1866), 47 = pomifera.  
*Gebleriana*, Schrenk, in Bull. Phys.-Math. Acad. P'etersb. i. (1843) 80. — Sibir. altaic.  
*gemella*, Willd. Enum. Hort. Berol. 544 = blanda.  
*gemina*, Opiz, in Lotos, iv. (1854) 46. — Europ.  
*geminata*, Rau, Enum. Ros. 98 = gallica.  
*genevensis*, Puget, in Bull. Soc. Bot. Belg. xv. (1876) 567 = tomentosa.

## ROSA :—

- Gennarii*, Huet, ex Gennari, in Mem. Acc. Torin. xxv. (1858) 463 = canina.  
*gentilis*, Sternb. in Flora, ix. (1826) Beil. 79 = spinosissima.  
*georgina*, Hort. Hamb. ex Steud. Nom. ed. II. ii. 469 (Quid ?). — Hab. ?  
*germanica*, Hort. ex Steud. l. c. ed. I. 699 = turbinata.  
*germanica*, Maerkl. ex Steud. l. c. = gallica.  
*Gillottii*, Déségl. & Lucand. in Ann. Soc. Bot. Lyon, ix. (1882) 15. — Gallia.  
*Gisleri*, Puget, ex Crép. in Bull. Soc. Bot. Belg. viii. (1869) 247 = tomentosa.  
*glaberrima*, Dum. Fl. Belg. Prod. 94 = canina.  
*glabra*, Andr. Ros. t. 40. — Hab. ?  
*glabra*, Baker, in Naturalist, i. (1864) 24 = glauca.  
*glabra*, Meyen, Reise, i. 303 = Meyeniana.  
*glabrata*, Kit. in Linnaea, xxxii. (1863) 588. — Europ.  
*glabrata*, Vest, ex Tratt. Ros. ii. 220 = ferruginea.  
*glabrescens*, Déségl. in Bull. Soc. Bot. Belg. xiv. (1875) 340 = rubiginosa.  
*glabrifolia*, Rupr. Stirp. Fl. Petrop. Diatr. 65 = cinnamomea.  
*glandulifera*, Roxb. Hort. Beng. 38 ; Fl. Ind. ii. 514 = moschata.  
*glandulosa*, Bell. in Mém. Acad. Turin, v. 1790-1791 (1793) 230 = alpina.  
*glandulosa*, Bess. Cat. Hort. Crem. (1816) 118 ; Enum. Pl. Volh. 20 = canina.  
*glandulosa*, Déségl. in Mém. Soc. Acad. Maine-et-Loire, x. (1861) 91 = montana.  
*glandulosa*, Rafin. in Ann. Gén. Sc. Phys. v. (1820) 214 = R. Carolina ?  
*glauca*, Dierb. Fl. Heidelb. ii. 140 = arvensis.  
*glauca*, Pourr. in Mém. Acad. Toul. iii. (1788) 326 = ferruginea.  
*glauca*, Schott, in Bess. Enum. Pl. Volh. 60 = canina.  
*glauca*, Vill. ex Loisel. in Desv. Journ. Bot. ii. (1809) 336. — Europ.  
*glaucescens*, Desv. in Mérat, Fl. Par. 192 = canina.  
*glaucescens*, Wulf. in Roem. Arch. iii. iii. (1805) 376 = ferruginea.  
*glaucofolia*, Opiz, in Flora, v. (1822) 268. — Europ.  
*glauca*, Ripart, ex T. Durand, in Bull. Soc. Bot. Belg. xix. ii. (1880) 60 = canina.  
*glaucophylla*, Ehrh. Beitr. ii. 69 = hemisphaerica, Herrm.  
*glaucophylla*, Winch, Ess. Geogr. Distr. Northumb. ed. I. 45 = canina.  
*glauco-pubescent*, Opiz, in Lotos, iv. (1854) 69. — Europ.  
*globata*, Déségl. ex Crép. in Bull. Soc. Bot. Belg. viii. (1869) 279 = canina.  
*globosa*, Rafin. in Ann. Gén. Sc. Phys. v. (1820) 215 = humilis.  
*globularis*, Franch. ex Bor. Fl. Centr. Fr. ed. III. ii. 221 = canina.  
*glutinosa*, Dematra, Ess. Monog. 6 = pomifera.  
*glutinosa*, Schultz, Prod. Fl. Starg. Suppl. i. 27 = agrestis.  
*glutinosa*, Sibth. & Sm. Fl. Graec. Prod. i. 348. — Europ. ; As. Min.  
*Gmelini*, Bunge, in Ledeb. Fl. Alt. ii. 228. — Sibir.  
*Godeti*, Gren. in Godet, Fl. Jura, Suppl. 73 = trachyphylla.  
*gombensis*, Lagg. & Puget, in Bull. Soc. Murith. iii. (1875) 54 = pomifera.  
*gorenkensis*, Fisch. ex Spreng. Syst. iv. Cur. Post. 200 = cinnamomea.  
*gracilens*, Crép. in Willk. & Lange, Prod. Fl. Hisp. iii. 212 = montana.  
*gracilescens*, Gren. ex Déségl. in Billotia, i. (1869) 121 = canina.  
*gracilis*, Woods, in Trans. Linn. Soc. xii. (1817) 186 = involuta.  
*granata*, Red. ex Link, Handb. ii. 93 = gallica.  
*granatensis*, Willk. in Linnaea, xxv. (1852) 24 = spinosissima.  
*grandiflora*, Lindl. Ros. Monog. 55 = spinosissima.  
*grandiflora*, Salisb. Prod. 358 = gallica.  
*grandiflora*, Wallr. Ann. Bot. 66 = pulverulenta.  
*grandifolia*, Déségl. in Bull. Soc. Bot. Belg. xiv. (1875) 339 = rubiginosa ?  
*granensis*, Kmet, ex Kern. Sched. Fl. Exsicc. ii. 34. — Hungar.  
*grata*, Salisb. Prod. 358 = gallica.  
*graveolens*, Gren. & Godr. Fl. Fr. i. 560. — Europ.  
*Gremlii*, Christ, in Gremli, Excurs. Schw. ed. II. 176 = rubiginosa.

## ROSA :—

- Grenierii*, Déségl. in Mém. Soc. Acad. Maine-et-Loire, x. (1861) 168 = pomifera.  
*Grevillei*, Sweet, Hort. Brit. ed. I. 138 = multiflora.  
*grisea*, Wrede, ex Steud. Nom. ed. I. 699 (Quid ?). — Hab. ?  
*grossularifolia*, Andr. Ros. t. 30 = gallica.  
*Guepini*, Desv. Fl. Anjou, 325 = canina.  
*Guilelmi-Waldemarii*, Klotzsch, in Bot. Ergeb. Waldem. Reise, 153 = macrophylla.  
*Guineti*, Schmidely, in Ann. Soc. Bot. Lyon, vii. (1880) 177. — Gallia.  
*guttensteinensis*, Jacq. f. ex Spreng. Syst. iv. Cur. Post. 200 = ferruginea.  
*gymnocarpa*, Nutt. ex Torr. & Gray, Fl. N. Am. i. 461. — Am. bor.  
*haberiana*, Puget, ex Déségl. in Billotia, i. (1864) 37 = canina.  
*Hackeliana*, Nym. Consp. 233 = Heckeliana.  
*haematodes*, Boiss. Fl. Orient. ii. 684. — Reg. Caucas.  
*Hailstoni*, Baker, in Lond. Bot. Exch. Club Rep. (1868) 7 = canina.  
*Halácsyi*, H. Braun, in Beck, Fl. Hernstein, 356. — Europ.  
*hallandica*, Scheutz, in Ofvers. Vet. Akad. Foerh. Stockh. (1873) n. II. 46 = canina.  
*Halleri*, Krock. Fl. Siles. ii. i. 150 = arvensis.  
*Hampeana*, Griseb. ex Crép. in Bull. Soc. Bot. Belg. viii. (1869) 329. — Hab. ?  
*Hardii* ×, Paxt. Mag. Bot. x. (1843) 195 = involucrata.  
*hawrana*, Kmet, ex Kern. Sched. Fl. Exsicc. ii. 38. — Hungar.  
*Heckeliana*, Tratt. Ros. ii. 85. — Ital. ; Graecia.  
*Heckeliana*, Boiss. Fl. Orient. ii. 680, sphalm. = praec.  
*Heldreichii*, Boiss. & Reut. Diagn. Ser. II. ii. 49. — Thessalia.  
*helvetica*, Hall. f. in Roem. Arch. i. ii. (1797) 6 = villosa.  
*hemisphaerica*, Herrm. Diss. 18. — Phrygia.  
*hemisphaerica*, Spreng. Syst. iv. Cur. Post. 200. — Hab. ?  
*hemitricha*, Ripart, ex Déségl. in Bull. Soc. Bot. Belg. xv. (1876) 373 = canina.  
*Heriteriana*, Link, Handb. ii. 84 = alpina.  
*Herporhodon*, Ehrh. Beitr. ii. 71 = arvensis.  
*heteracantha*, Kar. & Kir. in Bull. Soc. Nat. Mosc. xv. (1842) 350. — Sibir.  
*heterophylla*, Timb. ex Déségl. in Bull. Soc. Bot. Belg. xv. (1876) 527 = sepium.  
*heterophylla*, Woods, in Trans. Linn. Soc. xii. (1817) 195 = mollissima.  
*hetrostyla*, Griff. Notul. iv. 454 ; Ic. Pl. As. iv. t. 574 = moschata.  
*hibernica*, Hook. ex Lindl. Ros. 51 = spinosissima.  
*hibernica*, Sm. Engl. Fl. ii. 393 = glauca.  
*Hillebrandtii*, Weitenw. in Opiz, Natural. xi. (1826) 450. — Europ.  
*Hirciana*, H. Braun, in Oestr. Bot. Zeitschr. xxxii. (1882) 6. — Europ. austr.  
*hirta*, H. Braun, Beitr. Kenntn. Gatt. Rosa (1885), 108. — Europ.  
*hispanica*, Boiss. & Reut. Pugill. Pl. Nov. (1852) 44 = canina.  
*hispanica*, Mill. Gard. Dict. ed. VIII. n. 7. — Hispan.  
*hispidula*, Hort. ex Poir. Encyc. vi. 286 = villosa.  
*hispidula*, Krock. Fl. Siles. ii. i. 152 = alpina.  
*hispidula*, Muench. Hausv. v. (1770) 281 ; Borck. Forstbot. ii. 1332 = tomentosa.  
*hispidula*, Red. Ros. 159 = spinosissima.  
*hispidula*, Sims, in Bot. Mag. t. 1570 = R. Eglanteria.  
*hispidocarpa*, Chab. in Cariot, Etud. Fleurs, ii. (1865) 677 = R. Carolina.  
*hispidula*, Ripart, in Bull. Soc. Bot. Belg. xv. (1876) 386. — Europ.  
*Histrix*, L'eman, in Bull. Soc. Philom. (1818) 94 = micrantha.  
*Hoffmeisteri*, Klotzsch, in Bot. Ergeb. Waldem. Reise, 153 = macrophylla.  
*holikensis*, Kmet, in Oestr. Bot. Zeitschr. xxxiv. (1884) 19. — Austria.  
*hollandica*, Hort. ex Dum.-Cours. Bot. Cult. ed. II. v. 484 (err. typ. 448) = multiflora.  
*hollandica*, Pers. ex Steud. Nom. ed. I. 699 = centifolia.  
*hololeia*, Ripart, ex Cottet, in Bull. Soc. Murith. iii. (1874) 38 = canina.  
*holosericea*, Borck. Forstbot. iii. 1815. — Europ.  
*holosericea*, Duroi, Obs. Bot. 20 = gallica.  
*holostrica*, Roess. Rosen, 188. — Europ.

## ROSA :—

- homolaga*, Gren. in Mém. Soc. Emul. Doubs, Sér. IV. ix. (1875) 426 = canina.  
*Hookeriana*, Wall. Cat. n. 691; Bertol. Misc. Bot. xxiv. 14 = macrophylla.  
*horrida*, Bess. ex Fisch. Cat. Hort. Gorenk. (1812) 66 = ferox.  
*horrida*, Spreng. Syst. ii. 549 = viminea.  
*horridula*, Déségl. in Bull. Soc. Bot. Belg. xv. (1876) 323 = canina.  
*hudsoniana*, Thory, in Red. Ros. i. 95 = R. Carolina.  
*humifusa*, Red. ex Reichb. Fl. Germ. Excurs. 623 = gallica.  
*humifusa*, Tratt. Ros. ii. 102 = sempervirens.  
*humilis*, Bess. Cat. Hort. Crem. (1811) Suppl. iv. 19; Enum. Pl. Volh. 20 = canina.  
*humilis*, Marsh. Arbust. Am. 136. — Am. bor.  
*humilis*, Tausch, in Flora, ii. (1819) 465 = gallica.  
*hungarica*, Kern. in Oestr. Bot. Zeitschr. xix. (1869) 234. — Europ.  
*hyacinthina* x, Sweet, Hort. Brit. ed. I. 138, nomen. — Hab. ?  
*hybernica*, Thory, Ros. 141 = glauca.  
*hybrida*, Schleich. Cat. Pl. Helv. ed. III. 24 = arvina.  
*hybrida*, Vill. Hist. Pl. Dauph. iii. 554 = alpina.  
*Hystrix*, Lindl. Ros. Monog. 129. t. 17 = laevigata.  
*Ibara*, C. Koch, Ind. Sem. Hort. Berol. (1867) App. i. 9, sphalm. = R. Iwara.  
*iberica*, Stev. in Bieb. Fl. Taur. Cauc. iii. 539 = rubiginosa.  
*Ilsana*, Crép. in Bull. Soc. Bot. Belg. viii. (1869) 334. — Europ.  
*imitata*, Déségl. in Mém. Soc. Acad. Maine-et-Loire, xxviii. (1872) 120 = canina.  
*immitis*, Déségl. l. c. 97 = stylosa.  
*imperialis*, Hort. ex C. Koch, Dendrol. i. 252 = damascena.  
*implexa*, Gren. Fl. Jurass. 238 = canina.  
*imponens*, Ripart, ex Crép. in Bull. Soc. Bot. Belg. viii. (1869) 237 = montana.  
*incana*, Falk, ex Wikstr. in Vet. Akad. Handl. Stockh. (1820) 275 = laxa.  
*incana*, Kit. ex Tratt. Ros. i. 135. — Hungar.  
*incarnata*, Mill. Gard. Dict. ed. VIII. n. 19 = gallica.  
*incerta*, Déségl. in Bull. Soc. Bot. Belg. xv. (1876) 384 = canina.  
*inclinata*, Kern. in Oestr. Bot. Zeitschr. xix. (1869) 326 = glauca.  
*incomparabilis*, Chab. in Cariot, Etud. Fleurs, ii. (1865) 170 = gallica.  
*inconsiderata*, Déségl. in Mém. Soc. Acad. Maine-et-Loire, xxviii. (1872) 117 = canina.  
*inconspicua*, Déségl. in Bull. Soc. Bot. Belg. xv. (1876) 357 = canina.  
*indica*, Linn. Sp. Pl. 492. — Ind. or.; China.  
*inermis*, Bertol. in Mem. Acc. Sc. Bologn. Ser. II. iii. (1863) 419 = seq. ?  
*inermis*, Bosc, Encyc. Agric. vii. 705. — Ind. or.; China.  
*inermis*, Delaun. ex Mill. Gard. Dict. ed. VIII. n. 6 = alpina.  
*inermis*, Luce, Topog. Nachr. Oesel, 170. — Ins. Balt.  
*inermis*, Roxb. Hort. Beng. 38; Fl. Ind. ii. 516 = Banksiae.  
*infesta*, Kmet, ex Kern. Sched. Fl. Exsicc. ii. 32. — Hungar.  
*inodora*, Fries, Nov. Fl. Suec. 9 = agrestis.  
*inodora*, Hook. in Curt. Fl. Lond. ed. II. t. 117 = canina.  
*insidiosa*, Gren. Fl. Jurass. 233 = tomentosa.  
*insidiosa*, Ripart, ex Déségl. in Bull. Soc. Bot. Belg. xv. (1876) 501 = trachyphylla.  
*insignis*, Déségl. & Ripart, in Mém. Soc. Acad. Maine-et-Loire, xxviii. (1872) 112 = canina.  
*intercalaris*, Déségl. l. c. 104 = alpina.  
*intermedia*, Bosc, Encyc. Agric. vii. 705. — Europ.  
*intermedia*, Carr. Rev. Hort. xvii. (1868) 270 = thysiflora.  
*intermedia*, Chab. ex Déségl. in Bull. Soc. Bot. Belg. xv. (1876) 240 = arvina.  
*intermedia*, Desv. ex Link, Handb. ii. 91; Kit. in Linnaea, xxxii. (1863) 591 = canina.  
*intermissa*, Nym. Consp. 282, sphalm. = intromissa.  
*interveniens*, Déségl. in Bull. Soc. Bot. Belg. xv. (1876) 354. — Europ.  
*intricata*, Crép. l. c. viii. (1869) 298 = tomentosa.  
*intricata*, Gren. Fl. Jurass. (1864) 239 = glauca.  
*intromissa*, Crép. in Bull. Soc. Bot. Belg. viii. (1869) 298 = tomentosa.

## ROSA :—

- involuta*, Braam, Ic. Pl. in Chin. Nasc. t. 17 = bracteata.  
*involuta*, Roxb. Hort. Beng. 38; Fl. Ind. ii. 513. — Ind. or.; China.  
*involuta*, Sm. Fl. Brit. iii. 1398; Engl. Fl. ii. 377. — Europ.  
*irregularis*, Déségl. & Guillon, in Ann. Soc. Bot. Lyon, ix. (1882) 7. — Europ.  
*Isaurae*, Tratt. Ros. ii. 72 = pulverulenta.  
*Iwara*, Sieber, ex Regel, Ind. Sem. Hort. Petrop. (1861) 53. — Japon.  
*Jacquemontii*, Crép. ex Hook. f. Fl. Brit. Ind. ii. 368. — Reg. Himal.  
*jactata*, Déségl. in Journ. Bot. xii. (1874) 169 = canina.  
*japonica*, Waitz, ex Steud. Nom. ed. I. 699. — Japon.  
*Jordani*, Déségl. in Mém. Soc. Acad. Maine-et-Loire, x. (1861) 146 = sepium.  
*Jundzilli*, Bess. Cat. Pl. Hort. Crem. (1816) 117 = canina ?  
*Jundzilliana*, Baker, in Naturalist, i. (1864) 65 = tomentosa.  
*Jundzilliana*, Bess. ex Enum. Pl. Volh. 61, 67 = canina.  
*jurana*, Déségl. in Bull. Soc. Bot. Belg. xiv. (1875) 344 = rubiginosa.  
*kalksburgensis* x, Wiesb. in Oestr. Bot. Zeitschr. xxix. (1879) 144. — Europ.  
*kamtchatica*, Vent, Jard. Cels, t. 67 = cinnamomea.  
*kaschgarica*, Rupr. Sert. Tiansch. 46. — Turkest.  
*kentuckensis*, Rafin. Ann. Gén. Sc. Phys. v. (1820) 213 = setigera.  
*Kingstonia*, Hort. ex Dum.-Cours. Bot. Cult. ed II. v. 476 = centifolia.  
*Kluckii*, Auct. = seq.  
*Kluckii*, Bess. Cat. Hort. Crem. (1816) 118 = rubiginosa.  
*Kmetiana*, Borb. Magyar Akad. Temész. Kozlem. xvi. (1880) 437, 454. — Hungar.  
*Kosciuskiana*, Bess. ex Link, Enum. Hort. Berol. ii. 60, nomen = montana.  
*Kosingtoniana*, G. Don, Gen. Syst. ii. 565 = seq.  
*Kosinsiana*, Bess. Enum. Pl. Volh. 64 = canina.  
*Kotschyana*, Boiss. Diagn. Ser. I. x. 3. — Persia.  
*Krockeri*, Tratt. Ros. ii. 231. — Europ.  
*labadora*, Hort. Hamb. ex Steud. Nom. ed. II. ii. 469. — Labrador.  
*laceae*, Roess. Rosen, ii. 56. — Hab. ?  
*lacerans*, Boiss. & Buhse, in Nouv. Mém. Soc. Nat. Mosc. xii. (1860) 85. — Persia.  
*lacinata*, Lej. ex Reichb. Fl. Germ. Excurs. 620 = canina ?  
*lactea*, Loisel. in Desv. Journ. Bot. ii. (1809) 337 = stylosa.  
*lacteola*, Waitz, ex Steud. Nom. ed. I. 700 = centifolia.  
*lactiflora*, Déségl. in Fourr. Cat. Cours du Rhone (1869), 76 = rubiginosa.  
*ladanifera*, Timb. in Bull. Soc. Hist. Nat. Toul. iv. (1871) 173 = agrestis.  
*laevigata*, Michx. Fl. Bor. Am. i. 295. — Am. bor.  
*laevigata*, Tausch, ex Opiz, Boehm. Gew. (1823) 61. — Europ.  
*laevipes*, Rouy, in Bull. Soc. Bot. Fr. xxii. (1875) 298 = sepium.  
*laevis*, Boullay, ex Déségl. in Bull. Soc. Bot. Belg. xv. (1876) 244 = gallica.  
*lagenaria*, Vill. Hist. Pl. Dauph. iii. 553 = alpina.  
*Laggeri*, Puget, ex Déségl. in Mém. Soc. Acad. Maine-et-Loire, xxviii. (1872) 118. — Europ.  
*lanceolata*, Opiz, in Flora, v. (1822) 268 = canina.  
*latebrosa*, Déségl. in Journ. Bot. xii. (1874) 170 = canina.  
*latispina*, Boiss. Diagn. Ser. II. ii. 49 = cabulica.  
*Lattuga*, Savi, Fl. Ital. i. 99 = centifolia.  
*Laurentiae*, Andr. Ros. t. 75 = seq.  
*Lawranceana*, Sweet, Hort. Suburb. Lond. (1818) 119. — China.  
*laxa*, Lindl. Ros. Monog. t. 3 = lucida.  
*laxa*, Retz. in Hoffm. Phytog. Blaetter, i. (1803) 39. — Sibir.  
*Ledebourii*, Spreng. Syst. ii. 551 = tomentosa.  
*Leeana*, Sweet, Guide, 195; Hort. Brit. ed. III. 214. — Hab. ?  
*Lehmanniana*, Bunge, in Mém. Sav. Etr. Pétersb. xii. (1851) 287. — Turkestan.  
*Lemaitrei*, Ripart, in Verlot, Cat. Pl. Dauph. 394 = canina.

## ROSA :—

- Lemania*, Bor. Fl. Centr. Fr. ed. III. ii. 230 = micrantha.  
*lepida*, Waitz, ex Tratt. Ros. i. 22. — Hab. ?  
*Lereschii*, Rapin, in Bull. Soc. Bot. Belg. xiv. (1875) 237. — Europ.  
*Leschenaultiana*, Red. & Thory, ex Wight & Arn. Prod. 301. — Ind. or.  
*leucantha*, Loisel. in Desv. Journ. Bot. ii. (1809) 338; Bieb. Fl. Taur. Cauc. iii. 352 = canina.  
*leucochroa*, Desv. Journ. Bot. ii. (1809) 316 = stylosa.  
*Leveillei*, Boullu, in Bull. Soc. Bot. Fr. xxiii. (1876) p. lxx. — Gallia.  
*Lheritierana*, Red. Ros. iii. 21 = alpina.  
*libanotica*, Boiss. Diagn. Ser. I. x. 4 = glutinosa.  
*Libertiana*, Tratt. Ros. ii. 80 = micrantha.  
*Likana*, Vukot. in Rad Jugos. Akad. Zagreb. li. (1880) 81 = gallica.  
*Lindleyana*, Tratt. Ros. ii. 190 = involucrata.  
*Lindleyi*, Spreng. Syst. ii. 647 = lucida.  
*Lindleyi*, Wall. ex Hook. f. Fl. Brit. Ind. ii. 367 = moschata.  
*Linkii*, Dehnh. Revista Napolit. i. iii. 163; ex Walp. Rep. ii. 12 = multiflora.  
*lionensis*, Roess. Rosen, i. 90. — Hab. ?  
*litigiosa*, Crép. in Bull. Soc. Bot. Belg. viii. (1869) 239, 267 = canina.  
*livescens*, Bess. Cat. Hort. Crem. Suppl. iv. 19; et Enum. Pl. Volh. 29 = canina ?  
*livida*, Host, Fl. Austr. ii. 25 = ferruginea.  
*Lloydii*, Déségl. in Bull. Soc. Bot. Belg. xv. (1876) 391 = canina.  
*longepedunculata*, La Soie, in Christ, Rosen Schw. (1873) 180 = montana.  
*longicuspis*, Bertol. Misc. Bot. xxi. 15 = macrophylla.  
*longifolia*, Willd. Sp. Pl. ii. 1079 = indica.  
*Longii* x, Sweet, ex Steud. Nom. ed. II. ii. 470.  
*Loureiriana*, G. Don, Gen. Syst. ii. 585. — China; Cochinch.  
*Lucandiana*, Déségl. & Gillot, in Bull. Soc. Bot. Belg. xix. (1880) 36. — Gallia.  
*Luciae*, Franch. & Rochebr. l. c. x. (1871) 324. — Japon.  
*lucida*, Auct. ex Meehan, Nat. Flow. ii. 33. t. 9 = humilis.  
*lucida*, Andr. Ros. t. 78. — China.  
*lucida*, Ehrh. Beitr. iv. 22. — Am. bor.  
*lucida*, Koch, Syn. Fl. Germ. ed. II. 444 = baltica.  
*lucida*, Lawr. Ros. t. 84 = bracteata.  
*ludibunda*, Gren. & Paill. in Gren. Rev. 69 = canina.  
*lugdunensis*, Déségl. in Mém. Soc. Acad. Maine-et-Loire, x. (1861) 141 = agrestis.  
*lugdunensis*, Wrede, ex Breit. Hort. Breit. 425 = lionensis.  
*lurida*, Andr. Ros. t. 92 = ferruginea.  
*lusitanica*, Roess. Rosen, iii. 219. — Lusit.  
*Lusseri*, Lagg. & Puget, in Bull. Soc. Murith. ii. (1873) 42 = ferox.  
*lutea*, Brot. Fl. Lusit. ii. 337 = hemisphaerica, Herrm.  
*lutea*, Mill. Gard. Dict. ed. VIII. n. 11; Lam. Fl. Fr. iii. 132 = R. Eglanteria.  
*lutescens*, Pursh, Fl. Am. Sept. ii. 735 = blanda.  
*lutetiana*, Léman, in Bull. Soc. Philom. (1818) 93 = canina.  
*Lyellii*, Lindl. Ros. Monog. 12. t. 1 = involucrata.  
*lyonensis*, Steud. Nom. ed. I. 700 = lionensis.  
*Lyonii*, Pursh, Fl. Am. Sept. i. 345 = humilis.  
*Macartnea*, Dum.-Cours. Bot. Cult. ed. I. i. 351 = laevigata.  
*Macartnea*, Dum.-Cours. l. c. ed. II. v. 483 = bracteata.  
*macrantha*, Desf. Fl. Sarthe, 77 = canina.  
*macroacantha*, Ripart, ex Déségl. in Bull. Soc. Bot. Belg. xv. (1876) 314 = canina.  
*macrocarpa*, Boiss. Fl. Orient. ii. 684. — As. Min.  
*macrocarpa*, Mérat, Fl. Par. 190 = canina.  
*macrocarpa*, Nutt. ex Rafin. Med. Bot. ii. 258 = nutkana.  
*macrodonata*, Boullu, in Bull. Soc. Bot. Fr. xxiii. (1876) p. lxx. — Gallia.  
*macrophylla*, Lindl. Ros. Monog. 35. t. 6. — Reg. Himal.; China.  
*macropoda*, Ripart, ex Déségl. in Bull. Soc. Bot. Belg. xv. (1876) 265 = spinosissima.  
*macrostylis*, Stokes, Bot. Mat. Med. iii. 132 = arvensis.  
*Maerklini*, Dierb. in Flora, xi. (1828) i. Erg. 108. — Austria.



## ROSA :—

- maialis, Desf. *Fl. Atlant.* i. 400.—Afr. bor.  
*majalis*, Borrer, in Hook. *Fl. Bor. Am.* i. 201 =  
*acicularis*?  
*majalis*, Herrm. *Diss.* 8 = cinnamomea.  
*majalis*, Wallr. *Ros.* 164 = ferruginea.  
*Makeka*, Dupont, ex Reichb. *Fl. Germ. Excurs.* 622 =  
gallica.  
*maldensis*, Roess. *Ros.* ii. 3.—Hab.?  
*malmundariensis*, Lej. *Fl. Spa.* i. 231 = canina.  
Malyi, Kern. in *Oestr. Bot. Zeitschr.* xix. (1869) 325.  
—Europ.  
*Mandonii*, Déségl. in *Mém. Soc. Acad. Maine-et-Loire*,  
xxviii. (1872) 111 = canina.  
Manettii, Hort.—Cf. *Gard. Chron.* (1849) 724, 742.—  
Hab.?  
*maracandica*, Bunge, in *Mém. Sav. Etr. Pétersb.* xii.  
(1851) n. vii. 286.—Turkestan.  
*Marciana*, Boull. in *Bull. Soc. Bot. Fr.* xxiii. (1876)  
p. lxvi = tomentosa.  
*Mareyana*, Boull. ex Déségl. in *Bull. Soc. Bot. Belg.*  
xv. (1876) 556, sphalm. = praec.  
*marginata*, Wallr. *Ann. Bot.* 68 = canina.  
*marisensis*, Simck. & H. Braun, in *Termész. Füzetek*,  
ix. (1885) 40.—Europ.  
*maritima*, Wrede, ex Breit. *Hort. Breit.* 425.—  
Europ.  
*marmorea*, Roess. *Ros.* i. 186.—Hab.?  
*marsica*, Godet, in *Nouv. Giorn. Bot. Ital.* ix. (1877)  
162.—Italia.  
*Martini*, Gren. *Fl. Jurass.* (1864) 242 = canina.  
*massiliensis*, Breit. ex Steud. *Nom.* ed. I. 700; ed. II.  
ii. 470.—Hab.?  
*Mathonneti*, Crép. in *Bull. Soc. Bot. Belg.* viii. (1869)  
263 = spinosissima.  
*matraënsis* ×, Borb.—Cf. *Oestr. Bot. Zeitschr.* xxxiv.  
(1884) 261.—Europ.  
*Maukschii*, Kit. in *Linnaea*, xxxii. (1863) 588 =  
scepusiensis.  
*Maukschii*, Schult. *Oestr. Fl.* ed. II. ii. 69.—Hungar.  
*maxima*, Desf. *Tabl.* ed. I. 174 = centifolia.  
*Maximiliani*, Nees, in *Neuwied, Reise Nord-Am.* ii.  
434 = Woodsii.  
*Maximowicziana*, Regel, in *Act. Hort. Petrop.* v.  
(1877) 378 = multiflora?  
*media*, Hort. ex DC. *Prod.* ii. 620 = centifolia.  
*media*, B. Martin.—Cf. *Bull. Soc. Bot. Fr.* xxx. (1883)  
*Bibl.* 186.—Gallia.  
*medioxima*, Déségl. in *Mém. Soc. Acad. Maine-et-Loire*,  
xxviii. (1872) 110 = canina.  
*megacarpa*, Nutt. ex Torr. & Gray, *Fl. N. Am.* i. 460  
= nutkana?  
*megalocarpa*, Déségl. in *Mém. Soc. Acad. Maine-et-Loire*,  
xxviii. (1872) 117.—Europ.  
*melanocarpa*, Link, *Enum. Hort. Berol.* ii. 57 =  
spinosissima.  
*meldensis*, Dum.-Cours. *Bot. Cult.* ed. II. v. 474 =  
centifolia.  
*menstrua*, Andr. *Ros.* t. 50 = damascena.  
*menstrualis*, Dum.-Cours. *Bot. Cult.* ed. II. v. 486 =  
praec.  
*mentita*, Déségl. in *Billotia*, i. (1864) 43 = agrestis.  
*meridionalis*, Burm. & Gremli, *Ros. Alpes-Marit.* 75  
= canina.  
*mexicana*, S. Wats. in *Proc. Am. Acad.* xvii. (1882) 354.  
—Mexic.  
*mexicana*, Willd. ex Spreng. *Syst.* ii. 555.—Mexic.  
*Meyeniana*, Steud. *Nom.* ed. II. ii. 470.—Chili.  
*micans*, Déségl. in *Bull. Soc. Bot. Belg.* xv. (1876) 555  
= tomentosa.  
*micrantha*, Bor. *Fl. Centr. Fr.* ed. II. ii. 182, in obs. =  
rubiginosa.  
*micrantha*, DC. *Fl. Fr.* vi. 539 = canina.  
*micrantha*, Sm. *Engl. Bot.* t. 2490.—Europ.; As. Min.  
*microcarpa*, Bess. *Cat. Hort. Crem.* (1811) Suppl. iv.  
20; *Enum. Pl. Volh.* 18, 60, 62, 81 = spinosissima.  
*microcarpa*, Lindl. *Ros. Monog.* 130. t. 18.—China.  
*microcarpa*, Retz. in *Hoffm. Phytog. Blätter*, i.  
(1803) 40.—Sibir.  
*microphylla*, Desf. *Fl. Atlant.* i. 401 = sempervirens.  
*microphylla*, Roxb. *Hort. Beng.* 38; *Fl. Ind.* ii. 515.—  
China.  
*microphylla*, Willd. ex Spreng. *Syst.* ii. 547 =  
Willdenowii.  
*microtypus* ×, Borb. & Vukot.—Cf. *Oestr. Bot. Zeitschr.*  
xxxiv. (1884) 260.—Europ.  
*millesia*, Linn. *Amoen. Acad.* iv. 484 (Quid?).—  
Gallia.

## ROSA :—

- miniata, Wrede, ex Steud. *Nom.* ed. I. 700; ed. II. ii.  
470.—Europ. austr.  
*minima*, Hort. *Cantab.*—Cf. *Gard. Chron.* (1881) i.  
242.—Hab.?  
*minima*, Roess. *Ros.* 139.—Hab.?  
*minuta*, Bor. ex Déségl. in *Mém. Soc. Acad. Maine-et-Loire*,  
x. (1861) 167 = pomifera.  
*minuta*, Hort. ex Steud. *Nom.* ed. II. ii. 470.—  
Hab.?  
*minutifolia*, Parry, in *Bull. Torrey Bot. Club*, ix.  
(1882) 97.—Calif.  
*mirabilis*, Déségl. in *Mém. Soc. Acad. Maine-et-Loire*,  
xxviii. (1872) 101 = gallica.  
*mirogojana*, Vukot. & H. Braun, ex Kern. *Sched. Fl.*  
*Exsicc.* iii. 47 = gallica.  
*Missonia*, Hort. ex Steud. *Nom.* ed. I. 700; ed. II. ii.  
470.—Hab.?  
*missouriensis*, Hort. ex Steud. *l. c.* II. ii. 470.—  
Am. bor.?  
*mitis*, Boiss. & Buhse, in *Nouv. Mém. Soc. Nat. Mosc.*  
xii. (1860) 84 = lacrans.  
*mitissima*, C. C. Gmel. *Fl. Bad.* iv. 358 = spinosissima.  
*mixta*, Chab. in *Cariot.* *Etud. Fleurs*, ii. (1865)  
677 = gallica.  
*mixta*, Tratt. *Ros.* i. 136 = alpina.  
*modesta*, Ripart, ex Crép. in *Bull. Soc. Bot. Belg.* viii.  
(1869) 260 = stylosa.  
*mollis*, Ledeb. ex Spreng. *Syst.* ii. 551 = tomentosa.  
*mollis*, J. C. Presl, *Fl. Cech.* 102.—Europ.  
*mollis*, Sm. *Engl. Bot.* t. 2459 = mollissima.  
*mollissima*, Willd. *Prod. Fl. Berl.* 437.—Europ.;  
As. Min.  
*monophylla*, Hort. ex Steud. *Nom.* ed. II. ii. 470 =  
berberifolia.  
*monspeliaca*, Gouan, *Fl. Monsp.* 255 = alpina.  
*monstrosa*, Hort. ex Breit. *Hort. Breit.* 425 = centi-  
folia.  
*montana*, Chaix, in *Vill. Hist. Pl. Dauph.* i. 346;  
iii. 547.—Europ.  
*montana*, DC. *Fl. Fr. Suppl.* 532 = tomentosa.  
*montana*, Murith, *Bot. Val.* 91 = alpina.  
*montana*, Stev. ex Spreng. *Syst.* ii. 552 = canina.  
*Montezumae*, Humb. & Bonpl. ex Red. & Thory, *Ros.*  
i. 55.—Mexic.  
*monticola*, Rapin, *Cant. Vaud.* ed. II. 194 = canina.  
*montivaga*, Déségl. in *Mém. Soc. Acad. Maine-et-Loire*,  
xxviii. (1872) 107 = canina.  
*Moorcroftii*, Wall. *Cat. n.* 693 = R. Eglanteria?  
*moschata*, Benth. *Fl. Hongk.* 106 = Luciae.  
*moschata*, Herrm. *Diss.* 15.—Oriens.  
*mosquensis*, Spreng. *Syst.* iv. *Cur. Post.* 200 = cinna-  
momea.  
*mucronulata*, Déségl. in *Godet, Fl. Jura, Suppl.* (1869)  
71 = canina.  
*multiflora*, Andr. *Ros.* t. 83 = japonica.  
*multiflora*, Benth. *Pl. Hongk.* 107 = microcarpa.  
*multiflora*, Buch-Ham. ex Hook. *f. Fl. Brit. Ind.*  
ii. 365 = involucreta.  
*multiflora*, Dum.-Cours. *Bot. Cult.* ed. I. iii. 346.—  
Hab.?  
*multiflora*, Reyn. ex Reichb. *Fl. Germ. Excurs.* 620 =  
ferruginea.  
*multiflora*, Thunb. *Fl. Jap.* 214.—Japon; China.  
*multiflora*, Wrede, ex Roess. *Ros.* 68 = centifolia.  
*multivaga*, Déségl. in *Bull. Soc. Bot. Belg.* xiv. (1875)  
341 = rubiginosa.  
*Mureti* ×, Rapin, *l. c.* 236.—Europ.  
*muricata*, Waitz, ex Link, *Enum. Hort. Berol.* ii. 56.  
—Hab.?  
*Murithii*, Puget, in *Bull. Soc. Murith.* iii. (1875) 55 =  
pomifera.  
*muscosa*, Mill. *Gard. Dict.* ed. VIII. n. 22 = gallica.  
*mutabilis*, Bradbury, ex James, in *Long's Exped.* i. 69  
= setigera.  
*mutabilis*, Dum.-Cours. *Bot. Cult.* ed. II. v. 475 =  
gallica.  
*mutica*, O. F. Muell. in *Fl. Dan.* t. 688 = blanda,  
cinnamomea.  
*myriacantha*, DC. *Fl. Fr.* iv. 439 = spinosissima.  
*myriantha*, Carr. in *Rev. Hort.* (1865) 448.—Calif.  
*myrpolarium*, Steud. *Nom.* ed. I. 700 = damascena.  
*myrtifolia*, Hall. *f. ex Steud.* *l. c.* = agrestis.  
*nana*, Thory, *Ros.* 80 = spinosissima.  
*nankinensis*, Lour. *Fl. Cochinch.* 324 = indica.  
*nanula*, Hoffm. *Verz. Pfl.* 108.—China.  
*napaulensis*, Andr. *Ros.* t. 82 = moschata.  
*nebrodensis*, Guss. *Fl. Sic. Syn.* i. 563 = canina.

## ROSA :—

- neglecta*, Léman, in *Journ. Phys.* lxxxvii. (1818) 367,  
nomen.—Gallia.  
*neglecta*, Ripart, ex Déségl. in *Bull. Soc. Bot. Belg.* xv.  
(1876) 524 = agrestis.  
*nemoralis*, Léman, in *Bull. Soc. Philom.* (1818) 94.—  
Gallia.  
*memorivaga*, Déségl. in *Billotia*, i. (1864) 40 = flexuosa.  
*memorosa*, Libert, in *Lej. Fl. Spa.* ii. 311 = micrantha.  
*memorum*, Ripart, ex Déségl. in *Bull. Soc. Bot. Belg.*  
xv. (1876) 245 = gallica.  
*nepalensis*, Lindl. ex Steud. *Nom.* ed. II. ii. 470 =  
moschata.  
*nevadensis*, Crép. in *Willk. & Lange, Prod. Fl. Hisp.*  
iii. 210 = stylosa.  
*nitens*, Desv. in *Mérat, Fl. Par.* (1812) 192 = canina.  
*nitida*, Willd. *Enum. Hort. Berol.* 544.—Am. bor.  
*nitidula*, Bess. *Enum. Pl. Volh.* 20, 61, 67 = canina.  
*nivalis*, Donn, *Cat. Hort. Cantab.* ed. VIII. 170 = invo-  
luta.  
*nivea*, DC. *Cat. Hort. Monsp.* 137 = laevigata.  
*nivea*, Dupont, ex Lindl. in *Bot. Reg.* sub t. 861 =  
moschata.  
*nivea*, Hort. ex Steud. *Nom.* ed. I. 700 = centifolia.  
*nivea*, Rafn. in *Ann. Gén. Sc. Phys.* v. (1870) 218 =  
blanda.  
*Noisettiana*, Bosc, *Encyc. Agric.* vii. 705 = seq.  
*Noisettiana*, Red. *Ros.* ii. 77 = indica.  
*normandica*, Hort. ex Dum.-Cours. *Bot. Cult.* ed. II.  
v. 476 = centifolia.  
*nova*, Dum.-Cours. *l. c.* ed. I. iii. 351 = oblongifolia.  
*nuda*, Woods, in *Trans. Linn. Soc.* xii. (1817) 205 =  
canina.  
*numidica*, Gren. ex Déségl. in *Journ. Bot.* xii. (1874)  
171.—Afr. bor.  
*nutkana*, Presl, *Epim. Bot.* 203.—Am. bor. occ.  
*oblonga*, Déségl. & Ripart, ex Déségl. in *Bull. Soc. Bot.*  
Belg. xv. (1876) 332 = canina.  
*oblongata*, Opiz, in *Lotos*, iv. (1854) 69.—Europ.  
*oblongifolia*, Dum.-Cours. *Bot. Cult.* ed. I. iii. 351  
(Quid?).—Hab.?  
*obovata*, Lagg. & Puget, ex Cottet, in *Bull. Soc.*  
*Murith.* iv. (1875) 23 = canina.  
*obovata*, Rafn. in *Ann. Gén. Sc. Phys.* v. (1820) 217 =  
humilis.  
*obscura*, Puget, in *Fourr. Cat. Pl. Rhone* (1869), 75 =  
canina.  
*obtusa*, Ripart, ex Déségl. in *Bull. Soc. Bot. Belg.*  
xv. (1876) 352.—Gallia.  
*obtusifolia*, Christ & Gremli, in *Gremli, Excurs. Schw.*  
ed. IV. 174 = scaphusiensis.  
*obtusifolia*, Desv. *Journ. Bot.* ii. (1809) 317 = canina.  
*occulta*, Crép. in *Bull. Soc. Bot. Belg.* viii. (1869)  
273 = canina.  
*ochroleuca*, Sw. ex Thunb. in *Mus. Nat. Acad. Ups.*  
*App.* xxiii. (1816) 26, nomen.—Sibir.  
*ochroleuca*, Waitz, ex Wikstr. in *Vet. Acad. Handl.*  
*Stockh.* (1820) 271, 272 = lutescens.  
*odorata*, Sweet, *Hort. Brit.* ed. I. 138 = indica.  
*odoratissima*, Hort. ex Steud. *Nom.* ed. II. ii. 470 =  
indica.  
*odoratissima*, Scop. *Fl. Carn.* ed. II. i. 354 = alpina.  
*Oederiana*, Tratt. *Ros.* ii. 133 = spinosissima.  
*oenensis*, Kern. in *Oestr. Bot. Zeitschr.* xix. (1869) 328  
= canina.  
*oleicarpa*, Thory, *Ros.* 114 = sepium.  
*olympica*, Donn, *Hort. Cantab.* ed. VI. 144 =  
gallica.  
*omissa*, Déségl. in *Billotia*, i. (1864) 47 = mollissima.  
*opaca*, Gren. in *F. Schultz, Arch. Fl. Fr. et Allem.* 332  
= canina.  
*opacifolia*, Chab. in *Cariot, Etud. Fleurs*, ii. (1865)  
677 = gallica.  
*operta*, Puget, ex Crép. in *Bull. Soc. Bot. Belg.* viii.  
(1869) 287 = micrantha.  
*oplisthes*, Boiss. *Fl. Orient.* ii. 674.—Reg. Caucas.  
*Opsostemma*, Ehrh. *Beitr.* ii. 72 = moschata.  
*Orbessanea*, Red. *Ros.* ii. 21 = turbinata.  
*oreinosa*, Ripart, ex Déségl. in *Bull. Soc. Bot. Belg.*  
xv. (1876) 284 = alpina.  
*orientalis*, Dupont, ex DC. *Prod.* ii. 607.—As. Min.;  
Persia.  
*Orphanidis*, Boiss. & Reut. *Diagn. Ser.* II. ii. 50 =  
Heckeliana.  
*orthacantha*, Kern. in *Christ, Rosen Schw.* (1873) 168  
= canina.  
*orthosepala*, Schimp. & Spenn. in *Spenn. Fl. Friburg.*  
iii. 768 = cinnamomea, ferruginea.

## ROSA:—

- ostensa*, Gren. in Mém. Soc. Emul. Doubs, Sér. IV. ix. (1875) 426 = canina.  
*ovata*, Lej. Fl. Spa, ii. 312 = arvensis.  
*oxyacantha*, Bieb. Fl. Taur. Cauc. iii. 338 = spinosissima.  
*oxyodon*, Boiss. Fl. Orient. ii. 674.—Reg. Caucas.  
*oxyphylla*, Ripart, ex Déségl. in Bull. Soc. Bot. Belg. xv. (1876) 315, in obs. = canina.  
*Ozanonii*, Déségl. in Mém. Soc. Acad. Maine-et-Loire, x. (1861) 88 = spinosissima.  
*pallens*, Retz. ex Spreng. Syst. App. 200.—Suecia.  
*pallida*, Tratt. ex Link, Handb. ii. 85 = ochroleuca.  
*palustris*, Buch.-Ham. ex Lindl. Ros. Monog. 8 = involucreta.  
*palustris*, Marsh. Arbust. 135; Roess. Rosen, i. 240 = R. Carolina.  
*pampinula*, Roess. ex Steud. Nom. ed. I. 700 = R. Eglanteria.  
*paniculata*, Hort. Genev. ex DC. Prod. ii. 600 = indica.  
*pannonica*, Wiesb. in Oestr. Bot. Zeitschr. xxix. (1879) 143 = gallica.  
*pannosa*, Link, Handb. ii. 83 = indica?  
*Pantocekii*, Holuby, ex Pant. in Verh. Ver. Natur- u. Heilk. Presb. ii. (1871-72) 117.—Europ.  
*papaverina*, Borck. Forstbot. iii. 1814 = seq.?  
*papaverina*, Moench, ex Roess. Rosen, i. 182 = gallica.  
*paradoxa*, Burnat & Gremli, Roses Alpes-Marit. 126 = arvensis.  
*parisiensis*, Wrede, ex Breit. Hort. Breit. 426.—Hab.?  
*parviflora*, Ehrh. Beitr. iv. 21 = humilis.  
*parvifolia*, Andr. Ros. t. 56.—Hab.?  
*parvifolia*, Ehrh. Beitr. vi. 97 = centifolia.  
*parvifolia*, Lindl. Ros. Monog. 70 = humilis.  
*parvifolia*, Pall. Fl. Ross. i. ii. 62 = spinosissima.  
*parvula*, Gren. ex Crép. in Bull. Soc. Bot. Belg. xv. (1869) 287.—Europ.  
*parvula*, Guss. ex Nym. Consp. 233 = rubiginosa.  
*parvula*, Sauzé & Maill. Cat. Pl. Deux-Sèvres (1864), 27 = stylosa.  
*patenti-ramea*, Debeaux, ex Crép. in Bull. Soc. Bot. Belg. xxi. (1882) 56 = ferruginea.  
*pauciflora*, Lindl. ex Sweet, Hort. Brit. ed. II. 179.—Sibir.  
*pellita*, Ripart, ex Déségl. in Bull. Soc. Bot. Belg. xv. (1876) 555 = tomentosa.  
*pellucina*, Arv. ex Déségl. l. c. 259 = spinosissima.  
*pendula*, Salisb. Prod. 359 = spinosissima.  
*pendulina*, Ait. Hort. Kew. ed. I. ii. 208 = alpina.  
*pendulina*, Linn. Sp. Pl. 492 = spinosissima.  
*pennina*, La Soie, ex Cottet, in Bull. Soc. Murith. iii. (1874) 39 = glauca.  
*pennsylvanica*, Andr. Ros. t. 101 = gallica vel R. Carolina.  
*pensylvanica*, Michx. Fl. Bor. Am. i. 296 = R. Carolina.  
*pensylvanica*, Wangenh. Beytr. Forstwiss. 113 = humilis.  
*pentaphylla*, Schrank, in Syll. Ratisb. i. (1824) 215.—China.  
*perfecta*, Wrede, ex Steud. Nom. ed. I. 701.—Hab.?  
*permixta*, Déségl. in Mém. Soc. Acad. Maine-et-Loire, x. (1861) 147 = ferox.  
*permutata*, Ripart, ex Déségl. in Bull. Soc. Bot. Belg. xv. (1876) 575.—Europ.  
*Perrieri*, Long, ex Gren. in Mém. Soc. Emul. Doubs, Sér. IV. ix. (1875) 425 = montana.  
*persica*, J. F. Gmel. Syst. 855 (nomen prius) = berberifolia.  
*persicifolia*, Hort. ex Hoffm. Verz. Pfl. 108 = indica.  
*personata*, Gremli, Excurs. Schw. ed. IV. 178 = pomifera.  
*perusiana*, Timb. ex Déségl. in Bull. Soc. Bot. Belg. xv. (1876) 582 = pomifera.  
*pervirens*, Gren. ex Crép. in Bull. Soc. Bot. Belg. viii. (1869) 257.—Hab.?  
*petiolaris*, Kit. in Linnaea, xxxii. (1863) 592 = carpatia.  
*petrogensis*, Ozan. ex Crép. in Bull. Soc. Bot. Belg. viii. (1869) 261 = spinosissima.  
*phoenicia*, Boiss. Diagn. Sér. I. x. 4.—Cilicia; Syria.  
*phrygia*, Boiss. in Ann. Sc. Nat. Sér. IV. ii. (1854) 249 = rubiginosa.  
*picta*, Wrede, ex Steud. Nom. ed. I. 701.—Hab.?  
*pilosa*, Hort. ex Steud. l. c. ed. II. ii. 471.—Oriens.  
*pilosa*, Opiz, in Flora, v. (1822) 268.—Europ.  
*pilosiuscula*, Opiz, l. c.—Europ.

VOL. II.

## ROSA:—

- pimpinellifolia*, Herb. Hook. f. & Thoms. ex Déségl. in Bull. Soc. Bot. Belg. xv. (1876) 262 = Webbiana.  
*pimpinellifolia*, Linn. Syst. ed. X. 1062 = spinosissima.  
*pimpinelloides*, Pall. Reise Suedl. Statth. Russ. Reich. i. 349 (Quid?).—Rossia.  
*pinnatifida*, Andr. Ros. t. 41.—Europ.  
*pisocarpa*, A. Gray, in Proc. Am. Acad. viii. (1872) 382.—Am. bor. occ.  
*Pissardi*, Carr. in Rev. Hort. (1880) 314.—Reg. Casp.  
*Pitcairnea*, Sabine, ex Link, Handb. ii. 85 = spinosissima.  
*platyacantha*, Schrenk, in Bull. Sc. Acad. Pétersb. x. (1842) 254 = xanthina.  
*platyphylla*, Rau, Enum. Ros. 82 = canina.  
*platyphyllodes*, Déségl. & Ripart, in Fourr. Cat. Pl. Cours Rhone (1869), 75 = canina.  
*plicata*, Bechst. Forstbot. ed. V (1843), 583.—Europ.  
*plicata*, Roess. Rosen, ii. 58 = praec.?  
*podolica*, Tratt. ex Link, Handb. ii. 91 = tomentosa.  
*Pokornyana* ×, Kmet.—Cf. Oestr. Bot. Zeitschr. xxxiii. (1833) 225.—Europ.  
*Polliniana*, Spreng. Pugill. ii. 66 = arvena.  
*polyadena*, Burnat & Gremli, Suppl. Mon. Roses Alpes-Marit. 26.—Europ.  
*polyantha*, Sieb. & Zucc. in Abh. Akad. Muench. iv. III. (1846) 128 = multiflora.  
*polyanthos*, Roess. Rosen, t. 35 = centifolia.  
*polymorpha*, Schimp. & Spenn. in Spenn. Fl. Friburg. iii. 769 = canina.  
*polyphylla*, Willd. Enum. Hort. Berol. Suppl. 37 = acicularis, spinosissima.  
*pomifera*, Herrm. Diss. 16.—Graecia; Reg. Caucas.  
*pomifera*, Lamotte, Cat. Pl. Centr. Fr. 38; Bourg. ex Willk. & Lange, Prod. Fl. Hisp. iii. 217 = mollissima.  
*Pommaretii*, Puget, ex Crép. in Bull. Soc. Bot. Belg. viii. (1869) 286.—Gallia.  
*pomponia*, DC. Fl. Fr. iv. 443 = centifolia.  
*porrigens*, Gremli, Excurs. Schw. ed. IV. 163 = gallica.  
*Portenschlagiana*, Tratt. Ros. ii. 203.—Hab.?  
*Portlandia*, Hort. ex Andr. Ros. t. 19 = ruficaulis.  
*portlandica*, Roess. Rosen, i. 240 = praec.?  
*portugalisensis*, Roess. l. c. ii. 45.—Hab.?  
*poteritifolia*, Bess. Enum. Pl. Volh. 62 = spinosissima.  
*poteritifolia*, Schott & Kotschy, ex Boiss. Fl. Orient. ii. 679 = glutinosa.  
*Poterium*, Léman, in Journ. Phys. lxxxvii. (1818) 366.—Gallia.  
*Pougeti*, Bor. ex Déségl. in Mém. Soc. Acad. Maine-et-Loire, x. (1861) 136.—Gallia.  
*Pouzini*, Tratt. Ros. ii. 112 = canina.  
*praecox*, Boullu, ex Déségl. in Bull. Soc. Bot. Belg. xv. (1876) 571 = tomentosa.  
*praecox*, Hort. ex Steud. Nom. ed. II. ii. 471.—Hab.?  
*praenestina*, Mill. ex Thory, Ros. 92 = gallica.  
*praeterita*, Ripart, ex Déségl. in Bull. Soc. Bot. Belg. xv. (1876) 499 = canina.  
*pratensis*, Rafin. in Ann. Gén. Sc. Phys. v. (1820) 215 = humilis.  
*pratensis*, Sw. ex Steud. Nom. ed. II. ii. 471 = canina.  
*Presliana*, Opiz, in Seits, Rosen (1819), 143 = mollis.  
*primoriensis*, Vukot. in Rad Jugos. Akad. Zagreb. lxix. (1884) 44.—Europ.  
*procera*, Hort. ex Steud. Nom. ed. II. ii. 471.—Sibir.  
*procera*, Salisb. Prod. 359 = alba.  
*procumbens*, Roxb. Hort. Beng. 38, nomen.—Ind. or.  
*procumbens*, Ser. Mém. Bot. i. 5 = arvensis.  
*prolifera*, Hort. ex Steud. Nom. ed. I. 701; ed. II. ii. 471 = multiflora.  
*properata*, Boullu, ex Déségl. in Bull. Soc. Bot. Belg. xv. (1876) 571 = tomentosa.  
*propinqua*, Déségl. l. c. xiv. (1875) 343 = rubiginosa.  
*prostrata*, DC. Cat. Hort. Monsp. 138 = semper-virens.  
*protea*, Ripart, ex Déségl. in Bull. Soc. Bot. Belg. xv. (1876) 503 = trachyphylla.  
*provincialis*, Bieb. Fl. Taur. Cauc. i. 396 = ferox.  
*provincialis*, Herrm. Diss. 9 = gallica.  
*proxima*, Cottet, ex Crép. in Bull. Soc. Bot. Belg. viii. (1869) 248 = pomifera.  
*pruinosa*, Baker, in Naturalist, i. (1864) 96 = canina.  
*pruinosa*, Lindl. in Loud. Encyc. Pl. 448.—Sibir.  
*Pseudo-flexuosa*, Ozan. ex Déségl. in Billotia, i. (1864) 42 = flexuosa.

## ROSA:—

- Pseudo-indica*, Lindl. Ros. Monog. 132 = indica.  
*Pseudo-lucida*, Bess. ex DC. Prod. ii. 604 = baltica.  
*Pseudopsis*, Gremli, Excurs. Schw. ed. IV. 175 = canina.  
*Pseudo-rubiginosa*, Lej. Fl. Spa, i. 229 = mollissima.  
*Pseudo-sepium*, Callay, ex Cottet, in Bull. Soc. Murith. iii. (1874) 42 = agrestis.  
*Pseudo-vestita*, Boullu, in Bull. Soc. Bot. Fr. xxiii. (1876) p. lxvii.—Gallia.  
*psilophilla*, Déségl. in Bull. Soc. Bot. Belg. xv. (1876) 501 = trachyphylla.  
*psilophylla*, Rau, Enum. Ros. 101 = canina.  
*puberula*, Desv. ex Ser. Mém. Bot. i. 41 = canina.  
*pubescens*, Léman, in Bull. Soc. Philom. (1818) 94.—Gallia.  
*pubescens*, Roxb. Hort. Beng. [92]; Fl. Ind. ii. 514 = moschata.  
*pubescens*, Schleich. Cat. Pl. Helv. ed. III. 24.—Europ.  
*Pugeti*, Bor. ex Déségl. in Mém. Soc. Acad. Maine-et-Loire, x. (1861) 136 = flexuosa.  
*pulchella*, Bor. Fl. Centr. Fr. ed. II. n. 662 = gallica.  
*pulchella*, Salisb. Prod. 358 = spinosissima.  
*pulchella*, Schott & Kotschy, ex Boiss. Fl. Orient. ii. 680 = orientalis.  
*pulchella*, Willd. Enum. Hort. Berol. 545.—Hab.?  
*pulchella*, Woods, in Trans. Linn. Soc. xii. (1817) 196 = tomentosa.  
*pulverulenta*, Baker, in Journ. Linn. Soc. xi. (1869) 223 = agrestis.  
*pulverulenta*, Bieb. Fl. Taur. Cauc. i. 399.—Reg. Caucas.  
*pulverulenta*, Guss. ex Nym. Consp. 232 = glutinosa.  
*pumila*, Scop. Fl. Carn. ed. II. i. 353 = gallica.  
*punica*, Mill. Gard. Dict. ed. VIII. n. 12 = R. Eglanteria.  
*purpurascens*, Fisch. ex Sweet, Hort. Brit. ed. II. 180.—Sibir.  
*purpurascens*, Ripart, ex Déségl. in Bull. Soc. Bot. Belg. xv. (1876) 351.—Gallia.  
*purpurea* ×, Hort. ex G. Don, in Load. Hort. Brit. 211.  
*pusilla*, Rafin. in Ann. Nat. 11; et in Ann. Gén. Sc. Phys. v. (1820) 218 = humilis.  
*pustulosa*, Bertol. Fl. Ital. v. 195 = glutinosa.  
*Puymaurea*, Gren. ex Déségl. in Bull. Soc. Bot. Belg. xv. (1876) 549 = rubiginosa.  
*pyncacantha*, Borb. in Magyar Akad. Termész. Közlem. xvi. (1880) 438, 448.—Hungar.  
*pyncephala*, Christ, in Gremli, Excurs. Schw. ed. IV. 169 = tomentosa.  
*pygmaea*, Bieb. Fl. Taur. Cauc. i. 397 = gallica.  
*pygmaea*, Krock. Fl. Siles. ii. 154 = Krockeri.  
*pyramidalis*, Wrede, ex Roess. Rosen, i. 67.—Hab.?  
*pyrenaica*, Gouan, Illustr. 31 = alpina.  
*pyriformis*, Déségl. in Bull. Soc. Bot. Belg. xv. (1876) 387 = canina.  
*quassata*, Gren. in Mém. Soc. Emul. Doubs, Sér. IV. ix. (1875) 439 = sepium.  
*racemosa*, Andr. Ros. t. 49.—Gallia.  
*Rafinesqueiana*, Tratt. Ros. ii. 234 = R. Carolina.  
*Rafinesquii*, Ser. in DC. Prod. ii. 611 = blanda.  
*ramealis*, Puget, ex Baker, in Journ. Linn. Soc. xi. (1869) 228 = canina.  
*ramosissima*, Rau, Enum. Ros. 74 = canina.  
*ramulosa*, Godr. Fl. Lorr. ed. II. i. 231 = canina.  
*ranunculiflora*, Andr. Ros. t. 33.—Hab.?  
*ranunculiformis*, Steud. Nom. ed. I. 701; Link, Handb. ii. 92, 93 = praec.  
*Rapa*, Bosc, Encyc. Agric. vii. 704, 706 = lucida.  
*Rapini*, Boiss. & Bal. Diagn. Ser. II. vi. 72 = hemisphaerica, Herrm.  
*Ratomsiana*, Bess. Enum. Pl. Volh. 65 = canina.  
*Rauti*, Tratt. Ros. ii. 35 = canina.  
*Ravaudi*, Boullu, ex Déségl. in Bull. Soc. Bot. Belg. xv. (1876) 295 = montana.  
*Ravellae*, Christ, in Gremli, Excurs. Schw. ed. IV. 162 = involuta.  
*reclinata* ×, Red. & Thory, Ros. iii. 79.  
*recognita*, Rouy, in Bull. Soc. Bot. Fr. xxii. (1875) 296 = canina.  
*recondita*, Puget, ex Déségl. in Mém. Soc. Acad. Maine-et-Loire, xx. (1866) 107 = pomifera.  
*recurva*, Roxb. Hort. Beng. 38; Fl. Ind. ii. 514 = moschata?  
*Redoutea*, Thory, Ros. 43 = Reduteana.  
*Redowskiana*, Bess. ex Sweet, Hort. Brit. ed. II. 180.—Hab.?  
*Reduteana*, Thory, ex Red. Ros. i. 101 = nitida.

5 B

**ROSA :—**

- Regeliana*, Linden & André, Illustr. Hort. xviii. (1871) t. 47 = rugosa.  
*Regelii*, Reut. Ind. Sem. Hort. Genev. (1867) 4.—China.  
*Regina*, Roess. Rosen, i. 47 = centifolia?  
*Reginae*, Hort. ex Steud. Nom. ed. I. 702 = praec.?  
*Reichenbachiana*, Waitz, in Flora, vii. (1824) 417.—Hab.?  
*remensis*, DC. Fl. Fr. iv. 443 = gallica.  
*remensis*, Dum.-Cours. Bot. Cult. ed. II. v. 474 = centifolia.  
*repanda*, Hort. ex Steud. Nom. ed. II. ii. 471 (Quid?).—Scotia.  
*repens*, Muench, Hausv. v. (1770) 281 = gallica.  
*repens*, Scop. Fl. Carn. ed. II. i. 355 = arvensis.  
*reptans*, Crép. ex Bout. in Bull. Soc. Bot. Fr. xxvii. (1880) 298 = arvensis.  
*resinosa*, Bor. Fl. Centr. Fr. ed. II. ii. 233 = mollissima.  
*resinosa*, Lej. Rev. Fl. Spa, 96 = rubiginosa.  
*resinosa*, Sternb. in Reichb. Fl. Germ. Excurs. 616 = pomifera.  
*resinosoides*, Crép. in Cottet, 'in Bull. Soc. Murith. iii. (1874) 44 = mollissima.  
*reticulata*, Kern. in Oestr. Bot. Zeitschr. xix. (1869) 332 = canina.  
*Reuteri*, Godet, Fl. Jura, 208, in obs. = glauca.  
*reversa*, J. & C. Presl, Fl. Cech. 103 = alpina.  
*reversa*, Waldst. & Kit. Pl. Rar. Hung. iii. 293. t. 264 = spinosissima.  
*Reynieri*, Hall. f. in Roem. Arch. i. II. (1797) 7 = montana.  
*rhaetica*, Gremli, Excurs. Schw. ed. IV. 164 = rubiginosa.  
*rhemensis*, Roess. Rosen, ii. 64.—Hab.?  
*Rhodani*, Chab. ex Boullu, in Bull. Soc. Bot. Fr. xxiii. (1876) p. lxiv = arvena.  
*rhoetica*, Kern. ex Déségl. in Bull. Soc. Bot. Belg. xv. (1876) 304 = glauca.  
*rhombifolia*, Boullu, in Bull. Soc. Bot. Fr. xxiii. (1876) p. lxiii.—Gallia.  
*rhynchocarpa*, Ripart, ex Déségl. in Bull. Soc. Bot. Belg. xv. (1876) 331, in obs. = canina.  
*rigida*, Willd. ex Déségl. l. c. xi. (1872) 84 = ferox.  
*rigidula*, Puget, ex Cottet, in Bull. Soc. Murith. iv. (1875) 23 = canina.  
*riparia*, Rafin. in Ann. Gén. Sc. Phys. v. (1820) 216 = humilis.  
*Ripartii*, Déségl. in Mém. Soc. Acad. Maine-et-Loire, x. (1861) 87 = spinosissima.  
*Robertsoni*, Baker, ex Syme, Engl. Bot. ed. III. iii. 207 = involuta.  
*Rosenbergiana*, Red. & Thory, Ros. ii. 113 = turbinata.  
*rossica*, Pall. ex Spreng. Neue Entdeck. iii. 254 = spinosissima.  
*rothomagensis*, Rouy, in Bull. Soc. Bot. Fr. xxii. (1875) 297 = agrestis.  
*rotundifolia*, Reichb. Fl. Germ. Excurs. 617 = rubiginosa.  
*Roussellii*, Ripart, ex Déségl. in Bull. Soc. Bot. Belg. xv. (1876) 353 = canina.  
*Roxburghii*, Tratt. Ros. ii. 233 = microphylla.  
*Roxburghii*, Sweet, Hort. Brit. ed. I. 138 = multiflora.  
*rubella*, Sm. Engl. Bot. t. 2521 = spinosissima.  
*rubella*, Winch, ex J. Hogg, in Journ. Linn. Soc. iv. (1860) 198 = spinosissima.  
*rubelliflora*, Ripart, ex Déségl. in Mém. Soc. Acad. Maine-et-Loire, x. (1861) 109 = canina.  
*rubeoides*, Andr. Ros. t. 84 = macrophylla?  
*rubescens*, Ripart, ex Déségl. in Mém. Soc. Acad. Maine-et-Loire, x. (1861) 110 = canina.  
*rubicunda*, Hall. f. in Roem. Arch. i. II. (1797) 6 = ferruginea.  
*rubifolia*, R. Br. in Ait. Hort. Kew. ed. II. iii. 260 = setigera.  
*rubifolia*, Vukot. in Rad Jugos. Akad. Zagreb. lxix. (1884) 21 = subalbida.  
*rubiginosa*, Coss. ex Déségl. in Bull. Soc. Bot. Belg. xv. (1876) 344 = canina.  
*rubiginosa*, Linn. Mant. ii. 564.—Europ.; Reg. Caucas.  
*rubiginosa*, Webb, ex Ball, in Journ. Linn. Soc. xvi. (1878) 446 = micrantha.  
*rubra*, Lam. Fl. Fr. iii. 130 = gallica.  
*rubricans*, Roess. ex Steud. Nom. ed. I. 702 = centifolia?  
*rubrifolia*, Rupr. ex Boiss. Fl. Orient. ii. 684 = haematos.  
*rubrifolia*, Vill. ist. Pl. Dauph. iii. 549 = ferruginea.

**ROSA :—**

- rubripetala*, Roem. Hort. Turic. ex Steud. Nom. ed. II. ii. 472.—Hab.?  
*rubrispina*, Bosc, ex Poir. Encyc. Suppl. iv. 715 = nitida.  
*ruficaulis*, Ehrh. Beitr. vii. 138.—Am. bor.  
*Ruga* ×, Lindl. in Bot. Reg. t. 1389.  
*rugibinosa*, Stev. in Bull. Soc. Nat. Mosc. xxix. (1856) ii. 251, sphalm. = rubiginosa.  
*rugosa*, Dematra, Monog. Ros. (1818) 4 = Friesii.  
*rugosa*, Thunb. Fl. Jap. 213.—Japon.  
*rupestris*, Crantz, Stirp. Austr. ed. I. fasc. ii. 32; ed. II. 85 = alpina.  
*rupicola*, Fisch. ex Sweet, Hort. Brit. ed. II. 180.—Sibir. altaic.  
*Ruprechtii*, Boiss. Fl. Orient. ii. 682.—Reg. Caucas.  
*ruralis*, Déségl. in Mém. Soc. Acad. Maine-et-Loire, x. (1861) 79 = gallica.  
*rusciniensis*, Gren. & Déségl. ex Déségl. in Billotia, i. (1864) 33 = moschata.  
*Russelliana*, Sincl. ex Forbes, Hort. Woburn. 117.—Hab.?  
*rustica*, Léman, in Bull. Soc. Philom. (1818) 93 = stylosa.  
*rusticana*, Déségl. in Billotia, i. (1864) 34 = arvensis.  
*sabauda*, Rapin, in Bull. Soc. Hallér. (1852-53) 178 = involuta.  
*Sabina*, Dupont, ex Red. Ros. i. 94 = rubiginosa.  
*Sabini*, Woods, in Trans. Linn. Soc. xii. (1817) 188 = involuta.  
*salaevensis*, Christ, ex Nym. Consp. 237 = alpina.  
*salaevensis*, Rapin, in Bull. Soc. Hallér. (1852-53) 178 = montana.  
*salaevensis*, Verlot, Cat. Pl. Dauph. 115 = montana.  
*salicifolia*, Red. Ros. iii. 121 (Index) = R. Carolina.  
*Salisii* ×, Bruegg. in Jahresh. Naturf. Ges. Graub. II. xxiii-xxiv. (1880) 63.—Europ.  
*salvanensis*, La Soie, ex Cottet, in Bull. Soc. Murith. iii. (1874) 43 = ferox.  
*Sambrancheriana*, La Soie, ex Cottet, l. c. 39 = glauca.  
*sancta*, Andr. Ros. t. 98.—Europ.  
*sancta*, A. Rich. Tent. Fl. Abyss. i. 262.—Abyssin.  
*sanguinea*, Roess. ex Red. Ros. i. 76 = gallica.  
*sanguisorbaefolia*, Nois. ex Red. l. c. ii. 8 = turbinata.  
*sanguisorbifolia*, Donn, Cat. Hort. Cantab. ed. VIII. 169 = spinosissima.  
*sanguisorbifolia*, La Soie, in Christ, Rosen Schw. (1873) 181 = montana.  
*sarmentacea*, Woods, in Trans. Linn. Soc. xii. (1817) 213 = canina.  
*saxatilis*, Hort. ex Déségl. in Bull. Soc. Bot. Belg. xv. (1876) 276 = Fischeriana.  
*saxatilis*, Stev. ex Bieb. Fl. Taur. Cauc. 349 = canina.  
*saxigena*, H. Braun.—Cf. Oestr. Bot. Zeitschr. xxxii. (1882) 410 = canina.  
*Sayi*, Schwein. in Long, Exped. Winneb. ii. 388.—Am. bor.  
*scabrata*, Crép. in Bull. Soc. Bot. Belg. viii. (1869) 241 = canina.  
*scabrata*, Henning, in Mém. Soc. Nat. Mosc. vi. (1823) 88.—Reg. Caucas.  
*scabriuscula*, Winch, ex Sm. in Engl. Bot. t. 1896 = tomentosa.  
*scandens*, Mill. Gard. Dict. ed. VIII. n. 8 = semper-virens.  
*scandens*, Moench, Verz. Ausl. Baeume, 118 = arvensis.  
*scaphioides*, Christ, in Gremli, Excurs. Schw. ed. IV. 175.—Helvet.  
*scopusiensis*, Kit. in Linnaea, xxxii. (1863) 588.—Hungar.  
*schergiana*, Boiss. Fl. Orient. ii. 686.—Syria.  
*Scheutzii*, Christ, in Flora, lvii. (1874) 511 = mollissima.  
*Schimperiana*, Hochst. l. c. xxiv. (1841) i. Intell. 31 = abyssinica.  
*Schmidtii*, H. Braun, Beitr. Kenntn. Gatt. Rosa (1885), 14 [72].—Europ.  
*Schottiana*, Déségl. in Bull. Soc. Bot. Belg. xv. (1876) 358 = canina.  
*Schrenkiana*, Crép. in Bull. Soc. Bot. Belg. xiv. (1875) 31.—As. centr.  
*Schultzii*, Ripart, in F. Schultz, Fl. Fr. et Allem. 254 = glauca.  
*sciaphila*, Schur, Enum. Pl. Transs. 202 = rubiginosa.  
*sclerophylla*, Scheutz, Stud. Skand. Rosa (1872), 20 = canina.  
*Scopoliana*, Tratt. Ros. [i.] ii. 229 = cinnamomea.

**ROSA :—**

- scopulorum*, Rouy, in Bull. Soc. Bot. Fr. xxix. (1882) 545.—Gallia.  
*scotica*, Mill. Gard. Dict. ed. VIII. n. 5 = spinosissima.  
*scotophylla*, Boullu, in Cariot, Etude Fleurs, ed. VII. ii. (1884) 242.—Gallia.  
*semiglabra*, Ripart, ex Crép. in Bull. Soc. Bot. Belg. viii. (1869) 240 = canina.  
*semiglandulosa*, Ripart, l. c. xv. (1876) 500 = canina.  
*semperflorens*, Curt. Bot. Mag. t. 284.—China.  
*semperflorens*, Desf. Tabl. ed. I. 175 = damascena.  
*semperflorens*, Desv. Obs. (1818) 154 = gallica.  
*sempervirens*, Bast. Ess. Fl. Maine-et-Loire, 188 = canina.  
*sempervirens*, Dup. ex Steud. Nom. ed. I. 702 = moschata.  
*sempervirens*, Hook. f. & Thoms. ex Hook. f. Fl. Brit. Ind. ii. 368 = Leschenaultiana.  
*sempervirens*, Linn. Sp. Pl. 492.—Europ.; Oriens; Ind. or.  
*sempervirens*, Roth, Tent. Fl. Germ. i. 218 = rubiginosa.  
*sentiosa*, Achar. in Vet. Akad. Handl. Stockh. (1813) 91. t. 13 = canina.  
*separabilis*, Déségl. in Bull. Soc. Bot. Belg. xix. (1880) 30.—Europ.  
*seperina*, Sauzé, ex Déségl. l. c. xv. (1876) 217 = arvensis.  
*sepincola*, Sw. ex Fries, Novit. ed. II. 147 = canina.  
*sepium*, Lam. Fl. Fr. iii. 129; Borck. ex Rau, Enum. 90 = canina.  
*sepium*, Thuill. Fl. Par. ed. II. 252 = agrestis.  
*seposita*, Déségl. in Bull. Soc. Bot. Belg. xix. (1880) 28.—Gallia.  
*septicola*, Déségl. in Mém. Soc. Acad. Maine-et-Loire, x. (1861) 149 = micrantha.  
*Serafini*, Viv. Fl. Lib. Spec. 67 = seq.  
*Seraphini*, Viv. Fl. Cors. Sp. Nov. 8 = agrestis.  
*sericea*, Lindl. Ros. Monog. 105. t. 12.—Reg. Himal.  
*Seringeana*, Godr. Fl. Lorr. ed. II. 255 = tomentosa.  
*serotina*, Donn, ex Thory, Ros. 142.—Hab.?  
*serpens*, Gilib. Fl. Lituan. ii. 238 = canina.  
*serpens*, Wibel, Prim. Fl. Werth. 266 = arvensis.  
*Serrae*, Dehnh. Rev. Napol. i. III. 163; ex Walp. Rep. ii. 11 = bracteata.  
*serrulata*, Rafin. in Ann. Gén. Sc. Phys. v. (1820) 218 = humilis.  
*sertorum*, Wrede, ex Steud. Nom. ed. I. 703 = perfecta.  
*setigera*, Michx. Fl. Bor. Am. i. 295.—Am. bor.  
*setosa*, Bess. ex Link, Enum. Hort. Berol. ii. 60, nomen.—Podolia.  
*setulifera*, Timb. ex Déségl. in Bull. Soc. Bot. Belg. xv. (1876) 511 = flexuosa.  
*Sherardi*, Davies, Welsh Botanol. 49 = tomentosa.  
*sibirica*, Steph. ex Ledeb. Fl. Koss. ii. 78 = canina.  
*sibirica*, Tratt. Ros. ii. 230 = spinosissima.  
*sicula*, Tratt. l. c. 68 = Heckeliana.  
*Sieboldi*, Crép. ex Franch. & Sav. Enum. Pl. Jap. i. 136.—Japon.  
*Silverhielmii*, Schrenk, in Bull. Phys.-Math. Acad. Pétersb. ii. (1844) 195.—Rossia.  
*similata*, Puget, ex Déségl. in Billotia, i. (1864) 38 = canina.  
*Simkoviczii*, Kmet, in Oestr. Bot. Zeitschr. xxxiv. (1884) 18.—Europ.  
*simplex*, Scop. Fl. Carn. ed. II. i. 353 = cinnamomea.  
*simplicifolia*, Salisb. Prod. 359; Pers. Syn. ii. 47 = berberifolia.  
*sinica*, Ait. Hort. Kew. ed. II. iii. 261 = laevigata.  
*sinica*, Desf. ex DC. Prod. ii. 606 = blanda.  
*sinica*, Hook. Bot. Mag. t. 2847 = laevigata.  
*sinica*, Murr. Syst. ed. XIII. 394 = indica.  
*sinica*, Tratt. Ros. i. 89 = semperflorens.  
*sinuatidens*, Christ, in Gremli, Excurs. Schw. ed. IV. 168 = canina.  
*Sirei*, Christ, l. c. 102 = spinosissima.  
*Solandri*, Tratt. Ros. ii. 150 = blanda.  
*solstitialis*, Bess. Prim. Fl. Galic. i. 324 = canina.  
*soongarica*, Bunge, in Ledeb. Fl. Alt. ii. 226 = cinnamomea.  
*sorbifolia*, Hort. ex Steud. Nom. ed. I. 703; ed. II. ii. 473 = spinosissima.  
*spathulacifolia*, Vukot. in Rad Jugos. Akad. Zagreb. lxix. (1884) 48.—Europ.  
*speciosa*, Andr. Ros. t. 26.—Hab.?  
*speciosa*, Déségl. in Billotia, i. (1864) 39 = flexuosa.

## ROSA:—

- sphaerocarpa*, Puget, ex Crép. in Bull. Soc. Bot. Belg. viii. (1869) 279 = canina.
- sphaeroides*, Ripart, ex Déségl. in Bull. Soc. Bot. Belg. xv. (1876) 338.—Europ.
- sphaerophora*, Ripart, ex Nym. Consp. 233 = micrantha.
- spherica*, Gren. in F. Schultz, Arch. Fl. Fr. et Allem. 333 = canina.
- spinatifolia*, Steud. Nom. ed. II. ii. 473, sphalm. = spinulifolia.
- spinosissima*, Linn. Sp. Pl. 491.—Europ.; As. Min.
- spinosissima*, Pesneau, Cat. Pl. Loire-Inf. (1841) 181 = baltica.
- spinosissima*, Wahlenb. Fl. Upsal. 171 = cinnamomea.
- spinulifolia*, Dematra, Monog. Ros. 8 = rubiginosa.
- spithamea*, A. Gray, in Bot. Calif. ii. 444 = californica.
- Sprengeliana*, Tratt. Ros. ii. 163 = R. Carolina.
- spretia*, Déségl. in Mém. Soc. Acad. Maine-et-Loire, x. (1861) 89 = spinosissima.
- spuria*, Puget, ex Déségl. l. c. xxviii. (1872) 109 = canina.
- squarrosa*, Rau, Enum. Ros. 77 = canina.
- stebonensis*, Roess. Rosen, i. 238 = canina.
- stenocarpa*, Déségl. in Mém. Soc. Acad. Maine-et-Loire, xxviii. (1872) 113 = micrantha.
- stephanocarpa*, Déségl. & Ripart, l. c. 115 = montana.
- stipulacantha*, Bast. ex Déségl. in Bull. Soc. Bot. Belg. xv. (1876) 356 = canina.
- stipularis*, Méral, Fl. Par. 192 = canina.
- striata*, Wrede, ex Steud. Nom. ed. I. 703 = gallica.
- stricta*, Macoun & Gibs. in Trans. Bot. Soc. Édinb. xii. (1876) 324 = blanda.
- stricta*, Muhl. Cat. 50 = spinosissima.
- stupenda*, Crép. ex Boiss. Fl. Orient. ii. 684 = macrocarpa.
- stylosa*, Desv. Journ. Bot. ii. (1809) 317.—Europ.
- stylosa*, Pers. Syn. ii. 47 = arvensis.
- suaveolens*, Pursh, Fl. Am. Sept. i. 346 = rubiginosa.
- suavifolia*, Lightf. Fl. Scot. 262 = rubiginosa.
- suavis*, Willd. Enum. Hort. Berol. Suppl. 37.—Hab. ?
- subalba*, Hort. ex Steud. Nom. ed. II. ii. 472.—China.
- subalbida*, Vukot. in Rad Jugos. Akad. Zagreb. lxix. (1884) 21.—Europ.
- subcinnamomea*, Borb. in Oestr. Bot. Zeitschr. xxxiv. (1884) 261 = canina.
- subcristata*, Baker, in Naturalist, i. (1864) 97 = canina.
- subdola*, Déségl. in Bull. Soc. Bot. Belg. xv. (1876) 528 = agrestis.
- subdola*, Kmet, ex H. Braun, in Flora, lxxviii. (1885) 114 = Borbasiana.
- Suberti*, Ripart, ex Déségl. in Bull. Soc. Bot. Belg. xv. (1876) 352 = canina.
- subglobosa*, Sm. Engl. Fl. ii. 38 = tomentosa.
- subhispida*, Vukot. in Rad Jugos. Akad. Zagreb. lxix. (1884) 39.—Europ.
- subhybrida*, Borb. ex Vukot. l. c. 20.—Europ.
- subinermis*, Bess. ex Déségl. in Bull. Soc. Sc. Angers, (1878).—Cf. Bull. Soc. Bot. Fr. xxv. (1878) Bibl. 107.—Europ.
- subinermis*, Chab. in Cariot, Etud. Fleurs, ii. (1865) 173 = gallica.
- subintrans*, Gren. ex Déségl. in Billotia, i. (1869) 121 = canina.
- sublaevis*, Boullu, in Bull. Soc. Bot. Fr. xxiii. (1876) p. lxi.—Gallia.
- submirra* ×, Vukot.—Cf. Oestr. Bot. Zeit. xxxiv. (1884) 260.—Europ.
- submissa*, Vukot. in Rad Jugos. Akad. Zagreb. lxix. (1884) 17.—Europ.
- submitis*, Gren. in F. Schultz, Arch. Fl. Fr. et Allem. 332 = canina.
- subolida*, Déségl. in Mém. Soc. Acad. Maine-et-Loire, xxviii. (1872) 124 = flexuosa.
- subrubra*, Thory & Red. ex Steud. Nom. ed. II. ii. 472 = R. Eglanteria.
- subsessiliflora*, Boullu, in Feuille. Jeunes Nat. x. (1879–80) 89.—Europ.
- subumbellata*, Schur, Enum. Pl. Transs. 203 = indica ?
- subvillosa*, Léman, in Journ. Phys. lxxxvii. (1818) 366.—Gallia.
- Sufferti*, Kirsch. Fl. Alsat. i. 247 = tomentosa.
- sulfurea*, Thory, Ros. 123 = R. Eglanteria.
- sulphurea*, Ait. Hort. Kew. ed. I. ii. 201 = hemisphaerica, Herrm.
- superbissima*, Waitz, ex Steud. Nom. ed. I. 703; ed. II. ii. 472.—Hab. ?

## ROSA:—

- surculosa*, Woods, in Trans. Linn. Soc. xii. (1817) 228 = canina.
- Swartziana*, Fries, Fl. Halland. 87 = canina.
- Swartzii*, Billb. in Svensk Fl. t. 541 = praec.
- sylvatica*, Gater. Pl. Montaub. 94 = gallica.
- sylvestris*, Crantz, Stirp. Austr. ed. I. fasc. ii. 30; ed. II. 84.—Europ.
- sylvestris*, Herrm. Diss. 10 = arvensis.
- sylvestris*, Lindl. Syn. Brit. Fl. 101 = tomentosa.
- sylvestris*, Schrank, Baier. Fl. ii. 23 = canina.
- sylvicola*, Déségl. & Ripart, in Mém. Soc. Acad. Maine-et-Loire, xxviii. (1872) 122 = rubiginosa.
- sylvarum*, Ripart, ex Déségl. in Bull. Soc. Bot. Belg. xv. (1876) 333.—Europ.
- syntrichostyla*, Ripart, l. c. 312 = canina.
- systyla*, Bast. Fl. Maine-et-Loire, Suppl. 31 = stylosa.
- systylomorpha*, Gren. in Mém. Soc. Emul. Doubs, Sér. IV. ix. (1875) 229 = canina.
- sytnensis*, Kmet, ex Kern. Sched. Fl. Exsicc. ii. 28.—Hungar.
- Szaboi, Borb.—Cf. Oestr. Bot. Zeitschr. xxxii. (1882) 338.—Europ.
- tartarica*, Roess. Rosen, ii. 52.—Hab. ?
- taurica*, Bieb. Fl. Taur. Cauc. i. 394 = canina.
- teneriffensis*, Donn, Cat. Hort. Cantab. ed. VI. 143 (Quid ?).—Ins. Teneriff.
- tenuiglandulosa*, Méral, Fl. Par. 189 = rubiginosa.
- tenuis*, Beck, Fl. Frankf. i. 285 = spinosissima.
- terebinthacea*, Bess. Enum. Pl. Volh. 21, 61, 66 = tomentosa.
- terebinthacea*, Bess. ex Spreng. Syst. ii. 551.—Galicia.
- terebinthinacea*, Déségl. in Mém. Soc. Acad. Maine-et-Loire, x. (1861) 159 = flexuosa.
- terebinthinacea*, Gren. ex Baker, in Journ. Linn. Soc. xi. (1871) 235 = canina.
- ternata*, Poir. Encyc. vi. 284 = laevigata.
- tetrapetala*, Royle, Illustr. Bot. Himal. 208. t. 42 = sericea.
- Thea*, Savi, Fl. Ital. ii. 17. t. 47 = indica.
- Thedenii*, Scheutz, Stud. Skand. Ros. (1872) 27.—Europ. bor.
- Thomasii*, Puget, ex Cottet, in Bull. Soc. Murith. iv. (1875) 24 = flexuosa.
- Thoryi*, Tratt. Ros. ii. 85 = multiflora ?
- Thunbergii*, Tratt. l. c. i. 86 = multiflora.
- thuringiaca*, Crép. in Bull. Soc. Bot. Belg. viii. (1869) 319.—Europ.
- thuringiaca*, Link, Handb. ii. 94.—Europ. med.
- thyrsiflora*, Leroy, ex Déségl. in Bull. Soc. Bot. Belg. xv. (1876) 204.—Japon.
- Timeroyi*, Chab. in Cariot, Etud. Fleurs, ed. V. ii. 189 = canina.
- tirolensis*, Kern. in Oestr. Bot. Zeitschr. xix. (1869) 331 = canina.
- tolosana*, Timb. in Bull. Soc. Hist. Nat. Toul. iv. (1870) 173.—Europ.
- tomentella*, Léman, in Bull. Soc. Philom. (1818) 94 = canina.
- tomentosa*, Sm. Fl. Brit. ii. 539.—Europ.; As. Min.
- tortuosa*, Wierzb. ex Baker, in Journ. Linn. Soc. xi. (1871) 232 = canina.
- torulosa*, Wall. ex Hook. f. Fl. Brit. Ind. ii. 366 = macrophylla.
- Touranginiana*, Déségl. & Ripart, in Mém. Soc. Acad. Maine-et-Loire, x. (1861) 102 = canina.
- trachyphylla*, Bor. Fl. Centr. Fr. ed. III. ii. 228 = canina.
- trachyphylla*, Rau, Enum. Ros. 124.—Europ.
- transalpina*, Christ, in Gremli, Excurs. Schw. ed. IV. 163 = arvensis.
- transiens*, Kern. in Oestr. Bot. Zeitschr. xx. (1870) 8 = glauca.
- transmota*, Crép. in Bull. Soc. Bot. Belg. viii. (1876) 289 = canina.
- transsilvanica*, Schur, Enum. Pl. Transs. 202 = canina.
- trichocarpa*, Waitz, ex Tratt. Ros. ii. 45 = alba ?
- trichoides*, Ripart, ex Déségl. in Bull. Soc. Bot. Belg. xv. (1876) 386.—Gallia.
- trichoneura*, Ripart, ex Crép. l. c. viii. (1869) 240 = canina.
- tricolor*, Hort. ex Steud. Nom. ed. I. 703; ed. II. ii. 473.—Hab. ?
- triflora*, Chab. ex Déségl. in Bull. Soc. Bot. Belg. xv. (1876) 245 = gallica.
- trifoliata*, Bosc, Dict. Agric. ed. II. xiii. 280 = laevigata.

## ROSA:—

- trifoliolata*, Rafn. in Ann. Gén. Sc. Phys. v. (1820) 213 = setigera.
- triphylla*, Roxb. Hort. Beng. 38; Fl. Ind. ii. 515 = anemoneflora, Fortune.
- tristis*, Kern. ex Déségl. in Bull. Soc. Bot. Belg. xv. (1876) 568 = tomentosa.
- tuguriorum*, Willd. Enum. Hort. Berol. 544 = arvensis.
- tunoniensis*, Déségl. in Billotia, i. (1864) 46 = tomentosa.
- turbinata*, Ait. Hort. Kew. ed. I. ii. 206.—Europ.
- turbinata*, Vill. Hist. Pl. Dauph. iii. 550 = alpina.
- turbinella*, Sw. ex Spreng. Syst. ii. 554 = cinnamomea.
- turgida*, Pers. Syn. ii. 49 = blanda.
- turkestanica*, Regel, in Act. Hort. Petrop. v. (1877) 349.—Turkestan.
- tuschetica*, Boiss. Fl. Orient. ii. 673.—Reg. Caucas.
- tyroliensis*, Déségl. in Bull. Soc. Bot. Belg. xv. (1876) 495 = tirolensis.
- ucenensis*, Boullu, in Cariot, Etud. Fleurs, ed. VII. ii. (1884) 256 = rubiginosa.
- uliginosa*, Bray, ex Fleisch. & Lindem. Fl. Deutsch. Ostseeprovinz. 179 (Quid ?).—Prov. balt.
- uliginosa*, Gilib. Fl. Lithuan. Inchoat. Collect. v. 240.—Hab. ?
- umbellata*, Leers, Fl. Herborn. 117, 286 = rubiginosa.
- umbellata*, Leyss. Fl. Hal. 92; Libert, in Lej. Fl. Spa, ii. 313 = canina.
- umbellifera*, Sw. ex Déségl. in Bull. Soc. Bot. Belg. xv. (1876) 570 = tomentosa.
- Uncinella*, Bess. Cat. Pl. Hort. Crem. (1811) Suppl. iv. 21 = canina.
- uncinelloides*, Puget, ex Nym. Consp. 235 = canina.
- undulaciflora*, Andr. Ros. t. 108.—Am. bor.
- unguicularis*, Bertol. Misc. Bot. xxii. 15. t. 3 = Webbia.
- unguiculata*, Desf. Tabl. ed. I. 175 = centifolia.
- unica*, Hort. ex Hoffm. Verz. Pfl. 109 = centifolia.
- urbica*, Léman, in Bull. Soc. Philom. (1818) 93 = canina.
- uriensis*, Lagg. & Puget, ex Cottet, in Bull. Soc. Murith. iv. (1875) 28 = tomentosa.
- usitatissima*, Gater. Pl. Montaub. 94 = alba.
- ustalica*, Vukot. in Rad Jugos. Akad. Zagreb. lxix. (1884) 14 = alpina.
- Vaillantiana*, Bor. ex Baker, in Journ. Linn. Soc. xi. (1871) 224 = agrestis.
- valesiaca*, Lagg. & Puget, ex Cottet, in Bull. Soc. Murith. ii. (1873) 43 = canina.
- Vanheurckiana*, Crép. ex Boiss. Fl. Orient. ii. 683.—Armenia.
- varia*, Schimp. & Spenn. in Spenn. Fl. Friburg. iii. 775 = gallica.
- varians*, Pohl, ex Link, Handb. ii. 93 (Quid ?).—Europ.
- Vayredae*, Costa, ex Vayr. in Anal. Soc. Esp. Hist. Nat. xi. (1882) 83.—Hab. ?
- velutina*, [Clairv.] Man. Herb. 163 = tomentosa.
- velutinaeflora*, Déségl. in Mém. Soc. Acad. Maine-et-Loire, xxviii. (1872) 100 = gallica.
- venosa*, Sw. ex Spreng. Syst. ii. 554 = glauca.
- Ventenatiana* ×, Red. & Thory, Ros. iii. 83.
- venusta*, Scheutz, Stud. Skand. Rosa (1872), 36 = mollissima.
- venusta*, Waitz, ex Reichb. Fl. Germ. Excurs. 613 = alpina.
- vepretorum*, Link, Handb. ii. 91 = canina.
- verecunda*, Waitz, ex Tratt. Ros. i. 21.—Hab. ?
- Verloti*, Crép. in Bull. Soc. Bot. Belg. viii. (1869) 274 = canina.
- versicolor*, Hort. ex Steud. Nom. ed. I. 703 = gallica.
- versicolor*, Steud. l. c. = spinosissima.
- versicolor*, Timb. in Bull. Soc. Sc. Phys. et Nat. Toul. ii. (1874) 63 = agrestis.
- verticillacantha*, Méral, Fl. Par. 190 = canina.
- vestita*, Godet, Fl. Jura, 210 = tomentosa.
- vestita*, Sternb. in Flora, ix. (1826) l. Beil. 77 = ferruginea.
- Vetteri*, Favr. in Gremli, Neue Beitr. Fl. Schw. i. 10 = cinnamomea.
- Viburnum*, Red. Ros. ii. 58 = centifolia.
- vicina*, Crép. in Bull. Soc. Bot. Belg. viii. (1869) 241 = canina.
- Villarsiana*, Sieber, ex Reichb. Fl. Germ. Excurs. 612 = spinosissima.
- Villarsii*, Tratt. ex Link, Handb. ii. 86 = alpina.



## ROSA:—

- villosa*, Bieb. Fl. Taur. Cauc. i. 395 = mollissima.  
*villosa*, Falk, Beitr. ii. 191 = tomentosa.  
*villosa*, Linn. Sp. Pl. 491.—Europ.; As. med.  
*villosa*, Pall. Fl. Ross. ii. 63 = pomifera.  
*villosa*, Sm. Engl. Bot. t. 583 = involuta, pomifera.  
*villosiuscula*, Ripart, ex Crép. in Bull. Soc. Bot. Belg. viii. (1869) 266 = canina.  
*villosula*, Paill. Rev. Fr. Conté, 362; ex Billotia, i. (1869) 119 = canina.  
*Vilmosina*, Hort. ex Steud. Nom. ed. I. 704; ed. II. ii. 473 = gallica.  
*viminea*, Lindl. Ros. Monog. 49.—Rossia.  
*vinacea*, Baker, in Naturalist, i. (1864) 101 = canina.  
*vinealis*, Ripart, ex Déségl. in Billotia, i. (1864) 36 = canina.  
*vinetorum*, Ripart, ex Déségl. in Bull. Soc. Bot. Belg. xv. (1876) 499 = canina.  
*vinodora*, Kern. in Oestr. Bot. Zeitschr. xix. (1869) 329 = agrestis.  
*violacea*, Hort. ex Roess. Rosen, i. 200 = gallica.  
*virescens*, Déségl. in Mém. Soc. Acad. Maine-et-Loire, x. (1861) 73 = gallica.  
*virgata*, Gremli, Excurs. Schw. ed. II. 177 = canina.  
*virginialis*, Wrede, ex Steud. Nom. ed. I. 704 = centifolia?  
*virginica*, Ripart, ex Déségl. in Journ. Bot. xii. (1874) 167 = stylosa.  
*virginiana*, Mill. Gard. Dict. ed. VIII. n. 10; Duroi, Harbk. Baumz. ii. 853 = R. Carolina.  
*virginica*, Roess. Rosen, t. 13; Spreng. Nov. Prov. 36 = praec.  
*virgultorum*, Ripart, ex Déségl. in Billotia, i. (1864) 44 = agrestis.  
*viridicata*, Puget, ex Crép. in Bull. Soc. Bot. Belg. viii. (1869) 239, 266 = canina.  
*viscida*, Puget, ex Crép. l. c. 241 = canina.  
*viscida*, Schultz, in Flora, viii. (1825) II. Beibl. 78.—Europ.  
*viscida*, Tausch, ex Opiz, Boehm. Gew. (1823) 61.—Bohemia.  
*viscidula*, Gren. ex Bouv. in Bull. Inst. Nat. Genève. xix. (1875) 107.—Europ.  
*viscosa*, Jan, Cat. 8 = agrestis.  
*vogesiaca*, Desport. Ros. Gall. (1828) 88 = glauca.  
*Vukotinovicii*, Borb. ex Vukot. in Rad Jugos. Akad. Zagreb. lxxix. (1884) 23 = alpina.  
*vulpina*, Wallr. Rosae Hist. (1828) 201 = R. Eglanteria.  
*Waiziana*, Reichb. in Moessl. Handb. ed. II. ii. 870 = Reichenbachiana.  
*Wallichii*, Sabine, in Wall. Cat. n. 687 = Leschenaultiana.  
*Wallichii*, Tratt. Ros. ii. 193 = sericea.  
*wasserburgensis*, Kirsch. Fl. Alsat. i. (1852) 247 = flexuosa.  
*Watsoni*, Baker, in Naturalist, i. (1864) 98 = canina.  
*Webbiana*, Wall. Cat. n. 683.—Reg. Himal.  
*Wettsteinii*, H. Braun, in Oestr. Bot. Zeitschr. xxxv. (1885) 303.—Europ.  
*Wichurae*, C. Koch, Wochenschr. xii. (1869) 202 = multiflora.  
*Wichuraiana*, Crép. ex Déségl. in Bull. Soc. Bot. Belg. xv. (1876) 204 = Luciae.  
*Wietziana*, Auct. ex Reichb. in Moessl. Handb. ed. II. ii. 871 = Reichenbachiana.  
*Willdenowii*, Spreng. Syst. ii. 547.—Reg. Casp.; Sibir.  
*Willdenowii*, Tratt. Ros. ii. 81 = pulchella.  
*Wilsoni*, Borr. in Hook. Brit. Fl. ed. I. 228 = involuta.  
*Wolfgangiana*, Bess. Enum. Pl. Volh. 61, 67 = gallica.  
*Wolfii*, La Soie, ex Déségl. in Bull. Soc. Bot. Belg. xv. (1876) 345.—Europ.  
*Woodsii*, A. Gray, in Mem. Am. Acad. iv. (1849) 42 = californica.  
*Woodsii*, Lindl. Ros. Monog. 21.—Am. bor.  
*Woodsii*, Regel, in Act. Hort. Petrop. (1877) 299 = nutkana.  
*Wulfenii*, Tratt. Ros. i. 200.—Europ.  
*xanthina*, Lindl. Ros. Monog. 132.—China.  
*xerampelina*, Hort. ex Breit. Hort. Breit. 433.—Europ.  
*Ywara*, Carr. in Rev. Hort. (1876) 357.—Japon.  
*zagrebensis*, Vukot. & H. Braun, ex Kern. Sched. Fl. Exsicc. iii. 55.—Croatia.  
*zalana*, Wiesb. in Oestr. Bot. Zeitschr. xxix. (1879) 142.—Europ.

## ROSA:—

- zamensis*, Simk. & H. Braun, in Termész. Füzetek, ix. (1885) 41.—Hungar.  
*Zeytheriana*, Dehn. Revista Napolit. i. III. 165; ex Walp. Rep. ii. 12.—Hab.?  
**ROSALESIA**, La Llave, in La Llave & Lex. Nov. Veg. Desc. fasc. i. 9 (1824) = **Brickellia**, Ell. (Compos.).  
*glandulosa*, La Llave, l. c. = B. Rosalesia.  
**ROSANOVIA**, Benth. & Hook. f. Gen. ii. 1004, sphalm. (1876) = seq.  
**ROSANOWIA**, Regel, Gartenfl. xxi. (1872) 33. t. 712 = **Sinningia**, Nees (Gesner.).  
*conspicua*, Regel, l. c. = Bras.  
*hybrida* ×, Nagy, in Illustr. Wien. Gartenfl. Zeitschr. x. (1885) 126.—Bras.  
*ornata* ×, Van Houtte, in Fl. de Serres, xxiii. (1882) 149.  
**ROSAURA**, Noronha, in Verh. Batav. Gen. v. (1790) ed. I. Art. iv. 3 = **Wedelia**?, Jacq. (Compos.).  
**ROSCHERIA**, H. Wendl. ex Baker, Fl. Maurit. 386 (1877). *PALMAE*, Benth. & Hook. f. iii. 913.  
*melanochoetes*, H. Wendl. l. c. 387.—Ins. Mascar.  
**ROSCIA**, D. Dietr. Syn. Pl. i. 552 (1839), sphalm. = **BOSCIA**, Thunb. = **Toddalia**, Juss. (Rutac.).  
**ROSCOEAE**, Roxb. Hort. Beng. 46 (1814); Fl. Ind. iii. 54 (1832) = **Sphenodesma**, Jack (Verbenac.).  
*pentandra*, Roxb. ll. cc. 46; 54 = S. pentandra.  
*tomentosa*, Roxb. ll. cc. [95]; 56 = Conyza tomentosa.  
*villosa*, Roxb. l. c. [95]; 55 = Laggera aurita.  
**ROSCOEAE**, Sm. Exot. Bot. ii. 97. t. 108 (1804).  
*SCITAMINEAE*, Benth. & Hook. f. iii. 641.  
*CAUTLEA*, Royle, Illustr. Bot. Himal. 361 (1839).  
*alpina*, Royle, Illustr. Bot. Himal. 361.—Reg. Himal.  
*capitata*, Sm. in Trans. Linn. Soc. xiii. (1822) 461.—Nepal.  
*elator*, Sm. l. c. 460.—Reg. Himal.  
*exilis*, Sm. ex Horan. Prod. Scitam. 21 = purpurea.  
*gracilis*, Sm. in Trans. Linn. Soc. xiii. (1822) 460 = elator.  
*lutea*, Hassk. in Flora, xlvii. (1864) 21.—Ins. Philipp.  
*lutea*, Royle, Illustr. Bot. Himal. 361. t. 89 = elator.  
*nigro-ciliata*, Hassk. in Flora, xlvii. (1864) 21.—Ins. Philipp.  
*procera*, Wall. Pl. As. Rar. iii. t. 242 = purpurea.  
*purpurea*, Sm. Exot. Bot. ii. 97. t. 108.—Reg. Himal.; Burma.  
*spicata*, Sm. in Trans. Linn. Soc. xiii. (1822) 460.—Reg. Himal.  
**ROSCYNA**, Spach, in Ann. Sc. Nat. Sér. II. v. (1836) 364 = **Hypericum**, Linn.  
*americana*, Spach, l. c. = H. pyramidatum.  
*Gebleri*, Spach, l. c. = H. Gebleri.  
*Gmelini*, Spach, l. c. = H. Ascyron.  
*japonica*, Blume, Mus. Bot. Lugd. Bat. ii. 21 = H. japonicum.  
**ROSEA**, Klotzsch, in Monatsb. Akad. Berl. (1853) 501 = **Tricalysia**, A. Rich. (Rubiace.).  
*crassifolia*, Klotzsch, l. c. = T. crassifolia.  
*jasminiflora*, Klotzsch, l. c. = T. jasminiflora.  
**ROSEA**, Mart. Nov. Gen. et Sp. ii. 58 (1826) = **Iresine**, P. Br. (Amarant.).  
*elator*, Mart. l. c. 59. t. 155 = I. elator.  
*Poeppigiana*, Klotzsch, ex Seub. in Mart. Fl. Bras. v. i. 226 = I. elator.  
*virgata*, Klotzsch, ex Seub. l. c. = I. elator.  
**ROSENBERGIA**, Oerst. in Kjoeb. Vidensk. Meddel. (1856) 30 = **Cobaea**, Cav. (Polemon.).  
*gracilis*, Oerst. l. c. 31 = C. gracilis.  
*penduliflora*, Karst. Fl. Columb. i. 27. t. 14 = C. penduliflora.  
**ROSENIA**, Thunb. Nov. Gen. 161 (1801). **COM-POSITAE**, Benth. & Hook. f. ii. 327.  
*glandulosa*, Thunb. l. c. 162.—Afr. austr.  
*spinescens*, DC. Prod. vi. 280.—Afr. austr.

**ROSILLA**, Less. Syn. Comp. 245 (1832). **COM-POSITAE**, [Benth. & Hook. f. ii. 397].  
*lutea*, Less. l. c.—Mexic.

**ROSLINIA**, G. Don, Gen. Syst. iv. 203 (1837) = **ROESLINIA**, Moench = **Chironia**, Linn. (Gentian.).

**ROSLINIA**, Neck. Elem. i. 357 (1790) = **Justicia**, Houst. (Acanth.).

**ROSMARINUS**, [Tourn.] Linn. Syst. ed. I (1735). **LABIATAE**, Benth. & Hook. f. ii. 1197.

*angustifolius*, Mill. Gard. Dict. ed. VIII. n. 1 = officinalis.

*chilensis*, Molina, Sagg. Chile, 158 = Sphacele campanulata.

*communis*, Noronha, in Verh. Batav. Gen. v. (1790) ed. I. Art. iv. 25 = officinalis?

*ericalix*, Jord. & Fourr. Brev. Pl. Nov. fasc. i. 44 = officinalis.

*flexuosus*, Jord. & Fourr. l. c. = officinalis.

*latifolius*, Mill. Gard. Dict. ed. VIII. n. 2 = officinalis.

*laxiflorus*, Noé, ex Lange, in Kjoeb. Vidensk. Meddel. (1863) 12 = officinalis.

officinalis, Linn. Sp. Pl. 23.—Reg. Mediterr.

*prostratus*, Fl. Corc. in Ionios Anthol. ii. (1834) 446 = officinalis.

*rigidus*, Jord. & Fourr. Brev. Pl. Nov. fasc. i. 43 = officinalis.

*tenuifolius*, Jord. & Fourr. l. c. = officinalis.

**ROSPIDIOS**, A. DC. in DC. Prod. viii. 220 (1844) = **Diospyros**, Linn. (Ebenac.).

*vaccinioides*, A. DC. l. c. = D. vaccinioides.

**ROSSENIA**, Vell. Fl. Flum. 31 (1825); i. t. 77 (1827) = **Cusparia**, Humb. (Rutac.).

*pentaphylla*, Vell. ll. cc. = Bras.

**ROSSINA**, Steud. Nom. ed. II. ii. 652 (1841), sphalm. = **POSSIRA**, Aubl. = **Swartzia**, Schreb. (Legumin.).

**ROSSMAESSLERA**, Reichb. Nom. 113 (1841) = **Gilia**, Ruiz & Pav. (Polemon.).

**ROSSMANNIA**, Klotzsch, in Monatsb. Akad. Berl. (Maerz 1854) 125; et in Abh. Akad. Berl. 1854 (1855) 99. t. 9 A = **Begonia**, Linn.

*repens*, Klotzsch, ll. cc. = B. repens.

**ROSSOLIS**, Adans. Fam. ii. 245 (1763) = **Drosera**, Linn.

*rotundifolia*, Moench, Meth. 57 = D. rotundifolia.

*septentrionalis*, Scop. Fl. Carn. ed. II. i. 232 = D. rotundifolia.

**ROSTELLARIA**, Gaertn. f. Fruct. iii. 135. t. 207 (1805). 'Genus valde dubium,' Benth. & Hook. f. ii. 653.

*SARCORHYNA*, Presl, Bot. Bemerk. 103 (1844).

*Lessertiana*, Gaertn. f. l. c.—Hab.?

**ROSTELLARIA**, Nees, in Wall. Pl. As. Rar. iii. 76 (1832) = **Justicia**, Houst. (Acanth.).

*adenostachya*, Nees, l. c. 101 = J. procumbens.

*crinita*, Nees, l. c. = J. micrantha.

*diffusa*, Nees, l. c. 100 = J. diffusa.

*haplostachya*, Benth. & Hook. f. Gen. ii. 1110 = J. haplostachya.

*hedyotidifolia*, Nees, in Wall. Pl. As. Rar. iii. 100 = J. diffusa.

*japonica*, Carr. in Rev. Hort. (1866) 400 = J. procumbens?

*micrantha*, Steud. Nom. ed. II. i. 838, in syn., sphalm. = seq.

*mollissima*, Nees, in Wall. Pl. As. Rar. iii. 101 = J. simplex.

*parviflora*, Benth. in Hook. Niger Fl. 481 = J. tenella.

*peplodes*, Nees, in Wall. Pl. As. Rar. iii. 101 = J. quinqueangularis.

*procumbens*, Nees, l. c. = J. procumbens.

*quinqueangularis*, Nees, l. c. = J. quinqueangularis.

*reptans*, Nees, ex Benth. & Hook. f. Gen. ii. 1110 = J. trifolioides.

*rotundifolia*, Nees, in Wall. Pl. As. Rar. iii. 100 = J. diffusa.

*Schimperi*, Hochst. in Flora, xxiv. (1841) I. Intell. 24 = Rhinacanthus calcaratus?

## ROSTELLARIA:—

*sexangularis*, Hochst. in Flora, xxv. (1842) Beil. i. 144 = *Dicliptera sexangularis*.  
*tenella*, Nees, ex Benth. & Hook. f. Gen. ii. 1110 = *Justicia tenella*.  
*Vahlia*, Nees, in Wall. Pl. As. Rar. iii. 102 = *J. diffusa*.

ROSTELLULARIA, Reichb. Handb. 190 (1837) = *Justicia*, Houst. (Acanth.).

*abyssinica*, Brongn. ex Nees, in DC. Prod. xi. 372 = *J. simplex*.

*adenostachya*, Nees, l. c. 373 = *J. procumbens*.

Blancoi, Hassk. in Flora, xlvii. (1864) 54 = *Dianthera americana*.

*brachystachya*, Nees, in DC. Prod. xi. 369 = *J. brachystachya*.

*crenulata*, Nees, l. c. = *J. tenella*.

*crinita*, Nees, l. c. 373 = *J. micrantha*.

*diffusa*, Nees, l. c. 371 = *J. diffusa*.

*glandulosa*, Nees, l. c. 373 = *J. simplex*.

*gracilis*, Wight, Ic. t. 1541 = *Rungia linifolia*.

*haplostachya*, Nees, in DC. Prod. xi. 369 = *J. haplostachya*.

*hedyotidifolia*, Nees, l. c. 370 = *J. diffusa*.

*juncea*, Nees, l. c. 376 = *J. procumbens*.

*media*, Nees, l. c. 374 = *J. procumbens*.

*mollissima*, Nees, l. c. 373 = *J. procumbens*.

*obtusata*, Nees, l. c. 374 = *J. Blumeana*.

*peplodes*, Nees, l. c. 375 = *J. quinqueangularis*.

*pogonanthera*, F. Muell. in Linnaea, xxv. (1852) 431 = *J. procumbens*.

*procumbens*, Nees, in DC. Prod. xi. 371 = *J. procumbens*.

*psychotrioides*, Nees, l. c. 370 = *J. psychotrioides*.

*pumila*, Hochst. ex Nees, l. c. 372 = *J. simplex*.

*quinqueangularis*, Nees, l. c. 375 = *J. quinqueangularis*.

*reptans*, Nees, l. c. 368 = *J. trifolioides*.

*rotundifolia*, Nees, l. c. 370 = *J. simplex, diffusa*.

*royeniana*, Nees, l. c. 373 = *J. Royeniana*.

*sarmentosa*, Zoll. ex Nees, l. c. 370 = *J. procumbens*.

*simplex*, Wight, Ic. iv. t. 1542 = *J. notha*.

*tenella*, Nees, in DC. Prod. xi. 369 = *J. tenella*.

*trichochila*, Miq. in Journ. Bot. Néerl. i. (1861) 118. — China.

*Vahlia*, Nees, in DC. Prod. xi. 376 = *J. diffusa*.

ROSTKOVIA, Desv. Journ. Bot. i. (1808) 324. t. 12. *JUNCACEAE*, Benth. & Hook. f. iii. 867.

MARSIPPOSPERMUM, Desv. Journ. Bot. i. (1808) 328. t. 12.

*brevifolia*, Phil. in Linnaea, xxix. (1857–58) 76 = *Distichia brevifolia*.

*clandestina*, Phil. l. c. = *Distichia clandestina*.

*gracilis*, Hook. f. *Fl. Antarct.* 83. — Ins. Antarct.

*gracilis*, Phil. in Linnaea, xxix. (1857–58) 75. — Chili.

*grandiflora*, Hook. f. *Fl. Antarct.* 81. — Ins. Antarct.

*magellanica*, Hook. f. l. c. = *sphaerocarpa*.

*Novae-Zelandiae*, J. Buch. in Trans. N. Z. Inst. iv. (1872) 227 = *gracilis*, Hook. f.

*sphaerocarpa*, Desv. Journ. Bot. i. (1808) 327. — Reg. Magellan.

ROSTRARIA, Trin. Fund. Agrost. 149 (1820) = *Trisetum*, Pers. (Gramin.).

*laevis*, Trin. l. c. 150 = *T. panicum*.

*pubescens*, Trin. l. c. = *T. phleoides*.

ROOTALA, Linn. Mant. ii. 143 (1771). *LYTHRARIAE*, [Benth. & Hook. f. i. 776].

*alata*, Koehne, in Engl. Bot. Jahrb. i. (1881) 171. — Ind. or.

*apetala*, F. Muell. Fragm. iii. 108 = *Ammannia Rotala*.

*cordata*, Koehne, in Engl. Bot. Jahrb. i. (1881) 172. — Ind. or.

*decussata*, DC. Prod. iii. 76 = *Ammannia pentandra*.

*decussata*, Hiern, in Oliver, Fl. Trop. Afr. ii. 467. — Afr. trop.

*decussata*, Hiern, l. c., partim = *illecebroides*.

*densiflora*, Koehne, in Engl. Bot. Jahrb. i. (1881) 164 = *Ammannia pentandra*.

*dentifera*, Koehne, l. c. 161. — Mexic.

*diandra*, F. Muell. in Trans. Phil. Soc. N. S. W. xiv. (1881) 89 = *Ammannia diandra*.

*elatinoides*, Hiern, in Oliver, Fl. Trop. Afr. ii. 466. — Afr. trop.

*filiformis*, Hiern, in Oliver, Fl. Trop. Afr. ii. 468. — Afr. trop.

## ROOTALA:—

*fimbriata*, Wight, Ic. t. 217. — Ind. or.

*floribunda*, Koehne, in Engl. Bot. Jahrb. i. (1881) 156. — Ind. or.

*fontinalis*, Hiern, in Oliver, Trop. Afr. ii. 468. — Afr. trop.

*hexandra*, Koehne, in Engl. Bot. Jahrb. i. (1881) 167. — Ind. or.

*illecebroides*, Koehne, l. c. 161. — Ind. or.

*indica*, Koehne, l. c. 172 = *Ammannia peploides*.

*leptopetala*, Koehne, l. c. 162. — As. or.

*macrandra*, Koehne, l. c. 176. — Ind. or.

*mexicana*, Cham. & Schlecht. in Linnaea, v. (1830) 567. — Mexic.

*myriophylloides*, Welw. ex Hiern, in Oliver, Fl. Trop. Afr. ii. 469 = *Hydrolythrum Wallichii*.

*nummularia*, Welw. ex Hiern, l. c. 468. — Afr. trop.

*occultiflora*, Koehne, in Engl. Bot. Jahrb. i. (1881) 152. — Ind. or.

*pentandra*, Wight, Ic. i. sub t. 217 = *Ammannia pentandra*.

*petaloidea*, Wight, ex Steud. Nom. ed. II. ii. 474 = *Ammannia Rotala*.

*pusilla*, Tul. in Ann. Sc. Nat. Sér. IV. vi. (1856) 128 = *mexicana*.

*ramosior*, Koehne, in Mart. Fl. Bras. xiii. ii. 194. — Bras.

*repens*, Koehne. — Cf. Sitzb. Bot. Ver. Prov. Brandenb. (1877) 48 = *Quartinia repens*.

*Ritchiei*, Koehne, in Engl. Bot. Jahrb. iv. (1883) 386. — Ind. or.

*rotundifolia*, Koehne, l. c. i. (1881) 175 = *Ammannia rotundifolia*.

*Roxburghiana*, Wight, Ic. t. 260. f. B. = *Ammannia pentandra*.

*serpiculoides*, Welw. ex Hiern, in Oliver, Fl. Trop. Afr. ii. 469. — Afr. trop.

*simpliciuscula*, Koehne, in Engl. Bot. Jahrb. i. (1882) 159. — Ind. or.

*stagnina*, Hiern, in Oliver, Fl. Trop. Afr. ii. 467. — Afr. trop.

*subrotunda*, Koehne, in Engl. Bot. Jahrb. i. (1881) 174. — Ind. or.

*tenella*, Hiern, in Oliver, Fl. Trop. Afr. ii. 467. — Afr. trop.

*tenuis*, Koehne, in Engl. Bot. Jahrb. i. (1881) 177. — Ind. or.

*verticillaris*, Hiern, in Oliver, Fl. Trop. Afr. ii. 467 = *mexicana*.

*verticillaris*, Linn. Mant. ii. 175 = *Ammannia Rotala*.

*Wallichii*, Koehne, in Engl. Bot. Jahrb. i. (1881) 154 = *Hydrolythrum Wallichii*.

ROTANG, Adans. Fam. ii. 24 (1763) = *Calamus*, Linn. (Palm.).

ROTANGA, Boerh. ex Crantz, Inst. i. 127 (1766) = *Calamus*, Linn. (Palm.).

*Calamus*, Crantz, l. c. = *C. Rotang*.

ROTBOLLA, Zumag. Fl. Pedem. i. 142 (1849), sphalm. = *Rottboellia*, Linn. f. (Gramin.).

ROTTERBE, Klatt, in Mart. Fl. Bras. iii. i. 543. t. 71 (1871) = *BOTHERBE*, Steud. = *Calydorea*, Herb. (Irid.).

*bulbosa*, Steud. ex Baker, in Journ. Linn. Soc. xvi. (1877) 134 = *Libertia elegans*.

*campestris*, Klatt, in Mart. Fl. Bras. iii. i. 543 = *C. campestris*.

*elegans*, Steud. ex Baker, in Journ. Linn. Soc. xvi. (1877) 153 = *Libertia elegans*.

*gracilis*, Klatt, in Mart. Fl. Bras. iii. i. 544 = *C. nuda*.

*luteola*, Klatt, l. c. = *C. luteola*.

ROTHECA, Rafin. Fl. Tellur. iv. 69 (1836) = *Clerodendron*, Linn. (Verben.).

*bicolor*, Rafin. l. c. = *C. serratum*.

*ternifolia*, Rafin. l. c. = *C. serratum*.

ROTHERIA, Meyen, Reise, i. 402 (1834) = *Cruckshanksia*, Hook. & Arn. (Rubiace.).

*lanceolata*, Meyen, l. c. = *C. hymenodon*.

ROTHIA, Lam. Journ. Hist. Nat. i. (1792) 16. t. 1 = *Hymenopappus*, L'Hérit. (Compos.).

*carolinensis*, Lam. l. c. = *H. scabiosus*.

ROTHIA, Pers. Syn. ii. 638 (1807). *LEGUMINOSAE*, Benth. & Hook. f. i. 477.

GOETZEA, Reichb. Consp. 204 (1828).

HARPELEMA, Jacq. f. Eclog. Pl. ii. 6 (1844).

WESTONIA, Spreng. Syst. iii. 230 (1826).

XEROCARPUS, Guill. & Perr. Fl. Seneg. Tent. 169. t. 44 (1832).

*hirsuta*, Baker, in Oliver, Fl. Trop. Afr. ii. 7. — Afr. trop.

*trifoliata*, DC. Prod. ii. 382. — Ind. or.; Austral.

ROTHIA, Schreb. Gen. 531 (1791) = *Andryala*, Linn. (Compos.).

*andryaloides*, Gaertn. Fruct. ii. 371. t. 174. f. 9 = *A. Rothia*.

*argentea*, Lapeyr. Hist. Abr. Pl. Pyr. 485 = *A. ragusina*.

*cheiranthifolia*, Roth, Catalect. fasc. i. 105 = *A. integrifolia*.

*floccosa*, Pomel, Nouv. Mat. Fl. Atl. 3 = *A. floccosa*.

*laxiflora*, Salzm. ex DC. Prod. vii. 247 = *A. laxiflora*.

*runcinata*, Roth, Catalect. fasc. i. 107 = *A. integrifolia*.

*tenuifolia*, Tineo, Cat. Pl. Hort. Panorm. (1827) 280 = *A. dentata*.

ROTHMANNIA, Thunb. in Vet. Acad. Handl. Stockh. (1776) 63 = *Gardenia*, Ellis (Rubiace.).

*Bowieana*, Benth. in Hook. Niger Fl. 384 = *Randia macrantha*.

*capensis*, Thunb. in Vet. Acad. Handl. Stockh. (1776) 65. f. 2 = *G. Rothmannia*.

*longiflora*, Salisb. Parad. Lond. t. 65 = *Randia maculata*.

*macrophylla*, R. Br. in Wall. Cat. n. 8304 = *Randia macrophylla*.

*malleifera*, Hook. Niger Fl. 383 = *Randia malleifera*.

*Stanleyana*, Hook. l. c. = *Randia maculata*.

ROTHROCKIA, A. Gray, in Proc. Am. Acad. xx. (1885) 295. *ASCLEPIADEAE*.

*cordifolia*, A. Gray, l. c. — Am. bor.

ROTMANNIA, Neck. Elem. ii. 450 (1790) = *Eperua*, Aubl. (Legumin.).

ROTTBOELLIA, Scop. Introd. 233 (1777) = *Ximenia*, Linn. (Olcac.).

ROTTBOELLA, Murr. Syst. 124 (1784) = *Rottboellia*, Linn. f. (Gramin.).

ROTTBOELLIA, Host, Gram. Austr. i. 19. t. 24 (1801) = *Lepturus*, R. Br. (Gramin.).

ROTTBOELLIA, Linn. f. Nov. Gram. Gen. in Amoen. Acad. x. 22 (1779), partim. *GRAMINEAE*, Benth. & Hook. f. iii. 1129.

APOGONIA, Fourr. ex Benth. & Hook. f. Gen. iii. 1130 (1883).

COELORACHIS, Brongn. in Duperr. Voy. Coq. Bot. 64. t. 141 (1829).

CYMBACHNE, Retz. Obs. vi. 36 (1791).

LASIURUS, Boiss. Diagn. Ser. II. iv. 145 (1859).

MANISURIS, Linn. Mant. ii. 164 (1767).

PELTOPHORUS, Desv. in Nouv. Bull. Soc. Philom. ii. (1810) 188.

PHACELURUS, Griseb. Spicil. Fl. Rumel. ii. 423 (1844).

PHOLIURUS, Trin. in Spreng. Neue Entdeck. ii. 67 (1821).

STEGOSIA, Lour. Fl. Cochinch. 51 (1790).

*adscendens*, Brot. Fl. Lusit. i. 84 = *Lepturus cylindricus*.

*agropyroides*, Hack. in Bol. Soc. Broter. iii. (1885) 135. — Afr. trop.

*altissima*, Poir. Voy. Barb. ii. 105 = *compressa*.

*anthephoroides*, Steud. in Flora, xxix. (1846) 22 = *Ischaemum antephoroides*.

*arabica*, Willd. ex Steud. Nom. ed. II. ii. 474 = *Lepturus filiformis*.

*articulata*, Thunb. ex Roem. & Schult. Syst. ii. 787 = *compressa*.

*arundinacea*, Hochst. ex A. Rich. Tent. Fl. Abyss. ii. 444 = *exaltata*.

*aurita*, Steud. Syn. Pl. Gram. 361. — Am. trop.

*Balansae*, Hack. in Mart. Fl. Bras. ii. iii. 312. — Paraguay.

*barbata*, Spreng. Syst. i. 300 = *Xerachloa barbata*.

**ROTTBOELLIA** :—

- barbata*, Willd. ex Steud. Nom. ed. II. ii. 474 = Stenotaphrum subulatum.  
*Beyreichii*, Trin. ex Steud. l. c. (Quid?).—Hab.?  
*biflora*, Roth, Neue Beitr. i. 121 = Lepturus pannonicus.  
*biflora*, Roxb. Hort. Beng. 82; Fl. Ind. i. 357 (Lepturi sp.).—Ind. or.  
*brevis*, Chauvin, ex Steud. Syn. Pl. Gram. 361.—Ins. Wagiu.  
*campestris*, Nutt. in Trans. Am. Phil. Soc. v. (1837) 151.—Am. bor.  
*ciliaris*, Willd. ex Steud. Nom. ed. II. ii. 474 (= *Aegilops ciliaris*).—Ind. or.  
*ciliata*, Nutt. Gen. Am. i. 83 = Elionurus tripsacoides.  
*Coelorachis*, Forst. f. Prod. 9.—N. Caled.  
*complanata*, Sw. in Ges. Naturf. Fr. Berl. Mag. iv. (1810) 89. t. 5 = Stenotaphrum glabrum.  
*compressa*, Beauv. Agrost. 109. t. 21. f. 81 = Stenotaphrum glabrum.  
*compressa*, Guss. ex Steud. Nom. ed. II. ii. 474 = Lepturus filiformis.  
*compressa*, Linn. f. Suppl. 114.—Reg. trop.  
*corrugata*, Baldw. in Am. Journ. Sc. Ser. I. i. (1819) 355.—Am. bor.  
*corymbosa*, Linn. f. Suppl. 114 = Ophiurus corymbosus.  
*cylindrica*, Torr. Bot. Whipl. Exped. 103; Chapm. Fl. S. U. St. 579.—Am. bor.  
*cylindrica*, Willd. Sp. Pl. i. 464 = Lepturus cylindricus.  
*Cymbachne*, Willd. l. c. 465.—Ind. or.  
*denudata*, Steud. Syn. Pl. Gram. 362 = exaltata.  
*digitata*, Sibth. & Sm. Fl. Graec. i. t. 92.—Oriens.  
*dimidiata*, Thunb. Prod. Pl. Cap. 23; Sw. in Ges. Naturf. Fr. Berl. Mag. iv. (1810) 89 = Stenotaphrum glabrum.  
*diversiflora*, Salzmann ex Steud. Syn. Pl. Gram. 361 = Andropogon imberbis.  
*elegantissima*, Hochst. & Steud. ex Steud. Nom. ed. II. ii. 474 = Elionurus Royleanus.  
*erecta*, Savi, in Nuov. Giorn. Lett. Pisan. iv. (1806) 250 = Lepturus filiformis.  
*exaltata*, Linn. f. Suppl. 114.—Reg. trop.  
*fasciculata*, Brongn. in Duperr. Voy. Coq. Bot. t. 14 = R. Coelorachis.  
*fasciculata*, Lam. Illustr. i. 204 = compressa.  
*filifolia*, Wright, in Sauv. Fl. Cub. 200 = loricata.  
*filiformis*, Roth, in Usteri, Ann. Bot. x. (1794) 38 = Lepturus filiformis.  
*foliata*, Steud. Syn. Pl. Gram. 361 = latifolia.  
*foliosa*, Miq. Ann. Mus. Bot. Lugd. Bat. ii. 291 = latifolia.  
*formosa*, R. Br. Prod. 206.—Austral.  
*glabra*, Roxb. Hort. Beng. 8; Fl. Ind. i. 353 = compressa.  
*glabrata*, Benth. ex Hemsl. Biol. Centr. Am. Bot. iii. 521 = Andropogon imberbis.  
*glandulosa*, Trin. in Mém. Acad. Pétersb. Sér. VI. ii. (1833) 250.—Burma; Malaya.  
*gracilis*, Mill. ex Steud. Nom. ed. II. ii. 474 = Lepturus filiformis.  
*Hamiltoni*, Trin. ex Steud. l. c. (Quid?).—Bengal.  
*hirsuta*, Vahl, Symb. Bot. i. 11.—Afr. trop.; Arab.; Afghan.  
*hordeoides*, Munro, in Harv. Gen. S. Afr. Pl. ed. II. 442.—Afr. austr.  
*impressa*, Griseb. Cat. Pl. Cub. 235.—Cuba.  
*incurva*, Roem. & Schult. Syst. ii. 799, in obs. = Lepturus incurvatus.  
*incurvata*, Linn. f. Suppl. 114 = Lepturus incurvatus.  
*incurvata*, Sibth. & Sm. Fl. Graec. i. 72 = Lepturus cylindricus.  
*laevis*, Retz. Obs. iii. 11 = Ophiurus perforatus.  
*latifolia*, Steud. in Flora, xxix. (1846) 21.—China; Japon.  
*loliacea*, Bory & Chaub. Expéd. Mor. 46. t. 3. f. 2 = Lolium lepturoides.  
*loricata*, Trin. in Mém. Acad. Pétersb. Sér. VI. ii. (1833) 250.—Bras.; Cuba.  
*mollicoma*, Hance, in Journ. Bot. ix. (1871) 134.—China.  
*monandra*, Cav. Ic. i. 27. t. 39. f. 1 = Psilurus nardoides.  
*muricata*, Benth. Fl. Austral. vii. 514 = ophiuroides.  
*muricata*, Retz. Obs. iii. 12.—Ind. or.; Austral.  
*myurus*, Benth. in Journ. Linn. Soc. xix. (1881) 68.—Ind. or.  
*nigrescens*, Thw. Enum. Pl. Zeyl. 364.—Zeylan.

**ROTTBOELLIA** :—

- ocrea*, Trin. in Mém. Acad. Pétersb. Sér. VI. ii. (1833) 250 = Andropogon imberbis?  
*ophiuroides*, Benth. Fl. Austral. vii. 514.—Austral.  
*paleacea*, Steud. ex Doell, in Mart. Fl. Bras. ii. 11. 301 = Stenotaphrum glabrum.  
*paniculata*, Salzmann ex Steud. Nom. ed. II. ii. 474 = Spartina bahiensis.  
*paniculata*, Spreng. Syst. i. 300 = Schedonnardus texanus.  
*pannonica*, Host, Gram. Austr. i. t. 24 = Lepturus pannonicus.  
*perforata*, Roxb. Pl. Corom. ii. 43. t. 182 = Ophiurus perforatus.  
*pilosa*, Roth, ex Roem. & Schult. Syst. ii. 785 (Enteropogonis sp.).—Ind. or.  
*pilosa*, Willd. Sp. Pl. i. 465 = Oropetium thomaeum.  
*pubescens*, Bertol. Misc. Bot. i. 10 = Lepturus pubescens.  
*pulcherrima*, Wall. ex Kunth, Enum. Pl. i. 468 = Ratzeburgia pulcherrima.  
*punctata*, Retz. Obs. iii. 11 = Ophiurus corymbosus.  
*ramosa*, Benth. ex Hemsl. Biol. Centr. Am. Bot. iii. 521 = aurita.  
*ramosa*, Cav. in Anal. Cienc. Nat. iii. (1801) 11 = Lepturus cylindricus.  
*repens*, Forst. f. Prod. 9 = Lepturus repens.  
*Rhytachne*, Hack. in Bol. Soc. Broter. iii. (1885) 136.—Afr. trop.  
*Roxburghiana*, Schult. Mant. ii. 430 = Lepturus pannonicus.  
*rugosa*, Nutt. Gen. Am. i. 84.—Am. bor.  
*salina*, Hort. ex Link, Enum. Hort. Berol. i. 101 = Lepturus pannonicus.  
*salsa*, Fisch. ex Roem. & Schult. Syst. ii. 798 = Lepturus pannonicus.  
*Salzmanni*, Trin. ex Steud. Syn. Pl. Gram. 361 = Andropogon imberbis?  
*Sandorii*, Frivald. in Flora, xviii. (1835) 335 = digitata.  
*sanguinea*, Retz. Obs. iii. 25 = Andropogon Pseudograya.  
*scorpioides*, Poir. ex Steud. Nom. ed. II. ii. 474 = Ctenium carolinianum.  
*Selloana*, Hack. in Mart. Fl. Bras. ii. 111. 312.—Bras.  
*setacea*, Roxb. Pl. Corom. ii. 17. t. 132 = Microchloa setacea.  
*setosa*, Meyen, Reise, ii. 266, nomen.—Ins. Luzon.  
*setosa*, J. & C. Presl, Rel. Haenk. i. 329 = exaltata.  
*sphathacea*, Tenore, Prod. Fl. Nap. p. xi = compressa.  
*stigmosa*, Trin. ex Rupr. in Bull. Acad. Brux. ix. II. (1844) 243, nomen = aurita.  
*stipoides*, Steud. Syn. Pl. Gram. 370 = Andropogon heteranthus.  
*stolonifera*, Poir. Encyc. vi. 310 = Stenotaphrum glabrum.  
*striata*, Nees, ex Steud. Syn. Pl. Gram. 361.—Ind. or.  
*stricta*, Hort. ex Steud. Nom. ed. I. 705; ed. II. ii. 474 = Spartina stricta.  
*subulata*, Salzmann ex Ball, in Journ. Linn. Soc. xvi. (1878) 733 = Lepturus filiformis.  
*subulata*, Savi, in Nuov. Giorn. Pisan. iv. (1806) 250 = Lepturus cylindricus.  
*tessellata*, Steud. Syn. Pl. Gram. 362 = corrugata.  
*thomaea*, Koen. in Naturf. xxiii. (1788) 210; Willd. Sp. Pl. i. 464 = Oropetium thomaeum.  
*Tranchelli*, J. F. Gmel. Syst. 197 = compressa.  
*trichantha*, Roth, Nov. Pl. Sp. 43 (Enteropogonis sp.).—Ind. or.  
*tripsacoides*, Lam. Illustr. i. 205.—Afr. trop.?  
*uncinata*, Beauv. Agrost. 109; Spreng. Syst. i. 299 = compressa.  
*uniflora*, A. Cunn. in Hook. Comp. Bot. Mag. ii. (1836) 371 = Zoysia pungens.  
*villosa*, Poir. Encyc. vi. 313.—Ind. or.  
*Xerochloa*, Spreng. Syst. i. 300 = Xerochloa imberbis.
- ROTTBOLIA**, Zumag. Fl. Pedem. i. 93 (1849), sphalm. = praec.
- ROTTBOLIA**, Cav. Ic. i. 27 (1791) = praec.
- ROTTLERA**, Roxb. Pl. Corom. ii. 36. t. 168 (1798) = **Mallotus**, Lour. (Euphorb.).  
*acuminata*, Baill. Etud. Gén. Euph. 426 = M. acuminatus.  
*acuminata*, A. Juss. Tent. Euph. 33 = M. tiliae-folius.

**ROTTLERA** :—

- acutifolia*, Hassk. Cat. Hort. Bog. Alt. 238 = Mallotus acuminatus.  
*affinis*, Baill. Etud. Gén. Euph. 424 = M. claoxyloides.  
*affinis*, Hassk. in Flora, xxv. (1842) 11. Beibl. 41 = M. philippinensis.  
*alba*, Roxb. Hort. Beng. 73; Fl. Ind. iii. 829 = M. albus.  
*albicans*, Hassk. Cat. Hort. Bog. Alt. 238 = Cephalocroton discolor.  
*albicans*, Mor. ex Reichb. f. & Zoll. in Verh. Naturk. Ver. Nederl. Indie, i. (1856) 21 = Cephalocroton albicans.  
*angulata*, Scheff. in Miq. Ann. Mus. Bot. Lugd. Bat. iv. 124 = M. angulatus.  
*aurantiaca*, Hook. & Arn. Bot. Beech. Voy. 270 = M. philippinensis.  
*aureopunctata*, Dalz. in Hook. Kew Journ. iii. (1851) 122 = M. Lawii.  
*barbata*, Wall. Cat. n. 7822 = M. barbatus.  
*bifaria*, Wall. l. c. n. 7981 = Gelonium multiflorum.  
*Blumeana*, Scheff. in Miq. Ann. Mus. Bot. Lugd. Bat. iv. 124 = M. Blumeanus.  
*Blumei*, Decne. in Nouv. Ann. Mus. Par. iii. (1834) 486 = M. tiliae-folius.  
*borneensis*, Scheff. in Miq. Ann. Mus. Bot. Lugd. Bat. iv. 125 = M. borneensis.  
*brasiliensis*, Spreng. Syst. iii. 877 = Croton brasiliensis.  
*calcosa*, Scheff. in Miq. Ann. Mus. Bot. Lugd. Bat. iv. 125 = M. calcosus.  
*cantonensis*, Spreng. Syst. iii. 878 = M. Apelta.  
*chinensis*, A. Juss. Tent. Euph. 33 = M. Apelta.  
*congesta*, Wall. Cat. n. 7981, B = Gelonium multiflorum.  
*cordifolia*, Benth. Fl. Hongk. 307 = M. repandus.  
*dentata*, Baill. Adansonia, i. (1860-61) 69 = M. oppositifolius.  
*diadema*, Scheff. in Miq. Ann. Mus. Bot. Lugd. Bat. iv. 125 = M. diadenus.  
*dicocca*, Roxb. Hort. Beng. 73; Fl. Ind. iii. 829 = M. repandus.  
*digyna*, Thw. Enum. Pl. Zeyl. 273 = Macaranga digyna.  
*dioica*, Baill. Etud. Gén. Euph. 423 = M. repandus.  
*dioica*, Roxb. ex Wall. Cat. n. 7827, A = *dicocca*.  
*discolor*, F. Muell. ex Benth. Fl. Austral. vi. 143 = M. discolor.  
*dispar*, Blume, Bijdr. 608 = M. dispar.  
*dispar*, Mor. Syst. Verz. Zoll. 17 = M. Moritzianus.  
*eglandulosa*, Zipp. ex Span. in Linnaea, xv. (1841) 348, nomen (Quid?).—Ins. Timor.  
*eriocarpa*, Thw. Enum. Pl. Zeyl. 273 = M. eriocarpus.  
*fasciculata*, Wall. Cat. n. 7981, B = Gelonium multiflorum.  
*ferruginea*, Roxb. Hort. Beng. 73; Fl. Ind. iii. 828 = M. ferrugineus.  
*flavigutta*, Miq. Fl. Ind. Bat. Suppl. 453 = M. acuminatus.  
*floribunda*, Hassk. Cat. Hort. Bog. Alt. 238 = M. floribundus.  
*Furetiana*, Baill. Etud. Gén. Euph. 426, nomen = M. Furetianus.  
*fuscescens*, Thw. Enum. Pl. Zeyl. 273 = M. fuscenscens.  
*gigantea*, Reichb. f. & Zoll. ex Kurz, in Tijdschr. Nederl. Indie, xxvii. (1864) 44 = Macaranga gigantea.  
*glaberrima*, Hassk. in Flora, xxv. (1842) 11. Beibl. 41 = M. glaberrimus.  
*glauca*, Hassk. l. c. = Macaranga denticulata.  
*hexandra*, Roxb. Hort. Beng. [105]; Fl. Ind. iii. 829 = Macaranga hexandra.  
*hispida*, Kurz, ex Teijsm. & Binn. in Tijdschr. Nederl. Ind. xxiv. (1864) 43 = Macaranga hispida.  
*Hookeriana*, Scheff. in Miq. Ann. Mus. Bot. Lugd. Bat. iv. 124 = M. Hookerianus.  
*Inophyllum*, Endl. in Ann. Wien. Mus. i. (1836) 183. t. 75 = Codiaeum Inophyllum.  
*integrifolia*, Wall. Cat. n. 7810, F = Macaranga Tanarius.  
*japonica*, Spreng. Syst. iii. 878 = M. japonicus (cf. Addend.).  
*javanica*, Hassk. in Flora, xxv. (1842) 11. Beibl. 41 = Macaranga javanica.  
*Korthalsii*, Scheff. in Miq. Ann. Mus. Bot. Lugd. Bat. iv. 124 = M. Korthalsii.  
*laccifera*, Voigt, Hort. Suburb. Calc. 157 = M. repandus.

## ROTTLERA:—

- Lambertiana*, Scheff. in Miq. Ann. Mus. Bot. Lugd. Bat. iv. 125 = *Mallotus Lambertianus*.  
*lanceolata*, Wall. Cat. n. 7981 = *Gelonium multiflorum*.  
*lappacea*, Wall. l. c. n. 7845 = *Coelodiscus lappaceus*.  
*longestipulata*, Kurz, ex Teijsm. & Binn. in Tijdschr. Nederl. Ind. xxvii. (1864) 43 = *Macaranga longestipulata*.  
*longifolia*, Reichb. f. & Zoll. in Verh. Naturk. Ver. Nederl. Indie, i. (1856) 31 = *M. longifolius*.  
*macrostachya*, Miq. Fl. Ind. Bat. Suppl. 454 = *M. macrostachyus*.  
*mappoides*, Dalz. in Hook. Kew Journ. iii. (1851) 122 = *M. albus*.  
*Miqueliana*, Scheff. in Miq. Ann. Mus. Bot. Lugd. Bat. iv. 124 = *Borneo*.  
*mollis*, Wall. Cat. n. 7839 = *M. philippinensis*.  
*mollissima*, Wall. l. c. n. 7825 = *Alchornea mollis*.  
*moluccana*, Scheff. in Miq. Ann. Mus. Bot. Lugd. Bat. iv. 122 = *M. moluccanus*.  
*montana*, Heyne, ex Wall. Cat. n. 7833 = *Macaranga javanica*.  
*montana*, Wall. Cat. n. 7833 = *M. philippinensis*.  
*Moritziana*, Scheff. in Miq. Ann. Mus. Bot. Lugd. Bat. iv. 125 = *M. Moritzianus*.  
*multiglandulosa*, Blume, Bijdr. 609 = *M. moluccanus*.  
*muricata*, Thw. Enum. Pl. Zeyl. 273 = *M. muricatus*.  
*oblongifolia*, Miq. Fl. Ind. Bat. i. ii. 396 = *M. oblongifolius*.  
*oppositifolia*, Blume, Bijdr. 608 = *M. Blumeanus*.  
*oppositifolia*, Thw. Enum. Pl. Zeyl. 273 = *M. rhamnifolius*.  
*paniculata*, A. Juss. Tent. Euph. 33 = *M. cochinchinensis*.  
*paniculata*, Wall. Cat. n. 7812, 7818 = *M. albus*, repandus.  
*peltata*, Miq. Fl. Ind. Bat. i. ii. 395 = *M. ricinoides*.  
*peltata*, Roxb. Hort. Beng. 73; Fl. Ind. iii. 828 = *M. Roxburghianus*.  
*peltata*, Wight, l. c. t. 1873 = *M. albus*.  
*philippinensis*, Scheff. in Miq. Ann. Mus. Bot. Lugd. Bat. iv. 124 = *M. philippinensis*.  
*pyncostachys*, F. Muell. Fragm. iv. 138 = *M. ricinoides*.  
*repanda*, Scheff. in Miq. Ann. Mus. Bot. Lugd. Bat. iv. 124 = *M. repandus*.  
*rhombifolia*, Thw. Enum. Pl. Zeyl. 272 = *M. repandus*.  
*rhynchophylla*, Miq. Fl. Ind. Bat. Suppl. 454 = *M. subpeltatus*.  
*ricinoides*, A. Juss. Tent. Euph. 33 = *M. ricinoides*.  
*rufidula*, Miq. Fl. Ind. Bat. Suppl. 453 = *M. rufidulus*.  
*scabrifolia*, A. Juss. Tent. Euph. 111 = *M. repandus*.  
*scandens*, Span. in Linnaea, xv. (1841) 348 = *M. scandens*.  
*Schimper*, Hochst. & Steud. in Flora, xxiv. (1841) i. Intell. 21 = *Croton macrostachys*.  
*spathulata*, Panch. ex Baill. Adansonia, ii. (1861-62) 222 = *Cleidion verticillatum*.  
*sphaerocarpus*, Miq. Fl. Ind. Bat. Suppl. 454 = *M. sphaerocarpus*.  
*stipulosa*, Scheff. in Miq. Ann. Mus. Bot. Lugd. Bat. iv. 125 = *M. stipulosus*.  
*stylaris*, Scheff. in Miq. l. c. = *M. stylaris*.  
*subfalcata*, Reichb. f. & Zoll. in Verh. Naturk. Ver. Nederl. Indie, i. (1856) 11 = *Macaranga subfalcata*.  
*subpeltata*, Baill. Etud. Gén. Euph. 423 = *M. subpeltatus*.  
*suffruticosa*, Buch.-Ham. ex Wall. Cat. n. 7843 = *Baliospermum axillare*.  
*Tanarius*, Hassk. Cat. Hort. Bog. Alt. 238 = *Macaranga Tanarius*.  
*tetracocca*, Roxb. Hort. Beng. 73; Fl. Ind. iii. 826 = *M. albus*.  
*Thwaitesii*, Baill. Etud. Gén. Euph. 426 = *Podadenia sapida*.  
*tiliaefolia*, Blume, Bijdr. 607 = *M. tiliaefolius*.  
*tinctoria*, Roxb. Pl. Corom. ii. 36. t. 168 = *M. philippinensis*.  
*Tokbrai*, Scheff. in Miq. Ann. Mus. Bot. Lugd. Bat. iv. 122 = *M. Tokbrai*.  
*tomentosa*, Hassk. Cat. Hort. Bog. Alt. 238 = *Macaranga Tanarius*.  
*trinervis*, Zipp. ex Span. in Linnaea, xv. (1841) 348 = *M. repandus*.  
*urandra*, Dalz. in Hook. Kew Journ. iii. (1851) 229 = *Cleidion javanicum*.

## ROTTLERA:—

- viscida*, Blume, Bijdr. 608 = *Mallotus repandus*.  
*Zippelii*, Hassk. Cat. Hort. Bog. Alt. 238 = *M. ricinoides*.  
*Zollingeri*, Scheff. in Miq. Ann. Mus. Bot. Lugd. Bat. iv. 125 = *M. Zollingeri*.  
*Zollingeriana*, Miq. Fl. Ind. Bat. i. ii. 394 (*Xylosmatis* sp. ?) = *Java*.

ROTTLERA, Vahl, Enum. i. 88 (1805) (Roettlera) = **Didymocarpus**, Wall. (Gesner.).  
*incana*, Vahl, l. c. = *D. Rottleriana*.

ROTTLERA, Willd. in Goett. Journ. Wiss. i. (1797) 7. t. 1 = **Trewia**, Linn. (Euphorb.).  
*Hoperiana*, Blume, ex Muell. Arg. in DC. Prod. xv. ii. 953 = *T. nudiflora*.  
*indica*, Willd. in Goett. Journ. Wiss. i. (1797) 8 = *T. nudiflora*.  
*operiana*, Blume, ex Baill. Etud. Gen. Euph. 423 = *T. nudiflora*.  
*rusciflora*, Spreng. Syst. iii. 878 = *T. rusciflora*.

ROTULA, Lour. Fl. Cochinch. 121 (1790) = **Rhabdia**, Mart. (Borag.).  
*aquatica*, Lour. l. c. = *Rhabdia lycioides*.

ROUBIEVA, Moq. in Ann. Sc. Nat. Sér. II. i. (1834) 292. t. 10. **CHENOPODIACEAE**, Benth. & Hook. f. iii. 52.  
*anthelmintica*, Hook. & Arn. Bot. Beech. Voy. 387 = *Chenopodium ambrosioides*.  
*bonariensis*, Hook. f. in Benth. & Hook. f. Gen. iii. 52. — Am. austr.  
*Botrys*, Fuss, Fl. Trans. 552 = *Chenopodium Botrys*.  
*multifida*, Moq. in Ann. Sc. Nat. Sér. II. i. (1834) 292. t. 10. — Am. austr.

ROUCELA, Dum. Comm. Bot. 14 (1822) = **Campanula**, Tourn.  
*Erinus*, Dum. l. c. = *C. Erinus*.  
*hederacea*, Dum. Fl. Belg. 58 = *Wahlenbergia hederacea*.

ROUCHERIA, Planch. in Hook. Lond. Journ. Bot. vi. (1847) 141. t. 2. **LINEAE**, Benth. & Hook. f. i. 243.  
*calophylla*, Planch. l. c. = *Guian*.  
*Griffithiana*, Planch. l. c. 143. — Ins. Molucc.  
*humirifolia*, Planch. l. c. = *Hebepetalum humirifolium*.  
*latifolia*, Spruce, ex Benth. & Hook. f. Gen. i. 245 = *Hebepetalum latifolium*.  
*macrophylla*, Miq. Fl. Ind. Bat. i. ii. 136. — Sumatra.  
*Schomburgkii*, Planch. in Hook. Lond. Journ. Bot. vii. (1848) 526. — *Guian*.

ROUHAMON, Aubl. Pl. Gui. i. 93. t. 36 (1775) = **Strychnos**, Linn. (Logan.).  
*Bredemeyeri*, DC. Prod. ix. 18. — Venezuela.  
*brevifolium*, Spruce, ex Prog. in Mart. Fl. Bras. vi. i. 277 = *S. brevifolia*.  
*Curare*, DC. Prod. ix. 17 = *S. Curare*.  
*divaricatum*, DC. l. c. = *S. Rouhamon*.  
*glabrum*, Sagot, ex Prog. in Mart. Fl. Bras. vi. i. 275 = *S. glabra*.  
*guianensis*, Aubl. Pl. Gui. i. 93 = *S. Rouhamon*.  
*Medeola*, Sagot, ex Prog. in Mart. Fl. Bras. vi. i. 282 = *S. Medeola*.  
*pedunculatum*, A. DC. ex DC. Prod. ix. 561 = *S. pedunculata*.  
*stans*, DC. Prod. ix. 18. — *Bras*.

ROULINIA, Brongn. in Ann. Sc. Nat. Sér. II. xiv. (1840) 320 = **Nolina**, Michx. (Liliac.).  
*acrotrocha*, Brongn. l. c. = *Dasyllirion acrotrochum*.  
*gracilis*, Brongn. l. c. = *Dasyllirion acrotrochum*.  
*Humboldtiana*, Brongn. l. c. = *N. parviflora*.  
*Karwinskiana*, Brongn. l. c. = *N. longifolia*.  
*longifolia*, Brongn. l. c. = *N. Hartwegiana*.  
*pitcairniaefolia*, Nuytens, ex Versch. Cat. n. 21 (1879-80), cum ic. — *Hab.?*  
*serratifolia*, Brongn. in Ann. Sc. Nat. Sér. II. xiv. (1840) 320 = *Dasyllirion serratifolium*.

ROULINIA, Decne. in DC. Prod. viii. 516 (1844). **ASCLEPIADEAE**, Benth. & Hook. f. ii. 762.  
*acuta*, Decne. l. c. 517. — *Bras*.  
*barbata*, Turcs. in Bull. Soc. Nat. Mosc. xxi. (1848) i. 253. — *Bras*.

## ROULINIA:—

- blanda*, Decne. in DC. Prod. viii. 517. — *Guian*.  
*connivens*, Decne. l. c. 518. — *Bras*.  
*convolvulacea*, Decne. l. c. 517. — *Bras*.  
*corymbosa*, Decne. l. c. — *Bras*.  
*fluminensis*, Decne. l. c. — *Reg. Argent*.  
*guayanensis*, Decne. l. c. — *Guian*.  
*Jacquinii*, Decne. l. c. — *Mexic*.  
*jamaicensis*, Benth. & Hook. f. Gen. ii. 757. — *Ind. occ*.  
*modesta*, Decne. in DC. Prod. viii. 517. — *Bras*.  
*Palmeri*, S. Wats. in Proc. Am. Acad. xviii. (1883) 115. — *N. Mexic*.  
*parviflora*, Decne. in DC. Prod. viii. 518. — *Bras*.  
*Riedelii*, Fourn. in Mart. Fl. Bras. vi. iv. 217. — *Bras*.  
*Selloana*, Fourn. l. c. 216. — *Bras*.  
*Sprucei*, Fourn. l. c. — *Bras*.  
*surinamensis*, Miq. Stirp. Surin. Sel. 169. — *Guian*.  
*tamifolium*, Decne. in DC. Prod. viii. 517. — *Bras*.  
*unifaria*, Engelm. ex Torr. Bot. Mex. Bound. 160. — *Texas*.  
*versicolor*, Herb. Gen. Amat. 4. t. 26; Decne. in DC. Prod. viii. 517 = *tamifolium* ?

ROUMEA, DC. Prod. i. 256 (1824), sphalm = RUMEA, Poit. = **Xylosma**, Forst. (Bixin.).

ROUPALA, Aubl. Pl. Gui. i. 83. t. 32 (1775). **PROTEACEAE**, Benth. & Hook. f. iii. 178.  
*DICKNECKERIA*, Vell. Fl. Flum. i. t. 105 (1827).  
*LEINKERIA*, Scop. Introd. 345 (1777).  
*RHOPALA*, Schreb. Gen. 62 (1789).  
*ROPALA*, J. F. Gmel. Syst. ii. 225 (1791).  
*RUPALA*, Vahl, Symb. Bot. iii. 20 (1794).  
*adiantifolia*, Klotzsch, in Linnaea, xv. (1841) 56. — *Bras*.  
*affinis*, Pohl, Pl. Bras. Ic. i. 112. — *Bras*.  
*attenuata*, Jack, in Malay. Misc. i. (1820) n. v. 10 = *Helicia attenuata*.  
*aurea*, Linden, in Belg. Hort. xvi. (1866) 202. — *Bras*.  
*australis*, Linden, Cat. n. 14 (1859) 8. — *Bras*.  
*Bleasdalii*, F. Muell. in Proc. Roy. Soc. N. S. Wales, (1881) 28. — *Austral*.  
*Boissieriana*, Meissn. in DC. Prod. xiv. 430. — *N. Granat*.  
*borealis*, Hemsl. Biol. Centr. Am. Bot. iii. 78. — *Mexic*.  
*brasiliensis*, Klotzsch, in Linnaea, xv. (1841) 55. — *Bras*.  
*chrysogenia*, Mart. ex Meissn. in Mart. Fl. Bras. v. i. 93 (= *Adenostephanus incana*). — *Bras*.  
*cochinchinensis*, R. Br. in Trans. Linn. Soc. x. (1810) 192 = *Helicia cochinchinensis*.  
*complicata*, H. B. & K. Nov. Gen. et Sp. ii. 153. — *N. Granat*.  
*complicata*, Linden, Cat. n. 8 (1853) 3; et ex Schlecht. in Bot. Zeit. xi. (1853) 717. — *Am. trop*.  
*corcovadensis*, Hort. ex Meissn. in DC. Prod. xiv. 433 = *Pohl*.  
*cordifolia*, H. B. & K. Nov. Gen. et Sp. ii. 152. — *N. Granat*.  
*dentata*, R. Br. in Trans. Linn. Soc. x. (1810) 192. — *Guian*.  
*dentigera*, Knight, Prot. 103. — *Ins. Trinit*.  
*Dickneckeria*, Steud. Nom. ed. II. ii. 487 (= *Adenostephanus Sellowii*). — *Bras*.  
*diversifolia*, R. Br. in Trans. Linn. Soc. x. (1810) 193. — *Peruv*.  
*diversifolia*, Schott, in Wien. Med. Jahrb. vi. n. 11; ex Schult. Mant. iii. 287 = *heterophylla*.  
*diversifolia*, Zucc. ex Meissn. in DC. Prod. xiv. 433 = *Pohl*.  
*elegans*, Pohl, Pl. Bras. Ic. i. 112. — *Bras*.  
*excelsa*, Roxb. Hort. Beng. 83; Fl. Ind. i. 362 = *Helicia excelsa*.  
*ferruginea*, H. B. & K. Nov. Gen. et Sp. ii. 152. — *N. Granat*.  
*frigida*, Linden, Cat. n. 18 (1863), 10 (Quid ?). — *Hab.?*  
*frondosa*, Rich. ex Meissn. in DC. Prod. xiv. 427 = *montana*.  
*Gardneri*, Meissn. in Mart. Fl. Bras. v. i. 83. t. 31. f. 1. — *Bras*.  
*glabrata*, Klotzsch, ex Meissn. l. c. 84. — *Bras*.  
*glabrata*, Wall. Cat. n. 1039 = *Helicia robusta*.  
*glaucophylla*, Linden, Cat. n. 13 (1858); n. 14, (1859) 8. — *Bras*.



**ROUPALA** :—

- gracilis*, Meissn. in Mart. Fl. Bras. v. i. 90.—Bras.  
*granatensis*, Linden, Cat. n. 24 (1869).—N. Granat.  
*grandifolia*, Klotzsch, in Linnaea, xv. (1841) 56.—Bras.  
*hameliaefolia*, Rudge, Pl. Guian. i. 22. t. 31 = Panopsis hameliaefolia.  
*heterophylla*, Herb. Monac. ex Meissn. in DC. Prod. xiv. 433 = Pohlii.  
*heterophylla*, Pohl, Pl. Bras. Ic. i. 111. t. 90.—Bras.  
*inaequalis*, Pohl, l. c. 110. t. 89 (= *Adenostephanus inaequalis*).—Bras.  
*javanica*, Steud. Nom. ed. II. ii. 487 = Helicia robusta.  
*laurifolia*, Knight, Prot. 102 = nitida.  
*longepetiolata*, Klotzsch, ex Meissn. in Mart. Fl. Bras. v. i. 85 = rhombifolia.  
*longepetiolata*, Pohl, Pl. Bras. Ic. i. 109. t. 88.—Bras.  
*loranthoides*, Meissn. in DC. Prod. xiv. 425.—Guatemala.  
*lucens*, Meissn. in Mart. Fl. Bras. v. i. 84. t. 31. f. 2.—Bras.  
*macrophylla*, Pohl, Pl. Bras. Ic. i. 112.—Bras.  
*macropoda*, Klotzsch, in Linnaea, xx. (1847) 474.—N. Granat.  
*Martii*, Meissn. in Mart. Fl. Bras. v. i. 87. t. 32. f. 3.—Bras.  
*media*, R. Br. in Trans. Linn. Soc. x. (1810) 191.—Guian.  
*moluccana*, R. Br. l. c. = Helicia moluccana.  
*moluccana*, Jack, in Malay. Misc. i. (1820) n. v. 10 = Helicia petiolaris.  
*moluccana*, Roxb. Hort. Beng. 83; Fl. Ind. i. 361 = Helicia attenuata.  
*montana*, Aubl. Pl. Gui. i. 83.—Guian.  
*montana*, Willd. Sp. Pl. i. 536 = media.  
*multiflora*, Schott, in Spreng. Syst. iv. Add. 403 (= *Andriapetalum reticulatum*).—Bras.  
*myrtoidea*, Poepp. & Endl. Nov. Gen. et Sp. ii. 35. t. 149 = Orites myrtoidea.  
*nervosa*, Klotzsch, in Linnaea, xv. (1841) 56.—Bras.  
*nitida*, Rudge, Pl. Guian. i. 26. t. 39.—Guian.  
*obovata*, H. B. & K. Nov. Gen. et Sp. ii. 153.—N. Granat.  
*obtusata*, Klotzsch, in Linnaea, xv. (1841) 54.—Bras.  
*ochrantha*, Mart. ex Meissn. in Mart. Fl. Bras. v. i. 86 = brasiliensis.  
*organensis*, Gardn. in Hook. Lond. Journ. Bot. iv. (1845) 135 (= *Adenostephanus organensis*).—Bras.  
*ovalis*, Klotzsch, in Linnaea, xv. (1841) 54 = tomentosa.  
*ovalis*, Pohl, Pl. Bras. Ic. i. 107. t. 86.—Bras.  
*ovata*, Jack, in Malay. Misc. ii. (1827) n. vii. 95 = Helicia ovata.  
*pamplonensis*, Linden, Cat. n. 8 (1853), 3, in desc. = Boissieriana.  
*peruviana*, R. Br. in Trans. Linn. Soc. x. (1810) 192.—Peruv.  
*pinnata*, Lam. Illustr. i. 243 = Euplassa meridionalis.  
*Pohlii*, Meissn. in Mart. Fl. Bras. v. i. 89. t. 33.—Bras.  
*polystachya*, H. B. & K. Nov. Gen. et Sp. ii. 154 (= *Andriapetalum polystachyum*).—N. Granat.  
*Princeps*, Linden, in Belg. Hort. vii. (1857) 198.—N. Granat.  
*pyrifolia*, Knight, Prot. 102.—Guian.  
*racemosa*, Roxb. ex Meissn. in DC. Prod. xiv. 439 = Helicia attenuata.  
*rhombifolia*, Mart. ex Meissn. in Mart. Fl. Bras. v. i. 85.—Bras.  
*robusta*, Roxb. Hort. Beng. 83; Fl. Ind. i. 363 = Helicia robusta.  
*robusta*, Spreng. Syst. i. 482, partim = Helicia cochinchinensis.  
*Rousselii*, Vieill. in Bull. Soc. Linn. Normand. ix. (1865) 394.—N. Caled.  
*Sanctae-Catharinae*, Linden, Cat. n. 17 (1862), 8.—Bras.  
*Schomburgkii*, Klotzsch, in Linnaea, xx. (1847) 474.—Bras.  
*serrata*, R. Br. in Trans. Linn. Soc. x. (1810) 192 = Helicia serrata.  
*serrata*, Reinw. ex Blume, Cat. Gew. Buitenz. 42 = Helicia robusta.  
*serratifolia*, Linden, in Belg. Hort. xvi. (1866) 202.—Bras.

**ROUPALA** :—

- sessilifolia*, Rich. in Act. Soc. Hist. Nat. Par. i. (1792) 106 = Panopsis hameliaefolia.  
*silaifolia*, Linden, Cat. n. 18 (1863), 10 (Quid?).—Hab.?  
*suaveolens*, Klotzsch, in Linnaea, xx. (1847) 473.—Guian.  
*Thomesiana*, Moric. Pl. Nouv. Am. 172. t. 100.—Bras.  
*tomentosa*, Pohl, Pl. Bras. Ic. i. 108. t. 87.—Bras.  
*velutina*, Klotzsch, in Linnaea, xv. (1841) 54 = brasiliensis.  
*veraguensis*, Klotzsch, ex Meissn. in Mart. Fl. Bras. v. i. 87 = Martii.  
*Vieillardii*, Brongn. & Gris, in Bull. Soc. Bot. Fr. x. (1863) 229.—N. Caled.  
*Wallichii*, Steud. Nom. ed. II. ii. 487 = Helicia robusta.  
*Warmingii*, Meissn. in Kjoeb. Vidensk. Meddel. (1870) 148.—Bras.

**ROUPALIA**, T. Moore & Ayres, Gard. Mag. Bot. ii. (1850) t. ad p. 33, sphalm. = **Roupellia**, Wall. & Hook. (Apocyn.).  
*grata*, T. Moore & Ayres, l. c. = Roupellia grata.

**ROUPALLIA**, Hassk. in Flora, xl. (1857) 103 = seq.

**ROUPELLIA**, Wall. & Hook. ex Benth. in Hook. Bot. Mag. t. 4466 (1849). **APOCYNACEAE**, Benth. & Hook. f. ii. 713.  
*grata*, Wall. & Hook. l. c.; et in Hook. Niger Fl. 449.—Afr. trop.

**ROUREA**, Aubl. Pl. Gui. i. 467. t. 187 (1775). **CON-NARACEAE**, Benth. & Hook. f. i. 432.  
**MALBRANCIA**, Neck. Elem. ii. 366 (1790).  
**ROBERGIA**, Schreb. Gen. 309 (1789).

- acuminata*, Hook. f. Fl. Brit. Ind. ii. 48.—Singapore.  
*acutipetala*, Miq. Fl. Ind. Bat. Suppl. 528.—Java.  
*Azselii*, Planch. in Linnaea, xxiii. (1850) 418 = santaloides.  
*Balansaeana*, Baill. Adansonia, xi. (1875) 309.—N. Caled.  
*Bowiniana*, Baill. Adansonia, vii. (1866-67) 231.—Afr. trop.  
*brachyandra*, F. Muell. Fragm. viii. 6.—Austral.  
*caudata*, Planch. in Linnaea, xxiii. (1850) 419.—Reg. Himal.  
*coccinea*, Hook. f. ex Hook. Niger Fl. 290 = Byrsocarpus coccineus.  
*commutata*, Planch. in Linnaea, xxiii. (1850) 420.—Ind. or.; China.  
*concolor*, Blume, Mus. Bot. Lugd. Bat. i. 264.—Malaya.  
*cuspidata*, Benth. ex Baker, in Mart. Fl. Bras. xiv. ii. 181.—Bras.  
*dasyphylla*, Miq. Fl. Ind. Bat. Suppl. 528 = Cnestis ramiflora.  
*discolor*, Baker, in Mart. Fl. Bras. xiv. ii. 180.—Bras.  
*diversifolia*, Miq. Fl. Ind. Bat. Suppl. 528.—Sumatra.  
*Doniana*, Baker, in Mart. Fl. Bras. xiv. ii. 179.—Bras.  
*florida*, Miq. Fl. Ind. Bat. Suppl. 206.—Sumatra.  
*fuminensis*, Baill. Hist. Pl. ii. 5 = Bernardinia fluminensis.  
*fraterna*, Planch. in Linnaea, xxiii. (1850) 416 = induta.  
*frutescens*, Aubl. Pl. Gui. i. 467.—Guian.  
*fulgens*, Planch. in Linnaea, xxiii. (1850) 423.—Singapore.  
*Gardneriana*, Planch. l. c. 417.—Bras.  
*glabra*, H. B. & K. Nov. Gen. et Sp. vii. 41.—Venezuela.  
*Grosourdyana*, Baill. Adansonia, ix. (1868-70) 149.—Venezuela.  
*heterophylla*, Baker, in Oliver, Fl. Trop. Afr. i. 456.—Afr. trop.  
*heterophylla*, Planch. in Linnaea, xxiii. (1850) 419.—Ins. Philipp.  
*humilis*, Blume, Mus. Bot. Lugd. Bat. i. 262.—Borneo.  
*induta*, Planch. in Linnaea, xxiii. (1850) 417.—Bras.  
*javanica*, Blume, Mus. Bot. Lugd. Bat. i. 262.—Java.  
*ligulata*, Baker, in Mart. Fl. Bras. xiv. ii. 181.—Bras.  
*lucida*, Planch. in Linnaea, xxiii. (1850) 423.—Java.

**ROUREA** :—

- macrophylla*, Baker, in Mart. Fl. Bras. xiv. ii. 183.—Bras.  
*Martiana*, Baker, l. c. 178.—Bras.  
*microphylla*, Planch. in Linnaea, xxiii. (1850) 421.—China.  
*Milletii*, Planch. l. c. 420 (Milletii).—China.  
*mimosoides*, Planch. l. c.—Ins. Nicobar.  
*multiflora*, Planch. l. c. 418.—Ins. Philipp.  
*myriantha*, Baill. Adansonia, viii. (1867-68) 198.—Afr. trop.  
*nitida*, Planch. in Linnaea, xxiii. (1850) 423.—Java.  
*oblongifolia*, Hook. & Arn. Bot. Beech. Voy. 283 = glabra.  
*orientalis*, Baill. Adansonia, vii. (1866-67) 230 = Byrsocarpus orientalis.  
*Palisotii*, Baill. l. c. 233, in textu.—Afr. trop.  
*parallela*, Planch. in Linnaea, xxiii. (1850) 421 = similis.  
*parvifolia*, Planch. l. c. 420 = concolor.  
*paucifoliata*, Planch. l. c. 415 = glabra.  
*Pervilleana*, Baill. Adansonia, vii. (1866-67) 232.—Ins. Mascar.  
*phyllanthoides*, Blume, Mus. Bot. Lugd. Bat. i. 264.—Malaya.  
*platysepalata*, Baker, in Journ. Linn. Soc. xxi. (1884) 336.—Madag.  
*polyphylla*, Blume, Mus. Bot. Lugd. Bat. i. 264.—Malaya.  
*puberula*, Baker, in Mart. Fl. Bras. xiv. ii. 179.—Bras.  
*pulchella*, Planch. in Linnaea, xxiii. (1850) 419.—Malacca.  
*reticulata*, Planch. l. c. 416 = induta.  
*revoluta*, Planch. l. c. 415.—Guian.  
*rugosa*, Planch. l. c. 422.—Malaya.  
*santaloides*, Wight & Arn. Prod. 144.—Ind. or.  
*sclerocarpa*, Wight & Arn. ex Hook. f. Fl. Brit. Ind. ii. 51 = Connarus Wightii.  
*similis*, Blume, Mus. Bot. Lugd. Bat. i. 264.—Malaya.  
*simplicifolia*, Blume, l. c. 263.—Sumatra.  
*Solanderi*, Baker, in Oliver, Fl. Trop. Afr. i. 456.—Afr. trop.  
*Sookurthoontee*, Voigt, Hort. Suburb. Calc. 265 = commutata.  
*sororia*, Planch. in Linnaea, xxiii. (1850) 421 = similis.  
*stenopetala*, Hook. f. Fl. Brit. Ind. ii. 49.—Burma.  
*surinamensis*, Miq. in Linnaea, xxvi. (1853) 221.—Guian.  
*villosa*, Planch. l. c. xxiii. (1850) 422.—Burma; Sumatra.  
*Wallichiana*, Planch. l. c. 421.—Burma.

**ROUREOPSIS**, Planch. in Linnaea, xxiii. (1850) 423. **CONNARACEAE** [Benth. & Hook. f. i. 432].  
*javanica*, Planch. l. c.—Java.  
*pubinervis*, Planch. l. c.—Malaya.

**ROUSSAEA**, DC. Prod. vii. 522 (1839) = seq.

**ROUSSEA**, Sm. Ic. Ined. i. 6. t. 6 (1789). **SAXI-FRAGEAE**, Benth. & Hook. f. i. 645.  
**ROUSSAEA**, DC. Prod. vii. 522 (1839).  
**ROUSSEAUUVIA**, Boj. Hort. Maurit. 246 (1837).  
**ROUSSOA**, Roem. & Schult. Syst. iii. 3, 92 (1818).  
*salicifolia*, Spreng. Syst. i. 419 = Lucuma Sellowii.  
*simplex*, Sm. Ic. Ined. i. 6. t. 6.—Ins. Mascar.

**ROUSSEAUUVIA**, Boj. Hort. Maurit. 246 (1837) = praec.

**ROUSSEAUUXIA**, DC. Prod. iii. 152 (1828). **MELASTOMACEAE**, Benth. & Hook. f. i. 753.  
*articulata*, DC. l. c. = Dichaetanthera articulata.  
*chrysophylla*, DC. l. c. 153.—Madag.

**ROUSSELIA**, Gaudich. in Freyc. Voy. Bot. 503 (1826). **URTICACEAE**, Benth. & Hook. f. iii. 393.  
**LITHOCNIDE**, Rafin. Fl. Tellur. iii. 48 (1836).  
*lappulacea*, Gaudich. in Freyc. Voy. Bot. 503.—Ind. occ.

**ROUSSINIA**, Gaudich. Bot. Voy. Bonite, t. 21 (1844-52) = **Pandanus**, Linn.  
*indica*, Gaudich. l. c. t. 21. ff. 1-4 = P. Leram.  
*indica*, Gaudich. l. c. t. 21. ff. 5-9 = P. palustris.

**ROUSSOA**, Roem. & Schult. Syst. iii. 3, 92 (1818) = **Rousseau**, Sm. (Saxifr.).

ROXBURGHIA, [Banks, in] Roxb. Pl. Corom. i. 29. t. 32 (1795) = *Stemona*, Lour. (Roxburgh.).  
*gloriosa*, Pers. Syn. i. 412 = *S. tuberosa*.  
*gloriosoides*, Roxb. Pl. Corom. i. 26. t. 32 = *S. tuberosa*.  
*gloriosoides*, Zoll. ex Kunth, Enum. Pl. v. 288 = *javonica*.  
*japonica*, Blume, Enum. Pl. Jav. i. 9 = *S. japonica*.  
*japonica*, Miq. ex Franch. & Sav. Enum. Pl. Jap. ii. 92, in syn. = *S. sessilifolia*.  
*javonica*, Kunth, Enum. Pl. v. 288. —Malaya; Austral.  
*moluccana*, Blume, Enum. Pl. Jav. i. 9. —Ins. Molucc.  
*rostrata*, Russ. Herb. ex Nees, in DC. Prod. xi. 57, 58 = *Thunbergia fragrans*.  
*ruscifolia*, Zucc. ex Schnizl. Iconog. i. t. 56<sup>b</sup>. f. 17. —Hab.?  
*sessilifolia*, Miq. Ann. Mus. Bot. Lugd. Bat. ii. 211 = *S. sessilifolia*.  
*Stemona*, Steud. Nom. ed. II. ii. 475 = *S. tuberosa*.  
*viridiflora*, Sm. Exot. Bot. i. 111 = *S. tuberosa*.

ROXBURGHIA, Koen. ex Roxb. Fl. Ind. ed. Carey, i. 168 (1820) = *Ola*, Schreb.  
*baccata*, Koen. ex Roxb. l. c. = *O. scandens*.

ROYDSIA, Roxb. Hort. Beng. 42 (1814); Pl. Corom. iii. 86. t. 289 (1819); Fl. Ind. ii. 643 (1832).  
*CAPPARIDEAE*, Benth. & Hook. f. i. 110.  
*STIXIS*, Lour. Fl. Cochinch. 295 (1790), nomen prius.  
*floribunda*, Planch. ex Mast. in Hook. f. Fl. Brit. Ind. i. 409 = *philippinensis*.  
*obtusifolia*, Hook. f. & Thoms. in Hook. f. l. c. 180. —Burma.  
*parviflora*, Griff. Notul. iv. 578. —Burma.  
*philippinensis*, Turcz. in Bull. Soc. Nat. Mosc. xxvii. (1854) 11. 329. —Ins. Philipp.  
*suaveolens*, Roxb. Hort. Beng. 42; Pl. Corom. iii. 86. t. 289; Fl. Ind. ii. 643. —Reg. Himal.

ROYENA, Linn. Gen. ed. I. 114 (1737). *EBENACEAE*, Benth. & Hook. f. ii. 663.  
*ambigua*, Salisb. Prod. 285 (Quid?). —Afr. austr.  
*ambigua*, Vent. Jard. Malm. 17. —Afr. austr.  
*angustifolia*, Salisb. Prod. 285. —Hab.?  
*angustifolia*, Willd. Sp. Pl. ii. 633 = *hirsuta*.  
*brachiata*, E. Mey. in Drège, Cat. Pl. Exs. Afr. Austr. 7, nomen; et ex A. DC. in DC. Prod. viii. 213 = *pallens*.  
*cistoides*, Welw. ex Hiern, in Trans. Camb. Phil. Soc. xii. (1873) 87. —Afr. trop.  
*cordata*, E. Mey. in Drège, Cat. Pl. Exs. Afr. Austr. 7, nomen; et ex A. DC. in DC. Prod. viii. 211. —Afr. austr.  
*corylifolia*, Salisb. Prod. 284 = *villosa*.  
*crassifolia*, Salisb. l. c. 285. —Afr. austr.  
*cuneata*, Poir. Encyc. vi. 322 = *hirsuta*?  
*cuneata*, Spreng. Syst. ii. 360 = *pallens*.  
*cuneifolia*, E. Mey. in Drège, Cat. Pl. Exs. Afr. Austr. 7, nomen; et ex A. DC. in DC. Prod. viii. 214 = *pallens*.  
*decidua*, Burch. Trav. i. 317 = *pallens*.  
*falcata*, E. Mey. in Drège, Zwei Pf. Docum. 217 = *glabra*.  
*glabra*, Linn. Sp. Pl. 397. —Afr. austr.  
*glandulosa*, Harv. ex Hiern, in Trans. Camb. Phil. Soc. xii. (1873) 89. —Afr. austr.  
*hirsuta*, Jacq. Coll. v. 110. t. 13. f. 1 = *pallens*.  
*hirsuta*, Linn. Sp. Pl. 397. —Afr. austr.  
*hirsuta*, Sieber, ex A. DC. in DC. Prod. viii. 214 = *glabra*.  
*hispidula*, Harv. ex Hiern, in Trans. Camb. Phil. Soc. xii. (1873) 85 = *pallens*.  
*latifolia*, Willd. Enum. Hort. Berol. Suppl. 23, nomen. —Hab.?  
*lucida*, Linn. Sp. Pl. 397. —Afr. austr.  
*lycioides*, Desf. Tabl. ed. I. 79, nomen; A. DC. in DC. Prod. viii. 214 = *pallens*.  
*macrophylla*, E. Mey. ex A. DC. l. c. 218 = *Euclea natalensis*.  
*media*, Hort. ex Steud. Nom. ed. II. ii. 475, nomen. —Afr. austr.  
*microphylla*, Burch. Trav. i. 348 = *hirsuta*.  
*myrtifolia*, Salisb. Prod. 285 = *glabra*.  
*nitens*, Harv. ex Hiern, in Trans. Camb. Phil. Soc. xii. (1873) 87. —Afr. austr.  
*oleifolia*, Desf. ex Hiern, l. c. 85 = *pallens*.  
*opaca*, E. Mey. in Drège, Zwei Pf. Docum. 217 = *cordata*.

VOL. II.

# ROYENA:—

*ovalifolia*, Salisb. Prod. 285 = *Euclea polyandra*.  
*pallens*, Thunb. Prod. Pl. Cap. 80. —Afr. austr.  
*parviflora*, Hiern, in Trans. Camb. Phil. Soc. xii. (1873) 88. —Afr. austr.  
*polyandra*, Linn. f. Suppl. 240 = *Euclea polyandra*.  
*pubescens*, Willd. Enum. Hort. Berol. 457 = *pallens*.  
*ramulosa*, E. Mey. ex A. DC. in DC. Prod. viii. 212 = *pallens*.  
*rufescens*, E. Mey. in Drège, Zwei Pf. Docum. 217 = *Euclea ovata*.  
*rugosa*, E. Mey. in Drège, Cat. Pl. Exs. Afr. Austr. 7, nomen; et ex A. DC. in DC. Prod. viii. 212 = *hirsuta*.  
*scabra*, Burm. f. Fl. Cap. Prod. 13 = *villosa*.  
*scabrida*, Harv. ex Hiern, in Trans. Camb. Phil. Soc. xii. (1873) 82. —Afr. austr.  
*scandens*, Burch. ex Hiern, l. c. = *villosa*.  
*sericea*, Bernh. in Flora, xxvii. (1844) 824 = *pallens*.  
*sessilifolia*, Hiern, in Trans. Camb. Phil. Soc. xii. (1873) 84. —Hab.?  
*supra-cordata*, Burch. ex Hiern, l. c. 81 = *cordata*.  
*villosa*, Linn. Syst. ed. XII. 302. —Afr. austr.

ROYENIA, Houst. ex Linn. Gen. ed. I. 348 (1737) = *Loeselina*, Linn. (Polemon).

ROYLEA, Nees, ex Steud. Nom. ed. II. ii. 475 (1841) = *Melanocenchris*, Nees (Gramin.).  
*Pennisetum*, Nees, ex Steud. l. c. = M. Royleana.

ROYLEA, Wall. Pl. As. Rar. i. 57. t. 74 (1830).  
*LABIATAE*, Benth. & Hook. f. ii. 1212.  
*elegans*, Wall. l. c. —Reg. Himal.

RUAGEA, Karst. Fl. Columb. ii. 51. t. 126 (1862?) = *Guarea*, Linn. (Meliac.).  
*glabra*, Triana & Planch. in Ann. Sc. Nat. Sér. V. xv. (1872) 368 = G. Trianae.  
*pubescens*, Karst. Fl. Columb. ii. 51. t. 126 = G. Ruagea.

RUBACHIA, Berg, in Linnaea, xxvii. (1854) 11 = *Marlierea*, Cambess. (Myrtac.).  
*Antonia*, Berg, in Mart. Fl. Bras. xiv. i. 29. —Bras.  
*glomerata*, Berg, l. c. 31, 536. —Bras.  
*involuta*, Berg, l. c. 29. —Bras.  
*lateriflora*, Berg, in Linnaea, xxvii. (1854) 12. —Bras.  
*Neuwiediana*, Berg, in Mart. Fl. Bras. xiv. i. 29. —Bras.  
*obumbrans*, Berg, l. c. 28. —Bras.  
*spathulata*, Berg, l. c. 535. —Bras.  
*spiciflora*, Berg, in Linnaea, xxvii. (1854) 12. —Bras.

RUBENTIA, Boj. ex Steud. Nom. ed. II. ii. 475 (1841) = *Toddalia*, Juss. (Rutac.).  
*angustifolia*, Boj. ex Steud. l. c. = T. aculeata.

RUBENTIA, Comm. ex Juss. Gen. 378 (1789) = *Elaeodendron*, Jacq. f. (Tiliac.).  
*angustifolia*, Colla, Hort. Ripul. App. ii. 356 = E. orientale.  
*longifolia*, Desf. Tabl. ed. I. 201 = E. orientale.  
*mauritiana*, Desf. l. c. = E. orientale.  
*olivina*, J. F. Gmel. Syst. 408 = E. orientale.

RUBEOLA, Tourn. ex Adans. Fam. ii. 144 (1763) = *Crucianella*, Linn. (Rubiace.).  
*angustifolia*, Fourr. in Ann. Soc. Linn. Lyon, N. S. xvi. (1868) 398 = C. angustifolia.  
*heterophylla*, Moench, Meth. 526 = C. latifolia.  
*latifolia*, Fourr. in Ann. Soc. Linn. Lyon, N. S. xvi. (1868) 398 = C. latifolia.  
*linearifolia*, Moench, Meth. 525 = C. angustifolia.  
*maritima*, Moench, l. c. 526 = C. maritima.

RUBIA, [Tourn.] Linn. Syst. ed. I (1735). *RUBIA-CEAE*, Benth. & Hook. f. ii. 149.  
*acalculata*, Cav. Ic. ii. 75. t. 195 = *tinctorum*?  
*aculeata*, Royle, Illustr. Bot. Himal. 237, nomen = *himalayensis*.  
*acuminata*, Mart. & Gal. in Bull. Acad. Brux. xi. i. (1844) 127 = *Galium uropetalum*.  
*affinis*, Gardn. in Hook. Lond. Journ. Bot. iv. (1845) 111 = *vilis*.  
*alata*, Wall. in Roxb. Fl. Ind. ed. Carey, i. 384 = *cordifolia*.  
*albicaulis*, Boiss. Diagn. Ser. I. iii. 53. —Persia.  
*anglica*, Huds. Fl. Angl. ed. I. 54 = *peregrina*.

# RUBIA:—

*angustifolia*, Linn. Mant. i. 39. —Lusit.; Ins. Balear.  
*angustissima*, Wall. Cat. n. 6207. —Reg. Himal.; Burma.  
*Aparine*, Baill. Hist. Pl. vii. 373 = *Galium Aparine*.  
*aspera*, Pohl, ex DC. Prod. iv. 592 (Relbunii sp.). —Bras.  
*Aucher*, Boiss. Diagn. Ser. I. iii. 54. —Persia; Arab.; Afghan.  
*Aucher*, C. Koch, in Linnaea, xxiv. (1851) 463, partim = *peregrina*.  
*Bocconi*, Petagn. Inst. Bot. ii. 255 = *peregrina*.  
*borealis*, Baill. Hist. Pl. vii. 374 = *Galium boreale*.  
*brachypoda*, Boiss. Diagn. Ser. I. x. 57 = *Olivierii*.  
*Braunii*, Hochst. in Flora, xxiv. (1841) i. Intell. 27 = *discolor*.  
*brevicaulis*, Boiss. Diagn. Ser. I. xiii. 100 = *albicaulis*.  
*Brownii*, Michx. Fl. Bor. Am. i. 81 = *Galium hispidulum*.  
*Brownii*, Spreng. Syst. i. 397 = *Relbunium hypocarpium*.  
*canariensis*, Poir. Encyc. Suppl. ii. 706 = *fruticosa*.  
*charaefolia*, Wall. Cat. n. 6210 = *angustissima*.  
*chilensis*, Molina, Sagg. Chile, 141 = *Galium chilense* (in Addend.).  
*chilensis*, Willd. Sp. Pl. i. 604 = *Relbunium hypocarpium*.  
*chinensis*, Regel & Maack, in Regel, Tent. Fl. Ussur. 76. —As. or.  
*ciliata*, DC. Prod. iv. 591 = *Relbunium ciliatum*.  
*clematifolia*, Reinw. ex Miq. Fl. Ind. Bat. ii. 338 = *cordifolia*.  
*cordata*, Thunb. Fl. Jap. 60 = *cordifolia*.  
*cordifolia*, Hochst. ex A. Rich. Tent. Fl. Abyss. i. 344 = *discolor*.  
*cordifolia*, Linn. Syst. ed. XII. 229. —As. trop. et temp.; Afr. trop.  
*cordifolia*, Thunb. Fl. Cap. ed. Schult. 151 = *petiolaris*.  
*corymbosa*, DC. Prod. iv. 591 (Relbunii sp.). —Peruv.  
*cretica*, Scheele, in Linnaea, xvii. (1843) 342 = *Olivierii*.  
*crocea*, DC. Prod. iv. 591 (Relbunii sp.). —Peruv.  
*Cruciata*, Baill. Hist. Pl. vii. 372 = *Galium Cruciata*.  
*dalmatica*, Scheele, in Linnaea, xvii. (1843) 342 = *peregrina*.  
*debilis*, H. B. & K. Nov. Gen. et Sp. iii. 340. —Ecuador.  
*diffusa*, Pohl, ex DC. Prod. iv. 592 (Relbunii sp.). —Bras.  
*discolor*, Turcz. in Bull. Soc. Nat. Mosc. xviii. (1845) i. 310. —Abyss.  
*dolichophylla*, Schrenk, in Bull. Phys.-Math. Acad. Pétersb. ii. (1844) 115. —Soongar.  
*Donietii*, Griseb. Spicil. Fl. Rumel. ii. 156 = *Olivierii*.  
*Edgeworthii*, Hook. f. Fl. Brit. Ind. iii. 203. —Reg. Himal.  
*ephedroides*, Cham. & Schlecht. in Linnaea, iii. (1828) 231. —Bras.  
*equisetoides*, Cham. & Schlecht. l. c. 232. —Bras.  
*florida*, Boiss. Diagn. Ser. I. vi. 70. —Persia.  
*fruticosa*, Ait. Hort. Kew. ed. I. i. 147. —Ins. Canar.  
*galioides*, Poir. Encyc. Suppl. ii. 705 = *fruticosa*.  
*glabra*, Gardn. in Hook. Lond. Journ. Bot. iv. (1845) 112. —Bras.  
*glomerata*, Pohl, ex DC. Prod. iv. 566 = *Triodon glomeratus*.  
*gracilis*, Miq. Ann. Mus. Bot. Lugd. Bat. iii. 111 = *Asperula Platygaleum*.  
*graeca*, Baill. Hist. Pl. vii. 376 = *Galium graecum*.  
*guadaloupensis*, Spreng. Syst. i. 397. —Ins. Guadal.  
*Haenkeana*, Gill. ex Hook. & Arn. in Hook. Bot. Misc. iii. (1833) 363. —Chili.  
*himalayensis*, Klotzsch, in Bot. Ergeb. Waldem. Reise, 86. —Reg. Himal.  
*hirsuta*, Schlecht. ex Wedd. Chlor. And. ii. 37 = *Galium hirsutum*.  
*hirta*, H. B. & K. Nov. Gen. et Sp. iii. 338 = *Relbunium ciliatum*.  
*hispidula*, Willd. ex Spreng. Syst. i. 397 = *Relbunium hypocarpium*.  
*hypocarpia*, DC. Prod. iv. 591 = *Relbunium hypocarpium*.  
*iberica*, C. Koch, in Linnaea, xxiv. (1851) 463 = *tinctorum*.  
*incana*, H. B. & K. Nov. Gen. et Sp. iii. 338 = *Relbunium hypocarpium*.  
*indecora*, Cham. & Schlecht. in Linnaea, iii. (1828) 229 = *Relbunium hypocarpium*.

5 C

**RUBIA :—**

*intricata*, Hook. & Arn. in Hook. Bot. Misc. iii. (1833) 362 = *Galium latoramosum*.  
*javana*, DC. Prod. iv. 588 = cordifolia.  
*Kotschy*, Boiss. Diagn. Ser. I. vi. 70 = albicaulis.  
*laevigata*, DC. Prod. iv. 591 = *Relbunium laevigatum*.  
*laevis*, Poir. Voy. Barb. ii. 111 = *Galium Poiretianum*.  
*laevis*, Thunb. Fl. Cap. ed. Schult. 151 = Thunbergii.  
*Linnaeana*, Baill. Hist. Pl. vii. 374 = *Galium trifidum*.  
*longifolia*, Poir. Encyc. Suppl. ii. 705 = angustifolia.  
*lucida*, Linn. Syst. ed. XII. 732 = peregrina.  
*lucida*, Sibth. & Sm. Fl. Graec. ii. 32 = Olivierii.  
*Manjith*, Roxb. ex Flem. in As. Res. xi. (1810) 177 = cordifolia.  
*micans*, Fl. Corc. in Ionios Anthol. iv. 944 (Quid ?).—Ins. Corcyra.  
*mitis*, Miq. Ann. Mus. Bot. Lugd. Bat. iii. 112 = chinensis.  
*Mollugo*, Baill. Hist. Pl. vii. 372 = *Galium Mollugo*.  
*monantha*, DC. Prod. iv. 591.—Peruv.  
*montana*, Steud. Nom. ed. II. i. 659, in syn. = praec. ?  
*mucronata*, Hook. & Arn. in Hook. Bot. Misc. iii. (1833) 363 = diffusa ?  
*Munjista*, Roxb. Hort. Beng. [10]; Fl. Ind. i. 374 = cordifolia.  
*nitida*, H. B. & K. Nov. Gen. et Sp. iii. 339 (*Relbunium* sp.).—Ecuador.  
*noxia*, A. St. Hil. Pl. Rem. Brés. 229 (*Relbunium* sp.).—Bras.  
*Olivierii*, A. Rich. in Mém. Soc. Hist. Nat. Par. v. (1834) 132.—Ins. Scio.  
*orinocensis*, Cham. & Schlecht. in Linnaea, iii. (1828) 228 = *Relbunium hypocarpium*.  
*orinocensis*, H. B. & K. Nov. Gen. et Sp. iii. 339 (*Relbunium* sp.).—Venezuela.  
*ovalis*, DC. Prod. iv. 591 (*Relbunium* sp.).—Peruv.  
*palustris*, Baill. Hist. Pl. vii. 373 = *Galium palustre*.  
*pauciflora*, Boiss. Diagn. Ser. I. iii. 54.—Persia.  
*peregrina*, Linn. Sp. Pl. 109.—Europ.; Reg. Mediterr.  
*peregrina*, Murith, Bot. Valais, 91 = tinctorum.  
*peregrina*, Walt. Fl. Carol. 86 = *Galium hispidulum*.  
*peregrina*, Willd. ex Ledeb. Fl. Ross. ii. 410 = *Galium tataricum*.  
*petiolaris*, DC. Prod. iv. 588.—Afr. austr.  
*purpurea*, Decne. in Jacquem. Voy. Bot. 84. t. 92 = cordifolia.  
*pusilla*, Gill. ex Hook. & Arn. in Hook. Bot. Misc. iii. (1833) 363 = *Galium pusillum*, Endl.  
*ramosissima*, Pohl, ex DC. Prod. iv. 591 = *Relbunium hypocarpium*.  
*Relbun*, Cham. & Schlecht. in Linnaea, iii. (1828) 229 = *Relbunium hypocarpium*.  
*Requienii*, Duby, Bot. Gall. ed. II. i. 247 = angustifolia.  
*Richardiana*, Gill. ex Hook. & Arn. in Hook. Bot. Misc. iii. (1833) 362.—Chili.  
*rigida*, Baill. Hist. Pl. vii. 372 = *Galium rigidum*.  
*rotundifolia*, Poir. Encyc. Suppl. ii. 706 = peregrina.  
*rotundifolia*, [Soland. in] Russ. Aleppo, ed. II. ii. 267.—Syria.  
*rupestris*, Gardn. in Hook. Lond. Journ. Bot. iv. (1845) 111 = *Relbunium hypocarpium* ?  
*scabra*, H. B. & K. Nov. Gen. et Sp. iii. 340.—Ecuador.  
*scabra*, Salisb. Prod. 59 = fruticosa.  
*scandens*, Zoll. & Mor. Syst. Verz. Zoll. 66 = cordifolia.  
*secunda*, Moon, Cat. Pl. Ceyl. 10 = cordifolia.  
*Sellowiana*, Cham. in Linnaea, ix. (1834) 214 (*Relbunium* sp.).—Bras.  
*sikkimensis*, Kurz, in Fourn. As. Soc. Beng. xliii. (1874) ii. 188.—Reg. Himal.  
*splendens*, Hoffm. & Link, Fl. Port. ii. 67. t. 85 = peregrina.  
*sylvestris*, Brot. Fl. Lusit. i. 153 = peregrina.  
*sylvestris*, Mill. Gard. Dict. ed. VIII. n. 2 = tinctorum.  
*syrticola*, Miq. in Nederl. Kruidk. Arch. iv. (1859) 111 = *Asperula scoparia*.  
*tatarica*, Nym. Consp. 323, in syn.; Baill. Hist. Pl. vii. 374 = *Galium tataricum*.  
*techenensis*, Rafin. Fl. Ludov. 76 = *Galium hispidulum*.  
*tenuifolia*, Urv. in Mém. Soc. Linn. Par. i. (1822) 273 = Olivierii.  
*Thunbergii*, DC. Prod. iv. 590.—Afr. austr.  
*tibetica*, Hook. f. Fl. Brit. Ind. iii. 204.—Tibet occ.  
*tinctoria*, Salisb. Prod. 59 = tinctorum.

**RUBIA :—**

*tinctorum*, Lapeyr. Hist. Abr. Pl. Pyr. 68 = *Galium Aparine*.  
*tinctorum*, Linn. Sp. Pl. 109.—Europ. austr.; Oriens.  
*tinctorum*, With. Arr. Brit. Pl. ed. III. ii. 193 = peregrina.  
*trachyantha*, Boiss. Diagn. Ser. I. vi. 70 = albicaulis.  
*tricornis*, Baill. Hist. Pl. vii. 373 = *Galium tricornis*.  
*tuberculosa*, Benth. Pl. Hartw. 195 = *Relbunium tuberosum*.  
*valantioides*, Cham. & Schlecht. in Linnaea, iii. (1828) 231 (*Relbunium* sp.).—Bras.  
*vera*, Baill. Hist. Pl. vii. 372 = *Galium verum*.  
*vilis*, Cham. & Schlecht. in Linnaea, iii. (1828) 230 (*Relbunium* sp.).—Bras.  
*Walteri*, DC. Prod. iv. 590 = *Galium hispidulum*.

RUBINA, Noronha, in Verh. Batav. Gen. v. (1790) ed. I. Art. iv. 3 = *Antidesma* ?, Burm. (*Euphorb.*).

RUBIOIDES, Soland. ex Gaertn. Fruct. i. 112 (1788) = *Opercularia*, Gaertn. (*Rubiaceae*).  
*aspera*, Soland. ex A. Cunn. in Ann. Nat. Hist. Ser. I. ii. (1839) 205 = *O. aspera*.  
*diphylla*, Soland. ex A. Cunn. l. c. = *O. diphylla*.

**RUBUS**, [Tourn.] Linn. Syst. ed. I (1735). *ROSA-CEAE*, Benth. & Hook. f. i. 616.

AMETRON, AMPOMELE, CUMBATA, CYLASTIS, DYC-TISPERMA, MANTELA, SELNORITION, RAÏN, Sylva Tellur. 159–161 (1838).

CYLACTIS, Rafin. in Am. Journ. Sc. Ser. I. i. (1819) 377.

DALIBARDA, Linn. Sp. Pl. 491 (1753).

abortivus, Kuntze, Method. 69.—Archip. Luchu.

abruptus, Lindl. Syn. Brit. Fl. ed. I. 92 = ulmifolius.

absconditus, Lefèv. & P. J. Muell. in Pollichia, xvi-xvii. (1859) 167.—Europ.

acanthophyllos, Focke, in Bremen, Abh. iv. (1874) 161.—Venezuela.

acanthostachys, P. J. Muell. ex Wirtg. in Flora, xlii. (1859) 232 = pubescens, Weihe.

acaulis, Michx. Fl. Bor. Am. i. 298 = arcticus.

acerifolius, Wall. Cat. n. 744 = glomeratus.

aceroideus, Miq. Ann. Mus. Bot. Lugd. Bat. iii. 36 = trifidus.

acheruntinus, Tenore, Syll. Fl. Neap. 603 = caesius.

acicularis, Lefèv. & P. J. Muell. in Pollichia, xvi-xvii. (1859) 203.—Europ.

aciculatissimus, Hegetschw. Fl. Schw. 490.—Helvet.

aciculatus, Weihe, ex Lej. & Court. Comp. Fl. Belg. ii. 172 = serpens.

acidacanthos, P. J. Muell. & Wirtg. ex Focke, Syn. Rub. Germ. 240 = tomentosus.

aciodontos, Lefèv. ex P. J. Muell. in Pollichia, xvi-xvii. (1859) 83.—Europ.

acridentulus, P. J. Muell. ex Genev. in Mém. Soc. Acad. Maine-et-Loire, xxiv. (1868) 67 = hirtus.

acroleucophorus, Ripart, ex Genev. l. c. 290 = tomentosus, Borck.

aculeatissimus, Kaltenb. Fl. Aach. Beckens, 300 = rosaceus.

aculeatus, Spreng. ex Steud. Nom. ed. I. 706, nomen.—Hab. ?

aculeoidaeus, Lefèv. in Bull. Soc. Bot. Fr. xxiv. (1877) 224, nomen.—Gallia.

aculeolatus, P. J. Muell. in Pollichia, xvi-xvii. (1859) 228.—Europ.

acuminatissimus, Hassk. in Hoef. & De Vriese, Tijdschr. x. (1843) 146.—Java.

acuminatus, Genev. in Mém. Soc. Acad. Maine-et-Loire, viii. (1860) 92 = thyrsoides.

acuminatus, Sm. in Rees, Cycl. xxx. n. 43.—Reg. Himal.

acutatus, P. J. Muell. & Lefèv. in Pollichia, xvi-xvii. (1859) 144.—Europ.

acutiflorus, Gremli, in Oestr. Bot. Zeitschr. xxi. (1871) 124.—Europ.

acutifolius, P. J. Muell. in Pollichia, xvi-xvii. (1859) 211.—Europ.

acutipetalus, Lefèv. & P. J. Muell. l. c. 174 = macrophyllus.

acutisepalus, P. J. Muell. l. c. 207.—Europ.

acutus, Pritz. Ic. Ind. ii. 247, sphalm. = Rumex acutus.

adenoleucus, Chaboix, in Bull. Soc. Bot. Fr. vii. (1860) 267 = nemorosus.

adenophyllus, G. Braun, ex Prog. in Ber. Bot. Ver. Landshut, viii. (1882) 99.—Europ.

**RUBUS :—**

adenotrichos, Schlecht. in Linnaea, xiii. (1839) 267.—Mexic.

adornatus, P. J. Muell. ex Wirtg. in Flora, xlii. (1859) 234.—Europ.

adpressus, Ripart & Genev. in Genev. Monog. Rub. ed. II. 257 = arduennensis.

adscitus, Genev. in Mém. Soc. Acad. Maine-et-Loire, viii. (1860) 88 = hirtus.

adspersus, Weihe, ex Reichb. Fl. Germ. Excurs. 602 = carpinifolius.

aegopodioides, Ser. in DC. Prod. ii. 565 = triflorus.

affinis, Betcke, in Meklenburg. Archiv, iv. (1850) 93 = sulcatus.

affinis, Liebm. in Fl. Dan. t. 2539 = thyrsoides.

affinis, Madden, ex Hook. f. Fl. Brit. Ind. ii. 337 = ellipticus.

affinis, Weihe & Nees, Rub. Germ. 18 (err. typ. 22).—Europ.

agastachys, P. J. Muell. & Wirtg. ex Focke, Syn. Rub. Germ. 204 = geniculatus.

aggregatus, Kaltenb. Fl. Aach. Beckens, 277 = obscurus.

agrestis, Waldst. & Kit. Pl. Rar. Hung. iii. 297. t. 268 = tomentosus, nemorosus.

agriacanthus, Genev. Monog. Rub. ed. II. 297.—Europ.

albatus, Bayer, Bot. Excurs. Oesterr. 289 = bifrons.

albescens, Roxb. Hort. Beng. 39; Fl. Ind. ii. 519 = lasiocarpus.

albicans, Kit. ex Schult. Oesterr. Fl. ed. II. ii. 80.—Hungar.

albicomus, Gremli, Beitr. Fl. Schw. 30 = saltuum.

albidus, E. Merc. in Reut. Cat. Pl. Vasc. Genève. ed. II. 288 = villicaulis.

albomicans, Ripart, ex Genev. in Mém. Soc. Acad. Maine-et-Loire, xxiv. (1868) 277.—Europ.

alcaefolius, Poir. Encyc. vi. 247 = moluccanus.

alcaefolius, Vidal, Sinops. t. 46. f. C = Rolfei.

alpestris, Blume, Bijdr. 1108.—Java.

alpinus, Macfad. Fl. Jamaic. ii. 7.—Jamaic.

alterniflorus, P. J. Muell. & Lefèv. in Pollichia, xvi-xvii. (1859) 160 = macrophyllus.

althaeifolius, Bab. Fl. Camb. 305 = tomentosus, Borck.

althaeoides, Hance, in Ann. Sc. Nat. Sér. IV. xv. (1861) 222.—China.

althaeifolius, Host, ex Tratt. Ros. iii. 37 = nemorosus.

amaeniflorus, Lefèv. in Lamotte, Prod. Fl. Centr. Fr. i. 256 = amoeniflorus.

ambifarius, P. J. Muell. ex Focke, Syn. Rub. Germ. 237 = tomentosus, Borck. ?

ambiguus, P. J. Muell. in Pollichia, xvi-xvii. (1859) 258.—Europ.

amblycaulon, Boul. ex Genev. in Mém. Soc. Acad. Maine-et-Loire, xxviii. (1872) 28 = nemorosus.

amblystachys, P. J. Muell. in Bonplandia, ix. (1861) 307.—Europ.

amiantinus, Focke, Syn. Rub. Germ. 192, 195.—Europ.

amictifolius, Ripart, ex Genev. in Mém. Soc. Acad. Maine-et-Loire, xxiv. (1868) 298 = tomentosus, Borck.

amictus, P. J. Muell. ex Genev. l. c. 156 = vestitus.

ammobius, Focke, Syn. Rub. Germ. 118.—Europ.

amoeniflorus, Lefèv. in Bull. Soc. Bot. Fr. xxiv. (1877) 223.—Europ.

amoenus, Koehl. in Wimm. & Grab. Fl. Siles. (1829) i. ii. 54 = hirtus.

amoenus, Portenschl. ex Lange, in Kjoeb. Vidensk. Meddel. (1865) 146 = ulmifolius.

amphibolus, Genev. in Mém. Soc. Acad. Maine-et-Loire, viii. (1860) 89.—Europ.

amphichloros, P. J. Muell. in Bonplandia, ix. (1861) 279 = Sprengelii.

amphitapos, P. J. Muell. & Wirtg. ex Focke, Syn. Rub. Germ. 240 = tomentosus, Borck.

amplificatus, E. Lees, in Steele, Handb. Field Bot. 58 = macrophyllus.

amplifolius, P. J. Muell. in Bonplandia, ix. (1861) 294 = hirtus.

amplithyrus, Boul. ex Malbranche, in Bull. Soc. Bot. Fr. xxvi. (1879) 127 = ulmifolius.

amygdalanthus, Focke, Syn. Rub. Germ. 174 = thyrsoides.

anadenes, P. J. Muell. ex Genev. in Mém. Soc. Acad. Maine-et-Loire, xxiv. (1868) 191 = macrophyllus.

## RUBUS:—

- analogus*, Lefèv. & P. J. Muell. in Pollichia, xvi-xvii. (1859) 232 = hirtus.  
*anceps*, Boul. & Letendre, ex Lefèv. in Bull. Soc. Bot. Fr. xxiv. (1877) 224 = umbelliformis.  
*anchostachys*, Ripart, ex Genev. in Mém. Soc. Acad. Maine-et-Loire, xx. (1866) 32 = ulmifolius.  
*ancistrophorus*, P. J. Muell. & Lefèv. in Pollichia, xvi-xvii. (1859) 268 = Europ.  
*Andersoni*, Hook. f. Fl. Brit. Ind. ii. 333. — Reg. Himal.  
*Andersonii*, Lefèv. in Bull. Soc. Bot. Fr. xxiv. (1877) 218, 222. — Europ.  
*angulatus*, Rafin. Fl. Ludov. 98 (Quid?). — Am. bor.  
*angulosus*, Gremli, in Oestr. Bot. Zeitschr. xxi. (1871) 128. — Europ.  
*angustatus*, Chab. & P. J. Muell. in Pollichia, xvi-xvii. (1859) 92. — Europ.  
*angustifolius*, Kaltenb. Fl. Aach. Beckens, 274. — Europ.  
*angustifolius*, P. J. Muell. & Lefèv. in Pollichia, xvi-xvii. (1859) 119. — Europ.  
*anomalus*, P. J. Muell. in Flora, xli. (1858) 136 = tomentosus, Borch.  
*anoplostachys*, P. J. Muell. in Bonplandia, ix. (1861) 292. — Europ.  
*antarcticus*, Kuntze, Method. 115 = geoides, radicans, Cav., Gunnianus.  
*antennifer*, Hook. f. Fl. Brit. Ind. ii. 337. — Reg. Himal.  
*apertionum*, Lefèv. & P. J. Muell. in Pollichia, xvi-xvii. (1859) 253. — Europ.  
*apetalus*, Poir. Encyc. vi. 242. — Afr. trop.; Ins. Borbon.  
*apiculatus*, Weihe & Nees, ex Bluff & Fingerh. Comp. Fl. Germ. ed. I. i. 680. — Europ.  
*apiculiferus*, P. J. Muell. & Timb. ex Malbranche, in Bull. Soc. Bot. Fr. xxvi. (1879) 126 = ulmifolius.  
*appendiculatus*, Tratt. Ros. iii. 31. — Hungar.  
*approximatus*, P. J. Muell. in Pollichia, xvi-xvii. (1859) 242. — Europ.  
*aproximatus*, Quest. ex Focke, Syn. Rub. Germ. 307 = Fockeli.  
*apricus*, Wimm. Fl. Schles. ed. III. (1857) 626 = Koehleri.  
*aralioides*, Hance, in Journ. Bot. xxii. (1884) 41. — China.  
*archimonomophyllus*, Kuntze, Method. 124, in nota. — Hab. ?  
*arcticus*, Linn. Sp. Pl. 494. — Reg. bor. et arct.  
*arctus*, Kuntze, Method. 69 = moluccanus.  
*arduennensis*, Libert, ex Lej. Fl. Spa, ii. 317. — Europ.  
*arenarius*, Koehl. ex Wimm. & Grab. Fl. Siles. (1829) i. ii. 26 = fruticosus.  
*arenarius*, Ripart, ex Genev. in Mém. Soc. Acad. Maine-et-Loire, xxiv. (1868) 38 = tomentosus, Borch.  
*arenosus*, Lefèv. in Bull. Soc. Bot. Fr. xxiv. (1877) 223, nomen. — Europ.  
*Areschougii*, Blytt, in Bot. Notiser (1875), 43 = caesius.  
*argentatus*, P. J. Muell. in Pollichia, xvi-xvii. (1859) 93 = pubescens, Weihe.  
*argenteus*, C. C. Gmel. Fl. Bad. ii. 434 = tomentosus, Borch.  
*argenteus*, Gremli, Beitr. Fl. Schw. 48 = thyrsoideus.  
*argenteus*, Weihe & Nees, Rub. Germ. 45. t. 19 = pubescens, Weihe.  
*argenteus*, Wirtg. ex Focke, Syn. Rub. Germ. 195 = amiantinus.  
*argutifolius*, P. J. Muell. & Lefèv. in Pollichia, xvi-xvii. (1859) 150 = Sprengelii.  
*argutus*, Link, Enum. Hort. Berol. ii. 60 = villosus.  
*argyropsis*, Focke, Syn. Rub. Germ. 170 = thyrsoideus.  
*armeniacus*, Focke, in Bremen, Abh. iv. (1874) 183. — Armenia.  
*Arrhenii*, Beurl. ex Nym. Consp. 221 = corylifolius.  
*Arrhenii*, Lange, Haandb. Dansk. Fl. ed. I. 309. — Europ.  
*arvinus*, Lefèv. & P. J. Muell. in Pollichia, xvi-xvii. (1859) 285. — Europ.  
*Aschoffii*, Weihe, ex Steud. Nom. ed. II. ii. 476 = corylifolius.  
*asper*, D. Don, Prod. 234 = rosaeifolius.  
*asper*, J. & C. Presl, Delic. Prag. 222. — Europ.  
*asper*, Royle, ex Hook. f. Fl. Brit. Ind. ii. 336 = macilentus, Jacq.  
*asper*, Weihe, ex Lej. & Court. Comp. Fl. Belg. ii. 174 = rudis.

## RUBUS:—

- aspericaulis*, Lefèv. & P. J. Muell. in Pollichia, xvi-xvii. (1859) 141. — Europ.  
*aspermus*, Ripart, ex Genev. Monog. Rub. ed. II. 104 = Sprengelii.  
*aspreticolus*, Lefèv. & P. J. Muell. in Pollichia, xvi-xvii. (1859) 259. — Europ.  
*assamensis*, Focke, in Bremen, Abh. iv. (1874) 197. — Reg. Himal.  
*asservatus*, Ripart & Genev. in Genev. Monog. Rub. ed. II. 136 = hirtus.  
*assurgens*, Boul. & Bouv. ex Lefèv. in Bull. Soc. Bot. Fr. xxiv. (1877) 224 = nemorosus.  
*atlanticus*, Pomel, Nouv. Mat. Fl. Atl. 314. — Alger.  
*atratus*, Genev. in Mém. Soc. Acad. Maine-et-Loire, viii. (1860) 70, 82 = rudis.  
*atrocaulis*, P. J. Muell. in Pollichia, xvi-xvii. (1859) 163 = villicaulis.  
*atrorubens*, P. J. Muell. & Lefèv. l. c. 181. — Europ.  
*atrorubens*, Wirtg. in Flora, xlii. (1859) 234 = adornatus.  
*atrovirens*, P. J. Muell. in Flora, xli. (1858) 153 = rosaceus.  
*atrovirens*, P. J. Muell. ex Nym. Consp. 219 = Lejeunei ?  
*attenuatus*, Gremli, in Oestr. Bot. Zeitschr. xxi. (1871) 96 = Guentheri.  
*australis*, Forst. f. Prod. 40. — N. Zel.  
*australis*, Kern. in Ber. Naturw. Ver. Innsbruck, ii. (1871) 155; Nov. Pl. Sp. Decas, iii. 32 = tomentosus, Borch.  
*austriacus*, Focke, Syn. Rub. Germ. 174 = thyrsoideus.  
*avellanaefolius*, Koehl. ex Wimm. & Grab. Fl. Siles. (1829) i. ii. 24 = plicatus.  
*avellanus*, P. J. Muell. ex Malbranche, in Bull. Soc. Bot. Fr. xxvi. (1879) 129 = ulmifolius.  
*aviicolus*, P. J. Muell. & Lefèv. in Pollichia, xvi-xvii. (1859) 115. — Europ.  
*axillaris*, P. J. Muell. in Flora, xli. (1858) 139. — Europ.  
*axilliflorus*, Lefèv. & P. J. Muell. in Pollichia, xvi-xvii. (1859) 280. — Europ.  
*Babingtonii*, Bell Salter, in Ann. & Mag. Nat. Hist. Ser. I. xv. (1845) 307 = thyrsoiflorus.  
*badius*, Focke, Syn. Rub. Germ. 276. — Europ.  
*Bagnalli*, Bloxam, ex Briggs, in Bot. Exch. Club Rep. 1876 (1878) 14 = Briggsii.  
*baldensis*, Kern. in Ber. Naturw. Ver. Innsbruck, ii. (1871) 144; Nov. Pl. Sp. Decas, iii. 21 = tomentosus, Borch.  
*Balfourianus*, Bloxam, ex Bab. in Ann. & Mag. Nat. Hist. Ser. I. xix. (1847) 86 = corylifolius.  
*balticus*, Focke, Syn. Rub. Germ. 350 = Koehleri.  
*Banningii*, G. Braun, ex Focke, l. c. 148 = rhamnifolius.  
*Banningii*, Focke, l. c. 261 = vulgaris.  
*Barbeyi*, Favrat & Gremli, in Gremli, Excurs. Schw. ed. IV. 150 = arduennensis.  
*Bastardianus*, Genev. in Mém. Soc. Acad. Maine-et-Loire, xiv. (1868) 87 = ulmifolius.  
*bavarius*, Focke, Syn. Rub. Germ. 351 = Koehleri.  
*Bayeri*, Focke, in Oestr. Bot. Zeitschr. xviii. (1868) 99. — Europ.  
*begoniaefolius*, Holuby, l. c. xxv. (1875) 315. — Europ.  
*Bellardi*, Libert, ex Focke, Syn. Rub. Germ. 365 = serpens.  
*Bellardi*, Weihe & Nees, ex Bluff & Fingerh. Comp. Fl. Germ. ed. I. i. 688 = glandulosus.  
*bellidiflorus*, Hort. ex C. Koch, Dendrol. i. 292 = ulmifolius.  
*bellulus*, P. J. Muell. & Timb. ex Martr. Fl. Tarn, 215. — Europ.  
*belophorus*, P. J. Muell. & Lefèv. in Pollichia, xvi-xvii. (1859) 111. — Europ.  
*Bergii*, Eckl. & Zeyh. Enum. 262 = fruticosus.  
*berolinensis*, Krause, in Verh. Bot. Ver. Brandenb. xxvi. (1885) 16. — Europ.  
*Bertramii*, G. Braun, ex Focke, Syn. Rub. Germ. 117. — Europ.  
*bertricensis* ×, Wirtg. ex Focke, l. c. 240. — Europ.  
*Betckei*, Marss. Fl. Neuvorpomm. 148 = Metschii.  
*betulinus*, D. Don, Prod. Fl. Nap. 233 = acuminatus.  
*bhotanensis*, Kuntze, Method. 67 = moluccanus.  
*bicolor*, Arrond. in Bull. Soc. Polym. Morb. (1862) 113; et ej. Cat. Pl. Morb. 34. — Gallia.  
*bifidus*, Lefèv. in Bull. Soc. Bot. Fr. xxiv. (1877) 220 = stenopetalus.

## RUBUS:—

- biflorus*, Buch.-Ham. ex Sm. in Rees, Cycl. xxx. n. 9. — Reg. Himal.  
*bifrons*, Vest, ex Tratt. Ros. iii. 28. — Europ.  
*bijugus*, Focke, in Bremen, Abh. iv. (1874) 200 = lasiocarpus.  
*Billotii*, P. J. Muell. in Bonplandia, ix. (1861) 283. — Europ.  
*bipartitus*, Boul. & Bouv. ex Genev. Monog. Rub. ed. II. 254 = arduennensis.  
*birmanicus*, Hook. f. Fl. Brit. Ind. ii. 331. — Burma.  
*biturigenis*, Ripart, ex Genev. in Mém. Soc. Acad. Maine-et-Loire, xxviii. (1872) 59. — Europ.  
*blanditus*, P. J. Muell. ex Focke, Syn. Rub. Germ. 315 = Lejeunei.  
*Blondaei*, Ripart, ex Genev. in Mém. Soc. Acad. Maine-et-Loire, xxiv. (1868) 105 = rudis.  
*Bloxami*, Bor. Fl. Centr. Fr. ed. III. ii. 194 = thyrsoiflorus.  
*Bloxamianus*, Colem. ex Baker, in Bot. Exch. Club Rep. 1862 (1863) 8 = R. Radula.  
*Bloxamii*, Lees, in Steele, Handb. Field Bot. 55. — Europ.  
*bogotensis*, H. B. & K. Nov. Gen. et Sp. vi. 220. — N. Granat.  
*boliviensis*, Focke, in Bremen, Abh. iv. (1874) 158. — Bolivia.  
*bonariensis*, Steud. Nom. ed. II. ii. 477, nomen. — Reg. Argent.  
*Boracanus*, Genev. in Mém. Soc. Acad. Maine-et-Loire, viii. (1860) 87. — Europ.  
*borbonicus*, Pers. Syn. ii. 51. — Ins. Borbon.  
*borealis*, Spach, ex Focke, in Bremen, Abh. iv. (1874) 147 = strigosus.  
*Borreri*, Bell Salter, in Ann. & Mag. Nat. Hist. Ser. I. xv. (1845) 306 = Sprengelii.  
*Boschianus*, Zoll. in Tijdschr. Nederl. Ind. xiv. (1857) 176. — Java.  
*bosquetianus*, Timb. & P. J. Muell. ex Martr. Fl. Tarn, 212. — Europ.  
*Bouweti*, Genev. Monog. Rub. ed. II. 296 = ulmifolius.  
*brachyadenes*, P. J. Muell. ex Genev. in Mém. Soc. Acad. Maine-et-Loire, xxviii. (1872) 33 = foliosus.  
*brachyandrus*, Gremli, Beitr. Fl. Schw. 29. — Europ.  
*brachyanthus*, Prog. in Ber. Bot. Ver. Landshut, viii. (1882) 98. — Europ.  
*brachybotrys*, Focke, in Nuov. Giorn. Bot. Ital. xvi. (1884) 170. — Europ.  
*brachyclados*, Boul. ex Malbranche, in Bull. Soc. Bot. Fr. xxvi. (1879) 128 = ulmifolius.  
*brachypetalus*, Gremli, in Oestr. Bot. Zeitschr. xxi. (1871) 96. — Europ.  
*brachyphyllos*, P. J. Muell. & Wirtg. ex Focke, Syn. Rub. Germ. 158 = arduennensis.  
*brachystachys*, P. J. Muell. in Pollichia, xvi-xvii. (1859) 200. — Europ.  
*brachystemon*, Heimerl, in Oestr. Bot. Zeitschr. xxxii. (1882) 109. — Austria.  
*bracteatus*, Bor. Fl. Centr. Fr. ed. III. ii. 193 = thyrsoiflorus.  
*bracteatus*, A. Gray, ex Kuntze, Method. 54 = Sieboldii.  
*bracteatus*, Weihe, in Lej. & Court. Comp. Fl. Belg. ii. 162. — Europ.  
*brasiliensis*, Mart. Cat. Hort. Monac. (1829) 173. — Bras.  
*bregutiensis*, Kern. ex Focke, Syn. Rub. Germ. 300 = vestitus.  
*brevicaulis*, Gremli, in Oestr. Bot. Zeitschr. xxi. (1871) 94. — Europ.  
*breviflorus*, Gremli, l. c. 97. — Europ.  
*brevipes*, Gremli, l. c. 96. — Europ.  
*breviramus*, Ripart & Genev. in Mém. Soc. Acad. Maine-et-Loire, xxviii. (1872) 47 = Sprengelii.  
*brevis*, Gremli, Beitr. Fl. Schw. 33. — Europ.  
*Briggsii*, Bloxam, in Journ. Bot. vii. (1869) 33. — Europ.  
*bucciburgensis*, Banning & Focke, ex Focke, Syn. Rub. Germ. 148 = rhamnifolius.  
*Buergeri*, Miq. Ann. Mus. Bot. Lugd. Bat. iii. 36. — Japon.  
*buhnensis*, G. Braun, ex Focke, Syn. Rub. Germ. 311 = obscurus, Kaltenb.  
*bursonnensis*, Lefèv. ex Genev. Monog. Rub. ed. II. 110 = thyrsoiflorus.  
*caeruleus*, Gilib. Fl. Lituan. ii. 242 = caesius.  
*caesio-idaeus*, E. Merc. in Reut. Cat. Pl. Vasc. Genève. ed. II. 294. — Europ.



**RUBUS:—**

- caesio-ideus*, P. J. Muell. in Flora, xli. (1858) 183 = *caesius*.  
*caesius*, Boj. Hort. Maurit. 127 = fruticosus.  
*caesius*, Linn. *Sp. Pl.* 493.—Europ.; Oriens; As. bor. Caffischii, Focke, *Syn. Rub. Germ.* 278.—Europ.  
*calanthelos*, Focke, l. c. 261 = vulgaris.  
*calcareus*, P. J. Muell. in Flora, xli. (1858) 181 = *virgultorum*.  
*calcareus*, Ripart, ex Genev. in Mém. Soc. Acad. Maine-et-Loire, xxiv. (1868) 254 = pubescens, *Weihe*.  
*Caldesianus*, Focke, in *Nuov. Giorn. Bot. Ital.* xvi. (1884) 169.—Europ.  
*caliculatus*, Kaltenb. Fl. Aach. Beckens, 283 = serpens.  
*californicus*, Kuntze, *Method.* 102.—Calif.  
*callianthus*, P. J. Muell. in Pollichia, xvi–xvii. (1859) 294 = nemorosus.  
*calliphylus*, P. J. Muell. in Flora, xli. (1858) 168 = hirtus.  
*calvatus*, Lees, in Kirby, Fl. Leicest. 42 = silvaticus.  
*calycinoides*, Kuntze, *Method.* 67, 78 = moluccanus.  
*calycinus*, Wall. in D. Don, *Prod. Fl. Nep.* 235.—Reg. Himal.  
*campestris*, P. J. Muell. in Pollichia, xvi–xvii. (1859) 284.—Europ.  
*canadensis*, Linn. *Sp. Pl.* 494.—Am. bor.  
*canadensis*, Torr. Fl. N. U. St. i. 488 = triflorus.  
*canaliculatus*, P. J. Muell. in Flora, xli. (1858) 182.—Europ.  
*candefactus*, Lefèv. in Bull. Soc. Bot. Fr. xxiv. (1877) 221, nomen.—Europ.  
*candicans*, Lasch. in Linnaea, viii. (1833) 297 = thyrsoides.  
*candicans*, Weihe, ex Reichb. Fl. Germ. Excurs. 601.—Europ.  
*canescens*, DC. Cat. Hort. Monsp. 139 = tomentosus, *Borck*.  
*cannabinus*, Boul. & Letendre, ex Lefèv. in Bull. Soc. Bot. Fr. xxiv. (1877) 222 = ulmifolius.  
*cannabinus*, Gremli, in Oestr. Bot. Zeitschr. xxi. (1871) 127.—Europ.  
*canus*, Kit. in Rochel, Pl. Banat. Rar. 26, nomen = tomentosus, *Borck*.  
*cardiophyllus*, Lefèv. & P. J. Muell. in Pollichia, xvi–xvii. (1859) 86 = arduennensis.  
*carisiensis*, Ripart & Genev. in Mém. Soc. Acad. Maine-et-Loire, xxviii. (1872) 55 = ulmifolius.  
*carneiflorus*, P. J. Muell. in Pollichia, xvi–xvii. (1859) 169.—Europ.  
*carneistylus*, P. J. Muell. in Flora, xli. (1858) 179.—Europ.  
*carpinetorum*, Freyn, in Verh. Zool.-Bot. Ges. Wien, xxxi. (1882) 373.—Europ.  
*carpinifolius*, Bor. in Mém. Soc. Acad. Maine-et-Loire, vi. (1859) 76 = macrophyllus.  
*carpinifolius*, Lees, in Steele, Handb. Field Bot. 58 = rhamnifolius.  
*carpinifolius*, J. & C. Presl, Delic. Prag. 220 = plicatus.  
*carpinifolius*, Weihe & Nees, Rub. Germ. 36. t. 13.—Europ.  
*Casparyi*, Wirtg. ex Focke, *Syn. Rub. Germ.* 324 = R. Radula.  
*castoreus*, Fries, Mant. ii. 37.—Europ.  
*caucasicus*, Focke, in Bremen, Abh. iv. (1874) 183.—Reg. Caucas.  
*cavatifolius*, P. J. Muell. ex Bab. in Journ. Bot. xvi. (1878) 144 = Kochleri.  
*cedrorum*, Kotschy, ex Boiss. Fl. Orient. ii. 694 = tomentosus, *Borck*.  
*celebicus*, Blume, Bijdr. 1107.—Ins. Celebes.  
*celtidifolius*, Focke, ex Gremli, Beitr. Fl. Schw. 33 = brachyandrus.  
*centronotus*, Kern. in Ber. Naturw. Ver. Innsbruck, ii. (1871) 411; Nov. Pl. Sp. Decas, iii. 18.—Tirol.  
*cerasifolius*, Lefèv. & P. J. Muell. in Pollichia, xvi–xvii. (1859) 98.—Europ.  
*cerchoviensis*, Prog. in Ber. Bot. Ver. Landshut, viii. (1882) 91.—Europ.  
*cerinostylus*, P. J. Muell. in Flora, xli. (1858) 156.—Europ.  
*cernuus*, P. J. Muell. in Pollichia, xvi–xvii. (1859) 194 = hirtus.  
*Chaboissaei*, P. J. Muell. l. c. 156 = macrophyllus.  
*chalaranthus*, Genev. in Mém. Soc. Acad. Maine-et-Loire, xxviii. (1872) 35 = Sprengelii.  
*Chamaemorus*, Fisch. ex DC. Prod. ii. 565 = stellatus.  
*Chamaemorus*, Linn. *Sp. Pl.* 494.—Reg. bor. et arct.

**RUBUS:—**

- chartaceus*, Kuntze, *Method.* 61, 76.—Java.  
*chinensis*, Ser. in DC. Prod. ii. 557 = rosaefolius.  
*chinensis*, Thunb. Diss. Rub. 8 = parvifolius.  
*chloracanthus*, Boul. & Gillot, ex Genev. Monog. Rub. ed. II. 224 = thyrsoides.  
*chlorocarpus*, Bor. ex Genev. in Mém. Soc. Acad. Maine-et-Loire, xxiv. (1868) 239 = ulmifolius.  
*chlorophyllus*, Gremli, Excurs. Schw. ed. II. 161 = orthocanthus.  
*chlorostachys*, P. J. Muell. in Bonplandia, ix. (1861) 303.—Europ.  
*chlorothyrsos*, Focke, in Bremen, Abh. ii. (1871) 462 = silvaticus.  
*chnoophyllus*, P. J. Muell. ex Genev. Monog. Rub. ed. II. 327 = tomentosus, *Borck*.  
*chnoostachys*, P. J. Muell. & Wirtg. ex Focke, *Syn. Rub. Germ.* 240 = tomentosus, *Borck*.  
*chrysacanthus*, Timb. in Bull. Soc. Sc. Phys. et Nat. Toul. ii. (1874) 454.—Europ.  
*chrysocarpus*, Mundt, ex Cham. & Schlecht. in Linnaea, ii. (1827) 17 = rigidus, *Sm*.  
*chrysophyllus*, Reinw. ex Miq. Fl. Ind. Bat. i. i. 380.—Java.  
*cicur*, Holuby, in Oestr. Bot. Zeitschr. xxv. (1875) 311.—Hungar.  
*cinerascens*, Bor. Fl. Centr. Fr. ed. III. ii. 197 = foliosus.  
*cinerascens*, Weihe, ex Lej. & Court. Comp. Fl. Belg. ii. 171 = obscurus, *Kaltenb.*  
*cinereus*, Godr. ex Gren. & Godr. Fl. Fr. i. 544 = hirtus.  
*cinereus*, Reichb. Fl. Germ. Excurs. 607 = tomentosus, *Borck*.  
*cinereus*, Weihe, ex Reichb. l. c. 602 = pubescens, *Weihe*.  
*cissoides*, A. Cunn. in Ann. Nat. Hist. Ser. I. iii. (1839) 245 = australis.  
*citriodorus*, Lej. ex Lej. & Court. Comp. Fl. Belg. ii. 163 = plicatus.  
*Clarkei*, Hook. f. Fl. Brit. Ind. ii. 337.—Reg. Himal.  
*clematitifolius*, Timb. in Bull. Soc. Sc. Phys. et Nat. Toul. ii. (1874) 455.—Europ.  
*clethrapius*, Genev. in Mém. Soc. Acad. Maine-et-Loire, xx. (1866) 167 = carpinifolius.  
*coarctatus*, P. J. Muell. in Flora, xli. (1858) 183 = candicans.  
*cochinchinensis*, Tratt. Ros. iii. 97.—China.  
*Colemanni*, Bloxam, in Kirby, Fl. Leicest. 38.—Europ.  
*collinus*, DC. Cat. Hort. Monsp. 139.—Europ.; As. Min.  
*collinus*, Delile, ex Nym. Consp. 218 = tomentosus, *Borck*.  
*collinus*, Lej. & Court. Comp. Fl. Belg. ii. 167 = arduennensis.  
*collinagus*, Ripart, ex Genev. Monog. Rub. ed. II. 292 = ulmifolius.  
*coloratus*, Gremli, in Oestr. Bot. Zeitschr. xxi. (1871) 126 = hirtus.  
*comintanus*, Blanco, Fl. Filip. ed. II. 298 = rosaefolius.  
*Commersonii*, Poir. Encyc. vi. 240 = rosaefolius.  
*commiscibilis*, P. J. Muell. in Bonplandia, ix. (1861) 301.—Europ.  
*commixtus*, P. J. Muell. in Pollichia, xvi–xvii. (1859) 112.—Europ.  
*communis*, Lefèv. in Bull. Soc. Bot. Fr. xxiv. (1877) 222 = truncifolius.  
*communis*, Weihe, ex Reichb. Fl. Germ. Excurs. 602 = vulgaris.  
*compactiflorus*, Lefèv. in Bull. Soc. Bot. Fr. xxiv. (1877) 221, nomen.—Europ.  
*compactus*, Benth. Pl. Hartw. 129.—Peruv.  
*compa*, R. Br. in Salt, Abyss. App. 64, nomen.—Abyss.  
*concinus*, Focke, *Syn. Rub. Germ.* 309 = obscurus, *Kaltenb.*  
*concolor*, Ley, in Rabenh. Bot. Centralbl. i. (1846) 434.—Europ.  
*concolor*, Lowe, Man. Fl. Mad. i. 249.—Ins. Madera.  
*concolor*, Wall. Cat. n. 733 = niveus, *Wall.*  
*condensatus*, P. J. Muell. in Flora, xli. (1858) 167.—Europ.  
*confinis*, Lindeb. in Bot. Notiser (1883), 105.—Suecia.  
*confinis*, P. J. Muell. in Pollichia, xvi–xvii. (1859) 262.—Europ.  
*confinis*, Ripart, ex Genev. in Mém. Soc. Acad. Maine-et-Loire, xxiv. (1868) 309 = tomentosus, *Borck*.

**RUBUS:—**

- confluentinus*, Wirtg. in Flora, xlii. (1859) 232 = pubescens, *Weihe*.  
*confusus*, Ripart, ex Genev. in Mém. Soc. Acad. Maine-et-Loire, xxiv. (1868) 231 = ulmifolius.  
*congestus*, Boul. ex Malbranche, in Bull. Soc. Bot. Fr. xxvi. (1879) 130 = ulmifolius.  
*conglomeratus*, Boul. & Letendre, ex Lefèv. l. c. xxiv. (1877) 224 = nemorosus.  
*conothyrsos*, Focke, *Syn. Rub. Germ.* 271.—Europ.  
*consimilis*, P. J. Muell. in Bonplandia, ix. (1861) 278.—Europ.  
*consimilis*, Ripart, ex Genev. in Mém. Soc. Acad. Maine-et-Loire, xxiv. (1868) 274 = villicaulis.  
*consociatus*, P. J. Muell. in Pollichia, xvi–xvii. (1859) 173.—Europ.  
*conspectus*, Genev. in Mém. Soc. Acad. Maine-et-Loire, x. (1861) 19.—Europ.  
*conspersus*, Pritz. Ic. Ind. ii. 247, sphalm. = Rumex conspersus.  
*conspicuous*, P. J. Muell. in Flora, xli. (1859) 71; et Pollichia, xvi–xvii. (1859) 122 = vestitus.  
*constrictiflorus*, Boul. & Timb. ex Lefèv. in Bull. Soc. Bot. Fr. xxiv. (1877) 219 = ulmifolius.  
*constrictifolius*, Boul. ex Malbranche, l. c. xxvi. (1879) 126.—Europ.  
*constrictus*, Lefèv. & P. J. Muell. in Pollichia, xvi–xvii. (1859) 79.—Europ.  
*contemptus*, Ripart, ex Genev. in Mém. Soc. Acad. Maine-et-Loire, xxiv. (1868) 245 = ulmifolius.  
*controversus*, Ripart, ex Genev. l. c. 244 = ulmifolius.  
*convexifolius*, P. J. Muell. in Bonplandia, ix. (1861) 302.—Europ.  
*coptophyllus*, A. Gray, in Perry, Exped. Jap. ii. 311 = microphyllus.  
*corchorifolius*, Linn. f. Suppl. 263.—China; Japon.  
*cordatus*, Bluff & Fingerh. Comp. Fl. Germ. ed. I. i. 671.—Europ.  
*cordifolius*, D. Don, Prod. Fl. Nep. 233 = moluccanus.  
*cordifolius*, Noronha, in Verh. Batav. Gen. v. (1790) ed. I. Art. iv. 26 = glabriusculus.  
*cordifolius*, J. & C. Presl, Delic. Prag. 219 = cordatus.  
*cordifolius*, Weihe & Nees, Rub. Germ. 21. t. 5 = rhamnifolius.  
*cordigerus*, P. J. Muell. & Wirtg. ex Focke, *Syn. Rub. Germ.* 370 = serpens.  
*cordylifolius*, Walp. Rep. ii. 16, sphalm. = Wahlbergii.  
*coreanus*, Miq. Ann. Mus. Bot. Lugd. Bat. iii. 34.—China; Corea.  
*coriaceus*, Holuby, in Oestr. Bot. Zeitschr. xxxiv. (1884) 81.—Hungar.  
*coriaceus*, Poir. Encyc. vi. 237.—Peruv.  
*coriifolius*, Liebm. in Kjoeb. Vidensk. Meddel. (1852) 157.—Mexic.  
*coronarius*, Sweet, Hort. Brit. ed. I. 144 = rosaefolius.  
*coronatus*, Lefèv. in Bull. Soc. Bot. Fr. xxiv. (1877) 222 = serratifolius.  
*corylifolius*, Bess. Enum. Pl. Volh. 47 = nessensis, sulcatus.  
*corylifolius*, DC. Fl. Fr. iv. 475 = nemorosus.  
*corylifolius*, Hayne, Arzn. Gew. iii. t. 11 = plicatus.  
*corylifolius*, Sm. Fl. Brit. 542.—Europ.  
*corylinus*, P. J. Muell. in Flora, xli. (1858) 169.—Europ.  
*corymbiflorus*, P. J. Muell. in Pollichia, xvi–xvii. (1859) 283.—Europ.  
*corymbosus*, P. J. Muell. in Flora, xli. (1858) 151 = orthocanthus.  
*corymbosus*, Weihe, ex Reichb. Fl. Germ. Excurs. 600 = nitidus.  
*costaricanus*, Liebm. in Kjoeb. Vidensk. Meddel. (1852) 159.—Costa Rica.  
*costatus*, Dum. ex Focke, *Syn. Rub. Germ.* 161 = thyrsoides.  
*Courtoisiana*, Lej. in Lej. & Court. Comp. Fl. Belg. ii. 170 = vestitus.  
*crassifolius*, Genev. in Mém. Soc. Acad. Maine-et-Loire, xxiv. (1868) 236 = pubescens, *Weihe*.  
*crassus*, Holuby, in Oestr. Bot. Zeitschr. xxiii. (1873) 381.—Hungar.  
*crataegifolius*, Bunge, in Mém. Sav. Etr. Pétersb. ii. (1835) 98.—China.  
*Crippsii*, Clarke, Trav. i. ed. II. Add. p. xxii.—Turcia.  
*crispus*, Lefèv. & P. J. Muell. in Pollichia, xvi–xvii. (1859) 147.—Europ.  
*cruentatus*, P. J. Muell. l. c. 294 = obscurus, *Kaltenb.*  
*Cumingii*, Kuntze, *Method.* 76.—Ins. Philipp.

## RUBUS:—

- cunctator, Focke, *Syn. Rub. Germ.* 281.—Europ.  
*cuneatus*, Boul. ex Malbranche, in *Bull. Soc. Bot. Fr.* xxvi. (1879) 126 = *ulmifolius*.  
*cuneifolius*, E. Merc. in *Reut. Cat. Pl. Vasc. Genève* ed. II. 282.—Europ.  
*cuneifolius*, Pursh, *Fl. Am. Sept.* i. 347.—Am. bor.  
*cuneifolius*, Weihe, ex Reichb. *Fl. Germ. Excurs.* 602 = *vulgaris*.  
*cupanianus*, Guss. *Fl. Sic. Syn.* i. 570.—Sicil.  
*curtidens*, Gremli, *Excurs. Schw.* ed. IV. 144 = *foliosus*.  
*curvistylus*, Gremli, in *Oestr. Bot. Zeitschr.* xxi. (1871) 125 = *vestitus*.  
*cuspidatus*, P. J. Muell. in *Flora*, xli. (1858) 180 = *nemorosus*.  
*cuspidiferus*, P. J. Muell. & Lefèv. in *Pollichia*, xvi-xvii. (1859) 89 = *ulmifolius*.  
*cuspidifolius*, P. J. Muell. l. c. 172.—Europ.  
*cyclopetalus*, Focke, *Syn. Rub. Germ.* 169 = *thyrsoides*.  
*cynomorus*, *Genev. in Mém. Soc. Acad. Maine-et-Loire*, x. (1861) 21.—Europ.  
*Dalibarda*, Linn. *Sp. Pl.* ed. II. 708.—Am. bor.  
*dalibardoides*, Kuntze, *Method.* 110 = *calycinus*.  
*dalmaticus*, Guss. *Fl. Sic. Syn.* i. 567 = *ulmifolius*.  
*dalmatinus*, Tratt. ex Focke, *Syn. Rub. Germ.* 184 = *ulmifolius*.  
*darschilingensis*, Kuntze, *Method.* 67 = *moluccanus*.  
*dasyclados*, Kern. in *Ber. Naturw. Ver. Innsbruck*, ii. (1871) 155; *Nov. Pl. Sp. Decas*, iii. 38.—Europ.  
*Davidianus*, Kuntze, *Method.* 58.—China.  
*debilis*, Ball, in *Journ. Bot.* xi. (1873) 332.—Marocc.  
*debilis*, Boul. ex *Genev. Monog. Rub.* ed. II. 115.—Europ.  
*debilitatus*, Ripart, ex *Genev. in Mém. Soc. Acad. Maine-et-Loire*, xxiv. (1868) 15 = *caesius*.  
*Decaisneanus*, Lefèv. in *Bull. Soc. Bot. Fr.* xxiv. (1877) 223 = *papulosus*.  
*Decheni*, Wirtg. ex Focke, *Syn. Rub. Germ.* 220 = *macrophyllus*.  
*decipiens*, P. J. Muell. in *Pollichia*, xvi-xvii. (1859) 158.—Europ.  
*Decloetii*, Ortm. in *Flora*, xviii. (1835) 489 = *nitidus*.  
*decorus*, P. J. Muell. in *Flora*, xli. (1858) 151.—Europ.  
*decumbens*, Thunb. *Diss. Rub.* 5.—Am. bor.  
*decurtatus*, P. J. Muell. in *Pollichia*, xvi-xvii. (1859) 210.—Europ.  
*degener*, Kuntze, *Method.* 122.—Hab. ?  
*degener*, P. J. Muell. ex *Genev. in Mém. Soc. Acad. Maine-et-Loire*, xxiv. (1868) 22 = *caesius*.  
*delectus*, P. J. Muell. ex *Nym. Consp.* 221 = *nemorosus*.  
*delicatulus*, Martr. *Fl. Tarn*, 206.—Gallia.  
*delicatus*, Holuby, in *Oestr. Bot. Zeitschr.* xxv. (1875) 312.—Europ.  
*deliciosus*, Torr. in *Ann. Lyc. N. York*, ii. (1828) 196.—Am. bor. occ.  
*deltaefolius*, P. J. Muell. in *Pollichia*, xvi-xvii. (1859) 256 = *caesius*.  
*deltoides*, P. J. Muell. in *Flora*, xli. (1858) 181 = *tomentosus*, Borck.  
*demotus*, *Genev. in Mém. Soc. Acad. Maine-et-Loire*, xiv. (1863) 91 = *ulmifolius*.  
*densiflorus*, Gremli, *Beitr. Fl. Schw.* 36 = *silvaticus*.  
*dentatus*, Bab. in *Ann. & Mag. Nat. Hist. Ser. I.* xvii. (1846) 241 = *Leightonianus*.  
*dentatus*, Bloxam, in *Kirby, Fl. Leicest.* 39 = *glandulosus*.  
*denticulatus*, Kern. ex Focke, *Syn. Rub. Germ.* 282.—Europ.  
*dentosus*, Lefèv. in *Bull. Soc. Bot. Fr.* xxiv. (1877) 223, nomen.—Europ.  
*depauperatus*, P. J. Muell. in *Pollichia*, xvi-xvii. (1859) 274 = *nemorosus*.  
*derasus*, Lefèv. & P. J. Muell. l. c. 239.—Europ.  
*Deseglisei*, *Genev. in Mém. Soc. Acad. Maine-et-Loire*, xxiv. (1868) 130.—Europ.  
*despectus*, *Genev. Monog. Rub.* ed. II. 132 = *hirtus*.  
*Dethardingii*, Krause, in *Verh. Bot. Ver. Brandenb.* xxvi. (1858) 18, nomen.—Europ.  
*dichromus*, Prog. in *Ber. Bot. Ver. Landshut*, viii. (1882) 106 = *Bayeri*.  
*dicrophilus*, P. J. Muell. & Wirtg. ex Focke, *Syn. Rub. Germ.* 392 = *orthocanthus*.  
*diffusus*, Boul. ex Malbranche, in *Bull. Soc. Bot. Fr.* xxvi. (1879) 127 = *ulmifolius*.

## RUBUS:—

- digitatus*, Spreng. *Pugill.* i. 34.—Hab. ?  
*dimorphus*, Gremli, in *Oestr. Bot. Zeitschr.* xxi. (1871) 124.—Europ.  
*discerptus*, P. J. Muell. in *Pollichia*, xvi-xvii. (1859) 146 = *rudis*.  
*discoideus*, P. J. Muell. in *Mém. Soc. Acad. Maine-et-Loire*, xxiv. (1868) 58.—Europ.  
*discolor*, Auct. Scand. ex *Nym. Consp.* 217 = *villifolius*.  
*discolor*, Gren. & Godr. *Fl. Fr.* i. 546 = *bifrons*.  
*discolor*, Weihe & Nees, *Rub. Germ.* 46, partim = *ulmifolius*.  
*discolor*, Weihe & Nees, l. c. t. 20 = *pubescens*, Weihe.  
*discriminatus*, P. J. Muell. ex *Nym. Consp.* 221 = *nemorosus*.  
*disjunctus*, P. J. Muell. & Lefèv. in *Pollichia*, xvi-xvii. (1859) 132.—Europ.  
*disjunctus*, P. J. Muell. & Lefèv. l. c. 216.—Europ.  
*disparatus*, P. J. Muell. l. c. 107.—Europ.  
*dissectus*, Tenore, *Ind. Sem. Hort. Neap.* (1830) 13 = *tomentosus*, Borck.  
*dissectus*, Thunb. *Diss. Rub.* 5.—China.  
*dissociatus*, Boul. & Malbranche, ex Lefèv. in *Bull. Soc. Bot. Fr.* xxiv. (1877) 223 = *scaber*.  
*distans*, D. Don, *Prod. Fl. Nep.* 256 = *lasiocarpus*.  
*distactus*, P. J. Muell. in *Bonplandia*, ix. (1861) 296 = *Koehleri*.  
*divaricatus*, Holuby, in *Oestr. Bot. Zeitschr.* xxiii. (1873) 332.—Hungar.  
*divaricatus*, P. J. Muell. in *Flora*, xli. (1858) 130 = *carpinifolius*.  
*divergens*, P. J. Muell. l. c. 182.—Europ.  
*divergens*, Neum. in *Bot. Notiser* (1885), 90.—Europ.  
*diversifolius*, Lindl. *Syn. Brit. Fl.* ed. I. 93 = *nemorosus*.  
*diversifolius*, Tineo, *Pl. Rar. Sicil.* 41.—Sicilia.  
*divexiramus*, P. J. Muell. ex *Genev. Monog. Rub.* ed. II. 88 = *tomentosus*, Borck.  
*domesticus*, Pritz. *l. c.* Ind. ii. 247, sphalm. = *Rumex domesticus*.  
*Donianus*, Spreng. *Syst.* v. 602 = *foliolosus*.  
*Douglasii*, Steud. *Nom.* ed. II. ii. 477 = *leucodermis*.  
*Drejeri*, G. Jens. in *Fl. Dan.* t. 3023 = *mucronatus*.  
*droseraceus*, Lefèv. in *Bull. Soc. Bot. Fr.* xxiv. (1877) 223 = *exsolutus*.  
*dryadeus*, Ripart, ex *Genev. in Mém. Soc. Acad. Maine-et-Loire*, xxiv. (1868) 28 = *corylifolius*.  
*drymophilus*, P. J. Muell. & Lefèv. in *Pollichia*, xvi-xvii. (1859) 223.—Europ.  
*dubiosus*, P. J. Muell. & Wirtg. ex Focke, *Syn. Rub. Germ.* 237 = *tomentosus*, Borck. ?  
*dumetorum*, Schlecht. in *Linnaea*, xiii. (1839) 267 = *Schiedeanus*.  
*dumetorum*, Weihe, ex Boenn. *Prod. Fl. Monast.* 153 = *nemorosus*.  
*dumosus*, Lefèv. in *Bull. Soc. Bot. Fr.* xxiv. (1877) 220, nomen.—Europ.  
*dumosus*, Salisb. *Prod.* 364 = *fruticosus*.  
*duricorius*, *Genev. in Mém. Soc. Acad. Maine-et-Loire*, xxviii. (1872) 23 = *tomentosus*, Borck.  
*durus*, Wright, in *Saww. Fl. Cub.* 36.—Cuba.  
*dyscolus*, Ripart & *Genev. Monog. Rub.* ed. II. 44 = *nemorosus*.  
*Ebneri*, Kern. in *Ber. Naturw. Ver. Innsbruck*, ii. (1871) 169; *Nov. Pl. Sp. Decas*, iii. 46 = *orthocanthus*.  
*echinaceus*, Kern. in *Oestr. Bot. Zeitschr.* xix. (1869) 201.—Hungar.  
*echinatus*, Lindl. *Syn. Brit. Fl.* ed. I. 94 = *R. Radula*.  
*echinatus*, P. J. Muell. in *Flora*, xli. (1858) 171.—Europ.  
*echinophora*, *Genev. in Mém. Soc. Acad. Maine-et-Loire*, xxiv. (1868) 32 = *echinatus*.  
*Ecklonii*, Focke, in *Bremen, Abh.* iv. (1874) 176.—Afr. austr.  
*effusus*, Lefèv. & P. J. Muell. in *Pollichia*, xvi-xvii. (1859) 116.—Europ.  
*eglandulosus*, Lefèv. & P. J. Muell. l. c. 164.—Europ.  
*Eglanteria*, Tratt. *Ros.* iii. 9 = *rosaeifolius*.  
*egregius*, Focke, in *Bremen, Abh.* ii. (1871) 463 = *thyrsoides*.  
*eifeliensis*, Wirtg. in *Flora*, xlii. (1859) 235 = *Menkei*.  
*elatiar*, Focke, in *Gremli, Beitr. Fl. Schw.* 50 = *thyrsoides*.  
*elegans*, P. J. Muell. in *Flora*, xli. (1858) 170.—Europ.

## RUBUS:—

- ellipticus*, Sm. in *Rees, Cycl.* xxx. n. 16.—Ind. or.  
*elongatus*, *Genev. in Mém. Soc. Acad. Maine-et-Loire*, viii. (1860) 91 = *macrophyllus*.  
*elongatus*, E. Merc. in *Reut. Cat. Pl. Vasc. Genève* ed. II. 283.—Europ.  
*elongatus*, Sm. *Pl. Ic. Ined.* t. 62.—Java.  
*emarginatus*, P. J. Muell. in *Flora*, xli. (1858) 164.—Europ.  
*emersistylus*, Bab. in *Journ. Bot.* xvi. (1878) 175 = *Briggsii*.  
*emersistylus*, P. J. Muell. ex *Genev. in Mém. Soc. Acad. Maine-et-Loire*, xxiv. (1868) 77.—Europ.  
*enoplostachys*, Boul. ex Malbranche, in *Bull. Soc. Bot. Fr.* xxvi. (1879) 130 = *ulmifolius*.  
*Enslenii*, Tratt. *Ros.* iii. 63 = *villosus*.  
*entomodontos*, P. J. Muell. ex Focke, *Syn. Rub. Germ.* 312 = *obscurus*.  
*epipsilos*, Focke, l. c. 258 = *villicaulis*.  
*erectus*, J. F. Gmel. *Syst.* 1616, sphalm. = *serratus*.  
*erectus*, Koehl. ex Weihe, in *Wimm. & Grab. Fl. Siles.* (1829) i. ii. 52.—Europ.  
*ericetorum*, Lefèv. in *Bull. Soc. Bot. Fr.* xxiv. (1877) 218, 223 = *linguifolius*.  
*eriocarpa*, Liebm. in *Kjoeb. Vidensk. Meddel.* (1852) 162.—Mexic.  
*eriophyllus*, Ripart, ex *Genev. Monog. Rub.* ed. II. 337 = *tomentosus*, Borck.  
*eristachys*, P. J. Muell. & Lefèv. in *Pollichia*, xvi-xvii. (1859) 225.—Europ.  
*erubescens*, Wirtg. in *Flora*, xlii. (1859) 234 = *obscurus*.  
*erythracanthus*, P. J. Muell. & Lefèv. in *Pollichia*, xvi-xvii. (1859) 250.—Europ.  
*erythradenes*, P. J. Muell. in *Bonplandia*, ix. (1861) 288 = *hirtus*.  
*erythrinus*, *Genev. in Mém. Soc. Acad. Maine-et-Loire*, xxiv. (1868) 196 = *Sprengelii*.  
*erythroclados*, Mart. ex Hook. f. in *Mart. Fl. Bras.* xiv. ii. 62.—Bras.  
*erythrostylos*, P. J. Muell. in *Pollichia*, xvi-xvii. (1859) 157.—Europ.  
*euryptetalus*, Focke, *Syn. Rub. Germ.* 209 = *villicaulis*.  
*euryptetalus*, Krause, in *Verh. Bot. Ver. Brandenb.* xxvi. (1858) 14.—Europ.  
*euryphyllus*, P. J. Muell. in *Bonplandia*, ix. (1861) 295.—Europ.  
*exactus*, P. J. Muell. in *Flora*, xli. (1858) 167.—Europ.  
*exalbatus*, Lefèv. & P. J. Muell. in *Pollichia*, xvi-xvii. (1859) 161.—Europ.  
*exasperatus*, Lefèv. & P. J. Muell. l. c. 149.—Europ.  
*excavatus*, Lefèv. & P. J. Muell. l. c. 135 = *Sprengelii*.  
*excelsior*, P. J. Muell. ex Focke, *Syn. Rub. Germ.* 167 = *candicans*.  
*excultus*, Lefèv. in *Bull. Soc. Bot. Fr.* xxiv. (1877) 221 = *ulmifolius*.  
*excursatus*, Kuntze, *Method.* 71 = *moluccanus*.  
*exilis*, Lange, in *Fl. Dan.* t. 3027 = *R. Radula*.  
*expallescens*, Timb. & Boul. ex Malbranche, in *Bull. Soc. Bot. Fr.* xxvi. (1879) 128 = *ulmifolius*.  
*expansus*, Lefèv. & P. J. Muell. ex *Genev. in Mém. Soc. Acad. Maine-et-Loire*, xxviii. (1872) 44 = *tomentosus*, Borck.  
*exsecatus*, P. J. Muell. & Wirtg. ex Focke, *Syn. Rub. Germ.* 311 = *obscurus*.  
*exsolutus*, Lefèv. & P. J. Muell. in *Pollichia*, xvi-xvii. (1859) 241.—Europ.  
*exsuccus*, Stend. ex A. Rich. *Tent. Fl. Abyss.* i. 256 = *apetalus*.  
*extensifolius*, Boul. & Ripart, ex *Genev. Monog. Rub.* ed. II. 334 = *tomentosus*, Borck.  
*fagicola*, Martr. *Fl. Tarn*, 219.—Gallia.  
*fagifolius*, Cham. & Schlecht. in *Linnaea*, v. (1830) 571.—Mexic.  
*Fairholmianus*, Gardn. in *Calc. Journ. Nat. Hist.* viii. (1847) 5 = *moluccanus*.  
*falcarius*, P. J. Muell. ex Wirtg. in *Flora*, xlii. (1859) 232 = *pubescens*, Weihe.  
*falcatus*, Kaltenb. *Fl. Aach. Beckens*, 266 = *candicans*.  
*falciferus*, P. J. Muell. in *Pollichia*, xvi-xvii. (1859) 84.—Europ.  
*Falconeri*, Kuntze, *Method.* 68 = *moluccanus*.  
*fallacinus*, Ripart, ex *Genev. in Mém. Soc. Acad. Maine-et-Loire*, xxiv. (1868) 263 = *villicaulis*.  
*fallax*, T. M. Chab. ex P. J. Muell. in *Pollichia*, xvi-xvii. (1859) 155 = *thyrsoides*.

## RUBUS:—

- fallax*, Kuntze, Method. 55 = moluccanus.  
*fasciculatus*, P. J. Muell. in Flora, xli. (1858) 182 = tomentosus, Borch.  
*fastigiatus*, Bab. ex Nym. Consp. 221 = corylifolius.  
*fastigiatus*, Weihe & Nees, Rub. Germ. 16. t. 2 = nessensis, sulcatus.  
*fastuosus*, Lefèv. in Bull. Soc. Bot. Fr. xxiv. (1877) 220, nomen.—Europ.  
*ferox*, Vest. ex Tratt. Ros. iii. 40 = horridus, nemorosus.  
*ferox*, Wall. Cat. n. 724.—Reg. Himal.; Burma.  
*ferox*, Weihe, ex Boenn. Prod. Fl. Monast. 153 = nemorosus.  
*ferriararum*, Ripart, ex Genev. in Mém. Soc. Acad. Maine-et-Loire, xxviii. (1872) 40 = hirtus.  
*ferrugineus*, Wickst. in Vet. Acad. Handl. Stockh. (1827) 68.—Ins. Guadaloup.  
*ferruginosus*, P. J. Muell. in Pollichia, xvi-xvii. (1859) 231.—Europ.  
*festivus*, P. J. Muell. & Wirtg. ex Focke, Syn. Rub. Germ. 314 = Lejeunei.  
*Fieberi*, Ortm. in Opiz, Nom. 15 = nemorosus.  
*fimbriifolius*, P. J. Muell. & Wirtg. ex Focke, Syn. Rub. Germ. 256 = thyrsoides.  
*Finlaysonianus*, Wall. Cat. n. 7109.—Siam.  
*firmitus*, Gremli, in Oestr. Bot. Zeitschr. xxi. (1871) 94.—Helvet.  
*Fischii*, Krause, in Verh. Bot. Ver. Brandenb. xxvi. (1885) 5, 19.—Europ.  
*fissipetalus*, P. J. Muell. in Flora, xli. (1858) 153 = rudis.  
*fissus*, Lindl. Syn. Brit. Fl. ed. II. 92 = nessensis.  
*flaccidifolius*, P. J. Muell. in Bonplandia, ix. (1861) 300.—Europ.  
*flacidus*, P. J. Muell. in Flora, xli. (1858) 134 = villicaulis.  
*flagellaris*, Hook. Comp. Bot. Mag. i. (1835) 24 = trivialis.  
*flagellaris*, Lefèv. & P. J. Muell. in Pollichia, xvi-xvii. (1859) 261.—Europ.  
*flagellaris*, Schrank, in Denkschr. Bot. Ges. Regensb. i. II. (1818) 26 = triflorus.  
*flagellaris*, Willd. Enum. Hort. Berol. 549 = canadensis.  
*flagelliformis*, Koehl. ex Bluff & Fingerh. Comp. Fl. Germ. ed. I. i. 689 = glandulosus.  
*flavescens*, P. J. Muell. & Lefèv. in Pollichia, xvi-xvii. (1859) 195.—Europ.  
*flavo-virens*, Genev. in Lamotte, Prod. Fl. Centr. Fr. i. 255, nomen = vestitus.  
*flavus*, Buch.-Ham. ex D. Don, Prod. Fl. Nep. 234 = ellipticus.  
*flexicaulis*, Genev. in Mém. Soc. Acad. Maine-et-Loire, viii. (1860) 71, 96 = Sprengelii.  
*flexipes*, Boul. ex Malbranche, in Bull. Soc. Bot. Fr. xxvi. (1879) 126 = ulmifolius.  
*flexuosus*, Lej. Rev. Fl. Spa, 238, nomen.—Europ.  
*flexuosus*, P. J. Muell. & Lefèv. in Pollichia, xvi-xvii. (1859) 240 = saltuum.  
*floccosus*, Boul. ex Malbranche, in Bull. Soc. Bot. Fr. xxvi. (1879) 128 = ulmifolius.  
*floribundus*, H. B. & K. Nov. Gen. et Sp. vi. 219.—Ecuador.  
*floribundus*, Ley, in Rabenh. Bot. Centralbl. i. (1846) 435 = Lejeunei.  
*floribundus*, Weihe, ex Bluff & Fingerh. Comp. Fl. Germ. ed. I. i. 684 = thyrsiflorus.  
*floridus*, Tratt. Ros. iii. 73 = villosus.  
*Fockeanus*, Kurz, in Journ. As. Soc. Beng. xlv. (1875) ii. 206.—Reg. Himal.  
*foliolatus*, Lefèv. & P. J. Muell. in Pollichia, xvi-xvii. (1859) 216.—Europ.  
*foliolosus*, D. Don, Prod. Fl. Nep. 256.—Reg. Himal.  
*foliosus*, Bab. Brit. Rub. 243 = silvaticus.  
*foliosus*, Gremli, Beitr. Fl. Schw. 35 = vestitus.  
*foliosus*, Weihe & Nees, ex Bluff & Fingerh. Comp. Fl. Germ. ed. I. i. 682.—Europ.  
*fontinalis*, Kuntze, Method. 60.—Java.  
*Fordii*, Hance, in Journ. Bot. xxi. (1883) 298 = Hanceanus.  
*formidabilis*, Lefèv. & P. J. Muell. in Pollichia, xvi-xvii. (1859) 128.—Europ.  
*formosensis*, Kuntze, Method. 73.—Ins. Formosa.  
*formosus*, P. J. Muell. & Lefèv. in Pollichia, xvi-xvii. (1859) 127.—Europ.  
*fortis*, Focke, Syn. Rub. Germ. 70.—Europ.  
*fossicola*, Holuby, in Oestr. Bot. Zeitschr. xxiii. (1873) 381.—Europ.

## RUBUS:—

- fragaria*, F. W. Schmidt, in Neue. Abh. Boehm. Ges. i. (1791) 38.—Europ.  
*fragariaeflorus*, P. J. Muell. in Flora, xli. (1858) 173.—Europ.  
*fragarioides*, Bertol. Misc. Bot. xxii. 16.—Reg. Himal.  
*fragrans*, Focke, Syn. Rub. Germ. 172 = thyrsoides.  
*fragrans*, Salisb. Prod. 364 = R. Idaeus.  
*frambesianus*, Lam. Fl. Fr. iii. 135 = R. Idaeus.  
*Frangipani*, Tineo, ex Guss. Suppl. Fl. Sic. Prod. 157 = ulmifolius.  
*fraternus*, Gremli, Beitr. Fl. Schw. 34 = vestitus.  
*fraxinifolius*, Poir. Encyc. vi. 242.—Java.  
*frondosus*, Bigel. Fl. Bost. ed. II. 199 = villosus.  
*fruticetorum*, P. J. Muell. & Lefèv. in Pollichia, xvi-xvii. (1859) 279.—Europ.  
*fruticosus*, Gaertn. Mey. & Scherb. Fl. Wett. ii. 236 = plicatus.  
*fruticosus*, Linn. Sp. Pl. 493.—Europ.  
*fruticosus*, Lour. Fl. Cochinch. 325 = cochinchinensis.  
*fruticosus*, Marsh. Arbust. 137 = villosus.  
*fruticosus*, Pollich, Hist. Pl. Palat. ii. 58 = nessensis, sulcatus.  
*fruticosus*, Roth, Tent. Fl. Germ. i. 220 = rhamnifolius.  
*fruticosus*, Sm. Fl. Brit. ii. 543 = ulmifolius.  
*fruticosus*, Weihe & Nees, Rub. Germ. 24 = candicans.  
*Fuckeli*, Wirtg. in Flora, xlii. (1859) 235.—Europ.  
*fuleratus*, P. J. Muell. & Lefèv. in Pollichia, xvi-xvii. (1859) 178.—Europ.  
*furfuraceus*, Wall. Cat. n. 739 = lasiocarpus.  
*fuscoater*, Weihe, ex Bluff & Fingerh. Comp. Fl. Germ. ed. I. i. 681.—Europ.  
*fuscoater*, Wirtg. Fl. Preuss. Rheinprov. 156 = adoratus.  
*fuscus*, Weihe & Nees, ex Bluff & Fingerh. Comp. Fl. Germ. ed. I. i. 681 = pallidus.  
*gallicus*, Lefèv. in Bull. Soc. Bot. Fr. xxiv. (1877) 219, 221.—Europ.  
*Gardenerianus*, Kuntze, Method. 42 = moluccanus.  
*geifolius*, Kuntze, l. c. 97 = incisus.  
*Genevierii*, Bor. Fl. Centr. Fr. ed. III. ii. 193 = thyrsiflorus.  
*geniculatus*, Focke, in Bremen, Abh. i. (1868) 289 = carpinifolius.  
*geniculatus*, Kaltenb. Fl. Aach. Beckens, 267.—Europ.  
*geoides*, Sm. Pl. Ic. Ined. t. 19.—Reg. Magellan.  
*Gerard-Martini*, P. J. Muell. in Bonplandia, ix. (1861) 287 = Lejeunei.  
*geromensis*, P. J. Muell. in Flora, xli. (1858) 185 = serpens.  
*giganteus*, Genev. in Mém. Soc. Acad. Maine-et-Loire, viii. (1860) 72, 98.—Europ.  
*glaber*, Mill. Gard. Dict. ed. VIII. n. 4 = R. Idaeus.  
*glaber*, Weihe, ex Reichb. Fl. Germ. Excurs. 600 = nitidus.  
*glaberrimus*, Champ. ex Benth. in Hook. Kew Journ. iv. (1852) 80 = leucanthus.  
*glabratus*, H. B. & K. Nov. Gen. et Sp. vi. 221.—Am. austr.  
*glabrefactus*, P. J. Muell. ex Focke, Syn. Rub. Germ. 227 = tomentosus, Borch.  
*glabriusculus*, Hassk. Cat. Hort. Bogor. Alt. 267.—Malaya.  
*glandulosus*, Bell. in Mém. Acad. Turin, 1790-91 (1793), 230.—Europ.; Oriens.  
*glandulosus*, Guenth. Grab. & Wimm. Enum. Pl. Siles. (1824) 86 = Guentheri.  
*glandulosus*, Menke, ex Bluff & Fingerh. Comp. Fl. Germ. ed. I. i. 680 = Menkei.  
*glandulosus*, Reichb. Fl. Germ. Excurs. 607 = hirtus.  
*glandulosus*, Schleich. & Willd. ex Boenn. Prod. Fl. Monast. 152 = Schleicheri.  
*glandulosus*, Spreng. ex Wallr. Sched. Crit. 231 = corylifolius.  
*glaphyrus*, Ripart & Genev. in Mém. Soc. Acad. Maine-et-Loire, xxiv. (1868) 235 = pubescens, Weihe.  
*glaucomans*, Lefèv. in Bull. Soc. Bot. Fr. xxiv. (1877) 223, nomen.—Europ.  
*glaucofolius*, Kellogg, in Proc. Calif. Acad. ed. II. i. (1873) 70 = leucodermis.  
*glaucoaulis*, Kuntze, Method. 72.—Tibet.  
*glaucoaulis*, Maass. in Verh. Bot. Ver. Brandenb. xii. (1870) 162.—Europ.  
*glaucus*, Benth. Pl. Hartw. 173.—N. Granat.  
*glomeratus*, Blume, Bijdr. 1111.—Java.  
*glomeriflorus*, Gremli, in Oestr. Bot. Zeitschr. xxi. (1871) 98.—Europ.

## RUBUS:—

- glomicellus*, Lefèv. in Bull. Soc. Bot. Fr. xxiv. (1877) 221, nomen.—Europ.  
*Godroni*, Gren. & Godr. Fl. Fr. i. 540 = pubescens, Weihe.  
*Godroni*, Lec. & Lamotte, Cat. Pl. Centr. Fr. 151 = nemorosus.  
*Godroni*, P. J. Muell. in Flora, xli. (1858) 184.—Europ.  
*goniophyllus*, P. J. Muell. & Lefèv. in Pollichia, xvi-xvii. (1859) 80.—Europ.  
*gorizianus*, Kern. in Ber. Naturw. Ver. Innsbruck, ii. (1871) 129; Nov. Pl. Sp. Decas, iii. 6.—Europ.  
*Gowreepheul*, Roxb. Hort. Beng. 39; Fl. Ind. ii. 517 = ellipticus.  
*Grabowskii*, Bab. Brit. Rub. 123 = carpinifolius.  
*Grabowskii*, Weihe, in Wimm. & Grab. Fl. Siles. (1829) i. II. 32 = thyrsoides.  
*gracilentus*, P. J. Muell. in Pollichia, xvi-xvii. (1859) 245.—Europ.  
*graciliscens*, Prog. in Ber. Bot. Ver. Landshut, viii. (1882) 104 = Bayeri.  
*gracilicaulis*, Gremli, in Oestr. Bot. Zeitschr. xxi. (1871) 125 = hirtus.  
*gracilis*, Holuby, in Oestr. Bot. Zeitschr. xxiii. (1873) 380.—Europ.  
*gracilis*, J. & C. Presl, Delic. Prag. 220 = nemorosus.  
*gracilis*, Roxb. Hort. Beng. 39; Fl. Ind. ii. 519 = niveus, Wall.  
*grandiflorus*, Kaltenb. Fl. Aach. Beckens, 291 = nemorosus.  
*grandiflorus*, P. J. Muell. in Pollichia, xvi-xvii. (1859) 108 = macrophyllus.  
*grandifolius*, Lowe, in Trans. Camb. Phil. Soc. iv. (1831) 32.—Ins. Madera.  
*grandifolius*, Salisb. Prod. 364 = odoratus.  
*granulatus*, Lefèv. & P. J. Muell. in Pollichia, xvi-xvii. (1859) 154.—Europ.  
*gratiflorus*, P. J. Muell. ex Genev. Monog. Rub. ed. II. 198 = macrophyllus.  
*gratiosus*, P. J. Muell. & Lefèv. in Pollichia, xvi-xvii. (1859) 153.—Europ.  
*gratus*, Focke, in Alpers, Verz. Gefaesspfl. Stade, 26 = villicaulis.  
*Grayanus*, Maxim. in Bull. Acad. Pétersb. xvii. (1872) 152.—Archip. Luchu.  
*Gremlii*, Focke, Syn. Rub. Germ. 266.—Europ.  
*Grenierii*, Lefèv. in Bull. Soc. Bot. Fr. xxiv. (1877) 221 = goniophyllus.  
*Griffithii*, Hook. f. Fl. Brit. Ind. ii. 327.—Reg. Himal.  
*grypoacanthus*, Lefèv. & P. J. Muell. in Pollichia, xvi-xvii. (1859) 133 = hirtus.  
*Guentheri*, Bab. in Ann. & Mag. Nat. Hist. Ser. I. xix. (1847) 17 = seq.  
*Guentheri*, Bloxam, in Kirby, Fl. Leicest. 41 = saltuum.  
*Guentheri*, Weihe & Nees, ex Bluff & Fingerh. Comp. Fl. Germ. ed. I. i. 679.—Europ.  
*guestphalicus*, Focke, Syn. Rub. Germ. 431 = obscurus.  
*Gunnianus*, Hook. Ic. Pl. t. 291.—Tasmania.  
*guyanensis*, Focke, in Bremen, Abh. iv. (1874) 160.—Guian.  
*gymnostachys*, Genev. in Mém. Soc. Acad. Maine-et-Loire, x. (1861) 28 = thyrsiflorus.  
*gymnostylos*, P. J. Muell. in Bonplandia, ix. (1861) 306.—Europ.  
*Haellstroemi*, Kuntze, Method. 130 = arcticus.  
*hakonensis*, Franch. & Sav. Enum. Pl. Jap. ii. 333 = Lambertianus.  
*Hamiltoni*, Hook. f. Fl. Brit. Ind. ii. 328.—Reg. Himal.  
*Hamiltonianus*, Ser. in DC. Prod. ii. 566 = moluccanus.  
*hamosus*, Genev. in Mém. Soc. Acad. Maine-et-Loire, viii. (1860) 71, 94 = arduennensis.  
*hamulosus*, Lefèv. & P. J. Muell. in Pollichia, xvi-xvii. (1859) 76 = nitidus.  
*Hanceanus*, Kuntze, Method. 72.—China.  
*Harpago*, P. J. Muell. in Pollichia, xvi-xvii. (1859) 100.—Europ.  
*Hasskarlii*, Miq. Fl. Ind. Bat. i. r. 381 = glomeratus.  
*Hasskarlii*, P. J. Muell. & Wirtg. ex Focke, Syn. Rub. Germ. 306 = Menkei.  
*hawaiensis*, A. Gray, Bot. U. St. Expl. Exped. i. 504. t. 56.—Ins. Sandvic.

## RUBUS:—

- hebecarpus, *P. J. Muell. in Bonplandia*, ix. (1861) 282.—Europ.  
 hedyocarpus, *Focke, Syn. Rub. Germ.* 190.—Europ.  
 helveticus, *Grenli, Beitr. Fl. Schw.* 36=silvaticus.  
 hemistemon, *P. J. Muell. ex Genev. in Mém. Soc. Acad. Maine-et-Loire*, xxiv. (1868) 314=nessensis.  
 heptaphyllus, *Opiz, in Flora*, v. (1822) 269=nessensis.  
 hercynicus, *G. Braun, ex Focke, Syn. Rub. Germ.* 370.—Europ.  
 heteracanthus, *P. J. Muell. in Pollichia*, xvi-xvii. (1859) 102.—Europ.  
 heteracanthus, *Weihe, ex Lej. Rev. Fl. Spa*, 101=rosaceus.  
 heterocaulon, *Ortm. in Opiz, Nom.* 14=nessensis.  
 heteroclitus, *P. J. Muell. & Wirtg. ex Focke, Syn. Rub. Germ.* 127=carpinifolius.  
 heteromorphus, *Ripart, ex Genev. in Mém. Soc. Acad. Maine-et-Loire*, xxiv. (1868) 255.—Europ.  
 heterophyllus, *Host, Fl. Austr.* ii. 32.—Europ.  
 heterophyllus, *Willd. Enum. Hort. Berol. Suppl.* 38.—Am. bor.  
 hevellicus, *Krause, in Verh. Bot. Ver. Brandenb.* xxvi. (1885) 18.—Europ.  
 hexagynus, *Roxb. Hort. Beng.* 39; *Fl. Ind.* ii. 516.—Reg. Himal.; Burma.  
 hibiscifolius, *Focke, in Bremen, Abh.* iv. (1874) 197.—Reg. Himal.  
 hiemalis, *Kuntze, Method.* 69=moluccanus.  
 Hillii, *F. Muell. in Trans. Phil. Inst. Vict.* ii. (1858) 67=moluccanus.  
 himalaicus, *Kuntze, Method.* 66=moluccanus.  
 Hippolapathum, *Pritz. Ic. Ind.* ii. 247, sphalm.=*Rumex Hippolapathum*.  
 hirsutus, *Genev. in Mém. Soc. Acad. Maine-et-Loire*, viii. (1860) 72, 93.—Europ.  
 hirsutus, *F. & C. Presl, Delic. Prag.* 221.—Europ.  
 hirsutus, *Thunb. Diss. Rub.* 7.—Japon.  
 hirsutus, *Wimm. Fl. Schles.* ed. III. (1857) 627=Koehleri.  
 hirsutus, *Wirtg. Prod. Fl. Pr. Rheinl.* 61=vestitus.  
 hirtellus, *Ripart, ex Genev. Monog. Rub.* ed. II. 318=villicaulis.  
 hirtifolius, *P. J. Muell. & Wirtg. ex Focke, Syn. Rub. Germ.* 290=vestitus.  
 hirtocaulis, *Lefèv. & P. J. Muell. in Pollichia*, xvi-xvii. (1859) 251.—Europ.  
 hirtus, *Aspegren, Förs. Blekingst. Fl.* 37=Koehleri.  
 hirtus, *Reichb. Fl. Germ. Excurs.* 607=glandulosus.  
 hirtus, *Roxb. Hort. Beng.* 38; *Fl. Ind.* ii. 518=ellipticus.  
 hirtus, *Waldst. & Kit. Pl. Rar. Hung.* ii. 150, t. 141.—Europ.; Reg. Caucas.  
 hispanicus, *Willk. in Bot. Zeit.* ii. (1844) 819=ulmifolius.  
 hispidulus, *Genev. in Mém. Soc. Acad. Maine-et-Loire*, xxviii. (1872) 51=carpinifolius.  
 hispidulus, *Weihe, ex Focke, Syn. Rub. Germ.* 361=Schleicheri.  
 hispidus, *Linn. Sp. Pl.* 493.—Am. bor.  
 hispidus, *Marsh. Arbust.* 137=trivialis.  
 hispidus, *E. Merc. in Reut. Cat. Pl. Vasc. Genève.* ed. II. 275=obscurus, *Kaltenb.*  
 Histrix, *Bluff & Fingerh. Comp. Fl. Germ.* ed. I. i. 687=Histrix.  
 Histrix, *Koehl. ex Bluff & Fingerh. l. c.* 681=Koehleri.  
 Hochstetterorum, *Seub. Fl. Azor.* 48.—Ins. Azor.  
 Hoffmeisterianus, *Kunth & Bouché, Ind. Sem. Hort. Berol.* (1847) 14=niveus, *Wall.?*  
 Hollandrei, *P. J. Muell. in Flora*, xli. (1858) 185=corylifolius.  
 hololeucus, *Genev. in Mém. Soc. Acad. Maine-et-Loire*, viii. (1860) 72, 104=villicaulis.  
 holorodos, *Ripart, ex Genev. Monog. Rub.* ed. II. 256=arduennensis.  
 holosericeus, *Vest, ex Tratt. Ros.* iii. 48.—Europ.  
 holosericeus, *Weihe, ex Boenn. Prod. Fl. Monast.* 153=nemorosus.  
 Hookeri, *Focke, in Bremen, Abh.* iv. (1874) 198.—Reg. Himal.  
 horrefactus, *P. J. Muell. & Lefèv. in Pollichia*, xvi-xvii. (1859) 252.—Europ.  
 horricaulis, *C. Muell. in Walp. Ann.* vii. 858=hirtocaulis.  
 horridiculis, *P. J. Muell. in Bonplandia*, ix. (1861) 284.—Europ.

## RUBUS:—

- horridulus, *Hook. f. Fl. Brit. Ind.* ii. 341.—Reg. Himal.  
 horridus, *Betcke, in Meklenburg. Archiv*, iv. (1850) 132=Koehleri.  
 horridus, *Hartm. Handb. Skand. Fl.* ii. 139.—Suecia.  
 horridus, *Koehl. ex Bluff & Fingerh. Comp. Fl. Germ.* ed. I. i. 680=Schleicheri.  
 horridus, *Schultz, Prod. Fl. Starg. Suppl.* i. 30=nemorosus.  
 horridus, *Weihe, ex Spreng. Syst.* ii. 529.—Europ.  
 horripilus, *Lefèv. & P. J. Muell. in Pollichia*, xvi-xvii. (1859) 126.—Europ.  
 Horsfieldii, *Miq. Fl. Ind. Bat.* i. 1. 375=lasiocarpus.  
 horstensis, *x, Banning & Focke, ex Focke, Syn. Rub. Germ.* 206.—Europ.  
 hostilis, *P. J. Muell. & Wirtg. ex Focke, l. c.* 324=R. Radula.  
 humifusus, *Bab. in Trans. Edinb. Bot. Soc.* ii. (1846) 245=saxicolus.  
 humifusus, *Schlecht. in Linnaea*, xiii. (1839) 270=humistratus.  
 humifusus, *Weihe & Nees, ex Bluff & Fingerh. Comp. Fl. Germ.* ed. I. i. 685=Schleicheri.  
 humilis, *P. J. Muell. in Pollichia*, xvi-xvii. (1859) 246.—Europ.  
 humistratus, *Steud. Nom.* ed. II. ii. 478.—Mexic.  
 humorosus, *P. J. Muell. in Pollichia*, xvi-xvii. (1859) 219.—Europ.  
 humulifolius, *C. A. Mey. Beitr. Pfl. Russ. Reich.* v. 57, t. 1.—Rossia.  
 hungaricus, *Holuby, in Oestr. Bot. Zeitschr.* xxv. (1875) 314.—Hungaria.  
 hybridus, *Kaltenb. Fl. Aach. Beckens*, 278.—Europ.  
 hybridus, *Vest, in Steyer. Zeitschr.* i. 162; ex *Focke, Syn. Rub. Germ.* 105=nessensis.  
 hybridus, *Vill. Prosp.* 46; *Hist. Pl. Dauph.* iii. 559=glandulosus.  
 hydrastifolius, *A. Gray, in Perry, Jap. Exped.* ii. 311=trifidus.  
 hylonomus, *Lefèv. & P. J. Muell. in Pollichia*, xvi-xvii. (1859) 224.—Europ.  
 hylophilus, *Ripart, ex Genev. Monog. Rub.* ed. II. 238.—Europ.  
 hypargyrus, *Edgew. in Trans. Linn. Soc.* xx. (1846) 45=niveus, *Wall.*  
 hypoleucus, *Vest, in Syll. Ratisb.* i. (1824) 235=tomentosus, *Borch.*  
 hypoleucus, *Focke, Syn. Rub. Germ.* 218=macrophyllus.  
 hypoleucus, *Lefèv. & P. J. Muell. in Pollichia*, xvi-xvii. (1859) 143.—Europ.  
 hypomalacus, *Focke, Syn. Rub. Germ.* 274.—Europ.  
 hypomallos, *P. J. Muell. ex Focke, l. c.* 238=thyrsoides, tomentosus, *Borch.*  
 Hystrix, *Weihe & Nees, Rub. Germ.* 92=rosaceus.  
 idaeoides, *Ruthe, ex Focke, Syn. Rub. Germ.* 411=caesius.  
 Idaeus, *Blanco, Fl. Filip.* ed. I. 428=parvifolius.  
 Idaeus, *Linn. Sp. Pl.* 492.—Europ.; Oriens; As. bor.  
 Idaeus, *Pursh, Fl. Am. Sept.* i. 346=strigosus.  
 Idaeus, *Thunb. Fl. Jap.* 216=Thunbergii, *Sieb. & Zucc.*  
 Idaeus, *Vell. Fl. Plum.* 220; v. t. 81=floribundus.  
 imbricatus, *Hort, in Trans. Bot. Soc. Edinb.* iv. (1853) 113.—Europ.  
 immitis, *Bor. Fl. Centr. Fr.* ed. III. ii. 188=nemorosus.  
 imperialis, *Cham. & Schlecht. in Linnaea*, ii. (1827) 13.—Bras.  
 inaequiaculeatus, *Kuntze, Method.* 97=incisus.  
 inaequidentatus, *Boul. & Timb. ex Malbranche, in Bull. Soc. Bot. Fr.* xxvi. (1879) 127=ulmifolius.  
 inamoenus, *Grenli, in Oestr. Bot. Zeitschr.* xxi. (1871) 126.—Europ.  
 inaspectus, *P. J. Muell. in Bonplandia*, ix. (1861) 297.—Europ.  
 incarnatus, *P. J. Muell. in Pollichia*, xvi-xvii. (1859) 95=villicaulis.  
 incisus, *Miq. Ann. Mus. Bot. Lugd. Bat.* iii. 35=trifidus.  
 incisus, *Thunb. Fl. Jap.* 217.—China; Japon.  
 inclinabilis, *Grenli, in Oestr. Bot. Zeitschr.* xxi. (1871) 124.—Europ.  
 inconspicuus, *Lange, ex Willk. & Lange, Prod. Fl. Hisp.* iii. 221=minutiflorus.  
 incultus, *Wirtg. ex Focke, Syn. Rub. Germ.* 369=serpens.  
 incurvatus, *Bab. in Trans. Bot. Soc. Edinb.* iii. (1850) 54=corylifolius.

## RUBUS:—

- indicus, *Heyne, ex Wall. Cat. sub n.* 742=lasiocarpus.  
 indicus, *Leschen. ex Ser. in DC. Prod.* ii. 568=hexagynus.  
 indicus, *Thunb. Diss. Rub.* 5.—Ind. or.?  
 indotatus, *Grenli, in Oestr. Bot. Zeitschr.* xxi. (1871) 128.—Europ.  
 indusiatus, *Focke, Syn. Rub. Germ.* 284.—Europ.  
 indutus, *Boul. & Vendr. ex Lefèv. in Bull. Soc. Bot. Fr.* xxiv. (1877) 220, nomen=fastuosus.  
 inermis, *Pourr. in Mém. Acad. Toul.* iii. (1788) 326.—Europ.  
 inermis, *Willd. Enum. Hort. Berol.* 549=villosus.  
 infestus, *Bill. ex Focke, Syn. Rub. Germ.* 307=Fuckeli.  
 infestus, *Hartm. Handb. Skand. Fl.* ed. III. 120=horridus, *Hartm.*  
 infestus, *Kaltenb. Fl. Aach. Beckens*, 293=carpinifolius.  
 infestus, *Waldst. & Kit. ex Steud. Nom.* ed. II. ii. 478, nomen (an seq.?).—Europ.  
 infestus, *Weihe, ex Boenn. Prod. Fl. Monast.* 153.—Europ.  
 inflatus, *C. Muell. in Walp. Ann.* vii. 860=irrufatus.  
 innominatus, *S. Moore, in Journ. Bot.* xiii. (1875) 226.—China.  
 inopacatus, *P. J. Muell. & Lefèv. in Pollichia*, xvi-xvii. (1859) 117.—Europ.  
 insectifolius, *Lefèv. & P. J. Muell. l. c.* 176.—Europ.  
 insericatus, *P. J. Muell. ex Wirtg. in Flora*, xlii. (1859) 233=obscurus, *Kaltenb.*  
 insignis, *Hook. f. Fl. Brit. Ind.* ii. 329.—Reg. Himal.  
 insignitus, *Timb. ex Malbranche, in Bull. Soc. Bot. Fr.* xxvi. (1879) 130=ulmifolius.  
 insolatus, *P. J. Muell. in Flora*, xli. (1858) 166=hirtus.  
 insularis, *Aresch. Skånes Fl.* ed. II; et in *Bot. Notiser* (1881), 158.—Suecia.  
 intectus, *P. J. Muell. in Pollichia*, xvi-xvii. (1849) 247=Spengelii.  
 integribasis, *P. J. Muell. ex Genev. Monog. Rub.* ed. II. 345=nessensis.  
 intermedius, *Ortm. in Flora*, xviii. (1835) 496.—Europ.  
 intricatus, *P. J. Muell. in Pollichia*, xvi-xvii. (1859) 277.—Europ.  
 inuncatus, *Lefèv. & P. J. Muell. l. c.* 105.—Europ.  
 irasuensis, *Lieb. in Kjoeb. Vidensk. Meddel.* (1852) 160.—Costa Rica.  
 irrufatus, *P. J. Muell. in Bonplandia*, ix. (1861) 291.—Europ.  
 Ischelus, *Buch. Ham. ex Hook. f. Fl. Brit. Ind.* ii. 339=lasiocarpus.  
 italicus, *Link. Handb.* ii. 110.—Ital.  
 jamaicensis, *Blanco, Fl. Filip.* ed. I. 427=rosaefolius.  
 jamaicensis, *Linn. Mant.* i. 75.—Am. trop.  
 jambosoides, *Hance, in Ann. Sc. Nat. Sér. IV.* xv. (1861) 222.—China.  
 japonicus, *Focke, in Bremen, Abh.* iv. (1874) 198.—Japon.  
 japonicus, *Linn. Mant.* ii. 245=Kerria japonica.  
 japonicus, *Veitch, ex Lindl. & Paxt. Flow. Gard.* iii. (1852-53) 163.—Japon.  
 javanicus, *Blume, Bijdr.* 1108.—Java.  
 Jansenii, *Lange, in Fl. Dan.* t. 2833=orthacanthus.  
 juglandifolius, *Timb. in Bull. Soc. Sc. Phys. et Nat. Toul.* ii. (1874) 455.—Europ.  
 Kaltenbachii, *Metsch. in Linnaea*, xxviii. (1856) 170=Metschii, hirtus.  
 Kingii, *Kuntze, Method.* 55=moluccanus.  
 Koehleri, *Bor. Fl. Centr. Fr.* ed. III. ii. 195=Deseglisei.  
 Koehleri, *Weihe, ex Bluff & Fingerh. Comp. Fl. Germ.* ed. I. i. 689=glandulosus.  
 Koehleri, *Weihe & Nees, ex Bluff & Fingerh. l. c.* 681.—Europ.  
 Kurzianus, *Kuntze, Method.* 69=moluccanus.  
 lacer, *Kuntze, l. c.* 103=nutkanus.  
 laceratus, *P. J. Muell. in Pollichia*, xvi-xvii. (1859) 229.—Europ.  
 laciniatus, *Willd. Hort. Berol.* t. 82.—Hab.?  
 lacteus, *Holuby, in Oestr. Bot. Zeitschr.* xxv. (1875) 313.—Europ.  
 laetevirens, *Prog. in Ber. Bot. Ver. Landshut*, viii. (1882) 95.—Europ.  
 laetus, *Prog. l. c.* 92.—Europ.  
 laevifactus, *P. J. Muell. ex Focke, Syn. Rub. Germ.* 257=thyrsoides.



## RUBUS:—

- laevigatus*, Wall. Cat. n. 1280 = lucens.  
 Lambertianus, Ser. in DC. Prod. ii. 567.—China.  
*Lamottei*, Genev. in Mém. Soc. Acad. Maine-et-Loire, xxviii. (1872) 21 = tomentosus, Borch.  
*lamprococcus*, Focke, in Bremen, Abh. i. (1867) 307.—Europ.  
*lamprophyllus*, Gremli, in Oestr. Bot. Zeitschr. xxi. (1871) 94 = Bayeri.  
*Lamyi*, Genev. Monog. Rub. ed. II. 92 = tomentosus, Borch.  
*lanatus*, Focke, in Bremen, Abh. i. (1867) 294 = vestitus.  
*lanatus*, Wall. Cat. n. 746.—Reg. Himal.  
*Langei*, G. Jens. ex Focke, Syn. Rub. Germ. 221 = silvaticus.  
*lanuginosus*, Schlecht. ex Ledeb. Fl. Ross. ii. 69 = glandulosus.  
*lanuginosus*, Stev. ex Ser. in DC. Prod. ii. 564.—Reg. Caucas. ?  
*Laschii*, Focke, Syn. Rub. Germ. 402.—Europ.  
*lasiocarpus*, Sm. in Rees, Cycl. xxx. n. 6.—Ind. or.; Malaya.  
*lasiocladus*, Focke, Syn. Rub. Germ. 198 = pubescens, Weihe.  
*lasiococcus*, A. Gray, in Proc. Am. Acad. xvii. (1881–82). 201.—Am. bor. occ.  
*lasioctachys*, P. J. Muell. & Lefèv. in Pollichia, xvi–xvii. (1859) 106.—Europ.  
*latebrosus*, Ripart, ex Genev. in Mém. Soc. Acad. Maine-et-Loire, xxiv. (1868) 24 = caesius.  
*latifolius*, Boul. & Bouv. ex Genev. Monog. Rub. ed. II. 66 = nemorosus.  
*latifolius*, Bab. Man. Brit. Bot. ed. III. 94.—Europ.  
*latifolius*, Kuntze, Method. 70 = moluccanus.  
*latifrons*, Boul. ex Malbranche, in Bull. Soc. Bot. Fr. xxvi. (1879) 127 = ulmifolius.  
*laxatus*, Ripart, ex Genev. in Genev. Monog. Rub. ed. II. 30 = corylifolius.  
*laxiflorus*, P. J. Muell. & Lefèv. in Pollichia, xvi–xvii. (1859) 206.—Europ.  
*Lechleri*, Focke, in Bremen, Abh. iv. (1874) 161.—Peruv.  
*Lecoqui*, Genev. in Mém. Soc. Acad. Maine-et-Loire, xxviii. (1872) 27 = caesius.  
*Leesii*, Bab. in Steele, Handb. Field Bot. 60 = R. Idaeus.  
*Lefevrei*, P. J. Muell. in Pollichia, xvi–xvii. (1859) 133.—Europ.  
*Leguei*, Genev. Monog. Rub. ed. II. 31 = tomentosus, Borch.  
*Leightoni*, Lees, ex Leight. Fl. Shrops. 233 = rudis.  
*Leightonianus*, Bab. in Ann. & Mag. Nat. Hist. Ser. I. xvii. (1846) 240.—Europ.  
*Lejeunei*, Weihe & Nees, ex Bluff & Fingerh. Comp. Fl. Germ. ed. I. i. 683.—Europ.  
*Lejeunei*, Wirtg. ex Focke, Syn. Rub. Germ. 307 = Fockii.  
*Lemaitrei*, Ripart, ex Genev. in Mém. Soc. Acad. Maine-et-Loire, xxiv. (1868) 257.—Europ.  
*lentiginosus*, Lees, in Steele, Handb. Field Bot. 60 = affinis.  
*lephracanthus*, Boul. & Timb. ex Lefèv. in Bull. Soc. Bot. Fr. xxiv. (1877) 219, sphalm. = *tephracanthus*.  
*lepidus*, P. J. Muell. in Pollichia, xvi–xvii. (1859) 294 = amiantinus.  
*leptacanthos*, P. J. Muell. ex Focke, Syn. Rub. Germ. 353 = Koehleri.  
*leptocalyx*, Prog. in Ber. Bot. Ver. Landshut, viii. (1882) 105 = Bayeri.  
*leptocaulon*, Boul. & Letendre, ex Lefèv. in Bull. Soc. Bot. Fr. xxiv. (1877) 224 = nemorosus.  
*leptocladus*, P. J. Muell. in Bonplandia, ix. (1861) 299.—Europ.  
*leptopetalus*, Focke, Syn. Rub. Germ. 386.—Europ.  
*leptopetalus*, Gremli, in Oestr. Bot. Zeitschr. xxi. (1871) 95.—Europ.  
*leptostachys*, P. J. Muell. & Lefèv. in Pollichia, xvi–xvii. (1859) 165.—Europ.  
*leucadenes*, P. J. Muell. in Bonplandia, ix. (1861) 304.—Europ.  
*leucandrus*, Focke, in Alpers, Verz. Gefaesspfl. Stade, 27 = villicaulis.  
*leucanthemus*, P. J. Muell. in Pollichia, xvi–xvii. (1859) 122 = vestitus.  
*leucanthus*, Hance, in Walp. Ann. ii. 468.—China.  
*leucocarpus*, Arr. in Nov. Act. Nat. Cur. xviii. (1836) 334.—Zeylan.  
*leucodermis*, Dougl. ex Hook. Fl. Bor. Am. 178; et ex Torr. & Gray, Fl. N. Am. i. 454.—Am. bor. occ.

## RUBUS:—

- leucophaeus*, P. J. Muell. in Pollichia, xvi–xvii. (1859) 264 = tomentosus, Borch.  
*leucophyllus*, Vest. ex Focke, Syn. Rub. Germ. 226 = tomentosus, Borch.  
*leucostachys*, Dougl. ex Steud. Nom. ed. II. ii. 478 = leucodermis.  
*leucostachys*, Schlecht. ex Sm. Engl. Fl. ii. 403 = vestitus.  
*leuefactus*, P. J. Muell. ex Nym. Consp. 216 = thyrsoides.  
*Levi*, Focke, Syn. Rub. Germ. 268 = silvaticus.  
*Libertianus*, Weihe, in Lej. & Court. Comp. Fl. Belg. ii. 163.—Europ.  
*Liebmännii*, Focke, in Bremen, Abh. iv. (1874) 158.—Mexic.  
*ligerinus*, Genev. in Mém. Soc. Acad. Maine-et-Loire, viii. (1860) 68, 73 = caesius.  
*ligulatus*, Boul. ex Malbranche, in Bull. Soc. Bot. Fr. xxvi. (1879) 127 = ulmifolius.  
*lilacinus*, Wirtg. ex Focke, Syn. Rub. Germ. 376 = hirtus.  
*Lindebergii*, P. J. Muell. in Pollichia, xvi–xvii. (1859) 292 = bifrons.  
*Lindleanus*, Lees, in Phytol. iii. (1848) 361 = vulgaris.  
*lineatus*, Reinw. ex Blume, Bijdr. 1108.—Reg. Himal.; Java.  
*Lingua*, Weihe & Nees, ex Bluff & Fingerh. Comp. Fl. Germ. ed. I. i. 686.—Europ.  
*linguifolius*, P. J. Muell. ex Genev. in Mém. Soc. Acad. Maine-et-Loire, viii. (1860) 83.—Europ.  
*lingulatus*, Lefèv. ex Genev. Monog. Rub. ed. II. 148.—Europ.  
*Linkianus*, Ser. in DC. Prod. ii. 560.—Hab. ?  
*lithuanicus*, Gilib. Hist. Pl. Europ. ii. 321.—Europ.  
*lividus*, G. Braun, ex Focke, Syn. Rub. Germ. 365 = serpens.  
*Lloydianus*, Genev. in Mém. Soc. Acad. Maine-et-Loire, x. (1861) 26 = tomentosus, Borch.  
*lobatus*, Wall. Cat. sub n. 737 = calycinus.  
*Lobbianus*, Hook. Ic. Pl. t. 741, 742.—Java.  
*Loehrui*, Wirtg. in Flora, xxxix. (1856) 236 = rudis.  
*longicaulis*, Gremli, in Oestr. Bot. Zeitschr. xxi. (1871) 126.—Europ.  
*longicuspis*, P. J. Muell. ex Genev. in Mém. Soc. Acad. Maine-et-Loire, xxiv. (1868) 120 = rudis.  
*longiflorens*, Ripart, in Genev. Monog. Rub. ed. II. 276 = pubescens, Weihe.  
*longifolius*, Bunn. in Proc. Linn. Soc. i. (1841) 109.—Bras.  
*longifolius*, Host, Fl. Austr. ii. 30.—Europ.  
*longifolius*, Kunze, Method. 96.—Hab. ?  
*longifolius*, Wall. Cat. sub n. 727 = lasiocarpus.  
*longipetalus*, Dougl. ex Steud. Nom. ed. II. ii. 478, nomen.—Am. bor. occ.  
*longisepalus*, P. J. Muell. in Bonplandia, ix. (1861) 297.—Europ.  
*longithyriger*, Lees, ex Bab. Brit. Rub. 231 = pyramidalis.  
*loxensis*, Benth. Pl. Hartw. 128.—Peruv.  
*lucens*, Focke, in Bremen, Abh. iv. (1874) 199.—Reg. Himal.  
*lucorum*, P. J. Muell. ex Lefèv. in Pollichia, xvi–xvii. (1859) 260.—Europ.  
*Ludwigii*, Eckl. & Zeyh. Enum. 263.—Afr. austr.  
*luteifolius*, Lefèv. in Bull. Soc. Bot. Fr. xxiv. (1877) 219 = carpinifolius.  
*lutescens*, Lefèv. l. c. 220 = constrictus.  
*luxurians*, Ripart, ex Genev. Monog. Rub. ed. II. 193 = macrophyllus.  
*Maassii*, Focke, ex Bertram, Fl. Braunsch. 75 = rhamnifolius.  
*macilentus*, Genev. in Mém. Soc. Acad. Maine-et-Loire, xxviii. (1872) 42.—Europ.  
*macilentus*, Jacquem. Voy. Bot. 49 t. 60.—Reg. Himal.  
*Macraei*, A. Gray, Bot. U. St. Expl. Exped. i. 505. t. 57.—Ins. Sandvic.  
*macranthelos*, Marss. Fl. Neuropomm. 147 = vestitus.  
*macroacanthos*, Weihe & Nees, Rub. Germ. 44 = vulgaris.  
*macroacanthos*, Wirtg. ex Focke, Syn. Rub. Germ. 296 = vestitus.  
*macrobelos*, Boul. ex Malbranche, in Bull. Soc. Bot. Fr. xxvi. (1879) 126 = ulmifolius.  
*macrocardiophyllus*, P. J. Muell. & Wirtg. ex Focke, Syn. Rub. Germ. 337 = thyrsiflorus ?

## RUBUS:—

- macrocarpus*, Gardn. in Calc. Journ. Nat. Hist. viii. (1847) 7 = moluccanus.  
*macrocarpus*, Benth. Pl. Hartw. 129.—Ecuador.  
*macrocarpus*, King, ex C. B. Clarke, in Journ. Linn. Soc. xv. (1876) 141 = Hookeri.  
*macrodonatus*, P. J. Muell. in Pollichia, xvi–xvii. (1859) 185.—Europ.  
*macropetalus*, Dougl. ex Hook. Fl. Bor. Am. i. 178. t. 59 = ursinus.  
*macropetalus*, P. J. Muell. & Lefèv. in Pollichia, xvi–xvii. (1859) 254.—Europ.  
*macrophyllodes*, Genev. in Mém. Soc. Acad. Maine-et-Loire, xxiv. (1868) 172 = macrophyllus.  
*macrophyllus*, Weihe & Nees, Rub. Germ. 35. t. 12.—Europ.  
*macropodus*, Ser. in DC. Prod. ii. 557 = parvifolius.  
*macrostachys*, P. J. Muell. in Flora, xli. (1858) 150.—Europ.  
*macrostemon*, Focke, Syn. Rub. Germ. 193 = pubescens, Weihe.  
*macrothyrus*, Lange, in Fl. Dan. t. 2832 = vestitus.  
*magdeburgensis*, Maass, ex Focke, Syn. Rub. Germ. 151 = rhamnifolius.  
*magnificus*, P. J. Muell. ex Genev. in Mém. Soc. Acad. Maine-et-Loire, xxiv. (1868) 158 = thyrsiflorus.  
*malacophyllus*, P. J. Muell. ex Focke, Syn. Rub. Germ. 237 = tomentosus, Borch.  
*malagassus*, Focke, in Bremen, Abh. viii. (1884) 473.—Madag.  
*maleficus*, Holuby, in Oestr. Bot. Zeitschr. xxv. (1875) 314.—Europ.  
*Mandonii*, Focke, in Bremen, Abh. iv. (1874) 162.—Bolivia.  
*marchicus*, Krause, in Verh. Bot. Ver. Brandenb. xxvi. (1885) 15.—Europ.  
*marginum*, P. J. Muell. in Pollichia, xvi–xvii. (1859) 271 = tomentosus, Borch.  
*masarinensis*, Perr. in Mém. Soc. Linn. Par. iii. (1825) 139.—Ins. Mascar.  
*massiliensis*, Boul. ex Malbranche, in Bull. Soc. Bot. Fr. xxvi. (1879) 126 = ulmifolius.  
*Maximowiczii*, Kuntze, Method. 64.—Japon.  
*maximus*, Kuntze, l. c. 62.—Java.  
*maximus*, Linn. ex Nym. Consp. 221 = corylifolius.  
*maximus*, Marss. Fl. Neuropomm. 151.—Europ.  
*maximus*, Neum. in Bot. Notiser (1885), 90.—Suecia.  
*medius*, Kuntze, Method. 95.—Japon.  
*megalacanthus*, P. J. Muell. & Lefèv. in Pollichia, xvi–xvii. (1859) 78.—Europ.  
*megalococcus*, Focke, in Bremen, Abh. iv. (1874) 157.—Bolivia.  
*megapolitanus*, Krause, in Verh. Bot. Ver. Brandenb. xxvi. (1885) 14.—Europ.  
*megathamnus*, Kern. in Ber. Naturw. Ver. Innsbruck, ii. (1871) 150 = tomentosus, Borch.  
*melanochlamys*, Prog. in Ber. Bot. Ver. Landshut, viii. (1882) 101 = hirtus.  
*melanoxydon*, P. J. Muell. & Wirtg. ex Genev. in Mém. Soc. Acad. Maine-et-Loire, xxiv. (1868) 133 = villicaulis.  
*Menkei*, Weihe, ex Spreng. Syst. ii. 528 = vestitus.  
*Menkei*, Weihe & Nees, ex Bluff & Fingerh. Comp. Fl. Germ. ed. I. i. 679.—Europ.  
*mentitus*, P. J. Muell. & Wirtg. ex Focke, Syn. Rub. Germ. 324 = R. Radula, thyrsiflorus.  
*menyhazensis*, Simk. in Termész. Füzetek, ix. (1885) 42.—Europ.  
*Mengiesii*, Hook. Fl. Bor. Am. i. 179 = spectabilis.  
*Mercierii*, Genev. in Mém. Soc. Acad. Maine-et-Loire, xxiv. (1868) 271 = arduennensis.  
*meridionalis*, Kern. ex Focke, Syn. Rub. Germ. 226 = tomentosus, Borch.  
*Metschii*, Focke, l. c. 359.—Europ.  
*mexicanus*, Kuntze, Method. 102.—Mexic.  
*micans*, Gren. & Godr. Fl. Fr. i. 546.—Europ.  
*micans*, Weihe, ex Lej. & Court. Comp. Fl. Belg. ii. 168 = tomentosus, Borch.  
*micrandrus*, Ripart, ex Genev. Monog. Rub. ed. II. 338 = tomentosus, Borch.  
*micranthus*, D. Don, Prod. Fl. Nep. 235 = lasiocarpus.  
*microacanthus*, Kaltenb. Fl. Aach. Beckens, 263 = nessensis.  
*microcarpus*, Genev. in Mém. Soc. Acad. Maine-et-Loire, x. (1861) 25.—Europ.  
*microdonatus*, P. J. Muell. & Lefèv. in Pollichia, xvi–xvii. (1859) 244.—Europ.

## RUBUS:—

- micropetalus*, Gardn. in Calc. Journ. Nat. Hist. viii. (1847) 6 = moluccanus.  
*microphyllus*, D. Don, Prod. Fl. Nep. 234 = foliolosus.  
*microphyllus*, Linn. f. Suppl. 263.—China; Japon.  
*microphyllus*, Reichb. ex Bluff & Fingerh. Comp. Fl. Germ. ed. I. i. 688 = Koehleri.  
*Mikani*, Koehl. ex Weihe, in Wimm. & Grab. Fl. Siles. (1829) i. II. 56 = Koehleri.  
*minor*, Kuntze, Method. 97 = crataegifolius.  
*minutiflorus*, Lange, Desc. Pl. Nov. Hisp. fasc. i. 2. t. 3. —Europ.  
*minutiflorus*, P. J. Muell. in Pollichia, xvi-xvii. (1859) 235 = Schleicheri.  
*miser*, Liebm. in Kjoeb. Vidensk. Meddel. (1852) 156. —Costa Rica.  
*mitis*, Gremli, in Oestr. Bot. Zeitschr. xxi. (1871) 98. —Europ.  
*mitissimus*, Ripart, ex Genev. in Mém. Soc. Acad. Maine-et-Loire, xxiv. (1868) 11 = caesius.  
*mixtus*, Ripart, ex Genev. l. c. 260 = villicaulis.  
*modestus*, Ripart, ex Genev. Monog. Rub. ed. II. 8 = caesius.  
*moestus*, Holuby, in Oestr. Bot. Zeitschr. xxiii. (1873) 378. —Europ.  
*mollifolius*, P. J. Muell. in Pollichia, xvi-xvii. (1859) 267. —Europ.  
*mollis*, Holuby, in Oestr. Bot. Zeitschr. xxiii. (1873) 378. —Europ.  
*mollis*, Jungh. ex Miq. Fl. Ind. Bat. i. i. 379 = lineatus.  
*mollis*, J. & C. Presl, Delic. Prag. 218 = nemorosus.  
*moluccanus*, Linn. Sp. Pl. 1197. —Reg. Himal.; Malaya.  
*monanthus*, Kuntze, Method. 142 = humulifolius.  
*mongolicus*, Kuntze, l. c. 92. —Mongol.  
*montanus*, Libert, ex Lej. Fl. Spa. ii. 317 = candicans.  
*montanus*, Ortm. ex Opiz, Seznam, 85. —Europ.  
*montanus*, Wimm. Fl. Schles. ed. III. (1857) 631 = nemorosus.  
*montanus*, Wirtg. in Flora, xxxix. (1856) 236 = carpinifolius.  
*monticolus*, Gremli, in Oestr. Bot. Zeitschr. xxi. (1871) 127. —Europ.  
*Moorei*, F. Muell. in Trans. Phil. Inst. Vict. ii. (1858) 67. —Austral.  
*morifolius*, P. J. Muell. in Flora, xli. (1858) 164. —Europ.  
*morifolius*, Siebold, ex Franch. & Sav. Enum. Pl. Jap. i. 125. —Japon.  
*mortuorum* x, Freyn, in Verh. Zool.-Bot. Ges. Wien, xxxi. (1882) 376. —Europ.  
*Mougeoti*, Bill. ex F. Schultz, Arch. Fl. Fr. et Allem. 166 = nemorosus.  
*mucronatus*, Bloxam, in Kirby, Fl. Leicest. 43 = hirtus.  
*mucronatus*, Ser. in DC. Prod. ii. 565. —Am. bor.  
*mucronipetalus*, P. J. Muell. in Bonplandia, ix. (1861) 298. —Europ.  
*mucronulatus*, Bor. Fl. Centr. Fr. ed. III. ii. 196 = hirtus.  
*Muelleri*, F. Bailey, in Proc. Roy. Soc. Queensl. i. (1884) 9. —Austral.  
*Muelleri*, Wirtg. ex Nym. Consp. 220 = serpens.  
*Muenteri*, Marss. Fl. Neuvorpomm. 144 = rhamnifolius.  
*Mullerii*, Lefèv. ex P. J. Muell. in Pollichia, xvi-xvii. (1859) 180. —Europ.  
*multifidus*, Boulay & Malbranche, ex Lefèv. in Bull. Soc. Bot. Fr. xxiv. (1877) 222, nomen. —Europ.  
*multiflorus*, Krause, in Verh. Bot. Ver. Brandenb. xxvi. (1885) 19. —Europ.  
*multiflorus*, Thunb. Diss. Rub. 7. —Hab. ?  
*multisetosus*, Prog. in Ber. Bot. Ver. Landshut, viii. (1882) 102 = hirtus.  
*Mundtii*, Cham. & Schlecht. in Linnaea, ii. (1827) 18 = rigidus, Sm.  
*mutabilis*, Genev. in Mém. Soc. Acad. Maine-et-Loire, viii. (1860) 84 = rudis.  
*myriacanthus*, Dougl. ex Hook. Fl. Bor. Am. i. 178 = ursinus.  
*myriacanthus*, Focke, in Bremen, Abh. ii. (1871) 467 = nemorosus.  
*myriadenophorus*, Ripart, ex Genev. in Mém. Soc. Acad. Maine-et-Loire, xxviii. (1872) 39 = thyriflorus.  
*myrianthus*, Baker, in Journ. Linn. Soc. xx. (1883) 136. —Madag.  
*myrianthus*, Freyn, in Verh. Zool.-Bot. Ges. Wien, xxxi. (1882) 372 = pubescens, Weihe.

VOL. II,

## RUBUS:—

- Myrica*, Focke, in Alpers, Verz. Gefaesspfl. Stade, 27. —Europ.  
*mysorensis*, Heyne, ex Roth, Nov. Pl. Sp. 235 = lasiocarpus.  
*napophilus*, P. J. Muell. in Pollichia, xvi-xvii. (1859) 220. —Europ.  
*natkanus*, G. Don, Gen. Syst. ii. 540, sphalm. = nutkanus.  
*Neesii*, Ripart, ex Genev. in Mém. Soc. Acad. Maine-et-Loire, xxiv. (1868) 227 = ulmifolius.  
*neglectus*, P. J. Muell. ex Focke, Syn. Rub. Germ. 237 = nemorosus.  
*neglectus*, Peck, Rep. Reg. N. York St. Univ. xxii. 53. —Am. bor.  
*nemocharis*, P. J. Muell. & Lefèv. in Pollichia, xvi-xvii. (1859) 191 = Sprengelii.  
*nemophilus*, Ripart, ex Genev. in Mém. Soc. Acad. Maine-et-Loire, xxiv. (1868) 206 = arduennensis.  
*nemoralis*, P. J. Muell. in Flora, xli. (1858) 139 = Sprengelii.  
*nemoralis*, Neum. in Bot. Notiser (1885), 91. —Suecia.  
*nemorensis*, Lefèv. & P. J. Muell. in Pollichia, xvi-xvii. (1859) 198. —Europ.  
*nemorivagus*, Ripart, ex Genev. in Mém. Soc. Acad. Maine-et-Loire, xxiv. (1868) 27 = corylifolius.  
*nemorosus*, Boenn. Prod. Fl. Monast. 153 = vestitus.  
*nemorosus*, Guenth. ex Focke, Syn. Rub. Germ. 404 = oreogeton.  
*nemorosus*, Hayne, Arzn. Gew. iii. t. 10. —Europ.; Reg. Caucas.  
*nemorum*, Ripart, ex Genev. Monog. Rub. ed. II. 235 = carpinifolius.  
*neo-mexicanus*, A. Gray, Pl. Wright. ii. 55. —N. Mexic.  
*nessensis*, W. Hall, in Trans. Roy. Soc. Edinb. iii. (1794) Hist. 21. —Europ.  
*neurophanes*, Boul. & Cornet, ex Genev. Monog. Rub. ed. II. 247 = arduennensis.  
*nexusus*, Ripart, ex Genev. in Mém. Soc. Acad. Maine-et-Loire, xxiv. (1868) 309 = nitidus.  
*nigellus*, Lefèv. in Bull. Soc. Bot. Fr. xxiv. (1877) 224 = fruticetorum.  
*nigricatus*, P. J. Muell. & Lefèv. in Pollichia, xvi-xvii. (1859) 204. —Europ.  
*nilagiricus*, Focke, in Bremen, Abh. v. (1877) 406 = ramosus.  
*nitens*, Lefèv. in Bull. Soc. Bot. Fr. xxiv. (1877) 223 = nemorosus.  
*nitidus*, Bell Salt, in Phytol. ii. (1845) 101 = vulgaris.  
*nitidus*, Kaltenb. Fl. Aach. Beckens, 265 = affinis.  
*nitidus*, Rafin. Fl. Ludov. 98 (Quid?). —Am. bor.  
*nitidus*, Weihe & Nees, Rub. Germ. 19. t. 4. —Europ.  
*nivalis*, Dougl. ex Hook. Fl. Bor. Am. i. 181 = strigosus?  
*niveus*, Thunb. Diss. Rub. 9. —Hab. ?  
*niveus*, Wall. Cat. n. 734; et ex G. Don, Gen. Syst. ii. 530. —Reg. Himal.  
*nobilis*, Hort. Angl. ex Regel, Gartenfl. vi. (1857) 86. —Hab. ?  
*nodiflorus*, Gremli, in Oestr. Bot. Zeitschr. xxi. (1871) 95, nomen = orthocanthus.  
*novus*, Kuntze, Method. 112. —Austral.  
*nubigenus*, H. B. & K. Gen. et Sp. vi. 220. —Ecuador.  
*nubis*, S. F. Gray, Nat. Arr. Brit. Pl. ii. 585 = R. Chamaemorus.  
*numidicus*, Focke, in Bremen, Abh. iv. (1874) 175. —Afr. bor.  
*nutans*, Vest, in Syll. Ratisb. i. (1824) 238 = nessensis.  
*nutans*, Wall. Cat. n. 738. —Reg. Himal.  
*nutkanus*, Moc. ex Ser. in DC. Prod. ii. 566. —Am. bor. occ.  
*obcuneatus*, Lefèv. & P. J. Muell. in Pollichia, xvi-xvii. (1859) 196. —Europ.  
*obliquus*, Bloxam, in Journ. Bot. viii. (1870) 69 = rudis.  
*obliquus*, Wirtg. in Flora, xlii. (1859) 235 = pallidus.  
*oblongatus*, P. J. Muell. in Pollichia, xvi-xvii. (1859) 184. —Europ.  
*oblongifolius*, P. J. Muell. & Wirtg. ex Focke, Syn. Rub. Germ. 304 = Menkei.  
*obotriticus*, Krause, in Verh. Bot. Ver. Brandenb. xxvi. (1885) 15. —Europ.  
*obovatis*, Michx. Fl. Bor. Am. i. 298 = hispidus.  
*obovatus*, Ell. Sketch, i. 570 = hispidus.  
*obovatus*, Pers. Syn. ii. 52. —Am. bor.  
*obrosus*, P. J. Muell. in Pollichia, xvi-xvii. (1859) 234. —Europ.  
*obscurifrons*, P. J. Muell. & Wirtg. ex Focke, Syn. Rub. Germ. 315 = Lejeunei.  
*obscurus*, Kaltenb. Fl. Aach. Beckens, 281. —Europ.

## RUBUS:—

- obscurus*, P. J. Muell. in Pollichia, xvi-xvii. (1859) 200. —Europ.  
*obsectifolius*, P. J. Muell. ex Lamotte, Prod. Fl. Centr. Fr. i. 254, nomen = R. Radula.  
*obtruncatus*, P. J. Muell. in Flora, xli. (1858) 152. —Europ.  
*obtusangulus*, Gremli, Excurs. Schw. ed. II. 161 = arduennensis.  
*obtusatus*, P. J. Muell. in Pollichia, xvi-xvii. (1859) 95 = villicaulis.  
*obtusiflorus*, Gremli, Excurs. Schw. ed. IV. 144 = foliosus.  
*obtusifolius*, Pritz. Ic. Ind. ii. 247, sphalm. = Rumex obtusifolius.  
*obtusifolius*, Weihe, ex Focke, Syn. Rub. Germ. 291 = vestitus.  
*obtusifolius*, Willd. Berl. Baumz. ed. II. 409 = ulmifolius.  
*obvallatus*, Boul. & Gillot, ex Genev. Monog. Rub. ed. II. 175 = vestitus.  
*occidentalis*, Boland. Cat. 11, nomen = leucodermis.  
*occidentalis*, Georgi, Besch. Russ. Reich. III. iv. 1029 = R. Idaeus.  
*occidentalis*, Linn. Sp. Pl. 493. —Am. bor.  
*occiduus*, Boul. & Bouv. ex Genev. Monog. Rub. ed. II. 236 = carpinifolius.  
*ochlanthus*, Hance, in Journ. Bot. xx. (1882) 260 = Lambertianus.  
*odoratus*, Linn. Sp. Pl. 494. —Am. bor.  
*offensus*, P. J. Muell. in Bonplandia, ix. (1861) 286. —Europ.  
*oigocladus*, P. J. Muell. & Lefèv. in Pollichia, xvi-xvii. (1859) 134. —Europ.  
*Oldhami*, Miq. Ann. Mus. Bot. Lugd. Bat. iii. 34 = pungens.  
*oleifolius*, Steud. Nom. ed. II. ii. 478, nomen. —Reg. Argent.  
*oligacanthus*, Stev. in Bull. Soc. Nat. Mosc. xxix. (1856) ii. 178 = nemorosus.  
*oliganthos*, P. J. Muell. in Bonplandia, ix. (1861) 287. —Europ.  
*Olivieri*, Miq. Ann. Mus. Bot. Lugd. Bat. iii. 35 = corchorifolius.  
*omalodontos*, P. J. Muell. & Wirtg. ex Focke, Syn. Rub. Germ. 354 = Koehleri.  
*omissus*, Ripart, ex Genev. Monog. Rub. ed. II. 252 = arduennensis.  
*opacus*, Bertram, Fl. Braunsch. ed. II. 74 = Bertramii.  
*opacus* x, Focke, in Alpers, Verz. Gefaesspfl. Stade, 25 = plicatus.  
*opulentus*, P. J. Muell. & Lefèv. in Pollichia, xvi-xvii. (1859) 136. —Europ.  
*opulifolius*, Bertol. Misc. Bot. xxii. 16. t. 4. —Reg. Himal.  
*orbiculatus*, P. J. Muell. in Pollichia, xvi-xvii. (1859) 209. —Europ.  
*orbifolius*, Boul. & Letendre, ex Lefèv. in Bull. Soc. Bot. Fr. xxiv. (1877) 224 = bifrons.  
*oreades*, P. J. Muell. & Wirtg. ex Genev. in Mém. Soc. Acad. Maine-et-Loire, xxiv. (1868) 89 = orthocanthus.  
*oreogeton*, Focke, Syn. Rub. Germ. 404. —Europ.  
*oreophilus*, P. J. Muell. in Pollichia, xvi-xvii. (1859) 227. —Europ.  
*organensis*, Gardn. in Hook. Lond. Journ. Bot. ii. (1843) 342. —Bras.  
*orgyalis*, Lefèv. in Bull. Soc. Bot. Fr. xxiv. (1877) 221, nomen. —Europ.  
*orthacanthus*, Wimm. Fl. Schles. ed. III. (1857) 626 = seq.  
*orthoacanthus*, Lefèv. & P. J. Muell. in Pollichia, xvi-xvii. (1859) 104 = seq.  
*orthocanthus*, Wimm. in Flora, xl. (1857) 77. —Europ.  
*Ortmanni*, Opiz, in André, Oekon. Neuigk. i. (1835); et in Lotos, iv. (1854) 70 = montanus, Ortm.  
*ovalifolius*, Weihe, ex Focke, Syn. Rub. Germ. 263 = silvaticus.  
*oxyacanthus*, Lefèv. & P. J. Muell. in Pollichia, xvi-xvii. (1859) 131. —Europ.  
*oxyphyllus*, Wall. Cat. n. 7110 = acuminatus.  
*pacificus*, Hance, in Journ. Bot. xii. (1874) 259. —China.  
*pallens*, Weihe, ex Focke, Syn. Rub. Germ. 340 = scaber.  
*pallescent*, Ripart, ex Genev. in Mém. Soc. Acad. Maine-et-Loire, xxiv. (1868) 248 = ulmifolius.  
*pallescent*, Weihe, ex Bluff & Fingerh. Comp. Fl. Germ. ed. I. i. 684 = scaber.

5 D

**RUBUS:—**

- pallidiflorus*, P. J. Muell. in *Pollichia*, xvi-xvii. (1859) 187.—Europ.  
*pallidus*, Genev. in *Mém. Soc. Acad. Maine-et-Loire*, xxiv. (1868) 103 = foliosus.  
*pallidus*, Weihe & Nees, ex Bluff & Fingerh. *Comp. Fl. Germ.* ed. I. i. 682.—Europ.  
*palmatoides*, Kuntze, *Method.* 93, 96.—China?  
*palmaris*, Thunb. *Fl. Jap.* 217 = microphyllus.  
*paniculatus*, C. B. Clarke, in *Journ. Linn. Soc.* xv. (1876) 140 = rosaeifolius.  
*paniculatus*, Moon, *Cat. Pl. Ceyl.* 40 = ellipticus.  
*paniculatus*, Roxb. *Hort. Beng.* 39; *Fl. Ind.* ii. 518 = parvifolius.  
*paniculatus*, Schlecht. ex Link, *Enum. Hort. Berol.* ii. 61 = fruticosus.  
*paniculatus*, Sm. in *Rees, Cyclop.* xxx. n. 41.—Reg. Himal.  
*pannosus*, P. J. Muell. & Wirtg. ex Focke, *Syn. Rub. Germ.* 304 = Menkei.  
*panormitanus*, Tineo, *Pl. Rar. Sicil.* 24.—Sicilia.  
*Pappei*, Eckl. & Zeyh. *Enum.* 263 = rosaeifolius.  
*papulosus*, P. J. Muell. & Lefèv. in *Pollichia*, xvi-xvii. (1859) 142.—Europ.  
*paradoxus*, S. Moore, in *Journ. Bot.* xvi. (1878) 132 = leucanthus.  
*Parkeri*, Hance, l. c. xx. (1882) 260.—China.  
*parviflorus*, Nutt. *Gen. Am.* i. 308 = nutkanus.  
*parvifolius*, Linn. *Sp. Pl.* 1197.—Malaya; China; Austral.  
*parvifolius*, Moon, *Cat. Pl. Ceyl.* 40 = lasiocarpus?  
*parvifolius*, Sm. in *Rees, Cyclop.* xxx. n. 21 = foliolosus.  
*parvifolius*, Walt. *Fl. Carol.* 149 = cuneifolius, *Pursh.*  
*parvulus*, Genev. in *Mém. Soc. Acad. Maine-et-Loire*, viii. (1860) 74 = caesius.  
*parvus*, J. Buch. in *Trans. N. Z. Inst.* vi. (1874) 243.—N. Zel.  
*patens*, E. Merc. in *Reut. Cat. Pl. Vasc. Genève.* ed. II. 265 = caesius.  
*patulus*, P. J. Muell. & Lefèv. in *Pollichia*, xvi-xvii. (1859) 97 = ulmifolius.  
*pauciflorus*, Baker, in *Journ. Linn. Soc.* xx. (1883) 136.—Madag.  
*pauciflorus*, Wall. ex Lindl. in *Bot. Reg.* t. 854 = lasiocarpus.  
*paucistamineus*, Gremli, in *Oestr. Bot. Zeitschr.* xxi. (1871) 96.—Europ.  
*pectinelloides*, Kuntze, *Method.* 79, 107.—Japon.  
*pectinellus*, Maxim. in *Bull. Acad. Pétersb.* xvii. (1871) 147.—Japon.  
*pedatifolius*, Genev. in *Mém. Soc. Acad. Maine-et-Loire*, viii. (1860) 71, 93; x. (1861) 35.—Europ.  
*pedatus*, Banks & Soland. ex Lowe, in *Trans. Camb. Phil. Soc.* iv. (1831) 33 = grandifolius.  
*pedatus*, Sm. *Pl. Ic. Ined.* t. 63.—Am. bor. occ.  
*peduncularis*, Timb. ex Malbranche, in *Bull. Soc. Bot.* Fr. xxvi. (1879) 131 = ulmifolius.  
*pedunculatus*, Steud. *Nom. ed. II.* ii. 478 = seq.  
*pedunculatus*, D. Don, *Prod. Fl. Nep.* 234 = niveus, Wall.  
*pellitus*, Ripart, ex Genev. in *Mém. Soc. Acad. Maine-et-Loire*, xxiv. (1868) 297 = tomentosus, *Borck.*  
*peltaefolius*, Prog. in *Ber. Bot. Ver. Landshut*, viii. (1882) 107.—Europ.  
*peltatus*, Maxim. in *Bull. Acad. Pétersb.* xvii. (1871) 154.—Japon.  
*pendulinus*, P. J. Muell. in *Bonplandia*, ix. (1861) 290 = hirtus.  
*peniculus*, Lefèv. in *Bull. Soc. Bot. Fr.* xxiv. (1877) 224 = nemorosus.  
*pensilvanicus*, Poir. *Encyc.* vi. 246 = strigosus.  
*pentagonus*, Wall. *Cat. n.* 731 = alpestris.  
*pentaphyllos*, P. J. Muell. in *Bonplandia*, ix. (1861) 289.—Europ.  
*perarmatus*, Boul. ex Malbranche, in *Bull. Soc. Bot. Fr.* xxvi. (1879) 127 = ulmifolius.  
*permiscibilis*, P. J. Muell. ex Focke, *Syn. Rub. Germ.* 236 = tomentosus, *Borck.*  
*perplexus*, P. J. Muell. ex Focke, l. c. 375 = hirtus.  
*persicinus*, Kern. in *Ber. Naturw. Ver. Innsbruck*, ii. (1871) 137; Nov. Pl. Sp. Decas, iii. 14 = thyrsoides.  
*persicus*, Boiss. *Fl. Orient.* ii. 693.—Persia.  
*petiolulatus*, Timb. ex Malbranche, in *Bull. Soc. Bot.* Fr. xxvi. (1879) 127 = ulmifolius.  
*Pettianus*, A. Rich. *Tent. Fl. Abyss.* i. 259.—Abyss.  
*petraeus*, Koehl. ex Bluff & Fingerh. *Comp. Fl. Germ.* ed. I. i. 688 = Koehleri.  
*petraeus*, Walp. *Rep.* ii. 19, sphalm. = *Prunus Padus*.

**RUBUS:—**

- phillyphyllus*, Lefèv. & P. J. Muell. in *Pollichia*, xvi-xvii. (1859) 190.—Europ.  
*phoenicolasius*, Maxim. in *Bull. Acad. Pétersb.* xvii. (1871) 160.—Japon.  
*phyllophorus*, Lefèv. & P. J. Muell. in *Pollichia*, xvi-xvii. (1859) 178 = glandulosus.  
*phyllostachys*, P. J. Muell. in *Flora*, xli. (1858) 133 = thyrsoides.  
*piletocaulon*, P. J. Muell. in *Bonplandia*, ix. (1861) 281 = vestitus.  
*piletostachys*, Gremli, *Beitr. Fl. Schw.* 43 = Gremlii.  
*piletostachys*, Gren. & Godr. *Fl. Fr.* i. 548 = macrophyllus.  
*piletosus*, Ripart, ex Genev. in *Mém. Soc. Acad. Maine-et-Loire*, xxiv. (1868) 278 = villicaulis.  
*pilocalyx*, Kuntze, *Method.* 77 = moluccanus.  
*pilocarpus*, Gremli, *Beitr. Fl. Schw.* 42 = vestitus.  
*pilocephalus*, Gremli, in *Oestr. Bot. Zeitschr.* xxi. (1871) 126.—Europ.\*  
*pinnatus*, D. Don, *Prod. Fl. Nep.* 234 = lasiocarpus.  
*pinnatus*, Willd. *Sp. Pl.* ii. 1081 = rosaeifolius.  
*pistillatus*, Sm. *Exot. Bot.* ii. 53. t. 86 = arcticus.  
*platyacanthus*, P. J. Muell. & Lefèv. in *Pollichia*, xvi-xvii. (1859) 86.—Europ.  
*platycephalus*, Focke, *Syn. Rub. Germ.* 329.—Europ.  
*platypetalus*, Timb. & P. J. Muell. ex Martr. *Fl. Tarn*, 213.—Europ.  
*platyphyllus*, Weihe, ex Focke, *Syn. Rub. Germ.* 210, 215 = villicaulis, macrophyllus.  
*platyphyllus*, C. Koch, in *Linnaea*, xvi. (1842) 348 = glandulosus.  
*platyphyllus*, P. J. Muell. in *Pollichia*, xvi-xvii. (1859) 217.—Europ.  
*plicatus*, C. A. Mey. *Verz. Pfl. Cauc.* 167 = persicus.  
*plicatus*, Weihe & Nees, *Rub. Germ.* 15. t. 1.—Europ.  
*plinthostylus*, Genev. in *Mém. Soc. Acad. Maine-et-Loire*, xxiv. (1868) 108 = Sprengelii.  
*podhradiensis* x, Holuby, in *Oestr. Bot. Zeitschr.* xxiii. (1873) 374.—Europ.  
*podophyllos*, P. J. Muell. in *Bonplandia*, ix. (1861) 281 = hirtus.  
*poliophyllus*, Kuntze, *Method.* 68 = moluccanus.  
*polyacanthus*, Gremli, in *Oestr. Bot. Zeitschr.* xxi. (1871) 95 = Bayeri.  
*polyandrus*, Noronha, in *Verh. Batav. Gen. v.* (1790) ed. I. Art. iv. 26; ed. II. (1827) 84 (Quid?).—Java.  
*polyanthemus*, Lindeb. in *Bot. Notiser* (1883), 105.—Suecia.  
*polyanthus*, P. J. Muell. in *Pollichia*, xvi-xvii. (1859) 96 = tomentosus, *Borck.*  
*polycarpus*, Holuby, in *Oestr. Bot. Zeitschr.* xxv. (1875) 313.—Europ.  
*polymorphus*, Host, *Fl. Austr.* ii. 29.—Europ.  
*polymorphus*, Schimp. & Spenn. in *Spenn. Fl. Friburg.* iii. 744.—Europ.  
*polytrichus*, Prog. in *Ber. Bot. Ver. Landshut*, viii. (1882) 102 = hirtus.  
*populosus*, P. J. Muell. & Lefèv. in *Pollichia*, xvi-xvii. (1859) 142.—Europ.  
*porphyracanthos*, Focke, *Syn. Rub. Germ.* 148 = rhamnifolius.  
*praecaltus*, Lefèv. ex Genev. *Monog. Rub.* ed. II. 237 = vulgaris.  
*praecox*, Kern. in *Ber. Naturw. Ver. Innsbruck*, ii. (1871) 124; Nov. Pl. Sp. Decas, iii. 1 = sulcatus.  
*praecox*, Weihe, ex Reichb. *Fl. Germ. Excurs.* 600 = nitidus.  
*praeruptorum*, Boul. ex Bab. in *Journ. Bot.* xvi. (1878) 143.—Europ.  
*praestabilis*, P. J. Muell. ex Focke, *Syn. Rub. Germ.* 196 = amiantinus.  
*praeternissus*, Ripart, ex Genev. in *Mém. Soc. Acad. Maine-et-Loire*, xxiv. (1868) 208 = arduennensis.  
*praetervisus*, Ripart, ex Genev. l. c. 247 = pubescens, Weihe.  
*prasinifolius*, Timb. ex Malbranche, in *Bull. Soc. Bot. Fr.* xxvi. (1879) 131 = ulmifolius.  
*prasinus*, Focke, in *Bremen, Abh.* i. (1867) 302 = orthocanthus.  
*prehensibilis*, Timb. in *Bull. Soc. Sc. Phys. et Nat. Toul.* ii. (1874) 453.—Europ.  
*Preslii*, Weitenweb. in *Opiz, Natural.* 346 = plicatus.  
*prionodontus*, Lefèv. ex P. J. Muell. in *Pollichia*, xvi-xvii. (1859) 117.—Europ.  
*procerus*, P. J. Muell. ex Genev. in *Mém. Soc. Acad. Maine-et-Loire*, xxiv. (1868) 209 = thyrsoides.

**RUBUS:—**

- procumbens*, Muhl. *Cat. ed. I.* 50; ed. II. 52 = canadensis.  
*prolectibilis*, Ripart & Genev. in *Genev. Monog. Rub.* ed. II. 815 = villicaulis.  
*prolixatus*, Ripart & Genev. l. c. 87 = tomentosus, *Borck.*  
*prolongatus*, Boul. & Letendre, ex Lefèv. in *Bull. Soc. Bot. Fr.* xxiv. (1877) 221 = candefactus.  
*pronatiflorus*, Timb. & P. J. Muell. ex Malbranche, in *Bull. Soc. Bot. Fr.* xxvi. (1879) 128 = ulmifolius.  
*propinquus*, P. J. Muell. in *Pollichia*, xvi-xvii. (1859) 88 = ulmifolius.  
*propinquus*, Richards. in *Frankl. 1st Journ.* ed. II. App. 19 = arcticus.  
*prostratus*, DC. ex Steud. *Nom. ed. I.* 706 = tomentosus, *Borck.*  
*prostratus*, Seidel, ex Steud. l. c. = hispidus.  
*Provostii*, Genev. in *Mém. Soc. Acad. Maine-et-Loire*, xxiv. (1868) 21 = caesius.  
*proximellus*, Ripart, ex Genev. *Monog. Rub.* ed. II. 330 = tomentosus, *Borck.*  
*pruinosis*, Arrhen. *Rub. Suec. Monog.* 15 = corylifolius.  
*pruinosis*, Boul. ex Malbranche, in *Bull. Soc. Bot. Fr.* xxvi. (1879) 127 = ulmifolius.  
*pruinosis*, Zoll. & Mor. in *Nat. en Geneesk. Arch. Nérl. Indie*, ii. (1845) 587.—Java.  
*psammophilus*, Ripart, ex Genev. in *Mém. Soc. Acad. Maine-et-Loire*, xxiv. (1868) 47 = nemorosus.  
*Pseudo-americanus*, Kuntze, *Method.* 90, 96 = crataegifolius.  
*Pseudo-arcticus*, Kuntze, l. c. 151 = arcticus.  
*Pseudo-caesius*, Weihe & Nees, *Rub. Germ.* 103. t. 46 B = caesius.  
*Pseudo-idaeus*, P. J. Muell. in *Flora*, xli. (1858) 129 = nensensis.  
*Pseudo-idaeus*, F. W. Schmidt, in *Neue Abh. Boehm. Ges. i.* (1791) 37 = *R. Idaeus*?  
*Pseudo-idaeus*, Weihe, ex Boenn. *Prod. Fl. Monast.* 151 = caesius.  
*Pseudo-incisus*, Kuntze, *Method.* 93 = incisus.  
*pseudopsis*, Gremli, ex Focke, *Syn. Rub. Germ.* 394 = orthocanthus.  
*Pseudo-radula*, Holuby, in *Oestr. Bot. Zeitschr.* xxiii. (1873) 379.—Europ.  
*Pseudo-tiliaceus*, Kuntze, *Method.* 60 = paniculatus?  
*Pseudo-triflorus*, Kuntze, l. c. 129 = humulifolius.  
*pubescens*, Rafin. in *Med. Repos. N. York, Ser. III.* ii. (1811) 333 = saxatilis.  
*pubescens*, Vest, ex Tratt. *Ros.* iii. 34.—Europ.  
*pubescens*, Weihe, ex Boenn. *Prod. Fl. Monast.* 152.—Europ.  
*pubicaulis*, Lefèv. & P. J. Muell. in *Pollichia*, xvi-xvii. (1859) 266 = nemorosus.  
*pubinervis*, Blume, *Bijdr.* 1110.—Java.  
*Pugeti*, Boul. ex Malbranche, in *Bull. Soc. Bot. Fr.* xxvi. (1879) 131 = ulmifolius.  
*pulchellus*, Gremli, in *Oestr. Bot. Zeitschr.* xxi. (1871) 97.—Europ.  
*pulcher*, P. J. Muell. & Lefèv. in *Pollichia*, xvi-xvii. (1859) 148.—Europ.  
*pulcherrimus*, Hook. *Pl. t.* 729-730 = lineatus.  
*pulcherrimus*, Neum. in *Oefvers. Vet. Akad. Foerhandl. Stockh.* (1883) n. VIII. 65 = polyanthemus.  
*pumilus*, Focke, in *Bremen, Abh.* iv. (1874) 155.—Mexic.  
*punctulatus*, P. J. Muell. ex Wirtg. in *Flora*, xlii. (1859) 235 = thyrsoides.  
*pungens*, Cambess. in *Jacquem. Voy. Bot.* 48. t. 59.—Reg. Himal.; Japon.  
*Purchasii*, Buxam, in *Journ. Bot.* xvi. (1878) 208.—Europ.  
*purpureistylus*, P. J. Muell. in *Flora*, xli. (1858) 171.—Europ.  
*purpureus*, Bunge, in *Mém. Sav. Etr. Pétersb.* ii. (1835) 98 = parvifolius.  
*purpureus*, Holuby, in *Oestr. Bot. Zeitschr.* xxiii. (1873) 374 = thyrsoides.  
*pusillus*, Ripart, ex Genev. in *Mém. Soc. Acad. Maine-et-Loire*, xxiv. (1868) 14 = caesius.  
*pyncanthus*, Focke, in *Bremen, Abh.* iv. (1874) 196 = Lambertianus.  
*pyncanthus*, Genev. *Monog. Rub.* ed. II. 210 = Sprengelii.  
*pyncostachys*, P. J. Muell. in *Pollichia*, xvi-xvii. (1859) 101 = tomentosus, *Borck.*

## RUBUS:—

- pyncostylus*, P. J. Muell. in *Bonplandia*, ix. (1861) 293.—Europ.  
*pygmaeopsis*, Focke, Syn. Rub. Germ. 364 = Schleicheri.  
*pygmaeus*, Bab. Man. Brit. Bot. ed. V. 104 = praeruptorum.  
*pygmaeus*, Bor. Fl. Centr. Fr. ed. III. ii. 190 = rosaceus.  
*pygmaeus*, Metsch, in *Linnaea*, xxviii. (1856) 178 = Bayeri.  
*pygmaeus*, Weihe & Nees, ex Bluff & Fingerh. Comp. Fl. Germ. ed. I. i. 687 = Koehleri.  
*pygmaeus*, Wirtg. Fl. Preuss. Rheinprov. 161, partim = Schleicheri.  
*pyramidalis*, Bab. Man. Brit. Bot. ed. III. 101.—Europ.  
*pyramidalis*, Kaltenb. Fl. Aach. Beckens, 275 = vestitus.  
*pyramidalis*, Quest. ex Bab. Brit. Rub. 235 = saltuum.  
*pyramidalis*, Genev. in Mém. Soc. Acad. Maine-et-Loire, xxiv. (1868) 192 = Sprengelii.  
*pyramidalis*, P. J. Muell. in *Pollichia*, xvi-xvii. (1859) 291 = vulgaris.  
*pyrifolius*, Buch.-Ham. ex Hook. f. Fl. Brit. Ind. ii. 328 = Hamiltoni.  
*pyrifolius*, Hook. f. & Thoms. ex Hook. f. l. c. = hexagynus.  
*pyrifolius*, Sm. Pl. Ic. Ined. t. 61.—Java.  
*quadratus*, P. J. Muell. in *Pollichia*, xvi-xvii. (1859) 182.—Europ.  
*Quartinianus*, A. Rich. Tent. Fl. Abyss. i. 257.—Abyss.  
*Questieri*, Lefèv. & P. J. Muell. in *Pollichia*, xvi-xvii. (1859) 120.—Europ.  
*quinquelobus*, Stokes, Bot. Mat. Med. iii. 142 = odoratus.  
*racemigerus*, Gremli, in Oestr. Bot. Zeitschr. xxi. (1871) 128 = R. Radula.  
*racemosus*, Genev. in Mém. Soc. Acad. Maine-et-Loire, x. (1861) 34 = macrophyllus.  
*racemosus*, Roxb. Hort. Beng. [92]; Fl. Ind. ii. 519.—Ind. or.  
*Raddeanus*, Focke, in *Bremen*, Abh. iv. (1874) 182.—Reg. Caucas.  
*radicans*, Cav. Ic. v. 7.—Chili.  
*radicans*, Focke, in *Bremen*, Abh. v. (1877) 407 = Fockeanus?  
*Radula*, Weihe, in *Boenn. Prod. Fl. Monast.* 152.—Europ.  
*ramosus*, Bloxam, in *Journ. Bot.* ix. (1871) 330.—Europ.  
*ramosus*, Neum. in Oefvers. Vet. Akad. Foerhandl. Stockh. xl. (1883) n. VIII. 82 = caesius.  
*rariiflorus*, Gremli, in Oestr. Bot. Zeitschr. xxi. (1871) 125.—Europ.  
*Ravi*, Weihe, ex Reichb. Fl. Germ. Excurs. 602 = vulgaris.  
*reclinatus*, Genev. in Mém. Soc. Acad. Maine-et-Loire, xxviii. (1872) 37.—Europ.  
*rectangulatus*, Krause, in *Verh. Bot. Ver. Brandenb.* xxvi. (1885) 14.—Europ.  
*rectangulatus*, Maass, ex Focke, Syn. Rub. Germ. 209 = villicaulis.  
*rectangulifolius*, Kuntze, *Method.* 60.—China.  
*rectispinus* x, P. J. Muell. & Wirtg. ex Focke, Syn. Rub. Germ. 239.—Europ.  
*reduncus*, Ripart, ex Genev. in Mém. Soc. Acad. Maine-et-Loire, xxiv. (1868) 211 = arduennensis.  
*reflexus*, Ker-Gawl. in Bot. Reg. t. 461 = moluccanus.  
*Reichenbachii*, Koehl. ex Bluff & Fingerh. Comp. Fl. Germ. ed. I. i. 685 = villicaulis.  
*Reinwardtii*, Kuntze, *Method.* 56.—Java.  
*remotus*, Gremli, in Oestr. Bot. Zeitschr. xxi. (1871) 126 = brachyandrus.  
*repens*, Gueldenst. Reisen, ii. 4, 197; ex Ledeb. Fl. Ross. ii. 72 (Quid?).—Ross.  
*reptans*, Herb. Par. ex Kuntze, *Method.* 107.—Mexic.  
*reticulatus*, Kern. in *Ber. Naturw. Ver. Innsbruck*, 165; *Nov. Pl. Sp. Decas.* iii. 42.—Europ.  
*reticulatus*, Wall. Cat. n. 747.—Reg. Himal.  
*retrodatatus*, P. J. Muell. & Lefèv. in *Pollichia*, xvi-xvii. (1859) 168.—Europ.  
*retrogressus*, Genev. in Mém. Soc. Acad. Maine-et-Loire, xxiv. (1868) 20 = caesius.  
*retrospiciens*, Boul. ex Malbranche, in Bull. Soc. Bot. Fr. xxvi. (1879) 127 = ulmifolius.  
*Reussii*, Holuby, in Oestr. Bot. Zeitschr. xxv. (1875) 314 = Guentheri.  
*Reuteri*, E. Merc. in *Reut. Cat. Pl. Vasc. Genève* ed. II. 272.—Europ.  
*rhamnifolius*, Bill, ex Genev. Monog. Rub. ed. II. 262 = ulmifolius.

## RUBUS:—

- rhamnifolius*, Weihe & Nees, Rub. Germ. 22. t. 6.—Europ.  
*rhamnifolius*, Wirtg. Fl. Preuss. Rheinprov. 150 = bifrons.  
*rhenanus*, P. J. Muell. in *Flora*, xli. (1858) 184.—Europ.  
*rhodacantha*, E. Mey. in Drège, Zwei Pfl. Docum. 217 = Ludwigii.  
*rhombifolius*, P. J. Muell. ex Wirtg. in *Flora*, xlii. (1859) 233 = vulgaris.  
*rhombifolius*, Weihe, ex Boenn. Prod. Fl. Monast. 151 = villicaulis.  
*rhombophyllus*, P. J. Muell. & Lefèv. in *Pollichia*, xvi-xvii. (1859) 175.—Europ.  
*ribesifolius*, Sieber, ex Hook. f. Fl. Tasm. i. 112 = parvifolius.  
*ribifolius*, Sieb. & Zucc. Fl. Jap. i. 127 = incisus.  
*ribifolius*, Willd. ex Ser. in DC. Prod. ii. 559 = spectabilis.  
*Ribis-folius*, Gilib. Fl. Lituan. ii. 244 = R. Chamaemorus.  
*rigidatus*, Gremli, in Oestr. Bot. Zeitschr. xxi. (1871) 127.—Europ.  
*rigidus*, E. Merc. in *Reut. Cat. Pl. Vasc. Genève* ed. II. 274.—Europ.  
*rigidus*, Sm. in Rees, Cycl. xxx. n. 5.—Afr. austr.  
*Ripartii*, Genev. in Mém. Soc. Acad. Maine-et-Loire, xxiv. (1868) 300 = tomentosus, Borch.  
*riualis*, Genev. l. c. viii. (1860) 76 = caesius.  
*riularis*, P. J. Muell. in *Flora*, xlii. (1859) 237 = serpens.  
*robustus*, P. J. Muell. in *Pollichia*, xvi-xvii. (1859) 87 = pubescens, Weihe.  
*robustus*, Presl, *Epim. Bot.* 196.—Peruv.  
*robustus*, Wirtg. ex Nym. Consp. 218 = tomentosus, Borch.  
*Roehli*, Regel, *Gartenfl.* (1875) 227; et in Act. Hort. Petrop. iii. II. (1875) 285 = deliciosus.  
*Rolfei*, Vidal, *Phan. Cuming. Philipp.* 171.—Ins. Philipp.  
*roridus*, Lindl. Bot. Reg. t. 1607.—Madag.  
*rorulentus*, Haldsby, in Kern. Sched. Fl. Exsicc. iii. 39.—Europ.  
*rosaceus*, Weihe & Nees, ex Bluff & Fingerh. Comp. Fl. Germ. ed. I. i. 685.—Europ.  
*rosaeiflorus*, Hook. Ic. Pl. t. 46 = roseus.  
*rosaeiflorus*, Roxb. Hort. Beng. 39; Fl. Ind. ii. 519 = lasiocarpus.  
*rosaeifolius*, Sm. Pl. Ic. Ined. iii. t. 60.—As. trop.  
*rosaeifolius*, Vidal, Sinops. t. 46. f. D = fraxinifolius.  
*roseiflorus*, P. J. Muell. in *Flora*, xli. (1858) 179 = caesius.  
*roseus*, Poir. *Encyc.* vi. 245.—Peruv.  
*rosifolius*, Stokes, Bot. Mat. Med. iii. 147 = rosaeifolius.  
*rostochiensis*, Krause, in *Verh. Bot. Ver. Brandenb.* xxvi. (1885) 18.—Europ.  
*rosulans*, Kuntze, *Method.* 65, 78 = moluccanus.  
*rosulentus*, P. J. Muell. in *Pollichia*, xvi-xvii. (1859) 76 = plicatus.  
*Rothii*, Focke, in *Bremen*, Abh. ii. (1871) 461 = vestitus.  
*rotundatus*, P. J. Muell. ex Genev. in Mém. Soc. Acad. Maine-et-Loire, xxiv. (1868) 177 = Sprengelii.  
*rotundifolius*, Bloxam, in Kirby, Fl. Leicester. 39.—Europ.  
*rotundifolius*, P. J. Muell. in *Flora*, xli. (1858) 178.—Europ.  
*rotundifolius*, Reinw. ex Miq. Fl. Ind. Bat. i. t. 384.—Java.  
*rotundifolius*, Royle, *Illustr. Bot. Himal.* 203, nomen = lasiocarpus.  
*rotundifolius*, Wall. Cat. n. 730 = ellipticus.  
*rotundifolius*, Weihe, ex Focke, Syn. Rub. Germ. 291 = vestitus.  
*rotundipetalus*, P. J. Muell. in *Pollichia*, xvi-xvii. (1859) 82 = candicans.  
*Roxburghianus*, Wall. Cat. n. 732 = parvifolius.  
*Roylei*, Klotzsch, in Bot. Ergeb. Waldem. Reise, 154. t. 6 = foliolosus.  
*rubellus*, P. J. Muell. in *Flora*, xli. (1858) 156.—Europ.  
*rubens*, Weihe, ex Reichb. Fl. Germ. Excurs. 604 = Menkei.  
*rubeolus*, Reichb. ex Nym. Consp. 216 = affinis.  
*rubeolus*, Weihe, ex Reichb. Fl. Germ. Excurs. 600 = rhamnifolius.

## RUBUS:—

- ruber*, Gilib. Fl. Lituan. ii. 243 = saxatilis.  
*rubescens*, Lej. Fl. Spa. ii. 340 = rosaceus.  
*rubicaulis*, Steud. Nom. ed. II. ii. 479, sphalm. = rubricaulis.  
*rubicolor*, Bloxam, in Syme, Engl. Bot. ed. III. iii. 180.—Europ.  
*rubicundus*, P. J. Muell. & Wirtg. ex Focke, Syn. Rub. Germ. 310 = obscurus, Kaltenb.  
*rubifolius*, Sieb. & Zucc. Fl. Jap. Fam. Nat. i. 19 = trifidus.  
*rubiginosus*, Lefèv. in Bull. Soc. Bot. Fr. xxiv. (1877) 223 = rufescens.  
*rubiginosus*, P. J. Muell. in *Pollichia*, xvi-xvii. (1859) 207.—Europ.  
*rubricaulis*, Weihe, ex Weihe & Nees, Rub. Germ. 69 = apiculatus.  
*rubriflorus*, Kuntze, *Method.* 102.—Mexic.  
*ruderalis*, Chab. ex Genev. in Mém. Soc. Acad. Maine-et-Loire, xxiv. (1868) 272 = villicaulis.  
*rudicaulis*, Genev. l. c. viii. (1860) 89.—Europ.  
*rudiformis*, Genev. l. c. xxiv. (1868) 151 = rudis.  
*rudis*, Bab. Brit. Rub. 189 = R. Radula.  
*rudis*, Weihe & Nees, ex Bluff & Fingerh. Comp. Fl. Germ. ed. I. i. 687.—Europ.  
*rufescens*, Lefèv. & P. J. Muell. in *Pollichia*, xvi-xvii. (1859) 152.—Europ.  
*rugosus*, Buch.-Ham. ex D. Don, Prod. Fl. Nep. 234 = moluccanus.  
*rugosus*, G. Jens. ex Lange, Fl. Dan. t. 2905 = slesvicensis.  
*rugosus*, Maxim. in Bull. Acad. Pétersb. xvii. (1872) 149 = formosensis.  
*rugosus*, Sm. in Rees, Cycl. xxx. n. 34 = moluccanus.  
*Ruizii*, Focke, in *Bremen*, Abh. iv. (1874) 162.—Peruv.  
*rupestris*, P. J. Muell. in *Flora*, xli. (1858) 180 = nemorosus.  
*russeicaulis*, Lefèv. in Bull. Soc. Bot. Fr. xxiv. (1877) 222, nomen.—Europ.  
*rusticanus*, E. Merc. in Reut. Cat. Pl. Vasc. Genève ed. II. 279 = ulmifolius.  
*sabaudus*, Focke, ex Gremli, Excurs. Schw. ed. II. 161 = ulmifolius.  
*sacer*, Georgi, Besch. Russ. Reich. III. iv. 1032 = ulmifolius.  
*saevus*, Holuby, in Oestr. Bot. Zeitschr. xxiii. (1873) 383 = Koehleri.  
*salisburgensis*, Focke, Syn. Rub. Germ. 280.—Europ.  
*Salteri*, Bab. in Ann. & Mag. Nat. Hist. Ser. I. xvii. (1846) 172 = silvaticus.  
*saltuum*, Focke, in Gremli, Beitr. Fl. Schw. 30.—Europ.  
*sanctus*, Kuntze, Taschen-Fl. Leipz. 262 = caesius.  
*sanctus*, Schreb. Ic. et Desc. Pl. Dec. 15. t. 8 = ulmifolius.  
*sanguineus*, Frivald. in *Flora*, xviii. (1835) 334 = ulmifolius.  
*sanguinolentus*, Link, Enum. Hort. Berol. ii. 61.—Ins. Borbon.  
*sapidus*, Schlecht. in *Linnaea*, xiii. (1839) 269.—Mexic.  
*Sauli*, Ripart, ex Genev. in Mém. Soc. Acad. Maine-et-Loire, xx. (1866) 33 = pubescens, Weihe.  
*saxatilis*, Bigel. Fl. Bost. ed. II. 201 = triflorus.  
*saxatilis*, Linn. Sp. Pl. 494.—Reg. bor. temp. et arct.  
*saxicolus*, P. J. Muell. in *Pollichia*, xvi-xvii. (1859) 202 = hirtus.  
*scaber*, Kaltenb. Fl. Aach. Beckens, 289 = hirtus.  
*scaber*, Weihe & Nees, ex Bluff & Fingerh. Comp. Fl. Germ. ed. I. i. 683.—Europ.  
*scabridus*, P. J. Muell. in *Pollichia*, xvi-xvii. (1859) 158.—Europ.  
*scabrifolius*, Gremli, in Oestr. Bot. Zeitschr. xxi. (1871) 96 = Bayeri.  
*scabripes*, Genev. in Mém. Soc. Acad. Maine-et-Loire, viii. (1860) 69, 81 = Sprengelii.  
*scabrosus*, P. J. Muell. in *Flora*, xli. (1858) 185 = nemorosus.  
*scandens*, Juss. ex Poir. *Encyc.* vi. 237 = saxatilis.  
*scandens*, Liebm. in Kjoeb. Vidensk. Meddel. (1852) 154.—Mexic.  
*scanicus*, Aresch. Skånes Fl. ed. II; et in Bot. Notiser (1881), 158.—Europ.  
*Schefferi*, Focke, in *Bremen*, Abh. viii. (1884) 472.—Java.  
*Schiedeanus*, Steud. Nom. ed. II. ii. 479.—Mexic.  
*schistogenes*, P. J. Muell. ex Wirtg. in *Flora*, xlii. (1859) 233 = nemorosus.



**RUBUS:—**

- Schlechtendahlia*, Weihe, ex Link, Enum. Hort. Berol. ii. 62 = macrophyllus.  
*Schleicheri*, Holuby, ex Focke, Syn. Rub. Germ. 390 = orthocanthus.  
*Schlickumi*, Wirtg. in Flora, xlii. (1859) 235 = thyrsoideus.  
*Schmelleri*, Holuby, in Oestr. Bot. Zeitschr. xxiii. (1873) 377.—Europ.  
*schmidelioides*, A. Cunn. in Ann. Nat. Hist. Ser. I. iii. (1839) 245 = australis.  
*Schomburgkii*, Klotzsch, in Schomb. Faun. et Fl. Brit. Gui. 1102, nomen.—Gulan.  
*Schottii*, Pohl, ex Focke, in Bremen, Abh. iv. (1874) 157.—Bras.  
*Schultzei*, Ripart, ex P. J. Muell. in Pollichia, xvi-xvii. (1859) 289 = tomentosus, *Borck*.  
*Schummelii*, Weihe, in Wimm. & Grab. Fl. Siles. (1829) i. ii. 47.—Europ.  
*Schwarzeri* ×, Holuby, in Oestr. Bot. Zeitschr. xxiii. (1873) 376.—Europ.  
*sciaphilus*, Lange, in Fl. Dan. t. 3026.—Europ.  
*sciophilus*, Lefev. ex P. J. Muell. in Pollichia, xvi-xvii. (1859) 205.—Europ.  
*secophilus*, Genev. in Mém. Soc. Acad. Maine-et-Loire, xxiv. (1868) 178.—Europ.  
*Sellowii*, Cham. & Schlecht. in Linnaea, ii. (1827) 15.—Arg. Argent.  
*semipellitus*, Ripart, ex Genev. Monog. Rub. ed. II. 336 = tomentosus, *Borck*.  
*semivestitus*, P. J. Muell. & Lefev. in Pollichia, xvi-xvii. (1859) 197.—Europ.  
*semiviridis*, Boul. ex Malbranche, in Bull. Soc. Bot. Fr. xxvi. (1879) 131 = ulmifolius.  
*sempervirens*, Bigel. Fl. Bost. ed. II. 201 = hispidus.  
*Sendtneri*, Prog. in Ber. Bot. Ver. Landshut, viii. (1882) 109.—Europ.  
*senticetorum*, P. J. Muell. in Pollichia, xvi-xvii. (1859) 255.—Europ.  
*senticosus*, Koehl. ex Weihe, in Wimm. & Grab. Fl. Siles. (1829) i. ii. 51.—Europ.  
*separinus*, Genev. in Mém. Soc. Acad. Maine-et-Loire, viii. (1860) 71, 90, 111 = vestitus.  
*sepicolus*, Lefev. & P. J. Muell. in Pollichia, xvi-xvii. (1859) 273 = nemorosus.  
*sepincolus*, Boul. ex Lamotte, Prod. Fl. Centr. Fr. i. 255, nomen = R. Radula.  
*sepium*, Ripart, ex Genev. Mém. Soc. Acad. Maine-et-Loire, xxiv. (1868) 53 = nemorosus.  
*septicolus*, Arrond. Cat. Pl. Morb. 33 = *sepicolus*.  
*septorum*, P. J. Muell. in Pollichia, xvi-xvii. (1859) 271 = macrophyllus.  
*sericatus*, P. J. Muell. & Lefev. l. c. 125.—Europ.  
*sericatus*, P. J. Muell. in Flora, xli. (1858) 184.—Europ.  
*sericeus*, Gilib. Fl. Lituan. ii. 241 = R. Idaeus.  
*sericophyllus*, P. J. Muell. & Wirtg. ex Focke, Syn. Rub. Germ. 240 = tomentosus, *Borck*.  
*serpens*, Gren. & Godr. Fl. Fr. i. 538 = orthocanthus.  
*serpens*, Weihe, in Lej. & Court. Comp. Fl. Belg. ii. 172.—Europ.  
*serratifolius*, P. J. Muell. & Lefev. in Pollichia, xvi-xvii. (1859) 237.—Europ.  
*serratus*, J. F. Gmel. Syst. 856 = villosus.  
*serriculatus*, Ripart, ex Genev. in Mém. Soc. Acad. Maine-et-Loire, xxiv. (1868) 250 = ulmifolius.  
*sertiflorus*, P. J. Muell. ex Genev. l. c. 96 = rosaceus.  
*sessilifolius*, Miq. ex Hook. f. Fl. Brit. Ind. ii. 336 = ellipticus.  
*setigerus*, Lefev. & P. J. Muell. in Pollichia, xvi-xvii. (1859) 222.—Europ.  
*setosolignosus*, Kuntze, Method. 69 = moluccanus.  
*setosus*, Bigel. Fl. Bost. ed. II. 198 = hispidus.  
*setulosus*, P. J. Muell. & Lefev. in Pollichia, xvi-xvii. (1859) 199.—Europ.  
*siculus*, Presl, Fl. Sic. p. xxiv = tomentosus, *Borck*.  
*Sieboldii*, Blume, Bijdr. 1110.—Java.  
*siekensis*, Banning, in Focke, Syn. Rub. Germ. 271 = conothyrso.  
*sikkimensis*, Hook. f. Fl. Brit. Ind. ii. 336.—Reg. Himal.  
*sikkimensis*, Kuntze, ex Hook. f. l. c. 341 = rosae-folius.  
*silesiacus*, Weihe, in Wimm. & Grab. Fl. Siles. (1829) i. ii. 53 = thyrsoideus.

**RUBUS:—**

- silvaticus*, Weihe & Nees, Rub. Germ. 41. t. 15.—Europ.  
*silvaticus*, Wirtg. ex Focke, Syn. Rub. Germ. 209 = villicaulis.  
*silvestris*, Focke, l. c. 330 = foliosus.  
*silvicolus*, C. Muell. in Walp. Ann. vii. 855 = sylvicolus.  
*similatus*, P. J. Muell. in Pollichia, xvi-xvii. (1859) 114.—Europ.  
*similis*, Kuntze, Method. 94 = microphyllus.  
*sinensis*, Hort. ex Ser. in DC. Prod. ii. 556 = rosae-folius.  
*slesvicensis*, Lange, in Fl. Dan. t. 2905.—Europ.  
*sorbifolius*, Maxim. in Bull. Acad. Pétersb. xvii. (1871) 158 = rosae-folius.  
*sordidus*, Gremli, in Oestr. Bot. Zeitschr. xxi. (1871) 98.—Europ.  
*sparsipilus*, Genev. in Mém. Soc. Acad. Maine-et-Loire, xxiv. (1868) 73 = hirtus.  
*speciosus*, P. J. Muell. in Flora, xli. (1858) 135 = bifrons.  
*spectabilis*, James, Cat. 182 = deliciosus.  
*spectabilis*, E. Merc. in Reut. Cat. Pl. Vasc. Genève. ed. II. 291 = arduennensis.  
*spectabilis*, Pursh, Fl. Am. Sept. i. 348. t. 16.—Am. bor.  
*speluncarum*, Timb. in Bull. Soc. Sc. Phys. et Nat. Toul. ii. (1874) 453.—Europ.  
*sphenoides*, Focke, ex Gremli, Excurs. Schw. ed. II. 161 = tomentosus, *Borck*.  
*sphenophyllos*, G. Braun, ex Focke, Syn. Rub. Germ. 270 = glaucovirens.  
*sphenophyllus*, Lefev. & P. J. Muell. in Pollichia, xvi-xvii. (1859) 215.—Europ.  
*spicatus*, Lefev. ex Genev. in Mém. Soc. Acad. Maine-et-Loire, xxviii. (1872) 57 = pubescens, *Weihe*.  
*spicatus*, Noronha, in Verh. Batav. Gen. v. (1790) ed. I. Art. iv. 26 = elongatus? *Sm*.  
*spiculatus*, Boul. & Bouv. ex Lamotte, Prod. Fl. Centr. Fr. i. 248 = nemorosus.  
*spidnostachys*, Ripart & Genev. in Mém. Soc. Acad. Maine-et-Loire, xxiv. (1868) 275 = villicaulis.  
*Spina-curva*, Boul. & Gillot, ex Genev. Monog. Rub. ed. II. 317 = villicaulis.  
*spinetorum*, P. J. Muell. & Lefev. in Pollichia, xvi-xvii. (1859) 281.—Europ.  
*spinosissimus*, P. J. Muell. in Flora, xli. (1858) 177 = nemorosus.  
*spinosissimus*, Schur, Enum. Pl. Transs. 186 = heterophyllus, *Host*.  
*spinulicaulis*, P. J. Muell. in Bonplandia, ix. (1861) 305.—Europ.  
*spinuliferus*, P. J. Muell. & Lefev. in Pollichia, xvi-xvii. (1859) 213.—Europ.  
*spinulifolius*, Gremli, in Oestr. Bot. Zeitschr. xxi. (1871) 127.—Europ.  
*spinulosus*, P. J. Muell. in Flora, xli. (1858) 169.—Europ.  
*splendens*, Chab. ex Genev. in Mém. Soc. Acad. Maine-et-Loire, xxiv. (1868) 266 = villicaulis.  
*splendens*, Genev. l. c. x. (1861) 36.—Europ.  
*splendidus*, P. J. Muell. & Lefev. in Pollichia, xvi-xvii. (1859) 130.—Europ.  
*spoliatus*, Genev. in Mém. Soc. Acad. Maine-et-Loire, xxviii. (1872) 48 = carpinifolius.  
*Sprengelii*, Weihe, in Flora, ii. (1819) 18.—Europ.  
*squalidus*, Genev. in Mém. Soc. Acad. Maine-et-Loire, x. (1861) 20.—Europ.  
*stellatus*, Sm. Pl. Ic. Ined. t. 64.—Am. bor.  
*stelliger*, Turcz. ex Lefev. in Bull. Soc. Bot. Fr. xxiv. (1877) 224 = nemorosus.  
*stellinus*, Kuntze, ex Focke, Syn. Rub. Germ. 434 = tomentosus, *Borck*.  
*stenoacanthus*, Lefev. & P. J. Muell. in Pollichia, xvi-xvii. (1859) 110.—Europ.  
*stenopetalus*, Cham. in Choris, Voy. Pittor. (Kamtchat). 10 = spectabilis.  
*stenopetalus*, Lefev. & P. J. Muell. in Pollichia, xvi-xvii. (1859) 94.—Europ.  
*stenophyllus*, P. J. Muell. l. c. 98 = carpinifolius.  
*stenoplos*, Focke, Syn. Rub. Germ. 434 = rhamnifolius.  
*stenothyrsos*, Holuby, in Oestr. Bot. Zeitschr. xxv. (1875) 315.—Europ.  
*stereacanthos*, P. J. Muell. ex Genev. in Mém. Soc. Acad. Maine-et-Loire, xxiv. (1868) 189 = macrophyllus.  
*sterilis*, Kuntze, Method. 69, 78 = moluccanus.

**RUBUS:—**

- Steudneri*, Schweinf. in Verh. Zool.-Bot. Ges. Wien, xviii. (1868) 669.—Afr. trop.  
*stictocalyx*, P. J. Muell. in Bonplandia, ix. (1861) 285.—Europ.  
*stipularis*, Benth. Pl. Hartw. 173.—N. Granat.  
*striatus*, Boul. ex Malbranche, in Bull. Soc. Bot. Fr. xxvi. (1879) 128 = ulmifolius.  
*stricticaulis*, Gremli, in Oestr. Bot. Zeitschr. xxi. (1871) 126.—Europ.  
*strigosus*, Michx. Fl. Bor. Am. i. 297.—Am. bor.  
*suaveolens*, Eichw. Skizze, 162 (Quid?).—Ross.  
*suaveolens*, Thunb. Diss. Rub. 6.—Hab.?  
*suavifolius*, Gremli, Beitr. Fl. Schw. 35 = vestitus.  
*subcanus*, P. J. Muell. ex Genev. in Mém. Soc. Acad. Maine-et-Loire, xxviii. (1872) 45 = Sprengelii.  
*submarginatus*, P. J. Muell. & Timb. ex Malbranche, in Bull. Soc. Bot. Fr. xxvi. (1879) 127 = ulmifolius.  
*suberectus*, Anders. ex Sm. Engl. Bot. t. 2572; et in Trans. Linn. Soc. xi. (1815) 218 = uessensis.  
*suberectus*, Baer, in Flora, iv. (1821) 411 = Sprengelii.  
*suberectus*, Hook. Fl. Bor. Am. i. 179 = villosus.  
*Suberti*, Ripart, ex Genev. in Mém. Soc. Acad. Maine-et-Loire, xxiv. (1868) 281 = ulmifolius.  
*subfulgens*, Prog. in Ber. Bot. Ver. Landshut, viii. (1882) 109 = Sendtneri.  
*subherbaceus*, Kuntze, Method. 83.—Hab.?  
*subinermis*, P. J. Muell. & Lefev. in Pollichia, xvi-xvii. (1859) 162.—Europ.  
*subinermis*, Ruprecht, in Beitr. Pfl. Russ. Reich. iv. 66 = nessesensis.  
*subintegrifolius*, Kuntze, Method. 113 = humulifolius.  
*sublentis*, Boul. ex Malbranche, in Bull. Soc. Bot. Fr. xxvi. (1879) 131 = ulmifolius.  
*sublustris*, Lees, in Steele, Handb. Field Bot. 54 = corylifolius.  
*subramiflorus*, Kuntze, Method. 54, 79 = Sieboldii.  
*subvelutinus*, Boul. & Ripart, ex Genev. Monog. Rub. ed. II. 319 = villicaulis.  
*sulcatus*, Koehl. ex Bluff & Fingerh. Comp. Fl. Germ. ed. i. 669 = fruticosus.  
*sulcatus*, Vest, ex Tratt. Ros. iii. 42.—Europ.  
*sumatranus*, Miq. Fl. Ind. Bat. Suppl. 307.—Sumatra.  
*sundaicus*, Blume, Bijdr. 1111.—Java.  
*Swinhoei*, Hance, in Ann. Sc. Nat. Sér. V. v. (1866) 211.—Ins. Formosa; China.  
*sylvarum*, Ripart, ex Genev. Monog. Rub. ed. II. 196 = macrophyllus.  
*sylvaticus*, Leight. ex Focke, Syn. Rub. Germ. 206 = villicaulis.  
*sylvestris*, Kaltenb. Fl. Aach. Beckens, 288 = foliosus.  
*sylvicolus*, Lefev. & P. J. Muell. in Pollichia, xvi-xvii. (1859) 113.—Europ.  
*taeniarum*, Lindeb. Nov. Fl. Scand. 5. t. 1 = infestus, *Weihe*.  
*tagallus*, Cham. & Schlecht. in Linnaea, ii. (1827) 9.—Ins. Luzon; China.  
*Tanaka*, Kuntze, Method. 94.—Japon.  
*tardiflorus*, Focke, ex Gremli, in Oestr. Bot. Zeitschr. xxi. (1871) 96 = foliosus.  
*tauricus*, Schlecht. ex Ledeb. Fl. Ross. ii. 68 = fruticosus.  
*tenacellus*, Genev. in Mém. Soc. Acad. Maine-et-Loire, xxviii. (1872) 52 = ulmifolius.  
*tenellus*, Lefev. & P. J. Muell. in Pollichia, xvi-xvii. (1859) 248.—Europ.  
*tenuiarmatus*, Lees, in Phytol. (1853) 818 = corylifolius.  
*tenuiflorus*, Ripart, ex Genev. in Mém. Soc. Acad. Maine-et-Loire, xxiv. (1868) 205 = thyrsoideus.  
*tenuiglandulosus*, Gremli, in Oestr. Bot. Zeitschr. xxi. (1871) 97 = foliosus.  
*tenuis*, Bell Salt, in Ann. & Mag. Nat. Hist. Ser. I. xv. (1845) 305 = caesius.  
*tenuis*, Kuntze, Method. 154.—Europ.  
*tephracanthos*, Boul. ex Malbranche, in Bull. Soc. Bot. Fr. xxvi. (1879) 130 = ulmifolius.  
*tephrodes*, Hance, in Journ. Bot. xii. (1874) 260.—China.  
*tereticaulis*, P. J. Muell. in Flora, xli. (1858) 173 = tomentosus, *Borck*.  
*teretiunculus*, Kaltenb. Fl. Aach. Beckens, 282 = vestitus.  
*ternatus*, Thunb. Diss. Rub. 8.—Hab.?  
*tetraphyllus*, Willd. Berl. Baumz. ed. II. 413.—Am. bor.  
*thamnocharis*, P. J. Muell. in Pollichia, xvi-xvii. (1859) 263 = nemorosus.

**RUBUS:—**

- thamnophilus*, Ripart, ex Genev. Monog. Rub. ed. II. 247 = arduennensis.  
*thelybatus*, Focke, Syn. Rub. Germ. 279.—Europ.  
*Thomsonii*, Focke, in Bremen, Abh. iv. (1874) 198.—Reg. Himal.  
*Thuillieri*, Poir. Encyc. Suppl. iv. 694 = rhamnifolius, tomentosus, Borck.  
*Thunbergii*, Blume, Bijdr. 1109 = parvifolius.  
*Thunbergii*, Sieb. & Zucc. Fl. Jap. Fam. Nat. i. 18.—Japan.  
*thuringensis*, Metsch. in Linnaea, xxviii. (1856) 199 = R. Radula.  
*thyrsanthoides*, Krause, in Verh. Bot. Ver. Brandenb. xxvi. (1885) 15.—Europ.  
*thyrsanthus*, Focke, Syn. Rub. Germ. 168 = thyrsoides.  
*thyrsiflorus*, Betcke, in Meklenburg. Archiv, iv. (1850) 125 = Metschii.  
*thyrsiflorus*, Weihe & Nees, ex Bluff & Fingerh. Comp. Fl. Germ. ed. I. i. 684.—Europ.  
*thyrsiger*, Banning & Focke, ex Focke, Syn. Rub. Germ. 341 = scaber.  
*thyrsoides*, Bab. Brit. Rub. 108 = pubescens, Weihe.  
*thyrsoides*, Schur, Enum. Pl. Transs. 186 = candicans.  
*thyrsoides*, Wimm. Fl. Schles. (1832) 204.—Europ.  
*tiliaceus*, Liebm. in Kjoeb. Vidensk. Meddel. (1852) 161 = tiliaefolius, Focke.  
*tiliaceus*, Sm. in Rees, Cycl. xxx. n. 35 = paniculatus.  
*tiliaceus*, Strach. & Winterb. ex Hook. f. Fl. Brit. Ind. ii. 331 = lanatus.  
*tiliaefolius*, Focke, in Bremen, Abh. iv. (1874) 159.—Mexic.  
*tiliaefolius*, Weihe, ex Spreng. Syst. ii. 529.—Europ.  
*titanophilus*, Ripart, ex Genev. in Mém. Soc. Acad. Maine-et-Loire, xxviii. (1872) 30 = nemorosus.  
*Tokkura*, Siebold, in Verh. Batav. Gen. xii. (1830) 65.—Japan.  
*tomentellus*, Ripart, ex Genev. in Mém. Soc. Acad. Maine-et-Loire, xxiv. (1868) 301 = tomentosus, Borck.  
*tomentosus*, Borck. in Roem. Neues Mag. Bot. i. (1794) 2.—Europ.  
*tomentosus*, Bory, Voy. ii. 375 = borbonicus.  
*tomentosus*, Thunb. Diss. Rub. 5.—Europ.  
*tomentosus*, Willd. Sp. Pl. ii. 1083.—Europ.; As. Min.  
*tongloensis*, Kuntze, Method. 66, 78 = moluccanus.  
*trachydermis*, Focke, Syn. Rub. Germ. 324.—Europ.  
*trachypus*, Boul. & Gillot, in Ann. Soc. Bot. Lyon, viii. (1881) 20.—Europ.  
*transalpinus* ×, Bruegg. in Jahrb. Naturf. Ges. Graub. II. xxiii-xxiv. (1880) 58.—Europ.  
*transiens*, Kuntze, Method. 79, 107.—Japan.  
*tremulus*, Lefèv. & P. J. Muell. in Pollichia, xvi-xvii. (1859) 138.—Europ.  
*Treutleri*, Hook. f. Fl. Brit. Ind. ii. 331.—Reg. Himal.  
*Trevirani*, Koehl. ex Weihe, in Wimm. & Grab. Fl. Siles. (1829) i. ii. 53 = thyrsoides.  
*trichocarpus*, Timer. ex Bab. Brit. Rub. 129 = scaber.  
*trichomallus*, Schlecht. in Linnaea, xiii. (1839) 268.—Mexic.  
*tricornatus*, Lefèv. in Bull. Soc. Bot. Fr. xxiv. (1877) 223, nomen.—Europ.  
*trifidus*, Steud. Nom. ed. II. ii. 479 = trilobus.  
*trifidus*, Thunb. Fl. Jap. 217.—Japan.  
*triflorus*, Buch.-Ham. ex D. Don, Prod. Fl. Nep. 233 = acuminatus.  
*triflorus*, Richards. in Frankl. 1st Journ. App. ed. II. 19.—Am. arct.  
*trifoliatus*, Noronha, in Verh. Batav. Gen. v. (1790) ed. I. Art. iv. 26 = lineatus.  
*trifoliatus*, Weihe, ex Steud. Nom. ed. II. ii. 479, nomen.—Germ.  
*trigonodonthos*, Boul. ex Genev. Mém. Soc. Acad. Maine-et-Loire, xxviii. (1872) 25 = nemorosus.  
*trilobus*, [Moq. & Sesse,] ex Ser. in DC. Prod. ii. 566.—Mexic.  
*triphyllus*, Bell. in Mém. Acad. Turin, 1790-91 (1793) 231 = tomentosus, Borck.  
*triphyllus*, Thunb. Fl. Jap. 215 = parvifolius.  
*tristifrons*, Ripart, ex Genev. in Mém. Soc. Acad. Maine-et-Loire, xxiv. (1868) 262 = villicaulis.  
*tristis*, Gremli, in Oestr. Bot. Zeitschr. xxi. (1871) 97.—Europ.  
*trivialis*, Michx. Fl. Bor. Am. i. 296.—Am. bor. occ.  
*trivialis*, Pursh, Fl. Am. Sept. i. 347 = canadensis.

**RUBUS:—**

- truncifolius*, P. J. Muell. & Lefèv. in Pollichia, xvi-xvii. (1859) 139.—Europ.  
*tuberculatus*, Bab. Fl. Camb. 306 = nemorosus.  
*tumidus*, Gremli, Excurs. Schw. ed. II. 161 = arduennensis.  
*Uhdeanus*, Focke, in Bremen, Abh. iv. (1874) 159.—Mexic.  
*ulmifolius*, J. & C. Presl, Delic. Prag. i. 223 = nemorosus.  
*ulmifolius*, Schott, in Oken, Isis (1818), fasc. v. 821.—Europ.  
*umbelliformis*, P. J. Muell. & Lefèv. in Pollichia, xvi-xvii. (1859) 265.—Europ.  
*umbaticolus*, Gremli, in Oestr. Bot. Zeitschr. xxi. (1871) 97.—Europ.  
*umbraticus*, P. J. Muell. in Pollichia, xvi-xvii. (1859) 114 = vestitus.  
*umbrosus*, Lees, in Steele, Handb. Field Bot. 60 = nensensis.  
*umbrosus*, Maass, ex Focke, Syn. Rub. Germ. 151 = rhamnifolius.  
*umbrosus*, Weihe, ex Nym. Consp. 217 = villicaulis.  
*uncatus*, Wall. Cat. n. 750 = macilentus, Jacquem.  
*uncinatus*, Heut. ex Nym. Consp. 219 = rudis.  
*uncinatus*, P. J. Muell. in Flora, xli. (1858) 154.—Europ.  
*uncinelliferus*, Ripart, ex Genev. in Mém. Soc. Acad. Maine-et-Loire, xxiv. (1868) 280 = villicaulis.  
*uncinellus*, P. J. Muell. & Lefèv. in Pollichia, xvi-xvii. (1859) 286 = caesius.  
*undulatus*, E. Merc. in Reut. Cat. Pl. Vasc. Genève. ed. II. 283.—Europ.  
*uniflorus*, Kuntze, Method. 91, 97.—Mexic.  
*universalis*, Lefèv. in Bull. Soc. Bot. Fr. xxiv. (1877) 218 = ulmifolius.  
*ursinus*, Cham. & Schlecht. in Linnaea, ii. (1827) 11.—Am. bor. occ.  
*ursinus*, Torr. & Gray, Fl. N. Am. i. 456, partim = spectabilis.  
*urticaefolius*, Poir. Encyc. vi. 246.—Peruv.  
*ustulatus*, Lefèv. ex Genev. in Mém. Soc. Acad. Maine-et-Loire, xxviii. (1872) 58 = pubescens, Weihe.  
*valesiacus*, Gremli, Excurs. Schw. ed. IV. 150 = arduennensis.  
*validulus*, Genev. in Mém. Soc. Acad. Maine-et-Loire, xxviii. (1872) 20 = caesius.  
*validus*, Lefèv. in Bull. Soc. Bot. Fr. xxiv. (1877) 223, nomen.—Europ.  
*vallicolus*, P. J. Muell. in Pollichia, xvi-xvii. (1859) 188.—Europ.  
*variabilis*, Lefèv. in Bull. Soc. Bot. Fr. xxiv. (1877) 223 = saltuum.  
*velatus*, Lefèv. ex Genev. in Mém. Soc. Acad. Maine-et-Loire, xxviii. (1872) 34 = Sprengelii.  
*velicaulis*, Koehl. ex Opiz, Boehm. Gew. (1823) 62 = villicaulis.  
*velutinus*, Hook. & Arn. Bot. Beech. Voy. 140 = nutkanus.  
*velutinus*, Pourr. ex Willk. & Lange, Prod. Fl. Hisp. iii. 221 = collinus.  
*velutinus*, Vest. ex Tratt. Ros. iii. 47 = Menkei.  
*vendeanus*, Genev. in Mém. Soc. Acad. Maine-et-Loire, viii. (1860) 72, 98 = villicaulis.  
*vepretorum*, P. J. Muell. in Pollichia, xvi-xvii. (1859) 276.—Europ.  
*vernus*, Focke, in Bremen, Abh. v. (1877) 407.—Japan.  
*versistipulatus*, Kuntze, Method. 84.—Hab. ?  
*vespicum*, P. J. Muell. ex Focke, Syn. Rub. Germ. 237 = tomentosus, Borck.  
*vestiferus*, P. J. Muell. ex Lamotte, Prod. Fl. Centr. Fr. i. 256, nomen = thyrsiflorus.  
*Vestii*, Focke, Syn. Rub. Germ. 155.—Europ.  
*vestitus*, Weihe & Nees, ex Bluff & Fingerh. Comp. Fl. Germ. ed. I. i. 684.—Europ.  
*vicinus*, Ripart, ex Genev. in Mém. Soc. Acad. Maine-et-Loire, xxiv. (1868) 283 = villicaulis.  
*Victoris*, Mart. Fl. Tarn, 221.—Europ.  
*vigerosus*, P. J. Muell. & Wirtg. ex Nym. Consp. 216 = affinis.  
*Villarsianus*, Focke, in Gremli, Beitr. Fl. Schw. 28 = orthocanthus.  
*villicaulis*, Koehl. ex Weihe & Nees, Rub. Germ. 43. t. 17.—Silesia.  
*villosulus*, Ripart, ex Genev. Monog. Rub. ed. II. 291 = ulmifolius.  
*villosus*, Ait. Hort. Kew. ed. I. ii. 210.—Am. bor.

**RUBUS:—**

- villosus*, Lasch. in Linnaea, viii. (1833) 297 = vestitus.  
*villosus*, Thunb. Fl. Jap. 218 = corchorifolius.  
*villosus*, Torr. Fl. N. York, i. 215 = heterophyllus, Willd.  
*vinetorum*, Holandre, Fl. Moselle, ed. I. 267 = vestitus.  
*virescens*, G. Braun, ex Focke, Syn. Rub. Germ. 224.—Europ.  
*virescens*, P. J. Muell. ex Wirtg. in Flora, xlii. (1859) 235 = Fockelii.  
*viretorum*, P. J. Muell. in Pollichia, xvi-xvii. (1859) 275 = tomentosus, Borck.  
*virgultorum*, P. J. Muell. l. c. 273.—Europ.  
*viridis*, Kaltenb. Fl. Aach. Beckens, 284 = serpens.  
*viridis*, Presl, ex Ort. in Flora, xviii. (1835) 488 = nensensis.  
*viridulus*, Freyn, in Verh. Zool.-Bot. Ges. Wien, xxxi. (1882) 376.—Europ.  
*viscosus*, Weihe, ex Lej. & Court. Comp. Fl. Belg. ii. 170 = foliosus.  
*vitifolius*, Cham. & Schlecht. in Linnaea, ii. (1827) 10 = ursinus.  
*vogesiatus*, P. J. Muell. in Flora, xli. (1858) 170.—Europ.  
*Vrabelianus*, Kern. in Oestr. Bot. Zeitschr. xix. (1869) 203.—Europ.  
*vulgaris*, Bor. Fl. Centr. Fr. ed. III. ii. 200 = vestitus.  
*vulgaris*, Focke, in Bremen, Abh. i. (1868) 287 = villicaulis.  
*vulgaris*, Weihe & Nees, Rub. Germ. 38.—Europ.  
*vulgarius*, Genev. in Mém. Soc. Acad. Maine-et-Loire, xxviii. (1872) 58.—Europ.  
*vulgatus*, Genev. l. c. xx. (1866) 32.—Europ.  
*vulnificus*, Lefèv. ex Genev. l. c. xxviii. (1872) 53 = ulmifolius.  
*vulpinus*, Desf. Tabl. ed. I. 178 = Sprengelii.  
*Wahlbergii*, Arrhen. Rub. Suec. Monog. 43.—Europ.  
*Wahlbergii*, Focke, in Bremen, Abh. i. (1868) 305 = Laschii.  
*Wahlbergii*, Godr. Monog. 17 = Godroni.  
*Wahlbergii*, Neum. in Oefvers. Vet. Akad. Foerhandl. Stockh. xl. (1883) n. viii. 78; et in Bot. Notiser (1885), 91 = corylifolius.  
*Wallichianus*, Wight & Arn. Prod. 298 = ellipticus.  
*Warrenii*, Bloxam, ex Bab. in Journ. Bot. xvi. (1878) 115 = villicaulis.  
*Wawrai*, Kuntze, Method. 56 = moluccanus.  
*Weigelii*, Koehl. ex Weihe, in Wimm. & Grab. Fl. Siles. (1829) i. ii. 55 = hirtus.  
*Weiheanus*, Focke, ex Gremli, in Oestr. Bot. Zeitschr. xxi. (1871) 98.—Europ.  
*Weiheanus*, Ripart, ex Genev. in Mém. Soc. Acad. Maine-et-Loire, xxiv. (1868) 253 = pubescens, Weihe.  
*Weihei*, Koehl. ex Weihe, in Wimm. & Grab. Fl. Siles. (1829) i. ii. 31 = nemorosus.  
*Weihei*, Lej. in Lej. & Court. Comp. Fl. Belg. ii. 164 = sulcatus.  
*Weinteri*, Genev. Monog. Rub. ed. II. 268 = pubescens.  
*Weitenweberi*, Ort. in Opiz, Nom. 16 = tomentosus, Borck.  
*Wiegmanni*, Weihe, ex Spreng. Syst. ii. 528 = vestitus.  
*Wimmeri*, Weihe, in Wimm. & Grab. Fl. Siles. (1829) i. ii. 53 = macrophyllus.  
*Winteri*, P. J. Muell. ex Focke, Syn. Rub. Germ. 196 = pubescens, Weihe.  
*Wirtgeni*, Auersw. ex Wirtg. Fl. Preuss. Rheinprov. 155.—Europ.  
*Wrightii*, A. Gray, in Mem. Am. Acad. N. S. vi. (1858-59) 387.—Japan.  
*yessoicus*, Kuntze, Method. 130.—Japan.  
*yunanicus*, Kuntze, l. c. 71.—China.  
*Zahlbrucknerianus*, Endl. Atakt. t. 35 = parvifolius.

**RUCKERIA**, DC. Prod. vi. 483 (1837). *COMPOSITAE*, Benth. & Hook. f. ii. 453.  
*euryopsidis*, DC. l. c. 484.—Afr. austr.  
*othonnoides*, DC. l. c.—Afr. austr.  
*tagetoides*, DC. l. c.—Afr. austr.

**RUCKIA**, Regel, Ind. Sem. Hort. Petrop. (1867) 28; et Gartenfl. (1868) 65. t. 571 = *Rhodostachys*, Phil. (Bromel.).  
*Ellemeetiana*, Hort.—Cf. Gard. Chron. (1874) i. 243 = seq.  
*Ellemeti*, Regel, Ind. Sem. Hort. Petrop. (1867) 28; et Gartenfl. (1868) 65 = *Rhod. andina*.

RUDBECKIA, Adans. Fam. ii. 80 (1763) = *Conocarpus*, Gaertn. (Combret.).

**RUDBECKIA**, Linn. Syst. ed. I (1735). *COMPOSITAE*, Benth. & Hook. f. ii. 365.

*CENTROCARPHA*, D. Don, in Sweet, Hort. Brit. ed. II. 310 (1830); et in Brit. Flow. Gard. Ser. II. t. 87 (1831).

*DRACONTOPSIS*, Lem. in Orb. Dict. v. 123 (1849).

*DRACOPIS*, Cass. in Dict. Sc. Nat. xxxv. 273 (1825).

*DRACOPSIS*, Lem. in Orb. Dict. v. 123 (1849).

*HELIOPHTHALMUM*, Rafin. Fl. Ludov. 72 (1817).

*OBELISCOTHECA*, Adans. Fam. ii. 128 (1763).

*RATABIDA*, Loud. Hort. Brit. Suppl. II. 665 (1839).

*TITHONIA*, Raeusch. Nom. ed. III. 251 (1797).

*alata*, Jacq. Ic. Pl. Rar. iii. 16. t. 593 = *Helianthemum quadridentatum*.

*alata*, *Neuenh. in Roem. Arch.* i. II. (1797) 30.—Am. bor.

*alismaefolia*, Torr. & Gray, Fl. N. Am. ii. 310.—Am. bor.

*amplexicaulis*, Vahl, in *Skriv. Nat. Selsk. Kjoeb.* ii. II. (1793) 29. t. 4.—Am. bor.; Mexic.

*amplexifolia*, Jacq. Ic. Pl. Rar. iii. 16. t. 592 = *amplexicaulis*.

*angulata*, Rafin. Atl. Journ. i. 48 (Quid?).—Am. bor.

*angustifolia*, Linn. Sp. Pl. ed. II. 1281 = *Helianthus angustifolius*.

*apetala*, Torr. ex Nutt. in Journ. Acad. Philad. vii. (1834) 77 = *Helianthus Radula*.

*aristata*, Herb. Banks, ex Pursh, Fl. Am. Sept. ii. 574 = *triloba*.

*aspera*, Desf. Tabl. ed. I. 107 = *fulgida*.

*aspera*, Pers. Syn. ii. 477 = *speciosa*?

*asprima*, *Hornem. ex Maund, Bot. Gard.* vii. t. 647.—Am. bor.

*atrorubens*, Nutt. in Journ. Acad. Philad. vii. (1834) 80.—Am. bor.

*bellidioides*, Sm. in Rees, Cycl. xxx. n. 12 = *Spilanthes arnicoides*.

*bicolor*, Nutt. in Journ. Acad. Philad. vii. (1834) 81.—Am. bor.

*biennis*, Chapm. ex Torr. & Gray, Fl. N. Am. ii. 309 = *triloba*.

*bupleuroides*, Shutt. ex Chapm. Fl. S. U. St. Suppl. 629.—Florida.

*californica*, A. Gray, in Proc. Am. Acad. vii. (1868) 357.—Calif.

*chrysomela*, Michx. Fl. Bor. Am. ii. 143 = *fulgida*.

*cicutaeifolia*, Spreng. Syst. iii. 613.—Am. bor.

*cinerea*, Hort. ex DC. Prod. v. 559 = *Lepachys pinnatifida*.

*citriodora*, Hort. ex Steud. Nom. ed. I. 707 = *Lepachys pinnatifida*.

*columnaris*, Sims, Bot. Mag. t. 1601; Pursh, Fl. Am. Sept. ii. 575 = *Lepachys columnaris*.

*columnifera*, [Nutt.] in Fras. Cat. (1813) n. 75; Pursh, l. c. = *Lepachys columnaris*.

*decumbens*, Sm. in Rees, Cycl. xxx. n. 11 = *Spilanthes arnicoides*.

*densifolia*, Sm. l. c. n. 10 = *Aspilia bupthalmiflora*, *Viguiera anchusaefolia*.

*dentata*, Cav. Desc. 223 = *Viguiera dentata*.

*digitata*, Mill. Gard. Dict. ed. VIII. n. 6 = *laciniata*.

*digitata*, Willd. Sp. Pl. iii. 2247 = *Lepachys pinnatifida*.

*discolor*, Ell. Sketch, ii. 454 = *hirta*.

*discolor*, Pursh, Fl. Am. Sept. ii. 574 = *fulgida*.

*Drummondii*, Paxt. Mag. Bot. vi. (1839) 51.—Am. bor.

*fulgida*, Ait. Hort. Kew. ed. I. iii. 251.—Am. bor.

*fulgida*, Meehan, Nat. Flowers, Ser. II. i. t. 14 = *speciosa*.

*glabra*, DC. Prod. v. 556 = *nitida*.

*globosa*, Nutt. in Journ. Acad. Philad. vii. (1834) 79 = *Lepachys Tagetes*.

*gracilis*, Herb. Banks, ex Pursh, Fl. Am. Sept. ii. 574 = *spatulata*.

*gracilis*, Nutt. Gen. Am. ii. 178 = *hirta*.

*grandiflora*, Gmel. ex DC. Prod. 556.—Am. bor.

*Heliopsisidis*, A. H. Curtiss, ex A. Gray, Syn. Fl. N. Am. i. II. 261 = *spatulata*.

*Heliopsisidis*, Torr. & Gray, Fl. N. Am. ii. 310.—Am. bor.

# RUDBECKIA:—

*heterophylla*, Schur, in Verh. Zool.-Bot. Ges. Wien, viii. (1858) Sitzb. 118 = *amplexicaulis*.

*heterophylla*, Torr. & Gray, Fl. N. Am. ii. 312.—Florida.

*hirta*, Linn. Sp. Pl. 907.—Am. bor.

*hispida*, Hoffm. Verz. Pfl. Nachtr. i. 223 = *Echinacea purpurea*.

*laciniata*, Linn. Sp. Pl. 906.—Am. bor.

*laevigata*, Nutt. Gen. Am. ii. 178 = *nitida*.

*laevigata*, Pursh, Fl. Am. Sept. ii. 574.—Am. bor.

*laevis*, Hoffm. Verz. Pfl. Nachtr. iii. 58 = *Lepachys pinnatifida*.

*lanceolata*, Bertol. Misc. Bot. vii. 40.—Am. bor.

*lanceolata*, Bisch. Del. Sem. Hort. Heidelb. (1848) 4; ex Walp. Ann. ii. 855.—Am. bor.

*lancifolia*, Bisch. Heidelb. Consp. Crit. (1852) 7 = *præc.*?

*leucantha*, Lag. Gen. et Sp. Nov. 32.—Mexic.

*maxima*, Nutt. in Trans. Am. Phil. Soc. N. S. vii. (1841) 354.—Am. bor.

*media*, [Spreng]. Bot. Gart. Halle, 80 (Quid?).—Hab.?

*Mohrii*, A. Gray, in Proc. Am. Acad. xvii. (1881-82) 217 = *bupleuroides*.

*mollis*, Ell. Sketch, ii. 453.—Am. bor.

*montana*, A. Gray, in Proc. Am. Acad. xvii. (1881-82) 217.—Am. bor. occ.

*moschata*, Lodd. ex Steud. Nom. ed. II. ii. 480.—Am. bor.

*napifolia*, H. B. & K. Nov. Gen. et Sp. iv. 244.—Mexic. *Neumannii*, Steud. Nom. ed. II. ii. 480 = *Newmani*.

*Neumannii*, Hort. ex Vilm. Fl. Pl. Terre, ed. III. 990 = *laciniata*.

*Newmani*, Loud. Hort. Brit. 358 = *fulgida*.

*Newmani*, Loud. l. c. Suppl. ii. 584, in syn.—Am. bor.

*nitida*, Nutt. in Journ. Acad. Philad. vii. (1834) 78.—Am. bor.

*nudicaulis*, Nutt. ex Torr. & Gray, Fl. N. Am. ii. 311 = *grandiflora*.

*nudicaulis*, Pers. Syn. ii. 477 = *Viguiera nudicaulis*.

*nudiflora*, Bertol. Misc. Bot. vii. 39.—Am. bor.

*occidentalis*, Nutt. in Trans. Am. Phil. Soc. N. S. vii. (1841) 355.—Am. bor. occ.

*odorata*, Hort. ex Pursh, Fl. Am. Sept. ii. 576 = *Lepachys pinnatifida*.

*odorata*, Nutt. in Journ. Acad. Philad. vii. (1834) 78 = *subtomentosa*.

*oppositifolia*, Hort. ex Vilm. Fl. Pl. Terre, ed. I. 743 = *amplexicaulis*.

*oppositifolia*, Linn. Sp. Pl. 907 = *Heliopsis laevis*.

*pallida*, Nutt. in Journ. Acad. Philad. vii. (1834) 77 = *Echinacea angustifolia*.

*pauciflora*, [Zinn.] Steud. Nom. ed. I. 707 = *Zinnia pauciflora*.

*perfoliata*, Cav. Ic. iii. 27 = *amplexicaulis*.

*pinnata*, Vent. Jard. Cels. 71 = *Lepachys pinnatifida*.

*Porteri*, A. Gray, in Mem. Am. Acad. N. S. iv. (1849) 83 = *Gymnolomia Porteri*.

*purpurea*, Linn. Sp. Pl. 907 = *Echinacea purpurea*.

*quinata*, Mill. Gard. Dict. ed. VIII. n. 5 = *laciniata*.

*Radula*, Pursh, Fl. Am. Sept. ii. 575 = *Helianthus Radula*.

*rupestris*, Chick. in Coult. Bot. Gaz. vi. (1881) 188 = *triloba*.

*scabra*, Cav. Desc. 224 = *triloba*.

*scabra*, Hort. ex Vilm. Fl. Pl. Terre, ed. I. 747 = *fulgida*.

*serotina*, Nutt. in Journ. Acad. Philad. vii. (1834) 80 = *hirta*.

*serotina*, Sweet, Brit. Flow. Gard. Ser. I. t. 4 = *Echinacea purpurea*.

*spatulata*, Michx. Fl. Bor. Am. ii. 144.—Am. bor.

*spatulata*, Nutt. Gen. Am. ii. 178 = *amplexicaulis*.

*spatulata*, Pursh, Fl. Am. Sept. ii. 574 = *mollis*.

*speciosa*, Hort. ex Link, Enum. Hort. Berol. ii. 353 = *Echinacea purpurea*.

*speciosa*, Wender. in Flora, xii. (1829) I. Erg. 30.—Am. bor.

*strigosa*, Nutt. in Trans. Am. Phil. Soc. N. S. vii. (1841) 354 = *hirta*.

*subtomentosa*, Pursh, Fl. Am. Sept. ii. 575.—Am. bor.

*Tagetes*, James, in Long, Exped. ii. 256, 353 = *Lepachys Tagetes*.

*tomentosa*, Ell. Sketch, ii. 453 = *subtomentosa*.

*triloba*, Linn. Sp. Pl. 907.—Am. bor.

RUDBECKIA, Scop. Introd. 131 (1777) = *præc.*

**RUDELIA**, Oliver, in Hook. Ic. Pl. t. 1419 (1883). *SCITAMINEAE*.

*curviflora*, Oliver, l. c. — Archip. Ind.

**RUDGEA**, Salisb. in Trans. Linn. Soc. viii. (1807) 327. tt. 18, 19. *RUBIACEAE*, Benth. & Hook. f. ii. 125.

*PACHYSANTHUS*, Presl, Bot. Bemerk. 87 (1844); in Abh. Boehm. Ges. V. iii. (1845) 517.

*amazonica*, Muell. Arg. in Flora, lix. (1876) 449, 460.—Bras.

*angustifolia*, Muell. Arg. l. c. 453, 462.—Bras.

*apoda*, Muell. Arg. in Mart. Fl. Bras. vi. v. 178.—Bras.

*bacciflora*, Muell. Arg. l. c. 164.—Bras.

*Blanchetiana*, Muell. Arg. in Flora, lix. (1876) 452, 461.—Bras.

*brachyandra*, Muell. Arg. l. c. 451, 461.—Bras.

*breviflora*, Muell. Arg. l. c. 456, 463.—Bras.

*Burchelliana*, Muell. Arg. l. c. 453, 462.—Bras.

*calycina*, Benth. in Linnaea, xxiii. (1850) 459.—Bras.

*caribaea*, Benth. l. c. 460.—Ind. occ.

*Casarettoana*, Muell. Arg. in Flora, lix. (1876) 452, 461.—Bras.

*celastrinae*, Muell. Arg. l. c. 450, 460.—Bras.

*ciliata*, Spreng. Syst. i. 755 = *Coffea ciliata*.

*Clausseniana*, Benth. in Linnaea, xxiii. (1850) 461.—Bras.

*clavipes*, Benth. l. c. 462.—Bras.

*conocarpa*, Muell. Arg. in Flora, lix. (1876) 456, 463.—Bras.

*corniculata*, Benth. in Linnaea, xxiii. (1850) 462.—Bras.

*coronata*, Muell. Arg. in Flora, lix. (1876) 449.—Bras.

*corymbulosa*, Benth. in Linnaea, xxiii. (1850) 461.—Bras.

*cutjabensis*, Muell. Arg. in Mart. Fl. Bras. vi. v. 215.—Bras.

*cyanosperma*, Muell. Arg. l. c. 211.—Bras.

*decipiens*, Muell. Arg. in Flora, lix. (1876) 454, 462.—Bras.

*discolor*, Benth. in Linnaea, xxiii. (1850) 460.—Bras.

*elliptica*, Muell. Arg. in Mart. Fl. Bras. vi. v. 219.—Bras.

*eriantha*, Benth. in Linnaea, xxiii. (1850) 458.—Bras.

*erioloba*, Benth. l. c. 459.—Bras.

*erythrocarpa*, Muell. Arg. in Flora, lix. (1876) 451, 461.—Bras.

*fissistipula*, Muell. Arg. l. c. 449, 460.—Bras.

*Francavillana*, Muell. Arg. l. c. 454, 462.—Bras.

*gardenioides*, Muell. Arg. l. c. 455.—Bras.

*Gaudichaudii*, Muell. Arg. l. c. 453, 461.—Bras.

*Glaziovii*, Muell. Arg. in Mart. Fl. Bras. vi. v. 217.—Bras.

*Gomeziana*, Muell. Arg. l. c. 177.—Bras.

*goyazensis*, Muell. Arg. in Flora, lix. (1876) 450, 461.—Bras.

*Heurckii*, Muell. Arg. in Mart. Fl. Bras. vi. v. 209.—Bras.

*Hostmanniana*, Benth. in Linnaea, xxiii. (1850) 459.—Guian.

*ilheotica*, Muell. Arg. in Mart. Fl. Bras. vi. v. 217.—Bras.

*insignis*, Muell. Arg. l. c. 203.—Bras.

*intercedens*, Muell. Arg. l. c. 205.—Bras.

*interrupta*, Benth. in Linnaea, xxiii. (1850) 457.—Bras.

*involucrata*, Muell. Arg. in Mart. Fl. Bras. vi. v. 219.—Bras.

*irregularis*, Muell. Arg. in Flora, lix. (1876) 451, 461.—Bras.

*jacobinensis*, Muell. Arg. l. c. 453, 461.—Bras.

*japurensis*, Muell. Arg. in Mart. Fl. Bras. vi. v. 177.—Bras.

*jasminioides*, Muell. Arg. in Flora, lix. (1876) 452.—Bras.

*laciniata*, Muell. Arg. l. c. 454, 462.—Bras.

*lanceaefolia*, Salisb. in Trans. Linn. Soc. viii. (1807) 327. t. 18.—Guian.

*lanceolata*, Benth. in Linnaea, xxiii. (1850) 455.—Bras.

*Langsdorffii*, Muell. Arg. in Mart. Fl. Bras. vi. v. 191.—Bras.

*lasiostylis*, Muell. Arg. l. c. 212.—Bras.

**RUDGEA** :—

- leiocarpoides, *Muell. Arg. in Flora*, lix. (1876) 456.—Bras.  
 longiflora, *Benth. in Linnaea*, xxiii. (1850) 457.—Bras.  
 longistipula, *Muell. Arg. in Flora*, lix. (1876) 449, 460.—Bras.  
 loniceroides, *Muell. Arg. l. c.* 454, 462.—Bras.  
 Lundiana, *Muell. Arg. l. c.* 456, 463.—Bras.  
 macrophylla, *Benth. in Linnaea*, xxiii. (1850) 456.—Bras.  
 magnoliaefolia, *Muell. Arg. in Flora*, lix. (1876) 450.—Bras.  
 major, *Muell. Arg. l. c.* 452.—Bras.  
 Martiana, *Muell. Arg. l. c.* 453, 462.—Bras.  
 medians, *Muell. Arg. ll. cc.*—Bras.  
 mexicana, *Bartl. ex DC. Prod.* iv. 501 = *Coffea mexicana*.  
 micrantha, *Muell. Arg. in Flora*, lix. (1876) 454.—Bras.  
 microcephala, *Muell. Arg. l. c.* 456, 464.—Bras.  
 Miersiana, *Benth. in Linnaea*, xxiii. (1850) 461.—Bras.  
 mucronata, *Muell. Arg. in Mart. Fl. Bras.* vi. v. (1850) 185.—Bras.  
 multicostata, *Muell. Arg. l. c.* 207.—Bras.  
 myrsinaefolia, *Benth. in Linnaea*, xxiii. (1850) 455.—Bras.  
 Nettoana, *Muell. Arg. in Flora*, lix. (1876) 450, 460.—Bras.  
 Neuwiedii, *Muell. Arg. l. c.* 455, 463.—Bras.  
 nitida, *Spreng. Syst. i.* 755 = *Coffea nitida*.  
 nivosa, *Andr. in Rev. Hort.* (1866) 308; *et Berkeley, in Journ. Hort. Soc. N. S. i.* (1866) 156.—Bras.  
 nobilis, *Muell. Arg. in Mart. Fl. Bras.* vi. v. 172.—Bras.  
 nodosa, *Benth. in Linnaea*, xxiii. (1850) 456.—Bras.  
 ochroleuca, *Muell. Arg. in Flora*, lix. (1876) 456, 463.—Bras.  
 ovalifolia, *Salisb. in Trans. Linn. Soc.* viii. (1807) 328. t. 19.—Guian.  
 ovalis, *Muell. Arg. in Mart. Fl. Bras.* vi. v. 462.—Bras.  
 pachyphylla, *Muell. Arg. l. c.* 183.—Bras.  
 pachysanthus, *Muell. Arg. l. c.* 208.—Bras.  
 palicouroides, *Muell. Arg. in Flora*, lix. (1876) 455.—Bras.  
 paniculata, *Benth. in Linnaea*, xxiii. (1850) 457.—Bras.  
 panurensis, *Muell. Arg. in Flora*, lix. (1876) 456, 463.—Bras.  
 parquoides, *Muell. Arg. l. c.* 450.—Bras.  
 parvifolia, *Muell. Arg. l. c.* 454.—Bras.  
 psammophila, *Muell. Arg. l. c.* 453, 462.—Bras.  
 racemosa, *Spreng. Syst. i.* 755 = *Coffea racemosa*, *Ruiz & Pav.*  
 recurva, *Muell. Arg. in Flora*, lix. (1876) 456, 463.—Bras.  
 reticulata, *Benth. in Linnaea*, xxiii. (1850) 458.—Bras.  
 Riedeliana, *Muell. Arg. in Flora*, lix. (1876) 456, 463.—Bras.  
 Schomburgkiana, *Benth. in Linnaea*, xxiii. (1850) 459.—Guian.  
 Selloana, *Muell. Arg. in Flora*, lix. (1876) 453, 462.—Bras.  
 sessilis, *Muell. Arg. in Mart. Fl. Bras.* vi. v. 182.—Bras.  
 spicata, *Spreng. Syst. i.* 755 = *Coffea spicata*.  
 stenantha, *Muell. Arg. in Flora*, lix. (1876) 456, 463.—Bras.  
 subcordata, *Muell. Arg. in Mart. Fl. Bras.* vi. v. 178.—Bras.  
 subsessilis, *Benth. in Linnaea*, xxiii. (1850) 458.—Bras.  
 symplocoides, *Muell. Arg. in Flora*, lix. (1876) 455, 463.—Bras.  
 tenuifolia, *Muell. Arg. l. c.* 453, 462.—Bras.  
 tinguana, *Muell. Arg. l. c.* 455, 463.—Bras.  
 triflora, *Benth. in Linnaea*, xxiii. (1850) 460.—Bras.  
 umbellata, *Muell. Arg. in Flora*, lix. (1876) 456 = *Psychotria Arrabidaea*.  
 umbrosa, *Muell. Arg. l. c.* 452, 461.—Bras.  
 vellerea, *Muell. Arg. in Mart. Fl. Bras.* vi. v. 208.—Bras.  
 verticillata, *Spreng. Syst. i.* 755 = *Coffea verticillata*.

**RUDGEA** :—

- viburnoides, *Benth. in Linnaea*, xxiii. (1850) 458.—Bras.  
 Weddelliana, *Muell. Arg. in Flora*, lix. (1876) 451, 461.—Bras.  
 ypanemensis, *Muell. Arg. l. c.* 452, 461.—Bras.

RUDOLPHIA, *Medic. Malv.* 111 (1787) = **Malpighia**, *Plum.*  
*edulis*, *Medic. l. c.* 112 = *M. urens*.

RUDOLPHIA, *Willd. in Ges. Naturf. Fr. Neue Schr.* iii. (1801) 451. **LEGUMINOSAE**, *Benth. & Hook. f.* i. 532.  
*dubia*, *H. B. & K. Nov. Gen. et Sp.* vi. 432. t. 591 = *Centrosema hastatum*.  
*elliptica*, *Desv. in Ann. Sc. Nat. Sér. I.* ix. (1826) 422 (= *Collaea rugosa*).—Bras.  
*frondosa*, *Poir. Encyc. vi.* 333 = *Butea frondosa*.  
*peltata*, *Willd. in Ges. Naturf. Fr. Neue Schr.* iii. (1801) 453.—*Ins. S. Doming.*  
*portoricensis*, *Sweet, Hort. Brit. ed. II.* 161 = *volubilis*.  
*rosea*, *Tussac, Fl. Antill.* i. 149. t. 22 (rosaea).—*Ins. S. Doming.*  
*scandens*, *Poir. in Dict. Sc. Nat. xlv.* 419 = *volubilis*.  
*sericea*, *Steud. Nom. ed. II.* i. 241 = *volubilis*.  
*superba*, *Poir. Encyc. vi.* 332 = *Butea superba*.  
*volubilis*, *Willd. in Ges. Naturf. Fr. Neue Schr.* iii. (1801) 452.—Porto Rico; Mexic.

RUDOLPHO-ROEMERIA, *Steud. ex Hochst. in Flora*, xxvii. (1844) 30 = **Kniphofia**, *Moench (Liliac.)*.  
*isoëtifolia*, *Steud. l. c.* = *K. isoëtifolia*.

RUEHSSIA, *Karst. in Verh. Ver. Gartenb. Preuss.* xix. (1849) ii. 304 = **Marsdenia**, *R. Br. (Asclep.)*.  
*estebanensis*, *Karst. in Linnaea*, xxviii. (1856) 424.—*N. Granat.*  
*glauca*, *Karst. l. c.*—*N. Granat.*  
*macrophylla*, *Karst. l. c.*—*N. Granat.*  
*pubescens*, *Karst. l. c.*—*N. Granat.*  
*purpurea*, *Schlecht. l. c.* xxvi. (1853–55) 669.—*N. Granat.*

RUELINGIA, *Ehrh. Beitr.* iii. 132 (1788) = **Anacampseros**, *Linn. (Portul.)*.  
*Anacampseros*, *Ehrh. l. c.* 133 = *A. Telephiastrum*.  
*angustifolia*, *Haw. Rev. Pl. Succ.* 60 = *A. angustifolia*.  
*arachnoides*, *Haw. Syn. Pl. Succ.* 125 = *A. arachnoides*.  
*filamentosa*, *Haw. l. c.* = *A. filamentosa*.  
*lanceolata*, *Haw. l. c.* 126 = *A. lanceolata*.  
*patens*, *Ehrh. Beitr.* iii. 135 = *Talinum patens*.  
*polyphylla*, *Haw. Suppl. Pl. Succ.* 65 = *A. polyphylla*.  
*reflexa*, [*Spreng.*] *Bot. Gart. Halle*, 20.—*Hab.?*  
*rubens*, *Haw. Syn. Pl. Succ.* 125 = *A. arachnoides*.  
*rufescens*, *Haw. Suppl. Pl. Succ.* 64 = *A. arachnoides*.  
*triangularis*, *Ehrh. Beitr.* iii. 134 = *Talinum triangulare*.  
*varians*, *Haw. Suppl. Pl. Succ.* 64 = *A. Telephiastrum*.

RUELLIA, *Plum. ex Linn. Syst. ed. I* (1735).  
**ACANTHACEAE**, *Benth. & Hook. f.* ii. 1077.  
**ANTHELEMA**, *Rafin. Fl. Tellur.* iv. 66 (1836).  
**APHRAGMIA**, *Nees, in Lindl. Syst. Nat. ed. II.* 444 (1836).  
**ARRHOSTOXYLUM**, *Mart. ex Nees, in DC. Prod.* xi. 209 (1847).  
**AUBLETTIA**, *Neck. Elem.* i. 356 (1790).  
**COPIOGLOSSA**, *Miers, in Proc. Roy. Hort. Soc.* iii. (1868) 294.  
**CRYPHIACANTHUS**, *Nees, in Del. Sem. Hort. Vrat.* (1841); *et in Linnaea*, xvi. (1842) 298.  
**CYRTACANTHUS**, *Mart. ex Nees, in Mart. Fl. Bras.* ix. 51 (1847).  
**DIPTERACANTHUS**, *Nees, in Wall. Pl. As. Rar.* iii. 75 (1832).  
**DIZYGANDRA**, *Meissn. Gen.* 294 (1840).  
**EURYCHANES**, *Nees, in Mart. Fl. Bras.* ix. 52. t. 3 (1847).  
**FABRIA**, *E. Mey. in Drège, Zwei Pfl. Docum.* 185, nomen (1843).  
**GYMNACANTHUS**, *Oerst. in Kjoeb. Vidensk. Meddel.* (1854) 126.  
**HEMONACANTHUS**, *Nees, in DC. Prod.* xi. 725 (1847).

**RUELLIA** :—

- HOLTZENDORFFIA, *Klotzsch & Karst. ex Nees, in DC. Prod.* xi. 727 (1847).  
 HOMOTROPIUM, *Nees, in Mart. Fl. Bras.* ix. 47. t. 2 (1847).  
 LARYSACANTHUS, *Oerst. in Kjoeb. Vidensk. Meddel.* (1854) 123.  
 NEOWEDIA, *Schrad. in Neuwied, Reise Bras.* ii. 343 (1821).  
 OPTHALMACANTHUS, *Nees, in DC. Prod.* xi. 219 (1847).  
 PATTERSONIA, *J. F. Gmel. Syst.* 925 (1791).  
 SCORODOXYLUM, *Nees, in Benth. Pl. Hartw.* 236 (1846).  
 SIPHONACANTHUS, *Nees, in Mart. Fl. Bras.* ix. 45. t. 1 (1847).  
 SOLENACANTHUS, *Oerst. in Kjoeb. Vidensk. Meddel.* (1854) 122.  
 STEMONACANTHUS, *Nees, in Mart. Fl. Bras.* ix. 53. tt. 4, 205 (1847).  
 STEPHANOPHYSUM, *Pohl, Pl. Bras. Ic.* ii. 83. tt. 155, 156 (1831).  
 UPUDALIA, *Rafin. Fl. Tellur.* iv. 66 (1836)  
*acaulis*, *R. Br. Prod.* 479.—*Anstral.*  
*acaulis*, *Ruiz, ex Nees, in DC. Prod.* xi. 282 = *Stenandrium dulce*.  
*achimeniflorum*, *Hemsl. Biol. Centr. Am. Bot.* ii. 503.—*Costa Rica.*  
*achyranthifolia*, *Desf. Cat. Hort. Par. ed. III.* 391.—*Hab.?*  
*acicularis*, *Steud. Nom. ed. II.* ii. 480, sphalm. = seq.  
*aciculata*, *Roth, Nov. Pl. Sp.* 301 = *Haplanthus tentaculatus*.  
*acuminata*, *Griseb. Fl. Brit. W. Ind.* 452.—*Ind. occ.*  
*acutangula*, *Nees, ex Mart. in Flora*, xxi. (1838) ii. Beibl. 61.—*Bras.*  
*adhaerens*, *Forsk. Fl. Aegypt. Arab.* 114.—*Arab.*  
*affinis*, *T. Anders. in Journ. Agri-Hort. Soc. Ind. N. S.* i. (1868) 269 = *speciosa*.  
*alata*, *Blume, ex Steud. Nom. ed. II.* ii. 480, nomen.—*Java.*  
*alata*, *Wall. Pl. As. Rar.* i. 26 = *Strobilanthes Wallichii*.  
*alba*, *Nees, in Mart. Fl. Bras.* ix. 55.—*Bras.*  
*albicans*, *Bert. ex Nees, in DC. Prod.* xi. 724 = *albicaulis*.  
*albicaulis*, *Bert. ex Spreng. Syst.* ii. 822.—*N. Granat.*  
*alopecuroides*, *Vahl, Eclog. Am.* ii. 49 = *Lepidagathis alopecuroides*.  
*alternata*, *Burm. f. Fl. Ind.* 135 = *Hemigraphis alternata*.  
*amabilis*, *S. Moore, in Journ. Bot.* xviii. (1880) 7.—*Afr. trop.*  
*amoena*, *Nees, in DC. Prod.* xi. 203, in syn.—*Am. austr.*  
*amplectens*, *Wall. ex Nees, in Wall. Pl. As. Rar.* iii. 86 = *Strobilanthes auriculatus*.  
*ampliata*, *Edgew. ex Nees, in DC. Prod.* xi. 193 = *Strobilanthes Wallichii*.  
*amygdalaefolia*, *Hort. ex Steud. Nom. ed. II.* ii. 480 = *Strobilanthes anisophyllus*.  
*Anagallis*, *Burm. f. Fl. Ind.* 135 = *Bonnaya veronicaefolia*.  
*angusta*, *Boj. ex Nees, in DC. Prod.* xi. 511 = *Isoglossa angusta*.  
*angustifolia*, *Poir. Encyc. vi.* 338 = *Hygrophila angustifolia*.  
*angustifolia*, *Sw. Prod. Veg. Ind. Occ.* 93 = *Blechum angustifolium*.  
*anisophylla*, *Wall. ex Hook. Exot. Fl.* iii. t. 191 = *Strobilanthes anisophyllus*.  
*antipoda*, *Linn. Sp. Pl.* 635 = *Bonnaya veronicaefolia*.  
*arborescens*, *Pav. ex Nees, in DC. Prod.* xi. 217 = *Bravaisia floribunda*.  
*arcuata*, *Herb. Madr. ex Wall. Cat. n.* 2334 = *Stenosi-phonium Russellianum*.  
*argentea*, *Wall. Cat. n.* 2339 = *Strobilanthes Sabinianus*.  
*aristata*, *Thunb. Prod. Pl. Cap.* 104 = *Calophanes Persoonii*.  
*aristata*, *Vahl, Symb. Bot.* ii. 73 = *Lepidagathis hyalina*.  
*aromatica*, *Roxb. ex Nees, in DC. Prod.* xi. 127 = *patula*.  
*aruensis*, *S. Moore, in Journ. Bot.* xvi. (1878) 134.—*Ins. Aru.*  
*aspera*, *Nees, in DC. Prod.* xi. 147 = *Strobilanthes scaber*.  
*asperula*, *Benth. & Hook. f. Gen.* ii. 1079.—*Bras.*  
*atropurpurea*, *Wall. Cat. n.* 2398 = *Strobilanthes atropurpureus*.



**RUELLIA** :—

*atroviridis*, Wall. Cat. n. 2404 = *Asystasia atroviridis*.  
*attenuata*, Wall. l. c. n. 2345 = *Echinacanthus attenuatus*.  
*auriculata*, Wall. l. c. n. 2341 = *Strobilanthes auriculatus*.  
*australis*, Cav. Ic. vi. 62; R. Br. Prod. 479.—Austral.  
*axillaris*, Steud. Nom. ed. II. ii. 480 = *Ebermaiera axillaris*.  
*axillaris*, Wall. ex Nees, in DC. Prod. xi. 127 = *patula*.  
*balsamica*, Linn. f. Suppl. 289 = *Cardanthera balsamica*.  
*barbata*, Sieber, ex Steud. Nom. ed. II. i. 701, in syn. = *Gonzalea Coccocypselum*.  
*barbata*, Vahl, Symb. Bot. iii. 83.—Ind. or.  
*barbata*, Wall. Cat. ex Nees, in DC. Prod. xi. 155 = *Strobilanthes barbatus*.  
*barlerioides*, Roth, Nov. Pl. Sp. 310 = *Petalidium barlerioides*.  
*Beddomei*, C. B. Clarke, in Hook. f. Fl. Brit. Ind. iv. 413.—Ind. or.  
*biceps*, Steud. Nom. ed. II. ii. 480 = *Strobilanthes capitatus*.  
*bicolor*, Blume, Bijdr. 795.—Java.  
*bicolor*, Ruiz, ex Nees, in DC. Prod. xi. 136 = *geminiflora*.  
*biflora*, Balb. ex Nees, l. c. 122 = *strepens*.  
*biflora*, Boj. ex Nees, l. c. 726 = *Phayloopsis longifolia*.  
*biflora*, Bosc, ex Nees, l. c. 108 = *Calophanes humistratus*.  
*biflora*, Linn. Sp. Pl. 635 = *Calophanes oblongifolius*?  
*biflora*, Pav. ex Nees, in DC. Prod. xi. 133.—Peruv.  
*bignoniaceiflora*, S. Moore, in Journ. Bot. xviii. (1880) 198.—Afr. trop.  
*bilabiata*, Reinw. ex Blume, Cat. Gew. Baitenz. 84, nomen = *Sautiera tinctorum*.  
*biloba*, Hochst. in Flora, xxviii. (1845) 72 = *Asystasia coromandeliana*.  
*blechioides*, Sw. Prod. Veg. Ind. Occ. 93 = *Blechum laxiflorum*.  
*Blechum*, Linn. Syst. ed. X. 1120; Amoen. Acad. v. 400 = *Blechum Brownei*.  
*Blumeana*, Nees, in DC. Prod. xi. 149 = *Hemigraphis alternata*.  
*Blumei*, Steud. Nom. ed. II. ii. 480.—Java.  
*Bourgaei*, Hemsl. Diagn. Pl. Nov. 35.—Mexic.  
*brachyopoda*, Boj. ex Nees, in DC. Prod. xi. 726 = *Phayloopsis longifolia*, T. Anders.  
*brachysiphon*, Benth. & Hook. f. Gen. ii. 1078; Hiern, in Kjoeb. Vidensk. Meddel. (1877-78) 73.—Bras.  
*bracteata*, R. Br. Prod. 479.—Austral.  
*bracteata*, Heyne, in Wall. Cat. n. 2357 = *Strobilanthes Heyneanus*.  
*bracteata*, Roxb. Hort. Beng. [95]; Fl. Ind. iii. 47 = *Petalidium barlerioides*.  
*bracteata*, Vahl, ex Nees, in DC. Prod. xi. 466 = *Blechum Brownei*.  
*bracteata*, Wall. Cat. n. 2357 B = *Strobilanthes quadrangularis*.  
*bracteata*, Willd. ex Nees, in DC. Prod. xi. 155 = *Hygrophila quadrivalvis*.  
*brasiliensis*, Mart. ex Nees, in Mart. Fl. Bras. ix. 29 = *solitaria*.  
*brasiliensis*, Spreng. Syst. ii. 822 = *Hygrophila portoricensis*.  
*brevicaulis*, Baker, in Journ. Linn. Soc. xxi. (1885) 428.—Madag.  
*Brunoniana*, Wall. Cat. n. 2368 = *Strobilanthes Brunonianus*.  
*callosa*, Wall. l. c. n. 2359 = *Strobilanthes callosus*.  
*calycina*, Wall. l. c. n. 2417 = *Strobilanthes Helictus*.  
*campestris*, Hemsl. Biol. Centr. Am. Bot. ii. 504.—Costa Rica.  
*candida*, Ruiz & Pav. ex Nees, in DC. Prod. xi. 134, in syn.—Peruv.  
*canescens*, Heyne, ex C. B. Clarke, in Hook. f. Fl. Brit. Ind. iv. 428 = *Stenosiphonium Russellianum*.  
*capitata*, D. Don, Prod. Fl. Nep. 120 = *Strobilanthes pentstemonoides*.  
*capitata*, Wall. Cat. n. 2351 = *Strobilanthes capitatus*, pentstemonoides.  
*carnea*, Balf. f. in Proc. Roy. Soc. Edinb. xii. (1884) 85.—Ins. Socotr.  
*carolinensis*, Steud. Nom. ed. II. ii. 481 = *strepens*?  
*cayenensis*, Spreng. Syst. ii. 823.—Guian.  
*Cephalotes*, Wall. Cat. n. 2352 = *Strobilanthes pentstemonoides*.

**RUELLIA** :—

*cernua*, T. Anders. in Journ. Linn. Soc. ix. (1867) 260, partim = *Beddomei*.  
*cernua*, Herb. Madr. ex Wall. Cat. n. 2380 A = *Calophanes Nagchana*.  
*cernua*, Heyne, ex Wall. l. c. n. 2380, partim = *Cardanthera balsamica*.  
*cernua*, Roxb. Hort. Beng. 46; Fl. Ind. iii. 45.—Ind. or.  
*chelonoides*, Wall. Cat. n. 2335 = *Asystasia crispata*.  
*chenopodiifolia*, Poir. Encyc. vi. 339 = *Adenosma chenopodiifolia*.  
*chinensis*, Lam. ex Nees, in DC. Prod. xi. 475 = *Dicliptera ciliaris*.  
*chinensis*, Lyall, ex Nees, l. c. 476 = *Dicliptera madagascariensis*.  
*chinensis*, Nees, l. c. 147.—China.  
*ciliaris*, Buch.-Ham. ex Wall. Cat. n. 2373 C = *Hygrophila angustifolia*.  
*ciliaris*, Linn. Mant. i. 89 = *Blepharis edulis*?  
*ciliaris*, Pers. Syn. ii. 176 = *pilosa*, Linn.  
*ciliata*, Herb. Madr. ex Wall. Cat. n. 2392 = *Strobilanthes barbatus*.  
*ciliata*, Hornem. Enum. Pl. Hort. Hafn. (1807) 53; Hort. Hafn. ii. 585.—Ind. or.; Burma.  
*ciliata*, Ruiz, ex Nees, in DC. Prod. xi. 110 = *Calophanes ciliatus*.  
*ciliata*, Wall. Cat. n. 2415 = *Strobilanthes ciliatus*.  
*ciliata*, Wall. ex Nees, in DC. Prod. xi. 156 = *Barleria cristata*.  
*ciliatiflora*, Hook. Bot. Mag. t. 3718.—Reg. Argent.  
*ciliosa*, Pursh, Fl. Am. Sept. ii. 420.—Am. bor.  
*cirsioides*, Nees, in Linnaea, xv. (1841) 354 = *Crabbea nana*.  
*clandestina*, Hook. ex Nees, in DC. Prod. xi. 153 = *obtusata*.  
*clandestina*, Linn. Sp. Pl. 634 = *tuberosa*.  
*coccinea*, Vahl, Symb. Bot. iii. 83.—Ind. occ.  
*collina*, Wall. Cat. n. 2343 = *Strobilanthes collinus*.  
*colorata*, Blume, Bijdr. 795.—Java.  
*colorata*, Vell. Fl. Flum. 267; vi. t. 99 (= *Lago-chilium montanum*).—Bras.  
*colorata*, Wall. Cat. n. 2388 = *Strobilanthes coloratus*.  
*commutata*, Steud. Nom. ed. II. ii. 481 = *Calophanes Nagchana*.  
*comosa*, Roxb. Hort. Beng. 46; Fl. Ind. iii. 43 = *Strobilanthes rufescens*.  
*comosa*, Vell. Fl. Flum. 265; vi. t. 91 = *Aphelandra squarrosa*.  
*comosa*, Wall. Cat. n. 2414 = *Ebermaiera axillaris*.  
*concarvifolia*, Orteg. Hort. Matr. Dec. 94 = *patula*.  
*confinis*, Nees, in DC. Prod. xi. 148 = *Hemigraphis confinis*.  
*contorta*, Blanco, Fl. Filip. ed. I. 496 = *Peristrophe contorta*.  
*cordata*, Thunb. Prod. Pl. Cap. 104 = *pilosa*, Linn.  
*cordifolia*, Vahl, Symb. Bot. iii. 84 = *Stenosiphonium Russellianum*.  
*coromandeliana*, Herb. Madr. ex Wall. Cat. n. 2399 = *Asystasia coromandeliana*, violacea.  
*coromandelina*, Herb. Monac. ex Nees, in DC. Prod. xi. 166 = *Asystasia coromandeliana*.  
*corymbosa*, Wall. ex Nees, l. c. 167 = *Strobilanthes Panichanga*.  
*corynotheca*, F. Muell. ex Benth. Fl. Austral. iv. 546.—Austral.  
*costata*, Hiern, in Kjoeb. Vidensk. Meddel. (1877-78) 76.—Bras.  
*crenata*, Benth. ex Hohen. in Flora, xxxii. (1849) 558 = *Hemigraphis latebrosa*.  
*crispa*, Linn. Herb. ex C. B. Clarke, in Hook. f. Fl. Brit. Ind. iv. 446 = *Strobilanthes scaber*.  
*crispa*, Linn. Sp. Pl. 635 = *Hemigraphis crispa*.  
*crispa*, Nees, in Wall. Pl. As. Rar. iii. 83 = *Hemigraphis venosa*.  
*crispa*, Roxb. ex T. Anders. in Journ. Linn. Soc. ix. (1867) 461 = *Hemigraphis dura*.  
*cristata*, Andr. Bot. Rep. t. 506 = *Aphelandra cristata*.  
*Crossandra*, Steud. Nom. ed. II. ii. 481 = *Hemigraphis latebrosa*.  
*Crucis*, Steud. l. c. = *tetragona*, Link.  
*cucullata*, Boj. ex Nees, in DC. Prod. xi. 726 = *Phayloopsis parviflora*.  
*Cumingiana*, Nees, l. c. 148 = *Hemigraphis Cumingiana*.  
*Curroni*, T. Anders. in Journ. Linn. Soc. vii. (1864) 24.—Afr. trop.  
*curviflora*, Nees & Mart. in Nov. Act. Nat. Cur. xi. (1823) 50.—Bras.

**RUELLIA** :—

*Cusia*, Buch.-Ham. ex Wall. Cat. n. 2386 = *Strobilanthes flaccidifolius*.  
*cuspidata*, Heyne, ex Wall. l. c. n. 2405 = *Lepidagathis cuspidata*.  
*cyanea*, Boj. ex Nees, in DC. Prod. xi. 121, in syn.—Madag.  
*Decaisniana*, Nees, l. c. 150 = *Hemigraphis Decaisneana*.  
*deccanensis*, J. Grah. Cat. Pl. Bomb. 162 = *prostrata*.  
*decipiens*, Nees, in Wall. Pl. As. Rar. iii. 83 = *Hemigraphis decipiens*.  
*densa*, Hiern, in Kjoeb. Vidensk. Meddel. (1877-78) 74.—Bras.  
*densiflora*, Hemsl. Biol. Centr. Am. Bot. ii. 504.—Panama.  
*denticulata*, Wall. Cat. n. 2418 = *Strobilanthes denticulatus*.  
*dependens*, Hook. ex Nees, in DC. Prod. xi. 470 = *Rungia parviflora*.  
*dependens*, Roxb. Hort. Beng. 46; Fl. Ind. iii. 49 = *Lepidagathis hyalina*.  
*depressa*, Linn. f. Suppl. 290 = *Aptosimum depressum*.  
*depressa*, Wall. Cat. n. 2379 = *Calophanes Nagchana*.  
*Devosiana*, Hort. Makoy, ex E. Morr. in Belg. Horticult. xxvii. (1877) 344, t. 19.—Bras.  
*dichotoma*, Bert. ex Nees, in DC. Prod. xi. 142 = *paniculata*.  
*difformis*, Linn. f. Suppl. 289 = *Cardanthera triflora*.  
*diffusa*, Griseb. Cat. Pl. Cub. 195.—Ins. S. Doming.  
*diffusa*, Royle, ex Nees, in DC. Prod. xi. 171 = *Aechmanthera tomentosa*.  
*diffusa*, Vell. Fl. Flum. 266; vi. t. 94 = *Nelsonia campestris*.  
*diffusa*, Wall. Cat. n. 2383 = *Hemigraphis latebrosa*.  
*Digitalis*, Koen. ex Spreng. Syst. ii. 825 = *Asystasia coromandeliana*.  
*dimidiata*, Nees, in DC. Prod. xi. 157 = *Hygrophila angustifolia*.  
*Dipteracanthus*, Hemsl. Biol. Centr. Am. Bot. ii. 504.—Mexic.  
*discolor*, Lecchi, ex Colla, Hort. Ripul. App. ii. 356 = *nova*.  
*discolor*, Nees, in DC. Prod. xi. 149.—Java.  
*dissitifolia*, Hiern, in Kjoeb. Vidensk. Meddel. (1877-78) 73.—Bras.  
*disticha*, Buch.-Ham. ex Wall. Cat. n. 2365 = *Lepidagathis hyalina*.  
*divaricata*, Hoffing. Verz. Pfl. 193 = *lactea*.  
*divaricata*, Wall. Cat. n. 2372 = *Strobilanthes divaricatus*.  
*diversifolia*, S. Moore, in Journ. Bot. xviii. (1880) 198.—Afr. trop.  
*domingensis*, Spreng. ex Nees, in DC. Prod. xi. 136, in syn.—Ins. S. Doming.  
*dorsiflora*, Retz. Obs. vi. 31 = *Phayloopsis parviflora*.  
*Drummondiana*, A. Gray, Syn. Fl. N. Am. ii. 1. 326.—Texas.  
*dubia*, Vahl, ex Nees, in DC. Prod. xi. 79 = *Ebermaiera elongata*.  
*dulcis*, Cav. Ic. vi. 62, t. 585, f. 2 = *Stenandrium dulce*.  
*dulcis*, Wall. Cat. n. 7167 = *Lepidagathis dulcis*.  
*dulcissima*, Steud. Nom. ed. II. ii. 481 = *Lepidagathis dulcis*.  
*dura*, Nees, in Hook. Comp. Bot. Mag. ii. (1836) 311 = *Hemigraphis dura*.  
*ebracteata*, Dalz. in Hook. Kew Journ. ii. (1850) 342 = *Hemigraphis ebracteolata*.  
*ebracteolata*, T. Anders. in Journ. Linn. Soc. ix. (1867) 462 = *Hemigraphis ebracteolata*.  
*echinata*, Wall. Cat. n. 2356 = *Strobilanthes pectinatus*.  
*elegans*, Hook. Bot. Mag. t. 3389 = *Hemigraphis latebrosa*.  
*elegans*, Poir. Encyc. Suppl. iv. 727 = *formosa*.  
*elongata*, Beauv. Fl. Owar. i. 46 = *Whitfieldia longifolia*.  
*erecta*, Buch.-Ham. ex Wall. Cat. n. 2395 = *Hemigraphis latebrosa*.  
*erecta*, Burm. f. Fl. Ind. 135 = *Calophanes Nagchana*.  
*erecta*, Roth, Nov. Pl. Sp. 308 = *patula*.  
*eristachya*, Boj. ex Nees, in DC. Prod. xi. 67 = *Nelsonia campestris*.  
*eucoma*, Steud. Nom. ed. II. ii. 481 = *Ebermaiera axillaris*.  
*extensa*, Steud. l. c. = *Strobilanthes extensus*.  
*falcata*, Steud. l. c. = *Lepidagathis falcata*.  
*fasciculata*, Herb. Madr. ex Wall. Cat. n. 2394 = *Hemigraphis latebrosa*.

**RUELLIA:—**

*fasciculata*, Retz. Obs. iv. 28 = *Lepidagathis fasciculata*.  
*filicifolia*, Salzm. ex Nees, in Mart. Fl. Bras. ix. 22 = *Hygrophila costata*.  
*filiformis*, Heyne, ex Steud. Nom. ed. II. ii. 481 = *Asystasia violacea*.  
*filiformis*, Klein, ex Nees, in DC. Prod. xi. 165 = *Asystasia coromandeliana*.  
*fimbriata*, Wall. Cat. n. 2363 = *Strobilanthes fimbriata*.  
*flaccida*, Kurz, in Journ. As. Soc. Beng. xlii. (1873) II. 91 = *Hemigraphis flaccida*.  
*flagelliformis*, Roxb. Hort. Beng. [95]; Fl. Ind. iii. 471. —Ins. Molucc.  
*flava*, Pers. Syn. ii. 177. —Ind. or.  
*flava*, Roxb. Hort. Beng. [95]; Fl. Ind. iii. 43 = *Hemigraphis flava*.  
*flava*, Salzm. ex Nees, in DC. Prod. xi. 152 = *ochroleuca*.  
*flexuosa*, Wall. Cat. n. 2412 = *Strobilanthes pentstemonoides*.  
*floribunda*, Hook. Bot. Misc. ii. (1831) 236. —Peruv.  
*foetida*, Humb. & Bonpl. ex Willd. Enum. Hort. Berol. 656 = *rubraulis*.  
*foliosa*, Schweinitz, ex Nees, in DC. Prod. xi. 122 = *strepens*.  
*formosa*, Andr. Bot. Rep. t. 610. —Bras.  
*formosa*, Humb. & Bonpl. Pl. Aequin. i. 169 = *Aphelandra formosa*.  
*formosa*, Ledeb. ex Steud. Nom. ed. II. ii. 481, nomen (Quid?). —Hab.?  
*fragrans*, Forst. f. Prod. 44 = *Limnophila serrata*.  
*fulgida*, Andr. Bot. Rep. t. 527. —N. Granat.  
*Gairae*, Rohr, ex Nees, in DC. Prod. xi. 466 = *Blechnum Brownii*.  
*geminiflora*, H. B. & K. Nov. Gen. et Sp. ii. 240. —Am. trop.  
*gemmipara*, Nees, in DC. Prod. xi. 220, in syn. —Mexic.  
*geniculata*, Boj. ex Nees, l. c. 107 (= *Dyschoriste geniculata*). —Madag.  
*geniculata*, Vell. Fl. Flum. 265; vi. t. 93 = *Stenandrum mandiocanum*.  
*gigantea*, Humb. & Bonpl. Pl. Aequin. ii. 75. t. 102 = *Trichanthera gigantea*.  
*glabra*, Heyne, ex Roth, Nov. Pl. Sp. 312 = *glandulosa*.  
*glabrata*, Herb. Petrop. ex Nees, in Mart. Fl. Bras. ix. 29 = *solitaria*.  
*glabrata*, Wall. Cat. n. 2390 = *Strobilanthes glabratus*.  
*glandulosa*, Roth, Nov. Pl. Sp. 312 (Gen.?). —Ind. or.  
*glaucescens*, Wall. ex Nees, in Wall. Pl. As. Rar. iii. 85, in syn. = *Hemigraphis glaucescens*.  
*glomerata*, Herb. Madr. ex Nees, in Wall. l. c. 94 = *Phayloopsis parviflora*.  
*glomerata*, Wall. Cat. n. 2361 = *Strobilanthes glomeratus*.  
*glutinosa*, Roxb. ex Nees, in DC. Prod. xi. 261 = *Phayloopsis parviflora*.  
*glutinosa*, Wall. Cat. n. 2350 = *Strobilanthes glutinosus*.  
*gossypina*, Nees, in Wall. Pl. As. Rar. i. 38. t. 42; Wall. Cat. n. 2332 = *Aechmanthera tomentosa*.  
*grandiflora*, Blanch. ex Nees, in Mart. Fl. Bras. ix. 30 = *speciosa*.  
*grandiflora*, Pers. Syn. ii. 175 = *longiflora*.  
*grandiflora*, Poir. Encyc. vi. 340. —Ins. Guadeloup.  
*grandiflora*, Ruiz, ex Nees, in DC. Prod. xi. 134 = *candida*.  
*grandiflora*, Salzm. ex Nees, in Mart. Fl. Bras. ix. 31 (= *Dipteracanthus subringens*). —Bras.  
*grandis*, Hort. ex Hook. Bot. Mag. t. 4366 = *Strobilanthes lactatus*.  
*graveolens*, Hoffm. Verz. Pfl. Nachtr. ii. 202. —Nepal.  
*Griffithiana*, Nees, in DC. Prod. xi. 149 = *Hemigraphis Griffithiana*.  
*guttata*, Forsk. Fl. Aegypt. Arab. 114. —Arab.  
*Hamiltoniana*, Steud. Nom. ed. II. ii. 481 = *Strobilanthes coloratus*.  
*Herbstii*, Hiern, in Kjoeb. Vidensk. Meddel. (1877-78) 75. —Bras.  
*hirsuta*, T. Anders. in Journ. Agri-Hort. Soc. Ind. N. S. i. (1868) 270, in syn. = *Hemigraphis Decaisneana*.  
*hirsuta*, Ell. Sketch, ii. 109 = *ciliosa*.  
*hirsuta*, Nees, in DC. Prod. xi. 148 = *Hemigraphis hirsuta*.  
*hirsuta*, Roxb. Hort. Beng. [95]; Fl. Ind. iii. 51 = *Hygrophila phlomisoides*.  
**VOL. II.**

**RUELLIA:—**

*hirsuta*, Vell. Fl. Flum. 266; vi. t. 96 = *geminiflora*.  
*hirsuto-glandulosa*, Hemsl. Biol. Centr. Am. Bot. ii. 505. —Mexic.  
*hirta*, D. Don, Prod. Fl. Nep. 119 = *Strobilanthes nutans*.  
*hirta*, Vahl, Symb. Bot. iii. 84. t. 67 = *Hemigraphis hirta*.  
*hispida*, DC. ex Nees, in DC. Prod. xi. 198 = *lactea*.  
*hispida*, Rich. ex Nees, l. c. 87 = *Hygrophila hispida*.  
*hispida*, Vahl, ex Nees, l. c. 137 = *geminiflora*.  
*hispidosa*, Boj. ex Nees, l. c. 262 = *Phayloopsis parviflora*.  
*Hochstetteri*, Steud. Nom. ed. II. ii. 481 = *Calophanes radicans*.  
*Hoffmannseggii*, Steud. l. c. = *lactea*.  
*homonyma*, Steud. l. c. = *Asystasia Kunthiana*.  
*Hookeriana*, Hemsl. Biol. Centr. Am. Bot. ii. 505. —Mexic.  
*Humboldtiana*, Klotzsch, ex Nees, in DC. Prod. xi. 207, in syn. —N. Granat.  
*humifusa*, Hemsl. Biol. Centr. Am. Bot. ii. 505. —Mexic.  
*humifusa*, Pers. Syn. ii. 177. —Ins. Seychell.  
*humilis*, Nutt. in Trans. Am. Phil. Soc. N. S. v. (1837) 182 = *ciliosa*.  
*humilis*, Pohl, ex Nees, in Mart. Fl. Bras. ix. 40. —Bras.  
*humistrata*, Michx. Fl. Bor. Am. ii. 23 = *Calophanes humistratus*.  
*Huttonii*, T. Anders. in Journ. Linn. Soc. vii. (1864) 25. —Afr. austr.  
*hybrida*, Pursh, Fl. Am. Sept. ii. 420 = *ciliosa*.  
*hygrophila*, Mart. in Flora, xxiv. (1841) II. Beibl. 65. —Bras.  
*hygrophiloides*, Hemsl. Biol. Centr. Am. Bot. ii. 505. —Mexic.  
*hyssopifolia*, Hochst. ex Nees, in DC. Prod. xi. 111 = *Calophanes hyssopifolius*.  
*imbricata*, Forsk. Fl. Aegypt. Arab. 113 = *Phayloopsis longifolia*.  
*imbricata*, Hook. ex Nees, in DC. Prod. xi. 181 = *Strobilanthes verruculosus*.  
*imbricata*, Vahl, Symb. Bot. ii. 73 = *Phayloopsis parviflora*.  
*imbricata*, Wall. Cat. n. 7156 = *Strobilanthes imbricata*.  
*inaperta*, Spreng. in Schrad. Journ. (1800) II. 198. —Hab.?  
*incana*, Blume, Cat. Gew. Buitenz. 85 = *Lepidagathis incana*.  
*incana*, Heyne, ex C. B. Clarke, in Hook. f. Fl. Brit. Ind. iv. 408 = *Hygrophila incana*.  
*indigofera*, Griff. Journ. 237 = *Strobilanthes flaccidifolius*.  
*indigotica*, Fortune, Resid. Chin. 158 = *Strobilanthes flaccidifolius*.  
*inflata*, Rich. in Act. Soc. Hist. Nat. Par. i. (1792) 110. —Guian.  
*infundibuliformis*, Andr. Bot. Rep. t. 542; Roxb. Fl. Ind. iii. 41 = *Crossandra undulaefolia*.  
*insignis*, Balf. f. in Proc. Roy. Soc. Edinb. xii. (1884) 85. —Ins. Socotra.  
*intrusa*, Forsk. Fl. Aegypt. Arab. 113 = *Asystasia coromandeliana*.  
*inundata*, H. B. & K. Nov. Gen. et Sp. ii. 239. —N. Granat.  
*involuta*, Heyne, ex Wall. Cat. n. 2357 = *Strobilanthes Heyneanus*.  
*involuta*, Vahl, Symb. Bot. iii. 83 (Gen.?). —Ind. or.  
*isophylla*, Steud. Nom. ed. II. ii. 482 = *Strobilanthes isophyllus*.  
*Jacquemontiana*, Nees, in DC. Prod. xi. 145 = *Strobilanthes glutinosus*.  
*japonica*, Thunb. Fl. Jap. 254. —Japon.  
*japurensis*, Mart. ex Nees, in Mart. Fl. Bras. ix. 29 = *solitaria*.  
*Junghuhniana*, Miq. Fl. Ind. Bat. ii. 790. —Java.  
*jussieuoides*, Schlecht. in Linnaea, vi. (1831) 370. —Mexic.  
*justiciaeflora*, Hook. Comp. Bot. Mag. i. (1835) 176 = *Hygrophila lacustris*.  
*justicioides*, Wall. ex Nees, in Wall. Pl. As. Rar. iii. 94 = *Phayloopsis parviflora*.  
*Kunthiana*, Wall. Cat. n. 2367 = *Strobilanthes Kunthiana*.  
*Kunthiana*, Wall. l. c. n. 2419 = *Asystasia Kunthiana*.

**RUELLIA:—**

*lactea*, Cav. Ic. iii. 28. t. 255. —Mexic.  
*lactea*, Willd. ex Nees, in DC. Prod. xi. 197 = *tuberosa*.  
*lacustris*, Schlecht. & Cham. in Linnaea, v. (1830) 96 = *Hygrophila lacustris*.  
*lagopodes*, Ryan, ex Nees, in DC. Prod. xi. 263 = *Lepidagathis alopecuroides*.  
*lamiifolia*, Wall. Cat. n. 2347 = *Strobilanthes lamiifolius*.  
*lanato-viscosa*, Hemsl. Biol. Centr. Am. Bot. ii. 506. —Mexic.  
*latebrosa*, Dalz. & Gibs. Bomb. Fl. 186 = *Hemigraphis ebracteolata*.  
*latebrosa*, Roth, Nov. Pl. Sp. 307 = *Hemigraphis latebrosa*.  
*latebrosa*, Roxb. Hort. Beng. 46; Fl. Ind. iii. 46 = *Hemigraphis hirta*.  
*latifolia*, Roth, ex Nees, in DC. Prod. xi. 146 = *Hemigraphis hirta*.  
*leptostachya*, Wall. Cat. n. 2411 = *Dianthera Wallichii*.  
*lilacina*, Hook. Bot. Mag. t. 4147 = *solitaria*.  
*littoralis*, Linn. f. Suppl. 289 = *Calophanes littoralis*.  
*liturata*, Hort. Berol. ex Nees, in Mart. Fl. Bras. ix. 29 = *solitaria*.  
*longepetiolata*, Hemsl. Biol. Centr. Am. Bot. ii. 506. —Mexic.  
*longiflora*, DC. ex Nees, in DC. Prod. xi. 216 = *curviflora*.  
*longiflora*, Drumm. ex Nees, l. c. 123 = *ciliosa*.  
*longiflora*, Hort. ex Lindl. Bot. Reg. (1846) sub t. 13 = *solitaria*.  
*longiflora*, Nees, in DC. Prod. xi. 140 = *Whitfieldia longifolia*.  
*longiflora*, Pers. Syn. ii. 176 = *longifolia*, Rich.  
*longiflora*, Salzm. ex Nees, in DC. Prod. xi. 210 (= *Arrhoxylum glabrum*). —Bras.  
*longiflora*, Vahl, Symb. Bot. i. 45. —Arab.  
*longifolia*, T. Anders. in Journ. Linn. Soc. ix. (1867) 460. —Beluchist.  
*longifolia*, T. Anders. l. c. vii. (1864) 27 = *Whitfieldia longifolia*.  
*longifolia*, Raesch. Nom. ed. III. 180 = *cayennensis*.  
*longifolia*, Rich. in Act. Soc. Hist. Nat. Par. i. (1792) 110. —Guian.  
*longifolia*, Roth, Nov. Pl. Sp. 306 = *Hygrophila angustifolia*.  
*longifolia*, Roxb. Hort. Beng. 46; Fl. Ind. iii. 50 = *Hygrophila spinosa*.  
*longifolia*, Thunb. ex Nees, in DC. Prod. xi. 182 = *Strobilanthes cernuus*.  
*Lorentziana*, Griseb. in Goett. Abh. xxiv. (1879) 259. —Reg. Argent.  
*lupulina*, Wall. Cat. n. 2355 = *Strobilanthes lupulinus*, Heyneanus.  
*luzona*, Nees, in DC. Prod. xi. 151 = *Hemigraphis luzona*.  
*Lysimachia*, Hort. Monsp. ex Nees, l. c. 198 = *tuberosa*.  
*macrantha*, Mart. ex Nees, in Mart. Fl. Bras. ix. 37. —Bras.  
*macrocalyx*, Ruiz, ex Nees, in DC. Prod. xi. 218 = *Macrostegia Ruiziana*.  
*macrocarpa*, Wall. Cat. n. 2348 = *Asystasia macrocarpa*.  
*macrophylla*, H. B. & K. Nov. Gen. et Sp. ii. 241 = *fulgida*.  
*macrophylla*, Vahl, Symb. Bot. ii. 72. t. 39. —Am. trop.  
*macrophylla*, Willd. ex Nees, in DC. Prod. xi. 207 (= *Stemonacanthus Willdenoviana*). —Hab.?  
*macrosiphon*, Kurz, in Journ. As. Soc. Beng. xlii. (1873) II. 92. —Burma.  
*maculata*, Tafalla, ex Nees, in DC. Prod. xi. 290 (= *Lagochilium maculatum*). —Hab.?  
*maculata*, Wall. Pl. As. Rar. iii. 33. t. 250 = *Strobilanthes maculatus*.  
*maderensis*, Hort. ex Nees, in DC. Prod. xi. 159 = *solitaria*.  
*madurensis*, Poir. Encyc. vi. 341 = *Calophanes littoralis*.  
*magnifica*, Mart. ex Nees, in Mart. Fl. Bras. ix. 37 = *macrantha*.  
*Maranhonis*, Pohl, ex Nees, in DC. Prod. xi. 142 = *viscidula*.  
*matutina*, Hochst. & Steud. ex Presl, Bot. Bemerk. 94 = *patula*.  
*menthoides*, Hiern, in Kjoeb. Vidensk. Meddel. (1877-78) 72. —Bras.

**RUELLIA** :—

*Methia*, Buch.-Ham. ex Wall. Cat. n. 2384 = prostrata.  
*microphylla*, Cav. Ic. vi. 63. t. 586. f. 2 = Calophanes microphylla.  
*microphylla*, Vahl, ex Nees, in DC. Prod. xi. 106 = Calophanes littoralis.  
*modesta*, Mart. ex Nees, l. c. 465 = Pentstemonacanthus modestus.  
*mollissima*, Klein, ex Nees, l. c. 91 = Hygrophila incana.  
*mollissima*, Vahl, Symb. Bot. iii. 82 = Hypoestes mollissima.  
*monadelpha*, Wall. ex Steud. Nom. ed. II. ii. 482, sphalm. = Strobilanthes monadelphus.  
*monanthos*, Boj. ex Nees, in DC. Prod. xi. 125, in syn. —Madag.  
*montana*, Wall. Cat. n. 2391 = Barleria montana.  
*Moritziana*, Klotzsch, ex Nees, in DC. Prod. xi. 137 = geminiflora.  
*mucronata*, Wall. Cat. n. 2366 = Lepidagathis purpuricaulis, hyalina.  
*multicaulis*, Hochst. in Flora, xxiv. (1841) i. Intell. 24 = Calophanes multicaulis.  
*mutabilis*, Zipp. in Alg. Konst. en Letter-Bode (1829), i. 297, nomen. —Malaya.  
*mysurensis*, Roth, Nov. Pl. Sp. 303 = Asystasia Lauriana.  
*Nagchana*, Buch.-Ham. ex Wall. Cat. n. 2396 = Calophanes Nagchana.  
*nana*, Nees, in Linnaea, xv. (1841) 355 = Crabbea nana.  
*napiifera*, Zoll. & Mor. in Nat. en Geneesk. Arch. Neêrl. Indie, ii. (1845) 573. —Java.  
*Neesiana*, Klotzsch, ex Schlecht. in Linnaea, xiv. (1840) 289 = tetragona, Link.  
*Neesiana*, Wall. Pl. As. Rar. i. 73. t. 83 = Asystasia Neesiana.  
*neglecta*, Steud. Nom. ed. II. ii. 482 = Calophanes Nagchana.  
*nemoralis*, Hilsenb. & Boj. ex Nees, in DC. Prod. xi. 159 (= *Rhytiglossa nemoralis*). —Afr. trop.?  
*nemoralis*, Vahl, ex Nees, l. c. 165 = Asystasia coromandeliana.  
*nemorosa*, Zoll. & Mor. in Nat. en Geneesk. Arch. Neêrl. Indie, ii. (1845) 574. —Java.  
*nemorum*, Russ. ex Wall. Cat. n. 2399 C = Asystasia intrusa.  
*Nilbutia*, Buch.-Ham. ex Wall. l. c. n. 2366 D = Lepidagathis purpuricaulis.  
*noctiflora*, A. Gray, Syn. Fl. N. Am. ii. i. 326. —Am. bor.  
*nova*, Colla, Hort. Ripul. App. ii. 356, nomen. —Hab. ?  
*nubica*, Delile, Cent. Pl. Meroë, 74. —Aegypt.  
*nutans*, Steud. Nom. ed. II. ii. 482 = Strobilanthes glomeratus.  
*obliqua*, Pers. Syn. ii. 177. —Java.  
*obliqua*, Wight, ex Wall. Cat. n. 2399 D = Asystasia coromandeliana.  
*oblongifolia*, Kinn, ex Nees, in DC. Prod. xi. 122 = strepens.  
*oblongifolia*, Michx. Fl. Bor. Am. ii. 23 = Calophanes oblongifolius.  
*oblongifolia*, Rafin. ex Nees, in DC. Prod. xi. 123 = ciliosa.  
*obovata*, Blume, ex Steud. Nom. ed. II. ii. 482, nomen. —Java.  
*obovata*, Buch.-Ham. in Wall. Cat. n. 2375 = Cardanthera triflora.  
*obovata*, Roxb. Hort. Beng. 46; Fl. Ind. iii. 51 = Hygrophila phlomoides.  
*obovata*, Vahl, ex Nees, in DC. Prod. xi. 75 = Ebermaiera glauca.  
*obscura*, Russ. ex Wall. Cat. n. 2382 = Hemigraphis latebrosa.  
*obtusa*, Nees, in DC. Prod. xi. 152. —N. Granat.  
*ochroleuca*, Mart. ex Nees, in Mart. Fl. Bras. ix. 56. —Bras.  
*ocymoides*, Cav. Ic. v. 9 = patula.  
*ovalifolia*, Hemsl. Biol. Centr. Am. Bot. ii. 506. —Mexic.  
*ovata*, Cav. Ic. iii. 28. t. 254 = Calophanes linearis.  
*ovata*, Delar. ex Nees, in DC. Prod. xi. 122 = strepens.  
*ovata*, Gouan, ex Nees, l. c. 127 = patula.  
*ovata*, Thunb. Prod. Pl. Cap. 104. —Afr. austr.  
*ovata*, Willd. ex Nees, in Mart. Fl. Bras. ix. 49 = lactea.  
*pallida*, Vahl, Symb. Bot. ii. 72. —Arab.

**RUELLIA** :—

*pallida*, Willd. ex Nees, in DC. Prod. xi. 126 = prostrata.  
*Panichanga*, Buch.-Ham. ex Wall. Cat. n. 2387 = Strobilanthes Panichanga.  
*paniculata*, Heyne, ex C. B. Clarke, in Hook. f. Fl. Brit. Ind. iv. 409 = Nomaphila stricta.  
*paniculata*, H. B. & K. Nov. Gen. et Sp. ii. 239 (= *Dipteracanthus turbacensis*). —N. Granat.  
*paniculata*, Linn. Herb. ex C. B. Clarke, in Hook. f. Fl. Brit. Ind. iv. 554 = Peristrophe bicalyculata.  
*paniculata*, Linn. Sp. Pl. 635. —Am. trop.  
*paniculata*, Scop. ex Nees, in DC. Prod. xi. 197 = tuberosa.  
*paniculata*, Vahl, ex Nees, l. c. 141 = albicaulis.  
*paniculata*, Wall. ex Nees, in Wall. Pl. As. Rar. iii. 92 = Barleria tomentosa.  
*parabolica*, Nees, in DC. Prod. xi. 144 = Hemigraphis parabolica.  
*Parryi*, A. Gray, Syn. Fl. N. Am. ii. i. 326. —Texas.  
*parva*, Hemsl. Biol. Centr. Am. Bot. ii. 506. —Mexic.  
*parviflora*, Baldw. ex Nees, in DC. Prod. xi. 107 = Calophanes oblongifolius.  
*parviflora*, Hort. Tonell. ex Nees, l. c. 123 = Hemigraphis latebrosa.  
*patula*, Hort. Par. ex Nees, in DC. Prod. xi. 126 (= *Dipteracanthus dubius*). —Hab. ?  
*patula*, Jacq. Misc. ii. 358. —Abyss.; Arab.; Ind. or.; Burma.  
*patula*, Salz. ex Nees, in DC. Prod. xi. 135 = trivialis.  
*pauciflora*, Wall. Cat. n. 2369 = Codonacanthus pauciflorus.  
*Pavala*, Roxb. Hort. Beng. [95]; Fl. Ind. iii. 47 = Hemigraphis latebrosa.  
*pectinata*, Wall. Cat. n. 2356 = Strobilanthes pectinatus.  
*pedunculata*, Torr. ex A. Gray, Syn. Fl. N. Am. ii. i. 325. —Am. bor.  
*pedunculosa*, Nees, in DC. Prod. xi. 211, in syn. —Peruv.  
*pentstemonoides*, Wall. Cat. n. 2340 = Strobilanthes pentstemonoides.  
*persica*, Burm. f. Fl. Ind. 135. t. 42. f. 1 = Blepharis edulis.  
*persicifolia*, Lindl. in Bot. Reg. t. 955; Griff. Itin. Notes, 70 = Strobilanthes anisophyllus.  
*petiolaris*, Boj. ex Nees, in DC. Prod. xi. 262 = Phayloopsis longifolia.  
*petiolata*, Boj. ex Nees, l. c. 726 = praec.  
*phlomoides*, Wall. Cat. n. 2376 = Hygrophila phlomoides.  
*picta*, Lodd. Bot. Cab. t. 1448. —Ins. S. Doming.  
*pilosa*, Herb. Vindob. ex Nees, in DC. Prod. xi. 200. (= *Siphonacanthus pubens*). —Bras.  
*pilosa*, Linn. f. Suppl. 290. —Afr. austr.  
*pilosa*, Pav. ex Nees, in DC. Prod. xi. 127, in syn. —Mexic.  
*pilosa*, Vell. Fl. Flum. 268; vi. t. 100 (= *Dipteracanthus Neesianus*). —Bras.  
*polysperma*, Roth, Nov. Pl. Sp. 305 = Hygrophila Serpyllum.  
*porrigens*, Mart. ex Nees, in Mart. Fl. Bras. ix. 41. —Bras.  
*Portellae*, Hook. f. Bot. Mag. t. 6498. —Bras.  
*primulacea*, F. Muell. ex Benth. Fl. Austral. iv. 546. —Austral.  
*primulifolia*, Nees, in Nov. Act. Nat. Cur. xix. Suppl. i. (1843) 382 = Hemigraphis primulaefolia.  
*prismatica*, Vell. Fl. Flum. 267; vi. t. 98 = Aphelandra prismatica.  
*prostrata*, Pav. ex Nees, in DC. Prod. xi. 198 = lactea.  
*prostrata*, Poir. Encyc. vi. 349. —Ind. or.; Afr. trop.  
*pubescens*, Pers. Syn. ii. 176 = pilosa, Linn.  
*pubiflora*, Griseb. in Goett. Abh. xxiv. (1879) 259. —Reg. Argent.  
*pulchella*, Schott, ex Steud. Nom. ed. II. ii. 482 = rubicaulis.  
*pulcherrima*, T. Anders. ex Hemsl. Biol. Centr.-Am. Bot. ii. 507. —Mexic.  
*pumila*, Pav. ex Nees, in DC. Prod. xi. 199, in syn. —Peruv.  
*Pumilio*, R. Br. Prod. 479 = australis.  
*punctata*, Nees, in DC. Prod. xi. 147 = Strobilanthes anceps.  
*Purdiana*, Hook. Bot. Mag. t. 4298. —N. Granat. ?  
*Puri*, Mart. ex Nees, in Mart. Fl. Bras. ix. 35. —Bras.

**RUELLIA** :—

*purpuricaulis*, Wall. ex Nees, in Wall. Pl. As. Rar. iii. 96 = Lepidagathis purpuricaulis.  
*quadrangularis*, Heyne, ex C. B. Clarke, in Hook. f. Fl. Brit. Ind. iv. 494 = Asystasia chelonoides.  
*quadrangularis*, Vell. Fl. Flum. 267; vi. t. 97 = Aphelandra sciophila.  
*quadrangularis*, Wall. Cat. n. 2358 = Strobilanthes quadrangularis.  
*quadrifaria*, Wall. l. c. n. 7152 = Hemigraphis quadrifaria.  
*quadrivalvis*, Buch.-Ham. in Trans. Linn. Soc. xiv. (1824) 291 = Hygrophila quadrivalvis.  
*quaterna*, Thonn. in Schum. & Thonn. Beskr. Guin. Pl. 284 = Asystasia scandens.  
*quitensis*, H. B. & K. Nov. Gen. et Sp. ii. 240 = Calophanes quitensis.  
*quitensis*, Schlecht. & Cham. in Linnaea, v. (1830) 96 = Calophanes Schiedeana.  
*racemosa*, Roxb. Hort. Beng. [95]; Fl. Ind. iii. 42 = Ebermaiera racemosa.  
*radicalis*, Buch.-Ham. ex Nees, in Wall. Pl. As. Rar. iii. 96 = Lepidagathis Hamiltoniana.  
*radicans*, Hochst. in Flora, xxiv. (1841) i. Intell. 24 = Calophanes radicans.  
*radicans*, Wall. Cat. n. 2410 = Hygrophila angustifolia.  
*radiciflora*, Vahl, ex Nees, in DC. Prod. xi. 160 = Lepidagathis cristata.  
*rasa*, Hiern, in Kjoeb. Vidensk. Meddel. (1877-78) 73. —Bras.  
*ravaccensis*, Nees, in DC. Prod. xi. 144. —Ins. Rawak.  
*reflexa*, Royle, ex Nees, in DC. l. c. 194 = Strobilanthes alatus.  
*reniformis*, Wall. ex Nees, in Wall. Pl. As. Rar. iii. 94 = Phayloopsis parviflora.  
*repanda*, Blume, Bijdr. 794 = Blumeana.  
*repanda*, Linn. Sp. Pl. ed. II. 886. —Malaya.  
*repens*, Blanco, Fl. Filip. ed. I. 493 = Hemigraphis repens.  
*repens*, Burm. f. Fl. Ind. t. 41. f. 2 = Calophanes Nagchana.  
*repens*, Hort. Madr. ex Nees, in DC. Prod. xi. 124 = prostrata.  
*repens*, Linn. Mant. i. 89. —Burma; Malaya.  
*repens*, Ruiz, ex Nees, in DC. Prod. xi. 109 = Calophanes repens.  
*repens*, Wall. Cat. n. 2384 = prostrata, suffruticosa.  
*reptans*, Forst. f. Prod. 44 = Hemigraphis reptans.  
*retrofacta*, Wall. Cat. n. 7165 = Lepidagathis purpuricaulis.  
*rhamnifolia*, Willd. ex Nees, in DC. Prod. xi. 142 = albicaulis.  
*rhytiphylla*, Nees, l. c. 150 = Hemigraphis rhytiphylla.  
*ringens*, Linn. Sp. Pl. 635 = Hygrophila angustifolia.  
*ringens*, Roxb. Hort. Beng. 46; Fl. Ind. iii. 44 = prostrata.  
*rivinaefolia*, Wall. Cat. n. 2413 = Justicia vasculosa.  
*rivularis*, Schlecht. in Linnaea, vii. (1832) 396 = Hygrophila rivularis.  
*Rohrii*, Vahl, ex Nees, in DC. Prod. xi. 466 = Blechnum Brownei.  
*rosea*, Hemsl. Biol. Centr. Am. Bot. ii. 507. —Mexic.  
*rosea*, Mart. ex Nees, in Mart. Fl. Bras. ix. 61 (= *Arrhoxystylum roseum*). —Bras.  
*rosea*, Wall. ex Nees, in DC. Prod. xi. 177 = Strobilanthes roseus.  
*rotundifolia*, D. Don, Prod. Fl. Nep. 120 = Strobilanthes lamiifolius.  
*rubicaulis*, Cav. Ic. v. 10. —Mexic.  
*rubicunda*, Wight, ex Wall. Cat. n. 2337 = Strobilanthes rubicundus.  
*rubra*, Aubl. Pl. Gui. ii. 666. —Guian.  
*rubra*, Nees, in DC. Prod. xi. 211. (= *Arrhoxystylum Haenkeanum*). —Peruv.  
*rubra*, Willd. ex Nees, l. c. 209. (= *Arrhoxystylum Willdenovianum*). —Ind. occ.  
*rufescens*, Roth, Nov. Pl. Sp. 304 = Strobilanthes rufescens.  
*rupestris*, T. Anders. in Journ. Linn. Soc. ix. (1867) 462 = Hemigraphis ebracteolata.  
*rupestris*, Sw. Prod. Veg. Ind. Occ. 93 = Stenandrium rupestre.  
*Russelliana*, Wall. Cat. n. 2400 = Stenosiphonium Russellianum.  
*Sabiniana*, Wall. l. c. n. 2338 = Strobilanthes Sabinianus.  
*salicifolia*, Bert. ex Nees, in DC. Prod. xi. 92 = Hygrophila portoricensis.

**RUELLIA:—**

*salicifolia*, Boj. ex Nees, in DC. Prod. xi. 511 = *Isoglossa angusta*.  
*salicifolia*, Herb. Madr. ex Wall. Cat. n. 2374 B = *Hygrophila quadrivalvis*.  
*salicifolia*, Salz. ex Nees, in DC. Prod. xi. 88 = *Hygrophila costata*.  
*salicifolia*, Vahl, Symb. Bot. iii. 84 = *Hygrophila angustifolia*.  
*sanguinea*, Griseb. in Goett. Abh. xxiv. (1879) 260.—Reg. Argent.  
*sarmentosa*, Nees, in Wall. Pl. As. Rar. iii. 83 = *Hemigraphis hirta*.  
*satipoorensis*, Wawra, in Oestr. Bot. Zeitschr. xxxi. (1881) 281 = *Hemigraphis latebrosa*.  
*saxicola*, Boj. ex Nees, in DC. Prod. xi. 503 = *Hypoestes saxicola*.  
*scabra*, Gaudich. ex Nees, l. c. 150 = *Hemigraphis Decaisneana*.  
*scabra*, Juss. ex Pers. Syn. ii. 178 = *obliqua*.  
*scabra*, Wall. Cat. n. 2377 = *Strobilanthes heteromallus*.  
*scabra*, Wall. l. c. n. 2393 = *Strobilanthes scaber*.  
*scabrata*, Wall. l. c. n. 2393 C = *Strobilanthes scaber*.  
*scabrosa*, Sw. Fl. Ind. Occ. ii. 1074 = *Stenandrium scabrosum*.  
*scariosa*, Wall. Cat. n. 2354 = *Lepidagathis scariosa*.  
*scariosa*, Wall. l. c. n. 7166 = *Lepidagathis falcata*.  
*Schlechtendalia*, Hemsl. Biol. Centr. Am. Bot. ii. 507.—Mexic.  
*sclerolithon*, S. Moore, in Journ. Bot. xviii. (1880) 7.—Afr. trop.  
*seclusa*, S. Moore, l. c. xiv. (1876) 208.—China.  
*secunda*, Blanco, Fl. Filip. ed. I. 495 = *Lepidagathis secunda*.  
*secunda*, Vahl, Symb. Bot. iii. 84 = *Asystasia coromandeliana*.  
*secunda*, Wall. Cat. n. 2401 = *Asystasia intrusa*.  
*secunda*, Wight, ex Nees, in Wall. Pl. As. Rar. iii. 99 = *Strobilanthes exareolatus*.  
*secundiflora*, Boj. ex Nees, in DC. Prod. xi. 166 = *Asystasia coromandeliana*.  
*semitetrandra*, Jacq. ex G. Don, in Sweet, Hort. Brit. ed. III. 555, nomen.—Hab.?  
*serpens*, Nees, in DC. Prod. xi. 145.—Java.  
*serrata*, Thunb. in Nov. Act. Soc. Sc. Upsal. vii. (1815) 143 = *Bonnaya penicillata*.  
*sesamoides*, Wall. Cat. n. 2408 = *Strobilanthes sanguineus*, *Stenosiphonium Russellianum*.  
*sessilis*, Balb. ex Nees, in DC. Prod. xi. 198 = *lactea*.  
*setigera*, Pers. Syn. ii. 176 = *Calophanes Persoonii*.  
*setigera*, Wight, ex Nees, in Wall. Pl. As. Rar. iii. 81 = *Calophanes Nagchana*.  
*setigera*, Zeyh. ex Nees, in DC. Prod. xi. 391 = *Adhatoda divaricata*.  
*Sibua*, Buch.-Ham. ex Wall. Cat. n. 2384 F = *suffruticosa*.  
*silvaccola*, Mart. ex Nees, in DC. Prod. xi. 213 = *formosa*.  
*simplex*, Wright, in Sauv. Fl. Cub. 97.—Cuba.  
*siphonantha*, Hilsenb. & Boj. ex Nees, in DC. Prod. xi. 112 = *Calophanes siphonanthus*.  
*solitaria*, Vell. Fl. Flum. 266; vi. t. 95.—Bras.  
*speciosa*, Mart. ex Nees, in DC. Prod. xi. 215 = *formosa*.  
*speciosa*, Mart. ex Nees, in Mart. Fl. Bras. ix. 30.—Bras.  
*speciosa*, Schott, ex Nees, in DC. Prod. xi. 118 = *macrantha*.  
*spicata*, Nees, in DC. Prod. xi. 161 (= *Lagochilium spicatum*).—Mexic.  
*spicata*, Roth, Nov. Pl. Sp. 310 = *Strobilanthes con-sanguineus*.  
*spicata*, Vell. Fl. Flum. 265; vi. t. 92 = *Geissomeria distans*.  
*spiciflora*, F. Muell. ex Benth. Fl. Austral. iv. 547.—Austral.  
*spinescens*, Thunb. Prod. Pl. Cap. 104.—Afr. austr.  
*stemonacanthoides*, Hemsl. Biol. Centr. Am. Bot. ii. 507.—Costa Rica.  
*strepens*, Beck, Bot. N. & Mid. St. 285 = *ciliata*.  
*strepens*, Bert. ex Nees, in DC. Prod. xi. 136 = *domingensis*.  
*strepens*, Forsk. Fl. Aegypt. Arab. 114 = *pallida*.  
*strepens*, Hort. Madrit. ex Nees, in DC. Prod. xi. 198 = *tuberosa*.  
*strepens*, Linn. Sp. Pl. 634.—Am. bor.; Ind. occ.  
*strepens*, Pav. ex Nees, in DC. Prod. xi. 136 = *geminiflora*.  
*strepens*, Sw. ex Nees, Mart. Fl. Bras. ix. 40 = *humilis*.  
*strepens*, Wight, ex Nees, in DC. Prod. xi. 127 = *patula*.  
*strigosa*, Nees, l. c. 148 = *Hemigraphis strigosa*.

**RUELLIA:—**

*strobilina*, Wall. Cat. n. 2362 = *Strobilanthes nutans*.  
*suaveolens*, Span. in Linnaea, xv. (1841) 331 = *Striga curviflora*?  
*subacaulis*, C. Koch & Bouché, Ind. Sem. Hort. Berol. (1854) App. 12.—Hab.?  
*subcapitata*, Hemsl. Biol. Centr. Am. Bot. ii. 507.—Nicaragua.  
*subdentata*, Klotzsch, ex Nees, in Mart. Fl. Bras. ix. 33.—Bras.  
*subsericea*, Wall. Cat. n. 2416 = *Stenosiphonium Russellianum*.  
*suffruticosa*, Roxb. Hort. Beng. [95]; Fl. Ind. iii. 53.—Ind. or.  
*sumatrensis*, Roth, Nov. Pl. Sp. 311.—Sumatra.  
*syllaccola*, Mart. ex Nees, in Mart. Fl. Bras. ix. 60 = *formosa*.  
*tanacetifolia*, Herb. Vahl, ex Nees, in DC. Prod. xi. 68 = *Cardanthera triflora*.  
*tentaculata*, Linn. Cent. Pl. ii. 22; Amoen. Acad. iv. 320 = *Haplanthus tentaculatus*.  
*tenuis*, Buch.-Ham. ex Wall. Cat. n. 2366 C = *Lepidagathis purpuricaulis*.  
*tetragona*, Blume, Cat. Gew. Buitenz. 85 = *Blumei*.  
*tetragona*, Link, Enum. Hort. Berol. ii. 133.—Bras.  
*tetragona*, Thunb. Fl. Javan. 22.—Java; Zeylan.  
*tetragonostachya*, Wall. Cat. n. 7168 = *Neuracanthus tetragonostachyus*.  
*tetrasperma*, Champ. ex Benth. in Kew Journ. v. (1853) 132.—China.  
*thomana*, Spreng. in Schrad. Journ. (1800) II. 199.—Ins. S. Thomas.  
*thunbergiaeflora*, T. Anders. in Journ. Linn. Soc. vii. (1864) 24 = *Distichocalyx thunbergiaeflora*.  
*thymifolia*, Herb. Vahl, ex Nees, in DC. Prod. xi. 462 = *Calophanes Persoonii*.  
*tomentosa*, Wall. Cat. n. 2333 = *Aechmanthera tomentosa*.  
*trichotoma*, Nees, in DC. Prod. xi. 149.—Java.  
*triflora*, DC. ex Nees, l. c. 122 = *ciliata*.  
*triflora*, Pav. ex Nees, l. c. 198 = *tuberosa*.  
*triflora*, Roxb. Hort. Beng. 46; Fl. Ind. iii. 52 = *Cardanthera triflora*.  
*trinervis*, Buch.-Ham. ex Wall. Cat. n. 2500 A = *Lepidagathis trinervis*.  
*trivialis*, Blanch. ex Nees, in Mart. Fl. Bras. ix. 39.—Bras.  
*tuberosa*, Linn. Sp. Pl. 635.—Am. bor. et trop.  
*tubiflora*, H. B. & K. Nov. Gen. et Sp. ii. 241.—N. Granat.  
*tubiflora*, Le Conte, in Ann. Lyc. N. York, i. (1824) 142 = *noctiflora*.  
*tubulata*, Pav. ex Nees, in DC. Prod. xi. 202.—Peruv.  
*Tweediana*, Griseb. in Goett. Abh. xxiv. (1879) 259.—Reg. Argent.  
*uliginosa*, Blanco, Fl. Filip. ed. I. 494 = *Blechum Brownei*.  
*uliginosa*, Linn. f. Suppl. 290 = *Cardanthera uliginosa*.  
*uliginosa*, Mart. ex Nees, in DC. Prod. xi. 68 = *Cardanthera triflora*.  
*uliginosa*, Nees, l. c. 149 = *discolor*.  
*uliginosa*, Wall. Cat. n. 2378, partim = *Hygrophila polysperma*.  
*ulmifolia*, Wall. l. c. n. 2360 = *Strobilanthes rufescens*.  
*umbrosa*, Herb. Madr. ex Wall. Cat. n. 2399 B = *Asystasia coromandeliana*, *violacea*.  
*undulata*, Vahl, Symb. Bot. iii. 82 = *Hygrophila quadrivalvis*.  
*undulata*, Vis. Sem. Rar. Patav. (1847) 4; et ex Linnaea, xxiv. (1851) 181.—Hab.?  
*uniflora*, Boj. ex Nees, in DC. Prod. xi. 125 = *monanthos*.  
*urens*, Heyne, ex Roth, Nov. Pl. Sp. 302 = *Hemigraphis dura*.  
*urophylla*, Wall. Cat. n. 2344 = *Strobilanthes urophyllus*.  
*urticifolia*, Wall. l. c. n. 2346 = *Strobilanthes alatus*.  
*ustulata*, Buch.-Ham. ex Wall. Cat. n. 2366 B = *Lepidagathis hyalina*.  
*variabilis*, Macrae, ex Nees, in DC. Prod. xi. 165 = *Asystasia coromandeliana*.  
*variabilis*, Zipp. in Hall, Bijdr. Nat. Wetensch. v. (1830) 180 = *mutabilis*.  
*varians*, Heyne, ex Wall. Cat. n. 2492 B = *Daedalacanthus montanus*.  
*varians*, Vent. Jard. Cels. 46 = *Daedalacanthus nervosus*.

**RUELLIA:—**

*variegata*, Lubbers, Cat. Pl. Rar. San-Donato (1880), 13 = *Strobilanthes maculatus*.  
*venosa*, Blume, Bijdr. 795 = *Hemigraphis confinis*.  
*venosa*, Heyne, ex C. B. Clarke, in Hook. f. Fl. Brit. Ind. iv. 423 = *Hemigraphis venosa*.  
*ventricosa*, H. B. & K. Nov. Gen. et Sp. ii. 241.—N. Granat.  
*ventricosa*, Poir. Encyc. vi. 339 = *cayennensis*.  
*venusta*, Hance, in Journ. Bot. vi. (1868) 92.—China.  
*verticillata*, Pav. ex Nees, in DC. Prod. xi. 198 = *lactea*.  
*verticillata*, Spreng. Syst. ii. 822 = *Hygrophila longifolia*.  
*verticillata*, Wall. Cat. n. 2409 = *Cardanthera verticillata*.  
*verticilliflora*, Steud. Nom. ed. II. ii. 483 = *Cardanthera verticillata*.  
*villosa*, Pohl, ex Nees, in DC. Prod. xi. 200.—Bras.  
*vincaeflora*, DC. ex Nees, l. c. 122 = *strepens*.  
*vincoides*, Willd. ex Nees, in Mart. Fl. Bras. ix. 36.—Bras.  
*vindex*, Mart. ex Nees, l. c. 42.—Bras.  
*violacea*, Aubl. Pl. Gui. ii. 668.—Guian.  
*violacea*, Ruiz, ex Nees, in Mart. Fl. Bras. ix. 29 = *solitaria*.  
*viscidula*, Mart. ex Schrank, Pl. Rar. Hort. Monac. t. 93.—Bras.  
*viscosa*, H. B. & K. Nov. Gen. et Sp. ii. 239 = *paniculata*.  
*viscosa*, Pav. ex Nees, in Mart. Fl. Bras. ix. 25 = *Calophanes Maranhonis*.  
*viscosa*, Wall. ex Nees, in DC. Prod. xi. 260 = *Lepidagathis fasciculata*.  
*Wightiana*, Wall. Cat. n. 2397 = *prostrata*.  
*Zeyheri*, T. Anders. in Journ. Linn. Soc. vii. (1864) 25.—Afr. austr.  
*zeylanica*, Koen. ex Roxb. Hort. Beng. 46; Fl. Ind. iii. 42 = *Asystasia coromandeliana*.

RUEPPELIA, A. Rich. Tent. Fl. Abyss. i. 203. t. 37 (1847) = *Aeschynomene*, Linn. (Legumin.).  
*abyssinica*, A. Rich. l. c. = A. Ruppellii.

RUGELIA, Shuttlew. ex Chapm. Fl. S. U. St. 246 (1860) = *Senecio*, Tourn. (Compos.).  
*nudicaulis*, Shuttlew. ex Chapm. l. c. = S. Rugelia.

RUGENDASIA, Schiede, ex Schlecht. Hort. Halens. 14 (1841) = *Weldenia*, Schult. f. (Commel.).  
*majalis*, Schiede, ex Schlecht. l. c. = W. candida.

RUGENIA, Neck. Elem. ii. 78 (1790), sphalm. = *Eugenia*, Mich. (Myrtac.).

RUIZIA, Cav. Diss. iii. 117. tt. 36, 37 (1787). *STERCULIACEAE*, Benth. & Hook. f. i. 221.  
*aurea*, Hort. ex Baker, Fl. Maurit. 59 = *Cossignia pinnata*.  
*cordata*, Cav. Diss. iii. 117. t. 36. f. 2.—Ins. Borbon.  
*diversifolia*, Jacq. Hort. Schoenb. iii. t. 295 = *variabilis*.  
*diversifolia*, Voigt, in Syll. Ratisb. ii. (1828) 54.—Hab.?  
*integrifolia*, Hort. ex Steud. Nom. ed. II. ii. 483, nomen.—Ins. Borbon.  
*laciniata*, Cav. Diss. iii. 119 = *variabilis*.  
*lobata*, Cav. l. c. 118. t. 36. f. 1.—Ins. Borbon.  
*palmata*, Cav. l. c. 119 = *variabilis*.  
*variabilis*, Jacq. Hort. Schoenb. iii. 24.—Ins. Borbon.

RUIZIA, Ruiz & Pav. Prod. 135. t. 29 (1794) = *Peumus*, Molina (Laurin.).  
*fragrans*, Ruiz & Pav. Syst. Veg. 267 = P. Boldus.

RULAC, Adans. Fam. ii. 383 (1763) = *Acer*, Tourn. (Sapind.).

RULINGIA, R. Br. in Bot. Mag. t. 2191 (1820). *STERCULIACEAE*, Benth. & Hook. f. i. 226.  
*ACHILLEOPSIS*, Turcz. in Bull. Soc. Nat. Mosc. (1849) II. 9.  
*althaeifolia*, Turcz. in Bull. Soc. Nat. Mosc. xxv. (1852) II. 151 = *grandiflora*.  
*cistifolia*, A. Cunn. ex Steetz, in Lehm. Pl. Preiss. ii. 354, sphalm. = *hermanniaefolia*.  
*corylifolia*, R. Grah. in Edinb. N. Phil. Journ. (Jul. 1832) 171.—Austral.



**RULINGIA** :—

*corylifolia*, Steud. in Lehm. Pl. Preiss. i. 237 = parviflora. *caurophylla*, F. Muell. *Fragm.* ix. 59.—Austral. *crispa*, Turcz. in Bull. Soc. Nat. Mosc. xxii. (1849) ii. 10 = Commersonia *crispa*. *cristifolia*, A. Cunn. ex Benth. Fl. Austral. i. 240 = hermanniaefolia. *cuneata*, Turcz. in Bull. Soc. Nat. Mosc. xxv. (1852) ii. 151.—Austral. *dasyphylla*, Sweet, Hort. Brit. ed. I. 55 = pannosa. *densiflora*, Benth. Fl. Austral. i. 241.—Austral. *grandiflora*, Endl. in Enum. Pl. Hueg. 12.—Austral. *hermanniaefolia*, Steetz, in Lehm. Pl. Preiss. ii. 353.—Austral. *hexamera*, Turcz. in Bull. Soc. Nat. Mosc. xxv. (1852) ii. 151 = cuneata. *Kempeana*, F. Muell. *Fragm.* xi. 113.—Austral. *loxophylla*, F. Muell. l. c. i. 68.—Austral. *macrantha*, Baill. in Bull. Soc. Linn. Par. i. (1885) 503.—Madag. *madagascariensis*, Baker, in Journ. Linn. Soc. xx. (1883) 104.—Madag. *magniflora*, F. Muell. *Fragm.* viii. 223.—Austral. *malvaefolia*, Steetz, in Lehm. Pl. Preiss. ii. 356.—Austral. *nana*, Turcz. in Bull. Soc. Nat. Mosc. xxv. (1852) ii. 150 = parviflora. *oblongifolia*, Steetz, in Lehm. Pl. Preiss. ii. 353 = hermanniaefolia. *pannosa*, R. Br. in Bot. Mag. t. 2191.—Austral. *parviflora*, Endl. in Enum. Pl. Hueg. 12.—Austral. *pauciflora*, Turcz. in Bull. Soc. Nat. Mosc. xxxvi. (1863) i. 570.—Austral. *platycalyx*, Benth. Fl. Austral. i. 240.—Austral. *pulchella*, Turcz. in Bull. Soc. Nat. Mosc. xxii. (1849) ii. 10 = Commersonia *pulchella*. *rotundifolia*, Turcz. l. c. (1852) ii. 152.—Austral. *rugosa*, Steetz, in Lehm. Pl. Preiss. ii. 352.—Austral. *salvifolia*, Benth. Fl. Austral. i. 238.—Austral.

**RUMEA**, Poit. in Mém. Mus. Par. i. (1815) 62. t. 4 = **Xylosma**, Forst. (Bixin.). *abyssinica*, A. Rich. Tent. Fl. Abyss. i. 34 = *Aberia abyssinica*. *chinensis*, Wall. ex Steud. Nom. ed. II. ii. 475 (= *Phoberos chinensis*).—China. *cochinchinensis*, Wall. ex Steud. l. c. = *Scolopia cochinchinensis*. *coriacea*, Poit. in Mém. Mus. Par. i. (1815) 63. t. 4 = *X. nitidum*. *crocea*, Steud. Nom. ed. II. i. 532, sphalm. = *praec.* *floribunda*, Agardh, Theor. Syst. Pl. t. 13. f. 13–15.—Hab. ? *hebecarpa*, Gardn. in Calc. Journ. Nat. Hist. vii. (1847) 9 = *Aberia Gardnerii*. *inermis*, DC. Prod. i. 256 = *Fluggea microcarpa*. *Jangomas*, Spreng. Syst. ii. 632.—Cochinch.

**RUMEX**, Linn. Syst. ed. I (1735). **POLYGONACEAE**, Benth. & Hook. f. iii. 100.

**ACETOSA**, Neck. Elem. ii. 214 (1790). **ACETOSELLA**, Rafin. Fl. Tellur. iii. 46 (1836). **ANALITON**, Rafin. l. c. (1836). **ATECOSA**, Rafin. l. c. (1836). **EUTRALIA**, Rafin. l. c. (1836). **LAPATHUM**, [Tourn.] Adans. Fam. ii. 277 (1763). **MENOPHYLA**, Rafin. Fl. Tellur. iii. 45 (1836). **OXYLAPATHON**, St. Lag. in Ann. Soc. Bot. Lyon, viii. (1881) 159. **PATIENTIA**, Rafin. Fl. Tellur. iii. 46 (1836). **RHOPTERA**, Rafin. l. c. 45 (1836). **STEINMANNIA**, Opiz, Seznam, 93 (1852). **TOMARIS**, Rafin. Fl. Tellur. 46 (1836). **VIBONES**, Rafin. l. c. 45 (1836). *abortivus* ×, Ruhm. in Eichl. Jahrb. Berl. i. (1881) 253.—Europ. *abyssinicus*, Desf. Tabl. ed. II. 48 = *arifolius*. *abyssinicus*, Jacq. Hort. Vindob. iii. 48. t. 93.—Abyss. *Acetosa*, Linn. Sp. Pl. 337.—Europ.; As. bor. *Acetosella*, Holl. ex Meissn. in DC. Prod. xiv. 72 = *suffruticosus*. *Acetosella*, Linn. Sp. Pl. 538.—Europ.; As. bor. *acetoselloides*, Bal. in Bull. Soc. Bot. Fr. i. (1854) 282.—Oriens. *acetosus*, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 113, 134 = *R. Acetosa*. *acidus*, Salisb. Prod. 258 = *R. Acetosa*.

**RUMEX** :—

*aculeatus*, Linn. Syst. ed. X. 991 = *bucephalophorus*. *acuminatus*, Campd. Monog. Rum. 116 = *R. Acetosa*. *acutus*, All. Fl. Pedem. ii. 202 = *obtusifolius*. *acutus*, Curt. Fl. Lond. fasc. iii. 21 = *sanguineus*. *acutus*, Fries, ex Meissn. in DC. Prod. xiv. 52 = *conspersus*. *acutus*, Linn. Sp. Pl. 335.—Europ. *acutus*, Pollich, Hist. Pl. Palat. i. 359 = *maritimus*. *acutus*, Schultz, Prod. Fl. Starg. Suppl. i. 22 = *maximus*. *acutus*, Sm. Fl. Brit. i. 391 = *conglomeratus*. *acutus*, Wahlenb. Fl. Suec. 233 = *R. Hydrolapathum*. *adulterinus*, Wallr. Beitr. Fl. Hercyn. 197 = *acutus*. *aegyptiacus*, Balb. ex Meissn. in DC. Prod. xiv. 58 = *pulcher*. *aegyptiacus*, Bieb. Fl. Taur. Cauc. i. 290 = *Marschallianus*. *aegyptiacus*, Linn. Sp. Pl. 335.—Aegypt. *aegyptius*, Linn. Syst. ed. X. 990 = *praec.* *aetnensis*, Presl, Delic. Prag. 68 = *scutatus*. *afer*, Savi, in Atti Stor. Nat. Bologn. iii. (1830) 90.—Aegypt. *agrestis*, Rafin. New Fl. Am. iv. 52 = *R. Acetosa*. *agrestis*, Schur, Enum. Pl. Transs. 580 = *obtusifolius*. *alexandrinus*, Hort. ex Schult. f. Syst. vii. 1476, nomen.—Hab. ? *alismaefolius*, Fresen. in Flora, xxi. (1838) 602.—Abyss. *Allioni*, Link, Handb. i. 306 = *montanus*. *alpestris*, Jacq. Enum. Stirp. Vindob. 62 = *scutatus*. *alpinus*, Georgi, Reise, i. 207 = *Gmelini*. *alpinus*, Hook. in Engl. Bot. Suppl. t. 2694 = *longifolius*. *alpinus*, Linn. Sp. Pl. 334.—Europ.; Reg. Caucas. *altissimus*, Wood, in Proc. Am. Assoc. (1853) 177.—Am. bor. *ambiguus*, J. Gay, ex Gaud. Fl. Helv. ii. 589, in obs. = *acutus*. *ambiguus*, Gren. in Gren. & Godr. Fl. Fr. iii. 44 = *R. Acetosa*. *americanus*, Campd. Monog. Rum. 151 = *vesicarius vel scutatus*. *amplexicaulis*, Lapeyr. Hist. Abr. Pl. Pyr. 200 = *montanus*. *amplexicaulis*, Rafin. New Fl. Am. iv. 53 = *R. Acetosa*. *amplexicaulis*, Tenore, Fl. Nap. iii. 394 = *tmoleus*. *amurensis*, F. Schmidt, in Maxim. Prim. Fl. Amur. 228.—Mandchuria. *angustatus*, Rafin. New Fl. Am. iv. 53 = *R. Acetosa*. *angustifolius*, Campd. Monog. Rum. 63, 73. t. 1. f. 2.—As. Min. *angustifolius*, Engelm. ex Meissn. in DC. Prod. xiv. 64 = *Engelmanni*. *angustissimus*, Ledeb. in Mém. Acad. Pétersb. v. (1812) 536 = *graminifolius*. *Anthoxanthus*, Murr. Prod. Gotting. 52 = *maritimus*. *Anthoxanthum*, Moench, Enum. Pl. Hass. 174 = *praec.* *antischorbuticus*, Salisb. Prod. 258 = *R. Hydrolapathum*. *aquaticus*, Campd. Monog. Rum. 100 = *maximus*. *aquaticus*, Linn. Sp. Pl. 336.—Europ.; As. bor. *aquaticus*, Sm. Fl. Brit. i. 394 = *R. Hydrolapathum*. *arbores*, Salisb. Prod. 258 = *R. Lunaria*. *arcticus*, Trautv. in Middend. Sibir. Reise, i. ii. 29.—Sibir. arct. *arenarius*, Poepp. ex Endl. Gen. Suppl. iv. ii. 52 = *cuneifolius*. *Areschougii*, Eckstr. ex Aresch. in Bot. Notiser (1866), 10, 54.—Europ. *arifolius*, Ait. Hort. Kew. ed. I. i. 487; ed. II. ii. 324 = *abyssinicus*. *arifolius*, All. Fl. Pedem. ii. 204 = *montanus*. *arifolius*, Linn. f. Suppl. 212.—Afr. austr. *Aristidis*, Coss. in Bull. Soc. Bot. Fr. v. (1858) 103.—Afr. bor. *armenus*, C. Koch, in Linnaea, xxii. (1849) 209.—Armenia. *armoraciaefolius*, Neum. in Bot. Notiser (1885), 155.—Europ. *arvensis*, Dulac, Fl. Hautes-Pyr. 165 = *R. Acetosella*. *atriplicifolius*, Reichb. ex Schult. f. Syst. vii. 1460 = *pictus*. *auratus*, Sm. in Rees, Cycl. xxx. n. 30 = *sanguineus*. *aureus*, Hoepf. in Mag. Naturk. Helv. iv. (1789) 35 = *sanguineus*. *aureus*, Mill. Gard. Dict. ed. VIII. n. 7 = *maritimus*. *auritus*, Campd. Monog. Rum. 149.—Oriens. *Berlandieri*, Bello, in Anal. Soc. Esp. Hist. Nat. xii. (1883) 104 (an seq. ?)—Porto Rico. *Berlandieri*, Meissn. in DC. Prod. xiv. 45.—Am. bor. occ.; Chili. *bidenis*, R. Br. Prod. 421.—Austral.

**RUMEX** :—

*bidentula*, Rafin. New Fl. Am. iv. 52 = *R. Acetosa*. *biformis*, Lange, Ind. Sem. Hort. Haun. (1857) 26.—Cf. *Linnaea*, xxix. (1857–58) 733.—Gallia. *biformis*, Menyh. Kalocsa Vidék. Növényt. 161 = *acutus*. *bipinnatus*, Linn. f. Suppl. 211 = *pictus*. *bonariensis*, Campd. Monog. Rum. 144.—Reg. Argent. *brasilensis*, Link, Enum. Hort. Berol. i. 349.—Bras. *brevipes*, Meissn. in DC. Prod. xiv. 55.—Mexic. *Britannica*, Huds. Fl. Angl. ed. I. 135 = *R. Hydrolapathum*. *Britannica*, Linn. Sp. Pl. 334.—Am. bor. *Britannicus*, Ell. Sketch, i. 414 = *verticillatus*. *britannicus*, Hoffm. Verz. Pf. 239 = *R. Britannica*. *Brownianus*, Raoul, Choix Pl. N. Zel. 42 = *flexuosus*. *Brownianus*, Schult. f. Syst. vii. 1395 = *seq.* *Brownii*, Campd. Monog. Rum. 64, 81.—Austral. *Brownii*, Schlecht. in Linnaea, xx. (1837) 576 = *pulcher*. *bucephalophorus*, Linn. Sp. Pl. 336.—Reg. Mediterr. *bulbosus*, Campd. Monog. Rum. 151.—Hab. ? *Burchelli*, Campd. l. c. 135 = *luxurians*. *caldeirarum*, H. C. Wats. ex Meissn. in DC. Prod. xiv. 43 = *aquaticus*. *callosissimus*, Meissn. in DC. Prod. xiv. 57 = *dentatus*. *calthaefolius*, Campd. Monog. Rum. 150.—Aegypt. *campestris*, Savi, Fl. Pis. i. 372 = *conglomeratus*. *Candollii*, Mart. ex Meissn. in DC. Prod. xiv. 52 = *alpinus*. *cassius*, Boiss. Fl. Orient. iv. 1013.—Syria. *chalepensis*, Mill. Gard. Dict. ed. VIII. n. 11.—Syria. *chilensis*, Herb. Berol. ex Meissn. in DC. Prod. xiv. 44 = *longifolius*. *chilensis*, Hort. Par. ex Moris, in Mem. Acc. Torin. xxxviii. (1835) 46 = *cuneifolius*. *chinensis*, Campd. Monog. Rum. 63, 75 = *maritimus*. *chrysocarpos*, Moris, Enum. Sem. Hort. Taurin. (1813); ex eod. in Mem. Acc. Torin. xxxviii. (1835) 46. t. 2.—Mexic. *crystallinus*, Auct. = *crystallinus*. *Claytoni*, Campd. Monog. Rum. 66, 99. = *R. Britannica*. *Commersonianus*, D. Dietr. Syn. Pl. ii. 1221 = *seq.* *Commersonii*, Campd. Monog. Rum. 72, 148 = *R. Acetosa*. *comosus*, Buch.-Ham. ex Meissn. in DC. Prod. xvi. 48 = *maritimus*. *comosus*, Forsk. Fl. Aegypt. Arab. 76 = *aegyptiacus*. *condyloides*, Bieb. Fl. Taur. Cauc. i. 288 = *nemorosus*. *confertus*, Willd. Enum. Hort. Berol. 397 = *alpinus*. *confusus* ×, Simk. in Termész. Füzetek, i. (1877) 238.—Hungar. *conglomeratus*, Murr. Prod. Gotting. 52.—Europ. austr.; As. occ. *conspersus*, Hartm. Skand. Fl. ed. I. 147.—Europ. *cordatus*, Desf. Tabl. ed. I. 40, nomen; Cat. Hort. Par. ed. III. 389.—Afr. austr. *cordifolius*, Hornem. ex Campd. Monog. Rum. 151, nomen; et ex Reichb. Pl. Crit. v. 52.—Europ.; As. bor. *creticus*, Boiss. Diagn. Ser. I. xii. 102 = *tuberosus*. *creticus*, Campd. Monog. Rum. 149 = *bucephalophorus* ? *crispatus*, Hort. ex Meissn. in DC. Prod. xiv. 59 = *ucranicus*. *crispatus*, Michx. Fl. Bor. Am. i. 217 = *maritimus*. *crispatus*, Pers. Syn. i. 395 = *maritimus*. *crispus*, Cham. & Schlecht. in Linnaea, iii. (1828) 59 = *longifolius*. *crispus*, Linn. Sp. Pl. 335.—Europ.; As. bor. *crispus*, Lour. Fl. Cochinch. 216 = *maritimus*. *cristatus*, DC. Cat. Hort. Monsp. (1813) 139.—Hab. ? *cristatus*, Fries, Nov. Fl. Suec. 100 = *conspersus*. *cristatus*, Hort. ex Schult. f. Syst. vii. 1436 = *cordifolius*. *cristatus*, Wall. Sched. Crit. 163 = *acutus*. *crystallinus*, Lange, Ind. Sem. Hort. Haun. (1861) 28.—Austral. *cuneifolius*, Campd. Monog. Rum. 66, 95.—Am. austr. *Cunninghamii*, Meissn. in DC. Prod. xiv. 62 = *flexuosus*. *daghestanicus*, C. Koch, in Linnaea, xxii. (1849) 209 = *nemorosus*. *dentatus*, Linn. Mant. ii. 226.—Oriens; Ind. or. *dentatus*, Wall. Cat. 1730 (sp. diversa).—Ind. or. *denticulatus*, Campd. Monog. Rum. 143 = *maritimus*. *denticulatus*, C. Koch, in Linnaea, xxii. (1849) 208 = *pulcher*. *dictyocarpus*, Boiss. & Buhse, in Nouv. Mém. Soc. Nat. Mosc. xii. (1860) 192 = *obtusifolius*. *digynus*, Linn. Sp. Pl. 337 = *Oxyria digyna*.

## RUMEX:—

- dimorphus*, Gren. in Gren. & Godr. Fl. Fr. iii. 43 = arifolius.  
*Dioscoridis*, Hayne, Arn. Gew. xiii. 5. t. 5 = orientalis.  
*distans*, Dum. Fl. Belg. 17 = longifolius.  
*divaricatus*, Fries, Mant. iii. 25 = obtusifolius.  
*divaricatus*, Linn. Sp. Pl. ed. II. 477 = pulcher.  
*divaricatus*, Thuill. Fl. Par. ed. II. i. 182 = conglomeratus.  
*domesticus*, Hartm. Skand. Fl. ed. I. 148 = longifolius.  
*Dregeanus*, Meissn. in Linnaea, xiv. (1840) 496 = Afr. austr.  
*Dregei*, Meissn. in DC. Prod. xiv. 68 = praec.  
*Drummondii*, Meissn. in Lehm. Pl. Preiss. ii. 272 = pulcher.  
*Drummondii*, F. Muell. ex Meissn. in DC. Prod. xiv. 61 = praec.?  
*dubius*, Gunn. Fl. Noveg. ii. 26 = maritimus.  
*dubius*, Retz. Fl. Scand. Prod. 64 = conglomeratus.  
*dumosus*, A. Cunn. ex Meissn. in DC. Prod. xiv. 62. —Austral.  
*Ecklonianus*, Meissn. in Linnaea, xiv. (1840) 493. —Afr. austr.  
*Ecklonii*, Meissn. in DC. Prod. xiv. 50 = praec.  
*Ehrenbergii*, Meissn. l. c. 56 = dentatus.  
*elbrusensis*, Boiss. Diagn. Ser. I. xii. 100. —Persia.  
*elongatus*, Guss. Pl. Rar. Neap. (1826) 150. t. 28 = crispus.  
*Engelmanni*, Ledeb. ex Meissn. in DC. Prod. xiv. 64. —Am. bor. occ.  
*erosus*, Hort. ex Schult. f. Syst. vii. 1476, nomen. —Hab. ?  
*erubescens* ×, Simk. in Termesz. Füzetek, i. (1877) 239. —Hungar.  
*exanguis*, Kit. ex Schult. Oesterr. Fl. ed. II. i. 576 = nemorosus.  
*falcarius*, Willd. ex Ledeb. Fl. Ross. iii. 512 = R. Acetosella.  
*ferrugineus*, Willd. ex Spreng. Syst. ii. 158 = conglomeratus.  
*fimbriatus*, R. Br. Prod. 421 = Brownii.  
*fimbriatus*, A. Cunn. in Ann. Nat. Hist. Ser. I. i. (1838) 455 = flexuosus.  
*fimbriatus*, Poir. Encyc. v. 65. —Afr. austr.  
*Fischeri*, Reichb. Ic. Pl. Crit. iv. 58 = crispus.  
*flexuosus*, Soland. ex Forst. f. Prod. 90. —N. Zel.  
*floridanus*, Meissn. in DC. Prod. xiv. 46. —Florida.  
*foveolatus*, Hochst. in Lorent, Wanderungen, 328 = pulcher.  
*Friesii*, Aresch. in Oefvers. Vet. Akad. Handl. Stockh. 1862 (1863) 58, in syn. = aquaticus.  
*Friesii*, Gren. & Godr. Fl. Fr. iii. 36 = obtusifolius.  
*frutescens*, Thou. Fl. Tristan d'Acugn. 38. —Ins. Tristan d'Acugn.  
*garipensis*, Meissn. in Linnaea, xiv. (1840) 491. —Afr. austr.  
*gentilis*, Loennr. ex Aresch. in Bot. Notiser (1866), 7, 52 = acutus.  
*giganteus*, Ait. Hort. Kew. ed. II. ii. 323. —Ins. Sandvic.  
*glaber*, Forsk. Fl. Aegypt. Arab. 75 = Emex spinosa.  
*glaucus*, Jacq. Coll. i. 63 = scutatus.  
*glomeratus*, Schreb. Spicil. Fl. Lips. ed. II. 64 = conglomeratus.  
*glomeratus*, Tenore, Fl. Nap. v. p. vi = sanguineus.  
*Gmelini*, Turcz. in Bull. Soc. Nat. Mosc. (1838) 100; xxv. (1852) ii. 444. —Sibir. baical.  
*gracilis*, Eckstr. in Bot. Notiser (1866), 52 = acutus.  
*gracilis*, Schur, Enum. Pl. Transs. 679 = sylvestris.  
*gracilis*, Boiss. & Heldr. Diagn. Ser. II. iv. 80 = orientalis.  
*gramineus*, Pall. ex Ledeb. Fl. Ross. iii. 512 = graminifolius.  
*graminifolius*, Georgi, Beschr. Russ. Reich. III. iv. 921. —Kamtschat.  
*granulosus*, Wender. ex Steud. Nom. ed. II. ii. 484, nomen. —Hab. ?  
*halophilus*, F. Muell. Fragm. iv. 48. —Austral.  
*hamatus*, Trevir. in Nov. Act. Nat. Cur. xiii. (1826) 174 = nepalensis.  
*hamulosus*, Meissn. in DC. Prod. xiv. 693 = nepalensis.  
*haplorhizus*, Czern. ex Turcz. in Bull. Soc. Nat. Mosc. xxv. (1852) ii. 445 = R. Acetosella.  
*hastaeifolius*, Campd. Monog. Rum. 148 = scutatus.  
*hastatus*, D. Don, Prod. Fl. Nep. 74. —Reg. Himal.  
*hastatus*, Link. ex Meissn. in DC. Prod. xiv. 70 = scutatus.  
*hastifolius*, Bieb. Fl. Taur. Cauc. i. 290 = scutatus.  
*hastifolius*, Guss. ex Nym. Consp. 635 = intermedius.

## RUMEX:—

- hasulatus*, Baldw. ex Meissn. in DC. Prod. xiv. 64 = Engelmanni.  
*hasulatus*, Rafin. New Fl. Am. iv. 52 = R. Acetosella.  
*hasulatus*, Sm. in Rees, Cycl. xxx. n. 29 = Muehlenbeckia chilensis.  
*Helolapathum*, Drejer, ex Hornem. in Fl. Dan. t. 2288 = aquaticus.  
*heteranthos* ×, Borb. in Oestr. Bot. Zeitschr. xxviii. (1878) 393. —Europ.  
*heterophyllus*, Rafin. New Fl. Am. iv. 52 (Quid ?). —Am. bor.  
*heterophyllus*, Schultz, Prod. Pl. Starg. Suppl. i. 21 = maximus.  
*hexagynus*, Anct. ex Schult. f. Syst. vii. 1476, nomen (Quid ?). —Hab. ?  
*hippiatricus*, Remy, in C. Gay, Fl. Chil. v. 281. —Chili.  
*Hippolapathum*, Fries, Nov. Fl. Succ. ed. II. 106 = longifolius, aquaticus.  
*hirsutus*, Tenore, ex Steud. Nom. ed. II. ii. 484, nomen. —Italia.  
*hispanicus*, C. C. Gmel. Fl. Bad. ii. 112 = montanus.  
*hispanicus*, Koch, Syn. Fl. Germ. ed. II. 709 = R. Acetosella.  
*horizontalis*, C. Koch, in Linnaea, xxii. (1849) 211. —As. Min.  
*hortensis*, Vis. ex Nym. Consp. 635 = R. Acetosella.  
*hostilis*, Lour. Fl. Cochinch. 217. —Cochinch.  
*Hydrolapathum*, Campd. Monog. Rum. 145 = conspersus.  
*Hydrolapathum*, Huds. Fl. Angl. ed. II. 154 (Hydrolapathum). —Europ.  
*hydrolapathum*, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 134 = praec.  
*hymenosepalus*, Torr. Bot. Mex. Bound. 177. —Am. bor. occ.  
*incomtus*, Weinm. in Flora, iv. (1821) 28 = brasiliensis.  
*induratus*, Boiss. & Reut. Pugill. Pl. Nov. 107 = scutatus.  
*infestus*, Salisb. Prod. 258 = R. Acetosella.  
*integrifolia*, Rafin. New Fl. Am. iv. 52. —Am. bor.  
*intermedius*, DC. Fl. Fr. Suppl. 369. —Europ. austr.  
*intermedius*, Guss. Fl. Sic. Prod. i. 449 = thyrsoides.  
*intermedius*, Sturm, Deutschl. Fl. Heft 74; et ex Meissn. in DC. Prod. xiv. 65 = R. Acetosella.  
*italicus*, Hort. Par. ex Campd. Monog. Rum. 112 = montanus.  
*japonicus*, Meissn. in Miq. Ann. Mus. Bot. Lugd. Bat. ii. 56 = crispus.  
*Klotzschianus*, Meissn. in DC. Prod. xiv. 57 = dentatus.  
*Knaftii* ×, Čelak. in Arch. Naturw. Landesd. Boehm. ii. (1873) 158. —Europ.  
*Kunthianus*, Schult. f. Syst. vii. 1423 = seq.  
*Kunthii*, Campd. Monog. Rum. 66, 97 = longifolius.  
*lacerus*, Balb. in Mém. Acad. Turin (1802), 335 = pictus.  
*lacerus*, Hort. ex Steud. Nom. ed. II. ii. 485 = bucephalophorus.  
*lathanus*, Forsk. Fl. Aegypt. Arab. 209 (sp. dub.). —Anatol.  
*laevigatus*, Willd. ex Spreng. Syst. ii. 159 = obtusifolius.  
*lanceolatus*, Thunb. Prod. Pl. Cap. 67. —Afr. austr.  
*lanuginosus*, Campd. Monog. Rum. 150. —Oriens.  
*Lappula*, Meissn. in DC. Prod. xiv. 58. —Hab. ?  
*latifolius*, Humb. ex Cham. & Schlecht. in Linnaea, iii. (1828) 61. —Am. austr.  
*latifolius*, G. F. W. Mey. Chlor. Hannov. 478 = aquaticus.  
*lativalvis*, Meissn. in Linnaea, xiv. (1848) 497. —Afr. austr.  
*lentatus*, Gouan, Herb. Monsp. 268 (Quid ?). —Hab. ?  
*leucocephalus*, Hort. ex Schult. f. Syst. vii. 1473 = bucephalophorus.  
*limoniastrium*, Faub. & Spach, Illustr. ii. 6. t. 106. —Arab.  
*limosus*, Thuill. Fl. Par. ed. II. 182 = palustris.  
*linearis*, Campd. Monog. Rum. 90. —Aft. austr.  
*lingulatus* ×, Jungner, in Bot. Notiser (1885), 155. —Europ.  
*lingulatus*, Schur, Enum. Pl. Transs. 580 = crispus.  
*litoralis*, H. B. & K. Nov. Gen. et Sp. ii. 181. —Peruv.  
*longifolius*, Auct. ex S. Wats. in Bot. Calif. ii. 8 = occidentalis.  
*longifolius*, DC. Fl. Fr. Suppl. 368 = R. Hydrolapathum.  
*longifolius*, H. B. & K. Nov. Gen. et Sp. ii. 180. —Am. austr.

## RUMEX:—

- longifolius*, Krock, Fl. Siles. Suppl. ii. 40 (Quid ?). —Europ.  
*Loureirianus*, Schult. f. Syst. vii. 1474 = seq.  
*Loureirii*, Camp. Monog. Rum. 142 = maritimus.  
*lucidus*, Campd. l. c. 150 = pictus.  
*Ludovicianus*, Rafin. Fl. Ludov. 30 (Quid ?). —Am. bor.  
*Luederi*, Muent. in Act. Congr. Bot. Amst. 1877 (1879) 188 = crispus.  
*Lunaria*, Linn. Sp. Pl. 336. —Ins. Canar.  
*luxurians*, Hort. ex Meissn. in DC. Prod. xiv. 70 = scutatus.  
*luxurians*, Linn. Mant. i. 64. —Afr. austr.  
*luxurians*, Pourr. ex Nym. Consp. 635 = montanus.  
*macranthus*, Boiss. Diagn. Ser. II. iv. 80 = angustifolius.  
*macrophyllus*, Campd. Monog. Rum. 67 = arifolius.  
*macrophyllus*, Wallr. ex Hayne, Arn. Gew. xiii. sub t. 5 = orientalis.  
*macropterus*, G. Ehrenb. ex Meissn. in DC. Prod. xiv. 53 = obtusifolius.  
*maderensis*, Lowe, in Trans. Camb. Phil. Soc. vi. (1838) reimp. 12. —Ins. Canar. et Mader.  
*magellanicus*, Campd. Monog. Rum. 144 (sp. dub.). —Reg. Magellan.  
*magellanicus*, Griseb. in Goett. Abh. vi. (1854) 118. —Reg. Magellan.  
*maricola*, Remy, in C. Gay, Fl. Chil. v. 281. —Chili.  
*maritimus*, Linn. Sp. Pl. 335. —Reg. temp. et sub trop.  
*maritimus*, E. Mey. ex Meissn. in Linnaea, xiv. (1840) 491 = garipensis.  
*maritimus*, With. Arr. Brit. Pl. ed. III. ii. 356 = palustris.  
*Marschallianus*, Reichb. Ic. Pl. Crit. iv. 58; vi. 13. —Sibir.; Taur.  
*maximus*, Campd. Monog. Rum. 149 = alpinus?  
*maximus*, C. C. Gmel. Fl. Bad. ii. 99 = R. Hydrolapathum.  
*maximus*, Schreb. in Schweigg. & Korte, Fl. Erlang. i. 152. —Europ.  
*membranosus*, Poir. Voy. Barb. ii. 155 = bucephalophorus.  
*menzalensis*, Ehrenb. ex Boiss. Fl. Orient. iv. 1013 = dentatus.  
*mexicanus*, Meissn. in DC. Prod. xiv. 45. —Mexic.  
*Meyeri*, Meissn. in Linnaea, xiv. (1840) 494. —Afr. austr.  
*Meyerianus*, Meissn. in DC. Prod. xiv. 50 = praec.  
*micranthus*, Campd. ex Meissn. l. c. 65 = R. Acetosella.  
*microcarpus*, Campd. Monog. Rum. 143. —China.  
*montanus*, Campd. l. c. 149 = monticola.  
*montanus*, Desf. Tabl. ed. II. 48. —Europ.  
*montevideensis*, Spreng. Syst. iv. Cur. Post. 144 = cuneifolius.  
*monticola*, Schult. f. Syst. vii. 1476. —Italia.  
*Muelleri*, Meissn. in DC. Prod. xiv. 61 = pulcher?  
*multifidus*, All. Fl. Pedem. ii. 205 = intermedius.  
*multifidus*, Linn. Sp. Pl. ed. II. 482 = R. Acetosella, acetoselloides.  
*multiflorus*, Pers. Syn. i. 395 = dentatus.  
*muricatus*, Blanco, Fl. Filip. ed. II. 195 = maritimus.  
*muricatus*, Dum. in Bull. Soc. Bot. Belg. iv. (1865) 340. —Europ.  
*mutabilis*, Campd. ex Meissn. in DC. Prod. xiv. 65 = R. Acetosella.  
*napalensis*, Meissn. in Wall. Pl. As. Rar. iii. 64 = nepalensis.  
*nebroides*, Campd. Monog. Rum. 72, 150 = intermedius.  
*neglectus*, T. Kirk, in Trans. N. Z. Inst. ix. (1877) 493. —N. Zel.  
*Nemolapathum*, Ehrh. Beitr. i. 181 = conglomeratus.  
*Nemolapathum*, Wallr. Sched. Crit. 158 = nemorosus.  
*nemorosus*, Schrad. ex Willd. Enum. Hort. Berol. 397. —Europ.; Oriens; Am. bor. et austr.  
*nemorosus*, Stev. ex Meissn. in DC. Prod. xiv. 52 = conspersus.  
*nepalensis*, Spreng. Syst. ii. 159. —As. occ.; Ind. or.; Malaya; Afr. austr.  
*nervosus*, Vahl, Symb. Bot. i. 27. —Arab.  
*nipponicus*, Franch. & Sav. Enum. Pl. Jap. ii. 471 = pulcher.  
*nivalis*, Hegetschw. Fl. Schw. 345. —Europ. austr.  
*oblongus*, Campd. Monog. Rum. 115 = R. Acetosella.  
*obtusifolius*, Auct. ex Meissn. in DC. Prod. xiv. 54 = acutus.  
*obtusifolius*, Fries, ex Meissn. l. c. 50 = sylvestris.  
*obtusifolius*, Herb. Buch.-Ham. ex Wall. Cat. n. 6289 = dentatus.

**RUMEX:—**

obtusifolius, Linn. *Sp. Pl.* 335.—Europ.; As. et Am. bor.  
 occidentalis, S. Wats. in *Proc. Am. Acad.* xii. (1877) 253.—Am. bor. occ.  
 ochotensis, Hort. ex Schult. f. *Syst.* vii. 1476, nomen (Quid?).—Sibir.?  
 olitoria, Rafin. *New Fl. Am.* iv. 53 = R. Acetosa.  
 olympicus, Boiss. *Diagn. Ser. I.* v. 45 = R. Patientia.  
 oravicensis, Wierzb. ex Nym. *Consp.* 634 = sanguineus.  
 orbiculatus, A. Gray, *Man. Bot. N. U. St.* ed. V. 420.—Am. bor.  
 orientalis, Bernh. ex Schult. f. *Syst.* vii. 1433.—Graec.; As. Min.; Syria.  
 Oxylapathum, Gueldest. ex Ledeb. *Fl. Ross.* iii. 503 = obtusifolius.  
 Oxylapathum, Wallr. ex Fries, *Nov. Fl. Suec.* ed. II. 101 = acutus.  
 oxyotus, Campd. *Monog. Rum.* 114 = R. Acetosa.  
 oxysepalus, Meissn. in *Lehm. Pl. Preiss.* i. 625 = pulcher.  
 pallidus, Bigel. *Fl. Bost.* ed. III. 153 = salicifolius.  
 paludosus, Huds. *Fl. Angl.* ed. II. i. 154 = aquaticus.  
 paludosus, With. *Bot. Arr. Brit. Pl.* ed. III. ii. 354 = conglomeratus.  
 paluster, Kern. in *Oestr. Bot. Zeitschr.* xxv. (1875) 353 = seq.  
 palustris, Sm. *Fl. Brit.* i. 394.—Europ.; As. bor.  
 palustroides, Simk. in *Termész. Füzetek*, i. (1877) 237.—Hungar.  
 Papilio, Coss. & Bal. in *Bull. Soc. Bot. Fr.* xx. (1873) 260.—Marocc.  
 papillaris, Boiss. & Reut. *Pugill. Pl.* Nov. 107 = R. Acetosa.  
 paraguayensis, Parodi, in *Anal. Soc. Cient. Argent.* v. (1878) 160; *Contrib.* 52.—Paraguay.  
 parvifolius, Willd. ex Schult. f. *Syst.* vii. 1417 = litoralis.  
 patens, Ind. Sem. Hort. Berol. (1851); ex Meissn. in DC. *Prod.* xiv. 54 = obtusifolius.  
 Patientia, Gaud. ex Meissn. l. c. 46 = magellanicus.  
 Patientia, Linn. *Sp. Pl.* 333.—Europ. austr.; Oriens.  
 Patientia, Pall. ex Bieb. *Fl. Taur. Cauc.* i. 291 = alpinus.  
 pauciflorus, Campd. *Monog. Rum.* 104 = alpinus.  
 paucifolius, Nutt. ex S. Wats. in *Bot. King's Exped.* 314.—Am. bor. occ.  
 pectinatus, Ehrenb. ex Meissn. in DC. *Prod.* xiv. 56 = dentatus.  
 peregrinus, Boiss. *Diagn. Ser. I.* v. 46 = nepalensis.  
 peregrinus, Schult. f. *Syst.* vii. 1437.—Hab.?  
 persicarioides, Forsk. *Fl. Aegypt. Arab.* 76 = nervosus.  
 persicarioides, Hort. ex Meissn. in DC. *Prod.* xiv. 59 = ucranicus.  
 persicarioides, Linn. *Sp. Pl.* 335 = maritimus.  
 peruanus, Meyen, ex Endl. *Gen. Suppl.* iv. II. 52 = cuneifolius.  
 pictus, Forsk. *Fl. Aegypt. Arab.* 76.—Syria; Aegypt.  
 platyphyllus, Aresch. in *Ofvers. Vet. Akad. Stockh.* xix. (1862) 73 = aquaticus.  
 polygamus, Cav. *l. c.* i. 14 = R. Lunaria.  
 polygonifolius, Hort. *Vindob.* ex Meissn. in DC. *Prod.* xiv. 47 = R. Britannica.  
 pratensis, Dulac, *Fl. Hautes-Pyr.* 165 = R. Acetosa.  
 pratensis, Mert. & Koch, *Deutschl. Fl.* ii. 609 = acutus.  
 propinquus, Aresch. in *Bot. Notiser* (1840), 22.—Europ.  
 Pseudo-acetosa, Bertol. *Fl. Ital.* iv. 252 = R. Acetosa.  
 Pseudo-alpinus, Hoefft, *Cat. Pl. Kursko*, 26 = alpinus.  
 pubescens, C. Koch, in *Linnaea*, xxii. (1849) 211 = scutatus.  
 pulcher, Ehrenb. ex Meissn. in DC. *Prod.* xiv. 55 = brevipes.  
 pulcher, Linn. *Sp. Pl.* 336.—Europ.; Oriens.  
 pulcherrimus, Hort. ex Schult. f. *Syst.* vii. 1394 = ucranicus.  
 purpureus, Link, *Enum. Hort. Berol.* i. 350.—Hab.?  
 purpureus, Poir. *Encyc.* v. 63 = obtusifolius.  
 pusillus, Delarb. *Fl. Auv.* ed. II. 523 = conglomeratus.  
 pycnocarpus, Wallr. ex Steud. *Nom. ed. II.* ii. 486 = conglomeratus.  
 pyrenaicus, Pourr. ex Lapeyr. *Suppl. Hist. Pl. Pyr.* 49 = R. Acetosella.  
 quadridentatus, Ehrenb. ex Boiss. *Fl. Orient.* iv. 1013 = dentatus.  
 ramulosus, Meissn. in DC. *Prod.* xiv. 55 = nepalensis.  
 Raulini, Boiss. *Diagn. Ser. I.* xii. 100.—Ins. Creta.  
 Regelii, F. Schmidt, *Reisen Amurl.* 167 = crispus.

**RUMEX:—**

reniformis, Radde, *Reise in Sued-Ost Sibir.* 131 = Oxysia digyna.  
 repandus, Bosc, ex Pers. *Syn.* i. 395 = fimbriatus.  
 reticulatus, Bess. *Ind. Sem. Hort. Cremen.* (1820); et ex Spreng. *Neue Entdeck.* iii. 18 (excl. syn.) = pulcher.  
 retroflexus, Lag. *Elench. Pl.* 13; ex Schult. f. *Syst.* vii. 1449 = alpinus.  
 rheifolius, Hort. ex Schult. f. l. c. 1436 = cordifolius.  
 Romassa, Remy, in *C. Gay, Fl. Chil.* v. 280.—Chili.  
 roseus, Aucher, ex Meissn. in DC. *Prod.* xiv. 71 = vesicarius.  
 roseus, Linn. *Sp. Pl.* 337.—Reg. Mediterr.; Oriens.  
 roseus, Poir. *Encyc.* v. 65 = pictus.  
 Roxburghianus, Schult. f. *Syst.* vii. 1402 = nepalensis.  
 Roxburghianus, Wall. *Cat. n.* 1731 = maritimus, dentatus.  
 rubellus, Steud. *Nom. ed. I.* 710; *ed. II.* ii. 486 = ucranicus.  
 Rugelii, Meissn. in DC. *Prod.* xiv. 54 = obtusifolius.  
 rugosus, Campd. *Monog. Rum.* 113 = R. Acetosa.  
 rupestris, Le Gall, in *Congr. Sc. Fr.* xvi. i. (1850) 143; *Fl. Morb.* 501.—Europ.  
 sagittatus, Thunb. *Prod. Pl. Cap.* 67 = luxurians.  
 sagittifolius, Campd. *Monog. Rum.* 150 = R. Acetosa.  
 sagittifolius, Plenck, ex Campd. l. c. 108 = abyssinicus.  
 salicifolius, Weinm. in *Flora*, iv. (1821) 28.—Am. bor.  
 sanguineus, Linn. *Sp. Pl.* 334.—Europ.  
 sanguineus, Poir. *Encyc.* v. 59 = obtusifolius.  
 sarcorhizus, Link, *Enum. Hort. Berol.* i. 351 = cordatus.  
 Saxeii, Kellogg, in *Pacif. Rural Press* (June 1879); ex Curran, in *Bull. Calif. Acad.* i. n. III. (1885) 146 = hymenosepalus.  
 scandens, Burch. *Trav.* ii. 146 = luxurians.  
 Schimperii, Meissn. in DC. *Prod.* xiv. 67.—Abyss.  
 Schultzei, Meissn. l. c. 74 = Shultzei.  
 scutatus, Herb. Banks, ex Campd. *Monog. Rum.* 136 = cordatus.  
 scutatus, Linn. *Sp. Pl.* 337.—Europ.; Oriens.  
 sepium, Bieb. ex Schult. f. *Syst.* vii. 1728 = obtusifolius.  
 setaceus, Buch.-Ham. ex Meissn. in Wall. *Pl. As. Rar.* iii. 64 = maritimus.  
 Shultzei, Rafin. in *Med. Repos. N. York*, v. (1808) 353, nomen.—Am. bor.  
 silvester, Kern. in *Oestr. Bot. Zeitschr.* xxv. (1875) 353 = sylvestris.  
 sinuatus, Nathhort. ex Steud. *Nom. ed. II.* ii. 486 = tingitanus.  
 songaricus, Fisch. & Mey. *Ind. Sem. Hort. Petrop.* ix. 85.—Sibir. altaic.  
 spathulatus, Thunb. *Prod. Pl. Cap.* 67.—Afr. austr.  
 spinosus, Linn. *Sp. Pl.* 337 = Emex spinosa.  
 spinosus, Thomas, ex Meissn. in DC. *Prod.* xiv. 58 = pulcher.  
 spinosus, Thunb. *Prod. Pl. Cat.* 67 = Emex australis.  
 spurius, Rafin. in *Med. Repos. N. York*, v. (1808) 353, nomen.—Am. bor.  
 Steini, Becker, *Fl. Frankf.* i. 165 = palustris.  
 stenophyllus, Simk. in *Termész. Füzetek*, i. (1877) 233.—Europ.  
 stenophyllus, Ledeb. *Fl. Alt.* ii. 58.—Reg. Cauc.; As. bor.  
 stenophyllus, Timb. & Jeanb. in *Bull. Soc. Bot. Fr.* xi. (1864) p. lxxii = R. Acetosa.  
 Steudelianus, Meissn. in DC. *Prod.* xiv. 56 = obtusifolius.  
 Steudelii, Hochst. ex A. Br. in *Flora*, xxiv. (1841) 278 = obtusifolius.  
 strepens, Hort. ex Schult. f. *Syst.* vii. 1424 = longifolius.  
 strictus, Link, *Enum. Hort. Berol.* i. 350 = dentatus.  
 strictus, Meissn. in DC. *Prod.* xiv. 57 = cassius.  
 subrotundus, Campd. *Monog. Rum.* 151.—Oriens.  
 subtrilobus, Boiss. *Diagn. Ser. I.* v. 46.—Lydia.  
 suffocatus, Moris, ex Bertol. *Fl. Ital.* iv. 242 = pulcher.  
 suffruticosus, F. Gay, ex Meissn. in DC. *Prod.* xiv. 72.—Hispan.  
 supinus, Campd. *Monog. Rum.* 147 = R. Acetosella.  
 sylvaticus, Herb. ex Steud. *Nom. ed. II.* ii. 486 = nemorosus.  
 sylvaticus, Rafin. *Ann. Nat.* (1820) 12.—Am. bor.  
 sylvaticus, Schrad. ex Link, *Enum. Hort. Berol.* i. 350 = acutus.  
 sylvestris, Campd. *Monog. Rum.* 146 = obtusifolius.  
 sylvestris, Wallr. *Sched. Crit.* 161.—Europ.  
 syriacus, Meissn. in DC. *Prod.* xiv. 53 = obtusifolius.  
 tauricus, Hort. ex Schult. f. *Syst.* vii. 1411 = conglomeratus.

**RUMEX:—**

thyrsiflorus, Fingerh. in *Linnaea*, iv. (1829) 380 = R. Acetosa.  
 thyrsoides, Desf. *Fl. Atlant.* i. 321.—Reg. Mediterr.  
 thyrsoides, Gren. & Godr. *Fl. Fr.* iii. 44 = intermedius.  
 tingitanus, Linn. *Syst.* ed. X. 991.—Reg. Mediterr.  
 tingitanus, Webb & Bourg. ex Meissn. in DC. *Prod.* xiv. 67 = maderensis.  
 tmoleus, Boiss. *Diagn. Ser. I.* xii. 101.—As. Min.  
 tolimensis, Wedd. in *Ann. Sc. Nat. Sér. III.* xiii. (1849) 262.—N. Granat.  
 Tournefortii, Campd. *Monog. Rum.* 149 = intermedius.  
 triangularis, DC. *Fl. Suppl.* 368, in obs. = R. Acetosa.  
 triangularis, Guss. *Fl. Sic. Syn.* i. 434 = intermedius.  
 trifidus, Campd. *Monog. Rum.* 129.—Hab.?  
 tuberculatus, C. Koch, in *Linnaea*, xxii. (1849) 208 = pulcher.  
 tuberosus, Eckl. ex Steud. *Nom. ed. II.* ii. 486 = luxurians.  
 tuberosus, Linn. *Sp. Pl.* ed. II. 481.—Graec.; Afr. bor.; Oriens.  
 tuberosus, Poir. *Encyc.* v. 67 = R. Acetosa.  
 tuberosus, Roxb. ex Steud. *Nom. ed. II.* ii. 486 = nepalensis.  
 tuberosus, Sieber, ex Meissn. in DC. *Prod.* xiv. 67 = lativalvis.  
 tuberosus, Thunb. *Prod. Pl. Cap.* 67 = cordatus.  
 turcicus, Boiss. *Diagn. Ser. II.* iv. 79 = crispus.  
 ucranicus, Fisch. *Cat. Hort. Gorenk.* (1812) 16; et Bess. ex Spreng. *Nov. Prov.* 36.—Rossia.  
 uliginosus, Guss. *Pl. Rar. Neap.* (1826) 151. t. 29 = palustris.  
 umbellatus, Houtt. *Handleid.* viii. 414 = Polygonum chinense.  
 uncatus, Hort. ex Schult. f. *Syst.* vii. 1401 = nepalensis.  
 uncinatus, Ehrenb. ex Meissn. in DC. *Prod.* xiv. 58 = pulcher.  
 uncinatus, Hort. ex Schult. f. *Syst.* vii. 1401 = nepalensis.  
 uncinulatus, Schrad. *Ind. Sem. Hort. Gotting.* (1823) 5 = nepalensis.  
 undulatus, Bess. ex Meissn. in DC. *Prod.* xiv. 43 = aquaticus.  
 undulatus, Desf. *Cat. Hort. Par.* ed. III. 389 = cristatus, alpinus.  
 undulatus, Schrank, Baier. *Fl.* i. 625 = conglomeratus.  
 undulatus, Willd. ex Spreng. *Syst.* ii. 160 = dentatus.  
 venosus, Pursh, *Fl. Am. Sept.* ii. 733.—Am. bor.  
 verticillatus, Linn. *Sp. Pl.* 334.—Am. bor.  
 verticillatus, Richards. in *Frankl. 1st Journ. App.* ed. II. 11 = salicifolius.  
 verticillatus, Ucria, Hort. *Reg. Panorm.* 164 = sanguineus.  
 vesicarius, Linn. *Sp. Pl.* 336.—Graecia; Afr. bor.; Oriens.  
 vinealis, Timb. & Jeanb. in *Bull. Soc. Bot. Fr.* xi. (1864) p. lxxii = R. Acetosa.  
 virgatus, Haenke, in *Jirasek, Beob. Riesengeb.* (1791) 39 = conglomeratus.  
 viridis, Steud. *Nom. ed. I.* 710 = sanguineus.  
 Wallichianus, Meissn. in Wall. *Pl. As. Rar.* iii. 64 = maritimus.  
 Wallichii, Meissn. in DC. *Prod.* xiv. 48 = praec.  
 Wallrothii, Nym. *Syll.* 327 = obtusifolius.  
 Warrenii, Trimen, ex Nym. *Consp.* 635 = Knafii.  
 Winterlii, Zuccagni, *Syn. Pl. Hort. Florent.* 45 = conglomeratus.  
 Woodsii, De Not. *Cat. Sem. Roma* (1875), 28; et in *Nuov. Giorn. Bot. Ital.* viii. (1876) 42.—Italia.  
 xanthorhizus, Pers. *Syn.* i. 394 = R. Britannica.

**RUMFORDIA**, DC. *Prod.* v. 549 (1836). **COMPOSITAE**, Benth. & Hook. f. ii. 359.  
 floribunda, DC. l. c. 550.—Mexic.

**RUMIA**, Hoffm. *Gen. Umbell.* ed. II. 171 (1816) = **Trinia**, Hoffm. (Umbell.).  
 ahamantoides, DC. *Prod.* iv. 98 (= *Stenocoelium ahamantoides*).—Sibir. altaic.  
 capensis, Link, *Enum. Hort. Berol.* i. 271 = Capnophyllum africanum.  
 depressa, Boiss. in *Ann. Sc. Nat. Sér. III.* i. (1844) 126 = Trachydium depressum.  
 frigida, Boiss. & Heldr. *Diagn. Ser. II.* vi. 77.—Graecia.  
 Guicciardii, Boiss. & Heldr. l. c.—Graecia.  
 Kotschyi, Boiss. l. c. Ser. I. vi. 59 = Trachydium Kotschyi.

## RUMIA:—

*leiogona*, C. A. Mey. Verz. Pfl. Cauc. 125 = *Trinia Hoffmanni*.  
*microcarpa*, Hoffm. Gen. Umbell. ed. II. 175 = *Hippomarathrum crispum*.  
*multiflora*, Ledeb. Fl. Ross. ii. 281. — Rossia.  
*seseloides*, Hoffm. Gen. Umbell. ed. II. 174. — Sibir. altaic.  
*taurica*, Hoffm. l. c. 173 = *Sanicula crithmifolia*.

RUMINIA, Parl. 'Due Nov. Gen. Monocot. 3'; ex ej. Fl. Ital. iii. 84 (1858) = *Leucojum*, Linn. (Amaryll.).  
*hyemalis*, Parl. II. cc. 4; 85 = *L. hyemale*.  
*nicaeensis*, Jord. & Four. Ic. Fl. Europ. 26. t. 65. f. 108 = *L. hyemale*.

RUMPFIA, Linn. Syst. ed. I (1735) = seq.

**RUMPHIA**, Linn. Sp. Pl. ed. I. 1193 (1753). *ANA-CARDIACEAE*, Benth. & Hook. f. i. 428.  
 TSIEMTANI, Adans. Fam. ii. 303 (1763).  
*amboinensis*, Linn. Sp. Pl. 1193. — Ind. or.  
*tiliaefolia*, Poir. Encyc. vi. 352 = *amboinensis*.

RUMPUTRIS, Rafin. Fl. Tellur. iv. 92 (1836) = *Cassytha*, Linn. (Laurin.).  
*fasciculata*, Rafin. l. c. = *C. filiformis*?

RUNCINA, Allem. in Nov. Act. Nat. Cur. iv. (1770) 94 (Quid?).

**RUNGIA**, Nees, in Wall. Pl. As. Rar. iii. 77 (1832). *ACANTHACEAE*, Benth. & Hook. f. ii. 1120.  
*apiculata*, Bedd. Ic. Pl. Ind. Or. i. 60. — Ind. or.  
*Arnottiana*, Wight, Ic. t. 1550 = *Wightiana*.  
*Beddomei*, C. B. Clarke, in Hook. f. Fl. Brit. Ind. iv. 549. — Burma.  
*Brandisii*, C. B. Clarke, l. c. — Burma.  
*chinensis*, Benth. Fl. Hongk. 266. — China.  
*ciliata*, Nees, in Wall. Pl. As. Rar. iii. 111. — Am. austr.  
*crenata*, T. Anders. in Journ. Linn. Soc. ix. (1867) 518. — Ind. or.  
*diversiformis*, Nees, in DC. Prod. xi. 472. — Ins. Philipp.  
*elegans*, Dalz. & Gibs. Bomb. Fl. 196. — Ind. or.  
*grandis*, T. Anders. in Journ. Linn. Soc. vii. (1864) 46. — Afr. trop.  
*himalayensis*, C. B. Clarke, in Hook. f. Fl. Brit. Ind. iv. 548. — Reg. Himal.  
*interrupta*, Nees, in DC. Prod. xi. 732, in syn. = *Dicliptera interrupta*.  
*khasiana*, T. Anders. in Journ. Linn. Soc. ix. (1867) 518. — Reg. Himal.  
*laeta*, C. B. Clarke, in Hook. f. Fl. Brit. Ind. iv. 546. — Ind. or.  
*laticor*, Nees, in Hook. Comp. Bot. Mag. ii. (1836) 313. — Ind. or.  
*linifolia*, Nees, in Wall. Pl. As. Rar. iii. 110. — Ind. or.  
*longifolia*, T. Anders. in Thw. Enum. Pl. Zeyl. 235, partim = *laticor*.  
*longifolia*, Bedd. Ic. Pl. Ind. Or. t. 266 = *parviflora*.  
*longifolia*, Nees, in Hook. Comp. Bot. Mag. ii. (1836) 313. — Zeylan.  
*Mastersi*, T. Anders. in Journ. Linn. Soc. ix. (1867) 519. — Assam.  
*muralis*, Royle, ex Nees, in DC. Prod. xi. 470 = *parviflora*.  
*origanoides*, Nees, in Wall. Pl. As. Rar. iii. 110 = *parviflora*.  
*parviflora*, Nees, l. c. — Ind. or.; Burma.  
*pectinata*, Nees, in DC. Prod. xi. 470 = *parviflora*.  
*polygonoides*, Nees, in Wall. Pl. As. Rar. iii. 110 = *parviflora*.  
*pubinervia*, T. Anders. in Journ. Linn. Soc. vii. (1864) 46. — Afr. austr.  
*pundwana*, Nees, in Wall. Pl. As. Rar. iii. 110 = *Justicia pundwana*.  
*repens*, T. Anders. in Journ. Linn. Soc. ix. (1867) 518, partim = *parviflora*.  
*repens*, Nees, in Wall. Pl. As. Rar. iii. 110. — Ind. or.  
*siparensis*, T. Anders. in Journ. Linn. Soc. ix. (1867) 518. — Ind. or.  
*stolonifera*, C. B. Clarke, in Hook. f. Fl. Brit. Ind. iv. 547. — Reg. Himal.  
*sumatrana*, Mig. Fl. Ind. Bat. Suppl. 567. — Sumatra.  
*Wightiana*, Nees, in Wall. Pl. As. Rar. iii. 110. — Ind. or.

RUPALA, Vahl, Symb. Bot. iii. 20 (1794) = *Roupala*, Aubl. (Proteac.).

RUPALLEYA, Morière, in Bull. Soc. Linn. Normand. viii. (1864) 317. t. 15 = *Stropholirion*, Torr. (Liliac.).  
*volubilis*, Morière, l. c. = *S. californicum*.

RUPICAPNOS, Pomel, Mat. Fl. Atl. 16 (1860) = *Fumaria*, Tourn. (Papav.).  
*africana*, Pomel, Nouv. Mat. Fl. Atl. 240 = *F. africana*.  
*Caput-plataleae*, Pomel, l. c. 244 = *F. numidica*.  
*cerefolia*, Pomel, l. c. 242 = *F. africana*.  
*corymbosa*, Pomel, Mat. Fl. Atl. 16 = *F. africana*.  
*delicatula*, Pomel, Nouv. Mat. Fl. Atl. 246 = *F. numidica*.  
*erosa*, Pomel, l. c. 243 = *F. numidica*.  
*graciliflora*, Pomel, l. c. 241 = *F. africana*.  
*longipes*, Pomel, Mat. Fl. Atl. 16 = *F. numidica*.  
*muricaria*, Pomel, Nouv. Mat. Fl. Atl. 245 = *F. numidica*.  
*numidica*, Pomel, Mat. Fl. Atl. 16 = *F. numidica*.  
*ochracea*, Pomel, Nouv. Mat. Fl. Atl. 242 = *F. africana*.  
*platycentra*, Pomel, l. c. 242 = *F. africana*.  
*Reboudiana*, Pomel, l. c. 379 = *F. numidica*.  
*sarcocapnoides*, Pomel, Mat. Fl. Atl. 16 = *F. numidica*.  
*speciosa*, Pomel, Nouv. Mat. Fl. Atl. 241 = *F. africana*.  
*tenuifolia*, Pomel, l. c. 244 = *F. numidica*.

RUPIFRAGA, 'Linn.' ex Rafin. Fl. Tellur. ii. 67 (1836) = *Saxifraga*, Linn.  
*cuscutiformis*, Rafin. l. c. iv. 121 = *S. sarmentosa*.  
*sarmentosa*, 'Linn.' ex Rafin. l. c. ii. 68 = *S. sarmentosa*.

RUPPELIA, Baker, in Oliver, Fl. Trop. Afr. ii. 149 (1871) = *RUEPPELIA*, A. Rich. = *Aeschynomene*, Linn. (Legumin.).

**RUPPIA**, Linn. Syst. ed. I (1735). *NAIADACEAE*, Benth. & Hook. f. iii. 1014.  
*BUCCAFERREA*, Mich. ex Petagna, Inst. Bot. v. 1826 (1787).  
*antarctica*, Labill. Nov. Holl. Pl. ii. 116 = *Cymodocea antarctica*.  
*aragonensis*, Losc. Pard. Ser. Inconf. Pl. Arag. 105 = *rostellata*?  
*brachypus*, J. Gay, in Coss. Notes Crit. 10 = *maritima*.  
*brevipes*, Bertol. ex Griseb. Fl. Brit. W. Ind. 507 = *maritima*.  
*didyma*, Sw. ex Wikstr. in Vet. Acad. Handl. Stockh. (1825) 427 = *maritima*.  
*drepanensis*, Tineo, ex Guss. Fl. Sic. Syn. ii. 878 = *maritima*.  
*marina*, Fries, Summa Veg. Scand. 68 (err. typ. 69) = *maritima*.  
*maritima*, Griff. Notul. iii. 196 = *rostellata*.  
*maritima*, Linn. Sp. Pl. 127. — Reg. temp. et trop.  
*obliqua*, Schur, ex Griseb. & Schenk, in Wieg. Archiv, xviii. (1852) 1. 355 = *rostellata*.  
*rostellata*, Koch, ex Reichb. Ic. Pl. Crit. ii. 66. — Europ.; As. trop.  
*salina*, Schur, Enum. Pl. Transs. 634 = *rostellata*.  
*spiralis*, Dum. Fl. Belg. 164 = *maritima*.  
*subsessilis*, Thw. Enum. Pl. Zeyl. 333 = *Potamogeton pectinatus*.  
*transsilvanica*, Schur, in Oestr. Bot. Zeitschr. x. (1860) 356 = *rostellata*.  
*trichodes*, Dur. in Duch. Rev. Bot. ii. (1846-47) 426 = *maritima*.

**RUPRECHTIA**, C. A. Mey. in Mém. Acad. Pétersb. Sér. VI. vi. (1840) 148. t. 4. *POLYGONACEAE*, Benth. & Hook. f. iii. 104.  
*MAGONIA*, Vell. Fl. Flum. 165 (1825); iv. t. 60 (1827).  
*amentacea*, Meissn. in Mart. Fl. Bras. v. i. 56. — Bras.  
*apetala*, Wedd. in Ann. Sc. Nat. Sér. III. xiii. (1849) 268. — Bolivia.  
*brachysepala*, Meissn. in Mart. Fl. Bras. v. i. 58. — Bras.  
*brachystachya*, Benth. in Hook. Lond. Journ. Bot. iv. (1845) 630. — Guian.  
*carpinoides*, Meissn. in Mart. Fl. Bras. v. i. 58. — Bras.  
*corylifolia*, Griseb. in Goett. Abh. xix. (1874) 113. — Reg. Argent.

## RUPRECHTIA:—

*costata*, Meissn. in DC. Prod. xiv. 180 = *Cumingii*.  
*Cruegerii*, Griseb. Fl. Brit. W. Ind. 710 = *fagifolia*.  
*Cumingii*, Meissn. in DC. Prod. xiv. 179. — Panama.  
*excelsa*, Griseb. in Goett. Abh. xix. (1874) 113. — Reg. Argent.  
*fagifolia*, Meissn. in Mart. Fl. Bras. v. i. 58. — Bras.  
*glaucia*, Meissn. l. c. 59. — Bras.  
*Jamesonii*, Meissn. in DC. Prod. xiv. 179. — Peruv.  
*laurifolia*, C. A. Mey. in Mém. Acad. Pétersb. Sér. VI. vi. (1840) 150. — Bras.  
*laxiflora*, Meissn. in Mart. Fl. Bras. v. i. 56. — Bras.  
*Lundii*, Meissn. l. c. 54. — Bras.  
*Martii*, Meissn. l. c. 58. — Bras.  
*mollis*, Wedd. in Ann. Sc. Nat. Sér. III. xiii. (1849) 268. — Bolivia.  
*polystachya*, Griseb. in Goett. Abh. xxiv. (1879) 89. — Reg. Argent.  
*ramiflora*, C. A. Mey. in Mém. Acad. Pétersb. Sér. VI. vi. (1840) 150. — N. Granat.  
*salicifolia*, C. A. Mey. l. c. — Bras.  
*tenuiflora*, Benth. in Hook. Lond. Journ. Bot. iv. (1845) 629. — Bras.  
*triflora*, Griseb. in Goett. Abh. xxiv. (1879) 89. — Reg. Argent.  
*Viraru*, Griseb. l. c. 90. — Reg. Argent.

RUPRECHTIA, Opiz, Seznam, 86 (1852) = *Thalictrum*, Tourn. (Ranunc.).  
*aquilegifolia*, Opiz, l. c. = *T. aquilegifolium*.

**RUSCUS**, [Tourn.] Linn. Syst. ed. I (1735). *LILIA-CEAE*, Benth. & Hook. f. iii. 764.  
*aculeatus*, Linn. Sp. Pl. 1041. — Europ.; Oriens.  
*androgynus*, Linn. l. c. = *Semele androgyna*.  
*anthopus*, Rafin. Fl. Tellur. iv. 26 = *Semele androgyna*.  
*dumosus*, Clarke, Trav. i. ed. II. Add. p. xxii. — Rumelia.  
*flexuosus*, Mill. Gard. Dict. ed. VIII. n. 6 = *aculeatus*.  
*frutescens*, Mill. l. c. n. 8. — Mexic.  
*humilis*, Salisb. Prod. 255 = *R. Hypoglossum*.  
*Hypoglossum*, Linn. Sp. Pl. 1041. — Europ. austr.  
*Hypophyllum*, Linn. l. c. — Reg. Méditerr. et Cauc.  
*latifolius*, Rafin. Fl. Tellur. iv. 26 = *Semele androgyna*.  
*laurifolius*, Hort. ex Steud. Nom. ed. II. ii. 487 = *Danaë Laurus*.  
*laxus*, Sm. in Trans. Linn. Soc. iii. (1797) 334 = *aculeatus*.  
*lugubris*, Salisb. Prod. 255 = *R. Hypophyllum*.  
*microglossus*, Bertol. Fl. Ital. x. 401 = *R. Hypoglossum*.  
*parasiticus*, Gueldenst. Reisen, i. 426 = *aculeatus*?  
*procerus*, Salisb. Prod. 255 = *Semele androgyna*.  
*racemosus*, Linn. Sp. Pl. 1041 = *Danaë Laurus*.  
*racemus*, Crantz, Inst. i. 200, sphalm. = *praec. reticulatus*, Thunb. Prod. Pl. Cap. 13 = *Behnia reticulata*.  
*terminalis*, Salisb. Prod. 255 = *Danaë Laurus*.  
*trifolius*, Mill. Gard. Dict. ed. VIII. n. 5. — Ins. Graecia.  
*troadensis*, Clarke, Trav. ii. 146. — Graecia.  
*volubilis*, Thunb. Prod. Pl. Cap. 13 = *Asparagus medeoloides*.

RUSSEA, J. F. Gmel. Syst. 237 (1791) = *Rousseia*, Sm. (*Saxifrag.*).

RUSSEGERA, Endl. Nov. Stirp. Dec. 38 (1839) = *Lepidagathis*, Willd. (Acanth.).  
*collina*, Endl. l. c. = *L. radicalis*.

**RUSSELIA**, Jacq. Enum. Pl. Carib. 6 (1760). *SCROPHULARINEAE*, Benth. & Hook. f. ii. 940.  
*alata*, Cham. & Schlecht. in Linnaea, iii. (1828) 3. — Bras.  
*alternifolia*, Pers. Syn. ii. 164. — Peruv.  
*americana*, Raeusch. Nom. ed. III. 180 = *sarmentosa*.  
*depressa*, Walp. Rep. iii. 234 = *Aptosimum depressum*.  
*ephedroides*, Benth. Pl. Hartw. 69 = *verticillata*.  
*equisetiformis*, Schlecht. & Cham. in Linnaea, vi. (1831) 377. — Mexic.  
*flammea*, Rafin. New Fl. Am. ii. 71 = *sarmentosa*.  
*floribunda*, H. B. & K. Nov. Gen. et Sp. ii. 359 = *rotundifolia*.



**RUSSELIA** :—

*juncea*, Zucc. in *Flora*, xv. (1832) II. Beibl. 99.—Mexic.  
*multiflora*, Sims, Bot. Mag. t. 1528 = *sarmentosa*.  
*paniculata*, Mart. & Gal. in Bull. Acad. Brux. xii. II. (1845) 19 = *sarmentosa*.  
*polyedra*, Zucc. in Abh. Akad. Muench. ii. (1831–36) 328 = *sarmentosa*.  
*rotundifolia*, Cav. Ic. v. 9. t. 415.—Mexic.  
*sarmentosa*, Jacq. Enum. Pl. Carib. 25; *Select. Am.* 178.—Am. trop.  
*syringaeifolia*, Schlecht. & Cham. in *Linnaea*, vi. (1831) 376 = *sarmentosa*.  
*ternifolia*, H. B. & K. Nov. Gen. et Sp. ii. 359 = *sarmentosa*.  
*verticillata*, H. B. & K. l. c. 360.—Mexic.

RUSSELIA, Koen. ex Roxb. Fl. Ind. iii. 364 (1832) = **Ormocarpum**, Beauv. (Legumin.).

RUSSELIA, Linn. f. Suppl. 24 (1781) = **Vahlia**, Thunb. (Saxifrag.).  
*capensis*, Linn. f. l. c. 175 = *V. capensis*.  
*oldenlandioides*, Roxb. ex Wight & Arn. Prod. 449 = *V. oldenlandioides*.  
*viscosa*, Roxb. l. c. = *V. viscosa*.

RUSSERIA, Buek, Index ad DC. Prod. iii. 389 (1858), sphalm. = **Bursera**, Jacq.

**RUSTIA**, Klotzsch, in Hayne, Arzn. Gew. xiv. sub t. 14; et sub t. 15 (1846). **RUBIACEAE**, Benth. & Hook. f. ii. 45.

HENLEA, Karst. Fl. Columb. 38 in textu (1858); 157. t. 78 (1861).

TRESANTHERA, Karst. l. c. 37. t. 19 (1858).

formosa, Klotzsch, in Hayne, Arzn. Gew. xiv. sub t. 15.—Bras.

occidentalis, Hemsl. Biol. Centr. Am. Bot. ii. 14.—Mexic.

Pohlana, Klotzsch, in Hayne, Arzn. Gew. xiv. sub t. 15 = formosa.

Sellowiana, Klotzsch, l. c. = formosa.

**RUTA**, [Tourn.] Linn. Syst. ed. I (1735). **RUTACEAE**, Benth. & Hook. f. i. 286.

APLOPHYLLUM, A. Juss. in Mém. Mus. Par. xii. (1825) 464.

DESMOPHYLLUM, Webb & Berth. Phyt. Canar. i. 14 (1836–50).

HAPLOPHYLLUM, Reichb. Fl. Germ. Excurs. 766 (1832).

RUTARIA, Webb, ex Benth. & Hook. f. Gen. i. 287 (1862).

acutifolia, DC. Prod. i. 711.—Persia.

albiflora, Hook. Exot. Fl. t. 79 = Boenninghausenia albiflora.

altera, Mill. Gard. Dict. ed. VIII. n. 2 = graveolens.

angustifolia, Pers. Syn. i. 464 = chalcopensis.

Besseri, Nym. Syll. 219.—Rossia.

Biebersteinii, Neir. Nachtr. 280 = suaveolens.

bracteosa, DC. Prod. i. 710 = chalcopensis.

Buxbaumii, Frivald. ex Griseb. Spicil. Fl. Rumel. i. 129 = patavina.

Buxbaumii, Poir. Encyc. vi. 336.—Oriens.

chalcopensis, Linn. Mant. i. 69.—Reg. Mediterr.

chalcopensis, Wall. Cat. n. 7113 = graveolens.

ciliata, Savi, ex Steud. Nom. ed. II. ii. 487 = glabra.

ciliata, Mill. Gard. Dict. ed. VIII. n. 5 = graveolens.

communis, Noronha, in Verh. Batav. Gen. v. (1790) ed. I. Art. iv. 26 (Quid?).—Java.

cordata, D. Don, Prod. Fl. Nep. 206.—Nepal.

coronata, Nym. Syll. 219.—Europ.

corsica, DC. Prod. i. 710.—Ins. Corsic.

crithmifolia, Moric. ex DC. l. c. = graveolens.

dahurica, DC. Prod. i. 712.—Dahuria.

Dampatis, Buch-Ham. ex D. Don, Prod. Fl. Nep. 207 = Boenninghausenia albiflora.

dichotoma, DC. Prod. i. 711.—Persia.

divaricata, Salzm. in Flora, iv. (1821) 109 = corsica.

divaricata, Tenore, Prod. Fl. Nap. p. xxiv = graveolens.

diversifolia, Wender. ex Steud. Nom. ed. II. ii. 487, nomen (Quid?).—Hab.?

fernandezia, Colla, in Mem. Acc. Torin. xxxvii. (1834) 52.—Ins. J. Fernand.

frutescens, Siev. ex Fisch. Enum. Pl. Schrenk. i. 90 = acutifolia.

frutescens, Siev. ex Fisch. Enum. Pl. Schrenk. i. 90 = acutifolia.

frutescens, Siev. ex Fisch. Enum. Pl. Schrenk. i. 90 = acutifolia.

frutescens, Siev. ex Fisch. Enum. Pl. Schrenk. i. 90 = acutifolia.

frutescens, Siev. ex Fisch. Enum. Pl. Schrenk. i. 90 = acutifolia.

frutescens, Siev. ex Fisch. Enum. Pl. Schrenk. i. 90 = acutifolia.

frutescens, Siev. ex Fisch. Enum. Pl. Schrenk. i. 90 = acutifolia.

frutescens, Siev. ex Fisch. Enum. Pl. Schrenk. i. 90 = acutifolia.

frutescens, Siev. ex Fisch. Enum. Pl. Schrenk. i. 90 = acutifolia.

frutescens, Siev. ex Fisch. Enum. Pl. Schrenk. i. 90 = acutifolia.

frutescens, Siev. ex Fisch. Enum. Pl. Schrenk. i. 90 = acutifolia.

frutescens, Siev. ex Fisch. Enum. Pl. Schrenk. i. 90 = acutifolia.

**RUTA** :—

fruticulosa, Labill. Ic. Pl. Syr. Dec. i. 13.—Syria.

fumariaefolia, Boiss. & Heldr. Diagn. Ser. I. viii. 125 = chalcopensis.

glabra, DC. Prod. i. 711.—Assyria.

graveolens, Linn. Sp. Pl. 383.—Europ. austr.

holopetala, Kitt. Taschenb. ed. II. 794 = graveolens.

hortensis, Mill. Gard. Dict. ed. VIII. n. 1 = graveolens.

intermedia, Hort. ex Steud. Nom. ed. II. ii. 488 = graveolens.

japonica, Siebold, ex Hook. f. Fl. Brit. Ind. i. 486 = Boenninghausenia albiflora.

latifolia, Salisb. Prod. 320 = chalcopensis.

legitima, All. Fl. Pedem. i. 280 = montana.

linearis, DC. Prod. i. 712.—Sibir.

linifolia, Bieb. Fl. Taur. Cauc. i. 309 = suaveolens?

linifolia, Linn. Sp. Pl. 384.—Hispan.; Afr. bor.

linifolia, Sibth. & Sm. Fl. Graec. Prod. i. 273 = Buxbaumii.

macrophylla, Moris, Stirp. Sard. Elench. 11 = chalcopensis.

macrophylla, Soland. in Bot. Mag. t. 2018.—Afr. bor.

montana, Mill. Gard. Dict. ed. VIII. n. 7.—Reg. Mediterr. et Caucas.

Montbretii, Viv. Pl. Aegypt. Dec. iv. 13 = tuberculata.

obtusifolia, Ledeb. ex Eichw. Pl. Casp. Cauc. 37.—Reg. Casp.

officinalis, Pall. Reise Suedl. Statth. ii. 80 = graveolens.

Oreojasme, Webb & Berth. in Ann. Sc. Nat. Sér. II. xiii. (1840) 180.—Ins. Canar.

parviflora, Desf. in Ann. Mus. Par. xi. (1808) 440 = villosa.

patavina, Linn. Sp. Pl. 384.—Europ. austr.

patavina, Poir. Encyc. vi. 335 = pubescens.

patavina, Portenschl. Enum. t. 7, ex Reichb. Fl. Germ. Excurs. 766 = linifolia.

perforata, Bieb. Besch. Casp. 172.—Sibir. baical.

pinnata, Linn. f. Suppl. 232.—Ins. Canar.

pubescens, Willd. Enum. Hort. Berol. 446.—Hispan.

punctata, Presl, ex Mert. & Koch, Deutschl. Fl. iii. 88 = chalcopensis.

rosmarinifolia, Pers. Syn. i. 465.—Hispan.

spatulata, Sibth. & Sm. Fl. Graec. iv. 63. t. 370 = Buxbaumii.

suaveolens, Bess. ex Spach, in Ann. Sc. Nat. Sér. III. xi. (1849) 179 = Besseri.

suaveolens, DC. Prod. i. 711.—Rossia; Thracia.

subtripinnata, Miq. Ann. Mus. Bot. Lugd. Bat. iii. 21.—Japan.

sylvestris, Mill. Gard. Dict. ed. VIII. n. 3 = montana.

taurica, Nym. Syll. 220.—Taur.

tenuifolia, Vill. Prosp. 47; Gouan, Herbor. 26; Pourr. in Mém. Acad. Toul. iii. (1788) 326 = montana.

thesioides, Fisch. ex DC. Prod. i. 712.—Reg. Casp.

tuberculata, Forsk. Fl. Aegypt. Arab. 86.—Aegypt.; Arab.; Persia.

tuberculata, Viv. Pl. Aegypt. Dec. iv. 13 = glabra.

villosa, Bieb. Fl. Taur. Cauc. i. 310.—Reg. Caucas.

villosa, Sieber, ex Presl, in Oken, Isis, xxi. (1828) 272 = fruticulosa, Buxbaumii.

RUTAEA, M. Roem. Syn. Hesper. 93 (1846) = **Turraea**, Linn. (Meliac.).

floribunda, M. Roem. l. c. = T. floribunda.

heterophylla, M. Roem. l. c. 94 = T. heterophylla.

lobata, M. Roem. l. c. = T. heterophylla.

maculata, M. Roem. l. c. = T. maculata.

obtusifolia, M. Roem. l. c. 93 = T. obtusifolia.

quercifolia, M. Roem. l. c. 94 = T. heterophylla.

rigida, M. Roem. l. c. = Quivisia chilisantha.

sericea, M. Roem. l. c. 93 = T. sericea.

RUTARIA, Webb, ex Benth. & Hook. f. Gen. i. 287 (1862) = **Ruta**, Tourn.

RUTERIA, Medic. in Vorles. Churf. Phys. Ges. ii. (1787) 380 = **Psoralea**, Linn. (Legumin.).

africana, Medic. l. c. = P. pinnata.

decidua, Moench, Meth. Suppl. 38 = P. aphylla.

pinnata, Medic. Phil. Bot. ii. 41 = P. pinnata.

tenuifolia, Moench, Meth. Suppl. 38 = P. tenuifolia.

RUTHEA, Bolle, in Verh. Bot. Ver. Brandenb. iii–iv. (1861–62) 174 = **Lichtensteinia**, Cham. & Schlecht. (Umbell.).

herbanica, Bolle, l. c.—Ins. Canar.

RUTICA, Neck. Elem. ii. 202 (1790), sphalm. = **Urtica**, Tourn.

**RUTIDEA**, DC. in Ann. Mus. Par. ix. (1807) 219. **RUBIACEAE**, Benth. & Hook. f. ii. 116.

RYTIDEA, Spreng. Syst. i. 515 (1825).

coriacea, Baker, Fl. Mauriti. 149.—Ins. Mascar. decorticata, Hiern, in Oliver, Fl. Trop. Afr. iii. 190.—Afr. trop.

ferruginea, Hiern, l. c. 189.—Afr. trop.

fuscescens, Hiern, l. c. 191.—Afr. trop.

glabra, Hiern, l. c. 190.—Afr. trop.

hispida, Hiern, l. c. 189.—Afr. trop.

membranacea, Hiern, l. c. 190.—Afr. trop.

mollis, Blume, ex DC. Prod. iv. 495.—Ins. Pinang.

olenotricha, Hiern, in Oliver, Fl. Trop. Afr. iii. 189.—Afr. trop.

parviflora, Benth. in Hook. Niger Fl. 416, partim = olenotricha.

parviflora, DC. in Ann. Mus. Par. ix. (1807) 219.—Afr. trop.

rufipilis, Hiern, in Oliver, Fl. Trop. Afr. iii. 188.—Afr. trop.

Smithii, Hiern, l. c. 189.—Afr. trop.

RUTIDOCHLAMYS, Sond. in Linnaea, xxv. (1852) 497 = **Podolepis**, Labill. (Compos.).

Mitchellii, Sond. l. c. = P. Rhytidochlamys.

**RUTIDOSIS**, DC. Prod. vi. 158 (1837). **COMPOSITAE**, Benth. & Hook. f. ii. 316.

ACTINOPAPPUS, Hook. f. ex A. Gray, in Hook. Kew Journ. iv. (1852) 226.

PUMILO, Schlecht. in Linnaea, xxi. (1848) 448.

acoma, F. Muell. Fragm. ii. 89 = Acomis rutidosea.

arachnoidea, Hook. in Mitch. Journ. Trop. Austral. 341 = Podolepis Rhytidochlamys.

auricoma, F. Muell. in Linnaea, xxv. (1852) 408 = helichrysoides.

Brownii, Benth. Fl. Austral. iii. 594.—Austral.

helichrysoides, DC. Prod. vi. 159 (helichrysoides).—Austral.

leiolepis, F. Muell. in Trans. Vict. Inst. i. (1855) 131.—Austral.

leptorrhynchoides, F. Muell. Fragm. v. 148.—Austral.

leucantha, F. Muell. l. c. i. 35.—Austral.

macra, F. Muell. l. c. iv. 145 = Acomis macra.

Murchisonii, F. Muell. l. c. i. 34.—Austral.

Pumilo, Benth. Fl. Austral. iii. 595.—Austral.

RUTILIA, Vell. Fl. Flum. 156 (1825); iv. t. 19 (1827) (Quid?).

ternata, Vell. ll. cc. 19.—Bras.

RUTOSMA, A. Gray, Gen. Illustr. ii. 143. t. 155 (1849) = **Thamnosma**, Torr. & Frém. (Rutac.).

texanum, A. Gray, l. c. 144. t. 155 = T. texanum.

**RUTTYA**, Harv. in Hook. Lond. Journ. Bot. i. (1842) 27. **ACANTHACEAE**, Benth. & Hook. f. ii. 1105.

HABLANATHERA, Hochst. in Bot. Zeit. ii. (1844) 853 (sphalm.).

HABLANATHERA, Hochst. in Flora, xxvi. (1848) 71.

ovata, Harv. in Hook. Lond. Journ. Bot. i. (1842) 27.—Afr. austr.

**RUYSCHIA**, Jacq. Enum. Pl. Carib. 2 (1760). **TERNSTROEMIACEAE**, Benth. & Hook. f. i. 181.

LOGHANIA, Scop. Introd. 236 (1777).

SOUROUBEA, Aubl. Pl. Gui. 244. t. 97 (1775).

amazonica, Mart. Nov. Gen. et Sp. iii. 176. t. 292.—Bras.

bahiensis, Mart. l. c. 178.—Bras.

bicolor, Benth. Bot. Voy. Sulph. 73. t. 29.—Panama.

clusiaefolia, Jacq. Enum. Pl. Carib. 17; *Select. Am.* 75.—Am. trop.

corallina, Mart. Nov. Gen. et Sp. iii. 177. t. 294.—Bras.

crassipes, Triana & Planch. in Ann. Sc. Nat. Sér. IV. xvii. (1862) 378.—N. Granat.

cymbadenia, Delp. in Atti Soc. Ital. Sc. Nat. Milano, xii. (1869) 196 = clusiaefolia.

fragrans, Mor. ex Wittm. in Mart. Fl. Bras. xii. i. 248 = clusiaefolia.

guianensis, Vitm. Summa Pl. ii. 250 = R. Souroubea.

laurifolia, Presl, Bot. Bemerk. 24 = clusiaefolia.

lepidota, Miq. in Hoev. & De Vriese, Tijdschr. x. (1843) 83.—Guian.

mexicana, Baill. Adansonia, x. (1872) 241.—Mexic.

**RUYSCHIA:—**

- Pavonii, *G. Don, Gen. Syst.* i. 625.—Peruv.  
pilophora, *Triana & Planch. in Ann. Sc. Nat. Sér.*  
IV. xvii. (1862) 379.—N. Granat.  
Souroubea, *Sw. Prod. Veg. Ind. Occ.* 50.—Guian.  
sphaeradenia, *Delp. in Atti Soc. Ital. Sc. Nat. Milano,*  
xii. (1869) 180.—Peruv.  
Spixiana, *Mart. Nov. Gen. et Sp.* iii. 177. t. 293.—  
Bras.  
subsessilis, *Benth. Bot. Voy. Sulph.* 73. t. 29.—  
Panama.  
Surubea, *J. F. Gmel. Syst.* 407 = R. Souroubea.

RUYSCHIA, Linn. Syst. ed. I (1735) = **Dracoecephalum**, Tourn. (Labiata).

RUYSCHIANA, Boerh. ex Mill. Gard. Dict. ed. VII. (1759) = **Dracoecephalum**, Tourn. (Labiata).  
fasciculata, [Clairv.] Man. Herb. 190 = D. Ruyschiana.  
laciniata, Mill. Gard. Dict. ed. VIII. n. 2 = D. austriacum.  
spicata, Mill. l. c. n. 1 = D. Ruyschiana.  
verticillata, Mill. l. c. n. 3 = D. peregrinum.

RYANAEA, DC. Prod. i. 255 (1824) = seq.

**RYANIA**, Vahl, *Eclog. Am.* i. 51. t. 9 (1796). *BIXI-NEAE*, Benth. & Hook. f. i. 126.  
PATRISIA, Rich. in Act. Soc. Hist. Nat. Par. i. (1792) 110.  
TETRACOCYNE, Turcz. in Bull. Soc. Nat. Mosc. (1863) i. 555.  
acuminata, *Spruce, ex Eichl. in Mart. Fl. Bras.* xiii. i. 492.—Bras.  
Candollei, *Miq. in Ann. & Mag. Nat. Hist. Sér. I.* xi. (1843) 16.—Guian.  
canescens, *Eichl. in Mart. Fl. Bras.* xiii. i. 490.—Bras.  
chocoensis, *Triana & Planch. in Ann. Sc. Nat. Sér. IV.* xvii. (1862) 117.—N. Granat.  
dentata, *Miq. in Ann. & Mag. Nat. Hist. Sér. I.* xi. (1843) 16; *et Eichl. in Mart. Fl. Bras.* xiii. i. 493.—Venezuel.  
Kunthii, *Miq. in Ann. & Mag. Nat. Hist. Sér. I.* xi. (1843) 16 = dentata.  
Mansoana, *Eichl. in Mart. Fl. Bras.* xiii. i. 490.—Bras.  
parviflora, *Eichl. l. c.* 493 = Patrisii.  
Patrisii, *Miq. in Ann. & Mag. Nat. Hist. Sér. I.* xi. (1843) 16.—Bras.; Guian.  
Reideliana, *Eichl. in Mart. Fl. Bras.* xiii. i. 491.—Bras.  
Sagotiana, *Eichl. l. c.*—Bras.; Guian.  
speciosa, *Vahl, Eclog. Am.* i. 51. t. 9.—Am. trop.  
tomentosa, *Miq. in Ann. & Mag. Nat. Hist. Sér. I.* xi. (1843) 15 = speciosa?

RYCKIA, Balf. f. in Journ. Linn. Soc. xvii. (1878) 35, 48, sphalm. = RYKIA, De Vriese = **Pandanus**, Rumph.

RYDITOPHYLLUM, Walp. Rep. ii. 721 (1843), sphalm. = **Rytidophyllum**, Mart. (Gesner.).

RYDITOSTYLIS, Walp. Rep. ii. 204 (1843), sphalm. = RYTIDOSTYLIS, Hook. & Arn. = **Elaterium**, Linn. (Cucurb.).

RYKIA, De Vriese, in Verh. Kon. Akad. Wetensch. ii. (1854) 203 = **Pandanus**, Rumph.  
furcata, De Vriese, l. c. = P. furcatus.

RYMANDRA, Salisb. in Knight, Prot. 124 (1809) = **Knightia**, R. Br. (1810) (Proteac.).  
excelsa, Knight, l. c. = K. excelsa.

RYMIA, Endl. Gen. 743 (1839) = **Euclea**, Murr. (Ebenac.).  
polyandra, Endl. Cat. Hort. Acad. Vindob. ii. (1843) 123 = E. polyandra.

RYNCHOSIA, Macfad. Fl. Jamaic. i. 275 (1837), sphalm. = **Rhynchosisia**, Lour. (Legumin.).

**RYNCHOSPORA**, Vahl, Enum. ii. 229 (1806).  
CYPERACEAE, Benth. & Hook. f. iii. 1058.  
ASTEROSCHOENUS, Nees, in Mart. Fl. Bras. ii. i. 124 (1842).  
CALYPTROLEPIS, Steud. Syn. Pl. Cyp. 151 (1855).  
CALYPTROSTYLIS, Nees, in Linnaea, ix. (1834) 295.  
VOL. II.

**RYNCHOSPORA:—**

- CEPHALOSCHOENUS, Nees, in Linnaea, ix. (1834) 295.  
CERATOSCHOENUS, Nees, l. c. 296 (1834).  
CHAETOSPORA, H. B. & K. Nov. Gen. et Sp. i. 229 (1815).  
DIPLOCHAETE, Nees, in Linnaea, ix. (1834) 296.  
ECHINOSCHOENUS, Nees, in Linnaea, ix. (1834) 297.  
EPHIPPIORHYNCHIUM, Nees, in Mart. Fl. Bras. ii. i. 134. t. 12 (1842).  
EXPHALOSCHOENUS, Nees, in Hook. Journ. Bot. ii. (1840) 398.  
HALOSCHOENUS, Nees, in Linnaea, ix. (1834) 296.  
HAPLOSTYLIS, Nees, l. c. 295 (1834).  
HYGROCHARIS, Nees, in Mart. Fl. Bras. ii. i. 147, in nota (1842).  
KLEISTOCALYX, Steud. in Flora, xxxiii. (1850) 229, nomen.  
LEPTOSCHOENUS, Nees, in Hook. Journ. Bot. ii. (1840) 393.  
LONCHOSTYLIS, Torr. in Ann. Lyc. N. York, iii. (1836) 370.  
MICROCHAETA, Reichb. Nom. 192 (1841).  
MITROSPORA, Nees, in Linnaea, ix. (1834) 295.  
MORISIA, Nees, in Edinb. N. Phil. Journ. (Oct. 1834) 265.  
NEMOCHLOA, Nees, in Mart. Fl. Bras. ii. i. 148. tt. 14, 15 (1842).  
PACHYMITRA, Nees, l. c. 115 (1842).  
PLEUROSTACHYS, Brongn. in Duperr. Voy. Coq. Bot. 172. t. 31 (1829).  
PTEROCHEATE, Arn. ex Boeck. in Linnaea, xxxvii. (1871-73) 600.  
PTEROTHECA, Presl, Symb. Bot. i. 55. t. 35 (1831).  
PTILOCHAETA, Nees, in Mart. Fl. Bras. ii. i. 147. t. 8 (1842).  
PTILOCLADIUM, Steud. Syn. Pl. Cyp. 149 (1855).  
RHYNCHOSPORA, Willd. Enum. Hort. Berol. 71 (1809).  
SPERMODON, Beauv. in Lestib. Ess. Fam. Cyp. 27 (1819).  
SPHAEROSCHOENUS, Hook. & Arn. in Hook. Bot. Beech. Voy. 227, in adnot. (1841).  
TRICHOCHAETA, Steud. Syn. Pl. Cyp. 155 (1855).  
TRIODON, Rich. ex Pers. Syn. i. 60, in nota (1805).  
ZOSTEROSPERMUM, Beauv. in Lestib. Ess. Fam. Cyp. 28 (1819).  
adulta, Schlecht. in Bot. Zeit. vii. (1849) 166 = polyphylla.  
alba, *Vahl, Enum.* ii. 236, partim.—Europ.; Am. bor.  
alba, *Vahl, l. c.* partim = fusca.  
albiceps, *Kunth, Enum.* Pl. ii. 289.—Bras.  
albida, *Boeck. in Linnaea*, xxxvii. (1871-73) 561.—Bras.  
alpina, Spreng. Syst. i. 195 = Carpha alpina.  
amazonica, *Poepp. ex Kunth, Enum.* Pl. ii. 292.—Am. austr.  
anomala, Steud. Syn. Pl. Cyp. 149 (Fimbristylidis sp.).—Java.  
aristata, *Boeck. in Flora*, xl. (1857) 36.—Mexic.  
armerioides, *J. & C. Presl, Rel. Haenk.* i. 197. t. 31. f. 2.—Am. trop.  
articulata, *Schult. Mant.* ii. 49 = aurea.  
arundinacea, *Boeck. in Kjoeb. Vidensk. Meddel.* (1879-80) 27.—Bras.  
asperula, Steud. Syn. Pl. Cyp. 144 = aurea.  
aurea, Sieber, ex Schult. Mant. ii. 43, in obs. = cyperoides.  
aurea, *Vahl, Enum.* Pl. ii. 229.—Reg. trop.  
auriculata, *Boeck. in Kjoeb. Vidensk. Meddel.* (1869) 144 = albiceps.  
avenacea, Spreng. Syst. i. 197 = Cyathochaeta avenacea.  
bahiensis, Steud. Nom. ed. II. ii. 455 = pterocarpa.  
Baldwinii, *A. Gray, in Ann. Lyc. N. York*, iii. (1835) 210. f. 19.—Am. bor.  
barbata, *Kunth, Enum.* Pl. ii. 290 = pterocarpa.  
Berteroana, *Boeck. in Flora*, xli. (1858) 645.—Ins. S. Doming.  
Beyrichii, *Steud. Syn. Pl. Cyp.* 144.—Bras.  
biceps, Torr. ex A. Gray, in Ann. Lyc. N. York, iii. (1835) 219, in obs. = cephalantha, A. Gray.  
biflora, *Boeck. in Kjoeb. Vidensk. Meddel.* (1871) 156.—Bras.  
binervis, Sieber, ex Presl, in Oken, Isis, xxi. (1828) 269 = Hypolytrum mauritanium.  
Boivini, *Boeck. in Linnaea*, xxxviii. (1874) 403.—Ins. Borbon.

**RYNCHOSPORA:—**

- brachychaeta, Wright, in Sauv. Fl. Cub. 180 = pallida, M. A. Curt.  
brasiliensis, *Boeck. in Kjoeb. Vidensk. Meddel.* (1879-80) 26.—Bras.  
brevirostris, *Griseb. Cat. Pl. Cub.* 246.—Cuba.  
bromoides, *Kunth, Enum.* Pl. ii. 300 = comata.  
Brownii, Roem. & Schult. Syst. ii. 86 = glauca.  
brunnea, *Boeck. in Linnaea*, xxxvii. (1871-73) 593.—Peruv.  
brunnea, Willd. ex Kunth, Enum. Pl. ii. 297 = glauca.  
bulbocaulis, *Boeck. in Flora*, lxii. (1879) 567 (Actinoschoeni sp.).—Afr. trop.  
caduca, *Ell. Sketch.* i. 62.—Am. trop.  
cajennensis, *Boeck. in Linnaea*, xxxviii. (1874) 404.—Guian.  
canaliculata, *Boeck. in Flora*, lxiii. (1880) 451.—Bras.  
candida, *Boeck. in Linnaea*, xxxvii. (1871-73) 605.—Afr. trop.; Am.  
capillacea, *Boj. Hort. Maurit.* 386.—Hab.?  
capillacea, Steud. Syn. Pl. Cyp. 141 = fusca.  
capillacea, Torr. Fl. U. St. i. 55.—Am. bor.  
capitata, Roem. & Schult. Syst. ii. 88.—Venezuela.  
capitellata, *Ell. Sketch.* i. 61 = glomerata.  
capitellata, *Vahl, Enum.* Pl. ii. 235 = glauca.  
caracasana, *Boeck. in Linnaea*, xxxvii. (1871-73) 607.—Venezuela.  
cariciformis, Nees, in Mart. Fl. Bras. ii. i. 145.—Bras.  
castanea, Nees & Meyen, Reise, ii. 119; et ex Kunth, Enum. Pl. ii. 298 = glauca.  
cephalantha, A. Gray, in Ann. Lyc. N. York, iii. (1835) 218. f. 30.—Am. bor.  
cephalantha, A. Rich. Fl. Cub. Fanerog. ii. 293.—Cuba.  
cephalophora, Steud. Syn. Pl. Cyp. 146.—Bras.  
Cephalotes, *Vahl, Enum.* ii. 237.—Am. austr.  
cephalotoides, *Griseb. Cat. Pl. Cub.* 242 = comata.  
cernua, *Griseb. l. c.* 248.—Cuba.  
ceylonica, *Kunth, Enum.* Pl. ii. 294 = triflora.  
Chapmanii, M. A. Curt. in Am. Journ. Sc. Ser. II. vii. (1849) 409.—Florida.  
chinensis, Nees & Meyen, ex Nees, in Nov. Act. Nat. Cur. xix. Suppl. i. (1843) 108 = glauca.  
ciliata, *Vahl, Enum.* ii. 235.—Am. bor.  
ciliatifolia, Steud. Syn. Pl. Cyp. 143 = pterocarpa.  
ciliolata, *Boeck. in Linnaea*, xxxvii. (1871-73) 563.—Bras.  
cinnamomea, *Boeck. in Flora*, xli. (1858) 645.—Am. bor.  
clandestina, Spreng. Syst. i. 194 = Cyathochaeta clandestina.  
comata, Link, Hort. Berol. i. 280.—Am. trop.  
compressa, *J. Carey, ex Chapm. Fl. S. U. St.* 525.—Florida.  
conferta, *Boeck. in Linnaea*, xxxvii. (1871-73) 615.—Bras.  
conferta, Chapm. ex M. A. Curt. in Am. Journ. Sc. Ser. II. vii. (1849) 409 = Chapmanii.  
conica, Desv. ex Ham. Prod. Pl. Ind. Occ. 15 = R. Cephalotes.  
consanguinea, *Boeck. in Linnaea*, xxxvii. (1871-73) 536.—Bras.  
coriifolia, *Boeck. l. c.* xxxviii. (1874) 406.—Bras.  
corniculata, A. Gray, in Ann. Lyc. N. York, iii. (1835) 205 = laxa.  
corymbifera, *Boeck. in Linnaea*, xxxvii. (1871-73) 619 = longiflora.  
corymbifera, Nees, in Nov. Act. Nat. Cur. xix. Suppl. i. (1843) 107.—Austral.  
crassipes, *Boeck. in Kjoeb. Vidensk. Meddel.* (1869) 146.—Bras.  
cubensis, *Griseb. Cat. Pl. Cub.* 246 = filiformis.  
cubensis, *Griseb. Fl. Brit. W. Ind.* 576 = tenuis.  
cubensis, A. Rich. Fl. Cub. Fanerog. ii. 294.—Cuba.  
Curtisii, Steud. Syn. Pl. Cyp. 141 = pallida, M. A. Curt.  
curvula, *Boeck. in Linnaea*, xxxvii. (1871-73) 596.—Bras.  
curvula, *Griseb. Fl. Brit. W. Ind.* 574.—Ins. Trinit.  
cymosa, *Ell. Sketch.* i. 58 = fascicularis, *Vahl.*  
cymosa, *Nutt. Gen. Am.* i. 33.—Am. bor.  
cyperoides, *Mart. in Denkschr. Akad. Muench.* vi. 1816-17 (1820) 149.—Afr. et Am. trop.  
decurrens, Chapm. Fl. S. U. St. 525 = patula.  
deflexa, *Griseb. Cat. Pl. Cub.* 243.—Cuba.  
deusta, Spreng. Syst. i. 195 = Mesomolaena deusta.  
diandra, Spreng. l. c. 197 = Cyathochaeta diandra.

## RYNCHOSPORA:—

- diodon*, Griseb. Cat. Pl. Cub. 245 in obs.; Boeck. in Linnaea, xxxvii. (1871-73) 558 = *lunata*.  
*discolor*, Hochst. ex Steud. Syn. Pl. Cyp. 148 = *Wightiana*.  
*dissitiflora*, Steud. in Lechl. Berb. Am. Austr. 56, nomen; et ex Boeck. l. c. 598.—Peruv.  
*distans*, Beyr. ex Kunth, Enum. Pl. ii. 297 = *glaucula*.  
*distans*, Ell. Sketch, i. 59 = *Grayii*.  
*distans*, Vahl, Enum. ii. 235.—Am. bor.  
*distans*, Willd. ex Kunth, Enum. Pl. ii. 296 = *glomerata*.  
*distichophylla*, Boeck. in Kjoeb. Vidensk. Meddel. (1879-80) 26.—Bras.  
*divergens*, Chapm. ex M. A. Curt. in Am. Journ. Sc. Ser. II. vii. (1849) 409.—Am. bor.  
*dodecandra*, Baldw. ex A. Gray, in Ann. Lyc. N. York, iii. (1835) 207 = *megalocarpa*.  
*Drummondiana*, Boeck. in Flora, xli. (1858) 644 = *gracilentia*.  
*echinata*, Willd. ex Kunth, Enum. Pl. ii. 284, 290 = *Actinoschoenus filiformis*.  
*effusa*, Schrad. ex Nees, in Mart. Fl. Bras. ii. i. 142 = *glaucula*.  
*elatiior*, Kunth, Enum. Pl. ii. 289.—Bras.  
*Elliotii*, A. Dietr. Sp. Pl. ii. 69.—Am. bor.  
*Elliotii*, A. Gray, in Ann. Lyc. N. York, iii. (1835) 204. f. 12 = *Grayii*.  
*emaciata*, Boeck. in Kjoeb. Vidensk. Meddel. (1869) 149.—Bras.  
*etuberculata*, Steud. Syn. Pl. Cyp. 142 = *Scirpus leptolepis*.  
*exaltata*, Kunth, Enum. Pl. ii. 291.—Bras.  
*exilis*, Boeck. in Flora, lxiii. (1880) 440.—Bras.  
*eximia*, Boeck. in Linnaea, xxxvii. (1871-73) 601.—Mexic.  
*Fabri*, Steud. Syn. Pl. Cyp. 147 = *Panicum lanatum*.  
*fascicularis*, Beyr. ex Kunth, Enum. Pl. ii. 296 = *distans*.  
*fascicularis*, Nutt. Gen. Am. i. 33.—Am. bor.  
*fascicularis*, Vahl, Enum. ii. 234.—Am. bor.  
*ferruginea*, Roem. & Schult. Syst. ii. 85 = *glaucula*.  
*ferruginea*, Sieber, ex Presl, in Oken, Isis, xxi. (1828) 269 = *polyphylla*.  
*filifolia*, Kunth, Enum. Pl. ii. 299 = *Sellowiana*, Steud.  
*filifolia*, Torr. in Ann. Lyc. N. York, iii. (1836) 366.—Am. bor.  
*filiformis*, Balb. ex Kunth, Enum. Pl. ii. 297 = *distans*.  
*filiformis*, Sieber, ex Presl, in Oken, Isis, xxi. (1828) 269 = *cymosa*.  
*filiformis*, Vahl, Enum. ii. 232.—Am. centr.  
*filiformis*, Willd. ex Kunth, Enum. Pl. ii. 281 = *Dichromena caracasana*.  
*flavida*, Boeck. in Flora, lxiii. (1880) 439.—Bras.  
*florida*, A. Dietr. Sp. Pl. ii. 71 = *aurea*.  
*florida*, Griseb. Fl. Brit. West Ind. 575 = *longiflora*.  
*foliata*, Steud. Syn. Pl. Cyp. 142.—Am. bor.  
*fusca*, [Dryand. in] Ait. Hort. Kew. ed. II. i. 127.—Europ.; Am. bor.  
*fusca*, A. Gray, in Ann. Lyc. N. York, iii. (1835) 216 = *gracilentia*.  
*gigantea*, Link, Jahrb. i. III. (1820) 76.—Bras.  
*glaucula*, Baldw. ex A. Gray, in Ann. Lyc. N. York, iii. (1835) 210 = *Baldwinii*.  
*glaucula*, Vahl, Enum. ii. 233.—Geront. trop.  
*Glaziovii*, Boeck. in Linnaea, xxxviii. (1874) 405.—Bras.  
*globosa*, Desv. ex Ham. Prod. Pl. Ind. Occ. 15 = *pterocarpa*.  
*globosa*, Roem. & Schult. Syst. ii. 89.—Am. austr.  
*globulifera*, Link, Jahrb. i. III. (1820) 76 = *cyperoides*.  
*glomerata*, Vahl, Enum. ii. 234.—Am. bor.  
*glomerata*, Vahl, ex Kunth, Enum. Pl. ii. 216 = *Scirpus flaccifolius*.  
*Gollmeri*, Boeck. in Linnaea, xxxvii. (1871-73) 556.—Venezuela.  
*gracilentia*, A. Gray, in Ann. Lyc. N. York, iii. (1835) 215. f. 27.—Am. bor.  
*gracilis*, Nees, ex Kunth, Enum. Pl. ii. 298 = *laxa*.  
*gracilis*, Vahl, Enum. ii. 234 = *glaucula*.  
*gracilis*, Willd. ex Kunth, Enum. Pl. ii. 300 = *polyphylla*.  
*gracillima*, Thw. Enum. Pl. Zeyl. 435.—Zeylan.  
*gracillima*, Wright, in Sauv. Fl. Cub. 181 = *pallida*, M. A. Curt.  
*Grayana*, Chapm. ex M. A. Curt. in Am. Journ. Sc. Ser. II. vii. (1849) 409 = *Chapmanii*.  
*Grayii*, Kunth, Enum. Pl. ii. 539.—Am. bor.

## RYNCHOSPORA:—

- Griffithii*, Boeck. in Linnaea, xxxviii. (1874) 404.—Ind. or.  
*Haenkei*, J. & C. Presl, Rel. Haenk. i. 199 = *Wallichiana*.  
*Hamiltonii*, Kunth, Enum. Pl. ii. 291 = *pterocarpa*.  
*Harveyi*, W. Boott, in Coult. Bot. Gaz. ix. (1884) 85 = *Torreyana*.  
*heterophylla*, Boeck. in Linnaea, xxxvii. (1871-73) 553 = *Chapmanii*.  
*Hildebrandtii*, Boeck. in Engl. Bot. Jahrb. v. (1884) 508.—Madag.  
*hirsuta*, Griseb. Fl. Brit. W. Ind. 576 = *Dichromena ciliata*.  
*hirsuta*, Vahl, Enum. ii. 231.—Am. trop.  
*hirta*, Boeck. in Kjoeb. Vidensk. Meddel. (1869) 146, in obs.; et in Linnaea, xxxvii. (1871-73) 543.—Bras.  
*hispidula*, Boeck. l. c. (1871-73) 604.—Guian.  
*hispidula*, Griseb. Cat. Pl. Cub. 245.—Cuba.  
*Hoffmanni*, Boeck. in Linnaea, xxxvii. (1871-73) 637.—Costa Rica.  
*Hookeri*, Boeck. l. c. 621.—Ind. or.  
*Humboldtiana*, Griseb. Fl. Brit. W. Ind. 577 = *Dichromena repens*.  
*humilis*, Beyr. ex Kunth, Enum. Pl. ii. 297 = *cymosa*.  
*ignorata*, Boeck. in Engl. Bot. Jahrb. v. (1884) 508.—Cuba.  
*inexpansa*, Sieber, ex Steud. Nom. ed. II. ii. 456 = *longispicata*.  
*inexpansa*, Vahl, Enum. ii. 232.—Am. bor.  
*intermedia*, Beyr. ex Kunth, Enum. Pl. ii. 296 = *cephalantha*, A. Gray.  
*intermixta*, Wright, in Sauv. Fl. Cub. 184 = *pusilla*, Chapm.  
*Jelskiana*, Boeck. in Linnaea, xxxviii. (1874) 401.—Guian.  
*jubata*, Liebm. in Vidensk. Selsk. Skr. V. ii. (1851) 254 = *R. Marisculus*.  
*juncea*, Willd. ex Kunth, Enum. Pl. ii. 298 = *glaucula*.  
*junciformis*, Boeck. in Flora, xli. (1858) 646.—Guian.  
*Kamphoeveneri*, Boeck. in Engl. Bot. Jahrb. v. (1884) 508 = *gracillima*.  
*Knieskemii*, J. Carey, in Am. Journ. Sc. Ser. II. iv. (1847) 25.—Am. bor.  
*Kunthii*, Nees, in Linnaea, ix. (1834) 297.—Mexic.  
*Kyssor*, A. Dietr. Sp. Pl. ii. 74 = *Scirpus grossus*.  
*laevigata*, Steud. Syn. Pl. Cyp. 145.—Guian.  
*laevis*, Schlecht. in Linnaea, xxv. (1852) 166 = *glaucula*.  
*lamprosperma*, Wright, in Sauv. Fl. Cub. 183 = *divergens*.  
*lanceolata*, Willd. ex Kunth, Enum. Pl. ii. 288 = *capitata*.  
*lavarum*, Gaudich. in Freyc. Voy. Bot. 415.—Ins. Sandvic.  
*lavarum*, Hook. & Arn. Bot. Beech. Voy. 98 = *glaucula*.  
*laxa*, R. Br. Prod. 230 = *glaucula*.  
*laxa*, Schult. Mant. ii. 46, partim = *longiflora*.  
*laxa*, Vahl, Enum. ii. 231.—Am. bor.  
*Lechleri*, Steud. in Lechl. Berb. Am. Austr. 56, nomen; et ex Boeck. in Linnaea, xxxvii. (1871-73) 633.—Peruv.  
*leptorhyncha*, Wright, in Sauv. Fl. Cub. 180.—Cuba.  
*leptostachya*, Boeck. in Linnaea, xxxvii. (1871-73) 591 = *tenuis*.  
*leucocarpa*, Ridl. in Journ. Linn. Soc. xx. (1883) 335.—Madag.  
*leucocephala*, Boeck. in Kjoeb. Vidensk. Meddel. (1869) 144 = *Dichromena leucocephala*.  
*leucocephala*, Nees & Meyen, in Linnaea, ix. (1834) 297, nomen.—Hab.?  
*Lindeniana*, Griseb. Cat. Pl. Cub. 244.—Cuba.  
*longibracteata*, Boeck. in Linnaea, xxxvii. (1871-73) 534.—Guian.  
*longiflora*, Presl, in Oken, Isis, xxi. (1828) 269.—Ins. Martinic.  
*longirostris*, Ell. Sketch, i. 59 = *laxa*.  
*longirostris*, Steud. Syn. Pl. Cyp. 145 = *amazonica*.  
*longiseta*, Steud. l. c. 140 = *caduca*.  
*longisetis*, R. Br. Prod. 230.—Austral.  
*longisetis*, F. Muell. Fragm. ix. 17 = *tenuifolia*.  
*longispicata*, Boeck. in Linnaea, xxxvii. (1871-73) 600.—Bras.  
*lunata*, Griseb. Cat. Pl. Cub. 244.—Am. trop.  
*Lundii*, Boeck. in Kjoeb. Vidensk. Meddel. (1869) 147.—Bras.  
*luzuliformis*, Boeck. in Linnaea, xxxviii. (1871-73) 632.—Am. austr.

## RYNCHOSPORA:—

- macrocarpa*, Boeck. in Linnaea, xxxvii. (1871-73) 629 = *spectabilis*.  
*macrochaeta*, Steud. in Lechl. Berb. Am. Austr. 56, nomen; et ex Boeck. l. c. 632.—Peruv.  
*macrostachya*, Torr. ex A. Gray, in Ann. Lyc. N. York, iii. (1835) 206. t. 6. f. 14.—Am. bor.  
*macrostylis*, A. Dietr. Sp. Pl. ii. 74 = *pterocarpa*.  
*marginata*, Steud. Syn. Pl. Cyp. 142 = *globosa*.  
*Marisculus*, Nees, in Linnaea, ix. (1834) 297.—Am. trop.  
*Mauritii*, Steud. Syn. Pl. Cyp. 149 = *cyperoides*.  
*megalocarpa*, A. Gray, in Ann. Lyc. N. York, iii. (1835) 208. f. 16.—Am. bor.  
*mexicana*, Steud. Syn. Pl. Cyp. 144.—Mexic.  
*mexicana*, Wright, in Sauv. Fl. Cub. 182 = *rufa*.  
*micrantha*, A. Gray, in Ann. Lyc. N. York, iii. (1835) 197 = *Torreyana*.  
*micrantha*, Pursh, Fl. Am. Sept. i. 48 = *rariflora*.  
*micrantha*, Vahl, Enum. ii. 231.—Mexic.  
*microcarpa*, Baldw. ex A. Gray, in Ann. Lyc. N. York, iii. (1835) 202. f. 9.—Am. bor.  
*microseta*, Steud. Syn. Pl. Cyp. 142 = *ciliata*.  
*miliacea*, A. Gray, in Ann. Lyc. N. York, iii. (1835) 198. f. 4 = *sparsa*.  
*millegrana*, Schrad. ex Steud. Syn. Pl. Cyp. 139.—Am. trop.  
*Minarum*, Steud. l. c. 143.—Bras.  
*minor*, Nees, in Mart. Fl. Bras. ii. i. 143.—Bras.  
*mollis*, Schult. Mant. ii. 49.—Nepal.  
*monostachya*, Steud. Syn. Pl. Cyp. 140 = *Eleocharis tuberculosa*.  
*Moritziana*, Boeck. in Linnaea, xxxvii. (1871-73) 640.—Venezuela.  
*multiflora*, A. Gray, in Ann. Lyc. N. York, iii. (1835) 200. f. 7 = *Elliotii*.  
*multiflora*, Nees, in Mart. Fl. Bras. ii. i. 143 = *polyantha*.  
*nardifolia*, Boeck. in Linnaea, xxxvii. (1871-73) 560.—Bras.  
*Neesii*, Steud. Syn. Pl. Cyp. 146.—Bras.  
*nervosa*, Boeck. in Kjoeb. Vidensk. Meddel. (1869) 143 = *Dichromena ciliata*, pulchella.  
*nitens*, A. Gray, Man. Bot. N. U. St. ed. V. 568, in nota.—Am. bor.  
*nitida*, Spreng. Neue Entdeck. iii. 10 = *Tetraria compar*.  
*nivea*, Boeck. in Linnaea, xxxvii. (1871-73) 527 (*Dichromena* sp.).—Am. bor.  
*ochrocephala*, Boeck. in Flora, lxii. (1879) 568.—Afr. trop.  
*odorata*, Griseb. Cat. Pl. Cub. 242 = *R. Marisculus*.  
*oligantha*, A. Gray, in Ann. Lyc. N. York, iii. (1835) 212. f. 22.—Texas.  
*oligosantha*, Endl. ex Kunth, Enum. Pl. ii. 216 = *Scirpus flaccifolius*.  
*oxycephala*, Wright, in Sauv. Fl. Cub. 184 = *eximia*.  
*pallens*, Schrad. ex Nees, in Mart. Fl. Bras. ii. i. 146 = *Sellowiana*, Steud.  
*pallida*, M. A. Curt. in Am. Journ. Sc. Ser. II. vii. (1849) 409.—Am. bor.  
*pallida*, Steud. Syn. Pl. Cyp. 146.—Bras.  
*paniculata*, A. Gray, in Ann. Lyc. N. York, iii. (1835) 211. f. 21.—Am. bor.; Ind. occ.  
*paniculata*, Presl, in Oken, Isis, xxi. (1828) 269 = *polyphylla*.  
*paniculifera*, Steud. Syn. Pl. Cyp. 146 = *Schiedeana*.  
*paraensis*, Schrad. ex Kunth, Enum. Pl. ii. 300.—Bras.  
*parva*, Kunth, l. c. 302 = *Wallichiana*.  
*parviflora*, Beyr. ex Kunth, l. c. 297 = *microcarpa*.  
*parviflora*, Vahl, ex Kunth, l. c. 279 = *micrantha*.  
*patula*, A. Gray, in Ann. Lyc. N. York, iii. (1835) 201. f. 8.—Am. bor.  
*pauciflora*, Presl, in Oken, Isis, xxi. (1828) 269 = *cymosa*.  
*pauciflora*, Willd. ex Kunth, Enum. Pl. ii. 284 = *Actinoschoenus filiformis*.  
*pendula*, A. Gray, in Ann. Lyc. N. York, iii. (1835) 201 = *Elliotii*.  
*pennisetia*, Griseb. Cat. Pl. Cub. 244 = *plumosa*.  
*Persooniana*, Griseb. in Mem. Am. Acad. N. S. viii. (1862) 536 = *Dichromena repens*.  
*petraea*, Nees, in Mart. Fl. Bras. ii. i. 142 = *glaucula*.  
*pilosa*, Boeck. in Linnaea, xxxvii. (1871-73) 537.—Bras.  
*pilulifera*, Bertol. in Bologn. Opusc. Sc. iii. (1819) 406.—Bras.  
*plumosa*, Ell. Sketch, i. 58.—Am. bor.  
*podosperma*, Wright, in Sauv. Fl. Cub. 183 = *longispicata*.

**RYNCHOSPORA** :—

- Pohliana*, Steud. Syn. Pl. Cyp. 142 = globosa.  
 polyantha, Steud. l. c. 147. — Bras.  
 polycephala, Presl, in Oken, Isis, xxi. (1823) 269 = polyphylla.  
 polycephala, Wydl. ex Kunth, Enum. Pl. ii. 291 = cyperoides.  
 polyphylla, Balb. ex Kunth, l. c. 279 = micrantha.  
 polyphylla, Vahl, Enum. ii. 230. — Ind. occ.  
 Prescottiana, Wall. Cat. n. 3423 = longisetis.  
 Presleana, Steud. Syn. Pl. Cyp. 142 = globosa.  
 pruinosa, Griseb. in Mem. Am. Acad. N. S. viii. (1863) 535. — Cuba.  
 Pseudo-mariscus, Kunth, Enum. Pl. ii. 303 = gigantea.  
 psilocaryoides, Griseb. Cat. Pl. Cub. 247. — Cuba.  
 pterocarpa, Roem. & Schult. Syst. ii. 89. — Am. austr.  
 pterochaeta, F. Muell. Fragm. ix. 17. — Austral.  
 pubera, Boeck. in Linnaea, xxxvii. (1871-73) 528 = Dichromena pubera.  
 punctata, Boeck. l. c. 580. — Mexic.; Venezuel.  
 punctata, Ell. Sketch, i. 60 = cymosa.  
 pungens, Liebm. in Vidensk. Selsk. Skr. V. ii. (1851) 253 = glauca.  
 pura, Griseb. Fl. Brit. W. Ind. 577 = Dichromena ciliata.  
 pusilla, Chapm. ex M. A. Curt. in Am. Journ. Sc. Ser. II. vii. (1849) 409; Fl. S. U. St. 528. — Florida.  
 pusilla, Griseb. in Goett. Abh. vii. (1857) 271. — Ind. occ.  
 pycnocarpa, A. Gray, in Ann. Lyc. N. York, iii. (1835) 208. f. 17 = megalocarpa.  
 pyramidata, Desv. ex Ham. Prod. Pl. Ind. Occ. 15 = polyphylla.  
 racemosa, Wright, in Sauv. Fl. Cub. 182. — Cuba.  
 rariflora, Ell. Sketch, i. 58. — Am. bor.  
 Ravenelii, M. A. Curt. in Am. Journ. Sc. Ser. II. vii. (1849) 410 = divergens.  
 recurvata, Steud. Syn. Pl. Cyp. 145. — Bras.  
 repens, Boeck. in Linnaea, xxxvii. (1871-73) 531 = Dichromena repens.  
 rigida, Boeck. in Kjoeb. Vidensk. Meddel. (1869) 145. — Bras.  
 rigida, Schrad. ex Kunth, Enum. Pl. ii. 297 = glauca.  
 rigida, Spreng. Syst. i. 196 = polyphylla.  
 riparia, Boeck. in Linnaea, xxxvii. (1871-73) 561. — Bras.  
 robusta, Boeck. l. c. 616. — Bras.  
 Rudoi, Boeck. in Flora, lxv. (1882) 27. — Bras.  
 rufa, Boeck. in Kjoeb. Vidensk. Meddel. (1869) 149. — Bras.  
 Ruiziana, Boeck. in Linnaea, xxxvii. (1871-73) 641. — Peruv.  
 ruppioides, Benth. in Hook. Ic. Pl. t. 1344 = Scirpus submersus.  
 Sartoriana, Boeck. in Flora, xl. (1857) 36. — Mexic.  
 scaberrima, Boeck. l. c. lxiii. (1880) 452. — Bras.  
 scabrata, Griseb. Cat. Pl. Cub. 243 = pruinosa.  
 scapigera, Boeck. in Linnaea, xxxviii. (1874) 402. — Guian.  
 Schaffneri, Boeck. l. c. xxxvii. (1871-73) 575. — Mexic.  
 Schiedeana, Kunth, Enum. Pl. ii. 300. — Mexic.  
 schoenoides, Wood, Class-Book (1861), 744 = Elliotti.  
 Schottmuelleri, Boeck. in Flora, lxv. (1882) 27 (Pleurostachys sp.). — Bras.  
 Schraderiana, Steud. Syn. Pl. Cyp. 146 = aurea.  
 scirpoides, Griseb. Cat. Pl. Cub. 247, in obs.; A. Gray, Man. Bot. N. U. St. ed. V. 568. — Am. bor.  
 sclerioides, Hook. & Arn. Bot. Beech. Voy. 99 = thyrsoidea.  
 scutellata, Griseb. Cat. Pl. Cub. 246. — Cuba.  
 Selloiana, Boeck. in Linnaea, xxxvii. (1871-73) 620. — Bras.  
 Sellowiana, Steud. Ncm. ed. II. ii. 456; et Syn. Pl. Cyp. 145. — Bras.  
 semihirsuta, Boeck. in Linnaea, xxxvii. (1871-73) 614. — Bras.  
 semiinvolucrata, F. & C. Presl, Rel. Haenk. i. 198. — Peruv.  
 semiplumosa, A. Gray, in Ann. Lyc. N. York, iii. (1835) 213. t. 6. f. 23. — Am. bor.  
 senegalensis, Steud. Syn. Pl. Cyp. 149. — Afr. trop.  
 seslerioides, Griseb. Cat. Pl. Cub. 247 (Dichromena sp.). — Cuba.  
 setacea, Boeck. in Kjoeb. Vidensk. Meddel. (1869) 159 = tenerrima.  
 setacea, Vahl, Enum. ii. 233. — Am. austr.

**RYNCHOSPORA** :—

- setacea, Willd. ex Kunth, Enum. Pl. ii. 297 = rariflora.  
 setigera, Boeck. in Kjoeb. Vidensk. Meddel. (1869) 145. — Bras.  
 setigera, Griseb. Fl. Brit. W. Ind. 577 = longibracteata.  
 sinensis, Steud. Nom. ed. II. ii. 456 = chinensis.  
 sparganioides, Boj. Hort. Maurit. 386 = cyperoides.  
 sparganoides, Steud. Syn. Pl. Cyp. 144 = exaltata.  
 sparsa, Sieber, ex Presl, in Oken, Isis, xxi. (1823) 268 = micrantha.  
 sparsa, Vahl, Enum. ii. 230. — Am. bor.  
 speciosa, Boeck. in Linnaea, xxxvii. (1871-73) 536. — Bras.  
 speciosa, Schrad. ex Nees, in Mart. Fl. Bras. ii. i. 138 = aurea.  
 spectabilis, Hochst. ex Krauss, in Flora, xxviii. (1845) 760. — Afr. austr.  
 spermodon, Griseb. Fl. Brit. W. Ind. 576 = tenerrima, Nees.  
 spicata, Spreng. Syst. i. 194 = Scleria pleostachya.  
 stellata, Griseb. in Goett. Abh. vii. (1857) 271 = Dichromena leucocephala.  
 stenocarpa, Kunth, Enum. Pl. ii. 294. — Bras.  
 stenophylla, Chapm. Fl. S. U. St. 525. — Florida.  
 stenorhyncha, Griseb. Fl. Brit. W. Ind. 575 = triflora.  
 stipitata, Chapm. Fl. S. U. St. Suppl. 660 = R. Marisculus.  
 stolonifera, Boeck. in Linnaea, xxxvii. (1871-73) 562. — Bras.  
 stricta, Boeck. l. c. 603. — Bras.; Guian.  
 subcapitata, Boeck. l. c. 547 = R. Minarum.  
 suberostis, Boeck. l. c. 579 = Grayii.  
 subimberbis, Griseb. Cat. Pl. Cub. 245. — Cuba.  
 sublateralis, Steud. Syn. Pl. Cyp. 148 (Schoeni sp.). — Austral.  
 subulirostris, Steud. l. c. 149 = aurea.  
 surinamensis, Nees, in Linnaea, ix. (1834) 297 = aurea.  
 sylvatica, Nees, l. c. = comata.  
 tenella, Boeck. in Linnaea, xxxvii. (1871-73) 595. — Bras.  
 tenerrima, Boeck. l. c. 554. — Venezuela.  
 tenerrima, Nees, ex Spreng. Syst. iv. Cur. Post. 26. — Am. trop.  
 tenuifolia, Benth. Fl. Austral. vii. 350. — Austral.  
 tenuifolia, Griseb. Cat. Pl. Cub. 244 = stenophylla.  
 tenuirostris, Kunth, Enum. Pl. ii. 303 = cyperoides.  
 tenuis, Bald. ex A. Gray, in Ann. Lyc. N. York, iii. (1835) 217 = distans.  
 tenuis, Link, Jahrb. i. iii. (1820) 76. — Bras.  
 tenuiseta, Wright, in Sauv. Fl. Cub. 179 = R. Marisculus.  
 terminalis, Steud. Syn. Pl. Cyp. 143. — Bras.  
 testacea, Boeck. in Kjoeb. Vidensk. Meddel. (1869) 148. — Bras.  
 texensis, Boeck. in Linnaea, xxxvii. (1871-73) 602 = nitens.  
 Thouarsii, Nees, in Linnaea, ix. (1834) 297 = glauca.  
 thyrsoides, Nees & Meyen, l. c. — Ins. Sandvic.  
 Torreyana, A. Gray, in Ann. Lyc. N. York, iii. (1835) 197. — Am. bor.  
 Torreyana, Griseb. Cat. Pl. Cub. 243 = cymosa.  
 triceps, Boeck. in Linnaea, xxxvii. (1871-73) 642. — Peruv.  
 triceps, Hochst. in Flora, xxviii. (1845) 759 = cyperoides.  
 triceps, Steud. Nom. ed. II. ii. 456. — Am. austr.  
 trichophora, Nees, in Mart. Fl. Bras. ii. i. 145 = cariciformis.  
 triflora, M. A. Curt. in Bost. Journ. Nat. Hist. i. (1837) 140 = oligantha.  
 triflora, Vahl, Enum. ii. 231. — As. et Am. trop.  
 trigyna, Hochst. in Flora, xxiv. (1841) i. Intell. 21. — Abyss.  
 trispicata, Schrad. ex Nees, in Mart. Fl. Bras. ii. i. 136 = triflora.  
 umbraticola, Poepp. & Kunth, in Kunth, Enum. Pl. ii. 300. — Peruv.  
 uniflora, Boeck. in Flora, lxiii. (1880) 439. — Bras.  
 Urvillei, Steud. Syn. Pl. Cyp. 149 = cyperoides.  
 Vahlia, Griseb. Fl. Brit. W. Ind. 577 = Dichromena ciliata.  
 velutina, Boeck. in Kjoeb. Vidensk. Meddel. (1869) 149. — Bras.  
 vicosensis, Schult. Mant. ii. 46 = glauca.  
 vulcani, Boeck. in Linnaea, xxxvii. (1871-73) 638. — Costa Rica.

**RYNCHOSPORA** :—

- Wallichiana, Kunth, Enum. Pl. ii. 239. — Ind. or.  
 Warmingii, Boeck. in Kjoeb. Vidensk. Meddel. (1869) 143. — Bras.  
 Wightiana, Steud. Syn. Pl. Cyp. 148. — Ind. or.  
 zeylanica, Thw. Enum. Pl. Zeyl. 352 = triflora.

**RYNCHOSTYLIS**, Blume, Bijdr. 285. t. 49 (1825) = **Rhynchostylis**, Blume (Orchid.).

- RYPARIA, Blume, Fl. Jav. Praef. 8 (1828) = **Ryparosa**, Blume (Euphorb. ?).  
 caesia, Blume, ex Baill. Etud. Gén. Euph. 339 = Ryparosa caesia.  
 dubia, Blume, ex Baill. l. c. — Hab. ?

**RYPAROSA**, Blume, Bijdr. 600 (1825). Gen. dub. **EUPHORBIACEARUM**. — Cf. Benth. & Hook. f. iii. 257.

- RYPARIA, Blume, Fl. Jav. Praef. 8 (1828).  
 caesia, Blume, Bijdr. 601. — Java.

**RYSODIUM**, Stev. in Bull. Soc. Nat. Mosc. iv. (1832) 263 = **Astragalus**, Tourn. (Legumin.).  
 pterostylis, Stev. l. c. = A. pterostylis.

- RYSSOPTERYS**, Blume, ex A. Juss. in Deless. Ic. Sel. iii. 21. t. 35 (1837). **MALPIGHIACEAE**, Benth. & Hook. f. i. 257.  
 abutilifolia, A. Juss. in Arch. Mus. Par. iii. (1843) 385. — N. Hibern.  
 chrysanthia, Hassk. Hort. Bog. Desc. 133. — Java.  
 Cumingiana, A. Juss. in Arch. Mus. Par. iii. (1843) 386. — Ins. Philipp.  
 dealbata, A. Juss. l. c. — Ins. Philipp.  
 microstema, A. Juss. l. c. 384. — Ins. Philipp.; Java.  
 ovata, Turcz. in Bull. Soc. Nat. Mosc. xxxvi. (1863) i. 583. — Ins. Philipp.  
 rufescens, Turcz. l. c. — Java.  
 tiliaefolia, Blume, ex A. Juss. in Arch. Mus. Par. iii. (1843) 384 = microstema.  
 tiliaefolia, A. Juss. l. c. — Java.  
 timorensis, Blume, ex A. Juss. in Deless. Ic. Sel. iii. 21. — Ins. Timor.  
 tomentosa, Blume, ex A. Juss. in Arch. Mus. Par. iii. (1843) 514 = Aspidopterys tomentosa.

**RYTACHNE**, Endl. Gen. 109 (1837) = **Rhytachne**, Desv. (Gramin.).

- RYTICARYUM**, Becc. in Malesia, i. (1877) 120. **ICACINEAE**.  
 fasciculatum, Becc. l. c. 121. — N. Guin.  
 macrocarpum, Becc. l. c. (1878) 256. — N. Guin.  
 oleraceum, Becc. l. c. (1877) 121. — 'Grande Kei.'  
 racemosum, Becc. l. c. — N. Guin.

**RYTIDEA**, Spreng. Syst. i. 515 (1825) = **Rutidea**, DC. (Compos.).

- RYTIDOLOMA, Turcz. in Bull. Soc. Nat. Mosc. xxv. (1852) ii. 319 = **Dictyanthus**, Decne. (Asclep.).  
 reticulatum, Turcz. l. c. 320 = D. reticulatus.

**RYTIDOPHYLLUM**, Mart. Nov. Gen. et Sp. iii. 38 (1829) = **Rhytidophyllum**, Mart. (Gesnerac.).

- RYTIDOSPERMA, Steud. Syn. Pl. Gram. 425 (1855) = **Deschampsia**, Beauv. (Gramin.).  
 Lechleri, Steud. l. c. = D. caespitosa ?

**RYTIDOSPERMUM**, Benth. in Journ. Linn. Soc. xix. (1881) 96, sphalm. = praec.

- RYTIDOSTYLIS, Hook. & Arn. Bot. Beech. Voy. 424. t. 97 (1841) = **Elaterium**, Jacq. (Cucurb.).  
 amazonica, Spruce, ex Cogn. Diagn. Cucurb. fasc. ii. 55 = E. amazonicum.  
 gracilis, Hook. & Arn. Bot. Beech. Voy. 425. t. 97 = E. gracile.

- RYTIDOTUS**, Hook. f. in Hook. Ic. Pl. t. 1071 (1870). **RUBIACEAE**, Benth. & Hook. f. ii. 101.  
 RHYTIDOTUS, Hook. f. ex Benth. & Hook. f. Gen. ii. 101 (1873).  
 sandvicensis, Hook. f. in Hook. Ic. Pl. t. 1071. — Ins. Sandvic.



RYTIGLOSSA, Steud. Nom. ed. II. ii. 488 (1841) = RHYTIGLOSSA, Nees = *Dianthera*, Linn. (Acanth.).

RYTIGNIA, Blume, Mus. Bot. Lugd. Bat. i. 178 (1850) = *Vangueria*, Juss. (Rubiaceae).  
*senegalensis*, Blume, l. c. 179.—Afr. trop.

RYTILIX, Rafin. in Ser. Bull. Bot. i. (1830) 219 = *Manisuris*, Sw. (Gramin.).  
*glandulosa*, Rafin. l. c. = *M. granularis*.

## S

SABADILLA, Brandt & Ratzeb. in Hayne, Arn. Gew. xiii. t. 27 (1837) = *Schoenocaulon*, A. Gray (Liliac.).  
*officinum*, Brandt & Ratzeb. l. c. = *Sch. officinale*.

SABAL, Adans. Fam. ii. 495 (1763). *PALMAE*, Benth. & Hook. f. iii. 922.  
Adansoni, *Guerns. in Bull. Soc. Philom.* iii. (1803) 206. t. 25.—Am. bor.  
*adiantum*, Rafin. Fl. Ludov. 17 (Quid?).—Am. bor.  
Blackburnianum, *Glazebrook, in Loud. Gard. Mag.* v. (1829) 52. ff. 10–13.—Ind. occ.  
*carolinianum*, Hort. ex Poir. Encyc. vi. 356 = Adansoni.  
*coerulescens*, Hort.—Cf. *Gard. Chron.* (1875) i. 589.—N. Granat.  
*columnare*, Hort. ex Mart. Hist. Nat. Palm. iii. 320, 348, nomen.—Hab.?  
*elatum*, Hort. ex Mart. l. c.—Hab.?  
*giganteum*, Fulchir. ex Steud. Nom. ed. II. ii. 489 = *mexicanum*?  
*glaucescens*, Lodd. ex Mart. Hist. Nat. Palm. iii. 320, nomen.—Ins. Trinit.  
*graminifolium*, Lodd. ex Loud. Hort. Brit. 141, nomen.—Am. austr.  
*havanensis*, Lodd. ex Mart. Hist. Nat. Palm. iii. 320, 348 (Quid?).—Hab.?  
*Histrix*, Pursh, ex Nutt. in Am. Journ. Sc. Ser. I. v. (1822) 293 = *Rhapidophyllum Histrix*.  
Magdalenae, *Linden, in Illustr. Hort.* xxviii. (1881) 32, nomen.—N. Granat.  
*mauritiiforme*, Griseb. & H. Wendl. in Griseb. Fl. Brit. W. Ind. 514.—Ind. occ.  
*mexicanum*, Mart. Hist. Nat. Palm. iii. 246. t. 8.—Mexic.  
*minimum*, Nutt. in Am. Journ. Sc. Ser. I. v. (1822) 293 = Adansoni.  
*minus*, Pers. Syn. i. 399 = Adansoni.  
*oleraceum*, Hort. ex Mart. Hist. Nat. Palm. iii. 320, 348 (Quid?).—Hab.?  
*Palmetto*, Hort. l. c. 246 = *mexicanum*.  
*Palmetto*, Lodd. ex Schult. f. Syst. vii. 1487.—Am. bor.  
*Palmetto*, Rein, in Ber. Senckenb. Naturf. Ges. Frankf. (1873) 150 = *Blackburnianum*.  
*pumila*, Ell. Sketch, i. 430 = Adansoni.  
Sanfordi, *Linden, in Illustr. Hort.* xxviii. (1881) 32, nomen.—Florida.  
*serrulatum*, Schult. f. Syst. vii. 1486 = *Brahea serrulata*.  
*taurinum*, Hort. ex Mart. Hist. Nat. Palm. iii. 320, 348 (Quid?).—Jamaica.  
*umbraculiferum*, Hort. ex Mart. l. c. 246 = *mexicanum*.  
*umbraculiferum*, Mart. l. c. 245. t. 130 = *Blackburnianum*.  
Woodfordii, Lodd. ex Mart. l. c. 247, nomen.—Ins. Trinit.

SABATIA, Adans. Fam. ii. 503 (1763) = *Sabbatia*, Adans. (Gentian.).

SABAZIA, Cass. in Dict. Sc. Nat. xvi. 480 (1827). *COMPOSITAE*, Benth. & Hook. f. ii. 362.  
BAZIASA, Steud. Nom. ed. II. i. 192 (1840).  
*humilis*, Cass. in Dict. Sc. Nat. xvi. 481.—Mexic.  
*microglossa*, DC. Prod. v. 497.—Mexic.  
*occidentalis*, DC. l. c., sphalm. = *Siegesbeckia occidentalis*.  
*portoricensis*, DC. l. c., sphalm. = *Siegesbeckia portoricensis*.  
*sarmentosa*, Less. in Linnaea, v. (1830) 148.—Mexic.  
*urticaefolia*, DC. Prod. v. 497.—Am. trop.

SABBATA, Vell. Fl. Flum. 352 (1825); viii. tt. 94–95 (1827). Gen. dub. *COMPOSITARUM*.—Cf. Benth. & Hook. f. ii. 223.

*polyphylla*, Vell. l. c. viii. t. 95.—Bras.  
*romana*, Vell. l. c. 352; viii. t. 94.—Bras.

SABBATIA, Adans. Fam. ii. 503 (1763) (Sabatia). *GENTIANEA*, Benth. & Hook. f. ii. 810.  
LAPITHEA, Griseb. in DC. Prod. ix. 48 (1845).  
NEUROLA, Rafin. New Fl. Am. iv. 92 (1836).  
*amena*, Rafin. Fl. Tellur. iii. 30 (Quid?).—Hab.?  
*amoena*, G. Don, Gen. Syst. iv. 207 = *stellaris*.  
*anceps*, Rafin. Fl. Tellur. iii. 30 (Quid?).—Hab.?  
*angularis*, Pursh, Fl. Am. Sept. i. 137.—Am. bor.  
*australis*, Cham. & Schlecht. in Linnaea, i. (1826) 194 = *Zygostigma australe*.  
Boykini, A. Gray, ex Chapm. Fl. S. U. St. 354.—Am. bor.  
*brachiata*, Ell. Sketch, i. 285.—Am. bor.  
*brevifolia*, Rafin. Atl. Journ. 147 (Quid?).—Am. bor.  
*calycosa*, Pursh, Fl. Am. Sept. i. 138.—Am. bor.  
*campanulata*, Torr. ex Griseb. Gen. et Sp. Gent. 120 = *gracilis*.  
*campestris*, Nutt. in Trans. Am. Phil. Soc. N. S. v. (1837) 197.—Am. bor.  
*chloroides*, Pursh, Fl. Am. Sept. i. 137.—Am. bor.  
*concinna*, Wood, Class-Book (1861), 584 = *brachiata*.  
*corymbosa*, Baldw. ex Ell. Sketch, i. 283.—Am. bor.  
*cymosa*, G. Don, Gen. Syst. iv. 207 = *corymbosa*.  
*diffusa*, Rafin. Fl. Tellur. iii. 30 (Quid?).—Hab.?  
Elliotii, Steud. Nom. ed. II. ii. 489 (Elliotii).—Am. bor.  
*formosa*, Buckl. in Proc. Acad. Sc. Philad. 1862 (1863) 7 = *campestris*.  
*gentianoides*, Ell. Sketch, i. 286.—Am. bor.  
*gracilis*, Ell. l. c. 284 = *stellaris*.  
*gracilis*, Salisb. Parad. Lond. t. 32.—Am. bor.  
*heterophylla*, Rafin. Fl. Tellur. iii. 30 (Quid?).—Hab.?  
*lanceolata*, Torr. & Gray, ex A. Gray, Man. Bot. N. U. St. ed. I. 356 = *corymbosa*.  
*lingulata*, Rafin. Fl. Tellur. iii. 30 (Quid?).—Hab.?  
*macrophylla*, Hook. Comp. Bot. Mag. i. (1835) 171.—Am. bor. occ.  
*maculata*, Benth. & Hook. f. Gen. ii. 812, in obs.—Mexic.  
*nervosa*, Rafin. New Fl. Am. iv. 92.—Am. bor.  
*nivea*, Rafin. Med. Fl. ii. 77.—Am. bor.  
*obtusifolia*, Rafin. Fl. Tellur. iii. 30 (Quid?).—Hab.?  
*oligophylla*, Featherman, in Univ. Mississip. Rep. (1871); ex A. Gray, Syn. Fl. N. Am. ii. i. 115 = *gentianoides*.  
*paniculata*, Ell. Sketch, i. 282 = Elliotii.  
*paniculata*, Pursh, Fl. Am. Sept. i. 138.—Am. bor.  
*petiolata*, Rafin. Fl. Tellur. iii. 30 (Quid?).—Hab.?  
*pulchella*, Rafin. ex Griseb. in DC. Prod. ix. 49 = *gracilis*.  
*pulchella*, Spreng. Syst. i. 581 = *Erythraea ramosissima*?  
*pumila*, Rafin. Fl. Tellur. iii. 30 (Quid?).—Hab.?  
*simplex*, Bertol. Misc. Bot. x. 27 = *Rhexia stricta*.  
*stellaris*, Pursh, Fl. Am. Sept. i. 137.—Am. bor.  
*stricta*, Rafin. Fl. Tellur. iii. 30 = *Curtia gentianoides*?  
*tenuifolia*, Rafin. l. c. (= *Schubleria tenuifolia*).—Am. trop.  
*umbellata*, Rafin. l. c. (Quid?).—Hab.?  
*verticillaris*, Spreng. Syst. i. 580 = *Curtia gentianoides*.

SABBATIA, Moench, Meth. 386 (1794) = *Micromeria*, Benth. (Labiata).  
*corymbosa*, Moench, l. c. = *M. Juliana*.

SABDARIFFA, Kostel. Allg. Med. Pharm. Fl. v. 1857 (1836) = *Hibiscus*, Linn. (Malv.).  
*digitata*, Kostel. l. c. = *H. digitatus*.  
*rubra*, Kostel. l. c. = *H. Sabdariffa*.

SABIA, Colebr. in Trans. Linn. Soc. xii. (1818) 355. t. 14. *SABIACEAE*, Benth. & Hook. f. i. 414.  
ANDROGLOSSA, Benth. in Hook. Kew Journ. iii. (1851) 42.  
ENANTIA, Falc. in Hook. Journ. Bot. iv. (1842) 75.  
MENICOSTA, D. Dietr. Syn. Pl. ii. 923 (1839).  
MENISCOSTA, Blume, Bijdr. 28 (1825).  
*Bullockii*, Hance, in Journ. Bot. xvi. (1878) 9 = *japonica*.  
*campanulata*, Wall. in Roxb. Fl. Ind. ed. Carey, ii. 311.—Reg. Himal.

## SABIA:—

*celastrinea*, C. Muell. in Walp. Ann. vi. 1269 (Index) = *limoniacea*.  
*densiflora*, Miq. Fl. Ind. Bat. Suppl. 520.—Sumatra.  
*elliptica*, Miq. l. c.—Sumatra.  
*floribunda*, Miq. l. c. = *Meliosma elliptica*.  
*japonica*, Maxim. in Bull. Acad. Pétersb. xi. (1867) 430.—China; Japon.  
*lanceolata*, Colebr. in Trans. Linn. Soc. xii. (1819) 355. t. 14.—Reg. Himal.  
*leptandra*, Hook. f. & Thoms. Fl. Ind. i. 209.—Reg. Himal.  
*limoniacea*, Wall. Cat. n. 1000.—Reg. Himal.  
*malabarica*, Bedd. Ic. Pl. Ind. Or. i. 39.—Ind. or.  
*Meniscosta*, Blume, Mus. Bot. Lugd. Bat. i. 369.—Malaya.  
*paniculata*, Edgew. ex Hook. f. & Thoms. Fl. Ind. i. 211.—Reg. Himal.  
*paniculata*, Seem. Bot. Voy. Herald, 362 = *limoniacea*.  
*parviflora*, Wall. Cat. n. 1001 = *purpurea*.  
*parviflora*, Wall. in Roxb. Fl. Ind. ed. Carey, ii. 310.—Reg. Himal.  
*pauciflora*, Blume, Mus. Bot. Lugd. Bat. i. 370.—Ins. Molucc.  
*purpurea*, Hook. f. & Thoms. Fl. Ind. i. 209.—Reg. Himal.  
*sumatrana*, Blume, Mus. Bot. Lugd. Bat. i. 370.—Sumatra.  
*tomentosa*, Hook. f. Fl. Brit. Ind. ii. 3.—Assam?  
*viridissima*, Kurz, in Journ. As. Soc. Beng. xli. (1872) ii. 304.—Ins. Andam.

SABICEA, Aubl. Pl. Gui. i. 192. t. 75, 76 (1775). *RUBIACEAE*, Benth. & Hook. f. ii. 72.  
PAIVA, Vell. Fl. Flum. 104 (1825); iii. t. 16 (1827).

SCHWENKFELDA, Schreb. Gen. 123 (1789).  
*aspera*, Aubl. Pl. Gui. i. 194. t. 76.—Guian.  
*aurea*, Steud. Nom. ed. I. 712 = *Coccocypselum aureum*.  
*calycina*, Benth. in Hook. Niger Fl. 399.—Afr. trop.  
*cana*, Hook. Ic. Pl. t. 247.—Peruv.  
*capitellata*, Benth. in Hook. Niger Fl. 398.—Afr. trop.  
*cauliflora*, Hiern, in Oliver, Fl. Trop. Afr. iii. 77.—Afr. trop.  
*cinerea*, Aubl. Pl. Gui. i. 192. t. 75.—Guian.  
*crinita*, A. Rich. in Mém. Soc. Hist. Nat. Par. v. (1834) 228.—Madag.  
*diversifolia*, Pers. Syn. i. 203.—Ins. Mascar.  
*edulis*, Seem. in Hook. Kew Journ. iii. (1851) 266 = *aspera*.  
*eriantha*, DC. Prod. iv. 439 = *cinerea*.  
*ferruginea*, Benth. in Hook. Niger Fl. 397.—Afr. trop.  
*geantha*, Hiern, in Oliver, Fl. Trop. Afr. iii. 78.—Afr. trop.  
*glabrescens*, Benth. in Hook. Journ. Bot. iii. (1841) 219 = *aspera*.  
*grisea*, Cham. & Schlecht. in Linnaea, iv. (1829) 192 = *cinerea*.  
*guianensis*, Baill. Hist. Pl. vii. 320 = *Patima guianensis*.  
*hirsuta*, H. B. & K. Nov. Gen. et Sp. iii. 417 = *aspera*.  
*hirta*, Sw. Prod. Veg. Ind. Occ. 46 = *aspera*.  
*macrophylla*, Steud. Nom. ed. II. ii. 489, sphalm. = *Nonatelia macrophylla*.  
*Moralesii*, Griseb. Cat. Pl. Cub. 124 = *Lasianthus Moralesii*.  
*Perrottetii*, A. Rich. in Mém. Soc. Hist. Nat. Par. v. (1834) 228 = (*Uncaria* sp.).—Afr. trop.  
*pilosa*, Hiern, in Oliver, Fl. Trop. Afr. iii. 76.—Afr. trop.  
*pumila*, Bartl. ex DC. Prod. iv. 440.—Peruv.  
*purpurea*, A. Rich. in Mém. Soc. Hist. Nat. Par. v. (1834) 228.—Bras.  
*segregata*, Hiern, in Oliver, Fl. Trop. Afr. iii. 77.—Afr. trop.  
*setosa*, A. Rich. in Mém. Soc. Hist. Nat. Par. v. (1834) 228.—Madag.  
*tomentosa*, A. Rich. l. c.—Bras.  
*triflora*, DC. Prod. iv. 439.—Madag.  
*umbellata*, Pers. Syn. i. 203.—Peruv.  
*velutina*, Benth. in Hook. Journ. Bot. iii. (1841) 219 = *aspera*.  
*venosa*, Benth. in Hook. Niger Fl. 399.—Afr. trop.  
*villosa*, Roem. & Schult. Syst. v. 265 = *aspera*.  
*Vogelii*, Benth. in Hook. Niger Fl. 398.—Afr. trop.

**SABINA**, Hall. in Rupp. Fl. Jen. 336 (1745) = *Juniperus*, Tourn. (Conif.).  
*alba*, Antoine, Cupress. Gatt. 70 = *J. virginiana*.  
*aquatica*, Antoine, l. c. 70 = *Taxodium heterophyllum*.  
*bacciformis*, Antoine, l. c. 69 = *J. phoenicea*.  
*bermudiana*, Antoine, l. c. 65. t. 87 = *J. bermudiana*.  
*Cabiancae*, Antoine, l. c. 41. t. 54 = *J. chinensis*.  
*caesia*, Antoine, l. c. 68 = *J. caesia*.  
*californica*, Antoine, l. c. 52. t. 72 = *J. virginiana*.  
*chinensis*, Antoine, l. c. 54. t. 75 = *J. chinensis*.  
*Corneyana*, Antoine, l. c. 54. t. 74 = *Cupressus torulosa*.  
*cupressifolia*, Antoine, ex C. Koch, Dendrol. ii. 125 = *J. Sabina*.  
*davurica*, Antoine, Cupress. Gatt. 56. t. 77 = *J. davurica*.  
*dealbata*, Antoine, l. c. 68 = *J. communis*.  
*dimorpha*, Antoine, l. c. 70 = *J. chinensis*.  
*excelsa*, Antoine, l. c. 45. t. 60 = *J. excelsa*.  
*Fischeri*, Antoine, l. c. 53. t. 73 = *J. Pseudo-sabina*.  
*flaccida*, Antoine, l. c. 37. t. 49 = *J. flaccida*.  
*foetidissima*, Antoine, l. c. 49. tt. 67-71 = *J. foetidissima*.  
*fragrans*, Antoine, l. c. 70 = *J. virginiana*.  
*gigantea*, Antoine, l. c. 36. t. 48 = *J. mexicana*.  
*glaucia*, Antoine, l. c. 71 = *J. virginiana*.  
*gossainthanea*, Antoine, l. c. 69 = *J. virginiana*.  
*Grisebachii*, Antoine, l. c. 61 = *J. foetidissima*.  
*isophyllus*, Antoine, l. c. 48. tt. 64-66 = *J. excelsa*.  
*lycia*, Antoine, l. c. 44. t. 59 = *J. phoenicea*.  
*mexicana*, Antoine, l. c. 38. t. 51 = *J. mexicana*.  
*occidentalis*, Antoine, l. c. 64. tt. 85-86 = *J. occidentalis*.  
*officinalis*, Garcke, Fl. Deutschl. ed. IV. 387 = *J. Sabina*.  
*Olivieri*, Antoine, Cupress. Gatt. 70 = *J. excelsa*.  
*osteosperma*, Antoine, l. c. 51.—Hab.?  
*pachyphlaea*, Antoine, l. c. 39 = *J. pachyphlaea*.  
*phoenicea*, Antoine, l. c. 42. t. 57 = *J. phoenicea*.  
*plochyderma*, Antoine, l. c. 40. t. 52 = *J. pachyphlaea*.  
*polycarpus*, Antoine, l. c. 47. t. 63 = *J. excelsa*.  
*procera*, Antoine, l. c. 36. t. 47 = *J. procera*.  
*prostrata*, Antoine, l. c. 57. t. 79 = *J. Sabina*.  
*Pseudothurifera*, Antoine, l. c. 60. t. 82 = *J. thurifera*?  
*racemosa*, Antoine, l. c. 71 = *J. racemosa*.  
*recurva*, Antoine, l. c. 67. t. 88 = *J. recurva*.  
*religiosa*, Antoine, l. c. 47. t. 61 = *J. excelsa*.  
*sphaerica*, Antoine, l. c. 52. t. 72 = *J. sphaerica*.  
*squamata*, Antoine, l. c. 66. t. 89 = *J. recurva*.  
*struthiacea*, Antoine, l. c. 69 = *J. chinensis*.  
*tamariscifolia*, Hort. ex C. Koch, Dendrol. ii. 125 = *J. Sabina*.  
*tetragona*, Antoine, Cupress. Gatt. 40. t. 53 = *J. tetragona*.  
*thurifera*, Antoine, l. c. 51 = *J. thurifera*?  
*turbinata*, Antoine, l. c. 41. t. 56 = *J. phoenicea*.  
*virginiana*, Antoine, l. c. 61. tt. 83, 84 = *J. virginiana*.  
*vulgaris*, Antoine, l. c. 58. t. 80 = *J. Sabina*.

**SABINEA**, DC. in Ann. Sc. Nat. Sér. I. iv. (1825) 92. *LEGUMINOSAE*, Benth. & Hook. f. i. 501. *carinalis*, Griseb. Fl. Brit. W. Ind. 183.—Ind. occ. dubia, DC. in Ann. Sc. Nat. Sér. I. iv. (1825) 92.—Ins. Martinic.  
*florida*, DC. l. c.—Ind. occ.

**SABSAB**, Adans. Fam. ii. 31 (1763) = *Paspalum*, Linn. (Gramin.).

**SABULINA**, Reichb. Fl. Germ. Excurs. 785 (1832) = *Arenaria*, Rupp. (Caryoph.).  
*austriaca*, Reichb. l. c. 787 = *A. austriaca*.  
*bannatica*, Reichb. l. c. = *A. banatica*.  
*biflora*, Reichb. l. c. 790 = *Stellaria biflora*.  
*caespitosa*, Reichb. l. c. 788 = *A. verna*.  
*capillacea*, Reichb. l. c. 786 = *A. grandiflora*.  
*conferta*, Fourr. in Ann. Soc. Linn. Lyon, N. S. xvii. (1869) 195 = *A. tenuifolia*.  
*falcata*, Schur, Enum. Pl. Transs. 111 = *A. setacea*.  
*fastigiata*, Reichb. Fl. Germ. Excurs. 786 = *A. rostrata*.  
*frutescens*, Schur, in Verh. Naturf. Ver. Bruenn, xv. 11. (1877) 136 = *A. setacea*.  
*Gerardi*, Reichb. Fl. Germ. Excurs. 788 = *A. verna*.  
*glareosa*, Schur, Enum. Pl. Transs. 111 = *A. recurva*.  
*graminifolia*, Reichb. Fl. Germ. Excurs. 789 = *A. clandestina*, graminifolia.  
*hybrida*, Fourr. in Ann. Soc. Linn. Lyon, N. S. xvi. (1868) 347 = *A. tenuifolia*.

# **SABULINA** :—

*lanceolata*, Reichb. Fl. Germ. Excurs. 790 = *Arenaria lanceolata*.  
*laricifolia*, Reichb. l. c. 789 = *A. laricifolia*.  
*laxa*, Fourr. in Ann. Soc. Linn. Lyon, N. S. xvi. (1868) 347 = *A. grandiflora*.  
*macrocarpa*, Reichb. Fl. Germ. Excurs. 788 = *A. laricifolia*.  
*marginata*, Schur, in Verh. Siebenb. Ver. Naturw. iv. (1853) 13 = *A. setacea*.  
*mediterranea*, Reichb. l. c. 789 = *A. mucronata*.  
*mucronata*, Reichb. Fl. Germ. Excurs. 786 = *A. mucronata*.  
*polygonoides*, Reichb. l. c. 790 = *A. polygonoides*.  
*Ponae*, Reichb. l. c. = *A. bavarica*.  
*procera*, Reichb. l. c. 787 = *A. graminifolia*.  
*ramosissima*, Schur, Enum. Pl. Transs. 113 = *A. ramosissima*.  
*recurva*, Reichb. Fl. Germ. Excurs. 788 = *A. recurva*.  
*rostrata*, Reichb. l. c. 787 = *A. rostrata*.  
*setacea*, Reichb. l. c. 786 = *A. setacea*.  
*sphagnoides*, Reichb. l. c. 790 = *A. polygonoides*.  
*striata*, Reichb. l. c. 789 = *A. laricifolia*.  
*stricta*, Reichb. l. c. = *A. stricta*.  
*tenella*, Schur, in Verh. Siebenb. Ver. Naturw. x. (1859) 73 = *A. verna*.  
*tenuifolia*, Reichb. Fl. Germ. Excurs. 785 = *A. tenuifolia*.  
*verna*, Reichb. l. c. 789 = *A. verna*.  
*Villarsii*, Reichb. l. c. 787 = *A. Villarsii*.  
*viscosa*, Reichb. l. c. 786 = *A. tenuifolia*.

**SACAGLOTTIS**, G. Don, Gen. Syst. i. 676 (1831), sphalm. = *Sacoglottis*, Mart. (Humir.).

**SACCARUM**, Sanguin. in Atti Acc. Pont. Lincei, Ser. I. v. (1852) 501, 555 = *Saccharum*, Linn. (Gramin.).

**SACCELLIUM**, Humb. & Bonpl. Pl. Aequin. i. 47. t. 13 (1808). *BORAGINEAE*, Benth. & Hook. f. ii. 839.  
*lanceolatum*, Humb. & Bonpl. l. c.—Peruv.

**SACCHARIFERA**, Stokes, Bot. Mat. Med. i. 131 (1812) = *Saccharum*, Linn. (Gramin.).  
*officinalis*, Stokes, l. c. 132 = *Saccharum officinarum*.  
*spontanea*, Stokes, l. c. = *Saccharum spontaneum*.

**SACCHAROPHORUM**, Neck. Elem. iii. 209 (1790) = seq.

**SACCHARUM**, Linn. Gen. ed. I. 18 (1737). *GRAMINEAE*, Benth. & Hook. f. iii. 1125.  
*ERIOCHRYSIS*, Beauv. Agrost. 8. t. 4. f. 11 (1812).  
*PHRAGMITES*, Adans. Fam. ii. 34 (1763).  
*PLAZERIUM*, Willd. ex Kunth, Enum. Pl. i. 474 (1833).  
*SACCHARIFERA*, Stokes, Bot. Mat. Med. i. 131 (1812).  
*SACCHAROPHORUM*, Neck. Elem. iii. 209 (1790).  
*acinaciforme*, Spreng. Syst. i. 282 = *Dimeria acinaciformis*.  
*aegyptiacum*, Willd. Enum. Hort. Berol. 82 = *spontaneum*.  
*alopecuroides*, Nutt. Gen. Am. i. 60 = *Erianthus saccharoides*.  
*Alopecurus*, Nees, in Hook. Kew Journ. ii. (1850) 100 = *Imperata exaltata*.  
*angustifolium*, Reinw. ex De Vriese, Pl. Ind. Bat. Or. 107 = *stenophyllum*.  
*angustifolium*, Trin. in Mém. Acad. Pétersb. Sér. VI. iv. (1836) 92 = *Erianthus saccharoides*.  
*Antillarum*, Roem. & Schult. Syst. ii. 877 = *Setaria setosa*.  
*appressum*, Kit. ex Reichb. Fl. Germ. Excurs. 34 = *Erianthus Hostii*.  
*argenteum*, Brouss. Elench. 50 = *Andropogon saccharoides*.  
*arundinaceum*, Retz. Obs. iv. 14.—Ind. or.; China.  
*asperum*, Steud. Syn. Pl. Gram. 407 = *Erianthus asper*.  
*aureum*, Spreng. Pugill. ii. 17 = *Pollinia aurea*.  
*Baldwini*, Spreng. Syst. i. 282 = *Erianthus strictus*.  
*benghalense*, Retz. Obs. v. 16 = *arundinaceum*.  
*bicorne*, Griseb. in Goett. Abh. vii. (1857) 266 = *Andropogon bicornis*.  
*biflorum*, Forsk. Fl. Aegypt. Arab. 16 = *spontaneum*.

# **SACCHARUM** :—

*brasilianum*, Trin. in Mém. Acad. Pétersb. Sér. VI. ii. (1833) 311 = *Erianthus asper*.  
*brevibarbe*, Pers. Syn. i. 103 = *Erianthus saccharoides*.  
*brunneum*, Desv. Opusc. 65 (Panici sp.).—Ind. or.  
*caducum*, Tausch, in Flora, xix. (1836) 527 = *spontaneum*.  
*canaliculatum*, Roxb. Hort. Beng. 6; Fl. Ind. i. 246 = *spontaneum*.  
*capense*, Steud. Syn. Pl. Gram. 408 = *Erianthus capensis*.  
*caudatum*, G. F. W. Mey. Prim. Fl. Esseq. 68 = *Imperata exaltata*.  
*cayennense*, Benth. in Journ. Linn. Soc. xix. (1881) 66.—Am. trop.  
*chinense*, Nees, in Hook. & Arn. Bot. Beech. Voy. 241 = *spontaneum*.  
*chinense*, Roxb. Hort. Beng. 6, nomen = *officinarum*.  
*ciliare*, Anderss. in Oevers. Vet. Akad. Handl. Stockh. (1855) 155 = *S. Sara*.  
*confertum*, J. & S. Presl, Rel. Haenk. i. 346 = *Imperata exaltata*.  
*conjugatum*, Spreng. Syst. i. 283 (= *Andropogon conjugatus*).—Ind. or.  
*contortum*, Nutt. Gen. Am. i. 60; Spreng. Syst. i. 282 = *Erianthus saccharoides*.  
*contractum*, H. B. & K. Nov. Gen. et Sp. i. 182 = *Imperata exaltata*.  
*cylindricum*, Lam. Encyc. i. 594 = *Imperata arundinacea*.  
*densum*, Nees, in Hook. Kew Journ. ii. (1850) 100 = *Miscanthus japonicus*.  
*diandrum*, Koen. ex Retz. Obs. v. 16 = *Imperata arundinacea*.  
*dissitiflorum*, Edgew. in Journ. As. Soc. Beng. xvi. (1847) 11. 1219 = *Panicum Teneriffae*.  
*distichophyllum*, Steud. ex Jardin, in Mém. Soc. Sc. Nat. Cherb. v. (1857) 299, 325 = *Miscanthus japonicus*.  
*dubium*, H. B. & K. Nov. Gen. et Sp. i. 183 = *Imperata exaltata*.  
*Ecklonii*, Steud. Syn. Pl. Gram. 408 = *Erianthus capensis*.  
*edule*, Hassk. in Flora, xxv. (1842) 11. Beibl. 3 = *officinarum*.  
*erianthoides*, Rasp. in Ann. Sc. Nat. Sér. I. v. (1825) 308 = *Erianthus saccharoides*.  
*europaeum*, Pers. Syn. i. 103 = *Imperata arundinacea*.  
*exaltatum*, Roxb. Hort. Beng. [81]; Fl. Ind. i. 245 = *arundinaceum*?  
*fasciculatum*, Willd. ex Steud. Nom. ed. II. ii. 490 = *Andropogon leucostachyus*.  
*fastigiatum*, Nees, ex Steud. Syn. Pl. Gram. 409 = *Erianthus fastigiatus*.  
*fatuum*, Bechey, ex Steud. Nom. ed. II. ii. 490, nomen (Quid?).—Hab.?  
*filifolium*, Steud. Syn. Pl. Gram. 409 = *Erianthus filifolius*.  
*floridulum*, Labill. Sert. Austr. Caled. 13. t. 18 = *Miscanthus japonicus*.  
*fulvum*, R. Br. Prod. 203 = *Pollinia Cumingii*.  
*fuscum*, Roxb. Hort. Beng. 6; Fl. Ind. i. 236.—Ind. or.  
*giganteum*, Pers. Syn. i. 103 = *Erianthus saccharoides*.  
*giganteum*, Trin. in Mém. Acad. Pétersb. Sér. VI. ii. (1833) 311 (*Erianthi* sp.).—Am. trop.  
*glaucum*, Steud. Syn. Pl. Gram. 408 (*Polliniae* sp.).—Java.  
*grandiflorum*, Walp. Ann. iii. 792 = *Panicum insigne*.  
*Griffithii*, Boiss. Fl. Orient. v. 453 = *S. Sara*.  
*Griffithii*, Munro, ex Aitch. in Journ. Linn. Soc. xix. (1882) 191 = *praec.*?  
*hirsutum*, Forsk. Fl. Aegypt. Arab. 16 = *Rottboellia hirsuta*.  
*holcoides*, Hack. in Mart. Fl. Bras. ii. III. 254.—Bras.; Paraguay.  
*indum*, Pers. Syn. i. 103 = *Imperata arundinacea*.  
*infirmum*, Steud. in Lechl. Berb. Am. Austr. 56 = *officinarum*.  
*insulare*, Brongn. in Duperr. Voy. Coq. Bot. 99 = *spontaneum*.  
*irritans*, R. Br. Prod. 203 = *Pollinia irritans*.  
*jaculatorium*, Lour. Fl. Cochinch. 53 = *Imperata exaltata*.  
*jamaicense*, Trin. in Mém. Acad. Pétersb. Sér. VI. ii. (1833) 312 = *Erianthus Ravenae*.  
*japonicum*, Thunb. in Trans. Linn. Soc. ii. (1794) 328 = *Miscanthus sinensis*, *japonicus*.

**SACCHARUM:—**

- Klagha*, Jungh. ex Steud. Syn. Pl. Gram. 405 = spontaneum.  
*Koenigii*, Retz. Obs. v. 16 = Imperata arundinacea.  
*laguroides*, Pourr. in Mém. Acad. Toul. iii. (1788) 326 = Imperata arundinacea.  
*longifolium*, Munro, ex Benth. in Journ. Linn. Soc. xix. (1881) 66.—Ind. or.  
*longisetum*, Walp. Ann. iii. 793 (= *Tricholaena longiseta*).—Abyss.  
*macilentum*, Chauv. ex Steud. Syn. Pl. Gram. 406 = Imperata exaltata.  
*maximum*, Trin. in Mém. Acad. Pétersb. Sér. VI. iv. (1838) 92 = Erianthus maximus.  
*mexicanum*, Brouss. ex Hornem. Hort. Hafn. i. 75 = Imperata Hookeri.  
*monandrum*, Roland. in Act. Lit. Univ. Hafn. (1777) 285.—Jamaic.; Guian.  
*monandrum*, Sw. ex Hack. in Mart. Fl. Bras. ii. III. 252, in obs. = Imperata exaltata.  
*Munja*, Roxb. Hort. Beng. 6; Fl. Ind. i. 246 = S. Sara?  
*Narenga*, Wall. Cat. n. 8856.—Ind. or.; China.  
*Naveya*, Benth. in Journ. Linn. Soc. xix. (1881) 66, sphalm. = praec.  
*negrosense*, Steud. Syn. Pl. Gram. 407 = Imperata exaltata.  
*obscurum*, Steud. l. c. (Miscanthi sp.).—Japon.  
*obscurum*, Trin. in Mém. Acad. Pétersb. Sér. VI. ii. (1833) 313 = Erianthus Hostii?  
*occidentale*, Sw. Adnot. Bot. 17 = monandrum.  
*officinale*, Salisb. Prod. 17 = seq.  
*officinatum*, Linn. Sp. Pl. 54.—Reg. Calid. cult.  
*Palisoti*, Tausch, in Flora, xix. (1836) 527 = spontaneum.  
*pallidum*, Benth. in Journ. Linn. Soc. xix. (1881) 66.—Afr. austr.  
*panicum*, Lam. Encyc. i. 595. t. 40. f. 1 = Pogonatherum saccharoideum.  
*panicum*, Griff. Notul. iii. 73 = Pogonatherum saccharoideum.  
*pappiferum*, Lam. Illustr. i. 155 = Pappophorum alopecuroideum.  
*pedicellare*, Trin. in Mém. Acad. Pétersb. Sér. VI. ii. (1833) 310 (Erianthi sp.).—Ins. Nukahiva.  
*polydactylum*, Thunb. Fl. Jap. 42 = Miscanthus japonicus, sinensis.  
*polydactylum*, Willd. ex Steud. Nom. ed. II. ii. 490 = Panicum saccharoides.  
*polystachyum*, Siebold, ex Kunth, Enum. Pl. i. 124 = Panicum lanatum.  
*polystachyum*, Sw. Prod. Veg. Ind. Occ. 21 = Panicum saccharoides.  
*praegrande*, Steud. Syn. Pl. Gram. 408 = Miscanthus japonicus.  
*procerum*, Roxb. Hort. Beng. 6; Fl. Ind. i. 243 = arundinaceum.  
*propinquum*, Steud. Syn. Pl. Gram. 406 = spontaneum.  
*punctatum*, Schum. in Schum. & Thonn. Beskr. Guin. Pl. 46 = spontaneum.  
*rarum*, Poir. Encyc. Suppl. ii. 70 = Perotis rara.  
*Ravennae*, Bieb. Fl. Taur. Cauc. iii. 51 = Imperata arundinacea.  
*Ravennae*, Murr. Syst. ed. XIII. 88 = Erianthus Ravennae.  
*repens*, Willd. Sp. Pl. i. 322 (Tricholaena sp.).—Afr. trop.  
*reptans*, Lam. Illustr. i. 155 = Panicum repens?  
*roseum*, Reinw. ex Miq. Fl. Ind. Bat. iii. 518 = Miscanthus sinensis.  
*rufipilum*, Steud. Syn. Pl. Gram. 409 = Erianthus fulvus.  
*rufum*, Steud. l. c. = Pollinia argentea.  
*sagittatum*, Aubl. Pl. Gui. i. 50 = Gynierium saccharoides.  
*Sapé*, A. St. Hil. Voy. Distr. Diam. i. 368 = Imperata brasiliensis.  
*Sara*, Roxb. Hort. Beng. 6; Fl. Ind. i. 244.—Ind. or.; Afghan.  
*semidecumbens*, Roxb. l. c. 236 = spontaneum.  
*sinense*, Roxb. Fl. Ind. ed. Carey, i. 244 = officinarum.  
*Sisca*, Cav. Ic. iii. 47 = Imperata arundinacea.  
*Sorghum*, Steud. Syn. Pl. Gram. 408 = Erianthus Sorghum.  
*speciosissimum*, Tausch, in Flora, xix. (1836) 527 = spontaneum.  
*sphacelatum*, Walp. Ann. iii. 793 (= *Tricholaena sphacelata*).—Afr. trop.

**SACCHARUM:—**

- spicatum*, Burm. ex Kunth, Enum. Pl. i. 477 = Imperata arundinacea.  
*spicatum*, Linn. Sp. Pl. 54 = Perotis latifolia.  
*spicatum*, Thunb. Fl. Jap. 42; J. & C. Presl, Rel. Haenk. i. 346 = Imperata arundinacea.  
*spontaneum*, Linn. Mant. ii. 183.—Geront. trop.  
*stenophyllum*, Buese, in De Vriese, Pl. Ind. Bat. Or. 107.—Ins. Timor.  
*strictum*, Nutt. Gen. Am. i. 60 = Erianthus strictus.  
*strictum*, Spreng. Pugill. ii. 16 = Erianthus Hostii.  
*Teneriffae*, Linn. f. Suppl. 106 = Panicum Teneriffae.  
*ternatum*, Spreng. Syst. i. 283 = Andropogon ternatus.  
*Thunbergii*, Retz. Obs. v. 17 = Imperata arundinacea.  
*tinctorium*, Steud. Syn. Pl. Gram. 469 (Miscanthi sp.).—Japon.  
*tridentatum*, Spreng. Syst. i. 283 = Apocopsis tridentatus.  
*tripsacoides*, Beauv. ex Roem. & Schult. Syst. ii. 783 = Hemarthria compressa.  
*tristachyum*, Steud. Syn. Pl. Gram. 408 = Pollinia argentea.  
*versicolor*, Steud. l. c. 409 = Erianthus versicolor.  
*villosum*, Steud. l. c. 408 (= Erianthi sp.).—Bras.  
*violaceum*, Tussac, Fl. Antill. i. 160. t. 25 = officinarum.  
*Warmingianum*, Hack. in Mart. Fl. Bras. ii. III. 254.—Bras.

SACCIDIUM, Lindl. Gen. et Sp. Orch. 301 (1835) = **Holothrix**, Rich. (Orchid.).  
*pilosum*, Lindl. l. c. = H. pilosa.

SACCILABIUM, Rottb. in Act. Lit. Univ. Hafn. i. (1778) 294 = **Nepeta**, Riv. (Labiata).  
*basilicoides*, Rottb. l. c. = N. basilicoides.  
*viscosa*, Rottb. l. c. = N. viscosa.

SACCOALYX, Coss. & Dur. in Ann. Sc. Nat. Sér. III. xx. (1853) 80. t. 5 = **Satureia**, Linn. (Labiata).  
*satureioides*, Coss. & Dur. l. c. 81.—Alger.

SACCOALYX, Stev. in Bull. Soc. Nat. Mosc. iv. (1832) 269 = **Astragalus**, Tourn. (Legumin.).  
*calycinus*, Stev. l. c. = A. calycinus.  
*coluteoides*, Stev. l. c. = A. coluteoides.  
*follicularis*, Stev. l. c. = A. follicularis.  
*halicacabus*, Stev. l. c. = A. halicacabus.  
*laguroides*, Stev. l. c. = A. laguroides.  
*lineatus*, Stev. l. c. = A. lineatus.  
*lupulinus*, Stev. l. c. = A. lupulinus.  
*tumidus*, Stev. l. c. = A. Clusii.  
*Vulnerariae*, Stev. l. c. = A. Vulnerariae.

SACCOCHILUS, Blume, Fl. Jav. Praef. p. viii (1828) = **Saccolabium**, Blume (Orchid.).

SACCOGLOTTIS, Endl. Gen. 1040 (1840) = **Sacoglottis**, Mart. (Humir.).

**SACCOLABIUM**, Blume, Bijdr. 292 (1825). **ORCHIDEAE**, Benth. & Hook. f. iii. 578.  
*CERATOCILUS*, Blume, Bijdr. 358. t. 25 (1825).  
*GASTROCHILUS*, D. Don, Prod. Fl. Nep. 32 (1825).  
*MICROPERA*, Dalz. in Hook. Kew Journ. iii. (1851) 282.  
*OECEOCALDES*, Lindl. Bot. Reg. sub t. 1522 (1832); Gen. et Sp. Orch. 235 (1833).  
*OMOEAE*, Blume, Bijdr. 359 (1825).  
*ROBIQUETIA*, Gaudich. in Freyc. Voy. Bot. 426. t. 34 (1826).  
*SACCOCHILUS*, Blume, Fl. Jav. Praef. p. viii (1828).  
*acuminatum*, Thw. Enum. Pl. Zeyl. 304 = Sarcanthus peninsularis.  
*acutifolium*, Lindl. Gen. et Sp. Orch. 223.—Reg. Himal.  
*albo-lineatum*, Teijsm. & Binn. in Tijdschr. Nederl. Ind. xxvii. (1864) 20.—Siam.  
*ampullaceum*, Lindl. in Wall. Cat. n. 7307.—Reg. Himal.; Burma.  
*aphyllum*, Lindl. Gen. et Sp. Orch. 223 = Angraecum aphyllum.  
*ascendens*, Lindl. l. c.—Ins. Molucc.  
*bellinum*, Reichb. f. in Gard. Chron. (1884) i. 174.—Burma.  
*Berkeleyi*, Reichb. f. l. c. (1883) i. 814.—Burma?  
*Bertholdi*, Reichb. f. in Seem. Fl. Vit. 297.—Ins. Fiji.  
*bifidum*, Lindl. Bot. Reg. (1838) Misc. 3.—Ins. Philipp.

**SACCOLABIUM:—**

- bigibbum*, Reichb. f. ex Hook. f. Bot. Mag. t. 5767.—Burma; Malaya.  
*bipunctatum*, Par. & Reichb. f. in Trans. Linn. Soc. xxx. (1874) 145 (Cleisostomatis sp.).—Burma.  
*Blumei*, Lindl. Bot. Reg. (1841) Misc. 55 = Rhynchostylis retusa.  
*borneense*, Reichb. f. in Gard. Chron. (1881) i. 563.—Borneo.  
*brevifolium*, Lindl. Gen. et Sp. Orch. 225.—Zeylan.  
*buccosum*, Reichb. f. in Gard. Chron. (1871) 938.—Reg. Himal.; Burma.  
*calcaratum*, F. Muell. Fragm. i. 192 = Cleisostoma tridentatum.  
*calceolare*, Lindl. in Wall. Cat. n. 7302.—Reg. Himal.; Malaya.  
*calceolare*, Paxt. Mag. Bot. vi. (1839) 97 = intermedium.  
*calopteryum*, Reichb. f. in Gard. Chron. (1882) ii. 520.—N. Guin.  
*carinatum*, Griff. Notul. iii. 354 = papillosum.  
*chionanthum*, Lindl. in Journ. Linn. Soc. iii. (1859) 35.—Java.  
*clavatum*, Lindl. Gen. et Sp. Orch. 223.—Ind. or.  
*coeleste*, Reichb. f. in Gard. Chron. (1885) i. 692.—Hab.?  
*compressum*, Lindl. Bot. Reg. (1840) Misc. 9.—Ins. Philipp.  
*constrictum*, Reichb. f. Otia Bot. Hamb. 52.—Ins. Fiji.  
*coriaceum*, Lindl. Gen. et Sp. Orch. 224 = Aërides coriaceum.  
*curvifolium*, Lindl. l. c. 222.—Burma; Java.  
*dasyopogon*, Lindl. l. c. = calceolare?  
*densiflorum*, Lindl. in Wall. Cat. n. 7311 = Cleisostoma spicatum.  
*dentatum*, Reichb. f. in Walp. Am. vi. 883, sphalm. = seq.  
*denticulatum*, Paxt. Mag. Bot. vii. (1840) 145 = acutifolium.  
*discolor*, Reichb. f. Otia Bot. Hamb. 42 = S. Pumilio.  
*distichum*, Lindl. in Journ. Linn. Soc. iii. (1859) 36.—Reg. Himal.  
*dives*, Reichb. f. in Gard. Chron. (1875) ii. 130.—Hab.?  
*fasciculatum*, Lindl. in Hook. Lond. Journ. Bot. ii. (1843) 238.—N. Guin.  
*filiforme*, Lindl. in Journ. Linn. Soc. iii. (1859) 36.—Ind. or.  
*flexum*, Reichb. f. in Gard. Chron. (1882) i. 520.—N. Guin.  
*flexuosum*, Lindl. in Journ. Linn. Soc. iii. (1859) 36 (Cleisostomatis sp.).—Reg. Himal.; Burma.  
*fragrans*, Par. & Reichb. f. in Journ. Bot. xii. (1874) 197.—Burma.  
*galeatum*, Gardn. ex Thw. Enum. Pl. Zeyl. 305 = Cleisostoma maculosum.  
*gemmatum*, Lindl. Bot. Reg. (1838) Misc. 50.—Reg. Himal.  
*giganteum*, Lindl. in Wall. Cat. n. 7306 = Vanda densiflora.  
*gracile*, Lindl. Gen. et Sp. Orch. 225.—Zeylan.  
*Graeffei*, Reichb. f. in Gard. Chron. (1881) ii. 716.—Ins. Fiji.  
*Griffithii*, Par. & Reichb. f. in Trans. Linn. Soc. xxx. (1874) 145 = Microsaccus javensis.  
*gurwalicum*, Lindl. in Journ. Linn. Soc. iii. (1859) 32 = Rhynchostylis retusa.  
*guttatum*, Lindl. in Wall. Cat. n. 7308 = Rhynchostylis retusa.  
*Hanissonii*, Boxall, ex Naves, in Blanco, Fl. Philipp. ed. III. Nov. App. 241, sphalm. = seq.?  
*Harrisonianum*, Hook. Bot. Mag. t. 5433.—Malaya.  
*Heathi*, Hort. ex Gard. Chron. (1885) ii. 369 = Rhynchostylis retusa.  
*Hendersonianum*, Reichb. f. l. c. (1875) ii. 356.—Hab.?  
*Hillii*, F. Muell. Fragm. i. 192.—Austral.  
*Humboldtii*, Reichb. f. in Flora, lxviii. (1885) 537.—Ins. Comor.  
*Huttoni*, Hook. f. Bot. Mag. t. 5681.—Java.  
*intermedium*, Griff. ex Lindl. in Journ. Linn. Soc. iii. (1859) 33.—Reg. Himal.  
*Jerdonianum*, Reichb. f. in Walp. Ann. vi. 886.—Ind. or.  
*lineare*, Lindl. in Wall. Cat. n. 7312 (Aëridis sp.).—Ind. or.  
*lineolatum*, Thw. Enum. Pl. Zeyl. 304 = ochraceum.  
*littorale*, Reichb. f. in Gard. Chron. (1881) ii. 198.—Malacca.

**SACCOLABIUM:**—

- Macphersonii*, F. Muell. Fragm. vii. 96 = *Cleisostoma Macphersonii*.  
*macrostachyum*, Lindl. Sert. Orch. t. 47 = *Rhynchostylis retusa*.  
*micranthum*, Lindl. in Wall. Cat. n. 7300.—Reg. Himal.; Burma.  
*Mimus*, Reichb. f. in Gard. Chron. (1878) i. 266.—Ins. Pacif.  
*miniaturum*, Hook. Bot. Mag. t. 5326 = *curvifolium*.  
*miniaturum*, Lindl. Bot. Reg. (1847) sub t. 26.—Java.  
*niveum*, Lindl. Gen. et Sp. Orch. 224.—Zeylan.  
*obliquum*, Lindl. in Wall. Cat. n. 7304.—Burma.  
*ochraceum*, Lindl. Bot. Reg. (1842) Misc. 2.—Ind. or.  
*pachyglossum*, Lindl. in Journ. Linn. Soc. iii. (1859) 34.—Borneo.  
*pallens*, Cathcart, ex Lindl. l. c. 35.—Reg. Himal.  
*paniculatum*, Wight, Ic. t. 1676 = *lineare*.  
*papillosum*, Dalz. & Gibs. Bomb. Fl. 264 (= *Acampe Wightiana*).—Ind. or.  
*papillosum*, Lindl. in Wall. Cat. n. 7305; et Bot. Reg. t. 1552.—Ind. or.  
*papillosum*, Wight, Ic. t. 1672 (= *Acampe congesta*).—Ind. or.  
*parvulum*, Lindl. in Journ. Linn. Soc. iii. (1859) 36 = *buccosum*.  
*praemorsum*, Lindl. Gen. et Sp. Orch. 22 = *Rhynchostylis retusa*.  
*Pumilio*, Reichb. f. in Walp. Ann. vi. 886.—Reg. Himal.  
*pusillum*, Blume, Bijdr. 292, t. 50.—Java.  
*pusillum*, Lindl. in Journ. Linn. Soc. iii. (1859) 36 = *S. Pumilio*.  
*quinquefidum*, Lindl. in Hook. Journ. Bot. ii. (1843) 238.—N. Hibern.  
*racemiferum*, Lindl. Gen. et Sp. Orch. 224 = *Sarcanthus pallidus*.  
*radicosum*, A. Rich. Tent. Fl. Abyss. ii. 285.—Abyss.  
*ramosum*, Lindl. Gen. et Sp. Orch. 224 (*Cleisostomatis* sp.).—Reg. Himal.; Burma.  
*ramulosum*, Lindl. in Journ. Linn. Soc. iii. (1859) 34.—Java.  
*reflexum*, Lindl. in Wall. Cat. n. 7309 = *Renanthera elongata*.  
*repens*, Lindl. ex Steud. Nom. ed. II. ii. 491, nomen.—Ind. or.  
*retusum*, Voigt, Hort. Suburb. Calc. 630 = *Rhynchostylis retusa*.  
*Rheedii*, Wight, Ic. v. 19 = *Rhynchostylis retusa*.  
*ringens*, Lindl. in Wall. Cat. n. 7313 = *Aërides radicosum*.  
*roseum*, Lindl. Gen. et Sp. Orch. 225.—Zeylan.  
*roseum*, Lindl. in Journ. Linn. Soc. iii. (1859) 36 = *filiforme*.  
*rubrum*, Lindl. in Wall. Cat. n. 7310 = *curvifolium*.  
*rubrum*, Wight, Ic. t. 1673 = *Aërides radicosum*.  
*speciosum*, Wight, l. c. t. 1674–75 = *Aërides maculosum*.  
*spicatum*, Lindl. Gen. et Sp. Orch. 221 = *Rhynchostylis retusa*.  
*striatum*, Lindl. l. c. 224 = *Angraecum striatum*.  
*tenerum*, Lindl. in Journ. Linn. Soc. iii. (1859) 36 (*Cleisostomatis* sp.).—Ind. or.  
*trichromum*, Reichb. f. in Hamb. Gartenz. xv. (1859) 51 = *pallens*.  
*undulatum*, Lindl. in Wall. Cat. n. 7301 = *Cleisostoma undulatum*.  
*violaceum*, Reichb. f. in Bonplandia, ii. (1854) 93 = *Rhynchostylis violacea*.  
*virescens*, Gardn. ex Lindl. in Journ. Linn. Soc. iii. (1859) 35 = *brevifolium*.  
*viridiflorum*, Lindl. l. c. 36.—Ind. or.  
*Walkerianum*, Reichb. f. in Walp. Ann. vi. 887 = *roseum*.  
*Wightianum*, Lindl. in Wall. Cat. n. 7303, partim = *Aërides radicosum*.  
*Witteanum*, Reichb. f. in Gard. Chron. (1883) ii. 618.—Java.
- SACCONIA**, Endl. Gen. 541 (1838) = **Chione**, DC. (Rubiaceae).  
*glabra*, Endl. ex Walp. Rep. ii. 487 = *C. glabra*.
- SACCOPETALUM**, Benn. Pl. Jav. Rar. 165. t. 35 (1838). **ANONACEAE**, Benth. & Hook. f. i. 28. Bidwilli, Benth. Fl. Austral. i. 53.—Austral.

**SACCOPETALUM:**—

- Brahei, F. Muell. Fragm. viii. 159.—Austral.  
*carnosum*, Teijsm. & Binn. in Tijdschr. Nederl. Ind. xxv. (1863) 418.—Java.  
*Horsfieldii*, Benn. Pl. Jav. Rar. 165. t. 35.—Java.  
*longiflorum*, Hook. f. & Thoms. Fl. Ind. 151.—Ind. or.  
*sclerocarpum*, Hook. f. & Thoms. in Hook. f. Fl. Brit. Ind. i. 88.—Burma.  
*tomentosum*, Hook. f. & Thoms. Fl. Ind. i. 152.—Ind. or.
- SACCOPECTUS**, Oerst. in Vidensk. Selsk. Skr. V. v. (1861) 117 = **Allopectus**, Mart. (Gesner.).  
*strigosus*, Oerst. l. c. 118 = *A. strigosus*.
- SACCOSTOMA**, Wall. ex Voigt, Hort. Suburb. Calc. 449 (1845). **LABIATAE** (Quid?).  
*urticaefolium*, Wall. ex Voigt, l. c. nomen.—Ind. or.
- SACCULARIA**, Kellogg, in Proc. Calif. Acad. (1863) 17 = **Antirrhimum**, Tourn. (Scrophul.). ii. Veatchii, Kellogg, l. c. = *A. junceum*.
- SACCELLIUM**, Spreng. Syst. iii. 851 (1826) = **Saccellium**, Humb. & Bonpl. (Borag.).
- SACHARUM**, Scop. Introd. 75 (1777) = **Saccharum**, Linn. (Gramin.).
- SACHSIA**, Griseb. Cat. Pl. Cub. 150 (1866). **COMPOSITAE**, Benth. & Hook. f. ii. 291.  
*divaricata*, Griseb. l. c. 151.—Cuba.  
*polycephala*, Griseb. l. c.—Cuba.  
*tricephala*, Griseb. l. c.—Cuba.
- SACODON**, Rafin. Fl. Tellur. iv. 45 (1836) = **Cypripedium**, Linn. (Orchid.).  
*macranthum*, Rafin. l. c. = *C. macranthum*.  
*ventricosum*, Rafin. l. c. = *C. macranthum*.
- SACOGLOTTIS**, Mart. Nov. Gen. et Sp. ii. 146 (1827). **HUMIRIACEAE**, Benth. & Hook. f. i. 247.  
*amazonica*, Benth. in Hook. Kew Journ. v. (1853) 104 = *guianensis*.  
*amazonica*, Mart. Nov. Gen. et Sp. ii. 146.—Bras.  
*cuspidata*, Urb. in Mart. Fl. Bras. xii. ii. 444.—Bras.  
*densiflora*, Urb. l. c. 445.—Bras.  
*dentata*, Urb. l. c. 444.—Bras.  
*dichotoma*, Urb. l. c. 446.—Bras.  
*gabonensis*, Urb. l. c. 449 = *Aubrya gabonensis*.  
*guianensis*, Benth. in Hook. Kew Journ. v. (1853) 103.—Guian.  
*macrophylla*, Urb. in Mart. Fl. Bras. xii. ii. 446.—Bras.  
*oblongifolia*, Urb. l. c. 447.—Bras.  
*obovata*, Urb. l. c. 443.—Bras.  
*subcrenata*, Urb. in Sitzb. Ges. Naturf. Berl. (1878) 5 = *Humiria subcrenata*.
- SACOILA**, Rafin. Fl. Tellur. ii. 86 (1836) = **Spiranthes**, Rich. (Orchid.).  
*lurida*, Rafin. l. c. = *Sp. orchioides*.
- SACRANTHUS**, Endl. Ench. 331 (1841), sphalm = **SAIRANTHUS**, G. Don = **Nicotiana**, Linn. (Solan.).
- SADRUM**, Soland. ex Baill. in DC. Prod. xvii. 18 (1873) = **Pyrenacantha**, Wight (Oclac.).  
*volubile*, Soland. ex Baill. l. c. = *P. scandens*.
- SADYMYIA**, Griseb. Fl. Brit. W. Ind. 25 (1859) = **Samyda**, Linn.  
*villosa*, Griseb. l. c. = *Samyda villosa*.
- SAELANTHUS**, Forsk. Fl. Aegypt. Arab. 33 (1775) = **Vitis**, Linn. (Ampel.).  
*digitatus*, Forsk. l. c. 35 (= *Cissus digitata*).—Arab.  
*glandulosus*, Forsk. l. c. 34 (= *Cissus glandulosa*).—Arab.  
*quadrangulus*, Forsk. l. c. 33 = *V. quadrangularis*.  
*rotundifolius*, Forsk. l. c. 35 (= *Cissus rotundifolia*).—Arab.  
*ternatus*, Forsk. l. c. (= *Cissus ternata*).—Arab.

**SAFRAN**, Medic. in Act. Acad. Theod. Palat. vi. Phys. (1790) 473 = **Crocus**, Tourn. (Irid.).  
*officinarum*, Medic. l. c. = *C. sativus*.

**SAGERAEA**, Dalz. in Hook. Kew Journ. iii. (1851) 207 = **Bocagea**, A. St. Hil. (Anonac.).  
*cauliflora*, Scheff. in Ann. Jard. Buitenz. ii. (1885) 5.—Sumatra.  
*Dalzellii*, Bedd. Ic. Pl. Ind. Or. i. 9. t. 42 = *B. Dalzellii*.  
*elliptica*, Hook. f. & Thoms. Fl. Ind. i. 93 = *B. elliptica*.  
*Hookeri*, Pierre, Fl. For. Coch. t. 15 = *B. elliptica*.  
*lanceolata*, Miq. Ann. Mus. Bot. Lugd. Bat. ii. 10.—Borneo.  
*laurina*, Dalz. in Hook. Kew Journ. iii. (1851) 207 = *B. Dalzellii*.  
*Thwaitesii*, Hook. f. & Thoms. Fl. Ind. i. 93 = *B. Thwaitesii*.

**SAGERETIA**, Brongn. in Ann. Sc. Nat. Sér. I. x. (1827) 359. t. 13. f. 2. **RHAMNEAE**, Benth. & Hook. f. i. 379.

**AFARCA**, Rafin. Sylva Tellur. 30 (1838).  
*affinis*, G. Don, Gen. Syst. ii. 29 = *Rhamnus affinis*.  
*Blumii*, G. Don, l. c. 28 = *oppositifolia*.  
*Brandrethiana*, Aitch. in Journ. Linn. Soc. viii. (1865) 62.—Orients; Ind. bor. occ.  
*corymbosa*, G. Don, Gen. Syst. ii. 29.—Ind. occ.  
*costata*, Miq. Fl. Ind. Bat. i. 1. 645.—Java.  
*decussata*, G. Don, Gen. Syst. ii. 29 = *senticosa*?  
*divergens*, Steud. Nom. ed. II. ii. 491.—Chili.  
*elegans*, Brongn. in Ann. Sc. Nat. Sér. I. x. (1827) 359.—Mexic.; Peruv.  
*filiformis*, G. Don, Gen. Syst. ii. 29 = *oppositifolia*.  
*guayaquilensis*, Brongn. in Ann. Sc. Nat. Sér. I. x. (1827) 360.—Ecuador.  
*hamosa*, Brongn. l. c. 360.—Ind. or.; China.  
*lanceolata*, G. Don, Gen. Syst. ii. 29 = *Rhamnus lanceolata*.  
*leprosa*, G. Don, l. c. = *Rhamnus leprosa*.  
*Michauxii*, Brongn. in Ann. Sc. Nat. Sér. I. x. (1827) 360.—Am. bor.  
*oppositifolia*, Brongn. l. c. 360.—Ind. or.; Malaya.  
*parviflora*, G. Don, Gen. Syst. ii. 29 = *oppositifolia*.  
*ramosa*, Royle, Illustr. Bot. Himal. 169 = *hamosa*?  
*riparia*, Steud. Nom. ed. II. ii. 491.—Chili.  
*rugosa*, Hance, in Journ. Bot. xvi. (1878) 9.—China.  
*senticosa*, Brongn. in Ann. Sc. Nat. Sér. I. x. (1827) 360.—Peruv.  
*spicata*, Brongn. l. c.—Peruv.  
*splendens*, G. Don, Gen. Syst. ii. 29 = *Rhamnus splendens*.  
*theezans*, Brongn. in Ann. Sc. Nat. Sér. I. x. (1827) 360.—Ind. bor. occ.; Burma; China.  
*trigyna*, G. Don, Gen. Syst. ii. 29 = *oppositifolia*.  
*trinervis*, Gill. ex Hook. Bot. Misc. iii. (1833) 172.—Chili.  
*Wrightii*, S. Wats. in Proc. Am. Acad. xx. (1885) 358.—Texas.

**SAGINA**, Linn. Syst. ed. I (1735). **CARYOPHYLLEAE**, Benth. & Hook. f. i. 151.

**PHALOE**, Dum. Fl. Belg. 110 (1827).  
**SPERGELLA**, Reichb. in Moessl. Handb. ed. II. i. p. lxx. (1827).  
*abyssinica*, Hochst. ex A. Rich. Tent. Fl. Abyss. i. 47.—Abyss.  
*acicularis*, Hort. ex Vilm. Fl. Pl. Terre, ed. I. 756 = *subulata*, Wimm.  
*ambigua*, Lloyd, Fl. Ouest Fr. ed. I. 74 = *ciliata*.  
*ammannioides*, Heyne, ex Wall. Cat. n. 7504 = *Bergia ammannioides*.  
*apetala*, Linn. Mant. ii. 559.—Europ.  
*breviflora*, Gilib. Fl. Lituan. ii. 148 = *procumbens*.  
*bryoides*, Froel. ex Reichb. Fl. Germ. Excurs. 793.—Europ.  
*caespitosa*, Lange, Pl. Groenl. 133; Consp. Fl. Groenl. i. 22 = *nivalis*.  
*cerastioides*, Sm. Engl. Bot. t. 166; et in Trans. Linn. Soc. ii. (1794) 343 = *Cerastium tetrandrum*.  
*chilensis*, C. Gay, Fl. Chil. i. 282.—Chili.  
*ciliaris*, Fenzl, Verbr. Alsin. tab. ad p. 57 = *Spergula ciliaris*.  
*ciliata*, Fries, in Liljeb. Sv. Fl. ed. III. 713.—Europ.  
*corsica*, Ford. Obs. Pl. Crit. vii. (1849) 15.—Corsica.



**SAGINA:—**

- crassicaulis, *S. Wats. in Proc. Am. Acad.* xviii. (1883) 191.—Calif.  
*crassifolia*, Urv. in *Mém. Soc. Linn. Par. iv.* (1826) 617 = *Colobanthus crassifolius*.  
*debilis*, Jord. Obs. Pl. Crit. iii. (1846) 50 = *maritima*.  
*decandra*, Reichb. Ic. Pl. Crit. vii. 27. t. 875 = *Arenaria verna*, sedoides.  
*decumbens*, Torr. & Gray, *Fl. N. Am.* i. 177.—Am. bor.  
*densa*, Jord. Obs. Pl. Crit. iii. (1846) 49 = *maritima*.  
*depressa*, Schultz, Prod. Fl. Starg. Suppl. i. 10 = *ciliata*.  
*dichotoma*, Heuff. in *Flora*, xxxvi. (1853) 626.—Hungar.  
*Elliottii*, Fenzl, ex A. Gray, *Man. Bot. N. U. St. ed.* II. 61 = *decumbens*.  
*erecta*, Lam. Encyc. vi. 390, partim = *apetala*.  
*erecta*, Linn. Sp. Pl. 128 = *Cerastium quaternellum*.  
*erecta*, O. F. Muell. in *Fl. Dan.* t. 845 = *maritima*.  
*fasciculata*, Boiss. *Diagn.* Ser. II. i. 83.—Sibir.  
*fasciculata*, Poir. *Encyc.* vi. 390.—Afr. bor.  
*filiculis*, Jord. Obs. Pl. Crit. vii. (1849) 16 = *apetala*.  
*filiformis*, Poir. ex Lapeyr. *Hist. Abr. Pl. Pyr. Suppl.* 27 = *maritima*.  
*fontinalis*, Short & Peter, in *Transylv. Journ. Med.* (1836) 600 = *Stellaria crassifolia*.  
*glabra*, Fenzl, *Verbr. Alsin.* tab. ad p. 57.—Europ.  
*glandulifera*, Nym. *Consp.* 1010 (Index) = *nodosa*.  
*glandulosa*, Bess. ex Nym. l. c. 120 = *nodosa*.  
*graminifolia*, Wedd. in *Ann. Sc. Nat. Sér. V. i.* (1864) 292.—Bolivia.  
*Haenkeana*, C. Gay, *Fl. Chil.* i. 284.—Chili.  
*Hochstetteri*, Reichardt, in *Verh. Zool.-Bot. Ges. Wien*, xxi. (1871) 34.—Ins. St. Paul (Mar. Ind. austr.).  
*humifusa*, Fenzl, ex Rohrb. in *Mart. Fl. Bras.* xiv. ii. 262.—Bras.  
*intermedia*, Fenzl, in *Ledeb. Fl. Ross.* i. 339 = *nivalis*.  
*kevandensis*, Boiss. & Reut. *Pugill. Pl. Nov.* 22.—Hispan.  
*Lamyi*, F. Schultz, *Arch. Fl. Fr.* 174.—Gallia.  
*laricina*, Fenzl, *Verbr. Alsin.* tab. ad p. 46 = *Spergula laricina*.  
*Linnaei*, A. Gray, in *Proc. Am. Acad.* viii. (1873) 378 = *occidentalis*.  
*Linnaei*, Presl, *Rel. Haenk.* ii. 14 (Linnei).—Reg. bor. et arct.  
*Loscosii*, Boiss. ex Willk. & Lange, *Prod. Fl. Hisp.* iii. 604 = *sabuletorum*.  
*macrocarpa*, Losc. & Pard. *Ser. Inconf. ed.* II. 64 = *sabuletorum*.  
*macrocarpa*, Maly, *Enum.* 293 = *Linnaei*.  
*magellanica*, Willd. ex Phil. f. Cat. Pl. Vasc. Chil. 25 = *Colobanthus quitensis*.  
*maritima*, D. Don, in *Gen. Engl. Bot.* t. 2195.—Europ.  
*maxima*, A. Gray, in *Mem. Am. Acad. N. S. vi.* (1858-59) 382 = *Linnaei*.  
*media* x, Bruegg. in *Jahresb. Naturf. Ges. Graub.* II. xxiii-xxiv. (1880) 71.—Europ.  
*melitensis*, Gula, ex Duthie, in *Journ. Bot.* xiii. (1875) 37 = *apetala*.  
*micrantha* x, Bor.—Cf. *Bull. Soc. Bot. Fr.* xxii. (1875) Bibl. 187.—Europ.  
*muscoides*, Koch, *Syn. Fl. Germ.* ed. I. 108 = *bryoides*.  
*muscosa*, Jord. *Pugill. Pl. Nov.* 32 = *procumbens*.  
*nevadensis*, Boiss. *Pugill. Pl. Nov.* 22.—Hispan.  
*nivalis*, Fries, *Nov. Mant.* iii. 31.—Reg. bor. et arct.  
*nodosa*, Fenzl, *Verbr. Alsin.* tab. ad p. 18.—Reg. bor. temp.  
*occidentalis*, S. Wats. in *Proc. Am. Acad.* x. (1875) 344.—Am. bor. occ.  
*octandra*, Ziz. ex Mert. & Koch, *Deutschl. Fl.* i. 864 = *Cerastium quaternellum*.  
*oxysepala*, Boiss. *Fl. Orient.* i. 663.—Armenia.  
*patula*, Jord. Obs. Pl. Crit. i. (1846) 23 = *ciliata*.  
*pilifera*, Fenzl, *Verbr. Alsin.* tab. ad p. 57 = *glabra*.  
*pilifera*, Hort. ex Vilm. *Fl. Pl. Terre*, ed. I. 756 = *subulata*, Wimm.  
*procumbens*, Boland. *Cat.* 6 = *occidentalis*.  
*procumbens*, Hook. *Bot. Misc.* iii. (1833) 147 an seq. ?.—Chili.  
*procumbens*, Linn. *Sp. Pl.* 128.—Reg. bor. temp.  
*procumbens*, Pursh, *Fl. Am. Sept.* i. 219 = *decumbens*.  
*procumbens*, Thunb. *Fl. Jap.* 80 = *Linnaei*.  
*quitensis*, H. B. & K. *Nov. Gen. et Sp.* vi. 19 = *Colobanthus quitensis*.  
*repens*, Burnat, ex Gremli, *Excurs. Schw.* ed. IV. 102 = *glabra*.  
*Reuteri*, Boiss. *Diagn.* Ser. II. i. 82.—Hispan.  
*Revelieri*, Jord. & Fourr. *Brev. Pl. Nov. fasc.* i. 11 = *subulata*.

**SAGINA:—**

- Rodriguezii*, Willk. in *Oestr. Bot. Zeitschr.* xxv. (1875) 113 = *maritima*.  
*sabuletorum*, Lange, *Desc. et Ic. Ill.* 3.—Hispan.  
*saxatilis*, Wimm. *Fl. Schles.* (1841) 75 = *Linnaei*.  
*setigera*, Bisch. *Del. Sem. Hort. Heidelb.* (1852) 8.—Hab. ?  
*sinensis*, Hance, in *Journ. Bot.* vi. (1868) 46 = *Linnaei*.  
*Spergella*, Fenzl, *Verbr. Alsin.* tab. ad p. 18 = *Linnaei*.  
*stricta*, Fries, *Novit. Fl. Suec.* iii. 122 = *maritima*.  
*subulata*, Presl, *Fl. Sic.* 158.—Europ.  
*subulata*, Torr. & Gray, *Fl. N. Am.* i. 178 = *decumbens*.  
*subulata*, Urv. in *Mém. Soc. Linn. Par. iv.* (1826) 617 = *Colobanthus subulatus*.  
*subulata*, Wimm. *Fl. Schles.* (1841) 76.—Hispan.  
*urbica*, Phil. in *Linnaea*, xxviii. (1856) 613.—Chili.  
*urceolata*, Viv. *Fl. Lib. Spec.* 67; *Fl. Cors.* 3 = *maritima*.  
*valdiviana*, Phil. in *Linnaea*, xxxiii. (1864-65) 22.—Chili.  
*virginica*, Linn. *Sp. Pl.* 128 = *Bartonia tenella*.  
*viscida*, Steud. *Nom. ed.* II. ii. 491 = *procumbens* ?

SAGITTA, Adans. *Fam.* ii. 459 (1763) = **Sagittaria**, Rupp. (*Alismac.*).  
*maior*, Scop. *Fl. Carn.* ed. II. ii. 239 = *Sagittaria sagittifolia*.

**SAGITTARIA**, Rupp. ex Linn. *Syst. ed.* I (1735).

- ALISMACEAE**, Benth. & Hook. f. iii. 1006.  
*DIPHOREA*, Rafin. *Neogenyt.* 3 (1825).  
*DREPACHENIA*, Rafin. l. c. 3 (1825).  
*LOPHIOCARPUS*, Miq. *Ill. Arch. Ind. Fl.* 50 (1871).  
SAGITTA, Adans. *Fam.* ii. 459 (1763).  
*acuminata*, Sm. in Rees, *Cycl.* xxxi. n. 4 = *sagittifolia*.  
*acutifolia*, Linn. ex Griseb. *Cat. Pl. Cub.* 218 = *intermedia*.  
*acutifolia*, Linn. f. *Suppl.* 419 = *pugioniformis*.  
*acutifolia*, Pursh, *Fl. Am. Sept.* ii. 397 = *graminea*.  
*affinis*, Seub. in *Mart. Fl. Bras.* iii. i. 111.—Bras.  
*alismaefolia*, Phil. ex M. Mich. in *DC. Monog. Phan.* iii. 76 = *montevidensis*.  
*alpina*, Willd. *Sp. Pl.* ed. 410 = *sagittifolia*.  
*andina*, Phil. in *Linnaea*, xxix. (1857-58) 45 = *montevidensis*.  
*angustifolia*, Lindl. *Bot. Reg.* t. 1141 = *lancifolia*.  
*aquatica*, Lam. *Fl. Fr.* ii. 197 = *sagittifolia*.  
*Blumei*, Kunth, *Enum.* Pl. iii. 158 = *guayanensis*.  
*bracteata*, Willd. ex Seub. in *Mart. Fl. Bras.* iii. i. 106 = *guayanensis*.  
*brasiliensis*, Mart. ex M. Mich. in *DC. Monog. Phan.* iii. 57 = *Echinodorus floribundus*.  
*bulbosa*, Donn, *Hort. Cantab.* ed. VI. 246; et ex Sims, *Bot. Mag.* sub t. 1632 = *heterophylla*.  
*calycina*, Engelm. ex Torr. in *Bot. Mex. Bound.* 212.—Am. bor.  
*cerulea*, Rafin. *Fl. Ludov.* 18 (Quid ?).—Am. bor.  
*chilensis*, Cham. & Schlecht. in *Linnaea*, ii. (1827) 155 = *montevidensis*.  
*chinensis*, Sims, *Bot. Mag.* t. 1631.—China.  
*cordifolia*, Lam. *Encyc.* ii. 504 = *Echinodorus macrophyllus* ?  
*cordifolia*, Roxb. *Hort. Beng.* 68; *Fl. Ind.* iii. 647 = *guayanensis*.  
*cristata*, Engelm. in *Arthur, Contrib. Fl. Iowa*, n. v; ex Upham, *Cat. Fl. Minnesota*, 138.—Am. bor.  
*Doniana*, Sweet, *Hort. Brit.* ed. I. 375 = *sagittifolia*.  
*echinocarpa*, Mart. *Amoen. Bot. Monac.* (Ausw. Merkw. Pl.) 6. t. 3 = *guayanensis*.  
*edulis*, Schlecht. in *Linnaea*, xviii. (1844) 432 = *sagittifolia*.  
*falcata*, Pursh, *Fl. Am. Sept.* ii. 397 = *lancifolia*.  
*gigantea*, Hort. ex Vilm. *Fl. Pl. Terre*, ed. I. 759 = *sagittifolia*.  
*gracilis*, Pursh, *Fl. Am. Sept.* ii. 396 = *sagittifolia*.  
*graminea*, Michx. *Fl. Bor. Am.* ii. 190.—Am. bor.  
*guayanensis*, H. B. & K. *Nov. Gen. et Sp.* i. 250.—Reg. trop.  
*guianensis*, Schecht. in *Linnaea*, vi. (1831). 43 = *praec.*  
*guyanensis*, Kunth, *Syn. Pl. Aequin.* I. 261 = *praec.*  
*hastata*, Pursh, *Fl. Am. Sept.* ii. 396 = *sagittifolia*.  
*hermaphrodita*, Buch.-Ham. in *Wall. Cat. n.* 4991 = *sagittifolia*.

**SAGITTARIA:—**

- heterophylla*, Bert. ex Steud. *Nom. ed.* II. ii. 491 = *incrassata*.  
*heterophylla*, Pursh, *Fl. Am. Sept.* ii. 396.—Am. bor.  
*heterophylla*, Schreb. in *Schweig. & Koerte, Fl. Erlang.* ii. 119 = *sagittifolia*.  
*hirundinacea*, Blume, *Enum. Pl. Jav.* i. 34 = *sagittifolia*.  
*incrassata*, Steud. *Nom. ed.* II. ii. 491.—Chili.  
*intermedia*, M. Mich. in *DC. Monog. Phan.* iii. 80.—Ind. occ.  
*japonica*, Hort. ex Vilm. *Fl. Pl. Terre*, ed. III. 1002 = *sagittifolia*.  
*lagoënsis*, Seub. ex Warm. in *Kjoeb. Vidensk. Meddel.* (1872) 113.—Bras.  
*lancifolia*, Hort. ex Vilm. *Fl. Pl. Terre*, ed. I. 759 = *sagittifolia*.  
*lancifolia*, Linn. *Syst. ed.* X. 1270.—Ind. occ.  
*lappula*, D. Don, *Prod. Fl. Nep.* 22 = *guayanensis*.  
*latifolia*, Willd. *Sp. Pl.* iv. 409 = *sagittifolia*.  
*longiloba*, Engelm. in *Torr. Mex. Bound. Surv.* 212 = *sagittifolia*.  
*macrophylla*, Bunge, in *Mém. Sav. Etr. Pétersb.* ii. (1834) 137 = *sagittifolia*.  
*macrophylla*, Zucc. in *Abh. Akad. Muench.* i. (1829-30) 289.—Mexic.  
*major*, Scop. *Fl. Carn.* ed. II. ii. 239; Schrank, *Fl. Monac.* iv. t. 336 = *sagittifolia*.  
*mexicana*, Steud. *Nom. ed.* II. ii. 491 = *macrophylla*.  
*minor*, Mill. *Gard. Dict.* ed. VIII. n. 2 = *sagittifolia*.  
*monoeca*, Gilib. *Fl. Lituan.* ii. 218 = *sagittifolia*.  
*montevidensis*, Cham. & Schlecht. in *Linnaea*, ii. (1827) 156—Reg. Argent.  
*natans*, Michx. *Fl. Am. Bor.* ii. 190.—Am. bor.  
*natans*, Pall. *Reise*, iii. 757 = *sagittifolia*.  
*nymphaeifolia*, Hochst. in *Flora*, xxiv. (1841) i. *Intell.* 44; et ex Steud. *Nom. ed.* II. ii. 491 = *Limnophyton obtusifolium*.  
*obtusifolia*, Thunb. *Fl. Jap.* 242 = *sagittifolia*.  
*obtusifolia*, Linn. *Sp. Pl.* 993 = *Limnophyton obtusifolium*.  
*obtusissima*, Hassk. *Cat. Hort. Bog. Alt.* 26 = *guayanensis*.  
*ovata*, [Delile,] *Red. Lil.* t. 411 = *lancifolia*.  
*palaefolia*, Nees & Mart. in *Nov. Act. Nat. Cur.* xi. (1823) 21 = *Echinodorus ellipticus*.  
*papillosa*, Buchen. in *Bremen, Abh.* ii. (1871) 27, 44 = *lancifolia*.  
*parviflora*, Wall. *Cat. ex Micheli*, in *DC. Monog. Phan.* iii. 62 = *guayanensis*.  
*plantaginifolia*, Mart. & Gal. in *Bull. Acad. Brux.* ix. ii. (1842) 379 = *lancifolia*.  
*pubescens*, Muhl. *Cat.* 86.—Am. bor.  
*pugioniformis*, Linn. *Diss. Pl. Surin.* (1775) 15.—Guian.  
*Purshii*, Rich. in *Kunth, Enum. Pl.* iii. 160 = *graminea*.  
*pusilla*, Blume, *Enum. Pl. Jav.* i. 34 = *guayanensis*.  
*pusilla*, Nutt. *Gen. Am.* ii. 213 = *nutans*.  
*pygmaea*, Miq. *Ann. Mus. Bot. Lugd. Bat.* ii. 138 = *sagittifolia*.  
*radicans*, Nutt. in *Trans. Am. Phil. Soc.* v. (1837) 159 = *Echinodorus radicans*.  
*ranunculoides*, Vell. *Fl. Flum.* t. 32 = *Hydrocleys Commersonii*.  
*rhombifolia*, Cham. in *Linnaea*, x. (1836) 219.—Bras.  
*rhomboidalis*, M. Mich. in *DC. Monog. Phan.* iii. 66 = *rhombifolia*.  
*rigida*, Pursh, *Fl. Am. Sept.* ii. 397.—Am. bor.  
*sagittaeifolia*, Auct. = *sagittifolia*.  
*sagittata*, Thunb. *Fl. Jap.* 242 = *sagittifolia*.  
*sagittifolia*, Linn. *Sp. Pl.* 993.—Europ.; As.; Am. bor.  
*sagittifolia*, Lour. *Fl. Cochinch.* 570 = *chinensis*.  
*sagittifolia*, A. Rich. *Fl. Cub. Fanerog.* ii. 323 = *pugioniformis*.  
*sagittifolia*, Vell. *Fl. Flum.* x. t. 31 = *Echinodorus muricatus*.  
*Sellowiana*, Kunth, *Enum. Pl.* iii. 159 = *lancifolia*.  
*Seubertiana*, Mart. ex Seub. in *Mart. Fl. Bras.* iii. i. 110.—Bras.  
*simplex*, Pursh, *Fl. Am. Sept.* ii. 397 = *sagittifolia*.  
*simplex*, Torr. *Consp.* 356 = *graminea*.  
*sinensis*, Sims, *Bot. Mag.* t. 1631 = *sagittifolia*.  
*Sprucei*, M. Mich. in *DC. Monog. Phan.* iii. 80.—Bras.  
*stolonifera*, Engelm. & A. Gray, in *Bost. Journ. Nat. Hist.* v. (1845) 234 = *graminea*.  
*subulata*, Buchen. in *Bremen, Abh.* ii. (1871) 490, 500 = *natans*.

**SAGITTARIA** :—

- subulata, *Schomb. Fauna & Fl. Brit. Gui.* 1117.—Guian.  
*teniaefolia*, Phil. ex M. Mich. in DC. Monog. Phan. iii. 76 = montevidensis.  
*trachysepala*, Engelm. ex M. Mich. l. c. 74 = lancifolia.  
*triandra*, Dalz. in Hook. Kew Journ. ii. (1850) 144 = Wisneria triandra.  
*triflora*, Hort. Bog. ex Miq. Fl. Ind. Bat. iii. 239 = Hydrocharis Morsus-ranae.  
*triflora*, Noronha, in Verh. Batav. Gen. v. (1790) ed. I. Art. IV. 26 = guayanensis.  
*trifolia*, Linn. Sp. Pl. 993 = sagittifolia.  
*variabilis*, Engelm. in A. Gray, Man. Bot. N. U. St. ed. V. 493 = sagittifolia.  
*vulgaris*, Gueldenst. Reisen, ii. 45 = sagittifolia.

- SAGMEN**, Hill, Veg. Syst. iv. 35 (1762) = **Centaurea**, Linn. (Compos.).  
*jaceoides*, Hill, Herb. Brit. i. 113 = C. Scabiosa.  
*Scabiosa*, Hill, Hort. Kew. 66 = C. Scabiosa.  
*sempervirens*, Hill, l. c. = C. sempervirens.

- SAGONEA**, Aubl. Pl. Gui. i. 285. t. 111 (1775) = **Hydrolea**, Linn. (Hydroph.).  
*aquatica*, Poir. Encyc. vi. 392 = H. caroliniana.  
*palustris*, Aubl. Pl. Gui. i. 285. t. 111 = H. caroliniana.

- SAGOTIA**, Baill. Adansonia, i. 53 (1860–61). **EU-PHORBIACEAE**, Benth. & Hook. f. iii. 302.  
*racemosa*, Baill. l. c. 54.—Guian.

- SAGOTIA**, Duchass. & Walp. in Linnaea, xxiii. (1850) 737 = **Desmodium**, Desv. (Legum.).  
*triflora*, Duchass. & Walp. l. c. 738 = D. triflorum.

- SAGRAEA**, DC. Prod. iii. 170 (1828). **MELASTOMACEAE**, Benth. & Hook. f. i. 766.  
**CAPITELLARIA**, Naud. in Ann. Sc. Nat. Sér. III. xviii. (1852) 103.

- STAPHIDIASTRUM**, Naud. l. c. xvii. (1852) 325.  
*acutiflora*, Naud. in Ann. Sc. Nat. Sér. III. xviii. (1852) 9 = Henriettella fascicularis.  
*aphanantha*, Triana, in Trans. Linn. Soc. xxviii. (1871) 137 = Clidemia aphanantha.  
*attenuata*, Triana, l. c.—Ind. occ.  
*aureo-sericea*, Macfad. Fl. Jamaic. ii. 100.—Jamaic.  
*Berterii*, DC. Prod. iii. 171 = plumosa.  
*Bonplandii*, Triana, in Trans. Linn. Soc. xxviii. (1871) 137.—Am. trop.

- bracteolata*, Macfad. Fl. Jamaic. ii. 55.—Jamaic.  
*capillaris*, DC. Prod. iii. 170.—Jamaic.  
*capilliflora*, Triana, in Trans. Linn. Soc. xxviii. (1871) 138.—Bras.  
*capillipes*, Triana, l. c.—Bras.  
*capitata*, Triana, l. c. 139.—Guian.  
*cognata*, Steud. in Flora, xxvii. (1844) 722 = Clidemia rubra.

- columneaeifolia*, DC. Prod. iii. 170 = Clidemia rubra.  
*coriacea*, Triana, in Trans. Linn. Soc. xxviii. (1871) 138.—Guian.

- crossopetala*, Triana, l. c. 139.—Jamaic.  
*discolor*, Triana, l. c.—N. Granat.  
*domingensis*, DC. Prod. iii. 171.—Ins. S. Doming.  
*dumosa*, Macfad. Fl. Jamaic. ii. 53.—Jamaic.  
*epiphytica*, Triana, in Trans. Linn. Soc. xxviii. (1871) 139.—N. Granat.

- fascicularis*, DC. Prod. iii. 170 = Henriettella fascicularis.

- glomerata*, Naud. in Ann. Sc. Nat. Sér. III. xviii. (1852) 96 = Ossaea glomerata.

- Grisebachii*, Triana, in Trans. Linn. Soc. xxviii. (1871) 139.—Jamaic.

- guadalupensis*, DC. Prod. iii. 170.—Ins. Guadalup.  
*haeretica*, Naud. in Ann. Sc. Nat. Sér. III. xviii. (1852) 100 = Oxymeris cornoides.

- heteronervis*, Naud. l. c. 98 = Ossaea heteronervis.  
*heteroneura*, Triana, in Trans. Linn. Soc. xxviii. (1871) 137.—Bras.

- hirsuta*, DC. Prod. iii. 171 = Ossaea hirsuta.  
*hirtella*, DC. l. c. = Ossaea hirtella.  
*lanata*, Naud. in Ann. Sc. Nat. Sér. III. xviii. (1852) 97 = Ossaea lanata.

- latifolia*, Triana, in Trans. Linn. Soc. xxviii. (1871) 138.—Ind. occ.

- Lima*, Naud. in Ann. Sc. Nat. Sér. III. xviii. (1852) 99 = Ossaea Lima.

- Lindeniana*, Naud. l. c. 96 = Ossaea scabrosa.

**SAGRAEA** :—

- macrandra, Wright, in Saww. Fl. Cub. 46.—Cuba.  
*melanophyllum*, Triana, in Trans. Linn. Soc. xxviii. (1871) 139.—Bras.  
*microphylla*, DC. Prod. iii. 171 = Ossaea microphylla.  
*minutiflora*, Triana, in Trans. Linn. Soc. xxviii. (1871) 137.—Bras.  
*neurocarpa*, Naud. in Ann. Sc. Nat. Sér. III. xviii. (1852) 94 = Octopleura micrantha.  
*obliqua*, Triana, in Trans. Linn. Soc. xxviii. (1871) 139.—Peruv.  
*ossaeaeformis*, Triana, l. c. 138.—Ind. occ.  
*pauciflora*, Naud. in Ann. Sc. Nat. Sér. III. xviii. (1852) 100 = Calycogonium echinatum.  
*penninervis*, Triana, in Trans. Linn. Soc. xxviii. (1871) 129.—Cuba.  
*petiolata*, Triana, l. c. = Clidemia Deppeana.  
*pilosa*, DC. Prod. iii. 171.—Jamaic.  
*platyphylla*, Triana, in Trans. Linn. Soc. xxviii. (1871) 137.—Bras.

- plumosa*, Naud. in Ann. Sc. Nat. Sér. III. xviii. (1852) 93.—Jamaic.; Venezuela.  
*polystachya*, Triana, in Trans. Linn. Soc. xxviii. (1871) 138.—Porto Rico.

- racemifera*, Naud. in Ann. Sc. Nat. Sér. III. xviii. (1852) 91, 102 = Miconia racemifera.

- rariflora*, DC. Prod. iii. 171.—Venezuela.

- rubinervis*, Sauv. Fl. Cub. 47 = domingensis.

- rubra*, Triana, in Trans. Linn. Soc. xxviii. (1871) 137 = Clidemia rubra.

- salicifolia*, Triana, l. c.—Ins. Trinit.

- scabrida*, DC. Prod. iii. 170 = Henriettella fascicularis.

- scabrosa*, Naud. in Ann. Sc. Nat. Sér. III. xviii. (1852) 97 = Ossaea glomerata.

- scabrosa*, Seem. Bot. Voy. Herald, 124 = Henriettella Seemannii.

- scalpta*, Naud. in Ann. Sc. Nat. Sér. III. xviii. (1852) 95 = Ossaea scalpta.

- serpens*, Triana, in Trans. Linn. Soc. xxviii. (1871) 139.—N. Granat.

- sessiliflora*, DC. Prod. iii. 170 = Clidemia rubra.

- sessiliflora*, Triana, in Trans. Linn. Soc. xxviii. (1871) 137.—Am. trop.

- sparsiflora*, Naud. in Ann. Sc. Nat. Sér. III. xviii. (1852) 98 = Henriettella lateriflora.

- sparsiflora*, Wawra, Bot. Reis. Maximil. 24 = Henriettella umbelluliflora.

- tetragona*, DC. Prod. iii. 171.—Ins. Dominic.

- trichotoma*, Triana, in Trans. Linn. Soc. xxviii. (1871) 138.—Cuba.

- trinitensis*, Triana, l. c. 137.—Ins. Trinit.

- umbrosa*, DC. Prod. iii. 171.—Ind. occ.

- virgata*, Macfad. Fl. Jamaic. ii. 52.—Jamaic.

- Wrightii*, Triana, in Trans. Linn. Soc. xxviii. (1871) 138.—Cuba.

- SAGUERUS**, Adans. Fam. ii. 24 (1763) = **Arenga**, Labill. (Palm.).

- americanus*, H. Wendl. in Kerch. Palm. 256 = Mauritia flexuosa.

- australasicus*, H. Wendl. & Drude, in Linnaea, xxxix. (1875) 219.—Austral.

- Gamuto*, Houtt. Handleid. i. 410, t. 4. f. 2 = A. saccharifera.

- Langbak*, Blume, Rumphia, ii. 131. tt. 96, 125.—Malaya.

- Rumphii*, Roxb. Hort. Beng. 68; Fl. Ind. iii. 626 = A. saccharifera.

- saccharifer*, Blume, Rumphia, ii. 128. t. 123-124 = A. saccharifera.

- Westerhoutii*, H. Wendl. & Drude, in Kerch. Palm. 256 = A. obtusifolia.

- Wightii*, H. Wendl. & Drude, l. c. = A. Wightii.

- SAGUS**, Rumph. ex Gaertn. Fruct. i. 27 (1788) = **Metroxylon**, Rottb. (Palm.).

- americana*, Poir. Encyc. vi. 395 = Mauritia Sagus.

- amicarum*, H. Wendl. in Bot. Zeit. xxxvi. (1878) 115.—Ins. Pacif.

- elata*, Reinw. ex Blume, Rumphia, ii. 156. t. 128. f. 1 = Pigafettia elata.

- farinifera*, Gaertn. Fruct. ii. 186 = Raphia pedunculata.

- flaris*, Blume, Rumphia, ii. 154. t. 128 = Pigafettia flaris.

- filifera*, Gisek. Prael. 94.—Ind. or.

- gemina*, Steud. Nom. ed. II. ii. 492, sphalm. = genuina, Labill.

**SAGUS** :—

- genuina*, Gisek. Prael. 94 = Metroxylon Sagus.  
*genuina*, Labill. ex Blume, Rumphia, ii. 153 = M. micracanthum.

- hospita*, Kerch. Palm. 162, in adnot.—Hab. ?

- inermis*, Roxb. Hort. Beng. 68; Fl. Ind. iii. 623 = M. Sagus.

- Koenigii*, Griff. in Calc. Journ. Nat. Hist. v. (1845) 19 = M. Sagus.

- laevis*, Jack, in Malay. Misc. iii. [1823?] 9; Blume, Rumphia, ii. 147. tt. 86, 126, 127 = M. Sagus.

- longispina*, Blume, l. c. 154 = M. longispinum.

- micracantha*, Blume, l. c. 153 = M. micracanthum.

- microcarpa*, Zipp. ex Hall, Bijdr. Nat. Wet. v. (1830) 178, nomen = Pigafettia filaris.

- microsperma*, Zipp. ex Hall, l. c. 178 = Pigafettia filaris.

- Palma-pinus*, Gaertn. Fruct. i. 27. t. 10 = Raphia Gaertneri.

- pedunculata*, Poir. Encyc. Suppl. v. 13 = Raphia pedunculata.

- Raphia*, Poir. l. c. vi. 395 = Raphia vinifera.

- Ruffia*, Jacq. Fragm. 7 = Raphia pedunculata.

- Rumphii*, Willd. Sp. Pl. iv. 404 = M. Sagus.

- spinosa*, Roxb. Hort. Beng. 68, nomen = M. Sagus ?

- sylvestris*, Blume, Rumphia, ii. 153 = Pigafettia elata.

- taedigera*, Mart. Hist. Nat. Palm. ii. 54. t. 45 = Raphia vinifera.

- vinifera*, Pers. Syn. ii. 562 = Raphia vinifera.

- vitiensis*, H. Wendl. in Seem. Viti, App. 444; et in Fl. Vit. 279. t. 80 = M. vitiense.

- SAHAGUNIA**, Liebm. in Vidensk. Selsk. Skr. V. ii. (1851) 316. **URTICACEAE**, Benth. & Hook. f. iii. 377.

- ACANTHINOPHYLLUM**, Fr. Allem. in Rev. Brazil. i. (1858) 368.

- mexicana*, Liebm. in Vidensk. Selsk. Skr. V. ii. (1851) 316.—Mexic.

- SAHLBERGIA**, Reichb. Consp. 95 (1828) = **SALHBERGIA**, Neck. = **Gardenia**, Ellis (Rubiace.).

- SAINTLEGERIA**, Cordem. in Baill. Adansonia, iii. (1862–63) 300 = **Chloranthus**, Sw.

- gracilis*, Cordem. ex Baill. l. c.—China.

- SAINTMORYSIA**, Endl. Gen. 438 (1838) = **Athanasia**, Linn. (Compos.).

- pachyphylla*, Walp. Rep. vi. 211 = A. dentata.

- SAIRANTHUS**, G. Don, Gen. Syst. iv. 467 (1837) = **Nicotiana**, Linn. (Solan.).

- glutinosus*, G. Don, l. c. = N. glutinosa.

- SAIROCARPUS**, Nutt. ex A. DC. in DC. Prod. x. 592 (1846) = **Antirrhinum**, Tourn. (Scrophul.).

- californicus*, Nutt. l. c. = A. Nuttallianum.

- SAIVALA**, Jones, in As. Res. iv. (1799) 275 = **Blyxa**, Noronha (Hydroch.).

- valisnerioides*, Buch.-Ham. ex Wall. Cat. n. 5047 = B. Saivala.

- SAJORIUM**, Endl. Gen. Suppl. iii. 98 (1843) = **Plukenetia**, Linn. (Euphorb.).

- africanum*, Baill. Etud. Gén. Euph. 483.—Afr. austr.

- corniculatum*, Baill. l. c. 484 = P. corniculata.

- corniculatum*, D. Dietr. Syn. Pl. v. 331.—Java.

- tamnoides*, Baill. Etud. Gén. Euph. 484 = P. tamnoides.

- volubile*, Baill. l. c. 483 = P. volubilis.

- SAKERSIA**, Hook. f. in Benth. & Hook. f. Gen. i. 757 (1867). **MELASTOMACEAE**, Benth. & Hook. f. l. c.

- africana*, Hook. f. l. c.—Afr. trop.

- echinulata*, Hook. f. in Oliver, Fl. Trop. Afr. ii. 458.—Afr. trop.

- SALABERTIA**, Neck. Elem. ii. 238 (1790) = **Tapiria**, Juss. (Anacard.).

- SALACCA**, Reinw. in Syll. Ratisb. ii. (1828) 3 = **Zalacca**, Rumph. (Palm.).

- edulis*, Reinw. l. c. = Z. edulis.

**SALACIA**, Linn. Mant. ii. 159, 293 (1771). *CELASTRINEAE*, Benth. & Hook. f. i. 370.  
*ANTHODISCUS*, Endl. Gen. 1091, in syn. (1841).  
*ANTHODON*, Ruiz & Pav. Fl. Per. i. 45 (1798).  
*ANTHODUS*, Mart. in Schult. Mant. i. 253, 348 (1822).  
*CALYPSO*, Thou. Hist. Vég. Afr. i. 33. t. 6 (1805).  
*CLERCIA*, Vell. Fl. Flum. i. tt. 73, 74 (1827).  
*CUSTINIA*, Neck. Elem. ii. 223 (1790).  
*DIPLESTHES*, Harv. in Hook. Lond. Journ. Bot. i. (1842) 19.  
*JOHNIA*, Roxb. Fl. Ind. ed. Carey, i. 172 (1820).  
*KIPPISTIA*, Miers, in Trans. Linn. Soc. xxviii. (1872) 414, 416.  
*MACAHANEA*, Aubl. Pl. Gui. Suppl. 6. t. 371 (1775).  
*MACANEA*, Juss. Gen. 257 (1789).  
*PERITASSA*, Miers, in Trans. Linn. Soc. xxviii. (1872) 402.  
*PYRAMIDOSTYLUM*, Mart. ex Peyr. in Mart. Fl. Bras. xi. i. 155 (1878).  
*RADDIA*, Spreng. Syst. i. 177, in syn. (1825).  
*RADDISIA*, Leandro, in Denkschr. Akad. Muench. vii. (1821) 237. t. 15.  
*SARCOCAMPSA*, Miers, in Trans. Linn. Soc. xxviii. (1872) 408.  
*TONSELLA*, Schreb. Gen. 34 (1789).  
*TONTELEA*, Aubl. Pl. Gui. i. 31. t. 10 (1775).  
*affinis*, Hook. f. in Hook. Niger Fl. 281 = senegalensis.  
*affinis*, Peyr. in Mart. Fl. Bras. xi. i. 159.—Bras.  
*africana*, DC. Prod. i. 570.—Afr. trop.  
*alternifolia*, Hochst. in Flora, xxvii. (1844) 306.—Afr. austr.  
*amygdalina*, Peyr. in Mart. Fl. Bras. xi. i. 159.—Bras.  
*anomala*, Peyr. l. c. 144.—Bras.  
*arborea*, Peyr. l. c. 156 = undulata.  
*attenuata*, Peyr. l. c. 149.—Bras.  
*brachypoda*, Peyr. l. c. 150.—Bras.  
*brasiliensis*, G. Don, Gen. Syst. i. 628.—Bras.  
*Brunoniana*, Wight & Arn. Prod. 105.—Ind. or.  
*Buddinghii*, Scheff. in Flora, lii. (1869) 306; et in Tijdschr. Nederl. Ind. xxxi. (1870) 16.—Java.  
*Calypso*, DC. Prod. i. 571.—Madag.  
*calypsoides*, A. St. Hil. Fl. Bras. Mer. ii. 107.—Bras.  
*campestris*, Walp. Rep. i. 402.—Bras.  
*capilliflora*, Sagot, ex Peyr. in Mart. Fl. Bras. xi. i. 134 = Hippocratea comosa.  
*celebica*, Blume, Rumphia, iv. 19.—Ins. Celebes.  
*cerasifera*, Welw. ex Oliver, Fl. Trop. Afr. i. 376.—Afr. trop.  
*cerasiformis*, Teijsm. & Binn. Cat. Hort. Bog. 219.—Java.  
*chinensis*, Linn. Mant. ii. 293 = Roxburghii?  
*chlorantha*, Oliver, Fl. Trop. Afr. i. 375.—Afr. trop.  
*cochinchinensis*, Lour. Fl. Cochinch. 526 = Roxburghii?  
*cognata*, Peyr. in Mart. Fl. Bras. xi. i. 144.—Bras.  
*conferta*, Peyr. l. c. 159.—Bras.  
*cornifolia*, Hook. f. in Hook. Niger Fl. 281.—Afr. trop.  
*coromandeliana*, Teijsm. & Binn. Cat. Hort. Bog. 392, nomen.—Ind. or.  
*crassifolia*, G. Don, Gen. Syst. i. 628.—Bras.  
*debilis*, Walp. Rep. i. 402.—Afr. trop.  
*decussata*, G. Don, Gen. Syst. i. 627 = Hippocratea decussata.  
*densiflora*, Wall. Cat. n. 4224.—Ind. or.; Burma.  
*dentata*, Baker, in Journ. Linn. Soc. xxi. (1884) 334.—Madag.  
*diandra*, Miq. Ann. Mus. Bot. Lugd. Bat. iv. 151.—Ins. Celebes.  
*diandra*, Thw. Enum. Pl. Zeyl. 53, 407 = reticulata.  
*dichotoma*, Turcz. in Bull. Soc. Nat. Mosc. xxxvi. (1863) i. 581.—Hab.?  
*diffusiflora*, Peyr. in Mart. Fl. Bras. xi. i. 143.—Bras.  
*distincta*, Peyr. l. c. 151.—Bras.  
*Ducis-Wuerttembergiae*, Hochst. in Flora, xxvii. (1844) 307.—Afr. trop.  
*dulcis*, Benth. in Hook. Kew Journ. iv. (1852) 9.—Bras.  
*elegans*, Welw. in Oliver, Fl. Trop. Afr. i. 373.—Afr. trop.  
*elliptica*, G. Don, Gen. Syst. i. 628.—Bras.  
*elongata*, Hook. f. in Hook. Niger Fl. 282.—Afr. trop.  
*erecta*, Walp. Rep. i. 403.—Afr. trop.

**SALACIA** :—  
*erythroxyloides*, A. St. Hil. Fl. Bras. Mer. ii. 160 = elliptica.  
*evonymiflora*, Zipp. ex Miq. Ann. Mus. Bot. Lugd. Bat. iv. 149.—Java.  
*exsculpta*, Korth. in Flora, xxxi. (1848) 579.—Sumatra.  
*Finlaysonii*, Wall. Cat. n. 4220.—Siam.  
*flavescens*, Kurz, in Journ. As. Soc. Beng. xli. (1872) ii. 300.—Burma; Penang.  
*floribunda*, Tul. in Ann. Sc. Nat. Sér. IV. viii. (1857) 97.—Ins. Comor.  
*floribunda*, Wight, Illustr. i. 134 = densiflora.  
*fluminensis*, Peyr. in Mart. Fl. Bras. xi. i. 149.—Bras.  
*fruticosa*, Wall. Cat. n. 4223.—Ind. or.  
*glomerata*, G. Don, Gen. Syst. i. 628.—Bras.  
*grandiflora*, Kurz, in Journ. As. Soc. Beng. xli. (1872) ii. 300.—Burma; Penang.  
*grandiflora*, Peyr. in Mart. Fl. Bras. xi. i. 157.—Bras.  
*grandifolia*, G. Don, Gen. Syst. i. 628.—Bras.  
*Griffithii*, M. Laws. in Hook. f. Fl. Brit. Ind. i. 628.—Ind. or.  
*guianensis*, Klotzsch, ex Peyr. in Mart. Fl. Bras. xi. i. 158 = lacunosa.  
*hippocrateoides*, Peyr. l. c. 142.—Bras.  
*javanensis*, Blume, Bijdr. 219.—Java.  
*Jenkinsii*, Kurz, in Journ. As. Soc. Beng. xli. (1875) ii. 203.—Assam.  
*kalahiensis*, Korth. in Flora, xxxi. (1848) 579.—Borneo.  
*Korthalsiana*, Miq. Ann. Mus. Bot. Lugd. Bat. iv. 152.—Java.  
*Kraussii*, Harv. in Harv. & Sond. Fl. Cap. i. 230 = alternifolia.  
*lacunosa*, Peyr. in Mart. Fl. Bras. xi. i. 158.—Guian.  
*laevigata*, DC. Prod. i. 570.—Hab.?  
*laevigata*, Wight, in Hook. Bot. Misc. iii. (1833) 295. Suppl. t. 36 = Hippocratea obtusifolia.  
*lanceolata*, Teijsm. & Binn. in Tijdschr. Nederl. Ind. xxv. (1863) 424.—Java.  
*latifolia*, Wall. Cat. n. 4222.—Singapore.  
*laxiflora*, Peyr. in Mart. Fl. Bras. xi. i. 145.—Bras.  
*leptoclada*, Tul. in Ann. Sc. Nat. Sér. IV. viii. (1857) 96.—Ins. Comor.  
*Lobbii*, M. Laws. in Hook. f. Fl. Brit. Ind. i. 626.—Singapore.  
*longifolia*, Hook. f. ex M. Laws. l. c.—Malaya.  
*longifolia*, Wall. Pl. As. Rar. iii. 47. t. 278; Cat. n. 4225 = densiflora.  
*lucida*, Oliver, Fl. Trop. Afr. i. 373.—Afr. trop.  
*macrocarpa*, Korth. in Flora, xxxi. (1848) 579.—Borneo.  
*macrophylla*, Blume, Bijdr. 221.—Cochinch.; Java.  
*macrophylla*, Miq. Stimp. Surin. Sel. 85.—Guian.  
*macrosperma*, Wight, Spicil. Neilgherr. i. 28. t. 32; Ic. t. 962.—Ind. or.  
*madagascariensis*, DC. Prod. i. 570.—Madag.  
*Maingayi*, M. Laws. in Hook. f. Fl. Brit. Ind. i. 626.—Penang.  
*Mannii*, Oliver, Fl. Trop. Afr. i. 376.—Afr. trop.  
*Martiana*, Peyr. in Mart. Fl. Bras. xi. i. 146.—Bras.  
*melitocarpa*, Blume, Bijdr. 220.—Java.  
*membranacea*, M. Laws. in Hook. f. Fl. Brit. Ind. i. 627.—Reg. Himal.  
*memecyloides*, Wall. Cat. n. 4218 = verrucosa.  
*micrantha*, G. Don, Gen. Syst. i. 628.—Bras.  
*Miersii*, Peyr. in Mart. Fl. Bras. xi. i. 147.—Bras.  
*multiflora*, Cambess. in A. St. Hil. Fl. Bras. Mer. ii. 109 = Hippocratea ovata.  
*multiflora*, DC. Prod. i. 570.—Guian.  
*multiflora*, Wight, Illustr. i. 134 = polyantha, Steud.  
*myrtifolia*, Griff. Notul. iv. 470.—Burma.  
*oblonga*, Wall. Cat. n. 4226.—Ind. or.  
*oblongifolia*, Blume, Bijdr. 220.—Java.  
*oblongifolia*, G. Don, Gen. Syst. i. 628 = elliptica.  
*oblongifolia*, Oliver, Fl. Trop. Afr. i. 374.—Afr. trop.  
*oblongifolia*, Rottl. ex Steud. Nom. ed. II. ii. 492 = oblonga.  
*obovata*, Boiv. ex Tul. in Ann. Sc. Nat. Sér. IV. viii. (1857) 96 = multiflora.  
*obtusifolia*, Cambess. in A. St. Hil. Fl. Bras. Mer. ii. 105.—Bras.  
*oleoides*, Baker, in Journ. Linn. Soc. xxi. (1884) 334.—Madag.

**SALACIA** :—  
*oppositifolia*, Rottl. ex M. Laws. in Hook. f. Fl. Brit. Ind. i. 628 = oblonga.  
*ovalis*, Korth. in Flora, xxxi. (1848) 579.—Java.  
*ovalis*, M. Laws. in Hook. f. Fl. Brit. Ind. i. 627.—Malacca.  
*pachyphylla*, Peyr. in Mart. Fl. Bras. xi. i. 158.—Guian.  
*pallidescens*, Oliver, Fl. Trop. Afr. i. 376.—Afr. trop.  
*Pancheri*, Baill. Adansonia, x. (1872) 184.—N. Caled.  
*paniculata*, G. Don, Gen. Syst. i. 627.—Bras.  
*paniculata*, Wall. Cat. n. 4214 B, partim = Hippocratea Grahami.  
*parviflora*, Sagot, ex Peyr. in Mart. Fl. Bras. xi. i. 143.—Guian.  
*patens*, Decne. ex Steud. Nom. ed. II. ii. 492.—Ins. Timor.  
*patens*, Triana & Planch. in Ann. Sc. Nat. Sér. V. xvi. (1872) 374.—N. Granat.  
*platyphylla*, Kurz, in Journ. As. Soc. Beng. xli. (1875) ii. 203.—Ins. Nicobar.  
*podopetala*, Turcz. in Bull. Soc. Nat. Mosc. xxxvi. (1863) i. 581 = prinoides.  
*polyantha*, Korth. in Flora, xxxi. (1848) 579.—Borneo.  
*polyantha*, Steud. Nom. ed. II. ii. 492.—Burma.  
*pomisera*, Wall. Cat. n. 4227 = oblonga.  
*pomisera*, Wight, Arn. Prod. 105 = densiflora.  
*prinoides*, DC. Prod. i. 571.—Ind. or.  
*pruinosa*, Seem. Bot. Voy. Herald, 90 (Hippocrateae sp.).—Panama.  
*pyriformis*, Steud. Nom. ed. II. ii. 492; Walp. Rep. i. 402.—Afr. trop.  
*Radula*, G. Don, Gen. Syst. i. 628.—Bras.  
*reticulata*, Wight, Illustr. i. 134.—Ind. or.  
*Richardii*, Peyr. in Mart. Fl. Bras. xi. i. 148.—Guian.  
*Riedeliana*, Peyr. l. c. 147.—Bras.  
*Roxburghii*, Wall. Cat. n. 4217.—Ind. or.  
*rubra*, M. Laws. in Hook. f. Fl. Brit. Ind. i. 627.—Malacca.  
*rufescens*, Hook. f. in Hook. Niger Fl. 288.—Afr. trop.  
*rugosa*, Wall. Cat. n. 4228.—Ind. or.  
*rugulosa*, Sagot, in Ann. Sc. Nat. Sér. VI. xi. (1881) 174.—Guian.  
*saigonensis*, Baill. Adansonia, xi. (1873-76) 272.—Cochinch.  
*scabra*, DC. Prod. i. 570.—Guian.  
*scandens*, Griseb. Fl. Brit. W. Ind. 148.—Am. trop.  
*senegalensis*, DC. Prod. i. 570.—Afr. trop.  
*serrata*, Cambess. in A. St. Hil. Fl. Bras. Mer. ii. 109.—Bras.  
*sinensis*, Blanco, Fl. Filip. ed. I. 26 = prinoides.  
*sinensis*, J. F. Gmel. Syst. 107 = chinensis.  
*sinensis*, Naves, ex F. Villar, in Blanco, Fl. Philipp. ed. III. Nov. App. 47 (Quid?).—Ins. Philipp.  
*sororia*, Miq. Ann. Mus. Bot. Lugd. Bat. iv. 151.—N. Guin.  
*sylvestris*, Steud. Nom. ed. II. ii. 92; Walp. Rep. i. 402.—Bras.  
*tenuicula*, Peyr. in Mart. Fl. Bras. xi. i. 146.—Bras.  
*terminalis*, Thw. Enum. Pl. Zeyl. 407 = Hippocratea Arnotiana.  
*tortuosa*, Griff. Notul. iv. 471; Ic. Pl. Asiat. t. 581. f. 2.—Burma.  
*trigonocarpa*, Boiv. ex Tul. in Ann. Sc. Nat. Sér. IV. viii. (1857) 96.—Madag.  
*trinervia*, G. Don, Gen. Syst. i. 628.—Bras.  
*triplinervis*, Llanos, in Mem. Acad. Cienc. Mad. ii. (1859) 500.—Hab.?  
*undulata*, Cambess. in A. St. Hil. Fl. Bras. Mer. ii. 107.—Bras.  
*Vahlana*, Cambess. l. c. 105, in adnot.—Ins. Trinit.  
*velutina*, Cambess. l. c. 108.—Bras.  
*verrucosa*, Wight, Illustr. i. 134.—Burma; Ins. Philipp.  
*verrucosa*, Wright, ex Griseb. in Mem. Am. Acad. N. S. viii. (1861) 172, in syn.—Cuba.  
*viminea*, Wall. Cat. n. 7267.—Burma.  
*viridiflora*, Payer, Organog. 164. t. 35. f. 1-13.—Hab.?  
*Wightiana*, Wall. Cat. n. 4221 = prinoides.  
*Zeyherii*, Spreng. ex Harv. & Sond. Fl. Cap. i. 230.—Afr. austr.

**SALACISTIS**, Reichb. f. in Bonplandia, v. (1857) 36 = *Hetaeria*, Blume (Orchid.).  
*novembrilis*, Reichb. f. l. c.—Java.

**SALAKKA**, Reinw. ex Blume, Cat. Gew. Buitenz. 112 (1823) = **Zalacca**, Rumph. (Palm.).  
*edulis*, Reinw. l. c. = *Z. edulis*.

**SALAXIS**, Salisb. in Trans. Linn. Soc. vi. (1802) 317. **ERICACEAE**, Benth. & Hook. f. ii. 594.  
**COCCOSPERMA**, Klotzsch, in *Linnaea*, xii. (1838) 215.

**LAGENOCARPUS**, Klotzsch, l. c. (1838).  
*abietina*, Willd. Enum. Hort. Berol. 415 = *Philippia abietina*.  
*arborescens*, Willd. l. c. 415 = *Philippia arborescens*.  
*aristata*, D. Dietr. Syn. Pl. ii. 1261 = *Philippia aristata*.  
*artemisioides*, Klotzsch, in *Linnaea*, xii. (1838) 212.—Afr. austr.  
*axillaris*, Salisb. ex G. Don, Gen. Syst. iii. 828.—Afr. austr.  
*brachyphylla*, D. Dietr. Syn. Pl. ii. 1261 = *Philippia brachyphylla*.  
*brevifolia*, D. Dietr. l. c. = ciliata.  
*Chamissonis*, D. Dietr. l. c. 1260 = *Philippia Chamissonis*.  
*ciliata*, Benth. in DC. Prod. vii. 711.—Afr. austr.  
*ciliata*, D. Dietr. Syn. Pl. ii. 1260 = *Philippia ciliata*.  
*densa*, D. Dietr. l. c. = *Philippia densa*.  
*flexuosa*, Klotzsch, in *Linnaea*, xii. (1838) 213.—Afr. austr.  
*floribunda*, D. Dietr. Syn. Pl. ii. 1260 = *Philippia floribunda*.  
*galioides*, D. Dietr. l. c. = *Philippia galioides*.  
*Goudotiana*, D. Dietr. l. c. = *Philippia Goudotiana*.  
*gracilis*, D. Dietr. l. c. 1261 = *Ericinella gracilis*.  
*hexandra*, Klotzsch, in *Linnaea*, ix. (1834) 352.—Afr. austr.  
*imbricata*, Willd. ex Steud. Nom. ed. II. ii. 319, 493 = *Philippia abietina*.  
*Leeana*, D. Dietr. Syn. Pl. ii. 1260 = *Philippia Leeana*.  
*mauritaniana*, Boj. ex Wall. Cat. n. 1525 = *Philippia abietina*.  
*micrantha*, Benth. in DC. Prod. vii. 711.—Afr. austr.  
*montana*, Boj. Hort. Maurit. 195 = *Philippia brachyphylla*.  
*montana*, Willd. Enum. Hort. Berol. 415 = *Philippia montana*.  
*multiflora*, D. Dietr. Syn. Pl. ii. 1261 = *Ericinella multiflora*.  
*octandra*, Klotzsch, in *Linnaea*, ix. (1834) 353.—Afr. austr.  
*parviflora*, D. Dietr. Syn. Pl. ii. 1260 = *Philippia parviflora*.  
*puberula*, Klotzsch, in *Linnaea*, xii. (1838) 212.—Afr. austr.  
*ramosissima*, D. Dietr. Syn. Pl. ii. 1260 = *Philippia ramosissima*.  
*rugosa*, Benth. in DC. Prod. vii. 711.—Afr. austr.  
*Sieberi*, Benth. l. c.—Afr. austr.  
*tenuifolia*, D. Dietr. Syn. Pl. ii. 1260 = *Philippia tenuifolia*.  
*tenuissima*, D. Dietr. l. c. 1261 = *Philippia tenuissima*.  
*viscosa*, D. Dietr. l. c. = *Philippia viscosa*.

**SALAZARIA**, Torr. in Bot. Mex. Bound. 133. t. 39 (1858). **LABIATAE**, Benth. & Hook. f. ii. 1201.  
*mexicana*, Torr. l. c.—Mexic.

**SALCEDA**, Blanco, Fl. Filip. ed. II. 374 (1854) = **Camellia**, Linn. (Ternstr.).  
*montana*, Blanco, l. c. = *C. lanceolata*.

**SALDANHA**, Vell. Fl. Flum. 141 (1825); Ic. iii. tt. 157, 158 (1827) = **Hillia**, Jacq. (Rubiaceae).  
*illustris*, Vell. l. c. 142; iii. t. 157.—Bras.  
*nobilis*, Vell. l. c. t. 158.—Bras.

**SALDANHAEAE**, Bur. in Baill. Adansonia, viii. (1867–68) 354. tt. 7, 11, 12. **BIGNONIACEAE**, Benth. & Hook. f. ii. 1035.  
*confertiflora*, Bur. l. c. 356.—Bras.  
*lateriflora*, Bur. l. c.—Bras.

**SALDINIA**, A. Rich. in Mém. Soc. Hist. Nat. Par. v. (1834) 206. **RUBIACEAE**, Benth. & Hook. f. ii. 129.  
*Pseudomorinda*, A. Rich. l. c. 206.—Madag.

**SALGADA**, Blanco, Fl. Filip. ed. II. 221 (1845) = **Eusideroxylon**, Teijsm. & Binn. (Laurin.).  
*lauriflora*, Blanco, l. c. = *E. Zwageri*.

**SALHBERGIA**, Neck. Elem. i. 262 (1790) = **Gardenia**, Ellis (Rubiaceae).

**SALICA**, Hill, Hort. Kew. 172/24 (1768) = **Lythrum**, Linn.  
*Lythastrum*, Hill, l. c. = *L. Thymifolia*.

**SALICARIA**, Tourn. ex Mill. Gard. Dict. ed. VI. (1752) = **Lythrum**, Linn.  
*Graefferi*, Hort. Berol. ex Steud. Nom. ed. II. ii. 86, 493 = *L. Hyssopifolia*.  
*Hyssopifolia*, Lam. Fl. Fr. iii. 103 = *L. Hyssopifolia*.  
*Hyssopifolia*, Moench, Meth. Suppl. 231 = *L. Salicaria*.  
*spicata*, Lam. Fl. Fr. iii. 103 = *L. Salicaria*.  
*Thymifolia*, Lam. l. c. 104 = *L. Thymifolia*.  
*virgata*, Moench, Meth. 665 = *L. virgatum*.  
*vulgaris*, Moench, l. c. = *L. Salicaria*.

**SALICORNIA**, [Tourn.] Linn. Sp. Pl. ed. I. 357 (1737).  
**CHENOPODIACEAE**, Benth. & Hook. f. iii. 66.  
**SARCATHRIA**, Rafin. Fl. Tellur. iii. 47 (1836).  
*acetaria*, Pall. Illustr. tt. 1, 2. f. 1 = herbacea.  
*Alpini*, Lag. Mem. Pl. Barrill. 48 = fruticosa.  
*ambigua*, Michx. Fl. Bor. Am. i. 2 = fruticosa.  
*amplexicaulis*, Vahl, Symb. Bot. ii. 1 = *Haloepelis amplexicaulis*.  
*anceps*, Lag. Mem. Pl. Barrill. 52 = fruticosa.  
*annua*, Sm. Engl. Bot. t. 415 = herbacea.  
*appressa*, Dum. in Bull. Soc. Bot. Belg. vii. (1866) 333.—Europ.  
*arabica*, Linn. Sp. Pl. 3 = fruticosa.  
*arabica*, Pall. Reise, i. 481 = *Kalidium caspicum*.  
*arabica*, Raddi, ex Moq. in DC. Prod. xiii. ii. 157 = *Suaeda fruticosa*.  
*Arbuscula*, R. Br. Prod. 411 = *Arthrocnemum arbusculum*.  
*Arbuscula*, DC. ex Moq. in DC. Prod. xiii. ii. 151 = fruticosa.  
*Arbuscula*, Moric. ex Steud. Nom. ed. II. ii. 493 = *Arthrocnemum glaucum*.  
*australis*, Soland. ex Forst. f. Prod. 88.—Austral.  
*Bergii*, Lor. & Niederl. in Roca, Exped. Rio-Negro, ii. 194.—Patag.  
*bidens*, Benth. Fl. Austral. v. 204.—Austral.  
*biennis*, Afzel. ex Sm. Fl. Brit. i. 2 = herbacea.  
*Bigelowii*, Torr. Bot. Mex. Bound. 184.—Am. bor.  
*brachiata*, Miq. Fl. Ind. Bat. i. 1. 1019 = *Arthrocnemum ciliolatum*.  
*brachiata*, Roxb. Hort. Beng. [79]; Fl. Ind. i. 84.—Ind. or.  
*californica*, Nutt. ex Moq. in DC. Prod. xiii. ii. 151 = *Arthrocnemum fruticosum*.  
*caspica*, Linn. Sp. Pl. 4 = *Kalidium caspicum*.  
*caspica*, Pall. Reise, i. 480 = *Halostachys caspica*.  
*cinerea*, F. Muell. Fragm. vi. 251.—Austral.  
*cortica*, Walp. ex Ung. Sternb. Vers. Syst. Salic. 60 = *Gaudichaudiana*.  
*cruciata*, Coqueb. ex Ung. Sternb. in Atti Congr. Bot. Firenze, 1874 (1876) 310 = herbacea.  
*cruciata*, Forsk. Fl. Aegypt. Arab. 2 = *Halocnemum strobilaceum*.  
*Doeringii*, Lor. & Niederl. in Roca, Exped. Rio-Negro, ii. 194.—Patag.  
*drepanensis*, Tineo, ex Ung. Sternb. in Atti Congr. Bot. Firenze, 1874 (1876), 338 = *Halocnemum strobilaceum*.  
*Emerici*, Duval-Jouve, in Bull. Soc. Bot. Fr. xv. (1868) 176 = herbacea.  
*equisetifolia*, Willd. ex Moq. in DC. Prod. xiii. ii. 145 = fruticosa.  
*europaea*, Linn. Sp. Pl. 3 = fruticosa, herbacea.  
*falcata*, J. F. Gmel. Syst. 1618, sphalm. = *foliata*.  
*fastigiata*, Losc. & Pard. Ser. Inconf. Pl. Arag. ed. I. 90 = *Microcnemum fastigiatum*.  
*foliacea*, Georgi, Besch. Russ. Reich. iv. 610 = *Kalidium foliatum*.  
*foliata*, Pall. Reise, i. 482 = *Kalidium foliatum*.  
*foliosa*, Vahl, Enum. i. 12 = *Kalidium foliatum*.  
*frutescens*, Friedrich. ex Ung. Sternb. in Atti Congr. Bot. Firenze, 1874 (1876), 296 = fruticosa.  
*fruticosa*, Linn. Sp. Pl. ed. II. 5.—Europ.; Afr. bor.  
*fruticosa*, Moq. Chenop. Enum. 112 = *Halocnemum strobilaceum*.  
*fruticosa*, Retz. Prod. Fl. Scand. ed. II. 1 = herbacea.  
*fruticosa*, Sibth. & Sm. Fl. Graec. Prod. i. 1 = *Arthrocnemum glaucum*, *macrostachyum*.  
*fruticulosa*, Tineo, Cat. Pl. Hort. Panorm. (1827) 280 = fruticosa.

**SALICORNIA** :—

*Gaudichaudiana*, Moq. Chenop. Enum. 115.—Bras.  
*glaucia*, Delile, Fl. Egypt. Illustr. 69 = *Arthrocnemum glaucum*.  
*glaucia*, Sieber, ex Ung. Sternb. in Atti Congr. Bot. Firenze, 1874 (1876), 338 = *Halocnemum strobilaceum*.  
*glaucia*, Stokes, Bot. Mat. Med. i. 8 = fruticosa?  
*herbacea*, Fée, ex Ung. Sternb. in Atti Congr. Bot. Firenze, 1874 (1876), 296 = fruticosa.  
*herbacea*, Linn. Sp. Pl. ed. II. 5.—Europ.  
*indica*, R. Br. Prod. 411 = australis.  
*indica*, Drège, Zwei Pfl. Docum. 159, 217 = *natalensis*.  
*indica*, Ritt. ex Ung. Sternb. in Atti Congr. Bot. Firenze, 1874 (1876), 333 = *Heterostachys Ritteriana*.  
*indica*, Willd. in Ges. Naturf. Fr. Neue Schr. ii. (1799) 111. t. 4. f. 4 = *Arthrocnemum indicum*.  
*intermedia*, Woods, in Proc. Linn. Soc. ii. (1851) 110 = herbacea.  
*leiostachya*, Benth. Fl. Austral. v. 203.—Austral.  
*lignosa*, Woods, in Proc. Linn. Soc. ii. (1851) 111 = fruticosa?  
*macedonica*, Bunge, ex Ung. Sternb. Vers. Syst. Salic. 48 = herbacea.  
*macrostachya*, Moric. Fl. Venet. i. 2 = *Arthrocnemum glaucum*.  
*megastachya*, Woods, in Proc. Linn. Soc. ii. (1851) 113.—Europ.  
*mucronata*, Bigel. Fl. Bost. ed. III. 2 = *Bigelowii*.  
*mucronata*, Lag. Mem. Pl. Barrill. 58 = *Arthrocnemum glaucum*.  
*natalensis*, Bunge, ex Ung. Sternb. Vers. Syst. Salic. 62.—Afr. austr.  
*Neei*, Lag. Mem. Pl. Barrill. 51 = fruticosa.  
*nodulosa*, Delile, Fl. Egypte, 147 = *Haloepelis amplexicaulis*.  
*pachystachya*, Bunge, ex Ung. Sternb. Vers. Syst. Salic. 51.—Madag.  
*Pallasiana*, C. A. Mey. ex Ung. Sternb. in Atti Congr. Bot. Firenze, 1874 (1876), 321 = *Kalidium foliatum*.  
*Pallasii*, C. A. Mey. ex Hohen. in Bull. Soc. Nat. Mosc. (1838) 361 = *Kalidium caspicum*.  
*patula*, Duval-Jouve, in Bull. Soc. Bot. Fr. xv. (1868) 175 = herbacea.  
*peregrina*, Weinm. ex Ung. Sternb. in Atti Congr. Bot. Firenze, 1874 (1876), 309 = herbacea.  
*perennans*, Willd. Sp. Pl. i. 24 = herbacea.  
*perennis*, Mill. Gard. Dict. ed. VIII. n. 2 = herbacea.  
*perfoliata*, Forsk. Fl. Aegypt. Arab. 3 = *Haloepelis perfoliata*.  
*peruviana*, H. B. & K. Nov. Gen. et Sp. ii. 193 = fruticosa.  
*procumbens*, Sm. Engl. Bot. t. 2475 = herbacea.  
*prostrata*, Pall. Illustr. t. 3 = herbacea.  
*pusilla*, Woods, in Proc. Linn. Soc. ii. (1851) 110 = herbacea.  
*pygmaea*, Pall. Illustr. i. 8. t. 2. f. 2 = *Haloepelis pygmaea*.  
*quinqueflora*, Bunge, ex Ung. Sternb. Vers. Syst. Salic. 59 = australis.  
*radicans*, Mert. & Koch, in Roehl. Deutschl. Fl. ed. III. i. 292 = herbacea.  
*radicans*, Sm. Engl. Bot. t. 1691 = fruticosa.  
*ramosissima*, Woods, in Proc. Linn. Soc. ii. (1851) 110 = herbacea.  
*robusta*, F. Muell. Fragm. vi. 251 = *Pachycornia robusta*.  
*Salsola*, Coqueb. ex Ung. Sternb. in Atti Congr. Bot. Firenze, 1874 (1876), 310 = herbacea.  
*sarmentosa*, Duval-Jouve, in Bull. Soc. Bot. Fr. xv. (1868) 174 = fruticosa.  
*sempervirens*, Sauvages, ex Steud. Nom. ed. I. 714 = fruticosa.  
*simplex*, Stokes, Bot. Mat. Med. i. 7 = virginica.  
*stricta*, Willd. ex Steud. Nom. ed. I. 714 = herbacea.  
*strobilacea*, Delile, Fl. Egypte. t. 3. f. 2 = *Haloepelis amplexicaulis*.  
*strobilacea*, Gaertn. Fruct. ii. 210. t. 127. f. 8 = *Kalidium foliatum*.  
*strobilacea*, Pall. Reise, i. 481 = *Halocnemum strobilaceum*.  
*tenuis*, Benth. Fl. Austral. v. 204.—Austral.  
*virginica*, Forsk. Fl. Aegypt. Arab. 2 = *Arthrocnemum glaucum*.  
*virginica*, Linn. Sp. Pl. 4 (virginia).—Am. bor.  
*virginica*, Nutt. Gen. Am. i. 2 = *Bigelowii*.  
*virginica*, Scholler, Barb. Suppl. 311 = fruticosa.



SALIMORI, Adans. Fam. ii. 177 (1763) = *Cordia*?, Linn. (Borag.).

SALIOLA, Schwag. ex Leplay, in Démid. Voy. Russ. Mém. ii. 236 (1842) = *Salsola*?, Linn. (Chenop.).  
*Loeslii*, Schwag. l. c. (Quid?)—Ross.

SALISBURIA, Sm. in Trans. Linn. Soc. iii. (1797) 330 = *Ginkgo*, Linn. (Conif.).  
*adiantifolia*, Sm. l. c. = *G. biloba*.  
*Billardieri*, Rich. ex Carr. Conif. ed. I. 500 = *Phyllocladus rhomboidalis*.  
*biloba*, Hoffmgg. Verz. Pfl. 109 = *G. biloba*.  
*Ginkgo*, Rich. Conif. 133. t. 3<sup>bis</sup> = *G. biloba*.  
*macrophylla*, Reyn. Cat. Sénécl. (1854) 40 = *G. biloba*.

SALISBURYA, Hoffmgg. Verz. Pfl. 109 (1824) = *præc.*

SALISIA, Lindl. Swan River App. 10 (1839) = *Kunzea*, Reichb. (Myrtac.).  
*pulchella*, Lindl. l. c. = *K. sericea*.

SALISIA, Panch. ex Brongn. & Gris, in Bull. Soc. Bot. Fr. x. (1863) 373 = *Xanthostemon*, F. Muell. (Myrtac.).  
*aurantiaca*, Panch. l. c. (= *Fremya aurantiaca*).—N. Caled.  
*flava*, Panch. l. c. (= *Fremya flava*).—N. Caled.  
*rubra*, Panch. l. c. = *X. rubrum*.  
*rugosa*, Panch. l. c. 374 = *X. Pancheri*.

SALISIA, Regel, in Flora, xxxii. (1849) 179 = *Gloxinia*, L'Hérit. (Gesner.).  
*gloxiniaeflora*, Regel, l. c. = *G. maculata*.  
*maculata*, Regel, in Bot. Zeit. ix. (1851) 894 = *G. maculata*.  
*pallidiflora*, Regel, l. c. = *G. maculata*.  
*suaveolens*, Regel, l. c. = *G. maculata*.

**SALIX**, [Tourn.] Linn. Syst. ed I (1735); Gen. ed. I. 300 (1737). *SALICINEAE*, Benth. & Hook. f. iii. 411.

AMERINA, ARGORIPS, BIGGINA, DIAMARIPS, DIPLIMA, DIPLUSION, NECTOLIS, NECTOPIX, NECTUSION, NESTYLIX, OISODIX, PLEIARINA, PSATHERIPS, RIPSSELAXIS, RIPSOTIS, SOKOLOFIA, TELESMA, URNECTIS, USIONIS, VETRIX, VIMEN, Rafin. Alsog. Am. 13-15 (1838).  
CAPRAEA, Opiz, Seznam. 25 (1852).  
GRUENERA, Opiz, l. c. 48 (1852).  
KNAFIA, Opiz, l. c. 56 (1852).  
LUSEKIA, Opiz, l. c. 61 (1852).

acmophylla, Boiss. Diagn. Ser. I. vii. 98.—Oriens; Ind. or.

acuminata, Lange, Dansk. Fl. ed. II. 658 = *Smithiana*.  
acuminata, Mill. Gard. Dict. ed. VIII. n. 14; Pall. Fl. Ross. ii. 81 = *cinerea*.

acuminata, Schleich. ex Ser. Ess. Saul. 21 = *grandifolia*.

acuta, Szub. Spis Drzew. Krzew. Krol. Polsk. 136.—Polonia.

acutifolia, Borrer, ex Hook. Fl. Bor. Am. ii. 150 = *boganidensis*?

acutifolia, Willd. Sp. Pl. iv. 668 = *daphnoides*.

adenophylla, Hook. Fl. Bor. Am. ii. 146.—Labrador.

adscendens, Sm. Engl. Bot. t. 1962 = *repens*.

aegyptiaca, Forsk. Fl. Aegypt. Arab. p. lxxvi, 170 (an seq.?).—Aegypt.

aegyptiaca, Linn. Cent. Pl. i. 32; Amoen. Acad. iv. 295 = *S. Salsaf*.

aegyptiaca, Thunb. Prod. Pl. Cap. 6 = *capensis*.

affinis, Gren. & Godr. Fl. Fr. iii. 132 = *Smithiana*.

affinis, Schur, Enum. Pl. Transs. 619 = *incana*.

aglaja, Hort. ex C. Koch, Dendrol. ii. 501 = *daphnoides*.

ajanensis, Anderss. in Vet. Acad. Handl. Stockh. vi. (1867) n. i. 107 = *sitchensis*.

alata, Kar. ex Stschegl. in Bull. Soc. Nat. Mosc. xxvii. (1854) i. 197 = *subcordata*.

alaternoides, Forbes, Salict. Woburn. 151. t. 76 = *Lapponum*.

alaternoides, Schleich. ex Ser. Ess. Saul. 68 = *nigricans*.

alba, Kern. in Oestr. Bot. Zeitschr. viii. (1858) 183 = *hexandra*.

alba, Linn. Sp. Pl. 1021.—Europ.; As. et Afr. bor.

alba, Thunb. Fl. Jap. 25 = *Thunbergiana*.

Alberti, Regel, in Act. Hort. Petrop. vi. (1879) 463.—As. centr.

## SALIX:—

*albescens*, Schleich. ex Ser. Ess. Saul. 68 = *nigricans*.  
*albicans*, Bonjean, ex Ser. l. c. 21 = *grandifolia*.  
*albida*, Schleich. ex Ser. l. c. 31 = *glaucia*.  
*albiphila*, Tausch, ex Wimm. Sal. Europ. 196 = *Lapponum*.

*albovirens*, Anderss. in Vet. Acad. Handl. Stockh. vi. (1867) n. i. 127 = *nigricans*.

*alnoides*, Schang. & Siev. in Pall. N. Nord. Beitr. vii. 347, 349 = *pyrolaeifolia*.

*alopecuroides*, Tausch, Ind. Hort. Canal. (1821); ex Opiz, Boehm. Gew. (1823) 111 = *triandra*.

*alpestris*, Anderss. in Oefvers. Vet. Akad. Foerhandl. xv. (1858) 129 = *ovata*.

*alpestris*, Wulf. ex Willd. Sp. Pl. iv. 680 = *S. Arbuscula*.

*alpigena*, Kern. in Oestr. Bot. Zeitschr. xiv. (1864) 369 = *retusa*.

*alpina*, Scop. Fl. Carn. ed. II. ii. 255 = *S. Arbuscula*, Myrsinites.

*altaica*, Lundstr. in Nov. Act. Soc. Sc. Upsal. (1877) 36.—Sibir. altaic.

*Amandae*, Anderss. in DC. Prod. xvi. ii. 283 = *glaucia*.

*Amaniana*, Willd. Sp. Pl. iv. 663 = *nigricans*.  
*ambigua* ×, Ehrh. Beitr. vi. 103.—Europ.

*ambigua*, Pollini, Fl. Veron. iii. 162 = *cinerea*.

*ambigua*, Pursh, Fl. Am. Sept. ii. 617 = *nigra*.

*ambigua*, Salisb. Prod. 394 = *aurita*.

*ambigua*, Schleich. ex Ser. Ess. Saul. 40 = *repens*.

*americana*, Walp. Ann. v. 747 = *lanata*.

*amigdalina*, Vill. Fl. Delphin. 109 = *triandra*.

*amplexicaulis*, Bory & Chaub. Fl. Pélop. 64. t. 36 = *purpurea*.

*amygdalifolia*, Gilib. Exercit. ii. 406 = *triandra*.

*amygdalina*, Boiss. ex Anderss. in DC. Prod. xvi. ii. 211 = *alba*.

*amygdalina*, Linn. Sp. Pl. 1016 = *triandra*.

*amygdaloides*, Anderss. in Oefvers. Vet. Akad. Foerhandl. xv. (1858) 114 = *nigra*.

*Andersoniana*, Sm. Engl. Bot. t. 2343 = *nigricans*.

*androgyna*, Hoppe, ex Willd. Sp. Pl. iv. 654 = *triandra*.

*androgyna*, Roth, Tent. Fl. Germ. ii. 523.—Europ.

*Anglorum*, Cham. in Linnæa, vi. (1831) 541 = *phlebo-phylla*.

*angustata*, Pursh, Fl. Am. Sept. ii. 613 = *cordata*.

*angustifolia*, Poir. in Duham. Arb. ed. Nov. iii. 125 = *incana*.

*angustifolia*, Willd. Sp. Pl. iv. 699.—Oriens; As. bor.

*angustifolia*, Wulf. in Jacq. Coll. iii. 48 = *repens*.

*annularis*, Forbes, Salict. Woburn. 41. t. 21 = *baby-lonica*.

*Ansoniana*, Forbes, l. c. 213. t. 107 = *nigricans*.

*apiculata*, Anderss. in Vet. Acad. Handl. Stockh. 1850 (1851) 470 = *tetrasperma*.

*apoda*, Trautv. Ind. Sem. Hort. Petrop. (1865) 37.—Reg. Caucas.

*appendiculata*, Vahl, in Fl. Dan. t. 1056 = *glaucia*.

*appendiculata*, Vill. Hist. Pl. Dauph. iii. 775 = *grandifolia*.

*aquatica*, Lam. Fl. Fr. ii. 231 = *S. Caprea*?

*aquatica*, Ser. Ess. Saul. 20 = *aurita*.

*aquatica*, Sm. Fl. Brit. 1065; Engl. Bot. t. 1437 = *cinerea*.

*arborescens*, Hartig, Lehrb. Forstl. Pfl. 23; ex Wimm. Sal. Europ. 167, 169 = *purpurea*, *oxycarpa*.

*Arbuscula*, Anderss. in DC. Prod. xvi. ii. 292 = *fruticulosa*.

*Arbuscula*, Linn. Sp. Pl. 1018.—Europ.; As. bor.

*Arbuscula*, Pall. Fl. Ross. ii. 83 = *myrtilloides*.

*Arbuscula*, Vill. Hist. Pl. Dauph. iii. 771 = *hastata*.

*Arbuscula*, Wahlenb. in Fl. Dan. t. 1055 = *phylicifolia*.

*arbusculoides*, Anderss. in Vet. Acad. Handl. Stockh. vi. (1867) n. i. 147.—Am. arct.

*arbutifolia*, Pall. Fl. Ross. i. ii. 79 = *hastata*.

*arbutifolia*, Ser. Ess. Saul. 44 = *S. Myrsinites*.

*arbutifolia*, Willd. Sp. Pl. iv. 682.—Europ.

*arctica*, Pall. Fl. Ross. i. ii. 86.—Reg. arct.

*arenaria*, Linn. Sp. Pl. 1019 = *repens*.

*arenaria*, Willd. Sp. Pl. iv. 689 = *Lapponum*.

*argentea*, Dum.-Cours. Bot. Cult. ed. II. vi. 395.—Am. bor.

*argentea*, Lindem. in Bull. Soc. Nat. Mosc. xxiii. (1850) ii. 528.—Rossia.

*argentea*, Sm. Fl. Brit. 1059 = *repens*.

## SALIX:—

*argophylla*, Nutt. N. Am. Sylva, i. 71. t. 20 = *longifolia*.

*arguta*, Anderss. in Vet. Acad. Handl. Stockh. vi. (1867) n. i. 32 = *lasiantra*.

*argyrocarpa*, Anderss. l. c. 107.—Am. bor.

*asplenifolia*, Hort. ex C. Koch, Dendrol. ii. i. 540 = *incana*.

*atrocinerea*, Brot. Fl. Lusit. i. 31 = *cinerea*.

*atropurpurea*, Forbes, Salict. Woburn. 284 = *nigricans*.

*atrovirens*, Schleich. Cat. Pl. Helv. ed. III. 25 = *nigricans*.

*attenuata*, Kern. in Verh. Zool.-Bot. Ges. Wien, x. (1860) 246 = *grandifolia*.

*aubonnensis*, Schleich. ex Ser. Ess. Saul. 65 = *nigricans*.

*aurea*, Salisb. Prod. 393 = *alba*.

*auriculata*, Mill. Gard. Dict. ed. VIII. n. 9 = *triandra*.

*aurigerana*, Lapeyr. Hist. Abr. Pl. Pyr. 598 = *S. Caprea*.

*aurita*, Host, Sal. 23-25 = *nigricans*.

*aurita*, Linn. Sp. Pl. 1019.—Europ.; As. bor.

*auritoides*, Kern. in Verh. Zool.-Bot. Ges. Wien, x. (1860) 257 = *purpurea*.

*Aurora*, Laestad. ex Anderss. in Bot. Notiser (1866), 147 = *fuscescens*.

*Austinae*, Bebb, in Bot. Calif. ii. 88.—Calif.

*australior*, Anderss. in Vet. Acad. Handl. Stockh. vi. (1867) n. i. 43 = *fragilis*.

*australis*, Forbes, Salict. Woburn. 205. t. 103 = *cinerea*.

*australis*, Hilsenb. & Boj. ex Fries, Mant. i. 77 = *madagascariensis*.

*australis*, Schleich. ex Spreng. Pugill. ii. 88 = *nigricans*.

*austriaca*, Host, Sal. 19. t. 64 = *purpurea*.

*axillaris*, Anderss. ex A. Rich. Tent. Fl. Abyss. ii. 275 = *S. Salsaf*.

*Azaolana*, Blanco, Fl. Filip. ed. II. 539 = *tetrasperma*.

*babylonica*, Linn. Sp. Pl. 1017.—Reg. Caucas.; As. bor.

*badensis*, Doell, Fl. Bad. 519 = *nigricans*.

*baicalensis*, Turcz. ex Anderss. in DC. Prod. xvi. ii. 276 = *speciosa*.

*balsamifera*, Barratt, ex Anderss. in Oefvers. Vet. Akad. Foerhandl. xv. (1858) 125 = *discolor*.

*Barclayi*, Anderss. l. c.—Am. bor.

*Barrattiana*, Hook. Fl. Bor. Am. ii. 146. t. 187.—Am. bor.

*Basfordiana*, Scaling, ex J. Salter, in Gard. Chron. (1882) i. 298.—Gallia.

*Baumgarteniana*, Schur, Enum. Pl. Transs. 618 = *purpurea*.

*bavarica* ×, Bruegg. in Jahresb. Naturf. Ges. Graub. II. xxiii-xxix. (1880) 117.—Europ.

*berberifolia*, Pall. Reise, iii. 759.—Sibir. altaic.

*bicolor*, Ehrh. Beitr. v. 162 = *phylicifolia*.

*bicolor*, Fries, Mant. i. 53 = *livida*.

*bifida*, Wulf. Fl. Nor. Phan. 780 = *incana*.

*bifurcata*, Chevall. Fl. Env. Par. ii. 357 = *purpurea*.

*Bigelovii*, Torr. in Pacif. Rail. Rep. iv. 139 = *lasiolepis*.

*bigemmis*, Hoffm. Deutschl. Fl. ed. II. 260 = *daphnoides*.

*blanda*, Anderss. in Vet. Acad. Handl. Stockh. vi. (1867) n. i. 50 = *alba*.

*Blumhardtiana*, Schimp. ex Hochst. in Flora, xxiv. (1841) i. Intell. 21 = *S. Salsaf*.

*Blyttii*, Kern. in Verh. Zool.-Bot. Ges. Wien, x. (1860) 210 = *pyrenaica*.

*boganidensis*, Trautv. in Middend. Reise, i. ii. Bot. 154.—Sibir.

*Bonplandiana*, H. B. & K. Nov. Gen. et Sp. ii. 24. t. 101, 102.—Mexic.

*borealis*, Fries, in Bot. Notiser (1840), 193 = *nigricans*.

*Borreri*, S. F. Gray, Nat. Arr. Brit. Pl. ii. 732 = *seq.*

*Borreriana*, Sm. Engl. Fl. iv. 174 = *phylicifolia*.

*brachycarpa*, Nutt. N. Am. Sylva, i. 69 = *longifolia*.

*brachylepis*, Franch. & Sav. Enum. Pl. Jap. ii. 503.—Japan.

*brachystachys*, Benth. Pl. Hartw. 336.—Am. bor.

*bracteata*, Anderss. in DC. Prod. xvi. ii. 213 = *seq.*

*bracteosa*, Turcz. ex Trautv. & Mey. in Middend. Reise (Fl. Ochot. 77) = *macrolepis*.

*Brayi*, Ledeb. Fl. Alt. iv. 289 = *berberifolia*.

*Brayi*, Nym. Consp. 670 = *S. Myrsinites*.

*brevijulis*, Turcz. in Bull. Soc. Nat. Mosc. xxvii. (1854) i. 387.—Sibir. baical.

*brevistyla*, Richter, in Corresp. Ver. Naturk. Presb. ii. (1863) 196.—Europ.

**SALIX:—**

- Breweri, *Bebb, in Bot. Calif.* ii. 88.—Calif.  
 Brownei, *Lundstr. in Nov. Act. Soc. Sc. Upsal.* (1877) 6, 8, 12, 37.—Ins. N. Zembla.  
 Buergeriana, *Miq. Ann. Mus. Bot. Lugd. Bat.* iii. 28.—Japon.  
*buxifolia*, Schleich. ex Ser. Ess. Saul. 54=Lapponum.  
*buxifolia*, Trev. ex Anderss. in DC. Prod. xvi. ii. 290 = *phlebophylla*.  
*caerulea*, Sm. Engl. Bot. t. 2431 = *alba*.  
*caesia*, *Vill. Hist. Pl. Dauph.* iii. 768. t. 50.—Gall.; Helv.  
*californica*, *Bebb, in Bot. Calif.* ii. 89.—Calif.  
*calliantha*, J. Kern. in Verh. Zool.-Bot. Ges. Wien, xv. (1865) 44 = *purpurea*.  
*callicarpaea*, Trautv. in Nouv. Mém. Soc. Nat. Mosc. ii. (1832) 295 = *arctica*.  
*calodendron*, Wimm. Sal. Europ. 187 = *Smithiana*.  
*calophylla*, Wall. Cat. n. 9102 = *tetrasperma*?  
*caloptera*, *Miq. Ann. Mus. Bot. Lugd. Bat.* iii. 26.—Japon.  
*calostachya*, *Anderss. in Vet. Acad. Handl. Stockh.* 1850 (1851) 489.—Reg. Himal.  
*calyculata*, *Hook. f. ex Anderss. in Journ. Linn. Soc.* iv. (1860) 55.—Reg. Himal.  
*campestris*, Fries, Nov. Mant. ed. II. i. 68 = *nigricans*.  
*cana*, *Mart. & Gal. in Bull. Acad. Brux.* x. ii. (1843) 344.—Mexic.  
*canaliculata*, Bess. Enum. Pl. Volh. 77 = *repens*.  
*canariensis*, C. Sm. ex Link. in *Buch, Besch. Canar. Ins.* 159.—Marocc.; Ins. Canar.  
*candida*, *Fluegge, ex Willd. Sp. Pl.* iv. 708.—Am. bor.  
*candidula*, Schleich. ex Ser. Ess. Saul. 67 = *nigricans*.  
*canescens*, Fries, Mant. i. 58 = *Lapponum*.  
*canescens*, Willd. Sp. Pl. iv. 687 = *oleaefolia*.  
*Canthiana* x, Kern. in Verh. Zool.-Bot. Ges. Wien, x. (1860) 218.—Europ.  
*cantonensis*, *Hance, in Journ. Bot.* vi. (1868) 48.—China.  
*capensis*, *Thunb. Fl. Cap.* i. 139.—Afr. austr.  
*Caprea*, Boiss. & Buhse, in Nouv. Mém. Soc. Nat. Mosc. xii. (1860) 201 = *cinerea*.  
*Caprea*, *Linn. Sp. Pl.* 1020.—Europ.; As. bor.  
*Caprea*, Oed. Fl. Dan. t. 245 = *lanata*.  
*capraeformis*, Kern. in Verh. Zool.-Bot. Ges. Wien, x. (1860) 217 = *viminialis*.  
*capreoides*, Anderss. in Oefvers. Vet. Akad. Foerhandl. xv. (1858) 120 = *brachystachys*.  
*capreola*, Kern. ex Anderss. in Vet. Acad. Handl. Stockh. vi. (1867) n. i. 70 = *S. Caprea*.  
*caprina*, Dulac, Fl. Hautes-Pyr. 148 = *S. Caprea*.  
*Capusii*, *Franch. in Ann. Sc. Nat. Sér. VI.* xviii. (1884) 251.—Turkestan.  
*cardiophylla*, *Trautv. & Mey. in Middend. Reise (Fl. Ochot. 77).*—As. bor. or.  
*carinata*, Sm. Fl. Brit. 1055 = *S. Arbuscula*.  
*carinthiaca*, Host, Sal. t. 113 = *cinerea*.  
*carniolica*, Host, Fl. Austr. ii. 64 = *purpurea*.  
*caroliniana*, Michx. Fl. Bor. Am. ii. 226 = *nigra*.  
*carpinifolia*, Schleich. ex Spreng. Pugill. ii. 89 = *nigricans*.  
*caspica*, Hort. ex Willd. Sp. Pl. iv. 668 = *daphnoides*.  
*caspica*, Pall. Fl. Ross. i. ii. 74 = *volgensis*.  
*caucasica*, Anderss. in Vet. Acad. Handl. Stockh. vi. (1867) n. i. 68 = *silesiaca*.  
*cerasifolia*, Goldb. ex Ledeb. Fl. Ross. iii. 608 = *nigricans*.  
*cerasifolia*, Schleich. ex Spreng. Pugill. ii. 88 = *hastata*.  
*Chalaf*, *Forsk. Fl. Aegypt. Arab.* p. lxxvi.—Aegypt.  
*Chamissonis*, *Anderss. in DC. Prod.* xvi. ii. 290.—Am. bor.  
*chinensis*, *Burm. f. Fl. Ind.* 211 (err. typ. 311).—China; Japon.  
*chinensis*, Molina, Sagg. Chile, 137 = *Humboldtiana*.  
*chlorocarpa*, Schur, Enum. Pl. Transs. 616 = *fragilis*.  
*chlorophana*, Anderss. in DC. Prod. xvi. ii. 260 = *glabra*.  
*chlorophylla*, *Anderss. in Vet. Acad. Handl. Stockh.* vi. (1867) n. i. 138.—Am. bor.  
*chlorostachya*, *Turcz. in Bull. Soc. Nat. Mosc.* xxvii. (1854) i. 373.—Sibir.  
*chrysanthos*, Vahl, in Fl. Dan. t. 1057 = *lanata*.  
*chrysophylla*, Bertol. in Mem. Acad. Sc. Bologn. Ser. II. iv. (1864) 314 = *Daltoniana*.  
*ciliata*, DC. Fl. Fr. 293 = *pyrenaica*.  
*cinerascens*, Duby, Bot. Gall. 423 = *grandifolia*.  
*cinerascens*, Link. ex Willd. Sp. Pl. iv. 706.—Europ. austr.

**SALIX:—**

- cinerea*, Kar. & Kir. ex Anderss. in DC. Prod. xvi. ii. 269 = *Smithiana*.  
*cinerea*, *Linn. Sp. Pl.* 1021.—Europ.; Oriens; As. bor.  
*cinerea*, Schleich. ex Anderss. in Vet. Acad. Handl. Stockh. vi. (1867) n. i. 69 = *aurita*.  
*cinerea*, Sm. Fl. Brit. 1063 = *daphnoides*.  
*cinnamomea*, Schleich. Cat. Pl. Helv. ed. III. 25 = *aurita*.  
*cistifolia*, Tausch, ex Opiz, Boehm. Gew. (1823) 111 (Quid?).—Europ.  
*cladostema*, Hayne, Dendr. Fl. Umg. Berl. 190 = *aurita*.  
*clavata*, Wall. Cat. n. 3698 = *Lindleyana*.  
*clethraefolia*, Schleich. Cat. Pl. Helv. ed. III. 25 = *nigricans*.  
*clorophana*, Anderss. in Vet. Acad. Handl. Stockh. vi. (1867) n. i. 178 (*chlorophana*) = *glabra*.  
*cochleata*, *Dum. Fl. Belg.* 13.—Belgium.  
*coerulescens*, Doell, Fl. Bad. 517 = *livida*.  
*coerulescens*, Turcz. in Bull. Soc. Nat. Mosc. xxvii. (1854) i. 374 = *acutifolia*.  
*coluteoides*, *Mirb. in Mém. Mus. Par.* xiv. (1827) 462.—Afr. trop.  
*commixta*, Anderss. in DC. Prod. xvi. ii. 225 = *discolor*.  
*comosa*, Tausch, ex Opiz, Boehm. Gew. (1823) 111 nomen (Quid?).—Europ.  
*compacta* x, Anderss. in Bot. Notiser (1867), 112.—Europ.  
*composita*, Tausch, ex Opiz, Boehm. Gew. (1823) 111 (Quid?).—Europ.  
*concolor*, Host, Fl. Austr. ii. 639 = *purpurea*.  
*concolor*, Schleich. ex Ser. Ess. Saul. 67 = *nigricans*.  
*conformis*, Forbes, Salict. Woburn. 47. t. 24 = *Smithiana*.  
*conformis*, Schleich. ex Ser. Ess. Saul. 19 = *aurita*.  
*confusa*, Turcz. in Bull. Soc. Nat. Mosc. xxvii. (1854) i. 383 = *lanata*.  
*conifera*, Wagh. Beytr. 123. t. 31 = *phylicifolia*.  
*connata*, Bess. ex Link. Handb. ii. 453 = *repens*.  
*constricta*, Guss. Enum. Pl. Inar. 403 = *cinerea*.  
*cordata*, *Muhl. in Ges. Naturf. Fr. Neue Schr.* iv. (1803) 236.—Am. bor. et arct.  
*cordifolia*, Banks, ex Pursh, Fl. Am. Sept. ii. 615 = *cordata*.  
*cordifolia*, Hook. Fl. Bor. Am. ii. 152 = *glaucia*.  
*cordifolia*, Pursh, Fl. Am. Sept. ii. 611 = *arctica*.  
*coriacea*, Schleich. ex Ser. Ess. Saul. 68; Forbes, Salict. Woburn. 223. t. 112 = *nigricans*.  
*coruscans*, Jacq. Fl. Austr. t. 408 = *S. Arbuscula*.  
*coruscans*, Willd. Sp. Pl. iv. 681 = *glabra*.  
*corylifolia*, Turcz. in Bull. Soc. Nat. Mosc. xxvii. (1854) i. 385 = *pyrolaefolia*.  
*cotinifolia*, Sm. Engl. Bot. t. 1403 = *nigricans*.  
*Cotteti*, Kern. in *Oestr. Bot. Zeitschr.* xiv. (1864) 368.—Europ.  
*Cotteti*, Lagg. ex Anderss. in DC. Prod. xvi. ii. 294 = *retusa*.  
*Coulteri*, Anderss. in Oefvers. Vet. Akad. Foerhandl. xv. (1858) 119 = *sitchensis*.  
*crassa*, Barratt, Salic. Am. n. 7 = *discolor*.  
*crassa*, *Peterm. in Flora*, xxvii. (1844) 374.—Europ.  
*crassifolia*, Schleich. ex Ser. Ess. Saul. 68 = *nigricans*.  
*crassijulis*, Trautv. in Nouv. Mém. Soc. Nat. Mosc. ii. 308 = *Pallasii*.  
*crataegifolia*, Bertol. in Desv. Journ. Bot. ii. (1813) 76 (1832) = *glabra*.  
*crispa*, Forbes, Salict. Woburn. 83. t. 42 = *nigricans*.  
*crisposerrata*, Schleich. ex Ser. Ess. Saul. 43 = *nigricans*.  
*Croweana*, Sm. Engl. Bot. t. 1115 = *phylicifolia*.  
*cuneata*, Nutt. N. Am. Sylv. i. 66 = *sitchensis*.  
*cuneata*, Turcz. ex Ledeb. Fl. Ross. iii. 623 = *arctica*.  
*curtiflora*, *Anderss. in Oefvers. Vet. Akad. Foerhandl.* xv. (1858) 130.—Am. bor.  
*curvirostris*, Tausch, ex Opiz, Boehm. Gew. (1823) 111 (Quid?).—Europ.  
*cuspidata*, D. Don, Prod. Fl. Nep. 59 = *tetrasperma*.  
*cuspidata*, Schultz, Prod. Fl. Starg. Suppl. 47 = *pentandra*.  
*Cutleri*, *Tuckerm. in Am. Journ.* Ser. I. xlv. (Oct. 1843) 36.—Am. bor.  
*cyanolimnæna*, *Hance, in Journ. Bot.* xx. (1882) 294.—China.  
*cyathipoda*, Anderss. ex A. Rich. Tent. Fl. Abyss. ii. 275 = *S. Salsaf.*

**SALIX:—**

- cyclostigma*, *Peterm. in Flora*, xxvii. (1844) 372.—Europ.  
*cydoniifolia*, Schleich. Cat. Pl. Helv. ed. III. 25 = *nigricans*.  
*cyllenea*, Boiss. & Orph. ex Boiss. Fl. Orient. iv. 1188 = *incana*.  
*dahurica*, Turcz. in Bull. Soc. Nat. Mosc. xxvii. (1854) i. 377 = *purpurea*.  
*Daltoniana*, *Anderss. in Journ. Linn. Soc.* iv. (1860) 49.—Reg. Himal.  
*damascena*, Forbes, Salict. Woburn. 285. t. 157 = *nigricans*.  
*daphneola*, Tausch, ex Anderss. in DC. Prod. xvi. ii. 276 = *Lapponum*.  
*daphnoides*, *Vill. Prosp.* 51; *Hist. Pl. Dauph.* iii. 765.—Europ.; As. bor.  
*dasycarpa*, Turcz. ex Ledeb. Fl. Ross. iii. 618 = *S. Myrsinites*.  
*dasyclados*, Wimm. in *Flora*, xxxii. (1849) 35 = *Smithiana*.  
*Davalliana*, Sm. Engl. Fl. iv. 175 = *phylicifolia*.  
*Daviesii*, Boiss. *Diagn.* Ser. I. vii. 98.—Persia.  
*dealbata*, Anderss. in Vet. Acad. Handl. Stockh. 1850 (1851), 472 = *acmophylla*.  
*decipiens*, Hoffm. Hist. Sal. ii. 9 = *fragilis*.  
*decumbens*, Forbes, Salict. Woburn. 175. t. 88 = *repens*.  
*decumbens*, Schleich. Cat. Pl. Helv. ed. III. 25.—Europ.  
*densa*, Wall. Cat. n. 9103 = *tetrasperma*.  
*denticulata*, Anderss. in Vet. Acad. Handl. Stockh. 1850 (1851), 481 = *elegans*.  
*denudata*, Rafin. Fl. Ludov. 116 (Quid?).—Am. bor.  
*denudata*, Schleich. ex Ser. Ess. Saul. 65 = *nigricans*.  
*depressa*, Fries, Mant. i. 57 = *livida*.  
*depressa*, Hoffm. Hist. Sal. i. 39 = *repens*.  
*depressa*, Linn. Fl. Suec. ed. II. 352 = *lanata*.  
*desertorum*, *Richards. in Frankl. 1st Journ.* (1823) 753.—Am. bor.  
*dichroa*, Doell, Fl. Bad. 511 = *purpurea*.  
*Dicksoniana*, Sm. Engl. Bot. t. 1390 = *phylicifolia*.  
*diffusa*, Schleich. Cat. Pl. Helv. ed. III. 25 = *nigricans*.  
*digenea* x, J. Kern. in Oestr. Bot. Zeitschr. xxiv. (1874) 204.—Europ.  
*diplodictya*, Trautv. in Nouv. Mém. Soc. Nat. Mosc. ii. (1832) 307 = *Pallasii*.  
*discolor*, Anderss. in Oefvers. Vet. Akad. Foerhandl. xv. (1858) 123 = *chlorophylla*.  
*discolor*, Host, Sal. 18. t. 60, 61 = *purpurea*.  
*discolor*, *Muhl. in Ges. Naturf. Fr. Neue Schr.* iv. (1803) 234.—Am. bor.  
*discolor*, Schrad. ex Willd. Sp. Pl. iv. 695 = *phylicifolia*.  
*disperma*, Roxb. ex D. Don, Prod. Fl. Nep. 58 = *tetrasperma*.  
*divaricata*, Anderss. in Vet. Acad. Handl. Stockh. vi. (1867) n. i. 127 = *nigricans*.  
*divaricata*, Pall. Fl. Ross. i. ii. 80 = *arctica*.  
*divergens*, *Anderss. in DC. Prod.* xvi. ii. 316.—Reg. Himal.  
*diversifolia*, Rochel, ex Anderss. in Vet. Acad. Handl. Stockh. vi. (1867) n. i. 116 = *repens*.  
*Doniana*, Sm. Engl. Fl. iv. 213.—Europ.  
*dracunculifolia*, Boiss. *Diagn.* Ser. I. vii. 99 = *angustifolia*.  
*dracunculoides*, Anderss. ex Regel, in Act. Hort. Petrop. vi. (1879) 466 = *Trautvetteriana*.  
*Drummondiana*, *Barratt, in Hook. Fl. Bor. Am.* ii. 144.—Am. bor.  
*dubia*, Anderss. in DC. Prod. xvi. ii. 314 = *cinerea*.  
*dubia*, Suter, Fl. Helv. ii. 283 = *S. Myrsinites*.  
*dubia*, Trautv. in Bull. Acad. Sc. Pétersb. i. (1836) 132, nomen = *nigra*.  
*dumetorum*, Suter, Fl. Helv. ii. 284 = *cinerea*.  
*dura*, Schleich. Cat. Pl. Helv. ed. III. 25; Forbes, Salict. Woburn. 209. t. 105 = *cardiophylla*, *nigricans*.  
*Ehrhartiana*, E. Mey. Chlor. Hannov. 486 = *pentandra*.  
*elaeagnifolia*, Forbes, Salict. Woburn. 137. t. 69 = *glaucia*.  
*elaeagnifolia*, Tausch, ex Opiz, Boehm. Gew. (1823) 111 = *purpurea*.  
*elaeagnoides*, Schleich. ex Ser. Ess. Saul. 91 = *glaucia*.  
*Elaeagnos*, Scop. Fl. Carn. ed. II. ii. 257 = *incana*.  
*elbrusensis*, Boiss. *Diagn.* Ser. I. xii. 117 = *purpurea*.  
*elegans*, Bess. Enum. Pl. Volh. 77 = *myrtilloides*.  
*elegans*, Host, Fl. Austr. ii. 652 = *hastata*.  
*elegans*, Wall. Cat. n. 3699.—Reg. Himal.

**SALIX:—**

elegantissima, C. Koch, Wochenschr. xiv. (1871) 381.—Japon.  
*elliptica*, Schleich. ex Ser. Ess. Saul. 44 = nigricans.  
*Erdingeri*, Kern. in Verh. Zool.-Bot. Ges. Wien, xi. (1861) 243 = daphnoides.  
*eriantha*, Schleich. ex Link, Enum. Hort. Berol. ii. 415 = hastata.  
*eriocarpa*, Franch. & Sav. Enum. Pl. Jap. ii. 502.—Japon.  
*eriocephala*, Michx. Fl. Bor. Am. ii. 225 = discolor.  
*eriolepis*, Less. ex Anderss. in Vet. Acad. Handl. Stockh. vi. (1867) n. i. 171 = hastata.  
*eriphylla*, Anderss. in Journ. Linn. Soc. iv. (1860) 48.—Reg. Himal.  
*eristachya*, Wall. Cat. n. 3704.—Reg. Himal.  
*erythrocoma*, Barratt, ex Anderss. in DC. Prod. xvi. ii. 206 = lasiandra  
*erythrophleba*, Tausch, ex Wimm. Sal. Europ. 196 = Lapponum.  
*estipulata*, Kit. in Linnaea, xxxii. (1863) 356 (Quid ?).—Europ.  
*euclasia*, Goldb. ex Hoefft, Cat. Koursk, 63 = fragilis.  
*excelsa*, J. F. Gmel. Syst. 74 = seq. ?  
*excelsa*, Tausch, ex Koch, Syn. Fl. Germ. ed. I. 643 = fragilis.  
*excelsior*, Host, Sal. 8. t. 28 = fragilis.  
*exigua*, Nutt. N. Am. Sylv. 75 = longifolia.  
*fagifolia*, Schleich. ex Ser. Ess. Saul. 43 = nigricans.  
*fagifolia*, Willd. Sp. Pl. iv. 704 = silesiaca.  
*falcata*, H. B. & K. Nov. Gen. et Sp. ii. 23 = Humboldtiana.  
*falcata*, Pursh. Fl. Am. Sept. ii. 614 = nigra.  
*farinosa*, Hartig, Nachtr. Naturg. Forstl. Cult. Pfl. Deutschl. 7 = Seringiana.  
*Fendleriana*, Anderss. in Oefvers. Vet. Akad. Foerhandl. xv. (1858) 115 = lasiandra.  
*Fenzliana*, Kern. in Verh. Zool.-Bot. Ges. Wien, x. (1860) 195 x. = retusa.  
*ferruginea*, G. Anders. ex Forbes, Salict. Woburn. 255. t. 128 = Smithiana.  
*finmarchica*, Willd. Berl. Baumz. ed. II. 441 = myrtilloides.  
*firma*, Schleich. ex Ser. Ess. Saul. 65 = nigricans.  
*fissa*, Dum. Fl. Belg. 13 = pentandra.  
*fissa*, Hoffm. Hist. Sal. i. 61 = purpurea.  
*flabellaris*, Anderss. in Vet. Acad. Handl. Stockh. 1850 (1851) 497.—Reg. Himal.  
*flava*, Schoepf. ex J. F. Gmel. Syst. 74 = humilis.  
*flavescens*, Host, Sal. 31. t. 101 = S. Arbuscula.  
*flavescens*, Nutt. N. Am. Sylv. i. 65 = brachystachys.  
*flavissima*, Tausch, ex Opiz, Boehm. Gew. (1823) 111, nomen (Quid ?).—Europ.  
*flavo-virens*, Hornem. Cat. Pl. Hort. Hafn. Suppl. ii. 11 = nigra.  
*flexibilis*, Gilib. Exercit. ii. 406 = alba.  
*floribunda*, Forbes, Salict. Woburn. 107. t. 54 = phyllicifolia.  
*floridana*, Chapm. Fl. S. U. St. 430.—Florida.  
*Flueggeana*, Willd. Sp. Pl. iv. 709 = oleaefolia.  
*fluviatilis*, Nutt. N. Am. Sylv. i. 73 = longifolia.  
*foetida*, Schleich. ex DC. Fl. Fr. iii. 296 = S. Arbuscula.  
*foetida*, Sm. Engl. Fl. iv. 208 = repens.  
*foliolosa*, Willd. Sp. Pl. iv. 685.—Europ.  
*foliosa*, Afzel. ex Koch, Syn. Fl. Germ. ed. I. 653 = livida.  
*Forbesiana*, Anderss. in Vet. Acad. Handl. Stockh. vi. (1867) n. i. 117 = repens.  
*Forbesiana*, Loud. Arb. Brit. iii. 1581 = phyllicifolia.  
*Forbyana*, Sm. Fl. Brit. 1041 = purpurea.  
*formosa*, Willd. Sp. Pl. iv. 680 = S. Arbuscula.  
*Forsteriana*, Sm. Engl. Bot. t. 2344 = nigricans.  
*fragilior*, Host, Sal. 6. t. 22 = fragilis.  
*fragilis*, Forsk. Fl. Aegypt. Arab. p. lxxvi (Quid ?).—Aegypt.  
*fragilis*, Host, Sal. 5. tt. 18, 19 = pentandra.  
*fragilis*, Linn. Sp. Pl. 1017.—Europ.; As. bor.  
*fragilissima*, Host, Sal. 6. tt. 22, 23 = fragilis.  
*fragillima*, Schur, Enum. Pl. Transs. 616 = fragilis.  
*fragrans*, Salish. Prod. 393 = pentandra.  
*Frangula*, Willd. ex Schleich. Cat. Pl. Helv. ed. III. 25 = nigricans.  
*Friesiana*, Anderss. in Bot. Notiser (1866), 156 = repens.  
*Friesii*, Kern. in Verh. Zool.-Bot. Ges. Wien, x. (1860) 183 = pentandra.  
*fruticosa*, Doell, Fl. Bad. 515 = Smithiana.  
*fruticulosa*, Anderss. in Journ. Linn. Soc. iv. (1860) 53.—Reg. Himal.

**SALIX:—**

*fruticulosa*, Kern. in Oestr. Bot. Zeitschr. xiv. (1864) 368 = S. Arbuscula.  
*fulcrata*, Anderss. in Vet. Acad. Handl. Stockh. vi. (1867) n. i. 139.—Am. bor.  
*fumosa*, Turcz. in Bull. Soc. Nat. Mosc. xxvii. (1854) 1. 384 = arctica.  
*furcata*, Anderss. in DC. Prod. xvi. ii. 291 = fruticulosa.  
*furcata*, Tausch, ex Wimm. Sal. Europ. 173 = purpurea.  
*fusca*, Fries, Mant. i. 69 = myrtilloides.  
*fusca*, Hook. Fl. Bor. Am. ii. 151 = argyrocarpa.  
*fusca*, Jacq. Fl. Austr. t. 409 = S. Myrsinites.  
*fusca*, Linn. Sp. Pl. 1020 = repens.  
*fuscata*, Pursh, Fl. Am. Sept. ii. 612 = petiolaris.  
*fuscata*, Tausch, ex Anderss. in DC. Prod. xvi. ii. 307 = purpurea.  
*fuscenscens*, Anderss. in Vet. Acad. Handl. Stockh. vi. (1867) n. i. 97.—Kamschat.  
*fuscior*, Anderss. l. c. 163.—Am. bor.  
*gariepina*, Burch. Trav. i. 317 = capensis.  
*geminata*, Forbes, Salict. Woburn. 257. t. 129 = Smithiana.  
*gemmata*, Wimm. ex Anderss. in DC. Prod. xvi. ii. 304 = Seringiana.  
*Geyeriana*, Anderss. in Oefvers. Vet. Akad. Foerhandl. xv. (1858) 122.—Am. bor. occ.  
*glabra*, Ledeb. Fl. Ross. iii. 623 = caesia.  
*glabra*, Scop. Fl. Carn. ed. II. ii. 255.—Europ.  
*glabrata*, Herb. Heyne, ex Wall. Cat. n. 7977 = Excoecaria crenulata.  
*glabrata*, Schleich. Cat. Pl. Helv. ed. IV. 25.—Europ.  
*glabrescens*, Lindl. in Wall. Cat. n. 3706 = tetrasperma ?  
*glabricarpa*, Schleich. Cat. Pl. Helv. ed. III. 25 = nigricans.  
*glacialis*, Anderss. in Oefvers. Vet. Akad. Foerhandl. xv. (1858) 131.—Am. bor.  
*glareosa*, Schleich. Cat. Pl. Helv. ed. III. 25 = nigricans.  
*glaucina*, Linn. Sp. Pl. 1019.—Europ.; As. et Am. bor.  
*glaucina*, Sm. Engl. Bot. t. 1810 = Lapponum.  
*glaucina*, Willd. Berl. Baumz. 388 = S. Arbuscula.  
*glaucescens*, Host, Sal. 23 = nigricans.  
*glaucescens*, Moench, Meth. Suppl. 116 = S. Arbuscula.  
*glaucoides*, Anderss. in DC. Prod. xvi. ii. 284 = S. Myrsinites.  
*glaucophylla*, Anderss. in Vet. Acad. Handl. Stockh. 1850 (1851) 474 = acmophylla.  
*glaucophylla*, Bess. Enum. Pl. Volh. 38 = Lapponum.  
*glaucophylla*, Schleich. ex Ser. Ess. Saul. 68 = nigricans.  
*glaucops*, Anderss. in DC. Prod. xvi. ii. 281 = glauca.  
*Gmelini*, Pall. Fl. Ross. i. ii. 77 = viminalis.  
*Gmelini*, Turcz. in Bull. Soc. Nat. Mosc. xxvii. (1854) 1. 390 = Lapponum.  
*Gmeliniana*, Turcz. l. c. = praec.  
*gnaphaloides*, Schleich. ex Anderss. in DC. Prod. xvi. ii. 276 = Lapponum.  
*Goepfertii*, Anderss. in Vet. Acad. Handl. Stockh. vi. (1867) n. i. 68 = hastata.  
*gongylocarpa*, Shuttlew. ex Anderss. in Oefvers. Vet. Akad. Foerhandl. xv. (1858) 114 = nigra.  
*Govaniana*, Wall. Cat. n. 3699 = elegans.  
*gracilentia*, Tausch, in Flora, xvii. (1834) 447 = fragilis.  
*gracilis*, Anderss. in Oefvers. Vet. Akad. Foerhandl. xv. (1858) 127 = petiolaris.  
*gracilistyla*, Miq. Ann. Mus. Bot. Lugd. Bat. iii. 26.—Japon.  
*Grahami*, Borrer, ex Baker, in Journ. Bot. v. (1867) 157. t. 66 = retusa.  
*grandifolia*, Fries, ex Nym. Consp. 667 = S. Caprea.  
*grandifolia*, Ser. Ess. Saul. 20.—Europ.  
*grisea*, Hook. Kew Journ. vii. (1855) 372 = seq. ?  
*grisea*, Marsh. ex A. Gray, Man. Bot. N. U. St. ed. II. 417.—Am. bor.  
*grisea*, Rafin. in Med. Repos. N. York, v. (1808) 352, nomen (Quid ?).—Am. bor. ?  
*grisea*, Wall. Cat. n. 3700 G = Wallichiana.  
*grisea*, Willd. Sp. Pl. iv. 699 = sericea.  
*grisesens* x, Anderss. in Bot. Notiser (1867), 112.—Europ.  
*grisonensis*, Forbes, Salict. Woburn. 197. t. 99 = nigricans.  
*grisophylla*, Schleich. ex Ser. Ess. Saul. 67 = nigricans.  
*groenlandica*, Lundstr. in Nov. Act. Soc. Sc. Upsal. (1877) n. xiv. 36.—Ins. N. Zembla.  
*gryonensis*, Schleich. ex Ser. Ess. Saul. 67 = nigricans.

**SALIX:—**

*guseniensis*, Wimm. Sal. Europ. 231 = cinerea.  
*Halleri*, Schleich. ex Ser. Ess. Saul. 67 = nigricans.  
*Hartmanniana*, Anderss. in DC. Prod. xvi. ii. 275 = lanata.  
*Hartwegi*, Benth. Pl. Hartw. 46 = lasioplepis.  
*hastata*, Hoppe, ex Vill. Hist. Pl. Dauph. iii. 774. t. 50 = nigricans.  
*hastata*, Linn. Sp. Pl. 1017.—Europ.; As. bor.  
*hastata*, Thuill. Fl. Par. ed. II. 512 = triandra.  
*Heerii* x, Bruegg. in Jahresb. Naturf. Ges. Graub. II. xxv. (1882) 104.—Europ.  
*Hegetschweileri*, Heer, in Hegetschw. Fl. Schw. 963 = phyllicifolia.  
*Heimerli* x, H. Braun, in Oestr. Bot. Zeitschr. xxxi. (1881) 107.—Europ.  
*heliciiflora*, Tausch, ex Anderss. in DC. Prod. xvi. ii. 308 = purpurea.  
*Helix*, Linn. Sp. Pl. 1017 = purpurea.  
*helvetica*, Forbes, Salict. Woburn. 287 = nigricans.  
*helvetica*, Vill. Hist. Pl. Dauph. iii. 783 = Lapponum.  
*herbacea*, Linn. Sp. Pl. 1018.—Reg. bor. et arct.  
*herbacea*, Schrenk, Reise, ii. 523 = rotundifolia.  
*herbacea*, Soland. in Phipps, Voy. 202; Hook. in Parry, Narr. 2nd Voy. (1825) 404 (1827) = polaris.  
*hermaphroditica*, Linn. Sp. Pl. 1015 = pentandra.  
*heterophylla*, Bray, in Denkschr. Bot. Ges. Regensb. i. (1815) 51 = alba.  
*heterophylla*, Host, Sal. 26. t. 87 = aurita.  
*heterophylla*, Schult. Fl. Starg. Suppl. 51 = repens.  
*heterophylla*, Schur, in Verh. Siebenb. Ver. Naturw. x. (1859) 141 = hastata.  
*hexandra*, Ehrh. Beitr. vii. 138.—Austria.  
*himalensis*, Klotzsch, ex Anderss. in Vet. Acad. Handl. Stockh. 1850 (1851) 482 = elegans.  
*Hindsiana*, Benth. Pl. Hartw. 335 = longifolia.  
*hippochaefolia*, Ledeb. Fl. Ross. iii. 601 = purpurea.  
*hippochaefolia*, Thuill. Fl. Par. ed. II. 514 = molissima.  
*hippochaefolia*, Wimm. & Grah. Fl. Siles. ii. 363 = multiformis.  
*hircina* x, Kern. in Verh. Zool.-Bot. Ges. Wien, xiv. (1864) 99 = incana.  
*hirsuta*, Thunb. Prod. Pl. Cap. 6 = capensis.  
*hirta*, Sm. Engl. Bot. t. 1404 = nigricans.  
*hirtula*, Anderss. in Bot. Notiser (1866), 147 = myrtilloides.  
*Hoffmanniana*, Bluff & Fingerh. Comp. Fl. Germ. ed. I. ii. 568 = cinerea.  
*Hoffmanniana*, Hook. & Arn. Bot. Beech. Voy. 159 = lasiandra.  
*Hoffmanniana*, Sm. Engl. Bot. t. 2620 = triandra.  
*Hoffmanniana*, Tausch, ex Wimm. Sal. Europ. 173 = purpurea.  
*holosericea*, Ser. in Flora, xiii. (1830) 1. Erg. 41 = Seringiana.  
*holosericea*, Willd. Sp. Pl. iv. 708 = Smithiana.  
*Hookeriana*, Barratt, in Hook. Fl. Bor. Am. ii. 145. t. 180.—Am. bor.  
*Hoppeana*, Willd. Sp. Pl. iv. 654; Sturm, Deutschl. Fl. Heft 25 = triandra.  
*Horsfieldiana*, Miq. Fl. Ind. Bat. i. ii. 461 = tetrasperma.  
*Hosteana*, Willd. in Ges. Naturf. Fr. Berl. Mag. iv. (1810) 53 = S. Arbuscula ?  
*Hostii* x, Kern. in Verh. Zool.-Bot. Ges. Wien, x. (1860) 213 = viminalis.  
*Houstoniana*, Pursh, Fl. Am. Sept. ii. 614 = nigra.  
*Huartina*, Sm. Engl. Fl. iv. 203 = Lapponum.  
*Hugelii*, Wimm. ex Anderss. in Journ. Linn. Soc. iv. (1860) 41 = tetrasperma.  
*Huguenini* x, Bruegg. in Jahresb. Naturf. Ges. Graub. II. xxiii-xxiv. (1880) 117; xxv. (1882) 104.—Europ.  
*Humboldtiana*, Willd. Sp. Pl. iv. 657.—Am. austr.  
*humilis*, Marsh. Arbust. 140.—Am. bor.  
*humilis*, Willd. Berl. Baumz. ed. II. 439 = phyllicifolia.  
*humillima*, Anderss. in DC. Prod. xvi. ii. 248.—Am. arct.  
*hungarica*, Kern. in Oestr. Bot. Zeitschr. xiv. (1864) 9.—Europ.  
*Huteri*, Kern. in Oestr. Bot. Zeitschr. xvi. (1866) 370 = Lapponum.  
*hybrida*, Hoffm. Deutschl. Fl. ed. II. ii. 263 = nigricans.  
*hybrida*, Opiz, in Flora, v. (1822) 270.—Europ.

## SALIX:—

- hybrida*, Rafn. in Med. Repos. N. York, v. (1808) 352, nomen (Quid?).—Am. bor.?  
*hybrida*, Scop. Fl. Carn. ed. II. ii. 253.—Europ.  
*hybrida*, Vill. Hist. Pl. Dauph. iii. 778 = *S. Caprea*.  
*hyperborea*, Anderss. Sal. Lapp. 51. f. 12 = *hastata*.  
*hypophæfolia*, Forbes, Salict. Woburn. 13, sphalm. = *hippophæfolia*.  
*ichnostachya*, Wall. Cat. n. 3704; *Lindl. ex Wight*, Ic. t. 1953.—Ind. or.  
*ilicifolia*, Anderss. in Vet. Acad. Handl. Stockh. vi. (1867) n. i. 127 = *nigricans*.  
*ilicifolia*, Willd. ex Cham. in Linnaea, vi. (1831) 542 = *berberifolia*.  
*iliensis*, Regel, in Act. Hort. Petrop. vi. (1879) 464.—As. centr.  
*incana*, Michx. Fl. Bor. Am. ii. 225 = *candida*.  
*incana*, Schleich. ex Ser. Ess. Saul. 44 = *nigricans*.  
*incana*, Schrank, Baier. Fl. i. 230.—Europ.  
*incanescens*, Forbes, Salict. Woburn. 239. t. 120 = *cinerea*.  
*incerta*, Lapeyr. Hist. Abr. Pl. Pyr. 594 = *triandra*.  
*incubacea*, Linn. Sp. Pl. 1020 = *repens*.  
*indigena*, Forsk. Fl. Aegypt. Arab. p. lxxvi = *S. Safsaf*.  
*insignis*, Anderss. in Journ. Linn. Soc. iv. (1860) 47.—Reg. Himal.  
*integra*, Thunb. Fl. Jap. 24 = *repens*.  
*intermedia*, Host, Sal. 17. t. 56, 57 = *incana*.  
*intermedia*, Thomas, ex Anderss. in Vet. Acad. Handl. Stockh. vi. (1867) n. i. 145 = *S. Arbuscula*.  
*irrorata*, Anderss. in Oefvers. Vet. Akad. Foerhandl. xv. (1858) 117.—Mexic.  
*iserana*, J. & C. Presl, Fl. Čech. 204 = *aurita*.  
*jacquiniana*, Willd. Sp. Pl. iv. 692 = *S. Myrsinites*.  
*Jacquinii*, Host, Syn. 529 = *præc.*  
*japonica*, Thunb. Fl. Jap. 24. t. 31 = *babylonica*.  
*jaspidea*, Hort. ex C. Koch, Dendrol. ii. 11. 501 = *daphnoides*.  
*javanica*, Anderss. in Vet. Acad. Handl. Stockh. vi. (1867) n. i. 3 = *tetrasperma*.  
*julacea*, Anderss. l. c. 1850 (1851), 476 = *S. Caprea*.  
*Junghuhniana*, Anderss. ex Miq. Illustr. Fl. Ind. Arch. 13.—Java.  
*juratensis*, Schleich. ex Ser. Ess. Saul. 44 = *nigricans*.  
*kamaunensis*, Lindl. in Wall. Cat. n. 3701 = *elegans*.  
*kanderiana*, Ser. Ess. Saul. 37 = *Seringeana*.  
*Karelini*, Turcz. ex Stschégel. in Bull. Soc. Nat. Mosc. xxvii. (1854) i. 196, 393.—As. centr.  
*kassanogluensis*, Kotschy, ex Anderss. in DC. Prod. xvi. 11. 212 = *alba*.  
*Kawajanagi*, Siebold, in Verh. Batav. Gen. xii. (1830) 24 = *Buergeriana*, gracilistyla.  
*Kernerii*, Erding, in Verh. Zool.-Bot. Ges. Wien, xv. (1865) 78 = *incana*.  
*kilnensis*, Anderss. in DC. Prod. xvi. 11. 320 = *myrtillodes*.  
*Kirilowiana*, Stschégel. in Bull. Soc. Nat. Mosc. xxvii. (1854) i. 198.—Sibir. altaic.  
*Kitaibeliana*, Willd. Sp. Pl. iv. 683 = *retusa*.  
*Kochiana*, Hartig, Naturg. Forstl. Cult. 569 = *purpurea*.  
*Kochiana*, Trautv. in Bull. Acad. Sc. Pétersb. i. (1836) 132, nomen; et in Mém. Sav. Etr. Pétersb. iii. (1837) 632. t. 1.—Sibir. altaic.  
*Koernickei*, Anderss. in DC. Prod. xvi. 11. 263 = *daphnoides*.  
*koreensis*, Anderss. l. c. 271.—Korea.  
*Kovatsii*, Kern, in Verh. Zool.-Bot. Ges. Wien, x. (1860) 190 = *triandra*.  
*kossoviensis*, Bess. in Mem. Pharm. Ac. Viln. ii. 649.—Lithuan.  
*Kraettliana*, Bruegg. in Jahresb. Naturf. Ges. Graub. II. xxiii-xxiv. (1880) 117; xxv. (1882) 105.—Europ.  
*Krausei*, Anderss. in Vet. Acad. Handl. Stockh. vi. (1867) n. i. 29 = *triandra*.  
*kumaonensis*, Auct. = *kamaunensis*.  
*lactea*, Bray, in Denkschr. Bot. Ges. Regensb. i. 11. (1818) 43. t. 2 = *Lapponum*.  
*lacustris*, Schleich. Cat. Pl. Helv. ed. III. 25; Forbes, Salict. Woburn. 231. t. 116 = *nigricans*.  
*Laestadiana*, Hartm. Skand. Fl. ed. III. 237 = *Lapponum*.  
*laeta*, Schultz, Prod. Fl. Starg. Suppl. i. 51 = *repens*.  
*laevigata*, Bebb, in Am. Natural. viii. (1874) 202.—Calif.  
*laevis*, Hook. Brit. Fl. ed. I. 482 = *S. Myrsinites*.  
*Laggeri*, Wimm. in Flora, xxxvii. (1854) 162 = *grandifolia*.

## SALIX:—

- Lambertiana*, Sm. Fl. Brit. 1041 = *purpurea*.  
*lanata*, Lightf. Fl. Scot. ii. 602 = *S. Caprea*.  
*lanata*, Linn. Sp. Pl. 1019.—Europ. et As. bor.  
*lanata*, Vill. Hist. Pl. Dauph. iii. 777 = *cinerea*.  
*lanceolata*, Fries, Novit. ed. II. 283 = *Smithiana*.  
*lanceolata*, Ser. Ess. Saul. 37 = *Seringeana*.  
*lanceolata*, Sm. Engl. Bot. t. 1436 = *triandra*.  
*lancifolia*, Anderss. in Vet. Acad. Handl. Stockh. vi. (1867) n. i. 34 = *lasianandra*.  
*lancifolia*, Doell, Fl. Bad. 112 = *Smithiana*.  
*Lantana*, Hartig, Naturg. Forstl. Cult. Pfl. 410. t. 41 = *ambigua*.  
*lanuginosa*, Pall. Fl. Ross. ii. 83 = *lanata*.  
*lapponica*, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 134 = *seq.*  
*Lapponum*, Linn. Sp. Pl. 1019.—Europ. : As. bor.  
*Lapponum*, Turcz. in Bull. Soc. Nat. Mosc. xxvii. (1854) i. 389 = *speciosa*.  
*lasianandra*, Benth. Pl. Hartw. 335.—Am. bor. occ.  
*lasiocarpa*, Wimm. ex Anderss. in DC. Prod. xvi. 11. 218 = *silesiaca*.  
*lasiolepis*, Benth. Pl. Hartw. 335.—Calif.  
*lasistyla*, Peterm. in Flora, xxvii. (1844) 373.—Europ.  
*latifolia*, Forbes, Salict. Woburn. 235. t. 118 = *nigricans*.  
*latifolia*, Mart. & Gal. in Bull. Acad. Brux. x. 11. (1843) 344.—Mexic.  
*latiuscula*, Anderss. in Vet. Acad. Handl. Stockh. vi. (1867) n. i. 165.—Am. bor.  
*laurifolia*, Wesmael, in Bull. Congr. Bot. Brux. (1864) 280 = *pentandra*.  
*laurina*, Sm. in Trans. Linn. Soc. vi. (1802) 122 = *phylicifolia*.  
*laurinea*, Loisel. Fl. Gall. ed. II. ii. 348 = *phylicifolia*.  
*lavandulaefolia*, Lapeyr. Hist. Abr. Pl. Pyr. 601 = *incana*.  
*laxa*, Schleich. Cat. Pl. Helv. ed. III. 25 = *nigricans*.  
*laxiflora*, Borrer, in Engl. Bot. Suppl. ii. t. 2749 = *phylicifolia*.  
*laxiflora*, Kern. ex Anderss. in Vet. Acad. Handl. Stockh. vi. (1867) n. i. 176 = *glabra*.  
*Ledebouriana*, Trautv. in Bull. Sc. Acad. Pétersb. i. (1836) 132, nomen; et in Mém. Sav. Etr. Pétersb. iii. (1837) 631 = *purpurea*.  
*Lemana*, Schleich. Cat. Pl. Helv. ed. III. 25 = *nigricans*.  
*Lemmoni*, Bebb, in Bot. Calif. ii. 88.—Calif.  
*lenta*, Fries, Fl. Suec. Mant. i. 78 = *tetrasperma*.  
*leptoclados*, Anderss. in Vet. Acad. Handl. Stockh. vi. (1867) n. i. 144.—Sibir.  
*leucantha*, Tausch, ex Opiz, Boehm. Gew. (1823) 111, nomen (Quid?).—Europ.  
*leucophylla*, Willd. Berl. Baumz. ed. II. 444 = *Lapponum*.  
*libanotica*, Boiss. Fl. Orient. iv. 1185 = *alba*.  
*ligustrina*, Host, Sal. t. 15-16 = *triandra*.  
*ligustrina*, Michx. f. Hist. Arb. Am. iii. 226. t. 5 = *nigra*.  
*ligustroides*, Schleich. ex Ser. Ess. Saul. 65 = *hastata*.  
*limnogenæ*, Anderss. in Vet. Acad. Handl. Stockh. vi. (1867) 64 = *aurita*?  
*limnogenæ*, Kern, in Oestr. Bot. Zeitschr. xiv. (1864) 187 = *grandifolia*.  
*limosa*, Trautv. ex Anderss. in DC. Prod. xvi. 11. 277 = *speciosa*.  
*limosa*, Wahlenb. Fl. Lapp. 265 = *Lapponum*.  
*Lindleyana*, Wall. Cat. n. 3697.—Reg. Himal.  
*linearis*, Forbes, Salict. Woburn. 177. t. 89 = *incana*.  
*linearis*, Turcz. in Bull. Soc. Nat. Mosc. xxvii. (1854) i. 379 = *viminalis*.  
*lingulata*, Anderss. in DC. Prod. xvi. 11. 281.—Am. bor.  
*lithuanica*, Bess. ex Ledeb. Fl. Ross. iii. 608 = *nigricans*.  
*littoralis*, Host, Sal. 15. t. 52 = *repens*.  
*livescens*, Doell, Fl. Bad. 520 = *aurita*.  
*livescens*, Turcz. in Bull. Soc. Nat. Mosc. xxvii. (1854) i. 386 = *repens*.  
*livida*, Wahlenb. Fl. Lapp. 272. t. 16. f. 6.—Europ.  
*livida*, Wimm. in Denkschr. Bresl. Ges. (1853) 147 = *aurita*.  
*longiflora*, Wall. ex Anderss. in Journ. Linn. Soc. iv. (1860) 50.—Reg. Himal.  
*longifolia*, Lam. Fl. Fr. ii. 232 = *viminalis*.

## SALIX:—

- longifolia*, Muhl. in Ges. Naturf. Fr. Neue Schr. iv. (1803) 238.—Am. bor.  
*longifolia*, Schleich. Cat. Pl. Helv. ed. III. 26 = *Seringeana*.  
*longipes*, Hook. f. & Thoms. ex Anderss. in Journ. Linn. Soc. iv. (1860) 56 = *S. Serpyllum*.  
*longipes*, Shuttlew. ex Anderss. in Vet. Acad. Handl. Stockh. vi. (1867) n. i. 114 = *nigra*.  
*longirostris*, Michx. Fl. Bor. Am. ii. 226 = *tristis*.  
*loniceraefolia*, Turcz. in Bull. Soc. Nat. Mosc. xxvii. (1854) i. 375 = *Kochiana*.  
*lucida*, Jacquem. ex Anderss. in Vet. Acad. Handl. Stockh. 1850 (1851) 497 = *flabellaris*.  
*lucida*, Muhl. in Ges. Naturf. Fr. Neue Schr. iv. (1803) 239.—Am. bor.  
*ludoviciana*, Rafn. Fl. Ludov. 115 (Quid?).—Am. bor.  
*Ludwigii*, Bonj. ex Bertol. Fl. Ital. x. 313 = *nigricans*.  
*Ludwigii*, Schkuhr, Handb. iv. 227. t. 317 = *silesiaca*.  
*lutea*, Nutt. N. Am. Sylv. i. 63. t. 19 = *cordata*.  
*lutescens*, Kern. in Verh. Zool.-Bot. Ges. Wien, x. (1860) 253 = *cinerea*.  
*lutescens*, Schleich. Cat. Pl. Helv. ed. III. 26 = *nigricans*.  
*Lyoni*, Forbes, Salict. Woburn. 19. t. 10.—Helvet.  
*macilentia*, Anderss. in Vet. Acad. Handl. Stockh. vi. (1867) n. i. 141.—Kamtschat.  
*mackenziana*, Barratt, ex Hook. Fl. Bor. Am. i. 149.—Am. arct.  
*macrocarpa*, Anderss. in Vet. Acad. Handl. Stockh. 1850 (1851) 479 = *phylicifolia*.  
*macrocarpa*, Nutt. N. Am. Sylv. i. 83.—Am. bor. occ.  
*macrocarpa*, Trautv. in Nouv. Mém. Soc. Nat. Mosc. ii. (1832) 292 = *glauca*.  
*macrolepis*, Turcz. in Bull. Soc. Nat. Mosc. xxvii. (1854) i. 371.—As. bor.  
*macronectaria*, Peterm. in Flora, xxvii. (1844) 373.—German.  
*macrophylla*, Anderss. in Vet. Acad. Handl. Stockh. vi. (1867) n. i. 64 = *grandifolia*.  
*macrophylla* ×, Kern. in Verh. Zool.-Bot. Ges. Wien, x. (1860) 247 = *S. Caprea*.  
*macropoda*, Stschégel. in Bull. Soc. Nat. Mosc. (1854) i. 197.—Sibir. altaic.  
*macrorhyncha*, Anderss. in Vet. Acad. Handl. Stockh. vi. (1867) n. i. 155 = *phylicifolia*.  
*macrostachya*, Nutt. N. Am. Sylv. i. 72 = *longifolia*.  
*macrostipulacea*, Forbes, Salict. Woburn. 259. t. 130 = *nigricans*.  
*macrostipularis*, Schleich. Cat. Pl. Helv. ed. III. 26 = *nigricans*.  
*madagascariensis*, Boj. ex Anderss. in Vet. Acad. Handl. Stockh. vi. (1867) n. i. 15.—Madag.  
*magellanica*, Poir. Encyc. Suppl. iv. 66 = *Humboldtiana*.  
*majalis*, Wahlenb. Fl. Lapp. 270 = *phylicifolia*.  
*malifolia*, Bess. Fl. Galic. ii. 313 = *livida*.  
*malifolia*, Schleich. ex Ser. Ess. Saul. 67 = *nigricans*.  
*malifolia*, Sm. Fl. Brit. 1053 = *hastata*.  
*marginata*, Wimm. ex Anderss. in Vet. Acad. Handl. Stockh. vi. (1867) n. i. 21 = *nigra*.  
*marinifolia*, Willd. Sp. Pl. iv. 697 = *repens*.  
*marrubifolia*, Tausch, ex Anderss. in DC. Prod. xvi. 11. 276 = *Lapponum*.  
*Martiana*, Leyb. in Mart. Fl. Bras. iv. i. 228. t. 72 = *Humboldtiana*.  
*Mauckschii*, Hartig, Naturg. Forstl. Cult. 396 = *silesiaca*.  
*mauernensis*, Kern. in Verh. Zool.-Bot. Ges. Wien, x. (1860) 261 = *purpurea*.  
*Medemii*, Boiss. Diagn. Ser. I. vii. 100 = *cinerea*.  
*melanolepis*, Trautv. in Nouv. Mém. Soc. Nat. Mosc. ii. (1832) 293 = *glauca*.  
*melanopsis*, Nutt. N. Am. Sylv. i. 78 = *amygdaloides*.  
*membranacea*, Thuill. Fl. Par. ed. II. 515 = *purpurea*.  
*menthaefolia*, Host, Sal. 23-25 = *nigricans*.  
*Mesnyi*, Hance, in Journ. Bot. xx. (1882) 88.—China.  
*mespilifolia*, Schleich. Cat. Pl. Helv. ed. III. 26 = *nigricans*.  
*Meyeriana*, Rostl. in Willd. Berl. Baumz. ed. II. 427; Forbes, Salict. Woburn. 65. t. 33; Borrer, in Hook. Brit. Fl. ed. I. 417; ed. III. 421 = *pentandra*.  
*micans*, Anderss. in Vet. Acad. Handl. Stockh. vi. (1867) n. i. 49 = *alba*.  
*Micheliana*, Forbes, Salict. Woburn. t. 125 = *Smithiana*.  
*microdonta*, Schleich. ex Ser. Ess. Saul. 67 = *nigricans*.



**SALIX** :—

*microphylla*, Cham. & Schlecht. in Linnaea, vi. (1831) 354 = *taxifolia*.  
*microphylla*, Lange, in Kjoeb. Vidensk. Meddel. (1861) 37.—Hispan.  
*microstachya*, Turcz. in Bull. Soc. Nat. Mosc. xxvii. (1854) 1. 377 = *angustifolia*.  
*Mielichhoferi*, Saut. in Flora, xxxii. (1849) 662 = *glabra*.  
*Mielichhoferi*, Tausch, ex Anderss. in DC. Prod. xvi. II. 290 = *S. Myrsinites*.  
*minutiflora*, Turcz. in Bull. Soc. Nat. Mosc. xxvii. (1854) 1. 334 = *caesia*.  
*Miquelii*, Anderss. in Vet. Acad. Handl. Stockh. vi. (1867) n. 1. 166.—Japon.  
*mirabilis*, Host, Sal. 13. t. 46 = *purpurea*.  
*mollis*, Schleich. ex Ser. Ess. Saul. 44 = *aurita*.  
*mollissima*, Ehrh. Beitr. vi. 101.—Europ.  
*mollissima*, Sm. Fl. Brit. 1070 = *Smithiana*.  
*mollissima*, Wahlenb. Fl. Carp. 317 = *purpurea*.  
*monadelpha*, Koch, ex Schur, Enum. Pl. Transs. 618 = *purpurea*.  
*monandra*, Hoffm. Hist. Sal. i. 18 = *purpurea*.  
*monandra*, Host, Sal. 22. t. 71, 72 = *grandifolia*.  
*monica*, Bebb, in Bot. Calif. ii. 90.—Calif.  
*monspeliensis*, Forbes, Salict. Woburn. 59. t. 30 = *fragilis*.  
*montana*, Schleich. ex Ser. Ess. Saul. 65 = *nigricans*.  
*mucronata*, Thunb. Prod. Pl. Cap. 6 = *capensis*.  
*Muehlenbergiana*, Barratt, ex Torr. Fl. N. York, ii. 205 = *humilis*.  
*Muehlenbergiana*, Willd. Sp. Pl. iv. 692 = *tristis*.  
*multiformis*, Doell, Fl. Bad. 506.—Europ.  
*multiglandulosa*, Wimm. Sal. Europ. 196 = *Lapponum*.  
*multinervis*, Doell, Fl. Bad. 516 = *cinerea*.  
*murina*, Schleich. Cat. Pl. Helv. ed. III. 26.—Europ.  
*mutabilis*, Forbes, Salict. Woburn. 288. t. 160 = *nigricans*.  
*mutabilis*, Host, Sal. tt. 42, 43.—Europ.  
*mutabilis*, Schleich. Cat. Pl. Helv. ed. III. 26 = *ambigua*.  
*myricaefolia*, Anderss. l. c. 1850 (1851), 483 = *divergens*.  
*myricoides*, Muhl. in Ges. Naturf. Fr. Neue Schr. iv. (1803) 235 = *cordata*.  
*myrsinifolia*, Salisb. Prod. 394 = *nigricans*.  
*Myrsinites*, Cham. in Linnaea, vi. (1831) 540 = *Chamissonis*.  
*Myrsinites*, Hoffm. Hist. Sal. 71 = *nigricans*.  
*Myrsinites*, Linn. Sp. Pl. 1018.—Europ.  
*myrsinitoides*, Fries, ex Anderss. in DC. Prod. xvi. II. 290 = *nigricans*.  
*myrtilloidea*, Anderss. in Journ. Linn. Soc. iv. (1860) 51.—Reg. Himal.  
*myrtilloidea*, Anderss. in Oefvers. Vet. Akad. Foerhandl. xv. (1858) 132 = *S. Novae-Angliae*.  
*myrtilloidea*, Cham. in Linnaea, vi. (1831) 539 = *fuscescens*.  
*myrtilloidea*, Linn. Sp. Pl. 1018.—Reg. bor.  
*myrtilloidea*, Vill. Hist. Pl. Dauph. iii. 770 = *S. Arbuscula*.  
*myrtilloidea*, Willd. Sp. Pl. iv. 686 = *caesia*.  
*myrtoides*, Doell, Fl. Bad. 522 = *livida*.  
*myrtoides*, Fries, Mant. i. 70; Hartm. Skand. Fl. ed. IV. 322 = *myrtilloidea*.  
*Myurus*, Wimm. ex Anderss. in Journ. Linn. Soc. iv. (1860) 41 = *tetrasperma*.  
*nana*, Schleich. Cat. Pl. Helv. ed. III. 26 = *repens*?  
*Napoleona*, Hort. ex G. Don, in Sweet, Hort. Brit. ed. III. 616 = *babylonica*.  
*Napoleonis*, F. Schultz, Arch. Fl. 239 = *praeac*.  
*natalensis*, Wimm. ex Anderss. in Vet. Acad. Handl. Stockh. vi. (1867) n. 1. 14 = *capensis*.  
*neglecta*, Gorski, ex Anderss. l. c. 103 = *myrtilloidea*.  
*Neireichii*, Kern. in Verh. Zool.-Bot. Ges. Wien, x. (1860) 258 = *purpurea*.  
*Neisseana* x, Kern. l. c. 217.—Europ.  
*nepetaeifolia*, f. & C. Presl, Fl. Cech. 205.—Europ.  
*neriifolia*, Schleich. Cat. Pl. Helv. ed. III. 26 (Quid?).—Helvet.  
*nervosa*, Schleich. Cat. Pl. Helv. ed. III. 26 = *nigricans*.  
*nevadensis*, S. Wats. in Am. Natural. vii. (1873) 302.—Am. bor. occ.  
*nigra*, Marsh. Arbust. 293.—Am. bor.  
*nigrescens*, Schleich. ex Ser. Ess. Saul. 67 = *nigricans*.  
*nigricans*, Sm. in Trans. Linn. Soc. vi. (1802) 120.—Europ.; As. bor.

**SALIX** :—

*nilagirica*, Miq. Anal. Bot. Ind. iii. 22 = *tetrasperma*.  
*nipponica*, Franch. & Sav. Enum. Pl. Jap. ii. 502.—Japon.  
*nitens*, G. Anders. ex Sm. Engl. Fl. iv. 174 = *phyllicifolia*.  
*nitens*, Gilib. Exercit. ii. 408 = *Lapponum*.  
*nitens*, Turcz. in Bull. Soc. Nat. Mosc. xxvii. (1854) 1. 380 = *viminalis*.  
*nitida*, J. F. Gmel. Syst. 74 (Quid?).—Aegypt.?  
*nivalis*, Hook. Fl. Bor. Am. ii. 152 = *reticulata*.  
*nivalis*, Schur, in Verh. Siebenb. Ver. Naturw. iv. (1853) 68 = *herbacea*.  
*nivea*, Ser. Ess. Saul. 51 = *Lapponum*.  
*nivea*, Sm. ex Anderss. in DC. Prod. xvi. II. 278 = *candida*.  
*nobilis*, Fries, Novit. i. 78 = *tetrasperma*.  
*Normanni*, Anderss. in DC. Prod. xvi. II. 288 = *S. Myrsinites*.  
*notha*, Anderss. in Bot. Notiser (1867), 114 = *S. Myrsinites*.  
*Novae-Angliae*, Anderss. in Vet. Acad. Handl. Stockh. vi. (1867) n. 1. 160.—Am. bor.  
*nummularia*, Anderss. in DC. Prod. xvi. II. 298.—Sibir. arct.  
*nummulariaefolia*, Anderss. in Vet. Acad. Handl. Stockh. vi. (1867) n. 1. 127 = *nigricans*.  
*obcordata*, Anderss. in DC. Prod. xvi. II. 291.—Am. bor.  
*oblongifolia*, Trautv. & Mey. in Middend. Reise (Fl. Ochot. 81).—As. bor.  
*obovata*, Wall. Cat. n. 3698 = *flabellaris*.  
*obscura*, Anderss. in DC. Prod. xvi. II. 269.—Reg. Himal.  
*obtusa*, Richter, ex Corresp. Ver. Naturk. Presb. ii. (1863) 195.—Europ.  
*obtusa*, Schleich. ex Link, Enum. Hort. Berol. ii. 415.—Helvet.  
*obtusifolia*, Willd. Sp. Pl. iv. 705.—Lappon.  
*occidentalis*, Bosc, ex Koch, Comment. 16.—Ind. occ.  
*octandra*, Delile, ex Aitch. Cat. Punjab Pl. 140 = *acmophylla*.  
*octandra*, Sieber, ex A. Rich. Tent. Fl. Abyss. ii. 276 = *S. Salsaf*.  
*Oldhamiana*, Miq. Ann. Mus. Bot. Lugd. Bat. iii. 25.—Japon.  
*oleaefolia*, Vill. Hist. Pl. Dauph. iii. 784.—Europ.  
*oleifolia*, Host, ex Wimm. Sal. Europ. 161 = *purpurea*.  
*oleifolia*, Ser. Ess. Saul. 11 = *incana*.  
*oleifolia*, Sm. Fl. Brit. 1065 = *cinerea*.  
*oleifolia*, Wimm. Herb. Sal. 66; ex Anderss. in DC. Prod. xvi. II. 305 = *oleaefolia*.  
*Olgae*, Regel, in Act. Hort. Petrop. vi. (1879) 465, nomen; Pl. Nov. Fedtsch. 79.—Turkestan.  
*olivacea*, Thuill. Fl. Par. ed. II. 515 = *purpurea*.  
*onusta*, Bess. Enum. Pl. Volh. 78 = *myrtilloidea*.  
*onychiophylla*, Anderss. ex Nym. Consp. 671 = *herbacea*.  
*oppositifolia*, Host, Sal. 11. t. 38 = *purpurea*.  
*orbicularis*, Anderss. in DC. Prod. xvi. II. 300.—Am. bor.  
*oreophila*, Hook. f. ex Anderss. in Journ. Linn. Soc. iv. (1860) 57.—Reg. Himal.  
*ovalifolia*, Trautv. in Nouv. Mém. Soc. Nat. Mosc. ii. (1832) 306.—Am. arct.  
*ovata*, Ser. Ess. Saul. 92.—Europ.  
*ovata*, Spreng. Pugill. i. 62 = *nigricans*.  
*oxycarpa*, Anderss. in Journ. Linn. Soc. iv. (1860) 45.—Reg. Himal.  
*oxyphylla*, H. B. & K. Nov. Gen. et Sp. ii. 24 = *Humboldtiana*.  
*padifolia*, Anderss. in Mem. Am. Acad. N. S. vi. (1858–59) 451.—Japon.  
*Pallasii*, Anderss. in DC. Prod. xvi. II. 285.—Kamtschat.  
*pallidescens*, Anderss. in Vet. Acad. Handl. Stockh. vi. (1867) n. 1. 33.—Am. bor.  
*pallidescens*, Schleich. Cat. Pl. Helv. ed. III. 26 = *nigricans*.  
*pallida*, Forbes, Salict. Woburn. 191. t. 96 = *oleaefolia*.  
*pallida*, H. B. & K. Nov. Gen. et Sp. ii. 25 = *Bonplandiana*.  
*pallida*, Ledeb. Fl. Alt. iv. 261 = *purpurea*.  
*pallida*, Salisb. Prod. 394 = *alba*.  
*pallida*, Schleich. Cat. Pl. Helv. ed. III. 26 = *nigricans*.  
*paludosa*, Hartm. Skand. Fl. ed. III. 236 = *myrtilloidea*.

**SALIX** :—

*paludosa*, Link, Enum. Hort. Berol. ii. 419 = *aurita*.  
*paludosa*, Schleich. ex Ser. Ess. Saul. 43 = *nigricans*.  
*palustris*, Host, Sal. 7. t. 24 = *fragilis*.  
*Pameachiana*, Barratt, Salic. Am. n. 16 = *alba*.  
*pannosa*, Schleich. Cat. Pl. Helv. ed. IV. 31; Forbes, Salict. Woburn. 245. t. 122 = *nigricans*.  
*paradoxa*, H. B. & K. Nov. Gen. et Sp. ii. 25 = *discolor*.  
*parietariifolia*, Host, Sal. t. 23–25 = *nigricans*.  
*parviflora*, Host, l. c. 14. t. 49 = *Doniana*.  
*parvifolia*, Anderss. in DC. Prod. xvi. II. 283 = *glaucula*.  
*parvifolia*, Sm. Engl. Bot. t. 1961 = *repens*.  
*patens*, Forbes, Salict. Woburn. 77. t. 39 = *phyllicifolia*.  
*patula*, Kern. ex Anderss. in DC. Prod. xvi. II. 305 = *oleaefolia*.  
*patula*, Schleich. ex Ser. Ess. Saul. 67 = *nigricans*.  
*patula*, Ser. l. c. 11 = *incana*.  
*Patzseana*, Anderss. in Vet. Acad. Handl. Stockh. vi. (1867) n. 1. 117, 124 = *repens*.  
*Patzsei*, Wimm. ex Anderss. l. c. 93 = *aurita*.  
*pedicellata*, Desf. Fl. Atlant. ii. 362.—Reg. Mediterr. occ.  
*pedicellaris*, Pursh, Fl. Am. Sept. ii. 611 = *myrtilloidea*.  
*pellita*, Anderss. in Vet. Acad. Handl. Stockh. vi. (1867) n. 1. 139 = *chlorophylla*.  
*Peloritana*, Prestandr. ex Tineo, Pl. Rar. Sicil. 31 = *oxycarpa*.  
*pendula*, Moench, Meth. 336; Salisb. Prod. 393 = *babylonica*.  
*pendula*, Ser. Ess. Saul. 79 = *fragilis*.  
*pendulina*, Wender. in Schrift. Nat. Ges. Marb. ii. (1831) 235 = *purpurea*.  
*pensylvanica*, Hort. ex Pursh, Fl. Am. Sept. ii. 611 = *myrtilloidea*.  
*pensylvanica*, Hort. l. c. 616 = *petiolaris*.  
*pentandra*, Kern. in Oestr. Bot. Zeitschr. viii. (1858) 183 = *hexandra*.  
*pentandra*, Linn. Sp. Pl. 1016.—Europ.; As. bor.  
*pentandra*, Nutt. N. Am. Sylv. i. 61 = *lucida*.  
*pentandra*, Thuill. Fl. Par. ed. II. 513 = *triandra*.  
*pentandra*, Walt. Fl. Carol. 243 = *nigra*.  
*persica*, Boiss. Diagn. Ser. I. vii. 99.—Persia.  
*persicaefolia*, Tausch, ex Opiz, Boehm. Gew. (1823) 111 = *fragilis*?  
*persicifolia*, Schleich. Cat. Pl. Helv. ed. II. 30 = *fragilis*.  
*petiolaris*, Sm. in Trans. Linn. Soc. vi. (1802) 122.—Am. bor.  
*petraea*, [G. Anders. in] Forbes, Salict. Woburn. 193. t. 97 = *nigricans*.  
*petrosa*, Schleich. Cat. Pl. Helv. ed. III. 26 = *nigricans*.  
*phaeophylla*, Anderss. in Bot. Notiser (1867), 116 = *S. Myrsinites*.  
*phyllicifolia*, Crantz, Inst. i. 176 = *phyllicifolia*.  
*phillyreifolia*, Borrer, in Engl. Bot. Suppl. t. 2660 = *phyllicifolia*.  
*phlebophylla*, Anderss. in Oefvers. Vet. Akad. Foerhandl. xv. (1858) 132.—Am. bor.  
*phlomoides*, Bieb. Fl. Taur. Cauc. ii. 415; iii. 628 = *cinerea*.  
*phyllicaeifolia*, Wulf. in Jacq. Coll. ii. 139 = *phyllicifolia*.  
*phyllicifolia*, J. Carey, ex A. Gray, Man. Bot. N. U. St. ed. II. 416 = *chlorophylla*.  
*phyllicifolia*, Cham. in Linnaea, vi. (1831) 542 = *macilenta*.  
*phyllicifolia*, Linn. Sp. Pl. 1016.—Europ.  
*phyllicifolia*, Wahlenb. Fl. Lapp. 270 = *nigricans*.  
*phyllicifolia*, Willd. Enum. Hort. Berol. 1003 = *glabra*.  
*phyllicoides*, Anderss. in Oefvers. Vet. Akad. Foerhandl. xv. (1858) 123.—Am. bor. occ.  
*Pierotii*, Miq. Ann. Mus. Bot. Lugd. Bat. iii. 27.—Japon.  
*pilosa*, Bray, ex Ledeb. Fl. Ross. iii. 608 = *nigricans*.  
*pilosa*, Schleich. ex Ser. Ess. Saul. 47 = *S. Myrsinites*.  
*pinetorum*, Czern. ex Trautv. in Act. Hort. Petrop. ix. (1884) 183, nomen (Quid?).—Rossia.  
*Pitcheriana*, Barratt, Salic. Am. n. 22 = *nigra*?  
*planifolia*, Pursh, Fl. Am. Sept. ii. 611.—Am. bor.; Labrador.  
*plicata*, Fries, Novit. i. 66 = *repens*.  
*podophylla*, Anderss. in Vet. Acad. Handl. Stockh. vi. (1867) 142.—Sibir.  
*Pokorny*, Kern. in Verh. Zool. Bot. Ges. Wien, x. (1860) 181 = *pentandra*.  
*polaris*, Wahlenb. Fl. Lapp. 261.—Reg. arct.  
*poliphylla*, Schleich. ex Ser. Ess. Saul. 67 = *nigricans*.

**SALIX:—**

*polyandra*, Gleditsch, Forstw. ii. 4. 43; ex Schrank, Baier. Fl. i. 229 = pentandra.  
*polygonifolia*, Schleich. ex Ser. Ess. Saul. 43 = nigricans.  
*polymorpha*, Ehrh. Beitr. v. 160 = repens.  
*polymorpha*, Host, Sal. t. 69 = cinerea.  
*pomeranica*, Willd. Enum. Hort. Berol. Suppl. 66; Forbes, Salict. Woburn. 281. t. 153 = daphnoides.  
*pondicheriana*, Anderss. in Vet. Acad. Handl. Stockh. 1850 (1851) 489 = ichnostachya.  
*Pontederæ*, Vill. Hist. Pl. Dauph. iii. 766 = hastata.  
*Pontederana*, Schleich. Cat. Pl. Helv. ed. III. 25 = purpurea.  
*Pontederana*, Willd. Sp. Pl. iv. 661 = hastata.  
*populifolia*, Anderss. in Vet. Acad. Handl. Stockh. 1850 (1851) 494 = tetrasperma?  
*populifolia*, Schleich. ex Spreng. Pugill. ii. 89.—Europ.  
*praecox*, Dum. Fl. Belg. 12 = cinerea, acutifolia, daphnoides.  
*praecox*, Hoppe, ex Willd. Sp. Pl. iv. 670 = daphnoides.  
*praecox*, Salisb. Prod. 394 = S. Caprea.  
*pratensis*, Host, Sal. 15. tt. 50, 51 = repens.  
*pratensis*, Scop. Fl. Carn. ed. II. ii. 252 = purpurea.  
*prinoides*, Pursh, Fl. Am. Sept. ii. 613 = brachystachys.  
*procumbens*, Forbes, Salict. Woburn. 121. t. 61 = S. Myrsinites.  
*prolixa*, Anderss. in Vet. Acad. Handl. Stockh. vi. (1867) n. i. 94.—Am. bor. occ.  
*propendens*, Chaub. in Act. Linn. Soc. Bord. xix. (1858) 234.—Gallia.  
*propendens*, Ser. Ess. Saul. 73 = babylonica.  
*propinqua*, Borrer, in Engl. Bot. Suppl. t. 2729 = phyllicifolia.  
*prostrata*, Ehrh. Beitr. vi. 103 = caesia.  
*prostrata*, Muhl. Cat. 95 = Cutleri.  
*prostrata*, Sm. Fl. Brit. 1060 = repens.  
*protea*, Anderss. in Bot. Notiser (1866), 157 = nigricans.  
*proteaefolia*, Forbes, Salict. Woburn. 149. t. 75 = ambigua.  
*pruinosa*, Bess. Cat. Hort. Bot. Crem. 121 = acutifolia.  
*pruinosa*, Schleich. ex Ser. Ess. Saul. 44 = nigricans.  
*pruinosa*, Wendl. ex Reichb. Fl. Germ. Excurs. 172 = daphnoides.  
*prunifolia*, Host, Sal. 23–25 = nigricans.  
*prunifolia*, Sm. Fl. Brit. 1054 = S. Arbuscula.  
*Pseudo-aurita*, Schur, Enum. Pl. Transs. 620 = lanata.  
*Pseudo-caprea*, Bluff & Fingerh. Comp. Fl. Germ. ed. I. ii. 570 = acuminata.  
*Pseudo-cordata*, Anderss. in Vet. Acad. Handl. Stockh. vi. (1867) n. i. 161 = Novae-Angliae.  
*Pseudo-glaucula*, Anderss. ex Nym. Consp. 670 = glauca.  
*Pseudo-grisea*, Steud. Nom. ed. II. ii. 498 = Wallichiana.  
*Pseudo-myrsinites*, Anderss. in Oefvers. Vet. Akad. Foerhandl. xv. (1858) 129.—Am. bor.  
*psilocarpa*, Schleich. Cat. Pl. Helv. ed. III. 26 = nigricans.  
*psilostigma*, Anderss. in Vet. Acad. Handl. Stockh. 1850 (1851) 496 = eriophylla.  
*pubera*, Koch, in Boenn. Prod. Fl. Monast. 300 = mollissima.  
*puberula*, Doell, Fl. Bad. 518 = nigricans.  
*pubescens*, Schleich. Cat. Pl. Helv. ed. III. 26 = grandifolia.  
*pulchella*, Host, Sal. 30. t. 98 = S. Arbuscula.  
*pulchra*, Wimm. Sal. Europ. 7 = daphnoides.  
*pumila*, Salisb. Prod. 394 = herbacea.  
*punctata*, Wahlenb. Fl. Lapp. 269 = nigricans.  
*purpurea*, Linn. Sp. Pl. 1017.—Europ.; As. et Afr. bor.  
*Purshiana*, Spreng. Syst. v. 608 (Index) = nigra.  
*pychnocarpa*, Anderss. in Vet. Acad. Handl. Stockh. vi. (1867) n. i. 139 = chlorophylla.  
*pyncostachya*, Anderss. in Journ. Linn. Soc. iv. (1860) 44.—Reg. Himal.  
*pyracanthoides*, Turcz. ex Trautv. in Act. Hort. Petrop. ix. (1884) 184 = chlorostachya.  
*pyracanthos*, Turcz. ex Anderss. in DC. Prod. xvi. ii. 246 = chlorostachya.  
*pyramidalis*, Budischtschew, ex Trautv. in Act. Hort. Petrop. ix. (1884) 184, nomen (Quid?).—Rossia.  
*pyrenaica*, Gouan, Illustr. 77.—Europ. austr.

VOL. II.

**SALIX:—**

*pyrifolia*, Anderss. in Vet. Acad. Handl. Stockh. vi. (1867) n. i. 162.—Am. bor.  
*pyrifolia*, Schleich. Cat. Pl. Helv. ed. III. 26 = nigricans.  
*pyrina*, Wall. Cat. n. 3705 = tetrasperma.  
*pyracanthoides*, Turcz. ex Anderss. in Vet. Acad. Handl. Stockh. vi. (1867) n. i. 148 = chlorostachya.  
*pyrolaefolia*, Ledeb. Fl. Alt. iv. 270.—Ross. arct.  
*pyrolaefolia*, Schleich. Cat. Pl. Helv. ed. III. 26 = nigricans.  
*radicans*, Schur, in Verh. Siebenb. Ver. Naturw. iv. (1853) 69 = triandra.  
*radicans*, Sm. Engl. Bot. t. 2700 = phyllicifolia.  
*ramifusca*, Forbes, Salict. Woburn. 105. t. 53 = phyllicifolia.  
*Rapini*, Ayasse, in Bull. Soc. Bot. Fr. xxvi. (1879) 341 = hastata.  
*rectijulis*, Trautv. in Nouv. Mém. Soc. Nat. Mosc. ii. (1832) 313 = S. Myrsinites.  
*recurvata*, Pursh, Fl. Am. Sept. ii. 609 = humilis.  
*recurvata*, Schleich. Cat. Pl. Helv. ed. III. 26 = nigricans.  
*reflexa*, Forbes, Salict. Woburn. 187. t. 94 = nigricans.  
*reflexa*, Rostk. in Willd. Baums. ed. II. 442; ex Fl. Sedin. 385 (Quid?).—Europ.  
*reflexiflora*, Tausch, ex Opiz, Boehm. Gew. (1823) 111 (Quid?).—Europ.  
*regalis*, Hort. ex Wesmael, in Bull. Congr. Bot. Brux. (1864) 280 = alba.  
*Regelia*, Anderss. in DC. Prod. xvi. ii. 309.—Soon-garia.  
*Reichardtii*, Kern. in Verh. Zool.-Bot. Ges. Wien, x. (1860) 249 = S. Caprea.  
*Reinii*, Franch. & Sav. Enum. Pl. Jap. i. 459 = glabra.  
*repanda*, Dum. Fl. Belg. 12.—Europ.  
*repens*, Linn. Sp. Pl. 1020.—Europ.; As. bor.  
*repens*, Pursh, Fl. Am. Sept. ii. 610 = argyrocampa.  
*reptans*, Rupr. Fl. Samoaed. Cissural. 54. t. 3.—Ross. arct.  
*reticulata*, Linn. Sp. Pl. 1018.—Reg. arct. et bor.  
*reticuloides*, Anderss. in DC. Prod. xvi. ii. 301 = praec.  
*retractata*, F. Felm. in Bull. Soc. Nat. Mosc. viii. (1835) 287.—Europ. bor.  
*retusa*, Hook. Fl. Bor. Am. ii. 153 = phlebophylla.  
*retusa*, Linn. Syst. ed. X. 1287.—Europ.  
*retusa*, Oakes, ex Tuckerm. in Am. Journ. Sc. Ser. I. xlv. (Oct. 1843) 36 = Cutleri.  
*retusa*, Turcz. in Bull. Soc. Nat. Mosc. (1854) i. 386 = nummularia.  
*retusa*, With. Arr. Brit. Pl. t. 31 = S. Myrsinites.  
*retusoides*, J. Kern. in Verh. Zool.-Bot. Ges. Wien, xii. (1862) 1221 = retusa.  
*Reuteri*, Mor. Fl. Schweiz, 459 (1844) = daphnoides.  
*reversifolia*, Wahlenb. ex Schur, Enum. Pl. Transs. 621 = repens.  
*raetica*, Kern. ex Anderss. in Vet. Acad. Handl. Stockh. vi. (1867) n. i. 136 = phyllicifolia.  
*rhamnifolia*, Hook. & Arn. Bot. Beech. Voy. 117. t. 26 = fuscescens.  
*rhamnifolia*, Pall. Fl. Ross. i. ii. 84.—Sibir.  
*Rhodani*, Schleich. Cat. Pl. Helv. ed. III. 26 = nigricans.  
*Richardsoni*, Hook. Fl. Bor. Am. ii. 147. t. 182.—Am. arct.  
*rigida*, Muhl. in Ges. Naturf. Fr. Neue Schr. iv. (1803) 237; Willd. Sp. Pl. iv. 667 = cordata.  
*riparia*, Willd. l. c. 698 = incana.  
*Ritschelii*, Anderss. in DC. Prod. xvi. ii. 313 = purpurea.  
*rivalis*, Host, Sal. 25. tt. 81, 82 = nigricans.  
*rivularis*, Schleich. Cat. Pl. Helv. ed. III. 26; Forbes, Salict. Woburn. 203. t. 102 = nigricans.  
*rorismarinifolia*, Gouan, Hort. Monsp. 501 = incana.  
*rosea*, S. F. Gray, Nat. Arr. Brit. Pl. ii. 231 = purpurea.  
*rosmarinifolia*, Barratt & Hook. Fl. Bor. Am. ii. 148 = petiolaris.  
*rosmarinifolia*, Laest. ex Anderss. in DC. Prod. xvi. ii. 282 = fuscescens.  
*rosmarinifolia*, Linn. Sp. Pl. 1020 = repens.  
*rosmarinifolia*, Pursh, Fl. Am. Sept. ii. 612 = petiolaris.  
*Rossmassleri*, Willk. ex Anderss. in DC. Prod. xvi. ii. 309 = purpurea.

**SALIX:—**

*rostrata*, Richards. in Frankl. Voy. 1st Journ. (1823) 753 = livida.  
*rostrata*, Schleich. Cat. Pl. Helv. ed. IV. 31; ex Ser. Ess. Saul. 65 = nigricans.  
*rostrata*, Thuill. Fl. Par. ed. II. 516 = repens.  
*Rothii*, Hoppe, ex Reichb. Fl. Germ. Excurs. 169 = cinerea.  
*rotundata*, Forbes, Salict. Woburn. 207. t. 104 = nigricans.  
*rotundifolia*, Nutt. N. Am. Sylv. i. 75.—Am. bor. occ.  
*rotundifolia*, Royle, ex Anderss. in Vet. Acad. Handl. Stockh. 1850 (1851) 497 = flabellaris.  
*rotundifolia*, Trautv. in Nouv. Mém. Acad. Mosc. ii. (1832) 304.—Europ. arct.  
*Roylei*, Klotzsch, ex Anderss. in Vet. Acad. Handl. Stockh. 1850 (1851) 479 = hastata.  
*rubens*, J. & C. Presl, Fl. Cech. 203 = silesiaca.  
*rubens*, Schrank, Baier. Fl. i. 226 = nigra.  
*rubra*, Huds. Fl. Angl. ed. I. 364 = purpurea.  
*rubra*, Richards. in Frankl. Voy. 1st Journ. 752 = longifolia.  
*Rudbeckiana*, Fries, ex Anderss. in DC. Prod. xvi. ii. 241 = nigricans.  
*rufescens*, Turcz. in Bull. Soc. Nat. Mosc. xxvii. (1854) i. 380 = viminalis.  
*rufinervis*, DC. Fl. Fr. v. 371 = cinerea.  
*rugosa*, Ser. Ess. Saul. 18 = aurita.  
*rugosa*, Schleich. ex Ser. l. c. 67 = nigricans.  
*rugulosa*, Anderss. in Bot. Notiser (1866), 145 = myrtilloides.  
*rugulosa*, Schleich. Cat. Pl. Helv. ed. III. 26 = nigricans.  
*rupestris*, Donn, ex Sm. Engl. Bot. t. 2342 = phyllicifolia.  
*Russelliana*, Sm. Fl. Brit. 1045 = fragilis.  
*sabulosa*, Turcz. in Bull. Soc. Nat. Mosc. xxvii. (1854) i. 385 = pyrolaefolia.  
*sachalinensis*, F. Schmidt, Reisen Amurl. 173.—Ins. Sachalin.  
*Sadleri*, Syme, in Journ. Bot. xiii. (1875) 33 = lanata.  
*Safsaf*, Forsk. Fl. Aegypt. Arab. 76.—Afr. bor. et trop.  
*salviaefolia*, Brot. Fl. Lusit. i. 29; Link, ex Willd. Sp. Pl. iv. 688 = oleaefolia.  
*salviaefolia*, Koch, Syn. Fl. Germ. ed. I. 747 = incana.  
*sanguinea*, Tausch, ex Opiz, Boehm. Gew. (1823) 111 (Quid?).—Europ.  
*Sansoniana*, Turcz. in Bull. Soc. Nat. Mosc. xxvii. (1854) i. 377 = purpurea.  
*sarawschanica*, Regel, in Act. Hort. Petrop. vi. (1879) 466; Pl. Nov. Fedtsch. 80.—As.  
*sarmentacea*, Fries, Novit. i. 75.—Europ. bor.  
*saxatilis*, Turcz. in Ledeb. Fl. Ross. iii. 621; in Bull. Soc. Nat. Mosc. xxvii. (1854) i. 391.—Sibir. baical.  
*Schleicheriana*, Schleich. ex Ser. Ess. Saul. 65; Forbes, Salict. Woburn. 195. t. 98 = nigricans.  
*Schnelleriana*, Richter, in Corresp. Ver. Naturk. Presb. ii. (1863) 194 (Quid?).—Europ.  
*Schraderiana*, Willd. Sp. Pl. iv. 695 = phyllicifolia.  
*Schrenkiana*, Anderss. in Vet. Acad. Handl. Stockh. vi. (1867) n. i. 179 = glabra.  
*Schultziana*, Willd. ex Link, Handb. ii. 453 = repens.  
*sclerophylla*, Anderss. in Journ. Linn. Soc. iv. (1860) 52.—Reg. Himal.  
*Scouleriana*, Barratt, in Hook. Fl. Bor. Am. ii. 145 = brachystachys, sitchensis.  
*secta*, Hook. f. ex Anderss. in Journ. Linn. Soc. iv. (1860) 57 = oreophila.  
*semicordata*, Dulac, Fl. Hautes-Pyr. 147 = phyllicifolia.  
*semihelix*, Lasch. ex Wimm. Sal. Europ. 173 = purpurea.  
*semperflorens*, Host, Sal. tt. 5–16 = triandra.  
*Sendtneri* x, Bruegg. in Jahresb. Naturf. Ges. Graub. II. xxiii–xxiv. (1880) 117.—Europ.  
*senegalensis*, Mert. ex Anderss. in Vet. Acad. Handl. Stockh. vi. (1867) n. i. 12 = coluteoides.  
*sensitiva*, Barratt, Salic. Am. n. 8 = discolor.  
*sepiaria*, Anderss. in Vet. Acad. Handl. Stockh. vi. (1867) n. i. 127 = nigricans.  
*septentrionalis*, Lodd. ex G. Don, in Loud. Hort. Brit. Suppl. ii. 671 = nigricans.  
*sericans*, Tausch, ex Kern. in Verh. Zool.-Bot. Ges. Wien, x. (1860) 214 = Smithiana.  
*sericea*, Marsh. Arbust. 140 = petiolaris.  
*sericea*, Muhl. in Ges. Naturf. Fr. Neue Schr. iv. (1803) 239.—Am. bor.  
*sericea*, Vill. Hist. Pl. Dauph. i. 382 = glauca.  
*sericocarpa*, Anderss. in Journ. Linn. Soc. iv. (1860) 43.—Reg. Himal.

5 H

**SALIX:**—

- Seringeana*, Lecoq & Lamotte, Cat. 336 = oleaeifolia.  
*Seringiana*, Gaud. Fl. Helv. vi. 251.—Europ.  
*serotina*, Pall. Reise, iii. 759 = viminalis.  
*serotina*, Schur, Enum. Pl. Transs. 617 = triandra.  
*serpens*, Tausch, ex Opiz, Boehm. Gew. (1823) 111 (Quid?).—Europ.  
*serpyllifolia*, Scop. Fl. Carn. ed. II. ii. 255 = retusa.  
*Serpyllum*, Anderss. in Journ. Linn. Soc. iv. (1860) 55.—Reg. Himal.  
*serrulata*, Willd. Sp. Pl. iv. 664 = hastata.  
*sessilifolia*, Nutt. N. Am. Sylv. i. 68.—Am. bor. occ.  
*sibirica*, Pall. Fl. Ross. i. ii. 78 = caesia.  
*Sieboldiana*, Blume, Bijdr. 517.—Japon.  
*Sieboldii*, Hort. ex C. Koch, Dendrol. ii. ii. 505 = elegantissima.  
*Siegerti*, Anderss. in Vet. Acad. Handl. Stockh. vi. (1867) n. i. 68 = purpurea.  
*sikkimensis*, Anderss. in DC. Prod. xvi. ii. 269.—Reg. Himal.  
*silesiaca*, Fries, ex Nym. Consp. 667 = S. Caprea.  
*silesiaca*, Schleich. ex Ser. Ess. Saul. 65 = nigricans.  
*silesiaca*, Willd. Sp. Pl. iv. 660.—Europ.; Reg. Caucas.  
*sitchensis*, Sanson, ex Bong. in Mém. Acad. Pétersb. ii. (1833) 162. t. 2.—Am. bor. occ.  
*skiaphila*, Tausch, ex Opiz, Boehm. Gew. (1823) 111, nomen (Quid?).—Europ.  
*Smithiana*, Willd. Enum. Hort. Berol. 1008.—Europ.  
*Sommerfeltii*, Anderss. in DC. Prod. xvi. ii. 291 = S. Myrsinites.  
*songarica*, Anderss. in Vet. Acad. Handl. Stockh. vi. (1867) n. i. 53.—Soongar.  
*sordida*, Kern. in Verh. Zool.-Bot. Ges. Wien, x. (1860) 257 = purpurea.  
*sordida*, Schleich. ex Ser. Ess. Saul. 65 = nigricans.  
*spadicea*, Chaix, in Vill. Hist. Pl. Dauph. i. 373 = cinerea.  
*spathulata*, Schultz, Prod. Fl. Starg. Suppl. i. 54 = repens.  
*spathulata*, Willd. Sp. Pl. iv. 700 = repens.  
*speciosa*, Hook. & Arn. Bot. Beech. Voy. 130.—Am. arct.; Sibir.  
*speciosa*, Host, Sal. 5. t. 17 = triandra.  
*speciosa*, Nutt. N. Am. Sylv. i. 58 = lasiandra.  
*spectabilis*, Host, Sal. tt. 3, 4 = triandra.  
*sphacelata*, Loisel. Fl. Gall. ii. 343 = grandifolia.  
*sphacelata*, Schleich. ex Ser. Ess. Saul. 21 = grandifolia.  
*sphacelata*, Sommerf. ex Reichb. Fl. Germ. Excurs. 845 = livida.  
*sphacelata*, Willd. Sp. Pl. iv. 702 = S. Caprea.  
*sphaerocephala*, Kern. in Oestr. Bot. Zeitschr. xiv. (1864) 240 = purpurea.  
*sphenocarpa*, Tausch, ex Wimm. Sal. Europ. 196 = Lapponum.  
*sphenogyna*, Wimm. l. c. = Lapponum.  
*spiraeaeifolia*, Schleich. ex Ser. Ess. Saul. 40 = aurita.  
*spiraeifolia*, Willd. ex Link, Enum. Hort. Berol. ii. 416 = nigricans.  
*spissa*, Anderss. in DC. Prod. xvi. ii. 283 = subcordata.  
*splendens*, Bray, ex Opiz, Boehm. Gew. (1823) 110 = alba.  
*splendens*, Turcz. in Bull. Soc. Nat. Mosc. xxvii. (1854) i. 380 = viminalis.  
*spuria*, Schleich. ex Ser. Ess. Saul. 54; Willd. ex Anderss. in DC. Prod. xvi. ii. 279 = Lapponum.  
*stagnalis*, Nutt. N. Am. Sylv. i. 66 = brachystachys.  
*Starkeana*, Willd. Sp. Pl. iv. 677 = livida.  
*stenoclados*, Doell, Fl. Bad. 521 = livida.  
*stenostachya*, Kern. in Oestr. Bot. Zeitschr. xiv. (1864) 188 = glabra.  
*stipulacea*, Mart. & Gal. in Bull. Acad. Brux. x. ii. (1843) 343.—Mexic.  
*stipularis*, Ser. Ess. Saul. 20 = grandifolia.  
*stipularis*, Sm. Fl. Brit. 1079 = viminalis.  
*stolbergensis*, Wallr. ex Anderss. in Vet. Acad. Handl. Stockh. vi. (1867) n. i. 171 = hastata.  
*strepida*, Schleich. Cat. Pl. Helv. ed. III. 26; Forbes, Salict. Woburn. 199. t. 100 = nigricans.  
*Stuartiana*, Sm. Engl. Bot. t. 2586; Hook. Fl. Bor. Am. ii. 151 = Lapponum.  
*Sturteana*, Andr. ex Trautv. in Act. Hort. Petrop. ix. (1884) 187 = livida?  
*stylaris*, Ser. Ess. Saul. 62 = nigricans.  
*stylosa*, DC. Fl. Fr. Suppl. 339 = nigricans.  
*suaveolens*, Anderss. in Vet. Acad. Handl. Stockh. 1850 (1851) 491 = tetrasperma.

**SALIX:**—

- subalpina*, Forbes, Salict. Woburn. 185. t. 93 = repens.  
*subalpina*, Kern. in Oestr. Bot. Zeitschr. xvi. (1866) 338.—Europ.  
*subaurita*, Anderss. in Vet. Acad. Handl. Stockh. vi. (1867) n. i. 67 = silesiaca.  
*subcaprea*, Anderss. l. c. = silesiaca.  
*subcinerea*, Anderss. l. c. = silesiaca.  
*subcolor*, Ser. Ess. Saul. 54 = Lapponum.  
*subcordata*, Anderss. in Oefvers. Vet. Akad. Foerhandl. xv. (1858) 128.—Am. bor.  
*subfragilis*, Anderss. in Mem. Am. Acad. N. S. vi. (1858-59) 450.—Japon.  
*subglabra*, Kern. in Verh. Zool.-Bot. Ges. Wien, x. (1860) 237 = glabra.  
*subhastata*, Laest. ex Anderss. Sal. Lapp. 21 = lanata.  
*sublanata*, Anderss. ex Nym. Consp. 669 = lanata.  
*subnivalis*, Bruegg. in Jahresh. Naturf. Ges. Graub. II. xxv. (1882) 106.—Europ.  
*subopposita*, Miq. Ann. Mus. Bot. Lugd. Bat. iii. 28.—Japon.  
*subsericea*, Doell, Fl. Bad. 517 = repens.  
*subserata*, Willd. Sp. Pl. iv. 671 = S. Safsaf.  
*subtriandra*, Neilr. in Verh. Zool.-Bot. Ges. Wien, i. (1851) 119.—Europ.  
*sudetica*, Host, Sal. 28 = Lapponum.  
*sumatrana*, Miq. Fl. Ind. Bat. Suppl. 474.—Sumatra.  
*taimyrensis*, Trautv. in Middend. Sibir. Reise, 27. t. 5, 6 = arctica.  
*Tauschiana*, Sieber, Cat. (1821); ex Wimm. Sal. Europ. 196; Anderss. in Vet. Acad. Handl. Stockh. vi. (1867) n. i. 68 = Lapponum.  
*taxifolia*, H. B. & K. Nov. Gen. et Sp. ii. 22.—N. Mexic.  
*tenera*, Anderss. in DC. Prod. xvi. ii. 288.—Am. bor. occ.  
*tenuiflora*, Host, Sal. t. 5-16 = triandra.  
*tenuifolia*, Schleich. ex Ser. Ess. Saul. 67 = nigricans.  
*tenuifolia*, Sm. Engl. Bot. t. 2186 = phyllicifolia.  
*tenuifolia*, Turcz. in Bull. Soc. Nat. Mosc. xxvii. (1854) i. 376 = purpurea.  
*tenuijulis*, Ledeb. Fl. Alt. iv. 262 = purpurea.  
*tenuior*, Borrer, in Engl. Bot. Suppl. t. 2650 = phyllicifolia.  
*tenuis*, Host, Sal. 14. tt. 47, 48 = repens.  
*tenuis*, Tausch, in Literat. Flora (1837), 174 (err. typ. 673) = purpurea.  
*tephrocarpa* ×, Wimm. Sal. Europ. 205.—Europ.  
*Teplouchovi* ×, Schroed. in Gard. Chron. (1882) ii. 108.—Hab.?  
*testacea*, Wright, ex Anderss. in DC. Prod. xvi. ii. 201 = nigra.  
*tetrandra*, Willd. Enum. Hort. Berol. Suppl. 66, nomen; Reichb. Ic. Fl. Germ. xi. 28. t. 612.—Europ.  
*tetrapla*, Walk. Ess. 408; ex C. Koch, Dendrol. ii. i. 578 = phyllicifolia.  
*tetrasperma*, Roxb. Pl. Corom. i. 66. t. 97.—Ind. or.; Malaya.  
*thianschanica*, Regel, in Act. Hort. Petrop. vi. (1879) 471.—Turkestan.  
*Thomasiana*, Reichb. Ic. Fl. Germ. xi. 16. t. 560 = retusa.  
*Thomasii*, Anderss. in DC. Prod. xvi. ii. 297.—Helvet.  
*Thomsoniana*, Anderss. in Journ. Linn. Soc. iv. (1860) 54.—Reg. Himal.  
*Thunbergiana*, Blume, ex Anderss. in DC. Prod. xvi. ii. 271.—Japon.  
*thymelaeoides*, Schleich. ex Ser. Ess. Saul. 49 = S. Arbuscula.  
*tiliaefolia*, Schleich. ex Spreng. Pugill. ii. 87 = nigricans.  
*Timmii*, Schkuhr, ex Reichb. Fl. Germ. Excurs. 169 = cinerea.  
*tinctoria*, Sm. in Rees, Cycl. xxxi. n. 13 = pentandra.  
*tomentella*, Schleich. Cat. Pl. Helv. ed. III. 26 = nigricans.  
*tomentosa*, Host, Sal. 28 = Lapponum.  
*tomentosa*, Schrad. ex Anderss. in DC. Prod. xvi. ii. 278 = candida.  
*tomentosa*, Ser. Ess. Saul. 14 = S. Caprea.  
*torfacea*, Schleich. ex Ser. l. c. 67 = nigricans.  
*Torreyana*, Barratt, Salic. Am. n. 29.—Am. bor.  
*tortuosa*, Host, Sal. t. 15 = cinerea.  
*Traunsteineri*, Kern. ex Anderss. in DC. Prod. xvi. ii. 308 = purpurea.  
*Trautvetteriana*, Regel, in Act. Hort. Petrop. vi. (1879) 465.—As. centr.

**SALIX:**—

- Trevirani*, Wimm. ex Anderss. in DC. Prod. xvi. ii. 204 = triandra.  
*Treviranii*, Spreng. Pugill. i. 61 = mollissima.  
*triandra*, Linn. Sp. Pl. 1016.—Europ.; Oriens; As. bor.  
*triandroides*, Ehrh. ex Anderss. in Vet. Acad. Handl. Stockh. vi. (1867) n. i. 28 = triandra.  
*trichocarpa*, Schleich. ex Ser. Ess. Saul. 43 = nigricans.  
*tridentata*, Viv. Fl. Lib. Spec. 61. t. 7. f. 4 = Nitraria tridentata.  
*tristis*, Ait. Hort. Kew. ed. I. iii. 393.—Am. bor.  
*tristis*, Hort. ex Pursh, Fl. Am. Sept. ii. 614 = nigra.  
*tristis*, Muhl. in Ges. Naturf. Fr. Neue Schr. iv. (1803) 241.—Am. bor.  
*tuberculata*, Moench, Meth. 336; Dum. Fl. Belg. 13 (Quid?).—Europ.  
*turfacea*, Anderss. in Vet. Acad. Handl. Stockh. vi. (1867) n. i. 127 = nigricans.  
*turgida*, Schleich. Cat. Pl. Helv. ed. III. 26 = nigricans.  
*udensis*, Trautv. in Middend. Reise (Fl. Ochot. 81).—Sibir.  
*uliginosa*, Schleich. ex Ser. Ess. Saul. 21 = grandifolia.  
*uliginosa*, Starke, ex Willd. Sp. Pl. iv. 677 = livida.  
*uliginosa*, Willd. Enum. Hort. Berol. 1007 = aurita.  
*ulmifolia*, Schleich. ex Ser. Ess. Saul. 21 = nigricans.  
*ulmifolia*, Thuill. Fl. Par. ed. II. 518 = S. Caprea.  
*ulmifolia*, Vill. Hist. Pl. Dauph. iii. 776 = aurita.  
*unalaschkensis*, Cham. in Linnaea, vi. (1831) 539 = ovalifolia.  
*undulata*, Ehrh. Beitr. vi. 101 = triandra.  
*undulata*, Forbes, Salict. Woburn. 25. t. 13 = multifloris.  
*undulata*, Schleich. ex Ser. Ess. Saul. 66 = nigricans.  
*uralensis*, Hort. ex C. Koch, Dendrol. ii. i. 529 = purpurea.  
*urophylla*, Lindl. in Wall. Cat. n. 3708 = tetrasperma.  
*Uva-ursi*, Pursh, Fl. Am. Sept. ii. 610 = Cutleri.  
*Uva-ursi*, Seem. Bot. Voy. Herald, 40 = ovalifolia.  
*vacciniifolia*, Sm. Engl. Bot. t. 2341 = S. Arbuscula.  
*vaccinoides*, Schleich. ex Ser. Ess. Saul. 67 = nigricans.  
*vagans*, Anderss. in Oefvers. Vet. Akad. Foerhandl. xv. (1851) 121 = livida.  
*vagans*, Hook. f. ex Anderss. in Journ. Linn. Soc. iv. (1860) 54 = Thomsoniana.  
*vallesiaca*, Schleich. Cat. Pl. Helv. ed. III. 26 = nigricans.  
*varia*, Host, Sal. t. 5-16 = triandra.  
*varians*, Anderss. in Vet. Acad. Handl. Stockh. vi. (1867) n. i. 127 = nigricans.  
*vaudensis*, Forbes, Salict. Woburn. 233. t. 117 = nigricans.  
*vaudensis*, Kern. in Verh. Zool.-Bot. Ges. Wien, x. (1860) 263 = cinerea.  
*velutina*, Schleich. ex Ser. Ess. Saul. 53 = nivea.  
*velutina*, Schrad. ex Koch, Syn. Fl. Germ. ed. I. 650 = Smithiana.  
*venulosa*, Sm. Fl. Brit. 1055 = S. Arbuscula.  
*venusta*, Anderss. in DC. Prod. xvi. ii. 288.—Am. bor.  
*venusta*, Host, Sal. t. 5-16 = triandra.  
*versicolor*, Forbes, Salict. Woburn. 153. t. 77 = repens.  
*versifolia*, Ser. Ess. Saul. 40 = repens.  
*versifolia*, Wahlenb. Fl. Lapp. 271 = myrtilloides.  
*vestita*, Pursh, Fl. Am. Sept. ii. 610.—Am. bor.  
*viadrina*, Wimm. in Hartig, Naturg. Forstl. Cult. 6 = viminalis.  
*viburnoides*, Schleich. ex Ser. Ess. Saul. 61 = hastata.  
*Villarsiana*, Fluegge, ex Willd. Sp. Pl. iv. 655 = triandra.  
*villosa*, D. Don, ex Hook. Fl. Bor. Am. ii. 144 = glauca.  
*villosa*, Forbes, Salict. Woburn. 183. t. 92 = tristis.  
*villosa*, Schleich. Cat. Pl. Helv. ed. III. 26 = nigricans.  
*villosula*, Schleich. ex Ser. Ess. Saul. 43 = nigricans.  
*vilmensis*, Gorski, ex Reichb. Ic. Fl. Germ. xi. 24 = myrtilloides.  
*viminalis*, Balb. Fl. Taur. 165 = incana.  
*viminalis*, Kar. & Kir. in Bull. Soc. Nat. Mosc. xv. (1842) 451 = Kirilowiana.  
*viminalis*, Linn. Sp. Pl. 1021.—Europ.; As. bor.  
*viminalis*, Turcz. in Bull. Soc. Nat. Mosc. xxvii. (1854) i. 377 = purpurea.  
*violacea*, G. Anders. ex Sm. in Rees, Cycl. xxxi. n. 33 = daphnoides.  
*violacea*, Bray, ex Anderss. in Vet. Acad. Handl. Stockh. vi. (1867) n. i. 95 = myrtilloides.  
*violacea*, Holl. ex Nym. Consp. 666 = mollissima.  
*violacea*, Hort. ex Anderss. in DC. Prod. xvi. ii. 250 = phyllicifolia.

**SALIX** :—

- violacea*, Willd. Enum. Hort. Berol. Suppl. 66, nomen (Quid ?).—Hab. ?  
*virescens*, Forbes, Salict. Woburn. 13 = *mollissima*.  
*virescens*, Vill. Hist. Pl. Dauph. iii. 785 = *viminalis*.  
*virgata*, Forbes, Salict. Woburn. 23. t. 12 = *multiformis*.  
*virgata*, Schleich. Cat. Pl. Helv. ed. III. 26 = *nigricans*.  
*viridis*, Fries, Novit. ed. II. 283 = *fragilis*.  
*viridula*, Anderss. in Mem. Am. Acad. N. S. vi. (1858-59) 451 = *padifolia*.  
*vitellina*, Linn. Sp. Pl. 1016 = *alba*.  
*volgensis*, Anderss. in DC. Prod. xvi. ii. 314.—Rossia.  
*vratislaviana* x, Kern. in Verh. Zool.-Bot. Ges. Wien, x. (1860) 216.—Europ.  
*vulgaris*, Clayton, ex Gronov. Fl. Virg. ed. II. (1762) 154 = *nigra*.  
*vulpina*, Anderss. in Mem. Am. Acad. N. S. vi. (1858-59) 452 = *Miquelii*.  
*Wahlenbergii*, Anderss. in Bot. Notiser (1867), 115 = *nigricans*.  
*Waldesteiniana*, Willd. Sp. Pl. iv. 679 = *S. Arbuscula*.  
*Wallichiana*, Anderss. in Vet. Acad. Handl. Stockh. 1850 (1851) 477.—Reg. Himal.  
*Wallichii*, Wimm. ex Anderss. l. c. vi. (1867) n. i. 4 = *tetrasperma*.  
*wargiana*, Lej. Fl. Spa. ii. 322 = *fragilis*.  
*washitana*, Muhl. ex Rafin. Fl. Ludov. 138, nomen (Quid ?).—Am. bor.  
*Weigeliana*, Willd. Sp. Pl. iv. 678 = *phylicifolia*.  
*Weinmanniana*, Spreng. ex Anderss. in Vet. Acad. Handl. Stockh. vi. (1867) l. 95 = *mytilloides*.  
*Wichurae*, Anderss. l. c. vi. (1867) 135 = *glauca*.  
*Wichurae*, Kern. ex Anderss. in DC. Prod. xvi. ii. 305 = *incana*.  
*Wilhelmsiana*, Bieb. Fl. Taur. Cauc. iii. 627 = *angustifolia*.  
*Willdenoviana*, Forbes, Salict. Woburn. 81. t. 41 = *nigricans*.  
*Wimmeri*, Kern. in Flora, xxxv. (1852) 511 = *daphnoides*.  
*Wimmeriana*, Gren. & Godr. Fl. Fr. iii. 130 = *purpurea*.  
*Wolfi*, Bebb, in Wheeler, Rep. Bot. U. St. Geogr. Surv. vi. 241.—Am. bor. occ.  
*Woolgariana*, Borrer, in Engl. Bot. Suppl. t. 2651 = *purpurea*.  
*Wrightii*, Anderss. in Oefvers. Vet. Akad. Foerhandl. xv. (1858) 115 = *nigra*.  
*Wulfeniana*, Forbes, Salict. Woburn. 95 = *phylicifolia*.  
*Wulfeniana*, Pollini, Fl. Veron. iii. 160 = *nigricans*.  
*Wulfeniana*, Willd. Sp. Pl. iv. 660 = *glabra*.  
*Zedlitziana* x, Kern. in Verh. Zool.-Bot. Ges. Wien, x. (1860) 217.—Europ.  
*Zeyheri*, Sond. ex Fries, in Oefvers. Vet. Akad. Foerhandl. xiii. (1856) 121 = *capensis*.  
*Zollingeri*, Miq. in Zoll. Syst. Verz. Ind. Archip. 108 = *tetrasperma*.  
*zygostemon*, Boiss. & Hohen. Diagn. Ser. I. xii. 118 = *oxycarpa*.

**SALIZARIA**, A. Gray, Syn. Fl. N. Am. ii. i. 382 (1878), sphalm. = **Salazaria**, Torr. (Labiata.).

**SALKEA**, Steud. Nom. ed. II. ii. 500 (1841), sphalm. = seq.

**SALKEN**, Adans. Fam. ii. 322 (1763) = **Dalbergia**, Linn. (Legumin.).

**SALLOA**, Walp. Rep. v. 17 (1845), sphalm. = **GALLOA**, Hassk. = **Cocculus**, DC. (Menisp.).

**SALMALIA**, Schott & Endl. Melet. 35 (1832) = **Bombax**, Linn. (Malvac.).  
*insignis*, Schott & Endl. l. c. 35 = *B. insignie*.  
*malabarica*, Schott & Endl. l. c. = *B. malabaricum*.

**SALMASIA**, Bubani, in Nuov. Giorn. Bot. Ital. v. (1873) 317 = **Aira**, Linn. (Gramin.).  
*corymbosa*, Bubani, l. c. = *A. intermedia*.

**SALMASIA**, Reichb. Handb. 295 (1837), sphalm. = **SALMALIA**, Schott & Endl. = **Bombax**, Linn. (Malvac.).

**SALMASIA**, Schreb. Gen. 201 (1789) = **Tachibota**, Aubl. (Inc. Sed.).  
*guianensis*, J. F. Gmel. Syst. 500 = *T. guianensis*.  
*racemosa*, Willd. Sp. Pl. i. 1502 = *T. guianensis*.  
*spinosa*, Spreng. Neue Entdeck. ii. 166 = *Zanthoxylum Ochroxylum*.

**SALMEA**, DC. Cat. Hort. Monsp. 140 (1813). **COMPOSITAE**, Benth. & Hook. f. ii. 381.  
**FORNICARIA**, Rafin. Sylva Tellur. 116 (1838).  
**HOPKIRKIA**, Spreng. Nov. Prov. 23 (1818).  
*angustifolia*, Benth. Bot. Voy. Sulph. 117.—Mexic.  
*caleoides*, Griseb. Cat. Pl. Cub. 155.—Cuba.  
*curviflora*, R. Br. in Trans. Linn. Soc. xii. (1818) 112 = *Otopappus curviflorus*.  
*Eupatoria*, DC. Cat. Hort. Monsp. 140.—Ind. occ.  
*fruticulosa*, Steud. Nom. ed. II. i. 775, in syn. (= *Armania fruticulosa*).—Am. austr.  
*glaberrima*, Wright, ex Griseb. Cat. Pl. Cub. 155.—Cuba.  
*grandiceps*, Cass. in Dict. Sc. Nat. xvii. 88 = *S. Eupatoria*.  
*hirsuta*, DC. Cat. Hort. Monsp. 140.—Jamaic.  
*oligocephala*, Hemsl. Biol. Centr. Am. Bot. ii. 194.—Mexic.  
*oppositiceps*, Cass. in Dict. Sc. Nat. xvii. 89 = *hirsuta*.  
*parviceps*, Cass. l. c. 88 = *S. Eupatoria*.  
*pauciceps*, Griseb. Cat. Pl. Cub. 155.—Ind. occ.  
*petrochioides*, Griseb. Fl. Brit. W. Ind. 375.—Ind. occ.  
*salicifolia*, Brongn. in Rev. Hort. Sér. III. i. (1847) 87.—Hab. ?  
*scandens*, DC. in Cat. Hort. Monsp. 140 = *S. Eupatoria*.  
*sessilifolia*, Griseb. Fl. Brit. W. Ind. 375.—Ind. occ.

**SALMEOPSIS**, Benth. in Benth. & Hook. f. Gen. ii. 381 (1873). **COMPOSITAE**, Benth. & Hook. f. l. c. Claussenii, Benth. in Hook. Ic. Pl. t. 1152.—Bras.

**SALMIA**, Cav. Ic. iii. 24. t. 246 (1794) = **Sansevieria**, Thunb. (Haemod.).  
*ebracteata*, Cav. l. c. = *S. lanuginosa*.  
*guineensis*, Cav. l. c. = *S. guineensis*.  
*spicata*, Cav. l. c. = *S. thyrsiflora*.

**SALMIA**, Willd. in Ges. Naturf. Fr. Berl. Mag. v. (1811) 399 = **Carludovica**, Ruiz & Pav. (Cyclanth.).  
*acuminata*, Willd. l. c. 401 = *C. acuminata*.  
*angustifolia*, Willd. l. c. = *Cyclanthus Plumierii*.  
*funifera*, Spreng. Syst. iii. 772 = *C. funifera*.  
*humilis*, Steud. Nom. ed. II. ii. 501 = *C. humilis*.  
*jamaicensis*, Steud. l. c. = *C. jamaicensis* (in Addend.).  
*latifolia*, Willd. in Ges. Naturf. Fr. Berl. Mag. v. (1811) 401 = *C. latifolia*.  
*palmaefolia*, Willd. l. c. = *Cyclanthus Plumierii*.  
*palmata*, Willd. l. c. = *C. palmata*.  
*petrobioides*, Griseb. Fl. Brit. W. Ind. 375.—Ind. occ.  
*subacaulis*, Schult. Mant. iii. 341 = *C. trigona*.  
*tetragona*, Roem. & Schult. Syst. iii. 496 = *C. tetragona*.  
*trigona*, Willd. in Ges. Naturf. Fr. Berl. Mag. v. (1811) 401 = *C. trigona*.

**SALMONEA**, Vahl, Enum. i. 8 (1805) = **Salomonina**, Lour. (Polygal.).  
*cantoniensis*, Vahl, l. c. = *Salomonina cantoniensis*.

**SALMONIA**, Scop. Introd. 209 (1777) = **Vochysia**, Juss.

**SALOMONIA**, Heist. Syst. 5 (1748) (Quid ?).

**SALOMONIA**, Lour. Fl. Cochinch. 14 (1790). **POLYGALEAE**, Benth. & Hook. f. i. 136.  
**EPRIXANTHES**, Blume, Cat. Gew. Buitenz. 25 (1823).

*angulata*, Griff. Notul. iv. 539 = *ciliata* ?  
*aphylla*, Griff. in Proc. Linn. Soc. i. (1844) 221 ;  
*et in Trans. Linn. Soc. xiv. (1845) 112*.—Malaya.  
*Arnottiana*, Miq. Anal. Bot. Ind. iii. 3 = *oblongifolia*.  
*canarana*, Hassk. in Miq. l. c. = *oblongifolia*.  
*cantoniensis*, Lour. Fl. Cochinch. 14.—As. trop.  
*ciliata*, DC. Prod. i. 334.—Ind. or.  
*cordata*, Arn. in Nov. Act. Nat. Cur. xviii. (1836) 322 ;  
*et in Wight, Illustr. i. 49. t. 22 = ciliata*.  
*cylindrica*, Kurz, in Journ. As. Soc. Beng. xliii. (1874) ii. 79.—Burma.  
*edentula*, DC. Prod. i. 334.—Reg. Himal.

**SALMONIA** :—

- Hörneri*, Hassk. in Miq. Pl. Jungh. 123 = *oblongifolia* ?  
*leptostachya*, Wall. Cat. n. 4193 = *oblongifolia*.  
*longiciliata*, Kurz, in Journ. As Soc. Beng. xli. (1872) ii. 292.—Burma.  
*oblongifolia*, DC. Prod. i. 334.—As. trop. ; Austral.  
*obovata*, Wight, Illustr. i. 49. t. 22 = *oblongifolia*.  
*parasitica*, Griff. Notul. iv. 538 = *aphylla*.  
*petiolata*, Buch.-Ham. ex D. Don, Prod. Fl. Nep. 200 = *edentula*.  
*ramosissima*, Turcz. in Bull. Soc. Nat. Mosc. xxvii. (1854) ii. 352.—Ins. Philipp.  
*rigida*, Hassk. in Miq. Ann. Mus. Bot. Lugd. Bat. i. 148 = *oblongifolia*.  
*sessiliflora*, A. W. Benn. in Hook. f. Fl. Brit. Ind. i. 207, sphalm. = seq.  
*sessilifolia*, D. Don, Prod. Fl. Nep. 200 = *oblongifolia*.  
*setoso-ciliata*, Hassk. in Miq. Ann. Mus. Bot. Lugd. Bat. i. 149 = *oblongifolia*.  
*stricta*, Sieb. & Zucc. in Abh. Akad. Muench. iv. ii. (1843) 152 = *oblongifolia*.  
*subrotunda*, Hassk. in Miq. Ann. Mus. Bot. Lugd. Bat. i. 146 = *cantoniensis*.  
*tenella*, C. Muell. in Walp. Ann. vii. 243 = *aphylla*.  
*trinervata*, Steud. Nom. ed. II. ii. 373 = *cantoniensis*.  
*uncinata*, Hassk. in Miq. Ann. Mus. Bot. Lugd. Bat. i. 148 = *oblongifolia* ?

**SALPIANTHUS**, Humb. & Bonpl. Pl. Aequin. i. 154. t. 44 (1808) = **Boldoa**, Cav. (Nyctag.).  
*arenarius*, Humb. & Bonpl. l. c. 155 = *B. lanceolata*.  
*purpurascens*, Hook. & Arn. Bot. Beech. Voy. 309 = *Cryptocarpus globosus*.

**SALPICHROA**, Miers, in Hook. Lond. Journ. Bot. iv. (1845) 321. **SOLANACEAE**, Benth. & Hook. f. ii. 899.

*BUSBECKEA*, Mart. Cat. Hort. Monac. (1829) 69.  
*PERIZOMA*, Miers, ex Lindl. Veg. Kingd. 622 (1847).  
**PLANCHONIA**, Dun. in DC. Prod. xiii. i. 471 (1852).  
**SALPICHROMA**, Miers, in Hook. Lond. Journ. Bot. vii. (1848) 333.  
*ciliata*, Miers, in Hook. Lond. Journ. Bot. iv. (1845) 329 = *Lycium ciliatum*.  
*dependens*, Miers, l. c. 325.—Peruv.  
*diffusa*, Walp. Ann. iii. 169.—Am. trop.  
*glandulosa*, Miers, in Hook. Lond. Journ. Bot. iv. (1845) 325.—Peruv.  
*hirsuta*, Miers, l. c.—Peruv.  
*ramosissima*, Miers, l. c. 326.—Peruv.  
*rhomboidea*, Miers, l. c.—Reg. Argent.  
*tristis*, Walp. Rep. iii. 170.—Peruv.  
*Wrightii*, Miers, ex A. Gray, Syn. Fl. N. Am. ii. i. 231.—Am. bor. occ.

**SALPICHROMA**, Miers, in Hook. Lond. Journ. Bot. vii. (1848) 333 = **Salpichroa**, Miers (Solan.).  
*breviflorum*, Dun. in DC. Prod. xiii. i. 474.—Peruv.  
*ciliata*, Miers, in Hook. Lond. Journ. Bot. vii. (1848) 334 = *Lycium ciliatum*.  
*cuspidatum*, Dun. in DC. Prod. xiii. i. 474.—Peruv.  
*dependens*, Miers, in Hook. Lond. Journ. Bot. vii. (1848) 334 = *Salpichroa dependens*.  
*Didieranum*, Jaub. in Bull. Soc. Bot. Fr. viii. (1861) 117.—Peruv.  
*diffusum*, Miers, in Hook. Lond. Journ. Bot. vii. (1848) 335 = *Salpichroa diffusa*.  
*glandulosum*, Miers, l. c. 334 = *Salpichroa glandulosa*.  
*hirsutum*, Miers, l. c. = *Salpichroa hirsuta*.  
*Mandonianum*, Wedd. Chlor. And. ii. 98.—Bolivia.  
*parviflorum*, Dun. in DC. Prod. xiii. i. 476.—Bras.  
*ramosissimum*, Miers, in Hook. Lond. Journ. Bot. vii. (1848) 334 = *Salpichroa ramosissima*.  
*rhomboideum*, Miers, l. c. = *Salpichroa rhomboidea*.  
*triste*, Miers, l. c. 335 = *Salpichroa tristis*.  
*urceolatum*, Dun. in DC. Prod. xiii. i. 475.—Mexic.

**SALPIGLOSSIS**, Ruiz & Pav. Prod. 94. t. 19 (1794). **SOLANACEAE**, Benth. & Hook. f. ii. 909.  
*atro-purpurea*, R. Grah. in Edinb. N. Phil. Journ. (Oct.-Dec. 1827) 176 = *sinuata*.  
*aurea*, Hort. ex Vilm. Fl. Pl. Terre, ed. I. 762 = *sinuata*.  
*Barcklayana*, Penny, ex G. Don, in Loud. Hort. Brit. Suppl. i. 599 = seq.



**SALPIGLOSSIS** :—

- Barclayana*, Sweet, Brit. Flow. Gard. Ser. II. t. 112 = sinuata.  
*coccinea*, Lindl. & Paxt. Flow. Gard. iii. (1852-53) 135. t. 100 = sinuata.  
*fulva*, Court. in Mag. Hort. i. (1833) 219. n. 411.—Chili.  
*hybrida*, Hort. ex Vilm. Fl. Pl. Terre, ed. I. 762 = sinuata.  
*integrifolia*, Hook. Bot. Mag. t. 3113 = Petunia violacea.  
*integrifolia*, Lodd. Bot. Cab. t. 1978.—Reg. Argent.  
*intermedia*, Sweet, Hort. Brit. ed. II. 594; Brit. Flow. Gard. Ser. II. t. 112 = sinuata.  
*linearis*, Hook. Bot. Mag. sub t. 3113; et t. 3256.—Reg. Argent.  
*parviflora*, G. Don, ex Benth. in DC. Prod. x. 202 (Petunia sp.).—Hab. ?  
*parviflora*, Phil. Fl. Atac. 45 = Reyesia chilensis.  
*picta*, Sweet, Brit. Flow. Gard. Ser. I. t. 258 = straminea.  
*prostrata*, Hook. & Arn. Bot. Beech. Voy. 153.—Calif.  
*purpurea*, Miers, Trav. ii. 531.—Chili.  
*sinuata*, Hook. & Arn. ex Miers, in Hook. Lond. Journ. Bot. v. (1846) 190 = Petunia viscidula.  
*sinuata*, Ruiz & Pav. Syst. Veg. 163.—Chili.  
*spinescens*, Clos, in C. Gay, Fl. Chil. v. 127.—Chili.  
*straminea*, Hook. Exot. Fl. iii. t. 229.—Chili.  
*variabilis*, Hort. ex Vilm. Fl. Pl. Terre, ed. II. 809 = sinuata.

**SALPIGLOTTIS**, Hort. ex C. Koch, in Neue Verh. Berl. Gartenb. i. (1853) 400 = praec.

- SALPINGA**, Mart. in DC. Prod. iii. 112 (1828).  
**MELASTOMACEAE**, Benth. & Hook. f. i. 755.  
*cristata*, DC. Prod. iii. 113 = Macrocentrum cristatum.  
*fasciculata*, DC. l. c. = Macrocentrum fasciculatum.  
*longifolia*, Triana, in Trans. Linn. Soc. xxviii. (1871) 80.—Bras.  
*margaritacea*, Triana, l. c.—Bras.  
*parviflora*, DC. Prod. iii. 113 = Macrocentrum cristatum.  
*secunda*, Schrank & Mart. ex DC. l. c.—Bras.

**SALPINGANTHA**, Hort. ex Lem. in Fl. des Serres, iii. (1847) 240, sphalm. = **SALPIXANTHA**, Hook. = **Geissomeria**, Lindl. (Acanth.).

**SALPINGOLOTIS**, C. Koch, in Neue Verh. Berl. Gartenb. i. (1853) 401 = **Salpiglossis**, Ruiz & Pav. (Solanac.).

**SALPIXANTHA**, Hook. Bot. Mag. t. 4158 (1845) = **Geissomeria**, Lindl. (Acanth.).  
*coccinea*, Hook. l. c. = G. coccinea.

**SALSA**, Feuillé, ex Ruiz & Pav. Fl. Per. iii. 70 (1802) = **Herreria**, Ruiz & Pav. (Liliac.).

- SALSOLA**, Linn. Syst. ed. I (1735). **CHENOPODIACEAE**, Benth. & Hook. f. iii. 71.  
**CAROXYLON**, Thunb. Nov. Gen. ii. 37 (1782).  
**HALOTHAMNUS**, Jaub. & Spach, Illustr. ii. 50. t. 136 (1846).  
**ISGARUM**, Rafin. Fl. Tellur. iii. 46 (1836).  
**KALI**, Tournef. ex Adans. Fam. ii. 261 (1763).  
**SARCOMORPHIS**, Boj. ex Moq. in DC. Prod. xiii. II. 179 (1849).  
**SODA**, Fourr. in Ann. Soc. Linn. Lyon, N. S. xvii. (1869) 145.  
*abrotanoides*, Bunge, in Bull. Acad. Pétersb. xxv. (1879) 366.—Mongol.  
*acicularis*, Salisb. Prod. 153 = S. Kali.  
*acuminata*, D. Dietr. Syn. Pl. ii. 998 = Suaeda acuminata.  
*affinis*, C. A. Mey. ex Schrenk, in Bull. Phys.-Math. Acad. Pétersb. i. (1843) 360.—Sibir.  
*africana*, Hort. ex Moq. in DC. Prod. xiii. II. 176 = aphylla.  
*argentina*, Guss. Fl. Sic. Prod. i. 303 = vermiculata, Linn.  
*alopecuroides*, Delile, Fl. Egypte, 200. t. 21 = Halogeton alopecuroides.  
*altissima*, Dryand. ex Moq. in DC. Prod. xiii. II. 170 = Helicilla altissima.  
*altissima*, Linn. Sp. Pl. ed. II. 324 = Suaeda altissima.  
*annularis*, Poir. Encyc. vii. 298 = Suaeda fruticosa.  
*anomala*, C. A. Mey. ex Eichw. Pl. Casp.-Cauc. 14. t. 12 = Horaninovia juniperina.

**SALSOLA** :—

- anonyma*, Poir. Encyc. vii. 299 = Suaeda anonyma.  
*aphylla*, Linn. f. Suppl. 173.—Afr. austr.  
*aphylla*, Spreng. Syst. i. 925 = Kochia aphylla.  
*arabica*, Ehrenb. ex Boiss. Fl. Orient. iv. 970, in obs. = Anabasis Ehrenbergii.  
*arborescens*, Linn. f. Suppl. 173 = S. Arbuscula.  
*Arbuscula*, Pall. Reise, i. 487.—Rossia; Pers.; Sibir.  
*arenaria*, Waldst. & Kit. Pl. Rar. Hung. i. 80 = Kochia arenaria.  
*articulata*, Cav. Ic. iii. 43. t. 284 = Haloxylon articulatum.  
*articulata*, Forsk. Fl. Aegypt. Arab. 55 = Anabasis articulata.  
*asparagoides*, Miq. Ann. Mus. Bot. Lugd. Bat. ii. 194.—Japan.  
*atriplicifolia*, Spreng. Nachr. i. Bot. Gart. Halle, 35 = Cycloloma platyphyllum.  
*Atriplicis*, Schult. Obs. Bot. 52 = Cycloloma platyphyllum.  
*aurantiaca*, Bunge, ex Boiss. Fl. Orient. iv. 963.—Persia; Afghan.  
*Auricula*, Moq. Chenop. Enum. 135.—Persia; Afghan.  
*australis*, R. Br. Prod. 411 = S. Kali.  
*baccata*, Poir. Encyc. vii. 298 = Suaeda baccata.  
*baccifera*, Pall. Illustr. t. 23 = clavifolia.  
*baccifera*, Schrad. Neues Journ. iii. (1809) 88 = Suaeda baccifera.  
*Bottae*, Boiss. Fl. Orient. iv. 964, in obs.—Arab.  
*brachiata*, Pall. Illustr. 30. t. 22.—As. med.  
*brachyphylla*, Boiss. & Haussk. ex Boiss. Fl. Orient. iv. 959.—Persia.  
*brachyphylla*, Spreng. Syst. i. 924 = Kochia brevifolia.  
*brachypteris*, Moq. Chenop. Enum. 147 = S. Kali.  
*brevifolia*, Desf. Fl. Atlant. i. 218 = vermiculata, Linn.  
*buxifolia*, Hort. Par. ex Dum.-Cours. Bot. Cult. ed. I. i. 622 = praec. ?  
*caesia*, Fisch. & Mey. in Bull. Soc. Nat. Mosc. xi. (1838) 357 = ericoides.  
*Calluna*, Fenzl, ex Moq. in DC. Prod. xiii. II. 191, nomen.—Afr. austr.  
*camphorosmoides*, Desf. Fl. Atlant. i. 218 = Noaea spinosissima.  
*cana*, C. Koch, in Linnaea, xxii. (1849) 190 = crassa.  
*candida*, Fenzl, ex Moq. in DC. Prod. xiii. II. 191, nomen.—Afr. austr.  
*canescens*, Boiss. Fl. Orient. iv. 963.—As. Min.; Persia.  
*canescens*, Desf. Tabl. ed. I. 41 = Chenolea diffusa.  
*carinata*, C. A. Mey. in Eichw. Pl. Casp.-Cauc. 36. t. 28.—Reg. Casp.; Soongar.; Afghan.  
*carinata*, Spreng. Syst. i. 923 = Chenopodium carinatum.  
*carnosa*, Hort. ex Moq. in DC. Prod. xiii. II. 161 = Suaeda maritima.  
*caroliniana*, Walt. Fl. Carol. 111 = S. Kali.  
*Caroxylon*, Moq. Chenop. Enum. 143 = aphylla.  
*celtifolia*, Schult. Syst. vi. 243 = ciliata.  
*chenopodiana*, Hort. ex Moq. in DC. Prod. xiii. II. 161 = Suaeda maritima.  
*chenopodioides*, Hort. ex Dum.-Cours. Bot. Cult. ed. II. ii. 463 = Cycloloma platyphyllum.  
*ciliata*, Willd. Enum. Hort. Berol. Suppl. 14.—Hab. ?  
*cinerea*, Waldst. & Kit. Pl. Rar. Hung. ii. 110. t. 106 = Kochia sedoides.  
*clavifolia*, Pall. Reise, ii. 486.—Rossia; As. bor.  
*clavifolia*, Unio, It. ex Moq. in DC. Prod. xiii. II. 157 = Suaeda setigera.  
*collina*, Pall. Illustr. 34. t. 26.—Rossia; Reg. Himal.; Sibir.  
*conglomerata*, Gueldenst. Reisen, ii. 98.—Ross. austr.  
*controversa*, Todaro, ex Nym. Consp. 631 = S. Kali.  
*coquimbana*, Molina, Sagg. Chil. 132, 330.—Chili.  
*corniculata*, D. Dietr. Syn. Pl. ii. 998 = Suaeda corniculata.  
*cortica*, Meyen, Reise, i. 378.—Chili.  
*corymbosa*, Hort. ex Moq. in DC. Prod. xiii. II. 60 = Cycloloma platyphyllum.  
*crassa*, Bieb. in Mem. Soc. Nat. Mosc. i. (1811) 100.—Rossia; As. bor.  
*daghestanica*, Turcz. ex Bunge, Anab. Revis. 26.—Reg. Caucas.  
*dasyantha*, Pall. Illustr. 19. t. 11 = Kochia arenaria.  
*decumbens*, Lam. Fl. Fr. iii. 241 = S. Kali.

**SALSOLA** :—

- decurrens*, Jaub. & Spach, Illustr. ii. 53. t. 138 = S. Auricula.  
*dendroides*, Pall. Illustr. 22. t. 14 = verrucosa.  
*depressa*, Pursh, Fl. Am. Sept. i. 197 = Suaeda platensis.  
*dichotoma*, Pall. Reise, iii. 604 = Ofaiston paucifolium.  
*didyma*, Lour. Fl. Cochinch. 17.—Afr. trop.  
*diffusa*, Thunb. Prod. Pl. Cap. 48 = Kochia sericea.  
*dioeca*, Spreng. Syst. i. 923 = Kochia dioica.  
*divaricata*, Mass. ex Link, in Buch, Besch. Canar. Ins. 141 = longifolia.  
*divergens*, Poir. Encyc. vii. 299 = Suaeda hortensis.  
*Echinus*, Labill. Ic. Pl. Syr. dec. ii. 10. t. 5 = Noaea spinosissima.  
*elata*, Wight, in Wall. Cat. n. 6944 = Suaeda nudiflora.  
*ennaea*, Jan, Elench. Pl. Parm. (1826) 4 = vermiculata Linn.  
*eriantha*, Hort. ex Moq. in DC. Prod. xiii. II. 135 = Kochia eriophora.  
*ericaefolia*, Adams, in Hoffm. Hort. Mosq. (1808) n. 2764 = ericoides.  
*ericifolia*, Mass. ex Link, in Buch, Besch. Canar. Ins. 141 = vermiculata, Linn.  
*ericoides*, Bieb. in Mem. Soc. Nat. Mosc. i. (1811) 141.—Reg. Transcauc.  
*ericoides*, Lag. ex Willk. & Lange, Prod. Fl. Hisp. i. 258 = Webbii.  
*ericoides*, C. A. Mey. Verz. Pf. Cauc. 160 = verrucosa.  
*eriophora*, Steph. ex Bieb. in Mem. Soc. Nat. Mosc. iv. (1813) 17 = Kochia eriophora.  
*erubescens*, Schrad. Ind. Sem. Hort. Gotting. (1834) 5 = collina.  
*exasperata*, C. A. Mey. in Eichw. Pl. Casp.-Cauc. 7 = S. Arbuscula.  
*farinosa*, Poir. Encyc. vii. 298 = Suaeda vera.  
*ferox*, Delile, ex Moq. in DC. Prod. xiii. II. 218 = Cornulaca monacantha.  
*flavescens*, Cav. Ic. iii. 45. t. 288 = vermiculata, Linn.  
*florida*, Poir. Encyc. Suppl. v. 191 = Seidlitzia florida.  
*foetida*, Delile, Fl. Egypt. Illustr. n. 310.—Afr. trop.; Arab.; Ind. or.  
*foetida*, Vest, ex Schult. Syst. vi. 238 = Suaeda foetida.  
*foliosa*, Schrad. ex Schult. l. c. 235 = clavifolia.  
*frutescens*, Pall. Reise, i. 488 = crassa.  
*fruticosa*, Bieb. Tabl. Prov. Casp. 149 = Suaeda dendroides.  
*fruticosa*, Cav. Ic. iii. 44. t. 285 = longifolia.  
*fruticosa*, Drège, ex Moq. in DC. Prod. xiii. II. 131 = Kochia villosa.  
*fruticosa*, Linn. Sp. Pl. ed. II. 324 = Suaeda fruticosa.  
*fruticosa*, Wall. Cat. n. 6944 = Suaeda nudiflora.  
*gemmascens*, Pall. Illustr. 24.—Persia; As. bor.  
*genistoides*, Juss. ex Poir. Encyc. vii. 294.—Hispan.  
*georgica*, Bunge, ex Ledeb. Fl. Ross. iii. 814 = verrucosa.  
*glaucia*, Bieb. Fl. Taur. Cauc. i. 185.—Reg. Caucas.; Persia.  
*glaucia*, C. A. Mey. Verz. Pf. Cauc. 160 = ericoides.  
*globulifolia*, Poir. Encyc. vii. 298 = Suaeda vermiculata.  
*glomerata*, Steph. ex Moq. in DC. Prod. xiii. II. 206 = Halogeton glomeratus.  
*glomerulata*, Delile, Fl. Aegypt. 56 = Halogeton alopecuroides.  
*glomerulata*, Meyen, Reise, i. 375.—Chili.  
*gossypina*, Bunge, ex Boiss. Fl. Orient. iv. 956.—Persia.  
*grandiflora*, Link, ex Steud. Nom. ed. II. ii. 502.—Lusitan.  
*Helena*, Bory, ex Schult. Syst. vi. 242 = Suaeda fruticosa.  
*heterocarpa*, Bunge, ex Boiss. Fl. Orient. iv. 953 = sogdiana.  
*hirsuta*, Linn. Sp. Pl. ed. II. 323 = Kochia hirsuta.  
*hispidula*, Boiss. Fl. Orient. iv. 960.—Turkest.; Afghan.  
*hyssopifolia*, Nocca, ex Usteri, Ann. Bot. vi. (1793) 60 = Kochia hyssopifolia.  
*hortensis*, Desf. Tabl. ed. II. 50; Cat. Hort. Par. ed. III. 73; et ex Moq. in DC. Prod. xiii. II. 158 = Suaeda altissima.  
*Hostii*, Tratt. Arch. 93. t. 112 = Suaeda maritima.  
*hyssopifolia*, Pall. Reise, i. 491 = Kochia hyssopifolia.  
*imbricata*, Forsk. Fl. Aegypt. Arab. 57.—Arab.

**SALSOLA :—**

*incanescens*, C. A. Mey. in Eichw. Pl. Casp.-Cauc. 35. t. 26 = spissa.  
*indica*, Herb. Madr. ex Wall. Cat. n. 6946 C = Suaeda fruticosa.  
*indica*, Willd. Sp. Pl. i. 1317 = Suaeda maritima.  
*inermis*, Forsk. Fl. Aegypt. Arab. 57.—Aegypt.; Syria.  
*Jacquemontii*, Moq. in DC. Prod. xiii. II. 188 = S. Kali?  
*Kali*, Linn. Sp. Pl. 222.—Reg. bor. et austr. temp.  
*Lana*, Edgew. in Hook. Journ. Bot. ii. (1840) 286 = Suaeda fruticosa.  
*Lana*, Stocks, ex Boiss. Fl. Orient. iv. 950 = Haloxylon recurvum.  
*lanata*, Hort. ex Moq. in DC. Prod. xiii. II. 135 = Kochia eriophora.  
*lanata*, Mass. ex Link. in Buch. Besch. Canar. Ins. 141 = Chenolea canariensis.  
*lanata*, Pall. Reise, ii. 736.—Ross.; As. bor.  
*lanata*, Poll. ex Moq. in DC. Prod. xiii. II. 132 = Kochia prostrata.  
*lanata*, Vahl, in Hornem. Hort. Hafn. 259 = Kochia hyssopifolia.  
*lancifolia*, Boiss. Fl. Orient. iv. 958.—Palaestin.  
*laniflora*, S. G. Gmel. Reise, i. 160. t. 37 = Kochia arenaria.  
*laniflora*, Hort. ex Moq. in DC. Prod. xiii. II. 135 = Kochia eriophora.  
*laniflora*, Linn. f. Suppl. 172 = lanata.  
*lanuginosa*, Hort. ex Moq. in DC. Prod. xiii. II. 135 = Kochia eriophora.  
*lanuginosa*, Steud. Nom. ed. II. ii. 502 = glomerulata.  
*laricina*, Pall. Illustr. 21. t. 13.—Ross.; As. bor.  
*latifolia*, Hort. Par. ex Poir. Encyc. vii. 298 = Cycloloma platyphyllum.  
*leiosperma*, D. Dietr. Syn. Fl. ii. 997 = Suaeda altissima.  
*leucoxyllum*, Moq. in DC. Prod. xiii. II. 183 = ericoides.  
*linearis*, Ell. Sketch, i. 332 = Suaeda maritima.  
*littoralis*, Moq. in DC. Prod. xiii. II. 180.—Madag.  
*longiflora*, J. F. Gmel. Syst. 1618 = seq.  
*longifolia*, Forsk. Fl. Aegypt. Arab. 55.—Afr. bor.; Palaest.  
*longifolia*, Lam. Fl. Fr. iii. 233 = S. Soda.  
*lutea*, Delile, ex Moq. in DC. Prod. xiii. II. 215 = Anabasis setifera.  
*macrophylla*, R. Br. Prod. 411 = S. Kali.  
*marina*, Hort. ex Moq. in DC. Prod. xiii. II. 161 = Suaeda maritima.  
*maritima*, Bieb. Tabl. Prov. Casp. 150; Poir. Encyc. vii. 291 = Suaeda maritima.  
*Marostemum*, Moq. in DC. Prod. xiii. II. 191, sphalm. = Moorcroftiana.  
*meridocinensis*, Gill. ex Moq. l. c. 156 = Suaeda divaricata.  
*microphylla*, Cav. Ic. iii. 45. t. 287 = vermiculata, Linn.  
*mollis*, A. Cunn. ex Moq. in DC. Prod. xiii. II. 138 = Sclerolaena bicornis.  
*mollis*, Desf. Fl. Atlant. i. 218 = Suaeda vermiculata.  
*monandra*, Pall. Reise, iii. 724 = Ofaiston paucifolium.  
*monobracea*, Forsk. Fl. Aegypt. Arab. 55 = Kochia muricata.  
*monocrophylla*, Steud. Nom. ed. I. 723, sphalm. = macrophylla.  
*monoica*, Poir. Encyc. vii. 299 = Suaeda monoica.  
*monoptera*, Bunge, in Bull. Acad. Pétersb. xxv. (1879) 364.—Sibir.  
*Moorcroftiana*, Wall. Cat. n. 6947 = foetida.  
*Moquiniiana*, Jaub. & Spach, Illustr. ii. 52. t. 137 = S. Auricula.  
*mucronata*, Forsk. Fl. Aegypt. Arab. 56 = Noaea spinosissima.  
*muricata*, Bieb. Tabl. Prov. Casp. 148 = Kochia sedoides.  
*muricata*, Linn. Mant. i. 54 = Kochia muricata.  
*mutica*, C. A. Mey. ex Becker, in Bull. Soc. Nat. Mosc. xxvii. (1854) i. 455.—Ross. austr.  
*nitida*, Clarke, Trav. iii. 42.—Aegypt.  
*nitraria*, Pall. Illustr. 23. t. 15 = spissa.  
*nitrosa*, Gueldenst. ex Ledeb. Fl. Ross. iii. 809 = spissa.  
*nudiflora*, Wall. Cat. n. 6945 = Suaeda maritima.  
*nudiflora*, Willd. Sp. Pl. i. 1313 = Suaeda nudiflora.  
*obtusifolia*, Ledeb. ex Sweet, Hort. Brit. ed. III. 372.—Sibir.

**SALSOLA :—**

*oppositiflora*, Pall. Reise, i. 735 = Girgensohnia oppositiflora.  
*oppositifolia*, Desf. Fl. Atlant. 219 = longifolia.  
*oppositifolia*, Pall. Reise, ii. 477 = Petrosimonia sibirica.  
*oppositifolia*, Sieber, ex Moq. in DC. Prod. xiii. II. 190 = Sieberi.  
*orientalis*, S. G. Gmel. Reise, iv. 47. t. 5.—Cf. J. F. Gmel. Syst. 453 = rigida.  
*Pallasiana*, Vest. ex Schult. Syst. vi. 240 = brachiata.  
*paniculata*, Hort. ex Moq. in DC. Prod. xiii. II. 60 = Cycloloma platyphyllum.  
*papillosa*, Willk. Iber. Halbins. 146.—Hispan.  
*Passerina*, Bunge, in Linnaea, xvii. (1843) 4, in adnot. = gemmascens.  
*persica*, Bunge, ex Boiss. Fl. Orient. iv. 964.—Persia.  
*physophora*, Schrad. Neues Journ. iii. (1809) 88 = Suaeda physophora.  
*pilosa*, Pall. Reise, ii. 477 = Halimocnemis malacophylla.  
*pinnatifida*, Schult. Syst. vi. 243.—Aegypt.  
*platyphylla*, Michx. Fl. Bor. Am. i. 174 = Cycloloma platyphyllum.  
*polycloas*, Georgi, Besch. Russ. Reich. iv. 823 (Halimocnemidis sp. ?).—Ross. austr.  
*polycloas*, Linn. Mant. i. 54.—Hispan.; Sicil.  
*prostrata*, Linn. Sp. Pl. 222 = Kochia prostrata.  
*prostrata*, Pall. Reise, i. 490 = Kochia arenaria.  
*pulla*, C. Koch, in Linnaea, xxii. (1839) 190 = brachiata.  
*pygmaea*, Schrad. ex Moq. in DC. Prod. xiii. II. 161 = Suaeda microsperma?  
*radiata*, Desf. in Ann. Mus. Par. ii. (1803) 28. t. 34 = Cycloloma platyphyllum.  
*recurva*, Wall. Cat. n. 6943 = Haloxylon recurvum.  
*Richleri*, Karel. ex Moq. in DC. Prod. xiii. II. 185 = S. Arbuscula.  
*rigida*, Pall. Illustr. 20. t. 12.—Oriens; As. bor.  
*rosacea*, Bieb. Tabl. Prov. Casp. App. 143 = crassa.  
*rosacea*, Cav. Ic. iii. 44. t. 286 = S. Kali.  
*rosacea*, Linn. Sp. Pl. 222.—As. med.; Sibir.  
*rosea*, S. G. Gmel. ex Nym. Consp. 631 = praec.  
*rubescens*, Franch. in Révoil, Çomalı, 60.—Afr. trop.  
*salsa*, Cav. Ic. iii. 46. t. 290 = Suaeda spicata.  
*salsa*, Jacq. Hort. Vindob. iii. 44. t. 83 = Suaeda maritima.  
*salsa*, Linn. Sp. Pl. ed. II. 324 = Suaeda salsa.  
*salsa*, Pursh, Fl. Am. Sept. i. 197 = Suaeda plattensis.  
*salsa*, Roxb. in Beatson, Tracts St. Helena, 322 = Suaeda fruticosa.  
*sativa*, Cav. Ic. iii. 46. t. 291 = Suaeda spicata.  
*sativa*, Herb. Madr. ex Moq. in DC. Prod. xiii. II. 191 = Suaeda fruticosa.  
*sativa*, Linn. Sp. Pl. ed. II. 323 = Halogeton sativus.  
*sativa*, Wight, in Wall. Cat. n. 6945 = Suaeda maritima.  
*sativá*, Zeyh. ex Moq. in DC. Prod. xiii. II. 131 = Kochia villosa.  
*scabra*, Hort. ex Moq. l. c. 161 = Suaeda maritima.  
*scariosa*, Stokes, Bot. Mat. Med. ii. 31 = S. Kali.  
*sclerantha*, C. A. Mey. in Eichw. Pl. Casp. Cauc. 35. t. 27 = carinata.  
*scoparia*, Bieb. in Mém. Soc. Nat. Mosc. i. (1811) 144 = Kochia scoparia.  
*sedifolia*, Salisb. Prod. 153 = Suaeda fruticosa.  
*sedoides*, Pall. Reise, i. 492 = Kochia sedoides.  
*sericea*, Ait. Hort. Kew. i. ed. I. 317 = Kochia sericea.  
*seriphoides*, Stev. ex Moq. in DC. Prod. xiii. II. 190.—Ins. Canar.  
*setifera*, Lag. Gen. et Sp. Nov. 12 = Suaeda setigera.  
*setigera*, Steud. Nom. ed. II. ii. 502 = praec.  
*sibirica*, Koel. ex Moq. in DC. Prod. xiii. II. 213 = Anabasis brachiata.  
*Sieberi*, Presl, Bot. Bemerk. 108.—Aegypt.  
*Sieversiana*, Pall. ex Steud. Nom. ed. II. i. 848 = Kochia scoparia.  
*Soda*, Brot. Fl. Lusit. i. 404 = grandiflora.  
*Soda*, Linn. Sp. Pl. 223.—Europ. austr.; As. et Afr. bor.  
*Soda*, Pall. Reise, ii. 493 = collina.  
*Soda*, Weinm. in Flora, v. (1822) 300 = S. Kali  
*sogdiana*, Bunge, in Mém. Sav. Etr. Pétersb. vii. (1851) 473.—Persia; Turkest.  
*songarica*, Siev. ex Pall. Illustr. 35. sub t. 38 = Kochia scoparia.

**SALSOLA :—**

*Souda*, Loeff. Iter, 132 = Halogeton sativus.  
*spicata*, Pall. Illustr. 27. t. 19 = glauca.  
*spicata*, Willd. Sp. Pl. i. 1311 = Suaeda spicata.  
*spinescens*, Moq. in DC. Prod. xiii. II. 179.—Arab.  
*spinescens*, Wight, Ic. t. 1795 = foetida.  
*Spinifex*, Pall. Illustr. 32. t. 24 = Noaea spinosissima.  
*Spinifex*, Poir. Encyc. Suppl. v. 190 = Kochia sedoides.  
*spinosa*, Lam. Fl. Fr. iii. 240 = S. Kali.  
*spissa*, Bieb. in Mém. Soc. Nat. Mosc. i. (1811) 103.—Rossia; As. or. et bor.  
*splendens*, Pourr. in Mém. Acad. Toul. iii. (1788) 327 = Suaeda setigera.  
*squarrosa*, Stev. ex Moq. in DC. Prod. xiii. II. 190.—Ins. Naxos.  
*stellata*, Hort. ex Moq. l. c. 60 = Cycloloma platyphyllum.  
*Stocksii*, Boiss. Diagn. Ser. II. iv. 75 = Haloxylon recurvum.  
*stricta*, Spreng. Syst. i. 293 = Chenopodium strictum.  
*strobilifera*, Hort. ex Moq. in DC. Prod. xiii. II. 161 = Suaeda maritima.  
*Suaeda*, Poir. Encyc. vii. 299 = Suaeda vera.  
*suaedoides*, Moq. Chenop. Enum. 148 = spissa.  
*subaphylla*, C. A. Mey. in Eichw. Pl. Casp. Cauc. 34. t. 24.—Reg. Casp.; Afghan.  
*subdecandra*, Lag. Elench. Pl. Hort. Matr. (1813) 13, nomen (Quid ?).—Hab.?  
*succulenta*, Hort. ex Moq. in DC. Prod. xiii. II. 161 = Suaeda maritima.  
*tamariscifolia*, Cav. Ic. v. 69.—Europ.  
*tamariscifolia*, Falk, Beitr. ii. 141 = tamariscina.  
*tamariscifolia*, Lag. Gen. et Sp. Nov. 12 = genistoides.  
*tamariscina*, Pall. Reise, iii. 604.—Rossia; Reg. Cauc.; As. bor.  
*tenuifolia*, Bieb. Fl. Taur. Cauc. i. 188 = Kochia arenaria.  
*tenuifolia*, Falk, Beitr. ii. 141 = tamariscina.  
*tetragona*, Delile, Fl. Egypt, 203. t. 21. f. 4.—Aegypt.; Arab.  
*tetrandra*, Forsk. Fl. Aegypt. Arab. 58 = tetragona.  
*tomentosa*, Spach, ex Moq. in DC. Prod. xiii. II. 208 = canescens.  
*Tournefortii*, Spach, ex Moq. l. c. 209 = Noaea Tournefortii.  
*Tragus*, Linn. Cent. Pl. ii. 13; Amoen. Acad. iv. 310 = S. Kali.  
*triandra*, Poir. Encyc. Suppl. v. 190 = Kochia hyssopifolia.  
*triflora*, Pers. Syn. i. 296 = Suaeda altissima.  
*trigyna*, Hort. ex Steud. Nom. ed. II. ii. 503 = Suaeda maritima.  
*trigyna*, Willd. Sp. Pl. i. 1312 = Suaeda altissima.  
*tuberculata*, Fenzl, ex Moq. in DC. Prod. xiii. II. 178.—Afr. austr.  
*turgida*, Dum. Fl. Belg. 23 = S. Kali.  
*ulicina*, Bunge, in Bull. Acad. Pétersb. xxv. (1879) 364 = Horaninovia ulicina.  
*ulicina*, Trautv. in Act. Hort. Petrop. i. (1871) 29.—Turkestan.  
*vera*, Schult. Syst. vi. 242 = Suaeda vera.  
*vermiculata*, Bieb. Tabl. Prov. Casp. App. 145 = gemmascens.  
*vermiculata*, Brot. Fl. Lusit. i. 404.—Lusitan.  
*vermiculata*, Hort. ex Moq. in DC. Prod. xiii. II. 161 = Suaeda maritima.  
*vermiculata*, Linn. Sp. Pl. 223.—Reg. Medit.; As. bor.  
*vermiculata*, Pall. Reise, i. 488 = rigida.  
*verrucosa*, Bieb. in Mém. Soc. Nat. Mosc. i. (1811) 103.—Oriens; Ind. bor. occ.  
*verrucosa*, C. A. Mey. Verz. Pfl. Cauc. 160 = gemmascens.  
*verticillata*, Schousb. Vextr. Marokko, 123 = longifolia.  
*villosa*, Delile, Illustr. n. 309; D. Dietr. Syn. Pl. ii. 997 = rigida.  
*villosa*, Sieber, ex Boiss. Fl. Orient. iv. 955 = inermis.  
*Webbii*, Moq. Chenop. Enum. 139.—Hispan.

**SALTIA**, R. Br. in Salt. Abyss. App. 64 (1814), nomen = *Cometes*, Linn. (Illecebr.).  
*abyssinica*, A. Br. l. c. = C. abyssinica.

**SALTIA**, R. Br. in Wall. Pl. As. Rar. i. 17 (1830).  
**AMARANTACEAE**, Benth. & Hook. f. iii. 29.  
*globosa*, Hochst. & Steud. ex Moq. in DC. Prod. xiii. II. 325 = Cyathula globulifera.  
*papposa*, R. Br. in Wall. Pl. As. Rar. i. 17.—Ind. or.  
*Seddera*, Moq. in DC. Prod. xiii. II. 325 = papposa.

SALTZWEDELIA, Gaertn. Mey. & Scherb. Fl. Wett. ii. 480 (1800) = *Genista*, Linn. (Legumin.).  
*sagittalis*, Gaertn. Mey. & Scherb. l. c. 498 = *G. sagittalis*.  
*tetragona*, Fourr. in Ann. Soc. Linn. Lyon, N. S. xvi. (1868) 357 = *G. sagittalis*.

SALUTIAEA, Colla, in Mem. Acc. Torin. Ser. II. x. (1849) 208 = *Achimenes*, P. Br. (Gesner.).  
*grandiflora*, Colla, l. c. = *A. grandiflora*.

SALUTIEA, Griseb. Jahresh. 1850 (1853), 367; ex Pfeiff. Nom. ii. 1028 = praec.

**SALVADORA**, Garcin, ex Linn. Diss. Chen. 36 (1751); in Amoen. Acad. iii. 21. *SALVADORACEAE*, Benth. & Hook. f. ii. 681.

PELLA, Gaertn. Fruct. i. 143. t. 28. f. 8 (1788).  
*biflora*, Lour. Fl. Cochinch. 88. —Cochinch.  
*capitulata*, Lour. l. c. 87. —Cochinch.  
*crassinervia*, Hochst. ex T. Anders. in Journ. Linn. Soc. v. Suppl. i. (1860) 30 = *persica*.  
*glabra*, Bail. Adansonia, ix. (1870) 290 = *Dobera* Roxburghii.

*indica*, Royle, Illustr. Bot. Himal. 319; Wight, Illustr. ii. 229 = *persica*.

*madurensis*, Decne. in Jacquem. Voy. Bot. 140 = *Azima sarmentosa*.

*oleoides*, Decne. l. c. 140. t. 144 = *persica*.  
*paniculata*, Zucc. ex Steud. Nom. ed. II. ii. 503 = *persica*.

*persica*, Linn. Sp. Pl. 122. —Oriens; Ind. or.; Afr. bor. *persica*, Wall. Cat. n. 1042 = *Cansjera Rheedii*.  
*Stockii*, Wight, Illustr. 229 = *persica*.

*surinamensis*, Spreng. f. Tent. Suppl. Syst. 7 = *Cybianthus myrianthos*.  
*Wightiana*, Planch. ex Thw. Enum. Pl. Zeyl. 190 = *persica*.

**SALVERTIA**, A. St. Hil. in Mém. Mus. Par. vi. (1820) 266. *VOCHYSIACEAE*, Benth. & Hook. f. i. 977.

*convallariaeodora*, A. St. Hil. l. c. —Bras.  
*thyrsiflora*, Pohl, Pl. Bras. Ic. ii. 16. t. 110 = *convallariaeodora*.

**SALVIA**, [Tourn.] Linn. Syst. ed. I (1735). *LABIATAE*, Benth. & Hook. f. ii. 1194.

**AETHIOPIS**, Fourr. in Ann. Soc. Linn. Lyon, N. S. xvii. (1869) 134.

**AITOPSIS**, BELOSPIS, CODANTHERA, CROLOCOS, ELESIS, ENIPEA, EPIADENA, EURIPLES, FLIPANTA, GLUTINARIA, HEMATODES, HEMISTEGIA, KIOSMINA, LARNASTYRA, LESEMIA, MEGYATHUS, MELLIGO, OBOSKON, ORMIASIS, ORMILIS, PIARADENA, PLEUDIA, RHODORMIS, SOBISO, TEREPI, Rafin. Fl. Tellur. iii. 89-94 (1836).

**COVOLA**, Medic. in Staatsw. Vorles. Churpf. Phys.-Oek. Ges. i. (1791) 227.

**DRYMOSPHEACE**, Opiz, Seznam, 38 (1852).

**GALLITRICHUM**, Fourr. in Ann. Soc. Linn. Lyon, N. S. xvii. (1869) 134.

**HEMISPHEACE**, Opiz, l. c. 50 (1852).

**HORMINUM**, Moench, Meth. 376 (1794).

**JUNGIA**, Moench, l. c. 378 (1794).

**LEONIA**, La Llave & Lex. Nov. Veg. Desc. fasc. ii. 6 (1825).

**PLETHIOSPHEACE**, Opiz, Seznam, 75 (1852).

**MELINUM**, Medic. in Staatsw. Vorles. Churpf. Phys.-Oek. Ges. i. (1791) 200.

**RHODOCHLAMYS**, Schau. in Linnaea, xx. (1847) 706.

**SCHRADERIA**, Medic. Phil. Bot. ii. 40 (1791).

**SCLAREA**, Moench, Meth. 374 (1794).

**STENARRHENA**, D. Don, Prod. Fl. Nep. 111 (1825).

**STIEFIA**, Medic. in Staatsw. Vorles. Churpf. Phys.-Oek. Ges. i. (1791) 200; Phil. Bot. ii. 40 (1791).

*abyssinica*, R. Br. in Salt, Voy. Abyss. App. 62 = *Meriandra benghalensis*.

*abyssinica*, Jacq. Ic. Pl. Rar. i. 2 = *nilotica*.

*abyssinica*, Linn. f. Suppl. 88 = *nudicaulis*, spinosa.

*acaulis*, Vahl, Enum. i. 257 = *lyrata*?

*acetabulosa*, Linn. Mant. i. 25. —As. Min.; Syria.

*acuminata*, Ruiz & Pav. Fl. Per. i. 24. t. 37. —Peruv.

*acuminata*, Vent. Jard. Cels. t. 50 = *azurea*.

*acuminatissima*, Steud. Nom. ed. II. ii. 503 = *azurea*.

*acutata*, Brot. Phyt. Lusit. i. 203 = *S. Verbenaca*.

*acutifolia*, Lam. Illustr. i. 68 = *nutans*.

*acutifolia*, Ruiz & Pav. Fl. Per. i. 24. t. 38. —Peruv.

*adglutinans*, Lag. Gen. et Sp. Nov. 2. —Mexic.

## SALVIA:—

*aegyptiaca*, Linn. Mant. i. 26 = *spinosa*.  
*aegyptiaca*, Linn. Sp. Pl. 23. —Geront. trop. et subtrop.

*Aethiopsis*, Brot. Fl. Lusit. i. 18 = *argentea*.  
*Aethiopsis*, Linn. Sp. Pl. 27. —Europ. austr.; Oriens.

*affinis*, Schlecht. & Cham. in Linnaea, v. (1830) 99. —Mexic.

*affinis*, Spreng. ex Steud. Nom. ed. I. 724 = *virgata*.

*africana*, Linn. Sp. Pl. ed. II. 38. —Afr. austr.

*agglutinans*, Roem. & Schult. Syst. i. 582 = *adglutinans*.

*agrestis*, Linn. Amoen. Acad. iii. 399 = *pratensis*.

*agrestis*, Vell. Fl. Flum. 14; i. t. 35. —Bras.

*agrestis*, Vill. Hist. Pl. Dauph. ii. 402 = *S. Verbenaca*.

*albicaulis*, Benth. in E. Mey. Comm. Pl. Afr. Austr. 234. —Afr. austr.

*albida*, Jacq. Obs. 10 = *candidissima*.

*albiflora*, Mart. & Gal. in Bull. Acad. Brux. xi. II. (1844) 76. —Mexic.

*albo-caerulea*, Linden, in Belg. Hort. vii. (1857) 199. —Mexic.

*algeriensis*, Desf. Fl. Atlant. i. 23. t. 3. —Afr. bor.

*alpestris*, Hort. ex Benth. Lab. Gen. et Sp. 237 = *sylvestris*.

*altissima*, Pohl, Pl. Bras. Ic. ii. 140. t. 195. —Bras.

*Alvajaca*, Oerst. in Kjoeb. Vidensk. Meddel. (1853) 38. —Costa Rica.

*amabilis*, Kunth & Bouché, Ind. Sem. Hort. Berol. (1848) 13 = *farinacea*.

*amara*, Jacq. Hort. Schoenb. iii. 2 = *amarissima*.

*amarissima*, Orteg. Hort. Matr. Dec. 4. —Mexic.

*ambigua* x, Celak. in Arch. Naturw. Landesd. Boehm. ii. (1873) 353. —Europ.

*ambigua*, Rochebr. & Savat. Cat. Pl. La Charente, 167, in obs. = *S. Verbenaca*?

*ambigua*, Salisb. Prod. 74 = *nubia*.

*amethystina*, Salisb. l. c. = *mexicana*.

*amethystina*, Sm. Ic. Ined. ii. 27. t. 27. —N. Granat.

*amoena*, Sims, Bot. Mag. t. 1294 = *lamiifolia*.

*amplexicaulis*, Hort. ex Benth. Lab. Gen. et Sp. 236 = *virgata*.

*amplexicaulis*, Lam. Illustr. i. 68 = *sylvestris*.

*angulata*, Benth. Lab. Gen. et Sp. 721. —Venezuela.

*angustifolia*, Cav. Ic. iv. 9. t. 317. —Mexic.

*angustifolia*, Michx. Fl. Bor. Am. i. 15 = *azurea*.

*angustifolia*, Salisb. Prod. 73 = *dentata*.

*antirrhiniflora*, Dehnh. Cat. Pl. Hort. Camald. 27. —Hab.?

*applanata*, Willd. Enum. Hort. Berol. Suppl. 3 = *nilotica*.

*aprica*, Dupuy, ex Nym. Consp. 569 = *pratensis*.

*aprica*, Schur, Enum. Pl. Transs. 522 = *nemorosa*.

*arachnoidea*, Noé, ex Walp. Ann. iii. 256 = *phlo-moides*.

*arenaria*, A. St. Hil. ex Benth. Lab. Gen. et Sp. 257. —Bras.

*argaea*, Boiss. & Bal. ex Boiss. Fl. Orient. iv. 601 = *recognita*.

*argentea*, Hort. ex Benth. Lab. Gen. et Sp. 223 = *candidissima*.

*argentea*, Hort. ex Vilm. Fl. Pl. Terre, ed. I. 773 = *officinalis*.

*argentea*, Linn. Sp. Pl. ed. II. 38. —Reg. Mediterr.

*arguta*, Benth. Lab. Gen. et Sp. 283 = *salicifolia*.

*arida*, Salisb. Prod. 73 = *aegyptiaca*.

*aristata*, Auch. ex Benth. in DC. Prod. xii. 270. —Persia.

*aristulata*, Mart. & Gal. in Bull. Acad. Brux. xi. II. (1844) 67. —Mexic.

*arizonica*, A. Gray, Syn. Fl. N. Am. ii. i. 370. —Arizona.

*armena*, C. Koch, in Linnaea, xxi. (1848) 654 = *candidissima*.

*Arrabidaea*, Steud. Nom. ed. II. ii. 503. —Bras.

*asiodophylla*, Steud. l. c., sphalm. = *aspidophylla*.

*aspera*, Mart. & Gal. in Bull. Acad. Brux. xi. II. (1844) 71. —Mexic.

*asperata*, Falc. ex Benth. in DC. Prod. xii. 282. —Reg. Himal.

*asperifolia*, Benth. Lab. Gen. et Sp. 281. —Reg. Himal.

*asperula*, Hort. ex Benth. l. c. 237 = *sylvestris*.

*aspidophylla*, Schult. Mant. i. 206 = *lanceolata*.

*assurgens*, H. B. & K. Nov. Gen. et Sp. ii. 293. —Mexic.

*atlantica*, Pers. Syn. i. 29 = *argentea*.

*atomaria*, Boiss. Diagn. Ser. II. iv. 18 = *verbascifolia*.

## SALVIA:—

*atropatana*, Bunge, Lab. Pers. 47. —Persia.  
*Aucheri*, Benth. in Ann. Sc. Nat. Sér. II. vi. (1836) 38. —As. Min.

*aurasiaca*, Pomel, Nouv. Mat. Fl. Atl. 306 = *argentea*.  
*aurea*, Linn. Sp. Pl. ed. II. 38. —Afr. austr.

*auriculata*, Mill. Gard. Dict. ed. VIII. n. 3 = *triloba*.  
*aurita*, Schult. Obs. Bot. 10 = *officinalis*.

*aurita*, Thunb. Prod. Pl. Cap. 96. —Afr. austr.

*austriaca*, Jacq. Fl. Austr. ii. 8. —Europ. austr. or.

*austriaca*, C. Koch, in Linnaea, xxi. (1848) 656 = *staminea*.

*axillaris*, Moq. & Sesse, ex Benth. Lab. Gen. et Sp. 270. —Mexic.

*ayavacensis*, Schult. Mant. i. 195, sphalm. = *seq.*

*ayavazensis*, H. B. & K. Nov. Gen. et Sp. ii. 298. —Peruv.

*azurea*, Hort. ex Benth. Lab. Gen. et Sp. 299 = *lamiifolia*.

*azurea*, Lam. Journ. Hist. Nat. i. (1792) 409. —Am. bor.

*baccifera*, Etling. Salv. 18 = *triloba*.

*bachtiarica*, Bunge, Lab. Pers. 47 = *atropatana*.

*baetica*, Boiss. Elench. 73 = *bullata*.

*Balansae*, Noé, ex Coss. Notes Crit. 139. —Afr. bor.

*balaustina*, Pohl, Pl. Bras. Ic. ii. 133. t. 189. —Bras.

*ballotaeflora*, Benth. Lab. Gen. et Sp. 270. —Texas; Mexic.

*barbata*, Lam. Illustr. i. 72 = *africana*.

*Barrelieri*, Etling. Salv. 46 = *inamoena*.

*Barrelieri*, Hort. ex Benth. Lab. Gen. et Sp. 235 = *virgata*.

*Barrelieri*, Tenore, Fl. Nap. i. 9. t. 2 = *pratensis*.

*Bauhini*, Hort. ex Benth. Lab. Gen. et Sp. 235 = *virgata*.

*Baumgartenii*, Heuff. ex Griseb. & Schenk, in Wiegmann. Arch. xviii. (1852) 328 = *pratensis*.

*bavarica*, Schrank, Baier. Fl. ii. 133 = *austriaca*?

*Beckeri*, Trautv. in Act. Hort. Petrop. iii. II. (1875) 276. —Reg. Caucas.

*bengalensis*, Roxb. Hort. Beng. 4; Fl. Ind. i. 145 = *Meriandra benghalensis*.

*Benthamiana*, Boiss. ex Benth. in DC. Prod. xii. 269 = *Russeggeri*.

*Benthamiana*, Gardn. & Field. Sert. Pl. t. 19. —Bras.

*Benthamii*, Pohl, ex J. A. Schmidt, in Mart. Fl. Bras. viii. 187 = *brevipes*.

*Bernardina* x, Parish, ex Greene, in Bull. Calif. Acad. i. iv. (1885) 211. —Calif.

*Bertolonii*, Vis. Fl. Dalm. ii. 189. —Europ. austr.

*Bethelli*, Hort. —Cf. Gard. Chron. (1881) i. 51 = *involuta*.

*Betonica*, Schult. Mant. i. 188 = *elongata*.

*betonicaefolia*, Etling. Salv. 48 = *pendula*.

*betonicaefolia*, Lam. Illustr. i. 70 = *S. Verbenaca*.

*bicolor*, Lam. l. c. 69. —Reg. Mediterr. occ.

*bifida*, Forsk. Fl. Aegypt. Arab. 202 = *Forskohlei*.

*biflora*, Ruiz & Pav. Fl. Per. i. 24 = *tubiflora*.

*biserrata*, Mart. & Gal. in Bull. Acad. Brux. xi. II. (1844) 66. —Mexic.

*Blancoana*, Webb & Heldr. ex Walp. Ann. iii. 254 = *S. Candelabrum*.

*Blodgettii*, Chapm. Fl. S. U. St. 319. —Am. bor.

*Bodeana*, Bunge, Lab. Pers. 42. —Persia.

*bogotensis*, Benth. in DC. Prod. xii. 312. —N. Granat.

*boliviana*, Van Houtte, in Fl. des Serres, xi. (1856) 151. —Bolivia.

*Bolleana*, Noé, ex Bolle, in Bonplandia, viii. (1860) 284. —Ins. Canar.

*Bonplandiana*, F. G. Dietr. Vollst. Lexic. Gaertn. Nachtr. vii. 403 = *discolor*.

*Boosiana*, Jacq. f. Eclog. i. 69. t. 47 = *lamiifolia*.

*Boosii*, Tratt. Arch. Gew. i. 58. t. 92 = *lamiifolia*.

*Boucheana*, Kunth, Ind. Sem. Hort. Berol. (1845) 9. —Am. trop.

*Bourgeana*, W. Barbey, in Bull. Soc. Vaud. Sc. Nat. xxi. (1885) 96. —Lycia.

*brachiata*, Roxb. Hort. Beng. 4; Fl. Ind. i. 145 = *plebeia*.

*brachycalyx*, Boiss. Fl. Orient. iv. 625. —As. Min.; Syria.

*brachypoda*, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 134 = *brevipes*.

*bracteata*, Poir. Encyc. vi. 622 = *hirsuta*.

*bracteata*, Sims, Bot. Mag. t. 2320 = *S. Sclarea*.

*bracteata*, [Soland. in] Russ. Aleppo, ed. II. ii. 242. —As. Min.; Syria.

*brasiliensis*, Spreng. Syst. i. 56 = *splendens*.

**SALVIA** :—

- brevicalyx, *Benth. in DC. Prod.* xii. 309.—Mexic.  
*breviflora*, Moq. & Sesse, ex *Benth. Lab. Gen. et Sp.* 274 = spicata.  
*brevipes*, *Benth. in DC. Prod.* xii. 321.—Bras.  
*Broussonetii*, *Benth. Lab. Gen. et Sp.* 227.—Ins. Canar.; Afr. bor.  
*Broussoneti*, Bolle, in *Bonplandia*, viii. (1860) 284 = Bolleana.  
*bullata*, Orteg. Hort. Matr. Dec. 109 = tenella.  
*bullata*, Vahl, *Enum.* i. 265.—Hispan.; Lusitan.  
*bullulata*, *Benth. in DC. Prod.* xii. 327.—Peruv.  
*bupleuroides*, Presl, ex *Benth. Lab. Gen. et Sp.* 271.—Mexic.  
*byzantina*, Hort. ex *Benth.* l. c. 240 = *S. Verbenaca*.  
*byzantina*, Juss. ex *Steud. Nom.* ed. I. 725.—Turcia.  
*cabulica*, *Benth. in DC. Prod.* xii. 268.—Afghan.  
*cacliaefolia*, *Benth. l. c.* 348.—Mexic.  
*cadmica*, Boiss. *Diagn.* Ser. I. v. 6.—As. Min.  
*caduca*, Vahl, ex *Hornem. Hort. Hafn.* i. 30 = virgata.  
*caerulea*, Linn. *Sp. Pl.* 26.—Afr. austr.  
*caesia*, Scheele, in *Linnaea*, xxii. (1849) 588 = *fari-nacea*.  
*caesia*, Willd. *Enum. Hort. Berol.* 40 = polystachya.  
*caespitosa*, Montbr. & Auch. in *Ann. Sc. Nat. Sér.* II. vi. (1836) 39.—As. Min.  
*calaminthaefolia*, Vahl, *Enum.* i. 233.—Ins. S. Doming.  
*Calverti*, Boiss. *Fl. Orient.* iv. 626 = *staminea*.  
*calycina*, Sibth. & Sm. *Fl. Graec.* i. 13. t. 16.—Graecia.  
*calyciniflora*, Moq. & Sesse, ex *Benth. Lab. Gen. et Sp.* 288 = *Sessei*.  
*camaraefolia*, *Benth. in DC. Prod.* xii. 342.—N. Granat.  
*Camertoni*, Regel, in *Bot. Zeit.* xi. (1853) 334 = *elegans*!  
*campanulata*, Wall. ex *Benth. in Wall. Pl. As. Rar.* i. 67.—Reg. Himal.  
*campestris*, Bieb. *Fl. Taur. Cauc.* i. 20 = *virgata*.  
*cana*, Wall. Cat. n. 2145 = *lanata*.  
*canariensis*, Linn. *Sp. Pl.* 26.—Ins. Canar.  
*candelabriflora*, St. Lag. in *Ann. Soc. Bot. Lyon*, vii. (1880) 134 = *S. Candelabrum*.  
*Candelabrum*, Boiss. *Elench.* 72.—Hispan.  
*candicans*, Mart. & Gal. in *Bull. Acad. Brux.* xi. II. (1844) 61.—Mexic.  
*candidissima*, Bieb. *Fl. Taur. Cauc.* i. 22 = *verbascifolia*.  
*candidissima*, Guss. *Fl. Sicil. Prod.* i. 16 = *argentea*.  
*candidissima*, Vahl, *Enum.* i. 278.—As. Min.  
*Candollei*, Timb. in *Bull. Soc. Sc. Phys. et Nat. Toul.* i. (1872-73) 285.—Gallia.  
*canescens*, Benth. *Lab. Gen. et Sp.* 250 = *pallida*.  
*canescens*, C. A. Mey. *Verz. Pfl. Cauc.* 86.—Reg. Caucas.  
*capitata*, Schlecht. in *Linnaea*, xxvi. (1853-55) 292.—Mexic.  
*Capusii*, Franch. in *Ann. Sc. Nat. Sér.* VI. xviii. (1884) 232.—Turkestan.  
*cardinalis*, H. B. & K. *Nov. Gen. et Sp.* ii. 301. t. 152 = *fulgens*.  
*cardiophylla*, *Benth. Lab. Gen. et Sp.* 721.—Am. austr.  
*carduacea*, *Benth. l. c.* 302.—Calif.  
*carnea*, H. B. & K. *Nov. Gen. et Sp.* ii. 300.—N. Granat.  
*carnosa*, Dougl. ex *Benth. in Bot. Reg.* sub t. 1469 = *Audibertia incana*.  
*cataonica*, Boiss. & Haussk. ex *Boiss. Fl. Orient.* iv. 602.—As. Min.  
*catarioides*, Loisel. ex *Drapiez, Herb. Amat.* vi. (1833) t. 390.—Hab.?  
*caucasica*, Schrank, in *Syll. Ratisb.* ii. (1828) 58 = *virgata*.  
*Cedronella*, Boiss. *Diagn.* Ser. I. v. 3.—Graecia.  
*cedrosensis*, Greene, in *Bull. Calif. Acad.* i. IV. (1885) 212.—Calif.  
*ceratophylla*, Linn. *Sp. Pl.* 27.—As. Min.; Persia.  
*ceratophylla*, C. A. Mey. *Verz. Pfl. Cauc.* 68 = *S. Verbenaca*.  
*ceratophylla*, Tenore, *Syll. Fl. Neap.* 21 = *ceratophylloides*.  
*ceratophylloides*, Forsk. *Fl. Aegypt. Arab.* p. lix = *lanigera*.  
*ceratophylloides*, Linn. *Mant.* i. 26.—Sicilia; Aegypt.  
*ceratophylloides*, Vahl, *Enum.* i. 279 = *S. Verbenaca*.  
*cespitosa*, Montbr. & Auch. = *caespitosa*.

**SALVIA** :—

- chamaedrifolia*, Andr. *Bot. Rep.* t. 416 = *chamaedryoides*.  
*chamaedryoides*, Cav.  *Ic.* ii. 77. t. 197.—Texas; Mexic.  
*Chamaedrys*, Willd. *Hort. Berol.* i. 29 = *chamaedryoides*.  
*Chamaeelaegnea*, Roem. & Schult. *Syst.* i. 634, sphalm. = seq.  
*Chamaeelaegnus*, Burm. f. *Fl. Cap. Prod.* 1 = *paniculata*.  
*Chapmani*, A. Gray, *Syn. Fl. N. Am.* ii. 1. 370.—Am. bor.  
*chilensis*, Regel & Koern. *Ind. Sem. Hort. Petrop.* (1857) 45.—Chili.  
*chinensis*, *Benth. Lab. Gen. et Sp.* 725.—China.  
*chionantha*, Boiss. *Diagn.* Ser. I. v. 8.—As. Min.  
*chnoodes*, Stapf, in *Denkschr. Akad. Wien*, I. (1885) 98.—Lycia; Mesopot.  
*chorassanica*, Bunge, *Lab. Pers.* 45.—Persia.  
*chromatica*, Hoffmgg. *Verz. Pfl.* 194 = *officinalis*.  
*chrysantha*, Mart. & Gal. in *Bull. Acad. Brux.* xi. II. (1844) 72.—Mexic.  
*chrysophila*, J. A. Schmidt, in *Mart. Fl. Bras.* viii. 187 = *rigida*.  
*chrysophylla*, Stapf, in *Denkschr. Akad. Wien*, I. (1885) 96.—Lycia.  
*ciliata*, Benth. *Lab. Gen. et Sp.* 286 = *coccinea*.  
*ciliata*, Hort. ex Poir. *Encyc.* vi. 588 = *hirsuta*.  
*ciliata*, Rafin. *Fl. Ludov.* 41 (Quid?).—Am. bor.  
*cilicica*, Boiss. *Diagn.* Ser. II. iv. 19 = *crassifolia*.  
*cinnabarina*, Mart. & Gal. in *Bull. Acad. Brux.* xi. II. (1844) 63.—Mexic.  
*circinnata*, Cav.  *Ic.* iv. 9. t. 318 = *amarissima*.  
*clandestina*, Linn. *Sp. Pl.* ed. II. 36 = *S. Verbenaca*.  
*clandestina*, Sibth. & Sm. *Fl. Graec. Prod.* i. 16. t. 24 = *controversa*.  
*clandestinoides*, Link, *Jahrb.* i. III. (1820) 169 = *S. Verbenaca*.  
*clausa*, Vell. *Fl. Flum.* 13; i. t. 33.—Bras.  
*Claytoni*, M. A. Curt. ex A. Gray, *Syn. Fl. N. Am.* ii. 1. 370 = *urticifolia*.  
*Claytoni*, Ell. *Sketch.* i. 32 = *S. Verbenaca*.  
*Claytoni*, Nutt. *Gen. Am.* 17.—Am. bor.  
*cleistogama*, De Bary & Paul, *Ind. Sem. Hort. Halens.* (1867) 6.—Cf. *Bot. Zeit.* xxix. (1871) 555.—Afr. austr.  
*clinopodioides*, H. B. & K. *Nov. Gen. et Sp.* ii. 294. t. 145.—Mexic.  
*Clusii*, Hort. ex Vilm. *Fl. Pl. Terre*, ed. I. 773 = *officinalis*.  
*Clusii*, Jacq. *Hort. Schoenb.* ii. 37 = *triloba*.  
*Clusii*, Timb. in *Mém. Acad. Toul. Sér.* VII. ii. (1870) 237 = *pratensis*.  
*coarctata*, Vahl, *Enum.* i. 253 = *foetida*.  
*coccinea*, Buchs., ex *Eitling. Salv.* 23 (an seq.?).—Hab.?  
*coccinea*, Juss. ex *Murr. in Comm. Gotting.* i. (1778) 86. t. 1.—Am. bor. et trop.  
*coelestina*, Carr. in *Rev. Hort.* (1878) 49.—Mexic.  
*coerulea*, Benth. *Lab. Gen. et Sp.* 298.—Bras.  
*coerulea*, Hort. ex *Benth. l. c.* 299 = *lamiifolia*.  
*collina*, H. B. & K. *Nov. Gen. et Sp.* ii. 288.—Ecuador.  
*collina*, Lowe, in *Trans. Camb. Phil. Soc.* iv. (1831) 18 = *S. Verbenaca*.  
*collina*, Salisb. *Prod.* 73 = *sylvestris*.  
*collina*, Schur, *Enum. Pl. Transs.* 522 = *nemorosa*.  
*colorans*, Hort. ex *Benth. Lab. Gen. et Sp.* 287 = *splendens*.  
*colorata*, Linn. *Syst.* ed. XII. 66 = *aurea*.  
*colorata*, Thore, *Chlor. Land.* 17 = *S. Horminum*.  
*colorata*, Vahl, *Enum.* i. 230 = *africana*.  
*Columbariae*, Benth. *Lab. Gen. et Sp.* 302.—Am. bor. occ.  
*commutata*, Benth. *l. c.* 222 = *dominica*.  
*comosa*, Peyr. in *Linnaea*, xxx. (1859-60) 32.—Mexic.  
*comosa*, Salisb. *Prod.* 73 = *S. Horminum*.  
*complanata*, Wall. ex *Steud. Nom.* ed. II. ii. 504, sphalm. = *campanulata*.  
*compressa*, Vent. *Fard. Cels.* 59.—Persia; Afghan.  
*concolor*, Lamb. ex *Benth. Lab. Gen. et Sp.* 297.—Mexic.  
*confertiflora*, Pohl, *Pl. Bras. Ic.* ii. 134. t. 190.—Bras.  
*confusa*, Benth. *Lab. Gen. et Sp.* 210.—Europ. austr.  
*congesta*, A. Rich. *Tent. Fl. Abyss.* ii. 194.—Abyss.  
*Conradi*, Stapf, in *Denkschr. Akad. Wien*, I. (1885) 97.—Caria.  
*controversa*, Tenore, *Syll. Fl. Neap.* 18.—Reg. Mediterr.

**SALVIA** :—

- cordata*, Benth. *Lab. Gen. et Sp.* 268.—Bras.  
*coriifolia*, Scheele, in *Linnaea*, xxii. (1839) 587 = *azurea*.  
*corrugata*, Vahl, *Enum.* i. 252.—Peruv.  
*corymbosa*, Heyne, ex *Wall. Cat.* n. 2149 = *plebeia*.  
*costaricensis*, Oerst. in *Kjoeb. Vidensk. Meddel.* (1853) 39.—Costa Rica.  
*crassifolia*, Desf. *Arb.* i. 134.—Europ. austr.  
*crassifolia*, Jacq. *Fragm.* 47. t. 60 = *bicolor*.  
*crassifolia*, Sibth. & Sm. *Fl. Graec.* i. 19. t. 26.—As. Min.  
*cremenecensis*, Bess. *Enum. Pl. Volh.* 40 = *pendula*.  
*crenata*, Mart. & Gal. in *Bull. Acad. Brux.* xi. II. (1844) 74.—Mexic.  
*cretica*, Linn. *Sp. Pl.* 23.—Hispan.; Creta.  
*crispula*, Benth. in *E. Mey. Comm. Pl. Afr. Austr.* 234.—Afr. austr.  
*Cruckshanksii*, Benth. *Lab. Gen. et Sp.* 261 (*Cruikshanksii*).—Peruv.  
*cryptantha*, Montbr. & Auch. in *Ann. Sc. Nat. Sér.* II. vi. (1836) 40.—As. Min.  
*cryptanthos*, Schult. *Obs. Bot.* 12 = *hirsuta*.  
*cryptoclada*, Baker, in *Journ. Linn. Soc.* xviii. (1881) 275.—Madag.  
*cuneifolia*, Benth. *Lab. Gen. et Sp.* 270.—Mexic.  
*cuphaefolia*, H. B. & K. *Nov. Gen. et Sp.* ii. 288.—Peruv.  
*curviflora*, Benth. *Lab. Gen. et Sp.* 284.—Mexic.  
*cuspidata*, Ruiz & Pav. *Fl. Per.* i. 23. t. 40.—Peruv.  
*cyanea*, Benth. *Lab. Gen. et Sp.* 296.—Mexic.  
*cyanea*, Fisch. *Cat. Hort. Gorenk.* 21 = *lamiifolia*.  
*cyaneus*, Boiss. & Bal. *Diagn.* Ser. II. iv. 19.—Armenia.  
*cyanifera*, Otto, ex *Benth. in DC. Prod.* xii. 336 = *cyanea*.  
*cyaniflora*, A. Dietr. in *Otto & Dietr. Allg. Gartenz.* i. (1833) 301 = *cyanea*.  
*cyanocalyx*, Boiss. in *Tchihat. Asie Min. Bot.* ii. 148, nomen.—As. Min.  
*cypria*, Ung. & Kotschy, *Ins. Cyp.* 266.—Ins. Cyprus.  
*dasyantha*, Lem. in *Rev. Hort.* Sér. IV. viii. (1859) 438.—N. Granat.  
*decipiens*, Mart. & Gal. in *Bull. Acad. Brux.* xi. II. (1844) 64 = *patens*.  
*deltoidea*, Pers. *Syn.* i. 28 = *S. Regla*.  
*densiflora*, Benth. *Lab. Gen. et Sp.* 721.—Ins. Dominic.?  
*dentata*, Ait. *Hort. Kew.* ed. I. i. 37.—Afr. austr.  
*derasa*, Benth. *Pl. Hartw.* 242.—N. Granat.  
*deserta*, Schangin, in *Ledeb. Ind. Sem. Hort. Dorpat.* (1824) 6 = *sylvestris*.  
*deserti*, Decne. in *Ann. Sc. Nat. Sér.* II. ii. (1834) 248.—Arab.  
*desertorum*, J. A. Schmidt, in *Mart. Fl. Bras.* viii. 189 = *scabrida*.  
*dianthera*, Roth, ex *Roem. & Schult. Syst.* i. 263 = *Meriandra benghalensis*.  
*dichroa*, Hook. f. *Bot. Mag.* t. 6004 = *bicolor*.  
*dichroantha*, Stapf, in *Denkschr. Akad. Wien*, I. (1885) 96.—Lycia.  
*dichroma*, La Llave, in *La Naturaleza*, vii. (1885) Apénd. 82.—Mexic.  
*dielytroides*, Roelz, ex *Van Houtte*, in *Fl. des Serres*, xxiv. (1861) 31 = *Roelzi*.  
*digyna*, Stokes, *Bot. Mat. Med.* i. 58 = *cretica*.  
*discolor*, H. B. & K. *Nov. Gen. et Sp.* ii. 294.—Peruv.  
*disermas*, Linn. *Sp. Pl.* ed. II. 36.—Syria.  
*disermas*, Sibth. & Sm. *Fl. Graec. Prod.* i. 16 = *S. Verbenaca*.  
*distans*, Pohl, ex *Steud. Nom.* ed. I. 725 = *austriaca*.  
*divaricata*, Montbr. & Auch. in *Ann. Sc. Nat. Sér.* II. vi. (1836) 37.—Cappadoc.  
*diversifolia*, Benth. in *DC. Prod.* xii. 274, in *syn.* = *nivea*.  
*diversifolia*, Miq. *Ann. Mus. Bot. Lugd. Bot.* ii. 108 = *chinensis*?  
*doliostachys*, Lag. ex *Benth. Lab. Gen. et Sp.* 724 = *pulchella*.  
*dominica*, Linn. *Sp. Pl.* 25.—Syria.  
*dominica*, Sw. *Obs. Bot.* 18. t. 1. f. 1 = *serotina*.  
*dracocephaloides*, Boiss. *Diagn.* Ser. I. v. 4.—Persia.  
*Dregeana*, Benth. in *E. Mey. Comm. Pl. Afr. Austr.* 234.—Afr. austr.  
*dubia*, C. Koch, in *Linnaea*, xxi. (1848) 657 = *pratensis*.  
*dubia*, Lowe, in *Hook. Journ. Bot.* i. (1834) 37 = *S. Verbenaca*.



**SALVIA:—**

dumetorum, *Andrz. in Bess. Enum. Pl. Volh.* 3, 40.  
—Europ. bor.; As. bor.;  
Eckloniana, *Benth. in DC. Prod.* xii. 273.—Afr. austr.  
*elata*, Host, *Fl. Austr.* i. 24 = *sylvestris*.  
*elata*, Poir. *Encyc.* vi. 625 = *azurea*.  
*elegans*, *Vahl, Enum.* i. 238.—Mexic.  
*elongata*, *H. B. & K. Nov. Gen. et Sp.* ii. 287. t. 139.  
—Mexic.  
*elongata*, Mart. & Gal. in *Bull. Acad. Brux.* xi. II.  
(1844) 75 = *protracta*.  
*elongata*, Salisb. *Prod.* 74 = *indica*.  
*elongata*, Spreng. *Pugill.* i. 3 = *bullata*.  
*elongata*, Torr. in *Ann. Lyc. N. York*, ii. (1828) 231 =  
*azurea*.  
*elsholtzioides*, *Benth. Bot. Voy. Sulph.* 152. t. 50 =  
*hyptoides*.  
*Engelmanni*, A. Gray, in *Proc. Am. Acad.* viii. (1870)  
368 (*Salviastri* sp.).—Texas.  
*Engelmanni*, Hort. ex Schlecht. in *Linnaea*, xxvii.  
(1854) 504 = *Roemeriana*.  
*eremetica*, Cerv. ex Lag. *Gen. et Sp.* Nov. 2 =  
*polystachya*.  
*eremophila*, Boiss. *Diagn. Ser. I. v.* 12.—Persia.  
*eriocalyx*, Bert. ex Roem. & Schult. *Syst. i. Addit.* II.  
246.—Jamaic.  
*eriphora*, Boiss. & Kotschy, ex Boiss. *Fl. Orient.* iv.  
611.—Cilicia.  
*erosa*, Desf. *Tabl. ed. II.* 68; et ex Poir. *Encyc. Suppl.*  
v. 49 = *S. Verbenaca*.  
*euphratica*, *Montbr. & Auch. in Ann. Sc. Nat. Sér.*  
II. vi. (1836) 40.—Cappadoc.  
*exasperata*, Cav. in *Anal. Hist. Nat.* ii. (1800) 113.  
t. 17 = *ceratophylloides*.  
*excelsa*, *Benth. ex Lindl. Bot. Reg.* (1841) *Misc.* 90.  
—Mexic.  
*excisa*, Ruiz & Pav. *Fl. Per.* i. 25 = *tubiflora*.  
*exserta*, Griseb. in *Goett. Abh.* xxiv. (1879) 274.—Reg.  
Argent.  
*farinacea*, *Benth. Lab. Gen. et Sp.* 274.—Texas;  
Mexic.  
*farinosa*, Mart. & Gal. in *Bull. Acad. Brux.* xi. II.  
(1844) 78 = *purpurea*.  
*filamentosa*, Tausch, in *Flora*, xxv. (1842) 282; Regel,  
*Gartenfl.* vii. (1858) t. 232 = *coccinea*.  
*filipes*, *Benth. in DC. Prod.* xii. 309.—Mexic.  
*fimbriata*, H. B. & K. *Nov. Gen. et Sp.* ii. 299. t. 149 =  
*tiliaefolia*.  
*flavescens*, Füss. ex Steud. *Nom.* ed. I. 726.—Hab.?  
*flexuosa*, Presl, ex *Benth. Lab. Gen. et Sp.* 248.—  
Mexic.  
*flexuosa*, Schrank, in *Syll. Ratisb.* ii. (1828) 57 =  
*limbata*.  
*flocculosa*, *Benth. Pl. Hartw.* 244.—Ecuador.  
*floribunda*, Brongn. in *Lem. Hort. Univ.* iii. (1841)  
296.—Hab.?  
*florida*, *Benth. in DC. Prod.* xii. 338.—Peruv.  
*foetida*, Lam. *Illustr.* i. 69.—Marocc.  
*foliosa*, *Benth. in Bot. Reg.* t. 1429 = *rhombifolia*.  
*fontinalis*, Edgew. in *Journ. As. Soc. Beng.* xxi.  
(1853) 177.—Ind. or.  
*formosa*, L' Hérit. *Stirp.* Nov. 41 = *leonuroides*.  
*Forskählei*, Linn. *Mant.* i. 26 = seq.  
*Forskohlei*, Linn. *Syst.* ed. XII. 67.—As. Min.  
*Fortunii*, *Benth. in DC. Prod.* xii. 354.—China.  
*fragifera*, Etling. *Salv.* 19. n. 5 = *pomifera*.  
*frigida*, Boiss. *Diagn. Ser. I. v.* 10.—As. Min.  
*frigida*, Boiss. *Fl. Orient.* iv. 620 = *xanthocheila*.  
*frugifera*, *Benth. Lab. Gen. et Sp.* 215 = *pomifera*.  
*fruticetorum*, *Benth. l. c.* 284.—Bras.  
*fruticosa*, Mill. *Gard. Dict.* ed. VIII. n. 5 = *triloba*.  
*fruticulosa*, *Benth. Lab. Gen. et Sp.* 721.—Mexic.  
*fruticum*, Vukot.—Cf. Oestr. *Bot. Zeitschr.* xxx. (1880)  
163 = *grandiflora*.  
*fulgens*, Cav. *l. c.* i. 15. t. 23.—Mexic.  
*Fuschii* ×, Timb. in *Mém. Acad. Toul. Sér.* VII.  
ii. (1870) 213.—Gallia.  
*Gaillardotii*, Boiss. *Fl. Orient.* iv. 628 = *viscosa*.  
*galatica*, C. Koch, in *Linnaea*, xxi. (1848) 653.—  
Galatia.  
*galeata*, Ruiz & Pav. *Fl. Per.* i. 27. t. 42.—Peruv.  
*Galeottii*, Mart. & Gal. in *Bull. Acad. Brux.* xi. II.  
(1844) 75 = *coccinea*.  
*garganica*, Tenore, *Ind. Sem. Hort. Neap.* (1829); ex  
ej. *Syll. Fl. Neap.* 18 = *virgata*.  
*gariepensis*, E. Mey. *Comm. Pl. Afr. Austr.* 232.—  
Afr. austr.  
*Gerardiana*, *Benth. in Wall. Cat. n.* 2150 = *coccinea*.

**SALVIA:—**

gesneraeiflora, *Lindl. & Paxt. Flow. Gard.* ii. (1851–  
52) 49. t. 47.—N. Granat.  
*gesneriaeifolia*, *Lindl. ex Lem. Jard. Fleur.* ii. (1852)  
t. 179, sphalm. = *praec.*  
*gigantea*, Desf. *Tabl. ed. II.* 68; Cat. Hort. Par. ed.  
III. 394 = *virgata*.  
*Gilliesii*, *Benth. Lab. Gen. et Sp.* 265.—Chili.  
*glabra*, Mart. & Gal. in *Bull. Acad. Brux.* xi. II.  
(1844) 68.—Mexic.  
*glabrata*, H. B. & K. *Nov. Gen. et Sp.* ii. 299.—  
Mexic.  
*glandulifera*, Cav. in *Anal. Hist. Nat.* ii. (1800) 111.  
—Ecuador.  
*glaucescens*, Pohl, *Pl. Bras. Ic.* ii. t. 192 = *coccinea*.  
*glechomaefolia*, H. B. & K. *Nov. Gen. et Sp.* ii. 290.  
t. 141.—N. Mexic.  
*glumacea*, H. B. & K. *l. c.* 298.—Mexic.  
*glutinosa*, Linn. *Sp. Pl.* 26.—Europ. austr.; Oriens;  
Reg. Himal.  
*gossypina*, *Benth. Pl. Hartw.* 330 = *carduacea*.  
*Goudotii*, *Benth. in DC. Prod.* xii. 339.—N. Granat.  
*graciliflora*, Avé-Lall. *Ind. Sem. Hort. Petrop.* x. 57  
= *aurita*.  
*graciliflora*, Mart. & Gal. in *Bull. Acad. Brux.* xi.  
II. (1844) 75.—Mexic.  
*gracilis*, *Benth. Lab. Gen. et Sp.* 258.—Mexic.  
*Grahami*, *Benth. in Bot. Reg.* t. 1370.—Mexic.  
*grandidentata*, Tenore, *Ind. Sem. Hort. Neap.* (1829);  
ex *Benth. Lab. Gen. et Sp.* 519 = *virgata*.  
*grandiflora*, Etling. *Salv.* 17.—As. Min.  
*grandiflora*, Hornem. *Hort. Hafn.* i. 27 = *pendula*.  
*grandiflora*, Née, ex Cav. *l. c.* v. 33 = *patens*.  
*grandiflora*, Tenore, *Fl. Nap. Prod. App.* v. 3 =  
*officinalis*.  
*grandiflora*, Vukot.—Cf. Oestr. *Bot. Zeitschr.* xxx.  
(1880) 163 (Quid?).—Croatia.  
*granitica*, *Hochst. in Flora*, xxviii. (1845) 65.—Afr.  
austr.  
*grata*, Vahl, *Enum.* i. 244 = *oppositiflora*.  
*graveolens*, Vahl, *l. c.* 273 = *dominica*.  
*Greggii*, A. Gray, in *Proc. Am. Acad.* viii. (1870)  
369.—Texas; Mexic.  
*guaranitica*, A. St. Hil. ex *Benth. Lab. Gen. et Sp.*  
298.—Bras.  
*Gundelia*, C. Koch, in *Linnaea*, xxi. (1848) 653.—  
Oriens.  
*Gussonii*, Boiss. ex Nym. *Consp.* 569 = *argentea*.  
*Hablitziana*, Pall. *Tabl. Taur.* 44; et ex Clarke, *Trav.*  
i. 572.—Tauria.  
*Hablitziana*, Willd. *Sp. Pl.* i. 129 = *scabiosaefolia*.  
*haematodes*, Linn. *Sp. Pl.* 24 = *pratensis*.  
*haematodes*, Scop. *Fl. Carn. ed. II.* i. 29 = *S. Sclarea*.  
*Haenkei*, *Benth. Lab. Gen. et Sp.* 283.—Peruv.  
*halaensis*, Vicary, in *Ann. & Mag. Nat. Hist.* Ser. II.  
i. (1848) 432.—Ind. or.  
*Hallieri*, Fisch. ex Steud. *Nom.* ed. I. 726.—Hab.?  
*hastaeifolia*, E. Mey. *Comm. Pl. Afr. Austr.* 233.—  
Afr. austr.  
*hastata*, Etling. *Salv.* 48 = *nutans*.  
*Haussknechtii*, Boiss. *Fl. Orient.* iv. 605.—Cataonia.  
*Heerii*, Regel, *Gartenfl.* iv. (1855) 77. t. 115.—  
Peruv.  
*Heldreichiana*, Boiss. ex DC. *Prod.* xvii. 320 =  
*Russeggeri*.  
*helianthemifolia*, *Benth. Lab. Gen. et Sp.* 254.—  
Mexic.  
*Henryi*, A. Gray, in *Proc. Am. Acad.* viii. (1870)  
368.—N. Mexic.  
*herbacea*, *Benth. Lab. Gen. et Sp.* 720.—Mexic.  
*Hermani* ×, Timb. ex Nym. *Consp.* 570.—Europ.  
*heterophylla*, Hort. ex *Benth. in DC. Prod.* xii. 294 =  
*S. Verbenaca*.  
*hians*, Royle, ex *Benth. in Hook. Bot. Misc.* iii. (1833)  
373.—Reg. Himal.  
*hiemalis*, Brot. *Phyt. Lusit.* ii. 3 = *S. Verbenaca*.  
*hierosolymitana*, Boiss. *Diagn. Ser. I. xii.* 61.—Syria.  
*Hilarii*, *Benth. Lab. Gen. et Sp.* 282.—Bras.  
*hirsuta*, Jacq. *Hort. Schoenb.* iii. 1. t. 252.—Mexic.  
*hirta*, H. B. & K. *Nov. Gen. et Sp.* ii. 296.—Peruv.  
*hirta*, Schrank, in *Syll. Ratisb.* ii. (1828) 60 =  
*storodoniaefolia*.  
*hirtella*, Vahl, *Enum.* i. 249.—Peruv.  
*hispanica*, Etling. ex Willk. & Lange, *Prod. Fl. Hisp.*  
ii. 420 = *officinalis*.  
*hispanica*, Linn. *Sp. Pl.* 25.—Am. trop.  
*hispanorum*, Lag. *Gen. et Sp.* Nov. 1 = *lavandulae-*  
*folia*.

**SALVIA:—**

*horminioides*, Pourr. in *Mem. Acad. Toul.* iii. (1788)  
327 = *S. Verbenaca*.  
*Horminum*, Linn. *Sp. Pl.* 24.—Reg. Mediterr.  
*Hoveyi*, Hort. ex Gard. *Chron.* (1880) II. 695 =  
*splendens*.  
*Humboldtiana*, F. G. Dietr. *Vollst. Lexic. Gaertn.*  
vii. 418 = *spicata*.  
*Humboldtiana*, Schult. *Mant.* i. 183 = *lavanduloides*.  
*Humboldtii*, Spreng. *Syst.* i. 64 = *spicata*.  
*humilis*, *Benth. Lab. Gen. et Sp.* 247.—Mexico.  
*hybrida* ×, Schur, *Enum. Pl. Transs.* 522.—Europ.  
*Hydrangea*, DC. ex *Benth. Lab. Gen. et Sp.* 717.—  
Persia.  
*hyemalis*, Auct. = *hiemalis*.  
*hyemalis*, Boose, ex A. Dietr. *Sp. Pl.* i. 276 = *lamiifolia*.  
*hypanica*, Andrz. n Bess. *Enum. Pl. Volh.* 3 = *virgata*.  
*hypargia*, Fisch. & Mey. in *Ann. Sc. Nat. Sér.* IV.  
i. (1854) 34 = *Montbretii*.  
*hypochionaea*, Boiss. *Diagn. Ser. I. v.* 8.—Oriens.  
*hypochionaea*, Buhse, ex Boiss. *Fl. Orient.* iv. 620 =  
*atropatana*.  
*hypoleuca*, *Benth. in DC. Prod.* xii. 279.—Persia.  
*hypoleuca*, Hochst. ex *Benth. l. c.* 282 = *Schimperi*.  
*hyptoides*, Mart. & Gal. in *Bull. Acad. Brux.* xi. II.  
(1844) 74.—Mexic.  
*ianthina*, Otto & Dietr. *Allg. Gartens.* xv. (1847) 362.  
—Mexico.  
*illyrica*, Schult. *Obs. Bot.* 8 = *S. Verbenaca*.  
*inamoena*, Vahl, *Enum.* i. 269.—Hispan.  
*incana*, Mart. & Gal. in *Bull. Acad. Brux.* xi. II.  
(1844) 68.—Mexic.  
*incarnata*, Cav. *Anal. Hist. Nat.* ii. (1800) 112 =  
*elegans*.  
*incarnata*, Etling. *Salv.* 25 = *triloba*, *recognita*.  
*incisa*, *Benth. in DC. Prod.* xii. 352.—Afr. austr.  
*inconspicua*, *Benth. Lab. Gen. et Sp.* 247.—Mexic.  
*incurvata*, Ruiz & Pav. *Fl. Per.* i. 24. t. 42.—Peruv.  
*indica*, Heyne, ex Roem. & Schult. *Syst.* i. 263 =  
*Meriandra benghalensis*.  
*indica*, Linn. *Sp. Pl.* 26.—Ind. or.  
*indica*, Linn. *l. c.*, partim = *brachycalyx*.  
*integerrima*, Mill. *Gard. Dict.* ed. VIII. n. 12 =  
*africana*.  
*integrifolia*, Hardwicke, in *As. Res.* vi. (1799) 349 =  
*lanata*.  
*integrifolia*, Ruiz & Pav. *Fl. Per.* i. 26. t. 36.—  
Peruv.  
*intermedia*, Schult. *Obs. Bot.* 9 = *nilotica*.  
*interrupta*, Hort. ex *Benth. in DC. Prod.* xii. 265 =  
*confusa*.  
*interrupta*, Schousb. *Vextr. Marokko*, 18.—Marocc.  
*involutrata*, Cav. *l. c.* ii. 3. t. 105.—Mexic.  
*Jaminiana*, Noé, in *Bull. Soc. Bot. Fr.* ii. (1855) 581.  
—Afr. bor.  
*japonica*, Thunb. *Fl. Jap.* 22. t. 5.—Japon.  
*judaica*, Boiss. *Diagn. Ser. I. xii.* 61.—Syria.  
*Karwinskii*, *Benth. Lab. Gen. et Sp.* 725.—Mexic.  
*Keerlii*, *Benth. l. c.* 263.—Mexic.  
*Kochiana*, Kunze, *Ind. Sem. Hort. Lips.* (1847) 4 =  
*S. Aethiopsis*.  
*Korolkowi*, Regel & Schmalh. in *Act. Hort. Petrop.*  
vi. (1879) 356.—Turkistan.  
*Kotschyi*, *Benth. ex Boiss. Fl. Orient.* iv. 600 = *Russeg-*  
*geri*.  
*Kotschyi*, Boiss. *Diagn. Ser. I. vii.* 46 = *macrosiphon*.  
*kurdica*, Boiss. & Hohen. ex *Benth. in DC. Prod.* xii.  
268.—Kurdistan.  
*lachnostachys*, *Benth. Lab. Gen. et Sp.* 267.—Bras.  
*laciniata*, Willd. *Enum. Hort. Berol. Suppl.* 2 =  
*S. Verbenaca*.  
*laciniosa*, Jord. *Gr. Rec. Grenoble* (1849), 24 = *pratens-*  
*sis*.  
*laevigata*, H. B. & K. *Nov. Gen. & Sp.* ii. t. 147 =  
*involutrata*.  
*laevis*, *Benth. Lab. Gen. et Sp.* 251.—Mexic.  
*lamiifolia*, Jacq. *Hort. Schoenb.* iii. 37. t. 318.—Ind.  
occ.  
*lampsanaefolia*, Vahl, ex Steud. *Nom.* ed. I. 727 =  
*verticillata*.  
*lanata*, Roxb. *Hort. Beng.* [80]; *Fl. Ind.* i. 146.—Reg.  
Himal.  
*lanata*, Salisb. *Prod.* 74 = *canariensis*.  
*lanata*, Stokes, *Bot. Mat. Med.* 52 = *aethiopica*.  
*lanceaefolia*, Poir. *Encyc. Suppl.* v. 49 = *lanceolata*.  
*lanceolata*, Brouss. *App. Elench. Pl. Hort. Monsp.*  
(1805) 15.—Am. bor. occ.; Mexico.  
*lanceolata*, Lam. *Illustr.* i. 72 = *nivea*.

**SALVIA:—**

- lanigera, Desf. Cat. Hort. Par. ed. III. 95, 394.—Afr. bor.  
 lanigera, Poir. Encyc. Suppl. v. 49 = controversa.  
 lantanaefolia, Mart. & Gal. in Bull. Acad. Brux. xi. II. (1844) 69.—Mexic.  
 lanuginosa, Burm. f. Fl. Cap. Prod. i.—Afr. austr.  
 lasiantha, Benth. Lab. Gen. et Sp. 276.—Mexic.  
 lasiocephala, Hook. & Arn. Bot. Beech. Voy. 306.—Mexic.  
 lasiostachys, Benth. in DC. Prod. xii. 350.—Afr. austr.  
 latens, Benth. Pl. Hartw. 242.—N. Granat.  
 latifolia, A. Anders. in Trans. Soc. Arts & Manuf. xxv. (1807) 210 = lamiiifolia.  
 latifolia, Vahl, Enum. i. 271.—Afr. bor.  
 lavandulaefolia, Spreng. Syst. i. 58 = lavanduloides.  
 lavandulaefolia, Vahl, Enum. i. 222.—Europ. austr.  
 lavanduloides, H. B. & K. Nov. Gen. et Sp. ii. 287.—Mexic.  
 laxa, Benth. in DC. Prod. xii. 313 = ballotaefolia.  
 Lemmoni, A. Gray, in Proc. Am. Acad. xx. (1885) 309.—Arizona.  
 Leonia, Benth. Lab. Gen. et Sp. 303.—Mexic.  
 leonuroides, Gloxin, Obs. Bot. 15. t. 2.—Peruv.  
 leptophylla, Benth. Lab. Gen. et Sp. 249.—Mexic.  
 leptostachys, Benth. l. c. 258.—Mexic.  
 leriaefolia, Benth. in DC. Prod. xii. 287.—Afghan.  
 leucantha, Cav. Ic. i. 16. t. 24.—Mexic.  
 leucanthera, Vis. in Linnaea, xiv. (1840) 187 = lamiiifolia.  
 leucocephala, H. B. & K. Nov. Gen. et Sp. ii. 302.—Ecuador.  
 leucoclada, Benth. in DC. Prod. xii. 314.—Bras.  
 leucodermis, Baker, in Journ. Linn. Soc. xviii. (1881) 276.—Madag.  
 leuconeura, Boiss. Diagn. Ser. II. iv. 20 = S. Aethiopis.  
 libanotica, Boiss. & Gaill. Diagn. Ser. II. iv. 16.—Syria.  
 limbata, C. A. Mey. Verz. Pf. Cauc. 86.—As. Min.; Persia.  
 linarioides, Hort. ex Henders. in Paxt. Flow. Gard. vii. (1840) 77.—Am. austr.?  
 Lindenii, Benth. in DC. Prod. xii. 333.—Mexic.  
 lineariifolia, Benth. l. c. 308, sphalm. = lineatifolia.  
 linearis, Ruiz & Pav. Fl. Peruv. i. t. 41 = revoluta.  
 lineata, Benth. Lab. Gen. et Sp. 724.—Mexic.  
 lineatifolia, Lag. Gen. et Sp. Nov. 2 = polystachya.  
 linifolia, Mart. & Gal. in Bull. Acad. Brux. xi. II. (1844) 70.—Mexic.  
 Linkiana, Schult. Mant. i. 182 = pilantha.  
 Littae, Vis. in Padov. Nuov. Saggi, vi. (1847) 87.—Mexic.  
 longepetiolata, C. Koch, in Linnaea, xxi. (1848) 657 = Forskohlei.  
 longiflora, Ruiz & Pav. Fl. Per. i. 23. t. 10.—Peruv.  
 longiflora, Willd. Sp. Pl. i. 141 = tubifera.  
 longifolia, Nutt. in Trans. Am. Phil. Soc. N. S. v. (1837) 185 = azurea.  
 longifolia, Willd. Sp. Pl. i. 141 = stachyoides.  
 longispicata, Mart. & Gal. in Bull. Acad. Brux. xi. II. (1844) 73.—Mexic.  
 longistyla, Benth. Lab. Gen. et Sp. 295.—Mexic.  
 lophantha, Benth. in DC. Prod. xii. 301.—Guatemala.  
 Lorentii, Hochst. in Lorent. Wanderung. 333.—Mesopot.  
 Lorentzii, Griseb. in Goett. Abh. xix. (1874) 239.—Reg. Argent.  
 Loweii, Steud. Nom. ed. II. ii. 506 = S. Verbenaca.  
 loxensis, Benth. Pl. Hartw. 145.—Peruv.  
 lupinoides, Hort. ex Vilm. Fl. Pl. Terre, ed. III. 1019 = pratensis.  
 lusitanica, Jacq. f. Eclog. i. 57.—Hispan.  
 lusitanica, Poir. Encyc. vi. 666 = sclaraeoides.  
 lutea, H. B. & K. Nov. Gen. et Sp. ii. 297. t. 148.—Ecuador.  
 lutea, Linn. Sp. Pl. 26.—Afr. austr.  
 lyraefolia, Salisb. Prod. 73 = lyrata.  
 lyrata, Linn. Sp. Pl. 23.—Am. bor.  
 macilenta, Boiss. Diagn. Ser. I. v. 13.—Arab.  
 macrantha, Schlecht. in Otto & Dietr. Allg. Gartenz. vi. (1838) 314 = patens.  
 macrantha, Schur, Enum. Pl. Transs. 520 = pratensis.  
 macrocalyx, Gardn. in Hook. Lond. Journ. Bot. iv. (1845) 133.—Bras.  
 macrochlamys, Boiss. & Kotschy, ex Boiss. Fl. Orient. iv. 595.—Armenia.  
 macrophylla, Benth. Lab. Gen. et Sp. 725.—Peruv.  
 macrophylla, Tausch, in Flora, xxv. (1842) 282 = hians.

VOL. II.

**SALVIA:—**

- macrosiphon, Boiss. Diagn. Ser. I. v. 11.—Persia; Afghan.  
 macrosiphonia, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 134 = praec.  
 macrostachya, H. B. & K. Nov. Gen. et Sp. ii. 298.—Ecuador.  
 madrensis, Seem. Bot. Voy. Herald, 327. t. 70.—Mexic.  
 magnifica, Warsz. in Otto & Dietr. Allg. Gartenz. xx. (1852) 292, nomen.—Hab.?  
 malacophylla, Benth. in DC. Prod. xii. 312.—Peruv.  
 marginata, E. Mey. Comm. Pl. Afr. Austr. 236.—Afr. austr.  
 Mariana, Mart. in Benth. Lab. Gen. et Sp. 282.—Bras.  
 marrubioides, Vahl, Enum. i. 223 (marrubioides) = triloba.  
 Martensii, Gal. in Mart. & Gal. in Bull. Acad. Brux. xi. II. (1844) 77.—Mexic.  
 Mathewii, Benth. Lab. Gen. et Sp. 722.—Peruv.  
 Matico, Griseb. in Goett. Abh. xix. (1874) 239.—Reg. Argent.  
 maurorum, Ball, in Journ. Linn. Soc. xvi. (1878) 615.—Marocc.  
 maxima, Regel, Cat. Pl. Hort. Aksakov. 130 (Quid?).—Hab.?  
 melissodora, Benth. in DC. Prod. xii. 331.—Bras.  
 melissifolia, Desf. Cat. Hort. Par. ed. III. 94 = mexicana.  
 melissodora, Lag. Gen. et Sp. Nov. 2 = scorodoniaefolia.  
 membranacea, Benth. Lab. Gen. et Sp. 259.—Mexic.  
 menthaefolia, Tenore, in Ann. Sc. Nat. Sér. IV. ii. (1854) 379.—Hab.?  
 mentiens, Pohl, Pl. Bras. Ic. ii. 137. t. 193.—Bras.  
 Merjamie, Forsk. Fl. Aegypt. Arab. 10 = nudicaulis.  
 mexicana, Hemsl. in Gard. Chron. (1883) i. 341 = discolor.  
 mexicana, Linn. Sp. Pl. 25.—Mexic.  
 mexicana, Walt. Fl. Carol. 65 = azurea.  
 micrantha, Desf. Tabl. ed. I. 57, nomen = S. Verbenaca.  
 micrantha, Vahl, Enum. i. 235 = tenella.  
 microcalyx, Scheele, in Linnaea, xxii. (1849) 589.—Mexic.  
 microculis, Poir. Encyc. vi. 614 = elegans.  
 microphylla, H. B. & K. Nov. Gen. et Sp. ii. 294.—Mexic.  
 microphylla, Torr. Bot. Mex. Bound. 131 = Greggii.  
 microstegia, Boiss. & Bal. Diagn. Ser. II. iv. 17 = verbascifolia.  
 miltiorhiza, Bunge, in Mém. Sav. Etr. Pétersb. ii. (1835) 124 (Enum. Pl. Chin. Bor. 50).—China.  
 minor, Gleichen, Ausl. Mikrosk. Entdeck. 23.—Hab.?  
 minutiflora, Bunge, in Mém. Sav. Etr. Pétersb. ii. (1835) 124 (Enum. Pl. Chin. Bor. 50) = plebeia.  
 misella, H. B. & K. Nov. Gen. et Sp. ii. 290.—Mexic.  
 mitis, Ruiz & Pav. Fl. Per. i. 27.—Peruv.  
 Mocinoi, Benth. Lab. Gen. et Sp. 271.—Mexic.  
 modesta, Boiss. Fl. Orient. iv. 621.—As. Min.  
 mollis, Donn, Hort. Cantab. ed. III. 7 = verticillata.  
 mollis, H. B. & K. Nov. Gen. et Sp. ii. t. 153 = amethystina.  
 mollis, Jacq. f. Eclog. 56. t. 37 = virgata.  
 mollissima, Mart. & Gal. in Bull. Acad. Brux. xi. II. (1844) 71.—Mexic.  
 Molucella, Benth. Lab. Gen. et Sp. 216 = acetabulosa.  
 monadelphica, Stokes, Bot. Comment. i. 133.—Hab.?  
 montana, Gardn. & Field Sert. Pl. Sub. t. 20.—Bras.  
 montana, Salisb. Prod. 74 = phlomoides.  
 Montbretii, Benth. in Ann. Sc. Nat. Sér. II. vi. (1836) 42.—As. Min.; Syria.  
 monticola, Benth. in E. Mey. Comm. Pl. Afr. Austr. 238.—Afr. austr.  
 Moorcroftiana, Wall. ex Benth. in Wall. Pl. As. Rar. i. 67.—Reg. Himal.  
 moschata, H. B. & K. Nov. Gen. et Sp. ii. 293. t. 143.—N. Granat.  
 multicaulis, Vahl, Enum. i. 225 = acetabulosa.  
 multifida, Sibth. & Sm. Fl. Graec. Prod. i. 17 = S. Verbenaca.  
 mutilata, Medic. Bot. Beobacht. (1783) 115 (Quid?).—Hab.?  
 nana, H. B. & K. Nov. Gen. et Sp. ii. 289.—Peruv.  
 napaeefolia, Auct. ex Benth. Lab. Gen. et Sp. 304 = nilotica.  
 napifolia, Auct. Croat. ex Nym. Consp. 571 = verticillata.  
 napifolia, Jacq. Hort. Vindob. ii. 71. t. 152.—As. Min.; Galliā; Ital.

**SALVIA:—**

- neglecta, Tenore, Ind. Sem. Hort. Neap. (1829) 18 = S. Verbenaca.  
 nemorensis, Pall. Reise Prov. Russ. Reich. ii. 103 = nemorosa?  
 nemorosa, Baumg. ex Nym. Consp. 569 = pratensis.  
 nemorosa, Colm. Cat. Pl. Catalun. 122 = valentina.  
 nemorosa, Crantz, Stirp. Austr. ed. II. 242.—Europ.  
 nemorosa, Linn. Sp. Pl. ed. II. 35 = sylvestris.  
 neovidensis, Benth. Lab. Gen. et Sp. 284.—Bras.  
 nepetifolia, Desf. Tabl. ed. II. 68; Poir. Encyc. Suppl. v. 48 = hirsuta.  
 nepetoides, H. B. & K. Nov. Gen. et Sp. ii. 299. t. 150 = amarissima.  
 nervata, Mart. & Gal. in Bull. Acad. Brux. xi. II. (1844) 77.—Mexic.  
 nervosa, Benth. Lab. Gen. et Sp. 268.—Bras.  
 nigricans, Hort.—Cf. Gard. Chron. (1883) i. 341; (1883) II. 588 = discolor.  
 nilotica, Juss. ex Jacq. Hort. Vindob. iii. 48. t. 92 = nubia.  
 nilotica, Murr. in Comm. Gotting. (1778) 98. t. 2.—Aegypt.  
 nipponica, Miq. Ann. Mus. Bot. Lugd. Bat. ii. 107.—Japon.  
 nitida, Benth. in DC. Prod. xii. 300.—Mexic.  
 nitidifolia, Orteg. Hort. Matr. Dec. 53 = mexicana.  
 nivea, Ehrenb. ex Boiss. Fl. Orient. iv. 619 = verbascifolia.  
 nivea, Thunb. Prod. Pl. Cap. 96.—Afr. austr.  
 nodosa, Ruiz & Pav. Fl. Per. i. 25 = leonuroides.  
 nubia, Ait. Hort. Kew. ed. I. i. 42.—Afr. bor. occ.  
 nubia, Murr. in Comm. Gotting. (1778) 90. t. 3 = nilotica.  
 nubicola, Wall. Pl. As. Rar. i. 68; Cat. n. 2146 = glutinosa.  
 nudicaulis, C. Koch, in Linnaea, xix. (1847) 24 = virgata.  
 nudicaulis, Vahl, Enum. i. 266.—Arab.  
 nutans, Linn. Sp. Pl. 27.—Europ. austr. or.  
 nutans, Willd. ex Ledeb. Fl. Ross. iii. 366 = pendula.  
 oblonga, C. Koch, in Linnaea, xix. (1847) 24 = virgata.  
 oblongata, Schur, Enum. Pl. Transs. 961 (Index) = pratensis.  
 oblongata, Vahl, Enum. i. 256 = S. Verbenaca.  
 oblongifolia, Mart. & Gal. in Bull. Acad. Brux. xi. II. (1844) 79.—Mexic.  
 obovata, Ell. Sketch, i. 33 = lyrata.  
 obscura, Benth. Lab. Gen. et Sp. 245 = occidentalis.  
 obtusa, Mart. & Gal. in Bull. Acad. Brux. xi. II. (1844) 72.—Mexic.  
 obtusata, Brot. Phyt. Lusit. i. 203 = S. Verbenaca.  
 obtusata, Thunb. Prod. Pl. Cap. 97.—Afr. austr.  
 occidentalis, Sw. Prod. Veg. Ind. Occ. 14.—Am. trop.  
 ochroleuca, Coss. & Bal. in Bull. Soc. Bot. Fr. xx. (1873) 254; xxii. (1875) 65, nomen.—Marocc.  
 ocimoides, Roxb. in Wall. Pl. As. Rar. i. 68; Cat. n. 2148 = lyrata?  
 odorata, Willd. Enum. Hort. Berol. 43 = candidissima.  
 officinalis, Linn. Sp. Pl. 23.—Reg. Mediterr.  
 officinalis, Pall. Tabl. Taur. 44 = grandiflora.  
 oligophylla, Auch. ex Benth. in DC. Prod. xii. 279 = hypoleuca.  
 oligostachya, Gasparr. in Ann. Civ. i. (1833) 117.—Europ.  
 oppositiflora, Ruiz & Pav. Fl. Per. i. 26. t. 43.—Ecuador.  
 orbicularis, Benth. Bot. Voy. Sulph. 151.—Panama.  
 Orbignaei, Benth. in DC. Prod. xii. 338.—Peruv.  
 oreades, Schott & Kotschy, ex Boiss. Fl. Orient. iv. 621 = frigida.  
 orgyalis, Fenzl, in Tchihat. Asie Min. Bot. ii. 136 = recognita.  
 orientalis, Hort. ex Poir. Encyc. vi. 629 = argentea.  
 orientalis, Mill. Gard. Dict. ed. VIII. n. 8 = rosaefolia.  
 Ottoniana, Lehm. Ind. Sem. Hort. Hamb. (1850) 12 = seq.?  
 Ottonis, Lehm. in E. Otto, Hamb. Gartenz. vi. (1850) 350; Regel, in Gartenfl. (1853) 129; in Bot. Zeit. xi. (1853) 335.—Mexic. vel Peruv.?  
 ovalifolia, A. St. Hil. ex Benth. Lab. Gen. et Sp. 267.—Bras.  
 ovata, F. G. Dietr. Vollst. Lexik. Gaertn. vii. 465 = triloba.  
 Owerini, Trautv. in Act. Hort. Petrop. ii. (1873) 479 = aristata.  
 oxyodon, Webb & Heldr. ex Walp. Ann. iii. 254.—Hispan.

5 I

**SALVIA:**—

- pachystachya*, Trautv. in Bull. Soc. Nat. Mosc. xli. (1868) 1. 462 = caespitosa.  
*palaefolia*, H. B. & K. Nov. Gen. et Sp. ii. 303.—N. Granat.  
*palaestina*, Benth. Lab. Gen. et Sp. 718.—Syria.  
*pallida*, Benth. l. c. 250.—Bras.  
*pallidiflora*, St. Amans, Fl. Agen. 10 = S. Verbenaca.  
*paniculata*, Linn. Mant. i. 25.—Afr. austr.  
*papilionacea*, Cav. Ic. iv. 9 = mexicana.  
*papillosa*, Hoffmgg. Verz. Pfl. Nachtr. iii. 58 = officinalis.  
*paposana*, Phil. Fl. Atac. 39.—Chili.  
*parquenensis*, Moq. & Sesse, ex Benth. Lab. Gen. et Sp. 273.—Mexico.  
*Parryi*, A. Gray, in Proc. Am. Acad. viii. (1870) 369.—Texas.  
*parviflora*, Brot. Phyt. Lusit. i. 203 = S. Verbenaca.  
*parviflora*, Roxb. Hort. Beng. 4 = plebeia.  
*parviflora*, Salisb. Prod. 74 = nilotica.  
*parviflora*, Vahl, Enum. i. 268 = syriaca.  
*parvifolia*, Baker, in Journ. Linn. Soc. xx. (1883) 232.—Madag.  
*patens*, Cav. Ic. v. 33. t. 454.—Mexico.  
*patula*, Desf. Fl. Atlant. i. 25 = argentea.  
*patula*, Maund, Bot. Gard. v. 714 = praec.?  
*pauciflora*, H. B. & K. Nov. Gen. et Sp. ii. 303.—Mexico.  
*pauciserrata*, Benth. Pl. Hartw. 241.—N. Granat.  
*Pavonii*, Benth. Lab. Gen. et Sp. 278.—Peruv.  
*pectinifolia*, Fisch. & Mey. in Ann. Sc. Nat. Sér. IV. i. (1854) 33 = caespitosa.  
*peloponnesiaca*, Boiss. & Heldr. Diagn. Ser. I. vii. 47.—Graec.  
*pendula*, Bess. Fl. Galic. i. 41 = nutans.  
*pendula*, Vahl, Enum. i. 281.—Europ. or.  
*pentstemonoides*, Kunth & Bouché, Ind. Sem. Hort. Berol. (1848) 13.—Texas.  
*persepolitana*, Boiss. Diagn. Ser. I. xii. 60.—Persia.  
*persicifolia*, A. St. Hil. ex Benth. Lab. Gen. et Sp. 281.—Bras.  
*petiolaris*, H. B. & K. Nov. Gen. et Sp. ii. 304.—N. Granat.  
*phlomisoides*, Asso, Oryctog. Arag. 158. t. 4.—Hispan.  
*phlomisoides*, Cav. Ic. iv. 10. t. 320 = hirsuta.  
*phlyctidea*, C. Koch, in Linnaea, xxi. (1848) 655.—Transcauc.  
*phoenicea*, H. B. & K. Nov. Gen. et Sp. ii. 302. t. 155.—Ecuador.  
*Piaszekii*, Maxim. in Bull. Acad. Pétersb. xxvii. (1881) 528.—China.  
*pichinchensis*, Benth. Pl. Hartw. 243.—Ecuador.  
*pilantha*, Link, Enum. Hort. Berol. i. 10 (sp. dub.).—Oriens.  
*pilifera*, Montbr. & Auch. in Ann. Sc. Nat. Sér. II. (1836) 40.—As. Min.  
*pilosa*, Vahl, Enum. i. 241.—Peruv.  
*Pinardi*, Boiss. Diagn. Ser. I. xii. 59.—Syria.  
*pinifolia*, Roem. & Schult. Syst. i. 220, sphalm. = *pinifolia*.  
*pinnata*, Linn. Sp. Pl. 27.—As. Min.; Syria.  
*pinnifolia*, Pall. Tabl. Taur. 44 = scabiosaefolia.  
*pisidica*, Boiss. & Heldr. ex Benth. in DC. Prod. xii. 269.—As. Min.  
*Pitcheri*, Torr. ex Benth. Lab. Gen. et Sp. 251 = azurea.  
*platycheila*, A. Gray, in Proc. Am. Acad. viii. (1870) 292.—Calif.  
*plebeia*, R. Br. Prod. 501.—As. or.; Austral.  
*plectranthoides*, Griff. Notul. iv. 199.—Reg. Himal.  
*plumosa*, Ruiz & Pav. Fl. Per. i. 26. t. 37.—Peruv.  
*pogonocalyx*, Hance, in Journ. Linn. Soc. xiii. (1873) 85.—China.  
*polyadenia*, Boiss. & Heldr. Diagn. Ser. I. v. 7 = limbata.  
*polyclonos*, Boiss. Diagn. Ser. I. vii. 47 = compressa.  
*polymorpha*, Hoffmgg. & Link, Fl. Port. i. 149. t. 19 = S. Verbenaca.  
*polystachya*, Mart. & Gal. in Bull. Acad. Brux. xi. II. (1844) 77 = xalapensis.  
*polystachya*, Orteg. Hort. Matr. Dec. 55.—Mexico.  
*pomifera*, Linn. Sp. Pl. 24.—Graecia; Syria.  
*porphyrantha*, Decne. in Rev. Hort. Sér. IV. iii. (1854) 301. f. 16 = Roemeriana.  
*porphyrata*, Hook. Bot. Mag. t. 4939, sphalm. = praec.  
*porphyrocalyx*, Baker, in Journ. Linn. Soc. xviii. (1880) 277.—Madag.  
*potentillaefolia*, Boiss. & Heldr. ex Benth. in DC. Prod. xii. 270.—As. Min.; Syria.

**SALVIA:**—

- praecox*, Loisel. Not. 6 = virgata.  
*praecox*, Savi, Fl. Pisan. i. 22 = S. Verbenaca.  
*praecox*, Vahl, Enum. i. 274 = spinosa.  
*prasiifolia*, Benth. Bot. Voy. Sulph. 151.—Mexic.  
*pratensis*, Habl. Phys. Besch. Taur. 143 = virgata.  
*pratensis*, Linn. Sp. Pl. 25.—Europ.; Reg. Caucas.  
*Prionitis*, Hance, in Journ. Bot. viii. (1870) 74.—China.  
*prismatica*, Hemsl. Biol. Centr. Am. ii. 558 = hispanica.  
*privoides*, Benth. Bot. Voy. Sulph. 150.—Am. trop.  
*procumbens*, Ruiz & Pav. Fl. Per. i. 27 = occidentalis.  
*procurrens*, Benth. Lab. Gen. et Sp. 266.—Am. austr.  
*propinqua*, Benth. l. c. 267.—Bras.  
*prostratus*, Hook. f. in Trans. Linn. Soc. xx. (1847) 200.—Ins. Galapag.  
*protracta*, Benth. in DC. Prod. xii. 309.—Mexic.  
*proxima*, Mart. & Gal. in Bull. Acad. Brux. xi. II. (1844) 62 = vitifolia.  
*prunelloides*, Benth. Pl. Hartw. 90 = nana.  
*prunelloides*, H. B. & K. Nov. Gen. et Sp. ii. 289.—Mexico.  
*prysmatica*, Cav. Desc. 14 = hispanica.  
*Przewalskii*, Maxim. in Bull. Acad. Pétersb. xxvii. (1881) 526.—China.  
*Pseudo-aethiopsis*, Boiss. Fl. Orient. iv. 619 = verbascifolia.  
*Pseudo-coccinea*, Jacq. Coll. ii. 302 = coccinea.  
*Pseudo-pendula*, Schur, Enum. Pl. Transs. 961 (Index) = nutans.  
*Pseudo-silvestris*, Stapf, in Denkschr. Akad. Wien, I. (1885) 42.—Persia.  
*pubescens*, Benth. Lab. Gen. et Sp. 723.—Mexic.  
*pulchella*, DC. Cat. Hort. Monsp. 142.—Am. austr.  
*pulchella*, H. B. & K. Nov. Gen. et Sp. ii. 288. t. 140 = spicata.  
*pumila*, Benth. Lab. Gen. et Sp. 726 = aegyptiaca.  
*punctata*, Ruiz & Pav. Fl. Per. i. 27. t. 39.—Ecuador.  
*pungens*, Hochst. ex Benth. in DC. Prod. xii. 350 = nilotica.  
*punica*, Mart. & Gal. in Bull. Acad. Brux. xi. II. (1844) 65 = elegans.  
*purpurascens*, Mart. & Gal. l. c. 69.—Mexic.  
*purpurea*, Cav. Ic. ii. 52. t. 166.—Mexic.  
*purpurina*, La Llave, in La Naturalesa, vii. (1885) Apénd. 82.—Mexic.  
*pushtata*, Benth. in DC. Prod. xii. 327.—Peruv.  
*pyramidalis*, Petagn. Inst. Bot. ii. 54.—Calabr.  
*pyrenaica*, Linn. Sp. Pl. 25.—Mont. Pyren.  
*pyrenaica*, Vahl, Enum. i. 263 = bicolor.  
*pyrifolia*, Domb. ex Cav. Desc. 13, in obs. = fulgens, leonuroides.  
*quercifolia*, Hort. ex Benth. Lab. Gen. et Sp. 235 = virgata.  
*quintensis*, Benth. in DC. Prod. xii. 339.—Ecuador.  
*racemosa*, Ruiz & Pav. Fl. Per. i. 25.—Peruv.  
*radicans*, Poir. Encyc. vi. 621 = occidentalis.  
*Radula*, Benth. in DC. Prod. xii. 291.—Afr. austr.  
*raphanifolia*, Benth. in E. Mey. Comm. Pl. Afr. Austr. 237.—Afr. austr.  
*Rascheyana*, Boiss. Diagn. Ser. I. xii. 58.—Syria.  
*Rassami*, Boiss. Fl. Orient. iv. 615 = palaestina.  
*recognita*, Fisch. & Mey. in Ann. Sc. Nat. Sér. IV. i. (1854) 33.—As. Min.  
*rectiflora*, Vis. Sem. Hort. Patav. (1839) (Ort. Bot. Pad. 145).—Mexic.  
*recurva*, Benth. in DC. Prod. xii. 336.—Mexic.  
*reflexa*, Hornem. Enum. Pl. Hort. Hafn. (1807) 34 = lanceolata.  
*Regeliana*, Trautv. Ind. Sem. Hort. Petrop. (1866) 93.—Reg. Caucas.  
*Regia*, Cav. Ic. v. 33. t. 455.—Mexic.  
*remota*, Benth. in DC. Prod. xii. 304.—Mexic.  
*repens*, Benth. Lab. Gen. et Sp. 267 = ovalifolia.  
*repens*, Burch. ex Benth. l. c. 306.—Afr. austr.  
*reptans*, Jacq. Hort. Schoenb. iii. 38 = angustifolia.  
*reticulata*, Mart. & Gal. in Bull. Acad. Brux. xi. II. (1844) 64.—Mexic.  
*Reuteriana*, Boiss. Diagn. Ser. I. v. 10.—Persia.  
*revoluta*, Ruiz & Pav. Fl. Per. i. 28. t. 41.—Peruv.  
*rhinosina*, Griseb. in Goett. Abh. xix. (1874) 239.—Reg. Argent.  
*rhombifolia*, Ruiz & Pav. Fl. Per. i. 26. t. 36.—Peruv.

**SALVIA:**—

- rhytidea*, Benth. in DC. Prod. xii. 280.—Afghan.  
*rigida*, Benth. Lab. Gen. et Sp. 269.—Bras.  
*rigida*, Thunb. Prod. Pl. Cap. 96 = dentata.  
*ringens*, Sibth. & Sm. Fl. Graec. i. 14. t. 18.—Graecia.  
*riparia*, H. B. & K. Nov. Gen. et Sp. ii. 300.—Peruv.  
*rivularis*, Gardn. & Field. Sert. Pl. t. 20.—Bras.  
*Roborowskii*, Maxim. in Bull. Acad. Pétersb. xxvii. (1881) 527.—China.  
*Roemeriana*, Scheele, in Linnaea, xxii. (1849) 586.—Texas; Mexic.  
*Roemeriana*, Torr. Bot. Mex. Bound. 182, partim = Henryi.  
*Roetzli*, Scheidw. in Fl. des Serres, xiv. (1861) 31.—Mexic.  
*rosaeifolia*, Hort. ex Schult. Mant. i. 183 = pilantha.  
*rosaeifolia*, Sm. Ic. Ined. i. 5. t. 5.—Armenia.  
*Rosani*, Tenore, Fl. Nap. iii. 22 = viridis.  
*rosea*, Vahl, Enum. i. 244 = coccinea.  
*rosmarinifolia*, Hort. ex G. Don, in Sweet, Hort. Brit. ed. III. 532 = lavandulaefolia.  
*rosmarinoides*, A. St. Hil. ex Benth. Lab. Gen. et Sp. 269.—Bras.  
*Rosmarinus*, Schleiden, Handb. Med. Pharm. Bot. i. 265 = Rosmarinus officinalis.  
*rostrata*, F. W. Schmidt, in Neue Abh. Boehm. Ges. i. (1791) 8 = pratensis.  
*rotundifolia*, Benth. in DC. Prod. xii. 273 = Eckloniana.  
*rotundifolia*, Salisb. Prod. 74 = africana.  
*rotundifolia*, Vis. in Mem. Ist. Venet. i. 1842 (1843), 42. t. 1 = grandiflora.  
*rubescens*, H. B. & K. Nov. Gen. et Sp. ii. 301. t. 154.—Ecuador.  
*rubicunda*, Wender. ex Benth. Lab. Gen. et Sp. 233 = pratensis.  
*rubifolia*, Boiss. Diagn. Ser. I. xii. 56.—Syria.  
*rubiginosa*, Benth. in DC. Prod. xii. 301.—Mexic.  
*rubra*, Spreng. Syst. iv. Cur. Post. 17 = virgata.  
*rudis*, Benth. in E. Mey. Comm. Pl. Afr. Austr. 235.—Afr. austr.  
*rufida*, Willd. ex Schult. Mant. i. 189 = rufula.  
*rufula*, H. B. & K. Nov. Gen. et Sp. iii. 291.—N. Granat.  
*rugosa*, Thunb. Prod. Pl. Cap. 97.—Afr. austr.  
*rugosissima*, Zucc. in Abh. Akad. Muench. iii. (1837–43) 244. t. 7 = controversa.  
*rumicifolia*, H. B. & K. Nov. Gen. et Sp. ii. 305.—Ecuador.  
*runcinata*, Linn. f. Suppl. 89.—Afr. austr.  
*Ruprechtii*, Boiss. Fl. Orient. iv. 624 = Beckeri.  
*Russegeri*, Fenzl, Del. Sem. Hort. Vindob. (1851) [4]; et ex Tchihat. Asie Min. Bot. ii. 138.—As. Min.  
*Russellii*, Benth. Lab. Gen. et Sp. 312.—As. Min.; Mesopot.  
*ruthenica*, Weinm. in Bull. Soc. Nat. Mosc. (1837) n. vii. 55 = nutans.  
*rutilans*, Carr. in Rev. Hort. (1873) 251.—Hab.?  
*sabulicola*, Pomel, Nouv. Mat. Fl. Atl. 121 = S. Verbenaca.  
*saccata*, Pourr. ex Willk. & Lange, Prod. Fl. Hisp. ii. 424 = argentea.  
*sagittata*, Ruiz & Pav. Fl. Per. i. 23. t. 35.—Peruv.  
*sahendica*, Boiss. & Buhse, in Nouv. Mém. Soc. Nat. Mosc. xii. (1860) 172.—Persia.  
*salicifolia*, Pohl, Pl. Bras. Ic. ii. 140. t. 196.—Bras.  
*saligna*, Willd. ex A. Dietr. Sp. Pl. i. 307 = spicata.  
*Salvatori*, Hort. ex Vilm. Fl. Pl. Terre, ed. I. 772 = pratensis.  
*Sanctae-luciae*, Seem. Bot. Voy. Herald, 327.—Mexic.  
*santolinaefolia*, Boiss. Diagn. Ser. I. v. 13.—Persia; Ind. bor. occ.  
*sarawschanica*, Regel & Schmalh. ex Regel, Pl. Nov. Fedsch. 62.—Turkestan.  
*saxicola*, Wall. ex Benth. in Wall. Pl. As. Rar. i. 68; Cat. n. 2147.—Reg. Himal.  
*Scabiosae*, Pers. Syn. i. 29 = seq.  
*scabiosaefolia*, Lam. Journ. Hist. Nat. Par. ii. (1792) 44. t. 27.—Peruv.  
*scabra*, Benth. Lab. Gen. et Sp. 305 = runcinata.  
*scabra*, Thunb. Prod. Pl. Cap. 97.—Afr. austr.  
*scabrida*, Bertol. Fl. Ital. i. Sp. Add. 855 = Bertolonii.  
*scabrida*, Pohl, Pl. Bras. Ic. ii. 140. t. 195.—Bras.  
*scapiformis*, Hance, in Journ. Bot. xxiii. (1885) 368.—China.  
*Schielii*, Walp. Ann. vi. 1273 (Index), sphalm. = Shiellii.

**SALVIA:—**

Schimperi, *Benth. in DC. Prod.* xii. 282.—Abyss.  
*Schimperi*, Hochst. ex Benth. in DC. *Prod.* xii. 262  
 = Meriar dra benghalensis.  
*Schmalhauseni*, Regel, in *Act. Hort. Petrop.* vi. (1879)  
 356.—Bokhara.  
*Sclarea*, Crantz, *Stirp. Austr.* ed. II. 236 = austriaca.  
*sclareaoides*, Brot. *Fl. Lusit.* i. 17.—Lusitan.  
*Sclarea*, Linn. *Sp. Pl.* 27.—Reg. Mediterr.; Oriens.  
*Scorodonia*, Benth. Lab. Gen. et Sp. 264 = scorodoniae-  
 folia.  
*scorodoniaefolia*, Desf. *Tabl.* ed. II. 67; *Poir. Encyc.*  
*Suppl.* v. 46.—Mexic.  
*scrobiculata*, Meyen, *Reise*, ii. 45.—Peruv.  
*scutellarioides*, H. B. & K. *Nov. Gen. et Sp.* ii. 304.  
 t. 158.—Ecuador.  
*secunda*, Benth. Lab. Gen. et Sp. 285.—Bras.  
*Sellowiana*, Benth. in *DC. Prod.* xii. 329.—Bras.  
*semitrata*, Zucc. in *Abh. Akad. Muench.* i. (1829)  
 30) 298.—Mexic.  
*semperflorans*, La Llave, in *La Naturaleza*, vii. (1885)  
*Apénd.* 81.—Mexic.  
*serotina*, Linn. *Mant.* i. 25.—Ind. occ.  
*serotina*, Vahl, *Enum.* i. 232 = tenella.  
*serrata*, Benth. Lab. Gen. et Sp. 257.—Bras.  
*Sessei*, Benth. i. c. 288.—Mexic.  
*sessilifolia*, Baker, in *Journ. Linn. Soc.* xviii. (1881)  
 276.—Madag.  
*Shielei*, Boiss. *Diagn.* Ser. I. vii. 45.—Persia.  
*Sibthorpii*, Bory & Chaub. *Nouv. Fl. Pélop.* 2 = S. Ver-  
 benaca.  
*Sibthorpii*, Sibth. & Sm. *Fl. Graec.* i. 17. t. 22 =  
 virgata.  
*sidaefolia*, Mart. & Gal. in *Bull. Acad. Brux.* xi. II.  
 (1844) 67.—Mexic.  
*Sideritidis*, Presl, ex Benth. Lab. Gen. et Sp. 255.—  
 Peruv.  
*Sideritidis*, Vahl, *Enum.* i. 250 = hirsuta.  
*Sieberi*, Presl, Bot. Bemerk. 100 = palaestina.  
*silvestris*, Auct. = *silvestris*.  
*simplex*, Spreng. *Syst.* i. 58 = elongata.  
*Simsiana*, Schult. *Mant.* i. 210 = S. Sclarea.  
*sinaica*, Delile, ex Benth. Lab. Gen. et Sp. 718 =  
 palaestina.  
*sinapifolia*, C. Koch, in *Linnaea*, xxi. (1848) 659 =  
 Russellii.  
*sipylea*, Lam. *Illustr.* i. 68 = triloba.  
*smyrnaea*, Boiss. *Diagn.* Ser. I. v. 5.—As. Min.  
*somalensis*, Vatke, in *Linnaea*, xliii. (1880–82) 98.—  
 Afr. trop.  
*Sonklari*, Pant. in *Magyar, Növényt. Lapok*, v. (1881)  
 151.—Europ. austr.  
*sordida*, Benth. Pl. Hartw. 241.—N. Granat.  
*Souchetii*, Van Houtte, in *Fl. des Serres*, xiv. (1861)  
 32 = Rozeii.  
*speciosa*, Presl, ex Benth. Lab. Gen. et Sp. 272.—  
 Peruv.  
*spectabilis*, H. B. & K. *Nov. Gen. et Sp.* ii. 304 =  
 patens.  
*speirematoides*, Wright, in *Sauv. Fl. Cub.* 114.—Cuba.  
*sphacelioides*, Benth. in *DC. Prod.* xii. 337.—  
 N. Granat.  
*spicata*, Schult. *Mant.* i. 202.—Mexic.  
*spicata*, Willd. ex A. Dietr. *Sp. Pl.* i. 277 = collina.  
*Spielmanni*, Scop. *Del. Insub.* iii. 81. t. 15 = viridis.  
*Spielmanni*, Willd. *Enum. Hort. Berol.* i. 38 =  
 S. Verbenaca.  
*Spielmanniana*, Bieb. *Fl. Taur. Cauc.* i. 21 = S. Ver-  
 benaca.  
*spinosa*, Linn. *Mant.* ii. 511.—Arab.; Mesopot.  
*spinosa*, Moench, *Meth.* 373 = nilotica.  
*spinulosa*, Montbr. & Auch. ex Benth. in *DC. Prod.*  
 xii. 283 = frigida.  
*spiraeifolia*, Boiss. & Hohen. *Diagn.* Ser. I. v. 5.—  
 Syria.  
*splendens*, Ker-Gawl. in *Bot. Reg.* t. 687; Sellow, ex  
*Nees*, in *Newwed. Reise Bras.* ii. 335.—Bras.  
*squalens*, H. B. & K. *Nov. Gen. et Sp.* ii. 297.—  
 Peruv.  
*squarrosa*, Scheidw. in *Hortic. Belge*, v. (1838) 187.  
 t. 10.—Mexic.  
*stachydea*, Klein, ex Schult. *Mant.* i. 216 = Meriandra  
 benghalensis.  
*stachydfolia*, Benth. in *I. C. Prod.* xii. 311.—Peruv.  
*stachyoides*, H. B. & K. *Nov. Gen. et Sp.* ii. 287. t. 138.  
 —Mexic.  
*staminea*, Mart. & Gal. in *Bull. Acad. Brux.* xi. II.  
 (1844) 65 = patens.

**SALVIA:—**

staminea, Montbr. & Auch. in *Ann. Sc. Nat. Sér. II.*  
 vi. (1836) 41.—As. Min.  
*stenophylla*, Burch. ex Benth. Lab. Gen. et Sp. 306.—  
 Afr. austr.  
*stolonifera*, Benth. Pl. Hartw. 70.—Mexic.  
*striata*, Benth. in *DC. Prod.* xii. 343.—Peruv.  
*strictiflora*, Hook. Bot. Misc. ii. (1831) 234.—Peruv.  
*strobilanthea*, Wright, ex Griseb. *Cat. Pl. Cub.* 214.  
 —Cuba.  
*suaveolens*, Pomel, *Nouv. Mat. Fl. Atl.* 306 = argentea.  
*subincisa*, Benth. Pl. Hartw. 20.—N. Mexic.  
*sublobata*, Schur, *Enum. Pl. Transs.* 520 = pratensis.  
*subrotunda*, A. St. Hil. ex Benth. Lab. Gen. et Sp. 290.  
 —Bras.  
*subsessilis*, E. Mey. *Comm. Pl. Afr. Austr.* 237.—  
 Afr. austr.  
*subspathulata*, Lehm. in *E. Otto, Hamb. Gartenz.* vi.  
 (1850) 457.—Afr. austr.  
*subtriflora*, Roem. & Schult. *Syst.* i. 610 (Index) =  
 tubiflora.  
*subtriloba*, Schrank, in *Syll. Ratisb.* ii. (1828) 58 =  
 triloba.  
*suffruticosa*, Montbr. & Auch. in *Ann. Sc. Nat.*  
*Sér. II.* vi. (1836) 39.—As. Min.  
*superba*, Hort. ex Vilm. *Fl. Pl. Terre*, ed. I. 769 =  
 coccinea.  
*sylvestris*, Cav. *Desc.* 291 (*silvestris*) = valentina.  
*sylvestris*, Linn. *Sp. Pl.* 24.—Europ. or.; As. bor.  
*sylvestris*, Vell. *Fl. Flum.* 14; i. t. 34 = Arrabidae.  
*sylvestris*, Vis. *Stirp. Dalm.* 46 = Bertolonii.  
*sylvicola*, Burch. ex Benth. Lab. Gen. et Sp. 304.—  
 Afr. austr.  
*syplea*, Lam. *Illustr.* i. 68 = triloba.  
*syriaca*, Gouan, ex Benth. in *DC. Prod.* xii. 279 =  
 dominica.  
*syriaca*, Linn. *Syst.* ed. X. 854.—As. Min.; Syria;  
 Persia.  
*Szovitsiana*, Bunge, *Lab. Pers.* 43.—Persia.  
*Tafallae*, Benth. Lab. Gen. et Sp. 260.—Peruv.  
*taraxacifolia*, Coss. & Bal. in *Bull. Soc. Bot. Fr.* xx.  
 (1873) 253; xxii. (1875) 65.—Marocc.  
*taurica*, Habl. ex Willd. *Sp. Pl.* i. 129 = scabiosaefolia.  
*taurica*, Hort. ex Benth. Lab. Gen. et Sp. 235 = virgata.  
*tauricola*, Schott & Kotschy, ex Boiss. *Fl. Orient.* iv.  
 603 = acetabulosa.  
*taurina*, Hort. ex Benth. Lab. Gen. et Sp. 237 =  
 sylvestris.  
*Tchihatcheffii*, Boiss. *Fl. Orient.* iv. 598.—Galatia.  
*tebesana*, Bunge, *Lab. Pers.* 52.—Persia.  
*tenella*, Sw. *Prod. Veg. Ind. Occ.* 14.—Am. trop.  
*Tenorii*, Spreng. *Pugill.* i. 2 = pratensis.  
*tenuifolia*, Burch. ex Benth. Lab. Gen. et Sp. 304 =  
 triangularis.  
*tenuior*, Desf. ex Roem. & Schult. *Syst.* i. 200 = lavan-  
 dulaeifolia.  
*tetragona*, Moench, *Meth.* 373 = hispanica.  
*texana*, Torr. *Bot. Mex. Bound.* 132.—Texas.  
*thymiflora*, Willd. *Enum. Hort. Berol. Suppl.* 2 =  
 lamiifolia.  
*thymoides*, Benth. Lab. Gen. et Sp. 255.—Mexic.  
*thyrsiflora*, Benth. Bot. Voy. *Sulph.* 151.—Mexic.  
*tiberina*, Mauri, in Tenore, Viagg. Abruzz. 41 = pra-  
 tensis.  
*tiliaefolia*, Vahl, *Symb. Bot.* iii. 7.—Mexic.  
*tingitana*, Etling. *Salv.* 35 = foetida.  
*tmolea*, Boiss. *Diagn.* Ser. I. v. 9.—As. Min.  
*tolimensis*, H. B. & K. *Nov. Gen. et Sp.* ii. 292.—  
 N. Granat.  
*tomentella*, Pohl, *Pl. Bras. Ic.* ii. 138. t. 194.—Bras.  
*tomentosa*, Heyne, ex Wall. *Cat. n.* 2152 = Gompho-  
 stemma strobilinum.  
*tomentosa*, Mill. *Gard. Dict.* ed. VIII. n. 2 = grandif-  
 lora.  
*tortuosa*, H. B. & K. *Nov. Gen. et Sp.* ii. 292. t. 142.—  
 N. Granat.  
*transsilvanica*, Schur, in *Verh. Siebenb. Ver. Naturw.*  
 iv. (1853) 57 = pratensis.  
*Trautvetteri*, Regel, in *Act. Hort. Petrop.* vi. (1879)  
 355.—Turkestan.  
*triangularis*, Thunb. *Prod. Pl. Cap.* 96.—Afr. austr.  
*trichocalycina*, Benth. in *DC. Prod.* xii. 356.—  
 Afghan.  
*trichoclada*, Benth. l. c. 267.—Mesopot.  
*trichostemoides*, Pursh, *Fl. Am. Sept.* i. 19 = lanceolata.  
*trichostyle*, Bischoff, *Del. Sem. Hort. Heidelb.* (1847)  
 in adnot.—Cf. *Ann. Sc. Nat. Sér. III.* ix. (1848) 319  
 = farinacea.

**SALVIA:—**

tricolor, Hort. ex Benth. in *DC. Prod.* xii. 280 = pra-  
 tensis.  
*tricolor*, Hort. ex Vilm. *Fl. Pl. Terre*, ed. I. 773 =  
 officinalis.  
*tricolor*, Lem. *Illustr. Hort.* iii. (1856) *Misc.* 71.  
 t. 120.—Mexic.  
*tricuspidata*, Mart. & Gal. in *Bull. Acad. Brux.* xi. II.  
 (1844) 78.—Mexic.  
*triloba*, Linn. f. *Suppl.* 88.—Europ. or.; As. Min.  
*truncata*, Willd. *Enum. Hort. Berol.* 34 = viridis.  
*tubaeformis*, Auct. = *tubiformis*.  
*tubifera*, Cav. *lc.* i. 16. t. 25.—Mexic.  
*tubiflora*, Sm. *lc. Ined.* 26. t. 26.—Peruv.  
*tubiformis*, Klotzsch, in Otto & Dietr. *All. Gartenz.*  
 ix. (1841) 114 = rectiflora.  
*Turdi*, A. Rich. *Tent. Fl. Abyss.* ii. 194.—Abyss.  
*uliginosa*, Benth. Lab. Gen. et Sp. 251.—Bras.  
*umbratica*, Hance, in *Journ. Bot.* viii. (1870) 75.  
 —China.  
*undulata*, Benth. in *DC. Prod.* xii. 275.—Afr. austr.  
*undulata*, Wender. ex Steud. *Nom.* ed. II. ii. 508.—  
 Hab. ?  
*urmiensis*, Bunge, *Lab. Pers.* 48.—Persia.  
*urticifolia*, Linn. *Sp. Pl.* 24.—Am. bor.  
*uruguayensis*, A. St. Hil. ex Benth. Lab. Gen. et Sp.  
 258.—Bras.  
*valentina*, Vahl, *Enum.* i. 268.—Hispan.  
*vanensis*, Boiss. & Noé, *Diagn.* Ser. II. iv. 17 =  
 suffruticosa.  
*varia*, Vahl, *Enum.* i. 273 = syriaca.  
*variabilis*, Loisel. ex Benth. Lab. Gen. et Sp. 241 =  
 S. Verbenaca.  
*variegata*, Host, *Fl. Austr.* i. 27.—Hungar.  
*variegata*, Waldst. & Kit. ex Willd. *Enum. Hort.*  
*Berol.* i. 36 = pratensis.  
*velutina*, Benth. Lab. Gen. et Sp. 275.—Bras.  
*velutina*, Vahl, *Enum.* i. 268 = sylvestris.  
*venusta*, H. B. & K. *Nov. Gen. et Sp.* ii. 301. t. 153 =  
 amethystina.  
*verbascifolia*, Bieb. *Fl. Taur. Cauc.* iii. 24.—As. Min.;  
 Persia.  
*Verbenaca*, Linn. *Sp. Pl.* 25.—Europ.; Oriens.  
*verbenacoides*, Brot. *Fl. Lusit.* i. 17 = S. Verbenaca.  
*verbenaeifolia*, Salisb. *Prod.* 73 = S. Verbenaca.  
*versicolor*, Lag. ex Steud. *Nom.* ed. II. ii. 508.—  
 Hispan.  
*verticillata*, Linn. *Sp. Pl.* 26.—Europ. austr.; Oriens.  
*vestita*, Benth. in *DC. Prod.* xii. 346.—N. Granat.  
*villosula*, Benth. Lab. Gen. et Sp. 720 = Martensii.  
*violacea*, Donn, Hort. Cantab. ed. II. 5; et ex A. Dietr.  
*Sp. Pl.* i. 276 = lamiifolia.  
*violacea*, Ruiz & Pav. *Fl. Per.* i. 26. t. 43.—  
 Ecuador.  
*virgata*, Ait. *Hort. Kew.* ed. I. i. 39.—Europ. austr. or.;  
 Oriens.  
*virgata*, Orteg. Hort. Matr. Dec. 3 = angustifolia.  
*virgata*, Savi, Bot. Etrusc. ii. 4 = pratensis.  
*viridis*, Linn. *Sp. Pl.* 24.—Reg. Mediterr.; Oriens.  
*viscida*, A. St. Hil. ex Benth. Lab. Gen. et Sp. 268.—  
 Bras.  
*viscosa*, Jacq. *Misc.* ii. 328.—Ital.  
*viscosa*, Wight, ex Steud. *Nom.* ed. II. ii. 509 =  
 Meriandra benghalensis.  
*vitifolia*, Benth. Lab. Gen. et Sp. 724.—Mexic.  
*Viviani*, Sieber, ex Reichb. *Pl. Crit.* vi. 18. t. 524 =  
 S. Verbenaca.  
*vulnerariaefolia*, Willd. *Sp. Pl.* i. 149 = scabiosaef-  
 folia.  
*Wagneriana*, Polak. in *Linnaea*, xli. (1877) 591.—  
 Costa Rica.  
*Warszewicziana*, Regel, in *Flora*, xxxii. (1849) 184.—  
 Guatemala.  
*Wiedemanni*, Boiss. *Fl. Orient.* iv. 599.—Anatolia.  
*xalapensis*, Benth. in *DC. Prod.* xii. 308.—Mexic.  
*xanthocheila*, Boiss. ex Benth. l. c. 284.—As. Min.;  
 Persia.

**SALVIASTRUM**, Heist. *Syst.* 16 (1748) = **Tarchonan-  
 thus**, Vaill. (Compos.).

**SALVIASTRUM**, Scheele, in *Linnaea*, xxii. (1849)  
 584. **LABIATAE**, Benth. & Hook. f. ii. 1196.  
*texanum*, Scheele, l. c. 585.—Texas.

**SALZMANNIA**, DC. *Prod.* iv. 617 (1830). **RUBIA-  
 CEAE**, Benth. & Hook. f. ii. 106.  
*nitida*, DC. l. c.—Bras.



SALZWEDELIA, O. F. Lang, in Flora, xxvi. (1843)  
770 = SALTZWEDELIA, Fl. Wett. = **Genista**,  
Linn. (Legumin.).

**SAMADERA**, Gaertn. Fruct. ii. 352. t. 159 (1791).  
*SIMARUBEAE*, Benth. & Hook. f. i. 310.  
BIPOREIA, Thou. Gen. Nov. Madag. 14 (1806).  
LOCANDI, Adans. Fam. ii. 449 (1763).  
MANUNGALA, Blanco. Fl. Filip. ed. I. 306 (1837).  
MAUDUITA, Comm. ex DC. Prod. i. 592 (1824).  
NIOTA, Lam. Illustr. t. 299 (1796?).  
SAMANDURA, Linn. Fl. Zeyl. 202 (1747), nomen prius.  
VITMANNIA, Vahl, Symb. Bot. iii. 51. t. 60 (1794).  
brevipetala, Scheff. in Tijdschr. Nederl. Ind. xxxii.  
(1871) 410.—Java.  
glandulifera, Presl, Symb. Bot. ii. 1. t. 51.—Ind. or.  
indica, Gaertn. Fruct. ii. 352. t. 156.—Ind. or.  
lucida, Planch. in Hook. Lond. Journ. Bot. v. (1846)  
562.—Burma.  
madagascariensis, A. Füss. in Mém. Mus. Par. xii.  
(1825) 516. t. 27.—Madag.  
pentapetala, G. Don, Gen. Syst. i. 811 = indica.  
tetrapetala, G. Don, l. c.—Madag.

SAMANDURA, Linn. Fl. Zeyl. 202 (1747) = praec.

SAMARA, Linn. Mant. ii. 144 (1771) (excl. syn. p. 199)  
= **Embelia**, Purm. (Myrsin.).  
atropunctata, Arn. in Proc. Linn. Soc. i. (1847) 327 =  
E. viridiflora.  
aurantiaca, Arn. l. c. = E. viridiflora.  
australiana, F. Muell. Fragm. vi. 164.—Austral.  
Blackburnia, Spreng. Syst. i. 441 = Zanthoxylum  
Blackburnia.  
esculenta, Buch.-Ham. ex D. Don, Prod. Fl. Nep. 147  
= E. floribunda.  
floribunda, Benth. & Hook. f. ex Kurz, in Journ. As.  
Soc. Beng. xlv. (1877) ii. 222 = E. Ribes, floribunda.  
frondosa, King, ex Gamble, List Darjeeling Trees,  
52 = E. Gamblei.  
Helicia, D. Dietr. Syn. Pl. i. 497 = Helicia cochini-  
chinensis.  
Isquierda, Spreng. Syst. i. 442.—Peruv.  
laeta, Linn. Mant. ii. 199 = Memecylon umbellatum?  
laeta, Sw. Prod. Veg. Ind. Occ. 151 = Myrsine laeta.  
longifolia, Benth. Fl. Hongk. 205.—Ins. Hongkong.  
microcalyx, Kurz, in Journ. As. Soc. Beng. xlv. (1877)  
ii. 221 = E. microcalyx.  
Myrtillus, Kurz, l. c. 223 = E. Myrtillus.  
Nagushia, Buch.-Ham. ex D. Don, Prod. Fl. Nep.  
147 = E. Nagushia.  
obovata, Benth. in Hook. Kew Journ. iv. (1852) 301.—  
Ins. Hongkong.  
paniculata, Roxb. Hort. Beng. 83; Fl. Ind. i. 414 =  
Ardisia Samara.  
parviflora, Kurz, in Journ. As. Soc. Beng. xlv. (1877)  
ii. 223 = E. parviflora.  
philippensis, Vidal, Sinops. t. 61. f. D = E. philippi-  
nensis.  
picta, Buch.-Ham. ex Wall. Cat. n. 2302 = E. robusta.  
polygama, Roxb. Hort. Beng. 83; Fl. Ind. i. 414 =  
Ardisia polygama.  
racemosa, Hassk. Cat. Hort. Bog. Alt. 232 = E. race-  
mosa.  
Rheedii, Wight, Ic. t. 1591 = E. viridiflora.  
Ribes, Benth. & Hook. f. ex Kurz, in Journ. As. Soc.  
Beng. xlv. (1877) ii. 222 = E. Ribes.  
robusta, Benth. & Hook. f. ex Kurz, l. c. = E. robusta.  
scandens, Hassk. Cat. Hort. Bog. Alt. 232 = E.  
javanica.  
sessiliflora, Kurz, in Journ. As. Soc. Beng. xlv. (1877)  
ii. 222 = E. sessiliflora.  
undulata, Arn. in Proc. Linn. Soc. i. (1847) 327 =  
E. Nagushia.  
vestita, Benth. & Hook. f. ex Kurz, in Journ. As. Soc.  
Beng. xlv. (1877) ii. 223 = E. vestita, nutans.  
viridiflora, Arn. in Proc. Linn. Soc. i. (1847) 327 =  
E. viridiflora.  
viridiflora, Thw. Enum. Pl. Zeyl. 173 = E. viridiflora.

SAMARA, Sw. Prod. Veg. Ind. Occ. 32 (1788); Fl. Ind.  
Occ. i. 261 (1797) = **Myrsine**, Linn.  
coriacea, Sw. Prod. Veg. Ind. Occ. 32 = M. coriacea.  
floribunda, Willd. Sp. Pl. i. 665 = M. floribunda.  
guianensis, Sw. Obs. Bot. 51 = M. floribunda.  
laeta, Sw. Prod. Veg. Ind. Occ. 151 = M. laeta.  
myricoides, Willd. ex Schult. Mant. iii. 220 = M.  
popayanensis.

SAMARA:—

myrtifolia, Willd. ex Schult. Mant. iii. 220 = Myrsine  
myrtifolia.  
pentandra, Ait. Hort. Kew. ed. I. i. 160 = M. pen-  
tandra.  
pentandra, A. DC. in DC. Prod. viii. 98 = M. flori-  
bunda.  
Potama, Buch.-Ham. ex D. Don, Prod. Fl. Nep. 146  
= M. africana.  
saligna, Willd. ex Schult. Mant. iii. 220 = M. saligna.  
sessilis, Buch.-Ham. ex D. Don, Prod. Fl. Nep. 147 =  
M. semiserrata.  
subspinosa, Buch.-Ham. l. c. = M. semiserrata.

SAMAROPYXIS, Miq. Fl. Ind. Bat. Suppl. 464 (1860)  
= **Hymenocardia**, Wall. (Euphorb.).  
elliptica, Miq. l. c. 465 = H. punctata.

SAMARPSES, Rafin. New Fl. Am. iii. 93 (1836) =  
**Fraxinus**, Tourn. (Oleac.).  
triptera, Rafin. l. c. = F. platycarpa.

**SAMBUCUS**, Tourn. ex Linn. Syst. ed. I (1735).  
*CAPRIFOLIACEAE*, Benth. & Hook. f. ii. 3.  
EBULUM, Garcke, Fl. Deutschl. ed. VII. 184  
(1865).  
PHYTEUMA, Lour. Fl. Cochinch. 138 (1790).  
TRIPETELUS, Lindl. in Mitch. Three Exped. ii. 14  
(1839).  
adnata, Wall. Cat. n. 482; et ex DC. Prod. iv. 322.—  
Reg. Himal.  
angustifolia, Noronha, in Verh. Batav. Gen. v. (1790)  
ed. I. Art. iv. 27 = javanica.  
alba, Rafin. Alsog. Am. 48 (Quid?).—Am. bor.  
arborescens, Gilib. Exercit. i. 5 = nigra.  
arborescens, Nutt. ex Torr. & Gray, Fl. N. Am. ii. 13  
= racemosa.  
australis, Cham. & Schlecht. in Linnaea, iii. (1828)  
140.—Bras.  
bipinnata, Cham. & Schlecht. l. c. v. (1830) 171.—  
Mexic.  
bipinnata, Moench, Meth. 506 = canadensis.  
caerulea, Rafin. Alsog. Am. 48 (caerulea).—Am. bor.  
occ.  
californica, Hort. ex C. Koch, Dendrol. ii. i. 72 =  
caerulea?  
canadensis, Burm. f. Fl. Ind. 75 = Turpinia pomi-  
fera.  
canadensis, Linn. Sp. Pl. 269.—Am. bor.  
canadensis, Thunb. Fl. Jap. 126 = javanica.  
chinensis, Lindl. in Trans. Hort. Soc. vi. (1826) 297  
= javanica.  
cochinchinensis, Spreng. Syst. i. 935 = Loureiriana.  
columnaris, Hort. ex Lebas, in Rev. Hortic. (1884)  
398 = pyramidata.  
dimidiata, Rafin. Alsog. Am. 49 (Quid?).—Am. bor.  
dissecta, Hort. ex C. Koch, Dendrol. ii. i. 71 =  
nigra.  
ebuloides, Desv. ex DC. Prod. iv. 323.—China.  
Ebulus, Linn. Sp. Pl. 269.—Europ.; Oriens; Reg.  
Himal.  
elegans, Hort. ex C. Koch, Dendrol. ii. i. 71 =  
nigra.  
floribunda, Hort. l. c. = nigra.  
florida, Salisb. Prod. 173 = nigra.  
Fontenaysii, Carr. in Rev. Hortic. (1868) 99 =  
caerulea?  
Gaudichaudiana, DC. Prod. iv. 322.—Austral.  
glaucula, Benth. Pl. Hartw. 313 = mexicana.  
glaucula, Nutt. ex Torr. & Gray, Fl. N. Am. ii. 13 =  
caerulea.  
graveolens, Willd. ex Schult. Syst. vi. 641 = peruviana.  
herbacea, Gilib. Fl. Lituan. i. 250 = S. Ebulus.  
hirta, Tausch, in Flora, xxi. (1838) 737.—Hab.?  
humilis, Mill. Gard. Dict. ed. VIII. n. 5 = S. Ebulus.  
humilis, Rafin. Ann. Nat. ed. 13 = canadensis.  
integerrima, Stokes, Bot. Mat. Med. ii. 173 =  
Loureiriana.  
japonica, Thunb. Fl. Jap. 125.—Japon.  
javanica, Reinw. ex Blume, Bijdr. 657.—As. trop.  
laciniata, Mill. Gard. Dict. ed. VIII. n. 2 = nigra.  
lanceolata, Banks, ex Lowe, in Trans. Camb. Phil.  
Soc. iv. (1831) 31 = nigra.  
leucocarpa, Hort. ex C. Koch, Dendrol. ii. i. 71 =  
nigra.  
linearis, Hort. l. c. = nigra.  
Loureiriana, DC. Prod. iv. 323.—China.  
lucida, Tausch, in Flora, xxi. (1838) 737.—Hab.?

**SAMBUCUS**:—

maderensis, Lowe, Man. Fl. Mad. i. 381.—Ins. Mader.  
medullosa, Gilib. Fl. Lituan. i. 2 = nigra.  
melanocarpa, A. Gray, in Proc. Am. Acad. xix. (1883)  
76.—Am. bor. occ.  
mexicana, Presl, ex DC. Prod. iv. 322.—Am. bor.  
occ.  
monstrosa, Hort. ex Loud. Hort. Brit. Suppl. ii. 671 =  
nigra.  
nigra, Linn. Sp. Pl. 269.—Europ.; As. bor.  
nigra, Lour. Fl. Cochinch. 181 = Loureiriana.  
nigra, Marsh. Arbust. 141 = canadensis.  
nigra, Thunb. Fl. Jap. 126 = racemosa.  
palmensis, Link, in Buch. Besch. Canar. Ins. 151.—  
Ins. Canar.  
paucijuga, Stev. in Bull. Soc. Nat. Mosc. xxi. (1848)  
ii. 277.—Transcauc.  
peruviana, H. B. & K. Nov. Gen. et Sp. iii. 429.—  
Peruv.  
phyteumoides, DC. Prod. iv. 323.—Cochinch.  
pubens, Michx. Fl. Bor. Am. i. 181 = racemosa.  
pubescens, Pers. Syn. i. 328 = racemosa.  
pulverulenta, Hort. ex C. Koch, Dendrol. ii. i. 71 =  
nigra.  
pyramidata, Hort. ex Lebas, in Rev. Hortic. (1884)  
398.—Hab.?  
racemosa, Linn. Sp. Pl. 270.—Reg. bor. temp.  
repens, Rafin. Alsog. Am. 47 (Quid?).—Am. bor.  
rotundifolia, Lodd. ex Sweet, Hort. Brit. ed. II. 257 =  
nigra.  
rubra, Buch.-Ham. ex Wall. Cat. n. 482, p. 235 =  
javanica.  
rupestris, Rafin. Alsog. Am. 50 (Quid?).—Am. bor.  
Sieboldiana, Blume, ex Miq. Ann. Mus. Bot. Lugd.  
Bat. ii. 265 = racemosa.  
suaveolens, DC. Prod. iv. 323, sphalm. = peruviana.  
Thunbergiana, Blume, ex Miq. Ann. Mus. Bot. Lugd.  
Bat. ii. 265 = javanica.  
Thunbergii, G. Don, Gen. Syst. iii. 438 = javanica.  
tiliaefolia, Wall. Cat. n. 483; et ex DC. Prod. iv. 257  
= Toricellia tiliaefolia.  
velutina, Durand & Hilg. in Pacif. Rail. Rep. v. 8;  
et in Journ. Acad. Nat. Sc. Philad. Ser. II. iii. (1855)  
39 = mexicana.  
verrucosa, Rafin. Alsog. Am. 49 = racemosa.  
virescens, Desf. Hist. Arbr. i. 348 = nigra.  
vulgaris, Neck. Delic. Gallo-Belg. i. 156 = nigra.  
Wightiana, Wall. Cat. n. 6303 = javanica.  
Williamsii, Hance, in Ann. Sc. Nat. Sér. V. v. (1866)  
217 = racemosa.  
xanthocarpa, F. Muell. in Trans. Phil. Soc. Vict. i.  
(1855) 42.—Austral.

SAMBULUS, Mohl & Schlecht. in Bot. Zeit. v. (1847)  
424, err. typ. = SUMBULUS, H. Reinsch = **Ferula**,  
Tourn. (Umbell.).

SAMERARIA, Desv. Journ. Bot. iii. (1813) 161 =  
**Isatis**, Linn. (Crucif.).  
armena, Desv. l. c. = I. armena.  
cardiaca, Trautv. in Act. Hort. Petrop. i. (1871)  
31.—Reg. Casp.  
elegans, Boiss. Fl. Orient. i. 375.—Persia.  
glastifolia, Boiss. l. c.—Armenia.  
leiocarpa, Boiss. l. c.—Persia.  
stylophora, Boiss. l. c.—Persia.

SAMODIA, Baudo, in Ann. Sc. Nat. Sér. II. xx. (1843)  
350 = **Samolus**, Tourn. (Primul.).  
ebracteata, Baudo, l. c. = Samolus ebracteatus.

**SAMOLUS**, [Tourn.] Linn. Syst. ed. I (1735). *PRIMU-  
LACEAE*, Benth. & Hook. f. ii. 638.  
SAMODIA, Baudo, in Ann. Sc. Nat. Sér. II. xx.  
(1843) 350.  
SHEFFIELDIA, Forst. Char. Gen. t. 9 (1776).  
africanus, Burm. f. Fl. Cap. Prod. 5 = porosus?  
ambiguus, R. Br. Prod. 429 = repens?  
americanus, Spreng. Syst. i. 702 = S. Valerandi.  
aquaticus, Lam. Fl. Fr. iii. 329 = S. Valerandi.  
Beccabungaefacie, Gilib. Fl. Lituan. i. 60 = S.  
Valerandi.  
bracteatus, Stokes, Bot. Mat. Med. i. 344 = S. Valerandi.  
campanuloides, R. Br. Prod. 429 = porosus.  
caulescens, Willd. ex Roem. & Schult. Syst. v. 4, in obs.  
= S. Valerandi.  
ebracteatus, H. B. & K. Nov. Gen. et Sp. ii. 223.  
t. 129.—Am. bor.; Ind. occ.

**SAMOLUS** :—

- floribundus*, H. B. & K. Nov. Gen. et Sp. ii. 181 = S. Valerandi.  
*geniculatus*, Dulac, Fl. Hautes-Pyr. 422 = S. Valerandi.  
*juncus*, R. Br. Prod. 428.—Austral.  
*latifolius*, Duby, in DC. Prod. viii. 74.—Chili.  
*littoralis*, R. Br. Prod. 428 = repens.  
*littoralis*, Schrank, in Denkschr. Bot. Ges. Regensb. ii. (1822) 34.—Hab.?  
*longipes*, Hook. ex Shuttl. in Bot. Zeit. iii. (1845) 222 = ebracteatus.  
*parviflorus*, Nees, in Lehm. Pl. Preiss. i. 337 = repens.  
*parviflorus*, Rafin. in Am. Monthly Mag. (1818) 176 = S. Valerandi?  
*platyphyllus*, F. Muell. Census, 91.—Austral.  
*porosus*, Thunb. Fl. Cap. ii. 32.—Afr. austr.  
*repens*, Pers. Syn. i. 171.—Austral.; N. Zel.  
*spathulatus*, Duby, in DC. Prod. viii. 74.—Am. austr.  
*subnudicaulis*, A. St. Hil. ex Compt. Rend. Acad. Sc. Par. (1838) ii. 98.—Bras.  
*superbus*, Brickell, in Med. Repos. N. York, vi. (1803) 327 (Quid?).—Am. bor.  
*Valerandi*, Linn. Sp. Pl. 443.—Reg. temp.

**SAMUDRA**, Rafin. Fl. Tellur. iv. 72 (1836) = **Argyrea**, Lour. (Convolv.).  
*speciosa*, Rafin. l. c. = A. speciosa.

**SAMYDA**, Linn. Coroll. Gen. 21 (1737). **SAMY-**

- DACEAE**, Benth. & Hook. f. i. 797.  
*GEUNZIA*, Neck. Elem. ii. 440 (1790).  
*SADYMA*, Griseb. Fl. Brit. W. Ind. 25 (1859).  
*affinis*, Spreng. Syst. ii. 354.—Ins. S. Doming.  
*arbores*, Rich. in Act. Soc. Hist. Nat. Par. i. (1792) 109 = Casearia stipularis.  
*basanica*, Buch.-Ham. ex Wall. Cat. n. 7192 C? = Casearia tomentosa.  
*Cansiala*, Buch.-Ham. in Trans. Linn. Soc. xvii. (1836) 225 = Casearia tomentosa.  
*comocladifolia*, Poir. Encyc. Suppl. v. 32 = Casearia comocladifolia.  
*coriacea*, Poir. l. c. = Casearia coriacea.  
*crenata*, Poir. Encyc. vi. 491 = Casearia nitida.  
*decandra*, Jacq. Enum. Pl. Carib. 21 = Casearia parvifolia.  
*decurrens*, Spreng. Syst. ii. 354.—Bras.  
*denticulata*, Poir. in Dict. Sc. Nat. xlvii. 159 = serrulata.  
*dodecandra*, Jacq. Enum. Pl. Carib. 21 = serrulata.  
*fragilis*, Poir. Encyc. Suppl. v. 32 = Casearia fragilis.  
*glabra*, Buch.-Ham. in Trans. Linn. Soc. xvii. (1837) 227; et in Wall. Cat. n. 7195 A = Casearia graveolens.  
*glabrata*, Sw. Prod. Veg. Ind. Occ. 68.—Ind. occ.  
*grandiflora*, Griseb. Cat. Pl. Cub. 11.—Cuba.  
*grandiflora*, Spreng. Syst. ii. 354.—Bras.  
*greviaefolia*, Poir. Encyc. Suppl. v. 32 = Casearia greviaefolia.  
*Guidonia*, Linn. Sp. Pl. 443 = Casearia brevipes.  
*hirsuta*, Poir. Encyc. vi. 493 = Casearia hirsuta.  
*icosandra*, Sw. Fl. Ind. Occ. iii. 1962 = Casearia icosandra.  
*ilicifolia*, Poir. Encyc. Suppl. v. 31 = Casearia ilicifolia.  
*Iroucana*, Rich. in Act. Soc. Hist. Nat. Par. i. (1792) 109 = Casearia ramiflora.  
*lucida*, Hort. ex Steud. Nom. ed. II. ii. 509.—Ind. occ.  
*macrocarpa*, [Moq. & Sesse,] ex DC. Prod. ii. 48.—Mexic.  
*macrophylla*, Willd. Sp. Pl. ii. 625 = Casearia viridiflora.  
*multiflora*, Cav. Ic. i. 48. t. 67.—Ind. occ.  
*nitida*, Linn. Syst. ed. X. 1025 = Casearia nitida.  
*Niviana*, Poir. Encyc. vi. 493 = Casearia serrulata.  
*parviflora*, Linn. Syst. ed. X. 1025 = Casearia parvifolia.  
*parviflora*, Poir. Encyc. vi. 491 = Casearia sylvestris.  
*parvifolia*, Poir. l. c. 492 = Casearia parvifolia.  
*petiolaris*, Spruce, ex Eichl. in Mart. Fl. Bras. xiii. i. 454 = Laetia suaveolens.  
*Piscidia*, Buch.-Ham. ex Wall. Cat. n. 7193 D = Casearia tomentosa.  
*Pitumba*, Poir. Encyc. vi. 492 = Casearia macrophylla.  
*polyandra*, Willd. Sp. Pl. ii. 626 = Casearia Melis-taurum.  
*procera*, Poepp. & Endl. Nov. Gen. et Sp. iii. 67 = Laetia procera, casearioides.

**SAMYDA** :—

- pubescens*, Blanco, Fl. Filip. ed. II. 263 = Casearia tomentosa.  
*pubescens*, Linn. Sp. Pl. ed. II. 758.—Ind. occ.  
*pubescens*, Linn. l. c., partim = serrulata.  
*rosea*, Sims, Bot. Mag. t. 550 = serrulata.  
*rubra*, [Moq. & Sesse,] ex DC. Prod. ii. 48.—Mexic.  
*Selloi*, Spreng. Syst. ii. 354 = Casearia inaequilatera.  
*serrulata*, Blanco, Fl. Filip. ed. I. 374 = Casearia tomentosa.  
*serrulata*, Linn. Sp. Pl. ed. II. 558.—Ind. occ.  
*silvestris*, Poir. Encyc. vi. 492 = *silvestris*.  
*spinescens*, Sw. Prod. Veg. Ind. Occ. 68 = Casearia brevipes.  
*spinosa*, Linn. Sp. Pl. ed. II. 557 = Casearia ramiflora.  
*spinulosa*, Vent. Choix, 43. t. 43 = glabrata.  
*stipularis*, Poir. Encyc. Suppl. v. 32 = Casearia stipularis.  
*suaveolens*, Poepp. & Endl. Nov. Gen. et Sp. iii. 66 = Laetia suaveolens.  
*sylvestris*, Poir. Encyc. vi. 492 (*silvestris*) = Casearia sylvestris.  
*tinifolia*, Poir. Encyc. Suppl. v. 32 = Casearia tinifolia?  
*tomentosa*, Sw. Prod. Veg. Ind. Occ. 68 = Casearia hirta.  
*velutina*, DC. Prod. ii. 48.—Ins. S. Doming.  
*villosa*, Sw. Prod. Veg. Ind. Occ. 68.—Jamaic.  
*viridiflora*, Poir. Encyc. vi. 493 = Casearia viridiflora.

**SANAMUNDA**, Adans. Fam. ii. 285 (1763) = **Passerina**, Linn. (Thymel.).  
*Myrsinites*, Fourr. in Ann. Soc. Linn. Lyon, N. S. xvii. (1869) 147 = Thymelaea Sanamunda.  
*tomentosa*, Zumag. Fl. Pedem. ii. 156 = P. hirsuta.

**SANAMUNDA**, Neck. Elem. ii. 179 (1790) = **Daphne**, Linn. (Thymel.).

**SANCHEZIA**, Ruiz & Pav. Prod. 5. t. 32 (1794). **ACANTHACEAE**, Benth. & Hook. f. ii. 1083.

- ANCYLOGYNE**, Nees, in Mart. Fl. Bras. ix. 63. t. 7 (1847).  
*glabra*, Pers. Syn. i. 24 = oblonga.  
*glaucochylla*, Hort.—Cf. Gard. Chron. (1869) 587 = nobilis.  
*hirsuta*, Pers. Syn. i. 24 = ovata.  
*longiflora*, Hook. f. ex Planch. in Fl. des Serres, xxiii. (1880–83) 257. t. 2460.—Ecuador.  
*munita*, Planch. l. c.—Am. trop.  
*nobilis*, Hook. f. Bot. Mag. t. 5594.—Ecuador.  
*oblonga*, Ruiz & Pav. Fl. Per. i. 7. t. 8. f. 6.—Peruv.  
*ovata*, Ruiz & Pav. l. c.—Peruv.

**SANDERSONIA**, Hook. Bot. Mag. t. 4716 (1853). **LILIACEAE**, Benth. & Hook. f. iii. 830.  
*aurantiaca*, Hook. Bot. Mag. t. 4716.—Natal.  
*littonioides*, Welw. ex Baker, in Trans. Linn. Soc. Ser. II. i. (1878) 262 = Littonia Welwitschii.

**SANDORICUM**, Cav. Diss. vii. 359. tt. 202, 203 (1789). **MELIACEAE**, Benth. & Hook. f. i. 333.  
*Beccarianum*, Baill. Adansonia, xi. (1873–76) 264.—Borneo.  
*borneense*, Miq. Ann. Mus. Bot. Lugd. Bat. iv. 33.—Malaya.  
*dasyneuron*, Baill. Adansonia, xi. (1873–76) 265.—Borneo.  
*emarginatum*, Hiern, in Hook. f. Fl. Brit. Ind. i. 553.—Molucca.  
*glaberrimum*, Hassk. Retzia, i. 145 = indicum.  
*indicum*, Cav. Diss. vii. 359. tt. 202, 203.—As. trop.  
*Maingayi*, Hiern, in Hook. f. Fl. Brit. Ind. i. 554 = borneense.  
*nervosum*, Blume, Bijdr. 163 = indicum.  
*serratum*, G. Don, Gen. Syst. i. 650.—Ind. or.  
*ternatum*, Blanco, Fl. Filip. ed. I. 346 = indicum.  
*venosum*, M. Roem. Syn. Hesper. 109 = indicum.

**SANFORDIA**, J. Drumm. ex Harv. in Hook. Kew Journ. vii. (1855) 53 = **Geleznovia**, Turcz. (Rutac.).  
*calycina*, J. Drumm. ex Harv. l. c. 54 = G. calycina.

**SANGUINARIA**, Dill. ex Linn. Syst. ed. I (1735). **PAPAYERACEAE**, Benth. & Hook. f. i. 53.  
*acaulis*, Moench, Meth. 227 = canadensis.  
*canadensis*, Linn. Sp. Pl. 505.—Am. bor.

**SANGUINARIA** :—

- grandiflora*, Rosc. Fl. Illustr. Seasons, t. 8; ex Sweet, Brit. Flow. Gard. Ser. II. v. t. 147 = canadensis.  
*stenopetala*, Steud. Nom. ed. II. ii. 510 = canadensis.  
*vernalis*, Salisb. Prod. 376 = canadensis.  
*virginiana*, Gaertn. Fruct. ii. 479 = canadensis.

**SANGUINELLA**, Gleichen, Mikrosk. Untersuch. 4 [bis] t. 8 (1764) = **Panicum**, Linn.

- Thunbergii*, Gleichen, ex Beauv. Agrost. 177 = Hemarthria compressa.  
*tripsacoides*, Gleichen, ex Beauv. l. c. = Hemarthria compressa.

**SANGUISORBA**, Rupp. ex Linn. Syst. ed. I (1735) = **Poterium**, Linn. (Rosac.).

- alpina*, Bunge, in Ledeb. Fl. Alt. i. 142.—Sibir. altaic.  
*altissima*, Moench, Meth. 519 = P. officinale.  
*Andersonii*, G. Don, Gen. Syst. ii. 594.—Sibir.  
*angustifolia*, Radde, Ber. Reis. Sued. Ost-Sibir. 466 = P. tenuifolium.  
*annua*, Nutt. ex Torr. & Gray, Fl. N. Am. i. 429 = P. annuum.  
*armena*, Boiss. Diagn. Ser. II. v. 95.—Kurdistan.  
*auriculata*, Scop. Fl. Carn. ed. II. i. 110 = P. officinale.  
*bracteosa*, Bess. ex Eichw. Skizze, 163 = P. officinale.  
*canadensis*, Linn. Sp. Pl. 117 = P. canadense.  
*carnea*, Fisch. ex Link, Enum. Hort. Berol. i. 144 = P. officinale.  
*cernua*, Bess. in Flora, xvii. (1834) i. Beibl. 11 = P. officinale.  
*cordifolia*, Opiz, Boehm. Gew. (1823) 22 = P. officinale.  
*decandra*, Benth. & Hook. f. Gen. i. 624, sphalm. = seq.  
*diandra*, Wall. Cat. n. 710 = P. diandrum.  
*dictyocarpa*, Franch. Fl. Cher-et-Loire, 180 = P. Sanguisorba.  
*dodecandra*, Moretti, in Bibl. Ital. lxx. (1833) 436; et in Flora, xvi. (1833) 655 = P. dodecandrum (in Addend.).  
*garganica*, Bertol. Fl. Ital. ii. 191 = P. garganicum.  
*hispanica*, Mill. Gard. Dict. ed. VIII. n. 3 = P. officinale.  
*ingrica*, Sweet, Hort. Brit. ed. II. 193 (Quid?).—Rossia.  
*longifolia*, Bertol. in Mem. Acad. Sc. Bologn. xii. (1861) 234 = P. longifolium.  
*macrostachya*, Comolli & Jan, in Cat. Pl. Hort. Parm. (1833); et in Fl. Comen. i. 200 = P. dodecandrum (in Addend.).  
*major*, Gilib. Fl. Lituan. i. 18 = P. officinale.  
*mauritanica*, Desf. Fl. Atlant. i. 142 = P. verrucosum.  
*media*, Hook. Fl. Bor. Am. i. 197 = P. sitchense.  
*media*, Linn. Sp. Pl. ed. II. 169 = P. canadense.  
*microcephala*, Presl, Epim. Bot. 202.—Am. bor. occ.  
*minor*, Bertol. Fl. Ital. ii. 189 = P. polygamum.  
*minor*, Scop. Fl. Carn. ed. II. i. 110 = P. Sanguisorba.  
*montana*, Jord. ex Bor. Fl. Centr. Fr. ed. III. ii. 212 = P. officinale.  
*muricata*, Franch. Fl. Cher-et-Loire, 181 = P. polygamum.  
*myriophylla*, Reichb. ex A. Br. & Fouché, Ind. Sem. Hort. Berol. (1867) App. i. 10.—Hab.?  
*neglecta*, G. Don, Gen. Syst. ii. 594 = P. officinale.  
*obtus*, Maxim. in Bull. Acad. Pétersb. xix. (1874) 160.—Japon.  
*occidentalis*, Nutt. ex Torr. & Gray, Fl. N. Am. i. 429 = P. annuum.  
*officinalis*, Linn. Sp. Pl. 116 = P. officinale.  
*palustris*, Rafin. Atl. Journ. 153 (Quid?).—Am. bor.  
*Pimpinella*, Spenn. Fl. Friburg. iii. 1085, in textu = P. Sanguisorba.  
*polygama*, Nyland. Spicil. Fl. Fenn. Cent. i. 10 = P. polygamum?  
*Poterium*, [Weber, in] Wigg. Prim. Fl. Holsat. 14 = P. Sanguisorba.  
*praecox*, Bess. ex Reichb. Fl. Germ. Excurs. 611 = P. officinale.  
*rubra*, Schrank, Pl. Rar. Hort. Monac. t. 69 = P. officinale.  
*sabauda*, Mill. Gard. Dict. ed. VIII. n. 2 = P. officinale.  
*serotina*, Jord. Pugill. Pl. Nov. (1852) 71 = P. officinale.  
*sitchensis*, C. A. Mey. in Middend. Reise (Fl. Ochot. 35) = P. sitchense.  
*spinosa*, Bertol. Fl. Ital. ii. 191 = P. spinosum.

## SANGUISORBA:—

*tenuifolia*, Fisch. ex Link, Enum. Hort. Berol. i. 144 = *Poterium tenuifolium*.  
*Vallistellinae*, Bertol. Fl. Ital. ii. 772 = *P. dodecandrum* (in Addend.).

SANHILARIA, Leandr. ex DC. Prod. vii. 26 (1838) = *Stiffia*, Mikan (Compos.).

**SANICULA**, [Tourn.] Linn. Syst. ed. I (1735); Gen. ed. I. 70 (1737). *UMBELLIFERAE*, Benth. & Hook. f. i. 880.

TRICLINIUM, Rafin. Fl. Ludov. 79 (1817).  
 arctopoides, Hook. & Arn. Bot. Beech. Voy. 141.—Am. bor. occ.

azorica, Guthnick, ex Seub. Fl. Azor. 41.—Ins. Azor.  
 bipinnata, Hook. & Arn. Bot. Beech. Voy. 347.—Calif.  
 bipinnatifida, Dougl. in Hook. Fl. Bor. Am. i. 258.—Am. bor. occ.

brasiliensis, D. Dietr. Syn. Pl. ii. 935 = *Klotzschia brasiliensis*.

canadensis, Linn. Sp. Pl. 235.—Am. bor.  
 canadensis, Thunb. Fl. Jap. 116 = *elata*.

canadensis, Thunb. Prod. Pl. Cap. 49 = *europaea*.  
 capensis, Eckl. & Zeyh. Enum. 339 = *europaea*.

chilensis, Bert. ex Colla, in Mem. Acc. Torin. xxxvii. (1834) 84 = *graveolens*.

chinensis, Bunge, in Mém. Sav. Etr. Pétersb. ii. (1835) 106 = *europaea*.

ciliaris, Sm. ex H. C. Wats. in Godman, Nat. Hist. Azor. 165 = *azorica*.

ciliata, Soland. ex H. C. Wats. l. c. = *azorica*.  
 crassicaulis, Poepp. ex DC. Prod. iv. 84 = *S. Liberta*.

crithmifolia, Willd. in Ges. Naturf. Fr. Neue Schr. iii. (1801) 419.—*Tauria*.

elata, Buch.-Ham. ex D. Don, Prod. Fl. Nep. 183 = *europaea*.

europaea, Linn. Sp. Pl. 235.—Europ.; As. bor.; Afr. austr.

graveolens, Poepp. ex DC. Prod. iv. 85.—Chili.  
 hermaphrodita, Buch.-Ham. ex D. Don, Prod. Fl. Nep. 183 = *europaea*.

japonica, Siebold, in Verh. Batav. Gen. xii. (1830) 46 = *Cryptotaenia canadensis*.

javanica, Blume, Bijdr. 882 = *europaea*.

laciniaata, Hook. & Arn. Bot. Beech. Voy. 347.—Am. bor. occ.

lamelligera, Hance, in Journ. Bot. xvi. (1878) 11.—China.

Liberta, Cham. & Schlecht. in Linnaea, i. (1826) 353 (err. typ. 253).—Chili.

macrorrhiza, Colla, in Mem. Acc. Torin. xxxvii. (1834) 84 = *graveolens*.

marilandica, Linn. Sp. Pl. 235.—Am. bor.

marilandica, Torr. & Gray, Fl. N. Am. i. 602, partim = *canadensis*.

maritima, Kellogg, ex S. Wats. Bibliog. Ind. N. Am. Bot. 431, nomen; et in Bot. Calif. ii. 451.—Calif.

marylandica, DC. Prod. iv. 84 = *marilandica*.

Menziesii, Hook. & Arn. Bot. Beech. Voy. 142.—Am. bor. occ.

mexicana, DC. Prod. iv. 84.—Mexic.

montana, Reinw. ex Blume, Bijdr. 882 = *europaea*.

nevadensis, S. Wats. in Proc. Am. Acad. xi. (1876) 139.—Calif.

nudicaulis, Hook. & Arn. Bot. Beech. Voy. 347 = *Menziesii*.

officinalis, Gouan, Hort. Monsp. 131; [Clairv.] Man. Herb. 78 = *europaea*.

officinarum, Neck. Delic. Gallo-Belg. i. 137 = *europaea*.  
 orthacantha, S. Moore, in Journ. Bot. xiii. (1875) 227.—China.

pinnatifida, Torr. in Bot. U. St. Expl. Exped. ii. 314 = *bipinnata*.

rubriflora, F. Schmidt, in Maxim. Prim. Fl. Amur. 123.—China.

sandwicensis, A. Gray, Bot. U. St. Expl. Exped. i. 705. t. 88.—Ins. Sandvic.

sylvatica, Salisb. Prod. 159 = *europaea*.

triclinaia, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 134 = seq.

Triclinium, DC. Prod. iv. 85 = *canadensis*.

trilobata, Gilib. Fl. Lituan. ii. 6 = *europaea*.

tuberculata, Maxim. in Bull. Acad. Pétersb. xi. (1867) 431.—Korea.

tuberosa, Torr. in Pacif. Rail. Rep. iv. 91.—Am. bor. occ.

vulgaris, Fries, Summ. Veg. Scand. 24 = *europaea*.

SANILUM, Rafin. Fl. Tellur. iv. 70 (1836), nomen prius = *Hewittia*, Wight & Arn. (1837) (Convolv.).

bicolor, Rafin. l. c. = *H. bicolor*.

bracteatum, Rafin. l. c. = *H. bicolor*.

copticum, Rafin. l. c. = *Ipomoea dissecta*.

humile, Rafin. l. c. = *Ipomoea humilis*, Rafin.

parviflorum, Rafin. l. c. = *Ipomoea parviflora*.

SANSEVERA, Stokes, Bot. Mat. Med. ii. 260 (1812) = seq.

SANSEVERINA, Thunb. Fl. Cap. ii. 322 (1817) = *Sansevieria*, Thunb. (Haemod.).

SANSEVIELLA, Reichb. Consp. 44 (1828), nomen prius = *Reineckea*, Kunth (Liliac.).

carnea, Reichb. ex Steud. Nom. ed. II. ii. 510 = *R. carnea*.

SANSEVIERA, Willd. Sp. Pl. ii. 159 (1799) = seq.

**SANSEVIERIA**, Thunb. Prod. Pl. Cap. 65 (1794).  
*HAEMODORACEAE*, Benth. & Hook. f. iii. 679.

ACYNTHA, Medic. Theodora, 76 (1786).

SALMIA, Cav. Ic. iii. 24. t. 246 (1794).

aethiopica, Thunb. Prod. Pl. Cap. 65 = *zeylanica*.

angolensis, Welw. Apont. 543, nomen; et ex Carr. in Rev. Hortic. (1861) 447 = *cylindrica*.

angustiflora, Lindb. in Act. Soc. Sc. Fenn. x. (1871) 130 = *thyrsiflora*.

angustifolia, Baker, in Journ. Linn. Soc. xiv. (1875) 547 = *thyrsiflora*.

bracteata, Baker, in Trans. Linn. Soc. Ser. II. i. (1878) 253.—Afr. trop.

Aubrytiana, Carr. in Rev. Hortic. (1861) 449.—Afr. trop.

canaliculata, Carr. l. c.—Afr. trop.

cannaefolia, Spreng. Syst. ii. 93 = *Cordylina terminalis*.

carnea, Andr. Bot. Rep. t. 361 = *Reineckia carnea*.

cylindrica, Boj. Hort. Maurit. 349; Hook. Bot. Mag. t. 5093.—Afr. trop.

Ehrenbergii, Schweinf. ex Baker, in Journ. Linn. Soc. xiv. (1875) 549.—Abyss.

ensifolia, Haw. Syn. Pl. Succ. 66 = *zeylanica*.

flexuosa, Blume, Enum. Pl. Jav. i. 11 = *Dracaena angustifolia*.

fragrans, Jacq. Fragm. 29 = *Dracaena fragrans*.

fruticosa, Blume, Enum. Pl. Jav. i. 11 = *Dracaena angustifolia*.

fulvocincta, Haw. Succ. Pl. Suppl. 30 = *thyrsiflora*.

glauca, Haw. Syn. Pl. Succ. 65 = *guineensis*.

grandicuspis, Haw. l. c. 67 = *zeylanica*.

guineensis, Willd. Sp. Pl. ii. 159.—Afr. trop.

hyacinthoides, Hort. ex Steud. Nom. ed. II. ii. 511 = *guineensis*.

javanica, Blume, Enum. Pl. Jav. i. 11 = *Dracaena elliptica*.

laetevirens, Haw. Syn. Pl. Succ. 66 = *guineensis*.

lanuginosa, Willd. Sp. Pl. ii. 160.—Ind. or.

latifolia, Boj. Hort. Maurit. 348 = *guineensis*.

longiflora, Sims, Bot. Mag. t. 2634.—Afr. trop.

nilotica, Baker, in Journ. Linn. Soc. xiv. (1875) 548.—Afr. trop.

polyphylla, Haw. Syn. Pl. Succ. 65 = *guineensis*.

pumila, Haw. l. c. 67 = *zeylanica*.

rosea, F. G. Dietr. Vollst. Lexik. Gaertn. viii. 504 = *Reineckia carnea*.

Roxburghiana, Schult. f. Syst. vii. 357.—Ind. or.

rufocincta, Hort. Angl. ex Baker, in Journ. Linn. Soc. xiv. (1875) 548 = *thyrsiflora*.

sarmentosa, Jacq. Fragm. 83. t. 132. f. 3 = *Reineckia carnea*.

senegambica, Baker, in Journ. Linn. Soc. xiv. (1875) 548.—Afr. trop.

sessiliflora, Ker-Gawl. in Bot. Mag. t. 739 = *Reineckia carnea*.

spicata, Haw. Syn. Pl. Succ. 66 = *thyrsiflora*.

stenophylla, Link, Enum. Hort. Berol. i. 342 = *zeylanica*.

striata, Don, ex Steud. Nom. ed. II. ii. 511 (Quid?).—Hab. ?

sulcata, Boj. ex Baker, in Journ. Linn. Soc. xiv. (1875) 549 = *cylindrica*.

thyrsiflora, Thunb. Prod. Pl. Cap. 65.—Afr. austr.

venosa, Don, ex Steud. Nom. ed. II. ii. 511 (Quid?).—Hab. ?

zeylanica, Roxb. Pl. Corom. ii. 43. t. 184 = *Roxburghiana*.

zeylanica, Willd. Sp. Pl. ii. 159.—Zeylan.

SANSOVINIA, Scop. Introd. 228 (1777) = *Leea*, Linn. (Ampel.).

**SANTALUM**, Linn. Gen. ed. II. 165 (1742). *SANTALACEAE*, Benth. & Hook. f. iii. 224.

SIRIUM, Schreb. Gen. 82 (1789).

acuminatum, A. DC. in DC. Prod. xiv. 684 = *Fusanus acuminatus*.

album, Linn. Sp. Pl. 349.—Ind. or.

angustifolium, A. DC. in DC. Prod. xiv. 685 = *Fusanus acuminatus*.

austro-caledonicum, Vieill. in Ann. Sc. Nat. Sér. IV. xvi. (1861) 61.—N. Caled.

capense, Spreng. ex A. DC. in DC. Prod. xiv. 635, 686 = *Rhoiacarpus capensis*.

cognatum, Miq. in Lehm. Pl. Preiss. i. 616 = *Fusanus acuminatus*.

crassifolium, A. DC. in DC. Prod. xiv. 685 = *Fusanus crassifolius*.

Cunninghamii, Hook. f. Fl. N. Zel. i. 223 (*Fusani* sp.).—N. Zel.

Cygnorum, Miq. in Lehm. Pl. Preiss. i. 615 = *Fusanus spicatus*.

diversifolium, A. DC. in DC. Prod. xiv. 684 = *Fusanus persicarius*.

ellipticum, Gaudich. in Freyc. Voy. Bot. 442 = *Freycinetianum*.

ellipticum, Zipp. ex Span. in Linnaea, xv. (1841) 335 = *album*.

Freycinetianum, Gaudich. in Freyc. Voy. Bot. 442. t. 45.—Ins. Sandvic.

Hornei, Seem. Fl. Vit. 210.—Ins. Fiji.

insulare, Bert. ex A. DC. in DC. Prod. xiv. 685 = *Freycinetianum*.

lanceolatum, R. Br. Prod. 356.—Austral.

lanceolatum, Schlecht. in Linnaea, xx. (1847) 579 = *Fusanus acuminatus*.

Mida, Hook. Ic. Pl. t. 563, 575 = *Cunninghamii*.

myrtifolium, Roxb. Hort. Beng. 83; Fl. Ind. i. 444 = *album*.

oblongatum, R. Br. Prod. 355 = *lanceolatum*.

obtusifolium, R. Br. l. c. 356.—Austral.

ovatum, R. Br. l. c. 355.—Austral.

paniculatum, Hook. & Arn. Bot. Beech. Voy. 94 = *Freycinetianum*.

persicarium, F. Muell. in Trans. Vict. Inst. i. (1855) 41 = *Fusanus persicarius*.

Preissianum, Miq. in Lehm. Pl. Preiss. i. 615 = *Fusanus acuminatus*.

Preissii, F. Muell. Fragm. ii. 179 = *praec. ?*

pyrularium, A. Gray, in Proc. Am. Acad. iv. (1859) 327.—Ins. Sandvic.

spicatum, A. DC. in DC. Prod. xiv. 685 = *Fusanus spicatus*.

venosum, R. Br. Prod. 355 = *lanceolatum*.

Yasi, Seem. in Bonplandia, ix. (1861) 258; Fl. Vit. 210.—Ins. Fiji.

SANTIA, Savi, in Mem. Soc. Ital. Mod. viii. (1798) II. 479 = *Polypogon*, Desf. (1800) (Gramin.).

elongata, Parl. ex Webb & Berth. Phyt. Canar. iii. 393 = *P. elongatus*.

maritima, Fior. in Nuov. Giorn. Pis. Lett. xvii. Sc. (1828) 111 = *P. maritimus*.

monspeliensis, Parl. Fl. Palerm. i. 73 = *P. monspeliensis*.

plumosa, Savi, in Mem. Soc. Ital. Mod. viii. (1798) II. 479 = *P. monspeliensis*.

unioloides, Rafin. Chlor. Aetn. 7 = *Demazeria sicula*.

SANTIA, Wight & Arn. Prod. 422 (1834) = *Lasianthus*, Jack (Rubiace.).

venulosa, Wight & Arn. l. c. = *L. venulosus*.

SANTIERA, Span. in Linnaea, xv. (1841) 328, sphalm. = *Sautiera*, Decne. (Acanth.).

**SANTIRIA**, Blume, Mus. Bot. Lugd. Bat. i. 209. f. 40 (1850). *BURSERACEAE*, Benth. & Hook. f. i. 325.

apiculata, A. W. Benn. in Hook. f. Fl. Brit. Ind. i. 537.—Malacca.

Beccarii, Engl. in DC. Monog. Phan. iv. 162.—Borneo.

bornensis, Engl. Bot. Jahrb. i. (1881) 43.—Borneo.

caesia, Engl. in DC. Monog. Phan. iv. 166.—Borneo.

**SANTIRIA:—**

- conferta, *A. W. Benn. in Hook. f. Fl. Brit. Ind.* i. 537.—Malacca.  
 costata, *A. W. Benn. l. c.*—Malacca.  
 fasciculata, *A. W. Benn. l. c.* 539.—Malacca.  
 glabrifolia, *Engl. in DC. Monog. Phan.* iv. 164.—Borneo.  
 Griffithii, *Engl. Bot. Jahrb.* i. (1881) 43.—Malacca.  
 laevigata, *Blume, Mus. Bot. Lugd. Bat.* i. 211.—Sumatra.  
 Maingayi, *A. W. Benn. in Hook. f. Fl. Brit. Ind.* i. 538 = oblongifolia.  
 mollis, *Engl. in DC. Monog. Phan.* iv. 157.—Borneo.  
 montana, *Blume, Mus. Bot. Lugd. Bat.* i. 212.—Borneo.  
 multiflora, *A. W. Benn. in Hook. f. Fl. Brit. Ind.* i. 538.—Malacca.  
 oblongifolia, *Blume, Mus. Bot. Lugd. Bat.* i. 211.—Malaya.  
 parviflora, *Engl. in DC. Monog. Phan.* iv. 155.—Borneo.  
 pilosa, *Engl. l. c.* 159.—Borneo.  
 Planchonii, *A. W. Benn. in Hook. f. Fl. Brit. Ind.* i. 536.—Malacca.  
 puberula, *A. W. Benn. l. c.* 537.—Malacca.  
 rostrata, *Blume, Mus. Bot. Lugd. Bat.* i. 213.—Borneo.  
 rubiginosa, *Blume, l. c.*—Sumatra.  
 rufescens, *Blume, l. c.*—Sumatra.  
 rugosa, *Blume, l. c.* 212.—Sumatra.  
 serrulata, *Engl. in DC. Monog. Phan.* iv. 160.—Borneo.  
 Teysmanni, *Engl. l. c.* 162.—Ins. Ceram.  
 tomentosa, *Blume, Mus. Bot. Lugd. Bat.* i. 211.—Sumatra.  
 virgata, *Blume, l. c.* 213.—Borneo.

**SANTOLINA**, Tourn. ex Linn. Gen. ed. I. 248 (1737). **COMPOSITAE**, Benth. & Hook. f. ii. 420.

- africana*, Jord. & Fourr. Ic. Fl. Eur. ii. 8 = *S. Chamaecyparissus*.  
*Ageratum*, Baill. Hist. Pl. viii. 311 = *Achillea Ageratum*.  
*alpina*, Bertol. Amoen. Ital. 43 = *Lasiospermum pedunculare*.  
*alpina*, Linn. Sp. Pl. ed. II. 1180 = *Anthemis montana*.  
*alpina*, Sieber, ex Steud. Nom. ed. II. ii. 511 = *Achillea cretica*.  
*Amellus*, Linn. Syst. ed. X. 1207 = *Salmea Eupatoria*.  
*annua*, Linn. Sp. Pl. 842 = *Lonas inodora*.  
*anthemoides*, Linn. l. c. ed. II. 1180 = *Achillea cretica*.  
*atrata*, Baill. Hist. Pl. viii. 311 = *Achillea atrata*.  
*Benthamiana*, Jord. & Fourr. Ic. Fl. Eur. ii. 10 = *S. Chamaecyparissus*.  
*brevicaulis*, Jord. l. c. = *S. Chamaecyparissus*.  
*brevidentata*, Stokes, Bot. Mat. Med. iv. 172 = *S. Chamaecyparissus*.  
*brevifolia*, Jord. & Fourr. Ic. Fl. Eur. ii. 11 = *S. Chamaecyparissus*.  
*canescens*, Lag. Gen. et Sp. Nov. 25 = *rosmarinifolia*.  
*capitata*, Linn. Pl. Rar. Afr. 18 = *Athanasia capitata*.  
*Chamaecyparissus*, Linn. Sp. Pl. 842.—Europ. austr.  
*chamaemelifolia*, *Mill. Gard. Dict.* ed. VIII. n. 7.—Hab.?  
*coronopifolia*, Crantz, Inst. i. 287 = *Athanasia coronopifolia*.  
*corsica*, Jord. & Fourr. Ic. Fl. Eur. ii. 9 = *S. Chamaecyparissus*.  
*crenata*, Linn. Sp. Pl. 842.—Afr. trop.  
*crithmifolia*, *Hort. Berol. ex Hornem. Hort. Hafn. Add.* 971.—Hab.?  
*crithmifolia*, Linn. Sp. Pl. 843 = *Athanasia crithmifolia*.  
*cuneifolia*, Baill. Hist. Pl. viii. 311 = *Achillea Herbarota*.  
*cupressiformis*, Lam. Fl. Fr. ii. 42 = *viridis*.  
*decumbens*, *Mill. Gard. Dict.* ed. VIII. n. 3.—Hab.?  
*dentata*, Linn. Sp. Pl. 843.—Afr. trop.  
*dentata*, Moench, Meth. 580 = *S. Chamaecyparissus*.  
*diversifolia*, Jord. & Fourr. Ic. Fl. Eur. ii. 9 = *S. Chamaecyparissus*.  
*elegans*, Boiss. ex DC. Prod. vii. 296.—Hispan.  
*erecta*, Pers. Syn. ii. 407 = *Anthemis montana*.  
*erecta*, Poir. Encyc. vi. 508 = *Lasiospermum pedunculare*.

**SANTOLINA:—**

- ericoides*, Hort. ex Poir. Encyc. vi. 504 = *S. Chamaecyparissus*.  
*eriosperma*, Desf. Tabl. ed. I. 99; Pers. Syn. ii. 407 = *Lasiospermum pedunculare*.  
*falcata*, Baill. Hist. Pl. viii. 311 = *Achillea falcata*.  
*flava*, Forsk. Fl. Aegypt. Arab. p. xxxi = *Anthemis tinctoria*.  
*fragrantissima*, Forsk. l. c. 147 = *Achillea fragrantissima*.  
*glabrescens*, Jord. & Fourr. Ic. Fl. Eur. ii. 11 = *S. Chamaecyparissus*.  
*grandiflora*, Poir. ex Willk. & Lange, Prod. Fl. Hisp. ii. 80 = *pectinata*.  
*heterophylla*, Willk. & Cutand. in Linnaea, xxx. (1859) 106 = *oblongifolia*.  
*homophylla*, Jord. & Fourr. Ic. Fl. Eur. ii. 8 = *S. Chamaecyparissus*.  
*impressa*, Hoffmgg. & Link, Fl. Port. ii. 363 = *rosmarinifolia*.  
*incana*, Lam. Fl. Fr. ii. 43 = *S. Chamaecyparissus*.  
*intricata*, Jord. & Fourr. Ic. Fl. Eur. ii. 11 = *S. Chamaecyparissus*.  
*jamaicensis*, Linn. Syst. ed. X. 1207 = *Calea jamaicensis*.  
*laevigata*, Linn. Pl. Rar. Afr. 18 = *Athanasia aspera*.  
*leucantha*, Bertol. Amoen. Ital. 43 = *pinnata*.  
*linearifolia*, Jord. & Fourr. Ic. Fl. Eur. ii. 12 = *S. Chamaecyparissus*.  
*lobata*, Jord. l. c. 12 = *S. Chamaecyparissus*.  
*macrophylla*, Baill. Hist. Pl. viii. 311 = *Achillea macrophylla*.  
*magna*, Baill. l. c. = *Achillea magna*.  
*maritima*, Crantz, Inst. i. 287 = *Diotis candidissima*.  
*maschalantha*, Spreng. in Schrad. Journ. (1800) ii. 199 = *Lasiospermum pedunculare*.  
*microcephala*, Jord. & Fourr. Ic. Fl. Eur. ii. 11 = *S. Chamaecyparissus*.  
*Millefolium*, Baill. Hist. Pl. viii. 61, 311 = *Achillea Millefolium*.  
*minor*, Mill. Gard. ed. VIII. n. 6 = *rosmarinifolia*.  
*montana*, Sibth. & Sm. Fl. Graec. ix. 39. t. 852 = *Anthemis Sibthorpii*.  
*moschata*, Baill. Hist. Pl. viii. 311 = *Achillea moschata*.  
*muricata*, Guss. ex DC. Prod. vi. 15 = *Achillea muricata*.  
*neapolitana*, Jord. & Fourr. Ic. Fl. Eur. ii. 10 = *S. Chamaecyparissus*.  
*nobilis*, Baill. Hist. Pl. viii. 311 = *Achillea nobilis*.  
*oblongifolia*, Boiss. Diagn. Ser. II. iii. 18.—Hispan.  
*oppositifolia*, Linn. Syst. ed. X. 1207 = *Isocarpha oppositifolia*.  
*pallida*, Salisb. Prod. 189 = *S. Chamaecyparissus*.  
*pectinata*, Benth. Cat. Pl. Pyr. 117.—Mont. Pyren.  
*pectinata*, Lag. Gen. et Sp. Nov. 25 = *rosmarinifolia*.  
*pinnata*, Donn, Hort. Cantab. ed. II. 105 = *Lasiospermum pedunculare*.  
*pinnata*, Viv. Elench. Hort. Dinagro, 31.—Ital.  
*provincialis*, Jord. & Fourr. Ic. Fl. Eur. ii. 9 = *S. Chamaecyparissus*.  
*Ptarmica*, Baill. Hist. Pl. viii. 311 = *Achillea Ptarmica*.  
*ptarmicoides*, Lam. Illustr. Gen. t. 671. f. 5 = *Achillea fragrantissima*.  
*pubescens*, Linn. Cent. Pl. ii. 31.—Afr. trop.  
*pygmaea*, Sieber, ex Steud. Nom. ed. II. ii. 511 (Quid?).—Hab.?  
*rigida*, Sibth. & Sm. Fl. Graec. Prod. ii. 166; Fl. Graec. t. 853 = *Anthemis cretica*.  
*rigidula*, Jord. & Fourr. Ic. Fl. Eur. ii. 10 = *S. Chamaecyparissus*.  
*rosmarinifolia*, Linn. Sp. Pl. 842.—Europ. austr.  
*scariosa*, Ball, in Journ. Bot. xi. (1873) 365.—Maroc.  
*semidentata*, Hoffmgg. & Link, Fl. Port. ii. 362.—Hispan.  
*sericea*, Jord. & Fourr. Ic. Fl. Eur. ii. 13 = *S. Chamaecyparissus*.  
*simplicifolia*, L'Hérit. ex DC. Prod. vi. 37 = *Achillea fragrantissima*.  
*sinaica*, Fresen. in Mus. Senckenb. i. (1833) 83 = *Tanacetum sinaicum*.  
*sinaitica*, Boiss. Fl. Orient. iii. 353, sphalm. = *praec.*  
*squarrosa*, Linn. Pl. Rar. Afr. 18; Cent. Pl. ii. 30 = *Relbania squarrosa*.  
*squarrosa*, Willd. Sp. Pl. iii. 1798 = *S. Chamaecyparissus*.  
*suaveolens*, Pursh, Fl. Am. Sept. ii. 520.—Am. bor.

**SANTOLINA:—**

- terrestris*, Forsk. Fl. Aegypt. Arab. 147 = *Anacyclus alexandrinus*.  
*tinctoria*, Molina, Sagg. Chile, 142 = *Cephalophora glauca*.  
*tomentosa*, Lam. Fl. Fr. ii. 41 = *Diotis candidissima*.  
*tomentosa*, Pers. Syn. ii. 406 = *S. Chamaecyparissus*.  
*trifurca*, Hill, Veg. Syst. iii. 126, sphalm. = *seq.*  
*trifurcata*, Linn. Sp. Pl. 843.—Afr. trop.  
*tuberculosa*, Lam. Fl. Fr. ii. 42 = *rosmarinifolia*.  
*valida*, Jord. & Fourr. Ic. Fl. Eur. ii. 9 = *S. Chamaecyparissus*.  
*variifolia*, Salisb. Prod. 189 = *rosmarinifolia*.  
*villosa*, Mill. Gard. Dict. ed. VIII. n. 2 = *S. Chamaecyparissus*.  
*villosissima*, Poir. Encyc. vi. 505 = *S. Chamaecyparissus*.  
*virens*, Mill. Gard. Dict. ed. VIII. n. 4 = *viridis*.  
*viridis*, Hort. ex Poir. Encyc. vi. 504 = *seq.?*  
*viridis*, Willd. Sp. Pl. iii. 1798.—Europ. austr.  
*viscosa*, Lag. Gen. et Sp. Nov. 25.—Hispan.

**SANVITALIA**, Gault. in Lam. Journ. Nat. Hist. ii. (1792) 176. t. 33. **COMPOSITAE**, Benth. & Hook. f. ii. 357.

- ANAITIS, DC. Prod. v. 628 (1836).  
 LAURENTIA, Steud. Nom. ed. I. 466 (1821).  
 LORENTEA, Orteg. Hort. Matr. Dec. 41. t. 5 (1797).  
 Aberti, *A. Gray, in Mem. Am. Acad. N. S.* iv. (1849) 87.—N. Mexic.  
*acapulcensis*, Benth. & Hook. f. ex Hemsl. Biol. Centr. Am. Bot. ii. 154.—Mexic.  
*acinifolia*, DC. Prod. v. 628 = *procumbens*.  
*angustifolia*, Engelm. ex A. Gray, Pl. Wright. i. 12.—Mexic.  
*fruticosa*, Hemsl. Biol. Centr. Am. Bot. ii. 155.—Mexic.  
*helianthoides*, Rich. ex Willd. Sp. Pl. iii. 2190.—Peruv.  
*mexicana*, Hort. ex Vilm. Fl. Pl. Terre, ed. III. 1238 = *Zinnia Haageana*.  
*ocymoides*, DC. Prod. v. 628.—Mexic.  
*procumbens*, Lam. Journ. Hist. Nat. Par. ii. (1792) 176. t. 33.—Mexic.  
*tragiaefolia*, DC. Prod. v. 628 = *ocymoides*.  
*versicolor*, Griseb. in Goett. Abh. xxiv. (1879) 189.—Reg. Argent.  
*villosa*, Cav. Ic. iv. 31. t. 35 = *procumbens*.

**SANVITALIOPSIS**, Sch. Bip. ex Benth. & Hook. f. Gen. ii. 357 (1873) = **Zinnia**, Linn. (Compos.).**SAOUARI**, Aubl. Pl. Gui. i. 599. t. 240 (1775) = **Caryocar**, Linn. (Ternstr.).  
*glabra*, Aubl. l. c. = *C. glabrum*.  
*villosa*, Aubl. l. c. 601 = *C. villosum*.**SAPINDUS**, Tourn. ex Linn. Gen. ed. I. 359 (1737).

- SAPINDACEAE**, Benth. & Hook. f. i. 404.  
 APHANIA, Blume, Bijdr. 236 (1825).  
 DIDYMOCOCCUS, Blume, Rumphia, iii. 103, in obs. (1847).  
 ELECTRA, Noronha, in Verh. Batav. Gen. v. (1790) ed. I. Art. iv. 2.  
 PSEUDIMA, Radlk. in Sitzb. Math.-Phys. Akad. Muench. viii. (1878) 300, 309; ix. (1879) 495, 515.  
 TRIGONACHRAS, Radlk. l. c. (1878) 299, 304; ix. (1879) 500.  
*abruptus*, Lour. Fl. Cochinch. 238 = *S. Mukorossi*.  
*abstergens*, Roxb. ex Wight & Arn. Prod. 111 = *trifoliatus*, Linn.  
*abyssinus*, Fresen. in Mus. Senckenb. ii. (1837) 277.—Abyss.  
*acuminatus*, Rafin. New Fl. Am. iii. 22 = *marginatus*.  
*acuminatus*, Wall. Cat. n. 8035 = *S. Mukorossi*.  
*acutus*, Roxb. ex Wight & Arn. Prod. 111 = *trifoliatus*, Linn.  
*acutus*, Wall. Cat. n. 8096 (Engelhardtiae sp.).—Ind. or.  
*adenophyllus*, Wall. l. c. n. 8044 = *Cupania adeno-phylla*.  
*alatus*, Salisb. Prod. 280 = *S. Saponaria*.  
*alternifolius*, Buch.-Ham. ex Wight & Arn. Prod. 112 = *Erioglossum edule*.  
*angulatus*, Poir. Encyc. vi. 665.—Hab.?  
*angustifolius*, Blume, Rumphia, iii. 99.—Hab.?



**SAPINDUS** :—

angustifolius, Wall. ex Voigt, Hort. Suburb. Calc. 94 (sp. diversa).—Mont. Khasia.  
 arborescens, Aubl. Pl. Gui. i. 357. t. 139.—Guian.  
 attenuatus, Wall. Cat. n. 8037.—Reg. Himal.  
 australis, Benth. Fl. Austral. i. 464.—Austral.  
 baccatus, Blanco, Fl. Filip. ed. I. 290.—Ins. Philipp.  
 balius, Radlk. in Sitzb. Math.-Phys. Akad. Muench. viii. (1878) 396.—Ins. Bali.  
 benghalensis, Roxb. ex Wight & Arn. Prod. 113 = Nephelium Longana.  
 bifoliolatus, Hiern, in Hook. f. Fl. Brit. Ind. i. 634.—Ind. or.  
 bijugus, Wall. Cat. n. 8045 = Hemigyrosa canescens.  
 capensis, Hochst. in Flora, xxvi. (1843) 80 = oblongifolius.  
 capensis, Sond. in Harv. & Sond. Fl. Cap. i. 240.—Afr. austr.  
 cerasinus, Benth. in Hook. Kew Journ. iii. (1851) 197.—Bras.  
 chinensis, Murr. Syst. XIII. 315 = Koelreuteria paniculata.  
 cinereus, A. Cunn. ex A. Gray, Bot. U. St. Expl. Exped. i. 258 = Cupania subcinerea.  
 cinereus, Turcz. in Bull. Soc. Nat. Mosc. xxxi. (1858) i. 402 = Nephelium Longana.  
 cultratus, Turcz. l. c. 403.—Ins. Philipp.  
 cuspidatus, Blume, Rumphia, iii. 98.—N. Guin.  
 Danura, Voigt, Hort. Suburb. Calc. 94.—Ind. or.; Burma.  
 deficiens, Wight & Arn. Prod. 111 = Hemigyrosa deficiens.  
 detergens, Roxb. Hort. Beng. 29; Fl. Ind. ii. 280 = S. Mukorossi.  
 detergens, Wall. Cat. n. 8042 = Dittelasma Rarak.  
 divaricatus, Hoffmgg. ex Schlecht. & Cham. in Linnaea, vi. (1831) 419 = marginatus.  
 divaricatus, Willd. ex A. St. Hil. Fl. Bras. Mer. i. 390.—Bras.  
 Drummondii, Hook. & Arn. Bot. Beech. Voy. 281 (excl. var.) = marginatus.  
 edulis, Ait. Hort. Kew. ed. I. ii. 36 = Nephelium Lit-chi.  
 edulis, Blume, Cat. Gew. Buitenz. 64 = Erioglossum edule.  
 emarginatus, Vahl, Symb. Bot. iii. 54 = trifoliatus, Linn.  
 erectus, Hiern, in Hook. f. Fl. Brit. Ind. i. 683.—Zeylan.  
 esculentus, A. St. Hil. Pl. Us. Brés. t. 68.—Bras.  
 falcatus, Rafin. Med. Bot. ii. 261 = marginatus.  
 Forsythii, DC. Prod. i. 607 = marginatus.  
 fraxinifolius, DC. l. c. 608 = Erioglossum edule.  
 fraxinifolius, Herb. Par. ex Blume, Rumphia, iii. 149 = Scorodendron pallens.  
 frutescens, Aubl. Pl. Gui. i. 355. t. 138.—Guian.  
 fruticosus, Roxb. Hort. Beng. 29; Fl. Ind. ii. 283.—Ins. Molucc.  
 fuscatus, Buch.-Ham. ex Hiern, in Hook. f. Fl. Brit. Ind. i. 685 = Dittelasma Rarak.  
 glabratus, Wall. Cat. n. 8095 = Xerospermum Noronhianum.  
 glabrescens, Hook. & Arn. Bot. Beech. Voy. 281 = Guarea fulva.  
 Glenieii, Thw. Enum. Pl. Zeyl. 408 = Glenniea unijuga.  
 guineensis, G. Don, Gen. Syst. i. 666.—Afr. trop.  
 inaequalis, DC. Prod. i. 608 = marginatus.  
 indicus, Poir. Encyc. vi. 667.—Ind. or.  
 juglandifolius, A. St. Hil. Fl. Bras. Mer. i. 391.—Bras.  
 Koelreuteria, Blanco, Fl. Filip. ed. I. 289 (= Hemigyrosa Perrottetii).—Ins. Philipp.  
 laurifolius, Balb. ex DC. Prod. i. 608 = marginatus.  
 laurifolius, Vahl, Symb. Bot. iii. 54 = trifoliatus, Linn.  
 lepidotus, Wall. Cat. n. 8036 = Aglaia Wallichii.  
 longifolius, Buch.-Ham. ex Wight & Arn. Prod. 112 = Erioglossum edule.  
 longifolius, Vahl, Symb. Bot. iii. 53.—Ins. Molucc.  
 lucidus, Desv. in Ham. Prod. Pl. Ind. Occ. 36.—Ins. S. Doming.  
 maduriensis, Perr. in Mém. Soc. Linn. Par. iii. (1825) 144.—Java.  
 marginatus, Willd. Enum. Hort. Berol. 432.—Am. bor.  
 mauritanus, Hort. Par. ex Radlk. in Sitzb. Math.-Phys. Akad. Muench. viii. (1878) 361.—Ins. Maurit.

**SAPINDUS** :—

microcarpus, D. Dietr. Syn. Pl. ii. 1318 = arborescens.  
 microcarpus, Jardin, Hist. Nat. Iles Marquises, 25 = S. Saponaria.  
 microcarpus, Kurz, in Journ. As. Soc. Beng. xlv. (1875) ii. 205.—Siam.  
 microcarpus, Ruiz & Pav. Fl. Per. iv. t. 341.—Peruv.  
 microcarpus, Wight & Arn. Prod. 112 = Meliosma Arnottiana.  
 mollis, Blume, Rumphia, iii. 98 = trifoliatus, Linn.?  
 monogynus, Heyne, ex Wall. Cat. n. 8049 = Nephelium Longana.  
 montanus, Blume, Rumphia, iii. 97.—Java.  
 Mukorossi, Gaertn. Fruct. i. 342. t. 70.—As. trop.  
 multijugus, Wall. ex Hiern, in Hook. f. Fl. Brit. Ind. i. 685 = Chiocheton paniculatus?  
 oahuensis, Hillebr. ex Radlk. in Sitzb. Math.-Phys. Akad. Muench. viii. (1878) 401.—Ins. Sandvic.  
 oblongifolius, Sond. in Harv. & Sond. Fl. Cap. i. 240.—Afr. austr.  
 oblongus, Benth. in Hook. Kew Journ. iii. (1851) 198.—Bras.  
 obovatus, Wight & Arn. Prod. 111 = Blighia sapida.  
 Pappia, Sond. in Harv. & Sond. Fl. Cap. i. 241.—Afr. austr.  
 peruvianus, Walp. in Nov. Act. Nat. Cur. xix. Suppl. i. (1843) 312.—Peruv.  
 pinnatus, Mill. Gard. Dict. ed. VIII. n. 3 = Dittelasma Rarak.  
 pinnatus, Roxb. ex Hiern, in Hook. f. Fl. Brit. Ind. i. 672 = Erioglossum edule.  
 polyphyllus, Roxb. Hort. Beng. 29, nomen = S. Mukorossi?  
 pubescens, Zoll. & Mor. Syst. Verz. Zoll. 22.—Java.  
 Rarak, DC. Prod. i. 608 = Dittelasma Rarak.  
 rigidus, Mill. Gard. Dict. ed. VIII. n. 2.—Am. austr.  
 ruber, Kurz, For. Fl. Brit. Burma, i. 298.—Burma.  
 rubiginosus, Roxb. Pl. Corom. i. 44. t. 62 = Erioglossum edule.  
 rufescens, Turcz. in Bull. Soc. Nat. Mosc. xxxi. (1858) i. 404.—Bras.  
 salicifolius, DC. Prod. i. 608 = Atalaya salicifolia.  
 Saponaria, Lam. Illustr. ii. 441. t. 307 = marginatus.  
 Saponaria, Linn. Sp. Pl. 367 (excl. syn. Pluk.).—Am. bor. et austr.  
 Saponaria, Lour. Fl. Cochinch. 238 = Dittelasma Rarak.  
 senegalensis, Poir. Encyc. vi. 666.—Afr. trop.  
 serratus, Roxb. Hort. Beng. [88]; Fl. Ind. ii. 284 = Jagera Roxburghii.  
 simplicifolius, G. Don, Gen. Syst. i. 666 = Sorindeia juglandifolia.  
 sinensis, J. F. Gmel. Syst. 642 = chinensis.  
 spinosus, Linn. Sp. Pl. ed. II. 526 = Zanthoxylum emarginatum.  
 squamosus, Roxb. Hort. Beng. [88]; Fl. Ind. ii. 282 = Cupania glabrata.  
 stellulatus, Turcz. in Bull. Soc. Nat. Mosc. xxxi. (1858) i. 403 = Euphoria stellulata.  
 stenopteris, DC. Prod. i. 607.—Ins. S. Doming.  
 surinamensis, Poir. Encyc. vi. 665.—Guian.  
 tetraphyllus, Vahl, Symb. Bot. iii. 54 = Hemigyrosa canescens.  
 Thwaitesii, Hiern, in Hook. f. Fl. Brit. Ind. i. 683.—Zeylan.  
 tomentosus, Kurz, in Journ. As. Soc. Beng. xlv. (1875) ii. 204.—Burma.  
 travancorensis, Wall. Cat. n. 8047 = Canarium commune.  
 trifoliatus, Linn. Sp. Pl. 367.—As. trop.  
 trifoliatus, Turcz. in Bull. Soc. Nat. Mosc. xxxvi. (1863) i. 586.—N. Granat.  
 Turczaninowii, Vidal, Phan. Cuming. Philipp. 8, 105.—Ins. Philipp.  
 undulatus, Wall. ex Voigt, Hort. Suburb. Calc. 94 = Nephelium Longana?  
 unijugus, Thw. Enum. Pl. Zeyl. 56 = Glenniea unijuga.  
 vitiensis, A. Gray, Bot. U. St. Expl. Exped. i. 251.—Ins. Fiji.  
 xanthocarpus, Klotzsch, in Peters, Reise Mossamb. Bot. 119 = Deinbollia xanthocarpa.

SAPIOPSIS, Muell. Arg. in DC. Prod. xv. ii. 1205, in syn. (1866) = Sapium, P. Br. (Euphorb.).  
 cremostachys, Muell. Arg. l. c. = Sapium Aucuparium.

**SAPIUM**, P. Br. Hist. Jamaic. 338 (1756). *EU-PHORBIACEAE*, Benth. & Hook. f. iii. 334.  
 CARUMBUM, Kurz, For. Fl. Brit. Burma, ii. 411 (1877).  
 CONOSAPIUM, Muell. Arg. in Linnaea, xxxii. (1863) 87.  
 FALCONERIA, Royle, Illustr. Bot. Himal. 354. t. 84 a (1839).  
 GYMNOBOTHRYS, Wall. ex Baill. Etud. Gén. Euph. 526 (1858).  
 SAPIOPSIS, Muell. Arg. in DC. Prod. xv. ii. 1205, in syn. (1866).  
 STILLINGFLEETIA, Boj. Hort. Maurit. 284 (1837).  
 TRIADICA, Lour. Fl. Cochinch. 610 (1790).  
 acutifolium, Benth. Pl. Hartw. 90 = Stillingia acutifolia.  
 adenodon, Griseb. in Mem. Am. Acad. N. S. viii. (1861) 160 = Bonania adenodon.  
 aereum, Klotzsch, ex Muell. Arg. in Linnaea, xxxii. (1863) 119.—Peruv.  
 annuum, Torr. Bot. Mex. Bound. 201 = Stillingia annua.  
 aquifolium, J. Sm. in Proc. Linn. Soc. i. (1839) 41 = Alchornea ilicifolia.  
 Aucuparium, Jacq. Enum. Pl. Carib. 21; Select. Am. 249.—Am. trop.  
 Aucuparium, Willd. Sp. Pl. iv. 572 = S. Laurocerasum.  
 aureum, Buek, Index ad DC. Prod. iv. 364, sphalm. = aereum.  
 baccatum, Roxb. Hort. Beng. 69; Fl. Ind. iii. 694.—As. trop.  
 Balansae, Parodi, in Anal. Soc. Cient. Argent. xi. (1881) 53.—Reg. Argent.  
 berberifolium, Hort. ex Meissn. in DC. Prod. xv. ii. 907 = Alchornea ilicifolia.  
 biglandulosum, Muell. Arg. in Linnaea, xxxii. (1863) 116 = S. Aucuparium.  
 bingerium, Roxb. ex Willd. Sp. Pl. iv. 572 = indicum.  
 bingyricum, Roxb. ex Muell. Arg. in DC. Prod. xv. ii. 1216 = praec.  
 Brownei, Banks, ex Griseb. Fl. Brit. W. Ind. 49 = S. Laurocerasum.  
 cordifolium, Roxb. Hort. Beng. 104; Fl. Ind. iii. 693 = Alchornea mollis.  
 cuneatum, Griseb. Fl. Brit. W. Ind. 49.—Jamaic.  
 Dacdece, Buch.-Ham. ex Wall. Cat. n. 7965 = baccatum.  
 daphnoides, Griseb. in Goett. Nachr. (1865) 176 = S. Aucuparium.  
 discolor, Muell. Arg. in Linnaea, xxxii. (1863) 121.—China; Malaya.  
 Drummondii, Jacques, in Lem. Hort. Univ. (1844) 289 (= Eriudaphus Clossianus).—Hab.?  
 erythrospermum, Muell. Arg. in Linnaea, xxxii. (1863) 119 = Bonania erythrosperma.  
 eugeniaefolium, Buch.-Ham. ex Wall. Cat. n. 7971.—Reg. Himal.  
 haematospermum, Muell. Arg. in Linnaea, xxxiv. (1865-66) 217.—Bras.  
 herbertiaeifolium, Jacques, in Lem. Hort. Univ. (1844) 289.—Austral.  
 hexandrum, Wall. Cat. n. 7965 = baccatum.  
 Hippomane, G. F. W. Mey. Prim. Fl. Esseq. 275 = S. Aucuparium.  
 Hurmais, Buch.-Ham. in Trans. Linn. Soc. xvii. (1835) 229 = indicum.  
 ilicifolium, Willd. Sp. Pl. iv. 573 = Hippomane spinosa.  
 indicum, Willd. Sp. Pl. iv. 572.—Ind. or.  
 insigne, Trimen, Cat. Pl. Zeyl. 83.—Ind. or.  
 jamaicense, Sw. Adnot. Bot. 62 = S. Aucuparium.  
 laevifolium, Thou. ex Baill. Etud. Gén. Euph. 513 = Stillingia obtusifolia.  
 laevigatum, Lam. Encyc. ii. 735 = Stillingia obtusifolia.  
 laurifolium, Griseb. Fl. Brit. W. Ind. 49 = S. Laurocerasum.  
 Laurocerasum, Desf. Cat. Hort. Par. ed. III. 411.—Ind. occ.  
 leucogynum, Wright, ex Griseb. in Goett. Nachr. (1865) 176.—Cuba.  
 leucospermum, Griseb. l. c. 177.—Cuba.  
 lineatum, Lam. Encyc. ii. 734 = Stillingia obtusifolia.  
 longifolium, Boj. Hort. Maurit. 284, nomen (Quid?)—Hab.?  
 macrocarpum, Muell. Arg. in Linnaea, xxxii. (1863) 119.—Peruv.  
 marginatum, Muell. Arg. l. c. 120.—Bras.

**SAPIUM:—**

- montevideense*, Klotzsch, ex Baill. Adansonia, v. (1864-65) 320 = *S. Aucuparium*.  
*Moritzianum*, Klotzsch, in Seem. Bot. Voy. Herald, 100 = *S. Aucuparium*.  
*myricifolium*, Wright, ex Griseb. in Goett. Nachr. (1865) 178 = *Bonania myricifolia*.  
*obovatum*, Klotzsch, ex Muell. Arg. in *Linnaea*, xxxii. (1863) 120.—Bras.  
*obtusifolium*, H. B. & K. Nov. Gen. et Sp. ii. 65 = *Excoecaria obtusifolia*.  
*obtusifolium*, Lam. Encyc. ii. 735 = *Stillingia obtusifolia*.  
*obtusilobum*, Muell. Arg. in *Linnaea*, xxxii. (1863) 116.—Venezuel.  
*oppositifolium*, Klotzsch, ex Baill. Etud. Gén. Euph. 513 = *Stillingia oppositifolia*.  
*peruvianum*, Steud. Nom. ed. II. ii. 512 = *Excoecaria obtusifolia*.  
*populifolium*, Wall. Cat. n. 7966 = *baccatum*.  
*prunifolium*, Klotzsch, in Hook. Lond. Journ. Bot. ii. (1843) 45 = *S. Aucuparium*.  
*salicifolium*, H. B. & K. Nov. Gen. et Sp. ii. 65 = *S. Aucuparium*.  
*salpingadenium*, Muell. Arg. in *Linnaea*, xxxii. (1863) 121.—Bolivia.  
*sebiferum*, Roxb. Hort. Beng. 69; *Fl. Ind.* iii. 693.—Reg. trop.  
*Sellowianum*, Klotzsch, ex Baill. Adansonia, v. (1864-65) 320 = *S. Aucuparium*.  
*serratum*, Klotzsch, ex Baill. l. c. = *S. Aucuparium*.  
*sterculiaceum*, Wall. Cat. n. 7974 = *Baccaurea bracteata*.  
*stylare*, Muell. Arg. in *Linnaea*, xxxii. (1863) 119.—Venezuel.  
*suberosum*, Muell. Arg. l. c. xxxiv. (1865-66) 217.—Ins. Barbados.  
*sylvaticum*, Torr. Bot. Mex. Bound. 201 = *Stillingia sylvatica*.  
*tanguinum*, Muell. Arg. in *Linnaea*, xxxii. (1863) 116 = *Stillingia obtusifolia*.  
*terminale*, Muell. Arg. l. c. = *Stillingia terminalis*.  
*zelayense*, H. B. & K. Nov. Gen. et Sp. ii. 65 = *Stillingia zelayensis*.

**SAPONARIA**, Linn. Syst. ed. I (1735). *CARYO-*

- PHYLLAE*, Benth. & Hook. f. i. 146.  
*BOOTIA*, Neck. ex DC. Prod. i. 365 (1824).  
*PROTEINIA*, Reichb. Nom. 205 (1841).  
*SMEGMATHAMNIUM*, Fenzl, ex Reichb. Ic. Fl. Germ. vi. 42. t. 244 (1841).  
*VACCARIA*, Medic. Phil. Bot. i. 96 (1789).  
*acerosa*, Boiss. Diagn. Ser. II. i. 69 = *Gypsophila acerosa*.  
*aenesia*, Heldr. in Atti Congr. Bot. Firenze, 1874 (1876), 238.—Graec.  
*aetnensis*, Rafin. Chl. Aetn. 9.—Ital.  
*alpina*, Pall. Reise, iii. 34 = *Silene paucifolia*.  
*alsinoides*, Viv. Fl. Cors. Prod. App. ii. 7, in obs. = *ocymoides*.  
*amplissima*, Mill. Gard. Dict. ed. VIII. n. 4 (*amplificinus*) = *S. Vaccaria*.  
*andicola*, Kunze, ex Rohrb. Monog. *Silene*, 231.—Chili.  
*artegioides*, Boiss. in Tchihat. Asie Min. Bot. t. 11, sphalm. = *ortegioides*.  
*astroides*, Fenzl, in Flora, xxvi. (1843) 402 = *tridentata*.  
*atocioides*, Boiss. Diagn. Ser. I. i. 16 = *prostrata*.  
*barradensis*, Boiss. l. c. viii. 72 = *Gypsophila hirsuta*.  
*Baumgartenii*, Janka, in *Linnaea*, xxx. (1859-60) 559 = *Silene dinarica*.  
*bellidifolia*, Lapeyr. Hist. Abr. Pl. Pyr. 239 = *Valeriana apula*.  
*bellidifolia*, Sm. Spicil. Bot. 5.—Europ. or.  
*Bodeana*, Boiss. Fl. Orient. i. 527.—Persia.  
*caespitosa*, Bivona, in Rafin. Statist. Gen. Sicil. 27 = *depressa*.  
*caespitosa*, DC. Rapp. Voy. ii. 78; ex ej. Fl. Fr. Suppl. 601.—Mont. Pyren.  
*caespitosa*, Sibth. & Sm. Fl. Graec. iv. 79. t. 339 = *Silene Saxifraga*.  
*calabrica*, Guss. Pl. Rar. 164. t. 31.—Ital.; Graec.  
*calabrica*, Heldr. ex Nym. Consp. 98 = *graeca*.  
*Calvertii*, Boiss. Diagn. Ser. II. v. 51 = *prostrata*.  
*cerastoides*, Fisch. ex C. A. Mey. Verz. Pfl. Cauc. 212.—Reg. Casp.  
*chloraeifolia*, Kunze, Ind. Hort. Lips. (1846).—Cf. *Linnaea*, xxiv. (1851) 163.—As. Min.

**VOL. II.****SAPONARIA:—**

- corrugata*, Franch. in Ann. Sc. Nat. Sér. VI. xv. (1833) 237.—Turkestan.  
*cretica*, Linn. Sp. Pl. ed. II. 584 = *Tunica cretica*.  
*depressa*, Bivona, Stirp. Nov. Kar. Sicil. ii. [15].—Sicil.  
*diffusa*, Lam. Fl. Fr. ii. 540 = *Gypsophila repens*.  
*dioica*, Cham. & Schlecht. in *Linnaea*, i. (1826) 38 = *Silene antirrhina*.  
*dioica*, Moench, Meth. 76 = *Lychnis dioica*.  
*elegans*, Lapeyr. Hist. Abr. Pl. Pyr. 238 = *caespitosa*.  
*Elisabethae*, Fenzl, ex Nym. Consp. 93 = *Silene Elisabethae*.  
*fasciculata*, Boiss. & Reut. Diagn. Ser. I. viii. 73 = *Gypsophila fasciculata*.  
*fastigiata*, Lam. Fl. Fr. ii. 541 = *Gypsophila fastigiata*.  
*filicaulis*, Boiss. Diagn. Ser. I. viii. 71 = *Gypsophila hirsuta*.  
*filipes*, Boiss. l. c. Ser. II. i. 69 = *Gypsophila floribunda*.  
*floribunda*, Boiss. l. c. 70 = *Gypsophila floribunda*.  
*fruticulosa*, Bory & Chaub. Nouv. Fl. Pélop. 26. t. 12 = *Gypsophila fruticulosa*.  
*glutinosa*, Bieb. Fl. Taur. Cauc. i. 322.—Reg. Medit. et Cauc.  
*graeca*, Boiss. Fl. Orient. i. 528.—Graecia.  
*Griffithiana*, Boiss. Diagn. Ser. II. i. 70.—Afghan.  
*hirsuta*, Labill. Ic. Pl. Syr. Dec. iv. 9 = *Gypsophila hirsuta*.  
*hirta*, Steud. Nom. ed. I. 732, sphalm. = *praec*.  
*hispanica*, Mill. Gard. Dict. ed. VIII (in Errat.) = *S. Vaccaria*.  
*holopetala*, Ledeb. Fl. Ross. i. 301 = *prostrata*.  
*hybrida*, Mill. Gard. Dict. ed. VIII. n. 2 = *officinalis*.  
*illyrica*, Linn. Mant. i. 70 = *Tunica illyrica*.  
*inclusa*, C. Koch, in *Linnaea*, xv. (1841) 711 = *S. Vaccaria*?  
*Kotschyi*, Boiss. Diagn. Ser. I. i. 16.—As. Min.  
*liniflora*, Boiss. & Haussk. in Boiss. Fl. Orient. i. 525.—Mesopot.  
*lutea*, Linn. Sp. Pl. ed. II. 585 (excl. syn. Bocc.).—Europ.  
*lutea*, Pall. ex Ledeb. Fl. Ross. i. 306 = *Silene paucifolia*.  
*mesogitana*, Boiss. Diagn. Ser. I. i. 16.—As. Min.  
*mollis*, Boiss. l. c. viii. 72 = *Gypsophila hirsuta*.  
*multiflora*, Hort. ex Regel, Gartenfl. i. (1852) 101 = *calabrica*.  
*muralis*, Lam. Fl. Fr. ii. 540 = *Gypsophila muralis*.  
*nervosa*, Gilib. Fl. Lituan. ii. 163 = *officinalis*.  
*noctiflora*, Fenzl, ex Nym. Consp. 93 = *Silene noctiflora*.  
*nodiflora*, Boiss. Diagn. Ser. I. i. 15.—Syria.  
*ocymifolia*, Salisb. Prod. 302 = *seq.*  
*ocymoides*, Linn. Sp. Pl. 409.—Europ. austr.  
*officinalis*, Linn. l. c. 408.—Europ.; As. occ.  
*officinarum*, Rupr. Fl. Cauc. 176 = *praec*.  
*orientalis*, Linn. Sp. Pl. 409.—Oriens.  
*ortegioides*, Boiss. & Bal. Diagn. Ser. II. vi. 25 = *Gypsophila ortegioides*.  
*oxyodonta*, Boiss. Fl. Orient. i. 525 = *S. Vaccaria*.  
*pamphylica*, Boiss. & Heldr. Diagn. Ser. I. viii. 74.—As. Min.  
*parvula*, Bunge, in Arb. Naturf. Ver. Riga, i. (1847) 181.—Turkestan.  
*pentagona*, Hort. ex Steud. Nom. ed. II. ii. 512 = *S. Vaccaria*.  
*perfoliata*, Gilib. Fl. Lituan. ii. 163; Roxb. ex Willd. Enum. Hort. Berol. 464 = *S. Vaccaria*.  
*persica*, Boiss. Diagn. Ser. I. i. 18.—Persia.  
*picta*, Boiss. in Tchihat. Asie Min. Bot. i. 202 = *Gypsophila picta*.  
*plumbaginea*, Stschegl. in Bull. Soc. Nat. Mosc. xxvi. i. (1853) 323. t. 4.—Reg. Cauc.  
*polygonoides*, Jaub. & Spach, Illustr. v. 2. t. 402 = *Gypsophila hirsuta*.  
*porrigens*, Linn. Mant. ii. 239 = *Gypsophila porrigens*.  
*prostrata*, Willd. Enum. Hort. Berol. 465.—As. Min.  
*pulvinaris*, Boiss. Diagn. Ser. I. viii. 74.—As. Min.; Syria.  
*Pumilio*, Boiss. l. c. i. 18 = *pulvinaris*.  
*pungens*, Bunge, in Ledeb. Fl. Alt. ii. 133 = *Acanthophyllum spinosum*.  
*repens*, Lam. Fl. Fr. ii. 542 = *ocymoides*.  
*rubra*, Lam. l. c. 541 = *S. Vaccaria*.  
*saxatilis*, Bory, in Ann. Gén. Sc. Phys. iii. (1820) 13.—Hispan.

**SAPONARIA:—**

- segetalis*, Neck. Delic. Gallo-Belg. i. 194 = *S. Vaccaria*.  
*Sewerzowi*, Regel & Schmalh. in Act. Hort. Petrop. v. (1877) 246.—Turkestan.  
*scicula*, Rafin. Specch. ii. 7 = *depressa*.  
*Smithii*, Ser. in DC. Prod. i. 367 = *Silene Saxifraga*.  
*Struthium*, Loeffl. Iter Hisp. 73 = *Gypsophila Struthium*.  
*syriaca*, Boiss. Diagn. Ser. I. viii. 73.—Syria.  
*thessala*, Jaub. & Spach, Illustr. v. 2 = *Gypsophila hirsuta*.  
*thymifolia*, Boiss. Diagn. Ser. I. i. 17 = *Gypsophila hirsuta*.  
*tridentata*, Boiss. l. c.—Syria.  
*tubulosa*, F. Muell. Native Pl. Vict. i. 136 = *Gypsophila tubulosa*.  
*Vaccaria*, Linn. Sp. Pl. 409.—Europ.; As. Min.; Sibir.  
*villosa*, Rafin. Fl. Ludov. 93 (Quid?).—Am. bor.  
*viscosa*, Dulac, Fl. Hautes-Pyr. 264 = *ocymoides*.  
*viscosa*, C. A. Mey. Verz. Pfl. Cauc. 212.—Armen.; Persia.  
*vulgaris*, Pall. Reise, iii. 655 = *officinalis*.

**SAPOTA**, Plum. ex Mill. Gard. Dict. ed. VI (1752) =

- Achras**, Linn. (Sapotac.).  
*Achras*, Mill. Gard. Dict. ed. VIII. n. 1 = *A. Sapota*.  
*armata*, A. DC. in DC. Prod. viii. 175 = *Sideroxylon tomentosum*.  
*australis*, A. DC. l. c. = *Sideroxylon australe*.  
*Baueri*, Montr. in Mém. Acad. Lyon, x. (1860) 229.—N. Caled.  
*cerasifera*, Welw. Apont. 585. n. 17.—Afr. trop.  
*costata*, A. DC. in DC. Prod. viii. 175 = *Sideroxylon costatum*.  
*curvifolia*, Klotzsch, ex Miq. in Mart. Fl. Bras. vii. 68 = *Lucuma curvifolia*.  
*elengoides*, A. DC. in DC. Prod. viii. 176 = *Sideroxylon tomentosum*.  
*elongata*, Gaertn. f. Fruct. iii. 136.—Hab.?  
*Endlicheri*, Montr. in Mém. Acad. Lyon, x. (1860) 228.—N. Caled.  
*ferruginea*, Walp. Rep. vi. 455 = *A. Sapota*.  
*gonocarpa*, Mart. & Eichl. ex Miq. in Mart. Fl. Bras. vii. 60.—Bras.  
*Lessertii*, A. DC. in DC. Prod. viii. 174 = *Sideroxylon Lessertii*.  
*mammosa*, Mill. Gard. Dict. ed. VIII. n. 2 = *Lucuma mammosa*.  
*marginata*, Decne. ex Webb, in Hook. Niger Fl. 169. t. 13.—Ins. Cap. Virid.  
*Mulleri*, Blume, ex Bleekrod. in Ann. Sc. Nat. Sér. IV. vii. (1857) 225 = *Mimusops Kauki*.  
*nigra*, J. F. Gmel. Syst. 750 = *Diospyros Ebenum*.  
*parvifolia*, A. DC. in DC. Prod. viii. 175 = *Sideroxylon parvifolium*.  
*Pohlmaniana*, F. Muell. Fragm. v. 184 = *Sideroxylon Pohlmanianum*.  
*polita*, Griseb. in Mem. Am. Acad. N. S. viii. (1863) 517.—Cuba.  
*pyrulifera*, A. Gray, in Proc. Am. Acad. v. (1862) 328.—Ins. Fiji.  
*rugosa*, Griseb. Fl. Brit. W. Ind. 399.—Ind. occ.  
*sandwicensis*, A. Gray, in Proc. Am. Acad. v. (1861-62) 328.—Ins. Sandvic.  
*Sellowiana*, Klotzsch, ex Miq. in Mart. Fl. Bras. vii. 67 = *Lucuma marginata*.  
*sericea*, A. DC. in DC. Prod. viii. 176 = *A. sericea*.  
*Sideroxylon*, Griseb. Fl. Brit. W. Ind. 399 = *A. Sapota*.  
*spectabilis*, Miq. Fl. Ind. Bat. Suppl. 580.—Sumatra.  
*tomentosa*, A. DC. in DC. Prod. viii. 175 = *Sideroxylon tomentosum*.  
*venosa*, A. DC. l. c. 174 = *Lucuma venosa*.  
*vitiensis*, A. Gray, in Proc. Am. Acad. v. (1862) 328.—Ins. Fiji.

**SAPRANTHUS**, Seem. Journ. Bot. iv. (1866) 369. t. 54

- = **Porcelia**, Ruiz & Pav. (Anonac.).  
*nicaraguensis*, Seem. l. c.—Am. centr.

**SAPRIA**, Griff. in Proc. Linn. Soc. i. (1844) 216.

- CYTINACEAE*, Benth. & Hook. f. iii. 119.  
*Griffithii*, Hook. f. in DC. Prod. xvii. 112, in syn. sphalm. = *seq.*  
*himalayana*, Griff. in Proc. Linn. Soc. i. (1844) 217.—Assam.

**SAPROSMA**, Blume, Bijdr. 956 (1826). *RUBIA-CEAE*, Benth. & Hook. f. ii. 131.

**DYSODIDENDRON**, Gardn. in Calc. Journ. Nat. Hist. vii. (1847) 1.

**DYSOSMIA**, Miq. Fl. Ind. Bat. ii. 325 (1859).

arborescens, Blume, Bijdr. 956.—Java.

ceylanicum, Bedd. Forest. Man. Bot. 134/12.—Ind. or.

consimile, Kurz, For. Fl. Brit. Burma, ii. 29.—Reg. Himal.; Burma.

corymbosum, Bedd. Forest. Man. Bot. 134/12.—Ind. or.

dispar, Hassk. in Flora, xxviii. (1845) 226.—Java.

fragrans, Bedd. Forest. Man. Bot. 134/11.—Ind. or.

fruticosum, Blume, Bijdr. 956.—Java.

glomeratum, Bedd. Forest. Man. Bot. 134/11 = indicum.

hirsutum, Korth. in Nederl. Kruidk. Arch. ii. 11. (1851) 251.—Sumatra.

indicum, Dalz. in Hook. Kew Journ. iii. (1851) 37.—Ind. or.

scabridum, Bedd. Forest. Man. Bot. 134/12.—Zeylan.

ternatum, Benth. & Hook. f. Gen. ii. 131.—Reg. Himal.; Burma.

Wightii, Bedd. Forest. Man. Bot. 134/11 = ceylanicum.

**SARACA**, Linn. Mant. i. 13 (1767). *LEGUMINOSAE*, Benth. & Hook. f. i. 583.

**JONESIA**, Roxb. in As. Res. iv. (1795) 355.

arborescens, Burm. f. Fl. Ind. 85 = indica.

cauliflora, Baker, in Hook. f. Fl. Brit. Ind. ii. 272.—Malacca.

declinata, Miq. Fl. Ind. Bat. i. 1. 84, 1080.—Sumatra.

indica, Linn. Mant. i. 98.—Ind. or.; Malaya.

Lobbiana, Baker, in Hook. f. Fl. Brit. Ind. ii. 272.—Burma.

macroptera, Miq. Fl. Ind. Bat. i. 1. 1080.—Sumatra.

minor, Miq. l. c. 84 = indica.

obtusifolia, Miq. l. c. 85.—Java.

palembanica, Baker, in Hook. f. Fl. Brit. Ind. ii. 272.—Sumatra.

triandra, Baker, l. c.—Burma; Malaya.

Zollingeriana, Miq. Fl. Ind. Bat. i. 1. 84 = indica.

**SARACENA**, Tourn. ex Mill. Gard. Dict. ed. VI. (1752) = **Sarracenia**, Linn.

**SARACENIA**, Spreng. Gen. i. 433 (1830) = praec.

**SARACHA**, Ruiz & Pav. Prod. 31. t. 34 (1794). *SOLANACEAE*, Benth. & Hook. f. ii. 891.

**BELLINIA**, Roem. & Schult. Syst. iv. 56 (1819).

**DISKION**, Rafin. Sylva Tellur. 55 (1838).

**JALTOMATA**, Schlecht. Ind. Sem. Hort. Hal. (1838).

**JALTONIA**, Steud. Nom. ed. II. i. 797 (1840).

acutifolia, Miers, in Ann. & Mag. Nat. Hist. Ser. II. iii. (1849) 449 (Physalidis sp. ?).—Calif.

alata, Dun. in DC. Prod. xiii. 1. 431.—Peruv.

allogona, Schlecht. in Linnaea, xix. (1847) 308.—Mexic.

angulata, Mart. & Gal. in Bull. Acad. Brux. xii. 1. (1845) 133, nomen.—Mexic.

auriculata, Miers, in Ann. & Mag. Nat. Hist. Ser. II. iii. (1849) 448.—N. Granat.

biflora, Ruiz & Pav. Fl. Per. ii. 42. t. 179 = Hebecladus biflorus.

Boissieri, Miers, in Ann. & Mag. Nat. Hist. Ser. II. xi. (1853) 93 (= *Lycioplesium Boissieri*).—Venezuel.

brasiliensis, Klotzsch, in Linnaea, xiv. (1840) 290 = *Athenaea pogogena*.

ciliata, Miers, in Ann. & Mag. Nat. Hist. Ser. II. iii. (1849) 446.—Peruv.

conoides, Benth. & Hook. f. Gen. ii. 891 = *Chamaesaracha sordida*?

consperpa, Miers, in Ann. & Mag. Nat. Hist. Ser. II. iii. (1849) 449.—Mexic.

contorta, Ruiz & Pav. Fl. Per. ii. 43. t. 180.—Peruv.

Coronopus, A. Gray, in Proc. Am. Acad. x. (1874) 62 = *Chamaesaracha Coronopus*.

dentata, Ruiz & Pav. Fl. Per. ii. 43. t. 179.—Peruv.

diffusa, Miers, in Ann. & Mag. Nat. Hist. Ser. II. iii. (1849) 447 = laxa.

frondosa, Miers, l. c. xi. (1853) 93 = *Poecilochroma frondosum*.

Funkiana, Miers, l. c. = *Poecilochroma Funkianum*.

geniculata, Mart. & Gal. in Bull. Acad. Brux. xii. 1. (1845) 133 = *Physalis geniculata*.

glabrata, Miers, in Ann. & Mag. Nat. Hist. Ser. II. iii. (1849) 448.—Mexic.

**SARACHA** :—

glandulosa, Miers, in Ann. & Mag. Nat. Hist. Ser. II. iii. (1849) 450.—N. Granat.

guttata, Miers, l. c. xi. (1853) 93 = *Poecilochroma guttatum*.

Jaltomata, Schlecht. Ind. Sem. Hort. Hal. (1839) 10; ex Dun. in DC. Prod. xiii. 1. 432.—Mexic.

Jaltonia, Steud. Nom. ed. II. i. 796, in syn., sphalm. = praec.

laxa, Miers, in Ann. & Mag. Nat. Hist. Ser. II. iii. (1849) 447.—Mexic.

Lindeniana, Miers, l. c. xi. (1853) 93 = *Poecilochroma Lindenianum*.

Lobbiana, Miers, l. c. = *Poecilochroma Lobbianum*.

maculata, Miers, l. c. = *Poecilochroma maculatum*.

micrantha, DC. Cat. Hort. Monsp. (1813) 58, nomen = *Zuccagniana*.

Miersii, Dun. & A. DC. in DC. Prod. xiii. 1. 684 = laxa.

nana, A. Gray, in Proc. Am. Acad. x. (1874) 62 = *Chamaesaracha nana*.

peruviana, F. G. Dietr. Vollst. Lexik. Gaertn. viii. 522 (sp. confusa).

procumbens, Math. ex Dun. & A. DC. in DC. Prod. xiii. 1. 683 = propinqua.

procumbens, Ruiz & Pav. Fl. Per. ii. 43. t. 180.—Peruv.

propinqua, Miers, in Ann. & Mag. Nat. Hist. Ser. II. iii. (1849) 446.—Peruv.

pubescens, Humb. ex Roem. & Schult. Syst. iv. 690.—Peruv.

punctata, Ruiz & Pav. Fl. Per. ii. 42. t. 178.—Peruv.

quitoensis, Miers, in Ann. & Mag. Nat. Hist. Ser. II. xi. (1853) 93 = *Poecilochroma quitensis*.

Sellowiana, Miers, l. c.—Bras.

solanacea, Miers, l. c. iii. (1849) 450 = *Bassovia solanacea*.

sordida, A. Gray, in Proc. Am. Acad. x. (1874) 62 = *Chamaesaracha sordida*.

stapeloides, Decne. ex Regel, Ind. Sem. Hort. Petrop. (1864) Suppl. 18.—Hab.?

umbellata, DC. Cat. Hort. Monsp. (1813) 142 = procumbens.

umbellata, G. Don, Gen. Syst. iv. 451.—Peruv.

vestita, Miers, in Ann. & Mag. Nat. Hist. Ser. II. iii. (1849) 449.—N. Granat.

villosa, G. Don, Gen. Syst. iv. 452.—Peruv.

viscosa, Link, ex D. Don, in Sweet, Brit. Flow. Gard. Ser. II. t. 323.—Peruv.; Chili.

viscosa, Schrad. Ind. Sem. Hort. Gotting. (1832) 5; ex Dun. in DC. Prod. xiii. 1. 433 (*Physalidis* sp.).—Mexic.

Zuccagniana, G. Don, Gen. Syst. iv. 452.—Am. austr.

**SARAGODRA**, Hort. ex Steud. Nom. ed. II. ii. 513 (1841) = **Gelonium**, Roxb. (Euphorb.).

glabra, Hort. ex Steud. l. c. = *G. multiflorum*.

**SARANA**, Fisch. ex Baker, in Journ. Linn. Soc. xiv. (1874) 251 = **Fritillaria**, Tourn. (Liliac.).

edulis, Fisch. ex Baker, l. c. 274 = *F. camschatcensis*.

**SARANTHE**, Eichl. in Berl. Phys. Abh. 1883 (1884), 85 = **Myrosma**, Linn. f. (Scitam.).

cuiabensis, Eichl. l. c. 86 = *Maranta cuyabensis*.

Klotzschiana, Eichl. l. c. = *Maranta Klotzschiana*.

leptostachya, Eichl. l. c. = *Maranta leptostachya*.

Moritziana, Eichl. l. c. = *Maranta Moritziana*.

pygmaea, Eichl. l. c. = *Maranta pygmaea*.

Riedeliana, Eichl. l. c. = *Maranta Riedeliana*.

unilateralis, Eichl. l. c. = *Myrosma unilaterale*.

**SARCANDRA**, Gardn. in Calc. Journ. Nat. Hist. vi. (1846) 348 = **Chloranthus**, Sw.

chloranthoides, Gardn. l. c. = *C. brachystachys*.

**SARCANTHEMUM**, Cass. in Bull. Soc. Philom. (1818) 74 = **Psadia**, Jacq. (Compos.).

Coronopus, Cass. l. c. = *P. Coronopus*.

**SARCANTHERA**, Rafin. Fl. Tellur. iv. 64 (1836) = **Gymnostachyum**, Nees (Acanth.).

venusta, Rafin. l. c. = *G. venustum*.

**SARCANTHIDION**, Baill. Adansonia, xi. (1874) 199. *OLACINEAE*.

sarmentosum, Baill. l. c.—N. Caled.

**SARCANTHUS**, Anderss. in Vet. Akad. Handl. Stockh. 1853 (1855) 209 = **Heliotropium**, Linn. (Borag.).

asperimus, Anderss. l. c.—Ins. Galapag.

**SARCANTHUS**, Lindl. Coll. Bot. t. 39 B (1821). *ORCHIDAEAE*, Benth. & Hook. f. iii. 580.

arietinus, Reichb. f. in Gard. Chron. (1869) 416.—Assam.

armeniacus, Reichb. f. in Otto & Dietr. Allg. Gartenz. xxiv. (1856) 219.—Afr. trop.

asperus, Reichb. f. in Hamb. Gartenz. xxi. (1865) 297.—Burma.

belophorus, Reichb. f. in Gard. Chron. (1883) II. 262.—Hab.?

callosus, Reichb. f. in Bonplandia, v. (1857) 41 = *Cleisostoma callosum*.

chrysomelas, Reichb. f. in Gard. Chron. (1869) 662.—Burma.

croceus, Lodd. Cat. ex W. Baxt. in Loud. Hort. Brit. Suppl. iii. 634, nomen.—Ins. Philipp.

dealbatus, Reichb. f. in Walp. Ann. vi. 892.—Ins. Philipp.

densiflorus, Par. & Reichb. f. in Trans. Linn. Soc. xxx. (1874) 136 = *Cleisostoma spicatum*.

erinaceus, Reichb. f. in Bot. Zeit. xxii. (1864) 298.—Burma.

filiformis, Lindl. Bot. Reg. (1842) Misc. 61.—Reg. Himal.

filiformis, Wight, Ic. t. 1684 = *Saccolabium filiforme*.

flexus, Reichb. f. in Gard. Chron. (1881) II. 492.—Borneo.

geminatus, Teijsm. & Binn. in Tijdschr. Nederl. Ind. xxix. (1867) 243.—Ins. Molucc.

guttatus, Lindl. Bot. Reg. t. 1443 = *Rhynchostylis retusa*.

Hincksiana, Reichb. f. in Gard. Chron. (1878) I. 73.—Hab.?

insectifer, Reichb. f. in Bot. Zeit. xv. (1857) 159.—Ind. or.; Burma.

laxus, Reichb. f. l. c. xxiv. (1866) 378.—Burma.

Lendyanus, Reichb. f. in Gard. Chron. (1884) I. 44.—Annam.

macrodon, Reichb. f. l. c. (1872) 1555.—Ind. or.

mirabilis, Reichb. f. l. c. (1878) II. 300.—Burma?

nagarensis, Reichb. f. in Seem. Fl. Vit. 298.—Ins. Fiji.

ornithorrhynchus, Reichb. f. in Otto & Dietr. Allg. Gartenz. xxiv. (1856) 219.—Hab.?

oxyphyllus, Wall. ex Lindl. Bot. Reg. (1840) Misc. 58.—Burma.

pallidus, Lindl. Bot. Reg. (1840) Misc. 78.—Reg. Himal.; Burma.

paniculatus, Lindl. in Bauer, Illustr. Orch. Pl. Gen. t. 9.—China.

Parishii, Hook. Bot. Mag. t. 5217.—Burma.

pauciflorus, Teijsm. & Binn. in Tijdschr. Nederl. Ind. xxvii. (1864) 21.—Sumatra.

pauciflorus, Wight, Ic. t. 1747 = peninsularis.

peninsularis, Dalz. in Hook. Kew Journ. iii. (1851) 343.—Ind. or.

praemorsus, Lindl. ex Spreng. Syst. iii. 721 = *Saccolabium papillosum*.

pugioniformis, Reichb. f. in Otto & Dietr. Allg. Gartenz. xxiv. (1856) 219.—Venezuel.

racemifer, Reichb. f. in Walp. Ann. vi. 891 = pallidus.

roseus, Wight, Ic. t. 1685 = *Saccolabium filiforme*.

rostratus, Lindl. Coll. Bot. t. 39 B.—China.

secundus, Griff. Notul. iii. 362.—Reg. Himal.

Stowellianus, Batem. in Hook. Bot. Mag. sub t. 5630 = *erinaceus*.

striolatus, Reichb. f. in Gard. Chron. (1882) II. 168.—Ins. Philipp.

suaveolens, Reichb. f. in Bonplandia, v. (1857) 40.—Java.

subulatus, Reichb. f. l. c. 41.—Java.

succisus, Lindl. in Bot. Reg. t. 1014.—China.

teretifolius, Lindl. Gen. et Sp. Orch. 234.—China.

teretifolius, Reichb. f. in Trans. Linn. Soc. xxx. (1874) 136.—Burma.

terminus, Reichb. f. in Hamb. Gartenz. xvi. (1860) 15.—Java.

timorensis, Decne. in Nouv. Ann. Mus. Par. iii. (1834) 365.—Ins. Timor.

tricolor, Reichb. f. in Bonplandia, iii. (1855) 219 = pallidus.

Walkerianus, Wight, Ic. t. 1686 = *Saccolabium roseum*.

Williamsoni, Reichb. f. in Hamb. Gartenz. xxi. (1865) 353.—Burma.

**SARCATHRIA**, Rafin. Fl. Tellur. iii. 47 (1836) = **Salicornia**, Tourn. (Chenop.).  
*ambigua*, Rafin. l. c. = *Arthrocnemum ambiguum*.  
*indica*, Rafin. l. c. = *Arthrocnemum indicum*.  
*procumbens*, Rafin. l. c. = *Sal. herbacea*.  
*radicans*, Rafin. l. c. = *Sal. fruticosa*.  
*strobilacea*, Rafin. l. c. = *Halocnemum strobilaceum*.  
*virginica*, Rafin. l. c. = *Sal. fruticosa*.

**SARCAULIS**, Radlk. in Sitzb. Math.-Phys. Akad. Muench. xii. (1882) 310. **SAPOTACEAE**.  
*macrophyllus*, Radlk. l. c. 311.—Bras.

**SARCHOCHILUS**, Vidal, Phan. Cuming. Philipp. 150 (1885) = **Sarcochilus**, R. Br. (Orchid.).

**SARCINANTHUS**, Oerst. in Kjoeb. Vidensk. Meddel. 196 (1857) = **Carludovica**, Ruiz & Pav. (Cyclanth.).  
*utilis*, Oerst. l. c. 197 = *C. utilis*.

**SARCOBATUS**, Nees, in Neuwied, Reise Nord-Am. ii. 446 (1841). **CHENOPODIACEAE**, Benth. & Hook. f. iii. 76.  
*FREONTIA*, Torr. in Emory, Notes Mil. Reconnois. 95. 317. t. 3 (1845).  
*Maximiliani*, Nees, in Neuwied, Reise Nord-Am. ii. 447.—Am. bor.  
*vermiculatus*, Torr. in Emory, Notes Mil. Reconnois. 149 = *Maximiliani*.

**SARCOBODIUM**, Beer, Prakt. Orch. 306 (1854) = **Bulbophyllum**, Thou. (Orchid.).  
*Lobbii*, Beer, l. c. = *B. Lobbii*.

**SARCOCA**, Rafin. Fl. Tellur. iii. 55 (1836) = **Phytolacca**, Tourn.  
*abyssinica*, Rafin. l. c. = *P. abyssinica*.  
*dioica*, Rafin. l. c. = *P. dioica*.  
*icosandra*, Rafin. l. c. = *P. icosandra*.

**SARCOCALYX**, Walp. in Linnaea, xiii. (1839) 479 = **Aspalathus**, Linn. (Legumin.).  
*capensis*, Walp. l. c. 480 = *A. sarcoides*.

**SARCOCALYX**, Zipp. in Alg. Konst. en Letter-Bode, i. (1829) 298 = **Exocarpus**, Labill. (Santal.).  
*miniatus*, Zipp. l. c. = *E. latifolius*.

**SARCOCAMPSA**, Miers, in Trans. Linn. Soc. xxviii. (1872) 408 = **Salacia**, Linn. (Celastrin.).  
*campestris*, Miers, l. c. = *Sal. campestris*.  
*silvestris*, Miers, l. c. 409 = *Sal. sylvestris*.

**SARCOCAPNOS**, DC. Syst. ii. 129 (1821). **PAPAVERACEAE**, Benth. & Hook. f. i. 56.  
*APLECTROCAPNOS*, Boiss. & Reut. Diagn. Ser. I. v. 79 (1844).  
*baetica*, Nym. Conspect. 26.—Hispan.  
*crassifolia*, DC. Syst. ii. 130.—Mauritania.  
*enneaphylla*, DC. l. c. 129.—Lusitan.  
*speciosa*, Boiss. Diagn. Ser. II. i. 14 = *crassifolia*.

**SARCOCARPON**, Blume, Bijdr. 21 (1825) = **Kadsura**, Kaempf. (Magnol.).  
*scandens*, Blume, l. c. = *K. scandens*.

**SARCOCAULON**, Sweet, Hort. Brit. ed. I. 73 (1826). **GERANIACEAE**, Benth. & Hook. f. i. 272.  
*Burmanni*, Sweet, l. c.—Afr. austr.  
*L'Heritieri*, Sweet, l. c.—Afr. austr.  
*Patersonii*, Eckl. & Zeyh. Enum. 57.—Afr. austr.

**SARCOCEPHALUS**, Afzel. ex R. Br. in Tuckey, Congo, App. v. 467 (1818); et ex Sabine, in Trans. Hort. Soc. v. (1824) 442. t. 18. **RUBIACEAE**, Benth. & Hook. f. ii. 29.  
*CEPHALINA*, Thonn. in Schum. & Thonn. Beskr. Guin. Pl. 105 (1828).  
*PLATANOCARPUM*, Korth. Obs. Nacl. Ind. 18 (1839).  
*Bartlingii*, Miq. Fl. Ind. Bat. ii. 133.—Ins. Philipp.  
*burnensis*, Miq. Ann. Mus. Bot. Lugd. Bat. iv. 179.—Malaya.  
*Cadamba*, Kurz, For. Fl. Brit. Burma, ii. 63; et in Journ. As. Soc. Beng. xlvii. (1877) ii. 125 = *Anthocephalus morindaefolius*.

**SARCOCEPHALUS**—

*cordatus*, Miq. Fl. Ind. Bat. ii. 133.—As. et Austral. trop.  
*dasyphyllus*, Miq. l. c. Suppl. 538.—Sumatra.  
*esculentus*, Afzel. ex Sabine, in Trans. Hort. Soc. v. (1824) 442. t. 18.—Afr. trop.  
*glaberrimus*, Miq. Fl. Ind. Bat. ii. 134.—Ins. Philipp.  
*Horsfieldii*, Miq. l. c. = *cordatus*.  
*Junghuhnii*, Miq. l. c.—Malaya.  
*mitragynus*, Miq. Ann. Mus. Bot. Lugd. Bat. iv. 180.—Ins. Amboin.  
*Russegeri*, Kotschy, ex Schweinf. Reliq. Kotsch. 49. t. 33.—Afr. trop.  
*subditus*, Miq. Fl. Ind. Bat. ii. 134.—Malaya.  
*undulatus*, Miq. l. c. 133.—Ins. Celebes.

**SARCOCHILUS**, R. Br. Prod. 332 (1810). **ORCHIDEAE**, Benth. & Hook. f. iii. 575.

*ADENONCOS*, Blume, Bijdr. 381 (1825).  
*CAMAROTIS*, Lindl. in Wall. Cat. n. 7329; ex ej. Gen. et Sp. Orch. 219 (1833).  
*CHILOSCHISTA*, Lindl. Bot. Reg. (1832) sub t. 1522.  
*CYLINDROCHILUS*, Thw. Enum. Pl. Zeyl. 307 (1861).  
*DENDROCOLLA*, Blume, Bijdr. 286. t. 67 (1825).  
*GROSOURDYA*, Reichb. f. in Bot. Zeit. xxii. (1864) 297.  
*GUNNIA*, Lindl. Bot. Reg. (1834) sub t. 1699.  
*MICROPERA*, Lindl. Bot. Reg. sub t. 1522 (1832).  
*ORNITHARIUM*, Lindl. & Paxt. Flow. Gard. i. (1850-51) 188. f. 117.  
*CRSIDICE*, Reichb. f. in Bonplandia, ii. (1854) 93.  
*PTEROCERAS*, Hassk. in Flora, xxv. (1842) ii. Beibl. 6.  
*STEREOCHILUS*, Lindl. in Journ. Linn. Soc. iii. (1859) 38.  
*THRIXSPERMUM*, Lour. Fl. Cochinch. 519 (1790), nomen prius.

*acuminatissimus*, Reichb. f. in Walp. Ann. vi. 498.—Java.  
*adversus*, Hook. f. Fl. N. Zel. i. 241.—N. Zel.  
*amplexicaulis*, Reichb. f. in Walp. Ann. vi. 499.—Java.  
*anceps*, Reichb. f. l. c. 500.—Java.  
*angustifolius*, Reichb. f. l. c.—Java.  
*Arachnites*, Reichb. f. l. c. 498.—Reg. Himal.; Malaya.  
*Armitii*, F. Muell. Fragm. ix. 49.—Austral.  
*aurifer*, Reichb. f. in Walp. Ann. vi. 498.—China.  
*australis*, Reichb. f. l. c. 501 = *parviflorus*.  
*Baileyi*, F. Muell. ex Benth. Fl. Austral. vi. 291 = *Taeniophyllum Muellieri*.  
*Barklyanus*, F. Muell. Fragm. i. 89 = *parviflorus*.  
*Beckleri*, F. Muell. Census, 111 = *Cleisostoma Beckleri*.  
*Berkeleyi*, Reichb. f. in Gard. Chron. (1882) i. 557, in syn.—Ins. Nicobar.  
*brevilabris*, F. Muell. Census, 111 = *Cleisostoma brevilabre*.  
*breviscapa*, Colenso, in Trans. N. Z. Inst. xiv. (1882) 332.—N. Zel.  
*calcaratus*, F. Muell. Fragm. ii. 181 = *Cleisostoma tridentatum*.  
*Calceolus*, Lindl. Bot. Reg. (1846) t. 19.—Ins. Philipp.  
*Ceciliae*, F. Muell. Fragm. v. 42. t. 42.—Austral.  
*compressus*, Reichb. f. in Walp. Ann. vi. 498.—Java.  
*croceus*, Lindl. Bot. Reg. (1846) sub t. 19.—Ins. Philipp.  
*dilatatus*, F. Muell. Fragm. i. 191 = *olivaceus*.  
*divitiflorus*, F. Muell. ex Benth. Fl. Austral. vi. 292.—Austral.  
*emarginatus*, Reichb. f. in Walp. Ann. vi. 500.—Java.  
*erectus*, F. Muell. Census, 111 = *Cleisostoma erectum*.  
*falcatus*, R. Br. Prod. 332.—Austral.  
*Fitzgeraldi*, F. Muell. Fragm. vii. 115.—Austral.  
*fusco-luteus*, Lindl. Bot. Reg. (1847) sub t. 18.—Borneo.  
*gracilentus*, Reichb. f. in Walp. Ann. vi. 499.—Malaya.  
*Gunnii*, F. Muell. Fragm. i. 90 = *parviflorus*.  
*Hartmanni*, F. Muell. l. c. viii. 248.—Austral.  
*Hillii*, F. Muell. l. c. ii. 94.—Austral.  
*Hystrix*, Reichb. f. in Walp. Ann. vi. 500.—Burma.  
*japonicus*, Miq. Ann. Mus. Bot. Lugd. Bat. ii. 206.—Japan.  
*Keffordii*, F. Muell. Census, Suppl. ii. 3 = *Cleisostoma Keffordii*.  
*lilacinus*, Griff. Notul. iii. 334.—Malaya.  
*Macphersonii*, F. Muell. Fragm. viii. 248.—Austral.

**SARCOCHILUS**—

*maculatus*, Pfitzer, Vergl. Morph. Orch. 15; Benth. & Hook. f. Gen. iii. 575 (*Saccolabium* sp.).—Ind. or.  
*minimus*, Reichb. f. in Walp. Ann. vi. 500.—Java.  
*nepalensis*, Spreng. Syst. iii. 721 = *Saccolabium calceolare*.  
*obtusius*, Reichb. f. in Walp. Ann. vi. 500.—Java.  
*olivaceus*, Lindl. Bot. Reg. (1839) Misc. 32.—Austral.  
*pallidus*, Reichb. f. in Walp. Ann. vi. 500.—Malaya.  
*parviflorus*, Lindl. Bot. Reg. (1838) Misc. 34.—Austral.  
*philippinensis*, Vidal, Phan. Cuming. Philipp. 82, 150.—Ins. Philipp.  
*phyllorrhizus*, F. Muell. Fragm. v. 201.—Austral.  
*pictus*, Reichb. f. in Walp. Ann. vi. 501 = *olivaceus*.  
*praemorsus*, Spreng. Syst. iii. 721 = *Saccolabium papillosum*.  
*pulchellus*, Trimen, Syst. Cat. Pl. Ceyl. 89.—Zeylan.  
*purpurascens*, Reichb. f. in Walp. Ann. vi. 498.—Java.  
*purpureus*, Benth. & Hook. f. (in Herb. Kew.).—Ind. or.  
*pusillus*, Reichb. f. in Walp. Ann. vi. 500.—Java.  
*rhopalorrhachis*, Reichb. f. l. c.—Java.  
*rubricentrum*, Fitzg. in Gard. Chron. (1880) ii. 38.—Austral.  
*serraeformis*, Reichb. f. in Walp. Ann. vi. 498 = *S. Arachnites*.  
*Sillemanianus*, Reichb. f. in Gard. Chron. (1882) i. 524, in syn.—Burma?  
*spurius*, Reichb. f. in Ann. Walp. vi. 500.—Java.  
*subulatus*, Reichb. f. in Walp. Ann. vi. 500.—Java.  
*teres*, Reichb. f. l. c. 499.—Java.  
*tridentatus*, Reichb. f. l. c. 500 = *Cleisostoma tridentatum*.  
*unguiculatus*, Lindl. in Bot. Reg. (1840) Misc. 67.—Ins. Philipp.  
*usneoides*, Reichb. f. in Walp. Ann. vi. 497.—Reg. Himal.  
*Zollingeri*, Reichb. f. l. c. 500.—Java.

**SARCOCHLAENA**, Spreng. Syst. ii. 594 (1825) = **Sarcolaena**, Thou. (Chlaenac.).

**SARCOCHLAMYS**, Gaudich. Bot. Voy. Bonite, t. 89 (1844-52). **URTICACEAE**, Benth. & Hook. f. iii. 389.  
*pulcherrima*, Gaudich. l. c.—Ind. or.; Malay.

**SARCOCLINIUM**, Wight, Ic. v. ii. 24. t. 1887-88 (1852) = **Agrostistachys**, Dalz. (Euphorb.).  
*Gaudichaudii*, Baill. Etud. Gén. Euph. 310, nomen = *A. Gaudichaudii*.  
*Hookeri*, Thw. Enum. Pl. Zeyl. 279 = *A. Hookeri*.  
*longifolium*, Wight, Ic. t. 1887-88 = *A. longifolia*.  
*sessilifolium*, Kurz, in Flora, lviii. (1875) 31.—Singapore.

**SARCOCOCCA**, Lindl. Bot. Reg. t. 1012 (1826). **EUPHORBIACEAE**, Benth. & Hook. f. iii. 266.  
*AUSTROBUXUS*, Miq. Fl. Ind. Bat. Suppl. 444 (1860).  
*LEPIDOPELMA*, Klotzsch, in Bot. Ergeb. Waldem. Reise, 118. t. 22 (1862).  
*coriacea*, Sweet, Hort. Brit. ed. I. 491 = *pruniformis*.  
*Hookeriana*, Baill. Monog. Bux. 53 = *pruniformis*.  
*laurifolius*, Kunth, Enum. Pl. v. 190 = *pruniformis*.  
*nepalensis*, Royle, Illustr. Bot. Himal. 327 = *pruniformis*.  
*pruniformis*, Lindl. Bot. Reg. t. 1012.—Ind. or.; Malaya.  
*salicifolia*, Baill. Monog. Bux. 49 = *pruniformis*.  
*saligna*, Muell. Arg. in DC. Prod. xvi. i. 11 = *pruniformis*.  
*sumatrana*, Blume, Mus. Bot. Lugd. Bat. ii. 191 = *pruniformis*.  
*trinervia*, Wight, Ic. t. 1877 = *pruniformis*.  
*zeylanica*, Baill. Monog. Bux. 52 = *pruniformis*.  
*Zollingeri*, Baill. l. c. 54 = *pruniformis*.

**SARCOCODON**, N. E. Br. in Journ. Linn. Soc. xvii. (1878) 169. **ASCLEPIADEAE**.  
*speciosus*, N. E. Br. l. c. 170.—Afr. trop.

**SARCOCOLLA**, Linn. Syst. ed. I. (1735). **PENAEACEAE**, Benth. & Hook. f. iii. 202.  
*BRACHYSIPHON*, A. Juss. in Ann. Sc. Nat. Sér. III. vi. (1846) 24. t. 2.  
*acuta*, Kunth, in Linnaea, v. (1830) 678.—Afr. austr.  
*formosa*, Kunth, l. c.; et A. Juss. in Ann. Sc. Nat. Sér. III. vi. (1846) 25.—Afr. austr.



**SARCOCOLLA** :—

fucata, *Endl. Gen. Suppl.* iv. 11. 74; *A. DC. in DC. Prod.* xiv. 489.—Afr. austr.  
*fucata*, Zeyh. ex *A. DC.* l. c. = squamosa.  
*imbricata*, Benth. & Hook. f. *Gen.* iii. 202.—Afr. austr.  
*Lessertiana*, A. Juss. in *Ann. Sc. Nat. Sér. III.* vi. (1846) 26 (= *Glischrocolla Lessertiana*).—Afr. austr.?  
*Linnaei*, A. Juss. l. c. 25.—Afr. austr.  
*longiflora*, Kunth, in *Linnaea*, v. (1830) 678; *A. DC. in DC. Prod.* xiv. 489.—Afr. austr.  
*minor*, A. DC. l. c.—Afr. austr.  
*retzioides*, Eckl. & Zeyh. ex *Sond.* in *Linnaea*, xxiii. (1850) 104 = *Endonema retzioides*.  
*rupestris*, Eckl. & Zeyh. ex *Sond.* l. c. 102.—Afr. austr.  
*speciosa*, Eckl. & Zeyh. ex *Sond.* l. c. 103.—Afr. austr.  
*squamosa*, Kunth, in *Linnaea*, v. (1830) 678.—Afr. austr.

**SARCOCORDYLIS**, Wall. Cat. n. 7249 (1832?) = **Balanophora**, Forst.

**SARCOCYPHULA**, Harv. Thes. Cap. ii. 58. t. 191 (1863) = **Cynanchum**, Linn. (Asclep.).  
*Gerrardi*, Harv. l. c.—Afr. austr.

**SARCODACTILIS**, Gaertn. f. *Fruct.* iii. 39. t. 185 (1805) = **Citrus**, Linn. (Rutac.).  
*helicteroides*, Gaertn. f. l. c. = *C. decumana*.

**SARCODACTYLIS**, Steud. *Nom. ed.* II. ii. 513 (1841) = *praeac*.

**SARCODES**, Torr. in *Smithson. Contrib.* vi. (1854) (Pl. Frémont.) 17. t. 10. **MONOTROPEAE**, Benth. & Hook. f. ii. 606.  
*PTEROSPOROPSIS*, Kellogg, fide A. Gray, ex Benth. & Hook. f. *Gen.* ii. 606 (1876).  
*sanguinea*, Torr. in *Smithson. Contrib.* vi. (1854) (Pl. Frémont.) 18.—Calif.

**SARCODISCUS**, Griff. *Notul.* iv. 380 (1854) = **Kibara**, Endl. (Monim.).  
*chloranthiformis*, Griff. l. c. = *K. Blumei*.

**SARCIDIUM**, Pers. *Syn.* ii. 352 (1807) = seq.

**SARCODUM**, Lour. *Fl. Cochinch.* 462 (1790).  
**LEGUMINOSAE**, Benth. & Hook. f. i. 498.  
*scandens*, Lour. l. c.—Cochinch.

**SARCOGLOSSUM**, Beer, *Prakt. Orch.* 306 (1854) = **Cirrhaea**, Lindl. (Orchid.).  
*suaveolens*, Beer, l. c. = *C. tristis*.

**SARCOGLOTTIS**, Presl, *Rel. Haenk.* i. 95. t. 15 (1827) = **Spiranthes**, Rich. (Orchid.).  
*cerina*, W. Baxt. in *Loud. Hort. Brit. Suppl.* iii. 634 = *Spiranthes cerina*.  
*diaphana*, W. Baxt. l. c. = *Spiranthes diaphana*.  
*diuretica*, W. Baxt. l. c. = *Spiranthes diuretica*.  
*grandiflora*, Klotzsch, in *Otto & Dietr. Allg. Gartenz.* x. (1842) 107 = *Spiranthes picta*.  
*lobata*, W. Baxt. in *Loud. Hort. Brit. Suppl.* iii. 634 = *Spiranthes lobata*.  
*picta*, Klotzsch, in *Otto & Dietr. Allg. Gartenz.* x. (1842) 106 = *Spiranthes picta*.  
*rosulata*, W. Baxt. in *Loud. Hort. Brit. Suppl.* iii. 634 = *Spiranthes rosulata*.  
*rufescens*, Klotzsch, in *Otto & Dietr. Allg. Gartenz.* x. (1842) 107 = *Spiranthes rufescens*.  
*speciosa*, Presl, *Rel. Haenk.* i. 96. t. 15 = *Spiranthes speciosa*, Lindl.

**SARCOGONUM**, G. Don, in *Sweet, Hort. Brit. ed. III.* 577 (1839) = **Muehlenbeckia**, Meissn. (Polygon.).  
*adpressum*, G. Don, l. c. = *M. adpressa*.  
*complexum*, Kunze, in *Linnaea*, xvii. (1843) 570 = *M. complexa*.  
*depressum*, G. Don, ex *Loud. Encyc. Pl. Suppl.* ii. 1354 = *M. australis*.

**SARCOLAENA**, Thou. *Hist. Vég. Afr. Austr.* 37. tt. 9, 10 (1806). **CHLAENACEAE**, Benth. & Hook. f. i. 195.  
*SARCOCHLAENA*, Spreng. *Syst.* ii. 594 (1825).  
**TANTALUS**, Noronha, ex Thou. *Hist. Vég. Afr. Austr.* 39 (1806).

**SARCOLAENA** :—

Bojeriana, *Baill. Adansonia*, x. (1872) 177.—Madag.  
*eriphora*, Thou. *Hist. Vég. Afr. Austr.* 40.—Madag.  
*grandiflora*, Thou. l. c. t. 9.—Madag.  
*multiflora*, Thou. l. c. t. 10.—Madag.

**SARCOLEMMMA**, Griseb. ex Lorentz, *Veget. Nord. Entre Rios*, 80 (1878) = **Sarcostemma**, R. Br. (Asclep.).

**SARCOLIPES**, Eckl. & Zeyh. *Enum.* 290 (1837) = **Crassula**, Dill.  
*pubescens*, Eckl. & Zeyh. l. c. = *C. Sarcolipes*.

**SARCOLOBUS**, R. Br. in *Mem. Wern. Soc. i.* (1809) 34. **ASCLEPIADEAE**, Benth. & Hook. f. ii. 769.  
*Banksii*, *Schult. Syst.* vi. 58.—Java.  
*carinatus*, Griff. *Notul.* iv. 53 = *globosus*.  
*carinatus*, Wall. in *As. Res.* xii. (1816) 570. t. 4.—Ind. or.; Burma.  
*globosus*, Wall. l. c. 568. t. 5.—Ind. or.; Malaya.  
*narcoticus*, *Miq. Fl. Ind. Bat.* ii. 502.—Java.  
*Spanoghei*, *Miq. l. c.*—Java.  
*virulentus*, Griff. *Notul.* iv. 54 = *carinatus*?

**SARCOMERIS**, Naud. in *Ann. Sc. Nat. Sér. III.* xv. (1851) 340 = **Pachyanthus**, A. Rich. (Melastom.).  
*coriacea*, Naud. l. c. = *P. cubensis*.

**SARCOMORPHIS**, Boj. ex Moq. in *DC. Prod.* xiii. ii. 179 (1849) = **Salsola**, Linn. (Chenop.).  
*littoralis*, Boj. ex Moq. l. c. 180 = *Salsola littoralis*.

**SARCOMPHALIUM**, Dulac, *Fl. Hautes-Pyr.* 113 (1867) = **Hyacinthus**, Tourn. (Liliac.).  
*amethystinum*, Dulac, l. c. = *H. amethystinus*.

**SARCOMPHALUS**, P. Br. *Hist. Jamaic.* 179 (1756).  
**RHAMNEAE**, Benth. & Hook. f. i. 376.  
*acutifolius*, *Griseb. Cat. Pl. Cub.* 32.—Cuba.  
*carolinianus*, Rafin. *Sylva Tellur.* 29 = *Rhamnus caroliniana*.  
*divaricatus*, *Griseb. Cat. Pl. Cub.* 31.—Cuba.  
*graeus*, Rafin. *Sylva Tellur.* 29 = *Rhamnus Sibthorpiana*.  
*havanensis*, *Griseb. Cat. Pl. Cub.* 31.—Ind. occ.  
*laurinus*, *Griseb. Fl. Brit. W. Ind.* 100 = *retusus*.  
*levigatus*, Rafin. *Sylva Tellur.* 29 = *Ceanothus laevigatus*.  
*mauritanus*, Rafin. l. c. = *Zizyphus Jujuba*.  
*prunifolius*, Rafin. l. c. = *Rhamnus prunifolia*.  
*retusus*, Rafin. l. c.—Ind. occ.  
*Shortianus*, Rafin. l. c. = *Rhamnus lanceolata*.

**SARCONERIS**, Rafin. *Fl. Tellur.* ii. 16 (1836) = **Campelia**, Rich. (Commel.).  
*bibracteata*, Rafin. l. c. = *C. Zanonina*.

**SARCOPETALUM**, F. Muell. *Pl. Vict.* i. 26, *Suppl.* t. 3 (1860). **MENISPERMACEAE**, Benth. & Hook. f. i. 37.  
*Harveyanum*, F. Muell. l. c. 27; *Suppl.* t. 3.—Austral.

**SARCOPHYLLUM**, E. Mey. *Comm. Pl. Afr. Austr.* 32 (1835) = **Lebeckia**, Thunb. (Legumin.).  
*carnosum*, E. Mey. l. c. = *L. contaminata*.  
*carnosum*, Sims, *Bot. Mag.* t. 2502 = *L. Simsiana*.  
*carnosum*, Willd. ex Walp. in *Linnaea*, xiii. (1839) 472 = *Coelidium ciliare*.  
*gnidioides*, Willd. ex Walp. l. c. = *Coelidium Vogelii*.  
*grandiflorum*, E. Mey. *Comm. Pl. Afr. Austr.* 32 = *L. grandiflora*?

**SARCOPHYLLUM**, Willd. *Sp. Pl.* iii. 968 (1800) = seq.

**SARCOPHYLLUS**, Thunb. in *Schrad. Journ.* i. (1799) 323 = **Aspalathus**, Linn. (Legumin.).  
*carnosus*, Thunb. l. c. 324 = *A. sarcodes*.

**SARCOPHYSA**, Miers, in *Ann. & Mag. Nat. Hist. Ser. II.* iv. (1849) 190 = **Juanulloa**, Ruiz & Pav. (Solan.).  
*speciosa*, Miers, l. c. 191 = *J. speciosa*.

**SARCOPHYTE**, Sparrm. in *Vet. Akad. Handl. Stockh.* xxvii. (1776) 300. t. 7. **BALANOPHOREAE**, Benth. & Hook. f. iii. 234.  
**ICHTHYOSMA**, Schlecht. in *Linnaea*, ii. (1827) 671. t. 8.  
*sanguinea*, *Sparrm. in Vet. Akad. Handl. Stockh.* xxvii. (1776) 300. t. 7.—Afr. austr.

**SARCOPODIUM**, Lindl. in *Lindl. & Paxt. Flow. Gard.* i. (1850) 155 = **Bulbophyllum**, Thou. (Orchid.).  
*affine*, Lindl. & Paxt. l. c., in obs. = *B. affine*.  
*amplum*, Lindl. & Paxt. l. c. = *Dendrobium amplum*.  
*Cheiri*, Lindl. & Paxt. l. c. = *B. Cheiri*.  
*Dearei*, Hort.—Cf. *Gard. Chron.* (1883) II. 108. f. 17.—Hab.?  
*fuscescens*, Lindl. *Fol. Orchid. Sarc.* 2 = *Dendrobium fuscescens*.  
*grandiflorum*, Lindl. l. c. 3 = *B. grandiflorum*.  
*Griffithii*, Lindl. l. c. 6 = *B. Griffithii*.  
*leopardinum*, Lindl. & Paxt. *Flow. Gard.* i. (1850–51) 155, in obs. = *B. leopardinum*.  
*Lobbii*, Lindl. & Paxt. l. c. = *B. Lobbii*.  
*macranthum*, Lindl. & Paxt. l. c., in obs. = *B. macranthum*.  
*megalanthum*, Lindl. *Fol. Orchid. Sarc.* 4 = *B. megalanthum*.  
*pileatum*, Lindl. l. c. = *B. pileatum*.  
*psittacoglossum*, Reichb. f. ex Hook. *Bot. Mag.* t. 5408 = *B. psittacoglossum*.  
*purpureum*, Reichb. f. in *Bonplandia*, iv. (1856) 330.—Java.  
*Reinwardtii*, Lindl. *Fol. Orchid. Sarc.* 4 = *B. Reinwardtii*.  
*rotundatum*, Lindl. l. c. 2 (*Dendrobii* sp.).—Reg. Himal.  
*striatum*, Lindl. l. c. 5 = *B. striatum*.  
*triadenium*, Lindl. l. c. 2 = *B. triadenium*.  
*uniflorum*, Lindl. l. c. 6 = *B. uniflorum*.

**SARCOPOTERIUM**, Spach, in *Ann. Sc. Nat. Sér. III.* v. (1846) 43 = **Poterium**, Linn. (Rosac.).  
*spinosum*, Spach, l. c. = *P. spinosum*.

**SARCOPTERYX**, Radlk. in *Sitzb. Math.-Phys. Akad. Muench.* ix. (1879) 500, 658. **SAPINDACEAE**.  
*coriacea*, Radlk. l. c. 659.—Ins. Waigiou.  
*Martyana*, Radlk. l. c.—Austral.  
*melanophloea*, Radlk. l. c.—N. Guin.  
*squamosa*, Radlk. l. c. 659 = *Cupania glabrata*.  
*stipitata*, Radlk. l. c. = *Ratonia stipitata*.

**SARCOPYRAMIS**, Wall. *Tent. Fl. Nap.* 32. t. 23 (1824). **MELASTOMACEAE**, Benth. & Hook. f. i. 754.  
*grandiflora*, Griff. *Notul.* iv. 678 = *napalensis*.  
*javanensis*, Triana, in *Trans. Linn. Soc. xxviii.* (1871) 77, sphalm. = seq.  
*javanica*, Zoll. & Mor. *Syst. Verz. Zoll.* 12 = *napalensis*.  
*lanceolata*, Wall. Cat. n. 6290 = *napalensis*.  
*napalensis*, Wall. *Tent. Fl. Nep.* 32. t. 23.—Reg. Himal.; Malay.

**SARCONHYNA**, Presl, *Bot. Bemer.* 103 (1844) = **Rostellaria**, Gaertn. f. (Acanth.).  
*Lessertiana*, Presl, l. c. = *R. Lessertiana*.

**SARCOSIPHON**, Blume, *Mus. Bot. Lugd. Bat.* i. 65. f. 18 (1849) = **Bagnisia**, Becc. (Burm.).  
*clandestinum*, Blume, l. c.—Java.

**SARCOSPERMA**, Hook. f. in *Benth. & Hook. f. Gen.* ii. 655 (1876). **SAPOTACEAE**, Benth. & Hook. f. l. c.  
**PERONIA**, R. Br. in *Wall. Cat. n.* 7543 (1832).  
*arborescens*, Hook. f. in *Benth. & Hook. f. Gen.* ii. 655.—Reg. Himal.  
*Griffithii*, Hook. f. l. c.—Reg. Himal.  
*laurinum*, Hook. f. l. c. 649, in obs., 655.—China.

**SARCOSTEMMA**, R. Br. in *Mem. Wern. Soc. i.* (1809) 50. **ASCLEPIADEAE**, Benth. & Hook. f. ii. 763.

**MONOSTEMMA**, Turcz. in *Bull. Soc. Nat. Mosc.* (1848) i. 255.

**SARCOLEMMMA**, Griseb. ex Lorentz, *Veget. Nord. Entre Rios*, 80 (1878).  
*acidum*, Voigt, *Hort. Suburb. Calc.* 542 = *brevistigma*.

**SARCOSTEMMA** :—

- annulare*, Roth, Nov. Pl. Sp. 178 = *Holostemma Rheedianum*.  
*aphyllum*, Hochst. ex Decne. in DC. Prod. viii. 538 = *viminale*.  
*aphyllum*, Schult. Syst. vi. 116.—Afr. austr.  
*apiculatum*, Decne. in DC. Prod. viii. 539.—Bras.  
*arenarium*, Benth. Bot. Voy. Sulph. 34.—Calif.  
*australe*, R. Br. Prod. 463.—Austral.  
*barbatum*, Mart. ex Fourn. in Mart. Fl. Bras. vi. iv. 235.—Bras.  
*bicolor*, Decne. in DC. Prod. viii. 541 = *Philibertia elegans*.  
*bifidum*, Fourn. in Mart. Fl. Bras. vi. iv. 235.—Bras.  
*bilobum*, Hook. & Arn. Bot. Beech. Voy. 438 = *Philibertia cynanchoides*.  
*bonariense*, Hook. & Arn. in Hook. Journ. Bot. i. (1834) 296.—Reg. Argent.  
*brachystigma*, Hook. Ic. Pl. t. 861, sphalm. = seq.  
*brevistigma*, Wight & Arn. in Wight, Contrib. 59.—Ind. or.; Burma.  
*brevistylum*, Royle, Illustr. Bot. Himal. 274, sphalm. = praec.  
*Brownii*, G. F. W. Mey. Prim. Fl. Esseq. 139 = *Philibertia viminalis*.  
*Brunonianum*, Wight & Arn. in Wight, Contrib. 59.—Ind. or.  
*campanulatum*, Lindl. Bot. Reg. (1846) t. 36.—Peruv.?  
*clausum*, Schult. Syst. vi. 114 = *Philibertia viminalis*.  
*crassifolium*, Chapm. Fl. S. U. St. 368 = *Philibertia viminalis*.  
*crassifolium*, Decne. in DC. Prod. viii. 540 = *Philibertia crassifolia*.  
*crispum*, Benth. Pl. Hartw. 291 = *Philibertia crispa*.  
*cumanense*, H. B. & K. Nov. Gen. et Sp. iii. 195 = *Philibertia cumanensis*.  
*cuspidatum*, Fourn. in Mart. Fl. Bras. vi. iv. 233.—Bras.  
*cynanchoides*, Decne. in DC. Prod. viii. 540 = *Philibertia cynanchoides*.  
*Daltoni*, Decne. in Hook. Niger Fl. 149. t. 14.—Ins. Cap. Virid.  
*Dombeyanum*, Decne. in DC. Prod. viii. 539.—Peruv.  
*Donianum*, Decne. l. c. 542 = *Philibertia gracilis*.  
*elegans*, Decne. l. c. 541 = *Philibertia elegans*.  
*flavum*, Decne. l. c. 540 = *Philibertia flava*?  
*Forskålianum*, Schult. Syst. vi. 117.—Arabia.  
*Gardneri*, Fourn. in Mart. Fl. Bras. vi. iv. 233.—Bras.  
*Gilliesii*, Decne. in DC. Prod. viii. 542 = *Philibertia solanoides*.  
*glaucum*, H. B. & K. Nov. Gen. et Sp. iii. 194. t. 229.—Am. austr.; Venezuela.  
*gracile*, Decne. in DC. Prod. viii. 539 = *Philibertia gracilis*.  
*grandiflorum*, Decne. l. c. 541 = *Philibertia gracilis*.  
*hastatum*, Decne. l. c.—Peruv.  
*heterophyllum*, Engelm. ex Torr. in Pacif. Rail. Rep. v. 362 = *Philibertia linearis*.  
*incanum*, Decne. in DC. Prod. viii. 542 = *Philibertia solanoides*.  
*intermedium*, Decne. l. c. 538.—Ind. or.  
*Jacquinii*, Decne. l. c. 542.—N. Granat.  
*Lindenianum*, Decne. l. c. 541 = *Philibertia Lindeniana*.  
*lineare*, Decne. in Benth. Pl. Hartw. 25 = *Philibertia linearis*.  
*lineare*, Spreng. Neue Entdeck. iii. 35.—Venezuela.  
*luridum*, Kunze, in Linnaea, xx. (1847) 26 = *Philibertia lurida*.  
*marcupiflorum*, Decne. in DC. Prod. viii. 541.—Peruv.  
*mauritanum*, Boj. Hort. Maurit. 214 = *Decanema Bojerianum*.  
*nudum*, C. Sm. ex Decne. in Hook. Niger Fl. 149 = *Daltoni*.  
*Odontolepis*, Balf. f. in Journ. Linn. Soc. xvi. (1877) 17.—Ins. Rodrig.  
*ovatum*, E. Mey. Comm. Pl. Afr. Austr. 221 = *Vince-toxicum Meyeri*.  
*pallidum*, Fourn. in Mart. Fl. Bras. vi. iv. 235.—Bras.  
*pannosum*, Decne. in DC. Prod. viii. 540 = *Philibertia pannosa*.  
*pedunculatum*, Fourn. in Mart. Fl. Bras. vi. iv. 235.—Bras.  
*pubescens*, H. B. & K. Nov. Gen. et Sp. iii. 194.—Am. austr.

**SARCOSTEMMA** :—

- pyrotechnicum*, Schult. Syst. vi. 116 = *Leptadenia Spartium*.  
*quadriflorum*, Decne. in DC. Prod. viii. 542.—Peruv.  
*riparium*, Decne. l. c. 540.—Bras.  
*rotundifolium*, Decne. l. c. = *Philibertia rotundifolia*.  
*Schottii*, Fourn. in Mart. Fl. Bras. vi. iv. 234.—Bras.  
*solanoides*, Decne. in DC. Prod. viii. 541 = *Philibertia solanoides*.  
*stellare*, Griseb. in Lorentz, Veget. Nord. Entre Rios, 80, nomen.—Reg. Argent.  
*stipitaceum*, Schult. Syst. vi. 116.—Arabia.  
*Stockii*, Hook. f. Fl. Brit. Ind. iv. 27.—Sind.  
*Swartzianum*, Schult. Syst. vi. 115 = *Philibertia viminalis*.  
*tetrapterum*, Turcz. in Bull. Soc. Nat. Mosc. xxi. (1848) i. 255.—Afr. austr.  
*texanum*, Engelm. ex Torr. Bot. Mex. Bound. 160 = *Philibertia cynanchoides*.  
*Thunbergii*, G. Don, Gen. Syst. iv. 156 = *aphyllum*.  
*undulatum*, Torr. Bot. Mex. Bound. 161 = *Philibertia undulatum*.  
*variifolium*, Decne. in DC. Prod. viii. 541.—Peruv.  
*viminale*, R. Br. in Mem. Wern. Soc. i. (1809) 51.—Afr. trop.  
*viminale*, Wall. ex Decne. in DC. Prod. viii. 538 = *brevistigma*.  
*viminalis*, Wight & Arn. Contrib. 59 = *intermedium*.

- SARCOSTIGMA**, Wight & Arn. in Edinb. N. Phil. Journ. xiv. (1853) 299. *OLACINEAE*, Benth. & Hook. f. i. 354.  
*edule*, Kurz, in Journ. As. Soc. Beng. xli. (1872) ii. 298.—Ins. Andaman.  
*Horsfieldii*, R. Br. in Benn. Pl. Fav. Rar. 241. t. 47.—Java.  
*Kleinii*, Wight & Arn. in Edinb. N. Phil. Journ. xiv. (1833) 299.—Ind. or.; Malaya.  
*Roxburghii*, Wall. ex Griff. in Proc. Linn. Soc. i. (1846) 282.—Ind. or.  
*Vogelii*, Miers, in Ann. & Mag. Nat. Hist. Ser. II. x. (1852) 117.—Afr. trop.  
*Wallichii*, Baill. Adansonia, x. (1872) 282.—Burma.

- SARCOSTOMA**, Blume, Bijdr. 339. t. 45 (1825) = *Den-drobium*, Sw. (Orchid.).  
*javanica*, Blume, Bijdr. 340. t. 45 = *D. Sarcostoma*.  
*juncea*, Steud. Nom. ed. II. ii. 514 (err. typ.) = praec.

- SARCOSTYLES**, Presl, ex DC. Prod. iv. 15 (1830) = *Hydrangea*, Gronov. (Saxifr.).  
*peruviana*, Presl, l. c. 16 = *H. peruviana*.

- SAROTHECA**, Blume, Mus. Bot. Lugd. Bat. i. 241 (1850). *LINEAE*, Benth. & Hook. f. i. 245.  
*macrophylla*, Blume, l. c. 242.—Malaya.

- SAROTHECA**, Turcz. in Bull. Soc. Nat. Mosc. xxxi. (1858) i. 474 = *Schinus*, Linn. (Anacard.).  
*bahiensis*, Turcz. l. c. = *Sch. terebinthifolius*.

- SARCOTOECHIA**, Radlk. in Sitzb. Math.-Phys. Akad. Muench. ix. (1879) 501, 659 = *Ratonia*, DC. (Sapind.).  
*cuneata*, Radlk. l. c. 659 = *R. tenax*.  
*protracta*, Radlk. l. c. 660 = *R. tenax*.

- SARCOZYGIUM**, Bunge, in Linnaea, xvii. (1843) 7. t. 1. *ZYGOPHYLLEAE*, Benth. & Hook. f. i. 266.  
*xanthoxylum*, Bunge, l. c. 8.—Mongolia.

- SARDINIA**, Vell. Fl. Flum. 144 (1825); iii. t. 163 (1827) = *Guettarda*, Vent. (Rubiace.).  
*bella*, Vell. l. c.—Bras.

- SARIAVA**, Reinw. in Syll. Ratisb. ii. (1828) 12 = *Symplocos*, Linn. (Styrac.).

- SARIBUS**, Blume, Rumphia, ii. 48. t. 95, 96 (1836) = *Livistona*, R. Br. (Palm.).  
*chinensis*, Blume, l. c. 49, in obs. = *L. chinensis*.  
*cochinchinensis*, Blume, l. c., in obs. = *L. cochinchinensis*.  
*olivaeformis*, Hassk. in Hoen. & De Vriese, Tijdschr. ix. (1842) 176 = *L. olivaeformis*.  
*rotundifolius*, Blume, Rumphia, ii. 49. t. 95, 96 = *L. rotundifolia*.  
*subglobosus*, Hassk. in Hoen. & De Vriese, Tijdschr. ix. (1842) 177 = *L. subglobosa*.

- SARISSUS**, Gaertn. Fruct. i. 118. t. 25 (1788) = *Hydrophylax*, Linn. f. (Rubiace.).  
*anceps*, Gaertn. l. c. = *H. maritima*.

- SARMENTARIA**, Naud. in Ann. Sc. Nat. Sér. III. xviii. (1852) 140 = *Adelobotrys*, DC. (Melastom.).  
*decora*, Naud. l. c. 141 = *A. adscendens*.

- SARMIENTA**, Ruiz & Pav. Prod. 4 (1794). *GESNERACEAE*, Benth. & Hook. f. ii. 1012.

- URCEOLARIA**, Molina, Sagg. Chile, ed. II. 136, 277 (1810).  
*repens*, Ruiz & Pav. Fl. Per. i. 8. t. 7.—Chili.  
*scandens*, Pers. Syn. i. 13 = *repens*.

- SARNA**, Karst. in Linnaea, xxviii. (1856) 414 = *Apodanthes*, Poit. (Cytinac.).  
*Cauletreti*, Karst. l. c. 415 = *A. Blanchetii*?  
*Ingae*, Karst. l. c. = *A. Calliandrae*?

- SAROSANTHERA**, Korth. Verh. Nat. Gesch. Bot. 103. t. 16 (1840?) = *Adinandra*, Jack (Ternstr.).  
*excelsa*, Korth. l. c. 104.—Borneo.  
*lasiopetala*, Thw. Enum. Pl. Zeyl. 41 = *A. lasiopetala*.

- SAROTES**, Lindl. Swan River App. 19 (1839) = *Guichenotia*, J. Gay (Stercul.).  
*latifolia*, Turcz. in Bull. Soc. Nat. Mosc. xxv. (1852) ii. 150 = *Lasiopetalum rosmarinifolium*.  
*ledifolia*, Lindl. Swan River App. 19 = *G. Sarotes*.  
*micrantha*, Steetz, in Lehm. Pl. Preiss. ii. 346 = *G. micrantha*.  
*pogonantha*, F. Muell. Fragm. ii. 7 = *G. micrantha*.  
*rosmarinifolia*, Turcz. in Bull. Soc. Nat. Mosc. xxv. (1852) ii. 149 = *Lasiopetalum rosmarinifolium*.  
*semihastata*, F. Muell. Fragm. ii. 4 = *G. semihastata*.

- SAROTHAMNOS**, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 134 = seq.

- SAROTHAMNUS**, Wimm. Fl. Schles. (1832) 278 = *Cytisus*, Linn. (Legumin.).  
*affinis*, Boiss. Voy. Bot. Espagne, ii. 134. t. 40 = *C. affinis*, Boiss.  
*arbores*, Boiss. l. c. 137 = *C. baeticus*.  
*arbores*, Webb, Iter Hisp. 52, in obs. = *C. arbores*.  
*baeticus*, Webb, l. c. = *C. baeticus*.  
*Balansae*, Boiss. Diagn. Ser. II. ii. 7 = *C. Balansae*.  
*Bourgaei*, Boiss. l. c. 6.—Hispan.  
*cantabricus*, Bourg. ex Nym. Consp. 150 = *C. eriocarpus*.  
*cantabricus*, Willk. in Flora, xxxiv. (1851) 616.—Hispan.  
*Carlieri*, Comp. ex Nym. Consp. 150 = *catalaunicus*.  
*catalaunicus*, Webb, in Ann. Sc. Nat. Sér. III. ix. (1848) 63.—Ins. Canar.  
*commutatus*, Willk. in Oestr. Bot. Zeitschr. xxxi. (1881) 105.—Hispan.  
*eriocarpus*, Boiss. & Reut. Diagn. Pl. Nov. Hisp. 10 = *C. eriocarpus*.  
*gaditanus*, Boiss. & Reut. l. c. = *C. baeticus*.  
*grandiflorus*, Webb, Otia Hisp. 45. t. 39 = *C. grandiflorus*.  
*malacitanus*, Boiss. Voy. Bot. Espagne, ii. 137 = *C. malacitanus*.  
*oxyphyllus*, Boiss. Diagn. Ser. II. ii. 7.—Hispan.  
*parviflorus*, Willk. & Cutand. in Linnaea, xxx. (1859–60) 95 = *C. albus*.  
*patens*, Plan. Fl. Gallega, 164 = *Welwitschii*.  
*patens*, Webb, Iter Hisp. 51 = *C. patens*.  
*purgans*, Gren. & Godr. Fl. Fr. i. 349 = *C. purgans*.  
*scoparius*, Koch, Syn. Fl. Germ. ed. 1. 152 = *C. scoparius*.  
*virgatus*, Webb, Iter Hisp. 52 = *C. grandiflorus*.  
*vulgaris*, Wimm. Fl. Schles. (1832) 278 = *C. scoparius*.  
*Welwitschii*, Boiss. & Reut. Pugill. Pl. Nov. (1852) 28.—Hispan.

- SAROTHECA**, Nees, in Mart. Fl. Bras. ix. 113. t. 18 (1847) = *Justicia*, Linn. (Acanth.).  
*elegans*, Nees, l. c. = *J. elegans*, Pohl (cf. Addend.).  
*rostrata*, Nees, in DC. Prod. xi. 383 = *J. rostrata*.  
*salviaeflora*, Nees, l. c. = *J. salviaeflora*.  
*scabra*, Nees, in Mart. Fl. Bras. ix. 114 = *Aphelandra pectinata*?

SAROTHRAS, Linn. Diss. Chen. 14 (1751); Amoen. Acad. iii. 11 (1787) = *Hypericum*, Tourn. *blentinensis*, Savi f. in Nuov. Giorn. Pisan. xxxix. (1839) 225 = *H. mutilum*. *canadensis*, Rafin. in Am. Monthly Mag. (1818) 267 = *H. canadense*. *cuneifolia*, Rafin. Atl. Journ. 17 = *H. Sarothra*? *Drummondii*, Grev. & Hook. in Hook. Bot. Misc. iii. (1833) 236. t. 107 = *H. Drummondii*. *fastigiata*, Rafin. Fl. Tellur. iii. 79 = *H. adpressum*. *gentianoides*, Linn. Sp. Pl. 272 = *H. Sarothra*. *gentianoides*, Lour. Fl. Cochinch. 182. —Cochinchina. *hypericoides*, Nutt. Gen. Am. i. 204 = *H. Sarothra*. *Louveiriana*, Schult. Syst. vi. 679 = *gentianoides*, Lour. *parviflora*, Rafin. in Am. Monthly Mag. (1819) 192 = *H. mutilum*. *pauciflora*, Rafin. Fl. Tellur. iii. 79 = *H. canadense*. *quinquenervia*, Rafin. in Am. Monthly Mag. (1818) 267 = *H. mutilum*. *trinervia*, Rafin. Fl. Tellur. iii. 79 = *H. triplinerve*?

SAROTHROSTACHYS, Klotzsch, in Wieg. Archiv, vii. (1841) 185 = *Sebastiania*, Spreng. (Euphorb.). *daphniphylla*, Buek, Index ad DC. Prod. iv. 366 = *Seb. daphniphylla*. *Laureola*, Buek, l. c. = *Seb. Laureola*. *Luschnathiana*, Klotzsch, in Wieg. Archiv, vii. (1841) 185 = *Seb. multiramea*. *multiramea*, Klotzsch, l. c. = *Seb. multiramea*.

SARRACENA, Tourn. ex Linn. Hort. Cliff. 497 (1737) = seq.

SARRACENIA, Linn. Sp. Pl. ed. I. 510 (1753). *SARRACENIACEAE*, Benth. & Hook. f. i. 48. *SARRAZINIA*, Hoffmgg. Verz. Pfl. Nachtr. i. 223 (1824). *adunca*, Sm. Exot. Bot. i. 103 = *variolaris*. *atropurpurea*, Hort. Bull. in Gard. Chron. (1880) i. 759 = *flava*. *atrosanguinea*, Hort. Bull. ex André, in Illustr. Hortic. xxvii. (1880) 87. t. 386 = *praec.* *calceolata*, Nutt. in Trans. Am. Phil. Soc. N. S. iv. (1834) 49. t. 1 = *psittacina*. *Catesbaei*, Ell. Sketch, ii. 11 = *flava*. *Chelsoni* ×, Hort. Veitch. in Gard. Chron. (1880) i. 722. f. 125. *Courtii* ×, Hort. —Cf. Gard. Chron. (1881) ii. 381. *crispata* ×, Hort. Bull. ex André, in Illustr. Hortic. xxvii. (1880) 87. t. 387. *Drummondii*, Croom, in Ann. Lyc. N. York, iv. (1848) 100. —Am. bor. *Drummondii*, Lindl. & Paxt. Flow. Gard. i. (1850–51) 1. t. 1 = *undulata*. *erythropus* ×, Hort. ? —Cf. Gard. Chron. (1882) i. 713. —Hab. ? *flava*, Linn. Sp. Pl. 510. —Am. bor. *formosa* ×, Hort. Veitch. —Cf. Gard. Chron. (1881) ii. 281. *Gronovii*, Wood, Class-Book (1861), 222; Am. Bot. & Flor. 30 = *flava*, rubra. *heterophylla*, Eaton, Man. Bot. ed. IV. 447 = *purpurea*. *heterophylla*, Ell. ex Steud. Nom. ed. II. ii. 514 = *flava*. *lacunosa*, Bartr. Trav. ed. II. (1794) p. xii. 415 = *variolaris*? *leucophylla*, Rafin. Fl. Ludov. 14 = *Drummondii*? *melanorrhoda* ×, Hort. Veitch, in Gard. Chron. (1882) ii. 281. —Hab. ? *minor*, Sweet, Brit. Flow. Gard. Ser. II. t. 138 = *Sweetii*. *minor*, Wall. Fl. Carol. 153 = *variolaris*. *Mooreana* ×, —Cf. Gard. Chron. (1877) i. 425. *Moorei* ×, Mast. in Gard. Chron. (1881) ii. 40. *nutans*, D. Dietr. Syn. Pl. iii. 260 = *Heliamphora nutans*. *Popei* ×, Hort. —Cf. Gard. Chron. (1881) i. 691. *psittacina*, Michx. Fl. Bor. Am. i. 311 (*psittacina*). —Am. bor. *pulchella*, Croom, in Am. Journ. Sc. Ser. I. xxv. (1834) 75 = *psittacina*. *purpurea*, Linn. Sp. Pl. 510. —Am. bor. *rubra*, Planch. in Fl. des Serres, Sér. I. x. (1854–55) 243. t. 1074 = *Sweetii*. *rubra*, Walt. Fl. Carol. 152. —Am. bor. *Rugelii*, Shutt. ex A. DC. in DC. Prod. xvii. 6 = *flava*. *Stevensi* ×, Hort. ex Mast. in Gard. Chron. (1881) ii. 40. f. 7.

# SARRACENIA:—

*Sweetii*, A. DC. in DC. Prod. xvii. 5. —Am. bor. *undulata*, Decne. in Rev. Hort. Sér. IV. i. (1852) 126. —Am. bor. *variolaris*, Michx. Fl. Bor. Am. i. 310. —Am. bor. *Williamsii* ×, Hort. —Cf. Gard. Chron. (1874) ii. 49; (1881) i. 629.

SARRACHA, Reichb. in Moessl. Handb. ed. II. 1. p. xxxix (1827) = *Saracha*, Ruiz & Pav. (Solan.).

SARRATIA, Moq. in DC. Prod. xiii. ii. 233, 268 (1849) = *Amaranthus*, Linn. *Berlandieri*, Moq. l. c. 268 = *A. polygonoides*. *polygonoides*, Moq. l. c. 270 = *A. polygonoides*. *scariosa*, Moq. l. c. 269 = *A. scariosus*. *urceolata*, Moq. l. c. = *A. urceolatus*.

SARRAZINIA, Hoffmgg. Verz. Pfl. Nachtr. i. 223 (1824) = *Sarracenia*, Linn.

SARRIZINIA, Steud. Nom. ed. II. ii. 514 (1841), sphalm. = *praec.*

SARTORIA, Boiss. Diagn. Ser. I. ix. 109 (1849) = *Onobrychis*, Linn. (Legumin.). *hedysaroides*, Boiss. & Heldr. l. c. —Taurus.

SARTWELLIA, A. Gray, Pl. Wright. i. (in Smithson. Contrib. iii.) 122. t. 6 (1852). *COMPOSITAE*, Benth. & Hook. f. ii. 407. *Flaveriae*, A. Gray, in Pl. Wright. i. 122. —Texas. *mexicana*, A. Gray, ex S. Wats. in Proc. Am. Acad. xviii. (1852) 107, nomen; xix. (1884) 34. —Mexic.

SASALI, Adans. Fam. ii. 305 (1763) = *Grewia*, Linn. (Tiliac.).

SASANQUA, Nees, in Liter. Flora, iv. (1834) 144 = *Camellia*, Linn. (Ternstr.). *malliflora*, Rafin. Sylva Tellur. 140 = *C. Sasanqua*. *ochroleuca*, Rafin. l. c. = *Gordonia anomala*. *odorata*, Rafin. l. c. —Hab. ? *oleifera*, Rafin. l. c. = *C. Sasanqua*. *vulgaris*, Nees, in Liter. Flora, iv. (1834) 144 = *C. Sasanqua*.

SASSA, Bruce, ex J. F. Gmel. Syst. 1038 (1791) = *Acacia*, Willd. (Legumin.). *gummifera*, J. F. Gmel. l. c. = *A. gummifera*.

SASSAFRAS, Linn. Syst. ed. I (1735); Nees, Laur. Expos. 17 (1833). *LAURINEAE*, Benth. & Hook. f. iii. 160. *albidum*, Nees, Syst. Laurin. 490 = *officinale*. *Goesianum*, Teijsm. & Binn. Cat. Hort. Bog. 94 = *Massoia aromatica*. *Lourei*, Kostel. Allg. Med.-Pharm. Fl. ii. 481 = *Cinnamomum Parthenoxylon*. *mauritanum*, Boj. Hort. Maurit. 273 = *Hernandia peltata*. *officinale*, Nees & Eberm. Handb. Med.-Pharm. Bot. ii. 418; Nees, Syst. Laurin. 488. —Am. bor. *officinale*, Siebold, in Verh. Batav. Gen. xii. (1830) 23 = *Lindera triloba*. *officinatum*, J. S. Presl, Rostl. ii. 68 = *officinale*. *Parthenoxylon*, Nees, Syst. Laurin. 491 = *Cinnamomum Parthenoxylon*. *rubrum*, Rafin. Sylva Tellur. 134 = *officinale*? *Thunbergii*, Siebold, in Verh. Batav. Gen. xii. (1830) 23 = *Lindera umbellata*.

SASSAFRIDIUM, Meissn. in DC. Prod. xv. i. 171 (1864). *LAURINEAE*, Benth. & Hook. f. iii. 160. *veraguense*, Meissn. l. c. —Mexic.

SASSEA, Klotzsch, in Monatsb. Berl. Akad. (Maerz, 1854) 128. —Cf. in Abh. Akad. Berl. 1854 (1855), 132. t. 12 C = *Begonia*, Linn. *columnaris*, Klotzsch, in Monatsb. Berl. Akad. (Maerz, 1854) 128 = *B. columnaris*. *glabra*, Klotzsch, l. c. = *B. columnaris*. *Hoffmanniana*, Klotzsch, ex A. DC. in DC. Prod. xv. i. 275 = *B. Urticae*. *Urticae*, Klotzsch, in Monatsb. Berl. Akad. (Maerz, 1854) 128 = *B. Urticae*.

SASSIA, Molina, Sagg. Chile, 145 (1782) = *Oxalis*, Linn. (Geran.). *perdicaria*, Molina, l. c. 146 = *O. lobata*. *tinctoria*, Molina, l. c. = *O. violacea*.

SATANIA, Noronha, in Verh. Batav. Gen. v. (1790) ed. I. Art. iv. 3 = *Flacourtia*, Comm. (Bixin.).

SATANOCRATER, Schweinf. in Verh. Zool.-Bot. Ges. Wien, xviii. (1868) 676. *ACANTHACEAE*, Benth. & Hook. f. ii. 1085. *fellatensis*, Schweinf. l. c. —Afr. trop.

SATARIA, Rafin. New Fl. Am. iv. 20 (1836) = *Peucedanum*, Tourn. (Umbell.). *linearis*, Rafin. l. c. 21 = *P. triternatum*, Nutt.

SATIRIUM, Neck. Delic. Gallo-Belg. ii. 372 (1768) = *Satyrrium*, Linn. (Orchid.).

SATTADIA, Fourn. in Mart. Fl. Bras. vi. iv. 231 (1885). *ASCLEPIADEAE*. *Burchellii*, Fourn. l. c. 232. —Bras.

SATUREGIA, Leers, Fl. Herborn. 135 (1775) = seq.

SATUREIA, Linn. Coroll. Gen. 9. n. 961 (1737). *LABIATAE*, Benth. & Hook. f. ii. 1187. *FURERA*, Adans. Fam. ii. 193 (1763). *NOSTELIS*, Rafin. Sylva Tellur. 76 (1838). *PILOBLEPHIS*, Rafin. New Fl. Am. iii. 52 (1836). *SACCOCALYX*, Coss. & Dur. in Ann. Sc. Nat. Sér. III. xx. (1853) 80. t. 5. *SATURIASTRUM*, Fourn. in Ann. Soc. Linn. Lyon, N. S. xvii. (1869) 137. *Acinos*, Scheele, in Flora, xxvi. (1843) 577 = *Calamintha Acinos*. *alpina*, Scheele, l. c. = *Calamintha alpina*. *alternipilosa*, C. Koch, in Linnaea, xxi. (1848) 668. —Reg. Caucas. *americana*, Poir. Encyc. vi. 571 = *Hyptis scoparia*. *angustifolia*, Presl, Fl. Sic. p. xxxvi = *Micromeria graeca*. *approximata*, Bivona, Stirp. Rar. Sicil. Manip. iv. 13 = *Micromeria approximata*. *approximata*, Frivald. in Flora, xiv. (1836) 438. —Graec. *argaea*, Fisch. & Mey. in Ann. Sc. Nat. Sér. IV. i. (1854) 33 = *Thymus Serpyllum*. *atropatana*, Bunge, Lab. Pers. 36. —Persia. *bachtarica*, Bunge, l. c. 37. —Persia. *Boissieri*, Haussk. ex Boiss. Fl. Orient. iv. 565. —As. Min. *brachiata*, Stokes, Bot. Mat. Med. iii. 300 = *hortensis*. *brevis*, Jord. & Fourn. Brev. Pl. Nov. fasc. i. 44 = *montana*. *Calamintha*, Scheele, in Flora, xxvi. (1843) 577 = *Calamintha officinalis*. *Campanella*, Ehrenb. Naturg. Reise, 13. —Afr. bor. *canescens*, Guss. Pl. Rar. 228. t. 42 = *Micromeria canescens*. *capitata*, Desf. Fl. Atlant. ii. 9 = *Micromeria nervosa*. *capitata*, Linn. Sp. Pl. 568 = *Thymus capitatus*. *ciliata*, Avé-Lall. in Ind. Sem. Hort. Petrop. xi. Suppl. 66 = *montana*. *Clinopodium*, Caruel, in Parl. Fl. Ital. vi. 135 = *Calamintha Clinopodium*. *coccinea*, Bertol. Misc. Bot. viii. 23 = *Calamintha coccinea*. *coerulea*, Fanka, in Kanitz, Pl. Roman. 94. —Banat. *collina*, Salisb. Prod. 77 = *S. Thymbra*. *condaea*, Juss. ex Poir. Encyc. vi. 571 = *Hyptis scoparia*. *congesta*, Hornem. Hort. Hafn. 541 = *Micromeria graeca*. *consentina*, Tenore, Prod. Fl. Nap. App. v. 17 = *Micromeria graeca*. *cordata*, Moris, ex Bertol. Fl. Ital. x. 519 = *Micromeria cordata*. *corsica*, Caruel, in Parl. Fl. Ital. vi. 137 = *Calamintha corsica*. *cristata*, Nym. Syll. 102 = *Micromeria cristata*. *cuneata*, Reichb. Ic. Fl. Germ. xviii. t. 1272, sphalm. = seq. *cuneifolia*, Tenore, Prod. Fl. Nap. 33. —Reg. Mediterr. *dalmatica*, Nym. Syll. 102 = *Micromeria dalmatica*.

**SATUREIA:—**

*diffusa*, Benth. ex Boiss. Fl. Orient. iv. 566 = *alternipilosa*.  
*ericoides*, Willd. ex Benth. in Linnaea, xi. (1837) 328 = *Gardoquia microphylla*.  
*fasciculata*, Rafin. Préc. Découv. 39 = *Micromeria approximata*.  
*fasciculata*, Tausch, in Syll. Ratisb. ii. (1828) 248 = *cuneifolia*.  
*Fenzlii*, Nym. Syll. Suppl. 20 = *Micromeria Pulegium*.  
*filicaulis*, Schott, ex Boiss. Fl. Orient. iv. 562 = *hortensis*.  
*filiformis*, Desf. Fl. Atlant. ii. 8 = *Micromeria microphylla*.  
*filiformis*, Nym. Syll. 102 = *Micromeria filiformis*.  
*filiformis*, Tenore, Marin. Viagg. i. 299 = *Micromeria nervosa*.  
*flexuosa*, Jord. & Fourr. Brev. Pl. Nov. fasc. i. 45 = *montana*.  
*glandulosa*, Caruel, in Parl. Fl. Ital. vi. 125 = *Calamintha glandulosa*.  
*globifera*, Steud. Nom. ed. I. 733, sphalm. = seq. *globulifera*, Desf. Tabl. ed. I. 58, nomen. — Hab. ?  
*glomerata*, Schousb. ex Ball, in Journ. Linn. Soc. xvi. (1878) 613 = *inodora*.  
*graeca*, Linn. Sp. Pl. 568 = *Micromeria graeca*.  
*grandiflora*, Scheele, in Flora, xxvi. (1843) 577 = *Calamintha grandiflora*.  
*graveolens*, Caruel, in Parl. Fl. Ital. vi. 143 = *Calamintha graveolens*.  
*hirsuta*, J. & C. Presl, Delic. Prag. 79 = *Micromeria Juliana*.  
*hirta*, Host, Fl. Austr. ii. 134 = *cuneifolia*.  
*hispidula*, Ehrh. Beitr. vii. 147. — *Graecia* ?  
*hispidula*, Nym. Syll. 102 = *Micromeria hispidula*.  
*hortensis*, Linn. Sp. Pl. 568. — Reg. Medit. ; Oriens.  
*Hostii*, Caruel, in Parl. Fl. Ital. vi. 125 = *Calamintha thymifolia*.  
*hyssopifolia*, Bertol. in Ann. Stor. Nat. (1829) III. 406 = *montana*.  
*hyssopifolia*, Duf. in Bull. Soc. Bot. Fr. vii. (1860) 428 = *obovata*.  
*illyrica*, Host, Fl. Austr. iii. 133 = *montana*.  
*incana*, Spreng. Syst. ii. 719 = *Micromeria obovata*.  
*inodora*, Host, Fl. Austr. ii. 135 = *Micromeria parviflora*.  
*inodora*, Salzm. ex Benth. Lab. Gen. et Sp. 354. — Reg. Medit. occ.  
*intermedia*, Benth. in DC. Prod. xii. 210 = *mutica*.  
*intermedia*, C. A. Mey. Vers. Pfl. Cauc. 91. — Reg. Caucas.  
*intricata*, Lange, in Kjoeb. Vidensk. Meddel. (1881) 96. — Hispan.  
*Juliana*, Linn. Sp. Pl. 567 = *Micromeria Juliana*.  
*Juliana*, Pall. Tabl. Taur. 53 = *montana*.  
*Kitaibelii*, Wierzb. ex Heuff. in Verh. Zool.-Bot. Ges. Wien, viii. (1858) 177 = *montana*.  
*lanata*, C. Sm. ex Link, in Buch, Besch. Canar. Ins. 143 = *Micromeria lanata*.  
*laxiflora*, C. Koch, in Linnaea, xxi. (1848) 668 = *hortensis*.  
*Libanotis*, [Spreng.] Bot. Gart. Halle, 84 (Quid ?). — Syria.  
*longiflora*, Boiss. & Haussk. ex Boiss. Fl. Orient. iv. 566. — Persia.  
*longiflora*, Presl, Fl. Sicul. p. xxxvi = *Micromeria graeca*.  
*macrantha*, C. A. Mey. in Ind. Sem. Hort. Petrop. xi. Suppl. 67. — Reg. Caucas.  
*marifolia*, Caruel, in Parl. Fl. Ital. vi. 125 = *Micromeria marifolia*.  
*Mastichina*, Linn. Sp. Pl. 567 = *Thymus Mastichina*.  
*micrantha*, Hoffm. & Link, Fl. Port. i. 142 = *Micromeria graeca*.  
*microphylla*, Guss. Fl. Sic. Prod. ii. 120 = *Micromeria microphylla*.  
*mollis*, Webb, ex Steud. Nom. ed. II. ii. 515, nomen. — Ins. Teneriff.  
*montana*, Linn. Sp. Pl. 568. — Europ. austr. ; Reg. Caucas.  
*mucronifolia*, Stokes, Bot. Mat. Med. iii. 300 = *montana*.  
*mutica*, Fisch. & Mey. Ind. Sem. Hort. Petrop. ii. 49. — Reg. Caucas.  
*nemorosa*, Tardent, Ess. Hist. Nat. Bessarab. 54, nomen (Quid ?). — Bessarab.  
*Nepeta*, Scheele, in Flora, xxvi. (1843) 577 = *Calamintha Nepeta*.

**SATUREIA:—**

*nervosa*, Desf. Fl. Atlant. ii. 9. t. 121. f. 2 = *Micromeria nervosa*.  
*obovata*, Lag. Gen. et Sp. Nov. 18. — Hispan.  
*officinarium*, Crantz, Inst. i. 526 = *hortensis*.  
*Olla*, Ehrenb. Naturg. Reise, 13. — Afr. bor.  
*origanoides*, Linn. Sp. Pl. 568 = *Cunila Mariana*.  
*ovata*, R. Br. in Salt, Abyss. App. 64 = *Micromeria ovata*.  
*pachyphylla*, C. Koch, in Linnaea, xvii. (1843) 295 = *hortensis*.  
*parnassica*, Heldr. & Sart. ex Boiss. Fl. Orient. iv. 563 = *approximata*.  
*parviflora*, Presl, Fl. Sic. p. xxxvi = *Micromeria Juliana*.  
*parviflora*, Vis. in Flora, xii. (1829) i. Erg. 13 = *Micromeria parviflora*.  
*petraea*, Jord. & Fourr. Brev. Pl. Nov. fasc. i. 45 = *montana*.  
*Piperella*, Bertol. Fl. Ital. vi. 50 = *Micromeria croatica*, M. Piperella.  
*plumosa*, Hampe, in Flora, xxv. (1842) i. Beibl. 127 = *Micromeria nervosa*.  
*provincialis*, Jord. & Fourr. Brev. Pl. Nov. fasc. i. 45 = *montana*.  
*punctata*, R. Br. in Salt, Abyss. App. 64 = *Micromeria punctata*.  
*pygmaea*, Sieber, ex Vis. Stirp. Dalm. Spec. 11 = *montana*.  
*pyrenaica*, Jord. & Fourr. Brev. Pl. Nov. fasc. ii. 89 = *montana*.  
*rigida*, Bartr. ex Benth. Lab. Gen. et Sp. 354. — Florida.  
*rigidula*, Jord. & Fourr. Brev. Pl. Nov. fasc. i. 46 = *montana*.  
*rupestris*, Wulf. in Jacq. Coll. ii. 130 = *Micromeria rupestris*.  
*scabra*, Presl, Fl. Sic. p. xxxvi. — Sicilia.  
*sessiliflora*, Presl, l. c. = *Micromeria graeca*.  
*sicula*, Guss. Fl. Sic. Syn. ii. 89 = *Micromeria graeca*.  
*Sideritis*, Benth. in DC. Prod. xii. 212, sphalm. = *Micromeria obovata*.  
*Sophia*, Hort. ex Steud. Nom. ed. I. 733 = *Micromeria Juliana*.  
*spicata*, Crantz, Inst. i. 525 = *Micromeria Juliana*.  
*spicata*, Vis. Fl. Dalm. ii. 195 = *cuneifolia*.  
*spicigera*, Boiss. Fl. Orient. iv. 566 = *alternipilosa*.  
*spinosa*, Heldr. ex Nym. Cons. 591 = *approximata*.  
*spinosa*, Linn. Cent. Pl. ii. 19 ; *Amoen. Acad.* iv. 317. — Ins. Creta.  
*stricta*, [Soland. in] Russ. Aleppo, ed. II. ii. 255 = *Nepeta heliotropifolia*.  
*subdentata*, Boiss. Fl. Orient. iv. 565. — Reg. Caucas.  
*subspicata*, Bartl. ex Vis. Stirp. Dalm. Kar. ii. t. 4 = *montana*.  
*Teneriffae*, Willd. Enum. Hort. Berol. Suppl. 40 = *Micromeria microphylla*.  
*tenuifolia*, Botteri, ex Scheele, in Linnaea, xxii. (1849) 593 = *Micromeria longifolia*.  
*tenuifolia*, Tenore, Prod. Fl. Nap. 33 = *Micromeria graeca*.  
*tenuis*, Link, in Buch, Besch. Canar. Ins. 143 = *Micromeria tenuis*.  
*Thymbra*, Linn. Sp. Pl. 567. — Reg. Mediterr. or.  
*thymifolia*, Scop. Fl. Carn. ed. II. i. 428 = *Micromeria rupestris*.  
*thymoides*, Nym. Syll. 102 = *Micromeria thymoides*.  
*thymoides*, Soland. ex Lowe, in Trans. Camb. Phil. Soc. iv. (1831) 19 = *Micromeria varia*.  
*Tragoriganum*, Tausch, in Syll. Ratisb. ii. (1828) 248 = *S. Thymbra*.  
*trifida*, Moench, Meth. 386 = *montana*.  
*varia*, Webb & Berth. Phyt. Canar. iii. 71 = *Micromeria varia*.  
*variegata*, Host, Fl. Austr. iii. 134 = *montana*.  
*viminea*, Burm. f. Fl. Ind. 126 = *hortensis*.  
*viminea*, Linn. Syst. ed. X. 1096 = *Micromeria obovata*.  
*virgata*, Stokes, Bot. Mat. Med. iii. 299 = *Micromeria Juliana*.  
*virgata*, Vis. ex Benth. Lab. Gen. et Sp. 353 = *cuneifolia*.  
*virginiana*, Linn. Sp. Pl. 567 = *Pycnanthemum lanceolatum*, linifolium.  
*virginica*, Hill, Veg. Syst. xviii. 51 = *praec.*

**SATUREJA**, Tourn. ex Mill. Gard. Dict. ed. VI (1752) = *praec.*

**SATURIASTRUM**, Fourr. in Ann. Soc. Linn. Lyon, N. S. xvii. (1869) 133 = **Satureia**, Linn. (Labiata).  
*montanum*, Fourr. l. c. = *Satureia montana*.  
*petraeum*, Fourr. l. c. = *Satureia montana*.

**SATURNA**, Noronha, in Verh. Batav. Gen. v. (1790) ed. I. Art. iv. 3 (Euphorb. ?).

**SATURNIA**, Maratt. Pl. Romul. et Saturn. 18. t. 2 (1772) = **Allium**, Tourn. (Liliac.).  
*cernua*, Maratt. Fl. Rom. i. 258 = *A. Chamaemoly*.  
*Chamaemoly*, Salisb. Gen. Pl. Fragm. 92 = *A. Chamaemoly*.  
*etrusca*, Jord. & Fourr. Brev. Pl. Nov. fasc. i. 59 = *A. Chamaemoly*.  
*littoralis*, Jord. & Fourr. Ic. Fl. Eur. ii. 21 = *A. Chamaemoly*.  
*rubrinervis*, Jord. & Fourr. l. c. 22 = *A. Chamaemoly*.  
*viridula*, Jord. & Fourr. Brev. Pl. Nov. fasc. i. 60 = *A. Chamaemoly*.

**SATYRIA**, Klotzsch, in Linnaea, xxiv. (1851) 21. **VACCINIACEAE**, Benth. & Hook. f. ii. 567.  
**RIEDELIA**, Meissn. in Mart. Fl. Bras. vii. 171 (1863).  
*clonantha*, Klotzsch, in Linnaea, xxiv. (1851) 22. — Am. centr.  
*panurensis*, Benth. & Hook. f. Gen. ii. 568. — Bras.  
*Warszewiczii*, Klotzsch, in Linnaea, xxiv. (1851) 22. — Am. centr.

**SATYRIDIDIUM**, Lindl. Gen. et Sp. Orch. 345 (1838) = **Satyrium**, Linn. (Orchid.).  
*rostratum*, Lindl. l. c. = *Satyrium rhynchanthum*.

**SATYRIUM**, Linn. Syst. ed. I (1735) ; Gen. ed. I. 270 (1737), partim ; Sw. in Vet. Acad. Handl. Stockh. xxi. (1800) 214. **ORCHIDEAE**, Benth. & Hook. f. iii. 629.

**AVICEPS**, Lindl. Gen. et Sp. Orch. 345 (1838).  
**DIPLECTHRUM**, Pers. Syn. ii. 508 (1807).  
**SATYRIDIDIUM**, Lindl. Gen. et Sp. Orch. 345 (1838).  
*aculeatum*, Linn. f. Suppl. 402 = *Eulophia aculeata*.  
*acuminatum*, Lindl. Gen. et Sp. Orch. 339. — Afr. austr.  
*adnatum*, Sw. Prod. Veg. Ind. Occ. 118 = *Pelexia adnata*.  
*albidum*, Linn. Sp. Pl. 944 = *Habenaria albidula*.  
*albiflorum*, A. Rich. in Ann. Sc. Nat. Sér. II. xv. (1841) 76 = *nepalense*.  
*alpinum*, Pers. Syn. ii. 507 = *Herminium alpinum*.  
*alpinum*, F. W. Schmidt, Fl. Boëm. i. 63 = *Habenaria viridis*.  
*amoenum*, A. Rich. in Mém. Soc. Hist. Nat. Par. iv. (1828) 29. — Ins. Borbon.  
*anthropomorpha*, Pers. Syn. ii. 507 = *Aceras anthropophora*.  
*anthropophora*, Pers. l. c. = *Aceras anthropophora*.  
*Atherstonei*, Reichb. f. in Flora, lxiv. (1881) 328. — Afr. austr.  
*atlanticum*, Lindl. Gen. et Sp. Orch. 300 = *Habenaria intacta*.  
*aureum*, Paxt. Mag. Bot. xv. (1849) 31 = *coriifolium*.  
*barbatum*, Thunb. Prod. Pl. Cap. 5 = *Disa barbata*.  
*bicallosum*, Thunb. l. c. 6. — Afr. austr.  
*bicorne*, Thunb. l. c. — Afr. austr.  
*bifidum*, Thunb. l. c. 5 = *Disa bifida*.  
*bifolium*, A. Rich. in Ann. Sc. Nat. Sér. II. xiv. (1840) 273. — Abyss.  
*bifolium*, Wahlenb. Fl. Suec. 579 = *Habenaria bifolia*.  
*brachypetalum*, A. Rich. Tent. Fl. Abyss. ii. 299. — Abyss.  
*bracteale*, Salisb. in Trans. Hort. Soc. i. (1812) 290 = *Habenaria viridis*.  
*bracteatum*, Lindl. Gen. et Sp. Orch. 342 = *Lindley-anum*.  
*bracteatum*, Pers. Syn. ii. 507 = *Habenaria viridis*.  
*bracteatum*, Thunb. Prod. Pl. Cap. 6. — Afr. austr.  
*calceatum*, Ridl. in Journ. Linn. Soc. xxi. (1855) 520. — Madag.  
*candidum*, Lindl. Bot. Reg. (1838) Misc. 82. — Afr. austr.  
*capense*, Houtt. Handleid. xii. 502 = *Eulophia tristis*.  
*capense*, Linn. Pl. Rar. Afr. 27 ; *Amoen. Acad.* vi. 110 = *Eulophia aculeata*.  
*carneum*, R. Br. in Ait. Hort. Kew. ed. II. v. 196. — Afr. austr.  
*cassideum*, Lindl. Gen. et Sp. Orch. 341 = *parviflorum*.  
*cernuum*, Thunb. Prod. Pl. Cap. 5 = *Disa physodes*.



**SATYRIUM:—**

*chrysostachyum*, Herschel, in Bot. Reg. (1838) Misc. 84 = *coriifolium*.  
*ciliatum*, Lindl. Gen. et Sp. Orch. 341 = *nepalense*.  
*conopseum*, Wahlenb. Fl. Suec. 579 = *Habenaria conopsea*, Benth.  
*cordifolium*, Lindl. Gen. et Sp. Orch. 344.—Afr. austr.  
*coriifolium*, Sw. in Vet. Acad. Handl. Stockh. xxi. (1800) 216.—Afr. austr.  
*coriophoroides*, A. Rich. in Ann. Sc. Nat. Sér. II. xiv. (1840) 274.—Abyss.  
*cornutum*, Burm. f. Fl. Cap. Prod. 30 (err. typ. 26).—Afr. austr.  
*cornutum*, Thunb. Prod. Pl. Cap. 5 = *Disa cornuta*.  
*cristatum*, Sond. in Linnaea, xix. (1847) 84.—Afr. austr.  
*cucullatum*, Lodd. Bot. Cab. t. 104 = *coriifolium*.  
*cucullatum*, Sw. in Vet. Acad. Handl. Stockh. xxi. (1800) 216 = *bicornis*.  
*cylindricum*, Thunb. Prod. Pl. Cap. 5 = *Disa cylindrica*.  
*debile*, Bolus, in Journ. Linn. Soc. xxii. (1885) 67.—Afr. austr.  
*densiflorum*, Brot. Fl. Lusit. i. 22 = *Habenaria intacta*.  
*densiflorum*, Lindl. Gen. et Sp. Orch. 340 = *parviflorum*.  
*diphyllum*, Link. in Schrad. Journ. ii. (1799) 323 = *Habenaria cordata*.  
*draconis*, Thunb. Prod. Pl. Cap. 5 = *Disa draconis*.  
*elatum*, Sw. Prod. Veg. Ind. Occ. 119 = *Spiranthes elata*.  
*emarcidum*, Bolus, in Journ. Linn. Soc. xxii. (1885) 67.—Afr. austr.  
*Epipogium*, Linn. Sp. Pl. 945 = *Epipogon aphyllum*.  
*erectum*, Lindl. Gen. et Sp. Orch. 340 = *coriifolium*.  
*erectum*, Sw. in Vet. Acad. Handl. Stockh. xxi. (1800) 216.—Afr. austr.  
*eristomum*, Lindl. Gen. et Sp. Orch. 342.—Afr. austr.  
*excelsum*, Thunb. Prod. Pl. Cap. 5 = *Disa excelsa*.  
*ferrugineum*, F. W. Schmidt, Fl. Boëm. i. 62 = *Habenaria viridis*.  
*ferrugineum*, Thunb. Prod. Pl. Cap. 5 = *Disa ferruginea*.  
*flexuosum*, Thou. Orch. Isles Austr. Afr. t. 7 (= *Peristylus flexuosus*).—Ins. Mascari.  
*flexuosum*, Thunb. Prod. Pl. Cap. 5 = *Disa flexuosa*.  
*foliosum*, Heyne, ex Wall. Cat. n. 7054 (= *Coelogyssum secundum*).—Ind. or.  
*foliosum*, Lindl. Gen. et Sp. Orch. 336 = *Hallackii*.  
*foliosum*, Sw. in Vet. Acad. Handl. Stockh. xxi. (1800) 216.—Afr. austr.  
*fuscum*, Huds. Fl. Angl. ed. I. 337 = *Habenaria viridis*.  
*giganteum*, Linn. f. Suppl. 402 (= *Cyrtopera gigantea*).—Afr. austr.  
*gracile*, Lindl. Gen. et Sp. Orch. 338.—Madag.  
*gramineum*, Thou. Orch. Isles Austr. Afr. t. 6 = *Habenaria graminea*.  
*grandiflorum*, Thunb. Prod. Pl. Cap. 4 = *Disa uniflora*.  
*Hallackii*, Bolus, in Journ. Linn. Soc. xx. (1884) 476.—Afr. austr.  
*Herschelliae*, Harv. Gen. S. Afr. Pl. 326, nomen.—Afr. austr.  
*hians*, Linn. f. Suppl. 401 = *Disa lacera*?  
*hircinum*, Linn. Sp. Pl. 944 = *Orchis hircina*.  
*hirsutum*, Gillib. Exercit. ii. 484 = *Goodyera repens*.  
*hirtellum*, Sw. Prod. Veg. Ind. Occ. 118.—Jamaic.  
*humile*, Lindl. Gen. et Sp. Orch. 339.—Afr. austr.  
*Ivantallae*, Reichb. f. in Flora, xlviii. (1865) 183.—Afr. trop.  
*lanceum*, Pers. Syn. ii. 507 = *Ophrys lancea*.  
*latifolium*, Thou. Orch. Isles Austr. Afr. t. 10 = *Habenaria chlorantha*.  
*leucocomos*, Reichb. f. in Flora, xlviii. (1865) 182.—Afr. trop.  
*ligulatum*, Lindl. Gen. et Sp. Orch. 342.—Afr. austr.  
*Lindleyanum*, Bolus, in Journ. Linn. Soc. xx. (1884) 474.—Afr. austr.  
*lineatum*, Lindl. Gen. et Sp. Orch. 343 = *bracteatum*.  
*lingulatum*, Vill. Hist. Pl. Dauph. ii. 42 (err. typ. 24) = *Habenaria viridis*.  
*longicauda*, Lindl. Gen. et Sp. Orch. 337.—Afr. austr.  
*longicollis*, Lindl. l. c. 335 = *maculatum*.  
*lupulinum*, Lindl. l. c. 338.—Afr. austr.  
*Lydenburgense*, Reichb. f. in Flora, lxi. (1881) 328 = *eristomum*.

**SATYRIUM:—**

*macrophyllum*, Lindl. Gen. et Sp. Orch. 338.—Afr. austr.  
*macrostachyum*, Hochst. ex A. Rich. Tent. Fl. Abyss. ii. 298 = *coriophoroides*.  
*maculatum*, Burch. ex Lindl. Gen. et Sp. Orch. 337.—Afr. austr.  
*maculatum*, Desf. Fl. Atlant. ii. 319 = *Habenaria intacta*.  
*marginatum*, Bolus, in Journ. Linn. Soc. xx. (1884) 476.—Afr. austr.  
*membranaceum*, Sw. in Vet. Acad. Handl. Stockh. xxi. (1800) 216.—Afr. austr.  
*militare*, Lindl. Gen. et Sp. Orch. 342 = *sphaerocarpum*.  
*Monorchis*, Pers. Syn. ii. 507 = *Herminium Monorchis*.  
*muticum*, Lindl. Gen. et Sp. Orch. 344.—Afr. austr.  
*nepalense*, D. Don, Prod. Fl. Nep. 26.—Ind. or.  
*nigrum*, Linn. Sp. Pl. 944 = *Habenaria nigra*.  
*obsoletum*, Pers. Syn. ii. 507 = *Habenaria obsoleta*.  
*ochroleucum*, Bolus, in Journ. Linn. Soc. xxii. (1885) 66.—Afr. austr.  
*odoratissimum*, Wahlenb. Fl. Suec. 578 = *Habenaria odoratissima*.  
*odorum*, Sond. in Linnaea, xix. (1847) 86.—Afr. austr.  
*orchioides*, Sw. Prod. Veg. Ind. Occ. 118 = *Spiranthes orchioides*.  
*orientale*, Noronha, in Verh. Batav. Gen. v. (1790) ed. I. Art. iv. 27 (Quid?).—Java.  
*orobanchoides*, Linn. f. Suppl. 402 = *Corycium orobanchoides*.  
*pallidum*, A. Rich. in Ann. Sc. Nat. Sér. II. xv. (1841) 77 = *nepalense*.  
*paludosum*, Reichb. f. in Flora, xlviii. (1865) 182.—Afr. trop.  
*papillosum*, Lindl. Gen. et Sp. Orch. 341 = *erectum*.  
*parviflorum*, Lindl. l. c. 336 = *marginatum*.  
*parviflorum*, Pers. Syn. ii. 506 = *Habenaria intacta*.  
*parviflorum*, Sw. in Vet. Acad. Handl. Stockh. xxi. (1800) 216.—Afr. austr.  
*pedicellatum*, Linn. f. Suppl. 402 = *Eulophia aculeata*.  
*Perrottetianum*, A. Rich. in Ann. Sc. Nat. Sér. II. xv. (1841) 76 = *nepalense*.  
*pictum*, Lindl. Gen. et Sp. Orch. 344 = *bracteatum*.  
*plantagineum*, Linn. Syst. ed. X. 1244 = *Spiranthes orchioides*.  
*praealtum*, Thou. Orch. Isles Austr. Afr. t. 11 = *Habenaria praealta*.  
*pumilum*, Thunb. Prod. Pl. Cap. 6.—Afr. austr.  
*pushtulatum*, Lindl. Bot. Reg. (1840) t. 18 = *erectum*.  
*pygmaeum*, Sond. in Linnaea, xix. (1847) 86.—Afr. austr.  
*repens*, Linn. Sp. Pl. 945 = *Goodyera repens*.  
*repens*, Michx. Fl. Bor. Am. ii. 157 = *Goodyera pubescens*.  
*retusum*, Lindl. Gen. et Sp. Orch. 343.—Afr. austr.  
*rhynchanthum*, Bolus, in Journ. Linn. Soc. xix. (1882) 342.—Afr. austr.  
*riparium*, Reichb. f. in Flora, xlviii. (1865) 183.—Afr. trop.  
*rosellatum*, Thou. Orch. Isles Austr. Afr. t. 8 = *Habenaria mascarenensis*.  
*rostratum*, Lindl. Gen. et Sp. Orch. 338.—Madag.  
*rufescens*, Thunb. Prod. Pl. Cap. 5 = *Disa rufescens*.  
*sagittale*, Thunb. l. c. = *Disa sagittalis*.  
*saxicolum*, Bolus, in Journ. Linn. Soc. xx. (1884) 474.—Afr. austr.  
*scanense*, Linn. ex Steud. Nom. ed. I. 734 = *Habenaria albida*.  
*Schimperi*, Hochst. ex A. Rich. Tent. Fl. Abyss. ii. 300.—Abyss.  
*secundum*, Thunb. Prod. Pl. Cap. 4 = *Disa racemosa*.  
*spathulatum*, Thunb. l. c. 5 = *Disa spathulata*.  
*sphaerocarpum*, Lindl. Gen. et Sp. Orch. 337.—Afr. austr.  
*spirale*, Sw. Prod. Veg. Ind. Occ. 118 = *Spiranthes tortilis*.  
*spirale*, Thou. Orch. Isles Austr. Afr. t. 9 = *Habenaria spiralis*, A. Rich.  
*stenopetalum*, Lindl. Gen. et Sp. Orch. 336.—Afr. austr.  
*striatum*, Ker-Gawl. in Brand. Journ. Sc. viii. (1820) 221 = *bracteatum*.  
*striatum*, Thunb. Prod. Pl. Cap. 6.—Afr. austr.  
*tabulare*, Linn. f. Suppl. 402 = *Cymbidium tabulare*.  
*tenellum*, Thunb. Prod. Pl. Cap. 5 = *Disa tenella*.  
*tortum*, Thunb. l. c. = *Disa torta*.

**SATYRIUM:—**

*trifidum*, Vill. Hist. [Pl. Dauph. ii. 42 = *Habenaria albida*.  
*trinerve*, Lindl. Gen. et Sp. Orch. 344.—Madag.  
*triste*, Linn. f. Suppl. 402 = *Eulophia tristis*.  
*utriculatum*, Sond. in Linnaea, xix. (1847) 84 = *candidum*.  
*vallisoletanum*, La Llave & Lex. Nov. Veg. Desc. fasc. ii. (Orch. Opusc.) 7.—Mexic.  
*venosum*, Rafin. in Med. Repos. N. York, v. (1808) 361.—Hab.?  
*virescens*, Pers. Syn. ii. 507 = *Habenaria herbiola*.  
*viride*, Linn. Sp. Pl. 944 = *Habenaria viridis*.  
*Welwitschii*, Reichb. f. in Flora, xlviii. (1865) 182.—Afr. trop.  
*Wightianum*, Lindl. Gen. et Sp. Orch. 340 = *nepalense*.

**SAUBINETIA**, Remy, in C. Gay, Fl. Chil. iv. 282. t. 49 (1848) = **Verbesina**, Linn. (Compos.).  
*helianthoides*, Remy, l. c. 284.—Chili.

**SAUERIA**, Klotzsch, in Monatsb. Berl. Akad. (Maerz, 1854) 122; et in Abh. Akad. Berl. 1854 (1855), 40. t. 2 A = **Begonia**, Linn.  
*crenata*, Hassk. in Versl. Kon. Akad. Wetensch. iv. (1855) 139 = *B. crenata*.  
*sulcata*, Klotzsch, in Monatsb. Berl. Akad. (Maerz, 1854) 122; et in Abh. Akad. Berl. 1854 (1855), 41 = *B. sulcata*.

**SAUL**, Roxb. ex Wight & Arn. Prod. 84 (1834) = **Shorea**, Linn. (Dipteroc.).  
*fallarea*, Roxb. ex Wight & Arn. l. c. = *Shorea Talura*.  
*Tumbagia*, Steud. Nom. ed. II. ii. 516 = seq.  
*Tumbagaia*, Roxb. ex Wight & Arn. l. c. = *Shorea Tumbagaia*.

**SAULCYA**, Michon, Voy. Relig. Or. ii. 383 (1854) = **Odontospermum**, Neck (Compos.).  
*hierochuntica*, Michon, l. c. (= *Asteriscus pygmaeus*).—Afr. bor.; Palaest.

**SAUNDERSIA**, Reichb. f. in Bot. Congr. Lond. 120 (1866); Beitr. Orch. 17. t. 6 (1869). **ORCHIDEAE**, Benth. & Hook. f. iii. 561.  
*mirabilis*, Reichb. f. ll. cc. 120; 19.—Bras.

**SAURAVIA**, Spreng. Anleit. ii. 11. 818 (1818) = **Saurauja**, Willd. (Ternstr.).

**SAUROBROMA**, Rafin. Sylva Tellur. 32 (1838) = **Celtis**, Tourn. (Urtic.).  
*iguanense*, Rafin. l. c. = *C. aculeata*.

**SAURAUJA**, Willd. in Ges. Naturf. Fr. Neue Schr. iii. (1801) 407. t. 4. **TERNSTROEMIACEAE**, Benth. & Hook. f. i. 184.

**APATELIA**, DC. in Mém. Soc. Phys. Genève. i. (1821) 426.

**BLUMIA**, Spreng. Syst. iii. 126 (1826).  
**DRAYTONIA**, A. Gray, Bot. U. St. Expl. Exped. i. 206. t. 15 (1854).

**LEUCOTHEA**, Moç. & Sesse, ex DC. in Mém. Soc. Phys. Genève. i. (1821) 419.

**MARUMIA**, Reinw. ex Blume, Cat. Gew. Buitenz. 79 (1823).

**OBELANTHERA**, Turcz. in Bull. Soc. Nat. Mosc. xx. (1847) i. 148.

**OVERSTRATIA**, Deschamps, ex R. Br. in Benn. Pl. Jav. Rar. 171 (1840).

**PALAVA**, Ruiz & Pav. Prod. 100. t. 22 (1794), nomen prius.

**REINWARDTIA**, Blume, ex Nees, in Syll. Ratisb. i. (1824) 96.

**SAURAVIA**, Spreng. Anleit. ii. 11. 818 (1818).

**SCAPHA**, Noronha, in Verh. Batav. Gen. v. (1770) ed. I. Art. iv. 3.

**TONSHIA**, Buch.-Ham. ex D. Don, Prod. Fl. Nep. 225 (1825).

**VANALPHIMIA**, Lechen. ex DC. in Mém. Soc. Phys. Genève. i. (1821) 419.

*aesculifolia*, De Vriese, Pl. Ind. Bat. Or. 42.—Java.

*altissima*, Zipp. ex Miq. Ann. Mus. Bot. Lugd. Bat. iv. 108.—N. Guin.

*Andreana*, Oliver, ex F. Muell. Census, Suppl. ii. 3, nomen.—Austral.

*angustifolia*, Reinw. ex De Vriese, Pl. Ind. Bat. Or. 50 = *lanceolata*.

## SAURAUJA:—

- angustifolia, Turcz. in Bull. Soc. Nat. Mosc. xxxi. (1858) i. 242.—Mexic.  
 anisopoda, Turcz. l. c.—Mexic.  
 armata, Kurz, in Journ. As. Soc. Beng. xlii. (1873) ii. 59.—Burma.  
 aspera, Turcz. in Bull. Soc. Nat. Mosc. xxxi. (1858) i. 242.—Mexic.  
 barbigera, Hook. Ic. Pl. t. 331 = leucocarpa.  
 biserrata, Spreng. Syst. iv. Cur. Post. 211.—Peruv.  
 blumeana, Spreng. l. c. 210 = bracteosa.  
 Blumia, Steud. Nom. ed. II. ii. 516.—Java.  
 Blumiana, Benn. Pl. Fav. Rar. 174.—Java.  
 brachybotrys, Turcz. in Bull. Soc. Nat. Mosc. xxxi. (1858) i. 245.—N. Granat.  
 bracteolata, DC. in Mém. Soc. Phys. Genève. i. (1822) 422.—Java.  
 bracteosa, DC. l. c. 423. t. 6.—Java.  
 brevirostris, Zipp. ex Miq. Ann. Mus. Bot. Lugd. Bat. iv. 106.—N. Guin.  
 callithrix, Miq. l. c. 111.—Ins. Celebes.  
 campodonta, Miq. Fl. Ind. Bat. Suppl. 482 = tristyla.  
 cauliflora, DC. in Mém. Soc. Phys. Genève. i. (1822) 425.—Java.  
 ceramica, Miq. Ann. Mus. Bot. Lugd. Bat. iv. 111.—Ins. Ceram.  
 cerea, Griff. ex Dyer, in Hook. f. Fl. Brit. Ind. i. 288.—Reg. Himal.  
 costata, Reinw. ex De Vriese, Pl. Ind. Bat. Or. 56.—Ins. Celebes.  
 crenulata, DC. in Mém. Soc. Phys. Genève. i. (1822) 424.—Java.  
 crenulata, Wight, ex Wall. Cat. n. 1459 = Gordonia obtusa.  
 Cumingiana, De Vriese, Pl. Ind. Bat. Or. 38 = late-bractea.  
 cuneata, Blume, Bijdr. 127 = bracteolata.  
 cuspidella, Miq. Ann. Mus. Bot. Lugd. Bat. iv. 108.—Sumatra.  
 dasyantha, De Vriese, Pl. Ind. Bat. Or. 49.—Sumatra.  
 dicalyx, Miq. Ann. Mus. Bot. Lugd. Bat. iv. 112.—Ins. Ceram.  
 distasosa, Korth. Verh. Nat. Gesch. Bot. 131.—Java.  
 euryolepis, De Vriese, Pl. Ind. Bat. Or. 48.—Ins. Celebes.  
 exasperata, De Vriese, l. c. 56.—Ins. Philipp.  
 excavata, Korth. Verh. Nat. Gesch. Bot. 130.—Borneo.  
 excelsa, Willd. in Ges. Naturf. Fr. Neue Schr. iii. (1801) 407.—N. Granat.  
 fasciculata, Wall. Pl. As. Rar. ii. 40.—Reg. Himal.  
 ferox, Korth. Verh. Nat. Gesch. Bot. 132.—Borneo.  
 ferruginea, Griff. Itin. Notes, 120 (sp. dub.).—Reg. Himal.  
 floccifera, Triana & Planch. in Ann. Sc. Nat. Sér. IV. xviii. (1862) 267.—N. Granat.  
 gigantea, Blume, Bijdr. 129 = bracteosa.  
 gigantea, DC. in Mém. Soc. Phys. Genève. i. (1822) 424.—Java.  
 glabrata, Steud. Nom. ed. II. ii. 516; Choisy, in Mém. Soc. Phys. Genève. xiv. (1855) 119.—Peruv.  
 grandifolia, Zoll. & Mor. Syst. Verz. Zoll. 26.—Java.  
 Griffithii, Dyer, in Hook. f. Fl. Brit. Ind. i. 286.—Assam.  
 Hasskarliana, Miq. Fl. Ind. Bat. i. ii. 484.—Java.  
 hirsuta, Blume, Bijdr. 128.—Java.  
 horrida, Hook. f. in Trans. Linn. Soc. xxiii. (1860) 162.—Borneo.  
 inflexidens, Miq. Fl. Ind. Bat. Suppl. 481 = tristyla.  
 Jackiana, Korth. Verh. Nat. Gesch. Bot. 127 = cauliflora.  
 Junghuhnii, Choisy, in Zoll. Syst. Verz. Ind. Archip. 148.—Java.  
 Kegeliana, Schlecht. in Bot. Zeit. xi. (1853) 694.—Guatemala.  
 Korthalsii, Zoll. & Mor. Syst. Verz. Zoll. 26 = leprosa.  
 laevigata, Triana & Planch. in Ann. Sc. Nat. Sér. IV. xviii. (1862) 267.—N. Granat.  
 lanceolata, DC. in Mém. Soc. Phys. Genève. i. (1822) 421. t. 4.—Java.  
 latibractea, Choisy, in Zoll. Syst. Verz. Ind. Archip. 148.—Ins. Philipp.  
 latipetala, Hemsl. Diagn. Pl. Nov. 4.—Mexic.  
 lepidicalyx, Miq. Ann. Mus. Bot. Lugd. Bat. iv. 109.—Ins. Celebes.

VOL. II.

## SAURAUJA:—

- leprosa, Korth. Verh. Nat. Gesch. Bot. 131.—Java.  
 leucocarpa, Schlecht. in Linnaea, x. (1836) 249.—Mexic.  
 leucophylla, Korth. Verh. Nat. Gesch. Bot. 125 = tristyla.  
 Lindenii, Regel, Ind. Sem. Hort. Petrop. (1868) 90.—Hab.?  
 longifolia, Oliver, in Journ. Linn. Soc. xv. (1876) 98.—Ins. Celebes.  
 macrophylla, Hort. ex Regel, Ind. Sem. Hort. Petrop. (1866) 102.—Hab.?  
 macrophylla, Linden, in Lindl. & Paxt. Flow. Gard. ii. (1851-52) 27 = villosa?  
 macrotricha, Kurz, in Journ. As. Soc. Beng. xlii. (1873) ii. 60.—Burma; China.  
 media, Korth. Verh. Nat. Gesch. Bot. 125 = tristyla.  
 micrantha, Blume, Bijdr. 127.—Java.  
 micrantha, Griff. Itin. Notes, 71 = Roxburghii?  
 microphylla, De Vriese, Pl. Ind. Bat. Or. 49.—Java.  
 mollis, Hassk. Cat. Hort. Bog. Alt. 210.—Java.  
 monadelpha, Scheff. in Ann. Jard. Buitenz. i. (1876) 8.—N. Guin.  
 montana, Seem. Bot. Voy. Herald, 87. t. 16 = veraguensis.  
 Moritziana, Turcz. in Bull. Soc. Nat. Mosc. xxxi. (1858) i. 243.—Venezuela.  
 muricata, Reinw. ex De Vriese, Pl. Ind. Bat. Or. 46.—Ins. Celebes.  
 muricata, Steud. Nom. ed. II. ii. 516.—Java.  
 napaulensis, DC. in Mém. Soc. Phys. Genève. i. (1822) 421.—Reg. Himal.  
 nigrescens, Korth. Verh. Nat. Gesch. Bot. 128.—Borneo.  
 Noronhiana, Blume, Bijdr. 127 = nudiflora.  
 novo-guineensis, Scheff. in Ann. Jard. Buitenz. i. (1876) 7.—N. Guin.  
 nudiflora, DC. in Mém. Soc. Phys. Genève. i. (1822) 422. t. 5.—Java.  
 Obelanthera, Turcz. in Bull. Soc. Nat. Mosc. xxxi. (1858) i. 245 = villosa.  
 oligolepis, Miq. Ann. Mus. Bot. Lugd. Bat. iv. 109.—Ins. Celebes.  
 oreophila, Hemsl. Diagn. Pl. Nov. 3.—Mexic.  
 oxyphylla, Miq. Fl. Ind. Bat. Suppl. 480 = tristyla.  
 paniculata, Wall. ex G. Don, Gen. Syst. i. 567 = napaulensis.  
 parviflora, Triana & Planch. in Ann. Sc. Nat. Sér. IV. xviii. (1862) 268.—N. Granat.  
 pauciserrata, Hemsl. Diagn. Pl. Nov. 3.—Mexic.  
 peduncularis, Triana & Planch. in Ann. Sc. Nat. Sér. IV. xviii. (1862) 267.—N. Granat.  
 pedunculata, Hook. Ic. Pl. t. 341-342.—Mexic.  
 pendula, Blume, Bijdr. 127.—Java.  
 Planchoni, Hook. f. in Trans. Linn. Soc. xxiii. (1860) 161.—Malaya.  
 polyantha, De Vriese, Pl. Ind. Bat. Or. 36 = vulcani.  
 polyodon, Miq. Ann. Mus. Bot. Lugd. Bat. iv. 107.—Molucc. vel Celebes?  
 polytricha, Miq. Fl. Ind. Bat. Suppl. 480 = setigera.  
 punduana, Wall. Pl. As. Rar. ii. 40.—Reg. Himal.  
 pycnotricha, Turcz. in Bull. Soc. Nat. Mosc. xxxi. (1858) i. 244.—Venezuela.  
 Reinwardtiana, Blume, Bijdr. 128.—Java.  
 rosea, Jungh. in Hoev. & De Vriese, Tijdschr. viii. (1841) 384.—Java.  
 Roxburghii, Wall. Pl. As. Rar. ii. 40.—Reg. Himal.; Burma.  
 rubicunda, Seem. Fl. Vit. 14.—Ins. Fiji.  
 rubiformis, Vatke, in Linnaea, xl. (1876) 221.—Costa Rica.  
 rugosa, Turcz. in Bull. Soc. Nat. Mosc. xxxi. (1858) i. 245.—Ins. Philipp.  
 Ruiziana, Steud. Nom. ed. II. ii. 516.—Peruv.  
 sakoembangensis, Korth. Verh. Nat. Gesch. Bot. 134.—Borneo.  
 sarapiquensis, Carr. in Rev. Hort. (1877) 60.—Costa Rica.  
 scabra, Poepp. ex Choisy, in Mém. Soc. Phys. Genève. xiv. (1855) 118.—Peruv.  
 scabrida, Hemsl. Diagn. Pl. Nov. 3.—Mexic.  
 serrata, DC. in Mém. Soc. Phys. Genève. i. (1822) 420. t. 3; Prod. i. 526.—Mexic.  
 setidens, Miq. Fl. Ind. Bat. Suppl. 481 = vulcani.  
 setigera, Korth. Verh. Nat. Gesch. Bot. 133.—Sumatra.  
 singalangensis, Korth. l. c. 134.—Sumatra.  
 spadicea, Blume, Bijdr. 128 = lanceolata.

## SAURAUJA:—

- spectabilis, Hook. Bot. Mag. t. 3982.—Am. austr.  
 squamellicaula, Miq. Ann. Mus. Bot. Lugd. Bat. iv. 112.—Ins. Molucc.  
 sterculifolia, Griff. Itin. Notes, 198 = napaulensis?  
 strigillosa, Triana & Planch. in Ann. Sc. Nat. Sér. IV. xviii. (1862) 268.—N. Granat.  
 subcordata, Korth. Verh. Nat. Gesch. Bot. 124.—Borneo.  
 tewensis, Korth. l. c. 133.—Borneo.  
 Teysmanniana, Miq. Fl. Ind. Bat. Suppl. 481 = tristyla.  
 tomentosa, Spreng. Syst. iv. Cur. Post. 211.—N. Granat.; Ecuador.  
 tristyla, DC. in Mém. Soc. Phys. Genève. i. (1822) 423. t. 7.—As. trop. or.  
 ursina, Triana & Planch. in Ann. Sc. Nat. Sér. IV. xviii. (1862) 265.—N. Granat.  
 veraguensis, Seem. Bot. Voy. Herald, 249.—Panama.  
 villosa, DC. in Mém. Soc. Phys. Genève. i. (1822) 420. t. 2; Prod. i. 525.—Mexic.  
 vulcani, Korth. Verh. Nat. Gesch. Bot. 128.—Sumatra.  
 xanthotricha, Turcz. in Bull. Soc. Nat. Mosc. xxxi. (1858) i. 243.—Venezuela.

SAUROGLOSSUM, Lindl. Bot. Reg. t. 1618 (1833) = *Spiranthes*, Rich. (Orchid.).  
 elatum, Lindl. l. c.—Bras.  
 monophyllum, Griseb. Cat. Pl. Cub. 269 = *Cranichis monophylla*.  
 tenue, Lindl. in Ann. & Mag. Nat. Hist. Ser. III. i. (1858) 334.—Cuba.

SAUROMATUM, Schott, in Schott & Endl. Melet. i. 17 (1832). *AROIDEAE*, Benth. & Hook. f. iii. 966.  
 abyssinicum, Schott, Syn. Aroid. 25.—Abyss.  
 asperum, C. Koch, in Belg. Hort. xv. (1865) 101 = *Dracontium asperum*.  
 ferox, Linden, ex Engl. in DC. Monog. Phan. ii. 305 = *Anchomanes dubius*.  
 guttatum, Schott, in Schott & Endl. Melet. i. 17.—Ind. bor. occ.  
 Horsfieldii, Miq. Fl. Ind. Bat. iii. 196.—Java.  
 nubicum, Schott, Syn. Aroid. 25.—Afr. trop.  
 pedatum, Schott, in Schott & Endl. Melet. i. 17 = *guttatum*.  
 pulchrum, Miq. Ann. Mus. Bot. Lugd. Bat. i. 221.—Sumatra.  
 punctatum, C. Koch, in C. Koch & Fint. Wochenschr. i. (1858) 263 = *guttatum*.  
 sessiliflorum, Kunth, Enum. Pl. iii. 28 = *guttatum*.  
 simlense, Schott, in Oestr. Bot. Zeitschr. viii. (1858) 349 = *guttatum*.  
 venosum, Kunth, Enum. Pl. iii. 28; Schott, Prod. Aroid. 71 = *guttatum*.

SAUROPUS, Blume, Bijdr. 595 (1825). *EUPHORBIAEAE*, Benth. & Hook. f. iii. 271.  
 CERATOGYNUM, Wight, Ic. v. ii. 26. t. 1900 (1852).  
 albicans, Blume, Bijdr. 596.—Ind. or.; Malaya.  
 assimilis, Thw. Enum. Pl. Zeyl. 284.—Zeylan.  
 brevipes, Muell. Arg. in Linnaea, xxxii. (1863) 73.—Burma.  
 Ceratogynum, Baill. Etud. Gén. Euph. 635 = *quadrangularis*.  
 compressus, Muell. Arg. in DC. Prod. xv. ii. 243.—Reg. Himal.; Burma.  
 Gardnerianus, Wight, Ic. vi. 6. t. 1951 = *albicans*.  
 indicus, Wight, Ic. t. 1952 = *albicans*.  
 macranthus, Hassk. Retzia, i. 166.—Java.  
 macranthus, Villar, in Blanco, Fl. Philipp. ed. III. Nov. App. 187 = *albicans*.  
 quadrangularis, Muell. Arg. in Linnaea, xxxii. (1863) 73.—Ind. or.  
 repandus, Muell. Arg. in Flora, lv. (1872) 2.—Reg. Himal.  
 retroversus, Wight, Ic. vi. 6. t. 1951.—Zeylan.  
 rhamnoides, Blume, Bijdr. 596.—Java.  
 rigidus, Thw. Enum. Pl. Zeyl. 284.—Zeylan.  
 rostratus, Miq. Fl. Ind. Bat. Suppl. 447.—Sumatra.  
 spectabilis, Miq. l. c. 446.—Sumatra.  
 sumatranus, Miq. l. c.—Sumatra.  
 trinervius, Hook. f. & Thoms. ex Muell. Arg. in Linnaea, xxxii. (1863) 72.—Reg. Himal.  
 zeylanicus, Wight, Ic. t. 1952 = *albicans*.

SAURUROPSIS, Turcz. in Bull. Soc. Nat. Mosc. xxi. (1848) i. 589 = *Saururus*, Plum. (Piperac.).  
 chinensis, Turcz. l. c. 590 = *Saururus Loureiri*.  
 Cumingii, C. DC. in DC. Prod. xvi. i. 239 = *Saururus Loureiri*.

5 L

**SAURURUS**, Plum. ex Linn. Gen. ed. I. 108 (1737).  
*PIPERACEAE*, Benth. & Hook. f. iii. 127.  
 MATTUSCHKIA, J. F. Gmel. Syst. ii. 589 (1791).  
 SAURUROPSIS, Turcz. in Bull. Soc. Nat. Mosc. xxi. (1848) i. 589.  
 SPATHIUM, Lour. Fl. Cochinch. 217 (1790).  
 cernuus, Linn. Sp. Pl. 341.—Am. bor.  
 cernuus, Thunb. Fl. Jap. 154 = Loureiri.  
 chinensis, Hort. ex Loud. Hort. Brit. 144, nomen; et Encyc. Pl. 298.—China.  
 Loureiri, Decne. in Ann. Sc. Nat. Sér. III. iii. (1845) 102.—China; Japon.  
 lucidus, Donn. Hort. Cantab. ed. III. 66 = cernuus.  
 natans, Linn. Mant. ii. 227 = Aponogeton monostachyum.  
 sinensis, Teijsm. & Binn. Cat. Hort. Bog. 77 = chinensis.  
**SAUSSUREA**, DC. in Ann. Mus. Par. xvi. (1810) 156, 198. tt. 10, 13. *COMPOSITAE*, Benth. & Hook. f. ii. 471.  
 APLOTAXIS, DC. in Guill. Archiv. Bot. ii. (1833) 330.  
 AUCLANDIA, Falc. in Trans. Linn. Soc. xix. (1842) 23.  
 BENNETTIA, S. F. Gray, Nat. Arr. Brit. Pl. ii. 440 (1821).  
 CYATHIDIUM, Lindl. in Royle, Illustr. Bot. Himal. 251. t. 56 (1835).  
 ERIOCORYNE, Wall. ex DC. Prod. vi. 514 (1837).  
 ERIOSTEMON, Less. Syn. Comp. 12 (1832).  
 FROLOVIA, Ledeb. ex DC. Prod. vi. 538 (1837).  
 HEMISTEPTA, Bunge, in Dorp. Jahrb. Litt. i. (1833) 221.  
 HETEROTRICHUM, Bieb. Fl. Taur. Cauc. iii. 551 (1819).  
 LAGUROSTEMON, Cass. in Dict. Sc. Nat. liii. 466 (1828).  
 POECILOTRICHE, Dulac, Fl. Hautes-Pyr. 528 (1867).  
 THEODOREA, Cass. in Dict. Sc. Nat. xlvii. (1827) 500, 513; liii. 463 (1828).  
 acanthocarpa, Sch. Bip. ex Hook. f. Fl. Brit. Ind. iii. 378 = Jurinea ceratocarpa.  
 acaulis, Klatt, in Sitzb. Akad. Muench. (1878) 91 = Thomsoni.  
 acuminata, Turcz. ex Fisch. & Mey. Ind. Sem. Hort. Petrop. i. 37 = alpina.  
 affinis, Spreng. ex DC. Prod. vi. 540.—As. trop.  
 alaschanica, Maxim. in Bull. Acad. Pétersb. xxvii. (1881) 492.—As. centr.  
 alata, DC. in Ann. Mus. Par. xvi. (1810) 202 = japonica.  
 Alberti, Regel & Winkler, in Act. Hort. Petrop. vi. (1879) 298.—Turkestan.  
 albescens, Hook. f. & Thoms. ex C. B. Clarke, Comp. Ind. 233.—Reg. Himal.  
 alpina, DC. in Ann. Mus. Par. xvi. (1810) 198.—Reg. bor. et arct.  
 amara, DC. l. c. 200.—Sibir.  
 amara, Less. in Linnaea, ix. (1834) 169 = glomerata.  
 americana, Eaton, in Coult. Bot. Gaz. vi. (1881) 283.—Am. bor. occ.  
 amoena, Kar. & Kir. in Bull. Soc. Nat. Mosc. (1841) 447 (amaena) = salicifolia.  
 amurensis, Turcz. ex DC. Prod. vi. 534 = eriolepis.  
 Andersoni, C. B. Clarke, Comp. Ind. 226.—Reg. Himal.  
 andryaloides, Hook. f. & Thoms. ex C. B. Clarke, l. c. 227.—Reg. Himal.  
 angustifolia, DC. in Ann. Mus. Par. xvi. (1810) 200 = alpina.  
 Apus, Maxim. in Bull. Acad. Pétersb. xxvii. (1881) 490.—As. centr.  
 arenaria, Maxim. l. c.—China.  
 asperifolia, Sch. Bip. ex Herd. in Bull. Soc. Nat. Mosc. xli. (1868) ii. 12 = elongata.  
 Atkinsoni, C. B. Clarke, Comp. Ind. 226.—Reg. Himal.  
 atriplicifolia, Bieb. ex Bess. in Flora, xvii. (1834) i. Beibl. 15 = serrata.  
 blanda, Schrenk, in Bull. Sc. Acad. Pétersb. x. (1842) 354.—Sibir. altaic.  
 borealis, Fisch. ex Herd. in Bull. Soc. Nat. Mosc. xli. (1868) ii. 38 = alpina.  
 bracteata, Decne. in Jacquem. Voy. Bot. 94. t. 102.—Reg. Himal.  
 brahuica, Boiss. Fl. Orient. iii. 566 = candicans.

**SAUSSUREA** :—

Bungei, Benth. & Hook. f. ex Franch. & Sav. Enum. Pl. Jap. i. 255 = affinis.  
 caespitosa, Wall. Cat. n. 2913 = taraxacifolia.  
 cana, Ledeb. l. c. Pl. Fl. Ross. i. 18. t. 75.—Sibir. altaic.  
 candicans, C. B. Clarke, Comp. Ind. 232.—Reg. Himal.  
 Candolleana, C. B. Clarke, l. c. 230 = Clarkei.  
 Candolleana, Wall. Cat. n. 3289.—Reg. Himal.; Soongar.  
 carthamoides, Buch.-Ham. ex DC. Prod. vi. 540 = affinis.  
 centauroides, Tausch, in Flora, xi. (1828) ii. 484.—Sibir. or.  
 ceratocarpa, Decne. in Jacquem. Voy. Bot. 93. t. 101 = Jurinea ceratocarpa.  
 chenopodifolia, Klatt, in Sitzb. Akad. Muench. (1878) 92 = albescens.  
 chinensis, Sch. Bip. in Flora, xxxv. (1852) 48 = japonica.  
 Clarkei, Hook. f. Fl. Brit. Ind. iii. 372.—Reg. Himal.  
 compacta, Fisch. ex Herd. in Bull. Soc. Nat. Mosc. xli. (1868) ii. 23 = alpina.  
 congesta, Turcz. ex DC. Prod. vi. 535.—Dahuria.  
 conica, C. B. Clarke, Comp. Ind. 224 = uniflora.  
 controversa, DC. in Ann. Mus. Par. xvi. (1810) 199 = discolor.  
 coronata, Schrenk, in Bull. Phys.-Math. Acad. Pétersb. iii. (1845) 107.—Soongaria.  
 crassifolia, DC. in Ann. Mus. Par. xvi. (1810) 201.—Sibir.  
 crepidifolia, Turcz. in Bull. Soc. Nat. Mosc. xx. (1847) ii. 47.—As. bor.  
 daurica, Adams, in Nouv. Mém. Soc. Nat. Mosc. iii. (1834) 251.—Dahuria.  
 Davidi, Franch. Pl. Davidian. i. (1884) 180.—China.  
 deltoidea, C. B. Clarke, Comp. Ind. 235.—Reg. Himal.  
 denticulata, Ledeb. l. c. Pl. Fl. Ross. i. 18. t. 74.—Sibir.  
 denticulata, Wall. Cat. n. 2917.—Reg. Himal.  
 depressa, Gren. in Mém. Acad. Besang. (1849); ex Gren. & Godr. Fl. Fr. ii. 272 = alpina.  
 depressa, Heuff. ex Nym. Consp. 415 = discolor.  
 discolor, DC. in Ann. Mus. Par. xvi. (1810) 199.—Europ.; As. bor.  
 dissecta, Ledeb. Fl. Alt. iv. 19, in nota = japonica.  
 duensis, F. Schmidt, Reisen Amurl. 152.—Ins. Sachalin.  
 elata, Ledeb. l. c. Pl. Fl. Ross. i. 20. t. 80.—Sibir. altaic.  
 elegans, Ledeb. l. c. 19. t. 77.—Sibir. altaic.  
 elliptica, C. B. Clarke, ex Hook. f. Fl. Brit. Ind. iii. 372.—Reg. Himal.  
 elongata, DC. in Ann. Mus. Par. xvi. (1810) 201.—Sibir.  
 epilobioides, Maxim. in Bull. Acad. Pétersb. xxvii. (1881) 495.—China.  
 eriolepis, Bunge, ex DC. Prod. vi. 535.—China; Manchuria.  
 eriostemon, Wall. Cat. n. 2912.—Reg. Himal.  
 esthonica, Baer, in Rupr. Stirp. Fl. Petrop. 21 (cf. Mém. Acad. Pétersb. Sér. VI. Sc. Nat. vii. (1885) 5).—Ross.  
 Falconeri, Hook. f. Fl. Brit. Ind. iii. 369.—Reg. Himal.  
 filifolia, Regel & Schmalh. in Act. Hort. Petrop. vi. (1879) 312.—As. centr.  
 flavescens, Spreng. Syst. iii. 380 = Serratula flavescens.  
 foliosa, Hook. f. Fl. Brit. Ind. iii. 373.—Reg. Himal.  
 foliosa, Ledeb. l. c. Pl. Fl. Ross. i. 17. t. 69.—Sibir. altaic.  
 Frolovii, Ledeb. l. c. iv. 16. t. 352.—Sibir. altaic.  
 fruticulosa, Kar. & Kir. in Bull. Soc. Nat. Mosc. (1841) 448 = cana.  
 Gebleriana, C. A. Mey. in Mém. Acad. Pétersb. Sér. VI. Sc. Nat. vii. (1855) 6.—Sibir. altaic.  
 glacialis, Herd. in Bull. Soc. Nat. Mosc. xi. (1867) ii. 144.—Turkestan.  
 glanduligera, Sch. Bip. ex Hook. f. Fl. Brit. Ind. iii. 371.—Reg. Himal.  
 glauca, Ledeb. ex Bess. in Flora, xvii. (1834) i. Beibl. 15 = Laxmanni.  
 glomerata, Poir. Encyl. Suppl. v. 71.—Sibir.  
 Gmelini, G. Don, in Sweet, Hort. Brit. ed. III. 392 = Serratula Gmelini.  
 Gmelini, Hort. Dorp. ex Herd. in Bull. Soc. Nat. Mosc. xli. (1868) ii. 48 = amara.

**SAUSSUREA** :—

'gossypiphora, D. Don, in Mem. Wern. Soc. iii. (1821) 414.—Reg. Himal.  
 gossypifera, Spreng. Syst. iii. 381 = praec.  
 gossypina, Wall. Fl. As. Rar. ii. 32. t. 138 = praec.  
 gossypiphora, Wall. Cat. n. 2910 B = sacra.  
 gracilis, Maxim. in Bull. Acad. Pétersb. xix. (1874) 518.—Japon.  
 graminifolia, Wall. Cat. n. 2911.—Reg. Himal.  
 grandifolia, Maxim. Prim. Fl. Amur. 169.—Reg. Amur.  
 Griffithii, Boiss. Diagn. Ser. II. iii. 47.—Afghan.  
 hieracioides, Hook. f. Fl. Brit. Ind. iii. 371.—Reg. Himal.  
 Hookeri, C. B. Clarke, Comp. Ind. 230.—Reg. Himal.  
 hypoleuca, Spreng. ex DC. Prod. vi. 541.—Reg. Himal.  
 integerrima, Spreng. l. c. 536 = graminifolia.  
 intermedia, Turcz. in Bull. Soc. Nat. Mosc. v. (1832) 193 = japonica.  
 iodostegia, Hance, in Journ. Bot. xvi. (1878) 109.—China.  
 Jacea, C. B. Clarke, Comp. Ind. 233.—Reg. Himal.  
 japonica, DC. in Ann. Mus. Par. xvi. (1810) 203.—Japon.  
 Karelinii, Stschégl. in Bull. Soc. Nat. Mosc. xxi. (1848) ii. 244.—As. centr.  
 kaschgarica, Rupr. Sert. Tiansch. 54.—Turkestan.  
 Katschaeta, Maxim. in Bull. Acad. Pétersb. xxvii. (1881) 491.—China.  
 Kunthiana, C. B. Clarke, Comp. Ind. 225.—Reg. Himal.  
 laciniata, Ledeb. l. c. Pl. Fl. Ross. i. 16. t. 64.—Sibir. altaic.  
 laevigata, Tausch, ex Steud. Nom. ed. II. ii. 517 = glomerata.  
 Lappa, C. B. Clarke, Comp. Ind. 233.—Reg. Himal.  
 latifolia, Ledeb. l. c. Pl. Fl. Ross. i. 17. t. 70.—Sibir. altaic.  
 Laxmanni, Turcz. ex Bess. in Flora, xvii. (1834) i. Beibl. 15.—Sibir. baical.  
 Ledebouri, Herd. in Bull. Soc. Nat. Mosc. xli. (1868) ii. 41 = alpina.  
 leucantha, Jord. in F. Schultz, Arch. Fl. 2 = alpina.  
 leucophylla, Schrenk, in Bull. Soc. Acad. Pétersb. x. (1842) 354 = pygmaea.  
 liatroides, Fisch. ex DC. Prod. vi. 532 = pycnocephala.  
 linearis, Champ. & Benth. in Hook. Kew Journ. iv. (1852) 235 = japonica.  
 lyrata, Fisch. ex Loud. Hort. Brit. 329, nomen.—Sibir.  
 lyrata, Franch. in Mém. Soc. Sc. Nat. Cherb. xxiv. (1884) 229 = affinis.  
 macrocephala, Less. in Linnaea, vi. (1831) 87 = glomerata.  
 macrophylla, Bunge, ex Herd. in Bull. Soc. Nat. Mosc. xli. (1868) ii. 17 = latifolia.  
 macrophylla, Sauter, in Flora, xxiii. (1840) 413 = alpina.  
 malitiosa, Maxim. in Bull. Acad. Pétersb. xxvii. (1881) 493.—China.  
 marginata, Borszcz. ex Trautv. in Act. Hort. Petrop. viii. (1883) 482, nomen.—As. centr.  
 Maximowiczii, Herd. in Bull. Soc. Nat. Mosc. xli. (1869) ii. 14.—Japon.  
 Medusa, Maxim. in Bull. Acad. Pétersb. xxvii. (1881) 488.—China; Mongolia.  
 mollis, Spreng. Syst. iii. 381 = Jurinea humilis.  
 monocephala, Cass. in Dict. Sc. Nat. l. 444 = pygmaea.  
 monticola, Richards. in Frankl. Narr. 1st Journ. App. ed. II. 29 = alpina.  
 mucronata, Spreng. ex DC. Prod. v. 376 = Pluchea lanceolata.  
 multiflora, DC. in Ann. Mus. Par. xvi. (1810) 199 = salicifolia.  
 multiflora, Richards. in Frankl. Narr. 1st Journ. App. 747 = alpina.  
 nepalensis, Spreng. Syst. iii. 380 = eriostemon.  
 nigrescens, Maxim. in Bull. Acad. Pétersb. xxvii. (1881) 491.—China.  
 nikoensis, Franch. & Sav. Enum. Pl. Jap. ii. 407.—Japon.  
 nipponica, Miq. Ann. Mus. Bot. Lugd. Bat. ii. 183.—Japon.  
 nivea, Turcz. in Bull. Soc. Nat. Mosc. (1837) n. vii. 153 = eriolepis.

## SAUSSUREA:—

- nuda*, Ledeb. Ic. Pl. Fl. Ross. i. 15. t. 61 = alpina.  
 obvallata, Wall. Cat. sub n. 2906.—Reg. Himal.  
 odontolepis, Sch. Bip. ex Herd. in Bull. Soc. Nat. Mosc. xli. (1868) ii. 13.—China; Manchuria.  
 ovata, Benth. in Henders. & Hume, Lahore to Yarkand, 325.—Turkestan.  
 paleata, Maxim. Prim. Fl. Amur. 168.—Reg. Amur.  
 papposa, Turcz. ex DC. Prod. vi. 534 = crassifolia.  
 parviflora, DC. in Ann. Mus. Par. xvi. (1810) 200 = serrata.  
 pectinata, Bunge, ex DC. Prod. vi. 538.—China.  
 peguensis, C. B. Clarke, Comp. Ind. 235.—Burma.  
 phaeantha, Maxim. in Bull. Acad. Pétersb. xxvii. (1881) 489.—China.  
 piptathera, Edgew. in Trans. Linn. Soc. xx. (1846) 76, in obs.—Reg. Himal.  
 Poljakowi, Glehn, in Act. Hort. Petrop. iv. (1876) 60.—Sibir.  
 polyphylla, Schrenk, ex Herd. in Bull. Soc. Nat. Mosc. xli. (1868) ii. 5 = pygmaea.  
 polypodiifolia, DC. in Ann. Mus. Par. xvi. (1810) 201 = elongata.  
 polypodiifolia, Turcz. in Bull. Soc. Nat. Mosc. xx. (1847) ii. 46 = runcinata.  
 polystichoides, Hook. f. Fl. Brit. Ind. iii. 369.—Reg. Himal.  
 Przewalskii, Maxim. in Bull. Acad. Pétersb. xxvii. (1881) 494.—China.  
 pterocaulon, Decne. in Jacquem. Voy. Bot. 95. t. 103 = Candolleana.  
 pujolica, Costa, Suplem. Fl. Catalan. 47.—Hispan.  
 pulchella, Fisch. ex DC. Prod. vi. 537 = japonica.  
 pulvinata, Maxim. in Bull. Acad. Pétersb. xxvii. (1881) 493.—China.  
 Pumilio, Fisch. ex DC. Prod. vi. 535 = alpina.  
 pycnocephala, Ledeb. Ic. Pl. Fl. Ross. i. 15. t. 59.—Sibir. altaic.  
 pygmaea, Spreng. Syst. iii. 381.—Europ.; Sibir.  
 religiosa, Royle, Illustr. Bot. Himal. 26, 251 = Jurinea macrocephala, Benth.  
 Riederi, Herd. in Bull. Soc. Nat. Mosc. xli. (1868) ii. 35.—Kamtchat.  
 rigida, Ledeb. Ic. Pl. Fl. Ross. i. 19. t. 79.—Sibir. altaic.  
 robusta, Ledeb. l. c. i. 16. t. 65.—Sibir. altaic.  
 Roylei, C. B. Clarke, Comp. Ind. 229.—Reg. Himal.  
 runcinata, DC. in Ann. Mus. Par. xvi. (1810) 202.—Sibir.  
 sachalinensis, F. Schmidt, Reisen Amur. 152.—Reg. Amur.  
 sacra, Edgew. in Trans. Linn. Soc. xx. (1846) 76.—Reg. Himal.  
 salicifolia, DC. in Ann. Mus. Par. xvi. (1810) 200.—Sibir.  
 salsa, Spreng. Syst. iii. 381.—Reg. Cauc.; As. bor.  
 scabiosaefolia, Turcz. ex Ledeb. Fl. Ross. iii. 666 = elongata.  
 scabra, Less. in Linnaea, ix. (1834) 180 = glomerata.  
 scaposa, Franch. & Sav. Enum. Pl. Jap. ii. 480.—Japon.  
 Schanginiana, Fisch. ex Herd. in Bull. Soc. Nat. Mosc. xli. (1868) ii. 5 = pygmaea.  
 Schlagintweitii, Klatt, in Sitzb. Akad. Muench. (1878) 94 = bracteata?  
 Schultzei, Hook. f. Fl. Brit. Ind. iii. 366.—Reg. Himal.  
 Semenovii, Herd. in Bull. Soc. Nat. Mosc. xl. (1867) ii. 142.—Turkestan.  
 serrata, DC. in Ann. Mus. Par. xvi. (1810) 199.—Sibir. altaic.  
 serratuloides, Turcz. in Bull. Soc. Nat. Mosc. xx. (1847) ii. 35.—Sibir. altaic.  
 setifolia, Klatt, in Sitzb. Akad. Muench. (1878) 95 = subulata.  
 sordida, Kar. & Kir. in Bull. Soc. Nat. Mosc. xv. (1842) 389.—Sibir. altaic.  
 sorocephala, Hook. f. & Thoms. ex C. B. Clarke, Comp. Ind. 226.—Reg. Himal.  
 sorocephala, Schrenk, Enum. Pl. Nov. ii. 38.—Sibir. altaic.  
 squarrosa, Turcz. in Bull. Soc. Nat. Mosc. xx. (1847) ii. 44.—Dahuria.  
 Stella, Maxim. in Bull. Acad. Pétersb. xxvii. (1881) 490.—China.  
 stemmaphora, Klatt, in Sitzb. Akad. Muench. (1878) 93 = Jurinea ceratocarpa.  
 Stoliczkae, C. B. Clarke, Comp. Ind. 225.—Reg. Himal.

## SAUSSUREA:—

- stricta*, Spreng. ex DC. Prod. vi. 540 = affinis.  
 Stubendorffii, Herd. in Bull. Soc. Nat. Mosc. xli. (1868) ii. 26.—Sibir.  
 subsinuata, Ledeb. Ic. Pl. Fl. Ross. i. 15. t. 62 = alpina.  
 subulata, C. B. Clarke, Comp. Ind. 226, partim.—Reg. Himal.  
 subulata, C. B. Clarke, l. c., partim = werneroides.  
 Sugho, C. B. Clarke, l. c. 225.—Reg. Himal.  
 sylvatica, Maxim. in Bull. Acad. Pétersb. xxvii. (1881) 495.—China.  
 Tanakae, Franch. & Sav. ex Maxim. l. c. xix. (1874) 516.—Japon.  
 tangutica, Maxim. l. c. xxvii. (1881) 489.—China.  
 taraxacifolia, Wall. Cat. n. 2914.—Reg. Himal.  
 tenuis, Ledeb. Ic. Pl. Fl. Ross. i. 19. t. 78.—Sibir. altaic.  
 Thomsoni, C. B. Clarke, Comp. Ind. 227.—Reg. Himal.  
 Tilesii, Ledeb. Ic. Pl. Fl. Ross. i. 15. t. 60 = alpina.  
 triangulata, Trautv. & Mey. in Middend. Reise (Fl. Ochot. 58).—Sibir. or.  
 tridactyla, Sch. Bip. ex Hook. f. Fl. Brit. Ind. iii. 377.—Reg. Himal.  
 triptera, Maxim. in Bull. Acad. Pétersb. xix. (1874) 515.—Japon.  
 uniflora, C. B. Clarke, Comp. Ind. 229 = Roylei.  
 uniflora, Wall. Cat. n. 2916.—Reg. Himal.  
 ussuriensis, Maxim. Prim. Fl. Amur. 167.—Manchuria.  
 werneroides, Sch. Bip. ex Hook. f. Fl. Brit. Ind. iii. 367.—Reg. Himal.  
 Yakla, C. B. Clarke, Comp. Ind. 227.—Reg. Himal.

SAUSSUREA, Salisb. in Trans. Linn. Soc. viii. (1807) 11 = **Funkia**, Spreng. (Liliac.).  
*caerulea*, Salisb. l. c. = F. ovata.  
*cordifolia*, Salisb. l. c. = Liliun cordifolium.

SAUSSURIA, Moench, Meth. 388 (1794) = **Nepeta**, Linn. (Labiata).  
*pinnatifida*, Moench, l. c. = N. lavandulacea.

SAUSSURIA, St. Lag. in Ann. Soc. Bot. Lyon, viii. (1881) 175 = **Saussurea**, DC. (Compos.).

SAUTIERA, Decne. in Nouv. Ann. Mus. Par. iii. (1834) 383. **ACANTHACEAE**, Benth. & Hook. f. ii. 1088.  
 SANTIARA, Span. in Linnaea, xv. (1841) 328, sphalm.  
*Decaisnii*, Nees, in DC. Prod. xi. 98 = tinctorum.  
 tinctorum, Decne. in Nouv. Ann. Mus. Par. iii. (1834) 383.—Timor.

SAUVAGEA, Linn. Gen. ed. II. 241 (1742) = seq.

**SAUVAGESIA**, Linn. Sp. Pl. ed. I. 203 (1753). **VIOLARIEAE**, Benth. & Hook. f. i. 120.  
 IRON, P. Br. Hist. Jamaica. 179. t. 12. f. 3 (1756).  
 SAUVAGEA, Linn. Gen. ed. II. 241 (1742).  
*Adima*, Aubl. Pl. Gui. i. 251 = erecta.  
*deflexifolia*, Gardn. in Hook. Ic. Pl. t. 484.—Bras.  
*deflexifolia*, Miq. ex Eichl. in Mart. Fl. Bras. xiii. i. 409 = erecta.  
*elata*, Benth. in Hook. Journ. Bot. iv. (1842) 107.—Ind. occ.; Guian.  
*elegantissima*, A. St. Hil. in Mém. Mus. Par. ix. (1822) 325 = Lavradia elegantissima.  
*erecta*, Aubl. Pl. Gui. i. 254; Spreng. Neue Entdeck. i. 296 = Sprengelii.  
*erecta*, Linn. Sp. Pl. 203.—Am. et Afr. trop.  
*ericoides*, Ging. in DC. Prod. i. 316 = Lavradia alpestris.  
*fruticosa*, Mart. Nov. Gen. et Sp. i. 38.—Bras.  
*geminiflora*, [Moç. & Sesse,] ex Ging. in DC. Prod. i. 315 = erecta.  
*gracilis*, Steud. Nom. ed. II. ii. 517, in syn. = erecta.  
*Kappleri*, Miq. Stirp. Surin. Sel. 105 = Sprengelii.  
*laxa*, Mart. Nov. Gen. et Sp. i. 38 = erecta.  
*linearifolia*, A. St. Hil. in Mém. Mus. Par. xi. (1824) 106 = pusilla.  
*longifolia*, Eichl. in Mart. Fl. Bras. xiii. i. 407.—Bras.  
*nutans*, Pers. Syn. i. 253 = erecta.  
*ovata*, Mart. Nov. Gen. et Sp. i. 36 = racemosa.  
*pendula*, Mart. ex Ging. in DC. Prod. i. 316 = Lavradia alpestris.  
*peruviana*, Roem. & Schult. Syst. v. 457 = erecta.

## SAUVAGESIA:—

- pulchella*, Planch. in Seem. Bot. Voy. Herald, 80.—Am. trop.  
*pusilla*, Mart. Nov. Gen. et Sp. i. 35.—Bras.  
*racemosa*, A. St. Hil. in Mém. Mus. Par. xi. (1824) 98.—Bras.  
*ramosissima*, Spruce, ex Eichl. in Mart. Fl. Bras. xiii. i. 409.—Bras.  
*rubiginosa*, A. St. Hil. in Mém. Mus. Par. xi. (1824) 101.—Bras.  
*salicifolia*, Ging. in DC. Prod. i. 316.—Bras.  
*Salsmannii*, Benth. ex Eichl. in Mart. Fl. Bras. xiii. i. 412 = tenella.  
*serpyllifolia*, Mart. Nov. Gen. et Sp. i. 37. t. 25 = Sprengelii.  
*Sprengelii*, A. St. Hil. in Mém. Mus. Par. xi. (1824) 99.—Am. trop.  
*tenella*, Lam. Illustr. ii. 119.—Am. trop.

SAUVAGIA, St. Lag. in Ann. Soc. Bot. Lyon, viii. (1881) 175 = praec.

**SAUVALLEE**, Wright, in Sauv. Fl. Cub. 156 (1873). **COMMELINACEAE**, Benth. & Hook. f. iii. 855.  
 Blainii, Wright, l. c. 157.—Cuba.

SAVA, Adans. Fam. ii. p. (21) (1763) = **Onosma**, Linn. (Borag.).

SAVASTANA, Schrank, Baier. Fl. i. 100, 337 (1789) = **Hierochloë**, S. G. Gmel. (Gramin.).  
*hirta*, Schrank, l. c. 337 = H. borealis.

SAVASTANIA, Scop. Introd. 213 (1777) = **Tibouchina**, Aubl. (Melastom.).

SAVASTONIA, Neck. ex Steud. Nom. ed. II. ii. 518, err. typ. (1841) = praec.

SAVIA, Rafin. in Med. Repos. N. York, v. (1808) 352 = **Amphicarpaea**, Ell. (Legumin.).  
*volubilis*, Rafin. l. c. = A. monoica.

SAVIA, Willd. Sp. Pl. iv. 771 (1805). **EUPHORBIAEAE**, Benth. & Hook. f. iii. 270.  
 CHARIDIA, Baill. Etud. Gén. Euph. 572 (1858).  
 GONATOGYNE, Klotzsch, ex Muell. Arg. in Mart. Fl. Bras. xi. ii. 13 (1873).  
 PETALODISCUS, Baill. Etud. Gén. Euph. 571. t. 22 (1858).  
*Actephila*, Hassk. Cat. Hort. Bogor. Alt. 243 = Actephila excelsa.  
 Bojeriana, Baill. Adansonia, viii. (1868) 345.—Madag.  
*clusiifolia*, Griseb. in Goett. Nachr. (1865) 164.—Cuba.  
*dictyocarpa*, Muell. Arg. in Mart. Fl. Bras. xi. ii. 704.—Bras.  
*elegans*, Muell. Arg. in Linnaea, xxxii. (1863) 78.—Ins. Mascar.  
*erythroxyloides*, Griseb. in Mem. Am. Acad. N. S. viii. (1861) 157.—Cuba.  
 Laureola, Baill. Adansonia, ii. (1861-62) 33.—Madag.  
*laurifolia*, Griseb. in Goett. Nachr. (1865) 163.—Cuba.  
*mimosoides*, Baill. Adansonia, ii. (1861-62) 34.—Madag.  
*oblongifolia*, Baill. l. c. 35.—Madag.  
*platyrachis*, Baill. l. c. 33.—Madag.  
*pulchella*, Baill. l. c. 35.—Madag.  
*sessiliflora*, Willd. Sp. Pl. iv. 771.—Ins. S. Doming.  
*zeylanica*, Baill. Etud. Gén. Euph. 571, nomen = Actephila excelsa.

**SAVIGNYA**, DC. Syst. ii. 283 (1821). **CRUCIFERAE**, Benth. & Hook. f. i. 85.  
*aegyptiaca*, Coss. in Bull. Soc. Bot. Fr. iv. (1857) 395 = longistyla.  
*aegyptiaca*, DC. Syst. ii. 283.—Aegypt.  
*longistyla*, Boiss. Diagn. Ser. II. v. 27.—Algeria.  
*parviflora*, Webb, Fragm. Fl. Aethiop. 14 = aegyptiaca.  
 SAVINIONA, Webb & Berth. Phyt. Canar. i. 30 (1836) = **Lavatera**, Linn. (Malvac.).  
*acerifolia*, Webb & Berth. l. c. 31 = L. acerifolia.  
*brachyfolia*, Walp. Rep. i. 291, sphalm. = seq.  
*brachyloba*, Webb & Berth. Phyt. Canar. i. 32 = L. brachyfolia.



SAVIONA, Pritz. Ic. Ind. i. 989 (1855) = praec.

**SAXEGOTHAEA**, Lindl. in Journ. Hort. Soc. vi. (1851) 258. *CONIFERAE*, Benth. & Hook. f. iii. 434.

SAXEGOTHEA, Benth. & Hook. f. Gen. iii. 434 (1880), err. typ.

SQUAMATAXUS, [Nelson] Senilis, Pinaceae, 168 (1866). conspicua, Lindl. in Journ. Hort. Soc. vi. (1851) 258; et in Lindl. & Paxt. Flow. Gard. ii. (1851-52) 111.—Chili.

gracilis, Hort. ex Gord. Pinet. 280 = Podocarpus nubigena.

SAXEGOTHEA, Benth. & Hook. f. Gen. iii. 434 (1880) err. typ. = praec.

**SAXIFRAGA**, Tourn. ex Linn. Gen. ed. I. 181 (1737). *SAXIFRAGEAE*, Benth. & Hook. f. i. 635.

ADENOGYNE, APHOMONIX, EVAIEZOA, HEMIEVA, HETERISIA, HEXAPHOMA, PIAROPHYLA, PONISTA, STEIRANISIA, TELESONIX, TULORIMA, Rafin. Fl. Tellur. ii. 65-70 (1836).

ANTIPHYLLA, AULAXIS, CHRONDOSEA, CILIARIA, DERMASEA, HIRCULUS, LEPTASEA, LOBARIA, MEGASEA, MUSCARIA, SPATULARIA, Haw. Saxifr. Enum. 6-47 (1821).

BERGENIA, Moench, Meth. 664 (1794).

DIPTERA, Borck. in Roem. N. Mag. i. (1794) 29.

GERYONIA, Schrank, ex Hoppe, in Flora, i. (1818) 229.

HYDATICA, Neck. Elem. ii. 387 (1790).

KINGSTONIA, S. F. Gray, Nat. Arr. Brit. Pl. ii. 531 (1821).

LEPTARRHENA, Reichb. Handb. 230 (1837).

LIGULARIA, Duval, Pl. Succ. 11 (1809).

MICRANTHES, Haw. Syn. Pl. Succ. 320 (1812).

MISCOPETALUM, Haw. l. c. 323 (1812).

ROBERTSONIA, Haw. Syn. Pl. Succ. 321 (1812).

RUPIFRAGA, Linn. ex Rafin. Fl. Tellur. ii. 67 (1836).

SAXIFRAGIA, Tourn. ex Linn. Syst. ed. I (1735).

SEKIKI, Medic. in Staatsw. Vorles. Churpf. Phys.-Oek. Ges. i. (1791) 209; Phil. Bot. ii. 49 (1791).

abyssinica, Rich. ex Engl. Monog. Saxifr. 76 = hederacifolia.

acaulis, Gaud. in Nat. Anz. Schw. Ges. i. (1818) 68; Fl. Helvet. iii. 127 = muscoides.

aciculata, Royle, Illustr. Bot. Himal. 226 = flagellaris? aconitifolia, Field. & Gardn. Sert. Pl. t. 57 = Boykinia aconitifolia.

adenodes, Poepp. ex Sternb. Rev. Saxifr. Suppl. ii. 75. t. 26.—Am. austr.

adenophora, C. Koch, in Linnaea, xix. (1847) 40.—Macedon.; Cappadoc.

adoxidea, Griff. Notul. iv. 428; Ic. Pl. Asiat. t. 570 = Chrysosplenium lanuginosum.

adscendens, Haw. Misc. Nat. 162 = altifida.

adscendens, Jacq. Coll. i. 197. t. 11 = controversa.

adscendens, Linn. Sp. Pl. 405.—Reg. bor. et arct.

adscendens, Vahl, in Skrivt. Nat. Selsk. Kjoeb. ii. i. (1792) 12 = aquatica.

aestivalis, Fisch. & Mey. Ind. Sem. Hort. Petrop. i. 37 = punctata.

affinis, D. Don, in Trans. Linn. Soc. xiii. (1822) 418 = hypnoides.

afghanica, Aitch. & Hemsl. in Journ. Linn. Soc. xviii. (1880) 56.—Afghan.

aggregata, Lej. Rev. Fl. Spa, 81 = hypnoides.

aizoidea, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 134 = seq.

aizoides, Linn. Sp. Pl. 403.—Reg. bor. et arct.

aizoidoides, Midgev. in Bull. Soc. Bot. Fr. xii. (1865) 22.—Mont. Pyren.

Aizoon, Guss. ex DC. Prod. iv. 20 = lingulata.

Aizoon, Jacq. Fl. Austr. v. 18. t. 438.—Reg. bor. et arct.

Aizoon, Tenore, Prod. Fl. Nap. p. xxv = marginata.

aizoonia, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 134 = S. Aizoon.

ajugaeifolia, Wahlenb. Fl. Carpat. 122 = perdurans.

ajugifolia, Linn. Cent. Pl. 11; Amoen. Acad. iv. 271.—Europ. austr.

Alberti, Regel & Schmalh. in Act. Hort. Petrop. v. (1877) 584.—Turkestan.

alchemilloides, Griseb. in Goett. Abh. xxiv. (1879) 142.—Reg. Argent.

Allioni, Baumg. Enum. Stirp. Transs. i. 378 = pedemontana.

# SAXIFRAGA:—

Allionii, Gaud. in Nat. Anz. Schw. Ges. i. (1818) 68 = muscoides.

almeriensis, Willk. ex Engl. in Verh. Zool.-Bot. Ges. Wien, xix. (1869) 525 = Camposii.

alpina, Pav. ex D. Don, in Trans. Linn. Soc. xiii. (1822) 421 = peruviana.

alpina, Salisb. Prod. 306 = aizoides.

altaica, Steph. ex Ledeb. Fl. Ross. ii. 212 = melaleuca.

altifida, Haw. Saxifr. Enum. 24.—Hab.?

altissima, Kern. in Zeitschr. Ferdinand. Tirol. III. xv. (1870) 273.—Europ.

ambigua x, DC. Fl. Fr. vi. 517.—Europ.

amplexifolia, Sternb. Rev. Saxifr. Suppl. i. 2. t. 2 = Leptarrhena amplexifolia.

ampullacea, Tenore, Fl. Nap. Prod. App. iv. 21; ex ej. Fl. Nap. 59, 60 = muscoides.

andicola, D. Don, in Trans. Linn. Soc. xiii. (1822) 427.—Ecuador.

andicola, H. B. & K. Nov. Gen. et Sp. vi. 48 = cordillerarum.

Andrewsii x, Harv. in Hook. Lond. Journ. Bot. vii. (1848) 570.

androsacea, Comolli, Prod. Fl. Comens. 78 = sedoides.

androsacea, Linn. Sp. Pl. 399.—Europ.

androsacea, Pursh, Fl. Am. Sept. i. 310 = caespitosa?

androsacea, Sibth. & Sm. Fl. Graec. Prod. i. 276 = exarata.

angulosa, Schott, Nym. & Kotschy, Analect. Bot. 29 = rotundifolia.

angustifida, Hort. ex Engl. in Verh. Zool.-Bot. Ges. Wien, xix. (1869) 526 = hypnoides.

angustifolia, Hall. f. ex Gaud. in Nat. Anz. Schw. Ges. i. (1818) 67 = Seguerii.

angustifolia, Haw. Misc. 166; Hort. ex DC. Prod. iv. 31; Schleich, ex Sternb. Rev. Saxifr. Suppl. ii. 70 = hypnoides.

annua, Lapeyr. Fl. Pyren. 59 = tridactylites.

aphylla, Sternb. Rev. Saxifr. 40. t. 11.—Europ.

aphylla, Tenore, Fl. Nap. Prod. App. iv. 21 = sedoides.

apennina, Bertol. f. in Bull. Sc. Med. Ser. II. ix. 65; ex Bertol. Fl. Ital. iv. 479 = cuneifolia.

aquatica, Bieb. Fl. Taur. Cauc. i. 317 = irrigua.

aquatica, Lapeyr. Fl. Pyren. t. 28.—Mont. Pyren.

arachnoidea, Sternb. Rev. Saxifr. 23. t. 15.—Helvet.

arachnoidea, Zanted. in Comm. Ateneo Brescia, 1815 (1818), 90 = praec.?

arctica, Willd. ex Sternb. Saxifr. Suppl. ii. 66 = muscoides.

arenarioides, Brign. Fasc. Pl. Foroju. 24 = tenella.

aretioides x, Bluff & Fingerh. Comp. Fl. Germ. ed. II. i. 11. 60.—Europ.

aretioides, Lapeyr. Fl. Pyren. t. 28.—Mont. Pyren.

arguta, D. Don, in Trans. Linn. Soc. xiii. (1822) 356 = punctata.

aristulata, Hook. f. & Thoms. in Journ. Linn. Soc. ii. (1857) 68.—Reg. Himal.

arundana, Boiss. Voy. Bot. Espagne, ii. 693. t. 64 B = dichotoma.

asarifolia, Sternb. Rev. Saxifr. Suppl. t. 24 = odontophylla.

ascendens, Auct. = adscendens.

aspera, Bieb. Fl. Taur. Cauc. i. 314 = flagellaris.

aspera, Linn. Sp. Pl. 402.—Europ. austr.

atlantica, Boiss. & Reut. Pugill. Pl. Nov. (1852) 48.—Hispan.

atrata, Engl. in Bull. Acad. Petersb. xxix. (1883) 117.—China.

atropurpurea, Wulf. ex Sternb. Rev. Saxifr. 41. t. 11. b. f. 2 = muscoides.

atrurubens, Bertol. in Desv. Journ. Bot. ii. 11. (1813) 76; et Amoen. Ital. 99 = aizoides.

atrurubens, Sternb. Rev. Saxifr. Suppl. i. 10 = muscoides.

aurea, Jacquem. ex C. B. Clarke, in Hook. f. Fl. Brit. Ind. ii. 397 = flagellaris.

aurea, Steud. Nom. ed. I. 735 = Chrysosplenium alternifolium, oppositifolium.

australis, Moric. Fl. Venet. i. 431 = lingulata.

autumnalis, Jacq. Obs. i. 31 = S. Aizoon.

autumnalis, Pall. ex Sternb. Rev. Saxifr. Suppl. ii. 19 = serpyllifolia.

autumnalis, Linn. Sp. Pl. 402 = aizoides.

axillaris, Dulac, Fl. Hautes-Pyr. 268 = ajugifolia.

axillaris, Kit. in Linnaea, xxxii. (1863) 477 = perdurans.

Baumgarteni, Schott, in Oestr. Bot. Wochenbl. vii. (1857) 126 = retusa.

# SAXIFRAGA:—

Baumgarteni, Schur, Enum. Pl. Transs. 239 = adscendens.

Bellardi, All. Fl. Pedem. ii. 72 = controversa.

Besleri, Sternb. Rev. Saxifr. Suppl. ii. 52 = Hostii.

bicolor, Sternb. l. c. 49 = serpyllifolia.

bicuspidata, Hook. f. Fl. Antarct. 281. t. 97.—Reg. Magell.

bifida, Hook. ex Engl. Monog. Saxifr. 202 = bicuspida.

biflora, All. Fl. Pedem. ii. 71. t. 21. f. 1.—Europ. austr.

biflora, Ledeb. Fl. Ross. ii. 205 = oppositifolia.

bimaculata, Turcz. in Bull. Soc. Nat. Mosc. xiii. (1840) 71 = Sieversiana.

bitemata, Boiss. Voy. Bot. Espagne, ii. 231. t. 64.—Hispan.

Blanca, Willk. Fl. Hisp. Balear. 8.—Hispan.

bohemica, Panz. ex Koch, Syn. Fl. Germ. ed. I. 274 = hypnoides.

Boissieri, Engl. in Verh. Zool.-Bot. Ges. Wien, xix. (1869) 528.—Hispan.

Bongardi, Presl, ex Engl. l. c. = leucanthemifolia.

Bonplandii, D. Don, in Trans. Linn. Soc. xiii. (1822) 430 = peruviana.

Boryi, Boiss. & Heldr. Diagn. Ser. II. ii. 65.—Graecia.

Bourgaeana, Boiss. & Reut. l. c. 71.—Hispan.

Boussingaultii, Brongn. in Ann. Sc. Nat. Sér. II. iii. (1835) 49. t. 1. f. 1.—Ecuador.

brachypoda, D. Don, in Trans. Linn. Soc. xiii. (1822) 378.—Reg. Himal.

bracteata, D. Don, l. c. 367.—Sibir.

bronchialis, Linn. Sp. Pl. 400.—Reg. bor. et arct.

Brunoniana, Wall. Cat. n. 444.—Reg. Himal.

Brunonis, Ser. in DC. Prod. iv. 45 = praec.

bryoides, Linn. Sp. Pl. 400 = aspera.

bryoides, Pall. ex D. Don, in Trans. Linn. Soc. xiii. (1822) 382 = nitida.

bryophora, A. Gray, in Proc. Am. Acad. vi. (1865) 533.—Calif.

bulbifera, Linn. Sp. Pl. 403.—Europ. austr.

bulbifera, Oed. Fl. Dan. t. 390 = cernua.

bulbosa, Hochst. ex Engl. in Verh. Zool.-Bot. Ges. Wien, xix. (1869) 529 = granulata.

Burseriana, Lapeyr. Hist. Abr. Pl. Pyr. i. 226 = aretioides.

Burseriana, Linn. Sp. Pl. 400.—Europ. austr.

caerulea, Pers. Syn. i. 488 = oppositifolia.

caesia, Linn. Sp. Pl. 399.—Europ. austr.

caesia, Scop. Fl. Carn. ed. II. i. 294 = squarrosa.

caespitosa, Asso, Syn. Stirp. Arag. 52 = pentadactylis.

caespitosa, A. Gray, in Proc. Am. Acad. viii. (1873) 383 = Spiraea pectinata.

caespitosa, Lag. & Rodr. in Anal. Cienc. Nat. v. (1802) 278; D. Don, in Trans. Linn. Soc. xiii. (1822) 428 = mixta.

caespitosa, Linn. Sp. Pl. 404.—Reg. bor. et arct.

caespitosa, Scop. Fl. Carn. ed. II. i. 293 = muscoides.

caespitosa, Sm. Engl. Fl. ii. 273 = hypnoides.

caespitosa, Vill. Hist. Pl. Dauph. iii. 673 = exarata.

californica, Nutt. ex Torr. & Gray, Fl. N. Am. i. 585 = Tellima Cymbalaria.

callosa, Sm. in Rees, Cycl. xxxi. [n. 2] = longifolia.

calyciflora, Lapeyr. Fl. Pyren. 28. t. 12 = media.

calycina, Sternb. Rev. Saxifr. Suppl. ii. 10 = davarica.

Camposii, Boiss. & Reut. Pugill. Pl. Nov. (1852) 47.—Hispan.

canaliculata, Boiss. & Reut. ex Engl. Monog. Saxifr. 169.—Europ.

Candollei, Tausch, in Syll. Ratisb. ii. (1828) 242 = geranioides.

Candollei, Salzm. ex Pouz. in Mém. Soc. Linn. Par. iv. (1826) 561 = pedemontana.

canescens, Haw. Syn. Pl. Succ. 325.—Hab.?

cantabrica, Boiss. & Reut. ex Engl. Monog. Saxifr. 191 = hypnoides.

capillipes, Reichb. ex Engl. l. c. 229 = cuneifolia.

capitata, Lapeyr. Fl. Pyren. 55. t. 30 = aquatica.

Careyana, A. Gray, in Hook. Lond. Journ. Bot. ii. (1843) 116.—Am. bor.

carinthiaca, Schott, Nym. & Kotschy, Analect. Bot. 24 = S. Aizoon.

carnosa, Lucé, Topog. Nachr. Oesel, 137 = granulata.

caroliniana, A. Gray, in Mem. Am. Acad. N. S. iii. (1848) 39.—Am. bor.

caroliniana, Hort. ex Ser. in DC. Prod. iv. 39 = pensylvanica.

**SAXIFRAGA:—**

- caroliniana*, Schleich. ex Ser. in DC. Prod. iv. 41 = *erosa*.  
*carpathica*, Reichenb. Fl. Germ. Excurs. 552.—Transsylv.  
*carpetana*, Boiss. & Reut. Diagn. Pl. Nov. 12 = *atlantica*.  
*cartilaginea*, Willd. ex Sternb. Rev. Saxifr. 5. t. 3.—Reg. Caucas.; Persia.  
*castellana*, Boiss. & Reut. ex Nym. Consp. 273 = *granulata*.  
*catalaunica*, Boiss. & Reut. Diagn. Ser. II. ii. 64 = *lingulata*.  
*ceratophylla*, [Dryand. in] Ait. Hort. Kew. ed. I. iii. 70 = *trifurcata*.  
*ceratophylla*, Willd. ex Engl. in Verh. Zool.-Bot. Ges. Wien, xix. (1869) 530 = *pentadactylis*.  
*cernua*, A. Gray, in Am. Journ. Sc. Ser. II. xxxiii. (1862) 409, partim = *debilis*.  
*cernua*, Lapeyr. Hist. Abr. Pl. Pyr. i. 232 = *granulata*.  
*cernua*, Linn. Sp. Pl. 403.—Reg. bor. et arct.  
*cervicornis*, Viv. Fl. Cors. Prod. App. 2 = *pedemontana*.  
*cespitosa*, Scop. Ann. II. Hist. Nat. (1769) 51 = *caespitosa*, Scop., etc.  
*Chamissoi*, Sternb. Rev. Saxifr. Suppl. i. 12. t. 10. f. 1 = *tricuspidata*.  
*Chamissonis*, Sternb. ex Ser. in DC. Prod. iv. 35 = *rivularis*.  
*cherlerioides*, D. Don, in Trans. Linn. Soc. xiii. (1822) 382 = *bronchialis*.  
*cherlerioides*, Presl, ex Ledeb. Fl. Ross. ii. 208 = *nitida*.  
*chilensis*, Poepp. ex Engl. in Verh. Zool.-Bot. Ges. Wien, xix. (1869) 530 = *adenodes*.  
*chinensis*, Lour. Fl. Cochinch. 281 = *sarmentosa*.  
*chlorantha*, Dulac, Fl. Hautes-Pyr. 269 = S. Aizoon.  
*chlorantha*, Schur, Enum. Pl. Transs. 233 = *luteoviridis*.  
*chrysantha*, A. Gray, in Proc. Am. Acad. xii. (1877) 83.—Am. bor. occ.  
*chrysosplenifolia*, Boiss. Diagn. Ser. I. iii. 20.—Graecia; Creta.  
*ciliaris*, Lapeyr. Hist. Abr. Pl. Pyr. Suppl. 55 = *mixta*.  
*ciliata*, Lindl. Bot. Reg. (1843) t. 65.—Reg. Himal.  
*ciliata*, Royle, Illustr. Bot. Himal. 226. t. 49. f. 2 = *ligulata*.  
*ciliata*, Walp. Rep. ii. 365; v. 827 = *imbricata*.  
*ciliolata*, Schur, Enum. Pl. Transs. 231 = S. Aizoon.  
*circinnata*, Hort. Monac. ex Reichenb. Fl. Germ. Excurs. 552 = *controversa*.  
*citrina*, Hegetschw. Fl. Schw. 398.—Helvet.  
*Clusii*, Auct. Germ. ex Engl. in Verh. Zool.-Bot. Ges. Wien, xix. (1869) 132 = *stellaris*.  
*Clusii*, Gouan, Illustr. 28.—Mont. Pyren.  
*Clusii*, Kunze, in Linnaea, xx. (1847) 43 = *leucanthemifolia*.  
*cochleariaefolia* ×, Schrad. ex Kunze, l. c. xvi. (1842) 318.—Europ.  
*cochlearis*, Reichenb. Fl. Germ. Excurs. 559 = *lingulata*.  
*coerulea*, Auct. = *caerulea*.  
*columnaris*, Steud. Nom. ed. I. 735 = *pedemontana*.  
*comosa*, Fellm. in Bull. Soc. Bot. Fr. x. (1863) 500 = *stellaris*.  
*compacta*, Adams, in Nouv. Mém. Soc. Nat. Mosc. iii. (1834) 239.—Sibir. or.  
*compacta*, Sternb. Rev. Saxifr. Suppl. i. 9. t. 1. f. 3 = *valdensis*.  
*condensata*, D. Dietr. Syn. Pl. ii. 1537, partim = *sileniflora*.  
*condensata*, C. C. Gmel. Fl. Bad. ii. 226. t. 3 = *hypnoides*.  
*confusa*, Lej. Rev. Fl. Spa, 80 = *hypnoides*.  
*congesta*, Schleich. Cat. Pl. Helvet. ed. IV. 63 = *hypnoides*.  
*congesta*, Willd. ex Ledeb. Fl. Ross. ii. 207 = *bronchialis*.  
*confusa*, Coss. & Dur. in Bull. Soc. Bot. Fr. xi. (1864) 332.—Hispan.  
*controversa*, Hort. Lond. ex Haw. Saxifr. Enum. 32 = *hypnoides*.  
*controversa*, Sternb. Rev. Saxifr. 43. t. 16.—Europ. austr.; Am. bor.  
*corbariensis*, Timb. in Mém. Acad. Toul. Sér. VII. vii. (1875) 469 = *geranioides*.  
*cordifolia*, Haw. Misc. Nat. 157 = *crassifolia*.  
*cordigera*, Hook. f. & Thoms. in Journ. Linn. Soc. ii. (1857) 68.—Reg. Himal.  
*cordillerarum*, Presl, Rel. Haenk. ii. 55.—Peruv.  
*coriacea*, Adams, in Nouv. Mém. Soc. Nat. Mosc. iii. (1834) 240.—Sibir. arct.

**SAXIFRAGA:—**

- coriacea*, Fisch. ex Ser. in DC. Prod. iv. 48 = *Leptarrhena pyrolaefolia*.  
*coriophylla*, Griseb. Spicil. Fl. Rumel. i. 333 = *Rocheana*.  
*coronensis*, Schur, Enum. Pl. Transs. 239 = *adscendens*.  
*corsica*, Gren. & Godr. Fl. Fr. i. 642 = *granulata*.  
*cortusaefolia*, Sieb. & Zucc. in Akad. Muench. iv. II. (1843) 190.—Japon.  
*corymbosa*, Boiss. Diagn. Ser. I. iii. 17.—Caria.  
*corymbosa*, Hook. f. & Thoms. in Journ. Linn. Soc. ii. (1857) 70.—Reg. Himal.  
*corymbosa*, Lucé, Topog. Nachr. Oesel, 137 = *granulata*.  
*Cossoniana*, Boiss. & Reut. Diagn. Ser. II. ii. 70 = *granulata*.  
*Cotyledon*, Bieb. Fl. Taur. Cauc. i. 313 = *cartilaginea*.  
*Cotyledon*, Linn. Sp. Pl. 398.—Europ.  
*Cotyledon*, Tenore, Prod. Fl. Nap. p. xxv = *marginata*.  
*Cotyledon*, Wulf. ex Jacq. Coll. iv. 291 = S. Aizoon.  
*crassifolia*, Linn. Sp. Pl. 401.—Sibir.  
*crateriformis*, Hort. Oxon. ex Ser. in DC. Prod. iv. 32 = *hypnoides*.  
*crenata*, Steud. Nom. ed. I. 735; Sweet, Hort. Brit. ed. I. 161 = *umbrosa*.  
*crocea*, Gaud. in Nat. Anz. Schw. Ges. i. (1818) 69 = *muscoideis*.  
*crustacea*, Hoppe, Taschenb. (1805) 237 = seq.  
*crustata*, Vest, in Bot. Zeit. Regensb. iii. (1804) 95; iv. (1805) 42; Man. Bot. 656.—Europ. austr.  
*cultrata*, Schott, Nym. & Kotschy, Analect. Bot. 23 = S. Aizoon.  
*cuneata*, Willd. Sp. Pl. ii. 658.—Hispan.  
*cuneifolia*, Cav. Ic. iii. 25 = *cuneata*.  
*cuneifolia*, Linn. Syst. ed. X. 1026.—Europ. austr.  
*curvata*, Schleich. ex Ser. in DC. Prod. iv. 31 = *hypnoides*.  
*cuscutaeformis*, Lodd. Bot. Cab. t. 186.—Japon.?  
*cuspidata*, Schleich. Cat. Pl. Helvet. ed. IV. 63 = *pedatifida*.  
*Cymbalaria*, Linn. Sp. Pl. 405.—As. Min.; Persia.  
*Cymbalaria*, Sibth. & Sm. Fl. Graec. iii. 72. t. 378 = *Sibthorpii*.  
*Cymbalaria*, Sternb. in Linnaea, vi. (1831) 555 = *rivularis*.  
*Cymbalaria*, Stev. in Mém. Soc. Nat. Mosc. iii. (1812) 261 = *sibirica*.  
*cymbalariaefolia*, Ehrenb. ex Engl. Monog. Saxifr. 77 = *hederacea*.  
*cynosa*, Waldst. & Kit. Pl. Rar. Hung. i. 91. t. 88 = *pedemontana*.  
*dahurica*, Lyall, ex Engl. in Verh. Zool.-Bot. Ges. Wien, xix. (1869) 542 = *Lyallii*.  
*dahurica*, Schleich. ex Ser. in DC. Prod. iv. 42 = *cuneifolia*.  
*davurica*, Torr. & Gray, Fl. N. Am. i. 569, partim = *Lyallii*.  
*davurica*, Willd. Sp. Pl. ii. 645.—As. bor.; Am. bor. occ.  
*Debeauxii*, Pomel, Nouv. Mat. Fl. Atl. 152 = *dichotoma*.  
*debilis*, Engelm. ex A. Gray, in Proc. Acad. Sc. Philad. 1863 (1864) 62.—Am. bor. occ.  
*decipiens*, Ehrh. Beitr. v. 47, 175 = *hypnoides*.  
*Delavayi*, Franch. in Bull. Soc. Bot. Fr. xxxii. (1885) 6.—China.  
*demissa*, Schott & Kotschy, in Oestr. Bot. Zeitschr. ix. (1859) 8 = *mutata*.  
*densa*, Haw. Misc. Nat. 166 = *hypnoides*.  
*densa*, Willd. ex Sternb. Rev. Saxifr. Suppl. ii. 26 = *nitida*.  
*densifolia*, Schleich. ex Ser. in DC. Prod. iv. 31 = *hypnoides*.  
*dentata*, Link. Enum. Hort. Berol. i. 413 = *umbrosa*.  
*denticulata*, Dulac, Fl. Hautes-Pyr. 270 = *aretioides*.  
*denuata*, D. Don, in Trans. Linn. Soc. xiii. (1822) 421 = *hypnoides*.  
*denudata*, Nutt. ex Torr. & Gray, Fl. Bor. Am. i. 567 = *punctata*.  
*depressa*, Sternb. Rev. Saxifr. 42. t. 11 = *androsacea*.  
*diapensioides*, Bell. in Mém. Acad. Turin, v. 1790–1791 (1793), 227. t. 5.—Europ. austr.  
*diapensioides*, Fisch. ex Ser. in DC. Prod. iv. 22 = *serpyllifolia*.  
*diapensioides*, Lapeyr. Hist. Abr. Pl. Pyr. Suppl. 54 = *media*.

**SAXIFRAGA:—**

- diapensoides*, Kurz, in Flora, lv. (1872) 286, sphalm. = *diapensioides*?  
*dichotoma*, Willd. ex Sternb. Rev. Saxifr. 51.—Hispan.  
*digitata*, Lapeyr. ex Steud. Nom. ed. I. 736 = *pentadactylis*.  
*digitata*, Pourr. ex Steud. l. c. ed. II. ii. 520 = *muscoideis*.  
*dilatata*, Schott, Nym. & Kotschy, Analect. Bot. 24 = S. Aizoon.  
*dissimilis*, G. Don, in Loud. Hort. Brit. 176 = *rivularis*?  
*divaricata*, Ram. ex DC. Fl. Fr. iv. 374 = *exarata*.  
*diversifolia*, Wall. Cat. n. 452.—Reg. Himal.  
*diversifolia*, Schleich. Cat. Pl. Helvet. ed. IV. 63.—Europ. centr.  
*dubia*, Schleich. ex Ser. in DC. Prod. iv. 32 = *hypnoides*.  
*egregia*, Engl. in Bull. Acad. Pétersb. xxix. (1883) 113.—China.  
*elata*, Nutt. ex Torr. & Gray, Fl. N. Am. i. 575 = *Poykinia occidentalis*.  
*elator*, Mert. & Koch, Deutschl. Fl. iii. 115 = *Hostii*.  
*elator*, Wimm. Fl. Schles. (1857) 470 = S. Aizoon.  
*elegans*, Mackay, Fl. Hibern. i. 65 = S. Geum.  
*elegans*, Nutt. ex Torr. & Gray, Fl. N. Am. i. 573.—Am. bor. occ.  
*elegans*, Sternb. Rev. Saxifr. Suppl. ii. 34 = *exilis*.  
*elegans*, Zeyh. ex Schrank, in Syll. Ratisb. i. (1824) 208 = seq.?  
*elegantula*, Boiss. ex Ball, in Journ. Linn. Soc. xvi. (1878) 449 = *granulata*.  
*elongata*, Panz. ex Ser. in DC. Prod. iv. 32 = *hypnoides*.  
*elongata*, Sternb. Rev. Saxifr. 9. t. 4 = *virginensis*.  
*elongella*, Haw. Misc. Nat. 167 = *muscoideis*.  
*elongella*, Sm. in Trans. Linn. Soc. x. (1811) 340 = *hypnoides*.  
*Engleri*, Dalla Torre, Atl. Alpenfl. 102.—Europ.  
*erecta*, Tenore, Prod. Fl. Nap. p. xxv = S. Aizoon.  
*erioblasta*, Boiss. & Reut. Diagn. Ser. II. ii. 67.—Hispan.  
*eriophora*, S. Wats. in Proc. Am. Acad. xvii. (1882) 372.—Am. bor.  
*erosa*, Pursh, Fl. Am. Sept. i. 311.—Am. bor.  
*Eschholzii*, Sternb. Rev. Saxifr. Suppl. i. 9. t. 10. f. 3.—Am. bor. et arct.  
*Eschscholtzii*, Cham. ex DC. Prod. iv. 22 = *serpyllifolia*.  
*evolvuloidea*, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 134 = seq.  
*evolvuloides*, Wall. Cat. n. 447 = *hispidula*.  
*exarata*, All. Fl. Pedem. ii. 73. t. 88. f. 2 = *muscoideis*.  
*exarata*, Griseb. Spicil. Fl. Rumel. i. 335 = *adenophora*.  
*exarata*, Hook. f. Fl. Antarct. ii. 280 = *cordillerarum*.  
*exarata*, Hook. Fl. Bor. Am. i. 244 (excl. syn.) = *caespitosa*.  
*exarata*, Vill. Prosp. 47; Hist. Pl. Dauph. iii. 674. t. 44.—Europ. austr.  
*excavata*, Kunze, in Linnaea, xvi. (1842) 319 = *cuneifolia*.  
*exilis*, Pollini, in Brugn. Giorn. Fis. ix. (1816) 29 = *tridactylites*.  
*exilis*, Steph. ex Sternb. Rev. Saxifr. Suppl. i. 8. t. 3. f. 1.—Sibir.; Am. arct.  
*Facchini*, Koch, in Flora, xxv. (1841) 624; Syn. Fl. Germ. ed. II. 445 = *muscoideis*.  
*Federici-Augusti*, Biasoletti, Rel. Viagg. Dalm. 199, 213 = *porophylla*.  
*ferruginea*, R. Grah. in Edinb. N. Phil. Journ. (Jul.-Oct. 1829) 349 = *leucanthemifolia*.  
*filamentosa*, Cham. ex Ser. in DC. Prod. iv. 45 = *flagellaris*.  
*flicaulis*, Wall. Cat. n. 445.—Reg. Himal.  
*fimbriata*, D. Don, in Trans. Linn. Soc. xiii. (1822) 404 = *Eschholtzii*.  
*fimbriata*, Wall. Cat. n. 443.—Reg. Himal.  
*Fischeri*, Ser. in DC. Prod. iv. 22 = *serpyllifolia*.  
*flabellifolia*, K. Br. ex Torr. & Gray, Fl. N. Am. i. 569 = *davurica*.  
*flagellaris*, Willd. ex Sternb. Rev. Saxifr. 25. t. 6.—Reg. bor. et arct.  
*flava*, Lam. Fl. Fr. iii. 529 = S. Hirculus.  
*flavescens*, Sternb. Rev. Saxifr. Suppl. i. 13. t. 9. f. 2 = *hypnoides*.  
*Flittneri*, Henff. in Flora, xxxvii. (1854) 289 = *perdurans*.  
*floribunda*, D. Dietr. Syn. Pl. ii. 1532 = *florulenta*.

**SAXIFRAGA:—**

- florulenta*, Moretti, in *Brugnat. Giorn. Fis.* II. vii. (1824) 105.—Europ. austr.  
*foliolosa*, R. Br. in Parry, 1st Voy. App. 275 = stellaris.  
*foliosa*, D. Dietr. Syn. Pl. ii. 1527 = praec.  
*foliosa*, Orsini, ex Tenoie, Syll. Fl. Neap. 203 = androsacea.  
*fonticola*, Kern. in Oestr. Bot. Zeitschr. xiii. (1863) 90 = rotundifolia.  
*Forbesii*, Vasey, in *Am. Entomologist & Botanist*, ii. (1870) 288.—Am. bor.  
*Forsteri* ×, Stein, in Oestr. Bot. Zeitschr. xxvii. (1877) 291.—Europ.  
*Fortunei*, Hook. Bot. Mag. t. 5377.—China.  
*fragarioides*, Greene, in *Bull. Torrey Bot. Club*, vii. (1881) 121.—Calif.  
*fragilis*, Hort. Schweig. ex Schrank, Pl. Rar. Hort. Monac. t. 92 = trifurcata.  
*fragilis*, Sieber, ex Steud. Nom. ed. I. 736 = rotundifolia.  
*Frederici-Augusti*, Biasoletto, Rel. Viagg. Dalm. t. 1 = porophylla.  
*furcata*, Lapeyr. ex Steud. Nom. ed. I. 736.—Mont. Pyren.  
*fusca*, Maxim. in *Bull. Acad. Pétersb.* xviii. (1873) 38.—Japon.  
*Gaudini* ×, Bruegg. Cat. Hort. Turic. (1868) 5.—Europ.  
*geifolia*, St. Lag. in *Ann. Soc. Bot. Lyon*, vii. (1880) 135 = S. Geum.  
*gemmifera*, Pers. Syn. i. 490 = hypnoides.  
*gemmaulosa*, Boiss. in *Bibl. Univ. Genève*, N. S. xiii. (1838) 409.—Hispan.  
*geranioides*, Geners. Elench. Scep. 31 = perdurans.  
*geranioides*, Georgi, Besch. Russ. Reich. iv. 965 = neglecta.  
*geranioides*, Host, Syn. Fl. Austr. 231 = petraea, Linn.  
*geranioides*, Linn. Cent. Pl. i. 10; *Amoen. Acad.* iv. 271.—Mont. Pyren.  
*geranioides*, Prey. & Zirk. ex Bab. in *Journ. Linn. Soc.* xi. (1870) 308 = petraea, Prey. & Zirk.  
*Geum*, Linn. Sp. Pl. 401.—Europ. occ.  
*Geum*, Pall. Reise, ii. 35; Pursh, Fl. Am. Sept. i. 311 = punctata.  
*Geum*, Sibth. & Sm. Fl. Graec. Prod. i. 276 = taygetea.  
*gibraltarica*, Boiss. & Reut. Pugill. Pl. Nov. (1852) 47 = globulifera.  
*Girtanneri* ×, Bruegg. in *Jahresb. Naturf. Ges. Graub.* II. xxiii-xxiv. (1880) 84.—Europ.  
*glabella*, Bertol. in *Giorn. Arcad.* xxi. (1824) 192 [bis].—Ital.; Graec.  
*glandulifera*, Jacquem. Journ. ex C. B. Clarke, in Hook. f. Fl. Brit. Ind. ii. 395 = ramulosa.  
*glandulosa*, Wall. Cat. n. 442 = brachypoda.  
*glandulosa*, Willd. ex Ser. in DC. Prod. iv. 46 = bronchialis.  
*glauca*, [Clairv.] Man. Herb. 140 = diapiensoides.  
*glaucescens*, Reut. Pugill. Pl. Nov. (1852) 131 = granulata.  
*globulifera*, Desf. Fl. Atlant. i. 342. t. 96.—Reg. Mediterr. occ.  
*globulifera*, Schur, Enum. Pl. Transs. 232 = S. Aizoon.  
*globulifera*, Webb, ex Ball, in *Journ. Linn. Soc.* xvi. (1878) 448 = Maweana.  
*Gmelini*, Host, Fl. Austr. i. 512 = hypnoides.  
*gracilis*, Schleich. ex Ser. in DC. Prod. iv. 31 = erosa.  
*gracilis*, Steph. ex Sternb. Rev. Saxifr. Suppl. i. 7. t. 5. f. 1 = punctata.  
*gracilis*, Sternb. ex Ser. in Nat. Anz. Schw. Ges. i. (1818) 74 = hypnoides.  
*graeca*, Boiss. & Heldr. ex Boiss. Fl. Orient. ii. 807 = granulata.  
*granatensis*, Boiss. & Reut. Pugill. Pl. Nov. (1852) 46 = globulifera.  
*grandiflora*, Sternb. Rev. Saxifr. 20. t. 12 = sibirica.  
*granigera*, C. Koch, in *Linnaea*, xix. (1847) 40 = sibirica.  
*granulata*, Bieb. Fl. Taur. Cauc. i. 314 = sibirica.  
*granulata*, Desf. Fl. Atlant. i. 341 = atlantica.  
*granulata*, Hook. f. & Thoms. in *Journ. Linn. Soc.* ii. (1857) 63 = sibirica.  
*granulata*, Linn. Sp. Pl. 403.—Europ.  
*granulata*, Pollini, Fl. Veron. ii. 29 = bulbifera.  
*groenlandica*, Colm. ex Costa, Fl. Catal. 92 = exarata.

**SAXIFRAGA:—**

- groenlandica*, Lapeyr. Fl. Pyr. 39. t. 19 = mixta.  
*groenlandica*, Linn. Sp. Pl. 404 = caespitosa.  
*Grzegorzewskii*, Janka, in Oestr. Bot. Zeitschr. vi. (1856) 241 = perdurans.  
*Guthriana* ×, Hort. ex Engl. in *Verh. Zool.-Bot. Ges.* Wien, xix. (1869) 537.  
*Haenseleri*, Boiss. & Reut. Diagn. Pl. Nov. Hisp. 13.—Hispan.  
*Hausmanni* ×, Kern. in Oestr. Bot. Zeitschr. xiii. (1863) 105.—Europ.  
*hederacea*, Bieb. Fl. Taur. Cauc. i. 317 = S. Cymbalaria.  
*hederacea*, Linn. Sp. Pl. 405.—Europ. austr.; As. Min.  
*hederaefolia*, Hochst. ex A. Rich. Tent. Fl. Abyss. i. 317.—Abyss.  
*Hegetschweileri* ×, Bruegg. in *Jahresb. Naturf. Ges. Graub.* II. xxiii-xxiv. (1880) 91.—Europ.  
*helianthemifolia*, Willd. ex Sternb. Saxifr. Suppl. ii. 19 = Merkii.  
*hemisphaerica*, Hook. f. & Thoms. in *Journ. Linn. Soc.* ii. (1857) 62.—Reg. Himal.  
*heterantha*, Hook. Fl. Bor. Am. i. 252. t. 78 = Mertensiana.  
*heteromalla*, Georgi, Besch. Russ. Reich. iv. 966.—Sibir. or.  
*heterophylla*, Sternb. Rev. Saxifr. 50 = pedemontana.  
*heucherifolia*, Griseb. & Schenk, in *Wieg. Archiv.* xxviii. (1852) i. 317 = rotundifolia.  
*Heuffelii*, Schott, Nym. & Kotschy, Analect. Bot. 28 = rotundifolia.  
*hibernica*, Haw. Saxifr. 29 = hypnoides.  
*hibernica*, Sternb. Rev. Saxifr. Suppl. ii. t. 11 = umbrosa.  
*hieracifolia*, Porter, in *Hayd. Rep.* (1871) 782 = integrifolia.  
*hieracifolia*, Waldst. & Kit. Pl. Rar. Hung. i. 17. t. 18.—Reg. bor. et arct.  
*hirculoides*, Decne. in *Jacquem. Voy. Bot.* 67 = S. Hirculus.  
*hirculoides*, Engl. in *Bull. Acad. Pétersb.* xxix. (1883) 112.—China.  
*Hirculus*, A. Gray, in *Am. Journ. Sc. Ser. II.* xxxiii. (1862) 409 = chrysantha?  
*Hirculus*, Linn. Sp. Pl. 402.—Reg. bor. et arct.  
*hirsuta*, Linn. Syst. ed. X. 1026 = umbrosa.  
*hirta*, Donn, Hort. Cantab. ed. V. 107; Sm. Engl. Bot. t. 2291 = hypnoides.  
*hirta*, Hook. f. in *Journ. Linn. Soc.* i. (1857) 117 = caespitosa.  
*hispanica*, Coss. ex Nym. Consp. 273 = dichotoma.  
*hispidula*, D. Don, in *Trans. Linn. Soc.* xiii. (1822) 380.—Reg. Himal.  
*Hoffmeisteri*, Klotzsch, in *Bot. Ergeb. Waldem. Reise*, 146 = flagellaris.  
*Hohenwartii*, Vest, ex Sternb. Rev. Saxifr. 26. t. 7 = sedoides.  
*Hornungii*, Shuttlew. in *Mag. Zool. & Bot.* ii. (1838) 512.—Helvet.  
*Hostii*, Tausch, in *Syll. Ratib.* ii. (1828) 240.—Europ. austr.  
*Huetiana*, Boiss. Diagn. Ser. II. ii. 72.—Kurdistan.  
*Huteri* ×, Kern. in Oestr. Bot. Zeitschr. xx. (1870) 147.—Europ.  
*hybrida*, Haw. Misc. Nat. 164 = hypnoides.  
*hybrida*, Sternb. Rev. Saxifr. 17. t. 8. f. 3.—Mont. Pyren.  
*hybrida*, Vill. ex Lapeyr. Fl. Pyren. 51 = umbrosa.  
*hyperborea*, R. Br. in Parry, 1st Voy. App. 274 = rivularis.  
*hypnoides*, All. Fl. Pedem. ii. 72 = exarata.  
*hypnoides*, Linn. Sp. Pl. 405.—Europ.  
*hypnoides*, Scop. Fl. Carn. ed. II. i. 296 = adscendens.  
*hypnoides*, Vitm. Sagg. Ist. Erb. Alp. 29 = caespitosa.  
*Iduroei*, Franch. & Sav. Enum. Pl. Jap. ii. 353.—Japon.  
*imbricata*, Bertol. in *Ann. Stor. Nat.* iv. (1830) 260 = squarrosa.  
*imbricata*, Lam. Fl. Fr. iii. 531 = retusa.  
*imbricata*, Royle, Illustr. Bot. Himal. 226. t. 49.—Reg. Himal.  
*immaculata*, Fl. Nicro. Danub. ex Steud. Nom. ed. II. ii. 521 = intacta.  
*incisata*, Schur, Enum. Pl. Transs. 238 = muscoides.

**SAXIFRAGA:—**

- inclinata* ×, Kern. in Oestr. Bot. Zeitschr. xx. (1870) 146.—Europ.  
*incrusteda*, Vest, in Bot. Zei. Regensb. iii. (1804) 95, 96 = crustata.  
*incurva*, Mack ex Ser. in DC. Prod. iv. 32 = caespitosa.  
*incurvifolia*, D. Don, in *Trans. Linn. Soc.* xiii. (1822) 423 = caespitosa.  
*Infundibulum*, Lange, Ind. Sem. Hort. Haun. (1863) 5.—Hab.?  
*intacta*, Willd. Enum. Hort. Berol. 459.—Europ.  
*integrifolia*, Hook. Fl. Bor. Am. i. 249. t. 86.—Am. bor. occ.  
*integrifolia*, Schleich. ex Engl. in *Verh. Zool.-Bot. Ges.* Wien, xix. (1869) 539 = muscoides.  
*intermedia*, Gaud. Fl. Helvet. iii. 288 = exarata.  
*intermedia*, Hegetschw. Fl. Helv. i. 288 = aspera.  
*intermedia*, Sweet, Hort. Brit. ed. I. 181.—Hab.?  
*intermedia*, Tausch, ex Link, Enum. Hort. Perol. i. 415 = hypnoides.  
*intricata*, Lapeyr. in *Bull. Soc. Bot. Fr.* xii. (1865) 20 = exarata.  
*iradiana*, F. Schultz, Arch. Fl. Fr. et Allem. (1850) 176 = mixta.  
*irrigua*, Bieb. Fl. Taur. Cauc. ii. 460.—Tauria.  
*irrigua*, Fisch. ex Spreng. Nov. Prov. 36 (Quid?).—Sibir.  
*Jacqgiana* ×, Bruegg. in *Jahresb. Naturf. Ges. Graub.* II. xxii. (1879) p. xxix.—Europ.  
*Jacquemontiana*, Decne. in *Jacquem. Voy. Bot.* 68. t. 78. f. 2.—Reg. Himal.  
*Jamesiana*, Walp. Rep. ii. 367 = seq.  
*Jamesii*, Torr. in *Ann. Lyc. N. York*, ii. (1828) 204.—Am. bor. occ.  
*juniperifolia*, Adams, in *Weber & Mohr, Beitr.* i. 53.—Reg. Caucas.  
*juniperina*, Boiss. Fl. Orient. ii. 804, sphalm. = praec.  
*Kochii*, Hornung, in *Flora*, xviii. (1835) 465 = biflora.  
*Kolenatiana*, Regel, Ind. Sem. Hort. Petrop. (1865) 39 = cartilaginea.  
*Kotschy*, Boiss. Diagn. Ser. II. ii. 65.—As. Min.  
*Kruhsiana*, Fisch. ex Ser. in DC. Prod. iv. 46 = nitida.  
*Kunzeana*, Willk. in Willk. & Lange, Prod. Fl. Hisp. iii. 121 = dichotoma.  
*lactea*, Turcz. in *Bull. Soc. Nat. Mosc.* (1840) 71.—Sibir. or.  
*ladanifera*, Balb. ex Engl. in *Verh. Zool.-Bot. Ges.* Wien, xix. (1869) 540 = pedemontana.  
*ladanifera*, Lapeyr. Fl. Pyren. 65. t. 42 = geranioides.  
*laeta*, Schott, Nym. & Kotschy, Analect. Bot. 24 = S. Aizoon.  
*laetevirens*, D. Don, in *Trans. Linn. Soc.* xiii. (1822) 451 = hypnoides.  
*laevis*, Bieb. Fl. Taur. Cauc. i. 314.—Reg. Caucas.  
*laevis*, Donn, Hort. Cantab. ed. V. 107 = hypnoides?  
*laevis*, Haw. Misc. 165 = hypnoides.  
*lanceolata*, Haw. Syn. Pl. Succ. 324.—Europ. austr.  
*lantoscana*, Boiss. & Reut. Diagn. Ser. II. ii. 63 = lingulata.  
*lanuginosa*, Jacquem. ex Decne. in *Jacquem. Voy. Bot.* 67 = S. Hirculus.  
*lanuginosa*, Royle, Illustr. Bot. Himal. 226.—Ind. or.  
*Lapeyrousii*, D. Don, in *Trans. Linn. Soc.* xiii. (1822) 397.—Mont. Pyren.  
*Lapeyrousii*, Herbach, Stirp. Rar. Bucov. 35 = luteo-viridis.  
*Lapeyrousii*, Sternb. Rev. Saxifr. 51 = hypnoides.  
*lasiophylla*, Schott, Nym. & Kotschy, Analect. Bot. 29 = rotundifolia.  
*lasiostigma*, Pers. Syn. i. 490 = caespitosa.  
*latepetiolata*, Willk. in Willk. & Lange, Prod. Fl. Hisp. iii. 120.—Hispan.  
*latifida*, Haw. Syn. Pl. Succ. 325; D. Don, in *Trans. Linn. Soc.* xiii. (1822) 420 = hypnoides.  
*latiflora*, Hook. f. & Thoms. in *Journ. Linn. Soc.* ii. (1857) 71.—Reg. Himal.  
*latifolia*, DC. Prod. iv. 32 = hypnoides.  
*laurentiana*, Ser. in DC. l. c. 35 = rivularis.  
*laxa*, Schleich. ex Engl. in *Verh. Zool.-Bot. Ges.* Wien, xix. (1869) 540 = hypnoides.  
*lepisimigena*, Plan. Fl. Gallea, 224 = Clusii.  
*leptophylla*, Froel. ex Ser. in DC. Prod. iv. 24 = aphylla.  
*leptophylla*, Pers. Syn. i. 490 = hypnoides.

## SAXIFRAGA:—

- leucantha*, Thomas, ex Sternb. Rev. Saxifr. Suppl. ii. 70 = exarata.  
*leucanthemifolia*, Lapeyr. Fl. Pyr. 49. t. 25 = Clusii.  
*leucanthemifolia*, Michx. Fl. Bor. Am. i. 260.—Am. bor. occ.  
*ligulata*, Murr. in Comm. Gotting. (1781) 26. t. 1 = sarmentosa.  
*ligulata*, Wall. in As. Res. xiii. (1820) 398.—Reg. Himal.  
*linearis*, Hort. ex Engl. in Verh. Zool.-Bot. Ges. Wien, xix. (1869) 541 = hypnoides.  
*lineata*, Sternb. Rev. Saxifr. Suppl. t. 7 = muscoides.  
*lingulata*, Bell. in Mém. Acad. Turin, v. 1790–91 (1793) 226.—Europ. austr.  
*lingulata*, Moretti, Tentat. 5 = intacta.  
*Linnæi*, Boiss. Diagn. Ser. II. ii. 69 = adscendens.  
*longifolia*, Auct. ex Nym. Consp. 268 = crustata.  
*longifolia*, Host, Fl. Austr. i. 409 = Hostii.  
*longifolia*, Lapeyr. Fl. Pyren. 26. t. 11.—Europ. austr.  
*longifolia*, Moretti, Notiz. ed. I. 11 = intacta.  
*longifolia*, Tenore, Prod. Fl. Nap. p. xxv = marginata.  
*longiscapa*, D. Don, in Trans. Linn. Soc. xiii. (1822) 388 = nivalis.  
*lutea*, Gilib. Fl. Lituan. ii. 179 = S. Hirculus.  
*luteopurpurea*, Lapeyr. Fl. Pyren. 29. t. 14 = Lapeyrousii.  
*luteopurpurea*, Sternb. Rev. Saxifr. 7; Suppl. ii. 48.—Transsylv.  
*luteopurpurea*, Waldst. & Kit. ex Schult. Oestr. Fl. ed. II. i. 637 = luteoviridis.  
*luteoviridis*, Schott & Kotschy, ex Schott, in Oestr. Bot. Zeitschr. ix. (1851) 65.—Transsylv.  
*Lyallii*, Engl. in Verh. Zool.-Bot. Ges. Wien, xix. (1869) 542.—Am. bor. occ.  
*Lychnitis*, Hook. f. & Thoms. in Journ. Linn. Soc. ii. (1857) 68.—Reg. Himal.  
*lysianchoides*, Klotzsch, in Bot. Ergeb. Waldem. Reise, 145 = diversifolia, Wall.  
*Macnabiana*, Hort.—Cf. Gard. Chron. (1855) i. 705, 770 = S. Cotyledon.  
*macrantha*, Boiss. Fl. Orient. ii. 807 = sibirica.  
*macropetala*, Kern. ex Engl. Monog. Saxifr. 280.—Europ.  
*maculata*, Schrank, Baier. Fl. i. 690.—Bavar.  
*maderensis*, D. Don, in Trans. Linn. Soc. xiii. (1822) 414.—Ins. Mader.  
*magellanica*, Poir. Encyc. vi. 686.—Reg. Magellan.  
*malvaefolia*, Greene, in Bull. Torrey Bot. Club. ix. (1882) 121.—Calif.  
*Malyi*, Schott, Nym. & Kotschy, Analect. Bot. 23 = S. Aizoon.  
*marginata*, Bory & Chaub. Nouv. Fl. Pélop. 26 = Boryi.  
*marginata*, Sternb. Rev. Saxifr. Suppl. i. 1. t. 1. f. 1.—Italia.  
*marylandica*, Hort. ex Sternb. l. c. i. 4 = pensylvanica.  
*Mawcana*, Baker, in Gard. Chron. (1871) 1355.—Marocc.  
*media*, Gouan, Illustr. 27.—Mont. Pyren.  
*media*, Sibth. & Sm. Fl. Graec. iv. 70. t. 376 = porophylla.  
*media*, Tausch, in Flora, xii. (1829) 10 = hypnoides.  
*melaena*, Boiss. Diagn. Ser. II. ii. 66 = mixta.  
*melaleuca*, [Fisch.] Hort. Gorenk. ed. I. (1808) 99; et in Spreng. Pugill. ii. 61.—Mont. Altai.  
*Merkii*, Fisch. in Sternb. Rev. Saxifr. Suppl. i. 1. t. 1. f. 3.—Sibir.  
*Mertensiana*, Bongard, in Mém. Acad. Pétersb. Sér. VI. ii. (1835) 141.—Am. bor. occ.  
*Meyeri*, Sternb. Rev. Saxifr. Suppl. ii. 11. t. 21.—Sibir.  
*micrantha*, Edgew. in Trans. Linn. Soc. xx. (1846) 50.—Reg. Himal.  
*micrantha*, Fisch. ex DC. Prod. iv. 48 = Leptarrhena pyrolaeifolia.  
*micranthifolia*, Steud. Nom. ed. I. 736 = erosa.  
*microphylla*, Royle, ex Hook. f. & Thoms. in Journ. Linn. Soc. ii. (1858) 72.—Reg. Himal.  
*microphylla*, Schleich. Cat. Pl. Helv. ed. IV. 63.—Europ. centr.  
*Milesii*, Hort. Leichtl. ex Baker, in Gard. Chron. (1882) ii. 102 = ligulata.  
*minor*, Sieber, ex Steud. Nom. ed. I. 736; et ex Engl. in Verh. Zool.-Bot. Ges. Wien, xix. (1869) 543, nomen.—Hab.?  
*minuta*, Koch, Syn. Fl. Germ. ed. I. 276 = tridactylites.

## SAXIFRAGA:—

- mixta*, Bieb. Fl. Taur. Cauc. ii. 460 = exarata.  
*mixta*, Lapeyr. Fl. Pyren. 41. t. 20.—Mont. Pyren.  
*modesta*, Reichb. Ic. Fl. Germ. vii. 12. t. 626 = S. Geum.  
*mollis*, Sm. ex Spreng. Syst. ii. 364 = sibirica.  
*monodactylites*, Bory, ex Thore, Promen. Gascogne, 24 = tridactylites?  
*Moorcroftiana*, Wall. Cat. n. 453 = diversifolia, Wall.  
*moschata*, D. Don, in Trans. Linn. Soc. xiii. (1822) 436 = hypnoides.  
*moschata*, Lapeyr. ex DC. Prod. iv. 28, partim = pubescens.  
*moschata*, Wulf. in Jacq. Misc. ii. (1781) 128. t. 21. f. 2 = muscoides.  
*mucronulata*, Royle, Illustr. Bot. Himal. 27. t. 50 f. 2 = flagellaris.  
*multicaulis*, Lange, Ind. Sem. Hort. Haun. (1864); ex Engl. Monog. Saxifr. 228 = cuneifolia.  
*multifida*, Rosbach, in Bull. Soc. Bot. Belg. xiv. (1875) 111.—Hab.?  
*multiflora*, Ehrh. ex Ser. in DC. Prod. iv. 19 = S. Cotyledon.  
*multiflora*, Ledeb. in Mém. Acad. Pétersb. v. (1812) 532.—Sibir.  
*multinervis*, Dulac, Fl. Hautes-Pyr. 267 = androsacea.  
*muralis*, Salisb. Prod. 306 = tridactylites.  
*Mureti* x, Ramb. in Verh. Schw. Nat. Ges. Chur, (1863) 191.—Europ.  
*Murithiana*, Tissièrè, in Bull. Soc. Murith. i. (1868) 28.—Helvet.  
*muscoides*, All. Fl. Pedem. ii. 70 = planifolia.  
*muscoides*, Bieb. Fl. Taur. Cauc. ii. 460 = exarata.  
*muscoides*, Wulf. in Jacq. Coll. ii. 123.—Europ.; As. Min.; Persia.  
*muscosa*, Schrank, Baier. Fl. i. 700 = muscoides.  
*muscosa*, Suter, Fl. Helvet. i. 251 = pubescens.  
*mutata*, Linn. Sp. Pl. ed. II. 570.—Europ. austr.  
*mysotifolia*, D. Don, in Trans. Linn. Soc. xiii. (1822) 373 = Merkii.  
*mysotifolia*, Pall. ex Spreng. Syst. ii. 364 = flagellaris.  
*nana*, Engl. in Bull. Acad. Pétersb. xxix. (1883) 118.—China.  
*neglecta*, Bray, ex Sternb. Rev. Saxifr. Suppl. i. 9. t. 6.—Sibir.; Kamtsch.  
*neglecta*, Tenore, Fl. Nap. Prod. App. 19 = S. Aizoon.  
*Nelsoniana*, D. Don, in Trans. Linn. Soc. xiii. (1822) 355 = punctata.  
*Nelsoniana*, Hook. & Arn. Bot. Beech. Voy. 124. t. 29 = Boykinia Richardsoni.  
*nervosa*, Lapeyr. Fl. Pyren. 63. t. 39 = exarata.  
*nervosa*, Miègev. in Bull. Soc. Bot. Fr. xii. (1865) 19.—Mont. Pyren.  
*nevadensis*, Boiss. Diagn. Ser. II. ii. 67 = mixta.  
*nigricans*, Willd. ex Sternb. Rev. Saxifr. Suppl. ii. 46 = nivalis.  
*nitida*, Schreb. ex Sternb. Rev. Saxifr. 32. t. 10. f. 4.—Hab.?  
*nivalis*, Linn. Sp. Pl. 401.—Reg. bor. et arct.  
*nivalis*, Muhl. Cat. 44 = virginienensis.  
*nivalis*, Pall. Reise, iii. 444 = davurica.  
*norica* x, Kern. in Oestr. Bot. Zeitschr. xx. (1870) 147.—Europ.  
*notata*, Schott, Nym. & Kotschy, Analect. Bot. 22 = S. Aizoon.  
*nothana*, Moç. ex Ser. in DC. Prod. iv. 40 = stellaris?  
*nuda*, Ser. l. c. 41 = erosa.  
*nudicaulis*, D. Don, in Trans. Linn. Soc. xiii. (1822) 366.—Am. bor. occ.  
*nutans*, Adams, in Nouv. Mém. Soc. Nat. Mosc. iii. (1834) 242 = S. Hirculus.  
*nutans*, D. Don, in Trans. Linn. Soc. xiii. (1822) 368 = Romanzoffia unalaschensis vel sitchensis.  
*nutans*, Hook. f. & Thoms. in Journ. Linn. Soc. ii. (1857) 69.—Reg. Himal.  
*obscura*, Gren. & Godr. Fl. Fr. i. 646.—Mont. Pyren.  
*obtusifida*, D. Don, in Trans. Linn. Soc. xiii. (1822) 416.—Hispan.  
*obtusifolia*, Schleich. Cat. Pl. Helvet. ed. IV. 61.—Helvet.  
*odontophylla*, Wall. Cat. n. 454.—Reg. Himal.  
*odontophylla*, Wall. l. c., partim = sibirica.  
*officinatum*, Crantz, Inst. ii. 426 = granulata.  
*olympica*, Boiss. Diagn. Ser. I. iii. 19 = rotundifolia.  
*oppositifolia*, Linn. Sp. Pl. 402.—Reg. bor. et arct.

## SAXIFRAGA:—

- oranensis*, Munby, in Bull. Soc. Bot. Fr. ii. (1855) 284.—Alger.  
*orientalis*, Jacq. Obs. ii. 9. t. 34 = S. Cymbalaria.  
*Pacumbis*, Buch.-Ham. ex D. Don, Prod. Fl. Nep. 209 = ligulata.  
*Padellae* x, Bruegg. in Jahresb. Naturf. Ges. Graub. II. xxiii-xxiv. (1880) 85.—Europ.  
*Pallasiana*, Sternb. Rev. Saxifr. Suppl. ii. 19 = serpyllifolia.  
*pallida*, Wall. Cat. n. 450.—Reg. Himal.  
*palmata*, Lapeyr. Fl. Pyren. 64. t. 41 = geranioides.  
*palmata*, Sm. Engl. Bot. t. 455 = hypnoides.  
*palmata*, Steph. ex Sternb. Rev. Saxifr. Suppl. i. 8. t. 6. f. 2 = sibirica.  
*palpebrata*, Hook. f. & Thoms. in Journ. Linn. Soc. ii. (1857) 67.—Reg. Himal.  
*palustris*, Link, Enum. Hort. Berol. i. 412 = pensylvanica.  
*palustris*, Salisb. Prod. 306 = S. Hirculus.  
*paniculata*, Cav. Desc. 473; Willk. & Lange, Prod. Fl. Hisp. iii. 112.—Hispan.  
*paniculata*, Hornem. Hort. Hafn. i. 402 = trifurcata.  
*paniculata*, Mill. Gard. Dict. ed. VIII. n. 3 = S. Cotyledon.  
*paniculata*, Schleich. ex Ser. in DC. Prod. iv. 30 = geranioides.  
*paniculata*, Willk. in Bot. Zeit. v. (1847) 431 = granulata.  
*paradoxa*, Sternb. Rev. Saxifr. 22. n. 35. t. 14.—Carinth.  
*Parisii*, Pomel, Nouv. Mat. Fl. Atl. 154 = atlantica?  
*parnassica*, Boiss. & Heldr. Diagn. Ser. II. ii. 19 = adscendens.  
*parnassifolia*, D. Don, in Trans. Linn. Soc. xiii. (1822) 405 = diversifolia, Wall.  
*parnassifolia*, Wall. Cat. n. 451, partim = corymbosa, Hook. f. & Thoms.  
*parnassiodes*, Regel & Schmalh. ex Regel, Pl. Nov. Fedtsch. 27.—Turkestan.  
*Parryi*, Torr. Bot. Mex. Bound. 69.—Am. bor. occ.  
*parvicalyx*, Jacquem. ex Decne. in Jacquem. Voy. Bot. 68 = Jacquemontiana.  
*parviflora*, Bivona, Stirp. Rar. Sicil. Manip. iv. 11. t. 3 = hederacea.  
*parviflora*, Fisch. ex Cham. in Linnaea, vi. (1831) 556 = Leptarrhena pyrolaeifolia.  
*patens*, Gaud. in Nat. Anz. Schw. Ges. i. (1818) 65 = caesia.  
*patens* x, Kern. in Oestr. Bot. Zeitschr. xx. (1870) 146.—Europ.  
*patens*, Sternb. Rev. Saxifr. Suppl. ii. t. 12 = valdensis.  
*pauciflora*, Sternb. l. c. Suppl. i. 6. t. 4 = nivalis.  
*Pavonii*, D. Don, in Trans. Linn. Soc. xiii. (1822) 434.—Peruv.  
*pectinata*, Pursh, Fl. Am. Sept. i. 312 = Spiraea pectinata.  
*pectinata*, Schott, Nym. & Kotschy, Analect. Bot. 21 = S. Aizoon.  
*pedatifida*, Ehrh. ex Sm. in Trans. Linn. Soc. x. (1811) 340.—Europ. austr.  
*pedemontana*, All. Fl. Pedem. ii. 73.—Europ. austr.  
*pedemontana*, Willd. ex Engl. in Verh. Zool.-Bot. Ges. Wien, xix. (1869) 547 = aquatica.  
*pekinensis*, Maxim. Ind. Pekin. in Prim. Fl. Amur. Suppl. 120.—China.  
*peltata*, Torr. ex Benth. Pl. Hartw. 311.—Calif.  
*penduliflora*, Bast. in Desv. Journ. Bot. iii. (1814) 17 = granulata.  
*pensylvanica*, Linn. Sp. Pl. 399.—Am. bor.  
*pentadactylis*, Lapeyr. Fl. Pyren. 64. t. 40.—Mont. Pyren.  
*perdurans*, Kit. ex Wahlenb. Fl. Carpat. 123.—Transsylv.  
*perporosa*, Schur, Enum. Pl. Transs. 234 = retusa.  
*perpusilla*, Hook. f. & Thoms. in Journ. Linn. Soc. ii. (1857) 72.—Reg. Himal.  
*peruviana*, Sternb. Rev. Saxifr. 55. t. 22.—Peruv.  
*petiolaris*, R. Br. in Ross, Voy. ed. II. ii. 192 = rivularis.  
*petraea*, Gouan, Illustr. 29. t. 18. f. 3 = aquatica.  
*petraea*, Gunn. Fl. Norveg. ii. 30. n. 427 = contro-versa.  
*petraea*, Linn. Syst. ed. X. 1027.—Europ. austr.  
*petraea*, Pall. Ind. Taur. 147 = irrigua.  
*petraea*, Prey. & Zirk. ex Bab. in Journ. Linn. Soc. xi. (1870) 308.—Islandia.



**SAXIFRAGA:—**

- petraea*, Roth, Tent. Fl. Germ. i. 184 = hypnoides.  
*petraea*, Willd. Sp. Pl. ii. 654 = adscendens.  
*petrosa*, Vahl, ex Steud. Nom. ed. II. ii. 522 = petraea, Linn.  
*pilifera*, Hook. f. & Thoms. in Journ. Linn. Soc. ii. (1857) 66.—Reg. Himal.  
*pilosa*, Haw. Misc. Nat. 157 = virginensis.  
*planifolia*, Lapeyr. Fl. Pyren. 31 = muscoides.  
*planifolia*, Sternb. ex Cham. in Linnaea, vi. (1831) 555 = serpyllifolia.  
*planipetala*, D. Dietr. Syn. Pl. ii. 1535 = hypnoides.  
*plantaginifolia*, Hook. in Parry's 2nd Voy. Suppl. 394 = hieracifolia.  
*platypetala*, Sm. in Trans. Linn. Soc. x. (1811) 391 = hypnoides.  
*polita*, Hort. ex Ser. in DC. Prod. iv. 42 = umbrosa.  
*polita*, Link, Enum. Hort. Berol. i. 414 = hypnoides.  
*polydactyla*, Pall. Reise, iii. 320 = davurica.  
*Ponae*, Sternb. Rev. Saxifr. 47. t. 11. f. 6 = petraea, Linn.  
*porophylla*, Bertol. in Desv. Journ. Bot. ii. (1813) 76.—Europ. austr.  
*porphyrantha*, Hort. Gotting. ex Engl. Monog. Saxifr. 176 = muscoides.  
*portosantana*, Boiss. Diagn. Ser. II. ii. 68.—Ins. Mader.  
*praecox*, Bernh. ex Engl. Monog. Saxifr. 84 = tridactylites.  
*primulaefolia*, Willd. ex Sternb. Rev. Saxifr. Suppl. ii. 46 = nivalis.  
*procumbens*, Juss. ex Steud. Nom. ed. II. ii. 522 = hypnoides.  
*propaginea*, Pourr. ex Engl. Monog. Saxifr. 134 = Clusii.  
*propinqua*, R. Br. in Ross, Voy. ed. II. ii. 192 = S. Hirculus.  
*prorepens*, Fisch. ex Sternb. Rev. Saxifr. 59 = flagellaris.  
*Prostiana*, Nym. Consp. 270 = mixta.  
*Prostii*, Sternb. Rev. Saxifr. Suppl. 34 = pedatifida.  
*protensa*, Schleich. Cat. Pl. Helv. ed. IV. 63.—Helvet.  
*Pseudo-adscendens*, Schur, Enum. Pl. Transs. 238 = tridactylites.  
*Pseudo-bronchialis*, Fisch. Hort. Gorenk. ed. II (1812) 61.—Hab.?  
*Pseudo-Burseriana*, Fisch. ex Cham. in Linnaea, vi. (1831) 555 = bronchialis.  
*Pseudo-caesia*, Rochel, Pl. Banat. Rar. 35. t. 3 = Rocheliana.  
*Pseudo-hypnoides*, Murith, Bot. Val. 94 = exarata.  
*Pseudo-sancta*, Fanka, in Oestr. Bot. Zeitschr. xxii. (1872) 176.—Balkan.  
*pubescens*, DC. Fl. Fr. iv. 375 = mixta.  
*pubescens*, Pourr. in Mém. Acad. Toul. iii. (1788) 327.—Europ.  
*pubescens*, Sternb. in Linnaea, vi. (1831) 556 = caespitosa.  
*pulchella*, D. Don, in Trans. Linn. Soc. xiii. (1822) 426 = exarata.  
*punctata*, Gunn. Fl. Norveg. ii. 140 = cuneifolia.  
*punctata*, Haw. ex Nym. Consp. 294 = umbrosa.  
*punctata*, Hook. Lond. Journ. Bot. vi. (1847) 231 = Mertensiana.  
*punctata*, Linn. Sp. Pl. 401.—Sibir.; Am. bor. occ.  
*punctata*, Pall. Reise, iii. 731 = davurica.  
*punctata*, Rottb. in Skrift. Kjoeb. Selsk. x. (1770) 445. t. 3. f. 10 = nivalis.  
*pungens*, [Clairv.] Man. Herb. 140 = Vandellii.  
*purpurascens*, Hook. f. & Thoms. in Journ. Linn. Soc. ii. (1857) 61.—Reg. Himal.  
*purpurea*, All. Fl. Pedem. ii. 71 = retusa.  
*pusilla*, Sternb. Rev. Saxifr. Suppl. ii. 35.—Ins. Aleut.  
*pygmaea*, Haw. Misc. Nat. 168 = muscoides.  
*pyramidalis*, Lapeyr. Fl. Pyren. 32 = S. Cotyledon.  
*pyramidalis*, Salisb. Prod. 305 = S. Aizoon.  
*pyramidalis*, Tenore, Prod. Fl. Nap. p. xxv = lingulata.  
*pyramidata*, Mill. Gard. Dict. ed. VIII. n. 4 = S. Cotyledon.  
*pyrenaica*, Scop. Fl. Carn. ed. II. i. 296 = androsacea.  
*pyrenaica*, Vill. Hist. Pl. Dauph. iii. 371 = muscoides.  
*pyrolifolia*, D. Don, in Trans. Linn. Soc. xiii. (1822) 389 = Leptarrhena pyrolaefolia.  
*quinquedens*, Haw. Syn. Pl. Succ. 325 = hypnoides.  
*quinquedens*, Haw. Misc. Nat. 163 = hypnoides.  
*quinquedens*, Lam. Fl. Fr. iii. 533 = geranioides.  
*radicans*, Jacquem. Voy. Bot. ex C. B. Clarke, in Hook. f. Fl. Brit. Ind. ii. 397 = flagellaris.

**SAXIFRAGA:—**

- ramosissima*, Schur, Enum. Pl. Transs. 239 = adscendens.  
*ramulosa*, Wall. Cat. n. 446.—Reg. Himal.  
*ranunculifolia*, Hook. Fl. Bor. Am. i. 246. t. 83.—Am. bor.  
*ranunculoides*, Haw. Enum. Saxifr. 25 = irrigua.  
*recta*, Lapeyr. Fl. Pyren. 33. t. 15 = S. Aizoon.  
*recta*, Tenore, Prod. Fl. Nap. p. xxv = marginata.  
*recurva*, Bree, ex Schleich. Cat. Pl. Helv. ed. IV. 63 = hypnoides.  
*recurvifolia*, Lapeyr. Fl. Pyren. 30 = caesia.  
*Redofskyi*, Adams, in Nouv. Mém. Soc. Nat. Mosc. iii. (1834) 241 = stellaris.  
*Redowskyana*, Presl, ex Ledeb. Fl. Ross. ii. 212 = davurica.  
*reflexa*, Hook. Fl. Bor. Am. i. 249. t. 85.—Am. bor.  
*reflexa*, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 134 = S. Hirculus.  
*Regelii*, Kern. in Oestr. Bot. Zeitschr. xiii. (1863) 107.—Europ.  
*repanda*, Willd. ex Sternb. Rev. Saxifr. 17. t. 5 = rotundifolia.  
*reticulata*, Cham. in Linnaea, vi. (1831) 555 = Sieversiana.  
*reticulata*, Willd. ex Sternb. Rev. Saxifr. 21. t. 13 = S. Cymbalaria.  
*retroflexa*, Hort. ex Ser. in DC. Prod. iv. 31 = hypnoides.  
*retusa*, Cham. in Linnaea, vi. (1831) 556 = oppositifolia.  
*retusa*, Gouan, Illustr. 28. t. 18. f. 1.—Europ. austr.  
*Reuteriana*, Boiss. Voy. Bot. Espagne, ii. 730.—Hispan.  
*Rhei*, Schott, Nym. & Kotschy, Analect. Bot. 30 = muscoides.  
*Richardsonii*, Hook. Fl. Bor. Am. i. 247 = Boykinia Richardsonii.  
*rigens*, Kit. in Linnaea, xxxii. (1863) 474 = Rocheliana.  
*rigida*, C. Sm. ex Ser. in DC. Prod. iv. 39 = hieracifolia.  
*rivalis*, Uspensky, in Bull. Soc. Nat. Mosc. vii. (1834) 372 = seq.  
*rivularis*, Linn. Sp. Pl. 404.—Reg. bor. et arct.  
*rivularis*, Schult. Oestr. Fl. ed. II. i. 640 = carpathica.  
*rivularis*, Thomas, ex DC. Prod. iv. 35 = granulata.  
*rivularis*, S. Wats. in Bot. King's Exped. v. 93 = debilis.  
*robusta*, Schott, Nym. & Kotschy, Analect. Bot. 22 = S. Aizoon.  
*Rocheliana*, Sternb. Rev. Saxifr. Suppl. ii. 55.—Banatus.  
*rorida*, Bieb. ex Ledeb. Fl. Ross. ii. 218 = irrigua.  
*rosacea*, Moench, Meth. 106 = hypnoides.  
*rosea*, Lapeyr. ex Steud. Nom. ed. II. ii. 523 = biflora.  
*Rossii*, Oliver, in Hook. Ic. Pl. t. 1258.—Manchuria.  
*rosularis*, Haw. Misc. Nat. 159 = S. Aizoon.  
*rosulenta*, Ehrh. ex Ser. in DC. Prod. iv. 19 = S. Aizoon.  
*rotundifolia*, Geners. Elench. Scep. n. 372; ex Wahlenb. Fl. Carpat. 119 = hieracifolia.  
*rotundifolia*, Linn. Sp. Pl. 403.—Graec.; Reg. Caucas.  
*rotundifolia*, Pall. ex Georgi, Besch. Russ. Reich. iv. 964 = punctata.  
*rotundifolia*, Sibth. & Sm. Fl. Graec. iv. 71. t. 377 = chrysosplenifolia.  
*Rudolphiana*, Hornsch. ex Koch, Syn. Fl. Germ. ed. I. 269 = oppositifolia.  
*rupestris*, Lapeyr. Hist. Abr. Pl. Pyr. i. 233 = adscendens.  
*rupestris*, Salisb. Prod. 306; Schleich. ex Ser. in DC. Prod. iv. 31 = hypnoides.  
*rupestris*, Thomas, ex Ser. l. c. 22 = valdensis.  
*rupestris*, Willd. Sp. Pl. ii. 653 = petraea, Linn.  
*Russi*, Presl, Delic. Prag. 140 = bulbifera.  
*sabulicola*, Pomel, Nouv. Mat. Fl. Atl. 153 = atlantica.  
*sachalinensis*, F. Schmidt, Reisen Amurl. 133.—Ins. Sachalin.  
*saginata*, Froel. ex Steud. Nom. ed. II. ii. 523 = sedoides.  
*saginata*, Hook. f. & Thoms. in Journ. Linn. Soc. ii. (1857) 68.—Reg. Himal.  
*sancta*, Griseb. Spicil. Fl. Rumel. i. 332.—Graecia; As. Min.  
*sarmentosa*, Linn. f. Suppl. 240.—China; Japon.  
*scapigera*, Willd. ex Sternb. Rev. Saxifr. 59; Suppl. ii. 19 = serpyllifolia.

**SAXIFRAGA:—**

- scardica*, Griseb. Spicil. Fl. Rumel. i. 332.—Graecia.  
*scariosa*, Schleich. ex Engl. in Verh. Zool.-Bot. Ges. Wien, xix. (1869) 551 = hypnoides.  
*Schleicheri*, D. Don, ex G. Don, in Loud. Hort. Brit. 176 = stellaris.  
*Schmidtii*, Regel, Gartenfl. (1878) 225 = ligulata?  
*Schraderi*, Sternb. Rev. Saxifr. Suppl. 11. t. 8 = hypnoides.  
*Scopolii*, Vill. Prosp. 47; Hist. Pl. Dauph. iii. 670 = adscendens.  
*scotophila*, Boiss. Diagn. Ser. I. iii. 23 = hederacea.  
*scrobiculata*, Schur, ex Engl. in Verh. Zool.-Bot. Ges. Wien, xix. (1869) 551 = retusa.  
*secunda*, Moretti, in Brugnati. Giorn. Fis. II. viii. (1825) 285 = muscoides.  
*secunda*, Willd. ex Cham. in Linnaea, ii. (1827) 608 = Romanzoffia unalaschensis, sitchensis.  
*sednensis*, Clarion, ex Sternb. Rev. Saxifr. 53 = lingulata.  
*sedoides*, Linn. Sp. Pl. 404.—Europ. austr.  
*sedoides*, Wahlenb. Veg. Helvet. 79, partim; Murith, Bot. Val. 94 = Segueri.  
*Segueri*, Spreng. Fl. Hal. Mant. 40.—Helvet.  
*semidecandra*, Fisch. ex DC. Prod. iv. 42 = umbrosa.  
*semidodecandra*, Walp. Rep. ii. 364 = punctata.  
*semipubescens*, Sweet, Hort. Suburb. Lond. 97 = pensylvanica.  
*Sempervivum*, C. Koch, in Linnaea, xix. (1847) 40 = porophylla.  
*sendaica*, Maxim. in Bull. Acad. Pétersb. xviii. (1873) 38.—Japon.  
*septifida*, Haw. ex Steud. Nom. ed. II. ii. 523 (Quid?).—Hibernia.  
*serpyllifolia*, A. Gray, in Proc. Acad. Sc. Philad. 1863 (1864), 62 = chrysantha.  
*serpyllifolia*, Pursh, Fl. Am. Sept. i. 311.—Reg. bor. et arct.  
*serrata*, Sternb. Rev. Saxifr. Suppl. ii. 5 = umbrosa.  
*serratifolia*, Mackay, ex Reichb. in Moessl. Handb. ed. II. i. 709 = umbrosa.  
*setigera*, Pursh, Fl. Am. Sept. i. 312 = flagellaris.  
*sibirica*, Linn. Syst. ed. X. 1027.—As. bor. et arct.  
*sibirica*, Pall. ex Ledeb. Fl. Ross. ii. 212 = davurica.  
*sibirica*, Pursh, Fl. Am. Sept. i. 312 = cernua?  
*sibirica*, Sternb. Rev. Saxifr. 23 = Sieversiana.  
*sibirica*, Wahlenb. Fl. Carpat. 121 = carpathica.  
*Sibthorpii*, Boiss. Diagn. Ser. I. iii. 22.—Graecia.  
*Sieversiana*, Sternb. Rev. Saxifr. Suppl. ii. 16.—Sibir.  
*sileniflora*, Hook. Fl. Bor. Am. i. 245.—Am. bor. occ.  
*silenifolia*, Engl. Monog. Saxifr. 172, sphalm. = praec.  
*sobolifera*, Adams, in Nouv. Mém. Soc. Nat. Mosc. iii. (1834) 243 = flagellaris.  
*spathularis*, Brot. Fl. Lusit. 172 = umbrosa.  
*spatulata*, Boiss. Voy. Bot. Espagne, ii. 231 = erio-blasta.  
*spatulata*, Desf. Fl. Atlant. i. 342. t. 96. f. 2.—Afr. bor.  
*spatulata*, Haw. Misc. Nat. 165 = hypnoides.  
*sphaeroidea*, Sweet, Hort. Brit. ed. I. 181 = umbrosa.  
*spicata*, D. Don, in Trans. Linn. Soc. xiii. (1822) 354 = punctata.  
*spinulosa*, Adams, in Mém. Soc. Nat. Mosc. v. (1817) 96 = bronchialis.  
*spinulosa*, Royle, Illustr. Bot. Himal. 227. t. 50. f. 2 = flagellaris.  
*sponhemica*, C. C. Gmel. Fl. Bad. ii. 224 = hypnoides.  
*Spruneri*, Boiss. Diagn. Ser. I. iii. 18.—Thessal.  
*spuria* ×, Kern. in Oestr. Bot. Zeitschr. xx. (1870) 146.—Europ.  
*squarrosa*, Sieber, in Flora, iv. (1821) 99.—Tyrol.  
*Stabiana*, Tenore, Syll. Fl. Neap. 201 = S. Aizoon.  
*Steinmanni*, Tausch, Hort. Canal. dec. i. 76; et in Flora, vii. (1824) 85 = hypnoides.  
*Stella-aurea*, Hook. f. & Thoms. in Journ. Linn. Soc. ii. (1857) 72.—Reg. Himal.  
*stellaris*, Linn. Sp. Pl. 400.—Reg. bor. et arct.  
*stellata*, Pav. ex D. Don, in Trans. Linn. Soc. xiii. (1822) 430.—Peruv.  
*Stelleriana*, Merk. ex Ser. in DC. Prod. iv. 46.—Sibir.  
*stenoglossa*, Tausch, ex Schott, Nym. & Kotschy, Analect. Bot. 22.—Europ.  
*stenopetala*, Gaud. in Nat. Anz. Schw. Ges. i. (1818) 70 = aphylla.  
*stenophylla*, Royle, Illustr. Bot. Himal. 227. t. 50 f. 1 = flagellaris.

**SAXIFRAGA :—**

*Stephaniana*, Sternb. Rev. Saxifr. Suppl. i. 8. t. 6 = sibirica.  
*Sternbergii*, Willd. Enum. Hort. Berol. 462 = caespitosa.  
*stolonifera*, Meerb. Afbeeld. t. 23. (1775); Jacq. Misc. ii. 327 = sarmentosa.  
*Stracheyi*, Hook. f. & Thoms. in Journ. Linn. Soc. ii. (1858) 61.—Reg. Himal.  
*striata*, Hall. f. ex Gaud. Fl. Helv. iii. 129 = muscoides.  
*stricta*, C. Sm. ex Nym. Consp. 274 = hieracifolia.  
*strigosa*, Wall. Cat. n. 448.—Reg. Himal.  
*Sturmiana*, Schott, Nym. & Kotschy, Analect. Bot. 25 = S. Aizoon.  
*stylosa*, Remy, in Ann. Sc. Nat. Sér. III. viii. (1847) 236.—Bolivia.  
*subacaulis*, Hegetsch. Fl. Schw. 397 = muscoides.  
*submutica*, Hort. ex Steud. Nom. ed. II. ii. 523 = S. Aizoon.  
*subverticillata*, Boiss. Fl. Orient. ii. 803.—Reg. Caucas.  
*Sullivantii*, Torr. & Gray, Fl. N. Am. i. 575 = Sullivantia Ohionis.  
*tangutica*, Engl. in Bull. Acad. Pétersb. xxix. (1883) 114.—China.  
*taygetea*, Boiss. & Heldr. Diagn. Ser. I. x. 19.—Graecia.  
*tecta*, Kit. in Linnaea, xxii. (1863) 473 = luteoviridis.  
*tellimoides*, Maxim. in Bull. Acad. Pétersb. xvi. (1871) 216.—Japon.  
*tenella*, Wulf. in Jacq. Coll. iii. 144. t. 17.—Europ. austr.  
*tenera*, Sternb. Rev. Saxifr. t. 9 B = androsacea.  
*tenera*, Suter, Fl. Helvet. i. 245 = planifolia.  
*tenerrima*, Willk. in Oestr. Bot. Zeitschr. xxv. (1875) 111 = tridactylites.  
*Tenorii*, Sternb. Rev. Saxifr. Suppl. ii. 69. t. 14.—Europ. austr.  
*terekensis*, Bunge, in Ledeb. Fl. Alt. ii. 123.—Sibir. altaic.  
*texana*, Buckl. in Proc. Acad. Sc. Philad. 1861 (1862) 455.—Am. bor. occ.  
*thessalica*, Schott, Nym. & Kotschy, Analect. 26, in obs. = porophylla.  
*thyroidea*, Tausch, in Syll. Ratisb. ii. (1828) 240.—Italia.  
*thysanodes*, Lindl. Bot. Reg. (1846) t. 33 = ligulata.  
*Tilingiana*, Regel & Tiling, in Nouv. Mém. Soc. Nat. Mosc. xi. (1859) 94.—As. or.  
*tirolensis* x, Kern. in Oestr. Bot. Zeitschr. xx. (1870) 146.—Europ.  
*Tolmiei*, Torr. & Gray, Fl. N. Am. i. 567 (Tolmaei).—Am. bor. occ.  
*tombeanensis*, Boiss. ex Engl. in Verh. Bot.-Zool. Ges. Wien, xix. (1869) 554 = diapiensoides.  
*transsilvanica*, Fuss, Fl. Transs. 236.—Transsylv.  
*trichodes*, Scop. Fl. Carn. ed. II. i. 295 = sedoides.  
*tricuspidata*, Rottb. in Skrift. Kjöeb. Selsk. x. (1770) 446.—Reg. bor. et arct.  
*tridactylites*, Linn. Sp. Pl. 404.—Europ.; Afr. bor.; Oriens.  
*tridens*, Haw. Syn. Pl. Succ. 324 = hypnoides?  
*tridens*, Jan, ex DC. Prod. iv. 24 = androsacea.  
*tridentata*, D. Don, in Trans. Linn. Soc. xiii. (1822) 426 = hypnoides.  
*trifida*, Gilib. Fl. Lituan. ii. 181 = tridactylites.  
*trifida*, Haw. Misc. Nat. 165 = hypnoides.  
*trifida*, Vand. Fasc. Pl. 13 (Quid?).—Ital.  
*trifurcata*, Schrad. Hort. Gotting. fasc. i. 13. t. 7.—Hispan.  
*trigyna*, Remy, in Ann. Sc. Nat. Sér. III. viii. (1847) 235.—Chili.  
*tuberosa*, Sternb. Rev. Saxifr. Suppl. ii. 9 = punctata.  
*uliginosa*, Fisch. ex Ser. in DC. Prod. iv. 39 = hieracifolia.  
*umbellulata*, Hook. f. & Thoms. in Journ. Linn. Soc. ii. (1857) 71.—Reg. Himal.  
*umbrosa*, Linn. Sp. Pl. ed. II. 574.—Europ. occ.  
*unalaschensis*, Fisch. ex Sternb. Rev. Saxifr. Suppl. i. 2 = Leptarrhena pyrolaeifolia.  
*unalaschensis*, Presl, ex Ledeb. Fl. Ross. ii. 212 = davurica.  
*unguiculata*, Engl. in Bull. Acad. Pétersb. xxix. (1883) 115.—China.  
*uniflora*, R. Br. in Parry, 1st Voy. App. 275 = caespitosa.  
*uniflora*, Froel. ex DC. Prod. iv. 24 = aphylla.  
*uniflora*, Sternb. Rev. Saxifr. Suppl. 13. t. 9. f. 1 = hypnoides.

VOL. II.

**SAXIFRAGA :—**

*vaginalis*, Turcz. ex Ledeb. Fl. Ross. ii. 220 = neglecta.  
*vaginata*, Presl, ex Sternb. Rev. Saxifr. Suppl. ii. 39 = rivularis.  
*Vahlil*, Ram. ex DC. Fl. Fr. iv. 370 = adscendens.  
*valdensis*, DC. l. c. Suppl. 517.—Europ. austr.  
*Vandellii*, Lapeyr. Hist. Abr. Pl. Pyr. 636 = arctioides.  
*Vandellii*, Sternb. Rev. Saxifr. 34. t. 10.—Europ. austr.  
*varians*, Sieber, ex Ser. in DC. Prod. iv. 25 = muscoides.  
*venosa*, Haw. Enum. Saxifr. 28 = caespitosa.  
*verna*, Hort. ex Steud. Nom. ed. II. ii. 524 = virginensis.  
*vernalis*, Willd. Hort. Berol. i. 43 = virginensis.  
*veronicaefolia*, Duf. in Bull. Soc. Bot. Fr. vii. (1860) 325 = atlantica.  
*veronicaefolia*, Pers. Syn. i. 489 = bulbifera.  
*villosa*, Willd. Enum. Hort. Berol. 462 = hypnoides.  
*virginiana*, Poit. in Rev. Hort. (1879) 260 = virginensis.  
*virginica*, Nutt. Gen. Am. i. 285 = seq.  
*virginensis*, Michx. Fl. Bor. Am. i. 269.—Am. bor.  
*viscidula*, Hook. f. & Thoms. in Journ. Linn. Soc. ii. (1857) 69.—Reg. Himal.  
*viscosa*, Hort. ex Haw. Misc. Nat. 164 = hypnoides?  
*viviipara*, Vest, in Flora, iii. (1820) 405 = bulbifera.  
*Wahlenbergii*, Ball, in Bot. Zeit. iv. (1846) 401 = perdurans.  
*Wallacei*, McNab.—Cf. Gard. Chron. (1883) i. 670 = Camposii.  
*Wallichiana*, Sternb. Rev. Saxifr. Suppl. i. t. 22 = fimbriata.  
*Wettsteinii* x, Bruegg. in Jahrb. Naturf. Ges. Graub. II. xxiii-xxiv. (1880) 87.—Europ.  
*Wildiana*, Kunze, in Linnaea, xvii. (1843) 575.—Hab.?  
*Willkommiana*, Boiss. ex Engl. in Verh. Zool.-Bot. Ges. Wien, xix. (1869) 556 = Camposii.  
*Wolleana*, Torr. & Gray, Fl. N. Am. i. 569 = erosa.  
*Wormsköldii*, Fisch. ex DC. Prod. iv. 42 = umbrosa.  
*Wulfeniana*, Schott, in Oestr. Bot. Wochenbl. vii. (1857) 126 = retusa.  
*Zeleborii*, Schott, l. c. 246.—Europ. austr.  
*Zimmereri* x, Kern. in Oestr. Bot. Zeitschr. xx. (1870) 146.—Europ.

**SAXIFRAGIA**, Tourn. ex Linn. Syst. ed. I (1735) = *Saxifraga*, Linn.

**SAXO-FRIDERICIA**, Rob. Schomb. Rapat. Frid.-Aug. Braunsch. (1845) 13. t. 2. *RAPATEACEAE*, Benth. & Hook. f. iii. 858.  
*aculeata*, Koern. in Linnaea, xxxvii. (1871-73) 457.—Guian.  
*regalis*, Rob. Schomb. Rapat. Frid.-Aug. Braunsch. (1845) 14. t. 2.—Guian.  
*subcordata*, Koern. in Linnaea, xxxvii. (1871-73) 459.—Bras.

**SCABIOSA**, [Tourn.] Linn. Syst. ed. I (1735).  
*DIPSACEAE*, Benth. & Hook. f. ii. 159.  
*ANISODENS*, Dulac, Fl. Hautes-Pyr. 465 (1867).  
*ASTEROCEPHALUS*, Lag. Gen. et Sp. Nov. 8 (1816).  
*ASTROCEPHALUS*, EUPTILIA, GONOKEROS, LOMELIOSIA, PENTENA, SIXALIX, TEREIPHAS, THLASIDIA, TREMASTELMA, XETOLA, Rafin. Fl. Tellur. iv. 95, 96 (1836).  
*CALLISTEMMA*, Boiss. Fl. Orient. iii. 146 (1875).  
*CHETARIA*, Steud. Nom. ed. II. ii. 521 (1841).  
*CHETASTRUM*, Neck. Elem. i. 712 (1790).  
*COLUMBARIA*, J. & C. Presl, Fl. Čech. 32 (1819).  
*CYRTOSTEMMA*, Spach, Hist. Vég. Phan. x. 321 (1841).  
*DIOTOTHECA*, Rafin. Fl. Ludov. 74 (1817).  
*KNAUTIA*, Linn. Gen. ed. I. 23 (1737).  
*PTEROCEPHALUS*, Vaill. ex Adans. Fam. ii. 152 (1763).  
*PHYCOCOMON*, Hoffmgg. & Link, Fl. Port. ii. 93. t. 88 (1820).  
*SCLEROSTEMMA*, Schott, ex Roem. & Schult. Syst. iii. 64 (1818).  
*SPONGOSTEMMA*, Reichb. Nom. 72 (1841).  
*SUCCISA*, Neck. Elem. i. 109 (1790).

**SCABIOSA :—**

*TRICHERA*, Schrad. Cat. Sem. Hort. Gotting. (1814); ex Roem. & Schult. Syst. iii. 54 (1819).  
*TROCHOCEPHALUS*, Opiz, ex Bercht. Oek. Fl. Poehm. ii. 222 (1838).  
*acaulis*, Thunb. Prod. Pl. Cap. 29 = S. Columbaria.  
*achaeta*, Vis. & Panč. in Mem. Ist. Venet. xii. (1863) 465.—Serbia.  
*acutiflora*, Reichb. Pl. Crit. iv. 24. t. 326 = maritima.  
*affinis*, Gren. & Godr. Fl. Fr. ii. 78 = S. Columbaria.  
*afghanica*, Aitch. & Hemsl. in Journ. Linn. Soc. xviii. (1880) 67.—Afghan.  
*africana*, Linn. Sp. Pl. ed. II. 145.—Afr. austr.  
*africana*, Sibth. & Sm. Fl. Graec. Prod. i. 83 = cretica.  
*agrestis*, Láng, ex Nym. Consp. 344 = Scopoli.  
*agrestis*, F. W. Schmidt, Fl. Boëm. iii. 77 = arvensis.  
*agrestis*, Waldst. & Kit. Pl. Rar. Hung. ii. 226 = gramuntia.  
*alba*, Scop. Delic. Insub. iii. 33 = ucranica.  
*albescens*, Willd. Enum. Hort. Berol. 144 = Cephalaria leucantha.  
*aleppica*, Coult. Mem. Dipsac. 35. t. 2. f. 8 = palaestina.  
*alpestris*, Jord. Pugill. Pl. Nov. 84 = lucida.  
*alpestris*, Kar. & Kir. in Bull. Soc. Nat. Mosc. xv. (1842) 536.—Sibir.  
*alpigena*, Schur, Enum. Pl. Transs. 962 (Index) = arvensis.  
*alpina*, Georgi, Beschr. Russ. Reich. Nachtr. 259 = Cephalaria tatarica.  
*alpina*, Linn. Sp. Pl. 98 = Cephalaria alpina.  
*alpina*, Sibth. & Sm. Fl. Graec. Prod. i. 79 = Cephalaria ambrosioides.  
*altissima*, Jacq. Hort. Vindob. ii. 87 = africana.  
*altissima*, Mill. Gard. Dict. ed. VIII. n. 6 = Cephalaria tatarica.  
*ambigua*, Avé-Lall. Diss. Pl. Quib. 8 = pyrenaica.  
*ambigua*, Frivald. in Flora, xix. (1836) 438.—Macedon.  
*ambigua*, Tenore, Fl. Neap. App. v. 7 = maritima.  
*ambrosioides*, Sibth. & Sm. Fl. Graec. Prod. i. 80; Fl. Graec. ii. 5 t. 103 = Cephalaria ambrosioides.  
*amoena*, Jacq. f. Eclog. i. 86. t. 59.—As. Min.; Persia.  
*amplexicaulis*, Linn. Mant. ii. 195.—Hab.?  
*anatolica*, Boiss. Diagn. Ser. I. x. 82 = rotata.  
*anethifolia*, Steud. Nom. ed. II. ii. 524, sphalm. = S. Columbaria.  
*angulata*, Rafin. Caratteri, 81 = maritima.  
*angustifolia*, Hoffmgg. Verz. Pfl. Nachtr. ii. 206.—Hab.?  
*angustifolia*, Salisb. Prod. 54 = Cephalaria syriaca.  
*anthemifolia*, Eckl. & Zeyh. Enum. 371 = S. Columbaria.  
*arenaria*, Forsk. Fl. Aegypt. Arab. p. lxi.—Aegypt.; Arab.  
*argentea*, Boiss. Voy. Bot. Espagne, ii. 296 = sicula.  
*argentea*, Linn. Sp. Pl. 100 = ucranica.  
*arvensis*, Linn. l. c. 99.—Europ.; Reg. Caucas.  
*arvensis*, Tenore, Syll. Fl. Neap. 59 = integrifolia.  
*arvensis*, Ucria, ex DC. Prod. iv. 657 = maritima.  
*asterocephala*, Thuill. Fl. Par. ed. II. 72 = suaveolens.  
*atrata*, Lag. Elench. Hort. Madrit. (1805); ex ej. Gen. et Sp. Nov. 7. n. 103 = Cephalaria tatarica.  
*atropurpurea*, Linn. Sp. Pl. 100 = maritima.  
*attenuata*, Linn. f. Suppl. 118 = Cephalaria attenuata.  
*Aucheri*, Boiss. Diagn. Ser. I. ii. 111.—Syria; Assyria.  
*australis*, Wulf. in Roem. Arch. iii. III. (1803) 316.—Europ. austr.  
*baetica*, Boiss. Elench. Pl. Nov. Hisp. 58.—Hispan.  
*Bailletii*, Timb.—Cf. Bull. Soc. Bot. Fr. xv. (1863) p. xviii = maritima.  
*Balansae*, Reut. Cat. Hort. Genev.; ex Boiss. Fl. Orient. iii. 145 = palaestina.  
*banatica*, Waldst. & Kit. Pl. Rar. Hung. i. 10.—Bannat.  
*bellidifolia*, Lam. Fl. Fr. iii. 347 = arvensis.  
*bellidis-folia*, Gilib. Fl. Lituan. i. 169 = S. Columbaria.  
*bicolor*, Kotschy, ex Boiss. Fl. Orient. iii. 143.—Kurdistan.  
*bidens*, Sibth. & Sm. Fl. Graec. Prod. i. 80; Fl. Graec. ii. 6. t. 104.—As. Min.  
*Biebersteinii*, Roem. & Schult. Syst. iii. 75 = micrantha.  
*bipinnata*, C. Koch, in Linnaea, xvii. (1843) 37 = ochroleuca.

5 M

## SCABIOSA :—

*bipinnata*, Nym. Consp. 343 = stellata.  
*bohemica*, F. W. Schmidt, Fl. Boëm. iii. 79 = arvensis.  
*borealis*, Salisb. Prod. 54 = S. Succisa.  
*brachiata*, Sibth. & Sm. Fl. Graec. Prod. i. 83 ;  
 Fl. Graec. ii. 9. t. 109.—Europ. austr. ; As. Min.  
*brachycarpa*, Boiss. & Hohen. Diagn. Ser. I. ii. 113.  
 —Kurdistan.  
*brevicoma*, Nym. Consp. 343 = stellata.  
*brevis*, D. Dietr. Syn. Pl. i. 448 = papposa.  
*breviscapa*, Boiss. & Heldr. Diagn. Ser. I. vi. 73 =  
 crenata.  
*brevisetia*, Jord. Pugill. Pl. Nov. 101 = gramuntia.  
*brigitantia*, Jord. l. c. 97 = S. Columbaria.  
*Broussonetii*, D. Dietr. Syn. Pl. i. 448.—Hispan.  
*Brunoniana*, Wall. Cat. n. 429 = Dipsacus Lesche-  
 naultii.  
*Buekiana*, Eckl. & Zeyh. Enum. 371.—Afr. austr.  
*caerulea*, Kielm. Diss. Pl. Hort. Tuebing. (1814) 16 ;  
 Schult. Mant. iii. 43 = caucasica.  
*caerulea*, Gueldenst. Reisen, ii. 10 (Quid ?).—Rossia.  
*caerulea*, Hort. ex Steud. Nom. ed. II. ii. 525 =  
 S. Columbaria.  
*caesaraugustana*, Echeand. Fl. Caesaraug. 25.—Hispan.  
*calocephala*, Boiss. Diagn. Ser. I. x. 80 = palaestina.  
*calyptocarpa*, St. Amans, Fl. Agen. 60 = maritima.  
*camelorum*, Coss. & Dur. Bull. Soc. Bot. Fr. ii. (1855)  
 251.—Algeria.  
*campestris*, Andr. ex Bess. Enum. Pl. Volh. 7 =  
 arvensis.  
*cana*, D. Dietr. Syn. Pl. i. 448.—Oriens.  
*candicans*, Jord. Pugill. Pl. Nov. 99 = pyrenaica.  
*Candolliana*, Wall. Cat. n. 430.—Reg. Himal.  
*Candollii*, DC. Prod. iv. 654 = praec.  
*canescens*, Hort. Taur. ex DC. Prod. iv. 651 =  
 arvensis.  
*canescens*, Waldst. & Kit. Pl. Rar. Hung. i. 50 =  
 suaveolens.  
*capillata*, Roem. & Schult. Syst. iii. 64 = gramuntia.  
*carpathica*, Fisch. ex Spreng. Syst. i. 377 = arvensis.  
*caucasea*, Sims, Bot. Mag. t. 886 = seq.  
*caucasica*, Bieb. Fl. Taur. Cauc. i. 98.—Reg. Caucas. ;  
 Soongaria.  
*centauroides*, Lam. Illustr. i. 250 = Cephalaria corni-  
 culata.  
*centauroides*, Mill. Gard. Dict. ed. VIII. n. 4 (Quid ?).  
 —Hispan.  
*ceratophylla*, Roem. & Schult. Syst. iii. 521.—Sibir.  
*ceratophylla*, Tenore, Prod. Fl. Nap. p. xii =  
 S. Columbaria.  
*ciliata*, Spreng. in Schrad. Journ. (1880) II. 199.—  
 Graec.  
*cilicica*, Boiss. ex Tchihat. Asie Min. Bot. ii. 229,  
 nomen.—As. Min.  
*cinerascens*, Jord. Pugill. Pl. Nov. 89 = holosericea.  
*cinerea*, Lam. Illustr. i. 251 = pyrenaica.  
*cochinchinensis*, Lour. Fl. Cochinch. 68 (sp. dub.).—  
 Cochinch. ; China.  
*coerulea*, Auct. = caerulea.  
*colchica*, Stev. in Bull. Soc. Nat. Mosc. xxix. (1856)  
 II. 371, in textu.—Reg. Caucas.  
*collina*, Req. in Guérin, Desc. Vaubl. ed. II. 248.—  
 Hispan.  
*collina*, Salisb. Prod. 54 = stellata.  
*collina*, F. W. Schmidt, Fl. Boëm. iii. 78.—Bohem.  
*Columbaria*, Linn. Sp. Pl. 99.—Europ. ; As. bor. ; Afr.  
 bor. et austr.  
*Columbaria*, Willk. ex Willk. & Lange, Prod. Fl. Hisp.  
 ii. 17 = maritima.  
*Columnnae*, Tenore, Fl. Nap. i. 29. t. 7 = gramuntia.  
*commutata*, Roem. & Schult. Syst. iii. 65 =  
 S. Columbaria.  
*comosa*, Fisch. ex Roem. & Schult. l. c. 84 = Fischeri.  
*connata*, Hornem. Hort. Hafn. i. 128 = caucasica.  
*coriacea*, Willd. in Ges. Naturf. Fr. Neue Schr. iii.  
 (1801) 416 = Cephalaria corniculata.  
*corniculata*, Waldst. & Kit. Pl. Rar. Hung. i. 11 =  
 Cephalaria corniculata.  
*Cornucopia*, Viv. Fl. Lib. Spec. 67.—Italia.  
*coronopifolia*, Sibth. & Sm. Fl. Graec. Prod. i. 85 ;  
 Fl. Graec. ii. 13. t. 114 = crenata.  
*coronopifolia*, Willd. ex Roem. & Schult. Syst. iii. 521  
 = ceratophylla.  
*cosmoides*, Boiss. Diagn. Ser. I. ii. 113.—Graec.  
*crassicaulis*, E. Mey. in Drège, Zwei Pfl. Docum. 218  
 = S. Columbaria.  
*crenata*, Cyrill. Pl. Rar. Neap. i. 11. t. 3.—Reg.  
 Mediterr.

## SCABIOSA :—

*crenata*, Lucé, Topog. Nachr. Oesel, 28 (Quid ?).—  
 Rossia.  
*cretacea*, Pall. ex Bieb. Fl. Taur. Cauc. i. 93 = Ceph-  
 alaria corniculata.  
*cretica*, Linn. Sp. Pl. 100.—Ins. Creta ; Sicil.  
*cretica*, Willch. ex Roem. & Schult. Syst. iii. 53 =  
 plumosa.  
*crinita*, Kotschy & Boiss. in Boiss. Fl. Orient. iii. 133.  
 —Kurdistan.  
*Cupani*, Guss. Fl. Sic. Prod. i. 160 = maritima.  
*Dahuriae*, Fisch. ex DC. Prod. iv. 658 = Fischeri.  
*Dallaportae*, Heldr. ex Boiss. Fl. Orient. iii. 138.—Ins.  
 Cephalon.  
*daucoides*, Desf. Fl. Atlant. i. 23. t. 28.—Alger.  
*davurica*, Willd. ex Roem. & Schult. Syst. iii. 521 =  
 isetensis.  
*decemaristata*, Portenschl. ex Schult. Mant. iii. 36 =  
 brachiata.  
*decurrens*, Sibth. & Sm. Fl. Graec. Prod. i. 80 =  
 Cephalaria graeca.  
*decurrens*, Thunb. Prod. Pl. Cap. 28 = Cephalaria  
 attenuata.  
*diantra*, Lag. in Varied. Cienc. ii. IV. (1805) 39 =  
 papposa.  
*dichotoma*, Lam. Illustr. i. 249 = Cephalaria syriaca.  
*dichotoma*, Ucria, in Roem. Arch. i. I. (1796) 68.  
 —Mauritan. ; Sicil.  
*diffusa*, Reichb. Hort. Bot. i. 13. t. 16.—Ins. Canar.  
*dipsacifolia*, Host, Fl. Austr. i. 191 = sylvatica.  
*dipsacoides*, Boiss. ex Tchihat. Asie Min. Bot. 229,  
 nomen.—As. Min.  
*dissecta*, Dulac, Fl. Hautes-Pyr. 465 = gramuntia.  
*divaricata*, Clarke, Trav. ii. 644 = papposa.  
*divaricata*, Jacq. Hort. Vindob. i. 5 = ucranica.  
*divaricata*, Lam. Illustr. i. 250 = rutaefolia.  
*diversifolia*, Baumg. Enum. Stirp. Transs. i. 75 =  
 banatica.  
*dubia*, Moench, Enum. Pl. Indig. Hass. 62 = arvensis.  
*dumetorum*, Brouss. ex Willd. Enum. Hort. Berol.  
 146.—Ins. Canar.  
*eburnea*, Sibth. & Sm. Fl. Graec. Prod. i. 82 ; Fl.  
 Graec. ii. 7. t. 106 = ucranica.  
*elata*, Hornem. Hort. Hafn. i. 126 = Cephalaria  
 tatarica.  
*elegans*, Spreng. Pugill. ii. 24 = caucasica.  
*eremophila*, Boiss. Diagn. Ser. I. x. 79.—Arab.  
*fenestrata*, Pomel, Nouv. Mat. Fl. Atl. 63 = arenaria.  
*fimbriata*, Mill. Gard. Dict. ed. VIII. n. 19 =  
 palaestina.  
*Fischeri*, DC. Prod. iv. 658.—Dahuria.  
*flava*, Sibth. & Sm. Fl. Graec. Prod. ii. 356 = Ceph-  
 alaria graeca.  
*flavescens*, Griseb. & Schenk, in Wieg. Archiv, xviii.  
 (1852) I. 350 = ochroleuca.  
*flavida*, Boiss. & Haussk. in Boiss. Fl. Orient. iii. 141.  
 —Persia.  
*Fleischmanni*, Hladn. ex Nym. Consp. 347 = arvensis.  
*Frivaldskyi*, Steud. Nom. ed. II. ii. 525 = ambigua.  
*frutescens*, Hiern, in Oliver, Fl. Trop. Afr. iii. 252.—  
 Afr. trop.  
*frutescens*, Mill. Gard. Dict. ed. VIII. n. 12 =  
 cretica.  
*fruticulosa*, C. Sm. ex DC. Prod. iv. 654.—Ins.  
 Canar.  
*fumarioides*, Vis. & Panč. in Mem. Ist. Venet. xii.  
 (1864) 466.—Banat.  
*Fussiana*, Schur, Enum. Pl. Transs. 962 (Index) =  
 Cephalaria radiata.  
*Gemonae*, D. Dietr. Syn. Pl. i. 452 = humilis.  
*gigantea*, Ledeb. Ind. Sem. Hort. Dorpat. (1811) 4 =  
 Cephalaria tatarica.  
*glabrata*, Schott, in Roem. & Schult. Syst. iii. 61 =  
 S. Succisa.  
*glabrescens*, Jord. Pugill. Pl. Nov. 82 = lucida.  
*Gmelini*, [Honck.] Verz. Aller Gew. Deutschl. 397  
 (Quid ?).—Europ.  
*Gmelini*, A. St. Hil. in Bull. Soc. Philom. iii. (1812)  
 149 ; et in Journ. Phys. lxxv. (1812) 433 = ucranica.  
*gracilis*, Boiss. Fl. Orient. iii. 135 = semipapposa.  
*gracilis*, Roem. & Schult. Syst. iii. 61 = gramuntia.  
*graeca*, D. Dietr. Syn. Pl. i. 447 = Cephalaria graeca.  
*graminifolia*, Linn. Cent. Pl. i. 6 ; Amoen. Acad. iv.  
 267.—Europ. austr.  
*gramontia*, Linn. Sp. Pl. ed. II. 143 = gramuntia.  
*gramuntia*, Brot. Fl. Lusit. i. 145 = lusitanica.  
*gramuntia*, Linn. Syst. ed. X. 889.—Reg. Mediterr.  
*gramuntiana*, Gouan, Hort. Monsp. 62 = praec.

## SCABIOSA :—

*grandiflora*, Guss. Fl. Sic. Prod. i. 160 = S. Cornucopia.  
*grandiflora*, Scop. Delic. Insub. iii. 29. t. 14 = mari-  
 tima.  
*grandiflora*, Steud. Nom. ed. II. ii. 525 = caucasica.  
*Guitardi*, Timb. in Bull. Soc. Bot. Fr. xi. (1864)  
 p. lxxxviii, in textu = lucida.  
*gumbetica*, Boiss. Fl. Orient. iii. 137.—Reg. Caucas.  
*Gussonii*, Tineo, ex Nym. Consp. 342 = crenata.  
*Hacquetii*, Lam. Illustr. i. 250 = Cephalaria tran-  
 sylvanica.  
*Heraclea*, Willd. ex Roem. & Schult. Syst. iii. 521 ;  
 (sp. dub.).—Fret. Gadit.  
*heterophyllos*, S. G. Gmel. It. i. 150. t. 28 ; ex J. F.  
 Gmel. Syst. 229 = ochroleuca.  
*heterotricha*, Opiz, in Lotos, ii. (1852) 229 (Quid ?).—  
 Europ.  
*hirsuta*, Lapeyr. Hist. Abr. Pl. Pyr. 59 = arvensis.  
*hirsuta*, [Mazziari], in Ionios, Anthol. iii. (1834) 691 =  
 S. Succisa.  
*hirta*, Willd. in Roem. & Schult. Syst. iii. 521 =  
 ucranica.  
*hispanica*, Willd. l. c.—Hispan.  
*hispidula*, Portenschl. ex Roem. & Schult. l. c. 58 =  
 ciliata.  
*hispidula*, Boiss. Diagn. Ser. I. ii. 112.—Graecia ; As.  
 Min.  
*Hladnikiana*, Host, Fl. Austr. i. 195 = lucida.  
*holosericea*, Bertol. Rar. Ital. Pl. Dec. iii. 49.—Europ.  
 austr.  
*holosericea*, DC. Fl. Fr. Suppl. 489 = lucida.  
*holosericea*, Panč. ex Nym. Consp. 343 = ochroleuca.  
*Hookeri*, C. B. Clarke, in Hook. f. Fl. Brit. Ind. iii.  
 218.—Reg. Himal.  
*Hornemannii*, Spreng. Syst. iv. Cur. Post. 38.—Hab. ?  
*humilis*, Host, Fl. Austr. i. 195.—Carniol.  
*humilis*, Thunb. Prod. Pl. Cap. 28 = Cephalaria  
 attenuata.  
*hybrida*, All. Auct. Fl. Pedem. 9 = integrifolia.  
*hybrida*, Bouch. Fl. Abb. 12 ; ex Roem. & Schult.  
 Syst. iii. 54 = arvensis.  
*hymettia*, Boiss. & Sprun. Diagn. Ser. I. ii. 111.  
 —Graecia.  
*hyrcanica*, Stev. in Bull. Soc. Nat. Mosc. xxix. (1856)  
 II. 370, in textu.—Reg. Caucas.  
*incana*, Roem. & Schult. Syst. iii. 521 = suaveolens.  
*incana*, Willd. ex Roem. & Schult. l. c. = ucranica.  
*incisa*, Mill. Gard. Dict. ed. VIII. n. 18 = africana.  
*indurata*, Linn. Mant. i. 196 = africana.  
*inflexa*, Kluk, in Bess. Prim. Fl. Galic. ii. 336 =  
 australis.  
*integrata*, Hoffmgg. & Link, Fl. Port. ii. 88 = mari-  
 tima.  
*integrifolia*, [Honck.] Verz. Aller Gew. Deutschl. 383  
 (Quid ?).—Germania.  
*integrifolia*, Linn. Sp. Pl. 99.—Graec. ; As. Min.  
*integrifolia*, Roth, Tent. Fl. Germ. ii. 164 = arvensis.  
*integrifolia*, Savi, Fl. Pisan. i. 162 = sylvatica.  
*intermedia* ×, Bruegg. in Jahresb. Naturf. Ges. Graub.  
 II. xxiii-xxiv. (1880) 114.—Europ.  
*intermedia*, Roem. & Schult. Syst. iii. 76 = lusitanica ?  
*involuta*, Sibth. & Sm. Fl. Graec. Prod. i. 84 ;  
 Fl. Graec. ii. 11. t. 112 = papposa.  
*isetensis*, Colm, Cat. Pl. Catal. 76 = pulsatilloides.  
*isetensis*, Linn. Mant. i. 37.—Reg. Caucas. ; As. bor.  
*Jacquini*, Roem. & Schult. Syst. iii. 77, in obs. =  
 stellata.  
*japonica*, Miq. Ann. Mus. Bot. Lugd. Bat. iii. 113.—  
 Japon.  
*joppensis*, Reichb. Hort. Bot. i. 13. t. 17 = Cephalaria  
 joppensis.  
*Jordani*, Timb. in Bull. Soc. Bot. Fr. xi. (1864)  
 p. lxxxviii, in textu = pyrenaica.  
*Kitabeli*, Schult. Obs. Bot. 18 = ciliata.  
*laciniata*, Licht. ex Roem. & Schult. Syst. iii. 87 = S.  
 Columbaria.  
*laciniata*, Lucé, Topog. Nachr. Oesel, 28 = praec. ?  
*laevigata*, Waldst. & Kit. Pl. Rar. Hung. ii. 255 =  
 Cephalaria corniculata.  
*lanata*, Hill, Veg. Syst. v. 46.—Afr. austr.  
*lasiosperma*, D. Dietr. Syn. Pl. i. 448 = fruticulosa.  
*lasiosperma*, Masf. in Anal. Soc. Esp. Hist. Nat. x.  
 (1881) 193.—Ins. Canar.  
*laxiflora*, Willd. ex Link, Enum. Hort. Berol. i. 128 =  
 pyrenaica.  
*legionensis*, Lag. Gen. et Sp. Nov. 9.—Hispan.  
*leiocephala*, Hoppe, ex Mert. & Koch, Deutschl. Fl.  
 i. 754 = gramuntia.

## SCABIOSA:—

*leptopoda*, Boiss. Diagn. Ser. I. x. 78 = *arenaria*.  
*leucantha*, Linn. Sp. Pl. 98 = *Cephalaria leucantha*.  
*leucanthema*, Frivald. ex Nym. Consp. 346 = *Cephalaria graeca*.  
*leucanthema*, Hill, Veg. Syst. v. 39. t. 20. — Gallia.  
*leucocephala*, Link, Handb. i. 856 (Index) = *Cephalaria leucantha*.  
*limonifolia*, Vahl, Symb. Bot. ii. 27. — Sicilia.  
*linifolia*, C. Koch, in Linnaea, xvii. (1843) 36 = *rotata*.  
*lobata*, Nym. Consp. 343 = *stellata*.  
*longepedunculata*, Fisch. Hort. Gorenk. ed. II (1812), 43, nomen = *amoena*.  
*longifolia*, Waldst. & Kit. Pl. Rar. Hung. i. 4. — Europ.  
*Loretiana*, Timb. ex Jeanb. in Bull. Soc. Bot. Fr. xi. (1864) p. lxxxii = *gramuntia*.  
*lucida*, Ait. Hort. Kew. ed. II. i. 229 = *nitens*.  
*lucida*, Vill. Prosp. 18; Hist. Pl. Dauph. ii. 293. — Europ.  
*lusitanica*, D. Dietr. Syn. Pl. i. 448. — Lusitan.  
*lutea*, Hort. ex Loud. Hort. Brit. i. 44. — Rossia.  
*lutescens*, Gilib. Fl. Lituan. i. 169 = *ochroleuca*.  
*lycia*, Stapf, in Denkschr. Acad. Wien, i. (1885) 109. — As. Min.  
*lyrata*, Forsk. Fl. Aegypt. Arab. 203 = *sicula*.  
*lyrata*, Lam. Illustr. i. 250 = *integrifolia*.  
*lyrophylla*, Vis. in Mem. Ist. Venet. xv. (1870) t. 19 (Pl. Serb.) = *seq.*  
*macedonica*, Vis. l. c. 12. — Graecia.  
*macrochaete*, Boiss. & Haussk. ex Boiss. Fl. Orient. iii. 143. — Persia.  
*macropoda*, Costa, ex Willk. in Linnaea, xxx. (1859-60) 103 = *pulsatilloides*.  
*major*, Hort. ex Vilm. Fl. Pl. Terre, ed. I. 786 = *atropurpurea*.  
*maritima*, Lag. Elench. Hort. Madrit. (1808); ex ej. Gen. et Sp. Nov. 8. n. 111 = *lusitanica*?  
*maritima*, Linn. Cent. Pl. ii. 8; Amoen. Acad. iv. 304. — Reg. Mediterr.; Ins. Canar.  
*maritima*, Thunb. Prod. Pl. Cap. 29 = *S. Columbaria*.  
*maritima*, Vill. Hist. Pl. Dauph. ii. 295 = *pyrenaica*.  
*maritima*, Wulf. in Roem. Arch. iii. III. (1805) 317 = *ucranica*.  
*mediterranea*, Viv. App. Fl. Cors. Prod. I = *Cephalaria leucantha*.  
*micrantha*, Desf. in Ann. Mus. Par. xi. (1808) 168. — Serbia; Reg. Caucas.; Armen.  
*microcephala*, Nym. Syll. 59. — Hispan.  
*mixta*, De Not. Prosp. Fl. Ligust. 52. — Liguria.  
*moldavica*, Hort. ex Roem. & Schult. Syst. iii. 58 = *integrifolia*.  
*mollis*, Schleich. Cat. Pl. Helv. ed. III. 27 = *pyrenaica*.  
*mollis*, Willd. Enum. Hort. Berol. Suppl. 7 = *gramuntia*.  
*mollissima*, DC. Fl. Fr. Suppl. 490 = *pyrenaica*.  
*mollissima*, Viv. Ann. Bot. i. II. (1804) 161 = *gramuntia*.  
*monspeliaca*, Georgi, Besch. Russ. Reich. III. iv. 727. — Tauria.  
*monspeliensis*, DC. Prod. iv. 655 = *stellata*.  
*monspeliensis*, Jacq. Misc. ii. 320 = *praec.*?  
*montana*, Bieb. Fl. Taur. Cauc. i. 95. — As. Min.; Reg. Ural.  
*montana*, Mill. Gard. Dict. ed. VIII. n. 5 = *arvensis*.  
*montana*, Schur, ex Nym. Consp. 343 = *ochroleuca*.  
*multiseta*, Vis. Stirp. Dalm. Rar. 1. t. 1 = *brachiata*.  
*neglecta*, Hornem. Hort. Hafn. i. 127. — Italia.  
*nitens*, Roem. & Schult. Syst. iii. 82. — Ins. Azores.  
*nitida*, Bernh. ex Roem. & Schult. l. c. 68 = *amoena*.  
*nivea*, Agardh, ex Roem. & Schult. l. c. 81. — Hispan.  
*norica*, Vest, in Bot. Zeit. Regensb. iv. (1805) 40 = *lucida*.  
*nudicaulis*, Lam. Illustr. i. 252 = *S. Columbaria*.  
*nudicaulis*, Sieber, Reise Kreta, ii. 321 = *sphaciotica*.  
*ochroleuca*, Linn. Sp. Pl. 101. — Europ.; As. bor.  
*ochroleuca*, Thunb. Prod. Pl. Cap. 29 = *S. Columbaria*.  
*odontostemma*, Kotschy, ex Boiss. Fl. Orient. iii. 145 = *palaestina*.  
*odora*, Salisb. Prod. 55 = *maritima*.  
*officinatum-arvensis*, Crantz, Inst. i. 352 = *arvensis*.  
*Olivieri*, Coult. Mém. Dipsac. 36. t. 2. f. 10. — Arab.; Persia; Afghan.; Soongar.  
*orientalis*, Lag. Gen. et Sp. Nov. 9. — Oriens.  
*orophila*, Timb. & Jeanb. in Bull. Soc. Bot. Fr. xi. (1864) p. lxxxi = *S. Columbaria*.  
*ovatifolia*, Lag. Gen. et Sp. Nov. 9 = *sylvatica*.  
*Owerini*, Boiss. Fl. Orient. iii. 133. — Reg. Caucas.  
*palaestina*, D. Dietr. Syn. Pl. i. 448 = *brachiata*.

## SCABIOSA:—

*palaestina*, Linn. Mant. i. 37. — As. Min.; Syria; Persia.  
*pallida*, Láng, ex Nym. Consp. 343, 344 = *ochroleuca*, *banatica*.  
*pallida*, E. Mey. in Drège, Zwei Pfl. Docum. 218 = *S. Columbaria*.  
*pallida*, Salisb. Prod. 55 = *cretica*.  
*pannonica*, Jacq. Enum. Vindob. 22 = *sylvatica*.  
*papposa*, Gaertn. Fruct. ii. 38. t. 86. f. 4 = *plumosa*.  
*papposa*, Linn. Sp. Pl. 101. — Ins. Cyprus; Syria; Persia.  
*parviflora*, Desf. Fl. Atlant. i. 119 = *dichotoma*.  
*patens*, Jord. Pugill. Pl. Nov. 94 = *S. Columbaria*.  
*pauciseta*, DC. Prod. iv. 658 = *gramuntia*.  
*pectinata*, Lag. Elench. Fl. Madrit. (1803) 33; ex ej. Gen. et Sp. Nov. 8. n. 108. — Arab.  
*permixta*, Jord. ex Bor. Fl. Centr. Fr. ed. III. ii. 319 = *S. Columbaria*.  
*persica*, Boiss. Diagn. Ser. I. x. 81 = *palaestina*.  
*phrygia*, Boiss. l. c. Ser. II. vi. 96 = *palaestina*.  
*pilosa*, Roem. & Schult. Syst. iii. 80 = *ucranica*.  
*pinnata*, Gueldenst. Reisen, ii. 10 (Quid?). — Rossia.  
*plumosa*, Link, in Schrad. Neues Journ. ii. (1807) II. 300 = *lusitanica*.  
*plumosa*, Sibth. & Sm. Fl. Graec. Prod. i. 84; Fl. Graec. ii. 11. t. 111. — Graecia; Syria; Persia.  
*polymorpha*, F. W. Schmidt, Fl. Boem. iii. 76 = *arvensis*.  
*polymorpha*, Weigel, Obs. 23 = *S. Columbaria*, *ochroleuca*.  
*porphyrostephana*, Boiss. ex Boiss. Fl. Orient. iii. 146 = *rotata*.  
*praemorsa*, Gilib. Fl. Lituan. i. 168 = *S. Succisa*.  
*pratensis*, Jord. Pugill. Pl. Nov. 91 = *S. Columbaria*.  
*pratensis*, F. W. Schmidt, Fl. Boem. iii. 78 = *arvensis*.  
*procera*, Salisb. Prod. 55 = *africana*.  
*prolifera*, Linn. Syst. ed. X. 889. — Syria; Ins. Cyprus.  
*prolifera*, [Mazzari], in Ionios, Anthol. iii. (1834) 691 = *S. Succisa*.  
*propontica*, Lag. Gen. et Sp. Nov. 9. — As. Min.  
*Pseudaustralis*, Roem. & Schult. Syst. iii. 61 = *australis*.  
*Pseudo-banatica*, Schur, Enum. Pl. Transs. 300 = *lucida*.  
*Pteroccephala*, Linn. Sp. Pl. 100. — Graecia.  
*pubescens*, Jord. Pugill. Pl. Nov. 90 = *lucida*.  
*pubescens*, Wahlenb. Fl. Carpat. 38 = *ciliata*.  
*pubescens*, Waldst. & Kit. ex Roem. & Schult. Syst. iii. 57 = *collina*.  
*pulsatilloides*, Boiss. Elench. 58. — Hispan.  
*pumila*, Burm. f. Fl. Cap. Prod. 4 = *S. Columbaria*.  
*pyrenaica*, All. Fl. Pedem. i. 140. t. 25. — Europ. austr.  
*pyrenaica*, Hornem. ex Spreng. Syst. iv. Cur. Post. 38 = *Hornemanni*.  
*pyrenaica*, C. A. Mey. Verz. Pfl. Cauc. 48 = *amoena*.  
*radiata*, F. W. Schmidt, Fl. Boem. iii. 78 = *arvensis*.  
*repens*, Brign. Fasc. Pl. Forojul. 19 = *australis*.  
*repens*, [Honck.] Verz. Aller Gew. Teutschl. 397 (Quid?). — Germania.  
*Reuteriana*, Boiss. Diagn. Ser. I. ii. 112. — Caria.  
*reversa*, Ledeb. Ind. Hort. Dorpat. Suppl. (1824) 6. — Sibir.  
*rhisantha*, Viv. Fl. Lib. Spec. 6. t. 3 = *arenaria*.  
*rhodantha*, Kar. & Kir. in Bull. Soc. Nat. Mosc. (1841) 435 = *Olivieri*.  
*rigida*, Linn. Pl. Rar. Afr. 8; in Amoen. Acad. vi. 84 = *Cephalaria rigida*.  
*rigida*, Mill. Gard. Dict. ed. VIII. n. 7 = *Cephalaria leucantha*.  
*rosea*, Hort. ex Steud. Nom. ed. II. ii. 526 = *maritima*.  
*rotata*, Bieb. Fl. Taur. Cauc. iii. 102. — As. Min.; Persia.  
*rubella*, Opiz, ex Mert. & Koch, Deutschl. Fl. i. 751; et Natural. viii. (1824) 76 = *S. Columbaria*.  
*rupestris*, Bieb. Fl. Taur. Cauc. i. 95 = *isetensis*.  
*rutaefolia*, Vahl, Symb. Bot. ii. 26. — Reg. Mediterr. occ.  
*ruthenica*, Tchertkoff, in Bull. Soc. Nat. Mosc. vi. (1833) 16, nomen. — Ross. centr.  
*Salcedi*, Lag. ex Roem. & Schult. Syst. iii. 55. — Hispan.  
*Saviana*, Reichb. Hort. Bot. i. 38. t. 53 = *maritima*.  
*saxatilis*, Cav. Ic. ii. 68. t. 184. — Hispan.  
*scabra*, Thunb. Prod. Pl. Cap. 29 = *Cephalaria scabra*.  
*Schimperiiana*, Boiss. & Buhse, in Nouv. Mém. Soc. Nat. Mosc. xii. (1860) 112 = *palaestina*.

## SCABIOSA:—

*schizopetala*, Fenzl, ex Boiss. Fl. Orient. iii. 145 = *palaestina*.  
*Scopolii*, Link, Enum. Hort. Berol. i. 128. — Europ. austr.  
*scrophulariaefolia*, Boiss. Fl. Orient. iii. 133 = *crinita*.  
*semipapposa*, Salz. ex DC. Prod. iv. 658. — Reg. Mediterr. occ.  
*sericea*, Jord. Pugill. Pl. Nov. 98 = *graminifolia*.  
*serrata*, Lam. Illustr. i. 249 = *integrifolia*.  
*setifera*, Lam. l. c. 251. — Europ. austr.  
*setulosa*, Fisch. & Mey. in Ann. Sc. Nat. Sér. IV. i. (1854) 31 = *palaestina*.  
*sibirica*, Lam. Illustr. i. 249 = *Cephalaria syriaca*.  
*Sibthorpiana*, Sibth. & Sm. Prod. Fl. Graec. i. 84; Fl. Graec. ii. 10. t. 110 = *brachiata*.  
*sicula*, Bieb. Fl. Taur. Cauc. i. 98 = *micrantha*.  
*sicula*, Linn. Mant. ii. 196. — Europ. austr.; As. Min.  
*silenefolia*, Waldst. & Kit. Pl. Rar. Hung. ii. 170. — Europ.  
*simplex*, DC. Fl. Fr. iv. 231 = *stellata*.  
*simplex*, Desf. Fl. Atlant. i. 125. — Afr. bor.  
*solitaria*, [Mazzari], in Ionios, Anthol. iii. (1834) 698. — Ins. Corcyra.  
*songarica*, Schrenk, Enum. Pl. Nov. i. 55. — Sibir.  
*spathulata*, D. Dietr. Syn. Pl. i. 448. — Hispan.  
*spathulata*, Kit. in Linnaea, xxxii. (1863) 369. — Europ.  
*speciosa*, Royle, Illustr. Bot. Himal. 245. t. 55. f. 2. — Reg. Himal.  
*sphaciotica*, Frivald. ex Nym. Consp. 341 = *S. Pteroccephala*.  
*sphaciotica*, Roem. & Schult. Syst. iii. 86. — Ins. Creta.  
*sphakiottica*, Sieber, Herb. Cret. 2, nomen = *praec.*?  
*spretia*, Jord. Pugill. Pl. Nov. 92 = *S. Columbaria*.  
*squamaeflora*, Sieber, ex Schult. Mant. iii. 45 (Quid?). — Hab.?  
*stellaris*, Salisb. Prod. 54 = *stellata*.  
*stellata*, Bieb. Fl. Taur. Cauc. i. 98 = *rotata*.  
*stellata*, Linn. Sp. Pl. 100. — Reg. Mediterr. occ.  
*stellata*, Pall. ex Bieb. Fl. Taur. Cauc. i. 98, in syn. = *micrantha*.  
*stellata*, Schangin, in Pall. N. Nord. Beitr. vi. 76 = *ochroleuca*.  
*stricta*, Seidel, ex Roem. & Schult. Syst. iii. 55, in syn. = *arvensis*.  
*stricta*, Waldst. & Kit. Pl. Rar. Hung. ii. 147 = *lucida*.  
*styriaca*, Vest, in Flora, iv. (1821) 146. — Styria.  
*suaveolens*, Desf. Tabl. ed. I. 110. — Europ.; As. Min.  
*subescens*, Reichb. Ic. Fl. Germ. xxii. 18 (err. typ.) = *pubescens*.  
*subpubescens*, Hort. ex Schult. Mant. iii. 28 = *arvensis*.  
*Succisa*, Linn. Sp. Pl. 98. — Europ.; As. bor. trop. & austr.  
*sulphurea*, Boiss. & Huet, Diagn. Ser. II. ii. 123. — Armenia.  
*sylvatica*, Linn. Sp. Pl. ed. II. 142. — Europ.; Reg. Caucas.  
*sympaganthra*, Ruiz & Pav. Fl. Per. i. 49 = *Calycera balsamitaefolia*.  
*syriaca*, D. Dietr. Syn. Pl. i. 451, sphalm. = *styriaca*.  
*syriaca*, Linn. Sp. Pl. 98 = *Cephalaria syriaca*.  
*syriaca*, Urv. ex Coult. Mém. Dips. 25 = *Cephalaria transylvanica*.  
*tatarica*, Hahl. Phys. Besch. Taur. 154 = *Cephalaria corniculata*.  
*tatarica*, Hornem. Hort. Hafn. i. 126 = *montana*.  
*tatarica*, Linn. Sp. Pl. 99 = *Cephalaria tatarica*.  
*tatarica*, Lumnitz, Fl. Poson. 55 = *ciliata*.  
*tatarica*, Viv. ex Coult. Mém. Dips. 25 = *Cephalaria transylvanica*.  
*taygetea*, Boiss. & Heldr. Diagn. Ser. I. vi. 73. — Graecia.  
*tenuifolia*, Frivald. ex Steud. Nom. ed. II. ii. 527 = *triniaeifolia*.  
*tenuifolia*, Lag. Elench. Hort. Madrit. (1803); ex ej. Gen. et Sp. Nov. 8. n. 111 = *lusitanica*?  
*tenuifolia*, Presl, Symb. Bot. i. 20. t. 12. — Hab.?  
*tenuifolia*, Roth, Tent. Fl. Germ. i. 59 = *ochroleuca*.  
*tenuifolia*, Savi, Bot. Etrusc. i. 122 = *gramuntia*.  
*tenuifolia*, Willd. ex Roem. & Schult. Syst. iii. 521 = *ucranica*.  
*tenuis*, Sprun. in Boiss. Diagn. Ser. I. ii. 114. — Graecia.  
*tenuisecta*, Jord. Pugill. Pl. Nov. 96 = *gramuntia*.  
*Thunbergii*, Roem. & Schult. Syst. iii. 76, in nota = *S. Columbaria*.



**SCABIOSA** :—

- Timeroyi*, Fourr. in Ann. Soc. Linn. Lyon, N. S. xvi. (1868) 401 = *sylvatica*.  
*tmolea*, Boiss. Fl. Orient. iii. 139 = *ucranica*.  
*tolosana*, Timb. & Jeanb. in Bull. Soc. Bot. Fr. xi. (1864) p. lxxxi = *S. Columbaria*.  
*tomentosa*, Cav. Ic. ii. 66. t. 183. —Hispan.  
*tomentosa*, J. F. Gmel. Syst. 229 = *pyrenaica*.  
*tomentosa*, E. Mey. in Drège, Zwei Pfl. Docum. 218 = *Buekiana*.  
*tomentosa*, Sibth. & Sm. Fl. Graec. Prod. i. 85 = *sphaciotica*.  
*transsilvanica*, Sprun. ex Nym. Consp. 343 = *maritima*.  
*transylvanica*, All. Fl. Pedem. i. 138 = *Cephalaria corniculata*.  
*transylvanica*, Linn. Sp. Pl. 98 = *Cephalaria transylvanica*.  
*transylvanica*, Sieber, ex DC. Prod. iv. 648 = *Cephalaria joppensis*.  
*trenta*, Hacq. Pl. Alp. 14. t. 4 = *Cephalaria transylvanica*.  
*triandra*, Linn. Sp. Pl. 99 = *gramuntia*.  
*trichotoma*, Moench, Meth. 490 = *integrifolia*.  
*trifida*, Thunb. Prod. Pl. Cap. 28 = *Cephalaria attenuata*.  
*triniaeifolia*, Frivald. in Flora, xviii. (1835) 333. —Graecia; Rumelia.  
*Triumfetti*, Moretti, ex Roem. & Schult. Syst. iii. 61 = *australis*.  
*trivialis*, F. W. Schmidt, Fl. Boëm. iii. 78 = *arvensis*.  
*turicensis* ×, Bruegg. in Jahresh. Naturf. Ges. Graub. II. xxiii-xxiv. (1880) 114. —Europ.  
*ucranica*, Linn. Syst. ed. X. 889. —Europ.; As. Min.; Persia.  
*uniflora*, [Mazziari], in Ionios, Anthol. iii. (1834) 698. —Ins. Corcyra.  
*uniseta*, Savi, Fl. Pisan. i. 167 = *gramuntia*.  
*uralensis*, Murr. in Comm. Gotting. (1782) 13. t. 4 = *Cephalaria corniculata*.  
*uralensis*, Willd. Sp. Pl. i. 551; et ex Ledeb. Fl. Ross. ii. 447 = *Cephalaria tatarica*.  
*urceolata*, Desf. Fl. Atlant. i. 122 = *rutaefolia*.  
*Urnillei*, D. Dietr. Syn. Pl. i. 447 = *integrifolia*.  
*ustulata*, Thunb. Prod. Pl. Cap. 29 = *Cephalaria corniculata*.  
*Vahlia*, Coult. Mém. Dips. 35. t. 2. f. 6 = *palaestina*.  
*Vaillantii*, Bieb. Fl. Taur. Cauc. iii. 99 = *Cephalaria syriaca*.  
*varia*, Gilib. Fl. Lituan. i. 167 = *arvensis*.  
*variifolia*, Boiss. Fl. Orient. iii. 137. —Ins. Rhodus.  
*velutina*, Jord. Pugill. Pl. Nov. 87 = *pyrenaica*.  
*venusta*, Hort. Bonon. ex Pasq. Cat. Ort. Bot. Nap. (1867) 93, nomen. —Hab.?  
*verbascifolia*, Timb. in Bull. Soc. Sc. Phys. et Nat. Toul. ii. (1874) 459. —Gallia.  
*verbenacea*, Lam. Illustr. i. 250 = *Cephalaria attenuata*.  
*vestina*, Facc. ex Koch, Syn. Fl. Germ. ed. II. 447; et in Zeitschr. Ferdinand. Tirol. III. iv. (1854) 13. —Europ.  
*vestita*, Jord. Pugill. Pl. Nov. 86 = *pyrenaica*.  
*villosa*, [Honck.] Verz. Aller Gew. Deutschl. 383 (Quid?). —Germania.  
*villosa*, Schousb. ex Steud. Nom. ed. II. ii. 527, nomen. —Maroc.  
*virens*, Masf. in Anal. Soc. Esp. Hist. Nat. x. (1881) 194. —Ins. Canar.  
*virescens*, Nym. Consp. 342 = *graminifolia*.  
*Virga-pastoris*, Mill. Gard. Dict. ed. VIII. n. 9 = *suaveolens*.  
*vivipara*, Nees, ex Steud. Nom. ed. II. ii. 527 (Quid?). —Hab.?  
*Webbiana*, D. Don, in Bot. Reg. t. 717 = *ochroleuca*.  
*Willkii*, Link, in Schrad. Neues Journ. ii. (1807) II. 299 = *plumosa*.  
*Wulfeniana*, Hort. ex Reichb. Ic. Fl. Germ. iv. 24 = *maritima*.  
*Wulfenii*, Roem. & Schult. Syst. iii. 76, in nota = *ucranica*.
- SCABRITA**, Linn. Mant. i. 3 (1767) = **Nyctanthus**, Linn. (Oleac.).  
*scabra*, Linn. Syst. ed. XII. 115 = *N. Arbor-tristis*.  
*triflora*, Linn. Mant. i. 37 = *N. Arbor-tristis*.
- SCADIANUS**, Rafin. Atl. Journ. 164 (1833) = **Crinum**, Linn. (Amaryll.).  
*multiflorus*, Rafin. Fl. Tellur. iv. 23 = *C. americanum*.

**SCADOXUS**, Rafin. Fl. Tellur. iv. 19 (1836) = **Hæmanthus**, Tourn. (Amaryll.).  
*multiflorus*, Rafin. l. c. = *H. multiflorus*.

**SCADUAKINTOS**, Rafin. Fl. Tellur. iv. 23 (1836) = **Brodiaea**, Sm. (Liliac.).  
*umbellaris*, Rafin. l. c. = *B. lactea*.

- SCAEVOLA**, Linn. Mant. ii. 145 (1771). **GOODE-NOVIEAE**, Benth. & Hook. f. ii. 539.  
**BAUDINIA**, Lesch. ex DC. Prod. vii. 511 (1839).  
**CAMPUSIA**, De Vriese, in Nederl. Kruidk. Arch. ii. i. (1851) 148, partim.  
**CERBERA**, Lour. Fl. Cochinch. 136 (1790).  
**CROSSOTOMA**, Spach, Hist. Vég. Phan. ix. 583 (1840).  
**GLYPHA**, Lour. ex Endl. Gen. 506, in syn. (1838).  
**HEMICHARIS**, Salisb. ex DC. Prod. vii. ii. 510 (1839).  
**LOBELIA**, Adans. Fam. ii. 157 (1763).  
**MERKUSIA**, De Vriese, in Nederl. Kruidk. Arch. ii. i. (1851) 150.  
**MOLKENBOERIA**, De Vriese, in Nat. Verh. Haarl. x. (1854) 38, t. 7.  
**POGONANTHERA**, Spach, Hist. Vég. Phan. ix. 583 (1840).  
**POGONETES**, Lindl. Introd. Nat. Syst. ed. II. 443. (1836).  
**ROEMERIA**, Dennst. Schluess. Hort. Malab. 24 (1818).  
**TEMMINCKIA**, De Vriese, in Nederl. Kruidk. Arch. ii. i. (1851) 141, partim.  
**XEROCARPA**, Spach, Hist. Vég. Phan. ix. 583 (1840).  
*aemula*, R. Br. Prod. 584 = *saligna*.  
*amblyanthera*, F. Muell. Fragm. i. 121. —Austral.  
*amboinensis*, Mig. Ann. Mus. Bot. Lugd. Bat. i. 210. —Ins. Amboin.  
*anchusaefolia*, Benth. in Enum. Pl. Hueg. 68. —Austral.  
*angulata*, R. Br. Prod. 586. —Austral.  
*apteranthera*, F. Muell. Fragm. i. 121. —Austral.  
*atriplicina*, F. Muell. l. c. ii. 18. —Austral.  
*attenuata*, R. Br. Prod. 583. —Austral.  
*auriculata*, Benth. Fl. Austral. iv. 99. —Austral.  
*Bela-Modagani*, Roem. & Schult. Syst. v. 163 = *Koenigii*.  
*Benthamea*, De Vriese, in Lehm. Pl. Preiss. i. 411 = *striata*.  
*Billardieri*, D. Dietr. Syn. Pl. i. 786 = *Koenigii*.  
*Brookeana*, F. Muell. in Vict. Natural. i. (Dec. 1884) 122. —Austral.  
*caespitosa*, R. Br. Prod. 585 = *globulifera*.  
*calliptera*, Benth. in Enum. Pl. Hueg. 70 = *striata*.  
*Candollei*, De Vriese, in Lehm. Pl. Preiss. i. 405 = *platyphylla*.  
*canescens*, Benth. in Enum. Pl. Hueg. 69. —Austral.  
*Chamissoniana*, Gaudich. in Freyc. Voy. Bot. 461. t. 82. —Ins. Sandvic.  
*chlorantha*, De Vriese, in Nederl. Kruidk. Arch. ii. (1851) 137 = *Koenigii*.  
*ciliata*, G. Don, Gen. Syst. iii. 728 = *Chamissoniana*.  
*clandestina*, F. Muell. Fragm. i. 206 = *Diaspasis filifolia*.  
*collaris*, F. Muell. Rep. Bab. Exped. 15. —Austral.  
*coriacea*, Nutt. in Trans. Am. Phil. Soc. N. S. viii. (1843) 253. —Polynes.  
*Corsoniana*, G. Don, in Loud. Gard. Mag. xviii. (1842) 370. —Ins. Molucc.  
*crassifolia*, Labill. Nov. Holl. Pl. i. 56. t. 78. —Austral.  
*cumana*, De Vriese, in Verh. Haarl. x. (1854) 35. —Am. centr.  
*cuneiformis*, Labill. Nov. Holl. Pl. i. 56. t. 80. —Austral.  
*Cunninghamii*, DC. Prod. vii. 508. —Austral.  
*Cunninghamii*, Steud. Nom. ed. II. ii. 527, partim = *Hymenanthera crassifolia*.  
*depauperata*, R. Br. in Sturt, Exped. Centr. Austral. ii. App. 83. —Austral.  
*depressa*, De Vriese, in Lehm. Pl. Preiss. i. 410 = *longifolia*?  
*Drummondii*, DC. Prod. vii. 508 = *nitida*.  
*enanthophylla*, F. Muell. Fragm. viii. 58. —Austral.  
*fasciculata*, Benth. in Enum. Pl. Hueg. 68. —Austral.  
*fastigiata*, De Vriese, in Lehm. Pl. Preiss. i. 406 = *nitida*.  
*flaccida*, De Vriese, l. c. 407 = *thesioides*.  
*floribunda*, A. Gray, in Proc. Am. Acad. v. (1861) 152. —Ins. Fiji.  
*Gaudichaudi*, Hook. & Arn. Bot. Beech. Voy. 89. —Ins. Sandvic.

**SCAEVOLA** :—

- Gaudichaudiana*, Cham. in Linnaea, viii. (1833) 226 = *Chamissoniana*.  
*geniculata*, De Vriese, in Lehm. Pl. Preiss. i. 404 = *Goodenia geniculata*.  
*glabra*, Hook. & Arn. Bot. Beech. Voy. 89. —Ins. Sandvic.  
*glandulifera*, DC. Prod. vii. 510. —Austral.  
*glaucescens*, De Vriese, in Lehm. Pl. Preiss. i. 410 = *canescens*.  
*globulifera*, Labill. Nov. Holl. Pl. i. 55. t. 79. —Austral.  
*goodeniacea*, F. Muell. Fragm. i. 121 = *Catosperma Muellieri*.  
*gracilis*, Hook. f. in Journ. Linn. Soc. i. (1857) 129. —Ins. Kermadec.  
*grandiflora*, Benth. in Enum. Pl. Hueg. 70 = *Leschenaultia linarioides*.  
*Groeneri*, F. Muell. Fragm. vi. 15. —Austral.  
*hainanensis*, Hance, in Journ. Bot. xvi. (1878) 229. —China.  
*hispida*, Cav. Ic. vi. 7. t. 510. —Austral.  
*holosericea*, De Vriese, in Lehm. Pl. Preiss. i. 408. —Austral.  
*Hookeri*, F. Muell. ex Hook. f. Fl. Tasm. i. 231. t. 67. —Australia.  
*humifusa*, De Vriese, in Lehm. Pl. Preiss. i. 410. —Austral.  
*humilis*, R. Br. Prod. 585. —Austral.  
*ivaefolia*, L'Hérit. ex Sweet, Hort. Brit. ed. II. 325. —Ins. Trinit.  
*Koenigii*, Vahl, Symb. Bot. iii. 86. —Reg. trop.  
*laevigata*, Pers. Syn. i. 195 = *microcarpa*.  
*Lambertiana*, De Vriese, in Nederl. Kruidk. Arch. ii. (1851) 139 = *Koenigii*.  
*lanceolata*, Benth. in Enum. Pl. Hueg. 69. —Austral.  
*lasiantha*, F. Muell. Fragm. i. 207 = *lanceolata*.  
*lativaga*, Hance, in Walp. Ann. ii. 1054 = *Koenigii*.  
*Leschenaultii*, DC. Prod. vii. 506 = *Koenigii*.  
*ligustrifolia*, Nutt. in Trans. Am. Phil. Soc. N. S. viii. (1843) 253 = *Chamissoniana*.  
*linearis*, R. Br. Prod. 586. —Austral.  
*Lobelia*, Buch.-Ham. in Trans. Linn. Soc. xvii. (1835) 250 = *Koenigii*.  
*Lobelia*, Murr. Syst. ed. XIII. 178; Thunb. Prod. Pl. Cap. 38. —Reg. trop.  
*longifolia*, De Vriese, in Lehm. Pl. Preiss. i. 410. —Austral.  
*lycioides*, DC. Prod. vii. 512 = *spinescens*.  
*lyratifolia*, De Vriese, in Lehm. Pl. Preiss. i. 405 (al. gen.?). —Austral.  
*Macraei*, De Vriese, in Nederl. Kruidk. Arch. ii. i. (1851) 30 = *S. Lobelia*.  
*macrocalyx*, De Vriese, l. c. 138 = *Koenigii*.  
*macrodonata*, DC. Prod. vii. 511 = *striata*?  
*macrophylla*, Benth. Fl. Austral. iv. 98. —Austral.  
*macropoda*, DC. Prod. vii. 509 = *striata*.  
*macrostachya*, Benth. Fl. Austral. iv. 97. —Austral.  
*Maitlandi*, F. Muell. in Trans. Bot. Soc. Edinb. vii. (1863) 497; et in Edinb. N. Phil. Journ. N. S. xvii. (Jan.-Apr. 1863) 231 = *Cunninghamii*.  
*membranacea*, Benth. in Enum. Pl. Hueg. 69 = *pilosa*?  
*Menziesiana*, Cham. in Linnaea, viii. (1833) 227 = *Chamissoniana*.  
*micrantha*, Presl, Rel. Haenk. ii. 58. —Ins. Philipp.  
*microcarpa*, Cav. Ic. vi. 6. t. 509. —Austral.  
*microphylla*, Benth. Fl. Austral. iv. 100. —Austral.  
*mollis*, Hook. & Arn. Bot. Beech. Voy. 89. —Ins. Sandvic.  
*montana*, Gaudich. in Freyc. Voy. Bot. 460 = *Gaudichaudi*.  
*montana*, Labill. Sert. Austro-Caled. 41. t. 42 = *Koenigii*.  
*multiflora*, Lindl. Swan River App. 26 = *nitida*.  
*nitida*, R. Br. Prod. 584. —Austral.  
*Novae-Zelandiae*, A. Cunn. in Ann. Nat. Hist. Ser. I. ii. (1839) 52 = *Hymenanthera crassifolia*.  
*Oldfieldii*, F. Muell. Fragm. ii. 19. —Austral.  
*oleoides*, DC. Prod. vii. 512 = *spinescens*.  
*oppositifolia*, Roxb. Hort. Beng. 85; Fl. Ind. i. 528. —Ins. Molucc.  
*ovalifolia*, R. Br. Prod. 584. —Austral.  
*oxyclona*, F. Muell. Fragm. x. 58. —Austral.  
*pallida*, R. Br. Prod. 585 = *microcarpa*.  
*paludosa*, R. Br. l. c. 586. —Austral.  
*paniculata*, De Vriese, in Lehm. Pl. Preiss. i. 407 = *thesioides*.

**SCAEVOLA:—**

- parvifolia, *F. Muell. ex Benth. Fl. Austral.* iv. 91.—Austral.  
*patens*, *F. Muell. Fragm.* iii. 33 = depauperata.  
 phlebotopetala, *F. Muell. l. c.* ii. 18.—Austral.  
 piliplena, *Miq. Fl. Ind. Bat.* ii. 581.—Java.  
 pilosa, *Benth. in Enum. Pl. Hueg.* 69; *DC. Prod.* vii. 511.—Austral.  
 platyphylla, *Lindl. Swan River App.* 26.—Austral.  
 plumerioides, *Nutt. in Trans. Am. Phil. Soc. N. S.* viii. (1843) 252 = Koenigii.  
*Plumieri*, Blume, *Bijdr.* 730 = Koenigii.  
*Plumieri*, Vahl, *Symb. Bot.* ii. 36 = *S. Lobelia*.  
*polystachya*, *DC. Prod.* ii. 508 = thesioides.  
 porocarya, *F. Muell. Fragm.* ii. 19.—Austral.  
 prostrata, *De Vriese, in Lehm. Pl. Preiss.* i. 406 = *Dampiera diversifolia*.  
*pterosperma*, *De Vriese, l. c.* i. 408 = *Goodenia incana*.  
*pubescens*, *Nutt. in Trans. Am. Phil. Soc. N. S.* viii. (1843) 253 = *Chamissoniana*.  
*pusilla*, *De Vriese, in Lehm. Pl. Preiss.* i. 412 = *Goodenia tenella*.  
*Reinwardtii*, *De Vriese, l. c.* 409 = *Verreauxia Reinwardtii*.  
*repens*, *De Vriese, l. c.* 406 = paludosa.  
 restiacea, *Benth. Fl. Austral.* iv. 91.—Austral.  
 revoluta, *R. Br. Prod.* 586.—Austral.  
 rufa, *De Vriese, in Lehm. Pl. Preiss.* i. 405 = glandulifera.  
 saligna, *Forst. f. Prod.* 89.—N. Caled.  
 semiamplexicaulis, *DC. Prod.* vii. 509 = platyphylla.  
 semiamplexicaulis, *De Vriese, in Nat. Verh. Haarl. x.* (1854) 41 = auriculata.  
*senegalensis*, *Presl, Rel. Haenk.* ii. 59 = *S. Lobelia*.  
*sericea*, *Forst. f. Prod.* 89; *Vahl, Symb. Bot.* ii. 37 = Koenigii.  
 sericophylla, *F. Muell. ex Benth. Fl. Austral.* iv. 102.—Austral.  
*Sieberi*, *De Vriese, in Nat. Verh. Haarl. x.* (1854) 33 = *S. Lobelia*.  
 sinuata, *R. Br. Prod.* 584 = saligna.  
 sphaerocarpa, *De Vriese, in Lehm. Pl. Preiss.* i. 409 = holosericea.  
 spinescens, *R. Br. Prod.* 586.—Austral.  
 squarrosa, *Lindl. Swan River App.* 26 = thesioides.  
 stenophylla, *Benth. Fl. Austral.* iv. 104.—Austral.  
 striata, *R. Br. Prod.* 586.—Austral.  
 stricta, *De Vriese, in Lehm. Pl. Preiss.* i. 408 = *Goodenia scapigera*.  
 stricta, *Roem. & Schult. Syst.* v. 167, sphalm. = striata.  
 suaveolens, *R. Br. Prod.* 585.—Austral.  
 Taccada, *Roxb. Hort. Beng.* 15; *Fl. Ind.* i. 527 = Koenigii.  
 tenera, *De Vriese, in Lehm. Pl. Preiss.* i. 409 = *Goodenia caerulea*.  
 thesioides, *Benth. in Enum. Pl. Hueg.* 68.—Austral.  
 Thunbergii, *Eckl. & Zeyh. Enum.* 387 = *S. Lobelia*.  
 tomentosa, *Gaudich. in Freyc. Voy. Bot.* 460. t. 81.—Austral.  
 tortuosa, *Benth. Fl. Austral.* iv. 91.—Austral.  
 Tournoa, *Willd. Enum. Hort. Berol. Suppl.* 10 (Quid?).—Hab.?  
 trineria, *De Vriese, in Lehm. Pl. Preiss.* i. 407 = canescens.  
 umbellata, *De Vriese, l. c.* 411 = *Goodenia filiformis*.  
 uvifera, *Stocks, in Wight, Ic.* t. 1613 = *S. Lobelia*.  
 velutina, *Presl, Rel. Haenk.* ii. 58 = Koenigii.  
 Verreauxii, *F. Muell. Bot. Teachings* (1877), 65.—Austral.

- SCALESIA**, *Arn. in Lindl. Introd. Nat. Syst.* ed. II. 443 (1836). *COMPOSITAE*, *Benth. & Hook. f.* ii. 367.  
 affinis, *Hook. f. in Trans. Linn. Soc.* xx. (1851) 212.—Ins. Galapag.  
 aspera, *Anderss. in Vet. Akad. Handl. Stockh.* 1853 (1855) 180.—Ins. Galapag.  
 atractylodes, *Arn. in Lindl. Introd. Nat. Syst.* ed. II. 443.—Ins. Galapag.  
 Darwinii, *Hook. f. in Trans. Linn. Soc.* xx. (1851) 211.—Ins. Galapag.  
 decurrens, *Anderss. in Vet. Akad. Handl. Stockh.* 1853 (1855) 182.—Ins. Galapag.  
 devisa, *Anderss. l. c.* 179.—Ins. Galapag.  
 gummifera, *Hook. f. in Trans. Linn. Soc.* xx. (1851) 212.—Ins. Galapag.  
 incisa, *Hook. f. l. c.* 210.—Ins. Galapag.

**SCALESIA:—**

- ovata, *Anderss. in Vet. Akad. Handl. Stockh.* 1853 (1855) 181.—Ins. Galapag.  
 pedunculata, *Hook. f. in Trans. Linn. Soc.* xx. (1851) 211.—Ins. Galapag.

**SCALIA**, *Sims, Bot. Mag.* t. 956 (1806) = **Podolepis**, *Labill. (Compos.)*.  
*jaceioides*, *Sims, l. c.* = *P. acuminata*.

**SCALIGERA**, *Adans. Fam.* ii. 323 (1763) = **Aspalathus**, *Linn. (Legumin.)*.  
*orientalis*, *Rafin. Sylva Tellur.* 69 = *A. orientalis*.

**SCALIGERIA**, *DC. Coll. Mém.* v. 70 (1829); *Prod.* iv. 248 (1830) = **Conopodium**, *Koch (Umbell.)*.  
*cretica*, *Boiss. Diagn. Ser. I. x.* 52 (= *Bunium creticum*, *Urv.*).—Europ. austr.  
*elata*, *Boiss. & Haussk. ex Boiss. Fl. Orient.* ii. 877 (= *Elaeosticta meifolia*).—Syria; Mesopot.  
*glaucescens*, *Boiss. l. c.* (= *Elaeosticta glaucescens*).—Persia.  
*lazica*, *Boiss. l. c.* 876.—As. Min.  
*meifolia*, *Boiss. l. c.* (= *Elaeosticta meifolia*).—As. Min.; Syria.  
*microcarpa*, *DC. Prod.* iv. 249 (= *Bunium creticum*, *Urv.*).—Oriens.  
*nodosa*, *Boiss. Fl. Orient.* ii. 878 (= *Elaeosticta nodosa*).—Persia.  
*podagrarioides*, *Boiss. l. c.* 876.—As. Min.  
*rotundifolia*, *Boiss. l. c.* = *Pimpinella rotundifolia*.  
*Tournefortii*, *Boiss. in Ann. Sc. Nat. Sér. III.* ii. (1844) 70 (= *Bunium creticum*, *Urv.*).—Graecia.

**SCALIOPSIS**, *Walp. in Linnaea*, xiv. (1840) 318 = **Podolepis**, *Labill. (Compos.)*.  
*Lucaeana*, *Walp. l. c.* = *P. longipedata*.

**SCANDALIDA**, *Adans. Fam.* ii. 326 (1763) = **Lotus**, *Tourn. (Legumin.)*.  
*flava*, *Medic. in Vorles. Churpf. Phys. Ges.* ii. (1787) 384 = *L. siliquosus*.  
*rubra*, *Medic. l. c.* = *L. Tetragonolobus*.  
*siliquosa*, *Medic. Phil. Bot.* i. 205 = *L. siliquosus*.  
*tetragonoloba*, *Medic. l. c.* = *L. Tetragonolobus*.

**SCANDEDERIS**, *Thou. Orch. Isles Afr.* 3<sup>me</sup> Tabl. (1822) = **SCAREDERIS**, *Thou. = Dendrobium*, *Sw. (Orchid.)*.  
*scandens*, *Thou. l. c.*—Ins. Maurit.

**SCANDIX**, *Tourn. ex Linn. Syst. ed. I* (1735).  
*UMBELLIFERAE*, *Benth. & Hook. f.* i. 899.  
*CYCLOTAXIS*, *Boiss. Diagn. Ser. I. x.* 48 (1849).  
*DASYSPERMUM*, *Neck. Elem.* i. 276 (1790), partim.  
*PECTEN*, *Lam. Fl. Fr.* iii. 437 (1778).  
*WYLIA*, *Hoffm. Gen. Umb.* 3. t. 2 (1814).  
*aegyptiaca*, *Hort. ex Steud. Nom. ed. II.* ii. 528 (Quid?).—Hab.?  
 affinis, *Hort. ex Boiss. l. c.* ii. 915 = *macrorrhyncha*.  
 affinis, *C. Koch, ex Boiss. Fl. Orient.* ii. 917 = *grandiflora*.  
*Anthriscus*, *Linn. Sp. Pl.* 257 = *Anthriscus vulgaris*.  
*apiculata*, *DC. Prod.* iv. 221 = *iberica*.  
*aromatica*, *Wahlenb. in Oken, Isis*, xxi. (1826) 984 = *Chaerophyllum aromaticum*.  
*Aucherii*, *Boiss. in Ann. Sc. Nat. Sér. III.* ii. (1844) 58.—Oriens; Afghan.  
*aurea*, *Roth, Tent. Fl. Germ.* i. 123 = *Chaerophyllum aureum*.  
*australis*, *Bourg. ex Willk. & Lange, Prod. Fl. Hisp.* iii. 80 = *microcarpa*.  
*australis*, *Linn. Sp. Pl.* 257.—Reg. Mediterr.  
*Balansae*, *Reut. Cat. Hort. Genev.* (1867) 2.—Cilicia.  
*brachycarpa*, *Boiss. Fl. Orient.* ii. 916 = *Balansae*.  
*brachycarpa*, *Guss. Ind. Sem. Hort. Boccad.* (1825) 10; *Fl. Sic. Prod.* i. 350.—Sicil.; Syria.  
*brevirostris*, *Boiss. & Reut. Cat. Hort. Genev.* (1868) 4.—Hispan.  
*Bulbocastanum*, *Moench, Meth.* 101 = *Carum Bulbocastanum*.  
*bulbosa*, *Roth, Tent. Fl. Germ.* i. 123 = *Chaerophyllum bulbosum*.  
*Cerefolium*, *Linn. Sp. Pl.* 257 = *Anthriscus Cerefolium*.  
*chilensis*, *Molina, Sagg. Chil.* 125.—Chili.  
*clavata*, *Banks & Soland. ex Hook. Fl. Antarct.* ii. 288 = *Osmorhiza chilensis*.

**SCANDIX:—**

- clavata*, *DC. Prod.* iv. 283, in syn., sphalm. = *Chaerophyllum macrospermum*.  
*cornuta*, *Gilib. Fl. Litan.* ii. 27 = *S. Pecten-Veneris*.  
*cretica*, *Mill. Gard. Dict. ed. VIII.* n. 4 = *S. Pecten-Veneris*.  
*dulcis*, *Muhl. Cat.* 41; *DC. Prod.* iv. 232 = *Osmorhiza brevistylis*.  
*falcata*, *Bieb. Fl. Taur. Cauc.* i. 230 = *iberica*.  
*falcata*, *Londes, in Mém. Soc. Nat. Mosc.* i. (1811) 31 = *grandiflora*.  
*fumarioides*, *Chaub. & Bory, Nouv. Fl. Pélop.* 19 = *Anthriscus tenerimus*.  
*fumarioides*, *Waldst. & Kit. Pl. Rar. Hung.* iii. 249 = *Anthriscus fumarioides*.  
*georgica*, *C. Koch, ex Boiss. Fl. Orient.* ii. 915 = *iberica*.  
*gilanica*, *S. G. Gmel. Reise*, iii. 303. t. 31. f. 2 = *Chaerophyllum macrospermum*.  
*glaberrima*, *Desf. Fl. Atlant.* i. 260 (= *Bunium glaberrimum*).—Alger.  
*glochidiata*, *Labill. Nov. Holl. Pl.* i. 75. t. 102 = *Daucus brachiatus*.  
*grandiflora*, *Linn. Sp. Pl.* 257.—Europ. or.; As. Min.  
*hirsuta*, *Biasol. ex Steud. Nom. ed. II.* ii. 528 = *grandiflora*.  
*hirsuta*, *Scop. Fl. Carn. ed. II.* i. 211 = *Chaerophyllum hirsutum*.  
*hispanica*, *Boiss. in Ann. Sc. Nat. Sér. III.* ii. (1844) 57 = *macrorrhyncha*.  
*hispanica*, *Cutand. Fl. Matr.* 340 = *S. Pecten-Veneris*.  
*hispida*, *Gilib. Fl. Litan.* ii. 27 = *Anthriscus vulgaris*.  
*hispidula*, *Bertol. in Nov. Comm. Acad. Bologn.* v. (1862) 427 = *pinnatifida*.  
*iberica*, *Bieb. Fl. Taur. Cauc.* i. 425.—As. Min.; Persia.  
*iberica*, *Heldr. ex Boiss. Diagn. Ser. I. x.* 50 = *pisidica*.  
*inferta*, *Jacq. ex Steud. Nom. ed. II.* ii. 528, sphalm. = seq.  
*infesta*, *Linn. Syst. ed. XII.* 732 = *Caucalis infesta*.  
*laeta*, *Salisb. Prod.* 167 = *Anthriscus vulgaris*.  
*latifolia*, *Sibth. & Sm. Fl. Graec.* iii. 77. t. 284 = *Lecokia cretica*.  
*macrorrhyncha*, *C. A. Mey. in Ind. Sem. Hort. Petrop.* ix. 86.—As. Min.  
*macrosperma*, *Willd. ex Schult. Syst.* vi. 507 = *Chaerophyllum macrospermum*.  
*microcarpa*, *Lange, in Kjoeb. Vidensk. Meddel.* (1865) 42.—Hispan.  
*millefolia*, *Willd. ex Spreng. Syst.* i. 903 = *Chaerophyllum millefolium*.  
*nodosa*, *Linn. Sp. Pl.* 257 = *Chaerophyllum nodosum*.  
*nutans*, *Moench, Meth.* 101 = *Chaerophyllum temulum*.  
*odorata*, *Linn. Sp. Pl.* 257 = *Myrrhis odorata*.  
*orientalis*, *Griseb. Spicil. Fl. Rumel.* i. 369 = *grandiflora*.  
*palaestina*, *Boiss. Fl. Orient.* ii. 918.—Palaestin.  
*parviflora*, *Retz. f. Pugill.* 12 = *pinnatifida*?  
*Pecten*, *Scop. Fl. Carn. ed. II.* i. 211 = seq.  
*Pecten-Veneris*, *Linn. Sp. Pl.* 256 (*Pecten* ?).—Europ.; Oriens.  
*pectinifera*, *Stokes, Bot. Mat. Med.* ii. 122 = seq.  
*pectiniformis*, *St. Lag. in Ann. Soc. Bot. Lyon*, vii. (1880) 70, 134 = *praec.*  
*persica*, *Mart. in Linnaea*, xii. (1838) Litt. 87 = *S. Pecten-Veneris*.  
*petraea*, *Auct. ex Steud. Nom. ed. II.* ii. 528 = *australis*.  
*pinnatifida*, *Vent. Jard. Cels.* t. 14.—Reg. Mediterr.; Oriens.  
*pinnatifida*, *Willk. in Flora*, xxxiv. (1851) 728 = *S. Pecten-Veneris*.  
*pisidica*, *Boiss. & Heldr. Diagn. Ser. I. x.* 49.—As. Min.  
*procumbens*, *Linn. Sp. Pl.* 257 = *Chaerophyllum procumbens*.  
*radiata*, *Salisb. Prod.* 167 = *australis*.  
*rostrata*, *Salisb. l. c.* 166 = *S. Pecten-Veneris*.  
*Russelliana*, *Griseb. Spicil. Fl. Rumel.* i. 369 = *pinnatifida*.  
*Stella*, *Steud. Nom. ed. II.* ii. 528, sphalm. = seq.  
*stellata*, [*Soland. in*] *Russ. Aleppo*, ed. II. ii. 249 = *pinnatifida*.  
*taurica*, *Stev. in Bull. Soc. Nat. Mosc.* xxix. (1846) II. 355.—Tauria.  
*temula*, *Roth, Tent. Fl. Germ.* i. 122 = *Chaerophyllum temulum*.

**SCANDIX** :—

*tenuifolia*, Salisb. Prod. 166 = *Anthriscus Cerefolium*.  
*ternata*, Moench, Meth. 101 = *Cryptotaenia canadensis*.  
*tinctoria*, Scop. Fl. Carn. ed. II. i. 212 = *Chaerophyllum aromaticum*.  
*trichosperma*, Linn. Mant. i. 57 = *Caucalis trichosperma*.  
*trichosperma*, Schur, Enum. Pl. Transs. 963 (Index) = *Anthriscus Cerefolium*.  
*turgida*, Boiss. Fl. Orient. ii. 918.—Cilicia.  
*vulgaris*, S. F. Gray, Nat. Arr. Brit. Pl. ii. 503 = *S. Pecten-Veneris*.  
*Wilhelmsii*, C. Koch, ex Boiss. Fl. Orient. ii. 915 = *S. Pecten-Veneris*.

SCAPHA, Noronha, in Verh. Batav. Gen. v. (1790) ed. I. Art. iv. 3 = *Saurauja*, Willd. (Ternstr.).  
*acuminata*, Choisy, in Mém. Soc. Phys. Genève. xiv. (1855) 121 = *Ternstroemia acuminata*.  
*Candollii*, Choisy, l. c. = *Saur. tristyla*.  
*cauliflora*, Noronha, ex DC. Prod. i. (1821) 425 = *Saur. cauliflora*.  
*elegans*, Choisy, l. c. xiv. (1855) 121.—Ins. Philipp.  
*ferox*, Choisy, l. c. = *Saur. ferox*.  
*gigantea*, Noronha, ex DC. l. c. i. (1821) 424 = *Saur. gigantea*.  
*leucophloia*, Choisy, l. c. xiv. (1855) 121 = *Saur. leucophloia*.  
*nigrescens*, Choisy, l. c. = *Saur. nigrescens*.  
*pinangiana*, Choisy, l. c. = *Saur. tristyla*.  
*rubiginosa*, Choisy, l. c. = *Saur. Jackiana*.  
*serrata*, Choisy, l. c. = *Ternstroemia serrata*.  
*spadicea*, Choisy, l. c. = *Saur. spadicea*.  
*subcordata*, Choisy, l. c. = *Saur. subcordata*.

SCAPHESPERMUM, Edgew. in Trans. Linn. Soc. xx. (1846) 58 = *Seseli*, Linn. (Umbell.).  
*trilobum*, Edgew. l. c. = *Seseli trilobum*.

**SCAPHISPATHA**, Brongn. ex Schott, Prod. Aroid. 214 (1860). *AROIDEAE*, Benth. & Hook. f. iii. 978.  
*gracilis*, Brongn. ex Schott, l. c.—Bolivia.

SCAPHIUM, Schott & Endl. Melet. 33 (1832) = *Sterculia*, Linn.  
*Wallichii*, Schott & Endl. l. c. = *St. scaphigera*.

**SCAPHOPETALUM**, Mast. in Journ. Linn. Soc. x. (1869) 28. *STERCULIACEAE*, Benth. & Hook. f. i. 983.  
*Blackii*, Mast. l. c. 29. t. 2.—Afr. trop.  
*longepedunculatum*, Mast. l. c. 28. t. 3.—Afr. trop.  
*Mannii*, Mast. l. c. 29. t. 3.—Afr. trop.

**SCAPHYGLOTTIS**, Poepp. & Endl. Nov. Gen. et Sp. i. 58 (1835). *ORCHIDEAE*, Benth. & Hook. f. iii. 525.

*CLADOBIUM*, Lindl. Introd. Nat. Syst. ed. II. 446 (1836).  
*affinis*, Poepp. & Endl. Nov. Gen. et Sp. i. 59.—Peruv.  
*Behrii*, Benth. & Hook. f. ex Hemsl. Biol. Centr. Am. Bot. iii. 219.—Panama.  
*conferta*, Poepp. & Endl. Nov. Gen. et Sp. i. 59.—Peruv.  
*dubia*, Benth. & Hook. f. ex Hemsl. Biol. Centr. Am. Bot. iii. 219.—Mexic.  
*fasciculata*, Hook. Ic. Pl. t. 317.—Guian.  
*graminifolia*, Poepp. & Endl. Nov. Gen. et Sp. i. 59.—Peruv.  
*Kienastii*, Hemsl. Biol. Centr. Am. Bot. iii. 219.—Mexic.  
*leucantha*, Reichb. f. in Linnaea, xxii. (1849) 856.—Bras.  
*mesocopis*, Benth. & Hook. f. ex Hemsl. Biol. Centr. Am. Bot. iii. 220.—Costa Rica.  
*pallidiflora*, Lindl. in Sweet, Hort. Brit. ed. III. 646.—Ins. Trinit.  
*parviflora*, Poepp. & Endl. Nov. Gen. et Sp. i. 58.—Peruv.  
*pendula*, Poepp. & Endl. l. c.—Peruv.  
*reflexa*, Lindl. Bot. Reg. (1839) Misc. 20.—Guian.  
*rosea*, Hook. Ic. Pl. t. 313 = *violacea*.  
*ruberrima*, Lindl. Orch. Linden. 22 = *Ornithidium ruberrimum*.

**SCAPHYGLOTTIS** :—

*stellata*, Lodd. ex Lindl. Bot. Reg. (1889) Misc. 44.—Guian.  
*Tafallae*, Reichb. f. in Linnaea, xxii. (1849) 855.—Peruv.  
*violacea*, Lindl. Bot. Reg. t. 1901.—Guian.

SCAREDEDERIS, Thou. Orch. Iles Afr. t. 91 (1822) = *Dendrobium*, Sw. (Orchid.).  
*scandens*, Thou. l. c. (Quid?).—Ins. Maurit.

SCARIOLOA, F. W. Schmidt, Samml. Phys. Aufs. i. 270 (1795) = *Lactuca*, Linn. (Compos.).  
*viminea*, F. W. Schmidt, l. c. = *L. viminea*.

**SCELOCHILUS**, Klotzsch, in Otto & Dietr. Allg. Gartenz. ix. (1841) 261. *ORCHIDEAE*, Benth. & Hook. f. iii. 558.  
*heterophyllus*, Reichb. f. in Linnaea, xli. (1877) 105.—Ecuador.  
*Jamiesoni*, Lindl. & Paxt. Flow. Gard. iii. (1852–53) 88.—Ecuador.  
*Lindenii*, Lindl. & Paxt. l. c.—Venezuela.  
*Otonis*, Klotzsch, in Otto & Dietr. Allg. Gartenz. ix. (1841) 261.—Venezuela.  
*saccatus*, Reichb. f. in Walp. Ann. vi. 689.—Peruv.  
*stenochilus*, Reichb. f. l. c. = *Lindenii*.

SCEPA, Lindl. Introd. Nat. Syst. ed. II. 441 (1836) = *Aporosa*, Blume (Euphorb.).  
*aurita*, Tul. in Ann. Sc. Nat. Sér. III. xv. (1851) 254 = *A. aurita*.  
*chinensis*, Champ. ex Benth. in Hook. Kew Journ. vi. (1854) 72 = *A. microcalyx*.  
*Lindleyana*, Wight, Ic. t. 361 = *A. Lindleyana*.  
*microstachya*, Tul. in Ann. Sc. Nat. Sér. III. xv. (1851) 256 = *A. microstachya*.  
*stipulacea*, Lindl. Introd. Nat. Syst. ed. II. 441 = *A. microstachya*.  
*villosa*, Lindl. l. c. = *A. villosa*.

SCEPASMA, Blume, Bijdr. 582 (1825) = *Phyllanthus*, Linn. (Euphorb.).  
*buxifolia*, Blume, l. c. = *P. buxifolius*.  
*longifolia*, Hassk. in Hoev. & De Vriese, Tijdschr. x. (1843) 143 = *P. acutissimus*.  
*parvifolia*, Reichb. f. & Zoll. ex Teijsm. & Binn. Cat. Hort. Bog. 229.—Malaya.

SCEPINIA, Neck. Elem. i. 78 (1790) = *Pteronia*, Linn. (Compos.).  
*dichotoma*, Cass. in Dict. Sc. Nat. xlviii. 45 = *P. oppositifolia*.  
*lepidophylla*, Cass. l. c. = *P. glomerata*.

SCEPOCARPUS, Wedd. in DC. Prod. xvi. i. 98 (1869) = *Urera*, Gaudich. (Urtic.).  
*Mannii*, Wedd. l. c.—Afr. trop.

SCEPSEOTHAMNUS, Cham. in Linnaea, ix. (1834) 248 = *Alibertia*, A. Rich. (Rubiace.).  
*gardenioides*, Cham. l. c. 249.—Bras.  
*rotunda*, Cham. l. c. 250.—Bras.  
*vinosa*, Cham. l. c. 249 = *rotunda*.

SCEPSOTHAMNUS, Steud. Nom. ed. II. ii. 528 (1841), sphalm. = *praec.*

SCEPTRANTHES, R. Grah. in Edinb. N. Phil. Journ. xx. (1836) 413 = *Cooperia*, Herb. (Amaryll.).  
*Drummondii*, R. Grah. l. c. = *C. paniculata*.

SCEPTRANTHUS, Benth. & Hook. f. Gen. iii. 723 (1883), err. typ. = *praec.*

**SCEPTROCNIDE**, Maxim. in Bull. Acad. Pétersb. xxii. (1877) 238. *URTICACEAE*, Benth. & Hook. f. ii. 382.  
*macrostachya*, Maxim. l. c. 240.—Japon.

SCEPTRUM-CAROLINUM, Linn. Fl. Lapp. 197 (1737) = *Pedicularis*, Linn. (Scrophul.).

SCEURA, Forsk. Fl. Aegypt. Arab. 37 (1775) = *Avicennia*, Linn. (Verben.).  
*marina*, Forsk. l. c. = *A. officinalis*.

**SCHACHTIA**, Karst. in Linnaea, xxx. (1859–60) 156. *RUBIACEAE*, Benth. & Hook. f. ii. 80.  
*dioica*, Karst. l. c. 157.—N. Granat.

SCHAEFFERA, Schreb. Gen. ii. 681 (1791), sphalm. = *seq.*

**SCHAEFFERIA**, Jacq. Enum. Pl. Carib. 10 (1760). *CELASTRINEAE*, Benth. & Hook. f. i. 367.  
*Berterii*, Griseb. Cat. Pl. Cub. 56.—Ins. S. Doming.  
*buxifolia*, Nutt. Sylv. N. Am. ii. 42. t. 56 = *frutescens*.  
*completa*, Sw. Prod. Veg. Ind. Occ. 38 = *frutescens*.  
*cuneifolia*, A. Gray, Pl. Wright. i. 35.—Texas.  
*frutescens*, Jacq. Enum. Pl. Carib. 33; *Select. Am.* 259; *Karst. Fl. Columb.* i. 183.—Am. bor.; Ind. occ.  
*lateriflora*, Sw. Prod. Veg. Ind. Occ. 38.—Ins. S. Doming.  
*Marchii*, Griseb. Fl. Brit. W. Ind. 710.—Jamaic.  
*paniculata*, Spreng. Neue Entdeck. iii. 49.—Bras.  
*racemosa*, [Moq. & Sesse,] ex DC. Prod. ii. 41.—Mexic.  
*viridescens*, [Moq. & Sesse,] ex DC. l. c. = *frutescens*.

SCHAEFFNERA, Benth. & Hook. f. Gen. ii. 492 (1873), sphalm. = *SCHAFFNERA*, Sch. Bip. = *Dicoma*, Cass. (Compos.).

SCHAENOLAENA, Lindl. Veg. Kingd. 778 (1847), sphalm. = *SCHOENOLAENA*, Bunge = *Xanthosia*, Rudge (Umbell.).

SCHAENOPRASUM, Franch. & Sav. Enum. Pl. Jap. i. 76 (1879), sphalm. = *SCHOENOPRASUM*, H. B. & K. = *Allium*, Tourn. (Liliac.).

SCHAENUS, Gouan, Fl. Monsp. 388 (1765), err. typ. = *Schoenus*, Linn. (Cyperac.).

SCHAETZELIA, Sch. Bip. in Walp. Ann. ii. 949 (1852) = *Schaetzellia*, Sch. Bip. (Compos.).

SCHAETZELLIA, Klotzsch, in Otto & Dietr. Allg. Gartenz. xvii. (1849) 82 = *Onoseris*, DC. (Compos.).  
*Deckeri*, Klotzsch, l. c. = *O. Isotypus*.

**SCHAETZELLIA**, Sch. Bip. in Flora, xxxiii. (1850) 419. *COMPOSITAE*, Benth. & Hook. f. ii. 242.  
*DICHAETA*, Sch. Bip. l. c. xxxiii. (1850).  
*SCHAETZELIA*, Sch. Bp. in Walp. Am. ii. 949 (1852).  
*mexicana*, Sch. Bip. in Flora, xxxiii. (1850) 419.—Mexic.

SCHAETZELLIA, Sch. Bip. in Otto & Dietr. Allg. Gartenz. xvii. (1849) 192, nomen = *Hinterhubera*, Sch. Bip. (Compos.).  
*columbica*, Sch. Bip. l. c. = *H. columbica*.

**SCHAFFNERA**, Benth. in Journ. Linn. Soc. xix. (1881) 63. *GRAMINEAE*, Benth. & Hook. f. iii. 1124.  
*gracilis*, Benth. in Hook. Ic. Pl. xiv. 59. t. 1378.—Mexic.

SCHAFFNERA, Sch. Bip. in Flora, xxiv. (1841) i. Intell. 42 = *Dicoma*, Cass. (Compos.).  
*carduoides*, Sch. Bip. l. c. = *D. tomentosa*.

SCHANGINIA, C. A. Mey. in Ledeb. Fl. Alt. i. 394 (1829) = *Suaeda*, Forsk. (Chenop.).  
*altissima*, Hohen. ex Ledeb. Fl. Ross. iii. 781 = *Suaeda heterocarpa*.  
*altissima*, C. A. Mey. Verz. Pfl. Cauc. 159 = *Suaeda altissima*.  
*Arbuscula*, Kar. & Kir. in Bull. Soc. Nat. Mosc. (1841) 733.—Sibir. altaic.  
*baccata*, Moq. Chenop. Enum. 119 = *Suaeda baccata*.  
*baccifera*, Ledeb. Fl. Ross. iii. 776 = *Suaeda baccifera*.  
*Borszczowii*, Bunge, ex Trautv. in Act. Hort. Petrop. ix. (1884) 131, nomen.—Reg. Ural.  
*hortensis*, Moq. Chenop. Enum. 119 = *Suaeda hortensis*.  
*inderiensis*, Bunge, in Mém. Sav. Etr. Pétersb. vii. (1851) 460.—Reg. Ural.

## SCHANGINIA:—

- linifolia*, C. A. Mey. in Ledeb. Fl. Alt. i. 395 = *Suaeda linifolia*.  
*linifolia*, Moq. in Ann. Sc. Nat. Sér. I. xxiii. (1831) 320. t. 23 = *Suaeda hortensis*.  
*tribracteata*, C. Koch, in Linnaea, xxii. (1869) 188.—  
 Rossia.  
*trigyna*, Heynh. Nom. ii. 640 = *Suaeda trigyna*.

SCHAPHESPERMUM, Edgew. in Proc. Linn. Soc. i. (1845) 253, sphalm. = SCAPHESPERMUM, Edgew. = *Seseli*, Linn. (Umbell.).

SCHAUERA, Nees, in Lindl. Introd. Nat. Syst. ed. II. 202, in adnot. (1836) = *Aydedendron*, Nees (Laurin.).

SCHAUERIA, Hassk. in Flora, xxv. (1842) II. Beibl. 25 = *Hyptis*, Jacq. (Labiata).  
*graveolens*, Hassk. l. c. = *H. suaveolens*.

SCHAUERIA, Nees, Ind. Sem. Hort. Vratisl. (1838). —Cf. Linnaea, xiii. (1839) Litt. 119. ACANTHACEAE, Benth. & Hook. f. ii. 1116.

FLAVICOMA, Rafin. Fl. Tellur. iv. 63 (1836).  
*caduciflora*, Griseb. in Goett. Abh. xxiv. (1879) 261.—  
 Reg. Argent.

*calicotricha*, Nees, Ind. Sem. Hort. Vratisl. (1838).—

Cf. Linnaea, xiii. (1839) Litt. 119.—Bras.

*capitata*, Nees, in DC. Prod. xi. 316.—Bras.

*decipiens*, Nees, l. c. 318.—Mexic.

*flavicomma*, N. E. Br. in Gard. Chron. (1883) i. 14.—

Bras.

*gonyostachya*, Nees, in Mart. Fl. Bras. ix. 106.—Bras.

*hirsuta*, Nees, l. c. 103.—Bras.

*humuliflora*, Nees, l. c. 102.—Bras.

*lachnostachya*, Nees, l. c. 105.—Bras.

*linearifolia*, Torr. Bot. Mex. Bound. 123 = *Dianthera*

*linifolia*.

*linifolia*, Benth. & Hook. f. Gen. ii. 1114 = *praec.*

*lophura*, Nees, in Mart. Fl. Bras. ix. 104.—Bras.

*macrophylla*, Nees, l. c. 105.—Bras.

*malifolia*, Nees, l. c. 103.—Bras.

*marginata*, Nees, l. c. 102.—Bras.

*Maximiliani*, Nees, l. c. 106.—Bras.

*paniculata*, Nees, l. c.—Bras.

*parvifolia*, Torr. Bot. Mex. Bound. 122 = *Dianthera*

*parvifolia*.

*Schottii*, Nees, in Mart. Fl. Bras. ix. 107.—Bras.

*sulphurea*, Nees, l. c. 104.—Bras.

*virginica*, Nees, l. c. 105.—Bras.

SCHHEADENDRON, Bertol. f. in Mem. Acad. Sc. Bologn. ii. (1850) 572, sphalm. = SHEADENDRON, Auct. = *Combretum*, Linn.

SCHEDONNARDUS, Steud. in Flora, xxxiii. (1850) 228, 229, nomen; Syn. Pl. Gram. 146 (1855). GRAMINEAE, Benth. & Hook. f. iii. 1167.  
*texasus*, Steud. ll. cc.—Texas.

SCHEDONORUS, Beauv. Agrost. 99. t. 19. f. 2 (1812)

= *Festuca*, Linn. et *Bromus*, Linn. (Gramin.).

*alpinus*, Hoppe, Agrost. Dec. 4; ex Schult. Mant. ii.

389 = *F. montana*.

*altissimus*, Beauv. Agrost. 99 = *F. sylvatica*.

*americanus*, Roem. & Schult. Syst. ii. 706 =

*F. poaeoides*.

*arundinaceus*, Dum. Obs. Gram. Belg. 106 = *F. elatior*.

*arundinaceus*, Roem. & Schult. Syst. ii. 700 = *Graphe-*

*phorum arundinaceum*.

*asper*, Gaud. ex Roem. & Schult. Syst. ii. 643 =

*B. asper*.

*auratus*, Beauv. Agrost. 99 = *F. violacea*.

*aureus*, Beauv. l. c. = *F. spadicæa*.

*Benekeni*, Lange, in Fl. Dan. t. 2826 = *B. asper*.

*Beneki*, Lange, in Bull. Soc. Bot. Belg. xiii. (1874)

310, sphalm. = *praec.*

*Billardierianus*, Nees, in Hook. Lond. Journ. Bot. ii.

(1843) 419 = *F. littoralis*.

*bonariensis*, Roem. & Schult. Syst. ii. 709 = *Poa*

*pallens*.

*bromoides*, Wight, ex Steud. Syn. Pl. Gram. 316 =

*F. scaberrima*, Wightiana.

*caeruleus*, Roem. & Schult. Syst. ii. 699 = *F. caeru-*

*lescens*.

*calamarius*, Beauv. Agrost. 99 = *F. sylvatica*.

*Caldasii*, Roem. & Schult. Syst. ii. 709 = *F. Caldasii*.

*ciliatus*, Kjellm. in Nordensk. Vega-Exped. Vetensk.

Iaktt. i. 557 = *B. ciliatus*.

*compressus*, Roem. & Schult. Syst. ii. 700 = *F. spadicæa*.

## SCHEDONORUS:—

*consobrinus*, Timb. in Bull. Soc. Hist. Nat. Toul. iii. (1869) 130 = *Festuca spadicæa*.

*curvatus*, Beauv. Agrost. 99 = *F. elatior*.

*deciduus*, S. F. Gray, Nat. Arr. Brit. Pl. ii. 115 =

*F. sylvatica*.

*divaricatus*, Roem. & Schult. Syst. ii. 703 = *Cutandia*

*divaricata*.

*dumetorum*, Beauv. Agrost. 99 = *F. rubra*.

*elatior*, Beauv. l. c. = *F. elatior*.

*erectus*, Gaud. ex Roem. & Schult. Syst. ii. 637 =

*B. erectus*.

*Eskia*, Beauv. Agrost. 99 = *F. varia*.

*exaltatus*, Schult. Mant. iii. 644 = *F. montana*.

*ferrugineus*, Vest. in Syll. Ratisb. ii. (1828) 221 =

*F. spadicæa*.

*Gerardi*, Beauv. Agrost. 99 (Quid ?).—Europ.

*giganteus*, Gaud. ex Roem. & Schult. Syst. ii. 644 =

*Bromus giganteus*.

*glaucus*, Beauv. Agrost. 99 = *F. glauca*.

*Hookerianus*, Benth. Fl. Austral. vii. 656 = *F. Hook-*

*eriana*.

*inermis*, Beauv. Agrost. 99 = *B. inermis*.

*lanatus*, Roem. & Schult. Syst. ii. 708 = *F. mollis*.

*latifolius*, Roem. & Schult. l. c. 710 = *F. latifolia*.

*littoralis*, Beauv. Agrost. 99 = Roem. & Schult. l. c.

707 = *F. littoralis*.

*lividus*, Roem. & Schult. l. c. = *F. livida*.

*loliaceus*, Beauv. Agrost. 99 = *F. loliacea*.

*longifolius*, Trin. ex Steud. Nom. ed. II. ii. 529 = *B.*

*inermis*.

*modesta*, Nees, ex Steud. Syn. Pl. Gram. 316 = *F.*

*modesta*.

*montana*, Opiz, Seznam, 89 = *F. montana*.

*nigrescens*, Beauv. Agrost. 99 = *F. rubra*.

*nitidus*, Roem. & Schult. Syst. ii. 706 = *F. rubra*.

*nutans*, Roem. & Schult. l. c. 704 = *F. pulchella*.

*obtusus*, Roem. & Schult. l. c. 710 = *F. nutans*.

*patulus*, Roem. & Schult. l. c. 710 = *F. patula*.

*phoenicoides*, Roem. & Schult. l. c. 699 = *Brachypodium*

*ramosum*.

*pilosus*, Beauv. Agrost. 99 = *Poa violacea*.

*poaeiformis*, Beauv. l. c. = *Poa violacea*.

*pratensis*, Beauv. l. c. = *F. elatior*.

*procerus*, Roem. & Schult. Syst. ii. 708 = *F. eminens*.

*pulchellus*, Beauv. Agrost. 99 = *F. pulchella*.

*pumilus*, Roem. & Schult. Syst. ii. 706 = *F. varia*.

*quadridens*, Roem. & Schult. l. c. 710 = *Triodia cuprea*.

*radicans*, Dum. Obs. Gram. Belg. 106 = *F. elatior*.

*remotiflorus*, Miq. Ann. Mus. Bot. Lugd. Bat. ii. 283 =

*F. pauciflora*?

*rhaeticus*, Beauv. Agrost. 99 = *Poa violacea*.

*scaber*, Nees, ex Steud. Nom. ed. II. ii. 529 =

*F. Neesiana*.

*Scheuchzeri*, Beauv. Agrost. 99 = *F. pulchella*.

*scirpoides*, Benth. Fl. Austral. vii. 655 = *F. scir-*

*poidea*.

*serotinus*, Beauv. Agrost. 99 = *Diplachne serotina*.

*serotinus*, Rostrop, in Kjoeb. Vidensk. Meddel. 1864

(1864), 119 = *B. asper*.

*spadicus*, Roem. & Schult. Syst. ii. 700 = *F. spadicæa*.

*spicatus*, Roem. & Schult. l. c. 707 = *F. spicata*.

*sterilis*, Fries, Summ. Veg. 76 = *B. sterilis*.

*sylvaticus*, Beauv. Agrost. 99 = *F. sylvatica*.

*tectorum*, Fries, Summ. Veg. 76 = *B. tectorum*.

*tenellus*, Beauv. Agrost. 99 = *F. tenella*, Willd.

*tenuifolius*, Andr. ex Trautv. in Act. Hort. Petrop. ix.

(1884) 327, nomen (Quid ?).—Rossia.

*trichodes*, Schult. Mant. iii. 645 = *Eragrostis may-*

*purensis*.

*triflorus*, Roem. & Schult. Syst. ii. 709 = *F. triflora*.

*unioloides*, Roem. & Schult. l. c. 708 = *B. unioloides*.

*varius*, Beauv. Agrost. 99 = *F. varia*.

*versicolor*, Opiz, Seznam, 89 = *F. varia*.

*violaceus*, Beauv. Agrost. 99 = *F. rubra*.

*violaceus*, Link, Hort. Berol. i. 171 = *Poa violacea*.

SCHEELEA, Karst. in Linnaea, xxviii. (1856) 264.

PALMAE, Benth. & Hook. f. iii. 947.

*attaleoides*, Karst. l. c. 265; Fl. Columb. i. 135. t. 67.

—N. Granat.

*butyracea*, Karst. ex H. Wendl. in Kerch. Palm. 256.

—Hab.?

*Cephalotes*, Karst. in Linnaea, xxviii. (1856) 269.—

Bras.

*excelsa*, Karst. l. c. 267.—N. Granat.

*imperialis*, Hort.—Cf. Gard. Chron. (1875) i. 589.—

N. Granat.

## SCHEELEA:—

*insignis*, Karst. in Linnaea, xxviii. (1856) 269.—Bras.

*macrocarpa*, Karst. l. c. 268.—Venezuela.

*Maripa*, Hort. ex H. Wendl. in Kerch. Palm. 256,

nomen.—Hab.?

*Princeps*, Karst. in Linnaea, xxviii. (1856) 269.—

Bras.

*regia*, Karst. l. c. 266; Fl. Columb. ii. 145. t. 167.—

N. Granat.

SCHEERIA, Seem. in Bot. Mag. t. 4743 (1853) =

*Achimenes*, P. Br. (Gesner.).

*ichthyostoma*, Seem. Bot. Voy. Herald, 185 = *A.*

*ichthyostoma*.

*lanata*, Hanst. in Linnaea, xxvii. (1854) 714 = *A. lanata*.

*mexicana*, Seem. in Bot. Mag. t. 4743 = *A. Scheerii*.

*panamensis*, Seem. Bot. Voy. Herald, 185 = *A. pana-*

*mensis*.

SCHEFFIELDIA, Scop. Introd. 183 (1777), sphalm. =

SHEFFIELDIA, Forst. = *Samolus*, Linn. (Primul.).

SCHEFFLERA, Forst. Char. Gen. 45. t. 23 (1775).

ARALIACEAE, Benth. & Hook. f. i. 940.

*affinis*, Baill. Adansonia, xii. (1876-79) 141.—N.

Caled.

*Andraeana*, Baill. l. c.—N. Caled.

*apiodea*, Baill. l. c. 145.—N. Caled.

*Balansaeana*, Baill. l. c. 142.—N. Caled.

*Candelabrum*, Baill. l. c. 146.—N. Caled.

*crassipes*, Baill. l. c. 144.—N. Caled.

*Cunninghami*, Miq. in Linnaea, xviii. (1844) 89.—

N. Zel.

*Cussoniae*, Baill. Adansonia, xii. (1876-79) 143.—

N. Caled.

*digitata*, Forst. Char. Gen. 46.—N. Zel.

*diphyrena*, Baill. Hist. Pl. vii. 162 = *Heptapleurum*

*diphyrenum*.

*elongatum*, Baill. Adansonia, xii. (1876-79) 144.—

N. Caled.

*Emiliana*, Baill. l. c. 143.—N. Caled.

*Faguetti*, Baill. l. c. 142.—N. Caled.

*Gabriellae*, Baill. l. c. 144.—N. Caled.

*Golip*, Baill. l. c. 142.—Ins. Lifu.

*indivisa*, Baill. l. c. 140.—N. Caled.

*Marcellana*, Baill. l. c.—N. Caled.

*Nono*, Baill. l. c. 141.—N. Caled.

*Pancheri*, Baill. l. c. 143.—N. Caled.

*parvifolia*, Baill. l. c. 144.—N. Caled.

*stellata*, Baill. Hist. Pl. vii. 161 = *Heptapleurum stel-*

*latum*.

*Toto*, Baill. Adansonia, xii. (1876-79) 140.—N.

Caled.



SCHELHAMMERIA, Moench, Meth. Suppl. 119 (1802) = *Carex*, Dill. (Cyperac.).  
*capitata*, Moench, l. c. = *C. cyperoides*.  
*cyperoides*, Dum. Fl. Belg. 145; Reichb. Fl. Germ. Excurs. 72 = *C. cyperoides*.

SCHELLINGIA, Steud. in Flora, xxxiii. (1850) 231. t. 1 = *Aegopogon*, Beauv. (Gramin.).  
*tenera*, Steud. l. c. 232. t. 1 = *A. geminiflorus*.

SCHELVERIA, Nees & Mart. in Flora, iv. (1821) 299, 328 = *Angelonia*, Humb. & Bonpl. (Scrophul.).  
*arguta*, Nees & Mart. l. c. = *A. procumbens*.

SCHENKIA, Griseb. in Bonplandia, i. (1853) 226 = *Erythraea*, Rich. (Gentian.).  
*sebaeoides*, Griseb. l. c. = *E. sebaeoides*.

SCHENODORUS, Beauv. Agrost. 177 (Index) (1812); Roem. & Schult. Syst. ii. 693 (1817).—Cf. Poir. Encyc. Suppl. v. 84 (1817) = *SCHEDONORUS*, Beauv. = *Festuca*, Linn. et *Bromus*, Linn. (Gramin.).

SCHERPERIA, Rafin. Sylva Tellur. 109 (1838), sphalm. = seq.

SCHEPPIERIA, Neck. Elem. ii. 67 (1793) = *Cadaba*, Forsk. (Cappar.).  
*aphylla*, Eckl. & Zeyh. Enum. 14 = *C. juncea*.  
*juncea*, DC. Prod. i. 245 = *C. juncea*.

SCHERARDIA, Neck. Delic. Gallo-Belg. i. 82 (1768), sphalm. = *Sherardia*, Linn. (Rubiace.).

SCHETTI, Adans. Fam. ii. 146 (1763) = *Ixora*, Linn. (Rubiace.).

SCHEUCHLERIA, Heynh. Nom. i. 729 (1840), nomen. *COMPOSITAE* (Quid?).  
*patula*, Heynh. l. c. — China.

SCHEUCHZERA, St. Lag. in Ann. Soc. Bot. Lyon, viii. (1881) 171 = seq.

SCHUECHZERIA, Linn. Syst. ed. I (1735). *NAIADACEAE*, Benth. & Hook. f. iii. 1012.  
*PAPILLARIA*, Dulac, Fl. Hautes-Pyr. 45 (1867).  
*TELMATOPHILA*, Ehrh. Beitr. iv. 147 (1789).  
*asiatica*, Miq. Fl. Ind. Bat. iii. 243 = palustris.  
*palustris*, Linn. Sp. Pl. 338.—Reg. bor. temp.  
*paniculata*, Gilib. Exercit. ii. 502 = palustris.  
*Pseudo-asphodelus*, Scop. Fl. Carn. ed. II. i. 263 = *Tofieldia calyculata*.  
*unicapularis*, Comm. ex Lam. Encyc. iii. 266 = *Rostkovia grandiflora*, Hook. f.

SCHUEKZERIA, Hill, Veg. Syst. xxvi. 13 (1774), sphalm. = praec.

SCHIDIOMYRTUS, Schau. in Linnaea, xvii. (1843) 237 = *Baeckea*, Linn. (Myrtac.).  
*crenulata*, Schau. l. c. 237 = *B. crenulata*.  
*diosmifolia*, Schau. l. c. = *B. decemfida*.  
*ericacea*, F. Muell. ex Miq. in Nederl. Kruidk. Arch. iv. (1859) 148 = *Micromyrtus microphylla*.  
*micrantha*, Schau. in Linnaea, xvii. (1843) 237 = *Thryptomene baeckea*.  
*Sieberi*, Schau. l. c. = *B. crenulata*.  
*tenella*, Schau. l. c. = *Micromyrtus microphylla*.

SCHIDOSPERMUM, Griseb. in Lechl. Berb. Am. Austr. 56 (1857) = *Chlorophytum*, Ker-Gawl. (Liliac.).  
*Sansevieria*, Griseb. l. c. = *C. Schidospermum*.

SCHIECKEA, Karst. in Bot. Zeit. vi. (1848) 398. Genus dubium *SAPINDACEARUM*.—Cf. Benth. & Hook. f. Gen. i. 392.

SCHIECKIA, Benth. & Hook. f. Gen. iii. 674 (1883), sphalm. = *Schiekia*, Meissn. (Haemod.).

SCHIEDEA, Bartl. Ord. 210 (1830) = *Richardsonia*, Kunth (Rubiace.).  
*mexicana*, Bartl. ex DC. Prod. iv. 569 = *R. Haenkeana*.

SCHIEDEA, Cham. & Schlecht. in Linnaea, i. (1826) 46. *CARYOPHYLLEAE*, Benth. & Hook. f. i. 151.  
*EUCLADUS*, Nutt. ex Hook. Ic. Pl. t. 650 (1844).  
*amplexicaulis*, H. Mann, in Proc. Bost. Soc. Nat. Hist. x. (1866) 310.—Ins. Sandvic.

# SCHIEDEA :—

*diffusa*, A. Gray, Bot. U. St. Expl. Exped. i. 138.—Ins. Sandvic.

*globosa*, H. Mann, in Proc. Bost. Soc. Nat. Hist. x. (1866) 311.—Ins. Sandvic.

*Hookeri*, A. Gray, Bot. U. St. Expl. Exped. i. 133.—Ins. Sandvic.

*Kaalae*, Wawra, in Flora, lvi. (1873) 175.—Ins. Sandvic.

*ligustrina*, Cham. & Schlecht. in Linnaea, i. (1826) 46.—Ins. Sandvic.

*Menziesii*, Hook. Ic. Pl. sub t. 649—650.—Ins. Sandvic.

*Nuttallii*, Hook. l. c. t. 649—650.—Ins. Sandvic.

*oahuensis*, Wawra, in Flora, lvi. (1873) 175 = *Nuttallii*.  
*Remyi*, H. Mann, in Proc. Bost. Soc. Nat. Hist. x. (1866) 310.—Ins. Sandvic.

*spergulina*, A. Gray, Bot. U. St. Expl. Exped. i. 135.—Ins. Sandvic.

*stellarioides*, H. Mann, in Proc. Bost. Soc. Nat. Hist. x. (1866) 310.—Ins. Sandvic.

*viscosa*, H. Mann, l. c. 311.—Ins. Sandvic.

SCHIEDEA, A. Rich. in Mém. Soc. Hist. Nat. Par. v. (1834) 186 = *Tertrea*, DC. (Rubiace.).

*martinicensis*, A. Rich. l. c. 187 = *T. martinicensis*.

SCHIEKIA, Meissn. Gen. 397 (1842). *HAEMODORACEAE*, Benth. & Hook. f. iii. 674.

*TROSCHELIA*, Klotzsch, in Rich. Schomb. Reise Guian. 1066 (1848).

*orinocensis*, Meissn. Gen. Comm. 300.—Guian.

SCHIEVERECKIA, Nym. Consp. 54 (1878) = *SCHIEVERECKIA*, Andr. = *Alyssum*, Tourn. (Crucif.).

SCHILLERA, Reichb. Consp. 204 (1828) = *Eriolaena*, DC. (Stercul.).

SCHILLERIA, Kunth, in Linnaea, xiii. (1839) 609 = *Piper*, Linn.

*abutiloides*, Kunth, l. c. 721 = *P. abutiloides*.  
*aequalis*, Kunth, l. c. 687 = *P. aequale*.

*aurita*, Kunth, l. c. 713 = *P. auritum*.  
*barbata*, Kunth, l. c. 712 = *P. barbatum*.

*callosa*, Kunth, l. c. 689 = *P. callosum*.  
*Carpunya*, Kunth, l. c. 693 = *P. Carpunya*.

*catalpaefolia*, Kunth, l. c. 718 = *P. marginatum*.  
*caudata*, Kunth, l. c. 716 = *P. marginatum*.

*Churumayu*, Kunth, l. c. 706 = *P. Churumayu*.  
*colubrina*, Kunth, l. c. 684 = *P. colubrinum*.

*cornifolia*, Kunth, l. c. 697 = *P. cornifolium*.  
*coruscans*, Kunth, l. c. 708 = *P. coruscans*.

*corylifolia*, Kunth, l. c. 699 = *P. dilatatum*.  
*cumanensis*, Kunth, l. c. 632 = *P. cumanense*.

*grandifolia*, Kunth, l. c. 709 = *P. grandifolium*.  
*halesiaefolia*, Kunth, l. c. 681 = *P. halesiaefolium*.

*heterophylla*, Kunth, l. c. 688 = *P. heterophyllum*.  
*Hilariana*, Kunth, l. c. 711 = *P. Hilarianum*.

*inaequalifolia*, Kunth, l. c. 631, in syn. = *Peperomia inaequalifolium*.

*indecora*, Kunth, l. c. 722 = *P. indecorum*.  
*Jussiaeana*, Kunth, l. c. 680 = *P. Jussiaeanum*.

*Karwinskiana*, Kunth, l. c. 700 = *P. Karwinskiannum*.  
*lanceaefolia*, Kunth, l. c. 702 = *P. lanceaefolium*.

*lapathifolia*, Kunth, l. c. 714 = *P. lapathifolium*.  
*laurifolia*, Kunth, l. c. 691 = *P. laurinum*.

*lentaginoides*, Kunth, l. c. 683 = *P. lentaginoides*.  
*leptura*, Kunth, l. c. 679 = *P. lepturum*.

*lineata*, Kunth, l. c. 704 = *P. lineatum*.  
*longifolia*, Kunth, l. c. 725 = *P. longifolium*.

*Lucaeana*, Kunth, l. c. 678 = *P. Lucaeanum*.  
*macrophylla*, Kunth, l. c. 715 = *P. macrophyllum*.

*marginata*, Kunth, l. c. 718 = *P. marginatum*.  
*Martiana*, Kunth, l. c. 691 = *P. Martianum*.

*melastomoides*, Kunth, l. c. 724 = *P. melastomoides*.  
*Mikaniana*, Kunth, l. c. 719 = *P. Mikanianum*.

*oblonga*, Kunth, l. c. 696 = *P. oblongum*.  
*obovata*, Kunth, l. c. 686 = *P. obovatum*.

*persicariaefolia*, Kunth, l. c. 684 = *P. persicariaefolium*.  
*pilulifera*, Kunth, l. c. 722 = *P. piluliferum*.

*populifolia*, Kunth, l. c. 709 = *P. Kunthianum*.  
*riparia*, Kunth, l. c. 707 = *P. grandifolium*.

*rivinoides*, Kunth, l. c. 682 = *P. rivinoides*.  
*rudis*, Kunth, l. c. 703 = *P. rude*.

*ulmifolia*, Kunth, l. c. 698 = *P. dilatatum*.  
*umbrosa*, Kunth, l. c. 726 = *P. umbrosum*.

*variegata*, Kunth, l. c. 695 = *P. variegatum*.  
*velutina*, Kunth, l. c. 701 = *P. velutinum*.

*xylosteoides*, Kunth, l. c. 677 = *P. xylosteoides*.

SCHIMA, Auct. ex Steud. Nom. ed. II. ii. 530 (1841) = *SEHIMA*, Forsk. = *Ischaemum*, Linn. (Gramin.).  
*inscalpta*, Hochst. ex Walp. Ann. iii. 803, 1135 = *I. laxum*.  
*macrostachyum*, Hochst. ex A. Rich. Tent. Fl. Abyss. ii. 472 = *I. laxum*.

SCHIMA, Reinw. ex Blume, Cat. Gew. Buitenz. 80 (1823). *TERNSTROEMACEAE*, Benth. & Hook. f. i. 185.

*antherisosa*, Korth. Verh. Nat. Gesch. Bot. 145.—Sumatra.

*bancana*, Miq. Ann. Mus. Bot. Lugd. Bat. iv. 113.—Malaya.

*crenata*, Korth. Verh. Nat. Gesch. Bot. 143 = *Noronhae*.  
*excelsa*, Blume, Cat. Gew. Buitenz. 80 = *Gordonia excelsa*.

*hypoglauca*, Miq. Fl. Ind. Bat. Suppl. 484 = *Wallichii*.  
*khassiana*, Dyer, in Hook. f. Fl. Brit. Ind. i. 289.—Reg. Himal.

*mollis*, Dyer, l. c. 288.—Burma.

*monticola*, Kurz, in Journ. As. Soc. Beng. xliii. (1874) ii. 93, nomen.—Burma.

*Noronhae*, Reinw. ex Blume, Cat. Gew. Buitenz. 80; *Bijdr.* 130.—Malaya.

*oblata*, Kurz, in Journ. As. Soc. Beng. xxxix. (1870) ii. 65 = *Noronhae*.

*rigida*, Miq. Ann. Mus. Bot. Lugd. Bat. iv. 113.—Java.

*sulcinervia*, Miq. l. c.—Sumatra.

*superba*, Gardn. & Champ. in Hook. Kew Journ. i. (1849) 246 = *Noronhae*.

*Wallichii*, Choisy, in Mém. Soc. Phys. Genève. xiv. (1855) 144 = *Adinandra villosa*.

*Wallichii*, Choisy, in Zoll. Syst. Verz. Ind. Archip. 144.—Reg. Himal.; Malaya.

SCHIMPERA, Hochst. ex Steud. in Endl. Gen. 889 (1839). *CRUCIFERAE*, Benth. & Hook. f. i. 96.

*TRAILLIA*, Lindl. ex Endl. Gen. Suppl. 1419 (1841).

*arabica*, Hochst. & Steud. ex Steud. Nom. ed. II. ii. 530.—Arab.

*persica*, Boiss. Diagn. Ser. I. vi. 18.—Persia.

SCHINNONGIA, Schrank, in Denkschr. Bot. Ges. Regensb. ii. (1822) 223. *IRIDEAE* (Quid?).

*ciliata*, Schrank, l. c.—Afr. austr.

SCHINOPSIS, Engl. in Mart. Fl. Bras. xii. ii. 403 (1876) = *Quebrachia*, Griseb. (Anacard.).

*Balsanea*, Engl. Bot. Jahrb. vi. (1885) 286.—Paraguay.

*brasilensis*, Engl. in Mart. Fl. Bras. xii. ii. 404. t. 87.—Bras.

*Haenkeana*, Engl. l. c. 406.—Peruv.

*Lorentzii*, Engl. Bot. Jahrb. i. (1881) 46 = *Q. Lorentzii*.

*marginata*, Engl. in DC. Monog. Phan. iv. 464.—Reg. Argent.

*peruviana*, Engl. in Mart. Fl. Bras. xii. ii. 405. t. 86. f. 2.—Peruv.

SCHINOS, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 133 = seq.

SCHINUS, Linn. Gen. ed. I. 358 (1737). *ANACARDIACEAE*, Benth. & Hook. f. i. 422.

*DUVAUA*, Kunth, in Ann. Sc. Nat. Sér. I. ii. (1824) 340.

*MOLLE*, [Tourn.] Adans. Fam. ii. 341 (1763).

*SARCOTHECA*, Turcz. in Bull. Soc. Nat. Mosc. (1858) i. 474.

*Areira*, Linn. Sp. Pl. 389 = *S. Molle*.

*Aroeira*, Vell. Fl. Flum. x. t. 135 = *terebinthifolius*.

*aurantiodorus*, Ruiz, ex Engl. in DC. Monog. Phan. iv. 326 = *Mauria aurantiodora*.

*benghalensis*, Buch.-Ham. in Trans. Linn. Soc. xvii. (1835) 194 = *Protium serratum*.

*bituminosus*, Salisb. Prod. 171 = *S. Molle*.

*Bonplandianus*, March. Rev. Anacard. 164 = *dependens*.

*Chichita*, Speg. in Anal. Soc. Cient. Argent. xvi. (1883) 96.—Reg. Argent.

*chilensis*, March. Rev. Anacard. 164 = *latifolius*.

*crenatus*, Engl. Bot. Jahrb. i. (1881) 423.—Chili.

*dentatus*, Andr. Bot. Rep. t. 620.—Ins. Sandvic.

*dependens*, Orteg. Hort. Matr. Dec. 102.—Bras.

*discolor*, Benth. Bot. Voy. Sulph. 11.—Calif.

*Fagara*, Linn. Sp. Pl. 389.—Jamaica.

*Huygan*, Molina, Sagg. Chil. ed. I. 169, 355 = *dependens*.

**SCHINUS** :—

- indicus*, Burm. f. Fl. Ind. 215 (err. typ. 315) (Quid?).—Ind. or.  
*latifolius*, Engl. in Mart. Fl. Bras. xii. II. 389.—Chili.  
*lentiscifolius*, March. Rev. Anacard. 164.—Bras.  
*leucocarpus*, Mart. ex Engl. in Mart. Fl. Bras. xii. II. 394 = *Lithraea Aroeirinha*.  
*Limonia*, Linn. Sp. Pl. 389 = *Limonia acidissima*.  
*Lithi*, Domb. ex March. Rev. Anacard. 183 = *Lithraea venenosa*.  
*Mellisii*, Engl. Bot. Jahrb. i. (1881) 423.—Ins. S. Helena.  
*Molle*, Hort. ex Engl. in DC. Monog. Phan. iv. 346 = *Lithraea Aroeirinha*.  
*Molle*, Linn. Sp. Pl. 388.—Am. trop.  
*mollaeoides*, Vell. Fl. Flum. x. t. 134 (*moleoides*) = *Lithraea Aroeirinha*.  
*montanus*, Engl. Bot. Jahrb. i. (1881) 422.—Chili.  
*mucronulata*, Mart. Syst. Mat. Med. Bras. 52 = *terebinthifolius*.  
*myricoides*, Linn. Sp. Pl. 388 = *Cuscuta africana*.  
*Niara*, Buch.-Ham. in Trans. Linn. Soc. xvii. (1835) 194 = *Protium serratum*.  
*Pearcei*, Engl. Bot. Jahrb. i. (1881) 423.—Peruv.  
*procerus*, March. Rev. Anacard. 164 = *Cyrtocarpa procera*.  
*pubescens*, Spreng. ex Engl. in Mart. Fl. Bras. xii. II. 176 = *Zanthoxylum rhoifolium*.  
*rhoifolius*, Mart. in Flora, xx. (1847) II. Beibl. 101 = *terebinthifolius*.  
*Saheria*, Buch.-Ham. in Trans. Linn. Soc. xvii. (1835) 193 = *Protium serratum*.  
*sinuatus*, Engl. Bot. Jahrb. i. (1881) 423.—Reg. Argent.  
*spinus*, Engl. in Mart. Fl. Bras. xii. II. 388.—Bras.  
*tenuifolius*, Steud. Nom. ed. II. ii. 530, sphalm. = *ternifolius*.  
*terebinthifolius*, Raddi, in Mem. Mod. xviii. Fis. (1820) 399.—Bras.  
*ternifolius*, Gill. ex Hook. Bot. Misc. iii. (1833) 177 = *Lithraea Aroeirinha*.  
*tragodes*, Linn. Sp. Pl. 389 = *Zanthoxylum tragodes*.  
*virgatus*, Sweet, Hort. Brit. ed. I. 98, nomen.—Peruv.  
*weinmanniaefolius*, Engl. in Mart. Fl. Bras. xii. II. 385.—Bras.

**SCHINZIA**, Dennst. Schlus. Hort. Malab. 31 (1818) = *Alsodeia*?, Thou. (Violar.).  
*inconspicua*, Dennst. l. c. (Quid?).—Ind. or.

**SCHISACHYRIUM**, Munro, in Journ. Linn. Soc. vi. (1862) 53, sphalm. = **SCHIZACHYRIUM**, Nees = **Andropogon**, Linn. (Gramin.).

**SCHISANDRA**, Michx. Fl. Bor. Am. ii. 218. t. 47 (1803) = **Schizandra**, Michx. (Magnol.).

**SCHISANTHES**, Haw. Suppl. Pl. Succ. 128 (1819) = **Narcissus**, Tourn. (Amaryll.).  
*orientalis*, Haw. l. c. 129 = *N. Tazetta*.

**SCHISMATOCLAEA**, Baker, in Journ. Linn. Soc. xx. (1883) 159. **RUBIACEAE**.  
*concinna*, Baker, l. c. xxi. (1885) 407.—Madag.  
*psychotrioides*, Baker, l. c. xx. (1883) 160.—Madag.  
*viburnoides*, Baker, l. c. xxi. (1885) 407.—Madag.

**SCHISMATOGLOTTIS**, Zoll. & Mor. Syst. Verz. Zoll. Ind. Archip. 83 (1854). **AROIDEAE**, Benth. & Hook. f. iii. 984.

*apoballis*, Schott, in Oestr. Bot. Zeitschr. viii. (1858) 318.  
*COLOBOGYNIUM*, Schott, l. c. xv. (1865) 34.  
*ZANTEDESCHIA*, C. Koch, Ind. Sem. Hort. Berol. (1854) App. 9.  
*acuminatissima*, Schott, in Miq. Ann. Mus. Bot. Lugd. Bat. i. 281.—Borneo.  
*asperata*, Engl. in Bull. Soc. Tosc. Ort. iv. (1879) 297.—Borneo.  
*barbata*, Engl. l. c. 298.—Borneo.  
*Beccariana*, Engl. l. c. 297.—Borneo.  
*calyptata*, Zoll. & Mor. Syst. Verz. Ind. Archip. 83.—Malaya.  
*concinna*, Schott, in Miq. Ann. Mus. Lugd. Bat. i. 281 = *acuminatissima*.  
*conoidea*, Engl. in Bull. Soc. Tosc. Ort. iv. (1879) 298.—Borneo.

VOL. II.

**SCHISMATOGLOTTIS** :—

- crispata*, Hook. f. Bot. Mag. t. 6576.—Borneo.  
*decora*, Bull. Cat. (1884) 16; et in Gard. Chron. (1884) i. 711.—Borneo.  
*elongata*, Engl. in Bull. Soc. Tosc. Ort. iv. (1879) 298 = *Rhynchophyle elongata*.  
*Lansbergiana*, Linden, Cat. n. 109 (1883) 5; et in Gard. Chron. (1883) i. 510 = *Lavallei*.  
*latifolia*, Miq. Fl. Ind. Bat. iii. 214 = *rupestris*.  
*Lavallei*, Linden, in Illustr. Hort. xxviii. (1881) t. 418.—Malaya.  
*longipes*, Miq. Fl. Ind. Bat. iii. 214 = *calyptata*.  
*longipatha*, Bull. Cat. (1881) 20, 6, cum ic.; et in Illustr. Hort. xxix. (1882) 159. t. 466.—Borneo.  
*marginata*, Engl. in Bull. Soc. Tosc. Ort. iv. (1879) 298 = *Rhynchophyle marginata*.  
*modesta*, Schott, in Miq. Ann. Mus. Bot. Lugd. Bat. i. 125.—Borneo.  
*neoguineensis*, N. E. Br. in Gard. Chron. (1885) II. 776.—N. Guin.  
*ovata*, Schott, in Miq. Ann. Mus. Bot. Lugd. Bat. i. 125.—Borneo.  
*picta*, Schott, in Oestr. Bot. Zeitschr. xiii. (1863) 317.—Java.  
*picta*, Teijsm. & Binn. in Tijdschr. Nederl. Ind. xxvii. (1864) 25 (an praec.?).—Java.  
*pulchra*, N. E. Br. in Illustr. Hort. xxxi. (1884) t. 520.—Borneo.  
*pusilla*, Engl. Bot. Jahrb. i. (1881) 184.—Ins. Philipp.  
*riparia*, Schott, in Miq. Ann. Mus. Bot. Lugd. Bat. i. 281 = *calyptata*.  
*rupestris*, Zoll. & Mor. ex Zoll. Syst. Verz. Ind. Archip. 77.—Java.  
*siamensis*, Bull. Cat. (1885) 15 (*Aglaonematis* sp.?).—Siam.  
*sumatrana*, Schott, in Miq. Ann. Mus. Bot. Lugd. Bat. iii. 80.—Sumatra.  
*variegata*, Hook. ex Engl. in DC. Monog. Phan. ii. 353.—Borneo.  
*variegata*, Hort. ex N. E. Br. in Gard. Chron. (1885) II. 776 = *neoguineense*.

**SCHISMATOPERA**, Klotzsch, in Wieg. Archiv. vii. (1841) 178 = *Pera*, Mutis (Euphorb.).  
*distichophylla*, Hochst. in Hook. Lond. Journ. Bot. ii. (1843) 44 = *P. distichophylla*.  
*laurina*, Benth. in Hook. Kew Journ. vi. (1854) 324 = *P. distichophylla*.  
*Martiana*, Klotzsch, in Wieg. Arch. vii. (1841) 178 = *P. distichophylla*.

**SCHISMAXON**, Steud. in Bot. Zeit. xvi. (1856) 391, nomen = **Xyris**, Gronov.  
*distichoides*, Steud. l. c. = *X. subulata*.

**SCHISMOCERAS**, Presl, Rel. Haenk. i. 96. t. 13. f. 2 (1827) = **Dendrobium**, Sw. (Orchid.).  
*disticha*, Presl, l. c. = *D. distichum*.

**SCHISMUS**, Beauv. Agrost. 73. t. 15. f. 4 (1812). **GRAMINEAE**, Benth. & Hook. f. iii. 1195.  
*ELECTRA*, Panz. in Denkschr. Akad. Muench. (1813) 299.

*HEMISACRIS*, Steud. in Flora, xii. (1829) 490.  
*arabicus*, Nees, Fl. Afr. Austr. 422 = *minutus*.  
*brevifolius*, Nees, l. c.—Afr. austr.  
*calycinus*, Coss. in Expl. Sc. Alg. 138 (an seq.?).—Marocc.  
*calycinus*, Coss. & Dur. ex Coss. in Bull. Soc. Bot. Fr. iv. (1857) 399 = *marginatus*.  
*fasciculatus*, Beauv. Agrost. 74 = *marginatus*, Panicum sanguinale.  
*Gouani*, Trin. Fund. Agrost. 148 = *Deschampsia juncea*.  
*hirsutus*, Trin. l. c. 148 = *minutus*.  
*marginatus*, Beauv. Agrost. 74. t. 15.—Europ. austr.; As. med.; Afr. austr.  
*marginatus*, Willk. in Flora, xxxv. (1852) 530 = *Koeleria cantabrica*.  
*minutus*, Roem. & Schult. Syst. ii. 584.—Reg. Caucas.  
*ovalis*, Nees, Fl. Afr. Austr. 421.—Afr. austr.  
*patens*, J. & C. Presl, Rel. Haenk. i. 371 = *Leptochloa patens*.  
*scaberrimus*, Nees, Fl. Afr. Austr. 423.—Afr. austr.  
*spectabilis*, Fig. & De Not. in Mem. Acc. Torin. Ser. II. xii. (1852) 255 = *minutus*.  
*tenuis*, Steud. Syn. Pl. Gram. 295.—Afr. austr.  
*Villarsii*, Trin. Fund. Agrost. 148 = *Deschampsia juncea*.

**SCHISTACHNE**, Fig. & De Not. in Mem. Acc. Torin. Ser. II. xii. (1852) 252 = **Aristida**, Linn. (Gramin.).  
*ciliata*, Fig. & De Not. l. c. = *A. ciliata*.

**SCHISTANTHE**, Kunze, Ind. Sem. Hort. Lips. (1841).—Cf. *Linnaea*, xvi. (1842) Litt. 109 = **Alonsoa**, Ruiz & Pav. (Scrophul.).  
*peduncularis*, Kunze, ll. cc.—Afr. austr.

**SCHISTOCARPHA**, Less. in *Linnaea*, vi. (1831) 409. **COMPOSITAE**, Benth. & Hook. f. ii. 437.  
*NEILREICHTIA*, Fenzl, in Denkschr. Akad. Wien. i. (1850) 258. t. 30.  
*bicolor*, Less. in *Linnaea*, vi. (1831) 409.—Mexic.

**SCHISTOCARPIA**, Pritz. Ic. Ind. i. 999 (1855) = *praec.*

**SCHISTOCODON**, Schau. in Nov. Act. Nat. Cur. xix. Suppl. i. (1843) 362 = **Toxocarpus**, Wight & Arn. (Asclep.).  
*Meyenii*, Schau. l. c. 363 = *T. Wightianus*.

**SCHISTOGYNE**, Hook. & Arn. in Hook. Journ. Bot. i. (1834) 292. **ASCLEPIADEAE**, Benth. & Hook. f. ii. 758.  
*Decaisneana*, Karst. Fl. Columb. ii. 121.—Bras.  
*syvestris*, Decne. in DC. Prod. viii. 588 = *Decaisneana*.  
*syvestris*, Hook. & Arn. in Hook. Journ. Bot. i. (1834) 292.—Uruguay.

**SCHISTOPHRAGMA**, Benth. ex Endl. Gen. 679 (1839) = **Conobea**, Aubl. (Scrophul.).  
*pusilla*, Benth. in DC. Prod. x. 392 = *C. pusilla*.

**SCHISTOSTEPHIUM**, Less. Syn. Comp. 251 (1832). **COMPOSITAE**, Benth. & Hook. f. ii. 432.  
*argyreum*, Fenzl, ex Harv. & Sond. Fl. Cap. iii. 168 = *flabelliforme*.  
*crataegifolium*, Fenzl, ex Harv. & Sond. l. c. 169.—Afr. austr.  
*flabelliforme*, Less. Syn. Comp. 251.—Afr. austr.  
*rotundifolium*, Fenzl, ex Harv. & Sond. Fl. Cap. iii. 169.—Afr. austr.

**SCHIVERECKIA**, Andr. ex DC. Syst. ii. 300 (1821) = **Alyssum**, Tourn. (Crucif.).  
*contorta*, Andr. ex Ledeb. Fl. Ross. i. 136, in nota.—Kamtschat.  
*iberidea*, Boiss. Diagn. Ser. II. v. 29 (= *Ptilotrichum cappadocicum*).—As. Min.  
*imeretica*, Rupr. Fl. Cauc. 106, 291 = *Draba imeretica*.  
*podolica*, Andr. & Bess. ex DC. Syst. ii. 300 = *A. podolicum*.  
*spatulata*, Andr. ex DC. Syst. ii. 304 = *A. spatulatum*.

**SCHIWERECKIA**, Andr. ex DC. in Ann. Mus. Par. vii. (1821) 232 = *praec.*

**SCHIWERETZKIA**, Rupr. Fl. Cauc. 106 (1869) = *praec.*

**SCHIZACHYRIUM**, Nees, Agrost. Bras. 331 (1829) = **Andropogon**, Linn. (Gramin.).  
*brevifolium*, Nees, l. c. 332 = *A. brevifolius*.  
*condensatum*, Nees, l. c. 333 = *A. condensatus*.  
*filiforme*, Nees, l. c. 338 = *A. tener*.  
*hirtiflorum*, Nees, l. c. 334 = *A. hirtiflorus*.  
*intermedium*, Nees, l. c. = *A. consanguineus*.  
*Myosurus*, Nees, in *Linnaea*, xix. (1847) 695 = *A. hirtiflorus*.  
*paradoxum*, Buese, in Miq. Pl. Jungh. 359 = *A. brevifolius*.  
*semiberbe*, Nees, Agrost. Bras. 336 = *A. semiberbis*.  
*striatum*, Nees, l. c. 332 = *Ischaemum laxum*.  
*tenerum*, Nees, l. c. 336 = *A. tener*.  
*zeylanicum*, Nees, ex Steud. Nom. ed. II. ii. 530; Wight & Arn. ex Steud. Syn. Pl. Gram. 365 = *A. Pseudo-graya*.

**SCHIZANDRA**, Michx. Fl. Bor. Am. ii. 218. t. 47 (1803) (*Schisandra*); DC. Syst. i. 544 (1818) **MAGNOLIACEAE**, Benth. & Hook. f. i. 19.  
*COSBAEA*, Lem. Illustr. Hort. ii. (1855) 71.  
*MAXIMOVITZIA*, Benth. & Hook. f. Gen. i. 19 (1862), sphalm.

**SCHIZANDRA** :—

- MAXIMOWICZIA, Rupr. in Bull. Phys.-Math. Acad. Pétersb. xv. (1856) 142, 124.  
 SPHAEROSTEMA, Blume, Bijdr. 22 (1825).  
 STELLANDRIA, Brickell, in Med. Repos. N. York, vi. (1803) 327.  
 axillaris, Hook. f. & Thoms. in Hook. f. Fl. Brit. Ind. i. 45.—Reg. Himal.; Java.  
 chinensis, C. Koch, Dendrol. i. 386; Baill. Hist. Pl. i. 148.—China; Japon.  
 coccinea, Michx. Fl. Bor. Am. ii. 219, t. 47; Sims, Bot. Mag. t. 1413.—Am. bor.  
 elongata, Hook. f. & Thoms. in Hook. f. Fl. Brit. Ind. i. 44.—Reg. Himal.; Java.  
 grandiflora, Hook. f. & Thoms. l. c.—Reg. Himal.  
 Hanceana, Baill. Hist. Pl. i. 150.—China.  
 japonica, Baill. l. c. = Kadsura japonica.  
 japonica, Hance, in Journ. Bot. xviii. (1880) 258 = chinensis.  
 nigra, Maxim. in Bull. Acad. Pétersb. xvii. (1872) 144.—Japon.  
 propinqua, Hook. f. & Thoms. in Hook. f. Fl. Brit. Ind. i. 45.—Reg. Himal.

SCHIZANGIUM, Bartl. ex DC. Prod. iv. 571 (1830) = **Mitracarpum**, Zucc. (Rubiaceae).  
 durum, Bartl. ex DC. l. c. 572 = M. Schizangium.

SCHIZANTHERA, Turcz. in Bull. Soc. Nat. Mosc. (1862) ii. 322 = **Miconia**, Ruiz & Pav. (Melastom.).  
 bullata, Turcz. l. c. = M. bullata.

SCHIZANTHES, Endl. Gen. 179 (1837) = SCHISANTHES, Haw. = **Narcissus**, Tourn. (Amaryll.).

**SCHIZANTHUS**, Ruiz & Pav. Prod. 6. t. 1 (1794).  
 SOLANACEAE, Benth. & Hook. f. ii. 909.  
 SCIZANTHUS, Pers. Syn. ii. 161 (1807).

- alpestris, Poepp. ex Benth. in DC. Prod. x. 202.—Chili.  
 calycosus, Phil. in Anal. Univ. Chil. (1873) 529.—Chili.  
 candidus, Lindl. Bot. Reg. (1843) t. 45.—Chili.  
 duodecemfidus, Stokes, Bot. Comment. i. 117 = pin-natus.  
 Evansianus, Paxt. Mag. Bot. viii. (1841) 171 (sp. dub.).  
 —Hab.?  
 Gayanus, Phil. in Linnaea, xxx. (1859–60) 198.—Chili.  
 Gilliesii, Phil. l. c. xxix. (1857–58) 28.—Chili.  
 gracilis, Clos, in C. Gay, Fl. Chil. v. 153.—Chili.  
 Grahami, Gill. in Hook. Bot. Mag. t. 3044.—Chili.  
 Hookeri, Gill. ex R. Grah. in Edinb. N. Phil. Journ. (Apr.–June; 1830) 176; et in Bot. Mag. t. 3070.—Chili.  
 humilis, Hort. ex Steud. Nom. ed. II. ii. 530 = pinnatus.  
 incanus, Hort. ex C. Morr. in Belg. Hort. ii. (1852) 42. t. 6. f. 2 = retusus.  
 integrifolius, Phil. in Anal. Univ. Chil. (1873) 530.—Chili.  
 lacteus, Phil. Fl. Atac. 45.—Chili.  
 laetus, Phil. l. c.—Chili.  
 latifolius, Phil. in Linnaea, xxxiii. (1864–65) 214.—Chili.  
 lilacinus, Kunze, in Linnaea, xxiv. (1851) 229.—Chili.  
 major, Hoffmgg. ex Steud. Nom. ed. II. ii. 530 = pinna-tus.  
 pinnatifidus, Lindl. Bot. Reg. (1843) sub. t. 45 = pinnatus.  
 pinnatus, Ruiz & Pav. Fl. Per. i. 13. t. 17.—Chili.  
 porrigens, R. Grah. in Edinb. Phil. Journ. xi. (1824) 401; Hook. Exot. Fl. t. 86 = pinnatus.  
 Priestii, Paxt. Mag. Bot. i. (1835) t. 31 = pinnatus.  
 retusus, Hook. Bot. Mag. t. 3045.—Chili; Peruv.  
 violaceus, Hort.—Cf. Gard. Chron. (1853) 758 = pinnatus.

**SCHIZOBASIS**, Baker, in Journ. Bot. xi. (1873) 105.  
 LILIACEAE, Benth. & Hook. f. iii. 786.  
 ADENOTHECA, Welw. ex Baker, in Trans. Linn. Soc. Ser. II. i. (1878) 255.  
 angolensis, Baker, in Trans. Linn. Soc. Ser. II. i. (1878) 255.—Afr. trop.  
 cuscutoideus, Benth. & Hook. f. Gen. iii. 786.—Afr. austr.

**SCHIZOBASIS** :—

- flagelliformis, Baker, in Journ. Linn. Soc. xv. (1876) 261.—Afr. austr.  
 intricata, Baker, in Journ. Bot. xii. (1874) 368.—Afr. austr.  
 Macowani, Baker, l. c. xi. (1873) 105.—Afr. austr.

SCHIZOCALYX, Berg, in Linnaea, xxvii. (1854) 319 = **Calycorectes**, Berg (Myrtac.).  
 Pohlianus, Berg, l. c. 320.—Bras.

SCHIZOCALYX, Hochst. in Flora, xxvii. (1844) Beil. 1 = **Dobera**, Juss. (Salvador.).  
 coriaceus, Hochst. l. c. 2 = D. Roxburghii.

SCHIZOCALYX, Scheele, in Flora, xxvi. (1843) 575 = **Origanum**, Tourn. (Labiata).  
 smyrnaeus, Scheele, l. c. = O. Onites.  
 syriacus, Scheele, l. c. = O. Maru?

**SCHIZOCALYX**, Wedd. in Ann. Sc. Nat. Sér. IV. i. (1854) 73. RUBIACEAE, Benth. & Hook. f. ii. 39.  
 bracteosa, Wedd. l. c. 74.—N. Granat.  
 neo-caledonica, Brongn. & Gris, l. c. Sér. V. xiii. (1870–71) 882.—N. Caled.  
 rubiginosa, Brongn. & Gris, l. c. 380.—N. Caled.

**SCHIZOCAPSA**, Hance, in Journ. Bot. xix. (1881) 292. TACCACEAE, Benth. & Hook. f. iii. 741.  
 plantaginea, Hance, l. c.—China.

**SCHIZOCARPUM**, Schrad. Ind. Sem. Hort. Gotting. (1830).—Cf. Linnaea, vi. (1831) Litt. 73 = CUCURBITACEAE, [Benth. & Hook. f. i. 825].  
 filiforme, Schrad. l. c.—Mexic.  
 Liebmannii, Cogn. in DC. Monog. Phan. iii. 553.—Mexic.

SCHIZOCARYA, Spach, in Nouv. Ann. Mus. Par. iv. (1835) 325 = **Gaura**, Linn. (Onagrar.).  
 crispa, Spach, l. c. 384 = G. crispa.  
 Drummondii, Spach, l. c. 382 = G. Drummondii.  
 Kunthii, Spach, l. c. 383 = G. coccinea.  
 micrantha, Spach, l. c. 382 = G. parviflora.

**SCHIZOCASIA**, Schott, in Bonplandia, x. (1862) 148.  
 AROIDEAE, Benth. & Hook. f. iii. 978.  
 acuta, Engl. Bot. Jahrb. i. (1881) 186.—N. Guin.  
 Portei, Schott, in Bonplandia, x. (1862) 148.—Ins. Philipp.

SCHIZOCENTRON, Meissn. Gen. Comm. 355 (1843) = **Heeria**, Schlecht. (Melastom.).  
 elegans, Meissn. l. c. = H. elegans.

**SCHIZOCHILUS**, Sond. in Linnaea, xix. (1847) 78.  
 ORCHIDEAE, Benth. & Hook. f. iii. 632.  
 Zeyheri, Sond. l. c.—Afr. austr.

SCHIZOCHITON, Spreng. Syst. iv. Cur. Post. 251 (1827) = **Chisocheton**, Blume (Meliac.).

SCHIZOCHLAENA, Spreng. Syst. ii. 595 (1825) = **Schizolaena**, Thou. (Chlaenac.).

**SCHIZOCODON**, Sieb. & Zucc. in Abh. Akad. Muench. iii. (1843) 723. t. 2. DIAPENSIACEAE, Benth. & Hook. f. ii. 620.  
 ilicifolius, Maxim. in Bull. Acad. Pétersb. xii. (1868) 71.—Japon.  
 soldanelloides, Sieb. & Zucc. in Abh. Akad. Muench. iii. (1843) 725. t. 2. f. 1.—Japon.  
 uniflorus, Maxim. in Bull. Acad. Pétersb. xii. (1868) 71.—Japon.

SCHIZODIUM, Lindl. Gen. et Sp. Orch. 358 (1838) = **Disa**, Berg. (Orchid.).  
 arcuatum, Lindl. Gen. et Sp. Orch. 359 = D. torta.  
 bifidum, Reichb. f. in Flora, lxvi. (1883) 460 = D. bifida.  
 clavigerum, Lindl. Gen. et Sp. Orch. 360.—Afr. austr.  
 flexuosum, Lindl. l. c. 359 = D. flexuosa.  
 Gueinzii, Reichb. f. in Linnaea, xx. (1847) 694.—Afr. austr.

**SCHIZODIUM** :—

- inflexum, Lindl. Gen. et Sp. Orch. 360 = Disa inflexa.  
 longipetalum, Lindl. l. c. 359 = D. torta?  
 maculatum, Lindl. l. c. 360 = D. maculata.  
 obliquum, Lindl. l. c. 359 = D. bifida?  
 obtusatum, Lindl. l. c. = D. bifida?  
 rigidum, Lindl. l. c. 360 = D. bifida.  
 torta, Steud. Nom. ed. II. ii. 530 = D. torta.

**SCHIZOGLOSSUM**, E. Mey. Comm. Pl. Afr. Austr. 218 (1837). ASCLEPIADEAE, Benth. & Hook. f. ii. 753.

ASPIDOGLOSSUM, E. Mey. Comm. Pl. Afr. Austr. 200 (1837).  
 LAGARINTHUS, E. Mey. l. c. 202 (1837).  
 MACKENIA, Harv. Gen. S. Afr. Pl. ed. II. 233 (1868).  
 RHINOLOBIUM, Arn. in Mag. Zool. & Bot. ii. (1838) 420.

atropurpureum, E. Mey. Comm. Pl. Afr. Austr. 219.—Afr. austr.  
 bidens, E. Mey. l. c. 220.—Afr. austr.  
 cordifolium, E. Mey. l. c. 219 = Cynanchum cordifolium.  
 euphorbioides, E. Mey. l. c.—Afr. austr.  
 Gerrardi, Benth. & Hook. f. Gen. ii. 753 (Gerardi) = Gomphocarpus Gerrardi.  
 Grantii, Oliver, in Trans. Linn. Soc. xxix. (1875) 109.—Afr. trop.  
 hamatum, E. Mey. Comm. Pl. Afr. Austr. 220.—Afr. austr.  
 hirsutum, Turcz. in Bull. Soc. Nat. Mosc. xxi. (1848) 1. 256.—Afr. austr.  
 interruptum, Benth. & Hook. f. Gen. ii. 753.—Afr. austr.  
 Petherickianum, Oliver, in Trans. Linn. Soc. xxix. (1875) 109.—Afr. trop.  
 virens, E. Mey. Comm. Pl. Afr. Austr. 219.—Afr. austr.

SCHIZOGYNE, Cass. in Dict. Sc. Nat. lvi. 23 (1828) = **Inula**, Linn. (Compos.).  
 glaberrima, DC. Prod. v. 473.—Ins. Canar.  
 obtusifolia, Cass. in Dict. Sc. Nat. lvi. 23.—Ins. Canar.  
 sericea, DC. Prod. v. 473 = obtusifolia.

SCHIZOICA, Alef. in Oestr. Bot. Zeitschr. xii. (1862) 249 = **Napaea**, Linn. (Malvac.).  
 laevis, Alef. l. c. = N. dioica.  
 palmata, Alef. l. c. = N. dioica.

**SCHIZOLAENA**, Thou. Hist. Vég. Afr. 43. t. 12 (1807). CHLAENACEAE, Benth. & Hook. f. i. 195.

SCHIZOCHLAENA, Spreng. Syst. ii. 595 (1825).  
 cauliflora, Thou. Hist. Vég. Afr. 43. t. 12.—Madag.  
 elongata, Thou. l. c. 44.—Madag.  
 exinvolucrata, Baker, in Journ. Linn. Soc. xx. (1883) 97.—Madag.  
 rosea, Thou. Hist. Vég. Afr. 43. t. 12.—Madag.

SCHIZOLEPIS, Schrad. ex Nees, in Mart. Fl. Bras. ii. i. 186. t. 26 (1842) = **Scleria**, Berg. (Cyperac.).  
 abortiva, Nees, l. c. 187 = Scleria abortiva.  
 arguta, Nees, l. c. 189 = Scleria arguta.  
 foliosa, Nees, l. c. 188 = Scleria plusiophylla.  
 latifolia, Nees, l. c. 186 = Scleria arundinacea.  
 myricocarpa, Nees, l. c. 189 = Scleria myricocarpa.  
 olyroides, Nees, l. c. 187 = Scleria olyroides.  
 panicoides, Nees, l. c. 188 = Scleria panicoides.  
 rufescens, Schrad. ex Nees, l. c. 187 = Scleria olyroides.  
 Sieberi, Nees, in Mart. Fl. Bras. ii. i. 188 = Scleria Sieberi.  
 silvestris, Nees, l. c. 223–224 = Scleria sylvestris.  
 trigonocarpa, Nees, l. c. 186 = Scleria arundinacea.

**SCHIZOLOBIUM**, Vog. in Linnaea, xi. (1837) 399. LEGUMINOSAE, Benth. & Hook. f. i. 569.  
 excelsum, Vog. l. c.—Bras.  
 glutinosum, Tul. in Arch. Mus. Par. iv. (1846) 157.—Bras.?

**SCHIZOMERIA**, D. Don, in Edinb. N. Phil. Journ. (Apr.–June, 1830) 94. SAXIFRAGEAE, Benth. & Hook. f. i. 651.  
 ovata, D. Don, l. c. 95.—Austral.

SCHIZONEPHOS, Griff. Notul. iv. 383 (1854) = *Piper*, Linn.  
*glaucescens*, Griff. l. c. = *P. Schizonephos*.

SCHIZONOTUS, A. Gray, in Proc. Am. Acad. xii. (1876) 66. *ASCLEPIADEAE*.  
*purpurascens*, A. Gray, l. c. = Calif.

SCHIZONOTUS, Lindl. ex Wall. Cat. n. 703 (1830) = *Spiraea*, Linn. (Rosac.).  
*discolor*, Rafin. New Fl. Am. iii. 75 = *Sp. discolor*.  
*Lindleyanus*, Wall. ex Steud. Nom. ed. II. ii. 531 = *Sp. sorbifolia*.  
*sorbifolius*, Lindl. ex Wall. Cat. n. 703 = *Sp. sorbifolia*.  
*tomentosus*, Lindl. Bot. Reg. (1840) Misc. 71 = *Sp. sorbifolia*.

SCHIZOPEPON, Maxim. Prim. Fl. Amur. 110 (1859). *CUCURBITACEAE*, Benth. & Hook. f. i. 839.  
*bryoniaefolius*, Maxim. l. c. 111. t. 6. = Manchuria.

SCHIZOPETALON, Sims, Bot. Mag. t. 2379 (1823). *CRUCIFERAE*, Benth. & Hook. f. i. 76.  
*PERREYMONDIA*, Barn. in Ann. Sc. Nat. Sér. III. iii. (1845) 168.  
Gaynum, Barn. in C. Gay, Fl. Chil. i. 145. = Chili.  
*maritimum*, Barn. in Ann. Sc. Nat. Sér. III. iii. (1845) 167. = Chili.  
*Walcheri*, Barn. l. c. 168, sphalm. = seq.  
*Walkeri*, Sims, Bot. Mag. t. 2379; Hook. Exot. Fl. i. t. 74. = Chili.

SCHIZOPETALUM, DC. Prod. i. 236 (1824) = praec.

SCHIZOPHRAGMA, Sieb. & Zucc. Fl. Jap. 58. t. 26 (1835). *SAXIFRAGEAE*, Benth. & Hook. f. i. 641.  
*hydrangoides*, Sieb. & Zucc. l. c. 60. = Japon.

SCHIZOPHYLLUM, Nutt. in Trans. Am. Phil. Soc. N. S. vii. (1841) 452 = *Lipochaeta*, DC. (Compos.).  
*micranthum*, Nutt. l. c. 453 = *L. micrantha*.

SCHIZOPLEURA, Endl. Gen. 1228 (1840) = *Beaufortia*, R. Br. (Myrtac.).  
*Dampieri*, Walp. Rep. ii. 162 = *B. Dampieri*.  
*macrostemon*, Walp. l. c. = *B. macrostemon*.  
*purpurea*, Walp. l. c. = *B. purpurea*.

SCHIZOPOGON, Reichb. Consp. 52 (1828) = *Andropogon*, Linn. (Gramin.).  
*decumbens*, Reichb. ex Steud. Nom. ed. II. ii. 531 = *A. brevifolius*.

SCHIZOPSERA, Turcz. in Bull. Soc. Nat. Mosc. xxiv. (1851) i. 181 = *Schizoptera*, Turcz. (emend. a C. Muell.).

SCHIZOPSIS, Bur. ex Baill. Adansonia, v. (1864-65) 371. t. 10, 11 = *Tynanthus*, Miers (Bignon.).  
*chimonantha*, Bur. ex Baill. l. c. 375. = Bras.  
*fasciculata*, Bur. ex Baill. l. c. 379. = Bras.  
*Goudotiana*, Bur. ex Baill. l. c. 374. = N. Granat.  
*labiata*, Bur. ex Baill. l. c. 373. = Bras.  
*panurensis*, Bur. ex Baill. l. c. = Bras.  
*polyantha*, Bur. ex Baill. l. c. 378. = Peruv.  
*Regnelliana*, Bur. ex Baill. l. c. 379. = Bras.

SCHIZOPTERA, Turcz. in Bull. Soc. Nat. Mosc. xxiv. (1851) i. 181 (Schizopsera). *COMPOSITAE*, Benth. & Hook. f. ii. 349.  
*trichotoma*, Turcz. l. c. 182. = Ecuador.

SCHIZOSPERMUM, Boiv. ex Baill. Adansonia, xii. (1879) 235 = *Cremaspora*, Benth. (Rubiace.).  
*tubulosum*, Boiv. ex Baill. l. c. = *C. tubulosa*.

SCHIZOSTACHYUM, Nees, Agrost. Bras. 535 (1829). *GRAMINEAE*, Benth. & Hook. f. iii. 1214.  
*CHLOOTHAMNUS*, Buese, in Miq. Pl. Jungh. 386 (1854).  
*acutiflorum*, Munro, in Trans. Linn. Soc. xxvi. (1868) 137. = Ins. Philipp.  
*Apus*, Steud. Syn. Pl. Gram. 332 = *Bambusa Apus*.  
*Bitung*, Steud. l. c. = *Bambusa Bitung*.

# SCHIZOSTACHYUM:—

*Blumei*, Munro, in Trans. Linn. Soc. xxvi. (1868) 136 = *hindostanicum*.  
*Blumii*, Nees, Agrost. Bras. 535. = Java.  
*brachycladum*, Kurz, in Journ. As. Soc. Beng. xxxix. (1870) ii. 89. = Ins. Molucc.  
*capitatum*, Rupr. in Mém. Acad. Pétersb. Sér. VI. v. (1839) 136 = *Guadua capitata*.  
*chilianthum*, Kurz, in Journ. As. Soc. Beng. xxxix. (1870) ii. 88 = *Melocanna gracilis*.  
*dumetorum*, Munro, in Seem. Bot. Voy. Herald, 424. = China.  
*Durie*, Rupr. in Mém. Acad. Pétersb. Sér. VI. v. (1839) 136 = *Bambusa Blumeana*.  
*elegantissimum*, Kurz, in Journ. As. Soc. Beng. xxxix. (1870) ii. 90 (= *Besha elegantissima*). = Java.  
*glaucofolium*, Munro, in Trans. Linn. Soc. xxvi. (1868) 137. = Ins. Fiji.  
*Hasskarlianum*, Kurz, Bamboo, 68. = Java.  
*hindostanicum*, Kurz, in Journ. As. Soc. Beng. xlii. (1873) ii. 252. = Ind. or.  
*Iraten*, Steud. Syn. Pl. Gram. 332. = Java.  
*Irratum*, Kurz, Bamboo, 66, sphalm. = praec.  
*longispiculatum*, Kurz, in Journ. As. Soc. Beng. xxxix. (1870) ii. 89. = Java.  
*loriforme*, Munro, in Trans. Linn. Soc. xxvi. (1868) 150 = *Dendrocalamus flagellifer*.  
*parviflorum*, Munro, l. c. 153 = *Dinorchloa Tjankorreh*.  
*parvifolium*, Munro, l. c. 136. = Madag.  
*serpentinum*, Kurz, Bamboo, 67. = Java.  
*Zollingeri*, Steud. Syn. Pl. Gram. 332 = *Melocanna Zollingeri*.

SCHIZOSTEMMA, Decne. in Ann. Sc. Nat. Sér. II. ix. (1834) 344 = *Oxypetalum*, R. Br. (Asclep.).  
*Kingii*, Phil. in Anal. Univ. Chil. (1873) 509 = *Vincetoxicum boerhaavifolium*.  
*longifolium*, Decne. in Ann. Sc. Nat. Sér. II. ix. (1834) 334 = *O. solanoides*.  
*microphyllum*, Decne. l. c. 345 = *O. microphyllum*.  
*parviflorum*, Decne. l. c. = *O. parviflorum*.  
*solanoides*, Decne. l. c. = *O. solanoides*.

SCHIZOSTEPHANUS, Hochst. ex Benth. & Hook. f. Gen. ii. 762 (1876) = *Vincetoxicum*, Moench (Asclep.).

SCHIZOSTIGMA, Arn. in Arn. Nat. Hist. Ser. I. iii. (1842). *RUBACEAE*, Benth. & Hook. f. ii. 72.  
*hirsutum*, Arn. l. c. = Ind. or.

SCHIZOSTIGMA, Arn. in Hook. Journ. Bot. iii. (1841) 275 = *Cucurbitella*, Walp. (Cucurb.).  
*asperata*, Arn. l. c. = *C. asperata*.

SCHIZOSTYLIS, Backh. & Harv. in Bot. Mag. t. 5422 (1864). *IRIDEAE*, Benth. & Hook. f. iii. 702.  
*coccinea*, Backh. & Harv. l. c. = Afr. austr.  
*ixioides*, Harv. ex Baker, in Journ. Linn. Soc. xvi. (1877) 108 = *pauciflora*.  
*pauciflora*, Klatt, in Linnaea, xxxv. (1867-68) 330. = Afr. austr.

SCHIZOTECHIUM, Reichb. Nom. 205 (1841) = *Stellaria*, Linn. (Caryoph.).

SCHIZOTHECA, Ehrenb. in Abh. Akad. Berl. i. (1832) 429 = *Thalassia*, Soland. (Hydroch.).  
*Hemprichii*, Ehrenb. l. c. = Afr. bor.

SCHIZOTHECA, Lindl. Veg. Kingd. 513 (1847) = *Atriplex*, Tourn. (Chenop.).  
*Halimus*, Fourr. in Ann. Soc. Linn. Lyon, N. S. xvii. (1869) 143 = *A. Halimus*.  
*hastata*, Fourr. l. c. = *A. hastata*.  
*laciniata*, Fourr. l. c. = *A. laciniata*.  
*littoralis*, Fourr. l. c. = *A. littoralis*.  
*patula*, Fourr. l. c. = *A. patula*.  
*rosea*, Fourr. l. c. = *A. rosea*.  
*tatarica*, Celak. in Arch. Naturw. Landesd. Boehm. ii. (1873) 149 = *A. tatarica*.

SCHIZOTRICHIA, Benth. in Benth. & Hook. f. Gen. ii. 410 (1873). *COMPOSITAE*, Benth. & Hook. f. l. c.  
*eupatorioides*, Benth. l. c. = Peruv.

SCHKUHRIA, Moench, Meth. 566 (1794) (Schukhria);  
Cass. in Dict. Sc. Nat. xlix. 115 (1827) = *Siegesbeckia*, Linn. (Compos.).  
*dichotoma*, Moench, l. c.; Cass. l. c. = *Sieg. flosculosa*.

SCHKUHRIA, Roth, Catalect. fasc. i. 116 (1797).  
*COMPOSITAE*, Benth. & Hook. f. ii. 403.  
*ACHYROPAPPUS*, H. B. & K. Nov. Gen. et Sp. iv. 257. t. 390 (1820).  
*CHAMAESTEPHANUM*, Willd. in Ges. Naturf. Fr. Berl. Mag. i. (1807) 140.  
*HOPKIRKIA*, DC. Prod. v. 660 (1836).  
*MIERIA*, La Llave, in La Llave & Lex. Nov. Veg. Desc. fasc. ii. 9 (1825).  
*TETRACARPUM*, Moench, Meth. Suppl. 241 (1802).  
*abrotanifolia*, Steud. Nom. ed. II. ii. 280, in syn., sphalm. = *abrotanoides*.  
*abrotanoides*, [D.] Don, ex Hook. & Arn. in Hook. Journ. Bot. iii. (1841) 322 = *bonariensis*.  
*abrotanoides*, Roth, Catalect. fasc. i. 117. = Peruv.  
*anthemoides*, Wedd. Chlor. And. i. 74, in obs. = *Bahia anthemoides*.  
*Bigelovii*, A. Gray, in Proc. Am. Acad. ix. (1874) 199 = *Bahia Bigelovii*.  
*bitemata*, A. Gray, l. c.; Benth. & Hook. f. ex Hemsl. Biol. Centr. Am. Bot. ii. 212 = *Bahia bitemata*.  
*bonariensis*, Hook. & Arn. in Hook. Journ. Bot. iii. (1841) 321. = Chili.  
*Hopkirkia*, A. Gray, Pl. Wright. ii. 94. = Mexic.  
*integrifolia*, A. Gray, in Am. Natural. viii. (1874) 213 = *Bahia nudicaulis*.  
*isopappa*, Benth. Pl. Hartw. 205. = N. Granat.  
*multiflora*, Hook. & Arn. in Hook. Journ. Bot. iii. (1841) 322. = Reg. Argent.  
*neo-mexicana*, A. Gray, in Mem. Am. Acad. N. S. iv. (1849) 96 = *Bahia neo-mexicana*.  
*octoaristata*, DC. Prod. v. 654. = Peruv.  
*oolepis*, Sch. Bip. in Bull. Soc. Bot. Fr. xii. (1865) 80; et in Linnaea, xxxiv. (1865-66) 529 = *pusilla*.  
*pedata*, A. Gray, in Proc. Am. Acad. ix. (1874) 199 = *Bahia pedata*?  
*pusilla*, Wedd. Chlor. And. i. 73. = Peruv.; Bolivia.  
*pusilla*, Wedd. ex Benth. & Hook. f. Gen. ii. 403 = *Bahia anthemoides*?  
*senecioides*, Nees, Del. Sem. Hort. Bonn. (1831); ex DC. Prod. v. 654. = Mexic.  
*virgata*, DC. l. c. = Mexic.  
*Wislizeni*, A. Gray, in Mem. Am. Acad. iv. (1849) 96. = Mexic.  
*Woodhousei*, A. Gray, in Proc. Am. Acad. ix. (1874) 199 = *Bahia Woodhousei*.  
*Wrightii*, A. Gray, Pl. Wright. ii. 95. = N. Mexic.

SCHLAGINTWEITIA, Griseb. in Goett. Abh. v. (1855) 156 = *Hieracium*, Tourn. (Compos.).  
*intybacea*, Griseb. l. c. = *H. intybaceum*.

SCHLECHTENDAHLIA, Benth. & Hook. f. Gen. ii. 408 (1873), sphalm. = *Adenophyllum*, Pers. (Compos.).

SCHLECHTENDALIA, Less. in Linnaea, v. (1830) 242. *COMPOSITAE*, Benth. & Hook. f. ii. 484.  
*luzulaefolia*, Less. l. c. 243. = Bras.

SCHLECHTENDALIA, Spreng. Syst. iv. Cur. Post. 296 (1827) = *Mollia*, Mart. (Tiliac.).  
*speciosa*, Spreng. l. c. = *M. speciosa*.

SCHLECHTENDALIA, Willd. Sp. Pl. iii. 2125 (1803) = *Adenophyllum*, Pers. (Compos.).  
*capillacea*, [Moq. & Sesse,] ex DC. Prod. v. 638 = *A. coccineum*.  
*glandulosa*, Willd. Sp. Pl. iii. 2125 = *A. coccineum*.

SCHLEGELIA, Miq. in Bot. Zeit. ii. (1844) 785.  
*BIGNONIACEAE*, Benth. & Hook. f. ii. 1052.  
*axillaris*, Griseb. Fl. Brit. W. Ind. 445. = Ins. Dominic.  
*brachyantha*, Griseb. Cat. Pl. Cub. 191. = Cuba.  
*elongata*, Miq. in Linnaea, xxii. (1849) 73. = Guian.  
*lilacina*, Miq. in Bot. Zeit. ii. (1844) 786. = Guian.  
*parasitica*, Griseb. Fl. Brit. W. Ind. 445. = Ind. occ.  
*violacea*, Griseb. l. c. (Tabebuia sp.). = Ind. occ.

SCHLEICHERA, Willd. Sp. Pl. iv. 1096 (1805)  
*SAPINDACEAE*, Benth. & Hook. f. i. 404.  
*CUSSAMBUM*, [Rumph.] ex Buch.-Ham. in Mem. Wern. Soc. v. ii. (1826) 356.



**SCHLEICHERA** :—

- aculeata*, Kostel. Allg. Med.-Pharm. Flora, v. 1829 = trijuga.  
*amoena*, Walp. Rep. v. 366 = Melicocca amoena.  
*pentapetala*, Roxb. Hort. Beng. 29; Fl. Ind. ii. 275 = Cupania pentapetala.  
*ptychocarpa*, F. Muell. Fragm. ix. 97 = Dysoxylum ptychocarpum.  
*pubescens*, Roth, Nov. Pl. Sp. 385 = trijuga.  
*revoluta*, Turcz. in Bull. Soc. Nat. Mosc. xxi. (1848) i. 575, in obs.—Ins. Philipp.  
*subundulata*, Turcz. l. c. 574.—Ins. Philipp.  
*trijuga*, Mor. Syst. Verz. Zoll. 22 = Cupania Lesseriana.  
*trijuga*, Willd. Sp. Pl. iv. 1396.—Ind. or.; Malaya.

**SCHLEIDENIA**, Endl. Gen. 646 (1839) = **Heliotropium**, Tourn. (Borag.).

- bahiensis*, Fresen. in Mart. Fl. Bras. viii. 37 = H. polyphyllum.  
*barbata*, Fresen. l. c. 43 = H. barbatum.  
*Clausseni*, Fresen. l. c. 38 = H. Clausseni.  
*dasycarpa*, Fresen. l. c. 37.—Bras.  
*elliptica*, Fresen. l. c. 42.—Bras.  
*filiformis*, Fresen. l. c. 40 = A. filiforme.  
*fumana*, Fresen. l. c.—Bras.  
*Gardneri*, Fresen. l. c. 35.—Bras.  
*glomerata*, Fresen. l. c. 39 = H. polyphyllum.  
*hispida*, Fresen. l. c. 37 = H. fruticosum.  
*humistrata*, Fresen. l. c. 34 = H. humistratum.  
*incana*, Fresen. l. c. 38.—Bras.  
*inundata*, Fresen. l. c. 43 = H. inundatum.  
*lagoensis*, Warm. in Kjoeb. Vidensk. Meddel. (1867) 15.—Bras.  
*leptostachya*, Fresen. in Mart. Fl. Bras. viii. 43.—Bras.  
*linifolia*, DC. Prod. ix. 558.—Bras.  
*longepetiolata*, Fresen. in Mart. Fl. Bras. viii. 42.—Bras.  
*macrantha*, Fresen. l. c. 40.—Bras.  
*macrodon*, Fresen. l. c. 35.—Bras.  
*ocellata*, Fresen. l. c. 41 = H. ocellatum.  
*ovalifolia*, Fresen. l. c.—Bras.  
*paradoxa*, DC. Prod. ix. 557.—Bras.  
*parciflora*, DC. l. c.—Bras.  
*polyphylla*, Fresen. in Mart. Fl. Bras. viii. 37 = H. polyphyllum.  
*pubescens*, Fresen. l. c. 35.—Bras.  
*pullulans*, Fresen. l. c. 34.—Bras.  
*salicoides*, Fresen. l. c. 38 = H. salicoides.  
*stenostachya*, DC. Prod. ix. 558.—Bras.  
*strictissima*, Fresen. in Mart. Fl. Bras. viii. 39 = H. strictissimum.  
*subracemosa*, Warm. in Kjoeb. Vidensk. Meddel. (1867) 16.—Bras.

**SCHLERANTHUS**, Bertol. in Mem. Acad. Sc. Bologn. ii. (1850) 295, sphalm. = **Scleranthus**, Linn. (Illecebr.).**SCHLIMIA**, Regel, in Act. Hort. Petrop. iii. ii. (1875) 285 = **Lisianthus**, Aubl. (Gentian.).  
*Princeps*, Regel, l. c. 286 = L. Princeps.**SCHLIMMIA**, Planch. & Linden, in Linden, Cat. (1852); ex Lindl. & Paxt. Flow. Gard. iii. (1852-53) 115. **ORCHIDAEAE**, Benth. & Hook. f. iii. 553.  
*alpina*, Reichb. & Warsz. in Bonplandia, ii. (1854) 98.—N. Granat.  
*jasminodora*, Planch. & Linden, in Lindl. & Paxt. Flow. Gard. iii. (1852-53) 115.—N. Granat.  
*trifida*, Reichb. f. in Gard. Chron. (1876) ii. 708.—N. Granat.**SCHLOSSERIA**, Mill. ex Steud. Nom. ed. II. ii. 531 (1841) = **Coccoloba**, Linn. (Polygon.).**SCHLOSSERIA**, Vukot. in Oestr. Bot. Wochenbl. vii. (1857) 350 = **Peucedanum**, Tourn. (Umbell.).  
*heterophylla*, Vukot. l. c. = P. carvifolium, Vill.**SCHLUMBERGERA**, Lem. in Rev. Hortic. Sér. IV. vii. (1858) 253 = **Epiphyllum**, Haw. (Cact.).  
*epiphyllodes*, Lem. l. c. = E. Russellianum.**SCHLUMBERGERIA**, E. Morr. Belg. Hortic. xxviii. (1878) 311. **BROMELIACEAE**, Benth. & Hook. f. iii. 668.  
*Lindenii*, E. Morr. Belg. Hortic. xxxiii. (1883) 121. t. 10-12.—Peruv.**SCHLUMBERGERIA** :—

- Morreniana*, E. Morr. Belg. Hortic. xxxiii. (1883) 46, t. 4-6.—Ecuador vel Peruv.  
*Roezii*, E. Morr. l. c. xxviii. (1878) 311; xxix. (1879) 360. t. 19.—Peruv.  
*virescens*, E. Morr. l. c. xxix. (1879) 225, 360 = Roezii.

**SCHMALTZIA**, 'Desv.' ex Steud. Nom. ed. II. ii. 531 (1841) = seq.**SCHMALZIA**, Desv. ex DC. Prod. ii. 72 (1825) = **Rhus**, Tourn. (Anacard.).  
*aromatica*, Desv. ex Steud. Nom. ed. II. ii. 531 = Rhus aromatica.**SCHMARDAEA**, Karst. Fl. Columb. i. 187. t. 93. (1861?) = **Elutheria**, M. Roem. (Meliac.).  
*microphylla*, Karst. ex C. Muell. in Walp. Ann. vii. 560 = E. microphylla.  
*nobilis*, Karst. Fl. Columb. i. 187. t. 93 = E. microphylla.**SCHMIDELIA**, Linn. Mant. i. 10 (1767). **SAPINDACEAE**, Benth. & Hook. f. i. 396.  
*Aporetica*, Forst. Char. Gen. 131. t. 66 (1776).  
*Azameria*, Hochst. ex Reichb. Nom. 145 (1841).  
*Gemella*, Lour. Fl. Cochinch. 648 (1790).  
*Nassavia*, Vell. Fl. Flum. iii. tt. 155, 156 (1827).  
*Ornitrophe*, Juss. Gen. 247 (1789).  
*Toxicodendron*, Gaertn. Fruct. i. 207. t. 44 (1788).*abyssinica*, Hochst. in Flora, xxvi. (1843) 80 = Allophylus zeylanicus.*acuminata*, Thw. Enum. Pl. Zeyl. 55 = Allophylus zeylanicus.*adenophylla*, Wall. Cat. n. 8063 = Allophylus Cobbe.*affinis*, Guill. & Perr. Fl. Seneg. Tent. 121.—Afr. trop.*africana*, DC. Prod. i. 611 = Allophylus zeylanicus.*allophylla*, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 134 = seq.*Allophyllus*, DC. Prod. i. 611 = Allophylus zeylanicus.*alnifolia*, Baker, in Oliver, Fl. Trop. Afr. i. 422.—Afr. trop.*amazonica*, Mart. in Flora, xxii. (1839) i. Beibl. 6.—Bras.*angustata*, Triana & Planch. in Ann. Sc. Nat. Sér. IV. xviii. (1862) 371.—N. Granat.*anodonta*, F. Muell. Fragm. i. 2 = Ratonia anodonta.*aporetica*, Wall. Cat. n. 8058; Kurz, in Journ. As. Soc. Beng. xxxix. (1870) ii. 74 = Allophylus Cobbe.*bahiensis*, Turcz. in Bull. Sc. Nat. Mosc. xxxi. (1858) i. 398 = Connarus Blanchetii.*bantamensis*, Blume, Bijdr. 231 = Allophylus fulvinervis.*bidentata*, Wall. Cat. n. 8062 = Allophylus zeylanicus.*Bojeriana*, Cambess. in Mém. Mus. Par. xviii. (1829) 38 = Allophylus Cobbe.*caracasana*, Karst. Fl. Columb. ii. 83. t. 142.—Venezuela.*chartacea*, Kurz, in Journ. As. Soc. Beng. xliii. (1874) ii. 183.—Reg. Himal.*Cobbe*, DC. Prod. i. 610 = Allophylus Cobbe.*cochinchinensis*, DC. l. c. 611 = Allophylus Cobbe.*cochinchinensis*, Spreng. Syst. ii. 222.—Cochinch.*Cominia*, Sw. Fl. Ind. Occ. ii. 697.—Ind. occ.*conduplicata*, Klotzsch, in Schomb. Faun. Fl. Brit. Gui. 1180, nomen.—Guian.*conferta*, Blanco, Fl. Filip. ed. II. 217 = Allophylus zeylanicus.*decipiens*, Arn. in Hook. Journ. Bot. iii. (1841) 152, 153.—Afr. austr.*dentata*, Wall. ex Voigt, Hort. Suburb. Calc. 93 = Allophylus Cobbe.*dioica*, Mart. in Flora, xxii. (1839) i. Beibl. 5 = heterophylla.*distachya*, DC. Prod. i. 610 = Allophylus Cobbe.*Dregeana*, Sond. in Harv. & Sond. Fl. Cap. i. 239 = monophylla.*edulis*, A. St. Hil. Pl. Us. Brés. t. 67.—Bras.*erosa*, Arn. in Hook. Journ. Bot. iii. (1841) 152, 153; Presl, Bot. Bemerk. 41.—Afr. austr.*excelsa*, Triana & Planch. in Ann. Sc. Nat. Sér. IV. xviii. (1862) 371.—N. Granat.*floribunda*, Poepp. & Endl. Nov. Gen. et Sp. iii. 38.—Peruv.**SCHMIDELIA** :—*foetidissima*, Wall. Cat. n. 8064 (an Gynocardia sp.?).

## —Ind. or.

*fulvinervis*, Blume, Bijdr. 231 = Allophylus fulvinervis.*Gemella*, Cambess. in Mém. Mus. Par. xviii. (1829) 24.—Cochinch.*glabra*, Roxb. ex Wall. Cat. n. 8057 = Allophylus Cobbe.*glabrata*, H. B. & K. Nov. Gen. et Sp. v. 122.—Am. trop.*Goudotii*, Triana & Planch. in Ann. Sc. Nat. Sér. IV. xviii. (1862) 372.—N. Granat.*grandifolia*, Baker, in Oliver, Fl. Trop. Afr. i. 421.—Afr. trop.*grossedentata*, Turcz. in Bull. Soc. Nat. Mosc. xxxi. (1858) i. 401 = Allophylus Cobbe.*guaranitica*, A. St. Hil. in Bull. Soc. Philom. (1823) 133.—Bras.*guianensis*, Klotzsch, in Schomb. Faun. Fl. Brit. Gui. 1180, nomen.—Guian.*heterophylla*, Cambess. in A. St. Hil. Fl. Bras. Mer. i. 383. t. 82.—Bras.*hirtella*, Hook. f. in Hook. Niger Fl. 248.—Afr. trop.*hispida*, Thw. Enum. Pl. Zeyl. 55 = Allophylus zeylanicus.*inaequilatera*, Mart. in Flora, xxii. (1839) i. Beibl. 6. = occidentalis.*integerrima*, Wall. Cat. n. 8065 = Evodia Roxburghiana.*integrifolia*, DC. Prod. i. 610 = Allophylus Cobbe.*javensis*, Blume, Bijdr. 232.—Java.*Kobbe*, Lam. Illustr. ii. 443. t. 312. f. 2 = Allophylus Cobbe.*laevigata*, Turcz. in Bull. Soc. Nat. Mosc. xxxi. (1858) i. 399.—Bras.*leptostachya*, Blume, Rumphia, iii. 141.—Java.*leucocarpa*, Arn. in Hook. Journ. Bot. iii. (1841) 152, 153.—Afr. austr.*levis*, Cambess. in A. St. Hil. Fl. Bras. Mer. i. 382.—Bras.*littoralis*, Blume, Bijdr. 232.—Java.*macrocarpa*, A. Rich. Ess. Fl. Cub. 283 = Picrodendron arboreum.*macrophylla*, DC. Prod. i. 610.—Guian.*macrophylla*, Zipp. ex Span. in Linnaea, xv. (1841) 180, nomen = Allophylus Cobbe.*magica*, Baker, in Oliver, Fl. Trop. Afr. i. 423.—Afr. trop.*melanocarpa*, Arn. in Hook. Journ. Bot. iii. (1841) 152, 153.—Afr. austr.*Meyeri*, Planch. ex Baker, in Oliver, Fl. Trop. Afr. i. 424 = monophylla.*mollis*, H. B. & K. Nov. Gen. et Sp. v. 123.—N. Granat.*monophylla*, Hook. f. in Hook. Ic. Pl. t. 775 = hirtella.*monophylla*, Presl, Bot. Bemerk. 40.—Afr. trop. et austr.*mutabilis*, Blume, Rumphia, iii. 140.—Java.*natalensis*, Sond. in Harv. & Sond. Fl. Cap. i. 239 = erosa.*nervosa*, A. Rich. Ess. Fl. Cub. 281 = Thouinia nervosa.*nitidula*, Triana & Planch. in Ann. Sc. Nat. Sér. IV. xviii. (1862) 370.—N. Granat.*oblongifolia*, Baker, in Oliver, Fl. Trop. Afr. i. 424.—Afr. trop.*obovata*, A. Gray, in Bot. U. St. Expl. Exped. i. 249 = Allophylus Cobbe.*occidentalis*, Sw. Fl. Ind. Occ. ii. 665.—Am. trop.*orientalis*, Sw. l. c. 666 = Allophylus Cobbe.*ornitrophoides*, Wall. Cat. n. 8055 = Allophylus Cobbe.*paniculata*, Poepp. & Endl. Nov. Gen. et Sp. iii. 38.—Peruv.*panigera*, G. Don, Gen. Syst. i. 663.—N. Caled.*parviflora*, Zipp. ex Span. in Linnaea, xv. (1841) 180, nomen = Allophylus Cobbe.*pinnata*, DC. Prod. i. 611 = Pomelia pinnata.*puberula*, Cambess. in A. St. Hil. Fl. Bras. Mer. i. 382.—Bras.*punctata*, Poepp. & Endl. Nov. Gen. et Sp. iii. 38. t. 244.—Peruv.*pyriformis*, F. Muell. Fragm. i. 2 = Ratonia pyriformis.*quercifolia*, Mart. in Flora, xxii. (1839) i. Beibl. 7.—Bras.*racemosa*, Linn. Mant. i. 67 = Allophylus Cobbe.

**SCHMIDELIA** :—

- reflexa, Baker, in Oliver, *Fl. Trop. Afr.* i. 425.—Afr. trop.  
 repanda, Baker, l. c. 422.—Afr. trop.  
*Rheedei*, Wight, Ic. t. 964; Spicil. Neilgherr. i. 30. t. 33 = *Allophylus* Cobbe.  
*rhomboidalis*, Nadeaud, Enum. Pl. Tahiti, 70 = *Allophylus* Cobbe.  
 rigida, Sw. *Fl. Ind. Occ.* ii. 663.—Ins. S. Doming.  
 rubrifolia, Hochst. ex A. Rich. *Tent. Fl. Abyss.* i. 103.—Abyss.  
 scrobiculata, Poepp. & Endl. *Nov. Gen. et Sp.* iii. 37. t. 244.—Peruv.  
*semitentata*, Miq. in Linnaea, xxii. (1849) 798 = occidentalis.  
*senegalensis*, Reichb. ex Steud. Nom. ed. II. ii. 531 = africana.  
*sericea*, Cambess. in A. St. Hil. *Fl. Bras. Mer.* i. 380 = occidentalis.  
*serrata*, DC. Prod. i. 610 = *Allophylus* Cobbe.  
*spicata*, DC. l. c. 611 = *Allophylus* Cobbe.  
*ternata*, Cambess. in Mém. Mus. Par. xviii. (1829) 24 = *Allophylus* Cobbe.  
 thyrsoides, Baker, in Oliver, *Fl. Trop. Afr.* i. 423.—Afr. trop.  
*timoriensis*, DC. Prod. i. 611 = *Allophylus* Cobbe.  
 tomentosa, Hook. f. in *Trans. Linn. Soc.* xxiii. (1860) 164.—Borneo.  
*triandra*, Blanco, *Fl. Filip.* ed. II. 218 = *Schleichera* trijuga.  
*undulata*, Arn. in Hook. *Journ. Bot.* iii. (1841) 152, 153 = decipiens.  
*unguicularis*, Turcz. in Bull. Soc. Nat. Mosc. xxxi. (1858) i. 399 = occidentalis.  
*varians*, Thw. Enum. Pl. Zeyl. 408 = *Allophylus* zeylanicus.  
 velutina, Turcz. in Bull. Soc. Nat. Mosc. xxxi. (1858) i. 400.—Guian.  
 vestita, Wall. Cat. n. 8066 = *Allophylus* Cobbe.  
 villosa, Wight, Ic. t. 401 = *Allophylus* Cobbe.  
 viticifolia, H. B. & K. *Nov. Gen. et Sp.* vii. 215.—Cuba.

**SCHMIDIA**, Wight, Ic. t. 1848 (1852) = **Thunbergia**, Linn. (Acanth.).  
*bicolor*, Wight, l. c. = T. Wightiana.

**SCHMIDTIA**, Moench, Meth. Suppl. 217 (1802) = **Tolpis**, Adans. (Compos.).

- abyssinica*, Sch. Bip. ex Hochst. in Flora, xxix. (1841) i. Intell. 27 = T. abyssinica.  
*ambigua*, Cass. in Dict. Sc. Nat. xviii. 433 = T. virgata.  
*anethifolia*, Reichb. in Flora, xiii. (1830) 131 = T. pectinata.  
*capensis*, Reichb. ex Froel. in DC. Prod. vii. 218 = *Hieracium* capense.  
*coronopifolia*, Sch. Bip. in Webb & Berth. Phyt. Canar. ii. 404 = T. coronopifolia.  
*farinulosa*, Webb, in Hook. Niger Fl. 143.—Ins. Cap. Virid.  
*filiformis*, Sch. Bip. in Webb & Berth. Phyt. Canar. ii. 399 = T. filiformis.  
*fruticosa*, Moench, Meth. Suppl. 218 = T. fruticosa.  
*laciniata*, Sch. Bip. ex Webb & Berth. Phyt. Canar. ii. 406 = T. laciniata.  
*lagopoda*, Sch. Bip. l. c. 408 = T. lagopoda.  
*nobilis*, Sch. Bip. l. c. 399 = T. nobilis.  
*parviflora*, Sch. Bip. l. c. 404 = T. coronopifolia.  
*quercifolia*, Reichb. in Flora, xiii. (1830) 131 = T. umbellata.  
*Webbii*, Sch. Bip. in Webb & Berth. Phyt. Canar. ii. 409 = T. Webbii.

**SCHMIDTIA**, Steud. in J. A. Schmidt, Beitr. Fl. Cap. Verd. Ins. 144 (1852). **GRAMINEAE**, Benth. & Hook. f. iii. 1175.  
 pappophoroides, Steud. l. c. 145.—Ins. Cap. Virid.  
*quinqeseta*, Benth. ex Ficalho & Hiern, in *Trans. Linn. Soc. Ser. II.* ii. (1881) 31.—Afr. trop.

**SCHMIDTIA**, Tratt. Fl. Austr. i. 12. t. 451 (1811) = **Coleanthus**, Seid. (Gramin.).  
*subtilis*, Tratt. l. c. = C. subtilis.  
*utriculata*, J. & C. Presl, Fl. Cech. 12 = C. subtilis.  
*utriculosa*, Sternb. in Flora, ii. (1819) 6 = C. subtilis.

**SCHMIDELIA**, Murr. Syst. ed. XIII. 310 (1774) = **Schmidelia**, Linn. (Sapind.).

**SCHNELLA**, Raddi, in Mem. Mod. xviii. Fis. (1820) 411 = **Bauhinia**, Linn. (Legumin.).

- brachystachya*, Benth. in Hook. *Journ. Bot.* ii. (1840) 98 = cumanensis.  
*columbiensis*, Benth. Bot. Voy. Sulph. 89 = B. cumanensis.  
*excisa*, Griseb. Fl. Brit. W. Ind. 214 = B. excisa.  
*emarginata*, Klotzsch, in Schomb. Faun. Fl. Brit. Gui. 1210, nomen.—Guian.  
*flexuosa*, Walp. Rep. v. 572 = B. flexuosa.  
*longipetala*, Benth. in Hook. *Journ. Bot.* ii. (1840) 98 = B. longipetala.  
*macrophylla*, Griseb. in Goett. Abh. vii. (1857) 210 = B. macrophylla.  
*macrostachya*, Raddi, in Mem. Mod. xviii. Fis. (1820) 411 = B. Raddiana.  
*microstachya*, Raddi, l. c. = B. Langsdorffiana.  
*rosea*, Walp. Rep. v. 572 = B. rosea.  
*rubiginosa*, Benth. in Hook. *Journ. Bot.* ii. (1840) 97 = B. rubiginosa.  
*smilacina*, G. Don, Gen. Syst. ii. 459 = B. smilacina.  
*splendens*, Benth. in Hook. *Journ. Bot.* ii. (1840) 97 = B. splendens.  
*vestita*, Benth. Pl. Hartw. 171.—N. Granat.

**SCHNITTSPAHNIA**, Sch. Bip. in Flora, xxv. (1842) 436 = **Landtia**, Less. (Compos.).  
*Rueppellii*, Sch. Bip. l. c. 439 = L. Rueppellii.  
*Schimperi*, Sch. Bip. l. c. = L. Schimperii.

**SCHNITZLEINIA**, 'Steud.' ex Walp. Ann. iii. 625 (1852-53) = **SCHNITZLEINIA**, Steud. = **Vellozia**, Vand. (Amaryll.).

**SCHNITZLEINIA**, Mart. ex Engl. in Mart. Fl. Bras. xii. ii. 46 (1872) = **Emmotum**, Desv. (Olac.).  
*nitida*, Mart. ex Engl. l. c. = E. nitens.

**SCHNITZLEINIA**, Steud. ex Hochst. in Flora, xxvii. (1844) 31 = **Vellozia**, Vand. (Amaryll.).  
*amica*, Steud. l. c. (= *Hypoxis Schnitzleinia*).—Abyss.

**SCHNITZLEINIA**, Steud. Nom. ed. II. i. 213, in syn. (1840) = **Boissiera**, Hochst. (Gramin.).

**SCHNITZLEINIA**, Steud. Nom. ed. II. ii. 532, 720 (1841) = **Trochiscanthus**, Koch (Umbell.).  
*nodiflora*, Steud. l. c. = T. nodiflora.

**SCHOBERA**, Scop. Introd. 158 (1777) = **Heliotropium**, Tourn. (Borag.).  
*hirsuta*, Rafin. Sylva Tellur. 158 = H. parviflorum?

**SCHOBERA**, C. A. Mey. in Ledeb. Fl. Alt. i. 395 (1829) = **Suaeda**, Forsk. (Chenop.).  
*acuminata*, C. A. Mey. l. c. 398 = **Suaeda acuminata**.  
*altissima*, C. A. Mey. l. c. 402, in obs. = **Suaeda** altissima.

*americana*, C. A. Mey. l. c. = **Suaeda** plattensis.  
*australis*, C. A. Mey. l. c.—Austral.  
*baccifera*, Hohen. ex Moq. in DC. Prod. xiii. ii. 168 = **Suaeda** setigera.  
*baccifera*, C. A. Mey. in Ledeb. Fl. Alt. i. 402, in obs. = **Suaeda** baccifera.

*Biebersteiniana*, C. A. Mey. l. c. = **Suaeda** microphylla.  
*calceoliformis*, Moq. in DC. Prod. xiii. ii. 166 = **Suaeda** calceoliformis.  
*Clemente*, Steud. Nom. ed. II. ii. 532 = **Suaeda** setigera.

*corniculata*, C. A. Mey. in Ledeb. Fl. Alt. i. 399 = **Suaeda** corniculata.

*crassifolia*, Steud. Nom. ed. II. ii. 532.—Hispan.  
*cycloptera*, Bunge, ex Trautv. in Bull. Soc. Nat. Mosc. xl. (1867) ii. 64.—Soongar.

*dendroides*, C. A. Mey. Verz. Pfl. Cauc. 159 = **Suaeda** dendroides.

*Dumortieri*, Steud. Nom. ed. II. ii. 532 = **Suaeda** maritima.

*fruticosa*, C. A. Mey. in Ledeb. Fl. Alt. i. 402, in obs. = **Suaeda** fruticosa.

*fruticulosa*, Less. in Linnaea, ix. (1834) 200.—Sibir.

*glaucia*, Bunge, Enum. Pl. Chin. Bor. 56 = **Suaeda** glauca.

*heterophylla*, Kar. & Kir. in Bull. Soc. Nat. Mosc. (1841) 734 = **Suaeda** heterophylla.

**SCHOBERIA** :—

- hortensis*, Steud. Nom. ed. II. ii. 532 = **Suaeda** hortensis.  
*indica*, Kostel. Allg. Med.-Pharm. Fl. iv. 1438 = **Suaeda** maritima.  
*leiosperma*, C. A. Mey. in Ledeb. Fl. Alt. i. 397 = **Suaeda** altissima.  
*linearis*, Bunge, in Mém. Sav. Etr. Pétersb. vii. (1851) 465 = **Suaeda** linearis.  
*linifolia*, Nutt. ex Moq. in DC. Prod. xiii. ii. 161 = **Suaeda** maritima.  
*macrocarpa*, C. A. Mey. in Ledeb. Fl. Alt. i. 402, in obs. = **Suaeda** maritima.  
*maritima*, C. A. Mey. l. c. 400 = **Suaeda** maritima.  
*microphylla*, Eichw. Pl. Casp.-Cauc. 3, 6 = **Suaeda** dendroides.  
*microphylla*, C. A. Mey. in Ledeb. Fl. Alt. i. 402, in obs. = **Suaeda** microphylla.  
*microsperma*, C. A. Mey. in Eichw. Pl. Casp.-Cauc. 14. t. 13 = **Suaeda** microsperma.  
*monoica*, Steud. Nom. ed. II. ii. 532 = **Suaeda** monoica.  
*montana*, Nutt. ex Moq. in DC. Prod. xiii. ii. 161 = **Suaeda** maritima.  
*nudiflora*, Kostel. Allg. Med.-Pharm. Fl. iv. 1438 = **Suaeda** nudiflora.  
*obtusifolia*, Bunge, in Mém. Sav. Etr. Pétersb. vii. (1851) 466 = **Suaeda** obtusifolia.  
*occidentalis*, S. Wats. in Bot. King's Exped. 295.—Am. bor. occ.  
*Pallasiana*, C. A. Mey. in Ledeb. Fl. Alt. i. 402, in obs. = **Kochia** hirsuta.  
*parviflora*, Less. in Linnaea, ix. (1834) 201 = **Suaeda** microsperma.  
*physophora*, C. A. Mey. in Ledeb. Fl. Alt. i. 396 = **Suaeda** physophora.  
*prostrata*, C. A. Mey. l. c. 402, in obs. = **Suaeda** microsperma.  
*pterantha*, Kar. & Kir. in Bull. Soc. Nat. Mosc. (1841) 734 = **Suaeda** pterantha.  
*pygmaea*, Kar. & Kir. l. c. (1842) 436 = **Suaeda** minima.  
*salinaria*, Schur, in Verh. Siebenb. Ver. Naturw. iv. (1853) 62.—Europ.  
*salsa*, C. A. Mey. in Ledeb. Fl. Alt. i. 401 = **Suaeda** salsa.  
*setigera*, C. A. Mey. l. c. 402, in obs. = **Suaeda** setigera.  
*spicata*, C. A. Mey. l. c. = **Suaeda** spicata.  
*suffrutescens*, Less. ex Bunge, in Mém. Sav. Etr. Pétersb. vii. (1851) 465 = **Suaeda** physophora.  
*tortuosa*, Moq. ex Bunge, l. c. 464.—Hab.?  
*transoxana*, Bunge, l. c. 467 = **Suaeda** pterantha.  
*trigyna*, C. A. Mey. in Ledeb. Fl. Alt. i. 402, in obs. = **Suaeda** altissima.  
*vera*, Bunge, in Mém. Sav. Etr. Pétersb. vii. (1851) 465 = **Suaeda** vera.

**SCHOEBERA**, Neck. Elem. i. 278 (1790), sphalm. = **SCHOBERA**, Scop. = **Heliotropium**, Tourn. (Borag.).

**SCHOENANTHUM**, Mich. ex Linn. Syst. ed. I (1735) = **Andropogon**, Linn. (Gramin.).

**SCHOENANTHUS**, Adans. Fam. ii. 38 (1763) = praec.

**SCHOENEFELDIA**, Kunth, Rév. Gram. 283. t. 53 (1830). **GRAMINEAE**, Benth. & Hook. f. iii. 1164.

- gracilis*, Kunth, l. c.—Afr. trop.  
*nutans*, Steud. Syn. Pl. Gram. 202.—Afr. trop.  
*pallida*, Edgew. in Journ. As. Soc. Beng. xxi. 1852 (1853), 183.—Ind. or.  
*ramosa*, Trin. Sp. Gram. Ic. iii. t. 359.—Ins. Cap. Virid.  
*stricta*, Steud. Syn. Pl. Gram. 202 = *gracilis*.

**SCHOENEFELDIA**, Edgew. in Journ. As. Soc. Beng. xxi. (1853) 183 (Schaenefeldia), sphalm. = praec.

**SCHOENIA**, Steetz, in Lehm. Pl. Preiss. i. 480 (1845). **COMPOSITAE**, Benth. & Hook. f. ii. 314.

*Cassiniana*, Steetz, in Lehm. Pl. Preiss. i. 481.—Austral.

*chlorocephala*, Turcz. in Bull. Soc. Nat. Mosc. xxiv. (1851) i. 193 = **Helipterum** chlorocephalum.

**SCHOENIA** :—

*Humboldtiana*, Steetz, ex Walp. Rep. vi. 244 = *Helipterum Humboldtianum*.  
*oppositifolia*, Steetz, in Lehm. Pl. Preiss. i. 480 = *Cassiniana*.

**SCHOENIDIUM**, Nees, in *Linnaea*, ix. (1834) 291 = **Ficinia**, Schrad. (Cyperac.).  
*laterale*, Nees, l. c. = *F. lateralis*.

**SCHOENISSA**, Salisb. Gen. Pl. Fragm. 91 (1866) = **Allium**, Tourn. (Liliac.).  
*caucasea*, Salisb. l. c. = *A. globosum*.  
*rosea*, Salisb. l. c. = *A. Schoenoprasum*.  
*schoenoprasa*, Salisb. l. c. = *A. Schoenoprasum*.

**SCHOENLEINIA**, Klotzsch, in Hayne, Arzn. Gew. xiv. sub t. 15 (1843) = **Bathysa**, Presl (Rubiace.).  
*barbinervis*, Klotzsch, l. c. = *B. stipulata*.  
*cuspidata*, Klotzsch, l. c. = *Bras.*  
*thyrsoides*, Miers, in Proc. Roy. Hort. Soc. iv. (1864) 186. — *N. Granat*.

**SCHOENLEINIA**, Klotzsch, ex Lindl. Veg. Kingd. 182 (1847) = **Ponthieva**, R. Br. (Orchid.).

**SCHOENOBIBLOS**, Endl. Gen. 330 (1838) = seq.

**SCHOENOBIBLUS**, Mart. Nov. Gen. et Sp. i. 65 (1824). **THYMELAEACEAE**, Benth. & Hook. f. iii. 189.  
*daphnoides*, Mart. l. c. = *Bras.*

**SCHOENOCAULON**, A. Gray, in Ann. Lyc. N. York, iv. (1837) 127. **LILIACEAE**, Benth. & Hook. f. iii. 836.

*ASAGRAEA*, Lindl. Bot. Reg. t. 33 (1839).

*SABADILLA*, Brandt & Ratzeb. in Heyne, Arzn. Gew. xiii. t. 27 (1837).

*SKOINOLON*, Rafin. Fl. Tellur. iv. 27 (1836), nomen prius.

*Coulteri*, Baker, in Journ. Linn. Soc. xvii. (1879) 477. — *Mexic.*

*Drummondii*, A. Gray, in Hook. & Arn. Bot. Beech. Voy. 388, in nota. — *Mexic.*

*gracile*, A. Gray, in Ann. Lyc. N. York, iv. (1837) 127. — *Am. bor.*

*intermedium*, Baker, in Journ. Linn. Soc. xvii. (1879) 477. — *Mexic.*

*officinale*, A. Gray, in Benth. Pl. Hartw. 29. — *Mexic.*

*texanum*, Scheele, in *Linnaea*, xxv. (1852) 262 = *Drummondii*.

**SCHOENOCEPHALUM**, Seub. in Mart. Fl. Bras. iii. t. 130 (1847). **RAPATEACEAE**, Benth. & Hook. f. iii. 859.

*arthrophyllum*, Seub. l. c. 131. — *Bras.*

*Martianum*, Seub. l. c. 130. — *Bras.*

**SCHOENODORUS**, Roem. & Schult. Syst. ii. 42 (1817) = **Schedonorus**, Beauv. (Gramin.).

**SCHOENODUM**, Labill. Nov. Holl. Pl. ii. 79. t. 29 (1806) = **Lyginia**, R. Br. et **Leptocarpus**, R. Br. (Restiac.).

*chilense*, C. Gay, Fl. Chil. vi. 152 = *Leptocarpus chilensis*.

*gracile*, Poir. ex Steud. Nom. ed. II. ii. 532 = *Anarthria gracilis*.

*laevis*, Poir. ex Steud. l. c. = *Anarthria laevis*.

*pauciflorum*, Poir. ex Steud. l. c. = *Anarthria prolifera*.

*proliferum*, Poir. ex Steud. l. c. = *Anarthria prolifera*.

*scabra*, Poir. ex Steud. l. c. = *Anarthria scabra*.

*scariosum*, Kunth, Enum. Pl. iii. 447 = *Leptocarpus scariosus*.

*simplex*, Kunth, l. c. 446 = *Leptocarpus Brownii*.

*tenax*, Labill. Nov. Holl. Pl. ii. 80. t. 229 = *Leptocarpus tenax*, *Lyginia barbata*.

**SCHOENOLAENA**, Bunge, in Lehm. Pl. Preiss. i. 289 (1845) = **Xanthosia**, Rudge (Umbell.).

*juncea*, Bunge, l. c. = *X. juncea*.

*tenuior*, Bunge, l. c. 290 = *X. tenuior*.

**SCHOENOLIRION**, Durand, in Journ. Acad. Nat. Sc. Philad. Ser. II. iii. (1855) 103. **LILIACEAE**, Benth. & Hook. f. iii. 785.

*AMBLOSTIMA*, Rafin. Fl. Tellur. ii. 26 (1836).

*OXYTRIA*, Rafin. l. c. (1836).

*album*, Durand, in Journ. Acad. Nat. Sc. Philad. Ser. II. iii. (1855) 103. — *Calif.*

*croceum*, A. Gray, in *Am. Natural*. x. (1876) 427. — *Am. bor.*

*Elliottii*, Feay, ex A. Gray, l. c. — *Florida*.

*Michauxii*, Torr. Bot. Mex. Bound. 220. — *Am. bor.*

*Michauxii*, Torr. l. c., partim = *texanum*.

*texanum*, A. Gray, in *Am. Natural*. x. (1876) 427. — *Am. bor.*

**SCHOENOPRASUM**, H. B. & K. Nov. Gen. et Sp. i. 277 (1815) = **Allium**, Tourn. (Liliac.).

*lineare*, H. B. & K. l. c. = *A. Kunthii*.

*longifolium*, H. B. & K. l. c. = *A. longifolium*.

*vulgare*, Fourr. in Ann. Soc. Linn. Lyon, N. S. xvii. (1869) 159 = *A. Schoenoprasum*.

**SCHOENOPSIS**, Beauv. in Lestib. Ess. Fam. Cyp. 341 (1819) = **Tetraria**, Beauv. (Cyperac.).

*Burmanni*, Nees, in *Linnaea*, vii. (1832) 528. — *Afr. austr.*

*flexuosa*, Nees, l. c. — *Afr. austr.*

**SCHOENORCHIS**, Reinw. Cat. Gew. Buitenz. 100 (1823), nomen; Blume, Bijdr. 361 (1825). **ORCHIDEAE**, Benth. & Hook. f. iii. 581.

*juncifolia*, Reinw. l. c.; Blume, l. c. — *Java*.

*micrantha*, Reinw. l. c.; Blume, l. c. 362 = *Saccolabium chionanthum*.

*paniculata*, Blume, l. c. = *Saccolabium ramulosum*.

**SCHOENOXIPHUM**, Nees, in *Linnaea*, vii. (1832) 581. **CYPERACEAE**, Benth. & Hook. f. iii. 1072.

*HEMICAREX*, Benth. in Benth. & Hook. f. Gen. iii. 1072 (species africanae).

*Burkei*, C. B. Clarke, in Journ. Linn. Soc. xx. (1883) 386 = *Dregeanum*.

*capense*, Nees, in *Linnaea*, vii. (1832) 533. — *Afr. austr.*

*Dregeanum*, Kunth, Enum. Pl. ii. 529. — *Afr. austr.*

*Ecklonii*, Nees, in *Linnaea*, x. (1836) 200. — *Afr. austr.*

*Lehmanni*, Kunth, ex Steud. Syn. Pl. Cyp. 245 = *Carex Esenbeckiana*.

*Ludwigii*, Hochst. in Flora, xxviii. (1845) 764 = *rufum*.

*Meyerianum*, Kunth, Enum. Pl. ii. 530 = *capense*.

*rufum*, Nees, in *Linnaea*, x. (1836) 201. — *Afr. austr.*

*Sickmannianum*, Kunth, Enum. Pl. ii. 530. — *Afr. austr.*

*Thunbergii*, Nees, in *Linnaea*, ix. (1834) 305 = *rufum*.

*Thunbergii*, Nees, l. c. x. (1836) 201. — *Afr. austr.*

**SCHOENUS**, Linn. Coroll. Gen. 2 (1737), pro parva parte; Benth. Fl. Austral. vii. 352 (1878). **CYPERACEAE**, Benth. & Hook. f. iii. 1062.

*CHAETOSPORA*, R. Br. Prod. 232 (1810).

*CYCLOCAMPE*, Steud. Syn. Pl. Cyp. 156 (1855).

*CYCLOCARPA*, Miq. Fl. Ind. Bat. iii. 339 (1855).

*GYMNOCHAETA*, Steud. Syn. Pl. Cyp. 156 (1855).

*HELOTHRIX*, Nees, in Ann. & Mag. Nat. Hist. Ser. I. vi. (1841) 45.

*ISOSCHOENUS*, Nees, l. c. 49 (1841).

*STREBLIDIA*, Link. Hort. Berol. i. 276 (1827).

*aculeatus*, Linn. Sp. Pl. 42 = *Crypsis aculeata*.

*acuminatus*, R. Br. Prod. 231. — *Austral.*

*acutus*, Labill. Nov. Holl. Pl. i. 18. t. 18 = *Cladium schoenoides*.

*aggregatus*, Spreng. ex Kunth, Enum. Pl. ii. 202 = *Scirpus flaccifolius*.

*aggregatus*, Steud. ex Kunth, l. c. 202, in obs. = *Ficinia tenuifolia*.

*aggregatus*, Thunb. in Hoffm. Phytogr. Blaetter, i. (1803) 5; Fl. Cap. i. 349 = *nigricans*.

*albus*, Linn. Sp. Pl. 44 = *Rynchospora alba*.

*altissimus*, Salz. ex Steud. Syn. Pl. Cyp. 152 = *Cladium germanicum*.

*anceps*, Poir. Encyc. Suppl. ii. 252 = *Mesomelaena anceps*.

*angularis*, Spreng. ex Kunth, Enum. Pl. ii. 128 = *Kyllinga peruviana*.

**SCHOENUS** :—

*angustifolius*, Vahl, Enum. ii. 225 = *Dulichium spathaceum*.

*aphyllus*, Boeck. in *Linnaea*, xxxviii. (1874) 280. — *Austral.*

*aphyllus*, Vahl, Enum. ii. 209 = *Actinoschoenus Thouarsii*.

*apogon*, Roem. & Schult. Syst. ii. 77. — *Austral.*; *N. Zel.*

*arenarius*, Schrad. Anal. Cyp. 27. t. 4. f. 2 = *Tetraria compar*.

*aristatus*, Nees, ex Kunth, Enum. Pl. ii. 309 (= *Elynanthus cuspidatus*). — *Afr. austr.*

*aristatus*, Noronha, ex Thou. Prod. Phyt. 2, in *Mélang.* (1811), nomen. — *Madag.*

*aristatus*, Steud. in Flora, xii. (1829) 185 = *Hypodiscus duplicatus*.

*aristatus*, Thunb. Prod. Pl. Cap. 16 (= *Elynanthus aristatus*). — *Afr. austr.*

*Armeria*, Boeck. in *Linnaea*, xxxviii. (1874) 279. — *Austral.*

*articulatus*, Roxb. Hort. Beng. [81]; Fl. Ind. i. 184 = *Rynchospora aurea*.

*arundinaceus*, Soland. ex Forst. f. Prod. 89, nomen; Vahl, Enum. ii. 220. — *N. Zel.*; *Ins. Molucc.*; *N. Caled.*

*asper*, Schrad. in Schult. Mant. ii. 41 = *Fimbristylis aspera*.

*asperocarpus*, F. Muell. Fragm. ix. 29. — *Austral.*

*atratus*, Schrad. in Goett. Gel. Anz. (1821) iii. 2069 = *Ficinia setiformis*.

*axillaris*, Lam. Illustr. i. 137 = *Rynchospora cephalantha*.

*axillaris*, Poir. Encyc. Suppl. ii. 251. — *N. Zel.*

*barbatus*, Boeck. in *Linnaea*, xxxviii. (1874) 277. — *Austral.*

*barbatus*, Vahl, Eclog. Am. ii. 4 = *Rynchospora pterocarpa*.

*Benthami*, F. Muell. Census, 127 = *compressus*.

*bifidus*, Boeck. in *Linnaea*, xxxviii. (1874) 282. — *Austral.*

*Bobartiae*, Retz. Obs. iv. 9. — *Zeylan.*

*Bonanni*, Presl, Fl. Sic. p. xliii = *nigricans*.

*breviculmis*, Benth. Fl. Austral. vii. 364. — *Austral.*

*brevifolius*, R. Br. Prod. 231. — *Austral.*

*brevisetis*, Poir. Encyc. Suppl. ii. 251. — *Austral.*

*bromoides*, Lam. Illustr. i. 137 (= *Lepidosperma thermale*). — *Afr. austr.*

*Brownii*, Hook. f. Handb. N. Zeal. Fl. 298 = *apogon*.

*brunneus*, Soland. ex Roem. & Schult. Syst. ii. 65 = *Scirpus rufus*.

*bulbosus*, Linn. Mant. ii. 178 = *Ficinia bulbosa*.

*bulbosus*, Thunb. Prod. Pl. Cap. 16 = *Ficinia secunda*.

*Burmanni*, Vahl, Enum. ii. 227 (= *Tetrariae* sp.). — *Afr. austr.*

*calostachyus*, Poir. Encyc. Suppl. ii. 251. — *Austral.*; *Malaya*.

*capensis*, Linn. Cent. Pl. i. 4; Amoen. Acad. iv. 264 = *Ficinia ramosissima*.

*capillaceus*, Thunb. Prod. Pl. Cap. 16 (= *Elynanthus* sp.). — *Afr. austr.*

*capillaris*, F. Muell. Census, 128 (= *Elynanthus capillaceus*). — *Austral.*

*capillaris*, Sw. Prod. Veg. Ind. Occ. 20 = *Mariscus capillaris*.

*capitatus*, Crantz, Inst. i. 408 = *Kyllinga brevifolia*, *Mariscus Dregeanus*.

*capitatus*, Dubois, Méth. ed. II. 247 = *Scirpus Michelianus*.

*capitatus*, F. Muell. Fragm. ix. 58. — *Austral.*

*capitatus*, Pers. Syn. i. 60 = *Rynchospora glomerata*.

*capitatus*, Poir. Encyc. Suppl. v. 617 = *Rynchospora capitata*.

*capitellatus*, Michx. Fl. Bor. Am. i. 36 = *Rynchospora glomerata*.

*Capitellum*, Thunb. Prod. Pl. Cap. 16 = *Ficinia setiformis*.

*caricoides*, Steud. in Flora, xii. (1829) 137 = *Hemichlaena angustifolia*.

*castaneus*, Willd. ex Kunth, Enum. Pl. ii. 303 = *Cladium germanicum*.

*Cephalotes*, Rottb. Desc. Nov. Pl. 61; Progr. 14 = *Rynchospora Cephalotes*.

*cerasiformis*, Poir. Encyc. Suppl. v. 617 = *Rynchospora globosa*.

*ciliaris*, Michx. Fl. Bor. Am. i. 36 = *Rynchospora ciliata*.

## SCHOENUS:—

- ciliaris*, Muhl. Desc. Gram. 11 = *Rynchospora plumosa*.  
*ciliatus*, G. F. W. Mey. Prim. Fl. Esseq. 23 = *Dichromena ciliata*.  
*circinalis*, Schrad. ex Schult. Mant. ii. 43 (Tetrariae sp.).—Afr. austr.  
*Cladium*, Sw. Prod. Veg. Ind. Occ. 19 = *Cladium germanicum*.  
*coarctatus*, Seenus, Reise Istrien, 74 = *Juncus maritimus*.  
*coloratus*, Linn. Sp. Pl. 43 = *Dichromena leucocephala*.  
*comatus*, Link, Enum. Hort. Berol. i. 41 = *Rynchospora comata*.  
*compar*, Linn. Mant. ii. 177 = *Tetraria compar*.  
*compressus*, Benth. Fl. Austral. vii. 357.—Austral.  
*compressus*, Linn. Sp. Pl. 43 = *Scirpus Caricis*.  
*compressus*, Presl, Cyp. et Gram. Sic. 12 = *nigricans*.  
*concinus*, Hook. f. Handb. N. Zeal. Fl. 299.—N. Zel.  
*confervoides*, Willd. ex Kunth, Enum. Pl. ii. 173 = *Scirpus confervoides*.  
*congestus*, Willd. ex Link, Jahrb. i. III. (1820) 76 = *Cladium germanicum*.  
*corniculatus*, Lam. Illustr. i. 137 = *Rynchospora laxa*.  
*coronatus*, Steud. in Flora, xii. (1829) 136 = *Ficinia laxa*.  
*corymbosus*, Pers. Syn. i. 59 = *Rynchospora aurea*.  
*cruentus*, Benth. Fl. Austral. vii. 357.—Austral.  
*curvifolius*, Poir. Encyc. Suppl. ii. 251.—Austral.  
*cuspidatus*, Rottb. Desc. Nov. Pl. 66; Progr. 13 (= *Elynanthus cuspidatus*).—Afr. austr.  
*cygneus*, Nees, in Lehm. Pl. Preiss. ii. 81.—Austral.  
*cymosus*, Willd. Sp. Pl. i. 265 = *Rynchospora cymosa*.  
*cyperinus*, J. F. Gmel. Syst. 1621, sphalm. = seq.  
*cyperoides*, Retz. Obs. iv. 8 = *Fimbristylis tristachya*.  
*cyperoides*, Sw. Prod. Veg. Ind. Occ. 19 = *Rynchospora cyperoides*.  
*dactyloides*, Nees, ex Kunth, Enum. Pl. ii. 321 (= *Lepidosperma thermale*).—Afr. austr.  
*dactyloides*, Vahl, Enum. ii. 224 = *Asterochaete glomerata*.  
*deformis*, Poir. Encyc. Suppl. ii. 251.—Austral.  
*deustus*, Berg. Desc. Pl. Cap. 10 = *Ficinia scariosa*.  
*deustus*, F. Muell. Census, 128 = *Mesomelaena deusta*.  
*dispar*, Spreng. Neue Entdeck. iii. 8 = *Ficinia secunda*.  
*distans*, Michx. Fl. Bor. Am. i. 36 = *Rynchospora distans*.  
*distans*, F. Muell. Census, 127 = *calostachyus*.  
*distans*, Muhl. Desc. Gram. 11 = *Rynchospora Grayii*.  
*distans*, Poir. Encyc. Suppl. ii. 249 = *Rynchospora longispicata*.  
*Drummondii*, Benth. Fl. Austral. vii. 359.—Austral.  
*Drummondii*, Steud. Syn. Pl. Cyp. 165 = *Gahnia polyphylla*.  
*effusus*, Sw. Prod. Veg. Ind. Occ. 19 = *Cladium germanicum*.  
*efolius*, F. Muell. Fragm. ix. 32.—Austral.  
*elatus*, Boeck. in Flora, lviii. (1875) 117 = *falcatus*.  
*elevatus*, Soland. ex Forst. f. Prod. 89 = *Cladium germanicum*.  
*elongatus*, Willd. ex Kunth, Enum. Pl. ii. 312 = *Asterochaete elongata*.  
*ericetorum*, R. Br. Prod. 231.—Austral.  
*erinaceus*, Ridl. in Trans. Linn. Soc. Ser. II. ii. (1884) 165.—Afr. trop.  
*erraticus*, Hook. f. in Journ. Linn. Soc. vi. (1862) 22 (*Fimbristylis* sp.).—Afr. trop.  
*Fabri*, Rottb. Desc. Nov. Pl. 62; Progr. 28 = *Panicum lanatum*.  
*falcatus*, R. Br. Prod. 232.—Austral.  
*falcatus*, Nees, in Linnaea, ix. (1834) 298 = *Cladium schoenoides*.  
*fasciatus*, Rottb. Desc. Nov. Pl. 67. t. 16. f. 5 (= *Tetrariae* sp.).—Afr. austr.  
*fascicularis*, Michx. Fl. Bor. Am. i. 37 = *Rynchospora fascicularis*, Nutt.  
*fascicularis*, Nees, in Ann. & Mag. Nat. Hist. Ser. I. vi. (1841) 48.—Austral.  
*ferrugineus*, Huds. Fl. Angl. ed. I. 14 = *Scirpus rufus*.  
*ferrugineus*, Krock. Fl. Siles. i. 57. t. 8 = *Juncus bufonius*.  
*ferrugineus*, Linn. Sp. Pl. 43.—Europ.  
*festucoides*, Willd. ex Kunth, Enum. Pl. ii. 20 (= *Isolepis festucoides*).—Madag.

## SCHOENUS:—

- filiformis*, Lam. Illustr. i. 135 = *Ficinia filiformis*.  
*filiformis*, Thunb. Prod. Pl. Cap. 16 = *Ficinia fastigiata*.  
*filiformis*, Willd. ex Kunth, Enum. Pl. ii. 265 = *Ficinia bracteata*.  
*Filum*, Labill. Nov. Holl. Pl. i. 18. t. 18 = *Gahnia trifida*.  
*fimbristylis*, F. Muell. Census, 128 = *Cladium undulatum*.  
*flaviculmis*, Nees, in Lehm. Pl. Preiss. ii. 81 = *brevisetis*.  
*flavus*, Boeck. in Linnaea, xxxviii. (1874) 278.—Austral.  
*flavus*, Humb. ex Link, Jahrb. i. III. (1820) 75 (= *Monotrema flavum*).—Venezuela.  
*flexuosus*, Steud. ex Kunth, Enum. Pl. ii. 309 (= *Elynanthus cuspidatus*).—Afr. austr.  
*flexuosus*, Thunb. Prod. Pl. Cap. 16 (Tetrariae sp.).—Afr. austr.  
*floribundus*, Willd. ex Presl, in Oken, Isis, xxi. (1828) 270 = *Cladium germanicum*.  
*floridus*, Rudge, Pl. Gui. 15. t. 18 = *Rynchospora aurea*.  
*fluitans*, Hook. f. Fl. Tasm. ii. 81. t. 141.—Tasman.  
*fragiferus*, Rudge, Pl. Gui. 15. t. 17 = *Rynchospora cyperoides*.  
*Fribri*, J. F. Gmel. Syst. 136, sphalm. = *Fabri*.  
*fuscus*, Linn. Sp. Pl. ed. II. 1664 = *Rynchospora fusca*.  
*fuscus*, Muhl. Desc. Gram. 6 = *Rynchospora Grayii*.  
*glauca*, Poir. Encyc. Suppl. ii. 249 = *Rynchospora rariflora*.  
*globifer*, Nees, in Lehm. Pl. Preiss. ii. 81 = *brevifolius*.  
*globosus*, H. B. & K. Nov. Gen. et Sp. i. 229 = *Dichromena ciliata*.  
*globosus*, Rudge, Pl. Gui. 14. t. 15 = *Rynchospora pterocarpa*.  
*globosus*, Willd. ex Kunth, Enum. Pl. ii. 288 = *Rynchospora globosa*.  
*globuliferus*, Willd. ex Kunth, l. c. 291 = *Rynchospora cyperoides*.  
*glomeratus*, Linn. Sp. Pl. 44 = *Rynchospora glomerata*.  
*glomeratus*, Thunb. Prod. Pl. Cap. 17 = *Asterochaete glomerata*.  
*gracilis*, Sw. Prod. Veg. Ind. Occ. 19 = *Rynchospora racemosa*.  
*grammatophyllus*, F. Muell. Fragm. ix. 31.—Austral.  
*grandiflorus*, F. Muell. l. c. 30.—Austral.  
*Halleri*, [Honck.] Verz. Aller Gew. Deutschl. 127 (Quid?).—Europ.  
*Hasskarli*, Steud. Syn. Pl. Cyp. 166 = *Gahnia javanica*.  
*hemisphaericus*, Humb. ex Link, Jahrb. i. III. (1820) 75 = *Rynchospora pterocarpa*.  
*hirsutus*, Vahl, Eclog. Am. i. 6 = *Rynchospora hirsuta*.  
*hirtus*, Schrad. ex Nees, in Mart. Fl. Bras. ii. 1. 114 = *Rynchospora pilosa*.  
*hispidulus*, Vahl, Enum. ii. 219 = *Rynchospora consanguinea*.  
*holoschaenoides*, Rich. in Act. Soc. Hist. Nat. Par. i. (1792) 106 = *Rynchospora cyperoides*.  
*humilis*, Benth. Fl. Austral. vii. 374.—Austral.  
*hypomelas*, Spreng. Neue Entdeck. iii. 8 = *nigricans*.  
*Hystrix*, Vahl, Enum. ii. 226 = *Hypodiscus aristatus*.  
*imberbis*, R. Br. Prod. 231.—Austral.  
*imberbis*, Poir. l. c. 251 = *apogon*.  
*inanis*, Thunb. Prod. Pl. Cap. 16 = *Scirpus spathaceus*.  
*incanus*, Forsk. Fl. Aegypt. Arab. 12.—Aegypt.  
*indicus*, Lam. Encyc. i. 740 = *Ficinia setiformis*.  
*indutus*, F. Muell. ex Benth. Fl. Austral. vii. 372.—Austral.  
*inermis*, Willd. ex Kunth, Enum. Pl. ii. 304 = *Scleria triglomerata*.  
*inexpansus*, Michx. Fl. Bor. Am. i. 35 = *Rynchospora inexpansa*.  
*intermedius* ×, Bruegg. in Jahrb. Naturf. Ges. Graub. II. xxv. (1882) 108.—Europ.  
*involutus*, Rottb. Desc. Nov. Pl. 64. t. 19. f. 1 (Tetrariae? sp.).—Afr. austr.  
*juncus*, Willd. Phyt. 2 = *Scirpus supinus*.  
*juncoides*, Vahl, Enum. ii. 211 (= *Isolepis consanguinea*).—Bras.  
*lacustris*, Bernh. Syst. Verz. Erf. 26 = *Scirpus lacustris*.  
*laevis*, Thunb. Prod. Pl. Cap. 17 (Tetrariae sp.).—Afr. austr.  
*lanatus*, Labill. Nov. Holl. Pl. i. 19. t. 20.—Austral.

## SCHOENUS:—

- lanatus*, Willd. ex Kunth, Enum. Pl. ii. 206 (= *Isolepis lanata*).—Am. austr.  
*lanceus*, Thunb. Prod. Pl. Cap. 17 = *Schoenoxiphium Sickmannianum*.  
*lateralis*, Vahl, Enum. ii. 211 = *Ficinia lateralis*.  
*latifolius*, Vahl, l. c. 226 = *Scleria communis*.  
*laxiflorus*, Steud. Syn. Pl. Cyp. 166 = *apogon*.  
*laxus*, Poir. Encyc. Suppl. ii. 252 = *Rynchospora glauca*.  
*lithospermus*, Linn. Sp. Pl. ed. II. 65 = *Scleria Flagellum-nigrorum*.  
*longifolius*, Rudge, Pl. Gui. 14. t. 16 = *Hoppia microcephala*.  
*longirostris*, Michx. Fl. Bor. Am. i. 35 = *Rynchospora laxa*.  
*longirostris*, Sieber, ex Presl, in Oken, Isis, xxi. (1828) 269 = *Rynchospora longiflora*.  
*longisetis*, Poir. Encyc. Suppl. ii. 252 = *Rynchospora longisetis*.  
*macrocephalus*, Boeck. in Flora, lxi. (1878) 144 (= *Tetrariae* sp.).—Afr. austr.  
*macrostachyus*, Noë, ex Reichb. Ic. Fl. Germ. viii. 34 = *Scirpus maritimus*.  
*marginatus*, Kunze, ex Kunth, Enum. Pl. ii. 421 = *Carex aphylla*.  
*mariscoides*, Muhl. Desc. Gram. 4 = *Scleria triglomerata*.  
*Marisculus*, Salzm. ex Steud. Syn. Pl. Cyp. 147 = *Rynchospora Marisculus*.  
*Mariscus*, Linn. Sp. Pl. 42 = *Cladium germanicum*.  
*maritimus*, Lam. Fl. Fr. iii. 543 = *Cyperus aegyptiacus*.  
*maritimus*, Salzm. ex Steud. Syn. Pl. Cyp. 137 = *Rynchospora tenuis*.  
*maschalinus*, Roem. & Schult. Syst. ii. 77 = *axillaris*.  
*melanostachys*, R. Br. Prod. 231.—Austral.  
*microstachys*, Vahl, Enum. ii. 220 (Tetrariae sp.).—Afr. austr.  
*miliaceus*, Lam. Illustr. i. 137 = *Rynchospora sparsa*.  
*minimus*, T. F. Forst. in Symons, Syn. Pl. Brit. 197 = *Juncus capitatus*.  
*minutulus*, F. Muell. Fragm. ix. 32.—Austral.  
*moniliferus*, Sparrm. ex Spreng. Syst. iii. 830 = *Scleria margaritifera*.  
*monocephalus*, Salzm. ex Steud. Syn. Pl. Cyp. 143 = *Rynchospora pterocarpa*.  
*monocicus*, Sm. Engl. Bot. t. 1410 = *Kobresia caricina*.  
*Moorei*, Benth. Fl. Austral. vii. 367.—Austral.  
*Moorei*, T. Kirk, in Trans. N. Z. Inst. xiii. (1881) 384 = *pauciflorus*.  
*mucronatus*, Linn. Sp. Pl. 42 = *Cyperus aegyptiacus*.  
*multigumis*, Benth. Fl. Austral. vii. 368.—Austral.  
*nanus*, Benth. l. c. 364.—Austral.  
*natans*, Benth. l. c. 375.—Austral.  
*Neesii*, F. Muell. Census, 128 = *Tricostularia Neesii*.  
*nemorum*, Vahl, Symb. Bot. iii. 8 = *Hypolytrum latifolium*.  
*nigricans*, Hoppe, Taschenb. (1800) 135; (1802) 55 = *ferrugineus*.  
*nigricans*, Linn. Sp. Pl. 43.—Cosmop.  
*nitens*, Poir. Encyc. Suppl. ii. 252.—Austral.; N. Zel.; Chili.  
*nitens*, Willd. ex Kunth, Enum. Pl. ii. 313 = *Asterochaete nitens*.  
*niveus*, Murr. Syst. ed. XIII. 81 = *Kyllinga triceps*.  
*nudus*, Steud. Syn. Pl. Cyp. 165 = *Cladium Gunnii*.  
*obtusifolius*, Boeck. in Linnaea, xxxviii. (1874) 281.—Austral.  
*octandrus*, F. Muell. Fragm. ix. 31 (= *Elynanthus octandrus*).—Austral.  
*odontocarpus*, F. Muell. l. c. 32.—Austral.  
*odoratus*, Aubl. Pl. Gui. i. 44 = *Kyllinga odorata*.  
*oliganthos*, Kunth, Enum. Pl. ii. 253, in syn., sphalm. = *Ficinia filiformis*.  
*oligostachyus*, F. Muell. Fragm. ix. 38 = *bifidus*.  
*pellens*, Schrad. Anal. Cyp. 25 = *Ficinia setiformis*.  
*paludosus*, Poir. Encyc. Suppl. ii. 251 = *Tricostularia paludosa*.  
*palustris*, Bernh. Syst. Verz. Erf. 26 = *Eleocharis palustris*.  
*paniculatus*, Burm. f. Fl. Ind. 19 = *Scleria elata*, sumatrensis.  
*paniculatus*, Hassk. Cat. Hort. Bog. Alt. 296 = *Gahnia javanica*.  
*paniculatus*, Noronha, ex Thou. Prod. Phyt. 2; in Mélang. (1811), nomen.—Madag.



**SCHOENUS:**—

- paradoxus*, Spreng. Syst. i. 190 (= *Isolepis paradoxa*).—Venezuela.
- pauciflorus*, Hook. f. Handb. N. Zeal. Fl. 298.—N. Zel.
- pauciflorus*, F. Muell. Census, 128 = *Tricostularia pauciflora*.
- pauciflorus*, Willd. ex Kunth, Enum. Pl. ii. 298 = *Rynchospora glauca*.
- pedicellatus*, Poir. Encyc. Suppl. ii. 251.—Austral.
- pilosus*, Willd. Phyt. 3 (= *Abildgaardia pilosa*).—Afr. bor.
- pleiostemonus*, F. Muell. Fragm. ix. 52.—Austral.
- polyccephalus*, Pers. Syn. i. 59 = *Rynchospora cyperoides*.
- polymorphus*, Rottb. Desc. Nov. Pl. 67; Progr. 13 = *Fimbristylis ferruginea*.
- polyphyllus*, Vahl, Eclog. Am. ii. 5 = *Rynchospora polyphylla*.
- pterocarpus*, Poir. Encyc. Suppl. v. 617 = *Rynchospora pterocarpa*.
- puberulus*, C. A. Mey. in Mém. Sav. Etr. Pétersb. i. (1831) 196 (*Fimbristylidis* sp.).—Reg. Himal.
- pubescens*, H. B. & K. Nov. Gen. et Sp. i. 228 = *Dichromena pubera*.
- pubigerus*, Schrad. ex Nees, in Mart. Fl. Bras. ii. 1. 116 = *Rynchospora robusta*.
- punctatus*, R. Br. Prod. 232.—Austral.
- punctorius*, Vahl, Enum. ii. 217 (*Tetrariae* sp.).—Afr. austr.
- pungens*, Willd. ex Kunth, Enum. Pl. ii. 308 = *Tetraria compar*.
- pusillus*, Sw. Prod. Veg. Ind. Occ. 20 (= *Rynchosporae* sp.).—Ind. occ.
- quadrangularis*, Boeck. in Linnaea, xxxviii. (1874) 274.—Afr. austr.
- radiatus*, Forst. ex Vahl, Enum. ii. 220 = *arundinaceus*.
- radiatus*, Linn. f. Suppl. 101 = *Ficinia radiata*.
- rariflorus*, Michx. Fl. Bor. Am. i. 35 = *Rynchospora rariflora*.
- recurvatus*, Schrad. ex Nees, in Mart. Fl. Bras. ii. 1. 132 = *Rynchospora recurvata*.
- restioides*, Sw. Prod. Veg. Ind. Occ. 19 (*Cladii* sp.).—Ind. occ.
- ruber*, Lour. Fl. Cochinch. 52 = *Rynchospora Wallichiana*.
- rubiginosus*, Soland. ex Forst. f. Prod. 89 = *Cladium glomeratum*.
- rufus*, Huds. Fl. Angl. ed. II. 15 = *Scirpus rufus*.
- rugosus*, Vahl, Eclog. Am. ii. 5 = *Rynchospora glauca*.
- scabripes*, Benth. Fl. Austral. vii. 368.—Austral.
- scariosus*, Thunb. Prod. Pl. Cap. 16 = *Ficinia bracteata*.
- scariosus*, Vahl, Enum. ii. 210 = *Ficinia scariosa*.
- Scheuchzeri* ×, Bruegg. in Jahrb. Naturf. Ges. Graub. II. xxiii–xxiv. (1880) 119.—Europ.
- sculptus*, Boeck. in Linnaea, xxxviii. (1874) 286.—Austral.
- secans*, Linn. Syst. ed. X. 865 = *Scleria Flagellum-nigrorum*.
- secundus*, Vahl, Enum. ii. 215 = *Ficinia secunda*.
- setaceus*, Berg. in Act. Helv. vii. (1772) 130. t. 9 = *Rynchospora tenerima*.
- setaceus*, Muhl. Desc. Gram. 6 = *Rynchospora capillacea*.
- setaceus*, Thuill. Fl. Par. ed. II. 19 = *Rynchospora fusca*.
- setaceus*, Vahl, ex Kunth, Enum. Pl. ii. 297 = *Rynchospora distans*.
- setifolius*, Benth. Fl. Austral. vii. 359 = *Ficinia tenuifolia*.
- Sodaliun*, Harriot, in Bull. Soc. Bot. Fr. xxxi. (1884) 154.—Fuegia.
- spadiceus*, H. B. & K. Nov. Gen. et Sp. i. 227 (= *Isolepis paradoxa*).—Venezuela.
- spadiceus*, Vahl, Enum. ii. 210 = *Scirpus spadiceus*.
- sparganoides*, Lindl. ex Kunth, Enum. Pl. ii. 291 = *Rynchospora cyperoides*.
- sparsus*, Michx. Fl. Bor. Am. i. 35 = *Rynchospora sparsa*.
- sparteus*, R. Br. Prod. 231.—Austral.
- spathaceus*, Linn. Sp. Pl. ed. II. 63 = *Dulichium spathaceum*.
- Spermodon*, Schrad. ex Kunth, Enum. Pl. ii. 280 = *Rynchospora tenerima*, Nees.
- sphaerocephalus*, Poir. Encyc. Suppl. ii. 252 = *Mesomelaena sphaerocephala*.
- spicatus*, Burm. f. Fl. Cap. Prod. 3 (*Tetrariae* sp.).—Afr. austr.
- spicatus*, Thunb. Prod. Pl. Cap. 16 = *Ficinia bulbosa*.

**SCHOENUS:**—

- spilocarpus*, Soland. ex Seem. Fl. Vit. 316 = *Gahnia schoenoides*.
- stellatus*, Lam. Encyc. i. 741 = *Dichromena leucocephala*.
- striatus*, Thunb. Prod. Pl. Cap. 16 = *Ficinia setiformis*.
- stygius*, Poir. Encyc. Suppl. ii. 252 = *Mesomelaena stygia*.
- subbulbosus*, Benth. Fl. Austral. vii. 358 = *capitatus*.
- subserratus*, Steud. in Flora, xii. (1829) 136 = *Ficinia setiformis*, brevifolia.
- surinamensis*, Rottb. Desc. Nov. Pl. 68; Progr. 14 = *Rynchospora aurea*.
- surinamensis*, Soland. ex Forst. f. Prod. 89 (an praec.?).—Ins. Tahiti.
- sylvaticus*, Bernh. Syst. Verz. Erf. 27 = *Scirpus sylvaticus*.
- sylvaticus*, Salzm. ex Schlecht. in Bot. Zeit. vii. (1849) 167 = *Rynchospora comata*.
- tenax*, Hook. f. Handb. N. Zeal. Fl. 298 = *breviflorus*.
- Tendo*, Banks & Soland. ex Hook. f. l. c.—N. Zel.
- tenellus*, Benth. Fl. Austral. vii. 375 = *fluitans*.
- tener*, Spreng. Neue Entdeck. iii. 9.—Afr. austr.
- tenuiflorus*, Willd. ex Link, Jahrb. i. III. (1820) 75.—Am. austr.?
- tenuifolius*, H. B. & K. Nov. Gen. et Sp. i. 228 = *Dichromena tenuifolia*.
- tenuis*, T. Kirk, in Trans. N. Z. Inst. i. ed. II. (1871) 94.—N. Zel.
- tenuissimus*, Benth. Fl. Austral. vii. 365 = *Lepidospora tenuissima*.
- Tepperi*, F. Muell. Fragm. xi. 106 = *trachycarpus*.
- tetragonus*, Poir. Encyc. Suppl. ii. 252 = *Mesomelaena tetragona*.
- thermalis*, Linn. Mant. ii. 172 (= *Lepidosperma thermalis*).—Afr. austr.
- trachycarpus*, F. Muell. Fragm. ix. 33.—Austral.
- triceps*, Vahl, Eclog. Am. ii. 4 = *Rynchospora cyperoides*.
- Tricostularia*, F. Muell. Census, 128 = *Tricostularia compressa*.
- tristachyus*, Thunb. Prod. Pl. Cap. 16 (*Tetrariae* sp.).—Afr. austr.
- tuberosus*, Burm. f. Fl. Ind. 190 = *Cyperus rotundus*.
- turbinatus*, Poir. Encyc. Suppl. ii. 251.—Austral.
- umbellatus*, Jacq. Coll. i. 113 = *Mariscus ovularis*.
- umbellatus*, Walt. Fl. Carol. 70 = *Rynchospora laxa*.
- unispiculatus*, F. Muell. ex Benth. Fl. Austral. vii. 365.—Austral.
- ustulatus*, Linn. Mant. ii. 178 (= *Elynanthus ustulatus*).—Afr. austr.
- vacillans*, T. Kirk, in Trans. N. Z. Inst. x. (1878) 421 = *axillaris*.
- vaginatus*, F. Muell. ex Benth. Fl. Austral. vii. 371.—Austral.
- velutinus*, Schrad. ex Kunth, Enum. Pl. ii. 282 = *Rynchospora velutina*.
- villosus*, R. Br. Prod. 231.—Austral.
- viscosus*, Schrad. Anal. Cyp. 26 = *Tetraria compar*.

- SCHOEPFIA**, Schreb. Gen. 129 (1789). *OLACINAE*, Benth. & Hook. f. i. 348.
- CODONIUM*, Rohr, ex Vahl, in Skrivt. Naturh. Selsk. Kjoeb. ii. (1792) 206.
- DIPLOCALYX*, A. Rich. Fl. Cub. Fanerog. ii. 81. t. 54 (1853).
- HAENKEA*, Ruiz & Pav. Fl. Per. iii. 8. t. 231 (1802).
- SCHOEPFIOPSIS*, Miers, in Journ. Linn. Soc. xvii. (1878) 75.
- acuminata*, Wall. Cat. n. 486; et ex DC. Prod. iv. 320.—Reg. Himal.
- americana*, Willd. Sp. Pl. i. 996 = *Schreberi*.
- angulata*, Planch. ex Hemsl. Diagn. Pl. Nov. 5.—Mexico.
- arborescens*, Roem. & Schult. Syst. v. 160 = *Schreberi*.
- brasiliensis*, A. DC. in DC. Prod. xiv. 622.—Bras.
- chinensis*, Gardn. & Champ. in Hook. Kew Journ. i. (1849) 308.—China.
- chrysophyllodes*, Planch. in Ann. Sc. Nat. Sér. IV. ii. (1854) 261, in obs.—Ind. occ.
- confertiflora*, Planch. ex Miers, in Journ. Linn. Soc. xvii. (1878) 74 = *quintuplinervis*.
- didyma*, Wright, ex Griseb. Cat. Pl. Cub. 119.—Cuba.
- flexuosa*, Roem. & Schult. Syst. v. 160.—Peruv.
- fragrans*, Wall. in Roxb. Fl. Ind. ed. Carey, ii. 188.—Reg. Himal.
- grandifolia*, Baill. Adansonia, iii. (1862–63) 117.—Bras.

**SCHOEPFIA:**—

- jasminodora*, Sieb. & Zucc. in Abh. Akad. Muench. iv. III. (1846) 135.—Ins. Luchu; Japon.
- Marchii*, Griseb. Fl. Brit. W. Ind. 310 = *chrysophyllodes*.
- mexicana*, A. DC. in DC. Prod. xiv. 622.—Mexic.
- nigricans*, Turcz. in Bull. Soc. Nat. Mosc. xxxi. (1858) 1. 249 = *brasiliensis*.
- obliquifolia*, Turcz. l. c. (sp. dub.).—Bras.
- obovata*, Wright, Sauv. Fl. Cub. 21.—Cuba.
- odorata*, Wall. Cat. n. 485 = *fragrans*.
- parvifolia*, Planch. ex Hemsl. Diagn. Pl. Nov. 5 (an praec.?).—Mexic.
- quintuplinervis*, Turcz. in Bull. Soc. Nat. Mosc. xxxi. (1858) 1. 248.—Bras.
- Schreberi*, J. F. Gmel. Syst. 376.—Peruv.
- vacciniiflora*, Planch. ex Triana & Planch. in Ann. Sc. Nat. Sér. V. xv. (1872) 382, nomen.—N. Granat.
- vacciniiflora*, Planch. ex Hemsl. Diagn. Pl. Nov. 5 (an praec.?).—Guatemala.

- SCHOEPFIOPSIS**, Miers, in Journ. Linn. Soc. xvii. (1878) 75 = **Schoepfia**, Schreb. (Olacin.).
- acuminata*, Miers, l. c. = *Schoepfia acuminata*.
- chinensis*, Miers, l. c. = *Schoepfia chinensis*.
- fragrans*, Miers, l. c. 76 = *Schoepfia fragrans*.
- jasminodora*, Miers, l. c. 77 = *Schoepfia jasminodora*.

- SCHOLERA**, Hook. f. Fl. Brit. Ind. iv. 62, in syn. (1883), sphalm. = **SCHOLIA**, Jacq. f. = **Hoya**, R. Br. (Asclep.).

- SCHOLLERA**, Rohr, in Skrivt. Naturh. Selsk. Kjoeb. ii. (1792) 210 = **Microtea**, Sw. (Phytol.).
- debilis*, Rohr, l. c. = *M. debilis*.

- SCHOLLERA**, Roth, Tent. Fl. Germ. i. 165, 170 (1788) = **Oxycoccus**, Tourn. (Vaccin.).
- erecta*, Steud. Nom. ed. I. 746 = *Vaccinium erythrocarpum*.
- erythrocarpa*, Steud. l. c. = *Vaccinium erythrocarpum*.
- europaea*, Steud. l. c. = *O. palustris*.
- hispidula*, Steud. l. c. = *Chiogenes serpyllifolia*.
- macrocarpa*, Steud. l. c. = *O. macrocarpum*.
- Oxycoccus*, Roth, Tent. Fl. Germ. i. 170 = *O. palustris*.
- paludosa*, Baumg. Enum. Stirp. Transs. i. 331 = *O. palustris*.
- palustris*, Steud. Nom. ed. I. 746 = *O. palustris*.

- SCHOLLERA**, Schreb. Gen. 785 (1791) = **Heteranthera**, Ruiz & Pav. (Ponted.).
- graminea*, Rafin. in Am. Monthly Mag. (1818) 175; A. Gray, Man. Bot. N. U. St. ed. II. 485 = *H. graminea*.
- graminifolia*, Willd. in Ges. Naturf. Fr. Neue Schr. iii. (1801) 438, in obs., nomen = *H. graminea*.
- limosa*, Rafin. in Am. Monthly Mag. (1818) 175 = *H. limosa*.

- SCHOLIA**, Jacq. f. Eclog. Pl. i. 5. t. 2 (1811) = **Hoya**, R. Br. (Asclep.).
- carnosa*, Schrank, ex Steud. Nom. ed. I. 414, 746 = *H. carnosa*.
- chinensis*, Jacq. f. Eclog. Pl. i. 7 = *H. carnosa*.
- cochinchinensis*, Jacq. f. l. c. = *H. cochinchinensis*.
- crassifolia*, Jacq. f. l. c. 5. t. 2 = *H. carnosa*.
- viminalis*, Jacq. f. l. c. 8 = *Philibertia viminalis*.
- volubilis*, Jacq. ex Steud. Nom. ed. I. 414, 746 = *Dregea volubilis*.

- SCHOLTZIA**, Schau. in Linnaea, xvii. (1843) 241.
- MYRTACEAE**, Benth. & Hook. f. i. 700.
- PIPTANDRA*, Turcz. in Bull. Soc. Nat. Mosc. (1862) II. 323.
- PRITZELIA*, Schau. in Flora, xxvi. (1843) 405, 407, nomen.
- capitata*, F. Muell. ex Benth. Fl. Austral. iii. 69.—Austral.
- ciliata*, F. Muell. Fragm. iv. 76.—Austral.
- decandra*, F. Muell. l. c. 75 = *Thryptomene saxicola*.
- denticulata*, F. Muell. l. c. = *Thryptomene denticulata*.
- Drummondii*, Benth. Fl. Austral. iii. 70.—Austral.
- laxiflora*, Benth. l. c. 69.—Austral.
- leptantha*, Benth. l. c.—Austral.
- obovata*, Schau. in Linnaea, xvii. (1843) 241.—Austral.
- oligandra*, F. Muell. ex Benth. Fl. Austral. iii. 70.—Austral.
- parviflora*, F. Muell. Fragm. iv. 76.—Austral.

**SCHOLTZIA** :—

spathulata, *Benth. Fl. Austral.* iii. 68.—Austral.  
teretifolia, *Benth. l. c.* 70.—Austral.  
uberiflora, *F. Muell. Fragm.* iv. 74.—Austral.  
umbelliflora, *F. Muell. l. c.* 75.—Austral.

SCHOMBURGHIA, DC. *Prod.* vii. 293 (1838) =  
**Geissopappus**, Benth. (Compos.).  
*caleoides*, DC. l. c. 294 = *G. caleoides*.

SCHOMBURGKIA, Benth. & Hook. f. *Gen.* ii. 396 (1873)  
= *praece*.

**SCHOMBURGKIA**, Lindl. *Sert. Orch.* tt. 10, 13  
(1838). **ORCHIDEAE**, Benth. & Hook. f. iii. 534.  
*Bryslana*, Lem. *Jard. Fleur.* i. (1851) Misc. 34 =  
tibicinis.  
*carinata*, Griseb. *Fl. Brit. W. Ind.* 621 = *Lyonsii*.  
*crispa*, Lindl. *Sert. Orch.* t. 10.—Guian.  
*Galeottiana*, A. Rich. in *Ann. Sc. Nat. Sér.* III. iii.  
(1845) 23 = tibicinis.  
*gloriosa*, Reichb. f. in *Hamb. Gartenz.* xvi. (1860) 178  
= *crispa*.  
*Humboldtii*, Reichb. f. in *Bonplandia*, iv. (1856) 328.  
—Venezuela.  
*Luddemani*, Prill. in *Journ. Soc. Imp. Hort. Par.*  
viii. (1862) 123 = *undulata*.  
*Lyonsii*, Lindl. in *Gard. Chron.* (1853) 615.—  
Jamaic.  
*marginata*, Hook. *Bot. Mag.* t. 3729, partim =  
*crispa*.  
*marginata*, Lindl. *Sert. Orch.* t. 13.—Guian.  
*rosea*, Linden, ex Lindl. *Bot. Reg.* (1845) sub t. 53.—  
N. Granat.  
tibicinis, *Batem. Orch. Mex. et Guat.* t. 30; et ex  
Lindl. *Bot. Reg.* (1841) Misc. 57.—Am. centr.  
*undulata*, Lindl. l. c. (1844) sub t. 23; *Misc.* 13.—  
Venezuela.  
*violacea*, Paxt. *Mag. Bot.* xvi. (1849) 123 = *undulata*.  
*Wallisii*, Reichb. f. in *Linnaea*, xli. (1877) 116.—  
N. Granat.

SCHORIGERAM, Adans. *Fam.* ii. 355 (1763) = **Tragia**,  
Plum. (Euphorb.).

SCHORTIA, Hort. ex Vilm. *Fl. Pl. Terre*, ed. I. 794  
(1863) = **Actinolepis**, DC. (Compos.).  
*californica*, Hort. ex Vilm. l. c. = *A. coronaria*.

**SCHOTIA**, Jacq. *Coll.* i. 93 (1786). **LEGUMINOSAE**,  
Benth. & Hook. f. i. 581.  
OMPHALOBIUM, Jacq. ex DC. *Prod.* ii. 508 (1825);  
et *Eclog. Pl.* ii. 6. t. 126 (1844).  
THEODORA, Medic. *Theod.* 16 (1786).  
*afra*, Thunb. *Prod. Pl. Cap.* 79 = *speciosa*.  
*alata*, Thunb. *Fl. Cap. ed. Schult.* 389.—Afr. austr.  
*angustifolia*, E. Mey. *Comm. Pl. Afr. Austr.* 161 =  
*speciosa*.  
*brachypetala*, Sond. in *Linnaea*, xxiii. (1850) 39.—  
Afr. austr.  
*capitata*, Bolle, in *Peters, Reise Mossamb. Bot.* 18.—  
Afr. trop.  
*diversifolia*, Walp. in *Linnaea*, xiii. (1839) 541 =  
*latifolia*.  
*humboldtoides*, Oliver, *Fl. Trop. Afr.* ii. 310.—Afr.  
trop.  
*latifolia*, Jacq. *Fragm.* 23. t. 15. f. 4.—Afr. austr.  
*parvifolia*, Dehnh. *Rivist. Napol.* i. III. 179.—Afr.  
austr.  
*parvifolia*, Jacq. *Fragm.* 85. t. 136. f. 4.—Afr. austr.  
*simplicifolia*, Vahl, ex DC. *Prod.* ii. 508 = *Bandeiraea*  
*simplicifolia*.  
*speciosa*, Blanco, *Fl. Filip.* ed. I. 356 = *Cynometra*  
*ramiflora*.  
*speciosa*, Jacq. *Coll.* i. 93; *l. c.* Pl. *Rar.* i. 8. t. 75.—  
Afr. austr.  
*stipulata*, Ait. *Hort. Kew.* ed. II. iii. 33 = *speciosa*.  
*tamarindifolia*, Afzel. ex Sims, *Bot. Mag.* t. 1153 =  
*speciosa*.

SCHOUSBEA, Rafin. *Princ. Somiol.* 29 (1814) =  
SCHOUSBOEA, Willd.

SCHOUSBOEA, Schum. & Thonn. *Beskr. Guin. Pl.* 449  
(1827) = **Alchornea**, Sw. (Euphorb.).  
*cordifolia*, Schum. & Thonn. l. c. = *A. cordifolia*.

VOL. II.

SCHOUSBOEA, Willd. *Sp. Pl.* ii. 578 (1799) =  
**Cacoucia**, Aubl. (Combret.).  
*coccinea*, Willd. l. c. = *C. coccinea*.  
*commutata*, Spreng. *Syst.* ii. 332 = *Laguncularia*  
*racemosa*.

SCHOUTENIA, Korth. in *Nederl. Kruidk. Arch.* i.  
(1848) 312. **TILIACEAE**, Benth. & Hook. f. i.  
237.

ACTINOPHORA, Wall. *Cat. n.* 1163 (1830).  
Godefroyana, Baill. *Adansonia*, xi. (1876) 370.—Siam.  
ovata, Korth. in *Nederl. Kruidk. Arch.* i. (1848)  
313.—Java.

SCHOUTENSIA, Endl. *Prod. Fl. Norf.* 79, in obs.  
(1833) = **Pittosporum**, Banks.  
*monophylla*, Endl. l. c. = *P. tenuifolium*.

SCHOUWIA, DC. *Syst.* ii. 643 (1821). **CRUCI-**  
**FERAE**, Benth. & Hook. f. i. 89.  
CYCLOPTERYGIUM, Hochst. in *Flora*, xxxi. (1848)  
175.

SUBULARIA, Forsk. *Fl. Aegypt. Arab.* 117 (1775).  
*arabica*, DC. *Syst.* ii. 644.—Arab.  
*arabica*, Steud. & Hochst. ex Jaub. & Spach, *Illustr.*  
iii. 145 = *Schimper*.  
*brassicaefolia*, Jaub. & Spach, l. c. = *arabica*.  
*brevisepta*, Hochst. in *Flora*, xxxi. (1848) 175 =  
*Schimper*.  
*glastifolia*, Jaub. & Spach, *Illustr.* iii. 146 = *arabica*.  
*Schimper*, *Jaub. & Spach, l. c.* 145.—Aegypt.; Arab.  
*thebaica*, Webb, in *Parl. Giorn. Bot. Ital.* ii. (1847) 219  
= *Schimper*.

SCHOUWIA, Schrad. in *Goett. Gel. Anz.* i. (1821) 717  
= **Goethea**, Nees & Mart. (Malvac.).  
*semiserrata*, Schrad. l. c. = *G. sempervirens*.

SCHOWIA, Sweet, *Hort. Brit. ed. III.* 43 (1839), sphalm.  
= *praece*.

**SCHRADERA**, Vahl, *Eclog. Am.* i. 35. t. 5 (1796).  
**RUBIACEAE**, Benth. & Hook. f. ii. 66.  
FUCHSIA, Sw. *Prod. Veg. Ind. Occ.* 62 (1788).  
URCEOLARIA, Willd. in *Coth. Dispos. Veg.* 10  
(1790).  
*brasiliensis*, Mart. ex *Schult. f. Syst.* vii. 164.—Bras.  
*capitata*, Vahl, *Eclog. Am.* i. 35.—Ind. occ.  
*cephalophora*, Griseb. in *Mem. Am. Acad. N. S.* viii.  
(1868) 504.—Cuba.  
*Cephalotes*, Willd. *Sp. Pl.* ii. 238.—Jamaic.  
*cephalotes*, St. Lag. in *Ann. Soc. Bot. Lyon*, vii. (1880)  
134 = *praece*.  
*jamaicensis*, Pers. *Syn.* i. 201 = *S. Cephalotes*.  
*ligularis*, Rudge, *Pl. Gui.* i. 29. t. 45 = *Cephaelis*  
*ligularis*.  
*longifolia*, Spruce, ex Hook. f. in *Hook. Ic. Pl.* sub t.  
1068 = *Stachyarrhena longifolia*.  
*polyccephala*, DC. *Prod.* iv. 444.—Guian.  
*spicata*, Spruce, ex Hook. f. in *Hook. Ic. Pl.* sub t.  
1068 = *Stachyarrhena spicata*.  
*stellata*, Benth. *Bot. Voy. Sulph.* 106. t. 40.—N.  
Granat.  
*umbellata*, Presl, *Bot. Bemerk.* 81.—Peruv.

SCHRADERA, Willd. in *Goett. Journ. Wiss.* i. (1797) 1  
= **Croton**, Linn. (Euphorb.).  
*scandens*, Willd. l. c. = *C. trilobatus*.

SCHRADERIA, Medic. *Phil. Bot.* ii. 40 (1791) =  
**Salvia**, Tourn. (Labi.).  
*hastata*, Moench, *Meth.* 378 = *Salvia canariensis*.

SCHRANCKIA, Scop. ex J. F. Gmel. *Syst.* 515 (1790)  
= **Goupia**, Aubl. (Celastr.).  
*quinquefaria*, J. F. Gmel. l. c. = *G. glabra*.

SCHRANKIA, Medic. *Pflanzeng.* 42 (1792) = **Rapi-**  
**strum**, Tourn. (Crucif.).  
*divaricata*, Moench, *Meth. Suppl.* 86 = *R. perenne*.  
*rugosa*, Medic. *Pflanzeng.* 44 = *R. rugosum*.  
*sulcata*, Moench, *Meth. Suppl.* 87 = *R. orientale*.

**SCHRANKIA** Willd. *Sp. Pl.* iv. 1041 (1806). **LEGU-**  
**MINOSAE**, Benth. & Hook. f. i. 593.

LEPTOGLOTTIS, DC. *Mém. Lég.* 451 (1825).  
*aculeata*, Willd. *Sp. Pl.* iv. 1041.—Mexic.  
*angustata*, Torr. & Gray, *Fl. N. Am.* i. 400.—Am. bor.

**SCHRANKIA** :—

*brachycarpa*, Benth. in *Hook. Journ. Bot.* ii. (1840)  
130 = *Mimosa invisa*.  
*distachya*, [Mof. & Sesse,] ex DC. *Prod.* ii. 443.—  
Mexic.  
*elata*, Mart. & Gal. in *Bull. Acad. Brux.* x. II. (1843)  
309 = *Mimosa Ervendbergii*.  
*glabra*, Benth. in *Hook. Lond. Journ. Bot.* v. (1846)  
94 = *Mimosa spiciflora*.  
*hamata*, Humb. & Bonpl. ex Willd. *Sp. Pl.* iv. 1042.  
—Am. trop.  
*leptocarpa*, DC. *Prod.* ii. 443.—Am. trop.  
*macrostachya*, Benth. in *Hook. Journ. Bot.* iv. (1842)  
414 = *Mimosa millefoliata*.  
*mexicana*, Rafin. *New Fl. Am.* i. 43 = *aculeata*.  
*nova*, Steud. *Nom. ed. II.* ii. 535 (Quid ?).—Mexic.  
*platycarpa*, A. Gray, in *Bost. Journ. Nat. Hist.* vi.  
(1850) 183.—Texas.  
*rhodostachya*, Benth. in *Hook. Journ. Bot.* iv. (1842)  
414 = *Mimosa rhodostachya*.  
*Sellowii*, Benth. l. c. 415 = *Mimosa Selloi*.  
*subinermis*, S. Wats. in *Proc. Am. Acad.* xvii.  
(1882) 350.—Mexic.  
*uncinata*, Pritz. *l. c.* Ind. ii. 254, sphalm. = *Smilax*  
*pubera*.  
*uncinata*, Willd. *Sp. Pl.* iv. 1043.—Am. bor.

SCHREBERA, Linn. *Sp. Pl.* ed. II. 1662 (1763) =  
**Cuscuta**, Tourn. (Convolv.).  
*schinoides*, Linn. l. c. = *C. africana*.

SCHREBERA, Retz. *Obs.* vi. 25 (1791) = **Elaeo-**  
**dendron**, Jacq. f. (Tiliac.).  
*albans*, Retz. l. c. = *E. glaucum*.  
*Pongati*, DC. *Prod.* vii. 548, sphalm. = *Sphenoclea*  
*zeylanica*.

SCHREBERA, Roxb. *Pl. Corom.* ii. 1. t. 101 (1798).  
**OLEACEAE**, Benth. & Hook. f. ii. 675.  
NATHUSIA, Hochst. in *Flora*, xxiv. (1841) i. *Intell.*  
25; ii. 671.

*alata*, Welw. in *Trans. Linn. Soc.* xxvii. (1869) 41 =  
*Saundersia*.  
*golungensis*, Welw. l. c. 40.—Afr. trop.  
*pubescens*, Kurz, in *Flora*, iv. (1872) 399 = *swietenoides*.  
*Saundersia*, *Harv. Thes. Cap.* ii. 40.—Afr. austr. et trop.  
*swietenoides*, Roxb. *Pl. Corom.* ii. 1. t. 101.—Ind. or.;  
Burma.  
*trichoclada*, Welw. in *Trans. Linn. Soc.* xxvii. (1869)  
41.—Afr. trop.

SCHREBERA, Schreb. in *Nov. Act. Soc. Sc. Upsal.*  
i. (1773) t. 5. f. 1 (cf. p. 91) = **Hartogia**, Linn. f.  
(Celastr.).  
*schinoides*, Thunb. *Prod. Pl. Cap.* 28 = *H. capensis*.

SCHREIBERIA, Steud. *Nom. ed. II.* ii. 535 (1841),  
sphalm. = *seq.*

SCHREIBERSIA, Pohl, in *Flora*, viii. (1825) 183 =  
**Augusta**, Pohl (Rubi.).

SCHRENCKIA, Benth. & Hook. f. *Gen.* i. 883 (1867),  
sphalm. = *seq.*

SCHRENKIA, Fisch. & Mey. in *Schrenk, Enum. Pl.*  
*Nov.* 63 (1841) = **Hippomarathrum**, Link  
(Umbell.).  
*vaginata*, Fisch. & Mey. l. c. 64 = *H. vaginatum*.

**SCHRENKIA**, Regel & Schmalh. in *Act. Hort.*  
*Petrop.* v. (1877) 606. **UMBELLIFERAE**.  
*involuta*, Regel & Schmalh. l. c.—Turkestan.  
*papillaris*, Regel & Schmalh. l. c. 608.—Turkestan.  
*pungens*, Regel & Schmalh. l. c. 607.—Turkestan.

SCHROPHULARIA, Medic. *Beobacht.* (1783) 132, err.  
typ. = **Serophularia**, Linn.

**SCHTSCHUROWSKIA**, Regel & Schmalh. ex  
Regel, *Pl. Nov. Fedsch.* 40 (1882). **UMBELLI-**  
**FERAE**.  
*meifolia*, Regel & Schmalh. l. c.—Kokan.

SCHUBERTA, St. Lag. in *Ann. Soc. Bot. Lyon*, viii.  
(1881) 171 = **SCHUBERTIA**, Auct.

SCHUBERTIA, Blume, *Bijdr.* 884 (1826) = **Hors-**  
**fieldia**, Blume (Umbell.).  
*aculeata*, Blume, l. c. 885 = *H. aculeata*.

SCHUBERTIA, Mart. Nov. Gen. et Sp. i. 55. t. 33 (1824) = **Araujia**, Brot. (Asclep.).  
*auricoma*, Lem. in Fl. des Serres, ii. (1846) t. 169 = *graveolens*.  
*Grahami*, Decne. in DC. Prod. viii. 535 = *graveolens*.  
*grandiflora*, Mart. Nov. Gen. et Sp. i. 57.—Bras.  
*graveolens*, Lindl. Bot. Reg. (1838) Misc. 2.—Bras.  
*hamata*, Fourn. in Mart. Fl. Bras. vi. iv. 297.—Bras.  
*Kefersteinii*, Schlecht. in Bot. Zeit. x. (1852) 553.—N. Granat.  
*longiflora*, Mart. Nov. Gen. et Sp. i. 57.—N. Granat.  
*multiflora*, Mart. l. c. i. 56. t. 33.—Bras.  
*muricata*, Manso, ex Fourn. in Mart. Fl. Bras. vi. iv. 296.—Bras.  
*tristis*, Seem. Bot. Voy. Herald, 160 = *Macroscopis tristis*.

SCHUBERTIA, Mirb. in Nouv. Bull. Soc. Philom. iii. (1812) 123 = **Taxodium**, Rich. (Conif.).  
*capensis*, Spreng. Syst. iii. 890 = *Callitris arborea*.  
*disticha*, Mirb. in Mém. Mus. Par. xiii. (1825) 75 = *T. distichum*.  
*japonica*, Spach, Hist. Vég. Phan. xi. 352 = *T. heterophyllum*.  
*nucifera*, Denh. ex Endl. Syn. Conif. 70 = *T. heterophyllum*.  
*sempervirens*, Spach, Hist. Vég. Phan. xi. 353 = *Sequoia sempervirens*.

SCHUDIA, Molina, ex C. Gay, Fl. Chil. iii. 143 (1847) = **Osmorhiza**, Rafin. (Umbell.).  
*chilensis*, Molina, ex C. Gay, l. c. = *O. Berterii*.

SCHUEBLERIA, Mart. Nov. Gen. et Sp. ii. 113. tt. 186–188 (1827) = **Curtia**, Cham. & Schlecht. (Gentian.).  
*coarctata*, Benth. in Ann. Nat. Hist. Ser. I. ii. (1839) 442 = *tenuifolia*.  
*conferta*, Mart. Nov. Gen. et Sp. ii. 115. t. 186. f. 2.—Bras.  
*diffusa*, Mart. l. c. 114 = *C. diffusa*.  
*intermedia*, Prog. in Mart. Fl. Bras. vi. i. 218.—Bras.  
*obtusifolia*, Benth. in Hook. Kew Journ. vi. (1854) 194.—Bras.  
*patula*, Mart. Nov. Gen. et Sp. ii. 117.—Bras.  
*pusilla*, Griseb. Gen. et Sp. Gent. 163.—Bras.  
*stricta*, Mart. Nov. Gen. et Sp. ii. 116 = *C. gentianoides*.  
*tenella*, Benth. in Ann. Nat. Hist. Ser. I. ii. (1839) 442 = *tenuifolia*.  
*tenella*, Mart. Nov. Gen. et Sp. ii. 117 = *C. tenella*.  
*tenuifolia*, G. Don, Gen. Syst. iv. 202.—Am. trop.

SCHUECHIA, Endl. Gen. 1178 (1840) = **Qualea**, Aubl. (Vochys.).  
*brasiliensis*, Endl. ex Walp. Rep. ii. 68 = *Q. ecalcarata*.

SCHUENKIA, Rafin. Princ. Somiol. 30 (1814) = **Schwenkia**, Linn. (Solanac.).

SCHUERMANNIA, F. Muell. in Linnaea, xxv. (1852) 386 = **Darwinia**, Rudge (Myrtac.).  
*homoranthoides*, F. Muell. l. c. 387 = *D. Schuermanni*.

SCHUFIA, Spach, in Ann. Sc. Nat. Sér. II. iv. (1835) 177 = **Fuchsia**, Plum. (Onagr.).  
*arborescens*, Spach, l. c. = *F. arborescens*.

SCHULTESIA, Mart. Nov. Gen. et Sp. ii. 103. tt. 180–182 (1827). **GENTIANEA**, Benth. & Hook. f. ii. 811.  
**REICHERTIA**, Karst. in Bot. Zeit. vi. (1848) 397.  
**XESTAEA**, Griseb. in Linnaea, xxii. (1849) 35.  
*angustifolia*, Griseb. in DC. Prod. ix. 68.—Bras.  
*aptera*, Cham. in Linnaea, viii. (1833) 9.—Bras.  
*Aubletii*, G. Don, Gen. Syst. iv. 196 = *stenophylla*.  
*australis*, Griseb. Gen. et Sp. Gent. 127.—Bras.  
*Benthamiana*, Klotzsch, ex Griseb. in Linnaea, xxii. (1849) 34.—Guian.  
*brachyptera*, Cham. in Linnaea, viii. (1833) 8.—Bras.  
*crenuliflora*, Mart. Nov. Gen. et Sp. ii. 104.—Bras.  
*Doniana*, Prog. in Mart. Fl. Bras. vi. i. 209.—Bras.  
*gracilis*, Mart. Nov. Gen. et Sp. ii. 105. t. 181.—Bras.  
*heterophylla*, Miq. in Linnaea, xix. (1847) 136.—Am. trop.

# SCHULTESIA:—

*lisianthoides*, Benth. & Hook. f. ex Hemsl. Biol. Centr. Am. Bot. ii. 348.—Am. centr.  
*neuroptera*, Griseb. ex Prog. in Mart. Fl. Bras. vi. i. 208 = *heterophylla*.  
*pachyphylla*, Griseb. in DC. Prod. ix. 67.—Bras.  
*pallens*, Bunbury, in Proc. Linn. Soc. i. (1841) 110 = *stenophylla*.  
*Pohlana*, Prog. in Mart. Fl. Bras. vi. i. 205.—Bras.  
*Schomburgkiana*, Prog. l. c. 206.—Guian.  
*stenophylla*, Mart. Nov. Gen. et Sp. ii. 106. t. 182.—Am. trop.  
*subcrenata*, Klotzsch, ex Griseb. in Linnaea, xxii. (1849) 34.—Guian.

SCHULTESIA, Roth, Enum. Pl. Phaen. Germ. i. i. 690 (1827) = **Wahlenbergia**, Schrad. (Campan.).  
*hederacea*, Roth, l. c. = *W. hederacea*.

SCHULTESIA, Schrad. in Goett. Gel. Anz. i. (1821) 708 = **Gomphrena**, Linn. (Amarant.).  
*capitata*, Schrad. l. c. = *G. rupestris*.

SCHULTESIA, Spreng. Pugill. ii. 17 (1815) = **Chloris**, Sw. (Gramin.).  
*petraea*, Spreng. l. c. = *C. petraea*.

SCHULTZIA, Nees, in Nov. Act. Nat. Cur. xi. (1823) 63 = **Herpetacanthus**, Nees (Acanth.).  
*brasiliensis*, Nees, in DC. Prod. xi. 366, in syn. = *H. Schultzia*.

SCHULTZIA, Rafin. in Med. Repos. N. York, v. (1808) 350 = **Obolaria**, Linn. (Gentian.).  
*obolaroides*, Rafin. l. c. 356 = *O. virginica*.

SCHULTZIA, Spreng. Pl. Umb. Prod. 30 (1813). **UMBELLIFERAE**, Benth. & Hook. f. i. 909.  
*Benthami*, C. B. Clarke, in Hook. f. Fl. Brit. Ind. ii. 697.—Ind. or.  
*compacta*, Ledeb. Fl. Ross. ii. 258.—Sibir. altaic.  
*crinita*, Spreng. Pl. Umb. Prod. 30.—Sibir. altaic.

SCHULTZIA, Wall. Cat. n. 589 (1830) = **Cortia**, DC. (Umbell.).  
*Lindleyi*, Wall. Cat. l. c.; et ex DC. Prod. iv. 187 = *C. Lindleyi*.

SCHUMACHERIA, Spreng. Gen. '232 (1830) = **Wormskioldia**, Thonn. (Turner.).  
*raphanoides*, Spreng. ex D. Dietr. Syn. Pl. ii. 1008 = *W. heterophylla*.

SCHUMACHERIA, Vahl, in Skrivt. Naturh. Selsk. Kjob. vi. (1810) 122. **DILLENACEAE**, Benth. & Hook. f. i. 13.  
**PLEURODESMIA**, Arn. in Edinb. N. Phil. Journ. xvi. (1834) 316.  
*alnifolia*, Hook. f. & Thoms. Fl. Ind. i. 66.—Zeylan.  
*angustifolia*, Hook. f. & Thoms. l. c.—Zeylan.  
*castaneifolia*, Vahl, in Skrivt. Naturh. Selsk. Kjob. vi. (1810) 122.—Zeylan.

SCHURMANSIA, Blume, Mus. Bot. Lugd. Bat. i. 177. t. 32 (1850). **VIOLARIEAE**, Benth. & Hook. f. i. 120.  
*angustifolia*, Hook. f. in Trans. Linn. Soc. xxiii. (1860) 157.—Borneo.  
*elegans*, Blume, Mus. Bot. Lugd. Bat. i. 178.—Ins. Amboin.

SCHWABEA, Endl. Nov. Stirp. Dec. 81 (1839). **ACANTHACEAE**, Benth. & Hook. f. ii. 1108.  
**POGONOSPERMUM**, Hochst. in Flora, xxvii. (1844) Beil. 5.  
*ciliaris*, Nees, in DC. Prod. xi. 384.—Afr. trop.  
*ciliata*, Nees, l. c. 431, sphalm. = *praec.*  
*modesta*, Endl. Nov. Stirp. Dec. 81.—Afr. trop.  
*spicigera*, Nees, in DC. Prod. xi. 384.—Afr. trop.

SCHWAEGRICHENIA, Reichb. Consp. 147 (1828) = **Hedwigia**, Sw. (Burs.).

SCHWAEGRICHENIA, Spreng. Pugill. ii. 58 (1815) = **Anigozanthos**, Labill. (Haemod.).  
*flavida*, Spreng. l. c. = *A. flavida*.  
*rufa*, Spreng. l. c. = *A. rufa*.

**SCHWALBEA**, Linn. Gen. ed. I. 188 (1737). **SCROPHULARINEAE**, Benth. & Hook. f. ii. 975.  
*americana*, Linn. Sp. Pl. ed. I. 606.—Am. bor.

**SCHWANNIA**, Endl. Gen. 1058 (1840). **MALPIGHIACEAE**, Benth. & Hook. f. i. 262.  
**FIMBRIARIA**, A. Juss. in A. St. Hil. Fl. Bras. Mer. iii. 63. t. 173 (1833).  
*anisandra*, A. Juss. in Arch. Mus. Par. iii. (1843) 608 = *Janusia anisandra*.  
*caudata*, A. Juss. l. c. 607 = *Janusia caudata*.  
*crassistipula*, A. Juss. l. c. 610 = *Janusia muricata*.  
*cujabensis*, Presl, Pot. Bemerk. 23 = *elegans*.  
*elegans*, A. Juss. in Arch. Mus. Par. iii. (1843) 611.—Bras.  
*intermedia*, Turcz. in Bull. Soc. Nat. Mosc. xxxi. (1858) i. 395.—Bras.  
*janusioides*, A. Juss. in Arch. Mus. Par. iii. (1843) 606 = *Janusia amazonica*.  
*muricata*, A. Juss. l. c. 609 = *Janusia muricata*.

SCHWARTZIA, Vell. Fl. Flum. 221 (1825); v. t. 84 (1827) = **Norantea**, Aubl. (Ternstr.).  
*glabra*, Vell. ll. cc.—Bras.

SCHWEIGGERA, Mart. Nov. Gen. et Sp. iii. 166. t. 297 (1829) = **Renggeria**, Meissn. (Guttif.).  
*comans*, Mart. l. c. t. 297. f. 2 = *R. comata*.  
*comata*, Steud. Nom. ed. II. ii. 535, sphalm. = *praec.*

SCHWEIGGERA, E. Mey. ex Baker, in Journ. Linn. Soc. xvi. (1877) 170, 178 = **Gladiolus**, Tourn. (Irid.).  
*montana*, E. Mey. ex Baker, l. c. 178 = *G. arenarius*.  
*memorosa*, E. Mey. ex Baker, l. c. = *G. montanus*.

**SCHWEIGGERIA**, Spreng. Neue Entdeck. ii. 167 (1821). **VIOLARIEAE**, Benth. & Hook. f. i. 117.  
**GLOSSARRHEN**, Mart. in DC. Prod. i. 290 (1824).  
*floribunda*, A. St. Hil. Pl. Rem. Brés. 282 = *fruticosa*.  
*fruticosa*, Spreng. Neue Entdeck. ii. 167.—Bras.  
*mexicana*, Schlecht. in Linnaea, xii. (1838) 204.—Mexic.  
*pauciflora*, Lindl. Bot. Reg. (1841) t. 40 = *fruticosa*.

**SCHWEINFURTHIA**, A. Br. in Sitzb. Ges. Naturf. Fr. xx. (1866) 24. **SCROPHULARINEAE**, Benth. & Hook. f. ii. 933.  
*papilionacea*, Boiss. Fl. Orient. iv. 387 = *sphaerocarpa*.  
*pedicellata*, Benth. & Hook. f. Gen. ii. 934 (lapsu, *pedicellaris*).—Arab.  
*pterosperma*, A. Br. in Sitzb. Ges. Naturf. Fr. xx. (1866) 24.—Aegypt.; Arab.  
*sphaerocarpa*, A. Br. l. c.—Afghan.

**SCHWEINITZIA**, Ell. Sketch, i. 478, in obs. (1817); et ex Nutt. Gen. Am. ii. Add. (1818). **MONOTROPEAE**, Benth. & Hook. f. ii. 606.  
**MONOTROPSIS**, Schwein. ex Ell. Sketch, i. 478 (1817).  
*caroliniana*, G. Don, Gen. Syst. iii. 867 = *odorata*.  
*odorata*, Ell. Sketch, i. 478, 479.—Cf. DC. Prod. vii. II. 780.—Am. bor.  
*Reynoldsiae*, A. Gray, in Proc. Am. Acad. xx. (1885) 301.—Florida.

SCHWENKFELDA, Schreb. Gen. 123 (1789) = **Sabicea**, Aubl. (Rubiace.).  
*aspera*, Spreng. Neue Entdeck. i. 281 = *Coccocypselum canescens*.  
*aspera*, Willd. Sp. Pl. i. 982 = *Sabicea aspera*.  
*aurea*, Spreng. Neue Entdeck. i. 280 = *Coccocypselum aureum*.  
*cinerea*, Sw. Fl. Ind. Occ. i. 452 = *Sabicea cinerea*.  
*diversifolia*, Spreng. Syst. i. 765 = *Sabicea diversifolia*.  
*eriantha*, D. Dietr. Syn. Pl. i. 793 = *Sabicea cinerea*.  
*glabra*, Spreng. Syst. iv. Cur. Post. 85 = *Urophyllum glabrum*.  
*hirsuta*, Spreng. l. c. i. 765 = *Sabicea aspera*.  
*hirta*, Sw. Fl. Ind. Occ. i. 450 = *Sabicea aspera*.  
*macrophylla*, Spreng. Syst. i. 765 (= *Nonatelia macrophylla*).—Venezuela.  
*malaccensis*, Spreng. l. c. iv. Cur. Post. 85 = *Urophyllum villosum*.  
*pumila*, D. Dietr. Syn. Pl. i. 794 = *Sabicea pumila*.  
*triflora*, D. Dietr. l. c. 793 = *Sabicea triflora*.  
*umbellata*, Ruiz & Pav. Fl. Per. ii. 55 = *Sabicea umbellata*.  
*villosa*, D. Dietr. Syn. Pl. i. 793 = *Urophyllum villosum*.  
*villosa*, Willd. ex Spreng. Syst. i. 765 = *Sabicea aspera*.

SCHWENKFELDIA, Willd. Sp. Pl. i. 982 (1797) = praec.

**SCHWENKIA**, Linn. Gen. ed. VI. 567 (1764). *SO-*

*LANACEAE*, Benth. & Hook. f. ii. 911.

*CHAETOCYLUS*, Vahl, Enum. i. 101 (1805).

*MATHAEA*, Vell. Fl. Flum. 22 (1825).

*MATTHISSONIA*, Raddi, in Mem. Mod. xviii. Fis. (1820) 390.

*SCHWENKIA*, Rafin. Princ. Somiol. 30 (1814).

*adscendens*, [Willd.] Link, Jahrb. i. iii. (1820) 51 = *hirta*.

*americana*, H. B. & K. Nov. Gen. et Sp. ii. 375. t. 180 = *hirta*.

*americana*, Linn. Gen. ed. VI. 567.—Bras.

*angustifolia*, Benth. in DC. Prod. x. 195.—Bras.

*brasiliensis*, Poir. Encyc. Suppl. v. 88.—Bras.

*brevisetia*, Casar. Nov. Stirp. Bras. Dec. 29.—Bras.

*browallioides*, H. B. & K. Nov. Gen. et Sp. ii. 375. t. 181.—Venezuela.

*chenopodiacea*, Klotzsch, in Schomb. Faun. Fl. Brit. Gui. 1155, nomen.—Guian.

*curviflora*, Benth. in DC. Prod. x. 196.—Bras.

*deflorata*, Vathek, in Ind. Sem. Hort. Berol. App. (1875) [2].—Bras.

*discolor*, Kunze, in Linnaea, xvi. (1842) 312.—Hab. ?

*divaricata*, Benth. in DC. Prod. x. 193.—Bras.

*fasciculata*, Benth. l. c. 195 = *Melananthus dipyre-*

*noides*.

*glabrata*, H. B. & K. Nov. Gen. et Sp. ii. 374. t. 178.—N. Granat.

*grandiflora*, Benth. in DC. Prod. x. 193.—Guian.

*guianensis*, Benth. l. c. 195.—Guian.

*guineensis*, Schum. & Thonn. Beskr. Guin. Pl. 8.—

Afr. trop.

*Hilariana*, DC. Pl. Rar. Hort. Genèv. 35. t. 10.—Bras.

*hirta*, Klotzsch, in Linnaea, xiv. (1840) 289.—Bras.

*hyssopifolia*, Benth. in DC. Prod. x. 195.—Bras.

*Karstenii*, Vathek, in Ind. Sem. Hort. Berol. App. (1875) [2].—N. Granat.

*longiseta*, Casar. Nov. Stirp. Bras. Dec. 30.—Bras.

*micrantha*, Benth. in DC. Prod. x. 195.—Bras.

*mollissima*, Gardn. in Hook. Lond. Journ. Bot. i. (1842) 541 = *divaricata*.

*mollissima*, Nees & Mart. in Nov. Act. Nat. Cur. xi. (1823) 47.—Bras.

*ovalifolia*, J. A. Schmidt, in Mart. Fl. Bras. viii. 253.—Bras.

*pallens*, D. Dietr. Syn. Pl. i. 41 = *patens*.

*patens*, H. B. & K. Nov. Gen. et Sp. ii. 374. t. 179.—Venezuela.

*pubescens*, Nees & Mart. in Nov. Act. Nat. Cur. xi. (1823) 48.—Bras.

*tenuis*, Griseb. in Goett. Abh. xix. (1874) 214.—Reg. Argent.

*Tweediana*, Benth. in DC. Prod. x. 196 = *curviflora*.

*ventricosa*, Vathek, in Ind. Sem. Hort. Berol. App. (1875) [2].—Bras.

*volubilis*, Benth. in DC. Prod. x. 193.—Bras.

**SCHWERINIA**, Karst. Ausw. Gew. Venez. 12 (1848) =

*Meriania*, Sw. (Melastom.).

*barbinervis*, Klotzsch, in Karst. l. c. 13 = *M. barbi-*

*nervis*.

*cordata*, Karst. Fl. Columb. i. 35. t. 18. f. b = *M. cordata*.

*superba*, Karst. Ausw. Gew. Venez. 13 = *M. Karstenii*.

*Trianae*, Karst. Fl. Columb. i. 35. t. 18. f. a = *M. speciosa*.

**SCHWEYCKERTA**, C. C. Gmel. Fl. Bad. i. 447 (1805) =

*Limnanthemum*, S. T. Gmel. (Gentian.).

*nymphoides*, C. C. Gmel. l. c. = *L. nymphoides*.

**SCHWEYCKERTA**, Griseb. in DC. Prod. ix. 138 (1845)

= *praec.*

**SCHYCHOWSKIA**, Wedd. in DC. Prod. xvi. i. 70

(1869) = *seq.*

**SCHYCHOWSKYA**, Endl. in Ann. Wien. Mus. i. (1836)

187. t. 13 = *Flourya*, Gaudich. (Urtic.).

*ruderalis*, Endl. l. c. = *F. ruderalis*.

**SCIADIARA**, Rafin. Fl. Tellur. iv. 70 (1836) = **Con-**

*volvulus*, Tourn.

*Cneorum*, Rafin. l. c. = *C. Cneorum*.

*ruber*, Rafin. l. c. = *Calystegia setifera* ?

**SCIADICARPUS**, Hassk. in Flora, xxv. (1842) II. Beibl.

20 = *Kibara*, Endl. (Monim.).

*Brongniartii*, Hassk. l. c. = *K. Blumei*.

**SCIADIOSERIS**, Kunze, in Bot. Zeit. ix. (1851) 349 =

*Senecio*, Tourn. (Compos.).

*vaginata*, Kunze, l. c. = *Sen. cervariaefolius*.

**SCIADIPHYLLUM**, Hassk. Cat. Hort. Bog. Alt. 165

(1844) = *Sciadophyllum* P. Br. (Araliac.).

**SCIADOCALYX**, Regel, Gartenfl. ii. (1853) 257. t. 61

= *Isoloma*, Decne. (Gesner.).

*digitalaeflora*, Linden & Andr. in Illustr. Hort. xvii. (1870) 95. t. 17.—N. Granat.

*Luciani* ×, Andr. l. c. xxi. (1874) 151. t. 182.

*Warszewiczii*, Regel, Gartenfl. ii. (1853) 257, cum ic. —N. Granat.

**SCIADODENDRON**, Griseb. in Bonplandia, vi.

(1858) 7. Genus dubium *ARALIACEARUM*.—Cf. Benth. & Hook. f. i. 935.

*excelsum*, Griseb. l. c. —Panama.

**SCIADONARDUS**, Steud. in Flora, xxxiii. (1850) 229,

nomen. *GRAMINEAE*.

*distichophyllus*, Steud. l. c. (Quid?).—Ara. bor.

**SCIADOPANAX**, Seem. in Journ. Bot. iii. (1865) 73.

t. 27 = *Panax*, Linn. (Araliac.).

*Boivini*, Seem. l. c. 74 = *P. Boivini*.

**SCIADOPHILA**, Phil. in Linnaea, xxviii. (1856) 618 =

*Rhamnus*, Linn.

*maytenoides*, Phil. l. c. —Chili.

**SCIADOPHYLLUM**, P. Br. Hist. Jamaic. 190. t.

19 (1756) (*Sciadophyllum*); Reichb. Consp. 145 (1828). *ARALIACEAE*, Benth. & Hook. f. i. 940.

*ACTINOPHYLLUM*, Ruiz & Pav. Prod. 51. t. 8 (1794).

*abyssinicum*, Steud. Nom. ed. II. ii. 537 = *Hepta-*

*pleurum abyssinicum*.

*acuminatum*, Poir. Encyc. vi. 746.—Peruv.

*angulatum*, Poir. l. c. 745.—Peruv.

*anomalum*, G. Don, Gen. Syst. iii. 391.—Ins. Trinit.

*assamicum*, C. Koch, in Wochenschr. ii. (1859) 364, 365 (sp. dub.).—Ind. or.

*avene*, Korth. ex Miq. Ann. Mus. Bot. Lugd. Bat. i. 19 = *Heptapleurum avene*.

*Baikiei*, Seem. in Journ. Bot. iii. (1865) 267 = *Hepta-*

*pleurum Baikiei*.

*Barteri*, Seem. l. c. = *Heptapleurum Barteri*.

*Belangeri*, March. in Bull. Acad. Belg. Sér. II. xlvii. (1879) 92.—Ins. Martinic.

*Brownii*, Spreng. Syst. i. 953.—Jamaic.

*Burchellianum*, Baill. Adansonia, xii. (1876-79) 147.—Bras. ?

*capitatum*, Griseb. Fl. Brit. W. Ind. 306 = *Oreopanax capitatum*.

*caudatum*, Decne. & Planch. in Rev. Hort. Sér. IV. iii. (1854) 107, nomen.—Hab. ?

*confusum*, March. in Mart. Fl. Bras. xi. i. 244.—Bras.

*conicum*, Poir. Encyc. vi. 746.—Peruv.

*decaphyllum*, Seem. in Journ. Bot. iii. (1865) 266.—Guian.

*digitatum*, G. Don, ex Steud. Nom. ed. II. ii. 537 = *Pachira insignis*.

*divaricatum*, Blume, Bijdr. 876 = *Heptapleurum divari-*

*catum*.

*elatum*, Seem. in Journ. Bot. iii. (1865) 267 = *Hepta-*

*pleurum elatum*.

*ellipticum*, Blume, Bijdr. 878 = *Heptapleurum venu-*

*losum*.

*farinosum*, Blume, l. c. 875 = *Heptapleurum tomen-*

*tosum*.

*ferrugineum*, Decne. & Planch. in Rev. Hort. Sér. IV. iii. (1854) 107.—Peruv.

*Gayanum*, Decne. & Planch. l. c., nomen.—Hab. ?

*Goudotii*, Planch. & Linden, ex Seem. Journ. Bot. iii. (1865) 266.—N. Granat.

*heterotrichum*, Decne. & Planch. in Rev. Hort. Sér. IV. iii. (1854) 107, nomen.—N. Granat.

*Humboldtianum*, Decne. & Planch. ex Seem. in Journ. Bot. iii. (1865) 268.—N. Granat.

*humile*, Blume, Bijdr. 875 = *Heptapleurum parasiticum*.

**SCIADOPHYLLUM** :—

*Jacquinii*, Griseb. in Mem. Am. Acad. N. S. viii. (1861)

190 = *Hedera arborea*.

*japurense*, Mart. & Zucc. ex March. in Mart. Fl. Bras. xi. i. 244.—Bras.

*Karstenianum*, March. in Bull. Acad. Belg. Sér. II. xlvii. (1879) 93.—Venezuela.

*longifolium*, Blume, Bijdr. 876 = *Heptapleurum longi-*

*folium*.

*lucidum*, Blume, l. c. 877 = *Heptapleurum longifolium*.

*macrostachyum*, Benth. in Hook. Lond. Journ. Bot. ii. (1843) 222 = *Brassaia macrostachya*.

*Manni*, Seem. in Journ. Bot. iii. (1865) 267 = *Hepta-*

*pleurum Mannii*.

*Mathewsii*, Seem. l. c. 268.—Peruv.

*micranthum*, Decne. & Planch. in Rev. Hort. Sér. IV. iii. (1854) 107, nomen; et (1884) 321.—N. Granat.

*ochroleucum*, Decne. & Planch. l. c. 107, nomen.—Hab. ?

*oxyanthum*, Planch. & Linden, ex Seem. in Journ. Bot. iii. (1865) 266, nomen.—N. Granat.

*palmatum*, Blume, Bijdr. 875 = *Trevesia sundaica*.

*parasticum*, Blume, l. c. 877 = *Heptapleurum parasi-*

*ticum*.

*pedicellatum*, Poir. Encyc. vi. 746.—Peruv.

*pentandrum*, Poir. l. c. 747.—Peruv.

*Planchonianum*, March. in Bull. Soc. Bot. Belg. xix. (1880) 92.—Ecuador.

*pulchellum*, Hort. ex Seem. in Journ. Bot. iii. (1865) 269 = *Tupidanthus calypratus*.

*pulchrum*, Hort. ex Decne. & Planch. in Rev. Hort. Sér. IV. iii. (1854) 106.—Hab. ?

*quinduense*, DC. Prod. iv. 261.—N. Granat.

*racemiferum*, Miq. ex Seem. in Journ. Bot. iii. (1865) 269, nomen (Quid?).—Hab. ?

*racemiflorum*, Miq. in Linnaea, xxv. (1852) 651.—Chili.

*rotundifolium*, Hort. ex Seem. in Journ. Bot. iii. (1865) 269. (= *Heptapleuri* sp.).—Hab. ?

*rubiginosum*, Decne. & Planch. in Rev. Hort. Sér. IV. iii. (1854) 107, nomen.—Venezuela.

*samydifolium*, Wright, ex Griseb. Cat. Pl. Cub. 117.—Cuba.

*scandens*, Blume, Bijdr. 878 = *Heptapleurum scandens*, Seem.

*sphaerocoma*, Benth. Bot. Voy. Sulph. 102.—N. Granat.

*Sprucei*, Seem. in Journ. Bot. iii. (1865) 268.—Peruv.

*subavene*, Blume, Bijdr. 876 = *Heptapleurum Coronae-*

*sylvae*.

*tomentosum*, Blume, l. c. 877 = *Heptapleurum tomen-*

*tosum*.

*Trianae*, Planch. & Linden, ex Seem. in Journ. Bot. iii. (1865) 268, nomen.—N. Granat.

*verticillatum*, Span. in Linnaea, xv. (1841) 208 = *Heptapleurum verticillatum*.

*villosum*, Decne. & Planch. in Rev. Hort. Sér. IV. iii. (1854) 107, nomen.—N. Granat.

**SCIADOPITYS**, Sieb. & Zucc. Fl. Jap. ii. i. t. 101, 102 (1841?). *CONIFERAE*, Benth. & Hook. f. iii. 437.

*verticillata*, Sieb. et Zucc. l. c.—Japan.

**SCIADOSERIS**, C. Muell. in Walp. Ann. v. 143 (1858), err. typ. = **SCIADIOSERIS**, Kunze = **Senecio**, Tourn. (Compos.).

**SCIADOTAENIA**, Benth. in Journ. Linn. Soc. v. Suppl. ii. (1861) 51 = *seq.*

**SCIADOTENIA**, Miers, in Ann. & Mag. Nat. Hist. Ser. II. vii. (1851) 43. *MENISPERMACEAE*, Benth. & Hook. f. i. 39.

**SCIADOTAENIA**, Benth. in Journ. Linn. Soc. v. Suppl. ii. (1861) 51.

*amazonica*, Eichl. in Flora, xlvii. (1864) 395.—Bras.

*cayennensis*, Benth. in Journ. Linn. Soc. v. Suppl. ii. (1861) 51.—Guian.

*ramiflora*, Eichl. in Flora, xlvii. (1864) 395.—Peruv.

**SCIAPHILA**, Blume, Bijdr. 514 (1825). *TRIURI-*

*DEAE*, Benth. & Hook. f. iii. 1002.

*APHYLLEIA*, Champ. in Calc. Journ. Nat. Hist. vii. (1847) 468.



**SCIAPHILA:—**

- HYALISMA, Champ. in Calc. Journ. Nat. Hist. vii. (1847) 468.  
 SORIDIUM, Miers, in Trans. Linn. Soc. xxi. (1852) 47, 49. t. 6.  
 albenscens, *Benth. in Hook. Kew Journ.* vii. (1855) 11. —Bras.  
 consimilis, *Blume, Mus. Bot. Lugd. Bat.* i. 322. —Ins. Philipp.  
 corymbosa, *Benth. in Hook. Kew Journ.* vii. (1855) 12. —Bras.  
 erubescens, *Miers, in Proc. Linn. Soc.* ii. (1850) 74; *et in Trans. Linn. Soc.* xxi. (1852) 48. —Zeylan.  
 janthina, *Thw. Enum. Pl. Zeyl.* 294. —Ind. or.; Zeylan.  
 khasiana, *Benth. & Hook. f. Gen.* iii. 1003. —Reg. Himal.  
 maculata, *Miers, in Proc. Linn. Soc.* ii. (1850) 78; *et in Trans. Linn. Soc.* xxi. (1852) 48. —Ins. Philipp.  
 nana, *Blume, Mus. Bot. Lugd. Bat.* i. 322. —Java.  
 picta, *Miers, in Proc. Linn. Soc.* ii. (1850) 78; *et in Trans. Linn. Soc.* xxi. (1852) 48. —Venezuela.  
 purpurea, *Benth. in Hook. Kew Journ.* vii. (1855) 11. —Bras.  
 secundiflora, *Thw. ex Benth. l. c.* 10. —Zeylan.  
 tenella, *Blume, Bijdr.* 515. —Java.

**SCILLA**, Linn. Syst. ed. I (1735); Gen. ed. I. 95 (1737). **LILIACEAE**, Benth. & Hook. f. iii. 814.

- ADENOSCILLA, Gren. & Godr. Fl. Fr. iii. 187 (1856).  
 AGRAPHIS, Link, Handb. i. 166 (1829).  
 BARNARDIA, Lindl. Bot. Reg. t. 1029 (1826).  
 BASALTOGETON, Salisb. Gen. Pl. Fragm. 27 (1866).  
 CALOSCILLA, Jord. et Fourr. Ic. Fl. Europ. ii. 14. t. 245 (1869).  
 ENDYMION, Dum. Fl. Belg. 140 (1840).  
 EPIMENIDION, HENONIX, KOZOIA, LAGOCODES, ONCOSTEMA, SKILLA, SYNCODIUM, TRACTEMA, Rafn. Fl. Tellur. ii. 13, 22, 25, 57.  
 ERATOBOTRYS, Fenzl, in Endl. Gen. Pl. Suppl. ii. 13 (1842).  
 HYACINTHOIDES, Medic. in Usteri, Ann. Bot. ii. (1791) 9.  
 HYLOMENES, Salisb. Gen. Pl. Fragm. 26 (1866).  
 IONCOMELIOS, Rafn. Fl. Tellur. iii. 62 (1836).  
 LEDEBOURIA, Roth, Nov. Pl. Sp. 194 (1821).  
 MONOCALLIS, Salisb. Gen. Pl. Fragm. 27 (1866).  
 NECTAROSCILLA, Parl. Nov. Gen. Monocot. 27 (1854).  
 OTHOCALLIS, Salisb. Gen. Pl. Fragm. 28 (1866).  
 PETRANTHE, Salisb. l. c. 27 (1866).  
 PROSPERO, Salisb. l. c. 28 (1866).  
 RINOPODIUM, Salisb. l. c. 28 (1866).  
 SOMERA, Salisb. l. c. 26 (1866).  
 STELLARIS, Dill. ex Moench, Meth. 303 (1794).  
 SUGILLARIA, Salisb. Gen. Pl. Fragm. 18 (1866).  
 SIMIRA, Rafn. Fl. Tellur. iv. 28 (1836).  
 USTERIA, Medic. in Act. Theod. Palat. vi. Phys. (1790) 480.  
 XEODOLON, Salisb. Gen. Pl. Fragm. 18 (1866).  
 acaulis, *Baker, in Journ. Bot.* xii. (1874) 364. —Peruv.  
 alliifolia, *Lapeyr. Hist. Abr. Pl. Pyr.* i. 188 = verna.  
 alpina, *Schur, in Verh. Siebenb. Ver. Naturw.* iii. (1852) 90; iv. (1853) 75 = bifolia.  
 alvesiana, *Welw. ex Nym. Consp.* 729 = vinctentina.  
 amara, *Crantz, Inst.* i. 495 = amoena.  
 amethystina, *Salisb. Prod.* 243 = Hyacinthus amethystinus.  
 amethystina, *Vis. in Flora*, xii. (1829) i. Erg. 11 = pratensis.  
 amoena, *Bieb. Fl. Taur. Cauc.* i. 278; [DC. in] *Red. Lil.* iii. t. 130 = sibirica.  
 amoena, *Bory & Chaub. Nouv. Fl. Pélop.* 23 = messeniaca.  
 amoena, *Linn. Sp. Pl.* 309. —Europ. austr.  
 amoenula, *Hornem. Hort. Hafn.* i. 331 = sibirica.  
 angusta, *Engelm. & Gray, in Bost. Journ. Nat. Hist.* v. (1845) 237 = Camassia Fraseri.  
 anthericoides, *Poir. Voy. Barb.* ii. 149 = Urginea anthericoides.  
 anthericoides, *Willd. ex Kunth, Enum. Pl.* iv. 332 = Urginea Scilla.  
 arenaria, *Baker, in Trans. Linn. Soc. Ser. II.* i. (1878) 249. —Afr. trop.  
 Aristides, *Coss. in Bull. Soc. Bot. Fr.* v. (1858) 104. —Alger.  
 autumnalis, *Curt. Bot. Mag.* t. 919 = obtusifolia.  
 autumnalis, *Linn. Sp. Pl.* 309. —Reg. Mediterr. & Caucas.

**SCILLA:—**

- azurea, *Goldb. in Mém. Soc. Nat. Mosc.* v. (1817) 125 = sibirica.  
 Barberi, *Baker, in Journ. Linn. Soc.* xiii. (1873) 247. —Afr. austr.  
 Barnardii, *C. Koch, in C. Koch & Fint. Wochenschr.* i. (1858) 816. —China.  
 Bellii, *Baker, in Gard. Chron.* (1884) II. 488. —Persia.  
 benguellensis, *Baker, in Trans. Linn. Soc. Ser. II.* i. (1878) 249. —Afr. trop.  
 Berthelotii, *Webb & Berth. Phyt. Canar.* iii. 337. —Ins. Canar.  
 Bertolonii, *Duby, Bot. Gall. ed. II.* i. 465 = italica.  
 biflora, *Ruiz & Pav. Fl. Per.* iii. 69. t. 302 = Ornithogalum biflorum.  
 bifolia, *Hort. Berol. ex Vilm. Fl. Pl. Terre, ed. III.* 1046 = sibirica.  
 bifolia, *Linn. Sp. Pl.* 309. —Europ.; As. Min.  
 bifolia, *Oed. Fl. Dan.* t. 568 = verna.  
 bifolia, *Petter, ex Baker, in Journ. Linn. Soc.* xi. (1871) 428 = Hyacinthus dalmaticus.  
 bifolia, *Retz. in Vet. Akad. Handl. Stockh.* (1769) 246 = italica.  
 bifolia, *Sieber, ex Schult. f. Syst.* vii. 581 = Chionodoxa nana.  
 bifolia, *Thunb. Fl. Jap.* 138 = orientalis.  
 bifolia, *Ucria, Hort. Reg. Panorm.* 156 = obtusifolia.  
 bipartita, *Salzm. ex Baker, in Journ. Linn. Soc.* xiii. (1873) 244 = linguata.  
 bithynica, *Boiss. Diagn. Ser. I.* vii. 111 = amoena.  
 blanda, *Salisb. Prod.* 244 = Lachenalia orchioides.  
 brachyphylla, *Schult. f. Syst.* vii. 573 = Hyacinthus brevifolius.  
 brevifolia, *Ker-Gawl. in Bot. Mag.* t. 1468; *Schult. f. Syst.* vii. 574 = Hyacinthus brevifolius.  
 brumalis, *Haw. ex G. Don, in Sweet, Hort. Brit. ed. III.* 697, nomen (Quid?). —Hab.?  
 byzantina, *Hort. Par. ex Poir. Encyc.* vi. 739 = italica.  
 camerooniana, *Baker, in Saund. Refug. Bot.* iii. App. 9. —Afr. trop.  
 campanulata, *Ait. Hort. Kew. ed. I.* i. 444 = hispanica.  
 campestris, *Savi, Fl. Pis.* i. 350 = Ornithogalum umbellatum.  
 candida, *Guss. Fl. Sic. Syn.* ii. 814, in obs. = peruviana.  
 capensis, *Burm. f. Fl. Cap. Prod.* 10 = Urginea altissima.  
 carnea, *Sweet, Hort. Brit. ed. II.* 528 = bifolia.  
 cernua, [Delar. in] *Red. Lil.* sub t. 298 = sibirica.  
 cernua, *Janka, in Oestr. Bot. Wochenbl.* v. (1855) 230 = bifolia.  
 cernua, *Salisb. Prod.* 242 = festalis.  
 chinensis, *Benth. Fl. Hongk.* 373. —China.  
 Chladnii, *Schur, in Verh. Siebenb. Ver. Naturw.* i. (1850) 39 = bifolia.  
 chloroleuca, *Kunth, Enum. Pl.* iv. 325 = Ornithogalum biflorum.  
 ciliaris, *Hort. —Cf. Gard. Chron.* (1875) i. 306 = peruviana.  
 ciliolata, *Pomel, Nouv. Mat. Fl. Atl.* 385. —Alger.  
 Clusiana, *Hort. ex Vilm. Fl. Pl. Terre, ed. I.* 795 = peruviana.  
 Clusii, *Parl. Fl. Ital.* ii. 462 = peruviana.  
 comata, *Hoffmg. Verz. Pf.* 111 = peruviana.  
 comosa, *Salisb. Prod.* 243 = Muscari comosum.  
 concinna, *Baker, in Saund. Refug. Bot.* t. 235. —Afr. austr.  
 concinna, *Salisb. Prod.* 242 = lusitanica.  
 concolor, *Baker, in Saund. Refug. Bot.* iii. App. 13. —Afr. austr.  
 congesta, *Baker, in Trans. Linn. Soc. Ser. II.* i. (1878) 250. —Afr. trop.  
 Cooperi, *Hook. f. Bot. Mag.* t. 5580. —Afr. austr.  
 coromandeliana, *Roxb. Hort. Beng.* 24; *Fl. Ind.* ii. 147 = Urginea indica.  
 coronaria, *Salisb. Prod.* 243 = Hyacinthus orientalis.  
 corsica, *Boullu, in Ann. Soc. Bot. Lyon, v.* (1878) 88 = autumnalis.  
 corymbosa, *Ker-Gawl. in Bot. Mag.* sub t. 1468 = Hyacinthus corymbosus.  
 Cundra, *Buch-Ham. in Wall. Cat. n.* 5062 = Urginea indica.  
 Cupani, *Guss. Ind. Sem. Hort. Boccad.* (1825) 10; *Fl. Sic. Prod.* i. 416. —Sicilia.  
 Cupaniana, *Schult. f. Syst.* vii. 559 = praec.  
 Curreri, *Baker, in Journ. Linn. Soc.* xiii. (1873) 249. —Afr. trop.

**SCILLA:—**

- dalmatica, *Presl, ex Avé-Lall. in Ind. Sem. Hort. Petrop.* xi. 71 = Muscari pallens.  
 dasyantha, *Webb & Berth. Phyt. Canar.* iii. 337. t. 231 = haemorrhoidalis.  
 decora, *Salisb. Prod.* 243 = Lachenalia pendula.  
 denudata, *Buch-Ham. in Wall. Cat. n.* 5062 = Urginea indica.  
 dubia, *C. Koch, in Linnaea*, xix. (1847) 315 = bifolia.  
 dumetorum, *Balansa, ex Baker, in Journ. Linn. Soc.* xiii. (1873) 234 = autumnalis.  
 elongata, *Parl. Nuov. Gen. e Sp.* 24 = peruviana.  
 eriophora, *Mill. Gard. Dict. ed. VIII.* n. 10 = hyacinthoides.  
 esculenta, *Ker-Gawl. in Bot. Mag.* t. 1574 = Camassia Fraseri.  
 exigua, *Baker, in Journ. Linn. Soc.* xiii. (1873) 247. —Afr. austr.  
 fallax, *Steinheil, in Ann. Sc. Nat. Sér. II.* i. (1834) 103 = obtusifolia.  
 fastigiata, *Viv. App. Fl. Cors. Prod.* 1 = Hyacinthus fastigiatus.  
 festalis, *Salisb. Prod.* 242. —Europ.  
 firmifolia, *Baker, in Saund. Refug. Bot.* iii. App. 7. —Afr. austr.  
 fistulosa, *Rafn. Préc. Découv.* 45 = Cupani.  
 flaccidula, *Baker, in Trans. Linn. Soc. Ser. II.* i. (1878) 249. —Afr. trop.  
 flexuosa, *Baker, in Journ. Linn. Soc.* xiii. (1873) 245. —Afr. austr.  
 floribunda, *Baker, in Saund. Refug. Bot.* t. 188. —Afr. austr.  
 fragrans, *Salisb. Prod.* 243 = Muscari moschatum.  
 Fraseri, *A. Gray, Man. Bot. N. U. St. ed. V.* 533 = Camassia Fraseri.  
 fugax, *Munby, Fl. Alger.* 36 = Urginea fugax.  
 gallica, *Todaro, Ind. Sem. Hort. Panorm.* (1872) 39; *et in Nuov. Giorn. Bot. Ital.* v. (1873) 157 = autumnalis.  
 geminiflora, *Kunth, Enum. Pl.* iv. 325 = Ornithogalum biflorum.  
 Gerrardi, *Baker, in Journ. Linn. Soc.* xiii. (1873) 237. —Afr. austr.  
 haemorrhoidalis, *Webb & Berth. Phyt. Canar.* iii. 336. t. 230. —Ins. Canar.  
 Hanburii, *Baker, in Journ. Linn. Soc.* xiii. (1873) 235. —Oriens.  
 hemisphaerica, *Boiss. Voy. Bot. Espagne*, ii. 613 = peruviana.  
 hirsuta, *Willd. ex Kunth, Enum. Pl.* iv. 319 = villosa.  
 hispanica, *Mill. Gard. Dict. ed. VIII.* n. 8. —Hispan.  
 hispida, *J. Gay, ex Baker, in Journ. Linn. Soc.* xi. (1871) 430 = Hyacinthus hispidus.  
 hispidula, *Baker, in Trans. Linn. Soc. Ser. II.* i. (1878) 248. —Afr. trop.  
 Hohenackeri, *Fisch. & Mey. Ind. Sem. Hort. Petrop.* xi. 79. —Reg. Caucas.  
 Hohenackeri, *Janka, in Oestr. Bot. Wochenbl.* v. (1855) 230 = bifolia.  
 Hughii, *Bertol. Fl. Ital.* iv. 108, in syn. = peruviana.  
 humifusa, *Baker, in Gard. Chron.* (1881) i. 626. —Afr. austr.  
 hyacinthoides, *Desf. ex Link, in Buch, Besch.* Canar. Ins. 140 = haemorrhoidalis.  
 hyacinthoides, *Jacq. Coll.* i. 61 = hispanica.  
 hyacinthoides, *Linn. Syst. ed. XII.* 243. —Europ. austr.  
 indica, *Baker, in Saund. Refug. Bot.* iii. App. 12. —Ind. or.; Abyss.  
 indica, *Roxb. Hort. Beng.* 24; *Fl. Ind.* ii. 147 = Urginea indica.  
 inflata, *Salisb. Prod.* 243 = Muscari botryoides.  
 intermedia, *Guss. Ind. Sem. Hort. Boccad.* (1825); *Fl. Sic. Prod.* i. 417 = obtusifolia.  
 iridifolia, *Webb & Berth. Phyt. Canar.* iii. 338 = latifolia.  
 italica, *DC. Fl. Fr.* iii. 213 = hyacinthoides.  
 italica, *Host, Fl. Austr.* i. 434 = pratensis.  
 italica, *Linn. Herb. ex Baker, in Journ. Linn. Soc.* xiii. (1873) 242 = verna.  
 italica, *Linn. Sp. Pl.* 308. —Europ. austr.  
 Jacquinii, *J. F. Gmel. Syst.* 552 = hispanica.  
 japonica, *Baker, in Journ. Linn. Soc.* xiii. (1873) 233. —Japon.  
 japonica, *Thunb. Fl. Jap.* 137 = Heloniopsis japonica.  
 Kirkii, *Baker, in Journ. Linn. Soc.* xiii. (1873) 254. —Afr. trop.

## SCILLA:—

- Kladnii*, Schur, Enum. Pl. Transs. 668 = bifolia.  
*Kraussii*, Baker, in *Journ. Linn. Soc.* xiii. (1873) 243.—Afr. austr.  
*lanceaefolia*, Baker, in *Saund. Refug. Bot.* t. 182.—Afr. austr.  
*lanceolata*, Baker, l. c. iii. App. 14.—Afr. austr.  
*lanceolata*, Viv. App. Fl. Cors. Prod. ii. 3 = *Urginea Scilla*.  
*latifolia*, Willd. ex Schult. f. Syst. vii. 566.—Ins. Canar.  
*laxa*, Schur, Enum. Pl. Transs. 669 = bifolia.  
*laxiflora*, Baker, in *Trans. Linn. Soc.* Ser. II. i. (1878) 250.—Afr. trop.  
*ligulata*, Steud. Nom. ed. I. 747 = *lingulata*.  
*lilacina*, Baker, in *Saund. Refug. Bot.* iii. App. 13.—Nubia.  
*Lilio-hyacinthus*, Linn. Sp. Pl. 308.—Europ. austr.  
*linearifolia*, Baker, in *Saund. Refug. Bot.* t. 184.—Afr. austr.  
*lingulata*, Poir. Voy. Barb. ii. 151.—Afr. bor.  
*livida*, Baker, in *Gard. Chron.* (1883) II. 166.—Afr. austr.  
*lorata*, Baker, in *Saund. Refug. Bot.* iii. App. 14.—Afr. austr.  
*Ludwigii*, Baker, l. c. 9.—Afr. austr.  
*lusitania*, Linn. Syst. ed. XII. 243.—Hispan.  
*lusitanica*, Sims, Bot. Mag. t. 1999 = *latifolia*.  
*lusitanica*, Willd. ex Kunth, Enum. Pl. iv. 321 = monophyllos.  
*Macowani*, Baker, in *Gard. Chron.* (1875) I. 748.—Afr. austr.  
*macrogona*, Link, in *Schrad. Journ.* ii. (1799) 319.—Lusitan.  
*maculata*, Baker, in *Journ. Linn. Soc.* xiii. (1873) 250.—Ind. or.  
*maculata*, Schrank, Pl. Rar. Hort. Monac. t. 100 = *lanceaefolia*.  
*maesta*, Baker, in *Saund. Refug. Bot.* iii. App. 10.—Afr. trop.  
*maritima*, Linn. Sp. Pl. 308 = *Urginea Scilla*.  
*mauritanica*, Schousb. Vextr. Marokko, 168 = *vincentina*.  
*mauritanica*, Steud. Nom. ed. I. 747 = *praec.*  
*messenica*, Boiss. Diagn. Ser. I. vii. 110.—Graecia.  
*micrantha*, A. Rich. Tent. Fl. Abyss. ii. 328 = *Urginea micrantha*.  
*microscypha*, Baker, in *Gard. Chron.* (1881) II. 102.—Afr. austr.  
*minima*, Baker, in *Saund. Refug. Bot.* iii. App. 6.—Afr. austr.  
*minor*, C. Koch, in *Linnaea*, xix. (1847) 9 = bifolia.  
*monanthos*, C. Koch, l. c. xxii. (1849) 251 = *sibirica*.  
*monophylla*, Plan. Ens. Fl. Gallega, 380 = seq.  
*monophyllos*, Link, in *Schrad. Journ.* ii. (1799) 319.—Lusitan.  
*monstrosa*, Salisb. Prod. 243 = *Muscari comosum*.  
*montana*, Savi, Due Cent. 89 = *Ornithogalum narbonne*.  
*natalensis*, Planch. in *Fl. des Serres*, x. (1854–55) 185. t. 1043.—Afr. austr.  
*nivalis*, Boiss. Diagn. Ser. I. v. 63 = bifolia.  
*nonscripta*, Hoffm. & Link, in *Ges. Naturf. Fr. Neue Schrift*, iv. (1803) 19 = *festalis*.  
*numidica*, Poir. Voy. Barb. ii. 150.—Alger.  
*nutans*, Sm. Engl. Bot. t. 377 = *festalis*.  
*obtusifolia*, Poir. Voy. Barb. ii. 149.—Sardin.; Afr. bor.  
*odorata*, Link, in *Schrad. Journ.* ii. (1799) 319; *Brot. Fl. Lusit.* i. 527.—Hispan.  
*orientalis*, Thunb. in *Trans. Linn. Soc.* ii. (1794) 334.—Japon.  
*ovalifolia*, Hort.—Cf. *Gard. Chron.* (1871) 6 (Quid?).—Hab.?  
*ovatifolia*, Baker, in *Saund. Refug. Bot.* t. 183 = *lanceaefolia*.  
*pallida*, Salisb. Prod. 241 = *italica*.  
*pallidiflora*, Baker, in *Saund. Refug. Bot.* t. 179.—Afr. austr.  
*Pancration*, Nym. Syll. 369 = *Urginea Scilla*.  
*paradoxa*, Bieb. Fl. Taur. Cauc. iii. 267 = *Allium paradoxum*.  
*parviflora*, Desf. Fl. Atlant. i. 300. t. 87 = *numidica*.  
*parviflora*, Guss. Cat. Rar. Hort. Boccad. 57; ex ej. Fl. Sic. Prod. i. 418 = *obtusifolia*.  
*parviflora*, Salisb. Prod. 242 = *hyacinthoides*.  
*patula*, DC. Fl. Fr. iii. 211 = *hispanica*.  
*pauciflora*, Link, ex Schult. f. Syst. vii. 561 = *italica*.

## SCILLA:—

- paucifolia*, Baker, in *Saund. Refug. Bot.* t. 181.—Afr. austr.  
*pendula*, Baker, l. c. iii. App. 14.—Afr. austr.  
*peruviana*, Linn. Sp. Pl. 309.—Reg. Mediterr.  
*Petitiana*, A. Rich. Tent. Fl. Abyss. ii. 328 = *Urginea Petitiana*.  
*platyphylla*, Baker, in *Trans. Linn. Soc.* Ser. II. i. (1878) 250.—Afr. trop.  
*plumbea*, Lindl. Bot. Reg. t. 1355.—Afr. austr.  
*polyantha*, Baker, in *Gard. Chron.* (1878) I. 104.—Afr. austr.  
*polyphylla*, Baker, in *Trans. Linn. Soc.* Ser. II. i. (1878) 249.—Afr. trop.  
*polyphylla*, Royle, Illustr. Bot. Himal. 391 (= *Ornithogalum polyphyllum*).—Ind. or.  
*pomeridiana*, DC. Cat. Hort. Monsp. (1813) 143 = *Chlorogalum pomeridianum*.  
*praebacteata*, Haw. ex G. Don, in *Sweet, Hort. Brit.* ed. III. 697 = *peruviana*.  
*praecox*, Donn. Hort. Cantab. ed. II. 41 = *sibirica*.  
*praecox*, Willd. Sp. Pl. ii. 128 = bifolia.  
*prasina*, Baker, in *Saund. Refug. Bot.* iii. App. 10.—Afr. austr.  
*pratensis*, Berger, ex Schult. f. Syst. vii. 563 = *verna*.  
*pratensis*, C. Koch, in *Linnaea*, xix. (1847) 9 = *sibirica*.  
*pratensis*, Waldst. & Kit. Pl. Rar. Hung. ii. 207. t. 189.—Croatia.  
*Princeps*, Baker, in *Saund. Refug. Bot.* t. 189.—Afr. austr.  
*pubens*, Welw. ex Lindl. Bot. Reg. (1845) Misc. 40 = *peruviana*.  
*pulchella*, Munby, in *Bull. Soc. Bot. Fr.* ii. (1855) 286 = *autumnalis*.  
*pumila*, Brot. Fl. Lusit. i. 527 = monophyllos.  
*purpurea*, Mill. Gard. Dict. ed. VIII. n. 9 = *italica*.  
*puschkinoides*, Regel, in *Act. Hort. Petrop.* iii. II. (1875) 295.—Turkestan.  
*pusilla*, Baker, in *Journ. Bot.* xiv. (1876) 183.—Afr. austr.  
*Quartiniana*, A. Rich. Tent. Fl. Abyss. ii. 329 = *Urginea Quartiniana*.  
*racemosa*, Balansa, ex Baker, in *Journ. Linn. Soc.* xiii. (1878) 234 = *autumnalis*.  
*Raewskiana*, Regel, in *Act. Hort. Petrop.* viii. (1884) 655.—Turkestan.  
*Ramburei*, Boiss. Elench. 86 = *verna*.  
*revoluta*, Baker, in *Saund. Refug. Bot.* iii. App. 6.—Afr. austr.  
*Richardiana*, Buching. ex Baker, l. c. 11.—Abyss.  
*rigidifolia*, Kunth, Enum. Pl. iv. 330.—Afr. austr.  
*romana*, Ker-Gawl. in *Bot. Mag.* t. 939 = *Hyacinthus romanus*.  
*rosea*, Lehm. Ind. Sem. Hort. Hamb. (1828) 17 = bifolia.  
*Roseni*, C. Koch, in *Linnaea*, xxii. (1849) 250 = *sibirica*.  
*Sandersoni*, Baker, in *Saund. Refug. Bot.* iii. App. 5.—Afr. austr.  
*saturata*, Baker, in *Journ. Bot.* xii. (1874) 365.—Afr. austr.  
*secunda*, Janka, in *Oestr. Bot. Wochenbl.* vi. (1856) 194 = bifolia.  
*serotina*, Ker-Gawl. in *Bot. Mag.* t. 859 = *Dipcadi serotinum*.  
*serotina*, Schousb. Vextr. Marokko, 165 = *Urginea anthericoides*.  
*sibirica*, Andr. Bot. Rep. t. 365.—Ross.; As. Min.  
*sicula*, Tineo, in *Guss. Fl. Sic. Syn.* ii. 813 = *peruviana*.  
*simensis*, Hochst. ex A. Rich. Tent. Fl. Abyss. ii. 327 = *Urginea simensis*.  
*simiarum*, Baker, in *Trans. Linn. Soc.* Ser. II. i. (1878) 249.—Afr. trop.  
*socialis*, Baker, in *Saund. Refug. Bot.* t. 180.—Afr. austr.  
*sordida*, Salisb. Prod. 243 = *Dipcadi serotinum*.  
*spathulata*, Baker, in *Saund. Refug. Bot.* t. 187.—Afr. austr.  
*spicata*, Baker, in *Journ. Bot.* xvi. (1878) 328.—Afr. trop.  
*squamosa*, Dulac, Fl. Hautes-Pyr. 109 = *S. Lilio-hyacinthus*.  
*stellaris*, Salisb. Prod. 241 = *peruviana*.  
*Strangwaysii*, Tenore, Ind. Sem. Hort. Neap. (1839) 12. n. 11.—Byzantium.  
*suaveolens*, Salisb. Prod. 243 = *Muscari racemosum*.

## SCILLA:—

- subglaucia*, Baker, in *Saund. Refug. Bot.* t. 186.—Afr. austr.  
*subnivalis*, Nym. Consp. 730 = bifolia.  
*subsecunda*, Baker, in *Gard. Chron.* (1881) II. 38.—Afr. austr.  
*subtriphylla*, Schur, Enum. Pl. Transs. 668 = bifolia.  
*sylvatica*, Czetz, 'Eod. Muz. (1872) 20' = bifolia.  
*sylvestris*, Savi, Due Cent. 88 = *Ornithogalum pyrenaicum*.  
*tetraphylla*, Linn. f. Suppl. 200 = *Chlorophytum tetraphyllum*.  
*tingitana*, Schousb. Vextr. Marokko, 169 = monophyllos.  
*tricolor*, Baker, in *Gard. Chron.* (1880) II. 230.—Afr. austr.  
*triflora*, Phil. Fl. Atac. 51.—Chili.  
*trifolia*, Schur, Enum. Pl. Transs. 668 = bifolia.  
*Ughii*, Tineo, ex Guss. Fl. Sic. Prod. 162 = *peruviana*.  
*umbellata*, Ram. in *Bull. Soc. Philom.* ii. (1800) 130. t. 8. f. 6 = *verna*.  
*undulata*, Baker, in *Saund. Refug. Bot.* iii. App. 11.—Afr. austr.  
*undulata*, Desf. Fl. Atlant. 300. t. 88 = *Urginea undulata*.  
*uniflora*, Willd. ex Kunth, Enum. Pl. iv. 318 = *sibirica*.  
*unifolia*, Linn. Sp. Pl. 309 = *Ornithogalum unifolium*.  
*verna*, Bourg. ex Nym. Consp. 729 = *lusitanica*.  
*verna*, Huds. Fl. Angl. ed. II. 142.—Europ. occ.  
*verna*, Koch, Syn. Fl. Germ. ed. I. 714 = *italica*.  
*verna*, Moris, Stirp. Sard. Elench. 47 = *Hyacinthus fastigiatus*.  
*vernalis*, Salisb. Prod. 242 = *verna*.  
*versicolor*, Baker, in *Saund. Refug. Bot.* t. 305.—Afr. austr.  
*versicolor*, Salisb. Prod. 214 = *Lachenalia tricolor*.  
*villosa*, Desf. Fl. Atlant. i. 299. t. 85. f. 2.—Afr. bor.  
*vincentina*, Link & Hoffm. in *Ges. Naturf. Fr. Neue Schrift*, iv. (1803) 17.—Lusitan.  
*viridiflora*, Baker, in *Journ. Linn. Soc.* xiii. (1873) 255.—Afr. austr.  
*viridis*, Salisb. Prod. 243 = *Dipcadi filamentosum*.  
*Vivianii*, Bertol. Fl. Ital. x. 517 = *peruviana*.  
*xanthandra*, C. Koch, in *Linnaea*, xix. (1847) 316, in obs. = *sibirica*.  
*zambesiaca*, Baker, in *Saund. Refug. Bot.* iii. App. 8.—Afr. trop.  
*zebrina*, Baker, l. c. t. 185.—Afr. austr.

- SCILLOPSIS, Lem. in *Illustr. Hortic.* ii. (1855) Misc. 96; iii. (1856) Misc. 33 = *Lachenalia*, Jacq. (Liliac.).  
*anguinea*, Lem. l. c. iii. (1856) 34 = *L. anguinea*.  
*angustifolia*, Lem. l. c. 33 = *L. contaminata*.  
*bifolia*, Lem. l. c. 35 = *L. isopetala*.  
*contaminata*, Lem. l. c. 34 = *L. contaminata*.  
*fragrans*, Lem. l. c. 35 = *L. versicolor*.  
*hyacinthoides*, Lem. l. c. = *L. contaminata*.  
*isopetala*, Lem. l. c. = *L. isopetala*.  
*liliflora*, Lem. l. c. = *L. liliflora*.  
*lucida*, Lem. l. c. 34 = *L. lucida*.  
*mediana*, Lem. l. c. 35 = *L. mediana*.  
*nervosa*, Lem. l. c. 34 = *L. nervosa*.  
*orthopetala*, Lem. l. c. = *L. orthopetala*.  
*patula*, Lem. l. c. 35 = *L. patula*.  
*purpurea*, Lem. l. c. = *L. versicolor*.  
*purpureo-coerulea*, Lem. l. c. = *L. purpureo-coerulea*.  
*pustulata*, Lem. l. c. 34 = *L. pustulata*.  
*racemosa*, Lem. l. c. = *L. racemosa*.  
*rosea*, Lem. l. c. 35 = *L. isopetala*.  
*unicolor*, Lem. l. c. 34 = *L. versicolor*.  
*unifolia*, Lem. l. c. = *L. unifolia*.  
*violacea*, Lem. l. c. 35 = *L. violacea*.

## SCINDAPSUS, Schott, Melet. 21 (1832). AROI-DEAE, Benth. &amp; Hook. f. iii. 992.

- CUSCULARIA, Schott, in *Bonplandia*, v. (1857) 45.  
*angulatus*, Miq. Fl. Ind. Bat. iii. 219 = *Raphidophora montana*.  
*angustifolius*, Hassk. in *Hoef. & De Vriese, Tijdschr.* ix. (1842) 164 = *Raphidophora angustifolia*.  
*anomalus*, Carr. in *Rev. Hortic.* (1884) 536 = *Monstera acuminata*.  
*arborum*, Presl, Epim. Bot. 242 = *Pothos macrostachyus*.  
*argyraeus*, Engl. in *DC. Monog. Phan.* ii. 255 = *pictus*.  
*aruensis*, Engl. in *Bull. Soc. Tosc. Ort.* iv. (1879) 270.—Ins. Aru.

**SCINDAPSUS** :—

- bipinnatifidus*, Teijsm. & Binn. Cat. Hort. Bog. 65 = *Epipremnum mirabile*.  
*Beccarii*, Engl. Bot. Jahrb. i. (1881) 182.—Sumatra.  
*cannaefolius*, Engl. in Bull. Soc. Tosc.ortic. iv. (1879) 271.—Borneo.  
*caudatus*, Schott, Melet. 21 = *Epipremnum mirabile*.  
*coriaceus*, Engl. in Bull. Soc. Tosc.ortic. iv. (1879) 271.—Borneo.  
*crassipes*, Engl. Bot. Jahrb. i. (1881) 182.—Borneo.  
*Cuscuaria*, Presl, Epim. Bot. 242.—Malaya.  
*decursivus*, Mor. Syst. Verz. Zoll. 82 = *Epipremnum mirabile*.  
*decursivus*, Schott, Melet. 21 = *Raphidophora decursiva*.  
*dilaceratus*, C. Koch & H. Sello, Ind. Sem. Hort. Berol. (1853) App. 5 = *Monstera dilacerata*.  
*erectus*, Presl, Epim. Bot. 242 = *Aglaonema marantifolium*.  
*Forsteri*, Endl. in Ann. Wien. Mus. i. (1836) 161 = *Raphidophora pertusa*.  
*geniculatus*, Engl. in Bull. Soc. Tosc.ortic. iv. (1879) 271.—Borneo.  
*giganteus*, Schott, Melet. 21 = *Epipremnum giganteum*.  
*glauca*, Schott, l. c. = *Raphidophora glauca*.  
*Haenkii*, Presl, Epim. Bot. 240 = *Aglaonema Haenkei*.  
*hederaceus*, Schott, in Bonplandia, v. (1857) 45.—Malaya.  
*inaequilaterus*, Presl, Epim. Bot. 240 = *Pothos Cumingianus*.  
*inquinatus*, Schott, in Miq. Ann. Mus. Bot. Lugd. Bat. i. 283 = *hederaceus*.  
*lingulatus*, Hassk. Cat. Hort. Bog. Alt. 58 = *Raphidophora lingulata*.  
*longipes*, Engl. in Bull. Soc. Tosc.ortic. iv. (1879) 270.—Borneo.  
*marantaeifolius*, Miq. Fl. Ind. Bat. iii. 187 = *S. Cuscuaria*.  
*medius*, Zoll. & Mor. Syst. Verz. Zoll. 82 = *Epipremnum medium*.  
*microstachyus*, De Vriese & Miq. in Miq. Fl. Ind. Bat. iii. 188 = *Anadendrum affine*.  
*montanus*, Kunth, Enum. Pl. iii. 64 = *Anadendrum montanum*.  
*occidentalis*, Poepp. & Endl. Nov. Gen. et Sp. iii. 88 = *Monstera occidentalis*.  
*officinalis*, Schott, Melet. 21.—Ind. or.; Burma.  
*Peepla*, Schott, l. c. = *Raphidophora Peepla*.  
*Peepla*, Thw. Enum. Pl. Zeyl. 336 = *Raphidophora pertusa*.  
*pertusus*, Schott, Melet. 21 = *Raphidophora pertusa*.  
*pictus*, Hassk. in Hoev. & De Vriese, Tijdschr. ix. (1842) 164.—Malaya.  
*pinnatifidus*, Schott, Melet. 21 = *Epipremnum mirabile*.  
*pinnatus*, Schott, l. c. = *Epipremnum mirabile*.  
*pothoides*, Miq. Fl. Ind. Bat. iii. 184 = *hederaceus*.  
*pothoides*, Schott, Prod. Aroid. 394 = *pictus*.  
*pteropodus*, Teijsm. & Binn. in Nat. Tijdschr. Nederl. Ind. xxvii. (1864) 23.—Sumatra.  
*Rumphii*, Presl, Epim. Bot. 242 = *Pothos Rumphii*.  
*sylvestris*, Kunth, Enum. Pl. iii. 64 = *Raphidophora angustifolia*.  
*tener*, Presl, Epim. Bot. 242 = *Pothos gracilis, tener*.

**SCIOBIA**, Reichb. Nom. 66 (1841) = **SCIOPHILA**, Gaudich. = **Procris**, Comm. (Urtic.).

**SCIODAPHYLLUM**, Blume, Bijdr. 875 (1826) = **Hep-tapleurum**, Gaertn. (Araliac.).

**SCIODAPHYLLUM**, P. Br. Hist. Jamaic. 190. t. 19 (1756) = **Sciadophyllum**, P. Br. (Araliac.).

**SCIOPHILA**, Gaudich. in Freyc. Voy. Bot. 493. t. 120 (1826) = **Procris**, Comm. (Urtic.).  
*cephalida*, Gaudich. l. c. 494 = *P. cephalida*.  
*frutescens*, Gaudich. l. c. 493, in nota absque diagn. = *P. frutescens*?  
*salicifolia*, Gaudich. l. c. 494 = *P. cephalida*?  
*sessile*, Gaudich. l. c. = *Elatostema sessile*.  
*sessilifolia*, Gaudich. l. c. = *Elatostema sessile*?  
*torresiana*, Gaudich. l. c. 493. t. 120 = *P. cephalida*.

**SCIOPHILA**, Wibel, Prim. Fl. Werth. 147 (1799) = **Maianthemum**, Weber (Liliac.).  
*convallarioides*, Wibel, l. c. = *M. Convallaria*.

**SCIOPHYLLA**, Heller, Fl. Wirceb. 158 (1810) = *praec.*

**SCIOTHAMNUS**, Endl. Gen. 780 (1839) = **Peucedanum**, Tourn. (Umbell.).  
*capensis*, Endl. ex Walp. Rep. ii. 412 = *P. capense*.  
*collinus*, Endl. l. c. 413 = *P. collinum*.  
*montanus*, Endl. l. c. = *P. Ecklonianum*.  
*virgatus*, Endl. l. c. = *P. capense*.

**SCIRPIDIUM**, Nees, in Linnaea, ix. (1834) 293 = **Eleocharis**, R. Br. (Cyperac.).  
*aciculare*, Nees, l. c. 293 = *E. acicularis*.  
*grande*, Nees, in Mart. Fl. Bras. ii. i. 97 (Fimbri-stylidis sp.).—Bras.  
*nigrescens*, Nees, l. c. = *E. nigrescens*.  
*piauhense*, Nees, l. c. = *E. sulcata*.  
*sulcatum*, Nees, l. c. 98 = *E. sulcata*.  
*tenuis*, Nees, in Linnaea, ix. (1834) 293 = *E. tenuis*.

**SCIRPODENDRON**, Zipp. ex Kurz, in Journ. As. Soc. Beng. xxxviii. (1869) ii. 84. **CYPERACEAE**, Benth. & Hook. f. iii. 1056.  
**PTYCHOCARYA**, R. Br. in Wall. Cat. n. 3538 (1830).  
*costatum*, Kurz, in Journ. As. Soc. Beng. xxxviii. (1869) ii. 85.—As. trop.  
*pandaniforme*, Zipp. ex Kurz, l. c. = *costatum*.  
*sulcatum*, Miq. Illustr. Fl. Arch. Ind. 65. t. 28 = *costatum*.

**SCIRPUS**, [Tourn.] Linn. Syst. ed. I (1735); Gen. ed. I. 12 (1737). **CYPERACEAE**, Benth. & Hook. f. iii. 1049.

**ANDROCOMA**, Nees, in Hook. Journ. Bot. ii. (1840) 396.

**ANTHOPHYLLUM**, Steud. Syn. Pl. Cyp. 160 (1855).  
**APLOSTEMON**, Rafin. in Journ. Phys. lxxxix. (1819) 105.

**BAETHRYON**, Ehrh. Beitr. iv. 147 (1789).  
**BLEPHAROLEPIS**, Nees, in Mart. Fl. Bras. ii. i. 91 (1847).

**BLYSMUS**, Panz. ex Schult. Mant. ii. 41 (1824).  
**CLAVULA**, Dum. Fl. Belg. 143 (1827), pro parte.

**CREPIDOCARPUS**, Klotzsch, ex Boeck. in Linnaea, xxxvi. (1869-70) 414.  
**DESMOSCHOENUS**, Hook. f. Fl. N. Zel. i. 271 (1853).

**DICHELOSTYLIS**, Endl. Gen. 118, in syn. (1836).  
**DICHISMUS**, Rafin. in Journ. Phys. lxxxix. (1819) 106.

**DICHOSTYLIS**, Beauv. in Lestib. Ess. Fam. Cyp. 39 (1819).

**DIPLARINUS**, Rafin. in Journ. Phys. lxxxix. (1819) 106.

**DISTICHMUS**, Endl. Gen. 119 (1837).  
**ELEOGITON**, Link, Hort. Berol. i. 293 (1827).

**ELYTOSPERMUM**, C. A. Mey. in Mém. Sav. Etr. Pétersb. i. (1831) 200. t. 2.

**HELEOPHILA**, Schult. Mant. ii. 2 (1824).  
**HELEOPHYLA**, Flora, iv. (1821) 25.

**HELEOPHYLAX**, Beauv. ex Lestib. Ess. Fam. Cyp. 41 (1819).

**HELEOPHYLAX**, Steud. Nom. ed. II. i. 743 (1840).

**HEMICARPHA**, Nees, in Edinb. N. Phil. Journ. xvii. (1834) 263.

**HOLOSCHOENUS**, Link, Hort. Berol. i. 293 (1827).  
**HYMENOCARPHA**, Beauv. in Lestib. Ess. Fam. Cyp. 43 (1819).

**IOLEPIS**, R. Br. Prod. 221 (1810).

**LEIOPHYLLUM**, Ehrh. Beitr. iv. 146 (1789).

**LIMNOCHLOA**, Reichb. Fl. Germ. Excurs. 78, pro majore parte.

**MALACOCARPHA**, Nees, in Linnaea, ix. (1834) 292.

**MEGADENUS**, Rafin. Neogenyt. 4 (1825).

**NEMOCHARIS**, Beurl. in Bot. Notiser (1853), 52.

**NEMUS**, Desv. in Ham. Prod. Pl. Ind. Occ. 13 (1825).

**NOMOCHLOA**, Beauv. in Lestib. Ess. Fam. Cyp. 37 (1819).

**OXYCARYUM**, Nees, in Mart. Fl. Bras. ii. i. 90 (1847).

**PTEROLEPIS**, Schrad. in Goett. Gel. Anz. (1821) III. 2071.

**PTERYGOLEPIS**, Reichb. Nom. 236 (1841).  
**PTERIGERA**, Opiz, Seznam, 83 (1852).

**SEIDLIA**, Opiz, Natural. xi. (1826) 349.  
**STENOPHYLLUS**, Rafin. Neogenyt. 4 (1825).

**ABLEPHARUS**, Griseb. Cat. Pl. Cub. 240 = *cubensis*.

**SCIRPUS** :—

- acaulis*, Phil. in Linnaea, xxix. (1857-58) 78.—Chili.  
*acicularis*, Linn. Sp. Pl. 48 = *Eleocharis acicularis*.  
*acicularis*, Oed. in Fl. Dan. t. 167 = *Eleocharis palustris*.  
*acicularis*, Ucria, Hort. Reg. Panorm. 52 = *cernuus*.  
*acicularis*, Willd. ex Kunth, l. c. 142 = *Eleocharis exigua*.  
*acicularis*, Zanard. ex Parl. Fl. Ital. ii. 67 = *Eleocharis atropurpurea*.  
*acrostachys*, Steud. in Flora, xii. (1829) 148 = *Ficinia composita*.  
*acuminatus*, Muhl. Desc. Gram. 27 = *Eleocharis acuminata*.  
*acuminatus*, Steud. in Flora, xii. (1829) 146 = *Ficinia acuminata*.  
*acuta*, Poir. Encyc. Suppl. v. 102 = *Eleocharis acuta*.  
*acutangulus*, Roxb. Hort. Beng. [81]; Fl. Ind. i. 213 = *Eleocharis fistulosa*.  
*acutus*, Muhl. Desc. Gram. 33 = *lacustris*.  
*acutus*, J. & C. Presl, Rel. Haenk. i. 192 = *mucronatus*.  
*acutus*, Spreng. Syst. i. 203 = *Eleocharis acuta*.  
*acutus*, Willd. ex Kunth, Enum. Pl. ii. 141 = *Eleocharis acicularis*.  
*adscendens*, Willd. ex Kunth, l. c. 198.—Aegypt.  
*aegyptiacus*, Decne. in Ann. Sc. Nat. Sér. II. iv. (1835) 196 = *littoralis*.  
*aegyptiacus*, Poir. Encyc. vi. 770.—Aegypt.; Ital.  
*aemulans*, Steud. Syn. Pl. Cyp. 87 = *grossus*.  
*aestivalis*, Retz. Obs. iv. 12 = *Fimbristylis aestivalis*.  
*aestivalis*, Wall. in Roxb. Fl. Ind. ed. Carey, i. 230 = *Fimbristylis squarrosa*.  
*affinis*, Roth, Nov. Pl. Sp. 30 = *maritimus*.  
*afflatus*, Benth. Fl. Hongk. 394 = *Eleocharis afflata*.  
*aggregatus*, Ruiz, ex Boeck. in Linnaea, xxxvi. (1869-70) 709 = *pungens*.  
*albescens*, Phil. f. Cat. Pl. Vass. Chil. 310 = *inundatus*.  
*albo-ater*, Schrad. ex Nees, in Mart. Fl. Bras. ii. i. 102 = *Eleocharis ocreata*.  
*albovittatus*, Schur, Enum. Pl. Transs. 694, in syn. = *S. Holoschoenus*.  
*albus*, Salisb. Prod. 31 = *Rhynchospora alba*.  
*alpinus*, Schleich. Cat. Pl. Helv. ed. IV. 32 = *pumilus*.  
*altissimus*, Gilib. Exercit. ii. 514 = *lacustris*.  
*ambiguus*, Schult. Mant. ii. 85 = *divaricatus*.  
*amentaceus*, Griseb. in Goett. Abh. vii. (1857) 270 = *Fimbristylis complanata*.  
*americanus*, Pers. Syn. i. 68 = *pungens*.  
*anceps*, Poir. Encyc. vi. 782 = *Cladium iridifolium*.  
*anceps*, Willd. in Ges. Naturf. Fr. Berl. Mag. ii. (1808) 287 = *Fimbristylis complanata*.  
*andinus*, Phil. in Anal. Univ. Chil. (1873) 554.—Chili.  
*androgyna*, Poir. Encyc. Suppl. v. 98 = *Fimbristylis androgyna*.  
*Andrzejewscii*, Bess. ex Schult. Mant. ii. 536 = *lacustris*.  
*angachillensis*, Boeck. in Linnaea, xxxvi. (1869-70) 496 = *inundatus*.  
*angulatus*, Willd. ex Kunth, Enum. Pl. ii. 155 = *Eleocharis fistulosa*.  
*anisochaetus*, Wright, in Sauv. Fl. Cub. 174.—Cuba.  
*annuus*, All. Fl. Pedem. ii. 277 = *Fimbristylis diphylla*.  
*annuus*, Host, Gram. Austr. iii. 42. t. 63 = *Fimbristylis dichotoma*.  
*annuus*, Thuill. Fl. Par. ed. II. 22 = *Eleocharis ovata*.  
*anomalus*, Retz. Obs. v. 15 = *Hypolytrum latifolium*.  
*antarcticus*, Linn. Mant. ii. 181.—Afr. austr.  
*antarcticus*, Thunb. Prod. Pl. Cap. 17 = *diabolicus*?  
*antarcticus*, Vahl, Enum. ii. 261, partim (= *Isolepis barbata*).—Geront. trop.  
*apus*, A. Gray, in Proc. Am. Acad. x. (1874) 78 = *Fimbristylis Vahl.*  
*aquatilis*, Rafin. in Med. Repos. N. York, v. (1808) 352, nomen.—Am. bor.  
*arabicus*, Ehrenb. ex Boeck. in Linnaea, xxxvi. (1869-70) 716 = *littoralis*.  
*arenarius*, Benth. Fl. Austral. vii. 325.—Austral.  
*arenarius*, Boeck. in Linnaea, xxxvi. (1869-70) 741 = *Fimbristylis arenaria*.  
*argenteus*, Rottb. Desc. Nov. Pl. 51; Progr. 27 = *Fimbristylis argentea*.  
*aristatus*, Willd. Sp. Pl. i. 300; Vahl, Enum. ii. 271 = *Fuirena glomerata*.

## SCIRPUS:—

- articulatus, Linn. Sp. Pl. 47.—Afric.; Ind. or.; Austral.  
*arvensis*, Retz. Obs. iv. 11 = Fimbristylis ferruginea.  
*arvensis*, Roxb. Fl. Ind. i. 224 = Fimbristylis diphylla.  
*asper*, J. & C. Presl, Rel. Haenk. i. 194.—Chili.  
*asperulus*, Poir. Encyc. Suppl. v. 104; Spreng. Syst. i. 213 (Bulbostylidis sp.).—Am. trop.  
*atacamensis*, Boeck. in Linnaea, xxxvi. (1869–70) 482 = rigidus?  
*atracha*, Poir. Encyc. Suppl. v. 103 = Eleocharis atricha, R. Br.  
*atrofactus*, Steud. Syn. Pl. Cyp. 317 = Eleocharis capitata.  
*atropurpureo-vaginat*, Boeck. in Flora, lxv. (1882) 14 = nodosus.  
*atropurpureus*, Retz. Obs. v. 14 = Eleocharis atropurpurea.  
*atropurpureus*, Willd. ex Kunth, Enum. Pl. ii. 150 = Eleocharis capitata.  
*atrovirens*, Willd. Enum. Hort. Berol. 79; Hort. Berol. t. 99 = sylvaticus.  
*attenuatus*, Franch. & Sav. Enum. Pl. Jap. ii. 543.—Japan.  
*aucklandicus*, Boeck. in Linnaea, xxxvi. (1869–70) 491.—N. Zel.  
*auro-nitens*, Nees & Ehrenb. ex Boeck. l. c. 723 = maritimus.  
*australis*, Murr. Syst. ed. XIII. 85 = S. Holoschoenus.  
*autumnalis*, Linn. Mant. ii. 180 = Fimbristylis autumnalis.  
*autumnalis*, Rottb. Desc. Nov. Pl. 58. t. 17 = Cyperus Haspan.  
*badius*, J. & C. Presl, Rel. Haenk. i. 193 = pungens.  
*Baeothryon*, Linn. f. Suppl. 103 = pauciflorus.  
*Baeothryon*, Timm. ex Kunth, Enum. Pl. ii. 159 = caespitosus.  
*Baeothryon*, Wöhleb. Suppl. 3; ex Schrad. Fl. Germ. i. 127 = Eleocharis palustris.  
*bahiensis*, Steud. Syn. Pl. Cyp. 83 = Eleocharis Sellowiana.  
*Bailii*, Kohts, in Oestr. Bot. Zeitschr. xix. (1869) 334 = caespitosus.  
*Baldwinianus*, Schult. Mant. ii. 85 = Fimbristylis diphylla.  
*balearicus*, Willd. ex Kunth, Enum. Pl. ii. 166 = littoralis.  
*bangalorensis*, Heyne, ex Wall. Cat. n. 3464 = corymbosus.  
*barbata*, Poir. Encyc. Suppl. v. 104. (Bulbostylidis sp.).—Geront. trop.  
*barbatulus*, Kunth, Enum. Pl. ii. 583 (Index) = lacustris.  
*barbatus*, Rottb. Desc. Nov. Pl. 52; Progr. 27 = Fimbristylis barbata.  
*barbatus*, Vahl, ex Kunth, Enum. Pl. ii. 211 = Fimbristylis vestita.  
*barbulatus*, Kunth, l. c. 165 = lacustris.  
*Bellardi*, Wahlenb. Fl. Lapp. 15 = Kobresia scirpina.  
*bengalensis*, Pers. Syn. i. 68 = Fimbristylis miliacea.  
*Bergianus*, Spreng. Syst. i. 212 = antarcticus.  
*Berlandieri*, Steud. Syn. Pl. Cyp. 103. (Fimbristylidis sp.).—Mexic.  
*bicapitatus*, Poir. Encyc. vi. 761 = Ficinia bulbosa.  
*biceps*, Roem. & Schult. Syst. ii. 134 = Ficinia bulbosa.  
*bicolor*, Spreng. Syst. iv. Cur. Post. 28 = Thouarsianus.  
*bifolius*, Wallr. Sched. Crit. 27 = rufus.  
*bispicatus*, Koen. ex Roxb. Hort. Beng. 6; Fl. Ind. i. 220 = Fimbristylis schoenoides.  
*bisumbellatus*, Forsk. Fl. Aegypt. Arab. 15 = Fimbristylis dichotoma.  
*bivalvis*, Lam. Illustr. i. 141.—Madag.  
*bonariensis*, Poir. Encyc. vi. 763 = Fimbristylis ferruginea.  
*brachyceras*, Hochst. in Flora, xxiv. (1841) 1. Intell. 21, nomen; et ex A. Rich. Tent. Fl. Abyss. ii. 496 = corymbosus.  
*brachyphyllus*, Willd. ex Kunth, Enum. Pl. ii. 212 = Fimbristylis barbata.  
*bracteatus*, Bigel. in New Engl. Med. Journ. v. (1816) 335 (Quid?).—Am. bor.  
*Brayii*, Hoppe, ex Roem. & Schult. Syst. ii. 137 = lacustris.  
*breviculmis*, Boeck. in Linnaea, xxxvi. (1869–70) 742 (Fimbristylidis sp.).—Afr. austr.  
*brevifolius*, Bernh. ex Kunth, Enum. Pl. ii. 212 = Fimbristylis barbata.

## SCIRPUS:—

- brevifolius*, Poir. Encyc. Suppl. v. 99 = Fimbristylis ferruginea.  
*brevifolius*, Rottb. in Ges. Naturf. Fr. Neue Schr. iv. (1803) 190 (Quid?).—Ind. or.  
*brevifolius*, Roxb. Hort. Beng. [81]; Fl. Ind. i. 229 = Fimbristylis diphylla.  
*brevis*, Urv. in Mém. Soc. Linn. Par. iv. (1826) 600 = cernuus.  
*brevivaginat*, Boeck. in Flora, xli. (1858) 413 = pungens.  
*Bridgesii*, Boeck. in Linnaea, xxxvi. (1869–70) 508 = inundatus.  
*brizoides*, Benth. Fl. Austral. vii. 326.—Austral.  
*brizoides*, Willd. ex Link, Jahrb. i. III. (1820) 80 = lineatus.  
*bromeliaefolius*, Rudge, Pl. Gui. 19. t. 24 = Diplasia karataefolia.  
*Brownii*, Spreng. Syst. i. 204 = Eleocharis capitata.  
*brunneo-vaginat*, Boeck. in Kjoeb. Vidensk. Meddel. (1879–80) 25. (Fimbristylidis sp.).—Bras.  
*brunneus*, Muhl. Desc. Gram. 42 = polyphyllus.  
*bufonius*, Poir. Encyc. Suppl. v. 105; Spreng. Syst. i. 213 = Fimbristylis capillaris.  
*bulbiferus*, Boeck. in Linnaea, xxxvi. (1869–70) 482.—Afr. austr.  
*bulbosus*, Rottb. Desc. Nov. Pl. 46; Progr. 25 = Ficinia scariosa.  
*caducus*, Delile, Fl. Egypte, 153 = Eleocharis caduca.  
*caespitosus*, Boeck. in Linnaea, xxxvi. (1869–70) 488, partim = pumilus.  
*caespitosus*, Linn. Sp. Pl. 48.—Europ.; Am. bor.  
*caespitosus*, Willd. ex Kunth, Enum. Pl. ii. 148 = Eleocharis palustris.  
*californicus*, Steud. Nom. ed. II. ii. 538 = riparius.  
*campestris*, Roth, in Usteri, Ann. Bot. xiv. (1795) 18 = pauciflorus.  
*campestris*, Willd. ex Kunth, Enum. Pl. ii. 148 = Eleocharis palustris.  
*camptotrichus*, Wright, in Sauv. Fl. Cub. 173.—Cuba.  
*camtschaticus*, Kunth, Enum. Pl. ii. 158 = Eleocharis palustris.  
*canaliculato-triqueter*, Steud. Syn. Pl. Cyp. 318 = grossus.  
*Canbyi*, A. Gray, in Proc. Acad. Sc. Philad. (1864) 18 = leptolepis.  
*Candelabrum*, Willd. ex Kunth, Enum. Pl. ii. 232 = Fimbristylis diphylla.  
*capensis*, Burm. f. Fl. Cap. Prod. 3 = maritimus.  
*capensis*, Rottb. Desc. Nov. Pl. 53; Progr. 24 = Ficinia bulbosa.  
*capillaceus*, Griseb. Cat. Pl. Cub. 239 = Eleocharis capillacea.  
*capillaceus*, Michx. Fl. Bor. Am. i. 30 = nanus, Eleocharis acicularis.  
*capillaris*, Linn. Sp. Pl. 49 = Fimbristylis capillaris.  
*capillifolius*, Parl. Fl. Ital. ii. 83.—Afr. austr.  
*capitatus*, Burm. f. Fl. Ind. 21 = Fuirena uncinata.  
*capitatus*, Linn. Sp. Pl. 48 = Eleocharis capitata.  
*capitatus*, Muhl. Desc. Gram. 30 = Eleocharis albida.  
*capitatus*, Schreb. Spicil. 60 = Eleocharis ovata.  
*capitatus*, Willd. ex Kunth, Enum. Pl. ii. 145 = Eleocharis tenuis.  
*capsularis*, Lour. Fl. Cochinch. 44.—China.  
*caribaeus*, Griseb. in Goett. Abh. vii. (1857) 269 = Eleocharis ochreateus.  
*caribaeus*, Rottb. Desc. Nov. Pl. 46; Progr. 24 = Eleocharis capitata.  
*caricinus*, Schrad. Fl. Germ. i. 132 = S. Caricis.  
*Caricis*, Retz. Fl. Scand. Prod. 11.—Europ.; As. media.  
*carinatus*, A. Gray, in Proc. Am. Acad. vii. (1868) 392.—Am. bor.  
*carinatus*, Sm. Engl. Fl. i. 60 = lacustris.  
*carolinianus*, Lam. Illustr. i. 142 = Fimbristylis castanea.  
*carolinianus*, Panz. ex Kunth, Enum. Pl. ii. 282 = Rynchospora nitens.  
*cartilagineus*, Benth. Fl. Austral. vii. 328 = Gunnii.  
*cartilagineus*, Poir. Encyc. Suppl. v. 103; Spreng. Syst. i. 208 = antarcticus.  
*castaneus*, Michx. Fl. Bor. Am. i. 31 = Fimbristylis castanea.  
*castaneus*, Muhl. Desc. Gram. 38 = Fimbristylis coarctata.  
*castaneus*, Willd. ex Kunth, Enum. Pl. ii. 227, 282 = Fimbristylis autumnalis, Rynchospora nitens.

## SCIRPUS:—

- Cephalotes*, Heyne, ex Roth, Nov. Pl. Sp. 30 = maritimus.  
*Cephalotes*, Jacq. Hort. Vindob. i. 42. t. 97 = Kyllinga monocephala.  
*Cephalotes*, Linn. Sp. Pl. ed. II. 76 = Rynchospora Cephalotes.  
*Cephalotes*, Walt. Fl. Carol. 71 = Lipocarpa Humboldtiana.  
*cernuus*, Vahl, Enum. ii. 245.—Cosmop.  
*cespitosis*, Ehrh. Beitr. vi. 84, nomen = caespitosus.  
*cespitosis*, Poir. Encyc. Suppl. v. 99 = Fimbristylis caespitosa.  
*cespitosis*, Pollich, Hist. Pl. Palat. i. 39 = pauciflorus.  
*Chaeta*, Schult. Mant. ii. 72 = Eleocharis acicularis.  
*chaetarius*, Spreng. Syst. i. 203; Thw. Euum. Pl. Zeyl. 435 = Eleocharis Chaetaria.  
*chaetodes*, Link, in Buch, Besch. Canar. Ins. 138 = cernuus.  
*Chamissoi*, Schrad. ex Nees, in Mart. Fl. Bras. ii. 1. 107 = riparius.  
*chilensis*, Meyen, Reise, i. 380, nomen; et Nees & Meyen, in Linnaea, ix. (1834) 293 = pungens.  
*chinensis*, Munro, in Seem. Bot. Voy. Herald, 423.—Ind. or.; China.  
*chinensis*, Osb. It. 220 = squarrosus.  
*Chirigota*, Wright, in Sauv. Fl. Cub. 176 (Fimbristylidis sp.).—Cuba.  
*ciliaris*, Linn. Mant. ii. 182 = Fuirena glomerata.  
*ciliaris*, Pers. Syn. i. 77 = Fuirena pubescens.  
*ciliatifolius*, Ell. Sketch, i. 82; Darlingt. Florul. Cestr. 7 (Fimbristylidis sp.).—Guian.  
*ciliatus*, Steud. Syn. Pl. Cyp. 86 = lacustris.  
*ciliolatus*, Boeck. in Kjoeb. Vidensk. Meddel. (1871) 152 = Fimbristylidis sp.).—Guian.  
*cinereofuscus*, Willd. ex Kunth, Enum. Pl. ii. 236, 237 = Fimbristylis ferruginea.  
*cinnamometorum*, Vahl, Enum. ii. 278 = Fimbristylis cyperoides.  
*cinnamomeus*, Boeck. in Engl. Bot. Jahrb. v. (1884) 505 (Fimbristylidis sp.).—Madag.  
*circinatus*, Boeck. in Linnaea, xxxvi. (1869–70) 762 (Fimbristylidis sp.).—Am. trop.  
*clathratus*, Reichb. Ic. Fl. Germ. viii. 39, in obs. = setaceus?  
*Clintonii*, A. Gray, in Am. Journ. Sc. Ser. II. xxxviii. (1864) 290.—Am. bor.  
*coarctatus*, Ell. Sketch, i. 83 = Fimbristylis coarctata.  
*cognatus*, Hance, in Ann. Sc. Nat. Sér. IV. xv. (1861) 228 = mucronatus.  
*coleotrichus*, Boeck. in Linnaea, xxxvi. (1869–70) 763 (Fimbristylidis sp.).—Afr. trop.  
*collinus*, Boeck. l. c. 746 = Fimbristylis contexta.  
*comosus*, Dum. Fl. Belg. 143.—Belgium.  
*comosus*, Wall. in Roxb. Fl. Ind. ed. Carey, i. 234 = Eriophorum comosum.  
*compactus*, Hoffm. Deutschl. Fl. ed. II. i. 1. 25 = maritimus.  
*compactus*, Poir. Encyc. Suppl. v. 102; Spreng. Syst. i. 203 = Eleocharis compacta.  
*complanatus*, Retz. Obs. v. 14 = Fimbristylis complanata.  
*compressus*, Moench, Meth. 349 = Eleocharis ovata.  
*compressus*, Pers. Syn. i. 66 = S. Caricis.  
*confervoides*, Poir. Encyc. vi. 755.—Madag.  
*congestus*, Buch.-Ham. ex D. Don, Prod. Fl. Nep. 41 = Eleocharis congesta.  
*congestus*, Reichb. ex Kunth, Enum. Pl. ii. 211 (= *Isolepis junciformis*).—Am. austr.  
*conglomeratus*, H. B. & K. Nov. Gen. et Sp. i. 227 = pungens.  
*conicus*, Presl, ex Mert. & Koch, Deutschl. Fl. i. 427, in syn. = Eleocharis palustris.  
*coniferus*, Poir. Encyc. vi. 756 = Lepironia mucronata.  
*conostachys*, Boeck. in Linnaea, xxxvi. (1869–70) 756 (Fimbristylidis sp.).—Bras.  
*consanguineus*, Boeck. in Kjoeb. Vidensk. Meddel. (1869) 138; et in Linnaea, xxxvi. (1869–70) 754 (Fimbristylidis sp.).—Bras.; Reg. Argent.  
*conspersus*, Boeck. in Linnaea, xxxvi. (1869–70) 505 = inundatus.  
*constrictus*, Schrad. ex Kunth, Enum. Pl. ii. 153 = Eleocharis geniculata.  
*cornatus*, Wright, in Sauv. Fl. Cub. 177 = Fimbristylis squarrosa.  
*coronarius*, Vahl, Enum. ii. 261 = Cyperus coronarius.

\* = *Juncus effusus* Linn.  
 Fl. Sin iii. 163 (1903)



**SCIRPUS:—**

*corymbiferus*, Wright, in Sauv. Fl. Cub. 176 = *Rynchospora ignorata*.  
*corymbosus*, Forsk. Fl. Aegypt. Arab. 14 = *maritimus*.  
*corymbosus*, Heyne, in Roth, Nov. Pl. Sp. 28.—Afr.; Ind. or.  
*corymbosus*, Linn. Cent. Pl. ii. 7; Amoen. Acad. iv. 303 = *Rynchospora aurea*.  
*costatus*, Boeck. in Linnaea, xxxvi. (1869–70) 511.—Tasman.; Abyss.  
*crassiusculus*, Benth. Fl. Austral. vii. 326.—Austral.  
*crinalis*, Griseb. in Goett. Abh. xix. (1874) 265 (Eleocharis sp.).—Reg. Argent.  
*criniger*, A. Gray, in Proc. Am. Acad. vii. (1868) 392.—Calif.  
*crinitus*, Poir. Encyc. vi. 752 = *Ficinia filiformis*.  
*cubensis*, Poepp. & Kunth, in Enum. Pl. ii. 172.—Am. trop.; Afr. trop.  
*Cumingii*, Boeck. in Linnaea, xxxvi. (1869–70) 491 = *Carex setifolia*.  
*cuspidatus*, Roem. & Schult. Syst. ii. 67, sphalm., in citat. (Tetralia sp.).—Afr. austr.  
*cuspidatus*, Roth, Nov. Pl. Sp. 31 = *Fuirena Walli-chiana*.  
*cuspidatus*, Willd. ex Kunth, Enum. Pl. ii. 213 (= *Isolepis puberula*).—Madag.  
*Custoris*, Hegetschw. Fl. Schw. 49 = *lacustris*.  
*cylindraceus*, Willd. ex Kunth, Enum. Pl. ii. 238 = *Fimbristylis spadicea*.  
*cymosus*, Lam. Illustr. i. 141 = *Fimbristylis rigida*.  
*cymosus*, Poir. Encyc. Suppl. v. 99 = *Fimbristylis cymosa*.  
*cymosus*, Spreng. Syst. i. 209 = *Rynchospora distans*.  
*cyperiformis*, Muhl. Desc. Gram. 41 = *Mariscus glomeratus*.  
*cyperinus*, Kunth, Enum. Pl. ii. 170 = *S. Eriophorum*.  
*cyperoides*, Hemsl. Biol. Centr. Am. Bot. iii. 461.—Mexic.  
*cyperoides*, Lam. Fl. Fr. iii. 553 = *maritimus*.  
*cyperoides*, Linn. Mant. ii. 181 = *Mariscus Siberianus*.  
*cyperoides*, Spreng. Syst. i. 208.—Austral.  
*debilis*, Lam. Illustr. i. 141 = *Fimbristylis ferruginea*.  
*debilis*, Pursh, Fl. Am. Sept. i. 55 = *erectus*.  
*decipiens*, A. St. Hil. ex Nees, in Mart. Fl. Bras. ii. i. 208 = *riparius*.  
*decumanus*, Willd. ex Kunth, Enum. Pl. ii. 168 = *maritimus*.  
*densus*, Wall. in Roxb. Fl. Ind. ed. Carey, 231 (Fimbristylis sp.).—Ind. or.  
*denudata*, Poir. Encyc. Suppl. v. 99 = *Fimbristylis denudata*.  
*depauperata*, Poir. l. c. 98; Muhl. ex Kunth, Enum. Pl. ii. 233 = *Fimbristylis diphylla*.  
*depressus*, Vell. Fl. Flum. 35; i. t. 83 = *Eleocharis geniculata*.  
*deserticola*, Phil. Fl. Atac. 53.—Chili.  
*Desprauxii*, Steud. Syn. Pl. Cyp. 86 = *littoralis*.  
*diabolicus*, Steud. in Flora, xii. (1829) 147.—Afr. austr.  
*dichotomus*, Bieb. Fl. Taur. Cauc. i. 39 = *Fimbristylis diphylla*.  
*dichotomus*, Linn. Sp. Pl. 50 = *Fimbristylis dichotoma*.  
*dichotomus*, G. F. W. Mey. Prim. Fl. Esseq. 43 = *Fimbristylis spadicea*.  
*dichotomus*, Willd. ex Kunth, Enum. Pl. ii. 235, 239 = *Fimbristylis diphylla*, *junciformis*.  
*dictyospermus*, Wright, in Sauv. Fl. Cub. 175 = *Eleocharis cellulosa*.  
*Dietrichiae*, Boeck. in Flora, lviii. (1875) 109.—Austral.  
*digitatus*, Boeck. in Linnaea, xxxvi. (1869–70) 691 = *flaccifolius*.  
*dioecus*, Boeck. l. c. 719.—Afr. austr.  
*diphyllus*, Retz. Obs. v. 15 = *Fimbristylis diphylla*.  
*dipsaceus*, Rottb. Desc. Nov. Pl. 56 = *Fimbristylis dipsacea*.  
*dipsaceus*, Vahl, ex Kunth, Enum. Pl. ii. 204 = *S. Hystrix*.  
*dissitus*, Duthie, in Saharunpore Report (1885) = *S. Caricis*.  
*distichus*, Peterm. in Flora, xxvii. (1844) 343 = *S. Caricis*.  
*divaricatus*, Ell. Sketch, i. 88, t. 2. f. 4.—Am. bor.  
*domingensis*, Ham. Prod. Pl. Ind. Occ. 14.—Ins. S. Doming.  
*domingensis*, Pers. Syn. i. 67 = *Fimbristylis spadicea*.  
*Donianus*, Spreng. Syst. iv. Cur. Post. 28 = *quad-rangulus*.

**SCIRPUS:—**

*Drummondii*, Steud. Syn. Pl. Cyp. 318 = *lineatus*.  
*dubius*, Roxb. Hort. Beng. [81]; Fl. Ind. i. 215 = *Eleocharis plantaginea*?  
*Duvalii*, Hoppe, in Sturm, Deutschl. Fl. Heft 36 = *lacustris*.  
*ebenocarpus*, T. Kirk, in Trans. N. Z. Inst. xvii. (1885) 224 = *antarcticus*.  
*echinatus*, Linn. Sp. Pl. 50 = *Mariscus paniceus*.  
*echinatus*, Muhl. Desc. Gram. 39 = *Mariscus ovalaris*.  
*Eckloneus*, Steud. in Flora, xii. (1829) 148 = *Ficinia Ecklonea*.  
*effusus*, Gueldenst. Reisen, ii. 179; ex Ledeb. Fl. Ross. iv. 252, nomen (Quid?).—Ross. austr.  
*Ehrenbergii*, Boeck. in Linnaea, xxxvi. (1869–70) 712 = *maritimus*.  
*elatus*, Boeck. l. c. 694 = *S. Holoschoenus*?  
*elatus*, Gueldenst. ex Ledeb. Fl. Ross. iv. 252 (Quid?).—Ross. austr.  
*elatus*, Poir. Encyc. Suppl. v. 99 = *Fimbristylis denudata*.  
*elegans*, H. B. & K. Nov. Gen. et Sp. i. 226 = *Eleocharis geniculata*.  
*elegans*, Salisb. Prod. 31 = *Cyperus Luzulae*.  
*elegantulus*, Steud. Syn. Pl. Cyp. 317 = *Eleocharis ovata*.  
*Elliottii*, Spreng. Syst. iv. Cur. Post. 28 = *Fimbristylis diphylla*.  
*ellipticus*, Willd. ex Kunth, Enum. Pl. ii. 146 = *Eleocharis tenuis*, *montana*.  
*elychniarius*, Molina, Sagg. Chil. 153 (Quid?).—Chili.  
*elongatus*, Buch.-Ham. ex D. Don, Prod. Fl. Nep. 40 = *Eriophorum comosum*.  
*elongatus*, Poir. Encyc. Suppl. v. 99 = *Fimbristylis diphylla*.  
*equisetoides*, Ell. Sketch, i. 79 = *Eleocharis inter-stincta*.  
*erectus*, Poir. Encyc. vi. 761.—As. temp.; Am. bor.; Austral.  
*Eriophorum*, Michx. Fl. Bor. Am. i. 33.—As. or.; Am. bor.  
*eriphorus*, Poepp. ex Presl, in Oken, Isis, xxi. (1828) 269 = *stramineus*.  
*erraticus*, Rota, ex De Not. in Ann. Sc. Nat. Sér. III. v. (1846) 366 = *Eleocharis atropurpurea*.  
*exaltatus*, Pursh, Fl. Am. Sept. i. 56 = *polyphyllus*, Vahl.  
*excelsus*, Salisb. Prod. 31 = *Cladium germanicum*.  
*exiguus*, H. B. & K. Nov. Gen. et Sp. i. 225 = *Eleocharis acicularis*.  
*exilis*, Poir. Encyc. Suppl. v. 105; Willd. ex Kunth, Enum. Pl. ii. 228 = *Fimbristylis exilis*.  
*expallescens*, Boeck. in Linnaea, xxxvi. (1869–70) 509.—Afr. austr.  
*falcatius*, Vahl, Enum. ii. 275 = *Fimbristylis junci-formis*.  
*fascicularis*, Willd. ex Kunth, Enum. Pl. ii. 188 = *Ludwigii*.  
*fastigiatus*, Thunb. Prod. Pl. Cap. 18 = *Ficinia fastigiata*.  
*ferrugineus*, Linn. Sp. Pl. 50 = *Fimbristylis ferruginea*.  
*festucoides*, Poir. Encyc. vi. 752 (= *Isolepis festucoides*).—Madag.  
*ficinoides*, Kunth, Enum. Pl. ii. 172.—Afr. austr.  
*filamentosus*, Vahl, Enum. ii. 262 (= *Isolepis fila-mentosa*).—Afr. trop.  
*filiculmis*, Schrad. ex Griseb. in Goett. Abh. xxiv. (1879) 311 = *Eleocharis sulcata*.  
*filiformis*, Burm. f. Fl. Cap. Prod. 3 (Ficinia sp.).—Afr. austr.  
*filiformis*, Lam. Illustr. i. 138 = *Eleocharis tenuis*.  
*filiformis*, Savi, Fl. Pisan. i. 46 = *cernuus*.  
*fimbriatus*, Boeck. in Kjoeb. Vidensk. Meddel. (1869) 138 (Fimbristylis sp.).—Bras.  
*fimbriatus*, Poir. Encyc. vi. 779 = *Fimbristylis diphylla*.  
*fimbriatus*, Willd. ex Kunth, Enum. Pl. ii. 235 = *Fimbristylis pilosa*.  
*fimbriatus*, Delile, Fl. Egypte, 155 = *littoralis*.  
*fistulosus*, Forsk. Fl. Aegypt. Arab. 14 = *articulatus*.  
*fistulosus*, Poir. Encyc. vi. 749 = *Eleocharis fistulosa*.  
*flaccidus*, Reichb. ex Spreng. f. Tent. Suppl. Syst. 3 = *Eleocharis capitata*.  
*flaccifolius*, Steud. Syn. Pl. Cyp. 83.—Afr. austr.  
*flavescens*, Gromow, ex Trantv. in Act. Hort. Petrop. ix. (1884) 293, nomen (Quid?).—Hab.?  
*flavescens*, Poir. Encyc. vi. 756 = *Eleocharis capitata*.

**SCIRPUS:—**

*floccosus*, Griseb. Cat. Pl. Cub. 241. (Fimbristylis sp.).—Cuba.  
*floridanus*, Michx. ex Kunth, Enum. Pl. ii. 158 = *nanus*.  
*fluitans*, Linn. Sp. Pl. 48.—Geront.  
*fluviatilis*, A. Gray, Man. Bot. N. U. St. ed. II. 500 = *maritimus*.  
*foliatus*, Hook. f. in Hook. Lond. Journ. Bot. iii. (1844) 414 = *Schoenus axillaris*.  
*fragrans*, Ruiz & Pav. Fl. Per. i. 47.—Peruv.  
*frondosus*, Banks & Soland. ex Boeck. in Flora, lxi. (1878) 141.—N. Zel.  
*furva*, Poir. Encyc. Suppl. v. 99 = *Fimbristylis furva*.  
*fuscescens*, Link, Jahrb. i. iii. (1820) 81 = *Fimbristylis dichotoma*.  
*fuscus*, Willd. ex Kunth, Enum. Pl. ii. 212 (= *Isolepis asperula*).—Am. trop.  
*Gaudichaudianus*, Kunth, Enum. Pl. ii. 157 = *Eleo-charis ocreata*.  
*Gaudichaudii*, Boeck. in Linnaea, xxxvi. (1869–70) 511 = *inundatus*.  
*geniculatus*, Linn. Sp. Pl. 48 = *Eleocharis geniculata*.  
*giganteus*, Kunth, Enum. Pl. ii. 172.—Bras.  
*giganteus*, Noronha, ex Thou. Prod. Phyt. 2, in Mélang. (1811), nomen.—Madag.  
*Giraudii*, Boeck. in Linnaea, xxxvi. (1869–70) 483 = *fluitans*.  
*glaucescens*, Willd. Enum. Hort. Berol. 76 = *Eleocharis glaucescens*.  
*glaucophyllus*, Boeck. in Kjoeb. Vidensk. Meddel. (1871) 153. (Fimbristylis sp.).—Bras.  
*glaucus*, Lam. Illustr. i. 142 = *maritimus*.  
*glaucus*, Nees & Meyen, in Linnaea, ix. (1834) 293 = *asper*.  
*glaucus*, Smith, Engl. Bot. t. 2321 = *lacustris*.  
*glaucus*, Torr. Fl. U. St. 44 = *Eleocharis glaucescens*.  
*Glaziovii*, Boeck. in Kjoeb. Vidensk. Meddel. (1871) 152 (Fimbristylis sp.).—Bras.  
*globifer*, Welw. ex Steud. Syn. Pl. Cyp. 87 = *lacustris*.  
*globiferus*, Linn. f. Suppl. 104 = *S. Holoschoenus*.  
*globosus*, Spreng. Syst. iv. Cur. Post. 27 = *nodosus*.  
*globulosus*, Retz. Obs. vi. 19 = *Fimbristylis globulosa*.  
*globulosus*, Roxb. Hort. Beng. [81]; Fl. Ind. 217 = *Fimbristylis ferruginea*.  
*glomeratus*, Heyne, ex Wall. Cat. n. 3460 = *Cyperus arenarius*.  
*glomeratus*, Linn. Sp. Pl. 52 = *Mariscus Dregeanus*.  
*glomeratus*, Retz. Obs. iv. 11 = *Fimbristylis spathacea*.  
*glomeratus*, Roxb. Fl. Ind. i. 224 = *Fimbristylis diphylla*.  
*glomeratus*, Scop. Fl. Cam. ed. II. i. 47 = *mucronatus*.  
*glutinosus*, Banks & Soland. ex Hook. f. Fl. N. Zel. i. 270 = *nodosus*.  
*Gmelini*, [Honck.] Verz. Aller Gew. Teutschl. 138 (Quid?).—Europ.  
*gracilis*, Koch, in Salz. Enum. Pl. Rar. Gall. 9 = *cernuus*.  
*gracilis*, Kunth, Enum. Pl. ii. 585 = *Eleocharis maculosa*.  
*gracilis*, Poir. Encyc. vi. 763 = *Ficinia Poirerii*.  
*gracilis*, Rudge, in Trans. Linn. Soc. x. (1811) 289. t. 15. f. 1 = *nodosus*.  
*gracilis*, Willd. ex Kunth, Enum. Pl. ii. 227 = *Fimbri-stylis tenuis*.  
*gracilis*, Zeyh. ex Kunth, l. c. 256 = *Ficinia gracilis*.  
*gracillimus*, Boeck. in Kjoeb. Vidensk. Meddel. (1869) 140; et in Linnaea, xxxvi. (1869–70) 761 (Fimbri-stylis sp.).—Abyss.  
*gracillimus*, Kohts, in Oestr. Bot. Zeitschr. xix. (1869) 333 = *setaceus*.  
*gramineus*, Neck. Delic. Gallo-Belg. 27 = *sylvaticus*.  
*Griffithii*, Boeck. in Flora, xli. (1858) 595 = *grossus*.  
*grossus*, Linn. f. Suppl. 104.—Ind. or.; Malaya.  
*Gunnii*, Boeck. in Linnaea, xxxvi. (1869–70) 493.—Tasman.  
*hakonenis*, Franch. & Sav. Enum. Pl. Jap. ii. 110 = *Eleocharis tetraquetra*.  
*Halleri*, Vill. Hist. Pl. Dauph. ii. 188 = *pauciflorus*.  
*Halleri*, Vitm. Summa Pl. i. 150 = *supinus*.  
*Hallii*, A. Gray, Man. Bot. N. U. St. ed. V. 563 = *supinus*.  
*hamulosus*, Stev. in Mém. Soc. Nat. Mosc. v. (1814) 356.—Reg. Casp.  
*hemisphaericus*, Roth, Nov. Pl. Sp. 29 = *Lipocarpa sphacelata*.  
*heterocarpus*, S. Wats. in Proc. Am. Acad. xviii. (1883) 171 = *supinus*.

## SCIRPUS:—

*heteromorphus*, Steud. ex Phil. f. Cat. Pl. Vasc. Chil. 311 = *Eleocharis nodulosa*.  
*hexatrichus*, Ehrh. ex Boiss. Fl. Orient. v. 387 = *Eleocharis macrantha*.  
*Hildebrandtii*, Boeck. in Flora, lvi. (1875) 263 (*Fimbristylis* sp.).—Afr. trop.  
*hirtus*, Willd. ex Kunth, Enum. Pl. ii. 210 = *Fimbristylis vestita*.  
*hirtellus*, Vahl, Eclog. Am. iii. 1 = *Fimbristylis hirtella*.  
*hirtus*, Griseb. Cat. Pl. Cub. 241 (*Fimbristylis* sp.).—Cuba.  
*hirtus*, Poir. Encyc. Suppl. v. 106; Willd. ex Kunth, Enum. Pl. ii. 224 = *Fimbristylis squarrosa*.  
*hispanicus*, Gueldenst. Reisen, i. 109; ex Ledeb. Fl. Ross. iv. 252 (Quid?).—Ross. austr.  
*hispidulus*, Vahl, Enum. ii. 276.—Afr. trop.  
*Hochstetteri*, Boeck. in Linnaea, xxxvi. (1869-70) 739 (*Fimbristylis* sp.).—Abyss.  
*Holoschoenus*, Linn. Sp. Pl. 49.—Geront.  
*Holoschoenus*, Oed. Fl. Dan. t. 454 = *lacustris*.  
*Holoschoenus*, Thunb. Fl. Cap. i. 368 = *Thunbergii*.  
*Hookeri*, Kunth, Enum. Pl. ii. 173.—Chili.  
*Hoppii*, Weihe, in Flora, xi. (1828) 118 = *triqueter*.  
*hottentottus*, Linn. Mant. ii. 82 = *Fuirena hirta*.  
*Humboldtii*, A. Dietr. Sp. Pl. ii. 112 = *Hemicarpha subsquarrosa*.  
*Humboldtii*, Spreng. Syst. i. 213 (= *Isolepis junciformis*).—Am. austr.  
*humilis*, Vell. Fl. Flum. 35; i. t. 84.—Bras.  
*humilis*, Wallr. Sched. Crit. 27 = *nanus*.  
*humilis*, Willd. ex Kunth, Enum. Pl. ii. 212 (= *Isolepis scabra*).—Peruv.  
*humillimus*, Benth. Fl. Austral. vii. 324.—Austral.  
*hyalinolepis*, Steud. ex Jardin, in Bull. Soc. Linn. Normand. Sér. II. ix. (1875) 278, 280 = *maritimus*.  
*Hystrix*, Thunb. Prod. Pl. Cap. 17.—Afr. austr.  
*inanis*, Steud. Syn. Pl. Cyp. 86 = *spathaceus*.  
*inclinatus*, Aschers. & Schweinf. ex Boiss. Fl. Orient. v. 381 = *corymbosus*.  
*incomtus*, Boeck. in Linnaea, xxxvi. (1869-70) 693.—Afr. austr.  
*incurvatus*, Roxb. Hort. Beng. 6; Fl. Ind. i. 214 = *articulatus*.  
*intermedius*, Čelak. in Arch. Naturw. Landesd. Boehm. iv. (1881) 742 = *sylvaticus*.  
*intermedius*, A. Gray, ex Torr. in Ann. Lyc. N. York, iii. (1836) 300 = *Eleocharis olivacea*.  
*intermedius*, Muhl. Desc. Gram. 31 = *Eleocharis intermedia*.  
*intermedius*, Poir. Encyc. vi. 767 = *S. Holoschoenus*.  
*intermedius*, Thuill. Fl. Par. ed. II. 21 = *Eleocharis palustris*.  
*interstinctus*, Poepp. ex Presl, in Oken, Isis, xxi. (1828) 269 = *Eleocharis geniculata*.  
*interstinctus*, Vahl, Enum. ii. 149 = *Eleocharis interstincta*.  
*intricatus*, Linn. Mant. ii. 182 = *Cyperus aristatus*.  
*inundatus*, Poir. Encyc. Suppl. v. 103; Spreng. Syst. i. 207.—Austral.; Am.; Austr.  
*iridifolius*, Bory, Voy. ii. 94; Poir. Encyc. vi. 783 = *Cladium iridifolium*.  
*Isolepis*, Boeck. in Linnaea, xxxvi. (1869-70) 498.—Ind. or.; Afr. austr.  
*Janii*, Bess. ex Schult. Mant. ii. 536 = *lacustris*.  
*japonicus*, Franch. & Sav. Enum. Pl. Jap. ii. 109 = *Eleocharis afflata*.  
*Jardinei*, Steud. & Jardin, in Bull. Soc. Linn. Normand. Sér. II. ix. (1875) 278, 280 = *lacustris*.  
*javanus*, Nees, in Wight, Contrib. 112 = *mucronatus*.  
*juncus*, Forst. f. Prod. 6 = *Fimbristylis juncea*.  
*junciformis*, Nees, in Wight, Contrib. 112 = *erectus*.  
*junciformis*, Poir. Encyc. Suppl. v. 105 (= *Isolepis junciformis*).—Am. austr.  
*junciformis*, Retz. Obs. vi. 19.—China.  
*juncoides*, Roxb. Hort. Beng. [81]; Fl. Ind. i. 216 = *erectus*.  
*juncoides*, Willd. ex Kunth, Enum. Pl. ii. 211 (= *Isolepis junciformis*).—Am. austr.  
*Junguhnii*, Miq. Fl. Ind. Bat. iii. 307.—Java.  
*Kalli*, Forsk. Fl. Aegypt. Arab. 15 = *Cyperus aegypticus*.  
*kamtschaticus*, C. A. Mey. in Mém. Sav. Etr. Pétersb. i. (1831) 198 = *Eleocharis palustris*.  
*Kielmeyeri*, Schimp. ex Steud. Nom. ed. II. ii. 539 = *Fimbristylis complanata*.

VOL. II.

## SCIRPUS:—

*Koshewnikowii*, Litwinow, ex Kotsom, in Bull. Soc. Nat. Mosc. lvi. (1882) 220, nomen.—Ross.  
*Kunthii*, Boeck. in Linnaea, xxxvi. (1869-70) 508 = *ficinioides*.  
*kylingioides*, Boeck. l. c. 733.—Ind. or.; Afr. trop.  
*Kysoor*, Roxb. Hort. Beng. 6; Fl. Ind. i. 230 = *grossus*.  
*laciniatus*, Nees & Ehrenb. ex Boeck. in Linnaea, xxxvi. (1869-70) 723 = *maritimus*.  
*laciniatus*, Thunb. Prod. Pl. Cap. 17 = *Ficinia laciniata*.  
*lacustris*, Linn. Sp. Pl. 48.—Cosmop.  
*laetevirens*, Schrad. ex Nees, in Mart. Fl. Bras. ii. 1. 103 = *Eleocharis atropurpurea*.  
*lanatus*, Poir. Encyc. Suppl. v. 104 (= *Isolepis lanata*).—Am. austr.  
*laniferus*, Boeck. in Linnaea, xxxvi. (1869-70) 768 (*Bulbostylis* sp.).—Afr. trop.  
*lappaceus*, Lam. Illustr. i. 139 = *Cyperus aristatus*.  
*lateralis*, Forsk. Fl. Aegypt. Arab. 15 = *supinus*.  
*lateralis*, Retz. Obs. iv. 11 = *erectus*?  
*lateriflorus*, J. F. Gmel. Syst. 127 = *praeac.*?  
*latifolius*, Bertol. in Bologn. Opusc. Sc. iii. (1819) 406 = *Pleurostachys tenuiflora*.  
*latifolius*, Gilib. Exercit. ii. 515 = *sylvaticus*.  
*lavarum*, Poir. Encyc. vi. 783 = *Cladium iridifolium*.  
*Lawianus*, Boeck. in Linnaea, xxxvi. (1869-70) 497 = *Fimbristylis digitata*.  
*laxifolius*, Thw. Enum. Pl. Zeyl. 435 = *Eleocharis variegata*.  
*laxus*, Poir. Encyc. Suppl. v. 101 = *Fimbristylis diphylla*.  
*Lejeunei*, Weihe, in Flora, xi. (1828) 116 = *triqueter*.  
*lemburgensis*, Schult. Mant. ii. 85, sphalm. = *limburgensis*.  
*lenticularis*, Poir. Encyc. Suppl. v. 103; Spreng. Syst. i. 208.—Austral.; N. Zel.  
*lenticularis*, Torr. in Ann. Lyc. N. York, iii. (1836) 328 = *sylvaticus*.  
*leptaleus*, Koch, in Syll. Ratisb. i. (1824) 8 = *cernuus*.  
*leptocarpus*, F. Muell. in Trans. Phil. Soc. Vict. i. (1856) 109 = *Lipocarpa microcephala*.  
*leptolepis*, Chapm. Fl. S. U. St. 520.—Am. bor.  
*leptopus*, Boeck. in Flora, xi. (1828) 414 = *asper*.  
*leptos*, Wright, in Sauv. Fl. Cuba, 176 = *nanus*.  
*leptostachyus*, Boeck. in Linnaea, xxxvi. (1869-70) 485.—Afr. austr.  
*Lereschii*, Thom. ex Koch, Syn. Fl. Germ. ed. II. 853 = *Eleocharis atropurpurea*.  
*leucostachyus*, Poir. Encyc. Suppl. v. 104 (= *Isolepis leucostachya*).—Am. trop.  
*Lichtensteinianus*, Boeck. in Linnaea, xxxvi. (1869-70) 745 = *Fimbristylis Lichtensteiniana*.  
*limburgensis*, Lej. Fl. Spa, ii. 289 = *Eleocharis palustris*.  
*limosus*, Schrad. in Goett. Gel. Anz. (1821) III. 2069 = *Eleocharis limosa*.  
*lineatus*, Michx. Fl. Bor. Am. i. 32.—Am. bor.  
*lineatus*, Muhl. Desc. Gram. 45 = *divaricatus*.  
*lineolatus*, Franch. & Sav. Enum. Pl. Jap. ii. 545 = *erectus*.  
*lithospermus*, Linn. Sp. Pl. 51 = *Scleria lithosperma*.  
*lithospermus*, Noronha, ex Thou. Prod. Phyt. 2, in Mélang. (1811), nomen.—Madag.  
*lithuanicus*, Bess. ex Schult. Mant. ii. 535 = *lacustris*.  
*littoralis*, Fluegge, ex Reichb. Fl. Germ. Excurs. 74 = *rufus*.  
*littoralis*, Schrad. Fl. Germ. i. 142. t. 5. f. 7.—Europ.; Asia; Aegypt.  
*longebracteatus*, Salzm. ex Reichb. in Flora, xiii. (1830) 497 = *S. Holoschoenus*.  
*longifolius*, Hook. & Arn. Bot. Beech. Voy. 49 = *pungens*.  
*longifolius*, Rich. in Act. Soc. Hist. Nat. Par. i. (1792) 106 = *Hypolytrum longifolium*.  
*Lorentzii*, Boeck. in Linnaea, xxxviii. (1874) 378 (*Bulbostylis* sp.).—Reg. Argent.  
*lucidus*, Less. ex Kunth, Enum. Pl. ii. 168 = *maritimus*.  
*Ludwigii*, Boeck. in Linnaea, xxxvi. (1869-70) 486.—Afr. austr.  
*lupulinus*, Spreng. Fl. Hal. Mant. 30 = *Mariscus glomeratus*.  
*luteus*, Gilib. Exercit. ii. 513 = *caespitosus*.  
*luzonensis*, J. & C. Presl, Rel. Haenk. i. 193 = *erectus*.  
*Luzulae*, Linn. Syst. ed. X. 868 = *Cyperus Luzulae*.

## SCIRPUS:—

*luzulinus*, Reichb. ex Kunth, Enum. Pl. ii. 211 (= *Isolepis junciformis*).—Am. trop.  
*Lyallii*, Baker, in Journ. Linn. Soc. xx. (1883) 297 = *corymbosus*.  
*macer*, Boeck. in Engl. Bot. Jahrb. v. (1884) 503.—Madag.  
*macranthus*, Boeck. in Flora, xli. (1858) 415 = *leptolepis*.  
*macrophyllus*, Bess. ex Schult. Mant. ii. 535, in obs. = *lacustris*.  
*macrostachys*, Lam. Illustr. i. 142 = *maritimus*.  
*macrostachys*, Willd. Enum. Hort. Berol. 78 = *praeac.*  
*macrostylis*, Spreng. Syst. i. 208 = *Rynchospora pterocarpa*.  
*maculosus*, Vahl, Enum. ii. 247 = *Eleocharis maculosa*.  
*madagascariensis*, Boeck. in Bremen, Abh. vii. (1880) 37 = *supinus*.  
*margaritifera*, Boeck. in Linnaea, xxxvi. (1869-70) 697 = *Schoenus apogon*.  
*marginatus*, Muhl. Desc. Gram. 28 = *Eleocharis mutata*.  
*marginatus*, Thunb. Prod. Pl. Cap. 17 = *Ficinia filiformis*.  
*maritimus*, Linn. Sp. Pl. 51.—Cosmop.  
*Martii*, Dufour, ex Roem. & Schult. Syst. ii. 117 = *Cladium germanicum*.  
*mauritanicus*, Steud. Syn. Pl. Cyp. 84 = *mucronatus*.  
*maximus*, Roxb. Hort. Beng. [81]; Fl. Ind. i. 231 = *grossus*.  
*medius*, S. F. Gray, Nat. Arr. Brit. Pl. ii. 75 = *lacustris*.  
*medius*, Roxb. Fl. Ind. ed. Carey, i. 216 = *Eleocharis fistulosa*.  
*megapotamicus*, Spreng. f. Tent. Suppl. Syst. 4 = *Rynchospora luzuliiformis*.  
*megastachyus*, Steud. Syn. Pl. Cyp. 87 = *maritimus*.  
*melanocarpus*, Baldw. ex Torr. in Ann. Lyc. N. York, iii. (1836) 311 = *Eleocharis melanocarpa*.  
*melanocarpus*, Griseb. Cat. Pl. Cub. 239 = *Eleocharis pachystyla*.  
*melanocephalus*, Griseb. in Goett. Abh. xxiv. (1879) 311 = *Eleocharis albibracteata*.  
*melanorrhizus*, Boeck. in Engl. Bot. Jahrb. v. (1884) 504 = *pungens*.  
*melanospermus*, C. A. Mey. in Mém. Sav. Etr. Pétersb. i. (1831) 199 = *supinus*.  
*melanospermus*, Salzm. ex Steud. Syn. Pl. Cyp. 78 = *Eleocharis ocreata*.  
*melanostachys*, Urv. in Mém. Soc. Linn. Par. iv. (1826) 600 = *Eleocharis macrorhiza*.  
*melas*, Kunze, ex Kunth, Enum. Pl. ii. 169 = *pungens*.  
*membranaceus*, Thunb. Prod. Pl. Cap. 17 = *Ficinia membranacea*.  
*Meyenii*, Nees, in Lehm. Pl. Preiss. ii. 75 = *lacustris*.  
*Meyeri*, Trautv. in Act. Hort. Petrop. v. (1877) 121, in textu = *pumilus*.  
*Michauxii*, Pers. Syn. i. 68 = *Fimbristylis autumnalis*.  
*Michelianus*, Linn. Sp. Pl. 52.—Europ.; Afr. bor.; Asia.  
*Michelianus*, Sieber, ex Kunth, Enum. Pl. ii. 19 = *Cyperus pygmaeus*.  
*micranthus*, Vahl, Enum. ii. 254.—Am. bor. et austr.  
*microcarpus*, J. & C. Presl, Rel. Haenk. i. 195 = *sylvaticus*.  
*microlepis*, Griseb. Cat. Pl. Cub. 239 = *Eleocharis minima*.  
*miliaceus*, Linn. Syst. ed. X. 868 = *Fimbristylis quadrangularis*?  
*miliaceus*, Roxb. Fl. Ind. ed. Carey, i. 231 = *Fimbristylis diphylla*.  
*miliaceus*, Thunb. Fl. Jap. 37 = *Fimbristylis ferruginea*.  
*Minae*, Todaro, Rar. Pl. Sic. Decad. i; in Atti Acc. Sc. Palermo, N. S. i. (1845) 15 = *cernuus*.  
*minimus*, Hook. & Arn. Bot. Beech. Voy. 49 = *cernuus*.  
*minimus*, Pursh, Fl. Am. Sept. i. 55 = *micranthus*.  
*minimus*, Roxb. Hort. Beng. [81]; Fl. Ind. i. 219 = *Fimbristylis dipsacea*.  
*minimus*, Sieber, ex Kunth, Enum. Pl. ii. 195 = *antarcticus*.  
*minimus*, Vahl, Enum. ii. 253 = *Fimbristylis barbata*.  
*minimus*, Willd. ex Kunth, Enum. Pl. ii. 268 = *S. Isolepis*.  
*mitratus*, Franch. & Sav. Enum. Pl. Jap. ii. 544 = *Eleocharis palustris*?  
*mitratus*, Griseb. Fl. Brit. W. Ind. 570 (*Eleocharis* sp.).—Am. trop.

5 P

## SCIRPUS:—

- modestus*, Phil. f. Cat. Pl. Vasc. Chil. 311 = *cernuus*.  
*mollis*, Wall. in Roxb. Fl. Ind. ed. Carey, i. 227 =  
*Rynchospora mollis*.  
*monander*, Rottb. Desc. Nov. Pl. 50 = *Fimbristylis*  
*argentea*.  
*monander*, Roxb. Hort. Beng. [81]; Fl. Ind. i. 222  
 (= *Isolepis barbata*).—Geront. trop.  
*monander*, Willd. Sp. Pl. i. 311 = *Lipocarpa*  
*sphacelata*.  
*monophyllus*, J. & C. Presl, Rel. Haenk. i. 193 =  
*pungens*.  
*monostachyos*, Koen. ex Roxb. Hort. Beng. 6; Fl. Ind. i.  
 219 = *Fimbristylis schoenoides*.  
*montanus*, H. B. & K. Nov. Gen. et Sp. i. 226 =  
*Eleocharis montana*.  
*Moseleyanus*, Boeck. in *Flora*, lviii. (1875) 262.—Ins.  
 Nightingale.  
*mucronatus*, Host, Gram. Austr. iii. 44 = triquetus.  
*mucronatus*, Linn. Sp. Pl. 50 = Geront.  
*mucronatus*, Pollich, Hist. Pl. Palat. i. 44 = *maritimus*.  
*mucronatus*, Roth, Tent. Fl. Germ. i. 23 = *pungens*.  
*mucronatus*, Roxb. Fl. Ind. ed. Carey, i. 219 =  
*supinus*.  
*mucronulatus*, Michx. Fl. Bor. Am. i. 31 = *Fimbristylis*  
*autumnalis*.  
*Muehlenbergianus*, Schult. Mant. ii. 74 = *Eleocharis*  
*Muehlenbergianus*.  
*Muehlenbergii*, Spreng. Syst. i. 207 = *Fimbristylis*  
*barbata*.  
*multicaulis*, C. C. Gmel. Fl. Bad. i. 96 = *Eleocharis*  
*ovata*.  
*multicaulis*, Sm. Fl. Brit. i. 48 = *Eleocharis palustris*.  
*multicaulis*, Vahl, ex Kunth, Enum. Pl. ii. 146 =  
*Eleocharis tenuis*, *montana*.  
*multicostatus*, Baker, in Journ. Linn. Soc. xx. (1883)  
 298 = *costatus*.  
*muricatus*, Poir. Encyc. vi. 765 = *Rynchospora cype-*  
*roides*.  
*muscosus*, T. Kirk, in Trans. N. Z. Inst. xvii. (1885)  
 224, nomen.—N. Zel.  
*mutatus*, Linn. Syst. ed. X. 867 = *Eleocharis mutata*.  
*muticus*, D. Don, Prod. Fl. Nep. 41 = *mucronatus*.  
*mysurensis*, Heyne, ex Wall. Cat. n. 3467 = *mucro-*  
*natus*.  
*nanus*, Phil. f. Cat. Pl. Vasc. Chil. 311 = *inundatus*.  
*nanus*, Poir. Encyc. vi. 759 = *Fimbristylis argentea*.  
*nanus*, Spreng. Pugill. i. 4.—Europ.; Aegypt.; Am.  
 bor. et centr.  
*natans*, Boj. Hort. Maurit. 383 = *supinus*.  
*natans*, Griseb. Cat. Pl. Cub. 238.—Cuba.  
*natans*, Spreng. ex Kunth, Enum. Pl. ii. 194 = *river-*  
*laris*.  
*natans*, Thunb. Prod. Pl. Cap. 17 = *tenuissimus*.  
*Neesii*, Boeck. in *Linnaea*, xxxvi. (1869–70) 504.—  
 Afr. austr.  
*nervosus*, Boeck. l. c. 484.—Abyss.  
*nevadensis*, S. Wats. in Bot. King's Exp. 360.—Am.  
 bor.  
*nigrescens*, Salzm. ex Steud. Syn. Pl. Cyp. 91 = *Eleo-*  
*charis nigrescens*.  
*nigricans*, Poir. Encyc. Suppl. v. 104; Spreng. Syst. i.  
 212 = *inundatus*.  
*nigricans*, Steud. Nom. ed. II. ii. 540 = *Schoenus*  
*nigricans*.  
*niloticus*, Blanco, Fl. Filip. ed. I. 33 = *Fimbristylis*  
*miliacea*.  
*niloticus*, J. F. Gmel. Syst. 126 = *Fimbristylis dicto-*  
*toma*.  
*nindensis*, Ficalho & Hiern, in Trans. Linn. Soc. Ser.  
 II. ii. (1881) 27.—Afr. trop.  
*nitens*, Boeck. in *Linnaea*, xxxvi. (1869–70) 696 =  
*Schoenus nitens*.  
*nitens*, Vahl, Enum. ii. 272 = *Rynchospora nitens*.  
*nitidulus*, Willd. ex Kunth, Enum. Pl. ii. 232 = *Fim-*  
*bristylis diphylla*.  
*nobilis*, Ridl. in Trans. Linn. Soc. Ser. II. ii. (1884)  
 159 = *maritimus*.  
*nodosus*, Rottb. Desc. Nov. Pl. 52; Progr. 24.—Reg.  
 austr. temp.  
*nodulosus*, Roth, Nov. Pl. Sp. 29 = *Eleocharis nodulosa*.  
*nubigenus*, Phil. in Anal. Univ. Chil. (1873) 554 =  
*acaulis*.  
*nudipes*, Griseb. in Goett. Abh. xxiv. (1879) 312 =  
*cernuus*.  
*nudissimus*, Steud. & Jardin, in Bull. Soc. Linn.  
 Normand. Sér. II. ix. (1875) 278, 280 = *Eleocharis*  
*palustris*.

## SCIRPUS:—

- nudus*, Rafin. Atl. Journ. 18 (Quid?).—Am. bor.  
*numidianus*, Vahl, Enum. ii. 254 = *cernuus*.  
*nutans*, Retz. Obs. iv. 12 = *Fimbristylis nutans*.  
*obtus-trigonus*, Salzm. ex Steud. Syn. Pl. Cyp. 80 =  
*Eleocharis mutata*.  
*obtusifolius*, Heyne, ex Kunth, Enum. Pl. ii. 239 =  
*Fimbristylis junciformis*.  
*obtusifolius*, Lam. Illustr. i. 141 = *Fimbristylis obtusi-*  
*folia*.  
*obtusus*, Willd. Enum. Hort. Berol. 76 = *Eleocharis*  
*ovata*.  
*ochreatus*, Griseb. in Mem. Am. Acad. N. S. viii.  
 (1863) 535 = *Eleocharis ochreatea*.  
*oliganthus*, Steud. in *Flora*, xii. (1829) 146 = *Ficinia*  
*filiformis*.  
*oligostachyus*, Boeck. in *Linnaea*, xxxvi. (1869–70)  
 743.—Abyss.  
*Oliveri*, Boeck. in *Flora*, lviii. (1875) 260 = *Thouarsianus*.  
*Olneyi*, A. Gray, in Bost. Journ. Nat. Hist. v. (1845)  
 238.—Am. bor.  
*Onaei*, Franch. & Sav. Enum. Pl. Jap. ii. 544 = *Eleo-*  
*charis tetraquetra*.  
*orgyalis*, Rafin. Ann. Nat. 16 = *lacustris*.  
*ovatus*, Gilib. Exercit. ii. 512 = *Eleocharis palustris*.  
*ovatus*, Roth, Tent. Fl. Germ. ii. 11. 562 = *Eleocharis*  
*ovata*.  
*pachystylus*, Wright, in Sauv. Fl. Cub. 174 (*Eleo-*  
*charidis* sp.).—Cuba.  
*pallascens*, Boeck. ex Hemsl. Bot. Challenger, i. 11. 158  
 = *Thouarsianus*.  
*pallascens*, Roxb. Hort. Beng. [81]; Fl. Ind. i. 229 =  
*Fimbristylis dichotoma*.  
*pallascens*, Willd. ex Kunth, Enum. Pl. ii. 237 =  
*Fimbristylis ferruginea*.  
*pallascens*, Willd. ex Link, Hort. Berol. i. 292 = *Fim-*  
*bristylis diphylla*.  
*palmaris*, Willd. ex Kunth, Enum. Pl. ii. 150 = *Eleo-*  
*charis ochreatea*.  
*paludicola*, Kunth, l. c. 163.—Afr. austr.  
*palustris*, Linn. Sp. Pl. 47 = *Eleocharis palustris*.  
*panormitanus*, Parl. Fl. Ital. ii. 99 = *S. Holoschoenus*.  
*paradoxus*, Boeck. in Kjoeb. Vidensk. Meddel.  
 (1869) 136; et in *Linnaea*, xxxvi. (1869–70) 739.—  
 Bras.  
*Parlatoris*, Bivona f. Piant. Ined. 2; et in Parl. Fl.  
 Ital. ii. 96 = *S. Holoschoenus*.  
*parviflorus*, Poir. Encyc. Suppl. v. 99 = *Fimbristylis*  
*diphylla*.  
*parviflorus*, Willd. ex Kunth, Enum. Pl. ii. 230 = *Fim-*  
*bristylis miliacea*.  
*parvulus*, Roem. & Schult. Syst. ii. 124 = *nanus*.  
*pauciflorus*, Lightf. Fl. Scot. ii. 1078.—Europ.; Asia.  
*pauciflorus*, Poir. Encyc. Suppl. v. 98 = *Fimbristylis*  
*pauciflora*.  
*pauciflorus*, Rafin. in Med. Repos. N. York, v. (1808)  
 352, nomen (Quid?).—Am. bor.  
*pectinatus*, Roxb. Hort. Beng. [81]; Fl. Ind. i. 218 =  
*littoralis*.  
*pendulus*, Muhl. Desc. Gram. 44 = *lineatus*.  
*pentagonus*, Roxb. Hort. Beng. 6; Fl. Ind. i. 218 =  
*Fimbristylis quinqueangularis*.  
*perpusillus*, Boeck. in *Linnaea*, xxxvi. (1869–70) 496.  
 —Chili.  
*petasatus*, Maxim. in Bull. Soc. Nat. Mosc. liv. (1879)  
 i. 64 = *Eleocharis tetraquetra*.  
*phaeocarpus*, Phil. f. Cat. Pl. Vasc. Chil. 312.—  
 Chili.  
*Philippi*, Tineo, Pl. Rar. Sicil. 36 = *littoralis*.  
*pictus*, Boeck. in *Linnaea*, xxxvi. (1869–70) 503 =  
*cernuus*?  
*pileatus*, Franch. & Sav. Enum. Pl. Jap. ii. 110 =  
*Eleocharis palustris*.  
*pilosus*, Retz. Obs. vi. 19 = *Fuirena glomerata*.  
*pilosus*, Thunb. Prod. Pl. Cap. 18.—Afr. austr.  
*planiculmis*, F. Schmidt, Reisen Amurl. 190 = *erectus*.  
*planifolius*, Muhl. Desc. Gram. 32.—Am. bor.  
*plantagineus*, Retz. Obs. v. 14 = *Eleocharis planta-*  
*ginea*.  
*plantagineus*, Roxb. Hort. Beng. 6; Fl. Ind. i. 212 =  
*Fimbristylis quinqueangularis*.  
*plantagineus*, Sw. Fl. Ind. Occ. i. 123 = *Eleocharis*  
*interstincta*.  
*plantaginoides*, Rottb. Desc. Nov. Pl. 45 = *Eleocharis*  
*plantaginea*.  
*plicarhachis*, Griseb. Cat. Pl. Cub. 239 = *Eleocharis*  
*variegata*.

## SCIRPUS:—

- plumosus*, R. Br. Prod. 223; Regel, in Act. Hort.  
 Petrop. vii. (1880) 559 = *littoralis*.  
*pollicaris*, Delile, Fl. Aeg. Illustr. 50 = *nanus*.  
*Pollichii*, Gren. & Godr. Fl. Fr. iii. 374 = *triqueter*.  
*polycoleus*, De Not. in Ann. Sc. Nat. Sér. III. ix. (1848)  
 326 = *supinus*.  
*polymorphus*, Dulac, Fl. Hautes-Pyr. 60 = *S. Holo-*  
*schoenus*.  
*polymorphus*, Salzm. ex Steud. Syn. Pl. Cyp. 74 (*Eleo-*  
*charidis* sp.).—Bras.  
*polyphyllus*, Vahl, Enum. ii. 274.—Am. bor.  
*polystachyus*, F. Muell. in Trans. Phil. Soc. Vict. i.  
 (1855) 108.—Austral.  
*polytrichoides*, Retz. Obs. iv. 11 = *Fimbristylis poly-*  
*trichoides*.  
*praelongatus*, Poir. Encyc. vi. 764 = *articulatus*.  
*Preslii*, A. Dietr. Sp. Pl. ii. 175 = *mucronatus*.  
*prolifer*, Rottb. Desc. Nov. Pl. 55; Progr. 25.—Afr.  
 austr.; Austral.  
*prolifer*, Thou. Fl. Tristan d'Acugn. 36. t. 7 = *Thouar-*  
*sianus*.  
*prolifero-ramosus*, Boeck. in *Flora*, lviii. (1875) 261 =  
*Thouarsianus*.  
*propinqua*, Poir. Encyc. Suppl. v. 99 = *Fimbristylis*  
*squarrosa*.  
*Pseudo-schoenus*, Steud. in *Flora*, xii. (1829) 147 =  
*Ficinia tristachya*.  
*Pseudo-triqueter*, Steud. Syn. Pl. Cyp. 86 = *riparius*.  
*pterigosperma*, Poir. Encyc. Suppl. v. 98 = *Fimbristylis*  
*pterigosperma*.  
*Pterolepis*, Kunth, Enum. Pl. ii. 166 = *littoralis*.  
*puberulus*, Michx. Fl. Bor. Am. i. 31 = *Fimbristylis*  
*diphylla*.  
*puberulus*, Poir. Encyc. vi. 767 (= *Isolepis puberula*).—  
 Madag.  
*pubescens*, Lam. Illustr. i. 139 = *Fuirena pubescens*.  
*pubescens*, Pers. Syn. i. 68; Link, Jahrb. i. III. (1820) 80  
 = *Fimbristylis diphylla*.  
*pubigerus*, Bernh. ex Link, Hort. Berol. i. 289 = *Fim-*  
*bristylis diphylla*.  
*pulchellus*, Boeck. in *Linnaea*, xxxvi. (1869–79) 698.  
 —Afr. austr.  
*pulcher*, Rudge, Pl. Gui. 18. t. 23 = *Hypolytrum*  
*pungens*.  
*Pumilio*, Spreng. Syst. i. 204 = *Eleocharis pusilla*.  
*pumilus*, Vahl, Enum. ii. 243.—Reg. bor.  
*pumilus*, Willd. ex Kunth, Enum. Pl. ii. 191 = *cernuus*.  
*punctatus*, Poir. Encyc. Suppl. v. 98 = *Fimbristylis*  
*punctata*.  
*punctatus*, Schrad. ex Nees, in Mart. Fl. Bras. ii. i. 93  
 = *Eleocharis nana*.  
*pungens*, Poir. Encyc. Suppl. v. 102 = *Hypolytrum*  
*pungens*.  
*pungens*, Vahl, Enum. ii. 255.—Europ.; Am.  
*pungens*, Willd. ex Kunth, Enum. Pl. ii. 164 = *lacustris*.  
*purpureo-ater*, Boeck. in *Linnaea*, xxxviii. (1874) 379  
 (*Fimbristylidis* sp.).—Abyss.  
*pusillus*, Herb. Lucae, ex Kunth, Enum. Pl. ii. 141 =  
*Eleocharis acicularis*.  
*pusillus*, Poir. Encyc. Suppl. v. 103 = *Eleocharis*  
*pusilla*.  
*pusillus*, Vahl, Enum. ii. 246 = *nanus*?  
*pusillus*, Willd. ex Kunth, Enum. Pl. ii. 143 = *Eleo-*  
*charis intermedia*.  
*pynostachyus*, Salzm. ex Steud. Syn. Pl. Cyp. 129 =  
*Lipocarpa Humboldtiana*.  
*pygmaeus*, A. Gray, in Proc. Am. Acad. vii. (1868)  
 392 = *cernuus*.  
*pygmaeus*, Lam. Illustr. i. 139 = *Eleocharis Chaetaria*.  
*quadrangularis*, Thou. ex Cat. Hort. Maurit. (1822) 4  
 = *Fimbristylis miliacea*?  
*quadrangularis*, Michx. Fl. Bor. Am. i. 30 = *Eleo-*  
*charis mutata*.  
*quadrangulus*, D. Don, Prod. Fl. Nep. 40 (sp. dub.).—  
 Nepal.  
*quadriflorus*, Boeck. in *Linnaea*, xxxvi. (1869–70) 761  
 (*Fimbristylidis* sp.).—Bras.  
*quinqueangularis*, Vahl, Enum. ii. 279 = *Fimbristylis*  
*quinqueangularis*.  
*quinquefarius*, Buch.-Ham. ex Boeck. in *Linnaea*,  
 xxxvi. (1869–70) 701.—Ind. or.; Afghan.  
*quinqueflorus*, Vitm. Summa Pl. i. 150 = *pauciflorus*.  
*racemosus*, Spreng. Syst. i. 213.—Bras.  
*radiatus*, Steud. Nom. ed. II. ii. 541, spha. = *radicans*,  
 Poir.  
*radiatus*, Thunb. Prod. Pl. Cap. 18 = *Ficinia radiata*.  
*radicans*, Poir. Encyc. vi. 751 = *Eleocharis acicularis*.

## SCIRPUS:—

- radicans, *Schkuhr*, in *Usteri*, *Ann. Bot.* iv. (1793) 49. t. 1.—Europ.  
*ramosus*, Boeck. in *Linnaea*, xxxviii. (1874) 377 = fluitans.  
*rarus*, Poir. *Encyc. Suppl.* v. 99 = *Fimbristylis rara*.  
*reclinatus*, Beyr. ex Kunth, *Enum. Pl.* ii. 143 = *Eleocharis intermedia*.  
*Rehmanni*, Ridl. in *Trans. Linn. Soc. Ser. II.* ii. (1884) 159 = *S. Hystrix*.  
*Reichenbachii*, Boeck. in *Linnaea*, xxxvi. (1869–70) 737 (*Bulbostylidis* sp.).—Am. trop.  
*remireoides*, *Griseb. in Goett. Abh.* xix. (1874) 266.—Reg. Argent.  
*Renschii*, Boeck. in *Engl. Bot. Jahrb.* v. (1884) 504 (*Bulbostylidis* sp.).—Madag.  
*repens*, Willd. ex Schult. *Mant.* ii. 84, in obs. = *Eleocharis capitata*.  
*reptans*, Rich. in *Act. Soc. Hist. Nat. Par. i.* (1792) 106 = *Dichromena repens*.  
*reptans*, Thuill. *Fl. Par. ed. II.* 22 = *Eleocharis palustris*.  
*reticulatus*, Lam. *Illustr.* i. 142 = *polyphyllus*?  
*retroflexus*, Poir. *Encyc. vi.* 753 = *Eleocharis Chaetaria*.  
*retrofractus*, Linn. *Sp. Pl.* 50 = *Mariscus retrofractus*.  
*retusus*, Koen. ex Wall. *Cat. n.* 3428 = *Rynchospora Wallichiana*.  
*rigescens*, Willd. ex Schult. *Mant.* ii. 84, in obs. = *Fimbristylis spathacea*.  
*rigidus*, Boeck. in *Linnaea*, xxxvi. (1869–70) 492.—Peruv.  
*rigidus*, Griseb. in *Goett. Abh.* xxiv. (1879) 312 (*Fimbristylidis* sp.).—Reg. Argent.  
*rigidus*, Schrad. ex Nees, in *Mart. Fl. Bras.* ii. 1. 107 = *riparius*.  
*riparius*, Pers. *Syn.* i. 68 = *maritimus*.  
*riparius*, Poir. *Encyc. Suppl.* v. 103; *Spreng. Syst.* i. 208 = *cernuus*.  
*riparius*, J. & C. Presl, *Rel. Haenk.* i. 193.—Am. austr.; Calif.  
*rivularis*, Boeck. in *Linnaea*, xxxvi. (1869–70) 504.—Afr. austr.  
*rivularis*, Don, ex Nees, l. c. ix. (1834) 288 = *Fuirena umbellata*.  
*robustus*, Pursh, *Fl. Am. Sept.* i. 56 = *maritimus*.  
*romanus*, Linn. *Sp. Pl.* 49 = *S. Holoschoenus*.  
*Rosellinii*, Ces. Pass. & Gibelli, *Compend. Fl. Ital.* 99 = *lacustris*.  
*rostellatus*, Torr. in *Ann. Lyc. N. York*, iii. (1836) 318 = *Eleocharis rostellata*.  
*Rothii*, Hoppe, in *Sturm, Deutschl. Fl. Heft* 36 = *pungens*.  
*rufescens*, Boeck. in *Kjoeb. Vidensk. Meddel.* (1869) 138; et in *Linnaea*, xxxvi. (1869–70) 755 (*Bulbostylidis* sp.).—Bras.  
*rufus*, Schrad. *Fl. Germ.* i. 133. t. 1. f. 3.—Europ.; Asia.  
*rupoides*, Thw. ex Sauv. *Fl. Cub.* 176, in obs. = *submersus*.  
*salbundius*, Buch.-Ham. ex Wall. *Cat. n.* 3499 = *Fimbristylis quinqueangularis*.  
*salinus*, Schmidt, ex Steud. *Nom. ed. II.* ii. 541 = *maritimus*.  
*Savii*, Sebast. & Mauri, *Fl. Rom. Prod.* 22 = *cernuus*.  
*scaber*, Roxb. *Hort. Beng.* [81]; *Fl. Ind.* i. 220 = *Fimbristylis acuminata*.  
*scaberrimus*, Boeck. in *Flora*, xli. (1858) 595 = *grossus*.  
*scariosus*, Roem. & Schult. *Syst.* ii. 61, *sphalm.* = *Ficinia bracteata*.  
*Scheuchzeri*, Vitm. *Summa Pl.* i. 150 = *Eriophorum vaginatum*.  
*Schimperianus*, Boeck. in *Linnaea*, xxxvi. (1869–70) 750 (*Bulbostylidis* sp.).—Abyss.  
*schoenoides*, Boeck. l. c. 745 = *Fimbristylis Kunthiana*.  
*schoenoides*, Ell. *Sketch*, i. 89 = *Rynchospora Elliotii*.  
*schoenoides*, Retz. *Obs.* v. 14 = *Fimbristylis schoenoides*.  
*schoenoides*, Roxb. *Hort. Beng.* 6; *Fl. Ind.* i. 221 = *Fimbristylis monostachya*.  
*Schomburgkianus*, Boeck. in *Linnaea*, xxxvi. (1869–70) 757 (*Rynchosporae* sp.).—Guian.  
*Schweinfurthianus*, Boeck. l. c. 758 (*Bulbostylidis* sp.).—Afr. trop.  
*Sellowianus*, Boeck. in *Kjoeb. Vidensk. Meddel.* (1869) 138; et l. c. 748 (*Fimbristylidis* sp.).—Bras.  
*Sellowianus*, Griseb. in *Goett. Abh.* xxiv. (1879) 312 = *Eleocharis Sellowiana*.  
*semisubterraneus*, Boeck. in *Linnaea*, xxxvi. (1869–70) 495.—Peruv.

## SCIRPUS:—

- senegalensis*, Lam. *Illustr.* i. 140 = *Lipocarpa argentea*.  
*sepium*, [Honck.] *Verz. Aller Gew. Teutschl.* i. 78 = *pauciflorus*.  
*sericeus*, Poir. *Encyc. Suppl.* v. 99 = *Fimbristylis sericea*.  
*serrulatus*, Vahl, *Eclog. Am.* iii. 1 = *Fimbristylis diphylla*.  
*sesquipollicaris*, Willd. ex Kunth, *Enum. Pl.* ii. 203 = *micranthus*.  
*setaceus*, Linn. *Mant.* ii. 321 = *cernuus*.  
*setaceus*, Linn. *Sp. Pl.* 49, partim.—Austral.; Asia; Europ.  
*setaceus*, Thunb. *Prod. Pl. Cap.* 17 = *antarcticus*.  
*setifolius*, Boeck. in *Flora*, lxii. (1879) 160 (*Bulbostylidis* sp.).—Paraguay.  
*simplex*, Ell. *Sketch*, i. 76 = *Eleocharis tortilis*.  
*sinensis*, Kunth, *Enum. Pl.* ii. 202, in syn. = *squarrosus*.  
*Smithii*, A. Gray, *Man. Bot. N. U. St. ed. V.* 563 = *erectus*.  
*soloniensis*, Dubois, *Meth. ed. II.* 249 = *Eleocharis ovata*.  
*spadiceus*, Boeck. in *Linnaea*, xxxvi. (1869–70) 493.—Ind. occ. et Afr. trop.  
*spadiceus*, Linn. *Sp. Pl.* 51 = *Fimbristylis spadicea*.  
*spadiceus*, Phil. in *Linnaea*, xxix. (1857–58) 80 = *Schoenus nitens*.  
*Sparmanni*, Lam. *Illustr.* i. 140 = *Ficinia sylvatica*.  
*spatheus*, Hochst. in *Flora*, xxviii. (1845) 759.—Afr. austr.  
*spatheus*, Michx. *Fl. Bor. Am.* i. 32 = *Dulichium spathaceum*.  
*speciosus*, Salisb. *Prod.* 31 = *Eriophorum angustifolium*.  
*sphacelatus*, Poir. *Encyc. Suppl.* v. 102; *Spreng. Syst.* i. 204 = *Eleocharis sphacelata*.  
*sphaerocarpus*, Boeck. in *Linnaea*, xxxvi. (1869–70) 741 (*Bulbostylidis* sp.).—Afr. trop.  
*sphaerocephalus*, Boeck. in *Kjoeb. Vidensk. Meddel.* (1869) 137; et in *Linnaea*, xxxvi. (1869–70) 748 (*Bulbostylidis* sp.).—Bras.  
*sphaerolepis*, Boeck. l. c. 140; 766 (*Bulbostylidis* sp.).—Bras.  
*spiralis*, Bosc. ex Kunth, *Enum. Pl.* ii. 145 = *Eleocharis tortilis*.  
*spiralis*, Rottb. *Desc. Nov. Pl.* 42 = *Eleocharis spiralis*.  
*spiralis*, Willd. ex Kunth, *Enum. Pl.* ii. 153 = *Eleocharis plantaginea*.  
*spiraloides*, Roxb. *Hort. Beng.* [81], nomen = *Eleocharis fistulosa*.  
*squamosus*, Link, *Jahrb.* i. III. (1820) 79 = *squarrosus*.  
*squarrosulus*, Steud. *Syn. Pl. Cyp.* 88 = *maritimus*.  
*squarrosus*, Linn. *Mant.* ii. 181.—Afr.; Asia.  
*squarrosus*, Poir. *Encyc. Suppl.* v. 100 = *Fimbristylis squarrosa*.  
*squarrosus*, Spreng. *Syst. iv. Cur. Post.* 28 = *Thouarsianus*.  
*stans*, Ham. *Prod. Pl. Ind. Occ.* 14.—Ind. occ.  
*stenophyllus*, Ell. *Sketch*, i. 83 (*Bulbostylidis* sp.).—Am. bor.  
*sterilis*, Salzmann. ex Steud. *Syn. Pl. Cyp.* 118 = *Fimbristylis spadicea*.  
*Steudneri*, Boeck. in *Linnaea*, xxxvi. (1869–70) 733.—Abyss.  
*stolonifer*, Roth, in *Usteri*, *Ann. Bot.* x. (1794) 36 = *fluitans*.  
*stramineus*, Presl, in *Oken, Isis*, xxi. (1828) 269.—Am. bor.  
*striatulus*, Griseb. in *Goett. Abh.* xix. (1874) 266 = *Eleocharis bonariensis*.  
*strictus*, Poir. *Encyc. Suppl.* v. 99 = *Fimbristylis diphylla*.  
*strictus*, Roxb. *Hort. Beng.* [81]; *Fl. Ind.* i. 226 = *Fimbristylis spathacea*.  
*strobiliferus*, Steud. *Syn. Pl. Cyp.* 317 = *maritimus*.  
*strobilinus*, Roxb. *Hort. Beng.* 6; *Fl. Ind.* i. 219 = *maritimus*.  
*stygius*, Ferber, ex Fleischer, *Syst. Verz. Ostsee-Prov. Bek. Gew. Phan.* (1830) (Lithogr.) 120 = *Juncus stygius*.  
*subaphyllus*, Boeck. in *Linnaea*, xxxvi. (1869–70) 705 = *subcapitatus*.  
*subappendiculatus*, Steud. *Syn. Pl. Cyp.* 84 = *pungens*.  
*subarticulatus*, Roxb. *Hort. Beng.* [81]; *Fl. Ind.* i. 215 = *articulatus*.  
*subcapitatus*, Thw. *Enum. Pl. Zeyl.* 351.—Ind. or.; Sumatra; China.  
*subcucullatus*, Berggren, *Ny-Zeel. Fanerog.* 12. t. 5. f. 16–20 = *aucklandicus*.  
*subdistichus*, Boeck. in *Linnaea*, xxxvi. (1869–70) 490 = *natans*.

## SCIRPUS:—

- submersus*, Wright, in *Sauv. Fl. Cub.* 175.—Am. trop.; Zeylan.  
*subprolifer*, Boeck. in *Linnaea*, xxxvi. (1869–70) 492 = *cernuus*.  
*subquadriflorus*, Boeck. in *Kjoeb. Vidensk. Meddel.* (1869) 139 = *quadriflorus*.  
*subsquarrosus*, Muhl. *Desc. Gram.* 39 = *micranthus*.  
*subterminalis*, Torr. *Fl. U. St.* 47.—Am. bor.  
*subulatus*, Vahl, *Enum. ii.* 268 = *littoralis*.  
*sulcatus*, Ell. *Sketch*, i. 56 = *Fimbristylis diphylla*.  
*sulcatus*, Roth, *Nov. Pl. Sp.* 30 = *Eleocharis Rothiana*.  
*sulcatus*, Thou. *Fl. Tristan d'Acugn.* 36. t. 7.—Ins. Trist. da Cunha.  
*sulciculmis*, Schrad. ex Nees, in *Mart. Fl. Bras.* ii. 1. 103 = *Eleocharis atropurpurea*.  
*sundanus*, Miq. *Fl. Ind. Bat.* iii. 304 = *mucronatus*.  
*supinus*, Boeck. in *Linnaea*, xxxvi. (1869–70) 700, partim = *erectus*.  
*supinus*, Linn. *Sp. Pl.* 49.—Reg. temp.  
*swampianus*, Bosc. ex Kunth, *Enum. Pl.* ii. 168 = *maritimus*.  
*sylvaticus*, Linn. *Sp. Pl.* 49.—Europ.; Am. bor.  
*sylvaticus*, Vahl, *Enum. ii.* 271, partim = *radicans*.  
*Tabernaemontani*, C. C. Gmel. *Fl. Bad.* i. 101 = *lacustris*.  
*Tabernaemontani*, Salzmann. ex Ball, in *Journ. Linn. Soc.* xvi. (1878) 702 = *littoralis*.  
*Tatora*, Kunth, *Enum. Pl.* ii. 166 = *riparius*.  
*tegetalis*, Burch. *Trav.* i. 260, in nota = *spatheus*.  
*tenellus*, Link, *Jahrb.* i. III. (1820) 80 = *Fimbristylis tenella*.  
*tenellus*, Roxb. *Hort. Beng.* [81]; *Fl. Ind.* i. 224 = *Fimbristylis tenera*.  
*tener*, Spreng. *Syst.* i. 204 = *Eleocharis gracilis*.  
*tenerimus*, Schrad. ex Nees, in *Mart. Fl. Bras.* ii. 1. 94 = *Eleocharis minima*.  
*tenuiculus*, Schrad. ex Schult. *Mant.* ii. 74 = *Eleocharis sulcata*.  
*tenuifolius*, DC. *Fl. Fr. Suppl.* 300 = *pungens*.  
*tenuifolius*, Rudge, *Pl. Gui.* 18. t. 22 = *Fimbristylis capillaris*.  
*tenuis*, Schreb. ex Schweigg. & Koerte, *Fl. Erlang.* 12 = *Eleocharis palustris*.  
*tenuis*, Spreng. in *Flora*, xii. (1829) 1. *Beil.* 12.—Afr. austr.  
*tenuis*, Willd. *Enum. Hort. Berol.* 76 = *Eleocharis tenuis*.  
*tenuispicatus*, Boeck. in *Linnaea*, xxxvi. (1859–60) 740 (*Bulbostylidis* sp.).—Mexic.  
*tenuissimus*, Boeck. l. c. 481.—Afr. austr.  
*tereticulmis*, Steud. *Syn. Pl. Cyp.* 85 = *riparius*.  
*ternatanus*, Reinw. ex Miq. *Fl. Ind. Bat.* iii. 307 = *chinensis*.  
*tetragonus*, Poir. *Encyc. Suppl.* v. 98 = *Fimbristylis tetragona*.  
*tetragonus*, Poir. *Encyc. vi.* 767 = *Fimbristylis miliacea*.  
*tetraqueter*, Thw. *Enum. Pl. Zeyl.* 434 = *Eleocharis tetraquetra*.  
*thermalis*, Spruce, ex Benth. & Hook. f. *Gen.* iii. 1051 = *semisubterraneus*.  
*Thouarsi*, Roem. & Schult. *Syst.* ii. 134 (*Bulbostylidis* sp.).—Madag.?  
*Thouarsianus*, Schult. *Mant.* ii. 84.—Ins. Trist. da Cunha.  
*Thuarsii*, Spreng. *Syst. iv. Cur. Post.* 27 = *sulcatus*.  
*Thunbergii*, Boeck. in *Linnaea*, xxxvi. (1869–70) 719 = *S. Holoschoenus*.  
*Thunbergii*, Spreng. f. *Tent. Suppl. Syst.* 4.—Afr. austr.  
*Thwaitesii*, Boeck. in *Linnaea*, xxxviii. (1874) 380 (*Fimbristylidis* sp.).—Ind. or.  
*thyrsiflorus*, Willd. *Enum. Hort. Berol.* 78 = *S. Eriophorum*.  
*timorensis*, Kunth, *Enum. Pl.* ii. 162 = *erectus*.  
*tomentosus*, Poir. *Encyc. Suppl.* v. 101 = *Fimbristylis diphylla*.  
*Torreyi*, Olney, in *Proc. Franklin Soc. Providence*, i. (1847) 32; et ex A. Gray, *Man. Bot. N. U. St. ed. II.* 499.—Am. bor.  
*tortilis*, Willd. ex Kunth, *Enum. Pl.* ii. 144 = *Eleocharis tortilis*.  
*tranquebariensis*, Roth, *Catalect.* iii. 6 = *Fimbristylis ferruginea*.  
*translucens*, Le Gall, ex Lloyd, *Fl. Loire-Inf.* 275; et in *Congr. Sc. Fr.* xvi. i. (1850) 146 = *nanus*.  
*trialatus*, Boeck. in *Flora*, xli. (1859) 445 = *Cyperus turgidulus*.



**SCIRPUS:—**

- triangularis*, Steud. Nom. ed. I. 752 = pungens.  
*triangularis*, Roxb. Hort. Beng. [81]; Fl. Ind. i. 217 = mucronatus.  
*tricaratus*, Pers. Syn. i. 68 = mucronatus.  
*trichobasis*, Baker, in Journ. Linn. Soc. xx. (1883) 298.—Madag.  
*trichodes*, Muhl. Desc. Gram. 30 = Eleocharis acicularis.  
*trichoides*, H. B. & K. Nov. Gen. et Sp. i. 225 = Eleocharis trichoides.  
*trichophyllus*, Willd. ex Kunth, Enum. Pl. ii. 224 = Fimbristylis Vahl.  
*tridentatus*, Roxb. Hort. Beng. [81]; Fl. Ind. i. 225 = maritimus.  
*triflorus*, Poir. Encyc. ii. 249 = Rynchospora triflora.  
*trigonus*, Nolte, Novit. Fl. Holsat. 9 = lacustris.  
*trigonus*, Roth, Neue Beytr. i. 90 = triquetus.  
*trigynus*, Linn. Mant. ii. 180 = Ficinia scariosa.  
*triqueter*, R. Br. Prod. 223 = pungens.  
*triqueter*, Gren. & Godr. Fl. Fr. iii. 373 = littoralis.  
*triqueter*, Linn. Mant. i. 29.—Europ.; Austral.  
*triqueter*, Torr. in Pacif. Rail. Rep. iv. 153 = Olneyi.  
*trispicatus*, Linn. f. Suppl. 103 = Ficinia sylvatica.  
*trispicatus*, Thunb. Prod. Fl. Cap. 17 = Ficinia membranacea.  
*tristachyos*, Boj. Hort. Maurit. 383 (= *Isolepis barbata*).—Geront. trop.  
*tristachyos*, Rottb. Desc. Nov. Pl. 48; Progr. 25 = Ficinia tristachya.  
*tristachyos*, Roxb. Hort. Beng. 6; Fl. Ind. i. 221 = Fimbristylis ferruginea.  
*tristachyos*, Vahl, ex Kunth, Enum. Pl. ii. 254 = Ficinia Bergiana.  
*tristachyos*, Zoll. ex Steud. Syn. Pl. Cyp. 96 = supinus.  
*truncatus*, Sieber, ex Kunth, Enum. Pl. ii. 254 = Ficinia lateralis.  
*truncatus*, Thunb. Prod. Pl. Cap. 17 = Ficinia truncata.  
*tuberculatus*, Beyr. ex Kunth, Enum. Pl. ii. 145 = Eleocharis tortilis.  
*tuberculatus*, Ell. Sketch. i. 78 = Eleocharis tuberculata.  
*tuberculosis*, Michx. Fl. Bor. Am. i. 30 = Eleocharis tuberculosa.  
*tuberosus*, Desf. Fl. Atlant. i. 50 = maritimus.  
*tuberosus*, Roxb. Hort. Beng. 6; Pl. Corom. iii. 25. t. 231 = Eleocharis tuberosa.  
*tumidus*, Roxb. Hort. Beng. 6; Fl. Ind. i. 212 = Eleocharis plantaginea.  
*turgidus*, Pers. Syn. i. 66 = Eleocharis ovata.  
*turgidus*, Thuill. Fl. Par. ed. II. 22 = lacustris.  
*typhinus*, Rafin. Atl. Journ. 18 (Quid?).—Am. bor.  
*uliginosus*, Kar. & Kir. in Bull. Soc. Nat. Mosc. xv. (1842) 520 = lacustris.  
*uliginosus*, C. Koch, in Linnaea, xxi. (1848) 620 = Eleocharis acicularis.  
*umbellaris*, Lam. Illustr. i. 141 = Fimbristylis globulosa.  
*umbellatus*, Noronha, ex Thou. Prod. Phyt. 2, in Mélang. (1811), nomen (Quid?).—Madag.  
*umbellatus*, Roxb. ex Kunth, Enum. Pl. ii. 294 = Rynchospora aurea.  
*uncinatus*, Willd. Sp. Pl. i. 300 = Fuirena uncinata.  
*uniflorus*, Trautv. in Act. Hort. Petrop. v. (1877) 120 = pumilus.  
*uniglumis*, Link, Jahrb. i. III. (1820) 77 = Eleocharis palustris.  
*uninodis*, Boiss. Fl. Orient. v. 380, in syn. = supinus.  
*Urvillei*, Boeck. in Linnaea, xxxvi. (1869-70) 510 = inundatus.  
*vaginatus*, Salisb. Prod. 31 = Eriophorum vaginatum.  
*vaginatus*, Thunb. Prod. Pl. Cap. 17 = Ficinia bulbosa.  
*Vahl.*, Lam. Illustr. i. 139 = Fimbristylis Vahl.  
*Vahl.*, Willd. ex Kunth, Enum. Pl. ii. 85 = Mariscus filiformis.  
*validus*, Benth. Pl. Hartw. 27 = riparius.  
*validus*, Vahl, Enum. ii. 268 = lacustris.  
*variabilis*, Poir. Encyc. Suppl. v. 99 = Fimbristylis diphylla.  
*varians*, Boeck. in Linnaea, xxxvi. (1869-70) 698 = inundatus.  
*variegatus*, Poir. Encyc. vi. 749 = Eleocharis variegata.  
*varius*, Schreb. ex Schweigg. & Koerte, Fl. Erlang. 11 = Eleocharis palustris.  
*velatus*, Poir. Encyc. Suppl. v. 99 = Fimbristylis squarrosa.

**SCIRPUS:—**

- venustus*, Boeck. in Linnaea, xxxvi. (1869-70) 479.—Afr. austr.  
*verrucosulus*, Steud. in Flora, xii. (1829) 145.—Afr. austr.  
*vestitus*, Reichb. ex Boeck. in Linnaea, xxxvi. (1869-70) 753 = Fimbristylis vestita.  
*villosus*, Poir. Encyc. vi. 780 = Fimbristylis diphylla.  
*virens*, Boeck. in Flora, lviii. (1875) 261 = Thouarsianus.  
*viscosus*, Lam. Illustr. i. 142 = Cyperus elegans.  
*viviparus*, Schrad. ex Nees, in Mart. Fl. Bras. ii. 1. 93 = Eleocharis tenuissima.  
*vulgaris*, [Mazzari], in Ionios Anthol. ii. (1834) 460 = maritimus.  
*Wallichianus*, Spreng. Syst. iv. Cur. Post. 27 = Fimbristylis Wallichiana.  
*Wallichii*, Nees, in Wight, Contrib. 112 = erectus.  
*Wallrothii*, Bernh. in Flora, viii. (1825) 607 = rufus.  
*Warmingii*, Boeck. in Kjoeb. Vidensk. Meddel. (1869) 136; et in Linnaea, xxxvi. (1869-70) 744 (Fimbristylis sp.).—Bras.  
*Wichurii*, Boeck. in Linnaea, xxxvi. (1869-70) 729 = Eriophorum cyperinum.  
*Wightianus*, Boeck. l. c. 765 (Fimbristylis sp.).—As. et Afr. trop.  
*Willemetii*, Steud. Nom. ed. I. 752.—Ins. Maurit.  
*Wolfgangii*, Bess. ex Schult. Mant. ii. 536 = lacustris.  
*Wolfii*, A. Gray, in Proc. Am. Acad. x. (1874) 77 (Eleocharis sp.).—Am. bor.  
*Xyridis*, Poir. Encyc. Suppl. v. 98 = Fimbristylis Xyridis.  
*yokoscensis*, Franch. & Sav. Enum. Pl. Jap. ii. 543 = nanus.  
*Zeyheri*, Boeck. in Linnaea, xxxvi. (1869-70) 752 (Bulbostylis sp.).—Afr. austr.
- SCIRRHOPHORUS**, Turcz. in Bull. Soc. Nat. Mosc. xxiv. (1851) 1. 188 = SKIRRHOPHORUS, DC. = **Angianthus**, Wendl. (Compos.).
- SCIURIS**, Nees & Mart. in Nov. Act. Nat. Cur. xi. (1823) 150, 153 = **Galipea**, Aubl. (Rutac.).  
*aromatica*, Vahl, Enum. i. 101 = G. aromatica.  
*bracteata*, Nees & Mart. in Nov. Act. Nat. Cur. xi. (1823) 156 = G. bracteata.  
*corymbosa*, Spreng. Syst. i. 38 = G. trifoliata.  
*multiflora*, Nees & Mart. in Nov. Act. Nat. Cur. xi. (1823) 155 = G. multiflora.  
*odoratissima*, D. Dietr. Syn. Pl. i. 100 = Cusparia odoratissima.  
*simplicifolia*, Nees & Mart. in Nov. Act. Nat. Cur. xi. (1823) 157 = G. simplicifolia.  
*simplicifolia*, Spreng. Syst. i. 39 = Cusparia macrophylla.  
*trifoliata*, Nees & Mart. in Nov. Act. Nat. Cur. xi. (1823) 155 = G. trifoliata.
- SCIURIS**, Schreb. Gen. i. 24 (1789) = **Raputia**, Aubl. (Rutac.).  
*aromatica*, J. F. Gmel. Syst. 49 = R. aromatica.  
*Ossana*, Nees & Mart. ex Steud. Nom. ed. II. ii. 542 = R. Ossana.
- SCIURUS**, D. Dietr. Syn. Pl. i. 32, 100 (1839), sphalm. = praec.
- SCIZANTHUS**, Pers. Syn. ii. 161 (1807), sphalm. = **Schizanthus**, Ruiz & Pav. (Solan.).
- SCUKHRIA**, Moench, Meth. 566 (1794) = **Siegesbeckia**, Linn. (Compos.).  
*dichotoma*, Moench, l. c. = Siegesbeckia flosculosa.
- SCLAEANTHUS**, Thunb. Prod. Pl. Cap. 80 (1794) err. tpy. = **Scleranthus**, Linn. (Illecebr.).
- SCLARAEA**, Steud. Nom. ed. I. 752 (1821) = seq.
- SCLAREA**, Tourn. ex Mill. Gard. Dict. ed. VI (1752) = **Salvia**, Tourn. (Labiata).  
*Aethiops*, Mill. l. c. ed. VIII. n. 2 = Salvia Aethiops.  
*argentea*, Mill. l. c. n. 15 = Salvia argentea.  
*ceratophylla*, Mill. l. c. n. 8 = Salvia ceratophylla.  
*decidua*, Moench, Meth. 375 = Salvia Verbenaca.  
*distans*, Moench, l. c. = Salvia austriaca.  
*glutinosa*, Mill. Gard. Dict. ed. VIII. n. 11 = Salvia glutinosa.  
*indica*, Mill. l. c. n. 9 = Salvia indica.

**SCLAREA:—**

- lanata*, Moench, Meth. 374 = Salvia Aethiops.  
*lusitanica*, Mill. Gard. Dict. ed. VIII. n. 3 = Salvia lusitanica.  
*mexicana*, Mill. l. c. n. 14 = Salvia mexicana.  
*memorosa*, Mill. l. c. n. 6 = Salvia sylvestris.  
*orientalis*, Mill. l. c. n. 10 = Salvia rosaefolia.  
*pratensis*, Mill. l. c. n. 4 = Salvia pratensis.  
*punctata*, Moench, Meth. 374 = Salvia sylvestris.  
*spinosa*, Rafin. Fl. Tellur. iii. 94 = Salvia spinosa.  
*sylvestris*, Mill. Gard. Dict. ed. VIII. n. 7 = Salvia sylvestris.  
*syriaca*, Mill. l. c. n. 5 = Salvia sylvestris.  
*tingitana*, Rafin. Fl. Tellur. iii. 94 = Salvia foetida.  
*tomentosa*, Mill. Gard. Dict. ed. VIII. n. 13 = Salvia canariensis.  
*triloba*, Rafin. Fl. Tellur. iii. 94 = Salvia triloba.  
*tuberosa*, Mill. Gard. Dict. ed. VIII. n. 12 = Salvia pratensis.  
*viscosissima*, Moench, Meth. 376 = Salvia pyrenaica.  
*vulgaris*, Mill. Gard. Dict. ed. VIII. n. 1 = Salvia Sclarea.
- SCLERATION**, Rafin. ex Wedd. in Ann. Sc. Nat. Sér. IV. vii. (1857) 355 = **Laportea**, Gaudich. (Urtic.).  
*divaricatum*, Rafin. ex Wedd. in DC. Prod. xvi. i. 78 = L. canadensis.
- SCLERACHNE**, R. Br. in Benn. Pl. Jav. Rar. 15. t. 4 (1838). **GRAMINEAE**, Benth. & Hook. f. iii. 1113.  
*punctata*, R. Br. l. c. 15.—Java.
- SCLERACHNE**, Torr. ex Trin. in Mém. Acad. Pétersb. Sér. VI. vi. (1845) 273 = **Thurberia**, Benth. (Gramin.).  
*arkansana*, Torr. ex Trin. l. c. 274 = T. arkansana.  
*cyathopoda*, F. Muell. Fragm. viii. 116 = Chionachne cyathopoda.  
*pilosa*, Trin. in Mém. Acad. Pétersb. Sér. VI. vi. (1845) 275 = T. arkansana.
- SCLERANTHUS**, Linn. Syst. ed. I (1735). **ILLECEBRACEAE**, Benth. & Hook. f. iii. 19.  
**DITOCA**, Banks & Soland. ex Gaertn. Fruct. ii. 196. t. 126 (1791).  
**KNABEL**, Adans. Fam. ii. 506 (1763).  
**MNIARUM**, Forst. Char. Gen. l. t. 1 (1776).  
*abyssinicus*, *adsurgens*, *aquidens*, *anisodus*, *argillophilus*, *arrectifolius*, *Ascheroni*, *banaticus*, *bigeninus*, *Bilimeckii*, *brachyphyllus*, *byzantinus*, *cancellatus*, *canescens*, *capitulatus*, *caudiger*, *comatus*, *condensatus*, *conocephalus*, *corymbulosus*, *crinitus*, *crispatus*, *Decandollii*, *densifolius*, *densiramaeus*, *diander*, *dicranifolius*, *diffusus*, *dirnsteinensis*, *dissitiflorus*, *Drogeanus*, *echinophorus*, *Falkii*, *fasciculifolius*, *Fenzlii*, *flicaulis*, *filifericaulis*, *floribundus*, *foliosus*, *Friedrichsthalii*, *Fritzscheanus*, *fuscus*, *gemmaulosus*, *glomerifer*, *griseus*, *Haepi*, *hamulatus*, *Haslingeri*, *Hasskarlii*, *Hausmanni*, *Heldreichii*, *Herbichii*, *heterogeneus*, *Heufleri*, *Hoemeanus*, *Hohenackeri*, *holanthus*, *horridus*, *humilis*, *Janii*, *Kessneri*, *Kittelii*, *Kohlianus*, *Kotschyanus*, *laricifolius*, *laxus*, *lepidus*, *leptodus*, *leucoloma*, *longidens*, *longisetus*, *macilentus*, *macrocephalus*, *macronemus*, *Medusellus*, *micranthus*, *microcephalus*, *microdus*, *mollis*, *myrianthus*, *myriocarpus*, *nivemontanus*, *orthocarpus*, *orthoxys*, *oxystephanus*, *paradoxus*, *picturatus*, *pictus*, *pityophilus*, *pleiotomus*, *polyclados*, *porphyrocaulis*, *Poscharskyi*, *procerus*, *Pseudopolycarpus*, *pycnocarpus*, *Reichardti*, *remotiflorus*, *repens*, *retroperulatus*, *riparius*, *Rochelii*, *Schimperi*, *Schottii*, *Schroederi*, *scoparius*, *Sekerae*, *semiglaber*, *Serpentini*, *setifer*, *spergulfifolius*, *squarrosus*, *stenoloma*, *stipatus*, *striatipes*, *sulcifer*, *Tabernaemontani*, *tenuis*, *tortuosus*, *valgus*, *variflexus*, *verticillifer*, *Wilkommii*, *Wollmari*, *Reichb.* in Oestr. Bot. Zeitschr. xxii. (1872) 114-115 (Quid?).—Europ.  
*aetnensis*, Strobl, l. c. xxiv. (1874) 148 = perennis.  
*anisochaitos*, *bjelagoranus*, *curvibracteatus*, *erlmagellus*, *jastrebianus*, *micromeroides*, *montenegrinus*, *Pantocsekii*, *polychaitos*, *seticeps*, *subuncinatus*, *uncinellus*, *unculatus*, *unguiculatus*, *venustus*, *Reichb.* ex Pant. in Oestr. Bot. Zeitschr. xxiv. (1874) 25-26 (Quid?).—Europ.  
*annuus*, Linn. Sp. Pl. 406.—Europ.; As. temp.

**SCLERANTHUS:—**

- arenarius*, Schur, Enum. Pl. Transs. 224 = perennis.  
*ascrivensis*, Reichb. ex Vis. in Mem. Ist. Venet. xx. (1876-79) 218, nomen.—Europ.  
*attenuatus*, Reichb. ex Lindem. in Bull. Soc. Nat. Mosc. xlix. (1875) II. 79, nomen (Quid?).—Rossia.  
*Augustae*, *Carthusianorum*, *chersonensis*, *cinereus*, *crispatus*, *debilis*, *decipiens*, *dumosus*, *gypsophilanthus*, *hyssopifolius*, *inflexus*, *Johannis*, *leiphaemus*, *leucocarpus*, *leucococcus*, *madonius*, *marginellus*, *moenchiaeformis*, *myosotoides*, *obscurus*, *oligoconus*, *pelviger*, *polybotrys*, *profusus*, *sanctus*, *Seladonius*, *setibracteatus*, *sordidus*, *Sprengelii*, *stenodus*, *subspathaceus*, *suprafastigiatus*, *tenellus*, *tenuicaulis*, *tenuifolius*, *Theodori*, *vagans*, Reichb. ex Hoeme, in Oestr. Bot. Zeitschr. xxiv. (1874) 143-148. (Quid?).—Europ.  
*biennis*, Reut. in Compt. Rend. Soc. Hallér. (1853-54) 20 = annuus.  
*biflorus*, Hook. f. Fl. N. Zel. i. 74.—N. Zel.; Austral.  
*borborygius*, Reichb. ex Holuby, in Oestr. Bot. Zeitschr. xxiv. (1874) 55 = annuus.  
*brachycarpus*, *brachyodon*, *Follioti*, *implicatus*, *leucoperos*, *longirameus*, *longiramosus*, *obsoletus*, *Petronellae*, *serpyllaceus*, *stenoleucus*, Reichb. ex Wiesbaur, in Oestr. Bot. Zeitschr. xxvi. (1876) 152-154 (Quid?).—Europ.  
*brumalis*, *cleveomontanus*, *compactus*, *concinuus*, *Durandoi*, *expansus*, *Havranus*, *Holubyi*, *Knaikanus*, *laevigatus*, *leptochaetos*, *leucocarpus*, *paganus*, *rusticus*, *serotinus*, *soroanus*, *Tauscheri*, Reichb. ex Holuby, in Oestr. Bot. Zeitschr. xxiv. (1874) 55-57 (Quid?).—Europ.  
*campestris*, Schur, Enum. Pl. Transs. 224 = annuus.  
*caniceps*, Reichb. ex Lindem. in Bull. Soc. Nat. Mosc. xlix. (1875) II. 79, nomen (Quid?).—Rossia.  
*cattaraugus*, Reichb. ex Vis. in Mem. Ist. Venet. xx. (1876-79) 218, nomen = *ascrivensis*.  
*celtiniensis*, Reichb. l. c.—Europ.  
*chaitophyllus*, *Cumani*, *cymulosus*, *engadineus*, *graniti*, *insignis*, *intricatus*, *juvencus*, *modestus*, *ptyocarpus*, *sparsiflorus*, *spectabilis*, *subcrinitus*, *verecundus*, *Warnstorfi*, Reichb. ex Hausskn. in Oestr. Bot. Zeitschr. xxiii. (1873) 127-129 (Quid?).—Europ.  
*cinereus*, Reichb. ex Holuby, in Oestr. Bot. Zeitschr. xxiv. (1874) 55 = annuus.  
*collinus*, Hornung, ex Opiz, Natural. x. (1825) 232 = verticillatus.  
*collinus*, Schur, Enum. Pl. Transs. 224 = annuus.  
*comosus*, Dum. Fl. Belg. 23 = annuus.  
*corrigioleflorus*, Reichb. ex Nym. Consp. 257 = perennis.  
*Csetsii*, Reichb. in Oestr. Bot. Zeit. xxii. (1872) 115 = uncinatus.  
*curvibracteatus*, Reichb. ex Vis. in Mem. Ist. Venet. xx. (1876-79) 218, nomen (Quid?).—Europ.  
*Delorti*, Gren. in F. Schultz, Arch. Fl. Fr. et Allem. 205, 206 = verticillatus.  
*Delorti*, Sauzé & Maill. Cat. Deux-Sèvres, 30 = S. Pseudopolycarpus.  
*diander*, R. Br. Prod. 412.—Austral.  
*dichotomus*, Schur, in Verh. Siebenb. Ver. Naturw. ii. (1851) 10 = perennis.  
*echinulifer*, Reichb. in Oestr. Bot. Zeitschr. xxii. (1872) 114 = annuus.  
*divaricatus*, Dum. Fl. Belg. Prod. 23 = verticillatus.  
*fallax*, Boenn. Prod. Fl. Monast. 123 = perennis.  
*fasciculatus*, Hook. f. Fl. Tasman. i. 42 = biflorus.  
*fastigiatus*, Hochst. in Flora, viii. (1825) 536 = perennis.  
*ferrugineus*, Reichb. ex Nym. Consp. 257 = annuus.  
*Fussii*, Reichb. in Oestr. Bot. Zeitschr. xxii. (1872) 115 = uncinatus.  
*gracilidens*, Reichb. ex Lindem. in Bull. Soc. Nat. Mosc. xlix. (1875) II. 79, nomen (Quid?).—Rossia.  
*glomeratus*, Reichb. in Oestr. Bot. Zeitschr. xxii. (1872) 115 = verticillatus vel annuus.  
*gypsophilanthus*, Reichb. l. c. = perennis.  
*hamosus*, Pouz. Fl. Gard. i. 371. t. 3 = uncinatus.  
*Haynaldi*, Reichb. in Oestr. Bot. Zeitschr. xxii. (1872) 115 = uncinatus.  
*hirsutus*, J. & C. Presl, Delic. Prag. 66 = perennis.  
*intermedius*, Boenn. ex Reichb. Fl. Germ. Excurs. 565 = perennis.  
*intermedius*, Reichb. ex Nym. Consp. 257 = annuus.  
*Jankei*, Reichb. in Oestr. Bot. Zeitschr. xxii. (1872) 115 = uncinatus.

**SCLERANTHUS:—**

- Lindemanni*, Reichb. ex Lindem. in Bull. Soc. Nat. Mosc. xlix. (1875) II. 79, nomen (Quid?).—Rossia.  
*marginatus*, Guss. Fl. Sic. Prod. 486 = perennis.  
*marginellus*, Reichb. ex Hausskn. in Oestr. Bot. Zeitschr. xxiii. (1873) 129 = annuus.  
*Martini*, Gren. in F. Schultz, Arch. Fl. Fr. et Allem. 206 = uncinatus.  
*microdichodon*, Reichb. ex Tauscher, in Oestr. Bot. Zeitschr. xxiii. (1873) 323 = dichotomus.  
*mniaroides*, F. Muell. in Trans. Phil. Soc. Vict. i. (1855) 13.—Austral.  
*neglectus*, Rochel, ex Baumg. Enum. Stirp. Transs. iii. 345; et in Pl. Banat. Rar. 35. t. 3. f. 10 = perennis.  
*Noëanus*, Reichb. ex Nym. Consp. 257 = perennis.  
*Orzini*, Reichb. ex Vis. in Mem. Ist. Venet. xx. (1876-79) 218, nomen (Quid?).—Europ.  
*perennis*, Linn. Sp. Pl. 406.—Europ.  
*polycarpus*, Gren. in F. Schultz, Arch. Fl. Fr. et Allem. 206 = uncinatus.  
*polycarpus*, DC. ex Nym. Consp. 257 = verticillatus.  
*polycarpus*, Linn. Cent. Pl. 216; Amoen. Acad. iv. 313 = verticillatus.  
*polycnemoides*, Willk. & Costa, in Linnaea, xxx. (1859-60) 98.—Hispan.  
*praecox*, Wallr. ex Hoeme, in Oestr. Bot. Zeitschr. xxiv. (1874) 144 = verticillatus.  
*Pseudopolycarpus*, *Lacroix*, in Bull. Soc. Bot. Fr. vi. (1859) 558.—Europ.  
*Pseudoverticillatus*, Reichb. ex Pant. in Oestr. Bot. Zeitschr. xxiv. (1874) 26 = verticillatus.  
*pungens*, R. Br. Prod. 412.—Austral.  
*Reichenbachii*, Tauscher, ex Hoeme, in Oestr. Bot. Zeitschr. xxiv. (1874) 145, nomen (Quid?).—Hungar.  
*rodmanus*, Reichb. ex Nym. Consp. 257 = uncinatus.  
*tauricus*, Presl, ex Nym. l. c. = annuus.  
*tenuissimus*, Reichb. ex Nym. l. c. = verticillatus.  
*umagellus*, Reichb. ex Vis. in Mem. Ist. Venet. xx. (1876-79) 218, nomen (Quid?).—Europ.  
*uncinatus*, Schur, in Verh. Siebenb. Ver. Naturw. i. (1850) 107; ii. (1851) 10.—Europ. austr.  
*verticillatus*, Gren. in F. Schultz, Arch. Fl. Fr. et Allem. 205, 206 = S. Pseudopolycarpus.  
*verticillatus*, Tausch, in Flora, xii. (1829) i. Erg. 50.—Europ.; As. Min.  
*Visianii*, Reichb. ex Vis. in Mem. Ist. Venet. xx. (1876-79) 218, nomen.—Europ.

**SCLERIA**, Berg. in Vet. Acad. Handl. Stockh. xxvi. (1765) 142. tt. 4, 5. *CYPERACEAE*, Benth. & Hook. f. ii. 1070.

- ANERMA*, Schrad. ex Nees, in Mart. Fl. Bras. ii. i. 170 (1847).  
*CHONDROLOMIA*, Nees, l. c. 173 (1847).  
*CRYPTOPodium*, Schrad. ex Nees, l. c. 180 (1847).  
*CYLINDROPUS*, Nees, in Linnaea, ix. (1834) 303; et in Edinb. N. Phil. Journ. xv. (Oct. 1834) 266.  
*DIAPHORA*, Lour. Fl. Cochinch. 578 (1790).  
*DIPLACRUM*, R. Br. Prod. 241 (1810).  
*DIPLOSCYPHUS*, Liebm. in Vidensk. Selsk. Skr. V. ii. (1850) 262.  
*HYMENOLYTRUM*, Schrad. ex Nees, in Mart. Fl. Bras. ii. i. 174. t. 22 (1842).  
*HYPOPORUM*, Nees, in Linnaea, ix. (1834) 303.  
*MACROLOMIA*, Schrad. ex Nees, in Mart. Fl. Bras. ii. i. 181. t. 24 (1847).  
*MASTIGOSCLERIA*, Nees, l. c. 177 (1847).  
*OMOSCLERIA*, Nees, l. c. 180 (1847).  
*OPHRIDIUM*, Schrad. ex Nees, l. c. 183 (1847).  
*OPHRYSCLERIA*, Nees, l. c. 182. t. 25 (1847).  
*SCHIZOLEPIS*, Schrad. ex Nees, l. c. 186. t. 26 (1847).  
*SPHAEROPUS*, Boeck. in Flora, lvi. (1873) 89.  
*TRACHYLOMIA*, Nees, in Mart. Fl. Bras. ii. i. 174 (1847).  
*abortiva*, Nees, in Linnaea, ix. (1834) 302.—Madag.  
*acanthocarpa*, Boeck. in Kjoeb. Vidensk. Meddel. (1869) 154.—Bras.  
*adamantina*, Steud. Syn. Pl. Cyp. 177 = *Lagenocarpus adamantinus*.  
*affinis*, Presl, ex Steud. Nom. ed. II. ii. 542 = *pratensis*.  
*africana*, Benth. in Benth. & Hook. f. Gen. iii. 1071.—Afr. trop.  
*alata*, Moon, Cat. Pl. Ceyl. 62 = *hebecarpa*.  
*albionigra*, A. St. Hil. Voy. Distr. Diam. i. 371.—Bras.  
*alta*, Boeck. in Linnaea, xxxviii. (1874) 485.—Ind. or.  
*anceps*, Liebm. in Vidensk. Selsk. Skr. V. ii. (1851) 257.—Mexic.  
*androgyna*, Nees, in Wight, Contrib. 117.—Ind. or.  
*angusta*, Nees, in Linnaea, ix. (1834) 303.—Afr. austr.

**SCLERIA:—**

- angustata*, Steud. Nom. ed. II. ii. 542, sphalm. = *prae*.  
*annularis*, Steud. Syn. Pl. Cyp. 176.—Ind. or.; China.  
*approximata*, Hassk. in Hoef. & De Vriese, Tijdschr. x. (1843) 118 = *sumatrensis*.  
*arguta*, Steud. Syn. Pl. Cyp. 172.—Bras.  
*arundinacea*, Kunth, Enum. Pl. ii. 347.—Am. trop.  
*aspera*, Boeck. in Linnaea, xxxviii. (1874) 462 = S. Radula.  
*asperata*, Presl, in Oken, Isis, xxi. (1828) 268 = *pratensis*.  
*asprima*, Steud. Syn. Pl. Cyp. 170.—Nicaragua.  
*atropurpurea*, Boeck. in Kjoeb. Vidensk. Meddel. (1879-80) 29.—Bras.  
*atrosanguinea*, Hochst. ex Steud. Syn. Pl. Cyp. 175 = *bulbifer*.  
*auricoma*, Otto, ex Sweet, Hort. Brit. ed. II. 549 (Quid?).—Am. bor.  
*Baldwinii*, Steud. Syn. Pl. Cyp. 175.—Am. bor.  
*bancana*, Miq. Fl. Ind. Bat. Suppl. 602.—Malaya.  
*Barteri*, Boeck. in Linnaea, xxxviii. (1874) 504.—Afr. trop.  
*Bertolonii*, Martens, in Flora, xl. (1857) 570 = *oryzoides*.  
*biflora*, Roxb. Hort. Beng. 66; Fl. Ind. iii. 573 = *tesse-lata*.  
*Boivini*, Steud. Syn. Pl. Cyp. 173.—Madag.  
*Bourgeau*, Boeck. in Flora, lxxv. (1882) 29.—Mexic.  
*bracteata*, Cav. Ic. v. 34. t. 457.—Am. austr.  
*Brekiana*, Schlecht. in Bot. Zeit. iii. (1845) 491.—Bras.  
*Browni*, Kunth, Enum. Pl. ii. 349.—Austral.  
*bulbifera*, Hochst. ex A. Rich. Tent. Fl. Abyss. ii. 510.—Abyss.  
*caespitosa*, Ridl. in Trans. Linn. Soc. Ser. II. ii. (1884) 167.—Afr. trop.  
*campestris*, Steud. Syn. Pl. Cyp. 178 = *Cryptangium campestre*.  
*canaliculato-triquetra*, Boeck. in Flora, lxii. (1879) 573.—Afr. trop.  
*capillaris*, R. Br. Prod. 240 = *lithosperma*.  
*capitata*, Willd. Sp. Pl. iv. 319 (*Pteroscleria* sp.).—Guian.  
*caricina*, Benth. Fl. Austral. vii. 426.—As. et Austral. trop.  
*caroliniana*, Willd. Sp. Pl. iv. 318 = *pauciflora*.  
*cenchrroides*, Kunth, Enum. Pl. ii. 352 = *hirtella*.  
*cervina*, Ridl. in Trans. Linn. Soc. Ser. II. ii. (1884) 171.—Afr. trop.  
*ceylanica*, Kunth, Enum. Pl. ii. 358 = *zeylanica*.  
*chinesis*, Kunth, Enum. Pl. ii. 357.—As. et Austral. trop.  
*chlorantha*, Boeck. in Linnaea, xxxviii. (1874) 506.—Ins. S. Doming.  
*ciliaris*, Nees, in Wight, Contrib. 117 = *chinensis*.  
*ciliata*, Michx. Fl. Bor. Am. ii. 167.—Am. bor.; Ind. occ.  
*ciliolata*, Boeck. in Flora, lxxv. (1882) 31 = *racemosa*.  
*cincta*, Steud. Syn. Pl. Cyp. 177 = *Rhynchospora tenuis*.  
*clathrata*, Hochst. in A. Rich. Tent. Fl. Abyss. ii. 510.—Abyss.  
*communis*, Kunth, Enum. Pl. ii. 340 = *pratensis*.  
*comosa*, Steud. Syn. Pl. Cyp. 171.—Bras.  
*complanata*, Boeck. in Flora, lxii. (1879) 571.—Afr. trop.  
*composita*, Boeck. in Linnaea, xxxviii. (1874) 444.—Bras.  
*conspersa*, Sellow, ex Nees, in Mart. Fl. Bras. ii. i. 179 = *pterota*?  
*coriacea*, Liebm. in Vidensk. Selsk. Skr. V. ii. (1851) 259.—Costa Rica.  
*corymbifera*, Boeck. in Linnaea, xxxviii. (1874) 537 = *androgyna*.  
*corymbosa*, Roxb. Hort. Beng. [103]; Fl. Ind. iii. 574 = *androgyna*.  
*cyanocarpa*, Kunth, Enum. Pl. ii. 347 = *sylvestris*.  
*cymosa*, Boeck. in Kjoeb. Vidensk. Meddel. (1869) 155, 158.—Bras.  
*cyperina*, Kunth, Enum. Pl. ii. 345.—Guian.  
*debilis*, Wright, in Sauv. Fl. Cub. 186 = *hemitaphra*.  
*densifolia*, Steud. Syn. Pl. Cyp. 178 = *Cryptangium Minarum*.  
*depauperata*, Boeck. in Flora, lvi. (1875) 118.—Polynes.  
*dictyocarpa*, Wright, ex Griseb. Cat. Pl. Cub. 249 = *Torreyana*.  
*Dietrichiae*, Boeck. in Flora, lviii. (1875) 121 = *hebecarpa*.

**SCLERIA :—**

- diffusa*, Michx. ex Kunth, Enum. Pl. ii. 359 = verticillata.  
*Dillonia*, Boeck. in Flora, lxi. (1878) 38 = foliosa.  
*dioica*, Leconte, ex Britton, in Ann. N. York Acad. Sc. iii. (1885) 229 = Baldwinii.  
*discolor*, Boeck. in Linnaea, xxxviii. (1874) 541.—Bras.  
*distans*, R. Br. Prod. 240 = Brownei.  
*distans*, Poir. Encyc. vii. 4.—Ind. occ.  
*diurensis*, Boeck. in Flora, lxii. (1879) 573.—Afr. trop.  
*divaricata*, Nees, in Linnaea, ix. (1834) 303.—Am. trop.  
*Doederleiniana*, Boeck. in Engl. Bot. Jahrb. v. (1884) 512 = scrobiculata.  
*Dregeana*, Kunth, Enum. Pl. ii. 354.—Afr. austr.  
*dumicola*, Ridl. in Trans. Linn. Soc. Ser. II. ii. (1884) 169.—Afr. austr.  
*elata*, Thw. Enum. Pl. Zeyl. 353.—As. trop.  
*elata*, Wright, in Sauv. Fl. Cub. 186.—Cuba.  
*Elliottii*, Chapm. Fl. S. U. St. 531 = ciliata.  
*elongata*, F. & C. Presl, Rel. Haenk. i. 202.—Mexic.  
*erythrorrhiza*, Ridl. in Trans. Linn. Soc. Ser. II. ii. (1884) 167.—Afr. trop.  
*exaltata*, Boeck. in Engl. Bot. Jahrb. v. (1884) 511 = hebecarpa.  
*fasciculata*, Willd. ex Kunth, Enum. Pl. ii. 301 = Rynchospora Cephalotes.  
*fenestrata*, Franch. & Sav. Enum. Pl. Jap. ii. 549 = tessellata.  
*filiformis*, Sw. Prod. Veg. Ind. Occ. 19 = lithosperma.  
*Flagellum*, Poir. Encyc. vii. 1, sphalm. = S. Flagellum-nigrorum.  
*flaccida*, Steud. Syn. Pl. Cyp. 174 = triglomerata.  
*flagellata*, Sw. ex Boeck. in Linnaea, xxxviii. (1874) 506 = pterota.  
*Flagellum*, Benth. in Hook. Niger Fl. 555 = ovuligera.  
*Flagellum*, Griseb. Fl. Brit. W. Ind. 578 = reflexa.  
*Flagellum*, Sw. Fl. Ind. Occ. i. 88 = seq.  
*Flagellum-nigrorum*, Berg. in Vet. Akad. Handl. Stockh. xxvi. (1765) 144. t. 4.—Am. trop.  
*floribunda*, H. B. & K. Nov. Gen. et Sp. i. 233 = bracteata.  
*foliosa*, Hochst. ex A. Rich. Tent. Fl. Abyss. ii. 509.—Abyss.  
*foliosa*, Wright, in Sauv. Fl. Cub. 187 = microcarpa.  
*foveolata*, Cav. Ic. v. 35.—Panama.  
*foveolata*, Llanos, Fragn. Fl. Filip. 103 = scrobiculata.  
*glandiformis*, Boeck. in Flora, xli. (1858) 647.—Afr. trop.  
*glauescens*, J. & C. Presl, Rel. Haenk. i. 202 = lithosperma.  
*Glazioviana*, Boeck. in Flora, lxxv. (1882) 352.—Bras.  
*glomerulata*, Oliver, in Trans. Linn. Soc. xxix. (1875) 170.—Afr. trop.  
*gracilis*, Ell. Sketch, ii. 557.—Am. bor.; Ind. occ.  
*gracilis*, Rich. in Act. Soc. Hist. Nat. Par. i. (1792) 113 = lithosperma.  
*gracillima*, Boeck. in Flora, xlii. (1879) 570.—Afr. trop.  
*Graeffeana*, Boeck. l. c. lviii. (1875) 121 = margaritifera.  
*grandifolia*, Miq. in Linnaea, xix. (1847) 230 = arundinacea.  
*guahensis*, Schrad. ex Boeck. l. c. xxxviii. (1874) 512 = margaritifera.  
*guianensis*, Steud. Syn. Pl. Cyp. 177 = Lagenocarpus guianensis.  
*haematostachys*, Boeck. in Engl. Bot. Jahrb. v. (1884) 512.—Java.  
*Harlandi*, Hance, in Ann. Sc. Nat. Sér. V. v. (1866) 248.—Ins. Hongk.  
*Hasskarliana*, Boeck. in Engl. Bot. Jahrb. v. (1884) 511 = elata, Thw.  
*hebecarpa*, Nees, in Wight, Contrib. 117.—As. et Austral. trop.  
*hemitaphra*, Steud. Syn. Pl. Cyp. 169.—Am. bor.; Ind. occ.  
*Hildebrandtii*, Boeck. in Flora, lxiii. (1880) 454.—Afr. trop.  
*Hilsenbergii*, Ridl. in Journ. Bot. xxii. (1884) 16.—Madag.  
*hirsuta*, Boeck. in Linnaea, xxxviii. (1874) 489.—Java.  
*hirsuta*, Moon, Cat. Pl. Ceyl. 103 = junciformis, Thw.  
*hirta*, Boeck. in Flora, lxxv. (1882) 29.—Mexic.  
*hirta*, Willd. ex Kunth, Enum. Pl. ii. 352 = hirtella.  
*hirtella*, Boeck. in Linnaea, xxxviii. (1874) 439 = melanotricha, distans.

**SCLERIA :—**

- hirtella*, Michx. Fl. Bor. Am. ii. 168 = ciliata.  
*hirtella*, Sw. Prod. Veg. Ind. Occ. 19.—Afr. et Am. trop.  
*hispidula*, Hochst. ex A. Rich. Tent. Fl. Abyss. ii. 511.—Abyss.  
*holcoides*, Kunth, Enum. Pl. ii. 354.—Afr. austr.  
*homonyma*, Steud. Syn. Pl. Cyp. 179 = scabriuscula.  
*Hookeriana*, Boeck. in Linnaea, xxxviii. (1874) 498.—Ind. or.  
*Hostmanniana*, Steud. Syn. Pl. Cyp. 178 = Cryptangium leptocladum.  
*humilis*, Britton, in Ann. N. York Acad. Sc. iii. (1885) 235 = hirtella.  
*humilis*, Steud. Syn. Pl. Cyp. 178 = Cryptangium humile.  
*hypoxis*, Schweinf. ex Boeck. in Linnaea, xxxviii. (1874) 465 = Schimperiana.  
*interrupta*, Michx. Fl. Bor. Am. ii. 168 = hirtella.  
*interrupta*, Rich. in Act. Soc. Hist. Nat. Par. i. (1792) 112.—Guian.  
*interrupta*, Schlecht. in Linnaea, xx. (1847) 544 = hispidula.  
*japonica*, Steud. Syn. Pl. Cyp. 169 = hebecarpa.  
*Jelskiana*, Boeck. in Linnaea, xxxviii. (1874) 469 = Torreyana.  
*junciformis*, Kunth, Enum. Pl. ii. 356 = Cryptangium junciforme.  
*junciformis*, Thw. Enum. Pl. Zeyl. 354.—Zeylan.  
*junciformis*, Welw. ex Ridl. in Trans. Linn. Soc. Ser. II. ii. (1884) 163.—Afr. trop.  
*Junghuhniana*, Boeck. in Linnaea, xxxviii. (1874) 499.—Java.  
*Kappleriana*, Hochst. ex Steud. Syn. Pl. Cyp. 172 = arundinacea.  
*Kunthiana*, Steud. l. c. 176 = verticillata, Muhl.  
*Kunthii*, Miq. Sert. Exot. 4. t. 2 = Cryptangium leptocladum.  
*lacustris*, Wright, in Sauv. Fl. Cub. 185.—Cuba.  
*laevis*, Willd. Sp. Pl. iv. 13 = levis.  
*lagoënsis*, Boeck. in Kjoeb. Vidensk. Meddel. (1869) 151.—Am. trop.  
*lateriflora*, Boeck. in Linnaea, xxxviii. (1874) 455 = ceylanica.  
*latifolia*, Moon, Cat. Pl. Ceyl. 103 = oryzoides.  
*latifolia*, Nees, in Flora, xi. (1828) 303 = Sieberi.  
*latifolia*, Reichb. ex Nees, in Mart. Fl. Bras. ii. r. 183 = mitis.  
*latifolia*, Sieber, ex Presl, in Oken, Isis, xxi. (1828) 268 = pratensis, pterota.  
*latifolia*, Sw. Prod. Veg. Ind. Occ. 18.—Am. trop.  
*laxa*, R. Br. Prod. 240.—Austral.  
*laxa*, Torr. in Ann. Lyc. N. York, iii. (1836) 376 = Torreyana.  
*leptocladia*, Poepp. ex Kunth, Enum. Pl. ii. 355 = Cryptangium leptocladum.  
*leptoculmis*, Wood, Class Book (1861), 746 = oligantha.  
*leptostachya*, Kunth, Enum. Pl. ii. 354.—Bras.  
*levis*, Retz. Obs. iv. 13.—As. trop.  
*Liebmanni*, Steud. Syn. Pl. Cyp. 179.—Am. trop.  
*lithosperma*, Roxb. Hort. Beng. [103]; Fl. Ind. iii. 574 = elata, Thw.  
*lithosperma*, Sw. Prod. Veg. Ind. Occ. 18.—Amphig. trop.  
*longifolia*, Boeck. in Flora, lxxv. (1882) 30.—Madag.  
*lucida*, Steud. Syn. Pl. Cyp. 168 = mitis.  
*luzulaeformis*, Wright, in Sauv. Fl. Cub. 188 = Liebmanni.  
*mackaviensis*, Boeck. in Flora, lviii. (1875) 119.—Austral.  
*macrantha*, Boeck. l. c. xli. (1858) 647 = ciliata.  
*macrantha*, Boeck. l. c. lxii. (1879) 572 = melanomphala.  
*macrocarpa*, Nees, in Mart. Fl. Bras. ii. r. 183 = racemosa.  
*macrocarpa*, Salz. ex Boeck. in Linnaea, xxxviii. (1874) 521 = paludosa.  
*macrocarpa*, Wall. Cat. n. 3538 = Scirpodendron costatum.  
*macrophylla*, J. & C. Presl, Rel. Haenk. i. 200 = bancana.  
*macrosperma*, Nees, ex Kunth, Enum. Pl. ii. 344 = racemosa.  
*madagascariensis*, Boeck. in Engl. Bot. Jahrb. v. (1884) 514.—Madag.  
*major*, Moon, Cat. Pl. Ceyl. 62 = androgyna.

**SCLERIA :—**

- malaccensis*, Boeck. in Linnaea, xxxviii. (1874) 507 = bancana.  
*margaritifera*, Sieber, ex Presl, in Oken, Isis, xxi. (1828) 268 = pratensis.  
*margaritifera*, Willd. Sp. Pl. iv. 312.—Austral.; Polynes.  
*Martii*, Steud. Syn. Pl. Cyp. 171.—Am. trop.  
*Mechowiana*, Boeck. in Engl. Bot. Jahrb. v. (1884) 510.—Afr. trop.  
*melaleuca*, Reichb. ex Schlecht. & Cham. in Linnaea, vi. (1831) 29.—Am. trop.  
*melanocephala*, Drège, Zwei Pfl. Docum. 147, sphalm. = seq.  
*melanomphala*, Kunth, Enum. Pl. ii. 345.—Afr. austr. et trop.  
*melanosperma*, Nees & Arn. ex Boeck. in Linnaea, xxxviii. (1874) 515 = hebecarpa.  
*melanostoma*, Boeck. l. c. 514 = hebecarpa.  
*melanotricha*, Hochst. & A. Rich. Tent. Fl. Abyss. ii. 511.—Abyss.  
*melicoides*, Schlecht. in Linnaea, xxvi. (1853) 127.—N. Granat.  
*mexicana*, Boeck. l. c. xxxviii. (1874) 500.—Mexic.  
*Meyeriana*, Kunth, Enum. Pl. ii. 354.—Afr. austr.  
*Michauxii*, Chapm. Fl. S. U. St. 522 = hirtella.  
*micrantha*, Poir. Encyc. Suppl. v. 108 = hemitaphra.  
*microcarpa*, Nees, in Linnaea, ix. (1834) 302.—Am. trop.  
*micrococca*, Steud. Syn. Pl. Cyp. 179.—Nicaragua.  
*microdiscus*, Steud. l. c. 175 = Rynchospora Berteroana.  
*microstachya*, Boeck. in Flora, lxiii. (1880) 454.—Bras.  
*Minarum*, Steud. Syn. Pl. Cyp. 178 = Cryptangium Minarum.  
*minutiflora*, Rich. ex Spreng. Syst. iii. 831 = Rynchospora micrantha.  
*mitis*, Berg. in Vet. Akad. Handl. Stockh. xxvii. (1765) 145. t. 5.—Am. austral.  
*mollis*, Kunth, Enum. Pl. ii. 352 = hirtella.  
*Moritziana*, Boeck. in Linnaea, xxxviii. (1874) 460.—Venezuela.  
*mucronata*, Poir. Encyc. vii. 3.—Ind. or.  
*Muehlenbergii*, Steud. Nom. ed. II. ii. 543; Schlecht. in Bot. Zeit. iii. (1845) 474 = Torreyana.  
*Muhlenbergiana*, Liebm. in Kjoeb. Vidensk. Selsk. Skr. ii. (1851) 258 = hemitaphra.  
*multifoliata*, Boeck. in Linnaea, xxxviii. (1874) 510.—Malaya.  
*muricata*, Boeck. l. c. 540.—Am. trop.  
*myricocarpa*, Kunth, Enum. Pl. ii. 347.—Bras.  
*myriocarpa*, Steud. Syn. Pl. Cyp. 172, sphalm. = praec.  
*Naumanniana*, Boeck. in Engl. Bot. Jahrb. v. (1884) 94.—Afr. trop.  
*Neesiana*, Hook. & Arn. Bot. Beech. Voy. 229 = scrobiculata.  
*Neesii*, Kunth, Enum. Pl. ii. 358.—Zeylan.; Borneo.  
*nervosa*, Wikstr. in Vet. Akad. Handl. Stockh. (1827) 75.—Ins. Guadal.  
*nigricans*, F. & C. Presl, Rel. Haenk. i. 201.—N. Granat.  
*nitida*, Willd. ex Kunth, Enum. Pl. ii. 350 = triglomerata.  
*notoptera*, Nees, in Linnaea, ix. (1834) 303 = Pteroscleria guianensis.  
*Novae-Hollandiae*, Boeck. in Flora, lviii. (1875) 120 = laxa.  
*nutans*, Kunth, Enum. Pl. ii. 351 = hirtella.  
*Oakesiana*, Robbins, ex Britton, in Ann. N. York Acad. Sc. iii. (1885) 234 = pauciflora.  
*oligantha*, Michx. Fl. Am. Bor. ii. 167.—Am. bor.  
*olyroides*, Kunth, Enum. Pl. ii. 348.—Bras.  
*Onoei*, Franch. & Sav. Enum. Pl. Jap. ii. 549.—Japan.  
*oryzoides*, Boeck. in Linnaea, xxxviii. (1874) 492 = seq.  
*oryzoides*, F. & C. Presl, Rel. Haenk. i. 201.—Geront. trop.  
*Otonis*, Boeck. in Linnaea, xxxviii. (1874) 490.—Cuba.  
*ovuligera*, Nees, l. c. ix. (1834) 303.—Afr. trop.  
*ovuligera*, Reichb. ex Nees, l. c. = microcarpa.  
*pallidiflora*, Boeck. in Flora, lviii. (1875) 119 = Brownei.  
*palmifolia*, Hoffmgg. & Schlecht. in Bot. Zeit. iii. (1845) 492 = paludosa.

**SCLERIA** :—

- paludosa, Kunth, Enum. Pl. ii. 344.—Am. trop.  
 panicoides, Kunth, l. c. 348.—Am. trop.  
 papillata, Willd. ex Kunth, l. c. 345 = bracteata.  
 parvula, Steud. Syn. Pl. Cyp. 174 = tessellata.  
 pauciflora, Muhl. ex Willd. Sp. Pl. iv. 318.—Am. bor.  
 pauciflora, Sauv. Fl. Cub. 183 = gracilis.  
 pergracilis, Kunth, Enum. Pl. ii. 354.—Geront. trop.  
 phyllomacra, Steud. Syn. Pl. Cyp. 173.—Hab. ?  
 phylloptera, Wright, ex Griseb. Cat. Pl. Cub. 248.—Cuba.  
 pilosa, Boeck. in Linnaea, xxxviii. (1874) 473 = junci-formis, Thw.  
 pleostachya, Kunth, Enum. Pl. ii. 355.—Bras.  
 Plœmii, Boeck. in Engl. Bot. Jahrb. v. (1884) 513.—Java.  
 plusiophylla, Steud. Syn. Pl. Cyp. 172.—Bras.  
 poaeiformis, Retz. Obs. iv. 13.—Ind. or.  
 poeoides, Ridl. in Trans. Linn. Soc. Ser. II. ii. (1884) 170.—Afr. trop.  
 Poeppigii, Steud. Syn. Pl. Cyp. 171.—Am. trop.  
 polycarpa, Boeck. in Linnaea, xxviii. (1874) 509 = margaritifera.  
 polyphylla, Steud. Syn. Pl. Cyp. 178 = Cryptangium polyphyllum.  
 porphyrorhiza, Wright, in Sauv. Fl. Cub. 188.—Cuba.  
 praealta, Salzm. ex Schlecht. in Bot. Zeit. iii. (1845) 461 = mitis.  
 pratensis, Lindl. ex Nees, in Nov. Act. Nat. Cur. xix. Suppl. i. (1843) 121.—Am. trop.  
 propinqua, Steud. Syn. Pl. Cyp. 169 = tessellata.  
 pterota, Presl, in Oken, Isis, xxi. (1828) 268.—Ind. occ.  
 pubescens, Steud. Syn. Pl. Cyp. 168.—Ins. Hongkong.  
 pulchella, Ridl. in Trans. Linn. Soc. Ser. II. ii. (1884) 168.—Afr. trop.  
 purpurascens, Benth. Fl. Hongk. 400 = Harlandi.  
 purpurascens, Steud. Syn. Pl. Cyp. 169 = sumatrensis.  
 purpurea, Poir. Encyc. vii. 4 = lithosperma.  
 purpureo-vaginata, Boeck. in Engl. Bot. Jahrb. v. (1884) 513.—Ins. Philipp.  
 purpureo-zonata, Liebm. in Vidensk. Selsk. Skr. V. ii. (1851) 258 = oligantha.  
 pygmaea, R. Br. Prod. 240.—Austral.  
 pygmaea, Nees, ex Spreng. Syst. iv. Cur. Post. 313 = Rynchospira micrantha.  
 pyramidalis, Hochst. ex Steud. Syn. Pl. Cyp. 171 = Martii.  
 racemosa, Boj. Hort. Maurit. 385 = Sieberi.  
 racemosa, Poir. Encyc. vii. 6.—Madag.  
 Radula, Hance, in Ann. Sc. Nat. Sér. IV. xviii. (1862) 232.—China.  
 reflexa, Benth. in Hook. Niger Fl. 555 = Barteri.  
 reflexa, H. B. & K. Nov. Gen. et Sp. i. 232.—Am. trop.  
 remota, Ridl. in Trans. Linn. Soc. Ser. II. ii. (1884) 169.—Afr. trop.  
 Renggeriana, Steud. Syn. Pl. Cyp. 173 = reflexa.  
 reticularis, Michx. Fl. Bor. Am. ii. 167.—Am. bor.  
 reticularis, Muhl. Desc. Gram. 266 = Torreyana.  
 reticularis, J. & C. Presl, Rel. Haenk. i. 202 = hemitaphra.  
 rigida, Kunth, Enum. Pl. ii. 355 = Lagenocarpus rigidus.  
 riparia, Poepp. & Kunth, ex Kunth, l. c. 341.—Peruv.  
 rugosa, R. Br. Prod. 240.—Austral.  
 Rutenbergiana, Boeck. in Bremen, Abh. vii. (1880) 40.—Madag.  
 salebrosa, Spreng. ex Boeck. in Linnaea, xxxviii. (1874) 438 = pergracilis.  
 scabra, Willd. Sp. Pl. iv. 315.—Venezuela.  
 scabriuscula, Schlecht. in Linnaea, xx. (1847) 544.—Mexic.  
 Schiedeana, Schlecht. in Bot. Zeit. iii. (1845) 489.—Mexic.  
 Schiedeana, Schlecht. l. c. 494 = scabriuscula.  
 Schimperiana, Boeck. in Linnaea, xxxviii. (1874) 466.—Abyss.  
 Schweinfurthiana, Boeck. in Flora, lxii. (1879) 570.—Afr. trop.  
 scindens, Nees, in Linnaea, ix. (1834) 303 = pterota.  
 scrobiculata, Mor. Syst. Verz. Zoll. 98 = chinensis.  
 scrobiculata, Nees & Meyen, in Wight, Contrib. 117.—China; Malaya.

**SCLERIA** :—

- scrobiculata, Zoll. Syst. Verz. Ind. Archip. ii. 61 = hebecarpa, multifoliata.  
 Selloana, Schrad. ex Nees, in Mart. Fl. Bras. ii. 1. 179 = pratensis.  
 Sellowiana, Kunth, Enum. Pl. ii. 350.—Bras.  
 setacea, Poir. Encyc. vii. 4 = hemitaphra.  
 setifera, Boeck. in Flora, xli. (1858) 648 = Schoenus axillaris.  
 setigera, Roxb. Hort. Beng. [103]; Fl. Ind. iii. 575 = sumatrensis.  
 setoso-asperula, Boeck. in Flora, lviii. (1875) 120 = Brownei.  
 setuloso-ciliata, Boeck. l. c. lxxv. (1882) 30.—Am. centr.  
 Sieberi, Nees, in Linnaea, ix. (1834) 303.—Ins. Maurit.  
 silvestris, Nees, in Mart. Bras. ii. 1. 188 = sylvestris.  
 simplicior, Steud. Syn. Pl. Cyp. 169 = pratensis.  
 Sororia, Kunth, Enum. Pl. ii. 343.—Bras.  
 sphacelata, F. Muell. Fragm. ix. 20.—Austral.  
 spicaeformis, Benth. in Hook. Niger Fl. 556.—Afr. trop.  
 Stendeliana, Mig. Fl. Ind. Bot. iii. 344.—Austral.  
 stipularis, Nees, in Hook. Journ. Bot. ii. (1840) 394.—Am. trop.  
 Stockiana, Boeck. in Linnaea, xxxviii. (1874) 474.—Ind. or.  
 stricta, Kunth, Enum. Pl. ii. 355 = Cryptangium uliginosum.  
 stricta, Moon, Cat. Pl. Ceyl. 62 = Neesii.  
 sumatrensis, Retz. Obs. v. 19. t. 2.—Ind. or.; Malaya.  
 sylvestris, Poepp. & Kunth, in Enum. Pl. ii. 346.—Am. trop.  
 tenacissima, Steud. Syn. Pl. Cyp. 175.—Am. trop.  
 tenella, Griseb. Cat. Pl. Cub. 249 = distans, Liebmanni.  
 tenella, Kunth, Enum. Pl. ii. 353.—Guian.  
 tenuiflora, Willd. ex Kunth, l. c. = verticillata.  
 tenuis, Retz. Obs. iv. 13 = lithosperma.  
 tessellata, Benth. Fl. Hongk. 399 = Steudeliana.  
 tessellata, Decne. in Nouv. Ann. Mus. Par. iii. (1834) 362 = scrobiculata.  
 tessellata, Willd. Sp. Pl. iv. 315.—As. et Austral. trop.  
 testacea, Nees, in Linnaea, ix. (1834) 303.—Ins. Sandvic.  
 Thomsoniana, Boeck. in Linnaea, xxxviii. (1874) 479.—Reg. Himal.  
 Thwaitesiana, Boeck. l. c. 454 = zeylanica.  
 timorensis, Nees, in Linnaea, ix. (1834) 303 = scrobiculata.  
 topasina, Steud. Syn. Pl. Cyp. 177 = Lagenocarpus topazinus.  
 Torreyana, Walp. Ann. iii. 696.—Am. bor. et austr.  
 tremula, Steud. Syn. Cyp. 177 = Lagenocarpus tremulus.  
 trialata, Bert. ex Boeck. in Linnaea, xxxviii. (1874) 521 = mitis.  
 trialata, Poir. Encyc. vii. 6.—Madag.  
 trichopoda, Wright, ex Britton, in Ann. N. York Acad. Sc. iii. (1885) 232 = Torreyana.  
 triglomerata, Michx. Fl. Bor. Am. ii. 168.—Am. bor.  
 trigonocarpa, Steud. Syn. Pl. Cyp. 171 = arundinacea.  
 tristis, A. St. Hil. Voy. Distr. Diam. i. 370.—Bras.  
 tuberculata, Boeck. in Linnaea, xxxviii. (1874) 540.—Am. trop.  
 uliginosa, Hochst. ex Boeck. l. c. 471 = tessellata.  
 ustulata, Ridl. in Trans. Linn. Soc. Ser. II. ii. (1884) 168.—Afr. trop.  
 vaginata, Steud. Syn. Pl. Cyp. 179.—Am. bor.  
 variegata, Steud. l. c. 176.—Bras.  
 velutina, Steud. l. c. 177 = Lagenocarpus velutinus.  
 verrucosa, Willd. Sp. Pl. iv. 313.—Afr. trop.  
 verticillata, Muhl. ex Willd. l. c. 317.—Am. bor.  
 verticillata, Nees, ex Kunth, Enum. Pl. ii. 354 = tenella.  
 vestita, Boeck. in Linnaea, xxxviii. (1874) 482 = hebecarpa.  
 virgata, Steud. Syn. Pl. Cyp. 176.—Bras.  
 viridifolia, Steud. l. c. 177 = Lagenocarpus Martii.  
 waigiouensis, Steud. l. c. 173 = scrobiculata.  
 Warmingiana, Boeck. in Kjoeb. Vidensk. Meddel. (1869) 152.—Bras.  
 Weigeltiana, Schrad. ex Boeck. in Linnaea, xxxviii. (1874) 504 = reflexa.  
 Wichurii, Boeck. in Engl. Bot. Jahrb. v. (1884) 510.—Ins. Philipp.  
 Wightiana, Steud. Syn. Pl. Cyp. 176 = lithosperma.  
 zelanica, Moon, Cat. Pl. Ceyl. 62 = levis.  
 zeylanica, Poir. Encyc. vii. 3.—Ind. or.; Malaya.

SCLEROBASIS, Cass. in Bull. Soc. Philom. (1818) 73 = Senecio, Tourn. (Compos.).  
 rigida, Cass. in Dict. Sc. Nat. xlviii. 146 = Sen. rigidus.  
 Sonneratii, Cass. in Bull. Soc. Philom. (1818) 74 = Sen. Sonneratii.

**SCLEROCALYX**, Nees, in Benth. Bot. Voy. Sulph. 145 (1844). **ACANTHACEAE**, Benth. & Hook. f. ii. 1083.

GYMNACANTHUS, Nees, in Lindl. Introd. Nat. Syst. ed. II. 444 (1836).  
 mexicanum, Nees, in Benth. Bot. Voy. Sulph. 145.—Mexic.

SCLEROCARPA, Sond. in Linnaea, xxiii. (1850) 26, sphalm. = **Sclerocarya**, Hochst. (Anacard.).

**SCLEROCARPUS**, Jacq. Ic. Pl. Rar. t. 176 (1782); et in Act. Helv. ix. (1787) 34. t. 2. **COMPOSITAE**, Benth. & Hook. f. ii. 364.

ALDAMA, La Llave, in La Llave & Lex. Nov. Veg. Desc. fasc. i. 14 (1824).

DICHOTOMA, Sch. Bip. ex Benth. & Hook. f. Gen. ii. 364 (1873).

africanus, Jacq. Ic. Pl. Rar. i. 17. t. 176.—Afr. trop.  
 dentatus, Benth. & Hook. f. ex Hemsl. Biol. Centr. Am. Bot. ii. 164.—Mexic.

discoideus, Vathe, in Linnaea, xxxix. (1875) 495.—Afr. trop.

divaricatus, Benth. & Hook. f. ex Hemsl. Biol. Centr. Am. Bot. ii. 164.—Mexic.

exiguus, Sm. in Rees, Cycl. xxxi. n. 3.—Am. bor.

gracilis, Sm. l. c. n. 2.—Am. bor.

Kerberi, Fourn. in Bull. Soc. Bot. Fr. xxx. (1883) 183.—Mexic.

oracilis, Steud. Nom. ed. II. ii. 543, err. typ. = gracilis.

Schiedeanus, Benth. & Hook. f. ex Hemsl. Biol. Centr. Am. Bot. ii. 164.—Mexic.

uniserialis, Benth. & Hook. f. Gen. ii. 364.—Mexic.

**SCLEROCARYA**, Hochst. in Flora, xxvii. (1844) Bes. Beil. 1. **ANACARDIACEAE**, Benth. & Hook. f. i. 427.

SCLEROCARPA, Sond. in Linnaea, xxiii. (1850) 26, sphalm.

Birroea, Hochst. in Flora, xxvii. (1844) Bes. Beil. 1.—Abyss.

caffra, Sond. in Linnaea, xxiii. (1850) 26.—Afr. austr.

castanea, Baker, Fl. Maurit. 63.—Ins. Mascar.

Shakua, Baker, l. c.—Ins. Mascar.

**SCLEROCEPHALUS**, Boiss. Diagn. Ser. I. iii. 12 (1843). **ILLECEBRACEAE**, Benth. & Hook. f. iii. 17.

arabicus, Boiss. l. c.—Afr. bor.; Arab.; Pers.  
 Aucheri, Walp. Rep. v. 75 = arabicus.

**SCLEROCHAETIUM**, Nees, in Linnaea, vii. (1832) 511 = **Tetraria**, Beauv. (Cyperac.).

angustifolium, Hochst. in Flora, xxviii. (1845) 762.—Afr. austr.

giganteum, Steud. Syn. Pl. Cyp. 159 = thermale.

involutum, Nees, in Linnaea, vii. (1832) 511.—Afr. austr.

Koenigii, Nees, ex Hochst. in Flora, xxviii. (1845) 763 = Rottboellii.

Rottboellii, Nees, in Linnaea, viii. (1833) 89; ix. (1835) 302; x. (1835-36) 198.—Afr. austr.

spirale, Hochst. in Flora, xxviii. (1845) 761.—Afr. austr.

thermale, Nees, in Linnaea, vii. (1832) 512.—Afr. austr.

**SCLEROCHITON**, Harv. in Hook. Lond. Journ. Bot. i. (1842) 27. **ACANTHACEAE**, Benth. & Hook. f. ii. 1090.

ISACANTHUS, Nees, in DC. Prod. xi. 278 (1845).

Harveyanus, Nees, in DC. Prod. xi. 279.—Afr. austr.

Vogelii, T. Anders. in Journ. Linn. Soc. vii. (1864) 37.—Afr. trop.

**SCLEROCHLAMYS**, F. Muell. in Trans. Phil. Inst. Vict. ii. (1858) 76 = **Kochia**, Roth (Chenop.).

brachyptera, F. Muell. l. c. = K. brachyptera.



**SCLEROCHLOA**, Beauv. Agrost. 97 (1812). *GRAMINEAE*, Benth. & Hook. f. iii. 1194.

*AMBLYCHLOA*, Link. in Linnaea, xvii. (1843) 399. *angusta*, Nees, Fl. Afr. Austr. 381.—Afr. austr. *arenaria*, Nees, l. c. 380 = *Glyceria distans*. *articulata*, Link, Enum. Hort. Berol. i. 90 = *Festuca divaricata*.

*Borreri*, Bab. Man. Brit. Bot. ed. I. 370 = *Glyceria Borreri*.

*dichotoma*, Link, Enum. Hort. Berol. i. 90 = *Cutandia maritima*.

*distans*, Bab. Man. Brit. Bot. ed. I. 370 = *Glyceria distans*.

*divaricata*, Beauv. Agrost. 98 = *Sphenopus Gouani*. *divaricata*, Link, Hort. Berol. ii. 273 = *Festuca divaricata*.

*dura*, Beauv. Agrost. 98.—Europ.; Afr. bor.; Oriens. *expansa*, Link, Hort. Berol. ii. 274 = *Sphenopus Gouani*.

*hemipoa*, Guss. Fl. Sic. Syn. i. 93 = *Festuca hemipoa*. *loliacea*, Syme, Engl. Bot. ed. III. xi. 110. t. 1759 = *Festuca loliacea*, Huds.

*loliacea*, J. Woods, Tourist Fl. 411 = *Desmazeria loliacea*.

*maritima*, Lindl. in Bab. Man. Brit. Bot. ed. I. 370 = *Glyceria maritima*.

*maritima*, Sweet, Hort. Brit. ed. I. 453 = *Cutandia maritima*.

*memphitica*, Nym. Syll. Suppl. 74 = *Cutandia scleropoides*.

*multiculmis*, Syme, Engl. Bot. ed. III. xi. 103 = *Glyceria distans*.

*patens*, Presl, Cyp. & Gram. Sic. 45 = *Festuca rigida*. *philistaea*, Steud. Syn. Pl. Gram. 428, sphalm. = *Cutandia philistaea*.

*poaeformis*, Link, Handb. i. 69, in syn. = *Poa violacea*.

*procumbens*, Beauv. Agrost. 98 = *Glyceria procumbens*. *pumila*, Steud. Syn. Pl. Gram. 428, sphalm. (= *Scleropoa pumila*).—Arab.

*rigida*, Beauv. Agrost. 97; et ex Panz. in Denkschr. Bot. Regensb. i. ii. (1818) 180 = *Festuca rigida*.

*rigida*, Parl. Fl. Palerm. i. 213 = *Festuca hemipoa*. *vestita*, De Not. Ind. Sem. Hort. Genuen (1847).—Cf. Ann. Sc. Nat. Sér. III. ix. (1848) 326 = *Festuca dichotoma*.

*Zwierleinii*, Lojac. in Natural. Sicil. iv. (1885) 138.—Sicil.

**SCLEROCHLOA**, Reichb. Ic. Fl. Germ. xi. 23. t. 58 (1834) = **Festuca**, Tourn. (Gramin.).

**SCLEROCHORTON**, Boiss. Fl. Orient. ii. 968 (1872). *UMBELLIFERAE*.

*Haussknechtii*, Boiss. l. c.—Persia. *juncum*, Boiss. l. c. 969.—Graecia.

**SCLEROCLADUS**, Rafin. Sylva Tellur. 35 (1838) = **Bumelia**, Sw. (Sapot.). *tenax*, Rafin. l. c. = *B. tenax*.

**SCLEROCOCCUS**, Bartl. Ord. 210 (1830) = **Hedyotis**, Linn. (Rubiace.).

*angustifolius*, Bartl. ex DC. Prod. iv. 436 = *H. angustifolia*.

*ferrugineus*, Bartl. ex DC. l. c. (= *Metabolos ferrugineus*).—Ins. Philipp.

*laevigatus*, Bartl. ex DC. l. c. = *H. laevigata*. *lineatus*, Bartl. ex DC. l. c. 435 = *H. vestita*.

*radicans*, Bartl. ex DC. l. c. = *H. radicans*.

**SCLEROCROTON**, Hochst. in Flora, xxviii. (1845) 85 = **Excoecaria**, Linn. (Euphorb.).

*ellipticus*, Hochst. l. c.—Afr. austr. *integerrimus*, Hochst. l. c. = *E. reticulata*.

*reticulatus*, Hochst. l. c. = *E. reticulata*.

**SCLEROLAENA**, R. Br. Prod. 410 (1810). *CHENOPODIACEAE*, Benth. & Hook. f. iii. 61.

*Dissocarpus*, F. Muell. in Trans. Phil. Inst. Vict. ii. (1858) 75.

*Kentropsis*, Moq. Chenop. Enum. 83 (1840). *bicornis*, Lindl. in Mitch. Three Exped. Austral. ii. 47.—Austral.

*biflora*, R. Br. Prod. 410.—Austral. *coriacea*, Moq. in DC. Prod. xiii. ii. 123 (sp. dub.).—Austral.

**SCLEROLAENA** :—

*diacantha*, Benth. Fl. Austral. v. 194.—Austral. *lanicuspis*, F. Muell. ex Benth. l. c. 195.—Austral.

*paradoxa*, R. Br. Prod. 410.—Austral. *uniflora*, R. Br. l. c.—Austral.

*uniflora*, Lindl. in Mitch. Journ. Trop. Austral. 72 = *Kochia ciliata*.

**SCLEROLEIMA**, Hook. f. in Hook. Lond. Journ. Bot. v. (1847) 444. t. 14 = **Abrotanella**, Cass. (Compos.).

*forsterioides*, Hook. f. l. c. = *A. forsterioides*.

**SCLEROLEPIS**, Cass. in Bull. Soc. Philom. (1816) 198. *COMPOSITAE*, Benth. & Hook. f. ii. 240.

*verticillata*, Cass. in Dict. Sc. Nat. xxv. 365; xlviii. 155.—Am. bor.

**SCLEROLEPIS**, Monn. Ess. Hierac. 81 (1829) = **Rodigia**, Spreng. (Compos.).

*Kalmii*, Monn. l. c. (= *Pachylepis Kalmii*).—Am. bor.

**SCLEROLOBIUM**, Vog. in Linnaea, xi. (1837) 395. *LEGUMINOSAE*, Benth. & Hook. f. i. 562.

*Cosymbe*, Tul. in Arch. Mus. Par. iv. (1844) 163. *aureum*, Baill. Hist. Pl. ii. 90; Benth. in Mart. Fl. Bras. xv. ii. 50.—Bras.

*chrysophyllum*, Poepp. & Endl. Nov. Gen. et Sp. iii. 60.—Bras.

*densiflorum*, Benth. in Mart. Fl. Bras. xv. ii. 51.—Bras.

*denudatum*, Vog. in Linnaea, xi. (1837) 396.—Bras. *guianense*, Benth. in Hook. Kew Journ. ii. (1850) 237.—Guian.; Bras.

*hippoboscum*, Walp. Ann. ii. 441, sphalm. = seq. *hypoleucum*, Benth. in Hook. Kew Journ. ii. (1850) 236.—Bras.

*macrophyllum*, Vog. in Linnaea, xi. (1837) 397 = *paniculatum*.

*odoratissimum*, Spruce, ex Benth. in Mart. Fl. Bras. xv. ii. 48.—Bras.

*paniculatum*, Vog. in Linnaea, xi. (1837) 397.—Bras. *Poeppigianum*, Baill. Hist. Pl. ii. 91.—Bras.

*rubiginosum*, Mart. Herb. Fl. Bras. n. 1147; ex Tul. in Arch. Mus. Par. iv. (1844) 123 = *paniculatum*.

*rugosum*, Mart. l. c. n. 1155; ex Benth. in Hook. Kew Journ. ii. (1850) 237.—Bras.

*sericeum*, Tul. in Arch. Mus. Par. iv. (1844) 125 = *chrysophyllum*.

*tinctorium*, Benth. in Hook. Kew Journ. ii. (1850) 236.—Bras.

**SCLEROMITRION**, Wight & Arn. Prod. 412 (1834). **Hedyotis**, Linn. (Rubiace.).

*angustifolium*, Benth. in Hook. Kew Journ. iv. (1852) 172 = *H. tenelliflora*.

*approximatum*, Kurz, in Journ. As. Soc. Beng. xvi. (1877) ii. 137 = *H. tenelliflora*.

*caespitosum*, Miq. Fl. Ind. Bat. Suppl. 540 = *H. pinifolia*.

*capitatum*, Miq. Fl. Ind. Bat. ii. 186 = *H. moncephala*, Miq.

*coronarium*, Kurz, in Journ. As. Soc. Beng. xvi. (1877) ii. 136 = *H. coronaria*.

*crassifolium*, Miq. Fl. Ind. Bat. ii. 185 = *H. crassifolia*. *hispidum*, Korth. in Nederl. Kruidk. Arch. ii. (1851) 155 = *H. hispida*.

*nitidum*, Kurz, in Journ. As. Soc. Beng. xvi. (1877) ii. 137 = *H. nitida*.

*paradoxum*, Kurz, l. c. = *H. paradoxa*. *pauciflorum*, Miq. Fl. Ind. Bat. ii. 187 = *H. pauciflora*.

*rigidum*, Kurz, in Journ. As. Soc. Beng. xvi. (1877) ii. 136 = *H. pinifolia*.

*rugosum*, Kurz, l. c. 137 = *H. rugosa*. *sinense*, Miq. in Journ. Bot. Neerl. i. (1861) 108.—China.

*tenelliflorum*, Korth. in Nederl. Kruidk. Arch. ii. (1851) 155 = *H. tenelliflora*.

*tetrandrum*, Kurz, in Journ. As. Soc. Beng. xvi. (1877) ii. 136 = *H. macrophylla*.

*tetraquetrum*, Miq. Fl. Ind. Bat. ii. 186 = *H. tenelliflora*.

**SCLEROMPHALOS**, Griff. Notul. iv. 96; Ic. Asiat. Pl. t. 414, f. 1 (1854) = **Withania**, Pauq. (Solan.).

**SCLERONEMA**, Benth. in Journ. Linn. Soc. vi. (1862) 109 = **Catostemma**, Benth. (Malvac.).

*Spruceana*, Benth. l. c.—Bras.

**SCLERONEMA**, Brongn. & Gris, in Ann. Sc. Nat. Sér. V. ii. (1864) 166 = **Xeronema**, Brongn. (Liliac.).

*Moorii*, Brongn. & Gris, l. c. 167 = *X. Moorei*.

**SCLEROOLAENA**, Baill. in Adansonia, x. (1872) 236. *CHLAENACEAE*.

*XYLOOLAENA*, Baill. Dict. ii. 2, in obs. (1879). *Richardi*, Baill. Hist. Pl. iv. 224, in nota.—Madag.

**SCLEROON**, Benth. in Lindl. Bot. Reg. (1843) Misc. 65 = **Petitia**, Jacq. (Verben.).

*oleinum*, Lindl. l. c. = *P. oleina*.

**SCLEROPHYLAX**, Miers, in Hook. Lond. Journ. Bot. vii. (1848) 18. *SOLANACEAE*, Benth. & Hook. f. ii. 912.

*STERRHYMENIA*, Griseb. in Goett. Abh. xix. (1874) 230.

*Arnottii*, Miers, in Hook. Lond. Journ. Bot. vii. (1848) 20.—Reg. Argent.

*Cynocrambe*, Griseb. in Goett. Abh. xxiv. (1879) 268.—Reg. Argent.

*Gilliesii*, Miers, in Hook. Lond. Journ. Bot. vii. (1848) 21.—Reg. Argent.

*Lorentzianus*, O. Hoffm. in Linnaea, xliii. (1880–82) 136.—Reg. Argent.

*spinescens*, Miers, in Hook. Lond. Journ. Bot. vii. (1848) 19.—Reg. Argent.

**SCLEROPHYLLUM**, Gaud. Fl. Helv. v. 47 (1829) = **Phaeasium**, Cass. (Compos.).

*pulchrum*, Gaud. l. c. 48 = *P. lampsanoides*.

**SCLEROPOA**, Griseb. Spicil. Fl. Rumel. ii. 431 (1844) = **Festuca**, Tourn. (Gramin.).

*caspica*, C. Koch, in Linnaea, xxi. (1848) 409 = *Cutandia scleropoides*.

*dichotoma*, Parl. Fl. Ital. i. 471 = *F. dichotoma*. *divaricata*, Parl. l. c. 470; C. Koch, in Linnaea, xxi. (1848) 409 = *F. divaricata*.

*hemipoa*, Parl. l. c. 472 = *F. hemipoa*. *loliacea*, Gren. & Godr. Fl. Fr. iii. 557 = *Desmazeria loliacea*.

*maritima*, Parl. Fl. Ital. i. 468 = *Cutandia maritima*. *memphitica*, Boiss. Diagn. Ser. I. xiii. 62 = *Cutandia scleropoides*.

*philistaea*, Boiss. l. c. 60 = *Cutandia philistaea*. *procumbens*, Parl. Fl. Ital. i. 474 = *Glyceria procumbens*.

*pumila*, Boiss. Diagn. Ser. I. xiii. 61.—Arab. *rigida*, Griseb. Spicil. Fl. Rumel. ii. 431 = *F. rigida*.

*stenostachya*, Boiss. Fl. Orient. v. 638.—As. Min.

**SCLEROPOGON**, Phil. Sert. Mendoc. ii. 47 (1871). *GRAMINEAE*, Benth. & Hook. f. iii. 1177.

*LESOURDIA*, Fourn. in Bull. Soc. Bot. Fr. xxvii. (1880) 102. t. 3, 4.

*brevifolius*, Phil. Sert. Mendoc. ii. 48.—Chili. *Karwinskyanus*, Benth. ex S. Wats. in Proc. Am. Acad. xviii. (1883) 181 = *brevifolius*.

**SCLEROPTERIS**, Scheidw. in Otto & Dietr. Allg. Gartenz. vii. (1839) 407 = **Cirrhaea**, Lindl. (Orchid.).

*flava*, Scheidw. l. c.—Bras.

**SCLEROPUS**, Schrad. Ind. Sem. Hort. Gotting. (1835). —Cf. Linnaea, xi. (1837) Litt. 89 = **Amarantus**, Linn.

*amaranthoides*, Schrad. ll. cc. = *A. polygonoides*. *crassipes*, Moq. in DC. Prod. xiii. ii. 271 = *A. polygonoides*.

*squamulatus*, Anderss. in Vet. Akad. Handl. Stockh. 1853 (1855) 162.—Ins. Galapag.

*urceolatus*, Anderss. l. c. = *A. urceolatus*?

**SCLEROPYRON**, Endl. Gen. Suppl. ii. 105 (1842) = seq.

**SCLEROPYRUM**, Arn. in Mag. Zool. & Bot. ii. (1838) 549. *SANTALACEAE*, Benth. & Hook. f. iii. 228.

*HEYDIA*, Dennst. Schluess. Hort. Malab. 30 (1818). *Wallichianum*, Arn. in Mag. Zool. & Bot. ii. (1838) 550.—Ind. or.

SCLEROSCIADIUM, Koch, in DC. Coll. Mém. v. 43 (1829); Prod. iv. 140 (1830) = *Capnophyllum*, Gaertn. (Umbell.).  
*humile*, Koch, ex DC. Coll. Mém. v. 43. t. 2.—Marocc.  
*nodiflorum*, Coss. in Bull. Soc. Bot. Fr. xxii. (1875) 59.—Afr. bor.

SCLEROSIA, Klotzsch, in Schomb. Faun. Fl. Gui. 1098 (1843), nomen. *OCHNACEAE*.  
*apiculata*, Klotzsch, l. c.—Guian.

SCLEROSPERMA, G. Mann & H. Wendl. in Trans. Linn. Soc. xxiv. (1864) 427. *PALMAE*, Benth. & Hook. f. iii. 919.  
 Manni, H. Wendl. l. c.—Afr. trop.

SCLEROSTYLIS, Blume, Bijdr. 133 (1825) = *Atalantia*, Correa (Rutac.).  
*amyridoides*, M. Roem. Syn. Hesper. 43 = *A. Roxburghiana*.  
*Arnotiana*, Wight, Illustr. Ind. Bot. i. 109 = *A. ceylanica*.  
*atalantioides*, Wight, Ic. t. 71 = *A. racemosa*.  
*atalantioides*, Wight & Arn. Prod. 93 = *A. buxifolia*.  
*buxifolia*, Benth. in Hook. Kew Journ. iii. (1851) 326 = *A. buxifolia*.  
*ceylanica*, Wight, Illustr. Ind. Bot. i. 109 = *A. ceylanica*.  
*Hindsii*, Champ. ex Benth. in Hook. Kew Journ. iii. (1851) 327 = *A. Hindsii*.  
*lanceolata*, Blume, Bijdr. 134 = *Glycosmis simplicifolia*.  
*macrophylla*, Blume, l. c. 135 = *Glycosmis pentaphylla*?  
*nitida*, Turcz. in Bull. Soc. Nat. Mosc. xxxi. (1858) 1. 249 = *A. nitida*.  
*ovalifolia*, Wight, Illustr. Ind. Bot. i. 109 = *A. racemosa*.  
*parvifolia*, Wight, Ic., in textu ad t. 71 = *A. racemosa*.  
*pentaphylla*, Blume, Bijdr. 135.—Java.  
*racemosa*, Wight, Illustr. Ind. Bot. 109 = *A. racemosa*.  
*rotundifolia*, Thw. Enum. Pl. Zeyl. 46 = *A. ceylanica*.  
*Roxburghiana*, Hook. f. & Thoms. in Hook. f. Fl. Brit. Ind. i. 513 = *A. caudata*.  
*Roxburghii*, Wight, Ic. i. t. 72 = *A. caudata*.  
*spinosa*, Blume, Bijdr. 134 (*Atalantia* sp.).—Java.  
*timoriensis*, M. Roem. Syn. Hesper. 43 = *pentaphylla*.  
*trifoliata*, Blume, Bijdr. 134 = *Glycosmis trifoliata*.  
*venosa*, Champ. ex Benth. in Hook. Kew Journ. iii. (1851) 327 = *A. Hindsii*.  
*zeylanica*, Hook. f. Fl. Brit. Ind. i. 513 = *A. ceylanica*.

SCLEROTHAMNUS, R. Br. in Ait. Hort. Kew. ed. II. iii. 16 (1811) = *Eutaxia*, R. Br. (Legumin.).  
*microphyllus*, R. Br. l. c. = *E. empetrifolia*.

SCLEROTHECA, A. DC. in DC. Prod. vii. 356 (1839). *CAMPANULACEAE*, Benth. & Hook. f. ii. 548.  
 arborea, DC. l. c. 357.—Ins. Societ.

SCLEROTHRIX, Presl, Symb. Bot. ii. 3. t. 53 (1833). *LOASEAE*, Benth. & Hook. f. i. 803.  
*ANCYROSTEMMA*, Poepp. & Endl. Nov. Gen. et Sp. iii. 65. t. 272 (1845).  
*fasciculata*, Presl, Symb. Bot. ii. 3. t. 53.—Mexic.

SCLEROXYLON, Bertol. in Mem. Acc. Sc. Bologn. viii. (1857) 237 (Misc. Bot. xviii. 15) (1858) = *Chrysophyllum*?, Linn. (Sapot.).  
*edule*, Bertol. ll. cc.—Afr. trop.

SCLEROXYLON, Steud. Nom. ed. II. ii. 544 (1841) = seq.

SCLEROXYLUM, Willd. in Ges. Naturf. Fr. Berl. Mag. iii. (1809) 57; et in Enum. Hort. Berol. 249 (1809) = *Myrsine*, Linn.  
*canariense*, Willd. l. c. 59 = *M. canariensis*.  
*Mangilla*, Willd. l. c. = *M. Mangilla*.  
*melanophleum*, Willd. l. c. 58 = *M. melanophleas*.  
*mite*, Willd. l. c. = *M. mitis*.  
*racemosum*, Willd. ex Roem. & Schult. Syst. iv. 808 = *M. racemosa*.  
*venulosum*, Willd. in Ges. Naturf. Fr. Berl. Mag. iii. (1809) 58 = *M. melanophleas*.

VOL. II.

SCOBEDIA, Labill. ex Steud. Nom. ed. I. 753 (1821).  
*LABIATAE*?  
*asperifolia*, Labill. ex Steud. l. c. (Quid?).—Hab.?

SCOBIA, Noronha, in Verh. Batav. Gen. v. (1790) ed. I. Art. iv. 3 = *Premna*?, Linn. (Verben.).

SCOLIOCHILUS, Reichb. f. *Xenia* Orch. ii. 118, in obs. (1872) = *Appendicula*, Blume (Orchid.).

SCOLIOPUS, Torr. in Pacif. Rail. Rep. iv. 145. t. 22 (1856). *LILIACEAE*, Benth. & Hook. f. iii. 832.  
*Bigelovii*, Torr. l. c.—Calif.  
*Hallii*, S. Wats. in Proc. Am. Acad. xiv. (1879) 272.—Am. bor. occ.

SCOLOBUS, Rafin. in Journ. Phys. lxxxix. (1819) 259 = *Thermopsis*, R. Br. (Legumin.).

SCOLOCHLOA, Link, Hort. Berol. i. 136 (1827) = *Grapphorum*, Desv. (Gramin.).  
*festucacea*, Link, l. c. = *G. festucaceum*.

SCOLOCHLOA, Mert. & Koch, in Roehl. Deutschl. Fl. ed. III. i. 374, 528 = *Arundo*, Tourn. (Gramin.).  
*arundinacea*, Mert. & Koch, l. c. 530 = *A. Donax*.  
*Donax*, Gaud. Fl. Helvet. i. 202 = *A. Donax*.  
*spiculosa*, F. Schmidt, Reise Amurl. 201.—Reg. Amur.

SCLEROSTEMMA, Schott, ex Roem. & Schult. Syst. iii. 64 (1818) = *Scabiosa*, Tourn. (Dipsac.).  
*agreste*, Schott, l. c. 67 = *Scab. gramuntia*.  
*altissimum*, Schott, l. c. 82 = *Scab. africana*.  
*argenteum*, Schott, l. c. 79 = *Scab. ucranica*.  
*atropurpureum*, Schott, l. c. 78 = *Scab. maritima*.  
*Biebersteinianum*, Schott, l. c. 75 = *Scab. micrantha*.  
*caucasicum*, Schott, l. c. 84 = *Scab. caucasica*.  
*Columbarium*, Schott, l. c. 64 = *Scab. Columbaria*.  
*connatum*, Schott, l. c. 84 = *Scab. caucasica*.  
*isetense*, Schott, l. c. 83 = *Scab. isetensis*.  
*lucidum*, Schott, l. c. 66 = *Scab. lucida*.  
*pyrenaicum*, Schott, l. c. 73 = *Scab. pyrenaica*.  
*rupestre*, Schott, l. c. 64 = *Scab. isetensis*.  
*Scopolii*, Schott, l. c. 76 = *Scab. ucranica*.  
*siculum*, Schott, l. c. 74 = *Scab. ucranica*.

SCOLODIA, Rafin. Sylva Tellur. 123 (1838) = *Cassia*, Tourn. (Legumin.).  
*viminea*, Rafin. l. c. = *C. viminea*.

SCOLODRYS, Rafin. Alsog. Am. 29 (1838) = *Quercus*, Tourn. (Cupul.).  
*lyrata*, Rafin. l. c. = *Q. lyrata*.  
*rigida*, Rafin. l. c. (Quid?).—Am. bor.

SCOLOPACIUM, Eckl. & Zeyh. Enum. 59 (1835) = *Erodium*, L'Hérit. (Geran.).  
*incarnatum*, Eckl. & Zeyh. l. c. = *E. incarnatum*.

SCOLOPIA, Schreb. Gen. 335 (1789). *BIXINEAE*, Benth. & Hook. f. i. 127.

ADENOGRYUS, Klotzsch, in Walp. Ann. iv. (1857) 226.

DASIANATHERA, Presl, Rel. Haenk. ii. 90. t. 66 (1831).

ERIUDAPHUS, Nees, in Eckl. & Zeyh. Enum. 271 (1835).

LIMONIA, Gaertn. Fruct. i. 278. t. 58. f. 4 (1789).

PHOBEROS, Lour. Fl. Cochinch. 317 (1790).

RHINANTHERA, Blume, Bijdr. 1121 (1826).

SCOPOLIA, Lam. Illustr. t. 860 (1793).

*acuminata*, Clos, in Ann. Sc. Nat. Sér. IV. viii. (1857) 251 = *crenata*.

Brownii, F. Muell. Fragm. iii. 11.—Austral.

*chinensis*, Clos, in Ann. Sc. Nat. Sér. IV. viii. (1857) 249 = *crenata*.

*cochinchinensis*, Clos, l. c. 253.—Cochinch.

*coriacea*, Tul. l. c. Sér. V. ix. (1868) 336.—Madag.

*crassipes*, Clos, l. c. Sér. IV. viii. (1857) 251 = *crenata*.

*crenata*, Clos, l. c. 250.—Ind. or.; China.

*Dasyanthera*, F. Villar, in Blanco, Fl. Philipp. ed. III. Nov. App. 12.—Ins. Philipp.

*elliptica*, Regel, Ind. Sem. Hort. Petrop. Suppl. 1866 (1867) 35.—As. temp. or.

*foetida*, Clos, in Ann. Sc. Nat. Sér. IV. viii. (1857) 253 = *Flacourtia sumatrana*.

*Gaertneri*, Thw. Enum. Pl. Zeyl. 400 = *Schreberi*.

SCOLOPIA :—

Gerrardi, Harv. in Harv. & Sond. Fl. Cap. ii. 584.—Afr. austr.

*lanceolata*, Clos, in Ann. Sc. Nat. Sér. IV. viii. (1857) 252 = *crenata*.

*macrophylla*, Clos, l. c. 253 = *rhinanthra*.

*Oldhamii*, Hance, l. c. Sér. V. v. (1866) 206 = *crenata*.

*Pseudo-crenata*, Clos, l. c. Sér. IV. viii. (1857) 250 = *crenata*.

*pusilla*, Willd. Sp. Pl. ii. 981 = *Schreberi*.

*rhinanthra*, Clos, in Ann. Sc. Nat. Sér. IV. viii. (1857) 252.—Malaya.

*Roxburghii*, Clos, l. c. 250.—Burma; Malaya.

*saeva*, Hance, l. c. xviii. (1862) 217 = *crenata*.

*Schreberi*, F. F. Gmel. Syst. 793.—Zeylan.

*Wightiana*, Clos, in Ann. Sc. Nat. Sér. IV. viii. (1857) 252 = *crenata*.

SCOLOSPERMUM, Hemsl. Biol. Centr. Am. Bot. ii. 144 (1881), sphalm. = SCOLOSPERMUM, Less. = *Baltimora*, Linn. (Compos.).

SCOLOSANTHUS, Vahl, Eclog. Am. i. 11. t. 10 (1796). *RUBIACEAE*, Benth. & Hook. f. ii. 107.

ANTACANTHUS, Rich. ex DC. Prod. iv. 484 (1830).

ECHINODENDRUM, A. Rich. Fl. Cub. Fanerog. ii. 18 (1855).

*crucifer*, Wright, in Sauv. Fl. Cub. 67.—Cuba.

*parviflorus*, Wright, l. c.—Cuba.

*triacanthus*, DC. Prod. iv. 484 = *Chomelia triacantha*.

*versicolor*, Vahl, Eclog. Am. i. 11. t. 10.—Ind. occ.

*Wrightii*, Wright, in Sauv. Fl. Cub. 68.—Cuba.

SCOLOSPERMA, Rafin. Sylva Tellur. 111 (1838) = *Cleome*, Linn. (Cappar.).

*dendroides*, Rafin. l. c. = *C. dendroidea*.

SCOLOSPERMUM, Less. in Linnaea, v. (1830) 152 = *Baltimora*, Linn. (Compos.).

*baltimoroides*, Less. l. c. t. 2. f. 19–31 = *B. Scolospermum*.

*Fougerouxiae*, DC. Prod. v. 509 = *B. recta*, *B. Scolospermum*.

SCOLYMANTHUS, Willd. ex DC. Prod. vii. 63 (1838) = *Perezia*, Lag. (Compos.).

*cnicoideus*, Willd. l. c. 64 = *P. multiflora*.

SCOLYMUS, Tourn. ex Linn. Gen. ed. I. 237 (1737). *COMPOSITAE*, Benth. & Hook. f. ii. 504.

MYSCOLUS, Cass. in Dict. Sc. Nat. xxv. 60 (1822).

*angiospermus*, Gaertn. Fruct. ii. 355. t. 157 = *hispanicus*.

*annuus*, Gerard, ex Steud. Nom. ed. I. 753 = *maculatus*.

*congestus*, Lam. Fl. Fr. ii. 116 = *hispanicus*.

*giganteus*, Roem. Hort. Turic. ex Steud. Nom. ed. II. ii. 544 (Quid?).—Hab.?

*grandiflorus*, Desf. Fl. Atlant. ii. 240.—Afr. bor.

*gymnospermus*, Gaertn. Fruct. ii. 355 = *maculatus*.

*hispanicus*, Linn. Sp. Pl. 813.—Reg. Mediterr.

*maculatus*, Linn. l. c.—Reg. Mediterr.

*paniculatus*, Ucria, in Roem. Arch. i. i. (1796) 70.—Sicil.

*pectinatus*, Cass. in Dict. Sc. Nat. xxxiv. 87 = *maculatus*.

*perennis*, Gerard, ex Steud. Nom. ed. I. 753 = *hispanicus*.

*vivax*, Sauvages, ex DC. Prod. vii. 76 = *hispanicus*.

SCOPARIA, Linn. Syst. ed. VI. 87 (1748). *SCROPHULARINEAE*, Benth. & Hook. f. ii. 959.

KREIDEK, Adans. Fam. ii. 225 (1763).

*annua*, Cham. & Schlecht. in Linnaea, vi. (1831) 375.—Mexic.

*arborea*, Linn. f. Suppl. 125 = *Chilianthus oleaceus*.

*australis*, Sieber, ex Cham. in Linnaea, viii. (1833) 22 = *Teucrium corymbosum*.

*dulcis*, Linn. Sp. Pl. 116.—Reg. trop.

*elliptica*, Cham. in Linnaea, viii. (1833) 21.—Bras.

*ericacea*, Cham. & Schlecht. l. c. ii. (1827) 604.—Bras.

*flava*, Cham. & Schlecht. l. c. 603.—Reg. Argent.

*fruticosa*, Rottb. in Act. Lit. Univ. Hafn. i. (1778) 286.—Hab.?

*gypsophyloides*, Walp. in Nov. Act. Nat. Cur. xix. Suppl. i. (1843) 394.—China.

**SCOPARIA:—**

*multifida*, G. Don, Gen. Syst. iv. 648, sphalm. = seq.  
*pinnatifida*, Cham. in Linnaea, viii. (1833) 22 = flava.  
*plebeia*, Cham. & Schlecht. l. c. ii. (1827) 605 = flava.  
*procumbens*, Jacq. Enum. Pl. Carib. 12 = dulcis.  
*ternata*, Forsk. Fl. Aegypt. Arab. 31 = dulcis.

SCOPOLA, Jacq. Obs. i. 32. t. 20 (1764) = **Scopolia**, Jacq. (Solan.).

SCOPOLIA, Adans. Fam. ii. 419 (1763) = **Ricotia**, Linn. (Crucif.).

SCOPOLIA, Forst. Char. Gen. 139. t. 70 (1776) = **Griselinia**, Forst. f. (Celastr.).  
*lucida*, Forst. l. c. 140 = *G. lucida*.

**SCOPOLIA**, Jacq. Obs. i. 32. t. 20 (1764) (Scopola); Link, Enum. Hort. Berol. i. 178 (1821). **SOLANACEAE**, Benth. & Hook. f. ii. 902.

**ANISODUS**, Link & Otto, Ic. Pl. Sel. 77. t. 35 (1824).

SCOPOLINA, Schult. Oestr. Fl. ed. II. i. 335 (1814).  
WHITLEY, D. Don, in News Lit. & Fashion, iii. 108; ex Sweet, Brit. Flow. Gard. Ser. I. t. 125 (1825).

*atropoides*, Bercht. & Presl, Rostl. i. Solanac. 12 = carniolica.

*Boreana*, Dun. in DC. Prod. xiii. 553 = *Hyoscyamus muticus*.

carniolica, Jacq. Obs. i. 32. t. 20.—Europ.

*Datura*, Dun. in DC. Prod. xiii. 553 = *Hyoscyamus muticus*.

*Hladnikiana*, Fleischm. ex Nym. Consp. 524 = carniolica.

japonica, Maxim. in Bull. Acad. Pétersb. xviii. (1873) 57.—Japon.

lurida, Dun. in DC. Prod. xiii. 555.—Reg. Himal.

mutica, Dun. l. c. 552 = *Hyoscyamus muticus*.

orientalis, Dun. l. c. 554 = *Physochlaina orientalis*.

physaloides, Dun. in DC. Prod. xiii. 554.—Sibir. altaic.

praealta, Dun. l. c. = *Physochlaina praealta*.

Pseudo-physaloides, Dun. l. c. 556 = *Hyoscyamus Pseudo-physaloides*.

tangutica, Maxim. in Bull. Acad. Pétersb. xxvii. (1881) 508.—China.

trichotoma, Moench, Meth. 462 = carniolica.

SCOPOLIA, Lam. Illustr. t. 860 (1798), sphalm. = **Scolopia**, Schreb. (Bixin.).

SCOPOLIA, Linn. f. Suppl. 60 (1781) = **Daphne**, Tourn. (Thymel.).

composita, Linn. f. l. c. = *D. pendula*.

involuta, C. A. Mey. in Bull. Phys.-Math. Acad. Pétersb. i. (1843) 357 = *D. involuta*.

pendula, Rafin. Fl. Tellur. iv. 106 = *D. pendula*.

SCOPOLIA, Sm. Ic. Ined. ii. t. 34 (1790) = **Toddalia**, Juss. (Rutac.).

aculeata, Sm. l. c. = *T. aculeata*.

angustifolia, Spreng. Syst. i. 779 = *T. aculeata*.

inermis, Willd. Sp. Pl. i. 1116 = *T. paniculata*.

lanceolata, Spreng. Syst. i. 779 = *T. lanceolata*.

megapotamica, Spreng. Syst. iv. Cur. Post. 91 = *T. megapotamica*.

micrantha, Blume, Bijdr. 1167 = *T. micrantha*.

micrantha, Steud. Nom. ed. II. ii. 545 = praec.

nitida, Willd. ex Spreng. Syst. i. 779 = *T. Willdenowii*.

paniculata, Spreng. l. c. = *T. paniculata*.

venosa, Spreng. l. c. iv. Cur. Post. 91 = *T. venosa*.

SCOPOLINA, Schult. Oestr. Fl. ed. II. i. 335 (1814) = **Scopolia**, Jacq. (Solan.).

*atropoides*, Schult. l. c. 383 = *Scopolia carniolica*.

carniolica, Schur, Enum. Pl. Transs. 479 = *Scopolia carniolica*.

*Hladnikiana*, Frey, ex Koch, Syn. Fl. Germ. ed. II. 585 = *Scopolia carniolica*.

viridiflora, Frey, ex Koch, l. c. = *Scopolia carniolica*.

SCOPULARIA, Lindl. Bot. Reg. sub t. 1701 (1834) = **Holothrix**, Rich. (Orchid.).

*Burchellii*, Lindl. Gen. et Sp. Orch. 304 = *H. Burchellii*.

*grandiflora*, Sond. in Linnaea, xix. (1847) 79 = *H. grandiflora*.

*secunda*, Lindl. in Hook. Comp. Bot. Mag. ii. (1836) 207 = *H. Scopularia*.

SCORBION, Rafin. Fl. Tellur. iii. 85 (1836) = **Teuerium**, Tourn. (Labiata.).

*spinosum*, Rafin. l. c. = *T. spinosum*.

SCORDIUM, Gilib. Fl. Lituan. i. 95 (1781); Cav. Ic. i. 19. t. 31 (1791) = **Teuerium**, Tourn. (Labiata.).

*altaicum*, Gilib. l. c. = *T. Scordium*.

*officinale*, Gueldenst. ex Ledeb. Fl. Ross. iii. 443 = *T. Scordium*.

*palustre*, Fourr. in Ann. Soc. Linn. Lyon, N. S. xvii. (1869) 138 = *T. Scordium*.

*scordioides*, Fourr. l. c. = *T. scordioides*.

*spinosum*, Cav. Ic. i. 19. t. 31 = *T. spinosum*.

SCORIA, Rafin. in Med. Repos. N. York, v. (1808) 352 = **Carya**, Nutt. (Jugland.).

*alba*, Rafin. l. c. = *C. alba*.

*globosa*, Rafin. l. c. = *Am. bor.*

*mucronata*, Rafin. l. c. = *C. sulcata*.

*pyriformis*, Rafin. l. c. = *Am. bor.*

*tomentosa*, Rafin. l. c. = *C. tomentosa*.

SCORIAS, Rafin. ex Endl. Gen. 1126 (1841) = praec.

**SCORODENDRON**, Blume, Rumphia, iii. 149 (1847). **SAPINDACEAE**, Benth. & Hook. f. i. 403.  
*pallens*, Blume, l. c. = *Ins. Timor*.

**SCORODOCARPUS**, Becc. in Nuov. Giorn. Bot. Ital. x. (1877) 274. **OLACINEAE**.

*borneensis*, Becc. l. c. = *Borneo*.

SCORODON, Fourr. in Ann. Soc. Linn. Lyon, N. S. xvii. (1869) 160 = **Allium**, Tourn. (Liliac.).

*moschatum*, Fourr. l. c. = *A. moschatum*.

SCORODONIA, Adans. Fam. ii. 188 (1763) = **Teuerium**, Linn. (Labiata.).

*Arduini*, Reichb. Fl. Germ. Excurs. 315 = *T. Arduini*.

*betonicaefolia*, Moench, Meth. Suppl. 133 = *T. betonicum*.

*Botrys*, Ser. Bull. Bot. (1830) 317 = *T. Botrys*.

*cordata*, Moench, Meth. 385 = *T. massiliense*.

*Fontanesiana*, Ser. Bull. Bot. (1830) 315 = *T. Pseudo-scorodonia*.

*heteromalla*, Moench, Meth. 384 = *T. Scorodonia*.

*lancifolia*, Moench, l. c. = *T. lancifolium*.

*macrophylla*, Moench, Meth. Suppl. 133 = *T. canadense*.

*massiliensis*, Link, Handb. i. 458 = *T. massiliense*.

*Salviastrum*, Link, l. c. = *T. Pseudo-scorodonia*.

*sicula*, Rafin. Fl. Tellur. iii. 85 = *T. Scorodonia*.

*solitaria*, Stokes, Bot. Mat. Med. iii. 374 = *T. Scorodonia*.

*spicata*, Moench, Meth. 385 = *T. hyrcanicum*.

*spinosa*, Link, Handb. i. 458 = *T. spinosum*.

*sylvestris*, Link, l. c. = *T. Scorodonia*.

*trivialis*, Rafin. Fl. Tellur. iii. 85 = *T. Scorodonia*?

SCORODOSMA, Bunge, Ind. Sem. Hort. Dorpat. (1846) 3; et in Mém. Sav. Etr. Pétersb. vii. (1854) 309 = **Ferula**, Tourn. (Umbell.).

*foetidum*, Bunge, ll. cc. = *F. Assa-foetida*.

SCORODOXYLUM, Nees, in Benth. Pl. Hartw. 236. (1846) = **Ruellia**, Linn. (Acanth.).

*Hartwegianum*, Nees, l. c. = *N. Granat.*

*terminale*, Nees, ex Benth. Bot. Voy. Sulph. 145.—Ecuador.

SCORPAENA, Noronha, in Verh. Batav. Gen. v. (1790) ed. I. Art. iv. 3 (Quid?).

SCORPIANTHES, Rafin. Sylva Tellur. 89 (1838) = **Heliotropium**, Tourn. (Borag.).

*lineatum*, Rafin. l. c. = *H. lineatum*.

SCORPIOIDES, Gilib. Fl. Lituan. i. 20 (1781) = **Myosotis**, Linn. (Borag.).

*glaber*, Gilib. l. c. = *M. palustris*.

*hirsutus*, Gilib. l. c. = *M. intermedia*.

SCORPIOIDES, Tourn. ex Adans. Fam. ii. 328 (1763) = **Scorpiurus**, Linn. (Legumin.).

*muricata*, Medic. in Vorles. Churpf. Phys. Ges. ii. (1787) 370 = *Scorpiurus muricata*.

*sulcata*, Medic. l. c. = *Scorpiurus sulcata*.

*vermiculata*, Medic. l. c. = *Scorpiurus vermiculata*.

**SCORPIURUS**, Linn. Syst. ed. I (1735); Gen. ed. I. 226 (1737). **LEGUMINOSAE**, Benth. & Hook. f. i. 508.

SCORPIUS, Loisel. Fl. Gall. 468 (1806).

SCORPIOIDES, Tourn. ex Adans. Fam. ii. 328 (1763).  
*acutifolia*, Viv. Fl. Lib. Spec. 43. t. 19. f. 4 = subvillosa.

*echinata*, Lam. Encyc. i. 726 = *muricata*, subvillosa, sulcata.

*echinata*, A. Rich. Tent. Fl. Abyss. i. 200 = *sulcata*.

*laevigata*, Sibth. & Sm. Fl. Graec. viii. 13. t. 718 = *muricata*.

*muricata*, Linn. Sp. Pl. 745.—Reg. Mediterr.  
*pinnata*, Mill. Gard. Dict. ed. VIII. n. 5.—Europ. austr.

*purpurea*, Desf. Fl. Atlant. ii. 174.—Algeria.

*subvillosa*, Hochst. & Steud. ex A. Rich. Tent. Fl. Abyss. i. 200 = *sulcata*.

*subvillosa*, Linn. Sp. Pl. 745.—Reg. Mediterr.  
*sulcata*, Linn. l. c.—Reg. Mediterr.

*sulcata*, Sibth. & Sm. Fl. Graec. viii. 14. t. 719 = subvillosa.

*vermiculata*, Linn. Sp. Pl. 744.—Reg. Mediterr.

SCORPIUS, Loisel. Fl. Gall. 468 (1806) = praec.

SCORPIUS, Medic. in Vorles. Churpf. Phys. Ges. ii. (1787) 369 = **Coronilla**, Tourn. (Legumin.).

*scorpioides*, Medic. l. c. = *C. scorpioides*.

SCORPIUS, Moench, Meth. 134 (1794) = **Genista**, Linn. (Legumin.).

*anglicus*, Pourr. ex Willk. & Lange, Prod. Fl. Hisp. iii. 428 = *G. anglica*.

*Clusii*, Moench, Meth. 134 = *G. germanica*.

*falcatus*, Pourr. ex Willk. & Lange, Prod. Fl. Hisp. iii. 429 = *G. falcata*.

*hispanicus*, Pourr. ex Willk. & Lange, l. c. 427 = *G. hispanica*.

*juniperiformis*, Pourr. ex Willk. & Lange, l. c. = *G. hispanica*.

*parviflorus*, Pourr. ex Willk. & Lange, l. c. 425 = *G. triacanthos*.

*sericeus*, Pourr. ex Willk. & Lange, l. c. 426 = *G. hirsuta*.

*serpyllifolius*, Pourr. ex Willk. & Lange, l. c. 429 = *G. falcata*.

*spinosus*, Moench, Meth. 134 = *G. germanica*.

*vulgaris*, Pourr. ex Willk. & Lange, Prod. Fl. Hisp. iii. 430 = *G. Scorpius*.

SCORZONELLA, Nutt. in Trans. Am. Phil. Soc. N. S. vii. (1841) 426 = **Microseris**, D. Don (Compos.).

*glauca*, Nutt. l. c. = *M. leptosepala*.

*laciniata*, Nutt. l. c. = *M. laciniata*.

*leptosepala*, Nutt. l. c. = *M. leptosepala*.

*nutans*, Hook. Lond. Journ. Bot. vi. (1847) 253 = *M. nutans*.

*sylvatica*, Benth. Pl. Hartw. 320 = *M. sylvatica*.

**SCORZONERA**, [Tourn.] Linn. Syst. ed. I (1735); Gen. ed. I. 241 (1737). **COMPOSITAE**, Benth. & Hook. f. ii. 531.

**ACHYROSERIS**, Sch. Bip. in Nov. Act. Nat. Cur. xxi. (1845) 165.

**FLEISCHERIA**, Steud. & Hochst. ex Endl. Gen. 497 (1838).

**GELASIA**, Cass. in Bull. Soc. Philom. (1818) 33.

**LASIOSPERMUM**, Fisch. Cat. Hort. Gorenk. ed. II. (1812) 34.

**LASIOSPERMA**, Cass. in Dict. Sc. Nat. xxv. 306 (1822).  
**PODOSPERMUM**, DC. Fl. Fr. iv. 61 (1805).

*acanthoclada*, Franch. in Ann. Sc. Nat. Sér. VI. xvi. (1883) 333.—Turkestan.

*acaulis*, Willd. Sp. Pl. iii. 1508 = *Taraxacum officinale*.  
*acrolasia*, Bunge, in Mém. Sav. Etr. Pétersb. vii. (1851) 378.—Turkest.; Beluchist.

*acuminata*, Boiss. & Bal. Diagn. Ser. II. vi. 119.—As. Min.

*africana*, Poir. Encyc. Suppl. v. 114.—Afr. trop.

*albicans*, Cass. Notes Crit. 119.—Hispan.

*albicaulis*, Bunge, Enum. Pl. Chin. Bor. 40.—China.

*alexandrina*, Boiss. Fl. Orient. iii. 760.—Afr. bor.

*alpina*, Hoppe, in Sturm, Deutschl. Fl. Heft 51 = *aristata*.

*alpina*, Pollini, Viagg. Lag. Gard. 100 = *Candollei*.

## SCORZONERA :—

*ambigua*, DC. Prod. vii. 126 = mollis.  
*amphiphila*, Bunge, in *Mém. Sav. Etr. Pétersb.* vii. (1851) 378.—Turkest.  
*ancyritana*, DC. Prod. vii. 124 = tomentosa.  
*angustifolia*, Asso, Syn. Stirp. Arag. 108 = graminifolia.  
*angustifolia*, DC. Prod. vii. 120 = austriaca, Candollei.  
*angustifolia*, Linn. Sp. Pl. 791.—Europ. austr.  
*angustifolia*, Waldest. & Kit. Pl. Rar. Hung. ii. 128. t. 122 = villosa.  
*angustifolia*, [Weber, in] Wigg. Prim. Fl. Holsat. 55 = humilis.  
*angustifolia*, Wohlleb. ex Wallr. Ann. Bot. 96 = hispanica.  
*araneosa*, Sibth. & Sm. Fl. Graec. viii. 62. t. 785.—Graecia.  
*araneosa*, Urv. in *Mém. Soc. Linn. Par. i.* (1822) 354 = mollis.  
*argyrea*, Boiss. Diagn. Ser. I. iv. 26.—Caria.  
*aristata*, Ram. ex DC. Fl. Fr. iv. 922.—Europ. austr.  
*armeniaca*, Boiss. Fl. Orient. iii. 760.—Armen.  
*aspera*, Desf. in Ann. Mus. Par. i. (1802) 133. t. 9 = Hymenonema Tournefortii.  
*aspermia*, Willd. Sp. Pl. iii. 1507 = Leontodon asperimus.  
*asphodeloides*, Wallr. Ann. Bot. 95 = hispanica.  
*astrachanica*, DC. Prod. vii. 118 = mollis.  
*Aucheri*, Boiss. & Huet, Diagn. Ser. II. iii. 92 = suberosa.  
*Aucheriana*, DC. Prod. 125.—Mesopot.  
*austriaca*, Balb. Misc. Alt. 24 = Candollei.  
*austriaca*, Willd. Sp. Pl. iii. 1498.—Europ. ; As. bor.  
*autumnalis*, Lam. Fl. Fr. ii. 82 = Leontodon autumnalis.  
*boetica*, Boiss. Voy. Bot. Espagne, ii. 382.—Hispan.  
*bohémica*, F. W. Schmidt, in Neue Abh. Boehm. Ges. i. (1791) 55 = humilis.  
*brevicaulis*, Vahl, Symb. Bot. ii. 88 = coronopifolia.  
*bulbipes*, Boiss. & Haussk. ex Boiss. Fl. Orient. iii. 759.—Persia.  
*buphthalmoides*, DC. Prod. vii. 121 = Tragopogon persicus.  
*bupleuroides*, D. Don, Prod. Fl. Nep. 162 (Quid ?)—Nepal.  
*caerulea*, Saut. ex Reichb. Fl. Germ. Excurs. 855 = Lactuca perennis.  
*caespitosa*, Pomel, Nouv. Mat. Fl. Atl. 266 = pygmaea.  
*calcitrapifolia*, Vahl, Symb. Bot. ii. 87.—Europ.  
*callosa*, Moris, Elench. Stirp. Sard. i. 29 = villosa.  
*calvescens*, DC. Prod. vii. 123 = laciniata.  
*calyculata*, Boiss. Diagn. Ser. I. xi. 42.—Persia.  
*Candollei*, Vis. Fl. Dalm. ii. 106.—Dalmatia.  
*capensis*, Thunb. Prod. Pl. Cap. 141 = Lactuca capensis.  
*caricifolia*, Pall. Reise, iii. 756 = parviflora.  
*cariensis*, Boiss. Diagn. Ser. I. iv. 24.—Caria.  
*cenopleura*, Bunge, in *Mém. Sav. Etr. Pétersb.* vii. (1851) 378.—Turkestan.  
*chondrilloides*, Pourr. ex Willd. Sp. Pl. iii. 1505.—Hispan.  
*chondrilloides*, Regel & Schmalh. ex Regel, Pl. Nov. Fedsch. 54.—Turkestan.  
*ciliata*, Forsk. Fl. Aegypt. Arab. 143 = Picridium tingitanum.  
*cilicica*, Boiss. Diagn. Ser. II. iii. 94.—Cilicia.  
*cinerea*, Boiss. l. c. Ser. I. xi. 44.—As. Min. ; Persia.  
*circinnata*, Pall. Reise, iii. 677 = pusilla.  
*Clusii*, Asso, Syn. Stirp. Arag. 108 = humilis.  
*Columnae*, Guss. Ind. Sem. Hort. Boccad. (1825) ; Pl. Rar. 321. t. 54 = villosa.  
*communis*, Noronha, in Verh. Batav. Gen. v. (1790) ed. I. Art. iv. 27 (Quid ?)—Java.  
*coronopifolia*, Desf. Fl. Atlant. ii. 220. t. 44.—Afr. bor.  
*crepioides*, Poir. Encyc. vii. 25 = Sonchus crepioides.  
*cretica*, Willd. Sp. Pl. iii. 1504.—Ins. Creta.  
*crispa*, Bieb. Fl. Taur. Cauc. ii. 234 = austriaca.  
*crispatula*, Boiss. Voy. Bot. Espagne, ii. 741 = hispanica.  
*crocifolia*, Sibth. & Sm. Fl. Graec. viii. 63. t. 785.—Graecia.  
*Cypria*, Kotschy, in Unger & Kotschy, Ins. Cyp. 253 = parviflora.  
*dalmatica*, Host, Fl. Austr. ii. 391 = villosa.  
*decumbens*, Guss. Fl. Sic. Syn. fi. 386 = calcitrapifolia.  
*deliciosa*, Guss. ex DC. Prod. vii. 118.—Sicilia.  
*dentata*, Kit. in Linnaea, xxxii. (1863) 409 = hispanica.  
*denticulata*, Lam. Fl. Fr. ii. 82 = hispanica.

## SCORZONERA :—

*dichotoma*, Vahl, Symb. Bot. ii. 89 = Launaea nudicaulis.  
*divaricata*, Auch. ex DC. Prod. vii. 125 = Aucheriana.  
*divaricata*, Turcz. in Bull. Soc. Nat. Mosc. v. (1832) 200.—Mongol.  
*edulis*, Moench, Meth. 548 = hispanica.  
*elata*, Boiss. Diagn. Ser. I. iv. 25.—As. Min.  
*elongata*, Willd. Sp. Pl. iii. 1508 = Hymenonema Tournefortii.  
*ensifolia*, Bieb. Fl. Taur. Cauc. ii. 235.—Rossia ; As. bor.  
*eriocarpa*, Willk. in Willk. & Lange, Prod. Fl. Hisp. ii. 225 = hirsuta.  
*eriophora*, DC. Prod. vii. 125.—As. Min. ; Mesopot.  
*eriosperma*, Auch. ex DC. Prod. vii. 125 = ramosissima.  
*eriosperma*, Bieb. Fl. Taur. Cauc. ii. 236 ; Besch. Casp. 117. n. 28.—Reg. Caucas.  
*eriosperma*, Gouan, Illustr. 52 = hirsuta.  
*eriosperma*, Willd. ex Ledeb. Fl. Ross. ii. 783 = mollis.  
*fasciata*, Pomel, Nouv. Mat. Fl. Atl. 9 = coronopifolia.  
*filifolia*, Boiss. Fl. Orient. iii. 774.—Reg. Caucas.  
*fistulosa*, Brot. Fl. Lusit. i. 329.—Lusitan.  
*floccosa*, Boiss. Fl. Orient. iii. 758.—As. Min.  
*gagoides*, Boiss. Diagn. Ser. II. iii. 95.—Beluchist.  
*Gobleri*, Bess. ex DC. Prod. vii. 120 = austriaca.  
*glabra*, Rupr. in Beitr. Pfl. Russ. Reich. ii. 11.—Reg. Ural.  
*glandulosa*, Pourr. ex DC. Prod. vii. 183 (= Zollikoferia pumila).—Hispan. ; Arab.  
*glastifolia*, Hegetschw. Fl. Schw. ii. 157 = humilis.  
*glastifolia*, Willd. Sp. Pl. iii. 1499 = hispanica.  
*glauca*, Salisb. Prod. 179 = Picridium tingitanum.  
*graeca*, Hort. ex Steud. Nom. ed. II. ii. 546 = Hymenonema graecum.  
*graminea*, Krock. Fl. Siles. ii. 11. 263 = tomentosa.  
*graminifolia*, All. Fl. Pedem. i. 228 = aristata.  
*graminifolia*, Auch. ex DC. Prod. vii. 121 = Tragopogon persicus.  
*graminifolia*, Bory & Chaub. Nouv. Fl. Pélop. 53 = crocifolia.  
*graminifolia*, Griseb. Spicil. Fl. Rumel. ii. 263 = mollis.  
*graminifolia*, Hoffm. Deutschl. Fl. ed. I. 272 = hispanica.  
*graminifolia*, Lag. ex DC. Prod. vii. 122 = macrocephala.  
*graminifolia*, Linn. Sp. Pl. 791 (sp. confusa).—Sibir. ; Lusitan.  
*graminifolia*, Portenschl. ex Vis. Fl. Dalm. ii. 107 = villosa.  
*graminifolia*, Schur, Enum. Pl. Transs. 362 = austriaca.  
*graminifolia*, Sibth. & Sm. Fl. Graec. viii. 62. t. 784 = elata.  
*graminifolia*, Tausch, ex Nym. Consp. 464 = parviflora.  
*grandiflora*, Lapeyr. Hist. Abr. Fl. Pyr. 457 = aristata.  
*halophila*, Fisch. & Mey. in DC. Prod. vii. 122 = parviflora.  
*hemilasia*, Bunge, in *Mém. Sav. Etr. Pétersb.* vii. (1851) 377.—Turkestan.  
*heterophylla*, Pomel, Nouv. Mat. Fl. Atl. 265 = mollis.  
*hirsuta*, Linn. Mant. ii. 278.—Europ. austr.  
*hirsuta*, Pett. ex Nym. Consp. 465 = villosa.  
*hispanica*, Linn. Sp. Pl. 791.—Europ. austr.  
*hispidula*, Bieb. Casp. App. 210 = Leontodon asperimus.  
*hispidula*, Forsk. Fl. Aegypt. Arab. 215.—Galatia.  
*hispidula*, Spreng. Syst. iii. 667 = Leontodon hispidulus.  
*Hoppeana*, Sieber, ex Reichb. Fl. Germ. Excurs. 276 = aristata.  
*humifusa*, Darracq, ex Woods, in Journ. Linn. Soc. ii. (1858) 120.—Hispan.  
*humilis*, Jacq. Fl. Austr. t. 36 = austriaca.  
*humilis*, Linn. Sp. Pl. 790.—Europ.  
*inaequiscapa*, Boiss. ex Boiss. Fl. Orient. iii. 762.—Armenia.  
*incisa*, DC. Prod. vii. 119.—Cappadoc.  
*intermedia*, Bunge, in *Mém. Sav. Etr. Pétersb.* vii. (1851) 377 = hemilasia.  
*intermedia*, Guss. Fl. Sic. Syn. ii. 387 = laciniata ?  
*intricata*, Boiss. Diagn. Ser. I. vii. 9.—Persia.  
*ispahanica*, Boiss. l. c. 7.—Persia.  
*Jacquiniiana*, Boiss. Fl. Orient. iii. 757.—Europ. or. ; As. Min.  
*julia*, Vest, in Flora, iii. (1820) 6 = villosa.  
*junceae*, Hochst. ex Steud. Nom. ed. II. ii. 366, in syn.—Arab.

## SCORZONERA :—

*Kotschy*, Boiss. Fl. Orient. iii. 780.—Syria ; Mesopot.  
*Kotschy*, Boiss. l. c. 762 = mollis.  
*kurdica*, Boiss. & Noé, Diagn. Ser. II. iii. 93 = papposa.  
*lacera*, Boiss. & Bal. l. c. v. 116.—Cilicia.  
*laciniata*, Jacq. Fl. Austr. t. 356 = Jacquiniiana.  
*laciniata*, Linn. Sp. Pl. 791.—Reg. Mediterr. et Caucas.  
*laciniata*, Vahl, ex DC. Prod. vii. 123 = coronopifolia.  
*lanata*, Bieb. Fl. Taur. Cauc. ii. 237.—Graecia ; Oriens.  
*lanata*, Schrank, Baier. Fl. ii. 306 = humilis.  
*lanigera*, Fisch. & Mey. in Tchihat. Asie Min. Bot. ii. 366.—As. Min.  
*lanuginosa*, Baumg. Enum. Stirp. Transs. iii. 9 = humilis.  
*lasiospora*, Boiss. & Bal. Diagn. Ser. II. vi. 118 = nervosa.  
*latifolia*, DC. Prod. vii. 124 = nervosa.  
*latifolia*, Vis. Fl. Dalm. ii. 106. t. 5. f. 2 = austriaca.  
*Lawrencii*, Hook. f. in Hook. Lond. Journ. Bot. vi. (1847) 124 = Microseris Forsteri.  
*libanotica*, Boiss. Diagn. Ser. I. xi. 43.—Syria.  
*limnophila*, Boiss. l. c. vii. 7.—Persia.  
*linarifolia*, Wender. Fl. Hass. 265.—Europ.  
*lorea*, Griseb. Spicil. Fl. Rumel. ii. 263 = Jacquiniiana.  
*mackmeliana*, Boiss. Diagn. Ser. I. xi. 44.—Syria.  
*macrocephala*, DC. Prod. vii. 122.—Hispan.  
*macrophylla*, Fisch. & Mey. in Schrenk, Enum. Pl. Nov. 39, in adnot.—Sibir.  
*macrorrhiza*, Schleich. Cat. Pl. Helv. ed. IV. 32 = humilis.  
*macrosperma*, Turcz. in DC. Prod. vii. 121.—Dahur.  
*Marschalliana*, C. A. Mey. ex Bong. & Mey. Verz. Pfl. Saisang-Nor, 44 = stricta.  
*messenica*, Bory & Chaub. Nouv. Fl. Pélop. 53. t. 30 = laciniata.  
*mollis*, Bieb. Fl. Taur. Cauc. iii. 522.—Graec. ; Oriens.  
*mollis*, Fisch. & Mey. ex DC. Prod. vii. 117 = mollis.  
*montana*, Mutel, Hist. Pl. Dauph. ii. 268 = hispanica.  
*multifida*, Link, ex Steud. Nom. ed. II. ii. 546.—Hab. ?  
*multiscapa*, Boiss. Diagn. Ser. I. xi. 41.—Oriens.  
*muricata*, Balb. Misc. 25 = laciniata.  
*nana*, Boiss. & Buhse, in Nouv. Mém. Soc. Nat. Mosc. xii. (1860) 138.—As. Min. ; Persia.  
*nervosa*, Lam. Fl. Fr. ii. 81 = humilis.  
*nervosa*, Trevir. Del. Sem. Hort. Bonn. (1833).—Cf. Linnaea, x. (1836) Litt. 73.—Armen. ; Persia.  
*navalis*, Boiss. & Haussk. ex Boiss. Fl. Orient. iii. 765.—Kurdistan.  
*nova*, Desf. ex Walp. Rep. vi. 340 = Hypochoeris glabra.  
*octangularis*, Hort. ex Willd. Sp. Pl. iii. 1506 = laciniata.  
*octangularis*, Roth, ex Steud. Nom. ed. II. ii. 546 = Jacquiniiana.  
*odontopleura*, Boiss. Fl. Orient. iii. 766 = incisa.  
*orientalis*, Cav. ex Willk. & Lange, Prod. Fl. Hisp. ii. 249 = Crepis albida.  
*orientalis*, Linn. Syst. ed. X. 1191 = Picridium tingitanum.  
*ovata*, Trautv. in Act. Hort. Petrop. i. (1871–72) 275.—Turkest.  
*paniculata*, Boiss. Diagn. Ser. I. vii. 8 = nervosa.  
*papposa*, DC. Prod. vii. 119.—Syria ; Persia.  
*paradoxa*, Fisch. & Mey. ex DC. l. c. = picridioides.  
*parviflora*, Jacq. Fl. Austr. iv. 3. t. 305.—Europ. ; As. bor. et occ.  
*paucifida*, Lam. Fl. Fr. ii. 83 = laciniata.  
*persepolitana*, Boiss. Fl. Orient. iii. 760.—Persia.  
*persica*, Boiss. l. c. 777 = psychophila.  
*persica*, Boiss. & Buhse, in Nouv. Mém. Soc. Nat. Mosc. xii. (1860) 139.—Persia.  
*petiolaris*, Lapeyr. Hist. Abr. Pl. Pyr. 120 = laciniata.  
*phaeopappa*, Boiss. Fl. Orient. iii. 764 = multiscapa.  
*picridioides*, Boiss. Diagn. Ser. I. vii. 6.—Persia ; Beluchist.  
*picroides*, Linn. Sp. Pl. 792 = Picridium vulgare.  
*pinifolia*, Gouan, Illustr. 53 = macrocephala.  
*pinnatifida*, Lour. Fl. Cochinch. 479 = africana.  
*pinnatifida*, Michx. Fl. Bor. Am. ii. 89 = Pyrrhopappus carolinianus.  
*plantaginea*, Gaud. Fl. Helv. v. 20 = seq.  
*plantaginifolia*, Schleich. Cat. Pl. Helv. ed. III. 27 = humilis.  
*plurifida*, Lam. Fl. Fr. ii. 83 = calcitrapifolia.



## SCORZONERA:—

- Prescottii*, Comp. ex Boiss. Fl. Orient. iii. 770 = austriaca.  
*psychophila*, Boiss. & Haussk. ex Boiss. l. c. 777.—Persia.  
*pubescens*, DC. Prod. vii. 122.—Sibir. altaic.  
*pumila*, Cav. Ic. ii. 19 (= *Zollikoferia pumila*).—Hispan.; Arab.  
*purpurea*, Linn. Sp. Pl. 791.—Europ.; As. bor.  
*pusilla*, Pall. Reise, ii. 744.—Rossia; As. occ.  
*pygmaea*, Sibth. & Sm. Fl. Graec. viii. 61. t. 783.—Bithyn.  
*quitensis*, Humb. ex Sch. Bip. in Nov. Act. Nat. Cur. xxi. I. (1845) 120 (= *Achyrophora quitensis*).—Ecuador.  
*racemosa*, Franch. in Ann. Sc. Nat. Sér. VI. xvi. (1883) 332.—Turkest.  
*radians*, Fisch. ex Bess. in Flora, xvii. (1834) I. Beibl. 18.—As. bor.  
*radiata*, Fisch. ex DC. Prod. vii. 122 = praec.  
*radicosa*, Boiss. Diagn. Ser. I. xi. 43.—Persia.  
*ramosissima*, DC. Prod. vii. 125.—Persia.  
*resedifolia*, Linn. Sp. Pl. 1198 = *Launaea chondrilloides*.  
*resedifolia*, Retz. Obs. iii. 42 = laciniata.  
*rigida*, Auch. ex DC. Prod. vii. 123.—As. Min.  
*rosea*, Waldst. & Kit. Pl. Rar. Hung. ii. 127. t. 121 = purpurea.  
*Roylei*, DC. Prod. vii. 125 = divaricata.  
*rumicifolia*, Hort. Vindob. ex Link, Enum. Hort. Berol. ii. 278.—Hab.?  
*runcinata*, Pall. Reise Suedl. Statth. Russ. Reich. i. 798.—Rossia.  
*sardoa*, Moris, ex Spreng. Syst. iv. Cur. Post. 347 = villosa.  
*sativa*, Gater. Desc. Pl. Montaub. 136 = hispanica.  
*scapigera*, Forst. f. Prod. 91 = *Microseris Forsteri*.  
*scoparia*, Boiss. & Kotschy, ex Boiss. Fl. Orient. iii. 774 = mackmeliana.  
*Scowitzii*, Steud. Nom. ed. II. ii. 546, in syn. = *Szowitzii*.  
*Seidlitzii*, Boiss. Fl. Orient. iii. 775.—Armenia.  
*semicana*, DC. Prod. vii. 119.—Assyria.  
*sericea*, Auch. ex DC. l. c. 123.—Cappadoc.  
*sevrulata*, Viv. Fl. Lib. Spec. 49. t. 17. f. 4 = undulata, trachysperma.  
*sessilis*, Humb. ex Sch. Bip. in Nov. Act. Nat. Cur. xxi. I. (1845) 120 (= *Achyrophora quitensis*).—Ecuador.  
*stenocephala*, Boiss. Diagn. Ser. I. vii. 6 = mollis.  
*Stewartii*, Hook. f. Fl. Brit. Ind. iii. 419.—Ind. bor. occ.  
*stricta*, DC. Prod. vii. 122 = ensifolia.  
*stricta*, Hornem. Hort. Hafn. ii. 750.—Reg. Cauc.; Sibir.  
*stylosa*, Pers. Syn. ii. 361 = *Hymenonema Tournefortii*.  
*subaphylla*, Boiss. Diagn. Ser. I. vii. 8.—Persia.  
*suberosa*, C. Koch, in Linnaea, xvii. (1843) 275.—Armenia.  
*subulata*, Lam. Fl. Fr. ii. 81 = laciniata.  
*sylvatica*, Benth. Pl. Hartw. 388 (Index) = *Microseris sylvatica*.  
*syriaca*, Boiss. & Blanch. Diagn. Ser. II. iii. 93 = mollis.  
*Szowitzii*, DC. Prod. vii. 117 = mollis.  
*Taraxaci*, Roth, Beitr. Bot. i. (1782) 120 = *Taraxacum palustre*.  
*taraxacifolium*, Jacq. Ic. Pl. Rar. t. 160 = *Hypochoeris glabra*.  
*taurica*, Bieb. Fl. Taur. Cauc. ii. 234 = hispanica.  
*taurica*, Janka, ex Nym. Consp. 463 = stricta.  
*Tenorii*, Presl, Delic. Prag. 116 = laciniata.  
*tetuanensis*, Webb, ex Ball, in Journ. Linn. Soc. xvi. (1878) 551 = deliciosa.  
*tenuifolia*, Bertol. Fl. Ital. viii. 360 = aristata.  
*tenuifolia*, Schrad. in DC. Prod. vii. 120 = *Candollei*.  
*Thirkei*, Sch. Bip. in Linnaea, xix. (1847) 314 = eriophora.  
*tingitana*, Linn. Sp. Pl. 791 = *Picridium tingitanum*.  
*tomentosa*, Linn. l. c. ed. II. 1112.—As. Min.  
*tomentosa*, Pall. Reise, iii. 513 = mollis.  
*tomentosa*, Siev. ex Ledeb. Fl. Alt. iv. 163 = stricta.  
*tortuosissima*, Boiss. Fl. Orient. iii. 775.—Persia; Beluchist.  
*trachysperma*, Guenth. ex Spreng. Syst. iii. 666.—Ital.  
*tragopogonoides*, Regel & Schmalh. in Act. Hort. Petrop. v. (1877) 635.—Turkestan.  
*tuberosa*, Pall. Reise, iii. 757.—Turkestan.  
*tuberosa*, Walp. Rep. vi. 351, sphalm. = suberosa.

## SCORZONERA:—

- turkestanica*, Franch. in Ann. Sc. Nat. Sér. VI. xvi. (1883) 333.—Turkestan.  
*undulata*, Vahl, Symb. Bot. ii. 86 = mollis.  
*vaginata*, Bertol. Misc. Bot. ii. 235 = lanata.  
*variifolia*, Salisb. Prod. 179 = *Picridium vulgare*.  
*velutina*, DC. Prod. vii. 123 = mollis.  
*veratrifolia*, Fenzl, in Flora, xxvi. (1843) 399.—Kurdist.  
*verrucosa*, Boiss. Fl. Orient. iii. 764.—Cilicia.  
*villosa*, Bieb. Fl. Taur. Cauc. ii. 235 = stricta.  
*villosa*, Scop. Fl. Carn. ed. II. ii. 97. t. 46.—Europ. austr.  
*virgata*, DC. Prod. vii. 125 = divaricata.

SCORZONEROIDES, Moench, Meth. 549 (1794) = *Leontodon*, Linn. (Compos.).  
*autumnalis*, Moench, l. c. = *L. autumnalis*.

SCOTANTHUS, Naud. in Ann. Sc. Nat. Sér. IV. xvi. (1861) 172 = *Gymnopetalum*, Arn. (Cucurb.).

- Porteanus*, Naud. l. c. Sér. V. v. (1866) 25 = *G. quinquelobum*.  
*tubiflorus*, Naud. l. c. Sér. IV. xvi. (1861) 173. t. 3 = *G. cochinchinense*.  
*Weberi*, Naud. l. c. Sér. V. v. (1866) 26 = *G. Weberi*.

SCOTANUM, Adans. Fam. ii. 459 (1763) = *Ranunculus*, Tourn.

SCOTIA, Thunb. Nov. Gen. ix. 129 (1798), sphalm. = *Schotia*, Jacq. (Legumin.).

SCOTTEA, DC. Prod. ii. 118 (1825), sphalm. = seq.

- SCOTTIA, R. Br. in Ait. Hort. Kew. ed. II. iv. 268 (1812) = *Bossiaea*, Vent. (Legumin.).  
*angustifolia*, Lindl. Bot. Reg. t. 1266 = *B. dentata*.  
*dentata*, R. Br. in Ait. Hort. Kew. ed. II. iv. 269 = *B. dentata*.  
*laevis*, Lindl. Bot. Reg. t. 1652 = *B. dentata*.  
*trapeziformis*, Mackay, ex Sweet, Hort. Brit. ed. II. 126 (Quid ?).—Austral.

SCOVITZIA, Walp. Rep. ii. 420 (1843), sphalm. = *Szowitzia*, Fisch. & Mey. (Umbell.).

- SCRIBAEA, Borkh. in Rhein. Mag. i. (1793) 591 = *Cucubalus*, Tourn. (Caryoph.).  
*baccifera*, Schur, Enum. Pl. Transs. 100 = *C. baccifer*.  
*Cucubalus*, Borkh. in Rhein. Mag. i. (1793) 591 = *C. baccifer*.  
*divaricata*, Gaertn. Mey. & Scherb. Fl. Wett. ii. 96 = *C. baccifer*.

SCROBICARIA, Cass. in Dict. Sc. Nat. xviii. 456 (1827) = *Gynoxys*, Cass. (Compos.).  
*ilicifolia*, Cass. l. c. = *G. ilicifolia*.

SCROFULARIA, Spreng. Fl. Hal. 178 (1806) = seq.

SCROPHULARIA, Tourn. ex Linn. Syst. ed. I (1735); Gen. ed. I. 178 (1737). *SCROPHULARINEAE*, Benth. & Hook. f. i. 937.

- CERAMANTHE, Dum. Not. sur Scroph. 7 (1834).  
*TOMIEPHYLLUM*, Fourr. in Ann. Soc. Linn. Lyon, N. S. xvii. (1869) 125.  
*VENILIA*, Fourr. l. c. (1869).

- adscendens*, Willd. Enum. Hort. Berol. 644.—Hab.?  
*aestivalis*, Griseb. Spicil. Fl. Rumel. ii. 36.—Macedon.  
*affinis*, Opiz, in Lotos, iv. (1854) 71 = alata?  
*aintabensis*, Boiss. & Haussk. ex Boiss. Fl. Orient. iv. 413 = *xanthoglossa*.  
*alata*, Gilib. Fl. Lituan. i. 127.—Europ.; Oriens; As. bor.  
*alata*, A. Gray, in Mem. Am. Acad. N. S. vi. (1858–59) 401.—Japon.  
*alpestris*, J. Gay, ex Benth. in DC. Prod. x. 307.—Mont. Pyren.  
*altaica*, Murr. in Comm. Gotting. (1781) 35. t. 2.—Sibir.  
*amgunensis*, F. Schmidt, Reisen Amurl. 57.—Manchur.  
*amplexicaulis*, Benth. in DC. Prod. x. 310.—Persia.  
*Anagae*, Bolle, in Verh. Zool.-Bot. Ges. Wien, xi. (1861) 199.—Ins. Canar.  
*Ani*, C. Koch, in Linnaea, xvii. (1843) 285 = variegata.  
*anomala*, Vest, in Flora, xii. (1829) I. Erg. 62.—Hab.?  
*anthemifolia*, Parrot, in Engelh. & Parrot, Reise Krym, ii. 125.—Reg. Caucas.

## SCROPHULARIA:—

- appendiculata*, Balb. ex Wydl. in Mém. Soc. Phys. Genève. iv. (1828) 157 = *auriculata*.  
*appendiculata*, Jacq. Hort. Schoenb. iii. 19 = trifoliata.  
*aquatica*, Koch, Syn. Fl. Germ. ed. I. 515 = *alata*, Gilib.  
*aquatica*, Linn. Sp. Pl. 620.—Europ.; Caucas.  
*arguta*, [Soland. in] Ait. Hort. Kew. ed. I. ii. 342.—Afr. bor.; Ins. Canar.; Arab.  
*armena*, C. Koch, in Linnaea, xxii. (1849) 711.—Armenia.  
*ascendens*, Walp. Rep. iii. 176 = *adscendens*.  
*atropurpurea*, Moretti, in Bibl. Ital. xii. (1818) 372 = *canina*.  
*auriculata*, Asso, Syn. Stirp. Arag. 81 = *oblongifolia*.  
*auriculata*, Brot. Fl. Lusit. i. 201 = *trifoliata*.  
*auriculata*, Heldr. ex Boiss. Fl. Orient. iv. 401 = *cretica*.  
*auriculata*, Linn. Sp. Pl. 620.—Hispan.  
*auriculata*, Scop. Fl. Carn. ed. II. i. 446 = *Scopolii*.  
*Balbisi*, Hornem. Hort. Hafn. ii. 577 = *auriculata*.  
*Balbisi*, Koch, Syn. Fl. Germ. ed. I. 515 = *oblongifolia*.  
*Benthiana*, Boiss. Diagn. Ser. I. xii. 39.—Persia.  
*Berthelotii*, Bolle, in Verh. Zool.-Bot. Ges. Wien, xi. (1861) 202.—Ins. Canar.  
*betonicaefolia*, Lapeyr. Hist. Abr. Pl. Pyr. 356 = *alpestris*.  
*betonicaefolia*, Wydl. in Mém. Soc. Phys. Genève. iv. (1828) 151 = *Scopolii*.  
*betonicefolia*, Viv. Fl. Cors. 10 = *oblongifolia*.  
*betonicefolia*, Linn. Mant. i. 87 = *S. Scorodonia*.  
*bicolor*, Gueldenst. ex Ledeb. Fl. Ross. iii. 221 = *variegata*.  
*bicolor*, Sibth. & Sm. Fl. Graec. Prod. i. 437 = *canina*.  
*biserrata*, Willd. Enum. Hort. Berol. 644.—Hab.?  
*Boissieriana*, Faub. & Spach, Illustr. iii. 30.—Persia.  
*Bourgaena*, Lange, in Willk. & Lange, Prod. Fl. Hisp. ii. 550.—Hispan.  
*Buergeriana*, Miq. Ann. Mus. Bot. Lugd. Bat. ii. 116.—Japon.  
*byzantina*, Penth. in DC. Prod. x. 303 = *Kotschyana*.  
*cabulica*, Benth. l. c. 316.—Afghan.  
*caesia*, Griseb. Spicil. Fl. Rumel. ii. 38 = *laciniata*.  
*caesia*, Sibth. & Sm. Fl. Graec. Prod. i. 438; Fl. Graec. vii. 3. t. 604 = *heterophylla*.  
*californica*, Cham. & Schlecht. in Linnaea, ii. (1827) 585.—Calif.  
*calliantha*, Webb & Berth. Phyt. Canar. iii. 136.—Ins. Canar.  
*Calvertii*, Boiss. Diagn. Ser. II. iii. 152 = *ilwensis*.  
*calycina*, Benth. Scroph. Ind. 18.—Reg. Himal.  
*calycina*, Boiss. Fl. Orient. iv. 390 = *chrysantha*.  
*canescens*, Bong. in Bull. Sc. Acad. Pétersb. viii. (1841) 340.—Sibir. altaic.  
*canina*, Bourg. ex Reut. in Bull. Soc. Bot. Fr. xi. (1864) 46 = *frutescens*.  
*canina*, Hoppe, ex Wydl. in Mém. Soc. Phys. Genève. iv. (1828) 165 = *Hoppii*.  
*canina*, Linn. Sp. Pl. 621.—Europ.; As. Min.; Afr. bor.  
*canina*, Sibth. & Sm. Fl. Graec. vi. 78. t. 598 = *sphaerocarpa*.  
*capillaris*, Boiss. & Bal. ex Boiss. Fl. Orient. iv. 397.—As. Min.  
*Castagneana*, Wydl. in Mém. Soc. Phys. Genève. iv. (1828) 149 = *Scopolii*.  
*catariaefolia*, Boiss. & Heldr. Diagn. Ser. I. xii. 36.—Lycaonia.  
*čechica*, Opiz, Seznam, 90 = *nodosa*?  
*chamaedrifolia*, Boiss. & Haussk. ex Boiss. Fl. Orient. iv. 418 = *variegata*.  
*chinensis*, Linn. Mant. ii. 250; Sm. in Rees, Cycl. xxxii. sub n. 94 = *Celsia coromandeliana cum Salvia plebeia*.  
*chlorantha*, Kotschy & Boiss. in Boiss. Fl. Orient. iv. 399.—Kurdistan.  
*chrysantha*, Faub. & Spach, Illustr. iii. 26. t. 220.—Reg. Caucas.  
*chrysanthemifolia*, Balb. ex Wydl. in Mém. Soc. Phys. Genève. iv. (1828) 164 = *canina*.  
*chrysanthemifolia*, Bory & Chaub. Nouv. Fl. Pélop. 40 = *heterophylla*.  
*chrysanthemifolia*, Reichb. ex Nym. Consp. 534 = *Hoppii*.  
*chrysanthemifolia*, Willd. Hort. Berol. i. 59 = *canina*.  
*cinerascens*, Boiss. in Tchihat. Asie Min. Bot. ii. 16 = *variegata*.

## SCROPHULARIA:—

- cinerea*, Dum. Not. sur Scroph. 11 = aquatica.  
*clandestina*, Rupr. ex Boiss. Fl. Orient. iv. 392 = lateriflora.  
*Clausii*, Boiss. & Buhse, in Nouv. Mém. Soc. Nat. Mosc. xii. (1860) 163. — Persia.  
*coccinea*, A. Gray, in Torr. Bot. Mex. Bound. 111. — N. Mexic.  
*coccinea*, Linn. Sp. Pl. 621 = Russelia sarmentosa.  
*congesta*, Stev. in Bull. Soc. Nat. Mosc. xxx. (1857) i. 348, in textu = chrysantha.  
*cordata*, Mill. Gard. Dict. ed. VIII. n. 4 = S. Scrodonia.  
*cordata*, Waldst. & Kit. Pl. Rar. Hung. i. 75. t. 73 = vernalis.  
*crassicaulis*, Boiss. Diagn. Ser. I. xii. 37. — Persia.  
*crenophylla*, Boiss. l. c. vii. 41. — Persia.  
*cretacea*, Fisch. Hort. Gorenk. ed. II. (1812) 24, nomen; et ex Spreng. Syst. ii. 788. — Sibir.  
*cretica*, Boiss. & Heldr. ex Boiss. Fl. Orient. iv. 400. — Ins. Creta.  
*crithmifolia*, Boiss. Voy. Bot. Espagne, ii. 447. — Hispan.  
*cryptophylla*, Boiss. & Heldr. Diagn. Ser. I. xii. 31. — Persia.  
*cymigera*, C. Koch, in Linnaea, xix. (1847) 22 = alata.  
*Decaisniana*, Presl, Bot. Bemerk. 91 = variegata.  
*decipiens*, Boiss. & Kotschy, Diagn. Ser. II. iii. 156 = xanthoglossa.  
*decomposita*, Royle, ex Benth. Scroph. Ind. 18 = lucida.  
*decora*, Fisch. Mey. & Avé-Lall. Ind. Sem. Hort. Petrop. viii. 70 = sambucifolia.  
*decumbens*, Fisch. Mey. & Avé-Lall. l. c. x. 58 = Scopoli.  
*dentata*, Royle, ex Benth. Scroph. Ind. 19. — Reg. Himal.  
*depauperata*, Boiss. Diagn. Ser. I. iv. 68 = variegata.  
*deserti*, Delile, Fl. Egypte, 240. t. 33. f. 1. — Aegypt.; Arab.; Persia.  
*digitalifolia*, Richt. ex Stapf, in Denkschr. Akad. Wien, l. (1885) 23. — Persia.  
*divaricata*, Ledeb. Ind. Sem. Hort. Dorpat. (1822) 17. — Reg. Caucas.  
*Durandii*, Boiss. & Reut. Pugill. Pl. Nov. (1852) 91. — Maroc.  
*ebulifolia*, Bieb. Fl. Taur.-Cauc. ii. 77 = orientalis.  
*ebulifolia*, Hoffm. & Link, Fl. Port. i. 270 = sublyrata.  
*Edgeworthii*, Benth. in DC. Prod. x. 304. — Reg. Himal.  
*Ehrhartii*, Stevens, in Ann. Nat. Hist. Ser. I. v. (1840) 3 = alata, Gilib.  
*elatiar*, Benth. in Wall. Cat. n. 3921. — Reg. Himal.  
*elongata*, Webb, ex A. DC. in DC. Prod. x. 593. — Ins. Canar.  
*expansa*, Reut. ex Boiss. Fl. Orient. iv. 413 = xanthoglossa.  
*farinosa*, Boiss. Diagn. Ser. I. iii. 40. — Persia.  
*ficifolia*, Pritz. Ic. Ind. i. 1010, sphalm. = seq.  
*filicifolia*, Mill. Gard. Dict. ed. VIII. n. 10. — Graecia.  
*filicifolia*, Sibth. & Sm. Fl. Graec. vi. 79. t. 600 = lucida.  
*floribunda*, Boiss. & Bal. Diagn. Ser. II. iii. 158 = canina.  
*fluminensis*, Vell. Fl. Flum. 263; vi. t. 87 = Alectra brasiliensis.  
*foetida*, Wydl. in Mém. Soc. Phys. Nat. Genève. vi. (1828) 154. — Hab. ?  
*foliosa*, Pomel, Nouv. Mat. Fl. Atl. 101 = laevigata.  
*fontana*, Kotschy, ex Boiss. Fl. Orient. iv. 396 = Scopoli.  
*frigida*, Boiss. Diagn. Ser. I. vii. 42. — Persia.  
*frutescens*, DC. Fl. Fr. iii. 729 = ramosissima.  
*frutescens*, Linn. Sp. Pl. 621. — Reg. Mediterr.  
*frutescens*, Sibth. & Sm. Fl. Graec. Prod. i. 437 = laciniata.  
*geminiflora*, Lam. Fl. Fr. ii. 336 = peregrina.  
*georgica*, Benth. in DC. Prod. x. 305 = divaricata.  
*glabrata*, Ait. Hort. Kew. ed. I. ii. 341. — Ins. Canar.  
*glabrata*, Schimp. ex Benth. in DC. Prod. x. 309 = auriculata.  
*glabrata*, Spreng. Syst. ii. 784 = nepetaefolia.  
*glandulifera*, Clarke, Trav. i. ed. II. App. p. xxi = Scopoli.

## SCROPHULARIA:—

- glandulosa*, Waldst. & Kit. Pl. Rar. Hung. ii. 238. t. 214 = Scopoli.  
*glauca*, Decne. ex Benth. in DC. Prod. x. 310. — Persia.  
*glauca*, Sibth. & Sm. Fl. Graec. vi. 78. t. 599 = lucida.  
*Gmelini*, Turcz. ex Benth. in DC. Prod. x. 311 = incisa.  
*grandidentata*, Tenore, Fl. Neap. Suppl. ii. 69 = Scopoli.  
*grandiflora*, DC. Cat. Hort. Monsp. 143 = sambucifolia.  
*grandifolia*, C. Koch, in Linnaea, xxii. (1849) 707. — Banat.  
*Grenieri*, Reut. ex Willk. & Lange, Prod. Fl. Hisp. ii. 554. — Hispan.  
*Griffithii*, Benth. in DC. Prod. x. 312 = lucida.  
*Gussonei*, Nym. Consp. 534 = frutescens.  
*haematantha*, Boiss. & Heldr. ex Boiss. Fl. Orient. iv. 415. — As. Min.  
*Halleri*, Gueldenst. ex Ledeb. Fl. Ross. iii. 219 = nodosa.  
*hastata*, Rafin. Fl. Ludov. 44. — Am. bor.  
*Heldreichii*, Boiss. Diagn. Ser. II. iii. 158. — As. Min.  
*hemschinica*, C. Koch, in Linnaea, xxii. (1849) 708 = nodosa.  
*Herminii*, Hoffm. & Link, Fl. Port. i. 266. t. 53. — Lusitan.  
*heterophylla*, Sibth. & Sm. Fl. Graec. vii. 2. t. 603 = laciniata.  
*heterophylla*, Willd. Sp. Pl. iii. 274. — Graecia.  
*heucheraeflora*, Schrenk, Enum. Pl. Nov. i. 25. — Soongar.  
*hierochuntina*, Boiss. Diagn. Ser. I. xii. 35 = Michoniana.  
*himalensis*, Royle, ex Benth. Scroph. Ind. 18. — Reg. Himal.  
*hirsuta*, Hornem. Hort. Hafn. Suppl. 68 = Scopoli.  
*hirta*, Lowe, in Trans. Camb. Phil. Soc. iv. (1831) 21. — Ins. Mader.  
*hispanica*, Coss. Notes Crit. 124 = sciaphila.  
*hispida*, Desf. Fl. Atlant. ii. 55. — Afr. bor.  
*hispidula*, Boiss. & Bal. Diagn. Ser. II. vi. 157 = xanthoglossa.  
*Hoppii*, Koch, in Mert. & Koch, Deutschl. Fl. ii. 410. — Carniol.; Ital.  
*humifusa*, Timb. ex Nym. Consp. 534 = canina.  
*humilis*, Desf. Cat. Hort. Par. ed. III. 396. — Hab. ?  
*hypericifolia*, Wydl. in Mém. Soc. Phys. Genève. iv. (1828) 166. t. 5. — Mesopot.  
*hyssopifolia*, Boiss. & Haussk. ex Boiss. Fl. Orient. iv. 418. — As. Min.  
*ilwensis*, C. Koch, in Linnaea, xvii. (1843) 284. — As. Min.  
*incisa*, C. Koch, ex Boiss. Fl. Orient. iv. 418 = variegata.  
*incisa*, Weim. Ind. Sem. Hort. Dorpat. (1810) 136. — Sibir.  
*italica*, Mill. Gard. Dict. ed. VIII. n. 6 = nodosa.  
*juncea*, Richt. ex Stapf, in Denkschr. Akad. Wien, l. (1885) 24. — Persia.  
*juratensis*, Schleich. ex Wydl. in Mém. Soc. Phys. Genève. iv. (1828) 164 = Hoppii.  
*kakudensis*, Franch. in Bull. Soc. Bot. Fr. xxvi. (1879) 87. — Japon.  
*Kotschyana*, Benth. in DC. Prod. x. 303. — As. Min.  
*Kotschyi*, Hook. f. & Thoms. ex Hook. f. Fl. Brit. Ind. iv. 256 = dentata.  
*lacera*, Fisch. Hort. Gorenk. ed. II. (1812) 24, nomen. — Hab. ?  
*laciniata*, C. Koch, in Linnaea, xxiii. (1850) 710 = variegata.  
*laciniata*, Waldst. & Kit. Pl. Rar. Hung. ii. 185. t. 170. — Europ. austr.  
*laevigata*, Vahl, Symb. Bot. ii. 67. — Afr. bor.  
*lanata*, Fisch. ex A. DC. in DC. Prod. x. 593, nomen. — Sibir.  
*lanceolata*, Pursh, Fl. Am. Sept. ii. 419 = nodosa.  
*lancifolia*, Presl, Fl. Sic. i. p. xxxv. — Sicil.  
*Langeana*, Bolle, in Verh. Zool.-Bot. Ges. Wien, xi. (1861) 196. — Ins. Canar.  
*lasiocaulis*, Schur, Enum. Pl. Transs. 486 = rupestris.  
*lateriflora*, Trautv. in Bull. Acad. Pétersb. x. (1866) 396. — Reg. Caucas.  
*latifolia*, Host, Fl. Austr. ii. 206 = vernalis.  
*laxa*, Boiss. & Heldr. Diagn. Ser. II. iii. 154. — Graecia.

## SCROPHULARIA:—

- laxiflora*, Lange, in Kjoeb. Vidensk. Meddel. (1877-78) 231 = nodosa.  
*lazica*, Boiss. & Bal. ex Boiss. Fl. Orient. iv. 409 = olympica.  
*lepidota*, Boiss. Diagn. Ser. I. iv. 71. — As. Min.  
*leucoclada*, Bunge, in Mém. Sav. Etr. Pétersb. vii. (1851) 424. — Turkestan.  
*libanotica*, Boiss. Diagn. Ser. I. xii. 36 = variegata.  
*livida*, Heldr. ex Nym. Consp. 534 = lucida.  
*livida*, Sibth. & Sm. Fl. Graec. Prod. i. 437 = sphaerocarpa.  
*longiflora*, Benth. in DC. Prod. x. 313 = farinosa.  
*longifolia*, Benth. l. c. 309. — Ins. Mader.  
*lucida*, Bieb. Fl. Taur. Cauc. ii. 78 = rutaefolia.  
*lucida*, Cav. ex Willk. & Lange, Prod. Fl. Hisp. ii. 554 = crithmifolia.  
*lucida*, Linn. Syst. ed. X. 1114. — Europ. austr.; As. occ.; Reg. Himal.  
*lucida*, Pall. ex Bieb. Fl. Taur. Cauc. ii. 78, in syn. = canina.  
*lunariaefolia*, Boiss. & Bal. ex Boiss. Fl. Orient. iv. 390. — As. Min.  
*luridiflora*, Fisch. & Mey. Ind. Sem. Hort. Petrop. v. 40. — Anatolia.  
*lutea*, S. F. Gray, Nat. Arr. Brit. Pl. ii. 320 = vernalis.  
*lyrata*, Willd. Enum. Hort. Berol. 645 = auriculata.  
*macrobotrys*, Ledeb. Fl. Ross. iii. 217 = nodosa.  
*macrophylla*, Boiss. Diagn. Ser. I. xii. 32. — Syria.  
*mandshurica*, Maxim. in Bull. Soc. Nat. Mosc. liv. (1879) i. 35. — China.  
*marginata*, Boiss. Diagn. Ser. I. iv. 72. — Persia.  
*marilandica*, Linn. Sp. Pl. 619 = nodosa.  
*marylandica*, Georgi, Besch. Russ. Reich. III. iv. 1108 = altaica.  
*melissaefolia*, Salisb. Prod. 100 = S. Scrodonia.  
*melissaefolia*, Urv. in Mém. Soc. Linn. Par. i. (1822) 331 = Scopoli.  
*mellifera*, Ait. Hort. Kew. ed. I. ii. 343 = sambucifolia.  
*mellifera*, Loisel. ex Nym. Consp. 532 = trifoliata.  
*meridionalis*, Linn. f. Suppl. 280 = Alonsoa caulialata.  
*meridionalis*, Presl, Fl. Sic. i. p. xxxv = peregrina.  
*mesogitana*, Boiss. Fl. Orient. iv. 407. — Lydia.  
*mesopotamica*, Boiss. Diagn. Ser. I. xii. 34. — Mesopot.  
*Michoniana*, Coss. & Kral. Cat. Pl. Syr. et Palest. 13. — Syria.  
*micrantha*, Desv. ex Ham. Prod. Fl. Ind. Occ. 47 (Quid ?). — Ins. S. Doming.  
*micrantha*, Urv. in Mém. Soc. Linn. Par. i. (1822) 331 = heterophylla.  
*minima*, Benth. in DC. Prod. x. 303 = chrysantha.  
*minima*, Bieb. Fl. Taur. Cauc. ii. 79. — Reg. Caucas.  
*minor*, Savi, Fl. Pisan. ii. 81 = peregrina.  
*Moellendorffi*, Maxim. in Bull. Acad. Pétersb. xxvi. (1880) 501. — China.  
*multicaulis*, Turcz. in Bull. Soc. Nat. Mosc. (1840) 76. — Sibir.  
*multifida*, Lam. Fl. Fr. ii. 336 = canina.  
*multifida*, Willd. Enum. Hort. Berol. 646 = laciniata.  
*murcica*, Guir. ex Willk. in Linnaea, xxx. (1859-60) 136 = sciaphila.  
*myriophylla*, Boiss. & Heldr. Diagn. Ser. I. xii. 39. — As. Min.  
*Neesii*, Wirtg. in Verh. Nat. Ver. Rheinl. i. (1844) 29 = aquatica.  
*nepetaefolia*, Boiss. & Heldr. ex Boiss. Fl. Orient. iv. 407 = catariaefolia.  
*nepetaefolia*, Presl, Delic. Prag. 73 (nepethaefolia). — Hispan.  
*nepetaefolia*, Sm. in Rees, Cyclop. xxxii. n. 7 = Scopoli.  
*nervosa*, Benth. in DC. Prod. x. 303. — Persia.  
*nitida*, Richt. ex Stapf, in Denkschr. Akad. Wien. l. (1885) 24. — Persia.  
*nodosa*, Linn. Sp. Pl. 619. — Reg. bor. temp.  
*nudicaulis*, Wydl. in Mém. Soc. Phys. Genève. iv. (1828) 168 = Celsia persica.  
*obliqua*, Megg. Kanitz & Knapp, in Verh. Zool.-Bot. Ges. Wien, xvi. (1866) 125. — Austria.  
*oblongifolia*, Loisel. in Mém. Soc. Linn. Par. vi. (1827) 418. — Ins. Corsic.  
*obtus*, Edgew. ex Hook. f. Fl. Brit. Ind. iv. 254. — Reg. Himal.  
*obtusifolia*, Kit. ex A. DC. in DC. Prod. x. 593, nomen. — Hungar.  
*Oldhami*, Oliver, in Journ. Linn. Soc. ix. (1867) 167. — Japon.  
*oligantha*, Boiss. & Heldr. Diagn. Ser. I. xii. 33 = Scopoli.

## SCROPHULARIA :—

- Oliveriana*, C. Koch, in Linnaea, xxii. (1849) 709 = olympica.
- Olivieri*, Jaub. & Spach, Illustr. iii. 29. t. 222 = nervosa.
- Olivieriana*, Wydl. in Mém. Soc. Phys. Genève. iv. (1828) 159 = heterophylla.
- olympica, Boiss. Diagn. Ser. I. iv. 69.—As. Min.
- orientalis, Boiss. Fl. Orient. iv. 393 = Boissieriana.
- orientalis, Ehrenb. ex Boiss. l. c. 413 = xanthoglossa.
- orientalis, Habl. Phys. Desc. Taur. 164 = rupestris.
- orientalis, Linn. Sp. Pl. 620.—As. Min. et bor.
- oxysepala, Boiss. Fl. Orient. iv. 398.—Persia.
- pallida, Fisch. ex Sweet, Hort. Brit. ed. II. 392; A. DC. in DC. Prod. x. 593, nomen.—Reg. Caucas.
- paniculata, Seenus, Reise Istrien, 67 = peregrina.
- Pantosekii, Griseb. ex Pantöc. in Oest. Bot. Zeitschr. xxiii. (1873) 267 = Scopolii.
- papillaris, Boiss. & Reut. Pugill. Pl. Nov. (1852) 90 = S. Scorodonia.
- Patriniana, Wydl. in Mém. Soc. Phys. Genève. iv. (1828) 159 = incisa.
- pauciflora, Benth. Scroph. Ind. 17.—Reg. Himal.
- pellucida, Pomel, Nouv. Mat. Fl. Atl. 101 = laevigata.
- peregrina, Linn. Sp. Pl. 621.—Reg. Mediterr.
- persica, Benth. in DC. Prod. x. 314 = subaphylla, xanthoglossa, variegata.
- petraea, Aitch. & Hemsl. in Journ. Linn. Soc. xix. (1882) 180.—Afghan.
- physalodes, Moç. & Sesse, ex D. Don, in Trans. Linn. Soc. xv. (1827) 353 = Melasma hispidum.
- Pinardi, Boiss. Diagn. Ser. I. iv. 70.—As. Min.
- pinnata, Kar. & Kir. in Bull. Soc. Nat. Mosc. (1841) 719.—Sibir.
- pinnata, Mill. Gard. Dict. ed. VIII. n. 15 = canina.
- pinnatifida, Brot. Fl. Lusit. i. 202 = canina.
- pinnatifida, Guss. Fl. Sic. Syn. ii. i. 129 = frutescens.
- pisidica, Boiss. & Heldr. Diagn. Ser. I. xii. 33 = alata, Gilib.
- polyantha, Royle, ex Benth. Scroph. Ind. 18.—Reg. Himal.
- polybotrys, Boiss. Diagn. Ser. I. xii. 32.—Persia.
- prasiifolia, Boiss. & Haussk. ex Boiss. Fl. Orient. iv. 416.—Persia.
- procumbens, Vell. Fl. Flum. 264; vi. t. 89 = Herpestis lanigera.
- pruinosa, Boiss. Diagn. Ser. I. xii. 38.—Persia.
- puberula, Boiss. & Haussk. ex Boiss. Fl. Orient. iv. 396 = Scopolii.
- puberula, Boiss. l. c. 418.—Persia.
- pubescens, Hort. ex Sweet, Hort. Brit. ed. II. 392 = canina.
- pulverulenta, Boiss. & Noé, Diagn. Ser. II. iii. 155.—As. Min.
- pulverulenta, Fanka, in Termész. Füzetek, iv. (1880) 309.—Europ. austr. occ.
- pumila, Adams, ex Ledeb. Fl. Ross. iii. 215 = minima.
- pyramidalis, Wydl. in Mém. Soc. Phys. Genève. iv. (1828) 165 = canina.
- pyrenaica, Benth. in DC. Prod. x. 306.—Mont. Pyren.
- pyrrolopha, Boiss. Fl. Orient. iv. 409 = olympica.
- racemosa, Lowe, in Trans. Camb. Phil. Soc. iv. (1831) 20.—Ins. Mader.
- ramosissima, C. Koch, in Linnaea, xvii. (1843) 285 = variegata.
- ramosissima, Loisel. Fl. Gall. ed. II. ii. 381.—Ins. Corsic.
- ramosissima, Urv. in Mém. Soc. Linn. Par. i. (1822) 331 = canina.
- revularis, Moris, Stirp. Sard. Elench. App. 8 = aquatica.
- rostrata, Boiss. & Buhse, in Nouv. Mém. Soc. Nat. Mosc. xii. (1860) 163.—Persia.
- rostrata, Hochst. ex Boiss. Fl. Orient. iv. 395 = arguta.
- rotundifolia, Host, ex Schur, Enum. Pl. Transs. 486 = vernalis.
- rubricaulis, Boiss. Diagn. Ser. I. xii. 34 = Michoniana.
- rugosa, Hort. Lugd. ex Wydl. in Mém. Soc. Phys. Genève. iv. (1828) 151 = betonicifolia.
- rugosa, Willd. Enum. Hort. Berol. Suppl. 42 = Scopolii.
- rupestris, Bieb. ex Willd. Sp. Pl. iii. 274.—Reg. Caucas.
- Ruprechtii, Boiss. Fl. Orient. iv. 410.—Reg. Caucas.
- rutaeifolia, Boiss. l. c. 404.—Reg. Caucas.
- Samaritanii, Boiss. & Heldr. ex Boiss. l. c. 400 = aquatica.

## SCROPHULARIA :—

- sambucifolia, Fisch. Ind. Sem. Hort. Petrop. viii. 70 = trifoliata.
- sambucifolia, Linn. Sp. Pl. 620.—Reg. Medit. occ.
- saxatilis, Boeb. ex Ledeb. Fl. Ross. iii. 221 = rupestris.
- scabiosaefolia, Benth. in DC. Prod. x. 311.—Reg. Himal.; Afghan.
- scariosa, Boiss. Diagn. Ser. I. iv. 67.—Syria.
- Schousboei, Lange, in Willk. & Lange, Prod. Fl. Hisp. ii. 553.—Hispan.
- sciaphila, Willk. in Bot. Zeit. viii. (1850) 77.—Hispan.
- Skellii, Spreng. Syst. ii. 783 = nodosa.
- Scopolii, Loisel. Not. Pl. Fr. 95; DC. Fl. Fr. Suppl. 406 = alpestris.
- Scopolii, Hoppe, ex Pers. Syn. ii. 160.—Europ. or.; As. Min.; Reg. Himal.
- Scorodonia, Host, Fl. Austr. ii. 214 = Scopolii.
- Scorodonia, Linn. Sp. Pl. 620.—Europ.; As. et Afr. bor.
- scorodonifolia, S. F. Gray, Nat. Arr. Brit. Pl. ii. 320 = S. Scorodonia.
- sexangularis, Moench, Meth. 445 = peregrina.
- Sibthorpiana, Spreng. Syst. ii. 786 = laciniata.
- silaeifolia, Clarke, Trav. ii. 261 = laciniata.
- sinaica, Benth. in DC. Prod. x. 314 = deserti.
- sinensis, J. F. Gmel. Syst. 938 = chinensis.
- Skellii, Walp. Rep. iii. 177, lapsu = Skellii.
- Smithii, Hornem. Hort. Hafn. Suppl. 68.—Ins. Canar.
- smyrnaea, Boiss. Diagn. Ser. I. iv. 66 = Scopolii.
- sphaerantha, Trautv. ex Becker, in Bull. Soc. Nat. Mosc. xlviii. (1874) i. 213, nomen.—Reg. Caucas.
- sphaerocarpa, Boiss. & Reut. Diagn. Ser. II. iii. 158, in textu.—As. Min.; Syria.
- Stelleri, Ledeb. in Denkschr. Bot. Ges. Regensb. iii. (1841) 98 = multicaulis.
- Stelleriana, Steud. Nom. ed. II. ii. 548 = multicaulis.
- striata, Boiss. Fl. Orient. iv. 413.—Persia.
- subaphylla, Boiss. Diagn. Ser. I. vii. 41.—Persia.
- subcrispa, Pomel, Nouv. Mat. Fl. Atl. 102 = hispida.
- subhastata, Vell. Fl. Flum. 264; vi. t. 88 = Stemodia subhastata.
- sublyrata, Brot. Phyt. Lusit. ii. 156.—Lusitan.
- subverticillata, Moris, Stirp. Sard. Elench. App. 8 = auriculata.
- suffruticans, Pall. ex Steud. Nom. ed. I. 756 = tana-cetifolia.
- sulphurea, Mill. Gard. Dict. ed. VIII. n. 13 = auriculata.
- sylvatica, Boiss. & Heldr. Diagn. Ser. II. iii. 153.—Graecia.
- syriaca, Benth. in DC. Prod. x. 316.—Palaestina.
- tagetifolia, Boiss. & Haussk. ex Boiss. Fl. Orient. iv. 401.—Syria.
- tanacetifolia, Willd. Hort. Berol. t. 56.—Am. bor.
- taurica, Hort. ex Schur, Enum. Pl. Transs. 485 = Scopolii.
- taygetea, Boiss. Diagn. Ser. I. iv. 68.—Graecia.
- tenuipes, Coss. & Dur. in Bull. Soc. Bot. Fr. ix. (1862) 175.—Algeria.
- tenuisecta, Jord. ex Nym. Consp. 534 = canina.
- ternata, Schur, in Verh. Siebenb. Ver. Naturw. iv. (1853) 53 = nodosa.
- thesioides, Boiss. & Buhse, in Nouv. Mém. Soc. Nat. Mosc. xii. (1860) 164.—Armenia.
- Tinantii, Dum. in Bull. Soc. Bot. Belg. xiv. (1875) 110 = S. Scorodonia.
- tmolea, Boiss. Diagn. Ser. I. iv. 66 = Scopolii.
- trichopoda, Boiss. & Bal. l. c. Ser. II. iii. 156.—Cilicia.
- trifoliata, Desf. Fl. Atlant. ii. 54 = laevigata.
- trifoliata, Hoffmgg. & Link, Fl. Port. i. 267 = auriculata.
- trifoliata, Linn. Syst. ed. X. 1114.—Reg. Mediterr.
- umbrosa, Dum. Prod. Fl. Belg. 37 = aquatica.
- umbrosa, Salz. ex Benth. in DC. Prod. x. 309 = auriculata.
- uniflora, Richt. in Denkschr. Akad. Wien, l. (1885) 90.—Lycia.
- urticifolia, Wall. Cat. n. 3922.—Reg. Himal.
- Urvillaei, Walp. Ann. v. 624 = seq.
- Urvilleana, Decne. in Ann. Sc. Nat. Sér. II. ii. (1834) 252 = variegata.
- Urvilleana, Wydl. in Mém. Soc. Phys. Genève. iv. (1828) 160 = heterophylla.
- valentina, Rouy, in Bull. Soc. Bot. Fr. xxix. (1882) 124.—Hispan.
- varia, Bieb. Tabl. Casp. 58 (an seq.?).—Reg. Casp.

## SCROPHULARIA :—

- variegata, Bieb. Besch. Casp. 177, App. n. 48; et Fl. Taur. Cauc. ii. 78.—As. Min.; Reg. Himal.
- variegata, Reichb. ex Nym. Consp. 534 = laciniata.
- verbenaeifolia, Desf. Tabl. ed. II. 77 = caesia.
- verna, Mill. Gard. Dict. ed. VIII. n. 13 = vernalis.
- vernalis, Bieb. Fl. Taur. Cauc. ii. 76 = chrysantha.
- vernalis, Lapeyr. Hist. Abr. Pl. Pyr. 356 = pyrenaica.
- vernalis, Linn. Sp. Pl. 620.—Europ.
- versicolor, Boiss. Diagn. Ser. II. iii. 155.—Armenia.
- verticillata, Moris, Stirp. Sard. Elench. App. 7.—Ins. Sardo.
- viridiflora, Poir. Voy. Barb. ii. 194 = sambucifolia.
- viscosa, Boiss. Fl. Orient. iv. 391 = Kotschyana.
- Wirtgenii, Koch, ex Opiz, Seznam, 90 = nodosa?
- xanthoglossa, Boiss. Diagn. Ser. I. xii. 38.—As. Min.; Syria.
- xyloirrhiza, Boiss. & Haussk. ex Boiss. Fl. Orient. iv. 406.—Syria; Mesopot.

SCROPHULARIOIDES, Forst. f. Prod. 91 (1786) = **Premna**, Linn. (Verben.).

arborea, Forst. f. l. c. = P. taitensis.

SCUBALIA, Noronha, in Verh. Batav. Gen. v. (1790) ed. I. Art. iv. 3 (Quid?).

SCULERIA, Rafin. Fl. Tellur. ii. 51 (1836) = **Vancouveria**, Decne. (Berber.).

geminata, Rafin. l. c. = V. hexandra.

SCURIA, Rafin. in Journ. Phys. lxxxix. (1819) 106 = **Carex**, Dill. (Cyperac.).

SCURRULA, Linn. Sp. Pl. ed. I. 110 (1753) = **Loranthus**, Linn.

amplexifolia, G. Don, Gen. Syst. iii. 424 = L. longiflorus.

Belvisii, G. Don, l. c. 423 = L. lanceolatus.

bicolor, G. Don, l. c. 424 = L. longiflorus.

biflora, G. Don, l. c. 422 = L. Scurrula?

bracteata, G. Don, l. c. 425 = L. bracteatus.

budleioides, G. Don, l. c. 422 = L. Scurrula.

canescens, G. Don, l. c. 423 = L. canescens.

chinensis, G. Don, l. c. 421 = L. chinensis.

cinerea, Rafin. Sylva Tellur. 159 = L. canescens?

clavata, G. Don, Gen. Syst. iii. 423 = L. clavatus.

cordifolia, G. Don, l. c. 421 = L. cordifolius.

Corynitis, G. Don, l. c. 422 = L. Corynitis.

curvata, G. Don, l. c. 425 = L. curvatus.

cylindrica, G. Don, l. c. 424 = L. cylindricus.

dodoneaeifolia, G. Don, l. c. 423 = L. dodoneaeifolius.

elastica, G. Don, l. c. 425 = L. elasticus.

elegans, G. Don, l. c. 424 = L. elegans, Wall.

elliptica, Rafin. Sylva Tellur. 125 = L. tetrapetalus.

falcata, G. Don, Gen. Syst. iii. 424 = L. longiflorus.

fasciculata, G. Don, l. c. 421 = L. fasciculatus.

fusca, G. Don, l. c. = L. fuscus.

glaucous, G. Don, l. c. 423 = L. glaucus.

goodeniaefolia, G. Don, l. c. 425 = L. cuneatus.

Haenkeana, G. Don, l. c. 423 = L. Haenkeanus.

heterantha, G. Don, l. c. 424 = L. heteranthus.

incarnata, G. Don, l. c. 423 = L. incarnatus.

indica, G. Don, l. c. 424 = L. longiflorus?

Koenigiana, G. Don, l. c. 425 = L. longiflorus.

laevigata, G. Don, l. c. 422 = L. Scurrula.

lepidota, G. Don, l. c. = L. lepidotus.

lobeliaeflora, G. Don, l. c. 425 = L. cuneatus.

longiflora, G. Don, l. c. 423 = L. longiflorus.

malifolia, G. Don, l. c. = L. malifolius.

obovata, G. Don, l. c. 422 = L. Scurrula.

oleaeifolia, G. Don, l. c. 423 = L. oleaeifolius.

parasitica, Linn. Sp. Pl. 110 = L. Scurrula.

Pentagonia, G. Don, Gen. Syst. iii. 423 = L. Pentagonia.

pentandra, G. Don, l. c. 424 = L. pentandrus.

philippensis, G. Don, l. c. 422 = L. philippensis.

praelonga, G. Don, l. c. 425 = L. praelongus.

pulverulenta, G. Don, l. c. 421 = L. pulverulentus.

Reinwardtiana, G. Don, l. c. 425 = L. Reinwardtiana.

Roxburghii, G. Don, l. c. 421 = L. Scurrula.

rufescens, G. Don, l. c. 422 = L. rufescens.

rufidula, G. Don, l. c. = L. Scurrula.

rugulosa, G. Don, l. c. = L. rugulosus.

sessilifolia, G. Don, l. c. = L. sessilifolius.

Thonningii, G. Don, l. c. = L. Thonningii.

turbinata, G. Don, l. c. 424 = L. turbinatus.

## SCURRULA:—

- umbellata*, Rafin. Sylva Tellur. 125 = *Loranthus tetrandrus*.  
*umbellifera*, G. Don, Gen. Syst. iii. 421 = *L. umbellifer*.  
*venosa*, G. Don, l. c. 424 = *L. venosus*.  
*vestita*, G. Don, l. c. 422 = *L. vestitus*, Wall.

## SCUTELLARIA, Riv. ex Linn. Syst. ed. I (1735).

- LABIATAE*, Benth. & Hook. f. ii. 1201.  
 CASSIDA, Moench, Meth. 413 (1794).  
 HASTIFOLIA, Ehrh. Beitr. iv. 148 (1789).  
*Adamsii*, A. Ham. Monog. Scutell. 34. t. 2. f. 3 = *baicalensis*.  
*Adamsii*, Spreng. Syst. ii. 701 = *scordiifolia*.  
*adenophylla*, Miq. in Journ. Bot. Néerl. i. (1861) 117. —China.  
*adenotricha*, Boiss. & Heldr. ex Boiss. Fl. Orient. iv. 688 = *peregrina*.  
*africana*, Hochst. ex Benth. in DC. Prod. xii. 420 = *peregrina*.  
*agrestis*, A. St. Hil. ex Benth. Lab. Gen. et Sp. 427. —Bras.  
*albida*, Benth. in DC. Prod. xii. 420 = *alpina*.  
*albida*, Linn. Mant. ii. 248. —Europ. or.; Oriens.  
*albo-rosea*, Lem. Illustr. Hort. xvi. (1869) t. 584. —Bras.  
*alpina*, Linn. Sp. Pl. 599. —Europ.; As. bor.  
*altaica*, Ledeb. ex Spreng. f. Tent. Suppl. Syst. 16 = *alpina*.  
*altissima*, A. Ham. Monog. Scutell. 48 = *Columnnae*.  
*altissima*, Linn. Sp. Pl. 600. —Europ. austr.; Reg. Caucas.  
*amaranthina*, Linden, ex Galeotti, in Journ. Hort. Prat. Sér. II. ii. 217. t. 19. f. 2. —N. Granat.  
*ambigua*, Nutt. Gen. Am. ii. 37 = *parvula*.  
*angulosa*, Benth. in Wall. Pl. As. Rar. i. 67. —Reg. Himal.  
*angustifolia*, Adams, ex Benth. in DC. Prod. xii. 424, in nota = *cordifolia*.  
*angustifolia*, Pursh, Fl. Am. Sept. ii. 412. —Am. bor. occ.  
*antirrhinoides*, Benth. in Bot. Reg. sub t. 1493. n. 35. —Am. bor. occ.  
*arabica*, Faub. & Spach, Illustr. iv. 114. t. 376. —Arab.  
*arguta*, Buckl. in Am. Journ. Sc. Ser. I. xlv. (1843) 175 = *saxatilis*.  
*arguta*, Soland. ex Coss. Notes Pl. Nouv. 172. —Hispan.  
*atriplicifolia*, Benth. in Bot. Reg. sub t. 1493. n. 8. —Peruv.  
*aurata*, Lem. Illustr. Hort. x. (1863) t. 368. —Bras.  
*baicalensis*, Georgi, Reise, i. 223. —Sibir.; As. or.  
*balearica*, Barc. in Anal. Soc. Esp. Hist. Nat. vi. (1877) 399. —Ins. Balear.  
*barbata*, D. Don, Prod. Fl. Nep. 109 = *rivularis*.  
*bicolor*, Hochst. in Lorent, Wanderungen, 333 = *orientalis*.  
*Bolanderi*, A. Gray, in Proc. Am. Akad. vii. (1868) 387. —Calif.  
*bonariensis*, Willd. ex Benth. in Linnaea, xi. (1837) 345 = *rumicifolia*.  
*brevibracteata*, Stapf, in Denkschr. Akad. Wien, 1. (1885) 99. —Lycia.  
*breviflora*, Benth. in Bot. Reg. sub t. 1493. n. 7. —Peruv.  
*breviflora*, Turcz. ex Benth. Lab. Gen. et Sp. 439 = *minor*.  
*brevifolia*, A. Gray, Syn. Fl. N. Am. ii. i. 380. —Texas.  
*californica*, A. Gray, l. c. 381. —Calif.  
*cana*, Wall. Pl. As. Rar. i. 67 = *repens*.  
*canescens*, Nutt. Gen. Am. ii. 38. —Am. bor.  
*cardiophylla*, Engelm. & Gray, in Bost. Journ. Nat. Hist. v. (1845) 227. —Am. bor. occ.  
*caroliniana*, Lam. Encyc. vii. 706 = *integrifolia*.  
*caroliniana*, Walt. Fl. Carol. 163 = *pilosa*, Michx.  
*caucasica*, A. Ham. in Ser. Bull. Bot. (1832) 282 = *orientalis*.  
*celtidifolia*, A. Ham. Monog. Scutell. 27 = *angulosa*.  
*Chamaedrys*, Shuttl. ex Benth. in DC. Prod. xii. 422 = *saxatilis*.  
*chorassanica*, Bunge, Lab. Pers. 65. —Persia.  
*coccinea*, H. B. & K. Nov. Gen. et Sp. ii. 325. —N. Granat.  
*coerulea*, Moq. & Sesse, ex Benth. in Bot. Reg. sub t. 1493. n. 49. —Mexic.  
*Colebrookiana*, Wall. Pl. As. Rar. i. 67 = *violacea*.

## SCUTELLARIA:—

- Colebrookiana*, Zoll. & Mor. Syst. Verz. Zoll. 54 = *discolor*.  
*Columnnae*, All. Fl. Pedem. i. 40. t. 84. f. 2. —Europ. austr.  
*Columnnae*, Host, Fl. Austr. ii. 178 = *altissima*.  
*commutata*, Guss. Fl. Sic. Prod. ii. 136 = *altissima*.  
*compressa*, A. Ham. Monog. Scutell. 29 = *alpina*.  
*cordifolia*, Benth. in Hook. Bot. Mag. t. 4290 = *splendens*.  
*cordifolia*, Muhl. Cat. ex Benth. in DC. Prod. xii. 422 = *versicolor*.  
*cordifolia*, Walp. Rep. iii. 757, sphalm. = *scordiifolia*.  
*costaricana*, H. Wendl. in Hamb. Gartenz. xix. (1863) 29. —Costa Rica.  
*cretacea*, Boiss. & Haussk. ex Boiss. Fl. Orient. iv. 685. —Mesopot.  
*cretica*, Linn. Sp. Pl. 600 = *Teucrium lamiifolium*.  
*cretica*, Mill. Gard. Dict. ed. VIII. n. 2 = *albida*.  
*cubensis*, A. Rich. Fl. Cub. Fanerog. ii. 158. —Cuba.  
*cumanensis*, H. B. & K. Nov. Gen. et Sp. ii. 325. —Venezuela.  
*cuneata*, Willd. ex Benth. in Linnaea, xi. (1837) 345 = *pilosa*, Michx.  
*cyrtopoda*, Miq. Fl. Ind. Bot. ii. 973. —Java.  
*daurica*, Pall. ex Ledeb. Fl. Ross. iii. 397 = *baicalensis*.  
*decumbens*, Sieber, ex Reichb. Fl. Germ. Excurs. 332 = *albida*.  
*decumbens*, Sieber, ex Spreng. Syst. ii. 702 = *hirta*.  
*deltoidea*, Rafin. Fl. Ludov. 43 (Quid?). —Am. bor.  
*dependens*, Maxim. Prim. Fl. Amur. 219. —Japon.  
*depressa*, Fisch. ex Ledeb. Fl. Ross. iii. 398 = *scordiifolia*.  
*diffusa*, Benth. in DC. Prod. xii. 421. —As. Min.; Syria.  
*discolor*, Colebr. in Wall. Pl. As. Rar. i. 66. —Ind. or.; Burma; Java.  
*Drummondii*, Benth. Lab. Gen. et Sp. 441. —Mexic.; Texas.  
*dumetorum*, Schlecht. in Linnaea, vii. (1832) 400. —Mexic.  
*elliptica*, Muhl. in Trans. Am. Phil. Soc. iii. (1793) 173, nomen = *pilosa*, Michx.  
*epilobiifolia*, A. Ham. Monog. Scutell. 32 = *galericulata*.  
*Felisberti*, Nees & Mart. in Nov. Act. Nat. Cur. xi. (1823) 77 = *purpurascens*.  
*filiacaulis*, Regel, Pl. Nov. Fedesch. 68. —Turkest.  
*floribunda*, Benth. in DC. Prod. xii. 418 = *violacea*.  
*floridana*, Chapm. Fl. S. U. St. 324. —Florida.  
*fruticosa*, Desf. Tabl. ed. I. 63. —Syria; Persia.  
*fruticosa*, Soyer-Willem. in Usteri, Ann. Bot. xviii. (1796) 42. —Ins. Maurit.  
*galericulata*, Linn. Sp. Pl. 599. —Reg. bor. temp.  
*gardoquioides*, Benth. in DC. Prod. xii. 430 = *Perilomia gardoquioides*.  
*glandulosa*, Hook. f. Fl. Brit. Ind. iv. 669. —Burma.  
*glechomoides*, Boiss. Diagn. Ser. I. xii. 67. —Persia.  
*glutinosa*, Benth. in DC. Prod. xii. 419. —Afghan.  
*gracilis*, Nutt. Gen. Am. ii. 37 = *nervosa*.  
*grandiflora*, Adam, ex Benth. in DC. Prod. xii. 424 = *baicalensis*.  
*grandiflora*, Sims, Bot. Mag. t. 635 = *orientalis*.  
*grossa*, Wall. Pl. As. Rar. i. 67. —Reg. Himal.  
*Guillelmi*, A. Gray, in Am. Ass. Adv. Sc. xxi. (1872) 25. —Am. bor.?  
*Gussonii*, Tenore, Fl. Nap. v. 29 = *Columnnae*.  
*Hartwegii*, Benth. Pl. Hartw. 244. —N. Granat.  
*hastaeifolia*, Tenore, ex Steud. Nom. ed. II. ii. 548 = *minor*.  
*hastata*, Rafin. Fl. Ludov. 44 (Quid?). —Am. bor.  
*hastifolia*, Linn. Sp. Pl. 599. —Europ.; Reg. Caucas.  
*Haussknechtii*, Boiss. Fl. Orient. iv. 684. —Armenia.  
*havanensis*, Jacq. Enum. Pl. Carib. 25. —Cuba.  
*hederacea*, Kunth & Bouché, Ind. Sem. Hort. Berol. (1845) 10 = *dependens*?  
*heterophylla*, Montbr. & Auch. ex Benth. in Ann. Sc. Nat. Sér. II. vi. (1836) 45. —Cilicia; Syria.  
*heterophylla*, Willd. ex Benth. in Linnaea, xi. (1837) 345 = *rumicifolia*.  
*heteropoda*, Miq. Fl. Ind. Bat. ii. 972 = *discolor*.  
*Heydei*, Hook. f. Fl. Brit. Ind. iv. 667. —Reg. Himal.  
*hirsuta*, Kit. ex Sadl. Fl. Pest. ii. 83 = *Columnnae*.  
*hirta*, Sibth. & Sm. Fl. Graec. vi. 66. t. 583. —Graecia; Ins. Creta; Cyprus.  
*hirta*, Sieber, ex Boiss. Fl. Orient. iv. 689 = *Sieberi*.

## SCUTELLARIA:—

- hirta*, Sieber, ex Reichb. Fl. Germ. Excurs. 332 = *albida*.  
*Horsfieldiana*, Miq. Fl. Ind. Bat. ii. 974. —Java.  
*humilis*, R. Br. Prod. 507. —Austral.  
*hyssopifolia*, Linn. Sp. Pl. 599 = *integrifolia*.  
*incana*, Spreng. Fl. Hal. Mant. 44 = *canescens*.  
*incarnata*, Vent. Choix Pl. 39. t. 39. —N. Granat.?  
*incurva*, Wall. Pl. As. Rar. i. 67. —Burma.  
*indica*, Blume, Bijdr. 839; D. Don, Prod. Fl. Nep. 109 = *discolor*.  
*indica*, Linn. Sp. Pl. 600. —Japon; China; Java.  
*indica*, Roxb. Hort. Beng. 45; Fl. Ind. iii. 24 = *violacea*.  
*integrifolia*, Linn. Sp. Pl. 599. —Am. bor.  
*integrifolia*, Pursh, Fl. Am. Sept. ii. 413 = *serrata*.  
*japonica*, Burm. f. Fl. Ind. 130 = *Plectranthus menthoides*.  
*japonica*, Morr. & Decne. in Ann. Sc. Nat. Sér. II. ii. (1834) 315 = *dependens*.  
*javanensis*, Jungh. Java, i. 662, in adnot. —Java.  
*khasiana*, C. B. Clarke, ex Hook. f. Fl. Brit. Ind. iv. 669. —Reg. Himal.  
*lanceolaria*, Miq. Ann. Mus. Bot. Lugd. Bat. ii. 110 = *baicalensis*.  
*lateriflora*, Linn. Sp. Pl. 598. —Am. bor.  
*Lehmanni*, Hort. —Cf. Gard. Chron. (1883) II. 726 (seq.?). —Ecuador.  
*Lehmanni*, Regel, Gartenfl. (1884) 129. t. 1152. —N. Granat.  
*leucodasys*, Miq. in Journ. Bot. Néerl. i. (1861) 116. —China.  
*Lindeniana*, Benth. in DC. Prod. xii. 421. —Venezuela.  
*linearis*, Benth. in Wall. Pl. As. Rar. i. 66. —Reg. Himal.; Afghan.  
*Linnaeana*, Caruel, in Parl. Fl. Ital. vi. 322. —Europ.; As. temp.; Abyss.  
*longifolia*, Benth. in Bot. Reg. sub t. 1493. n. 5. —Mexic.  
*lupulina*, Linn. Sp. Pl. 835 = *alpina*.  
*luridiflora*, Fisch. & Mey. ex Benth. in DC. Prod. xii. 431, err. typ. = *Scrophularia luridiflora*.  
*luzonica*, Rolfe, in Journ. Linn. Soc. xxi. (1884) 315. —Ins. Philipp.  
*macrantha*, Fisch. ex Reichb. Ic. Bot. v. 52. t. 488 = *baicalensis*.  
*malvaefolia*, H. B. & K. Nov. Gen. et Sp. ii. 324. —N. Granat.  
*microphylla*, Moq. & Sesse, ex Benth. in Bot. Reg. sub t. 1493. n. 43. —Mexic.  
*minor*, Huds. Fl. Angl. ed. I. 232. —Europ.; As. bor.  
*mississippiana*, Martens, in Bull. Acad. Brux. viii. i. (1841) 66 = *versicolor*.  
*Mociniana*, Benth. Lab. Gen. et Sp. 442. —Mexic.  
*mollis*, R. Br. Prod. 507. —Austral.  
*moutana*, Chapm. in Coult. Bot. Gaz. iii. (1878) 11. —Am. bor.  
*Moriciniana*, Carr. in Rev. Hort. (1872) 350, sphalm. = *Mociniana*.  
*mucida*, Stapf, in Denkschr. Akad. Wien, 1. (1885) 48. —Persia.  
*multicaulis*, Boiss. Diagn. Ser. I. vii. 61. —Persia; Afghan.  
*multiflora*, Benth. in Bot. Reg. sub t. 1493. n. 6. —Austral.  
*mussooriensis*, Wawra, in Oestr. Bot. Zeitschr. xxiii. (1873) 266 = *grossa*.  
*nana*, A. Gray, in Proc. Am. Acad. xi. (1876) 100. —Am. bor. occ.  
*nepetaefolia*, Benth. in DC. Prod. xii. 414 = *multicaulis*.  
*nervosa*, Pursh, Fl. Am. Sept. ii. 412. —Am. bor.  
*nigrescens*, Spreng. Syst. ii. 702 = *albida*.  
*nipponica*, Franch. & Sav. Enum. Pl. Jap. i. 377. —Japon.  
*nodulosa*, A. Ham. Monog. Scutell. 26 = *violacea*.  
*Novae-Zelandiae*, Hook. f. Fl. N. Zel. ii. 335. —N. Zel.  
*nummularia*, Fenzl, ex Boiss. Fl. Orient. iv. 687 = *diffusa*.  
*nummulariaefolia*, Hook. f. Fl. Antarct. ii. 336. —Reg. Magellan.  
*oblonga*, Benth. in Bot. Reg. sub t. 1493. n. 20. —Zeylan.  
*Oldhami*, Miq. Ann. Mus. Bot. Lugd. Bat. iii. 197. —Korea.  
*orbicularis*, Bunge, in Mém. Sav. Etr. Pétersb. vii. (1851) 436. —As. centr.  
*orientalis*, Linn. Sp. Pl. 598. —Europ. austr.; Oriens.  
*ovalifolia*, Pers. Syn. ii. 136 = *pilosa*, Michx.



**SCUTELLARIA** :—

- ovata*, Hill, Hort. Kew. 242 = *parvula*.  
*pallida*, Bieb. Fl. Taur. Cauc. ii. 65 = *albida*.  
*pallida*, Guss. Fl. Sic. Prod. ii. 137 = *Columnae*.  
*parnassica*, Heldr. & Sart. ex Boiss. Fl. Orient. iv. 688 = *peregrina*.  
*parviflora*, Rafin. ex A. Ham. Monog. Scutell. 37 = *nervosa*.  
*parvula*, Michx. Fl. Am. Bor. i. 12. —Am. bor.  
*pauciflora*, Pantoč. in Oestr. Bot. Zeitschr. xxiii. (1873) 286 = *galericulata*.  
*pectinata*, Hohen. ex Steud. Nom. ed. II. ii. 549 = *orientalis*.  
*pectinata*, Montbr. & Auch. ex Benth. in Ann. Sc. Nat. Ser. II. vi. (1836) 44. —Cappadoc.  
*pekinensis*, Maxim. Prim. Fl. Amur. 476. —China.  
*peregrina*, Linn. Sp. Pl. 599. —Europ. austr.; Oriens.  
*peregrina*, Roxb. Hort. Beng. 45; Fl. Ind. iii. 24 = *rivularis*.  
*peregrina*, Waldest. & Kit. Pl. Rar. Hung. 132. ii. t. 125 = *altissima*.  
*physocalyx*, Regel & Schmalh. ex Regel, Pl. Nov. Fedtsch. 68. —Kokania.  
*Pichleri*, Stapf, in Denkschr. Akad. Wien, l. (1885) 47. —Persia.  
*pilosa*, Hill, Veg. Syst. xiii. 64. —Am. bor.  
*pilosa*, Michx. Fl. Bor. Am. ii. 11. —Am. bor.  
*pilosiuscula*, Nutt. ex Benth. in DC. Prod. xii. 429 = *tuberosa*.  
*pinnatifida*, A. Ham. Monog. Scutell. 16. t. 2. f. 2. —Persia.  
*polymorpha*, A. Ham. l. c. 38 = *integrifolia*, *pilosa*, *Michx.*  
*pontica*, C. Koch, in Linnaea, xxi. (1848) 701. —Pontus.  
*prostrata*, Jacquem. ex Benth. Lab. Gen. et Sp. 733. —Reg. Himal.  
*pubescens*, Mart. Fl. Tarn, 572 = *galericulata*.  
*pubescens*, Muhl. in Trans. Am. Phil. Soc. iii. (1793) 173 = *canescens*.  
*pulchella*, Bunge, Verz. Suppl. Fl. Alt. 57 = *orientalis*.  
*pulchella*, Hort. ex Heer, in Gartenfl. (1857) 297. t. 205. —Hab.?  
*pumila*, Salisb. Prod. 89 = *minor*.  
*purpurascens*, Sw. Prod. Veg. Ind. Occ. 89. —Am. trop.  
*pygmaea*, Willd. ex Benth. in Linnaea, xi. (1837) 345 = *parvula*.  
*racemosa*, Pers. Syn. ii. 136 = *rumicifolia*.  
*radicata*, Rafin. Atl. Journ. 16 (Quid?). —Am. bor.  
*repens*, Buch.-Ham. ex D. Don, Prod. Fl. Nep. 110. —Reg. Himal.; Burma.  
*reptans*, Pall. ex Ledeb. Fl. Ross. iii. 398 = *scordiiifolia*.  
*resinosa*, Torr. in Ann. Lyc. N. York, ii. (1828) 232. —Am. bor. occ.  
*resinosa*, S. Wats. in Bot. King's Exped. 237 = *antirrhinoides*.  
*rivularis*, Wall. Pl. As. Rar. ii. 66. —Ind. or.; Burma; China.  
*robusta*, Benth. in DC. Prod. xii. 418 = *violacea*.  
*rubicunda*, Willd. Enum. Hort. Berol. Suppl. 42, nomen; et Schrank, in Denkschr. Bot. Ges. Regensb. ii. (1822) 56 = *peregrina*.  
*rugosa*, Wood, in Proc. Am. Assoc. (1853) 176 = *versicolor*.  
*rumicifolia*, H. B. & K. Nov. Gen. et Sp. ii. 324. —Mexic.; Chili.  
*rupestris*, Boiss. & Heldr. Diagn. Ser. I. vii. 60 = *hirta*.  
*russeliaefolia*, Vatke, in Bot. Zeit. xxx. (1872) 715. —Ins. Philipp.  
*salviaefolia*, Benth. Lab. Gen. et Sp. 433. —Graecia.  
*sanguinea*, Steud. Nom. ed. II. ii. 549 = *alpina*.  
*saxatilis*, Riddell, Cat. Ohio Pl. Suppl. (1836) 14. —Am. bor.  
*scandens*, D. Don, Prod. Fl. Nep. 110 = *angulosa*.  
*scarlatina*, Planch. & Linden, Cat. n. 10 (1855) 6; ex Lem. Illustr. Hort. iii. (1856) t. 104. —Am. centr.  
*sciaphila*, S. Moore, in Journ. Bot. xiii. (1875) 228. —China.  
*scordiiifolia*, Fisch. ex Schrank, in Denkschr. Bot. Ges. Regensb. ii. (1822) 55. —Sibir.  
*serrata*, Andr. Bot. Rep. t. 494. —Am. bor.  
*serrata*, Spreng. Syst. ii. 703 = *canescens*.  
*Sibthorpii*, Boiss. & Reut. ex Boiss. Fl. Orient. iv. 638 = *peregrina*.  
*Sieberi*, Benth. in DC. Prod. xii. 420. —Ins. Creta et Rodos.

**SCUTELLARIA** :—

- Sieversii*, Bunge, in Ledeb. Fl. Alt. ii. 394 = *orientalis*.  
*siphocampyloides*, A. Gray, Syn. Fl. Am. ii. i. 381, sphalm. = *seq.*  
*Siphocampylus*, Vatke, in Bot. Zeit. xxx. (1872) 717 = *angustifolia*.  
*speciosa*, Fisch. ex Turcz. in Bull. Soc. Nat. Mosc. xxiv. (1851) ii. 389 = *baicalensis*.  
*spicata*, Trimen, in Journ. Bot. xxiii. (1885) 241. —Zeylan.  
*splendens*, Link, Klotzsch & Otto, Ic. Pl. Rar. Hort. Berol. i. 31. t. 13. —Mexic.  
*squamulosa*, A. Ham. Monog. Scutell. 35 = *rivularis*.  
*Stocksii*, Boiss. Diagn. Ser. II. iv. 28. —Beluchist.  
*sumatrana*, Miq. Fl. Ind. Bat. ii. 974. —Sumatra.  
*supina*, Linn. Sp. Pl. 598 = *alpina*.  
*Szovitziana*, Bunge, Lab. Pers. 65. —Persia.  
*Tanakae*, Franch. & Sav. Enum. Pl. Jap. ii. 464. —Japon.  
*tenerifolia*, Sm. in Rees, Cycl. xxxii. n. 15 = *nervosa*.  
*tomentosa*, Bertol. Misc. Bot. ii. 11 = *fruticosa*, Desf.  
*Tournefortii*, Benth. in Bot. Reg. sub t. 1493. n. 15. —Persia; Reg. Caucas.  
*Trianaei*, Planch. & Linden, in Linden, Cat. n. 10 (1855) 6; et in Belg. Hort. vi. (1856) 232. —N. Granat.  
*tuberosa*, Benth. Lab. Gen. et Sp. 441. —Calif.  
*tubiflora*, Benth. in Bot. Reg. sub t. 1493. n. 10. —Bras.  
*uliginosa*, A. St. Hil. ex Benth. Lab. Gen. et Sp. 427. —Bras.  
*utriculata*, Labill. Ic. Pl. Syr. Dec. iv. 11. t. 6. —Syria.  
*variegata*, Spreng. f. Tent. Suppl. Syst. 16 = *alpina*.  
*Ventenatii*, Hook. Bot. Mag. t. 4271. —N. Granat.  
*verna*, Bess. Prim. Fl. Galic. ii. 43 = *alpina*.  
*versicolor*, Nutt. Gen. Am. ii. 38. —Am. bor.  
*Vigineixii*, Marès & Vigin. Cat. Pl. Balear. 220. —Ins. Majorc.  
*villosa*, Ell. Sketch, ii. 90. —Am. bor.  
*villosa*, Hook. Bot. Mag. t. 4789. —Bras.  
*villosa*, Rafin. Atl. Journ. 17 (Quid?). —Am. bor.  
*violacea*, Heyne, ex Wall. Pl. As. Rar. i. 66. —Ind. or.; Burma; Java.  
*virens*, Boiss. & Kotschy, ex Boiss. Fl. Orient. iv. 682. —Kurdistan.  
*viscida*, Spreng. f. Tent. Syst. Suppl. 15 = *alpina*.  
*viscidula*, Bunge, Enum. Pl. Chin. Bor. 52. —China.  
*volubilis*, H. B. & K. Nov. Gen. et Sp. ii. 325. —N. Granat.  
*Wallichiana*, A. Ham. Monog. Scutell. 28. t. 2. f. 1 = *repens*.  
*Wightiana*, Benth. in Wall. Pl. As. Rar. i. 67 = *violacea*.  
*Wrightii*, A. Gray, in Proc. Am. Acad. viii. (1870) 370. —Am. bor.
- SCUTIA**, Comm. ex Brongn. in Ann. Sc. Nat. Sér. I. x. (1827) 362. *RHAMNEAE*, Benth. & Hook. f. i. 379. *BLEPETALON*, Rafin. Sylva Tellur. 30 (1838).  
*arenicola*, Reiss. in Mart. Fl. Bras. xi. i. 93. —Bras.  
*buxifolia*, Reiss. l. c. —Reg. Argent.  
*capensis*, G. Don, Gen. Syst. ii. 33 = *Commersonii*.  
*Commersonii*, Brongn. in Ann. Sc. Nat. Sér. I. x. (1827) 363. —As. trop.; Ins. Mascari.  
*discolor*, Klotzsch, in Peters, Reise Mossamb. Bot. 110 = *Berchemia discolor*.  
*ferrea*, Brongn. in Ann. Sc. Nat. Sér. I. x. (1827) 363. —Ind. occ.  
*ferrea*, Chapm. Fl. S. U. St. 72 = *Reynosia latifolia*.  
*indica*, Brongn. in Ann. Sc. Nat. Sér. I. x. (1827) 363 = *Commersonii*.  
*laevigata*, G. Don, Gen. Syst. ii. 34 = *Reynosia latifolia*.  
*lucida*, G. Don, l. c. 33 = *Commersonii*.  
*myrtina*, Kurz, in Journ. As. Soc. Beng. xlv. (1875) ii. 168 = *Commersonii*.  
*natalensis*, Hochst. in Flora, xxvii. (1844) 346 = *Commersonii*.  
*obcordata*, Bivona, ex Tul. in Ann. Sc. Nat. Sér. IV. viii. (1857) 116. —Madag.  
*paniculata*, G. Don, Gen. Syst. ii. 34 = *Celastrus paniculatus*.  
*pauciflora*, G. Don, l. c. = *Ceanothus pauciflorus*.  
*Rheediana*, Wight, Ic. t. 1071 = *Commersonii*.  
*Sarcophalus*, Brongn. in Ann. Sc. Nat. Sér. I. x. (1827) 364 = *Sarcophalus retusus*.  
*sphaerosperma*, G. Don, Gen. Syst. ii. 34 = *Rhamnus sphaerosperma*.

**SCUTICARIA**, Lindl. Bot. Reg. (1843). Misc. 14. *ORCHIDEAE*, Benth. & Hook. f. iii. 554.  
*Dodsoni*, Hort. ex Reichb. f. in Gard. Chron. (1881) i. 9 = *Hadwenii*?  
*Hadwenii*, Hort. ex Planch. in Fl. des Serres, vii. (1851–52) 239. —Bras.  
*Steelii*, Lindl. Bot. Reg. (1843) Misc. 14. —Guian.

**SCUTINANTHE**, Thw. in Hook. Kew Journ. viii. (1856) 266. t. 8 = *Canarium*, Linn. (Burser.).  
*brunnea*, Thw. l. c. 267 = *C. brunneum*.

**SCUTULA**, Lour. Fl. Cochinch. 235 (1790) = *Meme-cylon*, Linn. (Melastom.).  
*scutellata*, Lour. l. c. = *M. edule*.  
*umbellata*, Lour. l. c. 236 = *M. umbellatum*.

**SCYBALIUM**, Schott & Endl. Melet. 3. t. 2 (1832). *BALANOPHOREAE*, Benth. & Hook. f. iii. 237.  
*PHYLLCORYNE*, Hook. f. in Trans. Linn. Soc. xxii. (1856) 51. t. 11.  
*SPHAERORHIZON*, Hook. f. l. c. 50. t. 10 (1856).  
*depressum*, Eichl. in DC. Prod. xvii. 133. —N. Granat.  
*fungiforme*, Schott & Endl. Melet. 3. t. 2. —Bras.  
*Glaziovii*, Eichl. in DC. Prod. xvii. 133. —Bras.  
*jamaicense*, Schott & Endl. Melet. 12. —Ind. occ.

**SCYNOPSOLE**, Reichb. Handb. 164 (1837) = *CYNOPSOLE*, Endl. = *Balanophora*, Forst.

**SCYPHAEA**, Presl, Scyph. Nov. Pl. Gen. (1829); et Symb. Bot. i. 7. t. 4 (1830) = *Marila*, Sw. (Ternstr.).  
*racemosa*, Presl, ll. cc. = *M. racemosa*.

**SCYPHANTHUS**, [D. Don, in] Sweet, Brit. Flow. Gard. Ser. I. t. 238 (1828) = *Grammatocarpus*, Presl (Loaseae).  
*Cumingii*, Phil. f. Cat. Pl. Vasc. Chil. 84 = *G. Cumingii*.  
*elegans*, [D. Don, in] Sweet, Brit. Flow. Gard. Ser. I. t. 238 = *G. volubilis*.  
*grandiflorus*, Sweet, ex Steud. Nom. ed. II. ii. 569 = *G. volubilis*.

**SCYPHARIA**, Miers, in Ann. & Mag. Nat. Hist. Sér. III. vi. (1860) 8 = *Colletia*, Comm. (Rhamn.).  
*guayaquilensis*, Miers, l. c. 9 = *Rhamnus guayaquilensis*.  
*parviflora*, Miers, l. c. 10 = *Discaria parviflora*.  
*senticosa*, Miers, l. c. 11 = *Rhamnus senticosa*.  
*tetragona*, Miers, l. c. 12 = *C. tetragona*.

**SCYPHELLANDRA**, Thw. Enum. Pl. Zeyl. 21 (1864). *VIOLARIEAE*, Benth. & Hook. f. i. 120.  
*virgata*, Thw. l. c. —Zeylan.

**SCYPHIPHORA**, Gaertn. f. Fruct. iii. 91. t. 196 (1805). *RUBIACEAE*, Benth. & Hook. f. ii. 99.  
*EPITHINIA*, Jack, in Malay. Misc. i. (1820) v. 12.  
*hydrophyllacea*, Gaertn. f. Fruct. iii. 91. t. 196. —Ins. Molucc.  
*malayana*, Bedd. Fl. Sylv. Anal. Gen. t. 23. f. 5. —Malay.

**SCYPHOCHLAMYS**, Balf. f. in Journ. Linn. Soc. xvi. (1877) 14; et in Baker, Fl. Maur. 149 (1877). *RUBIACEAE*.  
*revoluta*, Balf. f. ll. cc. 15; 149. —Ins. Rodrig.

**SCYPHOCORONIS**, A. Gray, in Hook. Kew Journ. iv. (1852) 225. *COMPOSITAE*, Benth. & Hook. f. ii. 316.  
*viscosa*, A. Gray, l. c. —Austral.

**SCYPHOGLOTTIS**, Pritz. Ic. Ind. i. 1012 (1855), sphalm. = *Scaphyglottis*, Poepp. & Endl. (Orchid.).

**SCYPHOGYNE**, Brongn. Voy. Coq. Bot. t. 54 (1828?). *ERICACEAE*, Benth. & Hook. f. ii. 594.  
*BLEPHARISPERMUM*, Klotzsch, ex Benth. in DC. Prod. vii. 709 (1839).  
*BLEPHAROPHYLLUM*, Klotzsch, in Linnaea, xii. (1838) 216.  
*CODONOSTIGMA*, Klotzsch, ex Benth. in DC. Prod. vii. 709 (1839).  
*COILOSTIGMA*, Klotzsch, in Linnaea, xii. (1838) 234.

## SCYPHOGYNE:—

- OMPHALOCARYON, Klotzsch, in Linnaea, xii. (1838) 243.  
 THAMNIUM, Klotzsch, l. c. 223 (1838).  
 TRISTEMON, Klotzsch, l. c. 245 (1838).  
*brevifolia*, Benth. in DC. Prod. vii. 710.—Afr. austr.  
*capitata*, Benth. l. c.—Afr. austr.  
*divaricata*, Benth. l. c.—Afr. austr.  
*eglandulosa*, Benth. l. c.—Afr. austr.  
*fasciculata*, Benth. l. c. 709.—Afr. austr.  
*inconspicua*, Brongn. Voy. Coq. Bot. t. 54.—Afr. austr.  
*muscosa*, Steud. Nom. ed. II. i. 568, in syn.=praec.  
*puberula*, Benth. in DC. Prod. vii. 709.—Afr. austr.  
*urceolata*, Benth. l. c.—Afr. austr.

SCYPHONYCHIUM, Radlk. in Sitzb. Math.-Phys. Akad. Muench. ix. (1879) 495. SAPINDACEAE. multiflorum, Radlk. l. c. 519, 545.—Bras.

SCYPHOPETALUM, Hiern, in Hook. f. Fl. Brit. Ind. i. 675 (1875). SAPINDACEAE. ramiflorum, Hiern, l. c. 676.—Burma.

SCYPHOSTACHYS, Thw. Enum. Pl. Zeyl. 157 (1859). RUBIACEAE, Benth. & Hook. f. ii. 94. coffeoides, Thw. l. c.—Zeylan. pedunculatus, Thw. l. c.—Zeylan.

SCYPHOSTIGMA, M. Roem. Syn. Hesper. 80, 94 (1846)=Turraea, Linn. (Meliac.). Bennetii, M. Roem. l. c. 94=Quivisia tetramera. philippinense, M. Roem. l. c.=T. octandra.

SCYPHOSYCE, Baill. Adansonia, xi. (1875) 293. URTICACEAE, Benth. & Hook. f. iii. 371. Manniana, Baill. l. c.—Afr. trop.

SCYRTOCARPA, Miers, in Journ. Linn. Soc. xvii. (1879) 292=seq.

SCYRTOCARPUS, Miers, in Lindl. Veg. Kingd. 593 a (1847)=Symlocos, Linn. (Styrac.).

SCYTALA, E. Mey. ex DC. Prod. vii. 12 (1838)=Oldenburgia, Less. (Compos.). Papionum, E. Mey. l. c.=O. Papionum.

SCYTALANTHUS, Schau. in Nov. Act. Nat. Cur. xix. Suppl. i. (1843) 361=Skytanthus, Meyen (Apocyn.). acutus, Schau. l. c. 362=Skytanthus acutus.

SCYTALIA, Gaertn. Fruct. i. 197. t. 42 (1788)=Nephelium, Linn. (Sapindac.). benghalensis, Roxb. ex Wight & Arn. Prod. 113=N. Longana. chinensis, Gaertn. Fruct. i. 197. t. 42. f. 3=N. Lit-chi. crinita, Raeusch. Nom. ed. III. 113; Stokes, Bot. Mat. Med. ii. 386=N. lappaceum. Danura, Roxb. Hort. Beng. 29; Fl. Ind. ii. 274=Sapindus Danura. glabra, Buch.-Ham. ex Wall. Cat. n. 8048 E=Walsura robusta. informis, Raeusch. Nom. ed. III. 113=Euphoria informis. Litschi, Roxb. Hort. Beng. [28]; Fl. Ind. ii. 269=N. Lit-chi. Longan, Roxb. II. cc. 29; 270=N. Longana. oppositifolia, Roxb. II. cc. [88]; 273=N. oppositifolium. parviflora, Roxb. II. cc.=N. parviflorum. Ramboutan, Roxb. II. cc. 29; 271=N. lappaceum. rimosa, Roxb. II. cc. 29; 272=N. rimosum. rubia, Roxb. II. cc.=Sapindus attenuatus. sinensis, J. F. Gmel. Syst. 612=chinensis. squamosa, Stokes, Bot. Mat. Med. ii. 385=N. Lit-chi. trijuga, Roxb. ex DC. Prod. i. 615=Schleichera trijuga. verruculosa, Stokes, Bot. Mat. Med. ii. 386=N. Longana. verticillata, Roxb. Hort. Beng. 29; Fl. Ind. ii. 273=Sapindus Danura.

VOL. II.

SCYTALIS, E. Mey. Comm. Pl. Afr. Austr. 144 (1835)=Vigna, Savi (Legumin.). anomala, Vog. in Nov. Act. Nat. Cur. xix. Suppl. i. (1848) 32=V. retusa. Catjang, E. Mey. Comm. Pl. Afr. Austr. 145=V. Catjang. Helicopus, E. Mey. l. c. 146=V. glabra. hispida, E. Mey. l. c.=V. hispida. protracta, E. Mey. l. c.=V. triloba. retusa, E. Mey. l. c. 147=V. retusa. tenuis, E. Mey. l. c. 145=V. tenuis, D. Dietr.

SCYTANTHUS, T. Anders. ex Benth. & Hook. f. Gen. ii. 1093 (1876). ACANTHACEAE, Benth. & Hook. f. ii. 1093. laurifolius, T. Anders. l. c.—Afr. trop.

SCYTANTHUS, Hook. Ic. Pl. t. 605-625 (184)=Hoodia, Sweet (Asclep.). Burkei, Hook. l. c. sub t. 625=H. Currori. Currori, Hook. l. c. t. 605-606=H. Currori. Gordonii, Hook. l. c. t. 625=H. Gordonii.

SCYTANTHUS, Liebm. in Foerhandl. Skand. Naturf. 4de Mode (1844), 177=Cytinus, Tourn. Bambusarum, Liebm. l. c. 183=C. americanus.

SCYTOPHYLLUM, Eckl. & Zeyh. Enum. 124 (1835)=Elaeodendron, Jacq. f. (Celastrin.). angustifolium, Sond. in Harv. & Sond. Fl. Cap. i. 472=E. angustifolium. laurinum, Eckl. & Zeyh. Enum. 124=Celastrus laurinus. obtusum, Eckl. & Zeyh. l. c.=Celastrus laurinus. oleoides, Eckl. & Zeyh. l. c.=Celastrus oleoides.

SCZEGLEEWIA, Turcz. in Bull. Soc. Nat. Mosc. xxxi. (1858) i. 233=Pterospermum, Schreb. (Stercul.). involucreta, Turcz. l. c. 234=P. obliquum.

SCZEGLEEWIA, Turcz. in Bull. Soc. Nat. Mosc. xxxvi. (1863) ii. 212=Symphorema, Roxb. (Verben.). luzonensis, Turcz. l. c. 213=Sym. luzonicum.

SCZUKINIA, Turcz. in Bull. Soc. Nat. Mosc. (1840) 165=Swertia, Linn. (Gentian.). diluta, Turcz. l. c. 166=Sw. diluta.

SEAFORTHIA, R. Br. Prod. 267 (1810)=Ptychosperma, Labill., etc. (Palm.). angustifolia, Mart. Hist. Nat. Palm. iii. 314.—N. Guin. appendiculata, Juss. ex Kunth, Enum. Pl. iii. 192=Drymophloeus appendiculatus. Blumei, Juss. ex Kunth, l. c.=Drymophloeus olivaeformis, leprosus. caesia, Mart. Hist. Nat. Palm. iii. 313=Pinanga caesia. Calapparia, Mart. l. c.=Actinorhysis Calapparia. cochinchinensis, Mart. l. c.=Pinanga cochinchinensis. communis, Blume, Rumphia, ii. 78=Drymophloeus communis. coronata, Mart. Hist. Nat. Palm. iii. 185=Pinanga coronata. costata, Mart. l. c. 313=Pinanga Kuhl. Dicksoni, Mart. l. c. 184=Pinanga Dicksonii. disticha, Mart. l. c.=Pinanga disticha. elegans, R. Br. Prod. 267=Ptychosperma elegans. elegans, Hook. Bot. Mag. t. 4961=Archontophoenix Cunninghamii. furfuracea, Mart. Hist. Nat. Palm. iii. 313=Pinanga furfuracea. gracilis, Mart. l. c. 184=Pinanga gracilis. inaequalis, Mart. l. c. 313=Pinanga inaequalis. jaculatoria, Mart. l. c. 314=Drymophloeus appendiculatus. Kuhl. Mart. l. c. 185. t. 158. f. 4=Pinanga Kuhl. latisepta, Mart. l. c. 313=Pinanga latisepta. malaiana, Mart. l. c. 183. t. 158. f. 3=Pinanga malaiana. minor, Mart. l. c. 313=Pinanga minor. montana, Blume, in Mart. l. c. 185=Pinanga coronata. olivaeformis, Mart. l. c. 314=Drymophloeus olivaeformis. oryzaeformis, Mart. l. c. 185=Pinanga Kuhl. patula, Mart. l. c. 313=Pinanga patula.

## SEAFORTHIA:—

Ptychosperma, Mart. Hist. Nat. Palm. iii. 182. tt. 128, 129=Ptychosperma gracilis. Reinwardtiana, Mart. l. c. 183. t. 158. f. 2=Pinanga noxa. robusta, Hort. ex H. Wendl. in Kerch. Palm. 257=Rhopalostylis Baueri. Rumphiana, Mart. Hist. Nat. Palm. iii. 134=Pinanga ternatensis. salicifolia, Mart. l. c. 313=Pinanga salicifolia. saxatilis, Blume, ex Mart. l. c. 134. t. 158. f. 6=Drymophloeus saxatilis. sylvestris, Blume, l. c. 185=Pinanga javana. Veitchii, Hort.—Cf. Gard. Chron. (1870) 37.—Austral. vestiaria, Mart. Hist. Nat. Palm. iii. 313=Mischophloeus paniculatus.

SEALA, Adans. Fam. ii. 131 (1763)=Pectis, Linn. (Compos.).

SEBAEA, Soland. ex R. Br. Prod. 451 (1810). GENTIANEA, Benth. & Hook. f. ii. 804.

LAGENIAS, E. Mey. Comm. Pl. Afr. Austr. 186 (1837). albens, R. Br. Prod. 452.—Afr. austr. albidiflora, F. Muell. in Trans. Phil. Soc. Vict. i. (1855) 46.—Austral. ambigua, Cham. in Linnaea, vi. (1831) 346.—Afr. austr. aurea, R. Br. Prod. 452.—Afr. austr. Boyeri, Griseb. Gent. Gen. et Sp. 169.—Madag. brachyphylla, Griseb. l. c. 170.—Madag. brasiliensis, Spreng. Syst. iv. Cur. Post. 338=Schultesia crenuliflora. capitata, Schlecht. in Linnaea, i. (1826) 193.—Afr. austr. capitata, Schrad. ex Griseb. in DC. Prod. ix. 52=congesta. carinata, Spreng. Syst. i. 426=Exacum petiolare. congesta, Schrad. ex Griseb. in DC. Prod. ix. 52.—Afr. austr. cordata, R. Br. Prod. 452.—Afr. austr. crassulaefolia, Schlecht. in Linnaea, i. (1826) 193.—Afr. austr. cymosa, Jarosz, Pl. Nov. Cap. 10=aurea. elongata, E. Mey. Comm. Pl. Afr. Austr. 184.—Afr. austr. emirnis, Boj. ex Griseb. in DC. Prod. ix. 53=brachyphylla. gracilis, A. Cunn. in Ann. Nat. Hist. Ser. I. ii. (1839) 45=ovata. gracilis, Spreng. Syst. iv. Cur. Post. 338=Schultesia gracilis. grandis, Steud. Nom. ed. II. ii. 550.—Afr. austr. guianensis, Spreng. Syst. i. 426=Schultesia stenophylla. involucreta, Klotzsch, in Peters, Reise Mossamb. Bot. 271.—Afr. trop. jorullensis, Spreng. Syst. i. 426=Schultesia stenophylla. khasiana, C. B. Clarke, in Journ. Linn. Soc. xiv. (1875) 428=aurea. minima, Jarosz, Pl. Nov. Cap. 11=aurea. Ohlendorffiana, Eckl. ex Griseb. Gen. et Sp. Gent. 166=Belmontia Ohlendorffii. oldenlandioides, S. Moore, in Journ. Bot. xv. (1877) 68=Exacum quinquenervium. ovata, R. Br. Prod. 452.—Austral.; N. Zel. pallida, E. Mey. Comm. Pl. Afr. Austr. 192.—Afr. austr. pentandra, E. Mey. l. c. 184.—Afr. austr. pusilla, Cham. in Linnaea, vi. (1831) 346.—Afr. austr. Rutenbergiana, Vatke, in Bremen, Abh. ix. (1885) 126.—Madag. spathulata, Steud. Nom. ed. II. ii. 550.—Afr. austr. sulcata, Spreng. Syst. i. 426=Exacum pedunculatum. sulphurea, Schlecht. in Linnaea, i. (1826) 192.—Afr. austr. tabularis, Eckl. ex Steud. Nom. ed. II. ii. 550=sulphurea.

SEBASTIANA, Benth. & Hook. f. Gen. ii. 389 (1873), err. typ. =SEBASTIANA, Bertol. =Chrysanthellum, Rich. (Compos.).

SEBASTIANA, Spreng. Syst. iii. 24 (1826)=Sebastiania, Spreng. (Euphorb.).

SEBASTIANIA, Bertol. Lucubr. 37 (1822) = **Chrysanthellum**, Rich. (Compos.).  
*heterophylla*, Bertol. l. c. = *C. procumbens*.

**SEBASTIANIA**, Spreng. Neue Entdeck. ii. 118. t. 3 (1821). **EUPHORBACEAE**, Benth. & Hook. f. iii. 336.

ADENOZYNE, Klotzsch, in Wieg. Archiv, vii. (1841) 183.

CLONOSTACHYS, Klotzsch, l. c. 185 (1841).

CNEMIDOSTACHYS, Mart. Nov. Gen. et Sp. i. 66. t. 40 (1824).

DITRYSINIA, Rafin. Neogenyt. 2 (1825).

ELACHOCROTON, F. Muell. in Hook. Kew Journ. ix. (1857) 17.

GUSSONIA, Spreng. Neue Entdeck. ii. 119. t. 2 (1821).

MICROSTACHYS, A. Juss. Euph. Tent. 48. t. 15 (1824).

SAROTHRISTACHYS, Klotzsch, in Wieg. Archiv, vii. (1841) 185.

TRAGIOPSIS, Karst. in C. Koch, Wochenschr. (1859) 5.

*actinostemoides*, Muell. Arg. in DC. Prod. xv. II. 1184 = *Gymnanthes actinostemoides*.

*albicans*, Wright, in Sauv. Fl. Cub. 132.—Cuba.

*angustifolia*, Muell. Arg. in DC. Prod. xv. II. 1179.—Bras.

*anisodonta*, Muell. Arg. in Mart. Fl. Bras. xi. II. 550.—Bras.

*bahiensis*, Muell. Arg. in DC. Prod. xv. II. 1183.—Bras.

*bilocularis*, S. Wats. in Proc. Am. Acad. xx. (1885) 374.—N. Mexic.

*brachyclada*, Muell. Arg. in DC. Prod. xv. II. 1178.—Bras.

*brachypoda*, Wright, in Sauv. Fl. Cub. 132.—Cuba.

*brasilensis*, Spreng. Neue Entdeck. ii. 118.—Bras.

*brevifolia*, Klotzsch, in Wieg. Archiv, vii. (1841) 183.—Bras.

*chaetodonta*, Muell. Arg. in Mart. Fl. Bras. xi. II. 577.—Bras.

*Chamaelea*, Muell. Arg. in DC. Prod. xv. II. 1175.—Geront. trop.

*corniculata*, Muell. Arg. l. c. 1168.—Bras.

*daphniphylla*, Muell. Arg. l. c. 1180.—Bras.

*daphnoides*, Muell. Arg. l. c. 1167.—Bras.

*desertorum*, Klotzsch, in Wieg. Archiv, vii. (1841) 183, nomen.—Bras.

*dimorphocalyx*, Muell. Arg. in Mart. Fl. Bras. xi. II. 574.—Bras.

*discolor*, Muell. Arg. in DC. Prod. xv. II. 1185.—Bras.

*ditassoides*, Muell. Arg. l. c. 1174.—Bras.

*divaricata*, Klotzsch, in Wieg. Archiv, vii. (1841) 183, nomen.—Bras.

*echinocarpa*, Muell. Arg. in Mart. Fl. Bras. xi. II. 584.—Bras.

*elliptica*, Muell. Arg. in DC. Prod. xv. II. 1181.—Jamaic.

*foveata*, Klotzsch, in Wieg. Archiv, vii. (1841) 183, nomen.—Bras.

*Gaudichaudii*, Muell. Arg. in DC. Prod. xv. II. 1177.—Bras.

*glandulosa*, Muell. Arg. l. c. 1186 = *Gymnanthes glandulosa*.

*glaucophylla*, Muell. Arg. in Mart. Fl. Bras. xi. II. 571.—Bras.

*granatensis*, Muell. Arg. in DC. Prod. xv. II. 1189.—N. Granat.

*Grisebachiana*, Muell. Arg. l. c. 1183.—Ind. occ.

*guyanensis*, Muell. Arg. l. c.—Guian.

*heteroica*, Muell. Arg. in Mart. Fl. Bras. xi. II. 708.—Bras.

*hypoleuca*, Muell. Arg. in DC. Prod. xv. II. 1184 = *Gymnanthes hypoleuca*.

*jacobinensis*, Muell. Arg. l. c. 1188.—Bras.

*Klotzschiana*, Muell. Arg. l. c. 1178 = *Gymnanthes marginata*.

*Laureola*, Muell. Arg. l. c. 1180.—Bras.

*ligustrina*, Muell. Arg. l. c. 1165.—Am. bor.

*longipes*, Muell. Arg. l. c. 1184 = *Gymnanthes longipes*.

*lucida*, Muell. Arg. l. c. 1181 = *Gymnanthes lucida*.

*macrocarpa*, Muell. Arg. l. c. 1188.—Bras.

*macrophylla*, Klotzsch, in Wieg. Archiv, vii. (1841) 183, nomen.—Bras.

*marginata*, Muell. Arg. in DC. Prod. xv. II. 1166.—Bras.

**SEBASTIANIA** :—

*membranifolia*, Muell. Arg. in Mart. Fl. Bras. xi. II. 579.—Bras.

*mucronata*, Muell. Arg. in DC. Prod. xv. II. 1180 = *Schottiana*.

*multiramea*, Mart. in Flora, xxiv. (1841) II. Beibl. 53; Muell. Arg. in DC. Prod. xv. II. 1177.—Bras.; Afr. occ.

*myricifolia*, Wright, in Sauv. Fl. Cub. 132.—Cuba.

*nervosa*, Muell. Arg. in DC. Prod. xv. II. 1183.—Bras.

*oleoides*, Muell. Arg. in Mart. Fl. Bras. xi. II. 548.—Bras.

*pachystachys*, Muell. Arg. in DC. Prod. xv. II. 1182.—Bras.

*pallens*, Muell. Arg. l. c. 1189 = *Gymnanthes pallens*.

*Pavoniana*, Muell. Arg. l. c.—Mexic.

*phyllanthiformis*, Muell. Arg. l. c. 1176 = *Schottiana*.

*pteroclada*, Muell. Arg. l. c. 1190.—Bras.

*reticulata*, Klotzsch, in Wieg. Archiv, vii. (1841) 183.—Bras.

*rhombofolia*, Muell. Arg. in Mart. Fl. Bras. xi. II. 590.—Bras.

*Riedelii*, Muell. Arg. l. c. 578.—Bras.

*rigida*, Muell. Arg. in DC. Prod. xv. II. 1180.—Bras.

*riparia*, Muell. Arg. l. c. 1185 = *Excoecaria potamo-*

*riparia*, Schrad. in Goett. Gel. Anz. i. (1821) 713 = *Gymnanthes riparia*.

*Schlechtendalia*, Muell. Arg. in DC. Prod. xv. II. 1181 = *Gymnanthes riparia*.

*Schottiana*, Muell. Arg. l. c. 1176.—Bras.

*serrata*, Muell. Arg. l. c. 1179.—Bras.

*serulata*, Muell. Arg. l. c. 1167.—Bras.

*stipulacea*, Muell. Arg. l. c. 1176.—Bras.

*Treculiana*, Muell. Arg. l. c. 1165.—Am. trop.

*trinervia*, Muell. Arg. l. c. 1182.—Bras.

*vestita*, Muell. Arg. in Mart. Fl. Bras. xi. II. 575.—Bras.

*viminea*, Nees, in Flora, iv. (1821) 328 = *Gymnanthes riparia*.

*virgata*, Muell. Arg. in DC. Prod. xv. II. 1173.—Bras.

*Weddelliana*, Muell. Arg. l. c. 1188.—Bras.

*Widgreni*, Muell. Arg. l. c. 1178.—Bras.

*ypamemensis*, Muell. Arg. l. c. 1179.—Bras.

**SEBASTIANO-SCHAUERIA**, Nees, in Mart. Fl. Bras. ix. 158 (1847). **ACANTHACEAE**, Benth. & Hook. f. ii. 1098.

*oblongata*, Nees, l. c. 159.—Bras.

**SEBEEKIA**, Steud. Nom. ed. II. ii. 550 (1841), sphalm. = seq.

**SEBEOKIA**, Neck. Elem. ii. 13 (1790) = **Gentiana**, Linn.

**SEBESTEN**, Adans. Fam. ii. 177 (1763) = seq.

**SEBESTENA**, [Dill.] Gaertn. Fruct. i. 364. t. 76. f. 1 (1788) = **Cordia**, Linn. (Borag.).

*glomerata*, Lem. Jard. Fleur. iv. (1854) sub t. 326 = *C. glomerata*.

*indica*, Rafin. Sylva Tellur. 38 = *C. Myxa*.

*officinalis*, Gaertn. Fruct. i. 364. t. 76 = *C. Myxa*.

*repanda*, Rafin. Sylva Tellur. 38 (Quid?).—Hab. ?

*scabra*, Rafin. l. c. = *C. scabra*.

*senegalensis*, Rafin. l. c. 39 = *C. senegalensis*.

**SEBIFERA**, Lour. Fl. Cochinch. 637 (1790) = **Litsea**, Lam. (Laurin).

*Balongay*, Blanco, Fl. Filip. ed. I. 820 = *L. ligustrina*.

*glutinosa*, Blanco, l. c. 819 = *L. Sebifera* ?

*glutinosa*, Lour. Fl. Cochinch. 638 = *L. Sebifera*.

**SEBIPIRA**, Mart. Reise Bras. ii. 787 (1828) = **Bowdichia**, H. B. & K. (Legumin.).

*ferruginea*, Vog. in Linnaea, xi. (1837) 387 = *B. virgilioides*.

*major*, Mart. ? ex Vog. l. c. 386 = *B. virgilioides*.

**SEBIZIA**, Mart. ex Meissn. Gen. Comm. 376 (1843). Gen. **AMPELIDEARUM**, nondum descr.

**SEBOPHORA**, Neck. Elem. ii. 188 (1790) = **Myristica**, Linn.

**SEBORIUM**, Rafin. Sylva Tellur. 63 (1838) = **Stillingia**, Linn. (Euphorb.).

*chinense*, Rafin. l. c. = *Sapium sebiferum*.

*nutans*, Rafin. l. c. = *St. nutans*.

**SECALE**, [Tourn.] Linn. Syst. ed. I (1735); Gen. ed. I. 17 (1737). **GRAMINEAE**, Benth. & Hook. f. iii. 1203.

*aestivum*, Uspensky, in Bull. Soc. Nat. Mosc. vii. (1834) 368 = cereale ?

*anatolicum*, Boiss. Diagn. Ser. I. v. 76 = cereale.

*arundinaceum*, Trautv. Schilfroegen (1840), t. 1, 2; ex Steud. Syn. Pl. Gram. 347.—Hab. ?

*barbatum*, Moench, Meth. Suppl. 59 = cereale.

*bromoides*, Linn. Herb. ex Munro, in Journ. Linn. Soc. vi. (1862) 47 = *Brachypodium distachyum*.

*campestre*, Kit. ex Schult. Oestr. Fl. ed. II. i. 197 = fragile.

*cereale*, Bieb. Fl. Taur. Cauc. i. 84 = fragile.

*cereale*, Linn. Sp. Pl. 84.—Oriens.

*compositum*, Poir. Encyc. vii. 54 = cereale.

*cornutum*, Offic. ex Nees, Dueseld. Samml. Suppl. t. 74; ex Pritz. Ic. Ind. i. 1013 = *Claviceps purpurea* (Crypt.).

*creticum*, Linn. Sp. Pl. 84 = *Triticum creticum*.

*creticum*, Sieber, ex Kunth, Enum. Pl. i. 449 = cereale.

*dalmaticum*, Vis. Fl. Dalm. i. 97.—Dalmat.

*fragile*, Bieb. Fl. Taur. Cauc. Suppl. 98.—Europ.; As. temp.

*glaucum*, Urv. in Mém. Soc. Linn. Par. i. (1822) 268 = fragile.

*hirtum*, Poir. Encyc. vii. 55 = *Agropyron orientale*.

*hybernum*, Poir. l. c. 54 = cereale.

*montanum*, Guss. Ind. Sem. Hort. Boccad. (1825); ex ej. Fl. Sic. Prod. i. 145 = cereale.

*orientale*, Linn. Sp. Pl. 84 = *Agropyron orientale*.

*orientale*, Schreb. ex Roth, Nov. Pl. Sp. 59 = *Hordeum bifarium*.

*prostratum*, Pall. Reise, i. 485 = *Agropyron triticeum*.

*pumilum*, Pers. Syn. i. 109 = *Agropyron triticeum*.

*pungens*, Pers. l. c. 108 = *Agropyron patulum*.

*reptans*, Pall. Reise, i. 168 = *Agropyron triticeum*.

*sibiricum*, Georgi, Besch. Russ. Reich. III. iv. 714.—Sibir.

*spontaneum*, Fisch. ex Steud. Nom. ed. I. 757 = fragile.

*strictum*, Presl, Fl. Sic. p. xlvii = cereale.

*sylovestre*, Host, Gram. iv. 7. t. 11 = fragile.

*triflorum*, Beauv. Agrost. 105, 178 (Index) = cereale.

*vernum*, Poir. Encyc. vii. 54 = cereale.

*villosum*, Huds. Fl. Angl. ed. I. 46 = *Elymus europaeus*.

*villosum*, Linn. Sp. Pl. 84 = *Agropyron villosum*.

**SECALIDIUM**, Schur, in Verh. Siebenb. Ver. Naturw. iv. (1853) 91 = **Agropyron**, J. Gaertn. (Gramin.).

*pectinatum*, Schur, Enum. Pl. Transs. 807 = *A. cristatum*.

*pilosum*, Schur, in Verh. Siebenb. Ver. Naturw. iv. (1853) 91 = *A. cristatum*.

**SECAMONE**, R. Br. in Mem. Wern. Soc. i. (1809) 55. **ASCLEPIADEAE**, Benth. & Hook. f. ii. 746.

*acutifolia*, Sond. in Linnaea, xxiii. (1850) 76.—Afr. austr.

*aegyptiaca*, Ait. Hort. Kew. ed. II. ii. 75 = *Oxystelma esculentum*.

*Alpini*, Schult. Syst. vi. 125 = *Oxystelma esculentum*.

*amygdalina*, Turcz. in Bull. Soc. Nat. Mosc. xxv. (1852) II. 313.—Java; Sumatra.

*angustifolia*, Decne. in DC. Prod. viii. 502.—Madag.

*attenuata*, Decne. l. c. 501 = elliptica.

*auriculata*, Blume, Bijdr. 1051.—Java.

*bicolor*, Decne. in DC. Prod. viii. 503.—Madag.

*Blumei*, Decne. l. c. 502.—Java.

*buxifolia*, Decne. l. c.—Madag.

*canescens*, Sm. in Rees, Cycl. xxxii. n. 3 = *Leptadenia reticulata*.

*crassifolia*, Wall. ex Decne. in DC. Prod. viii. 506 = *Genianthus crassifolius*.

*elliptica*, R. Br. Prod. 464.—Austral.; Ins. Philipp.

*emetica*, R. Br. in Mem. Wern. Soc. i. (1809) 56.—Ind. or.

*emetica*, F. Muell. Fragm. v. 161 = elliptica.

*Finlaysoni*, Wight, Contrib. 61.—Siam.

*frutescens*, Decne. in DC. Prod. viii. 501 = *Astephanus frutescens*.

*fulva*, Blume, ex Decne. l. c. 506 = *Toxocarpus Blumei*.

*insularis*, Miq. Fl. Ind. Bat. Suppl. 557.—Ins. Sunda.

**SECAMONE** :—

- lanceolata, *Blume, Bijdr.* 1051.—Java.  
ligustrifolia, *Decne. in DC. Prod.* viii. 502.—Madag.  
lineata, *Blume, Bijdr.* 1051.—Java.  
macrophylla, *Blume, l. c.* 1050.—Java.  
macrostachya, *Turcz. in Bull. Soc. Nat. Mosc.* xxi. (1848) i. 252.—Ins. Philipp.  
maritima, *Blume, Bijdr.* 1050.—Java.  
mauritanica, *G. Don, in Sweet, Hort. Brit. ed.* III. 469 = *Tylophora laevigata*.  
micrantha, *Decne. in DC. Prod.* viii. 501.—Ins. Timor.  
multiflora, *Decne. l. c.*—Ins. Philipp.  
myrtifolia, *Benth. in Hook. Niger Fl.* 453.—Afr. trop.  
obovata, *Decne. in DC. Prod.* viii. 503.—Madag.  
occidentalis, *Spreng. Neue Entdeck.* iii. 34.—Ind. occ.  
oleaeifolia, *Decne. in DC. Prod.* viii. 503.—Madag.  
ovata, *R. Br. Prod.* 464.—Austral.  
punctulosa, *Decne. in DC. Prod.* viii. 502.—Afr. trop.  
saligna, *Decne. l. c.* 503.—Ins. Mascar.  
socotrana, *Balf. f. in Proc. Roy. Soc. Edinb.* xii. (1884) 79.—Ins. Socotra.  
tenuifolia, *Decne. in DC. Prod.* viii. 503.—Madag.  
Thouarsii, *Decne. l. c.* 502.—Madag.  
Thunbergii, *E. Mey. Comm. Pl. Afr. Austr.* 220.—Afr. austr.  
timorensis, *Decne. in DC. Prod.* viii. 502.—Ins. Timor.  
uniflora, *Decne. l. c.* 503.—Madag.  
vestita, *Zipp. ex Span. in Linnaea*, xv. (1841) 324, nomen.—Ins. Timor.  
villosa, *Blume, Bijdr.* 1050 = *Toxocarpus villosus*.

**SECHIOPSIS**, *Naud. in Ann. Sc. Nat. Sér. V.* vi. (1866) 23. *CUCURBITACEAE*, *Benth. & Hook. f.* i. 838.  
triqueter, *Naud. l. c.* 24.—Mexic.

**SECHIUM**, *P. Br. Hist. Jamaic.* 355 (1756). *CUCURBITACEAE*, *Benth. & Hook. f.* i. 837.  
CHAYOTA, *Jacq. Select. Am. ed. Pict. t.* 245 (1780).  
CHOCHO, *Adans. Fam.* ii. 500 (1763).  
amazonicum, *Poepp. & Endl. Nov. Gen. et Sp.* ii. 57 = *Cayaponia amazonica*.  
americanum, *Lam. Encyc.* vii. 50 = edule.  
Chayota, *Hemsl. Biol. Centr. Am. Bot.* i. 491, in syn. = edule.  
edule, *Sw. Fl. Ind. Occ.* ii. 1150.—Ind. occ.  
palmatum, *Ser. in DC. Prod.* iii. 313 = *Microsechium palmatum*.  
peruvianum, *Poepp. & Endl. Nov. Gen. et Sp.* ii. 56. t. 176 = *Cayaponia peruvianum*.

**SECONDATIA**, *A. DC. in DC. Prod.* viii. 445 (1844). *APOCYNACEAE*, *Benth. & Hook. f.* ii. 723.  
arborea, *Muell. Arg. in Mart. Fl. Bras.* vi. i. 110.—Bras.  
densiflora, *A. DC. in DC. Prod.* viii. 445.—Bras.  
difformis, *Benth. & Hook. f. Gen.* ii. 710, 723 = *Trachelospermum difforme*.  
ferruginea, *Miers, Apocyn. S. Am.* 227 = *Echites ferruginea*.  
floribunda, *A. DC. in DC. Prod.* viii. 446.—Bras.  
foliosa, *A. DC. l. c.*—Bras.  
peruviana, *Poepp. & Endl. Nov. Gen. et Sp.* iii. 71. t. 281.—Peruv.  
Schlimiana, *Muell. Arg. in Linnaea*, xxx. (1859–60) 416.—N. Granat.

**SECRETANIA**, *Muell. Arg. in DC. Prod.* xv. ii. 227 (1866) = *Hyeronima*, *Allem. (Euphorb.)*.  
loranthacea, *Muell. Arg. l. c.* 228.—Guian.

**SECURIDACA**, *Linn. Gen. ed.* II. 347 (1742). *POLYGALEAE*, *Benth. & Hook. f.* i. 138.  
CORYTHOLOBIUM, *Mart. ex Benth. in Ann. Wien. Mus.* ii. (1838) 93.  
ELSOTA, *Adans. Fam.* ii. 358 (1763).  
LOPHOSTYLIS, *Hochst. in Flora*, xxv. (1842) 229.  
RODSCHIEDIA, *Miq. in Linnaea*, xviii. (1844) 585.  
acuminata, *A. St. Hil. Fl. Bras. Mer.* ii. 70.—Bras.  
acuminata, *Schlecht. in Linnaea*, xiv. (1840) 382 = *Schlechtendalia*.  
affinis, *Bernh. ex Turcz. in Bull. Soc. Nat. Mosc.* xxvii. (1854) ii. 360.—Guian.  
angustifolia, *Miq. in Tijdschr. Wetensch.* i. (1848) 152 = *longepedunculata*.

**SECURIDACA** :—

- atropurpurea, *Turcz. in Bull. Soc. Nat. Mosc.* xxvii. (1854) ii. 359.—N. Granat.  
bialata, *Benth. in Hook. Kew Journ.* iii. (1851) 162.—Bras.  
bracteata, *A. W. Benn. in Hook. f. Fl. Brit. Ind.* i. 208.—Malacca.  
brasiliensis, *Spreng. Syst.* iii. 175.—Bras.  
Brownii, *Griseb. Fl. Brit. W. Ind.* 30.—Jamaica.  
capparidifolia, *Mart. ex A. W. Benn. in Mart. Fl. Bras.* xiii. III. 66 = *longifolia*.  
complicata, *H. B. & K. Nov. Gen. et Sp.* v. 423.—Venezuela.  
coriacea, *Bonpl. ex Steud. Nom. ed.* II. ii. 551 = *volubilis*.  
coriacea, *Walp. Rep. i.* 247 = *Sequiera coriacea*.  
corymbosa, *Triana & Planch. in Ann. Sc. Nat. Sér.* IV. xvii. (1862) 135.—N. Granat.  
corymbosa, *Turcz. in Bull. Soc. Nat. Mosc.* xxvii. (1854) ii. 360 = *Cumingii*.  
Corytholobium, *A. W. Benn. in Mart. Fl. Bras.* xiii. III. 68.—Bras.  
Cumingii, *Hassk. ex Miq. Ann. Mus. Bot. Lugd. Bat.* i. 190.—Ins. Philipp.  
dasycarpa, *Turcz. in Bull. Soc. Nat. Mosc.* xxvii. (1854) ii. 359.—N. Granat.  
declinata, *Vell. Fl. Flum.* 294; vii. t. 73 = *tomentosa*.  
decora, *Poepp. & Endl. Nov. Gen. et Sp.* iii. 66.—Peruv.  
divaricata, *Nees & Mart. in Nov. Act. Nat. Cur.* xii. i. (1824) 25 = *rivinaefolia*.  
elliptica, *Turcz. in Bull. Soc. Nat. Mosc.* xxvii. (1854) ii. 358.—Cuba.  
erecta, *Jacq. Enum. Pl. Carib.* 27.—Ind. occ.  
erecta, *Linn. Sp. Pl. ed. II.* 992 = *volubilis*.  
erecta, *Vell. Fl. Flum.* 294; vii. t. 72 = *lanceolata*.  
flexuosa, *Turcz. in Bull. Soc. Nat. Mosc.* xxxvi. (1863) i. 560 = *lanceolata*.  
floribunda, *Oliver, Fl. Trop. Afr.* i. 135 = *Welwitschii*.  
floribunda, *Walp. Rep. i.* 247 = *Sequiera floribunda*.  
Goudotiana, *Planch. & Triana, in Ann. Sc. Nat. Sér.* IV. xvii. (1862) 135.—N. Granat.  
hebeclada, *DC. Prod.* i. 341.—Bras.  
Hostmanni, *Miq. in Tijdschr. Wetensch.* i. (1848) 153; *Stirp. Surin. Sel.* 30.—Guian.  
inappendiculata, *Hassk. Pl. Jav. Rar.* 295; *Cat. Hort. Bog. Alt.* 227 = *tavoyana*.  
incrassata, *Klotzsch, in Schomb. Faun. Fl. Brit. Gui.* 1097, nomen.—Guian.  
Lamarckii, *Griseb. Fl. Brit. W. Ind.* 30.—Ind. occ.  
lanceolata, *A. St. Hil. Fl. Bras. Mer.* ii. 69.—Bras.  
lateralis, *A. W. Benn. in Mart. Fl. Bras.* xiii. III. 68.—Bras.  
latifolia, *Benth. in Hook. Journ. Bot.* iv. (1842) 104 = *longifolia*.  
longepedunculata, *Fresen. in Mus. Senckenb.* ii. (1837) 275.—Abyss.  
longifolia, *Poepp. & Endl. Nov. Gen. et Sp.* iii. 66.—Bras.  
longifolia, *Walp. Rep. i.* 247 = *Sequiera longifolia*.  
Luschnathiana, *Presl, Bot. Bemerk.* 17 = *tomentosa*.  
macrocarpa, *A. W. Benn. in Mart. Fl. Bras.* xiii. III. 63.—Bras.  
macrophylla, *Walp. Rep. i.* 247 = *Sequiera macrophylla*.  
macrostachya, *Turcz. in Bull. Soc. Nat. Mosc.* xxxvi. (1863) i. 560.—Ins. S. Vincent.  
major, *Sagot, ex A. W. Benn. in Mart. Fl. Bras.* xiii. III. 64.—Guian.  
marginata, *Benth. in Hook. Journ. Bot.* iv. (1842) 103.—Guian.  
Martiana, *Turcz. in Bull. Soc. Nat. Mosc.* xxxvi. i. (1863) 559 = *volubilis*.  
mollis, *H. B. & K. Nov. Gen. et Sp.* v. 421 = *volubilis*.  
obcordata, *Turcz. in Bull. Soc. Nat. Mosc.* xxvii. (1854) ii. 358.—Cuba.  
oblongifolia, *Benth. & Hook. f. ex Harv. & Sond. Fl. Cap.* ii. 586.—Afr. austr.  
ovalifolia, *A. St. Hil. Fl. Bras. Mer.* ii. 68.—Bras.  
paniculata, *Poir. Encyc.* vii. 52 = *volubilis*.  
paniculata, *Rich. in Act. Soc. Hist. Nat. Par.* i. (1792) 111.—Guian.  
paniculata, *Roxb. ex Wall. Cat. sub n.* 4195 = *tavoyana*.  
paniculata, *Roxb. Hort. Beng.* 53; *Fl. Ind.* iii. 219 = *scandens*.

**SECURIDACA** :—

- parvifolia, *Spruce, ex A. W. Benn. in Mart. Fl. Bras.* xiii. III. 65 = *rivinaefolia*.  
parvifolia, *Walp. Rep. i.* 247 = *Sequiera parvifolia*.  
pendula, *Bonpl. ex Steud. Nom. ed.* II. ii. 551 = *complicata*.  
polylopha, *Turcz. in Bull. Soc. Nat. Mosc.* xxvii. (1854) ii. 360.—Bras.  
pubescens, *DC. Prod.* i. 341.—Guian.  
pubescens, *Seem. Bot. Voy. Herald.* 80 = *volubilis*.  
pubiflora, *Benth. in Hook. Journ. Bot.* iv. (1842) 104 = *longifolia*.  
reticulata, *Presl, Bot. Bemerk.* 17 = *rivinaefolia*.  
retusa, *Benth. in Hook. Kew Journ.* ii. (1850) 210.—Bras.  
retusa, *Spruce, ex A. W. Benn. in Mart. Fl. Bras.* xiii. III. 67.—Bras.  
rivinaefolia, *A. St. Hil. Fl. Bras. Mer.* ii. 69.—Bras.  
rufescens, *Planch. & Linden, ex Triana & Planch. in Ann. Sc. Nat. Sér.* IV. xvii. (1862) 134.—N. Granat.  
rufescens, *Sond. in Linnaea*, xxii. (1849) 546 = *tomentosa*.  
scandens, *Buch.-Ham. ex Wall. Cat. n.* 4195 = *tavoyana*.  
scandens, *Jacq. Enum. Pl. Carib.* 27.—Ind. occ.  
scandens, *Lam. Encyc.* vii. 51 = *Lamarckii*.  
scandens, *Tussac, Fl. Antill.* iv. t. 20 = *virgata*.  
scandens, *Vell. Fl. Flum.* vii. t. 60 = *rivinaefolia*.  
Schlechtendalia, *Walp. Rep. i.* 246.—Mexic.  
Schlimii, *Planch. & Linden, ex Triana & Planch. in Ann. Sc. Nat. Sér.* IV. xvii. (1862) 135.—N. Granat.  
Sellowiana, *Klotzsch, ex A. W. Benn. in Mart. Fl. Bras.* xiii. III. 63.—Bras.  
sulcata, *Klotzsch, in Schomb. Faun. Fl. Brit. Gui.* 1006, nomen.—Guian.  
surinamensis, *Miq. in Tijdschr. Wetensch.* i. (1848) 153.—Guian.  
sylvestris, *Schlecht. in Linnaea*, xiv. (1840) 381.—Mexic.  
tavoyana, *Wall. Cat. n.* 4196.—Ind. or.; *Malaya*.  
tomentosa, *A. St. Hil. Fl. Bras. Mer.* ii. 71. t. 96.—Bras.  
virgata, *Macfad. Fl. Jamaic.* i. 49 = *Brownii*.  
virgata, *Sieber, ex Presl, Bot. Bemerk.* 17 = *volubilis*.  
virgata, *Sw. Prod. Veg. Ind. Occ.* 104.—Ind. occ.  
volubilis, *Blanco, Fl. Filip. ed.* i. 556 = *tavoyana*.  
volubilis, *Linn. Sp. Pl.* 707.—Am. austr.  
Welwitschii, *Oliver, Fl. Trop. Afr.* i. 135.—Afr. trop.

**SECURIDACA**, *Tourn. ex Mill. Gard. Dict. ed.* VI (1752) = **Securigera**, *DC. (Legumin.)*.  
legitima, *Gaertn. Fruct.* ii. 337. t. 153. f. 3 = *Securigera Coronilla*.  
lutea, *Mill. Gard. Dict. ed.* VIII = *Securigera Coronilla*.  
vera, *Hort. ex Steud. Nom. ed.* I. 758 = *Securigera Coronilla*.

**SECURIDAEA**, *Turcz. in Bull. Soc. Nat. Mosc.* xxxvi. (1863) i. 559 (err. typ.) = **Securidaca**, *Linn. (Polygal.)*.

**SECURIGERA**, *DC. Fl. Fr.* iv. 609 (1805). *LEGUMINOSAE*, *Benth. & Hook. f.* i. 489.  
BONAVERIA, *Scop. Introd.* 310 (1777), nomen prius.  
SECURIDACA, *Tourn. ex Mill. Gard. Dict. ed.* VI (1752).  
SECURILLA, *Gaertn. ex Steud. Nom. ed.* I. 228 (1821).  
SECURINA, *Medic. in Vorles. Churpf. Phys. Ges.* ii. (1787) 368.  
atlantica, *Boiss. & Reut. Pugill. Pl. Nov.* (1852) 41 = *Coronilla atlantica*.  
Brownii, *C. Muell. in Walp. Ann.* vii. 702, sphalm. = *Securidaca Brownii*.  
Coronilla, *DC. Fl. Fr.* iv. 609.—Europ. austr.  
grandiflora, *Boiss. Diagn. Ser. I.* v. 88 = *Coronilla grandiflora*.  
Lamarckii, *C. Muell. in Walp. Ann.* vii. 702, sphalm. = *Securidaca Lamarckii*.  
legitima, *Desv. in Mém. Soc. Linn. Par.* iv. (1826) 301 = *S. Coronilla*.  
Securidaca, *supra*, i. p. 620, lapsu = *S. Coronilla*.



**SECURILLA**, Gaertn. ex Steud. Nom. ed. I. 228 (1821) = **Securigera**, DC. (Legumin.).  
*Securidaca*, Gaertn. ex Steud. l. c. = *Securigera* Coronilla.

**SECURINA**, Medic. in Vorles. Churpf. Phys. Ges. ii. (1787) 368 = **Securigera**, DC. (Legumin.).  
*lutea*, Medic. l. c. 369 = *Securigera* Coronilla.

**SECURINEGA**, Comm. ex Juss. Gen. 388 (1789).  
**EUPHORBIAEAE**, Benth. & Hook. f. iii. 275.

BESSERA, Spreng. Pugill. ii. 90 (1815).  
 COLMEIROA, Reut. in Mém. Soc. Phys. Genève. x. (1843) 240. t. 6.

GEHLERA, Fisch. & Mey. Ind. Sem. Hort. Petrop. i. 28 (1835).

MEINECKIA, Baill. Etud. Gén. Euph. 586 (1858).  
 PLEIOSTEMON, Sond. in Linnaea, xxiii. (1850) 135.

*abyssinica*, A. Rich. Tent. Fl. Abyss. ii. 256 = *Fluggea* microcarpa.

*Acidothermus*, Muell. Arg. in DC. Prod. xv. ii. 451. —Ind. occ.

*Bailloniana*, Muell. Arg. l. c. —Afr. trop.

*buxifolia*, Muell. Arg. l. c. 452. —Europ. austr.

*Commerstonii*, G. Don, in Sweet, Hort. Brit. ed. III. 768, nomen = *durissima*.

*congesta*, Muell. Arg. in Mart. Fl. Bras. xi. ii. 76. —Bras.

*durissima*, F. F. Gmel. Syst. 1008. —Ins. Borbon.

*elliptica*, Muell. Arg. in DC. Prod. xv. ii. 448. —Am. centr.

*flexuosa*, Muell. Arg. l. c. 450. —Ins. Philipp.

*flugeoides*, Muell. Arg. l. c. —Japon.

*grisea*, Muell. Arg. l. c. 451. —Reg. Himal.

*Hilariana*, Muell. Arg. l. c. 1273. —Bras.

*hysterantha*, Boj. Hort. Maurit. 278 = *Phyllanthus* indicus.

*japonica*, Miq. Ann. Mus. Bot. Lugd. Bat. iii. 128 = *flugeoides*.

*Leucopyrus*, Brand. Forest Fl. 456 = *Fluggea* microcarpa.

*Leucopyrus*, Muell. Arg. in DC. Prod. xv. ii. 451 = *Fluggea* *Leucopyrus*.

*microcarpa*, Muell. Arg. l. c. 434–6, passim = *obovata*.

*Muelleriana*, Baill. Adansonia, vi. (1865–66) 333 = *Neoroepora* *buxifolia*.

*nitida*, Lindl. Coll. Bot. t. 9 (= *Lithoxylon* *Lindleyi*). —Ins. Tahiti.

*nitida*, Willd. Sp. Pl. iv. 761 = *durissima*.

*obovata*, Muell. Arg. in DC. Prod. xv. ii. 449 = *Fluggea* microcarpa.

*phyllanthoides*, Muell. Arg. l. c. 448. —Arab.

*ramiflora*, Muell. Arg. l. c. 449. —As. or.

*Schuechiana*, Muell. Arg. in Mart. Fl. Bras. xi. ii. 78. —Bras.

*Schweinfurthii*, Balf. f. in Proc. Roy. Soc. Edinb. xii. (1884) 411. —Ins. Socotr.

*trichogynis*, Muell. Arg. in DC. Prod. xv. ii. 447. —Madag.

*virosa*, Baill. Adansonia, vi. (1865–66) 334 = *Fluggea* *Leucopyrus*.

**EDDERA**, Hochst. in Flora, xxvii. (1844) Bes. Beil. 7. t. 5 = **Breweria**, R. Br. (Convolv.).

*arabica*, Choisy, in DC. Prod. ix. 441. —Arab.

*Bottae*, Jaub. & Spach, Illustr. iv. 108. t. 371. —Arab.

*evolvuloides*, Wight, Ic. t. 1369 = *B. evolvuloides*.

*intermedia*, Hochst. & Steud. ex Hochst. in Flora, xxvii. (1844) Bes. Beil. 8 = *B. intermedia* (in Addend.).

*latifolia*, Hochst. & Steud. l. c. = *B. latifolia*.

*secundiflora*, Jaub. & Spach, Illustr. iv. 110. t. 372. —Arab.

*virgata*, Hochst. & Steud. ex Hochst. in Flora, xxvii. (1844) Bes. Beil. 8 = *B. virgata*.

**SEDGWICKIA**, Griff. in As. Res. xix. (1836) 98. t. 15 = **Altingia**, Noronha (Hamamel.).

*cerasifolia*, Griff. l. c. 99. t. 15 = *A. excelsa*.

**SEDUM**, Adans. Fam. ii. 248 (1763 = **Sempervivum**, Rupp. (Crassul.).

**SEDUM**, Tourn. ex Linn. Syst. ed. I (1735). **CRASSULACEAE**, Benth. & Hook. f. i. 659.

**AITHALES**, Webb & Berth. Phyt. Canar. i. 178 (1836 ?).

**ANACAMPSEOS**, Haw. Syn. Pl. Succ. 111 (1812).

**CEPAEA**, Caesalp. ex Fourr. in Ann. Soc. Linn. Lyon, N. S. xvi. (1868) 384.

**ENCHYLUS**, Ehrh. Beitr. iv. 147 (1789).

**LEUCOSEDUM**, Fourr. in Ann. Soc. Linn. Lyon, N. S. xvi. (1868) 384.

**RHODIA**, Linn. Syst. ed. I (1735).

**RHODIOLA**, Linn. Gen. ed. I. 318 (1737).

**PROCRASSULA**, Griseb. Spicil. Fl. Rumel. i. 323 (1843).

**TELMISSA**, Fenzl, Pugill. Pl. Syr. 14 (1842).

**TETRAIDIUM**, Dulac, Fl. Hautes-Pyr. 321 (1867).

*acre*, Linn. Sp. Pl. 432. —Europ.; As. bor.

*acutifolium*, Ledeb. Fl. Ross. ii. 187. —As. Min.

*adenotrichum*, Hook. f. & Thoms. in Journ. Linn. Soc. ii. (1858) 101, partim = *Griffithii*.

*adenotrichum*, Wall. Cat. n. 7231. —Reg. Himal.

*aestivum*, All. Fl. Pedem. ii. 121 = *annuum*.

*aetnense*, Tineo, in Guss. Fl. Sic. Syn. ii. 826. —Sicil.

*affine*, Bor. in Mém. Soc. Acad. Maine-et-Loire, xx. (1866) 122 = *S. Telephium*.

*aizoides*, DC. Pl. Grass. t. 4 = *Sempervivum* *aizoides*.

*aizoides*, Salm-Dyck, Hort. Dyck. 371. —Hab. ?

*Aizoon*, Linn. Sp. Pl. 430. —Sibir.

*Aizoon*, Sibth. Herb. ex Boiss. Fl. Orient. iii. 961 = *Trachelium* *Jacquini*.

*albellum*, Willk. in Willk. et Lange, Prod. Fl. Hisp. iii. 141 = *album*.

*Alberti*, Regel, in Act. Hort. Petrop. vi. (1879) 299. —Turkestan.

*albescens*, Haw. Rev. Pl. Succ. 28 = *rupestre*.

*albicans*, Steud. Nom. ed. I. 758 = *S. Telephium*.

*alborosum*, Baker, in Saund. Refug. Bot. t. 33. —Japon.

*album*, Eichw. Beschr. Casp.-Cauc. 31 = *acutifolium*.

*album*, Linn. Sp. Pl. 432. —Europ.; As. bor.

*Alfredi*, Hance, in Journ. Bot. viii. (1870) 7. —China.

*algidum*, Ledeb. Fl. Alt. ii. 194. —Turkestan; Sibir.

*alpestre*, Vill. Prosp. 49; Hist. Pl. Dauph. iii. 684. —Mont. Pyren.

*alsinefolium*, All. Fl. Pedem. ii. 119 = *S. Cepaea*.

*altaicum*, G. Don, Gen. Syst. iii. 114. —Sibir.

*altissimum*, Poir. Encyc. iv. 634 = *nicaeense*.

*altum*, Clarke, Trav. ii. 420 = *nicaeense*.

*americanum*, Banks, ex Pursh, Fl. Am. Sept. i. 324 = *ternatum*.

*amplexicaule*, DC. Rapp. Voy. ii. 80; ex ej. Fl. Fr. Suppl. 526. —Reg. Mediterr.

*Anacampseros*, Linn. Sp. Pl. 430. —Europ.

*anatolicum*, C. Koch, in Linnaea, xix. (1847) 41 = *S. Listoniae*.

*andegavense*, DC. Prod. iii. 406. —Europ. austr.

*Andersonii*, G. Don, in Loud. Hort. Brit. 184 = *hispanicum*.

*andinum*, Ball, in Journ. Linn. Soc. xxii. (1885) 38. —Peruv.

*anglicum*, Huds. Fl. Angl. ed. II. 196. —Europ.

*angulatum*, Hort. ex Mast. in Gard. Chron. (1878) II. 717 = *album*.

*angustum*, Maxim. in Bull. Acad. Pétersb. xxix. (1883) 138. —China.

*annuum*, All. Fl. Pedem. ii. 122 = *alpestre*.

*annuum*, Gunn. ex DC. Prod. iii. 405 = *anglicum*.

*annuum*, Linn. Sp. 432. —Europ.; As. Min.; Groenl.

*anopetalum*, DC. Rapp. Voy. ii. 80; ex ej. Fl. Fr. Suppl. 526. —Europ. austr.; As. Min.

*arboresum*, Mast. in Gard. Chron. (1878) II. 717. —Hab. ?

*arboresum*, Orteg. ex Steud. Nom. ed. II. ii. 552 = *Crassula* *portulacea*.

*arduennense*, Callay, ex Bor. in Mém. Soc. Acad. Maine-et-Loire, xx. (1866) 126 = *S. Telephium*.

*arenarium*, Brot. Fl. Lusit. ii. 212 = *anglicum*.

*argutum*, Sweet, Hort. Brit. ed. I. 179. —Mont. Carpath.

*aristatum*, Tenore, Fl. Nap. i. 250 = *hispanicum*.

*aristatum*, Vill. Hist. Pl. Dauph. iv. 680. t. 45 = *anopetalum*.

*armenum*, Boiss. & Huet, Diagn. Ser. II. ii. 61 = *hispanicum*.

*arrigenum*, Gren. ex Nym. Consp. 261 = *rupestre*.

*asiaticum*, Aitch. in Journ. Linn. Soc. xix. (1882) 162 = *heterodontum*.

**SEDUM** :—

*asiaticum*, Spreng. Syst. iv. Cur. Post. 188; DC. Prod. iii. 401. —Reg. Himal.

*assyriacum*, Boiss. Diagn. Ser. I. vi. 55. —Syria; Assyria.

*athoma*, D. Dietr. Syn. Pl. ii. 1621, sphalm. = *seq.*

*athoum*, DC. Prod. iii. 407 = *album*.

*atlanticum*, Pers. Syn. i. 513 = *hispidum*.

*atratum*, Aubry, ex DC. Prod. iii. 405 = *anglicum*.

*atratum*, Bast. Fl. Maine-et-Loire, 167 = *andegavense*.

*atratum*, Linn. Sp. Pl. ed. II. 1673. —Europ. med.

*atratum*, Lucé, Fl. Osil. 143 = *annuum*.

*atratum*, Willem. ex Steud. Nom. ed. I. 758 = *villosum*.

*atropurpureum*, Turcz. in Bull. Soc. Nat. Mosc. (1840) 70. —Sibir.

*aureum*, Wirtg. ex F. Schultz, Arch. Fl. 200; et Fl. Preuss. Rheinprov. 184 = *pruinatum*.

*azureum*, Desf. Fl. Atlant. i. 362 = *coeruleum*, Vahl.

*azureum*, Royle, Illustr. Bot. Himal. 222. t. 48. f. 2 = *Ewersii*.

*balticum*, Hartm. f. Skand. Fl. ed. IX. 128 = *album*.

*Baselicis*, Tenore, ex Steud. Nom. ed. II. ii. 552, nomen. —Neapol.

*Batesii*, Hemsl. Diagn. Pl. Nov. 12. —Mexic.

*Beyrichianum*, Mast. in Gard. Chron. (1878) II. 376. —Hab. ?

*bicolor*, H. B. & K. Nov. Gen. et Sp. vi. 45. —Venezuela.

*bithynicum*, Boiss. Diagn. Ser. I. x. 17 = *hispanicum*.

*Bohuslawii*, Rupr. in Beitr. Pfl. Russ. Reich. vii. 18. —Ross.

*boloniense*, Loisel. in Desv. Journ. Bot. ii. (1809) 327 = *sexangulare*.

*Boryanum*, DC. Prod. iii. 410. —Hispan.

*Botterii*, Hemsl. Diagn. Pl. Nov. 10. —Mexic.

*Bourgaci*, Hemsl. l. c. 11. —Mexic.

*bracteatum*, Viv. Fl. Lib. Spec. 24. t. 8. f. 3. —Afr. bor.

*brevifolium*, DC. Rapp. Voy. ii. (1808) 79; ex ej. Fl. Fr. Suppl. 524. —Reg. Mediterr. occ.

*Brunfelsii*, Bor. in Mém. Soc. Acad. Maine-et-Loire, xx. (1866) 121 = *S. Telephium*.

*Bulliardii*, Bor. l. c. 123 = *S. Telephium*.

*bupleuroides*, Wall. Cat. n. 7229. —Reg. Himal.

*caeruleum*, Linn. Mant. ii. 241 (Quid ?). —Afr. austr.

*caesium*, Bor. ex Pévard, in Bull. Soc. Bot. Fr. xviii. (1871) 325. —Gallia.

*caespitosum*, DC. Prod. iii. 405. —Reg. Mediterr. et Cauc.

*calabricum*, Tenore, ex Steud. Nom. ed. II. ii. 552, nomen. —Ital.

*Callayanum*, Bor. in Mém. Soc. Acad. Maine-et-Loire, xx. (1866) 127 = *S. Telephium*.

*callichroum*, Boiss. Diagn. Ser. I. vi. 56. —Persia.

*Calvertii*, Boiss. Diagn. Ser. II. ii. 62 = *acutifolium*.

*capense*, Burm. f. Fl. Cap. Prod. 13. —Afr. austr.

*capitatum*, Royle, Illustr. Bot. Himal. 222, nomen. —Reg. Himal.

*cariense*, Jaub. & Spach, Illustr. i. 16. t. 7 = *Listoniae*.

*carinatum*, Link, ex Spreng. Syst. ii. 435 = *amplexicaule*.

*Carioni*, Bor. in Mém. Soc. Acad. Maine-et-Loire, xx. (1866) 126 = *S. Telephium*.

*carpatium*, Reuss, Kvét. Slov. (1853) 162 = *S. Telephium*.

*Cepaea*, Linn. Sp. Pl. 431. —Europ.

*cepaum*, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 134 = *praece*.

*cespitosum*, Boiss. Fl. Orient. ii. 794 = *caespitosum*.

*chrisianum*, Hort. Flor. ex Mast. in Gard. Chron. (1878) II. 717 (an *Clusianum* ?) = *album*.

*chrysastrum*, Hance, in Journ. Bot. viii. (1870) 6. —China.

*ciliare*, Sweet, Hort. Brit. ed. I. 179 = *dentatum*.

*Clusianum*, Guss. Fl. Sic. Syn. i. 516 = *album*.

*coccineum*, Royle, Illustr. Bot. Himal. 223. t. 48. f. 3 = *quadridum*.

*coerulescens*, Haw. in Phil. Mag. (1825) 174 = *stenopetalum*.

*coeruleum*, Vahl, Symb. Bot. ii. 51. —Reg. Mediterr.

*coeruleum*, Webb, ex Willk. & Lange, Prod. Fl. Hisp. iii. 140 = *dasyphyllum*.

*cognense*, Muell. Arg. in Compt.-Rend. Soc. Hallér. (1854–56) 130 = *villosum*.

*collinum*, Willd. Enum. Hort. Berol. Suppl. 24 = *rupestre*.

*commutatum*, Spreng. ex Steud. Nom. ed. II. ii. 552 = *andegavense*.

## SEDUM:—

- complanatum*, Gilib. Fl. Lituan. ii. 181 = S. Telephium.  
*confertiflorum*, Boiss. Diagn. Ser. I. iii. 15.—As. Min.  
*confertum*, Bor. Fl. Centr. Fr. ed. III. ii. 253 = S. Telephium.  
*confertum*, Delile, Fl. Aeg. Illustr. 62.—Aegypt.  
*confusum*, Hemsl. Diagn. Pl. Nov. 10.—Mexic.  
*congestum*, C. Koch, ex Boiss. Fl. Orient. ii. 779 = crenatum.  
*controversum*, Bor. in Mém. Soc. Acad. Maine-et-Loire, xx. (1866) 125 = S. Telephium.  
*Cooperi*, Clémenc. in Rev. Hort. (1868) 474.—Hab.?  
*cordifolium*, Baker, in Saund. Refug. Bot. t. 34.—Hab.?  
*coriaceum*, Wall. Cat. n. 7238.—Reg. Himal.  
*corsicum*, Duby, Bot. Gall. ed. II. i. 202 = dasyphyllum.  
*corymbiferum*, Bor. in Mém. Soc. Acad. Maine-et-Loire, xx. (1866) 122 = S. Telephium.  
*Cotyledon*, Jacq. f. Eclog. Pl. i. 27. t. 17 = Cotyledon caespitosa.  
*Cotyledon*, Sieber, ex Presl, in Oken, Isis, xxi. (1828) 273 = creticum.  
*crassicaule*, Hort. ex Link, Enum. Hort. Berol. i. 438 = rupestre.  
*crassipes*, Wall. Cat. n. 7234 = asiaticum.  
*crenatum*, Boiss. Fl. Orient. ii. 779.—Armenia.  
*crenulatum*, Hook. f. & Thoms. in Journ. Linn. Soc. ii. (1858) 96.—Reg. Himal.  
*creticum*, Boiss. & Heldr. Diagn. Ser. I. x. 16.—Ins. Creta.  
*creticum*, Presl, in Oken, Isis, xxi. (1828) 273.—Ins. Creta.  
*cristatum*, Schrad. Hort. Gotting. 16 = rupestre.  
*cruciatum*, Desf. Tabl. ed. I. 162 = monregalense.  
*cupressoides*, Hemsl. Diagn. Pl. Nov. 11.—Mexic.  
*cyaneum*, Rudolph, in Mém. Acad. Pétersb. iv. (1811) 341.—Sibir.  
*dasyphyllum*, Linn. Sp. Pl. 431.—Europ.; Afr. bor. debile, S. Wats. in Bot. King's Exp. 102.—Am. bor. occ.  
*decumbens*, Lucé, Topog. Nachr. Oesel, 142 = S. Telephium.  
*deficiens*, Donn, Hort. Cantab. ed. VI. 126 = ternatum.  
*deltoidium*, Tenore, Prod. Fl. Nap. p. xxvi = stellatum.  
*dendroidium*, Moç. & Sessé, ex DC. Prod. iii. 409.—Mexic.  
*dentatum*, DC. Prod. iii. 403.—Reg. Cauc.  
*dentatum*, Steph. ex Cham. in Linnaea, vi. (1831) 549 = Stephani.  
*denticulatum*, Donn, Hort. Cantab. ed. VIII. ex DC. Prod. iii. 403 = oppositifolium.  
*dioicum*, Donn, l. c. ed. III. 84 = nicaeense.  
*dioicum*, Stokes, Bot. Mat. Med. ii. 549 = roseum, Scop.  
*divaricatum*, Ait. Hort. Kew. ed. I. ii. 108 = Sempervivum aizoides.  
*divaricatum*, Lapeyr. Hist. Abr. Pl. Pyr. 260 = annum.  
*divaricatum*, Schlecht. ex Ledeb. Fl. Ross. ii. 185 = sempervivoides.  
*divaricatum*, S. Wats. in Proc. Am. Acad. xvii. (1882) 372.—Am. bor. occ.  
*divergens*, S. Wats. l. c.—Am. bor. occ.  
*dodecandrum*, Pourr. ex Willk. & Lange, Prod. Fl. Hisp. iii. 138 = pruinatum.  
*dolomiticum*, Hort. ex Mast. in Gard. Chron. (1878) II. 626 = nicaeense.  
*Douglasii*, Hook. Fl. Bor. Am. i. 228.—Am. bor. occ.  
*Douglasii*, S. Wats. in Bot. Calif. i. 210 = radiatum.  
*drymarioides*, Hance, in Seem. Journ. Bot. iii. (1865) 379.—China.  
*dumulosum*, Franch. Pl. Davidian. i. (1884) 129.—China.  
*ebracteatum*, [Moç. & Sessé] ex DC. Prod. iii. 409.—Mexic.  
*edule*, Nutt. ex Torr. & Gray, Fl. N. Am. i. 560 = Cotyledon edulis.  
*elatinoides*, Franch. Pl. Davidian. i. (1884) 131.—China.  
*elegans*, Lej. Fl. Spa, i. 205 = pruinatum.  
*ellipticum*, Miègev. Bull. Soc. Bot. Fr. xiv. (1867) 145.—Mont. Pyren.  
*elongatum*, Ledeb. Fl. Alt. ii. 193 = roseum, Scop.  
*elongatum*, Wall. Cat. n. 7233; Hook. f. in Journ. Linn. Soc. ii. (1858) 98.—Reg. Himal.

## SEDUM:—

- engadinense*, Bruegg. in Jahresb. Nat. Ges. Graub. II. xxv. (1882) 96.—Europ.  
*epidendrum*, Hochst. ex A. Rich. Tent. Fl. Abyss. i. 314.—Abyss.  
*eriocarpum*, Sibth. & Sm. Fl. Graec. Prod. i. 310; et Fl. Graec. v. 36. t. 449 = hispanicum.  
*erraticum* ×, Bruegg. in Jahresb. Nat. Ges. Graub. II. xxv. (1882) 58, 96.—Europ.  
*erythraeum*, Griseb. Spicil. Fl. Rumel. i. 326.—Macedon.  
*erythromelanium*, Fr. Braun, ex Nym. Consp. 260 = maximum.  
*erythrostictum*, Miq. Ann. Mus. Bot. Lugd. Bat. ii. 155 = S. Telephium.  
*euphorbioides*, Schlecht. ex Ledeb. Fl. Ross. ii. 177.—Sibir.  
*Ewersii*, Ledeb. Fl. Alt. ii. 191.—Reg. Himal.; Sibir. altaic.  
*Fabaria*, Koch, Syn. Fl. Germ. ed. I. 258 = S. Telephium.  
*Fabaria*, Vilm. ex Vilm. Fl. Pl. Terre, ed. I. 811 = spectabile.  
*fabarum*, Hort. Angl. ex Lem. Illustr. Hort. viii. (1861) t. 271 = spectabile.  
*farinosum*, Lowe, in Trans. Camb. Phil. Soc. iv. (1831) 31.—Ins. Mader.  
*fastigiatum*, Hook. f. & Thoms. in Journ. Linn. Soc. ii. (1858) 98.—Reg. Himal.  
*filiforme*, Poir. Encyc. Suppl. iv. 210 = hispidum.  
*fimbriatum*, Franch. Pl. Davidian. i. (1884) 128 = Cotyledon fimbriata.  
*formosanum*, N. E. Br. in Gard. Chron. (1885) II. 134.—Ins. Formosa.  
*Forsteri*, Haw. Syn. Pl. Succ. 117 = pruinatum.  
*Forsterianum*, Reichb. Pl. Crit. ix. 15 = sexangulare.  
*Forsterianum*, Sm. Engl. Bot. t. 1802 = pruinatum.  
*fragile*, Dum. Fl. Belg. Prod. 85.—Belgium.  
*fruticulosum*, Brot. Fl. Lusit. ii. 206 = nicaeense.  
*Funkii*, Reichb. Fl. Germ. Excurs. Index 117, sphalm. = Sempervivum Funkii.  
*fusum*, Hemsl. Biol. Centr. Am. Bot. i. 395.—Mexic.  
*fusiforme*, Lowe, in Trans. Camb. Phil. Soc. iv. (1831) 31. t. 3. f. 1.—Ins. Mader.  
*galioides*, All. Fl. Pedem. ii. 120. t. 65. f. 3 = S. Cepaea.  
*gelidum*, Kar. & Kir. in Bull. Soc. Nat. Mosc. xv. (1842) 355.—Sibir. altaic.  
*Gerardianum*, Wall. Cat. n. 7235; Royle, Illustr. Bot. Himal. 222 = Ewersii.  
*glaciale*, Clarion, ex DC. Fl. Fr. iv. 393 = acre.  
*glanduliferum*, Guss. Fl. Sic. Prod. i. 519 = dasyphyllum.  
*glandulosum*, Moris, Stirp. Sard. Elench. 20.—Ins. Sardoia.  
*glandulosum*, Walp. Rep. v. 795 = Telephium glandulosum.  
*glaucum*, Lam. Fl. Fr. iii. 84 = dasyphyllum.  
*glaucum*, Mayer, ex Tenore, Syll. Fl. Neap. 226 = pallidum.  
*glaucum*, Sm. Engl. Fl. ii. 321 = rupestre.  
*glaucum*, Waldst. & Kit. Pl. Kar. Hung. ii. 198. t. 181 = hispanicum.  
*globiferum*, Pall. Reise, i. 256 = Sempervivum globiferum.  
*globiferum*, Pourr. in Mém. Acad. Toul. iii. (1788) 327 = brevifolium.  
*globulifolium*, Moris, ex G. Don, in Sweet, Hort. Brit. ed. III. 269, nomen.—Europ.  
*gracile*, DC. ex Steud. Nom. ed. I. 759 = dasyphyllum.  
*gracile*, Haensel. ex Willk. in Bot. Zeit. iv. (1846) 312.—Hispan.  
*gracile*, C. A. Mey. Verz. Pfl. Cauc. 150.—Reg. Cauc.  
*grandidentatum*, Bor. in Mém. Soc. Acad. Maine-et-Loire, xx. (1866) 124 = S. Telephium.  
*graniticum*, Pérard, in Bull. Soc. Bot. Fr. xvi. (1869) 186 = rupestre.  
*granulatum*, Salisb. Prod. 307 = dasyphyllum.  
*Greggii*, Hemsl. Diagn. Pl. Nov. 12.—Mexic.  
*Griffithii*, C. B. Clarke, in Hook. f. Fl. Brit. Ind. ii. 421.—Reg. Himal.  
*Grisebachii*, Boiss. & Heldr. Diagn. Ser. II. ii. 61.—Graecia.  
*guatemalense*, Hemsl. Diagn. Pl. Nov. 11.—Guatemala.  
*guestphalicum*, Boenn. ex Reichb. Fl. Germ. Excurs. 550 = S. Telephium.

## SEDUM:—

- Guertardi*, Vill. Hist. Pl. Dauph. iii. 678. t. 45 = anglicum, alpestre.  
*gypsicolum*, Boiss. & Reut. Diagn. Pl. Nov. Hisp. 13.—Hispan.  
*haematodes*, Mill. Gard. Dict. ed. VIII. n. 15 = telephioides?  
*haematodes*, Scop. Fl. Carn. ed. II. i. 323 = atratum.  
*haematodeum*, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 134 = praec.  
*heptapetalum*, Fisch. ex Hornem. Suppl. Hort. Hafn. 138.—Rossia.  
*heptapetalum*, Poir. Voy. Barb. ii. 169 = coeruleum, Vahl.  
*heterodontum*, Hook. f. & Thoms. in Journ. Linn. Soc. ii. (1858) 95.—Reg. Himal.  
*hexangulare*, J. B. Fisch. Naturg. von Livl. 498 = sexangulare.  
*hexangulare*, Frivald. ex Nym. Consp. 264 = annum.  
*hexapetalum*, Haw. Rev. Pl. Succ. 26.—Hab.?  
*Hillebrandii*, Fenzl, in Verh. Zool.-Bot. Ges. Wien, vi. (1856) 449 = sexangulare.  
*himalayanum*, Wall. Cat. n. 7236 = seq.  
*himalense*, D. Don, Prod. Fl. Nep. 212.—Reg. Himal.  
*hirsutum*, All. Fl. Pedem. ii. 122. t. 65. f. 5.—Europ. austr.  
*hirsutum*, Brot. Fl. Lusit. ii. 212 = anglicum.  
*hispanicum*, DC. Fl. Fr. iv. 395 = anopetalum.  
*hispanicum*, Linn. Cent. Pl. i. 12; Amoen. Acad. iv. 273.—Europ. austr.; As. Min.  
*hispidum*, Desf. Fl. Atlant. i. 361.—Afr. bor. occ.  
*hispidum*, Poir. Encyc. iv. 633 = hirsutum.  
*Hudsonianum*, Lange.—Cf. Linnaea, xxix. (1857–58) 736 = anglicum.  
*humile*, Hook. f. & Thoms. in Journ. Linn. Soc. ii. (1858) 99.—Reg. Himal.  
*hungaricum*, Poir. Encyc. Suppl. iv. 208 = hispanicum.  
*hybridum*, Linn. Sp. Pl. 431.—Sibir.  
*hybridum*, Trautv. & C. A. Mey. in Middend. Reise, (Fl. Ochot. 40) = Middendorffianum.  
*hybridum*, Urv. in Mém. Soc. Linn. Par. i. (1822) 307 = stoloniferum.  
*hypericifolium*, Wall. Cat. n. 7237 = himalense.  
*ibericum*, Stev. ex Bieb. Fl. Taur. Cauc. iii. 312 = stoloniferum.  
*imbricatum*, Walp. Ann. i. 325; Hook. f. & Thoms. in Journ. Linn. Soc. ii. (1858) 101 = roseum, Scop.  
*incertum*, Hemsl. Diagn. Pl. Nov. 11.—Mexic.  
*insulare*, Moris, Enum. Sem. Hort. Taurin. (1861) 33.—Ins. Sardoia.  
*intermedium*, Déségl. ex Bor. in Mém. Soc. Acad. Maine-et-Loire, xx. (1866) 123 = S. Telephium.  
*intermedium*, Rupr. Fl. Ingr. 404.—Reg. Cauc.  
*involutum*, Bieb. Fl. Taur. Cauc. i. 352.—Reg. Cauc.  
*Jacquini*, Haw. in Phil. Mag. (1825) 174 = nicaeense.  
*Jaeschkei*, Kurz, in Journ. Bot. v. (1867) 240.—Reg. Himal.  
*japonicum*, Siebold, ex Miq. Ann. Mus. Bot. Lugd. Bat. ii. 156.—China; Japon.  
*Jullianum*, Bor. in Mém. Soc. Acad. Maine-et-Loire, xx. (1866) 117 = S. Telephium.  
*kagamontanum*, Maxim. in Bull. Acad. Pétersb. xxix. (1883) 137.—Japon.  
*kamtschaticum*, Fisch. & Mey. Ind. Sem. Hort. Petrop. vii. 54.—As. or.  
*kamtschaticum*, Hort. ex Mast. in Gard. Chron. (1878) II. 268 = Selskianum.  
*Kirilowii*, Regel, in Nouv. Mém. Soc. Nat. Mosc. xi. (1859) 92.—Soongar.; Turkestan.  
*kokanicum*, Regel & Schmalh. ex Regel, Pl. Nov. Fedtsch. 26.—Kokan.  
*Kotschyanum*, Boiss. Diagn. Ser. I. vi. 56.—Persia.  
*laconicum*, Boiss. & Heldr. Diagn. Ser. I. vi. 55.—Graecia; As. Min.  
*laconicum*, Heldr. & Sart. ex Nym. Consp. 262 = acre.  
*lactifolium*, Salisb. Prod. 307 = S. Telephium.  
*Lampusae*, Boiss. Fl. Orient. ii. 787.—Ins. Cyprus.  
*lanceolatum*, Torr. in Ann. Lyc. N. York, ii. (1828) 205 = stenopetalum.  
*latifolium*, Bertol. Amoen. Ital. 366 = maximum.  
*laxiflorum*, DC. Prod. iii. 409.—Ins. Canar.  
*lasicum*, Boiss. Diagn. Ser. II. ii. 63 = crenatum.  
*Ledebourii*, Hort. ex Steud. Nom. ed. II. ii. 552 = roseum, Scop.  
*libanoticum*, Linn. Syst. ed. X. 1037 = Cotyledon serrata.  
*Liebmannianum*, Hemsl. Diagn. Pl. Nov. 12.—Mexic.  
*lilacinum*, Ledeb. in Mém. Acad. Pétersb. v. (1812) 535 = cyaneum.

**SEDUM:—**

lineare, *Thunb. Fl. Jap.* 187.—Japon.  
linearifolium, *Royle, Illustr. Bot. Himal.* 222. t. 48. f. 1.—Reg. Himal.  
linifolium, *Nutt. ex Torr. & Gray, Fl. N. Am.* i. 559 = pulchellum.  
Listoniae, *Vis. in Mem. Ist. Venet.* i. 1842 (1843), 57. t. 6.—As. Min.  
litoreum, *Guss. Pl. Rar.* 185. t. 37. f. 2.—Ital.; Graec.; As. Min.  
lividum, *Drejer, in Fl. Dan.* t. 686 = S. Telephium.  
lividum, *Hort.—Cf. Gard. Chron.* (1877) II. 521 = lydium.  
lividum, *Willd. Enum. Hort. Berol. Suppl.* 24.—Hab.?  
Lobellii, *Bor. in Mém. Soc. Acad. Maine-et-Loire*, xx. (1866) 125 = S. Telephium.  
lugdunense, *Nym. Consp.* 260 = S. Telephium.  
lusitanicum, *Brot. Phyt. Lusit.* ii. t. 178 = nicaeense.  
lusitanum, *Brot. l. c.* 220, sphalm. = praec.  
luteolum, *Chabois. in Bull. Soc. Bot. Fr.* x. (1863) 296.—Europ.  
lydium, *Boiss. Diagn. Ser. I.* iii. 17.—As. Min.  
macrophyllum, *Hort. ex Vilm. Fl. Pl. Terre*, ed. I. 811 = maximum.  
magellense, *Tenore, Prod. Fl. Nap.* p. xxvi.—Ital.; Graec.; As. Min.  
majus, *Gueldest. ex Ledeb. Fl. Ross.* ii. 180 = maximum.  
malacophyllum, *Steud. Nom. ed. I.* 759; *Franch. Pl. Davidian.* i. (1884) 129 = Cotyledon malacophylla.  
Marichalii, *Lloyd, ex Nym. Consp.* 264 = litoreum.  
maritimum, *Bogusl. in Erman, Archiv.* vi. (1848) 66.—Ross.  
maritimum, *Sass. Phaner. Fl. Oesels*, 55, sphalm. = maximum.  
matrense, *Kit. in Linnaea*, xxxii. (1863) 470.—Hungar.  
Maximowiczii, *Regel, Gartenfl.* (1866) 355. t. 528; et *Ind. Sem. Hort. Petrop.* (1866) 98 = S. Aizoon.  
maximum, *Suter, Fl. Helvet.* i. 270.—Europ.; Reg. Cauc.  
Meehani, *A. Gray, in Proc. Am. Acad.* xvi. (1881) 105.—Am. bor.  
melanantherum, *DC. Prod.* iii. 410.—Hispan.  
melanoleucum, *Schlecht. ex Ledeb. Fl. Ross.* ii. 172 = caespitosum.  
micranthum, *Bast. ex DC. Fl. Fr. Suppl.* 523 = album.  
microstachyum, *Boiss. Fl. Orient.* ii. 787.—Ins. Cyprus.  
Middendorffianum, *Maxim. Prim. Fl. Amur.* 116.—Reg. Amur.  
Millii, *Baker, in Journ. Bot.* xiii. (1875) 236.—Anatolia.  
minus, *Haw. in Phil. Mag.* (1825) 175 = rupestre.  
miserum, *Lindl. in Bot. Reg.* (1838) Misc. 65.—Mexic.  
mite, *Gilib. Fl. Lituan.* ii. 182 = sexangulare.  
mixtum, *Linn. Syst. ed. X.* 1037.—Hab.?  
modestum, *Ball, in Journ. Bot.* xi. (1873) 333.—Marocc.  
modestum, *Boiss. Fl. Orient.* ii. 789 = hispanicum.  
monregalense, *Balb. Misc. Bot.* 23. t. 6.—Europ. austr.  
montanum, *Song. & Perrier, in Billotia*, i. (1864) 77 = anopetalum.  
Moorcroftianum, *Wall. Cat. n.* 7228 = Sempervivum acuminatum.  
moranense, *H. B. & K. Nov. Gen. et Sp.* vi. 44.—Mexic.  
mucronatum, *Edgew. in Trans. Linn. Soc.* xx. (1846) 48 = linearifolium.  
multicaule, *Wall. Cat. n.* 7232; et *ex Lindl. Bot. Reg.* (1840) Misc. 58.—Reg. Himal.; China.  
multiceps, *Coss. & Dur. in Bull. Soc. Bot. Fr.* ix. (1862) 171.—Alger.  
multiflorum, *Boenn. ex Salm-Dyck, Hort. Dyck*, 250, nomen (Quid?).—Hab.?  
mutabile, *Wender. ex Steud. Nom. ed. II.* ii. 553, nomen (Quid?).—Hab.?  
nanum, *Boiss. Diagn. Ser. I.* vi. 57.—Persia.  
napiferum, *Peyr. in Linnaea*, xxx. (1859–60) 50.—Mexic.  
neapolitanum, *Tenore, Syll. Fl. Neap.* 536 = dasyphyllum.  
nebrodense, *Gaspar. in Rendic. Acc. Nap.* i. (1842) 49 = dasyphyllum.  
neglectum, *Tenore, Ind. Sem. Hort. Neap.* (1830) 12; et *Syll. Fl. Neap.* 227 = acre.  
nevadense, *Coss. Notes Crit.* 163 = villosum.

**SEDUM:—**

Nevii, *A. Gray, in Mem. Am. Acad. N. S.* vi. (1858) 373.—Am. bor.  
nicaeense, *All. Fl. Pedem.* ii. 122.—Reg. Mediterr.  
Notarjanni, *Tenore, Prod. Fl. Nap.* p. xxvi.—Ital.  
nudum, *Ait. Hort. Kew.* ed. I. ii. 112.—Ins. Mader.  
nudum, *Schousb. ex Coss. in Bull. Soc. Bot. Fr.* xx. (1873) 248 = brevifolium.  
Nuttalianum, *Rafin. Atl. Journ.* 146 (Quid?).—Am. bor.  
oblongum, *Haw. Rev. Pl. Succ.* 29 = anglicum.  
obtusatum, *A. Gray, in Proc. Am. Acad.* vii. (1868) 342.—Calif.  
obtusifolium, *C. A. Mey. Verz. Pfl. Cauc.* 150.—Reg. Cauc.  
occidentale, *Bor. ex Mast. in Gard. Chron.* (1878) II. 303 = S. Telephium.  
ochroleucum, *Chaix, in Vill. Hist. Pl. Dauph.* i. 325 = anopetalum.  
ochroleucum, *Vill. l. c.* iv. 680 = nicaeense.  
octogonum, *Hort. ex DC. Prod.* iii. 403 = ternatum.  
Oederi, *Retz. Fl. Scand.* 85 = saxatile.  
Olgae, *Regel & Schmalh. ex Regel, Pl. Nov. Fedtsch.* 26.—Turkestan.  
olympicum, *Boiss. Diagn. Ser. I.* iii. 16 = magellense.  
oppositifolium, *Sims, Bot. Mag.* t. 1807.—Reg. Cauc.; Persia.  
oreganum, *Nutt. ex Torr. & Gray, Fl. N. Am.* i. 559.—Am. bor. occ.  
orientale, *Boiss. Diagn. Ser. I.* x. 17 = hispanicum.  
oxypetalum, *H. B. & K. Nov. Gen. et Sp.* vi. 45.—Mexic.  
pachyclados, *Aitch. ex Hemsl. in Journ. Linn. Soc.* xviii. (1880) 58.—Afghan.  
palaestinum, *Boiss. Diagn. Ser. I.* x. 18.—Syria.  
pallidum, *Bieb. Fl. Taur. Cauc.* i. 353.—As. Min.; Persia; Ind. bor. occ.  
pallidum, *Tenore, Syll. Fl. Neap.* 226 = hispanicum.  
Palmeri, *S. Wats. in Proc. Am. Acad.* xvii. (1882) 355.—Mexic.  
paludum, *Link, Handb.* ii. 27, sphalm. = pallidum.  
palustre, *Oed. Fl. Dan.* i. 6. t. 24 = villosum.  
paniculatum, *Lam. Fl. Fr.* iii. 83 = S. Cepaea.  
paniculatum, *Wall. Cat. n.* 7227 = Crassula indica.  
parnassicum, *Boiss. & Heldr. Diagn. Ser. II.* ii. 61 = annuum.  
parvum, *Hemsl. Diagn. Pl. Nov.* 50.—Mexic.  
paucidens, *Sweet, Hort. Brit.* ed. I. 179.—Europ.  
pauciflorum, *Edgew. in Trans. Linn. Soc.* xx. (1846) 49 = linearifolium.  
pectinatum, *Sweet, Hort. Brit.* ed. I. 179; *DC. Prod.* iii. 403.—Hab.?  
pedicellatum, *Boiss. & Reut. Diagn. Pl. Nov. Hisp.* 13.—Hispan.  
pentandrum, *Bor. Fl. Centr. Fr.* ed. II. n. 779; et ed. III. ii. 256 = villosum.  
Penthorum, *Crantz, Inst.* ii. 443 = Penthorum sedoides.  
perpusillum, *Hook. f. & Thoms. in Journ. Linn. Soc.* ii. (1858) 103.—Reg. Himal.  
peruvianum, *A. Gray, Bot. U. St. Expl. Exped.* i. 691.—Peruv.  
pilosum, *Bieb. Fl. Taur. Cauc.* i. 352.—Reg. Cauc.; As. Min.  
populifolium, *Pall. Reise*, iii. 730.—Sibir.  
porphyreum, *Kotschy, in Unger & Kotschy, Ins. Cypern*, 313.—Ins. Cyprus.  
portulacoides, *Willd. Enum. Hort. Berol.* 484 = ternatum.  
praealtum, *A. DC. 10<sup>me</sup> Not. Pl. Rar. Jard. Genève* 21.—Mexic.  
procumbens, *Schrank, Baier. Fl.* i. 726.—Bavaria.  
pruinatum, *Brot. Fl. Lusit.* ii. 209.—Reg. Mediterr. occ.  
Przewalskii, *Maxim. in Bull. Acad. Pétersb.* xxix. (1883) 156.—China.  
Pseudo-aizoon, *Debeaux, in Act. Linn. Soc. Bord.* xxxi. (1877) 159 (Fl. du Tché-fou, 64) = S. Aizoon.  
Pseudo-fabaria, *Lange, Ind. Sem. Hort. Haun.* (1868) 23.—Hab.?  
puberulum, *DC. Mém. Crass.* 33 = hispanicum.  
pubescens, *Vahl, Symb. Bot.* ii. 52.—Reg. Tunet.  
pulchellum, *Michx. Fl. Bor. Am.* i. 277.—Am. bor.  
pulchrum, *DC. Prod.* iii. 403 = pulchellum.  
pulligerum, *Pomel, Nouv. Mat. Fl. Atl.* 326 = dasyphyllum.  
pumilum, *Benth. Pl. Hartw.* 310.—Calif.  
punctatum, *Kit. in Linnaea*, xxxii. (1863) 469.—Hungar.

**SEDUM:—**

purpurascens, *Koch, Syn. Fl. Germ. ed. II.* 284 = S. Telephium.  
purpureum, *Link, Eaum. Hort. Berol.* i. 437 = S. Telephium.  
pusillum, *Michx. Fl. Bor. Am.* i. 276.—Am. bor.  
pusillum, *Pursh, Fl. Am. Sept.* i. 323 = pulchellum.  
pyrenaicum, *Lange.—Cf. Linnaea*, xxix. (1857–58) 735 = anglicum.  
pyriforme, *Royle, ex Hook. f. & Thoms. in Journ. Linn. Soc.* ii. (1858) 101 = rosulatum.  
quadrifidum, *Pall. Reise*, iii. 730.—Reg. Himal.; As. arct.  
quinquefidum, *Haw. Rev. Pl. Succ.* 26.—Hab.?  
quitense, *H. B. & K. Nov. Gen. et Sp.* vi. 46.—Ecuador.  
racemiferum, *Griseb. ex Nym. Consp.* 264 = Grisebachii.  
radiatum, *S. Wats. in Proc. Am. Acad.* xviii. (1883) 193.—Calif.  
radicosum, *Boiss. & Hohen. Diagn. Ser. I.* x. 15 (= Umbilicus platyphyllus).—Persia; Soongar.  
Raji, *Lange.—Cf. Linnaea*, xxix. (1857–58) 735 = anglicum.  
ramosissimum, *Franch. Pl. Davidian.* i. (1884) 128 = Cotyledon fimbriata.  
recurvatum, *Willd. Enum. Hort. Berol. Suppl.* 24 = rupestre.  
reflexum, *Cutanda, Fl. Madrit.* 312 = pruinatum.  
reflexum, *Frivald, ex Nym. Consp.* 261 = amplexicaule.  
reflexum, *Linn. Fl. Suec. App.* 463 = rupestre.  
repens, *Nym. Consp.* 260 = S. Telephium.  
repens, *Schleich. ex DC. Fl. Fr. Suppl.* 525 = alpestre.  
reticulatum, *Schrank, in Denkschr. Bot. Ges. Regensb.* i. (1815) 107 = dasyphyllum.  
retorridum, *Hort. ex Mast. in Gard. Chron.* (1878) II. 626 = amplexicaule.  
retusum, *Hemsl. Diagn. Pl. Nov.* 51.—Mexic.  
rhodanense, *Nym. Consp.* 260 = S. Telephium.  
rhodanthum, *A. Gray, in Am. Journ. Sc. Ser. II.* xxxiii. (1862) 405.—Am. bor. occ.  
Rhodiola, *DC. Fl. Fr.* iv. 386 = roseum, *Scop.*  
Rhodiola, *Ledeb. Fl. Alt.* ii. 194 = altaicum.  
Rhodiola, *Turcz. in Bull. Soc. Nat. Mosc.* xvii. (1844) 244 = elongatum.  
rhodioides, *Rafin. Atl. Journ.* 146 = roseum, *Scop.*  
rigidum, *Bor. in Mém. Soc. Acad. Maine-et-Loire*, xx. (1866) 117.—Europ.  
rivulare, *Boiss. Elench.* 43 = melanantherum.  
rivulare, *Griseb. Spicil. Fl. Rumel.* i. 327 = erythraeum.  
Roborowskii, *Maxim. in Bull. Acad. Pétersb.* xxix. (1883) 154.—China.  
roseum, *Scop. Fl. Carn.* ed. II. i. 326.—Europ.  
roseum, *Stev. in Mém. Soc. Nat. Mosc.* iii. (1812) 263.—Reg. Cauc.  
rostratum, *Tenore, Prod. Fl. Nap.* p. xxvi = amplexicaule.  
rosulatum, *Edgew. in Trans. Linn. Soc.* xx. (1846) 48.—Reg. Himal.  
rotundifolium, *Lam. Fl. Fr.* iii. 82 = S. Anacampseros.  
rubellum, *Wender. Ind. Sem. Hort. Marb.* (1824); et *Steud. Nom. ed. II.* ii. 553 (Quid?).—Hab.?  
rubens, *DC. Prod.* iii. 405 = pallidum.  
rubens, *Haenke, in Jirasek, Beob. Riesengeb.* (1791) 114 = alpestre.  
rubens, *Jacq. ex Nym. Consp.* 264 = atratum.  
rubens, *Linn. Sp. Pl.* 432.—Reg. Mediterr.  
rubens, *Oed. Fl. Dan.* t. 82 = anglicum.  
rubens, *Pollini, Fl. Veron.* ii. 71 = hispanicum.  
rubrum, *Royle, Illustr. Bot. Himal.* 222 = Ewersii.  
rufescens, *Tenore, Prod. Fl. Nap.* p. xxvii = nicaeense.  
rupestre, *All. ex Reut. in Bull. Soc. Bot. Fr.* ii. (1855) 643 = anglicum.  
rupestre, *Hacq. ex Nym. Consp.* 262 = alpestre.  
rupestre, *Linn. Sp. Pl.* 431.—Europ.  
rupestre, *Oed. Fl. Dan.* t. 59 = saxatile.  
rupestre, *Plan. Ens. Fl. Gallega*, 221 = pruinatum.  
rupestre, *Vill. Hist. Pl. Dauph.* iii. 679 = anopetalum.  
sajanense, *Pall. ex Ledeb. Fl. Ross.* ii. 183 = S. Aizoon.  
Salsovitianum, *Hort. ex Mast. in Gard. Chron.* (1878) II. 626 = nicaeense.  
sanguineum, *Boiss. & Haussk. ex Boiss. Fl. Orient.* ii. 790.—Mesopot.  
sanguineum, *Ortega, Hort. Matr. Dec.* 125.—Hispan.  
sarmentosum, *Bunge, in Mém. Sav. Etr. Pétersb.* ii. (1835) 104.—China.  
Sartorianum, *Boiss. Diagn. Ser. II.* ii. 62 = acre.

## SEDUM:—

- saxatile*, All. Fl. Pedem. ii. 121. t. 65. f. 6 = alpestre.  
*saxatile*, DC. Fl. Fr. iv. 394 = annuum.  
*saxatile*, Pall. Tabl. Taur. 51 = pallidum.  
*saxatile*, [Weber, in] Wigg. Prim. Fl. Holsat. 35.—Europ.  
*Scheuchzeri*, Schlecht. ex Mert. & Koch, Deutschl. Fl. iii. 314 = alpestre.  
*Schimperi*, Britten, in Oliver, Fl. Trop. Afr. ii. 400.—Abyss.  
*schistosum*, Lej. Fl. Spa, i. 206 = sexangulare.  
*Selskianum*, Regel & Maack, in Tent. Fl. Ussur. 66.—Reg. Amur.  
*Semenovii*, Mast. in Gard. Chron. (1878) II. 267.—Turkestan.  
*semiglobosum*, Boiss. & Huet, in Tchihat. Asie Min. Bot. i. 397, nomen.—Armenia.  
*sempervivoides*, Fisch. ex Bieb. Fl. Taur. Cauc. iii. 313.—As. Min.; Reg. Cauc.  
*Sempervivum*, Ledeb. ex Spreng. Syst. ii. 434 = sempervivoides.  
*septangulare*, Haw. Syn. Pl. Succ. 116 = rupestre.  
*serotinum*, Belyneck, Fl. Namur (1855), 322.—Belgium.  
*serratum*, Jacquem. ex C. B. Clarke, in Hook. f. Fl. Brit. Ind. ii. 417 = heterodontum.  
*sexangulare*, Linn. Sp. Pl. 432.—Europ.  
*sexangulare*, Loisel. ex Boiss. Fl. Orient. ii. 784 = acre.  
*sexfidum*, Bieb. Fl. Taur. Cauc. i. 354 = hispanicum.  
*Shearei*, S. Moore, in Journ. Bot. xiii. (1875) 227.—China.  
*Sieboldii*, Hort. ex G. Don, in Sweet, Hort. Brit. ed. III. 270, nomen; et ex Hook. Bot. Mag. t. 5358.—Japan.  
*simplex*, Steud. ex Boiss. Fl. Orient. ii. 790 = Stendelii.  
*sinuatum*, Royle, Illustr. Bot. Himal. 222 = trifidum.  
*solutinum*, Tineo, in Guss. Fl. Sic. Syn. ii. 827 = nicaeense.  
*sordidum*, Maxim. in Bull. Acad. Pétersb. xxix. (1888) 142.—Japan.  
*sparsiflorum*, Nutt. ex Torr. & Gray, Fl. N. Am. i. 559 = Torreyi.  
*sparsiflorum*, Torr. in Bot. U. St. Expl. Exped. ii. 307 = oreganum?  
*spathulatum*, D. Dietr. Syn. Pl. ii. 1618, sphalm. = spathulifolium.  
*spathulatum*, Waldst. & Kit. Pl. Rar. Hung. ii. 108 = S. Cepaea.  
*spathulifolium*, Hook. Fl. Bor. Am. i. 227.—Am. bor. occ.  
*spectabile*, Bor. in Mém. Soc. Acad. Maine-et-Loire, xx. (1866) 116.—Japan.  
*sphaericum*, Lapeyr. Hist. Abr. Pl. Pyr. 259 = brevifolium.  
*spicatum*, [Moq. & Sessé,] ex DC. Prod. iii. 401 = Cotyledon coccinea.  
*spinosum*, Thunb. Fl. Jap. 186; Willd. Enum. Hort. Berol. 485 = Cotyledon spinosa.  
*spirale*, Haw. in Phil. Mag. (1825) 176 = sexangulare.  
*spurium*, Bieb. Fl. Taur. Cauc. i. 352 = stoloniferum.  
*spurium*, Sibth. ex Nym. Consp. 485 = Trachelium rumelianum.  
*stellariaefolium*, Franch. Pl. Davidian. i. (1884) 130 = drymarioides.  
*stellatum*, Frivald. ex Nym. Consp. 265 = caespitosum.  
*stellatum*, Habl. Desc. Phys. Taur. 161 = pallidum.  
*stellatum*, Linn. Sp. Pl. 431.—Europ. austr.  
*stellatum*, Lour. Fl. Cochinch. 287 = Alfredi.  
*stellatum*, Pollini, Fl. Veron. ii. 73 = Sempervivum Seguieri.  
*stellatum*, Urv. in Mém. Soc. Linn. Par. i. (1822) 307 = litoreum.  
*stelliforme*, S. Wats. in Proc. Am. Acad. xx. (1885) 365.—Arizona.  
*stenopetalum*, Pursh, Fl. Am. Sept. i. 324.—Am. bor. occ.  
*Stephani*, Cham. in Linnaea, vi. (1831) 549.—Sibir.  
*Stendelii*, Boiss. Fl. Orient. ii. 790.—Cilicia.  
*stoloniferum*, S. T. Gmel. Reise, iii. 311. t. 35. f. 2.—As. Min.; Persia.  
*Stracheyi*, Hook. f. & Thoms. in Journ. Linn. Soc. ii. (1858) 96 = tibeticum.  
*strictum*, C. Koch, in Linnaea, xix. (1847) 42 = S. Cepaea.  
*strictum*, Schlecht. ex Ledeb. Fl. Ross. ii. 177 = algidum.

## SEDUM:—

- subclavatum*, Haw. in Phil. Mag. (1831) 414 = stenopetalum?  
*suboppositum*, Maxim. in Bull. Acad. Pétersb. xxix. (1888) 132.—China.  
*subtile*, Debeaux, Fl. Shangh. 32 = Alfredi.  
*subtile*, Miq. Ann. Mus. Bot. Lugd. Bat. ii. 156.—Japan.  
*subulatum*, Boiss. Fl. Orient. ii. 783.—Reg. Cauc.  
*surculosum*, Coss. in Bull. Soc. Bot. Fr. xx. (1873) 248 = Monanthes atlantica.  
*Taeschkei*, Kurz, in Journ. Bot. v. (1867) 240, sphalm. = Jaeschkei.  
*Tatarinowii*, Maxim. in Bull. Acad. Pétersb. xxix. (1888) 134.—China.  
*tectorum*, Schur, Enum. Pl. Transs. 965 (Index) = annuum.  
*tectorum*, Scop. Fl. Carn. ed. II. i. 325 = Sempervivum tectorum.  
*telephioides*, Michx. Fl. Bor. Am. i. 277.—Am. bor.  
*Telephium*, Linn. Sp. Pl. 430.—Europ.; As. bor.  
*Telephium*, Willd. ex Ledeb. Fl. Ross. ii. 180, 181 = maximum.  
*tenellum*, Bieb. Fl. Taur. Cauc. iii. 315.—Reg. Cauc.; As. Min.  
*tenuifolium*, DC. Prod. iii. 407, in syn. = amplexicaule.  
*teretifolium*, Lam. Fl. Fr. iii. 84 = album.  
*teretifolium*, [Moq. & Sessé,] ex DC. Prod. iii. 401 = Cotyledon teretifolia.  
*ternatum*, Michx. Fl. Bor. Am. i. 277.—Am. bor.  
*tetramerum*, Trautv. in Act. Hort. Petrop. vii. (1880) 454.—Reg. Cauc.  
*tetraphyllum*, Sibth. & Sm. Fl. Graec. Prod. i. 309; Fl. Graec. v. 36. t. 448 = S. Cepaea.  
*Thirkeanum*, C. Koch, in Linnaea, xix. (1847) 41 = S. Telephium.  
*thyrsoidesum*, Bor. in Mém. Soc. Acad. Maine-et-Loire, xx. (1866) 120 = S. Telephium.  
*tibeticum*, Hook. f. & Thoms. in Journ. Linn. Soc. ii. (1858) 96.—Reg. Himal.  
*Tilingiana*, C. Muell. in Walp. Ann. vii. 921, sphalm. = Saxifraga Tilingiana.  
*Torreyi*, G. Don, Gen. Syst. iii. 121.—Am. bor. occ.  
*tortuosum*, Hemsl. Diagn. Pl. Nov. 10.—Mexic.  
*transbaikalense*, Schlecht. ex Ledeb. Fl. Ross. ii. 187 = album.  
*trevericum*, Rosbach, ex Nym. Consp. 261 = pruinatum.  
*trifidum*, Wall. Cat. n. 7230.—Reg. Himal.  
*triphyllum*, S. F. Gray, Nat. Arr. Brit. Pl. ii. 540 = S. Telephium.  
*tristriatum*, Boiss. & Heldr. Diagn. Ser. I. x. 16.—Lycania; Ins. Creta.  
*trullipetalum*, Hook. f. & Thoms. in Journ. Linn. Soc. ii. (1858) 102.—Reg. Himal.  
*tuberosum*, Coss. & Letourn. in Bull. Soc. Bot. Fr. xxii. (1875) 9.—Afr. bor.  
*turgidum*, Ram. ex DC. Fl. Fr. iv. 390 = album.  
*turgidum*, Salz. ex Ball, in Journ. Linn. Soc. xvi. (1878) 452 = brevifolium.  
*umbilicoides*, Regel, Gartenfl. (1877) 290; et in Act. Hort. Petrop. v. (1877) 263.—Turkestan.  
*uniflorum*, Hook. & Arn. Bot. Beech. Voy. 263.—Ins. Luchu.  
*uniflorum*, Rafin. Caratteri, 73 = S. Cepaea.  
*uralense*, Rupr. in Hofm. Noerd. Ural, ii. App. 11, 34.—Mont. Ural.  
*Urvillei*, DC. Prod. iii. 408 = pallidum.  
*variegatum*, S. Wats. in Proc. Am. Acad. xi. (1876) 137.—Calif.  
*Verloti*, Jord. in Bull. Soc. Bot. Fr. vii. (1860) 606 = anopetalum.  
*vermiculare*, Pall. Reise Suedl. Statth. Russ. Reich. i. 337, 345.—Reg. Cauc.  
*verticillatum*, Latour, ex DC. Prod. iii. 404 = S. Cepaea.  
*verticillatum*, Linn. Sp. Pl. 430.—Kamtschat.  
*villosum*, Linn. l. c. 432.—Europ.; Greenl.  
*villosum*, Webb, Iter Hisp. 46 = dasphyllum.  
*virens*, Ait. Hort. Kew. ed. I. ii. 110 = rupestre.  
*virescens*, Willd. Enum. Hort. Berol. Suppl. 25 = rupestre.  
*viridulum*, Haw. in Phil. Mag. (1827) 183.—Europ.  
*viviparum*, Maxim. in Bull. Acad. Pétersb. xxix. (1888) 137.—Manchur.  
*vogesiacum*, Nym. Consp. 260 = S. Telephium.

## SEDUM:—

- vulgare*, Link, Enum. Hort. Berol. i. 437; S. F. Gray, Nat. Arr. Brit. Pl. ii. 539 = S. Telephium.  
*Wallichianum*, Hook. Ic. Pl. t. 604 = asiaticum.  
*Whitmanni*, Hort. ex Mast. in Gard. Chron. (1878) II. 751 = seq.?  
*Wightmannianum*, Hort. ex Mast. l. c. = seq.?  
*Witmanni*, Hort. l. c. 685 = hispanicum.  
*Wrightii*, A. Gray, Pl. Wright. i. 76.—Texas.  
*yantaiense*, Debeaux, in Act. Linn. Soc. Bord. xxxi. (1877) 160 (Fl. du Tché-fou, 65).—China.

SEEMANNANTHA, Alef. in Bonplandia, x. (1862) 264 = Tephrosia, Pers. (Legumin.).  
*strigosa*, Alef. l. c. = T. tenuis.  
*tenuis*, Alef. l. c. = T. tenuis.

SEEMANNIA, Hook. Lond. Journ. Bot. vii. (1848) 567 = Pentagonia, Benth. (Rubiace.).

SEEMANNIA, Regel, Gartenfl. iv. (1855) 183. t. 126. GESNERACEAE, Benth. & Hook. f. ii. 1000.  
*Benaryi*, Regel, l. c. (1874) 353.—Am. trop.  
*silvatica*, Hanst. in Linnaea, xxix. (1857-58) 540 = ternifolia.  
*ternifolia*, Regel, Gartenfl. iv. (1855) 183. t. 126.—Peruv.

SEETZENIA, R. Br. in Denh. & Clapp. Trav. App. 231 (1826). ZYGOPHYLLEAE, Benth. & Hook. f. i. 266.  
*africana*, R. Br. l. c.—Afr. austr.  
*orientalis*, Decne. in Ann. Sc. Nat. Sér. II. iii. (1835) 281.—Sind.; Afr. bor. et austr.; Arab.  
*prostrata*, Eckl. & Zeyh. Enum. 98 = africana.

SEEZENIA, Nees, in R. Br. Verm. Bot. Schr. iv. 46 (1830), sphalm. = praec.

SEGERETIA, G. Don, Gen. Syst. ii. 28 (1832), sphalm. = Sageretia, Brongn. (Rhamn.).

SEGUIERA, Adans. Fam. ii. 443 (1763), sphalm. = Seguieria, Loeffl. (Phytol.).

SEGUIERA, Reichb. ex Oliver, Fl. Trop. Afr. ii. 424 (1871) = Combretum, Loeffl.  
*nudiflora*, Reichb. l. c. = C. aculeatum.

SEGUIERIA, Loeffl. Iter Hisp. 191 (1758). PHYLO-LACCACEAE, Benth. & Hook. f. iii. 83.  
*aculeata*, Jacq. Select. Am. 170 = americana.  
*americana*, Linn. Syst. ed. X. 1074.—Am. austr.  
*asiatica*, Lour. Fl. Cochinch. 341.—Cochinch.  
*coriacea*, Benth. in Trans. Linn. Soc. xviii. (1839) 235.—Bras.  
*floribunda*, Benth. l. c.—Bras.  
*foliosa*, Benth. l. c. 236.—Guian.  
*guaranitica*, Speg. in Anal. Soc. Cient. Argent. xvi. (1883) 88.—Reg. Argent.  
*Langsdorffii*, Moq. in DC. Prod. xiii. II. 6.—Bras.  
*longifolia*, Benth. in Trans. Linn. Soc. xviii. (1839) 235.—Bras.  
*macrophylla*, Benth. l. c.—Guian.  
*parvifolia*, Benth. l. c.—Guian.  
*Vauthieri*, Moq. in DC. Prod. xiii. II. 7.—Bras.

SEGUINUM, Rafin. Fl. Tellur. iii. 66 (1836) = Dieffenbachia, Schott (Aroid.).  
*maculatum*, Rafin. l. c. 67 = D. Seguine.

SEHIMA, Forsk. Fl. Aegypt. Arab. 178 = Ischaemum, Linn. (Gramin.).  
*insculptum*, Hochst. in Flora, xxvii. (1844) 247 = I. laxum.  
*ischaemoides*, Forsk. Fl. Aegypt. Arab. 178 = I. laxum.  
*Kotschyi*, Hochst. in Flora, xxvii. (1844) 247 = I. laxum.

SEIDELLA, Baill. Etud. Gén. Euph. 465. t. 9 (1858). EUPHORBIACEAE, Benth. & Hook. f. iii. 310.  
*Mercurialis*, Baill. l. c. 466.—Afr. austr.  
*pumila*, Baill. l. c. = S. Mercurialis.

SEIDELLA, Benth. & Hook. f. Gen. iii. 310 (1880), sphalm. = praec.



SEIDLIA, Kostel. Allg. Med.-Pharm. Fl. v. 1945 (1836) = *Vatica*, Linn. (Dipteroc.).  
*lanceaeifolia*, Kostel. l. c. = *V. lanceaeifolia*.

SEIDLIA, Opiz, Natural. xi. (1826) 349 = *Scirpus*, Tourn. (Cyperac.).  
*atrovirens*, Opiz, l. c. = *Scirpus Holoschoenus*.  
*fechlii*, Opiz, ex Nym. Consp. 763 = *Scirpus sylvaticus*.  
*radicans*, Opiz, Natural. xi. (1826) 349 = *Scirpus sylvaticus*.  
*sylvatica*, Opiz, l. c. = *Scirpus sylvaticus*.

SEIDLITZIA, Bunge, ex Boiss. Fl. Orient. iv. 950 (1879). *CHENOPODIACEAE*, Benth. & Hook. f. iii. 69.  
*flordia*, Bunge, l. c. —As. Min.; Persia.  
*Rosmarinus*, Bunge, l. c. 951.—Arab.

SEKIKI, Medic. in Staatsw. Vorles. Churpf. Phys.-Oek. Ges. i. (1791) 209; Phil. Bot. ii. 49 (1791) = *Saxifraga*, Tourn.  
*cyclaminea*, Medic. ll. cc. = *Sax. sarmentosa*.  
*sarmentosa*, Moench, Meth. Suppl. 77 = *Sax. sarmentosa*.

SELAGO, Adans. Fam. ii. 268 (1763) = *Polycnemum*, Linn. (Chenop.).

SELAGO, Linn. Syst. ed. I (1735). *SELAGINEAE*, Benth. & Hook. f. ii. 1128.

KURITIS, Rafin. Fl. Tellur. ii. 63 (1836).  
MACRIA, Spach, Hist. Vég. Phan. ix. 245 (1840).  
MANETTIA, Crantz, Inst. i. 580 (1766).  
NOLTIA, Eckl. ex Steud. Nom. ed. II. i. 197, 554 (1841).  
VORMIA, Adans. Fam. ii. 284 (1763).  
WALAFRIDA, E. Mey. Comm. Pl. Afr. Austr. 372 (1837).

*abietina*, Burm. f. Fl. Cap. Prod. 17.—Afr. austr.  
*acaulis*, Herb. Russ. ex Nees, in DC. Prod. xi. 256 = *Lepidagathis cristata*.

*adpressa*, Choisy, in *Mém. Soc. Phys. Genève*. ii. II. (1824) 103, t. 4.—Afr. austr.

*albida*, Choisy, in DC. Prod. xii. 18.—Afr. austr.  
*angustifolia*, Sieber, ex Choisy, l. c. 19 = *decipiens*.  
*angustifolia*, Thunb. Prod. Pl. Cap. 99 = *Agathelpis angustifolia*.

*apiculata*, E. Mey. Comm. Pl. Afr. Austr. 256.—Afr. austr.

*appressa*, Eckl. & Zeyh. ex Choisy, in DC. Prod. xii. 9 = *glabrata*.

*arguta*, E. Mey. Comm. Pl. Afr. Austr. 260.—Afr. austr.  
*articulata*, Thunb. Prod. Pl. Cap. 99.—Afr. austr.

*ascendens*, E. Mey. Comm. Pl. Afr. Austr. 259.—Afr. austr.

*aspera*, Choisy, in DC. Prod. xii. 12.—Afr. austr.

*bracteata*, Thunb. Prod. Pl. Cap. 100 = *Microdon lucidus*.

*Burmanni*, Choisy, in *Mém. Soc. Phys. Genève*. ii. II. (1824) 108.—Afr. austr.

*canescens*, Linn. f. Suppl. 284.—Afr. austr.  
*canescens*, E. Mey. Comm. Pl. Afr. Austr. 265 = *albida*.

*capitata*, Berg. Desc. Pl. Cap. 157 = *Microdon ovatus*.  
*capitata*, Linn. Mant. ii. 568.—Afr. austr.

*capituliflora*, Rolfe, in *Journ. Linn. Soc.* xx. (1883) 355.—Afr. austr.

*cephalophora*, E. Mey. Comm. Pl. Afr. Austr. 256 = *nutans*.

*cephalophora*, Thunb. Prod. Pl. Cap. 100; *Fl. Cap. ed. Schult.* 464.—Afr. austr.

*Choisiana*, E. Mey. Comm. Pl. Afr. Austr. 268 = *paniculata*.

*ciliata*, Linn. f. Suppl. 285.—Afr. austr.  
*cinerascens*, Choisy, in DC. Prod. xii. 9 = *albida*.

*cinerascens*, E. Mey. Comm. Pl. Afr. Austr. 270 = *cinerea*.

*cinerea*, Eckl. & Zeyh. ex Choisy, in DC. Prod. xii. 18 = *witbergensis*.

*cinerea*, Krauss, ex Choisy, l. c. 9 = *glabrata*.  
*cinerea*, Linn. f. Suppl. 285.—Afr. austr.

*coccinea*, Linn. Pl. Afr. Rar. 12; Amoen. Acad. vi. 89 = *spuria*.

*coerulea*, Bernh. ex Steud. Nom. ed. I. 760, nomen.—Hab. ?

*coerulea*, Burch. ex Krauss, in *Flora*, xxviii. (1845) 70, nomen.—Afr. austr.

*comosa*, E. Mey. Comm. Pl. Afr. Austr. 255.—Afr. austr.

## SELAGO:—

*congesta*, Rolfe, in *Journ. Linn. Soc.* xx. (1883) 356.—Afr. austr.

*cordata*, E. Mey. Comm. Pl. Afr. Austr. 257 = *decumbens*.

*cordata*, Thunb. Prod. Pl. Cap. 100 = *Phyllopodium heterophyllum*.

*corymbosa*, Linn. Herb. ex Rolfe, in *Journ. Linn. Soc.* xx. (1883) 342 = *stricta*.

*corymbosa*, Linn. Sp. Pl. 629.—Afr. austr.

*decipiens*, E. Mey. Comm. Pl. Afr. Austr. 270.—Afr. austr.

*decumbens*, Choisy, in DC. Prod. xii. 18 = *quadrangularis*.

*decumbens*, Thunb. Prod. Pl. Cap. 100.—Afr. austr.

*densifolia*, Hochst. in *Flora*, xxviii. (1845) 69 = *spuria*.

*dentata*, Poir. Encyc. vii. 57 = *spuria*.

*diffusa*, Sieber, ex Choisy, in DC. Prod. xii. 11 = *triquetra*.

*diffusa*, Thunb. Herb., partim, ex Rolfe, in *Journ. Linn. Soc.* xx. (1883) 352 = *nigrescens*.

*diffusa*, Thunb. Prod. Pl. Cap. 99.—Afr. austr.

*diffusa*, Zeyh. ex Choisy, in DC. Prod. xii. 11 = *tenuis*.

*distans*, E. Mey. Comm. Pl. Afr. Austr. 266.—Afr. austr.

*divaricata*, Linn. f. Suppl. 284 = *triquetra*.

*Dregei*, Rolfe, in *Journ. Linn. Soc.* xx. (1883) 353.—Afr. austr.

*dubia*, Linn. Sp. Pl. 629 = *Agathelpis angustifolia*.  
*Eckloniana*, Choisy, in DC. Prod. xii. 13.—Afr. austr.

*elata*, Choisy, l. c. 12.—Afr. austr.

*elegans*, Choisy, l. c. 14.—Afr. austr.

*ericina*, E. Mey. Comm. Pl. Afr. Austr. 254.—Afr. austr.

*ericoides*, Linn. Mant. i. 87 = *Stilbe ericoides*.

*fasciculata*, Linn. l. c. 250 = *serrata*.

*fruticosa*, Linn. l. c. i. 87.—Afr. austr.

*fruticosa*, Linn. f. ex Rolfe, in *Journ. Linn. Soc.* xx. (1883) 351 = *Dischisma fruticosum*.

*fruticosa*, Thunb. ex Choisy, in DC. Prod. xii. 9 = *Thunbergii*.

*fruticosa*, Thunb. Prod. Pl. Cap. 98, partim = *congesta*.

*fulvomaculata*, Link, Enum. Hort. Berol. ii. 123 = *spuria*.

*geniculata*, Choisy, in DC. Prod. xii. 9 = *articulata*.  
*geniculata*, Linn. f. Suppl. 284.—Afr. austr.

*Gillii*, Hook. Bot. Mag. t. 3028 = *myrtifolia*.  
*glabrata*, Choisy, in *Mém. Soc. Phys. Genève*. ii. II. (1824) 104.—Afr. austr.

*glandulosa*, Choisy, in DC. Prod. xii. 20 = *scabrida*.

*glomerata*, E. Mey. Comm. Pl. Afr. Austr. 264, partim = *Dregei*.

*glomerata*, Thunb. Prod. Pl. Cap. 99.—Afr. austr.

*glutinosa*, E. Mey. Comm. Pl. Afr. Austr. 255.—Afr. austr.

*guttata*, E. Mey. l. c. 259.—Afr. austr.

*hamulosa*, E. Mey. l. c. 257.—Afr. austr.

*herbacea*, Choisy, in *Mém. Soc. Phys. Genève*. ii. II. (1824) 109.—Afr. austr.

*hermannioides*, E. Mey. Comm. Pl. Afr. Austr. 267.—Afr. austr.

*heterophylla*, E. Mey. l. c. 256.—Afr. austr.

*heterophylla*, Thunb. Prod. Pl. Cap. 99 = *spuria*.

*hirta*, Choisy, in *Mém. Soc. Phys. Genève*. ii. II. (1824) 107 = *quadrangularis*.

*hirta*, Linn. f. Suppl. 285.—Afr. austr.

*hispida*, Choisy, in DC. Prod. xii. 10 = *stricta*.

*hispida*, Linn. f. Suppl. 284.—Afr. austr.

*hispida*, Sieber, ex Choisy, in DC. Prod. xii. 7 = *Dischisma capitatum*.

*hyssopifolia*, E. Mey. Comm. Pl. Afr. Austr. 262.—Afr. austr.

*incisa*, Hochst. in *Flora*, xxviii. (1845) 69.—Afr. austr.

*lacunosa*, Klotzsch, in *Peters, Reise Mossamb. Bot.* 255.—Afr. trop.

*lanceolata*, Choisy, in DC. Prod. xii. 15.—Afr. austr.

*laxiflora*, Choisy, l. c. 8.—Afr. austr.

*leptostachya*, E. Mey. Comm. Pl. Afr. Austr. 266 = *geniculata*.

## SELAGO:—

*micrantha*, Choisy, in *Mém. Soc. Phys. Genève*. ii. II. (1824) 98.—Afr. austr.

*micrantha*, Zeyh. ex Choisy, in DC. Prod. xii. 9 = *articulata*.

*minutissima*, Choisy, in *Mém. Soc. Phys. Genève*. ii. II. (1824) 100, t. 3.—Afr. austr.

*muralis*, Benth. & Hook. f. Gen. ii. 1129.—Madag.

*myrtifolia*, Reichb. Ic. Bot. Exot. iii. 10, t. 223.—Afr. austr.

*nigrescens*, Rolfe, in *Journ. Linn. Soc.* xx. (1883) 352.—Afr. austr.

*nutans*, Rolfe, l. c. 354.—Afr. austr.

*Ohlendorffiana*, Lehm. Del. Sem. Hort. Hamb. (1831) 6, 7.—Cf. *Linnaea*, vi. (1831) Litt. 74.—Afr. austr.

*ovata*, L'Hérit. ex Ait. Hort. Kew. ed. I. ii. 355 = *Microdon ovatus*.

*pallida*, Salisb. Prod. 93 = *spuria*.

*paniculata*, Thunb. Prod. Pl. Cap. 99.—Afr. austr.

*peduncularis*, E. Mey. Comm. Pl. Afr. Austr. 262.—Afr. austr.

*philicifolia*, Herb. Berol. ex Choisy, in DC. Prod. xii. 10 = *cinerea*.

*Pinastra*, Linn. Sp. Pl. ed. II. 876 = *Stilbe vestita*.

*pinica*, Walp. Rep. iv. 151, sphalm. = *spinea*.

*Pinguicula*, E. Mey. Comm. Pl. Afr. Austr. 255.—Afr. austr.

*polycephala*, Otto, ex Walp. Rep. iv. 164.—Afr. austr.

*polygaloides*, Choisy, in DC. Prod. xii. 11 = *geniculata*.

*polygaloides*, Linn. f. Suppl. 284 = *Microdon cylindricus*.

*polystachya*, Licht. ex Choisy, in DC. Prod. xii. 9 = *Thunbergii*.

*polystachya*, Linn. Mant. ii. 250.—Afr. austr.

*Prunastri*, Linn. Syst. ed. X. 1117 = *Stilbe Pinastra*.

*pterophylla*, Otto, ex Sweet, Hort. Brit. ed. II. 415, nomen.—Afr. austr.

*pulchella*, Salisb. Prod. 93 = *spuria*.

*purpurea*, Cels, Cat. Arb. Pl. (1817) 84, nomen (Quid ?). —Hab. ?

*pusilla*, Thunb. Prod. Pl. Cap. 99 = *Vandellia scabra*.

*quadrangularis*, Choisy, in DC. Prod. xii. 15.—Afr. austr.

*racemosa*, Bernh. in *Flora*, xxviii. (1845) 69.—Afr. austr.

*ramulosa*, Link, Enum. Hort. Berol. ii. 124.—Afr. austr.

*ramulosa*, E. Mey. Comm. Pl. Afr. Austr. 265 = *Meyeri*.

*rapunculoides*, Linn. Cent. Pl. ii. 22; Amoen. Acad. vi. 89 = *spuria*.

*recurva*, Choisy, in DC. Prod. xii. 19 = *fruticosa*.

*recurva*, E. Mey. Comm. Pl. Afr. Austr. 271.—Afr. austr.

*rotundifolia*, Linn. f. Suppl. 285.—Afr. austr.

*rotundifolia*, Thunb. Herb. ex Rolfe, in *Journ. Linn. Soc.* xx. (1883) 354 = *Microdon lucidus*.

*saxatilis*, E. Mey. Comm. Pl. Afr. Austr. 269.—Afr. austr.

*scabrida*, Thunb. Prod. Pl. Cap. 99.—Afr. austr.

*serrata*, Berg. Desc. Pl. Cap. 159.—Afr. austr.

*spicata*, Hochst. ex Choisy, in DC. Prod. xii. 14 = *spuria*.

*spicata*, Link, Enum. Hort. Berol. ii. 124 = *Microdon ovatus*.

*spinea*, Link, l. c. 123.—Afr. austr.

*spinosa*, Burm. f. Fl. Cap. Prod. 17 = *Stoebe aethiopica*.

*spuria*, Linn. Sp. Pl. 629.—Afr. austr.

*spuria*, Lodd. Bot. Cab. t. 391 = *cinerea*.

*spuria*, Sieber, ex Choisy, in DC. Prod. xii. 15 = *serrata*.

*squarrosa*, Choisy, l. c. 16.—Afr. austr.

*stricta*, Berg. Desc. Pl. Cap. 155.—Afr. austr.

*stricta*, Choisy, in *Mém. Soc. Phys. Genève*. ii. II. (1824) 103 = *tephrodes*.

*tenuis*, E. Mey. Comm. Pl. Afr. Austr. 266.—Afr. austr.

*tephrodes*, E. Mey. l. c. 264.—Afr. austr.

*tephrodes*, E. Mey. l. c., partim = *stricta*, *adpressa*.

*teretifolia*, Link, Enum. Hort. Berol. ii. 124 = *spuria*.

*teretifolia*, Walp. Rep. iv. 154 = *Walpersii*.

*teucriifolia*, Burm. f. Fl. Cap. Prod. 17.—Afr. austr.

*Thomsoni*, Rolfe, in *Journ. Linn. Soc.* xxi. (1885) 402.—Afr. trop.

*Thunbergii*, Choisy, in DC. Prod. xii. 9.—Afr. austr.

*tomentosa*, Linn. Pl. Rar. Afr. 13; Amoen. Acad. vi. 90 = *Manulea tomentosa*.

**SELAGO:—**

- trinervia, *E. Mey. Comm. Pl. Afr. Austr.* 261.—Afr. austr.  
 triquetra, *Linn. f. Suppl.* 284.—Afr. austr.  
 verbenacea, *Linn. f. l. c.* 285.—Afr. austr.  
 Walpersii, *Choisy, in DC. Prod.* xii. 20.—Afr. austr.  
 witbergensis, *E. Mey. Comm. Pl. Afr. Austr.* 270.—Afr. austr.  
 Zeyheri, *Choisy, in DC. Prod.* xii. 19.—Afr. austr.

SELAS, Spreng. Syst. ii. 216 (1825) = **Acronychia**, Forst. (Rutac.).  
*lanceolatum*, Spreng. l. c. = *A. laurifolia*.

SELATIMUM, D. Don, ex G. Don, Gen. Syst. iv. 196 (1837) = **Gentiana**, Linn.  
*assurgens*, D. Don, l. c. = *G. guayaquilensis*.  
*attenuatum*, D. Don, l. c. = *G. attenuata*.  
*coccineum*, D. Don, l. c. = *G. coccinea*.  
*diffusum*, D. Don, l. c. = *G. Selatium*.  
*foliosum*, D. Don, l. c. = *G. Donii*.  
*incurvum*, G. Don, l. c. = *G. incurva*.  
*multicaulis*, D. Don, l. c. = *G. Pavonii*.  
*thyrsoides*, G. Don, l. c. = *G. thyrsoides*.

SELBYA, M. Roem. Syn. Hesper. 89, 126 (1846) = **Aglaia**, Lour. (Meliac.).  
*montana*, M. Roem. l. c. 126 (= *Milnea montana*, Jack).—Sumatra.

SELENIA, Nutt. in Journ. Acad. Philad. v. (1825) 132. t. 6. **CRUCIFERAE**, Benth. & Hook. f. i. 72.  
*aurea*, Nutt. l. c.—Am. bor.  
*dissecta*, Torr. & Gray, in *Pacif. Rail. Rep.* ii. 160. t. 1.—Calif.

SELENIPEDIUM, Reichb. f. in *Bonplandia*, ii. (1854) 116; *Xenia Orch.* i. 3. tt. 2, 27, 44, 62, 181 (1854). **ORCHIDEAE**, Benth. & Hook. f. iii. 635.  
 SOLENIPEDIUM, Beer, *Prakt. Orch.* 310 (1854), sphalm.  
 UROPEDIUM, Lindl. *Orch. Linden.* 28 (1846), nomen prius.  
*Ainsworthii* x, Reichb. f. in *Gard. Chron.* (1879) i. 748.  
*albo-pictum*, Linden, Cat. n. 21 (1867) 16 (Quid?).—Hab.?  
*albo-purpureum* x, Reichb. f. in *Gard. Chron.* (1877) ii. 38.  
 Boissierianum, Reichb. f. in *Bonplandia*, ii. (1854) 116; iv. (1856) 217.—Peruv.  
*cardinale* x, Reichb. f. in *Gard. Chron.* (1882) ii. 488.  
*caricinum*, Reichb. f. in *Bonplandia*, ii. (1854) 116.—Bolivia.  
*caudatum*, Reichb. f. l. c. ii. (1854) 116; iv. (1856) 217.—Am. trop.  
*Chica*, Reichb. f. l. c. ii. (1854) 116; *Xenia Orch.* i. 3. t. 2.—Panama.  
*Czerwiakowianum*, Reichb. f. in *Bonplandia*, ii. (1854) 116.—Peruv.  
*dariense*, Reichb. f. in *Nov. Act. Nat. Cur.* xxxv. (1869) ii. 8 = longifolium.  
*Dominianum* x, Hort. ex Reichb. f. in *Gard. Chron.* (1870) 1181.  
*grande* x, Reichb. f. in *Gard. Chron.* (1882) ii. 488.  
*Hartwegii*, Reichb. f. in *Bonplandia*, ii. (1854) 116 = longifolium.  
*Hincksianum*, Reichb. f. in *Gard. Chron.* (1878) i. 202, in nota = longifolium.  
*Isabelianum*, *Rodrig. Orch. Nov.* i. 201.—Bras.  
*kaieteurium*, N. E. Br. in *Gard. Chron.* (1885) ii. 262 = Lindleyanum.  
*Klotzschianum*, Reichb. f. in *Bonplandia*, ii. (1854) 116.—Guian.  
*laevigatum*, May, in *Rev. Hort.* (1885) 301 = *Cypripedium philippense*.  
*Lindleyanum*, Reichb. f. & *Warsz. in Bonplandia*, ii. (1854) 116; *Xenia Orch.* i. 3.—Am. trop.  
*longifolium*, Reichb. f. l. c.—Guian.  
*palmifolium*, Reichb. f. in *Bonplandia*, ii. (1854) 116.—Guian.  
*Parishii*, Jolibois, in *Rev. Hort.* (1885) 132 = *Cypripedium Parishii*.  
*Pearcei*, Reichb. f. in *Hamb. Gartenz.* xxi. (1865) 298 = caricinum.  
*porphyreum* x, Reichb. f. in *Gard. Chron.* (1878) i. 366.  
*Reichenbachii*, Endres, ex Reichb. f. l. c. (1869) 1206 = longifolium.  
*reticulatum*, Reichb. f. *Xenia Orch.* ii. 223 = Boissierianum.

VOL. II.

**SELENIPEDIUM:—**

- Roezli, Reichb. f. in *Regel, Gartenfl.* (1871) 164 = longifolium.  
 Schlিমii, Linden, ex Reichb. f. in *Bonplandia*, ii. (1854) 277.—N. Granat.  
*Sedeni* x, Reichb. f. in *Gard. Chron.* (1873) 1431.  
*stenophyllum* x, Reichb. f. l. c. (1876) i. 461.  
*vittatum*, Reichb. f. in *Illustr. Hort.* xxiii. (1876) 57. t. 238.—Bras.  
*Wallisii*, Reichb. f. *Otia Bot. Hamb.* 30 = caudatum.  
*Warszewiczianum*, Reichb. f. in *Bonplandia*, ii. (1854) 116; *Xenia Orch.* i. 3 = caudatum.

SELENOCARPAEA, Eckl. & Zeyh. Enum. 10 (1835) = **Heliophila**, Burm. f. (Crucif.).  
*diffusa*, Eckl. & Zeyh. l. c. = *H. diffusa*.  
*Peltaria*, Eckl. & Zeyh. l. c. = *H. flacca*.  
*pinnata*, Eckl. & Zeyh. l. c. = *H. Peltaria*.

SELENOCERA, Zipp. ex Span. in *Linnaea*, xv. (1841) 316. **RUBICEAE**.  
*secundiflora*, Zipp. l. c.—Ins. Timor.

SELENOGYNE, DC. *Prod.* vi. 147 (1837), sphalm. = SOLENOGYNE, Cass. = **Lagenophora**, Cass. (Compos.).

SELEPSION, Rafn. *Fl. Tellur.* iii. 48 (1836) = **Urtica**?, Tourn.

SELERANTHUS, Hill, *Hort. Kew.* 372 (1768), sphalm. = **Scleranthus**, Linn. (Illecebr.).

SELERIA, Boeck. in *Linnaea*, xxxviii. (1874) 436, sphalm. = **Scleria**, Berg. (Cyperac.).

SELINOCARPUS, A. Gray, in *Am. Journ. Sc. Ser.* II. xv. (1853) 262. **NYCTAGINEAE**, Benth. & Hook. f. iii. 6.  
*angustifolius*, Torr. *Bot. Mex. Bound.* 170.—Texas.  
*chenopodioides*, A. Gray, in *Am. Journ. Sc. Ser.* II. xv. (1853) 262.—N. Mexic.  
*diffusus*, A. Gray, l. c.—N. Mexic.  
*Palmeri*, *Hemsl. Biol. Centr. Am. Bot.* iii. 6.—Mexic.

SELINON, Adans. Fam. ii. (23) (1763) = **Apium**, Tourn. (Umbell.).

SELINON, Rafn. in *Journ. Phys.* lxxxix. (1819) 259 = **Selinum**, Linn.  
*carvifolium*, St. Lag. in *Ann. Soc. Bot. Lyon*, vii. (1880) 113, 134 = *Selinum Carvifolia*.

SELINOPSIS, Coss. & Dur. ex Munby, Cat. Pl. Alg. ed. II. 13 (1859), nomen = **Carum**, Rupp. (Umbell.).  
*foetida*, Coss. & Dur. l. c.—Alger.  
*montana*, Coss. & Dur. l. c.—Alger.

SELINUM, Linn. Gen. ed. I. 73 (1737). **UMBELLIFERAE**, Benth. & Hook. f. i. 914.  
 ALLINUM, Neck. Elem. i. 179 (1790).  
 ANTHOSCIADIUM, Fenzl, in *Endl. Gen. Suppl.* iv. iii. 9 (1850).  
 CENOLOPHIUM, Koch, in *Nov. Act. Nat. Cur.* xii. i. (1824) (Gen. Umbell.) 103.  
 CNIDIUM, Cusson, ex DC. *Prod.* iv. 152 (1830).  
 GNIDIUM, G. Don, in *Loud. Hort. Brit.* 107 (1830).  
 HETEROPTILIS, E. Mey. ex Meissn. in *Hook. Lond. Journ. Bot.* ii. (1843) 534.  
 HYALAENA, C. Muell. in *Walp. Ann.* v. 70 (1858).  
 HYALOLAENA, Bunge, in *Mém. Sav. Étr. Pétersb.* vii. (1851) 304.  
 LITHOSCIADIUM, Turcz. in *Bull. Soc. Nat. Mosc.* xvii. (1844) 730.  
 LOMATOCARUM, Fisch. & Mey. *Ind. Sem. Hort. Petrop.* vi. 59 (1839).  
 MICRANGELIA, Fourr. in *Ann. Soc. Linn. Lyon*, N. S. xvi. (1868) 388.  
 MYLINUM, Gaud. *Fl. Helv.* ii. 344 (1828).  
 OREOCOMA, Edgew. in *Trans. Linn. Soc.* xx. (1846) 54.  
 SPHENOSCIADIUM, A. Gray, in *Proc. Am. Acad.* vi. (1866) 536.  
 THYSSELINUM, Adans. Fam. ii. 100 (1763).  
*acaule*, Cav.  *Ic. v.* 59 = *Laretia acaulis*.  
*acaule*, Pursh, *Fl. Am. Sept.* ii. 732 = *Cymopterus glomeratus*.  
*acaule*, Turcz. ex Bess. in *Flora*, xvii. (1834) i. Beibl. 13.—Sibir. baical.

**SELINUM:—**

*acutangulum*, Gilib. *Fl. Lituan.* ii. 22 = *S. Carvifolia*.  
*alatum*, Poir. *Encyc. Suppl.* v. 126 = *Ligusticum alatum*.  
*alpinum*, Bieb. *Fl. Taur. Cauc.* i. 236 = *Seseli annuum*?  
*alsaticum*, Crantz, *Stirp. Austr.* ed. I. fasc. iii. 17; ed. II. 155 = *Peucedanum alsaticum*.  
*anesorrhizum*, F. Muell. *Sel. Pl. Indust. Cult.* [ed. II.] 225 = *Anne-orhiza capensis*.  
*Anethum*, Roth, *Tent. Fl. Germ.* i. 134 = *Peucedanum graveolens*.  
*Angelica*, Roth, l. c. 133 = *Angelica sylvestris*.  
*Angelicastrum*, Link, ex Spreng. Syst. i. 916 = *Angelica lancifolia*.  
*angulatum*, Lam. *Fl. Fr.* iii. 419 = *S. Carvifolia*.  
*annuum*, Steud. *Nom. ed. II.* ii. 572, in syn., sphalm. = *Seseli annuum*.  
*appianum*, Pers. Syn. i. 309 = *Carum rigidulum*.  
*appuanum*, Viv. Cat. Hort. Dinegro, 33; ex ej. *Fl. Ital. Fragm.* 14 = *Carum rigidulum*.  
*Archangelica*, Link, Enum. Hort. Berol. i. 269 = *Archangelica officinalis*.  
*arenosum*, Crantz, ex DC. *Prod.* iv. 165 = *Peucedanum austriacum*.  
*argenteum*, All. *Fl. Pedem.* ii. 9 = *Peucedanum involu-cratum*.  
*argenteum*, Crantz, *Stirp. Austr.* ed. I. fasc. iii. 43; ed. II. 174 = *Peucedanum austriacum*.  
*aristatum*, Ait. ex Link, *Enumd.* i. 330 = *Ligusticum pyrenaicum*.  
*atropurpureum*, Link, Enum. Hort. Berol. i. 269 = *Archangelica atropurpurea*.  
*austriacum*, Bertol. *Pl. Gen.* 44; et *Amoen. Ital.* 137 = *Peucedanum alsaticum*.  
*austriacum*, Jacq. Enum. Stirp. Vindob. 49, 220 = *Peucedanum austriacum*.  
*austriacum*, Tenore, *Fl. Nap.* iii. 287 = *Peucedanum sulcatum*.  
*baicalense*, Redowsk. ex Willd. Enum. Hort. Berol. 306 = *Peucedanum baicalense*.  
*banaticum*, Kit. in *Rochel, Pl. Banat. Index*, nomen.—Banat.  
*Bellardi*, Balb. Cat. Hort. Taur. (1821) 51 = *Peucedanum austriacum*.  
*Benthami*, S. Wats. *Bibliog. Ind. N. Am. Bot.* 432 = *Gmelini*.  
*canadense*, Michx. *Fl. Bor. Am.* i. 165.—Am. bor.  
*Candollei*, Edgew. in *Trans. Linn. Soc.* xx. (1846) 55 = *tenuifolium*.  
*Candollii*, DC. *Prod.* iv. 165.—Reg. Himal.  
*cantabrigense*, Fisch. ex DC. l. c. 179 = *Peucedanum palustre*.  
*capitellatum*, Benth. & Hook. f. ex S. Wats. in *Bot. King's Exp.* 126.—Am. bor.  
*carniolicum*, Hoppe, ex Nym. *Consp.* 285 = *Peucedanum austriacum*.  
*Carvifolia*, Gilib. ex DC. *Prod.* iv. 152 (= *Cenolophium Fischeri*).—Rossia; Reg. Cauc.  
*Carvifolia*, Linn. *Sp. Pl.* ed. II. 350.—Europ.  
*carvifolium*, Crantz, *Inst.* ii. 126. n. 5 = praec.  
*carvifolium*, Crantz, *Stirp. Austr.* ed. I. fasc. iii. 22; ed. II. 162 = *Peucedanum carvifolium*.  
*caucasicum*, Bieb. *Fl. Taur. Cauc.* i. 213 = *Peucedanum caucasicum*.  
*cenolophioides*, Turcz. ex Ledeb. *Fl. Ross.* ii. 284 = *sylvestre*.  
*Cervaria*, Linn. *Sp. Pl.* 1194 = *Peucedanum Cervaria*.  
*cervicaria*, Roth, *Tent. Fl. Germ.* i. 132 = praec.  
*Chabraei*, DC. *Prod.* iv. 176, in syn. = *Peucedanum carvifolium*.  
*Chabraei*, Rebert. & Kunth, *Fl. Berol.* 78 = *Monnieri*.  
*cicutarium*, Benth. & Hook. f. *Gen.* i. 914 = *tenuifolium*.  
*cnidiifolium*, Turcz. in *Bull. Soc. Nat. Mosc.* (1840) 72.—Sibir. or.  
*collinum*, Kit. ex DC. *Prod.* iv. 179 = *Peucedanum baicalense*.  
*coniifolium*, Benth. & Hook. f. *Gen.* i. 914 = *tenuifolium*.  
*decipiens*, Schrad. & Wendl. *Sert. Hannov.* i. iii. 23. t. 13 (= *Melanoselinum decipiens*).—Ins. Canar.  
*decussatum*, [Clairv.] *Man. Herb.* 80 = *Peucedanum carvifolium*?  
*densiflorum*, Salisb. *Prod.* 162 = *Monnieri*.  
*dimidiatum*, DC. *Fl. Fr.* iv. 323 = *Seseli annuum*.  
*dissectum*, Wall. *Cat. n.* 581; et ex DC. *Prod.* iv. 178. (sp. dub.).—Nepal.

5 S

**SELINUM** :—

- divaricatum*, Buch, *Beschr. Canar. Ins.* 195.—Ins. Canar.  
*dubium*, Turcz. in Bull. Soc. Nat. Mosc. xvii. (1844) 735 = Gmelini.  
*elegans*, Balb. in Mém. Acad. Turin (1810), 364; Hort. Taur. Fasc. 23. t. 4 = *Peucedanum austriacum*.  
*frutescens*, Pers. Syn. i. 309 = *decipiens*.  
*Galbanum*, Spreng. in Schult. Syst. vi. 563 = *Peucedanum Galbanum*.  
*glaucum*, Lam. Fl. Fr. iii. 419 = *Peucedanum Cervaria*.  
*glaucum*, Wall. Cat. n. 580; et ex DC. Prod. iv. 179 = *Peucedanum glaucum*.  
Gmelini, *Bray*, in *Denkschr. Bot. Ges. Regensb.* i. II. (1818) 36.—Reg. bor.  
*gummiferum*, Spreng. in Schult. Syst. vi. 564 = *Seseli gummiferum*.  
*humile*, Turcz. in Bull. Soc. Nat. Mosc. (1838) 93 = *Peucedanum salinum*.  
*Imperatoria*, Crantz, Stirp. Austr. ed. I. fasc. iii. 42; ed. II. 174 = *Peucedanum Ostruthium*.  
*imperatoroides*, Link, Enum. Hort. Berol. i. 269 = *Peucedanum angustifolium*.  
*intermedium*, Bess. Prim. Fl. Galic. i. 205 = *Peucedanum palustre*.  
Kingii, S. Wats. in *Bot. King's Exp.* 126.—Am. bor. occ.  
Kraussianum, Benth. & Hook. f. Gen. i. 914.—Afr. austr.  
*Lachenalii*, C. C. Gmel. Fl. Bad. i. 640 = *pyrenaicum*.  
*lactescens*, Gilib. Fl. Lituan. ii. 22 = *Peucedanum palustre*.  
*lactescens*, Lam. Fl. Fr. iii. 418 = *Peucedanum carvifolium*.  
*laevicaule*, Stokes, Bot. Mat. Med. ii. 75 = *sylvestre*.  
*latifolium*, Bieb. Fl. Taur. Cauc. i. 213 = *Peucedanum latifolium*.  
*lineare*, Schumacher, Enum. Pl. Saelland. i. 95 = *sylvestre*.  
*lineare*, Spreng. in Schult. Syst. vi. 560 = *Peucedanum austriacum*.  
*livonicum*, Ledeb. ex DC. Prod. iv. 169 = *Angelica chaerophyllea*.  
*membranaceum*, Vill. Cat. Jard. Strasb. t. 6 = *S. Carvifolia*.  
*microphyllum*, Cav. Ic. v. 59 = *Mulinum microphyllum*.  
Monnieri, Linn. Cent. Pl. i. 9; *Amoen. Acad.* iv. 269.—Europ.  
*montanum*, Schleich. ex Willd. Enum. Hort. Berol. 306 = *Peucedanum austriacum*.  
*neglectum*, Láng, ex Reichb. Fl. Germ. Excurs. 461 (Quid?).—Banat.  
*nigricans*, Gaud. Fl. Helvet. ii. 333 = *Peucedanum austriacum*.  
*nigrum*, Lam. Fl. Fr. iii. 420 = *Peucedanum austriacum*.  
*obscureum*, Fisch. ex Trev. Ind. Sem. Hort. Wratisl. App. iii. (1821) [3] = *Peucedanum baicalense*.  
*odoratum*, Bernh. ex Spreng. Sp. Umbellif. 60 = *Angelica palustris*.  
*Opopanax*, Crantz, Class. Umbell. 63 = *Opopanax Chironium*.  
*Oreoselinum*, Crantz, Stirp. Austr. ed. I. fasc. iii. 33; ed. II. 169 = *Peucedanum Oreoselinum*.  
*orientale*, Benth. & Hook. f. Gen. i. 914.—As. Min.; Syria.  
*Ostruthium*, Wallr. Ann. Bot. 41 = *Peucedanum Ostruthium*.  
*pacificum*, S. Wats. in *Proc. Am. Acad.* xi. (1876) 140.—Am. bor. occ.  
*palustre*, Crantz, Stirp. Austr. ed. I. fasc. iii. 39; ed. II. 172 = *S. Carvifolia*.  
*palustre*, Linn. Sp. Pl. 244 = *Peucedanum palustre*.  
*palustre*, Thuill. Fl. Par. ed. II. 139 = *Peucedanum carvifolium*.  
*paniculatum*, Spreng. Pugill. ii. 50 = *Peucedanum Sprengelii*.  
*papyraceum*, C. B. Clarke, in *Hook. f. Fl. Brit. Ind.* ii. 701.—Reg. Himal.  
*Pastinaca*, Crantz, Stirp. Austr. ed. I. fasc. iii. 21; ed. II. 161 = *Peucedanum sativum*.  
*peregrinum*, Willd. Enum. Hort. Berol. 306 = *Carum rigidulum*.  
*peucedanoides*, Brot. Phyt. Lusit. ii. 196. t. 167 = *Peucedanum lancifolium*.

**SELINUM** :—

- peucedanoides*, Desf. Tabl. ed. II. 142 = *Peucedanum involucreatum*.  
*Peucedanum*, Crantz, Stirp. Austr. ed. I. fasc. iii. 30; ed. II. 167; Roth, Tent. Fl. Germ. i. 133 = *Peucedanum officinale*.  
*podolicum*, Bess. Prim. Fl. Galic. ii. 392 = *Peucedanum carvifolium*.  
*polymorphum*, Spreng. Pugill. ii. 50 = *Peucedanum austriacum*.  
*pratense*, Spreng. Fl. Hal. 92. t. 2 = *sylvestre*.  
*proliferum*, Cav. Ic. v. 58 = *Mulinum proliferum*.  
*Pseudo-carvifolia*, All. Fl. Pedem. ii. 9 = *S. Carvifolia*.  
*pubescens*, Moench, Meth. 80 = *Angelica sylvestris*.  
*pyrenaicum*, Gouan, *Illustr.* ii. t. 5.—Mont. Pyren.  
*rablense*, Spreng. Pugill. ii. 51 = *Peucedanum austriacum*.  
*ramosissimum*, Wall. Cat. n. 578 = *Peucedanum ramosissimum*.  
*Razulii*, Link, Enum. Hort. Berol. i. 269 = *Angelica Razulii*.  
*rigidulum*, Viv. Fl. Ital. Fragm. i. 14. t. 15 = *Carum rigidulum*.  
*Rochelii*, Heuff. ex Rochel, Bot. Reise Banat, 78 = *Silaus carvifolius*.  
*scabrum*, Lapeyr. Hist. Abr. Pl. Pyr. 147 = *Xatardia scabra*.  
*Schiewerekii*, Bess. Prim. Fl. Galic. i. 205 = *Peucedanum palustre*.  
*Seguirei*, Baumg. Enum. Stirp. Transs. i. 224 = *S. Carvifolia*.  
*Seguieri*, Jacq. Hort. Vindob. i. 24. t. 61 = *Ligusticum Seguieri*.  
*sibiricum*, Retz. Obs. ii. 16 (= *Peucedanum selinoides*).—Sibir.  
*sylvestre*, Pourr. ex Nym. Consp. 283 = *Angelica sylvestris*.  
*spinosum*, Cav. Ic. v. 59 = *Mulinum spinosum*.  
*spinulifolia*, Stokes, Bot. Mat. Med. ii. 73 = *Peucedanum Cervaria*.  
*stellatum*, D. Don, Prod. Fl. Nep. 185 = *Pleurospermum stellatum*.  
*striatum*, Benth. & Hook. f. Gen. i. 914.—Reg. Himal.  
*sublactescens*, Gilib. Fl. Lituan. ii. 21 = *Peucedanum palustre*.  
*suffruticosum*, Benth. & Hook. f. Gen. i. 914.—Afr. austr.  
*sulcatum*, Bertol. Fl. Ital. iii. 367 = *Peucedanum sulcatum*.  
*sylvestre*, Crantz, Stirp. Austr. ed. I. fasc. iii. 47; ed. II. 177 = *Angelica sylvestris*.  
*sylvestre*, Linn. Sp. Pl. 244.—Europ.  
*sylvestre*, Oed. Fl. Dan. t. 412 = *Peucedanum palustre*.  
*tenuifolium*, Salisb. Prod. 162 = *S. Carvifolia*.  
*tenuifolium*, Wall. Cat. n. 579; et ex DC. Prod. iv. 181.—Reg. Himal.  
*terebinthinaceum*, Fisch. ex Trev. Ind. Sem. Hort. Wratisl. App. iii. (1821) [3] = *Peucedanum terebinthaceum*.  
*terebinthinum*, Hook. Fl. Bor. Am. i. 266. t. 95 = *Cymopterus terebinthinus*.  
*turfosum*, Baumg. Enum. Stirp. Transs. i. 223 = *sylvestre*.  
*Tysselinum*, Crantz, Stirp. Austr. ed. I. fasc. iii. 35; ed. II. 170 = *Peucedanum palustre*.  
*uliginosum*, Link, ex Steud. Nom. ed. I. 762 = *Laserpitium peucedanoides*.  
*uniovittatum*, Turcz. in Bull. Soc. Nat. Mosc. xvii. (1844) 735 = Gmelini.  
*vaginatum*, C. B. Clarke, in *Hook. f. Fl. Brit. Ind.* ii. 700.—Reg. Himal.  
*venetum*, Spreng. Sp. Umbellif. 73 = *Peucedanum venetum*.  
*verticillare*, Link, Enum. Hort. Berol. i. 269 = *Peucedanum verticillare*.

**SELKIRKIA**, Hemsl. Bot. Challenger, i. III. 47 (1884).  
**BORAGINEAE**.  
Berteri, Hemsl. l. c. 48.—Ins. J. Fernand.

**SELLIERA**, Cav. in Anal. Hist. Nat. i. (1799) 41. t. 5. f. 2; et Ic. v. 49. t. 474 (1799). **GOODE-NOVIEAE**, Benth. & Hook. f. ii. 539.  
*exigua*, F. Muell. *Fragm.* iii. 142.—Austral.  
*fasciculata*, J. Buch. in *Trans. N. Z. Inst.* iii. (1871) 211.—N. Zel.

**SELLIERA** :—

- herpystica*, Schlecht. in Linnaea, xx. (1847) 598 = *radicans*.  
*radicans*, Cav. in Anal. Hist. Nat. i. (1799) 41. t. 5. f. 2; Ic. v. 49. t. 474.—Austral.  
*repens*, De Vriese, in Verh. Haarl. x. (1854) 162 = *radicans*.

**SELLIERIA**, J. Buch. in *Trans. N. Z. Inst.* iii. (1871) 211 = *praece*.

**SELLOA**, H. B. & K. Nov. Gen. et Sp. iv. 265. t. 395 (1820). **COMPOSITAE**, Benth. & Hook. f. ii. 361.

FEAEA, Spreng. Syst. iii. 362 (1826).  
*linearis*, DC. Prod. v. 612 (an *Spilanthus* sp.?).—Reg. Argent.  
*plantaginea*, H. B. & K. Nov. Gen. et Sp. iv. 266. t. 395.—Mexic.

**SELLOA**, Spreng. Nov. Prov. Hort. Hal. 36 (1818) = **Gymnosperma**, Less. (Compos.).  
*capensis*, Spreng. Syst. iii. 496 = *Denekia capensis*.  
*glutinosa*, Spreng. Nov. Prov. Hort. Hal. 36 = *Baccharis glutinosa*.  
*nudata*, Nutt. in Am. Journ. Sc. Ser. I. v. (1822) 300 = *Flaveria linearis*.

**SELLOWIA**, Roth, ex Roem. & Schult. Syst. v. p. xxxi. 407 (1819) = **Ammannia**, Linn. (Lythrar.).  
*uliginosa*, Roth, l. c. = *A. pentandra*.

**SELLUNIA**, Alef. in Oestr. Bot. Zeitschr. ix. (1859) 358 = **Vicia**, Tourn. (Legumin.).  
*lunata*, Alef. l. c. 359 = *V. lunata*.

**SELNORITION**, Rafin. Sylva Tellur. 160 (1838) = **Rubus**, Tourn. (Rosac.).  
*canadensis*, Rafin. l. c. = *R. canadensis*.  
*caesius*, Rafin. l. c. = *R. caesius*.  
*obovatis*, Rafin. l. c. = *R. hispidus*.  
*saxatilis*, Rafin. l. c. = *R. saxatilis*.

**SELONIA**, Regel, in Bull. Soc. Nat. Mosc. xli. (1868) i. 457 = **Eremurus**, Bieb. (Liliac.).  
*soogdiana*, Regel, l. c. 458 = *E. soogdiana* (in Addend.).

**SELWYNIA**, F. Muell. *Fragm.* iv. 153 (1864).  
**MENISPERMACEAE**.  
*laurina*, F. Muell. l. c.—Austral.

**SELYSIA**, Cogn. in DC. Monog. Phan. iii. 735 (1881).  
**CUCURBITACEAE**.  
*cordata*, Cogn. l. c. 736.—N. Granat.  
*prunifera*, Cogn. l. c.—Peruv.

**SEMARILLA**, Rafin. Sylva Tellur. 146 (1838) = **Celastrus**, Linn.  
*bicolor*, Rafin. l. c.—Hab.?

**SEMARILLARIA**, Ruiz & Pav. Prod. 54. t. 9 (1794) = **Paullinia**, Linn. (Sapind.).  
*acutangula*, Ruiz & Pav. Syst. Veg. 93 = *P. acutangula*.  
*alata*, Ruiz & Pav. Fl. Per. iv. t. 340 = *P. alata*.  
*Cururu*, Ruiz & Pav. ex Steud. Nom. ed. II. ii. 556 = *Serjania nodosa*.  
*enneaphylla*, Ruiz & Pav. Fl. Per. iv. t. 341 = *P. enneaphylla*.  
*nitida*, Ruiz & Pav. l. c. 339 = *P. neglecta*.  
*obovata*, Ruiz & Pav. Syst. Veg. 93 = *P. obovata*.  
*subrotunda*, Ruiz & Pav. l. c. 92 = *P. subrotunda*.

**SEMECARPOS**, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 134 = *seq.*

**SEMECARPUS**, Linn. f. Suppl. 285 (1781). **ANACARDIACEAE**, Benth. & Hook. f. i. 424.  
*acuminata*, Thw. Enum. Pl. Zeyl. 76.—Zeylan.  
*acuminata*, Wall. ex Voigt, Hort. Suburb. Calc. 271; Kurz, in Journ. As. Soc. Beng. xxxix. (1870) II. 75 = *S. Cassuvium*.  
*albescens*, Kurz, l. c. xl. (1871) II. 51.—Burma.  
*Anacardium*, Blanco, Fl. Filip. ed. I. 217 = *pubescens*.  
*Anacardium*, Blume, Bijdr. 1156 = *heterophylla*.  
*Anacardium*, Linn. f. Suppl. 182.—As. et Austral. trop.

**SEMECARPUS**—

- arvensis, *Engl. in DC. Monog. Phan.* iv. 484.—Ins. Aru.  
 atra, Vieill. in *Ann. Sc. Nat. Sér. IV.* xvi. (1861) 71 = *Oncocarpus vitiensis*.  
 auriculata, *Bedd. Fl. Sylv.* ii. t. 232.—Ind. or.  
 australiensis, *Engl. in DC. Monog. Phan.* iv. 482.—Austral.  
 Balansae, *Engl. l. c.* 484.—N. Caled.  
 caesia, Blume, *Mus. Bot. Lugd. Bat.* i. 189 = heterophylla.  
 Cassuvium, *Roxb. Hort. Beng.* 22; *Fl. Ind.* ii. 85; *Spreng. Syst.* i. 936.—Burma; Malaya.  
 cochinchinensis, *Engl. in DC. Monog. Phan.* iv. 489.—Cochinch.  
 coriacea, *Thw. Enum. Pl. Zeyl.* 76.—Zeylan.  
 cuneata, *Engl. in DC. Monog. Phan.* iv. 493 (sp. dub.).—Zeylan.  
 cuneifolia, Kurz, in *Pegu, Rep. A.* 42 = pandurata.  
 cuneifolia, *Roxb. Hort. Beng.* 22; *Fl. Ind.* ii. 86 = *S. Anacardium*.  
 cuneiformis, Blanco, *Fl. Filip. ed. I.* 220 = microcarpa.  
 Forstenii, *Blume, Mus. Bot. Lugd. Bat.* i. 188.—Ins. Molucc.  
 fulvinervis, *Blume, l. c.* 189.—Borneo.  
 Gardneri, *Thw. Enum. Pl. Zeyl.* 76, 410.—Zeylan.  
 glauca, *Engl. in DC. Monog. Phan.* iv. 478.—Borneo.  
 Grahonii, Wight, *l. c.* 235 = *Holigama Grahamii*.  
 grandifolia, *Wall. Cat. n.* 985 = *Campnosperma Griffithii*.  
 heterophylla, *Blume, Mus. Bot. Lugd. Bat.* i. 187.—Java.  
 heterophylla, *Hook. f. Fl. Brit. Ind.* ii. 35 = albescens.  
 insularum, *Seem. Fl. Vit.* 50.—N. Guin.  
 Kurzii, *Engl. in DC. Monog. Phan.* iv. 489.—Ins. Nicobar.  
 laevigata, *Thw. ex Hook. f. Fl. Brit. Ind.* ii. 35.—Zeylan.  
 latifolia, *Pers. Syn.* i. 324 = *S. Anacardium*.  
 longifolia, *Blume, Mus. Bot. Lugd. Bat.* i. 188.—Ins. Timor.  
 lurida, *Hook. f. Fl. Brit. Ind.* ii. 34.—Malacca.  
 mangifera, Wight & Arn. in *Edinb. N. Phil. Journ.* xv. (1833) 177, in obs., sphalm. = *S. Anacardium*.  
 marginata, *Thw. Enum. Pl. Zeyl.* 77.—Zeylan.  
 microcarpa, *Wall. Cat. n.* 989.—Burma.  
 monogyna, *Soyer-Willem. in Usteri, Ann. Bot.* xviii. (1796) 25 (Quid?).—Ins. Maurit.  
 Moonii, *Thw. Enum. Pl. Zeyl.* 77.—Zeylan.  
 neocaledonica, *Engl. in DC. Monog. Phan.* iv. 482.—N. Caled.  
 nicobarensis, *Engl. l. c.* 480.—Ins. Nicobar.  
 nigroviridis, *Thw. Enum. Pl. Zeyl.* 76, 410.—Zeylan.  
 oblongifolia, *Thw. l. c.* 76 = obscura.  
 obovata, *Moon, Cat. Pl. Ceyl.* 22, nomen; *Thw. l. c.* 77.—Zeylan.  
 obscura, *Thw. l. c.* 76.—Zeylan.  
 obscura, *Thw. l. c.* 410, partim = Walkeri.  
 pandurata, *Kurz, in Journ. As. Soc. Beng.* xlv. (1876) ii. 209.—Burma.  
 parvifolia, *Thw. Enum. Pl. Zeyl.* 77.—Zeylan.  
 Perrottetii, *March. Rev. Anacard.* 169.—Ins. Celebes.  
 philippinensis, *Engl. in DC. Monog. Phan.* iv. 481.—Ins. Philipp.  
 pubescens, *Thw. Enum. Pl. Zeyl.* 77.—Zeylan.  
 Roxburghii, *Blume, Mus. Bot. Lugd. Bat.* i. 188.—Borneo.  
 scabrida, *Blume, l. c.* 189.—Borneo.  
 subpanduraeformis, *Wall. Cat. n.* 987.—Ind. or.  
 subpeltata, *Thw. Enum. Pl. Zeyl.* 75.—Zeylan.  
 subracemosa, *Kurz, in Journ. As. Soc. Beng.* xli. (1872) ii. 304.—Burma.  
 Thwaitesii, *Hook. f. Fl. Brit. Ind.* ii. 31 = pubescens.  
 travaucorica, *Bedd. Fl. Sylv.* ii. t. 232.—Ind. or.  
 vitiensis, *Engl. in DC. Monog. Phan.* iv. 483 = *Oncocarpus vitiensis*.  
 Walkeri, *Hook. f. Fl. Brit. Ind.* ii. 33.—Zeylan.  
 zeylanica, *Blume, Mus. Bot. Lugd. Bat.* i. 189 = obscura?

**SEMEIANDRA**, *Hook. & Arn. Bot. Beech. Voy.* 291. t. 59 (1839). *ONAGRARIACEAE*, Benth. & *Hook. f. i.* 791.  
 grandiflora, *Hook. & Arn. l. c.*—Mexic.

**SEMEIOCARDIUM**, *Zoll. in Tijdschr. Nederl. Ind.* xvii. (1858) 245 = *Polygala*, Linn.  
 Arriensii, *Zoll. l. c.*—Java.  
 glaucescens, *Hassk. in Miq. Ann. Mus. Bot. Lugd. Bat.* i. 151 = *P. triphylla*.  
 Hamiltonii, *Hassk. l. c.* = *P. triphylla*.  
 hyalinum, *Hassk. l. c.* = *P. triphylla*.

**SEMEIONOTIS**, *Schott, in Wien. Zeitschr.* iii. (1829) 804; ex *Endl. in Linnaea*, vi. (1831) Litt. 55 = *Dalbergia*, Linn. (*Legumin.*).  
 floribunda, *Schott, l. c.* (Quid?).—Bras.

**SEMELE**, *Kunth, in Abh. Akad. Berl.* (1842) 49. *LILIACEAE*, Benth. & *Hook. f. iii.* 765.  
 AMPHION, *Salisb. Gen. Pl. Fragm.* 66 (1866).  
 androgyna, *Kunth, Enum. Pl. v.* 277.—Ins. Canar.

**SEMENOVIA**, *Regel & Herd. in Bull. Soc. Nat. Mosc.* xxxix. (1866) ii. 78. *UMBELLIFERAE*.  
 transiliensis, *Regel & Herd. l. c.* 79.—Turkestan.

**SEMETOR**, *Rafin. Sylva Tellur.* 69 (1838) = *Aspalathus*, Linn. (*Legumin.*).  
 arborea, *Rafin. l. c.* = *A. arborea*.

**SEMIOPSIS**, *Zumag. Fl. Pedem.* i. 249 (1849) = *Alnus*, *Tourn. (Cupul.)*.  
 viridis, *Zumag. l. c.* 250 = *A. viridis*.

**SEMILTA**, *Rafin. Sylva Tellur.* 63 (1838) = *Croton*, Linn. (*Euphorb.*).  
 altheaeifolia, *Rafin. l. c.* = *C. altheaeifolius*.

**SEMIAMISIA**, *Klotzsch, in Linnaea*, xxiv. (1851) 25. *VACCINIACEAE*, Benth. & *Hook. f. ii.* 569.  
 Karsteniana, *Klotzsch, l. c.* 26.—Venezuela.  
 speciosa, *Klotzsch, l. c.* 25.—Ecuador.

**SEMNOS**, *Rafin. Sylva Tellur.* 161 (1838) = *Chilianthus*, *Burch. (Logan.)*.  
 paniculata, *Rafin. l. c.* = *C. oleaceus*.

**SEMONVILLEA**, *J. Gay, in Bull. Féruss.* xviii. (1829) 412. *FICOIDEAE*, Benth. & *Hook. f. i.* 859.  
 DITROCHE, *E. Mey. ex DC. Prod.* xiii. ii. 19 (1849).  
 chenopodioides, *J. Gay, ex Moq. in DC. Prod.* xiii. ii. 19 = pterocarpa.  
 fenestrata, *Fenzl, in Nov. Stirp. Dec.* 42.—Afr. austr.  
 portulacoides, *Mus. Par. ex Moq. in DC. Prod.* xiii. ii. 20 = *Limeum viscosum*.  
 pterocarpa, *J. Gay, in Bull. Féruss.* xviii. (1829) 412.—Afr. trop.  
 punctata, *Steud. Nom. ed. II.* ii. 556 = pterocarpa.

**SEMPERVIVUM**, *Rupp. ex Linn. Syst. ed. I* (1735). *CRASSULACEAE*, Benth. & *Hook. f. i.* 660.  
 AEONIUM, *Webb & Berth. Phyt. Canar. i.* 184. t. 28 (1836?).  
 AICHRYSON, *Webb & Berth. l. c.* 181. t. 27 (1836?).  
 GREENOVIA, *Webb & Berth. l. c.* 198. t. 36 (1836?).  
 JOVIBARBA, *Opiz, Seznam,* 54 (1852).  
 SEDUM, *Adans. Fam.* ii. 248 (1763).  
 abyssinicum, *Hochst. in Flora*, xxiv. (1841) i. Intell. 30; et ex *A. Rich. Tent. Fl. Abyss.* i. 315.—Abyss.  
 acuminatum, *Facquem. Voy. Bot.* 63. t. 74. f. 1.—Reg. Himal.  
 acuminatum, *Schott, in Oestr. Bot. Wochenbl.* iii. (1853) 28 = glaucum.  
 adoxum, *Jord. & Fourr. Brev. Pl. Nov. fasc.* ii. 40 = tectorum.  
 affine, *Lamotte, in Mém. Acad. Sc. Clermont*, vi. (1864) 269.—Europ.  
 africanum, *Mill. Gard. Dict. ed. VIII.* n. 7.—Afr. austr.  
 agriostaphis, *Webb & Berth. Phyt. Canar. i.* 216 (Index), nomen.—Ins. Canar.  
 aizoides, *Lam. Encyc.* iii. 290.—Ins. Madera.  
 alatum, *Scheele, in Flora*, xxvi. (1843) 453.—Europ.  
 albidum, *Schnittsp. & C. B. Lehm. l. c.* xxxviii. (1855) 4.—Hab.?  
 album, *Edgw. in Trans. Linn. Soc.* xx. (1846) 49 = sedoides.  
 Allionii, *Nym. Consp.* 260 = hirtum.

**SEMPERVIVUM**—

- alpestre, *Lamotte, in Mém. Acad. Sc. Clermont*, vi. (1864) 308 = montanum.  
 alpinum, *Griseb. & Schenk, in Linnaea*, xxv. (1852) 600 = arvernense.  
 ambiguum, *Lamotte, in Mém. Acad. Sc. Clermont*, vi. (1864) 271.—Europ.  
 angustifolium, *A. Kern. in Zeitschr. Ferdinand. Tirol.* III. xv. (1870) 267.—Tyrol.  
 annuum, *C. Sm. ex Link, in Buch, Besch. Canar. Ins.* 154.—Ins. Canar.  
 anomalum, *Hort. ex Baker, in Gard. Chron.* (1879) ii. 107 = pumilum?  
 anomalum, *Lag. Gen. et Sp. Nov.* 17 = *Sedum amplexicaule*.  
 arachnoideum, *Linn. Sp. Pl.* 465.—Europ. austr.  
 arboreum, *Linn. l. c.* 464.—Reg. Mediterr.  
 arenarium, *Koch, Syn. Fl. Germ. ed. I.* 833.—Europ. austr.  
 arenarium, *Stev. ex Baker, in Gard. Chron.* (1874) ii. 104 = ruthenicum.  
 armenum, *Boiss. & Huet, Diagn. Ser. II.* ii. 60 = globiferum.  
 arvernense, *Lecoq & Lamotte, Cat. Pl. Vasc. Fr.* 179.—Gallia.  
 assimile, *Schott, in Oestr. Bot. Wochenbl.* iii. (1853) 19.—Transsylv.  
 atlanticum, *Ball, in Journ. Linn. Soc.* xvi. (1878) 454.—Marocc.  
 aureum, *C. Sm. ex Hornem. Suppl. Hort. Hafn.* 61.—Ins. Canar.  
 austriacum, *Nym. Consp.* 260 = hirtum.  
 balsamiferum, *Webb & Berth. Phyt. Canar. i.* 192.—Ins. Canar.  
 barbatum, *Hornem. Suppl. Hort. Hafn.* 61 = caespitosum.  
 barbatum, *C. Sm. Hort. Berol.* 37; ex *Link, Enum. Hort. Berol.* ii. 20.—Ins. Canar.  
 barbulatorum, *Schott, in Oestr. Bot. Wochenbl.* iii. (1853) 91 = arachnoideum.  
 beugesiacum, *Jord. & Fourr. Brev. Pl. Nov. fasc.* ii. 30 = tectorum.  
 bifurcum, *W. Baxt. ex Loud. Hort. Brit. Suppl.* ii. 673, nomen.—Ins. Canar.  
 blandum, *Schott, in Oestr. Bot. Wochenbl.* iii. (1853) 29.—Transsylv.  
 Boissieri, *Hort. ex Baker, in Gard. Chron.* (1879) ii. 39.—Hab.?  
 Boutignyanum, *Billot & Gren. in F. Schultz, Arch. Fl. Fr. et Allem.* 263, 302 = arvernense.  
 brachiatum, *Lamotte, in Mém. Acad. Sc. Clermont*, vi. (1864) 267.—Europ.  
 brachycaulon, *Webb & Berth. Phyt. Canar. i.* 216 (Index) (Quid?).—Ins. Canar.  
 bracteatum, *Viv. ex Steud. Nom. ed. II.* ii. 556, nomen.—Afr. bor.  
 Brassaii, *Schur, Enum. Pl. Transs.* 229 = patens.  
 Braunii, *Funk, ex Koch, in Sturm, Deutschl. Fl.* Heft 67.—Europ. austr.  
 Braunii, *Ledeb. Fl. Ross.* ii. 190 = globiferum.  
 breviamum, *Jord. & Fourr. Brev. Pl. Nov. fasc.* ii. 36 = tectorum.  
 brevistylum, *Lamotte, in Mém. Acad. Sc. Clermont*, vi. (1864) 264.—Europ.  
 bulbosum, *Soland. ex Webb & Berth. Phyt. Canar. i.* 202 = *Monanthes brachycaulon*.  
 caespitosum, *C. Sm. Hort. Berol.* 38; ex *Link, Enum. Hort. Berol.* ii. 20.—Ins. Canar.  
 calcaratum, *Hort. ex Baker, in Gard. Chron.* (1874) ii. 386.—Hab.?  
 calcareum, *Jord. Obs. Pl. Crit.* vii. (1849) 26.—Europ. austr.  
 californicum, *Hort. ex Baker, in Gard. Chron.* (1874) ii. 103 = calcareum.  
 calyciforme, *Haw. Suppl. Pl. Succ.* 69 = aureum.  
 campaniforme, *Schur, Enum. Pl. Transs.* 229 = globiferum.  
 canariense, *Linn. Sp. Pl.* 464.—Ins. Canar.  
 cantalicum, *Jord. & Fourr. Brev. Pl. Nov. fasc.* ii. 41 = tectorum.  
 cappadocicum, *Boiss. Fl. Orient.* ii. 797 = globiferum.  
 caucasicum, *Rupr. ex Boiss. l. c.* 796.—Reg. Cauc.  
 cebennense, *Lamotte, Prod. Fl. Centr. Fr.* i. 313 = arvernense.  
 celsicaule, *Jord. & Fourr. Brev. Pl. Nov. fasc.* ii. 33 = tectorum.  
 Chavini, *Lagg. in Bull. Soc. Murith.* ii. (1873) 32.—Helvet.



## SEMPERVIVUM:—

- chrysanthum, *Hochst. ex Britten, in Oliver, Fl. Trop. Afr.* ii. 400.—Abbyss.
- ciliare*, Haw. Rev. Pl. Succ. 64 = caespitosum.
- ciliatum*, Gilib. Fl. Lituan. ii. 183 = tectorum.
- ciliatum*, Schur, in Verh. Siebenb. Ver. Naturw. iv. (1853) 27 = globiferum.
- ciliatum*, Sims, Bot. Mag. t. 1978 = caespitosum.
- ciliatum*, Willd. Enum. Hort. Berol. 508.—Ins. Canar.
- claviculatum*, Sieber, ex DC. Prod. iii. 414, nomen.—Hab.?
- Clusianum*, Tenore, Fl. Nap. iv. 268 = montanum.
- collinum*, Jord. & Fourr. Brev. Pl. Nov. fasc. ii. 39 = tectorum.
- columnare*, Jord. & Fourr. l. c. 45 = tectorum.
- Comollii*, Rota, Fl. Berg. 100 = glaucum.
- compactum*, Lamotte, in Mém. Acad. Sc. Clermont, vi. (1864) 289 = tectorum.
- complanatum*, A. DC. in Lem. Jard. Fleur. i. (1851) Misc. 35.—Ins. Canar.
- constrictum*, Jord. & Fourr. Brev. Pl. Nov. fasc. ii. 43 = tectorum.
- corymbosum*, Jord. & Fourr. l. c. 44 = tectorum.
- crassifolium*, Salisb. Prod. 308 = tectorum.
- cruentum*, Webb & Berth. Phyt. Canar. i. 186.—Ins. Canar.
- cuneatum*, Webb & Berth. l. c. 197.—Ins. Canar.
- cuspidatum*, Haw. Misc. Nat. 186 = Umbilicus spiruosus.
- debile*, Schott, in Oestr. Bot. Wochenbl. ii. (1852) 18.—Europ. occ.
- decoloratum*, Jord. & Fourr. Brev. Pl. Nov. fasc. ii. 30 = tectorum.
- Delasoeii*, C. B. Lehm. & Schnittsp. in Ber. Offenb. Ver. Naturk. i. (1860) 33.—Hab.?
- densum*, C. B. Lehm. & Schnittsp. l. c. 56.—Hab.?
- dichotomum*, DC. Pl. Rar. Genève, 78 t. 21 = annuum.
- dicranoclodon*, Jord. & Fourr. Pl. Brev. Nov. fasc. ii. 42 = tectorum.
- divaricatum*, Lowe, Man. Fl. Mad. i. 326 = punctatum.
- dodrantale*, Willd. Enum. Hort. Berol. 508.—Ins. Canar.
- Doellianum*, C. B. Lehm. in Flora, xxxiii. (1850) 449 = arachnoideum.
- dolomitum*, Facc. in Zeitschr. Ferdinand. Tirol. III. iv. (1854) 56 = Funkkii.
- dumosum*, Lowe, Man. Fl. Mad. i. 328.—Ins. Mader.
- elegans*, Lagg. in Bull. Soc. Murith. ii. (1873) 50.—Helvet.
- erubescens*, Jord. & Fourr. Brev. Pl. Nov. fasc. ii. 42 = arvernense.
- Fauconnetti*, Reut. Cat. Pl. Vasc. Genève. ed. II. 298 = arachnoideum.
- fimbriatum*, Klotzsch, in Bot. Ergeb. Waldem. Reise, 144. t. 43 = sedoides.
- fimbriatum*, Schnittsp. & C. B. Lehm. in Flora, xxxviii. (1855) 17.—Tyrol.
- flagelliforme*, Fisch. ex Link, Enum. Hort. Berol. ii. 20.—Sibir.
- foliosum*, C. Sm. Hort. Berol. 38; ex Link, Enum. Hort. Berol. ii. 19 = Smithii.
- Fontanae* x, Bruegg. in Cat. Hort. Turic. xii. (1864).—Europ.
- frigidum*, Lamotte, in Mém. Acad. Sc. Clermont, vi. (1864) 310 = montanum.
- frutescens*, Haw. in Phil. Mag. (1827) 125.—Ins. Canar.
- Funkkii*, F. Braun, ex Koch, in Flora, xv. (1832) 4. t. 1.—Europ. austr.
- Funkii*, Lej. ex Nym. Consp. 258 = Schnittspahni.
- glandulosum*, Ait. Hort. Kew. ed. I. ii. 148.—Ins. Mader.
- glaucum*, Tenore, Ind. Sem. Hort. Neap. (1830) 13.—Tyrol.
- globiferum*, Linn. Sp. Pl. 464.—Europ. or.; As. Min.
- globiferum*, Wulf. in Jacq. Fl. Austr. v. 50. t. 40 = Wulfeni.
- glutinosum*, Ait. Hort. Kew. ed. I. ii. 147.—Ins. Mader.
- Goochia*, Webb & Berth. Phyt. Canar. i. 190.—Ins. Canar.
- grandiflorum*, Haw. Rev. Pl. Succ. 66 = globiferum.
- Greenii*, Baker, in Gard. Chron. (1877) II. 230.—Hab.?
- Guilemotii*, Lamotte, in Bull. Soc. Bot. Fr. iii. (1856) 457.—Gallia.
- Hausmanni*, Auersd. ex Nym. Consp. 259 = arachnoideum.

## SEMPERVIVUM:—

- Haworthii, Hort. Angl. ex Salm-Dyck, Hort. Dyck. 253, nomen; et ex Webb & Berth. Phyt. Canar. i. 193.—Ins. Canar.
- Heerianum* x, Bruegg. in Jahresh. Naturf. Ges. Graub. II. xxiix–xxiv. (1880) 97.—Europ.
- heterotrichum*, Schott, in Oestr. Bot. Wochenbl. iii. (1853) 83.—Europ. or.
- Heuffelii*, Schott, l. c. ii. (1852) 18 = patens.
- Hillebrandtii*, Schott, l. c. = patens.
- himalayense*, Klotzsch, in Bot. Ergeb. Waldem. Reise, 145. t. 43 = acuminatum.
- hirtellum*, Schott, in Verh. Siebenb. Ver. Naturw. (1857) 171 = arenarium.
- hirtum*, Jacq. Fl. Austr. i. 10. t. 12 = globiferum.
- hirtum*, Linn. Cent. Pl. i. 12; Amoen. Acad. iv. 273.—Europ. austr.
- hirtum*, Sibth. & Sm. Fl. Graec. Prod. i. 334 = patens.
- hispanicum*, Pourr. ex Willk. & Lange, Prod. Fl. Hisp. iii. 136 = Sedum amplexicanle.
- hispanicum*, Willd. Enum. Hort. Berol. 508.—Hispan.
- holochrysum*, Webb & Berth. Phyt. Canar. i. 194.—Ins. Canar.
- hybridum* x, Bruegg. in Jahresh. Naturf. Ges. Graub. II. xxiix–xxiv. (1880) 93.—Europ.
- hybridum*, Sweet, Hort. Brit. ed. I. 180 = caespitosum.
- juratense*, Jord. & Fourr. Brev. Pl. Nov. fasc. ii. 28 = montanum.
- Kochii*, Facc. in Zeitschr. Ferdinand. Tirol. III. iv. (1854) 57 = arenarium.
- kopaonikense*, Panč. Fl. Princ. Serbie, (1874) 314; ex ej. Elem. Fl. Bulg. 30.—Serbia.
- laetevirens*, Jord. & Fourr. Brev. Pl. Nov. fasc. ii. 37 = tectorum.
- Laggeri*, Schnittsp. ex Nym. Consp. 259 = arachnoideum.
- Lamottei*, Bor. in Mém. Soc. Acad. Maine-et-Loire, (1859) 86 = tectorum.
- latifolium*, Hoffm. Vers. Pfl. Nachtr. ii. 208.—Ins. Canar.
- latifolium*, Salisb. Prod. 308 = canariense.
- lautareticum*, Lamotte, in Mém. Acad. Sc. Clermont, vi. (1864) 296 = arachnoideum.
- laxum*, Haw. Rev. Pl. Succ. 65.—Ins. Canar.
- Legrandi*, F. Schultz, in Flora, l. (1867) 469 = arvernense.
- leptopetalum*, Jord. & Fourr. Brev. Pl. Nov. fasc. ii. 43 = tectorum.
- lesurinum*, Lamotte, in Mém. Acad. Sc. Clermont, vi. (1864) 282 = arvernense.
- leucanthum*, Panč. Elem. Fl. Bulg. 30.—Europ.
- Lindleyi*, Webb & Berth. Phyt. Canar. i. 189.—Ins. Canar.
- lineolare*, Haw. Suppl. Pl. Succ. 69 = barbatum.
- longifolium*, Schnittsp. ex Lagg. in Flora, xli. (1858) 659, nomen.—Hab.?
- Lowe*, Paiva, in Journ. Bot. v. (1867) 21 = Monanthes brachycaulon.
- luxurians*, Jord. & Fourr. Brev. Pl. Nov. fasc. ii. 34 = tectorum.
- macranthum*, Jeanb. ex Timb. in Bull. Soc. Sc. Phys. et Nat. Toul. iii. (1875–76) 559 = arachnoideum.
- Maitrea*, Lamotte, in Mém. Acad. Sc. Clermont, vi. (1864) 273 = tectorum.
- majus*, Neck. Delic. Gallo-Belg. i. 213 = tectorum.
- marmoreum*, Griseb. Spicil. Fl. Rumel. i. 329 = tectorum.
- Masferrerii*, Hillebr. in Anal. Soc. Esp. Hist. Nat. x. (1881) 137.—Ins. Canar.
- Mettenianum*, Schnittsp. & C. B. Lehm. in Flora, xxxviii. (1855) 4 = tectorum.
- micranthes*, Webb, ex Steud. Nom. ed. II. ii. 556 (sp. dub.).—Ins. Canar.
- minimum*, Timb. in Bull. Soc. Bot. Fr. xi. (1864) 136, 138 = arvernense.
- minutum*, Bourg. ex Nym. Consp. 258 = tectorum.
- modestum*, Jord. & Fourr. Brev. Pl. Nov. fasc. ii. 38 = tectorum.
- Mogridgei*, De Smet, ex Hook. f. Bot. Mag. t. 6610.—Europ. austr.
- molle*, Vis. Sem. Hort. Patav. (1841) 3; ex Walp. Rep. ii. 264.—Afr. trop.
- Monanthes*, Ait. Hort. Kew. ed. I. ii. 149 = Monanthes polyphylla.
- montanum*, Linn. Sp. Pl. 465.—Europ. med.
- montanum*, C. A. Mey. Verz. Pfl. Cauc. 152 = caucasicum.
- montanum*, Sibth. & Sm. Fl. Graec. Prod. i. 335 = tectorum.

## SEMPERVIVUM:—

- monticolum*, Jord. & Fourr. Brev. Pl. Nov. fasc. ii. 37 = tectorum.
- monticolum*, Lamotte, in Mém. Acad. Sc. Clermont, vi. (1864) 306, partim = montanum.
- mucronatum*, Edgew. in Trans. Linn. Soc. xx. (1846) 49.—Reg. Himal.
- multiflorum*, Jacquem. Voy. Bot. 61 = Crassula indica.
- Murithii*, Lagg. in Bull. Soc. Murith. ii. (1873) 49.—Helvet.
- mutabile*, W. Schlecht. ex Breit, Hort. Breit. 472.—Ins. Creta.
- Neilreichii*, Schott, Nym. & Kotschy, Analect. Bot. 19 = arenarium.
- obovatum*, Jord. & Fourr. Brev. Pl. Nov. fasc. ii. 32 = tectorum.
- oligotrichum*, Baker, in Gard. Chron. (1879) II. 166.—Tyrol.
- Paivae*, Lowe, in Hook. Bot. Mag. t. 5593.—Ins. Canar.
- pallidum*, Jord. & Fourr. Brev. Pl. Nov. fasc. ii. 40 = tectorum.
- pallidum*, Jord. & Fourr. l. c. 33 = tectorum.
- paniculatum*, Soland. ex Lowe, Man. Fl. Mad. i. 337 = arboreum.
- parviflorum*, C. B. Lehm. & Schnittsp. in Ber. Offenb. Ver. Naturk. v. (1864) 55.—Hab.?
- parvulum*, Jord. & Fourr. Brev. Pl. Nov. fasc. ii. 38 = tectorum.
- patens*, Griseb. & Schenk, in Wieg. Archiv. xviii. (1852) I. 315.—Banat.
- patina*, Lowe, Man. Fl. Mad. i. 322 = glandulosum.
- pauciflorum*, Hort., ex Baker, in Gard. Chron. (1879) II. 107 = pumilum?
- penninum*, Lagg. ex La Soie, in Bull. Soc. Murith. iii. (1875) 15.—Helvet.
- piliferum*, Jord. Obs. Pl. Crit. vii. (1849) 27 = arachnoideum.
- Pittonii*, Schott, Nym. & Kotschy, Analect. Bot. 19.—Styria.
- Pomelii*, Lamotte, in Mém. Acad. Sc. Clermont, vi. (1864) 303.—Gallia.
- praestabile*, Jord. & Fourr. Brev. Pl. Nov. fasc. ii. 28 = tectorum.
- pruinatum*, Spreng. Syst. ii. 169 = Sedum pruinaum.
- Pseudo-arachnoideum*, Lamotte, in Mém. Acad. Sc. Clermont, vi. (1864) 294 = arachnoideum.
- pulchellum*, Walp. Rep. ii. 935.—Hab.?
- pulverulentum*, Dulac, Fl. Hautes-Pyr. 325 = arvernense.
- pumilum*, Bieb. Fl. Taur. Cauc. i. 381.—Reg. Cauc.
- punctatum*, C. Sm. ex Link, in Buch, Besch. Canar. Ins. 155.—Ins. Canar.
- purpurascens*, Schott, ex Boiss. Fl. Orient. ii. 796 = tectorum.
- pygmaeum*, Jeanb. ex Timb. in Bull. Soc. Sc. Phys. et Nat. Toul. iii. (1875–76) 559 = arachnoideum.
- pygmaeum*, C. Sm. ex Link, in Buch, Besch. Canar. Ins. 155.—Ins. Canar.
- pyrenaicum*, Jord. & Fourr. Brev. Pl. Nov. fasc. ii. 44 = tectorum.
- pyrenaicum*, Lamotte, in Mém. Acad. Sc. Clermont, vi. (1864) 284.—Europ.
- racemosum*, Jord. & Fourr. Brev. Pl. Nov. fasc. ii. 44 = tectorum.
- Reginae-Amaliae*, Heldr. & Sart. ex Boiss. Fl. Orient. ii. 796 = tectorum.
- Requieni*, Hort. ex Vilm. Fl. Pl. Terre, ed. III. 572 = tectorum.
- retusum*, Haw. in Phil. Mag. (1827) 125.—Ins. Canar.
- rhaeticum* x, Bruegg. in Jahresh. Naturf. Ges. Graub. II. xxiix–xxiv. (1880) 95.—Europ.
- rhodanicum*, Jord. & Fourr. Brev. Pl. Nov. fasc. ii. 31 = tectorum.
- rigidum*, Jord. & Fourr. l. c. 35 = tectorum.
- robustum*, Jord. & Fourr. l. c. 32 = tectorum.
- roseum*, Hut. ex Nym. Consp. 259 = fimbriatum.
- rubellum*, Timb. in Bull. Soc. Bot. Fr. v. (1858) 14.—Europ. austr.
- rubicundum*, Schur, in Verh. Siebenb. Ver. Naturw. x. (1859) 67 = blandum.
- rupicolum*, Kern. in Zeitschr. Ferdinand. Tirol. III. xv. (1870) 270.—Europ.
- ruthenicum*, Koch, Syn. Fl. Germ. ed. II. 289; Schnittsp. & C. B. Lehm. in Flora, xxxviii. (1855) 5.—Europ. or.

**SEMPERVIVUM** :—

- sabaudum*, Jord. & Fourr. Brev. Pl. Nov. fasc. ii. 29 = tectorum.  
*sanguineum*, *Jeand. ex Timb. in Bull. Soc. Sc. Phys. et Nat. Toul.* iii. (1875-76) 558 = arachnoideum.  
*saxosum*, Jord. & Fourr. Brev. Pl. Nov. fasc. ii. 36 = tectorum.  
*Schlehani*, Schott, in Oestr. Bot. Wochenbl. iii. (1853) 12 = glaucum.  
*Schnittspahni*, *Lagg. in Flora*, xli. (1858) 659.—Europ.  
*Schottii*, Baker, in Gard. Chron. (1874) II. 103 = glaucum.  
*Schottii*, C. B. Lehm. & Schnittsp. in Ber. Offenb. Ver. Naturk. i. (1860) 35.—Hab.?  
*sediforme*, Jacq. Hort. Vindob. i. 35. t. 81 = Sedum nicaeense.  
*sedoides*, J. F. Gmel. Syst. 769 = praec.  
*sedoides*, *Jacquem. Voy. Bot.* 63. t. 74. f. 2.—Reg. Himal.  
*Seguieri*, DC. Prod. iii. 414.—Ital.  
*seusanum*, Jord. & Fourr. Brev. Pl. Nov. fasc. ii. 35 = tectorum.  
*simense*, Hochst. ex Britten, in Oliver, Fl. Trop. Afr. ii. 399 = Cotyledon simensis.  
*Simsii*, Sweet, Hort. Suburb. Lond. 230 = caespitosum.  
*Smithii*, Sims, Bot. Mag. t. 1980.—Ins. Canar.  
*soboliferum*, Fleisch. & Lindem. Fl. Ostseeprov. 171 = hirtum.  
*soboliferum*, Sims, Bot. Mag. t. 1457 = globiferum.  
*spathulatum*, Hornem. Suppl. Hort. Hafn. 60 = barbatum.  
*speciosum*, Lamotte, in Mém. Acad. Sc. Clermont, vi. (1864) 265.—Europ.  
*sphaeroideum*, Hort.—Cf. Gard. Chron. (1876) I. 603.—Ins. Canar.  
*spinulosum*, *Lagg. ex La Soie, in Bull. Soc. Murith.* iii. (1875) 17, nomen.—Helvet.  
*stellatum*, Pollini, Fl. Veron. ii. 114 = Seguieri.  
*stellatum*, Sm. in Trans. Linn. Soc. i. (1791) 251.—Ins. Mader.  
*stenopetalum*, Schnittsp. & C. B. Lehm. in Flora, xxxviii. (1855) 18.—Hab.?  
*stramineum*, Baker, in Gard. Chron. (1874) II. 104.—Hungar.  
*stramineum*, Nym. Consp. 260 = patens.  
*strepsicladum*, Webb & Berth. Phyt. Canar. i. 187.—Ins. Canar.  
*subvillosum*, Lowe, Man. Fl. Mad. i. 331.—Ins. Mader.  
*tabulaeforme*, Haw. Suppl. Pl. Succ. 69.—Ins. Mader.  
*tectorum*, Eichw. Besch. Casp.-Cauc. 31 = Braunii.  
*tectorum*, Linn. Sp. Pl. 464.—Europ.; Oriens.  
*tenuifolium*, Sibth. & Sm. Fl. Graec. Prod. i. 335 = Sedum amplexicaule.  
*Theobaldi* ×, Bruegg. in Jahresb. Naturf. Ges. Graub. II. xxiii-xxiv. (1880) 97.—Europ.  
*Thomasii*, *Lagg. ex La Soie, in Bull. Soc. Murith.* iii. (1875) 17.—Helvet.  
*Tissieri*, *Lagg. l. c.* ii. (1873) 32.—Helvet.  
*tomentosum*, C. B. Lehm. & Schnittsp. in Flora, xxxix. (1856) 57 = arachnoideum.  
*tortuosum*, Ait. Hort. Kew. ed. I. ii. 148.—Ins. Canar.  
*transylvanicum*, Baker, in Gard. Chron. (1874) II. 104 = globiferum.  
*trifurcum*, Jord. & Fourr. Brev. Pl. Nov. fasc. ii. 41 = tectorum.  
*triste*, Hort. ex Baker, in Gard. Chron. (1879) II. 39.—Hab.?  
*undulatum*, Webb & Berth. Phyt. Canar. i. 197.—Ins. Canar.  
*urbicum*, Lindl. Bot. Reg. t. 1741 = holochrysum.  
*urbicum*, C. Sm. ex Hornem. Suppl. Hort. Hafn. 60.—Ins. Canar.  
*uviferum*, Webb, ex Steud. Nom. ed. II. ii. 556, nomen.—Ins. Canar.  
*valesiaceum*, *Lagg. ex La Soie, in Bull. Soc. Murith.* iii. (1875) 15.—Helvet.  
*validum*, Jord. & Fourr. Brev. Pl. Nov. fasc. ii. 31 = tectorum.  
*vellavum*, Lamotte, in Mém. Acad. Sc. Clermont, vi. (1864) 280 = arvernense.  
*venustum*, Jord. & Fourr. Brev. Pl. Nov. fasc. ii. 29 = tectorum.  
*Verloti*, Lamotte, in Mém. Acad. Sc. Clermont, vi. (1864) 275 = Pomelii.

**SEMPERVIVUM** :—

- vermiculare*, Gueldenst. Reisen, i. 102; ex Ledeb. Fl. Ross. ii. 190 (Quid?).—Transcauc.  
*villosum*, Ait. Hort. Kew. ed. I. ii. 148.—Ins. Canar.  
*villosum*, Lindl. Bot. Reg. t. 1553 = Lindleyi.  
*violascens*, Jord. & Fourr. Brev. Pl. Nov. fasc. ii. 34 = tectorum.  
*Webbianum*, Hort. ex C. B. Lehm. & Schnittsp. in Flora, xxxix. (1856) 57 = arachnoideum.  
*Widderi*, C. B. Lehm. & Schnittsp. in Ber. Offenb. Ver. Naturk. i. (1860) 36.—Hab.?  
*Wulfeni*, Hoppe, ex Mert. & Koch, Deutschl. Fl. iii. 386.—Austria.  
*Youngianum*, Webb & Berth. Phyt. Canar. i. 197.—Ins. Canar.  
*Zebebori*, Schott, in Oestr. Bot. Wochenbl. vii. (1857) 245.—Serbia.

**SENACIA**, Comm. ex DC. Prod. i. 347 (1824) = **Pittosporum**, Banks.  
*nepalensis*, DC. l. c. = P. floribundum.

**SENACIA**, Lam. Illustr. ii. 95 (1793). 'Genus delendum.'  
 —Cf. Benth. & Hook. f. i. 360.  
*elliptica*, Lam. l. c. 96 = Celastrus dubius.  
*glaucum*, Lam. l. c. 97 = Elaeodendrum glaucum.  
*lanceolata*, Lam. l. c. 96 = Celastrus lanceolatus.  
*Maytenus*, Lam. l. c. = Maytenus Boaria.  
*octogona*, Lam. l. c. = Maytenus octogona.  
*undulata*, Lam. l. c. = Pittosporum Senacia.

**SENAPEA**, Aubl. Pl. Gui. Suppl. 22. f. 381 (1775).  
 Genus ignotum.  
*guianensis*, Aubl. l. c. 22.—Guian.

**SENCKENBERGIA**, Gaertn. Mey. & Scherb. Fl. Wett. ii. 413 (1800) = **Lepidium**, Linn. (Crucif.).  
*ruderalis*, Gaertn. Mey. & Scherb. l. c. 433 = L. ruderale.

**SENEBIERA**, DC. in Mém. Soc. Hist. Nat. Par. (1799) 140. tt. 8, 9. **CRUCIFERAE**, Benth. & Hook. f. i. 967.

CARARA, Medic. Pflanzengatt. i. 34 (1792).  
 CORONOPUS, Rupp. ex Linn. Syst. ed. I (1735), nomen prius; Gaertn. Fruct. ii. 293 (1791).  
 COTYLISCUS, Desv. Journ. Bot. iii. (1813) 164, 175.

EUDISTEMON, Rafin. Med. Fl. ii. 219 (1830).  
 NASTURTIOIUM, Medic. Pflanzengatt. i. 82 (1792).  
*australis*, Hook. f. Fl. Antarct. 241.—Patagon.

*coronopoda*, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 134 = S. Coronopus.

Coronopus, Poir. Encyc. vii. 76.—Cosmop.  
*didyma*, Pers. Syn. ii. 185 = pinnatifida.

*diffusa*, Bert. ex Steud. Nom. ed. II. ii. 557, nomen.—Chili.

*dubia*, H. B. & K. Nov. Gen. et Sp. v. 76 = Lepidium Humboldtii.

Figariana, Parl. Giorn. Bot. Ital. i. r. (1844) 308.—Aegypt.?

*Heleniana*, DC. Syst. ii. 523 = pinnatifida?

*incisa*, Willd. Enum. Hort. Berol. 668 = pinnatifida.

*integrifolia*, DC. in Mém. Soc. Hist. Nat. Par. (1799) 144. t. 8.—China; Afric.; Austral.

*lepidioides*, Coss. in Bull. Soc. Bot. Fr. ii. (1855) 245.—Alger.

*linoides*, DC. Syst. ii. 522 = integrifolia.

*mexicana*, Hook. & Arn. Bot. Beech. Voy. 276 = Lepidium virginicum.

*nilotica*, DC. Syst. ii. 527.—Aegypt.

*pectinata*, DC. l. c. 523 = pinnatifida.

*pinnatifida*, DC. in Mém. Soc. Hist. Nat. Par. (1799) 144 t. 9.—Cosmop.

*Raddii*, Walp. Rep. ii. 764.—Aegypt.

*rhytidocarpa*, Hook. Lond. Journ. Bot. ii. (1843) 506.—Patagon.

*serrata*, Poir. Encyc. vii. 76.—Reg. Argent.

*squamata*, C. Muell. in Walp. Ann. vii. 156 = S. Coronopus.

*supina*, Thore, Ess. Chl. Land. 275.—Gallia.

*violacea*, Munby, in Bull. Soc. Bot. Fr. ii. (1855) 282.—Alger.

**SENECIASTRUM**, Heist. Syst. 7 (1748) (Quid?).

**SENECILLIS**, Gaertn. Fruct. ii. 453, t. 173 (1791) = **Senecio**, Tourn. (Compos.).

*carpathica*, Schott, Nym. & Kotschy, Analect. Bot. 5 = *glaucum*, Schott.

*filiformis*, Spreng. ex Sch. Bip. in Flora, xxvii. (1844) 702 = Euryops trifurcatus.

*glaucum*, Gaertn. Fruct. ii. 453.—Sibir.

*glaucum*, Ledeb. Fl. Alt. iv. 113 = Senecio altaicus.

*glaucum*, Schott, Nym. & Kotschy, Analect. Bot. 5 = Transsylv.

*heterophylla*, Schur, Enum. Pl. Transs. 342 = *glaucum*, Schott.

*Jacquemontiana*, Decne. in Jacquem. Voy. Bot. 90. t. 98 = Senecio Jacquemontianus.

*purpurata*, Gaertn. Fruct. ii. 453 = Cineraria purpurata.

*Schmidtii*, Maxim. in Bull. Acad. Pétersb. xvi. (1871) 222 = Senecio Schmidtii.

**SENECIO**, [Tourn.] Linn. Syst. ed. I. 251 (1735); Gen. ed. I. 251 (1737). **COMPOSITAE**, Benth. & Hook. f. ii. 446.

ACLEIA, DC. Prod. vi. 340 (1837).

ADENOTRICHIA, Lindl. Bot. Reg. t. 1190 (1828).

ADONIGERON, Fourr. in Ann. Soc. Linn. Lyon, N. S. xvi. (1868) 404.

AETHEOLAENA, Cass. in Dict. Sc. Nat. xlviii. 450 (1827).

ANECIO, Neck. Elem. i. 28 (1790).

ASPELINA, Cass. in Dict. Sc. Nat. xli. 166 (1826).

BETHENCOURTIA, Choisy, in Euch. Besch. Canar. Ins. 148 (1825).

BRACHYPAPPUS, Sch. Bip. in Flora, xxxviii. (1855) 119.

BRACHYRHYNCHOS, Less. Syn. Comp. 392 (1832).

BRANICIA, Andr. ex Trautv. in Act. Hort. Petrop. viii. (1883) 476.

CACALIA, Linn. Sp. Pl. ed. I. 834 (1753).

CARDERINA, Cass. in Dict. Sc. Nat. xxxv. 272 (1825).

CENTROPAPPUS, Hook. f. in Hook. Lond. Journ. Bot. vi. (1847) 124.

CINERARIA, Linn. Sp. Pl. ed. II. 1242 (1762), partim.

CISSAMPELOPSIS, Miq. Fl. Ind. Bat. ii. 102 (1866).

CLADOPOGON, Sch. Bip. in Ind. Sem. Hort. Hamb. (1852) 8; ex Lehm. in Ann. Sc. Nat. Sér. III. xix. (1853) 359.

DANAA, Colla, in Mem. Acc. Torin. xxxviii. (1835) 27. t. 28.

DELAIRIA, Lem. in Ann. Sc. Nat. Sér. III. i. (1844) 379.

DORIA, Thunb. Nov. Gen. xii. 162 (1800).

DOROBAEA, Cass. in Dict. Sc. Nat. xlviii. 453 (1827).

ERYTHROCHAETE, Sieb. & Zucc. in Abh. Akad. Muench. iv. iii. (1846) 188 (Fam. Nat. Fl. Jap. ii. 64).

EUDORUS, Cass. in Bull. Soc. Philom. (1818) 165; et in Dict. Sc. Nat. xv. 525 (1819).

FARFUGIUM, Lindl. in Gard. Chron. (1857) 4.

FAROBAEA, Schrank, ex Colla, Hort. Ripul. App. iii. 36, in nota (1829); et iv. 19. t. 9 (1831).

HAPLOSTICHA, Phil. in Linnaea, xxx. (1859-60) 193.

HERBICHA, Zawadski, in Guill. Arch. Bot. i. (1832) 450; et Enum. Pl. Galic. 198 (1835).

HOPPEA, Reichb. in Flora, vii. (1824) 245.

HUBERTIA, Bory, Voy. i. 334. t. 14 (1804).

JACOBAEA, Thunb. Fl. Cap. Prod. Praef. (1794).

JACOBANTHUS, Fourr. in Ann. Soc. Linn. Lyon, N. S. xvi. (1868) 403.

KLEINIA, Haw. Syn. Pl. Succ. 312 (1812).

LACHANODES, DC. in Guill. Arch. Bot. ii. (1833) 332.

LEUCOSERIS, Fourr. in Ann. Soc. Linn. Lyon, N. S. xvi. (1868) 404.

LIGULARIA, Cass. in Bull. Soc. Philom. (1816) 198.

MADACARPUS, Wight, Ic. t. 1152 (1846).

MADARACTIS, DC. Prod. vi. 322 (1837).

MESADENIA, Rafin. in Loud. Gard. Mag. viii. (1832) 247.

MESOGRAMMA, DC. Prod. vi. 304 (1837).

MESONEURIS, A. Gray, in Proc. Am. Acad. viii. (1873) 661.

METACANTHUS, Walp. in Nov. Act. Nat. Cur. xix. Suppl. i. (1843) 280.

METAZANTHUS, Meyen, Reise, i. 356 (1834).

MICROCHAETE, Benth. Pl. Hartw. 209 (1845).

## SENECIO:—

- MOERKENSTEINIA, Opiz, Seznam, 66 (1852).  
 OBAEJACA, Cass. in Dict. Sc. Nat. xxxv. 270 (1825).  
 ODONTOTRICHUM, Zucc. in Abh. Akad. Muench. i. (1832) 311.  
 PENTACALIA, Cass. in Dict. Sc. Nat. xlviii. 461 (1827).  
 PENTANTHUS, Hook. & Arn. in Hook. Comp. Bot. Mag. i. (1835) 32.  
 PERICALIA, Cass. in Dict. Sc. Nat. xlviii. 459 (1827).  
 PERICALIS, Webb & Berth. Phyt. Canar. ii. tt. 103, 106 (1835-60).  
 PITHOSILLUM, Cass. in Dict. Sc. Nat. xli. 164 (1826).  
 PLADAROXYLON, Hook. f. in Hook. Ic. Pl. t. 1055 (1870).  
 PSACALUM, Cass. in Dict. Sc. Nat. xliii. 461 (1820).  
 ROLDANA, La Llave & Lex. Nov. Veg. Desc. fasc. ii. 10 (1825).  
 RUGELIA, Shuttlew. in Chapm. Fl. S. U. St. 246 (1860).  
 SCIADIOSERIS, Kunze, in Bot. Zeit. ix. (1851) 349.  
 SCLEROBASIS, Cass. in Bull. Soc. Philom. (1818) 73.  
 SENEICILLIS, Gaertn. Fruct. ii. 453. t. 173 (1791).  
 SENEICUNCULUS, Opiz, Seznam, 90 (1852).  
 SYNARTHURUM, Cass. in Dict. Sc. Nat. li. 457 (1827).  
 SYNEILESIS, Maxim. Prim. Fl. Amur. 165 (1859).  
 SYNOSMA, Rafin. in Loud. Gard. Mag. viii. (1832) 247.  
 TEPHROSERIS, Schur, Enum. Pl. Transs. 343 (1866).  
 TRAVERSIA, Hook. f. Handb. N. Zeal. Fl. 163 (1864).  
 WILLKOMMIA, Sch. Bip. ex Nym. Consp. 357 (1879).  
 abadianus, DC. Prod. vi. 423.—Peruv.  
 abietinus, Willd. ex Wedd. Chlor. And. i. 100, 101.—N. Granat.  
 abrotanifolius, Georgi, Besch. Russ. Reich. III. iv. 1242 = S. Jacobaea.  
 abrotanifolius, Gouan, Hort. Monsp. 440 = adonidifolius.  
 abrotanifolius, Linn. Sp. Pl. 869.—Europ.  
 abrotanoides, E. Mey. ex DC. Prod. vi. 397 = pinnatifidus.  
 abruptus, Thunb. Prod. Pl. Cap. 159.—Afr. austr.  
 abyssinicus, Sch. Bip. ex Hochst. in Flora, xxiv. (1841) i. Intell. 27, nomen; et ex A. Rich. Tent. Fl. Abyss. i. 438.—Abyss.  
 acanthifolius, Hombr. & Jacquinot, ex Decne. Bot. Voy. Astrol. & Zél. 46.—Patagon.  
 acanthifolius, Kostel. Allg. Med.-Pharm. Fl. ii. 714 = S. Cineraria.  
 acaulis, Phil. in Anal. Univ. Chil. (1861) 52.—Chili.  
 acaulis, Sch. Bip. in Flora, xxviii. (1845) 500.—Afr. austr.  
 acerifolius, Hemsl. Biol. Centr. Am. Bot. ii. 235.—Mexic.  
 achilleaeifolius, DC. Prod. vi. 396.—Afr. austr.  
 aconitifolius, Turcz. in Bull. Soc. Nat. Mosc. (1837) n. vii. 155.—China.  
 Actinella, Greene, in Bull. Torrey Bot. Club, x. (1883) 87.—Arizona.  
 actinoleucus, F. Muell. in Trans. Roy. Soc. Victoria, viii. (1867) 40.—Afr. austr.  
 acuminatus, Wall. Cat. n. 3107.—Reg. Himal.  
 acutangulus, Hemsl. Biol. Centr. Am. Bot. ii. 235.—Guatemala.  
 acutidentatus, A. Rich. Tent. Fl. Abyss. i. 436 = picridifolius.  
 acutifolius, DC. Prod. vi. 402.—Afr. austr.  
 adamantinus, Bong. in Bull. Sc. Acad. Péttersb. v. (1838) 97.—Bras.  
 adenodontus, DC. Prod. vi. 378.—Madag.  
 adenophylloides, Sch. Bip. in Bonplandia, iv. (1856) 55, nomen.—Peruv.  
 adenophyllus, Walp. in Nov. Act. Nat. Cur. xix. Suppl. i. (1843) 282.—Peruv.  
 adenostyloides, Maxim. in Bull. Acad. Péttersb. xix. (1874) 486.—Japon.  
 adenotrichius, DC. Prod. vi. 416.—Chili.  
 adfinis, Less. ex Harv. & Sond. Fl. Cap. iii. 363 = erubescens, Ait.  
 adnatus, DC. Prod. vi. 388.—Afr. austr.

## SENECIO:—

- adonidifolius, Loisel. Fl. Gall. ed. I. 566; ed. II. ii. 239.—Europ.  
 adscendens, Boj. ex DC. Prod. vi. 378.—Madag.  
 adscendens, DC. l. c. 423 = andinus.  
 aegyptius, Linn. Sp. Pl. 867.—Aegypt.  
 aethnensis, Jan, ex DC. Prod. vi. 345.—Ital.  
 affinis, DC. l. c. 385 = albanensis.  
 africanus, Hort. ex Poir. Encyc. Suppl. v. 129 = Gynura haematophylla.  
 agapatensis, Sch. Bip. in Bonplandia, iv. (1856) 55, nomen.—Peruv.  
 Aitonianus, G. Don, in Sweet, Hort. Brit. ed. III. 386 = Cineraria canescens.  
 aizoides, Sch. Bip. in Flora, xxviii. (1845) 499.—Afr. austr.  
 akrabatensis, Franch. in Ann. Sc. Nat. Sér. VI. xvi. (1883) 312.—Turkestan.  
 alatus, Wall. Cat. n. 3114.—Reg. Himal.  
 alatus, Willd. ex Ledeb. Fl. Ross. ii. 633 = lampsanoides.  
 albanensis, DC. Prod. vi. 385.—Afr. austr.  
 albens, Sch. Bip. in Linnaea, xxxiv. (1865-66) 531, nomen.—Bolivia.  
 albicans, Pers. Syn. ii. 438 = lanatus.  
 albicaulis, Hook. & Arn. in Hook. Journ. Bot. iii. (1841) 344.—Patagon.  
 albicaulis, Sch. Bip. in Flora, xxvii. (1844) 702 = polymorphus.  
 albidus, E. Mey. ex DC. Prod. vi. 398 = grandiflorus.  
 albiflorus, Sch. Bip. in Flora, xxviii. (1845) 498.—Chili.  
 albifolius, DC. Prod. vi. 389.—Afr. austr.  
 albo-dentatus, Vukot. in Rad Jugos. Akad. Zagreb. lviii. (1881) 144 = S. Calaliaster.  
 albolanatus, Phil. Fl. Atac. 32.—Chili.  
 albo-lutescens, Sch. Bip. in Flora, xxviii. (1845) 498.—Mexic.  
 alcornis, Hook. & Arn. in Hook. Journ. Bot. iii. (1841) 334.—Chili.  
 Alciopé, Sch. Bip. in Flora, xxviii. (1845) 500 = Alciopé lanata.  
 algens, Wedd. Chlor. And. i. 104.—Bolivia.  
 Almeidae, Phil. Fl. Atac. 33.—Chili.  
 aloides, DC. Prod. vi. 402.—Afr. austr.  
 alpester, Kern. in Oestr. Bot. Zeitschr. xxi. (1871) 202 = seq.  
 alpestris, DC. Prod. vi. 360.—Europ.  
 alpestris, Gand. Fl. Helv. v. 296 = Fuchsii.  
 alpinus, C. B. Clarke, Comp. Ind. 190 = bracteolatus, Hook. f.  
 alpinus, Linn. f. Suppl. 371 = lyratifolius.  
 alpinus, Scop. Fl. Carn. ed. II. ii. 164.—Europ.  
 alsophilus, Phil. in Linnaea, xxix. (1857-58) 2.—Chili.  
 altaicus, Sch. Bip. in Flora, xxviii. (1845) 50.—Sibir. altaic.  
 altissimus, Mill. Gard. Dict. ed. VIII. n. 9 = S. Doria.  
 amabilis, DC. Prod. vi. 406.—Afr. austr.  
 amabilis, Vell. Fl. Flum. viii. t. 107 = brasiliensis.  
 Ambavilla, Pers. Syn. ii. 436.—Ins. Borbon.  
 ambiguus, DC. Prod. vi. 356.—Ital.  
 ambraceus, Turcz. ex DC. l. c. 348.—China.  
 ambrosioides, Mart. ex Baker, in Mart. Fl. Bras. vi. III. 322 = brasiliensis.  
 americanus, DC. Prod. vi. 310.—N. Granat.  
 ammophilus, Greene, in Bull. Calif. Acad. i. iv. (1885) 193 = californicus.  
 ammophilus, Phil. in Linnaea, xxviii. (1856) 748.—Chili.  
 amoenus, Sch. Bip. ex A. Rich. Tent. Fl. Abyss. i. 443 = Werneria africana.  
 amphibolus, C. Koch, in Linnaea, xxiv. (1851) 361.—Reg. Caucas.  
 amphibolus, Wedd. Chlor. And. i. 109.—Bolivia.  
 amplexens, A. Gray, in Am. Journ. Sc. Ser. II. xxxiii. (1862) 240.—Am. bor.  
 amplexicaulis, H. B. & K. Nov. Gen. et Sp. iv. 181.—Ecuador.  
 amplexicaulis, Wall. Cat. n. 3139.—Reg. Himal.  
 amplifolius, Sch. Bip. in Flora, xxviii. (1845) 498.—Mexic.  
 amplus, Remy, in C. Gay, Fl. Chil. iv. 195.—Chili.  
 ampullaceus, Hook. Bot. Mag. t. 3487.—Texas.  
 amygdalifolius, F. Muell. Fragm. i. 232.—Austral.  
 Anacampserotis, DC. Prod. vi. 374.—Austral.  
 anacephalus, Griseb. in Goett. Abh. xxiv. (1879) 208.—Reg. Argent.

## SENECIO:—

- analogus, DC. Prod. vi. 366 = chrysanthemoides.  
 Anampoza, Baker, in Journ. Linn. Soc. xx. (1883) 191.—Madag.  
 Andersoni, C. B. Clarke, Comp. Ind. 204.—Burma.  
 Andersoni, Hook. f. Fl. Antarct. 312.—Patagon.  
 andicola, Turcz. in Bull. Soc. Nat. Mosc. xxiv. (1851) ii. 91.—Ecuador.  
 andinus, Buek, Ind. ad DC. Prod. ii. p. vi.—Peruv.  
 andinus, Nutt. in Trans. Am. Phil. Soc. vii. (1841) 409 = S. Serra, Hook.  
 Andrieuxii, DC. Prod. vi. 430.—Mexic.  
 andryaloides, DC. l. c. 420 = crassifolius.  
 anethifolius, A. Cunn. in DC. l. c. 371.—Austral.  
 angavonensis, Boj. ex DC. l. c. 377.—Madag.  
 angulatus, Linn. f. Suppl. 369.—Afr. austr.  
 angulifolius, DC. Prod. vi. 431.—Mexic.  
 angulosus, Wall. Cat. n. 3117 = densiflorus.  
 angustifolius, Forst. f. Prod. 91 = lautus.  
 angustifolius, Sond. in Linnaea, xxv. (1852) 526 = anethifolius.  
 angustifolius, Wall. ex DC. Prod. vi. 367 = saxatilis.  
 angustifolius, Willd. Sp. Pl. iii. 1973.—Afr. austr.  
 angustilobus, F. Muell. in Linnaea, xxv. (1852) 418 = anethifolius.  
 angustissimus, Phil. l. c. xxviii. (1856) 746.—Chili.  
 anomalus, DC. Prod. vi. 310.—Graecia.  
 anonymus, Wood, Am. Bot. Flor. 187.—Am. bor.  
 Antennaria, Wedd. Chlor. And. i. 106.—Peruv.; Bolivia.  
 Anteuphorbium, Sch. Bip. in Flora, xxviii. (1845) 500.—Afr. austr.  
 anthemidiphyllus, Remy, in C. Gay, Fl. Chil. iv. 177.—Chili.  
 anthemifolius, Harv. in Harv. & Sond. Fl. Cap. iii. 376.—Afr. austr.  
 anthemifolius, Sieber, ex Steud. Nym. ed. II. ii. 558 = delphinifolius.  
 anthemoides, Steud. l. c.—Ind. or.  
 anthoraefolius, Presl, ex Reichb. Fl. Germ. Excurs. 243 = praealtus.  
 Antisamae, Benth. Pfl. Hartw. 210.—N. Granat.  
 antucensis, Phil. in Linnaea, xxviii. (1856) 747.—Chili.  
 apargiaefolius, Walp. l. c. xiv. (1840) 309 = Erechites arguta.  
 apenninus, Tausch, in Syll. Ratisb. ii. (1828) 252 = S. Doronicum.  
 apiculatus, Sch. Bip. ex Wedd. Chlor. And. i. 128.—Venezuela.  
 appendiculatus, DC. Prod. vi. 376.—Ins. Maurit.  
 appendiculatus, Poir. Encyc. vii. 102 = auriculatus, Vahl.  
 appendiculatus, Sch. Bip. in Webb & Berth. Phyt. Canar. ii. 327.—Ins. Canar.  
 apuanus, Tausch, ex Reichb. Fl. Germ. Excurs. 851.—Europ.  
 apulus, Tenore, ex Nym. Consp. 357 = crassifolius.  
 aquaticus, Boiss. Voy. Bot. Espagne, ii. 332 = praealtus.  
 aquaticus, Hill, Veg. Syst. ii. 120; Huds. Fl. Angl. ed. I. 317.—Europ.  
 aquaticus, Loisel. Fl. Gall. ii. 566; et ed. II. ii. 240; Sibth. & Sm. Fl. Graec. Prod. ii. 178 = erraticus.  
 aquifoliaceus, DC. Prod. vi. 394.—Afr. austr.  
 arabicus, Linn. Mant. i. 114.—Aegypt.; Arab.  
 arachnoideus, Phil. in Linnaea, xxviii. (1856) 739.—Chili.  
 arachnoideus, Sieber, ex DC. Prod. vi. 357 = lanatus, Scop.  
 arachnoideus, Wall. Cat. n. 3163 = araneosus.  
 arachnolomus, Wedd. Chlor. And. i. 104.—Peruv.  
 araneosus, DC. Prod. vi. 364.—Ind. or.; Java.  
 araneosus, E. Mey. ex DC. l. c. 391 = arnicaeflorus.  
 araucanus, Phil. in Linnaea, xxxiii. (1864-65) 158.—Chili.  
 arborescens, Steetz, in Seem. Bot. Voy. Herald, 162. t. 31.—Panama.  
 arbutifolius, H. B. & K. Nov. Gen. et Sp. iv. 182.—Peruv.  
 arcticus, Rupr. Beitr. Pfl. Russ. Reich. ii. 44.—As. bor. or.  
 Arechavaletae, Baker, in Mart. Fl. Bras. vi. III. 310.—Uruguay.  
 arenarius, Bieb. in Bess. Cat. Hort. Crem. (1816) 129 = praealtus.  
 arenarius, Lange, ex Nym. Consp. 356 = erucifolius.

SENECIO:—

*arenarius*, Salzm. ex DC. Prod. vi. 345 = *crassifolius*.  
*arenarius*, Thunb. Prod. Pl. Cap. 158.—Afr. austr.  
*argaeus*, Boiss. & Bal. Diagn. Ser. II. vi. 100.—As.  
 Min.  
*argenteus*, Kunze, ex DC. Prod. vi. 415.—Chili.  
*argentinus*, Baker, in Mart. Fl. Bras. vi. III. 307, in  
 obs.—Reg. Argent.  
*argillosus*, Baker, l. c. 310.—Uruguay.  
*argophylloides*, Griseb. in Goett. Abh. xix. (1874) 189.  
 —Reg. Argent.  
*argophyllus*, Phil. in Linnaea, xxviii. (1856) 747.—  
 Chili.  
*argunensis*, Debeaux, Fl. Tché-Fou, 85 = *ambraceus*.  
*argunensis*, Turcz. in Bull. Soc. Nat. Mosc. xx. (1847)  
 II. 18.—China.  
*argutus*, H. B. & K. Nov. Gen. et Sp. iv. 183.—  
 Mexic.  
*argutus*, A. Rich. Fl. N. Zél. 258 = *Erechtites*  
*arguta*.  
*Aristianus*, Remy, in C. Gay, Fl. Chil. iv. 181.—  
 Chili.  
*arizonicus*, Greene, in Bull. Torrey Bot. Club, x. (1883)  
 87.—Arizona.  
*Arleguianus*, Remy, in C. Gay, Fl. Chil. iv. 190.—  
 Chili.  
*armenius*, Faub. & Spach, Illustr. iv. 143. t. 398.—  
 Armenia.  
*armenius*, Ledeb. Fl. Ross. ii. 634, sphalm. =  
*praealtus*.  
*armoracifolius*, Burch. ex Baker, in Mart. Fl. Bras. vi.  
 III. 316 = *icoglossus*.  
*arnicaeflorus*, DC. Prod. vi. 390.—Afr. austr.  
*arnicoides*, Hook. & Arn. Bot. Beech. Voy. 32 =  
*plantagineus*.  
*arnicoides*, Wall. Cat. n. 3138.—Reg. Himal.  
*Arnotianus*, DC. Prod. vi. 367 = *neelgherryanus*.  
*Arnotii*, Hook. f. Fl. Antarct. 314.—Patagon.  
*aromaticus*, Gilib. Exerc. Bot. in Schola Princip. Univ.  
 Viln. 14.—Lithuan.  
*aronicoides*, DC. Prod. vi. 426.—Calif.  
*Arrabidae*, Steud. Nom. ed. II. ii. 558 = *brasiliensis*.  
*artemisiaefolius*, Gilib. Exerc. Bot. in Schola Princip. Univ.  
 Viln. 14.—Lithuan.  
*artemisiaefolius*, Pers. Syn. ii. 435 = *adonidifolius*.  
*articulatus*, Sch. Bip. in Flora, xxviii. (1845) 500.—  
 Afr. austr.  
*asarifolius*, Boj. ex DC. Prod. vi. 330 = *Faujasia*  
*reticulata*.  
*Aschenbornianus*, Schau. in Linnaea, xx. (1847) 698.  
 —Mexic.  
*asclepiadeus*, DC. Prod. vi. 422.—Am. austr.  
*Aspelina*, DC. l. c. 436.—Amer.  
*asper*, Ait. Hort. Kew. ed. I. iii. 196 = *rosmarinifolius*.  
*aspericaulis*, Remy, in C. Gay, Fl. Chil. iv. 174.—Chili.  
*asperulus*, DC. Prod. vi. 386.—Afr. austr.  
*asplenifolius*, Griseb. in Goett. Abh. xxiv. (1879) 207.—  
 Reg. Argent.  
*assuayensis*, DC. Prod. vi. 422.—Am. austr.  
*assuayensis*, Sch. Bip. ex Wedd. Chlor. And. i. 97 =  
*nevadensis*.  
*Atkinsoni*, C. B. Clarke, Comp. Ind. 207 = *S. Ligu-*  
*laria*.  
*Atkinsoniae*, F. Muell. Fragm. v. 88 = *Erechtites*  
*Atkinsoniae*.  
*atlanticus*, Boiss. & Reut. Pugill. Pl. Nov. (1852) 58  
 = *vernalis*.  
*atlanticus*, Coss. in Bull. Soc. Bot. Fr. iii. (1856) 706.  
 —Alger.  
*atriplicifolius*, Hook. Fl. Bor. Am. i. 332.—Am. bor.  
*attenuatus*, Sch. Bip. in Linnaea, xxxiv. (1865–66)  
 531, nomen.—Bolivia.  
*Aucherii*, DC. Prod. vi. 361.—Graec.; Bithyn.  
*aurantiacus*, Less. in Linnaea, ix. (1834) 191; DC.  
 l. c. = *campestris*.  
*aurantiacus*, Reichb. Ic. Fl. Germ. xvi. 44. t. 982 =  
*palustris*.  
*auratus*, DC. l. c. 348.—Siberia.  
*aureus*, Georgi, Besch. Russ. Reich. III. iv. 1243 =  
*paludosus*.  
*aureus*, Linn. Sp. Pl. 870.—Am. bor.  
*aureus*, Wall. Cat. n. 3113 = *densiflorus*.  
*auricomus*, Link, ex DC. Prod. vi. 354 = *caespitosus*,  
*Broth.*  
*Auricula*, Bourg. ex Coss. Notes Crit. 169.—Hispan.  
*auriculatus*, Burm. f. Fl. Ind. 181.—Java.  
*auriculatus*, Desf. Fl. Atlant. ii. 272 = *auritus*.  
*auriculatus*, Poepp. ex DC. Prod. vi. 417 = *glabratus*.

SENECIO:—

*auriculatus*, Reichb. ex Steud. Nom. ed. II. ii. 558 =  
*alpinus*.  
*auriculatus*, Vahl, Symb. Bot. i. 72. t. 18.—Arab.  
*auriculatus*, Wall. Cat. n. 3115 = *rufinervis*.  
*aurinitens*, Schur, Enum. Pl. Transs. 350 = *S. Jaco-*  
*baca*.  
*auritus*, Willd. Sp. Pl. iii. 1982.—Afr. bor.  
*Austinae*, Greene, in Bull. Calif. Acad. i. n. III.  
 (1885) 93.—Calif.  
*australis*, Willd. Sp. Pl. iii. 1981 = *lautus*.  
*axillaris*, Klatt, in Abh. Naturf. Ges. Halle, xv. (1882)  
 333.—Mexic.  
*axillaris*, Vell. Fl. Flum. viii. t. 112.—Bras.  
*ayapatensis*, Baker, in Mart. Fl. Bras. vi. II. 314, in obs.  
 sphalm. = *agapatensis*.  
*ayapatensis*, Griseb. in Goett. Abh. xxiv. (1879) 206  
 = *trichocodon*.  
*baccharidifolius*, DC. Prod. vi. 414.—Chili.  
*baccharoides*, H. B. & K. Nov. Gen. et Sp. iv. 186 =  
*Gynoxys baccharoides*.  
*Badaroi*, Moris, ex Badaro, in Brugat. Giorn. Fis.  
 Dec. II. vii. (1824) 367 = *delphinifolius*.  
*bahioensis*, Hook. & Arn. in Hook. Journ. Bot. iii.  
 (1841) 336.—Chili.  
*Balansae*, Baker, in Mart. Fl. Bras. vi. III. 317 =  
*Paraguay*.  
*Balansae*, Boiss. & Reut. Diagn. Ser. II. iii. 32 =  
*nebrodensis*.  
*Balbisanus*, DC. Prod. vi. 360.—Europ.  
*Balbisanus*, Kar. & Kir. in Bull. Soc. Nat. Mosc.  
 (1841) 445 = *campestris*.  
*balensis*, Poir. Encyc. vii. 109 = *alpinus*, *S. Doroni-*  
*cum*.  
*balsamicus*, Phil. in Anal. Univ. Chil. (1873) 499.—  
 Chili.  
*Balsamitae*, Muhl. ex Willd. Sp. Pl. iii. 1998 =  
*aureus*.  
*Banksii*, Hook. f. Fl. N. Zel. i. 146.—N. Zel.  
*Barba-Johannis*, DC. Prod. vi. 430.—Mexic.  
*barbareaefolius*, Krock. Fl. Siles. ii. II. 421 = *er-*  
*raticus*.  
*barbareaefolius*, Reichb. Fl. Germ. Excurs. 244 =  
*aquaticus*.  
*barbareaefolius*, Turcz. in Bull. Soc. Nat. Mosc. xxiv.  
 (1851) II. 90.—Afr. austr.  
*barbatus*, DC. Prod. vi. 406.—Afr. austr.  
*barbatus*, [D.] Don, ex Hook. & Arn. in Hook. Journ.  
 Bot. iii. (1841) 334.—Reg. Argent.  
*barbellatus*, DC. Prod. vi. 388.—Afr. austr.  
*barckhausiaefolius*, Boiss. & Heldr. Diagn. Ser. II.  
 vi. 101.—Graecia.  
*barkhausioides*, Turcz. in Bull. Soc. Nat. Mosc. xxiv.  
 (1851) II. 86 = *georgianus*.  
*Barrelieri*, Gouan, Illustr. 68 = *S. Doronicum*.  
*Barrelieri*, Hoppe, ex DC. Prod. vi. 354 = *nemorensis*.  
*bathurstianus*, Sch. Bip. in Flora, xxviii. (1845) 498 =  
*Erechtites arguta*.  
*bayonnensis*, Boiss. Diagn. Ser. II. iii. 34 = *nemorensis*.  
*Bedfordii*, F. Muell. Cat. Hort. Melb. (1858) 26 =  
*Bedfordia salicina*.  
*Beecheyanus*, Sch. Bip. in Flora, xxviii. (1845) 499 =  
*sessilifolius*.  
*Behrianus*, Sond. & F. Muell. in Linnaea, xxv. (1852)  
 527.—Austral.  
*belbeysius*, Delile, Fl. Egypte, 270.—Aegypt.  
*belbeyticus*, Poir. Encyc. Suppl. v. 229 = *praec.*  
*belenensis*, Griseb. in Goett. Abh. xix. (1874) 192 =  
 Reg. Argent.  
*belgaumensis*, C. B. Clarke, Comp. Ind. 200.—Ind. or.  
*bellidifolius*, H. B. & K. Nov. Gen. et Sp. iv. 175.—  
 Mexic.  
*bellidifolius*, A. Rich. Tent. Fl. Abyss. i. 439 =  
*abyssinicus*.  
*bellidioides*, Hook. f. Fl. N. Zel. i. 144.—N. Zel.  
*Bellis*, Harv. in Harv. & Sond. Fl. Cap. iii. 369.—  
 Afr. austr.  
*belophyllus*, Remy, in C. Gay, Fl. Chil. iv. 164.—  
 Chili.  
*benaventianus*, Remy, l. c. 141.—Chili.  
*Bentharii*, Griseb. in Goett. Abh. xxiv. (1879) 206.—  
 Reg. Argent.  
*Bentharii*, Sch. Bip. ex Wedd. Chlor. And. i. 96 =  
*Humboldtianus*.  
*Bergianus*, E. Mey, ex DC. Prod. vi. 400 = *rosmarini-*  
*folius*.  
*Bergii*, Hieron. in Bol. Acad. Nac. Córdoba, iii. (1879)  
 357.—Reg. Argent.

SENECIO:—

*Berlandieri*, Sch. Bip. in Flora, xxviii. (1845) 498;  
*Hemsl. Biol. Centr. Am. Bot.* ii. 236.—Mexic.  
*Berterianus*, Colla, in Mem. Acc. Torin. xxxviii. (1835)  
 32.—Chili.  
*betonicaefolius*, DC. Prod. vi. 422.—Am. austr.  
*betsiliensis*, Baker, in Journ. Bot. xx. (1882) 170.—  
 Madag.  
*Bhot*, C. B. Clarke, Comp. Ind. 187.—Reg. Himal.  
*Biafrae*, Oliver & Hiern, in Oliver, Fl. Trop. Afr.  
 iii. 420.—Afr. trop.  
*bicolor*, Balb. Cat. Hort. Taur. (1804) 42 = *Gynura*  
*haematophylla*.  
*bicolor*, Sch. Bip. in Schweinf. Beitr. Fl. Aethiop. 159  
 = *Gynura bicolor*.  
*bicolor*, Todaro, Ind. Sem. Hort. Panorm. (1859)  
 22, 30.—Cf. Linnaea, xxx. (1859–60) 759.—Ital.;  
 Graec.  
*bidentatus*, Willd. Sp. Pl. iii. 1976.—Afr. austr.  
*Bidwillii*, Hook. f. Fl. N. Zel. i. 150.—N. Zel.  
*bifistulosus*, Hook. f. l. c. 144.—N. Zel.  
*biflorus*, Burm. f. Fl. Ind. 181.—Java.  
*biflorus*, Vahl, Symb. Bot. i. 72.—Arab.  
*Bigelovii*, A. Gray, in Pacif. Rail. Rep. iv. 111.—Am.  
 bor. occ.  
*Billardieri*, F. Muell. Cat. Hort. Melb. (1858) 26 =  
*Bedfordia linearis*.  
*bipinnatifidus*, Hook. & Arn. Bot. Beech. Voy. 32 =  
*Berterianus sinuatifolius*.  
*bipinnatus*, DC. Prod. vi. 397 = *foeniculoides*.  
*bipinnatus*, Less. Syn. Comp. 391.—Afr. austr.  
*blattarioides*, DC. Prod. vi. 393.—Afr. austr.  
*Blumeanus*, Sch. Bip. in Schweinf. Beitr. Fl. Aethiop.  
 159 = *Gynura aurantiaca*.  
*Blumei*, DC. Prod. vi. 334, in syn. = *araneosus*.  
*bogotensis*, Spreng. Syst. iii. 556.—N. Granat.  
*bohemicus*, Tausch, in Syll. Ratisb. ii. (1828) 253 =  
*paludosus*.  
*Boissieri*, DC. Prod. vii. 300.—Hispan.  
*Boivini*, Klatt, in Ann. Sc. Nat. Sér. V. xviii. (1873)  
 375.—Ins. Maurit.  
*Bojeri*, DC. Prod. vi. 37.—Madag.  
*Bojeri*, Hook. f. in Journ. Linn. Soc. vii. (1864) 202 =  
*Biafrae*.  
*Bolanderi*, A. Gray, in Proc. Am. Acad. vii. (1868)  
 362.—Calif.  
*boliviensis*, Sch. Bip. in Linnaea, xxxiv. (1865–66) 531,  
 nomen.—Bolivia.  
*Bolusii*, Oliver, in Hook. Ic. Pl. t. 1456.—Afr.  
 austr.  
*bonariensis*, Hook. & Arn. in Hook. Journ. Bot. iii.  
 (1841) 340.—Reg. Argent.  
*Bonplandianus*, DC. Prod. vi. 421.—Ecuador.  
*Boryanus*, Sch. Bip. in Schweinf. Beitr. Fl. Aethiop.  
 159 = *Gynura auriculata*.  
*borysthenicus*, Andr. ex DC. Prod. vi. 351 = *praealtus*.  
*Boscianus*, Sch. Bip. in Flora, xxviii. (1845) 499.—  
 Carolina.  
*Boutoni*, Baker, Fl. Mauriti. 178.—Ins. Rodriguez.  
*Bowenkampi*, Phil. in Anal. Univ. Chil. (1873) 500.  
 —Chili.  
*brachyatus*, Jord. ex Bor. Fl. Centr. Fr. ed. III. ii.  
 344, in obs. = *erucifolius*.  
*brachychaetus*, DC. Prod. vi. 362.—Europ.; As.  
 bor.  
*brachycodon*, Baker, in Mart. Fl. Bras. vi. III. 319.—  
 Bras.  
*brachyglossus*, F. Muell. ex Sond. in Linnaea, xxv.  
 (1852) 525.—Austral.  
*brachyglossus*, Turcz. in Bull. Soc. Nat. Mosc. xxiv.  
 (1851) II. 87 = *glutinosus*, Thunb.  
*brachylaenus*, DC. Prod. vi. 370 = *Cunninghamii*.  
*brachylepis*, Phil. in Linnaea, xxxiii. (1864–65) 162.  
 —Chili.  
*brachylobus*, Phil. l. c. 156.—Chili.  
*brachypodus*, DC. Prod. vi. 403.—Afr. austr.  
*brachyrhynchoides*, DC. l. c. 383 = *hastulatus*.  
*bracteatus*, Boiss. & Orph. Diagn. Ser. II. iii. 36 =  
*macedonicus*.  
*bracteolatus*, Hook. & Arn. in Hook. Journ. Bot. iii.  
 (1841) 347.—Reg. Argent.  
*bracteolatus*, Hook. f. Fl. Brit. Ind. iii. 339.—  
 Reg. Himal.  
*bracteosus*, Remy, in C. Gay, Fl. Chil. iv. 189.—  
 Chili.  
*brasiliensis*, Less. in Linnaea, vi. (1831) 249.—Bras.  
*brasiliensis*, Spreng. ex Baker, in Mart. Fl. Bras. vi.  
 III. 303 = *Pohlaii*.



## SENECIO:—

- breviculus, *Phil. in Anal. Univ. Chil.* (1862) II. 398.—Chili.  
 breviscapus, *DC. Prod.* vi. 418.—Chili.  
 Bridgesii, *Hook. & Arn. Bot. Beech. Voy.* 57.—Chili.  
 Brunonianus, *Hook. & Arn. in Hook. Journ. Bot.* iii. (1841) 337.—Chili.  
 bryoniaefolius, *Harv. in Harv. in Sond. Fl. Cap.* iii. 404.—Afr. austr.  
 Buchanani, *Armstr. in Trans. N. Z. Inst.* xiii. (1881) 339 = elaeagnifolius.  
 Buglossa, *Phil. in Linnaea*, xxxiii. (1864–65) 157.—Chili.  
 Buimalia, *Buch.-Ham. ex D. Don, Prod. Fl. Nep.* 178.—Reg. Himal.  
 bulbiferus, *Maxim. in Bull. Acad. Pétersb.* xix. (1874) 485.—China; Japon.  
 bulbinefolius, *DC. Prod.* vi. 402.—Afr. austr.  
 bulbosus, *Sch. Bip. in Schweinf. Beitr. Fl. Aethiop.* 159 = Gynura auriculata.  
 bullatus, *Benth. Pl. Hartw.* 208.—Ecuador.  
 Bungei, *Franch. in Ann. Sc. Nat. Sér. VI.* xvi. (1883) 313.—Turkestan.  
 bupleuriformis, *Sch. Bip. in Flora*, xxvii. (1844) 696 = bupleuroides.  
 bupleuroides, *DC. Prod.* vi. 387.—Afr. trop. et austr.  
 Burchellii, *DC. l. c.* 401.—Afr. austr.  
 Burtoni, *Hook. f. in Journ. Linn. Soc.* vii. (1864) 202.—Afr. trop.  
 bustillosianus, *Remy, in C. Gay, Fl. Chil.* iv. 155.—Chili.  
 buxifolius, *H. B. & K. Nov. Gen. et Sp.* iv. 188 = Gynoxys buxifolia.  
 byzantinus, *Linn. Sp. Pl.* 871.—Turc.  
 byzantinus, *Willd. Sp. Pl.* iii. 2009 = paludosus.  
 calaliaefolius, *Sch. Bip. in Flora*, xxviii. (1845) 50 = S. Ligularia.  
 calaliaeformis, *Reichb. f. Ic. Fl. Germ.* xvi. 43. t. 977. f. 1–9 = L. Ligularia.  
 Calaliaster, *Blanco, Fl. Filip. ed. II.* 441 = Gynura angulosa.  
 Calaliaster, *Guss. ex DC. Prod.* vi. 354 = sarracenicus.  
 Calaliaster, *Lam. Fl. Fr.* ii. 132.—Gallia.  
 calalioides, *Fisch. ex Spreng. Nov. Prov.* 37 = Erechites praealta.  
 cachinalensis, *Phil. Fl. Atac.* 33.—Chili.  
 caducifolius, *Sch. Bip. ex Wedd. Chlor. And.* i. 94 = ledifolius.  
 caespitosus, *Brot. Fl. Lusit.* i. 390.—Lusitan.  
 caespitosus, *Phil. in Linnaea*, xxviii. (1856) 741.—Chili.  
 cakilefolius, *DC. Prod.* vi. 408.—Afr. austr.  
 calamifolius, *Hook. Bot. Mag.* t. 4011 = scaposus.  
 calcaris, *H. B. & K. Nov. Gen. et Sp.* iv. 184.—Mexic.  
 callicola, *Meyen & Walp. in Nov. Act. Nat. Cur.* xix. Suppl. i. (1843) 283.—Peruv.  
 Caledoniae, *Schlecht. ex DC. Prod.* vi. 373.—N. Caled.  
 californicus, *DC. l. c.* 426.—Calif.  
 callosus, *Sch. Bip. in Flora*, xxviii. (1845) 498.—Mexic.  
 calocephalus, *Hemsl. Biol. Centr. Am. Bot.* ii. 237.—Guatemala.  
 calocephalus, *Poepp. & Endl. Nov. Gen. et Sp.* iii. 58.—Chili.  
 calophyllus, *Hemsl. Biol. Centr. Am. Bot.* ii. 237 = albo-lutescens.  
 calthaefolius, *Hook. f. Fl. Brit. Ind.* iii. 350.—Reg. Himal.  
 calthaefolius, *Maxim. in Bull. Acad. Pétersb.* xvi. (1871) 220, 221.—Manchur.  
 Calverti, *Boiss. Diagn. Ser. II.* iii. 32 = viscosus.  
 Calverti, *Boiss. Fl. Orient.* iii. 393 = mollis.  
 calvescens, *Moris & De Not. Fl. Ins. Caprar.* 74. t. 1.—Ital.  
 campanulatus, *Sch. Bip. in Linnaea*, xxxiv. (1865–66) 531, nomen.—Bolivia.  
 campester, *Slehdz.—Cf. Oestr. Bot. Zeitschr.* xxxiv. (1884) 32 = seq.  
 campestris, *DC. Prod.* vi. 361.—Europ.; As. bor.  
 campestris, *Hook. f. in Trans. Linn. Soc.* xxiii. (1861) 295, 332 = lugens, Hookeri.  
 camporum, *Gardn. in Hook. Lond. Journ. Bot.* vii. (1848) 423 = adamantinus.  
 campylodes, *DC. Prod.* vi. 370 = scandens.  
 canabinaefolius, *Hook. & Arn. in Hook. Journ. Bot.* iii. (1841) 341 = brasiliensis.

## SENECIO:—

- canadensis, *Linn. Sp. Pl.* 869 = artemisiaefolius.  
 canaliculatus, *Boj. ex DC. Prod.* vi. 378.—Madag.  
 canalipes, *DC. l. c.* 405.—Afr. austr.  
 canelipes, *E. Mey. in Drège, Zwei Pfl. Docum.* 220 = angulatus.  
 cancellatus, *DC. Prod.* 435.—Ins. S. Doming.  
 Candelariae, *Benth. ex Oerst. in Kjoeb. Vidensk. Meddel.* (1852) 108.—Costa Rica.  
 candidans, *Wall. Cat. n.* 3123.—Ind. or.  
 candidans, *DC. Prod.* vi. 412.—Ins. Falkland.  
 candidus, *DC. l. c.* 355.—Sicilia.  
 Candolleanus, *Hook. & Arn. in Hook. Journ. Bot.* iii. (1841) 345.—Patagon.  
 Candolleanus, *Wall. Cat. n.* 3119.—Reg. Himal.  
 canescens, *Bernh. ex DC. Prod.* vi. 414 = erucifolius.  
 cannabifolius, *Less. in Linnaea*, vi. (1831) 242 = palmatus.  
 cantabricus, *Willk. in Flora*, xxxiv. (1851) 745 = pyrenaicus.  
 canus, *Hook. Fl. Bor. Am.* i. 333. t. 116.—Am. arct.  
 canus, *Pourr. ex Willk. & Lange, Prod. Fl. Hisp.* ii. 118 = leucophyllus.  
 capillaris, *Gaudich. in Freyc. Voy. Bot.* 468.—Ins. Sandvic.  
 capillifolius, *Hook. f. in Hook. Lond. Journ. Bot.* vi. (1847) 123.—Tasman.  
 capitatus, *Steud. Nom. ed. II.* ii. 559; *Andrae, in Bot. Zeit.* xiii. (1855) 310.—Reg. Carpath. et Caucas.  
 Cappa, *Buch.-Ham. ex D. Don, Prod. Fl. Nep.* 179 = densiflorus.  
 cappadocius, *Boiss. Fl. Orient.* iii. 398.—Cappadoc.  
 caracasanus, *Klatt, in Abh. Naturf. Ges. Halle*, xv. (1882) 331.—Venezuela.  
 Cardamine, *Greene, in Bull. Torrey Bot. Club*, viii. (1881) 98.—Am. bor.  
 cardaminefolius, *DC. Prod.* vi. 382.—Afr. austr.  
 cardiophyllus, *Hemsl. Biol. Centr. Am. Bot.* ii. 237 = ovatifolius, *Sch. Bip.*  
 carduifolius, *Desf. Cat. Hort. Par. ed. III.* 177 = Erechites praealta.  
 caricifolius, *Hook. & Arn. in Hook. Journ. Bot.* iii. (1841) 345.—Patagon.  
 cariansis, *Boiss. Fl. Orient.* iii. 398.—As. Min.  
 carniolicus, *Willd. Sp. Pl.* iii. 1993.—Europ.  
 carnosus, *Lam. Fl. Fr.* ii. 131 = S. Doria.  
 carnosus, *Phil. in Anal. Univ. Chil.* (1862) II. 382.—Chili.  
 carnosus, *Presl, Fl. Sic.* p. xxviii = aethnensis.  
 carnosus, *Thunb. Prod. Pl. Cap.* 158 = elegans.  
 carnulentus, *DC. Prod.* vi. 372 = lautus.  
 carolinianus, *Spreng. Syst.* iii. 559 = lobatus.  
 carpathicus, *Herbich, Addit. Fl. Galic.* 43 = abrotanifolius.  
 carpetanus, *Boiss. & Reut. Pugill. Pl. Nov.* 59.—Hispan.  
 carroënsis, *DC. Prod.* vi. 396.—Afr. austr.  
 carthagenensis, *DC. l. c.* 420.—Am. austr.  
 casapaltensis, *Ball, in Journ. Linn. Soc.* xxii. (1885) 47.—Peruv.  
 caspicus, *Less. in Linnaea*, ix. (1834) 170 = racemosus.  
 cassinioides, *Hook. f. Handb. N. Zeal. Fl.* 163.—N. Zel.  
 Castagneanus, *DC. Prod.* vi. 354.—Turc.  
 castaneaefolius, *DC. l. c.* 425.—Venezuela.  
 caucasicus, *DC. l. c.* 348.—Reg. Caucas.  
 caudatus, *DC. l. c.* 384.—Afr. austr.  
 caulopterus, *DC. l. c.* 388.—Afr. austr.  
 cedrosensis, *Greene, in Bull. Calif. Acad.* i. iv. (1895) 194.—Calif.  
 Centropappus, *F. Muell. Cat. Hort. Melb.* (1858) 26.—Austral.  
 ceratophylloides, *Griseb. in Goett. Abh.* xxiv. (1879) 206 = chilensis.  
 ceratophyllus, *[D.] Don, ex Hook. & Arn. in Hook. Journ. Bot.* iii. (1841) 332 = chilensis.  
 ceratophyllus, *Nees, in Neuwied, Reise Nord-Am.* ii. 48 = aureus.  
 cerberianus, *Remy, in C. Gay, Fl. Chil.* iv. 185.—Chili.  
 cernuus, *A. Gray, in Am. Journ. Sc. Ser. II.* xxxiii. (1862) 239.—Am. bor.  
 cernuus, *Linn. f. Suppl.* 370 = Gynura cernua.  
 cervariaefolius, *Sch. Bip. in Flora*, xxviii. (1845) 498.—Mexic.  
 Cervi-cornis, *Phil. in Anal. Univ. Chil.* (1873) 497.—Chili.

## SENECIO:—

- cervilingua, *Sch. Bip. ex Wedd. Chlor. And.* i. 125 = formosus.  
 chamaecephalus, *Wedd. l. c.* 132.—Chili?  
 chamaedrifolius, *Less. in Linnaea*, vi. (1831) 247 = nigrescens.  
 chamaemelifolius, *DC. Prod.* vi. 383 = diffusus.  
 chamomillaefolius, *Phil. in Anal. Univ. Chil.* (1865) II. 349.—Chili.  
 Cheesemani, *Hook. f. in Hook. Ic. Pl.* t. 1201 = myrianthos.  
 cheiranthifolius, *H. B. & K. Nov. Gen. et Sp.* iv. 176.—Mexic.  
 chenopodiifolius, *DC. Prod.* vi. 364.—Reg. Himal.  
 chenopodioides, *H. B. & K. Nov. Gen. et Sp.* iv. 179.—Mexic.  
 chiapensis, *Hemsl. in Biol. Centr. Am. Bot.* ii. 238.—Mexic.  
 chilensis, *Less. in Linnaea*, vi. (1831) 248.—Chili.  
 chiloensis, *Phil. l. c.* xxix. (1857–58) 2.—Chili.  
 chinensis, *DC. Prod.* vi. 363 = scandens.  
 Chionogeton, *Wedd. Chlor. And.* i. 91.—N. Granat.  
 chionopappus, *Sch. Bip. in Flora*, xxviii. (1845) 50.—Ind. or.  
 chordifolius, *Hook. f. Bot. Mag.* t. 6216.—Afr. austr.  
 Chrysactis, *Sch. Bip. ex Hemsl. Biol. Centr. Am. Bot.* ii. 237.—Mexic.  
 chrysanthemifolius, *Bivona, Fl. Sic. Cent.* ii. 52 = aethnensis.  
 chrysanthemifolius, *DC. Prod.* vi. 345 = coronopifolius.  
 chrysanthemifolius, *Moretti, in Bibl. Ital.* xii. (1818) 374 = praealtus.  
 chrysanthemifolius, *Poir. Encyc.* vii. 96 = squalidus.  
 chrysanthemoides, *DC. Prod.* vi. 365.—Reg. Himal.  
 chrysanthemoides, *Schrank, Baier. Fl.* ii. 386 = squalidus.  
 Chrysocoma, *Meerb. Afbeeld.* t. 39 = paniculatus.  
 chrysocomoides, *Hook. & Arn. in Hook. Journ. Bot.* iii. (1841) 346.—Patagon.  
 chrysoplepis, *Phil. Fl. Atac.* 32.—Chili.  
 cicatricosus, *Sch. Bip. in Flora*, xxviii. (1845) 499.—Afr. austr.  
 cicutarius, *Stev. ex DC. Prod.* vi. 349 = palmatus.  
 ciliatus, *Walt. Fl. Carol.* 208 = Erigeron canadensis.  
 cilicicus, *Boiss. Diagn. Ser. II.* iii. 37.—As. Min.  
 ciliolatus, *DC. Prod.* vi. 374.—Austral.  
 Cineraria, *DC. l. c.* 355.—Reg. Mediterr.  
 Cinerariae, *Spreng. Syst.* iv. Cur. Post. 346 = praealtus.  
 cinerarioides, *H. B. & K. Nov. Gen. et Sp.* iv. 183.—Mexic.  
 cinerarioides, *A. Rich. Sert. Astrol.* 128 = australis.  
 cinerarioides, *Viv. Fl. Lib. Spec.* 68 = erucifolius.  
 cinerarius, *St. Lag. in Ann. Soc. Bot. Lyon*, vii. (1880) 134 = S. Cineraria.  
 cinerascens, *Ait. Hort. Kew.* ed. I. iii. 191.—Afr. austr.  
 cinereus, *Colla, in Mem. Acc. Torin.* xxxviii. (1835) 33.—Chili.  
 cinereus, *Moretti, Elench. Sem. Hort. Tic.* (1829) ; ex *DC. Prod.* vi. 436 = Moretti.  
 cirsiifolius, *Sch. Bip. in Flora*, xxvii. (1845) 499.—Mexic.  
 cirsioides, *Hemsl. Biol. Centr. Am. Bot.* ii. 238 = roseus.  
 cissampelinus, *Sch. Bip. in Flora*, xxviii. (1845) 499.—Afr. austr.  
 cladobotrys, *Ledeb. Fl. Ross.* ii. 644.—Reg. Caucas.  
 clarenceanus, *Hook. f. in Journ. Linn. Soc.* vi. (1862) 14.—Afr. trop.  
 clarioneaefolius, *Remy, in C. Gay, Fl. Chil.* iv. 156.—Chili.  
 Clarkianus, *A. Gray, in Proc. Am. Acad.* vii. (1868) 362.—Calif.  
 Clausenii, *Decne. in Rev. Hort. Sér. IV.* iv. (1855) 181.—Bras.  
 claviseta, *Pomel, Nouv. Mat. Fl. Atl.* 60 = Decaisnei.  
 clematoides, *Sch. Bip. ex A. Rich. Tent. Fl. Abyss.* i. 442.—Abyss.  
 Clevelandii, *Greene, in Bull. Torrey Bot. Club*, x. (1883) 87.—Calif.  
 cliviculus, *Wedd. Chlor. And.* i. 130.—Bolivia.  
 clivorum, *Maxim. in Bull. Acad. Pétersb.* xvi. (1871) 220, 221.—China; Japon.  
 Clusianus, *Reichb. f. Ic. Fl. Germ.* xvi. 44. t. 980 = alpestris.  
 Clusii, *Sch. Bip. in Flora*, xxviii. (1845) 498 = Doronicum hirsutum.  
 cochlearifolius, *Boj. ex DC. Prod.* vi. 379.—Madag.  
 Colensoi, *Hook. f. Fl. N. Zel.* i. 147.—N. Zel.

SENECIO:—

coleophyllus, Turcz. in Bull. Soc. Nat. Mosc. xxiv. (1851) II. 90.—Afr. austr.  
 collinus, DC. Prod. vi. 420.—Peruv.  
 colpodes, Bong. in Bull. Sc. Acad. Pétersb. v. (1838) 98.—Bras.  
 columbaria, Remy, in C. Gay, Fl. Chil. iv. 208 = calocephalus, Poepp. & Endl.  
 Commersonii, Spreng. Syst. iii. 554 = Faujasia pinifolia. commutatus, Heller, Fl. Wirceb. ii. 293; Spenn. Fl. Friburg. ii. 525 = Fuchsii.  
 comosus, Sch. Bip. in Bonplandia, iv. (1856) 55, nomen.—Peruv.  
 compactus, T. Kirk, in Trans. N. Z. Inst. xii. (1880) 395.—N. Zel.  
 concolor, DC. Prod. vi. 407.—Afr. austr.  
 concolor, Harv. in Harv. & Sond. Fl. Cap. iii. 362 = speciosus.  
 confertus, Sch. Bip. ex A. Rich. Tent. Fl. Abyss. i. 441.—Abyss.  
 congestus, DC. Prod. vi. 363 = palustris.  
 consanguineus, DC. l. c. 381.—Afr. austr.  
 controversus, F. Schultz, ex Nym. Consp. 353 = nemorensis.  
 conyzaeifolius, Baker, in Mart. Fl. Bras. vi. III. 303.—Bras.  
 conyzoides, DC. Prod. vi. 412.—Ins. S. Doming.  
 coquimbensis, Phil. in Linnaea, xxviii. (1856) 749.—Chili.  
 cordato-rotundus, Steud. Nom. ed. II. ii. 559.—Chili.  
 cordatus, Koch, in Flora, xvii. (1834) 614 = alpinus.  
 cordatus, Nutt. in Trans. Am. Phil. Soc. N. S. vii. (1841) 411.—Am. bor.  
 cordatus, Wall. Cat. n. 3109 = tetranthus.  
 cordifolius, [Clairv.] Man. Herb. 241.—Europ.  
 cordifolius, Link, Handb. i. 748 = alpinus.  
 cordifolius, Linn. f. Suppl. 372.—Afr. austr.  
 cordovensis, Hemsl. Biol. Centr. Am. Bot. ii. 238.—Mexic.  
 coriaceus, Ait. Hort. Kew. ed. I. iii. 195.—Oriens.  
 Cornu-cervi, MacOwan, in Journ. Linn. Soc. x. (1869) 482.—Afr. austr.  
 coronatus, Harv. in Harv. & Sond. Fl. Cap. iii. 369 = lasiorhizus.  
 coronopifolius, Burm. f. Fl. Ind. 181 = javanicus.  
 coronopifolius, Desf. Fl. Atlant. ii. 273.—Europ.; Oriens; As. bor.; Afr. bor.  
 coronopifolius, Willd. ex Ball, in Journ. Linn. Soc. xvi. (1878) 514 = gallicus.  
 coronopodiphyllus, Remy, in C. Gay, Fl. Chil. iv. 156.—Chili.  
 Coronopus, Nutt. in Trans. Am. Phil. Soc. N. S. vii. (1841) 413 = californicus.  
 corsicus, Sch. Bip. in Flora, xxviii. (1845) 498 = Doronicum corsicum.  
 corymbiferus, DC. Prod. vi. 402.—Afr. austr.  
 corymbosus, C. B. Clarke, Comp. Ind. 205 = pachycarpus.  
 corymbosus, Dalla Torre, Atl. Alpenfl. 135 = incanus.  
 corymbosus, Wall. Cat. n. 3121.—Ind. or.  
 Cotyledonis, DC. Prod. vi. 402.—Afr. austr.  
 Coxi, Phil. in Linnaea, xxxiii. (1864-65) 150.—Chili.  
 crambefolius, Boiss. & Kotschy, in Boiss. Fl. Orient. iii. 396 = eriospermus.  
 crassicaulis, Brongn. in Rev. Hort. Sér. III. i. (1847) 87.—Mexic.  
 crassiflorus, DC. Prod. vi. 412.—Am. austr.  
 crassifolius, Sibth. & Sm. Fl. Graec. ix. 53. t. 868 = vernalis.  
 crassifolius, Willd. Sp. Pl. iii. 1982.—Europ.  
 crassiusculus, DC. Prod. vi. 401.—Afr. austr.  
 crassulaefolius, Sch. Bip. in Flora, xxviii. (1845) 499.—Afr. austr.  
 crassulus, A. Gray, in Proc. Am. Acad. xix. (1883) 54.—Am. bor. occ.  
 crassus, Vell. Fl. Flum. viii. t. 111 = Erechites valerianaefolia.  
 crenatus, Thunb. Prod. Pl. Cap. 158.—Afr. austr.  
 crenulatus, DC. Prod. vi. 385.—Afr. austr.  
 crepidifolius, DC. l. c. 425.—Peruv.  
 crepidioides, Aschers. in Schweinf. Beitr. Fl. Aethiop. 155 = Gynura crepidioides.  
 crinitus, Bertol. in Opusc. Sc. Bologn. (1817) i. 234 = delphinifolius.  
 crispatus, DC. Prod. vi. 359.—Europ.  
 crispus, Kitt. Taschenb. ed. II. 588; Kern. in Oestr. Bot. Zeitschr. xxi. (1871) 202 = crispatus.  
 VOL. II.

SENECIO:—

crispus, Phil. Fl. Atac. 33.—Chili.  
 crispus, Thunb. Prod. Pl. Cap. 157.—Afr. austr.  
 cristatus, Thunb. l. c. = rosmarinifolius.  
 crithmifolius, A. Rich. Sert. Astrol. 116 = lautus.  
 crithmifolius, Scop. Fl. Carn. ed. II. ii. 163 = Inula crithmoides.  
 crithmoides, Hook. & Arn. in Hook. Journ. Bot. iii. (1841) 347.—Chili.  
 croaticus, Waldst. & Kit. Pl. Rar. Hung. ii. 153 = S. Cacaliaster.  
 croceus, DC. Prod. vi. 359 = crispatus.  
 cruceifolius, Willk. in Willk. & Lange, Prod. Fl. Hisp. ii. 120, in syn., sphalm. = erucifolius.  
 cruciatus, Linn. f. Suppl. 371 = juniperinus.  
 cruentus, DC. Prod. vi. 410.—Ins. Canar.  
 cruentus, Roth, in Roem. Arch. i. III. (1798) 44.—Hab.?  
 crymophilus, Wedd. Chlor. And. i. 95.—N. Granat.  
 cryptocephalus, Sch. Bip. ex Wedd. l. c. 90 = repens.  
 cucullatus, Klatt, in Abh. Naturf. Ges. Halle, xv. (1882) 331.—Venezuel.  
 culcitoides, Sch. Bip. in Bonplandia, iv. (1856) 55; et in Lechl. Berb. Am. Austr. 57, nomen.—Peruv.  
 Calcitium, Remy, in C. Gay, Fl. Chil. iv. 200.—Chili.  
 Cumingii, Hook. & Arn. in Hook. Journ. Bot. iii. (1841) 338.—Chili.  
 Cumingii, Klatt, in Abh. Naturf. Ges. Halle, xv. (1882) 330 = Arnica cordifolia vel latifolia.  
 cuneatus, Hook. f. Fl. Antarct. 318.—Patagon.  
 cuneifolius, Gardn. in Hook. Lond. Journ. Bot. iv. (1845) 126.—Bras.  
 cuneifolius, Sch. Bip. in Flora, xxviii. (1845) 499.—Afr. austr.  
 Cunninghamii, DC. Prod. vi. 371.—Austral.  
 curvatus, Baker, in Journ. Linn. Soc. xx. (1883) 190.—Madag.  
 curvidens, Sch. Bip. in Bonplandia, iv. (1856) 55, nomen.—Peruv.  
 cuspidatus, DC. Prod. vi. 419 = chilensis.  
 cydoniaefolius, Steud. Nom. ed. II. ii. 560.—Chili.  
 cygnorum, Steetz, in Lehm. Pl. Preiss. i. 483 = ramosissimus.  
 Cymbalaria, Pursh, Fl. Am. Sept. ii. 530 = aureus.  
 cymbalariaefolius, Less. Syn. Comp. 391.—Afr. austr.  
 cymbalariaoides, Buek, Ind. Cand. ii. p. vi; Nutt. in Trans. Am. Phil. Soc. N. S. vii. (1841) 412 = aureus.  
 cymosus, Remy, in C. Gay, Fl. Chil. iv. 170.—Chili.  
 cypraeifolius, Steud. Nom. ed. II. ii. 560, sphalm. = oxyriaefolius.  
 Cyri, C. Koch, in Linnaea, xxiv. (1851) 362 = racemosus.  
 dahuricus, Fisch. ex Turcz. in Bull. Soc. Nat. Mosc. xx. (1847) II. 19 = palmatus.  
 dahuricus, Sch. Bip. in Flora, xxviii. (1845) 499.—As. or.; Japon.  
 dalmaticus, Vis. Fl. Dalm. ii. 69, in syn. = S. Jacobaea.  
 Daltoni, F. Muell. Fragm. vi. 27.—Austral.  
 Dalzellii, C. B. Clarke, Comp. Ind. 201.—Ind. or.  
 Danai, A. Gray, in Proc. Am. Acad. v. (1861) 142.—Peruv.  
 Danyaustii, Hombr. & Jacquinot, ex Decne. Bot. Voy. Astrol. et Zél. 48 = Laseguei.  
 daphnoides, Poir. Encyc. Suppl. v. 133 = S. Hubertia.  
 Darwinii, Hook. & Arn. in Hook. Journ. Bot. iii. (1841) 333.—Patagon.  
 davuricus, Franch. & Sav. Enum. Pl. Jap. i. 250 = daburicus.  
 dealbatus, Phil. in Linnaea, xxviii. (1856) 747.—Afr. austr.  
 debilis, Harv. in Harv. & Sond. Fl. Cap. iii. 400.—Afr. austr.  
 debilis, Nutt. in Trans. Am. Phil. Soc. N. S. vii. (1841) 408 = aureus.  
 debilis, Phil. in Linnaea, xxviii. (1856) 752.—Chili.  
 Decaisnei, DC. Prod. vi. 342.—Afr. bor.; Oriens.  
 decurrens, DC. l. c. 388.—Afr. austr.  
 deferens, Griseb. in Goett. Abh. xix. (1874) 193.—Reg. Argent.  
 Delessertii, Sch. Bip. in Schweinf. Beitr. Fl. Aethiop. 159 = Gynura bicolor?  
 delphinifolius, Reichb. Pl. Crit. iv. 29 = erucifolius.  
 delphinifolius, Vahl, Symb. Bot. ii. 91. t. 45.—Reg. Mediterr.

SENECIO:—

deltoides, Less. Syn. Comp. 392.—Afr. austr.  
 deltophyllus, Maxim. in Bull. Acad. Pétersb. xxvii. (1881) 487.—China.  
 demissus, Phil. in Anal. Univ. Chil. (1870) II. 181.—Chili.  
 densiflorus, Martens, in Bull. Acad. Brux. viii. (1841) 67 = lobatus.  
 densiflorus, Wall. Cat. n. 3116.—Reg. Himal.  
 dentatus, Jacq. Coll. v. 150. t. 6. f. 2.—Afr. austr.  
 dentatus, Wall. Cat. n. 3112 = Wallichii.  
 denticulatus, DC. Prod. vi. 416.—Am. austr.  
 denticulatus, O. F. Muell. in Fl. Dan. t. 791 = vulgaris.  
 denudatus, D. Don, Prod. Fl. Nep. 179 = nudicaulis.  
 Deppeanus, Hemsl. Biol. Centr. Am. Bot. ii. 239.—Mexic.  
 depressus, Hook. & Arn. in Hook. Journ. Bot. iii. (1841) 342.—Chili.  
 desertorum, Hemsl. Biol. Centr. Am. Bot. ii. 239.—Mexic.  
 desiderabilis, Vell. Fl. Flum. viii. t. 108 = ellipticus.  
 desideratus, Baker, in Mart. Fl. Bras. vi. III. 318 = ellipticus.  
 desideratus, DC. Prod. vi. 413.—Patagon.  
 desmatus, Klatt, in Linnaea, xxxvii. (1871-73) 511.—Madag.  
 desquamatus, Willd. Enum. Hort. Berol. Suppl. 58; ex DC. Prod. vi. 346 = gallicus.  
 Diazii, Phil. in Anal. Univ. Chil. (1862) II. 399.—Chili.  
 dichrous, Sch. Bip. in Flora, xxviii. (1845) 499.—Bras.  
 diclinus, Wedd. Chlor. And. i. 107.—Peruv.  
 dictyophyllus, Benth. Pl. Hartw. 43.—Mexic.  
 difficilis, Dufour, in Ann. Sc. Nat. Sér. I. v. (1825) 428. t. 11 = gallicus.  
 diffusus, Linn. f. Suppl. 371.—Afr. austr.  
 digitalifolius, DC. Prod. vi. 397.—Afr. austr.  
 Diodon, DC. l. c. 399.—Afr. austr.  
 diosmoides, Turcz. in Bull. Soc. Nat. Mosc. xxiv. (1851) I. 210.—Peruv.  
 discifolius, Oliver, in Trans. Linn. Soc. xxix. (1873) 100.—Afr. trop.  
 discolor, Boj. ex DC. Prod. vi. 379 = hypargyreaus.  
 discolor, DC. Prod. vi. 412.—Jamaic.  
 discolor, Desf. Tabl. ed. I. 104 = Gynura haemato-phylla.  
 disjectus, Wedd. Chlor. And. i. 115.—Peruv.  
 divaricatus, Linn. Sp. Pl. 866 = Gynura divaricata.  
 divergens, F. Schultz, ex Nym. Consp. 355 = erraticus.  
 diversifolius, Dum. Fl. Belg. Prod. 66 = Kickxii.  
 diversifolius, Harv. in Harv. & Sond. Fl. Cap. iii. 375 = polymorphus.  
 diversifolius, Phil. in Anal. Univ. Chil. (1873) 495.—Chili.  
 diversifolius, A. Rich. Tent. Fl. Abyss. i. 437 = Gynura crepidioides.  
 diversifolius, Wall. Cat. n. 3128.—Reg. Himal.  
 Doeringii, Hieron. in Bol. Acad. Nac. Córdoba, iii. (1879) 358.—Reg. Argent.  
 Dombeyanus, DC. Prod. vi. 418.—Am. austr.  
 Donianus, Hook. & Arn. in Hook. Journ. Bot. iii. (1841) 332.—Chili.  
 doratophyllus, Benth. Pl. Hartw. 87.—Guatemala.  
 Doria, Kickx, Fl. Brux. 283 = Kickxii.  
 Doria, C. Koch, in Linnaea, xvii. (1843) 48 = macrophyllus.  
 Doria, Linn. Syst. ed. X. 1215.—Europ. austr.; Oriens.  
 doriaeformis, DC. Prod. vi. 352.—As. Min.; Syria.  
 doroniciflorus, DC. l. c. 385 = albanensis.  
 doroniciflorus, Hook. & Arn. in Hook. Journ. Bot. iii. (1841) 338 = Selloi.  
 Doronicum, Linn. Syst. ed. X. 1215.—Europ.  
 Doronicum, Willk. in Flora, xxxiv. (1851) 745 = Lagascanus.  
 Douglasii, DC. Prod. vi. 429.—Calif.  
 dracunculoides, DC. l. c. 400.—Afr. austr.  
 Dregeanus, DC. l. c. 407.—Afr. austr.  
 dryadeus, Sieber, ex DC. l. c. 374 = australis.  
 drymophilus, F. Muell. in Trans. Phil. Inst. Vict. ii. (1858) 69 = Gynura Pseudo-china.  
 dryophyllus, Meyen & Walp. in Nov. Act. Nat. Cur. xix. Suppl. i. (1843) 283.—Peruv.  
 dubius, Beck, Bot. N. & M. St. 200 = tomentosus.  
 dubius, Hook. f. & Thoms. ex Hook. f. Fl. Brit. Ind. iii. 342 = pedunculatus.

## SENECIO :—

- dubius, *Ledeb. Fl. Alt.* iv. 112.—As. bor. et centr.  
*dubius*, Sch. Bip. in Schweinf. Beitr. Fl. Aethiop. 159  
 = *Gynura dubia*.  
*dumetorum*, *Gardn. in Hook. Lond. Journ. Bot.* vii.  
 (1848) 422.—Bras.  
*dunensis*, *Dum. Fl. Belg. Prod.* 66.—Belgium.  
*Duriaei*, *J. Gay, Ann. Sc. Nat. Sér. II.* vi. (1836) 346.  
 —Hispan.  
*ecalyculatus*, Sch. Bip. in Schweinf. Beitr. Fl. Aethiop.  
 159 = *Emilia sonchifolia*.  
*echinatus*, *DC. Prod.* vi. 411.—Ins. Canar.  
*Ecklonianus*, *DC. Prod.* vi. 384 = *spiraeifolius*.  
*Edgeworthii*, *Hook. f. Fl. Brit. Ind.* iii. 346.—Ind.  
 or.  
*Eightisii*, *Hook. & Arn. in Hook. Journ. Bot.* iii.  
 (1841) 332.—Patagon.  
*elaegnifolius*, *Hook. f. Fl. N. Zel.* i. 150. t. 41.—  
 N. Zel.  
*elator*, *Steud. Nom. ed. II.* ii. 560 = *multiflorus*, *DC.*  
*elatoides*, *Wedd. Chlor. And.* i. 101.—N. Granat.  
*elatus*, *H. B. & K. Nov. Gen. et Sp.* iv. 180.—Peruv.  
*elbrusensis*, *Boiss. Fl. Orient.* iii. 410.—Persia.  
*elegans*, *Linn. Sp. Pl.* 869.—Afr. austr.  
*elegans*, *Thunb. Fl. Cap. ed. Schult.* 685 = *arenarius*.  
*Elliotii*, *Torr. & Gray, Fl. N. Am.* ii. 443 = *aureus*.  
*ellipticus*, *DC. Prod.* vi. 420.—Bras.  
*elodes*, *Boiss. ex DC. l. c.* vii. 301.—Hispan.  
*elongatus*, *Pursh, Fl. Am. Sept.* ii. 529 = *aureus*.  
*emilioides*, *Baker, in Mart. Fl. Bras.* vi. III. 304.—  
 Bras.  
*emilioides*, Sch. Bip. in Schweinf. Beitr. Fl. Aethiop.  
 158.—Afr. trop.  
*emirrensis*, *DC. Prod.* vi. 377.—Madag.  
*emodensis*, Sch. Bip. in Flora, xxviii. (1845) 50 =  
*S. Ligularia*.  
*Encelia*, *Remy, in C. Gay, Fl. Chil.* iv. 204.—Chili.  
*Endlicheri*, *DC. Prod.* vi. 373.—Austral.  
*erectitoides*, *Baker, in Journ. Bot.* xx. (1882) 171.—  
 Madag.  
*eremophilus*, *Phil. Fl. Atac.* 32.—Chili.  
*eremophilus*, *Richards. in Frankl. 1st Journ. App. ed.*  
 II. 31.—Am. bor.  
*ericaefolius*, *Benth. Pl. Hartw.* 208.—Ecuador.  
*eriobasis*, *DC. Prod.* vi. 388.—Afr. austr.  
*eriocladus*, *Wedd. Chlor. And.* i. 131.—Peruv.  
*eriophyton*, *Remy, in C. Gay, Fl. Chil.* iv. 159.—  
 Chili.  
*eripos*, *Willk. in Willk. & Lange, Prod. Fl. Hisp.* ii.  
 116.—Hispan.  
*eriospermus*, *DC. Prod.* vi. 358.—As. Min.  
*eristhalifolius*, Sch. Bip. ex *Baker, in Mart. Fl. Bras.*  
 vi. III. 321.—Bras.  
*erodiifolius*, *DC. Prod.* vi. 381 = *repandus*.  
*erosus*, *Linn. f. Suppl.* 370.—Afr. austr.  
*erosus*, *Wedd. Chlor. And.* i. 228.—Bolivia.  
*eraticus*, *Bertol. Rar. Ital. Pl. Dec.* iii. 62.—Europ.;  
 Oriens.  
*erraticus*, *Willk. in Flora*, xxxiv. (1851) 744 =  
*aquaticus*.  
*erubescens*, *Ait. Hort. Kew.* ed. I. iii. 190.—Afr. austr.  
*erubescens*, *Panč. Elem. Fl. Bulg.* 41.—Europ.  
*erucaefolius*, *Kunze, in Flora*, xxix. (1846) 655 =  
*praaltus*.  
*erucaefolius*, *Ledeb. Fl. Alt.* iv. 110 = *S. Jacobaea*.  
*erucaeformis*, *Remy, in C. Gay, Fl. Chil.* iv. 180.—  
 Chili.  
*erucifolius*, *Linn. Fl. Suec.* ed. II. 291.—Europ.; As.  
 bor.  
*erysimoides*, *DC. Prod.* vi. 382.—Afr. austr.  
*eubaeus*, *Boiss. & Heldr. Diagn. Ser. II.* iii. 36.—  
 Graec.  
*eudorus*, *DC. Prod.* vi. 352.—Hab.?  
*eupatorioides*, Sch. Bip. in Flora, xxvii. (1844) 702.—  
 Afr. austr.  
*euriopoides*, *DC. Prod.* vi. 396.—Afr. austr.  
*eurycephalus*, *Torr. & Gray, ex A. Gray, in Mem.*  
*Am. Acad. N. S.* iv. (1849) 109.—Calif.  
*evacoides*, Sch. Bip. in *Bonplandia*, iv. (1856) 55,  
 nomen.—Peruv.  
*exaltatus*, *Nutt. in Trans. Am. Phil. Soc. N. S.* vii.  
 (1841) 410 = *lugens*.  
*exilis*, *Homb. & Jacquinot, ex Decne. Bot. Voy.*  
*Astrol. et Zél.* 50 = *patagonicus*, *Hook. & Arn.*  
*eximius*, *Hemsl. Biol. Centr. Am. Bot.* ii. 239 =  
*callosus*.  
*expansus*, *Harv. in Harv. & Sond. Fl. Cap.* iii. 394.—  
 Afr. austr.

## SENECIO :—

- expansus*, *Wedd. Chlor. And.* i. 107.—Bolivia.  
*exsertus*, Sch. Bip. in Flora, xxviii. (1845) 499.—  
 Madag.  
*exsquameus*, *Brot. Fl. Lusit.* i. 388 = *gallicus*.  
*Exul*, *Hance, in Journ. Bot.* vi. (1868) 174.—  
 China.  
*Fadyenii*, *Griseb. Fl. Brit. W. Ind.* 382.—Jamaic.  
*falklandicus*, *Hook. f. Fl. Antarct.* 316.—Ins. Falkland.  
*farfaraefolius*, *Boiss. & Kotschy, Diagn. Ser. II.* iii. 33.  
 —As. Min.  
*farfaraefolius*, Sch. Bip. ex *C. Koch & Fint. Wochenschr.*  
 i. (1858) 212; *Maxim. in Bull. Acad. Pétersb.* xix.  
 (1874) 483.—Japon.  
*farfarus*, *Hemsl. Biol. Centr. Am. Bot.* ii. 239 = *tussi-*  
*laginoides*.  
*Farfugium*, *C. Koch, in C. Koch & Fint. Wochenschr.*  
 i. (1858) 209 = *Kaempferi*.  
*farinaceus*, Sch. Bip. ex *A. Rich. Tent. Fl. Abyss.* i.  
 443.—Abyss.  
*farinifer*, *Hook. & Arn. in Hook. Journ. Bot.* iii.  
 (1841) 331.—Chili.  
*Farrisii*, *Baker, in Saund. Refug. Bot.* t. 250.—  
 Peruv.  
*fasciculatus*, *Hook. & Arn. in Hook. Journ. Bot.* iii.  
 (1841) 344.—Chili.  
*fasciculatus*, *Wall. ex DC. Prod.* v. 439 = *Laggera*  
*flava*.  
*fastigiatus*, *A. Gray, Pl. Wright.* ii. 99 = *Douglasii*.  
*fastigiatus*, *Nutt. in Trans. Am. Phil. Soc. N. S.* vii.  
 (1841) 410.—Am. bor. occ.  
*fastigiatus*, *Schwein. ex Ell. Sketch.* ii. 331 = *aureus*.  
*faugasioides*, *Baker, in Journ. Bot.* xx. (1882) 170.—  
 Madag.  
*Fendleri*, *A. Gray, in Mem. Am. Acad. N. S.* iv. (1849)  
 108.—N. Mexic.  
*ferulifolius*, *Stokes, Bot. Mat. Med.* iv. 216 = *adonidi-*  
*folius*.  
*ficoides*, Sch. Bip. in Flora, xxviii. (1845) 499.—Afr.  
 austr.  
*filaginoides*, *DC. Prod.* vi. 413.—Chili.  
*filifolius*, *Berg. Desc. Pl. Cap.* 278 = *umbellatus*.  
*filifolius*, *Harv. in Harv. & Sond. Fl. Cap.* iii. 399.—  
 Afr. austr.  
*filifolius*, *Nutt. in Trans. Am. Phil. Soc. N. S.* vii.  
 (1841) 414 = *Douglasii*.  
*filipes*, *Turcz. in Bull. Soc. Nat. Mosc.* xxiv. (1851) II.  
 87 = *matricariaefolius*.  
*Finlaysonianus*, Sch. Bip. in Schweinf. Beitr. Fl.  
 Aethiop. 159 = *Gynura sarmentosa*.  
*Fischeri*, Sch. Bip. in Flora, xxviii. (1845) 498 =  
*Erechtites praecalta*.  
*Fischerianus*, *Steud. Nom. ed. II.* ii. 560.—Armenia.  
*fistulosus*, *Poepp. ex DC. Prod.* vi. 418.—Chili.  
*flabellatus*, *Viv. App. Fl. Cors. Prod.* 6 = *delphini-*  
*folius*.  
*flaccidifolius*, *Wedd. Chlor. And.* i. 113.—Peruv.  
*flaccidus*, *Bolle, in Bonplandia*, viii. (1860) 134.—Ins.  
 Canar.  
*flaccidus*, *Less. in Linnaea*, v. (1830) 161.—Mexic.  
*flaccidus*, *A. Rich. Sert. Astrolab.* 110 = *Erechtites*  
*preanthoides*.  
*flagellisetus*, *Griseb. in Goett. Abh.* xix. (1874) 191  
 = *brasilensis*.  
*flammeus*, *DC. Prod.* vi. 362.—Dahuria.  
*flavus*, Sch. Bip. in Webb & Berth. Phyt. Canar. ii.  
 319. t. 107 = *Decaisnei*.  
*flexicaulis*, *Edgew. in Trans. Linn. Soc.* xx. (1846) 74  
 = *scandens*.  
*flexuosus*, *Clarke, Trav. ed. II.* i. Add. p. xxi.—  
 Thracia.  
*flexuosus*, *Less. Syn. Comp.* 392.—Ins. Maurit.  
*flexuosus*, *Wall. Cat. n.* 3110 = *scandens*.  
*floccidus*, *Homb. & Jacquinot, ex Decne. Bot. Voy.*  
*Astrol. et Zél.* 50 = *patagonicus*.  
*focciiferus*, *DC. Prod.* vi. 426 = *Malacothrix obtusa*.  
*floccosus*, *Schur, Enum. Pl. Transs.* 350 = *S. Jacobaea*.  
*focculoides*, Sch. Bip. ex *Wedd. Chlor. And.* i. 127.—  
 Venezuela.  
*flocoso-araneosus*, *Steud. Nom. ed. II.* ii. 560 =  
*andinus*.  
*floribundus*, *Wall. Cat. n.* 3111 = *triligulatus*.  
*floridanus*, Sch. Bip. in Flora, xxviii. (1845) 499.—  
 Am. bor.  
*flosculosus*, *Gilib. Fl. Lituan.* i. 198 = *vulgaris*.  
*flosculosus*, *Jord. Cat. Jard. Dijon* (1848), 30 = *S.*  
*Jacobaea*.  
*fluminensis*, *Steud. Nom. ed. II.* ii. 560.—Bras.

## SENECIO :—

- fluviatilis*, *Wallr. in Linnaea*, xiv. (1840) 64 = *sarra-*  
*cenicus*.  
*foeniculaceus*, *Tenore, Prod. Fl. Nap.* p. xlix = *lividus*.  
*foeniculoides*, *Harv. in Harv. & Sond. Fl. Cap.* iii.  
 395.—Afr. austr.  
*foetens*, Sch. Bip. in Schweinf. Beitr. Fl. Aethiop. 159  
 = *Gynura nepalensis*.  
*foliosus*, *Colm. Catal. Pl. Cataluña*, 87 = *jacobaeoides*.  
*foliosus*, *Salzm. ex DC. Prod.* vi. 351.—Afr. bor.  
*fontanus*, *Wallr. in Linnaea*, xiv. (1840) 353 = *nemo-*  
*rensis*.  
*Forbesii*, *Oliver & Hiern, in Oliver, Fl. Trop. Afr.* iii.  
 420.—Afr. trop.  
*formosus*, *H. B. & K. Nov. Gen. et Sp.* iv. 177.—  
 Mexic.  
*Forskählii*, *Baill. Hist. Pl.* viii. 308 = *odorus*.  
*Forsteri*, *Phil. in Anal. Univ. Chil.* (1873) 494.—  
 Chili.  
*Forsteri*, *Schlecht. in DC. Prod.* vi. 373 = *Brachyglottis*  
*Forsteri*.  
*Fradini*, *Pomel, Nouv. Mat. Fl. Atl.* 61 = *leucanthemi-*  
*folius*, *Poir.*  
*fragrans*, *Fisch. ex Spreng. Syst.* iv. Cur. Post. 302.—  
 Sibir.  
*fragrans*, *Lehm. ex Spreng. l. c.* iii. 518 = *Erigeron*  
*fragrans*.  
*fragrans*, *Riddell, ex Torr. & Gray, Fl. N. Am.* ii. 444  
 = *Douglasii*.  
*Fremontii*, *Torr. & Gray, l. c.* 445.—Am. bor.  
*Fresenii*, Sch. Bip. in Schweinf. Beitr. Fl. Aethiop.  
 160.—Afr. bor.  
*frigidus*, *Less. in Linnaea*, vi. (1831) 239.—Sibir.;  
 Am. arct.  
*frigidus*, *Rupr. in Beitr. Pfl. Russ. Reich.* vii. 28  
 (an praec. ?)—Sibir.  
*frigidus*, *Steud. Nom. ed. II.* ii. 561 = *linifolius*, *Linn.*  
*frondosus*, *Tausch, ex Reichb. Fl. Germ. Excurs.* 245  
 = *nemorensis*.  
*fruticosus*, *Vell. Fl. Flum.* viii. t. 109.—Bras.  
*fruticosus*, *Sibth. & Sm. Fl. Graec. Prod.* ii. 178.—  
 Ins. Creta.  
*Fuchsii*, *C. C. Gmel. Fl. Bad.* iii. 444.—Europ.  
*fuliginosus*, *H. B. & K. Nov. Gen. et Sp.* iv. 186 =  
*Gynoxis fuliginosa*.  
*Funcii*, Sch. Bip. ex *Wedd. Chlor. And.* i. 125.—  
 Venezuela.  
*furfuraceus*, *Kotschy, ex Boiss. Fl. Orient.* iii. 400 =  
*farfaraefolius*, *Boiss. & Kotschy*.  
*Fussii*, *Andrae, in Bot. Zeit.* xiii. (1855) 310.—  
 Hungar.  
*gabonius*, *Oliver & Hiern, in Oliver, Fl. Trop. Afr.*  
 iii. 421.—Afr. trop.  
*gaffatensis*, *Vatke, in Linnaea*, xxxix. (1875) 505 =  
*vulgaris*.  
*Galeottii*, *Hemsl. Biol. Centr. Am. Bot.* ii. 239.—  
 Mexic.  
*Gallerandianus*, *Coss. & Dur. in Bull. Soc. Bot. Fr.* ii.  
 (1855) 365.—Alger.  
*gallicus*, *Chaix, in Vill. Hist. Pl. Dauph.* i. 371; iii.  
 230.—Europ.  
*gamolepoides*, Sch. Bip. in *Journ. Bot.* i. (1863) 236.  
 —Guian.  
*Gardneri*, *C. B. Clarke, Comp. Ind.* 202.—Zeylan.  
*Gaudichaudianus*, *A. Rich. Sert. Astrolab.* 98.—  
 Austral.  
*Gayanus*, *DC. Prod.* vi. 414.—Chili.  
*geifolius*, Sch. Bip. in Flora, xxviii. (1845) 50.—Reg.  
 Caucas.  
*Geissei*, *Phil. in Anal. Univ. Chil.* (1865) II. 348.—  
 Chili.  
*gelidus*, *Wedd. Chlor. And.* i. 95.—N. Granat.  
*geniculatus*, *Steud. Nom. ed. II.* ii. 561.—Afr. austr.  
*georgianus*, *DC. Prod.* vi. 371.—Austral.  
*Gerardi*, *Gren. & Godr. Fl. Fr.* ii. 122 = *S. Doronicum*.  
*Gerardi*, *Harv. in Harv. & Sond. Fl. Cap.* iii. 380.—  
 Afr. austr.  
*gerberaeifolius*, Sch. Bip. ex *Hemsl. Biol. Centr. Am.*  
*Bot.* ii. 240.—Mexic.  
*Germani*, *Phil. in Linnaea*, xxix. (1857–58) 1.—Chili.  
*germanicus*, *Wallr. Sched. Crit.* 476 = *nemorensis*.  
*Ghiesbreghtii*, *Hort. Hal. ex Regel, Ind. Sem. Hort.*  
*Petrop.* (1860) 36 = *grandifolius*.  
*gibbosus*, *DC. Prod.* vi. 355.—Ital.  
*Gibsoni*, *Hook. f. Fl. Brit. Ind.* iii. 347.—Ind. or.  
*giganteus*, *Desf. Fl. Atlant.* ii. 273. t. 234.—Alger.  
*Gigas*, *Vatke, in Linnaea*, xxxix. (1875) 506.—Afr.  
 trop.

SENECIO:—

Gilberti, *Turcz. in Bull. Soc. Nat. Mosc.* xxiv. (1851) i. 208.—Anstral.  
 Gilliesianus, *Hieron. in Bol. Acad. Nat. Córdoba*, iii. (1879) 356.—Chili.  
 Gilliesii, *Hook. & Arn. in Hook. Journ. Bot.* iii. (1841) 343.—Chili.  
 Gilliesii, *Phil. in Anal. Univ. Chil.* (1870) ii. 182 = Gilliesianus.  
*glabellus*, DC. *Prod.* vi. 360 = campestris.  
*glabellus*, *Poir. Encyc.* vii. 102 = lobatus.  
*glaber*, [Clairv.] *Man. Herb.* 240 = Adenostyles viridis.  
*glaber*, *Less. in Linnaea*, vi. (1831) 248.—Chili.  
*glaber*, *Ucria, in Roem. Arch.* i. i. (1796) 70 = squalidus.  
*glaberrimus*, DC. *Prod.* vi. 403.—Afr. austr.  
*glaberrimus*, *Schur, Enum. Pl. Transs.* 351 = S. Doronicum.  
*glabratus*, *Hook. & Arn. Bot. Beech. Voy.* 32.—Chili.  
*glabrescens*, *Sch. Bip. in Flora*, xxviii. (1845) 498 = *Erechtites quadridentata*.  
*glabrifolius*, DC. *Prod.* vi. 406.—Afr. austr.  
*glacialis*, *Sch. Bip. in Flora*, xxviii. (1845) 498 = *Doronicum glaciale*.  
*glacialis*, *Wedd. Chlor. And.* i. 113.—Bolivia.  
*glandulosus*, A. Cunn. ex DC. *Prod.* vi. 295 = *Erechtites quadridentata*?  
*glandulosus*, [D.] *Don, ex Hook. & Arn. in Hook. Journ. Bot.* iii. (1841) 334.—Chili.  
*glareosus*, *Sch. Bip. in Linnaea*, xxxiv. (1865–66) 531, nomen.—Bolivia.  
*glastifolius*, *Hook. f. Fl. N. Zel.* i. 147. t. 39.—N. Zel.  
*glastifolius*, *Linn. f. Suppl.* 372.—Afr. austr.  
*glaucescens*, DC. *Prod.* vi. 395 = *achilleaefolius*.  
*glaucescens*, *Spreng. Syst.* iii. 561 = *squalidus*.  
*glaucus*, DC. *Prod.* vi. 344 = *leucanthemifolius*, *Poir.*  
*glaucus*, *Linn. Sp. Pl.* 868.—Afr. bor.  
*Glaziovii*, *Baker, in Mart. Fl. Bras.* vi. III. 305.—Bras.  
*glomeratus*, *Desf. Tabl. ed. II.* 124 = *Erechtites arguta*?  
*glutiniarius*, DC. *Prod.* vi. 381.—Afr. austr.  
*glutinosus*, E. Mey. ex DC. l. c. 381 = *praeac.*  
*glutinosus*, *Roth, Catalecta*, fasc. ii. 109.—Hab.?  
*glutinosus*, *Schur, Enum. Pl. Transs.* 347 = *viscosus*.  
*glutinosus*, *Thunb. Prod. Pl. Cap.* 158.—Afr. austr.  
*Gmelini*, *Ledeb. Fl. Ross.* ii. 645.—Sibir. altaic.  
*gnaphalodes*, *Sieber, Reise Kreta*, i. 352.—Ins. Creta.  
*gnidioides*, *Phil. in Linnaea*, xxviii. (1856) 742.—Chili.  
*Godmanii*, *Hemsl. Biol. Centr. Am. Bot.* ii. 240.—Guatemala.  
*Goeringii*, *Sch. Bip. in Zoll. Syst. Vers. Ind. Archip.* 126, nomen.—Java.  
*gonocaulos*, DC. *Prod.* vi. 425.—Am. austr.  
*gonocladus*, *Sch. Bip. in Flora*, xxviii. (1845) 499.—Afr. austr.  
*goyazensis*, *Gardn. in Hook. Lond. Journ. Bot.* vii. (1848) 421.—Bras.  
*graciliflorus*, DC. *Prod.* vi. 365.—Reg. Himal.  
*gracilipes*, A. Gray, in *Proc. Am. Acad.* v. (1861) 142.—Peruv.  
*gracilis*, Arn. in *Nov. Act. Nat. Cur.* xviii. i. (1836) 349 = *zeylanicus*.  
*gracilis*, *Pursh, Fl. Am. Sept.* ii. 529.—Am. bor.  
*Grahami*, *Benth. Pl. Hartw.* 18 = S. Barba-Johannis.  
*Grahami*, *Hook. f. Fl. Brit. Ind.* iii. 347.—Ind. or.  
*gramineus*, *Harv. & Sond. Fl. Cap.* iii. 372.—Afr. austr.  
*graminicolus*, *Sch. Bip. in Flora*, xxvii. (1844) 698 = *crenatus*.  
*graminifolius*, *Jacq. Misc.* ii. 322 = *paniculatus*.  
*graminifolius*, *Phil. in Anal. Univ. Chil.* (1865) ii. 330.—Chili.  
*granatensis*, *Boiss. Voy. Bot. Espagne*, ii. 334 = *Boissieri*.  
*grandidentatus*, *Ledeb. Fl. Ross.* ii. 636 = *erucifolius*.  
*grandiflorus*, *Berg. Desc. Pl. Cap.* 280.—Afr. austr.  
*grandiflorus*, *Hoffmgg. & Link, Fl. Port.* ii. 307. t. 100 = S. Doria.  
*grandifolius*, *Less. in Linnaea*, v. (1830) 162.—Mexic.  
*grandis*, *Gardn. in Hook. Lond. Journ. Bot.* vii. (1848) 422.—Bras.  
*grandissimus*, *Schur, Enum. Pl. Transs.* 354 = *sarracenicus*.  
*graveolens*, *Wedd. Chlor. And.* i. 111.—Bolivia.

SENECIO:—

Grayanus, *Hemsl. Biol. Centr. Am. Bot.* ii. 241.—Mexic.  
*Grayi*, Parry, ex A. Gray, in *Proc. Acad. Sc. Philad.* 1863 (1864) 67, in nota = S. Soldanella.  
*Greenei*, A. Gray, in *Proc. Am. Acad.* x. (1874) 75.—Calif.  
*Gregorii*, F. Muell. *Rep. Babb. Exped.* 14.—Austral.  
*Greyii*, *Hook. f. Fl. N. Zel.* i. 148. t. 38.—N. Zel.  
*Griffithii*, *Hook. f. & Thoms. ex C. B. Clarke, Comp. Ind.* 193.—Reg. Himal.  
*grindeliaefolius*, DC. *Prod.* vi. 416.—Chili.  
*Grisebachii*, *Baker, in Mart. Fl. Bras.* vi. III. 313.—Reg. Argent.  
*guatemalensis*, *Sch. Bip. in Flora*, xxviii. (1845) 499.—Guatemala.  
*guineensis*, *Sch. Bip. l. c.* = *Gynura cernua*.  
*gummifer*, *Hook. & Arn. in Hook. Journ. Bot.* iii. (1841) 331 = *phagnaloides*.  
*Gundelius*, C. Koch, in *Linnaea*, xxiv. (1851) 364 = *armenius*.  
*gynoxoides*, *Baker, in Mart. Fl. Bras.* vi. III. 306.—Bras.  
*gynoxoides*, *Sch. Bip. ex Wedd. Chlor. And.* i. 78 = *Gynoxys albiflora*.  
*gypsophilus*, *Phil. in Anal. Univ. Chil.* (1873) 498.—Chili.  
*Haastii*, *Hook. f. Handb. N. Zeal. Fl.* 159.—N. Zel.  
*hadiensis*, *Forsk. Fl. Aegypt. Arab.* 149.—Arab.  
*haematophyllus*, *Willd. Enum. Hort. Berol.* 875 = *Gynura haematophylla*.  
*Haenkei*, DC. *Prod.* vi. 413.—Chili.  
*hakeaefolius*, *Bert. ex DC. l. c.* 416.—Chili.  
*halimifolius*, *Linn. Sp. Pl.* 871.—Afr. austr.  
*Haloragis*, *Remy, in C. Gay, Fl. Chil.* iv. 172.—Chili.  
*hamamelidifolius*, *H. B. & K. Nov. Gen. et Sp.* iv. 179 (hamamelifolius).—Ecuador.  
*Hamiltonianus*, *Sch. Bip. in Schweinf. Beitr. Fl. Aethiop.* 159 = *Gynura Pseudo-china*.  
*Hartwegi*, *Benth. Pl. Hartw.* 18.—Mexic.  
*hastatus*, *Bong. in Bull. Sc. Acad. Pétersb.* v. (1838) 99.—Bras.  
*hastatus*, *Hook. f. Fl. Brit. Ind.* iii. 353, in nota = *sagittatus*.  
*hastatus*, *Linn. Sp. Pl.* 868.—Afr.  
*hastatus*, *Willd. Sp. Pl.* iii. 1987 = *hastulatus*.  
*hastifolius*, *Less. Syn. Comp.* 392 = *cymbalarifolius*.  
*hastulatus*, *Linn. Sp. Pl. ed. II.* 1218.—Afr. austr.  
*Haworthii*, *Sch. Bip. in Flora*, xxviii. (1845) 500.—Afr. austr.  
*Haworthii*, *Steud. Nom. ed. II.* ii. 561.—Afr. austr.  
*hebespermus*, DC. *Prod.* vii. 301.—Mesopot.  
*hebetatus*, *Wedd. Chlor. And.* i. 114.—Peruv.  
*Hectori*, F. Buch. in *Trans. N. Z. Inst.* v. (1873) 348.—N. Zel.  
*hederaefolius*, *Hemsl. Biol. Centr. Am. Bot.* ii. 241.—Mexic.  
*Heldreichii*, *Boiss. Diagn. Ser. I.* vi. 95.—Graec.  
*helianthemoides*, *Wedd. Chlor. And.* i. 115.—Boliv.  
*helichrysoides*, F. Muell. in *Trans. Vict. Inst.* i. (1855) 39 = *georgianus*.  
*Hellerii*, *Klatt, in Abh. Naturf. Ges. Halle*, xv. (1882) 333.—Mexic.  
*helodes*, *Benth. Pl. Hartw.* 42.—Mexic.  
*heracleifolius*, *Hemsl. Biol. Centr. Am. Bot.* ii. 241.—Mexic.  
*Herbichia*, *Steud. Nom. ed. II.* ii. 561 = *abrotanifolius*.  
*Heritierii*, DC. *Prod.* vi. 409.—Ins. Canar.  
*Hervaloira*, *Link, ex Nym. Consp.* 354 = *caespitosus*, *Brot.*  
*heteroclinius*, DC. *Prod.* vi. 380 = *abruptus*.  
*heterogamus*, *Hemsl. Biol. Centr. Am. Bot.* ii. 242.—Costa Rica.  
*heterophyllus*, DC. *Prod.* vi. 414 = *pilquensis*.  
*heterophyllus*, *Drège, ex Harv. & Sond. Fl. Cap.* iii. 355 = *littoreus*.  
*heterophyllus*, *Thunb. Prod. Pl. Cap.* 157 = *abruptus*.  
*heteroschizus*, *Baker, in Mart. Fl. Bras.* vi. III. 325.—Bras.  
*heterotrichus*, DC. *Prod.* vi. 419.—Bras.  
*hewrensis*, *Hook. f. Fl. Brit. Ind.* iii. 346.—Ind. or.  
*Heyneanus*, *Sch. Bip. in Schweinf. Beitr. Fl. Aethiop.* 159 = *Gynura nitida*.  
*hieracifolius*, *Forsk. Fl. Aegypt. Arab.* p. lxxiii = *arabicus*.  
*hieracifolius*, *Linn. Sp. Pl.* 866 = *Erechtites praealta*.

SENECIO:—

*hieracioides*, DC. *Prod.* vi. 384.—Afr. austr.  
*Hieracium*, *Remy, in C. Gay, Fl. Chil.* iv. 202.—Chili.  
*Hieronymii*, *Griseb. in Goett. Abh.* xxiv. (1879) 205.—Reg. Argent.  
*himalensis*, *Klotzsch, in Bot. Ergeb. Waldem. Reise*, 78.—Reg. Himal.  
*Hindsii*, *Benth. in Hook. Lond. Journ. Bot.* i. (1842) 488 = *scandens*.  
*hirsutulus*, *Phil. in Linnaea*, xxxiii. (1864–65) 163.—Chili.  
*hirsutus*, [Clairv.] *Man. Herb.* 240 = *Adenostyles albidus*.  
*hirtellus*, DC. *Prod.* vi. 401.—Afr. austr.  
*hirtifolius*, DC. l. c. 394.—Afr. austr.  
*hispidulus*, A. Rich. *Sert. Astrolab.* 92 = *Erechtites hispidula*.  
*hispidulus*, A. Rich. l. c. t. 34 = *odoratus*.  
*Hochstetteri*, *Sch. Bip. ex Hochst. in Flora*, xxiv. (1841) i. *Intell.* 27, nomen; et ex A. Rich. *Tent. Fl. Abyss.* i. 435.—Abyss.  
*Hohenackeri*, *Hook. f. Fl. Brit. Ind.* iii. 345.—Ind. or.  
*Hohenackeri*, *Sch. Bip. in Bonplandia*, iv. (1856) 55, nomen; *Wedd. Chlor. And.* i. 131.—Peruv.  
*holophyllus*, *Remy, in C. Gay, Fl. Chil.* iv. 147.—Chili.  
*homogynefolius*, *Kotschy, ex Boiss. Fl. Orient.* iii. 400 = *farfaraefolius*, *Boiss.*  
*Hookeri*, *Hombr. & Jacquinot, ex Decne. Bot. Voy.* *Astrolab. et Zél.* 50 = *patagonicus*, *Hook. & Arn.*  
*Hookeri*, *Torr. & Gray, Fl. N. Am.* ii. 438.—Am. bor.  
*Howellii*, *Greene, in Bull. Torrey Bot. Club*, viii. (1881) 98 = *canus*.  
*huachucanus*, A. Gray, in *Proc. Am. Acad.* xix. (1883) 54.—Arizona.  
*Hualtata*, *Bert. ex DC. Prod.* vi. 417.—Chili.  
*Hubertia*, *Pers. Syn.* ii. 436.—Ins. Borbon.  
*Humboldtianus*, DC. *Prod.* vi. 421.—Ecuador.  
*humilis*, *Desf. Fl. Atlant.* ii. 271. t. 233.—Sicil.; Afr. bor.  
*humilis*, *Duby, ex Nym. Consp.* 357 = *crassifolius*.  
*humillimus*, *Sch. Bip. in Bonplandia*, iv. (1856) 55, nomen; *Wedd. Chlor. And.* i. 104. t. 19 B.—Peruv.  
*Huntii*, F. Muell. *Enum. Pl. Chath. Isl.* 23. t. 3.—N. Zel.  
*hybridus*, *Hort. ex Regel, Gartenfl.* (1863) t. 394 = *cruentus*.  
*hydrophilus*, *Nutt. in Trans. Am. Phil. Soc. N. S.* vii. (1841) 411.—Am. bor. occ.  
*hydrophilus*, *Hoffmgg. & Link, ex Nym. Consp.* 356.—Lusitan.  
*hyemalis*, *Salzm. ex Ball, in Journ. Linn. Soc.* xvi. (1878) 514 = *leucanthemifolius*, *Poir.*  
*hyoseridifolius*, *Wedd. Chlor. And.* i. 108.—Peruv.  
*hypargyraeus*, DC. *Prod.* vi. 379.—Madag.  
*hypochionaeus*, *Boiss. Diagn. Ser. I.* iv. 14.—As. Min.  
*hypochaerideus*, DC. *Prod.* vi. 386.—Afr. austr.  
*hypoleucus*, F. Muell. ex *Benth. Fl. Austral.* iii. 672.—Austral.  
*hypsobates*, *Wedd. Chlor. And.* i. 91.—N. Granat.  
*hypsochilus*, *Phil. in Anal. Univ. Chil.* (1862) ii. 382.—Chili.  
*icoglossus*, DC. *Prod.* vi. 420.—Bras.  
*ignobilis*, *Sch. Bip. ex Baker, in Mart. Fl. Bras.* vi. III. 299 = *Erechtites ignobilis*.  
*ilicifolius*, *Berg. Desc. Pl. Cap.* 281 = *lyratus*.  
*ilicifolius*, *Less. Syn. Comp.* 392 = *Gynoxys ilicifolia*.  
*ilicifolius*, *Linn. Sp. Pl.* 871 (Quid?).—Afr. austr.  
*ilicifolius*, *Thunb. Prod. Pl. Cap.* 158.—Afr. austr.  
*illapelinus*, *Phil. in Linnaea*, xxxiii. (1864–65) 153.—Chili.  
*illinitus*, *Phil. l. c.* xxviii. (1856) 750.—Chili.  
*imbricatifolius*, *Sch. Bip. ex Wedd. Chlor. And.* i. 96.—N. Granat.  
*imbricatus*, *Gardn. in Hook. Lond. Journ. Bot.* vii. (1848) 421.—Bras.  
*immunis*, *Wallr. Beitr. Fl. Hercyn.* 278 = *paludosus*.  
*imoleus*, *Boiss. & Heldr. ex Orph. in Bull. Congr. Bot. Pétersb.* 1869 (1870) 128, sphalm. = *tmoleus*.  
*imparipinnatus*, *Klatt, in Abh. Naturf. Ges. Halle*, xv. (1882) 333 = *lobatus*.  
*inaequidens*, DC. *Prod.* vi. 401 = *pellucidus*.  
*inaequilobus*, *Sch. Bip. ex Boiss. Fl. Orient.* iii. 410 = *paucilobus*.  
*inamoenus*, DC. *Prod.* vi. 382 = *glutinosus*, *Thunb.*  
*incanus*, *Boeber, in Pall. N. Nord. Beitr.* vi. 262 = *erucifolius*.



## SENECIO:—

*incanus*, Lapeyr. Hist. Abr. Pl. Pyr. 515 = leucophyllus.  
*incanus*, Linn. Sp. Pl. 869.—Europ.  
*incanus*, Scop. Fl. Carn. ed. II. ii. 166 = carniolicus.  
*incarnatus*, Lowe, ex DC. Prod. vi. 344 = crassifolius.  
*incertus*, DC. l. c. 433.—Afr. austr.  
*incisus*, Presl, Fl. Sic. p. xxviii = squalidus.  
*incisus*, Thunb. Prod. Pl. Cap. 158.—Afr. austr.  
*incomptus*, Banks & Soland. ex Hook. f. Fl. N. Zel. i. 143 = Erechites quadridentatus.  
*incomptus*, DC. Prod. vi. 386.—Afr. austr.  
*inconstans*, DC. l. c. 382 = repandus.  
*incrassatus*, Guss. Fl. Sic. Syn. ii. i. 473 = leucanthemifolius, Poir.  
*incrassatus*, Lowe, in Trans. Camb. Phil. Soc. vi. (1838) reimp. 16.—Ins. Mader.  
*infestus*, Salisb. Prod. 197 = S. Jacobaea.  
*inops*, Boiss. & Bal. Diagn. Ser. II. vi. 101.—Cappadoc.  
*inornatus*, DC. Prod. vi. 385.—Afr. austr.  
*insignis*, Hemsl. Biol. Centr. Am. Bot. ii. 242.—Mexic.  
*insularis*, Benth. Fl. Austral. iii. 666.—Austral.  
*intactus*, Moench, Meth. 568 = arabicus.  
*integerrimus*, A. Gray, in Am. Journ. Sc. Ser. II. xxxiii. (1862) 238 = crassulus.  
*integerimus*, Nutt. Gen. Am. ii. 165.—Am. bor.  
*integrifolius*, [Clairv.] Man. Herb. 241 = spathulæfolius.  
*integrifolius*, Hook. Fl. Bor. Am. i. 334 = Hookeri.  
*integrifolius*, Kern. in Oestr. Bot. Zeitschr. xxi. (1871) 202 = campestris?  
*integrifolius*, Nutt. Gen. Am. ii. 165 = canus.  
*intermedius* x, Wiesb. in Oestr. Bot. Zeitschr. xxiv. (1874) 109.—Europ.  
*intermedius*, Wight, Ic. t. 1135 = scandens.  
*involutus*, DC. Prod. vi. 422.—Peruv.  
*iodopappus*, Sch. Bip. in Bonplandia, iv. (1856) 55, nomen (jodopappus); Wedd. Chlor. And. i. 116. t. 20 B.—Peruv.  
*isatideus*, DC. l. c. 387.—Afr. austr.  
*Iserni*, Phil. in Anal. Univ. Chil. (1873) 499.—Chili.  
*Jacobaea*, Brot. ex Willk. & Lange, Prod. Fl. Hisp. ii. 120 = foliosus.  
*Jacobaea*, D. Don, Prod. Fl. Nep. 179 = chrysanthemoides.  
*Jacobaea*, Kunze, in Flora, xxix. (1846) 676 = praealtus.  
*Jacobaea*, Linn. Sp. Pl. 870.—Europ.; As. bor.  
*Jacobaea*, Losc. & Pard. Ser. Inconf. 52 = jacobaeoides.  
*jacobaeoides*, Willk. in Willk. & Lange, Prod. Fl. Hisp. ii. 119.—Hispan.  
*jacobaeiformis*, Remy, in C. Gay, Fl. Chil. iv. 182.—Chili.  
*Jacquemontianus*, Benth. ex Hook. f. Fl. Brit. Ind. iii. 350.—Reg. Himal.  
*Jacquinianus*, Reichb. Pl. Crit. iii. 80 = nemorensis.  
*jagensis*, Steud. Nom. ed. II. ii. 561.—Chili.  
*jamaicensis*, DC. Prod. vi. 412 = Gynoxys incana.  
*japonicus*, Sch. Bip. in Flora, xxviii. (1845) 50.—Japon.  
*japonicus*, Thunb. Fl. Jap. 315 = Gynura pinnatifida.  
*jathrophoides*, Sch. Bip. l. c. 498.—Mexic.  
*javanicus*, Willd. Sp. Pl. iii. 1984.—Java.  
*Julieti*, Phil. in Anal. Univ. Chil. (1873) 496.—Chili.  
*juncus*, J. F. Gmel. Syst. 1624, sphalm. = lanceus.  
*juncus*, Harv. in Harv. & Sond. Fl. Cap. iii. 407.—Afr. austr.  
*Jungei*, Phil. in Linnaea, xxxiii. (1864-65) 149.—Chili.  
*juniperinus*, Linn. f. Suppl. 371.—Afr. austr.  
*Jurgensenii*, Hemsl. Biol. Centr. Am. Bot. ii. 242.—Mexic.  
*jurineaefolius*, Boiss. & Bal. Diagn. Ser. II. vi. 99.—As. Min.  
*Kaempferi*, DC. Prod. vi. 363.—Japon.  
*Kalmii*, Hook. & Arn. Bot. Beech. Voy. 126 = lugens.  
*Kalmii*, Less. in Linnaea, vi. (1831) 244 = palustris.  
*Kalmii*, Nutt. Gen. Am. ii. 165 = artemisiaefolius.  
*kamtschaticus*, Ledeb. Fl. Ross. ii. 636 = palmatus.  
*kermesinus*, Hemsl. Biol. Centr. Am. Bot. ii. 242.—Mexic.  
*Kickxii*, Steud. Nom. ed. II. ii. 562.—Belgium.  
*Kingii*, Hook. f. Fl. Antarct. 314.—Patagon.  
*kirghisicus*, DC. Prod. vi. 362 = racemosus.

## SENECIO:—

*Kirilowii*, Turcz. ex DC. Prod. vi. 361 = campestris.  
*Kleinia*, Less. in Linnaea, vi. (1831) 252; Sch. Bip. in Webb & Berth. Phyt. Canar. ii. 321.—Ins. Canar.  
*kleinioides*, Oliver & Hiern, in Oliver Fl. Trop. Afr. iii. 421.—Afr. trop.  
*Kochii*, Ledeb. Fl. Ross. ii. 643 = crispatus.  
*Kolenatianus*, C. A. Mey. in Beitr. Pfl. Russ. Reich. vi. 34.—Reg. Caucas.  
*korintjiana*, Boerl. in Veth, Midden-Sumatra, iv. 11. Flora, 20 = sumatranus.  
*Kotschyianus*, Boiss. Diagn. Ser. I. vi. 93.—Persia.  
*Kramerii*, Franch. & Sav. Enum. Pl. Jap. ii. 406.—Japon.  
*Kraussii*, Sch. Bip. in Flora, xxvii. (1844) 698.—Afr. austr.  
*Kunthianus*, Wall. Cat. n. 3118.—Reg. Himal.  
*Kurzii*, C. B. Clarke, ex Hook. f. Fl. Brit. Ind. iii. 341.—Burma.  
*lacerus*, Boiss. Diagn. Ser. I. xi. 32 = coronopifolius.  
*laciniatus*, Bertol. in Desv. Journ. Bot. ii. (1813) 76 = nebrodensis.  
*laciniatus*, DC. Prod. vi. 411 = Swartzianus.  
*laciniatus*, S. F. Gray, Nat. Arr. Brit. Pl. ii. 470 = S. Jacobaea.  
*laciniatus*, Hook. f. Fl. Brit. Ind. iii. 339, sphalm. = *lacinosus*, Wall.  
*laciniatus*, H. B. & K. Nov. Gen. et Sp. iv. 175.—Ecuador.  
*laciniatus*, Schousb. ex Willk. & Lange, Prod. Fl. Hisp. ii. 120 = foliosus.  
*lacinifolius*, Steud. Nom. ed. II. ii. 562 = laciniatus.  
*laciniosus*, Arn. in Nov. Act. Nat. Cur. xviii. i. (1836) 350 = tenuifolius.  
*laciniosus*, Phil. in Linnaea, xxviii. (1856) 744.—Chili.  
*laciniosus*, Wall. Cat. n. 3124 = chrysanthemoides.  
*lactescens*, Brot. Fl. Lusit. i. 391 = Crepis foetida.  
*laetus*, Edgew. in Trans. Linn. Soc. xx. (1846) 74 = chrysanthemoides.  
*laevicaulis*, DC. Prod. vi. 414.—Chili.  
*laevigatus*, Thunb. Prod. Pl. Cap. 159.—Afr. austr.  
*Lagascanus*, DC. Prod. vi. 357.—Hispan.  
*Laggeri*, Nym. Consp. 356 = incanus.  
*lagoas*, Raoul, in Ann. Sc. Nat. Sér. III. ii. (1844) 119. t. 18.—N. Zel.  
*lampsanoides*, DC. Prod. vi. 348.—Reg. Caucas.  
*lanatus*, Burm. ex DC. l. c. 389 = verbascifolius.  
*lanatus*, DC. l. c. 422.—N. Granat.  
*lanatus*, Lec. & Lamotte, Cat. Auv. 232 = Gerardi.  
*lanatus*, Linn. Syst. ed. X. 1216 = populifolius.  
*lanatus*, Linn. f. Suppl. 370 = Cineraria tomentosa.  
*lanatus*, Scop. Fl. Carn. ed. II. ii. 165.—Europ.  
*lanceolatus*, Burm. f. Fl. Cap. Prod. 26.—Afr. austr.  
*lanceolatus*, Torr. & Gray, Fl. N. Am. ii. 440 = S. Serra.  
*lanceus*, Ait. Hort. Kew. ed. I. iii. 194.—Afr. austr.  
*lancifolius*, Turcz. in Bull. Soc. Nat. Mosc. xxiv. (1851) ii. 89.—Afr. austr.  
*Landbeckii*, Phil. in Linnaea, xxxiii. (1864-65) 151.—Chili.  
*lanifer*, Mart. ex Baker, in Mart. Fl. Bras. vi. III. 312 = vernonioides.  
*laniger*, Boj. ex DC. Prod. vi. 379 = adenodontus.  
*lanigerus*, Burm. f. Fl. Cap. Prod. 26.—Afr. austr.  
*lanuginosus*, [D.] Don, ex Hook. & Arn. in Hook. Journ. Bot. iii. (1841) 332 = Donianus.  
*lanuginosus*, Spreng. Syst. iii. 565.—Hab.?  
*laricifolius*, H. B. & K. Nov. Gen. et Sp. iv. 185.—Peruv.  
*Laseguei*, Hombr. & Jacquinot, ex Decne. Bot. Voy. Astrol. et Zél. 48.—Reg. Magellan.  
*lasiorhizoides*, Sch. Bip. ex Harv. & Sond. Fl. Cap. iii. 370 = seq.  
*lasiorhizus*, DC. Prod. vi. 387.—Afr. austr.  
*Lastarianus*, Remy, in C. Gay, Fl. Chil. iv. 146.—Chili.  
*latiflorus*, Wedd. Chlor. And. i. 125.—N. Granat.  
*latifolius*, Banks & Soland. ex Hook. f. Fl. N. Zel. i. 145.—N. Zel.  
*latifolius*, DC. Prod. vi. 387 = barbellatus.  
*latronum*, Boiss. & Haussk. in Boiss. Fl. Orient. iii. 402 = racemosus.  
*laurifolius*, H. B. & K. Nov. Gen. et Sp. iv. 185 = Gynoxys laurifolia.  
*lautus*, Soland. ex Forst. f. Prod. 91, nomen; et ex Hook. f. Fl. N. Zel. i. 145.—Austral.

## SENECIO:—

*lautus*, Willd. Sp. Pl. iii. 1981 = oligocephalus?  
*lavandulaefolius*, Wall. Cat. n. 3130.—Ind. or.  
*Lawii*, C. B. Clarke, Comp. Ind. 201.—Ind. or.  
*laxiflorus*, Viv. Fl. Lib. Spec. 55. t. 11. f. 3 = gallicus.  
*laxifolius*, f. Buch. in Trans. N. Z. Inst. ii. (1870) 89.—N. Zel.  
*laxus*, DC. Prod. vi. 380.—Afr. austr.  
*Layneae*, Greene, in Bull. Torrey Bot. Club, x. (1883) 87 = fastigiatus.  
*lazicus*, Boiss. & Bal. in Boiss. Fl. Orient. iii. 400.—As. Min.  
*Lechleri*, Phil. in Anal. Univ. Chil. (1873) 494.—Reg. Magellan.  
*Lechleri*, Sch. Bip. in Bonplandia, iv. (1856) 55, nomen = cymosus.  
*Ledebourii*, Sch. Bip. in Flora, xxviii. (1845) 50.—Sibir.  
*ledifolius*, DC. Prod. vi. 421.—N. Granat.  
*legionensis*, Lange, in Kjoeb. Vidensk. Meddel. (1861) 81.—Hispan.  
*leiocarpus*, DC. Prod. vi. 390 = albanensis.  
*leiophyllus*, Turcz. in Bull. Soc. Nat. Mosc. xxiv. (1851) i. 209.—Chili.  
*Lemmoni*, A. Gray, in Proc. Am. Acad. xvii. (1882) 220.—Arizona.  
*leontodontifolius*, Boj. ex DC. Prod. vi. 376 = Bojeri.  
*Leontodontus*, DC. l. c. 386.—Afr. austr.  
*leptocarpus*, DC. l. c. 372 = pectinatus.  
*leptolobus*, DC. l. c. 419 = pinnatus.  
*leptophyllus*, DC. l. c. 400.—Afr. austr.  
*leptophyllus*, Hook. & Arn. in Hook. Journ. Bot. iii. (1841) 345 = valparadisiensis.  
*leptoschizus*, Bong. in Bull. Sc. Acad. Pétersb. v. (1838) 99.—Bras.  
*Lessingianus*, C. B. Clarke, Comp. Ind. 198.—Ind. or.  
*Lessingii*, Harv. in Harv. & Sond. Fl. Cap. iii. 56.—Afr. austr.  
*Lessoni*, F. Muell. Cat. Hort. Melb. (1858) 26 = seq.  
*Lessonianus*, Sch. Bip. in Flora, xxviii. (1845) 498 = Erechites arguta.  
*Lessonianus*, Steud. Nom. ed. II. ii. 562 = australis.  
*Leucadendron*, Benth. & Hook. f. Gen. ii. 448.—Ins. St. Helena.  
*leucanthemifolius*, Phil. in Anal. Univ. Chil. (1873) 495.—Chili.  
*leucanthemifolius*, Poir. Voy. Barb. ii. 238.—Reg. Mediterr.  
*leuciscus*, Phil. in Anal. Univ. Chil. (1870) ii. 181.—Chili.  
*leucoglossus*, F. Muell. Fragm. ii. 15.—Austral.  
*leucoglossus*, Sond. in Harv. & Sond. Fl. Cap. iii. 393 = actinoleucus.  
*leucomallus*, A. Gray, in Proc. Am. Acad. v. (1861) 141.—Terr. Magellan.  
*leucomallus*, Phil. in Linnaea, xxxiii. (1864-65) 148.—Chili.  
*leucopappus*, Boj. ex DC. Prod. vi. 331, in syn.—Madag.  
*leucophyllus*, DC. Cat. Hort. Monsp. (1813) 144.—Mont. Pyren.  
*leucophyton*, Phil. in Linnaea, xxviii. (1856) 738.—Chili.  
*leucostachys*, Baker, in Mart. Fl. Bras. vi. III. 307, in obs.—Patagon.  
*Levingii*, C. B. Clarke, Comp. Ind. 301.—Reg. Himal.  
*Leyboldi*, Phil. in Anal. Univ. Chil. (1873) 493.—Chili.  
*libanoticus*, Ehrenb. ex Boiss. Fl. Orient. iii. 407 = doriaeformis.  
*Ligularia*, Hook. f. Fl. Brit. Ind. iii. 349.—Reg. Himal.  
*lilacinus*, Jacq. f. ex Spreng. f. Tent. Suppl. Syst. 24.—Hab.?  
*lilacinus*, Schrad. Blumenbachia, 39. t. 4. f. 1.—Afr. austr.  
*limbardiioides*, Hook. & Arn. in Hook. Journ. Bot. iii. (1841) 347.—Patagon.  
*limbardiioides*, Hook. & Arn. l. c. 333 = Arnottii.  
*linariaefolius*, Drège, ex Harv. & Sond. Fl. Cap. iii. 400 = debilis, Harv.  
*linariaefolius*, Poepp. ex DC. Prod. vi. 414; Wedd. Chlor. And. i. 133.—Chili.  
*Lindenii*, Sch. Bip. ex Wedd. l. c. 101.—N. Granat.  
*linearifolius*, Colla, in Mem. Acc. Torin. xxxviii. (1835) 31. t. 29 = argenteus.  
*linearifolius*, A. Rich. Sert. Astrolab. 129 = australis.

SENECIO:—

linearilobus, *Bong. in Bull. Sc. Acad. Pétersb.* v. (1838) 99.—Bras.  
*linearilobus*, Hook. & Arn. in Hook. Journ. Bot. iii. (1841) 346=platycodon.  
*linearis*, *DC. Prod.* vi. 375.—Ins. Mauriti.  
*lineatus*, *DC. l. c.* 395.—Afr. austr.  
*lineolatus*, *DC. l. c.* 427=sinuatus.  
*Lingua*, *Poir. Encyc. Suppl.* v. 130.—Ins. Mauriti.  
*linifolius*, *C. B. Clarke, Comp. Ind.* 202.—Reg. HIMAL.  
*linifolius*, *DC. Prod.* vi. 400, in syn.=rosmarinifolius.  
*linifolius*, *Forsk. Fl. Aegypt. Arab.* 150=biflorus, *Vahl.*  
*linifolius*, *Linn. Syst. ed. X.* 1215.—Hispan.  
*linifolius*, *Thunb. Fl. Cap. ed. Schult.* 678, excl. syn.=filifolius.  
*linoides*, *DC. Prod.* vi. 397.—Afr. austr.  
*littoralis*, *Gaudich. in Ann. Sc. Nat. Sér. I.* v. (1825) 104.—Ins. Falkland.  
*littoralis*, *Hornb. & Jacquinot, ex Decne. Bot. Voy. Astrol. et Zél.* 51=Andersoni.  
*littoralis*, *Poepp. ex DC. Prod.* vi. 417=sinuatilobus.  
*littoralis*, *Scop. Fl. Carn. ed. II.* ii. 162=Inula viscosa.  
*littoreus*, *Thunb. Prod. Pl. Cap.* 158.—Afr. austr.  
*lividus*, *Linn. Sp. Pl.* 867.—Reg. Mediterr.  
*lividus*, *Nolte, Novit. Fl. Holsat.* 72=sylvaticus.  
*lividus*, *Sm. Engl. Bot. t.* 2515=viscosus.  
*lobatus*, *Pers. Syn. ii.* 436.—Am. bor.  
*lobelioides*, *DC. Prod.* vi. 382.—Afr. austr.  
*longepenicillatus*, *Sch. Bip. ex Wedd. Chlor. And.* i. 97=nevadensis.  
*longidentatus*, *DC. Prod.* vi. 428=triangularis.  
*longiflorus*, *Sch. Bip. in Flora*, xxviii. (1845) 499; *Oliver & Hiern, in Oliver, Fl. Trop. Afr.* iii. 421.—Afr. trop. et austr.  
*longifolius*, *Berg. Desc. Pl. Cap.* 279=rosmarinifolius.  
*longifolius*, *Labill. ex DC. Prod.* vi. 374=australis.  
*longifolius*, *Linn. Sp. Pl. ed. II.* 1222.—Afr. austr.  
*longilobus*, *Benth. Pl. Hartw.* 18=Douglasii.  
*longipes*, *Hook. f. Fl. Antarct.* 314.—Patagon.  
*longiradiatus*, *Trautv. in Ind. Sem. Hort. Petrop.* (1865) 37=amphibolus, *C. Koch.*  
*longiscapus*, *Boj. in DC. Prod.* vi. 376.—Madag.  
*Lopezii*, *Boiss. Elench.* 60.—Hispan.  
*Lorentii*, *Hochst. in Lorent, Wanderungen*, 330=armeniensis.  
*Lorentzii*, *Griseb. in Goett. Abh.* xix. (1874) 193.—Reg. Argent.  
*Loureiroi*, *Sch. Bip. in Schweinf. Beitr. Fl. Aethiop.* 160=Gynura pinnatifida.  
*lucidus*, *DC. Prod.* vi. 411.—Ind. occ.  
*ludens*, *C. B. Clarke, Comp. Ind.* 199.—Ind. or.  
*lugens*, *Richards. in App. Frankl. Journ.* ed. II. 31.—Am. arct.  
*luridus*, *Phil. Fl. Atac.* 33.—Chili.  
*luridus*, *Salisb. Prod.* 196=japonicus.  
*Lyallii*, *Hook. f. Fl. N. Zel.* i. 146.—N. Zel.  
*lycopersicifolius*, *Sch. Bip. in Schweinf. Beitr. Fl. Aethiop.* 159=Gynura lycopersicifolia.  
*lycopifolius*, *Desf. Tabl. ed. II.* 124=erucifolius.  
*lyratifolius*, *Reichb. Pl. Crit.* ii. 24.—Europ.  
*lyratipartitus*, *Sch. Bip. ex A. Rich. Tent. Fl. Abyss.* i. 439=Cineraria Schimper.  
*lyratus*, *DC. Prod.* vi. 380, excl. syn.=expansus, *Harv.*  
*lyratus*, *Forsk. Fl. Aegypt. Arab.* 148=auriculatus, *Vahl.*  
*lyratus*, *Linn. f. Suppl.* 369.—Afr. austr.  
*lyratus*, *Michx. Fl. Bor. Am.* ii. 120=lobatus.  
*lyratus*, *Turcz. in Bull. Soc. Nat. Mosc.* xx. (1847) II. 16=resedifolius.  
*macedonicus*, *Griseb. Spicil. Fl. Rumel.* ii. 221.—Graecia.  
*macquariensis*, *DC. Prod.* vi. 372=lautus.  
*macranthus*, *C. B. Clarke, Comp. Ind.* 205=japonicus.  
*macranthus*, *A. Rich. Sert. Astrolab.* 126.—Austral.  
*macrobotrys*, *Hemsl. Biol. Centr. Am. Bot.* ii. 243.—Mexic.  
*macrocephalus*, *DC. Prod.* vi. 407.—Afr. austr.  
*macrodonatus*, *DC. l. c.* 373=australis.  
*macroGLOSSUS*, *DC. l. c.* 404.—Afr. austr.  
*macropappus*, *Sch. Bip. ex A. Rich. Tent. Fl. Abyss.* i. 436.—Abyss.  
*macrophyllus*, *Bieb. Fl. Taur. Cauc.* ii. 308.—Europ. or.; Reg. Caucas.

SENECIO:—

*macrophyllus*, *H. B. & K. Nov. Gen. et Sp.* iv. 178=bogotensis.  
*macropodus*, *DC. Prod.* vi. 403=angulatus.  
*macrorrhizus*, *Wedd. Chlor. And.* i. 108.—Peruv.  
*macrospermus*, *DC. Prod.* vi. 385.—Afr. austr.  
*macrotis*, *Baker, in Mart. Fl. Bras.* vi. III. 308.—Bras.  
*macrotus*, *Kunze, ex Walp. in Nov. Act. Nat. Cur.* xix. *Suppl.* i. (1843) 281.—Chili.  
*madagascariensis*, *Poir. Encyc. Suppl.* v. 130.—Madag.  
*maderensis*, *DC. Prod.* vi. 409.—Ins. Madera.  
*madrensis*, *A. Gray in Proc. Am. Acad.* xix. (1883) 55.—Mexic.  
*magellanicus*, *Hook. & Arn. in Hook. Journ. Bot.* iii. (1841) 343=Calcutium magellanicum.  
*magellensis*, *Tenore, Ind. Sem. Hort. Neap.* (1857).—*Cf. Ann. Sc. Nat. Sér. IV.* xii. (1859) 78.—Ital.  
*magnificus*, *F. Muell. in Linnaea*, xxv. (1852) 418.—Austral.  
*Mairetianus*, *DC. Prod.* vi. 430.—Mexic.  
*maldonadensis*, *Baker, in Mart. Fl. Bras.* vi. III. 312.—Bras.; Uruguay.  
*malvaefolius*, *DC. Prod.* vi. 410.—Ins. Azor.  
*Mandonianus*, *Wedd. Chlor. And.* i. 228.—Bolivia.  
*Mannii*, *Hook. f. in Journ. Linn. Soc.* vi. (1862) 14.—Afr. trop.  
*marginatus*, *Linn. f. Suppl.* 370.—Afr. austr.  
*marginatus*, *Thunb. Fl. Cap. ed. Schult.* 680, partim=lanceus.  
*maritimus*, *Linn. f. Suppl.* 369.—Afr. austr.  
*maritimus*, *Reichb. in Moessl. Handb.* ed. II. ii. 1479=S. Cineraria.  
*Marmorae*, *Moris, Stirp. Sard. Elench.* ii. 6=crassifolius.  
*Mathewii*, *Wedd. Chlor. And.* i. 114.—Peruv.  
*matricariaefolius*, *DC. Prod.* vi. 383.—Afr. austr.  
*mauritanicus*, *Pomel, Nouv. Mat. Fl. Atl.* 62=leucanthemifolius, *Poir.*  
*mauritianus*, *Soyer-Willem. in Usteri, Ann. Bot.* xviii. (1796) 52.—Ins. Mauriti.  
*medicinalis*, *Phil. in Linnaea*, xxviii. (1856) 745.—Chili.  
*medius*, *G. Don, in Sweet, Hort. Brit.* ed. III. 386.—Hungar.  
*medullusos*, *Sch. Bip. in Linnaea*, xxxiv. (1865-66) 531, nomen.—Bolivia.  
*megacephalus*, *Nutt. in Trans. Am. Phil. Soc. N. S.* vii. (1841) 410.—Am. bor. occ.  
*megaglossus*, *F. Muell. in Linnaea*, xxv. (1852) 419.—Austral.  
*megalophron*, *Fenzl, ex Boiss. Fl. Orient.* iii. 407=doriaeformis.  
*megapotiamicus*, *Buek, Ind. ad DC. Prod.* ii. p. vi=brasiliensis.  
*megapotamicus*, *Spreng. Syst.* iii. 547=pinnatus.  
*melanolepis*, *DC. Prod.* vi. 424.—Peruv.  
*membranifolius*, *DC. l. c.* 381=repandus.  
*mendocinensis*, *A. Gray, in Proc. Am. Acad.* vii. (1868) 362.—Calif.  
*mendocinus*, *Phil. Sert. Mendoc. Alt.* 24.—Chili.  
*mesembryanthemoides*, *Boj. ex DC. Prod.* vi. 378.—Madag.  
*Meyeri*, *Regel, Ind. Sem. Hort. Petrop.* (1856) 25.—Austral.  
*micaniaeformis*, *Steud. Nom. ed. II.* ii. 562, sphalm.=mikaniaeformis.  
*micranthus*, *Hornem. Hort. Hafn. Suppl.* 97.—Hab. ?  
*Microchaeta*, *Wedd. Chlor. And.* i. 100.—N. Granat.  
*microdon*, *Wedd. Chlor. And.* i. 102.—Ecuador.  
*microdonatus*, *Baker, in Journ. Linn. Soc.* xviii. (1881) 271.—Madag.  
*microglossus*, *DC. Prod.* vi. 395.—Afr. austr.  
*microphyllus*, *Phil. in Linnaea*, xxix. (1857-58) 1.—Chili.  
*microphyllus*, *Spreng. Syst.* iii. 556, sphalm.=macrophyllus.  
*micropifolius*, *DC. Prod.* vi. 413.—Chili.  
*microspermus*, *DC. l. c.* 391.—Afr. austr.  
*Mikaniae*, *DC. l. c.* 405=deltoideus.  
*mikaniaefolius*, *Sch. Bip. in Flora*, xxviii. (1845) 498.—Peruv.  
*mikaniaeformis*, *DC. Prod.* vi. 405=deltoideus.  
*mikanioides*, *Otto, ex Walp. in Otto & Dietr. Allg. Gartenz.* xiii. (1845) 42.—Afr. austr.  
*Millefolium*, *Torr. & Gray, Fl. N. Am.* ii. 444.—Am. bor.  
*minimus*, *Poir. Encyc. Suppl.* v. 130=Erechtites minima.

SENECIO:—

*minutus*, *DC. Prod.* vi. 346.—Hispan.  
*miser*, *Hook. f. Fl. Antarct.* 814.—Reg. Magell.  
*Mishmi*, *C. B. Clarke, Comp. Ind.* 203.—Reg. HIMAL.  
*mississippiensis*, *DC. Prod.* vi. 427=lobatus.  
*mixtus*, *A. Rich. Sert. Astrolab.* 112. t. 36=Erechtites mixta.  
*modestus*, *Phil. in Linnaea*, xxviii. (1856) 745.—Chili.  
*modestus*, *Wedd. Chlor. And.* i. 105.—Peruv.  
*moharensis*, *A. Gray, Syn. Fl. N. Am.* i. II. 446.—Calif.  
*Molinae*, *Phil. in Anal. Univ. Chil.* (1873) 497.—Chili.  
*mollis*, *DC. Prod.* vi. 358=cappadocicus.  
*mollis*, *Poepp. ex DC. l. c.* 417=sinuatilobus.  
*mollis*, *Willd. Sp. Pl.* iii. 2011.—As. Min.; Persia.  
*moluccanus*, *Roxb. Hort. Beng.* [101]; *Fl. Ind.* iii. 433=Gynura bicolor?  
*mongolicus*, *Sch. Bip. in Flora*, xxviii. (1845) 50.—Mongolia.  
*monocephalus*, *Schur, in Verh. Siebenb. Ver. Naturw.* i. (1850) 107; iv. (1853) 41=abrotanifolius.  
*Monroi*, *Hook. f. Fl. N. Zel.* ii. 333.—N. Zel.  
*montanus*, *Hoppe, ex Nym. Consp.* 356=nebrodensis.  
*montanus*, *Lam. Fl. Fr.* ii. 130=S. Doronicum.  
*montanus*, *Willd. Sp. Pl.* iii. 1989=nebrodensis.  
*montevicensis*, *Baker, in Mart. Fl. Bras.* vi. III. 307.—Uruguay.  
*monticola*, *DC. Prod.* vi. 384.—Afr. austr.  
*Monttianus*, *Remy, in C. Gay, Fl. Chil.* iv. 158.—Chili.  
*Moreliae*, *Hemsl. Biol. Centr. Am. Bot.* ii. 243.—Mexic.  
*Moretii*, *Buek, Ind. ad DC. Prod.* ii. p. vi.—Hab. ?  
*Mortoni*, *C. B. Clarke, Comp. Ind.* 208.—Reg. HIMAL.  
*mucronatus*, *Willd. Sp. Pl.* iii. 1974.—Afr. austr.  
*mucronulatus*, *Sch. Bip. in Flora*, xxvii. (1844) 701=purpureus.  
*Muehlenbergii*, *Sch. Bip. in Flora*, xxviii. (1845) 499.—Am. bor.  
*Muelleri*, *T. Kirk, in Trans. N. Z. Inst.* xv. (1883) 359.—N. Zel.  
*Muelleri*, *Regel, Ind. Sem. Hort. Petrop.* (1863) 31.—Austral.  
*mulgediifolius*, *Schau. in Linnaea*, xix. (1847) 733.—Mexic.  
*multangularis*, *Tausch, in Syll. Ratisb.* ii. (1828) 253=nebrodensis.  
*multibracteatus*, *Baker, in Journ. Linn. Soc.* xx. (1883) 192.—Madag.  
*multibracteatus*, *Harv. in Harv. & Sond. Fl. Cap.* iii. 361.—Afr. austr.  
*multicaulis*, *DC. Prod.* vi. 398.—Afr. austr.  
*multicaulis*, *Poepp. & Endl. Nov. Gen. et Sp.* iii. 58.—Chili.  
*multicaulis*, *A. Rich. Sert. Astrolab.* 105=Erechtites arguta.  
*multidentatus*, *Sch. Bip. ex Hemsl. Biol. Centr. Am. Bot.* ii. 243.—Mexic.  
*multifidus*, *Domb. ex DC. Prod.* vi. 416=glaber.  
*multifidus*, *Willd. Sp. Pl.* iii. 1986=tenuifolius.  
*multiflorus*, *DC. Prod.* vi. 410.—Ins. Canar.  
*multiflorus*, *Sch. Bip. in Webb & Berth. Phyt. Canar.* ii. 325 (an praec.?).—Ins. Canar.  
*multifoliosus*, *Klatt, in Ann. Sc. Nat. Sér. V.* xviii. (1873) 375.—Ins. Borbon.  
*multilobatus*, *Torr. & Gray, ex A. Gray, in Mem. Am. Acad. N. S.* iv. (1849) 109.—Am. bor. occ.  
*multinervis*, *Sch. Bip. in Linnaea*, xxxiv. (1865-66) 531, nomen.—Bolivia.  
*multivenius*, *Benth. ex Oerst. in Kjoeb. Vidensk. Meddel.* (1852) 109.—Costa Rica.  
*munitus*, *Wallr. Beitr. Fl. Hercyn.* 278=paludosus.  
*muricatus*, *Thunb. Prod. Pl. Cap.* 159.—Afr. austr.  
*murorum*, *Remy, in C. Gay, Fl. Chil.* iv. 149.—Chili.  
*myosotidifolius*, *Benth. in Enum. Pl. Hueg.* 66=Millotia tenuifolia.  
*myrianthos*, *Cheesm. in Trans. N. Z. Inst.* vii. (1875) 348.—N. Zel.  
*myriocephalus*, *Baker, in Mart. Fl. Bras.* vi. III. 319.—Bras.  
*myriocephalus*, *Sch. Bip. in A. Rich. Tent. Fl. Abyss.* i. 441.—Abyss.  
*myriophyllum*, *Phil. Fl. Atac.* 33.—Chili.  
*myrrhifolius*, *Thunb. Prod. Pl. Cap.* 159=arenarius.

## SENECIO:—

- Myrsinites, *Turcz. in Bull. Soc. Nat. Mosc.* xxiv. (1851) i. 211.—Ecuador.  
*nanus*, Sch. Bip. ex A. Rich. Tent. Fl. Abyss. i. 443 = *Werneria africana*.  
*napeaeifolius*, Sch. Bip. in *Flora*, xxviii. (1845) 498.—Mexic.  
*napellifolius*, *Hemsl. Biol. Centr. Am. Bot.* ii. 244.—Mexic.  
*napifolius*, Schrad. ex Reichb. Fl. Germ. Excurs. 243 = *erucifolius*.  
*natalensis*, Sch. Bip. in *Flora*, xxvii. (1844) 700.—Afr. austr.  
*Neaei*, DC. *Prod.* vi. 413.—Chili.  
*nebrodensis*, DC. Fl. Fr. iv. 162 = *lividus*.  
*nebrodensis*, Gilib. ex Georgi, *Beschr. Russ. Reich.* III. iv. 1242 = *vernalis*.  
*nebrodensis*, Linn. *Sp. Pl.* ed. II. 1217.—Europ. austr.; Afr. bor.  
*neelgherryanus*, DC. in *Wight, Contrib.* 23.—Ind. or.  
*neglectus*, Desv. Obs. Pl. Andeg. 129 = *S. Jacobaea*.  
*neglectus*, A. Rich. Fl. N. Zél. 258 = *lautus*.  
*nemophilus*, Dum. Fl. Belg. Prod. 66 = *Fuchsii*.  
*nemorensis*, Linn. *Sp. Pl.* 870.—Europ. austr.; As. bor.  
*nemorensis*, Lorey & Duret, Fl. Côte-d'Or, i. 474 = *Fuchsii*.  
*memorosus*, Jord. Cat. Jard. Dijon (1848), 30 = *S. Jacobaea*.  
*neo-mexicanus*, A. Gray, in *Proc. Am. Acad.* xix. (1883) 55.—Am. bor. occ.  
*nepalensis*, Sch. Bip. in Schweinf. Beitr. Fl. Aethiop. 159 = *Gynura nepalensis*.  
*neriifolius*, Baill. Hist. Pl. viii. 308 = *S. Kleinia*.  
*nervatus*, Reichb. ex Spreng. Syst. iv. Cur. Post. 302.—Afr. austr.  
*nevadensis*, Boiss. & Reut. Pugill. Pl. Nov. 60 = *linifolius*, Linn.  
*nevadensis*, Sch. Bip. ex Wedd. *Chlor. And.* i. 97.—Venezuela.  
*nigrescens*, Hook. & Arn. Bot. Beech. Voy. 32.—Chili.  
*nikoënsis*, Miq. Ann. Mus. Bot. Lugd. Bat. ii. 182.—Japon.  
*nilagerensis*, Sch. Bip. ex Hook. f. Fl. Brit. Ind. iii. 337 = *Notonia Walkeri*.  
*nilgheryanus*, Hook. f. Fl. Brit. Ind. iii. 341 = *neelgherryanus*.  
*nitidus*, DC. *Prod.* vi. 421.—Ecuador.  
*nitidus*, Less. ex Harv. & Sond. Fl. Cap. iii. 379 = *isatidens*.  
*nitidus*, Mérat, Fl. Par. Addit. (1845) 495 = *S. Jacobaea*.  
*nitidus*, Phil. in *Linnaea*, xxviii. (1856) 742.—Chili.  
*niveus*, Wall. Cat. n. 3143 = *Gerbera nivea*.  
*niveus*, Willd. *Sp. Pl.* iii. 1974.—Afr. austr.  
*Noëanus*, Rupr. in Bull. Phys.-Math. Acad. Pétersb. xiv. (1856) 231.—Mesopot.?  
*nubigenus*, H. B. & K. Nov. Gen. et Sp. iv. 174.—Ecuador.  
*nudicaulis*, Buch.-Ham. ex D. Don, *Prod. Fl. Nep.* 179.—Reg. Himal.  
*nudicaulis*, Sch. Bip. in Schweinf. Beitr. Fl. Aethiop. 159 = *Gynura Pseudo-china*.  
*nudiusculus*, DC. *Prod.* vi. 384.—Afr. austr.  
*nutans*, Sch. Bip. in *Bonplandia*, iv. (1856) 55, nomen.—Peruv.  
*Nuttallii*, Sch. Bip. in *Flora*, xxviii. (1845) 499.—Am. bor.  
*oaxacanus*, *Hemsl. Biol. Centr. Am. Bot.* ii. 244.—Mexic.  
*obliquus*, Dulac, Fl. Hautes-Pyr. 507 = *S. Cacaliaster*.  
*oblongifolius*, Steud. Nom. ed. II. ii. 563.—Chili.  
*obovatus*, Muhl. ex Willd. Sp. Pl. iii. 1999 = *aureus*.  
*obscurus*, Fisch. ex Ledeb. Fl. Ross. ii. 638.—Sibir.  
*obscurus*, Turcz. in Bull. Soc. Nat. Mosc. xx. (1847) II. 20 = *nemorensis*.  
*obtusatus*, Banks, ex Pursh, Fl. Am. Sept. ii. 530 = *aureus*.  
*obtusatus*, Wall. Cat. n. 3133.—Reg. Himal.; Burma.  
*ochrocarpus*, Oliver & Hiern, in Oliver, Fl. Trop. Afr. iii. 416.—Afr. trop.  
*ochroleucus*, Hook. & Arn. in Hook. Journ. Bot. iii. (1841) 340 = *rhodaster fistulosus*.  
*octoglossus*, DC. *Prod.* vi. 354 = *nemorensis*.  
*octolepis*, Griseb. in Goett. Abh. xxiv. (1879) 204.—Reg. Argent.  
*octophyllus*, Sch. Bip. in *Linnaea*, xxxiv. (1865–66) 531, nomen.—Bolivia.

## SENECIO:—

- odontopterus, DC. *Prod.* vi. 406.—Afr. austr.  
*odoratus*, Hornem. Hort. Hafn. ii. 809.—Austral.  
*odorus*, Sch. Bip. in *Flora*, xxviii. (1845) 500.—Arab.  
*oederiaefolius*, DC. *Prod.* vi. 391.—Afr. austr.  
*Oerstedianus*, Benth. ex Oerst. in Kjoeb. Vidensk. Meddel. (1852) 109.—Costa Rica.  
*Oldhamianus*, Maxim. in Bull. Acad. Pétersb. xvi. (1871) 219.—China.  
*oleaeifolius*, Sch. Bip. ex Baker, in Mart. Fl. Bras. vi. III. 305 = *trixoides*.  
*oleosus*, Vell. Fl. Flum. viii. t. 104 = *Selloi*.  
*Olgae*, Regel & Schmalh. ex Regel, Pl. Nov. Fedesch. 45.—Turkestan.  
*oliganthus*, DC. *Prod.* vi. 390.—Afr. austr.  
*oliganthus*, Spreng. Syst. v. 636 (Index) = *S. Vulneraria*.  
*oligocephalus*, DC. *Prod.* vi. 373.—Austral.  
*oligolepis*, Boiss. Diagn. Ser. I. vi. 94.—Persia.  
*oligoleucus*, Baker, in Mart. Fl. Bras. vi. III. 311.—Reg. Argent.  
*oligophyllus*, Baker, l. c. 317.—Bras.  
*olympicus*, Boiss. Diagn. Ser. I. iv. 13.—As. Min.  
*oporinus*, Willd. Sp. Pl. iii. 2008 = *lanceus*.  
*opuntiaefolius*, DC. *Prod.* vi. 435 (sp. dub.).—Am. bor.  
*orbicularis*, Sond. in Harv. & Sond. Fl. Cap. iii. 376.—Afr. austr.  
*oreophyton*, Remy, in C. Gay, Fl. Chil. iv. 158.—Chili.  
*organensis*, Casar. Nov. Stirp. Bras. Dec. 77; Gardn. in Hook. Lond. Journ. Bot. iv. (1845) 127.—Bras.  
*orientalis*, Frivald. ex Griseb. Spicil. Fl. Rumel. ii. 221 = *macedonicus*.  
*orientalis*, Mill. Gard. Dict. ed. VIII. n. 10 = *coriaceus*.  
*orientalis*, Pachy, Voy. Marm. t. 97 = *macedonicus*?  
*orientalis*, Tenore, Fl. Nap. ii. 222 = *S. Doronicum*.  
*orientalis*, Willd. Sp. Pl. iii. 2006.—As. Min.; Persia.  
*orizabensis*, Sch. Bip. ex Hemsl. Biol. Centr. Am. Bot. ii. 244.—Mexic.  
*oronocensis*, DC. *Prod.* vi. 423.—Venezuel.  
*Othonnae*, Bieb. Fl. Taur. Cauc. ii. 308.—Serbia; Reg. Caucas.; Persia.  
*othonnaeflorus*, DC. *Prod.* vi. 386.—Afr. austr.  
*othonnaeoides*, A. Cunn. ex DC. l. c. v. 398 = *Minuria Cunninghamii*.  
*otiphyllus*, A. Cunn. ex DC. l. c. vi. 371 = *odoratus*.  
*Otites*, Kunze, ex DC. l. c. 417.—Chili.  
*otophorus*, Maxim. in Bull. Acad. Pétersb. xvi. (1871) 219.—Japon.  
*otophorus*, Wedd. *Chlor. And.* i. 98.—N. Granat.  
*otopterus*, Griseb. in Goett. Abh. xix. (1874) 192.—Reg. Argent.  
*ovalifolius*, Turcz. in Bull. Soc. Nat. Mosc. xxiv. (1851) i. 208.—Chili.  
*ovalis*, Sch. Bip. in Schweinf. Beitr. Fl. Aethiop. 159 = *Gynura auriculata*.  
*ovatifolius*, Boiss. Fl. Orient. iii. 406.—Armenia.  
*ovatifolius*, Sch. Bip. in *Flora*, xxviii. (1845) 498.—Mexic.  
*ovatus*, Willd. Sp. Pl. iii. 2004 = *Fuchsii*.  
*ovirensis*, DC. *Prod.* vi. 360 = *alpestris*.  
*oxyodontus*, DC. l. c. 392.—Afr. austr.  
*oxyphyllus*, DC. l. c. 419.—Bras.  
*oxyriaefolius*, DC. l. c. 405.—Afr. austr.  
*paarlensis*, DC. l. c. 383.—Afr. austr.  
*pachycarpus*, C. B. Clarke, ex Hook. f. Fl. Brit. Ind. iii. 349.—Reg. Himal.  
*pachyphyllus*, Remy, in C. Gay, Fl. Chil. iv. 147.—Chili.  
*pachyphyllus*, Cheesem. in Trans. N. Z. Inst. xvi. (1884) 410.—N. Zél.  
*Pallasii*, Sch. Bip. in *Flora*, xxviii. (1845) 498 = *Doronicum altaicum*.  
*pal lens*, Boj. ex DC. *Prod.* vi. 377 = *emirnensis*.  
*pal lens*, Wall. Cat. n. 3132 = *nudicaulis*.  
*pallidus*, Vell. Fl. Flum. viii. t. 105.—Bras.  
*pal matus*, Lapeyr. Suppl. Hist. Pl. Pyr. 134 = *leucophyllus*.  
*pal matus*, Less. Syn. Comp. 392 = *S. Syneilesis*.  
*pal matus*, Pall. Reise, iii. 321.—Sibir.; Ins. Sachalin.  
*pal mensis*, C. Sm. ex Link, in Buch, *Beschr. Canar. Ins.* 148.—Ins. Canar.  
*Palmeri*, A. Gray, in Proc. Am. Acad. xi. (1876) 80.—Calif.  
*paludicola*, Steud. Nom. ed. II. ii. 563.—Bras.  
*paludosus*, Linn. Sp. Pl. 870.—Europ.; As. bor.  
*palustris*, Hook. Fl. Bor. Am. i. 384.—Reg. bor. temp.  
*palustris*, Vell. Fl. Flum. viii. t. 110 = *paludicola*.

## SENECIO:—

- pamplonensis*, Sch. Bip. ex Wedd. *Chlor. And.* i. 94 = *ledifolius*.  
*panduratus*, DC. *Prod.* vi. 383 = *hastulatus*.  
*panduratus*, Less. Syn. Comp. 392 = *erosus*, Linn. f.  
*pandurifolius*, Harv. in Harv. & Sond. Fl. Cap. iii. 380.—Afr. austr.  
*pandurifolius*, C. Koch, in *Linnaea*, xvii. (1843) 48.—Mingrelia.  
*paniculatus*, Berg. Desc. Pl. Cap. 227.—Afr. austr.  
*paniculatus*, Drège, ex Harv. & Sond. Fl. Cap. iii. 400 = *debilis*, Harv.  
*papaverifolius*, A. Rich. Tent. Fl. Abyss. i. 437 = *picridifolius*.  
*papillaris*, Sch. Bip. in *Flora*, xxviii. (1845) 500.—Afr. austr.  
*papillosus*, F. Muell. in Hook. Kew Journ. ix. (1857) 301.—Tasman.  
*paposanus*, Phil. Fl. Atac. 32.—Chili.  
*papposus*, Less. in *Linnaea*, vi. (1831) 244 = *lugens*.  
*papyraceus*, DC. *Prod.* vi. 410.—Ins. Canar.  
*paradoxus*, Hoppe, ex Willd. Sp. Pl. iii. 1989 = *nebrodensis*.  
*Paralias*, Phil. in *Linnaea*, xxviii. (1856) 750.—Chili.  
*parasiticus*, Hemsl. Biol. Centr. Am. Bot. ii. 244.—Mexic.  
*Parkeri*, Baker, in Journ. Linn. Soc. xx. (1883) 191.—Madag.  
*Parnassi*, Boiss. & Heldr. in Boiss. Fl. Orient. iii. 412.—Graec.  
*Parryi*, A. Gray, in Torr. Bot. Mex. Bound. 103.—Am. bor. occ.  
*parviflorus*, All. Fl. Pedem. i. 200. t. 38. f. 8 = *incanus*.  
*parvilobus*, DC. *Prod.* vi. 396.—Afr. austr.  
*patagonicus*, Hook. & Arn. in Hook. Journ. Bot. iii. (1841) 344.—Patagon.  
*patagonicus*, Phil. in *Linnaea*, xxxiii. (1864–65) 159.—Patagon.  
*patens*, DC. *Prod.* vi. 423.—Ecuador.  
*patulus*, Burm. ex DC. l. c. 404 = *deltoides*.  
*paucidentatus*, DC. l. c. 414.—Chili.  
*pauciflorus*, Baker, in Journ. Bot. xx. (1882) 171.—Madag.  
*pauciflorus*, H. B. & K. Nov. Gen. et Sp. iv. 176. t. 365 = *S. Vulneraria*.  
*pauciflorus*, Pursh, Fl. Am. Sept. ii. 529 = *aureus*.  
*pauciflorus*, Thunb. ex Harv. & Sond. Fl. Cap. iii. 392 = *grandiflorus*.  
*paucifolius*, DC. *Prod.* vi. 403.—Afr. austr.  
*paucifolius*, S. G. Gmel. It. i. 171 = *S. Doria*.  
*paucijugus*, Baker, in Mart. Fl. Bras. vi. III. 323.—Bras.  
*pauciligulatus*, A. Rich. Sert. Astrolab. 121. t. 38 = *australis*.  
*paucilobus*, DC. *Prod.* vi. 352.—Persia.  
*paulensis*, Bong. in Bull. Sc. Acad. Pétersb. v. (1838) 98.—Bras.  
*pauperculus*, Michx. Fl. Bor. Am. ii. 120 = *aureus*.  
*Pearcei*, Phil. in *Linnaea*, xxxiii. (1864–65) 157.—Chili.  
*pectinatus*, DC. *Prod.* vi. 372.—Austral.  
*pectinatus*, D. Don, ex Baker, in Mart. Fl. Bras. vi. III. 323 = *pinnatus*.  
*pedicularifolius*, DC. ex Steud. Nom. ed. II. ii. 563 = *spiraefolius*.  
*pedicularifolius*, H. B. & K. Nov. Gen. et Sp. iv. 173.—Ecuador.  
*peduncularis*, Griseb. Spicil. Fl. Rumel. ii. 224 = *vernalis*.  
*peduncularis*, Edgew. in Trans. Linn. Soc. xx. (1846) 74.—Reg. Himal.  
*peduncularis*, Sch. Bip. in *Flora*, xxvii. (1844) 702 = *polymorphus*.  
*pedunculatus*, Trautv. in Act. Hort. Petrop. iii. II. (1875) 277.—Armen.  
*peguanus*, DC. *Prod.* vi. 365.—Burma.  
*pellitus*, A. Gray, in Proc. Am. Acad. v. (1861) 143.—Peruv.  
*pellucidinervis*, Sch. Bip. ex Baker, in Mart. Fl. Bras. vi. III. 319.—Bras.  
*pellucidus*, DC. *Prod.* vi. 380.—Afr. austr.  
*peltatus*, DC. l. c. 405 = *oxyriaefolius*.  
*peltiferus*, Hemsl. Biol. Centr. Am. Bot. ii. 245.—Mexic.  
*peltiformis*, DC. *Prod.* vi. 405 = *oxyriaefolius*.  
*pendulus*, Sch. Bip. in *Flora*, xxviii. (1845) 500.—Arab.

SENECIO:—

penicillatus, *Sch. Bip. in Flora*, xxviii. (1845) 499.—  
Ins. Borbon.  
penninervius, *DC. Prod.* vi. 395.—Afr. austr.  
pentaphyllus, *Phil. in Linnaea*, xxviii. (1856) 744.—  
Chili.  
Pentlandianus, *DC. Prod.* vi. 421.—Bolivia.  
perdicoides, *Hook. f. Fl. N. Zel.* i. 149.—N. Zel.  
peregrinus, *Griseb. in Goett. Abh.* xxiv. (1879) 205.—  
Reg. Argent.  
*Perralderianus*, Coss. in *Bull. Soc. Bot. Fr.* ix. (1862)  
173 = atlanticus.  
Perrottetianus, *Klatt, in Abh. Naturf. Ges. Halle*,  
xv. (1882) 329.—Ind. or.  
Perrottetii, *DC. Prod.* vi. 343.—Afr. trop.  
*persicaefolius*, Ram. in *Bull. Soc. Philom.* ii. (1799—  
1801) 146. t. 11. f. 3 = Tournefortii.  
*persicaefolius*, A. Rich. Sert. Astrolab. 123 = australis.  
*persicifolius*, Burm. ex DC. *Prod.* vi. 395 = lineatus.  
*persicifolius*, Linn. *Pl. Afr. Rar.* 20; *Amoen. Acad.*  
vi. 100.—Afr. austr.  
*persicus*, Boiss. *Diagn. Ser. I.* vi. 94.—Persia.  
*persicus*, Sch. Bip. in *Flora*, xxviii. (1845) 50 = taraxa-  
cifolius.  
*Persoonii*, De Not. *Repert. Fl. Ligust.* 229 = incanus.  
peruvianus, *Pers. Syn.* ii. 436.—Peruv.  
Petasitis, *DC. Prod.* vi. 431.—Am. austr.  
petiolaris, *DC. l. c.* 434.—Afr. austr.  
petiolaris, Less. ex Harv. & Sond. *Fl. Cap.* iii. 357 =  
Lessingii.  
Petitianus, A. Rich. *Tent. Fl. Abyss.* i. 442.—Afr.  
trop.  
petraeus, Boiss. & Reut. *Pugill. Pl. Nov.* 59.—  
Hispan.  
petraeus, *Klatt, in Abh. Naturf. Ges. Halle*, xv. (1882)  
330.—Am. bor. occ.  
*peucedanifolius*, Linn. f. *Suppl.* 372 = paniculatus.  
phagnaloides, *DC. Prod.* vi. 415.—Chili.  
phalacrocarpus, Hance, in *Journ. Bot.* xix. (1881)  
151.—China.  
phalacrolaenus, *DC. Prod.* vi. 393 = incisus.  
Philippicus, *Regel & Koern. Ind. Sem. Hort. Petrop.*  
(1857) 43.—Chili.  
Philippii, *Sch. Bip. ex Wedd. Chlor. And.* i. 134.—  
Chili.  
phylicaeifolius, *Poepp. ex DC. Prod.* vi. 415.—Chili.  
phyllomorphus, Steud. *Nom. ed. II.* ii. 564 = pilquensis.  
Pickeringii, A. Gray, in *Proc. Am. Acad.* v. (1861)  
142.—Peruv.  
picridifolius, *DC. Prod.* vi. 386.—Afr. austr.  
Picridis, S. Schau. in *Linnaea*, xix. (1847) 733.—  
Mexic.  
Pierotii, Miq. *Ann. Mus. Bot. Lugd. Bat.* ii. 182 =  
campestris.  
pilosiusculus, C. B. Clarke, *Comp. Ind.* 203 = saxa-  
tilis.  
pilquensis, Buek, *Ind. ad DC. Prod.* ii. p. vi.—Chili.  
pimpinellaefolius, H. B. & K. *Nov. Gen. et Sp.* iv.  
174.—Am. austr.  
pinceus, *Sch. Bip. in Flora*, xxvii. (1844) 702.—Afr.  
austr.  
pinetorum, *Hemsl. Biol. Centr. Am. Bot.* ii. 245.—  
Mexic.  
pinguiculus, Pomel, *Nouv. Mat. Fl. Atl.* 62 = crassi-  
folius.  
pinguifolius, *Sch. Bip. in Flora*, xxviii. (1845) 499.—  
Afr. austr.  
pinifolius, *Lam. Encyc.* iii. 263; *Spreng. Syst.* iii. 554.  
—Afr. austr.  
pinifolius, *Pers. Syn.* ii. 436 = Faujasia pinifolia.  
pinifolius, Willd. ex Wedd. *Chlor. And.* i. 101 =  
abietinus.  
pinnatifidus, C. B. Clarke, *Comp. Ind.* 198 = Hohen-  
ackeri, *Hook. f.*  
pinnatifidus, *DC. Prod.* vi. 397, excl. syn. = foeni-  
culoides.  
pinnatifidus, Less. *Syn. Comp.* 391.—Afr. austr.  
pinnatifidus, A. Rich. Sert. Astrolab. 117 = lautus.  
pinnatilobatus, *Sch. Bip. in Bonplandia*, iv. (1856)  
55, nomen.—Peruv.  
pinnatipartitus, *Sch. Bip. ex Oliver, Fl. Trop. Afr.* iii.  
412.—Abyss.  
pinnatisectus, *DC. Prod.* vi. 427.—Mexic.  
pinnatulus, Steud. *Nom. ed. II.* ii. 564 = Burchellii.  
pinnatulus, Steud. *l. c.* = pinnulatus.  
pinnatus, *Poir. Encyc. Suppl.* v. 131.—Bras.  
pinnatus, *Sch. Bip. in Flora*, xxviii. (1845) 499 =  
Othonnae.

SENECIO:—

pinnulatus, Sieber, ex Harv. & Sond. *Pl. Cap.* iii. 405  
= crassiusculus.  
pinnulatus, *Thunb. Prod. Pl. Cap.* 157.—Afr. austr.  
pisidicus, Boiss. *Diagn. Ser. II.* iii. 35 = Castagne-  
anus.  
Pissii, *Phil. in Linnaea*, xxxiii. (1864-65) 151.—Chili.  
Pithosillum, *DC. Prod.* vi. 375.—Ins. Mauriti.  
Placillae, *Steud. Nom. ed. II.* ii. 564.—Chili.  
plantagineus, Bert. ex Colla, in *Mem. Acc. Torin.*  
xxxviii. (1835) 32.—Chili.  
platanifolius, *Benth. Pl. Hartw.* 43.—Mexic.  
plattensis, Nutt. in *Trans. Am. Phil. Soc. N. S.* vii.  
(1841) 413 = aureus.  
platycodon, Baker, in *Mart. Fl. Bras.* vi. III. 307.—  
Reg. Argent.; Chili.  
platylepis, *DC. Prod.* vi. 371.—Austral.  
platyphyllus, *DC. l. c.* 352.—Reg. Caucas.  
plebeius, Banks & Soland. ex Hook. f. *Fl. N. Zel.*  
i. 142 = Erechites arguta.  
plebeius, *DC. Prod.* vi. 379 = laevigatus.  
plumbeus, *Griseb. in Mem. Am. Acad. N. S.* viii.  
(1862) 515.—Cuba.  
Poeppigii, *Hook. & Arn. in Hook. Journ. Bot.* iii.  
(1841) 342.—Chili.  
Pohlui, *Sch. Bip. ex Baker, in Mart. Fl. Bras.* vi. III.  
303.—Bras.  
polifolius, Linn. *Syst. ed. XIII.* 632 = populifolius.  
pollicaris, DC. ex Boj. *Hort. Mauriti.* 188 = Faujasia  
flexuosa.  
polyanthemoides, Sch. Bip. in *Flora*, xxvii. (1844) 697  
= pterophorus.  
polyanthemus, DC. *Prod.* vi. 391 = juniperinus.  
polycephalus, C. B. Clarke, *Comp. Ind.* 197.—Ind. or.  
polycephalus, Ledeb. *Fl. Ross.* ii. 630 = vernalis.  
polylepis, *Sch. Bip. in Linnaea*, xxxiv. (1865-66) 536,  
nomen.—Bolivia.  
polymerus, *Klatt, in Abh. Naturf. Ges. Halle*, xv.  
(1882) 332.—Venezuel.  
polymorphus, *Sch. Bip. in Flora*, xxvii. (1844) 702.—  
Afr. austr.  
polyodon, *DC. Prod.* iv. 386.—Afr. austr.  
polyphlebius, *Griseb. in Mem. Am. Acad. N. S.* viii.  
(1862) 515.—Cuba.  
polyphyllus, Kunze, ex DC. *Prod.* vi. 415.—Chili.  
polyphyllus, Sch. Bip. ex Wedd. *Chlor. And.* i. 119 =  
Schultzii, *Wedd.*  
polyrhizus, Baker, in *Journ. Linn. Soc.* xx. (1883)  
192.—Madag.  
populifolius, Burm. ex DC. *Prod.* vi. 389 = verbasci-  
folius.  
populifolius, DC. *l. c.* 409.—Ins. Canar.  
populifolius, Linn. *Sp. Pl. ed. II.* 1224 = halimi-  
folius.  
porophylloides, Remy, in C. Gay, *Fl. Chil.* iv. 154.  
—Chili.  
Portalesianus, Remy, *l. c.* 175.—Chili.  
portulacoides, Remy, *l. c.* 163.—Chili.  
potamogetonifolius, *Sch. Bip. ex Phil. f. Cat. Pl. Vasc.*  
*Chil.* 183, nomen.—Chili.  
potosianus, *Klatt, in Abh. Naturf. Ges. Halle*, xv.  
(1882) 331.—Bolivia.  
Pottsi, *Armstr. in Trans. N. Z. Inst.* iv. (1872) 290.—  
N. Zel.  
praealtus, Bertol. in *Opusc. Sc. Bologn.* iii. (1819) 183.  
t. 7.—Europ.  
praecox, DC. *Prod.* vi. 431.—Mexic.  
praeruptorum, *Sch. Bip. in Linnaea*, xxxiv. (1865-66)  
530.—Bolivia.  
pratensis, DC. *Prod.* vi. 360 = campestris.  
pratensis, *Phil. in Linnaea*, xxx. (1859-60) 194.—  
Chili.  
pratensis, Richt. in Klett & Richt. *Fl. Leipz.* 692 =  
aquaticus.  
pratensis, Schur, in *Verh. Siebenb. Ver. Naturw.* x.  
(1859) 61 = S. Jacobaea.  
prenanthiflorus, *Benth. & Hook. f. Gen.* ii. 448.—Ins.  
S. Helena.  
prenanthifolius, *Phil. in Linnaea*, xxxiii. (1864-65)  
159.—Chili.  
prenanthoides, A. Rich. Sert. Astrolab. 96 = Erechites  
prenanthoides.  
primulifolius, F. Muell. in *Hook. Kew Journ.* ix.  
(1857) 300.—Tasmania.  
prionites, MacOwan, in *Journ. Linn. Soc.* xviii. (1881)  
392.—Afr. austr.  
procerus, *Griseb. Spicil. Fl. Rumel.* ii. 219.—Serbia;  
Graec.

SENECIO:—

procerus, Salisb. *Prod.* 197 = sarracenicus.  
procumbens, H. B. & K. *Nov. Gen. et Sp.* iv. 17.—  
Mexic.  
proteus, Remy, in C. Gay, *Fl. Chil.* iv. 140.—Chili.  
prunifolius, *Wedd. Chlor. And.* i. 102.—N. Granat.  
Przewalskii, Maxim. in *Bull. Acad. Pétersb.* xxvi.  
(1880) 493.—Mongolia.  
psammophilus, *Griseb. in Goett. Abh.* xix. (1874) 189.  
—Reg. Argent.  
Pseudo-arnica, Less. in *Linnaea*, vi. (1831) 240.—Am.  
arct.; Sibir.  
Pseudo-china, Andr. Bot. Rep. t. 291 = speciosus.  
Pseudo-china, Linn. *Sp. Pl.* 867 = Gynura Pseudo-  
china.  
Pseudo-discoideus, *Sch. Bip. ex Phil. f. Cat. Pl. Vasc.*  
*Chil.* 183, nomen.—Chili.  
Pseudo-doronicum, Schur, *Enum. Pl. Transs.* 351 =  
S. Doronicum.  
Pseudo-elegans, Less. *Syn. Comp.* 391 = elegans.  
Pseudo-longifolius, Sch. Bip. in *Flora*, xxvii. (1844)  
699 = longifolius.  
Pseudo-sceptrum, Steud. *Nom. ed. II.* ii. 564 = spiraei-  
folius.  
Pseud-otites, *Griseb. in Goett. Abh.* xix. (1874) 191.—  
Reg. Argent.  
Pseudo-vernalis, Zabel, ex Nym. *Consp.* 357 = vernalis.  
psychrophilus, *Wedd. Chlor. And.* i. 112.—Boliv.  
ptarmicaefolius, Bory, *Voy.* iii. 110.—Ins. Borbon.  
pterocarpus, Steud. *Nom. ed. II.* ii. 564, sphalm. =  
pterophorus.  
pteroneurus, *Sch. Bip. in Flora*, xxviii. (1845) 499.—  
Marocc.  
pterophorus, DC. *Prod.* vi. 389.—Afr. austr.  
pteropogon, *Griseb. in Goett. Abh.* xxiv. (1879) 207.—  
Reg. Argent.  
puberulus, DC. *Prod.* vi. 380.—Afr. austr.  
pubigerus, Linn. *Pl. Afr. Rar.* 21; *Amoen. Acad.*  
vi. 101.—Afr. austr.  
pugioniformis, *Sch. Bip. in Flora*, xxviii. (1845) 500.  
—Hab.?  
pulchellus, DC. *Prod.* vi. 421.—N. Granat.  
pulchellus, H. B. & K. *Nov. Gen. et Sp.* iv. 187 =  
Gynoxys pulchella.  
pulcher, *Hook. & Arn. in Hook. Journ. Bot.* iii. (1841)  
337.—Bras.; Uruguay.  
pularioides, Baker, in *Mart. Fl. Bras.* vi. III. 312.—  
Bras.  
pullus, *Klatt, in Abh. Naturf. Ges. Halle*, xv. (1882)  
333.—Mexic.  
pumilus, Poir. *Encyc. Suppl.* v. 130 = Erechites  
arguta?  
punduahensis, Sch. Bip. in *Schweinf. Beitr. Fl. Aethiop.*  
159 = Gynura angulosa.  
pungens, DC. *Prod.* vi. 421.—Peruv.  
purpuratus, *Phil. in Linnaea*, xxviii. (1856) 741.—  
Chili.  
purpureo-viridis, Baker, in *Journ. Linn. Soc.* xxi.  
(1885) 419.—Madag.  
purpureus, Linn. *Syst. ed. X.* 1214.—Afr. austr.  
purpureus, Soyer-Willems. in Usteri, *Ann. Bot.* xviii.  
(1796) 51 = Gynura cernua.  
Purshianus, Nutt. in *Trans. Am. Phil. Soc. N. S.* vii.  
(1841) 412 = canus.  
pusillus, Guss. ex DC. *Prod.* vi. 341 = pygmaeus.  
pusillus, A. Rich. Sert. Astrolab. 99 = Erechites arguta.  
pyncanthus, *Phil. in Linnaea*, xxviii. (1856) 740.—  
Chili.  
pygmaeus, DC. *Prod.* vi. 341.—Sicil.  
pyramidatus, DC. *l. c.* 402.—Afr. austr.  
pyrenaicus, Gren. & Godr. *Fl. Fr.* ii. 124.—Mont.  
Pyren.  
pyrifolius, Mart. ex Baker, in *Mart. Fl. Bras.* vi. III.  
318 = ellipticus.  
pyroglossus, Kar. & Kir. in *Bull. Soc. Nat. Mosc.* xv.  
(1842) 386 = campestris.  
pyrophilus, Zoll. & Mor. in *Nat. en Geneesk. Arch.*  
*Neêrl. Indie*, ii. (1845) 266.—Java.  
pyrrhopappus, Sch. Bip. in *Flora*, xxviii. (1845) 50 =  
amplexicaulis, Wall.  
quadridentatus, Labill. *Nov. Holl. Pl.* ii. 48. t. 194 =  
Erechites quadridentata.  
Quartinianus, Aschers. in *Schweinf. Beitr. Fl. Aethiop.*  
157 = abyssinicus.  
quercifolius, Pourr. ex Steud. *Nom. ed. I.* 765 =  
aquaticus.  
quercifolius, Thunb. *Prod. Pl. Cap.* 158 = ilicifolius,  
Thunb.



**SENECIO:—**

- quillotensis, *Phil. in Linnaea*, xxix. (1857-58) 3.—Chili.  
 quinquangulatus, *Sch. Bip. in Flora*, xxviii. (1845) 500.—Afr. austr.  
*quinqueflorus*, DC. *Prod.* vi. 396 = bipinnatus.  
 quinqueligulatus, *Winkl. in Del. Sem. Hort. Petrop.* (1881) 15.—Turkestan.  
 quinquelobus, DC. *Prod.* vi. 404.—Afr. austr.  
 quinquelobus, *Hook. f. & Thoms. ex C. B. Clarke, Comp. Ind.* 209.—Reg. Himal.  
 quinquenervius, *Sond. ex Harv. & Sond. Fl. Cap.* iii. 391.—Afr. austr.  
 quinqueriadiatus, *Boiss. ex DC. Prod.* vii. 300.—Hispan.  
*Rabani*, C. B. Clarke, *Comp. Ind.* 202 = saxatilis.  
 racemosus, DC. *Prod.* vi. 358.—Rossia; Reg. Caucas.; As. bor.  
 racemosus, *Wall. Cat.* n. 3140 = S. Ligularia.  
 radicans, *Sch. Bip. in Flora*, xxviii. (1845) 499.—Afr. austr.  
 radiolatus, F. Muell. *Enum. Pl. Chath. Isl.* 24. t. 4 = lautus.  
 radulaefolius, *Sch. Bip. in Flora*, xxviii. (1845) 498.—Mexic.  
 ramentaceus, *Baker, in Mart. Fl. Bras.* vi. III. 305.—Bras.  
 ramosissimus, DC. *Prod.* vi. 371.—Austral.  
 ramosus, *Wall. Cat.* n. 3129.—Reg. Himal.  
 rancaguensis, *Remy, in C. Gay, Fl. Chil.* iv. 169.—Chili.  
 rancoensis, *Sch. Bip. ex Phil. f. Cat. Pl. Vasc. Chil.* 183, nomen.—Chili.  
 raphanifolius, *Wall. Cat.* n. 3125 = diversifolius, *Wall. rapifolius, Nutt. in Trans. Am. Phil. Soc. N. S.* vii. (1841) 409.—Am. bor.  
 rapistroides, DC. *Prod.* vi. 346 = vernalis.  
 rariflorus, C. Koch, in *Linnaea*, xvii. (1843) 47 = Othonnae.  
 reclinator, *Linn. f. Suppl.* 369 = paniculatus.  
 recurvatus, *H. B. & K. Nov. Gen. et Sp.* iv. 184.—Peruv.  
 Reedi, *Phil. in Anal. Univ.* (1870) II. 182.—Chili.  
 reflexus, *H. B. & K. Nov. Gen. et Sp.* iv. 182.—Ecuador.  
 regionmontanus, DC. *Prod.* vi. 429 = Douglasii.  
 regularis, *Sch. Bip. in Flora*, xxviii. (1844) 695 = littoreus.  
 Reinoldi, *Endl. ex Hook. f. Handb. N. Zeal. Fl.* 734 = rotundifolius.  
 Renardi, *Winkl. in Trautv. Regel, Maxim. & Winkl. Decas. Pl. Nov.* 6.—Turkestan.  
 renifolius, *Porter & Coulter, Fl. Colorado*, 83.—Colorado.  
 renifolius, *Sch. Bip. in Flora*, xxviii. (1845) 50.—Reg. Caucas.  
 reniformis, *Wall. Cat.* n. 3141 = Cremanthodium reniforme.  
 repandus, *Hook. f. ex C. Muell. in Walp. Ann.* v. 341 = Brachyglottis repanda.  
 repandus, *Thunb. ex Harv. & Sond. Fl. Cap.* iii. 357, partim = Lessingii.  
 repandus, *Thunb. Prod. Pl. Cap.* 158.—Afr. austr.  
 repens, *Baill. Hist. Pl.* viii. 308 = succulentus, *Sch. Bip.*  
 repens, DC. *Prod.* vi. 423.—Ecuador.  
 repens, *Dulac, Fl. Hautes-Pyr.* 507 = erucifolius.  
 repens, *Stokes, Bot. Mat. Med.* iv. 212 = saracenicus.  
 reptans, *Turcz. in Bull. Soc. Nat. Mosc.* xxiv. (1851) i. 207.—Afr. austr.  
 resectus, *Boj. ex DC. Prod.* vi. 378.—Madag.  
 resedifolius, *Less. in Linnaea*, vi. (1831) 243.—Reg. arct.  
 reticulatus, C. B. Clarke, *Comp. Ind.* 199 = Grahami.  
 reticulatus, DC. *Prod.* vi. 431.—Mexic.  
 retortus, *Benth. in Hook. Ic. Pl.* t. 1114.—Afr. austr.  
 retrorsus, DC. *Prod.* vi. 387 = barbellatus.  
 retusus, *Wall. Cat.* n. 3142.—Reg. Himal.  
 rhizocephalus, A. Gray, *ex Wedd. Chlor. And.* i. 129.—Peruv.  
 rhizocephalus, *Turcz. in Bull. Soc. Nat. Mosc.* xxiv. (1851) i. 210.—Ecuador; N. Granat.  
 rhodaster, *Baker, in Mart. Fl. Bras.* vi. III. 216.—Bras.  
 rhombifolius, *Bolle, in Bonplandia*, vii. (1859) 296.—Ins. Canar.  
 rhombifolius, *Sch. Bip. in Flora*, xxviii. (1845) 499 = platyphyllus.

**SENECIO:—**

- rhomboideus, *Harv. in Harv. & Sond. Fl. Cap.* iii. 377.—Afr. austr.  
 rhyncholeus, DC. *Prod.* vi. 397.—Afr. austr.  
 Richardianus, DC. i. c. 374 = australis.  
 Richii, A. Gray, in *Proc. Am. Acad.* v. (1861) 142.—Peruv.  
 Riddellii, *Torr. & Gray, Fl. N. Am.* ii. 444 = Douglasii.  
 rigens, *Linn. Sp. Pl.* ed. II. 1224 = Othonna parviflora.  
 rigescens, *Jacq. Coll.* v. 150. t. 6. f. 1 = rosmarinifolius.  
 rigidus, *Linn. Sp. Pl.* 872.—Afr. austr.  
 ringens, *Steud. Nom. ed. II.* ii. 564 = Othonna parviflora.  
 riparius, DC. *Prod.* vi. 377.—Madag.  
 riparius, *Salisb. Prod.* 197 = S. Doria.  
 riparius, *Wallr. Sched. Crit.* 482 = paludosus.  
 rivularis, DC. *Prod.* vi. 359 = crispatus.  
 rivularis, *Remy, in C. Gay, Fl. Chil.* iv. 191.—Chili.  
 robertiaefolius, DC. *Prod.* vi. 384.—Afr. austr.  
 Roborowskii, *Maxim. in Bull. Acad. Pétersb.* xxvii. (1881) 487.—China.  
 robustus, *J. Buch. in Trans. N. Z. Inst.* vi. (1874) 243.—N. Zel.  
 robustus, *Sch. Bip. in Flora*, xxviii. (1845) 50.—Sibir.  
 Rochelianus, *Fuss, Fl. Transs.* 353 = S. Doronicum.  
 Rodriguezii, *Willk. ex Rodrig. in Anal. Soc. Esp. Hist. Nat.* iii. (1874) 36.—Ins. Balear.  
 Roldana, DC. *Prod.* vi. 431.—Mexic.  
 rosellatus, *Boj. ex DC. l. c.* 377.—Madag.  
 roseus, *Sch. Bip. in Flora*, xxviii. (1845) 498.—Mexic.  
 rosmarinifolius, *Linn. f. Suppl.* 369.—Afr. austr.  
 rostellatus, *Steud. Nom. ed. II.* ii. 564, sphalm. = rosellatus.  
 rotundifolius, *Hook. f. Fl. N. Zel.* i. 149.—N. Zel.  
 rotundifolius, *Lapeyr. Hist. Abr. Pl. Pyr.* 517 = S. Doronicum.  
 rotundifolius, *Stokes, Bot. Mat. Med.* iv. 215 = aureus.  
 Royleanus, DC. *Prod.* vi. 366 = graciliflorus.  
 rubens, *Jacq. Hort. Vindob.* iii. 50 = Gynura cernua.  
 rubescens, S. Moore, in *Journ. Bot.* xiii. (1875) 228.—China.  
 rudbeckiaefolius, *Meyen & Walp. in Nov. Act. Nat. Cur.* xix. *Suppl.* i. (1843) 283.—Peruv.  
 ruderalis, *Harv. in Harv. & Sond. Fl. Cap.* iii. 355 = pellucidus.  
 rudis, *Turcz. in Bull. Soc. Nat. Mosc.* xxiv. (1851) II. 88 = leontodontis.  
 Rueppellii, *Sch. Bip. in Schweinf. Beitr. Fl. Aethiop.* 157 = coronopifolius.  
 rufescens, DC. *Prod.* vi. 413.—Chili.  
 rufinervis, DC. i. c. 369.—Reg. Himal.  
 Rugelia, A. Gray, in *Proc. Am. Acad.* xix. (1883) 54.—Am. bor.  
 rumicifolius, *MacOwan & Bolus, in Journ. Linn. Soc.* xviii. (1881) 392 = trullaefolius.  
 runcinatus, *Less. in Linnaea*, vi. (1831) 410 = Erechites runcinata.  
 rupestris, *Waldst. & Kit. Pl. Rar. Hung.* ii. 136 = nebrodensis.  
 rupicola, A. Rich. *Sert. Astrolab.* 119 = lautus.  
 Rusbyi, *Greene, in Bull. Torrey Bot. Club*, ix. (1882) 64.—N. Mexic.  
 rutaceus, *Phil. in Linnaea*, xxviii. (1856) 751.—Chili.  
 ruthenensis, *Maz. & Timb. Note Nouv. Senecio*, 3 = S. Doronicum.  
 sabulosus, DC. *Prod.* vi. 422.—Ecuador.  
 Sadleri, *Láng, ex Reichb. Fl. Germ. Excurs.* 245 = paludosus.  
 Sagitta, *Maxim. in Bull. Acad. Pétersb.* xxvii. (1881) 483.—China.  
 sagittarius, *Sch. Bip. in Schweinf. Beitr. Fl. Aethiop.* 159 = Gynura Sagittaria.  
 sagittatus, *Sch. Bip. in Flora*, xxviii. (1845) 498.—Ross.; As. or.  
 sagittifolius, *Baker, in Mart. Fl. Bras.* vi. III. 315.—Reg. Argent.  
 salicetorum, *Godr. Fl. Lorr. ed. I.* ii. 11 = saracenicus.  
 salicifolius, *Pers. Syn.* ii. 436.—Ins. Borbon.  
 salicifolius, *Wallr. Sched. Crit.* 478 = Fuchsii.  
 salignus, DC. *Prod.* vi. 430.—Mexic.  
 salsus, *Griseb. in Goett. Abh.* xix. (1874) 190.—Reg. Argent.

**SENECIO:—**

- saltensis, *Hook. & Arn. in Hook. Journ. Bot.* iii. (1841) 338.—Reg. Argent.  
 salviifolius, *Sch. Bip. in Schweinf. Beitr. Fl. Aethiop.* 160, nomen.—Afr. trop.  
 Sandersoni, *Harv. in Harv. & Sond. Fl. Cap.* iii. 365.—Afr. austr.  
 sandwicensis, *Less. in Linnaea*, vi. (1831) 526.—Ins. Oahu.  
 Sanguisorbae, DC. *Prod.* vi. 427.—Mexic.  
 saracenicus, *Auct. ex Nym. Consp.* 353 = nemorensis.  
 saracenicus, *Koch, Syn. Fl. Germ. ed. I.* 390 = saracenicus.  
 sarcobasis, *Boj. ex DC. Prod.* vi. 300 = Gynura sarcobasis.  
 sarcophyllus, *Phil. in Linnaea*, xxviii. (1856) 740.—Chili.  
 sarcophyllus, *Steud. Nom. ed. II.* ii. 565.—Chili.  
 sarmentosus, *Sch. Bip. in Schweinf. Beitr. Fl. Aethiop.* 159 = Gynura sarmentosa.  
 saracenicus, C. C. Gmel. *Fl. Bad.* iii. 443 = Fuchsii.  
 saracenicus, *Linn. Sp. Pl.* 871.—Europ.; Sibir.  
 Sartorii, *Sch. Bip. ex Hemsl. Biol. Centr. Am. Bot.* ii. 247.—Mexic.  
 Savatieri, *Franch. Pl. Davidian.* i. (1884) 175 = Oldhamianus.  
 saxatilis, *Wall. Cat.* n. 3131.—Ind. or.  
 saxicolus, *Wedd. Chlor. And.* i. 131.—Peruv.  
 saxifragoides, *Hook. f. Fl. N. Zel.* i. 144.—N. Zel.  
 scaber, *Willd. Sp. Pl.* iii. 1977 = rigidus.  
 scabriusculus, DC. *Prod.* vi. 396 = pinnulatus.  
 scabrosus, *Banks & Soland. ex Hook. f. Fl. N. Zel.* i. 147 = Banksii.  
 scandens, *Buch.-Ham. ex D. Don, Prod. Fl. Nep.* 178.—Reg. Himal.  
 scandens, DC. *Prod.* vi. 404 = mikanioides.  
 scandens, *Juss. ex DC. l. c.* 826 = Gynoxys cordifolia.  
 scandens, *Wall. Cat.* n. 3120 = S. Buimalia.  
 scanorensis, *Linn. ex Steud. Nom. ed. I.* 765 = erucifolius.  
 scapiger, *Sieber, in Spreng. Syst.* iii. 559 = Brachycome scapigera.  
 scaposus, DC. *Prod.* vi. 403.—Afr. austr.  
 Scheuchzeri, *Gaud. Fl. Helv.* v. 294 = gallicus.  
 Schimperii, *Sch. Bip. ex Hochst. in Flora*, xxiv. (1841) i. *Intell.* 27, nomen; et ex A. Rich. *Tent. Fl. Abyss.* i. 435.—Abyss.  
 Schkuhrii, DC. *Prod.* vi. 359 = crispatus.  
 Schlechtendahl, *Mart. ex Baker, in Mart. Fl. Bras.* vi. III. 322 = brasiliensis.  
 Schmidtii, *Franch. & Sav. Enum. Pl. Jap.* i. 246.—Japon.  
 Schultesii, *Hochst. ex Field. & Gardn. Sert. Pl.* t. 59, sphalm. = seq.  
 Schultzii, *Hochst. ex A. Rich. Tent. Fl. Abyss.* i. 444.—Abyss.  
 Schultzii, *Wedd. Chlor. And.* i. 119.—Chili.  
 Schumannianus, S. Schau. in *Linnaea*, xx. (1847) 698.—Mexic.  
 Schweinitzianus, *Nutt. in Trans. Am. Phil. Soc. N. S.* vii. (1841) 413 = lobatus.  
 sciadophilus, *Raoul, in Ann. Sc. Nat. Sér.* III. ii. (1844) 119.—N. Zel.  
 sclerophyllus, *Hemsl. Biol. Centr. Am. Bot.* ii. 247.—Mexic.  
 scoparius, *Harv. in Harv. & Sond. Fl. Cap.* iii. 389.—Afr. austr.  
 Scopolii, *Hoppe & Hornsch. ex Bluff & Fingerh. Comp. Fl. Germ. ed. I.* ii. 380 = lanatus, *Scop.*  
 scopulorum, *Poepp. & Endl. Nov. Gen. et Sp. Pl.* iii. 58.—Chili.  
 scorpioides, *Sch. Bip. in Flora*, xxviii. (1845) 498 = Doronicum scorpioides.  
 scorzoneraefolius, *Meyen & Walp. in Nov. Act. Nat. Cur.* xix. *Suppl.* i. (1843) 282.—Peruv.  
 scorzoneroides, *Hook. f. Fl. N. Zel.* i. 146 = Lyallii.  
 Scotti, *Balf. f. in Proc. Roy. Soc. Edinb.* xi. (1882) 841.—Ins. Socotra.  
 Scrobicaria, DC. *Prod.* vi. 422 = Gynoxys ilicifolia.  
 scrobicarioides, DC. i. c. 430.—Mexic.  
 scytophyllus, *H. B. & K. Nov. Gen. et Sp.* iv. 181.—Ecuador.  
 sechellensis, *Baker, Fl. Mauriti.* 178.—Ins. Seychelles.  
 sectilis, *Griseb. in Goett. Abh.* xix. (1874) 190.—Reg. Argent.  
 Seemannii, *Sch. Bip. in Seem. Bot. Voy. Herald*, 311 = Hartwegi.

SENECIO :—

Segethi, *Phil. in Linnaea*, xxxiii. (1864-65) 156.—Chili.  
segmentatus, *Oliver, in Hook. Ic. Pl. t. 1483*.—Afr. austr.  
Selloi, *DC. Prod. vi. 419*.—Bras.  
semitentatus, *Klatt, in Abh. Naturf. Ges. Halle*, xv. (1882) 331.—N. Granat.  
seminudus, *Bory, in Ann. Gén. Sc. Phys. i. (1819) 303*. t. 12 = *Erechtites praealta*.  
semperflorens, *Stokes, Bot. Mat. Med. iv. 210* = *vulgaris*.  
sempervivus, *Sch. Bip. in Flora*, xxviii. (1845) 500.—Arab.  
sepium, *Sch. Bip. in Linnaea*, xxxiv. (1865-66) 531, nomen.—Bolivia.  
serenensis, *Remy, in C. Gay, Fl. Chil. iv. 171*.—Chili.  
Serra, *Hook. Fl. Bor. Am. i. 333*.—Am. bor. occ.  
Serra, *Sond. in Linnaea*, xxiii. (1850) 68.—Natal.  
serrulaefolius, *Weinm. in Syll. Ratisb. ii. (1828) 176* = *glastifolius*, *Linn. f.*  
serruloides, *DC. Prod. vi. 395*.—Afr. austr.  
serratus, *MacOwan & Bolus, in Journ. Linn. Soc. xviii. (1881) 392* = *incomptus*.  
serratus, *Sond. ex Harv. & Sond. Fl. Cap. iii. 366* = *Leontodontis*.  
serrulatus, *DC. Prod. vi. 401*.—Afr. austr.  
serruloides, *Turcz. in Bull. Soc. Nat. Mosc. xxiv. (1851) ii. 89*.—Afr. austr.  
sessilifolius, *Hemsl. Biol. Centr. Am. Bot. ii. 247*.—Mexic.  
sessilifolius, *Sch. Bip. in Flora*, xxviii. (1845) 50 = *Werneria nana*.  
sessilis, *Thunb. Prod. Pl. Cap. 158* = *halimifolius*.  
sessilis, *Vell. Fl. Flum. viii. t. 106* = *adamantinus*.  
setulosus, *Klatt, in Abh. Naturf. Ges. Halle*, xv. (1882) 330.—N. Granat.  
sibiricus, *C. B. Clarke, Comp. Ind. 206* = *S. Ligularia sibiricus*, *Linn. f. Suppl. 370*.—Sibir. altaic.  
siculus, *Jan, ex DC. Prod. vi. 351* = *erucifolius*.  
Sieberianus, *DC. Prod. vi. 373*.—Austral.  
Sieboldii, *Sch. Bip. in Flora*, xxviii. (1845) 50 = *Kaempferi*.  
Siegfriedi, *x, Bruegg. in Jahresh. Naturf. Ges. Graub. II. xxiii-xxiv. (1880) 106*.—Europ.  
Simonsii, *C. B. Clarke, Comp. Ind. 188*.—Reg. Himal.  
simplicissimus, *Boj. ex DC. Prod. vi. 377*.—Madag.  
sinuatus, *Peterm. in Flora*, xxvii. (1844) 474 = *aquaticus*.  
sinuatilobus, *DC. Prod. vi. 417*.—Chili.  
sinuatus, *Gilib. Hist. Pl. Europ. ii. 245* = *vernalis*.  
sinuatus, *H. B. & K. Nov. Gen. et Sp. iv. 180*.—Mexic.  
sisymbriifolius, *DC. Prod. vi. 382*.—Afr. austr.  
sisymbriiformis, *DC. l. c. 366* = *chrysanthemoides*.  
Skinneri, *Hemsl. Biol. Centr. Am. Bot. ii. 247*.—Guatemala.  
skirrhodon, *DC. Prod. vi. 401*.—Afr. austr.  
Smithii, *DC. l. c. 412*.—Reg. Magellan.  
sneeuwbergensis, *Bolus, in Hook. Ic. Pl. t. 1067*.—Afr. austr.  
socialis, *Wedd. Chlor. And. i. 109*.—Peruv.  
solanoides, *Sch. Bip. in Flora*, xxvii. (1844) 702 = *incertus*.  
solanoides, *Sch. Bip. in Schweinf. Beitr. Fl. Aethiop. 159*.—Abyss.  
Soldanella, *A. Gray, in Proc. Acad. Sc. Philad. 1863* (1864) 67.—Am. bor. occ.  
solidagineus, *Spreng. Syst. iii. 552* = *seq.*  
solidaginoides, *Berg. Desc. Pl. Cap. 284* = *halimifolius*.  
sonchifolius, *Moench, Meth. Suppl. 231* = *Emilia sonchifolia*.  
sonchoides, *H. B. & K. Nov. Gen. et Sp. iv. 178*.—Peruv.  
sonchoides, *Vukot. in Rad Jugos. Akad. Zagreb. lviii. (1881) 145* = *Vukotinovic*.  
Sonneratii, *Steud. Nom. ed. II. ii. 565*.—Afr. austr.  
soongaricus, *Schrenk, Enum. Pl. Nov. 62*.—Soongar.  
sophioides, *DC. Prod. vi. 382*.—Afr. austr.  
Soratae, *Sch. Bip. in Linnaea*, xxxiv. (1865-66) 531, nomen.—Bolivia.  
sparsiflorus, *Steud. Nom. ed. II. ii. 565*, *sphalm.* = *seq.*  
sparsifolius, *Boj. ex DC. Prod. vi. 378*.—Madag.  
spartioides, *Torr. & Gray, Fl. N. Am. ii. 438* = *Douglasii*.  
spathulaefolius, *DC. Prod. vi. 362*.—Europ.  
spathulaefolius, *Turcz. in Bull. Soc. Nat. Mosc. (1837) n. vii. 154* = *campestris*.  
spathulatus, *A. Rich. Sert. Astrolab. 125*.—Austral.

VOL. II.

SENECIO :—

spatulifolius, *Kellogg, in Proc. Calif. Acad. i. ed. II. (1873) 56* = *fastigiatus*.  
speciosus, *Willd. Sp. Pl. iii. 1991*.—Afr. austr.  
spectabilis, *Wall. Cat. n. 3127* = *chrysanthemoides*.  
spicatus, *Sweet, Hort. Brit. ed. II. 304*, nomen.—Hab. ?  
spinescens, *Sch. Bip. in Flora*, xxviii. (1845) 499.—Afr. austr.  
spinosus, *DC. Prod. vi. 420*.—Peruv.  
spiraeifolius, *Thunb. Prod. Pl. Cap. 159*.—Afr. austr.  
squalidus, *Bieb. Fl. Taur. Cauc. ii. 306* = *vernalis*.  
squalidus, *Linn. Sp. Pl. 869*.—Europ.  
squalidus, *Urv. in Mém. Soc. Linn. Par. i. (1822) 366* = *coronopifolius*.  
squalidus, *Willd. Sp. Pl. iii. 1991* = *gallicus*.  
squamosus, *DC. Prod. vi. 376*.—Ins. Borbon.  
squamosus, *Thunb. Prod. Pl. Cap. 158* = *pubigerus*.  
squarrosus, *A. Rich. Sert. Astrolab. 107* = *Erechtites hispida*.  
Stauntonii, *DC. Prod. vi. 363*.—China.  
Steetzii, *Bolle, in Bonplandia*, vii. (1859) 296.—Ins. Canar.  
Stenactis, *Sch. Bip. in Flora*, xxviii. (1845) 50 = *amplexicaulis*, *Wall.*  
stenocephalus, *Boiss. Fl. Orient. iii. 408*.—Reg. Caucas.  
stenocephalus, *Maxim. in Bull. Acad. Pétersb. xvi. (1871) 218*.—China ; Japon.  
stenophyllus, *Bert. ex DC. Prod. vi. 448* = *Robinsonia gracilis*.  
stenophyllus, *Phil. in Linnaea*, xxviii. (1856) 743.—Chili.  
stenopteris, *Griseb. in Goett. Abh. xix. (1874) 193*.—Reg. Argent.  
Stenbergianus, *DC. Prod. vi. 425*.—Peruv.  
Steudelii, *Sch. Bip. ex A. Rich. Tent. Fl. Abyss. i. 440*.—Abyss.  
steudelioides, *Sch. Bip. in Schweinf. Beitr. Fl. Aethiop. 157*.—Afr. bor.  
Stewartiae, *Armstr. in Trans. N. Z. Inst. xiii. (1881) 389*.—N. Zel.  
stigophlebius, *Baker, in Mart. Fl. Bras. vi. III. 321*.—Bras.  
stipulatus, *Vell. Fl. Flum. viii. t. 113* = *fluminensis*.  
stipulatus, *Wall. Cat. n. 3122* = *scandens*.  
stipulatus, *Wall. Cat. n. 3126* = *chrysanthemoides*.  
stoechadiformis, *DC. Prod. vi. 429* = *Douglasii*.  
striatifolius, *DC. l. c. 387*.—Afr. austr.  
striatus, *Thunb. Prod. Pl. Cap. 157* = *Osteospermum Bidens*.  
strictus, *Banks, ex Pursh, Fl. Am. Sept. ii. 529* = *gracilis*.  
strictus, *DC. Prod. vi. 343* = *Perrottetii*.  
suaveolens, *Ell. Sketch, ii. 328*.—Am. bor.  
suaveolens, *Gilib. Hist. Pl. Europ. ii. 245* = *erucifolius*.  
subalpinus, *Koch, in Flora*, xvii. (1834) 614.—Europ. austr.  
subarachnoides, *Sch. Bip. ex Wedd. Chlor. And. i. 127*.—N. Granat.  
subaraneosus, *Sch. Bip. in Flora*, xxviii. (1845) 499.—Java.  
subcandidus, *A. Gray, in Proc. Am. Acad. v. (1861) 141*.—Peruv.  
subcordatus, *Boj. ex DC. Prod. vi. 330* = *Faujasia flexuosa*.  
subcorymbosus, *Rupr. ex Boiss. Fl. Orient. iii. 405* = *amphibolus*, *C. Koch.*  
subdecurrens, *Sch. Bip. in Bonplandia*, iv. (1856) 55, nomen.—Peruv.  
subdentatus, *Ledeb. Fl. Alt. iv. 110* = *coronopifolius*.  
subdentatus, *Phil. in Linnaea*, xxviii. (1856) 748.—Chili.  
subensiformis, *DC. l. c. 363* = *campestris*.  
sublobatus, *DC. Prod. vi. 310* = *S. Roldana*.  
subnebrodensis, *Simk. in Termész. Füzetek, v. (1881) 51*.—Europ.  
subnudus, *DC. Prod. vi. 405* = *oxyriaefolius*.  
subnudus, *DC. l. c. 428* = *aureus*.  
subpeltatus, *Sch. Bip. in Seem. Bot. Voy. Herald, 311*.—Mexic.  
subpeltatus, *Steud. Nom. ed. II. ii. 565* = *oxyriaefolius*.  
subradiatus, *Sch. Bip. in Flora*, xxviii. (1845) 500.—Afr. austr.  
subscandens, *Hochst. ex A. Rich. Tent. Fl. Abyss. i. 434*.—Abyss.  
subsessilis, *Oliver & Hiern, in Oliver, Fl. Trop. Afr. iii. 415*.—Afr. trop.

SENECIO :—

subsinuatus, *DC. Prod. vi. 401*.—Afr. austr.  
subulatus, *[D.] Don, ex Hook. & Arn. in Hook. Journ. Bot. iii. (1841) 330*.—Chili ; Patagon.  
subumbellatus, *Phil. in Anal. Univ. Chil. (1861) 64* = *thermarum*.  
subverticillatus, *DC. Prod. vi. 430* = *Andrieuxii*.  
succulentus, *DC. l. c. 402*.—Afr. austr.  
succulentus, *Forsk. Fl. Aegypt. Arab. 149* = *Inula crithmoides*.  
succulentus, *Sch. Bip. in Flora*, xxviii. (1845) 499.—Afr. austr.  
sudeticus, *DC. Prod. vi. 359* = *crispatus*.  
sulcatus, *DC. l. c. 384* = *crispus*, *Thunb.*  
sumatranus, *Martelli, in Nouv. Giorn. Bot. Ital. xv. (1883) 301*.—Sumatr.  
surculosus, *MacOwan, in Journ. Linn. Soc. x. (1869) 480*.—Afr. austr.  
Swartzianus, *Buek, Ind. ad DC. Prod. ii. p. vi.*—Jamaic.  
Swartzii, *DC. Prod. vi. 411*.—Jamaic.  
Sweetii, *Heynh. Nom. ii. 656* = *Cineraria pulchella*.  
sylvium, *Sch. Bip. in Linnaea*, xxxiv. (1865-66) 531, nomen = *Bolivia*.  
sylvaticus, *Gueldenst. Reisen, ii. 56*; *ex Ledeb. Fl. Ross. ii. 630* = *vernalis*.  
sylvaticus, *Linn. Sp. Pl. 868*.—Europ. ; As. bor.  
sylvaticus, *Nestl. ex DC. Prod. vi. 353* = *Fuchsii*.  
sylvestris, *Grindel. Bot. Taschenb. 254* = *sylvaticus*.  
Synilesis, *Franch. & Sav. Enum. Pl. Jap. i. 249*.—Japon.  
syrmensis, *Kit. ex Nym. Consp. 357* = *vernalis*.  
Tabacon, *Turcz. in Bull. Soc. Nat. Mosc. xxiv. (1851) ii. 91*.—Venez. ; Ecuador.  
tabidus, *Banks & Soland. ex Hook. f. Fl. N. Zel. i. 141* = *Erechtites prenanthoides*.  
tabularis, *Hemsl. Biol. Centr. Am. Bot. ii. 248*.—Mexic.  
tabularis, *Sch. Bip. in Flora*, xxviii. (1845) 500 = *Alciope tabularis*.  
talinoides, *Sch. Bip. l. c. 499*.—Afr. austr.  
tamoides, *DC. Prod. vi. 403*.—Afr. austr.  
tampicanus, *DC. l. c. 427*.—Mexic.  
tampicanus, *A. Gray, Pl. Wright. ii. 89* = *multilobatus*.  
tanacetoides, *Kunth & Bouché, Ind. Sem. Hort. Berol. (1845) 12* = *graciliflorus*.  
tanacetoides, *Sond. ex Harv. & Sond. Fl. Cap. iii. 394*.—Afr. austr.  
tanguticus, *Maxim. in Bull. Acad. Pétersb. xxvii. (1881) 486*.—China.  
taraxacifolius, *DC. Prod. vi. 348*.—Reg. Caucas. ; Persia.  
tasconensis, *Martr. in Soc. Sc. Tarn-et-Garonne (1853) ; (Pl. Crit. Tarn.) 27* = *erucifolius*.  
Tasna, *Welw. ex Willk. & Lange, Prod. Fl. Hisp. ii. 120* = *foliosus*.  
tataricus, *Less. in Linnaea*, ix. (1834) 192 = *auratus*.  
taxifolius, *Poir. Encyc. Suppl. v. 133* = *S. Ambavilla*.  
taygeteus, *Boiss. & Heldr. Diagn. Ser. I. vi. 95*.—Graec.  
Tchihatchewi, *Boiss. in Tchihat. Asie Min. Bot. ii. 293* = *mollis*.  
Teddliei, *Oliver & Hiern, in Oliver, Fl. Trop. Afr. iii. 420*.—Afr. trop.  
telephifolius, *Jacq. Fragm. i. 1. t. 1. f. 3* = *maritimus*.  
tenellus, *DC. Prod. vi. 379*.—Afr. austr.  
Teneriffae, *Sch. Bip. ex Bolle, in Bonplandia*, viii. (1860) 133 = *vulgaris*.  
tenuicaulis, *Sch. Bip. in Linnaea*, xxxiv. (1865-66) 531, nomen.—Bolivia.  
tenuiculus, *Steud. Nom. ed. II. ii. 565*.—Chili.  
tenuiflorus, *Sieber, ex DC. Prod. vi. 296* = *Erechtites quadridentata*.  
tenuifolius, *Burm. f. Fl. Ind. 181*.—Ind. or. ; Java.  
tenuifolius, *DC. Prod. vi. 398* = *adonidifolius*.  
tenuifolius, *Jacq. Fl. Austr. iii. 42* = *erucifolius*.  
tenuilobus, *DC. Prod. vi. 398* = *umbellatus*.  
tenuiscapus, *Boj. ex DC. l. c. 378*.—Madag.  
tephrosioides, *Turcz. in Bull. Soc. Nat. Mosc. xxiv. (1851) ii. 92*.—Ecuador.  
teretifolius, *DC. Prod. vi. 420*.—Ecuador.  
tetrandrus, *Buch.-Ham. ex Wall. Cat. n. 3129*.—Reg. Himal.  
tetranthus, *DC. Prod. vi. 370*.—Reg. Himal.  
thapsoides, *DC. l. c. vii. 301*.—Graec.  
theaeifolius, *Benth. Pl. Hartw. 210*.—N. Granat.  
thermarum, *Phil. in Linnaea*, xxxiii. (1864-65) 153.—Chili.

5 U

## SENECIO:—

- thianschanicus, *Regel & Schmalh. in Act. Hort. Petrop.* vi. (1879) 311.—As. centr.  
 thinophilus, *Phil. in Anal. Univ. Chil.* (1873) 500.—Chili.  
 Thomasii, *Klatt, in Abh. Naturf. Ges. Halle*, xv. (1882) 332.—Mexic.  
 Thomsoni, *C. B. Clarke, Comp. Ind.* 205.—Reg. Himal.  
 Thunbergianus, *Schrad. Blumenbachia*, 41. t. 4. f. 2.—Afr. austr.  
 Thunbergii, *Harv. in Harv. & Sond. Fl. Cap.* iii. 379.—Afr. austr.  
 Thurberi, *A. Gray, in Proc. Acad. Sc. Philad.* 1863 (1864) 68.—N. Mexic.  
 thurifer, *Bert. ex DC. Prod.* vi. 448 = *Robinsonia thurifera*.  
 thyrsoides, *DC. l. c.* 406.—Afr. austr.  
 thyrsoides, *G. Don, in Sweet, Hort. Brit. ed. III.* 386 = *Fischerianus*.  
 thyrsophorus, *C. Koch, in Linnaea*, xxiv. (1851) 362 = *racemosus*.  
 tibeticus, *Hook. f. Fl. Brit. Ind.* iii. 340.—Tibet. occ.  
 tillandsiaefolius, *Poepp. ex DC. Prod.* vi. 415 = *argenteus*.  
 tmoleus, *Boiss. Diagn. Ser. I.* iv. 13 = *Castagneanus*.  
 Tocomali, *Phil. in Anal. Univ. Chil.* (1862) ii. 383.—Chili.  
 tolimensis, *Sch. Bip. ex Wedd. Chlor. And.* i. 98, 99.—N. Granat.  
 toluccanus, *DC. Prod.* vi. 428.—Mexic.  
 tomentosus, [*Clairv.*] *Man. Herb.* 240 = *Adenostyles candidissima*.  
 tomentosus, *C. B. Clarke, Comp. Ind.* 200 = *Edgeworthii*.  
 tomentosus, *Dulac, Fl. Hautes-Pyr.* 507 = *S. Doronicum*.  
 tomentosus, *Host, Fl. Austr.* ii. 476 = *paludosus*.  
 tomentosus, *Michx. Fl. Bor. Am.* ii. 119.—Am. bor.  
 tomentosus, *Rohde, ex DC. Prod.* vi. 356 = *leucophyllus*.  
 tomentosus, *Salisb. Prod.* 196 = *cinerascens*.  
 tortuosus, *DC. Prod.* vi. 392.—Afr. austr.  
 Tournefortii, *Lapeyr. Hist. Abr. Pl. Pyr.* 516.—Mont. Pyren.  
 trachycarpus, *Sch. Bip. in Flora*, xxvii. (1844) 702 = *incertus*.  
 trachylaenus, *Harv. in Harv. & Sond. Fl. Cap.* iii. 358.—Afr. austr.  
 transilvanicus, *Schur, in Verh. Siebenb. Ver. Naturw.* x. (1859) 208 = *sarracenicus*.  
 transylvanicus, *Boiss. Diagn. Ser. II.* iii. 34 = *S. Doronicum*.  
 trapezuntinus, *Boiss. Fl. Orient.* iii. 393.—Armenia.  
 Traversii, *F. Muell. in Trans. Bot. Soc. Edinb.* vii. (1861) 154 = *bellidioides*.  
 tredicimquamosus, *Sch. Bip. in Flora*, xxvii. (1844) 700 = *angulatus*.  
 triangularis, *Hook. Fl. Bor. Am.* i. 332. t. 115.—Am. arct.  
 Trianii, *Klatt, in Abh. Naturf. Ges. Halle*, xv. (1882) 332.—N. Granat.  
 trichocaulon, *Baker, in Mart. Fl. Bras.* vi. III. 315.—Bras.  
 trichocodon, *Baker, l. c.* 314.—Paraguay.  
 tricuspidatus, *Banks & Soland. ex Hook. f. Fl. Antarct.* 317 = *Darwinii*.  
 tricuspidatus, *Hook. & Arn. in Hook. Journ. Bot.* iii. (1841) 346.—Chili.  
 tridentatus, *DC. Prod.* vi. 424.—Peruv.  
 trifidus, *Hook. & Arn. in Hook. Journ. Bot.* iii. (1841) 346.—Chili.  
 triflorus, *Linn. Sp. Pl.* 867 = *aegyptius*.  
 trifurcatus, *Less. Syn. Comp.* 392.—Reg. Magellan.  
 triligulatus, *Buch.-Ham. ex D. Don, Prod. Fl. Nep.* 178.—Reg. Himal.  
 trilobus, *Linn. Sp. Pl.* 868 = *lividus*.  
 trineurus, *Griseb. in Mem. Am. Acad. N. S.* viii. (1862) 514.—Cuba.  
 triodon, *Phil. in Linnaea*, xxviii. (1856) 749.—Chili.  
 tripartitus, *DC. Prod.* vi. 418 = *brasiliensis*.  
 tripartitus, *A. Rich. Sert. Astrolab.* 114 = *lautus*.  
 triplinervius, *DC. Prod.* vi. 395.—Afr. austr.  
 triplipartitus, *Steud. Nom. ed. II.* ii. 566 = *lautus*.  
 triquet, *Less. in Linnaea*, vi. (1831) 251.—Afr. austr.  
 tristis, *Phil. in Linnaea*, xxviii. (1856) 739.—Chili.  
 trixoides, *Gardn. in Hook. Lond. Journ. Bot.* vii. (1848) 421.—Bras.

## SENECIO:—

- Troncosi, *Phil. Fl. Atac.* 32.—Chili.  
 tropaeolifolius, *MacOwan, ex F. Muell. in Journ. Bot.* v. (1867) 242.—Afr. austr.  
 trullaefolius, *MacOwan, in Journ. Linn. Soc.* xviii. (1881) 392.—Afr. austr.  
 truncatus, *Buch.-Ham. ex Wall. Cat. n.* 3137 = *nudicaulis*.  
 truncatus, *Dulac, Fl. Hautes-Pyr.* 507 = *S. Jacobaea*.  
 tschabanicus, *C. Koch, in Linnaea*, xxiv. (1851) 370.—Oriens.  
 tuberosus, *Harv. in Harv. & Sond. Fl. Cap.* iii. 375 = *incertus*.  
 tuberosus, *Sch. Bip. ex A. Rich. Tent. Fl. Abyss.* i. 434.—Abyss.  
 Turczaninowii, *DC. Prod.* vi. 360.—Dahuria.  
 Turczaninowii, *Maxim. in Bull. Acad. Pétersb.* xix. (1874) 488 (cum cit. falsa) = *aconitifolius*.  
 Tussilaginis, *Less. Syn. Comp.* 392.—Ins. Canar.  
 tussilaginoides, *Heynh. Nom.* ii. 656 = *S. Tussilaginis*.  
 tussilaginoides, *Sch. Bip. in Flora*, xxviii. (1845) 498.—Mexic.  
 tussilaginoides, *Walt. Fl. Carol.* 208 = *aureus*.  
 Tweediei, *Hook. & Arn. in Hook. Journ. Bot.* iii. (1841) 339.—Reg. Argent.  
 tymphresteus, *Boiss. & Heldr. Diagn. Ser. II.* vi. 99 = *viscosus*.  
 Ualtata, *Bert. ex Steud. Nom. ed. II.* ii. 566 = *S. Hualtata*.  
 uliginosus, *DC. Prod.* vi. 348 = *gallicus*.  
 uliginosus, *Phil. in Anal. Univ. Chil.* (1873) 501.—Chili.  
 umbellatus, *Linn. Pl. Afr. Rar.* 21; *Amoen. Acad.* vi. 101.—Afr. austr.  
 umbrosus, *Waldest. & Kit. Pl. Rar. Hung.* iii. 232. t. 210.—Hungar.  
 uncinellus, *DC. Prod.* vi. 368 = *densiflorus*.  
 undulatus, *Thunb. Prod. Pl. Cap.* 157.—Afr. austr.  
 uniflorus, *All. Fl. Pedem.* i. 200. t. 17.—Europ.  
 uniflorus, *Retz. Obs.* iii. 42 = *Gynura cernua*.  
 Unionis, *Sch. Bip. ex A. Rich. Tent. Fl. Abyss.* i. 440.—Abyss.  
 uniserialis, *Sch. Bip. in Zoll. Syst. Verz. Ind. Archip.* 126, nomen.—Malaya.  
 uspallatensis, *Hook. & Arn. in Hook. Journ. Bot.* iii. (1841) 335.—Chili.  
 ustulatus, *DC. Prod.* vi. 380 = *littoreus*.  
 vaccinioides, *Wedd. Chlor. And.* i. 99.—N. Granat.  
 vagans, *Wall. Cat. n.* 3108.—Reg. Himal.  
 vaginaefolius, *Sch. Bip. in Flora*, xxxviii. (1855) 117.—Reg. Magellan.  
 vaginatus, *Hook. & Arn. in Hook. Journ. Bot.* iii. (1841) 331 = *littoralis*.  
 vagus, *F. Muell. in Trans. Phil. Soc. Vict.* i. (1855) 46.—Austral.  
 valerianaefolius, *Gardn. in Hook. Lond. Journ. Bot.* iv. (1845) 127.—Bras.  
 valerianifolius, *Wolf, Ind. Sem. Hort. Berol.* (1825); *ex Reichb. Ic. Bot. Exot.* i. 59 = *Erechtites valerianaefolia*.  
 vallestis, *DC. Prod.* vi. 421.—Peruv.  
 valparadisiacus, *Colla, in Mem. Acc. Torin.* xxxviii. (1835) 32 = *glabratus*.  
 valparadisensis, *Remy, in C. Gay, Fl. Chil.* iv. 157.—Chili.  
 variabilis, *Sch. Bip. in Flora*, xxvii. (1844) 700 = *erubescens*, *Ait.*  
 varicosus, *Linn. f. Dec.* i. 9. t. 5.—Aegypt.  
 variegatus, *Sch. Bip. in Linnaea*, xxxiv. (1865-66) 536, nomen.—Bolivia.  
 variifolius, *DC. Prod.* vi. 393 = *lyratus*.  
 velleioides, *A. Cunn. ex DC. Prod.* vi. 374.—Austral.  
 venosus, *Harv. in Harv. & Sond. Fl. Cap.* iii. 379.—Afr. austr.  
 venustus, *Ait. Hort. Kew. ed. I.* iii. 192 = *grandiflorus*.  
 verbascifolius, *Burm. Fl. Cap. Prod.* 26.—Afr. austr.  
 verbascifolius, *Homb. & Jacquinot, ex Decne. Bot. Voy. Astrolab. et Zél.* 47 = *Smithii*.  
 verbenaefolius, *Jacq. Hort. Vindob.* i. 2. t. 3 = *aegyptius*.  
 vernalis, *Hoppe, ex DC. Prod.* vi. 351 = *nebrodensis*.  
 vernalis, *Waldest. & Kit. Pl. Rar. Hung.* i. 23. t. 24.—Europ. austr.; Oriens.  
 vernicosus, *Sch. Bip. ex Wedd. Chlor. And.* i. 94.—Venezuel.; N. Granat.  
 vernonioides, *Sch. Bip. ex Baker, in Mart. Fl. Bras.* vi. III. 312.—Bras.  
 vernonioides, *Sch. Bip. in Flora*, xxvii. (1844) 701 = *erubescens*, *Ait.*

## SENECIO:—

- vernus, *Bivona, Sicul. Pl. Cent.* i. 73. t. 5 = *leucanthemifolius*, *Poir.*  
 vernus, *DC. Prod.* vi. 430 = *salignus*.  
 vernus, *Urv. in Mém. Soc. Linn. Par.* i. (1822) 366 = *vernalis*.  
 verrucosus, *Klatt, in Abh. Naturf. Ges. Halle*, xv. (1882) 332.—N. Granat.  
 verrucosus, *Sch. Bip. ex Wedd. Chlor. And.* i. 77 = *Gynoxys verrucosa*.  
 verticillatus, *Klatt, in Abh. Naturf. Ges. Halle*, xv. (1882) 331.—Peruv.  
 vestitus, *Berg. Desc. Pl. Cap.* 282.—Afr. austr.  
 vestitus, *Sweet, ex Steud. Nom. ed. II.* ii. 566 = *Haworthii*, *Steud.*  
 villosus, *Kostel. Allg. Med.-Pharm. Fl.* ii. 715 = *palustris*?  
 vimineus, *DC. Prod.* vi. 400.—Afr. austr.  
 vimineus, *Harv. in Harv. & Sond. Fl. Cap.* iii. 401.—Afr. austr.  
 violaceus, *Wall. Cat. n.* 3134 = *nudicaulis*.  
 virgatus, *Linn. Pl. Afr. Rar.* 20; *Amoen. Acad.* vi. 101.—Afr. austr.  
 Virgaurea, *Maxim. in Bull. Acad. Pétersb.* xxvii. (1881) 484.—China.  
 viridulus, *Martr. Pl. Crit. Tarn*, 27 = *erucifolius*.  
 viscidulus, *Scheele, in Linnaea*, xviii. (1844) 480 = *sylvaticus*.  
 viscosissimus, *Colla, in Mem. Acc. Torin.* xxxviii. (1835) 33 = *glaber*.  
 viscosus, *Linn. Sp. Pl.* 868.—Europ.; As. Min.  
 viscosus, *Webb, Iter Hisp.* 40 = *Durieu*.  
 Visianus, *Papaf. ex Vis. Fl. Dalm.* ii. 72. t. 8.—Dalmat.  
 vitellinus, *Aschers. in Schweinf. Beitr. Fl. Aethiop.* 286 = *Gynura vitellina*.  
 vittarifolius, *Boj. ex DC. Prod.* vi. 377.—Madag.  
 Volckameri, *Sch. Bip. in Doell. Rhein. Fl.* 470 = *arenarius*.  
 Volckmanni, *Phil. in Linnaea*, xxxiii. (1864-65) 152.—Chili.  
 volubilis, *Hook. Bot. Misc.* ii. (1831) 226.—Peruv.  
 Vukotinovici, *Schloss. in Oestr. Bot. Zeitschr.* xxxi. (1881) 5.—Europ. austr.  
 vulcanicus, *Boiss. Diagn. Ser. I.* xi. 31.—Persia.  
 vulcanicus, *Phil. in Linnaea*, xxviii. (1856) 746.—Chili.  
 vulgaris, *Linn. Sp. Pl.* 867.—Europ. (Cosmop. inquil.).  
 Vulneraria, *DC. Prod.* vi. 428.—Mexic.  
 Walkeri, *Arn. in Nov. Act. Nat. Cur.* xviii. i. (1836) 349 = *araneosus*.  
 Walkeri, *Thw. Enum. Pl. Zeyl.* 167 = *Notonia Walkeri*.  
 Wallichii, *DC. Prod.* vi. 364.—Reg. Himal.  
 Walteri, *Sch. Bip. in Flora*, xxviii. (1845) 499.—Am. bor.  
 Warszewiczii, *A. Br. & Bouché, Ind. Sem. Hort. Berol. App.* (1851) 13.—Cf. *Linnaea*, xxv. (1852) 298.—Guatemala.  
 Wartmanni, *x. Bruegg. in Jahresb. Naturf. Ges. Graub.* II. xxiii-xxiv. (1880) 106.—Europ.  
 Websteri, *Hook. f. Fl. Antarct.* 317.—Reg. Magellan.  
 werneriaefolius, *A. Gray, in Proc. Am. Acad.* xix. (1883) 54.—Am. bor. occ.  
 werneroides, *Wedd. Chlor. And.* i. 128.—Peruv.  
 Weylii, *x. Vathe, in Verh. Bot. Ver. Brandenb.* xiv. (1872) 48.—Hab.?  
 Whippleanus, *A. Gray, in Proc. Am. Acad.* xix. (1883) 54.—Calif.  
 Wightianus, *DC. Prod.* vi. 370 = *scandens*.  
 Wightii, *Benth. ex C. B. Clarke, Comp. Ind.* 197 = *saxatilis*.  
 xerophilus, *Phil. Fl. Atac.* 32.—Chili.  
 Yakla, *C. B. Clarke, Comp. Ind.* 204 = *amplexicaulis*, *Wall.*  
 Zahlbruckneri, *Bruegg. in Jahresb. Naturf. Ges. Graub.* II. xxviii-xxiv. (1880) 106 (Quid?).—Europ.  
 Zeyheri, *Turcz. in Bull. Soc. Nat. Mosc.* xxiv. (1851) ii. 89.—Afr. austr.  
 zeylanicus, *DC. Prod.* vi. 365.—Zeylan.  
 zimapanicus, *Hemsl. Biol. Centr. Am. Bot.* ii. 248.—Mexic.  
 Zollingerianus, *Sch. Bip. in Schweinf. Beitr. Fl. Aethiop.* 160 = *Gynura mollis*.  
 zosteriaefolius, *Hook. & Arn. in Hook. Journ. Bot.* iii. (1841) 342.—Chili.  
 Zuccarinii, *Maxim. in Bull. Acad. Pétersb.* xix. (1874) 486.—Japon.

SENECIUNCULUS, Opiz, Seznam, 90 (1852) = **Senecio**, Tourn. (Compos.).  
*viscosus*, Opiz, l. c. = *Senecio viscosus*.

**SENEFELDERA**, Mart. in Flora, xxiv. (1841) II. Beibl. 29. *EUPHORBACEAE*, Benth. & Hook. f. iii. 332.  
*angustifolia*, Klotzsch, in Wieg. Archiv, vii. (1841) 184 = *multiflora*.  
*dodecandra*, Muell. Arg. in Mart. Fl. Bras. xi. II. 529.—Bras.  
*grandifolia*, Baill. Etud. Gén. Euph. 536. t. 9 = *multiflora*.  
*inclinata*, Muell. Arg. in Mart. Fl. Bras. xi. II. 530.—Bras.  
*latifolia*, Klotzsch, in Wieg. Archiv, vii. (1841) 184 = *multiflora*.  
*multiflora*, Mart. in Flora, xxiv. (1841) II. Beibl. 29.—Bras.

SENEGA, Spach, Hist. Vég. Phan. vii. 128 (1839) = **Polygala**, Linn.  
*officinalis*, Spach, l. c. 129 = *P. Senega*.

SENEGALIA, Rafin. Sylva Tellur. 119 (1838) = **Acacia**, Willd. (Legumin.).  
*retusa*, Rafin. l. c. = *A. Senegal*.  
*triacantha*, Rafin. l. c. = *A. glaucophylla*.

SENEICO, Hill, Hort. Kew. 25 (1768), sphalm. = **Senecio**, Tourn. (Compos.).

SENFTEMBERGIA, Klotzsch & Karst. ex Klotzsch, in Linnaea, xx. (1847) 460 = **Langsdorfia**, Mart. (Balanoph.).  
*Moritziana*, Klotzsch & Karst. ex Eichl. in Mart. Fl. Bras. iv. II. 10 = *L. hypogaea*.

SENITES, Adans. Fam. ii. 39. (1763) = **Zeugites**, Schreb. (Gramin.).

SENKEBERGIA, Neck. Elem. i. 366 (1790) = **Justicia**, Houst. (Acanth.).  
*debilis*, Rafin. Sylva Tellur. 70 = *J. debilis*.

**SENKENBERGIA**, Schau. in Linnaea, xix. (1847) 711. *NYCTAGINEAE*, Benth. & Hook. f. iii. 5.  
*LINDENIA*, Mart. & Gal. in Bull. Acad. Brux. x. II. (1843) 357.  
*TINANTIA*, Mart. & Gal. l. c. xi. i. (1844) 240.  
*annulata*, Schau. in Linnaea, xix. (1847) 711.—Mexic.  
*Coulteri*, Hook. f. in Benth. et Hook. f. Gen. iii. 6.—Mexic.  
*erecta*, Benth. & Hook. f. l. c.—Am. bor. occ.  
*gypsophiloides*, Benth. & Hook. f. l. c. = *annulata*.  
*stricta*, Benth. & Hook. f. l. c. 1217, sphalm. = *erecta*.

SENNÄ, Tourn. ex Mill. Gard. Dict. ed. VIII. (1768) = **Cassia**, Tourn. (Legumin.).  
*Absus*, Roxb. Fl. Ind. ii. 340 = *C. Absus*.  
*acutifolia*, Link, Handb. ii. 140; Batka, in Proc. Linn. Soc. ii. (1854) 282 = *C. acutifolia*.  
*alata*, Roxb. Fl. Ind. ii. 349 = *C. alata*.  
*alexandrina*, Mill. Gard. Dict. ed. VIII. n. 1 = *C. Sophora*.  
*angustifolia*, Batka, in Proc. Linn. Soc. ii. (1854) 283 = *C. angustifolia*.  
*arborescens*, Roxb. Fl. Ind. ii. 345 = *C. glauca*.  
*aurata*, Roxb. l. c. 342 = *C. laevigata*.  
*auriculata*, Roxb. l. c. 349 = *C. auriculata*.  
*bicapsularis*, Roxb. l. c. 342 = *C. bicapsularis*.  
*dimidiata*, Roxb. l. c. 352 = *C. Kleinii*.  
*esculenta*, Roxb. l. c. 346 = *C. Sophora*.  
*exigua*, Roxb. l. c. 339 = *C. Absus*.  
*glauca*, Roxb. l. c. 351 = *C. montana*.  
*Hookeriana*, Batke, in Bot. Zeit. xxi. (1863) 264 = *C. adenensis*.  
*italica*, Mill. Gard. Dict. ed. VIII. n. 2 = *C. obovata*, *acutifolia*.  
*lanceolata*, Link, Handb. ii. 140 = *C. Sophora*.  
*marylandica*, Link, l. c. = *C. marylandica*?  
*obovata*, Link, l. c.; Batka, in Proc. Linn. Soc. ii. (1854) 281 = *C. obovata*.  
*obtusata*, Roxb. Fl. Ind. ii. 344 = *C. obovata*.  
*obtusata*, Link, Handb. ii. 140 = *C. obovata*.  
*occidentalis*, Link, l. c.; Roxb. Fl. Ind. ii. 343 = *C. occidentalis*.  
*officinalis*, Gaertn. Fruct. ii. 312 = *C. Sophora*.

SENNÄ:—

*officinalis*, Roxb. Fl. Ind. ii. 346 = *Cassia angustifolia*.  
*orientalis*, Walp. Rep. i. 816 = *C. occidentalis*.  
*ovalifolia*, Batka, Monog. Senn. 35, 50. t. 4 = *C. holosericea*.  
*prostrata*, Roxb. Fl. Ind. ii. 352 = *C. pumila*.  
*pubescens*, Mart. Vers. Monog. Sennesbl. (1857) 61 = *tomentosa*.  
*purpurea*, Roxb. Fl. Ind. ii. 342 = *C. Sophora*.  
*riparia*, Rafin. Med. Fl. i. 94 = *C. marylandica*.  
*sensitiva*, Roxb. Fl. Ind. ii. 353 = *C. mimosoides*.  
*Sophora*, Roxb. l. c. 347 = *C. Sophora*.  
*speciosa*, Roxb. l. c. = *C. glauca*.  
*sumatrana*, Roxb. l. c. = *C. siamea*.  
*tenella*, Roxb. l. c. 354 = *C. mimosoides*.  
*tomentosa*, Batka, in Proc. Linn. Soc. ii. (1854) 283; et Bot. Zeit. xii. (1854) 115 = *C. holosericea*.  
*Tora*, Roxb. Fl. Ind. ii. 340 = *C. Tora*.  
*toroides*, Roxb. l. c. 341 = *C. Tora*.

SENNEBIERA, Willd. Enum. Hort. Berol. 668 = **Senecbiera**, DC. (Crucif.).

SENEFELDERA, Endl. Gen. Suppl. ii. 88 (1842) = **SENEFELDERA**, Mart. (Euphorb.).

**SENRA**, Cav. Diss. ii. 83, 104. t. 35. f. 3 (1786). *MALVACEAE*, Benth. & Hook. f. i. 207.  
*DUMREICHERA*, Hochst. in Flora, xxi. (1838) i. Intell. 26.  
*SERRAEA*, Spreng. Syst. iii. 78 (1826).  
*arabica*, Webb, Fragm. Fl. Aethiop. 48 = *incana*.  
*incana*, Cav. Diss. ii. 83.—As. et Afr. trop.  
*nubica*, Webb, Fragm. Fl. Aethiop. 49 = *incana*.

SENRAEA, Willd. Sp. Pl. iii. 695 (1800) = **Senra**, Cav. (Malvac.).

SENSITIVA, Rafin. Sylva Tellur. 119 (1838) = **Mimosa**, Linn. (Legumin.).  
*pudica*, Rafin. l. c. = *M. pudica*.

SENTIS, F. Muell. Fragm. iv. 47 (1863) = **Pholidia**, R. Br. (Myopor.).  
*rhynchocarpa*, F. Muell. l. c. 48 = *P. divaricata*.

SEPTACANTHUS, Wight, Ic. t. 1527 (1850), sphalm. = **LEPTACANTHUS**, Nees = **Strobilanthes**, Blume (Acanth.).

SEPTAS, Linn. Pl. Afr. Rar. 10 (1760); Amoen. Acad. vi. 87 (1764) = **Crassula**, Dill.  
*capensis*, Linn. II. cc. = *C. Septas*.  
*globifera*, Eckl. & Zeyh. ex Harv. & Sond. Fl. Cap. ii. 357 = *C. Saxifraga*.  
*globifera*, Sims, Bot. Mag. t. 1472 = *C. Septas*.  
*trichotoma*, Lam. Illustr. ii. 409.—Afr. austr.  
*Umbella*, Haw. Syn. Pl. Succ. 62 = *C. Umbella*.

SEPTAS, Lour. Fl. Cochinch. 392 (1790) = **Herpestis**, Gaertn. f. (Scrophul.).  
*repens*, Lour. l. c. = *H. Monnieria*.

SEPTILIA, Rafin. Fl. Tellur. iv. 68 (1836) = **Herpestis**, Gaertn. f. (Scrophul.).  
*repens*, Rafin. l. c. = *H. Monnieria*.

SEPTINA, Noronha, in Verh. Batav. Gen. v. (1790) ed. I. Art. iv. 3 = **Cinnamomum**?, Tourn. (Laurin.).

SEPTIS, Hook. f. Fl. Brit. Ind. iv. 272 (1884), err. typ. = **SEPTAS**, Lour. = **Herpestis**, Gaertn. f. (Scrophul.).

**SEQUOIA**, Endl. Syn. Conif. 197 (1847). *CONIFERAE*, Benth. & Hook. f. iii. 429.  
*CONDYLOCARPUS*, Salisb. ex Lamb. Gen. Pin. ed. 8vo. 120, sub t. 64 (1832).  
*GIGANTABIES*, [Nelson] Senilis, Pinaceae, 77 (1866).  
*WASHINGTONIA*, Winkl. in Calif. Farm. (Sept. 1854); ex Hook. Kew Journ. vii. (1855) 29.  
*WELLINGTONIA*, Lindl. in Gard. Chron. (1853) 823.  
*gigantea*, Endl. Syn. Conif. 198 = *sempervirens*.  
*gigantea*, Lindl. & Gord. in Journ. Hort. Soc. v. (1850) 222; *Decne. in Bull. Soc. Bot. Fr. i. (1854) 70, 71*; *Torr. ex A. Gray, in Am. Journ. Sc. Ser. II. xviii. (1854) 287*.—Calif.

**SEQUOIA** :—

*pyramidata*, Hort. ex Carr. Conif. ed. II. 211 = *sempervirens*.

*Rafinesquei*, Carr. l. c. 213 = *Picea sitchensis*?  
*religiosa*, Presl, Epim. Bot. 237 = *sempervirens*.  
*sempervirens*, Endl. Syn. Conif. 198.—Calif.  
*taxifolia*, Hort. ex C. Koch, Dendrol. ii. II. 194 = *sempervirens*.  
*Wellingtonia*, Seem. in Bonplandia, iii. (1855) 27; vi. (1858) 343 = *gigantea*.

SERANGIUM, W. Wood, ex Salisb. Gen. Pl. Fragm. 5 (1866) = **Monstera**, Adans. (Aroid.).

**SERAPHYTA**, Fisch. & Mey. in Bull. Sc. Acad. Pétersb. viii. (1840) 24. *ORCHIDEAE*, Benth. & Hook. f. iii. 523.  
*multiflora*, Fisch. & Mey. l. c. 25.—Mexic.

**SERAPIAS**, Linn. Syst. ed. I (1735); Gen. ed. I. 271 (1737). *ORCHIDEAE*, Benth. & Hook. f. iii. 620.  
*HELLEBORINE*, Tourn. ex Hall. Enum. Stirp. Helv. i. 274 (1742), partim; Pers. Syn. ii. 512 (1807).  
*ISIAS*, De Not. in Mem. Acc. Torin. Ser. II. vi. (1844) 413.

*abortiva*, Scop. Fl. Carn. ed. II. ii. 205 = *Limodorum abortivum*.

*aculeata*, Thunb. Prod. Pl. Cap. 3 = *Eulophia aculeata*.  
*alba*, Salisb. Prod. 8 = *Cephalanthera pallens*.

*anthropophora*, Jundz. Fl. Lithuan. 267 = *Aceras anthropophora*.

*aphylla*, Vell. Fl. Flum. ix. t. 57 (Spirantheos sp.).—Bras.  
*athensis*, Hocquart, Fl. Jemnappe, 236 = *Epipactis microphylla*.

*athensis*, Lej. Fl. Spa, ii. 196 = *Orchis Morio*.  
*atrorubens*, Hoffm. Deutschl. Fl. ed. II. i. II. 182 = *Epipactis atrorubens*.

*autumnalis*, Poir. ex Steud. Nom. ed. I. 766 = *Pterostylis cucullata*.

*biflora*, Vell. Fl. Flum. ix. t. 50 (Spirantheos sp.).—Bras.  
*brevibracteata*, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 134 = *S. Lingua*.

*camschatea*, Steud. Nom. ed. I. 766 = *Neottia camschatica*.

*capensis*, Linn. Mant. ii. 293 = *Eulophia barbata*.  
*Caravata*, Aubl. Pl. Gui. ii. 816 = *Eleocharis Caravata*.

*coccinea*, Vell. Fl. Flum. ix. t. 48 = *Spiranthes colorata*, *N. E. Br.*

*congesta*, Vell. l. c. t. 54 (Spirantheos sp.).—Bras.  
*convallarioides*, Steud. Nom. ed. I. 766 = *Listera cordata*.

*cordata*, Steud. l. c. = *Listera cordata*.

*cordigera*, Bertol. Fl. Ital. ix. 603, partim = *neglecta*.  
*cordigera*, Bieb. Fl. Taur. Cauc. ii. 370 = *longipetala*.

*cordigera*, Griseb. Spicil. Fl. Rumel. ii. 367 = *S. Pseudo-cordigera*.

*cordigera*, Linn. Sp. Pl. ed. II. 1345 —Europ. austr.; Afr. bor.

*cucullata*, Pers. Syn. ii. 513 = *Eriochylus autumnalis*.  
*Damasonium*, Mill. Gard. Dict. ed. VIII. n. 2 = *Cephalanthera pallens*.

*ensifolia*, Murr. Syst. ed. XIV. 815 = *Cephalanthera ensifolia*.

*epidendraea*, Retz. Obs. vi. 65 = *Eulophia virens*.  
*Epigogium*, Steud. Nom. ed. I. 766, sphalm. = *Epipogon aphyllum*.

*erecta*, Thunb. Fl. Jap. 27 = *Cephalanthera pallens*.  
*falcata*, Thunb. l. c. 28 = *Cephalanthera falcata*.

*fasciculata*, Vell. Fl. Flum. ix. t. 53 (Spirantheos sp.).—Bras.

*flava*, Sw. Prod. Veg. Ind. Occ. 119 = *Corymbis flava*.  
*Fontanae* x, Rigo & Goiran, in Nouv. Giorn. Bot. Ital. xv. (1883) 32 = *purpurea*.

*Gavila*, Pav. ex Steud. Nom. ed. II. ii. 567 = *Chloraea Pavonii*.

*glabra*, Lapeyr. Hist. Abr. Pl. Pyr. 552 = *S. Lingua*.  
*grandiflora*, Linn. Syst. ed. XII. 594 = *Cephalanthera pallens*.

*grandiflora*, Oed. Fl. Dan. t. 506 = *Cephalanthera ensifolia*.

*Helleborine*, Linn. Sp. Pl. 949 = *Cephalanthera ensifolia*, *Epipactis latifolia*.

*hirsuta*, Lapeyr. Hist. Abr. Pl. Pyr. 551 = *S. Pseudo-cordigera*.

*intermedia* x, Forest. ex F. Schultz, Arch. Fl. Fr. et Allem. 265.—Europ.

*lancifera*, St. Amans, Fl. Agen. 378 = *S. Pseudo-cordigera*.



## SERAPIAS:—

- lancifolia*, Roth, Tent. Fl. Germ. ii. 11. 409 = *Cephalanthera pallens*.  
*lancifolia*, Steud. Nom. ed. II. ii. 567, sphalm. = *lancifera*.  
*latifolia*, Huds. Fl. Angl. ed. I. 341 = *Epipactis latifolia*.  
*latifolia*, O. F. Muell. in Fl. Dan. t. 811 = *Epipactis atrorubens*.  
*laxiflora*, Chaub. in Bory & Chaub. Nouv. Fl. Pélop. 62 = *S. Pseudo-cordigera*.  
*laxiflora*, Reichb. f. Ic. Fl. Germ. xiii-xiv. 13 = *occultata*.  
*Lingua*, Bertol. Amoen. Ital. 202 = *S. Pseudo-cordigera*.  
*Lingua*, Linn. Sp. Pl. 950.—Europ. austr.  
*Lingua*, Merl. ex Steud. Nom. ed. II. ii. 567 = *cordigera*.  
*Lingua*, Savi, Fl. Pisan. ii. 304 = *neglecta*.  
*Loeselii*, Hoffm. Deutschl. Fl. ed. II. i. 11. 181 = *Liparis Loeselii*.  
*Lonchophyllum*, Linn. f. Suppl. 405 = *Cephalanthera pallens*.  
*longiflora*, Asso, Syn. Stirp. Arag. 131 = *Epipactis palustris*.  
*longifolia*, Huds. Fl. Angl. ed. I. 341 = *Epipactis palustris*.  
*longifolia*, Scop. Fl. Carn. ed. II. ii. 202 = *Cephalanthera ensifolia*.  
*longipetala*, Pollini, Fl. Veron. iii. 30 = *S. Pseudo-cordigera*.  
*lutea*, Comm. ex Pers. Syn. ii. 513 = *Chloraea Gaudichaudii*.  
*melaleuca*, Thunb. Prod. Pl. Cap. 3 = *Disa melaleuca*.  
*memoralis*, Salisb. Prod. 8 = *Epipactis latifolia*.  
*microphylla*, Ehrh. Beitr. iv. 42 = *Epipactis microphylla*.  
*neglecta*, De Not. Prosp. Fl. Ligust. 55.—Ital.; Corsic. *neglecta* ×, Forest. ex Nym. Consp. 690.—Europ.  
*Neotria*, Rausch. Nom. ed. III. 261, sphalm. = seq.  
*Neottia*, J. F. Gmel. Syst. 59 = *Spiranthes orchidioides*.  
*Nidus-avis*, Steud. Nom. ed. I. 766 = *Neottia Nidus-avis*.  
*nigra*, Gueldenst. Reisen, ii. 56; ex Ledeb. Fl. Ross. 88 iv. (Quid?).—Ross. austr.  
*nitida*, Vell. Fl. Flum. ix. t. 52. (*Spirantheos* sp.).—Bras.  
*nivea*, Vill. Hist. Pl. Dauph. ii. 52 = *Cephalanthera ensifolia*.  
*occultata*, F. Gay, in Ann. Sc. Nat. Sér. II. vi. (1836) 119.—Europ. austr.  
*ochroleuca*, Steud. Nom. ed. I. 766 = *Cephalanthera pallens*.  
*ovalis*, Rich. in Mém. Mus. Par. iv. (1818) 54 = *cordigera*.  
*ovata*, Steud. Nom. ed. I. 766 = *Listera ovata*.  
*oxyglottis*, Reichb. Fl. Germ. Excurs. 130 = *S. Pseudo-cordigera*.  
*oxyglottis*, Willd. Sp. Pl. iv. 71 = *S. Lingua*.  
*pallens*, Jundz. Fl. Lithuan. 268 = *Cephalanthera pallens*.  
*pallida*, Wahlenb. Fl. Carpat. 291 = *Cephalanthera pallens*.  
*palustris*, Mill. Gard. Dict. ed. VIII. n. 3; Scop. Fl. Carn. ed. II. ii. 204 = *Epipactis palustris*.  
*parviflora*, Parl. in Giorn. Sc. Lett. Sicil. lix. (1837) 66 = *occultata*.  
*patens*, Thunb. Prod. Pl. Cap. 3 = *Disa tenuifolia*.  
*pedicellata*, Thunb. l. c. = *Eulophia aculeata*.  
*polyaden*, Vell. Fl. Flum. ix. t. 56. (*Spirantheos* sp.).—Bras.  
*polystachya*, Sw. Prod. Veg. Ind. Occ. 119 (= *Chloidia vernalis*).—Jamaic.  
*porrifolia*, Steud. Nom. ed. I. 767 = *Microtis porrifolia*.  
*Pseudo-cordigera*, Moric. Fl. Venet. 374.—Europ. austr.  
*pubescens*, Steud. Nom. ed. I. 767 = *Ponthieva glandulosa*.  
*pumila*, Vell. Fl. Flum. ix. t. 55 (*Spirantheos* sp.).—Bras.  
*purpurea* ×, Doumenj. Suppl. Herb. (1851) 54.—Gallia.  
*purpurea*, Poir. Illustr. iii. 306 = *Bletia verecunda*.  
*reflexa*, Pers. Syn. ii. 513 = *Chiloglottis diphylla*.  
*regularis*, Forst. f. Prod. 59 = *Thelymitra longifolia*.  
*repens*, Vill. Hist. Pl. Dauph. ii. 53 = *Goodyera repens*.  
*Roselliniana* ×, Goiran, in Nouv. Giorn. Bot. Ital. xv. (1883) 33 = *Tommasinii*.  
*rubra*, Linn. Syst. ed. XII. 594 = *Cephalanthera rubra*.  
*Salassia*, Steud. Nom. ed. I. 767 = *Liparis purpurascens*.  
*speciosa*, J. F. Gmel. Syst. 59 = *Spiranthes colorata*.

## SERAPIAS:—

- spiralis*, Scop. Fl. Carn. ed. II. ii. 201 = *Spiranthes autumnalis*.  
*stricta*, Welw. ex Woods, in Journ. Linn. Soc. ii. (1858) 116 = *occultata*.  
*syloestris*, Murr. ex Steud. Nom. ed. I. 766, 767 = *Epipactis viridiflora*.  
*tabularis*, Thunb. Prod. Pl. Cap. 3 = *Cymbidium tabulare*.  
*Todari*, Tineo, Pl. Rar. Sicil. 12.—Sicil.  
*tomentosa*, Vell. Fl. Flum. ix. t. 51 (*Spirantheos* sp.).—Bras.  
*Tommasinii* ×, Kern. in Verh. Zool.-Bot. Ges. Wien, xv. (1865) 231.—Ital.; Istria.  
*tota-alba*, Gilib. Exercit. ii. 493 = *Cephalanthera ensifolia*.  
*triloba* ×, Dupuy, ex Noul. Fl. Pyr. Suppl. 83.—Gallia.  
*triloba* ×, Lloyd, Fl. Loire-Inf. ed. I. 255.—Gallia.  
*triloba*, Viv. Fl. Ital. Fragm. 11, t. 12. f. 1.—Istria; Ital.  
*ventricosa*, Vell. Fl. Flum. ix. t. 47 (*Spirantheos* sp.).—Bras.  
*viridiflora*, Hoffm. Deutschl. Fl. ed. II. i. 11. 182 = *Epipactis viridiflora*.  
*viridis*, Vell. Fl. Flum. ix. t. 49 (*Spirantheos* sp.).—Bras.  
*Xiphophyllum*, Linn. f. Suppl. 404 = *Cephalanthera ensifolia*.

SERENA, Rafin. Fl. Tellur. iv. 20 (1836) = **Haemanthus**, Tourn. (Amaryll.).  
*carnea*, Rafin. l. c. = *H. carneus*.  
*lancifolia*, Rafin. l. c. = *H. lanceaeifolius*.

SERENAE, Hook. f. in Benth. & Hook. f. Gen. iii. 926 (1883), sphalm. = seq.

SERENOA, Hook. f. in Benth. & Hook. f. Gen. iii. 1228, 926 (1883). *PALMAE*, Benth. & Hook. f. ll. cc. serrulata, Hook. f. ll. cc.—Am. bor.

SEREREA, Rafin. Sylva Tellur. 107 (1838) = **Bignonia**, Tourn.  
*heterophylla*, Rafin. l. c. = *B. Kerere*.

SERGILUS, Gaertn. Fruct. ii. 409. t. 174 (1791) = **Baccharis**, Linn. (Compos.).  
*scoparius*, Gaertn. l. c. = *B. scoparia*.

SERIANA, Linn. Syst. ed. I (1735); Willd. Sp. Pl. ii. 464 (1799), sphalm. = seq.

SERIANIA, Plum. [Gen. t. 35] ex Schum. in Skrivt. Naturh. Selsk. Kjoeb. iii. 11. (1794) 125 = **Serjania**, Plum. (Sapind.).

SERIANTHES, Benth. in Hook. Lond. Journ. Bot. iii. (1844) 84, in nota = **Albizzia**, Durazz. (Legumin.).

SERIANTHES, Benth. in Hook. Lond. Journ. Bot. iii. (1844) 225. *LEGUMINOSAE*, Benth. & Hook. f. i. 599. *calycina*, Benth. in Trans. Linn. Soc. xxx. (1875) 600.—N. Caled.  
*grandiflora*, Benth. in Hook. Lond. Journ. Bot. iii. (1844) 225, partim.—Malacc.; Ins. Philip.  
*myriadenia*, Planch. ex Benth. l. c. v. (1846) 108.—Ins. Pacif.  
*tenuiflora*, Benth. in Trans. Linn. Soc. xxx. (1875) 599.—Hab.?  
*vitiensis*, A. Gray, Bot. U. St. Expl. Exped. i. 485.—Ins. Fiji.

SERICANDRA, Rafin. Sylva Tellur. 119 (1838) = **Albizzia**, Durazz. (Legumin.).  
*julibrissin*, Rafin. l. c. = *A. Julibrissin*.  
*lophantha*, Rafin. l. c. = *A. lophantha*.  
*pennata*, Rafin. l. c. = *Acacia pennata*.

SERICOBONIA, Linden & André, Illustr. Hort. xxii. (1875) 39. t. 198 = **Jacobinia**?, Moric. (Acanth.).  
*igneae* ×, Linden & André, l. c.

SERICOCARPUS, Nees, Gen. et Sp. Aster. 148 (1833). *COMPOSITAE*, Benth. & Hook. f. ii. 270. *OLIGACTIS*, Rafin. Fl. Tellur. ii. 44 (1836).  
*californicus*, Durand, in Journ. Acad. Nat. Sc. Philad. Ser. II. iii. (1855) 90.—Calif.  
*Collinsii*, Nutt. in Trans. Am. Phil. Soc. N. S. vii. (1841) 302 = *tortifolius*.

## SERICOCARPUS:—

- conyzoides*, Nees, Gen. et Sp. Aster. 150.—Am. bor.  
*oregonensis*, Nutt. in Trans. Am. Phil. Soc. N. S. vii. (1841) 302 = *rigidus*.  
*rigidus*, Lindl. in DC. Prod. v. 261.—Am. bor. occ.  
*solidagineus*, Nees, Gen. et Sp. Aster. 149.—Am. bor.  
*tortifolius*, Nees, l. c. 151.—Am. bor.  
*Woodhousii*, Buckl. in Proc. Acad. Sc. Philad. 1861 (1862) 457 = *Bigelovia Wrightii*.

SERICOCOMA, Fenzl, in Endl. Gen. Suppl. iii. 33 (1842). *AMARANTACEAE*, Benth. & Hook. f. iii. 30.

- angustifolia*, Hook. f. in Benth. & Hook. f. Gen. iii. 30.—Afr. austr.  
*avolans*, Fenzl, in Linnaea, xvii. (1843) 328.—Afr. austr.  
*Bainesii*, Hook. f. in Benth. & Hook. f. Gen. iii. 31.—Afr. trop.  
*capensis*, Moq. in DC. Prod. xiii. ii. 307.—Afr. austr.  
*capitata*, Moq. l. c. 308 = *Callicorema capitata*.  
*chrysurus*, Meissn. in Hook. Lond. Journ. Bot. ii. (1843) 547 (err. typ. 447).—Afr. austr.  
*denudata*, Hook. f. in Benth. & Hook. f. Gen. iii. 30.—Afr. trop.  
*pallida*, S. Moore, in Journ. Bot. xv. (1877) 70.—Afr. trop.  
*pungens*, Fenzl, in Linnaea, xvii. (1843) 326.—Afr. austr.  
*remotiflora*, Benth. & Hook. f. Gen. iii. 30.—Afr. austr.  
*somalensis*, S. Moore, in Journ. Bot. xv. (1877) 70 = *Chionothrix somalensis*.  
*trichinioides*, Fenzl, in Linnaea, xvii. (1843) 324.—Afr. austr.  
*Welwitschii*, Hook. f. in Benth. & Hook. f. Gen. iii. 30.—Afr. trop.

SERICODES, A. Gray, Pl. Wright. i. 28. (in Smithson. Contrib. iii.) (1852). *ZYGOPHYLLEAE*, Benth. & Hook. f. i. 265.  
*Greggii*, A. Gray, Pl. Wright. i. 28.—Mexic.

SERICOGRAPHIS, Nees, in Mart. Fl. Bras. ix. 107 ((1847) = **Jacobinia**, Moric. (Acanth.).  
*acuminata*, Nees, l. c. 109.—Bras.  
*Aschenborniana*, Nees, in DC. Prod. xi. 362 = *J. Aschenborniana*.  
*aurantiaca*, Linden, Cat. n. 17 (1862) 6.—Mexic.  
*californica*, A. Gray, in Bot. Mex. Bound. 125 = *J. californica*.

- caripensis*, Nees, in Hook. Lond. Journ. Bot. iv. (1845) 637 = *Dianthera secunda*.  
*Clausseniana*, Nees, in Mart. Fl. Bras. ix. 111.—Bras.  
*colorata*, Nees, in Benth. Pl. Hartw. 148.—Peruv.  
*cordata*, Nees, in DC. Prod. xi. 361 = *J. incana*.  
*Ghiesbreghtiana*, Nees, in DC. Prod. xi. 730 = *J. Ghiesbreghtiana*.

- haplostachya*, Nees, l. c. 362 = *Aschenborniana*.  
*heterophylla*, Nees, l. c. 365 = *J. heterophylla*.  
*hirsuta*, Nees, in Mart. Fl. Bras. ix. 112.—Bras.  
*incana*, Nees, in DC. Prod. xi. 361 = *J. incana*.  
*macrophylla*, Oerst. in Kjoeb. Vidensk. Meddel. (1854) 149 = *J. macrophylla*.  
*Mohintli*, Nees, in DC. Prod. xi. 361 = *J. Mohintli*.  
*mollis*, Oerst. in Kjoeb. Vidensk. Meddel. (1854) 149.—Mexic.  
*monticola*, Nees, in Mart. Fl. Bras. ix. 111 = *J. monticola*.

- neglecta*, Oerst. in Kjoeb. Vidensk. Meddel. (1854) 151.—Mexic.  
*palustris*, Nees, in Mart. Fl. Bras. ix. 110.—Bras.  
*parabolica*, Nees, l. c. 111.—Bras.  
*pauciflora*, Nees, l. c. 110.—Bras.  
*polita*, Nees, l. c. 109 = *J. polita*.  
*rigida*, Nees, l. c. 108 = *Dianthera rigida*.  
*scandens*, Nees, l. c. 109.—Bras.  
*Selloviana*, Nees, l. c. 111 = *J. Selloviana*.  
*squarrosa*, Nees, in DC. Prod. xi. 364 = *Dianthera nodosa*.  
*tinctoria*, Oerst. in Kjoeb. Vidensk. Meddel. (1854) 150. t. 3. f. 15, 16 = *J. tinctoria*.  
*verrucosa*, Oerst. l. c. 150.—Mexic.  
*vestita*, Nees, in DC. Prod. xi. 364.—Peruv.

SERICOLA, Rafin. Sylva Tellur. 93 (1838) = **Miconia**, Ruiz & Pav. (Melastom.).  
*brachiata*, Rafin. l. c. 94 = *M. holosericea*.

SERICOMA, Hochst. in Flora, xxviii. (1845) 73, sphalm. = *Sericocoma*, Fenzl (Amarant.).

**SERICOSPORA**, Nees, in DC. Prod. xi. 444 (1847). Genus dubium *ACANTHACEARUM*.—Cf. Benth. & Hook. f. Gen. ii. 1071. *crinita*, Nees, l. c.—Ind. occ.

**SERICOSTOMA**, Stocks, in Wight, Ic. iv. ii. 14. t. 1377 (1848). *BORAGINEAE*, Benth. & Hook. f. ii. 861. *albidum*, Franch. in Revoil, Comal. 46.—Afr. trop. Kotschy, Benth. & Hook. f. Gen. ii. 861.—Persia. *parviflorum*, Walp. Ann. iii. 135, sphalm.—seq. *pauciflorum*, Stocks, in Wight, Ic. iv. ii. 15. t. 1377.—Sind.

**SERICOTHECA**, Rafin. Sylva Tellur. 152 (1838) = *Spiraea*, Linn. (Rosac.). *argentea*, Rafin. l. c. = *Sp. argentea*.

**SERICROSTIS**, Rafin. Neogenyt. 4 (1825) = *Muehlenbergia*, Schreb. (Gramin.).

**SERICURA**, Hassk. in Flora, xxv. (1842) ii. Beibl. 2 = *Pennisetum*, Rich. (Gramin.). *elegans*, Hassk. l. c. = *P. macrostachyum japonica*, Steud. in Flora, xxix. (1846) 20 = *Phragmites communis*.

**SERIDIA**, Juss. Gen. 173 (1789) = *Centaurea*, Linn. (Compos.). *Adami*, Sweet, Hort. Brit. ed. I. 218 = *C. solstitialis*. *aspera*, Sweet, l. c. = *C. aspera*. *auriculata*, Sweet, l. c. = *C. Seridis*. *cruenta*, Sweet, l. c. = *C. cruenta*? *ferox*, Sweet, l. c. = *C. ferox*. *glomerata*, Cass. in Dict. Sc. Nat. xlviii. 499 = *C. glomerata*. *Isnardi*, Sweet, Hort. Brit. ed. I. 218 = *C. aspera*? *latifolia*, Sweet, l. c. = *C. Seridis*. *longifolia*, Willk. & Lange, Prod. Fl. Hisp. ii. 141, sphalm. = *C. sonchifolia*. *megacephala*, Cass. in Dict. Sc. Nat. xlviii. 499 = *C. Seridis*. *melitensis*, Sweet, Hort. Brit. ed. I. 218 = *C. melitensis*. *microcephala*, Cass. in Dict. Sc. Nat. xlviii. 499 = *aspera*. *napifolia*, Sweet, Hort. Brit. ed. I. 218 = *C. napifolia*. *polyacantha*, Sweet, l. c. = *C. polyacantha*. *praetermissa*, Fourr. in Ann. Soc. Linn. Lyon, N. S. xvii. (1869) 97 = *C. aspera*. *prolifera*, Sweet, Hort. Brit. ed. I. 218 = *C. glomerata*. *pullata*, Sweet, l. c. = *C. pullata*. *romana*, Sweet, l. c. = *C. romana*. *sicula*, Sweet, l. c. = *C. sicula*? *solstitialis*, Sweet, l. c. = *C. solstitialis*. *sonchifolia*, Sweet, Hort. Brit. ed. I. 218; Cass. in Dict. Sc. Nat. xlviii. 499 = *C. sonchifolia*. *sphaerocephala*, Webb, Iter Hisp. 33 = *C. sphaerocephala*. *straminea*, Sweet, Hort. Brit. ed. I. 218 = *C. glomerata*. *sulphurea*, Sweet, l. c. = *C. sulphurea*?

**SERIGROSTIS**, Steud. Nom. ed. II. ii. 568 (1841), sphalm. = **SERICROSTIS**, Rafin. = *Muehlenbergia*, Schreb. (Gramin.).

**SERINGEA**, F. Muell. Fragm. x. 96 (1877) = seq.

**SERINGIA**, J. Gay, in Mém. Mus. Par. vii. (1821) 442. tt. 16, 17. *STERCULIACEAE*, Benth. & Hook. f. i. 226. **ACTINOSTIGMA**, Turcz. in Bull. Soc. Nat. Mosc. (1859) i. 259. **GAYA**, Spreng. Syst. i. 535, 971 (1825). *adenolasia*, F. Muell. Fragm. x. 96.—Austral. *corollata*, Steetz, in Lehm. Pl. Preiss. ii. 350 = *Keraudrenia Hookeriana*. *grandiflora*, F. Muell. Fragm. i. 142 = *Keraudrenia integrifolia*. *Hillii*, F. Muell. Census, 16 = *Keraudrenia Hillii*. *Hookeri*, F. Muell. Fragm. ii. 5 = *Keraudrenia Hookeriana*. *integrifolia*, F. Muell. l. c. = *Keraudrenia integrifolia*. *lanceolata*, Steetz, in Lehm. Pl. Preiss. ii. 349 = *Keraudrenia lanceolata*.

**SERINGIA** :—

*microphylla*, F. Muell. Fragm. ii. 5 = *Keraudrenia hermanniaefolia*. *nephrosperma*, F. Muell. in Hook. Kew Journ. ix. (1857) 15 = *Keraudrenia nephrosperma*. *platyphylla*, J. Gay, in Mém. Mus. Par. vii. (1821) 443.—Austral. *velutina*, F. Muell. Fragm. ii. 5 = *Keraudrenia integrifolia*.

**SERINGIA**, Spreng. Anleit. ii. 694 (1818); Syst. i. 441 (1825) = *Ptelidium*, Thou. (Celastr.). *lanceolata*, Blanco, Fl. Filip. ed. II. 45 = *Harpullia cupanioides*. *ovata*, Spreng. Syst. i. 441 = *P. ovatum*.

**SERINIA**, Rafin. Fl. Ludov. 149 (1817) = *Krigia*, Schreb. (Compos.). *cespitosa*, Rafin. l. c. = *K. virginica*.

**SERIOLA**, Linn. Sp. Pl. ed. II. 1139 (1763) = *Hypochoeris*, Linn. (Compos.). *aethnensis*, Linn. l. c. = *H. aethnensis*. *albicans*, Tineo, Pl. Rar. Sicil. i. (1817) 20 = *H. Achyrophorus*. *Alliatae*, Bivona, Sic. Pl. Cent. ii. 57 = *H. Achyrophorus*. *andina*, Poepp. ex DC. Prod. vii. 92 = *H. andina*. *apargioides*, Less. Syn. Comp. 131 (= *Achyrophorus Lessingii*).—Chili. *brasiliensis*, Less. Syn. Comp. 131 = *H. brasiliensis*. *commutata*, Less. l. c. = *Rodigia commutata*. *cretensis*, Linn. Sp. Pl. ed. II. 1139 = *H. cretensis*. *depressa*, Viv. Fl. Cors. Prod. App. ii. 4 = *H. aethnensis*. *glauca*, Tineo, Pl. Rar. Sicil. i. (1817) 19 = *H. Achyrophorus*. *hieracioides*, Raeusch. Nom. ed. III. 228, nomen.—Afr. bor. *hispida*, Moench, Meth. 543 = *H. aethnensis*. *hyoseroides*, Nym. Syll. 55 = *Leontodon creticus*. *incana*, Hook. & Arn. in Hook. Comp. Bot. Mag. ii. (1836) 42.—Am. austr. *laevigata*, Linn. Sp. Pl. ed. II. 1139 = *H. Achyrophorus*. *petiolaris*, Hook. & Arn. in Hook. Comp. Bot. Mag. i. (1835) 31 = *H. petiolaris*. *pubescens*, Link. Handb. i. 794, sphalm. = seq. *rubescens*, Tineo, Pl. Rar. Sicil. i. (1817) 21 = *H. Achyrophorus*. *scabra*, Hort. ex Steud. Nom. ed. II. ii. 568, nomen.—Hab. ? *taraxacifolia*, Salz. in Flora, iv. (1821) 111 = *H. radicata*. *taraxacoides*, Hook. & Arn. in Hook. Comp. Bot. Mag. i. (1835) 30 = *H. Scorzonerae*. *taraxacoides*, Loisel. Fl. Gall. ed. I. i. 530. t. 18 = *H. taraxacoides*. *tenuiflora*, Nym. Syll. 55 = *H. tenuiflora*. *tenuifolia*, Hook. & Arn. in Hook. Comp. Bot. Mag. i. (1835) 31 = *H. tenuifolia*. *Tweedii*, Hook. & Arn. in Hook. l. c. = *H. brasiliensis*. *uniflora*, Bivona, Sic. Pl. Cent. ii. 55 = *H. taraxacoides*. *urens*, All. Fl. Pedem. i. 230. t. 29. f. 1 = *H. aethnensis*. *urens*, Lam. Illustr. iii. 235 = *Crepis aspera*. *urens*, Linn. Sp. Pl. ed. II. 1139 = *H. cretensis*. *urens*, Viv. Prod. Fl. Cors. 14 = *H. aethnensis*.

**SERIPHUM**, Linn. Sp. Pl. ed. I. 928 (1753) = *Stoebe*, Linn. (Compos.). *adpressum*, DC. Prod. vi. 263 = *St. adpressa*. *aethiopicum*, Steud. Nom. ed. I. 767 = *St. aethiopica*. *alopecuroides*, Lam. Encyc. i. 271 = *St. alopecuroides*. *ambiguum*, Murr. Syst. ed. XIII. 665 = *St. artemisioides*. *asperum*, Pers. Syn. ii. 501 = *Helichrysum ericaefolium*. *candicans*, Mundt, ex Harv. in Harv. & Sond. Fl. Cap. iii. 282 = *St. phlaeoides*. *capitatum*, Less. Syn. Comp. 352 = *St. capitata*. *cernuum*, Pers. Syn. ii. 501 = *Elytropappus Rhinocerotis*. *cinereum*, Berg. Desc. Pl. Cap. 340 = *St. artemisioides*. *cinereum*, Linn. Sp. Pl. 982 = *St. cinerea*. *corymbiferum*, Linn. Mant. i. 119 = *St. gomphrenoides*.

**SERIPHUM** :—

*distichum*, Lam. Encyc. i. 271 (= *Trichogyne seriphoides*).—Afr. austr. *ericoides*, Pers. Syn. ii. 500 = *Disparago ericoides*. *fasciculatum*, Pers. l. c. 501 (= *Trichogyne seriphoides*).—Afr. austr. *flagineum*, DC. Prod. vi. 263 = *Stoebe filaginea*. *flavescens*, DC. l. c. = *St. spiralis*. *fusum*, Linn. Sp. Pl. 928 = *St. fusca*. *gnaphaloides*, Linn. Mant. i. 481 = *St. gomphrenoides*. *gomphrenoides*, Lam. Encyc. i. 272 = *St. gomphrenoides*. *incanum*, Lam. l. c. 271 = *St. incana*. *indicum*, Pers. Syn. ii. 501 = *St. incana*. *juniperifolium*, Lam. Encyc. i. 272 = *St. aethiopica*. *laricifolium*, Lam. l. c. 271 (= *Trichogyne laricifolia*).—Afr. austr. *nervigerum*, DC. Prod. vi. 263 = *St. nervigera*. *niveum*, Pers. Syn. ii. 501 = *Helichrysum niveum*. *passerinoides*, Lam. Encyc. i. 271 = *St. passerinoides*. *perotrichoides*, Less. Syn. Comp. 352 = *St. capitata*. *phleoides*, DC. Prod. vi. 262 = *St. phlaeoides*. *phylicoides*, Pers. Syn. ii. 500 = *St. phylicoides*. *phyllostachyum*, DC. Prod. vi. 262 = *St. phlaeoides*. *plumosum*, Linn. Sp. Pl. 928 = *St. cinerea*. *prostratum*, Lam. Encyc. i. 273 = *St. prostrata*. *reflexum*, Pers. Syn. ii. 501 (= *Trichogyne reflexa*).—Afr. austr. *Rhinocerotis*, Pers. l. c. = *Elytropappus Rhinocerotis*. *scabrum*, Pers. l. c. 500 = *Elytropappus glandulosus*. *squarrosus*, Forst. ex DC. Prod. vi. 262 = *St. cinerea*. *tenuifolium*, Salisb. Prod. 212 = *St. cinerea*. *tomentosum*, Moç. ex DC. Prod. vi. 264 = *Olearia Forsteri*? *uniflorum*, Moç. ex DC. l. c. v. 77 = *Vernonia salicifolia*. *vermiculatum*, DC. Prod. vi. 263 = *St. artemisioides*. *virgatum*, Pers. Syn. ii. 501 = *St. cinerea*.

**SERIS**, Less. in Linnaea, v. (1830) 253. *COMPOSITAE*, Benth. & Hook. f. ii. 492. *amplexifolia*, Gardn. in Hook. Lond. Journ. Bot. vi. (1847) 456.—Bras. *angustifolia*, Gardn. l. c. 457 = *Trichocline angustifolia*. *denticulata*, DC. Prod. vii. 20 = *Trichocline polymorpha*. *discoidea*, Less. in Linnaea, v. (1830) 255.—Bras. *polymorpha*, Gardn. in Hook. Ic. Pl. t. 501 = *Trichocline arenaria*. *polymorpha*, Less. in Linnaea, v. (1830) 254 = *Trichocline polymorpha*. *polyphylla*, Baker, in Mart. Fl. Bras. vi. III. 354.—Bras. *vaginata*, Gardn. in Hook. Lond. Journ. Bot. vi. (1847) 456 = *amplexifolia*.

**SERIS**, Willd. in Ges. Naturf. Fr. Berl. Mag. i. (1807) 139 = *Onoseris*, DC. (Compos.). *onoseroides*, Willd. l. c. = *O. Isotypus*.

**SERISSA**, Comm. ex Juss. Gen. 209 (1789). *RUBIACEAE*, Benth. & Hook. f. ii. 138. **DEMOCRITEA**, DC. Prod. iv. 540 (1830). **DYSODA**, Lour. Fl. Cochinch. 145 (1790). *capensis*, Thunb. Nov. Gen. 131 = *Plectronia ventosa*. *ceylanica*, Thw. Enum. Pl. Zeyl. 150 = *Saprosma ceylanicum*. *corymbosa*, Bedd. Ic. Pl. Ind. Or. i. 3 = *Saprosma corymbosum*. *Democritea*, Baill. Hist. Pl. vii. 386.—China. *fetida*, Lam. Illustr. ii. 211.—China; Japon. *fragrans*, Bedd. in Madr. Journ. Sc. Ser. III. i. (1864) 50 = *Saprosma fragrans*. *Gardneri*, Thw. Enum. Pl. Zeyl. 150 = *Saprosma indicum*. *glomerata*, Bedd. in Madr. Journ. Sc. Ser. III. i. (1864) 50 = *Saprosma indicum*. *japonica*, Thunb. Nov. Gen. 132 = *fetida*. *myrtifolia*, Blanco, Fl. Filip. ed. I. 164 = *Randia densiflora*, angatensis. *pinnata*, Blanco, Fl. Filip. ed. I. 163 = *Gardenia obscura*. *scabrida*, Thw. Enum. Pl. Zeyl. 151 = *Saprosma scabridum*. *ternata*, Kurz, Andam. Rep. App. A. 40 = *Saprosma ternatum*. *Wightii*, Bedd. in Madr. Journ. Sc. Ser. III. i. (1864) 50 = *Saprosma ceylanicum*.

**SERJANIA**, Plum. [Gen. 34. t. 35 (SERJANIA)] ex Schum. in Skrivt. Naturh. Selsk. Kjoeb. iii. 11. (1794) 125. *SAPINDACEAE*, Benth. & Hook. f. i. 393. *acapulcensis*, H. B. & K. Nov. Gen. et Sp. v. 108 = emarginata.

*acoma*, Radlk. Monog. Serj. 127.—Bras.

*aculeata*, Radlk. l. c. 146.—Bras.

*acuminata*, Radlk. l. c. 347.—Bras.

*acuta*, Triana & Planch. in Ann. Sc. Nat. Sér. IV. xviii. (1862) 349.—Panama.

*acutidentata*, Radlk. Monog. Serj. 232.—Bras.

*acutifolia*, Willd. ex Schlecht. & Cham. in Linnaea, v. (1830) 215 = oxyphylla.

*adusta*, Radlk. Monog. Serj. 156.—Venezuela.

*albopunctata*, Wright, ex Griseb. Cat. Pl. Cub. 44 = subdentata.

*altissima*, Radlk. Monog. Serj. 125.—Peruv.

*Ampelopsis*, Planch. & Linden, ex Triana & Planch. in Ann. Sc. Nat. Sér. IV. xviii. (1862) 350.—N. Granat.

*amplifolia*, Radlk. Monog. Serj. 223.—N. Granat.

*angustifolia*, Hartw. Hort. Carlsruhan. (1825) 260 = mexicana.

*angustifolia*, Willd. Sp. Pl. ii. 466.—Ind. occ.

*apiculata*, Wright?, ex Radlk. Monog. Serj. 52, 110 = sinuata.

*aquatica*, Vell. Fl. Flum. 24; i. t. 53.—Bras.

*Arnottiana*, Walp. Rep. i. 412, sphalm. = Laruotteana.

*atrolineata*, Wright, in Sawv. Fl. Cub. 24.—Cuba.

*australis*, Spreng. Syst. ii. 248 = Dodonaea pinnata.

*baramensis*, Klotzsch, in Schomb. Faun. Fl. Brit. Gui. 1180 = membranacea.

*bigonioides*, Klotzsch, l. c. = caracasana.

*brachycarpa*, A. Gray, ex Radlk. Monog. Serj. 259.—Texas.

*brachyphylla*, Radlk. l. c. 345.—N. Granat.

*brachystachya*, Radlk. l. c. 310.—Mexic.

*bracteosa*, Turcz. in Bull. Soc. Nat. Mosc. xxxvi. (1863) i. 585 = caracasana.

*brevipes*, Benth. Bot. Voy. Sulph. 76.—Ecuador.

*californica*, Radlk. in Sitzb. Math.-Phys. Akad. Muench. viii. (1878) 222.—Calif.

*Cambessedean*, Schlecht. & Cham. in Linnaea, v. (1830) 214.—Mexic.

*caracasana*, Seem. Bot. Voy. Herald, 93 = mucronulata.

*caracasana*, Willd. Sp. Pl. ii. 465.—Am. centr.

*cardiospermoides*, Schlecht. & Cham. in Linnaea, vi. (1831) 418.—Mexic.

*chartacea*, Radlk. Monog. Serj. 114.—Guian.

*circumvallata*, Radlk. l. c. 345.—N. Granat.

*cirrhiiflora*, Sieber, ex Radlk. l. c. 352 = Urvillea ulmacea.

*cissoides*, Radlk. l. c. 294.—Bras.

*clematidea*, Triana & Planch. in Ann. Sc. Nat. Sér. IV. xviii. (1862) 349.—N. Granat.

*clematidifolia*, Cambess. in A. St. Hil. Fl. Bras. Mer. i. 361.—Bras.

*comata*, Radlk. Monog. Serj. 131.—Bras.

*communis*, Cambess. in A. St. Hil. Fl. Bras. Mer. i. 362.—Bras.

*confertiflora*, Radlk. Monog. Serj. 117.—Bras.

*cornigera*, Turcz. in Bull. Soc. Nat. Mosc. xxxii. (1859) i. 267.—Panama.

*corrugata*, Radlk. Monog. Serj. 131.—Bras.

*crassifolia*, Radlk. l. c. 225.—Bolivia.

*crassinervis*, Radlk. l. c. 200.—Cuba.

*crenata*, Griseb. in Mem. Am. Acad. N. S. viii. (1861) 168.—Cuba.

*crenata*, Juss. ex H. B. & K. Nov. Gen. et Sp. v. 112, in obs. = subdentata.

*cubensis*, La Sagra, Hist. Econ. Polit. Cuba (1831), 353 = diversifolia.

*cuneolata*, Radlk. Monog. Serj. 128.—Ind. occ.

*curassavica*, Radlk. l. c. 311.—Ind. occ.

*cuspidata*, Cambess. in A. St. Hil. Fl. Bras. Mer. i. 356.—Bras.

*cystocarpa*, Radlk. in Fest. Meth. Bot. Syst. (1883) 32.—Mexic.

*dasyclados*, Radlk. Monog. Serj. 300.—N. Granat.

*decemstriata*, Radlk. in Sitzb. Math.-Phys. Akad. Muench. viii. (1878) 223.—Reg. Argent.

*deflexa*, Gardn. in Hook. Lond. Journ. Bot. ii. (1843) 337.—Bras.

*deltoides*, Radlk. Monog. Serj. 332.—Peruv.

*dentata*, Radlk. l. c. 144.—Bras.

*dibotrya*, Poepp. & Endl. Nov. Gen. et Sp. iii. 35. t. 242.—Peruv.

**SERJANIA** :—

*diffusa*, Radlk. Monog. Serj. 302.—Bolivia.

*divaricata*, Griseb. in Mem. Am. Acad. N. S. viii. (1861) 168 = scatenis.

*divaricata*, Schum. in Skrivt. Naturh. Selsk. Kjoeb. iii. 11. (1794) 126 = mexicana.

*diversifolia*, Radlk. Monog. Serj. 136 = lupulina.

*Dombeyana*, Juss. ex Cambess. in A. St. Hil. Fl. Bras. Mer. i. 364 = caracasana.

*dubia*, Spreng. Syst. ii. 247 = lucida.

*dumicola*, Radlk. Monog. Serj. 111.—Bolivia.

*dura*, Radlk. l. c. 134.—Bras.

*elegans*, Cambess. in A. St. Hil. Fl. Bras. Mer. i. 358.—Bras.

*elegans*, Mart. in Flora, xx. (1837) ii. Beibl. 92 = corrugata.

*emarginata*, H. B. & K. Nov. Gen. et Sp. v. 109.—Mexic.

*equestris*, Macfad. Fl. Jamaica. i. 156.—Jamaic.

*erecta*, Radlk. Monog. Serj. 160.—Bras.

*eucardia*, Radlk. l. c. 121.—Bras.

*exarata*, Radlk. l. c. 166.—Bras.

*faveolata*, Radlk. l. c. 145.—Bras.

*filicifolia*, Radlk. l. c. 287.—Ind. occ.

*floribunda*, Triana & Planch. in Ann. Sc. Nat. Sér. IV. xviii. (1862) 348 = mexicana.

*foveata*, Griseb. in Goett. Abh. xix. (1874) 108.—Tucuman.

*fulta*, Griseb. l. c. = glabrata.

*fuscifolia*, Radlk. Monog. Serj. 221.—Bras.

*glabrata*, Benth. Pl. Hartw. 115 = mucronulata.

*glabrata*, Griseb. ex Radlk. Monog. Serj. 165 = membranacea.

*glabrata*, H. B. & K. Nov. Gen. et Sp. v. 110.—Peruv.

*glutinosa*, Radlk. Monog. Serj. 126.—Bras.

*goniocarpa*, Radlk. l. c. 309.—Mexic.

*gracilis*, Radlk. l. c. 134.—Bras.

*grammatophora*, Radlk. l. c. 258.—Hab. ?

*grandiflora*, Cambess. in A. St. Hil. Fl. Bras. Mer. i. 360.—Bras.

*grandiflora*, Griseb. in Goett. Abh. xxiv. (1879) 79, partim = caracasana.

*grandifolia*, Sagot, ex Radlk. Monog. Serj. 166.—Guian.

*grandis*, Seem. Bot. Voy. Herald, 92.—Panama.

*Grayii*, Hemsl. Biol. Centr. Am. Bot. i. 206, sphalm. = seq.

*Grosii*, Schlecht. in Linnaea, xviii. (1844) 42 (sphalm. 58).—Mexic.

*Guarumina*, Mart. in Flora, xx. (1837) ii. Beibl. 91 = cuspidata.

*Guaruminea*, Walp. Rep. i. 413, sphalm. = praec.

*hamuligera*, Radlk. Monog. Serj. 339.—Bras.

*hebecarpa*, Benth. in Hook. Kew Journ. iii. (1851) 192.—Bras.

*heterophylla*, DC. Prod. i. 604 = mexicana.

*hirsuta*, Cambess. in A. St. Hil. Fl. Bras. Mer. i. 367.—Bras.

*ichthyctona*, Radlk. Monog. Serj. 230.—Bras.

*ilicifolia*, Tausch, ex Opiz, in Oestr. Bot. Wochenbl. i. (1851) 339 = sinuata.

*impressa*, Radlk. Monog. Serj. 323.—Mexic.

*incisa*, Torr. Bot. Mex. Bound. 47.—Mexic.; Texas.

*inebrians*, Radlk. Monog. Serj. 346.—Costa Rica.

*inflata*, Poepp. & Endl. Nov. Gen. et Sp. iii. 36.—Peruv.

*inflata*, S. Wats. in Proc. Am. Acad. xvii. (1882) 337 = cystocarpa.

*insignis*, Radlk. Monog. Serj. 331.—Mexic.

*lamprophylla*, Radlk. l. c. 233.—Bras.

*lanceolata*, Cambess. in A. St. Hil. Fl. Bras. Mer. i. 356 = Urvillea ulmacea.

*Laruotteana*, D. Dietr. Syn. Pl. ii. 1317, sphalm. = seq.

*Laruotteana*, Cambess. in A. St. Hil. Fl. Bras. Mer. i. 368.—Bras.

*laxiflora*, Radlk. Monog. Serj. 135.—Bras.

*leptocarpa*, Radlk. l. c. 112.—Bras.

*lethalis*, A. St. Hil. Pl. Rem. Brés. i. 206, 235.—Bras.

*longipes*, Radlk. Monog. Serj. 256.—Ecuador.

*lucida*, Griseb. Fl. Brit. W. Ind. 123 = diversifolia.

*lucida*, Schum. in Skrivt. Naturh. Selsk. Kjoeb. iii. 11. (1794) 128.—Ins. S. Doming.

*lupulina*, Benth. Bot. Voy. Sulph. 76 = Paullinia velutina.

*lupulina*, Griseb. Cat. Pl. Cub. 44 = crassinervis.

*lupulina*, Schum. in Skrivt. Nat. Selsk. iii. 11. (1794) 127.—Ind. occ.

**SERJANIA** :—

*macrocarpa*, Radlk. Monog. Serj. 270.—Mexic.

*macrostachya*, Radlk. l. c. 135.—Bras.

*Mansiana*, Mart. in Flora, xxii. (1839) i. Beibl. 9.—Bras.

*marginata*, Casar. Nov. Stirp. Bras. Dec. v. 44.—Bras.

*mariquitensis*, Planch. & Linden, ex Triana & Planch. in Ann. Sc. Nat. Sér. IV. xviii. (1862) 347 = caracasana.

*megalocarpa*, Turcz. in Bull. Soc. Nat. Mosc. xxxvi. (1858) i. 396 = Toulicia megalocarpa.

*membranacea*, Splitg. in Hœv. & De Vriese, Tijdschr. ix. (1842) 105.—Guian.

*meridionalis*, Cambess. in A. St. Hil. Fl. Bras. Mer. i. 366.—Bras.; Uruguay.

*meridionalis*, Griseb. in Goett. Abh. xxiv. (1879) 79 = hebecarpa.

*mexicana*, Seem. Bot. Voy. Herald, 92 = Paullinia velutina.

*mexicana*, Willd. Sp. Pl. ii. 465.—Am. centr.

*micrantha*, Klotzsch, in Schomb. Faun. Fl. Brit. Gui. 1180 = oblongifolia.

*mollis*, H. B. & K. Nov. Gen. et Sp. v. 108.—Peruv.

*mollis*, Triana & Planch. in Ann. Sc. Nat. Sér. IV. xviii. (1862) 345 = grandis.

*mollis*, Willd. ex Schlecht. in Linnaea, xviii. (1844) 45 (sphalm. 61) = mexicana.

*monogyna*, Hoffmg. ex Schlecht. l. c. 30 (sphalm. 55) = Paullinia monogyna.

*Moritziana*, Schlecht. l. c. 44 (sphalm. 60) = Urvillea ulmacea.

*mucronulata*, Radlk. Monog. Serj. 232.—Ecuador.

*multiflora*, Cambess. in A. St. Hil. Fl. Bras. Mer. i. 365.—Bras.

*nigricans*, Radlk. Monog. Serj. 336.—Bras.

*nitidula*, Benth. in Hook. Kew Journ. iii. (1851) 191 = caracasana.

*nodosa*, Radlk. Monog. Serj. 341.—Ind. occ.

*noxia*, Cambess. in A. St. Hil. Fl. Bras. Mer. i. 363.—Bras.

*nutans*, Poepp. & Endl. Nov. Gen. et Sp. iii. 36. t. 242.—Peruv.

*oblongifolia*, Radlk. Monog. Serj. 219.—Guian.

*obtusidentata*, Radlk. l. c. 233.—Bras.

*orbicularis*, Radlk. l. c. 292.—Bras.

*Ossana*, DC. Prod. i. 603 = diversifolia.

*Ossana*, Turcz. in Bull. Soc. Nat. Mosc. xxxi. (1858) i. 396 = subdentata.

*ovalifolia*, Radlk. Monog. Serj. 218.—Bras.

*oxypetala*, G. Don, Gen. Syst. i. 659, sphalm. = oxyphylla.

*oxyphylla*, H. B. & K. Nov. Gen. et Sp. v. 112.—Peruv.

*oxytoma*, Radlk. Monog. Serj. 234.—Bras.

*paleata*, Radlk. l. c. 130.—Bras.

*paludosa*, Cambess. in A. St. Hil. Fl. Bras. Mer. i. 368.—Bras.

*paniculata*, Griseb. Fl. Brit. W. Ind. 123 = equestris.

*paniculata*, H. B. & K. Nov. Gen. et Sp. v. 111. t. 441.—Mexic.

*paniculata*, Poepp. ex Presl, Bot. Bemerk. 25 = subdentata.

*paniculata*, Seem. Bot. Voy. Herald, 92 = mexicana.

*paniculata*, Triana & Planch. in Ann. Sc. Nat. Sér. IV. xviii. (1862) 348 = insignis.

*paradoxa*, Radlk. Monog. Serj. 133.—Bras.

*parviflora*, DC. Prod. i. 604 (sphalm.) = parvifolia.

*parvifolia*, H. B. & K. Nov. Gen. et Sp. v. 113.—Peruv.

*paucidentata*, DC. Prod. i. 603.—Bras.

*paucidentata*, Seem. Bot. Voy. Herald, 92 = rhombea.

*pedicellaris*, Radlk. Monog. Serj. 124.—Guian.

*perulacea*, Radlk. l. c. 227.—Bras.

*pinnatifolia*, Radlk. l. c. 226.—Bras.

*piscatoria*, Radlk. l. c. 340.—Bras.

*platycarpa*, Benth. in Hook. Kew Journ. iii. (1851) 192.—Bras.

*plicata*, Radlk. Monog. Serj. 167.—Mexic.

*Plumeriana*, Spreng. Syst. ii. 247 = sinuata.

*polyphylla*, Bert. ex Colla, Hort. Ripul. 101 = filicifolia.

*polyphylla*, Poir. ex Steud. Nom. ed. II. ii. 568.—Guian.

*polyphylla*, Willd. ex Schlecht. & Cham. in Linnaea, v. (1830) 215; Radlk. Monog. Serj. 179 = lucida.

*polystachya*, Radlk. l. c. 276.—Mexic.

*pubescens*, Griseb. in Bonplandia, vi. (1858) 3 = rhombea.

## SERJANIA:—

- pubescens*, H. B. & K. Nov. Gen. et Sp. v. 110 = mexicana.  
*pubescens*, Seem. Bot. Voy. Herald, 92 = *Paullinia velutina*.  
*purpurascens*, Radlk. Monog. Serj. 335.—Bras.  
*pyramidata*, Radlk. l. c. 155.—Peruv.  
*racemosa*, Hook. & Arn. Bot. Beech. Voy. 413 = *triquetra*.  
*racemosa*, Schum. in Skrivt. Naturh. Selsk. Kjoeb. iii. ii. (1794) 127.—Am. centr.  
*racemosa*, Seem. in Bonplandia, v. (1857) 74 = *goniocarpa*.  
*Regnellii*, Schlecht. in Linnaea, xviii. (1844) 41 (sphalm. 57).—Bras.  
*reticulata*, Cambess. in A. St. Hil. Fl. Bras. Mer. i. 359.—Bras.  
*rhombica*, Radlk. Monog. Serj. 324.—Venezuela.  
*rigida*, Radlk. l. c. 283.—Bolivia.  
*rubens*, Schlecht. in Linnaea, xviii. (1844) 63 = *reticulata*.  
*rubicaulis*, Benth. ex Radlk. Monog. Serj. 254 = seq.  
*rubifolia*, Klotzsch, ex Trev. in Bot. Zeit. v. (1847) 393.—Peruv.  
*rufa*, Radlk. Monog. Serj. 324.—Peruv.  
*Salzmanniana*, Schlecht. in Linnaea, xviii. (1844) 46 (sphalm. 62).—Bras.  
*Salzmanniana*, Seem. Bot. Voy. Herald, 92 = *acuta*.  
*samydea*, Griseb. in Bonplandia, vi. (1858) 3.—N. Granat.  
*samydea*, Triana & Planch. in Ann. Sc. Nat. Sér. IV. xviii. (1862) 346 = *rhombica*.  
*scatens*, Radlk. Monog. Serj. 213.—Mexic.  
*Schiedeana*, Schlecht. in Linnaea, xviii. (1844) 44 (sphalm. 60).—Mexic.  
*scopulifera*, Radlk. Monog. Serj. 229.—Bras.  
*Seemannii*, Triana & Planch. in Ann. Sc. Nat. Sér. IV. xviii. (1862) 346.—Panama.  
*Selloiana*, Klotzsch, ex Trev. in Bot. Zeit. v. (1847) 393 = *Laruttea*.  
*serrata*, Radlk. Monog. Serj. 293.—Bras.  
*setulosa*, Radlk. l. c. 337.—Mexic.  
*sinuata*, Hook. Bot. Misc. iii. (1833) 159 = *Urvillea uniloba*.  
*sinuata*, Presl, Bot. Bemerk. 25 = *Urvillea ulmacea*.  
*sinuata*, Schum. in Skrivt. Naturh. Selsk. Kjoeb. iii. ii. (1794) 126.—Ins. S. Doming.  
*sordida*, Radlk. Monog. Serj. 272.—Mexic.  
*spectabilis*, Schum. in Skrivt. Naturh. Selsk. Kjoeb. iii. ii. (1794) 127 = mexicana.  
*sphaerococca*, Radlk. Monog. Serj. 153.—Peruv.  
*sphenocarpa*, Radlk. l. c. 269.—Mexic.  
*squarrosa*, Radlk. l. c. 115.—Peruv.  
*stans*, Schott, in Spreng. Syst. iv. App. 405 = *Toulicia stans*.  
*stenopterygia*, Radlk. Monog. Serj. 110.—Bras.  
*striata*, Radlk. l. c. 280.—Peruv.  
*subdentata*, Fuss. ex Poir. Encyc. v. 102.—Cuba.  
*subimpunctata*, Radlk. Monog. Serj. 123.—Bras.  
*subtriplinervis*, Radlk. l. c. 273.—Mexic.  
*sufferruginea*, Radlk. l. c. 299.—Peruv.  
*tenuifolia*, Radlk. l. c. 220.—Bras.  
*tenuis*, Radlk. l. c. 98.—Bras.  
*thoracoides*, Radlk. l. c. 170.—Bras.  
*tinctoria*, Sandifort, Elench. Lugd. Bat. (1822) 31.—Java.  
*trachygona*, Radlk. Monog. Serj. 327.—Mexic.  
*trichomisca*, Radlk. l. c. 114.—Bras.  
*triquetra*, Radlk. l. c. 305.—Mexic.  
*tristis*, Radlk. l. c. 293.—Bras.  
*triternata*, Seem. Bot. Voy. Herald, 92 = *trachygona*.  
*triternata*, Willd. Sp. Pl. ii. 466 = *lucida*.  
*velutina*, Cambess. in A. St. Hil. Fl. Bras. Mer. i. 357, t. 75.—Bras.  
*velutina*, Herb. ex Radlk. Monog. Serj. 305 = *triquetra*.  
*vesicosa*, Radlk. l. c. 277.—Mexic.

SEROPHYTON, Benth. Bot. Voy. Sulph. 52 (1844) = *Argithamnia*, Sw. (Euphorb.).  
*Drummondii*, Benth. l. c. 53 = *A. mercurialina*.  
*lanceolatus*, Benth. l. c. 52 = *A. lanceolata*.  
*pilosissimum*, Benth. l. c. 53 = *A. pilosissima*.

SERPAEA, Gardn. in Hook. Lond. Journ. Bot. vii. (1848) 296 = *Oyedeae*, DC. (Compos.).  
*oblonga*, Gardn. l. c. 395 = *Aspilina oblonga*.  
*ovata*, Gardn. l. c. 296 = *O. ovata*.  
*rotundifolia*, Sch. Bip. ex Baker, in Mart. Fl. Bras. vi. iii. 208 = *O. rotundifolia*.

SERPICULA, Linn. Mant. i. 16 (1767). *HALO-RAGEAE*, Benth. & Hook. f. i. 675.  
*EPILITHES*, Blume, Bijdr. 734 (1826).  
*LAUREMBERGIA*, Berg. Desc. Pl. Cap. 350 (1767).  
*brasiliensis*, Cambess. in A. St. Hil. Fl. Bras. Mer. ii. 250.—Bras.  
*brevipes*, Wight & Arn. Prod. 338 = *indica*.  
*capensis*, Raeusch. Nom. ed. III. 271 = *repens*.  
*Epilithes*, Blume, Mus. Bot. Lugd. Bat. i. 110.—Java.  
*hirsuta*, Wight & Arn. Prod. 338 = *indica*.  
*indica*, Thw. Enum. Pl. Zeyl. 123, partim.—Ind. or.  
*indica*, Thw. l. c., partim = *zeylanica*.  
*javanica*, Miq. Fl. Ind. Bat. i. i. 1090.—Java.  
*repens*, Linn. Mant. i. 124.—Afr. austr.  
*rubicunda*, Burch. Trav. i. 37 = *repens*.  
*serpyllifolia*, Burm. f. Fl. Cap. Prod. 30 (err. typ. 26) = *repens*.  
*thymifolia*, Burm. l. c.—Afr. austr.  
*veronicaefolia*, Bory. Voy. iii. 174.—Ins. Borbon.  
*zeylanica*, Arn. ex C. B. Clarke, in Hook. f. Fl. Brit. Ind. ii. 431.—Zeylan.

SERPICULA, Linn. f. Suppl. 416 (1781), partim = *Hydrilla*, Rich. (Hydrochar.).  
*verticillata*, Linn. f. l. c. = *H. ovalifolia*.

SERPICULA, Pursh, Fl. Am. Sept. i. 33 (1817) = *Elodea*, Michx. (Hydrochar.).  
*canadensis*, Eaton, Man. (1833) 336 = *E. canadensis*.  
*occidentalis*, Pursh, Fl. Am. Sept. i. 33 = *E. canadensis*.  
*verticillata*, Rostk. & Schmidt, Fl. Sedin. 370 = *E. canadensis*.

SERPILLARIA, Heist. Syst. 6 (1748) (Quid?).

SERPILLUM, Tourn. ex Rupp. Jen. ed. Hall. 234 (1745) = *Thymus*, Linn. (Labi.).  
*angustifolium*, Fourr. in Ann. Soc. Linn. Lyon, N. S. xvii. (1869) 133 = *T. Serpyllum*.  
*Chamaedryas*, Fourr. l. c. = *T. Serpyllum*.  
*citri-odora*, Pall. Reise Suedl. Statth. Russ. Reich. ii. 80 = *T. Serpyllum*.  
*lanuginosum*, Fourr. in Ann. Soc. Linn. Lyon, N. S. xvii. (1869) 133 = *T. Serpyllum*.  
*vulgare*, Fourr. l. c. = *T. Serpyllum*.

SERRA, Cav. Diss. ii. 83 (1786), sphalm. = *Senra*, Cav. (Malvac.).

SERRAEA, Spreng. Syst. iii. 78 (1826) = *Senra*, Cav. (Malvac.).  
*incana*, Spreng. l. c. = *Senra incana*.  
*rupestris*, Edgew. in Journ. As. Soc. Beng. xxi. (1853) 168 = *Senra incana*.

SERRAFALCUS, Parl. Rar. Pl. Sic. ii. 14 (1840); Pl. Nov. 75 (1842) = *Bromus*, Linn. (Gramin.).  
*alopecuroides*, Parl. Fl. Ital. i. 399 = *B. Alopecuros*.  
*arduennensis*, Crép. Man. Bot. Belg. ed. I. 211 = *B. arduennensis*.  
*arvensis*, Godr. Fl. Lorr. ed. I. iii. 185 = *B. arvensis*.  
*Cavanillesii*, Willk. in Willk. & Lange, Prod. Fl. Hisp. i. 101 = *B. molliformis*.  
*Chiapporians*, De Not. ex Parl. Fl. Ital. i. 394 = *B. patulus*.  
*commutatus*, Bab. Man. Brit. Bot. ed. I. 374; Godr. Fl. Lorr. ed. I. iii. 184 = *B. racemosus*.  
*contortus*, Parl. in Giorn. Bot. i. i. (1844) 326 = *B. Alopecuros*.  
*divaricatus*, Dulac, Fl. Hautes-Pyr. 97 = *B. secalinus*.  
*hordeaceus*, Gren. & Godr. Fl. Fr. iii. 590 = *B. racemosus*?  
*Hughi*, Todaro, Ind. Sem. Hort. Panorm. (1866) 33 = *B. intermedius*.  
*intermedius*, Parl. Rar. Pl. Sic. ii. 17 = *B. intermedius*.  
*lanceolatus*, Parl. l. c. 18 = *B. macrostachys*.  
*Lloydianus*, Gren. & Godr. Fl. Fr. iii. 591 = *B. molliformis*.  
*macrostachys*, Parl. Fl. Ital. i. 397 = *B. macrostachys*.  
*massiliensis*, Gren. in Mém. Soc. Emul. Doubs, Sér. III. iv. (1860) 391 = *P. massiliensis*.  
*molliformis*, F. Schultz, Arch. Fl. 320 = *B. molliformis*.  
*mollis*, Parl. Rar. Pl. Sic. ii. 16 = *B. mollis*.  
*neglectus*, Parl. Fl. Ital. i. 391 = *B. racemosus*.

## SERRAFALCUS:—

*patulus*, Parl. Fl. Ital. i. 394 = *Bromus patulus*.  
*racemosus*, Parl. Rar. Pl. Sic. ii. 14 = *B. racemosus*.  
*scoparius*, Parl. l. c. 19 = *B. scoparius*.  
*secalinus*, Bab. Man. Brit. Bot. ed. I. 374; Godr. Fl. Lorr. ed. I. iii. 182 = *B. secalinus*.  
*squarrosus*, Bab. l. c. 375 = *B. squarrosus*.  
*velutinus*, Parl. Rar. Pl. Sic. ii. 16 = *B. racemosus*.

SERRARIA, Burm. Afr. 204. t. 99 (1737) = *Serruria*, Salisb. (Proteac.).

SERRATULA, Dill. ex Linn. Syst. ed. I (1735). *COMPOSITAE*, Benth. & Hook. f. ii. 475.

*CRUPINASTRUM*, Schur. in Ber. Bot. Rundsch. (1853) 37; ex ej. Enum. Pl. Transs. 411.

KLASEA, Cass. in Dict. Sc. Nat. xxxv. 17 (1825); et xli. 321.

MASTRUCIUM, Cass. l. c. (1825).

PEREUPHORA, Hoffmgg. Verz. Pfl. Nachtr. ii. 173 (1826).

PSILOSANTHUS, Neck. Elem. i. 69 (1790).

STEMMACANTHA, Cass. in Bull. Soc. Philom. (1817) 12.

*acaulis*, DC. Diss. Comp. ii. 31 = *Centaurea chamaerhaponticum*.

*acutifolia*, Poir. Encyc. vi. 554 = *Lucilia acutifolia*.

*alata*, Desf. Tabl. ed. II. 108 = *Jurinea alata*.

*alata*, S. T. Gmel. Reise, i. 155. t. 35. f. 2; ex Ledeb. Fl. Ross. ii. 733 (= *Cirsium elodes*?).—Reg. Caucas.

*alata*, Poir. Encyc. vi. 553 = *Jurinea cyanoides*.

*alata*, Sweet, Hort. Brit. ed. I. 213 = *Saussurea japonica*.

*alata*, C. A. Mey. ex Rupr. Sert. Tiansch. 56.—Turkest.

*albescens*, Wall. Cat. n. 2918 = *Saussurea albescens*.

*albida*, DC. ex Pers. Syn. ii. 391 = *Heterocoma albida*.  
*Alcalae*, Coss. Notes Crit. 40.—Hispan.

*alpina*, Linn. Sp. Pl. 816 = *Saussurea* sp. variae.

*altissima*, DC. Prod. vi. 671 = *Vernonia altissima*.

*altissima*, Steph. ex Ledeb. Fl. Ross. ii. 761, in nota = *coronata*.

*amara*, Linn. Sp. Pl. 819 = *Saussurea amara*.

*amara*, Pall. Reise, i. 500 = *Centaurea Picris*.

*ambigua*, DC. Diss. Comp. ii. 30 = *Jurinea ambigua*.

*angulata*, Kar. & Kir. in Bull. Soc. Nat. Mosc. (1841) 453.—Soongar.

*angustifolia*, Willd. Sp. Pl. iii. 1642 = *Saussurea alpina*.

*anthelmintica*, Roxb. Hort. Beng. 60; Fl. Ind. iii. 405 = *Vernonia anthelmintica*.

*apiculata*, Poir. Encyc. Suppl. v. 43 = *Stachelina apiculata*.

*arborescens*, Lam. Fl. Fr. ii. 40 = *Stachelina arborescens*.

*arguta*, Fisch. ex Hornem. Suppl. Hort. Hafn. 156 = *tinctoria*.

*arvensis*, Linn. Sp. Pl. 820 = *Cnicus arvensis*.

*aspera*, Link. Enum. Hort. Berol. ii. 297.—Nepal.

*atriplicifolia*, Benth. & Hook. f. Gen. ii. 475.—*Dahuria*.

*autaretica*, Poir. Encyc. vi. 563 = *Cnicus heterophyllus*.

*babylonica*, Linn. Syst. ed. X. 1199 = *Centaurea babylonica*.

*bachtiarica*, Boiss. & Haussk. ex Boiss. Fl. Orient. iii. 587.—Persia.

*Barrelieri*, Dufour, in Ann. Sc. Nat. Sér. I. xxiii. (1831) 156 = *pinnatifida*.

*Behen*, Lam. Illustr. iii. 242. t. 666 = *Centaurea cerinthifolia*.

*bifrons*, Pers. Syn. ii. 391 = *Chronopappus bifrons*.

*blanda*, Bieb. Fl. Taur. Cauc. iii. 549 = *Jurinea arachnoidea*.

*Bocconi*, Guss. Ind. Sem. Hort. Boccad. (1825); Tenore, Succ. Rel. Viagg. Abruzzo, 84 = *Jurinea humilis*.

*boetica*, Boiss. ex DC. Prod. vii. 306.—Hispan.

*caespitosa*, Steud. Nom. ed. II. ii. 569, sphalm. = *Saussurea taraxacifolia*.

*campestris*, Schweigg. ex DC. Prod. vi. 671 = *Cnicus arvensis*.

*canariensis*, Sch. Bip. in Webb & Berth. Phyt. Canar. ii. 370.—Ins. Canar.

*carniolica*, Poir. Encyc. vi. 563 = *Cnicus rufescens*.  
*caroliniana*, Mill. Gard. Dict. ed. VIII. n. 7 = *Vernonia oligophylla*.  
*carthamoides*, Buch.-Ham. ex Roxb. Hort. Beng. 60; Fl. Ind. iii. 407 = *Saussurea affinis*.



**SERRATULA:—**

*carthamoides*, Poir. Encyc. vi. 561 = *Centaurea carthamoides*.  
*caspia*, Pall. Reise, ii. 743 (= *Karelinia caspia*).—Reg. Casp.  
*caspiaca*, Willd. Sp. Pl. iii. 1643 = praec.  
*caucasica*, Boiss. Fl. Orient. iii. 590.—Reg. Caucas.  
*caulescens*, Coss. in Bull. Soc. Bot. Fr. xx. (1873) 251 = *Centaurea Cossoniana*.  
*centauroides*, Bieb. Fl. Taur. Cauc. ii. 264 = radiata.  
*centauroides*, Linn. Sp. Pl. 820.—Sibir.  
*cerinthefolia*, Sibth. & Sm. Fl. Graec. Prod. ii. 567.—Syria; Persia.  
*cernua*, Poir. Encyc. vi. 560 = *Carduus cernuus*.  
*chaetocarpa*, Ledeb. Fl. Alt. iv. 42 = *Jurinea chaetocarpa*.  
*Chamaepeuce*, Linn. Sp. Pl. 819 = *Cnicus Chamaepeuce*.  
*chinensis*, S. Moore, in Journ. Bot. xiii. (1875) 228.—China.  
*cichoracea*, DC. Prod. vi. 670.—Ital.  
*ciliata*, Vahl, Symb. Bot. i. 67; Bieb. Fl. Taur. Cauc. ii. 267 = *Cnicus arvensis*.  
*cinerea*, Roxb. Hort. Beng. 60; Fl. Ind. iii. 406 = *Vernonia cinerea*.  
*cirsioides*, Tenore, Succ. Rel. Viagg. Abruzzo, 85.—Europ. austr.  
*complanata*, Schweigg. in Hagen, Chlor. Bor. 303 = *Cnicus arvensis*.  
*complicata*, Koch, Syn. Fl. Germ. ed. I. 400, sphalm. = praec.  
*compta*, Herb. Banks, ex Pursh, Fl. Am. Sept. ii. 508 = *Liatris spicata*.  
*conica*, Lam. Fl. Fr. ii. 40 = *Stachelina dubia*.  
*conifera*, Brot. Phyt. Lusit. i. 67. t. 31 = *Leuzea conifera*.  
*cordata*, Cass. in Dict. Sc. Nat. i. 468 = *cerinthefolia*.  
*coriacea*, Fisch. & Mey. ex DC. Prod. vi. 668.—Armen.; Persia.  
*coronaria*, Siev. in Pall. N. Nord. Beitr. vii. 345 = *coronata*.  
*coronata*, DC. Fl. Fr. iv. 85 (excl. desc.); Suppl. 458 = tinctoria.  
*coronata*, Linn. Sp. Pl. ed. II. 1144.—Sibir.  
*corymbosa*, Poir. Encyc. vi. 559 = *Vernonia corymbosa*.  
*crupina*, Vill. Hist. Pl. Dauph. iii. 38 = *Crupina vulgaris*.  
*cyanoides*, DC. Diss. Comp. ii. 30 = *Jurinea cyanoides*.  
*cyanoides*, Gaertn. Fruct. ii. t. 162 = *Jurinea mollis*.  
*cynarifolia*, Poir. Encyc. vi. 561 = *Centaurea carthamoides*.  
*cynaroides*, DC. Fl. Fr. iv. 87 = *Cnicus cynaroides*.  
*cynoglossifolia*, Willd. ex Spreng. Syst. iii. 381 = *Saussurea serrata*.  
*daurica*, Adams, in Mém. Soc. Nat. Mosc. ix. (1834) 251 = *Saussurea crassifolia*.  
*decurrens*, Ledeb. Ind. Sem. Hort. Dorpat. (1811) 4 = *Saussurea japonica*.  
*dentata*, Poir. Encyc. vi. 562 = *Carthamus dentatus*.  
*depressa*, Regel & Schmalh. ex Regel, Pl. Nov. Fedsch. 52.—Kokan.  
*depressa*, Stev. in Mém. Soc. Nat. Mosc. iv. (1813) 61 = *Jurinea depressa*.  
*discolor*, Poir. Encyc. vi. 565 = *Cnicus altissimus*.  
*discolor*, Willd. Sp. Pl. iii. 1641 = *Saussurea discolor*.  
*dissecta*, Ledeb. Fl. Alt. iv. 40.—Sibir. altaic.  
*dissecta*, Steph. ex Herd. in Bull. Soc. Nat. Mosc. xli. (1868) ii. 46 = *Saussurea japonica*.  
*divaricata*, Fisch. & Mey. Ind. Sem. Hort. Petrop. i. 37 = *Volutarella divaricata*.  
*dubia*, Brot. Fl. Lusit. i. 350 = *Stachelina dubia*.  
*dubia*, Scop. ex Steud. Nom. ed. II. ii. 569 (Quid?).—Am. bor.  
*echinocephala*, Poir. Encyc. vi. 561 = *Cnicus echinocephalus*.  
*elegans*, Ait. Hort. Kew. ed. I. iii. 138 = *Liatris elegans*.  
*elegans*, Stev. in Trans. Linn. Soc. xi. (1815) 414. t. 37 = *Jurinea elegans*.  
*fasciculata*, Poir. Encyc. vi. 560 = *Lachnospermum ericifolium*.  
*flavescens*, Poir. l. c. 562.—Hispan.  
*flexicaulis*, Rupr. Sert. Tiansch. 57.—Turkest.  
*foliosa*, Hill, ex Steud. Nom. ed. II. ii. 570 (Quid?).—Am. bor.  
*frigida*, Fisch. ex Herd. in Bull. Soc. Nat. Mosc. xli. (1868) ii. 37 = *Saussurea alpina*.  
*fruticosa*, Lam. Illustr. iii. 242 = *Stachelina fruticosa*.

**SERRATULA:—**

*furcata*, Spreng. ex DC. Prod. vi. 563 = *Tricholepis furcata*.  
*glandulifera*, Turcz. ex DC. l. c. 670.—Rossia.  
*glaucia*, Ledeb. in Mém. Acad. Pétersb. v. (1812) 560.—Reg. Caucas.; Sibir.  
*glaucia*, Linn. Sp. Pl. 818 = *Vernonia noveboracensis*.  
*Gmelini*, Ledeb. ex DC. Prod. vi. 668.—Sibir.  
*Gmelini*, Tausch, in Flora, xi. (1828) ii. 485 = radiata.  
*gnaphaloides*, Poir. Encyc. vi. 559 = *Helipterum gnaphaloides*.  
*gossypiphora*, D. Don, Prod. Fl. Nep. 168.—Reg. Himal.  
*gracilis*, Hill, ex Steud. Nom. ed. II. ii. 570 (Quid?).—Am. bor.  
*graeca*, Spreng. Syst. iii. 388 = *Jurinea glycanantha*.  
*Griffithii*, Boiss. Diagn. Ser. II. iii. 49 = *Volutarella divaricata*.  
*hastata*, Poir. Encyc. vi. 557 = *Vernonia atriplicifolia*.  
*Haussknechtii*, Boiss. Fl. Orient. iii. 589.—Persia.  
*heleniifolia*, Sch. Bip. ex Reichb. Ic. Fl. Germ. xv. 47.—Europ. centr.  
*heterophylla*, Desf. Tabl. ed. I. 93.—Europ.; Reg. Caucas.  
*heterophylla*, Vill. Cat. Strasb. 198 = radiata.  
*humilis*, Desf. Fl. Atlant. ii. 244 = *Jurinea humilis*.  
*ilicifolia*, Poir. Encyc. vi. 558 = *Gynoxys ilicifolia*.  
*imbricata*, Poir. l. c. 559 = *Metalasia uniflora*.  
*incana*, Gmel. It. i. 155 = *Cnicus arvensis*.  
*indica*, Klein, ex Willd. Sp. Pl. iii. 1642 = *Goniocaulon glabrum*; *Tricholepis glaberrima*.  
*indica*, Russ. ex Wall. Cat. n. 2985 F = *Echinops echinatus*.  
*indivisa*, Poir. ex DC. Prod. vi. 667 = tinctoria.  
*inermis*, Gilib. Fl. Lituan. i. 183 = tinctoria.  
*inermis*, Poir. Encyc. vi. 564 = *Cnicus centauroides*.  
*integrifolia*, Krock. Fl. Siles. Suppl. ii. 277.—Siles.  
*isophylla*, Claus, in Beitr. Pfl. Russ. Reich. viii. 118, 301.—Ross. med.  
*japonica*, Thunb. Fl. Jap. 305 = *Saussurea japonica*.  
*Kitaibelii*, G. Don, ex Loud. Hort. Brit. 329 = heterophylla.  
*Kotschyi*, Boiss. Fl. Orient. iii. 590.—Kurdist.  
*lanata*, Poir. Encyc. vi. 565 = *Cnicus arvensis*.  
*latifolia*, Boiss. Diagn. Ser. I. x. 96.—Persia.  
*Laxmanni*, Fisch. ex DC. Prod. vi. 669 = *glaucia*.  
*leucantha*, DC. l. c. 670 = *flavescens*.  
*leucocephala*, Poir. Encyc. vi. 565 = *Cnicus leucocephalus*.  
*liatroides*, Adams, ex DC. Prod. vi. 532 = *Saussurea pycnocephala*.  
*linearifolia*, DC. Diss. Comp. ii. 29 = *Jurinea linearifolia*.  
*lucida*, Poir. Encyc. vi. 555 (= *Cirsium lucidum*).—Hab.?  
*lyrata*, Bess. Cat. Hort. Crem. (1816) 129 = *Jurinea alata*.  
*lyratifolia*, Scheele, in Linnaea, xviii. (1844) 481.—Reg. Caucas.  
*lyratifolia*, Schrenk, Enum. Pl. Nov. i. 45.—Sibir. altaic.  
*macrocephala*, Bertol. Fl. Ital. viii. 604.—Ital.  
*macrocephala*, Wall. Cat. n. 2904 = *Jurinea macrocephala*.  
*macrophylla*, Wender. ex Steud. Nom. ed. II. ii. 570 (Quid?).—Hab.?  
*marginata*, Tausch, in Flora, xi. (1828) 484 = *Gmelini*.  
*marilandica*, Crantz, Inst. i. 259 = *glaucia*.  
*media*, Poir. Encyc. vi. 564 = *Cnicus medius*.  
*melanocheila*, Boiss. & Haussk. ex Boiss. Fl. Orient. iii. 589.—Persia.  
*mollis*, Cav. Ic. i. 62. t. 90. f. 1 = *Jurinea humilis*.  
*mollis*, Koch, Syn. Fl. Germ. ed. I. 408 = *Jurinea mollis*.  
*mollis*, Wallr. Sched. Crit. 452 = praec.?  
*Monardi*, Dufour, in Ann. Sc. Nat. Sér. I. xxiii. (1831) 155 = *Jurinea Monardi*.  
*montana*, Poir. Encyc. vi. 564 = *Cnicus montanus*.  
*monticola*, Bor. Fl. Centr. Fr. ed. III. ii. 364 = *macrocephala*.  
*mucronata*, Desf. Fl. Atlant. ii. 243 = *flavescens*.  
*multicaulis*, Wall. Cat. n. 2897 = *Saussurea affinis*.  
*multiflora*, Blanco, Fl. Filip. ed. I. 617 = *Vernonia chinensis*.  
*multiflora*, Linn. Sp. Pl. 817 = *Jurinea linearifolia*.  
*multiflora*, Lour. Fl. Cochinch. 483.—China.

**SERRATULA:—**

*multiflora*, Pall. ex Herd. in Bull. Soc. Nat. Mosc. xli. (1868) 20 = *Saussurea serrata*.  
*nemorum*, Lavy, Orig. 13; ex DC. Prod. vi. 671 (Quid?).—Hab.?  
*nitens*, Spreng. Syst. iii. 389 = *Centaurea nitens*.  
*nitida*, Bess. Enum. Pl. Volh. 32 = *heterophylla*.  
*nitida*, Fisch. ex Spreng. Syst. iii. 390.—Rossia; Sibir.  
*nivea*, Wall. Cat. sub n. 2898 = *Saussurea deltoidea*.  
*noveboracensis*, Linn. Sp. Pl. 818 = *Vernonia noveboracensis*.  
*nudicaulis*, DC. Fl. Fr. iv. 86.—Gallia; Hispan.  
*numidica*, Poir. Encyc. vi. 555 (= *Cirsium numidicum*).—Afr. bor.  
*oleracea*, Neck. in Act. Acad. Theod. Palat. ii. (1770) 465 = *Cnicus oleraceus*.  
*oligocephala*, DC. Prod. vi. 669.—As. Min.; Syria.  
*orientalis*, Poir. Encyc. vi. 565 = *Galactites tomentosa*.  
*pallida*, DC. Prod. vi. 670.—Reg. Himal.  
*palustris*, Neck. in Act. Acad. Theod. Palat. ii. (1770) 465 = *Cnicus palustris*.  
*pannonica*, Spreng. Syst. iii. 389 = *Cnicus pannonicus*.  
*parviflora*, Poir. Encyc. vi. 554 = *Saussurea serrata*.  
*pauciflora*, Poir. l. c. 563 = *Cnicus heterophyllus*.  
*pectinata*, Turcz. ex Herd. in Bull. Soc. Nat. Mosc. xlii. (1870) i. 94 = *centauroides*.  
*pedunculata*, Pers. Syn. ii. 391 = *Vernonia pedunculata*.  
*phrygia*, Karamysch. in Linn. Amoen. Acad. vii. 456.—Ross.  
*Picris*, Bieb. Fl. Taur. Cauc. iii. 546 = *Centaurea Picris*.  
*pilosa*, Ait. Hort. Kew. ed. I. iii. 138 = *Liatris spicata*.  
*pilosa*, Bosc, ex DC. Prod. v. 63, sphalm. = *Vernonia angustifolia*.  
*pinnata*, Kit. in Schult. Oestr. Fl. ed. II. ii. 454 = tinctoria.  
*pinnata*, Poir. Encyc. Suppl. v. 43 = *Jurinea pinnata*.  
*pinnatifida*, Desf. Tabl. ed. I. 93 = radiata.  
*pinnatifida*, Poir. Encyc. vi. 561.—Hispan.  
*Pollichii*, DC. Cat. Hort. Monsp. (1813) 145 = *Jurinea cyanoides*.  
*polyclonos*, DC. Diss. Comp. 30 = *Jurinea polyclonos*.  
*polygyna*, A. Rich. Tent. Fl. Abyss. i. 457 = *Laggera purpurascens*.  
*praealta*, Linn. Sp. Pl. 818 = *Vernonia noveboracensis*.  
*procumbens*, Regel, in Bull. Soc. Nat. Mosc. xl. (1867) ii. 165.—As. centr.  
*propinqua*, Pomel, Nouv. Mat. Fl. Atl. 25 = *flavescens*.  
*pulchella*, Fisch. & Mey. ex DC. Prod. vi. 676 = *Jurinea pulchella*.  
*pulchella*, Sims, Bot. Mag. t. 2589 = *Saussurea japonica*.  
*pumila*, Thore, ex DC. Prod. vi. 667 = tinctoria.  
*pungens*, Franch. & Sav. Enum. Pl. Jap. ii. 416 = *atriplicifolia*.  
*pungens*, Poir. Encyc. vi. 566 = *Cnicus pungens*.  
*purpurata*, Fisch. ex Herd. in Bull. Soc. Nat. Mosc. xli. (1868) ii. 20 = *Saussurea serrata*.  
*pygmaea*, Jacq. Fl. Austr. v. 20 = *Saussurea pygmaea*.  
*quinquefolia*, Bieb. Fl. Taur. Cauc. ii. 264.—Reg. Caucas.  
*radiata*, Bieb. l. c. iii. 545.—Europ.; Reg. Caucas.  
*rhapontica*, DC. Fl. Fr. iv. 87 = *Centaurea Rha-ponticum*.  
*rosmarinifolia*, Nym. Consp. 401 = *Stachelina dubia*.  
*runcinata*, Demid. ex DC. Prod. vi. 537 = *Saussurea runcinata*.  
*salicifolia*, Linn. Sp. Pl. 817 = *Saussurea salicifolia*.  
*salicina*, Pall. Reise, iii. 682 = *Jurinea linearifolia*.  
*salina*, Pall. Reise, iii. 314 = *Saussurea crassifolia*.  
*salisburgensis*, Poir. Encyc. vi. 564 = *Cnicus rivularis*.  
*salsa*, Pall. Reise, ii. 444; Bieb. Fl. Taur. Cauc. ii. 266 = *Saussurea crassifolia*.  
*salsa*, Spreng. Fl. Hal. Mant. 49 = praec.?  
*scariosa*, Linn. Sp. Pl. 818 = *Liatris scariosa*.  
*scordioidea*, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 135 = seq.  
*Scordium*, Lour. Fl. Cochinch. 483.—China.  
*semiserrata*, Willd. ex DC. Prod. v. 33 = *Vernonia serratuloides*.  
*serrata*, Sweet, Hort. Brit. ed. I. 213 = *Saussurea serrata*.  
*setosa*, Willd. Sp. Pl. iii. 1645 = *Cnicus arvensis*.  
*simplex*, DC. Diss. Comp. ii. 30 = *Jurinea mollis*.  
*sogdiana*, Bunge, in Mém. Sav. Etr. Pétersb. vii. (1851) 367.—Turkest.  
*sonchifolia*, Bess. ex Rochel, Pl. Banat. Rar. (Index) (Quid?).—Banat.

**SERRATULA** :—

- speciosa*, Ait. Hort. Kew. ed. I. iii. 138 = *Liatris elegans*.  
*spicata*, Linn. Sp. Pl. 819 = *Liatris spicata*.  
*spinosa*, Forsk. Fl. Aegypt. Arab. 217.—Reg. Byzant.  
*spinosa*, Gilib. Fl. Lituan. i. 184 = *Cnicus arvensis*.  
*spinosa*, Poir. ex DC. Prod. v. 475 = *Iphiona juniperifolia*.  
*spinulosa*, Franch. in Ann. Sc. Nat. Sér. VI. xvi. (1883) 329.—Turkestan.  
*squalida*, Steph. ex DC. Prod. vi. 537 = *Saussurea alata*.  
*squarrosa*, Linn. Sp. Pl. 818 = *Liatris squarrosa*.  
*Stelleria*, Steph. ex DC. Prod. vi. 534 = *Saussurea elongata*.  
*stoechadifolia*, Bieb. Fl. Taur. Cauc. ii. 266 = *Jurinea staechadifolia*.  
*subacaulis*, Poir. Encyc. vi. 550 = *Jurinea humilis*.  
*subulata*, Poir. l. c. 558 = *Iphiona juniperifolia*.  
*suffruticosa*, Trautv. in Act. Hort. Petrop. viii. (1883) 510, sphalm. = seq.  
*suffruticulosa*, Schrenk. in Bull. Phys.-Math. Acad. Pétersb. iii. (1845) 110.—Soongaria.  
*tenuifolia*, Bong. in Bull. Sc. Acad. Pétersb. viii. (1841) 340.—Sibir. altaic.  
*thracica*, Janka, in Oestr. Bot. Zeitschr. xxii. (1872) 178 = *Centaurea monacantha*.  
*Tilesii*, Ledeb. in Mém. Acad. Pétersb. v. (1812) 562 = *Saussurea alpina*.  
*tincta*, Cass. in Dict. Sc. Nat. xlvii. 476 = *Jurinea linearifolia*.  
*tinctoria*, Linn. Sp. Pl. 816.—Europ.  
*tinctoria*, Siebold, ex Miq. Ann. Mus. Bot. Lugd. Bat. ii. 183 = *Saussurea affinis*.  
*tomentosa*, Hoffm. ex Ledeb. Fl. Ross. ii. 762 = *Jurinea staechadifolia*.  
*transylvanica*, Spreng. Syst. iii. 388 = *Jurinea mollis*.  
*Trautvetteriana*, Regel & Schmalh. in Act. Hort. Petrop. vi. (1879) 321.—Turkestan.  
*tuberosa*, Neck. in Act. Acad. Theod. Palat. ii. (1770) 465 = *Cnicus tuberosus*.  
*uniflora*, Poir. Encyc. vi. 560 ; Spreng. Syst. iii. 388 = *Centaurea monantha*.  
*uniflosculosa*, Poir. Encyc. Suppl. v. 43 = *Stachelina uniflosculosa*.  
*varia*, Hill, ex Steud. Nom. ed. II. ii. 570 (Quid ?).—Am. bor.  
*viciaefolia*, Boiss. & Haussk. ex Boiss. Fl. Orient. iii. 586.—Persia.  
*Vulpii*, Fisch.-Ooster, in Flora, xxxvii. (1854) 98 = *macrocephala*.  
*Wolffii*, Andrae, in Bot. Zeit. xiii. (1855) 321 = *coronata*.  
*xeranthemoides*, Bieb. Fl. Taur. Cauc. ii. 265.—Rossia ; Reg. Caucas.

**SERRRESIA**, Montr. in Mém. Acad. Lyon, x. (1860) 179. *INCERT. SEDIS*.—Cf. Benth. & Hook. f. Gen. i. 970.  
*asarifolia*, Montr. l. c. 180.—N. Caled.

**SERRONIA**, Gaudich. in Deless. Ic. Sel. iii. 54. t. 90 (1837) = *Piper*, Linn.  
*acuminata*, Moric. Pl. Nouv. Am. 86. t. 57 = *P. corcovadense*.  
*Jaborandi*, Gaudich. & Guill. in Deless. Ic. Sel. iii. 54 = *P. Jaborandi*.

**SERRULATA**, DC. Prod. v. 63 (1836), sphalm. = *Serratula*, Dill. (Compos.).

**SERRURIA**, Salisb. Parad. Lond. sub t. 67 (1807). *PROTEACEAE*, Benth. & Hook. f. iii. 170.  
*HOLDERLINIA*, Neck. Elem. i. 106 (1790).  
*SERRARIA*, Burm. Afr. 264. t. 99 (1737).  
*abrotanifolia*, Knight, Prot. 79.—Afr. austr.  
*acrocarpa*, R. Br. in Trans. Linn. Soc. x. (1810) 113.—Afr. austr.  
*adscendens*, R. Br. l. c. 127.—Afr. austr.  
*adscendens*, Drège, ex Meissn. in DC. Prod. xiv. 287 = *saxicola*.  
*aemula*, Knight, Prot. 89.—Afr. austr.  
*Aitoni*, R. Br. in Trans. Linn. Soc. x. (1810) 114.—Afr. austr.  
*albicans*, Roem. & Schult. Syst. iii. 378.—Afr. austr.  
*Andrewsii*, Endl. Gen. Suppl. iv. ii. 79 = *phylicoides*, odorata.  
*anemonefolia*, Knight, Prot. 83.—Afr. austr.  
*anethifolia*, Knight, l. c. 84.—Afr. austr.

VOL. II.

**SERRURIA** :—

- arenaria*, R. Br. in Trans. Linn. Soc. x. (1810) 117.—Afr. austr.  
*arenaria*, Knight, Prot. 87 = *emarginata*.  
*argentiflora*, Buek, ex Meissn. in DC. Prod. xiv. 297 = *tritermata*.  
*artemisiaefolia*, Knight, Prot. 80.—Afr. austr.  
*barbigera*, Knight, l. c. 90.—Afr. austr.  
*Bergii*, R. Br. in Trans. Linn. Soc. x. (1810) 220.—Afr. austr.  
*Brownii*, Meissn. in DC. Prod. xiv. 290.—Afr. austr.  
*Burmanni*, R. Br. in Trans. Linn. Soc. x. (1810) 310 = *fasciflora*.  
*callosa*, Knight, Prot. 80.—Afr. austr.  
*candicans*, R. Br. in Trans. Linn. Soc. x. (1810) 130.—Afr. austr.  
*candicans*, Roem. & Schult. Syst. iii. 378 = *Nivenia concava*.  
*chlamydiflora*, Knight, Prot. 91.—Afr. austr.  
*ciliata*, R. Br. in Trans. Linn. Soc. x. (1810) 123.—Afr. austr.  
*collina*, Knight, Prot. 86.—Afr. austr.  
*colorata*, Buek, ex Drège, Zwei Pfl. Docum. 109, 221.—Afr. austr.  
*colorata*, Zeyh. ex Meissn. in DC. Prod. xiv. 286 = *cygnea*.  
*commutata*, Endl. Gen. Suppl. iv. ii. 79 = *triplicato-ternata*.  
*compar*, R. Br. in Trans. Linn. Soc. x. (1810) 129.—Afr. austr.  
*concinna*, Knight, Prot. 88.—Afr. austr.  
*congesta*, R. Br. in Trans. Linn. Soc. x. (1810) 123 = *millefolia*.  
*crithmifolia*, Knight, Prot. 83 ; R. Br. l. c. 132.—Afr. austr.  
*cyanea*, Drège, ex Meissn. in DC. Prod. xiv. 286 = *cygnea*.  
*cyanoidea*, R. Br. in Trans. Linn. Soc. x. (1810) 117 = *pulchella*.  
*cygnea*, R. Br. l. c. 113.—Afr. austr.  
*decipiens*, R. Br. l. c. 129.—Afr. austr.  
*decumbens*, R. Br. l. c. 126.—Afr. austr.  
*delphinifolia*, Knight, Prot. 82.—Afr. austr.  
*diffusa*, R. Br. in Trans. Linn. Soc. x. (1810) 115.—Afr. austr.  
*Dregei*, Meissn. in DC. Prod. xiv. 289.—Afr. austr.  
*elevata*, R. Br. in Trans. Linn. Soc. x. (1810) 114.—Afr. austr.  
*elongata*, R. Br. l. c. 132 = *crithmifolia*.  
*elumbis*, Knight, Prot. 83.—Afr. austr.  
*emarginata*, Sweet, Hort. Brit. ed. I. 348.—Afr. austr.  
*erecta*, Meissn. in DC. Prod. xiv. 298.—Afr. austr.  
*eriocephala*, Steud. Nom. ed. II. ii. 571 = *squarrosa*.  
*fallax*, Knight, Prot. 90.—Afr. austr.  
*fasciflora*, Knight, l. c. 85.—Afr. austr.  
*flagellaris*, R. Br. in Trans. Linn. Soc. x. (1810) 127.—Afr. austr.  
*flagellifolia*, Knight, Prot. 84.—Afr. austr.  
*flava*, E. Mey. ex Meissn. in DC. Prod. xiv. 287.—Afr. austr.  
*florida*, R. Br. in Trans. Linn. Soc. x. (1810) 126.—Afr. austr.  
*florida*, Knight, Prot. 92.—Afr. austr.  
*foeniculacea*, R. Br. in Trans. Linn. Soc. x. (1810) 122.—Afr. austr.  
*foeniculacea*, Sieber, ex Meissn. in DC. Prod. xiv. 294 = *glomerata*.  
*foliosa*, Knight, Prot. 89.—Afr. austr.  
*frondosa*, Knight, l. c. 85.—Afr. austr.  
*fucifolia*, Knight, l. c. 81.—Afr. austr.  
*furellata*, R. Br. in Trans. Linn. Soc. x. (1810) 118.—Afr. austr.  
*glaberrima*, R. Br. l. c. 112.—Afr. austr.  
*glomerata*, R. Br. l. c. 128.—Afr. austr.  
*gracilis*, Knight, Prot. 81.—Afr. austr.  
*gremiflora*, Knight, l. c. 88.—Afr. austr.  
*helvola*, Steud. Nom. ed. II. ii. 571 = *cygnea*.  
*heterophylla*, Meissn. in DC. Prod. xiv. 284.—Afr. austr.  
*hirsuta*, Berg. ex Meissn. l. c. 290 = *Brownii*.  
*hirsuta*, R. Br. in Trans. Linn. Soc. x. (1810) 120.—Afr. austr.  
*hirsuta*, Buek, ex Meissn. in DC. Prod. xiv. 289 = *scoparia*.  
*hyemalis*, Knight, Prot. 84.—Afr. austr.  
*incrassata*, Buek, ex E. Mey. in Drège, Zwei Pfl. Docum. 98.—Afr. austr.  
*Kraussii*, Meissn. in DC. Prod. xiv. 296.—Afr. austr.

**SERRURIA** :—

- linearis*, Knight, Prot. 82.—Afr. austr.  
*millefolia*, Knight, l. c. 79.—Afr. austr.  
*montana*, Knight, l. c. 80.—Afr. austr.  
*multifida*, E. Mey. in Drège, Zwei Pfl. Docum. 74 = *Aitoni*.  
*nervosa*, Meissn. in DC. Prod. xiv. 290.—Afr. austr.  
*nitida*, R. Br. in Trans. Linn. Soc. x. (1810) 124.—Afr. austr.  
*Niveni*, R. Br. l. c. 121.—Afr. austr.  
*odorata*, Sweet, Hort. Brit. ed. I. 348.—Afr. austr.  
*parilis*, Knight, Prot. 91.—Afr. austr.  
*peduncularis*, Knight, l. c. 81.—Afr. austr.  
*pedunculata*, R. Br. in Trans. Linn. Soc. x. (1810) = *artemisiaefolia*.  
*phylicoides*, R. Br. l. c. 126 = *barbigera*.  
*pilosa*, Roem. & Schult. Syst. iii. 378.—Afr. austr.  
*pinnata*, R. Br. in Trans. Linn. Soc. x. (1810) 116.—Afr. austr.  
*plumosa*, Meissn. in DC. Prod. xiv. 291.—Afr. austr.  
*pulchella*, Knight, Prot. 89.—Afr. austr.  
*quinquemestris*, Knight, l. c. 87.—Afr. austr.  
*rangiferina*, Knight, l. c. 86.—Afr. austr.  
*rostellaris*, Knight, l. c. 88.—Afr. austr.  
*Roxburghii*, R. Br. in Trans. Linn. Soc. x. (1810) 130.—Afr. austr.  
*rubricaulis*, R. Br. l. c. 128.—Afr. austr.  
*saxicola*, Buek, ex E. Mey. in Drège, Zwei Pfl. Docum. 76.—Afr. austr.  
*scariosa*, R. Br. in Trans. Linn. Soc. x. (1810) 118.—Afr. austr.  
*scariosa*, Drège, ex Meissn. in DC. Prod. xiv. 285 = *furcellata*.  
*scoparia*, R. Br. in Trans. Linn. Soc. x. (1810) 119.—Afr. austr.  
*simplicifolia*, R. Br. l. c. 115.—Afr. austr.  
*sphaerocephala*, Steud. Nom. ed. II. ii. 571 = *hirsuta*, *pedunculata*, *scariosa*.  
*squarrosa*, R. Br. in Trans. Linn. Soc. x. (1810) 124.—Afr. austr.  
*Stilbe*, R. Br. l. c. 120.—Afr. austr.  
*subcorymbosa*, Meissn. in DC. Prod. xiv. 285.—Afr. austr.  
*Thunbergi*, Endl. Gen. Suppl. iv. ii. 79 = *pilosa*.  
*tomentosa*, E. Mey. in Drège, Zwei Pfl. Docum. 76.—Afr. austr.  
*tridentata*, D. Dietr. Syn. Pl. i. 520 = *tritermata*.  
*trilopha*, Knight, Prot. 90.—Afr. austr.  
*triplicato-ternata*, Roem. & Schult. Syst. iii. 378.—Afr. austr.  
*tritermata*, R. Br. in Trans. Linn. Soc. x. (1810) 131 = *antheifolia*.  
*vallis*, Knight, Prot. 78.—Afr. austr.  
*vestita*, Buek, ex E. Mey. in Drège, Zwei Pfl. Docum. 104.—Afr. austr.  
*villosa*, R. Br. in Trans. Linn. Soc. x. (1810) 122.—Afr. austr.  
*zanthophylla*, Knight, Prot. 86.—Afr. austr.  
*Zeyheri*, Meissn. in DC. Prod. xiv. 297.—Afr. austr.

**SERSALISIA**, R. Br. Prod. 529 (1810) = *Lucuma*, Molina (Sapot.).  
*cotinifolia*, F. Muell. Fragm. v. 161 = *Hormogyne cotinifolia*.  
*galactoxylon*, F. Muell. ex Benth. Fl. Austral. iv. 279 = *L. galactoxylon*.  
*glabra*, A. Gray, in Proc. Am. Acad. v. (1862) 327 = *Sideroxylon Richardi*.  
*laurifolia*, A. Rich. Sert. Astrolab. 84. t. 31 = *Sideroxylon Richardi*.  
*obovata*, R. Br. Prod. 529 = *Sideroxylon Brownii*.  
*sericea*, R. Br. l. c. 530 = *L. sericeum*.

**SERTIFERA**, Lindl. ex Reichb. f. in Linnaea, xli. (1877) 63. *ORCHIDEAE*, Benth. & Hook. f. iii. 591.  
*purpurea*, Reichb. f. l. c. 64.—Ecuador.  
*virgata*, Reichb. f. l. c.—Peruv.

**SERTULA**, Linn. Syst. ed. I (1755) = *Trifolium*, Linn. (Legumin.).

**SERTUERNERA**, Mart. Nov. Gen. et Sp. ii. 36. t. 136 (1826) = *Pfaffia*, Mart. (Amarant.).  
*glauca*, Mart. l. c. 37. t. 136 = *P. glauca*.  
*guianensis*, Klotzsch, in Rich. Schomb. Faun. Fl. Brit. Gui. 933, nomen.—Guian.

## SERTUERNERA :—

*iresinoides*, Mart. Nov. Gen. et Sp. ii. 48. t. 138 = *Gomphrena iresinoides*.  
*luzulaeflora*, Mart. l. c. 39 = *Gomphrena luzulaeflora*.  
*paraguayensis*, Parodi, in Anal. Soc. Cient. Argent. vi. (1878) 40; Contrib. 92.—Paraguay.  
*Schomburgkii*, Klotzsch, in Rich. Schomb. Faun. Fl. Brit. Gui. 933, nomen.—Guian.

SESAMELLA, Reichb. Consp. 186. (1828) = *Astrocarpus*, Neck. (Resed.).  
*spathulata*, Reichb. in Flora, xiii. (1830) 130 = *A. Clusii*.  
*Tournefortii*, Reichb. l. c. = *A. Sesamoides*.

SESAMOIDES, Tourn. ex Reichb. Consp. 186 (1828) = *Astrocarpus*, Neck. (Resed.).

SESAMOPTERIS, DC. ex Meissn. Gen. 298; Comm. 206 (1840) = *Sesamum*, Linn. (Pedal.).  
*alata*, DC. ex Meissn. Gen. Comm. 206 = *Sesamum capense*.  
*pentaphylla*, DC. Prod. ix. 251 = *Sesamum capense*.  
*radiata*, DC. ex Meissn. Gen. Comm. 206 = *Sesamum radiatum*.

SESAMOTHAMNUS, Welw. in Trans. Linn. Soc. xxvii. (1869) 49. t. 18. *PEDALINEAE*, Benth. & Hook. f. ii. 1058.  
*benguellensis*, Welw. l. c. 50.—Afr. trop.

SESAMUM, Adans. Fam. ii. 213 (1763) = *Martynia*, Linn. (Pedal.).

SESAMUM, Linn. Coroll. Gen. 11 (1737). *PEDALINEAE*, Benth. & Hook. f. ii. 1058.  
*ANTHADENIA*, Van Houtte, Fl. des Serres, ii. (Apr. 1846) 10. t. 6.  
*DYSOSMON*, Rafin. Fl. Ludov. 48 (1817).  
*GANGILA*, Bernh. in Linnaea, xvi. (1842) 42.  
*SESAMOPTERIS*, DC. ex Meissn. Gen. 298; Comm. 206 (1840).  
*SIMSIMUM*, Bernh. in Linnaea, xvi. (1842) 42.  
*africanum*, Todaro, Ind. Sem. Hort. Panorm. (1866) 34 = *indicum*?  
*alatum*, Thonn. in Schum. & Thonn. Beskr. Guin. Pl. 284 = *capense*.  
*angolense*, Welw. Apont. 588; et in Trans. Linn. Soc. xxvii. (1871) 51.—Afr. trop.  
*auriculatum*, Presl, in Oken, Isis, xxi. (1828) 275.—Ins. Creta.  
*brasilense*, Vell. Fl. Flum. 264; vi. t. 90.—Bras.  
*calycinum*, Welw. in Trans. Linn. Soc. xxvii. (1871) 52.—Afr. trop.  
*capense*, Burm. f. Fl. Cap. Prod. 17.—Afr. austr.  
*edule*, Hort. ex Steud. Nom. ed. I. 769 = *indicum*.  
*gracile*, Endl. in Linnaea, vii. (1832) 10. t. 3 = *capense*.  
*indicum*, Linn. Sp. Pl. 634.—Reg. trop. (cult.).  
*javanicum*, Burm. f. Fl. Ind. 133 = *Artanema sesamoides*.  
*laciniatum*, Klein, ex Willd. Sp. Pl. iii. 359.—Ind. or.  
*laciniatum*, Willd. l. c., partim = *trifoliatum*?  
*luteum*, Retz, Obs. vi. 31 = *indicum*.  
*macranthum*, Oliver, in Trans. Linn. Soc. xxix. (1875) 131.—Afr. trop.  
*occidentalis*, Heer & Regel, Ind. Sem. Hort. Turic. (1842); ex DC. Prod. ix. 250 = *indicum*.  
*oleiferum*, Moench, Meth. Suppl. 174 = *indicum*.  
*orientale*, Linn. Sp. Pl. 634 = *indicum*.  
*orientale*, Sieber, ex Presl, in Oken, Isis, xxi. (1828) 275 = *auriculatum*.  
*pentaphyllum*, E. Mey. in Drège, Zwei Pfl. Docum. 50, 54; et ex DC. Prod. ix. 251 = *capense*.  
*prostratum*, Retz, Obs. iv. 28.—Ind. or.  
*pterospermum*, R. Br. in Salt, Abyss. App. 64 = *capense*.  
*radiatum*, Schum. & Thonn. Beskr. Guin. Pl. 282.—Afr. trop.  
*rigidum*, Peyr. in Sitzb. Acad. Wien, Math.-Nat. xxxviii. (1860) 572.—Afr. trop.  
*rostratum*, Hochst. in Flora, xxiv. (1841) i. Intell. 43 = *capense*.  
*trifoliatum*, Mill. Gard. Dict. ed. VIII. n. 3.—Ind. or.

SESBAN, Adans. Fam. ii. 327 (1763) = seq.

SESBANA, R. Br. in Ait. Hort. Kew. ed. II. iv. 330 (1812) = seq.

SESBANIA, Scop. Introd. 308 (1777). *LEGU-MINOSAE*, Benth. & Hook. f. i. 502.

AGATI, Adans. Fam. ii. 376 (1763); Desv. Journ. Bot. i. (1813) 119. t. 4.  
DARWINIA, Rafin. Fl. Ludov. 106 (1817).  
DAUBENTONIA, DC. Mém. Lég. 285 (1825).  
GLOTTIDIUM, Desv. Journ. Bot. i. (1813) 119. t. 1.  
MONOPLECTRA, Rafin. Fl. Ludov. 106 (1817).  
RESUPINARIA, Rafin. Sylva Tellur. 115 (1838).  
*aculeata*, Poir. Encyc. vii. 128; Pers. Syn. ii. 316.—Cosmop. trop.  
*aegyptiaca*, Buch.-Ham. ex Wall. Cat. n. 5655 B = *aculeata*.  
*aegyptiaca*, Poir. Encyc. vii. 128; Pers. Syn. ii. 316.—Geront. trop.  
*affinis*, Schrad. Ind. Sem. Hort. Gotting. (1819); ex DC. Prod. ii. 265 = *aculeata*.  
*arabica*, Hochst. ex Steud. Nom. ed. II. ii. 572.—Arab.  
*australis*, F. Muell. in Trans. Vict. Inst. i. (1855) 36 = *aculeata*.  
*bispinosa*, Steud. Nom. ed. II. ii. 572 = *aculeata*.  
*brachycarpa*, F. Muell. Fragm. xi. 32.—Austral.  
*Candira*, Buch.-Ham. ex Wall. Cat. n. 5655 C = *aculeata*.  
*cannabina*, Poir. Encyc. vii. 130; Pers. Syn. ii. 316 = *aculeata*.  
*cassioidea*, G. Don, Gen. Syst. ii. 240.—Ecuador.  
*Cavanillesii*, S. Wats. in Proc. Am. Acad. xvii. (1882) 342.—Am. bor.; Mexic.  
*cinerascens*, Welw. ex Baker, in Oliver, Fl. Trop. Afr. ii. 134.—Afr. trop.  
*coccinea*, Poir. Encyc. vii. 127 = *grandiflora*.  
*cochinchinensis*, DC. Prod. ii. 266.—Cochinch.  
*disperma*, Pursh, Fl. Am. Sept. ii. 485 = *platycarpa*.  
*dubia*, H. B. & K. Nov. Gen. et Sp. vii. 268. t. 660 = *Coursetia dubia*.  
*dubia*, Steud. Nom. ed. II. ii. 572 = *exasperata*.  
*exasperata*, H. B. & K. Nov. Gen. et Sp. vi. 534.—Am. trop.  
*ferruginea*, Hochst. in Flora, xxiv. (1841) i. Intell. 31 = *Milletia ferruginea*.  
*filiformis*, Hochst. ex Baker, in Oliver, Fl. Trop. Afr. ii. 133 = *aegyptiaca*.  
*filiformis*, Hochst. ex Baker, l. c. 135 = *leptocarpa*.  
*fusca*, Desv. in Mém. Soc. Linn. Par. iv. (1826) 300 = *Aeschynomene fusca*.  
*geminiflora*, Schrad. ex Steud. Nom. ed. II. ii. 572 (Quid?).—Hab.?  
*gracilis*, Schrad. Cat. Sem. Gotting. 1819; ex DC. Prod. ii. 265.—Hab.?  
*grandiflora*, Poir. Encyc. vii. 127; Pers. Syn. ii. 316.—Ind. or.; Malaya; Austral.  
*guianensis*, Klotzsch, in Rich. Schomb. Faun. Fl. Brit. Gui. 1199, nomen.—Guian.  
*javanica*, Miq. Fl. Ind. Bat. i. i. 288.—Java.  
*leptocarpa*, DC. Prod. ii. 265.—Afr. trop.  
*longifolia*, DC. l. c.—Mexic.  
*macrocarpa*, Muhl. ex Rafin. Fl. Ludov. 137; et Ell. Sketch, ii. 221.—Am. bor.  
*macroptera*, Micheli, in Mém. Soc. Phys. Genèv. xxviii. (1883) vii. n. 14.—Paraguay.  
*marginata*, Benth. in Mart. Fl. Bras. xv. i. 43.—Am. trop.  
*mossambicensis*, Klotzsch, in Peters, Reise Mossamb. Bot. 45 = *aculeata*.  
*multijuga*, Schweinf. ex Baker, in Oliver, Fl. Trop. Afr. ii. 133 = *aegyptiaca*.  
*muricata*, Macfad. Fl. Jamaica. i. 257 = *aculeata*.  
*occidentalis*, Griseb. in Goett. Abh. vii. (1857) 200 = *aculeata*.  
*occidentalis*, Poir. Encyc. vii. 129; Pers. Syn. ii. 316.—Ind. occ.  
*pachycarpa*, DC. Prod. ii. 265 = *aegyptiaca*.  
*paludosa*, Jacq. Hort. Vindob. ex DC. Prod. ii. 265 = *aculeata*.  
*peruviana*, G. Don, Gen. Syst. ii. 240.—Peruv.  
*picta*, Lindl. ex Griseb. Fl. Brit. W. Ind. 184 = *occidentalis*.  
*picta*, Poir. Encyc. vii. 129; Pers. Syn. ii. 316 = *aegyptiaca*.  
*platycarpa*, Pers. l. c.—Am. bor.  
*polyphylla*, Miq. Fl. Ind. Bat. i. i. 288.—Java.  
*procumbens*, Wight & Arn. Prod. 215.—Ind. or.  
*pubescens*, DC. Prod. ii. 265.—Guian.  
*punctata*, DC. l. c. = *aegyptiaca*.  
*punicea*, Benth. in Mart. Fl. Bras. xv. i. 43.—Reg. Argent.  
*sericea*, DC. Prod. ii. 266.—Ind. occ.

## SESBANIA :—

*sericea*, Link, Enum. Hort. Berol. ii. 244; et ex Desv. in Mém. Soc. Linn. Par. iv. (1826) 300 = *præc.*?  
*sericea*, Welw. Apont. 585 = *pubescens*.  
*simpliciuscula*, F. Muell. ex Benth. Fl. Austral. ii. 213.—Austral.  
*sphaerocarpa*, Welw. Apont. 590; et ex Baker, in Oliver, Fl. Trop. Afr. ii. 135.—Afr. trop.  
*stricta*, Schrad. Ind. Sem. Hort. Gotting. (1834).—Cf. *Linnaea*, x. (1836) Litt. 111.—Ind. or.  
*tetraptera*, Hochst. ex Baker, in Oliver, Fl. Trop. Afr. ii. 136.—Afr. trop.  
*Thurberi*, S. Wats. Bibliog. Ind. N. Am. Bot. i. 258.—Am. bor. occ.  
*tomentosa*, Hook. & Arn. Bot. Beech. Voy. 286.—Mexic.  
*triflora*, Span. in Hook. Comp. Bot. Mag. i. (1835) 346, nomen.—Ins. Timor.  
*uliginosa*, Sweet, Hort. Brit. ed. I. 129 = *aculeata*.  
*vesicaria*, Ell. Sketch, ii. 222 = *platycarpa*.  
*virgata*, Poir. Encyc. vii. 129; Pers. Syn. ii. 316 = *Coursetia virgata*.

SESELI, Linn. Gen. ed. I. 80 (1737). *UMBELLIFERAE*, Benth. & Hook. f. i. 901.

BUBON, Linn. Gen. ed. I. 339 (1737).  
DELA, Adans. Fam. ii. 499 (1763).  
DETHAWIA, Endl. Gen. 775 (1839).  
GALBANOPHORA, Neck. Elem. i. 175 (1790).  
HIPOMARATHRUM, Hall. in Rupp. Fl. Jen. ed. II. 280 (1745).  
LIBANOTIS, Riv. ex Hall. Enum. Helv. ii. 450 (1742).  
LOMATOPODIUM, Fisch. et Mey. in Bull. Phys.-Math. Acad. Pétersb. iii. (1845) 305.  
MARATHRUM, Link, Handb. i. 348 (1829).  
SCAPHESPERMUM, Edgew. in Trans. Linn. Soc. xx. (1846) 58.  
STENOCELIUM, Ledeb. Fl. Alt. i. 297 (1829).  
TELEOPHUS, Dulac, Fl. Hautes-Pyr. 353 (1867).  
WALLROTHIA, Spreng. Pugill. ii. 52 (1815).  
*Aegopodium*, Scop. Fl. Carn. ed. II. i. 215 = *Aegopodium Podagraria*.  
*algens*, F. Muell. in Trans. Phil. Soc. Vict. i. (1855) 104.—Austral.  
*alpinum*, Bieb. Fl. Taur. Cauc. i. 236 = *Carum Lomatocarum*.  
*Ammi*, Savi, Due Cent. Fl. Etrusc. 71 = *Apium Ammi*.  
*Ammi*, Steud. Nom. ed. II. ii. 572 = *Carum ammoides*.  
*ammoides*, Hort. ex Link, Enum. Hort. Berol. i. 285 = *Apium Ammi*.  
*ammoides*, Jacq. Hort. Vindob. t. 52 = *Carum copticum*.  
*ammoides*, Linn. Sp. Pl. 260 = *Carum ammoides*.  
*Amomum*, Scop. Fl. Carn. ed. II. i. 213 = *Sison Amomum*.  
*anuum*, Linn. Sp. Pl. 260.—Europ.  
*anuum*, Pall. Tabl. Taur. 49; Bieb. Fl. Taur. Cauc. i. 235 = *tortuosum*.  
*arenarium*, Bieb. l. c. iii. 242 = *campestre*.  
*aristatum*, Ait. Hort. Kew. ed. i. i. 359 = *Ligusticum pyrenaicum*.  
*articulatum*, Crantz, Stirp. Austr. ed. I. fasc. iii. 91; ed. II. 205 = *S. Hippomarathrum*.  
*aspergillifolium*, Bogusl. in Erman, Archiv. vi. (1848) 63.—Rossia.  
*asperum*, Sond. in Harv. & Sond. Fl. Cap. ii. 550.—Afr. austr.  
*athamantoides*, C. A. Mey. ex Ledeb. Fl. Alt. i. 342.—Sibir. altaic.  
*atlanticum*, Boiss. Diagn. Ser. II. ii. 87 = *glaucum*.  
*bengalense*, Roxb. Hort. Beng. 22; Fl. Ind. ii. 94 = *Oenanthe benghalensis*.  
*bienne*, Crantz, Stirp. Austr. ed. I. fasc. iii. 88; ed. II. 204 = *anuum*.  
*bibernatum*, Torr. & Gray, Fl. N. Am. i. 627, in syn., *sphalm.* = *tridentatum*.  
*Bocconi*, Guss. Adnot. Cat. Pl. Boccad. (1821) 12.—Sicil.  
*brevicaule*, Jord. in F. Schultz, Arch. Fl. 1 = *anuum*.  
*buchtormense*, Koch, in Nov. Act. Nat. Cur. xii. i. (1824) 111.—Sibir.  
*Bunius*, Vill. Prosp. 24; Hist. Pl. Dauph. ii. 586 = *Carum Bunius*.  
*caespitosum*, Sibth. & Sm. Fl. Graec. Prod. i. 200.—Bithynia.  
*caffrum*, Meissn. in Hook. Lond. Journ. Bot. ii. (1843) 533 = *Annesorhiza caffra* (in Addend.).  
*campestre*, Bess. Enum. Pl. Volh. 44.—Europ. or.

## SESELI:—

- cantabricum, *Lange, Ind. Sem. Hort. Haun.* (1855) 27.  
—*Cf. Linnaea*, xxviii. (1856) 363.—Hispan.  
carinatum, *Kit. in Linnaea*, xxxii. (1863) 461.—Europ. austr.  
*Carum*, Scop. Fl. Carn. ed. II. i. 215 = *Carum Carvi*.  
*Carvi*, Spreng. in Schult. Syst. vi. 414 = *Carum Carvi*.  
*Carvifolia*, Linn. Sp. Pl. 260 = *Selinum Carvifolia*.  
*carvifolium*, Vill. Prosp. 24; Hist. Pl. Dauph. ii. 586 = praec.  
*cervariaefolium*, DC. Cat. Hort. Monsp. (1813) 145 = *Athamanta cervariaefolia*.  
*cespitosum*, Spreng. in Schult. Syst. vi. 843 = *caespitosum*.  
*chaerophylloides*, Hort. ex DC. Prod. iv. 146 = *varium*.  
*chaerophylloides*, Thunb. Prod. Pl. Cap. 51.—Afr. austr.  
*coloratum*, Ehrh. Beitr. v. 179 = *annuum*.  
*condensatum*, Reichb. f. Ic. Fl. Germ. xxi. 37.—Sibir.  
*connatum*, Walp. Rep. ii. 402, sphalm. = *coronatum*.  
*coronatum*, Ledeb. Fl. Alt. i. 336.—Sibir. altaic.  
*corsicum*, Bess. Cat. Hort. Crem. (1816) 130; Link, Enum. Hort. Berol. i. 283 = *Carum ammoides*.  
*corymbosum*, Boiss. & Heldr. Diagn. Ser. I. x. 29.—As. Min.  
*crassifolium*, Hort. ex DC. Prod. iv. 147 = *Pallasii*.  
*creticum*, Presl, Bot. Bemer. 74 (Quid?).—Ins. Creta.  
*crithmifolium*, Boiss. Fl. Orient. ii. 962.—Archip. Graec.  
*cuneifolium*, Bieb. Besch. Casp. 159; Fl. Taur. Cauc. i. 236.—Reg. Caucas.  
*curvifolium*, J. F. Gmel. Syst. 489, sphalm. = *Selinum Carvifolia*.  
*daucifolium*, C. B. Clarke, in Hook. f. Fl. Brit. Ind. ii. 693 = *Selinum Monnieri*.  
*decipiens*, Ledeb. ex Reichb. Fl. Germ. Excurs. 467 = *varium*.  
*defoliatum*, Ledeb. Fl. Alt. i. 343.—Sibir. altaic.  
*denudatum*, Boiss. in Ann. Sc. Nat. Sér. III. i. (1844) 298.—Persia.  
*dichotomum*, Pall. Tabl. Taur. 49; Bieb. Fl. Taur. Cauc. i. 235.—Tauria.  
*dioicum*, Dufour, ex DC. Prod. iv. 104 = *Trinia* Dufourii.  
*dioicum*, Vill. Hist. Pl. Dauph. ii. 579 = *Trinia vulgaris*.  
*divaricatum*, Pursh, Fl. Am. Sept. ii. 732 = *Musenium divaricatum*.  
*dubium*, Schk. Handb. i. 217 = *Selinum sylvestre*.  
*elatum*, Linn. Sp. Pl. ed. II. 375; Gouan, Illustr. 16. t. 8.—Europ. austr.  
*elatum*, Reichb. Fl. Germ. Excurs. 467 = *osseum*.  
*elatum*, Thuill. Fl. Par. 118 = *varium*.  
*Falcaria*, Crantz, Stirp. Austr. ed. II. 208 = *Falcaria vulgaris*.  
*Fedtschenkoanum*, Regel & Schmalh. ex Regel, Pl. Nov. Fedtsch. 30.—Turkestan.  
*ferulaceum*, Stev. ex DC. Prod. iv. 147 = *annuum*.  
*ferulaefolium*, Poir. Encyc. vii. 135 = *Ligusticum pyrenaicum*.  
*filifolium*, Fanka, in Oestr. Bot. Zeitschr. xxiii. (1873) 203.—Balkan.  
*filifolium*, Thunb. Prod. Pl. Cap. 51 = *Oenanthe filiformis*.  
*filiforme*, Gilib. Fl. Lituan. ii. 36 = *Carum Bunius*.  
*foeniculifolium*, Poir. Encyc. vii. 137 = *Carum copiticum*.  
*fragile*, Gouan, Illustr. 15.—Europ.  
*Gilliesii*, Hook. & Arn. in Hook. Bot. Misc. iii. (1833) 354 = *Carum copiticum*?  
*glabratum*, Schlecht. ex Ledeb. Fl. Ross. ii. 274 = *tenuifolium*.  
*glabratum*, Willd. ex Schult. Syst. vi. 406 (= *Rumia seseloides*).—Sibir. altaic.  
*glaucens*, Jord. ex Nym. Consp. 297 = *montanum*.  
*glaucum*, Bieb. Fl. Taur. Cauc. i. 234.—Europ. austr.; Reg. Cauc.  
*glaucum*, Jacq. Fl. Austr. ii. 27 = *osseum*.  
*glaucum*, Lam. Fl. Fr. iii. 436 = *Trinia vulgaris*.  
*glaucum*, Linn. Sp. Pl. 260 = *montanum*.  
*glaucum*, Pett. ex Nym. Consp. 297 = *Tommasinii*.  
*globiferum*, Vis. in Flora, xii. (1830) 50.—Dalmatia.  
*Gouani*, Koch, Syn. Fl. Germ. ed. I. 294 = *Pimpinella Gouani*.  
*gracile*, Waldst. & Kit. Pl. Rar. Hung. ii. 122. t. 117.—Transsylv.  
*granatense*, Willk. in Bot. Zeit. v. (1847) 431.—Hispan.  
*graveolens*, Ledeb. Fl. Alt. i. 340.—Rossia.

## SESELI:—

- graveolens*, Scop. Fl. Carn. ed. II. i. 215 = *Apium graveolens*.  
*gummiferum*, Boiss. Diagn. Ser. I. x. 29 = *corymbosum*.  
*gummiferum*, Less. ex Ledeb. Fl. Ross. ii. 273 = *Lessingianum*.  
*gummiferum*, Pall. ex Sm: Exot. Bot. ii. 121.—Tauria.  
*Hallii*, A. Gray, in Proc. Am. Acad. viii. (1870) 288 = *Carum Hallii*.  
*Harveyanum*, F. Muell. in Trans. Phil. Soc. Vict. i. (1855) 104.—Austral.  
*heterophyllum*, Fanka, in Linnaea, xxx. (1859–60) 572.—Europ. or.  
*Hippomarathrum*, Jacq. Enum. Stirp. Vindob. 52, 224.—Europ.  
*Hippomarathrum*, Pall. Tabl. Taur. 49; et ex Bieb. Fl. Taur. Cauc. i. 235 = *petraeum*.  
*hispidum*, Bess. Cat. Hort. Crem. (1812); ex Schult. Syst. vi. 407 (Quid?).—Hab.?  
*hypoleucum*, Meissn. ex Krauss, in Flora, xxvii. (1844) 431.—Afr. austr.  
*indicum*, Wight & Arn. Prod. 371.—Ind. or.  
*intricatum*, Boiss. Elench. 48.—Hispan.  
*inundatum*, Crantz, Cl. Umb. Emend. 91 = *Apium inundatum*.  
*juncum*, Sibth. & Sm. Fl. Graec. Prod. i. 200 = *Sclerorchorton juncum*.  
*Ledebourii*, G. Don, Gen. Syst. iii. 308 = *S. Hippomarathrum*.  
*Lehmannianum*, Boiss. Fl. Orient. ii. 967.—Turkestan.  
*leiocarpum*, Hook. Fl. Bor. Am. i. 263. t. 93 = *Peucedanum leiocarpum*.  
*Lessingianum*, Turcz. ex Kar. & Kir. in Bull. Soc. Nat. Mosc. (1841) 429.—Sibir. altaic.  
*leucospermum*, Waldst. & Kit. Pl. Rar. Hung. i. 92. t. 89.—Hungar.  
*Libanotis*, Koch, in Nov. Act. Nat. Cur. xii. i. (1824) 111.—Europ.; Oriens.  
*libanotum*, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 134 = *praec.*  
*littorale*, Willk. in Flora, xxxiv. (1851) 724 = *tortuosum*.  
*Lobelianum*, Hornem. ex Reichb. Fl. Germ. Excurs. 467 = *elatum*.  
*Lobelianum*, Hort. Dorpat. (1819) ex Schult. Syst. vi. 407; Bess. ex Sweet, Hort. Brit. ed. II. 248 (Quid?).—Europ. austr.  
*lucanum*, Barbazita, in Atti Ist. Incorr. Nap. vii. (1847) 34.—Italia.  
*lucidum*, [Nutt.] Fras. Cat. (1813) n. 78, nomen; ex Nutt. Gen. Am. i. 195 = *Musenium divaricatum*.  
*macedonicum*, Benth. & Hook. f. ex Baill. Hist. Pl. vii. 192.—Reg. Mediterr.  
*macrophyllum*, Regel & Schmalh. ex Regel, Pl. Nov. Fedtsch. 31.—Turkestan.  
*Malyi*, Kern. in Oestr. Bot. Zeitschr. xxxi. (1881) 37.—Europ. austr.  
*Meum*, Scop. Fl. Carn. ed. II. i. 212 = *Meum athamanticum*.  
*Meyeri*, D. Dietr. Syn. Pl. ii. 956 = *Ferula Meyeri*.  
*montanum*, Linn. Sp. Pl. 259.—Europ.  
*montanum*, Pall. ex Ledeb. Fl. Ross. ii. 274 = *tenuifolium*.  
*montanum*, Vis. Fl. Dalm. iii. 42 = *Tommasinii*.  
*multicaule*, Jacq. Hort. Vindob. ii. 59 = *montanum*.  
*Mutellina*, Steud. Nom. ed. I. 530, 771 = *Ligusticum Mutellina*.  
*nanum*, Dufour, Lettres Mont. Maudit. 363.—Mont. Pyren.  
*natalense*, Sond. in Harv. & Sond. Fl. Cap. ii. 550.—Afr. austr.  
*nitidum*, Reichb. f. Ic. Fl. Germ. xxi. 36 = *athamantoides*.  
*nodiflorum*, Scop. Fl. Carn. ed. II. i. 213 = *Apium nodiflorum*.  
*Nuttalli*, A. Gray, in Proc. Am. Acad. viii. (1870) 287.—Mexic.  
*oligophyllum*, Griseb. Spicil. Fl. Rumel. i. 359.—Macedon.  
*Olivieri*, Boiss. in Ann. Sc. Nat. Sér. III. i. (1844) 298.—Persia.  
*osseum*, Crantz, Stirp. Austr. ed. I. fasc. iii. 92; ed. II. 207.—Europ.  
*Pallasii*, Bess. Cat. Hort. Crem. (1816) 130.—Rossia.  
*parmassicum*, Boiss. & Heldr. Diagn. Ser. II. vi. 80.—Graecia.  
*patens*, Gueldenst. Reisen, i. 108, 190.—Cf. Schult. Syst. vi. 401 = *tortuosum*.

## SESELI:—

- petraeum*, Bieb. Fl. Taur. Cauc. i. 235.—Reg. Caucas.  
*peucedanifolium*, Bess. Enum. Pl. Volh. 44 = *rigidum*.  
*peucedanifolium*, Mérat, Fl. Par. 115 = *montanum*.  
*pimpinelloides*, Linn. Sp. Pl. 259 = *Carum rigidulum*.  
*pimpinelloides*, Spreng. Syst. i. 885 = *Peucedanum carvifolium*.  
*polyphyllum*, Tenore, Ind. Sem. Hort. Neap. (1825) 12. n. 25.—Italia.  
*pratense*, Crantz, Stirp. Austr. ed. I. fasc. iii. 96; ed. II. 209 = *Silaus flavescens*.  
*proliferum*, Brocchi, in Bibl. Ital. xxviii. (1822) 218 = *Trinia vulgaris*.  
*proliferum*, Spreng. Pugill. ii. 57 = *rigidum*.  
*promonense*, Vis. Fl. Dalmat. iii. t. 29 = *varium*.  
*puberulum*, DC. Prod. iv. 147 = *tortuosum*.  
*pumilum*, All. ex DC. l. c. 104 = *Trinia vulgaris*.  
*pumilum*, Linn. Syst. ed. X. 962 = *Trinia Kitaibelii*.  
*purpurascens*, Fanka, in Oestr. Bot. Zeitschr. xxii. (1872) 177.—Balkan.  
*purpureum*, Gilib. Fl. Lituan. ii. 35 = *annuum*.  
*pusillum*, Brot. Fl. Lusit. i. 457 = *Carum ammoides*.  
*pyrenaicum*, Linn. Sp. Pl. 261 = *Selinum pyrenaicum*.  
*pyrenaicum*, Siev. in Pall. N. Nord. Beitr. vii. 324 (sp. dub.).—Soongaria.  
*quinquefolium*, Bess. Cat. Hort. Crem. (1811); ex Schult. Syst. vi. 407 (Quid?).—Hab.?  
*radicosum*, Boiss. & Hohen. Diagn. Ser. I. x. 30 = *Olivieri*.  
*rigidum*, Waldst. & Kit. Pl. Rar. Hung. ii. 156. t. 146.—Europ. or.  
*saxifragum*, Linn. Sp. Pl. 261 = *Carum Bunius*.  
*saxifragum*, Scholler, Fl. Barb. 307 = *Selinum sylvestre*.  
*scabriusculum*, Kit. in Linnaea, xxxii. (1863) 461 = *carinatum*.  
*scariosum*, Kar. & Kir. in Bull. Soc. Nat. Mosc. xv. (1842) 361.—Sibir. altaic.  
*segetum*, Crantz, Cl. Umb. Emend. 91 = *Carum segetum*.  
*selinoides*, Bess. Cat. Hort. Crem. (1816) 130 = *Selinum sylvestre*.  
*selinoides*, Jacq. Enum. Stirp. Vindob. 51, 227 = *Silaus flavescens*.  
*sessiliflorum*, Schrenk, in Bull. Phys.-Math. Acad. Pétersb. iii. (1845) 307.—Soongaria.  
*sibiricum*, Benth. ex C. B. Clarke, in Hook. f. Fl. Brit. Ind. ii. 693.—Reg. Himal.  
*sibiricum*, Garcke, Fl. Deutschl. ed. I. 139; Reichb. f. Ic. Fl. Germ. xxi. 36. t. 1916; Boiss. Fl. Orient. ii. 967 = *S. Libanotis*.  
*Sibthorpii*, Gren. & Godr. Fl. Fr. i. 711 (= *Libanotis Candollei*).—Europ.  
*simplex*, Poir. Encyc. vii. 137 = *annuum*.  
*Sisarum*, Crantz, Cl. Umb. Emend. 92 = *Sium Sisarum*.  
*striatum*, Thunb. Prod. Pl. Cap. 51 = *Peucedanum collinum*.  
*strictum*, Ledeb. Fl. Alt. i. 338.—Sibir. altaic.  
*stylare*, Boiss. & Heldr. Diagn. Ser. I. vi. 60 = *Sclerorchorton juncum*.  
*Tachiroei*, Franch. & Sav. Enum. Pl. Jap. ii. 373.—Japon.  
*tauricum*, Link, ex Spreng. Syst. i. 884 = *tortuosum*.  
*tenuifolium*, Ledeb. Ic. Pl. Alt. i. t. 97.—Sibir. altaic.  
*tenuisectum*, Regel & Schmalh. ex Regel, Pl. Nov. Fedtsch. 31.—Turkestan.  
*teres*, Moench, Meth. 88 = *elatum*.  
*tomentosum*, Vis. Stirp. Dalm. Rar. 6. t. 3.—Dalmatia.  
*Tommasinii*, Reichb. f. Ic. Fl. Germ. xxi. 34. t. 2045.—Dalmat.; Graec.  
*tortuosum*, Boeber, in Pall. N. Nord. Beitr. vi. 275 = *campestre*.  
*tortuosum*, Linn. Sp. Pl. 260.—Europ. austr.; As. Min.  
*tortuosum*, Pollich, Hist. Pl. Palat. i. 300 = *annuum*.  
*tortuosum*, Sibth. & Sm. Fl. Graec. Prod. i. 200 = *Johrenia graeca*.  
*transsilvanicum*, Schur, Enum. Pl. Transs. 257 = *varium*.  
*trilobum*, Benth. ex C. B. Clarke, in Hook. f. Fl. Brit. Ind. ii. 694.—Ind. or.  
*triternatum*, Pursh, Fl. Am. Sept. i. 197 = *Peucedanum triternatum*.  
*Turbith*, Linn. Cent. Pl. ii. 14; Amcen. Acad. iv. 310 = *Athamanta Matthioli*.  
*Turbith*, Tenore, Prod. Fl. Nap. p. xx = *Carum ammoides*.



**SESELI:—**

*vaginatum*, Ledeb. Fl. Alt. i. 336.—Dahur.  
*varium*, Trev. Ind. Sem. Hort. Vratisl. (1818) 6 =  
 glaucum.  
*venosum*, Hoffm. Deutschl. Fl. 144 = *Selinum sylvestre*.  
*verticillatum*, Crantz, Cl. Umb. Emend. 92 = *Carum*  
*verticillatum*.  
*verticillatum*, Desf. Fl. Atlant. i. 260 = *Carum am-*  
*moides*.  
*verticillatum*, Reichb. f. Ic. Fl. Germ. xxi. 37 = *Carum*  
*gracum*.  
*vulgatum*, Bor. Fl. Centr. Fr. ed. III. ii. 279 = *Carum*  
*Lomatocarum*.  
*Webbii*, Coss. in Bull. Soc. Bot. Fr. iii. (1856) 57 =  
*Foeniculum tortuosum*.  
*zeylanicum*, Herb. Rottl. ex C. B. Clarke, in Hook. f.  
 Fl. Brit. Ind. ii. 684 = *Pimpinella Heyneanum*.

SESLERA, St. Lag. in Ann. Soc. Bot. Lyon, viii. (1881)  
 171 = seq.

SESLERIA, Nutt. Gen. Am. i. 64 (1818) = *Buchloë*,  
 Engelm. (Gramin.).  
*dactyloides*, Nutt. l. c. 65 = *B. dactyloides*.

**SESLERIA**, Scop. Fl. Carn. ed. I. 63 (1760).

GRAMINEAE, Benth. & Hook. f. iii. 1181.  
 DIPTYCHUM, Dulac, Fl. Hautes-Pyr. 81 (1867).  
 PSILATHERA, Link, Hort. Berol. i. 121 (1827).  
*alba*, Sibth. & Sm. Fl. Graec. i. 56. t. 72 = *argentea*.  
*albicans*, Kit. in Schult. Oestr. Fl. ed. II. i. 216.—  
 Mont. Carpat.  
*americana*, Nees, ex Steud. Syn. Pl. Gram. 296.—Am.  
 bor.  
*Arduini*, Desf. ex Steud. Nom. ed. II. ii. 573 =  
*coerulea*.  
*argentea*, Savi, Bot. Etrusc. i. 68.—Europ. austr.; As.  
 Min.  
*autumnalis*, F. Schultz, Arch. Fl. 318 = *argentea*.  
*Bielzii*, Griseb. in Wieg. Archiv, xxv. (1852) 361, in  
 syn. = *rigida*.  
*Bielzii*, Schur, in Verh. Siebenb. Ver. Naturw. i.  
 (1850) 109; iv. (1853) 84 = *coerulans*.  
*brevifolia*, Panz. in Denkschr. Akad. Muench. 1813  
 (1814) 269 = *coerulea*.  
*calcaria*, Pers. Syn. i. 72 = *coerulea*.  
*capitata*, Schur, Enum. Pl. Transs. 743 = *coerulans*.  
*caucasica*, Scheele, in Flora, xxvii. (1844) 55 = *phle-*  
*oides*.  
*coerulans*, Frivald. in Flora, xix. (1836) 438.—Trans-  
 sylv.; Banat.  
*coerulea*, Arduin. Animad. ii. 18. t. 6. f. 3-5.—Europ.  
*cristata*, [Clairv.] Man. Herb. 23 = *coerulea*?  
*cylindrica*, DC. Syn. Gall. 134; Fl. Fr. Suppl. 279 =  
*argentea*.  
*disticha*, Pers. Syn. i. 72 = *Oreochloa disticha*.  
*dura*, Kunth, Rév. Gram. i. 110 = *Sclerochloa dura*.  
*echinata*, Lam. Illustr. i. 198; Host, Gram. Austr. iii.  
 6. t. 8 = *Echinaria capitata*.  
*elongata*, Host, l. c. ii. 69. t. 97 = *argentea*.  
*filifolia*, Heuff. ex Griseb. & Schenk, in Wieg. Archiv,  
 xviii. (1852) 361 = *coerulans*.  
*filifolia*, Hoppe, in Flora, xvii. (1834) 384 = *tenuifolia*.  
*flexuosa*, Schur, in Verh. Siebenb. Ver. Naturw. iii.  
 (1852) 91 = *coerulans*.  
*gracilis*, Schur, l. c. iv. (1853) 84 = *tenuifolia*.  
*Haynaldiana*, Fuss, Fl. Transs. 717 (1866) = *coerulans*.  
*Haynaldiana*, Schur, in Verh. Zool.-Bot. Ges. Wien,  
 vi. (1856) 207 = *rigida*.  
*Heufferiana*, Schur, in Verh. Siebenb. Ver. Naturw. iv.  
 (1853) 84.—Europ.  
*Heufferiana*, Schur, in Verh. Zool.-Bot. Ges. Wien, vi.  
 (1856) 207 = *coerulans*.  
*interrupta*, Vis. Fl. Dalmat. i. 87 = *tenuifolia*.  
*juncifolia*, Suffren, Cat. Pl. Frioul, 113 = *tenuifolia*.  
*lagopodioides*, Spreng. Pugill. ii. 22 = *Aeluropus pubes-*  
*cens*.  
*leucocephala*, DC. Fl. Fr. iii. 76 = *sphaerocephala*.  
*macrocephala*, Link, Handb. i. 81, sphalm. = *microce-*  
*phala*.  
*marginata*, Griseb. Spicil. Fl. Rumel. ii. 442 = *coeru-*  
*lans*.  
*microcephala*, DC. Fl. Fr. iii. 76 = *tenella*.  
*mollis*, Spreng. Syst. i. 329 = *Triraphis mollis*.  
*mutica*, Badaro, in Brugn. Giorn. Fis. Dec. II. vii.  
 (1824) 363 = *coerulea*.  
*nitida*, Heldr. ex Nym. Consp. 796 = *Heufferiana*.  
*nitida*, C. A. Mey. Verz. Pfl. Cauc. 21 = *phleoides*.

**SESLERIA:—**

*nitida*, Tenore, Prod. Fl. Nap. p. x. = *argentea*.  
*ovata*, Kern. Sched. Fl. Exsicc. i. 109 = *tenella*.  
*pallenscens*, Hartm. ex Kunth, Enum. Pl. i. 322 =  
*argentea*.  
*pedemontana*, Reut. in Boiss. & Reut. Pugill. 127 =  
*Oreochloa pedemontana*.  
*permixta*, Schur, Enum. Pl. Transs. 744 = *coerulans*.  
*phleoides*, Stev. ex Roem. & Schult. Syst. ii. 604.—As.  
 Min.; Persia.  
*polyathera*, C. Koch, in Linnaea, xxi. (1848) 399 =  
*phleoides*.  
*Pseudo-rigida*, Schur, Enum. Pl. Transs. 745 =  
*rigida*.  
*Pumilio*, Spreng. Syst. iv. Cur. Post. 34 = *Triraphis*  
*Pumilio*.  
*pungens*, Spreng. l. c. i. 329 = *Triraphis pungens*.  
*quitensis*, Spreng. l. c. = *Festuca quadridentata*.  
*rigida*, Heuff. ex Reichb. Fl. Germ. Excurs. 140<sup>8</sup>.—  
 Banat.  
*rigida*, Schur, Enum. Pl. Transs. 743 = *coerulans*.  
*robusta*, Pavai, in Oestr. Bot. Zeitschr. xii. (1862) 214  
 = *transilvanica*.  
*robusta*, Schott, Nym. & Kotschy, Analect. Bot. 1 =  
*argentea*.  
*Sadleriana*, Janka, in Oestr. Bot. Zeitschr. xxxii.  
 (1882) 309; et in Termesz. Füzetek, viii. (1884) 28  
 = *transilvanica*.  
*sphaerocephala*, Arduin. Animad. ii. 20. t. 7.—Europ.  
 alp.  
*spicata*, Spreng. Pugill. ii. 21 = *Elytrophorus articu-*  
*latus*.  
*subcaulis*, Bal. ex Boiss. Fl. Orient. v. 566 = *Ammo-*  
*chloa subcaulis*.  
*tenella*, Host, Gram. Austr. ii. 71. t. 100.—Europ.  
 alp.  
*tenella*, Schur, Enum. Pl. Transs. 746 = *rigida*.  
*tenuifolia*, Schrad. Fl. Germ. i. 272.—Europ. austr.  
*tenuifolia*, Schur, Enum. Pl. Transs. 746 = *rigida*.  
*transilvanica*, Schur, in Verh. Zool.-Bot. Ges. Wien,  
 vi. (1856) 205.—Transsylv.  
*transsilvanica*, Schur, Enum. Pl. Transs. 745 = *Heuf-*  
*leriana*.  
*vaginalis*, Boiss. & Orph. Diagn. Ser. II. iv. 130 =  
*coerulans*.  
*vallesiaca*, Beauv. ex Steud. Nom. ed. I. 339, 772 =  
*Festuca ovina*.  
*variegata*, [Clairv.] Man. Herb. 23 = *Koeleria setacea*.

SESEQUICELLA, Alef. in Oestr. Bot. Zeitschr. xii. (1862)  
 255 = *Callirhoe*, Nutt. (Malvac.).  
*alceoides*, Alef. l. c. 256 = *C. alceoides*.  
*digitata*, Alef. l. c. = *C. digitata*.  
*involucrata*, Alef. l. c. = *C. involucrata*.  
*macrorrhiza*, Alef. l. c. = *C. alceoides*.  
*Papaver*, Alef. l. c. = *C. Papaver*.  
*pedata*, Alef. l. c. = *C. pedata*.  
*triangulata*, Alef. l. c. = *C. triangulata*.

SESSEA, Ruiz & Pav. Prod. 21. t. 33 (1794). SO-  
 LANACEAE, Benth. & Hook. f. ii. 905.  
*atrovirens*, Benth. & Hook. f. Gen. ii. 904.—Peruv.  
*corymbosa*, Goudot, in Phil. Mag. iii. (1828) 132.—  
 N. Granat.  
*dependens*, Ruiz & Pav. Fl. Per. ii. 9. t. 116.—  
 Peruv.  
*Dombeyi*, Dun. in DC. Prod. xiii. i. 596.—Peruv.  
*petiolaris*, Spreng. Syst. i. 584.—Peruv.  
*stipulata*, Ruiz & Pav. Fl. Per. ii. 9. t. 115.—Peruv.  
*vestita*, Miers, in Hook. Lond. Journ. Bot. v. (1846)  
 155.—N. Granat.

SESSLERIA, Spreng. Pugill. ii. 21 (1815), sphalm. =  
*Sesleria*, Scop. (Gramin.).

SESTINIA, Boiss. Diagn. Ser. I. v. 40 (1844) = *Hyme-*  
*nocrater*, Fisch. & Mey. (Labiata).  
*calycina*, Boiss. l. c. 41 = *H. calycinus*.

SESTINIA, Boiss. & Hohen. Diagn. Ser. I. iii. 55 (1843)  
 = *Wendlandia*, Bartl. (Rubiace.).  
*ligustroides*, Boiss. & Hohen. l. c. = *W. Kotschyi*.

SESTOCHILLOS, Breda, Orch. Kuhl & Hass. [t. 3]  
 (1827) = *Bulbophyllum*, Thou. (Orchid.).  
*uniflorum*, Breda, l. c. = *B. Lobbi*.

SESUVIUM, Linn. Syst. ed. X. 1058 (1759). FI-  
 COIDEAE, Benth. & Hook. f. i. 855.

PSAMMANTHE, Hance, in Walp. Ann. ii. 659  
 (1852).

PYXIPOMA, Fenzl, in Ann. Wien. Mus. ii. (1838)  
 293.

*acutifolium*, Miq. in Hoef. & De Vriese, Tijdschr. x.  
 (1843) 75.—Guian.

*brevifolium*, Schum. & Thonn. Beskr. Guin. Pl. 233 =  
*S. Portulacastrum*.

congenae, Welw. ex Oliver, Fl. Trop. Afr. ii. 586.—  
 Afr. trop.

*crithmoides*, Welw. Apont. 586.—Afr. trop.

*crystallinum*, Welw. ex Oliver, Fl. Trop. Afr. ii. 586.—  
 Afr. trop.

*digynum*, Welw. ex Oliver, l. c.—Afr. trop.

*Edmonstonei*, Hook. f. in Trans. Linn. Soc. xx. (1847)  
 221.—Ins. Galapag.

*edule*, Wright, ex Wall. Cat. n. 6836 D = *S. Portula-*  
*castrum*.

*longifolium*, Humb. & Bonpl. ex Willd. Enum. Hort.  
 Berol. 521 = *S. Portulacastrum*.

*mesembrianthemoides*, Wawra, in Sitzb. Akad. Wien,  
 Math.-Nat. xxxviii. (1860) 564.—Afr. trop.

*mesembryanthemoides*, Welw. Apont. 557 = *S. Portula-*  
*castrum*.

*microphyllum*, Willd. Enum. Hort. Berol. 521.—Cuba.

*Ortega*, Spreng. Nachr. i. Bot. Gart. Halle, 36 =  
*S. Portulacastrum*.

*parviflorum*, DC. Prod. iii. 453 = *S. Portulacastrum*.

*pedunculatum*, Pers. Syn. ii. 39 = *S. Portulacastrum*.

*pentandrum*, Ell. Sketch, i. 556 = *S. Portulacastrum*?  
*Portulaca*, Crantz, Inst. i. 136 = seq.

*Portulacastrum*, Linn. Syst. ed. X. 1058.—Reg. trop.

*quadrifidum*, F. Muell. Rep. Babb. Exp. 9.—Austral.

*repens*, Willd. Enum. Hort. Berol. 521 = *S. Portula-*  
*castrum*.

*revolutifolium*, Colla, ex Ces. in Atti Soc. Acc. Sc.  
 Nap. v. (1873) n. vii. 10.—Reg. Argent.

*revolutifolium*, Ortega, Hort. Matr. Dec. 19 = *S. Portu-*  
*lacastrum*.

*revolutum*, Pers. Syn. ii. 39 = *S. Portulacastrum*.

*sessile*, Pers. l. c. = *S. Portulacastrum*.

*sessiliflorum*, Domb. ex Rohrb. in Mart. Fl. Bras. xiv.  
 II. 310 = *S. Portulacastrum*.

*spathulatum*, H. B. & K. Nov. Gen. et Sp. vi. 87 =  
*microphyllum*.

*verrucosum*, Rafin. New Fl. Am. iv. 16 = *S. Portula-*  
*castrum*?

SETACHNA, Dulac, Fl. Hautes-Pyr. 518 (1867) =  
*Centaurea*, Linn. (Compos.).

*amara*, Dulac, l. c. = *C. amara*.

*Calcitrapa*, Dulac, l. c. 519 = *C. Calcitrapa*.

*collina*, Dulac, l. c. 520 = *C. collina*.

*Cyanus*, Dulac, l. c. = *C. Cyanus*.

*fimbriata*, Dulac, l. c. 519 = *C. Jacea*.

*microptilon*, Dulac, l. c. = *C. nigra*.

*montana*, Dulac, l. c. = *C. montana*.

*nigra*, Dulac, l. c. = *C. nigra*.

*nigrescens*, Dulac, l. c. = *C. nigrescens*.

*solstitialis*, Dulac, l. c. 520 = *C. solstitialis*.

*sylvatica*, Dulac, l. c. = *C. Scabiosa*.

SETARIA, Beauv. Fl. Owar. ii. 80 (1807). GRAMI-  
 NEAE, Benth. & Hook. f. iii. 1105.

IXOPHORUS, Schlecht. in Linnaea, xxxi. (1861-62)  
 420.

*affinis*, Schult. Mant. ii. 275 = *viridis*.

*Alopecurus*, Fisch. ex Trin. in Mém. Acad. Pétersb.  
 Sér. VI. iii. (1835) 227 = *macrostachya*.

*ambigua*, Guss. Fl. Sic. Syn. i. 114 = *viridis*.

*ambigua*, Schrad. in Linnaea, xii. (1838) 430 = *Panicum*  
*Pseudoholcus*.

## SETARIA:—

*barbata*, Kunth, Rév. Gram. i. 47 = Panicum prostratum.  
*Berteroniana*, Schult. Mant. ii. 276, in obs. = corrugata?  
*biconvexa*, Griseb. Fl. Brit. W. Ind. 555.—Ins. Trinit. brachiata, Kunth, Rév. Gram. i. 47.—Bras.  
*Brownii*, Desv. Opusc. 81, in obs. = Panicum gracile.  
*californica*, Kellogg, in Proc. Calif. Acad. i. ed. II. (1873) 26 (sp. dub.).—Calif.  
*canescens*, Kunth, Rév. Gram. i. 47.—Ind. or.  
*caudata*, Roem. & Schult. Syst. ii. 495 = setosa.  
*cenchroides*, Roem. & Schult. l. c. = Pennisetum setosum.  
*cernua*, H. B. & K. Nov. Gen. et Sp. i. 111.—Ecuador.  
*chlorantha*, Schur, Enum. Pl. Transs. 723 = viridis.  
*chrysantha*, Heynh. Nom. ii. 661 = glauca.  
*cirrosa*, Fourn. ex Hemsl. Biol. Centr. Am. Bot. iii. 504.—Mexic.  
*comosa*, Miq. Fl. Ind. Bat. iii. 468.—Ins. Philipp.  
*compacta*, Schur, Enum. Pl. Transs. 967 (Index) = italica.  
*composita*, H. B. & K. Nov. Gen. et Sp. i. 111 = macrostachya.  
*compressa*, Kunth, Rév. Gram. i. 46; Enum. Pl. i. 150 = Pennisetum compressum.  
*conglomerata*, Fries, ex Schlecht. in Linnaea, xxxi. (1861-62) 491.—Hab.?  
*corrugata*, Schult. Mant. ii. 276.—Cuba.  
*Crus-ardeae*, Kunth, Enum. Pl. i. 155 = Panicum Crus-ardeae.  
*cylindrica*, Schult. Mant. ii. 277 = setosa.  
*dasyura*, Hort. Hal. ex Schlecht. in Linnaea, xxvi. (1853) 463.—Ind. or.  
*decipiens*, C. Schimp. ex Nym. Consp. 787 = viridis.  
*dioica*, Hochst. in Flora, xxiv. (1841) i. Intell. 19 = Pennisetum adoense.  
*disticha*, H. B. & K. Nov. Gen. et Sp. i. 112 = Panicum pilosum.  
*effusa*, Fourn. ex Hemsl. Biol. Centr. Am. Bot. iii. 504.—Mexic.  
*Elliotiana*, Schult. Mant. ii. 279 = Cenchrus Elliotii.  
*elongata*, Spreng. in Schult. l. c. 280.—Am. bor.  
*erubescens*, Beauv. Agrost. 51; Roem. & Schult. Syst. ii. 491 = Pennisetum erubescens.  
*erythrosperma*, Hornem. ex Reichb. Fl. Germ. Excurs. 29 = italica.  
*erythrosperma*, Spreng. Syst. i. 304 = italica, viridis? excurrens, Miq. Ann. Mus. Bot. Lugd. Bat. ii. 275.—Japan.  
*falcifolia*, Fourn. ex Hemsl. Biol. Centr. Am. Bot. iii. 504.—Mexic.  
*Fieldingii*, C. Muell. in Bot. Zeit. xix. (1861) 323.—Ind. or.  
*flava*, Kunth, Rév. Gram. i. 46 = glauca.  
*flavida*, Hornem. ex Reichb. Fl. Germ. Excurs. 29 = italica.  
*floriana*, Anderss. in Vet. Akad. Handl. Stockh. 1853 (1855) 138.—Ins. Galapag.  
*floribunda*, Spreng. Syst. i. 305 = verticillata.  
*geniculata*, Beauv. Agrost. 51; Roem. & Schult. l. c. ii. 491.—Mexic.  
*geniculata*, Sieber, ex Kunth, Rév. Gram. i. 50 = Pennisetum Sieberi.  
*germanica*, Beauv. Agrost. 51. t. 13 = italica.  
*glauca*, Beauv. Agrost. 51.—Europ.; As. temp.  
*glauca*, H. B. & K. Nov. Gen. et Sp. i. 109 = penicillata, J. Presl.  
*globularis*, J. Presl, in Rel. Haenk. i. 314 = italica.  
*globulifera*, Griseb. in Goett. Abh. xxiv. (1879) 307 = Panicum globuliferum.  
*gracilis*, H. B. & K. Nov. Gen. et Sp. i. 109.—N. Granat.  
*gracilis*, Spreng. ex Trin. in Mém. Acad. Pétersb. Sér. VI. iii. (1835) 226 = P. Onurus.  
*granosa*, Desv. Opusc. 79.—Bras.  
*Grisebachii*, Fourn. ex Hemsl. Biol. Centr. Am. Bot. iii. 504.—Mexic.  
*helvola*, Roem. & Schult. Syst. ii. 491 = glauca.  
*hirsuta*, Kunth, Rév. Gram. i. 47.—Ind. or.  
*hirta*, Kunth, l. c.—Ind. or.  
*hirtella*, Schult. Mant. ii. 276 = Oplismenus undulatifolius.  
*Hochstetteri*, Kunth, in Linnaea, xix. (1847) 330.—Nubia.  
*humifusa*, Dum. Obs. Gram. Belg. 139 = glauca.  
*imberbis*, Roem. & Schult. Syst. ii. 891 = viridis.  
*impressa*, Kunth, Enum. Pl. i. 154.—Bras.

## SETARIA:—

*intermedia*, Roem. & Schult. Syst. ii. 489 = verticillata.  
*interrupta*, Desv. Opusc. 80.—Bras.  
*italica*, Beauv. Agrost. 51.—Reg. trop. et subtrop. (cult.).  
*italica*, Miq. Fl. Ind. Bat. iii. 467 = Panicum sanguinale.  
*Itieri*, Delile, Ind. Sem. Hort. Monsp. (1849); ex Steud. Syn. Pl. Gram. 51.—Aegypt.  
*japonica*, Pynaert, in Fl. des Serres, xiv. (1861) 7 = italica?  
*Jurgensenii*, Fourn. ex Hemsl. Biol. Centr. Am. Bot. iii. 505.—Mexic.  
*lachnea*, Kunth, Enum. Pl. i. 154 = setosa.  
*laevigata*, Schult. Mant. ii. 275.—Am. bor.  
*laevis*, Fourn. ex Hemsl. Biol. Centr. Am. Bot. iii. 505.—Mexic.  
*leiophylla*, Nees, ex Kunth, Enum. Pl. i. 154.—Bras.  
*lenis*, Miq. Fl. Ind. Bat. iii. 468.—Java.  
*leucophylla*, D. Dietr. Syn. Pl. i. 293 = Panicum leiophyllum.  
*Liebmanni*, Fourn. ex Hemsl. Biol. Centr. Am. Bot. iii. 505.—Mexic.  
*longicauda*, Desv. Opusc. 77.—Bras.  
*longiflora*, Desv. l. c. 81, in obs. = Chamaeraphis paradoxa.  
*longifolia*, Link, Hort. Berol. i. 220.—Hab.?  
*longipila*, Fourn. ex Hemsl. Biol. Centr. Am. Bot. iii. 505.—Mexic.  
*longiseta*, Beauv. Fl. Owar. ii. 81. t. 110.—Afr. trop.  
*luxurians*, Spreng. Syst. i. 305.—Ind. or.  
*macrochaeta*, Hochst. ex Steud. Nom. ed. II. ii. 574 = Pennisetum adoense.  
*macrochaeta*, Schult. Mant. ii. 274 = italica.  
*macrochaeta*, Spreng. Syst. i. 305.—Ind. or.  
*macrophylla*, Anderss. in Peters, Reise Mossamb. Bot. 550.—Afr. trop.  
*macrostachya*, Hochst. ex Steud. Syn. Pl. Gram. 53 = composita.  
*macrostachya*, H. B. & K. Nov. Gen. et Sp. i. 110.—As. et Austral. trop.  
*magna*, Griseb. Fl. Brit. W. Ind. 554.—Ind. occ.  
*maritima*, Roem. & Schult. Syst. ii. 492 = italica.  
*mauritiana*, Spreng. l. c. i. 305 = Panicum plicatum.  
*maxima*, Desv. Opusc. 78.—Bras.  
*megapotamica*, Spreng. ex Trin. in Mém. Acad. Pétersb. Sér. VI. iii. (1835) 226 = setosa.  
*Melinis*, Link, ex Steud. Nom. ed. II. ii. 574 = italica.  
*Meyeri*, Kunth, Rév. Gram. i. 47 = Panicum pilosum.  
*multisetata*, Dum. Obs. Gram. Belg. 138 = setosa.  
*muricata*, Beauv. Agrost. 51; Roem. & Schult. Syst. ii. 495 = Panicum Crus-galli.  
*nana*, Dum. Obs. Gram. Belg. 139 = viride.  
*nubica*, Link, Hort. Berol. i. 220 = verticillata.  
*ocreatea*, Spreng. Syst. i. 305.—Ind. occ.  
*Onurus*, Griseb. Fl. Brit. W. Ind. 555.—Am. trop.  
*paniculifera*, Fourn. ex Hemsl. Biol. Centr. Am. Bot. iii. 505.—Mexic.  
*panis*, Jessen, Deutschl. Graes. 248 = italica.  
*penicillata*, E. Desv. in C. Gay, Fl. Chil. vi. 247.—Chili.  
*penicillata*, Nees, in Wall. Cat. n. 8640 = glauca, viridis.  
*penicillata*, J. Presl, in Rel. Haenk. i. 314.—Mexic.  
*Pennisetum*, Roem. & Schult. Syst. ii. 494 = Panicum pilosum.  
*persica*, Hort. ex Reichb. Fl. Germ. Excurs. 29 = italica.  
*pilifera*, Desv. Opusc. 81.—Am.  
*pilifera*, Spreng. Syst. iv. Cur. Post. 33 = Panicum javanicum.  
*pilosa*, Kunth, Rév. Gram. i. 47 = Panicum pilosum.  
*Poiretiana*, Kunth, l. c.—Bras.  
*polygonata*, Kunth, l. c. = Panicum pilosum.  
*polystachya*, Scheele, in Linnaea, xxii. (1849) 339.—Texas.  
*polystachya*, Schrad. ex Schult. Mant. ii. 277 = macrostachya.  
*Pseudo-verticillata*, Fourn. ex Hemsl. Biol. Centr. Am. Bot. iii. 505.—Mexic.  
*Pseudo-verticillata*, Hort. Vindob. ex Schlecht. in Linnaea, xxxi. (1861-62) 491 = conglomerata.  
*pumila*, Roem. & Schult. Syst. ii. 891 = glauca.  
*pumila*, Schult. Mant. ii. 274.—Hab.?  
*purpurascens*, H. B. & K. Nov. Gen. et Sp. i. 110; Opiz, Boehm. Gew. (1823) 12 = imberbis.  
*purpurea*, Beauv. Agrost. 51; Roem. & Schult. Syst. ii. 488.—Peruv.  
*pyramidata*, Desv. Opusc. 78.—Am. trop.  
*rariflora*, Mikan, ex Spreng. Neue Entdeck. ii. 78 = setosa.

## SETARIA:—

*rariflora*, J. Presl, in Rel. Haenk. i. 313.—Mexic.  
*refracta*, F. Muell. Fragm. iii. 147 = Plagiosetum refractum.  
*respicens*, Walp. Ann. iii. 721 = verticillata.  
*Rottleri*, Spreng. Syst. i. 304 = verticillata.  
*rubicunda*, Dum. Obs. Gram. Belg. 139 = italica.  
*rubiginosa*, Miq. Fl. Ind. Bat. iii. 467.—Ins. Philipp.  
*sagittifolia*, Walp. Ann. iii. 721.—Afr. trop.  
*scabrifolia*, Kunth, Rév. Gram. ii. t. 212.—Bras.  
*scandens*, Schrad. ex Schult. Mant. ii. 279.—Bras.  
*Schiedeana*, Fourn. ex Hemsl. Biol. Centr. Am. Bot. iii. 505.—Mexic.  
*Schraderi*, Kunth, Rév. Gram. i. 47 = Panicum pilosum.  
*sciuroidea*, C. Muell. in Bot. Zeit. xix. (1861) 316.—Ind. or.  
*semirugosa*, Kunth, Enum. Pl. i. 152.—Mexic.  
*sericea*, Beauv. Agrost. 51; Roem. & Schult. Syst. ii. 488.—Ind. or.  
*setosa*, Beauv. l. c.; Roem. & Schult. l. c. 494.—Reg. trop.  
*stipaeulmis*, C. Muell. in Bot. Zeit. xix. (1861) 323.—Bras.  
*streptobotrys*, Fourn. ex Hemsl. Biol. Centr. Am. Bot. iii. 506.—Mexic.  
*stricta*, Kunth, Rév. Gram. i. 47 = Panicum Kunthii.  
*subcordata*, Kunth, l. c. = Panicum prostratum.  
*sulcata*, Raddi, Agrost. Bras. 50.—Mexic.  
*tejucensis*, Kunth, Enum. Pl. i. 150 = glauca.  
*tenacissima*, Schrad. ex Schult. Mant. ii. 279 = scandens.  
*tenax*, Desv. Opusc. 78.—Guian.  
*tenella*, Desv. l. c. 77.—Peruv.  
*Teysmanni*, Miq. Fl. Ind. Bat. iii. 468.—Java.  
*tomentosa*, Kunth, Rév. Gram. i. 47.—Ind. or.  
*Trinii*, Kunth, Enum. Pl. i. 151 = scandens.  
*umbrosa*, Beauv. Agrost. 51 = Panicum prostratum.  
*uniseta*, Fourn. ex Hemsl. Biol. Centr. Am. Bot. iii. 506.—Mexic.  
*vaginata*, Spreng. Syst. iv. Cur. Post. 33.—Bras.  
*Ventenatii*, Kunth, Rév. Gram. i. 251. t. 37 = glauca.  
*verticillata*, Beauv. Agrost. 51.—Cosmop.  
*verticilliformis*, Dum. Fl. Belg. 150 = verticillatum.  
*villosa*, Beauv. Agrost. 51 = viride.  
*violacea*, Hornem. ex Reichb. Fl. Germ. Excurs. 29 = italica.  
*viridis*, Beauv. Agrost. 51.—Cosmop.  
*viscidula*, Desv. Opusc. 80.—Ins. Maurit.  
*vulpina*, Beauv. Agrost. 51 = Pennisetum cenchroides.  
*vulpiseta*, Raddi, Agrost. Bras. 49 = macrostachya.  
*vulpiseta*, Roem. & Schult. Syst. ii. 495.—Am. trop.  
*Wienmanni*, Roem. & Schult. l. c. 490 = viridis.

SETHIA, H. B. & K. Nov. Gen. et Sp. v. 175, in nota (1821) = *Erythroxyllum*, P. Br. (Lineae).  
*acuminata*, Arn. in Nov. Act. Nat. Cur. xviii. i. (1836) 324 = E. lucidum.  
*erythroxyloides*, Wight, Illustr. i. 136 = E. lanceolatum.  
*indica*, DC. Prod. i. 576 = E. monogynum.  
*Kunthiana*, Wall. Cat. n. 6849 = E. Kunthianum, Kurz.  
*lanceolata*, Wight, Illustr. i. 136 = E. lanceolatum.  
*magnoliaefolia*, G. Don, Gen. Syst. i. 633 = E. magnoliaefolium.  
*microphylla*, G. Don, l. c. = E. microphyllum.  
*oblonga*, Wight, Ic. t. 97, sphalm. = Salacia oblonga.  
*obtusifolia*, Thw. Enum. Pl. Zeyl. 54 = E. obtusifolium.

SEUBERTIA, Kunth, Enum. Pl. iv. 475 (1843) = *Brodiaea*, Sm. (Liliac.).  
*crocea*, Wood, in Proc. Acad. Nat. Sc. Philad. (1868) 172 = B. crocea.  
*laxa*, Kunth, Enum. Pl. iv. 475 = B. laxa.

SEUBERTIA, H. C. Wats. in Hook. Lond. Journ. Bot. iii. (1844) 602 = *Bellis*, Tourn. (Compos.).  
*azorica*, H. C. Wats. l. c. = B. azorica.

SEUTERA, Reichb. Consp. 131 (1828) = *Vince-toxicum*, Moench (Asclep.).  
*maritima*, Decne. in DC. Prod. viii. 590 = V. palustre.

SEVADA, Moq. in DC. Prod. xiii. ii. 154 (1849) = *Suaeda*, Forsk. (Chenop.).  
*Schimperi*, Moq. l. c. = Suaeda baccata.

SEVERINIA, Tenore, Ind. Sem. Hort. Neap. (1840) 3 = *Atalantia*, Correa (Rutac.).  
*buxifolia*, Tenore, l. c. = *A. buxifolia*.

SEWERZOWIA, Regel & Schmalh. in Act. Hort. Petrop. v. (1877) 580 = *Astragalus*, Tourn. (Legumin.).  
*turkestanica*, Regel & Schmalh. l. c. 581 = *A. Schmalhauseni*.

SEXILIA, Rafin. New Fl. Am. iv. 87 (1836) = *Polygala*, Linn.  
*missurica*, Rafin. l. c. 89 = *P. missurica*.  
*verticillata*, Rafin. l. c. 87 = *P. verticillata*.

SEYMERIA, Pursh, Fl. Am. Sept. ii. 736 (1814).  
SCROPHULARINEAE, Benth. & Hook. f. ii. 971.  
AFZELIA, J. F. Gmel. Syst. 927 (1791).  
*auriculata*, Spreng. Syst. ii. 810 = *Gerardia auriculata*.  
*bipinnatisecta*, Seem. Bot. Voy. Herald, 323. t. 59. — Am. bor. occ.  
*decurva*, Benth. in DC. Prod. x. 512. — Mexic.  
*heterophylla*, Rafin. New Fl. Am. ii. 68 = *pectinata*.  
*Jacksoni*, Ell. Sketch, ii. 123, in obs. = *pectinata*.  
*macrophylla*, Nutt. Gen. Am. ii. 49 — Am. bor.  
*pectinata*, Pursh, Fl. Am. Sept. ii. 737. — Am. bor.  
*pinnatifida*, Hemsl. Biol. Centr. Am. Bot. ii. 458. — Mexic.  
*scabra*, A. Gray, in Torr. Bot. Mex. Bound. 118. — Texas.  
*tenuifolia*, Pursh, Fl. Am. Sept. ii. 737. — Am. bor.  
*virgata*, Benth. in DC. Prod. x. 511. — Mexic.

SEYMOURIA, Sweet, Geran. iii. t. 206 (1830) = *Pelargonium*, L'Hérit. (Geran.).  
*asarifolia*, Sweet, l. c. = *P. asarifolium*.  
*Heritieri*, Sweet, l. c. sub t. 206 = *P. dipetalum*.

SGNGONIUM, Schott, in Oestr. Bot. Zeitschr. viii. (1858) 178, err. typ. = *Syngonium*, Schott (Aroid.).

SHAKUA, Boj. Hort. Maurit. 82 (1837) = *Spondias*, Linn. (Anacard.).  
*excelsa*, Boj. l. c. 82, nomen. — Madag.  
*minor*, Boj. l. c. — Madag.  
*pubescens*, Boj. l. c. = *Spondias pubescens*, Baker.

SHALLONIUM, Rafin. in Am. Monthly Mag. (1818) 266 = *Gaultheria*, Kalm (Eric.).  
*serrulatum*, Rafin. l. c. = *G. Shallon*.

SHAWIA, Forst. Char. Gen. 95. t. 48 (1776) = *Olearia*, Moench (1802) (Compos.).  
*aculeata*, Sch. Bip. in Pollichia, xviii-xix. (1861) 174 = *O. ramulosa*.  
*affinis*, Sch. Bip. l. c. = *O. heleophila*.  
*albida*, Sch. Bip. l. c. 175 = *O. albida*.  
*alpina*, Sch. Bip. l. c. 174 = *O. persoonioides*.  
*arborescens*, Sch. Bip. l. c. 172 = *O. nitida*.  
*argophylla*, Baill. Hist. Pl. viii. 299 = *O. argophylla*.  
*argyrophylla*, Sch. Bip. in Pollichia, xviii-xix. (1861) 173 = *O. argophylla*.  
*aspera*, Sch. Bip. l. c. 174 = *O. strigosa*.  
*avicenniaefolia*, Raoul, Choix Pl. Nouv. Zél. 19. t. 18 = *O. avicenniaefolia*.  
*axillaris*, Sch. Bip. in Pollichia, xviii-xix. (1861) 172 = *O. axillaris*.  
*brachyglossa*, Sch. Bip. l. c. = *O. axillaris*.  
*candidissima*, Sch. Bip. l. c. 174 = *O. axillaris*.  
*capitellata*, Sch. Bip. l. c. 173 = *O. axillaris*.  
*chrysophylla*, Sch. Bip. l. c. = *O. chrysophylla*.  
*chrysotricha*, Sch. Bip. l. c. 174 (= *Eurybia chrysotricha*). — Austral.  
*ciliata*, Sch. Bip. l. c. = *O. ciliata*.  
*corymbosa*, DC. Prod. vi. 264 = *O. Forsteri*.  
*cuneifolia*, Sch. Bip. in Pollichia, xviii-xix. (1861) 174 = *O. pimelioides*.  
*Cunninghamii*, Sch. Bip. l. c. 175 = *O. Cunninghamii*.  
*cydoniaefolia*, Sch. Bip. l. c. 173 = *O. cydoniaefolia*.  
*Dampieri*, Sch. Bip. l. c. = *O. axillaris*.  
*decurrens*, Sch. Bip. l. c. = *O. decurrens*.  
*dentata*, Sch. Bip. l. c. 175 = *O. ilicifolia*.  
*elaephila*, Sch. Bip. l. c. 174 = *O. heleophila*.  
*epileia*, Sch. Bip. l. c. = *O. ramulosa*.  
*ericoides*, Sch. Bip. l. c. = *O. ramulosa*.  
*erubescens*, Sch. Bip. l. c. 173 = *O. myrsinoides*.

SHAWIA:—  
*floribunda*, Sch. Bip. in Pollichia, xviii-xix. (1861) 175 = *Olearia floribunda*.  
*furfuracea*, Raoul, ex Sch. Bip. l. c. 173 = *O. furfuracea*.  
*glandulosa*, Sch. Bip. l. c. = *O. glandulosa*.  
*glutinosa*, Sch. Bip. l. c. 174 = *O. glutinosa*.  
*gracilis*, Sch. Bip. l. c. (= *Eurybia gracilis*). — Austral.  
*Gunniana*, Sch. Bip. l. c. 173 = *O. stellulata*.  
*hygrophila*, Sch. Bip. l. c. 174 = *O. hygrophila*.  
*imbricata*, Sch. Bip. l. c. 175 = *O. imbricata*.  
*ledifolia*, Sch. Bip. l. c. 173 = *O. ledifolia*.  
*Lehmanniana*, Sch. Bip. l. c. 174 = *O. heleophila*.  
*lepidophylla*, Sch. Bip. l. c. = *O. lepidophylla*.  
*leptophylla*, Sch. Bip. l. c. 175 (= *Eurybia leptophylla*). — Austral.  
*linearifolia*, Sch. Bip. l. c. 173 = *O. axillaris*.  
*linifolia*, Sch. Bip. l. c. 175 = *O. glutinosa*.  
*lyrata*, Sch. Bip. l. c. 173 = *O. stellulata*.  
*microphylla*, Sch. Bip. l. c. 174 = *O. ramulosa*.  
*muricata*, Sch. Bip. l. c. = *O. muricata*.  
*myrsinoides*, Sch. Bip. l. c. 174 = *O. myrsinoides*.  
*nummularifolia*, Sch. Bip. l. c. 175 = *O. nummularifolia*.  
*obcordata*, Sch. Bip. l. c. = *O. obcordata*.  
*oligantha*, Sch. Bip. l. c. 173 = *O. axillaris*.  
*paniculata*, Forst. Char. Gen. 95. t. 48 = *O. Forsteri*.  
*paucidentata*, Sch. Bip. in Pollichia, xviii-xix. (1861) 174 = *O. paucidentata*.  
*persoonioides*, Sch. Bip. l. c. 173 = *O. persoonioides*.  
*pimeleoides*, Sch. Bip. l. c. = *O. pimeleoides*.  
*pinifolia*, Sch. Bip. l. c. 175 = *O. pinifolia*.  
*propinqua*, Sch. Bip. l. c. 174 = *O. ramulosa*.  
*ramosissima*, Sch. Bip. l. c. = *O. ramosissima*.  
*ramulosa*, Sch. Bip. l. c. = *O. ramulosa*.  
*rosmarinifolia*, Sch. Bip. l. c. 173 = *O. rosmarinifolia*.  
*rudis*, Sch. Bip. l. c. 174 = *O. rudis*.  
*salicina*, Sch. Bip. l. c. 173 = *O. stellulata*.  
*scabra*, Sch. Bip. l. c. 174 = *O. rudis*.  
*Solandri*, Sch. Bip. l. c. 175 = *O. Solandri*.  
*Steesii*, Sch. Bip. l. c. 174 = *O. heleophila*.  
*strigosa*, Sch. Bip. l. c. = *O. strigosa*.  
*subrepanda*, Sch. Bip. l. c. 173 = *O. stellulata*.  
*tenuifolia*, Sch. Bip. l. c. 174 = *O. tenuifolia*.  
*virgata*, Sch. Bip. l. c. 175 = *O. virgata*.  
*viscosa*, Sch. Bip. l. c. 173 = *O. viscosa*.

SHEADENDRON, Bertol. f. in Mem. Acc. Bologn. ii. (1850) 574. t. 40 = *Combretum*, Linn.  
*butyrosom*, Bertol. f. l. c. 572 = *C. butyrosom*.  
*molle*, Klotzsch, in Peters, Reise Mossamb. Bot. 76 = *C. holosericum*.  
*pisoniaeflorum*, Klotzsch, l. c. = *C. pisoniaeflorum*.

SHEARERIA, S. Moore, in Journ. Bot. xiii. (1875) 227. t. 165. COMPOSITAE, Benth. & Hook. f. ii. 1234.  
*nana*, S. Moore, l. c. — China.  
*Polii*, Franch. l. c. xvi. (1878) 257. t. 198 = *nana*.

SHEFFIELDIA, Forst. Char. Gen. 17. t. 9 (1776) = *Samolus*, Linn. (Primul.).  
*incana*, Labill. Nov. Holl. Pl. i. 40. t. 54 = *Samolus repens*.  
*repens*, Forst. Char. Gen. 18 = *Samolus repens*.

SHEPHERDIA, Nutt. Gen. Am. ii. 240 (1818).  
ELAEAGNACEAE, Benth. & Hook. f. iii. 204.  
LEPTARGYREIA, Schlecht. in DC. Prod. xiv. 607 (1857).  
*argentea*, Hort. ex Schlecht. in DC. Prod. xiv. 609 = *Elaeagnus argentea*.  
*argentea*, Nutt. Gen. Am. ii. 240. — Am. bor.  
*canadensis*, Nutt. l. c. 241. — Am. bor.  
*rotundifolia*, Parry, in Am. Natural. ix. (1875) 350. — Am. bor. occ.

SHERARDA, St. Lag. in Ann. Soc. Bot. Lyon, viii. (1881) 176 = *Sherardia*, Dill. (Rubiace.).

SHERARDIA, Adans. Fam. ii. 198 (1763) = *Stachytarpheta*, Vahl (Verben.).

SHERARDIA, Dill. ex Linn. Syst. ed. I (1735).  
RUBIACEAE, Benth. & Hook. f. ii. 151.  
HEXODONTOCARPUS, Dulac, Fl. Hautes-Pyr. 467 (1867).

SHERARDIA:—  
*arvensis*, Linn. Sp. Pl. 102. — Europ.; As. temp.  
*erecta*, Sibth. & Sm. Fl. Graec. ii. 14. t. 116 = *Galium verticillatum*.  
*foetida*, Lam. Encyc. iv. 326 = *Putoria calabrica*.  
*foetidissima*, Cyrill. Char. Comm. (1784) 54 = *Putoria calabrica*.  
*fruticosa*, Linn. Sp. Pl. 103 = *Hedyotis Adscensionis*.  
*minuta*, Pall. ex Georgi, Besch. Russ. Reich. III. iv. 727 = *Galium verticillatum*.  
*muralis*, Linn. Sp. Pl. 103 = *Galium murale*.  
*muralis*, Pall. ex Georgi, Besch. Russ. Reich. iv. 727 = *Galium verticillatum*.  
*muralis*, Stev. in Nouv. Mém. Soc. Nat. Mosc. i. (1829) 276 = *Galium recurvatum*.  
*neglecta*, Guep. ex Nym. Consp. 335 = *arvensis*.  
*pusilla*, Bory & Chaub. Nouv. Fl. Pélop. 10. t. 16. f. 1 = *Galium Boryanum*.  
*umbellata*, Gilib. Exercit. i. 26 = *arvensis*.

SHERBOURNIA, G. Don, in Loud. Encyc. Pl. Suppl. ii. 1323 (1855). RUBIACEAE.  
AMARALIA, Welw. ex Benth. & Hook. f. Gen. ii. 90 (1873).  
*foliosa*, G. Don, in Loud. Encyc. Pl. Suppl. ii. 1322. — Afr. trop.

SHOREA, Roxb. in Gaertn. f. Fruct. iii. 48. t. 186 (1805). DIPTEROCARPEAE, Benth. & Hook. f. i. 193.  
PARASHOREA, Kurz, in Journ. As. Soc. Beng. xxxix. (1870) II. 65.  
PENTACME, A. DC. in DC. Prod. xvi. II. 626 (1868).  
SAUL, Roxb. ex Wight & Arn. Prod. 84 (1834).  
*acuminata*, Dyer, in Hook. f. Fl. Brit. Ind. i. 305. — Malacca.  
*assamica*, Dyer, l. c. 307. — Assam.  
*bracteolata*, Dyer, l. c. 305. — Malacca.  
*brevipetiolaris*, Thw. ex Trimen, in Journ. Bot. xxiii. (1885) 205 (Balanocarpus sp.). — Zeylan.  
*camphorifera*, Roxb. Hort. Beng. [93]; Fl. Ind. ii. 616. — Sumatra.  
*costata*, J. S. Presl, Rostl. ii. 66 = *Dryobalanops aromatica*.  
*Dyerii*, Thw. ex Trimen, in Journ. Bot. xxiii. (1885) 204. — Zeylan.  
*eximia*, Scheff. in Flora, liii. (1870) 247; et in Tijdschr. Nederl. Ind. xxxi. (1870) 349. — Sumatra.  
*floribunda*, Kurz, in Journ. As. Soc. Beng. xlii. (1873) II. 60. — Burma.  
*furfuracea*, Miq. Fl. Ind. Bat. Suppl. 488. — Sumatra.  
*gratissima*, Dyer, in Hook. f. Fl. Brit. Ind. i. 307. — Singapore.  
*Guiso*, Blume, Mus. Bot. Lugd. Bat. ii. 34. — Ins. Philipp.  
*Helferi*, Kurz, in Journ. As. Soc. Beng. xliii. (1874) II. 100. — Burma.  
*hypochra*, Hance, in Journ. Bot. xiv. (1876) 242. — Cambodia.  
*laccifera*, Heyne, ex Wall. Cat. n. 967 = *S. Talura*.  
*laurifolia*, Wall. ex Steud. Nom. ed. II. ii. 575 = *S. Talura*.  
*lepidia*, Blume, Mus. Bot. Lugd. Bat. ii. 32. — Sumatra.  
*leprosula*, Miq. Fl. Ind. Bat. Suppl. 487. — Sumatra.  
*leucobotrya*, Miq. Ann. Mus. Bot. Lugd. Bat. i. 215 = *obtus*.  
*lissophylla*, Thw. Enum. Pl. Zeylan. 402. — Zeylan.  
*longisperma*, Roxb. Hort. Beng. [93]; Fl. Ind. ii. 618. — Penang.  
*lucida*, Miq. Fl. Ind. Bat. Suppl. 487. — Sumatra.  
*macroptera*, Dyer, in Hook. f. Fl. Brit. Ind. i. 308. — Malaya.  
*Malaanonan*, Blume, Mus. Bot. Lugd. Bat. ii. 34. — Ins. Philipp.  
*Mangachapoi*, Blume, l. c. — Ins. Philipp.  
*Martiniana*, Scheff. in Tijdschr. Nederl. Ind. xxxii. (1871) 408. — Borneo.  
*Mayapis*, Blume, Mus. Bot. Lugd. Bat. ii. 33. — Ins. Philipp.  
*nervosa*, Kurz, For. Fl. Brit. Burma, i. 119. — Burma.  
*nitens*, Miq. Fl. Ind. Bat. Suppl. 488. — Sumatra.  
*oblongifolia*, Thw. Enum. Pl. Zeyl. 36. — Zeylan.  
*obtus*, Wall. Cat. n. 966. — Burma.  
*ovalis*, Blume, Mus. Bot. Lugd. Bat. ii. 33. — Borneo.  
*palembanica*, Miq. Fl. Ind. Bat. Suppl. 487. — Sumatra.  
*parvifolia*, Dyer, in Hook. f. Fl. Brit. Ind. i. 305. — Malacca.

**SHOREA** :—

- penicillata*, A. DC. in DC. Prod. xvi. ii. 630 = *S. Tumbuggaia*.  
 Pierrei, *Hance, in Journ. Bot.* xvi. (1878) 302.—Cambodia.  
 Pinanga, *Scheff. in Flora*, liii. (1870) 247; et in *Tijdschr. Nederl. Ind.* xxxi. (1870) 350.—Malaya.  
*purpurea*, A. DC. in DC. Prod. xvi. ii. 632, sphalm. = *furfurea*.  
*reticulata*, Thw. ex Dyer, in *Hook. f. Fl. Brit. Ind.* i. 307.—Zeylan.  
*robusta*, A. DC. in DC. Prod. xvi. ii. 628 = *floribunda*.  
*robusta*, Gaertn. f. *Fruct.* iii. 48. t. 186.—Ind. or.  
*robusta*, Roth, Nov. Pl. Sp. 221 = *S. Talura*.  
*Roxburghii*, G. Don, Gen. Syst. i. 813 = *S. Talura*.  
*Schefferiana*, *Hance, in Journ. Bot.* xvi. (1878) 303.—Borneo.  
*selanica*, Blume, *Mus. Bot. Lugd. Bat.* ii. 33.—Molucca.  
*sericea*, Dyer, in *Hook. f. Fl. Brit. Ind.* i. 306.—Malacca.  
*siamensis*, *Miq. Ann. Mus. Bot. Lugd. Bat.* i. 214.—Burma; Siam.  
*squamata*, Benth. & Hook. f. *Gen.* i. 193.—Malaya.  
*stellata*, Dyer, in *Hook. f. Fl. Brit. Ind.* i. 304.—Burma.  
*stipularis*, Thw. *Enum. Pl. Zeyl.* 36.—Zeylan.  
*suaavis*, Wall.—Cf. Dyer, in *Hook. f. Fl. Brit. Ind.* i. 304 = *siamensis*.  
*sublacunosa*, Scheff. in *Flora*, liii. (1870) 247; et in *Tijdschr. Nederl. Ind.* xxxi. (1870) 350 = *eximia*.  
*subpeltata*, *Miq. Fl. Ind. Bat. Suppl.* 487.—Sumatra.  
*Talura*, *Roxb. Hort. Beng.* [93]; *Fl. Ind.* ii. 618.—Ind. or.  
*trinervia*, Banks, ex Gaertn. f. *Fruct.* iii. 51 = *Dipterocarpus turbinatus*.  
*Tumbuggaia*, *Roxb. Hort. Beng.* 42; *Fl. Ind.* ii. 617.—Ind. or.

**SHORTIA**, Torr. & Gray, in *Am. Journ. Sc. Ser. I.* xlii. (1842) 48; et *Ser. II.* xlv. (1868) 402. **DIA-PENSIACEAE**, Benth. & Hook. f. ii. 620.  
*californica*, Sisley, ex Carr. *Rev. Hort.* (1883) 41, cum. fig. (Compos.).—Am. bor.  
*galacifolia*, Torr. & Gray, in *Am. Journ. Sc.* xlii. (1842) 48.—Am. bor.  
*uniflora*, Maxim. in *Bull. Acad. Pétersb.* xvi. (1871) 225.—Japon.

SHULTZIA, Rafin. in *Med. Repos. N. York*, v. (1808) 356 = SCHULTZIA, Rafin. = **Obolaria**, Linn. (Gentian.).

SHURIA, Hort. ex Hérincq, L'Hortic. Franç. Sér. II. ii. (1861) 159 = **Achimenes**, P. Br. (Gesner.).  
*mexicana*, Hort. ex Hérincq, l. c.—Mexic.

SHUTEREA, Choisy, in *Mém. Soc. Phys. Genève*, vi. (1833) 486 (Conv. Or. 103) = **Hewittia**, Wight (Convolv.).  
*bicolor*, Choisy, l. c. = *H. bicolor*.

**SHUTERIA**, Wight & Arn. *Prod.* 207 (1834). **LEGUMINOSAE**, Benth. & Hook. f. i. 529.  
*africana*, *Hook. f. in Journ. Linn. Soc.* vii. (1864) 190.—Afr. trop.  
*densiflora*, Benth. in *Miq. Pl. Jungh.* 232 = *vestita*.  
*ferruginea*, Baker, in *Hook. f. Fl. Brit. Ind.* ii. 182.—Reg. Himal.  
*glabrata*, Wight & Arn. *Prod.* 207 = *vestita*.  
*hirsuta*, Baker, in *Hook. f. Fl. Brit. Ind.* ii. 182.—Reg. Himal.  
*involuta*, Wight & Arn. *Prod.* 207 = *vestita*.  
*rotundifolia*, *Miq. Fl. Ind. Bat.* i. i. 221.—Java.  
*suffulta*, Benth. in *Miq. Pl. Jungh.* 232.—Burma.  
*trisperma*, *Miq. Ann. Mus. Bot. Lugd. Bat.* iii. 51.—Japon.  
*vestita*, Benth. in *Journ. Linn. Soc.* viii. (1865) 267 = *Glycine javanica*.  
*vestita*, Wight & Arn. *Prod.* 207.—Ind. or.

SHUTTLEWORTHIA, Steud. *Nom. ed. II.* ii. 575 (1841), sphalm. = seq.

SHUTTLEWORTHIA, Meissn. *Gen.* 290 (1846) = **Verbena**, Linn.  
*Berterii*, Meissn. *Gen. Comm.* 198 = *V. Berterii*.  
*Diceras*, Meissn. l. c. = *V. sulphurea*.  
*dissecta*, Walp. *Rep.* iv. 12 = *V. dissecta*.

**SHUTTLEWORTHIA** :—

- pulchella*, Meissn. *Gen. Comm.* 198 = *Verbena tenera*.  
*Ruisiana*, Walp. *Rep.* iv. 12 = *V. clavata*.  
*Selloi*, Walp. l. c. 13 = *V. erinoides*.  
*sulphurea*, Meissn. *Gen. Comm.* 198 = *V. sulphurea*.  
*tenera*, Walp. *Rep.* iv. 14 = *V. tenera*.

SIAGONANTHUS, Poepp. & Endl. *Nov. Gen. et Sp.* i. 40. t. 69 (1835) = **Ornithidium**, Salisb. (Orchid.).  
*multicaulis*, Poepp. & Endl. l. c. = *O. multicaule*.

SIAGONARRHEN, Mart. ex J. A. Schmidt, in *Mart. Fl. Bras.* viii. 146 (1858) = **Hyptis**, Jacq. (Labill.).  
*subcanus*, Mart. ex J. A. Schmidt, l. c. = *H. leucophylla*.

SIALODES, Eckl. & Zeyh. *Enum.* 329 (1835) = **Galenia**, Linn. (Ficoid.).  
*glauca*, Eckl. & Zeyh. l. c. = *G. glauca*.

SIBALDIA, Linn. *Fl. Lapp.* 77 (1737), sphalm. = SIB-BALDIA, Linn. = **Potentilla**, Linn. (Rosac.).

**SIBANGEA**, Oliver, in *Hook. Ic. Pl.* xv. t. 1411 (1883). **EUPHORBIACEAE**, Benth. & Hook. f. iii. 1223.  
*arborescens*, Oliver, l. c. = Afr. trop.

SIBBALDA, St. Lag. in *Ann. Soc. Bot. Lyon*, viii. (1881) 177 = seq.

SIBBALDIA, Linn. *Sp. Pl. ed. I.* 284 (1753) = **Potentilla**, Linn. (Rosac.).  
*adpressa*, Bunge, in *Ledeb. Fl. Alt.* i. 428.—Sibir. altaic.  
*altaica*, Linn. f. *Suppl.* 191 = *Chamaerhodos altaica*.  
*californica*, Spreng. *Syst. iv. Cur. Post.* 341 = *P. multijuga*.  
*congesta*, D. Dietr. *Syn. Pl.* ii. 1020 = *P. multijuga*.  
*cuneata*, Hornem. *Ind. Sem. Hort. Hafn.* (1842) et (1845).—Cf. Kunze, in *Linnaea*, xx. (1847) 59; Edgew. in *Trans. Linn. Soc.* xx. (1846) 44 = *P. Sibbaldi*.  
*erecta*, Linn. *Sp. Pl.* 284 = *Chamaerhodos erecta*.  
*Fragariastrum*, Turcz. ex Ledeb. *Fl. Ross.* ii. 33 = *adpressa*.  
*grandiflora*, Pall. ex Schult. *Syst. vi.* 770 = *Chamaerhodos grandiflora*.  
*octopetala*, Mill. *Gard. Dict. ed. VIII.* n. 2 = *P. Sibbaldi*.  
*parviflora*, Willd. in *Ges. Naturf. Fr. Neue Schr.* ii. (1799) 125. t. 5. f. 2 = *P. Sibbaldi*.  
*polygyna*, Willd. ex Schult. *Syst. vi.* 770 = *Chamaerhodos erecta*.  
*potentilloides*, Cambess. in *Jacquem. Voy. Bot.* 54 = *P. micropetala*.  
*procumbens*, Linn. *Sp. Pl.* 284 = *P. Sibbaldi*.  
*purpurea*, Royle, *Illustr. Bot. Himal.* 208. t. 40. f. 3 = *P. purpurea*.  
*sabulosa*, Steud. *Nom. ed. II.* ii. 575 = *Chamaerhodos sabulosa*.  
*semiglabra*, C. A. Mey. in *Beitr. Pfl. Russ. Reich.* vi. 44.—Reg. Caucas.  
*tetrandra*, Bunge, *Verz. Suppl. Fl. Alt.* 25 = *P. tetrandra*.

SIBERTIA, Steud. *Syn. Pl. Gram.* in obs. (1855), sphalm. = LIBERTIA, Lej. = **Bromus**, Linn. (Gramin.).

SIBIRAEA, Maxim. in *Act. Hort. Petrop.* vi. (1879) 116, in obs. 213 = **Spiraea**, Linn. (Rosac.).  
*laevigata*, Maxim. l. c. 215 = *Spiraea laevigata*.

**SIBTHORPIA**, Linn. *Diss. Chen.* 38 (1751); *Amoen. Acad.* iii. 21 (1756). **SCROPHULARINEAE**, Benth. & Hook. f. ii. 959.  
*DISANDRA*, Linn. f. *Suppl.* 32 (1781).  
*HORNEMANNIA*, Benth. in *DC. Prod.* x. 428 (1846).  
*WILLICHIA*, Mutis, ex Linn. *Mant. ii.* 553 (1771).  
*africana*, Linn. *Sp. Pl.* 631.—Oriens.  
*europaea*, Linn. l. c.—Europ. occ.  
*evolvulacea*, Linn. f. *Suppl.* 288 = *Dichondra repens*.  
*nectarifer*, Wedd. *Chlor. And.* ii. 111.—Bolivia.  
*parvifolia*, Mart. & Gal. in *Bull. Acad. Brux.* xii. ii. (1845) 25 = *pichinchensis*.  
*peregrina*, Linn. *Sp. Pl.* 631.—Ins. Maurit.  
*pichinchensis*, H. B. & K. *Nov. Gen. et Sp.* ii. 390. t. 175.—Mexic.; Andes.  
*pichinensis*, Steud. *Nom. ed. II.* ii. 575, sphalm. = praec.

**SIBTHORPIA** :—

- pinnata*, Benth. ex Hook. f. *Fl. Brit. Ind.* iv. 288.—Nepal.  
*prostrata*, Salisb. *Prod.* 94 = *europaea*.  
*retusa*, H. B. & K. *Nov. Gen. et Sp.* ii. 391. t. 177 = *pichinchensis*.

SIBTORPIA, Scop. *Introd.* 178 (1777), err. typ. = praec.

SIBURATIA, Thou. *Gen. Nov. Madag.* 12 (1806) = **Maesa**, Forsk. (Myrsin.).

**SICANA**, Naud. in *Ann. Sc. Nat. Sér. IV.* xviii. (1862) 180. t. 8. **CUCURBITACEAE**, Benth. & Hook. f. i. 829.  
*excisa*, Griseb. *Cat. Pl. Cub.* 112 = *Cayaponia excisa*.  
*odorifera*, Naud. in *Ann. Sc. Nat. Sér. IV.* xviii. (1862) 181.—Peruv.

SICELIUM, P. Br. *Hist. Jamaic.* 144 (1756) = **Coc-cocypselum**, P. Br. (Rubiace.).

**SICKINGIA**, Willd. in *Ges. Naturf. Fr. Neue Schr.* iii. (1801) 445. **RUBIACEAE**, Benth. & Hook. f. ii. 34.

*ARARIBA*, Mart. in *Sitzb. Akad. Muench.* (1860) 323.  
*cordifolia*, Hook. f. in *Benth. & Hook. f. Gen.* ii. 34.—N. Granat.  
*Erythroxylon*, Willd. in *Ges. Naturf. Fr. Neue Schr.* iii. (1801) 446.—N. Granat.  
*longifolia*, Willd. l. c. 447.—Venezuela.  
*orinocensis*, Spreng. *Syst. i.* 622 = *Platycarpum orinocense*.  
*pisoniaeformis*, Baill. *Adansonia*, xii. (1879) 307.—Bras.

SICKLERA, M. Roem. *Syn. Hesper.* 34, 49 (1846) = **Murraya**, Linn. (Rutac.).  
*longifolia*, M. Roem. l. c. 49 = *M. longifolia*.

SICKLERA, Sendtn. in *Flora*, xxix. (1846) 194 (err. typ. 178) = **Brachistus**, Miers (Solan.).  
*cuspidata*, Dun. in *DC. Prod.* xiii. i. 502.—N. Granat.  
*solanacea*, Sendtn. in *Flora*, xxix. (1846) 195 (err. typ. 179) = *B. solanaceus*.  
*tetrandra*, A. Br. & Bouché, in *Ind. Sem. Hort. Berol.* (1853) App. 10.—Venezuela.

SICKMANNIA, Nees, in *Linnaea*, ix. (1834) 292 = **Ficinia**, Schrad. (Cyperac.).  
*radiata*, Nees, l. c. = *F. radiata*.

**SICYDIUM**, Schlecht. in *Linnaea*, vii. (1832) 388; A. Gray, in *Bost. Journ. Nat. Hist.* vi. (1850) 194. **CUCURBITACEAE**, Benth. & Hook. f. i. 833.  
*TRICERATIA*, A. Rich. *Ess. Fl. Cub.* 614. t. 44 (1845).  
*coriaceum*, Cogn. in *DC. Monog. Phan.* iii. 906.—N. Granat.  
*diffusum*, Cogn. in *Mart. Fl. Bras.* vi. iv. 112.—Bras.  
*gracile*, Cogn. l. c. 113. t. 36.—Bras.  
*Lindheimeri*, A. Gray, in *Bost. Journ. Nat. Hist.* vi. (1850) 194 = *Maximowiczia Lindheimeri*.  
*monospermum*, Cogn. in *Mart. Fl. Bras.* vi. iv. 114. t. 36. f. 1.—Bras.  
*Schiedeanum*, Schlecht. in *Linnaea*, vii. (1832) 388.—Bras.  
*tamniifolium*, Cogn. in *DC. Monog. Phan.* iii. 905 = *Schiedeanum*.  
*tenellum*, Naud. in *Ann. Sc. Nat. Sér. IV.* xvi. (1861) 167. t. 1 A = *Maximowiczia tripartita*.  
*tripartitum*, Naud. l. c. 166 = *Maximowiczia tripartita*.

SICYOCARPUS, Boj. *Hort. Maur.* 214 (1837) = **Marsdenia**, R. Br. (Asclep.).  
*verrucosus*, Boj. l. c. = *M. verrucosa*.

SICYOIDES, Tourn. ex Medic. *Phil. Bot.* i. 36 (1789) = **Sicyos**, Linn. (Cucurb.).  
*angulata*, Medic. l. c. = *Sicyos angulata*.

**SICYOMORPHA**, Miers, in *Trans. Linn. Soc.* xxviii. (1872) 410. **CELASTRINEAE**.  
*nervosa*, Miers, l. c. 412.—Peruv.  
*peruviana*, Miers, l. c. 411.—Peruv.  
*pruinosa*, Miers, l. c. (Hippocrateae sp.).—Panama.



**SICYOS**, Linn. Syst. ed. I (1735). *CUCURBITACEAE*, Benth. & Hook. f. i. 837.  
*BADEROA*, Bert. ex Hook. Bot. Misc. iii. (1833) 324.  
*BRYONIASTRUM*, Heist. Syst. 10 (1748).  
*SICYOIDES*, Tourn. ex Medic. Phil. Bot. i. 36 (1789).  
*acuta*, Rafin. Fl. Ludov. 113 = *angulata*.  
*Andreana*, Cogn. in Bull. Acad. Belg. Sér. II. xlix. (1880) 200. —Ecuador.  
*angulata*, Berg. Desc. Pl. Cap. 352 = *Kedrostis nana*.  
*angulata*, Forst. f. Prod. 368 = *australis*.  
*angulata*, Linn. Sp. Pl. 1013. —Am. bor.  
*australis*, Endl. Prod. Fl. Norf. 67. —Ins. Norfolk.  
*Baderoa*, Hook. & Arn. in Hook. Bot. Misc. iii. (1833) 324 = *bryoniaefolia*.  
*bogotensis*, Cogn. in DC. Monog. Phan. iii. 874. —N. Granat.  
*Bourgaeana*, Naud. in Ann. Sc. Nat. Sér. V. vi. (1866) 22 = *microphylla*.  
*bryoniaefolia*, Moris, Enum. Sem. Hort. Taur. (1831); et in Mem. Acad. Torin. xxxvii. (1834) 106. t. 6. —Chili.  
*cucumerina*, A. Gray, Bot. U. St. Expl. Exped. i. 652. t. 82. —Ins. Sandvic.  
*depauperata*, Naud. in Ann. Sc. Nat. Sér. V. vi. (1866) 23 = *parviflora*.  
*Deppei*, G. Don, Gen. Syst. iii. 34 = *microphylla*.  
*edulis*, Jacq. Enum. Pl. Carib. 32 = *Sechium edule*.  
*eremocarpa*, Peyr. in Linnaea, xxx. (1859-60) 56 = *Echinocystis gemella*.  
*eremocarpa*, Schau. l. c. xx. (1847) 722 = *Cyclanthera eremocarpa*.  
*fretensis*, Hook. f. in Hook. Lond. Journ. Bot. vi. (1847) 473 = *australis*.  
*fusiformis*, Cogn. in Mart. Fl. Bras. vi. iv. 108. t. 34. —Bras.  
*Galeottii*, Cogn. in DC. Monog. Phan. iii. 888. —Mexic.  
*Garcini*, Burm. f. Fl. Ind. 211 (err. typ. 311) = seq. ?  
*Garcini*, Linn. Mant. ii. 297 = *Blastania Garcini*.  
*glandulosa*, Poir. Encyc. vii. 155 = *Bowlesia oppositifolia*.  
*glandulosa*, Roem. Syn. Pepon. 105 = *microphylla*.  
*gracillima*, Cogn. in DC. Monog. Phan. iii. 886. —Peruv.  
*Gunnii*, Hook. f. ex Cogn. l. c. 875 = *australis*.  
*gymnacantha*, Griseb. ex Cogn. l. c. 803 = *Echinocystis torquata*.  
*hederaefolia*, Walp. Rep. ii. 204 = seq.  
*hederifolia*, Decne. in Nouv. Ann. Mus. Par. iii. (1834) 450 = *Gynostemma hederaefolium*.  
*Helleri*, Peyr. in Linnaea, xxx. (1859-60) 56 = *Microsechium ruderales*.  
*Kunthii*, Cogn. in DC. Monog. Phan. iii. 888. —Peruv.  
*laciniata*, Descourt. Fl. Antill. v. 103 = *Sechium dule*.  
*laciniata*, Linn. Sp. Pl. i. 1013. —Ind. occ.  
*laevis*, A. Gray, Bot. U. St. Expl. Exped. i. 648. —Peruv.  
*lobata*, Michx. Fl. Bor. Am. ii. 217 = *Echinocystis lobata*.  
*longisetosa*, Cogn. in DC. Monog. Phan. iii. 882. —Ecuador ?  
*macrocarpa*, Cogn. l. c. 893. —Ecuador.  
*macrophylla*, A. Gray, Bot. U. St. Expl. Exped. i. 651. t. 81. —Ins. Sandvic.  
*malvifolia*, Griseb. in Goett. Abh. xix. (1874) 147. —Reg. Argent.  
*Martii*, Cogn. in Mart. Fl. Bras. vi. iv. 109. —Bras.  
*Maximowiczii*, Cogn. in DC. Monog. Phan. iii. 895. —Ins. Sandvic.  
*microcarpa*, H. Mann, in Proc. Am. Acad. vii. (1867) 167. —Ins. Sandvic.  
*microphylla*, H. B. & K. Nov. Gen. et Sp. ii. 119. —Mexic.  
*montana*, Griseb. in Goett. Abh. xix. (1874) 147 = *Warmingii*.  
*montana*, Poepp. & Endl. Nov. Gen. et Sp. ii. 53. t. 172. —Peruv.  
*muricata*, Galeotti, ex Cogn. in DC. Monog. Phan. iii. 839 = *Cyclanthera ribiflora*.  
*oregana*, Torr. & Gray, Fl. N. Am. i. 542 = *Echinocystis oregana*.  
*oxyantha*, Wall. Cat. n. 6683 = *Actinostemma tenerum*.  
*pachycarpa*, Hook. & Arn. Bot. Beech. Voy. 83. —Ins. Sandvic.  
*palmeta*, Moç. & Sesse, ex Cogn. in Mart. Fl. Bras. vi. iv. 111 = *Microsechium palmatum*.

**SICYOS** :—  
*palmatiloba*, Cogn. in DC. Monog. Phan. iii. 891. —Ecuador.  
*parviflora*, A. Gray, Pl. Wright. ii. 62 = *laciniata*.  
*parviflora*, H. B. & K. Nov. Gen. et Sp. ii. 119 = *Kunthii*.  
*parviflora*, Willd. Sp. Pl. iv. 626. —Ecuador.  
*parvifolia*, A. Gray, ex Naud. in Ann. Sc. Nat. Sér. V. vi. (1866) 22 = *laciniata*.  
*peltata*, Noronha, in Verh. Batav. Gen. v. (1790) ed. I. Art. iv. 27 = *Cocculus glaucescens*.  
*pentandra*, Wall. Cat. n. 6682 = *Natsiatum herpeticum*.  
*polyacanthos*, Cogn. in Mart. Fl. Bras. vi. iv. 107. —Bras.  
*quinquelobata*, Cogn. l. c. 109. —Bras.  
*Remyana*, Cogn. in DC. Monog. Phan. iii. 898. —Ins. Sandvic.  
*scaberrima*, Mart. & Gal. ex Peyr. in Linnaea, xxx. (1859-60) 57 = *Microsechium ruderales*.  
*Schimperi*, Naud. in Schweinf. & Aschers. App. Beitr. Fl. Aethiop. 268 = *australis*.  
*subcorymbosa*, Cogn. in DC. Monog. Phan. iii. 887. —Bolivia.  
*trifoliata*, Linn. Sp. Pl. 1013 = *Vitis acida*.  
*triquetra*, Moç. & Sesse, ex DC. Prod. iii. 309 = *Sechiopsis triquetra*.  
*villosa*, Hook. f. in Trans. Linn. Soc. xx. (1847) 223. —Ins. Galapag.  
*vitifolia*, Hook. & Arn. Bot. Beech. Voy. 292 = *microphylla*.  
*vitifolia*, Willd. Sp. Pl. iv. 626. —Mexic.  
*Warmingii*, Cogn. in Mart. Fl. Bras. vi. iv. 108. —Bras.

**SICYOSPERMA**, A. Gray, Pl. Wright. ii. 62 (in Smithson. Contrib. v.) (1853). *CUCURBITACEAE*, Benth. & Hook. f. i. 837.  
*gracile*, A. Gray, l. c. —N. Mexic.

**SIDA**, Linn. Syst. ed. I (1735). *MALVACEAE*, Benth. & Hook. f. i. 203.  
*DIADESMA*, Rafin. New Fl. Am. i. 41 (1836).  
*DICTYOCARPUS*, Wight, in Madr. Journ. Sc. v. (1837) 309; et in Ann. Sc. Nat. Sér. II. xi. (1839) 169.  
*FLEISCHERIA*, Steud. in Lehm. Pl. Preiss. i. 236 (1844).  
*LAMARKIA*, Medic. Phil. Bot. i. 28 (1789).  
*MALVELLA*, Jaub. & Spach, Illustr. v. 47. t. 444 (1855 ?).  
*MALVINDA*, Dill. ex Medic. Malv. 23 (1787).  
*abscissa*, Willd. ex Spreng. Syst. iii. 117 = *serrata*.  
*abutilifolia*, Mill. Gard. Dict. ed. VIII. n. 12. —Am. austr.  
*abutilifolia*, Moench, ex Steud. Nom. ed. I. 773 = *Abutilon Avicennae*.  
*abutiloides*, Jacq. Obs. i. 17. t. 7 = *Abutilon Jacquinii*.  
*abutiloides*, Macfad. Fl. Jamaic. i. 86 = *Abutilon indicum*.  
*Abutilon*, Linn. Sp. Pl. 685 = *Abutilon Avicennae*.  
*abyssinica*, D. Dietr. Syn. Pl. iv. 859 (= *Abutilonis* sp.). —Abyss.  
*acaulis*, Cav. Ic. v. 13. t. 422. f. 2 = *Malvastrum Cavanillesii*.  
*acerifolia*, Lag. Gen. et Sp. Nov. 21. —Mexic.  
*acerifolia*, Medic. Malv. 21 = *Hibiscus Solandra*.  
*acerifolia*, Zuccagni, in Roem. Collect. 148 = *Anoda hastata*.  
*acrantha*, Link, Enum. Hort. Berol. ii. 203. —Bras.  
*acuminata*, R. Br. in Salt, Abyss. App. 65 = *Abutilon longicuspis*.  
*acuminata*, DC. Prod. i. 462. —Ins. S. Doming.  
*acuta*, Burm. f. Fl. Ind. 147. —Am. centr.  
*acutangula*, Steud. Nom. ed. II. ii. 576 = *Abutilon intermedium*.  
*acutifolia*, Steud. l. c. —Abyss.  
*adscendens*, A. St. Hil. Fl. Bras. Mer. i. 182. —Bras.  
*affinis*, J. A. Schmidt, Beitr. Fl. Cap. Verd. Ins. 285 = *spinosa*.  
*affinis*, Spreng. Syst. iii. 121 = *Abutilon rivulare*.  
*africana*, Beauv. Fl. Owar. ii. 87 = *cordifolia*.  
*aggregata*, Presl, Rel. Haenk. ii. 106. —Reg. trop.  
*alata*, S. Wats, in Proc. Am. Acad. xx. (1885) 356. —Mexic.  
*alba*, Cav. Diss. i. 22 = *rhombifolia*.  
*alba*, Linn. Sp. Pl. ed. II. 960 = *spinosa*.  
*albida*, Willd. Enum. Hort. Berol. 722 = *Abutilon indicum*.  
*alcaeoides*, Michx. Fl. Bor. Am. ii. 44 = *Callirhoe alcaeoides*.  
*alnifolia*, Linn. Sp. Pl. 684 = *spinosa*.

**SIDA** :—  
*alpestris*, A. St. Hil. Fl. Bras. Mer. i. 186 = *paniculata*.  
*althaeafolia*, Sw. Prod. Veg. Ind. Occ. 101 = *cordifolia*.  
*ambigua*, Tenore, ex Steud. Nom. ed. II. ii. 576. —Hab. ?  
*americana*, Linn. Sp. Pl. ed. II. 963 = *Abutilon indicum*.  
*amoena*, Desf. Cat. Hort. Par. ed. III. 247. —Bras.  
*amoena*, Wall. Cat. n. 1848 = *Abutilon fruticosum*.  
*amoena*, Weinm. in Syll. Ratisb. i. (1824) 12. —China.  
*amplexicaulis*, Lam. Encyc. i. 7 = *Abutilon crispum*.  
*amplexicaulis*, Vell. Fl. Flum. 279; vii. t. 21 = *Wissadula rostrata*.  
*amplexifolia*, [Moç. & Sesse,] ex DC. Prod. i. 469 = *Abutilon crispum vel amplexifolium*.  
*amplissima*, Linn. Sp. Pl. 685 (*Wissadula* sp.). —Am. trop.  
*angulata*, Vell. Fl. Flum. 277; vii. t. 11. —Bras.  
*angulosa*, Boj. Hort. Maurit. 34 = *Abutilon intermedium*.  
*angustifolia*, Lam. Encyc. i. 4 = *spinosa*.  
*angustifolia*, Medic. Beobacht. (1783) 193 (*Quid* ?). —Hab. ?  
*angustifolia*, Mill. Gard. Dict. ed. VIII. n. 3 = *rhombifolia*.  
*angustissima*, Miq. Stirp. Surin. Sel. 102 = *linifolia*.  
*angustissima*, A. St. Hil. Fl. Bras. Mer. i. 179. —Bras.  
*angusturensis*, Willd. ex Spreng. Syst. iii. 104 = *Hibiscus affinis*.  
*anomala*, A. St. Hil. Fl. Bras. Mer. i. 177. t. 33. —Am. trop.  
*anthemidifolia*, Remy, in Ann. Sc. Nat. Sér. III. vi. (1846) 356 = *Malvastrum anthemidifolium*.  
*arabica*, J. F. Gmel. Syst. 1049 = *supina*.  
*arborea*, Linn. f. Suppl. 397; L'Hérit. Stirp. Nov. 181. t. 63 = *Abutilon arboreum*.  
*arborescens*, Schrank, in Denkschr. Bot. Ges. Regensb. ii. (1822) 60. —Bras.  
*Arbuscula*, Zipp. ex Span. in Linnaea, xv. (1841) 171 = *rhombifolia*.  
*arguta*, Fisch. ex Link, Enum. Hort. Berol. ii. 206 = *verruculata*.  
*arguta*, Presl, Rel. Haenk. ii. 106. —Mexic.  
*arguta*, Sw. Prod. Veg. Ind. Occ. 101 = *ulmifolia*.  
*aristata*, Willd. ex Spreng. Syst. iii. 116 = *cordifolia*.  
*Arnottiana*, D. Dietr. Syn. Pl. iv. 857. —Chili.  
*Arnottiana*, Gill. ex Hook. Bot. Misc. iii. (1833) 154 = *Abutilon crispum*.  
*Arrabidae*, Steud. Nom. ed. II. ii. 576 = *truncata*.  
*ascendens*, Auct. = *adscendens*.  
*asiatica*, Linn. Cent. Pl. ii. 26; Amoën. Acad. iv. 324 = *Abutilon indicum*.  
*asiatica*, Thunb. Fl. Cap. ed. Schult. 548 = *Abutilon Sonneratianum*.  
*asiatica*, Wall. Cat. n. 1852 D = *Abutilon muticum*.  
*atropurpurea*, Blume, Bijdr. 77 = *Abutilon auritum*.  
*atropurpurea*, Moris, in Mem. Acc. Torin. xxxvi. (1833) 182 (an praec. ?). —Java.  
*astrosanguinea*, Jacq. Ic. Pl. Rar. i. t. 136 = *paniculata*.  
*aurantiaca*, A. St. Hil. Fl. Bras. Mer. i. 185. t. 35. —Bras.  
*aurea*, G. Don, Gen. Syst. i. 497 = *Gaya aurea*.  
*aurea*, Lodd. Bot. Cab. t. 1842 (*Abutilonis* sp.). —Ind. or.  
*aurita*, Hornem. ex Schrank, in Syll. Ratisb. ii. (1828) 73; Wall. Cat. n. 1860 = *Abutilon auritum*.  
*australis*, Hort. Berol. ex Presl, Bot. Bemerk. 20 = *Abutilon polyandrum*.  
*Balbisia*, DC. Prod. i. 460 = *acuta*.  
*balica*, Miq. Fl. Ind. Bat. i. ii. 141 = *veronicaefolia*.  
*Bastardia*, DC. Prod. i. 467 = *Bastardia viscosa*.  
*Bedfordiana*, Hook. Bot. Mag. t. 3892 = *Abutilon Bedfordianum*.  
*begonioides*, Griseb. in Bonplandia, vi. (1858) 3 = *veronicaefolia*.  
*bella*, Steud. Nom. ed. II. ii. 576 = *Abutilon elegans*.  
*Beloëre*, L'Hérit. Stirp. Nov. 130 = *Abutilon indicum*.  
*Berlandieri*, Turcz. in Bull. Soc. Nat. Mosc. xxxi. (1858) i. 197 = *acuta* ?  
*Berteriana*, Balb. ex DC. Prod. i. 460 = *glomerata*.  
*Berteriana*, Spreng. Syst. iii. 110 = *acuta*.  
*Berthae*, F. Muell. Fragm. v. 103 = *Plagianthus Berthae*.  
*betonicaefolia*, Balb. ex DC. Prod. i. 463 = *supina*.  
*betonicaefolia*, Pav. ex Hemsl. Biol. Centr. Am. Bot. i. 106 = *spinosa*.

## SIDA:—

- betulaefolia*, Hort. ex Steud. Nom. ed. II. ii. 576 = Malvastrum tricuspidatum.  
*betulaefolia*, Schrank, in Syll. Ratisb. ii. (1828) 74.—Bras.  
*betulina*, Hornem. Hort. Hafn. ii. 646.—Am. austr.  
*betulina*, Lag. ex Spreng. Syst. iii. 111 = acuta.  
*bibracteolata*, D. Dietr. Syn. Pl. iv. 856 = Abutilon mexicanum.  
*bicallosa*, Rafin. Fl. Ludov. 91 (Quid?).—Am. bor.  
*bicolor*, Cav. Ic. iv. 6. t. 311.—Mexic.  
*bicuspidata*, J. F. Gmel. Syst. 1050 = spinosa.  
*bidentata*, Hochst. ex A. Rich. Tent. Fl. Abyss. i. 68 = Abutilon bidentatum.  
*biflora*, Cav. Diss. i. 37. t. 9. f. 1 = Abutilon ibarrene? bihamata, A. St. Hil. & Naud. in Ann. Sc. Nat. Sér. II. xviii. (1842) 54.—Bras.  
*biloba*, Herb. Hook. ex Seem. Fl. Vit. 15.—Polynes.  
*bivalvis*, Cav. Diss. i. 13. t. 11. f. 2 = Bastardia bivalvis.  
*bonariensis*, Willd. ex Spreng. Syst. iii. 120.—Reg. Argent.  
*borbonica*, Cav. Diss. i. 9. t. 10. f. 2 = cordifolia.  
*Boriara*, Wall. Cat. n. 1872 = spinosa.  
*borussica*, Meyen, Reise, ii. 31 = Malvastrum borussicum.  
*brachyantha*, D. Dietr. Syn. Pl. iv. 858 (Anodae sp.).—Am. austr.  
*brachypetala*, DC. Prod. i. 460 = acuta.  
*brachystemon*, [Moq. & Sesse.] ex DC. Prod. i. 459.—Mexic.  
*bracteolata*, DC. Prod. i. 460 = glomerata vel Malvastrum tricuspidatum.  
*brasila*, Schrank, ex Link, Enum. Hort. Berol. ii. 203 = acuta.  
*brasiliensis*, Cav. Diss. i. 37. t. 34. f. 1.—Bras.  
*breviflora*, Steud. ex Triana & Planch. in Ann. Sc. Nat. Sér. IV. xvii. (1862) 177 = urens.  
*brevipes*, DC. Prod. i. 467 = Bastardia viscosa.  
*buettneriaca*, Klotzsch, in Bot. Zeit. iv. (1846) 102, nomen = micrantha.  
*byssina*, Schrank, in Syll. Ratisb. ii. (1828) 70 = cordifolia.  
*californica*, Nutt. ex Torr. & Gray, Fl. N. Am. i. 233 = Sidalcea californica.  
*callifera*, Griseb. Cat. Pl. Cub. 24.—Cuba.  
*calycina*, Cav. Diss. i. 9. t. 8. f. 2 = veronicaefolia?  
*calyptrata*, Cav. l. c. 55 = Gaya calyptrata (in Addend.).  
*calyxhymenia*, J. Gay, in DC. Prod. i. 462.—Austral.  
*campestris*, Benth. Pl. Hartw. 113.—Ecuador.  
*campi*, Vell. Fl. Flum. 278; vii. t. 19 = linifolia.  
*canariensis*, Willd. Sp. Pl. iii. 755 = rhombifolia.  
*candicans*, DC. Prod. i. 466 = Gaya calyptrata (in Addend.).  
*canescens*, Cav. Diss. i. 23 = rhombifolia.  
*capensis*, Cav. l. c. t. 12. f. 3; ii. 49 = acuta?  
*capensis*, DC. Prod. i. 461 = rhombifolia.  
*capensis*, Eckl. & Zeyh. Enum. 40; Harv. & Sond. Fl. Cap. i. 167.—Afr. austr.  
*capillaris*, Cav. Diss. i. 10 = paniculata.  
*capitata*, Linn. Sp. Pl. 685 = Malachra capitata.  
*cardanisea*, Rafin. Fl. Ludov. 90 (Quid?).—Am. bor.  
*cardiophylla*, F. Muell. Fragm. viii. 242.—Austral.  
*carnea*, D. Dietr. Syn. Pl. iv. 853 = Abutilon carneum.  
*carnea*, [Moq. & Sesse.] ex DC. Prod. i. 473 (Kosteletzkyae sp.).—Mexic.  
*carpinifolia*, Bourg. ex Griseb. Fl. Brit. W. Ind. 74 = rhombifolia.  
*carpinifolia*, Linn. f. Suppl. 307 = acuta.  
*carpinoides*, DC. Prod. i. 461 = Malvastrum tricuspidatum.  
*Castelneana*, Griseb. in Goett. Abh. xxiv. (1879) 44 (Malvastrum sp.).—Reg. Argent.  
*caudata*, A. St. Hil. & Naud. in Ann. Sc. Nat. Sér. II. xviii. (1842) 52.—Bras.  
*centrata*, Spreng. Syst. iv. Cur. Post. 259 = Anoda hastata.  
*ceratocarpa*, Hook. & Arn. in Hook. Bot. Misc. iii. (1833) 154 = Abutilon ceratocarpum.  
*chaetodontia*, Turcz. in Bull. Soc. Nat. Mosc. xxxi. (1858) 1. 199 = veronicaefolia.  
*chilensis*, Spreng. Syst. iii. 109 = Cristaria betonicaefolia.  
*chinensis*, Retz. Obs. iv. 29 = rhombifolia.  
*chlorophis*, Wall. ex Steud. Nom. ed. II. ii. 577 (Quid?).—Ind. or.  
*ciliaris*, Linn. Syst. ed. X. 1145.—Am. bor.; Ind. occ.  
*ciliosa*, Boj. ex Baker, Fl. Maurit. 19 = cordifolia.  
*circinata*, Willd. ex Spreng. Syst. iii. 119.—Bras.  
*cistiflora*, Blume, Bijdr. 77 = Abutilon Sonneratianum?

VOL. II.

## SIDA:—

- cistiflora*, L'Hérit. Stirp. Nov. 127. t. 61 = Abutilon mollissimum.  
*cistoides*, Hort. ex Steud. Nom. ed. II. ii. 577 = Abutilon mollissimum.  
*clandestina*, Phil. Fl. Atac. 12 (Malvastrum sp.).—Chili.  
*cleisocalyx*, F. Muell. Fragm. x. 73.—Austral.  
*coccinea*, DC. Prod. i. 465 = Malvastrum coccineum.  
*Collaei*, D. Dietr. Syn. Pl. iv. 853 = Abutilon elegans.  
*collina*, Schlecht. in Linnaea, xi. (1834) 364.—Mexic.  
*compacta*, C. Gay, Fl. Chil. i. 329 = Malvastrum compactum.  
*compacta*, A. St. Hil. & Naud. in Ann. Sc. Nat. Sér. II. xviii. (1842) 54.—Reg. Argent.  
*compressa*, DC. Prod. i. 462; Wall. Cat. n. 1866 = rhombifolia.  
*concinna*, Phil. Fl. Atac. 12.—Chili.  
*conferta*, Link, Enum. Hort. Berol. ii. 207 = cordifolia.  
*conferta*, Salzm. ex Triana & Planch. in Ann. Sc. Nat. Sér. IV. xvii. (1862) 177 = urens.  
*confertiflora*, D. Dietr. Syn. Pl. iv. 856 = Abutilon confertiflorum.  
*congensis*, D. Dietr. l. c. 859 = urens.  
*contracta*, Link, Enum. Hort. Berol. ii. 204 = Wissadula rostrata.  
*corchorifolia*, Tenore, Ind. Sem. Hort. Neap. (1857).—Hab.?  
*cordifolia*, Forsk. Fl. Aegypt. Arab. 124 = Abutilon indicum.  
*cordifolia*, Griseb. in Goett. Abh. xxiv. (1879) 44 = potentillodes.  
*cordifolia*, Linn. Sp. Pl. 684.—Reg. trop.  
*cordilleriana*, D. Dietr. Syn. Pl. iv. 857 = Cristaria Haenkeana.  
*cornuta*, Humb. & Bonpl. ex Willd. Enum. Hort. Berol. 724.—Am. austr.  
*coromandelina*, Hort. ex Steud. Nom. ed. II. ii. 577 = Malvastrum tricuspidatum.  
*coronata*, Scop. Delic. Insubr. iii. 1 = Abutilon indicum.  
*corrugata*, Lindl. in Mitch. Three Exped. ii. 13.—Austral.  
*corylifolia*, Wall. Cat. n. 1865.—Burma.  
*corynocarpa*, Wall. Cat. n. 1870 = rhombifolia.  
*costata*, Schlecht. in Linnaea, xi. (1834) 365.—Mexic.  
*crassifolia*, L'Hérit. Stirp. Nov. 125. t. 60 = Abutilon Jacquin.  
*crenata*, G. Don, Gen. Syst. i. 492.—Afr. trop.  
*crenatiflora*, Pers. Syn. ii. 247 = Anoda parviflora?  
*crenatiflora*, Willd. ex Schlecht. in Linnaea, xi. (1837) 217 = Anoda crenatiflora.  
*crispa*, Linn. Sp. Pl. 685 = Abutilon crispum.  
*crispifolia*, Cav. Ic. v. 11. t. 419 (Sphaeralceae sp.).—Am. austr.  
*cristata*, Linn. Sp. Pl. 685 = Anoda lavateroides.  
*cryptopetala*, F. Muell. Fragm. iii. 4.—Austral.  
*cryptopetala*, F. Muell. l. c. ii. 11 = Abutilon cryptopetalum.  
*cubensis*, D. Dietr. Syn. Pl. iv. 851 = Gaya occidentalis (in Addend.).  
*cuneifolia*, A. Gray, in Bost. Journ. Nat. Hist. vi. (1850) 165.—Texas.  
*cuneifolia*, Roxb. Fl. Ind. iii. 170 = Schimperiana.  
*cuneifolia*, Roxb. Hort. Beng. 50 = Melochia corchorifolia.  
*debilis*, G. Don, Gen. Syst. i. 499 = urens.  
*decagyna*, Schum. & Thonn. Beskr. Guin. Pl. 307 = cordifolia.  
*decipiens*, A. St. Hil. & Naud. in Ann. Sc. Nat. Sér. II. xviii. (1842) 54 = Malvastrum campanulatum.  
*decumbens*, A. St. Hil. & Naud. l. c. 51.—Bras.  
*deflexa*, Cav. in Anal. Cienc. Nat. vi. (1803) 337 (sp. dub.).—Cuba.  
*delphinifolia*, Nutt. ex Torr. & Gray, Fl. N. Am. i. 235 = Sidalcea malvaeflora.  
*deltoides*, Hornem. Enum. Pl. Hort. Hafn. (1807) 36 = Anoda triangularis vel hastata.  
*densiflora*, Hook. & Arn. in Hook. Bot. Misc. iii. (1833) 155.—Am. austr.  
*densiflora*, A. Rich. Tent. Fl. Abyss. i. 66 = urens.  
*denticulata*, Fresen. in Mus. Senckenb. i. (1833) 182 = Abutilon fruticosum.  
*denudata*, Nees & Mart. in Nov. Act. Nat. Cur. xi. (1823) 100 (Anodae sp.).—Bras.  
*depauperata*, Hook. f. in Trans. Linn. Soc. xx. (1847) 282 = Abutilon depauperatum.  
*depressa*, Benth. Bot. Voy. Sulph. 69 = Malvastrum scoparium.  
*diantha*, D. Dietr. Syn. Pl. iv. 856 = Abutilon dianthum.

## SIDA:—

- dictyocarpa*, F. Muell. ex Benth. in Journ. Linn. Soc. vi. (1862) 103 (Plagianthi sp.).—Austral.  
*Diellii*, A. Gray, Bot. U. St. Expl. Exped. i. 162 = rotundifolia.  
*diffusa*, H. B. & K. Nov. Gen. et Sp. v. 257.—Reg. trop.  
*digitata*, Spreng. Syst. iv. Cur. Post. 259 = Callirhoe digitata.  
*Dilleniana*, Willd. Sp. Pl. iii. 764 = Anoda lavateroides.  
*dioica*, Cav. Diss. v. 278. t. 132 = Napaea dioica.  
*diploscypha*, Torr. & Gray, Fl. N. Am. i. 234 = Sidalcea diploscypha.  
*discissa*, Bertol. in Mem. Soc. Ital. Moden. xxiii. (1844) 305. t. 5 = Abutilon discissum.  
*discolor*, Hook. Journ. Bot. i. (1834) 250 = Plagianthus sidoides.  
*dissecta*, Nutt. ex Torr. & Gray, Fl. N. Am. i. 235 = Malvastrum coccineum.  
*dissecta*, Steud. Nom. ed. II. ii. 577 = Cristaria dissecta.  
*disticha*, Cav. Ic. v. 12. t. 432 = Gaya calyptrata (in Addend.).  
*divergens*, Benth. Bot. Voy. Sulph. 69 = Wissadula divergens.  
*diversifolia*, Spreng. Syst. iii. 116 = Hibiscus Solandra.  
*Dombeiana*, DC. Prod. i. 463 = veronicaefolia.  
*Doniana*, D. Dietr. Syn. Pl. iv. 857 = Abutilon indicum.  
*dubia*, A. St. Hil. & Naud. in Ann. Sc. Nat. Sér. II. xviii. (1842) 50.—Bras.  
*dumosa*, Backhouse, ex Walp. Ann. ii. 158 = Abutilon Fraseri.  
*dumosa*, Sw. Prod. Veg. Ind. Occ. 101 = pyramidata.  
*echinata*, Willd. ex Spreng. Syst. iii. 120.—Ecuador.  
*echinocarpa*, F. Muell. Fragm. xi. 62.—Austral.  
*ecornis*, Vell. Fl. Flum. 278; vii. t. 16 = Abutilon pauciflorum.  
*elata*, Macfad. Fl. Jamaic. i. 87 = Abutilon giganteum.  
*elegans*, Colla, in Mem. Acc. Torin. xxxv. (1831) 155 = Abutilon elegans.  
*elegans*, D. Dietr. Syn. Pl. iv. 852 = bella.  
*Ellioti*, Torr. & Gray, Fl. N. Am. i. 231.—Am. bor.  
*elliptica*, Steud. Nom. ed. II. ii. 577 = Abutilon ellipticum.  
*elongata*, Blume, Bijdr. 76 = veronicaefolia.  
*emarginata*, Willd. Sp. Pl. iii. 757 = ulmifolia.  
*Endlicheriana*, Presl, Rel. Haenk. ii. 111 = glutinosa.  
*erecta*, Macfad. Fl. Jamaic. i. 80 = spinosa.  
*eriantha*, Steud. Nom. ed. II. ii. 577 = Cristaria eriantha.  
*erosa*, Link, Enum. Hort. Berol. ii. 203 = ciliaris vel rhombifolia.  
*erubescens*, Schrank, ex Steud. Nom. ed. II. ii. 577 (Quid?).—Am. trop.?  
*esculenta*, Steud. l. c. = Abutilon esculentum.  
*Eteromischos*, Cav. Diss. ii. 55 = Abutilon indicum.  
*excelsior*, Cav. l. c. i. 27. t. 5. f. 3 = Wissadula rostrata.  
*extipularis*, Cav. l. c. ii. 56. t. 14. f. 2 = Abutilon stipulare.  
*fallax*, Walp. in Nov. Act. Nat. Cur. xix. Suppl. i. (1848) 306 = rotundifolia.  
*fasciculata*, Torr. & Gray, Fl. N. Am. i. 231 = anomala.  
*fasciculata*, Willd. ex Spreng. Syst. iii. 113 = glutinosa.  
*fasciculiflora*, Miq. Fl. Ind. Bat. i. ii. 140 = glutinosa.  
*ferruginea*, DC. Prod. i. 468 (Wissadulae sp.).—Peruv.  
*fibulifera*, Lindl. in Mitch. Three Exped. ii. 45 = corrugata.  
*filicaulis*, Torr. & Gray, Fl. N. Am. i. 232 = diffusa.  
*filiformis*, A. Cunn. in Mitch. Journ. Trop. Austral. 361 = corrugata.  
*filiformis*, Jacq. Obs. Bot. ii. 23 = Abutilon crispum.  
*filiformis*, Moric. Pl. Am. Rar. i. 10. t. 8; ex Bull. Ferrussac, xxiii. (1830) 79 = diffusa.  
*filipes*, A. Gray, in Bost. Journ. Nat. Hist. vi. (1850) 164.—Texas.  
*flavescens*, Cav. Diss. i. 14.—Bras.  
*floribunda*, H. B. & K. Nov. Gen. et Sp. v. 258 = paniculata.  
*fluminensis*, Steud. Nom. ed. II. ii. 577 = pilosa, Vell.  
*fluviatilis*, Vell. Fl. Flum. 278; vii. t. 18 (Abutilonis sp.).—Bras.  
*foetida*, Cav. Diss. vi. 349 = Bastardia viscosa.  
*foliosa*, Splitg. ex De Vriese, in Nederl. Kruidk. Arch. i. (1848) 340 = acuta?  
*Forsteri*, Montr. in Mém. Acad. Lyon, x. (1860) 182 = rhombifolia.

5 Y

## SIDA:—

*fragrans*, L'Hérit. Stirp. Nov. 111. t. 53 (Bastardiae sp.).—Ins. S. Doming.  
*Fraseri*, Hook. in Mitch. Journ. Trop. Austr. 368 = *Abutilon Fraseri*.  
*frutescens*, Cav. Diss. i. 12. t. 10. f. 1 = *acuta*.  
*frutescens*, DC. Prod. i. 461 = *rhombifolia*.  
*fruticosa*, Mill. Gard. Dict. ed. VIII. n. 18 = *Pavonia Typhalea*.  
*fulva*, A. St. Hil. Fl. Bras. Mer. i. 176 = *ciliaris*.  
*Garckeana*, Polak. in Linnaea, xli. (1877) 551 = *acuta*.  
*Gaudichaudiana*, G. Don, Gen. Syst. i. 497 = *Gaya Gaudichaudiana*.  
*Gaya*, DC. Prod. i. 466 = *Gaya hermannioides*.  
*geminiflora*, DC. l. c. 470 = *Abutilon ibarrense*.  
*geniculata*, Roxb. Hort. Beng. 50, nomen.—'Am.'  
*geraniifolia*, D. Dietr. Syn. Pl. iv. 857 = *Cristaria geraniifolia*.  
*geranioides*, DC. Prod. i. 474 = *Abutilon geranioides*.  
*Ghisbreghtiana*, Turcz. in Bull. Soc. Nat. Mosc. xxxi. (1858) i. 200 = *Lindeniana*.  
*gigantea*, Jacq. Hort. Schoenb. ii. 8. t. 141 = *Abutilon giganteum*.  
*glabra*, Mill. Gard. Dict. ed. VIII. n. 14 = *ulmifolia*.  
*glabra*, Nutt. in Journ. Acad. Philad. vii. (1834) 90 = *acuta*.  
*glandulifera*, Benth. Bot. Voy. Sulph. 69 = *pyramidata*.  
*glandulosa*, Roxb. ex Wight & Arn. Prod. 58 = *spinosa*.  
*glaucula*, Cav. Ic. i. 8. t. 11 = *Abutilon muticum*.  
*glaucophylla*, Spreng. Syst. iii. 109 = *Cristaria glaucophylla*.  
*glechomaefolia*, D. Dietr. Syn. Pl. iv. 852 = *Abutilon glechomaefolium*.  
*globiflora*, Hook. Bot. Mag. t. 2821 (*Abutilonis* sp.).—Ins. Maurit.  
*glochidiata*, Regel, in Act. Hort. Petrop. iv. (1876) 338.—As. temp.  
*glomerata*, Cav. Diss. i. 18. t. 2. f. 6.—Am. trop.  
*glutinosa*, Cav. l. c. 16. t. 2. f. 8; Roxb. Hort. Beng. [97]; Fl. Ind. iii. 172.—Am. et As. trop.; Ins. Mascar.  
*gracilis*, R. Br. in Salt, Abyss. App. 65 = *Abutilon fruticosum*.  
*gracilis*, Ell. Sketch, ii. 159 = *Elliotii*.  
*gracilis*, Rich. in Act. Soc. Hist. Nat. Par. i. (1792) 111.—Ind. occ.  
*gracilis*, Salisb. Prod. 382 = *Abutilon crispum*.  
*graminifolia*, Rich. in Act. Soc. Hist. Nat. Par. i. (1792) 111.—Guian.  
*grandiflora*, Poir. Encyc. Suppl. i. 31 = *Abutilon arboreum*.  
*grandiflora*, Walp. Ann. i. 103 = *Malva grandiflora*.  
*grandifolia*, Willd. Enum. Hort. Berol. 724 = *Abutilon molissimum*.  
*graveolens*, Roxb. Hort. Beng. 50; Fl. Ind. iii. 179 = *Abutilon graveolens*.  
*Greveana*, Baill. in Bull. Soc. Linn. Par. i. (1885) 504 = *Abutilon intermedium*.  
*Grevilliana*, Gill. ex Hook. Bot. Misc. iii. (1833) 154 = *Abutilon Grevilliana*.  
*grewioides*, Guill. & Perr. Fl. Seneg. Tent. i. 71.—Ind. bor. occ.; Afr. trop.  
*grossulariaefolia*, Hook. & Arn. Bot. Beech. Voy. 326 = *Malvastrum coccineum*.  
*Guichenotiana*, Steud. Nom. ed. II. ii. 577 = *Abutilon Guichenotianum*.  
*Guilleminiana*, Steud. l. c. = *Abutilon indicum*?  
*guineensis*, Schum. & Thonn. Beskr. Guin. Pl. 307 = *Abutilon asiaticum*?  
*Haenkeana*, Presl, Rel. Haenk. ii. 104 = *rhombifolia*.  
*hamulosa*, Salz. ex Griseb. Fl. Brit. W. Ind. 76 = *cordifolia*.  
*hastata*, A. St. Hil. Fl. Bras. Mer. i. 190. t. 34. f. 2.—Bras.  
*hastata*, Sims, Bot. Mag. t. 1541 = *acerifolia*.  
*hastata*, Willd. Sp. Pl. iii. 763 = *Anoda hastata*.  
*hederacea*, Torr. ex A. Gray, in Mem. Am. Acad. iv. (1849) 23 = *obliqua*.  
*hederiaefolia*, Cav. Diss. i. 8. t. 9. f. 3 = *veronicaefolia*.  
*herbacea*, Cav. l. c. 19. t. 13. f. 1 = *cordifolia*.  
*hermanniaefolia*, Willd. ex Spreng. Syst. iii. 117.—Mexic.  
*hermannioides*, H. B. & K. Nov. Gen. et Sp. v. 258 = *jamaicensis*.  
*hernandioides*, L'Hérit. Stirp. Nov. 121. t. 58 = *Wissadula rostrata*.

## SIDA:—

*heterocarpa*, Engelm. ex A. Gray, in Bost. Journ. Nat. Hist. vi. (1850) 163 = *spinosa*.  
*heterophylla*, Cav. Ic. v. 12. t. 421 = *Cristaria heterophylla*.  
*heterophylla*, Klein, ex Spreng. Syst. iii. 116 = *Hibiscus Solandra*.  
*heterosperma*, Hochst. ex Mast. in Oliver, Fl. Trop. Afr. i. 182 = *Wissadula rostrata*.  
*heterosperma*, Vis. in Linnaea, xvi. (1842) Litt. 113.—Afr. bor.  
*heterotricha*, Zipp. ex Span. in Linnaea, xv. (1841) 171 = *Abutilon timoriense*.  
*hibisciformis*, Bertol. Fl. Guatim. 28.—Guatemala.  
*Hilaireana*, Steud. Nom. ed. II. ii. 577 = *Abutilon carneum*.  
*Hilariana*, Presl, Rel. Haenk. ii. 107 = *pyramidata*.  
*Hilariana*, Walp. Rep. i. 317 = *prostrata vel flavescens*.  
*hirsuta*, Mill. Gard. Dict. ed. VIII. n. 9.—Hab.? *hirsuta*, Vell. Fl. Flum. 279; vii. t. 20 = *megalantha*.  
*hirsutissima*, D. Dietr. Syn. Pl. iv. 850 (*Bastardiae* sp.).—Mexic.  
*hirsutissima*, Mill. Gard. Dict. ed. VIII. n. 11 = *glomerata*.  
*hirta*, Lam. Encyc. i. 7 = *Abutilon hirtum*.  
*hirta*, Wall. Cat. n. 1852 B, 1858 G = *Abutilon graveolens*.  
*hirta*, Wall. Cat. n. 1855 = *glutinosa*.  
*hispidula*, Bert. ex DC. Prod. i. 463 = *supina*.  
*hispidula*, Pursh, Fl. Am. Sept. ii. 452 = *Malvastrum angustum*.  
*Hoheri*, Hook. Ic. Pl. sub t. 565–566 = *Hoheria populnea*.  
*holosericea*, Willd. ex Spreng. Syst. iii. 112 = *cordifolia*.  
*hondensis*, H. B. & K. Nov. Gen. et Sp. v. 260 = *rhombifolia*.  
*Hookeri*, D. Dietr. Syn. Pl. iv. 856 = *Abutilon albidum*.  
*Hookeri*, Steud. Nom. ed. II. ii. 578.—Chili.  
*Hookeriana*, Miq. in Lehm. Pl. Preiss. i. 242.—Austral.  
*Hulseana*, Torr. & Gray, Fl. N. Am. i. 233 = *Abutilon Hulseanum*.  
*Humboldtii*, D. Dietr. Syn. Pl. iv. 848 = *paniculata*.  
*humilis*, Cav. Diss. v. 277 = *veronicaefolia*.  
*humillima*, F. Muell. in Trans. Phil. Soc. Vict. i. (1855) 12 = *corrugata*.  
*hyssopifolia*, Presl, Rel. Haenk. ii. 109 = *spinosa*.  
*ibarrensis*, DC. Prod. i. 470 = *Abutilon ibarrense*.  
*imberbis*, DC. l. c. 469 = *Abutilon crispum*.  
*inaequalis*, Link & Otto, Ic. Pl. Sel. 75. t. 34 (*Abutilonis* sp.).—Bras.  
*incana*, Link, Enum. Hort. Berol. ii. 204 = *Abutilon incanum*.  
*incarnata*, Spreng. Syst. iii. 115 = *Anoda punicea*.  
*incerta*, A. St. Hil. & Naud. in Ann. Sc. Nat. Sér. II. xviii. (1842) 51 = *rhombifolia*?  
*inclusa*, Benth. Fl. Austral. i. 197.—Austral.  
*indica*, Cav. Diss. i. 33. t. 7. f. 10 = *Abutilon crispum*.  
*indica*, Linn. Cent. Pl. ii. 26; Amoen. Acad. iv. 323 = *Abutilon indicum*.  
*integerrima*, Hook. Bot. Mag. t. 4360 = *Abutilon integrum*.  
*integrifolia*, Montr. in Mém. Acad. Lyon, x. (1860) 183 (*Abutilonis* sp.).—N. Caled.  
*intermedia*, A. St. Hil. Fl. Bras. Mer. i. 188. t. 34. f. 1 = *macrodon*.  
*interrupta*, Balb. ex DC. Prod. i. 464.—Am. trop.  
*interstans*, F. Muell. in Linnaea, xxv. (1852) 383 = *corrugata*.  
*intricata*, F. Muell. ex Trans. Phil. Soc. Vict. i. (1855) 12.—Austral.  
*involuta*, A. Rich. Ess. Fl. Cub. 162 = *anomala*.  
*Jacquini*, D. Dietr. Syn. Pl. iv. 855 = *Abutilon Jacquini*.  
*jamaicensis*, Linn. Syst. ed. X. 1145.—Am. trop.  
*jamaicensis*, Mill. Gard. Dict. ed. VIII. n. 5 = *Malvastrum tricuspidatum*.  
*jamaicensis*, Vell. Fl. Flum. vii. t. 10 = *acuta*.  
*jatrophioides*, L'Hérit. Stirp. Nov. 117. t. 56.—Peruv.  
*javensis*, Cav. Diss. i. 10 = *veronicaefolia*.  
*Julianae*, Steud. Nom. ed. II. ii. 578 = *Abutilon Julianae*.  
*juncea*, Banks & Soland. ex Steud. Nom. ed. I. 774; ed. II. ii. 578.—Hab.? *fussiacana*, DC. Prod. i. 463 = *veronicaefolia*.

## SIDA:—

*Keerlena*, Steud. Nom. ed. II. ii. 578 = *Abutilon floribundum*.  
*Kohautiana*, Walp. Rep. i. 320 = *rhombifolia*.  
*Kotschyi*, Hochst. ex Mast. in Oliver, Fl. Trop. Afr. i. 188 = *Abutilon fruticosum*.  
*Kunthiana*, Presl, Rel. Haenk. ii. 106.—Mexic.  
*lanceolata*, Retz. Obs. iv. 28 = *acuta*.  
*lasiolepta*, Link, Enum. Hort. Berol. ii. 20 = *Abutilon crispum*.  
*Lawrencina*, F. Muell. Vict. Pl. i. 162 = *Plagianthus spicatus*.  
*laxiflora*, Steud. Nom. ed. II. ii. 578 = *Wissadula rostrata*.  
*leiophloia*, Miq. in Lehm. Pl. Preiss. i. 241 = *Hookeriana*.  
*leiophylla*, Spreng. Syst. iii. 121.—Porto Rico.  
*lepida*, F. Muell. Fragm. vi. 168.—Austral.  
*lepidota*, A. Gray, Pl. Wright. i. 18; ii. 21.—N. Mexic.  
*Leschenaultiana*, DC. Prod. i. 468 = *Wissadula rostrata*.  
*leucanthema*, D. Dietr. Syn. Pl. iv. 852 = *Abutilon leucanthemum*.  
*leucopetala*, F. Muell. Fragm. ii. 12 = *Abutilon leucopetalum*.  
*lignosa*, Cav. Diss. i. 28. t. 6. f. 2 = *Abutilon Jacquini*.  
*Lindeniana*, Turcz. in Bull. Soc. Nat. Mosc. xxxi. (1858) i. 200.—Mexic.  
*Lindheimeri*, Engelm. & Gray, in Bost. Journ. Nat. Hist. v. (1845) 213.—Texas.  
*linearifolia*, A. St. Hil. Fl. Bras. Mer. i. 180.—Bras.  
*linearifolia*, Thonn. in Schum. & Thonn. Beskr. Guin. Pl. 303 = *linifolia*.  
*linearis*, Cav. Ic. iv. 6. t. 312. f. 1 = *spinosa*.  
*lineata*, Vell. Fl. Flum. 280; vii. t. 25 (*Abutilonis* sp.).—Bras.  
*linifolia*, Cav. Diss. i. 14. t. 2. f. 1.—Am. et Afr. trop.  
*Lonchitis*, A. St. Hil. & Naud. in Ann. Sc. Nat. Sér. II. xviii. (1842) 50 = *rhombifolia*.  
*longicuspid*, Hochst. ex A. Rich. Tent. Fl. Abyss. i. 69 = *Abutilon longicuspe*.  
*longipes*, A. Gray, Pl. Wright. i. 19; ii. 21.—N. Mexic.  
*longipes*, Harv. & Sond. Fl. Cap. i. 167 = *rhombifolia*.  
*longipes*, E. Mey. in Drège, Zwei Pfl. Docum. 222 = *capensis*.  
*Luciana*, DC. Prod. i. 468 = *Wissadula rostrata*.  
*Luschnathiana*, Steud. Nom. ed. II. ii. 578.—Bras.  
*macrantha*, Steud. l. c. = *Abutilon macranthum*.  
*macrodon*, DC. Prod. i. 464.—Bras.  
*macrophylla*, Hilsenb. & Boj. ex Baill. in Bull. Soc. Linn. Par. i. (1885) 504 = *Abutilon intermedium*.  
*macrophylla*, Wall. Cat. n. 1851 D = *Abutilon polyandrum*.  
*macropoda*, F. Muell. ex Benth. Fl. Austral. i. 193.—Austral.  
*macrodon*, Steud. Nom. ed. II. ii. 578 = *Abutilon macrodon*.  
*macrorrhiza*, James, in Long's Exped. ii. 121 = *Callirhoe alcaeoides*.  
*macrostipula*, Zipp. ex Span. in Linnaea, xv. (1841) 171 = *Abutilon Guichenotianum*.  
*maculata*, Bert. ex DC. Prod. i. 463 = *acuminata*.  
*maculata*, Cav. Diss. i. 20. t. 3. f. 7 = *cordifolia*.  
*maderensis*, Lowe, in Trans. Camb. Phil. Soc. iv. (1831) 35 = *rhombifolia*.  
*Magdaleneae*, DC. Prod. i. 467 = *Bastardia viscosa*.  
*malacophylla*, Link & Otto, Ic. Pl. Sel. 67. t. 30 = *Pavonia velutina*.  
*malvacea*, Vell. Fl. Flum. 277; vii. t. 13 = *Pavonia sepium*.  
*malvaeflora*, Hook. & Arn. Bot. Beech. Voy. 326 = *Sidalcea malvaeflora*.  
*malvaeflora*, Lindl. in Bot. Reg. t. 1036 = *Sidalcea campestris*.  
*malvaeflora*, [Moç. & Sesse,] ex DC. Prod. i. 474 = *Sidalcea malvaeflora*.  
*Malvaefolius*, [Moç. & Sesse,] ex DC. l. c. 459 = *Anoda punicea*.  
*maritima*, Miq. in Hov. & De Vriese, Tijdschr. x. (1843) 79 = *Plagianthus spicatus*.  
*Martiana*, A. St. Hil. Fl. Bras. Mer. i. 187 = *aurantiaca*.  
*Mathewsii*, Turcz. in Bull. Soc. Nat. Mosc. xxxvi. (1863) i. 565 = *veronicaefolia vel Melochia pyramidata*.  
*maura*, Endl. Fl. Suedseeinseln, 182.—Ins. Marian.  
*mauritanica*, Jacq. Misc. ii. 352 = *Abutilon Avicennae*.  
*megalantha*, Steud. Nom. ed. II. ii. 578 (*Abutilonis* sp.).—Bras.  
*megalorrhiza*, Phil. Fl. Atac. 11 (*Malvastris* sp.).—Chili.

## SIDA:—

*megapotamica*, Spreng. f. Tent. Suppl. Syst. 19 = *Abutilon megapotamicum*.  
*Mendanha*, Vell. Fl. Flum. 279; vii. t. 23 (*Abutilonis* sp.?).—Bras.  
*meridionalis*, Salisb. Prod. 382 = *Abutilon indicum*.  
*mexicana*, Scop. Delic. Insubr. i. 22.—Mexic.  
*Meyeniana*, Walp. in Nov. Act. Nat. Cur. xix. Suppl. i. (1843) 307.—Ins. Sandvic.  
*micans*, Cav. Diss. i. 19. t. 3. f. 1 = *cordifolia*.  
*micrantha*, A. St. Hil. Fl. Bras. Mer. i. 190.—Bras.  
*micrantha*, Schrank, in Syll. Ratish. ii. (1828) 72 (sp. diversa).—Bras.  
*microphylla*, Cav. Diss. i. 22. t. 12. f. 2 = *rhombifolia*.  
*microphylla*, DC. Prod. i. 461.—Ind. or.; Polynes.  
*microsperma*, Cav. Diss. i. 29. t. 13. f. 4 = *Abutilon microspermum*.  
*Milleri*, DC. Prod. i. 472 = *spinosa* vel *rhombifolia*.  
*minor*, Macfad. Fl. Jamaic. i. 79 = *spinosa*.  
*Miqueliana*, Turcz. in Bull. Soc. Nat. Mosc. xxxii. (1859) i. 259.—Bras.  
*Mociniana*, D. Dietr. Syn. Pl. iv. 858 (*Kosteletzkya* sp.).—Mexic.  
*modesta*, Phil. Fl. Atac. 12 (*Malvatri* sp.).—Chili.  
*mollicoma*, Willd. Enum. Hort. Berol. 725 = *Abutilon mollicomum*.  
*mollis*, Herb. Banks, ex Griseb. Fl. Brit. W. Ind. 76 = *cordifolia*.  
*mollis*, Orteg. Hort. Matr. Dec. 65 = *Abutilon molle*.  
*mollis*, Rich. in Act. Soc. Hist. Nat. Par. i. (1792) 111 = *glomerata*.  
*mollissima*, Cav. Diss. ii. 49. t. 14. f. 1 = *Abutilon mollissimum*.  
*montana*, D. Dietr. Syn. Pl. iv. 854 = *Abutilon montanum*.  
*montana*, Roxb. ex Wight & Arn. Prod. 56 = *Abutilon crispum*.  
*morifolia*, Cav. Diss. i. 9. t. 1. f. 1 = *veronicaefolia*.  
*mucronulata*, DC. Prod. i. 461 = *Malvastrum tricuspidatum*.  
*multicaulis*, Cav. Diss. i. 10. t. 1. f. 6 = *veronicaefolia*.  
*multifida*, Cav. l. c. i. 25 = *Cristaria multifida*.  
*multiflora*, Cav. l. c. 18. t. 3. f. 3 = *cordifolia*.  
*multiflora*, Jacq. Obs. Bot. ii. 23 = *paniculata*.  
*multiflora*, Pers. Syn. ii. 243 = *Wissadula nudiflora*.  
*muricata*, Cav. Ic. vi. 78. t. 597. f. 2 = *ciliaris*.  
*mutica*, Delile, Illustr. Fl. Egypt. 60. n. 45 = *Abutilon muticum*.  
*myriantha*, Planch. & Linden, ex Triana & Planch. in Ann. Sc. Nat. Sér. IV. xvii. (1862) 179.—N. Granat.  
*mysorensis*, Herb. Madr. ex Wight & Arn. Prod. 59 = *glutinosa*.  
*Napaea*, Cav. Diss. v. 277. t. 132. f. 1 = *Napaea dioica*.  
*neelgerrensis*, Steud. Nom. ed. II. ii. 578 = *Abutilon neilgherrense*.  
*neglecta*, Passerini, Select. Sem. Hort. Parmen. (1847).—Cf. *Linnaea*, xxiv. (1851) 180.—Hab.?  
*nematopoda*, F. Muell. in Linnaea, xxv. (1852) 382 = *corrugata*.  
*nemoralis*, G. Don, Gen. Syst. i. 497 = *Abutilon crispum*.  
*nervosa*, DC. Prod. i. 465 = *glutinosa*.  
*nervosa*, Wall. Cat. n. 1853 = *veronicaefolia*.  
*nubigena*, Walp. in Nov. Act. Nat. Cur. xix. Suppl. i. (1843) 307 (*Malvatri* sp.).—Peruv.; Bolivia.  
*nudiflora*, L'Hérit. Stirp. Nov. 123. t. 59 = *Wissadula nudiflora*.  
*nutans*, L'Hérit. l. c. 119<sup>bis</sup>, t. 57 = *Gaya calyptata* (in Addend.).  
*obliqua*, [Moç. & Sesse,] ex DC. Prod. i. 462 = *bicolor*.  
*obliqua*, Nutt. ex Torr. & Gray, Fl. N. Am. i. 233.—Am. bor.  
*obovata*, Wall. Cat. n. 1864 = *rhombifolia*.  
*obtus*, Cav. Diss. i. 34. t. 9. f. 2 = *Abutilon umbellatum*.  
*obtus*, A. Rich. Ess. Fl. Cub. 161 = *acuta*.  
*occidentalis*, Linn. Cent. Pl. ii. 26; Amoen. Acad. iv. 324 = *Gaya occidentalis* (in Addend.).  
*oculata*, Lowe, Fl. Mader. 592.—Ins. Canar.  
*olens*, Buch.-Ham. ex Wall. Cat. n. 1874 = *glutinosa*.  
*oligophylla*, D. Dietr. Syn. Pl. iv. 858 (*Hibisci* sp.).—Ins. Timor.  
*olyantha*, D. Dietr. l. c. 854 (*Abutilonis* sp.?).—Bras.  
*opaca*, Sieber, ex Presl, Bot. Bemerk. 19 = *Pavonia hastata*.

## SIDA:—

*orbiculata*, DC. Prod. i. 471 = *Abutilon indicum*.  
*oregana*, Nutt. ex Torr. & Gray, Fl. N. Am. i. 234 = *Sidalcea malvaeflora*.  
*orientalis*, Cav. Diss. i. 21. t. 12. f. 1 = *rhombifolia*.  
*orientalis*, DC. Prod. i. 461 = *acuta*.  
*Ortega*, Steud. Nom. ed. II. ii. 578 = *Anoda crenatiflora*.  
*ostreaefolia*, Webb, Fragm. Fl. Aethiop. 49 = *rhombifolia*.  
*ovalis*, Kostel. Allg. Med.-Pharm. Fl. v. 1867.—Peruv.  
*ovata*, Cav. Diss. vi. 350 = *supina*.  
*ovata*, G. Don, Gen. Syst. i. 492 = *acuta*.  
*ovata*, Forsk. Fl. Aegypt. Arab. 124.—Arab.  
*oxycarpa*, F. Muell. Fragm. ii. 12 = *Abutilon oxycarpum*.  
*oxyphylla*, [Moç. & Sesse,] ex DC. Prod. i. 465 (*Abutilonis* sp.).—Mexic.  
*oxyphylla*, Wall. Cat. n. 1850 = *Abutilon polyandrum*.  
*paoniaeflora*, Hook. Bot. Mag. t. 4170 = *Abutilon paoniaeflorum*.  
*palmata*, Cav. Diss. i. 20.—Peruv.  
*palmata*, Jacq. Ic. Pl. Rar. iii. t. 547 = *jatrochoides*.  
*palmata*, [Moç. & Sesse,] ex DC. Prod. i. 472 = *acerifolia*.  
*paniculata*, Linn. Syst. ed. X. 1145.—Am. trop.  
*paniculata*, Salzm. ex Triana & Planch. in Ann. Sc. Nat. Sér. IV. xvii. (1862) 187 = *Wissadula hirsuta*.  
*pannosa*, R. Br. in Salt, Abyss. App. 65 = *Abutilon glaucum*.  
*pannosa*, Turcz. in Bull. Soc. Nat. Mosc. xxxvi. (1863) i. 565 = *glutinosa*.  
*parnassiaefolia*, Hook. Ic. Pl. t. 385 = *Malvastrum parnassiaefolium*.  
*parviflora*, Willd. Enum. Hort. Berol. 726 = *Anoda parviflora*.  
*parvifolia*, DC. Prod. i. 461 = *microphylla*.  
*patens*, Andr. Bot. Rep. t. 571 (*Abutilonis* sp.?).—Abyss.  
*patens*, D. Dietr. Syn. Pl. iv. 851 (*Wissadula* sp.).—Bras.  
*patula*, Pers. Syn. ii. 243 = *glomerata*.  
*pauciflora*, D. Dietr. Syn. Pl. iv. 851 = *Wissadula hirsuta*.  
*paucifolia*, DC. Prod. i. 472 (*Hibisci* sp.).—Ins. Timor.  
*pedata*, Spreng. Syst. iv. Cur. Post. 259 = *Callirhoe digitata*.  
*pedicularifolia*, Meyen, Reise, i. 460 = *Malvastrum pediculariaefolium*.  
*peduncularis*, DC. Prod. i. 469 = *Abutilon pedunculare*.  
*pedunculata*, A. Cunn. ex Benth. Fl. Austral. i. 193 = *corrugata*.  
*pellita*, H. B. & K. Nov. Gen. et Sp. v. 263 = *cordifolia*.  
*pellita*, Willd. ex Spreng. Syst. iii. 115 = *paniculata*.  
*pentacarpos*, Roxb. ex Hornem. Hort. Hafn. Suppl. 78 (*Abutilonis* sp.).—Ind. or.  
*periplocifolia*, Linn. Sp. Pl. 684 = *Wissadula rostrata*.  
*periplocifolia*, Macfad. Fl. Jamaic. i. 85 = *Wissadula divergens*.  
*periptera*, Sims, Bot. Mag. t. 1644 = *Anoda punicea*.  
*permolis*, Willd. Enum. Hort. Berol. 728 = *Abutilon permolle*.  
*permutata*, Hochst. ex A. Rich. Tent. Fl. Abyss. i. 67.—Abyss.  
*Perrottetiana*, D. Dietr. Syn. Pl. iv. 855 = *Abutilon fruticosum*.  
*persica*, Burm. ex Cav. Diss. i. 35 = *Abutilon polyandrum*.  
*peruviana*, Cav. l. c. 36 = *Abutilon arboreum*.  
*petiolaris*, DC. Prod. i. 470 = *Abutilon petiolare*.  
*petrophila*, F. Muell. in Linnaea, xxv. (1852) 381.—Austral.  
*phaeotricha*, F. Muell. l. c. 382 = *virgata*.  
*philippica*, DC. Prod. i. 463 = *rhombifolia*.  
*phlebococca*, Griseb. Cat. Pl. Cub. 25 = *micrantha*.  
*phyllanthos*, Cav. Diss. v. 276. t. 127. f. 4 = *Malvastrum phyllanthos*.  
*physaloides*, Presl, Rel. Haenk. ii. 105 = *macrodon*.  
*physocalyx*, A. Gray, in Bost. Journ. Nat. Hist. vi. (1850) 163 = *hastata*.  
*physocalyx*, F. Muell. Fragm. iii. 3.—Austral.  
*pichinchensis*, Humb. & Bonpl. Pl. Aequin. ii. 115 = *Malvastrum pichinchense*.  
*picta*, Gill. ex Hook. Bot. Misc. iii. (1833) 154 = *Abutilon striatum*.  
*pilosa*, Cav. Diss. i. 9. t. 8 = *supina* vel *veronicaefolia*.  
*pilosa*, L'Hérit. Stirp. Nov. 130 = *Abutilon graveolens*.

## SIDA:—

*pilosa*, Mill. Gard. Dict. ed. VIII. n. 17 = *Melochia venosa*.  
*pilosa*, Retz. Obs. ii. 23 = *veronicaefolia*.  
*pilosa*, Vell. Fl. Flum. 280; vii. t. 26 (*Abutilonis* sp.).—Bras.  
*pimpinellifolia*, Mill. Gard. Dict. ed. VIII. n. 4 = *spinosa*.  
*pinnata*, Cav. Ic. v. 13. t. 422. f. 1 = *Malvastrum pinnatum*.  
*planicaulis*, Cav. Diss. i. 24. t. 3 = *Malvastrum tricuspidatum*.  
*planicaulis*, DC. Prod. i. 461 = *acuta*.  
*planiflora*, Cav. Diss. i. 32. t. 7. f. 4 = *Abutilon Avicennae*.  
*platycalyx*, F. Muell. ex Benth. Fl. Austral. i. 197.—Austral.  
*pleiantha*, F. Muell. ex Benth. l. c. 195.—Austral.  
*plumosa*, Cav. Diss. i. 7 = *ciliaris*.  
*Pohlana*, Presl, Rel. Haenk. ii. 108.—Peruv.  
*polyandra*, Roxb. Hort. Beng. 50; Fl. Ind. iii. 173 = *Abutilon polyandrum*.  
*polyantha*, Schlecht. ex Link, Enum. Hort. Berol. ii. 204 = *Wissadula rostrata*.  
*polycarpa*, D. Dietr. Syn. Pl. iv. 855 = *Abutilon indicum*.  
*polycarpa*, C. Sm. in Tuckey, Congo, 250 = *Abutilon muticum*.  
*polystachia*, Vell. Fl. Flum. 279; vii. t. 22 = *Abutilon ramiflorum*, *Wissadula rostrata*.  
*populifolia*, Lam. Encyc. i. 7 = *Abutilon indicum*.  
*portoricensis*, Spreng. Syst. iii. 114.—Porto Rico.  
*potentilloides*, A. St. Hil. Fl. Bras. Mer. i. 178.—Bras.  
*Presliana*, D. Dietr. Syn. Pl. iv. 856 = *Abutilon Haenkeanum*.  
*procumbens*, Sw. Prod. Veg. Ind. Occ. 101 = *supina*.  
*prostrata*, Cav. Diss. i. 13 = *flavescens*.  
*prostrata*, G. Don, Gen. Syst. i. 490 = *acuta*.  
*Pseudo-abutilon*, Desf. ex Steud. Nom. ed. I. 774; ed. II. ii. 579.—Hab.?  
*pterosperma*, L'Hérit. Stirp. Nov. 119. t. 57 = *Cristaria multifida*.  
*pubescens*, Cav. Diss. i. 33. t. 7. f. 6 = *Abutilon indicum*.  
*pulchella*, Willd. Enum. Hort. Berol. 724; Bonpl. Desc. Pl. Rar. Malm. 5. t. 2 = *Plagianthus pulchellus*.  
*pulcherrima*, Hort. Turic. ex Steud. Nom. ed. II. ii. 579 (Quid?).—Hab.?  
*pulchra*, Bert. ex Colla, Hort. Rip. 129. t. 34 (*Abutilonis* sp.).—Ecuador.  
*pungens*, H. B. & K. Nov. Gen. et Sp. v. 263 = *cordifolia*.  
*purpurascens*, Link, Enum. Hort. Berol. ii. 206 = *Abutilon esculentum*.  
*purpurea*, Bello, in Anal. Soc. Esp. Hist. Nat. x. (1881) 239 (*Kosteletzkya* sp.?).—Porto Rico.  
*pusilla*, Cav. Diss. i. 6. t. 1. f. 4; v. 127. f. 1 = *spinosa*.  
*pygmaea*, Remy, in Ann. Sc. Nat. Sér. III. viii. (1847) 238 = *Malvastrum pygmaeum*.  
*pyramidata*, Cav. Diss. ii. 11. t. 1. f. 10; vi. t. 194. f. 1.—Ind. occ.  
*quaternata*, Schrank, in Denkschr. Bot. Ges. Regensb. ii. (1822) 60; et in Syll. Ratish. ii. (1823) 73.—Bras.  
*quinqueangulata*, D. Dietr. Syn. Pl. iv. 857 = *seq.*  
*quinqueloba*, [Moç. & Sesse,] ex DC. Prod. i. 459 = *Anoda hastata*.  
*quinquenervia*, Duchass. ex Planch. & Triana, in Ann. Sc. Nat. Sér. IV. xvii. (1862) 176.—Panama.  
*racemiflora*, Steud. Nom. ed. II. ii. 578 = *Abutilon racemosum*.  
*racemosa*, Burm. f. Fl. Ind. 148 = *glutinosa*.  
*racemosa*, Vell. Fl. Flum. 278; vii. t. 15 = *Wissadula rostrata*.  
*radiata*, Linn. Sp. Pl. ed. II. 965 = *Malachra radiata*.  
*radicans*, Cav. Diss. i. 8 = *veronicaefolia*.  
*radiciflora*, Presl, Rel. Haenk. ii. 104 (*Malvatri* sp.).—Peruv.  
*ramiflora*, D. Dietr. Syn. Pl. iv. 852 = *Abutilon ramiflorum*.  
*ramosa*, Cav. Diss. i. 28. t. 6. f. 1 = *Abutilon ramosum*.  
*ramosa*, Willd. ex Spreng. Syst. iii. 120 = *diffusa*.  
*ramosissima*, D. Dietr. Syn. Pl. iv. 853 = *Abutilon ramosissimum*.  
*recisa*, Link, Enum. Hort. Berol. ii. 203 = *rhombifolia*.  
*reclinans*, Kunze, in Linnaea, xvii. (1843) 579 = *veronicaefolia*.



## SIDA:—

- reflexa*, Cav. Diss. i. 36. t. 7; vi. t. 195. f. 1 = *Abutilon reflexum*.  
*Regelii*, Hort. ex Pasq. Cat. Ort. Bot. Nap. 95, nomen. —Hab.?  
*repanda*, Roth, Nov. Pl. Sp. 328 = *acuta*.  
*repens*, Cav. Diss. i. 7 = *veronicaefolia*.  
*reticulata*, Schrank, in Denkschr. Bot. Ges. Regensb. ii. (1822) 60; et in Syll. Ratisb. ii. (1828) 72 (*Wissadulae* sp.).—Bras.  
*retrofracta*, DC. Prod. i. 467 = *Bastardia viscosa*.  
*retrorsa*, L'Hérit. Stirp. Nov. 133. t. 64 = *Abutilon reflexum*.  
*retusa*, Linn. Sp. Pl. ed. II. 961 = *rhombifolia*.  
*retusa*, Wight, ex Mast. in Hook. f. Fl. Brit. Ind. i. 323 = *spinosa*.  
*retusifolia*, Stokes, Bot. Mat. Med. iii. 527 = *rhombifolia*.  
*Retzii*, J. F. Gmel. Syst. 1042 = *veronicaefolia*.  
*rhombifolia*, Linn. Sp. Pl. 684.—Amphig. trop.  
*rhomboidea*, Roxb. ex Flem. in As. Res. xi. (1810) 178 = *rhombifolia*.  
*ribifolia*, A. St. Hil. Fl. Bras. Mer. i. 183. t. 34.—Bras.  
*Ricini*, Spreng. Syst. iii. 116 = *palmata*.  
*ricinoides*, L'Hérit. Stirp. Nov. 115. t. 55 = *palmata*.  
*rigida*, D. Dietr. Syn. Pl. iv. 856 = *Abutilon rigidum*.  
*riparia*, Hochst. ex A. Rich. Tent. Fl. Abyss. i. 65 = *rhombifolia*.  
*rivularis*, D. Dietr. Syn. Pl. iv. 854 = *Abutilon rivulare*.  
*rosea*, Link & Otto, Ic. Pl. Sel. 71. t. 32 = *Abutilon esculentum*.  
*rostrata*, Schum. & Thonn. Beskr. Guin. Pl. 306 = *Wissadula rostrata*.  
*rosula*, Meyen, ex Wedd. Chlor. And. ii. 278 = *Malvastrum borussicum*.  
*rotundifolia*, Hook. & Arn. Bot. Beech. Voy. 79.—Ins. Sandvic.  
*rotundifolia*, Lam. Encyc. i. 5 = *cordifolia*.  
*rotundifolia*, Perr. in Mém. Soc. Linn. Par. iii. (1825) 145.—Java.  
*rubifolia*, A. St. Hil. Fl. Bras. Mer. i. 183.—Bras.  
*rubra*, D. Dietr. Syn. Pl. iv. 848 = *micrantha*.  
*rubra*, Tenore, Cat. Ort. Nap. (1813) 96 = *Anoda punicea*.  
*ruderata*, Macfad. Fl. Jamaic. i. 80 = *rhombifolia*.  
*rufescens*, A. St. Hil. Fl. Bras. Mer. i. 185 = *urens*?  
*rufinervis*, Steud. Nom. ed. II. ii. 578 = *Abutilon rufinerve*.  
*rugosa*, Thonn. in Schum. & Thonn. Beskr. Guin. Pl. 304 = *acuta*.  
*rupestris*, Miq. in Lehm. Pl. Preiss. i. 241 = *Hoo-keriana*.  
*sabeana*, Buckl. in Proc. Acad. Sc. Philad. 1861 (1862), 449 = *Melochia pyramidata*.  
*salicifolia*, Forst. ex A. Gray, Bot. U. St. Expl. Exped. i. 158 = *microphylla*.  
*Saltii*, Steud. Nom. ed. II. ii. 579.—Abyss.  
*salviaefolia*, Presl, Rel. Haenk. ii. 110 = *rhombifolia vel spinosa*.  
*Saxifraga*, Humb. & Bonpl. Pl. Aequin. ii. 116 = *Malvastrum phyllanthos*.  
*scabra*, Thonn. in Schum. & Thonn. Beskr. Guin. Pl. 305 = *spinosa*.  
*scabrada*, Wight & Arn. Prod. 57 = *rhombifolia*.  
*Schimperiana*, Hochst. ex A. Rich. Tent. Fl. Abyss. i. 66.—Ind. or.; Afr. trop.  
*Schlechtendahlia*, Steud. Nom. ed. II. ii. 579 = *Abutilon erosum*.  
*Schmitzii*, Turcz. in Bull. Soc. Nat. Mosc. xxxvi. (1863) 1. 565.—Mexic.  
*Schrankii*, DC. Prod. i. 472 = *acuta*.  
*scoparia*, Lour. Fl. Cochinch. 414 = *acuta*.  
*scoparia*, Vell. Fl. Flum. 277; vii. t. 12 = *rhombifolia*.  
*Sellowiana*, Klotzsch, in Otto & Dietr. Allg. Gartenz. iv. (1836) 9 = *Abutilon Sellowianum*.  
*semicrenata*, Link, Enum. Hort. Berol. ii. 202 = *rhombifolia*.  
*semidentata*, A. St. Hil. & Naud. in Ann. Sc. Nat. Sér. II. xviii. (1842) 51.—Bras.  
*sericea*, Cav. Desc. 165 = *Abutilon mollicomum*.  
*sericea*, Mill. Gard. Dict. ed. VIII. n. 15 = *jamaicensis*.  
*serrata*, Willd. ex Spreng. Syst. iii. 111.—Venezuela.  
*sertum*, Nutt. ex A. Gray, Bot. U. St. Expl. Exped. i. 163 = *rotundifolia*.  
*Sessei*, Lag. Gen. et Sp. Nov. 21 (*Abutilonis* sp.).—Mexic.

## SIDA:—

- sessiliflora*, G. Don, Gen. Syst. i. 499 = *urens*.  
*sessiliflora*, Hook. Bot. Mag. t. 2857 = *Abutilon crispum*.  
*sessilis*, Vell. Fl. Flum. 280; vii. t. 27 = *Abutilon crispum*.  
*setifera*, Presl, Rel. Haenk. ii. 105.—Mexic.  
*Sherardiana*, Benth. in Journ. Linn. Soc. vi. (1862) 101, in obs.—Europ. austr.; Oriens.  
*sinensis*, J. F. Gmel. Syst. 1048 = *chinensis*.  
*Sonneratiana*, Cav. Diss. i. 29. t. 6. f. 4 = *Abutilon Sonneratianum*.  
*sordida*, Willd. ex Spreng. Syst. iii. 120 = *Bastardia viscosa*.  
*sparmannioides*, Steud. Nom. ed. II. ii. 579 = *Abutilon ramosum*.  
*speciosa*, Willd. ex Spreng. Syst. iii. 119 = *Abutilon esculentum*.  
*Spenceriana*, F. Muell. in Wing's South. Sc. Record (April 1885).—Austral.  
*spicata*, Cav. Diss. i. 24. t. 8. f. 1 = *Gaya occidentalis* (in Addend.).  
*spiciflora*, DC. Prod. i. 468 = *Wissadula spicata*.  
*spinifex*, [Mog. & Sesse], ex DC. Prod. i. 472 = *acerifolia*.  
*spinosa*, Linn. Sp. Pl. 683.—Amphig. trop.  
*spinosa*, E. Mey. ex C. Muell. in Walp. Ann. vii. 394 = *capensis*.  
*spiraefolia*, Willd. Enum. Hort. Berol. Suppl. 49 = *acuta*.  
*spodochroma*, F. Muell. in Linnaea, xxv. (1852) 383 = *corrugata*.  
*Stauntoniana*, DC. Prod. i. 460 = *acuta*.  
*stellata*, Cav. Diss. i. 27 = *Wissadula rostrata*.  
*stellata*, Torr. in Ann. Lyc. N. York, ii. (1828) 171 = *Sphaeralcea angustifolia*.  
*Steudelii*, D. Dietr. Syn. Pl. iv. 857 (*Cristariae* sp.).—Chili.  
*stipularis*, D. Dietr. I. c. 855 = *Abutilon auritum*.  
*stipulata*, Cav. Diss. i. 22. t. 3. f. 10 = *acuta*.  
*stipulata*, Chapm. Fl. S. U. St. 55 = *rhombifolia*.  
*stolonifera*, Salzm. ex Turcz. in Bull. Soc. Nat. Mosc. xxxi. (1858) 1. 199 = *decumbens*.  
*striata*, D. Dietr. Syn. Pl. iv. 852 = *Abutilon striatum*.  
*stylosa*, Baxt. ex Loud. Hort. Brit. Suppl. ii. 673, nomen (Quid?).—Sibir. altaic.  
*subcordata*, Span. in Linnaea, xv. (1841) 172.—Ins. Timor.  
*subcuneata*, A. St. Hil. Fl. Bras. Mer. i. 184.—Bras.  
*subdistans*, A. St. Hil. & Naud. in Ann. Sc. Nat. Sér. II. xviii. (1842) 50.—Bras.  
*suberosa*, D. Dietr. Syn. Pl. iv. 853 = *Bastardia bivalvis*.  
*suberosa*, Hort. ex Steud. Nom. ed. I. 775 = *Anoda triangularis*.  
*suberosa*, L'Hérit. Stirp. Nov. 113. t. 54 = *cordifolia*.  
*suborbicularis*, A. St. Hil. & Naud. in Ann. Sc. Nat. Sér. II. xviii. (1842) 53.—Bras.  
*subsessilis*, Turcz. in Bull. Soc. Nat. Mosc. xxxi. (1863) 1. 199.—Bras.  
*subspicata*, F. Muell. ex Benth. Fl. Austral. i. 195.—Austral.  
*subtriloba*, DC. Prod. i. 466 = *Gaya subtriloba*.  
*sulphurea*, A. Gray, in Mem. Am. Acad. N. S. iv. (1849) 23 = *obliqua*.  
*sundaica*, Blume, Bijdr. 78 = *Wissadula rostrata*.  
*sundaica*, Zipp. ex Miq. Fl. Ind. Bat. i. ii. 141 = *veronicaefolia*.  
*sundensis*, Spreng. Syst. iv. Cur. Post. 259 = *Wissadula rostrata*.  
*supina*, L'Hérit. Stirp. Nov. 109<sup>bis</sup>, t. 52.—Am. trop.  
*surinamensis*, Miq. in Linnaea, xxii. (1849) 469 = *rhombifolia*.  
*Swartzii*, D. Dietr. Syn. Pl. iv. 847 = *ulmifolia*.  
*syvatica*, Cav. Diss. ii. 56; v. 276. t. 133. f. 2 (*Abutilonis* sp.).—Peruv.  
*tasmanica*, Hook. f. in Hook. Journ. Bot. ii. (1840) 412 = *Plagianthus pulchellus*.  
*tenax*, Buch.-Ham. ex Wight & Arn. Prod. 59 = *glutinosa*.  
*tenax*, Salisb. Prod. 382 = *Abutilon Avicennae*.  
*tenuicaulis*, Hook. f. in Trans. Linn. Soc. xx. (1847) 232 = *spinosa*.  
*terminalis*, Cav. Diss. i. 29. t. 6. f. 7 = *Abutilon terminale*.

## SIDA:—

- ternata*, Linn. f. Suppl. 307.—Afr. austr.  
*tetracocca*, D. Dietr. Syn. Pl. iv. 859 = *Wissadula rostrata*.  
*thyrsiflora*, Miq. Pl. Jungh. 287.—Java.  
*tiliaefolia*, Fisch. Cat. Hort. Gorenk. (1808); ex DC. Prod. i. 470 = *Abutilon Avicennae*.  
*timoriensis*, DC. I. c. 468 = *Abutilon timoriense*.  
*tomentella*, Miq. in Linnaea, xxii. (1849) 553.—Bras.  
*tomentosa*, Cav. Desc. 164 = *crassifolia*.  
*tomentosa*, Roxb. Hort. Beng. 50; Fl. Ind. iii. 178 = *Abutilon muticum*.  
*tomentosa*, Vell. Fl. Flum. 277; vii. t. 14 = *cordifolia*.  
*tomentosa*, Wall. Cat. n. 1852 = *Abutilon graveolens*.  
*tragiæfolia*, A. Gray, in Bost. Journ. Nat. Hist. vi. (1850) 164.—Texas.  
*triangularis*, Humb. & Bonpl. ex Willd. Enum. Hort. Berol. 725 = *hastata*, *Anoda triangularis*.  
*trichoda*, D. Dietr. Syn. Pl. iv. 856 = *Abutilon crispum*.  
*trichopoda*, F. Muell. in Linnaea, xxv. (1852) 384 = *corrugata*.  
*trichosperma*, D. Dietr. Syn. Pl. iv. 857 = *Abutilon calycinum*.  
*tricuspidata*, Cav. Diss. i. 30 = *Abutilon Jacquini*.  
*tricuspis*, Desf. Tabl. ed. II. 171.—Hab.?  
*tridentata*, Cav. Ic. iv. 6 = *ciliaris*.  
*triflora*, Vell. Fl. Flum. 280; vii. t. 24 = *Abutilon esculentum*.  
*triloba*, Cav. Diss. i. 11. t. 1. f. 11; v. t. 131. f. 1; Thunb. Prod. Pl. Cap. 117.—Afr. austr.  
*triloba*, Hochst. ex A. Rich. Tent. Fl. Abyss. i. 67 = *permutata*.  
*trinerwia*, Splitg. ex De Vriese, in Nederl. Kruidk. Arch. i. (1848) 339 = *rhombifolia*.  
*triquetra*, Linn. Sp. Pl. ed. II. 963 = *Abutilon triquetrum*.  
*trisecta*, D. Dietr. Syn. Pl. iv. 857 (*Cristariae* sp.).—Chili.  
*tristis*, Schlecht. in Linnaea, iii. (1828) 271 = *jamaicensis*.  
*trisulcata*, Jacq. Enum. Pl. Carib. 26 = *Abutilon triquetrum*.  
*trivialis*, Macfad. Fl. Jamaic. i. 78 = *acuta*.  
*truncata*, Cav. Diss. i. 35. t. 6. f. 7 = *cordifolia*.  
*truncata*, L'Hérit. Stirp. Nov. 107 = *ulmifolia*?  
*truncata*, Vell. Fl. Flum. 278; vii. t. 17.—Bras.  
*truncatula*, Blanco, Fl. Filip. ed. I. 548 = *rhombifolia*.  
*truncatula*, J. F. Gmel. Syst. 1049 = *truncata*.  
*tubulosa*, A. Cunn. ex Hook. in Mitch. Journ. Trop. Austr. 390 = *Abutilon tubulosum*.  
*ulmifolia*, Cav. Diss. i. 15. t. 2. f. 4.—Am. trop.  
*ulmifolia*, Hook. & Arn. Bot. Beech. Voy. 79 = *Meyeniana*.  
*ulmifolia*, Mill. Gard. Dict. ed. VIII. n. 1 = *acuta*.  
*ulmifolia*, Retz. Obs. iii. 37 = *spinosa*.  
*ulmifolia*, Spreng. Syst. iii. 113 = *Gaya occidentalis* (in Addend.).  
*ulmifolia*, Willd. Enum. Hort. Berol. Suppl. 49 = *Malvastrum tricuspidatum*.  
*umbellata*, Linn. Syst. ed. X. 1145 = *Abutilon umbellatum*.  
*umbellifera*, D. Dietr. Syn. Pl. iv. 853 = *praec.*  
*unidentata*, D. Dietr. I. c. 858 = *Anoda lanceolata*.  
*unilocularis*, L'Hérit. Stirp. Nov. 117. bis, t. 56 = *veronicaefolia*.  
*urens*, Linn. Syst. ed. X. 1145.—Afr. et Am. trop.  
*urticaefolia*, A. St. Hil. Fl. Bras. Mer. i. 189 = *flavescens*.  
*urticaefolia*, Wight & Arn. Prod. 59 = *glutinosa*.  
*Velloziana*, Steud. Nom. ed. II. ii. 579 = *cordifolia*.  
*velutina*, Willd. ex Spreng. Syst. iii. 115 = *cordifolia*.  
*venosa*, A. Dietr. in Otto & Dietr. Allg. Gartenz. iii. (1835) 33 = *Abutilon venosum*.  
*venusta*, Schlecht. in Linnaea, xii. (1838) 364 = *filipes*?  
*veronicaefolia*, Lam. Encyc. i. 5.—Am. trop.  
*verruculata*, DC. Prod. i. 473.—Bras.  
*verticillata*, Cav. Diss. i. 13. t. 1. f. 12 = *urens*.  
*Vescoana*, Baill. in Bull. Soc. Linn. Par. i. (1885) 504.—Madag.  
*vesicaria*, Cav. Diss. ii. 55. t. 14. f. 3 = *Abutilon indicum*.

**SIDA:—**

- vestita*, Steud. Nom. ed. II. ii. 579 = cordifolia.  
*viarum*, A. St. Hil. Fl. Bras. Mer. i. 182.—Bras.  
*villosa*, Mill. Gard. Dict. ed. VIII. n. 6.—Am. austr.  
*villosa*, Wall. Cat. n. 1856 C = Abutilon muticum.  
*viminea*, Fisch. ex Link, Enum. Hort. Berol. ii. 202 = linifolia.  
*virgata*, Cav. Ic. i. 53. t. 73 = Abutilon virgatum.  
*virgata*, Hook. in Mitch. Journ. Trop. Austral. 361.—Austral.  
*viridis*, A. St. Hil. & Naud. ex Triana & Planch. in Ann. Sc. Nat. Sér. IV. xvii. (1862) 175 = glomerata.  
*viscidula*, Blume, Bijdr. 76 = glutinosa.  
*viscidula*, Klotzsch, ex Steud. Nom. ed. II. ii. 580 = Luschnathiana.  
*viscosa*, Linn. Syst. ed. X. 1145 = Bastardia viscosa.  
*viscosa*, Macfad. Fl. Jamaic. i. 84 = Bastardia bivalvis.  
*vitellina*, Hoffmgg. Preisv. Pfl. viii. Nachtr. 33; ex Walp. Rep. i. 315.—Java.  
*vitifolia*, Cav. Ic. v. 12. t. 428 = Abutilon vitifolium.  
*Vogelii*, Hook. f. in Hook. Niger Fl. 231 = acuta.  
*Wallichii*, Steud. Nom. ed. II. ii. 580 = Abutilon polyandrum.  
*waltheriaefolia*, Boj. ex Baker, Fl. Maurit. 19 = cordifolia.  
Weinmanni, Heynh. Nom. ii. 663 (Quid?).—China.  
*Wightiana*, D. Dietr. Syn. Pl. iv. 845 = glutinosa.  
*Willdenowii*, D. Dietr. l. c. 847 = glutinosa.  
*Zollingeriana*, Miq. Fl. Ind. Bat. i. ii. 141.—Java.  
*Zuccagnii*, Spreng. Syst. iii. 121 = Anoda hastata.

**SIDALCEA**, A. Gray, ex Benth. Pl. Hartw. 300

- (1848); et in Mem. Am. Acad. N. S. iv. (1849) 18.  
**MALVACEAE**, Benth. & Hook. f. i. 201.  
*asprella*, Greene, in Bull. Calif. Acad. i. III. (1885) 78.—Am. bor. occ.  
*atacosa*, Buckl. in Proc. Acad. Sc. Philad. 1861 (1862), 449 = Sphaeralcea Fendleri.  
*californica*, A. Gray, in Mem. Am. Acad. N. S. iv. (1849) 18.—Calif.  
*calycosa*, M. Jones, in Am. Natural. xvii. II. (1883) 875.—Calif.  
*campestris*, Greene, in Bull. Calif. Acad. i. III. (1885) 76.—Calif.  
*candida*, A. Gray, in Mem. Am. Acad. N. S. iv. (1849) 20, 24.—N. Mexic.  
*delphinifolia*, A. Gray, ex Benth. Pl. Hartw. 300 = malvaeflora.  
*diploscypha*, A. Gray, ex Benth. l. c.—Calif.  
*glaucescens*, Greene, in Bull. Calif. Acad. i. III. (1885) 77.—Am. bor. occ.  
*Hartwegii*, A. Gray, ex Benth. Pl. Hartw. 300.—Calif.  
*hirsuta*, A. Gray, Pl. Wright. i. 16.—Calif.  
*humilis*, A. Gray, in Mem. Am. Acad. N. S. iv. (1849) 20 = malvaeflora.  
*malachroides*, A. Gray, in Proc. Am. Acad. vii. (1868) 332.—Calif.  
*malvaeflora*, A. Gray, ex Benth. Pl. Hartw. 300.—Am. bor. occ.  
*malvaeflora*, A. Gray, Pl. Wright. i. 16, partim = neo-mexicana.  
*malvaeflora*, S. Wats. in Bot. King's Exped. 46, partim = glaucescens.  
*neo-mexicana*, A. Gray, in Mem. Am. Acad. N. S. iv. (1849) 23.—N. Mexic.  
*nodosa*, Turcz. in Bull. Soc. Nat. Mosc. xxxvi. (1863) 1. 566.—Peruv.  
*oregana*, A. Gray, in Mem. Am. Acad. N. S. iv. (1849) 20 = malvaeflora.  
*peruviana*, Turcz. in Bull. Soc. Nat. Mosc. xxxvi. (1863) 1. 566.—Peruv.  
*spicata*, Greene, in Bull. Calif. Acad. i. III. (1885) 76.—Calif.  
*sulcata*, Curran, ex Greene, l. c. 79 = calycosa.  
*tenella*, Greene, l. c. i. (1884) 7 = Hartwegii.  
*triloba*, Turcz. in Bull. Soc. Nat. Mosc. xxxi. (1863) 1. 566.—Chili.  
*vitifolia*, A. Gray, in Proc. Am. Acad. vii. (1868) 332.—Calif.

**SIDE**, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 135 =

- Sida*, Linn. (Malvac.).  
*abutila*, St. Lag. l. c. = Abutilon Avicennae.  
*phyllantha*, St. Lag. l. c. = Malvastrum phyllanthos.

- SIDERANTHUS**, [Nutt.] in Fras. Cat. (1813) nn. 80, 81; et ex Sweet, Hort. Brit. ed. I. 227 (1826) = **Aplopappus**, Cass. (Compos.).  
*integrifolius*, [Nutt.] l. c. n. 80 = Chrysopsis villosa.  
*pinnatifidus*, [Nutt.] l. c. n. 81 = A. spinulosus.  
*spinulosus*, Sweet, Hort. Brit. ed. I. 227 = A. spinulosus.  
*villosus*, Sweet, l. c. = Chrysopsis villosa.

- SIDERASIS**, Rafin. Fl. Tellur. iii. 67 (1836) = **Tradescantia**, Linn. (Commel.).  
*acaulis*, Rafin. l. c. = T. fuscata.

**SIDERITIS**, Tourn. ex Linn. Gen. ed. I. 171 (1737).

- LABIATAE**, Benth. & Hook. f. ii. 1205.  
**BURSDORFIA**, Moench, Meth. 392 (1794).  
**EMPEDOCLIA**, Rafin. Caratteri, 78 (1810).  
**FRACASTORA**, Adans. Fam. ii. 505 (1763).  
**FRANCASTORA**, Steud. Nom. ed. II. ii. 580, in syn. (1841), sphalm.  
**HESIODIA**, Moench, Meth. 391 (1794).  
**LEUCOPHAR**, Webb & Berth. Phyt. Canar. iii. 99, 168, 172 (1835-60).  
**MARRUBIASTRUM**, Tourn. ex Moench, Meth. 391 (1794).  
**NAVICULARIA**, Heist. ex Adans. Fam. ii. 188 (1763).  
*aegyptiaca*, Pers. Syn. ii. 117 = Stachys rosea.  
*alopecuros*, Scop. Fl. Carn. ed. II. i. 413 = Stachys alopecuros.  
*alpina*, Pourr. in Mém. Acad. Toul. iii. (1788) 328 = hyssopifolia.  
*ambigua*, Fenzl, in Tchihat. Asie Min. Bot. ii. 163 = libanotica.  
*angustifolia*, Lag. Gen. et Sp. Nov. 18. n. 231 = Lagascana.  
*angustifolia*, Lam. Encyc. ii. 168.—Hispan.  
*approximata*, Gasp. ex Guss. Fl. Sic. Prod. Suppl. 191 = romana.  
*arborescens*, Salzm. ex Benth. Lab. Gen. et Sp. 579.—Hispan.  
*argosphacelus*, Clos, in Ann. Sc. Nat. Sér. IV. xvi. (1861) 80.—Ins. Canar.  
*arguta*, Boiss. Diagn. Ser. II. iv. 32 = libanotica.  
*atlantica*, Pomel, Nouv. Mat. Fl. Atl. 120 = hyssopifolia.  
*baetica*, Lange, in Kjoeb. Vidensk. Meddel. (1863) 18.—Hispan.  
*Balansae*, Boiss. Diagn. Ser. II. iv. 35.—As. Min.  
*Balansae*, Coss. in Bull. Soc. Bot. Fr. xx. (1873) 256; xxii. (1875) 65 = Cossoniana.  
*Bourgaeana*, Boiss. & Reut. Diagn. Ser. II. iv. 34 = leucantha.  
*Bourgaei*, Boiss. Fl. Orient. iv. 712 = libanotica.  
*brutia*, Tenore, Fl. Nap. ii. 16 = sicula.  
*bullata*, H. B. & K. Nov. Gen. et Sp. ii. 306 = Sphacele bullata.  
*calycantha*, Bieb. Fl. Taur. Cauc. iii. 393 = Stachys lavandulaefolia.  
*canariensis*, Linn. Sp. Pl. 574.—Ins. Canar.  
*candicans*, Ait. Hort. Kew. ed. I. ii. 289.—Ins. Mader.  
*candida*, Salisb. Prod. 79 = candicans.  
*cassia*, Boiss. Diagn. Ser. I. xii. 76, sphalm. = Stachys cassia.  
*Cavanillesii*, Lag. Gen. et Sp. Nov. 18 = scordioides.  
*chamaedrifolia*, Cav. Ic. iv. 1. t. 301 = hirsuta.  
*chamaedrifolia*, Hoffmgg. & Link, Fl. Port. i. 99 = hyssopifolia.  
*chamaedryoides*, Duf. ex Willk. & Lange, Prod. Fl. Hisp. ii. 455 = scordioides.  
*ciliata*, Thunb. Fl. Jap. 245.—Japon.  
*cilicica*, Boiss. & Bal. Diagn. Ser. II. iv. 29.—Cilicia.  
*condensata*, Boiss. & Heldr. Diagn. Ser. I. xii. 71.—As. Min.  
*Cossoniana*, Ball, in Journ. Linn. Soc. xvi. (1878) 622.—Marocc.  
*crenata*, Lapeyr. Hist. Abr. Pl. Pyr. 331 = hyssopifolia.  
*cretica*, Boiss. Fl. Orient. iv. 708 = syriaca.  
*cretica*, Linn. Sp. Pl. 574.—Ins. Creta.  
*cretica*, Sibth. & Sm. Fl. Graec. Prod. i. 400 = theezans.  
*crispata*, Willd. Enum. Hort. Berol. 606.—Hispan.  
*curvidens*, Stapf, in Denkschr. Akad. Wien, l. (1885) 100.—Lycia.  
*dasygnaphala*, Clos, in Ann. Sc. Nat. Sér. IV. xvi. (1861) 80.—Ins. Canar.  
*decumbens*, Moench, Meth. 390 = sicula.

**SIDERITIS:—**

- decumbens*, Sieber, ex Benth. in DC. Prod. xii. 440 = pullulans.  
*decumbens*, Thunb. Prod. Pl. Cap. 95 = Stachys Lamarckii.  
*Dendro-chahorra*, Bolle, in Bonplandia, viii. (1860) 285.—Ins. Canar.  
*deserti*, Noé, ex Coss. in Bull. Soc. Bot. Fr. iv. (1857) 472 = Marrubium deserti.  
*discolor*, Willd. ex Benth. in Linnaea, xi. (1837) 330; Bolle, in Bonplandia, viii. (1860) 285 = macrostachyos.  
*distans*, Willd. Sp. Pl. iii. 66 = taurica.  
*dura*, Benth. Lab. Gen. et Sp. 576 = taurica.  
*ebracteata*, Asso, Mant. Stirp. Arag. 171 = montana.  
*elegans*, Murr. in Comm. Gotting. (1778) 92. t. 4 = lanata.  
*Endressii*, Willk. in Bot. Zeit. xvii. (1859) 276 = hirsuta.  
*errata*, Walp. Rep. iii. 851, sphalm. = serrata.  
*erythrantha*, Boiss. & Heldr. Diagn. Ser. I. xii. 70.—As. Min.  
*fetida*, Poir. Encyc. Suppl. ii. 382 = scordioides.  
*florida*, Boiss. & Heldr. Diagn. Ser. II. iv. 31 = scardica.  
*foetens*, Benth. Lab. Gen. et Sp. 581 = arborescens.  
*foetens*, Clemente, ex Lag. Gen. et Sp. Nov. 18 = lasiantha.  
*foetida*, Desf. Tabl. ed. I. 59 = scordioides.  
*fragrans*, Costa, ex Willk. in Bot. Zeit. xvii. (1859) 289.—Hispan.  
*fruticulosa*, Pourr. in Mém. Acad. Toul. iii. (1788) 328 = scordioides.  
*Funkiana*, Willk. in Bot. Zeit. xvii. (1859) 282 = angustifolia.  
*georgica*, C. Koch, in Linnaea, xxi. (1848) 694 = taurica.  
*glacialis*, Boiss. ex Willk. in Bot. Zeit. xvii. (1859) 276.—Hispan.  
*glaucosa*, Cav. Ic. ii. 68. t. 185.—Hispan.  
*gomeraea*, Bolle, in Bonplandia, viii. (1860) 286.—Ins. Canar.  
*gracilis*, Barbey, in Bull. Soc. Vaud. Sc. Nat. xxi. (1885) 98.—Lycia.  
*grandiflora*, Salzm. ex Benth. Lab. Gen. et Sp. 577.—Hispan.; Marocc.  
*Guillonii*, Timb. in Mém. Acad. Toul. Sér. VII. iv. (1872) 382 = hyssopifolia.  
*Guyoniana*, Boiss. & Reut. Pugill. 98.—Afr. bor.  
*heraclea*, Col. ex Benth. in DC. Prod. xii. 447 = Stachys heraclea.  
*hirsuta*, Eichw. Besch. Casp.-Cauc. 24 = montana.  
*hirsuta*, Gouan, Fl. Monsp. 85 = Stachys recta.  
*hirsuta*, Linn. Sp. Pl. 575.—Reg. Mediterr.  
*hirsuta*, Sieber, ex Benth. Lab. Gen. et Sp. 536 = Stachys italica.  
*hirta*, Roth, in Usteri, Ann. Bot. x. (1794) 48 = scordioides.  
*hirtula*, Brot. Fl. Lusit. i. 161 = hyssopifolia.  
*hispanica*, Mill. Gard. Dict. ed. VIII. n. 7 = hirsuta.  
*hololeuca*, Boiss. & Heldr. Diagn. Ser. I. xii. 69.—As. Min.  
*hyssopifolia*, Georgi, Besch. Russ. Reich. v. 1081 = Stachys recta.  
*hyssopifolia*, Linn. Sp. Pl. 575.—Europ. austr.  
*hyssopifolia*, Willd. ex Benth. in Linnaea, xi. (1837) 331 = scordioides.  
*ilicifolia*, Willd. Enum. Hort. Berol. 606 = fragrans.  
*incana*, Benth. in DC. Prod. xii. 444 = scordioides.  
*incana*, Habl. Besch. Taur. 148 = taurica.  
*incana*, Linn. Sp. Pl. ed. II. 802.—Hispan.  
*infernalis*, Bolle, in Bonplandia, viii. (1860) 286.—Ins. Canar.  
*integrifolia*, Jord. & Fourr. in Ann. Soc. Linn. Lyon, N. S. xvii. (1869) 137, nomen = hyssopifolia.  
*juncea*, Cav. ex Willk. & Lange, Prod. Fl. Hisp. ii. 459 = lasiantha.  
*jurana*, Jord. & Fourr. in Ann. Soc. Linn. Lyon, N. S. xvii. (1869) 137, nomen = hyssopifolia.  
*Lagascana*, Willk. in Bot. Zeit. xvii. (1859) 282.—Hispan.  
*lanata*, Linn. Amoen. Acad. iv. 459.—Graec.; As. Min.  
*lanata*, Steud. & Hochst. ex Benth. in DC. Prod. xii. 446 = remota.  
*lasiantha*, Fuss. ex Pers. Syn. ii. 117.—As. Min.  
*lavandulacea*, Pourr. ex Willk. & Lange, Prod. Fl. Hisp. ii. 458 = incana.  
*leucantha*, Cav. Ic. iv. 2. t. 304.—Hispan.

**SIDERITIS** :—

- libanotica, *Labill. Ic. Pl. Syr. Dec.* iv. 13. t. 8.—As. Min.; Syria.  
*linearifolia*, Boiss. *Voy. Bot. Espagne*, ii. 507 = angustifolia.  
*linearifolia*, Bourg. ex Nym. *Consp.* 584 = arborescens.  
*linearifolia*, Lag. *Gen. et Sp. Nov.* 18 = pungens.  
*linearifolia*, Lam. *Encyc.* ii. 168 = *Stachys recta*?  
*linearifolia*, Willd. ex Benth. in *Linnaea*, xi. (1837) 331 = scordioides.  
*linearifolia*, Willk. & Lange, *Prod. Fl. Hisp.* ii. 458 = Lagascana.  
*litoralis*, Timb. ex Nym. *Consp.* 584 = hirsuta.  
*longicaulis*, Jord. & Fourr. in *Ann. Soc. Linn. Lyon*, N. S. xvii. (1869) 136, nomen = hyssopifolia.  
*lucida*, J. Gay, ex Nym. *Consp.* 584 = hyssopifolia.  
*lurida*, J. Gay, ex Benth. in *DC. Prod.* xii. 443.—Hispan.  
*lycaonica*, Boiss. & Heldr. *Diagn. Ser. II.* iv. 35.—Lycaonia.  
*Lyciae*, Boiss. & Heldr. *l. c.* Ser. I. xii. 70.—Lycia.  
*macrostachyos*, Poir. *Encyc. Suppl.* ii. 381.—Ins. Canar.  
*maculata*, Gilib. *Fl. Lituan.* i. 81 = *Stachys recta*.  
*marmorea*, Bolle, in *Bonplandia*, viii. (1860) 285.—Ins. Canar.  
*Massoniana*, Benth. *Lab. Gen. et Sp.* 573.—Ins. Mader.  
*microstegia*, Boiss. & Haussk. ex Boiss. *Fl. Orient.* iv. 712 = libanotica.  
*montana*, Linn. *Sp. Pl.* 575.—Reg. Mediterr.; Oriens.  
*montana*, Sibth. & Sm. *Fl. Graec.* vi. 42. t. 551 = remota.  
*mucronata*, Sieber, ex Benth. in *DC. Prod.* xii. 440 = pullulans.  
*mutica*, Boiss. *Fl. Orient.* iv. 706 = romana.  
*nemausensis*, Jord. & Fourr. in *Ann. Soc. Linn. Lyon*, N. S. xvii. (1869) 137 = hirsuta.  
*nepetaefolia*, Willd. ex Benth. in *Linnaea*, xi. (1837) 329 = *Stachys nepetaefolia*.  
*nervosa*, Desf. ex Steud. *Nom. ed. I.* 775, 836 = *Micromeria graeca*.  
*nigricans*, Lam. *Encyc.* ii. 168 = lanata.  
*ochroleuca*, Noël, ex Willk. in *Bot. Zeit.* xvii. (1859) 282.—Algeria.  
*Ocymastrum*, Linn. *Syst. ed. X.* 1098; Gouan, *Hort. Monsp.* 278 = *Stachys hirta*.  
*oleaefolia*, Mill. *Gard. Dict. ed. VIII.* n. 4.—Ins. Creta.  
*orophila*, Jord. & Fourr. in *Ann. Soc. Linn. Lyon*, N. S. xvii. (1869) 137, nomen = hyssopifolia.  
*ovata*, Cav. *l. c.* i. 36. t. 48.—Peruv.  
*pallida*, Thunb. *Prod. Pl. Cap.* 95 = *Stachys rosmarinifolia*.  
*paniculata*, H. B. & K. *Nov. Gen. et Sp.* ii. 307 = *Sphacele paniculata*.  
*parvifolia*, Lam. *Illustr.* iii. 63. t. 505. f. 2.—Hab.?  
*patula*, Dulac, *Fl. Hautes-Pyr.* 411 = scordioides.  
*peloponnesiaca*, Boiss. & Heldr. *Diagn. Ser. II.* iv. 32 = theezans.  
*perfoliata*, Linn. *Sp. Pl.* 575.—As. Min.; Syria.  
*peruviana*, Willd. ex Benth. in *Linnaea*, xi. (1837) 330 (*Salviae* sp.).—Hab.?  
*Peyrei*, Timb. in *Mém. Acad. Toul. Sér. VII.* iv. (1872) 383 = scordioides.  
*phleoides*, Lange, ex Willk. & Lange, *Prod. Fl. Hisp.* ii. 459 = lasiantha.  
*phlomifolia*, Salisb. *Prod.* 79 = canariensis.  
*phlomoides*, Boiss. & Bal. *Diagn. Ser. II.* iv. 33.—Cappadoc.  
*pisidica*, Boiss. & Heldr. *l. c.* Ser. I. xii. 72.—As. Min.  
*plumosa*, Thunb. *Prod. Pl. Cap.* 95 = *Stachys integrifolia*.  
*prostrata*, Zuccagni, in *Roem. Collect.* 144.—Hab.?  
*provincialis*, Jord. & Fourr. in *Ann. Soc. Linn. Lyon*, N. S. xvii. (1869) 137 = hirsuta.  
*pullulans*, Vent. *Jard. Cels.* t. 98.—Syria.  
*punctata*, C. Sm. in *Tuckey, Congo*, 251, nomen.—Ins. Canar.  
*pungens*, Benth. *Lab. Gen. et Sp.* 579.—Hispan.  
*purpurea*, Talbot, in *Benth. l. c.* 742.—Ins. Ion.  
*pyrenaica*, Endr. ex Nym. *Consp.* 584 = hirsuta.  
*pyrenaica*, Poir. *Encyc. Suppl.* ii. 383 = hyssopifolia.  
*Raeseri*, Boiss. & Heldr. *Diagn. Ser. II.* iv. 30.—Graecia.

**SIDERITIS** :—

- remota*, Urv. in *Mém. Soc. Linn. Par. i.* (1822) 322.—Ins. Samos.  
*remotiflora*, Jord. & Fourr. in *Ann. Soc. Linn. Lyon*, N. S. xvii. (1869) 136, nomen = hyssopifolia.  
*rhytidea*, Spreng. *Syst. v.* 644 (Index) = hololeuca.  
*rigida*, Noronha, in *Verh. Batav. Gen. v.* (1790) ed. I. Art. iv. 27 (Quid?).—Java.  
*romana*, Georgi, *Beschr. Russ. Reich.* v. 1081 = montana.  
*romana*, Linn. *Sp. Pl.* 575.—Reg. Mediterr.  
*rosea*, Desf. in *Ann. Mus. Par. x.* (1807) 302. t. 24 = *Stachys rosea*.  
*rotundifolia*, Willd. ex Benth. in *Linnaea*, xi. (1837) 331 = hirsuta.  
*rugosa*, Poir. *Encyc. Suppl.* ii. 383 = hololeuca.  
*rugosa*, Thunb. *Prod. Pl. Cap.* 95 = *Stachys Burckellii*.  
*rugosa*, Willd. ex Benth. in *Linnaea*, xi. (1837) 330 = *Sphacele bullata*.  
*ruscinonensis*, Timb. in *Mém. Acad. Toul. Sér. VII.* iv. (1872) 380 = hyssopifolia.  
*saetabensis*, Rouy, in *Bull. Soc. Bot. Fr.* xxix. (1882) 125 = angustifolia.  
*salviaefolia*, H. B. & K. *Nov. Gen. et Sp.* ii. 307 = *Sphacele salviaefolia*.  
*scardica*, Griseb. *Spicil. Fl. Rumel.* ii. 144.—Macedon.  
*scordioides*, Koch, *Syn. Fl. Germ. ed. I.* 570 = hyssopifolia.  
*scordioides*, Linn. *Syst. ed. X.* 1098.—Europ. austr.  
*sericea*, Pers. *Syn.* ii. 118 = incana.  
*serrata*, Lag. *Gen. et Sp. Nov.* 18 = spinosa.  
*sicula*, Ucria, in *Roem. Archiv.* i. i. (1796) 69.—Europ. austr.  
*sipylea*, Boiss. *Diagn. Ser. I.* v. 32.—As. Min.  
*soluta*, Clos, in *Ann. Sc. Nat. Sér. IV.* xvi. (1861) 81.—Ins. Canar.  
*spathulata*, Lam. *Fl. Fr.* ii. 377 = romana.  
*spinosa*, Benth. *Cat. Pl. Pyr.* 121 = scordioides.  
*spinosa*, Lam. *Encyc.* ii. 169.—Hispan.; Afr. bor.  
*stachydioides*, Willk. in *Bot. Zeit.* viii. (1850) 78.—Hispan.  
*stricta*, Boiss. & Heldr. *Diagn. Ser. I.* xii. 72.—As. Min.  
*stricta*, Jord. & Fourr. in *Ann. Soc. Linn. Lyon*, N. S. xvii. (1869) 137, nomen = hyssopifolia.  
*subspinosa*, Cav. *l. c.* iii. 5 = spinosa.  
*suffruticosa*, Mill. ex Benth. in *DC. Prod.* xii. 444 = incana.  
*syriaca*, Bory & Chaub. ex Boiss. *Fl. Orient.* iv. 711 = theezans.  
*syriaca*, Linn. *Sp. Pl.* 574.—Oriens.  
*syriaca*, Pall. ex Bieb. *Fl. Taur. Cauc.* ii. 43 = taurica.  
*taurica*, Willd. *Sp. Pl.* iii. 66.—As. Min.; Reg. Caucas.  
*teucrifolia*, Delile, *Fl. Aeg. Illustr.* 65.—Aegypt.  
*theezans*, Boiss. & Heldr. *Diagn. Ser. I.* vii. 58.—Graecia.  
*tomentosa*, Pourr. in *Mém. Acad. Toul.* iii. (1788) 328 = hirsuta.  
*tomentosa*, Ucria, in *Roem. Archiv.* i. i. (1796) 69.—Sicil.  
*Tragoriganum*, Lag. *Gen. et Sp. Nov.* 18 = incana.  
*trinervia*, Gilib. *Fl. Lituan.* i. 81 = *Stachys annua*.  
*vestita*, Boiss. *Diagn. Ser. II.* iv. 33 = glacialis.  
*villosa*, Coss. & Ball, in *Bull. Soc. Bot. Fr.* xx. (1873) 255; xxii. (1875) 65.—Marocc.  
*virgata*, Desf. *Fl. Atlant.* ii. 15. t. 125 = incana.  
*viridifolia*, Dulac, *Fl. Hautes-Pyr.* 411 = hyssopifolia.
- SIDERODENDRON**, Roem. & Schult. *Syst.* iii. 10, 185 (1818) = seq.
- SIDERODENDRUM**, Schreb. *Gen.* 71 (1789) = *Ixora*, Linn. (Rubiaceae).  
*ferreum*, J. F. Gmel. *Syst.* 242 = *I. ferrea*.  
*floribundum*, A. Rich. *Fl. Cub. Fanerog.* ii. 24 = *I. floribunda*.  
*laxiflorum*, Benth. in *Hook. Journ. Bot.* iii. (1841) 235 = *I. laxiflora*.  
*macrophyllum*, Benth. *l. c.* 234 = *I. macrophylla*.  
*multiflorum*, Rich. in *Mém. Soc. Hist. Nat. Par. v.* (1834) 184 = *Myonima multiflora*.  
*paniculatum*, Willd. ex Cham. & Schlecht. in *Linnaea*, iv. (1829) 26 = *Psychotria cordifolia*.  
*triflorum*, Vahl, *Eclog. Am.* i. 10 = *I. ferrea*.

**SIDEROXYLOIDES**, Jacq. *Stirp. Am.* 19. t. 175. f. 9 (1768) = *Ixora*, Linn. (Rubiaceae).  
*ferreum*, Jacq. *l. c.* = *I. ferrea*.

- SIDEROXYLON**, [Dill.] Linn. *Syst. ed. I* (1735); Hort. Cliff. 69 (1737). *SAPOTACEAE*, Benth. & Hook. f. ii. 655.  
*DECATELES*, Rafin. *Sylva Tellur.* 35 (1838).  
*MASTICHODENDRON*, R. Hedw. *Gen.* 116 (1806).  
*OLIGOTHECA*, A. DC. in *DC. Prod.* viii. 174 (1844).  
*ROBERTSIA*, Endl. *Gen.* 740 (1839).  
*ROEMERIA*, Thunb. *Nov. Gen.* ix. 130 (1798), pro parte.  
*XANTOLIS*, Rafin. *Sylva Tellur.* 35 (1838).  
*Acouma*, A. DC. in *DC. Prod.* viii. 184 = obovatum, Gaertn. f.  
*arboresum*, Buch.-Ham. ex C. B. Clarke, in *Hook. f. Fl. Brit. Ind.* iii. 536 = *Sarcosperma arboresum*.  
*argenteum*, Pierre, ex Burck, in *Ann. Jard. Buitenz.* v. (1885) 16.—Java.  
*argenteum*, Spreng. *Syst. i.* 666 = Brownii.  
*argenteum*, Thunb. *Prod. Pl. Cap.* 36.—Afr. austr.  
*armatum*, Roth, *Nov. Pl. Sp.* 138 = tomentosum.  
*arhemicum*, Benth. & Hook. f. ex F. Muell. *Census*, 91.—Austral.  
*assamicum*, C. B. Clarke, in *Hook. f. Fl. Brit. Ind.* iii. 537.—Assam.  
*atrovirens*, Lam. *Encyc.* i. 245 = inerme.  
*atrovirens*, Willd. *Enum. Hort. Berol. Suppl.* 11 = inerme, Mysine mitis.  
*attenuatum*, A. DC. in *DC. Prod.* viii. 178 = ferrugineum.  
*australe*, Benth. & Hook. f. ex F. Muell. *Census*, 92.—Austral.  
*avenium*, Burck, in *Ann. Jard. Buitenz.* v. (1885) 16.—Ins. Banca.  
*Balitbitan*, Blanco, *Fl. Filip.* ed. I. 130.—Ins. Philipp.  
*bancanum*, Burck, in *Ann. Jard. Buitenz.* v. (1885) 10.—Ins. Banca.  
*Bilitbitan*, A. DC. in *DC. Prod.* viii. 186, sphalm. = S. Balitbitan.  
*Bojerianum*, A. DC. *l. c.* 179.—Ins. Mascar.  
*borbonicum*, A. DC. *l. c.*—Ins. Borbon.  
*borneense*, Burck, in *Ann. Jard. Buitenz.* v. (1885) 15.—Borneo.  
*Boutonianum*, A. DC. in *DC. Prod.* viii. 179.—Ins. Mascar.  
*brevipes*, Baker, in *Oliver, Fl. Trop. Afr.* iii. 502.—Afr. trop.  
*Brownii*, F. Muell. *Census*, 92.—Austral.  
*Brownlessianum*, F. Muell. *Fragm.* viii. 111.—Austral.  
*cantonense*, Lour. *Fl. Cochinch.* 122.—China.  
*carolinense*, Sargent, *Rep. For. N. Am.* (U. S. St. 10th Census, ix.) 101 = *Bumelia tenax*.  
*celebicum*, Pierre, ex Burck, in *Ann. Jard. Buitenz.* v. (1885) 8.—Ins. Celebes.  
*chartaceum*, Benth. & Hook. f. ex F. Muell. *Census*, 91.—Austral.  
*chrysophylloides*, Michx. *Fl. Bor. Am.* i. 123 = *Bumelia tenax*.  
*chrysophyllum*, De Vriese, *Pl. Ind. Bat. Or.* 59.—Java.  
*cineureum*, Boj. *Hort. Maurit.* 197; Wall. *Cat. n.* 4157 = Bojerianum.  
*cineureum*, Lam. *Encyc.* i. 244.—Ins. Borbon.  
*confertum*, Wright, in *Sauv. Fl. Cub.* 86.—Cuba.  
*Corsanii*, Boj. ex Baker, *Fl. Maurit.* 193 = *Boutonianum*.  
*costatum*, F. Muell. *Census*, 92.—Austral.  
*crassipedicellatum*, Mart. & Eichl. ex Miq. in *Mart. Fl. Bras.* vii. 57.—Bras.  
*cuneatum*, A. DC. in *DC. Prod.* viii. 181 = obovatum, Gaertn. f.  
*cuspidatum*, A. DC. *l. c.* 183.—Guian.  
*cylindrocarpon*, Poepp. & Endl. *Nov. Gen. et Sp.* iii. 72. t. 282.—Bras.; Peruv.  
*cymosum*, Linn. f. *Suppl.* 152 = *Olinia cymosa*.  
*cyrtobotryum*, Mart. ex Miq. in *Mart. Fl. Bras.* vii. 57.—Bras.  
*decandrum*, Linn. *Mant.* i. 48 = *Bumelia lycioides*.  
*decumbens*, J. F. Gmel. *Syst.* 1626, sphalm. = praec.  
*densiflorum*, Baker, in *Oliver, Fl. Trop. Afr.* iii. 503.—Afr. trop.  
*dentatum*, Burm. f. *Fl. Cap. Prod.* 6.—Afr. austr.  
*dictyoneurum*, Griseb. in *Mem. Am. Acad. N. S.* viii. (1862) 517.—Ind. occ.

## SIDEROXYLON:—

- diospyroides, *Baker, in Oliver, Fl. Trop. Afr.* iii. 502.—Afr. trop.  
 Duclitan, *Blanco, Fl. Filip.* ed. I. 129.—Ins. Philipp.  
 dulcificum, *A. DC. in DC. Prod.* viii. 183.—Afr. trop.  
 Dulitan, *A. DC. l. c.* 185, sphalm.=S. Duclitan.  
 durum, *Klotzsch, ex Miq. in Mart. Fl. Bras.* vii. 56 = cuspidatum.  
 egense, *A. DC. in DC. Prod.* viii. 182 = rugosum.  
 elegans, *A. DC. l. c.* 183.—Guian.  
 ellipticum, *Klotzsch, ex Miq. in Mart. Fl. Bras.* vii. 56 = cuspidatum.  
 euphlebum, *F. Muell. Census*, 92.—Austral.  
 ferrugineum, *Hook. & Arn. Bot. Beech. Voy.* 266. t. 55.—As. trop.; Ins. Seychelles.  
 fimbriatum, *Balf. f. in Proc. Roy. Soc. Edinb.* xii. (1884) 76.—Ins. Socotr.  
 firmum, *Pierre, ex Burck, in Ann. Jard. Buitenz.* v. (1885) 17.—Ins. Banca.  
 floribundum, *Griseb. Fl. Brit. W. Ind.* 399.—Ind. occ.  
 foetidissimum, *Jacq. Enum. Pl. Carib.* 15.—Ind. occ.  
 Gamblei, *C. B. Clarke, in Hook. f. Fl. Brit. Ind.* iii. 538.—Reg. Himal.  
 Gardnerianum, *A. DC. in DC. Prod.* viii. 182.—Bras.  
 glabrescens, *Miq. Fl. Ind. Bat. Suppl.* 580.—Ins. Banca.  
 grandiflorum, *A. DC. in DC. Prod.* viii. 180.—Ins. Mascar.  
 grandifolium, *Wall. in Roxb. Fl. Ind. ed. Carey*, ii. 348.—Ind. or.; Burma.  
 guadalupense, *Spreng. Syst.* i. 666.—Ins. Guadalup.  
 guyanense, *A. DC. in DC. Prod.* viii. 182.—Guian.  
 Hookeri, *C. B. Clarke, in Hook. f. Fl. Brit. Ind.* iii. 537.—Reg. Himal.  
 Howeanum, *F. Muell. Census*, 92.—Austral.  
 imbricarioides, *A. DC. in DC. Prod.* viii. 180.—Ins. Maurit.  
 indicum, *Burck, in Ann. Jard. Buitenz.* v. (1885) 13.—Malaya.  
 inerme, *Forsk. Fl. Aegypt. Arab.* 204.—Arab.  
 inerme, *Krauss, ex A. DC. in DC. Prod.* xiv. 634 = Colpoon compressum.  
 inerme, *Linn. Sp. Pl.* 192.—Afr. austr.  
 javense, *Burck, in Ann. Jard. Buitenz.* v. (1885) 14.—Java.  
 laeve, *Walt. Fl. Carol.* 100 = Bumelia lycioides.  
 lanceolatum, *Burck, in Ann. Jard. Buitenz.* v. (1885) 14.—Ins. Banca.  
 lanuginosum, *Michx. Fl. Bor. Am.* i. 122 = Bumelia lanuginosa.  
 laurifolium, *Comm. ex A. DC. in DC. Prod.* viii. 180 = imbricarioides.  
 laurifolium, *Lam. Encyc.* i. 244 = Myrsine melanophleos.  
 Lessertii, *Baker, Fl. Maurit.* 194.—Ins. Maurit.  
 lingense, *Burck, in Ann. Jard. Buitenz.* v. (1885) 15.—Malaya.  
 longifolium, *Boj. ex A. DC. in DC. Prod.* viii. 180.—Ins. Maurit.  
 longistylum, *Baker, in Oliver, Fl. Trop. Afr.* iii. 502.—Afr. trop.  
 lucidum, *Soland. ex Lam. Encyc.* i. 246.  
 lyciifolium, *Salisb. Prod.* 139 = Bumelia lycioides.  
 lycioides, *Linn. Sp. Pl. ed. II.* 279 = Bumelia lycioides.  
 lycioides, *Wangenh. ex Steud. Nom. ed. I.* 776 = 'Ilicis aut Prinos species.'—Am. bor.  
 macrophyllum, *Burck, in Ann. Jard. Buitenz.* v. (1885) 20.—Borneo.  
 Maingayi, *C. B. Clarke, in Hook. f. Fl. Brit. Ind.* iii. 536.—Malacca.  
 malaccense, *C. B. Clarke, l. c.* 537.—Malacca.  
 Manglilla, *Lam. Encyc.* i. 244 = Myrsine Manglilla.  
 Marmulana, *C. Sm. in Tuckey, Congo*, 252 = seq.  
 Marmulano, *Banks, ex Lowe, in Trans. Camb. Phil. Soc.* iv. (1831) 22.—Ins. Mader.  
 Mastichodendron, *Jacq. Coll.* 2. t. 17. f. 5.—Ind. occ.  
 Mastichodendrum, *Balb. ex A. DC. in DC. Prod.* viii. 99 = Myrsine laeta.  
 melanophleos, *Linn. Mant.* i. 48 = Myrsine melanophleos.  
 mexicanum, *Hemsl. Biol. Centr. Am. Bot.* ii. 296.—Mexic.  
 micranthum, *Klotzsch, ex Miq. in Mart. Fl. Bras.* vii. 54 = elegans.  
 microcarpum, *Burck, in Ann. Jard. Buitenz.* v. (1885) 17.—Ins. Amboin.

## SIDEROXYLON:—

- Mirmulans, *Buch, Besch. Canar. Ins.* 193 = S. Marmulano.  
 mite, *Linn. Syst. ed. XII.* 178 = Myrsine mitis.  
 mite, *Sims, Bot. Mag.* t. 1858 (Ilicis sp.).—Afr. austr.  
 mite, *Willd. ex A. DC. in DC. Prod.* viii. 97 = Myrsine melanophleos.  
 moluccanum, *Burck, in Ann. Jard. Buitenz.* v. (1885) 19.—Ins. Gebeh.  
 multiflorum, *Lam. Illustr.* ii. 43 (non Sapotacea).—Afr. austr.  
 myrsinoides, *Benth. & Hook. f. ex F. Muell. Census*, 92.—Austral.  
 nervosum, *Wall. Cat.* n. 4159.—Burma.  
 nigricans, *Dum.-Cours. ex A. DC. in DC. Prod.* viii. 186 = Myrsine mitis.  
 nigrum, *Gaertn. f. Fruct.* iii. 123 = Dipholis salicifolia.  
 nigrum, *Soland. ex A. DC. in DC. Prod.* viii. 186 = Myrsine salicifolia.  
 nitidum, *Blume, Bijdr.* 675.—Java.  
 nitidum, *Lam. Illustr.* ii. 42 = lucidum.  
 nodosum, *Burck, in Ann. Jard. Buitenz.* v. (1885) 12.—Java.  
 obovatum, *Burck, l. c.* 11.—Java.  
 obovatum, *Gaertn. f. Fruct.* iii. 125.—Hab. ?  
 obovatum, *Griff. Notul.* iv. 290 = ferrugineum.  
 obovatum, *Lam. Illustr.* ii. 42.—Ind. occ.  
 oppositifolium, *Mill. Gard. Dict. ed. VIII.* n. 2 = foetidissimum.  
 orichalcum, *Zipf. in Alg. Konst- en Letter-bode* (1829) i. 297, nomen; et *ex Mackl. Bijdr. Nat. Wetensch.* v. (1830) 178.—N. Guin.  
 oxyedrum, *Miq. Fl. Ind. Bat. Suppl.* 580.—Sumatra.  
 Pacurero, *Loeff. It.* 204.—Venezuela.  
 pallidum, *Spreng. Syst.* i. 666 = S. Mastichodendron.  
 parviflorum, *Boj. ex A. DC. in DC. Prod.* viii. 184.—Ins. Maurit.  
 parvifolium, *F. Villar, in Blanco, Fl. Philipp.* ed. III. Nov. App. 124.—Ins. Philipp.  
 pauciflorum, *Jacq. Enum. Pl. Carib.* 15.—Ins. S. Doming.  
 pauciflorum, *Lam. Illustr.* ii. 42 = Dipholis salicifolia.  
 pentagonum, *A. DC. in DC. Prod.* viii. 185.—Ins. Dominic.  
 Pohlmanianum, *Benth. & Hook. f. ex F. Muell. Census*, 91.—Austral.  
 pomiforme, *A. DC. in DC. Prod.* viii. 182.—Jamaic.  
 puberulum, *A. DC. l. c.* 179.—Ins. Mascar.  
 punctatum, *Lam. Illustr.* ii. 42 = Myrsine floribunda.  
 reclinatum, *Michx. Fl. Bor. Am.* i. 122 = Bumelia tenax.  
 regium, *Wall. Cat.* n. 4156 = grandifolium, Dichopsis polyantha.  
 revolutum, *Baker, in Oliver, Fl. Trop. Afr.* iii. 503.—Afr. trop.  
 Richardi, *F. Muell. Census*, 92.—Austral.  
 rigidum, *Burck, in Ann. Jard. Buitenz.* v. (1885) 18.—Ins. Celebes.  
 robustum, *Mart. & Eichl. ex Miq. in Mart. Fl. Bras.* vii. 56.—Bras.  
 rufum, *Mart. & Eichl. l. c.* 52.—Bras.  
 rugosum, *Roem. & Schult. Syst.* iv. 501.—Bras.  
 rugosum, *Wall. Cat.* n. 4158 = Wallichianum.  
 salicifolium, *Gaertn. f. Fruct.* iii. 124. t. 202 = Dipholis salicifolia.  
 Sapota, *Jacq. Enum. Pl. Carib.* 15 = Achras Sapota.  
 sericeum, *Ait. Hort. Kew. ed. I.* i. 262 = Lucuma sericea.  
 sericeum, *Walt. Fl. Carol.* 100 = Bumelia tenax.  
 spectabile, *Burck, in Ann. Jard. Buitenz.* v. (1885) 10.—Sumatra.  
 spinosum, *Linn. Sp. Pl.* 193 = Argania Sideroxylon.  
 spinosum, *Willd. Sp. Pl.* i. 1091 = Flacourtia sepiaria.  
 Spruceanum, *Mart. & Miq. in Mart. Fl. Bras.* vii. 53.—Bras.  
 strigosum, *Willd. Enum. Hort. Berol. Suppl.* 11 = Bumelia strigosa.  
 sundaicum, *Burck, in Ann. Jard. Buitenz.* v. (1885) 9.—Ins. Sundaic.  
 tenax, *Linn. Mant.* i. 48 = Bumelia tenax.  
 tenax, *Walt. Fl. Carol.* 100 = Bumelia lanuginosa.  
 Teysmannianum, *Burck, in Ann. Jard. Buitenz.* v. (1885) 19.—Malaya.  
 tomentosum, *Roxb. Pl. Corom.* i. 28. t. 28.—Ind. or.  
 tomentosum, *Wall. Cat.* n. 4153 = assamicum, Isonandra Wightiana.  
 undulatum, *Burck, in Ann. Jard. Buitenz.* v. (1885) 12.—Ins. Banca.

## SIDEROXYLON:—

- venulosum, *Mart. & Eichl. ex Miq. in Mart. Fl. Bras.* vii. 52.—Bras.  
 Vrieseanum, *Pierre, ex Burck, in Ann. Jard. Buitenz.* v. (1885) 18.—Ins. Batjan.  
 Wallichianum, *G. Don, Gen. Syst.* iv. 28.—Ins. Penang.  
 Wightianum, *Hook. & Arn. Bot. Beech. Voy.* 196. t. 41 = Isonandra Wightiana.  
 Wightianum, *Wall. Cat.* n. 4154 = Isonandra lanceolata.  
 xerocarpum, *Benth. & Hook. f. ex F. Muell. Census*, 91.—Austral.
- SIDEROXYLUM, *Salisb. Prod.* 138 (1796) = praec.
- SIEBERA, *J. Gay, in Mém. Soc. Hist. Nat. Par. iii.* (1827) 343. *COMPOSITAE*, *Benth. & Hook. f. ii.* 464.  
 FLEUROTIA, *Reichb. Nom.* 90 (1841).  
 Gayana, *Cass. in Dict. Sc. Nat.* lix. 126 = pungens.  
 pungens, *J. Gay, in Mém. Soc. Hist. Nat. Par. iii.* (1827) 343.—As. Min.; Syria; Persia.
- SIEBERA, *Hoppe, in Flora*, ii. (1819) 24 = *Arenaria*, *Rupp. (Caryoph.)*.  
 argentea, *Steud. Nom. ed. I.* 777; ed. II. ii. 582 = *A. aretioides*.  
 cherleroides, *Hoppe, in Flora*, ii. (1819) 24 = *A. aretioides*.
- SIEBERA, *Presl, in Oken, Isis*, xxi. (1828) 275 = *Anredera*, *Juss. (Chenop.)*.  
 baselloides, *Presl, l. c.* = *A. spicata*.
- SIEBERA, *Reichb. Consp.* 145 (1828) = *Platysace*, *Bunge (Umbell.)*.  
 Billardieri, *Benth. Fl. Austral.* iii. 356.—Austral.  
 cirrosa, *Benth. l. c.* 354 = *P. cirrosa*.  
 commutata, *Benth. l. c.* 355.—Austral.  
 compressa, *Benth. l. c.* 352.—Austral.  
 deflexa, *Benth. l. c.* 355.—Austral.  
 dissecta, *Benth. l. c.* 354.—Austral.  
 effusa, *Benth. l. c.* 355 = *P. trachymenioides*.  
 ericoides, *Benth. l. c.* 356.—Austral.  
 haplosciadia, *Benth. l. c.* 353.—Austral.  
 heterophylla, *Benth. l. c.* 354.—Austral.  
 juncea, *Benth. l. c.* 353.—Austral.  
 linearifolia, *Benth. l. c.* 356.—Austral.  
 Stephensonii, *Benth. l. c.* 357.—Austral.  
 tenuissima, *Benth. l. c.* 354.—Austral.  
 valida, *Benth. l. c.* 355 = *P. valida*.
- SIEBERA, *Spreng. Anleit.* ii. 282 (1817) = *Habenaria*, *Willd. (Orchid.)*.  
 albida, *Spreng. l. c.* = *H. albida*.  
 bifolia, *Spreng. l. c.* = *H. bifolia*.  
 nigra, *Spreng. l. c.* = *H. nigra*.  
 viridis, *Spreng. l. c.* = *H. viridis*.
- SIEBOLDIA, *Heynh. Nom.* ii. 644 (1846) = *Simethis*, *Kunth (Liliac.)*.  
 bicolor, *Heynh. l. c.* = *Sim. bicolor*.
- SIEBOLDIA, *Hoffmgg. Preisv.* (1842) Nachtr. 28.—Cf. *Linnaea*, xvi. (1842) Litt. 281 = *Clematis*, *Dill. (Ranunc.)*.  
 bicolor, *Hoffmgg. ex Heynh. Nom.* ii. 665 = *C. florida*.  
 florida, *Hoffmgg. ex Heynh. l. c.* = *C. florida*.  
 japonica, *Hoffmgg. Preisv.* (1842) Nachtr. 28.—Cf. *Linnaea*, xvi. (1842) Litt. 282 = *C. japonica*.
- SIEGESBECKIA, *Linn. Hort. Cliff.* 412 (1737); *Gen. ed. I.* 352 (1737) (Sigesbeckia); *Gled. in Mém. Acad. Berl.* v. (1749) 131. *COMPOSITAE*, *Benth. & Hook. f. ii.* 359.  
 LIMNOGENNETON, *Sch. Bip. in Walp. Rep.* vi. 146 (1846).  
 MINYRANTHES, *Turcz. in Bull. Soc. Nat. Mosc.* (1851) L. 180.  
 SCHUHRIA, *Moench, Meth.* 566 (1794) (Schuhria).  
 TRIMERANTHES, *Cass. in Dict. Sc. Nat.* lix. 237 (1829).  
 abyssinica, *Oliver & Hiern, in Oliver, Fl. Trop. Afr.* iii. 372.—Afr. trop.  
 agrestis, *Poepp. & Endl. Nov. Gen. et Sp.* iii. 45. t. 256 = flosculosa.  
 brachiata, *Roxb. Hort. Beng.* 62; *Fl. Ind.* iii. 439 = orientalis.  
 caspia, *Fisch. & Mey. ex Hohen. in Bull. Soc. Nat. Mosc.* (1838) 285 = orientalis.  
 cordifolia, *H. B. & K. Nov. Gen. et Sp.* iv. 283 = orientalis.



**SIEGESBECKIA** :—

*dichotoma*, Schkr. Handb. iii. 144 = *flosculosa*.  
*droseroides*, Sweet, Hort. Brit. ed. I. 235; et in Brit. Flow. Gard. Ser. I. t. 203 = *orientalis*.  
*emimnensis*, Baker, in *Journ. Linn. Soc.* xx. (1883) 188.—Madag.  
*flosculosa*, L'Hérit. *Stirp.* Nov. 37. t. 19.—Peruv.  
*glutinosa*, Wall. Cat. n. 3182 = *orientalis*.  
*gracilis*, DC. Prod. v. 496 = *orientalis*.  
*iberica*, Willd. Sp. Pl. iii. 2220 = *orientalis*.  
*jurullensis*, H. B. & K. Nov. Gen. et Sp. iv. 284 = *orientalis*.  
*laciniata*, Poir. Encyc. vii. 158 = *Verbesina virginica*.  
Mandonii, Sch. Bip. in *Bull. Soc. Bot. Fr.* xii. (1865) 81; et in *Linnaea*, xxxiv. (1865–66) 534, nomen.—Bolivia.  
*melanolepis*, Sch. Bip. II. cc., nomen.—Bolivia.  
*microcephala*, DC. Prod. v. 496 = *orientalis*.  
*occidentalis*, Linn. Sp. Pl. 900 = *Verbesina occidentalis*.  
*orientalis*, Linn. l. c.—Cosmop. trop.  
*portoricensis*, Bert. ex DC. Prod. v. 546 = *Eleutheranthera ovata*.  
*serrata*, DC. l. c. 496 = *orientalis*.  
*triangularis*, Cav. Ic. iii. 27 = *orientalis*.  
*trinervata*, Moench, Meth. 582 = *Verbesina occidentalis*.

**SIEGLINGIA**, Bernh. Syst. Verz. Erf. 20, 44 (1800) = **Triodia**, R. Br. (1810) (Gramin.).  
*decumbens*, Bernh. l. c. = *T. decumbens*.

**SIEMSENIA**, Steetz, in Lehm. Pl. Preiss. i. 467 (1845) = **Podolepis**, Labill. (Compos.).  
*capillaris*, Steetz, l. c. = *P. Siemsenia*.

**SIERUELA**, Rafin. Sylva Tellur. 112 (1838) = **Cleome**, Linn. (Cappar.).  
*viscosa*, Rafin. l. c. = *C. monophylla*.

**SIEVEKINGIA**, Reichb. f. Beitr. Syst. Pl. 3 (1871). Genus dubium **ORCHIDEARUM**.—Cf. Benth. & Hook. f. iii. 477.  
*suavis*, Reichb. f. l. c.—Costa Rica.

**SIEVERSIA**, Willd. in Ges. Naturf. Fr. Berl. Mag. v. (1811) 397 = **Geum**, Linn. (Rosac.).  
*adnata*, G. Don, Gen. Syst. ii. 527 = *G. elatum*.  
*albiflora*, Hook. f. Fl. Antarct. 9. t. 7 = *G. parviflorum*.  
*andicola*, Phil. in *Linnaea*, xxviii. (1856) 636 = *G. Lechlerianum*.  
*anemonoides*, Willd. in Ges. Naturf. Fr. Berl. Mag. v. (1811) 398 = *G. anemonoides*.  
*atlantica*, G. Don, Gen. Syst. ii. 527 = *G. sylvaticum*.  
*calthifolia*, D. Don, ex Torr. & Gray, Fl. N. Am. i. 425 = *G. calthifolium*.  
*caroliniana*, G. Don, Gen. Syst. ii. 528 = *G. album*.  
*ciliata*, G. Don, l. c. = *G. triflorum*.  
*congesta*, R. Br. in Parry's 1st Voy. App. 276 = *G. calthifolium*.  
*dilatata*, R. Br. l. c. = *G. calthifolium*.  
*dryadoides*, Sieb. & Zucc. in Abh. Akad. Muench. iv. II. (1843) 125 = *G. anemonoides*.  
*elata*, Royle, Illustr. Bot. Himal. 207. t. 39. t. 1 = *G. elatum*.  
*geoides*, Spreng. Syst. ii. 543 = *Coluria potentilloides*.  
*glacialis*, R. Br. in Parry's 1st Voy. App. 276 = *G. glaciale*.  
*humilis*, R. Br. l. c. = *G. Rossii*.  
*humilis*, Royle, Illustr. Bot. Himal. 207 = *G. elatum*.  
*karatavica*, Trautv. in Act. Hort. Petrop. viii. (1883) 309 = *G. karatavicum*.  
*micropetala*, Nym. Syll. 273 = *G. micropetalum*.  
*montana*, R. Br. in Parry's 1st Voy. App. 276 = *G. montanum*.  
*paradoxa*, D. Don, in Trans. Linn. Soc. xiv. (1825) 576. t. 22. f. 7–10 = *Fallugia paradoxa*.  
*Peckii*, R. Br. in Parry's 1st Voy. App. 276 = *G. radiatum*.  
*radiata*, R. Br. l. c. = *G. radiatum*.  
*reptans*, R. Br. l. c. = *G. reptans*.  
*rosea*, R. Grah. in Edinb. N. Phil. Journ. (Apr.–June, 1831) 193 = *G. triflorum*.  
*Rossii*, R. Br. in Parry's 1st Voy. App. 276 = *G. Rossii*.

**SIEVERSIA** :—

*rotundifolia*, Cham. & Schlecht. in *Linnaea*, ii. (1827) 4 = *Geum calthifolium*.  
*silenifolia*, Fisch. ex F. Schmidt, Reisen Amurl. 39 = *G. anemonoides*.  
*triflora*, R. Br. in Parry's 1st Voy. App. 276 = *G. triflorum*.

**SIGESBECKIA**, Linn. Gen. ed. I. 352 (1737), etc. = **Siegesbeckia**, Linn. (Compos.).

**SIGILLARIA**, Rafin. in Journ. Phys. lxxxix. (1819) 261; et in Am. Monthly Mag. (1819) 357 = **Smilacina**, Desf. (Liliac.).  
*ciliata*, Rafin. Atl. Journ. 151 = *Sm. racemosa*.  
*multiflora*, Rafin. Med. Fl. ii. 83 = *Sm. racemosa*?

**SIGMATOPHYLLUM**, D. Dietr. Syn. Pl. ii. 1587 (1840) = **Stigmaphyllon**, A. Juss. (Malpig.).

**SIGMATOSTALIX**, Reichb. f. in Bot. Zeit. x. (1852) 769. **ORCHIDEAE**, Benth. & Hook. f. iii. 565.  
*aurosanguinea*, Reichb. f. in *Linnaea*, xli. (1877) 68. —Peruv.  
*brachycion*, Griseb. in Goett. Abh. xxiv. (1879) 336. —Reg. Argent.  
*dilatata*, Reichb. f. in *Linnaea*, xli. (1877) 16. —N. Granat.  
*graminea*, Reichb. f. in Bot. Zeit. x. (1852) 769. —Peruv.  
*malleifera*, Reichb. f. in Gard. Chron. (1883) II. 360. —N. Granat.  
*picta*, Reichb. f. in Walp. Ann. vi. 859. —Ecuador.  
*radicans*, Reichb. f. l. c. —Bras.  
*reversa*, Reichb. f. in *Linnaea*, xli. (1877) 103. —N. Granat.  
*Wallisii*, Reichb. f. l. c. —N. Granat.

**SIGMODOSTYLES**, Meissn. in Hook. Lond. Journ. Bot. ii. (1843) 93 = **Rhynchosia**, Lour. (Legumin.).  
*villosa*, Meissn. l. c. 94 = *R. sigmodes*.

**SILAMNUS**, Rafin. Sylva Tellur. 60 (1838) = **Cephalanthus**, Linn. (Rubiace.).  
*procumbens*, Rafin. l. c. 61 = *C. procumbens*.

**SILAUS**, Bernh. Syst. Verz. Erf. 116 (1800). **UMBELLIFERAE**, Benth. & Hook. f. i. 910.  
*GASPARINIA*, Bertol. Fl. Ital. iii. 614 (1837).  
*alatus*, Link, Handb. i. 329 = *Ligusticum alatum*.  
*alpestris*, Bess. in Schult. Syst. vi. p. xxxvi. —Ross. austr.; Sibiria.  
*Besseri*, DC. Prod. iv. 161 = *alpestris*.  
*carvifolius*, C. A. Mey. Verz. Pl. Cauc. 125. —Banat.; As. Min.  
*flavescens*, Bernh. Syst. Verz. Erf. 174. —Europ.  
*Gasparrinii*, Nym. Syll. 154 = *carvifolius*.  
*Gilbertii*, Bess. ex Eichw. Skizze, 156. —Rossia.  
*gracilis*, Bunge, in Mém. Sav. Etr. Pttersb. vii. (1851) 301. —Turkestan.  
*longifolius*, Ledeb. Fl. Alt. i. 323. —Sibir.  
*Matthioli*, Koch, in Nov. Act. Nat. Cur. xii. I. (1824) = *tenuifolius*.  
*meoides*, Griseb. Spicil. Fl. Rumel. i. 362 = *Carum graecum*.  
*peucedanoides*, Boiss. Fl. Orient. ii. 974 = *carvifolius*.  
*peucedanoides*, DC. Prod. iv. 161 = *Eulophus peucedanoides*.  
*pratensis*, Bess. in Schult. Syst. vi. p. xxxvi = *flavescens*.  
*serotinus*, Reichb. Fl. Germ. Excurs. 471 = *tenuifolius*.  
*tenuifolius*, DC. 3<sup>me</sup> Not. Pl. Rar. Jard. Genève. 23. —Hungar.  
*virescens*, Boiss. in Ann. Sc. Nat. Sér. III. i. (1844) 301 = *carvifolius*.

**SILENANTHE**, Griseb. & Schenk, in Wieg. Archiv, xviii. (1852) i. 300 = **Silene**, Linn. (Caryoph.).  
*Zawadzskii*, Griseb. & Schenk, l. c. = *Silene Zawadzskii*.

**SILENE**, Linn. Syst. ed. I (1735); Gen. ed. I. 132 (1737). **CARYOPHYLLEAE**, Benth. & Hook. f. i. 147.  
*ATOCION*, Adans. Fam. ii. 254 (1763).  
*BEHENANTHA*, Schur, in Verh. Naturf. Ver. Bruenn, xv. II. (1877) 130.

**SILENE** :—

**CARPOPHORA**, Klotzsch, in Bot. Ergeb. Waldem. Reise, 139. t. 32 (1862).  
**CHEIROPETALUM**, E. Fries, Ind. Sem. Hort. Upsal. (1857); ex Urban, Addit. Ind. Sem. Hort. Berol. (1881) 11.  
**DIPLOGAMA**, Opiz, Seznam, 38 (1852).  
**ELISANTHE**, Reichb. Nom. 206 (1841).  
**HELIOSPERMA**, Reichb. Nom. 206 (1841); et Ic. Fl. Germ. vi. t. 277 (1844).  
**KALERIA**, Adans. Fam. ii. 506 (1763).  
**LEPTOSILENE**, Fourr. in Ann. Soc. Linn. Lyon, N. S. xvi. (1868) 344.  
**MUSCIPULA**, Rupp. Fl. Jen. ed. Hall. 125 (1745).  
**OBERNA**, Adans. Fam. ii. 255 (1763).  
**ONCERUM**, Dulac, Fl. Hautes-Pyr. 255 (1867).  
**OTITES**, Adans. Fam. ii. 255 (1763).  
**PETROCOMA**, Rupr. Fl. Cauc. 200 (1869).  
**PETROSILENE**, Fourr. in Ann. Soc. Linn. Lyon, N. S. xvi. (1868) 344.  
**SILENANTHE**, Griseb. & Schenk, in Wieg. Archiv, xviii. (1852) i. 300.  
**VISCAGO**, Hall. Enum. Stirp. Helv. i. 373 (1742).  
*acarpophora*, Griseb. Spicil. Fl. Rumel. i. 172 = *coniflora*.  
*acaulis*, Linn. Sp. Pl. ed. II. 603. —Reg. bor. et arct.  
*acuta*, E. Mey. in Drège, Zwei Pl. Docum. 222 = *Burchellii*.  
*acutifolia*, Link, ex Rohrb. Monog. Silene, 141. —Lusitan.  
*adhaerens*, Ehrenb. ex Rohrb. l. c. 162 = *linearis*.  
*adscendens*, Lag. Gen. et Sp. Nov. 15. —Hispan.  
*adusta*, Ball, in Journ. Linn. Soc. xvi. (1877) 360 = *corrugata*.  
*aegyptiaca*, Linn. f. Suppl. 241 = Afr. bor.; Syria.  
*aethiopica*, Burm. f. Fl. Cap. Prod. 13. —Afr. austr.  
*aetolica*, Heldr. in Atti Congr. Bot. Firenze, 1874 (1876), 239. —Graecia.  
*afghanica*, Rohrb. in Ind. Sem. Hort. Berol. (1867) App. ii. 5. —Afghan.  
*affinis*, Boiss. Diagn. Ser. II. i. 72. —Sinai.  
*affinis*, Godr. in Mém. Acad. Montp. (Sect. Médic.) i. (1853) 417 = *micropetala*.  
*agrestina*, Jord. & Fourr. Brev. Pl. Nov. fasc. i. 6 = *gallica*.  
*agrigentina*, Lojac. in Natural. Sicil. ii. (1883) 295 = *fruticosa*.  
*Agrostemma*, Boiss. & Reut. Diagn. Pl. Nov. Hisp. 8 = *S. Psammitis*.  
*alba*, Muhl. ex Rohrb. Monog. Silene, 87 = *nivea*.  
*albescens*, Boiss. Diagn. Ser. I. i. 28 = *ericalcyna*.  
*Allamanni*, Otth, in DC. Prod. i. 379 = *laciniata*.  
*allopheila*, Clemente, ex Lag. Gen. et Sp. Nov. 15 = *adscendens*.  
*Almolae*, f. Gay, ex Coss. Notes Crit. ii. 31. —Hispan.  
*alpestris*, Jacq. Fl. Austr. i. 60. t. 96. —Europ. or.  
*alpestris*, Willd. ex Nym. Consp. 92 = *rupestris*.  
*alpina*, S. F. Gray, Nat. Arr. Brit. Pl. ii. 648 = *acaulis*.  
*alpina*, Pall. Reise, iii. 34; Tabl. Taur. 51 = *alpestris*.  
*alpina*, Schur, in Verh. Siebenb. Ver. Naturw. ii. (1851) 177; iii. (1852) 85; iv. (1853) 12 = *seq.*?  
*alpina*, Thomas, Cat. Pl. Suiss. (1837) 45 = *S. Cucubalus*.  
*alsinoides*, Pourr. ex Lange, in Kjoeb. Vidensk. Meddel. (1865) 114. —Hispan.  
*alsinoides*, Viv. Fl. Cors. Sp. Nov. 6 = *Saponaria ocmoides*.  
*altaica*, Otth, in DC. Prod. i. 374 = *turgida*.  
*altaica*, Pers. Syn. i. 497. —Sibir.  
*amana*, Boiss. Fl. Orient. i. 634. —Syria.  
*ambigua*, Cambess. ex Soyer-Willems. in Mém. Acad. Nancy, 1850 (1851), 158; Willk. Ic. et Desc. Pl. Hisp. i. 42. t. 28 = *glauc.*  
*ambigua*, Salisb. Prod. 302 = *S. Behen*.  
*ambigua*, Turcz. in Bull. Soc. Nat. Mosc. xv. (1842) 576 = *tenuis*.  
*amblevana*, Lej. Fl. Spa, i. 199 = *nutans*.  
*ammophila*, Boiss. & Heldr. Diagn. Ser. I. viii. 82. —Ins. Crete.  
*amoena*, Hill, Veg. Syst. xiii. 55 = *maritima*.  
*amoena*, Hort. ex Fenzl, Adv. Bot. [2] in Del. Sem. Hort. Vindob. (1851) = *cretica*.  
*amoena*, Hort. ex Fenzl, l. c. [9] = *nocturna*, *antirrhina*, *gallica*.  
*amoena*, Huds. Fl. Angl. ed. I. 164 = *S. Cucubalus*.  
*amoena*, Linn. Sp. Pl. 417 = *tenuis*.  
*amoena*, Linn. l. c. ed. II. 596 = *maritima*.  
*amphorina*, Pomel, Nouv. Mat. Fl. Atl. 330 = *colorata*.

## SILENE:—

*ampullata*, Boiss. *Diagn.* Ser. I. i. 26.—As. Min.  
*amurensis*, Pomel, *Nouv. Mat. Fl. Atl.* 209 = *italica*.  
*anastomosans*, Lag. *Gen. et Sp.* Nov. 15 = *picta*.  
*andicola*, Gill, in Hook. *Bot. Misc.* iii. (1833) 147 =  
*Saponaria andicola*.  
*andryalaefolia*, Pomel, *Nouv. Mat. Fl. Atl.* 331.—  
 Alger.  
*angistoma*, Fenzl, ex Boiss. *Fl. Orient.* i. 622 =  
*persica*.  
*anglica*, Linn. *Sp. Pl.* 416 = *gallica*.  
*angustifolia*, Bieb. *Fl. Taur. Cauc.* i. 337 = *petraea*.  
*angustifolia*, D. Dietr. *Syn. Pl.* ii. 1568 = *clandestina*.  
*angustifolia*, Guss. *Fl. Sic. Prod.* i. 500 = *S. Cucu-*  
*balus*.  
*angustifolia*, Poir. *Voy. Barb.* ii. 164 = *Tunica*  
*compressa*.  
*angustissima*, Bor. *Fl. Centr. Fr. ed. III.* ii. 95, in obs.  
 = *S. Cucubalus*.  
*anisoloba*, Schrenk, in *Bull. Phys.-Math. Acad.*  
*Petersb.* ii. (1844) 198.—As. centr.  
*annulata*, Hort. ex Fenzl, *Adv. Bot.* [2, 9]; in *Del.*  
*Sem. Hort. Vindob.* (1851).—Hab.?  
*annulata*, Thore, *Chlor. Land.* 173 = *cretica*.  
*anomala*, Duf. ex Rohrb. *Monog. Silene*, 118 =  
*apetala*.  
*antelopum*, Steud. *Nom. ed. II.* i. 450, in *syn.* =  
*S. Cucubalus*.  
*antirrhina*, Hort. *Madr. ex Otth*, in *DC. Prod.* i. 378  
 = *rubella*.  
*antirrhina*, Linn. *Sp. Pl.* 419.—Am. bor.  
*apetala*, Host, *Fl. Austr.* i. 532 = *nocturna*.  
*apetala*, Willd. *Sp. Pl.* ii. 307.—Europ. austr.; Persia.  
*aprica*, Turcz. in *Linnaea*, x. (1836) *Litt.* 102.—  
 Sibir. or.; China.  
*arabica*, Boiss. *Fl. Orient.* i. 593 = *affinis*.  
*araxina*, Trautv. in *Act. Hort. Petrop.* iii. II. (1875)  
 278.—Armenia.  
*Arbuscula*, Fenzl, ex Boiss. *Fl. Orient.* i. 612 =  
*spargulifolia*.  
*arenaria*, Desf. *Fl. Atlant.* i. 354 = *nicaeensis*.  
*arenaria*, Ehrenb. ex Rohrb. *Monog. Silene*, 231 =  
*Gypsophila hirsuta*.  
*arenarioides*, Desf. *Fl. Atlant.* i. 355 = *clandestina*.  
*arenicola*, Presl, *Fl. Sic.* 153 = *nicaeensis*.  
*arenosa*, C. Koch, in *Linnaea*, xv. (1841) 712.—As.  
 Min.; Oriens.  
*argaea*, Fisch. & Mey. in *Ann. Sc. Nat. Sér. IV.* i.  
 (1854) 36.—Cappadoc.  
*argentea*, Ledeb. *Fl. Ross.* i. 311.—As. Min.  
*argillosa*, Munby, in *Bull. Soc. Bot. Fr.* xi. (1864) 44  
 = *rubella*.  
*arguta*, Boiss. & Buhse, in Boiss. *Fl. Orient.* i. 642 =  
*peduncularis*.  
*arguta*, Fenzl, *Pugill. Pl. Nov. Syr.* 8.—As. Min.  
*Aristidis*, Pomel, *Nouv. Mat. Fl. Atl.* 330.—Alger.  
*armena*, Boiss. *Diagn.* Ser. I. i. 29.—As. Min.  
*armeniaca*, Rohrb. in *Ind. Sem. Hort. Berol.* (1867)  
*App.* ii. 5; *Monog. Silene*, 209.—Armenia.  
*Armeria*, Asso, *Syn. Stirp. Arag.* 54 = *rubella*.  
*Armeria*, Bieb. *Fl. Taur. Cauc.* i. 339 = *compacta*.  
*Armeria*, Linn. *Sp. Pl.* 420.—Europ. austr.  
*Armeria*, Pall. *Ind. Taur.* 51 = *Saponaria glutinosa*.  
*articulata*, Kunze, in *Flora*, xxix. (1846) 696 =  
*fuscata*.  
*articulata*, Viv. *Pl. Lib. Spec.* 23. t. 12. f. 1 = *gallica*.  
*arvatica*, Lag. in *Varied. Cienc.* ii. iv. (1805) 212 =  
*ciliata*.  
*arvensis*, Losc. *Trat. Pl. Arag.* 31 = *S. Muscipula*.  
*arvensis*, Salisb. *Prod.* 301 = *gallica*.  
*aspera*, A. Br. ex Aschers. *Fl. Brandenb.* i. 85 =  
*Lychnis Coeli-rosa*.  
*aspera*, Hort. ex Rohrb. *Monog. Silene*, 118 = *apetala*.  
*asphaltica*, Kotschy, ex Rohrb. l. c. 105 = *setacea*.  
*Asterias*, Griseb. *Spicil. Fl. Rumel.* i. 168.—Banatus.  
*atlantica*, Coss. & Dur. in *Bull. Soc. Bot. Fr.* ii.  
 (1855) 307.—Alger.  
*atocia*, St. Lag. in *Ann. Soc. Bot. Lyon*, vii. (1980)  
 184 = *S. Atocion*.  
*atocioides*, Boiss. *Diagn.* Ser. I. v. 83.—As. Min.  
*Atocion*, Murr. *Syst. ed. XIII.* 421 = *aegyptiaca*.  
*Aucheriana*, Boiss. *Diagn.* Ser. I. i. 27.—Peruv.  
*auriculaefolia*, Pomel, *Nouv. Mat. Fl. Atl.* 332 =  
*mollissima*.  
*auriculata*, Sibth. & Sm. *Fl. Graec. Prod.* i. 292.—  
 Ital.; Graec.  
*austriaca*, Hort. ex Steud. *Nom. ed. II.* ii. 583 =  
*alpestris*.

VOL. II.

## SILENE:—

*axillaris*, Leavenw. in *Am. Journ. Sc. Ser. I.* vii.  
 (1824) 62 = *Cuphea viscosissima*.  
*azurea*, Hort. *Piln. ex Pasq. Cat. Orto Bot. Nap.* 95,  
 nomen.—Hab.?  
*babylonica*, Boiss. & Noé, *Diagn.* Ser. II. i. 71 = *rubella*.  
*baccifera*, Roth, *Tent. Fl. Germ.* i. 192 = *Cucubalus*  
*baccifer*.  
*baicalensis*, Turcz. in *Bull. Soc. Nat. Mosc.* xv. (1842)  
 575 = *tenuis*.  
*Balsanae*, Boiss. *Diagn.* Ser. II. vi. 31.—Cappadoc.  
*Baldwinii*, Nutt. *Gen. Am.* i. 238.—Am. bor.  
*barbata*, Hort. ex Vilm. *Fl. Pl. Terre*, ed. I. 820 =  
*pendula*.  
*bassanensis*, Sternb. *Reise Rhet. Alp.* 40 = *italica*.  
*Bastardi*, Bor. ex Lloyd, *Fl. Ouest Herbor.* (1876-77),  
 4; et in *Bull. Soc. Dauph.* (1880) 254 = *maritima*.  
*Baumgarteni*, Schott & Kotschy, ex Rohrb. *Monog.*  
*Silene*, 145 = *dinarica*.  
*Behen*, Linn. *Sp. Pl.* 418.—Graecia; As. Min.  
*Behen*, Wirzén, *Enum. Pl. Offic. Fenn.* 36 = *S.*  
*Cucubalus*.  
*bella*, Clark, *Trav.* i. 746 = *compacta*.  
*bellidifolia*, Eckl. & Zeyh. *Enum.* 33.—Afr. austr.  
*bellidifolia*, Jacq. *Hort. Vindob.* iii. 44. t. 81 = *ves-*  
*pertina*.  
*bellidifolia*, Thunb. *Prod. Pl. Cap.* 81 = *ornata*.  
*bellidioides*, Sond. in *Harv. & Sond. Fl. Cap.* i. 125 =  
*bellidifolia*.  
*Bergeri*, Hort. ex Fenzl, *Adv. Bot.* [9]; in *Del. Sem.*  
*Hort. Vindob.* (1851) = *noctiflora*.  
*Bergeri*, Schott, ex Spreng. *Syst.* ii. 411 = *echinata*.  
*Biafrae*, Hook. f. in *Journ. Linn. Soc.* vii. (1864) 183.  
 —Afr. trop.  
*biappendiculata*, Ehrh. ex Rohrb. in *Bot. Zeit.* xxv.  
 (1867) 82.—Aegypt.  
*bicolor*, Frivald. ex Rohrb. *Monog. Silene*, 158 = *rigidula*.  
*bicolor*, Moench, *Meth.* 706 = *nocturna*.  
*bicolor*, Reichb. *Pl. Cult.* t. 72 = *picta*.  
*bicolor*, Thore, *Ess. Chlor. Land.* 174 = *portensis*.  
*bifida*, Retz. in *Hoffm. Phytog. Blaetter*, i. (1803) 37  
 = *colorata*.  
*biflora*, Willd. ex Rohrb. *Monog. Silene*, 124 = *ciliata*.  
*bipartita*, Desf. *Fl. Atlant.* i. 352 = *colorata*.  
*bipartita*, Hort. ex Fenzl, *Adv. Bot.* [2]; in *Del. Sem.*  
*Hort. Vindob.* (1851) = *vespertina*.  
*bohémica*, Jord. & Fourr. *Brev. Pl. Nov.* i. fasc. 6 =  
*gallica*.  
*Boissieri*, J. Gay, ex Coss. *Notes Crit.* ii. 32.—Hispan.  
*Boissieri*, Tineo, ex Rohrb. *Monog. Silene*, 115 =  
*colorata*.  
*Bolanderi*, A. Gray, in *Proc. Am. Acad.* vii. (1868)  
 330 = *Hookeri*.  
*Borderi*, Jord. in *Ann. Soc. Linn. Lyon*, N. S. xii.  
 (1866) 445 = *elegans*.  
*Boryi*, Boiss. *Elench.* 19.—Hispan.  
*brachiata*, Jord. ex Bor. *Fl. Centr. Fr. ed. III.* ii. 94 =  
*S. Cucubalus*.  
*brachyantha*, Schott, ex Rohrb. *Monog. Silene*, 213 =  
*saxatilis*.  
*brachyantha*, Schur, ex Nym. *Consp.* 86 = *S. Cucu-*  
*balus*.  
*brachycarpa*, Boiss. & Bal. *Diagn.* Ser. II. vi. 29.—As.  
 Min.  
*brachypetala*, Hort. ex Fenzl, *Adv. Bot.* [9]; in *Del.*  
*Sem. Hort. Vindob.* (1851) = *apetala*.  
*brachypetala*, Rob. & Cast. ex DC. *Fl. Fr. Suppl.* 607  
 = *nocturna*.  
*brachystachys*, Webb, *Fragm. Fl. Aethiop.* 34.—Nubia.  
*bracteata*, Boiss. in *Tchihat. Asie Min. Bot.* i. 200 =  
*olympica*.  
*bracteosa*, Bertol. *Fl. Ital.* vi. 627 = *S. Muscipula*.  
*brahuica*, Boiss. *Fl. Orient.* i. 615.—Afghan.  
*brevicaulis*, Boiss. *Diagn.* Ser. I. i. 34.—Cataonia.  
*Bridgesii*, Rohrb. *Ind. Sem. Hort. Berol.* (1867) *App.*  
 ii. 5.—Calif.  
*Broussonetiana*, Schott, ex Webb & Berth. *Phyt.*  
*Canar.* i. 141 = *nutans*.  
*bryoides*, Jord. *Pugill. Pl. Nov.* 30 = *acaulis*.  
*buglossifolia*, Sm. in *Rees, Cyclop.* xxxii. [n. 44] =  
*italica*.  
*bupleuroides*, Heldr. ex Boiss. *Diagn.* Ser. I. viii. 90 =  
*caramanica*.  
*bupleuroides*, Ledeb. ex Boiss. *Fl. Orient.* i. 639 =  
*longiflora*.  
*bupleuroides*, Linn. *Sp. Pl.* 421.—As. Min.  
*bupleuroides*, Schang. ex Bunge, *Verz. Alt.* 31 = *tenuis*.  
*Burchellii*, Otth, in *DC. Prod.* i. 374.—Afr. austr.

## SILENE:—

*byzantina*, Castagne, ex Boiss. *Fl. Orient.* i. 627 =  
*S. Fabaria*.  
*caesarea*, Boiss. & Bal. *Diagn.* Ser. II. vi. 31.—As.  
 Min.  
*caesia*, Jan, *Elench.* 7; Sibth. & Sm. *Fl. Graec. Prod.*  
 i. 294; *Fl. Graec. v. t.* 417 = *italica*.  
*caesia*, Sieber, ex Boiss. *Fl. Orient.* i. 632 = *Sieberi*.  
*caespitosa*, Salisb. *Prod.* 302 = *acaulis*.  
*caespitosa*, Stev. in *Mém. Soc. Nat. Mosc.* iii. (1812)  
 262.—Reg. Caucas.  
*caffra*, Fenzl, in *Drège, Zwei Pfl. Docum.* 222, nomen;  
 et ex C. Muell. in *Walp. Ann.* vii. 276.—Afr. austr.  
*californica*, Durand, in *Journ. Acad. Nat. Sc. Philad.*  
 Ser. II. iii. (1855) 83.—Calif.  
*calycina*, Presl, *Fl. Sic.* 155.—Sicil.  
*calycina*, Salzm. ex Rohrb. *Monog. Silene*, 99 = *tri-*  
*dentata*.  
*calyculata*, C. Koch, in *Linnaea*, xix. (1847) 56 =  
*dianthoides*.  
*Cambessedesii*, Boiss. & Reut. *Pugill. Nov. Pl.* (1852)  
 18 = *littorea*.  
*Campanula*, Lapeyr. *Hist. Abr. Pl. Pyr.* 248 =  
*elegans*.  
*Campanula*, Pers. *Syn.* i. 500.—Italia.  
*campanulata*, Saut. in *Flora*, xiii. (1830) 485 =  
*S. Cucubalus*.  
*campanulata*, S. Wats. in *Proc. Am. Acad.* x. (1875)  
 341.—Calif.  
*cana*, Otth, in *DC. Prod.* i. 382 = *italica*.  
*canariensis*, Willd. in *Spreng. Neue Entdeck.* iii. 60  
 (nom. fals.?) = *corrugata*?  
*candicans*, Celak. in *Oestr. Bot. Zeitschr.* xxvi. (1876)  
 321.—Syria.  
*Candollii*, Jord. ex Guss. *Enum. Pl. Inar.* 37 = *gallica*.  
*canescens*, Hort. ex Fenzl, *Adv. Bot.* [7]; in *Del. Sem.*  
*Hort. Vindob.* (1851) = *gallica*, *Lychnis sylvestris*.  
*canescens*, Tenore, *Prod. Fl. Nap.* p. xxv; *Fl. Nap.* i.  
 236. t. 39 = *colorata*.  
*canopica*, Boiss. *Fl. Orient.* i. 596 = *biappendiculata*.  
*canopica*, Delile, *Fl. Aeg.* III. 88; ex Spreng. *Syst.* ii.  
 406 = *villosa*.  
*cantabrica*, Jord. & Fourr. *Brev. Pl. Nov. fasc.* i. 5 =  
*gallica*.  
*capensis*, Otth, in *DC. Prod.* i. 379.—Afr. austr.  
*capillipes*, Boiss. & Heldr. *Diagn.* Ser. II. v. 55.—  
 Cilicia.  
*capitellata*, Boiss. *Diagn.* Ser. I. i. 25.—As. Min.  
*cappadocica*, Boiss. & Heldr. l. c. viii. 86.—As. Min.  
*caramanica*, Boiss. & Heldr. l. c. 90.—As. Min.  
*cariensis*, Boiss. l. c. i. 40.—Caria.  
*carnea*, Salisb. *Prod.* 301 = *fruticosa*.  
*carnosa*, Moench, *Meth. Suppl.* 306 = *nocturna*.  
*caroliniana*, Walt. *Fl. Carol.* 142 (err. typ. 241) =  
*pensylvanica*.  
*caryophylloides*, Otth, in *DC. Prod.* i. 369.—As.  
 Min.  
*caspica*, Pers. *Syn.* i. 497.—Reg. Caucas.; Turkest.  
*cassia*, Boiss. *Diagn.* Ser. I. viii. 78.—Syria.  
*Catesbaei*, Walt. *Fl. Carol.* 141 = *virginica*.  
*catholica*, Ait. *Hort. Kew.* ed. II. iii. 85.—Europ.  
 austr.  
*catholica*, Willk. in *Willk. & Lange, Prod. Fl. Hisp.*  
 iii. 665 = *italica*.  
*caucasica*, Boiss. *Fl. Orient.* i. 622.—Reg. Caucas.  
*Ceccariana*, Boiss. & Heldr. *Diagn.* Ser. II. i. 78 =  
*linifolia*.  
*cephalantha*, Boiss. *Fl. Orient.* i. 613.—Armenia.  
*cephallenia*, Heldr. *Fl. Céph.* 26.—Ins. Cephal.  
*cephalonica*, Schimp. & Wiest, ex Rohrb. *Monog.*  
*Silene*, 81 = *S. Fabaria*.  
*cerastiifolia*, Boiss. *Fl. Orient.* i. 626 = *odontopetala*.  
*cerastoides*, All. *Fl. Pedem.* ii. 79 = *gallica*.  
*cerastoides*, Hort. ex Fenzl, *Adv. Bot.* [9]; in *Del. Sem.*  
*Hort. Vindob.* (1851) = *disticha*.  
*cerastoides*, Linn. *Sp. Pl.* 417.—Reg. Mediterr.  
*cernua*, Bartl. in *Linnaea*, vii. (1832) 623 = *Bur-*  
*chellii*.  
*cernua*, Thunb. *Prod. Pl. Cap.* 81 = *clandestina*.  
*cespitosa*, Stev. = *caespitosa*.  
*chaetodonta*, Boiss. *Diagn.* Ser. I. i. 39.—Syria;  
 Persia.  
*chamarensis*, Turcz. in *Bull. Soc. Nat. Mosc.* xv.  
 (1842) 578 = *tenuis*.  
*cheiranthifolia*, Salzm. ex Rohrb. *Monog. Silene*, 102 =  
*obtusifolia*.  
*cheiranthifolia*, Schott, in *Oken, Isis* (1818), 821 =  
*micropetala*.

5 Z

**SILENE:—**

*cheiranthoides*, Poir. Encyc. vii. 176 = pensylvanica.  
*chia*, Spreng. Syst. ii. 409 = gallica.  
*chilensis*, Cham. & Schlecht. ex Rohrb. Monog. Silene, 97 = gallica.  
*chirensis*, A. Rich. Tent. Fl. Abyss. i. 44.—Abyss.  
*chloraefolia*, Sm. Pl. Ic. Ined. i. 13. t. 13.—As. Min.; Persia.  
*chlorantha*, Ehrh. Beitr. vii. 144.—Europ.; Tauria.  
*chlorthanthe*, Hort. ex Fenzl, Adv. Bot. [7, 9]; in Del. Sem. Hort. Vindob. (1851) = disticha.  
*chloropetala*, Rupr. Fl. Caucas. 195.—Reg. Caucas.  
*Choulettii*, Coss. in Bull. Soc. Bot. Fr. ix. (1862) 169.—Alger.  
*chromodonta*, Boiss. & Reut. Diagn. Ser. II. i. 71.—Thessalia.  
*ciliata*, Hort. ex Fenzl, Adv. Bot. [9]; in Del. Sem. Hort. Vindob. (1851) = obtusifolia, vespertina.  
*ciliata*, Pourr. in Mém. Acad. Toul. iii. (1788) 329.—Gallia.  
*ciliata*, Urv. in Mém. Soc. Linn. Par. i. (1822) 304 = discolor.  
*ciliata*, Willd. Sp. Pl. ii. 692 = colorata.  
*cinerea*, Desf. Fl. Atlant. i. 335.—Alger.  
*cirtensis*, Pomel, Nouv. Mat. Fl. Atl. 328 = cinerea.  
*cisplatensis*, Cambess. in A. St. Hil. Fl. Bras. Mer. ii. 163.—Bras.  
*clandestina*, Duby, Bot. Gall. 77 = cretica.  
*clandestina*, Hort. ex Fenzl, Adv. Bot. [9]; in Del. Sem. Hort. Vindob. (1851) = antirrhina, apetala.  
*clandestina*, Jacq. Coll. Suppl. 111.—Afr. austr.  
*clavaecarpa*, Rochel, ex Rohrb. Monog. Silene, 220 = italica.  
*clavata*, Moench, Meth. 706 = vallesia.  
*clavicarpa*, Rochel, ex Reichb. Fl. Germ. Excurs. 821 = italica.  
*Clusii*, Hort. ex Fenzl, Adv. Bot. [7]; in Del. Sem. Hort. Vindob. (1851) = gallica.  
*Clusii*, Schott, ex Steud. Nom. ed. II. ii. 583 = ceras-toides.  
*coarctata*, Hort. ex Fenzl, Adv. Bot. [9]; in Del. Sem. Hort. Vindob. (1851) = disticha.  
*coarctata*, Lag. Gen. et Sp. Nov. 15 = cerastoides.  
*coccinea*, Moench, Meth. Suppl. 306 = virginica.  
*Coeli-rosa*, A. Br. in Flora, xxvi. (1843) 373 = Lychnis Coeli-rosa.  
*colorata*, Frivald. in Flora, xviii. (1835) 334 = Friwald-skyana.  
*colorata*, Hort. ex Fenzl, Adv. Bot. [9]; in Del. Sem. Hort. Vindob. (1851) = gallica.  
*colorata*, Poir. Voy. Barb. ii. 163.—Reg. Mediterr.  
*colorata*, Schousb. ex Hornem. Hort. Hafn. i. 412 = obtusifolia.  
*commelinaefolia*, Boiss. Diagn. Ser. I. i. 35.—As. Min.; Persia.  
*commuta*, 'Bert.' ex Nym. Consp. 88 = maritima.  
*commutata*, Guss. Fl. Sic. Prod. i. 499 = S. Cucu-balus.  
*commutata*, Schur, in Verh. Siebenb. Ver. Naturw. (1859) 66 = nutans.  
*comollina*, Ser. Fl. Jard. iii. (1849) 337.—Austria.  
*compacta*, Fisch. Hort. Gorenk. ed. II. (1812) 60; et ex Hornem. Hort. Hafn. i. 417.—Europ. or.; As. Min.  
*congesta*, Griseb. Spicil. Fl. Rumel. i. 175 = Roemerii.  
*congesta*, Hort. ex Fenzl, Adv. Bot. [9]; in Del. Sem. Hort. Vindob. (1851) = disticha.  
*congesta*, Panč. ex Rohrb. Monog. Silene, 199 = Sendtneri.  
*congesta*, Schott, ex Steud. Nom. ed. II. ii. 583 = gallica, disticha.  
*congesta*, Sibth. & Sm. Fl. Graec. Prod. i. 300.—Graecia.  
*conica*, Geners. ex Rohrb. Monog. Silene, 97 = gallica.  
*conica*, Hampe, in Flora, xx. (1837) 226 = sub-conica.  
*conica*, Hort. ex Fenzl, Adv. Bot. [9]; in Del. Sem. Hort. Vindob. (1851) = conoidea.  
*conica*, Linn. Sp. Pl. 418.—Europ.; Oriens.  
*conifera*, Steud. Nom. ed. II. ii. 583, sphalm. = seq.  
*confiora*, Nees, ex Otth, in DC. Prod. i. 371.—Syria; Persia.  
*conoidea*, Huds. Fl. Angl. ed. II. 189 = conica.  
*conoidea*, Linn. Sp. Pl. 418.—Europ.; Oriens.  
*conringiaefolia*, Andr. ex Trautv. in Act. Hort. Petrop. viii. (1883) 136, nomen.—Podolia.  
*Constantia*, Eckl. & Zeyh. Enum. 32.—Afr. austr.

**SILENE:—**

*Constantia*, Fenzl, Adv. Bot. [2]; in Del. Sem. Hort. Vindob. (1851) = clandestina.  
*cordata*, Link, Handb. ii. 244, sphalm. = seq.  
*cordifolia*, All. Fl. Pedem. ii. 82. t. 23. f. 3.—Pedemont.  
*coronaria*, Clairv. ex Reichb. Fl. Germ. Excurs. 826 = Lychnis coronaria.  
*corrugata*, Ball, in Journ. Bot. xi. (1873) 301.—Marocc.  
*corsica*, DC. Fl. Fr. iv. 756 = succulenta.  
*corsica*, Hort. Erf. ex Link, Enum. Hort. Berol. i. 428 = fruticosa.  
*corsica*, Hort. ex Fenzl, Adv. Bot. [9]; in Del. Sem. Hort. Vindob. (1851) = nocturna.  
*corymbifera*, Bertol. Fl. Ital. iv. 591 = S. Muscipula.  
*costata*, Otth, in DC. Prod. i. 376 = clandestina.  
*Coulteriana*, Otth, l. c. 368 = S. Cucubalus.  
*crassicaulis*, Willk. & Costa, in Linnaea, xxx. (1859-60) 91.—Hispan.  
*crassifolia*, Linn. Sp. Pl. 597.—Afr. austr.  
*crassifolia*, Thore, Promen. Gascogne, 53, 54 = Thorei.  
*crassifolia*, Thunb. Prod. Pl. Cap. 81 = Thunbergiana.  
*crassipes*, Fenzl, Pugill. Pl. Nov. Syr. 8.—Syria.  
*cretacea*, Fisch. in Spreng. Syst. ii. 405.—Sibir.  
*cretica*, Hort. ex Fenzl, Adv. Bot. [9]; in Del. Sem. Hort. Vindob. (1851) = disticha, Cuphea procumbens.  
*cretica*, Hort. ex Vilm. Fl. Pl. Terre, ed. III. 1070 = pendula.  
*cretica*, Linn. Sp. Pl. 420.—Europ. austr.  
*crispa*, Moench, Meth. 706 = pendula.  
*crispa*, Poir. Encyc. vii. 162 = rubella.  
*crispata*, Stev. in Bull. Soc. Nat. Mosc. xxix. (1856) i. 315, in textu = S. Cucubalus.  
*croatica*, Waldst. & Kit. ex Rohrb. Monog. Silene, 140 = Waldsteinii.  
*cruentata*, Jord. & Fourr. Brev. Pl. Nov. fasc. i. 8 = gallica.  
*cryptantha*, Viv. Fl. Lib. Spec. 23.—Lybia.  
*Cserei*, Baumg. Enum. Stirp. Transs. iii. 345 = S. Fabaria.  
*Cucubalus*, Wibel, Prim. Fl. Werth. 241.—Europ.; Afr. bor.; Reg. Himal.  
*cuneifolia*, J. F. Gmel. Syst. 714 = gallica.  
*cuprea*, Hort. ex Reichb. Ic. Fl. Germ. iii. 52 = nutans.  
*cuspidata*, Leveillé, in Demid. Voy. Russ. MÉR. ii. 234, sphalm. = Erysimum cuspidatum.  
*cylindriflora*, Griseb. Spicil. Fl. Rumel. i. 171 = subconica.  
*cylindriflora*, Kotschy, ex Rohrb. Monog. Silene, 90 = juvenalis.  
*cylindriflora*, Otth, in DC. Prod. i. 371 = conoidea.  
*Czerei*, Boiss. Fl. Orient. i. 629 = S. Fabaria.  
*dagestanica*, Rupr. Fl. Cauc. 194.—Reg. Caucas.  
*dahurica*, Fisch. ex Sweet, Hort. Brit. ed. II. 53.—Dahuria.  
*dalmatica*, Scheele, in Flora, xxvi. (1843) 430 = Waldsteinii.  
*damascena*, Boiss. & Gaill. Diagn. Ser. II. vi. 34 = palaestina.  
*dasyphylla*, Turcz. in Bull. Soc. Nat. Mosc. xv. (1842) 577 = tenuis.  
*decipiens*, Ball, in Journ. Linn. Soc. xvi. (1877) 357.—Marocc.  
*decipiens*, Barc. in Anal. Soc. Esp. Hist. Nat. viii. (1879) 340.—Ins. Majore.  
*decumbens*, Bivona, Cent. Sic. Pl. i. 75 = colorata.  
*decumbens*, Salzmann, ex Rohrb. Monog. Silene, 117 = glauca.  
*decumbens*, Schreb. ex DC. Prod. i. 369 = procumbens.  
*delicatula*, Bertol. Fl. Ital. iv. 624 = sedoides.  
*delicatula*, Boiss. Diagn. Ser. I. i. 41.—Cilicia.  
*delphica*, Boiss. & Heldr. Diagn. Ser. II. i. 73 = congesta.  
*densiflora*, Urv. in Mém. Soc. Linn. Par. i. (1822) 303 = S. Otites.  
*depressa*, Baumg. Enum. Stirp. Transs. iii. 826 = dinarica.  
*depressa*, Bieb. Fl. Taur. Cauc. i. 336.—Reg. Caucas.  
*dianthifolia*, J. Gay, in Tchihat. Asie Min. Bot. i. 193.—Cilicia.  
*dianthifolia*, Otth, in DC. Prod. i. 373 = altaica.  
*dianthoides*, Pers. Syn. i. 500.—As. Min.  
*dianthoides*, Schimp. ex Rohrb. Monog. Silene, 178 = Thloraefolia.  
*dichotoma*, Ehrh. Beitr. vii. 144.—Europ.  
*dichotoma*, Gilib. Fl. Lituan. ii. 169 = noctiflora.  
*diffusa*, Forsk. ex Steud. Nom. ed. II. ii. 584 = Forskolei.  
*diffusa*, Otth, in DC. Prod. i. 373 = colorata.  
*Dilleniana*, Schott, ex Desf. Cat. Hort. Par. ed. III. 264.—Gallia.

**SILENE:—**

*Dillenii*, Hort. ex Fenzl, Adv. Bot. [7]; in Del. Sem. Hort. Vindob. (1851) = cretica.  
*dinarica*, Spreng. Syst. ii. 405.—Transsylv.  
*dioica*, Fisch. & Mey. Ind. Sem. Hort. Petrop. vii. 6 = conoidea.  
*discolor*, Retz. in Hoffm. Phytog. Blaetter, i. (1803) 33 = nutans.  
*discolor*, Sibth. & Sm. Fl. Graec. Prod. i. 292; Fl. Graec. v. 8. t. 410.—As. Min.  
*distachya*, Brot. Fl. Lusit. ii. 189 = colorata.  
*distans*, Otth, in DC. Prod. i. 370.—Hab.?  
*disticha*, Willd. Enum. Hort. Berol. 476.—Reg. Mediterr. occ.  
*distycha*, Webb, Iter Hisp. 63 = gallica.  
*diurna*, Gren. & Godr. Fl. Fr. i. 217 = Lychnis dioica.  
*diurniflora*, Kunze, in Linnaea, xvii. (1843) 578 = undulata, Ait.  
*divaricata*, Clemente, ex Lag. Gen. et Sp. Nov. 15.—Hispan.  
*divaricata*, Ehrenb. ex Rohrb. Monog. Silene, 178 = chloraefolia.  
*divaricata*, Otth, in DC. Prod. i. 153 = fuscata.  
*divaricata*, Sibth. & Sm. Fl. Graec. Prod. i. 293; Fl. Graec. v. 10. t. 414 = dichotoma.  
*diversifolia*, Otth, in DC. Prod. i. 378 = rubella.  
*Dorrii*, Kellogg, in Proc. Calif. Acad. iii. (1863) 44 = Menziesii.  
*Douglasii*, Hook. Fl. Bor. Am. i. 88.—Am. bor. occ.  
*Douglasii*, Hort. ex Fenzl, Adv. Bot. [7]; in Del. Sem. Hort. Vindob. (1851) = glauca.  
*Drummondii*, A. Gray, in Proc. Am. Acad. viii. (1873) 377 = Scouleri.  
*Drummondii*, Hook. Fl. Bor. Am. i. 89.—Am. bor. occ.  
*Drummondii*, Hort. ex Fenzl, Adv. Bot. [9]; in Del. Sem. Hort. Vindob. (1851) = glauca.  
*dshabanica*, C. Koch, ex Rohrb. Monog. Silene, 180 = armena.  
*dubia*, Herb. ex Rohrb. l. c. 217 = nutans.  
*Duriaei*, Spach, ex Rohrb. l. c. 116 = colorata.  
*Durieuvi*, Hort. ex Fenzl, Adv. Bot. [2]; in Del. Sem. Hort. Vindob. (1851) = vespertina.  
*echinata*, Jaub. & Spach, Illustr. i. 8 = squamigera.  
*echinata*, Kotschy, ex Rohrb. Monog. Silene, 172 = crassipes.  
*echinata*, Otth, in DC. Prod. i. 380.—Graecia.  
*echinosperma*, Boiss. & Heldr. Diagn. Ser. I. viii. 78.—Graecia.  
*Echinus*, Boiss. & Heldr. l. c. Ser. II. v. 56.—Pisidia.  
*Eckloniana*, Sond. ex Harv. & Sond. Fl. Cap. i. 126.—Afr. austr.  
*effusa*, Fisch. Hort. Gorenk. ed. II. (1812) 59, nomen.—Hab.?  
*effusa*, Otth, in DC. Prod. i. 370 = S. Otites.  
*Ehrenbergiana*, Rohrb. in Bot. Zeit. xxv. (1867) 83.—Syria.  
*elata*, Otth, in DC. Prod. i. 370 = chlorantha.  
*elegans*, Brot. Fl. Lusit. ii. 185.—Lusitan.  
*Elisabethae*, Jan, ex Reichb. Fl. Germ. Excurs. 822.—Ital.  
*elongata*, Bell. Osserv. Bot. 60 = acaulis.  
*elongata*, Forsk. ex Steud. Nom. ed. II. ii. 584 (Quid?).—Aegypt.  
*Engelmanni*, Rohrb. in Ind. Sem. Hort. Berol. (1867) App. ii. 5 = Bridgesii.  
*eranthema*, Wibel, ex Bluff & Fingerh. Comp. Fl. Germ. ed. I. 556 = stricta.  
*eremitica*, Boiss. Fl. Orient. i. 644.—Persia.  
*eremophila*, Bien. ex Boiss. Fl. Orient. i. 594 = colorata.  
*erigens*, Willd. ex Rohrb. Monog. Silene, 155 = rubella.  
*eriocalycina*, Boiss. Diagn. Ser. I. i. 28.—Mesopot.  
*eriophora*, Willd. ex Spreng. Syst. ii. 408 = colorata.  
*eriphylla*, Fur. ex Nym. Consp. 87.—Syria.  
*euxina*, Rupr. Fl. Cauc. 184 = dichotoma.  
*exaltata*, Frivald. in Flora, xviii. (1835) 333 = S. Otites.  
*exaltata*, Hort. ex Fenzl, Adv. Bot. [9]; in Del. Sem. Hort. Vindob. (1851) = noctiflora.  
*exaltata*, Nees, ex Reichb. Fl. Germ. Excurs. 814, in obs. = colorata.  
*expansa*, Hort. ex Rohrb. Monog. Silene, 211 = longipetala.  
*exscapa*, All. Fl. Pedem. ii. 83 = acaulis.  
*exsudans*, Boiss. & Heldr. Diagn. Ser. I. viii. 76 = microsperma.  
*fabaefolia*, Schott, ex Rohrb. Monog. Silene, 81 = S. Fabaria.

## SILENE:—

- Fabaria*, Bertol. Fl. Ital. iv. 627 = *S. Cucubalus*.  
*Fabaria*, Sibth. & Sm. Fl. Graec. Prod. i. 293; Fl. Graec. v. 11. t. 415.—Sicil.; Creta.  
*falcata*, Sibth. & Sm. Fl. cc. i. 301; 25. t. 436.—Bithyn.  
*Falconeriana*, Royle, Illustr. Bot. Himal. 79. t. 20. f. a.—Reg. Himal.  
*fullax*, Willk. Pl. Haloph. 107 = *ramosissima*.  
*fasciculata*, Boiss. & Heldr. in Boiss. Fl. Orient. i. 613 = *brachycarpa*.  
*Fenzlii*, Boiss. & Bal. Diagn. Ser. II. vi. 30.—Cilicia.  
*filiformis*, Lowe, in Trans. Camb. Phil. Soc. vi. (1838) 549 = *inaperta*.  
*filiformis*, Otth, in DC. Prod. i. 376 = *picta*.  
*fimbriata*, Baldw. ex Ell. Sketch. i. 515 = *Baldwinii*.  
*fimbriata*, Hort. ex Fenzl, Adv. Bot. [7]; in Del. Sem. Hort. Vindob. (1851) = *S. Cucubalus*.  
*fimbriata*, Sims, Bot. Mag. t. 908.—Reg. Caucas.  
*firma*, Sieb. & Zucc. in Abh. Akad. Muench. iv. II. (1843) 166 = *aprica*.  
*Fischeri*, Steud. Nom. ed. II. ii. 584 = *S. Cucubalus*.  
*fissa*, Salisb. Prod. 302 = *Cucubalus baccifer*.  
*fissipetala*, Turcz. in Bull. Soc. Nat. Mosc. xxvii. (1854) 11. 371.—China.  
*fistulosa*, G. Don, Gen. Syst. i. 405 = *italica*.  
*flammulaefolia*, Steud. ex A. Rich. Tent. Fl. Abyss. i. 43.—Abyss.  
*flavescens*, Waldst. & Kit. Pl. Rar. Hung. ii. 131. t. 175.—Hungar.; Banat.  
*foetida*, Link, ex Spreng. Syst. ii. 406.—Lusitan.  
*foetida*, Pourr. ex Lange, in Kjoeb. Vidensk. Meddel. (1865) 114, nomen.—Hispan.  
*foliosa*, Maxim. Prim. Fl. Amur. 53.—Manchuria.  
*foliosa*, Regel, in Bull. Soc. Nat. Mosc. xxxiv. (1861) 11. 559 = *macrostyla*.  
*fontana*, Tenore, Fl. Nap. App. i. 26 = *quadrida*.  
*Forskohlei*, Steud. Nom. ed. II. ii. 584.—Aegypt.  
*Fortunei*, Vis. Ind. Sem. Hort. Patav. (1847).—Cf. *Linnaea*, xxiv. (1851) 181.—China.  
*Fortunii*, Hort. ex Fenzl, Adv. Bot. [9]; in Del. Sem. Hort. Vindob. (1851) = *noctiflora*.  
*Friwaldskiana*, Hampe, in Flora, xx. (1837) 227.—Thracia.  
*frutescens*, Bieb. Besch. Casp. 175 = *altaica*?  
*fruticosa*, Georgi, Besch. Russ. Reich. iv. 974 = *altaica*.  
*fruticosa*, Linn. Sp. Pl. 417.—Graecia; Sicilia.  
*fruticosa*, Salzmann, ex Rohrb. Monog. Silene, 226 = *velutina*.  
*fruticulosa*, Dietr. ex Otth, in DC. Prod. i. 381 = *caspica*.  
*fruticulosa*, Fenzl, ex Rohrb. Monog. Silene, 128 = *dianthifolia*.  
*fruticulosa*, Sieber, ex Otth, in DC. Prod. i. 376.—Ins. Creta.  
*fulgida*, Kotschy, ex Rohrb. Monog. Silene, 103 = *palaestina*.  
*fuscata*, Link, ex Brot. Fl. Lusit. ii. 187.—Reg. Mediterr.  
*gallica*, Hort. Par. ex Tenore, Syll. Fl. Neap. 212 = *reflexa*.  
*gallica*, Linn. Sp. Pl. 417.—Oriens.  
*Gallinyi*, Fenzl, Adv. Bot. [2]; in Del. Sem. Hort. Vindob. (1851) = *squamigera*.  
*Gallinyi*, Heuff. ex Reichb. Fl. Germ. Excurs. 815 = *trinervia*.  
*Gebleriana*, Schrenk, Enum. Pl. Nov. 91.—Soongar.  
*geminiflora*, Willd. Enum. Hort. Berol. 472 = *obtusifolia*.  
*geniculata*, Lag. Gen. et Sp. Nov. 14.—Gallia.  
*geniculata*, Pourr. in Mém. Acad. Toul. iii. (1788) 328 = *ciliata*.  
*germana*, J. Gay, ex Coss. Notes Crit. ii. 31 = *Boissieri*.  
*getula*, Pomel, Nouv. Mat. Fl. Atl. 329.—Alger.  
*gibraltaria*, Boiss. Elench. 20 = *mollissima*.  
*gigantea*, Linn. Sp. Pl. 418.—Reg. Mediterr.  
*Giraldii*, Guss. Enum. Pl. Inar. 36. t. 1. f. 2 = *gallica*.  
*glabra*, Koch, Syn. Fl. Germ. ed. II. 1147, sphalm. = *Sagina glabra*.  
*glandulosa*, Bertol. Fl. Ital. vi. 626 = *gallica*.  
*glandulosa*, Hampe, ex Walp. in Nov. Act. Nat. Cur. xix. Suppl. i. (1843) 302 = *plutonica*.  
*glareosa*, Jord. Pugill. Pl. Nov. 31 = *S. Cucubalus*.  
*glauca*, Hort. Par. ex Rohrb. Monog. Silene, 118 = *apetala*.  
*glauca*, Lag. Elench. Hort. Matr. (1803); ex ej. Gen. et Sp. Nov. 15.—Reg. Mediterr. occ.  
*glauca*, Salisb. Prod. 302 = *S. Armeria*.  
*glauca*, Sm. ex Steud. Nom. ed. II. ii. 584 = *S. Cucubalus*.

## SILENE:—

- glauca*, Zea, ex Poir. Encyc. Suppl. v. 153 = *crassipes*.  
*glaucofolia*, Hort. ex Fenzl, Adv. Bot. [9]; in Del. Sem. Hort. Vindob. (1851) = *apetala*.  
*glaucofolia*, Lag. in Varied. Cienc. ii. iv. (1805) 213 = *Lychnis pyrenaica*.  
*glaucohylla*, Lag. ex Willk. & Lange, Prod. Fl. Hisp. iii. 641.—Hispan.  
*glomerata*, C. Gay, Fl. Chil. i. 259 = *gallica*.  
*glutinosa*, Duf. ex Cambess. in Mém. Mus. Par. xiv. (1827) 219 = *rubella*.  
*glutinosa*, Pers. Syn. i. 498 = *catholica*.  
*glutinosa*, Rohrb. Monog. Silene, 80, sphalm. = *plutonica*.  
*glutinosa*, Zois, in Sitzb. Zool.-Bot. Ges. Wien, viii. (1858) 80 = *eriphylla*.  
*goniocala*, Boiss. Diagn. Ser. I. i. 31.—Persia.  
*gonocalyx*, Boiss. l. c. 38 = *crassipes*.  
*gracilis*, DC. Cat. Hort. Monsp. (1813) 145 = *longicaulis*.  
*gracilis*, Hort. ex Fenzl, Adv. Bot. [9]; in Del. Sem. Hort. Vindob. (1851) = *apetala*.  
*gracillima*, Rohrb. in Linnaea, xxxvi. (1869-70) 679.—Japan.  
*graeaca*, Boiss. & Sprun. Diagn. Ser. I. i. 36.—Graecia.  
*graeaca*, Hort. ex Fenzl, Adv. Bot. [2]; in Del. Sem. Hort. Vindob. (1851) = *conoidea*.  
*graeaca*, Hort. ex Vilm. Fl. Pl. Terre, ed. II. 865 = *pendula*.  
*Graefferi*, Guss. Pl. Rar. Sic. 170. t. 34 = *ciliata*.  
*graminea*, Vis. ex Reichb. Ic. Fl. Germ. vi. 52 = *vallesia*.  
*graminifolia*, Heldr. ex Boiss. Diagn. Ser. II. vi. 32 = *Marschallii*.  
*graminifolia*, Ledeb. Fl. Alt. ii. 143 = *turgida*.  
*graminifolia*, Otth, in DC. Prod. i. 368 = *tenuis*.  
*grammatocalyx*, Fenzl, ex Boiss. Diagn. Ser. I. viii. 82 = *macrodonta*.  
*grata*, Donnersm. Adumbr. Pl. 28 = *reticulata*.  
*graveolens*, Duf. in Bull. Soc. Bot. Fr. vii. (1860) 242 = *ramosissima*.  
*Grayi*, S. Wats. in Proc. Am. Acad. xiv. (1879) 291.—Calif.  
*Greggii*, A. Gray, Pl. Wright. ii. 17 = *laciniata*.  
*Griffithii*, Boiss. Diagn. Ser. II. i. 76.—Reg. Himal.  
*grisea*, Boiss. l. c. Ser. I. viii. 88.—Syria.  
*Guicciardii*, Boiss. & Heldr. Diagn. Ser. II. vi. 32 = *Marschallii*.  
*Guilelmi-Waldemari*, Klotzsch, in Bot. Ergeb. Waldem. Reise, 140 = *tenuis*.  
*gymnotheca*, Panč. ex Nym. Consp. 92 = *fruticulosa*.  
*Gysophila*, Desf. Cat. Hort. Par. ed. III. 184 = *repens*.  
*gypsophiloides*, Schrank, in Denkschr. Bot. Ges. Regensb. ii. (1822) 45 = *repens*.  
*Haenkeana*, Presl, Rel. Haenk. ii. 19 = *gallica*.  
*halopetala*, Hort. ex Fenzl, Adv. Bot. [9]; in Del. Sem. Hort. Vindob. (1851) = *S. Saxifraga*.  
*halophila*, Link, ex Willk. & Lange, Prod. Fl. Hisp. iii. 650 = *littorea*.  
*halophila*, Willd. ex Spreng. Syst. ii. 406.—Hispan.  
*Heldreichii*, Boiss. Diagn. Ser. I. viii. 81.—As. Min.  
*Hellmanni*, Claus, in Beitr. Pfl. Russ. Reich. viii. 289.—Rossia.  
*Heufleri*, Hausm. ex Nym. Consp. 87 = *eriphylla*.  
*hirsuta*, Lag. in Varied. Cienc. ii. iv. (1805) 212.—Reg. Mediterr. occ.  
*hirsuta*, Poir. Voy. Barb. ii. 163 = *vespertina*.  
*hirsuta*, Presl, ex Mert. & Koch, Deutschl. Fl. iii. 23 = *gallica*.  
*hirsuta*, Schousb. ex Ball, in Journ. Linn. Soc. xvi. (1877) 356 = *disticha*.  
*hirsutissima*, Otth, ex DC. Prod. i. 372 = *hirsuta*.  
*hirta*, Willd. Hort. Berol. t. 23 = *sericea*.  
*hispanica*, Jacq. Fragm. 47 = *colorata*.  
*hispanica*, Otth, in DC. Prod. i. 369 = *littorea*.  
*hispida*, Desf. Fl. Atlant. i. 348 = *vespertina*.  
*hispida*, Hort. ex Fenzl, Adv. Bot. [7]; in Del. Sem. Hort. Vindob. (1851) = *gallica*.  
*hispida*, Hort. ex Willd. Enum. Hort. Berol. 476; et Poir. Encyc. Suppl. v. 151 = *disticha*.  
*hispida*, Salzmann, ex Ball, in Journ. Linn. Soc. xvi. (1878) 358 = *hirsuta*?  
*Hochstetteri*, Rohrb. in Bot. Zeit. xxv. (1867) 81.—Abyss.  
*Hoeffitiana*, Fisch. ex C. A. Mey. Verz. Pfl. Cauc. 215.—Reg. Caucas.  
*Hohenackeri*, Boiss. Diagn. Ser. II. i. 75 = *Aucheriana*.  
*holopetala*, Bunge, in Ledeb. Fl. Alt. ii. 142.—Sibir. altaic.  
*Honigbergeri*, Fenzl, in Endl. & Fenzl, Sert. Cabul. 3.—Afghan.

## SILENE:—

- Hookeri*, Hort. ex Fenzl, Adv. Bot. [2]; in Del. Sem. Hort. Vindob. (1851) = *glauca*.  
*Hookeri*, Nutt. ex Torr. & Gray, Fl. N. Am. i. 192.—Am. bor. occ.  
*Hornemanni*, Hort. ex Fenzl, Adv. Bot. [9]; in Del. Sem. Hort. Vindob. (1851) = *Lychnis dioica*.  
*Hornemanni*, Steud. Nom. ed. II. ii. 584.—Europ. austr.  
*humilis*, C. A. Mey. Verz. Pfl. Cauc. 215.—Reg. Caucas.  
*Hussoni*, Boiss. Diagn. Ser. I. viii. 76.—Arabia; Aegypt.  
*iberica*, Bieb. Fl. Taur. Cauc. i. 335 = *dichotoma*.  
*iconia*, Boiss. & Heldr. Diagn. Ser. I. viii. 85 = *Marschallii*.  
*ignobilis*, Lowe, in Trans. Camb. Phil. Soc. vi. (1838) 549 = *S. Behen*.  
*imbricata*, Desf. Fl. Atlant. i. 349. t. 98.—Afr. bor.  
*inamoena*, Hort. ex Fenzl, Adv. Bot. [7]; in Del. Sem. Hort. Vindob. (1851) = *apetala*.  
*inaperta*, DC. Fl. Fr. iv. 750 = *rubella*.  
*inaperta*, Hort. ex Fenzl, Adv. Bot. [7]; in Del. Sem. Hort. Vindob. (1851) = *annulata*, *linicola*.  
*inaperta*, Linn. Sp. Pl. 419.—Reg. Mediterr. occ.  
*inaperta*, Sibth. & Sm. Fl. Graec. v. 14 = *multicaulis*.  
*incarnata*, Lodd. Bot. Cab. t. 41 = *pensylvanica*.  
*inclusa*, Hornem. Hort. Hafn. i. 413 = *nocturna*.  
*incompta*, A. Gray, in Proc. Am. Acad. vii. (1868) 330 = *Bridgesii*.  
*inconspicua*, Roem. ex Steud. Nom. ed. II. ii. 585.—Cf. Rohrb. Monog. Silene, 228 (Quid?).—Hab.?  
*incurvifolia*, Kar. & Kir. in Bull. Soc. Nat. Mosc. (1841) 391.—Sibir.  
*indica*, Roxb. Hort. Beng. 34; Fl. Ind. ii. 446 = *Lychnis indica*.  
*inflata*, Sm. Fl. Brit. 467 = *S. Cucubalus*.  
*infracta*, Waldst. & Kit. Pl. Rar. Hung. iii. 237 = *nutans*.  
*insubrica*, Gaud. Fl. Helvet. iii. 173 = *italica*.  
*insularis*, W. Barbey, in Bull. Soc. Vaud. Sc. Nat. xxi. (1885) 94.—Ins. Karpathos (prope Rhodon).  
*integrifolia*, Hort. ex Steud. Nom. ed. II. ii. 585, sphalm. ? = *seq.*  
*integripetala*, Bory & Chaub. Nouv. Fl. Pélo. 27.—Graecia.  
*intrusa*, Wight & Arn. Prod. 42 = *colorata*.  
*involuta*, Forsk. Fl. Aegypt. Arab. Suppl. 210. n. 47.—Turcia.  
*ispirensis*, Boiss. & Huet, Diagn. Ser. II. v. 55 = *lazica*.  
*italica*, Pers. Syn. i. 498.—Reg. Mediterr.; Oriens.  
*italica*, Pollini, Fl. Veron. ii. 61 = *nutans*.  
*italica*, Viv. Fl. Cors. 6 = *Salzmanni*.  
*japonica*, Rohrb. in Linnaea, xxxvi. (1869-70) 689.—Japan.  
*jenisea*, Poir. Encyc. Suppl. v. 154 = *tenuis*.  
*jenisea*, Steph. ex Bunge, Verz. Alt. 30.—Sibir. altaic.  
*jenisensis*, Willd. Enum. Hort. Berol. 473 = *jenisea*.  
*jucunda*, Jord. & Fourr. Brev. Pl. Nov. fasc. i. 8 = *gallica*.  
*juncea*, Roth, Catalect. i. 54 = *longiflora*.  
*juncea*, Sibth. & Sm. Fl. Graec. Prod. i. 295 = *picta*.  
*juniperina*, Kunth, ex Rohrb. Monog. Silene, 193 = *Urvillei*.  
*juvenalis*, Delile, Ind. Sem. Hort. Monsp. (1836) 28.—As. Min.  
*Kaulfussii*, Spreng. Pugill. ii. 64 = *rupestris*.  
*Keiskei*, Miq. Ann. Mus. Bot. Lugd. Bat. ii. 77 = *repens*.  
*khasyana*, Rohrb. in Linnaea, xxxvi. (1869-70) 253.—Reg. Himal.  
*Kitaibelii*, Vis. Fl. Dalm. iii. 169 = *Waldsteinii*.  
*Kotschyi*, Boiss. Diagn. Ser. I. i. 40 = *microperma*.  
*Kowalenskyi*, Stschegl. in Bull. Soc. Nat. Mosc. xxvi. (1853) 1. 322 = *arenosa*.  
*Kremeri*, Soyer-Willems. & Godr. in Mém. Soc. Sc. Acad. Nancy, 1850 (1851) 165.—Alger.  
*kunawarensis*, Royle, Illustr. Bot. Himal. 79.—Reg. Himal.  
*Kuschakewiczii*, Regel & Schmalh. in Act. Hort. Petrop. v. (1877) 246.—Turkestan.  
*lacera*, Sims, Bot. Mag. t. 2255 = *fimbriata*.  
*laciniata*, Cav. Ic. vi. 44. t. 564.—Am. bor. occ.  
*laconica*, Boiss. & Orph. Diagn. Ser. II. vi. 34.—Graecia.  
*laeta*, A. Br. in Flora, xxvi. (1843) 373; Gren. & Godr. Fl. Fr. i. 220.—Reg. Mediterr. occ.  
*laeta*, Ehrenb. ex Rohrb. Monog. Silene, 150 = *Reuteriana*.



**SILENE:—**

*laevigata*, Sibth. & Sm. *Fl. Graec. Prod.* i. 295; *Fl. Graec.* v. 13. t. 418.—Ins. Cyprus.  
*Lagasciae*, Boiss. in Welw. *It. Lusit.* 490 = *apetala*.  
*lagenocalyx*, Fenzl, ex Boiss. *Fl. Orient.* i. 587.—Persia.  
*lagunensis*, C. Sm. ex Link, in Buch, *Beschr. Canar.* Ins. 154 = *nutans*.  
*lanceolata*, A. Gray, *Bot. U. St. Expl. Exped.* i. 111.—Ins. Sandvic.  
*lanuginosa*, Bertol. in Desv. *Journ. Bot.* ii. (1813) 76 = *auriculata*.  
*lasiantha*, C. Koch, in *Linnaea*, xv. (1841) 712 = *Marschallii*.  
*lasiopetala*, Fenzl, Pugill. *Pl. Nov. Syr.* 8 = *Marschallii*.  
*lasiostyla*, Boiss. *Diagn. Ser. I.* viii. 79 = *S. Psammitis*.  
*latiflora*, Link, in Schrad. *Neue Journ.* ii. i. (1807) 99, sphalm. = *laxiflora*.  
*latifolia*, S. F. Gray, *Nat. Arr. Brit. Pl.* ii. 647 = *S. Armeria*.  
*latifolia*, Hornem. *Suppl. Hort. Hafn.* 49 = *Horne-manni*.  
*latifolia*, Poir. *Voy. Barb.* ii. 165.—Afr. bor.  
*laxa*, Boiss. & Kotschy, in Boiss. *Fl. Orient.* i. 638.—Armenia.  
*laxiflora*, Brot. *Fl. Lusit.* ii. 188 = *hirsuta*.  
*lazica*, Boiss. *Diagn. Ser. I.* i. 35.—Reg. Caucas.  
*Ledebourii*, Heynh. *Nom.* ii. 667 = *pygmaea*.  
*legionensis*, Hort. ex Fenzl, *Adv. Bot.* [9]; in Del. Sem. Hort. Vindob. (1851) = *vespertina*, nocturna.  
*legionensis*, Lag. *Gen. et Sp. Nov.* 14.—Hispan.  
*Lemmonii*, S. Wats. in *Proc. Am. Acad.* x. (1875) 342.—Calif.  
*lepta*, J. Gay, in Boiss. *Fl. Orient.* i. 602 = *microsperma*.  
*leptoclada*, Boiss. *Fl. Orient.* i. 647.—Lycia.  
*leptopetala*, Schrenk, in *Bull. Phys.-Math. Acad. Pétersb.* ii. (1844) 198.—Soongar.  
*Lerchenfeldiana*, Baumg. *Enum. Stirp. Trans.* i. 398.—Transsylyv.; Banat.  
*leucojfolia*, Orsini, ex Rohrb. *Monog. Silene*, 229 = *multicaulis*.  
*leucophaea*, Sibth. & Sm. *Fl. Graec. Prod.* i. 297; *Fl. Graec.* v. 17. t. 431 = *nicaeensis*.  
*leucophylla*, Boiss. *Diagn. Ser. I.* i. 29.—Arab.  
*leyseroides*, Boiss. l. c. 41 = *arenosa*.  
*libanotica*, Boiss. l. c. viii. 89.—Syria.  
*ligulata*, Viv. *Fl. Lib. Spec.* 24. t. 12. f. 3.—Tripoli.  
*linaccola*, Wibel, ex Spreng. *Syst.* ii. 412, sphalm. = *seq.*  
*linaeola*, Wibel, ex Otth, in DC. *Prod.* i. 379, sphalm. = *stricta*.  
*linearifolia*, Otth, l. c. 374 = *petraea*.  
*linearis*, Decne. in *Ann. Sc. Nat. Sér. II.* iii. (1835) 276.—Arab.  
*linearis*, Sweet, Hort. Brit. ed. II. 51 = *S. Cucubalus*.  
*lineata*, Boiss. & Buhse, in *Nouv. Mém. Soc. Nat. Mosc.* xii. (1860) 37.—Persia.  
*linicola*, C. C. Gmel. *Fl. Bad.* iv. 304.—Europ.  
*linifolia*, Hort. ex Fenzl, *Adv. Bot.* [9]; in Del. Sem. Hort. Vindob. (1851) = *gallica*.  
*linifolia*, Sibth. & Sm. *Fl. Graec.* v. 23. t. 433.—Graecia.  
*linifolia*, Willd. *Enum. Hort. Berol.* 473 = *clandestina*.  
*linoides*, Otth, in DC. *Prod.* i. 384 = *linifolia*.  
*linoides*, Soleir. ex Rohrb. *Monog. Silene*, 165 = *inaperta*.  
*lithophila*, Kar. & Kir. in *Bull. Soc. Nat. Mosc.* xv. (1842) 167.—Soongar.  
*litigiosa*, Schrenk, in *Bull. Phys.-Math. Acad. Pétersb.* ii. (1844) 198 = *supina*.  
*littoralis*, Jord. Cat. Jard. Dijon (1848), 31 = *gallica*.  
*littoralis*, Plan. Ens. *Fl. Gallega*, 123 = *hirsuta*.  
*littoralis*, Pourr. in *Mém. Acad. Toul.* iii. (1788) 329 = *nicaeensis*.  
*littorea*, Brot. *Fl. Lusit.* ii. 186.—Hispan.  
*littorea*, Hort. ex Fenzl, *Adv. Bot.* [9]; in Del. Sem. Hort. Vindob. (1851) = *gallica*.  
*livida*, Wierzb. ex Rohrb. *Monog. Silene*, 219 = *italica*.  
*livida*, Willd. *Enum. Hort. Berol.* 474 = *nutans*.  
*Loeflingiana*, Bernh. ex Godr. *Inflo. Gen. Silene*, 34 = *longicaulis*.  
*Loiseleurii*, Gren. & Godr. *Fl. Fr.* i. 220.—Gallia.  
*longicaulis*, Hort. ex Fenzl, *Adv. Bot.* [2]; in Del. Sem. Hort. Vindob. (1851) = *annulata*.  
*longicaulis*, Pourr. ex Lag. *Gen. et Sp. Nov.* 15.—Hispan.

**SILENE:—**

*longicilia*, Otth, in DC. *Prod.* i. 377 = *nutans*.  
*longiflora*, Bory, in *Ann. Gén. Sc. Phys.* iii. (1820) 14 = *Boryi*.  
*longiflora*, Ehrh. *Beitr.* vii. 144.—Europ. or.; Oriens.  
*longifolia*, D. Dietr. *Syn. Pl.* i. 1576 = *nutans*.  
*longipetala*, Vent. *Jard. Cels*, 83. t. 83.—As. Min.; Syria.  
*lurida*, Hort. ex Steud. *Nom. ed. II.* ii. 585 = *nutans*.  
*lusitanica*, Linn. *Sp. Pl.* 416 = *gallica*.  
*lusitanica*, Sibth. & Sm. *Fl. Graec. Prod.* i. 290 = *vespertina*.  
*Lyallii*, S. Wats. in *Proc. Am. Acad.* x. (1875) 342.—Am. bor. occ.  
*lychnidea*, C. A. Mey. *Verz. Pfl. Cauc.* 213.—Reg. Caucas.  
*lychnidiflora*, Otth, in DC. *Prod.* i. 375 = *cretica*.  
*lycia*, Boiss. *Diagn. Ser. I.* viii. 90 = *rhynchocarpa*.  
*lydia*, Boiss. l. c. i. 37.—As. Min.  
*macroclada*, Boiss. l. c. viii. 84 = *S. Otites*.  
*macrodonata*, Boiss. l. c. i. 37.—Graecia.  
*macropetala*, Spreng. *Syst.* ii. 414 = *longipetala*.  
*macrophylla*, Lag. *Gen. et Sp. Nov.* 15.—Reg. Caucas.  
*macrophylla*, Spreng. ex Rohrb. *Monog. Silene*, 81 = *S. Fabaria*.  
*macrorhiza*, J. Gay, ex Rohrb. l. c. 142 = *foetida*.  
*macrosolea*, Steud. ex A. Rich. *Tent. Fl. Abyss.* i. 44.—Abyss.  
*macrostemma*, Schrank, in *Denkschr. Bot. Ges. Regensb.* ii. (1822) 46.—Galatia.  
*macrostyla*, Maxim. *Prim. Fl. Amur.* 54.—Reg. Amur.  
*makmeliana*, Boiss. *Diagn. Ser. I.* viii. 89 = *chlorae-folia*.  
*makmeliana*, Boiss. & Buhse, ex Boiss. *Fl. Orient.* i. 639 = *longiflora*.  
*Mandalisci*, Parl. in L'Occchio (1839), n. VIII. 61; ex Bertol. *Fl. Ital.* iv. 609 = *sericea*.  
*marginata*, Kit. in *Linnaea*, xxxii. (1863) 536 = *S. Cucubalus*.  
*marginata*, Schott, in *Syll. Ratisb.* i. (1824) 210 = *gallica*.  
*maritima*, Host, *Fl. Austr.* i. 528 = *S. Cucubalus*.  
*maritima*, With. *Bot. Arr. Brit. Pl.* ed. III. ii. 414.—Europ.  
*Marschallii*, C. A. Mey. *Verz. Pfl. Cauc.* 214.—Reg. Caucas.; Oriens.  
*masmenaea*, Boiss. *Diagn. Ser. II.* v. 57.—As. Min.  
*matutina*, Presl, *Fl. Sic.* 149 = *nocturna*.  
*mauritanica*, Pomel, *Nouv. Mat. Fl. Atl.* 328.—Alger.  
*mauritanica*, Pott, ex Rohrb. *Monog. Silene*, 84 = *maritima*.  
*Maximowicziana*, Rohrb. in *Linnaea*, xxxvi. (1869-70) 680.—Japon. (cult.).  
*megaspilaea*, Boiss. & Heldr. ex Rohrb. *Monog. Silene*, 140 = *multicaulis*.  
*melandroides*, Lange, in Kjoeb. *Vidensk. Meddel.* (1877-78) 233.—Hispan.  
*melandryiformis*, Maxim. *Prim. Fl. Amur.* 54 = *aprica*.  
*melanophylla*, Boiss. *Diagn. Ser. I.* i. 24 = *dianthoides*.  
*mellifera*, Boiss. & Reut. *Diagn. Pl. Nov. Hisp.* 9.—Hispan.  
*membrancea*, Poir. *Encyc.* vii. 165 = *noctiflora*.  
*Menziesii*, Hook. *Fl. Bor. Am.* i. 90. t. 30.—Am. bor. occ.  
*mexicana*, Moç. & Sesse, ex Otth, in DC. *Prod.* i. 379 = *laciniata*.  
*Meyeri*, Fenzl, ex Boiss. & Buhse, in *Nouv. Mém. Soc. Nat. Mosc.* xii. (1860) 38 = *depressa*.  
*micrantha*, Link, ex Lag. *Gen. et Sp. Nov.* 15 = *micropetala*.  
*microloba*, Schott, Nym. & Kotschy, *Analect. Bot.* 59 = *S. Cucubalus*.  
*micropetala*, DC. Cat. Hort. Monsp. (1813) 146 = *cerastoides*.  
*micropetala*, Lag. in *Varied. Cienc.* ii. iv. (1805) 213.—Hispan.  
*micropetala*, Roem. ex Schrank, *Pl. Rar. Hort. Monac.* i. t. 39; et in *Syll. Ratisb.* i. (1824) 212 = *disticha*.  
*micropetala*, Tenore, *Fl. Nap.* v. 344 = *gallica*.  
*microphylla*, Boiss. *Diagn. Ser. I.* i. 33.—Persia.  
*microphylla*, DC. *Prod.* i. 372, sphalm. = *micropetala*, Roem.  
*microsperma*, Fenzl, in Russeg. *Reise*, ii. 916 = *linearis*.

**SILENE:—**

*microsperma*, Fenzl, Pugill. *Pl. Nov. Syr.* 9.—Syria.  
*miniata*, Rafin. *Ann. Nat.* 12 (Quid?).—Am. bor.  
*minutiflora*, Jord. & Fourr. *Brev. Pl. Nov.* fasc. i. 4.—Hispan.  
*mixta*, Hort. ex Fenzl, *Adv. Bot.* [9]; in Del. Sem. Hort. Vindob. (1851) = *S. Armeria*, *gallica*.  
*Mociniana*, DC. *Prod.* i. 382 = *laciniata*.  
*modesta*, Boiss. & Blanche, *Diagn. Ser. II.* vi. 33 = *chaetodontata*.  
*modesta*, Jord. & Fourr. *Brev. Pl. Nov.* fasc. i. 5 = *gallica*.  
*mogadorensis*, Coss. in *Bull. Soc. Bot. Fr.* xxii. (1875) 55 = *corrugata*?  
*mollis*, Hornem. Hort. Hafn. i. 418 = *flavescens*.  
*mollissima*, Frivald. ex Rohrb. *Monog. Silene*, 204 = *gigantea*.  
*mollissima*, Hort. ex Fenzl, *Adv. Bot.* [9]; in Del. Sem. Hort. Vindob. (1851) = *annulata*, *cretica*.  
*mollissima*, Otth, in DC. *Prod.* i. 382 = *italica*.  
*mollissima*, Pers. *Syn.* i. 498 = *velutina*.  
*mollissima*, Sibth. & Sm. *Fl. Graec. Prod.* i. 298.—Reg. Mediterr. occ.  
*molopica*, Fenzl, ex Boiss. *Fl. Orient.* i. 578 = *coniflora*.  
*monachorum*, Vis. ex Nym. *Consp.* 87 = *quadriden-tata*.  
*monantha*, S. Wats. in *Proc. Am. Acad.* x. (1875) 340 = *Douglasii*.  
*montana*, Arrond. in *Bull. Soc. Polym. Morb.* (1863) 58; et in *Cat. Pl. Morb.* 15 = *maritima*.  
*montana*, S. Wats. in *Proc. Am. Acad.* x. (1875) 343.—Am. bor. occ.  
*Montbretiana*, Boiss. *Diagn. Ser. I.* i. 26.—Armenia.  
*Moorcroftiana*, Wall. *Cat. n.* 626.—Reg. Himal.  
*Morisii*, Todaro, *Ind. Sem. Hort. Panorm.* (1872) 39; et in *Nuov. Giorn. Bot. Ital.* v. (1873) 158.—Italia.  
*multicaulis*, Boiss. *Fl. Orient.* i. 651 = *clavata*.  
*multicaulis*, Durand. in *Journ. Acad. Nat. Sc. Philad.* Ser. II. iii. (1855); ex S. Wats. *Bibliog. Ind. N. Am.* Bot. i. 108 = *Bridgesii*.  
*multicaulis*, Guss. *Pl. Rar.* 172. t. 35.—Europ. austr.  
*multicaulis*, Nutt. ex Torr. & Gray, *Fl. N. Am.* i. 192, 675 = *Douglasii*.  
*multifida*, Edgew. in *Trans. Linn. Soc.* xx. (1846) 34 = *Griffithii*.  
*multifida*, Rohrb. *Monog. Silene*, 88 = *fimbriata*.  
*multiflora*, Pers. *Syn.* i. 497.—Hungar.; Sibir.  
*Mundiana*, Eckl. & Zeyh. *Enum.* 32.—Afr. austr.  
*muricata*, Host, ex Fenzl, *Adv. Bot.* [2]; in Del. Sem. Hort. Vindob. (1851) = *squamigera*.  
*Muscipula*, Linn. *Sp. Pl.* 420.—Reg. Mediterr.  
*Muscipula*, Otth, in DC. *Prod.* i. 379 = *stricta*.  
*Mussini*, Hornem. Hort. Hafn. i. 415 = *catholica*.  
*mutabilis*, Linn. *Cent. Pl.* ii. 16; *Amoen. Acad.* iv. 314 = *nocturna*.  
*mutabilis*, Siev. in *Pall. N. Nord. Beitr.* vii. 229.—Rossia.  
*mutica*, Hort. ex Fenzl, *Adv. Bot.* [2]; in Del. Sem. Hort. Vindob. (1851) = *disticha*.  
*myloptera*, Jord. & Fourr. *Brev. Pl. Nov.* fasc. i. 8 = *gallica*.  
*nana*, Cambess. ex Nym. *Consp.* 96 = *littorea*.  
*nana*, Kar. & Kir. in *Bull. Soc. Nat. Mosc.* xv. (1842) 169.—Persia; Turkest.  
*nardifolia*, Boiss. & Huet, *Diagn. Ser. II.* v. 56 = *caryophylloides*.  
*natalensis*, Buching. ex Krauss, in *Flora*, xxvii. (1844) 292 = *crassifolia*.  
*nebrodensis*, Jan, ex Rohrb. *Monog. Silene*, 219 = *italica*.  
*neglecta*, Tenore, *Prod. Fl. Neap. App.* v. 13; et in *Linnaea*, iii. (1828) Litt. 99 = *reflexa*.  
*nemoralis*, Waldst. & Kit. *Pl. Rar. Hung.* iii. 271. t. 249 = *italica*.  
*Nentwichii*, Frivald. ex Rohrb. *Monog. Silene*, 198 = *Roemeri*.  
*nevadensis*, Boiss. *Voy. Bot. Espagne*, ii. 721.—Hispan.  
*nicaeensis*, All. *Misc. Taur.* v. (1770-73) 88 (*niceensis*); *Fl. Pedem.* ii. 81.—Reg. Mediterr.  
*nicaeensis*, Cham. & Schlecht. in *Linnaea*, i. (1826) 41 = *verecunda*.  
*nicaeensis*, Hort. ex Fenzl, *Adv. Bot.* [7]; in Del. Sem. Hort. Vindob. (1851) = *gallica*.  
*Niederi*, Heldr. in Boiss. *Diagn. Ser. II.* vi. 32.—Graecia.

## SILENE:—

*nitida*, Lag. Gen. et Sp. Nov. 15 = fruticosa.  
*nivalis*, Rohrb. Monog. Silene, 142. — Transsylv.  
*nivea*, Muhl. Cat. ex DC. Prod. i. 377. — Am. bor.  
*noctolens*, Webb & Berth. Phyt. Canar. i. 141. —  
 Ins. Canar.  
*noctiflora*, Linn. Sp. Pl. 419. — Europ.; Oriens.  
*nocturna*, Linn. l. c. 416. — Reg. Mediterr.  
*nocturna*, Pall. Tabl. Taur. 50; et ex Georgi,  
 Besch. Russ. Reich. iv. 974 = dichotoma.  
*nocturna*, Schimp. ex Rohrb. Monog. Silene, 119 =  
 colorata.  
*nodulosa*, Boiss. Diagn. Ser. I. i. 31. — Persia.  
*nodulosa*, Viv. Fl. Cors. Sp. Nov. 6 = pauciflora.  
*norwegica*, Pers. Syn. i. 500 = acaulis.  
*Notarisii*, Cesati, in Bibl. Ital. xci. (1838) 346 =  
 multicaulis.  
*novissima*, Hort. ex Steud. Nom. ed. II. ii. 586 (Quid ?).  
 — Hab. ?  
*nubigena*, Phil. in Anal. Univ. Chil. (1862) II. 378. —  
 Chili.  
*nudicaulis*, Ehrenb. ex Rohrb. Monog. Silene, 105 =  
 biappendiculata.  
*nutans*, Linn. Sp. Pl. 417. — Europ.; As. bor.  
*nyctantha*, Hort. ex Fenzl, Adv. Bot. [2]; in Del. Sem.  
 Hort. Vindob. (1851) = clandestina.  
*nyctantha*, Willd. Enum. Hort. Berol. 472 = nocturna.  
*oblongifolia*, Otth, in DC. Prod. i. 369 = rubella.  
*obtusifolia*, Willd. Enum. Hort. Berol. 473. — Reg.  
 Mediterr. occ.  
*occidentalis*, S. Wats. in Proc. Am. Acad. x. (1875)  
 343. — Calif.  
*occitanica*, Jord. & Fourr. Brev. Pl. Nov. fasc. i. 6 =  
 gallica.  
*ocimoides*, Desf. Cat. Hort. Par. ed. III. 184 = italica.  
*odontopetala*, Fenzl, Pugill. Pl. Nov. Syr. 9. — As.  
 Min.; Syria.  
*odoratissima*, Bunge, in Ledeb. Fl. Alt. ii. 148. —  
 Turkestan; Sibir.  
*Oldhamiana*, Miq. Ann. Mus. Bot. Lugd. Bat. iii.  
 187 = aprica.  
*oleracea*, Bor. Fl. Centr. Fr. ed. III. ii. 95 = S.  
 Cucubalus.  
*Olgae*, Regel & Schmalh. ex Regel, Pl. Nov. Fedtsch.  
 14. — Turkestan.  
*Olgae*, Rohrb. in Linnaea, xxxvi. (1869–70) 687. —  
 Manchuria.  
*oligantha*, Bess. ex Ledeb. Fl. Ross. i. 321 = depressa.  
*oligantha*, Boiss. & Heldr. Diagn. Ser. II. i. 75 =  
 radicata.  
*Oliveriana*, Boiss. ex Rohrb. Monog. Silene, 105 =  
 biappendiculata.  
*Oliveriana*, Hort. ex Fenzl, Adv. Bot. [7]; in Del. Sem.  
 Hort. Vindob. (1851) = gallica.  
*Oliveriana*, Otth, in DC. Prod. i. 373 = colorata.  
*olympica*, Boiss. Diagn. Ser. I. i. 24. — As. Min.  
*olympica*, Panč. ex Rohrb. Monog. Silene, 139 =  
 fruticulosa.  
*oppositifolia*, S. G. Gmel. ex J. F. Gmel. Syst. 717 =  
 conica.  
*orchidea*, Hort. ex Fenzl, Adv. Bot. [7]; in Del. Sem.  
 Hort. Vindob. (1851) = nocturna.  
*orchidea*, Linn. f. Suppl. 241 = aegyptiaca.  
*Oreades*, Boiss. & Heldr. Diagn. Ser. I. viii. 92 =  
 S. Saxifraga.  
*oregana*, S. Wats. in Proc. Am. Acad. x. (1875) 343.  
 — Am. bor. occ.  
*oreophila*, Boiss. Fl. Orient. i. 617. — Cappadoc.  
*orientalis*, Mill. Gard. Dict. ed. VIII. n. 10. — Oriens.  
*ornata*, Ait. Hort. Kew. ed. I. ii. 96. — Afr. austr.  
*Orphanidis*, Boiss. Fl. Orient. i. 651. — Graecia.  
*Orsiniana*, Reichb. ex Cesati, Stirp. Ital. i. 8 = multi-  
 caulis.  
*Otites*, Sm. Fl. Brit. ii. 469; Pers. Syn. i. 497. —  
 Europ.; Oriens.  
*otitis*, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 134  
 = praec.  
*Onensae*, Coss. in Bull. Soc. Bot. Fr. xxii. (1875) 55,  
 nomen. — Afr. bor.  
*ovata*, Pursh, Fl. Am. Sept. i. 316. — Am. bor.  
*oxyodonta*, C. & W. Barbey, Herbor. au Levant, 121.  
 t. 11. — Palaest.  
*pachyphylla*, Hort. ex Fenzl, Adv. Bot. [2, 7]; in Del.  
 Sem. Hort. Vindob. (1851) = gallica, obtusifolia.  
*palaestina*, Boiss. Diagn. Ser. I. viii. 80. — Palaestin.  
*palinotricha*, Fenzl, ex Boiss. Fl. Orient. i. 621. — Persia.  
*pallida*, Schur, in Verh. Siebenb. Ver. Naturw. iv.  
 (1853) 12 = longiflora.

## SILENE:—

*pallidiflora*, Link. ex Rohrb. Monog. Silene, 118 =  
 apetala.  
*Palmeri*, S. Wats. in Proc. Am. Acad. xi. (1876) 124.  
 — Calif.  
*pamphylica*, Boiss. & Heldr. Diagn. Ser. I. viii. 81 =  
 macrodonta.  
*paniculata*, Ehrenb. ex Rohrb. Monog. Silene, 195 =  
 stenobotrys.  
*paniculata*, Otth, in DC. Prod. i. 382 = italica.  
*panormitana*, Parl. ex Bertol. Fl. Ital. iv. 610 =  
 cretica.  
*papillosa*, Boiss. Diagn. Ser. I. i. 39. — As. Min.  
*paradoxa*, Lapeyr. Hist. Abr. Pl. Pyr. 246 = nutans.  
*paradoxa*, Linn. Sp. Pl. ed. II. 1673. — Europ. austr.  
*Parishii*, S. Wats. in Proc. Am. Acad. xvii. (1882)  
 366. — Calif.  
*parnassica*, Boiss. & Sprun. Diagn. Ser. I. viii. 91 =  
 fruticulosa.  
*parviflora*, Boiss. Fl. Orient. i. 607. — Reg. Caucas.  
*parviflora*, Hampe, in Flora, xx. (1837) 233 = Roemerii.  
*parviflora*, Moench, Meth. 708 = cretica.  
*parviflora*, Pers. Syn. i. 497 = S. Otites.  
*parviflora*, Turcz. ex Bess. in Flora, xvii. (1831) 1.  
 Beibl. 8 = jenisea.  
*parviflora*, Zea, ex Poir. Encyc. Suppl. v. 150 =  
 littorea.  
*parvifolia*, Otth, in DC. Prod. i. 376 = disticha.  
*parvula*, Jord. & Fourr. Brev. Pl. Nov. fasc. i. 7 =  
 gallica.  
*patens*, Peete, in Engl. Bot. Suppl. t. 2748 = italica.  
*patula*, Desf. Fl. Atlant. i. 356 = italica.  
*patula*, Lag. in Anal. Cienc. Nat. (1802); ex Duf. in  
 Bull. Soc. Bot. Fr. vii. (1860) 242 = rubella.  
*pauciflora*, Kit. in Linnaea, xxxii. (1863) 537 (Quid ?).  
 — Europ.  
*pauciflora*, Ledeb. Fl. Ross. i. 306. — Ross. arct.; Sibir.  
*pauciflora*, Salz. ex Otth, in DC. Prod. i. 382. —  
 Ins. Corsic.; Sardoia.  
*pauciflora*, Ucria, in Roem. Arch. i. 1. (1796) 68 =  
 viridiflora.  
*pectinata*, S. Wats. in Proc. Am. Acad. x. (1875) 344.  
 — Calif.  
*pedicellata*, Boiss. Fl. Orient. i. 608 = S. Otites.  
*pedicellata*, Poir. Encyc. Suppl. v. 150 = italica.  
*peduncularis*, Boiss. Diagn. Ser. I. i. 30. — Persia.  
*pelidna*, Hort. ex Fenzl, Adv. Bot. [2]; in Del. Sem.  
 Hort. Vindob. (1851) = nocturna, Lychnis dioica.  
*pelidna*, Reichb. Fl. Germ. Excurs. 821; Ic. Fl. Germ.  
 iii. 53 = nutans.  
*pendula*, Linn. Sp. Pl. 418. — Reg. Mediterr.  
*pendula*, Salz. ex Willk. Ic. et Desc. Pl. Hisp. i. 49  
 = littorea.  
*pensylvanica*, Michx. Fl. Bor. Am. i. 272. — Am. bor.  
*pentelica*, Boiss. Diagn. Ser. I. viii. 74 = sedoides.  
*perfoliata*, Hort. ex Fenzl, Adv. Bot. [7]; in Del. Sem.  
 Hort. Vindob. (1851) = S. Schafta.  
*perfoliata*, Otth, in DC. Prod. i. 384 = chloraefolia.  
*permixta*, Jord. Pugill. Pl. Nov. 32 = nocturna.  
*pernoctans*, Hort. ex Fenzl, Adv. Bot. [2]; in Del. Sem.  
 Hort. Vindob. (1851) = noctiflora, S. Schafta.  
*pernoctans*, Link. ex Spreng. Syst. ii. 408 = colorata.  
*persica*, Boiss. Diagn. Ser. I. i. 27. — Persia.  
*Persoonii*, Schott, ex Reichb. Fl. Germ. Excur. 823 =  
 S. Cucubalus.  
*Petaloszae*, Boiss. Diagn. Ser. I. viii. 87 = cappadocica.  
*petraea*, Adam, in Weber & Mohr, Beitr. i. (1805) 58.  
 — Reg. Caucas.  
*petraea*, Ledeb. & Schrank, in Syll. Ratisb. i. (1824)  
 211 = pygmaea.  
*petraea*, Waldst. & Kit. Pl. Rar. Hung. ii. 178. t. 164  
 = S. Saxifraga.  
*pharnaceifolia*, Fenzl, Pugill. Pl. Nov. Syr. 9. — Cilicia.  
*phrygia*, Boiss. Fl. Orient. i. 644. — As. Min.  
*physalodes*, Boiss. Diagn. Ser. I. viii. 83. — Palestin.  
*physocalyx*, Ledeb. Fl. Ross. i. 321 = odontopetala.  
*picta*, Desf. Tabl. ed. I. 159 = portensis.  
*picta*, Hort. ex Fenzl, Adv. Bot. [2]; in Del. Sem. Hort.  
 Vindob. (1851) = nocturna, vespertina.  
*picta*, Pers. Syn. i. 498. — Reg. Mediterr.  
*picta*, Reichb. Fl. Germ. Excurs. 816 = Reichenbachii.  
*pilosa*, Hort. ex Willd. Enum. Hort. Berol. 476 =  
 disticha.  
*pilosa*, Pourr. ex Willk. & Lange, Prod. Fl. Hisp. iii.  
 652 = colorata.  
*pilosa*, Spreng. Syst. ii. 411 = italica.  
*pilosellaefolia*, Cham. & Schlecht. in Linnaea, i. (1826)  
 41 = Burchellii.

## SILENE:—

*piloselloides*, G. Don, Gen. Syst. i. 404 = Burchellii.  
*pinetorum*, Boiss. & Heldr. Diagn. Ser. I. viii. 75. —  
 Ins. Creta.  
*pinguis*, Vahl, ex Hornem. Suppl. Hort. Hafn. 49 =  
 nocturna.  
*pittodes*, Bien. ex Boiss. Fl. Orient. i. 606 = chaeto-  
 donta.  
*platyota*, S. Wats. in Proc. Am. Acad. xvii. (1882)  
 366. — Calif.  
*platypetala*, Otth, in DC. Prod. i. 383 = pensylvanica.  
*plicata*, S. Wats. in Proc. Am. Acad. xvii. (1882) 366  
 = Thurberi.  
*plutonica*, Naud. ex C. Gay, Fl. Chil. i. 258. — Chili.  
*Pollinii*, Nym. Syll. 232 = nutans.  
*polygama*, Stokes, Bot. Mat. Med. ii. 536 = S. Saxifraga.  
*polygonoides*, Pers. Syn. i. 500. — Ins. Naxos.  
*polyphylla*, Baumg. Enum. Stirp. Transs. i. 397 =  
 nutans.  
*polyphylla*, Bieb. Fl. Taur. Cauc. i. 338 = spargulaefolia.  
*polyphylla*, Hort. ex Fenzl, Adv. Bot. [7]; in Del. Sem.  
 Hort. Vindob. (1851) = noctiflora.  
*polyphylla*, Linn. Sp. Pl. 420 = portensis.  
*polyphylla*, Vill. Hist. Pl. Dauph. iii. 609 = inaperta.  
*polytrichoides*, Zumag. Fl. Pedem. ii. 269; et Cur. Post.  
 p. iv. — Pedem.  
*pompeopolitana*, J. Gay, ex Boiss. Fl. Orient. i. 595.  
 — Cilicia.  
*porrigens*, Gouan, ex Linn. Syst. ed. XII. 230 =  
 Gypsophila porrigens.  
*portensis*, Frivald. ex Rohrb. Monog. Silene, 167 =  
 cretica.  
*portensis*, Hort. ex Fenzl, Adv. Bot. [2]; in Del. Sem.  
 Hort. Vindob. (1851) = gallica.  
*portensis*, Linn. Sp. Pl. 420. — Hispan.  
*Pourretii*, Hort. ex Fenzl, Adv. Bot. [7]; in Del. Sem.  
 Hort. Vindob. (1851) = noctiflora.  
*Pourretii*, Poir. Encyc. Suppl. v. 151 = ciliata.  
*praecox*, Hort. Par. ex Rohrb. Monog. Silene, 118 =  
 apetala.  
*pratensis*, Gren. & Godr. Fl. Fr. i. 216 = Lychnis  
 dioica.  
*primulaeflora*, Eckl. & Zeyh. Enum. 32. — Afr. austr.  
*procumbens*, Hort. ex Fenzl, Adv. Bot. [7]; in Del.  
 Sem. Hort. Vindob. (1851) = vespertina.  
*procumbens*, Murr. in Comm. Gotting. 1784, 1785  
 (1786), 83. t. 2. — Sibir.  
*prostrata*, Willd. ex Spreng. Syst. ii. 406 = halophila.  
*pruinosa*, Boiss. Diagn. Ser. I. i. 23 = supina.  
*psammica*, Boiss. ex Rohrb. Monog. Silene, 110 =  
 discolor.  
*Psammitis*, Link. in Spreng. Nov. Prov. 39. — Afr. bor.  
*Pseudo-atocion*, Desf. Fl. Atlant. i. 353. — Afr. bor.  
*Pseudo-atocion*, Guss. Pl. Rar. 180 = fuscata.  
*Pseudo-behen*, Boiss. Diagn. Ser. I. i. 36 = S. Behen.  
*Pseudo-behen*, Schur, ex Nym. Consp. 88 = S. Cucu-  
 balus.  
*Pseudo-linum*, Ram. ex DC. Fl. Fr. iv. 750 =  
 rubella.  
*Pseudo-otites*, Bess. ex Reichb. Fl. Germ. Excurs. 819  
 = S. Otites.  
*pteropleura*, Boiss. & Reut. Pugill. Pl. Nov. 18 =  
 stricta.  
*ptolemaica*, Ehrenb. ex Rohrb. Monog. Silene, 105 =  
 biappendiculata.  
*puberula*, Bertol. in Nov. Comm. Acad. Bonon. vi.  
 (1842) 221 = colorata.  
*puberula*, Boiss. Fl. Orient. i. 636. — Armenia.  
*puberula*, Jord. ex Bor. Fl. Centr. Fr. ed. III. ii. 94  
 = S. Cucubalus.  
*pubescens*, Loisel. Fl. Gall. 727 = sericea.  
*pudibunda*, Hoffmgg. ex Reichb. Fl. Germ. Excurs.  
 817 = quadridentata.  
*pulchra*, Torr. & Gray, Fl. N. Am. i. 675 = laciniata.  
*pumila*, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880)  
 135 = seq.  
*Pumilio*, Wulf. in Facq. Fl. Austr. v. 26; Sturm,  
 Deutschl. Fl. Heft 22. — Europ. alp.  
*punctata*, Bubani, ex Nym. Consp. 92 = elegans.  
*pungens*, Boiss. Diagn. Ser. I. i. 32. — As. Min.  
*purpurea*, Knowl. & Westc. Flor. Cab. i. (1837) 87 =  
 compacta.  
*pusilla*, Waldst. & Kit. Pl. Rar. Hung. iii. 235 =  
 quadridentata.  
*pygmaea*, Adam, in Weber & Mohr, Beitr. i. (1805)  
 59. — Europ.  
*pygmaea*, Herd. Ind. Sem. Hort. Petrop. (1858) 44 =  
 gallica.

**SILENE:—**

*pygmaea*, Hort. ex Fenzl, Adv. Bot. [7]; in Del. Sem. Hort. Vindob. (1851) = noctiflora.  
*pygmaea*, Less. ex Ledeb. Fl. Ross. i. 323 = *caspica*.  
*pyrenaica*, Pourr. ex Rohrb. Monog. Silene, 115 = *colorata*.  
*pyriformis*, Dur. ex Coss. & Dur. in Ann. Sc. Nat. Sér. IV. i. (1854) 221 = *glaucula*.  
*quadridentata*, DC. Fl. Fr. iv. 748 = *quadrifida*.  
*quadridentata*, Pers. Syn. i. 500. — Europ. austr.  
*quadrifida*, Georgi, Reise, i. 215. — Sibir. baical.  
*quadrifida*, Linn. Syst. ed. X. 1032. — Europ.  
*quadrifida*, Otth, in DC. Prod. i. 378 = *nutans*.  
*quadriloba*, Turcz. ex Kar. & Kir. in Bull. Soc. Nat. Mosc. xv. (1842) 167 = *viscosa*.  
*quinquevulnera*, Linn. Sp. Pl. 416 = *gallica*.  
*racemosa*, Otth, in DC. Prod. i. 384 = *dichotoma*.  
*Raddeana*, Trautv. in Act. Hort. Petrop. ii. (1873) 472. — Armenia.  
*radians*, Kar. & Kir. in Bull. Soc. Nat. Mosc. xv. (1842) 168 = *odoratissima*.  
*radicosa*, Boiss. & Heldr. Diagn. Ser. I. vi. 24. — Graecia.  
*Ramburiana*, Webb, Iter Hisp. 64 = *Boryi*.  
*ramosa*, G. Don, Gen. Syst. i. 409 = *ramosissima*.  
*ramosa*, Otth, in DC. Prod. i. 380 = *sedoides*.  
*ramosissima*, Boiss. Voy. Bot. Espagne, ii. 93. t. 24 = *Boissieri*.  
*ramosissima*, Desf. Fl. Atlant. i. 354. — Afr. bor.  
*ramosissima*, Sibth. & Sm. Fl. Graec. Prod. i. 599 = *sedoides*.  
*ramosissima*, Willk. Pl. Haloph. 108 = *divaricata*.  
*recta*, Bartl. in Linnaea, vii. (1832) 623 = *clandestina*.  
*reflexa*, Ait. Hort. Kew. ed. II. iii. 86. — Europ. austr.  
*reflexa*, Hort. Taur. ex Rohrb. Monog. Silene, 94 = *dichotoma*.  
*reflexa*, Moench, Meth. 705 = *gallica*.  
*regia*, Sims, Bot. Mag. t. 1724. — Am. bor.  
*Reichenbachii*, Vis. Fl. Dalm. iii. 169. — Dalmat.  
*Reinholdii*, Heldr. in Atti Congr. Bot. Firenze, 1874 (1876) 238 = *S. Behen*.  
*Reinwardtii*, Roth, Catalact. fasc. iii. 42 = *picta*.  
*remotiflora*, Vis. Fl. Dalm. iii. 166. — Dalmat.  
*repens*, Boiss. Fl. Orient. i. 614 = *tenuis*.  
*repens*, Patrin, in Pers. Syn. Pl. i. 500. — Reg. Caucas.; Sibir. or.  
*Requienii*, Otth, in DC. Prod. i. 381. — Graecia.  
*reticulata*, Desf. Fl. Atlant. i. 350. t. 99. — Alger.  
*reticulata*, Hort. ex Fenzl, Adv. Bot. [7]; in Del. Sem. Hort. Vindob. (1851) = *cretica*.  
*reticulata*, Hort. ex Link, Enum. Hort. Berol. i. 426 = *picta*.  
*retroflexa*, Steud. Nom. ed. I. 780; ed. II. ii. 587 = *aegyptiaca*.  
*Reuteriana*, Boiss. & Blanche, Diagn. Ser. II. v. 54. — Syria.  
*rhodopea*, Fanka, in Termész. Füzetek, ii. (1878) 28. — Thracia.  
*rhynchocarpa*, Boiss. Diagn. Ser. I. i. 33. — As. Min.  
*rigida*, [Soland. in] Russ. Aleppo, ed. II. ii. 252. — Syria.  
*rigidula*, Heldr. ex Boiss. Diagn. Ser. I. viii. 79 = *echinosperma*.  
*rigidula*, Linn. Cent. Pl. ii. 16; Amoen. Acad. iv. 313 = *cerastoides*.  
*rigidula*, Sibth. & Sm. Fl. Graec. Prod. i. 299. — Graecia.  
*rimarum*, J. Gay, ex Tchihat. Asie Min. Bot. i. 200. — Cilicia.  
*Roemerii*, Frivald. in Flora, xix. (1836) 439. — Banat.  
*Roeseri*, Boiss. & Heldr. Diagn. Ser. II. i. 77 = *ciliata*.  
*rosea*, Hort. ex Fenzl, Adv. Bot. [2]; in Del. Sem. Hort. Vindob. (1851) = *vespertina*.  
*rosea*, Hort. ex Vilms. Fl. Pl. Terre, ed. II. 865 = *pendula*.  
*Rosella*, Jord. & Fourr. Brev. Pl. Nov. fasc. i. 7 = *gallica*.  
*rostrata*, Duf. in Bull. Soc. Bot. Fr. vii. (1860) 244 = *cerastoides*.  
*rosulata*, Soyer-Willems. & Godr. Expl. Sc. Algér. t. 82; et in Mém. Soc. Sc. Nancy, 1850 (1851), 184 = *mollissima*.  
*rotundifolia*, Nutt. Gen. Am. i. 288. — Am. bor.  
*Royeni*, Pers. Syn. i. 497 = *viscosa*.  
*rubella*, Bory, ex Rohrb. Monog. Silene, 94 = *graeca*.  
*rubella*, Hort. ex Vilms. Fl. Pl. Terre, ed. I. 821 = *colorata*.

**SILENE:—**

*rubella*, Linn. Sp. Pl. 419. — Reg. Mediterr.; Mesopot.  
*rubella*, Suffren, Cat. Pl. Frioul, 141 = *cretica*.  
*rubens*, Vest, in Flora, iv. (1821) 150 = *nutans*.  
*rubescens*, Mert. & Koch, Deutschl. Fl. iii. 572 (Index), sphalm. = *praec.*  
*rubicunda*, A. Dietr. in Otto & Dietr. Allg. Gartenz. iii. (1835) 195 = *pennsylvanica*?  
*rudbarica*, Boiss. & Buhse, in Nouv. Mém. Soc. Nat. Mosc. xii. (1860) 36 = *Aucheriana*.  
*rugosa*, Pers. Syn. i. 498 = *Lychnis Coeli-rosa*.  
*rupestris*, Jacq. Enum. Stirp. Vindob. 77 = *alpestris*.  
*rupestris*, Linn. Sp. Pl. 421. — Europ.  
*rupestris*, Sibth. & Sm. Fl. Graec. Prod. i. 295 = *chromodonta*.  
*rupicola*, Bor. Fl. Centr. Fr. ed. III. ii. 95 = *S. Cucubalus*.  
*rupicola*, Huet, ex Rohrb. Monog. Silene, 138 = *S. Saxifraga*.  
*ruthenica*, Otth, in DC. Prod. i. 370 = *tatarica*.  
*sabuletorum*, Duby, Bot. Gall. 1025 = *vespertina*.  
*sabuletorum*, Hort. ex Fenzl, Adv. Bot. [7]; in Del. Sem. Hort. Vindob. (1850) = *gallica*.  
*sabuletorum*, Link, in Spreng. Nov. Prov. 39 = *hirsuta*.  
*sachalinensis*, F. Schmidt, Reisen Amurl. 116. — Ins. Sachalin.  
*sahendica*, Boiss. & Buhse, in Nouv. Mém. Soc. Nat. Mosc. xii. (1860) 38 = *olympica*.  
*sajanensis*, Less. ex Ledeb. Fl. Ross. i. 307 = *tenuis*.  
*salsa*, Boiss. Diagn. Ser. I. viii. 77 = *arenosa*.  
*Salzmanni*, Badaro, ex Moretti, in Brugnato. Giorn. ix. (1826) 78. — Europ. austr.  
*Salzmanni*, Otth, in DC. Prod. i. 381 = *velutina*.  
*Saponaria*, Cav. ex Duf. in Bull. Soc. Bot. Fr. vii. (1860) 244 = *glaucula*.  
*Saponaria*, Fries, ex Willk. & Lange, Prod. Fl. Hisp. iii. 671 = *Saponaria officinalis*.  
*saponariaefolia*, Láng & Szovits, ex Rohrb. Monog. Silene, 81 = *S. Fabaria*.  
*saponariaefolia*, Schott, ex Bess. Enum. Pl. Volh. 46 = *S. Cucubalus*.  
*sarawachanica*, Regel & Schmalh. ex Regel, Pl. Nov. Fedtsch. 14. — Turkestan.  
*sardoa*, Moris, ex Reichb. Fl. Germ. Excurs. 813, in obs. = *gallica*.  
*Sargentii*, S. Wats. in Proc. Am. Acad. xiv. (1879) 290. — Am. bor. occ.  
*Sartorii*, Boiss. & Heldr. Diagn. Ser. II. v. 53. — Ins. Cyclad.  
*Sassiana*, Bertol. Fl. Ital. iv. 609 = *fuscata*.  
*saxatilis*, Sims, Bot. Mag. t. 689; Bieb. Fl. Taur. Cauc. i. 388. — As. Min.; Persia.  
*saxicola*, Lag. ex Willk. & Lange, Prod. Fl. Hisp. iii. 641 = *Lychnis Lagascae*.  
*saxicola*, Rouy, in Bull. Soc. Bot. Fr. xxix. (1882) 43. — Hispan.  
*Saxifraga*, Auct. ex Nym. Consp. 92 = *fruticulosa*.  
*Saxifraga*, Linn. Sp. Pl. 421. — Europ.  
*Saxifraga*, [Orsini], in Cappello, Opusc. Sc. 287, nomen = *multicaulis*.  
*scabra*, Bertol. Fl. Ital. iv. 614 = *inaperta*.  
*scabra*, Fisch. ex Sweet, Hort. Brit. ed. III. 66 = *S. Cucubalus*.  
*scabra*, Kit. ex Schult. Oestr. Fl. ed. II. i. 683. — Hungar.  
*scabrida*, Soyer-Willems. & Godr. Expl. Sc. Algér. t. 81; et in Mém. Soc. Sc. Nancy, 1850 (1851), 167. — Alger.  
*scabridula*, Boiss. Fl. Orient. i. 643 = *armena*.  
*scabriflora*, Brot. Fl. Lusit. ii. 184 = *pendula*.  
*scepusiensis*, Waldst. & Kit. ex Steud. Nom. ed. I. 780 (*stepusiensis*) (Quid?) — Hungar.  
*Schafta*, Gmel. ex Hohen. in Bull. Soc. Nat. Mosc. xii. (1838) 397. — Reg. Caucas.  
*Schimperia*, Boiss. Diagn. Ser. I. i. 31 = *chlorae-folia*.  
*Schimperia*, Hochst. ex Rohrb. Monog. Silene, 120 = *Hochstetteri*.  
*schirensis*, Rohrb. l. c. 106, sphalm. = *chirensis*.  
*schizolepis*, Turcz. in Bull. Soc. Nat. Mosc. xxvii. (1854) ii. 370. — Mexic.  
*Schlosseri*, Vukot. in Oestr. Bot. Zeitschr. xxx. (1880) 382. — Austria.  
*Schottiana*, Schur, Enum. Pl. Transs. 103 = *S. Cucubalus*.

**SILENE:—**

*Schweinfurthii*, Rohrb. in Bot. Zeit. xxv. (1867) 82. — Nubia.  
*sciatica*, Otth, in DC. Prod. i. 372 = *gallica*.  
*sclerocarpa*, Duf. in Bull. Soc. Bot. Fr. vii. (1860) 245 = *cerastoides*.  
*Sconleri*, Hook. Fl. Bor. Am. i. 88. — Am. bor. occ.  
*secunda*, Steud. Nom. ed. II. ii. 587 = *tatarica*.  
*secundiflora*, Otth, in DC. Prod. i. 375 = *glaucula*.  
*sedoides*, Jacq. Coll. Suppl. 112. t. 14. f. 1. — Reg. Mediterr.  
*segetalis*, Duf. in Bull. Soc. Bot. Fr. vii. (1860) 241 = *rubella*.  
*Semenovii*, Regel & Herd. in Bull. Soc. Nat. Mosc. xxxix. (1866) i. 536. — As. centr.  
*semiglabra*, Jord. & Fourr. Brev. Pl. Nov. fasc. i. 7 = *gallica*.  
*Sendtneri*, Boiss. Fl. Orient. i. 608. — Banat.  
*sericea*, All. Fl. Pedem. ii. 81. t. 79. f. 3. — Europ. austr.  
*sericea*, Bertol. Amoen. Ital. 27 = *colorata*.  
*sericea*, Hort. ex Fenzl, Adv. Bot. [7]; in Del. Sem. Hort. Vindob. (1851) = *disticha*, *vespertina*, *S. Cucubalus*.  
*serpyllifolia*, Fisch. ex Steud. Nom. ed. I. 780 (Quid?) — Hab.?  
*serrulata*, Boiss. Fl. Orient. i. 643. — Lycia.  
*seruensis*, Pomel, Nouv. Mat. Fl. Atl. 209. — Alger.  
*sessiliflora*, Poir. Encyc. Suppl. v. 154 = *dichotoma*.  
*setabensis*, Duf. ex Rohrb. Monog. Silene, 117 = *glaucula*.  
*setacea*, Otth, in DC. Prod. i. 372 = *discolor*.  
*setacea*, Viv. Fl. Lib. Spec. 23. — Afr. bor.; Mesopot.  
*setifolia*, Turcz. ex Bess. in Flora, xvii. (1834) i. Beibl. 8 = *jenisea*.  
*sibirica*, Pers. Syn. i. 497. — Sibir.  
*sibirica*, Schrank, in Syll. Ratisb. i. (1824) 212 = *noctiflora*?  
*Sibthorpiana*, Reichb. Fl. Germ. Excurs. 815, in textu = *dichotoma*.  
*sicula*, Bertol. ex Rohrb. Monog. Silene, 153 = *fuscata*.  
*sicula*, Cyrilli, ex Schrank, in Denkschr. Bot. Ges. Regensb. ii. (1822) 46 = *sedoides*?  
*sicula*, Hort. ex Fenzl, Adv. Bot. [2]; in Del. Sem. Hort. Vindob. (1851) = *laeta*.  
*sicula*, Ker-Gawl. ex Rohrb. Monog. Silene, 115 = *colorata*.  
*sicula*, Presl, Fl. Sic. i. 155 = *italica*, *cretica*.  
*sicula*, Ucria, in Roem. Arch. i. i. (1796) 68 = *italica*.  
*siderophila*, Boiss. & Gaill. in Boiss. Fl. Orient. i. 594 = *palaestina*.  
*Sieberi*, Fenzl, in Russeg. Reise, ii. 912 = *Fenzlii*.  
*Sieberi*, Fenzl, Pugill. Pl. Nov. Syr. 8. — Graecia; Ins. Creta.  
*Siegeri*, Baumg. Enum. Stirp. Transs. i. 400 = *nivalis*.  
*silvestris*, Schott, ex Reichb. Fl. Germ. Excurs. 812 = *gallica*.  
*simplicicorona*, Mutel, Fl. Fr. i. 148, 169 = *fuscata*.  
*sinaica*, Boiss. Diagn. Ser. I. i. 25 = *odontopetala*.  
*sisianica*, Boiss. & Buhse, in Nouv. Mém. Soc. Nat. Mosc. xii. (1860) 36. — Reg. Caucas.  
*Smithii*, Boiss. & Heldr. Diagn. Ser. II. i. 77 = *S. Saxifraga*.  
*Smithii*, J. F. Gmel. Syst. 714 = *chlorae-folia*.  
*sobolifera*, Schott, ex Reichb. Fl. Germ. Excurs. 820 = *repens*.  
*solanantha*, Trautv. in Act. Hort. Petrop. vii. (1880) 421. — Reg. Caucas.  
*Spaldingii*, S. Wats. in Proc. Am. Acad. x. (1875) 344. — Am. bor. occ.  
*spathulaefolia*, Jord. Cat. Jard. Dijon (1848), 31 = *nutans*.  
*spathulata*, Bieb. Fl. Taur. Cauc. i. 341 = *pygmaea*.  
*spathulata*, Schur, ex Nym. Consp. 90 = *nutans*.  
*spathulata*, Willd. ex Rohrb. Monog. Silene, 156 = *aegyptiaca*.  
*speciosa*, Paxt. Mag. Bot. x. (1843) 219 = *laciniata*.  
*spergulifolia*, Bieb. Fl. Taur. Cauc. iii. 305. — Armen.  
*spergulifolia*, Griseb. Spicil. Fl. Rumel. i. 174 = *supina*.  
*spergulifolia*, Schurr, ex Nym. Consp. 90 = *nutans*.  
*spergulifolia*, Schur, Enum. Pl. Transs. 101 = *saxatilis*.  
*spicata*, DC. Fl. Fr. iv. 759 = *nocturna*.  
*spicata*, Ehrh. ex Rohrb. in Bot. Zeit. xxv. (1867) 82. — Afr. or.

## SILENE:—

- spinescens, *Sibth. & Sm. Fl. Graec. Prod.* i. 299.—Graecia.  
splendens, *Boiss. Fl. Orient.* i. 631.—Phrygia.  
squamigera, *Boiss. Diagn. Ser. I. i. 38.*—As. Min.; Syria.  
ssahendica, *Rohrb. Monog. Silene*, 198, sphalm. = sahendica.  
ssojutica, Less. ex Ledeb. *Fl. Ross.* i. 308 = repens.  
staminea, *Bertol. Fl. Ital.* iv. 585 = Roemeria.  
staticifolia, *Fenzl, ex Rohrb. Monog. Silene*, 180 = arnena.  
staticifolia, C. Koch, ex *Boiss. Fl. Orient.* i. 639 = bupleuroides.  
staticifolia, *Pourr. ex Lange, in Kjoeb. Vidensk. Meddel.* (1865) 114 = legionensis.  
staticifolia, *Sibth. & Sm. Fl. Graec. Prod.* i. 301 = longiflora.  
stellata, *Ait. Hort. Kew.* ed. II. iii. 84.—Am. bor.  
stellata, *Lapeyr. Hist. Abr. Pl. Pyr.* 245; *Fl. Pyr.* 250. t. 91 = ciliata.  
stellerioides, *Nutt. ex Torr. & Gray, Fl. N. Am.* i. 193 = Menziesii.  
stenobotrys, *Boiss. & Haussk. in Boiss. Fl. Orient.* i. 611.—Syria.  
stenopetala, *Ledeb. ex Sweet, Hort. Brit.* ed. III. 66, nomen.—Sibir.  
stenophylla, *Duf. in Bull. Soc. Bot. Fr.* vii. (1860) 240 = inaperta.  
stenophylla, *Ledeb. Fl. Ross.* i. 306 = tenuis.  
stenophylla, *Plan. Ens. Fl. Gallega*, 121 = maritima.  
stentoria, *Fenzl, Pugill. Pl. Nov. Syr.* 9 = caryophylloides.  
stepusiensis, *Steud. Nom. ed. I.* 780; ed. II. ii. 587, sphalm. = scephusiensis.  
Stevenii, *Spreng. Cat. Sem. Hal. ex Steud. l. c. ed. II.* ii. 587 (Quid?).—Rossia?  
Stracheyi, *Edgew. in Hook. Fl. Brit. Ind.* i. 221.—Reg. Himal.  
striata, *Ehrenb. ex Rohrb. in Bot. Zeit.* xxv. (1867) 83.—Syria.  
stricta, *Lapeyr. Hist. Abr. Pl. Pyr.* 246 = S. Muscipula.  
stricta, *Linn. Cent. Pl.* ii. 17; *Amoen. Acad.* iv. 314.—Europ. austr.  
stricta, *Spreng. Syst.* ii. 412 = linicola.  
struthioloides, *A. Gray, Bot. U. St. Expl. Exped.* i. 109.—Ins. Sandvic.  
stylosa, *Bunge, in Ledeb. Fl. Alt.* ii. 144.—Sibir. altaic.  
stylosa, *Hort. ex Fenzl, Adv. Bot.* [7]; *Del. Sem. Hort.* Vindob. (1851) = S. Cucubalus.  
suaveolens, *Kar. & Kir. in Bull. Soc. Nat. Mosc.* xv. (1842) 168 = Griffithii.  
suavis, *Schrad. ex Sweet, Hort. Brit.* ed. III. 66 = vespertina?  
subacaulis, *Vill. ex Steud. Nom. ed. II.* ii. 587 = acaulis.  
subconica, *Frivald. in Flora*, xviii. (1835) 334.—Thracia.  
subnutans, *Miq. Ann. Mus. Bot. Lugd. Bat.* ii. 78 = nutans.  
suboccultata, *Jord. & Fourr. Brev. Pl. Nov. fasc. i.* 5 = gallica.  
subspathulata, *Schur, Enum. Pl. Transs.* 102 = chlorantha.  
subulata, *Boiss. Diagn. Ser. I. i.* 33 = stentoria.  
subulata, *Heldr. ex Boiss. Diagn. Ser. II.* v. 56 = S. Echinus.  
subvinosa, *Delile, Ind. Sem. Hort. Monsp.* (1838) 12 = nicaeensis.  
succulenta, *Forsk. Fl. Aegypt. Arab.* p. lxvi; *Delile, Fl. Aegypt. Desc.* 89.—Aegypt.; Syria.  
suffrutescens, *Bieb. Fl. Taur. Cauc.* i. 340 = caspica.  
suffruticosa, *Desf. ex Webb, Iter Hisp.* 64 = fruticosa, velutina.  
suffruticosa, *Pall. Reise*, ii. 522 = altaica.  
supina, *Bieb. Fl. Taur. Cauc.* i. 338.—Reg. Caucas.  
swertiaefolia, *Boiss. Diagn. Ser. I. i.* 32 = chloraefolia.  
sylvestris, *Reichb. Fl. Germ. Excurs. Index*, 121 = silvestris.  
syriaca, *Reut. Cat. Gr. Jard. Genève.* (1857) 4.—Cf. *Linnaea*, xxxix. (1857–58) 724 = picta.  
tachtensis, *Franch. in Ann. Sc. Nat. Sér. VI.* xv. (1883) 239.—Turkestan.  
tatarica, *Pers. Syn.* i. 497.—Europ. or.; As. occ.  
Tatarinowii, *Regel, in Bull. Soc. Nat. Mosc.* xxxiv. (1861) ii. 562.—China.  
taurica, *Fisch. ex Sweet, Hort. Brit.* ed. III. 66 (Quid?).—Tauria.

## SILENE:—

- tegedensis, *Boiss. Elench.* 20 = Boryi.  
tenella, *Huet, ex Schenk, Ind. Sem. Hort. Wirceb.* (1861) = quadrifida.  
tenella, C. Koch, ex *Rohrb. Monog. Silene*, 191 = petraea.  
tenella, C. A. Mey. *Verz. Pfl. Cauc.* 216.—Reg. Caucas.  
tenerrima, J. & C. Presl, *Delic. Prag.* 217 = hirsuta.  
Tenoreana, *Colla, Herb. Pedem.* i. 328; ex *Soyer-Willem. & Godr. in Mém. Soc. Sc. Nancy*, 1850 (1851) 141 = S. Cucubalus.  
tenuiflora, *Guss. Pl. Rar. Sic.* 177 = cretica.  
tenuiflora, *Hort. ex Fenzl, Adv. Bot.* [2]; in *Del. Sem. Hort. Vindob.* (1851) = cretica.  
tenuifolia, *Oth, in DC. Prod.* i. 379 = tenuis.  
tenuis, *Turcz. in Bull. Soc. Nat. Mosc.* xv. (1842) 575 = jenisea.  
tenuis, *Willd. Enum. Hort. Berol.* 474.—Reg. Himal.; Sibir.  
tergestina, *Jord. & Fourr. Brev. Pl. Nov. fasc. i.* 6 = gallica.  
thebana, *Orph. ex Boiss. Fl. Orient.* i. 627.—Graecia.  
thessalonica, *Boiss. & Heldr. Diagn. Ser. II. i.* 74 = flavescens.  
Thirkeana, C. Koch, in *Linnaea*, xix. (1847) 56 = dichotoma.  
Thorei, *Duf. in Ann. Sc. Nat. Sér. I.* v. (1825) 84.—Gallia.  
Thunbergiana, *Eckl. & Zeyh. Enum.* 32.—Afr. austr.  
Thunbergiana, *Krauss, ex Rohrb. Monog. Silene*, 122 = primulaeflora.  
Thunbergii, E. Mey. in *Drège, Zwei Pfl. Docum.* 87 = undulata.  
Thurberi, S. Wats. in *Proc. Am. Acad.* x. (1875) 343.—N. Mexic.  
thymifolia, *Sibth. & Sm. Fl. Graec. Prod.* i. 292.—Ins. Cyprus.  
thysanodes, *Fenzl, in Endl. Nov. Stirp. Dec.* 39.—Am. austr.  
Tilingi, *Regel, in Act. Hort. Petrop.* i. (1871) 99 = californica.  
tincta, *Frivald. ex Griseb. Spicil. Fl. Rumel.* i. 174 = Friwaldskyana.  
tmolea, J. Gay, in *Tchihat. Asie Min. Bot.* i. 200.—Lydia.  
tomentosa, *Oth, in DC. Prod.* i. 383 = mollissima.  
Tommasinii, *Vis. in Flora*, xii. (1829) i. Erg. 12 = sedoides.  
tragacantha, *Fenzl, ex Boiss. Fl. Orient.* i. 621.—Persia.  
transsilvanica, *Schur, in Oestr. Bot. Zeitschr.* viii. (1858) 22; x. (1860) 181 = nutans.  
tricuspidata, *Desf. Tabl. ed. II.* 184, nomen = gallica, disticha.  
tridentata, *Desf. Fl. Atlant.* i. 349.—Reg. Mediterr. occ.  
tridentata, *Ram. ex DC. Fl. Fr.* iv. 758 = gallica.  
trifida, *Tenore, ex Steud. Nom. ed. II.* ii. 588.—Hab.  
trinervia, *Fenzl, Adv. Bot.* [2]; in *Del. Sem. Hort. Vindob.* (1851) = squamigera.  
trinervia, *Sebast. & Mauri, Fl. Rom.* 152.—Europ. austr.  
trinervis, [Soland. in] *Russ. Aleppo*, ed. II. ii. 252 = dichotoma.  
tristis, *Salisb. Prod.* 301 = undulata, Ait.  
Tuba, *Ehrenb. ex Rohrb. Monog. Silene*, 130 = Boryi.  
tubiflora, *Duf. ex Turcz. in Bull. Soc. Nat. Mosc.* xxvii. (1854) ii. 370 = colorata.  
tunicoides, *Boiss. Diagn. Ser. I. i.* 34.—Lycia.  
turbinata, *Guss. Fl. Sic. Prod.* i. 506 = rubella.  
turgida, *Bieb. ex Bunge, Verz. Alt.* 23.—Sibir. altaic.  
turgida, *Schrenk, ex Rohrb. Monog. Silene*, 187 = tenuis.  
turkestanica, *Regel, in Act. Hort. Petrop.* ii. (1873) 436.—Turkestan.  
Uhdeana, *Rohrb. Ind. Sem. Hort. Berol.* (1867) App. ii. 2.—Mexic.  
umbellata, *Gilib. Fl. Lituan.* ii. 170 = S. Armeria.  
undulaefolia, *Sweet, Hort. Brit.* ed. III. 65 = fuscata.  
undulata, *Ait. Hort. Kew.* ed. I. ii. 96.—Afr. austr.  
undulata, *Moench, Meth.* 707.—Hab.?  
undulata, *Pourr. ex Willk. & Lange, Prod. Fl. Hisp.* iii. 660 = rubella.  
undulatifolia, *Hort. ex Fenzl, Adv. Bot.* [7]; in *Del. Sem. Hort. Vindob.* (1851) = gallica.  
undulatifolia, *Moris, Stirp. Sard. Elench.* 8 = fuscata.  
Unger, *Fenzl, in Unger, Reise Griechenl.* 136; *Boiss. Fl. Orient.* i. 601.—Ins. Ithaca.

## SILENE:—

- uniflora, *Bertol. Fl. Ital.* iv. 632 = S. Cucubalus?  
uniflora, *Roth, in Usterl, Ann. Bot.* x. (1794) 46; et in *Catalect. fasc. i.* 52 = maritima.  
unilocularis, *Schrank, Baier. Fl.* i. 712 = Arenaria spathulata?  
Urvillii, *Schott, ex Urv. in Mém. Soc. Linn. Par.* i. (1822) 304.—Ins. Cos; Lydia.  
vallesia, *Bory & Chaub. Nouv. Fl. Pélop.* 27 = paradoxia.  
vallesia, *Linn. Syst. ed. X.* 1032.—Europ.  
vallesia, C. A. Mey. *Verz. Pfl. Cauc.* 215 = caucasica.  
vallesia, *Pollini, Fl. Veron.* ii. 58 = Elisabethae.  
vallesiaca, *Link, Handb.* ii. 244 = nicaeensis.  
variegata, *Boiss. & Heldr. Diagn. Ser. I.* viii. 82.—Graecia.  
variegata, *Hort. ex Fenzl, Adv. Bot.* [7]; in *Del. Sem. Hort. Vindob.* (1851) = S. Armeria.  
velutina, *Hort. ex Fenzl, l. c.* = annulata, gallica.  
velutina, *Pourr. ex Loisel. in Desv. Journ. Bot.* ii. (1809) 324.—Ins. Corsic.  
velutinoides, *Pomel, Nouv. Mat. Fl. Atl.* 208.—Alger.  
venosa, *Aschers. Fl. Brandenb.* i. 86 = S. Cucubalus.  
verecunda, S. Wats. in *Proc. Am. Acad.* x. (1875) 344.—Calif.  
vernalis, *Poepp. ex Rohrb. Monog. Silene*, 97 = gallica.  
verticillata, *Oth, in DC. Prod.* i. 370 = spargulifolia.  
vesicaria, *Schrad. ex Reichb. Fl. Germ. Excurs.* 822 = S. Cucubalus.  
vesiculifera, J. Gay, ex *Boiss. Fl. Orient.* i. 586.—Cilicia.  
vespertina, *Curt. Bot. Mag.* t. 677 = colorata.  
vespertina, *Hort. ex Fenzl, Adv. Bot.* [7]; in *Del. Sem. Hort. Vindob.* (1851) = S. Cucubalus.  
vespertina, *Retz. Obs.* iii. 31.—Reg. Mediterr.; Afr. bor.  
vestita, *Soyer-Willem. & Godr. in Expl. Sc. Algér.* t. 81; et in *Mém. Soc. Sc. Nancy*, 1850 (1851), 154 = micropetala.  
vilipensa, *Kunze, in Ind. Sem. Hort. Lips.* (1845); et in *Flora*, xxii. (1846) 641 = portensis, inaperta.  
vilis, *Bartl. Ind. Sem. Hort. Gotting.* (1845) = portensis.  
vilis, *Fenzl, ex Boiss. Fl. Orient.* i. 596 = apetala.  
vilis, *Kunze, ex Nym. Consp.* 95 = inaperta.  
villosa, *Boiss. Voy. Bot. Espagne*, ii. 90 = S. Psammitis.  
villosa, *Cambess. in Mém. Mus. Par.* xiv. (1827) 221. t. 41.—Hispan.  
villosa, *Forsk. Fl. Aegypt. Arab.* 88.—Aegypt.  
villosa, *Forsk. l. c.* 210 = gallica.  
villosa, *Holl. ex Rohrb. Monog. Silene*, 112 = littorea.  
villosa, *Hort. ex Fenzl, Adv. Bot.* [7]; in *Del. Sem. Hort. Vindob.* (1851) = obtusifolia, vespertina.  
villosa, *Moench, Meth.* 708 = nicaeensis.  
virginica, *Benth. Pl. Hartw.* 299 = californica.  
virginica, *Linn. Sp. Pl.* 419.—Am. bor.  
virginica, *Rafin. ex DC. Prod.* i. 333 = pensylvanica.  
virginica, *Willd. Sp. Pl.* ii. 702 = pensylvanica?  
viridella, *Link, Handb.* ii. 242 = nutans.  
viridiflora, *Gueldenst. ex Ledeb. Fl. Ross.* i. 319 = chlorantha.  
viridiflora, *Kotschy, ex Rohrb. Monog. Silene*, 214 = amana.  
viridiflora, *Linn. Sp. Pl.* ed. II. 597.—Europ. austr.  
viscaginoides, *Hornem. Suppl. Hort. Hafn.* 49 = tenuis.  
viscaginoides, *Oth, in DC. Prod.* i. 368 = jenisea.  
viscariaefolia, *Boiss. Diagn. Ser. I. i.* 30 = bupleuroides.  
viscariaefolia, *Bourg. ex Rohrb. Monog. Silene*, 179 = longiflora.  
viscida, *Moench, Meth.* 708 = noctiflora.  
viscida, *Spreng. Pugill.* ii. 65 = alpestris.  
viscosa, *Pers. Syn.* i. 497.—Europ.; As. bor.  
viscosa, *Schleich. Cat. Pl. Helv.* 33 = italica.  
viscosissima, *Rochel, ex Rohrb. Monog. Silene*, 220 = italica.  
viscosissima, *Tenore, Prod. Fl. Nap.* p. xxvi = nicaeensis.  
Vivianii, *Steud. Nom. ed. II.* ii. 588 = setacea.  
volgensis, *Spreng. Syst.* ii. 413 = wolgensis.  
vulgaris, *Garcke, Fl. Deutschl.* ed. IX. 64 = S. Cucubalus.  
Waldsteinii, *Griseb. Spicil. Fl. Rumel.* i. 179.—Europ. austr.  
Wallichiana, *Klotzsch, in Bot. Ergeb. Waldem. Reise*, 139 = S. Cucubalus.  
Webbiana, *Wall. Cat. n.* 627.—Reg. Himal.  
Willdenowii, *Sweet, Hort. Brit.* ed. II. 51 = Thorei.  
Willkommiana, J. Gay, ex *Coss. Notes Crit.* ii. 32 = divaricata.



**SILENE:—**

*wolgensis*, Bess. ex Spreng. *Ind. Sem. Hort. Hal.* (1818) 6; *Ledeb. Fl. Alt.* ii. 140 (an seq.?).—Europ. or. *wolgensis*, Oth. in DC. *Prod.* i. 370 = *S. Otites*. Wrightii, A. Gray, *Pl. Wright.* ii. 17.—N. Mexic. *xeranthema*, Viv. *Fl. Lib. Spec.* 67; *Fl. Cors. Sp. Nov.* 7.—Ins. Corsic. *Zawadskii*, Hort. ex Fenzl, *Adv. Bot.* [7]; in Del. *Sem. Hort. Vindob.* (1851) = *S. Cucubalus*. *Zawadzkii*, *Herbich, in Zawad. Fl. Galic.* 191.—Bucovina.

**SILENOPSIS**, Willk. in *Bot. Zeit.* v. (1847) 237 = **Lychnis**, Tourn. (Caryoph.). *Lagascae*, Willk. l. c. = *L. Lagascae*.

**SILER**, Crantz, *Stirp. Austr. ed. I. fasc. iii.* 60 (1767); ed. II. 185 (1769). **UMBELLIFERAE**, Benth. & Hook. f. i. 908.

**AGASYLLIS**, Spreng. in *Ges. Naturf. Fr. Berl. Mag.* vi. (1812) 259.

**BRADLAELA**, Neck. *Elem.* i. 169 (1790). *alpinum*, Baumg. *Enum. Stirp. Transs.* i. 229 = *trilobum*.

*aquilegifolium*, Gaertn. *Fruct.* i. 92. t. 22 = *trilobum*. *caucasicum*, Spreng. *Sp. Umbellif.* 90. —Reg. Caucas.

*Chironium*, Crantz, *Cl. Umb. Emend.* 69 = *Opoponax Chironium*.

*divaricatum*, Benth. & Hook. f. *Gen.* i. 909.—Sibir. baical.

*gallicum*, Crantz, *Stirp. Austr. ed. I. fasc. iii.* 65; ed. II. 188 = *Laserpitium gallicum*.

*lancifolium*, Hoffmgg. & Link, *Fl. Port.* ii. t. 109 = *Peucedanum lancifolium*.

*lancifolium*, Moench, *Meth.* 85 = *Laserpitium Siler*.

*montanum*, Crantz, *Stirp. Austr. ed. I. fasc. iii.* 60; ed. II. 185 = *Laserpitium Siler*.

*salsum*, Spreng. *Sp. Umbellif.* 90 = *Peucedanum redivivum*.

*trilobum*, Crantz, *Stirp. Austr. ed. I. fasc. iii.* 62; ed. II. 186.—Oriens.

**SILQUARIA**, Forsk. *Fl. Aegypt. Arab.* 78 (1775) = **Cleome**, Linn. (Cappar.).

*arabica*, Rafin. *Sylva Tellur.* 111 = *C. arabica*.

*glandulosa*, Forsk. *Fl. Aegypt. Arab.* 78 = *C. arabica*.

**SILQUASTRUM**, Tourn. ex Adans. *Fam.* ii. 317 (1763) = **Cercis**, Linn. (Legumin.).

*Arbor-fudae*, Medic. in Vorles. *Churpf. Phys. Ges.* ii. (1787) 339 = *C. Siliquastrum*.

*canadense*, Medic. l. c. = *C. canadensis*.

*cordatum*, Moench, *Meth.* 54 = *C. canadensis*.

*orbiculatum*, Moench, l. c. = *C. Siliquastrum*.

**SILLYBUM**, Hassk. *Cat. Hort. Bog. Alt.* 104 (1844), sphalm. = **Silybum**, Vaill. (Compos.).

**SILOXERUS**, Labill. *Nov. Holl. Pl.* ii. 57. t. 209 (1806) = **Angianthus**, Wendl. (Compos.).

*humifusus*, Labill. l. c. 58 = *A. humifusus*.

**SILPHION**, St. Lag. in *Ann. Soc. Bot. Lyon*, vii. (1880) 135 = **Silphium**, Linn. (Compos.).

*asteriscum*, St. Lag. l. c. = **Silphium Asteriscus**.

**SILPHIOSPERMA**, Steetz, in *Lehm. Pl. Preiss.* i. 433 (1845) = **Brachycome**, Cass. (Compos.).

*collinum*, Sond. in *Linnaea*, xxv. (1852) 483 = *B. collina*.

*glandulosum*, Steetz, in *Lehm. Pl. Preiss.* i. 433 = *B. glandulosa*.

*perpusillum*, Steetz, l. c. = *B. collina*.

**SILPHIUM**, Linn. *Coroll. Gen.* 16 (1737). **COMPOSITAE**, Benth. & Hook. f. ii. 350.

*albiflorum*, A. Gray, in *Proc. Am. Acad.* xix. (1883) 4.—Texas.

*arborescens*, Mill. *Gard. Dict.* ed. VIII. n. 4.—Mexic.

*aspermum*, Hook. *Comp. Bot. Mag.* i. (1835) 99.—Am. bor. occ.

*Asteriscus*, Hornem. *Hort. Hafn.* 854 = *Berlandiera tomentosa*.

*Asteriscus*, Linn. *Sp. Pl.* 920.—Am. bor.

*atropurpureum*, Ketz. ex Willd. *Sp. Pl.* iii. 2334 = *trifoliatum*.

**SILPHIUM:—**

*betonicaefolium*, Hook. *Comp. Bot. Mag.* i. (1835) 99 = *Berlandiera texana*.

*brachiatum*, Gattinger, in *Coult. Bot. Gaz.* ix. (1884) 192.—Am. bor.

*compositum*, Michx. *Fl. Bor. Am.* ii. 145.—Am. bor.

*conjunctum*, Willd. *Enum. Hort. Berol.* 933 = *perfoliatum*.

*connatum*, Linn. *Mant.* ii. 574 = *perfoliatum*.

*dentatum*, Ell. *Sketch.* ii. 468 = *S. Asteriscus*.

*dissectum*, Poir. *Encyc. Suppl.* v. 157.—Am. bor.?

*doronicifolium*, Kunze, *Del. Sem. Hort. Lips.* (1846) 4; et in *Linnaea*, xx. (1847) 20.—Afr. austr.

*edule*, Baill. *Hist. Pl.* viii. 306 = *Polymnia edulis*.

*elatum*, Herb. Banks, ex Pursh, *Fl. Am. Sept.* ii. 579 = *compositum*.

*equatoriale*, Spruce, ex Benth. & Hook. f. *Gen.* ii. 350 = *Wedelia equatorialis*.

*erythrocaulon*, Bernh. ex Spreng. *Syst.* iii. 630 = *perfoliatum*.

*glaucum*, Weinm. *Hort. Dorpat.* 143; ex *DC. Prod.* v. 571, in obs.—Am. bor.

*gracile*, A. Gray, in *Proc. Am. Acad.* viii. (1873) 653.—Texas.

*gummiferum*, Ell. *Sketch.* ii. 460 = *laciniatum*.

*helianthoides*, Linn. *Sp. Pl.* 920 = *Heliopsis laevis*.

*Hornemannii*, Schrad. ex DC. *Prod.* v. 514 = *perfoliatum*.

*integriolium*, Michx. *Fl. Bor. Am.* ii. 146.—Am. bor.

*laciniatum*, Linn. *Sp. Pl.* 919.—Am. bor.

*laciniatum*, Walt. *Fl. Carol.* 217 = *compositum*.

*laeve*, Hook. *Lond. Journ. Bot.* vi. (1847) 244.—Am. bor.

*laevigatum*, Ell. *Sketch.* ii. 465 = *trifoliatum*.

*laevigatum*, Pursh, *Fl. Am. Sept.* ii. 578 = *integriolium*.

*lanceolatum*, Nutt. in *Trans. Am. Phil. Soc. N. S.* vii. (1841) 341 = *S. Asteriscus*.

*latifolium*, Hill, *Hort. Kew.* 11.—Am. bor.

*nudicaule*, M. A. Curt. in *Bost. Journ. Nat. Hist.* i. (1837) 127 = *compositum*.

*Nuttallianum*, Torr. in *Ann. Lyc. N. York*, ii. (1828) 216 = *Berlandiera lyrata*.

*patulum*, Banks, ex Pursh, *Fl. Am. Sept.* ii. 578 = *Berlandiera tomentosa*.

*perfoliatum*, Linn. *Syst.* ed. X. 1232.—Am. bor.

*peristenium*, Rafin. *Atl. Journ.* 146 (Quid?).—Am. bor.

*petiolatum*, Poir. *Encyc. Suppl.* v. 157 = *perfoliatum*.

*pinnatifidum*, Ell. *Sketch.* ii. 462 = *terebinthinaceum*.

*platypterum*, Spruce, ex Benth. & Hook. f. *Gen.* ii. 350 = *Verbesina platyptera*.

*Pseudo-laciniatum*, Fras. ex DC. *Prod.* v. 512 = *compositum*.

*pumilum*, Michx. *Fl. Bor. Am.* ii. 183 = *Berlandiera tomentosa*.

*quadrangulum*, Hedw. in *Roem. Arch.* iii. (1803) 123 = *perfoliatum*.

*quercifolium*, DC. *Prod.* v. 513.—Hab.?

*Radula*, Nutt. in *Trans. Am. Phil. Soc. N. S.* vii. (1841) 341 = *aspermum*.

*reniforme*, Rafin. ex Nutt. l. c. 342 = *compositum*.

*reticulatum*, Moench, *Meth.* 606 = *S. Asteriscus*.

*reticulatum*, Pursh, *Fl. Am. Sept.* ii. 579 = *Berlandiera tomentosa*.

*reticulatum*, Rafin. *Atl. Journ.* 148 = *praec.?*

*rigidum*, Moench, *Meth. Suppl.* 258.—Hab.?

*scaberrimum*, Ell. *Sketch.* ii. 466.—Am. bor.

*scabrum*, Moench, *Meth.* 606 = *perfoliatum*.

*scabrum*, Wait. *Fl. Carol.* 217 = *S. Asteriscus*.

*sinuatum*, Banks, ex Pursh, *Fl. Am. Sept.* ii. 577 = *compositum*.

*solidaginoides*, Linn. *Sp. Pl.* 920 = *Heliopsis laevis*.

*speciosum*, Nutt. in *Trans. Am. Phil. Soc. N. S.* vii. (1841) 341 = *integriolium*.

*spicatum*, Poir. *Encyc. Suppl.* v. 157 = *laciniatum*.

*subacale*, Nutt. in *Am. Journ. Sc. Ser. I.* v. (1822) 301 = *Berlandiera subacaulis*.

*terebinthinaceum*, Ell. *Sketch.* ii. 463 = *compositum*.

*terebinthinaceum*, Jacq. *Hort. Vindob.* i. 16.—Am. bor.

*ternatum*, Retz. ex Willd. *Sp. Pl.* iii. 2333 = *trifoliatum*.

*ternifolium*, Michx. *Fl. Bor. Am.* ii. 146 = *trifoliatum*.

*Tetragonotheca*, Gaertn. *Fruct.* ii. 444. t. 171. f. 2 = *Tetragonotheca helianthoides*.

*tetragonum*, Moench, *Meth.* 606 = *perfoliatum*.

*tomentosum*, Herb. Banks, ex Pursh, *Fl. Am. Sept.* ii. 579 = *Berlandiera tomentosa*.

**SILPHIUM:—**

*trachopus*, Rafin. *Herb.* 24; *Atl. Journ.* 178.—Am. bor.

*trifoliatum*, Linn. *Sp. Pl.* 920.—Am. bor.

*trilobatum*, Linn. *Syst.* ed. X. 1232 = *Wedelia carnosae*.

**SILVAEA**, Hook. & Arn. *Bot. Beech. Voy.* 211 (1836) = **Trigostemon**, Blume (Euphorb.).

*Hookeriana*, Baill. *Etud. Gén. Euph.* 342 = *T. semperflorens*.

*semperflorens*, Hook. & Arn. *Bot. Beech. Voy.* 211 = *T. semperflorens*.

**SILVAEA**, Meissn. in *DC. Prod.* xv. i. 84 (1864) = **Endiandra**, R. Br. (Laurin.).

*Navalium*, Meissn. l. c. = *E. Navalium* (in Addend.).

**SILVAEA**, Phil. *Fl. Atac.* 21. t. 1 C (1860). **PORTU-LACEAE**, Benth. & Hook. f. i. 159.

*amarantoides*, Phil. l. c. 22.—Chili.

*celosioides*, Phil. l. c.—Chili.

*corrigioloides*, Phil. l. c.—Chili.

*pschyphylla*, Phil. l. c. 21.—Chili.

**SILVIA**, Allem. *Diss. Rio Janeiro* (1845).—Cf. *Bot. Zeit.* xii. (1854) 454 = **Endiandra**, R. Br. (Laurin.).

*Navalium*, Allem. l. c. = *E. Navalium* (in Addend.).

**SILVIA**, Benth. in *DC. Prod.* x. 513 (1846). **SCROPHULARINEAE**, Benth. & Hook. f. ii. 972.

*prostrata*, Benth. in *DC. Prod.* x. 513.—Mexic.

*serpyllifolia*, Benth. l. c.—Mexic.

**SILVIA**, Vell. *Fl. Flum.* 55 (1825); i. t. 149 (1827) = **Escobedia**, Ruiz & Pav. (Scrophul.).

*curialis*, Vell. ll. cc. = *E. scabrifolia*.

**SILVIANTHUS**, Hook. f. in *Hook. Ic. Pl.* t. 1048 (1868). **RUBIACEAE**, Benth. & Hook. f. ii. 64.

*bracteatus*, Hook. f. in *Hook. Ic. Pl.* t. 1048.—Reg. Himal.

**SILYBON**, St. Lag. in *Ann. Soc. Bot. Lyon*, vii. (1880) 144 = *seq.*

**SILYBUM**, Vaill. ex Adans. *Fam.* ii. 116 (1763); Gaertn. *Fruct.* ii. 378. t. 162 (1791). **COMPOSITAE**, Benth. & Hook. f. ii. 470.

*MARIANA*, Hill, *Veg. Syst.* iv. 19 (1762), nomen prius.

*atriplicifolium*, Fisch. *Ind. Hort. Petrop.* (1824); ex DC. *Prod.* vi. 663 = *Serratula atriplicifolia*.

*cernuum*, Gaertn. *Fruct.* ii. 378. t. 162. f. 2 = *Carduus cernuus*, Steud.

*cernuum*, Ledeb. *Fl. Alt.* iv. 43 = *Carduus stenolepis*.

*eburneum*, Coss. & Dur. in *Bull. Soc. Bot. Fr.* ii. (1855) 366.—Afr. bor.

*hispanicum*, Loscos & Pardo, *Ser. Inconf. Arag.* ed. Willk. 56 = *eburneum*.

*intermedium*, Willk. *Ind. Sem. Hort. Dorpat.* (1869) 6.—Hab.?

*leucanthum*, Jord. & Fourr. *Brev. Pl. Nov. fasc.* ii. 83 = *S. Marianum*.

*maculatum*, Moench, *Meth.* 555 = *S. Marianum*.

*Mariae*, S. F. Gray, *Nat. Arr. Brit. Pl.* ii. 436 = *S. Marianum*.

*Marianum*, Gaertn. *Fruct.* ii. 378. t. 168.—Europ.

*pygmaeum*, Cass. in *Dict. Sc. Nat.* l. 469 = *S. Marianum*.

*squarrosus*, Tausch, in *Flora*, xix. (1836) 396 = *Carduus cernuus*, Steud.

**SILYMBRIUM**, Neck. in *Act. Acad. Theod. Palat.* ii. (1770) 480, sphalm. = **Sisymbrium**, Linn. (Crucif.).

**SIMABA**, Aubl. *Pl. Gui.* i. 400. t. 153 (1775). **SIMARUBEAE**, Benth. & Hook. f. i. 308.

*ARUBA*, Aubl. *Pl. Gui.* i. 293. t. 115 (1775).

*HOMALOLEPIS*, Turcz. in *Bull. Soc. Nat. Mosc.* xxi. (1848) i. 575.

**PHYLLOSTEMA**, Neck. *Elem.* ii. 301 (1790).

**ZWINGERA**, Schreb. *Gen.* ii. 802 (1791).

*africana*, Baill. *Adansonia*, vii. (1866–67) 381 = *Quassia africana*.

*angustifolia*, Benth. in *Hook. Kew Journ.* iii. (1851) 371 = *guianensis*?

*Aruba*, A. St. Hil. ex DC. *Prod.* i. 734 = *guianensis*.

**SIMABA** :—

- bahiensis*, Moric. in Mém. Soc. Phys. Genève. vii. (1836) 251 = ferruginea?  
*bicolor*, Zucc. in Abh. Akad. Muench, i. (1829-30) 353.—Mexic.  
*Blanchetii*, Turcz. in Bull. Soc. Nat. Mosc. xxxi. (1858) i. 444 = ferruginea.  
*Cedron*, Planch. in Hook. Lond. Journ. Bot. v. (1846) 566.—Am. trop.  
*crustacea*, Engl. in Mart. Fl. Bras. xii. II. 211.—Bras.  
*cuneata*, A. St. Hil. & Tul. in Ann. Sc. Nat. Sér. II. xvii. (1842) 133.—Bras.  
*cuspidata*, Spruce, ex Engl. in Mart. Fl. Bras. xii. II. 212.—Bras.  
*ferruginea*, A. St. Hil. in Bull. Soc. Philom. (1823) 129; Pl. Rem. Brés. i. 127.—Bras.  
*floribunda*, A. St. Hil. l. c. 129; 126.—Bras.  
*foetida*, Benth. in Hook. Kew Journ. iii. (1851) 370 = guianensis?  
*glabra*, Engl. in Mart. Fl. Bras. xii. II. 218.—Bras.  
*glandulifera*, Gardn. in Hook. Lond. Journ. Bot. i. (1842) 169.—Bras.  
*guianensis*, Aubl. Pl. Gui. i. 400. t. 153.—Am. trop.  
*indica*, Baill. Hist. Pl. iv. 440 = Samadera indica.  
*insignis*, A. St. Hil. & Tul. in Ann. Sc. Nat. Sér. II. xvii. (1842) 137 = glandulifera.  
*laevis*, Casar. Nov. Stirp. Bras. Dec. 10.—Bras.  
*longifolia*, Casar. l. c. 9 = glandulifera.  
*maiana*, Casar. l. c. 10.—Bras.  
*multiflora*, A. Juss. in Mém. Mus. Par. xii. (1825) t. 27 = guianensis?  
*nigrescens*, Engl. in Mart. Fl. Bras. xii. II. 213.—Bras.  
*obovata*, Spruce, ex Engl. l. c. 210.—Bras.  
*orinocensis*, H. B. & K. Nov. Gen. et Sp. vi. 18. t. 514.—Venezuela.  
*quassioidea*, D. Don, Prod. Fl. Nep. 248 = Picrosma quassioidea.  
*salubris*, Engl. in Mart. Fl. Bras. xii. II. 219.—Bras.  
*suaveolens*, A. St. Hil. in Bull. Soc. Philom. (1823) 129; Pl. Rem. Brés. 128.—Bras.  
*subcymosa*, A. St. Hil. & Tul. in Ann. Sc. Nat. Sér. II. xvii. (1842) 137.—Bras.  
*suffruticosa*, Engl. in Mart. Fl. Bras. xii. II. 213.—Bras.  
*trichilioides*, Planch. in Hook. Lond. Journ. Bot. v. (1846) 565, partim = S. Cedron.  
*trichilioides*, A. St. Hil. in Bull. Soc. Philom. (1823) 129; Pl. Rem. Brés. 129.—Bras.  
*undulata*, Guill. & Perr. Fl. Seneg. Tent. i. 136.—Afr. trop.  
*Warmingiana*, Engl. in Mart. Fl. Bras. xii. II. 217.—Bras.

**SIMARUBA**, Aubl. Pl. Gui. ii. 859. t. 331, 332 (1775) (Simarouba); DC. in Ann. Mus. Par. xvii. (1811) 423. *SIMARUBEAE*, Benth. & Hook. f. i. 309.

- amara*, Aubl. l. c. 860.—Am. trop.  
*amara*, Hayne, Arzn. Gew. ix. 15 = glauca.  
*antisiphilitica*, Mart. ex Engl. in Mart. Fl. Bras. xii. II. 225 = versicolor.  
*excelsa*, DC. in Ann. Mus. Par. xvii. (1811) 424 = Picrosma excelsa.  
*glauca*, DC. l. c.—Am. trop.  
*laevis*, Griseb. Cat. Pl. Cub. 49.—Cuba.  
*medicinalis*, Endl. Mediz. 528 = glauca.  
*monophylla*, Oliver, in Hook. Ic. Pl. t. 1387.—Guian.  
*officinalis*, DC. in Ann. Mus. Par. xvii. (1811) 423 = amara.  
*officinalis*, Macfad. Fl. Jamaica. i. 198 = glauca.  
*versicolor*, A. St. Hil. Pl. Us. Bras. t. 5.—Bras.

**SIMBLOCLINE**, DC. Prod. v. 297 (1836) = **Diplostephium**, H. B. & K. (Compos.).  
*Haenkei*, DC. l. c. = D. Haenkei.

**SIMBULETA**, Forsk. Fl. Aegypt. Arab. 115 (1775) = **Anarrhinum**, Desf. (1800) (Scrophul.).  
*arabica*, Poir. in Dict. Sc. Nat. xlix. 244 = A. arabicum.  
*Forskählii*, J. F. Gmel. Syst. 242 = A. arabicum.

**SIMETHIS**, Kunth, Enum. Pl. iv. 618 (1843).  
**LILIACEAE**, Benth. & Hook. f. iii. 784.  
**MORGAGNIA**, Bubani, in Nouv. Ann. Sc. Nat. Bologn. ix. (1843) 92.

VOL. II.

**SIMETHIS** :—

- POGONELLA**, Salisb. Gen. Pl. Fragm. 70 (1866).  
**PUBILARIA**, Rafin. Fl. Tellur. ii. 27 (1836), nomen prius.  
**SIEBOLDIA**, Heynh. Nom. ii. 664 (1846).  
*bicolor*, Kunth, Enum. Pl. iv. 618.—Europ.  
*planifolia*, Gren. & Godr. Fl. Fr. iii. 222 = bicolor.  
**SIMIRA**, Aubl. Pl. Gui. i. 170. t. 65 (1775) = **Psychotria**, Linn. (Rubiace.).  
*nitida*, Poir. Encyc. vii. 196 = P. nitida.  
*Palicourea*, Poir. l. c. = Palicourea guianensis.  
*tinctoria*, Aubl. Pl. Gui. i. 170 = P. parviflora, Willd.

**SIMIRA**, Rafin. Fl. Tellur. iv. 28 (1836) = **Scilla**, Linn. (Liliac.).  
*japonica*, Rafin. l. c. = Sc. japonica.

**SIMMONDSIA**, Nutt. in Hook. Lond. Journ. Bot. iii. (1844) 400. t. 16. **EUPHORBIACEAE**, Benth. & Hook. f. iii. 265.  
**BROCCIA**, Mauri, in Tenore, Cat. Ort. Napoli (1845), 80.  
*californica*, Nutt. in Hook. Lond. Journ. Bot. iii. (1844) 400. t. 16.—Calif.  
*pabulosa*, Kellogg, in Proc. Calif. Acad. ii. (1859) 21 = californica.

**SIMOCHAILUS**, Klotzsch, in Linnaea, xii. (1838) 236.  
**ERICACEAE**, Benth. & Hook. f. ii. 593.  
**ANOMALANTHUS**, **CODONANTHEMUM**, **MACROLINUM**, **OCTOGONIA**, **PACHYCALYX**, **PLAGIOSTEMON**, **SYNDESMANTHUS**, **THAMNUS**, **THORACOSPERMA**, Klotzsch, l. c. 230-242.  
*barbiger*, Klotzsch, l. c. 237.—Afr. austr.  
*bicolor*, Benth. in DC. Prod. vii. 703.—Afr. austr.  
*carneus*, Klotzsch, in Linnaea, xii. (1838) 236.—Afr. austr.  
*depressus*, Benth. in DC. Prod. vii. 704.—Afr. austr.  
*Ecklonianus*, Benth. l. c. 705.—Afr. austr.  
*glabellus*, Benth. l. c. 704.—Afr. austr.  
*glaber*, Benth. l. c. 705.—Afr. austr.  
*hirsutus*, Benth. l. c. 704.—Afr. austr.  
*hispidus*, Benth. l. c. 705.—Afr. austr.  
*Klotzschianus*, Benth. l. c. 703.—Afr. austr.  
*multiflorus*, Klotzsch, in Linnaea, xii. (1838) 236.—Afr. austr.  
*oblongus*, Benth. in DC. Prod. vii. 705.—Afr. austr.  
*obovatus*, Benth. l. c. 703.—Afr. austr.  
*patens*, Benth. l. c. 704.—Afr. austr.  
*pubescens*, Klotzsch, in Linnaea, xii. (1838) 236.—Afr. austr.  
*quadrifidus*, Benth. in DC. Prod. vii. 703.—Afr. austr.  
*quadriflorus*, Steud. Nom. ed. II. ii. 589, sphalm. = praec.  
*submuticus*, Benth. in DC. Prod. vii. 704.—Afr. austr.

**SIMONISIA**, Nees, in Mart. Fl. Bras. ix. 144. t. 23 (1847) = **Beloperone**, Nees (Acanth.).  
*asclepiadea*, Nees, l. c. 145.—Bras.  
*Riedeliana*, Nees, l. c. = B. Riedeliana.  
*rosea*, Nees, l. c. 144 = B. rosea.

**SIMPBITUM**, Neck. Delic. Gallo-Belg. i. 101 (1768) = **Symphytum**, Tourn. (Borag.).

**SIMPLOCARPUS**, F. Schmidt, Reisen Amurl. 178 (1868), sphalm. = **Symplocarpus**, Salisb. (Aroid.).

**SIMPLOCOS**, Lex. in La Llave & Lex. Nov. Veg. Desc. fasc. i. 22 (1824), sphalm. = **Symplocos**, Linn. (Styrac.).

**SIMSIA**, R. Br. in Trans. Linn. Soc. x. (1810) 152 = **Stirlingia**, Endl. (Proteac.).  
*abrotanoides*, F. Muell. Census, 66 = St. abrotanoides.  
*anethifolia*, R. Br. in Trans. Linn. Soc. x. (1810) 153 = St. tenuifolia.  
*latifolia*, R. Br. Prot. Nov. 9 = St. latifolia.  
*simplex*, F. Muell. Census, 66 = St. simplex.  
*tenuifolia*, R. Br. in Trans. Linn. Soc. x. (1810) 152 = St. tenuifolia.  
*teretifolia*, F. Muell. Census, 66 = St. teretifolia.

**SIMSIA**, Pers. Syn. ii. 478 (1807) = **Encelia**, Adans. (Compos.).

- amplexicaulis*, Pers. l. c. = E. amplexicaulis.  
*auriculata*, DC. Prod. v. 577 = E. mexicana.  
*calva*, A. Gray, in Bost. Journ. Nat. Hist. vi. (1850) 228 = E. calva.  
*canescens*, A. Gray, in Mem. Am. Acad. N. S. iv. (1849) 85 = E. eriocephala.  
*cordata*, Cass. in Dict. Sc. Nat. lix. 137 = E. cordata.  
*Dombeyana*, DC. Prod. v. 578.—Peruv.?  
*exaristata*, A. Gray, Pl. Wright. ii. 87 = E. exaristata.  
*ficifolia*, Pers. Syn. ii. 478 = E. foetida.  
*frutescens*, A. Gray, in Torr. Bot. Mex. Bound. 89 = E. frutescens.  
*grandiflora*, Benth. ex Oerst. in Kjoeb. Vidensk. Meddel. (1852) 92 = E. grandiflora.  
*heterophylla*, DC. Prod. v. 577 = E. heterophylla.  
*heterophylla*, Pers. Syn. ii. 478 = Echinacea heterophylla.  
*hispidula*, Cass. in Dict. Sc. Nat. lix. 137 = E. hispidula.  
*Kunthiana*, Cass. l. c. = E. heterophylla.  
*lagascaeformis*, DC. Prod. v. 577 = E. lagascaeformis.  
*lagascaeformis*, A. Gray, Pl. Wright. i. 107 = E. exaristata.  
*pastoensis*, Triana, in Ann. Sc. Nat. Sér. IV. ix. (1858) 40.—N. Granat.  
*polycephala*, Benth. ex Oerst. in Kjoeb. Vidensk. Meddel. (1852) 93 = E. polycephala.  
*pubescens*, Triana, in Ann. Sc. Nat. Sér. IV. ix. (1858) 40.—N. Granat.  
*sanguinea*, A. Gray, Pl. Wright. i. 107 = E. sanguinea.  
*scaposa*, A. Gray, l. c. ii. 88 = E. scaposa.  
*subaristata*, A. Gray, in Mem. Am. Acad. N. S. iv. (1849) 84 = E. subaristata.

**SIMSIMUM**, Bernh. in Linnaea, xvi. (1842) 42 = **Sesamum**, Linn. (Pedal.).  
*rostratum*, Bernh. l. c. = Sesamum capense.

**SINAPI**, Dulac, Fl. Hautes-Pyr. 194 (1867) = **Brassica**, Tourn. (Crucif.).  
*pinnipartitum*, Dulac, l. c. = B. Cheiranthos.

**SINAPIDENDRON**, Lowe, in Trans. Camb. Phil. Soc. iv. (1831) 36 = **Brassica**, Tourn. (Crucif.).  
*angustifolium*, Lowe, Man. Fl. Mad. i. 30 = B. frutescens.  
*frutescens*, Lowe, in Trans. Camb. Phil. Soc. iv. (1831) 37 = B. frutescens.  
*glaucum*, J. A. Schmidt, Beitr. Fl. Cap. Verd. Ins. 267.—Ins. Cap. Virid.  
*gracile*, Webb, in Hook. Niger Fl. 99. t. 1.—Ins. Cap. Virid.  
*rupestre*, Lowe, in Trans. Camb. Phil. Soc. iv. (1831) 37 (= *Sinapis rupestris*).—Ins. Mader.  
*salicifolium*, Lowe, l. c. = B. frutescens.  
*Vogelii*, Webb, in Hook. Niger Fl. 100. t. 2.—Ins. Cap. Virid.

**SINAPIS**, Linn. Syst. ed. I (1735) = **Brassica**, Tourn. (Crucif.).  
*abyssinica*, A. Br. ex Regel, Ind. Sem. Hort. Petrop. (1856) 34.—Hab.?

- adpressa*, Schloss. & Vukot. Fl. Croat. 237 = B. adpressa.  
*alba*, Linn. Sp. Pl. 668 = B. alba.  
*Allionii*, Jacq. Hort. Vindob. ii. 79 = B. oleracea.  
*alpina*, Mart. ex Steud. Nom. ed. II. ii. 590 = Conringia alpina.  
*amplexicaulis*, DC. Syst. ii. 610.—Alger.  
*angustifolia*, DC. l. c. 624 = B. frutescens.  
*apula*, Tenore, Prod. Fl. Nap. p. xxxix = Diplotaxis apula.  
*aristidis*, Pomel, Nouv. Mat. Fl. Atl. 358.—Alger.  
*arvensis*, Linn. Sp. Pl. 668 = B. Sinapistrum.  
*arvensis*, O. F. Muell. in Fl. Dan. t. 678 = Raphanus Raphanistrum.  
*assurgens*, Delile, Ind. Sem. Hort. Monsp. (1847) 7 = Diplotaxis pachypoda.  
*auriculata*, DC. Syst. ii. 611 (pl. cult.).—Hab.?  
*baetica*, Boiss. Elench. 11 = B. boetica.  
*benghalensis*, Roxb. ex DC. Syst. ii. 198 = Nasturtium indicum.  
*bipinnata*, Desf. Fl. Atlant. ii. 97 = Rapistrum bipinnatum.  
*bracteata*, Steud. Nom. ed. II. ii. 590, sphalm. = seq.  
*bracteolata*, G. Don, in Sweet, Hort. Brit. ed. III. 42 = B. bracteolata.  
*brassicata*, Linn. Syst. ed. XII. 231 = B. juncea.  
*Burmanni*, Eckl. ex Zeyh. Enum. 7 = *retrorsa*.  
*campestris*, Bess. Prim. Fl. Galic. ii. 88.—Europ.

## SINAPIS:—

- campestris*, Jacq. ex Steud. Nom. ed. II. ii. 590 = *Brassica juncea*.  
*caspica*, Willd. ex Ledeb. Fl. Ross. i. 217 = *B. Tournefortii*.  
*cernua*, Poir. Encyc. iv. 342 = *B. juncea*.  
*cernua*, Thunb. Fl. Jap. 261 = *B. nigra*.  
*Cheiranthus*, Mert. & Koch, Deutschl. Fl. iv. 717 = *B. Cheiranthos*.  
*chelonifolia*, Hort. ex Steud. Nom. ed. II. ii. 590, nomen (Quid ?).—Hab. ?  
*chinensis*, Linn. Mant. i. 95 = *B. juncea*.  
*Choulettiana*, Coss. & Dur. ex Coss. in Bull. Soc. Bot. Fr. ix. (1862) 295 = *procumbens*.  
*circinnata*, Desf. Fl. Atlant. ii. 96 = *pubescens*.  
*communis*, Noronha, in Verh. Batav. Gen. v. (1790) ed. I. Art. iv. 27 = *B. campestris*.  
*crassifolia*, Rafn. Caratteri, 78 = *Diplotaxis pendula*.  
*cuneifolia*, Roxb. Hort. Beng. 48; Fl. Ind. iii. 121 = *B. juncea*.  
*dichotoma*, Roxb. ex Flem. in As. Res. xi. (1810) 179 = *B. campestris*.  
*dissecta*, Lag. Gen. et Sp. Nov. 20 = *B. dissecta*.  
*divaricata*, Roxb. Hort. Beng. 48; Fl. Ind. iii. 123 = *Nasturtium indicum*.  
*elongata*, Spach, ex Steud. Nom. ed. II. ii. 590; Griseb. & Schenk, in Wieg. Archiv, xviii. (1852) i. 308 = *B. elongata*.  
*Eruca*, [Clairv.] Man. Herb. 220 = *Eruca sativa*.  
*erucoides*, Linn. Cent. Pl. ii. 24; Amoen. Acad. iv. 322 = *Diplotaxis erucoides*.  
*erysimoides*, Roxb. Hort. Beng. 48; Fl. Ind. iii. 123 = *B. nigra*.  
*exotica*, Hort. ex DC. Syst. ii. 638 = *Eruca sativa*.  
*flexuosa*, Poir. in Lam. Encyc. iv. 341 = *B. hispida*.  
*foliosa*, Willd. Enum. Hort. Berol. 688 = *B. alba*.  
*frutescens*, Ait. Hort. Kew. ed. I. ii. 404 = *B. frutescens*.  
*geniculata*, Desf. Fl. Atlant. ii. 98 = *B. adpressa*.  
*glauca*, Roxb. Hort. Beng. 48; Fl. Ind. iii. 118 = *B. campestris*.  
*Gorraea*, Buch.-Ham. ex Wall. Cat. sub n. 4790 = *B. sinapoides* (in Addend.).  
*Harra*, Forsk. Fl. Aegypt. Arab. 118 = *Diplotaxis pendula*.  
*hastata*, Desf. Tabl. ed. II. 151 = *Diplotaxis virgata*.  
*heterophylla*, Lag. Gen. et Sp. Nov. 20 = *B. adpressa*.  
*hispanica*, Banks, ex DC. Prod. i. 230 = *B. adpressa*.  
*hispanica*, Lag. ex DC. Syst. ii. 632 = *Diplotaxis catholica*.  
*hispanica*, Linn. Sp. Pl. 669 = *Erucaria tenuifolia*.  
*hispanica*, Thuill. Fl. Par. ed. II. 343 = *Sisymbrium hispanicum*.  
*hispida*, Balb. Misc. Bot. 33 = *B. Sinapistrum*.  
*hispida*, Schousb. Vextr. Marokko, 196 = *B. hispida*.  
*incana*, Linn. Cent. Pl. i. 19; Amoen. Acad. iv. 280 = *B. adpressa*.  
*incana*, Thuill. Fl. Par. ed. II. 343 = *B. nigra*.  
*indurata*, Coss. in Bull. Soc. Bot. Fr. ix. (1862) 168.—Alger.  
*inflexa*, Walp. Rep. i. 186; D. Dietr. Syn. Pl. iii. 725 = *B. incana*.  
*integrifolia*, [Vahl, in] West, Ste-Croix, 296; Willd. Hort. Berol. 14. t. 14 = *B. juncea*.  
*integrifolia*, Walp. Rep. i. 187 = *B. incana* ?  
*japonica*, Thunb. Fl. Jap. 262 = *B. juncea*.  
*juncea*, Linn. Sp. Pl. 668 = *B. juncea*.  
*Kaber*, DC. Syst. ii. 617 = *B. campestris*.  
*laevigata*, Burm. f. Fl. Cap. Prod. 18 = *retrorsa*.  
*laevigata*, Linn. Cent. Pl. i. 20; Amoen. Acad. iv. 281 = *B. juncea*.  
*laevigata*, Pall. Tabl. Taur. 54 = *B. elongata*.  
*laevigata*, Poir. Encyc. iv. 345 = *auriculata*.  
*lanceolata*, DC. Syst. ii. 611 = *B. juncea*.  
*leptopetala*, DC. l. c. 610 = *B. leptopetala*.  
*longirostris*, Boiss. ex Amo, Fl. Iber. vi. 472 = *B. longirostra*.  
*maritima*, All. Fl. Pedem. i. 264 = *Sisymbrium austriacum*.  
*mesopotamica*, Spreng. in Schrad. Journ. ii. 1800 (1801), 199 = *Moricandia arvensis*.  
*millefolia*, Jacq. Coll. i. 41 = *Sisymbrium millefolium*.  
*monensis*, Bab. Man. Brit. Bot. ed. II. 25 = *B. monensis*.  
*montana*, Bourg. ex Nym. Consp. 47 = *B. Cheiranthos*.  
*muralis*, R. Br. in Ait. Hort. Kew. ed. II. iv. 128 = *Diplotaxis muralis*.

## SINAPIS:—

- Napus*, Brot. Fl. Lusit. i. 586 = *Brassica campestris*.  
*nasturtiifolia*, Poir. in Lam. Encyc. iv. 346 = *B. Erucastrum*.  
*nigra*, Forsk. ex DC. Syst. ii. 612 = *B. juncea*.  
*nigra*, Linn. Sp. Pl. 668 = *B. sinapoides* (in Addend.).  
*nudicaulis*, Lag. Gen. et Sp. Nov. 20 = *B. oxyrrhina*.  
*Nuttalliana*, Turcz. in Bull. Soc. Nat. Mosc. xxxvi. (1863) i. 551.—Hab. ?  
*oleracea*, Presl, Delic. Prag. 18 = *B. juncea*.  
*Oliveriana*, DC. Syst. ii. 609 = *Sisymbrium panonicum*.  
*orgyalis*, Willd. ex Ledeb. Fl. Ross. i. 217 = *B. sinapoides* (in Addend.).  
*orientalis*, Linn. Cent. Pl. i. 19; Amoen. Acad. v. 280 = *B. Sinapistrum*.  
*oxyrrhina*, Coss. Notes Crit. 26 = *B. oxyrrhina*.  
*paniculata*, Boiss. Fl. Orient. i. 390 = *B. adpressa*.  
*panormitana*, Spreng. Syst. iv. Cur. Post. 244.—Sicilia.  
*parviflora*, Lippi, ex Delile, Fl. Aeg. Illustr. 67, nomen.—Aegypt.  
*patens*, Roxb. ex Hook. f. & Thoms. in Journ. Linn. Soc. v. (1861) 139 = *Nasturtium indicum*.  
*patens*, Roxb. Hort. Beng. 48; Fl. Ind. iii. 124 = *B. juncea*.  
*pekinensis*, Lour. Fl. Cochinch. 400 = *B. campestris*.  
*pendula*, E. Mey. in Drège, Zwei Pfl. Docum. 222, nomen.—Afr. austr.  
*philaeana*, Delile, Fl. Egypte, 243 = *Morettia canescens*.  
*polymorpha*, Geners. ex Schult. Obs. Bot. 133.—Hab. ?  
*procumbens*, Poir. Encyc. Suppl. iv. 12.—Afr. bor.  
*prostrata*, Roxb. Hort. Beng. 48.—China.  
*pubescens*, Linn. Mant. i. 95.—Europ. austr.  
*pusilla*, Roxb. Hort. Beng. 48; Fl. Ind. iii. 125 = *Nasturtium montanum*.  
*pyrenaica*, Linn. Sp. Pl. ed. II. 934 = *Sisymbrium austriacum*.  
*pyrenaica*, Spielm. ex Pourr. in Mém. Acad. Toul. iii. (1788) 329 (an praec. ?).—Mont. Pyren.  
*radicata*, Desf. Fl. Atlant. ii. 98 = *B. fruticulosa*.  
*ramosa*, Roxb. ex Flem. in As. Res. xi. (1810) 179 = *B. juncea*.  
*Rapa*, Brot. Fl. Lusit. i. 586 = *B. campestris*.  
*Raphanistrum*, Gueldenst. ex Ledeb. Fl. Ross. i. 225 = *Raphanus Raphanistrum*.  
*recurvata*, All. Fl. Pedem. i. 265 = *B. Cheiranthos*.  
*retrofracta*, Bess. ex Steud. Nom. ed. I. 782 = *B. Sinapistrum*.  
*retrorsa*, Burch. ex DC. Syst. ii. 609.—Afr. austr.  
*rubella*, Pall. Reise Suedl. Statth. Russ. Reich. i. 86, 125, 141, 221 = *Chorispora tenella*.  
*rugosa*, Roxb. Hort. Beng. 48; Fl. Ind. iii. 122 = *B. juncea*.  
*rupestris*, Steud. Nom. ed. II. ii. 591.—Ins. Mader.  
*Schkuhriana*, Reichb. Ic. Fl. Germ. ii. 20 = *B. Sinapistrum*.  
*Schlosseri*, Heuff. ex Nym. Consp. 47 = *B. Sinapistrum*.  
*setigera*, J. Gay, ex Lange, in Kjoeb. Vidensk. Meddel. (1865) 76 = *B. setigera*.  
*sicula*, Bertol. Fl. Ital. vii. 169 = *B. boetica*.  
*sinensis*, J. F. Gmel. Syst. 989 = *B. juncea* ?  
*subbipinnatifida*, Lag. Gen. et Sp. Nov. 20.—Hispan.  
*subularia*, Sweet, Hort. Brit. ed. II. 34, nomen.—Hab. ?  
*taurica*, Bieb. Fl. Taur. Cauc. iii. 450 = *B. adpressa*.  
*taurica*, Fisch. Cat. Hort. Gorenk. (1812) 51 = *B. Sinapistrum*.  
*tenella*, Moench, Meth. 253 = *B. juncea*.  
*tenuifolia*, R. Br. in Ait. Hort. Kew. ed. II. iv. 128 = *Diplotaxis tenuifolia*.  
*tetraëdra*, J. & C. Presl, Delic. Prag. 19 = *Erysimum cuspidatum*.  
*timoriana*, DC. Syst. ii. 616 = *B. juncea*.  
*torosa*, Gilib. Fl. Lituan. ii. 69 = *B. Sinapistrum*.  
*torulosa*, Pers. Syn. ii. 207 = *B. nigra*.  
*Tournefortii*, All. Fl. Pedem. i. 265 = *B. Cheiranthos*.  
*trilocularis*, Roxb. Hort. Beng. 48; Fl. Ind. iii. 121 = *B. trilobularis*.  
*tripinnata*, Burch. Trav. i. 318 = *Sisymbrium tripinnatum*.  
*tuberosa*, Poir. in Lam. Encyc. iv. 346 = *B. campestris*.  
*turgida*, Delile, Fl. Aeg. Illustr. 67.—Aegypt.  
*turgida*, Pers. Syn. ii. 207 = *B. sinapoides* (in Addend.).  
*ucranica*, Czern. ex Turcz. in Bull. Soc. Nat. Mosc. xxvii. (1854) ii. 312.—Rossia.  
*villosa*, Méral, Fl. Par. 215; ed. II. ii. 311 = *B. sinapoides* (in Addend.).  
*virgata*, Cav. Desc. 428 = *Diplotaxis virgata*.  
*virgata*, J. & C. Presl, Delic. Prag. 19 = *B. juncea*.  
*zeylanica*, Hort. ex Steud. Nom. ed. II. ii. 591, nomen (Quid ?).—Hab. ?

SINAPISTRUM, Medic. Phil. Bot. i. 108 (1789) = **Gynandropsis**, DC. (Cappar.).  
*pentaphyllum*, Medic. l. c. = *G. pentaphylla*.

SINAPISTRUM, Spach, Hist. Vég. Phan. vi. 343 (1838) = **Brassica**, Tourn. (Crucif.).  
*arvensis*, Spach, l. c. 345 = *B. oleracea*, *arvensis*, *Conringia orientalis*, *Eruca sativa*.

SINAPISTRUM, Tourn. ex Hall. in Rupp. Fl. Jen. 269 (1745) = **Cleome**, Linn. (Cappar.).  
*decandrum*, Moench, Meth. 250 = *C. graveolens*.  
*giganteum*, Moench, l. c. = *C. gigantea*.  
*lanatum*, Moench, l. c. = *C. arabica*.  
*violaceum*, Moench, Meth. Suppl. 83 = *C. graveolens*.  
*viscosum*, Moench, l. c. = *C. viscosa*.

SINAPODENDRON, Ball, in Journ. Linn. Soc. xvi. (1877) 325, sphalm. = SINAPIDENDRON, Lowe = **Brassica**, Tourn. (Crucif.).

SINCARPIA, Tenore, in Mem. Soc. Ital. Moden. xxii. (1841) 230 = **Syncarpia**, Tenore (Myrtac.).

SINCLAIREA, Sch.-Bip. in Flora, xxxvi. (1853) 34 = seq.

SINCLAIRIA, Hook. & Arn. Bot. Beech. Voy. 433 (1841) = **Liabum**, Adans. (Compos.).  
*andromachioides*, Sch.-Bip. ex Hemsl. Biol. Centr. Am. Bot. ii. 231 = *L. andromachioides*.  
*discolor*, Hook. & Arn. Bot. Beech. Voy. 433 = *L. discolor*.

SINDORA, Miq. Fl. Ind. Bat. Suppl. 287 (1860).  
**LEGUMINOSAE**, Benth. & Hook. f. i. 584.  
**ECHINOCALYX**, Benth. in Benth. & Hook. f. Gen. i. 584 (1865).  
*cochinchinensis*, Baill. *Adansonia*, x. (1871) 104.—Cochinch.  
*siamensis*, Teysm. ex Miq. Ann. Mus. Bot. Lugd. Bat. iii. 86 = *Wallichii*.  
*sumatrana*, Miq. Fl. Ind. Bat. Suppl. 288.—Sumatra.  
*velutina*, Baker, in Hook. f. Fl. Brit. Ind. ii. 269.—Malacca.  
*Wallichii*, Benth. in Hook. Ic. Pl. t. 1017-18.—Singapore; Malacca.

SINGANA, Aubl. Pl. Gui. i. 574. t. 230 (1775). Genus dubium **LEGUMINOSARUM**.—Cf. Benth. & Hook. f. i. 465.  
**MYLOSOPHORA**, Neck. Elem. ii. 280 (1790).  
**STERBECKIA**, Schreb. Gen. i. 360 (1789).  
*guianensis*, Aubl. Pl. Gui. i. 574.—Guian.

SINGLINGIA, Benth. in Journ. Linn. Soc. xix. (1881) 19, sphalm. = SIEGLINGIA, Bernh. = **Triodia**, R. Br. (Gramin.).

SINISTROPHORUM, Schrank, ex Endl. Gen. 882 (1840) = **Camelina**, Crantz (Crucif.).

SINNINGIA, Nees, in Ann. Sc. Nat. Sér. I. vi. (1825) 297. **GESNERACEAE**, Benth. & Hook. f. ii. 1004.  
**BIGLANDULARIA**, Seem. in Gard. Chron. (1868) 738.

**LIGERIA**, Decne. in Rev. Hort. (1848) 463.  
**ROSANOWIA**, Regel, Gartenfl. xxi. (1872) 33. t. 712.  
**STENOASTRA**, Hanst. in Linnaea, xxvi. (1853-56) 205.

**TAPEINOTES**, DC. Prod. vii. 544 (1839).  
**TAPINA**, Mart. Nov. Gen. et Sp. iii. 59. t. 225. f. 1 (1829).

*calycina*, Hort. ex G. Don, in Loud. Hort. Brit. 241 = *Pentarrhaphia calycina*.  
*Carolinae*, Benth. & Hook. f. Gen. ii. 1004.—Bras.  
*floribunda*, Hort. Par. ex A. Dietr. in Otto & Dietr. Allg. Gartenz. xvi. (1848) 232.—Hab. ?  
*gloxiniiflora*, Scheidw. l. c. xv. (1847) 225.—Mexic.  
*guttata*, Lindl. Bot. Reg. t. 1112.—Bras.  
*Helleri*, Lindl. l. c. t. 997 = *Pentarrhaphia calycina*.  
*Helleri*, Nees, in Ann. Sc. Nat. Sér. I. vi. (1825) 297.—Bras.  
*Lindleyi*, Schau. in Flora, xvii. (1834) 642 = *Pentarrhaphia calycina*.  
*punctata*, Ysabeau, in Journ. Hort. Prat. vii. (1850) 331.—Bras.

**SINNINGIA:—**

*sanguinea*, Regel, Cat. Pl. Hort. Aksakov. 132, nomen (Quid?).—Hab.?  
*speciosa*, Hiern, in *Kjoeb. Vidensk. Meddel.* (1877-78) 91.—Bras.  
*velutina*, Hook. Bot. Mag. t. 4212 = *Helleri*.  
*velutina*, Lindl. Bot. Reg. sub t. 1112.—Bras.  
*villosa*, Lindl. l. c. tt. 1112, 1134.—Bras.  
*Youngeana* ×, Marnock, ex Paxt. Mag. Bot. vii. (1840) 51.

SIOJA, Buch.-Ham. ex Lindl. *Introd. Nat. Syst.* ed. II. 82 (1836) = *Cardiopteris*, Wall. (Olacin.).  
*sanguinaria*, Buch.-Ham. ex Wall. Cat. sub n. 8033 = *C. lobata*.

**SIOLMATRA**, Baill. in Bull. Soc. Linn. Par. i. (1885) 458. *CUCURBITACEAE*.  
*brasiliensis*, Baill. l. c.—Bras.

SION, Adans. Fam. ii. 498 (1763) = *Sium*, Tourn. (Umbell.).

SIONA, Salisb. Gen. Pl. Fragm. 67 (1866) = *Dichopogon*, Kunth (Liliac.).  
*fimbriata*, Salisb. l. c. = *D. Sieberianus*?

**SIPANEA**, Aubl. Pl. Gui. i. 147. t. 56 (1775). *RUBIACEAE*, Benth. & Hook. f. ii. 52.  
*PTYCHODEA*, Willd. ex Cham. & Schlecht. in *Linnaea*, iv. (1829) 168.

*VIRECTA*, Linn. f. Suppl. 17 (1781).  
*angustifolia*, A. Rich. in Mém. Soc. Hist. Nat. Par. v. (1834) 276 = *Virecta multiflora*?  
*biflora*, Cham. & Schlecht. in *Linnaea*, iv. (1829) 168.—Am. trop.  
*carnea*, Neumann, in *Rev. Hort.* Sér. II. ii. (1843-44) 445.—Am. austr.  
*dichotoma*, H. B. & K. Nov. Gen. et Sp. iii. 397 = *pratensis*.  
*elator*, A. Rich. in Mém. Soc. Hist. Nat. Par. v. (1834) 276 = *Virecta procumbens*?  
*erythraeoides*, Cham. in *Linnaea*, ix. (1834) 242.—Bras.  
*glomerata*, H. B. & K. Nov. Gen. et Sp. iii. 398.—Venezuela.  
*limnophila*, Spruce, ex Hook. f. in Hook. Ic. Pl. sub t. 1050 = *Limnosipanea Spruceana*.  
*palustris*, Seem. Bot. Voy. Herald, 136 = *Limnosipanea palustris*.  
*pratensis*, Aubl. Pl. Gui. i. 147. t. 56.—Guian.  
*radicans*, Endl. Atakt. Bot. 7. t. 7 = *biflora*.  
*trichantha*, Miq. in *Linnaea*, xviii. (1844) 293 = *pratensis*.

SIPANIA, Seem. Bot. Voy. Herald, 136 (1853) = *Limnosipanea*, Hook. f. (Rubiace.).

**SIPARUNA**, Aubl. Pl. Gui. ii. 864. t. 333 (1775). *MONIMACEAE*, Benth. & Hook. f. iii. 144.  
*CITROSMA*, Ruiz & Pav. Prod. 134. t. 29 (1794).

*LEONIA*, Mutis, ex Kunth, Syn. Pl. i. 462 (1822).  
*alternifolia*, A. DC. in DC. Prod. xvi. ii. 656.—Bras.  
*amazonica*, Mart. ex A. DC. l. c. 653.—Bras.  
*amplifolia*, A. DC. l. c. 649.—N. Granat.  
*andina*, A. DC. l. c. 648.—Mexic.  
*apicifera*, A. DC. l. c. 652.—Ecuador.  
*Apiosyce*, A. DC. l. c. 645.—Bras.  
*aspera*, A. DC. l. c.—Peruv.  
*asperula*, A. DC. l. c. 647.—Bras.  
*auriculata*, A. DC. in Journ. Bot. iii. (1865) 219.—Peruv.  
*bifida*, A. DC. in DC. Prod. xvi. ii. 652.—Bras.  
*brasiliensis*, A. DC. l. c. 656.—Bras.  
*budleiaefolia*, A. DC. l. c. 652.—Ecuador.  
*camporum*, A. DC. l. c. 654.—Bras.  
*cauliflora*, Hemsl. Biol. Centr. Am. Bot. iii. 69.—Panama.  
*chiridota*, A. DC. in DC. Prod. xvi. ii. 649.—N. Granat.  
*cristata*, A. DC. l. c. 655.—Bras.  
*cujabana*, A. DC. l. c. 644.—Bras.  
*cuspidata*, A. DC. l. c. 655.—Guian.  
*decipiens*, A. DC. l. c. 643.—Guian.  
*discolor*, A. DC. l. c. 656.—Am. trop.  
*echinata*, A. DC. l. c. 652.—N. Granat.  
*eriocalyx*, A. DC. l. c. 646.—Peruv.  
*erythrocarpa*, A. DC. l. c. 643.—Bras.  
*estrellensis*, A. DC. l. c. 644.—Bras.  
*foliosa*, A. DC. l. c. 650.—Bras.

**SIPARUNA:—**

*fulva*, A. DC. in Journ. Bot. iii. (1865) 219.—Peruv.  
*gesnerioides*, A. DC. in DC. Prod. xvi. ii. 646.—N. Granat.  
*glabra*, A. DC. l. c. 656.—Bras.  
*glabrescens*, A. DC. l. c. 648.—Ind. occ.  
*Goudotiana*, A. DC. l. c. 651.—N. Granat.  
*guianensis*, Aubl. Pl. Gui. ii. 865. t. 333.—Guian.  
*hispidula*, A. DC. in Journ. Bot. iii. (1865) 219.—Peruv.; Boliv.  
*Holtonii*, A. DC. in DC. Prod. xvi. ii. 652.—N. Granat.  
*Kunthii*, A. DC. l. c. 649.—N. Granat.  
*Lagopus*, A. DC. l. c. 648.—N. Granat.  
*lanceolata*, A. DC. l. c. 644.—Bras.  
*laurifolia*, A. DC. l. c. 651.—N. Granat.  
*lepidota*, A. DC. l. c.—N. Granat.  
*limoniodora*, A. DC. l. c. 646.—Peruv.  
*Lindenii*, A. DC. l. c. 656.—Bras.  
*macrophylla*, A. DC. l. c. 646.—N. Granat.  
*micrantha*, A. DC. in Journ. Bot. iii. (1865) 219.—Bras.  
*mollicoma*, A. DC. in DC. Prod. xvi. ii. 653.—Bras.  
*mollis*, A. DC. l. c.—N. Granat.  
*muricata*, A. DC. l. c. 651.—Peruv.  
*Mutisii*, A. DC. l. c. 650.—N. Granat.  
*neglecta*, A. DC. l. c. 647.—Peruv.  
*nicaraguensis*, Hemsl. Biol. Centr. Am. Bot. iii. 69.—Nicaragua.  
*oblongifolia*, A. DC. in DC. Prod. xvi. ii. 656.—Peruv.  
*obovata*, A. DC. l. c. 644.—Bras.  
*ovalis*, A. DC. l. c. 650.—Peruv.  
*panamensis*, A. DC. in Journ. Bot. iii. (1865) 219.—Panama.  
*paniculata*, A. DC. in DC. Prod. xvi. ii. 656.—Bras.  
*pauciflora*, A. DC. l. c.—Panama.  
*pellita*, A. DC. l. c. 645.—Bolivia.  
*petiolaris*, A. DC. l. c. 651.—N. Granat.  
*Poeppigii*, A. DC. l. c. 653.—Bras.  
*polyantha*, A. DC. l. c. 646.—Bolivia.  
*radiata*, A. DC. l. c. 656.—Peruv.  
*Reginae*, A. DC. l. c. 654.—Bras.  
*riparia*, A. DC. l. c. 647.—Mexic.  
*ruiceps*, A. DC. l. c. 645.—Bras.  
*sessiliflora*, A. DC. l. c. 647.—N. Granat.  
*Sprucei*, A. DC. in Journ. Bot. iii. (1865) 219.—N. Granat.  
*suaveolens*, A. DC. in DC. Prod. xvi. ii. 647.—Peruv.  
*subinodora*, A. DC. l. c. 649.—Peruv.  
*Thea*, A. DC. l. c. 657.—Bras.  
*thecaphora*, A. DC. l. c. 657.—Peruv.  
*tomentosa*, A. DC. l. c.—Peruv.  
*Trianaei*, A. DC. in Journ. Bot. iii. (1865) 219.—N. Granat.

**SIPHANTHERA**, Pohl, Pl. Bras. Ic. i. 102. t. 84, 85 (1827). *MELASTOMACEAE*, [Benth. & Hook. f. i. 739].

*MEISNERIA*, DC. Prod. iii. 114 (1828).  
*arenaria*, Cogn. in Mart. Fl. Bras. xiv. III. 193.—Bras.  
*cordata*, Pohl, Pl. Bras. Ic. i. 103. t. 84.—Bras.  
*discolor*, Cogn. in Mart. Fl. Bras. xiv. III. 194.—Bras.  
*gracilis*, Miq. in *Linnaea*, xxii. (1849) 537 = *cordata*, Miqueliana.  
*Hostmannii*, Cogn. in Mart. Fl. Bras. xiv. III. 199.—Guian.  
*microlidioides*, Cogn. l. c. 194.—Guian.  
*Miqueliana*, Cogn. l. c. 197.—Bras.  
*paludosa*, Cogn. l. c. 191.—Bras.  
*pusilla*, Cogn. l. c. 197.—Bras.  
*robusta*, Cogn. l. c. 195.—Bras.  
*subtilis*, Pohl, Pl. Bras. Ic. i. 105. t. 85. f. 2.—Bras.  
*tenera*, Pohl, l. c. i. 104. t. 85. f. 1.—Bras.  
*villosa*, Cogn. in Mart. Fl. Bras. xiv. III. 192.—Bras.

SIPHAULAX, Rafin. Fl. Tellur. iii. 74 (1836) = *Nicotiana*, Linn. (Solan.).  
*glabra*, Rafin. l. c.—Hab.?

SIPHIDIA, Reichb. Handb. 173 (1837), sphalm. = seq.

SIPHISIA, Rafin. Med. Fl. i. 62 (1828) = *Aristolochia*, Tourn.  
*angustifolia*, Klotzsch, in Monatsb. Akad. Berl. (1859) 603 = *A. saccata*.  
*glabra*, Rafin. Med. Fl. i. 65 = *A. macrophylla*.

**SIPHISIA:—**

*Griffithii*, Klotzsch, ex Duch. in DC. Prod. xv. i. 437 = *Aristolochia Griffithii*.  
*macrophylla*, Aschers. Fl. Brandenb. i. 598 = *A. macrophylla*.  
*platanifolia*, Klotzsch, in Monatsb. Akad. Berl. (1859) 603 = *A. platanifolia*.  
*reticulata*, Klotzsch, l. c. 604 = *A. reticulata*.  
*saccata*, Klotzsch, l. c. 603 = *A. saccata*.  
*sericea*, Klotzsch, l. c. = *A. sericea*, Benth.  
*Sipho*, Klotzsch, l. c. 602 = *A. macrophylla*.  
*Sipho*, Rafin. Med. Fl. i. 62 = *A. Sipho*.  
*Thwaitesii*, Klotzsch, in Monatsb. Akad. Berl. (1859) 604 = *A. Thwaitesii*.  
*tomentosa*, Rafin. Med. Fl. i. 62, 65 = *A. tomentosa*.  
*tripteris*, Rafin. l. c. 62 = *A. tripteris*.

**SIPHOCAMPYLUS**, Pohl, Pl. Bras. Ic. ii. 104. tt. 169-177 (nec t. 168) (1831). *CAMPANULACEAE*, Benth. & Hook. f. ii. 547.

*BYRSANTHES*, Presl, Prod. Monog. Lobel. 41 (1836).  
*CANONANTHUS*, G. Don, Gen. Syst. iii. 718 (1834).  
*CREMOCHILUS*, Turcz. in Bull. Soc. Nat. Mosc. xxv. (1852) II. 174.  
*LOBELIA*, Presl, Prod. Monog. Lobel. 33 (1836).  
*acuminatus*, G. Don, in Sweet, Hort. Brit. ed. III. 424 = *Lobelia acuminata*.  
*amoenus*, Planch. in Fl. des Serres, vi. (1850-51) 273. t. 619 = *villosulus*.  
*Andropogon*, G. Don, Gen. Syst. iii. 703 = *Centropogon Andropogon*.  
*angustiflorus*, Schlecht. in Lechl. Berb. Am. Austr. 58, nomen.—Peruv.  
*asper*, Benth. Pl. Hartw. 213.—N. Granat.  
*attenuatus*, A. DC. in DC. Prod. vii. 398.—Peruv.  
*ayavacensis*, Steud. Nom. ed. II. ii. 63 = *umbellatus*.  
*barbatus*, G. Don, Gen. Syst. iii. 701 = *Centropogon barbatus* (in Addend.).  
*Benthamianus*, Walp. Rep. vi. 379.—N. Granat.  
*Berberianus*, G. Don, Gen. Syst. iii. 703 = *Centropogon Berberianus*.  
*beslerioides*, G. Don, l. c. 702 = *Centropogon beslerioides*.  
*betulaefolius*, G. Don, l. c. 703.—Bras.  
*bicolor*, G. Don, in Sweet, Brit. Flow. Gard. Ser. II. t. 389 = *Lobelia laxiflora*.  
*biserratus*, A. DC. in DC. Prod. vii. 397.—Peruv.  
*bracteatus*, Decne. ex Linden, Cat. n. 5. (1850) 7.—N. Granat.  
*brevidens*, Regel, Ind. Sem. Hort. Petrop. (1868) 84.—Am. subtrop.  
*campanulatus*, A. DC. in DC. Prod. vii. 401.—Ecuador.  
*canescens*, A. DC. l. c. 402.—Mexic.  
*canus*, Pohl, Pl. Bras. Ic. ii. 106. t. 169 = *macropodus*.  
*Caoutchouc*, G. Don, Gen. Syst. iii. 701.—N. Granat.  
*cardiophyllus*, Pohl, Pl. Bras. Ic. ii. 110. t. 172 = *corymbiferus*.  
*Cavanillesianus*, G. Don, Gen. Syst. iii. 702 = *biserratus*.  
*cernuus*, Griseb. Cat. Pl. Cub. 159.—Cuba.  
*Chamissonianus*, A. DC. in DC. Prod. vii. 407 = *Westinianus*.  
*chimapilophyllus*, Schlecht. in Lechl. Berb. Am. Austr. 58, nomen.—Peruv.  
*cirsiiifolius*, G. Don, Gen. Syst. iii. 703 = *Lobelia cirsiiifolia*.  
*coccineus*, Hook. Bot. Mag. t. 4178 = *Centropogon coccineus*.  
*coleoides*, Vatke, in *Linnaea*, xxxviii. (1874) 733.—Costa Rica.  
*Columnae*, G. Don, Gen. Syst. iii. 701.—N. Granat.  
*comosus*, G. Don, l. c. 702.—Mexic.  
*convolvulaceus*, G. Don, l. c. 703.—Bras.  
*cordifolius*, Benth. Pl. Hartw. 213 = *Benthamianus*.  
*cordifolius*, Otto & Dietr. Allg. Gartens. xii. (1844) 371.—Hab.?  
*corymbiferus*, Pohl, Pl. Bras. Ic. ii. 112. t. 175.—Bras.  
*corymbiflorus*, Warsz. in C. Koch, Wochenschr. vii. (1864) 60 = *Centropogon Warscewiczii*.  
*corymbosus*, Steud. Nom. ed. II. ii. 59, sphalm., in syn. = *praec.*  
*Costaricae*, Vatke, in *Linnaea*, xxxviii. (1874) 731.—Costa Rica.  
*crenatifolius*, Pohl, Pl. Bras. Ic. ii. 107. t. 170.—Bras.  
*cubensis*, A. Rich. Fl. Cub. Fanerog. ii. 68.—Cuba.  
*decumbens*, Fuss. ex A. DC. in DC. Prod. vii. 397.—Ins. S. Doming.



**SIPHOCAMPYLUS** :—

- densiflorus, *Planch. in Fl. des Serres*, vi. (1850–51) 18.—N. Granat.  
 denticulosus, *Planch. l. c.* 19.—N. Granat.  
 dependens, *G. Don, Gen. Syst.* iii. 704.—Peruv.  
 divaricatus, *Benth. Pl. Hartw.* 138.—Peruv.  
 Dombeyanus, *A. DC. in DC. Prod.* vii. 406.—Peruv.  
 domingensis, *A. DC. l. c.* 397.—Ins. S. Doming.  
 duploserratus, *Cham. in Linnaea*, viii. (1833) 201 = Westinianus.  
 duploserratus, *Pohl, Pl. Bras. Ic.* ii. 114. t. 177.—Bras.  
 Eichleri, *Kanitz, in Mart. Fl. Bras.* vi. iv. 148.—Bras.  
 elegans, *Planch. in Fl. des Serres*, vi. (1850–51) 19.—N. Granat.  
 ellipticus, *Vatke, in Linnaea*, xxxviii. (1874) 724.—Am. austr.  
 erianthus, *Benth. Pl. Hartw.* 139 = Centropogon erianthus (in Addend.).  
 eximius, *Planch. in Fl. des Serres*, vi. (1850–51) 16.—N. Granat.  
 ferrugineus, *G. Don, Gen. Syst.* iii. 701.—N. Granat.  
 fimbriatus, *Regel, Gartenfl.* xvii. (1868) 355. t. 600; et in *Ind. Sem. Hort. Petrop.* (1868) 84 = longepedunculatus.  
 floccosus, *Planch. ex Linden, Cat. n.* 5. (1850) 7.—N. Granat.  
 foetidus, *G. Don, Gen. Syst.* iii. 702.—N. Granat.  
 foliosus, *Griseb. in Goett. Abh.* xix. (1874) 201.—Reg. Argent.  
 fulgens, *Lebas, in Rev. Hortic.* (1872) 118.—Hab. ?  
 Funckeanus, *Planch. in Fl. des Serres*, vi. (1850–51) 19.—N. Granat.  
 fuscus, *G. Don, Gen. Syst.* iii. 704.—Peruv.  
 giganteus, *G. Don, l. c.* 702.—Ecuador.  
 glabratus, *G. Don, l. c.* 702.—N. Granat.  
 glandulosus, *Hook. Bot. Mag. t.* 4331.—N. Granat.  
 grandidentatus, *A. DC. in DC. Prod.* vii. 407.—Mexic.  
 grandis, *G. Don, Gen. Syst.* iii. 702 = Centropogon grandis.  
 guatemalensis, *Vatke, in Linnaea*, xxxviii. (1874) 730 = Centropogon cordifolius.  
 Gutierrezii, *Planch. & Oerst. in Kjoeb. Vidensk. Meddel.* (1857) 155.—Am. centr.  
 Hallianus, *Vatke, in Linnaea*, xxxviii. (1874) 732.—Ecuador.  
 hamatus, *H. Wendl. in Otto & Dietr. Allg. Gartenz.* xviii. (1850) 138.—Bras.  
 Hartwegi, *Benth. Pl. Hartw.* 139 = Centropogon Hartwegi (in Addend.).  
 hirtus, *G. Don, Gen. Syst.* iii. 702 = Centropogon hirtus.  
 hispidus, *Benth. Pl. Hartw.* 214.—N. Granat.  
 Humboldtianus, *A. DC. in DC. Prod.* vii. 398.—Peruv.  
 imbricatus, *G. Don, Gen. Syst.* iii. 703.—Bras.  
 Jamesonianus, *A. DC. in DC. Prod.* vii. 402.—Ecuador.  
 Kraussii, *G. Don, in Sweet, Hort. Brit. ed.* III. 424 = Lobelia Kraussii.  
 laciniatus, *G. Don, Gen. Syst.* iii. 704.—Peruv.  
 laevigatus, *Planch. in Fl. des Serres*, vi. (1850–51) 34.—N. Granat.  
 Lamarckii, *A. DC. in DC. Prod.* vii. 397.—Ins. S. Doming.  
 lanatus, *Benth. Pl. Hartw.* 214.—N. Granat.  
 lanceolatus, *Regel, Cat. Pl. Hort. Aksakov.* 132, nomen (Quid ?).—Hab. ?  
 lantanifolius, *A. DC. in DC. Prod.* vii. 399.—Venezuela.  
 lasianthus, *Planch. in Fl. des Serres*, vi. (1850–51) 36.—N. Granat.  
 Lindleyi, *Lem. Jard. Fleur.* ii. (1852) t. 142.—N. Granat.  
 longepedunculatus, *Pohl, Pl. Bras. Ic.* ii. 109. t. 172.—Bras.  
 longipes, *Van Houtte, ex Regel, Gartenfl.* (1854) 3; *Vatke, in Linnaea*, xxxviii. (1874) 733 = Centropogon longipes.  
 lycioides, *G. Don, Gen. Syst.* iii. 703.—Bras.  
 macranthus, *Pohl, Pl. Bras. Ic.* ii. 105. t. 168 = Centropogon surinamensis.  
 macrophyllus, *G. Don, Gen. Syst.* iii. 704.—Peruv.  
 macropodus, *G. Don, l. c.* 702.—Bras.  
 macrostemon, *A. DC. in DC. Prod.* vii. 403.—Bras.  
 manettiaeflorus, *Hook. Bot. Mag. t.* 4403.—N. Granat. ?  
 Matthiaei, *A. DC. in DC. Prod.* vii. 405.—Peruv.

**SIPHOCAMPYLUS** :—

- microstoma, *Hook. Bot. Mag. t.* 4286.—N. Granat.  
 microstoma, *Lindl. & Paxt. Flow. Gard.* ii. (1851) t. 44 = Lindleyi.  
 mollis, *Planch. in Fl. des Serres*, vi. (1850–51) 36.—Venezuela.  
 mollis, *Regel, in Flora*, xxxiii. (1850) 353.—Guatemala.  
 Mutisianus, *G. Don, Gen. Syst.* iii. 703.—N. Granat.  
 nemoralis, *Griseb. in Goett. Abh.* xix. (1874) 201.—Reg. Argent.  
 nitidus, *De Jonghe, ex C. Morr. in Ann. Soc. Hort. Gand*, ii. (1846) 319. t. 78.—Cuba.  
 nitidus, *Hort. ex Hook. Bot. Mag.* sub t. 4403 = manettiaeflorus.  
 nitidus, *Pohl, Pl. Bras. Ic.* ii. 110. t. 174.—Bras.  
 niveus, *Vatke, in Linnaea*, xxxviii. (1874) 732.—N. Granat.  
 odontosepalus, *Vatke, l. c.* 729.—N. Granat.  
 Orbignianus, *A. DC. in DC. Prod.* vii. 405.—Bolivia.  
 patens, *Griseb. Cat. Pl. Cub.* 159.—Cuba.  
 penduliflorus, *Decne. ex Planch. in Fl. des Serres*, viii. (1852–53) 35. t. 763.—Venezuela.  
 pendulifolius, *A. DC. in DC. Prod.* vii. 398.—Peruv.  
 persicifolius, *G. Don, in Sweet, Hort. Brit. ed.* III. 424 = Lobelia persicifolia.  
 peruvianus, *A. DC. in DC. Prod.* vii. 401.—Peruv.  
 polyphyllus, *Planch. in Fl. des Serres*, vi. (1850–51) 36.—N. Granat.  
 popayanensis, *Benth. Pl. Hartw.* 213 = Centropogon popayanensis (in Addend.).  
 prunifolius, *A. DC. in DC. Prod.* vii. 401.—Am. austr.  
 psilophyllus, *Pohl, Pl. Bras. Ic.* ii. 118. t. 176.—Bras.  
 pubescens, *Benth. Pl. Hartw.* 139.—Peruv.  
 pulchellus, *Planch. & Linden, Cat. n.* 10 (1855) 7.—N. Granat.  
 Purdiaeanus, *Planch. in Fl. des Serres*, vi. (1850–51) 18.—N. Granat.  
 Regelii, *Vatke, in Linnaea*, xxxviii. (1874) 732.—Costa Rica.  
 resinous, *Schlecht. in Lechl. Berb. Am. Austr.* 58, nomen.—Peruv.  
 reticulatus, *Klotzsch & Karst. ex Vatke, in Linnaea*, xxxviii. (1874) 728.—Venezuela.  
 retrorsus, *Vatke, l. c.* 724.—Am. austr.  
 revolutus, *R. Grah. in Edinb. N. Phil. Journ.* xxx. (Apr. 1841) 429.—Hab. ?  
 rosmarinifolius, *G. Don, Gen. Syst.* iii. 704.—Peruv.  
 rugosus, *A. DC. in DC. Prod.* vii. 399.—Peruv.  
 rugosus, *Poit. in Rev. Hortic. Sér.* II. i. (1842) 186.—Hab. ?  
 scaber, *A. DC. in DC. Prod.* vii. 399 = longepedunculatus.  
 scabrifolius, *Schlecht. in Lechl. Berb. Am. Austr.* 58, nomen.—Peruv.  
 scandens, *G. Don, Gen. Syst.* iii. 703.—Peruv.  
 Sceptum, *Decne. ex Linden, Cat. n.* 5. (1850) 7.—N. Granat.  
 Schlimmianus, *Planch. in Fl. des Serres*, vi. (1850–51) 34.—N. Granat.  
 Sellowianus, *A. DC. in DC. Prod.* vii. 407 = Westinianus.  
 sessilifolius, *Vatke, in Linnaea*, xxxviii. (1874) 731.—N. Granat.  
 spectabilis, *G. Don, Gen. Syst.* iii. 702 = Centropogon surinamensis.  
 subcarnosus, *Benth. Pl. Hartw.* 138.—Ecuador.  
 surinamensis, *G. Don, Gen. Syst.* iii. 702 = Centropogon surinamensis.  
 Thomesianus, *Moric. Pl. Nouv. Am.* 142. t. 85 = imbricatus.  
 thysanopetalus, *Vatke, in Linnaea*, xxxviii. (1874) 731.—Costa Rica.  
 umbellatus, *G. Don, Gen. Syst.* iii. 702.—Peruv.  
 verbascifolius, *A. DC. in DC. Prod.* vii. 402.—Peruv.  
 verticillatus, *G. Don, Gen. Syst.* iii. 703.—Bras.  
 villosulus, *Pohl, Pl. Bras. Ic.* ii. 108. t. 171.—Bras.  
 virgatus, *A. DC. in DC. Prod.* vii. 398.—Peruv.  
 volubilis, *G. Don, Gen. Syst.* iii. 703.—Venezuela.  
 Warmingii, *Kanitz, in Mart. Fl. Bras.* vi. iv. 148.—Bras.  
 Warszewiczii, *Regel, in Schweiz. Zeitschr. Gartenb.* (1850) 131; *ex Walp. Ann.* v. 390.—Guatemala.  
 Westianus, *G. Don, Gen. Syst.* iii. 702 = seq.  
 Westinianus, *Pohl, Pl. Bras. Ic.* ii. 115.—Bras.
- SIPHOCODON**, Turcz. in *Bull. Soc. Nat. Mosc.* xxv. (1852) II. 175. **CAMPANULACEAE**, Benth. & Hook. f. ii. 560.  
 spartioides, *Turcz. l. c.* 176.—Afr. austr.

- SIPHOMERIS**, Boj. *Hort. Maurit.* 170 (1837) = **Lecontea**, A. Rich. (Rubiaceae).  
 argentifolia, Boj. l. c. 171 = **L. argentea**.  
 foetens, Hiern, in *Oliver, Fl. Trop. Afr.* iii. 229.—Afr. trop.  
 Lingun, Boj. *Hort. Maurit.* 170 = **L. Bojeriana**.

- SIPHONACANTHUS**, Nees, in *Mart. Fl. Bras.* ix. 45. t. 1 (1847) = **Ruellia**, Linn. (Acanth.).  
 densus, Nees, l. c. 47 = **R. densa**.  
 diffusus, Nees, l. c. 46.—Bras.  
 erythropus, Nees, l. c. 47.—Bras.  
 pubens, Nees, l. c. 46.—Bras.  
 repens, Nees, l. c. 47 (= *Stephanophysum Baikiei*).—Bras.  
 rubiginosus, Nees, l. c. 46.—Bras.  
 villosus, Nees, l. c. = **R. villosa**.

- SIPHONANDRA**, Klotzsch, in *Linnaea*, xxiv. (1851) 24 = **Ceratostema**, Juss. (Vaccin.).  
 elliptica, Klotzsch, l. c. = **C. ellipticum**.

- SIPHONANDRA**, Turcz. in *Bull. Soc. Nat. Mosc.* xxi. (1848) I. 581 = **Chiococca**, Linn. (Rubiaceae).  
 mexicana, Turcz. l. c. 582.—Mexic.

- SIPHONANTHUS**, Linn. *Gen. ed.* II. 526 (1742) = **Clerodendron**, Linn. (Verben.).  
 angustifolia, Willd. *Sp. Pl.* i. 606 = **C. Siphonanthus**.  
 hastata, Roxb. *Hort. Beng.* 46; *Fl. Ind.* iii. 67 = **C. hastatum**.  
 indica, Linn. *Sp. Pl.* 109 = **C. Siphonanthus**.

- SIPHONANTHUS**, Schreb. ex *Baill. Etud. Gén. Euph.* 324 (1858) = **Hevea**, Aubl. (Euphorb.).  
 elasticus, Schreb. ex *Baill. l. c.* 326 = **H. guianensis**.

- SIPHONEUGENA**, Berg, in *Linnaea*, xxvii. (1854) 344 = **Eugenia**, Mich. (Myrtac.).  
 aromatica, Berg, l. c. 345; et in *Mart. Fl. Bras.* xiv. I. 379 = **E. aromatica**, *Sond.* (in Addend.).  
 densiflora, Berg, ll. cc.—Bras.  
 Widgreniana, Berg, ll. cc.—Bras.

- SIPHONIA**, Benth. *Pl. Hartw.* 84 (1841) = **Lindenla**, Benth. (Rubiaceae).  
 rivalis, Benth. l. c. = **L. rivalis**.

- SIPHONIA**, Rich. in *Schreb. Gen.* 656 (1791) = **Hevea**, Aubl. (Euphorb.).  
 apiculata, Spruce, ex *Baill. Adansonia*, iv. (1863–64) 285 = **H. lutea**.  
 brasiliensis, *H. B. & K. Nov. Gen. et Sp.* vii. 171 = **H. brasiliensis**.  
 Cahuchu, Rich. ex *Willd. Sp. Pl.* iv. 567 = **H. guianensis**.  
 discolor, Spruce, ex *Benth. in Hook. Kew Journ.* vi. (1854) 369 = **H. discolor**.  
 elastica, Pers. *Syn.* ii. 588 = **H. guianensis**.  
 guyanensis, Juss. ex *Baill. Etud. Gén. Euph.* 326 = **H. guianensis**.  
 Kunthiana, *Baill. l. c.* = **H. brasiliensis**.  
 lutea, Spruce, ex *Benth. in Hook. Kew Journ.* vi. (1854) 370 = **H. lutea**.  
 pauciflora, Spruce, ex *Benth. l. c.* = **H. pauciflora**.  
 rigidifolia, Spruce, ex *Benth. l. c.* 371 = **H. rigidifolia**.  
 Spruceana, *Benth. l. c.* 370 = **H. Spruceana**.

- SIPHONIDIUM**, Armstr. in *Trans. N. Z. Inst.* xiii. (1881) 340. **SCROPHULARINEAE**.  
 longiflorum, *Armstr. l. c.* 341.—N. Zel.

- SIPHONIOPSIS**, Karst. *Fl. Columb.* i. 139. t. 69 (1860 ?) = **Cola**, Schott (Stercul.).  
 monoica, Karst. l. c. = **C. acuminata** ?

- SIPHONODON**, Griff. in *Calc. Journ. Nat. Hist.* iv. (1844) 246. t. 14. **CELASTRINEAE**, Benth. & Hook. f. i. 370.  
 ASTROGYNE, Wall. ex *M. Laws. in Hook. f. Fl. Brit. Ind.* i. 629 (1875).  
 australis, *Benth. Fl. Austral.* i. 403.—Austral.  
 celastrineus, *Griff. in Calc. Journ. Nat. Hist.* iv. (1844) 247.—Burma; Malaya.

**SIPHONOGLOSSA**, Oerst. in Kjoeb. Vidensk. Meddel. 159 (1854). *ACANTHACEAE*, Benth. & Hook. f. ii. 1110.  
*longiflora*, A. Gray, *Syn. Fl. N. Am.* ii. 1. 328.—Am. bor. occ.  
*nummularia*, S. Moore, in *Fourn. Bot.* xviii. (1880) 40.—Afr. austr.  
*pilosella*, Torr. Bot. Mex. Bound. 124.—Arizona.  
*ramosa*, Oerst. in Kjoeb. Vidensk. Meddel. (1854) 160. t. 5.—Mexic.

**SIPHONOGYNE**, Cass. in Dict. Sc. Nat. 1. 493 (1827) = **Eriocephalus**, Linn. (Compos.).

**SIPHONOSTEGIA**, Benth. in Hook. & Arn. Bot. Beech. Voy. 203. t. 44 (1835). *SCROPHULARI-NEAE*, Benth. & Hook. f. ii. 975.  
*LESQUEREUXIA*, Boiss. & Reut. in Boiss. Diagn. Ser. II. xii. 43 (1853).  
*PRISMATANTHUS*, Hook. & Arn. Bot. Beech. Voy. 203 (1835).  
*chinensis*, Benth. in Hook. & Arn. Bot. Beech. Voy. 203. t. 44.—China.  
*laeta*, S. Moore, in *Fourn. Bot.* xviii. (1880) 5.—China.  
*syriaca*, Boiss. Fl. Orient. iv. 471.—Cilicia.

**SIPHONOSTEMA**, Griseb. in Lechl. Berb. Am. austr. 58 (1857) = **Ceratostema**, Juss. (Vaccin.).  
*costatum*, Griseb. l. c. = *C. costatum*.  
*myrtifolium*, Griseb. l. c. = *C. myrtifolium*.

**SIPHONOSTOMA**, Benth. & Hook. f. Gen. ii. 570 (1876), sphalm. = *præc.*

**SIPHONYCHIA**, Torr. & Gray, Fl. N. Am. i. 173 (1838). *ILLECEBRACEAE*, Benth. & Hook. f. iii. 16.  
*americana*, Torr. & Gray, l. c.—Am. bor.  
*diffusa*, Chapm. Fl. S. U. St. 47.—Am. bor.  
*erecta*, Chapm. l. c.—Am. bor.  
*Rugelii*, Chapm. l. c.—Am. bor.

**SIPHOSTIGMA**, Rafin. Fl. Tellur. ii. 16 (1836) = **Cyanotis**, D. Don (Commel.).  
*cristata*, Rafin. l. c. = *C. cristata*.

**SIPHOTOMA**, Rafin. Fl. Tellur. iv. 22 (1836) = **Hymenocallis**, Salisb. (Amaryll.).  
*calathina*, Rafin. l. c. = *H. calathina*?

**SIPHOTOXIS**, Boj. ex Benth. in DC. Prod. xii. 457 (1848) = **Achyropermum**, Blume (Labiata).  
*rosea*, Boj. ex Benth. l. c. 458 = *A. fruticosum*.

**SIPHOTRIA**, Rafin. Fl. Tellur. iv. 50 (1836) = **Renealmia**, Linn. f. (Scitam.).  
*squamosa*, Rafin. l. c. = *R. exaltata*.

**SIPHYALIS**, Rafin. Fl. Tellur. iv. 17 (1836) = **Polygonatum**, Tourn. (Liliac.).  
*nitida*, Rafin. l. c. = *P. oppositifolium*.

**SIPONIMA**, A. DC. in DC. Prod. viii. 246 (1844), sphalm. = **CIPONIMA**, Aubl. = **Symplocos**, Linn. (Styrac.).

**SIRAITOS**, Rafin. Fl. Tellur. iv. 26 (1836) = **Chamaelirium**, Willd. (Liliac.).  
*aquaticus*, Rafin. l. c. 27 = *C. carolinianum*.

**SIRIUM**, Linn. Mant. ii. 145 (1771) = **Santalum**, Linn.  
*myrtifolium*, Linn. l. c. 200; Roxb. Pl. Corom. i. t. 2 = *Sant. album*.

**SISARUM**, [Tourn.] Adans. Fam. ii. 97 (1763) = **Pimpinella**, Linn. (Umbell.).  
*Germanorum*, Schur, Enum. Pl. Transs. 248 = *Sium latifolium*.  
*macrophyllum*, Schur, l. c. = *Sium latifolium*.

**SISIMBRYUM**, [Clairv.] Man. Herb. 218 (1811), sphalm. = **Sisymbrium**, Linn. (Crucif.).

**SISMONDAEA**, Delponte, in Mem. Acc. Torin. Ser. II. xiv. (1854) 394 = **Dioscorea**, Plum.  
*dioscoreoides*, Delponte, l. c. = *D. piperifolia*?

**SISON**, Linn. Coroll. Gen. 5 (1737). *UMBELLIFERAE*, Benth. & Hook. f. i. 892.

*ALACOSPERMUM*, Neck. Elem. i. 167 (1790).  
*acaule*, Sieber, ex Steud. Nom. ed. II. ii. 592 = *Peucedanum creticum*.

*aegopodioides*, Spreng. Syst. i. 886 = *Smyrnium aegopodioides*.

*alpinum*, Sieber, Reise Kreta, i. 472; ii. 317 = *Peucedanum creticum*.

*Ammi*, Herb. Madr. ex Wall. Cat. sub n. 7208 = *Ammi indicum*.

*Ammi*, Jacq. Hort. Vindob. t. 200 = *Carum copticum*.

*Ammi*, Linn. Sp. Pl. 252 = *Apium leptophyllum*?

*Ammi*, Ucria, Hort. Reg. Panorm. 132 = *Carum ammoides*.

*Amomum*, Linn. Sp. Pl. 252.—Europ.; As. Min.

*amomus*, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 135 = *præc.*

*Anisum*, Spreng. in Ges. Naturf. Fr. Berl. Mag. vi. (1812) 260 = *Pimpinella Anisum*.

*arvense*, Brot. Fl. Lusit. i. 424 = *Carum segetum*.

*aureum*, Spreng. in Schult. Syst. vi. 410 = *Thaspium aureum*.

*bulbosum*, Michx. Fl. Bor. Am. i. 169 = *Erigenia bulbosa*.

*canadense*, Linn. Sp. Pl. 252 = *Cryptotaenia canadensis*.

*capense*, Spreng. Sp. Umbellif. 111 = *Pimpinella capensis*.

*capillaceum*, Spreng. Syst. i. 887 = *Apium leptophyllum*, *Discopleura capillacea*.

*carvifolium*, Bert. ex DC. Prod. iv. 116 = *Carum flexuosum*.

*carvifolium*, Wall. Cat. n. 591 = *Vicatia conifolia*.

*cernuum*, Salisb. Prod. 165 = *Carum segetum*.

*coniifolium*, Wall. ex DC. Prod. iv. 243 = *Vicatia conifolia*.

*crinitum*, Pall. in Act. Acad. Petrop. ii. (1779) 250. t. 7 = *Schultzia crinita*.

*cuneifolium*, Steud. Nom. ed. II. ii. 592, sphalm. = *carvifolium*.

*divaricatum*, Spreng. Sp. Umbellif. 113 = *Apium divaricatum*, *Carum Bunius*.

*diversifolium*, Wall. Cat. n. 592; et ex DC. Prod. iv. 110 = *Carum diversifolium*.

*erectum*, Salisb. Prod. 165 = *S. Amomum*.

*exaltatum*, Boiss. Diagn. Ser. I. x. 21.—Syria.

*fasciculatum*, Pohl, ex DC. Prod. iv. 105 = *Apium Ammi*.

*flexuosum*, Dum. Fl. Belg. 78 = *Conopodium denuatum*.

*flexuosum*, Tenore, Prod. Fl. Nap. p. lxvii = *Carum flexuosum*.

*Gussonianum*, Balb. ex DC. Prod. iv. 83 = *Petagnia saniculaefolia*.

*Gussonii*, Spreng. Syst. iv. Cur. Post. 118 = *Petagnia saniculaefolia*.

*Haenkei*, Presl, ex DC. Prod. iv. 105 = *Apium Ammi*.

*heterophyllum*, Moench, Meth. 97 = *S. Amomum*.

*integerrimum*, Spreng. Syst. i. 887 = *Pimpinella integrima*.

*inundatum*, Linn. Sp. Pl. 253 = *Apium inundatum*.

*laciniatum*, L'Hérit. ex DC. Prod. iv. 105 (= *Helosciadium laciniatum*).—Peruv.

*lateriflorum*, Bertol. Fl. Ital. iii. 283 = *Apium Ammi majus*, Eaton & Wright, N. Am. Bot. ed. VIII. 429 = *Ammi majus*.

*marginatum*, Michx. Fl. Bor. Am. i. 168 = *Peucedanum ternatum*.

*nodiflorum*, Brot. Fl. Lusit. i. 423 = *Apium nodiflorum*.

*peregrinum*, Spreng. in Schult. Syst. vi. 409 = *Carum peregrinum*.

*Podagraria*, Spreng. in Ges. Naturf. Fr. Berl. Mag. vi. (1812) 260 = *Aegopodium Podagraria*.

*proliferum*, Brochi, ex DC. Prod. iv. 116 = *Carum flexuosum*.

*pumilum*, Brot. Fl. Lusit. i. 425 = *Ammi pumilum*.

*pusillum*, Michx. Fl. Bor. Am. i. 168 = *Apium divaricatum*.

*ranunculaefolium*, Presl, ex DC. Prod. iv. 111 (= *Helosciadium ranunculaefolium*).—Chili.

*rotundifolium*, Spreng. in Ges. Naturf. Fr. Berl. Mag. vi. (1812) 260 = *Pimpinella rotundifolia*.

*rubricaulis*, Eaton & Wright, N. Am. Bot. ed. VIII. 429 = *Discopleura capillacea*.

*Ruta*, Burm. f. Fl. Cap. Prod. 7 = *Apium graveolens*.

*salsum*, Linn. f. Suppl. 181 = *Peucedanum redivivum*.

*segetum*, Linn. Sp. Pl. 252 = *Carum segetum*.

*Sieberianum*, DC. Prod. iv. 111 = *Peucedanum creticum*.

**SISON** :—

*sylvaticum*, Brot. Fl. Lusit. i. 423 = *Physospermum commutatum*.

*tenerum*, Wall. Cat. n. 593 = *Pimpinella tenera*.

*Thomasii*, Tenore, Prod. Fl. Nap. p. lxvii = *Pimpinella Thomasii*.

*trifidum*, Burm. ex DC. Prod. iv. 106 = *Apium graveolens*.

*trifoliatum*, Michx. Fl. Bor. Am. i. 168 = *Thaspium aureum*.

*trinervium*, Buch.-Ham. ex D. Don, Prod. Fl. Nep. 184.—Nepal.

*verticillato-inundatum*, Thore, Ess. Chl. Land. 101 = *Carum inundatum*.

*verticillatum*, Linn. Sp. Pl. 253 = *Carum verticillatum*.

*verticillatum*, Pall. Reise, iii. 513 = *Peucedanum redivivum*.

**SISYMBRELLA**, Spach, Hist. Vég. Phan. vi. 422 (1838) = **Sisymbrium**, Tourn. (Crucif.).

*aspera*, Spach, l. c. 426 = *Sisymbrium asperum*.

*sylvestris*, Spach, l. c. 425 = *Nasturtium sylvestre*.

**SISYMBRION**, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 113, 135 = **Sisymbrium**, Tourn. (Crucif.).

*alliarium*, St. Lag. l. c. = *S. Alliaria*.

**SISYMBRIUM**, [Tourn.] Linn. Syst. ed. I (1735); Gen. ed. I. 199 (1737). *CRUCIFERAE*, Benth. & Hook. f. i. 77.

*ALLIARIA*, Adans. Fam. ii. 418 (1763).

*ARABIDOPSIS*, Schur, Enum. Pl. Transs. 55. (1866).

*CHAMAEPILIUM*, Wallr. Sched. Crit. i. 376 (1822).

*DESCURAINIA*, Webb & Berth. Phyt. Canar. i. 72 (1835–60).

*DISCUREA*, Schur, Enum. Pl. Transs. 54 (1866).

*DRABOPSIS*, C. Koch, in Linnaea, xv. (1841) 253.

*ERYSIMUM*, Tourn. ex Adans. Fam. ii. 418 (1763).

*HUGUENINIA*, Reichb. Fl. Germ. Excurs. 691 (1832).

*IRIO*, Linn. Syst. ed. I (1735).

*KIBERA*, Adans. Fam. ii. 417 (1763).

*LEPTOBASIS*, Dulac, Fl. Hautes-Pyr. 198 (1867).

*LEPTOCARPAEA*, DC. Syst. ii. 201 (1821).

*MAREZIA*, Pomel, Nouv. Mat. Fl. Atl. 228 (1874).

*NORTA*, Adans. Fam. ii. 417 (1763).

*PACHYPODIUM*, Webb & Berth. Phyt. Canar. i. 75 (1835–60).

*PILOSELLA*, Kostel. Hort. Prag. 104 (1844).

*ROBESCHIA*, Hochst. ex Fourn. Thèse Crucif. 146 (1865).

*SISYMBRELLA*, Spach, Hist. Vég. Phan. vi. 422 (1838).

*SOPHIA*, Linn. Syst. ed. I (1735); Adans. Fam. ii. 417 (1763).

*TONGUEA*, Endl. Gen. 1419 (1841).

*TRICHOLOBOS*, Turcz. in Bull. Soc. Nat. Mosc. xxvii. (1854) II. 290.

*VALARUM*, Schur, Enum. Pl. Transs. 54 (1866).

*VANDALEA*, Fourr. in Ann. Soc. Linn. Lyon, N. S. xvi. (1868) 331.

*absinthoides*, S. F. Gray, Nat. Arr. Brit. Pl. ii. 680 = *S. Sophia*.

*abyssinicum*, Fourn. Thèse Crucif. 71.—Abyss.

*acaule*, Sieber, ex Steud. Nom. ed. II. ii. 593, nomen.—Ins. Corsic.

*acre*, Lam. Fl. Fr. ii. 520 = *Diplotaxis tenuifolia*.

*aculeolatum*, Boiss. in Ann. Sc. Nat. Sér. II. xvii. (1842) 75 = *Malcomia aculeolata*.

*acutangulum*, DC. Fl. Fr. iv. 670 = *austriacum*.

*acuticarpum*, M. E. Jones, in Am. Natural. xvii. II. (1883) 875.—Mexic.

*adpressum*, Trautv. in Act. Hort. Petrop. ix. (1884) 367.—Turkestan.

*adpressum*, Turcz. in Bull. Soc. Nat. Mosc. xxvii. (1854) II. 303.—Ecuador.

*aegyptium*, Juss. ex DC. Syst. ii. 630 = *Diplotaxis pendula*.

*affine*, Willd. Enum. Hort. Berol. Suppl. 44 = *austriacum*, orientale.

*album*, Pall. Reise, iii. 739 = *Smelowskia cinerea*.

*alliaceum*, Fourn. Thèse Crucif. 114, in syn. = seq.

*Alliaria*, Scop. Fl. Carn. ed. II. ii. 26.—Europ.; Oriens; Reg. Himal.

*alpestre*, F. Muell. Fragm. vii. 20 = *Blennodia alpestris*.

*alpinum*, Fourn. Thèse Crucif. 131 = *Braya alpina*.

*alpinum*, Neck. in Act. Acad. Theod. Palat. ii. (1770) 481 = *strictissimum*.

*altissimum*, Asso, Syn. Stirp. Arag. 86 = *Assoanum*.

*altissimum*, Linn. Sp. Pl. 659.—Europ.

**SISYMBRIUM** :—

*amarum*, Salish. Prod. 270 = *Nasturtium officinale*.  
*amphibium*, Huds. Fl. Angl. ed. II. 296, partim = *Nasturtium palustre*.  
*amphibium*, Linn. Sp. Pl. 657 = *Nasturtium amphibium*.  
*amplexicaule*, Desf. Fl. Atlant. ii. 81 (= *Sinapis amplexicaulis*).—Alger.  
*amplexicaule*, A. Gray, Bot. U. St. Expl. Exped. i. 61.—Peruv.  
*amplexicaule*, Jan, ex Fourn. Thèse Crucif. 142 = *Moricandia arvensis*.  
*amplexicaule*, Phil. Fl. Atac. 8.—Chili.  
*anceps*, Wahlenb. Fl. Upsal. 223 = *Nasturtium anceps*.  
*andinum*, Phil. in *Linnaea*, xxviii. (1856) 665.—Chili.  
*angustifolium*, Regel & Schmalh. ex Regel, Pl. Nov. Fedsch. 9.—Turkestan.  
*anomalum*, Wedd. in Ann. Sc. Nat. Sér. V. i. (1864) 289.—Bolivia.  
*antarcticum*, Fourn. Thèse Crucif. 65.—Reg. Magellan.  
*apenninum*, Bubani, ex Fourn. Thèse Crucif. 99 = *Zanonii*.  
*apetalum*, Lour. Fl. Cochinch. 400 = *Nasturtium indicum*.  
*aquaticum*, Mill. Gard. Dict. ed. VIII. n. 4 = *Nasturtium amphibium*.  
*arabidoides*, Hook. Fl. Bor. Am. i. 63 = *Arabis lyrata*.  
*arcticum*, Fourn. Thèse Crucif. 58.—Sibir. arct.  
*arenosum*, Linn. Fl. Suec. ed. II. 233 = *Arabis petraea*.  
*arenosum*, Linn. Sp. Pl. 658 = *Arabis arenosa*.  
*argutum*, E. Mey. in Drège, Zwei Pfl. Docum. 222 = capense.  
*Arnottianum*, Gill. ex Hook. Bot. Misc. iii. (1833) 138.—Chili.  
*arundanum*, Boiss. Voy. Bot. Espagne, ii. 30.—Hispan.  
*arundanum*, Bourg. ex Willk. & Lange, Prod. Fl. Hisp. iii. 802 = *granatense*.  
*asperum*, Linn. Sp. Pl. 659.—Europ. austr.  
*asperum*, Pall. Reise, iii. 740 = *Dontostemon pectinatus*.  
*asperum*, Schimp. ex Boiss. Fl. Orient. i. 226 = *Malcomia aculeolata*.  
*Assoanum*, Losc. & Pard. Ser. Inconf. ed. I. 6.—Hispan.  
*athrocarpum*, A. Gray, Bot. U. St. Expl. Exped. i. 59.—Peruv.  
*atomarium*, Adans. ex DC. Syst. ii. 484 = *Dontostemon integrifolius*.  
*atriplicifolium*, Fisch. ex Bess. in Flora, xvii. (1834) 1. Beibl. 7, nomen.—Reg. baical.  
*atrovirens*, Hornem. Suppl. Hort. Hafn. 72 = *Nasturtium indicum*.  
*auriculatum*, A. Gray, Pl. Wright. i. 8.—Texas.  
*austriacum*, Jacq. Fl. Austr. iii. 35.—Europ. med.  
*axillare*, Hook. f. & Thoms. in Journ. Linn. Soc. v. (1861) 162.—Reg. Himal.  
*Barbarea*, Crantz, Stirp. Austr. ed. I. fasc. i. 54 ; ed. II. 52 = *Barbarea vulgaris*.  
*Barbarea*, Segui, ex Pourr. in Mém. Acad. Toul. iii. (1788) 329 = praec.?  
*Barbareae*, All. Auct. Pedem. 19 = *Barbarea praecox*.  
*Barbareae*, Linn. Sp. Pl. ed. II. 921 = *Barbarea plantaginea*.  
*barbareaefolium*, Delile, Fl. Aeg. Illustr. 67 = *Nasturtium palustre*.  
*Barrelieri*, Linn. Sp. Pl. ed. II. 919 = *Diplotaxis Barrelieri*.  
*Barrelieri*, Thuill. Fl. Par. ed. II. 334 = *Diplotaxis muralis*.  
*Belangerii*, Fourn. Thèse Crucif. 141, 149.—Persia.  
*bellidifolium*, Poir. Encyc. vii. 220 = *Arabis Commer-sonii*.  
*Berlandieri*, Fourn. Thèse Crucif. 105.—Mexic.  
*Berteroanum*, Phil. in *Linnaea*, xxviii. (1856) 666.—Chili.  
*binerve*, C. A. Mey. Verz. Pfl. Cauc. 189 = *Malcomia nana*.  
*Blennodia*, F. Muell. Fragm. vii. 20 = *Blennodia canescens*.  
*Boissieri*, Nym. Consp. 44.—Lusit. ; Hispan.  
*bonariense*, Poir. Encyc. vii. 205 = *Nasturtium bonariense*.  
*Boryi*, Nym. Consp. 44 = *pinnatifidum*.  
*Bourgaeum*, Fourn. Thèse Crucif. 55.—Ins. Teneriff.

**SISYMBRIUM** :—

*brachycarpon*, Richards. in Frankl. Narr. 1st Journ. App. 744 = *canescens*.  
*brachycarpon*, Hook. & Arn. Bot. Beech. Voy. 323 = *incisum*?  
*brachylobum*, Otto, ex Steud. Nom. ed. II. ii. 593, nomen ; Herb. Berol. ex Fourn. Thèse Crucif. 143 = *Boissieri*.  
*brachypetalum*, C. A. Mey. in Fisch. & Mey. Ind. Sem. Hort. Petrop. ix. 88 = *altissimum*.  
*brachypodum*, F. Muell. Fragm. vii. 20 = *Blennodia brevipes*.  
*brassicaceforme*, C. A. Mey. in Ledeb. Fl. Alt. iii. 129.—Sibir.  
*brevicaule*, Wibel, Prim. Fl. Werth. 348 = *Diplotaxis viminea*.  
*brevipes*, Kar. & Kir. in Bull. Soc. Nat. Mosc. xv. (1842) 154 = *nudum*.  
*Bungei*, Steud. Nom. ed. II. ii. 593 = *Dontostemon dentatus*.  
*Burchellii*, DC. Syst. ii. 472.—Afr. austr.  
*Burchellii*, Eckl. & Zeyh. Enum. 5 = *capense*.  
*burgundiacum*, Hort. Taur. ex DC. Syst. ii. 601 = *Brassica Cheiranthos*.  
*bursifolium*, Gouan, Illustr. 42 = *pinnatifidum*.  
*bursifolium*, Linn. Cent. Pl. ii. 24 ; *Amoen. Acad.* iv. 322.—Europ. austr.  
*bursifolium*, Patr. in DC. Syst. ii. 194 = *Nasturtium bursifolium*.  
*bursifolium*, Pourr. ex Nym. Consp. 44 = *Boissieri*.  
*cabulicum*, Hook. f. & Thoms. in Journ. Linn. Soc. v. (1861) 161 = *pumilum*.  
*caeruleum*, Gilib. Fl. Lituan. ii. 73 = *Arabis arenosa*.  
*californicum*, S. Wats. in Bot. King's Exped. 23 = *incisum*.  
*calycinum*, Wedd. in Ann. Sc. Nat. Sér. V. i. (1864) 289.—Bolivia.  
*canescens*, Benth. Pl. Hartw. 9 = *incisum*.  
*canescens*, Griseb. ex Fourn. Thèse Crucif. 65 = *antarcticum*.  
*canescens*, Nutt. Gen. Am. ii. 68.—Am. bor. et austr. capense, Thunb. Prod. Pl. Cap. 109.—Afr. austr.  
*capillaceum*, Gilib. Fl. Lituan. ii. 72 = *Nasturtium palustre*.  
*cardaminefolium*, Gilib. I. c. 70 = *Nasturtium officinale*.  
*cardaminoides*, F. Muell. in Trans. Phil. Soc. Vict. i. (1855) 34.—Austral.  
*carnosulum*, Phil. Fl. Atac. 7 = *stenophyllum*.  
*cartilagineum*, Pall. ex DC. Syst. ii. 471 = *juncum*.  
*catholicum*, Boeber, in Pall. N. Nord. Beitr. vi. 258 = *Diplotaxis tenuifolia*.  
*catholicum*, Linn. Mant. i. 93 = *Diplotaxis catholica*.  
*ceratophyllum*, Desf. Fl. Atlant. ii. 82 = *Nasturtium ceratophyllum*.  
*cheiranthoides*, Eaton & Wright, N. Am. Bot. ed. VIII. 429 ; Trautv. in Act. Hort. Petrop. v. (1877) 27 = *Erysimum cheiranthoides*.  
*Cheiranthus*, Trautv. l. c. iv. (1876) 108 = *Erysimum lanceolatum*, altaicum.  
*chrysanthum*, Jord. Diagn. i. 148 = *austriacum*.  
*ciliolatum*, Fourn. Thèse Crucif. 129.—Peruv.  
*cinereum*, Desf. Fl. Atlant. ii. 83. t. 157 = *Ammosperma cinerea*.  
*cinereum*, Nutt. ex Fourn. Thèse Crucif. 63 = *Cumingianum*.  
*clandestinum*, Hort. Berol. ex Spreng. Nov. Prov. 29 = *Nasturtium clandestinum*.  
*coeruleum*, Auct. = *caeruleum*.  
*colchaguense*, Wedd. ex Fourn. Thèse Crucif. 134.—Chili.  
*Columnae*, Hook. f. & Thoms. in Journ. Linn. Soc. v. (1861) 157 = *heteromallum*.  
*Columnae*, Jacq. Fl. Austr. iv. 12 = *orientale*.  
*compressum*, Moench, Meth. Suppl. 83 = *austriacum*.  
*confertum*, Stev. ex Turcz. in Bull. Soc. Nat. Mosc. xxvii. (1854) ii. 304 = *polyceratium*.  
*confusum*, Fourn. Thèse Crucif. 95.—Afr. austr.  
*confusum*, Fanka, in Termész. Füzetek, viii. (1884) 31.—Hungar.  
*contortum*, Cav. Desc. 436.—Hispan.  
*contortuplicatum*, DC. Syst. ii. 483 = *Malcomia contortuplicata*.  
*contortuplicatum*, C. A. Mey. Verz. Pfl. Cauc. 190 = *Malcomia Ledebourii*.  
*corniculatum*, Cav. Desc. 437.—Hispan.  
*corniculatum*, Lam. Fl. Fr. ii. 520 = *polyceratium*.  
*coronopifolium*, Desf. Fl. Atlant. ii. 82 = *Nasturtium coronopifolium*.

**SISYMBRIUM** :—

*corymbosum*, Phil. in *Linnaea*, xxviii. (1856) 666.—Chili.  
*Coulteri*, Hems. Diagn. Pl. Nov. 18.—Mexic.  
*crassifolium*, Cav. Desc. 437.—Hispan.  
*crassipes*, Trautv. in Act. Hort. Petrop. ii. (1873) 500 = *Erysimum crassipes*.  
*crithmifolium*, Roth, Nov. Pl. Sp. 325 (err. typ. 225) = *Heliophila crithmifolia*.  
*Cumingianum*, Fisch. & Mey. Ind. Sem. Hort. Petrop. i. 38.—Chili.  
*Cumingii*, Presl, Bot. Bemerk. 9 = *praec.*  
*curvipes*, F. Muell. Fragm. vii. 20 = *Blennodia curvipes*.  
*curvisiliquum*, Bertol. Misc. Bot. ii. 13. t. 10 = *Malcomia torulosa*.  
*curvisiliquum*, Hook. Fl. Bor. Am. i. 61 = *Nasturtium curvisiliqua*.  
*dahuricum*, Turcz. ex Fourn. Thèse Crucif. 97.—Dahuria.  
*damascenum*, Boiss. & Gaill. Diagn. Ser. II. vi. 11.—Syria.  
*dareaefolium*, Poepp. ex Fourn. Thèse Crucif. 63, in syn. = *Cumingianum*.  
*decipiens*, Bunge, in *Linnaea*, xviii. (1844) 505.—Turkestan.  
*deflexum*, Harv. ex Torr. in Pacif. Rail. Rep. iv. 66, sphalm. = *reflexum*.  
*Delilei*, Coss. in Bull. Soc. Bot. Fr. xxvii. (1880) 71 = *Malcomia pygmaea*.  
*deltoideum*, Hook. f. & Thoms. in Journ. Linn. Soc. v. (1861) 163.—Reg. Himal.  
*dentatum*, All. Fl. Pedem. i. 275. t. 57. f. 3 = *pinnatifidum*.  
*dentatum*, Torr. in Short, Pl. Kentucky, Suppl. iii. 338 ; ex S. Wats. Bibliog. Ind. N. Am. Bot. 47 = *Arabis dentata*.  
*derelectum*, Jord. Diagn. i. 150 = *austriacum*.  
*diffusum*, A. Gray, Pl. Wright. i. 8.—Texas.  
*dissectum*, Nutt. ex Fourn. Thèse Crucif. 143 = *Nasturtium palustre*.  
*diversifolium*, Stokes, Bot. Mat. Med. iii. 450 = *Nasturtium amphibium*.  
*domingense*, Poir. Encyc. Suppl. v. 161 = *Nasturtium pyrenaicum*.  
*Doumetianum*, Coss. in Bull. Soc. Bot. Fr. xxvii. (1880) 70.—Afr. bor.  
*dubium*, Pers. Syn. ii. 199 = *Nasturtium indicum*.  
*eckartsbergense*, Willd. Sp. Pl. iii. 502 = *austriacum*.  
*Edwardsii*, Trautv. in Act. Hort. Petrop. i. (1871) 59 = *Eutrema Edwardsii*.  
*eglandulosum*, DC. Syst. ii. 485 = *Dontostemon dentatus*.  
*elatum*, C. Koch, in Ind. Sem. Hort. Berol. (1854) App. 14.—Armenia.  
*eremigenum*, F. Muell. Fragm. ii. 143 = *Blennodia eremigera*.  
*erosum*, E. Mey. in Drège, Zwei Pfl. Docum. 222 = *Brassica strigosa*.  
*erucaefolium*, Gilib. Fl. Lituan. ii. 74 = *S. Irio*.  
*erucastrifolium*, Trautv. in Act. Hort. Petrop. iv. (1876) 107 = *Erysimum erucastrifolium*.  
*Erucastrum*, Gouan, Illustr. 42 = *Diplotaxis muralis*.  
*Erucastrum*, Pollich, Hist. Pl. Palat. ii. 234 = *Brassica Erucastrum*.  
*erucoides*, Desf. Fl. Atlant. ii. 83 = *Diplotaxis erucoides*.  
*Erysimastrum*, Lam. Fl. Fr. ii. 521 = *S. Irio*, orientale.  
*erysimifolium*, Pourr. in Mém. Acad. Toul. iii. (1788) 329 = *austriacum*.  
*erysimoides*, Desf. Fl. Atlant. ii. 84. t. 158.—Reg. Mediterr. ; Afr. trop. ; Arab.  
*exacoides*, DC. Syst. ii. 463 = *Malcomia exacoides*.  
*exasperatum*, Sond. in *Linnaea*, xxiii. (1850) 3.—Afr. austr.  
*falcatum*, Fourn. Thèse Crucif. 135.—Abyssin.  
*fastigiatum*, Phil. in Anal. Univ. Chil. (1870) ii. 670.—Chili.  
*filicifolium*, Georgi, Besch. Russ. Reich. Nachtr. 287 = *Leptaleum filifolium*.  
*filifolium*, F. Muell. in Trans. Vict. Inst. i. (1855) 155, in obs. = *Blennodia filifolia*.  
*filifolium*, Willd. Sp. Pl. iii. 495 = *Leptaleum filifolium*.  
*filiforme*, Dulac, Fl. Hautes-Pyr. 197 = *S. Irio*.  
*filiformium*, Poir. Encyc. vii. 208 = *Leptaleum filifolium*.  
*flavissimum*, Kar. & Kir. in Bull. Soc. Nat. Mosc. (1841) 382 = *Smelowskia flavissima*.

## SISYMBRIUM:—

- flexuosum*, Dulac, Fl. Hantes-Pyr. 197 = orientale.  
*fluviatile*, Vell. Fl. Flum. 271; vi. t. 109 = Nasturtium officinale.  
*foliosum*, Hook. f. & Thoms. in Journ. Linn. Soc. v. (1861) 160.—Reg. Himal.  
*foliosum*, Phil. in Linnaea, xxxiii. (1864-65) 10.—Chili.  
*fragile*, Wedd. in Ann. Sc. Nat. Sér. V. i. (1864) 288.—Peruv.  
*frutescens*, Gill. ex Hook. Bot. Misc. iii. (1833) 139.—Chili.  
*fugax*, Lag. Gen. et Sp. Nov. 20.—Hispan.  
*Gaillardoti*, Boiss. Fl. Orient. i. 214, in syn. = pumilum.  
*Galeottianum*, Fourn. Thèse Crucif. 59.—Mexic.  
*gallicum*, Schleich. ex Soyer-Willem. in Ann. Sc. Nat. Sér. II. ii. (1834) 116 = Brassica Cheiranthos.  
*gallicum*, Willd. Enum. Hort. Berol. 678 = S. Irio.  
*gangeticum*, Buch.-Ham. ex Wall. Cat. n. 4777 = Nasturtium indicum.  
*garipepinum*, Burch. ex DC. Syst. ii. 472.—Afr. austr.  
*Gayanum*, Barn. in C. Gay, Fl. Chil. i. 122 = leptocarpum.  
*gelidum*, Trautv. in Act. Hort. Petrop. ii. (1873) 501 = Erysimum gelidum.  
*geraniifolium*, Poir. Encyc. vii. 218 = Cardamine geraniifolia.  
*glabrum*, Willd. Enum. Hort. Berol. Suppl. 44 = S. Irio.  
*glaciale*, Forst. f. in Comm. Gotting. ix. (1789) 32 = Cardamine glacialis.  
*glaucescens*, Jord. Diagn. i. 144 = austriacum.  
*glaucum*, Nutt. in Torr. & Gray, Fl. N. Am. i. 93.—Am. bor.  
*glaucum*, Sieber, ex Steud. Nom. ed. I. 784, nomen (Quid ?).—Hab. ?  
*gracile*, Wedd. in Ann. Sc. Nat. Sér. V. i. (1864) 288.—Bolivia.  
*granatense*, Boiss. Diagn. Ser. II. i. 24.—Hispan.  
*grandiflorum*, Molina, Sagg. Chil. ed. II. 292 = Cardamine glacialis.  
*grandiflorum*, Wedd. in Ann. Sc. Nat. Sér. V. i. (1864) 290 (= *Eudema grandiflora*).—Am. austr.  
*Griffithianum*, Boiss. Diagn. Ser. II. i. 23.—Afghan.  
*halophilum*, C. A. Mey. in Ledeb. Fl. Alt. iii. 143.—Sibir. altaic.  
*Harra*, Steud. Nom. ed. I. 784 = Diplotaxis pendula.  
*Hartwegianum*, Fourn. Thèse Crucif. 66 = incisum.  
*hastatum*, Phil. Ser. Mendoc. Alt. 2.—Chili.  
*hesperidiflorum*, Boiss. & Buhse, in Nouv. Mém. Soc. Nat. Mosc. xii. (1860) 22 = Hesperis leucoclada.  
*heteromallum*, C. A. Mey. in Ledeb. Fl. Alt. iii. 132.—Sibir. altaic.  
*heterophyllum*, Forst. f. Prod. 46 = Cardamine debilis.  
*hieracifolium*, Trautv. in Act. Hort. Petrop. v. (1877) 27 = Erysimum hieracifolium.  
*himalaicum*, Hook. f. & Thoms. in Journ. Linn. Soc. v. (1861) 160.—Reg. Himal.  
*hirsutum*, Gilib. Fl. Lituan. ii. 74 = Loeselii.  
*hirsutum*, Host, ex Fourn. Thèse Crucif. 76 = supinum.  
*hirsutum*, Lag. ex DC. Syst. ii. 478 = runcinatum.  
*hirtulum*, Regel & Schmalh. in Act. Hort. Petrop. v. (1877) 240.—Turkestan.  
*hirtum*, Host, Fl. Austr. ii. 261 = Brassica Erucastrum.  
*hispanicum*, Bourg. ex Willk. & Lange, Prod. Fl. Hisp. iii. 799 = contortum.  
*hispanicum*, Jacq. Coll. i. 69; Ic. Pl. Rar. i. 12. t. 124.—Hispan.  
*hispidulum*, Triana & Planch. in Ann. Sc. Nat. Sér. IV. xvii. (1862) 63.—N. Granat.  
*hispidum*, Moench, Meth. Suppl. 83 = Loeselii.  
*hispidum*, Phil. in Anal. Univ. Chil. (1870) II. 670.—Chili.  
*hispidum*, Poir. Encyc. Suppl. v. 161 = Nasturtium palustre.  
*hispidum*, Vahl, Symb. Bot. ii. 77 = Diplotaxis pendula.  
*hispidum*, Willd. ex DC. Syst. ii. 480 = Malcomia torulosa ?  
*Hookeri*, Fourn. Thèse Crucif. 120.—Reg. Himal.  
*Hueti*, Boiss. Fl. Orient. i. 957.—Armenia.  
*humifusum*, J. Vahl, in Fl. Dan. t. 2297 = Arabis lyrata.  
*humile*, C. A. Mey. in Ledeb. Fl. Alt. iii. 137.—Reg. Himal.; As. et Am. bor.  
*hungaricum*, Lumn. Fl. Poson. 282 = altissimum.  
*hybridum*, Thuill. Fl. Par. ed. II. 331 = Nasturtium palustre.

## SISYMBRIUM:—

- ibericum*, Trautv. in Act. Hort. Petrop. iv. (1876) 108 = Erysimum ibericum.  
*imbricatifolium*, Wedd. ex Fourn. Thèse Crucif. 132.—Chili.  
*incanum*, Bernh. ex Fisch. & Mey. Ind. Sem. Hort. Petrop. i. 38 = canescens.  
*incisum*, Engelm. ex A. Gray, in Mem. Acad. N. S. iv. (1849) 8.—Am. bor. occ.  
*indicum*, Linn. Mant. i. 93 = Nasturtium indicum.  
*indicum*, Walt. Fl. Carol. 174 = Nasturtium amphibium.  
*integrifolium*, Boeber, in Pall. N. Nord. Beitr. vi. 260 = junceum.  
*integrifolium*, Gilib. Fl. Lituan. ii. 72 = Cochlearia amphibia.  
*integrifolium*, Linn. Sp. Pl. 660 = Dontostemon integrifolius.  
*intermedium*, Hose, in Usteri, Ann. Bot. xxi. (1797) 37.—Europ.  
*Irio*, Crantz, ex Steud. Nom. ed. I. 784 = orientale.  
*Irio*, C. Koch, in Linnaea, xv. (1841) 253 = heteromallum.  
*Irio*, Linn. Sp. Pl. 659.—Europ.; As. et Afr. bor.  
*Irio*, Wibel, ex Steud. Nom. ed. II. ii. 694 = Diplotaxis viminea.  
*irioides*, Boiss. in Ann. Sc. Nat. Sér. II. xvii. (1842) 76 = S. Irio.  
*Iris*, Retz. Fl. Scand. 126, sphalm. = S. Irio.  
*islandicum*, Oed. Fl. Dan. t. 409 = Nasturtium palustre.  
*jacobaeafolium*, Berger, ex Vill. Cat. Strasb. 259 = Brassica Erucastrum.  
*Jacquemontii*, Fourn. Thèse Crucif. 111.—Ind. or.  
*junceum*, Bieb. Fl. Taur. Cauc. ii. 114.—Europ. or.; As. et Am. bor.  
*junceum*, Hook. Fl. Bor. Am. i. 61 = linifolium.  
*Kahikir*, Mart. ex Spreng. Syst. ii. 901.—Hab. ?  
*Kochii*, Petri, in Ind. Sem. Hort. Berol. (1868) 24.—Hab. ?  
*kokanicum*, Regel & Schmalh. ex Regel, Pl. Nov. Fedsch. 9.—Turkestan.  
*Korolkowi*, Regel & Schmalh. in Act. Hort. Petrop. v. (1877) 240.—Turkestan.  
*Kralikii*, Fourn. Thèse Crucif. 74 = S. Irio.  
*kunawurensense* ?—Cf. *runawurensense*.  
*laevigatum*, Willd. Sp. Pl. iii. 500 = Diplotaxis tenuifolia.  
*Lagasciae*, Amo, Fl. Iber. vi. 529.—Hispan.  
*lasiocarpum*, Hook. f. & Thoms. in Journ. Linn. Soc. v. (1861) 162.—Reg. Himal.  
*lasiocarpum*, F. Muell. Fragm. vii. 20 = Blennodia lasiocarpa.  
*lasiolobum*, Boiss. Diagn. Ser. II. i. 24.—America ?  
*latifolium*, S. F. Gray, Nat. Arr. Brit. Pl. ii. 679 = S. Irio.  
*laxiflorum*, Boiss. Elench. 9.—Hispan.  
*Lechleri*, Fourn. Thèse Crucif. 129.—Chili.  
*leiocarpum*, Jord. Diagn. i. 139 = officinale.  
*leptocarpum*, Hook. & Arn. in Hook. Bot. Misc. iii. (1833) 139.—Chili.  
*leptopetalum*, Rafin. Fl. Ludov. 84 (Quid ?).—Am. bor.  
*leptophyllum*, Trautv. in Act. Hort. Petrop. ii. (1873) 500 = Erysimum leptophyllum.  
*Limosella*, Fourn. Thèse Crucif. 132.—Mont. Altai.  
*lineare*, DC. Syst. ii. 464 = juaceum.  
*linifolium*, Nutt. ex Torr. & Gray, Fl. N. Am. i. 91.—Am. bor.  
*lippizense*, Wulf. in Jacq. Coll. ii. 161 = Nasturtium lippizense.  
*litorale*, Phil. in Linnaea, xxviii. (1856) 667.—Chili.  
*Loeselii*, Linn. Cent. Pl. i. 18; Amo. Acad. iv. 279.—Europ.; Oriens; Reg. Himal.  
*Loeselii*, Nym. Syll. 194, partim = Assoanum.  
*Loeselii*, Thuill. Fl. Par. ed. II. 335 = orientale.  
*longepedicellatum*, Fourn. Thèse Crucif. 59 (excl. syn.) = incisum.  
*Lucae*, F. Muell. Census, 5.—Austral.  
*Ludovicianum*, Nutt. ex Hook. Journ. Bot. i. (1834) 191 = Cardamine ludoviciana.  
*lyratum*, Burm. f. Fl. Cap. Prod. 17.—Afr. austr.  
*lyratum*, Meissn. ex Sond. in Harv. & Sond. Fl. Cap. i. 32 (= *Sinapis retrorsa*).—Afr. austr.  
*macroloma*, Pomel, Nouv. Mat. Fl. Atl. 368.—Alger.  
*macrophyllum*, Barn. in C. Gay, Fl. Chil. i. 129 = Cumingianum.  
*macrostachyum*, Phil. in Linnaea, xxxiii. (1864-65) 9 (sp. dub.).—Chili.

## SISYMBRIUM:—

- magellanicum*, Hook. f. Fl. Antarct. ii. 243.—Reg. Magell.  
*malcolmioides*, Coss. & Dur. in Bull. Soc. Bot. Fr. ix. (1862) 431.—Alger.  
*Mandonii*, Fourn. Thèse Crucif. 109.—Boliv.  
*matthioides*, Wedd. ex Fourn. l. c. 144 = Mathewsia matthioides.  
*maximum*, Hochst. ex Fourn. l. c. 72 = S. Irio.  
*mexicanum*, Sesse, ex Spreng. Syst. ii. 882 = Nasturtium palustre.  
*Meyeri*, Ledeb. Fl. Ross. i. 184 = Malcomia Ledebourii.  
*Meyeri*, Steud. Nom. ed. II. ii. 594 = Dontostemon micranthus.  
*micranthum*, Roth, Nov. Pl. Sp. 324 = Nasturtium micranthum.  
*micranthum*, Willd. Enum. Hort. Berol. Suppl. 44, nomen (Quid ?).—Hab. ?  
*millefolium*, Ait. Hort. Kew. ed. I. ii. 391.—Ins. Teneriff.  
*minus*, Lam. Fl. Fr. ii. 517 = Diplotaxis muralis.  
*minutiflorum*, Hook. f. & Thoms. in Journ. Linn. Soc. v. (1861) 158.—Reg. Himal.  
*molle*, Jacq. Coll. i. 68 = pumilum.  
*mollissimum*, C. A. Mey. in Ledeb. Fl. Alt. iii. 140.—Reg. Himal.; Sibir.  
*monanthos*, Viv. Fl. Lib. Spec. 68 = Morisia hypogaea.  
*monense*, Gilib. Elem. ii. 184; ex DC. Syst. ii. 601 = Brassica Cheiranthos.  
*monense*, Linn. Sp. Pl. ed. I. 658 = Brassica monensis.  
*monense*, Linn. l. c. ed. II. 918 = Diplotaxis saxatilis.  
*monense*, Thuill. Fl. Par. ed. II. 333 = Diplotaxis muralis.  
*monense*, Vill. Hist. Pl. Dauph. iii. 350. t. 39 = Brassica repanda.  
*montanum*, E. Mey. ex Presl, Bot. Bemer. 9 = capense.  
*montivagum*, Jord. Diagn. i. 146 = austriacum.  
*multifidum*, Gilib. Fl. Lituan. ii. 75 = S. Sophia.  
*multifidum*, Willd. ex Spreng. Syst. ii. 904 = junceum.  
*multisiliquosum*, Hoffm. Deutschl. Fl. ed. II. i. 11. 50 = austriacum.  
*murale*, Bieb. Fl. Taur. Cauc. ii. 112 = Diplotaxis saxatilis.  
*murale*, Bory & Chaub. Nouv. Fl. Pélop. 43 = Diplotaxis viminea.  
*murale*, Linn. Sp. Pl. 658 = Diplotaxis muralis.  
*muricatum*, Willd. ex DC. Syst. ii. 485 = Dontostemon pectinatus.  
*myriophyllum*, H. B. & K. ex DC. l. c. 477.—Ecuador.  
*nanum*, DC. Syst. ii. 486 = Malcomia nana.  
*nanum*, Turcz. in Bull. Soc. Nat. Mosc. xv. (1842) 281 = Braya versicolor.  
*nasturtiifolium*, Gilib. Fl. Lituan. ii. 71 = Nasturtium sylvestre.  
*nasturtioides*, F. Muell. in Trans. Vict. Inst. i. (1855) 115, in obs. = Blennodia nasturtioides.  
*Nasturtium*, Muhl. Cat. 60 = Thelypodium pinnatifidum.  
*Nasturtium*, Thunb. Fl. Jap. 260 = seq.  
*Nasturtium-aquaticum*, Linn. Sp. Pl. 657 = Nasturtium officinale.  
*nebrodense*, Poir. Encyc. Suppl. v. 161 = Lepidium nebrodense.  
*niagarense*, Fourn. Thèse Crucif. 85 = officinale.  
*nitidulum*, Lag. ex Spreng. Syst. ii. 901 = erysimoides.  
*nitidum*, Zea, ex Desf. Tabl. ed. II. 153 = erysimoides.  
*niveum*, Phil. Fl. Atac. 8.—Chili.  
*Novae-Zelandiae*, Hook. f. Handb. N. Zeal. Fl. 11.—N. Zel.  
*nubigenum*, Wedd. in Ann. Sc. Nat. Sér. V. i. (1864) 290 (= *Eudema nubigena*).—Ecuador.  
*nudum*, Boiss. Fl. Orient. i. 214.—Persia.  
*Nuttallii*, Colla, Herb. Pedem. i. 206. n. 29 = Cumingianum.  
*obtusangulum*, Auch. ex Fourn. Thèse Crucif. 91 = altissimum.  
*obtusangulum*, Schleich. Cat. 48; ex Willd. Sp. Pl. iii. 504 = Brassica Erucastrum.  
*officinale*, Scop. Fl. Carn. ed. II. ii. 26.—Europ.; Afr. bor.  
*officinatum*, Crantz, Stirp. Austr. ed. I. fasc. i. 54; ed. II. 52 = praec.  
*oliganthum*, Wedd. in Ann. Sc. Nat. Sér. V. i. (1864) 289.—Bolivia.



**SISYMBRIUM:—**

- Orbignyanum, *Fourn. Thèse Crucif.* 107.—Bolivia.  
orientale, *Linn. Cent. Pl.* ii. 24; *Amoen. Acad.* iv.  
322.—Europ.; Oriens; Reg. Himal.  
orophilum, *Wedd. in Ann. Sc. Nat. Sér. V. i.* (1864)  
288.—Bolivia.  
*Pallasii*, Spreng. *Syst.* ii. 901 = junceum.  
*pallidum*, Jord. *Diagn.* i. 145 = austriacum.  
Palmeri, *Hemsl. Diagn. Pl. Nov.* 19.—Mexic.  
*palustre*, Garsault, *Fig. Pl.* t. 550; ex DC. *Syst.* ii.  
197 = Nasturtium amphibium.  
*palustre*, Leyss. *Fl. Hal.* 166 = Nasturtium palustre.  
*paniculatum*, Steph. ex Fourn. *Thèse Crucif.* 145 =  
Arabis incarnata.  
*pannonicum*, Badaro, in Moretti, in Brugnati. Giorn.  
ix. (1826) 74 = orientale.  
*pannonicum*, Jacq. *Coll.* i. 70 = altissimum.  
Parra, *Linn. Mant.* ii. 255 = Brassica sabularia.  
Parryi, *Hemsl. Diagn. Pl. Nov.* 19.—Mexic.  
*parviflorum*, Lam. *Fl. Fr.* ii. 519 = S. Sophia.  
parvifolium, *Phil. in Linnaea*, xxviii. (1856) 667.—  
Chili.  
patens, Moench, *Meth.* 251 (sp. dub.).—Hab.?  
patulum, *Fourn. Thèse Crucif.* 104.—Mexic.  
pauciflorum, *Nutt. in Torr. & Gray, Fl. N. Am.* i. 93.  
—Am. bor.  
*pectinatum*, Fisch. ex DC. *Syst.* ii. 485 = Dontostemon  
pectinatus.  
*pendulum*, Desf. *Fl. Atlant.* ii. 82. t. 156 = Diplotaxis  
pendula.  
*pendulum*, Lag. ex DC. *Syst.* ii. 629 = Diplotaxis  
Lagascana.  
*perenne*, Steud. *Nom. ed. II.* ii. 594 = Dontostemon  
perennis.  
*perfoliatum*, C. A. Mey. *Verz. Pfl. Cauc.* 188 =  
Conringia clavata.  
*persicum*, Schrad. ex Spreng. *Nov. Prov.* 39 = S.  
Sophia.  
peruvianum, DC. *Syst.* ii. 477.—Peruv.  
petraeum, Delarb. *Fl. Auv. ed. II.* 359 = Arabis  
petraea.  
petraeum, *Phil. in Linnaea*, xxviii. (1856) 668.—  
Chili.  
*Peyroussianum*, Nym. *Consp.* 44 = pinnatifidum.  
Piasezkii, *Maxim. in Bull. Acad. Pétersb.* xxvi. (1880)  
421.—China.  
pilosissimum, *Trautv. in Act. Hort. Petrop.* ix. (1884)  
369.—Turkestan.  
*pimpinellifolium*, Barn. in C. Gay, *Fl. Chil.* i. 129 =  
Cummingianum.  
pinnatifidum, DC. *Fl. Fr.* iv. 667.—Europ.  
pinnatifidum, Forsk. *Fl. Aegypt. Arab.* 118 = S. Irio.  
pinnatum, Barn. in C. Gay, *Fl. Chil.* i. 125.—  
Chili.  
*planisiliquum*, Hook. f. & Thoms. in *Journ. Linn. Soc.*  
v. (1861) 159 = Conringia planisiliqua.  
polyceratum, *Linn. Sp. Pl.* 658.—Europ. austr.; As.  
Min.  
polyspermum, *Fourn. Thèse Crucif.* 103.—Mexic.  
polystachyum, *Colla, Herb. Pedem.* i. 206 (sp. dub.).—  
Italia.  
*polystachyum*, Hort. ex Tausch, in *Flora*, xix. (1836)  
410 = Halimolobos patula.  
praecox, *Colla, Herb. Pedem.* i. 205 (sp. dub.).—Italia.  
Preauxianum, *Webb. in Ann. Sc. Nat. Sér. II.* xiii.  
(1840) 137.—Ins. Canar.  
*primulaefolium*, Thoms. in Hook. *Kew Journ.* v.  
(1853) 18 = Eutrema primulaefolium.  
procumbens, *Tate, in Trans. Roy. Soc. S. Austral.* vii.  
(1885) 67.—Austral.  
*propinquum*, Jord. *Diagn.* i. 148 = austriacum.  
*Pseudo-Sophia*, Boiss. & Huet, *Diagn. Ser. II.* v. 24 =  
S. Sophia.  
*pulchellum*, Trautv. in *Act. Hort. Petrop.* ii. (1873)  
501 = Erysimum rupestre.  
pumilio, *Oliver, Fl. Trop. Afr.* i. 64.—Afr. trop.  
pumilum, Lam. *Fl. Fr.* ii. 516 = Diplotaxis viminea.  
pumilum, Spach, ex Fourn. *Thèse Crucif.* 96 =  
scholare.  
pumilum, *Steph. ex Willd. Sp. Pl.* iii. 507.—Oriens;  
As. med.  
*pusillum*, Vill. *Fl. Delph.* 69; *Hist. Pl. Dauph.* iii.  
341 = Nasturtium palustre.  
*pusillum*, *Wedd. ex Fourn. Thèse Crucif.* 131.—Chili.  
*pygmaeum*, *Nutt. ex Torr. & Gray, Fl. N. Am.* i. 91 =  
linifolium?  
*pygmaeum*, Trautv. in *Act. Hort. Petrop.* i. (1871) 60  
= Cheiranthus pygmaeus.

**SISYMBRIUM:—**

- pyrenaicum*, Linn. *Syst. ed. X.* 1132 = Nasturtium  
pyrenaicum.  
*pyrenaicum*, Vill. *Hist. Pl. Dauph.* iii. 341 = austriacum.  
ramosum, *Fourn. Thèse Crucif.* 140.—Persia.  
ramulosum, *Delile, Fl. Aeg. Illustr.* 67.—Aegypt.  
ramulosum, Poir. *Encyc. Suppl.* v. 161 = S. Irio.  
*Reboudianum*, Verlot, *Cat. Pl. Jard. Grenoble* (1857);  
et in *Bull. Soc. Bot. Fr.* iv. (1857) 726 = S. Irio.  
*Redowskii*, Weinm. ex Steud. *Nom. ed. I.* 785 =  
Erysimum Redowskii.  
*reflexum*, Kellogg, in *Proc. Calif. Acad.* ii. (1863) 101.  
t. 29 = Arabis Holboellii.  
*reflexum*, *Nutt. in Fourn. Acad. Philad. N. S. i.* (1847)  
183.—Am. bor. occ.  
*Relangerii*, Fourn. *Thèse Crucif.* 141, sphalm. =  
Belangerii.  
Remyanum, *Wedd. in Ann. Sc. Nat. Sér. V. i.* (1864)  
290.—Ecuador.  
*repandum*, Poir. *Encyc.* vii. 209 = Diplotaxis saxatilis.  
*repandum*, Willd. *Sp. Pl.* iii. 497 = Brassica repanda.  
*reticulatum*, Tratt. *Arch.* t. 350; ex Fritz. *Icon. Ind.*  
i. 1039 (sp. dub.).—Hab.?  
*rhodonense*, Degland, ex Gren. & Godr. *Fl. Fr.* i. 95 =  
austriacum.  
Richardii, *F. Muell. Census*, 5.—Austral.  
*Richardsoni*, Sweet, *Hort. Brit. ed. II.* 30 = canescens.  
*rigidulum*, Decne. in *Ann. Sc. Nat. Sér. II.* iii. (1835)  
272 = altissimum.  
*rigidulum*, Lag. *Gen. et Sp. Nov.* 20 = erysimoides.  
*rigidum*, Bieb. *Fl. Taur. Cauc.* iii. 439 = Malcomia  
torulosa.  
Robesetti, *Steud. Nom. ed. II.* ii. 594.—Arab.  
*Roripa*, Scop. *Fl. Carn. ed. II.* ii. 25 = Nasturtium  
amphibium.  
*rudérale*, Jord. *Diagn.* i. 138 = officinale.  
*runawurensense*, Royle, ex Fourn. *Thèse Crucif.* 122  
(recte *runawurensense*?) = rupestre.  
runcinatum, *Lag. ex DC. Syst.* ii. 478.—Reg. Mediterr.  
et Cauc.; Oriens.  
rupestre, *Edgew. in Trans. Linn. Soc.* xx. (1846) 33.  
—Reg. Himal.  
rupestre, *Wedd. in Ann. Sc. Nat. Sér. V. i.* (1864) 290  
= Eutrema Humboldtii.  
*rupestricolum*, Jord. *Diagn.* i. 142 = austriacum.  
*sagittatum*, Ait. *Hort. Kew. ed. I.* ii. 390 = Alyssopsis  
deflexa.  
*sagittatum*, Hook. f. & Arn. in *Hook. Bot. Misc.* iii.  
(1833) 139.—Chili.  
*salsugineum*, Hook. f. & Thoms. in *Journ. Linn. Soc.*  
v. (1861) 159 = Conringia persica.  
*salsugineum*, *Pall. Reise*, ii. 740.—Sibir.  
*salsugineum*, Schlecht. ex DC. *Syst.* ii. 220 = toxo-  
phyllum.  
*salsuginosum*, Willd. *Sp. Pl.* iii. 507 = salsugineum.  
*salsum*, Georgi, *Reise*, i. 224; ex Ledeb. *Fl. Ross.* i.  
185 = salsugineum.  
*saxatile*, Lam. *Fl. Fr.* ii. 517 = Diplotaxis saxatilis.  
Schaffneri, *Hemsl. Diagn. Pl. Nov.* 19.—Mexic.  
*Schimperi*, Boiss. in *Ann. Sc. Nat. Sér. II.* xvii. (1842)  
76; Presl, *Bot. Bemerk.* 9 = S. Sophia.  
*Schimperi*, J. Gay, ex Fourn. *Thèse Crucif.* 124 =  
pumilum.  
scholare, *Fourn. l. c.* 96.—Hab.?  
*scorpiuroides*, Boiss. in *Ann. Sc. Nat. Sér. II.* xvii.  
(1842) 74 = Malcomia torulosa.  
Scorpiurus, *Pomel, Nouv. Mat. Fl. Atl.* 227.—Alger.  
septaceum, *Wedd. in Ann. Sc. Nat. Sér. V. i.* (1864)  
289.—Bolivia.  
*septulatum*, DC. *Syst.* ii. 471 = altissimum.  
*serratum*, Thunb. *Prod. Pl. Cap.* 109 = Lepidium  
rudérale.  
*setosum*, Ledeb. ex Spreng. *Syst.* ii. 902 = Brassica  
Tournfortii.  
Sewerzowi, *Regel, in Bull. Soc. Nat. Mosc.* xliii.  
(1870) i. 274.—Turkestan.  
*Sieversianum*, Redowsk. ex DC. *Syst.* ii. 485 = Don-  
tostemon dentatus.  
siliquosum, *Fourn. Thèse Crucif.* 133.—As. bor.  
*simplex*, Viv. *Fl. Lib. Spec.* 36. t. 16. f. 2 (Diplotaxis  
sp.).—Afr. bor.  
*simplicissimum*, S. T. Gmel. *Reise*, iii. 303. t. 31. f. 1  
= Thalianum.  
*simplicissimum*, Lapeyr. *Hist. Abr. Pl. Pyr.* 382 =  
Arabis perfoliata.  
*sinapifolium*, St. Lag. in *Ann. Soc. Bot. Lyon*, vii.  
(1880) 135 = Nasturtium indicum.  
*Sinapios*, Retz. *Obs.* iii. 37 = altissimum.

**SISYMBRIUM:—**

- Sinapis*, Burm. f. *Fl. Ind.* 140, excl. syn. = Nasturtium  
indicum.  
*Sinapisistrum*, Crantz, *Stirp. Austr. ed. II.* 52 = altis-  
simum.  
*sinapoides*, R. Br. in Ait. *Hort. Kew. ed. II.* iv. 112 =  
austriacum.  
*sinuatum*, Nutt. ex Fourn. *Thèse Crucif.* 146 (Nasturtii  
sp.?).—Am. bor.  
solidagineum, *Triana & Planch. in Ann. Sc. Nat.*  
*Sér. IV.* xvii. (1862) 64.—N. Granat.  
*Sophia*, Barn. in C. Gay, *Fl. Chil.* i. 127 = Cummingi-  
anum.  
*Sophia*, A. Gray, in *Proc. Acad. Philad.* (1863) 57,  
partim = incisum.  
*Sophia*, *Linn. Sp. Pl.* 659.—Reg. temp.  
*Sophia*, Pursh, *Fl. Am. Sept.* ii. 440 = canescens.  
*sophioides*, Fisch. ex Hook. *Fl. Bor. Am.* i. 61. t. 20 =  
S. Sophia.  
spathulaceifolium, A. Gray, *Bot. U. St. Expl. Exped.*  
i. 60.—Peruv.  
spathulatum, Poir. *Encyc.* vii. 221 = Arabis spathu-  
lata.  
spectabile, Hook. & Thoms. ex Fourn. *Thèse Crucif.*  
121.—Reg. Himal.  
spurium, Hort. ex Steud. *Nom. ed. I.* 785, nomen.—  
(Quid?).  
stenophyllum, *Gill. ex Hook. & Arn. in Bot. Misc.* iii.  
(1833) 139.—Chili.  
*stenophyllum*, Schlecht. in *Linnaea*, xxviii. (1856) 475  
= Lechleri.  
stigmatosum, *Steud. Nom. ed. II.* ii. 595.—Arab.  
stoloniferum, J. & C. Presl, *Fl. Čech.* 137 = Nasturtium  
amphibium.  
streptocarpum, *Fourn. Thèse Crucif.* 58.—Mexic.  
strictissimum, *Linn. Sp. Pl.* 660.—Europ. med.  
*strictissimum*, *Pall. ex Bieb. Fl. Taur. Cauc.* ii. 115 =  
junceum.  
strictum, *Hook. f. & Thoms. in Journ. Linn. Soc.* v.  
(1861) 161.—Reg. Himal.  
strictum, *Phil. Fl. Atac.* 7 = Cummingianum.  
strigosum, Thunb. *Herb. ex Sond.* in Harv. & Sond.  
*Fl. Cap.* i. 24, 32 = capense, Brassica leptopetala.  
strigosum, Thunb. *Prod. Pl. Cap.* 109 = Brassica stri-  
gosa.  
subbipinnatifidum, Hornem. *Suppl. Hort. Hafn.* 72  
(= *Sinapis subbipinnatifida*).—Hispan.  
subhastatum, *Edgew. ex Hook. f. & Thoms. in Journ.*  
*Linn. Soc.* v. (1861) 157 = S. Irio.  
subhastatum, Hornem. *Enum. Pl. Hort. Hafn.* (1807)  
37; Willd. *Enum. Hort. Berol.* 679 = orientale.  
subspinescens, Bunge, *Arb. Nat. Ver. Riga*, i. II.  
(1847) 151.—Reg. Casp.; Soongar.  
subulatum, *Fourn. Thèse Crucif.* 72.—Abyss.  
suecicum, *Nym. Consp.* 44.—Europ. bor.  
suffruticosum, *Fourn. Thèse Crucif.* 132.—Chili.  
supinum, Asso, *Mant.* 173 = runcinatum.  
supinum, *Linn. Sp. Pl.* 657.—Europ. med.  
sylvestre, Burm. ex DC. *Syst.* ii. 472 = lyratum.  
sylvestre, Burm. f. *Fl. Cap. Prod.* 17 = Diplotaxis  
tenuifolia.  
sylvestre, *Linn. Sp. Pl.* 657 = Nasturtium sylvestre.  
sylvestre, Mohr, ex Bab. in *Journ. Linn. Soc.* xi.  
(1870) 293 = Nasturtium palustre.  
tanacetifolium, *Linn. Sp. Pl.* 659.—Europ.  
tanacetifolium, Walt. *Fl. Carol.* 174 = Nasturtium  
tanacetifolium.  
taraxacifolium, DC. *Fl. Fr.* iv. 670 = austriacum.  
tenuifolium, *Gener. Elench. Scep.* n. 613; ex  
Wahlenb. *Fl. Carp.* 201 = altissimum.  
tenuifolium, *Linn. Cent. Pl.* i. 18; *Amoen. Acad.* iv.  
279 = Diplotaxis tenuifolia.  
tenuifolium, *Pall. ex Spreng. Syst.* ii. 901 = junceum.  
tenuifolium, *Salisb. Prod.* 270 = S. Sophia.  
tenuissimum, Kar. & Kir. in *Bull. Soc. Nat. Mosc.*  
(1841) 382 = S. Sophia.  
tenuissimum, *Phil. in Linnaea*, xxxiii. (1864-65) 9 =  
Cummingianum.  
teres, Torr. & Gray, *Fl. N. Am.* i. 93 = Nasturtium  
tanacetifolium.  
terrestre, Wahlenb. *Fl. Lappon.* 179 = Nasturtium  
amphibium.  
terrestre, With. *Arr. Brit. Pl. ed. III.* iii. 582 = Nas-  
turtium palustre.  
tetragonum, Trautv. in *Act. Hort. Petrop.* iv. (1876)  
350 = Conringia orientalis.  
tetromallum, C. Muell. in Walp. *Ann.* vii. 135,  
sphalm. = heteromallum.

**SISYMBRIUM:—**

- Thalianum, *J. Gay, in Ann. Sc. Nat. Sér. I. vii.* (1826) 399.—Reg. temp.  
 Thomsoni, *Hook. f. in Journ. Linn. Soc. v.* (1861) 161.—Reg. Himal.  
 tibeticum, *Fourn. Thèse Crucif.* 128.—Reg. Himal.  
 Tilesii, *Ledeb. in Mém. Acad. Pétersb. v.* (1815) 548 = *Arabis petraea*.  
 Tilingii, *Fourn. Thèse Crucif.* 133.—Sibir.  
 Tillieri, *Bell. ex Willd. Sp. Pl. iii.* 497 = *austriacum*.  
 titicacense, *Walp. in Nov. Act. Nat. Cur. xix. Suppl. i.* (1843) 249.—Peruv.  
 tomentosum, *Stev. ex DC. Syst. ii.* 210 = *Arabis incarnata*.  
 torulosum, *Desf. Fl. Atlant. ii.* 84. t. 159 = *Malcolmia torulosa*.  
 Tournefortii, *Schleich. ex Fourn. Thèse Crucif.* 146 = *Brassica Erucastrum*.  
 toxophyllum, *C. A. Mey. in Ledeb. Fl. Alt. iii.* 142.—As. bor.  
 trinerve, *Stend. Nom. ed. II. ii.* 595, sphalm. = *binerve*.  
 tripinnatum, *DC. Syst. ii.* 475.—Afr. austr.  
 tristectum, *F. Muell. in Trans. Vict. Inst. i.* (1855) 114 = *Blennodia tristecta*.  
 truncatum, *Dulac, Fl. Hautes-Pyr.* 197 = *S. Alliaria*.  
 tuberosum, *Lag. ex DC. Syst. ii.* 254 = *Cardamine tuberosa*.  
 Turczaninowii, *Sond. in Harv. & Sond. Fl. Cap. i.* 26.—Afr. austr.  
 turritopsis, *C. Muell. in Walp. Ann. vii.* 135, sphalm. = *sagittatum*.  
 uniflorum, *Fourn. Thèse Crucif.* 133.—Reg. Himal.  
 valentinum, *Juss. ex DC. Syst. ii.* 636 = *Diplotaxis saxatilis*.  
 valentinum, *Linn. Sp. Pl. ed. II.* 920 = *Brassica valentina*.  
 vernum, *Fourn. Thèse Crucif.* 127.—Reg. Caucas.  
 versicolor, *Fourn. l. c.* 141 = *Braya versicolor*.  
 Villarsii, *Jord. Diagn. i.* 143 = *austriacum*.  
 villosum, *Lag. ex Spreng. Syst. ii.* 902 = *runcinatum*.  
 villosum, *Moench, Meth.* 251 = *orientale*.  
 vimineum, *Bieb. Fl. Taur. Cauc. ii.* 112 = *Diplotaxis saxatilis*.  
 vimineum, *Linn. Sp. Pl. ed. II.* 919 = *Diplotaxis viminea*.  
 vineale, *Gater. Desc. Pl. Montaub.* 120 = *Diplotaxis viminea*.  
 virgatum, *Nutt. in Torr. & Gray, Fl. N. Am. i.* 93.—Am. bor.  
 Virletii, *Fourn. Thèse Crucif.* 62.—Mexic.  
 Volckmanni, *Phil. in Anal. Univ. Chil.* (1870) 11. 669.—Chili.  
 volgensis, *Bieb. ex Fourn. Thèse Crucif.* 97.—Rossia.  
 vulgare, *Pers. Syn. ii.* 196 = *Nasturtium sylvestre*.  
 Wallichii, *Hook. f. & Thoms. in Journ. Linn. Soc. v.* (1861) 158.—Reg. Himal.  
 Walteri, *Ell. Sketch, ii.* 146 = *Nasturtium tanacetifolium*.  
 Waltheri, *Crantz, Stirp. Austr. ed. II.* 51 = *orientale*.  
 Weddellii, *Fourn. Thèse Crucif.* 104.—Boliv.  
 Zanonii, *Caruel, in Atti Soc. Sc. Nat. Milan. v.* (1863) 149 (= *Erucastrum Zanonii*).—Italia.  
 Zanonii, *J. Gay, in Bull. Soc. Bot. Fr. vii.* (1860) 881 = *pinnatifidum*.  
 Zeae, *Spreng. Syst. ii.* 904 = *erysimoides*.

**SISYNDITE**, *E. Mey. ex Sond. in Harv. & Sond. Fl. Cap. i.* 354 (1860). *ZYGOPHYLLEAE*, *Benth. & Hook. f. i.* 265.  
*spartea*, *E. Mey. ex Sond. l. c.*—Afr. austr.

**SISYRANTHUS**, *E. Mey. Comm. Pl. Afr. Austr.* 197 (1837). *ASCLEPIADEAE*, *Benth. & Hook. f. ii.* 779.  
*imberbis*, *Harv. Thes. Cap. ii.* 11. t. 116.—Afr. austr.  
*virgatus*, *E. Mey. Comm. Pl. Afr. Austr.* 197.—Afr. austr.

**SISYRINCHIUM**, *Eckl. Top. Verz.* 16 (1827) = *Aristea*, *Soland. (Irid.)*.  
*inundatum*, *Eckl. l. c.* = *A. melaleuca*.  
*melaleucum*, *Eckl. l. c.* = *A. melaleuca*.  
*pusillum*, *Eckl. ex Baker, in Journ. Linn. Soc. xvi.* (1877) 111 = *A. pusilla*.  
*spirale*, *Eckl. Top. Verz.* 16 = *A. spiralis*.

VOL. II.

**SISYRINCHIUM**, *Linn. Gen. ed. I.* 273 (1737).

- IRIDEAE*, *Benth. & Hook. f. iii.* 698.  
 BERMUDIANA, *Adans. Fam. ii.* 60 (1763).  
 ECHTHRONEMA, *Herb. in Lindl. Bot. Reg.* (1843) Misc. 85.  
 ERIPHILEMA, *Herb. l. c.* (1843).  
 GLUMOSIA, *Herb. l. c.* (1843).  
 HYDASTYLUS, *Dryand. ex Salisb. in Trans. Hort. Soc. i.* (1812) 310.  
 OLSYNIUM, *Rafin. New Fl. Am. i.* 72 (1836).  
 PANEGUIA, *Rafin. Fl. Tellur. iv.* 34 (1836).  
 POGADELPHA, *Rafin. l. c.* 29 (1836).  
 SOUZA, *Vell. Fl. Flum.* 273 (1825).  
*acaule*, *Klatt, in Linnaea, xxxiv.* (1865–66) 736 = *Solenomelus acaulis*.  
*acre*, *H. Mann, in Proc. Am. Acad. vii.* (1867) 206.—Ins. Sandvic.  
*acuminatum*, *Herb. in Lindl. Bot. Reg.* (1843) Misc. 84 = *angustifolium*.  
*adenocarpum*, *Steud. Nom. ed. II. ii.* 595.—Chili.  
*adenostemon*, *Phil. in Linnaea, xxix.* (1857–58) 62 = *cuspidatum*.  
*adscendens*, *Phil. f. Cat. Pl. Vasc. Chil.* 281 = *graminifolium*.  
*affine*, *Mart. & Gal. in Bull. Acad. Brux. x.* II. (1843) 111.—Mexic.  
*alatum*, *Hook. Ic. Pl. t.* 219.—Am. trop.  
*albidum*, *Rafin. Atl. Journ.* 17 = *S. Bermudiana*.  
*altissimum*, *Tenore, in Atti 3<sup>a</sup> Riun. Sc. Ital.* (1841) 504 = *palmifolium*.  
*anceps*, *Cav. Diss. vi.* 345. t. 190. f. 2 = *angustifolium*.  
*andinum*, *Phil. in Linnaea, xxix.* (1857–58) 62 = *Chamelum andinum*.  
*angustifolium*, *Mill. Gard. Dict. ed. VIII. n.* 2.—Am. bor.; Hibern.  
*aphyllum*, *Spreng. Syst. i.* 166 = *Bobartia aphylla*.  
*arenarium*, *Poepp. Fragm. Syn. Pl. Chile, 3* = *cuspidatum*.  
*ascendens*, *Poepp. l. c.* 4 = *graminifolium*.  
*asperulum*, *Phil. in Linnaea, xxxiii.* (1864–65) 252 = *juncum*.  
*aurantiacum*, *Griseb. in Goett. Abh. xxiv.* (1879) 327 = *monostachyum*.  
*aurantiacum*, *Zuccagni, in Roem. Collect.* 145 = *Homeria collina*.  
*aureum*, *Vell. Fl. Flum. ix. t.* 69.—Bras.  
*avenaceum*, *Klatt, in Linnaea, xxxi.* (1861–62) 373.—Bras.  
*azureum*, *Phil. Fl. Atac.* 50.—Chili.  
*Bakeri*, *Klatt, in Abh. Naturf. Ges. Halle, xii.* (1882) 378 = *trinerve*.  
*bellum*, *S. Wats. in Proc. Am. Acad. xii.* (1877) 277 = *angustifolium*.  
*Bermudiana*, *Linn. Sp. Pl.* 954, partim.—Ins. Bermud.  
*Bermudiana*, *Linn. l. c.*, partim = *angustifolium*.  
*Berteroanum*, *Phil. in Linnaea, xxix.* (1857–58) 58 = *leucanthum*, *Colla*.  
*Berteroi*, *Steud. ex Baker, in Journ. Linn. Soc. xvi.* (1877) 117 = *chilense*.  
*Berteroi*, *Steud. ex Klatt, in Mart. Fl. Bras. iii.* 1. 537 = *iridifolium*.  
*biflorum*, *Griseb. in Goett. Abh. xxiv.* (1879) 328.—Reg. Argent.  
*bogotense*, *H. B. & K. Nov. Gen. et Sp. i.* 323.—N. Granat.  
*brevifolium*, *Klotzsch, ex Klatt, in Mart. Fl. Bras. iii.* 1. 538 = *incurvatum*.  
*bulbosum*, *Mill. Gard. Dict. ed. VIII. n.* 3 = *Eleutherine plicata*.  
*californicum*, [*Dryand. in*] *Hort. Kew. ed. II. iv.* 135.—Am. bor. occ.  
*capitatum*, *Pers. Syn. i.* 49 = *Eleutherine plicata*.  
*Cervantesii*, *E. Mey. ex Presl, Rel. Haenk. i.* 117.—Mexic.  
*chilense*, *Hook. Bot. Mag. t.* 2786.—Am. trop.  
*Clarazii*, *Baker, in Journ. Linn. Soc. xxi.* (1884) 235 = *monostachyum*.  
*coerulescens*, *F. Muell. Fragm. vii.* 91 = *Libertia caerulea*.  
*coeruleum*, *Vell. Fl. Flum. ix. t.* 66.—Bras.  
*colchaguense*, *Phil. in Linnaea, xxxiii.* (1864–65) 253 = *juncum*.  
*collinum*, *Cav. Diss. vi.* 346 = *Homeria collina*.  
*Comes*, *Steud. Nom. ed. II. ii.* 595.—Bras.  
*commutatum*, *Klatt, in Hamb. Gartenz. xvi.* (1860) 164.—Bras.  
*congestum*, *Klatt, in Linnaea, xxxi.* (1861–62) 98 = *palmifolium*?

**SISYRINCHIUM:—**

- convolutum*, *Klatt, in Linnaea, xxxiv.* (1865–66) 735 = *californicum*.  
*convolutum*, *Nocca, Ticin. Hort. Pl. Select. i. t.* 1.—Am. trop.  
*crenatum*, *Vell. Fl. Flum. ix. t.* 67 = *Trimezia lurida*.  
*cultrifolium*, *Noronha, in Verh. Batav. Gen. v.* (1790) ed. I. Art. iv. 27 (Quid?).—Java.  
*Cunningii*, *Penny, ex W. Baxt. in Loud. Hort. Brit. Suppl. ii.* 673, nomen.—Chili.  
*cuspidatum*, *Poepp. Fragm. Syn. Pl. Chile, 3*.—Chili.  
*cyaneum*, *Lindl. Bot. Reg. t.* 1090 = *Orthrosanthus multiflorus*.  
*dasyacarpum*, *Phil. in Linnaea, xxix.* (1857–58) 61 = *graminifolium*.  
*depauperatum*, *Phil. l. c.* = *leucanthum*, *Colla*.  
*dichroum*, *Poepp. ex Klatt, in Mart. Fl. Bras. iii.* 1. 537 = *iridifolium*.  
*Douglasii*, *A. Dietr. Sp. Pl. ii.* 504 = *grandiflorum*.  
*elatum*, *Seub. ex Klatt, in Mart. Fl. Bras. iii.* 1. 544 = *palmifolium*.  
*elegans*, [*DC. in*] *Red. Lil. t.* 171 = *Homeria collina*.  
*elegans*, *Willd. Sp. Pl. iii.* 577 = *Homeria elegans*.  
*excisum*, *Godr. in Mém. Acad. Montp. (Sect. Médic.) i.* (1853) 447 = *S. Bermudiana*.  
*fasciculatum*, *Klatt, in Linnaea, xxxi.* (1861–62) 97.—Uruguay; Paraguay.  
*fernandezianum*, *Steud. & Hochst. ex Steud. Nom. ed. II. ii.* 595.—Ins. J. Fernand.  
*filifolium*, *Gaudich. in Ann. Sc. Nat. Sér. I. v.* (1825) 101.—Ins. Falkland.  
*filiforme*, *Gaudich. in Freyc. Voy. Bot.* 421 = *filifolium*.  
*filiforme*, *Rafin. Atl. Journ.* 178 (Quid?).—Am. bor.  
*filiforme*, *Spreng. Syst. i.* 166 = *Bobartia filiformis*.  
*filiforme*, *Steud. & Hochst. ex Steud. Nom. ed. II. ii.* 595 = *juncum*.  
*fimbriatum*, *Domb. ex Klatt, in Mart. Fl. Bras. iii.* 1. 537 = *iridifolium*.  
*flavidum*, *Kellogg, in Proc. Calif. Acad. ii.* (1863) 50. t. 3 = *californicum*.  
*flavum*, *Hoffmegg. ex Steud. Nom. ed. II. ii.* 595 = *convolutum*.  
*flavum*, *Miers, ex Steud. l. c.* = *Solenomelus chilensis*.  
*flexuosum*, *Lindl. in Bot. Reg. sub t.* 1067 = *cuspidatum*.  
*flexuosum*, *Phil. in Linnaea, xxxiii.* (1864–65) 251.—Chili.  
*flexuosum*, *Spreng. Syst. i.* 167 = *Hexaglottis longifolia*.  
*floribundum*, *Phil. in Linnaea, xxix.* (1857–58) 59 = *juncum*.  
*fluminense*, *Vell. Fl. Flum. ix. t.* 68 = *Trimezia lurida*.  
*formosum*, *F. Muell. Fragm. vii.* 91 = *Libertia formosa*.  
*frigidum*, *Poepp. Fragm. Syn. Pl. Chile, 1* = *Chamelum andinum*.  
*galaxioides*, *Gomes, in Mem. Acad. Lisboa, iii.* (1812) Mem. dos Corresp. 99 = *Trimezia lurida*.  
*Gaudichaudii*, *A. Dietr. Sp. Pl. ii.* 505 = *filifolium*.  
*geniculatum*, *Herb. in Lindl. Bot. Reg.* (1843) Misc. 84 = *angustifolium*.  
*giganteum*, *Tenore, Cat. Ort. Nap.* (1845) 96 = *palmifolium*.  
*gladiatum*, *Spreng. Syst. i.* 166 = *Bobartia gladiata*.  
*glaucophyllum*, *Penny, ex W. Baxt. in Loud. Hort. Brit. Suppl. ii.* 601, nomen.—Am. bor.  
*Glaziovii*, *Baker, in Journ. Bot. xiv.* (1876) 268.—Bras.  
*gracile*, *Klotzsch, ex Baker, l. c.*—Bras.  
*gracile*, *Phil. in Linnaea, xxix.* (1857–58) 60 = *juncum*.  
*gramineum*, *Lam. Encyc. i.* 408; *Curt. Bot. Mag. t.* 464 = *angustifolium*.  
*graminifolium*, *Bert. ex Steud. Nom. ed. II. ii.* 596 = *chilense*.  
*graminifolium*, *Lindl. in Bot. Reg. t.* 1067.—Chili.  
*grandiflorum*, *Cav. Diss. vi.* 345 = *Tigridia lutea*.  
*grandiflorum*, *Dougl. ex Lindl. Bot. Reg. t.* 1364.—Am. bor. occ.  
*grandiflorum*, *Poepp. Fragm. Syn. Pl. Chile, 4* = *Calydorea speciosa*.  
*guttatum*, *Moris, Enum. Hort. Taur.* (1833) 30.—Chili.  
*Hartwegii*, *Baker, in Journ. Linn. Soc. xvi.* (1877) 119, nomen = *tenuifolium*.  
*hirtellum*, *Penny, ex W. Baxt. in Loud. Hort. Brit. Suppl. ii.* 673, nomen.—Am. bor.

**SISYRINCHIUM:—**

- homomallum*, Klatt, in Abh. Naturf. Ges. Halle, xii. (1882) 378 = *angustifolium*?
- Huismo*, Domb. ex Baker, in Journ. Linn. Soc. xvi. (1877) 120 = *sessiliflorum*.
- Illmu*, Molina, Sagg. Chile, ed. II. 110 = *Conanthera bifolia*.
- incurvatum*, Gardn. in Hook. Ic. Pl. t. 513.—Bras.
- iridifolium*, H. B. & K. Nov. Gen. et Sp. i. 324.—Am. trop.
- iridioides*, Curt. Bot. Mag. t. 94 = *S. Bermudiana*.
- ixioides*, Forst. f. Prod. 61 = *Libertia ixioides*.
- Jamesoni*, Baker, in Journ. Bot. xiv. (1876) 269.—Ecuador.
- juncum*, E. Mey. in Presl, Rel. Haenk. i. 118.—Reg. Andin.
- juncifolium*, Herb. in Lindl. Bot. Reg. (1843) Misc. 85 = *juncum*?
- junciforme*, Poepp. Fragm. Syn. Pl. Chile, 2 = *juncum*.
- laterale*, Baker, in Journ. Bot. xiv. (1876) 269.—Bolivia.
- latifolium*, Sw. Prod. Veg. Ind. Occ. 17 = *Eleutherine plicata*.
- laxum*, Otto, ex Sims, Bot. Mag. t. 2312 = *iridifolium*.
- Lechleri*, Steud. ex Klatt, in Mart. Fl. Bras. iii. i. 535 = *chilense*.
- leucanthum*, Colla, in Mem. Acc. Torin. xxxix. (1836) 18.—Chili; Reg. Argent.
- leucanthum*, Steud. Nom. ed. II. ii. 596.—Chili.
- libertioides*, Steud. & Hochst. ex Steud. l. c.—Chili.
- lineatum*, Torr. in Pacif. Rail. Rep. iv. 143 = *californicum*.
- longistylum*, Lem. in Fl. des Serres, iii. (1847) t. 255 = *Solenomelus chilensis*.
- lutescens*, Lodd. Bot. Cab. t. 1870 = *striatum*.
- luteum*, Bert. ex Steud. Nom. ed. II. ii. 596 = *tinctorium*.
- luteum*, Fisch. ex Link, Enum. Hort. Berol. ii. 177 = *convolutum*.
- Luzula*, Klotzsch, ex Klatt, in Linnaea, xxxi. (1861–62) 89, 376.—Bras.
- macranthum*, Griseb. in Goett. Abh. xxiv. (1879) 326.—Reg. Argent.
- macrocarpum*, Hieron. in Bol. Acad. Nac. Córdoba, iv. (1881) 71.—Reg. Argent.
- macrocephalum*, R. Grah. in Edinb. N. Phil. Journ. (Jan. 1883) 176 = *palmifolium*.
- maculatum*, Hook. Bot. Mag. t. 3197 = *graminifolium*.
- majale*, Link, Klotzsch & Otto, Ic. Pl. Hort. Berol. 24. t. 10 = *graminifolium*.
- majus*, Redhead, in Journ. Linn. Soc. ix. (1867) 209 = *Iris Sisyrinchium*.
- Mandoni*, Baker, in Journ. Bot. xiv. (1876) 269.—Bolivia.
- Marchio*, Steud. Nom. ed. II. ii. 596 = *alatum*.
- marginatum*, Klatt, in Linnaea, xxxi. (1861–62) 83 = *palmifolium*.
- micranthemum*, Pers. Syn. i. 50 = *seq.*
- micranthum*, Cav. Diss. vi. 345. t. 191. f. 2.—Peruv.
- minus*, Engelm. & Gray, in Bost. Journ. Nat. Hist. v. (1845) 263 = *angustifolium*.
- minutiflorum*, Klatt, in Linnaea, xxxi. (1861–62) 71.—Reg. Argent.
- monostachyum*, Baker, in Journ. Bot. xiv. (1876) 268.—Reg. Argent.
- Moritzianum*, Klatt, in Linnaea, xxxi. (1861–62) 378 = *Orthrosanthus chimboracensis*.
- mucronatum*, Michx. Fl. Bor. Am. ii. 33 = *angustifolium*.
- multicaule*, Schau. in Linnaea, xix. (1847) 704 = *chilense*.
- multiflorum*, Lem. Illustr. Hort. vi. (1859) t. 221.—Am. bor.
- multiflorum*, Steud. Nom. ed. II. ii. 596 = *Orthrosanthus multiflorus*.
- narcissoides*, Cav. Diss. vi. 347. t. 191. f. 3 = *Symphystemon narcissoides*.
- nervosum*, Phil. in Linnaea, xxxiii. (1864–65) 251.—Chili.
- nigricans*, C. Gay, Fl. Chil. vi. 20 = *striatum*.
- Nunna*, Steud. & Hochst. ex Steud. Nom. ed. II. ii. 596.—Chili.
- Nuno*, Colla, in Mem. Acc. Torin. xxxix. (1836) 17. t. 54.—Chili.
- Nuttallii*, Sweet, Hort. Brit. ed. I. 395 = *S. Bermudiana*.

**SISYRINCHIUM:—**

- Ocissapungum*, Ruiz, ex Klatt, in Linnaea, xxxi. (1861–62) 379 = *Orthrosanthus chimboracensis*.
- odoratissimum*, Lindl. Bot. Reg. t. 1283 = *Symphystemon odoratissimus*.
- pachyrhizum*, Baker, in Journ. Bot. xiv. (1876) 269.—Bras.
- palmifolium*, Cav. Diss. vi. 348 = *Eleutherine plicata*.
- palmifolium*, Linn. Mant. i. 122, excl. syn.—Am. austr.
- paniculatum*, R. Br. Prod. 305 = *Libertia paniculata*.
- patagonicum*, Phil. ex Baker, in Journ. Linn. Soc. xvi. (1877) 117, nomen.—Patagon.
- Pearcei*, Phil. in Linnaea, xxxiii. (1864–65) 251.—Chili.
- pedunculatum*, Gill. ex Hook. Bot. Mag. t. 2965 = *Solenomelus chilensis*.
- Philippi*, Klatt, in Linnaea, xxxi. (1861–62) 89 = *juncum*.
- piliferum*, Klatt, in Abh. Naturf. Ges. Halle, xii. (1882) 379.—Paraguay.
- plicatum*, Spreng. Syst. i. 167 = *Eleutherine plicata*.
- polystachyum*, F. Muell. Census, 114 = *Orthrosanthus polystachyus*.
- Proregia*, Steud. Nom. ed. II. ii. 596.—Bras.
- pubescens*, Cham. ex Steud. Nom. ed. II. ii. 596 = *iridifolium*.
- pulchellum*, R. Br. Prod. 305 = *Libertia pulchella*.
- pumilum*, Hook. f. Fl. Antarct. t. 129 = *Tapeinia magellanica*.
- pusillum*, H. B. & K. Nov. Gen. et Sp. i. 323.—Ecuador.
- pygmaeum*, Klotzsch, ex Phil. f. Cat. Pl. Vasc. Chil. 282 = *tenuifolium*.
- quinquevulnerum*, Domb. ex Klatt, in Mart. Fl. Bras. iii. i. 536 = *chilense*.
- racemosum*, Pers. Syn. i. 49 = *palmifolium*.
- ramosum*, Herb. in Lindl. Bot. Reg. (1843) Misc. 84 = *angustifolium*, *chilense*.
- restioides*, Spreng. Syst. i. 166.—Am. trop.
- reticulatum*, Auct. ex Pers. Syn. i. 50 = *striatum*.
- rigidum*, Lehm. in Hamb. Gartenz. vi. (1850) 415 = *tinctorium*.
- roseum*, Herb. in Lindl. Bot. Reg. (1843) Misc. 85; Phil. in Linnaea, xxix. (1857–58) 60 = *juncum*.
- scabriusculum*, Steud. Nom. ed. II. ii. 596.—Chili.
- scabrum*, Phil. in Linnaea, xxix. (1857–58) 58 = *juncum*.
- scabrum*, Schlecht. & Cham. l. c. vi. (1831) 57 = *chilense*.
- Schaffneri*, S. Wats. in Proc. Am. Acad. xviii. (1883) 160.—Mexic.
- scirpeum*, Phil. in Linnaea, xxix. (1857–58) 59 = *juncum*.
- scirpiforme*, Poepp. Fragm. Syn. Pl. Chile, 2 = *juncum*.
- secundiflorum*, Klatt, in Linnaea, xxxi. (1861–62) 91.—Bras.
- Segethi*, Phil. l. c. xxix. (1857–58) 61 = *Solenomelus Lechleri*.
- Sellowianum*, Klatt, l. c. xxxi. (1861–62) 375.—Uruguay.
- Sellowii*, Klotzsch, ex Baker, in Journ. Linn. Soc. xvi. (1877) 119 = *pachyrhizum*.
- sertiflorum*, Salisb. in Trans. Hort. Soc. i. (1812) 309 = *striatum*.
- sessiliflorum*, Hook. & Arn. Bot. Beech. Voy. 47 = *Libertia caerulea*.
- sessiliflorum*, Poepp. Fragm. Syn. Pl. Chile, 2.—Chili.
- setaceum*, Klatt, in Linnaea, xxxi. (1861–62) 85.—Reg. Argent.
- spathaceum*, Pers. Syn. i. 50 = *Bobartia indica*.
- speciosum*, Hook. Bot. Mag. t. 3544 = *Calydorea speciosa*.
- spicatum*, Cav. Ic. ii. 2 = *striatum*.
- spicatum*, Seub. ex Klatt, in Linnaea, xxxi. (1861–62) 377 = *Orthrosanthus spicatus*.
- striatum*, Sm. Ic. Pict. t. 9.—Chili; Reg. Argent.
- sulcatum*, Gill. ex Hook. Ic. Pl. t. 218 = *vaginatum*.
- tenuifolium*, Humb. & Bonpl. ex Willd. Enum. Hort. Berol. 691.—Mexic.
- teres*, Rafin. Atl. Journ. 148 (Quid ?)—Am. bor.
- tinctorium*, H. B. & K. Nov. Gen. et Sp. i. 324.—Reg. Andin.; Mexic.
- tingens*, Steud. Nom. ed. II. ii. 596 = *tinctorium*.
- tolucense*, Peyr. in Linnaea, xxx. (1859–60) 18.—Mexic.
- triflorum*, Schrank, Pl. Rar. Hort. Monac. t. 61.—Hab.?
- trinerve*, Baker, in Journ. Bot. xiv. (1876) 267.—Bolivia.
- triquetrum*, Hort. ex Steud. Nom. ed. II. ii. 596 = *convolutum*.

**SISYRINCHIUM:—**

- unguiculatum*, Griseb. in Goett. Abh. xxiv. (1879) 326.—Reg. Argent.
- uniflorum*, C. Gay, ex Phil. in Linnaea, xxxix. (1857–58) 63 = *chilense*.
- unispathaceum*, Klatt, in Linnaea, xxxiv. (1865–66) 737.—Bolivia.
- vaginatum*, Spreng. Syst. i. 166.—Am. trop.
- Weirii*, Baker, in Journ. Bot. xiv. (1876) 268.—Bras.
- xiphioides*, Poepp. Fragm. Syn. Pl. Chile, 4 = *Calydorea speciosa*.
- SISYRRINCHIUM**, Hook. & Arn. Bot. Beech. Voy. 46 (1830), sphalm. = *praeac*.
- SITANION**, Rafin. in Journ. Phys. lxxxix. (1819) 103 = **Elymus**, Linn. (Gramin.).  
*elymoides*, Rafin. l. c. = *E. Sitanion*.
- SITILIAS**, Rafin. New Fl. Am. iv. 85 (1836) = **Pyrropappus**, DC. (Compos.).  
*caroliniana*, Rafin. l. c. = *P. carolinianus*.
- SITOCODIUM**, Salisb. Gen. Pl. Fragm. 27 (1866) = **Camassia**, Lindl. (Liliac.).  
*esculentum*, Salisb. l. c. = *C. esculenta*.
- SITODIUM**, Banks, ex Gaertn. Fruct. i. 344. tt. 71, 72 (1788) = **Artocarpus**, Forst. (Urtic.).  
*cauliflorum*, Gaertn. l. c. 345. tt. 71, 72 = *A. integrifolia*.
- SITOSPELOS**, Adans. Fam. ii. 36 (1763) = **Elymus**, Linn. (Gramin.).
- SIUM**, [Tourn.] Linn. Syst. ed. I (1735). *UMBELLIFERAE*, Benth. & Hook. f. iii. 893.  
*BERULA*, Hoffm. ex Bess. Enum. Pl. Volh. 44 (1822).  
*MAUCHARTIA*, Neck. Eiem. i. 172 (1790).  
*Amomum*, Roth, Tent. Fl. Germ. ii. i. 336 = *Sison Amomum*.  
*angustifolium*, Linn. Sp. Pl. ed. II. 1672 = *erectum*.  
*angustifolium*, Thunb. Prod. Pl. Cap. 50 = *Thunbergii*.  
*annuum*, Roth, Tent. Fl. Germ. i. 128 = *Seseli annuum*.  
*Apium*, Roth, l. c. = *Apium graveolens*.  
*aquaticum*, Gueldenst. ex Ledeb. Fl. Ross. ii. 259 = *latifolium*.  
*aromaticum*, Lam. Fl. Fr. iii. 458 = *Sison Amomum*.  
*asperum*, Thunb. Prod. Pl. Cap. 51 = *Seseli asperum*.  
*Berula*, J. F. Gmel. Syst. 482 = *latifolium*.  
*Berula*, Gouan, Fl. Monsp. 218 = *erectum*.  
*brevifolium*, Hort. ex DC. Prod. iv. 124 = *S. Sisarum*.  
*Bulbocastanum*, Spreng. in Schult. Syst. vi. 538 = *Carum Bulbocastanum*.  
*bulbosum*, Poir. Encyc. Suppl. i. 622 = *Erigenia bulbosa*.  
*bulbosum*, Thore, in Desv. Journ. Bot. i. (1808) 193 = *Carum inundatum*.  
*Burchellii*, Hemsl. Bot. Voy. Challenger, i. ii. 68.—Ins. S. Helena.  
*californicum*, Baill. Hist. Pl. vii. 181, 182.—Calif.  
*canadense*, Lam. Encyc. i. 407 = *Cryptotaenia canadensis*.  
*Carsonii*, Durand, ex A. Gray, Man. Bot. N. U. St. ed. V. 196.—Am. bor. occ.  
*Carum*, [Weber, in] Wigg. Prim. Fl. Holsat. 24 = *Carum Carvi*.  
*Carvi*, Bernh. Syst. Verz. Erf. 173 = *Carum Carvi*.  
*Cicuta*, [Weber, in] Wigg. Prim. Fl. Holsat. 24 = *Cicuta virosa*.  
*cicutae folium*, Schrank, Baier. Fl. i. 558.—Reg. bor. temp.  
*cicutarium*, W. Baxt. in Loud. Hort. Brit. Suppl. iii. 639, nomen = *cicutae folium*.  
*Cordiennii*, Loisel. in Mém. Soc. Linn. Par. vi. (1827) 404 = *Silaus carvifolius*.  
*crassipes*, Spreng. Syst. iv. Cur. Post. 120 = *Apium crassipes*.  
*crinitum*, Poir. Encyc. Suppl. i. 622 = *Schultzia crinita*.  
*crispum*, Noronha, in Verh. Batav. Gen. v. (1790) ed. I. Art. iv. 27 = *Ceratopteris thalictroides* (Crypt.).  
*cuneifolium*, Boiss. Fl. Orient. ii. 1150, sphalm. = *lanceifolium*.  
*Cymnosma*, Basin. in Bull. Phys.-Math. Acad. Pétersb. ii. (1844) 204.—Reg. Casp.  
*decumbens*, Thunb. Fl. Jap. 118.—Japan.

## SIUM:—

- denticulatum*, Baldw. ex Ell. Sketch, i. 354 = *Peucedanum ternatum*.  
*Douglasii*, DC. Prod. iv. 125 = *Conium maculatum* ?  
*erectum*, Huds. Fl. Angl. ed. I. 103.—Europ.; Caucas.  
*Falcaria*, Linn. Sp. Pl. 252 = *Falcaria vulgaris*.  
*falcatum*, Dubois, Méthod. ed. I. 442; ed. II. 407 =  
*Falcaria vulgaris*.  
*Ferula*, Raesch. Nom. ed. III. 81 = *erectum*.  
*ferulaefolium*, Spreng. Sp. Umbellif. 95 = *Carum*  
*ferulaefolium*.  
*filifolium*, Steud. Nom. ed. II. ii. 596 = *Peucedanum*  
*teretifolium*.  
*filifolium*, Thunb. Prod. Pl. Cap. 50 = *Oenanthe fili-*  
*formis*.  
*gallabatense*, Schweinf. Beitr. Fl. Aethiop. 273 =  
*Thunbergii*.  
*gracum*, Guss. ex Spreng. Syst. i. 914 = *Ferula*  
*nudicaulis*.  
*gracum*, Linn. Sp. Pl. 252 = *Bonannia resinifera*.  
*gracum*, Lour. Fl. Cochinch. 179 = *decumbens*.  
*grandiflorum*, Thunb. Prod. Pl. Cap. 50 (= *Levi-*  
*sticum grandiflorum*).—Afr. austr.  
*graveolens*, Vest. Man. Bot. 517 = *Apium graveolens*.  
*helenianum*, Hook. f. in Hook. Ic. Pl. t. 1032.—Ins.  
*S. Helena*.  
*Hippomarathrum*, Roth, Tent. Fl. Germ. i. 128 = *Seseli*  
*Hippomarathrum*.  
*hispidum*, Thunb. Prod. Pl. Cap. 51 = *Carum hispidum*.  
*incisum*, Pers. Syn. i. 316 = *erectum*.  
*intermedium*, DC. Fl. Fr. iv. 302 = *Carum inundatum*.  
*intermedium*, Tenore, Fl. Nap. iii. 310 = *Apium*  
*nodiflorum*.  
*inundatum*, Lam. Fl. Fr. iii. 460 = *Apium inundatum*.  
*japonicum*, Thunb. Fl. Jap. 118.—Japon.  
*javanicum*, Blume, Bijdr. 881 = *Falcaria javanica*.  
*laciniatum*, Blume, l. c. = *Falcaria laciniata*.  
*lancifolium*, Bieb. Fl. Taur. Cauc. iii. 230.—Reg.  
*Caucas*.  
*lancifolium*, Schrank, Baier. Fl. i. 556 = *latifolium*.  
*latifolium*, Bieb. Fl. Taur. Cauc. i. 225 = *lancifolium*.  
*latifolium*, Bigel. Fl. Bost. 69 = *Apium lineare*.  
*latifolium*, Linn. Sp. Pl. 251.—Europ.; Am. bor.  
*latijugum*, C. B. Clarke, in Hook. f. Fl. Brit. Ind. ii.  
 683.—Reg. Himal.  
*latissimum*, Bor. Fl. Centr. Fr. ed. III. ii. 274, in obs.  
 = *latifolium*.  
*limosum*, Moris, ex DC. Prod. iv. 104 = *Apium*  
*crassipes*.  
*lineare*, Michx. Fl. Bor. Am. i. 167 = *Apium lineare*.  
*lobatum*, Moon, Cat. Pl. Ceyl. 22 = *Heracleum*  
*nepalense*.  
*longifolium*, J. & C. Presl, Fl. Čech. 65 = *latifolium*.  
*longifolium*, Pursh, Fl. Am. Sept. i. 194 = *Peuce-*  
*danum ternatum*.  
*luteum*, Spreng. Sp. Umbellif. 92 = *Muretia tanaicensis*.  
*marginatum*, Poir. Encyc. Suppl. i. 622 = *Peucedanum*  
*ternatum*.  
*medium*, Fisch. & Mey. Ind. Sem. Hort. Petrop. ix.  
 Suppl. 19.—Sibir. alt.; Soongar.  
*napiforme*, Schult. Syst. vi. 539 = *Carum ferulaefolium*.  
*Ninsi*, Linn. Sp. Pl. 25 (Quid ?).—China.  
*Ninsi*, Thunb. Fl. Jap. 118 = *Aralia quinquefolia*.  
*nipponicum*, Maxim. in Bull. Acad. Pétersb. xviii.  
 (1873) 286.—Japon.  
*nodiflorum*, Linn. Sp. Pl. 251 = *Apium nodiflorum*.  
*nodiflorum*, Oed. Fl. Dan. t. 247 = *erectum*.  
*nudicaule*, Lam. Encyc. i. 407 = *Peucedanum redivivum*.  
*oppositifolium*, Kit. ex Schult. Oester. Fl. ed. II.  
 i. 495.—Hungar.  
*paniculatum*, Thunb. Prod. Pl. Cap. 51 = *Rhyticarpus*  
*rugosus*.  
*patulum*, Thunb. l. c. = *Selinum suffruticosum*.  
*peucedanoides*, Spreng. Sp. Umbellif. 92 = *Muretia*  
*tanaicensis*.  
*Podagraria*, [Weber, ex] Wigg. Prim. Fl. Holsat.  
 24 = *Aegopodium Podagraria*.  
*podolicum*, Bess. ex Reichb. Fl. Germ. Excurs. 479  
 = *lancifolium*.  
*podolicum*, Hort. ex G. Don, in Loud. Hort. Brit. 473  
 = *S. Sisarum*.  
*pusillum*, Nutt. ex Torr. & Gray, Fl. N. Am. i. 611 =  
*erectum*.  
*pusillum*, Poir. Encyc. Suppl. i. 622 = *Apium divari-*  
*catum*.  
*radiatum*, Viv. Fl. Lib. Spec. 16. t. 9. f. 2 = *Apium*  
*nodiflorum*.  
*repens*, Jacq. Fl. Austr. iii. 34 = *Apium nodiflorum*.

## SIUM:—

- repens*, Linn. f. Suppl. 181 = *Apium repens*.  
*rigidius*, Linn. Sp. Pl. 251; Walt. Fl. Carol. 114 =  
*Peucedanum ternatum*.  
*rigidum*, Hill, Veg. Syst. vi. 34 = *praec.* ?  
*rugosum*, Rafin. Med. Fl. ii. 264; Atl. Journ. 151 =  
*Apium lineare*.  
*saxifragum*, Roth, Tent. Fl. Germ. i. 128 = *Carum*  
*Bunius*.  
*segetum*, Lam. Fl. Fr. iii. 458 = *Carum segetum*.  
*siculum*, Linn. Sp. Pl. 252 = *Kundmannia sicula*.  
*Silaus*, Roth, Tent. Fl. Germ. i. 129 = *Silaus flavescens*.  
*simense*, J. Gay, ex A. Rich. Tent. Fl. Abyss. i. 324 =  
*Pimpinella sinensis*.  
*sisaroidium*, DC. Prod. iv. 124 = *lancifolium*.  
*Sisarum*, Linn. Sp. Pl. 251.—As. or.  
*stoloniferum*, Guss. Suppl. Fl. Sic. Prod. 77 = *Apium*  
*nodiflorum*.  
*suave*, Walt. Fl. Carol. 115 = *Apium lineare*.  
*sulcatum*, Pers. Syn. i. 316 = *latifolium*.  
*tenuifolium*, Muhl. Cat. 30 = *Apium lineare*.  
*teretifolium*, Ell. Sketch, i. 354 = *Peucedanum tereti-*  
*folium*.  
*Thunbergii*, DC. Prod. iv. 125.—Afr. austr.  
*tortuosum*, Roth, Tent. Fl. Germ. i. 128 = *Seseli*  
*annuum*.  
*tricuspidatum*, Ell. Sketch, i. 354 = *Peucedanum*  
*ternatum*.  
*trifoliatum*, Poir. Encyc. Suppl. i. 622 = *Thaspium*  
*aureum*.  
*tritenatum*, Miq. Ann. Mus. Bot. Lugd. Bat. iii. 57 =  
*Ligusticum acutilobum*.  
*tritenatum*, Moon, Cat. Pl. Ceyl. 22 = *Pimpinella*  
*Heyneana*.  
*verrucosum*, J. Gay, ex A. Rich. Tent. Fl. Abyss. i.  
 324 = *Pimpinella sinensis*.  
*verticillatum*, Lam. Fl. Fr. iii. 460 = *Carum verti-*  
*cillatum*.  
*verticillatum*, Pett. ex Reichb. Fl. Germ. Excurs. 474  
 = *Carum ammoides*.  
*villosum*, Thunb. Prod. Pl. Cap. 51 = *Annesorhiza*  
*villosa*.  
*virens*, Hort. ex Steud. Nom. ed. II. ii. 597 = *Selinum*  
*sylvestre*.  
*virescens*, Spreng. Sp. Umbellif. 94 = *Silaus carvi-*  
*folius*.  
*Visnaga*, Stokes, Bot. Mat. Med. ii. 106 = *Ammi*  
*Visnaga*.  
*vulgare*, Bernh. Syst. Verz. Erf. 173 = *Aegopodium*  
*Podagraria*.  
*vulgare*, Gueldenst. ex Ledeb. Fl. Ross. ii. 259 =  
*latifolium*.

SIUMIS, Rafin. New Fl. Am. iv. 31 (1836) = *Apium*,  
 Tourn. (Umbell.).  
*heterophylla*, Rafin. l. c. = *A. lineare*.

SIXALIX, Rafin. Fl. Tellur. iv. 95 (1836) = *Scabiosa*,  
 Tourn. (Dipsac.).  
*daucoides*, Rafin. l. c. 96 = *Sc. daucoides*.

SIZYGIUM, Duch. in Orb. Dict. viii. 554 (1849), sphalm.  
 = SYZYGIUM, Gaertn. = *Eugenia*, Michx. (Myrtic.).

SKAPHIUM, Miq. Fl. Ind. Bat. Suppl. 357 (1860)  
 = *Xanthophyllum*, Roxb. (Polygal.).  
*lanceatum*, Miq. l. c.—Sumatra.

SKIDANTHERA, Rafin. Sylva Tellur. 60 (1838) =  
*Elaeocarpus*, Burm. (Tiliac.).  
*dentata*, Rafin. l. c. = *E. dentatus*.

SKILLA, Rafin. Fl. Tellur. ii. 13 (1836) = *Seilla*, Linn.  
 (Liliac.).

SKIMMI, Adans. Fam. ii. 364 (1763) = seq.

SKIMMIA, Thunb. Nov. Gen. 57 (1783). *RUTA-*  
*CEAE*, Benth. & Hook. f. i. 302.  
*ANQUETILIA*, Decne. in Jacquem. Voy. Bot. 161.  
 t. 161 (1848 ?).  
*LAUREOLA*, M. Roem. Syn. Hesper. 74 (1846).  
*SKIMMI*, Adans. Fam. ii. 364 (1763).  
*Foremanni*, Hort. ex H. Knight, in Flor. & Pomol.  
 (1881) 70 = *japonica*.  
*fragrans*, Carr. in Rev. Hort. (1869) 258 =  
*japonica* ?

## SKIMMIA:—

- fragrantissima*, Hort. ex T. Moore, in Proc. Linn.  
 Soc. (1866-67) 7 = *japonica*.  
*intermedia*, Carr. in Rev. Hort. (1870) 200 =  
*japonica*.  
*japonica*, Lindl. in Gard. Chron. (1852) 183; et  
 Fortune, l. c. 739 (non seq.).—China.  
*japonica*, Thunb. Nov. Gen. 58.—Japon.  
*Laureola*, Sieb. & Zucc. ex Walp. Rep. v. 405.—  
 Reg. Himal.  
*oblata*, T. Moore, in Gard. Chron. (1864) 962 =  
*japonica*.  
*rubella*, Carr. in Rev. Hort. (1874) 311.—China.  
*Veitchii*, Carr. l. c. (1869) 259.—Japon.

SKINNERA, Forst. Char. Gen. 57. t. 29 (1776) =  
*Fuchsia*, Plum. (Onagrar.).  
*antarctica*, Forst. ex A. DC. in DC. Prod. xvii. 295  
 (= *Blackwellia antarctica*, Gaertn.).—Hab. ?  
*coccinea*, Moench, Meth. Suppl. 270 = *F. coccinea*.  
*excorticata*, Forst. Char. Gen. 58 = *F. excorticata*.

SKINNERIA, Choisy in Mém. Soc. Phys. Genève. vi.  
 (1833) 487 (Conv. Or. 105. t. 6) = *Ipomoea*, Linn.  
 (Convolv.).  
*caespitosa*, Choisy, l. c. = *I. linifolia*.

SKIOPHILA, Hanst. in Linnaea, xxvi. (1853-55)  
 207 = *Episcia*, Mart. (Gesner.).  
*melittifolia*, Hanst. l. c. = *E. melittifolia*.  
*pulchella*, Hanst. l. c. = *Tussaca pulchella*.

SKIRRHOPHORUS, DC. ex Lindl. Introd. Nat. Syst.  
 ed. II. 260 (1836) = *Angianthus*, Wendl. (Compos.).  
*Cunninghami*, DC. Prod. vi. 150 = *A. Cunning-*  
*hamii*.

*demissus*, A. Gray, in Hook. Kew Journ. iii. (1851)  
 149 = *A. demissus*.  
*Drummondii*, Turcz. in Bull. Soc. Nat. Mosc. xxiv.  
 (1851) i. 188 = *A. Drummondii*.  
*eriocarpus*, F. Muell. Fragm. iii. 156 = *Gnephosis*  
*eriocarpa* ?  
*eriocephalus*, Hook. f. ex A. Gray, in Hook. Kew  
 Journ. iii. (1851) 148 = *A. eriocephalus*.  
*mucronulatus*, Turcz. in Bull. Soc. Nat. Mosc. xxiv.  
 (1851) ii. 72 = *A. pygmaeus*.  
*Muellerianus*, Sond. in Linnaea, xxv. (1852) 483 =  
*A. strictus*.  
*phyllocephalus*, F. Muell. Fragm. iii. 159 = *A. phyllo-*  
*cephalus*.  
*Preissianus*, Steetz, in Lehm. Pl. Preiss. i. 439 =  
*A. Preissianus*.  
*pygmaeus*, A. Gray, in Hook. Kew Journ. iii. (1851)  
 148 = *A. pygmaeus*.  
*strictus*, A. Gray, l. c. 149 = *A. strictus*.

SKIRROPHORUS, C. Muell. in Walp. Ann. v. 263  
 (1859), sphalm. = *praec.*

SKIZIMA, Rafin. Fl. Tellur. ii. 92 (1836) = *Wurmbea*,  
 Thunb. (Liliac.).  
*pumila*, Rafin. l. c. = *W. capensis*.

SKOFITZIA, Hassk. & Kanitz, in Oestr. Bot. Zeitschr.  
 xxii. (1872) 147 = *Tradescantia*, Linn. (Commel.).  
*boliviana*, Hassk. & Kanitz, l. c. = *T. ambigua*.

SKOINOLON, Rafin. Fl. Tellur. iv. 27 (1836) =  
*Schoenocaulon*, A. Gray (Liliac.).

SKOLEMORA, Arruda, in Koster, Trav. Braz. 498  
 (1816). (Quid ?).  
*pernambucensis*, Arruda, l. c.—Bras.

SKYTALANTHUS, Endl. Gen. Suppl. iii. 75 (1843)  
 = seq.

SKYTANTHUS, Meyen, Reise, i. 376 (1834).  
*APOCYNACEAE*, Benth. & Hook. f. ii. 704.  
*HABSBURGIA*, Mart. Syst. Mat. Med. Bras. 36 (1843).  
*NERIANDRA*, A. DC. in DC. Prod. viii. 422 (1844).  
*SCYTALANTHUS*, Walp. in Nov. Act. Nat. Cur. xix.  
 Suppl. i. (1843) 361.  
*acutus*, Meyen, Reise, i. 376.—Chili.  
*hancorniaefolius*, Miers, Apocyn. S. Am. 109.—  
 Bras.  
*havanensis*, Miers, l. c. 110 = *Cameraria havanensis*  
 (in Addend.).  
*Martianus*, Miers, l. c.—Bras.



SLACKIA, Griff. Itin. Notes, 187 (1848) = *Decaisnea*, Hook. f. & Thoms. (Berber.).  
*insignis*, Griff. l. c. = *D. insignis*.

**SLACKIA**, Griff. Notul. iv. 158 (1854). *GESNERACEAE*, Benth. & Hook. f. ii. 1017.  
Griffithii, *C. B. Clarke*, in *DC. Monog. Phan.* v. 188.—Burma.

SLACKIA, Griff. Notul. iii. 162 (1854) = *Iguanura*, Blume (Palmae).  
*geonomiformis*, Griff. l. c. = *I. geonomaeformis*.

**SLADENIA**, Kurz, in *Journ. Bot.* xi. (1873) 194. *TERNSTROEMIACEAE*.  
*celastrifolia*, Kurz, l. c. —China.

SLATERIA, Desv. *Journ. Bot.* i. (1808) 243 = *Ophiopogon*, Ker-Gawl. (Haemod.).  
*coerulea*, Siebold, ex Miq. *Ann. Mus. Bot. Lugd. Bat.* iii. 143 = *O. japonicus*.  
*Jaburan*, Siebold, in *Verh. Bat. Gen.* xii. (1830) 15 = *O. Jaburan*.  
*japonica*, Desv. *Journ. Bot.* i. (1808) 244 = *O. japonicus*.  
*repens*, Siebold, in *Verh. Batav. Gen.* xii. (1830) 15 = *Liriope spicata*.

SLEVOGTIA, Reichb. *Consp.* 133 (1828) = *Enicostema*, Blume (Gentian.).  
*maritima*, Dalz. in *Hook. Kew Journ.* ii. (1850) 137 = *E. littorale*.  
*occidentalis*, Griseb. in *DC. Prod.* ix. 66 = *E. littorale*.  
*orientalis*, Griseb. l. c. = *E. littorale*.  
*verticillata*, D. Don, in *Trans. Linn. Soc.* xvii. (1837) 532 = *E. littorale*.

SLOANA, Linn. *Gen. ed.* I. 153 (1737) = seq.

**SLOANEA**, Linn. *Hort. Cliff.* 210 (1737). *TYLIA-CEAE*, Benth. & Hook. f. i. 238.  
ABLANIA, Aubl. *Pl. Gui.* 585. t. 234 (1775).  
ADENOBASIIUM, Presl, *Symb. Bot.* i. 39. t. 27 (1830).  
BLONDEA, Rich. in *Act. Soc. Hist. Nat. Par.* i. (1792) 100.  
DASYCARPUS, Oerst. in *Kjoeb. Vidensk. Meddel.* (1857) 27.  
DASYNEMA, Schott, in *Spreng. Syst.* iv. App. 408 (1827).  
FORGETINA, Bocquill. ex Baill. *Adansonia*, vii. (1866) 49.  
FOVEOLARIA, Meissn. *Gen. Comm.* 28 (1836).  
OXYANDRA, Reichb. *Handb.* 303 (1837).  
TRICHOCARPUS, Schreb. *Gen.* 366 (1789).  
*alnifolia*, Mart. in *Flora*, xx. (1837) II. *Beibl.* 94.—Bras.  
*amygdalina*, Griseb. in *Mem. Am. Acad. N. S.* viii. (1860) 165.—Cuba.  
*Aubletii*, Sw. *Fl. Ind. Occ.* ii. 940 = *sinemariensis*.  
*australis*, F. Muell. *Fragm.* iv. 91 = *Echinocarpus australis*.  
*Berteriana*, Choisy, ex *DC. Prod.* i. 516.—Ins. S. Doming.  
*brevipes*, Benth. in *Journ. Linn. Soc. v. Suppl.* ii. (1861) 68.—Bras.  
*castanocarpa*, Triana & Planch. in *Ann. Sc. Nat. Sér.* IV. xvii. (1862) 345 = *multiflora*.  
*corymbiflora*, *DC. Prod.* i. 516.—Afr. trop.  
*cuneifolia*, Mart. in *Flora*, xx. (1837) II. *Beibl.* 94.—Bras.  
*curatellifolia*, Griseb. in *Mem. Am. Acad. N. S.* viii. (1860) 164.—Cuba.  
*dentata*, Linn. *Sp. Pl.* 512.—Bras.; Guian.  
*durissima*, Spruce, ex Benth. in *Journ. Linn. Soc. v. Suppl.* ii. (1861) 65.—Bras.  
*egensis*, Radlk. in *Sitzb. Math.-Phys. Akad. Muench.* xii. (1881) 329 = *pubescens*, Benth.  
*emarginata*, Linn. *Sp. Pl.* 512 = *Achras Sapota*?  
*Fendleriana*, Benth. in *Journ. Linn. Soc. v. Suppl.* ii. (1861) 70.—Venezuela.  
*floribunda*, Spruce, ex Benth. l. c. 66.—Bras.  
*grandiflora*, Sm. in *Rees, Cycl.* xxxiii. n. 2 = *dentata*.  
*guianensis*, Benth. in *Journ. Linn. Soc. v. Suppl.* ii. (1861) 69 = *cuneifolia*.  
*hirsuta*, Planch. ex Benth. l. c. 70 = *monosperma*.  
*jamaicensis*, Hook. *l. c.* Pl. tt. 693-96.—Jamaic.  
*Langii*, A. Muell. *Fragm.* v. 28.—Austral.

# SLOANEA:—

*laurifolia*, Benth. in *Journ. Linn. Soc. v. Suppl.* ii. (1861) 70.—Bras.  
*laxiflora*, Spruce, ex Benth. l. c. 65.—Venezuela.  
*longiseta*, Wright, ex Griseb. *Cat. Pl. Cub.* 30.—Cuba.  
*Macbrydei*, F. Muell. *Fragm.* vi. 170.—Austral.  
*macrophylla*, Spruce, ex Benth. in *Journ. Linn. Soc. v. Suppl.* ii. (1861) 67.—Bras.  
Massoni, Sw. *Prod. Veg. Ind. Occ.* 82.—Ind. occ.  
*microcarpa*, Planch. ex Benth. in *Journ. Linn. Soc. v. Suppl.* ii. (1861) 69 = *cuneifolia*.  
*monosperma*, Benth. l. c. 70 = *ochrocarpa*.  
*monosperma*, Vell. *Fl. Flum.* 225; v. t. 100.—Bras.  
*multiflora*, Karst. *Fl. Columb.* ii. 31. t. 116.—N. Granat.  
*nitida*, G. Don, *Gen. Syst.* i. 555.—Guian.  
*obtus*, Planch. ex Benth. in *Journ. Linn. Soc. v. Suppl.* ii. (1861) 68.—Bras.  
*ochrocarpa*, Radlk. in *Sitzb. Math.-Phys. Akad. Muench.* xii. (1882) 329.—Bras.  
*oppositifolia*, Spruce, ex Benth. in *Journ. Linn. Soc. v. Suppl.* ii. (1861) 70.—Bras.  
*paniculata*, Spruce, ex Benth. l. c. 66.—Bras.  
*paradisearum*, F. Muell. *Papuan Pl.* i. 84.—N. Guin.  
*parviflora*, Planch. ex Benth. in *Journ. Linn. Soc. v. Suppl.* ii. (1861) 68.—Guian.  
*Plumerii*, Aubl. *Pl. Gui.* i. 535 = *dentata*.  
*Plumieri*, G. Don, *Gen. Syst.* i. 555 = *praec.*  
*pubescens*, Benth. in *Journ. Linn. Soc. v. Suppl.* ii. (1861) 69.—Bras.  
*pubescens*, Radlk. in *Sitzb. Math.-Phys. Akad. Muench.* xii. (1882) 329.—Bras.  
*pubiflora*, Planch. & Linden, ex Benth. in *Journ. Linn. Soc. v. Suppl.* ii. (1861) 67.—N. Granat.  
*pulverulenta*, Radlk. in *Sitzb. Math.-Phys. Akad. Muench.* xii. (1882) 329 = *monosperma*.  
*Purdiae*, Griseb. ex Benth. & Hook. f. *Gen.* ii. 653, in obs.—Ind. occ.  
*quadrivalvis*, Seem. *Bot. Voy. Herald*, 85. t. 15.—Am. centr.; Bras.  
*riparia*, Planch. ex Benth. in *Journ. Linn. Soc. v. Suppl.* ii. (1861) 69.—Bras.  
*rufa*, Planch. ex Benth. l. c. 68.—Guian.  
Schomburgkii, Spruce, ex Benth. l. c. 66.—Guian.  
*sinemariensis*, Aubl. *Pl. Gui.* i. 534. t. 212.—Guian.; Ind. occ.  
*stipitata*, Spruce, ex Benth. in *Journ. Linn. Soc. v. Suppl.* ii. (1861) 68.—Venezuel.  
*synandra*, Spruce, ex Benth. l. c. 66.—Bras.  
Woollsi, F. Muell. *Fragm.* vi. 171.—Austral.

SLOANIA, St. Lag. in *Ann. Soc. Bot. Lyon*, viii. (1881) 175 = *praec.*

**SLOETIA**, Teijsm. & Binn. in *Tijdschr. Nederl. Ind.* xxv. (1863) 291, nomen; Kurz, in *Journ. Linn. Soc.* viii. (1864) 167. t. 13. *URTICACEAE*, Benth. & Hook. f. iii. 365.  
*eusideroxylon*, Kurz, in *Journ. Linn. Soc.* viii. (1864) 167 = *S. Sideroxylon*.  
*Sideroxylon*, Teijsm. & Binn. in *Tijdschr. Nederl. Ind.* xxv. (1863) 291, nomen; Kurz, l. c. —Malaya.

SLOTERIA, Auct. ex Steud. *Nom. ed.* II. ii. 597 (1841), sphalm. = *Slateria*, Desv. (Haemod.).

**SMEATHMANNIA**, [Soland.] R. Br. in *Tuckey, Congo*, 439 (1818); et in *Trans. Linn. Soc.* xiii. (1821) 220. *PASSIFLOREAE*, Benth. & Hook. f. i. 812.

BUELOWIA, Schum. & Thonn. *Beskr. Guin. Pl.* 246 (1827).

*decandra*, Baill. in *Bull. Soc. Linn. Par.* i. (1881) 304.—Afr. trop.  
*emarginata*, Lem. *Jard. Fleur.* i. (1851) *Misc.* 71.—Afr. trop.  
*illustris*, Endl. ex Walp. *Rep.* ii. 218.—Afr. trop.  
*laevigata*, Soland. ex R. Br. in *Trans. Linn. Soc.* xiii. (1821) 221.—Afr. trop.  
*media*, R. Br. l. c. = *pubescens*.  
*pubescens*, Soland. ex R. Br. l. c. —Afr. trop.  
*rosea*, Lem. *Jard. Fleur.* i. (1851) *Misc.* 71.—Afr. trop.

SMEGMADERMOS, Ruiz & Pav. *Prod.* 144. t. 31 (1794) = *Quillaja*, Molina (Rosac.).  
*emarginata*, Ruiz & Pav. *Syst. Veg.* 288 = *Q. Saponaria*.

SMEGMARIA, Willd. *Sp. Pl.* iv. 1123 (1806) = *SMEGMADERMOS*, Ruiz & Pav. = *Quillaja*, Molina (Rosac.).  
*enarginata*, Willd. l. c. = *Q. Saponaria*.

SMEGMATHAMNIUM, Fenzl, ex Reichb. *l. c.* Fl. Germ. vi. t. 244 (1844) = *Saponaria*, Linn. (Caryoph.).  
*bellidifolium*, Reichb. l. c. = *Sap. bellidifolia*.  
*luteum*, Reichb. l. c. = *Sap. lutea*.

**SMELOPHYLLUM**, Radlk. in *Sitzb. Math.-Phys. Akad. Muench.* viii. (1878) 330. *SAPINDACEAE*.  
*capense*, Radlk. l. c. 331.—Afr. austr.

**SMELOWSKIA**, C. A. Mey. in *Ledeb. Fl. Alt.* iii. 165 (1831). *CRUCIFERAE*, Benth. & Hook. f. i. 79.  
*alpina*, C. A. Mey. l. c. 170, in obs. = *Hutchinsia alpina*.  
*annua*, Rupr. *Sert. Tiansch.* 39.—Turkestan.  
*asplenifolia*, Turcz. in *Bull. Soc. Nat. Mosc.* xv. (1842) 285 = *cinerea*.  
*bifurcata*, Turcz. l. c. (1838) 88; xv. (1842) 286 = *cinerea*.  
*brevicaulis*, Steud. *Nom. ed.* II. ii. 597 = *Hutchinsia alpina*.  
*californica*, A. Gray, in *Proc. Am. Acad.* vi. (1865) 520 = *Sisymbrium incisum*.  
*calycina*, C. A. Mey. in *Ledeb. Fl. Alt.* iii. 170.—As. et Am. arct.  
*cinerea*, G. A. Mey. l. c. 171.—Sibir.  
*cordifolia*, Walp. *Rep.* ii. 761 = *Eutrema cordifolium*.  
*flavissima*, Kar. & Kir. in *Bull. Soc. Nat. Mosc.* xv. (1842) 156.—Soongar.  
Fremontii, S. Wats. in *Proc. Am. Acad.* xi. (1876) 123.—Calif.  
*integrifolia*, C. A. Mey. in *Ledeb. Fl. Alt.* iii. 168 = *Eutrema alpestre*.  
*parviflora*, Walp. *Rep.* ii. 761 = *Eutrema Edwardsii*.

**SMILACINA**, Desf. in *Ann. Mus. Par.* ix. (1807) 51. t. 9. *LILIACEAE*, Benth. & Hook. f. iii. 770.  
ASTERANTHEMUM, Kunth, *Enum. Pl.* v. 151 (1850).  
JOCASTE, Kunth, l. c. 154 (1850).  
MEDORA, Kunth, l. c. 155 (1850).  
NEOLEXIS, Salisb. *Gen. Pl. Fragma.* 64 (1866).  
POLYGONASTRUM, Moench, *Meth.* 637 (1794).  
SIGILLARIA, Rafin. in *Journ. Phys.* lxxxix. (1819) 261.  
STYRANDRA, Rafin. l. c. (1819) 102.  
TOVARIA, Neck. *Elem.* ii. 190 (1790), nomen prius.  
*alpina*, Royle, *Illustr. Bot. Himal.* 380 = *Clintonia alpina*.  
*amoena*, H. Wendl. in *Otto & Dietr. Allg. Gartenz.* xviii. (1850) 137 = *paniculata*.  
*amplexicaulis*, Nutt. in *Journ. Acad. Philad.* vii. (1834) 58 = *racemosa*.  
*anomala*, C. Sm. in *Tuckey, Congo*, 249.—Cf. Steud. *Nom. ed.* II. ii. 598, nomen (Quid?).—Ins. Cap. Virid.  
*Bertolonii*, Kunth, *Enum. Pl.* v. 151 = *flexuosa*.  
*bifolia*, Schult. f. *Syst.* vii. 307 = *Maianthemum Convallaria*.  
*bootanensis*, Griff. *l. c.* Pl. Asiat. t. 279 = *fusca*.  
*borealis*, Ker-Gawl. in *Bot. Mag.* tt. 1155, 1403 = *Clintonia umbellata*, *borealis*.  
*canadensis*, Pursh, *Fl. Am. Sept.* i. 233 = *Maianthemum Convallaria*.  
*ciliata*, Desf. in *Ann. Mus. Par.* ix. (1807) 53. t. 9 = *racemosa*.  
*cordifolia*, Becker, *Fl. Frankf.* i. 136 = *Maianthemum Convallaria*.  
*dahurica*, Turcz. ex Fisch. & Mey. *Ind. Sem. Hort. Petrop.* i. 38; et in *Bull. Soc. Nat. Mosc.* (1838) 102; xxvii. (1854) II. 110.—Dahur.; Japon.  
*dilatata*, Nutt. ex Baker, in *Journ. Linn. Soc.* xiv. (1875) 563 = *Maianthemum Convallaria*.  
*divaricata*, Wall. *Cat. n.* 4202 = *fusca*.  
*Eschscholtziana*, Andr. & Bess. ex Baker, in *Journ. Linn. Soc.* xiv. (1875) 564 = *Maianthemum Convallaria*.  
*flexicaulis*, Wender. in *Schrift. Marb.* ii. (1831) 249 = *ciliata*?  
*flexuosa*, Bertol. in *Nov. Comm. Acad. Bonon.* iv. (1840) 411. t. 39.—Guatemala.  
*flexuosa*, Hook. *l. c.* Pl. t. 529 = *praec.*?  
*Forskaliana*, Schult. f. *Syst.* vii. 304.—Arab.  
*fusca*, Wall. *Pl. As. Rar.* iii. 37. t. 257.—Reg. Himal.

**SMILACINA:—**

- hirta*, Maxim. Prim. Fl. Amur. 276 = japonica.  
*japonica*, A. Gray, in Perry, *Jap. Exped.* ii. 321.—  
 Japon.  
*latifolia*, Nutt. ex Baker, in Journ. Linn. Soc. xiv.  
 (1875) 570 = racemosa.  
*laxiflora*, Hemsl. Biol. Centr. Am. Bot. iii. 368.—  
 Guatemala.  
*macrophylla*, Mart. & Gal. in Bull. Acad. Brux. ix. 11.  
 (1842) 387 = scilloidea.  
*nervulosa*, Hemsl. Biol. Centr. Am. Bot. iii. 368.  
 —Mexic.  
*oleracea*, Hook. f. & Thoms. ex Baker, in Journ.  
 Linn. Soc. xiv. (1875) 569.—Reg. Himal.  
*pallida*, Royle, Illustr. Bot. Himal. 380 = purpurea.  
*paniculata*, Mart. & Gal. in Bull. Acad. Brux. ix. 11.  
 (1842) 388.—Mexic.  
*purpurea*, Wall. Pl. As. Rar. ii. 38. t. 144.—Reg.  
 Himal.  
*racemosa*, Desf. in Ann. Mus. Par. ix. (1807) 51.—  
 Am. bor.  
*ramosa*, G. Don, ex Loud. Hort. Brit. 131, nomen.—  
 Sibir.  
*Salvini*, Hemsl. Biol. Centr. Am. Bot. iii. 368.—  
 Guatemala.  
*scilloidea*, Mart. & Gal. in Bull. Acad. Brux. ix. 11.  
 (1842) 388.—Mexic.  
*sessilifolia*, Nutt. ex Baker, in Journ. Linn. Soc. xiv.  
 (1875) 566.—Am. bor. occ.  
*stellata*, Desf. in Ann. Mus. Par. ix. (1807) 52.—Am.  
 bor.  
*streptopoides*, Ledeb. Fl. Ross. iv. 128 = Streptopus  
 roseus.  
*thyrsoides*, Hemsl. Biol. Centr. Am. Bot. iii. 368.  
 —Mexic.  
*trifolia*, Desf. in Ann. Mus. Par. ix. (1807) 52.—  
 Sibir.; Am. arct.  
*umbellata*, Desf. l. c. 53 = Clintonia umbellata.  
*uniflora*, Menz. ex Hook. Fl. Bor. Am. ii. 175. t. 190  
 = Clintonia uniflora.  
*yessoensis*, Franch. & Sav. Enum. Pl. Jap. ii. 523 =  
 dahurica.

**SMILAX**, [Tourn.] Linn. Syst. ed. I (1735).

- LILIACEAE*, Benth. & Hook. f. iii. 763.  
*COPROSMA*, Kunth, Enum. Pl. v. 263 (1850).  
*NEMEXIA*, Rafin. Neogenyt. 3 (1825).  
*PARILLAX*, Rafin. Med. Fl. U. St. ii. 264 (1828).  
*PLEIOSMILAX*, Seem. Journ. Bot. vi. (1868) 193.  
 t. 8.  
*acanthophylla*, Vell. Fl. Flum. x. t. 114 = lappacea.  
*aculeata*, Vell. l. c. t. 110.—Bras.  
*acuminata*, Willd. Sp. Pl. iv. 779.—Ind. or.  
*acutifolia*, Schlecht. in Linnaea, xviii. (1844) 449.—  
 Mexic.  
*aequatorialis*, A. DC. in DC. Monog. Phan. i. 141.—  
 Bras.  
*alba*, Bertol. Misc. Bot. xvi. 24. t. 2.—Am.  
*alba*, Pursh, Fl. Am. Sept. i. 250.—Am. bor.  
*Alpini*, Willd. Enum. Hort. Berol. Suppl. 67 =  
 S. Bona-nox.  
*anceps*, Willd. Sp. Pl. iv. 782.—Ins. Mascari.  
*angustifolia*, A. DC. in DC. Monog. Phan. i. 67.  
 —Costa Rica.  
*aristolochiaefolia*, Mill. Gard. Dict. ed. VIII. n. 7.—  
 Mexic.  
*aristolochiaefolia*, Willd. Sp. Pl. iv. 786 = hastata.  
*aspera*, DC. Organogr. ii. 262 = rotundifolia, Linn.  
*aspera*, Linn. Sp. Pl. 1028.—Europ.; Oriens; Ind. or.  
*aspericaulis*, Wall. Cat. n. 5129.—Reg. Himal.;  
 Malaya.  
*aspero-variabilis*, Pers. Syn. ii. 618 = S. Bona-nox.  
*Assumptionis*, A. DC. in DC. Monog. Phan. i. 132.—  
 Am. trop.  
*auriculata*, Chapm. Fl. S. U. St. 245 = Beyrichii.  
*auriculata*, Walt. Fl. Carol. 245.—Am. bor.  
*australis*, R. Br. Prod. 293.—Austral.  
*australis*, A. Cunn. ex A. DC. in DC. Monog. Phan. i.  
 215 = Rhipogonum discolor.  
*Balbisiaana*, Griseb. Fl. Brit. W. Ind. 586 = celastroides.  
*Balbisiaana*, Kunth, Enum. Pl. v. 183.—Ind. occ.  
*balearica*, Burnat & Barbey, Not. Voy. Bot. Baléar. 12,  
 61 = aspera.  
*barbata*, Wall. Cat. n. 5125.—Malaya.  
*baubinioides*, Kunth, Enum. Pl. v. 243.—Cochin-  
 china.  
*Benthamiana*, A. DC. in DC. Monog. Phan. i. 114.—  
 Am. trop.

**SMILAX:—**

- bermudensis*, Duham. Arb. ed. Nov. i. 241 = S.  
 Bona-nox.  
*Berterii*, Spreng. Syst. ii. 102.—Ins. S. Doming.  
*Beyrichii*, Kunth, Enum. Pl. v. 207.—Am. bor.  
*biflora*, Siebold, ex Miq. in Versl. en Med. Kon. Akad.  
 Wetensch. II. ii. (1868) 87.—Japon.  
*Blancoi*, Kunth, Enum. Pl. v. 262.—Ins. Philipp.  
*Blumei*, A. DC. in DC. Monog. Phan. i. 202.—Malaya.  
*Bona-nox*, Linn. Sp. Pl. 1030.—Carolina; Georg.  
*borbonica*, Hort. Petrop. ex A. DC. in DC. Monog.  
 Phan. i. 169 = anceps.  
*borneensis*, A. DC. l. c. 202.—Borneo.  
*Botterii*, A. DC. l. c. 89.—Mexic.  
*bracteata*, Presl, Rel. Haenk. i. 131.—Ins. Philipp.  
*brasiliensis*, Spreng. Syst. ii. 100.—Bras.  
*caduca*, Ell. Sketch. ii. 701 = Walteri.  
*caduca*, Linn. Sp. Pl. 1030 = rotundifolia.  
*caduca*, Lour. Fl. Cochinch. 622 = incerta.  
*calaris*, A. DC. in DC. Monog. Phan. i. 132, sphalm. =  
 scalaris.  
*californica*, A. Gray, in Bot. Calif. ii. 186.—Calif.  
*calophylla*, Wall. Cat. n. 5131.—Malaya.  
*calophylla*, Wall. l. c., partim = singaporensis.  
*campestris*, Griseb. in Mart. Fl. Bras. iii. 1. 15.—Bras.  
*canariensis*, H. C. Wats. in Godman, Azor. 227, partim  
 = excelsa.  
*canariensis*, Willd. Sp. Pl. iv. 784.—Ins. Canar.  
*Candelariae*, A. DC. in DC. Monog. Phan. i. 70.—  
 Costa Rica.  
*canellaeifolia*, Mill. Gard. Dict. ed. VIII. n. 10.—  
 Jamaic.  
*capitata*, Buch.-Ham. ex D. Don, Prod. Fl. Nep. 49 =  
 aspera.  
*catalonica*, Poir. Encyc. vi. 467 = aspera.  
*celastroides*, Kunth, Enum. Pl. v. 184.—Jamaic.  
*celebrica*, Blume, Enum. Pl. Jav. i. 18.—Malaya.  
*cercidifolia*, Pursh, Fl. Am. Sept. ii. 733.—Am. bor.  
*China*, Duham. Arb. ed. Nov. i. 239 = anceps.  
*China*, S. T. Gmel. Reise, iii. 52. t. 6 = excelsa.  
*China*, Linn. Sp. Pl. 1029.—China; Cochinch.; Japon.  
*China*, Vell. Fl. Flum. x. tt. 105, 106 = fluminensis.  
*China*, Walt. Fl. Carol. 245 = Walteri.  
*ciliata*, Steud. ex A. DC. in DC. Monog. Phan. i. 74 =  
 rotundifolia.  
*cinnamomea*, Desf. ex A. DC. l. c. 146.—Guian.  
*cissoides*, Mart. ex Griseb. in Mart. Fl. Bras. iii. 1. 8.  
 —Bras.  
*cognata*, Kunth, Enum. Pl. v. 175.—Mexic.  
*collina*, Kunth, l. c. 261.—Ind. or.  
*columnifera*, Buch.-Ham. ex D. Don, Prod. Fl. Nep.  
 49 = macrophylla.  
*corbularia*, Kunth, Enum. Pl. v. 262.—Cochinch.  
*corcovadensis*, Kunth, l. c. 226 = nitida.  
*cordato-ovata*, Balb. ex A. DC. in DC. Monog. Phan.  
 i. 152 = populnea.  
*cordato-ovata*, Mus. Par. ex A. DC. l. c. 122 =  
 havanensis.  
*cordato-ovata*, Rich. in Act. Soc. Hist. Nat. Par. i.  
 (1792) 113.—Guian.  
*cordifolia*, Humb. & Bonpl. ex Willd. Sp. Pl. iv. 778.  
 —Mexic.; Ind. occ.  
*coriacea*, Bello, in Anal. Soc. Esp. Hist. Nat. xii.  
 (1883) 120.—Porto Rico.  
*coriacea*, Spreng. Syst. ii. 103.—Ins. S. Doming.  
*coriifolia*, A. DC. in DC. Monog. Phan. i. 112.—  
 Bras.  
*Costaricae*, Vatke, in Linnaea, xl. (1876) 223 =  
 mexicana.  
*cumanensis*, Bert. ex A. DC. in DC. Monog. Phan. i.  
 209 = coriacea, Spreng.  
*cumanensis*, Humb. & Bonpl. ex Willd. Sp. Pl. iv.  
 783.—Am. trop.  
*cumanensis*, Schlecht. & Cham. in Linnaea, vi. (1831)  
 48 = mexicana.  
*cumanensis*, Spreng. Syst. ii. 102 = celastroides.  
*cuspidata*, Duham. Arb. ed. Nov. i. 242.—Guian.  
*Davidiana*, A. DC. in DC. Monog. Phan. i. 104.—  
 China.  
*decipiens*, Spreng. Pugill. ii. 91.—Ind. or.  
*densiflora*, A. DC. in DC. Monog. Phan. i. 88.—  
 Mexic.  
*dentata*, Humb. & Bonpl. ex Willd. Sp. Pl. iv. 774 =  
 havanensis.  
*discolor*, Schlecht. in Linnaea, xviii. (1844) 454.—  
 Mexic.  
*divaricata*, Blanco, Fl. Filip. ed. I. 795 = Dioscorea  
 myriantha.

**SMILAX:—**

- divaricata*, Soland. ex H. C. Wats. in Hook. Lond.  
 Journ. Bot. iii. (1844) 608.—Ins. Azor.  
*domingensis*, Hohen. ex A. DC. in DC. Monog. Phan.  
 i. 89 = Botterii.  
*domingensis*, Schlecht. & Cham. in Linnaea, vi. (1831)  
 48 = Schlechtendalii.  
*domingensis*, Spreng. ex A. DC. in DC. Monog. Phan.  
 i. 152 = populnea.  
*domingensis*, Willd. Sp. Pl. iv. 783.—Ins. S. Doming.  
*dulcis*, Desf. Tabl. ed. I. 218 = glycyphylla.  
*Ehrenbergiana*, Kunth, Enum. Pl. v. 174.—Ins. S.  
 Doming.  
*elastica*, Griseb. in Mart. Fl. Bras. iii. 1. 22.—Bras.  
*elegans*, A. DC. in DC. Monog. Phan. i. 107 =  
 parvifolia.  
*elegans*, Wall. Cat. n. 5117.—Reg. Himal.  
*elliptica*, R. Br. Prod. 293 = australis.  
*elliptica*, Desv. in Ham. Prod. Pl. Ind. Occ. 58 =  
 zeylanica.  
*Engelmanniana*, Kunth, Enum. Pl. v. 221 = rotun-  
 difolia.  
*erythrocarpa*, Kunth, l. c. 234.—Mexic.  
*eucalyptifolia*, Kunth, l. c. 230.—Peruv.  
*excelsa*, Duham. Arb. ed. Nov. i. 236 = mauritanica.  
*excelsa*, Linn. Sp. Pl. 1029.—Reg. Caucas.; Oriens.  
*extensa*, Wall. Cat. n. 5126 A = myosotiflora.  
*extensa*, Wall. l. c. B.—Penang.  
*febrifuga*, Kunth, Enum. Pl. v. 201.—Peruv.  
*ferox*, Wall. Cat. n. 5119 = S. China.  
*ficifolia*, Griseb. in Mart. Fl. Bras. iii. 1. 21.—Bras.  
*fistulosa*, Blanco, Fl. Filip. ed. I. 796.—Ins. Philipp.  
*flavescens*, Desv. in Ham. Prod. Pl. Ind. Occ. 58 =  
 salutaris.  
*flexuosa*, Hemsl. Biol. Centr. Am. Bot. iii. 367, sphalm.  
 = Smilacina flexuosa.  
*floribunda*, Desv. in Ham. Prod. Pl. Ind. Occ. 58 =  
 cuspidata.  
*floribunda*, Kunth, Enum. Pl. v. 229.—Peruv.  
*fluminensis*, Steud. Nom. ed. II. ii. 598.—Bras.  
*fulgens*, Wall. Cat. n. 5122 = aspera.  
*Gaudichaudiana*, Kunth, Enum. Pl. v. 252 = Hetero-  
 smilax Gaudichaudiana.  
*gemina*, Vell. Fl. Flum. x. t. 113.—Bras.  
*glabra*, Roxb. Hort. Beng. 72; Fl. Ind. iii. 792.—  
 Reg. Himal.; China.  
*glauca*, Mart. Reise. Bras. i. 283 = brasiliensis.  
*glauca*, Walt. Fl. Carol. 245.—Am. bor.  
*glaucocarpos*, Schlecht. in Linnaea, xviii. (1844) 450.  
 —Mexic.  
*glaucophylla*, Klotzsch, in Bot. Ergeb. Waldem. Reise,  
 45 = parvifolia.  
*globifera*, G. F. W. Mey. Prim. Fl. Esseq. 281.—  
 Guian.  
*globulifera*, Splitg. ex A. DC. in DC. Monog. Phan.  
 i. 119 = Hostmanniana.  
*glycyphylla*, Sm. in White's Voy. 230. t. 24.—Austral.  
*glycyphylla*, Hassk. in Flora, xxv. (1842) 11. Beibl. 4 =  
 leucophylla.  
*goyazana*, A. DC. in DC. Monog. Phan. i. 112.—  
 Bras.  
*Goudotiana*, A. DC. l. c. 172.—Madag.  
*grandifolia*, Buckl. in Am. Journ. Sc. Ser. I. xlv. (1848)  
 171 = hispida.  
*grandifolia*, Poepp. ex A. DC. in DC. Monog. Phan.  
 i. 142 = Poeppigii.  
*grandifolia*, Regel, Ind. Sem. Hort. Petrop. (1856) 16;  
 et cf. Ann. Sc. Nat. Sér. IV. vi. (1856) 73.—  
 Bras.  
*grandifolia*, Voigt, Hort. Suburb. Calc. 648 = macro-  
 phylla.  
*grandis*, Wall. ex Voigt, l. c. 649 = macrophylla.  
*Griffithii*, A. DC. in DC. Monog. Phan. i. 198.—  
 Burma?  
*guianensis*, Vitm. Summ. Veg. v. 422 = megalophylla.  
*hastata*, Jacq. Enum. Pl. Carib. 33; Select. Am. 262.  
 —Ins. S. Doming.  
*hastata*, Willd. Sp. Pl. iv. 782 = S. Bona-nox.  
*havanensis*, Griseb. Fl. Brit. W. Ind. 586 = ilicifolia.  
*havanensis*, Jacq. Enum. Pl. Carib. 33; Select. Am.  
 262.—Cuba.  
*hawaiiensis*, Seem. Fl. Vit. 309 = sandwicensis.  
*hederaefolia*, Beyr. ex Kunth, Enum. Pl. v. 209 =  
 S. Bona-nox.  
*hederaefolia*, Mill. Gard. Dict. ed. VIII. n. 12 =  
 S. Pseudo-china.  
*Helferi*, A. DC. in DC. Monog. Phan. i. 176.—  
 Burma; Malaya.

**SMILAX:**

- herbacea, *Linn. Sp. Pl.* 1030.—Am. bor.; Japon.  
 herbacea, Thunb. *Fl. Cap.* ed. Schult. 341 = *Telfaireana*.  
 heterophylla, *Rafin. in Med. Repos. N. York*, v. (1808) 359; *et in Desv. Journ. Bot.* i. (1808) 226.—Am. bor.  
 higoënsis, *Miq. in Versl. en Med. Kon. Akad. Wetensch.* II. ii. (1868) 88.—Japon.  
 Hilariana, *A. DC. in DC. Monog. Phan.* i. 131.—Bras.  
 hispida, *Muhl. Cat.* 92; ed. II. 97.—Am. bor.  
 Hohenackeri, *Kunth, Enum. Pl.* v. 240 = *zeylanica*.  
 hongkongensis, *Seem. Bot. Voy. Herald*, 420 = *Heterosmilax Gaudichaudiana*.  
 Hookeri, *Kunth, Enum. Pl.* v. 162 = *glabra*.  
 horrida, *Desf. Tabl. ed. I.* 21 = *S. Bona-nox*.  
 Hostmanniana, *Kunth, Enum. Pl.* v. 170.—Guian.  
 Houstoniana, *Steud. Nom. ed. II.* ii. 598 = *spinosa*.  
 humilis, *Mill. Gard. Dict. ed. VIII.* n. 11 = *herbacea*.  
 hypoglaucæ, *Benth. Fl. Hongk.* 369.—Ins. Hongkong.  
 ilicifolia, *Kunth, Enum. Pl.* v. 171.—Cuba.  
 incerta, *Kunth, l. c.* 263.—Cochinch.  
 indica, *Burm. f. Fl. Ind.* 213 (err. typ. 313) = *zeylanica*.  
 inermis, *Walt. Fl. Carol.* 244 = *herbacea*.  
 insignis, *Kunth, Enum. Pl.* v. 200.—Peruv.  
 invenusta, *Kunth, l. c.* 234.—Mexic.  
 irrorata, *Benth. ex A. DC. in DC. Monog. Phan.* i. 114 = *Benthamiana*.  
 irrorata, *Hohen. ex A. DC. l. c.* 156 = *Schomburgkiana*.  
 irrorata, *Mart. ex Griseb. in Mart. Fl. Bras.* iii. i. 10.—Bras.  
 Jacquini, *Kunth, Enum. Pl.* v. 254 = *hastata*.  
 jalapensis, *Schlecht. in Linnaea*, xviii. (1844) 451.—Mexic.  
 Japicanga, *Griseb. in Mart. Fl. Bras.* iii. i. 6.—Bras.  
 japonica, *A. Gray, in Mem. Am. Acad. N. S.* vi. (1857) 412 = *S. China*.  
 javensis, *A. DC. in DC. Monog. Phan.* i. 175.—Java.  
 Klotzschii, *Kunth, Enum. Pl.* v. 245.—Java.  
 Korthalsii, *A. DC. in DC. Monog. Phan.* i. 48.—Borneo.  
 Kraussiana, *Meissn. in Flora*, xxviii. (1845) 312.—Afr. austr.  
 laevis, *Gueldenst. ex Ledeb. Fl. Ross.* iv. 129 = *excelsa*.  
 laevis, *Wall. Cat. n.* 5116.—Malaya; China.  
 lanceaefolia, *Roxb. Hort. Beng.* 72; *Fl. Ind.* iii. 792.—Reg. Himal.; China.  
 lanceolata, *Burm. f. Fl. Ind.* 213 (err. typ. 313) = *glabra*.  
 lanceolata, *Engelm. ex A. DC. in DC. Monog. Phan.* i. 76 = *rotundifolia, Linn.*  
 lanceolata, *Linn. Sp. Pl.* 1031.—Am. bor.  
 lanceolata, *Ruiz, ex A. DC. in DC. Monog. Phan.* i. 147 = *insignis*.  
 lanceolata, *Walt. Fl. Carol.* 245 = *hastata*.  
 lappacea, *Humb. & Bonpl. ex Willd. Sp. Pl.* iv. 777.—Venezuela.  
 larvata, *Griseb. in Mart. Fl. Bras.* iii. i. 19.—Bras.  
 lasioneuron, *Hook. Fl. Bor. Am.* ii. 173. t. 187 = *herbacea*.  
 latifolia, *Blanco, Fl. Filip. ed. II.* 548 = *vicaria*.  
 latifolia, *R. Br. Prod.* 293 = *australis*.  
 latifolia, *Hassk. in Flora*, xxv. (1842) II. Beibl. 4 (nomen delendum).—Java.  
 latifolia, *Soland. ex Lowe, in Trans. Camb. Phil. Soc.* iv. (1831) 12.—Ins. Mader.  
 laurifolia, *Drège, ex A. DC. in DC. Monog. Phan.* i. 212 = *Asparagus crispus*.  
 laurifolia, *Hohen. ex A. DC. l. c.* 188 = *zeylanica*.  
 laurifolia, *Linn. Sp. Pl.* 1030.—Am. bor.  
 laurifolia, *Poepp. ex A. DC. in DC. Monog. Phan.* i. 99 = *lanceolata*.  
 laurifolia, *Roxb. Hort. Beng.* 72; *Fl. Ind.* iii. 793 = *prolifera*.  
 laurina, *Kunth, Enum. Pl.* v. 248 = *prolifera*.  
 Lessertiana, *A. DC. in DC. Monog. Phan.* i. 173.—Madag.  
 leucophylla, *Blume, Enum. Pl. Fav.* i. 18.—Malaya.  
 ligustrifolia, *A. DC. in DC. Monog. Phan.* i. 63.—N. Caled.  
 longifolia, *Lem. Illustr. Hort.* xiv. (1867) t. 521 = *salicifolia*.  
 longifolia, *Rich. in Act. Soc. Hist. Nat. Par.* i. (1792) 113 = *papyracea*.

**SMILAX:**

- longifolia, *Wats. Dendrol.* ii. t. 110 = *herbacea*.  
 lutescens, *Vell. Fl. Flum. x. t.* 109 = *ramiflora*.  
 luzonensis, *Presl, Rel. Haenk.* i. 131 = *Helferi?*  
 Macabucha, *Duch. ex Vidal & Garcia, Cat. Sem.*  
 Manila, 14 = *seq.?*  
 Macalucha, *Royle, Illustr. Bot. Himal.* 383, nomen.—Ins. Philipp.  
 macrocarpa, *Blume, Enum. Pl. Fav.* i. 19.—Java.  
 macrophylla, *Griseb. Fl. Brit. W. Ind.* 586, partim = *populnea*.  
 macrophylla, *Poepp. ex A. DC. in DC. Monog. Phan.* i. 142 = *Poeppigii*.  
 macrophylla, *Roxb. Hort. Beng.* 72; *Fl. Ind.* iii. 793.—Ind. or.  
 macrophylla, *Willd. Sp. Pl.* iv. 786 = *megalophylla*.  
 macropoda, *A. DC. in DC. Monog. Phan.* i. 115.—Bras.  
 maculata, *Roxb. Hort. Beng.* 72; *Fl. Ind.* iii. 796 = *aspera*.  
 marginulata, *Mart. ex Griseb. in Mart. Fl. Bras.* iii. i. 16 = *campestris*.  
 mauritanica, *Desf. Fl. Atlant.* ii. 367 = *aspera*.  
 mauritanica, *Poir. Voy. Barb.* ii. 263.—Mauritan.  
 mauritanica, *Webb & Berth. Phyt. Canar.* iii. 322 = *pendulina*.  
 maypurensis, *Humb. & Bonpl. ex Willd. Sp. Pl.* iv. 776.—Am. trop.  
 medica, *Bott. ex A. DC. in DC. Monog. Phan.* i. 89 = *Botterii*.  
 medica, *Mart. & Gal. in Bull. Acad. Brux.* ix. II. (1842) 390 = *S. Bona-nox*.  
 medica, *Petz. Arbor. Muscav.* 740 = *tamnoides*.  
 medica, *Schlecht. & Cham. in Linnaea*, vi. (1831) 47.—Mexic.  
 megacarpa, *A. DC. in DC. Monog. Phan.* i. 186.—Malaya.  
 megalophylla, *Duham. Arb. ed. Nov.* i. 244.—Ind. occ.  
 melastomifolia, *Sm. in Rees, Cycl.* xxxiii. [n. 5].—Ins. Sandvic.  
 menispermoidea, *A. DC. in DC. Monog. Phan.* i. 108 = *elegans*.  
 mexicana, *Griseb. ex Kunth, Enum. Pl.* v. 167.—Mexic.  
 micrantha, *Blume, Enum. Pl. Jav.* i. 18 = *Heterosmilax japonica*.  
 micropoda, *A. DC. in DC. Monog. Phan.* i. 58 = *lanceaefolia*.  
 Milleri, *Steud. Nom. ed. II.* ii. 599 = *aristolochiaefolia*.  
 Minarum, *A. DC. in DC. Monog. Phan.* i. 113.—Bras.  
 minutiflora, *A. DC. l. c.* 109.—Reg. Himal.  
 modesta, *A. DC. l. c.* 185.—Java.  
 mollis, *Humb. & Bonpl. ex Willd. Sp. Pl.* iv. 785.—Mexic.  
 montana, *Griseb. in Mart. Fl. Bras.* iii. i. 15 = *campestris*.  
 montevidensis, *Hort. ex Steud. Nom. ed. II.* ii. 599, nomen (Quid?).—Reg. Argent.  
 moranensis, *Mart. & Gal. in Bull. Acad. Brux.* ix. II. (1842) 389.—Mexic.  
 Morsaniana, *Kunth, Enum. Pl.* v. 241 = *Kraussiana*.  
 mossambicensis, *Garcke, in Peters, Reise Mossamb.* Bot. 518 = *Kraussiana*.  
 multiflora, *Mart. & Gal. in Bull. Acad. Brux.* ix. II. (1842) 390.—Mexic.  
 myosotiflora, *A. DC. in DC. Monog. Phan.* i. 65.—Java.  
 Myrtillus, *A. DC. l. c.* 106.—Reg. Himal.  
 Nageliana, *A. DC. l. c.* 184.—Java.  
 narcotica, *Buch-Ham. ex Wall. Cat. n.* 5099 = *Dioscorea daemona*.  
 nigra, *Willd. Sp. Pl.* iv. 773 = *aspera*.  
 nilagirensis, *Steud. ex A. DC. in DC. Monog. Phan.* i. 167 = *aspera*.  
 nipponica, *Miq. in Versl. en Med. Kon. Akad. Wetensch.* II. ii. (1868) 87 = *herbacea*.  
 nitida, *Griseb. in Mart. Fl. Bras.* iii. i. 9.—Bras.  
 obliqua, *Spreng. Pugill.* ii. 91.—Ind. or.  
 obliquata, *Duham. Arb. ed. Nov.* i. 242.—Peruv.  
 oblongata, *Hort. Petrop. ex A. DC. in DC. Monog. Phan.* i. 160 = *grandifolia*.  
 oblongata, *Sw. Prod. Veg. Ind. Occ.* 59.—Ind. occ.  
 oblongifolia, *Pohl, ex Griseb. in Mart. Fl. Bras.* iii. i. 13.—Bras.  
 obtusa, *Benth. Bot. Voy. Sulph.* 175.—Am. trop.  
 ocreata, *A. DC. in DC. Monog. Phan.* i. 191 = *Roxburghiana*.  
 odontoloma, *Mart. ex Griseb. in Mart. Fl. Bras.* iii. i. 18.—Bras.

**SMILAX:**

- odoratissima, *Blume, Enum. Pl. Fav.* i. 19.—Java.  
 officinalis, *Griseb. in Mart. Fl. Bras.* iii. i. 6 = *procera*.  
 officinalis, *Herb. Lucaean. ex Kunth, Enum. Pl.* v. 227 = *salutaris*.  
 officinalis, *H. B. & K. Nov. Gen. et Sp.* i. 271.—N. Granat.  
 officinalis, *Poepp. ex A. DC. in DC. Monog. Phan.* i. 150 = *papyracea*.  
 Oldhami, *Miq. in Versl. en Med. Kon. Akad. Wetensch.* II. ii. (1868) 86.—Japon.  
 orbiculata, *Labill. Sert. Nov. Caled.* 18. t. 23.—N. Caled.  
 orbiculata, *Vieill. ex A. DC. in DC. Monog. Phan.* i. 65, partim = *purpurata*.  
 ornata, *Lem. Illustr. Hort.* xii. (1865) t. 439.—Mexic.  
 orthoptera, *A. DC. in DC. Monog. Phan.* i. 192 = *Roxburghiana*.  
 ovalifolia, *A. DC. l. c.* 199 = *prolifera*.  
 ovalifolia, *Roxb. Hort. Beng.* 72; *Fl. Ind.* iii. 794 = *macrophylla*.  
 ovata, *Duham. Arb. ed. Nov.* i. 242 = *havanensis*.  
 ovata, *Ell. Sketch.* ii. 698 = *Beyrichii*.  
 ovata, *Pursh, Fl. Am. Sept.* i. 249.—Am. bor.  
 oxyphylla, *Kunth, Enum. Pl.* v. 239 = *laevis*.  
 oxyphylla, *Wall. Cat. n.* 5128.—Reg. Himal.  
 pallescens, *A. DC. in DC. Monog. Phan.* i. 198.—Reg. Himal.  
 pandurata, *Pursh, Fl. Am. Sept.* i. 251 = *S. Bona-nox*.  
 paniculata, *Herb. Desv. ex A. DC. in DC. Monog. Phan.* i. 156 = *Schomburgkiana*.  
 papyracea, *Duham. Arb. ed. Nov.* i. 242.—Guian.  
 papyracea, *Spruce, ex A. DC. in DC. Monog. Phan.* i. 153 = *Spruceana*.  
 parviflora, *Wall. Cat. n.* 5118.—Reg. Himal.  
 peduncularis, *Muhl. ex Willd. Sp. Pl.* iv. 786 = *herbacea*.  
 peguana, *A. DC. in DC. Monog. Phan.* i. 62.—Burma.  
 pekingensis, *A. DC. l. c.* 108.—China.  
 pendulina, *Lowe, in Trans. Camb. Phil. Soc.* iv. i. (1833) 12 = *latifolia*.  
 perfoliata, *Blume, Enum. Pl. Jav.* i. 18 = *Blumei*.  
 perfoliata, *Lour. Fl. Cochinch.* 622.—Cochinch.  
 phyllobola, *Mart. ex Griseb. in Mart. Fl. Bras.* iii. i. 21, partim.—Bras.  
 phyllobola, *Mart. ex Griseb. l. c.*, partim = *Riedeliana, Selloana*.  
 picta, *Hort. ex C. Koch, Dendrol.* ii. II. 337 = *aspera*.  
 pirarensis, *Kunth & Rich. Schomb. ex Kunth, Enum. Pl.* v. 165.—Guian.  
 platycentron, *Schlecht. in Linnaea*, xviii. (1844) 452 = *S. Bona-nox*.  
 plurifurcata, *A. DC. in DC. Monog. Phan.* i. 65.—N. Caled.  
 Poeppigii, *Kunth, Enum. Pl.* v. 192.—Am. trop.  
 Pohliana, *Kunth, l. c.* 228 = *procera*.  
 Poiretii, *Kunth, l. c.* 261 = *havanensis*.  
 polyacantha, *Wall. Cat. n.* 5127.—Ins. Penang.  
 polyantha, *Griseb. in Mart. Fl. Bras.* iii. i. 8.—Bras.  
 populnea, *Kunth, Enum. Pl.* v. 192.—Ins. S. Doming.  
 procera, *Griseb. in Mart. Fl. Bras.* iii. i. 6.—Bras.  
 prolifera, *Roxb. Hort. Beng.* 72; *Fl. Ind.* iii. 795.—Ind. or.  
 prolifera, *Wall. Cat. n.* 5124 = *Roxburghiana*.  
 pruinosa, *Griseb. in Mart. Fl. Bras.* iii. i. 14.—Bras.  
 Pseudo-china, *Bert. ex Kunth, Enum. Pl.* v. 183 = *Balbisiana*.  
 Pseudo-china, *Blanco, Fl. Filip. ed. I.* 795 = *Blancoi*.  
 Pseudo-china, *Descourt, Fl. Antill.* vii. 47. t. 462 (Quid?).—Ind. occ.  
 Pseudo-china, *Herb. Madr. ex Wall. Cat. n.* 5130 = *zeylanica*.  
 Pseudo-china, *Linn. Sp. Pl.* 1031.—Am. bor.; Ind. occ.  
 Pseudo-china, *Lour. Fl. Cochinch.* 623 = *corbularia*.  
 Pseudo-china, *Mart. & Gal. ex A. DC. in DC. Monog. Phan.* i. 87 = *moranensis*.  
 Pseudo-china, *Roxb. Hort. Beng.* 72; *Fl. Ind.* iii. 792 = *collina*.  
 Pseudo-china, *Schiede, ex A. DC. in DC. Monog. Phan.* i. 84 = *cordifolia*.  
 Pseudo-china, *Sieber, ex A. DC. l. c.* 170 = *Telfaireana*.  
 Pseudo-sarsa, *Vis. Sem. Hort. Pat.* (1839).—Cf. *Linnaea*, xiv. (1840) Litt. 138 = *S. Bona-nox*.  
 Pseudo-syphilitica, *Kunth, Enum. Pl.* v. 188.—Bras.  
 pteropus, *Miq. Journ. Bot. Néerl.* i. (1861) 89 = *S. China*.

**SMILAX:—**

- pubens*, Willd. Enum. Hort. Berol. Suppl. 67 = *S. Bona-nox*.  
*pubera*, Michx. Fl. Bor. Am. ii. 238 = *pumila*.  
*puberula*, Kunth, Enum. Pl. v. 193 = *pumila*.  
*pulverulenta*, Michx. Fl. Bor. Am. ii. 238 = *herbacea*.  
*pumila*, Walt. Fl. Carol. 244.—Am. bor.  
*Purampui*, Ruiz, ex A. DC. in DC. Monog. Phan. i. 159 = *febrifuga*.  
*purpurata*, Forst. f. Prod. 70.—N. Caled.  
*Purtrampui*, Ruiz, ex A. DC. in DC. Monog. Phan. i. 97 = *eucalyptifolia*.  
*quadrangularis*, Muhl. ex Willd. Sp. Pl. iv. 775 = *rotundifolia*, Linn.  
*quadrata*, A. DC. in DC. Monog. Phan. i. 183.—Reg. Himal.; Burma.  
*quinqueneria*, Vell. Fl. Flum. x. t. 103.—Bras.  
*ramiflora*, Griseb. in Mart. Fl. Bras. iii. i. 7.—Bras.  
*reticulata*, Desv. in Ham. Prod. Pl. Ind. Occ. 58 = *lanceolata*.  
*retusa*, Roxb. Hort. Beng. 72; Fl. Ind. iii. 793 = *macrophylla*.  
*Riedeliana*, A. DC. in DC. Monog. Phan. i. 141.—Bras.  
*rigida*, Russ. ex Steud. Nom. ed. I. 788 = *aspera*.  
*rigida*, Wall. Cat. n. 5120.—Reg. Himal.  
*riparia*, A. DC. in DC. Monog. Phan. i. 55.—China.  
*Ripogonum*, Forst. f. Prod. 70 = *Rhipogonum scandens*.  
*robusta*, Griseb. in Mart. Fl. Bras. iii. i. 12.—Bras.  
*rotundifolia*, Bello, in Anal. Soc. Esp. Hist. Nat. xii. (1883) 120.—Porto Rico.  
*rotundifolia*, Linn. Sp. Pl. 1030.—Am. bor.  
*Roxburghiana*, Wall. Cat. n. 5115.—Reg. Himal.  
*Roxburghiana*, Wall. l. c., partim = *aspericaulis*.  
*Roxburghii*, Kunth, Enum. Pl. v. 852 = *macrophylla*.  
*rubens*, Wats. Dendrol. t. 108.—Am. bor.  
*rubens*, Willd. ex A. DC. in DC. Monog. Phan. i. 78 = *S. Bona-nox*.  
*rubiginosa*, Griseb. in Mart. Fl. Bras. iii. i. 14 = *campestris*.  
*rubra*, Link, in Buch. Besch. Canar. Ins. 140 = *canariensis*.  
*rubra*, Willd. Enum. Hort. Berol. 1015 = *Tamus communis*.  
*rufescens*, Griseb. in Mart. Fl. Bras. iii. i. 9.—Bras.  
*Ruiziana*, Kunth, Enum. Pl. v. 200.—Peruv.  
*sagittaeifolia*, Lodd. Bot. Cab. t. 1799 = *aspera*.  
*sagittata*, Desv. in Ham. Prod. Pl. Ind. Occ. 58 = *aspera*.  
*salicifolia*, Griseb. in Mart. Fl. Bras. iii. i. 19.—Bras.  
*salutaris*, Kunth, Enum. Pl. v. 227.—Bras.  
*sandwicensis*, Kunth, l. c. 253.—Ins. Sandvic.  
*santaremensis*, A. DC. in DC. Monog. Phan. i. 115.—Bras.  
*Sarsaparilla*, Linn. Sp. Pl. 1029, partim (sp. dub.)—Am. bor.  
*Sarsaparilla*, Linn. l. c., partim = *glauca*.  
*scabriuscula*, Humb. & Bonpl. ex Willd. Sp. Pl. iv. 783.—Am. austr.  
*scalaris*, Griseb. in Mart. Fl. Bras. iii. i. 16 = *campestris*.  
*Schiedeana*, Kunth, Enum. Pl. v. 236 = *cordifolia*.  
*Schlechtendalii*, Kunth, l. c. 224.—Mexic.  
*Schomburgkiana*, Kunth, l. c. 187.—Guian.  
*Sebeana*, Miq. Ann. Mus. Bot. Lugd. Bat. iii. 149 = *S. China*.  
*Selloana*, A. DC. in DC. Monog. Phan. i. 154.—Bras.  
*semialexicaulis*, Boj. Hort. Maurit. 353 = *Telfaireana*.  
*sentiosa*, Kunth, Enum. Pl. v. 209 = *S. Bona-nox*.  
*setosa*, Miq. Fl. Ind. Bat. Suppl. 610 = *barbata*.  
*Shuttleworthii*, Hort.—Cf. Gard. Chron. (1876) I. 35.—Hab. ?  
*Sieboldi*, Miq. in Versl. en Med. Kon. Akad. Wetensch. II. ii. (1868) 87.—Japon.  
*Sieboldii*, Hort. Bog. ex Hassk. Cat. Hort. Bog. Alt. 32, nomen (Quid ?)—Japon.  
*singaporensis*, A. DC. in DC. Monog. Phan. i. 177.—Singapore.  
*siphilitica*, Humb. & Bonpl. ex Willd. Sp. Pl. iv. 780.—Am. austr.  
*solanifolia*, A. DC. in DC. Monog. Phan. i. 161.—Am. trop.  
*spicata*, Vell. Fl. Flum. x. t. 111.—Bras.  
*spicata*, Vell. l. c. t. 112 = *Dioscorea marginata*.

**SMILAX:—**

- spinescens*, Miq. in Linnaea, xviii. (1844) 83 = *australis*.  
*spinosa*, Mill. Gard. Dict. ed. VIII. n. 8.—Mexic.  
*spinosa*, Poir. Encyc. vi. 467 = *havanensis*.  
*spinulosa*, Sm. in Rees, Cycl. xxxiii. [n. 9] = *glauca*.  
*Sprengelii*, Kunth, Enum. Pl. v. 207 = *rotundifolia*.  
*Spruceana*, A. DC. in DC. Monog. Phan. i. 153.—Bras.  
*staminea*, Griseb. in Mart. Fl. Bras. iii. i. 11.—Bras.  
*stans*, Maxim. in Bull. Acad. Pétersb. xvii. (1872) 170.—Japon.  
*stenopetala*, A. Gray, in Mem. Am. Acad. N. S. vi. (1858-59) 412.—Japon.  
*stenophylla*, A. DC. in DC. Monog. Phan. i. 130.—Bras.  
*stipulacea*, Boj. Hort. Maurit. 352.—Hab. ?  
*subaculeata*, Spreng. Syst. ii. 102.—Am. trop.  
*subinermis*, Presl, Rel. Haenk. i. 132 = *eucalyptifolia*.  
*subpubescens*, A. DC. in DC. Monog. Phan. i. 69.—Mexic.  
*subsessiliflora*, Duham. Arb. ed. Nov. i. 243 = *salutaris*.  
*surinamensis*, Miq. in Linnaea, xvii. (1843) 63 = *cumanensis*.  
*sylvatica*, Kunth, Enum. Pl. v. 234 = *cordifolia*.  
*sylvatica*, Kunth, l. c., partim = *moranensis*.  
*syphilitica*, Auct. vide *siphilitica*.  
*syphilitica*, Griseb. in Mart. Fl. Bras. iii. i. 20 = *S. Pseudo-syphilitica*.  
*syphilitica*, Hort. Berol. ex Kunth, Enum. Pl. v. 190 = *Sarcococca pruniformis* ?  
*syphilitica*, Mart. Herb. ex A. DC. in DC. Monog. Phan. i. 134 = *irrorata*.  
*syphilitica*, Mart. Reise Bras. iii. 1280 = *papyracea*.  
*syringoides*, Griseb. in Mart. Fl. Bras. iii. i. 11 = *fluminensis*.  
*Talbotiana*, A. DC. in DC. Monog. Phan. i. 152.—Guian.  
*tamniifolia*, Michx. Fl. Bor. Am. ii. 238 = *tamnoides*.  
*tamnoides*, A. Gray, Man. Bot. N. U. St. ed. I. 485 = *S. Bona-nox*.  
*tamnoides*, Linn. Sp. Pl. 1030.—Am. bor.  
*Telfaireana*, Wall. Cat. n. 5121 A.—Ins. Maurit.  
*Telfaireana*, Wall. l. c. B = *Heterosmilax Gaudichaudiana*.  
*tetragona*, Linn. f. Suppl. 427 = *aspera*.  
*tetragona*, Mart. & Gal. in Bull. Acad. Brux. ix. ii. (1842) 390 = *rotundifolia*.  
*tetragona*, Seub. Fl. Azor. 24 = *excelsa*.  
*Thomsoniana*, A. DC. in DC. Monog. Phan. i. 104 = *S. China*.  
*tijucensis*, A. DC. l. c. 94.—Bras.  
*timorensis*, A. DC. l. c. 189.—Ins. Timor.  
*timorensis*, Zipp. ex Span. in Linnaea, xv. (1841) 479, nomen (Quid ?)—Ins. Timor.  
*tomentosa*, H. B. & K. Nov. Gen. et Sp. i. 272.—N. Granat.  
*trifurcata*, Seem. Fl. Vit. 309.—Ins. Fiji.  
*trinervata*, Miq. in Versl. en Med. Kon. Akad. Wetensch. II. ii. (1868) 87.—Japon.  
*triplinervia*, Griseb. Cat. Pl. Cub. 251 = *mollis*.  
*triplinervia*, Humb. & Bonpl. ex Willd. Sp. Pl. iv. 784.—Venezuela.  
*tuberculata*, Presl, Rel. Haenk. i. 132.—Ecuador.  
*umbellata*, Herb. Madr. ex Wall. Cat. n. 5130 = *zeylanica*.  
*umbellata*, Vell. Fl. Flum. x. t. 107.—Bras.  
*umbellifera*, Herb. Heyne, ex Wall. Cat. n. 5124 = *prolifera*.  
*undulata*, Pohl, ex A. DC. in DC. Monog. Phan. i. 135.—Bras.  
*vaginata*, Decne. in Jacquem. Voy. Bot. 169, t. 169.—Reg. Himal.  
*variabilis*, Pers. Syn. ii. 618 = *aspera*.  
*variegata*, Walt. Fl. Carol. 244 = *S. Bona-nox*.  
*verrucosa*, Griseb. in Mart. Fl. Bras. iii. i. 17.—Bras.  
*vicaria*, Kunth, Enum. Pl. v. 262.—Ins. Philipp.  
*Villandia*, Buch.-Ham. ex Wall. Cat. n. 5123 (sp. dub.)—Ind. or.  
*viminea*, Griseb. in Mart. Fl. Bras. iii. i. 13.—Bras.  
*virginiana*, Mill. Gard. Dict. ed. VIII. n. 9.—Jamaic.  
*virosa*, Buch.-Ham. ex Wall. Cat. n. 5099 = *Dioscorea daemona*.  
*viscidifolia*, Duham. Arb. ed. Nov. i. 243.—Ins. S. Doming.

**SMILAX:—**

- vitiensis*, A. DC. in DC. Monog. Phan. i. 204.—Ins. Fiji.  
*Wagneriana*, A. DC. l. c. 143.—Panama.  
*Wallichii*, Kunth, Enum. Pl. v. 246 = *Roxburghiana* ?  
*Wallichii*, Steud. Nom. ed. II. ii. 599 = *rigida*.  
*Walteri*, Pursh, Fl. Am. Sept. i. 249.—Am. bor.  
*Watsoni*, Sweet, Hort. Brit. ed. I. 414 = *herbacea*.  
*Wightii*, A. DC. in DC. Monog. Phan. i. 174.—Ind. or.  
*xalapensis*, Kunth, Enum. Pl. v. 258 = *jalapensis*.  
*zeylanica*, Blume, Enum. Pl. Jav. i. 17 = *Klotzschii*.  
*zeylanica*, Linn. Sp. Pl. 1029.—Ind. or.; Malaya.  
*zeylanica*, Wight, l. c. 2057-58 = *Wightii*.  
*Zollingeri*, Kunth, Enum. Pl. v. 241 = *zeylanica*.

**SMIRNOWIA**, Bunge, in Act. Hort. Petrop. iv. (1876) 339. **LEGUMINOSAE**.  
*turkestana*, Bunge, l. c.—Turkestan.

**SMITHIA**, Ait. Hort. Kew. ed. I. iii. 496. t. 13 (1789).

- LEGUMINOSAE**, Benth. & Hook. f. i. 516.  
*DAMAPANA*, Adans. Fam. ii. 323 (1763).  
*KOTSCHYA*, Endl. Stirp. Nov. Dec. 4 (1839).  
*PETAGNANA*, J. F. Gmel. Syst. 1078 (1791).  
*abyssinica*, Hochst. ex A. Rich. Tent. Fl. Abyss. i. 203 = *sensitiva*.  
*aeschynomeneoides*, Welw. ex Baker, in Oliver, Fl. Trop. Afr. ii. 153.—Afr. trop.  
*aspera*, Roxb. Hort. Beng. 56; Fl. Ind. iii. 343 = *Aeschynomene indica*.  
*Bernieri*, Baill. in Bull. Soc. Linn. Par. i. (1884) 415.—Madag.  
*bigemina*, Dalz. in Hook. Kew Journ. iii. (1851) 208.—Ind. or.  
*bigeminata*, Blanco, Fl. Filip. ed. II. 395 = *Zornia diphylla*.  
*blanda*, Hohen. ex Baker, in Hook. f. Fl. Brit. Ind. ii. 150 = *salsuginea*.  
*blanda*, Wall. Cat. n. 5669.—Ind. or.  
*capitata*, Dalz. in Hook. Kew Journ. iii. (1851) 208.—Ind. or.  
*capitata*, Desv. Journ. Bot. i. (1813) 121 = *geminiflora*.  
*capitulifera*, Welw. ex Baker, in Oliver, Fl. Trop. Afr. ii. 152.—Afr. trop.  
*Chamaecrista*, Benth. in Miq. Pl. Fungh. 211.—Madag.  
*ciliata*, Royle, Illustr. Bot. Himal. 201. t. 35. f. 2.—Reg. Himal.  
*coerulescens*, Zoll. & Mor. in Nat. en Geneesk. Arch. Neêrl. Indie, iii. (1846) 76.—Java.  
*conferta*, Sm. in Rees, Cycl. xxxiii. n. 2 = *geminiflora*.  
*cristata*, Wight, ex Wight & Arn. Prod. 218 = *Geissaspis cristata*.  
*dichotoma*, Dalz. ex Baker, in Hook. f. Fl. Brit. Ind. ii. 150 = *salsuginea*.  
*disperma*, Wight, ex Steud. Nom. ed. II. ii. 599 = *Geissaspis cristata*.  
*domingensis*, Balb. ex DC. Prod. ii. 321 = *Aeschynomene pleuronervia*.  
*elaphroxylon*, Baill. in Bull. Soc. Linn. Par. i. (1883) 404 = *Herminiera elaphroxylon*.  
*geminiflora*, Roth, Nov. Pl. Sp. 352.—Ind. or.; Malaya; Austral.  
*gracilis*, Benth. in Linnaea, xxiv. (1851) 642.—Ind. or.  
*Grandidieri*, Baill. in Bull. Soc. Linn. Par. i. (1883) 404.—Madag.  
*grandis*, Benth. ex Baker, in Hook. f. Fl. Brit. Ind. ii. 151.—Reg. Himal.  
*hirsuta*, Dalz. in Hook. Kew Journ. iii. (1851) 135 = *blanda*.  
*hispidissima*, Zoll. & Mor. in Nat. en Geneesk. Arch. Neêrl. Indie, iii. (1846) 76 = *geminiflora*.  
*japonica*, Maxim. in Bull. Acad. Pétersb. xviii. (1873) 389.—Japon.  
*javanica*, Benth. in Miq. Pl. Fungh. 211.—Java.  
*Kotschyi*, Benth. l. c.—Afr. trop.  
*laxiflora*, Benth. l. c. = *purpurea*.  
*martinicensis*, Spreng. Syst. iii. 323.—Ins. Martinic.  
*nodulosa*, Baker, in Oliver, Fl. Trop. Afr. ii. 153.—Afr. trop.  
*paniculata*, Arn. in Nov. Act. Nat. Cur. xviii. (1836) 330 = *blanda*.  
*pumila*, Royle, ex Wight & Arn. Prod. 220 = *ciliata*.  
*purpurea*, Hook. Bot. Mag. t. 4283.—Ind. or.



**SMITHIA** :—

- pyncantha, *Benth. ex Baker, in Hook. f. Fl. Brit. Ind.* ii. 150.—Ind. or.  
*racemosa*, Heyne, in Wall. Cat. n. 5670 = *blanda*.  
*salsuginea*, *Hance, in Journ. Bot. vii.* (1869) 164.—China.  
*sensitiva*, *Ait. Hort. Kew. ed. I. iii.* 496.—As. et Afr. trop.  
*sensitiva*, Wight & Arn. Prod. 220 = *geminiflora*.  
*sensitiva*, Zoll. & Mor. Syst. Verz. Zoll. 6 = *javanica*.  
*setulosa*, *Dalz. in Hook. Kew Journ. iii.* (1851) 208.—Ind. or.  
*spicata*, Spreng. Neue Entdeck. ii. 160 (nom. delend.).—Afr. trop.  
*strigosa*, *Benth. in Miq. Pl. Jungh.* 211.—Madag.; Afr. trop.  
*strobilantha*, *Welw. ex Baker, in Oliver, Fl. Trop. Afr.* ii. 154.—Afr. trop.

SMITHIA, J. F. Gmel. Syst. 388 (1791) = **Humbertia**, Lam. (Convolv.).  
*Thouinia*, J. F. Gmel. l. c. 388 = *H. madagascariensis*.

SMITHIA, Scop. Introd. 322 (1777) = **Clusia**, Linn. (Guttif.).

**SMODINGIUM**, E. Mey. in Drège, Zwei Pfl. Docum. 222 (1843), nomen; et ex Harv. & Sond. Fl. Cap. i. 523 (1859–60). **ANACARDIACEAE**, Benth. & Hook. f. i. 422.  
*Andrieuxii*, Baill. Adansonia, xi. (1874) 182 = *Pseudosmodingium Andrieuxii*.  
*argutum*, E. Mey. in Drège, Zwei Pfl. Docum. 222, nomen; et ex Harv. & Sond. Fl. Cap. i. 523.—Afr. austr.  
*Virletii*, Baill. Adansonia, xi. (1874) 182 = *Pseudosmodingium Virletii*.

SMYRNIOPSIS, Boiss. in Ann. Sc. Nat. Sér. III. ii. (1844) 72 = **Smyrnum**, Tourn. (Umbell.).  
*Aucheri*, Boiss. l. c.—As. Min.; Persia.  
*cachroides*, Boiss. Fl. Orient. ii. 928.—Syria; Mesopot.  
*syriaca*, Boiss. Diagn. Ser. I. x. 51.—Syria.

**SMYRNIUM**, [Tourn.] Linn. Syst. ed. I (1735); Gen. ed. I. 81 (1737). **UMBELLIFERAE**, Benth. & Hook. f. i. 885.

- ANOSMIA*, Bernh. in Linnaea, vii. (1832) 608.  
 SMYRNIOPSIS, Boiss. in Ann. Sc. Nat. Sér. III. ii. (1844) 72.  
*acuminatum*, Sm. in Rees, Cycl. xxxiii. n. 8 = *Thaspium aureum*.  
*aegopodioides*, *H. B. & K. Nov. Gen. et Sp. v.* 16.—Mexic.  
*aegyptiacum*, Linn. Cent. Pl. i. 10; Amoen. Acad. iv. 270 = *connatum*?  
*americanum*, D. Dietr. Syn. Pl. ii. 989 = *Eulophus americanus*.  
*apiifolium*, Willd. Sp. Pl. i. 1468.—Ins. Creta.  
*atropurpureum*, Lam. Encyc. iii. 667 = *Thaspium trifoliatum*.  
*aureum*, Linn. Sp. Pl. 262 = *Thaspium aureum*.  
*barbinode*, Muhl. Cat. 32; et ex Pursh, Fl. Am. Sept. i. 196 = *Thaspium barbinode*.  
*cicutarium*, Bieb. Fl. Taur. Cauc. i. 239 = *Eleutherospermum grandifolium*.  
*connatum*, Boiss. & Kotschy, in Unger & Kotschy, Ins. Cypern. 309.—As. Min.; Syria.  
*cordatum*, Walt. Fl. Carol. 114 = *Thaspium trifoliatum*.  
*cordifolium*, Boiss. Diagn. Ser. I. vi. 64.—Persia; Assy.  
*creticum*, Mill. Gard. Dict. ed. VIII. n. 4 = *apiifolium*.  
*Dioscoridis*, Spreng. Sp. Umbellif. 25 = *perfoliatum*.  
*Dodonaei*, Spreng. l. c. 24 = *rotundifolium*.  
*heterophyllum*, DC. Prod. iv. 110, sphalm. = *Sison Amomum*.  
*integerrimum*, Linn. Sp. Pl. 263 = *Pimpinella integririma*.  
*laserpitoides*, Crantz, Cl. Umb. Emend. 73 = *Prangos ferulacea*.  
*laterale*, Thunb. Prod. Pl. Cap. 51 = *Apium graveolens*.  
*lineare*, Benth. Pl. Hartw. 83 = *Eulophus peucedanoides*.  
*luteum*, Muhl. in Trans. Am. Phil. Soc. iii. (1793) 166, nomen = *Thaspium aureum*.  
*maritimum*, Salisb. Prod. 168 = *S. Olusatrum*.  
*Matthioli*, Presl, Delic. Prag. 127 = *rotundifolium*.

**SMYRNIUM** :—

- nodiflorum*, All. Fl. Pedem. ii. 23. t. 72 = *Trochiscanthus nodiflora*.  
*nudicaule*, Bieb. Fl. Taur. Cauc. i. 238 = *Physospermum commutatum*.  
*nudicaule*, Pursh, Fl. Am. Sept. i. 196 = *Peucedanum nudicaule*.  
*Olusatrum*, Linn. Sp. Pl. 262.—Europ.; Reg. Mediterr.  
*Orphanidis*, Boiss. Fl. Orient. ii. 925.—Graecia.  
*perfoliatum*, Linn. Sp. Pl. 262.—Europ. austr.; Reg. Cauc.  
*ramosum*, Urv. in Mém. Soc. Linn. Par. i. (1822) 289 = *rotundifolium*.  
*rotundifolium*, Mill. Gard. Dict. ed. VIII. n. 2.—Reg. Mediterr.  
*trifoliatum*, Muhl. Cat. 31; Nutt. Gen. Am. i. 195 = *Thaspium trifoliatum*.  
*vulgare*, S. F. Gray, Nat. Arr. Brit. Pl. ii. 525 = *S. Olusatrum*.

**SMYTHEA**, Seem. in Bonplandia, ix. (1861) 255; x. (1862) 35. **RHAMNEAE**, Benth. & Hook. f. i. 375.  
*calpicarpa*, Kurz, in Journ. As. Soc. Beng. xli. (1872) ii. 301.—Burma.  
*novo-guineensis*, Scheff. in Ann. Jard. Buitens. i. (1876) 14.—N. Guin.  
*pacifica*, Seem. in Bonplandia, ix. (1861) 255; x. (1862) 35. t. 9.—Ins. Fiji.

SOALA, Blanco, Fl. Filip. ed. I. 437 (1837) = **Cyathocalyx**, Champ. (Anonac.).  
*litoralis*, Blanco, l. c. = *C. zeylanicus*.

SOARESIA, Allem. in Rev. Braz. i. (1857) 210; et in Arch. Palest. Sc. Rio Jan. (1858) 142 = **Clarisia**, Ruiz & Pav. (Urtic.).  
*nitida*, Allem. ll. cc.—Bras.

**SOARESIA**, Sch. Bip. in Pollichia, xx-xxi. (1863) 376. **COMPOSITAE**, Benth. & Hook. f. ii. 236.  
*velutina*, Sch. Bip. l. c. 377.—Bras.

SOBERBAEA, D. Dietr. Syn. Pl. ii. 1129 (1840), sphalm. = **Sowerbaea**, Sm. (Liliac.).

SOBISO, Rafin. Fl. Tellur. iii. 94 (1836) = **Salvia**, Tourn. (Labiata).  
*japonica*, Rafin. l. c. = *Salvia japonica*.

**SOBOLEWSKIA**, Bieb. Fl. Taur. Cauc. iii. 421 (1819); et Cent. Pl. Rar. ii. t. 59 (1832). **CRUCIFERAE**, Benth. & Hook. f. i. 95.  
 MACROSPORUM, DC. Syst. ii. 575, in obs. (1821).  
*clavata*, Fenzl, in Tchihat. Asie Min. Bot. i. 348.—As. Min.  
*lithophila*, Bieb. Fl. Taur. Cauc. iii. 421; et Cent. Pl. Rar. ii. t. 59.—Tauria; Reg. Caucas.  
*lithophila*, Fenzl, in Tchihat. Asie Min. Bot. i. 347 = *clavata*.  
*stylosa*, Boiss. & Hohen. Diagn. Ser. I. viii. 41 = *Physalidium stylosum*.

**SOBRALIA**, Ruiz & Pav. Prod. 120. t. 26 (1794). **ORCHIDEAE**, Benth. & Hook. f. iii. 590.  
 CYATHOGLOTTIS, Poepp. & Endl. Nov. Gen. et Sp. i. 55. t. 94 (1835).  
*amplexicaulis*, Ruiz & Pav. Syst. Veg. 233 (al. gen.).—Peruv.  
*aurantiaca*, Linden & Reichb. f. in Bonplandia, ii. (1854) 278.—N. Granat.  
*biflora*, Ruiz & Pav. Syst. Veg. 232 (al. gen.).—Peruv.  
*Bletiae*, Reichb. f. in Bot. Zeit. x. (1852) 713.—Panama.  
*bletioides*, Brongn. ex Decne. in Rev. Hort. Sér. III. i. (1847) 421, cum tab. = *Bletia hyacinthina*.  
*candida*, Reichb. f. in Fl. des Serres, viii. (1852–53) 247.—Peruv.  
*Caravata*, Lindl. Gen. et Sp. Orch. 177 = *Elleanthus Caravata*.  
*Cattleya*, Reichb. f. in Gard. Chron. (1877) i. 72.—N. Granat.  
*chlorantha*, Hook. Bot. Mag. t. 4682 = *macrophylla*.  
*chrysantha*, Lindl. Fol. Orch. Sobr. 3.—N. Granat.  
*chrysoleuca*, Reichb. f. Xenia Orch. ii. 179.—Bolivia.  
*citrina*, La Llave & Lex. Nov. Veg. Desc. fasc. ii. (Orch. Opusc.) 21 = *Cattleya citrina*.

**SOBRALIA** :—

- crocea*, Reichb. f. in Fl. des Serres, viii. (1852–53) 247.—Peruv.  
*decora*, Batem. Orch. Mex. et Guat. t. 26.—Guatemala.  
*dichotoma*, Ruiz & Pav. Syst. Veg. 232.—Peruv.  
*D'Orbignyana*, Reichb. f. Xenia Orch. ii. 179.—Bolivia.  
*Elisabethae*, Rob. Schomb. in Verh. Befoerd. Gartenb. Preuss. xv. (1841) 137. tt. 1, 2.—Guian.  
*Fenzliana*, Reichb. f. in Bot. Zeit. x. (1852) 714.—Nicaragua.  
*fimbriata*, Poepp. & Endl. Nov. Gen. et Sp. i. 54.—Peruv.  
*fragrans*, Lindl. in Gard. Chron. (1853) 598.—N. Granat.  
*Galeottiana*, A. Rich. in Ann. Sc. Nat. Sér. III. iii. (1845) 30.—Mexic.  
*gloriosa*, Reichb. f. Xenia Orch. ii. 178.—Ecuador.  
*Klotzscheana*, Reichb. f. in Linnaea, xxii. (1849) 815.—Peruv.  
*labiata*, Warsz. & Reichb. f. in Bot. Zeit. x. (1852) 714.—Panama.  
*lepida*, Reichb. f. Beitr. Orch. Centr. Am. 68.—Costa Rica.  
*leucocantha*, Reichb. f. l. c.—Costa Rica.  
*Liliastrum*, Lindl. Gen. et Sp. Orch. 177, 432.—Guian.; Bras.  
*Lindleyana*, Reichb. f. in Bot. Zeit. x. (1852) 713.—Costa Rica.  
*macrantha*, Lindl. Sert. Orch. sub t. 29.—Mexic.  
*macrophylla*, Reichb. f. in Bot. Zeit. x. (1852) 713.—Panama.  
*Mandonii*, Reichb. f. Xenia Orch. ii. 175.—Bolivia.  
*paludosa*, Linden, Cat. n. 6 (1851) 8.—N. Granat.  
*paradisiaca*, Reichb. f. in Linnaea, xxii. (1849) 816.—N. Granat.  
*porphyrocharis*, Reichb. f. Xenia Orch. ii. 177.—Ecuador.  
*rigidissima*, Linden, ex Reichb. f. in Bonplandia, ii. (1854) 278.—N. Granat.  
*Roezlii*, Reichb. f. Xenia Orch. ii. 178.—N. Granat.  
*rosea*, Lindl. Fol. Orch. Sobr. 2 = *glauca*.  
*rosea*, Poepp. & Endl. Nov. Gen. et Sp. i. 54. t. 93.—Peruv.; N. Granat.  
*roseo-alba*, Reichb. f. Beitr. Orch. Centr. Am. 7.—Am. centr.  
*Ruckeri*, Linden & Reichb. f. in Bonplandia, ii. (1854) 278.—N. Granat.  
*Ruckeri*, Linden, ex Lindl. Fol. Orch. Sobr. 3 = *rosea*.  
*scopulorum*, Reichb. f. Xenia Orch. ii. 176.—Bolivia.  
*sessilis*, Hook. Bot. Mag. t. 4570 = *decora*.  
*sessilis*, Lindl. Bot. Reg. (1841) Misc. 3. t. 17.—Guian.  
*setigera*, Poepp. & Endl. Nov. Gen. et Sp. i. 54.—Peruv.  
*stenophylla*, Lindl. Fol. Orch. Sobr. 2.—Guian.  
*suaveolens*, Reichb. f. in Gard. Chron. (1878) i. 622.—Panama.  
*violacea*, Linden, ex Lindl. Orchid. Linden. 26.—Venezuela.  
*Warszewiczii*, Reichb. f. in Bot. Zeit. x. (1852) 714.—Panama.

SOBREYRA, Ruiz & Pav. Prod. 109. t. 23 (1794) = **Enhydra**, Lour. (Compos.).  
*oblonga*, Ruiz & Pav. Syst. Veg. 197 = *E. oblonga*.  
*sessiliflora*, Ruiz & Pav. l. c. = *E. Sobreyra*.

SOBRYA, Pers. Syn. ii. 473 (1807) = *praec.*

**SOCOTORA**, Balf. f. in Proc. Roy. Soc. Edinb. xii. (1884) 77. **APOCYNACEAE**.  
*aphylla*, Balf. f. l. c.—Ins. Socotr.

**SOCRATEA**, Karst. in Linnaea, xxviii. (1856) 263. **PALMAE**, Benth. & Hook. f. iii. 900.  
*durissima*, H. Wendl. in Bonplandia, viii. (1860) 103.—Nicaragua.  
*elegans*, Karst. in Linnaea, xxviii. (1856) 264.—N. Granat.  
*exorrhiza*, H. Wendl. in Bonplandia, viii. (1860) 103.—Mexic.  
*fusca*, Karst. Fl. Columb. i. 109. t. 54 = *Dictyocaryum fuscum*.  
*Orbignyana*, Karst. in Linnaea, xxviii. (1856) 264.—N. Granat.  
*philanotia*, Benth. & Hook. f. Gen. iii. 900 = *exorrhiza*.

SOCRATESIA, Klotzsch, in Linnaea, xxiv. (1851) 22 = *Cavendishia*, Lindl. (Vaccin.).  
*melastomoides*, Klotzsch, l. c. = *C. melastomoides*.

SODA, Fourr. in Ann. Soc. Linn. Lyon, N. S. xvii. (1869) 145 = *Salsola*, Linn. (Chenop.).  
*inermis*, Fourr. l. c. = *Salsola Soda*.

SODADA, Forsk. Fl. Aegypt. Arab. 81 (1775) = *Capparis*, Tourn.  
*decidua*, Forsk. l. c.; Delile, Fl. Egypt. 74. t. 26 = *C. aphylla*.

SODIROA, André, in Bull. Soc. Bot. Fr. xxiv. (1877) 167. *BROMELIACEAE*, Benth. & Hook. f. iii. 668.  
*caricifolia*, André, l. c. — N. Granat.  
*graminifolia*, André, l. c. — N. Granat.

SOEMMERINGIA, Mart. Diss. Soemmer. (1828) 27. *LEGUMINOSAE*, Benth. & Hook. f. i. 516.  
*psittacorrhyncha*, Webb, in Hook. Niger Fl. 123 = *Geissaspis lupulina*.  
*semperflorens*, Mart. Diss. Soemm. (1828) 28. — Bras.

SOGALGINA, Cass. in Bull. Soc. Philom. (1818) 31 = *Tridax*, Linn. (Compos.).  
*balbisoides*, Cass. in Dict. Sc. Nat. xlix. 398 = *T. balbisoides*.  
*dentata*, Lilja, in Linnaea, xvii. (1843) 110 = *T. trilobata*?  
*trilobata*, Cass. in Dict. Sc. Nat. xlix. 397 = *T. trilobata*.

SOGALIGNA, Steud. Nom. ed. I. 788 (1821), sphalm. = *praec*.

SOHREA, Steud. Nom. ed. I. 788 (1821), sphalm. = *Shorea*, Roxb. (Dipteroc.).

SOJA, Moench, Meth. 153 (1794) (Soia) = *Glycine*, Linn. (Legumin.).  
*angustifolia*, Miq. Fl. Ind. Bat. i. 1. 223 = *G. Soja*.  
*hamata*, Miq. l. c. 224 = *G. pendula* (in Addend.).  
*hispida*, Moench, Meth. 153 = *G. Soja*.  
*japonica*, Savi, in Pisa, Nuov. Giorn. Litt. viii. (1824) 113; (Mem. Phas. ii. 16) = *G. Soja*.  
*javanica*, R. Grah. in Wall. Cat. n. 5528 = *G. javanica*.  
*viridis*, Savi, Cose Bot. 9. — Hab.?  
*Wightii*, R. Grah. in Wall. Cat. n. 5530 = *G. javanica*.

SOKOLOFIA, Rafin. Alsog. Am. 14 (1838) = *Salix*, Tourn.  
*rupestris*, Rafin. l. c. 15 = *Salix nigricans*.

SOLAENACANTHUS, Oerst. in Kjoeb. Vidensk. Meddel. (1854) 122 = *Ruellia*, Linn. (Acanth.).  
*longiflorus*, Oerst. l. c. = *R. longiflora*.

SOLANANDRA, Pers. Syn. ii. 215 (1807), sphalm. = *SOLENANDRIA*, Beauv. = *Galax*, Linn. (Diapens.).

SOLANDRA, Linn. Syst. ed. X. 1269 (1759) = *Hydrocotyle*, Tourn. (Umbell.).  
*capensis*, Linn. l. c. = *H. Solandra*.

SOLANDRA, Murr. in Comm. Gotting. vi. 1783-84 (1785), 20. t. 1 = *Hibiscus*, Linn. (Malvac.).  
*aculeata*, Poir. Encyc. vii. 225 = *H. ficulneus*.  
*lobata*, Murr. in Comm. Gotting. vi. 1783-84 (1785), 20 = *H. Solandra*.  
*spinosa*, Poir. in Dict. Sc. Nat. xlix. 406 = *H. ficulneus*.  
*squamea*, Poir. Encyc. vi. 225 = *Lagunaria Patersonii*.  
*ternata*, Cav. Diss. v. 279. t. 136. f. 2 = *H. ternatus*.

SOLANDRA, Sw. in Vet. Akad. Handl. Stockh. viii. (1787) 300. t. 11. *SOLANACEAE*, Benth. & Hook. f. ii. 901.  
SWARTZIA, J. F. Gmel. Syst. 360 (1791).  
*grandiflora*, Salisb. in Trans. Linn. Soc. vi. (1802) 100 = *hirsuta*.  
*grandiflora*, Sw. in Vet. Akad. Handl. Stockh. viii. (1787) 300. t. 11. — Am. trop.  
*guttata*, D. Don, in Bot. Reg. t. 1551. — Mexic.  
*herbacea*, Hort. ex Dun. in DC. Prod. xiii. i. 544 = *Datura ceratocaula*.  
*hirsuta*, Dun. l. c. 535. — Bras.

VOL. II.

# SOLANDRA:—

*laevis*, Hook. Bot. Mag. t. 4345 = *longiflora*.  
*longiflora*, Tussac, Fl. Antill. ii. 49. t. 12. — Ind. occ.  
*longipes*, Sendt. in Mart. Fl. Bras. x. 159 = *Dyssochroma longipes*.  
*macrantha*, Dun. in DC. Prod. xiii. i. 533 = *grandiflora*.  
*minor*, Griseb. Fl. Brit. W. Ind. 433. — Ins. Dominic.  
*nitida*, Zuccagni, in Roem. Collect. 128 = *grandiflora*.  
*oppositifolia*, Moon, Cat. Pl. Ceyl. 15 = *Fagraea ceilanica*.  
*platantha*, Walp. Ann. iii. 152 = *Portlandia platantha*.  
*scandens*, Willd. ex Sendt. in Mart. Fl. Bras. x. 160 = *grandiflora*.  
*viridiflora*, Sims, Bot. Mag. t. 1948 = *Dyssochroma viridiflora*.

SOLANOIDES, Tourn. ex Moench, Meth. 307 (1794) = *Rivina*, Plum. (Phytolac.).  
*laevis*, Moench, l. c. = *R. humilis*.  
*pubescens*, Moench, l. c. = *R. humilis*.  
*undulata*, Moench, Meth. Suppl. 106 = *R. humilis*.

SOLANUM, [Tourn.] Linn. Syst. ed. I (1735).  
*SOLANACEAE*, Benth. & Hook. f. ii. 888.  
ANDROCERA, Nutt. Gen. Am. i. 129 (1818).  
AQUARTIA, Jacq. Enum. Pl. Carib. 12 (1760).  
CERANTHERA, Rafin. in Am. Monthly Mag. (1818) 176.

CLIOCARPUS, Miers, in Ann. & Mag. Nat. Hist. Ser. II. iv. (1849) 141.  
DIAMONON, Rafin. Fl. Tellur. ii. 76 (1836).  
DULCAMARA, Moench, Meth. 514 (1794).  
NORMANIA, Lowe, Man. Fl. Mad. ii. 70 (1868).  
NYCTERIUM, Vent. Jard. Malm. 85. t. 85 (1803).  
PSEUDOCAPSICUM, Medic. Phil. Bot. i. 122 (1789).  
PSOLANUM, Neck. Elem. ii. 60 (1790).

*abyssinicum*, Jacq. ex Vitm. Summa Pl. i. 492 = *marginatum*.  
*acanthifolium*, Aubl. ex Dun. in DC. Prod. xiii. i. 255 = *stramonifolium*.  
*acanthifolium*, Hort. ex Dun. l. c. 215 = *S. Juripeba*.  
*acanthifolium*, Hort. Par. ex Dun. l. c. 260 = *torvum*.  
*acanthifolium*, Leman, ex Dun. l. c. 200 = *jamaicense*.  
*acanthifolium*, Mill. Gard. Dict. ed. VIII. n. 14 = *fuscum*, Linn.

*acanthocalyx*, Klotzsch, in Peters, Reise Mossamb. Bot. 232. — Afr. trop.  
*acanthocarpum*, Poit. in Rev. Hort. (1867) 290. — Cochinchina.  
*acanthodes*, Hook. f. Bot. Mag. t. 6283. — Bras.  
*acanthoideum*, Drège, ex Dun. in DC. Prod. xiii. i. 364. — Afr. austr.

*acerifolium*, Humb. & Bonpl. ex Dun. Solan. Syn. 41. — N. Granat.  
*acerosum*, Sendt. in Mart. Fl. Bras. x. 61. — Bras.  
*acetosaeifolium*, Lam. Illustr. ii. 24; Encyc. iv. 306 = *trilobatum*.

*acicular*, Sw. in Roem. & Schult. Syst. iv. 647. — Bras.  
*acropterum*, Griseb. Fl. Brit. W. Ind. 437. — Ind. occ.  
*aculeastrum*, Dun. in DC. Prod. xiii. i. 366. — Afr. austr.  
*aculeatissimum*, Jacq. Coll. i. 100. — As. et Am. trop.

*aculeatissimum*, Moench, Meth. 475. — Hab.?  
*aculeatum*, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 135 = seq.  
*aculeiger*, Moric. ex Dun. in DC. Prod. xiii. i. 301. — Bras.

*aculeolatum*, Mart. & Gal. in Bull. Acad. Brux. xii. i. (1845) 143. — Mexic.  
*acuminatum*, Dun. in DC. Prod. xiii. i. 139 = *apodum*.  
*acuminatum*, Ruiz & Pav. Fl. Per. ii. 34. t. 159. — Peruv.

*acutangulum*, Griseb. in Lechl. Berb. Am. Austr. 58. — Peruv.  
*acutifolium*, Kit. in Linnaea, xxxii. (1863) 440 = *nigrum*.  
*acutifolium*, Ruiz & Pav. Fl. Per. ii. 33. t. 162. f. b. — Peruv.  
*acutitubum*, Dun. ex Poir. Encyc. Suppl. iii. 772. — Bras.

*adelense*, Delile, in Rochet, Sec. Voy. Choa, 345. — Abyss.  
*adenophorum*, F. Muell. Fragm. ii. 162. — Austral.

# SOLANUM:—

*adenotrichum*, Dun. Hist. Solan. 236. — Bras.  
*adhaerens*, Willd. ex Roem. & Schult. Syst. iv. 669 = *scabrum*.  
*adoense*, Hochst. ex A. Br. in Flora, xxiv. (1841) 1. 278. — Abyss.  
*adscendens*, Sendt. in Mart. Fl. Bras. x. 17. — Bras.  
*adulterinum*, Buch.-Ham. ex Wall. Cat. sub n. 2616 = *verbascifolium*.

*aegyptiacum*, Forsk. Fl. Aegypt. Arab. 45 = *nigrum*.  
*aethiopicum*, Jacq. Hort. Vindob. i. 4. t. 12. — Hab.?  
*aethiopicum*, Linn. Cent. Pl. ii. 10; Amoen. Acad. iv. 307. — As. et Afr. trop.

*aethiopoides*, Cav. ex Roem. & Schult. Syst. iv. 669 (Quid?). — Hab.?  
*affine*, Dun. in DC. Prod. xiii. i. 168. — Cuba.  
*affine*, Sendtn. in Mart. Fl. Bras. x. 63 = *jatrophaefolium*.  
*africanum*, Dun. Hist. Solan. 238. — Africa.

*africanum*, Mill. Gard. Dict. ed. VIII. n. 26 = *crassifolium*.  
*Azelii*, Dun. in DC. Prod. xiii. i. 363. — Afr. trop.  
*aggerum*, Dun. l. c. 103. — Afr. austr.

*aggregatum*, Jacq. Coll. iv. 124. — Ind. occ.; Afr. trop.  
*agglutinatum*, Hiern, in Kjoeb. Vidensk. Meddel. (1877-78) 48. — Bras.  
*agrarium*, Sendt. in Mart. Fl. Bras. x. 69. — Bras.

*agreste*, Brouss. ex Roem. & Schult. Syst. iv. 669 (Quid?). — Hab.?  
*agreste*, Roth, Nov. Pl. Sp. 130 = *indicum*.  
*agrimoniaefolium*, Pav. ex Dun. in DC. Prod. xiii. i. 25 = *Lycopersicum agrimoniaefolium*.

*Ahlbergi*, Dun. l. c. 372. — Bras.  
*alatum*, Dun. l. c. 234 = *decurrens*.  
*alatum*, Moench, Meth. 474 = *nigrum*.  
*alatum*, Seem. & Schmidt, in Flora, xxvii. (1844) 497 = *robustum*.

*albicaule*, Kotschy, ex Dun. in DC. Prod. xiii. i. 204. — Afr. trop.  
*albidum*, Dun. Hist. Solan. 206. — Peruv.  
*albiflorum*, Phil. in Linnaea, xxxiii. (1864-65) 202. — Chili.

*album*, Lour. Fl. Cochinch. 129. — Ins. Molucc.; Cochinch.  
*album*, Noronha, in Verh. Batav. Gen. v. (1790) ed. I. Art. iv. 26 = *S. Melongena*.  
*aligerum*, Schlecht. in Linnaea, xix. (1847) 301. — Mexic.

*allogonum*, Bernh. l. c. viii. (1833) 252 = *Saracha allogona*.  
*alloysiaefolium*, Dun. in DC. Prod. xiii. i. 73. — Bolivia.  
*Alphonsi*, Dun. l. c. 69. — Chili.

*alpinum*, Zoll. & Mor. in Nat. en Geneesk. Arch. Neêrl. Ind. ii. (1845) 571. — Java.  
*alternato-pinnatum*, Steud. Nom. ed. II. ii. 600. — Bras.

*amarantoides*, Dun. in DC. Prod. xiii. i. 55. — Bras.  
*amazonium*, Ker-Gawl. in Bot. Reg. t. 71. — Mexic.  
*ambiguum*, Dun. Solan. Syn. 32. — Ins. Martinic.  
*amblophyllum*, Hook. Bot. Misc. ii. (1831) 231. — Peruv.

*amblycalycinum*, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 135 = seq.  
*amblycalyx*, Dun. in DC. Prod. xiii. i. 371 = *eriocalyx*.  
*amblymerum*, Dun. l. c. 294. — Austral.

*ambrosiacum*, Vell. Fl. Flum. 90; ii. t. 131. — Bras.  
*americanum*, Mill. Gard. Dict. ed. VIII. n. 5 = *nigrum*.  
*amicorum*, Benth. in Hook. Lond. Journ. Bot. ii. (1843) 227. — Ins. Pacif.

*amictum*, Moric. ex Dun. in DC. Prod. xiii. i. 263. — Mexic.  
*amoenum*, Jungh. in Hoev. & De Vriese, Tijdschr. vii. (1840) 300 = *torvum*.  
*amplexicaule*, Sendt. in Mart. Fl. Bras. x. 14. — Bras.

*amygdalifolium*, Steud. Nom. ed. II. ii. 600. — Bras.  
*anacampocarpum*, Dun. in DC. Prod. xiii. i. 59. — Java.  
*anacanthum*, Dun. l. c. 183. — Mexic.

## SOLANUM:—

*Anguivi*, Hook. Exot. Fl. t. 199 = indicum.  
*Anguivi*, Lam. Illustr. ii. 23 (an praec. ?)—Madag.  
*angulatum*, Ruiz & Pav. Fl. Per. ii. 36 = quitoense.  
*angulosum*, Heyne, ex Nees, in Trans. Linn. Soc. xvii. (1834) 42 = bigeminatum.  
*Angurium*, Dun. Hist. Solan. 243.—Mexic.  
*angustiflorum*, Mart. ex Sendt. in Mart. Fl. Bras. x. 107.—Bras.  
*angustifolium*, Lam. Illustr. ii. 18.—Reg. Argent.  
*angustifolium*, Mill. Gard. Dict. ed. VIII. n. 15 = *S. Angurium*.  
*angustifolium*, Ruiz & Pav. Fl. Per. ii. 33 = pulverulentum.  
*anisophyllum*, Heurck & Muell. Arg. in Heurck, Obs. Bot. 52.—Peruv.  
*anoacanthum*, Sendt. in Mart. Fl. Bras. x. 66.—Bras.  
*anomalum*, Thonn. in Schum. & Thonn. Beskr. Guin. Pl. 126.—Afr. trop.  
*anonaefolium*, Dun. Solan. Syn. 15.—N. Granat.  
*anoplocladum*, Dun. in DC. Prod. xiii. i. 346.—Mexic.  
*anthropophagorum*, Seem. in Bonplandia, ix. (1861) 258; x. (1862) 274. t. 14 = *S. Uporo*.  
*apalophyllum*, Dun. in DC. Prod. xiii. i. 42.—Peruv.  
*apiculatum*, Dun. l. c. 99 = madagascariense.  
*apiculatum*, Sendt. in Mart. Fl. Bras. x. 84.—Bras.  
*apocynifolium*, Baker, in Journ. Linn. Soc. xx. (1883) 213.—Madag.  
*apodum*, Dun. in DC. Prod. xiii. i. 139.—Bras.  
*appendiculatum*, Humb. & Bonpl. ex Dun. Solan. Syn. 5.—Mexic.  
*appendiculatum*, Mart. & Gal. in Bull. Acad. Brux. xii. i. (1845) 135 = Galeotti.  
*Aquartia*, Dun. Hist. Solan. 187.—Ins. S. Doming.  
*aquaticum*, Dum.-Cours. Bot. Cult. ed. I. Suppl. 152.—Hab. ?  
*arabicum*, Dun. Hist. Solan. 240.—Arab.  
*Aracatscha*, Bess. Cat. Pl. Hort. Crem. (1816) 135; et ex Roem. & Schult. Syst. iv. 669 = tuberosum.  
*arborescens*, Moench, Meth. 474 = bonariense.  
*arboresum*, Humb. & Bonpl. ex Dun. Solan. Syn. 20.—Venezuela.  
*arcuatum*, Sendt. in Mart. Fl. Bras. x. 60.—Bras.  
*ardisioides*, Blume, Bijdr. 696.—Java.  
*arenarium*, Schur, Enum. Pl. Transs. 477 = nigrum.  
*arenarium*, Sendt. in Mart. Fl. Bras. x. 26.—Bras.  
*argenteum*, Blanch. ex Dun. in DC. Prod. xiii. i. 135 = Swartzianum.  
*argenteum*, Dun. ex Poir. Encyc. Suppl. iii. 755.—Bras.  
*argenteum*, Heyne, ex Wall. Cat. n. 2610 = giganteum.  
*argillicolum*, Dun. in DC. Prod. xiii. i. 236.—Bras.  
*argyrantha*, Dum.-Cours. Bot. Cult. ed. II. iii. 161.—Hab. ?  
*armatum*, R. Br. Prod. 446.—Austral.  
*armatum*, Forsk. Fl. Aegypt. Arab. 47 = arabicum.  
*Arrabidaea*, Steud. Nom. ed. II. ii. 660 = Cyphomandra Velloziana.  
*Arrebenta*, Vell. Fl. Flum. 89; ii. t. 127 = aculeatis-imum, Jacq.  
*artense*, Montr. in Mém. Acad. Lyon, x. (1860) 245.—N. Caled.  
*asarifolium*, Kunth & Bouché, Ind. Sem. Hort. Berol. (1845) 10.—Venezuela.  
*aspero-lanatum*, Ruiz & Pav. Fl. Per. ii. 39 = lanatum.  
*asperum*, Hornem. ex Walp. Rep. iii. 49 = nigrum.  
*asperum*, Pers. Syn. i. 229 = lanatum.  
*asperum*, Rich. in Act. Soc. Hist. Nat. Par. i. (1792) 107 = *S. Radula*.  
*asperum*, Sieber, ex Dun. in DC. Prod. xiii. i. 107 = callicarpaefolium.  
*asperum*, Vahl, Eclog. Am. ii. 17.—Am. trop.  
*asphananthum*, Baker, in Journ. Bot. xx. (1882) 220.—Madag.  
*assimile*, Frivald. in Flora, xix. (1836) 439 = *S. Dulcamara*.  
*asterigerum*, Bertol. in Mém. Acad. Sc. Bologn. ix. (1858) 167 (Misc. Bot. xix. 3).—China.  
*astrocormum*, Dun. in DC. Prod. xiii. i. 339.—Am. trop.  
*asteroideum*, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 135 = astroites.  
*astrophorum*, Mart. in Flora, xxi. (1838) II. Beibl. 79.—Bras.

## SOLANUM:—

*astroites*, Forst. f. Prod. 89 = nigrum.  
*astroites*, Jacq. Eclog. 97. t. 65.—Am. austr.  
*astrophorum*, Jan. Elench. 4 = sodomium.  
*athroanthum*, Dun. in DC. Prod. xiii. i. 208.—Java.  
*atriplicifolium*, Desp. ex Dun. Solan. Syn. 12 = nigrum.  
*atriplicifolium*, Gill. ex Nees, in Nov. Act. Nat. Cur. xix. Suppl. i. (1843) 386.—Am. austr.  
*Atropo*, Schum. & Thonn. Beskr. Guin. Pl. 124 = Thonningianum.  
*atropurpureum*, Schrank, in Syll. Ratisb. i. (1824) 200.—Bras.  
*atrosanguineum*, Hort. ex Dun. in DC. Prod. xiii. i. 243 = atropurpureum.  
*atroviolaceum*, Teijsm. & Binn. in Tijdschr. Nederl. Ind. xxv. (1863) 410.—Java.  
*atrovirens*, Dun. Hist. Solan. 243.—Ind. or.  
*aturensis*, Humb. & Bonpl. ex Dun. Solan. Syn. 32.—Venezuela.  
*aurantiacum*, Sendt. in Mart. Fl. Bras. x. 55.—Bras.  
*aureum*, Humb. & Bonpl. ex Dun. Solan. Syn. 16.—Ecuador.  
*aureum*, Sw. ex Roem. & Schult. Syst. iv. 602 = Swartzianum.  
*aureum*, Thunb. Pl. Bras. Dec. ii. 20 = Ahlbergi.  
*auriculatum*, Ait. Hort. Kew. ed. I. i. 246.—As. trop.  
*auriculatum*, Mart. ex Dun. in DC. Prod. xiii. i. 115 = granuloso-leprosum.  
*austro-caledonicum*, Seem. in Journ. Bot. i. (1863) 209.—Ins. Pacif.  
*aviculare*, Forst. f. Prod. 18.—Austral.; N. Zel.  
*axilliflorum*, Dun. Hist. Solan. 238.—Mexic.  
*baccatum*, Hort. ex Steud. Nom. ed. II. ii. 601 = bonariense.  
*bahamense*, Forsk. Fl. Aegypt. Arab. 46 = glabratum.  
*bahamense*, Linn. Sp. Pl. 188.—Ind. occ.  
*bahamense*, Mill. Gard. Dict. ed. VIII. n. 24 = verbascifolium.  
*Balbistii*, Boj. ex Dun. in DC. Prod. xiii. i. 326 = Richardi.  
*Balbistii*, Dun. Hist. Solan. 232. t. 3 = sisymbriifolium.  
*Baencks*, Vand. Fasc. Pl. 10, sphalm. = seq.  
*Banksianum*, Dun. Hist. Solan. 242 (Banksianum).—Bras.  
*barbadense*, Crantz, Inst. ii. 374 = Rivina humilis.  
*barbisetum*, Nees, in Trans. Linn. Soc. xvii. (1834) 51.—Ind. or.  
*Bassovia*, Dun. in Poir. Encyc. Suppl. iii. 754.—Bras.  
*Bassovia*, Mart. ex Dun. in DC. Prod. xiii. i. 406 = Bassovia Richardi.  
*Bauerianum*, Endl. Prod. Fl. Norf. 54.—Ins. Norfolk.  
*bejarensis*, Moric. ex Dun. in DC. Prod. xiii. i. 330 = rostratum.  
*Belfort*, Vand. Fasc. Pl. 11 = paniculatum.  
*Belfortianum*, Dun. Hist. Solan. 242 = paniculatum.  
*benguelense*, Peyr. in Sitzb. Akad. Wien, Math.-Nat. xxxviii. (1860) 575.—Afr. trop.  
*Benthani*, Dun. in DC. Prod. xiii. i. 101.—Mexic.  
*Berterianum*, Dun. l. c. 167.—Ins. S. Doming.  
*Berterii*, Hort. Par. ex Steud. Nom. ed. II. ii. 601.—Chili.  
*Besseri*, Weinm. ex Roem. & Schult. Syst. iv. 593 = nigrum.  
*Besserianum*, Weinm. Elench. Hort. Pawlowsk. (1824) 100 = praec.  
*betaceum*, Cav. in Anal. Hist. Nat. i. (1799) 44; Ic. t. 524 = Cyphomandra betacea.  
*biceps*, Dun. in DC. Prod. xiii. i. 341.—Bras.  
*bicolor*, Mart. Herb. Fl. Bras. n. 1254 = Swartzianum, argenteum.  
*bicolor*, Willd. ex Roem. & Schult. Syst. iv. 661 = verbascifolium.  
*bicorne*, Dun. in DC. Prod. xiii. i. 232.—Am. trop.  
*bifidum*, Dun. l. c. 122.—N. Granat.  
*bifidum*, Dun. l. c. 341 = biceps.  
*bifissum*, Vell. Fl. Flum. 86; ii. t. 111 = biceps.  
*bifissum*, Vell. l. c. 90; ii. t. 129.—Bras.  
*biflorum*, R. Br. Prod. 445 = dianthophorum.  
*biflorum*, D. Don, Prod. Fl. Nep. 96 = pachypetalon.  
*biflorum*, Lour. Fl. Cochinch. 129.—Malaya; China.  
*bifolium*, Aubl. ex Dun. in DC. Prod. xiii. i. 149 = leucocarpon.  
*bifomifolium*, Ruiz & Pav. Fl. Per. ii. 32. t. 162.—Peruv.

## SOLANUM:—

*bifurcum*, Hochst. in Flora, xxiv. (1841) i. Intell. 24, nomen.—Abyss.  
*bigeminatum*, Nees, in Trans. Linn. Soc. xvii. (1834) 42.—Ind. or.  
*bimense*, Miq. Fl. Ind. Bat. ii. 642.—Ins. Sunda.  
*bipatens*, Dun. in DC. Prod. xiii. i. 209.—Bras.  
*blattarioides*, Koen. ex Dun. l. c. 127 = pubescens.  
*Blodgettii*, Chapm. Fl. S. U. St. 349.—Florida.  
*Blumei*, Nees, ex Blume, Bijdr. 696.—Java.  
*boerhaviaefolium*, Sendt. in Mart. Fl. Bras. x. 48.—Bras.  
*bogotense*, Dun. in DC. Prod. xiii. i. 121.—N. Granat.  
*Boisseri*, Dun. l. c. 188.—Guian.  
*Bojeri*, Dun. l. c. 344.—Afr. trop.  
*boldoense*, Dun. & A. DC. l. c. 679.—Cuba.  
*boliviense*, Dun. l. c. 43.—Bolivia.  
*bombense*, Banks, ex Dun. l. c. 271. = stenorchis.  
*bombense*, Jacq. Enum. Pl. Carib. 15 = glabrum.  
*bonariense*, Linn. Sp. Pl. 185.—Reg. Argent.  
*Botelhanum*, Dun. Hist. Solan. 239.—Bras.  
*Botelho*, Vand. Fasc. Pl. 10 = praec.  
*brachyacanthum*, Humb. & Bonpl. ex Dun. Solan. Syn. 32.—N. Granat.  
*brachyantherum*, Phil. in Anal. Univ. Chil. (1873) 522.—Chili.  
*brachybotryon*, Dun. in DC. Prod. xiii. i. 212.—Guian.  
*brachylobum*, Heurck & Muell. Arg. in Heurck, Obs. Bot. 71.—Peruv.  
*brachypodon*, Dun. in DC. Prod. xiii. i. 411 = Bassovia brachypoda.  
*brachystachys*, Dun. l. c. 128.—Mexic.  
*bracteatum*, Thunb. in Act. Gorenk. (1812); ex ej. Fl. Cap. ii. 57.—Afr. austr.  
*brancaefolium*, Jacq. Eclog. 14. t. 7 = sisymbriifolium.  
*brasilianum*, Dun. Solan. Syn. 48.—Bras.  
*brevdens*, Phil. in Anal. Univ. Chil. (1873) 521.—Chili.  
*brevifolium*, Humb. & Bonpl. ex Dun. Solan. Syn. 22.—Ecuador.  
*brevipes*, Dun. in DC. Prod. xiii. i. 203.—Bras.  
*brevipilosum*, Dun. l. c. 199.—Guian.  
*brevipilum*, Dun. Hist. Solan. 191. t. 21 = jamaicense.  
*Bridgesii*, Phil. in Linnaea, xxxiii. (1864-65) 203.—Chili.  
*Brownii*, Dun. Hist. Solan. 201 = violaceum.  
*Brucei*, Delile, ex Dun. in DC. Prod. xiii. i. 282 = adoense.  
*buddleiaefolium*, Sendt. in Mart. Fl. Bras. x. 83.—Bras.  
*budleiaefolium*, Dun. in DC. Prod. xiii. i. 115 = granuloso-leprosum.  
*Bulbocastanum*, Dun. in Poir. Encyc. Suppl. iii. 749.—Mexic.  
*bullato-rugosum*, Dun. in DC. Prod. xiii. i. 236 = cyanocarpium.  
*bullatum*, Vell. Fl. Flum. 84; ii. t. 104.—Bras.  
*bumeliaefolium*, Dun. in DC. Prod. xiii. i. 292.—Madag.  
*Burchellii*, Dun. l. c. 291.—Afr. austr.  
*Bustilloi*, Phil. in Linnaea, xxix. (1857-58) 24.—Chili.  
*byrsinum*, Voigt, Hort. Suburb. Calc. 511 = havanense, Jacq.  
*Caavurana*, Vell. Fl. Flum. 86; ii. t. 112.—Bras.  
*cabiliense*, Hort. ex Vilm. Fl. Pl. Terre, ed. III. 713 = marginatum.  
*caeruleum*, Vell. Fl. Flum. 86; ii. t. 110 = indigoferum.  
*caesium*, Griseb. in Goett. Abh. xxiv. (1879) 254.—Reg. Argent.  
*cajanumense*, H. B. & K. Nov. Gen. et Sp. iii. 47 = Cyphomandra cajanumensis.  
*Caldasii*, Humb. & Bonpl. ex Dun. Solan. Syn. 6.—Ecuador.  
*calicinum*, Dun. in Poir. Encyc. Suppl. iii. 747.—Mexic.  
*californicum*, Dun. in DC. Prod. xiii. i. 86 = umbelliferum.  
*Calleryanum*, Dun. l. c. 178 = biflorum.  
*callicarpaefolium*, Kunth & Bouché, Ind. Sem. Hort. Berol. (1853) App. 10.—Am. trop.  
*callicarpum*, Hort. Berol. ex A. Br. l. c. = Karstenii, A. Br. & Bouché.

**SOLANUM:—**

calophyllum, *Phil. in Anal. Univ. Chil.* (1862) II. 403.—Chili.  
*calvefactum*, Dun. in DC. Prod. xiii. i. 226 = lanceaefolium.  
*calycinum*, Hort. ex Dun. l. c. 431 = *Saracha procumbens*.  
*calycinum*, Moç. & Sesse, ex Dun. Solan. Syn. 10 = calicinum.  
*calycinum*, Nees, in Trans. Linn. Soc. xvii. (1834) 60 = pubescens.  
*calygnaphalum*, Ruiz & Pav. Fl. Per. ii. 31 = gnaphaloides.  
*campaniforme*, Roem. & Schult. Syst. iv. 662.—Bras.  
*campanulatum*, R. Br. Prod. 446.—Austral.  
*campanulatum*, Willd. ex Sendt. in Mart. Fl. Bras. x. 22 = campaniforme.  
*campechiense*, Banks, ex Ait. Hort. Kew. ed. I. i. 251 = aculeatissimum, Jacq.  
*campechiense*, Hort. Par. ex Dun. in DC. Prod. xiii. i. 260 = torvum.  
*campechiense*, Linn. Sp. Pl. 187.—Am. trop.  
*campechiense*, Linn. l. c., partim = fuscum, Linn.  
*campylacanthum*, Hochst. in Flora, xxiv. (1841) I. Intell. 24, nomen; Dun. in DC. Prod. xiii. i. 336.—Abyss.  
*campylocladum*, Dun. l. c. 173.—Mexic.  
*canaranum*, Miq. ex C. B. Clarke, in Hook. f. Fl. Brit. Ind. iv. 236.—trilobatum.  
*candicans*, Dun. Solan. Syn. 23.—Peruv.  
*candidum*, Lindl. Bot. Reg. (1839) Misc. 73.—Mexic.  
*canescens*, Blume, Bijdr. 701 = indicum.  
*canescens*, Kit. in Linnaea, xxxii. (1863) 440 = nigrum.  
*canescens*, Pav. ex Dun. in DC. Prod. xiii. i. 343 = mexicanum.  
*canescens*, Rich. ex Dun. l. c. 107 = *S. Radula*.  
*cano-cinereum*, Dun. l. c. 213.—Guian.  
*capense*, Linn. Syst. ed. X. 935; Linn. f. Suppl. 147.—Afr. austr.  
*capoerum*, Dun. in DC. Prod. xiii. i. 112.—Bras.  
*Capsicastrum*, Link, ex Schau. in Otto & Dietr. Allg. Gartenz. i (1833) 228.—Bras.  
*capsicoides*, Hort. Par. ex Lam. Illustr. ii. 21 = aculeatissimum, Jacq.  
*capsicoides*, Mart. in Flora, xxi. (1838) II. Beibl. 78.—Bras.  
*caracasana*, Roem. & Schult. Syst. iv. 664 = *Cyphomandra caracasana*.  
*cardiophyllum*, Dun. in DC. Prod. xiii. i. 89 = boldoense.  
*cardiophyllum*, Lindl. in Journ. Hort. Soc. iii. (1848) 70.—Mexic.  
*cardiospermum*, Noronha, in Verh. Batav. Gen. v. (1790) ed. I. Art. iv. 26 (Quid?).—Java.  
*cardiiforme*, F. Muell. Fragm. ii. 163.—Austral.  
*carene*, Dun. in DC. Prod. xiii. i. 105.—Arab.  
*Cari, Molina*, Sagg. Chile, 132.—Chili.  
*caribaeum*, Dun. in DC. Prod. xiii. i. 48.—Ind. occ.  
*caripense*, Humb. & Bonpl. ex Dun. Solan. Syn. 8.—Venezuela.  
*carolinense*, Linn. Sp. Pl. 187.—Am. bor.  
*caroliniense*, Mill. Gard. Dict. ed. VIII. n. 21 = amazonium.  
*cataphractum*, A. Cunn. ex Benth. Fl. Austral. iv. 459.—Austral.  
*catombelense*, Peyr. in Sitzb. Akad. Wien, Math.-Nat. xxxviii. (1860) 576.—Afr. trop.  
*caudatum*, Dun. in DC. Prod. xiii. i. 140.—Peruv.  
*caulorhizum*, Dun. l. c. 181 = biflorum.  
*Cavanillesii*, Dun. l. c. 61 = pinnatum.  
*cearensis*, Dun. l. c. 90.—Bras.  
*dechicum*, Opiz, in Lotos, iv. (1854) 94 (Quid?).—Bohem.  
*celastroides*, Sendt. ex Mart. in Flora, xxiv. (1841) II. Beibl. 86 = *Bassovia lucida*.  
*cerasiferum*, Dun. in DC. Prod. xiii. i. 365.—Afr. bor.  
*cerinum*, Hort. Dresd. ex Otto, in Ind. Sem. Hort. Berol. (1853) 8 = villosum, Willd.  
*cernuum*, Vell. Fl. Flum. 84; ii. t. 103.—Bras.  
*Cervantesii*, Lag. Gen. et Sp. Nov. 10.—Mexic.  
*cestrifolium*, Jacq. ex Weinw. Elench. Hort. Pawlowsk. (1824) 100; et in Spreng. Syst. i. 680 = nigrum.  
*cestrifolium*, Willd. ex Dun. in DC. Prod. xiii. i. 186 = seq.  
*cestriphyllum*, Dun. l. c.—Hab. ?  
*chaeacanthum*, Griseb. Cat. Pl. Cub. 190.—Cuba.

**SOLANUM:—**

*chaetacanthum*, Dun. in DC. Prod. xiii. i. 186.—Bras.  
*chenopodiifolium*, Dun. l. c. 44.—Reg. Argent.  
*chenopodium*, F. Muell. Fragm. ii. 165.—Austral.  
*chenopodioides*, Hort. ex Dun. in DC. Prod. xiii. i. 55 = atriplicifolium.  
*chenopodioides*, Lam. Illustr. ii. 18 = nigrum.  
*chinense*, Dun. Hist. Solan. 240 = indicum.  
*chloranthum*, DC. Pl. Rar. Jard. Genév. t. 13.—Reg. Argent.  
*chloranthum*, Poepp. ex Sendt. in Mart. Fl. Bras. x. 103 = Poeppigianum.  
*chloranthum*, Salzmann ex Dun. in DC. Prod. xiii. i. 236 = argillicolum.  
*chloranthum*, Spreng. Syst. i. 682 = Sprengelii.  
*chlorocarpum*, Schur, Enum. Pl. Transs. 478 = nigrum.  
*chloroleucum*, Dun. in DC. Prod. xiii. i. 279.—Bras.  
*chloropetalum*, Schlecht. in Linnaea, xix. (1847) 291.—Mexic.  
*chlorophloium*, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 135 = umbellatum, Mill.  
*chrysacanthum*, Dun. in DC. Prod. xiii. i. 330.—Mexic.  
*chrysobotrys*, Hort. Berol. ex Walp. Rep. iii. 100 = *Lycopersicum peruvianum*.  
*chrysophyllum*, Humb. & Bonpl. ex Dun. Solan. Syn. 25.—Ecuador.  
*chrysotrichum*, Schlecht. in Linnaea, xix. (1847) 304.—Mexic.  
*ciliare*, Willd. Enum. Hort. Berol. 237 = aculeatissimum, Jacq.  
*ciliatum*, Blume, ex Miq. Fl. Ind. Bat. ii. 643 = nematosepalum.  
*ciliatum*, Lam. Illustr. ii. 21 = aculeatissimum, Jacq.  
*ciliolatum*, Mart. & Gal. in Bull. Acad. Brux. xii. i. (1845) 140.—Mexic.  
*cinereus*, Pav. ex Dun. in DC. Prod. xiii. i. 343 = mexicanum.  
*cinereum*, R. Br. in Salt, Abyss. App. 62 = *Saltianum*.  
*cinereum*, R. Br. Prod. 446.—Austral.  
*cinnamomeum*, Sendt. in Mart. Fl. Bras. x. 44.—Bras.  
*cirrhosum*, Humb. & Bonpl. ex Dun. Solan. Syn. 9. (cirrhosum).—Venezuela.  
*citrifolium*, Willd. ex Roem. & Schult. Syst. iv. 662.—N. Granat.  
*citrullifolium*, A. Br. in Ind. Sem. Hort. Friburg. (1849); ex Ann. Sc. Nat. Sér. III. xii. (1849) 356 = heterodoxum.  
*cladotrichodes*, Mart. ex Sendt. in Mart. Fl. Bras. x. 28 = megalochiton.  
*cladotrichum*, Dun. Hist. Solan. 236.—Bras.  
*cladotrichum*, Mart. ex Dun. in DC. Prod. xiii. i. 223 = paratyense.  
*clathratum*, Sendt. in Mart. Fl. Bras. x. 35.—Am. trop.  
*Claussenii*, Dun. in DC. Prod. xiii. i. 271.—Bras.  
*claviceps*, Griseb. in Goett. Abh. xix. (1874) 221.—Reg. Argent.  
*coagulans*, Forsk. Fl. Aegypt. Arab. 47 = incanum, Linn.  
*coagulans*, Jacq. Hort. Schoenb. iv. 35. t. 469 = schoenbrunnense.  
*coagulans*, Schimp. ex Dun. in DC. Prod. xiii. i. 370 = marginatum.  
*coarensis*, Sendt. in Mart. Fl. Bras. x. 19.—Bras.  
*coccineum*, Hort. Par. ex Dun. in DC. Prod. xiii. i. 310 = indicum.  
*coccineum*, Jacq. Misc. ii. 329 = tomentosum, Linn.  
*coeruleum*, Noronha, in Verh. Batav. Gen. v. (1790) ed. I. Art. iv. 26 = cyanocarpium.  
*collinum*, Dun. in DC. Prod. xiii. i. 36 = *Commersonii*.  
*columbianum*, Dun. l. c. 33 = tuberosum.  
*Comitis*, Dun. l. c. 345.—Java.  
*comitum*, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 135 = praec.  
*Commersonii*, Dun. ex Poir. Encyc. Suppl. iii. 746.—Reg. Argent.  
*commutatum*, Spreng. Pugill. i. 18 = *Lycopersicum peruvianum*.  
*compactum*, Hort.—Cf. Gard. Chron. (1872) 641 = *S. Pseudo-capsicum*.  
*conanthum*, Dun. in DC. Prod. xiii. i. 127 = pubescens.  
*conavum*, Lindl. in Bot. Reg. (1842) Misc. 57.—Chili.  
*concinnum*, Schott, ex Sendt. in Mart. Fl. Bras. x. 36.—Bras.

**SOLANUM:—**

*concisum*, Dun. in DC. Prod. xiii. i. 327.—Peruv.  
*confertum*, Dun. l. c. 142 = indigoferum.  
*confine*, Dun. l. c. 137.—Peruv.  
*congenise*, Link, Enum. Hort. Berol. i. 187.—Afr. trop.  
*congestiflorum*, Dun. in DC. Prod. xiii. i. 92.—Chili.  
*congestum*, Vell. Fl. Flum. 82; ii. t. 90 (*Lycii* sp.).—Bras.  
*conglobatum*, Dun. in DC. Prod. xiii. i. 112.—Bras.  
*conicum*, Ruiz & Pav. Fl. Per. ii. 38. t. 172. f. b.—Peruv.  
*conicum*, Vell. Fl. Flum. 83; ii. t. 96 = *Cyphomandra sciadostylis*.  
*coniodes*, Mor. ex Dun. in DC. Prod. xiii. i. 64 = *Chamaesaracha sordida*.  
*conocarpum*, Dun. in Poir. Encyc. Suppl. iii. 748.—Ind. occ.  
*convolvuliforme*, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 135 = seq.  
*Convolvulus*, Sendt. in Mart. Fl. Bras. 48.—Bras.  
*cordatum*, Forsk. Fl. Aegypt. Arab. 47.—Arab.  
*cordatum*, Pav. ex Dun. in DC. Prod. xiii. i. 396 = *Cyphomandra splendens*.  
*cordifolium*, Dun. in Poir. Encyc. Suppl. iii. 764.—Bras.  
*coriaceum*, Dun. Hist. Solan. 197.—Guian.  
*coriaceum*, Hook. Bot. Mag. t. 2703 = havanense, Jacq.  
*corifolium*, F. Muell. Fragm. ii. 166 = discolor.  
*cormanthum*, Vell. Fl. Flum. 86; ii. t. 113.—Bras.  
*corniculatum*, Hiern, in Kjoeb. Vidensk. Meddel. (1877-78) 45.—Bras.  
*cornifolium*, Humb. & Bonpl. ex Dun. Solan. Syn. 21.—N. Granat.  
*cornigerum*, André, in Rev. Hort. (1868) 33.—Afr. trop.  
*cornigerum*, Dun. in DC. Prod. xiii. i. 75.—Bras.  
*cornutum*, Hort. Monsp. ex Dun. in DC. Prod. xiii. i. 329 = rostratum.  
*cornutum*, Lam. Illustr. ii. 25.—Mexic.  
*coronatum*, Vell. Fl. Flum. 82; ii. t. 92 = *sambuciflorum*.  
*coronopideum*, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 135 = seq.  
*Coronopus*, Dun. in DC. Prod. xiii. i. 64 = *Chamaesaracha Coronopus*.  
*cortex-virens*, Dun. l. c. 372 = umbellatum, Mill.  
*corymbiferum*, J. F. Gmel. Syst. 384 = corymbosum.  
*corymbosum*, Herb. Banks, ex Dun. in DC. Prod. xiii. i. 347 = macrophyllum.  
*corymbosum*, Jacq. Coll. i. 78.—Peruv.  
*corymbosum*, Noronha, in Verh. Batav. Gen. v. (1790) ed. I. Art. iv. 26 = verbascifolium.  
*corymbosum*, Wight, ex Nees, in Trans. Linn. Soc. xvii. (1834) 48 = vagum.  
*cosmeticum*, Delile, in Rochet, Sec. Voy. Choa, 340, nomen.—Abyss.  
*Cotoneaster*, Dun. in DC. Prod. xiii. i. 158 = *Orbignianum*.  
*cotopaxense*, Dun. l. c. 139.—Ecuador.  
*Coxi*, Phil. in Linnaea, xxxiii. (1864-65) 200.—Chili.  
*crassiflorum*, Schott, ex Sendt. in Mart. Fl. Bras. x. 20 = *S. Caavurana*.  
*crassifolium*, Lam. Illustr. ii. 16.—Afr. austr.  
*crassifolium*, Ortega, Hort. Matr. Dec. 117 = *Cyphomandra betacea*.  
*crassifolium*, Salisb. Prod. 133 = macrocarpon.  
*crassipetalum*, Wall. in Roxb. Fl. Ind. ed. Carey, ii. 256.—Reg. Himal.  
*crassipetalum*, Wight, ex C. B. Clarke in Hook. f. Fl. Brit. Ind. iv. 231 = denticulatum.  
*crenato-dentatum*, Dun. in DC. Prod. xiii. i. 54 = nigrum.  
*Crepini*, Heurck, Obs. Bot. 89.—Afr. trop.  
*crinitipes*, Dun. in DC. Prod. xiii. i. 317.—N. Granat.  
*crintum*, Lam. Illustr. ii. 20.—Guian.  
*crispum*, Bert. ex Dun. in DC. Prod. xiii. i. 92 = congestiflorum.  
*crispum*, Ruiz & Pav. Fl. Per. ii. 31. t. 158.—Chili.  
*croceum*, Dun. Hist. Solan. 241 = jamaicense.  
*crotonifolium*, Humb. & Bonpl. ex Dun. Solan. Syn. 18.—Am. austr.  
*crotonoides*, Lam. Illustr. ii. 24.—Ind. occ.  
*crotonoides*, Michx. ex Dun. in DC. Prod. xiii. i. 260 = torvum.



**SOLANUM:**—

*crotonoides*, Sieber, ex Presl, Bot. Bemerk. 101 = lanceaeifolium.  
*cryptolobum*, Heurck & Muell. Arg. in Heurck, Obs. Bot. 63.—Hab.?  
*cryptopodium*, Phil. f. Cat. Pl. Vasc. Chil. 227, sphalm. = cyrtopodium.  
*cubense*, Dun. in DC. Prod. xiii. i. 379, nomen.—Cuba.  
*cumanense*, Schlecht. ex Roem. & Schult. Syst. iv. 662 = sylvaticum.  
*Cumingii*, Dun. in DC. Prod. xiii. i. 363 = S. Melongena.  
*cuneatum*, Moench, Meth. 476 = indicum.  
*cuneifolium*, Dun. Hist. Solan. 193 = jamaicense.  
*cuneifolium*, Hort. Avens. ex Dun. in DC. Prod. xiii. i. 53 = nigrum.  
*cuneifolium*, Willd. ex Roem. & Schult. Syst. iv. 623 = Willdenovianum.  
*Cunninghamii*, Benth. Fl. Austral. iv. 465.—Austral.  
*cupulatum*, Miq. ex C. B. Clarke, in Hook. f. Fl. Brit. Ind. iv. 231 = bigeminatum.  
*curvispinum*, Dun. in DC. Prod. xiii. i. 265.—Bras.  
*cuspidatum*, Dun. l. c. 111 = cinnamomeum.  
*cuspidatortia*, Dun. l. c. 231 = Poeppigianum.  
*cutacense*, H. B. & K. Nov. Gen. et Sp. iii. 38.—Peruv.  
*cyananthum*, Dun. in DC. Prod. xiii. i. 316.—Bras.  
*cyanocarphium*, Blume, Bijdr. 700.—Java.  
*cyathocalyx*, Heurck & Muell. Arg. in Heurck, Obs. Bot. 65.—Peruv.  
*cydoniaefolium*, Dun. in DC. Prod. xiii. i. 209.—Hab.?  
*cylindricum*, Vell. Fl. Flum. 87; ii. t. 119 = Cyphomandra cylindrica.  
*cymosum*, Banks, ex Dun. in DC. Prod. xiii. i. 73 = viride.  
*cymosum*, Ortega, Hort. Matr. Dec. 12 = macrophyllum.  
*cymosum*, Ruiz & Pav. Fl. Per. ii. 31. t. 160 = corymbosum.  
*cynanchoideis*, Dun. in DC. Prod. xiii. i. 82 = jasmynoides.  
*cyrtopodium*, Dun. l. c. 195.—Chili.  
*Dallachii*, Benth. Fl. Austral. iv. 456.—Austral.  
*darfurensis*, Delile, ex Dun. in DC. Prod. xiii. i. 204 = albicaule.  
*dasyphyllum*, Schum. & Thonn. Beskr. Guin. Pl. 126.—Afr. trop.  
*dasyopodum*, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 135 = seq.  
*dasyopus*, Drège, ex Dun. in DC. Prod. xiii. i. 161.—Afr. austr.  
*daturaefolium*, Dun. l. c. 261.—Bras.  
*dealbatum*, Lindl. in Trans. Hort. Soc. vii. (1830) 52 = elaeagnifolium.  
*debile*, Dun. in DC. Prod. xiii. i. 74.—Bras.  
*decemdentatum*, Roxb. Hort. Beng. 16; Fl. Ind. i. 565 = biflorum.  
*decemfidum*, Pav. ex Dun. in DC. Prod. xiii. i. 173 = lentum.  
*decipiens*, Opiz, in Bercht. & Opiz, Oekon. Fl. Boehm. iii. 24 (Quid?).—Bohemia.  
*decompositifolium*, Sendt. in Mart. Fl. Bras. x. 88.—Bras.  
*decorticans*, Sendt. l. c. 47.—Bras.  
*decorticutum*, Dun. in DC. Prod. xiii. i. 135 = praec.  
*decorum*, Sendt. in Mart. Fl. Bras. x. 83.—Bras.  
*decurrens*, Balb. in Mém. Acad. Turin (1810), 360 = sisymbriifolium.  
*decurrens*, Banks, ex Dun. in DC. Prod. xiii. i. 200 = jamaicense.  
*decurrens*, Vell. Fl. Flum. 89; ii. t. 126.—Bras.  
*decurrens*, Wall. ex Dun. in DC. Prod. xiii. i. 50 = nigrum.  
*defensum*, F. Muell. Fragm. v. 193.—Austral.  
*delagoënsis*, Dun. in DC. Prod. xiii. i. 349.—Afr. trop.  
*Delilei*, Dun. l. c. 81.—Mexic.  
*demerarensis*, Dun. l. c. 257 = stramonifolium.  
*demissum*, Lindl. in Journ. Hort. Soc. iii. (1848) 70 = tuberosum.  
*densevestitum*, F. Muell. ex Benth. Fl. Austral. iv. 456.—Austral.  
*densiflorum*, Dun. in DC. Prod. xiii. i. 208 = athroanthum.  
*densiflorum*, Mart. & Gal. in Bull. Acad. Brux. xii. i. (1845) 141.—Mexic.

**SOLANUM:**—

*densiflorum*, Sendt. in Mart. Fl. Bras. x. 93 = piluliferum.  
*denticulatum*, Blume, Bijdr. 697.—Ind. or.; Malaya.  
*denticulatum*, Nees, in Trans. Linn. Soc. xvii. (1834) 41 = subtruncatum.  
*depauperatum*, Dun. in DC. Prod. xiii. i. 227.—Bras.  
*Deppei*, Hort. ex Dun. l. c. 52 = nigrum.  
*Desvauxii*, Ham. Prod. Pl. Ind. Occ. 26.—Ind. occ.  
*diantherum*, Vell. Fl. Flum. 83; ii. t. 99 = concinnum.  
*dianthophorum*, Dun. Hist. Solan. 183.—Austral.  
*dibrachiatum*, Heurck & Muell. Arg. in Heurck, Obs. Bot. 59.—Peruv.  
*dichotomum*, Lour. Fl. Cochinch. 129.—China.  
*dichotomum*, Mart. & Gal. in Bull. Acad. Brux. xii. i. (1845) 138 = Martensii.  
*dichotomum*, Pav. ex Dun. in DC. Prod. xiii. i. 233 = bicornae.  
*dichotomum*, Rich. ex Poir. Encyc. Suppl. iii. 757 = uniflorum.  
*dichotomum*, Ruiz & Pav. Fl. Per. ii. 34 = riparium.  
*dichotomum*, Vand. Fasc. Pl. 9 = Vandellianum.  
*dichroandrum*, Dun. in DC. Prod. xiii. i. 86.—Venezuela.  
*dichrophyllum*, Dun. l. c. 48 = alpinum.  
*dictyotum*, Roem. & Schult. Syst. iv. 661.—Hab.?  
*didymanthum*, Dun. in DC. Prod. xiii. i. 289.—Afr. austr.  
*didymum*, Dun. Hist. Solan. 236.—Bras.  
*diffusum*, Link, ex Roem. & Schult. Syst. iv. 601 = Linkianum.  
*diffusum*, Roxb. Hort. Beng. 17; Fl. Ind. i. 568 = xanthocarpum.  
*diffusum*, Ruiz & Pav. Fl. Per. ii. 37. t. 171. f. b.—Peruv.  
*diffusum*, Vell. Fl. Flum. 83; ii. t. 98 = nigrum.  
*diflorum*, Vell. l. c. 84; ii. t. 102 = S. Capsicastrum.  
*Dilleni*, Schult. Oestr. Fl. ed. II. i. 393 = nigrum.  
*dimidiatum*, Sendt. in Mart. Fl. Bras. x. 102.—Bras.  
*diphyllum*, Banks, ex Dun. in DC. Prod. xiii. i. 170 = retrofractum.  
*diphyllum*, Forsk. Fl. Aegypt. Arab. 63 = microcarpum.  
*diphyllum*, Linn. Sp. Pl. 184.—Am. trop.  
*diphyllum*, Osbeck, Voy. i. 328; et ex D. Don, Prod. Fl. Nep. 96 = biflorum.  
*discolor*, R. Br. Prod. 445.—Austral.  
*discolor*, Dun. in DC. Prod. xiii. i. 111 = leucodendron.  
*dispar*, Loisel. ex Dun. l. c. 69 = aviculare.  
*distichophyllum*, Sendt. in Mart. Fl. Bras. x. 35.—Bras.  
*distichum*, Schum. & Thonn. Beskr. Guin. Pl. 122.—Afr. trop.  
*divaricatum*, Dun. in DC. Prod. xiii. i. 125 = didymum.  
*divaricatum*, Mart. & Gal. in Bull. Acad. Brux. xii. i. (1845) 136.—Mexic.  
*divergens*, Dun. in DC. Prod. xiii. i. 411 = Bassovia leptopoda.  
*diversiflorum*, F. Muell. Fragm. vi. 146.—Austral.  
*diversifolium*, Humb. & Bonpl. ex Dun. Solan. Syn. 8 = Cyphomandra caracasana.  
*diversifolium*, Schlecht. in Linnaea, xix. (1846) 297.—Mexic.  
*Dombeyi*, Dun. in DC. Prod. xiii. i. 162.—Peruv.  
*domingense*, Dun. l. c. 80.—Ins. S. Doming.  
*domingense*, Willd. ex Roem. & Schult. Syst. iv. 665 = insulanum.  
*Donianum*, Walp. Rep. iii. 54 = bahamense.  
*Douglasii*, Dun. in DC. Prod. xiii. i. 48 = nigrum.  
*Douvillei*, Moric. ex Dun. l. c. 271.—Bras.  
*Dregei*, Dun. l. c. 288.—Afr. austr.  
*Dregei*, Presl, Bot. Bemerk. 101 = aculeastrum.  
*dryadeum*, Dun. in DC. Prod. xiii. i. 196.—Bras.  
*dubium*, Dun. Hist. Solan. 240 = jamaicense.  
*dubium*, Fresen. in Mus. Senckenb. i. (1833) 166.—Arab.  
*Dulcamara*, Linn. Sp. Pl. 185.—Europ.; As. et Afr. bor.  
*dulcamaroides*, Dun. in Poir. Encyc. Suppl. iii. 751 = macrantherum.  
*dulcamaroides*, Rich. ex Dun. in DC. Prod. xiii. i. 87 = pyrifolium.  
*dulcamarum*, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1850) 135 = S. Dulcamara.

**SOLANUM:**—

*dumetorum*, Dun. in DC. Prod. xiii. i. 112 = rufescens.  
*dumetorum*, Willd. ex Roem. & Schult. Syst. iv. 662.—Hab.?  
*Dunalium*, Gaudich. in Freyc. Voy. Bot. 448. t. 58.—Ins. Molucc.  
*duplo-sinuatum*, Klotzsch, in Peters, Reise Mossamb. Bot. 233.—Afr. trop.  
*eccremocarpum*, Dun. in DC. Prod. xiii. i. 225.—Bras.  
*Echegarayi*, Hieron. in Bol. Acad. Nac. Córdoba, ix. (1881) 58.—Reg. Argent.  
*echidnaeforme*, Dun. in DC. Prod. xiii. i. 324.—Bras.  
*echinatum*, R. Br. Prod. 447.—Austral.  
*echinatum*, Pav. ex Dun. in DC. Prod. xiii. i. 173 = lentum.  
*echinatum*, Rich. ex Dun. l. c. 317 = crinitum.  
*echinocarpum*, Bredem. ex Roem. & Schult. Syst. iv. 659.—Venezuela.  
*echinocaulon*, Moric. ex Dun. in DC. Prod. xiii. i. 316 = cyananthum.  
*Edmonstonei*, Hook. f. in Trans. Linn. Soc. xx. (1847) 201.—Ins. Galapag.  
*edule*, Schum. & Thonn. Beskr. Guin. Pl. 125 = S. Melongena.  
*edule*, Vell. Fl. Flum. 88; ii. t. 121 = sisymbriifolium.  
*Edwardi*, Kunth & Bouché, Ind. Sem. Hort. Berol. (1846); ex Dun. in DC. Prod. xiii. i. 107.—Cuba.  
*elachophyllum*, F. Muell. Fragm. ii. 164.—Austral.  
*elaegnifolium*, Cav. Ic. iii. 22. t. 243.—Am. trop.  
*elaegnifolium*, Willd. ex Steud. Nom. ed. II. ii. 602 = obtusifolium.  
*elatum*, Link, Enum. Hort. Berol. i. 186.—Hab.?  
*elegans*, Dun. ex Poir. Encyc. Suppl. iii. 769 = cinereum.  
*elegans*, Vell. Fl. Flum. 83; ii. t. 95 = Cyphomandra Velloziana.  
*ellipticum*, R. Br. Prod. 446.—Austral.  
*ellipticum*, Vell. Fl. Flum. 84; ii. t. 100 = Cyphomandra elliptica.  
*elongatum*, Hort. ex Roem. & Schult. Syst. iv. 611 = virgatum.  
*Endlicheri*, Dun. in DC. Prod. xiii. i. 67.—Peruv.  
*enneodonton*, Delile, ex Dun. l. c. 257 = robustum.  
*enoplocalyx*, Dun. l. c. 222.—Peruv.  
*ensifolium*, Dun. l. c. 186.—Mexic.  
*eremanthum*, Dun. l. c. 129.—Bras.  
*eremophilum*, F. Muell. in Linnaea, xxv. (1852) 432.—Austral.  
*erianthum*, D. Don, Prod. Fl. Nep. 96 = verbascifolium.  
*ericalyx*, Dun. Hist. Solan. 237.—N. Granat.  
*ericalyx*, Dun. in DC. Prod. xiii. i. 124 = trichocalyx.  
*eriocarpum*, Dun. l. c. 131 = gnaphalocarpum.  
*eriphorum*, Dun. l. c. 249 = barbisetum.  
*eriphyllum*, Dun. Solan. Syn. 30 = lasiophyllum, Dun.  
*erosum*, Heurck & Muell. Arg. in Heurck, Obs. Bot. 83 = indicum.  
*erysimifolium*, Delile, in Rochet, Sec. Voy. Choa, 342.—Abyss.  
*erythracanthum*, Boj. ex Dun. in DC. Prod. xiii. i. 201.—Madag.  
*erythraeum*, Dun. Hist. Solan. 238 = nigrum.  
*erythrocarpon*, G. F. W. Mey. Prim. Fl. Esseq. 109 = nigrum.  
*Eschweillerianum*, Zipp. ex Miq. Fl. Ind. Bat. ii. 642 = Blumei.  
*esculentum*, Drège, ex Dun. in DC. Prod. xiii. i. 367 = subexarmatum.  
*esculentum*, Dun. Hist. Solan. 208. t. 3 = S. Melongena.  
*esculentum*, Neck. Delic. Gallo-Belg. i. 119 = tuberosum.  
*Esenbeckii*, Steud. Nom. ed. II. ii. 602 = pubescens.  
*esuriale*, Lindl. in Mitch. Three Exped. ii. 43.—Austral.  
*etuberosum*, Lindl. Bot. Reg. t. 1712.—Chili.  
*euacanthum*, Phil. Sert. Mendoc. Alt. 37.—Chili.  
*euracanthum*, Dun. in DC. Prod. xiii. i. 257 = robustum.  
*evonymoides*, Remy, in C. Gay, Fl. Chil. v. 81.—Chili.  
*evonymoides*, Sendt. in Flora, xxiv. (1841) II. Beibl. 87.—Bras.  
*exasperatum*, Drège, ex Dun. in DC. Prod. xiii. i. 104.—Afr. austr.

## SOLANUM:—

- excelsum, *A. St. Hil. Voy. Distr. Diam.* i. 104.—Bras.  
 excelsum, Salisb. *Prod.* 133 = bonariense.  
 extraaxillare, *Klotzsch, in Schomb. Faun. Fl. Brit. Gui.* 1154, nomen.—Guian.  
 farinosum, Wall. *Cat. n.* 2610 = giganteum.  
 fasciatum, Roem. & Schult. *Syst.* iv. 664; Steud. *Nom.* ed. II. ii. 602, sphalm. = fuscum, *Roem. & Schult. ? fasciculatum*, Mart. in *Flora*, xxi. (1838) Beibl. II. 81 = Bassovia lucida.  
 fasciculatum, F. Muell. *Fragm.* i. 123 = simile.  
 fasciculatum, Vell. *Fl. Flum.* 85; ii. t. 106 = Bassovia fasciculata.  
 fastigiatum, Willd. *Enum. Hort. Berol.* 235.—Mexic.  
 Fendleri, A. Gray, in *Am. Journ. Sc. Ser. II.* xxii. (1856) 285 = tuberosum.  
 Fendleri, Heurck & Muell. *Arg. in Heurck, Obs. Bot.* 130.—Panama.  
 fernandezianum, Phil. in *Linnaea*, xxix. (1857-58) 23.—Chili.  
 ferocissimum, Lindl. in *Mitch. Three Exped.* ii. 58.—Austral.  
 ferox, Burm. f. *Fl. Ind.* 56 = xanthocarpum?  
 ferox, Jungh. ex Miq. *Fl. Ind. Bat.* ii. 650 = indicum.  
 ferox, Linn. *Sp. Pl.* ed. II. 267.—As. trop.  
 ferox, Mill. ex Dun. in *DC. Prod.* xiii. i. 299 = tomentosum.  
 ferrugineum, Jacq. *Hort. Schoenb.* iii. 46. t. 334 = torvum.  
 Feuillei, Dun. in *DC. Prod.* xiii. i. 70.—Chili.  
 ficifolium, Ortega, *Hort. Matr.* Dec. 116 = torvum.  
 ficifolium, Pav. ex Dun. in *DC. Prod.* xiii. i. 350 = Zuccagnianum.  
 Fieldingi, Moric. ex Dun. l. c. 188.—Bras.  
 filiforme, Pav. ex Dun. l. c. 431 = Saracha alata.  
 filiforme, Ruiz & Pav. *Fl. Per.* ii. 31. t. 159.—Peruv.  
 filipes, Dun. in *DC. Prod.* xiii. i. 138 = rivulare.  
 fistulosum, Dun. ex Poir. *Encyc. Suppl.* iii. 749 = nigrum.  
 flaccidum, Vell. *Fl. Flum.* 87; ii. t. 115.—Bras.  
 flagellare, Sendt. in *Mart. Fl. Bras.* x. 68.—Bras.  
 flagelliferum, Baker, in *Journ. Linn. Soc.* xx. (1883) 213.—Madag.  
 flammans, Tenore, *Sem. Ort. Bot. Nap.* (1839) 12; et in *Ann. Sc. Nat. Sér. II.* xiii. (1840) 381 = inaequale.  
 flavesces, Dun. *Solan. Syn.* 42 = hirtum.  
 flavidum, Torr. in *Ann. Lyc. N. York*, ii. (1828) 227 = elaeagnifolium.  
 flavum, Kit. in Schult. *Oestr. Fl. ed. II.* ii. 394 = nigrum.  
 flexicaule, Benth. *Bot. Voy. Sulph.* 141.—Am. austr.  
 flexuosum, Banks, ex Dun. in *DC. Prod.* xiii. i. 170 = retrofractum.  
 flexuosum, Heyne, ex Nees, in *Trans. Linn. Soc.* xvii. (1834) 42 = bigeminatum.  
 flexuosum, Pav. ex Dun. in *DC. Prod.* xiii. i. 173 = campylocladum.  
 flexuosum, Vahl, *Eclog. Am.* i. 22 = lanceaefolium.  
 flexuosum, Willd. ex Roem. & Schult. *Syst.* iv. 662.—Ins. S. Doming.  
 floccosum, Dun. in *DC. Prod.* xiii. i. 133 = pachimatum.  
 floccosum, Mart. & Gal. in *Bull. Acad. Brux.* xii. i. (1845) 141 = Hartwegi.  
 floccosum, Zipp. ex Span. in *Linnaea*, xv. (1841) 337, nomen.—Ins. Timor.  
 floribundum, Dun. in *DC. Prod.* xiii. i. 92 = congestiflorum.  
 floribundum, Sendt. in *Mart. Fl. Bras.* x. 63.—Bras.  
 floridanum, Shutt. ex Dun. in *DC. Prod.* xiii. i. 306 (sp. dub.).—Florida.  
 fluminense, Steud. *Nom.* ed. II. ii. 602 = Cyphomandra sciadostylis.  
 foetidum, H. B. & K. *Nov. Gen. et Sp.* iii. 33 = S. Caavurana.  
 foetidum, Rottb. in *Act. Lit. Univ. Hafn.* i. (1778) 287 = Rottboellianum.  
 foetidum, Ruiz & Pav. *Fl. Per.* ii. 39. t. 165. f. b.—Peruv.  
 foliosum, Link, in Buch, *Beschr. Canar. Ins.* 144 = Lycopersicum Humboldtii.  
 Fontanesianum, Dun. in *Poir. Encyc. Suppl.* iii. 777.—Bras.  
 Fontanesianum, Schrank, *Pl. Rar. Hort. Monac.* t. 18 = nigrum, tectum.  
 formosum, Humb. & Bonpl. ex Dun. *Solan. Syn.* 35.—Venezuela.  
 formosum, Weinm. *Cat. Hort. Dorpat.* (1810) 145 = sisymbriifolium.

## SOLANUM:—

- Forskälili, *Dun. Hist. Solan.* 237.—Arab.  
 Forsteri, Seem. in *Journ. Bot.* i. (1863) 207.—Ins. Pacif.  
 fossarum, Dun. in *DC. Prod.* xiii. i. 145.—Bras.  
 fragile, Wedd. *Chlor. And.* ii. 105 = atriplicifolium.  
 fragile, Wright, ex Griseb. *Cat. Pl. Cub.* 189.—Cuba.  
 fragrans, Hook. *Bot. Mag.* t. 3684 = Cyphomandra fragrans.  
 fraxinifolium, Dun. in *DC. Prod.* xiii. i. 39.—N. Granat.  
 fructu-tecto, Cav.  *Ic.* iv. 5 = tectum.  
 frutescens, A. Br. & Bouché, in *Ind. Sem. Hort. Berol.* (1853) App. 9.—Venezuela.  
 fruticosum, Mill. *Gard. Dict.* ed. VIII. n. 18 = bahamense.  
 fugax, Bert. ex Dun. in *DC. Prod.* xiii. i. 170 = sylvaticum.  
 fugax, Jacq. *Coll.* iv. 123.—Am. austr.  
 fulum, Schrank, ex Sendt. in *Mart. Fl. Bras.* x. 49.—Bras.  
 fulum, Hiern, ex Warm. in *Kjoeb. Vidensk. Meddel.* (1877-78) 49.—Bras.  
 furcatum, Dun. in *Poir. Encyc. Suppl.* iii. 750.—Peruv.  
 furfuraceum, R. Br. *Prod.* 446.—Austral.  
 fuscum, Linn. *Sp. Pl.* ed. II. 268.—Am. centr.; Ind. occ.  
 fuscum, Roem. & Schult. *Syst.* iv. 872 (Index).—Am. austr.  
 fuscum, Heyne, ex Wall. *Cat. n.* 2622 B = trilobatum.  
 galeatum, André, in *Rev. Hort.* (1862) 331.—Austral.  
 Galeotti, Dun. in *DC. Prod.* xiii. i. 82.—Mexic.  
 Gardneri, Sendt. in *Mart. Fl. Bras.* x. 69.—Bras.  
 Gaudichaudi, Dun. in *DC. Prod.* xiii. i. 60.—Chili.  
 Gayanum, Phil. f. *Cat. Pl. Vasc. Chil.* 228.—Chili.  
 gemellum, Mart. ex Sendt. in *Fl. Bras.* x. 28 = didymum.  
 geminatum, Vahl, *Eclog. Am.* i. 21.—Guian.  
 geminiflorum, Cham. & Schlecht. in *Linnaea*, v. (1830) 112 = Schlechtendalianum.  
 geminiflorum, Drège, ex Dun. in *DC. Prod.* xiii. i. 289 = didymanthum.  
 geminiflorum, Mart. & Gal. in *Bull. Acad. Brux.* xii. i. (1845) 142.—Mexic.  
 geminifolium, Schlecht. in *Linnaea*, viii. (1833) 255 = Schlechtendalianum.  
 geminifolium, Thonn. in *Schum. & Thonn. Beskr. Guin.* Pl. 121.—Afr. trop.  
 geniculatum, Drège, ex Dun. in *DC. Prod.* xiii. i. 105.—Afr. austr.  
 genistoides, Dun. l. c. 85 = umbelliferum.  
 Germaini, Phil. in *Linnaea*, xxix. (1857-58) 23.—Chili.  
 giftbergense, Dun. in *DC. Prod.* xiii. i. 288.—Afr. austr.  
 giganteum, Jacq. *Coll.* iv. 125.—Ind. or.  
 Gilo, Raddi, in *Mem. Soc. Ital. Moden.* xviii. *Fis.* (1820) 410.—Bras.  
 Gilo, Requier, ex Dun. in *DC. Prod.* xiii. i. 360 = integrifolium.  
 glabellum, Dun. l. c. 142 = indigoferum.  
 glaberrimum, Dun. in *Poir. Encyc. Suppl.* iii. 747 = aviculare.  
 glabratum, Dun. *Solan. Syn.* 49.—Arabia.  
 glabrescens, Schrank, ex Sendt. in *Mart. Fl. Bras.* x. 39 = rufescens.  
 glabrum, Dun. in *DC. Prod.* xiii. i. 102.—Mexic.  
 glandulosum, Banks, ex Dun. in *DC. Prod.* xiii. i. 166 = guianense, Dun.  
 glandulosum, Ruiz & Pav. *Fl. Per.* ii. 35. t. 167.—Peruv.  
 glandulosum, Sendt. in *Mart. Fl. Bras.* x. 52 = japurense.  
 glaucescens, Bacle, ex Dun. in *DC. Prod.* xiii. i. 100 = glaucum.  
 glaucescens, Zuccar. in *Abh. Akad. Muench.* ii. (1831-36) 325.—Mexic.  
 glaucophyllum, Desf. *Cat. Pl. Hort. Par.* ed. III. 396 = glaucum.  
 glaucum, Dun. in *DC. Prod.* xiii. i. 100; Bertol. *Misc. Bot.* xii. 46.—Bras.  
 Glaziovii, Hiern, in *Kjoeb. Vidensk. Meddel.* (1877-78) 47.—Bras.  
 globiferum, Dun. in *DC. Prod.* xiii. i. 251.—Ins. Martinic.  
 glomuliflorum, Sendt. in *Mart. Fl. Bras.* x. 24.—Bras.

## SOLANUM:—

- glutinosum, Dun. in *Poir. Encyc. Suppl.* iii. 79.—Mexic.  
 gnaphalocarpum, Vell. *Fl. Flum.* 82; ii. t. 91.—Bras.  
 gnaphaloides, Pers. *Syn.* i. 223.—Peruv.  
 gomphodes, Dun. in *DC. Prod.* xiii. i. 339.—Bras.  
 gomphoidellum, Moric. ex Dun. l. c. 215.—Bras.  
 gonocladum, Dun. l. c. 93.—Bolivia.  
 gossypinum, Dun. l. c. 208.—Bras.  
 Gouakai, Dun. l. c. 177 = denticulatum.  
 Goudoti, Dun. l. c. 158.—Peruv.  
 gracile, Moric. ex Dun. l. c. 238 = litocladum.  
 gracile, Otto, ex W. Baxt. in *Loud. Hort. Brit. Suppl.* ii. 673; Dun. l. c. 54.—Am. trop.  
 gracile, Sendt. in *Mart. Fl. Bras.* x. 13 = Endlicheri.  
 graciliflorum, Dun. ex Poir. *Encyc. Suppl.* iii. 763.—Java.  
 gracilipes, Decne. in *Jacquem. Voy. Bot.* 113. t. 119.—Ind. bor. occ.  
 gracillimum, Sendt. in *Mart. Fl. Bras.* x. 36.—Bras.  
 grandiflorum, Desf. *Hist. Arb.* i. 169 = macrophyllum.  
 grandiflorum, Hort. ex Steud. *Nom.* ed. I. 791 = bonariense.  
 grandiflorum, Ruiz & Pav. *Fl. Per.* ii. 35. t. 168.—Peruv.  
 grandiflorum, Sieber, ex Dun. in *DC. Prod.* xiii. i. 325 = Richardi.  
 grandiflorum, Vahl, ex Dun. l. c. 313 = dasyphyllum.  
 granuloso-leprosum, Dun. l. c. 115.—Mexic.  
 graveolens, Bunbury, in *Proc. Linn. Soc.* i. (1841) 110.—Bras.  
 greviaefolium, Dun. in *DC. Prod.* xiii. i. 119.—Bras.  
 grossedentatum, A. Rich. *Tent. Fl. Abyss.* ii. 101.—Abyss.  
 guaraniticum, A. St. Hil. in *Mém. Mus. Par.* xii. (1825) 321.—Bras.  
 guianense, Dun. in *DC. Prod.* xiii. i. 166.—Guian.  
 guianense, Klotzsch, in *Schomb. Faun. Fl. Brit. Gui.* 1154, nomen.—Guian.  
 guineense, Hill, *Veg. Syst.* ix. 34, sphalm. = guineense, Linn.  
 guineense, Lam. *Illustr.* ii. 18 = nigrum.  
 guineense, Linn. *Sp. Pl.* 184 = aggregatum.  
 Gula, Buch.-Ham. in *Trans. Linn. Soc.* xiv. (1825) 267 = xanthocarpum.  
 Gussonei, Dun. in *DC. Prod.* xiii. i. 380 = cestrophyllum?  
 haematocladum, Dun. l. c. 230.—Bolivia.  
 hainanense, Hance, in *Journ. Bot.* vi. (1868) 331.—China.  
 haitense, Dun. in *DC. Prod.* xiii. i. 167.—Ins. S. Doming.  
 Hartwegi, Benth. *Pl. Hartw.* 68.—Mexic.  
 hastatum, Mart. ex Sendt. in *Mart. Fl. Bras.* x. 61.—Bras.  
 hastifolium, Hochst. ex Dun. in *DC. Prod.* xiii. i. 284.—Afr. trop.  
 havanense, Jacq. *Enum. Pl. Carib.* 15; Linn. *Mant.* i. 47.—Am. trop.  
 havanense, Vell. *Fl. Flum.* 82; ii. t. 94.—Bras.  
 hebecarpum, Salz. ex Sendt. in *Fl. Bras.* x. 41.—Bras.  
 hebephorum, Humb. & Bonpl. ex Dun. *Solan. Syn.* 7.—Peruv.  
 hedjazense, Dun. in *DC. Prod.* xiii. i. 292.—Arab.  
 heliotropiifolium, Dun. l. c. 117 = Sellovianum.  
 hendecandraefolium, Klotzsch, in *Schomb. Faun. Fl. Brit. Gui.* 1154, nomen.—Guian.  
 Herbertianum, Paxt. *Mag. Bot.* v. (1838) 269.—Hab.?  
 Hermannii, Dun. *Hist. Solan.* 212 = sodeum.  
 Hernandesii, Dun. in *Poir. Encyc. Suppl.* iii. 771.—Mexic.  
 heteracanthum, Dun. l. c. 773 = S. Melongena.  
 heterandrum, Juss. in *Ann. Mus. Par.* iii. (1804) 120, in textu = cornutum.  
 heterandrum, Pursh, *Fl. Am. Sept.* i. 156; ii. 731. t. 7.—Am. bor.  
 Heteranthera, Willd. ex Roem. & Schult. *Syst.* iv. 663 = cotopaxense.  
 heteroclitum, Sendt. in *Flora*, xxix. (1846) 193.—Guatemala.  
 heterodoxum, Andrieux, ex Dun. in *DC. Prod.* xiii. i. 330 = chrysacanthum.  
 heterodoxum, Dun. *Hist. Solan.* 235. t. 25.—Mexic.  
 heterogonum, Hort. ex Dun. in *DC. Prod.* xiii. i. 52 = nigrum.  
 heteromorphum, Dun. l. c. 80.—Bras.  
 heterophyllum, Balb. ex Dun. l. c. 260 = torvum.

**SOLANUM** :—

*heterophyllum*, Lam. Illustr. ii. 22 = *S. Juripeba*.  
*heterophyllum*, Willd. ex Roem. & Schult. Syst. iv. 664 = *Cyphomandra caracasana*.  
*heterotricum*, Dun. Hist. Solan. 192. t. 20 = *jamai-cense*.  
*Heudeloti*, Dun. in DC. Prod. xiii. i. 205.—Afr. trop.  
*hexandrum*, Steud. Nom. ed. II. i. 87, sphalm. = *rostratum*.  
*hexandrum*, Vell. Fl. Flum. 88; ii. t. 122 = *maroniense*.  
*Heynii*, Roem. & Schult. Syst. iv. 669 = *indicum*.  
*hierochunticum*, Dun. in DC. Prod. xiii. i. 369 = *incanum*.  
*Hildebrandtii*, A. Br. & Bouché, Ind. Sem. Hort. Berol. (1874) 8.—Afr. trop.  
*himalense*, Dun. in DC. Prod. xiii. i. 300 = *indicum*.  
*Hindsianum*, Benth. Bot. Voy. Sulph. 39 = *elaeagni-folium*.  
*hirsutum*, Balb. ex Dun. in DC. Prod. xiii. i. 198 = *cordifolium*.  
*hirsutum*, Dun. Hist. Solan. 158 = *nigrum*.  
*hirsutum*, Herb. Peurari, ex Dun. in DC. Prod. xiii. i. 252 = *stramonifolium*.  
*hirsutum*, Nutt. in Journ. Acad. Philad. vii. (1834) 109 = *carolinense*.  
*hirsutum*, Roxb. Hort. Beng. 17; Fl. Ind. i. 571 = *ferox*.  
*hirtulum*, Steud. ex Dun. in DC. Prod. xiii. i. 44.—*Abyss.*  
*hirtum*, Vahl, Symb. Bot. ii. 40.—Ins. Trinitat.  
*hispidum*, Pers. Syn. i. 228.—Peruv.  
*Hoffmanseggii*, Sendt. in Mart. Fl. Bras. x. 112.—*Bras.*  
*Hohenackeri*, Heurck & Muell. Arg. in Heurck, Obs. Bot. 87 = *Wightii*.  
*Hookerianum*, Spreng. f. Tent. Suppl. Syst. 9 = *havanense*, Jacq.  
*horridissimum*, Hort. Par. ex Sendt. in Mart. Fl. Bras. x. 59 = *aculeatissimum*, Jacq.  
*horridum*, Dun. in Poir. Encyc. Suppl. iii. 763.—*Austral.*; *Timor*.  
*horridum*, Salisb. Prod. 134 = *aculeatis-imum*, Jacq.  
*Hostmanni*, Dun. in DC. Prod. xiii. i. 184.—*Guian.*  
*Houstonii*, Dun. Hist. Solan. 243.—*Mexic.*  
*Hovei*, Dun. in DC. Prod. xiii. i. 311.—*Ind. or.*  
*Humboldtii*, Dun. l. c. 216.—*Mexic.*  
*Humboldtii*, Willd. Hort. Berol. i. 27 = *Lycopersicum esculentum*.  
*humifusum*, Dun. in DC. Prod. xiii. i. 237.—*Bras.*  
*humile*, Bernh. ex Willd. Enum. Hort. Berol. 236 = *nigrum*.  
*humile*, Lam. Illustr. ii. 23 = *rigescens*.  
*humile*, Salisb. Prod. 134 = *nigrum*.  
*hybridum*, Dun. ex Griseb. Fl. Brit. W. Ind. 441 = *inclusum*.  
*hybridum*, Jacq. Hort. Vindob. ii. 51. t. 113.—*Afr. trop.*  
*hyemale*, Salisb. Prod. 133 = *S. Pseudo-capsicum*.  
*hygrophilum*, Schlecht. in Linnaea, viii. (1833) 254.—*Mexic.*  
*hyporhodium*, A. Br. & Bouché, in Ind. Sem. Hort. Berol. (1853) App. 10.—*Austral.*  
*hystricinum*, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 135 = *seq.*  
*Hystrix*, R. Br. Prod. 446.—*Austral.*  
*Hystrix*, Dun. in DC. Prod. xiii. i. 295 = *armatum*.  
*igneum*, Linn. Sp. Pl. ed. II. 270.—*Ind. occ.*  
*ilicifolium*, Dun. in DC. Prod. xiii. i. 190.—*Bras.*  
*imamense*, Dun. l. c. 85.—*Madag.*  
*immane*, Hance, ex Walp. Ann. iii. 165 = *ferox*.  
*immitte*, Dun. in DC. Prod. xiii. i. 32 = *tuberosum*.  
*impediens*, Weinm. in Syll. Ratisb. ii. (1828) 162.—*Bras.*  
*inaequale*, Hornem. Suppl. Hort. Hafn. 26.—*Hab. ?*  
*inaequale*, Presl, Bot. Bemerk. 101 = *lanceaefolium*.  
*inaequale*, Vell. Fl. Flum. 87; ii. t. 116.—*Bras.*  
*inamoenum*, Benth. in Hook. Lond. Journ. Bot. ii. (1843) 228 = *tetrandrum*.  
*incanum*, Kit. ex Schult. Oestr. Fl. ed. II. i. 395 = *nigrum*.  
*incanum*, Linn. Sp. Pl. 188; Forsk. Fl. Aegypt. Arab. 45.—*Afr. occ.*; *As. or.*  
*incanum*, Pav. ex Dun. in DC. Prod. xiii. i. 369 = *pyriforme*.  
*incanum*, Ruiz & Pav. Fl. Per. ii. 40 = *albidum*.  
*incanum*, Scheff. in Ann. Jard. Ruitenz. i. (1876) 39.—*N. Guin.*

**SOLANUM** :—

*incarceratum*, Ruiz & Pav. Fl. Per. ii. 40. t. 176.—*Am. trop.*  
*incertum*, Dun. Hist. Solan. 155 = *nigrum*.  
*incisum*, Griseb. in Goett. Abh. xxiv. (1879) 251.—*Reg. Argent.*  
*inclusum*, Griseb. Fl. Brit. W. Ind. 441.—*Ind. occ.*  
*incompletum*, Dun. in DC. Prod. xiii. i. 311.—*Ins. Pacif.*  
*incurvum*, Ruiz & Pav. Fl. Per. ii. 34. t. 164.—*Peruv.*  
*indecum*, A. Rich. Fl. Cub. Fanerog. ii. 121.—*Cuba.*  
*indicum*, Linn. Sp. Pl. 187.—*Reg. trop.*  
*indicum*, Roxb. Hort. Beng. 17; Fl. Ind. i. 570 = *S. Melongena*.  
*indigoferum*, A. St. Hil. in Mer. & De Lens, Dict. Mat. Méd. vi. 416.—*Bras.*  
*inflatum*, Hornem. Hort. Hafn. i. 221 = *sisymbri-folium*.  
*inodorum*, Vell. Fl. Flum. 85; ii. t. 107.—*Bras.*  
*inops*, Dun. in DC. Prod. xiii. i. 55.—*Mexic.*  
*insanum*, J. B. Fisch. Livl. 202; ex Ledeb. Fl. Ross. iii. 189 (Quid ?)—*Ross.*  
*insanum*, Linn. Mant. i. 46 = *S. Melongena*.  
*insidiosum*, Mart. in Flora, xxi. (1838) II. Beibl. 79.—*Bras.*  
*insigne*, Lowe, in Journ. Hort. Soc. N. S. i. (1866) 178; Man. Fl. Mad. ii. 84.—*Ins. Mader.*  
*insulanum*, Dun. in DC. Prod. xiii. i. 373.—*Ins. S. Doming.*  
*integerrimum*, Dun. Hist. Solan. 236.—*Bras.*  
*integrifolium*, Poir. in Lam. Encyc. iv. 301.—*As. et Afr.*  
*intermedium*, Dun. in DC. Prod. xiii. i. 311 = *Hovei*.  
*intermedium*, Sendt. in Mart. Fl. Bras. x. 22.—*Bras.*  
*involutum*, Blume, Bijdr. 701.—*Malaya*  
*involutum*, Kurz, For. Fl. Brit. Burm. ii. 224 = *barbisetum*.  
*iodotrichum*, Heurck & Muell. Arg. in Heurck, Obs. Bot. 81.—*Bolivia.*  
*Ipomoea*, Sendt. in Mart. Fl. Bras. x. 50.—*Bras.*  
*ipomoeum*, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 135 = *praeac.*  
*Isabelli*, Dun. in DC. Prod. xiii. i. 153.—*Reg. Argent.*  
*isodynamum*, Sendt. in Mart. Fl. Bras. x. 33.—*Bras.*  
*Izquierdi*, Phil. in Anal. Univ. Chil. (1873) 522.—*Chili.*  
*Jacquemonti*, Dun. in DC. Prod. xiii. i. 287 = *gracilipes*.  
*Jacquinii*, Miq. Fl. Ind. Bat. ii. 651 = *sarmentosum*.  
*Jacquinii*, Willd. Sp. Pl. i. 1041 = *xanthocarpum*.  
*jamaicense*, Mill. Gard. Dict. ed. VIII. 17; Sw. Fl. Ind. Occ. i. 454.—*Am. trop.*  
*Jamesii*, Torr. in Ann. Lyc. N. York, ii. (1828) 227.—*Am. bor. occ.*  
*japonicum*, Hort. ex Carr. in Rev. Hort. (1868) 420 = *Rantonnetii*.  
*japurense*, Dun. in DC. Prod. xiii. i. 174.—*Bras.*  
*jasminifolium*, Sendt. in Mart. Fl. Bras. x. 13.—*Bras.*  
*jasminoides*, Paxt. Mag. Bot. viii. (1841) t. 5.—*Bras.*  
*jatrophaefolium*, Dun. in DC. Prod. xiii. i. 246.—*Bras.*  
*javanicum*, Dun. l. c. 176 = *biflorum*.  
*javitense*, H. B. & K. Nov. Gen. et Sp. iii. 42 = *monachophyllum*.  
*jubatum*, Dun. in DC. Prod. xiii. i. 182 = *cernuum*.  
*jubatum*, Willd. ex Roem. & Schult. Syst. iv. 669 = *cyananthum*.  
*Jubeba*, Vell. Fl. Flum. 89; ii. t. 124 = *paniculatum*, *insidiosum*.  
*Juciri*, Mart. ex Sendt. in Mart. Fl. Bras. x. 110 = *alternato-pinnatum*.  
*judaicum*, Bess. Fl. Galic. i. 183 = *nigrum*.  
*judaicum*, Hackel, ex Dun. in DC. Prod. xiii. i. 53 = *Tauschii*.  
*juglandifolium*, Humb. & Bonpl. ex Dun. Solan. Syn. 6.—*N. Granat.*  
*julocrotonoides*, Klotzsch, ex Schomb. Faun. Fl. Brit. Gui. 1154, nomen.—*Guian.*  
*Junghuhnii*, Miq. Fl. Ind. Bat. ii. 649 = *indicum*.  
*Juripeba*, Rich. in Act. Soc. Hist. Nat. Par. i. (1792) 107.—*Am. trop.*  
*Juripeba*, Vell. ex Steud. Nom. ed. II. ii. 603 = *pycnanthemum*.  
*Jussiaei*, Dun. in Poir. Encyc. Suppl. iii. 767.—*Bras.*  
*kaitisis*, Dun. in DC. Prod. xiii. i. 157.—*Ind. or.*

**SOLANUM** :—

*Karstenii*, A. Br. & Bouché, Ind. Sem. Hort. Berol. (1853) App. 10.—*Venezuela.*  
*Karstenii*, Dun. in DC. Prod. xiii. i. 151.—*N. Granat.*  
*khasianum*, C. B. Clarke, in Hook. f. Fl. Brit. Ind. iv. 234.—*Reg. Himal.*  
*Kieseritzkii*, C. A. Mey. Verz. Pfl. Cauc. 113.—*Reg. Cauc.*  
*Kitaibeli*, Schult. Oestr. Fl. ed. II. i. 395 = *nigrum*.  
*Krauseanum*, Phil. in Linnaea, xxxiii. (1864-65) 204.—*Chili.*  
*Kraussianum*, Buching. ex Krauss, in Flora, xxvii. (1844) 831 = *nigrum*.  
*laciniatum*, Ait. Hort. Kew. ed. I. i. 247 = *aviculare*.  
*laciniatum*, Ruiz & Pav. Fl. Per. ii. 40 = *nemorense*.  
*lacteum*, Vell. Fl. Flum. 82; ii. t. 93.—*Bras.*  
*lacunarium*, F. Muell. in Trans. Phil. Soc. Vict. i. (1855) 18.—*Austral.*  
*laetum*, Kunze, in Linnaea, xvi. (1842) 315.—*Hab. ?*  
*laetum*, Miq. Stirp. Surin. Sel. 135.—*Guian.*  
*laeve*, Dun. ex Poir. Encyc. Suppl. iii. 751.—*Ind. or.*  
*laevigatum*, H. B. & K. Nov. Gen. et Sp. iii. 32 = *levigatum*.  
*lagenarium*, Dun. in DC. Prod. xiii. i. 368.—*Hab. ?*  
*Lalandi*, Dun. l. c. 210.—*Bras.*  
*Lamberti*, Dun. l. c. 263.—*Mexic.*  
*lanaevestium*, Dun. l. c. 273.—*Bras.*  
*lanatum*, Dun. Hist. Solan. 205.—*Peruv.*  
*lanceaefolium*, Jacq. Coll. ii. 286.—*Am. trop.*  
*lanceaefolium*, Salisb. Prod. 134 = *bahamense*.  
*lanceolatum*, Cav. Ic. iii. 23. t. 245.—*Mexic.*  
*lanceolatum*, Ruiz & Pav. Fl. Per. ii. 33 = *patulum*.  
*Landbecki*, Phil. in Linnaea, xxxiii. (1864-65) 204.—*Chili.*  
*laniflorum*, Sendt. in Mart. Fl. Bras. x. 69.—*Bras.*  
*lanigerum*, Dun. in DC. Prod. xiii. i. 273.—*Bras.*  
*Lantana*, Sendt. in Mart. Fl. Bras. x. 36.—*Bras.*  
*lantatum*, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 135 = *praeac.*  
*lanuginosum*, Humb. & Bonpl. ex Dun. Solan. Syn. 25.—*Ecuador.*  
*lasiantherum*, Heurck & Muell. Arg. in Heurck, Obs. Bot. 48.—*Peruv.*  
*lasianthum*, Dun. in DC. Prod. xiii. i. 204.—*N. Granat.*  
*lasiocarpum*, Dun. Hist. Solan. 222; Blume, Bijdr. 701 = *ferox*.  
*lasiophyllum*, Dun. in Poir. Encyc. Suppl. iii. 764.—*Austral.*  
*lasiophyllum*, Humb. & Bonpl. ex Dun. Solan. Syn. 25.—*N. Granat.*  
*lasiopodium*, Dun. in DC. Prod. xiii. i. 679.—*N. Granat.*  
*latiflorum*, Dun. l. c. 388 = *Cyphomandra calycina*.  
*latifolium*, Dun. l. c. 353 = *repandum*.  
*latifolium*, Poir. in Lam. Encyc. iv. 303.—*Am. austr.*  
*laurifolium*, Deless. ex Dun. in DC. Prod. xiii. i. 80 = *domingense*.  
*laurifolium*, Dun. Hist. Solan. 165. t. 8 = *Riedlei*.  
*laurifolium*, Hort. ex Dun. in DC. Prod. xiii. i. 373 = *Linkii*.  
*laurifolium*, Linn. f. Suppl. 148.—*Am. austr.*  
*laurifolium*, Mill. Gard. Dict. ed. VIII. n. 20 = *subinerme*.  
*laurifolium*, Sieber, ex Dun. in DC. Prod. xiii. i. 115 = *verbascifolium*.  
*laurinum*, Burm. f. Fl. Cap. Prod. 5.—*Afr. austr.*  
*laurinum*, Dun. in DC. Prod. xiii. i. 154.—*Bras.*  
*laxiflorum*, Dun. l. c. 234 = *viridipes*.  
*laxiflorum*, Sendt. in Mart. Fl. Bras. x. 21.—*Bras.*  
*laxum*, Dun. in DC. Prod. xiii. i. 124 = *megalochiton*.  
*laxum*, Royle, Illustr. Bot. Himal. 279 = *S. Dulcamara*.  
*laxum*, Spreng. Syst. i. 684.—*Reg. Argent.*  
*Leiboldianum*, Dun. in DC. Prod. xiii. i. 314 = *vellereum*.  
*leiophyllum*, Benth. Pl. Hartw. 146.—*Peruv.*  
*leiophyllum*, Dun. in DC. Prod. xiii. i. 141 = *inaequale*.  
*lentum*, Cav. Ic. iv. 4. t. 308.—*Am. trop.*  
*lentum*, Kunth, ex Dun. in DC. Prod. xiii. i. 173 = *campylocladum*.  
*leontopodium*, Sendt. in Mart. Fl. Bras. x. 38.—*Bras.*  
*lepidotum*, Humb. & Bonpl. ex Dun. Solan. Syn. 17.—*N. Granat.*  
*leprosum*, Ortega, Hort. Matr. Dec. 115 = *elaeagni-folium*.  
*leptanthum*, Dun. ex Poir. Encyc. Suppl. iii. 747.—*Am. trop.*  
*leptocaulon*, Heurck & Muell. Arg. in Heurck, Obs. Bot. 40.—*Bolivia.*

**SOLANUM:—**

*leptophyllum*, F. Muell. *Fragm.* ii. 164 = *parvifolium*.  
*leptopodium*, Dun. in DC. *Prod.* xiii. i. 411 = *Bassovia leptopoda*.  
*leptopodium*, Heurck & Muell. *Arg. in Heurck, Obs. Bot.* 57.—Peruv.  
*leptostachys*, Dun. in DC. *Prod.* xiii. i. 306.—Bras.  
*leucocarpon*, Dun. in Poir. *Encyc. Suppl.* iii. 756.—Am. trop.  
*leucodendron*, Sendt. in Mart. *Fl. Bras.* x. 43.—Bras.  
*leucophaeum*, Dun. in DC. *Prod.* xiii. i. 290.—Afr. austr.  
*leucophyllum*, Dun. l. c. 126 = *leontopodium*.  
*leucosporum*, Dun. l. c. 99.—Guian.  
*levigatum*, Dun. *Solan. Syn.* 20 = *triste*.  
*Leycesterianum*, Savi, ex Delile, *Hort. Monsp. Ic. Pict.* vii. t. 682.—Mexic.  
*Lhotskianum*, Dun. in DC. *Prod.* xiii. i. 248.—Bras.  
*Lichtensteinii*, Willd. *Enum. Hort. Berol.* 238.—Afr. austr.  
*Ligustrinum*, Lodd. *Bot. Cab.* t. 1963 = *crispum*.  
*Lima*, Banks, ex Dun. in DC. *Prod.* xiii. i. 107 = *S. Radula*.  
*Lindheimerianum*, Scheele, in *Linnaea*, xxi. (1848) 766 = *triquetrum*.  
*lineatum*, Ruiz & Pav. *Fl. Per.* ii. 31.—Peruv.  
*linifolium*, Dun. in DC. *Prod.* xiii. i. 152 = *spissifolium*.  
*Linkianum*, Roem. & Schult. *Syst.* iv. 601.—Bras.  
*Linkii*, G. Don, *Gen. Syst.* iv. 408.—Hab.?  
*Linsecumii*, Buckl. in *Proc. Acad. Sc. Philad.* 1862 (1863) 6 = *Chamaesaracha sordida*.  
*lithophilum*, F. Muell. in *Linnaea*, xxv. (1852) 434 = *ellipticum*.  
*litocladum*, Dun. in DC. *Prod.* xiii. i. 238.—Bras.  
*littorale*, Raab, in *Flora*, ii. (1819) 414 = *S. Dulcamara*.  
*lividum*, Link, *Enum. Hort. Berol.* i. 188.—Madag.  
*lividum*, Willd. ex Dun. in DC. *Prod.* xiii. i. 310 = *indicum*.  
*Lobelii*, Tenore, Ind. Sem. *Hort. Neap.* (1851); et in Atti R. Ist. Incorr. Nap. viii. (1855) 328 = *integri-folium*.  
*longepedunculatum*, Bert. ex Dun. in DC. *Prod.* xiii. i. 171 = *retrofractum*.  
*longiflorum*, Vahl, *Eclog. Am.* i. 20.—Guian.  
*longifolium*, Dun. *Hist. Solan.* 163.—Hab.?  
*longifolium*, Pav. ex Dun. in DC. *Prod.* xiii. i. 186 = *ensifolium*.  
*longipes*, Dun. l. c. 85.—Afr. austr.  
*longum*, Roxb. *Hort. Beng.* 16; *Fl. Ind.* i. 567 = *S. Melongena*.  
*loxense*, Humb. & Bonpl. ex Dun. *Solan. Syn.* 16.—Ecuador.  
*lucidum*, Mart. & Gal. in *Bull. Acad. Brux.* xii. i. (1845) 137 = *brachystachys*.  
*lucidum*, Moric. Pl. Nouv. Am. 26. t. 18 = *Bassovia lucida*.  
*ludovicianum*, Rafin. *Fl. Ludov.* 45 (Quid?).—Am. bor.  
*Lundianum*, Dun. in DC. *Prod.* xiii. i. 270.—Bras.  
*luridum*, Dun. l. c. 88 = *flaccidum*.  
*luridum*, Pav. ex Dun. l. c. 113.—Mexic.  
*luridum*, Salisb. *Prod.* 134 = *Lycopersicum esculentum*.  
*lusanicum*, Dun. *Hist. Solan.* 238.—Lusitan.  
*luteiflorum*, Dun. in DC. *Prod.* xiii. i. 64 = *Physalis lobata*.  
*luteoalbum*, Pers. *Syn.* i. 221; Dun. *Hist. Solan.* 168.—Peruv.  
*luteoliflorum*, A. Gray, *Syn. Fl. N. Am.* ii. i. 233, sphalm. = *luteiflorum*.  
*luteo-virescens*, Dun. in DC. *Prod.* xiii. i. 238 = *arcuatum*.  
*luteo-virescens*, C. C. Gmel. *Fl. Bad.* iv. 177 = *nigrum*.  
*luteum*, Mill. *Gard. Dict.* ed. VIII. n. 3 = *nigrum*.  
*lycioides*, Domb. ex Dun. in DC. *Prod.* xiii. i. 162 = *Dombeyi*.  
*lycioides*, Linn. *Mant.* i. 46.—Peruv.  
*lycioides*, Ruiz & Pav. *Fl. Per.* ii. 41. t. 177 = *candicans*.  
*lyocarpum*, A. St. Hil. *Voy. Distr. Diam.* i. ii. 333.—Bras.  
*lycoctonum*, Hort. Panorm. ex Dun. in DC. *Prod.* xiii. i. 103 = *Cervantesii*.  
*lycopersicoides*, Dun. l. c. 38.—Bolivia.  
*Lycopersicum*, Blanco, *Fl. Filip.* ed. I. 134 = *Lycopersicum philippinarum*.  
*Lycopersicum*, Linn. *Sp. Pl.* 185 = *Lycopersicum esculentum*.

**SOLANUM:—**

*lyratum*, Thunb. *Fl. Jap.* 92 = *S. Dulcamara*.  
*lysimachioides*, Wall. in Roxb. *Fl. Ind.* ed. Carey, ii. 257.—Ind. or.  
*macaonense*, Dun. in DC. *Prod.* xiii. i. 264 = *torvum*.  
*Maccai*, Bert. ex Dun. l. c. 260 = *torvum*.  
*Maccai*, Dun. in Poir. *Encyc. Suppl.* iii. 771.—Guian.  
*macilentum*, A. Rich. *Tent. Fl. Abyss.* ii. 105.—Abyss.  
*macracanthum*, A. Rich. l. c. 106.—Abyss.  
*macranthemum*, Roem. & Schult. *Syst.* iv. 596, sphalm. = seq.  
*macrantherum*, Dun. *Solan. Syn.* 16.—Am. trop.  
*macranthum*, Bert. ex Dun. in DC. *Prod.* xiii. i. 167 = *haitense*.  
*macranthum*, Dun. *Solan. Syn.* 43.—Bras.  
*macranthum*, Hook. *Bot. Mag.* t. 4138 = *maroniense*.  
*macranthum*, Hort. ex Carr. in *Rev. Hortic.* (1867) 132, cum ic. = *Wrightii*.  
*macranthum*, Mart. & Gal. in *Bull. Acad. Brux.* xii. i. (1845) 143 = *porphyranthum*.  
*macrobotryon*, Dun. in DC. *Prod.* xiii. i. 277 = *pellicum*.  
*macrocalyx*, Dun. l. c. 337.—Bras.  
*macrocarpon*, Linn. *Mant.* ii. 205.—Ins. Mascar.  
*macrocarpon*, Molina, *Sagg. Chile*, ed. II. 282.—Chili.  
*macrocarpon*, Pav. ex Dun. in DC. *Prod.* xiii. i. 352 = *quitoense*.  
*macrodon*, Wall. *Cat. n.* 2621 = *pachypetalon*.  
*macronema*, Sendt. in Mart. *Fl. Bras.* x. 88.—Bras.  
*macrophyllum*, Hort. ex Dun. *Hist. Solan.* 199. t. 17.—Mexic.  
*macropus*, Dun. in DC. *Prod.* xiii. i. 134 = *bullatum*.  
*madagascariense*, Dun. l. c. 99.—Madag.  
*Maglia*, Schlecht. *Hort. Hal.* 6.—Chili.  
*magnifolium*, F. Muell. *Fragm.* vi. 27.—Austral.  
*malacoxylon*, Sendt. in Mart. *Fl. Bras.* x. 52.—Reg. Argent.  
*mammiforme*, Robin, *Voy. Louis.* iii. 398 (Quid?).—Am. bor.  
*mammosum*, Herb. ex Dun. in DC. *Prod.* xiii. i. 260 = *torvum*.  
*mammosum*, Linn. *Sp. Pl.* 187.—Am. trop.  
*mammosum*, Lour. *Fl. Cochinch.* 162 = *stramonifolium*.  
*mammosum*, Pav. ex Dun. in DC. *Prod.* xiii. i. 140 = *caudatum*.  
*Mandonis*, Heurck & Muell. *Arg. in Heurck, Obs. Bot.* 78.—Bolivia.  
*Manoelii*, Moric. Pl. Nouv. Am. 27 = *paniculatum*.  
*marginatum*, Linn. *f. Suppl.* 147.—Afr. trop.  
*Mariannae*, Dun. in DC. *Prod.* xiii. i. 307.—Bras.  
*maritimum*, Meyen, ex Nees, in *Nov. Act. Nat. Cur.* xix. *Suppl.* i. (1843) 384.—Chili.  
*maroniense*, Poit. in *Ann. Soc. Hort. Par.* vii. (1830) 155.—Bras.  
*Marsilianum*, Tenore, *Cat. Orto Bot. Nap.* (1845) 96 = *inaequale*.  
*Martensii*, Moric. Pl. Nouv. Am. 27 = *paniculatum*.  
*Martii*, Dun. l. c. 399 = *Cyphomandra Fraxinella*.  
*Martii*, Sendt. in Mart. *Fl. Bras.* x. 41.—Bras.  
*Martinisi*, Heurck & Muell. *Arg. in Heurck, Obs. Bot.* 73.—Peruv.  
*Martiusianum*, Steud. *Nom. ed. II.* ii. 604 = *aculeatissimum*, Jacq.  
*mauritanum*, Blanco, *Fl. Filip.* ed. I. 134 = *verbascifolium*.  
*mauritanum*, Scop. *Delic. Insub.* iii. 16 = *auriculatum*.  
*mauritanum*, Willd. ex Roth, *Nov. Sp. Pl.* 131 = *sisymbriifolium*.  
*megalochiton*, Mart. in *Flora*, xxi. (1838) II. *Beibl.* 63.—Bras.  
*megalochitonium*, St. Lag. in *Ann. Soc. Bot. Lyon*, vii. (1880) 135 = *praec.*  
*megalonychium*, St. Lag. l. c. 135 = seq.  
*megalonyx*, Sendt. in Mart. *Fl. Bras.* x. 92.—Bras.  
*melanandrum*, Moric. ex Dun. in DC. *Prod.* xiii. i. 241.—Bras.  
*melancholicum*, Salz. ex Dun. l. c. 200.—Bras.  
*melaniferum*, Moric. ex Dun. l. c. 43 = *muricatum*.  
*melanocarpum*, Dun. l. c. 355 = *S. Melongena*.  
*melanocarpum*, Hort. ex *Rev. Hortic.* (1877) 291 = *Wallisii*.  
*melanocerasum*, Willd. *Enum. Hort. Berol.* 237 = *nigrum*.  
*melanospermum*, F. Muell. *Fragm.* ii. 163.—Austral.

**SOLANUM:—**

*melanoxylon*, Link, *Enum. Hort. Berol.* i. 188.—Hab.?  
*Melongena*, Linn. *Sp. Pl.* 186.—Geront. trop.  
*Melongena*, Wall. *Cat. n.* 2628 = *sarmentosum*.  
*melongenium*, St. Lag. in *Ann. Soc. Bot. Lyon*, vii. (1880) 135 = *S. Melongena*.  
*membranaceum*, Thw. *Enum. Pl. Zeyl.* 216 = *bigeminatum*.  
*membranaceum*, Wall. *Cat. n.* 2625 = *laeve*.  
*membranaceum*, Wight, ex C. B. Clarke, in *Hook. f. Fl. Brit. Ind.* iv. 231 = *denticulatum*.  
*membranifolium*, Heurck & Muell. *Arg. in Heurck, Obs. Bot.* 77.—Hab.?  
*memphiticum*, J. F. Gmel. *Syst.* 385; Mart. *Hort. Erlang.* (1814) 63 = *nigrum*.  
*mendax*, Heurck & Muell. *Arg. in Heurck, Obs. Bot.* 61.—Peruv.  
*mendocianum*, Gill. ex Nees, in *Nov. Act. Nat. Cur.* xix. *Suppl.* i. (1843) 387 = *atriplicifolium*.  
*mendocianum*, Phil. in *Anal. Univ. Chil.* (1862) II. 403.—Chili.  
*Menziesii*, Dun. in DC. *Prod.* xiii. i. 159.—Calif.  
*metrobotryon*, Dun. l. c. 276.—Bras.  
*mexicanum*, Dun. ex Poir. *Encyc. Suppl.* iii. 770.—Mexic.  
*mexicanum*, Hill, *Veg. Syst.* ix. 39 = *modestum*?  
*mexicanum*, Willd. ex Roem. & Schult. *Syst.* iv. 663 = *modestum*.  
*micracanthos*, Lam. *Illustr.* ii. 24.—Am. trop.  
*micranthum*, D. Dietr. *Syn. Pl.* i. 710 = *micracanthos*.  
*micranthum*, Hort. Monsp. ex Dun. in DC. *Prod.* xiii. i. 430 = *Saracha Zuccagniana*.  
*micranthum*, Willd. ex Roem. & Schult. *Syst.* iv. 663 = *triste*.  
*microcalyx*, Klotzsch, in *Schomb. Faun. Fl. Brit. Gui.* 1154, nomen.—Guian.  
*microcarpum*, Cerv. ex Lag. *Gen. et Sp.* Nov. 10 = *Cervantesii*.  
*microcarpum*, Pav. ex Dun. in DC. *Prod.* xiii. i. 72 = *leptanthum*.  
*microcarpum*, Vahl, *Symb. Bot.* ii. 40.—Aegypt.  
*microphyllum*, Dun. *Hist. Solan.* 187.—Ins. S. Doming.  
*microphyllum*, Pav. ex Dun. in DC. *Prod.* xiii. i. 86 = *umbelliferum*.  
*microspermum*, Dun. *Solan. Syn.* 12.—Hab.?  
*Milleri*, Jacq. *Coll.* iv. 209 = *capense*.  
*Milnei*, Seem. in *Journ. Bot.* i. (1863) 210.—N. Hebrid.  
*minax*, Mart. ex Sendt. in Mart. *Fl. Bras.* x. 71 = *maroniense*.  
*miniatum*, Bernh. ex Willd. *Enum. Hort. Berol.* 236 = *nigrum*.  
*minutiflorum*, Dun. in DC. *Prod.* xiii. i. 58 = *nigrum*.  
*mite*, Ruiz & Pav. *Fl. Per.* ii. 38. t. 173. f. a.—Peruv.  
*mitlense*, Dun. in DC. *Prod.* xiii. i. 314.—Mexic.  
*Mocinianum*, Dun. l. c. 164 = *Mozinianum*.  
*modestum*, Roem. & Schult. *Syst.* iv. 663.—Mexic.  
*Moenchii*, Dun. *Hist. Solan.* 242.—Hab.?  
*moestum*, Dun. in DC. *Prod.* xiii. i. 284.—Afr. austr.  
*molle*, Bert. ex Dun. l. c. 185 = *persicaefolium*.  
*molle*, Burm. *f. Fl. Cap. Prod.* 5.—Afr. austr.  
*molle*, Humb. & Bonpl. ex Dun. *Solan. Syn.* 28.—N. Granat.  
*molle*, Schrank, *Pl. Rar. Hort. Monac.* t. 81 = *aculeatissimum*, Jacq.  
*mollissimum*, Blume, *Bijdr.* 698 = *biflorum*.  
*monachophyllum*, Humb. & Bonpl. ex Dun. *Solan. Syn.* 33.—Venezuela.  
*monadelphum*, Heurck & Muell. *Arg. in Heurck, Obs. Bot.* 42.—Peruv.  
*monanthos*, Dun. in DC. *Prod.* xiii. i. 406 = *Bassovia lucida*.  
*monanthum*, Roem. & Schult. *Syst.* iv. 608 = *Mozinianum*.  
*monocarpum*, Dun. in DC. *Prod.* xiii. i. 146 = *glomuliflorum*.  
*monodynamum*, Dun. l. c. 131 = *gnaphalocarpum*.  
*monodynamum*, Vis. *Sein. Hort. Patav.* (1841) 3 = *tricolor*.  
*montanum*, Linn. *Sp. Pl.* 186.—Peruv.  
*montanum*, Ruiz & Pav. *Fl. Per.* ii. 32 = *tuberiferum*.  
*montevicense*, Spreng. *Syst.* i. 684.—Reg. Argent.  
*monticolum*, Dun. in DC. *Prod.* xiii. i. 161.—Afr. austr.  
*Moricandi*, Dun. l. c. 319 = *stagnale*.  
*moschatum*, J. & C. Presl, *Delic. Prag.* 77 = *nigrum*.  
*mossambicensis*, Klotzsch, in *Peters, Reise Mossamb. Bot.* 235.—Afr. trop.



**SOLANUM:—**

- Mozinianum, *Dun. ex Poir. Encyc. Suppl.* iii. 757.—Mexic.  
*Mullus*, Hort. Monsp. ex Dun. in DC. Prod. xiii. i. 331 = heterodoxum.  
 multiangulatum, *Vell. Fl. Flum.* 91; ii. t. 133.—Bras.  
*multifidum*, Buch.-Ham. ex D. Don, Prod. Fl. Nep. 96 = biflorum.  
*multifidum*, Lam. Illustr. ii. 17 = senecioides.  
*multifidum*, Ruiz & Pav. Fl. Per. ii. 37. t. 171.—Peruv.  
*multiflorum*, Roth, Nov. Pl. Sp. 130 = indicum.  
 multinervium, *Dun. in DC. Prod.* xiii. i. 127.—Mexic.  
 muricatum, *Ait. Hort. Kew.* ed. I. i. 250.—Peruv.; Chili.  
*muricatum*, Bert. ex Dun. in DC. Prod. xiii. i. 150 = rancaguense.  
 murinum, *Sendt. in Mart. Fl. Bras.* x. 29.—Bras.  
 Myosotis, *Dun. in DC. Prod.* xiii. i. 102.—Bras.  
*myosotodeum*, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 135 = praec.  
 myoxotrichum, *Baker, in Journ. Linn. Soc.* xxi. (1885) 426.—Madag.  
*myriacanthum*, Dun. Hist. Solan. 218. t. 19 = aculeatissimum, *Jacq.*  
 myrtifolium, *Lodd. Bot. Cab.* t. 1431.—Am. austr.  
*Naratida*, Buch.-Ham. ex Wall. Cat. n. 2619 B = spirale.  
 narense, *Humb. & Bonpl. ex Dun. Solan. Syn.* 18.—Am. austr.  
 Nava, *Webb & Berth. Phyt. Canar.* iii. 123.—Ins. Canar.  
*Neesianum*, Dalz. & Gibs. Bomb. Fl. 175 = bigeminatum.  
*Neesianum*, D. Dietr. Syn. Pl. i. 697 = pubescens.  
*Neesianum*, Wall. ex Nees, in Trans. Linn. Soc. xvii. (1834) 42 = subtruncatum.  
*neglectum*, Bert. ex Dun. in DC. Prod. xiii. i. 170 = sylvaticum.  
*neglectum*, *Dun. Hist. Solan.* 177.—Ind. occ.  
 Nelsoni, *Dun. in DC. Prod.* xiii. i. 123.—Ins. Sandvic.  
*Nelsonii*, Zipp. ex Span. in Linnaea, xv. (1841) 337 = indicum.  
 nematopus, *Sendt. in Mart. Fl. Bras.* x. 93.—Bras.  
 nematosepalum, *Miq. Fl. Ind. Bat.* ii. 643.—Java.  
 nemophilum, *F. Muell. Fragm.* ii. 161.—Austral.  
 nemorense, *Dun. Hist. Solan.* 194.—Peruv.  
*nicotianaefolium*, Lag. Gen. et Sp. Nov. 10 = glutinosum.  
 nigrescens, *Mart. & Gal. in Bull. Acad. Brux.* xii. i. (1845) 140.—Mexic.  
 nigricans, *Mart. & Gal.* i. c. 134.—Mexic.  
 nigrum, *Acerb. ex Dun. in DC. Prod.* xiii. i. 59 = pruinatum.  
 nigrum, *Leschen. ex Dun. l. c.* 177 = denticulatum.  
 nigrum, *Linn. Sp. Pl.* 186.—Amphigaea.  
 nigrum, *Tausch, ex Dun. in DC. Prod.* xiii. i. 53 = Tauschii.  
 nilagiricum, *Schlecht. in Linnaea*, xxvi. (1853-55) 484.—Ind. or.  
 Nilghiry, *Noton, ex Dun. in DC. Prod.* xiii. i. 259 = giganteum.  
 nitens, *Baker, in Journ. Bot.* xx. (1882) 220.—Madag.  
 nitens, *Opiz, in Bercht. & Opiz, Oek. Fl. Boehm.* ii. 21.—Bohemia.  
 nitidum, *Pav. ex Dun. in DC. Prod.* xiii. i. 127 = multinervium.  
 nitidum, *Ruiz & Pav. Fl. Per.* ii. 33. t. 163.—Peruv.  
 niveum, *All. ex Vitm. Summa Pl.* i. 492 = marginatum.  
 niveum, *Thunb. Prod. Pl. Cap.* 36; *Vahl, Symb. Bot.* ii. 41 = giganteum.  
 noctiflorum, *Hort. Aven. ex Dun. in DC. Prod.* xiii. i. 34 = stoloniferum.  
 nodiflorum, *Desv. ex Dun. l. c.* 46 = Desvauxii.  
 nodiflorum, *Jacq. Ic. Pl. Rar.* ii. 288. t. 326 = nigrum.  
 Nolintangere, *Salzm. ex Dun. in DC. Prod.* xiii. i. 320.—Bras.  
 nossibeense, *Vatke, in Linnaea*, xliii. (1880-82) 329.—Madag.  
 novemlobum, *Dun. in DC. Prod.* xiii. i. 70.—Chili.  
 novo-granatense, *Dun. l. c.* 680.—N. Granat.  
 nudum, *Humb. & Bonpl. ex Dun. Solan. Syn.* 20 = triste.

**SOLANUM:—**

- nutans*, Poepp. ex Dun. in DC. Prod. xiii. i. 137 = urceolatum.  
*nutans*, *Ruiz & Pav. Fl. Per.* ii. 34. t. 166. f. a.—Am. trop.  
 nyctaginoides, *Dun. in DC. Prod.* xiii. i. 172.—Mexic.  
 oaxacanum, *Dun. l. c.* 204.—Mexic.  
 obliquum, *Bert. ex Dun. l. c.* 393 = Cyphomandra betacea.  
 obliquum, *Ruiz & Pav. Fl. Per.* ii. 35. t. 165. f. a = Cyphomandra obliqua.  
 oblitum, *Dun. in DC. Prod.* xiii. i. 126.—Peruv.  
 oblongifolium, *Humb. & Bonpl. ex Dun. Solan. Syn.* 14.—N. Granat.  
 oblongum, *Ruiz & Pav. Fl. Per.* ii. 34.—Peruv.  
 obovatum, *Humb. & Bonpl. ex Dun. Solan. Syn.* 21.—Ecuador.  
 obscurum, *Sieber, ex Dun. in DC. Prod.* xiii. i. 224 = micracanthos.  
 obscurum, *Vahl, Symb. Bot.* ii. 41 = S. Juripeba.  
 obtusifolium, *Hartw. ex Sendt. in Mart. Fl. Bras.* x. 95 = torvum.  
 obtusifolium, *Humb. & Bonpl. ex Dun. Solan. Syn.* 26.—Mexic.  
 obtusifolium, *Schlecht. & Cham. in Linnaea*, v. (1830) 113 = amazonium.  
 obtusifolium, *Willd. Enum. Hort. Berol. Suppl.* 11 = Zuccagnianum.  
 obtusilobum, *Dun. in DC. Prod.* xiii. i. 294 = amblymerum.  
 obtusilobum, *Mart. & Gal. in Bull. Acad. Brux.* xii. i. (1845) 142.—Mexic.  
 occidentale, *Dun. in DC. Prod.* xiii. i. 308.—Amer.  
 ochrandrum, *Dun. l. c.* 110.—Bras.  
 ochranthum, *Humb. & Bonpl. ex Dun. Solan. Syn.* 6.—Ecuador.  
 ochroleucum, *Bast. in Desv. Journ. Bot.* iii. (1814) 20 = nigrum.  
 ochroneurum, *Link, Enum. Hort. Berol.* i. 186.—Bras.  
 ochrophyllum, *Heurck & Muell. Arg. in Heurck, Obs. Bot.* 50.—Peruv.  
 odoriferum, *Vell. Fl. Flum.* 85; ii. t. 108.—Bras.  
 Ohronddi, *Carr. in Rev. Hort.* (1883) 497 = Commersoni.  
 Oldfieldii, *F. Muell. Fragm.* ii. 161.—Austral.  
 oleraceum, *Dun. ex Poir. Encyc. Suppl.* iii. 750 = nigrum.  
 oleraceum, *Vell. Fl. Flum.* 89; ii. t. 125 = alternatopinnatum.  
 oligacanthum, *F. Muell. in Trans. Phil. Soc. Vict.* i. (1855) 19.—Austral.  
 oliganthum, *Humb. & Bonpl. ex Dun. Solan. Syn.* 8.—Am. austr.  
 oliganthum, *Link, Enum. Hort. Berol.* i. 182 = Linkii.  
 oocarpum, *Sendt. in Mart. Fl. Bras.* x. 106.—Bras.  
 opacum, *A. Br. & Bouché, Ind. Sem. Hort. Berol.* (1853) App. 8.—Austral.  
 oporinum, *Willd. Enum. Hort. Berol.* 238 = macrophyllum.  
 oppositifolium, *Ruiz & Pav. Fl. Per.* ii. 35 = urceolatum.  
 opuliflorum, *Portenschl. ex Dun. in DC. Prod.* xiii. i. 326 = sisymbriifolium.  
 orbiculatum, *Dun. in Poir. Encyc. Suppl.* iii. 762 = parvifolium.  
 Orbignianum, *Sendt. in Mart. Fl. Bras.* x. 34.—Bras.  
 organorum, *Dun. in DC. Prod.* xiii. i. 229 = schizandrum.  
 organum, *Lapeyr. ex Dun. l. c.* 171 = virgatum.  
 orinocense, *Humb. & Bonpl. ex Dun. Solan. Syn.* 42.—Venezuela.  
 Osbeckii, *Dun. in DC. Prod.* xiii. i. 179 = biflorum.  
 Otites, *Dun. l. c.* 39.—Venezuela.  
 ovalifolium, *Humb. & Bonpl. ex Dun. Solan. Syn.* 37.—N. Granat.  
 oviferum, *Salisb. Prod.* 134 = S. Melongena.  
 ovigerum, *Dun. Hist. Solan.* 210 = S. Melongena.  
 ovoideum, *Zipp. ex Miq. Fl. Ind. Bat.* ii. 647 = ferox.  
 oxycarpum, *Schiede, in Schlecht. Hort. Hal.* i. 5. t. 3.—Mexic.  
 pachimatum, *Dun. in DC. Prod.* xiii. i. 133.—Bras.  
 pachycalyx, *Heurck & Muell. Arg. in Heurck, Obs. Bot.* 92.—Afr. trop.  
 pachypetalon, *Spreng. Syst. iv. Cur. Post.* 72.—Nepal.

**SOLANUM:—**

- paleatum*, *Schott, ex Sendt. in Mart. Fl. Bras.* x. 42 = cernuum.  
 palinacanthum, *Dun. in DC. Prod.* xiii. i. 245.—Bras.  
 palmetorum, *Dun. l. c.* 282.—Arab.  
 Palqui, *Molina, Sagg. Chile*, ed. II. 282.—Chili.  
 paludosum, *Dun. in DC. Prod.* xiii. i. 57 = nigrum.  
 paludosum, *Moric. Pl. Nouv. Am.* 29. t. 20.—Bras.  
 palustre, *Poepp. ex Walp. Rep.* iii. 39 = Caldasii.  
 panamense, *Heurck & Muell. Arg. in Heurck, Obs. Bot.* ii. 128.—Panama.  
 panduraeforme, *Drège, ex Dun. in DC. Prod.* xiii. i. 370.—Afr. austr.  
 panduriforme, *Dun. l. c.* 346 = anoplocladum.  
 paniculatum, *Linn. Sp. Pl.* ed. II. 267.—Bras.  
 Papa, *Valenzuela, ex Palacio, in Mém. Mus. Par.* ii. (1815) 340 = Valenzuelae.  
 papilionaceum, *Dum.-Cours. Bot. Cult.* ed. I. Suppl. 153; *ex Walp. Rep.* iii. 78 = giganteum.  
 papillosum, *Sendt. in Mart. Fl. Bras.* x. 37 = cladotrichum.  
 paposanum, *Phil. Fl. Atac.* 42 = phyllanthum.  
 paradozum, *Schott, ex Dun. in DC. Prod.* xiii. i. 462 = Athenaea Martiana.  
 paraguariense, *Dun. l. c.* 376.—Paraguay.  
 parasiticum, *Blume, Bijdr.* 697.—Java.  
 paratyense, *Vell. Fl. Flum.* 90; ii. t. 130.—Bras.  
 Parmentieri, *Molina, ex Walp. Rep.* iii. 38 = tuberosum.  
 parviflorum, *Cav. Ic.* iii. 19 = polyacanthos.  
 parviflorum, *Moris, ex Badaro, in Brugnol. Giorn. Fis.* Dec. II. vii. (1824) 364 = nigrum.  
 parviflorum, *Usteri, Ann. Bot.* vi. (1793) 61 = corymbosum.  
 parvifolium, *R. Br. Prod.* 446.—Austral.  
 parvifolium, *Steud. Nom.* ed. I. 794 = igneum.  
 patellare, *Heurck & Muell. Arg. in Heurck, Obs. Bot.* 53.—Peruv.  
 patens, *Lowe, Man. Fl. Mad.* ii. 74.—Ins. Mader.  
 patulum, *Pers. Syn.* i. 223.—Peruv.  
 patulum, *Roth, Catalect. fasc.* ii. 23 = nigrum.  
 pauciflorum, *Sendt. in Mart. Fl. Bras.* x. 104 = dryadeum.  
 pauciflorum, *Vahl, Eclog. Am.* i. 20.—Ins. Martinic.  
 Pavoni, *Dun. in DC. Prod.* xiii. i. 226.—Mexic.  
 pectinatum, *A. Cunn. ex Benth. Pl. Austral.* iv. 459 = cataphractum.  
 pectinatum, *Dun. in DC. Prod.* xiii. i. 250 = mammosum.  
 pectinatum, *Gill. ex Nees, in Nov. Act. Nat. Cur.* xix. Suppl. (1843) 385 = pinnatum.  
 pedunculare, *Schlecht. in Linnaea*, xix. (1847) 305.—Mexic.  
 pedunculatum, *Willd. ex Roem. & Schult. Syst.* iv. 662.—Hab. ?  
 pelliceum, *Sendt. in Mart. Fl. Bras.* x. 82.—Bras.  
 pendulipes, *Dun. in DC. Prod.* xiii. i. 271.—Bras.  
 pendulum, *Link, ex Steud. Nom.* ed. I. 794 = pensile.  
 pendulum, *Ruiz & Pav. Fl. Per.* ii. 39. t. 174. f. a.—Peruv.  
 pendulum, *Schott, ex Dun. in DC. Prod.* xiii. i. 76 = odoriferum.  
 pensile, *Sendt. in Mart. Fl. Bras.* x. 50.—Bras.  
 pentadactylon, *G. Don, in Loud. Hort. Brit.* 72.—Ins. Trinit.  
 pentapetaloides, *Boj. ex Dun. in DC. Prod.* xiii. i. 85 = imamense.  
 pentapetaloides, *Roxb. Hort. Beng.* 17, nomen; *et ex Hornem. Suppl. Hort. Hafn.* 27.—Bras.  
 pentapetalum, *Hort. Calc. ex Schlecht. in Linnaea*, xxv. (1852) 197 = praec. ?  
 Pentlandi, *Dun. in DC. Prod.* xiii. i. 51.—Peruv.  
 perianthomega, *Vell. Fl. Flum.* 87; ii. t. 118 = megalochiton.  
 persicaefolium, *Dun. Hist. Solan.* 185.—Ind. occ.  
 persicaefolium, *Mart. in Flora*, xxi. (1838) II. Beibl. 78 = amygdalifolium.  
 persicum, *Willd. ex Roem. & Schult. Syst.* iv. 662 = S. Dulcamara.  
 peruvianum, *Jacq. Ic. Pl. Rar.* ii. t. 337 = Lycopersicum peruvianum.  
 peruvianum, *Linn. Sp. Pl.* 186 = Lycopersicum peruvianum ?  
 petrophilum, *F. Muell. in Linnaea*, xxv. (1852) 433.—Austral.  
 pharmacum, *Klotzsch, in Peters, Reise Mossamb. Bot.* 234.—Afr. trop.  
 phaseoloides, *Polak. in Linnaea*, xli. (1877) 585.—Costa Rica.

**SOLANUM:—**

- phillyreoides, *Humb. & Bonpl. ex Dun. Solan. Syn.* 24.—N. Granat.  
*phlomidifolium*, Moric, ex Dun. in DC. Prod. xiii. i. 192 = Gardneri.  
*phlomoidea*, *A. Cunn. ex Benth. Fl. Austral.* iv. 464.—Austral.  
*phoricum*, *Klotzsch, in Peters, Reise Mossamb. Bot.* 234.—Afr. trop.  
*phyllanthum*, *Cav. Ic.* iv. 35. t. 359.—Peruv.  
*physaloides*, Dun. in DC. Prod. xiii. i. 388 = *Cyphomandra physaloides*.  
*piliferum*, *Benth. Pl. Hartw.* 68.—Mexic.  
*piligerum*, Dun. in DC. Prod. xiii. i. 152 = *spissifolium*.  
*pilosissimum*, *Mart. & Gal. in Bull. Acad. Brux.* xii. i. (1845) 139.—Mexic.  
*pilosiusculum*, *Mart. & Gal. l. c.* 136.—Mexic.  
*piluliferum*, *Dun. in DC. Prod.* xiii. i. 265.—Bras.  
*pimpinellifolium*, *Linn. Cent. Pl.* i. 8; *Amoen. Acad.* iv. 268 = *Lycopersicum pimpinellifolium*.  
*pimpinellifolium*, *Mill. ex Dun. in DC. Prod.* xiii. i. 25 = *Lycopersicum Humboldtii*.  
*pimpinelloides*, *Hill, Veg. Syst.* ix. 36.—Peruv.  
*pinnatifidum*, *Lam. Illustr.* ii. 17 = *aviculare*.  
*pinnatifidum*, *Roth, Nov. Pl. Sp.* 129 = *indicum*.  
*pinnatifidum*, *Ruiz & Pav. Fl. Per.* ii. 37.—Peruv.  
*pinnatifolium*, *Salisb. Prod.* 133 = *aviculare*.  
*pinnatisectum*, *Dun. in DC. Prod.* xiii. i. 40.—Mexic.  
*pinnatum*, *Bert. ex Dun. l. c.* 70 = *Alphonsi*.  
*pinnatum*, *Cav. Ic.* v. 23. t. 439.—Chili.  
*pinnatum*, *Willd. ex Roem. & Schult. Syst.* iv. 664 = *fuscatum*, *Roem. & Schult.*  
*piperiferum*, *A. Rich. Tent. Fl. Abyss.* ii. 106.—Abyss.  
*platacanthum*, *Dun. in DC. Prod.* xiii. i. 285.—Arab.  
*platanifolium*, *Hook. Bot. Mag.* t. 2618.—N. Granat.  
*platanifolium*, *Sendt. in Mart. Fl. Bras.* x. 58 = *palinacanthum*.  
*platyphyllum*, *Humb. & Bonpl. ex Dun. Solan. Syn.* 38.—Am. austr.  
*platyphyllum*, *Torr. in Ann. Lyc. N. York*, ii. (1828) 227 = *Torreyi*.  
*plebejum*, *A. Rich. Tent. Fl. Abyss.* ii. 100.—Abyss.  
*Pleei*, *Dun. in DC. Prod.* xiii. i. 305 = *carolinense*.  
*Plukenetii*, *Dun. Hist. Solan.* 237.—Am.?  
*Plukenetii*, *Dun. in DC. Prod.* xiii. i. 368 = *pyriforme*.  
*Plumieri*, *Dun. l. c.* 352 = *S. Melongena*.  
*Poeppigianum*, *Dun. l. c.* 195 = *cyrtopodium*.  
*Poeppigianum*, *Sendt. in Mart. Fl. Bras.* x. 103.—Peruv.  
*pogogenum*, *Moric. Pl. Nouv. Am.* 25 = *Athenaea pogogena*.  
*Pohlii*, *Sendt. in Mart. Fl. Bras.* x. 54.—Bras.  
*Poka*, *Dun. in Poir. Encyc. Suppl.* iii. 768.—Java.  
*polycanthos*, *Lam. Illustr.* ii. 23; *Vahl, Eclog. Am.* i. 24.—Ind. occ.  
*polycanthos*, *L'Hérit. ex Dun. in DC. Prod.* xiii. i. 244 = *aculeatissimum*, *Jacq.*  
*polyanthemum*, *Hochst. ex Dun. l. c.* 94.—Abyss.  
*polygamum*, *Boiss. ex Dun. l. c.* 834 = *tridynamum*.  
*polygamum*, *Vahl, Symb. Bot.* iii. 39. t. 55.—Ind. occ.  
*polytrichum*, *Moric. Pl. Nouv. Am.* 32.—Bras.  
*pomiferum*, *Cav. Desc.* 112 = *Lycopersicum pyriforme*.  
*porphyranthum*, *Dun. in DC. Prod.* xiii. i. 244.—Mexic.  
*portoricense*, *Dun. l. c.* 374 = *Willdenovianum*.  
*praealtum*, *Sendt. in Mart. Fl. Bras.* x. 44 = *excelsum*.  
*premaefolium*, *Dun. in DC. Prod.* xiii. i. 392 = *Cyphomandra premaefolia*.  
*Preslei*, *Dun. l. c.* 681 = *lanceaeae*.  
*pressum*, *Dun. Hist. Solan.* 217 = *S. Melongena*.  
*prinophyllum*, *Dun. in DC. Prod.* xiii. i. 296 = *armatum*.  
*procumbens*, *DC. Fl. Fr.* iii. 611 = *Saracha procumbens*.  
*procumbens*, *Lour. Fl. Cochinch.* 132.—Cochinch.  
*procumbens*, *Poir. Encyc.* iv. 308 = *Lycopersicum procumbens*.  
*propinquum*, *Mart. & Gal. in Bull. Acad. Brux.* xii. i. (1845) 143.—Mexic.  
*prostratum*, *Raesch. Nom. ed. III.* 60 = *procumbens*.  
*pruinum*, *Dun. in DC. Prod.* xiii. i. 58.—Mexic.  
*prunifolium*, *Willd. ex Roem. & Schult. Syst.* iv. 662.—Venezuela.  
*pruriens*, *Dun. in DC. Prod.* xiii. i. 120.—Bras.  
*Pseudocapsicum*, *Linn. Sp. Pl.* 184.—Amphig.  
*Pseudo-china*, *Spreng. Syst.* iv. Cur. Post. 71, sphalm. = *S. Pseudo-quina*.  
**VOL. II.**

**SOLANUM:—**

- Pseudo-glabrescens*, *Klotzsch, in Schomb. Faun. Fl. Brit. Gui.* 1154, nomen.—Guian.  
*Pseudo-lycopersicum*, *Jacq. Hort. Vindob.* i. 4 = *Lycopersicum esculentum*.  
*Pseudo-melongena*, *Tenore, Cat. Sem. Hort. Neap.* (1851); *et in Atti R. Ist. Incorr. Nap.* viii. (1855) 323.—Hab.?  
*Pseudo-quina*, *A. St. Hil. Pl. Us. Brés.* t. 21.—Bras.  
*Pseudo-saponaceum*, *Blume, Bijdr.* 702 = *torvum*.  
*Pseudo-undatum*, *Blume, l. c.* 699 = *S. Melongena*.  
*Pseudo-villosum*, *Schur, Enum. Pl. Transs.* 477 = *nigrum*.  
*psychotrioides*, *Humb. & Bonpl. ex Dun. Solan. Syn.* 21.—N. Granat.  
*pteleaeefolium*, *Sendt. in Mart. Fl. Bras.* x. 15.—Bras.  
*pterocaulum*, *Reichb. ex Nym. Consp.* 526 = *seq.*  
*pterocaulum*, *Dun. Hist. Solan.* 153 = *nigrum*.  
*pterocladum*, *Heurck & Muell. Arg. in Heurck, Obs. Bot.* 44.—Peruv.  
*pteropodium*, *Humb. & Bonpl. ex Dun. Solan. Syn.* 14.—Ecuador.  
*ptychanthum*, *Dun. in DC. Prod.* xiii. i. 54 = *nigrum*.  
*puberulum*, *Nutt. ex Seem. in Journ. Bot.* i. (1863) 207.—Ins. Pacif.  
*puberulum*, *Phil. in Linnaea*, xxix. (1857–58) 22.—Chili.  
*pubescens*, *Heyne, ex Walp. Rep.* iii. 33 = *indicum*.  
*pubescens*, *Roxb. Hort. Beng.* 16; *Fl. Ind.* i. 564 = *verbascifolium*.  
*pubescens*, *Ruiz & Pav. Fl. Per.* ii. 36 = *luteoalbum*.  
*pubescens*, *Willd. Phyt.* i. 5.—Ind. or.  
*pubigerum*, *Dun. Hist. Solan.* 160. t. 6 = *Cervantesii*.  
*pulchellum*, *F. Muell. in Trans. Phil. Soc. Vict.* i. (1855) 18 = *esuriale*.  
*pulchellum*, *Phil. in Anal. Univ. Chil.* (1873) 523.—Chili.  
*pulchrum*, *Dun. in Poir. Encyc. Suppl.* iii. 750.—Bras.  
*pulverulentum*, *Linn. Syst. ed. X.* 935 = *tomentosum*.  
*pulverulentum*, *Nutt. ex Seem. in Journ. Bot.* i. (1863) 208 = *puberulum*, *Nutt.*  
*pulverulentum*, *Pers. Syn.* i. 223.—Peruv.  
*pulverulentum*, *Salisb. Prod.* 133 = *auriculatum*.  
*pulvinare*, *Scheff. in Ann. Jard. Buitenz.* i. (1876) 39.—N. Guin.  
*pumilum*, *Dun. in DC. Prod.* xiii. i. 287 = *carolinense*.  
*punctulatum*, *Dun. in DC. Prod.* xiii. i. 122.—Jamaic.  
*pungetium*, *R. Br. Prod.* 446.—Austral.  
*pungetium*, *Sieber, ex Dun. in DC. Prod.* xiii. i. 296 = *armatum*.  
*punicum*, *C. C. Gmel. Fl. Bad.* iv. 176 = *nigrum*.  
*purpureum*, *Dun. in DC. Prod.* xiii. i. 372.—Hab.?  
*pycnanthum*, *Mart. in Flora*, xx. (1837) 11. *Beibl.* 120.—Bras.  
*pygmaeum*, *Cav. Ic.* v. 23. t. 439. f. 2.—Reg. Argent.  
*Pyraecanthia*, *Sm. Exot. Bot.* ii. 9 = *Richardi*?  
*pyracanthos*, *Boj. ex Dun. in DC. Prod.* xiii. i. 325 = *Richardi*.  
*pyracanthum*, *Jacq. Hort. Schoenb.* iv. 36; *Lam. Illustr.* n. 2364.—Afr. trop.  
*pyrethriifolium*, *Griseb. in Goett. Abh.* xxiv. (1879) 250.—Reg. Argent.  
*pyrifolium*, *Lam. Illustr.* ii. 19.—Ind. occ.  
*pyriforme*, *Dun. in DC. Prod.* xiii. i. 368 = *Ins. Barbad.*  
*pyriforme*, *Poir. Encyc.* iv. 291 = *Lycopersicum pyriforme*.  
*pyrrhocarpum*, *Phil. in Anal. Univ. Chil.* (1862) 11. 383.—Chili.  
*quadrangulare*, *Linn. f. Suppl.* 147.—Afr. austr.  
*quadriflorum*, *Mart. & Gal. in Bull. Acad. Brux.* xii. i. (1845) 139.—Mexic.  
*quadriloculare*, *Spreng. Syst.* iv. Cur. Post. 72 = *ferox*.  
*quadriloculatum*, *F. Muell. Fragm.* ii. 161.—Austral.  
*quadrupartitum*, *Dun. in DC. Prod.* xiii. i. 72.—Bolivia.  
*quercifolium*, *Banks, ex Dun. l. c.* 345 = *S. Poka*.  
*quercifolium*, *Linn. Sp. Pl.* 185.—Peruv.  
*quercifolium*, *Mill. Gard. Dict.* ed. VIII. n. 16 = *Houstonii*.  
*quercifolium*, *Poepp. ex Dun. in DC. Prod.* xiii. i. 70 = *runcinatum*.  
*quercifolium*, *Ruiz & Pav. Fl. Per.* ii. 36 = *radicans*, *Linn. f.*

**SOLANUM:—**

- quercifolium*, *Schum. in Schum. & Thonn. Beskr. Guin. Pl.* 121.—Afr. trop.  
*quinquangulare*, *Willd. ex Roem. & Schult. Syst.* iv. 669.—Venezuela.  
*quitense*, *Hook. & Arn. Bot. Beech. Voy.* 67 = *repandum*.  
*quitense*, *Hort. ex Dun. in DC. Prod.* xiii. i. 318 = *maroniense*.  
*quitense*, *H. B. & K. Nov. Gen. et Sp.* ii. 35 = *seq.*  
*quitoense*, *Lam. Illustr.* ii. 16.—Peruv.  
*racemiflorum*, *Dun. Hist. Solan.* 147.—Am. austr.  
*racemosum*, *Jacq. Enum. Pl. Carib.* 15.—Ind. occ.  
*racemosum*, *Mill. Gard. Dict.* ed. VIII. n. 28 = *ericalyx*.  
*racemosum*, *Noronha, in Verh. Batav. Gen. v.* (1790) ed. I. Art. iv. 26 = *indicum*.  
*radiatum*, *Sendt. in Mart. Fl. Bras.* x. 53.—N. Granat.  
*radicans*, *Hill, Veg. Syst.* ix. 40 (Quid?).—Peruv.  
*radicans*, *Linn. f. Dec.* i. t. 10.—N. Granat.  
*Radula*, *Vahl, Eclog. Am.* ii. 16.—Am. trop.  
*radulanum*, *St. Lag. in Ann. Soc. Bot. Lyon*, vii. (1880) 135 = *praeac.*  
*ramosissimum*, *Dun. in DC. Prod.* xiii. i. 144.—Bras.  
*ramosum*, *Lam. Encyc.* iv. 281, sphalm. = *racemosum*.  
*ramulosum*, *Sendt. in Mart. Fl. Bras.* x. 45.—Bras.  
*rancaguense*, *Dun. in DC. Prod.* xiii. i. 150.—Chili.  
*rancaguinum*, *Phil. in Anal. Univ. Chil.* (1873) 523.—Chili.  
*Rantonetii*, *Carr. in Rev. Hort.* (1868) 420, err. typ. = *seq.*  
*Rantonnetii*, *Carr. ex Lescuy. in Hérincq, L'Horticult. Franç. Sér. II.* i. (1859) 197.—Reg. Argent.  
*variflorum*, *Steud. Nom. ed. II.* ii. 605 = *Linkii*.  
*receptum*, *Heurck & Muell. Arg. in Heurck, Obs. Bot.* i. 46.—Mexic.  
*reclinatum*, *L'Hérit. ex Pers. Syn.* i. 225 = *aviculare*.  
*recurvum*, *Hoffmgg. Verz. Pf.* 113 = *lividum*.  
*recurvum*, *Poir. Encyc. Suppl.* iii. 754 = *incurvum*.  
*reflexiflorum*, *Moric. ex Dun. in DC. Prod.* xiii. i. 213.—Bras.  
*reflexum*, *Schrank, Pl. Rar. Hort. Monac.* t. 81 = *aculeatissimum*, *Jacq.*  
*refractifolium*, *Sendt. in Mart. Fl. Bras.* x. 31.—Bras.  
*refractum*, *Hook. & Arn. Bot. Beech. Voy.* 304.—Mexic.  
*Regnelii*, *Hiern, in Kjoeb. Vidensk. Meddel.* (1877–78) 54.—Bras.  
*Reichenbachii*, *Vatke, in Linnaea*, xliii. (1880–82) 330.—Abyss.  
*Reineggeri*, *Opiz, in Bercht. & Opiz, Oek. Fl. Boehm.* iii. ii. p. xix.—Bohemia.  
*Renggeri*, *Schlecht. Hort. Hal.* fasc. i. 6.—Paraguay.  
*Renschii*, *Vatke, in Linnaea*, xliii. (1880–82) 328.—Afr. trop.  
*repandum*, *Forst. f. Prod.* 18.—Ins. Pacif.  
*repandum*, *F. Muell. Fragm.* vi. 145 = *Dallachii*.  
*repandum*, *Vell. Fl. Flum.* 88; ii. t. 123 = *variabile*.  
*repens*, *Dun. Hist. Solan.* 239.—Bras.  
*repens*, *Noronha, in Verh. Batav. Gen. v.* (1790) ed. I. Art. iv. 26 = *nigrum*.  
*repens*, *Pav. ex Dun. in DC. Prod.* xiii. i. 39 = *appendiculatum*.  
*reptans*, *Bunb. in Proc. Linn. Soc.* i. (1841) 110.—Bras.  
*Requieni*, *Dun. in DC. Prod.* xiii. i. 363.—Hab.?  
*reticulatum*, *Dun. in Poir. Encyc. Suppl.* iii. 764 = *crotonoides*.  
*reticulatum*, *Juss. ex Dun. in DC. Prod.* xiii. i. 132 = *Vellozianum*.  
*reticulatum*, *Willd. ex Roem. & Schult. Syst.* iv. 661 = *dictyotium*.  
*retroflexum*, *Dun. in DC. Prod.* xiii. i. 50 = *nigrum*.  
*retrofractum*, *Vahl, Eclog. Am.* i. 21.—Am. trop.  
*revolutum*, *Hornem. Suppl. Hort. Hafn.* 26.—Bras.  
*rhamnoides*, *Dun. in DC. Prod.* xiii. i. 100.—Bolivia.  
*rhinozerthis*, *Blume, Bijdr.* 695 = *nigrum*.  
*rhytidandrum*, *Sendt. in Mart. Fl. Bras.* x. 85.—Bras.  
*Richardi*, *Dun. Solan. Syn.* 45.—Ins. Martinic.  
*Richardi*, *Sieber, ex Dun. in DC. Prod.* xiii. i. 254 = *hirtum*.

**SOLANUM :—**

Riedlei, *Dun. in DC. Prod.* xiii. i. 109.—Ind. occ.  
 rigescens, *Jacq. Hort. Schoenb.* i. 19. t. 42.—Afr. austr.  
 rigidum, *Lam. Illustr.* ii. 23.—Hab. ?  
 riparium, *Pers. Syn.* i. 221.—Am. trop.  
 ripense, *Dun. in DC. Prod.* xiii. i. 680.—Venezuela.  
 rivulare, *Dun. l. c.* 304 = rubetorum.  
 rivulare, *Mart. ex Sendt. in Mart. Fl. Bras.* x. 25.—Bras.  
 robustum, *H. Wendl. in Flora*, xxvii. (1844) 784.—Bras.  
 Rodschiedii, *G. F. W. Mey. Prim. Fl. Esseq.* 111 = S. Juripeba.  
 Roemerianum, *Scheele, in Linnaea*, xxi. (1848) 767 = elaeagnifolium.  
 Rossii, *Knowl. & Westc. Flor. Cab.* ii. (1838) 141.—Mexic.  
 rostratum, *Dun. Hist. Solan.* 234.—Mexic.  
 rostratum, *L'Hérit. ex Dun. in DC. Prod.* xiii. i. 328 = cornutum.  
 Rothelium, *Steud. Nom. ed. II.* ii. 605, sphalm. = S. Botelhanum.  
 Rothii, *Dun. in DC. Prod.* xiii. i. 383, nomen.—Hab. ?  
 Rottboellianum, *Roem. & Schult. Syst.* iv. 668.—Guian.  
 rotundifolium, *Moric. ex Dun. in DC. Prod.* xiii. i. 301 = Nelsoni.  
 Roxburghii, *Dun. ex D. Don. Prod. Fl. Nep.* 96 = biflorum.  
 Roxburghii, *Dun. in DC. Prod.* xiii. i. 57 = nigrum.  
 rubetorum, *Dun. l. c.* 304.—Afr. austr.  
 rubiginosum, *Vahl, Eclog. Am.* ii. 17. t. 13.—Am. trop.  
 rubrum, *Drège, ex Dun. in DC. Prod.* xiii. i. 77 = quadrangulare.  
 rubrum, *Linn. Syst. ed. XII.* 173.—Hab. ?  
 rubrum, *Mill. Gard. Dict. ed. VIII.* n. 4 = nigrum.  
 rubrum, *Noronha, in Verh. Batav. Gen.* v. (1790) ed. I. Art. iv. 26 = Blumei.  
 rude-pannum, *Dun. in DC. Prod.* xiii. i. 264.—Mexic.  
 rudérale, *Phil. f. Cat. Pl. Vasc. Chil.* 229.—Chili.  
 rudérale, *Salisb. Prod.* 133 = S. Dulcamara.  
 rufescens, *Dun. in DC. Prod.* xiii. i. 228 = sideroxanthum.  
 rufescens, *Sendt. in Mart. Fl. Bras.* x. 39.—Bras.  
 rufum, *Dun. in DC. Prod.* xiii. i. 213 = brachybotryon.  
 rufum, *Rich. ex Dun. l. c.* 229 = rubiginosum.  
 rufum, *Sendt. in Mart. Fl. Bras.* x. 91.—Bras.  
 rugosum, *Dun. in DC. Prod.* xiii. i. 108.—Bras.  
 rugosum, *Rich. ex Poir. Encyc. Suppl.* iii. 755 = Bassovia Richardi.  
 Rumphii, *Dun. Hist. Solan.* 157 = nigrum.  
 runcinatum, *Ruiz & Pav. Fl. Per.* ii. 36.—Peruv. ; Chili.  
 runcinatum, *Wendl. Bot. Beobacht.* 43 = pyracanthum.  
 rupestre, *F. W. Schmidt, Fl. Boëm.* ii. 96 = S. Dulcamara.  
 rupicolum, *Boj. ex Dun. in DC. Prod.* xiii. i. 85 = imamense.  
 rupicola, *Sendt. in Mart. Fl. Bras.* x. 100.—Bras.  
 sabeanum, *Buckl. in Proc. Acad. Sc. Philad.* 1862 (1863) 6 = sisymbriifolium.  
 Sadae, *Phil. in Linnaea*, xxxiii. (1864-65) 203.—Chili.  
 Sagraeanum, *A. Rich. Fl. Cub. Fanerog.* ii. 124.—Cuba.  
 salicifolium, *Phil. Sert. Mendoc. Alt.* 37.—Chili.  
 salignum, *Willd. ex Roem. & Schult. Syst.* iv. 663 = cirrhosum.  
 Saltianum, *Roem. & Schult. l. c.* 669.—Abyss.  
 salviaefolium, *Dun. in DC. Prod.* xiii. i. 187.—Bras.  
 salvifolium, *Lam. Illustr.* ii. 14 = S. Radula.  
 Salzmanni, *Dun. in DC. Prod.* xiii. i. 206 = paludosum.  
 sambuciflorum, *Sendt. in Mart. Fl. Bras.* x. 38.—Bras.  
 Sanctae-Catharinae, *Dun. in DC. Prod.* xiii. i. 109.—Nicaragua.  
 Sanctae-Crucis, *Dun. l. c.* 274.—Bolivia.  
 Sanctae-Nevadae, *Dun. & A. DC. l. c.* 678.—Venezuela.  
 sanctum, *Jan, ex Dun. l. c.* 260 = torvum.  
 sanctum, *Linn. Sp. Pl. ed. II.* 269 = incanum, *Linn.*  
 sanctum, *Steud. & Hochst. ex Steud. Nom. ed. II.* ii. 605 = dubium.  
 sandwicense, *Hook. & Arn. Bot. Beech. Voy.* 92.—Ins. Sandvic.  
 sandwichense, *Dun. in DC. Prod.* xiii. i. 268 = praec.

**SOLANUM :—**

sandwichianum, *Dun. l. c.* 311 = incompletum.  
 sanguineum, *Hort. ex Dun. in DC. Prod.* xiii. i. 243 = atropurpureum.  
 saponaceum, *Dun. Hist. Solan.* 206.—Peruv.  
 saponaceum, *Hook. Bot. Mag. t.* 2697 = elaeagnifolium.  
 saponaceum, *Welw. Apont.* 588.—Afr. trop.  
 sarmentosum, *Lam. Illustr.* ii. 24 = lanceaefolium.  
 sarmentosum, *Nees, in Trans. Linn. Soc.* xvii. (1837) 58.—Malaya.  
 sarmentosum, *Pav. ex Dun. in DC. Prod.* xiii. i. 87 = macrantherum.  
 sarrachoides, *Sendt. in Mart. Fl. Bras.* x. 18.—Bras.  
 sativum, *Dun. in DC. Prod.* xiii. i. 360 = S. Melongena.  
 scaberrimum, *Dun. l. c.* 349 = asterophorum.  
 scabridum, *Dun. l. c.* 253.—N. Granat.  
 scabrum, *H. B. & K. Nov. Gen. et Sp.* iii. 41 = Humboldtii.  
 scabrum, *Jacq. Hort. Schoenb.* iii. 45 = racemiflorum.  
 scabrum, *Lam. Illustr.* ii. 18 = muricatum.  
 scabrum, *Mill. Gard. Dict. ed. VIII.* n. 6 = nigrum.  
 scabrum, *Ruiz & Pav. Fl. Per.* ii. 39 = saponaceum.  
 scabrum, *Vahl, Eclog. Am.* i. 22.—Am. austr.  
 scabrum, *Zuccagni, in Roem. Collect.* 133 = Zuccagnianum.  
 scandens, *Comm. ex Dun. in DC. Prod.* xiii. i. 88 = pyrifolium.  
 scandens, *Linn. Pl. Surin.* 5 ; *Amoen. Acad.* viii. 253 = S. Convolvulus ?  
 scandens, *Linn. f. Suppl.* 147.—Guian.  
 scandens, *Mill. Gard. Dict. ed. VIII.* n. 19 = axilliflorum.  
 scandens, *Moq. & Sesse, ex Dun. in DC. Prod.* xiii. i. 87 = macrantherum.  
 scandens, *Neck. Delic. Gallo-Belg.* i. 119 ; *Lam. Fl. Fr.* ii. 257 = S. Dulcamara.  
 scandens, *Schomb. ex Dun. in DC. Prod.* xiii. i. 84 = pensile.  
 scandens, *Sw. Prod. Veg. Ind. Occ.* 47 = scabrum.  
 Schiedeianum, *Schlecht. in Linnaea*, xix. (1847) 295 = Hartwegi.  
 Schimperianum, *Hochst. in Flora*, xxiv. (1841) i. Intell. 24 ; *Dun. in DC. Prod.* xiii. i. 94.—Abyss.  
 Schiruschuna, *Mill. Gard. Dict. ed. VIII.* n. 32 (Quid ?)—Ind. or.  
 schizandrum, *Sendt. in Mart. Fl. Bras.* x. 85.—Bras.  
 schizopodium, *Sendt. l. c.* 46.—Bras.  
 Schlechtendalianum, *Walp. Rep.* iii. 61.—Mexic.  
 Schneideri, *Phil. f. Cat. Pl. Vasc. Chil.* 229 = Alphonsi.  
 schoenbrunnense, *Dun. in DC. Prod.* xiii. i. 365.—Hab. ?  
 Schomburgkii, *Sendt. in Mart. Fl. Bras.* x. 55.—Am. trop.  
 Schrankii, *Steud. Nom. ed. II.* ii. 606.—Bras.  
 Schreberianum, *Sendt. in Mart. Fl. Bras.* x. 85.—Bras.  
 Schuchii, *Sendt. l. c.* 101.—Bras.  
 Schultesii, *Opiz, in Bercht. & Opiz, Oek. Fl. Boehm.* iii. 24.—Bohemia.  
 sclareaefolium, *Dun. in DC. Prod.* xiii. i. 118 = cladotrichum.  
 Seaforthianum, *Andr. Bot. Rep.* t. 504.—Am. trop.  
 Seedii, *Horne, ex Baker, in Fourn. Linn. Soc.* xx. (1883) 369.—Ins. Fiji.  
 Sellovianum, *Sendt. in Mart. Fl. Bras.* x. 38.—Bras.  
 Sellowii, *Dun. in DC. Prod.* xiii. i. 134.—Bras.  
 semiarmatum, *F. Muell. Fragm.* ii. 163.—Austral.  
 sempervirens, *Dun. in DC. Prod.* xiii. i. 88.—Guian.  
 sempervirens, *Mill. Gard. Dict. ed. VIII.* n. 25 = aggregatum.  
 Sendtnerianum, *Heurck & Muell. Arg. in Heurck, Obs. Bot.* 75.—Peruv.  
 senecioides, *Domb. ex Dun. in DC. Prod.* xiii. i. 65.—Peruv.  
 senegambicum, *Dun. l. c.* 194.—Afr. trop.  
 sepicula, *Dun. l. c.* 283.—Arab.  
 septemlobum, *Bunge, in Mém. Sav. Etr. Pétersb.* ii. (1835) 122.—China.  
 sericeum, *Ruiz & Pav. Fl. Per.* ii. 33. t. 161.—Peruv.  
 sericeum, *Vell. Fl. Flum.* 83 ; ii. t. 97 = cinnamomeum.  
 serpentinum, *Noronha, in Verh. Batav. Gen.* v. (1790) ed. I. Art. iv. 26 ; *Desf. Cat. Hort. Par.* ed. III. 115, 397 = S. Melongena ?  
 serratifolium, *A. DC. in DC. Prod.* xiii. i. 630.—Bras.  
 serratum, *Blanco, Fl. Filip.* ed. I. 136 = Physalis minima.  
 serratum, *Dun. in DC. Prod.* xiii. i. 146 = serratifolium.  
 sessile, *Ruiz & Pav. Fl. Per.* ii. 35. t. 167.—Peruv.

**SOLANUM :—**

sessiliflorum, *Dun. Solan. Syn.* 43.—Bras.  
 Shanesii, *F. Muell. Fragm.* vi. 144.—Austral.  
 sideroxanthum, *Dun. in DC. Prod.* xiii. i. 228.—Bras.  
 sideroxyloides, *Schlecht. in Linnaea*, viii. (1833) 253.—Mexic.  
 Sieberi, *Heurck & Muell. Arg. in Heurck, Obs. Bot.* 56.—Ins. Trinit.  
 Sieberianum, *Dun. in DC. Prod.* xiii. i. 107 = callicarpaefolium.  
 Silarium, *Buch.-Ham. ex Wall. Cat. n.* 2627 = torvum.  
 simile, *F. Muell. in Trans. Phil. Soc. Vict.* i. (1855) 19.—Austral.  
 simplex, *Dun. in DC. Prod.* xiii. i. 272.—Bras.  
 sinuatum, *Boiss. Diagn. Ser. I.* xi. 135.—Arab.  
 sinense, *Blanco, Fl. Filip.* ed. I. 137 = tuberosum.  
 singuliflorum, *Steud. Nom. ed. II.* ii. 606 = S. Pseudocapsicum.  
 sinuatifolium, *Vell. Fl. Flum.* 91 ; ii. t. 132 = aculeatissimum, *Jacq.*  
 sinuatum, *Ait. ex Loud. Hort. Brit. Suppl.* ii. 673.—Hab. ?  
 sinuatum, *Salisb. Prod.* 134 = sodomium.  
 sinuatum, *Willd. Sp. Pl.* i. 1043 = tectum.  
 Sisleyanum, *Lambertye, in Rev. Hort.* (1868) 470.—Reg. Argent.  
 sisymbriifolium, *Lam. Illustr.* ii. 25.—Am. bor. ; Mexic.  
 sodomaeum, *Drège, Zwei Pfl. Docum.* 147 ; et ex *Dun. in DC. Prod.* xiii. i. 367 = aculeastrum.  
 sodomaeum, *Hort. ex Dun. l. c.* 365 = schoenbrunnense.  
 sodomium, *Linn. Sp. Pl.* 187.—Geront. calid.  
 sodomium, *Russ. ex Nees, in Trans. Linn. Soc.* xvii. (1834) 55 = indicum.  
 solitudinum, *Delile, ex Dun. in DC. Prod.* xiii. i. 285.—Aegypt.  
 somalense, *Franch. in Révoil, Comali*, 47.—Afr. trop.  
 somniculentum, *Kunze, ex Schlecht. in Linnaea*, xix. (1847) 306.—Mexic.  
 sordidum, *Sendt. in Mart. Fl. Bras.* x. 53. t. 4.—Bras.  
 speciosum, *Dun. Hist. Solan.* 179.—Ind. occ.  
 speciosum, *Hort. ex Dun. in DC. Prod.* xiii. i. 52 = nigrum.  
 spectabile, *Steud. Nom. ed. II.* ii. 606 = bifissum.  
 sphaerocarpum, *Moric. Pl. Nouv. Am.* 31 = aculeatissimum, *Jacq.*  
 spinatum, *Noronha, in Verh. Batav. Gen.* v. (1790) ed. I. Art. iv. 26 (Quid ?)—Java.  
 spinosissimum, *Lodd. Cat. ex G. Don, in Loud. Hort. Brit.* 74, nomen.—Hab. ?  
 spiraeoides, *Dun. in DC. Prod.* xiii. i. 157.—Chili.  
 spirale, *Roxb. Hort. Beng.* 16 ; *Fl. Ind.* i. 564.—Reg. Himal. ; Burma.  
 spissifolium, *Sendt. in Mart. Fl. Bras.* x. 33.—Bras.  
 sporodotrichum, *F. Muell. in Melb. Chemist* (Oct. 1882).—Austral.  
 Sprengelii, *Dun. in DC. Prod.* xiii. i. 372.—Bras.  
 Sprucei, *Heurck & Muell. Arg. in Heurck, Obs. Bot.* 67.—Peruv.  
 spurium, *Balb. Cat. Hort. Taur.* (1813) 73 = Lycopersicum pyriforme.  
 spurium, *J. F. Gmel. Syst.* 384 = Lycopersicum esculentum.  
 squamulosum, *Mart. & Gal. in Bull. Acad. Brux.* xii. i. (1845) 140.—Mexic.  
 stagnale, *Moric. Pl. Nouv. Am.* 34. t. 23.—Bras.  
 stamineum, *Steud. in Flora*, xxvi. (1843) 764 = S. Juripeba.  
 Stauntonii, *Dun. ex D. Don, Prod. Fl. Nep.* 96 = biflorum.  
 stellatum, *Jacq. Coll.* iii. 254.—Am. austr.  
 stellatum, *Moench, Meth.* 475 = Moenchii.  
 stellatum, *Ruiz & Pav. Fl. Per.* ii. 40 = hispidum.  
 stelligerum, *Sm. Exot. Bot.* ii. 57.—Austral.  
 stenandrum, *Dun. in DC. Prod.* xiii. i. 270 = stenorchis.  
 stenandrum, *Sendt. in Mart. Fl. Bras.* x. 68.—Bras.  
 stenolobum, *Heurck & Muell. Arg. in Heurck, Obs. Bot.* 69.—Peruv.  
 stenopetalum, *A. Br. in Ind. Sem. Hort. Berol.* (1853) App. 8 = nigrum.  
 stenophyllum, *Humb. & Bonpl. ex Dun. Solan. Syn.* 15.—Peruv.

**SOLANUM:—**

*stenorchideum*, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 185 = seq.  
*stenorchis*, Dun. in DC. Prod. xiii. i. 270.—Am. austr.  
*stephanodes*, Schlecht. in Linnaea, xix. (1847) 290.—Mexic.  
*stipulaceum*, Brouss. ex Roem. & Schult. Syst. iv. 669 (Quid?).—Hab.?  
*stipulaceum*, Willd. ex Roem. & Schult. Syst. iv. 662.—Bras.  
*stipulatum*, Vell. Fl. Flum. 87; ii. t. 117 = rivulare.  
*stoloniferum*, Schlecht. & Bouché, in Verh. Ver. Preuss. Gartenb. ix. (1833) 319. t. 2.—Mexic.  
*stoloniferum*, Schlecht. in Linnaea, viii. (1833) 255 = oxycarpum.  
*stramonifolium*, Dun. Hist. Solan. 222 = ferox.  
*stramonifolium*, Jacq. Misc. ii. 298.—Cosmop. trop.  
*stramonifolium*, Lam. Illustr. ii. 22 = torvum.  
*stramonifolium*, Pav. ex Dun. in DC. Prod. xiii. i. 346 = anoplociadum.  
*stramonifolium*, Hort. ex Benth. in Maund, Botanist, iv. [1839] sub t. 192 = vestitum.  
*strictum*, Zuccagni, in Roem. Collect. 132 = nigrum.  
*strigosum*, Vand. Fasc. Pl. 10.—Bras.  
*Sturtianum*, F. Muell. in Trans. Phil. Soc. Vict. i. (1855) 19.—Austral.  
*Styleanum*, Dun. in DC. Prod. xiii. i. 44.—Chili.  
*styracifolium*, Willd. ex Roem. & Schult. Syst. iv. 663 = S. Juripeba.  
*suaveolens*, Boj. Hort. Maurit. 239 = Bojeri.  
*suaveolens*, Kunth & Bouché, Ind. Sem. Hort. Berol. (1848) 14.—Mexic.  
*subarmatum*, Willd. Enum. Hort. Berol. 240.—Ind. occ.  
*subbiflorum*, Ortega, Hort. Matr. Dec. 118 = capense.  
*subcordatum*, Sendt. in Mart. Fl. Bras. x. 102.—Bras.  
*subenervium*, Dun. in DC. Prod. xiii. i. 104.—Chili.  
*subexarmatum*, Dun. l. c. 367.—Afr. austr.  
*subinermis*, Jacq. Enum. Pl. Carib. 15.—Ind. occ.  
*sublentum*, Hiern, in Kjoeb. Vidensk. Meddel. (1877-78) 53.—Bras.  
*sublobatum*, Willd. ex Roem. & Schult. Syst. iv. 664.—Reg. Argent.  
*subrepandum*, Desf. Tabl. ed. I. 222.—Am. trop.  
*subscandens*, Vell. Fl. Flum. 90; t. 128.—Bras.  
*subserratum*, Dun. in DC. Prod. xiii. i. 212.—N. Granat.  
*subsessile*, Klotzsch, in Schomb. Faun. Fl. Brit. Gui. 964, nomen.—Guian.  
*subspatulatum*, Sendt. in Mart. Fl. Bras. x. 45.—Bras.  
*subtruncatum*, Wall. Cat. n. 2620.—Reg. Himal.  
*subumbellatum*, Vell. Fl. Flum. 85; ii. t. 105.—Bras.  
*subviscidum*, Schrank, in Denkschr. Bot. Ges. Regensb. ii. (1822) 35.—Bras.  
*suffruticosum*, Schousb. ex Willd. Enum. Hort. Berol. 1236 = nigrum.  
*sulcatum*, Roesch. Nom. ed. III. 60.—Am. trop.?  
*supinum*, Dun. in DC. Prod. xiii. i. 289.—Afr. austr.  
*surattense*, Burm. f. Fl. Ind. 57 = virginianum.  
*surinamense*, Sendt. in Mart. Fl. Bras. x. 103 = canocinereum.  
*surinamense*, Steud. in Flora, xxvi. (1843) 764.—Guian.  
*Swartzianum*, Roem. & Schult. Syst. iv. 602.—Bras.  
*sycocarpum*, Mart. & Sendt. in Flora, xxiv. (1841) II. Beibl. 85 = Cyphomandra sycocarpa.  
*sycophanta*, Dun. in DC. Prod. xiii. i. 357.—Venezuela.  
*sylvaticum*, Humb. & Bonpl. ex Dun. Solan. Syn. 24.—Am. austr.  
*sylvestre*, Audib. ex Dun. in DC. Prod. xiii. i. 32 = tuberosum.  
*symphysicaulis*, Pav. ex Dun. in DC. Prod. xiii. i. 106.—Mexic.  
*synantherum*, Sendt. in Flora, xxix. (1846) 178.—Guatemala.  
*syringaeifolium*, Kunth & Bouché, Ind. Sem. Hort. Berol. (1845) 10.—Chili.  
*tabacifolium*, Vell. Fl. Flum. 81; ii. t. 89 = auriculatum.  
*tabacifolium*, Salz. ex Dun. in DC. Prod. xiii. i. 261.—Bras.  
*Tagore*, J. F. Gmel. Syst. 383, sphalm. = S. Tegore.  
*taitense*, Vathek, in Linnaea, xliii. (1880-82) 327.—Afr. trop.

**SOLANUM:—**

*tampicense*, Dun. in DC. Prod. xiii. i. 284.—Mexic.  
*tarapotense*, Heurck & Muell. Arg. in Heurck, Obs. Bot. 38.—Peruv.  
*Tauschii*, Opiz, in Bercht. & Opiz, Oek. Fl. Boehm. iii. 20.—Bohemia.  
*tectum*, Pers. Syn. i. 227.—Mexic.  
*Tegore*, Aubl. Pl. Gui. i. 212. t. 84 = Cyphomandra Tejore.  
*tejucense*, Dun. in DC. Prod. xiii. i. 248.—Bras.  
*tenue*, Sendt. in Mart. Fl. Bras. x. 13.—Bras.  
*tenuiflorum*, Steud. Nom. ed. II. ii. 606 = nigrum.  
*tenuifolium*, Dun. in DC. Prod. xiii. i. 87.—N. Granat.  
*tenuissimum*, Sendt. in Mart. Fl. Bras. x. 67.—Bras.  
*terminale*, Forsk. Fl. Aegypt. Arab. 45.—Arab.  
*terminale*, Vell. Fl. Flum. 84; ii. t. 101 = isodynamum.  
*ternatum*, Ruiz & Pav. Fl. Per. ii. 38. t. 172.—Peruv.  
*tetramerum*, Dun. in DC. Prod. xiii. i. 681.—Cuba.  
*tetrandrum*, Blume, Cat. Gew. Buitenz. 55 = ardisioides.  
*tetrandrum*, R. Br. Prod. 445.—Austral.  
*tetrathecum*, F. Muell. Fragm. ii. 165.—Austral.  
*tetricum*, Dun. in DC. Prod. xiii. i. 205.—Bras.  
*tettense*, Klotzsch, in Peters, Reise Mossamb. Bot. 237.—Afr. trop.  
*texanum*, Dun. in DC. Prod. xiii. i. 359 = integrifolium?  
*texanum*, Hort. ex Tenore, in Atti R. Ist. Incorr. Nap. viii. (1855) 328 = integrifolium.  
*texense*, Engelm. & Gray, in Bost. Journ. Nat. Hist. v. (1845) 227 = elaeagnifolium.  
*thelopodium*, Sendt. in Mart. Fl. Bras. x. 46.—Bras.  
*thomasiaefolium*, Sendt. l. c. 74.—Bras.  
*Thonningianum*, Jacq. f. Ecol. i. 123.—Afr. trop.  
*Thouinii*, C. C. Gmel. Cat. Hort. Carlsr. 254 = sisymbriifolium.  
*thymifolium*, Willd. ex Roem. & Schult. Syst. iv. 664.—Reg. Argent.  
*tinctarium*, Welw. Apont. 590 = nodiflorum.  
*tolimense*, Wedd. Chlor. And. ii. 106.—N. Granat.  
*Tomatillo*, Phil. f. Cat. Pl. Vasc. Chil. 229.—Chili.  
*tomentellum*, Klotzsch, in Peters, Reise Mossamb. Bot. 236.—Afr. trop.  
*tomentosum*, Herb. Hasselt, ex Miq. Fl. Ind. Bat. ii. 654 = S. Melongena.  
*tomentosum*, Linn. Sp. Pl. 188.—Am. bor.; Afr. austr.  
*tomentosum*, Phil. f. Cat. Pl. Vasc. Chil. 229.—Chili.  
*Topiro*, Humb. & Bonpl. ex Dun. Solan. Syn. 10.—Am. austr.  
*Torreyi*, A. Gray, in Proc. Am. Acad. vi. (1862) 44.—Am. bor. occ.  
*torvum*, Buch.-Ham. ex Wall. Cat. n. 2627 = stramonifolium.  
*torvum*, Schlecht. in Linnaea, v. (1830) 113 = Hartwegi.  
*torvum*, Sw. Prod. Veg. Ind. Occ. 47.—Cosmop. trop.  
*toxicarium*, Rich. in Act. Soc. Hist. Nat. Par. ii. (1792) 107 = stramonifolium.  
*trachyphyllum*, Humb. in Bonpl. ex Dun. Solan. Syn. 18.—N. Granat.  
*triangulare*, Lam. Illustr. ii. 18 = nigrum.  
*tribulosum*, Schau. in Linnaea, xx. (1847) 711.—Mexic.  
*trichocalyx*, Dun. in DC. Prod. xiii. i. 679.—Bras.  
*trichocarpum*, Miq. Stirp. Surin. Sél. 134.—Guian.  
*tricolor*, Dun. in Poir. Encyc. Suppl. iii. 756.—Mexic.  
*tricuspidatum*, Rich. ex Dun. in Poir. l. c. iii. 771.—Guian.  
*tridynamum*, Dun. in Poir. l. c. 776.—Mexic.  
*triferum*, Poepp. ex Schlecht. Hort. Hal. i. 6.—Peruv.  
*triflorum*, Nutt. Gen. Am. i. 128.—Am. bor. occ.  
*trifoliatum*, Burm. f. Fl. Ind. 57. f. 3 = Triphasia Aurantiola.  
*trifolium*, Dun. in DC. Prod. xiii. i. 68.—Ecuador.  
*trifurcum*, Dun. l. c. 272.—Bolivia.  
*trilobatum*, Linn. Sp. Pl. 188; ed. II. 270.—As. trop.  
*trilobatum*, Linn. II. cc., partim = capense.  
*trilobatum*, Noronha, in Verh. Batav. Gen. v. (1790) ed. I. Art. iv. 26 = S. Melongena.  
*tripartitum*, Dun. in DC. Prod. xiii. i. 72.—Bolivia.  
*triphyllum*, Vell. Fl. Flum. 88; ii. t. 120 = pruniifolium.  
*triquetrum*, Cav. Ic. iii. 30. t. 259.—Mexic.  
*trisetum*, Dun. in DC. Prod. xiii. i. 36.—Ins. Mader.  
*triste*, Glocker, ex Dun. l. c. 147 = acuminatum.

**SOLANUM:—**

*triste*, Jacq. Enum. Pl. Carib. 15.—Am. trop.  
*Trongum*, Poir. in Lam. Encyc. iv. 308 = S. Melongena.  
*Trutel*, Jacq. ex Steud. Nom. ed. I. 796 = triste.  
*tuberculatum*, Pav. ex Dun. in DC. Prod. xiii. i. 66 = conicum.  
*tuberiferum*, Dun. l. c. 63.—Mexic.  
*tuberosum*, Bert. ex Walp. Rep. iii. 39 = etuberosum.  
*tuberosum*, Linn. Sp. Pl. 185.—Am. bor. et austr.  
*tuberosum*, Poepp. ex Walp. Rep. iii. 39 = S. Maglia.  
*tubiflorum*, Dun. in DC. Prod. xiii. i. 318 = maroniense.  
*tucumanense*, Griseb. in Goett. Abh. xxiv. (1879) 254.—Reg. Argent.  
*Tweedianum*, Hook. Bot. Mag. t. 3385.—Reg. Argent.  
*uliginosum*, Blume, Bijdr. 695 = nigrum.  
*ulmoides*, Dun. in DC. Prod. xiii. i. 130.—Mexic.  
*umbellatum*, Banks, ex Dun. l. c. 200 = jamaicense.  
*umbellatum*, Dun. l. c. 62.—Ins. S. Doming.  
*umbellatum*, Mill. Gard. Dict. ed. VIII. n. 27.—Mexic.  
*umbellatum*, Willd. ex Roem. & Schult. iv. 662 = sylvaticum.  
*umbelliferum*, Eschsch. in Mem. Acad. Pétersb. (1821-22) 283.—Calif.  
*umbelliferum*, Torr. in Pacif. Rail. Rep. vii. 12 = nigrum.  
*umbrosum*, Balb. ex Dun. in DC. Prod. xiii. i. 185 = persicaefolium.  
*umbrosum*, Bert. ex Dun. l. c. 185 = bahamense.  
*umbrosum*, Humb. & Bonpl. ex Dun. Solan. Syn. 33.—Am. austr.  
*umbrosum*, Vahl, ex Dun. in DC. Prod. xiii. i. 259 = anomalum.  
*uncinatum*, R. Br. in Salt, Abyss. App. 64, nomen.—Abyss.  
*uncinatum*, Schrank, in Syll. Ratisb. i. (1824) 200 = Schrankii.  
*uncinellum*, Lindl. Bot. Reg. (1840) t. 15.—Bras.  
*undatifolium*, Dun. in DC. Prod. xiii. i. 104.—Bras.  
*undatum*, Bouton, ex Dun. l. c. 366 = sodomeum.  
*undatum*, Lam. Illustr. ii. 22 = S. Melongena.  
*undatum*, Walsh, Not. xi. 310; ex Dun. in DC. Prod. xiii. i. 338 = lycocarpum.  
*undecimangulare*, Willd. ex Roem. & Schult. Syst. iv. 669 = platyphyllum.  
*undulatum*, Dun. in DC. Prod. xiii. i. 138.—Bras.  
*undulatum*, Poir. Encyc. iv. 301 = S. Melongena.  
*ungens*, Weinm. in Flora, iv. (1821) 27.—Bras.  
*unguiculatum*, A. Rich. Tent. Fl. Abyss. ii. 102.—Abyss.  
*uniflorum*, Dun. in Poir. Encyc. Suppl. iii. 757.—Ins. S. Doming.  
*uniflorum*, Meyen, ex Nees, in Nov. Act. Nat. Cur. xix. Suppl. i. (1843) 388 = elaeagnifolium.  
*uniflorum*, Sesse, ex Lag. Gen. et Sp. Nov. 10 = Mozinianum.  
*uniflorum*, Vell. Fl. Flum. 86; ii. t. 114 = S. Pseudo-capsicum.  
*Uporo*, Dun. in DC. Prod. xiii. i. 138.—Ins. Tahiti.  
*urceolatum*, Pers. Syn. i. 223.—Peruv.  
*urens*, Bonhomme, ex Dun. in DC. Prod. xiii. i. 311.—Ins. S. Vincent.  
*urticans*, Dun. l. c. 324.—Bolivia.  
*utile*, Klotzsch, in Allg. Gartenz. xvii. (1849) 315 = tuberosum.  
*uvariaefolium*, Dun. in DC. Prod. xiii. i. 88 = flaccidum.  
*vacciniifolium*, Dun. l. c. 160 = havanense, Jacq.  
*vagum*, Heyne, ex Wall. Cat. n. 2624.—Ind. or.  
*Vaillantii*, Dun. Solan. Syn. 38.—Hab.?  
*Valadares*, Vand. Fasc. Pl. 10 = spectabile.  
*valdiviense*, Dun. in DC. Prod. xiii. i. 195.—Chili.  
*Valenzuelae*, Palacio, in Mém. Mus. Par. ii. (1815) 340.—N. Granat.  
*Vandellianum*, Dun. Hist. Solan. 241.—Bras.  
*Vanheurckii*, Muell. Arg. in Heurck, Obs. Bot. 85.—Peruv.  
*variabile*, Mart. in Flora, xxi. (1838) II. Beibl. 80.—Bras.  
*variegatum*, Ruiz & Pav. Fl. Per. ii. 32 = muricatum.  
*vellereum*, Schlecht. in Linnaea, xix. (1847) 302.—Mexic.  
*velluum*, Sw. ex Roem. & Schult. Syst. iv. 648 (an seq.?).—Bras.



**SOLANUM** :—

vellem, *Thunb. Pl. Bras. Dec.* ii. 21.—Bras.  
 Vellozianum, *Dun. Hist. Solan.* 236.—Bras.  
 velutinum, *Dun. in Poir. Encyc. Suppl.* iii. 766.—  
 Guian.  
 venosum, *Humb. & Bonpl. ex Dun. Solan. Syn.* 19.—  
 N. Granat.  
 venosum, *Sendt. in Mart. Fl. Bras. x.* 27 = brachy-  
 stachys.  
 venustum, *Kunth, Ind. Sem. Hort. Berol.* (1845) 10 =  
 Seafortianum.  
 Verae-crucis, *Steud. Nom. ed. II. ii.* 607 = amazonium.  
 verbascifolium, *Banks, ex Dun. in DC. Prod. xiii.* i. 271  
 = stenorchis.  
 verbascifolium, *H. B. & K. Nov. Gen. et Sp.* iii. 30 =  
 asperum.  
 verbascifolium, *Linn. Sp. Pl.* 184.—Amphig. trop.  
 vernicatum, *Lindl. Bot. Reg.* (1838), *Misc.* 74.—Reg.  
 Argent.  
 verrucosum, *Schlecht. Hort. Hal.* i. 3. t. 2 = tuberosum.  
 vesum, *F. Muell. in Trans. Vict. Inst.* i. (1855) 69 =  
 aviculare.  
 Vespertilio, *Ait. Hort. Kew. ed. I. i.* 252.—Ins. Canar.  
 vespertilionum, *St. Lag. in Ann. Soc. Bot. Lyon.* vii.  
 (1880) 135 = praec.  
 vestissimum, *Dun. in DC. Prod. xiii.* i. 322.—Vene-  
 zuela.  
 vestitum, *Benth. in Maund, Botanist.* iv. [1839] t. 192.  
 —Mexic.  
 vestitum, *Nutt. ex Seem. Fl. Vit.* 174 = Nelsoni.  
 vestitum, *Salzm. ex Dun. in DC. Prod. xiii.* i. 324 =  
 polytrichum.  
 viarium, *Dun. l. c.* 240.—Bras.  
 viliflorum, *Sendt. in Mart. Fl. Bras. x.* 46.—Bras.  
 villosissimum, *Zuccagni, in Roem. Collect.* 132 =  
 mammosum.  
 villosum, *F. G. Dietr. Vollst. Lexic. Gaertn.* ix. 341 =  
 tectum.  
 villosum, *Forsk. Fl. Aegypt. Arab.* 47 = Forskål.ii.  
 villosum, *Mill. Gard. Dict. ed. VIII. n.* 2; *Lam.*  
*Illustr.* ii. 18 = nigrum.  
 villosum, *Moench, Meth.* 474.—Hab.?  
 villosum, *Opiz, ex Dun. in DC. Prod. xiii.* i. 51 =  
 decipiens.  
 villosum, *Willd. Prod. Fl. Berl.* 87.—Europ.; As.; Afr.  
 Vincentii, *Delile, ex Dun. in DC. Prod. xiii.* i. 310 =  
 indicum.  
 violaceum, *Blume, Cat. Gew. Buitenz.* 55 = Blumei.  
 violaceum, *R. Br. Prod.* 445.—Austral.  
 violaceum, *DC. ex Dun. in DC. Prod. xiii.* i. 359 =  
 S. Melongena.  
 violaceum, *Hort. ex Dun. l. c.* 334 = tridynamum.  
 violaceum, *Ortega, Hort. Matr. Dec.* 56; *Jacq. Fragm.*  
 82 = indicum.  
 violaeifolium, *Schott, in Spreng. Syst. iv. Cur. Post.*  
 403.—Bras.  
 virescens, *Hiern, in Kjoeb. Vidensk. Meddel.* (1877-78)  
 39 = rufescens.  
 virgatum, *Endl. ex Sendt. in Mart. Fl. Bras. x.* 13 =  
 Endlicheri.  
 virgatum, *Lam. Illustr.* ii. 14.—Ins. Canar.; Ind. occ.  
 virginianum, *Jacq. Ic. Pl. Rar.* ii. 11. t. 332 =  
 xanthocarpum.  
 virginianum, *Linn. Sp. Pl.* 187.—Am. bor.  
 virginianum, *Pav. ex Dun. in DC. Prod. xiii.* i. 331 =  
 heterodoxum.  
 virginianum, *Pers. Syn.* i. 227 = nigrum.  
 virginianum, *Russ. ex Wall. Cat. n.* 2613 D =  
 indicum.  
 virginicum, *Linn. Mant.* ii. 340 = virginianum?  
 viride, *R. Br. Prod.* 445.—Austral.  
 viride, *Schur, Enum. Pl. Transs.* 478 = nigrum.  
 viride, *Soland, ex Forst. f. Pl. Escul.* 72 = S. Uporo.  
 viridescens, *Hort. ex Reichb. Fl. Germ. Excurs.* 391 =  
 nigrum.  
 viridiflorum, *Ruiz & Pav. Fl. Per.* ii. 38. t. 173. f. b =  
 Cyphomandra viridiflora.  
 viridiflorum, *Schlecht. in Linnaea, xix.* (1847) 292 =  
 aculeatissimum, *Jacq.*  
 viridifolium, *Dun. in DC. Prod. xiii.* i. 73 = viride.  
 viridipes, *Dun. l. c.* 234.—Bras.  
 viscidissimum, *Zoll. & Mor. in Nat. en Geneesk. Arch.*  
*Neerl. Ind.* ii. (1845) 571.—Java.  
 viscidum, *Schweigg. Enum. Pl. Hort. Regiom.* 67 =  
 sisymbriifolium.  
 viscosissimum, *Sendt. in Mart. Fl. Bras. x.* 14.—Bras.  
 viscosum, *Lag. Gen. et Sp. Nov.* 10 = sisymbriifolium.  
 viscosum, *Moench, Meth. Suppl.* 179.—Hab.?

**SOLANUM** :—

viscosum, *Salzm. ex Dun. in DC. Prod. xiii.* i. 206 =  
 paludosum.  
 vitense, *Seem. in Fourn. Bot.* i. (1863) 206; *Fl. Vit.*  
 176.—Ins. Fiji.  
 vitocense, *Dun. in DC. Prod. xiii.* i. 176.—Peruv.  
 volubile, *Sw. Fl. Ind. Occ.* i. 458 = scabrum.  
 volubile, *Thib. ex Dun. in DC. Prod. xiii.* i. 220 =  
 ambiguum.  
 vulgare, *Hegetschw. Fl. Schw.* 219 = nigrum.  
 vulgatum, *Willd. ex Steud. Nom. ed. II. ii.* 607 =  
 nigrum.  
 Wallisii, *Carr. in Rev. Hort.* (1877) 291.—Peruv.  
 Warmingii, *Hiern, in Kjoeb. Vidensk. Meddel.* (1877-  
 78) 44.—Bras.  
 Warszewiczii, *Hort. ex Lambertye, in Rev. Hort.*  
 (1865) 429.—Hab.?  
 Wightii, *Miq. ex C. B. Clarke, in Hook. f. Fl. Brit.*  
*Ind.* iv. 234 = torvum.  
 Wightii, *Nees, in Trans. Linn. Soc. xvii.* (1834) 51.—  
 Ind. or.  
 Wildianum, *Wender. ex Steud. Nom. ed. II. ii.* 607.—  
 Hab.?  
 Willdenovianum, *G. Don, Gen. Syst.* iv. 427.—Ind.  
 occ.  
 Willdenowii, *Roem. & Schult. Syst.* iv. 661 = Zucca-  
 gnianum.  
 woahense, *Dun. in DC. Prod. xiii.* i. 268 = sandwi-  
 cense.  
 Wrightii, *Benth. Fl. Hongk.* 243.—Bolivia.  
 xanthacanthum, *Willd. ex Walp. Rep.* vi. 601 =  
 sisymbriifolium.  
 xanthocarpum, *Schrad. & Wendl. Sert. Hanov.* i. 8.  
 2.—Geront. trop.  
 Xanti, *A. Gray, in Proc. Am. Acad.* xi. (1876) 90.—  
 Calif.  
 xylopiæifolium, *Dun. in DC. Prod. xiii.* i. 179.—  
 N. Granat.  
 xylorhagoides, *Schrank, in Denkschr. Akad. Muench.*  
 vii. (1821) 241 (Quid?).—Europ.  
 xylostoideum, *Moric. ex Dun. in DC. Prod. xiii.* i. 158  
 = Orbignianum.  
 Zanonii, *Gouan, Illustr.* 7.—Europ. austr.  
 zanzibarensis, *Vatke, in Linnaea, xliii.* (1880-82) 326.  
 —Afr. trop.  
 zeylanicum, *Blanco, Fl. Filip. ed. I.* 136 = ferox.  
 zeylanicum, *Scop. Delic. Insub. i.* 1 = S. Melongena.  
 Zollingeri, *Dun. in DC. Prod. xiii.* i. 176 = biflorum.  
 Zuccagnianum, *Dun. Hist. Solan.* 149. t. 11.—Hab.?

**SOLARIA**, *Phil. in Linnaea, xxix.* (1857-58) 72.  
**LILIACEAE**, *Benth. & Hook. f.* iii. 805.  
 SYMEA, *Baker, in Saund. Refug. Bot.* t. 260 (1871).  
 miersioides, *Phil. in Linnaea, xxix.* (1857-58) 72.—  
 Chili.

**SOLDANELLA**, *Linn. Syst. ed. I* (1735). **PRIMU-**  
**LACEAE**, *Benth. & Hook. f.* ii. 633.

GOLIA, *Adans. Fam.* ii. 231 (1763).  
 affinis, *Cree, ex Loud. Hort. Brit. Suppl.* ii. 673 =  
 montana.  
 alpina, *Linn. Sp. Pl.* 144.—Europ. alp.  
 alpina, *F. W. Schmidt, Fl. Boem.* ii. 49 = montana.  
 Clusii, *Gaud. Fl. Helv.* ii. 76 = pusilla.  
 Clusii, *F. W. Schmidt, Fl. Boem.* ii. 50 = alpina.  
 crenata, *Penny, ex G. Don, in Loud. Hort. Brit.*  
*Suppl.* i. 600.—Hab.?  
 crenata, *Siebold, ex Miq. Ann. Mus. Bot. Lugd. Bat.*  
 iii. 94 = Schizocodon soldanelloides.  
 Ganderi, *Hut. in Oestr. Bot. Zeitschr.* xxiii. (1873) 122  
 = minima.  
 hybrida x, *Kern. l. c.* xxv. (1875) 160.—Europ.  
 media x, *Bruegg. in Jahresb. Naturf. Ges. Graub.* II.  
 xxiii-xxiv. (1880) 100.—Europ.  
 minima, *Hoppe, ex Sturm, Deutschl. Fl.* Heft 20.—  
 Europ. med.  
 minima, *Hoppe, in Flora, i.* (1818) 14 = pusilla.  
 montana, *Willd. Enum. Hort. Berol.* 192.—Bohem.;  
 Transsylv.  
 pusilla, *Baumg. Enum. Stirp. Transs.* i. 138.—  
 Transsylv.  
 pyrolaeifolia, *Schott, Nym. & Kotschy, Analect. Bot.* 16  
 = alpina.  
 sinuata, *Siebold, ex Miq. Ann. Mus. Bot. Lugd. Bat.*  
 iii. 94 = Schizocodon soldanelloides.  
 villosa, *Darracq. in Ann. Soc. Linn. Bord.* vi. Mélang.  
 2; *ex Gren. & Godr. Fl. Fr.* ii. 461 = montana.

**SOLDEVILLA**, *Lag. in Varied. Cienc. ii. iv.* (1805) 37  
 = **Hispidella**, *Barnad. (Compos.)*.  
 setosa, *Lag. l. c.* 38 = H. hispanica.

**SOLEA**, *Spreng. in Schrad. Journ. Bot.* iv. (1800) 192 =  
**Ionidium**, *Vent. (Violar.)*.

alba, *Spreng. Syst. iv. Cur. Post.* 97 = I. album.  
 anomala, *Spreng. Syst. i.* 804 = I. anomalum.  
 atropurpurea, *Spreng. Syst. iv. Cur. Post.* 98 = I. atro-  
 purpureum.  
 bicolor, *Spreng. l. c.* 97 = I. bicolor.  
 bigibbosa, *Spreng. l. c.* 98 = I. bigibbosum.  
 brevicaulis, *Spreng. l. c.* = I. brevicaule.  
 buxifolia, *Spreng. l. c.* = I. buxifolium.  
 Calceolaria, *Spreng. l. c.* 805 = I. Ipecacuanha.  
 calycina, *Spreng. l. c.* 804 = I. calycinum.  
 capensis, *Spreng. l. c.* = I. capense.  
 circaeoides, *Spreng. l. c.* = I. circaeoides.  
 communis, *Spreng. Syst. iv. Cur. Post.* 97 = I. com-  
 mune.  
 concolor, *Ging. in DC. Prod. i.* 306 = I. concolor.  
 enneasperma, *Spreng. Syst. i.* 804 = I. heterophyllum.  
 erecta, *Spreng. l. c.* = I. heterophyllum.  
 glutinosa, *Spreng. l. c.* = I. commune.  
 guaranitica, *Spreng. Syst. iv. Cur. Post.* 98 =  
 I. commune.  
 heterophylla, *Spreng. Syst. i.* 804 = I. heterophyllum.  
 Ipecacuanha, *Spreng. l. c.* 805 = I. Ipecacuanha.  
 Itoubou, *Spreng. l. c.* = I. Ipecacuanha.  
 lanata, *Spreng. Syst. iv. Cur. Post.* 97 = I. lanatum.  
 linifolia, *Spreng. Syst. i.* 803 = I. linifolium.  
 longifolia, *Spreng. l. c.* = I. strictum.  
 microphylla, *Spreng. l. c.* = I. glutinosum.  
 monopetala, *Spreng. l. c.* 400 = I. filiforme.  
 montana, *Zipp. ex Span. in Linnaea, xv.* (1841) 167 =  
 I. heterophyllum.  
 nana, *Spreng. Syst. iv. Cur. Post.* 98 = I. album.  
 oppositifolia, *Spreng. Syst. i.* 803 = I. oppositifolium.  
 parietarifolia, *Spreng. l. c.* 804 = I. oppositifolium.  
 parviflora, *Spreng. l. c.* = I. glutinosum.  
 parvifolia, *Eichl. in Mart. Fl. Bras. xiii.* i. 374 =  
 praec.  
 Poaya, *Spreng. Syst. iv. Cur. Post.* 97 = I. Poaya.  
 riparia, *Spreng. Syst. i.* 803 = I. oppositifolium.  
 scariosa, *Spreng. Syst. iv. Cur. Post.* 97 = I. brevicaule.  
 setigera, *Spreng. l. c.* = I. setigerum.  
 stricta, *Spreng. Pugill. i.* 22 = I. concolor.  
 stricta, *Spreng. Syst. i.* 803 = I. strictum.  
 sylvatica, *Spreng. Syst. iv. Cur. Post.* 97 = I. commune.  
 urticaefolia, *Spreng. l. c.* 98 = I. circaeoides.  
 verbenacea, *Spreng. Syst. i.* 803 = I. verbenaceum.  
 verticillata, *Spreng. in Schrad. Journ. Bot.* iv. (1800)  
 192 = I. polygalaeifolium.  
 viscidula, *Spreng. Syst. i.* 803 = I. oppositifolium.

**SOLEIROLIA**, *Gaudich. in Freyc. Voy. Bot.* 504 (1826)  
 = **Helxine**, *Req. (Urtic.)*.  
 corsica, *Gaudich. l. c.* = H. Soleirolia.

**SOLENA**, *Lour. Fl. Cochinch.* 514 (1790) = **Melothria**,  
*Linn. (Cucurb.)*.  
 heterophylla, *Lour. l. c.* = M. heterophylla.

**SOLENA**, *Willd. Sp. Pl. i.* 961 (1797) = **Posoqueria**,  
*Aubl. (Rubiaceae)*.  
 armata, *D. Dietr. Syn. Pl. i.* 800 = Basanacantha  
 armata.  
 Bowieana, *D. Dietr. l. c.* 801 = Randia macrantha.  
 calycina, *D. Dietr. l. c.* 799 (Basanacanthae sp.).—  
 Bras.  
 capitata, *D. Dietr. l. c.* 800 = Randia capitata.  
 decora, *D. Dietr. l. c.* 799 = P. latifolia.  
 dumetorum, *D. Dietr. l. c.* = Randia dumetorum.  
 echinocarpa, *D. Dietr. l. c.* = Randia echinocarpa.  
 fasciculata, *D. Dietr. l. c.* 800 = Randia fasciculata.  
 ferox, *D. Dietr. l. c.* = Randia ferox.  
 floribunda, *D. Dietr. l. c.* = Randia dumetorum.  
 genipaeiflora, *D. Dietr. l. c.* 801 = Randia genipae-  
 iflora.  
 gracilis, *Rudge, Pl. Gui. i.* 27. t. 41 = P. gracilis.  
 havanensis, *D. Dietr. Syn. Pl. i.* 799 = P. havanensis.  
 horrida, *D. Dietr. l. c.* 800 = Randia horrida.  
 Humboldtiana, *D. Dietr. l. c.* = Basanacantha Hum-  
 boldtiana.  
 latifolia, *Rudge, Pl. Gui. i.* 26. t. 40 = P. latifolia.  
 longiflora, *Willd. Sp. Pl. i.* 961 = P. longiflora.  
 longispina, *D. Dietr. Syn. Pl. i.* 799 = Randia dume-  
 torum.

*longistyla*, D. Dietr. Syn. Pl. i. 801 = *Macrosphyra longistyla*.  
*macrantha*, D. Dietr. l. c. = *Randia macrantha*.  
*maculata*, D. Dietr. l. c. = *Randia maculata*, DC.  
*madagascariensis*, D. Dietr. l. c. = *Randia madagascariensis*.  
*multiflora*, D. Dietr. l. c. 800 = *Randia longiflora*.  
*Mussaenda*, D. Dietr. l. c. 801 = *Randia Mussaenda*.  
*nitida*, D. Dietr. l. c. 800 = *Randia nitida*.  
*nutans*, D. Dietr. l. c. 799 = *Randia dumetorum*.  
*obovata*, D. Dietr. l. c. = *Randia obovata*.  
*parviflora*, D. Dietr. l. c. 800 = *Randia parviflora*.  
*pubescens*, D. Dietr. l. c. 799 = *Randia pubescens*.  
*Randia*, D. Dietr. l. c. = *Randia aculeata*.  
*revoluta*, D. Dietr. l. c. = *Posoqueria latifolia*.  
*rigida*, D. Dietr. l. c. 800 = *Randia fasciculata*.  
*rotundifolia*, D. Dietr. l. c. 799 = *Randia rotundifolia*.  
*Ruiziana*, D. Dietr. l. c. 801 = *Randia Ruiziana*.  
*scandens*, D. Dietr. l. c. 800 = *Randia longiflora*.  
*sinensis*, D. Dietr. l. c. = *Randia sinensis*.  
*speciosa*, D. Dietr. l. c. 801 = *Randia speciosa*, DC.  
*stricta*, D. Dietr. l. c. 800 = *Hyptianthera stricta*.  
*Talagiana*, D. Dietr. l. c. 801.—Madag.  
*tetracantha*, D. Dietr. l. c. 800 = *Basanacantha heteracantha*.  
*tetrandra*, D. Dietr. l. c. = *Randia tetrandra*.  
*triflora*, D. Dietr. l. c. = *Randia triflora*.  
*Trinitatis*, D. Dietr. l. c. 799 = *P. Trinitatis*.  
*uliginosa*, D. Dietr. l. c. = *Randia uliginosa*.

SOLENACANTHUS, C. Muell. in Walp. Ann. v. 638 (1858), sphalm. = SOLEACANTHUS, Oerst. = **Ruellia**, Linn. (Acanth.).

SOLENACHNE, Steud. Syn. Pl. Gram. 12 (1854) = **Spartina**, Schreb. (Gramin.).  
*phalaroides*, Steud. l. c. = *Spartina ciliata*.

SOLENANDRA, Benth. & Hook. f. Gen. ii. 620 (1876), sphalm. = SOLENANDRIA, Beauv. = **Galax**, Linn. (Diapens.).

SOLENANDRA, Hook. f. in Benth. & Hook. f. Gen. ii. 43 (1873). **RUBIACEAE**, Benth. & Hook. f. l. c. ixoroides, Hook. f. in Hook. Ic. Pl. t. 1150.—Cuba.

SOLENANDRIA, Beauv. ex Vent. Jard. Malm. t. 69 (1803) = **Galax**, Linn. (Diapens.).  
*cordifolia*, Beauv. ex Vent. l. c. = *G. aphylla*.

SOLENANTHA, G. Don, Gen. Syst. ii. 39 (1832) = **Hymenanthera**, R. Br. (Violar.).  
*spinosa*, G. Don, l. c. = *H. dentata*?

SOLENANTHUS, Ledeb. Ic. Fl. Ross. t. 26 (1828); Fl. Alt. i. 193 (1829). **BORAGINEAE**, Benth. & Hook. f. ii. 848.

CERINTHOPSIS, Kotschy, ex Benth. & Hook. f. Gen. ii. 849 (1876).  
 TRACHELANTHUS, Kunze, in Bot. Zeit. viii. (1850) 665.

*amplifolius*, Boiss. Diagn. Ser. I. xi. 126.—Syria.  
*angustifolius*, Schrenk, Enum. Pl. Nov. ii. 28.—Sibir.  
*apenninus*, Hohen. in Bull. Soc. Nat. Mosc. xi. (1838) 306.—Europ.

*baicalensis*, DC. & A. DC. in Prod. x. 166 = *Craniospermum subvillosum*.

*Biebersteinii*, DC. l. c. 165.—Tauria.  
*brachystemon*, Fisch. & Mey. ex Hohen. in Bull. Soc. Nat. Mosc. xi. (1838) 306.—Reg. Casp.

*cerinthoides*, Boiss. Diagn. Ser. I. xi. 127.—Persia.  
*circinatus*, Ledeb. Fl. Alt. i. 194.—Soongar.; Sibir.  
*conglobatus*, A. DC. in DC. Prod. x. 166 = *Tournefortii*.

*coronatus*, Regel, Pl. Nov. Fedsch. 59.—Turkestan.  
*dubius*, Fisch. & Mey. ex Hohen. in Bull. Soc. Nat. Mosc. xi. (1838) 306 = *Biebersteinii*.

*ericalycinus*, Boiss. & Buhse, in Nouv. Mém. Soc. Nat. Mosc. xii. (1860) 156.—Reg. Caucas.

*hirsutus*, Regel, Pl. Nov. Fedsch. 60.—Turkestan.  
*kokanicus*, Regel, l. c. 89.—Turkestan.

*lanatus*, A. DC. in DC. Prod. x. 165.—Armenia.  
*mollissimus*, DC. & A. DC. in Prod. x. 166.—Persia.

*nigricans*, Schrenk, Enum. Pl. Nov. ii. 29.—Sibir.  
*Olgae*, Regel & Smirnow, ex Regel, Pl. Nov. Fedsch. 59, 60.—Turkestan.

*petiolaris*, DC. Prod. x. 164.—Mesopot.; Persia.

### SOLENANTHUS:—

*rumicifolius*, Boiss. Pl. Or. Nov. Dec. ii. 9 = *petiolaris*.  
*tenuiflorus*, Schrenk, in Bull. Phys.-Math. Acad. Pétersb. ii. (1844) 194.—Soongar.  
*Tournefortii*, DC. Prod. x. 164.—As. Min.; Persia.

SOLENANTHUS, Steud. teste Klatt, ex Baker, in Journ. Linn. Soc. xvi. (1877) 159 = **Acidanthera**, Hochst. (Irid.).

SOLENARIUM, Dulac, Fl. Hautes-Pyr. 112 (1867) = **Gagea**, Salisb. (Liliac.).  
*fistulosum*, Dulac, l. c. = *G. Liotardi*.  
*luteum*, Dulac, l. c. = *G. fascicularis*.

SOLENIDIUM, Lindl. Orch. Linden. 15 (1846). **ORCHIDEAE**, Benth. & Hook. f. iii. 564.  
*racemosum*, Lindl. l. c. —N. Granat.

SOLENIPIEDIUM, Beer, Prakt. Orch. 310 (1854), sphalm. = **Selenipedium**, Reichb. f. (Orchid.).

SOLENISIA, DC. Prod. vii. 737 (1839) = **Styphelia**, Sm. (Epacrid.).  
*elegans*, DC. l. c. 738 = *Styph. tenuiflora*.  
*pulchella*, Stschégel. in Bull. Soc. Nat. Mosc. xxxii. (1859) 1. 3 = *Styph. Leucopogon*.

SOLENISIA, Steud. Nom. ed. II. ii. 607 (1841), sphalm. = *præc.*

SOLENIXORA, Baill. in Bull. Soc. Linn. Par. i. (1880) 242. **RUBIACEAE**.  
*Pervilleana*, Baill. l. c. 243.—Madag.

SOLENOCARPUS, Wight & Arn. Prod. 171 (1834). **ANACARDIACEAE**, Benth. & Hook. f. i. 422.  
*indica*, Wight & Arn. l. c. —Ind. or.

SOLENOGYNE, Cass. in Dict. Sc. Nat. l. 493 (1827) = **Eriocephalus**, Linn. (Compos.).

SOLENOGYNE, Cass. in Dict. Sc. Nat. lvi. 174 (1828) = **Lagenophora**, Cass. (Compos.).  
*bellidioides*, Cass. l. c. 175 = *L. Solenogyne*.  
*bellioides*, Sond. in Linnaea, xxv. (1852) 480 = *L. Emphysopus*.  
*brachycomoides*, F. Muell. Fragm. v. 63 = *L. Solenogyne*.

SOLENOMELUS, Miers, in Proc. Linn. Soc. i. (1841) 122; et Trans. Linn. Soc. xix. (1842) 95. t. 8. **IRIDEAE**, Benth. & Hook. f. iii. 700.  
*CRUCKSHANKSIA*, Miers, Trav. ii. 529 (1826), nomen.  
*LECHLERA*, Griseb. in Lechl. Berb. Am. Austr. 53 (1857).

*PHAIOPHLEPS*, Rafin. Fl. Tellur. iv. 29 (1836).  
*acaulis*, Baker, in Journ. Linn. Soc. xvi. (1877) 121. —Reg. Andin.

*andinus*, Baker, l. c. = *Chamelum andinum*.  
*biflorus*, Baker, l. c. = *Symphyostemon odoratissimus*.  
*Chamelum*, Baker, l. c. = *Chamelum luteum*.

*chilensis*, Miers, in Proc. Linn. Soc. i. (1841) 122; et in Trans. Linn. Soc. xix. (1842) 96.—Chili.

*chimboraensis*, Klatt, in Abh. Naturf. Ges. Halle, xv. (1882) 380 = *Orthrosanthus chimboracensis*.

*frigidus*, Klatt, l. c. = *Chamelum andinum*.  
*gladioloides*, Klatt, l. c. = *Orthrosanthus chimboracensis*.

*Lechleri*, Baker, in Journ. Linn. Soc. xvi. (1877) 121. —Reg. Andin.

*nigricans*, Baker, l. c. —Chili.  
*punctatus*, Miers, in Proc. Linn. Soc. i. (1841) 122; et in Trans. Linn. Soc. xix. (1842) 96 = *chilensis*.

*spicatus*, Klatt, in Abh. Naturf. Ges. Halle, xv. (1882) 380 = *Orthrosanthus spicatus*.

SOLENOPHORA, Benth. Pl. Hartw. 68 (1840). **GESNERACEAE**, Benth. & Hook. f. ii. 1005.

**ARCTOCALYX**, Fenzl, in Otto & Dietr. Allg. Gartenz. xvi. (1848) 305.

**HIPPODAMIA**, Decne. in Rev. Hort. (1848) 464.  
*coccinea*, Benth. Pl. Hartw. 68.—Mexic.

*Endlicheriana*, Hanst. in Linnaea, xxxiv. (1865–66) 314.—Mexic.

*guttata*, Decne. ex Benth. & Hook. f. Gen. ii. 1005 = *Endlicheriana*.

*insignis*, Hanst. in Linnaea, xxxiv. (1865–66) 314.—Mexic.

*obscura*, Hanst. l. c. 315.—Mexic.

SOLENOPSIS, Presl, Prod. Monog. Lobel. 32 (1836) =

**Laurentia**, Michx. (Campan.).  
*Bivonaeana*, Presl, l. c. = *L. tenella*.

*canariensis*, Presl, l. c. = *L. canariensis*.  
*Dregeana*, Presl, in E. Mey. Comm. Pl. Afr. Austr. 290 = *L. Dregeana*.

*Laurentia*, Presl, Prod. Monog. Lobel. 32 = *L. Michellii*.

*minuta*, Presl, l. c. = *L. minuta*.  
*Salzmänniana*, Presl, l. c. = *L. Michellii*.

*tenella*, Steud. Nom. ed. II. ii. 61, in syn. = *L. tenella*.

SOLENOSPERMUM, Zoll. in Tijdschr. Nederl. Ind. xiv. (1857) 168. **CELASTRINEAE**.  
*javanicum*, Zoll. l. c. 169.—Java.

SOLENOSTEMMA, Hayne, Arzn. Gew. ix. t. 38 (1825). **ASCLEPIADEAE**, Benth. & Hook. f. ii. 749.

**ARGELIA**, Decne. in Ann. Sc. Nat. Sér. II. ix. (1838) 331. t. 11 G.

Argel, Hayne, Arzn. Gew. ix. t. 38.—Nubia.

SOLENOSTEMON, Thonn. in Schum. & Thonn. Beskr. Guin. Pl. 271 (1827). **LABIATAE**, Benth. & Hook. f. ii. 1175.

*ocymoides*, Schum. & Thonn. l. c.—Afr. trop.

SOLENOSTIGMA, Endl. Prod. Fl. Norf. 41 (1833) = **Celtis**, Tourn. (Urtic.).

*angustifolium*, Miq. Fl. Ind. Bat. Suppl. 412 = *C. angustifolia*.

*brevinerve*, Blume, Mus. Bot. Lugd. Bat. ii. 67 = *C. paniculata*.

*consimile*, Blume, l. c. 68 = *C. Wightii*.  
*Djungiel*, Blume, l. c. 69 = *C. Djungiel*.

*Hasseltii*, Blume, l. c. 68 = *C. Hasseltii*.  
*latifolium*, Blume, l. c. 67 = *C. latifolia*.

*laurifolium*, Blume, l. c. 68 = *C. laurifolia*.  
*mauritanum*, Blume, l. c. 67 = *C. mauritiana*.

*pacificum*, Blume, l. c. = *C. pacifica*.  
*paniculatum*, Endl. Prod. Fl. Norf. 42 = *C. paniculata*.

*philippinensis*, Blume, Mus. Bot. Lugd. Bat. ii. 67 = *C. philippinensis*.

*rigescens*, Miq. Fl. Ind. Bat. Suppl. 411 = *C. rigescens*.  
*strychnoides*, Blume, Mus. Bot. Lugd. Bat. ii. 67 = *C. philippinensis*.

*sumatranum*, Miq. Fl. Ind. Bat. Suppl. 411 = *C. sumatrana*.

*Wightii*, Blume, Mus. Bot. Lugd. Bat. ii. 68 = *C. Wightii*.

*Zippelii*, Blume, l. c. 67 = *C. Zippelii*.

SOLENOSTIGMA, Klotzsch, ex Walp. Rep. iii. 125 (1844–45) = **Retzia**, Thunb. (Solan.).

*Kraussii*, Klotzsch, ex Walp. l. c. = *R. capensis*.

SOLENOSTYLES, Hort. ex Pasq. Cat. Orto Bot. Nap. 97 (1867). **ACANTHACEAE**.

*aurantiaca*, Hort. ex Pasq. l. c. (Quid?).—Hab.?

SOLENOTHECA, Nutt. in Trans. Am. Phil. Soc. N. S. vii. (1841) 371 = **Tagetes**, Linn. (Compos.).

*tenella*, Nutt. l. c. 372 = *T. tenuifolia*?

SOLENOTINUS, Spach, Hist. Vég. Phan. viii. 305 (1839) = **Viburnum**, Linn. (Caprifol.).

*erubescens*, Oerst. in Kjoeb. Vidensk. Meddel. (1860) 295 = *V. erubescens*.

*foetens*, Oerst. l. c. 294 = *V. foetens*.  
*nervosus*, Oerst. l. c. 295 = *V. nervosum*.

SOLENOTUS, Stev. in Bull. Soc. Nat. Mosc. iv. (1832) 266 = **Astragalus**, Tourn. (Legumin.).

*adsurgens*, Stev. l. c. 267 = *A. adsurgens*.  
*albicaulis*, Stev. l. c. xxix. (1856) II. 144 = *A. albicaulis*.

*angarensis*, Stev. l. c. iv. (1832) 266 = *A. angarensis*.  
*asper*, Stev. l. c. 267 = *A. asper*.

*bayonnensis*, Stev. l. c. = *A. bayonnensis*.  
*brachypus*, Stev. l. c. xxix. (1856) II. 144 = *A. brachypus*.

*canadensis*, Stev. l. c. iv. (1832) 267 = *A. canadensis*.  
*candidissimus*, Stev. l. c. xxix. (1856) II. 144 = *A. candidissimus*.

*cognatus*, Stev. l. c. = *A. cognatus*.  
*dealbatus*, Stev. l. c. iv. (1832) 267 = *A. dealbatus*.

## SOLENOTUS:—

- elongatus*, Stev. in Bull. Soc. Nat. Mosc. iv. (1832) 267 = *Astragalus elongatus*.  
*fruticosus*, Stev. l. c. 266 = *A. fruticosus*.  
*Gebleri*, Stev. l. c. xxix. (1856) II. 144 = *A. Gebleri*.  
*glaber*, Stev. l. c. iv. (1832) 267 = *A. glaber*.  
*gyzensis*, Stev. l. c. 266 = *A. gyzensis*.  
*humifusus*, Stev. l. c. 267 = *A. humifusus*.  
*hypoglottis*, Stev. l. c. = *A. hypoglottis*.  
*hyrcanus*, Stev. l. c. xxix. (1856) II. 144 = *A. hyrcanus*.  
*lasioglottis*, Stev. l. c. iv. (1832) 267 = *A. lasioglottis*.  
*leontinus*, Stev. l. c. = *A. leontinus*.  
*macrourus*, Stev. l. c. xxix. (1856) II. 144 = *A. macrourus*.  
*odoratus*, Stev. l. c. iv. (1832) 267 = *A. odoratus*.  
*pallens*, Stev. l. c. = *A. pallens*.  
*podocarpus*, Stev. l. c. xxix. (1856) II. 144 = *A. podocarpus*.  
*purpureus*, Stev. l. c. iv. (1832) 267 = *A. purpureus*.  
*rariflorus*, Stev. l. c. xxix. (1856) II. 144 = *A. rariflorus*.  
*resupinatus*, Stev. l. c. = *A. fragrans*.  
*Schlichowii*, Stev. l. c. = *A. Schlichowii*.  
*scoparius*, Stev. l. c. = *A. scoparius*.  
*semibilocularis*, Stev. l. c. iv. (1832) 267 = *A. semibilocularis*.  
*stenophyllus*, Stev. l. c. 266 = *A. stenophyllus*.  
*uliginosus*, Stev. l. c. 267 = *A. uliginosus*.  
*unifolius*, Stev. l. c. = *A. unifolius*.  
*vesicarius*, Stev. l. c. = *A. vesicarius*.  
*virgatus*, Stev. l. c. 266 = *A. virgatus*.  
*xerophilus*, Stev. l. c. xxix. (1856) II. 144 = *A. xerophilus*.

SOLIA, Noronha, in Verh. Batav. Gen. v. (1790) ed. I. Art. IV. 3 = *Premna*, Linn. (Verbenac.).

## SOLIDAGO, [Vaill.] Linn. Syst. ed. I (1735). COMPOSITAE, Benth. &amp; Hook. f. ii. 256.

- AMPHIRAPHIS, DC. Prod. v. 343 (1836).  
 APLACTIS, Rafin. Fl. Tellur. ii. 42 (1836).  
 CHRYSOMA, Nutt. in Journ. Acad. Philad. vii. (1834) 67.  
 DASTORIMA, Rafin. Fl. Tellur. ii. 43 (1836).  
 DECTIS, Rafin. l. c. (1836).  
 DORIA, Adans. Fam. ii. 124 (1763).  
 EUTHAMIA, Ell. Sketch, ii. 391, in syn. (1824).  
 LEIOLIGO, Rafin. Fl. Tellur. ii. 42 (1836).  
 LEPIACTIS, Rafin. l. c. 43 (1836).  
*acaulis*, Spreng. Syst. iii. 543 = *Liabum acaule*.  
*alata*, Wall. ex DC. Prod. vi. 368 = *Senecio alatus*.  
*alba*, Mill. Gard. Dict. ed. VIII. n. 26 = *bicolor*.  
*aliena*, Spreng. ex Baker, in Mart. Fl. Bras. vi. III. 9 = *Leucopsis Tweediei*.  
*alpestris*, Waldst. & Kit. in Willd. Sp. Pl. iii. 218 = *S. Virgaurea*.  
*alpina*, Linn. Sp. Pl. 880 = *Senecio alpinus*.  
*alpina*, Salisb. Prod. 199 = *minuta*.  
*altissima*, Ait. Hort. Kew. ed. I. iii. 212 = *rugosa*.  
*altissima*, Linn. Sp. Pl. 878 = *canadensis*.  
*altissima*, Michx. Fl. Am. Bor. ii. 118 = *pilosa*.  
*ambigua*, Ait. Hort. Kew. ed. I. iii. 217 = *S. Virgaurea*?  
*amplexicaulis*, Martens, in Bull. Acad. Brux. viii. (1841) 8 = *Riddellii*.  
*amplexicaulis*, Torr. & Gray, Fl. N. Am. ii. 218. — *Am. bor.*  
*angulata*, Mart. Hort. Erlang. (1814) 180 = *patula*.  
*angulosa*, Wall. ex DC. Prod. vi. 369 = *Senecio densiflorus*.  
*angusta*, Torr. & Gray, Fl. N. Am. ii. 204 = *petiolaris*.  
*angustifolia*, Ell. Sketch, ii. 388 = *stricta*.  
*angustifolia*, Mill. Gard. Dict. ed. VIII. n. 3 = *Senecio sarraценicus*.  
*anisata*, Lodd. Cat. ex Loud. Hort. Brit. 348, nomen. — *Am. bor.*  
*arborescens*, A. Cunn. ex Hook. f. Fl. N. Zel. i. 148 = *Senecio glastifolius*, Hook. f.  
*arborescens*, Forst. f. Prod. 56 = *Olearia nitida*.  
*arcuata*, Tausch, in Flora, xi. (1828) 498 = *canadensis*.  
*arenaria*, Hort. Par. ex Poir. Encyc. Suppl. v. 461 = *S. Virgaurea*.  
*argentea*, Hornem. Suppl. Hort. Hafn. 99 = *caesia*.  
*argentea*, Lodd. Cat. ex Loud. Hort. Brit. 348 = *puberula*.

## SOLIDAGO:—

- arguta*, Ait. Hort. Kew. ed. I. iii. 213. — *Am. bor.*  
*arguta*, Spreng. Syst. iii. 540 = *caesia*.  
*arguta*, Torr. & Gray, Fl. N. Am. ii. 214 = *juncea*.  
*aspera*, Ait. Hort. Kew. ed. I. iii. 212 = *rugosa*.  
*asperata*, Herb. Banks, ex Pursh, Fl. Am. Sept. ii. 538 = *patula*.  
*asperata*, Soland. ex A. Gray, Syn. Fl. N. Am. i. II. 153 = *rugosa*.  
*asperula*, Desf. Cat. Hort. Par. ed. III. 403 = *rugosa*?  
*asperula*, Juss. ex DC. Prod. v. 337 = *rigida*.  
*aurea*, Spreng. Syst. iii. 542 (sp. dub.). — *Nepal.*  
*axillaris*, Herb. Banks, ex Pursh, Fl. Am. Sept. ii. 542 = *caesia*.  
*axillaris*, Jeanb. & Timb. in Bull. Soc. Sc. Phys. et Nat. Toul. iii. (1875-76) 581 = *S. Virgaurea*.  
*azorica*, Hochst. in Seubert, Fl. Azor. 31. t. 10 = *sempervirens*.  
*bicolor*, Linn. Mant. i. 114. — *Am. bor.*  
*Bigelovii*, A. Gray, in Proc. Am. Acad. xvi. (1881) 80. — *Am. bor.*  
*bonariensis*, D. Don, ex Baker, in Mart. Fl. Bras. vi. III. 11 = *microglossa*.  
*Boottii*, Hook. Comp. Bot. Mag. i. (1835) 97. — *Am. bor.*  
*Bosciana*, Moretti, ex DC. Prod. v. 333 = *rugosa*.  
*brachyphylla*, Chapm. ex Torr. & Gray, Fl. N. Am. ii. 218 = *Boottii*.  
*Bucklei*, Torr. & Gray, l. c. 198. — *Am. bor.*  
*caesia*, Linn. Sp. Pl. 879. — *Am. bor.*  
*californica*, Nutt. in Trans. Am. Phil. Soc. N. S. vii. (1841) 328. — *Am. bor. occ.*  
*cambrica*, Huds. Fl. Angl. ed. I. 319 = *S. Virgaurea*.  
*canadensis*, Linn. Sp. Pl. 878. — *Am. bor.*  
*canescens*, Banks & Soland. ex Hook. f. Fl. N. Zel. i. 117 = *Olearia Cunninghamii*.  
*cantonensis*, Lour. Fl. Cochinch. 501 = *S. Virgaurea*.  
*capitata*, Fisch. ex Herd. in Bull. Soc. Nat. Mosc. xxxviii. (1865) i. 395 = *S. Virgaurea*.  
*carinata*, Schrad. in DC. Prod. v. 337 = *sempervirens*.  
*carnosa*, Mill. Gard. Dict. ed. VIII. n. 20 = *sempervirens*.  
*carpathica*, Schrad. ex Reichb. Fl. Germ. Excurs. 852 = *S. Virgaurea*.  
*ceylanica*, Arn. in Nov. Act. Nat. Cur. xviii. (1836) 347 = *Microglossa zeylanica*.  
*Chapmani*, A. Gray, in Proc. Am. Acad. xvi. (1881) 80. — *Florida*.  
*chilensis*, Meyen, Reise, i. 311 = *microglossa*.  
*chinensis*, Spreng. ex DC. Prod. v. 342 = *Senecio vagans*.  
*chrysantha*, Wall. in Linnaea, xiv. (1840) 643. — *Europ.*  
*ciliaris*, Muhl. ex Willd. Sp. Pl. iii. 2056 = *juncea*.  
*cinerascens*, Schwein. ex Ell. Sketch, ii. 375 = *memoralis*.  
*Clelia*, DC. Prod. v. 331 = *elliptica*.  
*compacta*, Turcz. in Bull. Soc. Nat. Mosc. (1840) 73 = *multiradiata*.  
*conferta*, Hort. Par. ex Poir. Encyc. viii. 469 = *memoralis*.  
*conferta*, Mill. Gard. Dict. ed. VIII. n. 27. — *Am. bor.*  
*confertiflora*, DC. Prod. v. 339. — *Am. bor.*  
*confertiflora*, Fisch. & Mey. Ind. Sem. Hort. Petrop. vii. 57 = *humilis*.  
*confertiflora*, Nutt. in Journ. Acad. Philad. vii. (1834) 102 = *squarrosa*.  
*confinis*, A. Gray, in Proc. Am. Acad. xvii. (1882) 191. — *Calif.*  
*coquimbana*, Phil. in Linnaea, xxxiii. (1864-65) 138 = *microglossa*.  
*cordata*, Short & Peter, in Trans. Journ. Med. xxviii. (1836) 599 = *Brachychaeta cordata*.  
*cordifolia*, Moench, Meth. 599 = *Aster cordifolius*.  
*corymbosa*, Ell. Sketch, ii. 378. — *Am. bor.*  
*corymbosa*, Hort. ex Poir. Encyc. Suppl. v. 461 = *S. Virgaurea*.  
*corymbosa*, Nutt. in Trans. Am. Phil. Soc. N. S. vii. (1841) 328 = *multiradiata*.  
*cuneifolia*, Roxb. in Beats. Tracts St. Helena, App. 324 = *Commidendron spurium*.  
*Curtisii*, Torr. & Gray, Fl. N. Am. ii. 200. — *Am. bor.*  
*cuspidata*, Wall. Cat. n. 3244 = *Inula cuspidata*.  
*cylindrica*, Scheele, in Linnaea, xxi. (1848) 600. — *Am. bor.*  
*Cymbalaria*, Moench, Meth. Suppl. 249 = *Aster Cymbalariae*.  
*decemflora*, DC. Prod. v. 332 = *memoralis*.  
*decemflora*, A. Gray, in Bost. Journ. Nat. Hist. vi. (1850) 223 = *S. Radula*.

## SOLIDAGO:—

- decurrens*, Lour. Fl. Cochinch. 501 = *S. Virgaurea*.  
*deflexa*, Moench, Meth. 599 = *serotina*.  
*densiflora*, Wall. Cat. n. 1821 = *Senecio densiflorus*.  
*diffusa*, A. Gray, in Proc. Am. Acad. v. (1861) 159 = *Bigelowia diffusa*.  
*discoidea*, Torr. & Gray, Fl. N. Am. ii. 195. — *Am. bor.*  
*domingensis*, Spreng. Syst. iii. 639. — *Ins. S. Doming.*  
*Doronicum*, Linn. Sp. Pl. 880 = *Senecio Doronicum*.  
*Drummondii*, Torr. & Gray, Fl. N. Am. ii. 217. — *Am. bor.*  
*dubia*, Schult. Obs. Bot. 178. — *Hab.?*  
*dubia*, Scop. Delic. Insub. ii. 19 = *elliptica*?  
*elata*, Ell. Sketch, ii. 389 = *petiolaris*.  
*elata*, Herb. Banks, ex Pursh, Fl. Am. Sept. ii. 543 = *sempervirens*.  
*elata*, Hook. Fl. Bor. Am. ii. 5 = *elongata*.  
*Elliotii*, Torr. & Gray, Fl. N. Am. ii. 218. — *Am. bor.*  
*elliptica*, Ait. Hort. Kew. ed. I. iii. 214. — *Am. bor.*  
*elliptica*, Ell. Sketch, ii. 376 = *Elliotii*.  
*elongata*, Hort. Par. ex A. Gray, Syn. Fl. N. Am. i. II. 153 = *Elliotii*.  
*elongata*, Nutt. in Trans. Am. Phil. Soc. N. S. vii. (1841) 327. — *Am. bor. occ.*  
*eminens*, Bischoff, ex A. Gray, Syn. Fl. N. Am. i. II. 157 = *canadensis*.  
*erecta*, DC. Prod. v. 340 = *bicolor*.  
*erecta*, Ell. Sketch, ii. 385 = *speciosa*.  
*erecta*, Herb. Banks, ex Pursh, Fl. Am. Sept. ii. 542. — *Am. bor.*  
*erecta*, Nutt. Gen. Am. ii. 161 = *petiolaris*.  
*fistulosa*, Mill. Gard. Dict. ed. VIII. n. 19 = *pilosa*.  
*flabellata*, Schrad. ex Spreng. Syst. iii. 540 = *caesia*.  
*flabelliformis*, Wendl. ex DC. Prod. v. 336. — *Hab.?*  
*flavovirens*, Chapm. Fl. S. U. St. 211. — *Florida*.  
*flexicaulis*, Linn. Sp. Pl. 879 = *latifolia*.  
*flexuosa*, Gilib. Fl. Lituan. i. 203 = *S. Virgaurea*.  
*floribundus*, Wall. Cat. n. 3111 = *Senecio triligulatus*.  
*foliosa*, Boj. ex DC. Prod. vi. 377 = *Senecio riparius*.  
*foliosa*, Hill, Hort. Kew. 22. — *Am. bor.*  
*fragrans*, Hort. Par. ex A. Gray, Syn. Fl. N. Am. i. II. 156 = *serotina*.  
*fragrans*, Willd. Enum. Hist. Berol. Suppl. 59 = *elliptica*.  
*Frankii*, Hochst. & Steud. ex A. Gray, Syn. Fl. N. Am. i. II. 152 = *patula*.  
*fruticosa*, Mill. Gard. Dict. ed. VIII. n. 32. — *Mexic.*  
*fuscata*, Desf. Cat. Hort. Par. ed. III. 402. — *Am. bor.*  
*Gattingeri*, Chapm. ex A. Gray, Syn. Fl. N. Am. i. II. 156. — *Am. bor.*  
*genistoides*, Bertol. Misc. Bot. vii. 37 = *stricta*.  
*gigantea*, Ait. Hort. Kew. ed. I. iii. 211 = *serotina*.  
*gigantea*, Hook. Fl. Bor. Am. ii. 2, partim = *lepida*.  
*glaberrima*, Martens, in Bull. Acad. Brux. viii. (1841) 68 = *missouriensis*.  
*glabra*, Desf. Cat. Hort. Par. ed. III. 402 = *serotina*.  
*glabra*, Mill. Gard. Dict. ed. VIII. n. 22 = *sempervirens*.  
*glauca*, S. G. Gmel. ex DC. Prod. v. 342 (= *Senecillus glauca*). — *Sibir.*  
*glomerata*, Michx. Fl. Bor. Am. ii. 117. — *Am. bor.*  
*glutinosa*, Nutt. in Trans. Am. Phil. Soc. N. S. vii. (1841) 328 = *confertiflora*.  
*gonoclada*, DC. Prod. v. 334 = *odora*.  
*gracilis*, Hill, Hort. Kew. 22. — *Am. bor.*  
*gracilis*, Hort. Par. ex Poir. Encyc. viii. 476; Schrad. Hort. Gotting. ex DC. Prod. v. 336 = *caesia*.  
*gracillima*, Torr. & Gray, Fl. N. Am. ii. 215. — *Florida*.  
*graminifolia*, Salisb. Prod. 199 = *lanceolata*, Linn.  
*grandiflora*, Desf. Cat. Hort. Par. ed. III. 403 = *littoralis*?  
*grandiflora*, Rafin. in Med. Repos. N. York, v. (1808) 359 = *rigida*.  
*graveolens*, Lam. Fl. Fr. ii. 145 = *Inula graveolens*.  
*Guiradonis*, A. Gray, in Bot. Calif. i. 319, partim = *spectabilis*.  
*Guiradonis*, A. Gray, in Proc. Am. Acad. vi. (1865) 543. — *Calif.*  
*heterophylla*, Nutt. ex A. Gray, Syn. Fl. N. Am. i. II. 148 = *multiradiata*.  
*heterotricha*, Wall. Cat. n. 3225 = *Inula eupatorioides*.  
*hieracioides*, Spreng. Syst. iii. 543 = *Liabum hieracioides*.  
*hirsuta*, L'Hérit. ex DC. Prod. v. 330 = *canadensis*.  
*hirsuta*, Nutt. in Journ. Acad. Philad. vii. (1834) 103 = *bicolor*.

## SOLIDAGO:—

- hirsutissima*, Mill. Gard. Dict. ed. VIII. n. 15 = canadensis.  
*hirta*, Willd. Enum. Hort. Berol. 891 = rugosa.  
*hispidula*, Muhl. ex Willd. Sp. Pl. iii. 2063 = bicolor vel nemoralis.  
 Houghtoni, Torr. & Gray, ex A. Gray, Man. Bot. N. U. St. ed. I. 211.—Am. bor.  
*humilis*, Desf. Cat. Hort. Par. ed. III. 402 = rugosa.  
*humilis*, Herb. Banks, ex Pursh, Fl. Am. Sept. ii. 543.—Am. bor.  
*humilis*, Mill. Gard. Dict. ed. VIII. n. 16 = canadensis.  
*incana*, Torr. & Gray, Fl. N. Am. ii. 221.—Am. bor.  
*integerrima*, Mill. Gard. Dict. ed. VIII. n. 24 = sempervirens.  
*integrifolia*, Desf. Tabl. ed. I. 103 = sempervirens.  
*integrifolia*, Roxb. in Beats. Tracts St. Helena App. 323 = Melanodendrum integrifolium.  
*junceae*, Ait. Hort. Kew. ed. I. iii. 213.—Am. bor.  
*junceae*, DC. Prod. v. 334 = Boottii.  
*laevigata*, Ait. Hort. Kew. ed. I. iii. 215 = sempervirens.  
*lanata*, Hook. Fl. Bor. Am. ii. 4 = bicolor.  
*lancastriensis*, Spreng. Nachr. i. Bot. Gart. Halle, 38 = S. Virgaurea?  
*lanceolata*, Bosc, ex DC. Prod. v. 334 = odora.  
*lanceolata*, Burm. f. Fl. Cap. Prod. 27.—Afr. austr.  
*lanceolata*, Cham. & Schlecht. in Linnaea, vi. (1831) 502 = occidentalis.  
*lanceolata*, Linn. Mant. i. 114.—Am. bor.  
*lanceolata*, Michx. Fl. Bor. Am. ii. 116 = tenuifolia.  
*lancifolia*, Chapm. Fl. S. U. St. 209.—Am. bor.  
*lapponica*, With. Arr. Brit. Pl. ed. III. iii. 728 = S. Virgaurea.  
*lateriflora*, Ait. Hort. Kew. ed. I. iii. 211 = ulmifolia.  
*lateriflora*, Linn. Sp. Pl. 879 = Aster diffusus.  
*lateriflora*, Rafin. ex DC. Prod. v. 335 = caesia.  
*lateriflora*, Willd. Sp. Pl. iii. 2057 = elliptica.  
*latifolia*, Linn. Sp. Pl. 879.—Am. bor.  
*latifolia*, Mill. Gard. Dict. ed. VIII. n. 1 = S. Virgaurea.  
*latissimifolia*, Mill. l. c. n. 14 = elliptica.  
*laxa*, Tausch, ex Schrank, in Syll. Ratisb. ii. (1828) 254 = S. Virgaurea.  
*Leavenworthii*, Torr. & Gray, Fl. N. Am. ii. 223.—Am. bor.  
*leiocarpa*, DC. Prod. v. 339 = macrophylla.  
*lepidula*, DC. l. c.—Am. bor.  
*leptoccephala*, Torr. & Gray, Fl. N. Am. ii. 226.—Am. bor.  
*Leucadendron*, Forst. ex Spreng. Syst. iii. 539 = Senecio Leucadendron.  
*Leucadendron*, Willd. Sp. Pl. iii. 2054 = Senecio prenanthiflorus.  
*leucanthemifolia*, Baxt. in Loud. Hort. Brit. Suppl. ii. 673.—Hab.?  
*limonifolia*, Pers. Syn. ii. 449 = sempervirens.  
*Lindeniana*, A. Rich. Fl. Cub. Fanerog. ii. 46.—Cuba.  
*Lindheimeriana*, Scheele, in Linnaea, xxi. (1848) 599.—Texas.  
*linearifolia*, DC. Prod. v. 341 = microglossa.  
*linifolia*, Linn. Sp. Pl. 881 = Senecio linifolius, Linn.  
*linoides*, Soland. ex A. Gray, Syn. Fl. N. Am. i. 11. 150 = stricta.  
*linoides*, Torr. & Gray, Fl. N. Am. ii. 216 = neglecta.  
*lithospermifolia*, Willd. Enum. Hort. Berol. 891 = sempervirens.  
*littoralis*, Savi, ex Pers. Syn. ii. 450.—Europ. austr.  
*livida*, Willd. Enum. Hort. Berol. 891 = caesia?  
*longifolia*, Schrad. Hort. Gotting. ex DC. Prod. v. 330 = canadensis.  
*macrophylla*, Bigel. Fl. Bost. ed. II. 305 = latifolia.  
*macrophylla*, Herb. Banks, ex Pursh, Fl. Am. Sept. ii. 542.—Am. bor.  
*macrophylla*, Schloss. & Vukot. Syll. Fl. Croat. 54 = S. Virgaurea.  
*macrorrhiza*, Lange, in Willk. & Lange, Prod. Fl. Hisp. ii. 39 = S. Virgaurea.  
*marginella*, DC. Prod. v. 332 = microglossa.  
*Marshalli*, Rothr. in Wheeler, Rep. Bot. 146.—Mexic.  
*marylandica*, Mill. Gard. Dict. ed. VIII. n. 10.—Am. bor.  
*mexicana*, Berland. ex DC. Prod. v. 332 = velutina.  
*mexicana*, H. B. & K. Nov. Gen. et Sp. iv. 104 = paniculata.  
*mexicana*, Linn. Sp. Pl. 879 = sempervirens.  
*microglossa*, DC. Prod. v. 332.—Reg. Argent.

## SOLIDAGO:—

- minor*, Mill. Gard. Dict. ed. VIII. n. 4; Brot. Fl. Lusit. i. 382 = S. Virgaurea.  
*minuta*, Linn. Sp. Pl. ed. II. 1235.—Europ. austr.  
*minuta*, Thore, ex Willk. & Lange, Prod. Fl. Hisp. ii. 39 = S. Virgaurea.  
*missouriensis*, Nutt. in Journ. Acad. Philad. vii. (1834) 32.—Am. bor.  
*mollis*, Bartl. Ind. Sem. Hort. Gotting. (1836) 5 = nemoralis.  
*mollis*, Rothr. in Wheeler, Rep. Bot. 146 = canadensis.  
*montana*, Hill, Veg. Syst. ii. 107 (Quid?).—Gallia.  
*montana*, Linn. Sp. Pl. 881 = Senecio Calaliaster.  
*montana*, Poir. Encyc. viii. 474 = S. Virgaurea.  
*monticola*, Chapm. Fl. S. U. St. 209.—Am. bor.  
*monticola*, Jord. ex Bor. Fl. Centr. Fr. ed. III. ii. 324 = S. Virgaurea.  
*Muhlenbergii*, Torr. & Gray, Fl. N. Am. ii. 214 = arguta.  
*multiflora*, Desf. Tabl. ed. I. 103 = ulmifolia.  
*multiradiata*, Ait. Hort. Kew. ed. I. iii. 218.—Am. bor.  
*multiradiata*, Nutt. in Trans. Am. Phil. Soc. N. S. vii. (1841) 328 = macrophylla.  
*nana*, Nutt. l. c. 327.—Am. bor. occ.  
*narbonensis*, Pourr. in Mém. Acad. Toul. iii. (1788) 329.—Gallia.  
*neglecta*, Torr. & Gray, Fl. N. Am. ii. 213.—Am. bor.  
*nemoralis*, Ait. Hort. Kew. ed. I. iii. 213.—Am. bor.  
*nepalensis*, D. Don, Prod. Fl. Nep. 177 = S. Virgaurea.  
*nitida*, Torr. & Gray, Fl. N. Am. ii. 210.—Am. bor.  
*nitidula*, Mart. ex Baker, in Mart. Fl. Bras. vi. III. 10 = microglossa.  
*noveboracensis*, Linn. Sp. Pl. 880 = Aster tataricus?  
*noveboracensis*, Mill. Gard. Dict. ed. VIII. n. 23 = sempervirens.  
*nudiflora*, Viv. Fl. Lib. Spec. 68; Fl. Cors. Sp. Nov. 15 = S. Virgaurea.  
*nutans*, Desf. Cat. Hort. Par. ed. III. 402 = canadensis.  
*obliqua*, Moench, Meth. Suppl. 248 = sempervirens.  
*obovata*, Bertol. Misc. Bot. vii. 36 = puberula.  
*occidentalis*, Torr. & Gray, Fl. N. Am. ii. 226.—Am. bor. occ.  
*occitanae*, Jeanb. & Timb. in Bull. Soc. Sc. Phys. et Nat. Toul. iii. (1875-76) 581 = S. Virgaurea.  
*odora*, Ait. Hort. Kew. ed. I. iii. 214.—Am. bor.  
*odora*, Chapm. Fl. S. U. St. 213, partim = Chapmani.  
*odora*, Hook. & Arn. in Hook. Comp. Bot. Mag. ii. (1836) 45, partim = microglossa.  
*odora*, Michx. Fl. Bor. Am. ii. 118 = tortifolia.  
*ohioensis*, Riddell, Syn. Fl. West. U. St. 57.—Am. bor. occ.  
*palmata*, Pall. Reise, iii. 439 = Senecio palmatus.  
*paniculata*, DC. Prod. v. 340.—Mexic.  
*parviflora*, Rafin. Ann. Nat. 14 = rupestris.  
*patagonica*, Phil. in Linnaea, xxxiii. (1864-65) 137.—Patagon.  
*patula*, Muhl. in Willd. Sp. Pl. iii. 2059.—Am. bor.  
*pauciflora*, Rafin. in Med. Repos. N. York, v. (1808) 359.—Am. bor.  
*pauciflosculosa*, Michx. Fl. Bor. Am. ii. 116.—Am. bor.  
*petiolaris*, Ait. Hort. Kew. ed. I. iii. 216.—Am. bor.  
*petiolaris*, A. Gray, in Bot. Mex. Bound. 79 = Bigelovii.  
*petiolaris*, Hook. & Arn. Bot. Beech. Voy. 145, partim = californica.  
*petiolaris*, Less. in Linnaea, vi. (1831) 502 = spathulata.  
*petiolaris*, Muhl. Cat. 79 = speciosa.  
*petiolata*, Mill. Gard. Dict. ed. VIII. n. 29 (Quid?).—Am. bor.  
*pilosa*, Mill. l. c. n. 9 = rugosa.  
*pilosa*, Walt. Fl. Carol. 207.—Am. bor.  
*Pitcheri*, Nutt. in Journ. Acad. Philad. vii. (1834) 101 = serotina.  
*plantaginea*, Desf. Cat. Hort. Par. ed. III. 402 = elliptica.  
*polifolia*, Lodd. Cat. ex Loud. Hort. Brit. 348.—Am. bor.  
*polyglossa*, DC. Prod. v. 332 = microglossa.  
*praecox*, Moench, Meth. 599 = canadensis.  
*procera*, Ait. Hort. Kew. ed. I. iii. 211 = canadensis.  
*pubens*, M. A. Curt. ex Torr. & Gray, Fl. N. Am. ii. 198 = Curtisii.  
*puberula*, Cham. & Schlecht. in Linnaea, vi. (1831) 502 = californica.

## SOLIDAGO:—

- puberula*, DC. Prod. v. 333 = nemoralis.  
*puberula*, Nutt. Gen. Am. ii. 162.—Am. bor.  
*pubescens*, Ell. Sketch, ii. 381 = puberula.  
*pubescens*, Wall. Cat. n. 3226 = S. Virgaurea.  
*pubescens*, Walp. Rep. ii. 960 = Curtisii.  
*pulverulenta*, Nutt. Gen. Am. ii. 161 = puberula.  
*pumila*, Crantz, Inst. i. 326 = minuta.  
*pumila*, Pers. Syn. ii. 450 = S. Virgaurea.  
*pumila*, Torr. & Gray, Fl. N. Am. ii. 210.—Am. bor.  
*puncticulata*, DC. Prod. v. 332 = odora.  
*pygmaea*, Bertol. in Nov. Comm. Bologn. v. (1842) 215. t. 17. f. 1 = S. Virgaurea.  
*pyramidalis*, Moench, Meth. Suppl. 248.—Hab.?  
*pyramidata*, Pursh, Fl. Am. Sept. ii. 537 = pilosa.  
*Radula*, Nutt. in Journ. Acad. Philad. vii. (1834) 102.—Am. bor.  
*recurvata*, Mill. Gard. Dict. ed. VIII. n. 28 = rugosa.  
*recurvata*, Willd. Enum. Hort. Berol. 889.—Am. bor.  
*reflexa*, Ait. Hort. Kew. ed. I. iii. 211 = canadensis.  
*repens*, D. Don, ex Baker, in Mart. Fl. Bras. vi. III. 11 = microglossa.  
*reticulata*, Lapeyr. Hist. Abr. Pl. Pyr. 520 = S. Virgaurea.  
*retrorsa*, Michx. Fl. Bor. Am. ii. 117 = odora.  
*retrorsa*, Pursh, Fl. Am. Sept. ii. 539 = tortifolia.  
*retusa*, Burm. f. Fl. Cap. Prod. 27 = Nidorella foliosa.  
*Riddellii*, Frank, in Riddell, Syn. Fl. West U. St. 57.—Am. bor. occ.  
*rigida*, Linn. Sp. Pl. 880.—Am. bor.  
*rigidula*, Bosc, ex DC. Prod. v. 333 = rugosa.  
*rosmarinifolia*, Cass. in Dict. Sc. Nat. lvi. 167 = Olearia rosmarinifolia?  
*rotundifolia*, DC. Prod. v. 339 = S. Radula.  
*rotundifolia*, Roxb. in Beats. Tracts St. Helena App. 324 = Psiadia rotundifolia.  
*rubricaulis*, Wall. Cat. n. 3223 = Inula rubricaulis.  
*rugosa*, Mill. Gard. Dict. ed. VIII. n. 25.—Am. bor.  
*rupestris*, Rafin. Ann. Nat. 14.—Am. bor.  
*salicifolia*, Salisb. Prod. 199 = stricta.  
*salicifolia*, Wall. ex DC. Prod. v. 343 = Microglossa albescens.  
*salicina*, Ell. Sketch, ii. 389 = patula.  
*Sarothrae*, Pursh, Fl. Am. Sept. ii. 540 = Gutierrezia Euthamiae.  
*Saulii*, Bor. Fl. Centr. Fr. ed. III. ii. 324, in obs. = S. Virgaurea.  
*scaberrima*, Torr. & Gray, Fl. N. Am. ii. 221 = S. Radula.  
*scabra*, Hook. Comp. Bot. Mag. i. (1835-36) 97 = patula.  
*scabra*, Muhl. ex Torr. & Gray, Fl. N. Am. ii. 224 = canadensis.  
*scabra*, Muhl. ex Willd. Sp. Pl. iii. 2059 = rugosa.  
*scabrida*, DC. Prod. v. 331.—Mexic.  
*Schraderi*, DC. l. c. 336 = caesia.  
*scrophularifolia*, Mill. Gard. Dict. ed. VIII. n. 12.—Am. bor.  
*semiflosculosa*, Walp. Rep. ii. 589, in syn. = pauciflosculosa.  
*sempervirens*, A. Gray, in Bot. Calif. i. 819 = confinis.  
*sempervirens*, Linn. Sp. Pl. 878.—Am. bor.  
*sempervirens*, Michx. Fl. Bor. Am. ii. 119, partim = speciosa.  
*Sera*, J. F. Gmel. Syst. 1236 = serotina.  
*serotina*, Ait. Hort. Kew. ed. I. iii. 211.—Am. bor.  
*serotina*, Hook. Comp. Bot. Mag. i. (1835) 97 = missouriensis.  
*serotina*, Retz. Obs. ii. 26 (Quid?).—Am. bor.  
*serratifolia*, Bor. Fl. Centr. Fr. ed. III. ii. 324, in obs. = S. Virgaurea.  
*serratifolia*, Gilib. Fl. Litan. i. 202 = Senecio paludosus.  
*Shortii*, Torr. & Gray, Fl. N. Am. ii. 222.—Am. bor.  
*sibirica*, Fisch. Hort. Gorenk. ed. II. (1812) 39, nomen.—Sibir.  
*simplex*, H. B. & K. Nov. Gen. et Sp. iv. 163.—Mexic.  
*sparsiflora*, A. Gray, in Proc. Am. Acad. xii. (1877) 58.—Am. bor. occ.  
*spathulata*, DC. Prod. v. 339.—Mexic.  
*speciosa*, Nutt. Gen. Am. ii. 160.—Am. bor.  
*spectabilis*, A. Gray, in Proc. Am. Acad. xvii. (1882) 193.—Am. bor.  
*sphacelata*, Rafin. Ann. Nat. (1820) 14 = Brachychaeta cordata.  
*spiciformis*, Torr. & Gray, Fl. N. Am. ii. 202 = spathulata.



**SOLIDAGO** :—

- spithamaea, *M. A. Curt. ex A. Gray, in Am. Journ. Sc. Ser. I. xlii. (1842) 42.*—Am. bor.  
*spuria*, Forst. in Comm. Gotting. ix. (1789) 68 = *Commidendrum spurium*.  
*squarrosa*, *Muhl. Cat. 79; Nutt. Gen. Am. ii. 161.*—Am. bor.  
*squarrosa*, *Nutt. in Journ. Acad. Philad. vii. (1834) 102* = *petiolaris*.  
*stricta*, *Ait. Hort. Kew. ed. I. iii. 216.*—Am. bor.  
*stricta*, *Hook. Fl. Bor. Am. ii. 4* = *humilis, uliginosa*.  
*stricta*, *Less. in Linnaea, vi. (1831) 502* = *elongata*.  
*stricta*, *Moench, Meth. Suppl. 249.*—Hab. ?  
*suaveolens*, *F. Gmel. Syst. 1235.*—Hab. ?  
*tardiflora*, *Moench, Meth. 599* = *sempervirens*.  
*tenuifolia*, *Pursh, Fl. Am. Sept. ii. 540.*—Am. bor.  
*Terrae-Novae, Torr. & Gray, Fl. N. Am. ii. 206.*—Am. bor.  
*thyrsoides*, *E. Mey. Pl. Labrad. 63* = *macrophylla*.  
*Tolmieana*, *A. Gray, Syn. Fl. N. Am. i. ii. 151.*—Am. bor. occ.  
*tortifolia*, *Ell. Sketch, ii. 377.*—Am. bor.  
*Tournefortii*, *Tausch, in Flora, xi. (1828) 500* = *canadensis*.  
*uliginosa*, *Nutt. in Journ. Acad. Philad. vii. (1834) 101.*—Am. bor.  
*ulmifolia*, *Hook. Comp. Bot. Mag. i. (1835) 97* = *Drummondii*.  
*ulmifolia*, *Muhl. ex Willd. Sp. Pl. iii. 2060.*—Am. bor.  
*urticaefolia*, *Mill. Gard. Dict. ed. VIII. n. 30* = *Calea urticaefolia*.  
*valesiaca*, *Bor. ex Déségl. in Feuilles Jeunes Nat. viii. (1877) 18* = *S. Virgaurea*.  
*velutina*, *DC. Prod. v. 332.*—Mexic.  
*varia*, *Hill, Hort. Kew. 21 (Quid ?).*—Am. bor.  
*vena*, *M. A. Curt. in Torr. & Gray, Fl. N. Am. ii. 205.*—Am. bor.  
*verrucosa*, *Schrad. Hort. Gotting. 12. t. 6* = *elliptica vel arguta*.  
*villosa*, *Ell. Sketch, ii. 372* = *pilosa*.  
*villosa*, *Pursh, Fl. Am. Sept. ii. 537* = *rugosa*.  
*viminea*, *Ait. Hort. Kew. ed. I. iii. 215* = *sempervirens*.  
*viminea*, *Bosc, ex DC. Prod. v. 341* = *bicolor*.  
*Virga*, *Dulac, Fl. Hautes-Pyr. 570* = *S. Virgaurea*.  
*Virga-aurea*, *Auct.* = *S. Virgaurea*.  
*virgata*, *Michx. Fl. Bor. Am. ii. 117* = *stricta*.  
*virgata*, *St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 70* = *S. Virgaurea*.  
*Virgaurea*, *Bigel. Fl. Bost. ed. II. 306 (excl. var.)* = *macrophylla*.  
*Virgaurea*, *Linn. Sp. Pl. 880.*—Reg. bor. temp.  
*virginiana*, *Mill. Gard. Dict. ed. VIII. n. 11* = *rugosa*.  
*viscosa*, *Lam. Fl. Fr. ii. 144* = *Inula viscosa*.  
*viscosa*, *Schrad. Sert. Hannov. 12* = *Psadia glutinosa*.  
*vulgaris*, *Mill. Gard. Dict. ed. VIII. n. 2; Lam. Fl. Fr. ii. 145* = *S. Virgaurea*.  
*vulneraria*, *Mart. Syst. Mat. Med. Bras. 9*, nomen = *microglossa*.  
*Wrightii*, *A. Gray, in Proc. Am. Acad. xvi. (1881) 80.*—Texas.  
*zeylanica*, *Hook. f. Fl. Brit. Ind. iii. 257* = *ceylanica*.

**SOLIERA**, Clos, in C. Gay, Fl. Chil. iv. 489. t. 53 (1849). *LABIATAE*, Benth. & Hook. f. ii. 1187. *pulchella*, Clos, l. c.—Chili.

**SOLIVA**, Ruiz & Pav. Prod. 113. t. 24 (1794). *COMPOSITAE*, Benth. & Hook. f. ii. 430.  
*GYMNOSTYLES*, Juss. in Ann. Mus. Par. iv. (1804) 258. t. 61.  
*acaulis*, *Hook. & Arn. in Hook. Journ. Bot. iii. (1841) 326 (araulis).*—Reg. Argent.  
*aculeata*, *Ruiz & Pav. ex Phil. f. Cat. Pl. Vasc. Chil. 185* = *Plagiocheilus solivaeformis*.  
*alata*, *DC. Prod. vi. 143* = *sessilis*.  
*anthemifolia*, *R. Br. in Trans. Linn. Soc. xii. (1817) 102.*—Am. austr.; Austral.  
*aphanes*, *Sch. Bip. in Bonplandia, iv. (1856) 54*, nomen.—Peruv.  
*Barklayana*, *DC. Prod. vi. 143* = *sessilis*.  
*daucifolia*, *Nutt. in Trans. Am. Phil. Soc. N. S. vii. (1841) 403* = *sessilis*.  
*dioica*, *Sch. Bip. in Lechl. Berb. Am. Austr. 53.*—Chili.  
*lusitanica*, *Less. Syn. Comp. 268* = *nasturtiifolia*.  
*mexicana*, *DC. Prod. vi. 143* = *Cotula pygmaea*.  
*microloma*, *Phil. in Anal. Univ. Chil. (1865) II. 331.*—Chili.

**SOLIVA** :—

- minuta*, *Sweet, Hort. Brit. ed. II. 317* = *Cotula pygmaea*.  
*Mutisii*, *H. B. & K. Nov. Gen. et Sp. iv. 302.*—N. Granat.  
*nasturtiifolia*, *DC. Prod. vi. 142.*—Reg. Argent.  
*pedicellata*, *Ruiz & Pav. Syst. Veg. 215* = *Cotula pygmaea* ?  
*pedunculata*, *Ruiz & Pav. ex Stend. Nom. ed. II. ii. 609*, sphalm. = *praec.*  
*pterosperma*, *Less. Syn. Comp. 268* = *sessilis*.  
*pygmaea*, *H. B. & K. Nov. Gen. et Sp. iv. 303* = *Cotula pygmaea*.  
*radiata*, *Poepp. ex DC. Prod. vii. 288* = *Blennosperma chilense*.  
*sessilis*, *Ruiz & Pav. Prod. 113. t. 24; Syst. Veg. 215.*—Am. bor. et austr.  
*stolonifera*, *Loud. Hort. Brit. 364* = *nasturtiifolia*.  
*tenella*, *A. Cunn. in Ann. Nat. Hist. Ser. I. ii. (1839) 128* = *Cotula australis*.  
*triniifolia*, *Griseb. in Goett. Abh. xxiv. (1879) 202.*—Reg. Argent.  
*urbica*, *Phil. in Linnaea, xxix. (1857–58) 7* = *nasturtiifolia*.  
*valdiviana*, *Phil. l. c. xxxiii. (1864–65) 168.*—Chili.

**SOLIVAEA**, Cass. in Dict. Sc. Nat. xxix. 177 (1823) = *praec.*

**SOLLYA**, Lindl. Bot. Reg. (1830) t. 1466. *PITTO-SPOREAE*, Benth. & Hook. f. i. 133.  
*XEROSOLLYA*, Turcz. in Bull. Soc. Nat. Mosc. xxvii. (1854) II. 362.  
*angustifolia*, *Lindl. Bot. Reg. sub t. 1466* = *Billardiera scandens*.  
*Drummondii*, *C. Morr. in Belg. Hort. iv. (1854) 196. t. 33. f. 3–8* = *heterophylla* ?  
*fusiformis*, *Hort. ex Payer, Organog. t. 34* = *heterophylla*.  
*heterophylla*, *Lindl. Bot. Reg. t. 1466.*—Austral.  
*linearis*, *Lindl. l. c. (1839) Misc. 83* = *heterophylla*.  
*parviflora*, *Turcz. in Bull. Soc. Nat. Mosc. xxvii. (1854) II. 361.*—Austral.  
*salicifolia*, *Marnock, Flor. Mag. iv. (1839–40) 62, 136. t. 44. f. 2* = *heterophylla* ?

**SOLMSIA**, Baill. Adansonia, x. (1871) 37. *TILI-ACEAE*.  
*calophylla*, *Baill. l. c. 38.*—N. Caled.  
*chrysophylla*, *Baill. l. c.*—N. Caled.

**SOLORI**, Adans. Fam. ii. 327 (1763) = *Dalbergia*, Linn. (Legumin.).

**SOLSTITIARIA**, Hill, Veg. Syst. iv. 21 (1762) = *Centaurea*, Linn. (Compos.).  
*flava*, *Hill, Herb. Brit. i. 77* = *C. solstitialis*.  
*melitensis*, *Hill, Hort. Kew. 62* = *C. melitensis*.  
*solstitialis*, *Hill, l. c.* = *C. solstitialis*.

**SOLTMANNIA**, [Klotzsch], ex Naud. in Ann. Sc. Nat. Sér. III. xvi. (1851) 132 = *Miconia*, Ruiz & Pav. (Melastom.).  
*splendens*, *Klotzsch, ex Naud. l. c.* = *M. mexicana*.

**SOMERA**, Salisb. Gen. Pl. Fragm. 26 (1866) = *Scilla*, Linn. (Liliac.).  
*italica*, *Salisb. l. c. 27* = *Scilla italica*.

**SOMERAUERA**, Hoppe, in Flora, ii. (1819) 26 = *Arenaria*, Rupp. (Caryoph.).  
*quadrifaria*, *Hoppe, l. c.* = *A. aretioides*.  
*quadrifida*, *Reichb. Ic. Fl. Germ. v. t. 204* = *praec.*

**SOMMEA**, Bory, in Ann. Gén. Sc. Phys. vi. (1820) 94. t. 87 = *Acicarpa*, Juss. (Calycer.).  
*Calcitrapa*, *Bory, l. c.* = *A. spatulata*.

**SOMMERA**, Schlecht. in Linnaea, ix. (1834) 602. *RUBIACEAE*, Benth. & Hook. f. ii. 79.  
*arborescens*, *Schlecht. l. c.*—Mexic.  
*grandis*, *Griseb. Fl. Brit. W. Ind. 326* = *arborescens*.

**SOMMERAUERA**, Endl. Ench. 505 (1841), sphalm. = *SOMERAUERA*, Hoppe = *Arenaria*, Rupp. (Caryoph.).

**SOMMERFELDTIA**, Schum. in Schum. & Thonn. Beskr. Guin. Pl. 331 (1827) = *Drepanocarpus*, G. F. W. Mey. (Legumin.).  
*obovata*, *Schum. l. c.* = *D. lunatus*.

**SOMMERFELTIA**, Less. Syn. Comp. 189 (1832). *COMPOSITAE*, Benth. & Hook. f. ii. 275.  
*spinulosa*, *Less. l. c. 190.*—Bras.

**SOMMERINGIA**, Lindl. Veg. Kingd. 554 (1847), sphalm. = *Soemmeringia*, Mart. (Legumin.).

**SOMMIERA**, Benth. & Hook. f. Gen. iii. 909 (1883) err. typ. = seq.

**SOMMIERIA**, Becc. Malesia, i. (1877) 66. *PALMAE*, Benth. & Hook. f. iii. 909.  
*elegans*, *Becc. l. c. 68.*—N. Guin.  
*leucophylla*, *Becc. l. c. 67.*—N. Guin.

**SOMPHOXYLON**, Eichl. in Flora, xlvii. (1864) 396; et in Mart. Fl. Bras. xiii. 1. 205. t. 37 (1864). Genus dubium *MENISPERMACEARUM*.—Cf. Benth. & Hook. f. Gen. i. 959.  
*Wulschlagelii*, *Eichl. ll. cc.*—Guian.

**SONCHIDIUM**, Pomel, Nouv. Mat. Fl. Atl. 6 (1874) = *Sonchus*, Tourn. (Compos.).  
*maritimum*, *Pomel, l. c. 7* = *Sonchus maritimus*.  
*palustre*, *Pomel, l. c.* = *Sonchus palustris*.

**SONCHOS**, St. Lag. in Ann. Soc. Bot. Lyon, viii. (1881) 171 = *Sonchus*, Tourn. (Compos.).

**SONCHOSERIS**, Fourr. in Ann. Soc. Linn. Lyon, N. S. xvii. (1869) 102 = *Sonchus*, Tourn. (Compos.).  
*arvensis*, *Fourr. l. c. 103* = *Sonchus arvensis*.  
*decora*, *Fourr. l. c. 102* = *Sonchus decorus*.  
*maritima*, *Fourr. l. c.* = *Sonchus maritimus*.  
*palustris*, *Fourr. l. c. 103* = *Sonchus palustris*.

**SONCHUS**, [Tourn.] Linn. Syst. ed. I (1735). *COMPOSITAE*, Benth. & Hook. f. ii. 528.

*ATALANTHUS*, Don, in Edinb. N. Phil. Journ. (1828–29) 311.

*SONCHIDIUM*, Pomel, Nouv. Mat. Fl. Atl. 6 (1874). *SONCHOSERIS*, Fourr. in Ann. Soc. Linn. Lyon, N. S. xvii. (1869) 102.

*TRACHODES*, D. Don, in Trans. Linn. Soc. xvi. (1830) 182.

*abbreviatus*, *Link, in Buch, Besch. Canar. Ins. 146* = *congestus*.

*acanthifolius*, [Clairv.] Man. Herb. 231 = *Lactuca Plumieri*.

*acanthoides*, *Steud. Nom. ed. II. ii. 610* = *Lactuca Plumieri*.

*acaulis*, *Dum.-Cours. Bot. Cult. ed. II. iv. 12* = *congestus*.

*acidus*, *Schousb. ex Willd. Sp. Pl. iii. 1511.*—Marocc.

*acuminatus*, *Bigel. Fl. Bost. ed. II. 290* = *Lactuca alpina*.

*acuminatus*, *Willd. Sp. Pl. iii. 1521* = *Lactuca canadensis*.

*adscendens*, *Boj. ex DC. Prod. vi. 303* = *Emilia adscendens*.

*agrestis*, *Sw. Prod. Veg. Ind. Occ. 110* = *Erechtites praecalta*.

*albanus*, *Stev. in Mém. Soc. Nat. Mosc. iv. (1813) 59* = *Lactuca racemosa*.

*alpestris*, [Clairv.] Man. Herb. 231 = *Lactuca alpina*.

*alpinus*, *Linn. Sp. Pl. 794* = *Lactuca alpina*.

*altissimus*, *Vahl, ex Sch. Bip. in Webb & Berth. Phyt. Canar. ii. 431* = *congestus*.

*amboinensis*, *Hort. ex Steud. Nom. ed. II. ii. 610* = *Emilia flammea*.

*amplexicaulis*, *Gueldenst. Reisen, ii. 209; ex Ledeb. Fl. Ross. ii. 836.*—Rossia.

*angustifolius*, *Desf. Fl. Atlant. ii. 225* = *fruticosus*.

*angustifolius*, *Neck. Delic. Gallo-Belg. ii. 326* = *maritimus*.

*angustissimus*, *Hook. f. in Journ. Linn. Soc. vii. (1864) 203.*—Afr. trop.

*aquatilis*, *Pourr. in Mém. Acad. Toul. iii. (1788) 330* = *maritimus*.

*arborescens*, *Salzm. ex Ball, in Journ. Linn. Soc. xvi. (1878) 549* = *tenerimus*.

*arborescens*, *DC. Prod. vi. 189.*—Ins. Canar.

*arvensis*, *Linn. Sp. Pl. 793.*—Europ.; As. bor.

*asper*, *Gaertn. Mey. & Scherb. Fl. Wett. iii. 125* = *oleraceus*.

*asper*, *Hill, Herb. Brit. i. 47; Vill. Hist. Fl. Dauph. iii. 158.*—Cosmop.

**SONCHUS:—**

*asper*, Wulf. ex DC. Prod. vii. 190 = *Picris hieracioides*.  
*australis*, Hort. ex Trev. Ind. Sem. Hort. Vratisl. (1818) 6 = *longifolius*.  
*azureus*, Ledeb. Fl. Alt. iv. 138 (= *Mulgedium azureum*).—Sibir.  
*balthicus*, Fries, ex Link, Handb. i. 784, in syn. = *maritimus*.  
*biennis*, Moench, Meth. 545 = *Lactuca floridana*.  
*Bipontini*, Aschers. in Schweinf. Beitr. Fl. Aethiop. 160 = *lactucoides*.  
*Bocconi*, Jan. Cat. 658; ex DC. Prod. vii. 183 = *chondrilloides*.  
*Bollei*, Sch. Bip. ex Bolle, in Bonplandia, vii. (1859) 298 = *gorgadensis*.  
*Bourgeauii*, Sch. Bip. in Webb & Berth. Phyt. Canar. ii. 446.—Ins. Canar.  
*brachylobus*, Webb & Berth. l. c. 438.—Ins. Canar.  
*brachyotus*, DC. Prod. vii. 186 = *arvensis*.  
*brasilienis*, Meyen & Walp. in Nov. Act. Nat. Cur. xix. Suppl. i. (1843) 293 = *Erechtites praealta*.  
*Broussonetii*, Desf. Tabl. ed. II. 101 = *congestus*.  
*Brunneri*, Oliver & Hiern, in Oliver, Fl. Trop. Afr. iii. 459.—Afr. trop.  
*bupleurifolius*, Boiss. & Kotschy, ex Boiss. Fl. Orient. iii. 797.—Armenia.  
*calcaliaefolius*, Bieb. Fl. Taur. Cauc. ii. 241 (= *Mulgedium calcaliaefolium*).—Reg. Cauc.  
*caeruleus*, Sm. Fl. Brit. 815 = *Lactuca alpina*.  
*californicus*, Hook. & Arn. Bot. Beech. Voy. 361 = *Malacothrix saxatilis*.  
*calyculatus*, Roxb. ex DC. Prod. vii. 140 = *Lactuca Heyneana*.  
*canadensis*, Froel. in Usteri, Ann. Bot. i. (1791) 29 = *Lactuca macrophylla*.  
*canadensis*, Linn. Sp. Pl. 793 = *Lactuca alpina*.  
*Candolleanus*, Jaub. & Spach, Illustr. iii. 110 = *Launaea chondrilloides*.  
*capensis*, Schlecht. Hort. Hal. (1850) 7.—Cf. *Linnaea*, xxiv. (1851) 211.—Afr. austr.  
*capitatus*, Spreng. Syst. iii. 650 = *Launaea glomerata*.  
*carolinianus*, Walt. Fl. Carol. 192 = *asper*.  
*Cassinianus*, Jaub. & Spach, Illustr. iii. 112 (= *Zollikoferia Cassiniana*).—Aegypt.  
*caucasicus*, Biehler, Cent. Pl. Rar. 12. n. 31; et ex Hornem. Suppl. Hort. Hafn. 88.—Reg. Cauc.  
*caucasicus*, Spreng. Fl. Hal. Mant. i. 49.—Reg. Cauc.  
*cervicornis*, Nym. Syll. 38 = *Launaea spinosa*.  
*cervicornis*, Willk. Ind. Sem. Hort. Prag. (1875).—Hab.?  
*chinensis*, Fisch. Hort. Gorenk. ed. II. (1812) 33, nomen; et ex Schrank, in Denkschr. Bot. Ges. Regensb. ii. (1822) 65.—China.  
*chondrilloides*, Desf. Fl. Atlant. ii. 226.—Alger.  
*chondrilloides*, Sibth. & Sm. Fl. Graec. viii. 67 = *Picridium vulgare*.  
*chuquitensis*, Meyen, ex Walp. in Nov. Act. Nat. Cur. xix. Suppl. i. (1843) 294 = *congestus*.  
*cichoraceus*, Moench, Meth. Suppl. 222 = *Lactuca Plumieri*.  
*ciliatus*, Lam. Fl. Fr. ii. 87 = *oleraceus*.  
*ciliatus*, Perr. ex DC. Prod. vii. 177 = *Lactuca goraënsis*.  
*coeruleus*, Auct. = *caeruleus*.  
*congestus*, Willd. in Ges. Naturf. Fr. Berl. Mag. i. (1807) 136.—Ins. Canar.  
*cordifolius*, Desf. Tabl. ed. I. 87 = *Lactuca macrophylla*.  
*cornutus*, Hochst. ex Steud. Nom. ed. II. ii. 610, nomen; Oliver & Hiern, in Oliver, Fl. Trop. Afr. iii. 459.—Afr. trop.  
*crassifolius*, Pourr. ex Willd. Sp. Pl. iii. 1509.—Hispan.  
*crepioides*, Sm. in Rees, Cycl. xxxiii. n. 24.—Afr. bor.  
*crispus*, Poir. Encyc. Suppl. iii. 289.—Ins. Canar.  
*crisulatus*, Sch. Bip. in Pollichia, xxii–xxiv. (1866) 318 (= *Dubyaea crisulata*).—Austral.  
*crocifolius*, Hort. ex Sch. Bip. in Webb & Berth. Phyt. Canar. ii. 449 = *asper*.  
*Cumbul*, Buch.-Ham. ex Wall. Cat. n. 3251 = *arvensis*.  
*cuspidatus*, Blume, Bijdr. 888.—Java.  
*cyaneus*, D. Don, Prod. Fl. Nep. 164 = *Lactuca hastata*.  
*Daltonii*, Webb, in Hook. Niger Fl. 144. t. 15.—Ins. Cap. Virid.  
*decorus*, Cast. Cat. Pl. Env. Marseille, 91.—Hispan.

VOL. II.

**SONCHUS:—**

*dentatus*, Banks, ex Lowe, in Trans. Camb. Phil. Soc. iv. (1831) 23 = *ustulatus*.  
*dentatus*, Ledeb. Fl. Alt. iv. 141.—Sibir. altaic.  
*dichotomus*, Bieb. Fl. Taur. Cauc. ii. 240 = *Picridium dichotomum*.  
*dichotomus*, Savi, Cose Bot. 10 = *Launaea nudicaulis*.  
*divaricatus*, Buch, Besch. Canar. Ins. 147 = *nudicaulis*.  
*divaricatus*, Desf. in Ann. Mus. Par. ii. (1803) 212 = *Launaea nudicaulis*.  
*divaricatus*, Sieber, ex Steud. Nom. ed. II. ii. 610 = *Picridium dichotomum*.  
*Dregeanus*, DC. Prod. vii. 184.—Afr. austr.  
*dulosus*, Fisch. & Mey. ex Sweet, Hort. Brit. ed. III. 414.—Hab.?  
*Ecklonianus*, DC. Prod. vii. 184.—Afr. austr.  
*elongatus*, Kunze, ex Schlecht. Ind. Sem. Hort. Hal. (1849) 7.—Hab.?  
*eriopus*, Royle, Illustr. Bot. Himal. 247.—Ind. or.  
*eryngioides*, DC. Prod. vii. 185 = *asper*.  
*erythropappus*, Meyen & Walp. in Nov. Act. Nat. Cur. xix. Suppl. i. (1843) 293 = *Erechtites valerianaefolia*.  
*exaltatus*, Wallr. in Linnaea, xiv. (1840) 659 (Beitr. Fl. Hercyn. 289) = *arvensis*.  
*fallax*, Wallr. Ann. Bot. 98; Sched. Crit. 432 = *asper*.  
*ferox*, Wall. Cat. n. 3248 = *asper*.  
*flexuosus*, Ledeb. Hort. Dorpat. Suppl. i. 5.—Reg. Cauc.  
*floridanus*, Ait. Hort. Kew. ed. I. iii. 116 = *Lactuca alpina*.  
*floridanus*, Linn. Sp. Pl. 794 = *Lactuca floridana*.  
*floridanus*, Lour. Fl. Cochinch. 480 = *Lactuca brevirostris*.  
*floridanus*, Michx. Fl. Bor. Am. ii. 85, partim = *Lactuca acuminata*.  
*fragilis*, Ball, in Journ. Bot. xi. (1873) 372.—Afr. bor. occ.  
*frondosus*, Salisb. Prod. 180 = *congestus*.  
*fruticosus*, Jacq. Coll. i. 13 = *congestus*.  
*fruticosus*, Linn. f. Suppl. 346.—Ins. Mader.  
*fruticosus*, Noronha, in Verh. Batav. Gen. v. (1790) ed. I. Art. iv. 27 = *Centratherum frutescens* (in Addend.).  
*gibbosus*, Savi, Fl. Ital. i. 47.—Italia.  
*glaber*, Gilib. Fl. Lituan. i. 242 = *oleraceus*.  
*glaber*, Schult. Obs. Bot. 162 = *arvensis*.  
*glaber*, Thunb. Prod. Pl. Cap. 139 = *asper*.  
*glandulosus*, Schur, Enum. Pl. Transs. 371 = *arvensis*.  
*glaucescens*, Ford. Obs. Pl. Crit. v. (1847) 75. t. 5.—Reg. Mediterr.  
*glaucus*, Thunb. in Ges. Naturf. Fr. Berl. Mag. i. (1807) 135.—Hab.?  
*glutinosus*, Lam. Fl. Fr. ii. 88 = *Hieracium glutinosum*.  
*goraënsis*, Lam. Encyc. iii. 397 = *Lactuca goraënsis*.  
*goraënsis*, Less. ex Steud. Nom. ed. II. ii. 610 = *Prenanthes alata*.  
*gorgadensis*, Bolle, in Bonplandia, vii. (1859) 298.—Ins. Canar.  
*graeus*, Reut. ex E. Weiss, in Verh. Zool.-Bot. Ges. Wien, xix. (1869) 45 = *glaucescens*.  
*gramineus*, Boj. ex DC. Prod. vi. 303 = *Emilia graminea*.  
*gummifer*, Link, in Buch, Besch. Canar. Ins. 146.—Ins. Canar.  
*hantonianus*, Sweet, Hort. Brit. ed. II. 278 = *arvensis*.  
*hastatus*, Less. in Linnaea, vi. (1831) 99 = *Prenanthes alata*.  
*hastatus*, Wall. Cat. n. 3250 = *Lactuca hastata*.  
*hieracioides*, Willk. in Willk. & Lange, Prod. Fl. Hisp. ii. 240.—Hispan.  
*hispanicus*, Jacq. Hort. Schoenb. ii. 9 = *Picridium tingitanum*.  
*hispidulus*, Bové, ex DC. Prod. vii. 182 = *Picridium tingitanum*.  
*hispidus*, Gilib. Fl. Lituan. i. 241 = *arvensis*.  
*hispidus*, Ledeb. Fl. Alt. iv. 140 (= *Mulgedium hispidum*).—Sibir.  
*Hochstetteri*, Sch. Bip. in Schweinf. Beitr. Fl. Aethiop. 160 = *Lactuca goraënsis*.  
*Hotha*, C. B. Clarke, Comp. Ind. 276.—Burma.  
*hyoseridifolius*, Hornem. Hort. Hafn. ii. 752 = *ustulatus*.  
*hypochaeroides*, Schlecht. Ind. Sem. Hort. Hal. (1850) 7.—Cf. *Linnaea*, xxiv. (1851) 212.—Hab.?  
*infestus*, Poepp. ex DC. Prod. vii. 185 = *asper*.  
*integrifolius*, Harv. in Harv. & Sond. Fl. Cap. iii. 528.—Afr. austr.  
*intermedium*, Jan, ex DC. Prod. vii. 182 = *Picridium intermedium*.

**SONCHUS:—**

*intermedius*, Koch, Syn. Fl. Germ. ed. I. 434, cum. cit. falsa = *arvensis*.  
*intermedius*, Krock. Fl. Siles. Suppl. ii. 234 (Quid?).—Europ.  
*italicus*, Spreng. Syst. iii. 651 = *tenerimus*.  
*Jacquini*, DC. Cat. Hort. Monsp. (1813) 147 = *congestus*.  
*javanicus*, Spreng. Syst. iii. 648 = *Prenanthes javanica*.  
*lacerus*, Willd. Sp. Pl. iii. 1513 = *oleraceus*.  
*lacinatus*, T. Moore, in Flor. & Pom. (1871) 138.—Hab.?  
*lactucoides*, Bunge, in Mém. Sav. Etr. Pétersb. ii. (1835) 114 (Enum. Pl. Chin. Bor. 40) = *Lactuca tatarica*.  
*lactucoides*, Sch. Bip. ex A. Rich. Tent. Fl. Abyss. i. 467.—Abyss.  
*laevigatus*, Willd. Enum. Hort. Berol. Suppl. 54.—Ins. Mader.  
*laevis*, Vill. Hist. Pl. Dauph. iii. 158 = *oleraceus*.  
*laevissimus*, Schur, Enum. Pl. Transs. 371 = *arvensis*.  
*lampsanoideus*, Lam. Fl. Fr. ii. 90 = *Crepis lampsanoideus*.  
*lapponicus*, Froel. in Usteri, Ann. Bot. i. (1791) 26, in textu = *Lactuca floridana*.  
*leptocephalus*, Cass. in Dict. Sc. Nat. xliii. 281.—Ins. Canar.  
*leucodon*, Fisch. & Mey. ex Ledeb. Fl. Ross. ii. 832 = *Launaea nudicaulis*.  
*leucophaeus*, Willd. Sp. Pl. iii. 1520 = *Lactuca alpina*.  
*libycus*, Spach, ex Boiss. Fl. Orient. iii. 823 = *fruticosus*.  
*littoralis*, Reichb. Fl. Germ. Excurs. 274 = *maritimus*.  
*longifolius*, Trev. Ind. Sem. Hort. Vratisl. (1818) 6; et in Nov. Act. Nat. Cur. xiii. (1826) 197.—Hab.?  
*longifolius*, Wall. Cat. n. 3251 = *arvensis*.  
*ludovicianus*, Nutt. Gen. Am. ii. 125 = *Lactuca ludoviciana*.  
*luxurians*, Schrad. ex Steud. Nom. ed. I. 799 = *Launaea macrophylla*.  
*lyratus*, Willd. Enum. Hort. Berol. Suppl. 53 = *laevigatus*.  
*macranthus*, Poir. Encyc. Suppl. iii. 289 = *congestus*.  
*macrophyllus*, Willd. Sp. Pl. iii. 1519 = *Lactuca macrophylla*.  
*macrotus*, Fenzl, in Flora, xxvii. (1844) 312 = *oleraceus*.  
*malayanus*, Miq. Fl. Ind. Bat. ii. 113.—Java.  
*maritimus*, Echeand. ex Losc. & Pard. Ser. Inconf. ed. I. 64 = *palustris*.  
*maritimus*, Linn. Syst. ed. X. 1192.—Europ.; Reg. Mediterr.  
*maritimus*, Pall. ex Ledeb. Fl. Ross. ii. 843 = *Lactuca sibirica*.  
*maritimus*, Turcz. in Bull. Soc. Nat. Mosc. (1838) 96 = *arvensis*.  
*massaviensis*, Sch. Bip. in Schweinf. Beitr. Fl. Aethiop. 160 = *Heterochaena massaviensis*.  
*mauritanicus*, Boiss. & Reut. Pugill. Pl. Nov. 70.—Alger.  
*melanolepis*, Fresen. in Mus. Senckenb. iii. (1839) 76.—Abyss.  
*Metzianus*, Sch. Bip. ex Hook. f. Fl. Brit. Ind. iii. 396 = *Crepis acaulis*.  
*montanus*, Lam. Encyc. iii. 401 = *Lactuca alpina*.  
*multiflorus*, Desf. Cat. Hort. Par. ed. III. 145 = *Lactuca alpina*.  
*nanus*, Sond. ex Harv. & Sond. Fl. Cap. iii. 528.—Afr. austr.  
*nigricans*, Tausch, in Flora, xii. (1829) 35.—Ital.  
*nitidus*, Vill. Prosp. 33; Hist. Pl. Dauph. iii. 160 = *arvensis*.  
*Novae-Zelandiae*, Benth. & Hook. f. Gen. ii. 528.—N. Zel.  
*nudicaulis*, Sch. Bip. in Webb & Berth. Phyt. Canar. ii. 427.—Aegypt.  
*Nymanii*, Tineo & Guss. in Guss. Fl. Sic. Syn. ii. 860 = *arvensis*.  
*occidentalis*, Spreng. Neue Entdeck. ii. 143 = *Erechtites praealta*.  
*oleraceus*, Linn. Sp. Pl. 794.—Cosmop.  
*oleraceus*, Wall. Cat. n. 3252 F = *asper*.  
*oreophilus*, Miq. Fl. Ind. Bat. ii. 114.—Java.  
*orixensis*, Roxb. Hort. Beng. 60; Fl. Ind. iii. 402 = *arvensis*.  
*oxyspermus*, Wallr. in Linnaea, xiv. (1840) 658 (Beitr. Fl. Hercyn. 288) = *tenerimus*.  
*pallidus*, Panč. Elench. Crna Gora, 55.—Monte-negr.

6 E

**SONCHUS:—**

*pallidus*, Torr. Compend. Fl. N. St. 279 = *Lactuca alpina*.  
*pallidus*, Willd. Sp. Pl. iii. 1521 = *Lactuca canadensis*.  
*paludosus*, Gueldenst. ex Ledeb. Fl. Ross. ii. 836 = *palustris*.  
*palustris*, Linn. Sp. Pl. 793.—Europ.; As. Min.  
*paniculatus*, Moq. & Sesse, ex DC. Prod. vii. 191.—Mexic.  
*parviflorus*, Lej. ex Reichb. Fl. Germ. Excurs. 274 = *oleraceus*.  
*pauciflorus*, Baker, in Journ. Bot. xx. (1882) 171.—Madag.  
*pauciflorus*, Echeand. ex Willk. & Lange, Prod. Fl. Hisp. ii. 240 = *maritimus*.  
*pectinatus*, DC. Rapp. Voy. ii. 78 = *tenerimus*.  
*pendulus*, Webb, ex Sch. Bip. in Webb & Berth. Phyt. Canar. ii. 421 = *Prenanthes pendula*.  
*pensylvanicus*, Spreng. ex Steud. Nom. ed. II. ii. 611 (Quid?).—Am. bor.?  
*pentaphyllus*, Sch. Bip. in Schweinf. Beitr. Fl. Aethiop. 160 = *Lactuca taraxacifolia*.  
*perfoliatus*, Gueldenst. ex Ledeb. Fl. Ross. ii. 836 (Quid?).—Rossia.  
*picroides*, Lam. Encyc. iii. 398 = *Picridium vulgare*.  
*picroides*, Sibth. & Sm. Fl. Graec. viii. 68 = *Picridium intermedium*.  
*pinnatifidus*, Cav. in Anal. Cienc. Nat. iv. (1801) 78 = *acidus*.  
*pinnatifidus*, Lag. ex DC. Prod. vii. 182 = *Picridium tingitanum*.  
*pinnatus*, Ait. Hort. Kew. ed. I. iii. 116.—Ins. Mader.  
*platylepis*, Webb & Berth. Phyt. Canar. ii. 433.—Ins. Canar.  
*Plumerianus*, St. Lag. in Ann. Soc. Bot. Lyon, viii. (1881) 171 = seq.  
*Plumerii*, St. Lag. l. c. = seq.  
*Plumieri*, Linn. Syst. ed. X. 1192 = *Lactuca Plumieri*.  
*Plumieri*, Panč. ex Vis. in Mem. Ist. Venet. ix. (1860) 173 (= *Mulgedium Pančii*).—Europ. austr.  
*polyodon*, Webb & Berth. Phyt. Canar. ii. 431 = *congestus*.  
*pratensis*, Schur, Enum. Pl. Transs. 968 (Index), *sphalm.* = *arvensis*.  
*prenanthoides*, Bieb. Fl. Taur. Cauc. ii. 242 (= *Mulgedium prenanthoides*).—Reg. Cauc.  
*prenanthoides*, Oliver & Hiern, in Oliver, Fl. Trop. Afr. iii. 459.—Afr. trop.  
*pulchellus*, Pursh, Fl. Am. Sept. ii. 502 = *Lactuca pulchella*.  
*pustulatus*, Willk. in Willk. & Lange, Prod. Fl. Hisp. ii. 242.—Hispan.  
*quercifolius*, Desf. Fl. Atlant. ii. 225. t. 213.—Afr. bor.  
*racemosus*, Lam. Encyc. iii. 400 = *Lactuca alpina*.  
*radiatus*, Link, Enum. Hort. Berol. ii. 279, *sphalm.* = seq.  
*radicatus*, Ait. Hort. Kew. ed. I. iii. 116.—Ins. Mader.; Teneriff.  
*rarifolius*, Oliver & Hiern, in Oliver, Fl. Trop. Afr. iii. 460.—Afr. trop.  
*reflexus*, Lag. Elench. 15; ex ej. Gen. et Sp. Nov. 24 = *Launaea nudicaulis*.  
*reversus*, E. Mey. ex DC. Prod. vii. 186 = *oleraceus*.  
*rivularis*, Phil. in Linnaea, xxx. (1859-60) 194.—Chili.  
*robustus*, Wall. Cat. n. 3249 = *Lactuca hastata*.  
*roseus*, Bess. in Spreng. Syst. iii. 651 = *oleraceus*.  
*Royleanus*, DC. Prod. vii. 184 = *oleraceus*.  
*runcinatus*, Vent. ex Sch. Bip. in Webb & Berth. Phyt. Canar. ii. 434.—Ins. Canar.  
*sagittatus*, Moench, Meth. 544 = *palustris*.  
*Schimperi*, A. Br. & Bouché, Ind. Sem. Hort. Berol. (1857) App. 1 = *oleraceus*.  
*Schmidianus*, C. Koch, l. c. (1853) App. 12 = *oleraceus*.  
*Schweinfurthii*, Oliver & Hiern, in Oliver, Fl. Trop. Afr. iii. 458.—Afr. trop.  
*scorsoneraeformis*, Lag. Gen. et Sp. Nov. 24 (= *Zollikoferia pumila*).—Hispan.; Arab.  
*serratus*, Perr. ex DC. Prod. vii. 138 = *Lactuca taraxacifolia*.  
*sespedalis*, Gilib. Fl. Lituan. i. 241 = *palustris*.  
*setosus*, Ehrenb. ex Sweet, Hort. Brit. ed. III. 414 (Quod?).—Hab.?  
*sheuciniatus*, Turcz. ex Herd. in Bull. Soc. Nat. Mosc. xliii. (1870) 1. 189 = *arvensis*.  
*sibiricus*, Bieb. Fl. Taur. Cauc. ii. 240 = *Lactuca racemosa*.

**SONCHUS:—**

*sibiricus*, Linn. Sp. Pl. 795 = *Lactuca sibirica*.  
*sibiricus*, Richards. App. Frankl. 1st Voy. ed. II. 30 = *Lactuca pulchella*.  
*simplicissimus*, Lag. Gen. et Sp. Nov. 24 = *crassifolius*.  
*Spachii*, Schweinf. Beitr. Fl. Aethiop. 307.—Nubia.  
*spicatus*, Lam. Encyc. iii. 401 = *Lactuca alpina*.  
*spinus*, DC. Prod. vii. 189 = *Launaea spinosa*.  
*spinus*, Lam. Fl. Fr. ii. 86 = *asper*.  
*spinus*, Marès, Cat. Pl. Ins. Balear. 172.—Ins. Balear.  
*spinulosus*, Bigel. Fl. Bost. ed. II. 292 = *asper*.  
*squamosus*, Lam. Fl. Fr. ii. 87 = *Picridium vulgare*.  
*squarrosus*, DC. Cat. Hort. Monsp. (1813) 147 = *fruticosus*.  
*subacaulis*, Dum.-Cours. ex Steud. Nom. ed. II. ii. 611 (Quid?).—Hab.?  
*sulphureus*, Boiss. Fl. Orient. iii. 796 = *asper*.  
*sundaicus*, Blume, Bijdr. 888.—Java.  
*taraxacifolius*, Spreng. Syst. iii. 649 = *Lactuca intybacea*.  
*taraxacifolius*, Willd. Sp. Pl. iii. 1511 = *Lactuca taraxacifolia*.  
*tataricus*, Linn. Mant. ii. 572 = *Lactuca tatarica*.  
*tenax*, Fisch. ex Sweet, Hort. Brit. ed. II. 278 (Quid?).—Sibir.  
*tener*, Salisb. Prod. 179 = seq.  
*tenerimus*, Linn. Sp. Pl. 794.—Reg. Mediterr.  
*tenerimus*, Schur, Enum. Pl. Transs. 371 = *oleraceus*.  
*tenuifolius*, Nutt. in Trans. Am. Phil. Soc. N. S. vii. (1841) 438 = *tenerimus*.  
*tigridus*, Rupr. in Bull. Phys.-Math. Acad. Pétersb. xiv. (1856) 231.—Mesopot.  
*tingitanus*, Lam. Encyc. iii. 397 = *Picridium tingitanum*.  
*tomentosus*, Palau, ex Willk. & Lange, Prod. Fl. Hisp. ii. 249 = *Crepis albida*.  
*torulosus*, Savi, Fl. Ital. i. t. 15 = *gibbosus*.  
*tuberosus*, Murr. Syst. ed. XIII. 594; Linn. f. Suppl. 346 = *Lactuca tuberosa*.  
*uliginosus*, Bieb. Fl. Taur. Cauc. ii. 238 = *arvensis*.  
*umbellatus*, E. Mey. ex DC. Prod. vii. 185 = *asper*.  
*umbellifer*, Thunb. Prod. Pl. Cap. 139 = *oleraceus*.  
*ustulatus*, Lowe, in Trans. Camb. Phil. Soc. iv. (1831) 22.—Ins. Mader.  
*vaginatus*, Hort. Erf. ex Steud. Nom. ed. I. 799.—Hab.?  
*virgatus*, Desf. ex Steud. l. c. 655, 799 = *Prenanthes virgata*.  
*volhynicus*, Bess. ex Nym. Consp. 433 = *Lactuca tatarica*.  
*Wallichianus*, DC. Prod. vii. 185; et in Deless. Ic. Sel. iv. t. 97 = *arvensis*.  
*Webbii*, Sch. Bip. in Webb & Berth. Phyt. Canar. ii. 444.—Ins. Canar.  
*Wightianus*, DC. Prod. vii. 187 = *arvensis*.  
*zacanthoides*, DC. l. c. 184 = *oleraceus*.

SONDARIA, Dennst. Schlüss. Hort. Malab. 31 (1818).  
**RHAMNEAE?**  
*cranganoorensis*, Dennst. l. c. (Quid?).—Ind. or.

SONDERA, Lehm. Pugill. viii. 44 (1844) = **Drosera**, Linn.  
*macrantha*, Lehm. l. c. = *D. macrantha*.  
*Preissii*, Lehm. l. c. 45 = *D. Preissii*.

**SONERILA**, Roxb. Hort. Beng. [5] (1814); Fl. Ind. i. 176 (1832). **MELASTOMACEAE**, Benth. & Hook. f. i. 753.  
*acaulis*, Bedd. in Madr. Journ. Sc. Ser. III. i. (1864) 46 = *Wallichii*.  
*affinis*, Arn. in Hook. Comp. Bot. Mag. ii. (1836) 307 = *zeylanica*.  
*affinis*, Thw. Enum. Pl. Zeyl. 109 = *Brunonis*.  
*amabilis*, Bedd. ex Triana, in Trans. Linn. Soc. xxviii. (1871) 76, nomen.—Ind. or.  
*amabilis*, Kurz, in Journ. As. Soc. Beng. xl. (1871) ii. 53.—Reg. Himal.  
*angustata*, Triana, in Trans. Linn. Soc. xxviii. (1871) 76.—Zeylan.  
*angustifolia*, Roxb. Hort. Beng. [5]; Fl. Ind. i. 178 = *maculata*.  
*arguta*, R. Br. in Wall. Cat. n. 4095.—Reg. Himal.  
*Arnottiana*, Thw. Enum. Pl. Zeyl. 108 = *Wightiana*.  
*axillaris*, Wight, Ic. t. 1058 = *versicolor*.  
*begoniaefolia*, Blume, in Flora, xiv. (1831) 490 = *moluccana*.  
*Bensoni*, Hook. f. Bot. Mag. t. 6049.—Ind. or.  
*biflora*, Zoll. & Mor. Syst. Vers. Zoll. 11.—Java.

**SONERILA:—**

*brachyandra*, Naud. in Ann. Sc. Nat. Sér. III. xv. (1851) 320 = *tenera*.  
*Brandisiana*, Kurz, in Journ. As. Soc. Beng. xl. (1871) ii. 53.—Burma.  
*Brunonis*, Wight & Arn. Prod. 321.—Ind. or.  
*bullata*, Griff. Notul. iv. 675 = *Driessenia bullosa*.  
*bullosa*, Triana, in Trans. Linn. Soc. xxviii. (1871) 73, *sphalm.* = *praec.*  
*ceylanica*, Arn. in Hook. Comp. Bot. Mag. ii. (1836) 307 = *zeylanica*.  
*elegans*, Hook. Bot. Mag. t. 4978 = *speciosa*.  
*elegans*, Wight, Spicil. Neilgh. i. 57. t. 67.—Ind. or.  
*emaculata*, Roxb. Hort. Beng. [5]; Fl. Ind. i. 178 = *maculata*.  
*erecta*, Jack, in Malay. Misc. i. (1820) n. v. 7.—Burma; Malaya.  
*firma*, Thw. ex Triana, in Trans. Linn. Soc. xxviii. (1871) 75, nomen = *Gardneri*.  
*Fordi*, Oliver, in Hook. Ic. Pl. t. 1457.—China.  
*Gardneri*, Thw. Enum. Pl. Zeyl. 107.—Zeylan.  
*glaberrima*, Arn. in Hook. Comp. Bot. Mag. ii. (1836) 307 = *zeylanica*.  
*grandiflora*, R. Br. in Wall. Cat. n. 4099.—Ind. or.  
*Griffithii*, C. B. Clarke, in Hook. f. Fl. Brit. Ind. ii. 539.—Malacca.  
*Guneratnei*, Trimen, in Journ. Bot. xxiii. (1885) 208 = *linearis*.  
*Hartwegi*, Triana, in Trans. Linn. Soc. xxviii. (1871) 76, *sphalm.* = seq.  
*Harveyi*, Thw. Enum. Pl. Zeyl. 107.—Zeylan.  
*Helferi*, C. B. Clarke, in Hook. f. Fl. Brit. Ind. ii. 540.—Burma.  
*Hendersoni*, Hor.—Cf. Gard. Chron. (1874) ii. 83; et ex Fourn. Illustr. Hort. xxiii. (1876) 11. t. 230 = *margaritacea*.  
*heterophylla*, Jack, in Malay. Misc. ii. (1822) n. vii. 16.—Malaya.  
*heterostema*, Naud. in Ann. Sc. Nat. Sér. III. xv. (1851) 326 = *obliqua*.  
*hirsutula*, Arn. in Hook. Comp. Bot. Mag. ii. (1836) 307.—Zeylan.  
*Hookeriana*, Arn. l. c. 308 = *zeylanica*.  
*insignis*, Blume, Mus. Bot. Lugd. Bat. i. 11.—Sumatra.  
*Junghuhniana*, Miq. Fl. Ind. Bat. i. 1. 566.—Sumatra.  
*khasiana*, C. B. Clarke, in Hook. f. Fl. Brit. Ind. ii. 539.—Reg. Himal.  
*Kurzii*, C. B. Clarke, l. c. = *amabilis*.  
*laeviuscula*, Zoll. & Mor. ex Miq. Fl. Ind. Bat. i. 1. 564.—Malaya.  
*lanceolata*, Thw. Enum. Pl. Zeyl. 107.—Zeylan.  
*linearis*, Hook. f. ex Triana, in Trans. Linn. Soc. xxviii. (1871) 76.—Burma.  
*maculata*, Roxb. Hort. Beng. [5]; Fl. Ind. i. 177.—Reg. Himal.  
*magnifica*, Miq. Fl. Ind. Bat. Suppl. 320.—Sumatra.  
*Mamei*, Linden, in Illustr. Hort. xxiii. (1876) 146. t. 254 = *margaritacea*.  
*margaritacea*, Lindl. in Gard. Chron. (1854) 727.—Burma.  
*moluccana*, Roxb. Fl. Ind. ed. Carey, i. 182.—Malaya.  
*Naudiniana*, Miq. Fl. Ind. Bat. i. 1. 565 = *Sarcopyramis nepalensis*.  
*nudiscapa*, Kurz, in Journ. As. Soc. Beng. xlvi. (1877) ii. 78, 77.—Burma.  
*obliqua*, Korth. Verh. Nat. Gesch. Bot. 250.—Malaya.  
*orbiculata*, Lindl. in Journ. Hort. Soc. viii. (1853) 56 = *speciosa*.  
*paradoxa*, Naud. in Ann. Sc. Nat. Sér. III. xv. (1851) 321 = *moluccana*.  
*pauciflora*, Blume, in Flora, xiv. (1831) 491 = *heterophylla*.  
*pedunculosa*, Thw. Enum. Pl. Zeyl. 109.—Zeylan.  
*picta*, Griff. Notul. iv. 676 = *maculata*.  
*picta*, Korth. Verh. Nat. Gesch. Bot. 249. t. 52.—Burma; Sumatra.  
*pilosula*, Thw. Enum. Pl. Zeyl. 108.—Zeylan.  
*pumila*, Thw. l. c. 109 = *zeylanica*.  
*Rheedii*, Wall. Cat. n. 4096; Wight & Arn. Prod. 321.—Ind. or.  
*rhombifolia*, Thw. Enum. Pl. Zeyl. 108 = *zeylanica*.  
*robusta*, Arn. in Hook. Comp. Bot. Mag. ii. (1836) 308.—Zeylan.  
*rostrata*, Thw. Enum. Pl. Zeyl. 108 = *zeylanica*.  
*Rottleri*, Wall. Cat. n. 4097 = *stricta*, *pedunculosa*.  
*rotundifolia*, Bedd. in Madr. Journ. Sc. Ser. II. xxii. (1861) 74; et in Trans. Linn. Soc. xxv. (1865) 216.—Ind. or.

**SONERILA** :—

- scapigera, *Dalz. in Hook. Lond. Journ. Bot.* vii. (1848) 672.—Ind. or.  
 secunda, *R. Br. in Wall. Cat. n.* 4094.—Burma.  
*solanoides*, Naud. in *Ann. Sc. Nat. Sér. III.* xv. (1851) 324 = speciosa.  
 speciosa, *Zenker, in Ann. Sc. Nat. Sér. II.* vi. (1830) 151.—Ind. or.  
 squarrosa, *Wall. in Roxb. Fl. Ind. ed. Carey*, i. 182.—Reg. Himal.  
 stricta, *Hook. Bot. Mag.* t. 4394.—Burma.  
 tenella, *Bedd. in Madr. Journ. Sc. Ser. III.* i. (1864) 46 = Arnottiana.  
 tenera, *R. Br. in Wall. Cat. n.* 4098, partim = stricta.  
 tenera, *Royle, Illustr. Bot. Himal.* 215. t. 45. f. 2.—Ind. or.; China; Ins. Philipp.  
 tenuifolia, *Blume, in Flora*, xiv. (1831) 491.—Malaya.  
 Teysmanniana, *Miq. Fl. Ind. Bat. Suppl.* 320.—Sumatra.  
 tomentella, *Thw. Enum. Pl. Zeyl.* 109.—Zeylan.  
 travancorica, *Bedd. Ic. Pl. Ind. Or.* i. 33.—Ind. or.  
 versicolor, *Wight, Ic.* t. 1057.—Ind. or.  
 violaeifolia, *Hook. f. ex Triana, in Trans. Linn. Soc.* xxviii. (1871) 77.—Ind. or.  
 Wallichii, *Benn. Pl. Fav. Rar.* 215.—Ind. or.  
 Wightiana, *Arn. in Hook. Comp. Bot. Mag.* ii. (1836) 307.—Ind. or.  
 zeylanica, *Wight & Arn. Prod.* 322 (err. typ. 332).—Zeylan.; Borneo.

SONINNIA, *Kostel. Allg. Med.-Pharm. Fl.* iii. 1091 (1834), sphalm. = SONNINIA, *Reichb. = Diplolepis*, *R. Br. (Asclep.)*.

**SONNERATIA**, *Linn. f. Suppl.* 38 (1781). *LY-*

- THRARIÆ*, *Benth. & Hook. f.* i. 784.  
 AUBLETIA, *Gaertn. Fruct.* i. 379. t. 78 (1788).  
 BLATTI, *Adans. Fam.* ii. 88 (1763).  
 CHIRATIA, *Montr. in Mém. Acad. Lyon*, x. (1860) 202.  
 KAMBALA, *Rafin. Sylva Tellur.* 19 (1838).  
 MYCOSTYLIS, *Rafin. l. c.* (1838).  
 acida, *Benth. Fl. Austral.* iii. 301 = alba.  
 acida, *Linn. f. Suppl.* 252.—Ind. or.; Malaya.  
 alba, *Griff. Notul.* iv. 652 = Griffithii.  
 alba, *Sm. in Rees, Cycl.* xxxiii. n. 2.—Geront. trop.  
 apetalá, [*Buch.-Ham.*] in *Syme, Embassy*, ed. II. iii. 313.—Ind. or.; Burma.  
 evenia, *Blume, Mus. Bot. Lugd. Bat.* i. 337.—Ins. Timor.  
 Griffithii, *Kurz, Pegu For. Rep. App. B.* 54; *For. Fl. Brit. Burma*, i. 527.—Burma.  
 lanceolata, *Blume, Mus. Bot. Lugd. Bat.* i. 337.—Borneo.  
 mossambicensis, *Klotzsch, in Peters, Reise Mossamb.* Bot. 66. t. 12 = alba.  
 neglecta, *Blume, Mus. Bot. Lugd. Bat.* i. 338 = Griffithii.  
 obovata, *Blume, l. c.* 337.—Java.  
 ovalis, *Korth. in Nederl. Kruidd. Arch.* i. (1848) 198.—Java.  
 Pagatpat, *Blanco, Fl. Filip.* ed. I. 424; *Blume, Mus. Bot. Lugd. Bat.* i. 336.—Malaya.  
 punctata, *J. F. Gmel. Syst.* 675 = Clausena Wampi.

SONNINIA, *Reichb. Consp.* 131 (1828) = *Diplolepis*, *R. Br. (Asclep.)*.

*Menziesii*, *Decne. in DC. Prod.* viii. 589 = *D. Menziesii*.  
*vomitaria*, *Kostel. Allg. Med.-Pharm. Fl.* iii. 1091 = *D. Menziesii*.

**SONZAYA**, *Marchand, in Baill. Adansonia*, viii.

(1867-68) 64. *BURSERACEÆ*.  
 australiana, *Marchand, l. c.* 71.—Austral.

SOPHANDRA, *Meissn. Gen. Comm.* 152; et in *Ind.* (1840), sphalm. = LOPHANDRA, *D. Don = Erica*, *Tourn.*

SOPHIA, *Linn. Pl. Surin.* n. 86 (1775); *Amoen. Acad.* viii. 259 = *Pachira*, *Aubl. (Malvac.)*.  
*carolina*, *Linn. l. c.* = *P. aquatica*.

SOPHIA, *Linn. Syst. ed. I* (1735); *Adans. Fam.* ii. 417 (1768) = *Sisymbrium*, *Tourn. (Crucif.)*.  
*Lobelii*, *Rupr. Fl. Cauc.* 88 = *Sis. Sophia*.  
*multifida*, *Gilib. Exercit.* i. 243 = *Sis. Sophia*.  
*vulgaris*, *Fourr. in Ann. Soc. Linn. Lyon*, N. S. xvi. (1868) 332 = *Sis. Sophia*.

**SOPHOCLESIA**, *Klotzsch, in Linnaea*, xxiv. (1851) 29. *VACCINIACEÆ*, *Benth. & Hook. f.* ii. 576.  
*apophysata*, *Griseb. Fl. Brit. W. Ind.* 143 = *Findlaya apophysata*.  
*cordifolia*, *Klotzsch, in Linnaea*, xxiv. (1851) 29.—N. Granat.  
*majus, Benth. & Hook. f. Gen.* ii. 576.—Ind. occ.; Peruv.  
*nummulariaefolia*, *Klotzsch, in Linnaea*, xxiv. (1851) 30.—N. Granat.  
*ovata*, *Klotzsch, l. c.*—N. Granat.  
*subscandens*, *Klotzsch, l. c.*—N. Granat.

SOPHONODON, *Miq. Fl. Ind. Bat. i.* II. 592 (1859), sphalm. = *Siphonodon*, *Grif. (Celastr.)*.

**SOPHORA**, *Linn. Gen. ed. I* 125 (1737). *LEGUMI-*

- NOSAE*, *Benth. & Hook. f.* i. 555.  
 AGASTIANIS, *Rafin. New Fl. Am.* iii. 85 (1836).  
 BROUSSONETIA, *Orteg. Hort. Matr.* Dec. 61. t. 7 (1798).  
 DERMATOPHYLLUM, *Scheele, in Linnaea*, xxi. (1848) 458.  
 EDWARDSIA, *Salisb. in Trans. Linn. Soc.* ix. (1808) 298. t. 26.  
 GOEBELIA, *Bunge, ex Boiss. Fl. Orient.* ii. 628 (1872).  
 PATRINIA, *Rafin. in Journ. Phys.* lxxxix. (1819) 97.  
 PSEUDOSOPHORA, *Sweet, Hort. Brit. ed. II.* 122 (1830).  
 RADIUSA, *Reichb. Consp.* 148 (1828).  
 STYPHNOLOBUM, *Schott. in Wien. Zeitschr.* iii. (1830) 844; ex *Endl. in Linnaea*, vi. (1831) Litt. 54.  
 VIBEXIA, *Rafin. Atl. Journ.* 144 (1832).  
 ZANTHYRSIS, *Rafin. New Fl. Am.* iii. 84 (1836).  
 acuminata, *Benth. ex Baker, in Hook. f. Fl. Brit. Ind.* ii. 250.—Reg. Himal.  
 acuminata, *Desv. Journ. Bot.* iii. (1814) 75.—'Am.'  
 affinis, *Torr. & Gray, Fl. N. Am.* i. 390.—Am. bor. occ.  
 alba, *Linn. Syst. ed. XII.* 287 = *Baptisia alba*.  
 albicans, [*Jaume St. Hil.*] in *Duham. Arb.* ed. Nov. iii. 86 = alopecuroides.  
 alopecuroides, *Linn. Sp. Pl.* 373.—As. Min.; Reg. Himal.  
 alpina, *Pall. Astragal.* 121. t. 90. f. 1 = *Thermopsis corgonensis*.  
 angustifolia, *Sieb. & Zucc. in Abh. Akad. Muench.* iv. 11. (1843) 118 = flavesces.  
 arenicola, *Nees, in Flora*, iv. (1821) 297 = tomentosa.  
 argentea, *Pall. in Nov. Act. Petrop.* x. (1797) 373. t. 8 = *Ammodendron Sieversii*.  
 argentea, *Salisb. Prod.* 328 = *Podalyria myrtillifolia*.  
 arizonica, *S. Wats. in Proc. Am. Acad.* xi. (1876) 135.—Am. bor. occ.  
 aurea, *Ait. Hort. Kew. ed. I.* ii. 44 = *Calpurnia lasiogyne*.  
 australis, *Linn. Syst. ed. XII.* 287 = *Baptisia australis*.  
 biflora, *Houtt. Handleid.* v. 8. t. 24. f. 1 = *Podalyria calyptata*.  
 biflora, *Linn. Syst. ed. X.* 1015 = *Podalyria myrtillifolia*.  
 biflora, *Retz. Obs.* i. 36 = *Podalyria argentea*.  
 bifolia, *Pall. Astragal.* 124. t. 91 = *Ammodendron Sieversii*.  
 buxifolia, *Retz. Obs.* i. 35 = *Podalyria buxifolia*.  
 calyptata, *Retz. l. c.* 36 = *Podalyria calyptata*.  
 capensis, *Linn. Mant.* i. 67 = *Virgilia capensis*.  
 chinensis, *G. Don, in Loud. Hort. Brit.* 162, nomen.—China.  
 chrysophylla, *Seem. Fl. Vit.* 66.—Polynes.  
 coerulea, *Moench, Meth.* 69 = *Baptisia australis*.  
 cordata, *Thunb. Prod. Pl. Cap.* 79 = *Podalyria Burchellii*, cordata.  
 crassifolia, *Hassk. Cat. Hort. Bog. Alt.* 285.—Java.  
 crassifolia, [*Jaume St. Hil.*] in *Duham. Arb.* ed. Nov. iii. 87 = tomentosa.  
 cuneifolia, *Steud. Nom. ed. I.* 799 = *Podalyria cuneifolia*.  
 denudata, *Bory, Voy.* ii. 399.—Ins. Borbon.

**SOPHORA** :—

- fabacea*, *Pall. Astragal.* 122. t. 90. f. 2 = *Thermopsis fabacea*.  
 flavesces, *Ait. Hort. Kew. ed. I.* ii. 43.—Sibir.  
 Fraseri, *Benth. Fl. Austral.* ii. 274.—Austral.  
 galegoides, *Pall. Astragal.* 118. t. 88 = flavesces.  
 galioides, *Berg. Desc. Pl. Cap.* 141 = *Cyclopia galioides*, *genistoides*.  
 genistaefolia, *Salisb. Prod.* 328 = seq.  
 genistoides, *Linn. Sp. Pl.* 373; *Burm. f. Prod. Fl. Cap.* 12 = *Cyclopia genistoides*.  
 glabra, *Hassk. in Flora*, xxv. (1842) II. Beibl. 47 = tomentosa.  
 glabra, *Moench, Meth. Suppl.* 22 = flavesces.  
 glauca, *DC. in Ann. Sc. Nat. Sér. I.* iv. (1825) 98.—Ind. or.  
 glauca, *Salisb. Prod.* 328 = *Baptisia alba*.  
 Griffithii, *Stocks, in Hook. Kew. Journ. Bot.* iv. (1852) 147 = *Keyserlingia Griffithii*.  
 havanensis, *Jacq. Enum. Pl. Carib.* 20 = tomentosa.  
 heptaphylla, *Linn. Sp. Pl.* 373.—Zeylan; China.  
 heptaphylla, *Wight, Ic.* t. 1155 = *Wightii*.  
 hirsuta, *Ait. Hort. Kew. ed. I.* ii. 46 = *Podalyria cordata*.  
 Houghiana, *Wall. Cat. n.* 5336 B = mollis.  
 inhambanensis, *Kotzsch, in Peters, Reise Mossamb.* Bot. 26 = tomentosa.  
 intermedia, *Hort. ex Steud. Nom. ed. II.* ii. 612 (Quid ?).—Hab. ?  
 interrupta, *Bedd. Forest. Man. Bot.* 90.—Ind. or.  
 Jabandas, *Montr. in Mém. Acad. Lyon*, x. (1860) 196.—N. Caled.  
 japonica, *Linn. Mant.* i. 68.—Japon; China.  
 Jaubertii, *Spach, ex Jaub. et Spach, Illustr.* iv. 45 = alopecuroides.  
 juncea, *Schrad. Sert. Hannov.* 9. t. 3 = *Viminaria denudata*.  
 kentukea, *Dum.-Cours. Bot. Cult. ed. II.* vi. 56 (Quid ?).—Am. bor.  
 Kronei, *Hance, in Ann. Sc. Nat. Sér. IV.* xviii. (1862) 219 = flavesces.  
 lanceolata, *Walt. Fl. Carol.* 135 = *Baptisia lanceolata*.  
 linearifolia, *Griseb. in Gott. Abh.* xxiv. (1879) 110.—Reg. Argent.  
 littoralis, *Schrad. in Goett. Gel. Anz.* i. (1821) 709 = tomentosa.  
 lupinoides, *Linn. Sp. Pl.* 374 = *Thermopsis lanceolata*.  
 macrocarpa, *Sm. in Rees, Cycl.* xxxiii. n. 6 = tetraptera.  
 macrosperma, *DC. Prod.* ii. 96 = seq.  
 mecosperma, [*Jaume St. Hil.*] in *Duham. Arb.* ed. Nov. iii. 86, 87 = flavesces.  
 microphylla, *Ait. Hort. Kew. ed. I.* ii. 43 = tetraptera.  
 microphylla, *Meyen, Reise*, i. 407 = *Zuccagnia microphylla*.  
 mollis, *R. Grah. in Wall. Cat. n.* 5335.—Reg. Himal.; China.  
 mollis, *Span. in Linnaea*, xv. (1841) 189 = glauca.  
 monosperma, *Sw. Prod. Veg. Ind. Occ.* 66 = *Ormosia dasycarpa*.  
 Moorcroftiana, *Benth. ex Baker, in Hook. f. Fl. Brit. Ind.* ii. 249.—Reg. Himal.; China.  
 mutabilis, *Salisb. Prod.* 328 = *Podalyria cordata*.  
 myrtillifolia, *Retz. Obs.* i. 36 = *Podalyria myrtillifolia*.  
 nitens, *Benth. ex Harv. & Sond. Fl. Cap.* ii. 266.—Afr. austr.  
 nitens, *Schum. & Thonn. Beskr. Guin. Pl.* 201 = tomentosa.  
 nitida, *Sm. in Rees, Cycl.* xxxiii. n. 7.—Ins. Borbon.  
 obliqua, *Pers. Syn.* i. 452 = *Piptadenia moniliformis*.  
 occidentalis, *Linn. Syst. ed. X.* 1015 = tomentosa.  
 oligophylla, *Baker, in Oliver, Fl. Trop. Afr.* ii. 254.—Afr. trop.  
 orientalis, *Pall. Reise*, ii. 505 = alopecuroides.  
 oroboides, *Berg. Desc. Pl. Cap.* 142 = *Virgilia capensis*.  
 pachycarpa, *Schrenk, ex C. A. Mey. Ind. Sem. Hort. Petrop.* ix. 89.—Soongar.  
 pallida, *Salisb. Prod.* 328 = alopecuroides.  
 pedunculata, *Thunb. Prod. Pl. Cap.* 79 = *Podalyria argentea*.  
 pentaphylla, *Desv. in Ann. Sc. Nat. Sér. I.* ix. (1826) 407.—Peruv.  
 perfoliata, *Walt. Fl. Carol.* 135 = *Baptisia perfoliata*.  
 platycarpa, *Maxim. in Bull. Acad. Pétersb.* xviii. (1873) 398.—Japon.



**SOPHORA:—**

- prostrata, *J. Buch. in Trans. N. Z. Inst.* xvi. (1884) 395.—N. Zel.  
 pubescens, *Tausch, in Flora*, xvii. (1834) 489.—Hab.?  
*retusa*, Pers. Syn. i. 452 = denudata.  
*Retzii*, J. F. Gmel. Syst. 665 = Podalyria argentea.  
 rhynchocarpa, *Griseb. in Goett. Abh.* xiv. (1879) 110.—Reg. Argent.  
 robinoides, *Walp. in Otto & Dietr. Allg. Gartenz.* vii. (1839) 337.—Ind. or.  
*robusta*, Roxb. Hort. Beng. [31], nomen = Ormosia robusta.  
*rotundifolia*, Berg. Desc. Pl. Cap. 138; Thunb. Prod. Pl. Cap. 79 = Podalyria myrtillifolia.  
 secundiflora, *Lag. ex DC. Cat. Hort. Monsp.* (1813) 148.—Mexic.  
*sempervirens*, Engelm. in Bost. Journ. Nat. Hist. vi. (1850) 178 = speciosa.  
*senegalensis*, Deless. ex DC. Prod. ii. 168 = Tephrosia obcordata.  
*sericea*, Andr. Bot. Rep. t. 440 = Podalyria sericea.  
*sericea*, [Jaume St. Hil.] in Duham. Arb. ed. Nov. iii. 86 = nitida.  
*sericea*, *Nutt. Gen. Am.* i. 280.—Am. bor.  
*sinica*, Rosier, in Journ. Phys. xiv. (1779) 248 = japonica.  
*songarica*, *Schrenk. in Bull. Phys.-Math. Acad. Pétersb.* iii. (1845) 307.—Soongar.  
*sororia*, Hance, in Ann. Sc. Nat. Sér. V. v. (1866) 210 = flavescent.  
*speciosa*, Benth. in Bost. Journ. Nat. Hist. vi. (1850) 178 = secundiflora.  
*speciosa*, Torr. in Pacif. Rail. Rep. iv. 82 = arizonica.  
*stenophylla*, A. Gray, in *Loes. Rep. Colorado River*, Bot. 10.—Mexic.  
*sylvatica*, Burch. Trav. ii. 146; DC. Prod. ii. 98 = Calpurnia sylvatica.  
*ternata*, Thunb. Prod. Pl. Cap. 79 = Aspalathus ferruginea.  
 tetraptera, *J. Mill. Ic. Pl. t. 1*.—N. Zel.; Chili.  
*tiloensis*, Blume, ex Miq. Fl. Ind. Bat. i. i. 125 = heptaphylla.  
*tinctoria*, Linn. Sp. Pl. 373 = Baptisia tinctoria.  
 tomentosa, *Linn. l. c.*—Reg. calid.  
*trifolia*, Steud. Nom. ed. II. ii. 612, sphalm. = seq.  
*trifoliata*, Thunb. Prod. Pl. Cap. 79 = Argyrolobium sericeum.  
*triphylia*, Sweet, Hort. Brit. ed. I. 107, in syn., sphalm. = praec.  
*velutina*, Lindl. Bot. Reg. t. 1185 = glauca.  
*viciaefolia*, Salisb. Prod. 328 = Virgilia capensis.  
*viciifolia*, Hance, in *Journ. Bot.* xix. (1881) 209.—China.  
*villosa*, Walt. Fl. Carol. 134 = Baptisia villosa.  
 violacea, *Thw. Enum. Pl. Zeyl.* 94.—Zeylan.  
*violacea*, Zipp. ex Span. in Linnaea, xv. (1841) 192 = Aeschynomene atropurpurea.  
 Wightii, *Baker, in Hook. f. Fl. Brit. Ind.* ii. 250.—Ind. or.  
 zambesiaca, *Baker, in Oliver, Fl. Trop. Afr.* ii. 253.—Afr. trop.

SOPHOROCAPNOS, Turcz. in Bull. Soc. Nat. Mosc. xxi. (1848) i. 570 = *Corydalis*, Vent. (Papav.).  
*pallida*, Turcz. l. c. 571 = C. pallida.

SOPHRONANTHE, Benth. in Lindl. Introd. Nat. Syst. ed. II. 445 (1836) = *Gratiola*, Rupp. (Scrophul.).  
*floridana*, Walp. Rep. iii. 298 = G. floridana.  
*hispida*, Benth. in Lindl. Introd. Nat. Syst. ed. II. 445 = G. subulata.

SOPHRONIA, Licht. ex Roem. & Schult. Syst. i. 482 (1817) = *Lapeyrouisia*, Pourr. (Irid.).  
*caespitosa*, Licht. l. c.—Afr. austr.  
*caespitosa*, Spreng. Syst. iii. 147, in syn. = Klattia partita.

SOPHRONIA, Lindl. Bot. Reg. t. 1129 (1828) = *Sophronitis*, Lindl. (Orchid.).  
*cernua*, Lindl. l. c. = Sophronitis cernua.  
*modesta*, Lindl. l. c. sub t. 1147 = Sophronitis cernua.

**SOPHRONITIS**, Lindl. Bot. Reg. sub t. 1147 (1828).  
**ORCHIDEAE**, Benth. & Hook. f. iii. 535.  
 LOPHOGLOTIS, Rafin. Fl. Tellur. iv. 49 (1836).  
 SOPHRONIA, Lindl. Bot. Reg. t. 1129 (1828).

**SOPHRONITIS:—**

- cernua, *Lindl. Bot. Reg.* sub t. 1147.—Cf. t. 1129.—Bras.  
*coccinea*, Reichb. f. in Walp. Ann. vi. 465 = grandiflora.  
 grandiflora, *Lindl. Sert. Orch.* (1838) t. 5. f. 2.—Bras.  
*Hoffmannseggii*, Reichb. ex Hoffmgg. in Linnaea, xvi. (1842) Litt. 286 = cernua.  
*isopetala*, Hoffmgg. Verz. Orch.—Cf. Bot. Zeit. i. (1843) 834 = cernua.  
*militaris*, Reichb. f. in Walp. Ann. vi. 465 = grandiflora.  
*modesta*, Lindl. Bot. Reg. sub t. 1147 = cernua.  
*nutans*, Hoffmgg. in Linnaea, xvi. (1842) Litt. 286 = cernua.  
 pterocarpa, *Lindl. & Paxt. Flow. Gard.* iii. (1853) 11.—Bras.  
*purpurea*, Reichb. f. in Gard. Chron. (1878) i. 462 = grandiflora.  
*rosea*, Hort. ex Gostling, in Gard. Chron. (1884) i. 243 = grandiflora.  
 Rossiteriana, *Rodrig. Orch. Nov.* i. 77.—Bras.  
*violacea*, *Lindl. Bot. Reg.* (1840) Misc. 18.—Bras.  
 Wittigiana, *Rodrig. in Rev. Hort.* (1878) 24; ex *ej. Orch. Nov.* ii. 159.—Bras.

**SOPUBIA**, Buch.-Ham. ex D. Don, Prod. Fl. Nep. 88 (1825). **SCROPHULARINEAE**, Benth. & Hook. f. ii. 970.

- GERDARIA, Presl, Bot. Bemerk. 91 (1844).  
 LOPHANTHERA, Rafin. New Fl. Am. ii. 58 (1836).  
 RAPHDOPHYLLUM, Hochst. in Flora, xxiv. (1841) 666.  
 RHAPHIDOPHYLLUM, Benth. in DC. Prod. x. 521 (1846).  
 cana, *Harv. Thes. Cap.* ii. 29.—Afr. austr.  
 delphinifolia, *G. Don, Gen. Syst.* iv. 560.—Ind. or.  
 Dregeana, *Benth. in DC. Prod.* x. 522.—Afr. austr.  
 filiformis, *G. Don, Gen. Syst.* iv. 560.—Afr. trop.  
 Hildebrandtii, *Vatke, in Linnaea*, xliii. (1880–82) 314.—Afr. trop.  
 karaguensis, *Oliver, in Trans. Linn. Soc.* xxix. (1875) 123.—Afr. trop.  
 kituensis, *Vatke, in Linnaea*, xliii. (1880–82) 313.—Afr. trop.  
 obtusifolia, *G. Don, Gen. Syst.* iv. 560.—Madag.  
 ramosa, *Hochst. in Flora*, xxvii. (1844) 27.—Afr. trop.  
 scabra, *G. Don, Gen. Syst.* iv. 560.—Afr. austr.  
 scopiformis, *Vatke, in Linnaea*, xliii. (1880–82) 313.—Afr. trop.  
 simplex, *Hochst. in Flora*, xxvii. (1844) 27.—Afr. austr.  
 stricta, *Baker, in Journ. Linn. Soc.* xxi. (1885) 427.—Madag.  
 stricta, *G. Don, Gen. Syst.* iv. 559.—Ind. or.; Malaya.  
 trifida, *Buch.-Ham. ex D. Don, Prod. Fl. Nep.* 88.—Ind. or.; Nepal.  
 triphylla, *Baker, in Journ. Bot.* xx. (1882) 220.—Madag.

SORAMIA, Anbl. Pl. Gui. i. 552. t. 219 (1775) = *Doliorcarpus*, Roland. (Dillen.).  
*guianensis*, Aubl. l. c. = D. Soramia.

SORANTHE, Salisb. in Knight, Prot. 71 (1809) = *Sorocephalus*, R. Br. (1810) (Proteac.).  
*ciliciflora*, Knight, Prot. 72 = Soroc. lanatus.  
*clavigera*, Knight, l. c. 73.—Afr. austr.  
*glanduligera*, Knight, l. c. 71 = Soroc. imbricatus.  
*montana*, Knight, l. c. 73.—Afr. austr.  
*pinifolia*, Knight, l. c. 72.—Afr. austr.  
*rupestris*, Knight, l. c.—Afr. austr.  
*tenuifolia*, Knight, l. c. = Soroc. tenuifolius.

SORANTHUS, Ledeb. Ic. Pl. i. 20. t. 82 (1829); Fl. Alt. i. 344 (1829) = *Ferula*, Tourn. (Umbell.).  
*Meyeri*, Ledeb. ll. cc. = F. Meyeri.

SORBARIA, A. Br. in Aschers. Fl. Brandenb. 177 (1864) = *Spiraea*, Linn. (Rosac.).  
*grandiflora*, Maxim. in Act. Hort. Petrop. vi. (1879) 223 = Sp. grandiflora.  
*Kirilowi*, Maxim. l. c. 225 = Sp. sorbifolia.  
*Lindleyana*, Maxim. l. c. 224 = Sp. sorbifolia.  
*sorbifolia*, A. Br. in Aschers. Fl. Brandenb. 177 = Sp. sorbifolia.

SORBUS, [Tourn.] Linn. Syst. ed. I. (1735) = *Pyrus*, Tourn. (Rosac.).  
*alandica*, Bergstr. Naturalh. Anteckn. om Åland, 19.—Suecia.  
*alnifolia*, C. Koch, in Miq. Ann. Mus. Bot. Lugd. Bat. i. 249 = Crataegus alnifolia.  
*alpina*, Heynh. Nom. ii. 684 = P. Chamaemespilus?  
*ambigua*, Michalet, Bot. Jura, 156 = P. Chamaemespilus.  
*Amelanchier*, Crantz, Stirp. Austr. ed. I. fasc. ii. 53; ed. II. 90 = Amelanchier vulgaris.  
*americana*, Marsh. Arbust. 145; Willd. Enum. Hort. Berol. 520 = P. americana.  
*Arbuscula*, Bosc, ex Poir. Encyc. Suppl. v. 164 = P. Aucuparia.  
*arbutifolia*, Heynh. Nom. i. 772 = P. arbutifolia.  
*Aria*, Crantz, Stirp. Austr. ed. I. fasc. ii. 46; ed. II. 86\* = P. Aria.  
*Aria*, Wimm. ex Nym. Consp. 242 = P. Chamaemespilus.  
*arioides*, Michalet, Bot. Jura, 156 = P. intermedia.  
*atrovirens*, Hort. ex C. Koch, Dendrol. i. 194 = P. rotundifolia.  
*Aucuparia*, Linn. Sp. Pl. 477 = P. Aucuparia.  
*Aucuparia*, Poir. Encyc. vii. 234, partim = P. americana.  
*Aucuparia*, Stell. in Pall. Fl. Nord. Beitr. ii. 300 = P. sambucifolia.  
*auriculata*, Pers. Syn. ii. 38 = P. pinnatifida.  
*betulaefolia*, Schau. in Otto & Dietr. Allg. Gartenz. xvii. (1849) 84 = P. betulaefolia.  
*Chamaemespilus*, Crantz, Stirp. Austr. ed. I. fasc. ii. 40; ed. II. 83\* = P. Chamaemespilus.  
*corymbosa*, C. Koch, Hort. Dendrol. 176 = P. communis.  
*crataegifolia*, Wenzig, in Eichl. Jahrb. Berl. ii. (1883) 295 = P. crataegifolia.  
*crenata*, Schau. in Otto & Dietr. Allg. Gartenz. xvii. (1849) 84 = P. vestita?  
*Cydonia*, Crantz, Stirp. Austr. ed. I. fasc. ii. 57; ed. II. 93 = P. Cydonia.  
*densiflora*, Heynh. Nom. ii. 684 = P. densiflora.  
*depressa*, Heynh. l. c. i. 772 = P. arbutifolia.  
*domestica*, Linn. Sp. Pl. 477 = P. Sorbus.  
*edulis*, C. Koch, ex Kirch. in C. Koch & Fint. Wochenschr. ii. (1859) 382 = P. Aria.  
*fennica*, Kalm, ex Fries, Summa Veg. Scand. 42 = P. pinnatifida.  
*fennica*, C. Koch, Dendrol. i. 194 = P. intermedia.  
*flabellifolia*, Schau. in Otto & Dietr. Allg. Gartenz. xvii. (1849) 84 = P. Aria.  
*florentina*, Nym. Syll. 266 = P. crataegifolia.  
*floribunda*, Heynh. Nom. i. 773 = P. arbutifolia.  
*foliolosa*, Spach, Hist. Vég. Phan. ii. 96 = P. foliolosa.  
*foliosa*, Wenzig, in Linnaea, xxxviii. (1874) 75; Decne. in Nouv. Arch. Mus. Par. Sér. I. x. (1874) 159, sphalm. = P. foliolosa.  
*fruticosa*, Steud. Nom. ed. I. 800 = P. Chamaemespilus.  
*glabra*, Gilib. Fl. Lituan. ii. 233 = P. glabra.  
*glabrata*, Hort. Vrat. ex Kirch. in C. Koch & Fint. Wochenschr. ii. (1859) 382 = P. Aria.  
*gracilis*, Wenzig, in Linnaea, xxxviii. (1874) 74; Decne. in Nouv. Arch. Mus. Par. Sér. I. x. (1874) 159 = P. sambucifolia.  
*graeca*, Lodd. ex Steud. Nom. ed. II. ii. 612 = P. Aria.  
*grandifolia*, Heynh. Nom. i. 773 = P. arbutifolia.  
*heterophylla*, Reichb. Fl. Germ. Excurs. 628 = P. spuria.  
*Hostii*, Heynh. Nom. ii. 685 = P. Aria.  
*humifusa*, S. Wats. Bibliog. Ind. N. Am. Bot. 290 = P. americana.  
*hybrida*, Linn. Sp. Pl. ed. II. 684 = P. pinnatifida.  
*intermedia*, Pers. Syn. Pl. ii. 38 = P. intermedia.  
*japonica*, Siebold, in Verh. Batav. Gen. xii. (1830) 67 = P. japonica.  
*kamunensis*, Schau. in Otto & Dietr. Allg. Gartenz. xvii. (1849) 84 = P. lanata.  
*lanata*, Schau. l. c. = P. lanata.  
*lanuginosa*, Kit. in Schult. Oester. Fl. ed. II. ii. 50 = P. Aucuparia.  
*latifolia*, Pers. Syn. ii. 38 = P. rotundifolia.  
*Malus*, Crantz, Stirp. Austr. ed. I. fasc. ii. 57; ed. II. 93 = P. Malus.  
*melanocarpa*, Heynh. Nom. i. 773 = P. arbutifolia.  
*micrantha*, Hort. Angl. ex Dum.-Cours. Bot. Cult. v. 464 = P. americana.

## SORBUS:—

- microcarpa*, Pursh, Fl. Am. Sept. i. 341 = *Pyrus americana*.  
*microphylla*, Wenzig, in Linnaea, xxxviii. (1874) 76; Decne. in Nouv. Arch. Mus. Par. Sér. I. x. (1874) 159 = *P. microphylla*.  
*Mougeoti*, Godr. & Soyer-Willem. in Bull. Soc. Bot. Fr. v. (1858) 447 = *P. intermedia*.  
*nivea*, Steud. Nom. ed. II. ii. 612 = *P. Aria*.  
*oblongifolia*, Reichb. ex Nym. Consp. 242 = *P. Aria*.  
*obtusata*, Heynh. Nom. ii. 685 = *P. obtusata*.  
*pubens*, Heynh. l. c. i. 773 = *P. arbutifolia*.  
*praemorsa*, Nym. Syll. 265 = *P. Aucuparia*.  
*pumilus*, Rafin. Med. Fl. ii. 265 = *P. americana*.  
*purpurea*, Dulac, Fl. Hautes-Pyr. 318 = *P. Chamaemespilus*.  
*Pyrus*, Crantz, Stirp. Austr. ed. I. fasc. ii. 56; ed. II. 93 = *P. communis*.  
*riparia*, Rafin. New Fl. Am. iii. 15 = *P. americana*.  
*rivularis*, Heynh. Nom. i. 773 = *P. rivularis*.  
*rubicola*, Nym. Consp. 242 = *P. Aria*.  
*sabauda*, Nym. l. c. = *P. Chamaemespilus*.  
*sambucifolia*, M. Roem. Syn. Rosifl. 139 = *P. sambucifolia*.  
*scandica*, Fries, Fl. Halland. 83 = *P. intermedia*.  
*sikkimensis*, Wenzig, in Linnaea, xxxviii. (1874) 58 = *P. sikkimensis*.  
*sitchensis*, M. Roem. Syn. Rosifl. 139 = *P. sambucifolia*.  
*speciosa*, Hort. ex C. Koch, Dendrol. i. 190 = *P. Aucuparia*.  
*spuria*, Pers. Syn. ii. 38 = *P. spuria*.  
*subfusca*, Boiss. Fl. Orient. ii. 658 = *P. subfusca*.  
*subserrata*, Opiz, in Flora, vii. (1824) i. Beil. 83 = *P. Aucuparia*.  
*syriensis*, Kit. in Linnaea, xxxii. (1863) 585 = *P. syriensis*.  
*tianschanica*, Rupr. Sert. Tiansch. 46 = *P. tianschanica*.  
*Tommasinii*, Fleischm. Fl. Krain. 206 = *P. torminalis*.  
*Toringo*, De Vriese, in Tuinbouw-Fl. iii. (1856) t. ad p. 368 = *P. Sieboldii*.  
*torminalis*, Crantz, Stirp. Austr. ed. I. fasc. ii. 45; ed. II. 85\* = *P. torminalis*.  
*trilobata*, Heynh. Nom. i. 773 = *P. trilobata*.  
*ursina*, Schau. in Otto & Dietr. Allg. Gartenz. xvii. (1849) 84 = *P. foliosa*.  
*variolosa*, Schau. l. c. = *P. Pashia*.  
*vestita*, Lodd. Cat. (1836); Schau. in Otto & Dietr. Allg. Gartenz. xvii. (1849) 84 = *P. vestita*.

SOREMA, Lindl. Bot. Reg. (1844) sub t. 46 = *Nolana*, Linn. (Convolv.).

- acuminata*, Miers, in Hook. Lond. Journ. Bot. iv. (1845) 370 = *N. acuminata*.  
*atriplicifolia*, Lindl. Bot. Reg. (1844) sub t. 46 = *N. atriplicifolia*.  
*bracteosa*, Phil. Fl. Atac. 43.—Chili.  
*cordata*, Remy, in Ann. Sc. Nat. Sér. III. vi. (1846) 351 = *N. cordata*.  
*elegans*, Phil. Fl. Atac. 43.—Chili.  
*glutinosa*, Phil. l. c. 44.—Chili.  
*lanceolata*, Miers, in Hook. Lond. Journ. Bot. iv. (1845) 498 = *N. lanceolata*.  
*linearis*, Miers, l. c. 499 = *N. linearis*.  
*littoralis*, Miers, l. c. 370 = *N. littoralis*.  
*longifolia*, Miers, l. c. 498 = *N. longifolia*.  
*paradoxa*, Lindl. Bot. Reg. (1844) sub t. 46 = *N. paradoxa*.  
*parviflora*, Phil. Fl. Atac. 44.—Chili.  
*petiolata*, Phil. in Linnaea, xxxiii. (1864-65) 207.—Chili.

**SORGHUM**, Linn. Syst. ed. I (1735) (*Sorgum*); Moench, Meth. 207 (1794). *GRAMINEAE*, Benth. & Hook. f. iii. 1135.

- BLUMENBACHIA, Koel. Gram. Gall. et Germ. 28 (1802).  
*album*, Hort. ex Roem. & Schult. Syst. ii. 836 = vulgare.  
*anomalum*, Desv. Opusc. 72.—Am. calid.?  
*Arduini*, Jacq. Eclog. Gram. 25. t. 18 = vulgare?  
*asperum*, Beauv. Agrost. 131 = *Danthonia papillosa*.  
*arundinaceum*, Roem. & Schult. Syst. ii. 813 = halepense.  
*avenaceum*, Beauv. Agrost. 131 = *Danthonia curvifolia*.  
*avenaceum*, Chapm. Fl. S. U. St. 583 = *Chrysopogon avenaceus*.  
*Balansae*, Hack. in Mart. Fl. Bras. ii. III. 277, in obs.—Paraguay.  
*barbatum*, Steud. Syn. Pl. Gram. 238 = *Tristachya barbata*.

**SORGHUM**:—

- bicolor*, Moench, Meth. 207 = vulgare.  
*caffrorum*, Beauv. Agrost. 131 = vulgare.  
*campanum*, Tenore & Guss. in Atti Acc. Sc. Nap. v. (1843) 303 = vulgare.  
*canescens*, Hack. in Mart. Fl. Bras. ii. III. 277.—Bras.  
*capillare*, Beauv. Agrost. 131; Roem. & Schult. Syst. ii. 840 = *Andropogon capillaris*.  
*caucasicum*, Griseb. in Ledeb. Fl. Ross. iv. 476 = *Andropogon intermedius*.  
*cernuum*, Willd. Enum. Hort. Berol. 1036 = vulgare.  
*commune*, Beauv. Agrost. 131 = vulgare.  
*Crupina*, Link. Hort. Berol. i. 246 = halepense.  
*cubanicus*, Schult. Mant. ii. 519 (Index) = *Holcus cubanicus*.  
*decolor*, Beauv. Agrost. 131 = halepense.  
*decolorans*, Roem. & Schult. Syst. ii. 838 = halepense.  
*Dora*, Griseb. Fl. Brit. W. Ind. 560.—Ind. occ.  
*Drummondii*, Nees, ex Steud. Syn. Pl. Gram. 393 = vulgare.  
*dubium*, C. Koch, in Linnaea, xxi. (1848) 443 = halepense.  
*elongatum*, Beauv. Agrost. 131 = *Chrysopogon elongatus*.  
*flavum*, Beauv. l. c. = seq.  
*fulvum*, Beauv. l. c. 164 = *Andropogon serratus*.  
*fuscum*, Miq. Fl. Ind. Bat. iii. 503 = *Andropogon serratus*.  
*giganteum*, Edgew. in Journ. As. Soc. Beng. xxi. (1853) 181 = halepense.  
*glycychylum*, Passer. in Hamb. Gartenz. xiii. (1857) 33 = halepense.  
*halepense*, Pers. Syn. i. 101.—Reg. calid.  
*intrans*, F. Muell. ex Benth. Fl. Austral. vii. 541 = *Andropogon intrans*.  
*Junghuhnii*, Miq. Fl. Ind. Bat. iii. 753 = *Andropogon serratus*.  
*Minarum*, Hack. in Mart. Fl. Bras. ii. III. 276 = *Chrysopogon stipoides*.  
*muticum*, Wight, ex Steud. Nom. ed. II. ii. 612 = *Andropogon serratus*.  
*neruosum*, Bess. ex Schult. Mant. ii. Add. II. 669 = vulgare.  
*nigricans*, Hort. ex Roem. & Schult. Syst. ii. 837 = vulgare.  
*nigrum*, Roem. & Schult. l. c. = vulgare.  
*nitidum*, Pers. Syn. i. 101 = *Andropogon serratus*.  
*nutans*, A. Gray, Man. Bot. N. U. St. ed. II. 584 = *Chrysopogon nutans*.  
*pallidum*, Beauv. Agrost. 131 = *Chrysopogon pallidus*.  
*parviflorum*, Beauv. l. c. 132 = *Chrysopogon violascens*.  
*parviflorum*, Desv. in Ham. Prod. Pl. Ind. Occ. 12 = *Chrysopogon nutans*.  
*pauciflorum*, Chapm. in Coult. Bot. Gaz. iii. (1878) 20.—Florida.  
*plumosum*, Beauv. Agrost. 132 = *Andropogon australis*.  
*purpureo-sericeum*, Schweinf. & Aschers. Beitr. Fl. Aethiop. 310 = *Andropogon purpureo-sericeus*.  
*pyramidale*, Hort. ex Roem. & Schult. Syst. ii. 836 = vulgare.  
*Quartianum*, Schweinf. & Aschers. Beitr. Fl. Aethiop. 310 = *Andropogon Quartianus*.  
*rubens*, Willd. Enum. Hort. Berol. 1036 = vulgare.  
*saccharatum*, Host, Gram. Austr. iv. t. 48 = *Oplismenus undulatifolius*.  
*saccharatum*, Moench, Meth. 207 = vulgare.  
*Schreberi*, Tenore, Fl. Neap. Syll. App. iv. p. iv. = halepense.  
*secundum*, Chapm. Fl. S. U. St. 583.—Florida.  
*serratum*, Roem. & Schult. Syst. ii. 839 = *Panicum serratum*.  
*setifolium*, Roem. & Schult. l. c. 840 = *Andropogon setifolius*.  
*striatum*, Beauv. Agrost. 132.—Hab.?  
*subglabrescens*, Schweinf. & Aschers. Beitr. Fl. Aethiop. 310 = vulgare.  
*Thonizii*, Hort. Berol. ex Pasq. Cat. Orto Bot. Nap. 98, nomen.—Hab.?  
*timorense*, Buese, ex De Vriese, Pl. Ind. Bat. Reinw. 103 = *Andropogon australis*.  
*tropicum*, Buese, in Miq. Pl. Jungh. 359 = *Andropogon serratus*.  
*truchmenorum*, C. Koch, in Linnaea, xxi. (1848) 442 = vulgare?  
*usorum*, Nees, Fl. Afr. Austr. 87 = vulgare.  
*versicolor*, Anderss. in Peters, Reise Mossamb. Bot. 563.—Afr. trop.  
*vulgare*, Pers. Syn. i. 101.—Reg. trop. et sub-trop.

**SORGUM**, Linn. Syst. ed. I (1735) = praec.

**SORIA**, Adans. Fam. ii. 421 (1763) = *Euclidium*, R. Br. (Crucif.).  
*syriaca*, Desv. ex Steud. Nom. ed. I. 126, 800 = *E. syriacum*.

**SORIDIUM**, Miers, in Proc. Linn. Soc. ii. (1850) 74; et in Trans. Linn. Soc. xxi. (1852) 49. t. 6 = *Sciaphila*, Blume (Triurid.).  
*Spruceanum*, Miers, ll. cc. 75; 50.—Bras.

**SORINDEIA**, Thou. Gen. Nov. Madag. 23 (1806).  
*ANACARDIACEAE*, Benth. & Hook. f. i. 419.

**DUPUISIA**, A. Rich. in Guill. & Perr. Fl. Seneg. Tent. i. 148. t. 38 (1832).

*africana*, C. Sm. in Tuckey, Congo, 12.—Afr. trop.  
*aurantiodora*, Engl. in Mart. Fl. Bras. xii. II. 391 = *Mauria aurantiodora*.

*Biringo*, March. Rev. Anacard. 167 = *Mauria Biringo*.  
*calabarensis*, March. l. c. = *Trichoscypha Mannii*.  
*elongata*, Blume, Mus. Bot. Lugd. Bat. i. 205.—Madag.  
*falcata*, March. Rev. Anacard. 167 = *Euroschinus falcatus*.

*ferruginea*, March. l. c. = *Mauria ferruginea*.  
*glaberrima*, Engl. in Mart. Fl. Bras. xii. II. 391 = *Mauria Biringo*.

*glaberrima*, Hassk. Cat. Hort. Bog. Alt. 245 = *madagascariensis*.

*heterandra*, March. Rev. Anacard. 165 = *madagascariensis*.

*heterophylla*, Hook. f. in Hook. Niger Fl. 286.—Afr. trop.

*heterophylla*, March. Rev. Anacard. 167 = *Mauria heterophylla*.

*juglandifolia*, Planch. ex Oliver, Fl. Trop. Afr. i. 440.—Afr. trop.

*longifolia*, Oliver, l. c. 442 = *Trichoscypha longifolia*.

*lucens*, March. Rev. Anacard. 167 = *Trichoscypha lucens*.  
*macrophylla*, Planch. ex Oliver, Fl. Trop. Afr. i. 442.—Afr. trop.

*madagascariensis*, DC. Prod. ii. 80.—Madag.  
*Mannii*, Oliver, Fl. Trop. Afr. i. 441 = *Trichoscypha acuminata*.

*ovalifolia*, March. Rev. Anacard. 167 = *Mauria ovalifolia*.

*patens*, Oliver, Fl. Trop. Afr. i. 441 = *Trichoscypha patens*.

*pinnata*, Desf. Cat. Hort. Par. ed. III. 331 = *madagascariensis*.

*puberula*, March. Rev. Anacard. 167 = *Mauria heterophylla*.

*simplicifolia*, March. l. c. = *Mauria simplicifolia*.

*suaveolens*, March. l. c. = *Mauria suaveolens*.  
*trimera*, Oliver, Fl. Trop. Afr. i. 441.—Afr. trop.

*venulosa*, Engl. in Mart. Fl. Bras. xii. II. 391 = *Mauria suaveolens*.

**SOROCEA**, A. St. Hil. in Mém. Mus. Par. vii. (1821) 473. *URTICACEAE*, Benth. & Hook. f. iii. 378.

**PSEUDOSOROCEA**, Baill. Adansonia, xi. (1875) 296.

*affinis*, Hemsl. Biol. Centr. Am. Bot. iii. 150.—Panama.

*amazonica*, Miq. in Mart. Fl. Bras. iv. I. 111.—Am. trop.

*Celsiana*, Heynh. Nom. ii. 685, nomen.—Bras.

*Guilleminiana*, Gaudich. Bot. Voy. Bonite, t. 74.—Am. trop.

*Hilariana*, Bur. in DC. Prod. xvii. 254 = seq.

*Hilarii*, Gaudich. Bot. Voy. Bonite, t. 71.—Bras.

*Houllettiana*, Gaudich. l. c. t. 74.—Am. trop.

*ilicifolia*, Miq. in Mart. Fl. Bras. iv. I. 114.—Am. trop.

*Klotzschiana*, Baill. Adansonia, i. (1860-61) 212.—Bras.

*macrophylla*, Gaudich. Bot. Voy. Bonite, t. 73.—Am. trop.

*mexicana*, Liebm. in Vidensk. Selsk. Skr. V. ii. (1851) 335 = *Trophis mexicana*.

*muriculata*, Miq. in Mart. Fl. Bras. iv. I. 113.—Am. trop.

*pubivena*, Hemsl. Biol. Centr. Am. Bot. iii. 150.—Guatemala.

*racemosa*, Gaudich. Bot. Voy. Bonite, t. 72.—Am. trop.

*Uriamem*, Mart. ex Miq. in Mart. Fl. Bras. iv. I. 113.—Am. trop.

**SOROCEPHALUS**, R. Br. in Trans. Linn. Soc. x. (1810) 139. *PROTEACEAE*, Benth. & Hook. f. iii. 171.

**SORANTHE**, Salisb. in Knight, Prot. 71 (1809), nomen prius.

**SOROCEPHALUS** :—

- diversifolius*, R. Br. in Trans. Linn. Soc. x. (1810) 143.—Afr. austr.  
*diversifolius*, Drège, ex Meissn. in DC. Prod. xiv. 301 = *Nivenia* Drègei.  
*Dregei*, Buek, in Drège, *Zwei Pfl. Docum.* 117, 222; et ex Meissn. in DC. Prod. xiv. 305.—Afr. austr.  
*imberbis*, R. Br. in Trans. Linn. Soc. x. (1810) 140.—Afr. austr.  
*imberbis*, Klotzsch, ex Meissn. in DC. Prod. xiv. 304 = *scabridus*.  
*imbricatus*, R. Br. in Trans. Linn. Soc. x. (1810) 142.—Afr. austr.  
*intermedius*, Buek, ex Meissn. in DC. Prod. xiv. 305 = *Dregei*.  
*lanatus*, R. Br. in Trans. Linn. Soc. x. (1810) 142.—Afr. austr.  
*nivalis*, Mund, ex Meissn. in DC. Prod. xiv. 304 = *scabridus*.  
*phylicoides*, Meissn. l. c.—Afr. austr.  
*salsoloides*, R. Br. in Trans. Linn. Soc. x. (1810) 140.—Afr. austr.  
*scabridus*, Meissn. in DC. Prod. xiv. 303.—Afr. austr.  
*setaceus*, R. Br. in Trans. Linn. Soc. x. (1810) 140.—Afr. austr.  
*spatalloides*, R. Br. l. c. 141.—Afr. austr.  
*spatalloides*, Sieber, ex Meissn. in DC. Prod. xiv. 305 = *lanatus*.  
*tenuifolius*, R. Br. in Trans. Linn. Soc. x. (1810) 141.—Afr. austr.  
*verticillatus*, Roem. & Schult. Syst. iii. 391 = *Leucadendron verticillatum*.

**SOROSTACHYS**, Steud. in Flora, xxxiii. (1850) 229, nomen; Syn. Pl. Cyp. 71 (1856) = **Cyperus**, Michx. *kyllingoides*, Steud. l. c. = *C. leucocephalus*.

**SOTOR**, Fenzl, in Ber. 21ste Versamml. Deutsch. Naturf. 1843 (1844) 168 = **Kigelia**, DC. (1845) (*Bignon.*). *aethiopum*, Fenzl, l. c. = *K. pinnata*.

**SOTULARIA**, Rafin. Sylva Tellur. 98 (1838) = **Lagerstroemia**, Linn. (Lythrar.). *malabarica*, Rafin. l. c. = *L. hirsuta*.

**SOUARI**, Endl. Gen. 1076 (1840), sphalm. = **SAOUARI**, Aubl. = **Caryocar**, Linn. (Ternstr.).

**SOUBEYRANIA**, Neck. Elem. i. 365 (1790) = **Barleria**, Linn. (Acanth.).

**SOUAMEA**, Lam. Encyc. i. 449 (1783). *SIMARUBEAE*, Benth. & Hook. f. i. 313.  
**CARDIOPUS**, Reinw. in Syll. Ratisb. ii. (1828) 14.  
**CARDIOPHORA**, Benth. in Hook. Lond. Journ. Bot. ii. (1843) 216.

*amara*, Lam. Encyc. i. 449.—Malaya.  
*cardiophora*, Baill. *Adansonia*, x. (1871-72) 344.—N. Caled.  
*fraxinifolia*, Brongn. & Gris, in Bull. Soc. Bot. Fr. xii. (1865) 244.—N. Caled.  
*Muelleri*, Brongn. & Gris, in Ann. Sc. Nat. Sér. V. iii. (1865) 231.—N. Caled.  
*Pancheri*, Brongn. & Gris, in Bull. Soc. Bot. Fr. xii. (1865) 243.—N. Caled.  
*terminalioides*, Baker, Fl. Mauriti. 42.—Ins. Seychelles.  
*tomentosa*, Brongn. & Gris, in Bull. Soc. Bot. Fr. xii. (1865) 243.—N. Caled.  
*trifoliata*, Baill. *Adansonia*, x. (1871-72) 344.—N. Caled.

**SOULANGIA**, Brongn. in Ann. Sc. Nat. Sér. I. x. (1827) 377. t. 10. f. 3 = **Phyllica**, Linn. (Rhamn.).  
*arborea*, G. Don, Gen. Syst. ii. 43 = *P. nitida*.  
*arborescens*, Eckl. & Zeyh. Enum. 136 = *P. paniculata*.  
*axillaris*, Brongn. in Ann. Sc. Nat. Sér. I. x. (1827) 378 = *P. axillaris*.  
*buxifolia*, Brongn. l. c. 378 = *P. buxifolia*.  
*cordata*, Brongn. l. c. = *P. buxifolia*.  
*dioica*, G. Don, Gen. Syst. ii. 43 = *P. dioica*.  
*epacridifolia*, A. Dietr. in Otto & Dietr. Allg. Gartenz. vii. (1839) 387.—Afr. austr.  
*glauca*, Hort. ex A. Dietr. l. c. 388.—Hab.?  
*hirsuta*, Eckl. & Zeyh. Enum. 136 = *P. axillaris*.  
*ledifolia*, Eckl. & Zeyh. l. c. = *P. ledifolia*.  
*lutescens*, Eckl. & Zeyh. l. c. = *P. lutescens*.

**SOULANGIA** :—

- marifolia*, Bernh. ex Krauss, in Flora, xxvii. (1844) 348 = *Phyllica paniculata*.  
*microphylla*, Eckl. & Zeyh. Enum. 135 = *P. microphylla*.  
*myrtifolia*, A. Dietr. in Otto & Dietr. Allg. Gartenz. vii. (1839) 381 = *P. paniculata*.  
*oleaefolia*, Brongn. in Ann. Sc. Nat. Sér. I. x. (1827) 378 = *P. oleaefolia*.  
*oppositifolia*, Reiss. in Endl. Nov. Stirp. Dec. 79 = *Nesiota elliptica*.  
*orientalis*, Sweet, Hort. Brit. ed. II. 115 = *P. orientalis*.  
*paniculata*, Brongn. in Ann. Sc. Nat. Sér. I. x. (1827) 378 = *P. paniculata*.  
*parviflora*, Presl, Bot. Bemerk. 38 = *P. rosmarinifolia*.  
*pedicellata*, G. Don, Gen. Syst. ii. 42 = *P. villosa*.  
*pineae*, Eckl. & Zeyh. Enum. 136 = *P. villosa*, *axillaris*.  
*plumosa*, Presl, Bot. Bemerk. 38 = *P. ambigua*.  
*reclinata*, G. Don, Gen. Syst. ii. 42 = *P. reclinata*, Wendl.  
*rosmarinifolia*, Harv. Gen. S. Afr. Pl. 62 = *P. rosmarinifolia*.  
*rubra*, Hort. ex Otto & Dietr. Allg. Gartenz. vii. (1839) 381 = *P. paniculata*.  
*rubra*, Lindl. Bot. Reg. t. 1498 = *P. rubra*.  
*subcanescens*, Presl, Bot. Bemerk. 38 = *P. cryptandroides*.  
*thymifolia*, Brongn. in Ann. Sc. Sér. I. x. (1827) 378 = *P. thymifolia*.  
*thymifolia*, Presl, Bot. Bemerk. 38.—Afr. austr.  
*Willdenowiana*, A. Dietr. in Otto & Dietr. Allg. Gartenz. vii. (1839) 386 = *P. Willdenowiana*.

**SOLEYETIA**, Gaudich. Bot. Voy. Bonite, t. 19 (1844-49) = **Pandanus**, Rumph. *freycinetioides*, Gaudich. l. c. = *P. freycinetioides*.

**SOUROUBEA**, Aubl. Pl. Gui. i. 244. t. 97 (1775) = **Ruyschia**, Jacq. (Ternstr.).  
*amazonica*, Delp. in Nuov. Giorn. Bot. Ital. i. (1869) 275 = *R. amazonica*.  
*Aubletii*, G. F. W. Mey. Prim. Fl. Esseq. 119 = *R. Souroubea*.  
*auriculata*, Delp. in Att. Soc. Ital. Sc. Nat. Milan. xii. (1869) 180 = *R. Souroubea*.  
*bahiensis*, Delp. in Nuov. Giorn. Bot. Ital. i. (1869) 276 = *R. bahiensis*.  
*bicolor*, Delp. l. c. = *R. bicolor*.  
*corallina*, Delp. in Nuov. Giorn. Bot. Ital. i. (1869) 276 = *R. corallina*.  
*crassipes*, Wittm. in Mart. Fl. Bras. xii. i. 254 = *R. crassipes*.  
*exauriculata*, Delp. in Att. Soc. Ital. Sc. Nat. Milan. xii. (1869) 180 = *R. clusiaefolia* (in Addend.).  
*guianensis*, Aubl. Pl. Gui. i. 244. t. 97 = *R. Souroubea*.  
*lepidota*, Delp. in Nuov. Giorn. Bot. Ital. i. (1869) 276 = *R. lepidota*.  
*Meyeri*, Delp. l. c. 275 = *R. Souroubea*.  
*pileata*, Delp. l. c. 258, 275 = *R. pilophora*.  
*pilophora*, Wittm. in Mart. Fl. Bras. xii. i. 254 = *R. pilophora*.  
*Spitziana*, Delp. in Nuov. Giorn. Bot. Ital. i. (1869) 275 = *R. Spixiana*.

**SOUTHWELLIA**, Salisb. Parad. Lond. t. 69 (1807) = **Sterculia**, Linn.  
*angustifolia*, Wight, Illustr. Ind. Bot. i. 77 = *St. Balanphas*.  
*Balanphas*, Spach, Hist. Vég. Phan. iii. 508 = *St. Balanphas*.  
*Blumii*, Wight, Illustr. Ind. Bot. i. 77 = *St. Blumei*.  
*coccinea*, Voigt, Hort. Suburb. Calc. 104 = *St. coccinea*.  
*cordifolia*, Spach, Hist. Vég. Phan. xiv. 402 = *St. cordifolia*.  
*longifolia*, Rafin. Sylva Tellur. 73 = *Cola acuminata*?  
*nobilis*, Salisb. Parad. Lond. t. 69 = *St. nobilis*.  
*parviflora*, Voigt, Hort. Suburb. Calc. 104 = *St. parviflora*.  
*Roxburghiana*, Spach, Hist. Vég. Phan. xiv. 402 = *St. Roxburghii*.  
*Tragacanthae*, Wight, Illustr. Ind. Bot. i. 77 = *St. Tragacanthae*.  
*urceolata*, Spach, Hist. Vég. Phan. xiv. 402 = *St. urceolata*.  
*versicolor*, Wight, Illustr. Ind. Bot. i. 77 = *St. versicolor*.

**SOUZA**, Vell. Fl. Flum. 273 (1825); vii. t. 2 (1827) = **Sisyrinchium**, Linn. (Irid.).  
*Comes*, Vell. l. c. = *Sis. Comes*.  
*Marchio*, Vell. l. c. t. 1 = *Sis. alatum*.  
*Proregia*, Vell. l. c. 274. t. 3 = *Sis. Proregia*.

**SOWERBAEA**, Sm. in Trans. Linn. Soc. iv. (1800) 218. **LILIACEAE**, Benth. & Hook. f. iii. 797.  
*alliacea*, F. Muell. Fragm. vi. 180.—Austral.  
*americana*, Spreng. ex Baker, in Journ. Linn. Soc. xi. (1871) 381 = *Milla macrostemon*.  
*junceae*, Sm. in Trans. Linn. Soc. v. (1800) 159.—Austral.  
*laxiflora*, Lindl. Bot. Reg. (1841) t. 10; *Swan River App.* 58.—Austral.

**SOYA**, Benth. in Ann. Wien. Mus. ii. (1838) 113 = **SOJA**, Moench = **Glycine**, Linn. (Legumin.).

**SOYAUXIA**, Oliver, in Hook. Ic. Pl. t. 1393 (1882). **PASSIFLOREAE**.  
*gabonensis*, Oliver, l. c.—Afr. trop.

**SOYERA**, St. Lag. in Ann. Soc. Bot. Lyon, viii. (1881). 171 = seq.

**SOYERIA**, Monn. Ess. Hierac. 75 (1829) = **Crepis**, Vaill. (Compos.).  
*alpestris*, Mutel, Fl. Fr. ii. 223 = *C. alpestris*.  
*alpina*, Gren. & Godr. Fl. Fr. ii. 327 = *Lactuca alpina*.  
*aurea*, Mutel, Fl. Fr. ii. 223, 418 = *C. aurea*.  
*blattarioides*, Monn. Ess. Hierac. 76 = *C. blattarioides*.  
*chrysantha*, D. Dietr. Syn. Pl. iv. 1331 = *C. chrysantha*.  
*crocifolia*, Sch. Bip. in Pollichia, xxii-xxiv. (1866) 322 = *C. crocifolia*.  
*grandiflora*, Monn. Ess. Hierac. 76 = *C. grandiflora*.  
*hieracioides*, Sch. Bip. in Pollichia, xxii-xxiv. (1866) 321 = *C. hieracioides*.  
*hyoseridifolia*, Koch, Syn. Fl. Germ. ed. I. 442 = *C. hyoseridifolia*.  
*lampsanoides*, Monn. Ess. Hierac. 77 = *C. lampsanoides*.  
*lapsanoides*, Mutel, Fl. Fr. ii. 223 = *praeac.*  
*lyrata*, Sch. Bip. in Pollichia, xxii-xxiv. (1866) 322 = *C. lyrata*.  
*montana*, Monn. Ess. Hierac. 75 = *C. montana*.  
*paludosa*, Godr. Fl. Lorr. ii. 72 = *C. paludosa*.  
*praemorsa*, Mutel, Fl. Fr. ii. 224 = *C. praemorsa*.  
*pyrenaica*, Sch. Bip. in Pollichia, xxii-xxiv. (1866) 322 = *C. blattarioides*.  
*serbica*, Sch. Bip. l. c. = *C. viscidula*.  
*sibirica*, Monn. Ess. Hierac. 77 = *C. sibirica*.  
*viscidula*, D. Dietr. Syn. Pl. iv. 1332 = *Hieracium praealtum*.

**SOYMIDA**, A. Juss. in Mém. Mus. Par. xix. (1830) 250. t. 22. f. 26. **MELIACEAE**, Benth. & Hook. f. i. 338.  
*febrifuga*, Fuss. l. c. 251, t. 22. f. 26.—Ind. or.  
*roupaliifolia*, Schweinf. Reliq. Kotschy. 37.—Afr. trop.

**SPACHEA**, A. Juss. in Deless. Ic. Sel. iii. 19. t. 31 (1837). **MALPIGHIACEAE**, Benth. & Hook. f. i. 255.  
*MECKELIA*, Mart. ex A. Juss. in Ann. Sc. Nat. Sér. II. xiii. (1840) 326, in syn.  
*elegans*, A. Juss. in Deless. Ic. Sel. iii. 19.—Guian.  
*littoralis*, A. Juss. in Arch. Mus. Par. iii. (1843) 328.—Ind. occ.  
*ossana*, A. Juss. l. c. 327.—Ind. occ.  
*parviflora*, A. Juss. l. c. 326.—Ind. occ.  
*perforata*, A. Juss. l. c. 329.—Ind. occ.  
*tenuifolia*, Griseb. in Linnaea, xxii. (1849) 9.—Guian.  
*tricarpa*, A. Juss. in Arch. Mus. Par. iii. (1843) 329.—Bras.

**SPACHIA**, Lilja, in Traedgardtidning, (1840) 62; ex Linnaea, xv. (1841) 262 = **Fuchsia**, Linn. (Onagr.).

**SPADACTIS**, Cass. in Dict. Sc. Nat. xlvii. 510 (1827) = **Atractylis**, Linn. (Compos.).  
*flava*, Cass. l. c. = *A. flava*.  
*radiciflora*, Cass. l. c. = *A. radiciflora*.

SPADONIA, Less. Syn. Comp. 99 (1832) = **Moquinia**, DC. (Compos.).  
*cinerea*, Hook. & Arn. in Hook. Comp. Bot. Mag. i. (1835) 109 = *M. polymorpha*.  
*paniculata*, Less. Syn. Comp. 100 = *M. paniculata*.  
*polymorpha*, Less. l. c. 99 = *M. polymorpha*.  
*racemosa*, Less. l. c. 100 = *M. racemosa*.

SPADOSTYLES, Benth. in Ann. Wien. Mus. ii. (1838) 81 = **Pultenaea**, Sm. (Legumin.).  
*Benthamii*, Endl. Nov. Stirp. Dec. 3 = *P. humilis*.  
*concolor*, Endl. l. c. 24 = *P. villosa*.  
*Cunninghamii*, Benth. in Ann. Wien. Mus. ii. (1838) 81 = *P. ternata*.  
*Huegelii*, Endl. Nov. Stirp. Dec. 3 = *P. humilis*.  
*ramulosa*, Endl. l. c. 25 = *P. villosa*.  
*Sieberi*, Benth. in Ann. Wien. Mus. ii. (1838) 81 = *P. euchila*.  
*ternata*, F. Muell. First Gen. Rep. 12 = *P. ternata*.

SPAENDONCEA, Desf. in Dec. Phil. vii. 259 (1796 ?); ex Usteri, Neue Ann. Bot. xiii. (1796) 15 = **Cadia**, Forsk. (Legumin.).  
*tamarindifolia*, Desf. l. c. 18 = *C. purpurea*.

SPALANTHUS, Walp. Rep. ii. 68 (1843), sphalm. = **SPHALANTHUS**, Jack = **Quisqualis**, Rumph. (Combret.).

SPALLANZANIA, DC. Prod. iv. 406. (1830) = **Mussaenda**, DC. (Rubiace.).  
*corymbosa*, DC. l. c. = Madag.

SPALLANZANIA, Neck. Elem. ii. 79 (1790) = **Gustavia**, Linn. (Myrtac.).

SPALLANZANIA, Pollini (Hort. Veron. Pl. Nov. 10), in Brugnat. Giorn. Fis. ix. (1816) 28 = **Agrimonia**, Linn. (Rosac.).  
*agrimonoides*, Pollini, ll. cc. = *A. Eupatoria*.

SPANANTHE, Jacq. Coll. iii. 247 (1789). **UMBELLIFERAE**, Benth. & Hook. f. i. 876.  
*angulosa*, Turcz. in Bull. Soc. Nat. Mosc. xx. (1847) i. 171 = *paniculata*.  
*Huanaca*, Lag. Amen. Nat. ii. 93 = *Huanaca Cavanillesii*.  
*paniculata*, Jacq. Coll. iii. 247. —Reg. Andin.  
*saniculaeifolia*, Spreng. in Schult. Syst. vi. 357 = *Diposis saniculaeifolia*.  
*setosa*, Moench, Meth. Suppl. 34 = *paniculata*.  
*sinuata*, Spreng. Syst. i. 878 = *Hydrocotyle acutifolia*.

SPANIOPTILON, Less. Syn. Comp. 10 (1832) = **Cnicus**, Linn. (Compos.).  
*lineare*, Less. l. c. = *C. linearis*.

SPANIZIUM, Griseb. Spicil. Fl. Rumel. i. 180 (1843) = **Saponaria**, Linn. (Caryoph.).  
*ocymoides*, Griseb. l. c. = *Sap. prostrata*.

SPANOGHEA, Blume, Rumphia, iii. 173 (1850) **SAPINDACEAE**, Benth. & Hook. f. i. 406.  
*connata*, F. Muell. in Tarns. Phil. Inst. Vict. iii. (1859) 26 = *Nephelium connatum*.  
*ferruginea*, Blume, Rumphia, iii. 173. —N. Guin.  
*glabra*, Blume, l. c. 174. —Ins. Timor.  
*nepheloides*, F. Muell. in Trans. Phil. Inst. Vict. iii. (1859) 25; Vict. Pl. i. 227 = *Nephelium leiocarpum*.

SPANOTRICHUM, E. Mey. ex DC. Prod. vi. 291 (1837) = **Osmites**, Linn. (Compos.).  
*pinnatifidum*, E. Mey. ex DC. l. c. = *O. pinnatifida*.

SPARATTANTHELIUM, Mart. in Flora, xxiv. (1841) ii. Beibl. 40. **COMBRETACEAE**, Benth. & Hook. f. i. 690.  
*amazonum*, Mart. l. c. 42. —Bras.  
*bororum*, Mart. in Denkschr. Bot. Ges. Regensb. iii. (1841) 302. —Bras.  
*botocudorum*, Mart. l. c. 301. t. 10. f. 2; t. 11. f. 1. —Bras.  
*cordatum*, Meissn. in Mart. Fl. Bras. v. II. 294. —Bras.  
*tarapotatum*, Meissn. l. c. —Bras.  
*tupinambazum*, Mart. in Flora, xxiv. (1841) ii. Beibl. 41. —Bras.  
*tupiniquorum*, Mart. l. c. 40. —Bras.

SPARATTOSPERMA, Mart. ex DC. in Meissn. Gen. 300; Comm. 208 (1840). **BIGNONIACEAE**, Benth. & Hook. f. ii. 1041.  
*lithontripticum*, Mart. in DC. Prod. ix. 203. —Bras.  
*psammophilum*, Mart. l. c. —Bras.

SPARATTOSYCE, Bur. in Ann. Sc. Nat. Sér. V. xi. (1869) 379. t. 6. **URTICACEAE**, Benth. & Hook. f. iii. 369.  
*dioica*, Bur. l. c. 380. —N. Caled.

SPARAXIS, Ker-Gawl. in Kon. & Sims, Ann. Bot. i. (1804) 225. **IRIDEAE**, Benth. & Hook. f. iii. 708.  
**ANACTORION**, Rafin. Fl. Tellur. iv. 34 (1836).  
*albiflora*, Eckl. Top. Verz. 28 = *bulbifera*.  
*anemoneiflora*, Ker-Gawl. in Kon. & Sims, Ann. Bot. i. (1804) 225 = *Ixia anemoneiflora*.  
*atropurpurea*, Hort. ex Baker, in Journ. Linn. Soc. xvi. (1877) 99 = *Dierama pulcherrimum*.  
*atropurpurea*, Klatt, in Abh. Naturf. Ges. Halle. xv. (1882) 389 = *grandiflora*.  
*bicolor*, Ker-Gawl. in Kon. & Sims, Ann. Bot. i. (1804) 225 = *Synnottia bicolor*.  
*blanda*, Sweet, Hort. Brit. ed. I. 398 = *tricolor*.  
*bulbifera*, Ker-Gawl. in Kon. & Sims, Ann. Bot. i. (1804) 226. —Afr. austr.  
*cana*, Eckl. Top. Verz. 28. —Afr. austr.  
*cuprea*, Klatt, in Linnaea, xxxv. (1867–68) 378 = *Streptanthera cuprea*.  
*fimbriata*, Ker-Gawl. in Kon. & Sims, Ann. Bot. i. (1804) 226 = *grandiflora*.  
*fragrans*, Ker-Gawl. l. c. 225 = *Ixia fragrans*.  
*galeata*, Ker-Gawl. l. c. = *Synnottia galeata*.  
*grandiflora*, Ker-Gawl. l. c. —Afr. austr.  
*Griffini*, Sweet, Hort. Brit. ed. I. 398 = *tricolor*.  
*Jauberti*, Lodd. ex Fenzl, Del. Sem. Hort. Vindob. (1855), sphalm. = seq.  
*Joubertii*, Eckl. ex Baker, in Journ. Linn. Soc. xvi. (1877) 164 = *Freesia refracta*.  
*lacera*, Ker-Gawl. in Kon. & Sims, Ann. Bot. i. (1804) 226 = *grandiflora*.  
*Liliago*, Sweet, Hort. Brit. ed. I. 398 = *grandiflora*.  
*lineata*, Sweet, Brit. Flow. Gard. Ser. II. t. 131 = *grandiflora*.  
*lutea*, Eckl. Top. Verz. 28. —Afr. austr.  
*luteo-violacea*, Eckl. l. c. 27 = *Synnottia variegata*.  
*Meleagris*, Eckl. l. c. —Afr. austr.  
*miniata*, Klatt, in Abh. Naturf. Ges. Halle, xv. (1882) 389. —Afr. austr.  
*orchidiflora*, Lodd. Bot. Cab. t. 1099. —Afr. austr.  
*pendula*, Ker-Gawl. in Bot. Mag. sub t. 1482; Lindl. Bot. Reg. t. 1360 = *Dierama ensifolium*.  
*pulcherrima*, Hook. f. Bot. Mag. t. 5555 = *Dierama pulcherrimum*.  
*reflexa*, Villet, ex Voigt, Hort. Suburb. Calc. 610, nomen. —Afr. austr.  
*stellaris*, D. Don, in Sweet, Brit. Flow. Gard. Ser. II. t. 383 = *grandiflora*.  
*Thouberti*, Hort. ex Klatt, in Gartenfl. (1874) 289 = *Freesia Leichtlini*.  
*tricolor*, Ker-Gawl. in Kon. & Sims, Ann. Bot. i. (1804) 225. —Afr. austr.  
*versicolor*, Sweet, Brit. Flow. Gard. Ser. I. t. 160 = *tricolor*.  
*violacea*, Eckl. Top. Verz. 27. —Afr. austr.  
*Wattii*, Harv. Gen. S. Afr. Pl. 330 = *Synnottia variegata*.

SPARGANION, Adans. Fam. ii. 471 (1763) = seq.

SPARGANIUM, [Tourn.] Linn. Syst. ed. I (1735). **TYPHACEAE**, Benth. & Hook. f. iii. 955.  
**PLATANARIA**, S. F. Gray, Nat. Arr. Brit. Pl. ii. 39 (1821).  
*affine*, Schnitz. Typh. 27 = *simplex*.  
*alpinum*, D. Don, ex G. Don, in Loud. Hort. Brit. 375, nomen = *simplex*.  
*americanum*, Nutt. Gen. Am. ii. 203 = *angustifolium*.  
*angustifolium*, Michx. Fl. Bor. Am. ii. 189. —Am. bor.; Austral.  
*Borderi*, Focke, in Bremen, Abh. v. (1877) 409. —Europ.  
*boreale*, Laest. ex Beurl. in Oefvers. Vet. Akad. Foerhand. ix. (1852) 192 = *simplex*.  
*californicum*, Greene, in Bull. Calif. Acad. i. III. (1884) 11. —Calif.  
*carinatum*, Falc. in Proc. Linn. Soc. i. (1839) 18, nomen (Quid ?). —Cashmir.  
*emersum*, Rehm. in Verh. Nat. Ver. Bruenn, x. 1871 (1872) 80 = *simplex*.  
*erectum*, Linn. Sp. Pl. 971 = *ramosum*.

SPARGANIUM:—

*erectum*, Wahlenb. Fl. Suec. ii. 604 = *simplex*.  
*eurycarpum*, Engelm. in A. Gray, Man. Bot. N. U. St. ed. V. 481, partim = *angustifolium*.  
*fluitans*, Fries, in Bot. Notiser (1849), 14, in obs. —Europ.  
*Friesii*, Beurl. l. c. (1854), 136 = *natans*.  
*glomeratum*, Laest. ex Beurl. in Oefvers. Vet. Akad. Foerhand. ix. (1852) 192 = *fluitans*.  
*gramineum*, Georgi, Reise, i. 232 (Quid ?). —Rossia.  
*gramineum*, Wallr. Beitr. Fl. Hercyn. 297 = *minimum*.  
*hyperboreum*, Laest. ex Beurl. in Oefvers. Vet. Akad. Foerhand. ix. (1852) 192. —Island.; Scand. bor.  
*lanceolatum*, Georgi, Reise, i. 233 = *natans*.  
*longifolium*, Turcz. in Bull. Soc. Nat. Mosc. (1838) 103 = *natans*.  
*minimum*, Fries, Summa Veg. Scand. 68, 560. —Europ.  
*natans*, Fries, in Bot. Notiser (1849), 13; (1852), 92 = *erectum*.  
*natans*, Linn. Sp. Pl. 971. —Europ.  
*natans*, Oed. Fl. Dan. t. 260 = *minimum*.  
*neglectum*, Beeby, in Journ. Bot. xxiii. (1885) 26, 193. —Europ.  
*oligocarpon*, Ångstr. in Bot. Notiser (1853), 149. —Scand.  
*pubescens*, Poir. Voy. Barb. ii. 254. —Afr. bor.  
*ramosum*, Curt. Fl. Loud. fasc. v. t. 66. —Europ.; Sibir.; Am. bor.; Ind. or.  
*rectum*, Neck. Delic. Gallo-Belg. ii. 377 = *ramosum*.  
*rostratum*, Larss. Fl. Werml. (1859) 260 = *minimum*.  
*simplex*, Huds. Fl. Angl. ed. II. 401. —Europ.; Sibir.; Am. bor.  
*simplex*, Muhl. Cat. ed. I. 82; ed. II. 87 = *angustifolium*.  
*stoloniferum*, Buch-Ham. in Wall. Cat. n. 4990 = *ramosum*.  
*tenuifolium*, Poir. Voy. Barb. ii. 254. —Afr. bor.  
*trifidum*, Poir. Encyc. Suppl. iv. 723 = *ramosum*.  
*vaginatum*, Larss. Fl. Werml. (1859) 259 = *simplex*.

SPARGANOPHORUS, Vaill. ex Crantz, Inst. i. 261 (1766); Gaertn. Fruct. ii. 395. t. 165 (1791). **COMPOSITAE**, Benth. & Hook. f. ii. 223.  
**ATHENAEA**, Adans. Fam. ii. 121 (1763).  
**STRUCHIUM**, P. Br. Hist. Jamaic. 312. t. 34 (1756).  
*africanus*, Steud. Nom. ed. I. 801 = *Vaillantii*.  
*ageratoides*, Lag. Gen. et Sp. Nov. 25 = *Ageratum corymbosum*.  
*Ethulia*, Crantz, Inst. i. 261 = *Ethulia conyzoides*.  
*fasciatus*, Lam. Illustr. i. 670; Encyc. vii. 302 = *Vaillantii*.  
*fasciculatus*, Steud. Nom. ed. I. 801, sphalm. = *praec.*  
*fuscatus*, Steud. l. c. ed. II. ii. 614, sphalm. = *praec.*  
*obtusifolius*, Lag. Gen. et Sp. Nov. 25 = *Ageratum conyzoides*.  
*sonchifolius*, Spreng. Syst. iii. 458 = *Cephalopappus sonchifolius*.  
*Struchium*, Poir. Encyc. vii. 302 = *Vaillantii*.  
*Vaillantii*, Crantz, Inst. i. 261. —Ind. occ.  
*verticillata*, Michx. Fl. Bor. Am. ii. 95 = *Sclerolepis verticillata*.

SPARMANNIA, Buc'hoz, Pl. Nouv. Découv. t. 1 (1779) = **Rehmannia**, Libosch. (1835) (Scrophul.).  
*sinensis*, Buc'hoz, l. c. = *R. chinensis*.

SPARMANNIA, Linn. f. Suppl. 41 (1781). **TILIACEAE**, Benth. & Hook. f. i. 235.  
*abyssinica*, Hochst. in Flora, xxiv. (1841) i. Intell. 29, nomen; et ex A. Rich. Tent. Fl. Abyss. i. 79. —Abyss.  
*acerifolia*, Hort. ex Steud. Nom. ed. II. ii. 614 = *africana*.  
*africana*, Linn. f. Suppl. 265. —Afr. austr.  
*discolor*, Baker, in Journ. Linn. Soc. xx. (1883) 102. —Madag.  
*palmata*, Hort. ex Lindl. Bot. Reg. (1838) Misc. 66 = *Entelea palmata*.  
*palmata*, E. Mey. ex Presl, Bot. Bemerck. 19. —Afr. austr.  
*rugosa*, Bivona?, ex Sweet, Hort. Brit. ed. II. 70 (Quid ?). —Afr. austr.  
*subpalmata*, Baker, in Journ. Linn. Soc. xx. (1883) 101. —Madag.

SPARTHOTHAMNUS, Buek, Ind. ad DC. Prod. iii. 442 (1858), sphalm. = **Spartothamnus**, A. Cunn. (Verben.).



**SPARTIANTHUS**, Link, Enum. Hort. Berol. ii. 223 (1822) = **Spartium**, Linn. (Legumin.).  
*americanus*, Steud. Nom. ed. II. ii. 614 = **Spartium junceum**.  
*junceus*, Link, Enum. Hort. Berol. ii. 223 = **Spartium junceum**.

**SPARTIDIUM**, Pomel, Nouv. Mat. Fl. Atl. 173 (1874) = **Genista**, Linn. (Legumin.).  
*Saharae*, Pomel, l. c. = **G. Saharae**.

**SPARTINA**, Schreb. Gen. 43 (1789). **GRAMINEAE**, Benth. & Hook. f. iii. 1107.  
**CHAUVINIA**, Steud. Syn. Pl. Gram. 362 (1855).  
**LIMNETIS**, Pers. Syn. i. 72 (1805).  
**PONCELETIA**, Thor. Fl. Trist. Acugn. 36 (1811).  
**SOLENACHNE**, Steud. Syn. Pl. Gram. 12 (1854).  
**TRACHYNOTIA**, Michx. Fl. Bor. Am. i. 63 (1803).  
**TRISTANIA**, Poir. Encyc. Suppl. iv. 526, in obs. (1816).  
*alterniflora*, Loisel. Fl. Gall. 719; ed. II. i. 41 = stricta.  
*arundinacea*, Carmich. in Trans. Linn. Soc. xii. (1819) 504.—Ins. Trist. Acuna; Amst.  
*bahiensis*, Steud. Nom. ed. II. ii. 474, in syn.—Bras.  
*brasilensis*, Raddi, Agrost. Bras. 211.—Bras.  
*capensis*, Nees, Fl. Afr. Austr. 260.—Afr. austr.  
*ciliata*, Kunth, Rév. Gram. i. 94.—Am. austr.  
*coarctata*, Trin. in Mém. Acad. Pétersb. Sér. VI. v. II. (1840) 110 = ciliata.  
*cynosuroides*, Roth, Catalect. fasc. iii. 10; Willd. Enum. Hort. Berol. 80 = Schreberi.  
*densiflora*, Brongn. in Duperr. Voy. Coq. Bot. 14.—Chili.  
*dissitiflora*, Steud. Syn. Pl. Gram. 215.—Bras.  
*Duriaei*, Parl. Fl. Ital. i. 230 = versicolor.  
*fasciculata*, Beauv. Agrost. 25.—Am. austr.  
*foliosa*, Trin. in Mém. Acad. Pétersb. Sér. VI. v. II. (1840) 114 = stricta.  
*geniculata*, Beauv. Agrost. 25.—Java.  
*glabra*, Muhl. Desc. Gram. i. 54.—Am. bor.  
*glabriuscula*, Hassk. Cat. Hort. Bog. Alt. 18, nomen.—Java.  
*Gouini*, Fourn. ex Hemsl. Biol. Centr. Am. Bot. iii. 509.—Mexic.  
*gracilis*, Hook. ex Chapm. Fl. S. U. St. 556.—Florida.  
*gracilis*, Trin. in Mém. Acad. Pétersb. Sér. VI. v. II. (1840) 110.—Am. bor.  
*humilis*, [Willd. ex] Link, Jahrb. i. III. (1820) 93 = Bouteloua ovata.  
*juncea*, Willd. Enum. Hort. Berol. 81.—Am. bor.  
*junciformis*, Engelm. & Gray, in Bost. Journ. Nat. Hist. v. (1845) 238.—Am. bor.  
*laevigata*, Bosc, ex Link, Jahrb. i. III. (1820) 92.—Am. bor.  
*leiantha*, Benth. Bot. Voy. Sulph. 56.—Mexic.  
*patens*, Muhl. Desc. Gram. 55.—Am. bor.  
*pectinata*, Bosc, ex Link, Jahrb. i. III. (1820) 92.—Am. bor.  
*phleoides*, Roth, Neue Beytr. i. 101 = Heleochloa schoenoides.  
*polystachya*, Willd. Enum. Hort. Berol. 81, in obs.—Am. bor.  
*pubera*, Hassk. Cat. Hort. Bog. Alt. 18, nomen.—Java.  
*pumila*, Roth, Catalect. fasc. iii. 10.—Am. bor.  
*pungens*, Beauv. Agrost. 25 = stricta.  
*Schreberi*, J. F. Gmel. Syst. 123.—Am. bor.  
*stricta*, Roth, Neue Beytr. i. 101.—Europ.; Am. bor. et austr.  
*Townsendi*, H. & J. Groves, in Bot. Exch. Club Rep. 1880 (1881), 37 = stricta.  
*versicolor*, Fabre, in Ann. Sc. Nat. Sér. III. xiii. (1849) 123. t. 3.—Gallia.

**SPARTIUM**, Linn. Syst. ed. I (1735); Gen. ed. I. 218 (1737). **LEGUMINOSAE**, Benth. & Hook. f. i. 483.  
**SPARTIANTHUS**, Link, Enum. Hort. Berol. ii. 223 (1822).  
*acanthoclados*, Spreng. Syst. iv. Cur. Post. 266 = Genista acanthoclada.  
*acutifolium*, Lindl. Bot. Reg. t. 1974 = junceum.  
*aetnense*, Bivona, Stirp. Rar. Sicil. ii. [18] = Genista aethnensis.  
*affine*, Spach, in Ann. Sc. Nat. Sér. II. xix. (1843) 296.—Ins. Canar.  
*albicans*, Cav. in Anal. Cienc. Nat. iv. (1801) 64 (= *Teline canariensis*).—Ins. Canar.  
*album*, Desf. Fl. Atlant. ii. 132 = Cytisus albus.

**SPARTIUM:—**

*alpinum*, Host, ex Steud. Nom. ed. II. ii. 615, nomen = Laburnum alpinum?  
*ambiguum*, Spach, in Ann. Sc. Nat. Sér. II. xix. (1843) 295.—Ins. Canar.  
*americanum*, Meyen, Reise, i. 445 = junceum.  
*amoenum*, Salisb. Prod. 330 = Cytisus linifolius.  
*angulatum*, Linn. Sp. Pl. 709 = Genista parviflora.  
*angulatum*, Rafin. Préc. Découv. 87 = Cytisus scoparius.  
*angulosum*, Gilib. Fl. Lituan. ii. 79 = Cytisus scoparius.  
*apetalum*, Labill. ex Steud. Nom. ed. I. 801 = Genista apetalata.  
*aphyllum*, Pall. Reise, iii. 742 = Eremosparton aphyllum.  
*aragonense*, Pourr. ex Willk. & Lange, Prod. Fl. Hisp. iii. 434 = Genista cinerea.  
*arborescens*, Mill. Gard. Dict. ed. VIII. n. 10 = Brya Ebenus.  
*arborescens*, Desf. Fl. Atlant. ii. 131 = Cytisus arborescens.  
*argenteum*, Hort. Angl. ex Steud. Nom. ed. II. ii. 615, nomen (Quid?).—Ins. Canar.  
*aspalatoides*, Desf. Fl. Atlant. ii. 136 = Genista aspalatoides.  
*biflorum*, Desf. l. c. 133. t. 179 = Cytisus Fontangesii.  
*Bovei*, Spach, in Ann. Sc. Nat. Sér. II. xix. (1843) 297 = Genista monosperma.  
*capense*, Linn. Pl. Afr. Rar. 14; Amoen. Acad. vi. 91 = Rafnia opposita.  
*capitatum*, Barnado, ex Cav. in Anal. Cienc. Nat. iv. (1801) 61 = Genista umbellata.  
*capitatum*, Cav. l. c. 63 = Genista clavata.  
*cinereum*, Vill. Prosp. 40 = Genista cinerea.  
*Clusii*, Spach, in Ann. Sc. Nat. Sér. II. xix. (1843) 290. t. 16. f. 3 = Genista monosperma.  
*complicatum*, Gouan, Hort. Monsp. 356 = Adenocarpus grandiflorus?  
*complicatum*, Linn. Sp. Pl. 709 = Adenocarpus intermedius.  
*congestum*, Willd. Enum. Hort. Berol. 744 = Cytisus congestus.  
*contaminatum*, Ait. Hort. Kew. ed. II. iv. 261 = Indigofera filifolia.  
*contaminatum*, Linn. Mant. ii. 268 = Lebeckia contaminata.  
*corsicum*, Loisel. Fl. Gall. ed. I. 440 = Genista corsica.  
*creticum*, Desf. Tabl. ed. I. 135 = Anthyllis Hermanniae.  
*Cupani*, Spreng. Syst. iii. 177 = Genista Cupani.  
*cuspidatum*, Cav. in Anal. Cienc. Nat. iv. (1801) 56 = Genista hirsuta.  
*cuspidosum*, Burch. Trav. i. 348 = Lebeckia psiloloba.  
*cytisoides*, Linn. f. Suppl. 320 = Lebeckia cytisoides.  
*dalmaticum*, Spreng. Syst. iv. Cur. Post. 266 = Genista aristata.  
*decumbens*, Ait. Hort. Kew. ed. I. iii. 11 = Cytisus decumbens.  
*dispermum*, Willd. in Roem. & Usteri, Mag. iv. 11<sup>tes</sup> St. (1790) 35 = Cytisus albus.  
*dubium*, Spach, in Ann. Sc. Nat. Sér. II. xix. (1843) 295 = Genista monosperma.  
*Duriaei*, Spach, l. c. 289. t. 16. f. 2.—Afr. bor.  
*ellipticum*, Willd. ex Spreng. Syst. iii. 177 = Genista elliptica.  
*ephedroides*, Spreng. l. c. iv. Cur. Post. 266 = Genista ephedroides.  
*erinaceoides*, Loisel. Fl. Gall. ed. I. 441 = Genista aspalatoides.  
*ferox*, Poir. Voy. Barb. ii. 206 = Genista ferox.  
*filifolium*, Willd. ex Walp. in Linnaea, xiii. (1839) 461 = Viminaria denudata.  
*fragrans*, Lam. ex Steud. Nom. ed. I. 801, 802 = Cytisus fragrans.  
*Gasparinii*, Guss. Ind. Sem. Hort. Boccad. (1825) 11 = Genista ephedroides.  
*glabrum*, Mill. Gard. Dict. ed. VIII. n. 7 = Cytisus scoparius.  
*gracile*, Salisb. Prod. 329 = Genista monosperma.  
*grandiflorum*, Brot. Fl. Lusit. ii. 80 = Cytisus grandiflorus.  
*grandiflorum*, Salisb. Prod. 329 = Genista sphaerocarpa.  
*gymnopterum*, Viv. App. Fl. Cors. Prod. 6 = Genista ephedroides.  
*Halleri*, Auct. ex Lam. Encyc. ii. 618 = Cytisus decumbens.  
*heterophyllum*, L'Hérit. Stirp. Nov. 183. t. 87 = Genista ferox.

**SPARTIUM:—**

*hirsutum*, Mill. Gard. Dict. ed. VIII. n. 6 = Cytisus Milleri.  
*hispanicum*, Spreng. Syst. iii. 177 = Genista hispanica.  
*horridum*, Sibth. & Sm. Fl. Graec. vii. 69. t. 674 = Genista acanthoclada.  
*horridum*, Vahl, Symb. Bot. i. 51 = Genista horrida.  
*humile*, Salisb. Prod. 330 = Genista germanica.  
*infestum*, Presl, Delic. Prag. 33 = Genista infesta.  
*interruptum*, Cav. in Anal. Cienc. Nat. iv. (1801) 58 = Genista triacanthos.  
*japonicum*, Mig. Ann. Mus. Bot. Lugd. Bat. iii. 43.—Japon.  
*junceum*, Linn. Sp. Pl. 708.—Geront. temp.  
*Laburnum*, Cav. ex Steud. Nom. ed. II. ii. 615 = Laburnum vulgare.  
*lanigerum*, Desf. Fl. Atlant. ii. 135 = Calycotome villosa.  
*lanigerum*, [Soland. in] Russ. Aleppo, ed. II. ii. 269 (Quid?).—Syria.  
*lasiocarpum*, Pourr. ex Willk. & Lange, Prod. Fl. Hisp. iii. 460 = Cytisus patens.  
*linifolium*, Desf. Fl. Atlant. ii. 134. t. 181 = Cytisus linifolius.  
*lusitanicum*, Mill. Gard. Dict. ed. VIII. n. 5 = Cytisus grandiflorus.  
*microcarpum*, Spach, in Ann. Sc. Nat. Sér. II. xix. (1843) 292. t. 16. f. 5.—Ins. Canar.  
*microphyllum*, Cav. in Anal. Cienc. Nat. iv. (1801) 63 = Adenocarpus foliolosus.  
*molle*, Cav. l. c. 67 = Genista mollis.  
*monospermum*, Linn. Sp. Pl. 708 = Genista monosperma.  
*monospermum*, Viv. Fl. Lib. Spec. 39 = Genista Raetam.  
*multicaule*, Hort. ex Lam. Encyc. ii. 617 = Genista multicaulis.  
*multiflorum*, Ait. Hort. Kew. ed. I. iii. 21 = Cytisus albus.  
*nitens*, Willd. ex Spreng. Syst. iii. 177 = Genista nitens.  
*nubigenum*, Ait. Hort. Kew. ed. I. iii. 13 = Cytisus fragrans.  
*nudum*, Willd. ex Spreng. Syst. iii. 176 = Genista nuda.  
*odoratissimum*, D. Don, ex Steud. Nom. ed. II. ii. 615 = junceum.  
*odoratum*, Dulac, Fl. Hautes-Pyr. 275 = junceum.  
*Osyris*, Pourr. ex Willk. & Lange, Prod. Fl. Hisp. iii. 433 = Genista ramosissima.  
*ovatum*, Berg. Desc. Pl. Cap. 197 = Rafnia cuneifolia.  
*parviflorum*, Vent. Jard. Cels. 87 = Genista parviflora.  
*patens*, Murr. Syst. ed. XIII. 535 = Cytisus patens.  
*persicum*, Willd. Sp. Pl. iii. 931 = Crotalaria furfuracea.  
*pilosum*, Roth, Tent. Fl. Germ. i. 303 = Genista pilosa.  
*pinastriifolium*, Burm. f. Fl. Cap. Prod. 20 = Lebeckia sepiaia.  
*procerum*, Willd. Enum. Hort. Berol. 743 = Cytisus procerus.  
*pungens*, Willd. ex Spreng. Syst. iii. 225 = Cytisus pungens.  
*purgans*, Linn. Syst. ed. XII. 474 = Cytisus purgans.  
*pusillum*, Salisb. Prod. 330 = Genista anglica.  
*radiatum*, Barnado, ex Willk. & Lange, Prod. Fl. Hisp. iii. 423 = Genista Barnadesii.  
*radiatum*, Linn. Sp. Pl. 708 = Genista radiata.  
*radiatum*, Vill. Hist. Pl. Dauph. iii. 419 = Genista horrida.  
*Raetam*, Spach, in Ann. Sc. Nat. Sér. II. xix. (1843) 288. t. 16. f. 1 = Genista Raetam.  
*ramosissimum*, Desf. Fl. Atlant. ii. 132. t. 178 = Genista ramosissima.  
*rhodorrhizoides*, Walp. Rep. ii. 840 = semperflorens.  
*rigidum*, Viv. Fl. Lib. Spec. 40. t. 17. f. 1 = Calycotome villosa.  
*rostratum*, Spach, in Ann. Sc. Nat. Sér. II. xix. (1843) 293.—Ins. Canar.  
*rostratum*, Spreng. Syst. iii. 177 = Genista triacanthos.  
*sagittale*, Roth, Tent. Fl. Germ. i. 302 = Genista sagittalis.  
*scoparium*, Linn. Sp. Pl. 709 = Cytisus scoparius.  
*Scorpius*, Linn. l. c. 708 = Genista Scorpius.  
*sempervirens*, Spach, in Ann. Sc. Nat. Sér. II. xix. (1843) 294. t. 16. f. 10.—Ins. Canar.  
*sepiarium*, Linn. Amoen. Acad. vi. 91 = Lebeckia sepiaia.  
*sericeum*, Ait. Hort. Kew. ed. I. iii. 12 = Genista sericea.  
*sericeum*, Presl, ex Steud. Nom. ed. I. 802 = Genista infesta.

**SPARTIUM** :—

- sericeum*, Vent. Choix, 17 = *Genista clavata*.  
*sessilifolium*, Spreng. Syst. iv. Cur. Post. 266 =  
*Genista sessilifolia*.  
*sophoroides*, Berg. Desc. Pl. Cap. 198 = *Hypocalyptus*  
*obcordatus*.  
*sphaerocarpum*, Desf. ex Spach, in Ann. Sc. Nat. Sér.  
 III. ii. (1844) 244 = *Genista numidica*.  
*sphaerocarpum*, Lapeyr. Hist. Abr. Pl. Pyr. 402 =  
*Genista cinerea*.  
*sphaerocarpum*, Linn. Mant. ii. 571 = *Genista sphaero-*  
*carpa*.  
*spinosum*, Asso, ex Willk. & Lange, Prod. Fl. Hisp.  
 iii. 430 = *Genista Scorpius*.  
*spinosum*, Brot. Fl. Lusit. ii. 85 = *Calycotome villosa*.  
*spinosum*, Linn. Sp. Pl. 709 = *Calycotome spinosa*.  
*stylosum*, Spreng. Syst. iii. 176 = *Genista stylosa*.  
*supranulium*, Linn. f. Suppl. 319 = *Cytisus fragrans*.  
*terminale*, Salisb. Prod. 330 = *Cytisus canariensis*.  
*thebaicum*, Delile, Fl. Egypt. 250. t. 37. f. 1 = *Crotala-*  
*ria thebaica*.  
*tinctorium*, Roth, Tent. Fl. Germ. i. 302 = *Genista*  
*tinctoria*.  
*tricuspidatum*, Cav. in Anal. Cienc. Nat. iv. (1801)  
 57 = *Genista tricuspidata*.  
*tridens*, Cav. l. c. 59 = *Genista tridens*.  
*triquetrum*, Steud. Nom. ed. I. 802 = *Genista triquetra*,  
*Lam.*  
*trispermum*, Sm. in Rees, Cycl. xxxii. n. 5 = *Genista*  
*aethnensis*.  
*umbellatum*, L'Hérit. Stirp. Nov. 183 = *Genista*  
*umbellata*.  
*valentinum*, Willd. ex Spreng. Syst. iii. 176 = *Genista*  
*valentina*.  
*villosum*, Poir. Voy. Barb. ii. 207 = *Calycotome villosa*.  
*villosum*, Sieber, ex Presl, Bot. Bemerk. 51 = *Cytisus*  
*creticus*.  
*virgatum*, Ait. Hort. Kew. ed. I. iii. 11 = *Genista*  
*virgata*.  
*Webbii*, Spach, in Ann. Sc. Nat. Sér. II. xix. (1843)  
 291. t. 16. f. 2 = *Genista monosperma*.

**SPARTOCYSUS**, Willk. & Lange, Prod. Fl. Hisp. iii.  
 457 (1880), sphalm. = seq.

**SPARTOCYTISUS**, Webb & Berth. Phyt. Canar. ii.  
 49 (1840) = **Cytisus**, Linn. (Legumin.).  
*albus*, Webb & Berth. l. c. 45 = *C. albus*.  
*filipes*, Webb & Berth. l. c. 52 = *C. filipes*.  
*nubigenus*, Webb & Berth. l. c. 50 = *C. fragrans*.  
*purgans*, Webb & Berth. l. c. 45 = *C. purgans*.  
*sessilifolius*, Webb & Berth. l. c. = *C. sessilifolius*.  
*triflorus*, Webb & Berth. l. c. = *C. triflorus*.

**SPARTOTAMNUS**, Webb & Berth. ex Presl, Bot.  
 Bemerk. 138 (1844) = **Cytisus**, Linn. (Legumin.).  
*albus*, Presl, l. c. = *C. albus*.  
*sessilifolius*, Presl, l. c. = *C. sessilifolius*.

**SPARTOTHAMNUS**, A. Cunn. in Loud. Hort.  
 Brit. Suppl. 600 (1830), nomen; et ex Walp. Rep.  
 vi. 694 (1846-47). **VERBENACEAE**, Benth. &  
 Hook. f. ii. 1141.  
*juncus*, A. Cunn. II. cc.—Austral.  
*puberulus*, F. Muell. in Wing, South. Sc. Record, ii.  
 (1882) 55, in obs.—Austral.  
*teucriiflorus*, F. Muell. l. c. 55.—Austral.

**SPARTOTHAMNUS**, Walp. Ann. i. 221 (1848), sphalm.  
 = **SPARTOTAMNUS**, Webb & Berth.

**SPARTUM** vel **SPARTIUM**, Heist. Syst. 12 (1748) =  
**Nardus**, Linn. (Gramin.).

**SPATALANTHUS**, Sweet, Brit. Flow. Gard. Ser. I.  
 t. 300 (1829) = **Romulea**, Maratt. (Irid.).  
*speciosus*, Sweet, l. c. (= *Trichonema monadelphum*).—  
 Afr. austr.

**SPATALLA**, Salisb. Parad. Lond. sub t. 67 (1807)  
**PROTEACEAE**, Benth. & Hook. f. iii. 172.  
*abietina*, Roem. & Schult. Syst. iii. 397 = *curvifolia*.  
*barbigera*, Knight, Prot. 76.—Afr. austr.  
*bombycina*, Knight, l. c.—Afr. austr.  
*bracteata*, R. Br. in Trans. Linn. Soc. x. (1810) 146.  
 Afr. austr.  
*brevifolia*, R. Br. l. c. 151.—Afr. austr.  
*caudaeiflora*, Knight, Prot. 75.—Afr. austr.

VOL. II.

**SPATALLA** :—

- caudata*, R. Br. in Trans. Linn. Soc. x. (1810) 150 =  
*caudaeiflora*.  
*colorata*, Meissn. in DC. Prod. xiv. 308.—Afr. austr.  
*curvifolia*, Knight, Prot. 77.—Afr. austr.  
*ericaefolia*, Knight, l. c. 74.—Afr. austr.  
*gracilis*, Knight, l. c. 77.—Afr. austr.  
*incurva*, R. Br. in Trans. Linn. Soc. x. (1810) 149 =  
*procera*.  
*laxa*, R. Br. l. c. 146 = *gracilis*.  
*longifolia*, Knight, Prot. 77.—Afr. austr.  
*mollis*, R. Br. in Trans. Linn. Soc. x. (1810) 144.—  
 Afr. austr.  
*nana*, Knight, Prot. 76.—Afr. austr.  
*nivea*, R. Br. in Trans. Linn. Soc. x. (1810) 145.—  
 Afr. austr.  
*parilis*, Knight, Prot. 75.—Afr. austr.  
*pedunculata*, R. Br. in Trans. Linn. Soc. x. (1810) 144  
 = *curvifolia*.  
*polystachya*, R. Br. l. c. 148.—Afr. austr.  
*polystachya*, Zeyh. ex Meissn. in DC. Prod. xiv. 308 =  
*sericea*.  
*procera*, Knight, Prot. 76.—Afr. austr.  
*proliifera*, Knight, l. c. 75; R. Br. in Trans. Linn.  
 Soc. x. (1810) 147.—Afr. austr.  
*propinqua*, R. Br. l. c. 150.—Afr. austr.  
*pyramidalis*, R. Br. l. c. 148 = *parilis*.  
*ramulosa*, R. Br. l. c. 145.—Afr. austr.  
*ramulosa*, Sieber, ex Meissn. in DC. Prod. xiv. 308 =  
*sericea*.  
*sericea*, R. Br. in Trans. Linn. Soc. x. (1810) 147.—  
 Afr. austr.  
*squamata*, Meissn. in DC. Prod. xiv. 310.—Afr. austr.  
*Thunbergii*, R. Br. in Trans. Linn. Soc. x. (1810) 150.  
 —Afr. austr.  
*thyrsiflora*, Knight, Prot. 74.—Afr. austr.

**SPATANTHUS**, Juss. in Dict. Sc. Nat. xxiv. 239 (1822)  
 = **Spathanthus**, Desv. (Rapat.).

**SPATELLARIA**, Reichb. Consp. 189 (1828) = **SPATHU-**  
**LARIA**, A. St. Hil. = **Amphirox**, Spreng. (Violar.).

**SPATHANDRA**, Guill. & Perr. Fl. Seneg. Tent. i.  
 313. t. 71 (1832) = **Memecylon**, Linn. (Melastom.).  
*caerulea*, Guill. & Perr. l. c. = *M. Spathandra*.  
*fascicularis*, Planch. ex Benth. in Hook. Niger Fl. 357  
 = *M. fasciculare*.  
*memecyloides*, Benth. l. c. = *M. Vogellii*.

**SPATHANDUS**, Steud. Nom. ed. II. ii. 615 (1841),  
 sphalm. = **Spathanthus**, Desv. (Rapat.).

**SPATHANTHEUM**, Schott, in Bonplandia, vii.  
 (1859) 164. **AROIDEAE**, Benth. & Hook. f. iii. 989.  
*GAMOCHLAMYS*, Baker, in Gard. Chron. (1876) 164.  
*heterandrum*, Benth. & Hook. f. Gen. iii. 989; N. E.  
 Br. in Gard. Chron. (1883) II. 70.—Hab.?  
*Orbignyana*, Schott, in Bonplandia, vii. (1859) 165.  
 —Bolivia.

**SPATHANTHUS**, Desv. in Ann. Sc. Nat. Sér. I.  
 xiii. (1828) 45. t. 4. **RAPATEACEAE**, Benth. &  
 Hook. f. iii. 859.  
*unilateralis*, Desv. l. c.—Guian.

**SPATHE**, P. Br. Hist. Jamaic. 187 (1756) = **Spathelia**,  
 Linn. (Simarub.).  
*simplex*, Crantz, Inst. ii. 464 = *Spathelia simplex*.

**SPATHELIA**, Linn. Sp. Pl. ed. II. 386 (1763). **SIMA-**  
**RUBEAE**, Benth. & Hook. f. i. 315.  
*SPATHE*, P. Br. Hist. Jamaic. 187 (1756).  
*glabrescens*, Planch. in Hook. Lond. Journ. Bot. v.  
 (1846) 581.—Jamaic.  
*ramosa*, Mart. ex Engl. in Mart. Fl. Bras. xii. II. 52 =  
*Discophora guianensis*.  
*rhoifolia*, DC. Prod. ii. 84.—Mexic.  
*simplex*, Linn. Sp. Pl. ed. II. 386.—Jamaic.  
*vernica*, Planch. in Hook. Lond. Journ. Bot. v.  
 (1846) 581.—Cuba.

**SPATHESTIGMA**, Hook. & Arn. Bot. Beech. Voy. 204  
 (1836) = **Adenosma**, R. Br. (Scrophul.).  
*glutinosum*, Hook. & Arn. l. c. = *A. grandiflorum*.

**SPATHICARPA**, Hook. Bot. Misc. ii. (1831) 146.  
 t. 77. **AROIDEAE**, Benth. & Hook. f. iii. 989.  
*Bridgesii*, Schott, in Bonplandia, vi. (1858) 124, nomen  
 = *Spathanthemum Orbignyana*.  
*cornuta*, Schott, in Oestr. Bot. Zeitschr. xv. (1865) 34.  
 —Bras.  
*Gardneri*, Schott, in Bonplandia, vi. (1858) 124 =  
*sagittifolia*.  
*hastifolia*, Hook. Bot. Misc. ii. (1831) 147. t. 77.—Am.  
 trop.  
*lanceolata*, Engl. in DC. Monog. Phan. ii. 531.—  
 Paraguay.  
*longicuspis*, Schott, in Bonplandia, x. (1862) 87 =  
*sagittifolia*.  
*platyspatha*, Schott, l. c. = *sagittifolia*.  
*sagittifolia*, Schott, l. c. vi. (1858) 124.—Bras.  
*Tweediana*, Schott, l. c.—Bras.

**SPATHIOSTEMON**, Blume, Bijdr. 621 (1825) =  
**Homonoia**, Lour. (Compos.).  
*javanse*, Blume, l. c. 622 = *H. riparia*.  
*salicinum*, Hassk. Hort. Bog. Desc. 41 = *H. riparia*.

**SPATHIPHYLLOPSIS**, Teysm. & Binn. in Tijdschr.  
 Nederl. Ind. xxv. (1863) 400 = **Spathiphyllum**,  
 Schott (Aroid.).  
*Minahassae*, Teysm. & Binn. l. c. = *Spathiphyllum*  
*commutatum*.

**SPATHIPHYLLUM**, Schott, Melet. i. 22 (1832).  
**AROIDEAE**, Benth. & Hook. f. iii. 997.  
**AMOMOPHYLLUM**, Engl. in Gard. Chron. (1877) I.  
 139.  
*HYDNOSTACHYON*, Liebm. in Kjoeb. Vidensk.  
 Meddel. (1849) 24.  
*LEUCOCHLAMYS*, Poepp. ex Engl. in DC. Monog.  
 Phan. ii. 230 (1879).  
*MASSOWIA*, C. Koch, in Bot. Zeit. x. (1852) 277.  
**SPATHIPHYLLOPSIS**, Teysm. & Binn. in Tijdschr.  
 Nederl. Ind. xxv. (1863) 400.  
*amazonicum*, Spruce, ex Engl. in DC. Monog. Phan.  
 ii. 278 = *Urospatha sagittaeifolia*.  
*atrovirens*, Schott, in Oestr. Bot. Zeitschr. viii. (1858)  
 179.—Costa Rica.  
*Beccarii*, Engl. in Bull. Soc. Tosc.ortic. iv. (1879)  
 268.—N. Guin.  
*blandum*, Schott, in Oestr. Bot. Wochenbl. vii. (1857)  
 159.—Guian.  
*Bonplandii*, Schott, l. c. 158 = *candicans*.  
*brevirostre*, Schott, Aroid. i. 2.—Mexic.  
*candicans*, Poepp. & Endl. Nov. Gen. et Sp. iii. 85.  
 t. 295.—Am. trop.  
*candidum*, N. E. Br. in Gard. Chron. (1878) II. 783.  
 —N. Granat.  
*Candolleana*, Schott, Prod. Aroid. 429.—Guian.  
*cannaefolium*, Schott, Aroid. i. 1. t. 1 = *candicans*.  
*cannaeforme*, Engl. in Mart. Fl. Bras. iii. II. 103.  
 t. 16. f. 3 = *candicans*.  
*caudatum*, Poepp. & Endl. Nov. Gen. et Sp. iii. 85.  
 t. 296 = *Urospatha caudata*.  
*cochlearispathum*, Engl. in DC. Monog. Phan. ii. 221.  
 —Mexic.  
*commutatum*, Schott, in Oestr. Bot. Wochenbl. vii.  
 (1857) 158.—Ins. Philipp.  
*cuspidatum*, Schott, l. c.—Guian.  
*Fendleri*, Schott, l. c. 159 = *Friedrichsthalii*.  
*floribundum*, N. E. Br. in Gard. Chron. (1878) II. 783.  
 —N. Granat.  
*Friedrichsthalii*, Schott, Aroid. i. 2. t. 4.—Am. centr.  
*fulvovirens*, Schott, in Oestr. Bot. Zeitschr. viii.  
 (1858) 179; Prod. Aroid. 427.—Costa Rica.  
*Gardneri*, Schott, Aroid. i. 2. t. 3.—Bras.  
*Glaziovii*, Engl. in Kjoeb. Vidensk. Meddel. (1880) 358.  
 —Bras.  
*heliconiaefolium*, Schott, Aroid. i. 2. tt. 5, 6 =  
*cochlearispathum*.  
*Humboldtii*, Schott, l. c. t. 2 = *Candolleana*.  
*hybridum* x, N. E. Br. in Gard. Chron. (1883) I. 500.  
*lancaefolium*, Schott, Melet. i. 22.—Venezuel.  
*lanceolatum*, C. Koch, Berl. Allg. Gartenz. (1857) 174  
 = *Friedrichsthalii*.  
*Lechlerianum*, Schott, Prod. Aroid. 425.—Peruv.  
*Liebmanni*, Schott, Aroid. i. 2 = *cochlearispathum*.  
*longirostre*, Schott, l. c. = *cochlearispathum*.  
*Minahassae*, Regel, Gartenfl. xix. (1870) I. t. 637 =  
*commutatum*.  
*Ortgiesi*, Regel, l. c. 39; (1872) 292. t. 738.—Mexic.

6 F

**SPATHIPHYLLUM** :—

- Patini, *N. E. Br. in Gard. Chron.* (1878) II. 783.—N. Granat.  
 phrynifolium, Schott, in *Oestr. Bot. Wochenbl.* vii. (1857) 159.—Panama.  
 sagittaeifolium, Schott, Melet. i. 22 = *Urospatha sagittaeifolia*.  
 sagittifolium, Spruce, ex Engl. in DC. Monog. Phan. ii. 279 = *Urospatha Spruceana*.  
 Schomburgkii, Schott, in *Oestr. Bot. Wochenbl.* vii. (1857) 158 = *Candollea*.  
 Wallisi, Regel, *Gartenfl.* (1877) 323. t. 920; et in *Act. Hort. Petrop.* v. (1877) 640.—N. Granat. vel Venezuela.  
 Wallisii, Hort.—Cf. *Gard. Chron.* (1875). i. 558 = *Stenospermum popayanense*.  
 Wendlandii, Schott, in *Oestr. Bot. Zeitschr.* viii. (1858) 179; *Prod. Aroid.* 432.—Costa Rica.

- SPATHIUM**, Edgew. in *Journ. As. Soc. Beng.* xi. (1842) 145 = *Aponogeton*, Thunb. (Naiad.).  
 crispum, Voigt, Hort. Suburb. Calc. 694 = *A. crispum*.  
 echinatum, Voigt, l. c. = *A. echinatum*.  
 microphyllum, Voigt, l. c. = *A. microphyllum*.  
 monostachyum, Edgew. in *Journ. As. Soc. Beng.* xi. (1842) 148 = *A. monostachyon*.  
 undulatum, Edgew. l. c. 145 = *A. crispum*.

- SPATHIUM**, Lour. *Fl. Cochinch.* 217 (1790) = *Saururus*, Linn. (Piperac.).  
 chinense, Lour. l. c. = *Saur. Loureiri*.

- SPATHODEA**, Beauv. *Fl. Owar.* i. 46. t. 27 (1805). **BIGNONIACEAE**, Benth. & Hook. f. ii. 1045.  
 acuminata, Klotzsch, in Peters, Reise Mosamb. Bot. 191 (*Dolichandrone* sp.).—Afr. trop.  
 adenantha, G. Don, *Gen. Syst.* iv. 222.—Afr. trop.  
 adenophylla, DC. Prod. ix. 206 = *Heterophragma adenophyllum*.  
 alternifolia, R. Br. *Prod.* 472.—Austral.  
 amoena, A. DC. in DC. Prod. ix. 208 = *Stereospermum hypostictum*.  
 arcuata, Wight, l. c. t. 1840 = *Dolichandrone falcata*.  
 atrovirens, Spreng. Syst. ii. 835 = *Dolichandrone falcata*.  
 bracteosa, DC. Prod. ix. 208 = *Macfadyena bracteosa*.  
 campanulata, Beauv. *Fl. Owar.* i. 47. tt. 27–28.—Afr. trop.  
 campanulata, Euch.-Ham. ex DC. Prod. ix. 206 = *Dolichandrone stipulata*.  
 Candolleana, Mart. ex DC. l. c. 207.—Bras.  
 Cauda-felina, Hance, in *Journ. Bot.* x. (1872) 257 = *Dolichandrone Cauda-felina*.  
 Coito, DC. Prod. ix. 204 = *Macfadyena Coito*.  
 comosa, G. Don, *Gen. Syst.* iv. 222 = *Bignonia comosa*.  
 consanguinea, Klotzsch, in *Schomb. Faun. Fl. Brit. Gui.* 1158, nomen.—Guian.  
 corymbosa, Vent. Choix. 40. t. 40 = *Macfadyena corymbosa*.  
 crispa, Bur. Monog. Bign. t. 27 = *Dolichandrone Lawii*.  
 crispa, Dalz. & Gibs. Bomb. Fl. 160 = *Dolichandrone arcuata*.  
 crispa, G. Don, *Gen. Syst.* iv. 222 = *Dolichandrone falcata*.  
 crispa, Wall. Cat. n. 6515 = *Dolichandrone crispa*.  
 Diepenhorstii, Miq. Fl. Ind. Bat. ii. 754 = *Dolichandrone Rheedii*.  
 Dolichandra, Steud. Nom. ed. II. ii. 616 = *Macfadyena Dolichandra*.  
 falcata, Brand. Forest. Fl. 350 = *Dolichandrone Lawii*.  
 falcata, Wall. Cat. n. 6517 = *Dolichandrone falcata*.  
 Fenzliana, Walp. Rep. vi. 513.—Guian.  
 filiformis, DC. Prod. ix. 209.—Austral.  
 flaviflora, Miq. Stip. Surin. Sel. 124.—Guian.  
 fraxinifolia, H. B. & K. Nov. Gen. et Sp. iii. 147.—Am. austr.  
 gigantea, Blume, Bijdr. 761 = *Stereospermum hypostictum*.  
 glandulosa, Blume, l. c. 762 = *Stereospermum glandulosum*.  
 grandiflora, Zipp. ex Span. in *Linnaea*, xv. (1841) 326 = *Dolichandrone Rheedii*.  
 heterophylla, R. Br. *Prod.* 472.—Austral.

**SPATHODEA** :—

- hispida, DC. Prod. ix. 205 = *Macfadyena hispida*.  
 ignea, Kurz, in *Journ. As. Soc. Beng.* xl. (1871) II. 77 = *Mayodendron igneum*.  
 ilicifolia, Seem. in Bonplandia, vii. (1859) 246 = *Tabebuia dentata*.  
 indica, Pers. Syn. ii. 173 = *Oroxylon indicum*.  
 Jenischii, Sond. in *Hamb. Gartenz.* iv. (1848) 370.—Afr. trop.  
 Kohautiana, Walp. Rep. vi. 513 = *Bignonia Unguis-cati*.  
 laevis, Beauv. *Fl. Owar.* i. 48. t. 29.—Afr. trop.  
 laurifolia, H. B. & K. Nov. Gen. et Sp. iii. 146 = *Macfadyena laurifolia*.  
 Lobbii, Teysm. & Binn. in *Tijdschr. Nederl. Ind.* xxv. (1863) 413 = *Stereospermum hypostictum*.  
 longiflora, Vent. in Mém. Inst. Par. (1807) 20; Pers. Syn. ii. 173 = *Dolichandrone Rheedii*.  
 Loureiriana, DC. Prod. ix. 209 = *Dolichandrone Rheedii*.  
 lutea, Benth. in Hook. Niger Fl. 461 = *Dolichandrone lutea*.  
 luzonica, Blanco, Fl. Filip. ed. II. 350 = *Dolichandrone Rheedii*.  
 macroloba, Miq. Fl. Ind. Bat. Suppl. 565.—Sumatra.  
 magnolioides, Cham. in *Linnaea*, vii. (1832) 659 = *Tabebuia magnolioides*.  
 Mansoana, DC. Prod. ix. 209 = *Tabebuia Mansoana*.  
 mollis, Sond. in *Linnaea*, xxii. (1849) 561 = *Macfadyena mollis*.  
 montana, Spreng. Syst. iv. Cur. Post. 236 = *Zeyheria montana*.  
 nilotica, Seem. in *Journ. Bot.* iii. (1865) 333 = *campanulata*.  
 obovata, H. B. & K. Nov. Gen. et Sp. iii. 147 = *Macfadyena obovata*.  
 obtusifolia, Cham. in *Linnaea*, vii. (1832) 660 = *Tabebuia leucoxyla*.  
 orinocensis, H. B. & K. Nov. Gen. et Sp. iii. 147 = *Macfadyena orinocensis*.  
 ovata, Klotzsch, in *Schomb. Faun. Fl. Brit. Gui.* 1158, nomen.—Guian.  
 pentandra, Hook. Bot. Mag. t. 3681 = *Oroxylon indicum*.  
 Pisoniana, DC. Prod. ix. 209 = *Tabebuia Pisoniana*.  
 platypoda, DC. l. c. 204 = *Macfadyena platypoda*.  
 podopogon, DC. l. c. 205.—Cuba.  
 portoricensis, Bello, in *Anal. Soc. Esp. Hist. Nat.* x. (1881) 293.—Porto Rico.  
 puberula, Klotzsch, in Peters, Reise Mossamb. Bot. 192 (*Dolichandrone* sp.).—Afr. trop.  
 Rheedii, Spreng. Syst. ii. 835 = *Dolichandrone Rheedii*.  
 rostrata, Span. in *Linnaea*, xv. (1841) 326 = *Dolichandrone Rheedii*.  
 Roxburghii, Spreng. Syst. ii. 835 = *Heterophragma Roxburghii*.  
 Schomburgkii, DC. Prod. ix. 207.—Guian.  
 Serrata, DC. l. c. 206.—Siam.  
 serrulata, Teijsm. & Binn. Cat. Hort. Bog. 154 = *prae*.  
 speciosa, Brongn. Herb. Gén. Amat. t. 4; ex C. Morr. in *Ann. Soc. Bot. Gand*, v. (1849) 213. t. 260.—Bras.  
 stipulata, Wall. Pl. As. Rar. iii. 20. t. 238 = *Dolichandrone stipulata*.  
 suaveolens, Benth. & Hook. f. Gen. ii. 1047, sphalm. = *Stereospermum suaveolens*.  
 tenuifolia, Boj. Hort. Maurit. 219; et ex DC. Prod. ix. 208 = *zanzibarica*.  
 tomentosa, Benth. in Hook. Niger Fl. 462 = *Dolichandrone tomentosa*.  
 tulipifera, G. Don, *Gen. Syst.* iv. 223 = *campanulata*.  
 uncat, Spreng. Syst. ii. 835.—Ind. occ.  
 uncinata, Spreng. l. c. = *Macfadyena uncinata*.  
 velutina, Kurz, in *Journ. As. Soc. Beng.* xlii. (1873) II. 90 = *Dolichandrone stipulata*.  
 vernicosa, Cham. in *Linnaea*, vii. (1832) 661.—Bras.  
 xylocarpa, T. Anders. ex Brand. Forest Fl. 349 = *Stereospermum xylocarpum*.  
 zanzibarica, Boj. ex DC. Prod. ix. 208 (= *Dolichandrone* sp.).—Afr. trop.

- SPATHODITHYROS**, Hassk. in *Flora*, xlix. (1866) 211 = *Commelina*, Linn.  
 suffruticosus, Hassk. Commel. Ind. 11 = *C. suffruticosa*.

- SPATHOGLOTTIS**, Blume, Bijdr. 400 (1825). **ORCHIDEAE**, Benth. & Hook. f. iii. 511.  
 PAXTONIA, Lindl. Bot. Reg. (1838) t. 60.  
 affinis, De Vriese, *Illustr. Orch.* t. 15.—Java.  
 angustifolia, Benth. & Hook. f. Gen. iii. 512 = *plicata*.  
 aurea, Lindl. in *Journ. Hort. Soc.* v. (1850) 34.—Malaya.  
 Deplanchei, Reichb. f. in *Linnaea*, xli. (1877) 86.—N. Caled.  
 Fortuni, Lindl. Bot. Reg. (1845) t. 19 = *pubescens*.  
 Handingiana, Par. & Reichb. f. *Otia Bot. Hamb.* 45.—Burma.  
 ixioides, Lindl. in Wall. Cat. n. 3745.—Reg. Himal.  
 khasyana, Griff. Notul. iii. 323 = *pubescens*.  
 lilacina, Griff. l. c. = *plicata*.  
 Lobbii, Reichb. f. in Walp. Ann. vi. 455.—Burma.  
 pacifica, Reichb. f. in Seem. Fl. Vit. 300.—Ins. Pacif.  
 parvifolia, Lindl. Bot. Reg. (1845) sub t. 19 = *pubescens*.  
 Paulinae, F. Muell. *Fragm.* vi. 95.—Austral.  
 Petri, Reichb. f. in *Gard. Chron.* (1877) II. 392.—Ins. Pacif.  
 plicata, Blume, Bijdr. 401. t. 76.—Malaya.  
 plicata, Griff. Notul. iii. 325 = *aurea*.  
 pubescens, Lindl. in Wall. Cat. n. 3744.—Reg. Himal.; China.  
 spicata, Lindl. in *Journ. Linn. Soc.* iii. (1859) 9 = *plicata*.  
 tomentosa, Lindl. Bot. Reg. (1845) sub t. 19.—Ins. Philipp.  
 trivalvis, Lindl. in Wall. Cat. n. 3742 = *Acriopsis javanica*.  
 unguiculata, Benth. & Hook. f. Gen. iii. 512 = *Calanthes striata*.  
 Vieillardii, Reichb. f. in *Linnaea*, xli. (1877) 85.—N. Caled.
- SPATHOLOBUS**, Hassk. in *Flora*, xxv. (1842) II. Beibl. 52. **LEGUMINOSAE**, Benth. & Hook. f. i. 535.  
 DREBBELIA, Zoll. in Nat. en Geneesk. Arch. Neêrl. Indie, iii. (1846) 79.  
 acuminatus, Benth. in Miq. Pl. Fungh. 238.—Burma; Malaya.  
 africanus, Baker, in Oliver, Fl. Trop. Afr. ii. 188.—Afr. trop.  
 crassifolius, Benth. in Miq. Pl. Fungh. 238.—Ind. or.; Malaya.  
 ferrugineus, Benth. l. c.—Java.  
 gyrocarpus, Benth. l. c.—Malaya.  
 littoralis, Hassk. in *Flora*, xxv. (1842) II. Beibl. 52.—Java.  
 macropterus, Miq. Fl. Ind. Bat. Suppl. 303.—Sumatra.  
 purpureus, Benth. ex Baker, in Hook. f. Fl. Brit. Ind. ii. 194.—Ind. or.  
 Roxburghii, Benth. in Miq. Pl. Fungh. 238.—Ind. or.; Burma.  
 scandens, Blume, ex Miq. Fl. Ind. Bat. i. r. 204 = *ferrugineus*.
- SPATHOSCAPHE**, Oerst. in Kjoeb. Vidensk. Meddel. (1858) 29 = *Chamaedorea*, Willd. (Palm.).  
 Arenbergiana, Oerst. l. c. 30 = *C. Arenbergiana*.
- SPATHOTECOMA**, Bur. Monog. Bign. 49 (1864) = *Newbouldia*, Seem. (Bignon.).
- SPATHULA**, Fourr. in Ann. Soc. Linn. Lyon, N. S. xvii. (1869) 163 = *Iris*, Tourn.  
 foetidissima, Fourr. l. c. = *I. foetidissima*.
- SPATHULARIA**, DC. Prod. iv. 40 (1830), err. typ. = *SPATULARIA*, Haw. = *Saxifraga*, Linn.
- SPATHULARIA**, A. St. Hil. in Mém. Mus. Par. xi. (1824) 491. t. 24, et Pl. Rem. Brés. 317. t. 28 (1824) = *Amphirrhox*, Spreng. (Violar.).  
 longifolia, A. St. Hil. ll. cc. 492. t. 24; 318. t. 28 = *A. longifolia*.
- SPATHYEMA**, Rafin. in Med. Repos. N. York, v. (1808) 352 = *Symplocarpus*, Salisb. (Aroid.).  
 angusta, Rafin. Fl. Tellur. iv. 13 = seq.?  
 foetida, Rafin. in Med. Repos. N. York, v. (1808) 352 = *Sym. foetidus*.  
 lanceolata, Rafin. Fl. Tellur. iv. 13 = *prae*.?  
 latifolia, Rafin. l. c. = *prae*.?

SPATULARIA, Haw. Saxifr. Enum. 47 (1821) = *Saxifraga*, Linn.  
*Clusii*, Haw. l. c. 48 = *Sax. Clusii*.  
*leucanthemifolia*, Haw. l. c. = *Sax. Clusii*.  
*stellaris*, Haw. l. c. 49 = *Sax. stellaris*.

SPATULIMA, Rafin. Fl. Tellur. ii. 83 (1836) = *Lathyrus*, Tourn. (Legumin.).  
*angustifolia*, Rafin. l. c. (= *Orobis sessilifolius*).—  
 Graecia; As. Min.

SPECKLINIA, Lindl. Gen. et Sp. Orch. 8 (1830) = *Pleurothallis*, R. Br. (Orchid.).  
*acuminata*, Lindl. Bot. Reg. sub t. 1797 = *P. acuminata*.

*atropurpurea*, Lindl. l. c. = *P. atropurpurea*.  
*ciliaris*, Lindl. l. c. (1838) Misc. 31 = *P. villosa*.  
*corniculata*, Steud. Nom. ed. II. ii. 489, in syn. = *P. corniculata*.

*dichotoma*, Poepp. & Endl. Nov. Gen. et Sp. i. 52.—  
 Peruv.

*elegans*, Lindl. Bot. Reg. sub t. 1797 = *P. elegans*.  
*emarginata*, Lindl. Gen. et Sp. Orch. 8 (excl. syn.) = *P. emarginata*.

*flexuosa*, Poepp. & Endl. Nov. Gen. et Sp. i. 52 = *P. flexuosa*.

*floribunda*, Lindl. Gen. et Sp. Orch. 9 = *P. floribunda*.  
*graminea*, Poepp. & Endl. Nov. Gen. et Sp. i. 51.—  
 Peruv.

*hypophylla*, Regel, Ind. Sem. Hort. Petrop. (1869) 26.  
 —Am. trop.

*Lanceola*, Lindl. Gen. et Sp. Orch. 8 = *P. Lanceola*.  
*linearis*, Lindl. l. c. 9 = *P. linearis*.

*Miqueliana*, H. C. Focke, in Tijdschr. Wetensch. ii. (1849) 199 = *P. Miqueliana*.

*obovata*, Lindl. Bot. Reg. (1839) Misc. 86 = *P. obovata*.

*orbicularis*, Lindl. l. c. (1838) Misc. 31 = *P. orbicularis*.

*plantaginea*, Poepp. & Endl. Nov. Gen. et Sp. i. 51.  
 t. 89 = *P. plantaginea*.

*pusilla*, Lindl. Bot. Reg. sub t. 1797 = *P. pusilla*.  
*retusa*, Lindl. l. c. = *P. retusa*.

*scariosa*, Lindl. l. c. = *P. scariosa*.  
*sertularioides*, Lindl. Gen. et Sp. Orch. 8 = *P. sertularioides*.

*violacea*, Lem. Jard. Fleur. iii. (1853) Misc. 18.—Bras.

SPECULARIA, Heist. Syst. 8 (1748). *CAMPANULACEAE*, Benth. & Hook. f. ii. 562.

*APENULA*, Neck. Elem. i. 234 (1790).

*CAMPYLOCERA*, Nutt. in Trans. Am. Phil. Soc. N. S. viii. (1843) 257.

*DYSMICODON*, Nutt. l. c. (1843).

*LEGOUSIA*, Durand, Fl. Bourg. i. 37; ii. 26 (1782).

*PENTAGONIA*, Vent. ex Steud. Nom. ed. II. ii. 298 (1841).

*TRIODALLUS*, A. DC. in DC. Prod. vii. 491 (1839).

*TRIODANIS*, Rafin. New Fl. Am. iv. 67 (1836).

*SPECULUM*, Hall. in Rupp. Fl. Jen. 31 (1745).

*SPECULUM-VENERIS*, Gerard. ex Meissn. Gen. Comm. 364 (1840?).

*arvensis*, Montand. Guide Bot. 156 = *S. Speculum*.

*biflora*, Fisch. & Mey. Ind. Sem. Hort. Petrop. i. 17; *A. Gray*, in Proc. Am. Acad. xi. (1876) 82.—Am. bor. et austr.

*californica*, Vathek, in Linnaea, xxxviii. (1874) 714 = *biflora*.

*castellana*, Lange, Ind. Sem. Hort. Haun. (1854) 25 = *falcata*.

*coa*, A. DC. Monog. Camp. 350 = *pentagonia*.

*cordata*, Heynh. Nom. ii. 689 = *S. Speculum*.

*falcata*, A. DC. Monog. Camp. 345.—Reg. Mediterr. *ghilanensis*, A. DC. l. c. 350.—Persia.

*hirsuta*, Don, ex Steud. Nom. ed. II. ii. 616 = *S. Speculum*.

*hirta*, Nym. Consp. 483 = *S. Speculum*.

*hybrida*, A. DC. Monog. Camp. 348.—Europ.; Afr. bor.

*leptocarpa*, A. Gray, in Proc. Am. Acad. xi. (1876) 82.—Am. bor. occ.

*Lindheimeri*, Vathek, in Linnaea, xxxviii. (1874) 713.—Am. bor. occ.

*Linsecornia*, Buckl. in Proc. Acad. Sc. Philad. 1861 (1862) 460 = *leptocarpa*.

*ovata*, Vathek, in Linnaea, xxxviii. (1874) 713 = *biflora*.

*pentagonia*, A. DC. Monog. Camp. 344.—As. Min. *perfoliata*, A. DC. l. c. 351.—Am. bor. et austr.

## SPECULARIA :—

*Speculum*, A. DC. l. c. 346.—Europ.; Reg. Mediterr. *stricta*, Griseb. Spicil. Fl. Rumel. ii. 279 = *S. Speculum*.

*vulgaris*, Kitt. Taschenb. ed. II. 483 = *hybrida*?

*vulgaris*, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1850) 62, 135 = *S. Speculum*.

SPECULUM, Hall. in Rupp. Fl. Jen. 31 (1745) = *praec.*

SPECULUM-VENERIS, Gerard. ex Meissn. Gen. Comm. 364 (1840?) = *praec.*

SPEIRANTHA,\* Baker, in Journ. Linn. Soc. xiv. (1875) 562. *LILIACEAE*, Benth. & Hook. f. iii. 771.

*convallarioides*, Baker, l. c. 563.—China.

SPEIRANTHES, Hassk. Cat. Hort. Bog. Alt. 47 (1844), *sphalm.* = *Spiranthes*, Rich. (Orchid.).

SPEIREMA, Hook. f. & Thoms. in Journ. Linn. Soc. ii. (1857) 27 = *Pratia*, Gaudich. (Campan.).

*montanum*, Hook. f. & Thoms. l. c. = *P. montana*.

SPEIRODELA, S. Wats. in Bot. Calif. ii. 190 (1880), *sphalm.* = *SPIRODELA*, Schleid. = *Lemna*, Linn.

SPENCERIA, Trimen, in Journ. Bot. xvii. (1879) 97. *ROSACEAE*.

*ramalana*, Trimen, l. c.—China.

SPENNERA, Mart. ex DC. Prod. iii. 115 (1828) = *Aciotis*, D. Don (Melastom.).

*acuminifolia*, Mart. ex DC. l. c. 116 = *A. acuminifolia*.

*acuminifolia*, Mart. in Flora, xxiv. (1841) II. Beibl. 37 = *A. Martiana*.

*acutiflora*, Mart. l. c. xxii. (1839) I. Beibl. 58 = *A. acutiflora*.

*alata*, Beurl. in Vet. Akad. Handl. Stockh. 1854 (1856), 125 = *A. purpurascens*.

*annua*, Mart. ex DC. Prod. iii. 115 = *A. annua*.

*anomala*, Miq. in Linnaea, xviii. (1844) 274 = *A. dichotoma*.

*appendicularioides*, Steud. ex Cogn. in Mart. Fl. Bras. xiv. III. 218 = *Acisanthera recurva*.

*aquatica*, Mart. ex DC. Prod. iii. 116 = *Nepsera aquatica*.

*asphaltis*, Crueg. in Linnaea, xx. (1847) 101 = *Nepsera aquatica*.

*brachybotrya*, DC. Prod. iii. 115 = *A. brachybotrya*.

*caulialata*, Naud. in Ann. Sc. Nat. Sér. III. xiv. (1850) 149 = *A. caulialata*.

*chaetodonta*, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 135 = *seq.*

*choetodon*, DC. Prod. iii. 117 = *Oxymeris chaetodon*.

*circaeifolia*, DC. l. c. 116 = *A. circaeifolia*.

*circaeoides*, Benth. in Hook. Journ. Bot. ii. (1840) 297 = *A. purpurascens*.

*circaeoides*, Mart. & Schrank, ex DC. Prod. iii. 116 = *A. circaeifolia*.

*dichotoma*, Benth. in Hook. Journ. Bot. ii. (1840) 295 = *A. dichotoma*.

*dysophylla*, Benth. l. c. 296 = *A. dysophylla*.

*ferruginea*, Naud. in Ann. Sc. Nat. Sér. III. xiv. (1850) 142 = *A. brachybotrya*.

*fragilis*, DC. Prod. iii. 115 = *A. fragilis*.

*glandulosa*, DC. l. c. 117 (= *Pleroma glandulosum*).—Guian.

*grandifolia*, Miq. in Linnaea, xviii. (1844) 273 = *A. purpurascens*.

*hydrophila*, Miq. Comm. Phytog. 75 = *Nepsera aquatica*.

*hygrophila*, Triana, in Trans. Linn. Soc. xxviii. (1871) 36, *sphalm.* = *praec.*

*indecora*, Benth. in Hook. Journ. Bot. ii. (1840) 296 = *A. laxa*.

*indecora*, DC. Prod. iii. 116 = *A. indecora*.

*indecora*, Naud. in Ann. Sc. Nat. Sér. III. xiv. (1850) 147 = *A. polystachya*.

*Kappleri*, Griseb. Fl. Brit. W. Ind. 268 = *A. dichotoma*.

*Kappleriana*, Naud. in Ann. Sc. Nat. Sér. III. xiv. (1850) 146 = *A. laxa*.

*lanceifolia*, Steud. ex Cogn. in Mart. Fl. Bras. xiv. III. 475 = *A. fragilis*.

*latifolia*, Benth. in Hook. Journ. Bot. ii. (1840) 296.—Guian.

## SPENNERA :—

*latifolia*, DC. Prod. iii. 115 = *Aciotis latifolia*.

*laxa*, DC. l. c. 116 = *A. laxa*.

*longifolia*, Mart. ex DC. l. c. 115 = *A. longifolia*.

*martinicensis*, Naud. in Ann. Sc. Nat. Sér. III. xiv. (1850) 147 = *A. discolor*.

*ornata*, Miq. Stirp. Surin. Sel. 56. t. 13 = *A. annua*.

*paludosa*, Mart. ex DC. Prod. iii. 115 = *A. paludosa*.

*panicularis*, Naud. in Ann. Sc. Nat. Sér. III. xiv. (1850) 148. t. 5. f. 1 = *A. caulialata*.

*parviflora*, Benth. ex Triana, in Trans. Linn. Soc. xxviii. (1871) 79 = *Macrocentrum cristatum*.

*pellucida*, DC. Prod. iii. 115 = *A. purpurascens*.

*pendulifolia*, DC. l. c. 116 = *A. pendulifolia*.

*polystachya*, DC. l. c. = *A. polystachya*.

*quintuplinervia*, Miq. Stirp. Surin. Sel. 57 = *Clidemia japurensis*.

*rostellata*, Naud. in Ann. Sc. Nat. Sér. III. xiv. (1850) 148 = *A. rostellata*.

*rubricaulis*, Mart. ex DC. Prod. iii. 115 = *A. rubricaulis*.

*rubricaulis*, Naud. in Ann. Sc. Nat. Sér. III. xiv. (1850) 144 = *A. purpurascens*.

*Sieberi*, Steud. in Flora, xxvii. (1844) 720 = *Nepsera aquatica*.

*sileniflora*, DC. Prod. iii. 116 = *A. sileniflora*.

*sphaeranthra*, Naud. in Ann. Sc. Nat. Sér. III. xiv. (1850) 142 = *A. sphaeranthra*.

*tetraptera*, Miq. Comm. Phytog. 76. t. 10. f. E = *A. dysophylla*.

*uliginosa*, Naud. in Ann. Sc. Nat. Sér. III. xiv. (1850) 144 = *A. uliginosa*.

*viscida*, Benth. in Hook. Journ. Bot. ii. (1840) 296 = *A. indecora*.

*viscida*, Steud. in Flora, xxvii. (1844) 720 = *A. laxa*.

*viscosa*, Naud. in Ann. Sc. Nat. Sér. III. xiv. (1850) 146 = *A. viscosa*.

SPENOCARPUS, Wall. Cat. p. 236 (1831?) = *Magnolia*, Linn.

SPENOTOMA, G. Don, Gen. Syst. iii. 774 (1834), *sphalm.* = SPHENOTOMA, R. Br. = *Dracophyllum*, Labill. (Ericac.).

SPERANSKIA, Baill. Etud. Gén. Euph. 388 (1858). *EUPHORBACEAE*, Benth. & Hook. f. iii. 305.

*tuberculata*, Baill. l. c. 389.—China.

SPERGELLA, Reichb. in Moessl. Handb. ed. II. i. p. lxx (1827) = *Sagina*, Linn. (Caryoph.).

*glabra*, Reichb. Fl. Germ. Excurs. 794 = *Sagina glabra*.

*glandulifera*, Schur, Enum. Pl. Transs. 109 = *Sagina nodosa*.

*macrocarpa*, Reichb. Ic. Fl. Germ. v. 26 = *Sagina Linnaei*.

*nodosa*, Reichb. Fl. Germ. Excurs. 795 = *Sagina nodosa*.

*nuriensis*, Vayr. in Anal. Soc. Esp. Hist. Nat. xi. (1882) 67.—Hispan.

*Saginella*, Reichb. Ic. Fl. Germ. v. 26.—Helvet.

*saginoides*, Reichb. Fl. Germ. Excurs. 794 = *Sagina Linnaei*.

*saxatilis*, Schur, Enum. Pl. Transs. 109 = *Sagina Linnaei*.

*subulata*, Reichb. Fl. Germ. Excurs. 794 = *Sagina subulata*.

SPERGULA, Linn. Syst. ed. I (1735); Gen. ed. I. 133 (1737). *CARYOPHYLLEAE*, Benth. & Hook. f. i. 152.

*ARENARIA*, Adans. Fam. ii. 256 (1763).

*aestivosa*, Koen. ex Wall. Cat. n. 6963 = *Bergia aestivosa*.

*affinis*, Hook. Ic. Pl. t. 266 = *Colobanthus Billardieri*.

*apetala*, Labill. Nov. Holl. Pl. i. 112. t. 142 = *Colobanthus Billardieri*.

*arenarioides*, Ser. in DC. Prod. i. 395.—Mexic.

*arvensis*, Linn. Sp. Pl. 440.—Europ.

*caespitosa*, Pritz. Ic. Ind. 1055, *sphalm.* = *Arenaria caespitosa*.

*canadensis*, D. Dietr. Syn. Pl. ii. 1598 = *Spergularia rubra*.

*Cerviana*, D. Dietr. l. c. = *Arenaria Cerviana*.

*Chieusseana*, Pomel, Nouv. Mat. Fl. Atl. 206 = *arvensis*.

*ciliaris*, Brot. Fl. Lusit. ii. 215.—Lusitan.

*decandra*, Gilib. Fl. Lituan. ii. 156 = *arvensis*.



**SPERGULA :—**

- decumbens*, Ell. Sketch, i. 523 = *Sagina decumbens*.  
*droseroides*, Brot. Fl. Lusit. ii. 215 = *Drosophyllum lusitanicum*.  
*falcata*, Rafin. *New Fl. Am.* iv. 16.—Am. bor.  
*filipensis*, D. Dietr. Syn. Pl. ii. 1598 = *Spergularia media*.  
*fontinalis*, D. Dietr. l. c. 1597 = *Stellaria crassifolia*.  
*geniculata*, Pers. Syn. i. 522 = *arvensis*.  
*glabra*, Willd. Sp. Pl. ii. 821 = *Sagina glabra*.  
*glandulosa*, Bess. Prim. Fl. Galic. i. 298 = *Sagina nodosa*.  
*glutinosa*, D. Dietr. Syn. Pl. ii. 1598 = *Holosteum umbellatum*.  
*grandis*, Pers. Syn. i. 522 = *Spergularia grandis*.  
*humifusa*, Cambess. in A. St. Hil. Fl. Bras. Mer. ii. 173 = *Sagina humifusa*.  
*imbricata*, D. Dietr. Syn. Pl. ii. 1599 = *Arenaria imbricata*.  
*indica*, Royle, Illustr. Bot. Himal. 464 = *pentandra*?  
*japonica*, Sw. ex Steud. Nom. ed. I. 802 = *Sagina Linnæi*.  
*laevis*, D. Dietr. Syn. Pl. ii. 1599 = *Spergularia levis*.  
*laricina*, Lightf. Fl. Scot. i. 244 = *Sagina subulata*.  
*laricina*, Linn. Sp. Pl. 441.—Sibir.  
*leptophylla*, D. Dietr. Syn. Pl. ii. 1598 = *Arenaria leptophylla*.  
*levis*, Steud. Nom. ed. II. ii. 617 = *Spergularia levis*.  
*linicola*, Bor. ex Nym. Consp. 122 = *arvensis*.  
*marina*, Bartl. & Wendl. f. Beitr. Bot. ii. 64 = *Spergularia salina*.  
*marina*, Dufour, ex Steud. Nom. ed. II. ii. 617 = *Spergularia rubra*.  
*maxima*, Dufour, ex Steud. l. c. = *Spergularia rubra*.  
*maxima*, Weihe, in Arch. des [Deutschens] Apotheker-Ver. viii. (1824) 51; et in Boenn. Prod. Fl. Monast. 136 = *arvensis*.  
*media*, Bartl. & Wendl. f. Beitr. Bot. ii. 64 = *Spergularia media*.  
*micrantha*, Bunge, ex Ledeb. Fl. Alt. ii. 183 = *Sagina Spergella*.  
*Morisonii*, Bor. in Duch. Rev. Bot. ii. (1847) 424 = *vernalis*.  
*nivalis*, Lindbl. in Phys. Sällsk. Tidskr. (1838) 128; ex Fries, Mant. iii. 31 = *Sagina nivalis*.  
*nodosa*, Linn. Sp. Pl. 440 = *Sagina nodosa*.  
*nodosa*, Walt. Fl. Carol. 142 (err. typ. 241) = *Sagina decumbens*.  
*pallida*, Salisb. Prod. 298.—Afr. austr.  
*palustris*, Pers. Syn. i. 522 = *Sagina nodosa*.  
*pentandra*, Linn. Sp. Pl. 440.—Europ.  
*pentandra*, Reichb. Fl. Germ. Excurs. 567 = *vernalis*.  
*pilifera*, DC. Fl. Fr. iv. 774 = *Sagina glabra*.  
*pilifera*, Hort. ex Vilms. Fl. Pl. Terre, ed. I. 756 = *Sagina subulata*.  
*prostrata*, D. Dietr. Syn. Pl. ii. 1598 = *Polycarpea prostrata*.  
*Pseudomorisonii*, Iverus, in Bot. Notiser (1875), 81 = *arvensis*.  
*pumila*, Rafin. Fl. Ludov. 93.—Am. bor.  
*purpurea*, D. Dietr. Syn. Pl. ii. 1598 = *Spergularia purpurea*.  
*racemosa*, D. Dietr. l. c. 1599 = *Spergularia media*.  
*radicans*, D. Dietr. l. c. 1598 = *Spergularia rubra*.  
*refracta*, Dethard. ex Reichb. Fl. Germ. Excurs. 567 = *arvensis*.  
*repens*, Zúmag. Fl. Pedem. ii. 286 = *Sagina glabra*.  
*rimarum*, J. Gay, in Ann. Sc. Nat. Sér. II. vi. (1836) 348.—Hispan.  
*rubra*, D. Dietr. Syn. Pl. ii. 1598 = *Spergularia rubra*.  
*rupestris*, D. Dietr. l. c. = *Arenaria bonariensis*.  
*sabuletorum*, J. Gay, in Ann. Sc. Nat. Sér. II. vi. (1836) 119 = *Sagina sabuletorum*.  
*saginoides*, All. Fl. Pedem. i. 118. t. 64. f. 1 = *Sagina glabra*.  
*saginoides*, Linn. Sp. Pl. 441 = *Sagina Spergella*.  
*saginoides*, Michx. Fl. Bor. Am. i. 276 = *Sagina decumbens*.  
*saginoides*, Retz. ex Steud. Nom. ed. I. 803 = *Sagina subulata*.  
*saginoides*, Vahl, ex Nym. Consp. 121 = *Sagina nivalis*.  
*salina*, D. Dietr. Syn. Pl. ii. 1598 = *Spergularia rubra*.  
*sativa*, Boenn. Prod. Fl. Monast. 135 = *arvensis*.  
*saxatilis*, Nyland. Animadv. Distrib. Pl. Fenn. 85 = *Sagina Linnæi*.  
*saxatilis*, Wimm. Fl. Schles. (1832) 193 = *Sagina Spergella*.  
*segetalis*, Vill. Hist. Pl. Dauph. iii. 657 = *Spergularia segetalis*.

**SPERGULA :—**

- semidecandra*, Turcz. ex Ledeb. Fl. Ross. i. 339 = *Sagina Spergella*.  
*serrata*, Blanco, Fl. Filip. ed. II. 271 = *Bergia capensis*.  
*stricta*, Sw. in Vet. Acad. Handl. Stockh. xx. (1799) 229 = *Arenaria stricta*.  
*subulata*, Benth. Fl. Austral. i. 160, in syn., sphalm. = *Colobanthus subulatus*.  
*subulata*, Hook. Fl. Bor. Am. i. 93 = *Sagina decumbens*.  
*subulata*, Sw. in Vet. Acad. Handl. Stockh. (1789) 45. t. 1. f. 3 = *Sagina subulata*.  
*succulenta*, D. Dietr. Syn. Pl. ii. 1598 = *Polycarpon succulentum*.  
*vernalis*, Willd. Fl. Berol. Prod. 158.—Gallia.  
*villosa*, Pers. Syn. i. 522 = *Spergularia villosa*.  
*viscosa*, Lag. in Varied. Cienc. ii. iv. (1805) 213.—Hispan.  
*viscoso-pubescentis*, Loisel. ex D. Dietr. Syn. Pl. ii. 1598 = *Spergularia viscoso-pubescentis*.  
*vulgaris*, Boenn. Prod. Fl. Monast. 135 = *arvensis*.

**SPERGULARIA. J. & C. Presl, Fl. Čech. 94 (1819).**

- CARYOPHYLLEAE*, Benth. & Hook. f. i. 152.  
*ALSINELLA*, Hornem. Nom. 33 (1827).  
*BALARDIA*, Cambess. in A. St. Hil. Fl. Bras. Mer. ii. 180. t. 111 (1829).  
*BUDA*, Adans. Fam. ii. 507 (1763); Dum. Fl. Belg. 110 (1827).  
*CORION*, Mitch. in Act. Nat. Cur. viii. (1748) App. 208, nomen prius.  
*DELIA*, Dum. Fl. Belg. 110 (1827).  
*FASCICULUS*, Dulac, Fl. Hautes-Pyr. 245 (1867).  
*HYMENOgonium*, Rich. ex Lebel, in Mém. Soc. Sc. Cherb. xiv. (1868) 30.  
*LEPIGONUM*, Wahlb. Fl. Gothob. 45 (1820).  
*MELARGYRA*, Rafin. Fl. Tellur. iii. 81 (1836).  
*STIPULARIA*, Haw. Syn. Pl. Succ. 103 (1812).  
*TISSA*, Adans. Fam. ii. 507 (1763).  
*akkensis*, Coss. in Bull. Soc. Bot. Fr. xxii. (1875) 55, nomen.—Maroc.  
*alpina*, Willk. in Flora, xxxiv. (1851) 706 = *rubra*.  
*amurensis*, Pomel, Nouv. Mat. Fl. Atl. 205 = *rubra*.  
*anceps*, Walp. Ann. i. 83 = *rubra*.  
*andina*, Rohrb. in Linnaea, xxxvii. (1871-73) 234.—Reg. Andin.  
*arvensis*, Cambess. in A. St. Hil. Fl. Bras. Mer. ii. 179 = *Spergularia arvensis*.  
*atheniensis*, Heldr. & Sart. ex Nym. Consp. 123 = *diandra*.  
*azorica*, Lebel, in Mém. Soc. Sc. Nat. Cherb. xiv. (1869) 47; Willk. in Willk. & Lange, Prod. Fl. Hisp. iii. 166 = *media*.  
*Bourgeaei*, Lebel, l. c. 42.—Ins. Canar.  
*brevifolia*, Walp. Ann. i. 83 = *rubra*.  
*brevinodis*, Kunze, ex Kindb. Monog. Lepig. 34 = *grandiflora*.  
*campestris*, Aschers. Fl. Prov. Brandenb. 94 = *rubra*.  
*campestris*, Nym. Consp. 123 = *diandra*.  
*campestris*, Willk. in Willk. & Lange, Prod. Fl. Hisp. iii. 165.—Hispan.  
*canadensis*, G. Don, Gen. Syst. i. 426 = *media*.  
*canariensis*, Lebel, in Mém. Soc. Sc. Nat. Cherb. xiv. (1869) 46.—Ins. Canar.  
*capensis*, Heynh. Nom. ii. 689 = *media*.  
*capillacea*, Willk. in Willk. & Lange, Prod. Fl. Hisp. iii. 163.—Hispan.  
*Cerviana*, G. Don, Gen. Syst. i. 426 = *Arenaria Cerviana*.  
*confertiflora*, Steud. in Flora, xxxix. (1856) 425.—Ins. J. Fernand.  
*depauperata*, Rohrb. in Linnaea, xxxvii. (1871-73) 231.—Chili.  
*diandra*, Boiss. Fl. Orient. i. 733.—Graecia.  
*diandra*, Coss. ex Willk. & Lange, Prod. Fl. Hisp. iii. 164 = *rubra*.  
*diandra*, Guir. ex Willk. l. c. 165 = *campestris*.  
*Dillenii*, Lebel, in Mém. Soc. Sc. Nat. Cherb. xiv. (1869) 43 = *salina*.  
*echinosperma*, Čelak. in Arch. Naturw. Land. Boehm. iv. (1881) 867 = *rubra*.  
*exilis*, Fenzl, in Ledeb. Fl. Ross. ii. 166.—Sibir.  
*fallax*, Lowe, in Hook. Kew Journ. viii. (1856) 289.—Ins. Mader.  
*fascicularis*, Nym. Consp. 122 = *media*.  
*fimbriata*, Boiss. & Reut. Diagn. Ser. II. i. 94.—Ins. Canar.  
*firma*, Kunze, ex Kindb. Monog. Lepig. 34.—Chili.  
*floribunda*, Rohrb. in Linnaea, xxxvii. (1871-73) 230.—Chili.

**SPERGULARIA :—**

- gamostyla*, Pomel, Nouv. Mat. Fl. Atl. 202.—Alger.  
*glandulosa*, Heynh. Nom. ii. 689 = *Arenaria glandulosa*.  
*glutinosa*, G. Don, Gen. Syst. i. 426 = *Holosteum liniflorum*.  
*grandiflora*, Poepp. ex Kindb. Monog. Lepig. 34.—Chili.  
*grandis*, Cambess. in A. St. Hil. Fl. Bras. Mer. ii. 177.—Bras.  
*heterosperma*, Heldr. ex Nym. Consp. 122 = *salina*.  
*heterosperma*, Lebel, in Mém. Soc. Sc. Nat. Cherb. xiv. (1869) 45.—Sicil.  
*laevis*, Auct. = *levis*.  
*laxiflorum*, Walp. Ann. i. 83 = *rubra*.  
*leiosperma*, F. Schmidt, Reisen Amurl. 131 = *salina*.  
*leptophylla*, G. Don, Gen. Syst. i. 425.—Mexic.  
*levis*, Cambess. in A. St. Hil. Fl. Bras. Mer. ii. 176.—Bras.  
*Liebmanniana*, Rohrb. in Linnaea, xxxvii. (1871-73) 241.—Chili.  
*lignosa*, Rohrb. l. c. 244 = *Arenaria lignosa*.  
*longicaulis*, Pomel, Nouv. Mat. Fl. Atl. 203 = *media*.  
*longipes*, Nym. Consp. 123 = *rubra*.  
*macrocarpa*, Presl, Rel. Haenk. ii. 9 = *grandis*.  
*macrorrhiza*, Heynh. Nom. ii. 689; Gren. & Godr. Fl. Fr. i. 276.—Ins. Corsic.  
*macrotheca*, Heynh. l. c.—Calif.; Chili.  
*marginata*, Bor. Fl. Centr. Fr. ed. III. ii. 106 = *media*.  
*marginata*, Kitt. Taschenb. ed. II. 1003 = *praec.*?  
*marina*, Griseb. Spicil. Fl. Rumel. i. 213; Willk. in Willk. & Lange, Prod. Fl. Hisp. iii. 165 = *media*.  
*maxima*, G. Don, in Sweet, Hort. Brit. ed. III. 69 = *Spergularia arvensis*.  
*media*, Presl, Fl. Sic. p. xvii, nomen; et ex Griseb. Spicil. Fl. Rumel. i. 213.—Europ.  
*mexicana*, Hemsl. Diagn. Pl. Nov. 22.—Mexic.  
*miquelonensis*, Lebel, in Bull. Soc. Bot. Fr. xv. (1868) 58.—Terra nova (Newfoundl.).  
*molluginea*, G. Don, Gen. Syst. i. 425.—Mexic.  
*Munbyana*, Pomel, Nouv. Mat. Fl. Atl. 203.—Alger.  
*neglecta*, Syme, Engl. Bot. ed. III. ii. 129. t. 255.—Europ.  
*nicaeensis*, Sarato, ex Lebel, in Mém. Soc. Sc. Nat. Cherb. xiv. (1868) 37 = *purpurea*.  
*pallida*, G. Don, Gen. Syst. i. 425.—Afr. austr.  
*patens*, Hochst. ex Boiss. Fl. Orient. i. 733 = *diandra*.  
*pentandra*, G. Don, Gen. Syst. i. 425.—Europ.  
*platensis*, Fenzl, in Ann. Wien. Mus. ii. (1839) 272, in obs.—Bras.  
*platycaulis*, Bartl. ex Rohrb. in Mart. Fl. Bras. xiv. ii. 271 = *grandis*.  
*polyphylla*, Rohrb. in Linnaea, xxxvii. (1871-73) 232 = *rubra*.  
*prostrata*, G. Don, Gen. Syst. i. 425 = *Polycarpea prostrata*.  
*purpurea*, G. Don, l. c.—Hispan.  
*racemosa*, G. Don, l. c. 426 = *media*.  
*radicans*, Presl, Delic. Prag. 64 = *rubra*.  
*ramosa*, Cambess. in A. St. Hil. Fl. Bras. Mer. ii. 178 = *media*.  
*remotiflora*, Steud. in Flora, xxxix. (1856) 424.—Chili.  
*rubra*, J. & C. Presl, Fl. Čech. 94.—Europ.  
*rupestris*, Cambess. in A. St. Hil. Fl. Bras. Mer. ii. 176 = *villosa*.  
*rupestris*, Fenzl, in Enum. Pl. Hueg. 9 = *rubra*.  
*rupestris*, Lebel, ex Willk. & Lange, Prod. Fl. Hisp. iii. 166.—Europ.  
*rupestris*, Lebel, Rech. Pl. Manche, 1848; et in Mém. Soc. Sc. Nat. Cherb. xiv. (1869) 39 = *rupicola*.  
*rupicola*, Lebel, in Mém. Soc. Sc. Nat. Cherb. xiv. (1860) 274.—Europ.  
*salina*, J. & C. Presl, Fl. Čech. 95.—Europ.  
*salsuginea*, Fenzl, in Ledeb. Fl. Ross. ii. 166 = *diandra*.  
*segetalis*, G. Don, Gen. Syst. i. 425; Link, Handb. ii. 259; Fenzl, in Ledeb. Fl. Ross. ii. 166.—Europ.  
*semidecandra*, Kitt. Taschenb. ed. II. 1003 = *Cerastium semidecandrum*?  
*Spergula*, G. Don, Gen. Syst. i. 426 = *media*.  
*sperguloides*, Heynh. Nom. ii. 690 = *diandra*.  
*succulenta*, G. Don, Gen. Syst. i. 425 = *Polycarpon succulentum*.  
*tenuifolia*, Pomel, Nouv. Mat. Fl. Atl. 205 = *diandra*.  
*uliginosa*, Pomel, l. c. 204 = *media*.  
*villosa*, Cambess. in A. St. Hil. Fl. Bras. Mer. ii. 178.—Bras.

**SPERGULARIA:—**

*urbica*, Nym. Consp. 122 = salina.  
*viscosa*, G. Don, Gen. Syst. i. 425 = *Spergula viscosa*.  
*viscoso-pubescentis*, Loisel. ex G. Don, l. c. 426 (sp. dub.).  
 —Ins. Corsic.

**SPERGULASTRUM**, Michx. Fl. Bor. Am. i. 275 (1803)  
 = **Stellaria**, Linn. (Caryoph.).  
*gramineum*, Michx. l. c. 276 = *St. longifolia*.  
*lanceolatum*, Michx. l. c. 275 = *St. borealis*.  
*lanuginosum*, Michx. l. c. = *Arenaria lanuginosa*.

**SPERGULUS**, Brot. ex Steud. Nom. ed. II. ii. 618 (1841)  
 = **Drosophyllum**, Link (Droser.).  
*droseroides*, Brot. ex Steud. l. c. = *D. lusitanica*.

**SPERLINGIA**, Vahl, in Skrivt. Nat. Selsk. Kiøbenh. vi.  
 (1810) 112 = **Hoya**, R. Br. (Asclep.).  
*opposita*, Vahl, l. c. 114 = *H. Rumphii*.  
*verticillata*, Vahl, l. c. 113 = *H. verticillata*.

**SPERMABOLUS**, Teijsm. & Binn. Cat. Hort. Bog.  
 178 (1866). **MAGNOLIACEAE**.  
*fruticosus*, Teijsm. & Binn. l. c. —Ins. Molucc.

**SPERMACHITON**, Llanos, Fragm. 25 (1851) = **Sporo-**  
**bolus**, R. Br. (Gramin.).  
*involutum*, Llanos, l. c. = *Eriochloa punctata*.

**SPERMACOCE**, Dill. ex Linn. Syst. ed. I (1735).

**RUBIACEAE**, Benth & Hook. f. ii. 145.  
**BIGELOVIA**, Spreng. Syst. i. 366 (1825).  
**BORRERIA**, G. F. W. Mey. Prim. Fl. Esseq. 79. t. 1  
 (1818).  
**CHENOCARPUS**, Neck. Elem. i. 202 (1790).  
**CHLOROPHYTUM**, Pohl, ex DC. Prod. iv. 540 (1830).  
**COVOLIA**, Neck. Elem. i. 201 (1790).  
**DIPHHRAGMUS**, Presl, Bot. Bemerk. 80 (1844).  
**GALIANTHA**, Griseb. ex Lorentz, Veget. Nord. Entre  
 Rios, 72 (1828), nomen; et in Goett. Abh. xxiv.  
 (1879) 156.  
**GRUHLMANIA**, Neck. Elem. i. 202 (1790).  
**HYPODEMATIUM**, A. Rich. Tent. Fl. Abyss. i. 348  
 (1847).  
**JURGENSIA**, Rafin. Sylva Tellur. 146 (1838).  
**TARDAVEL**, Adans. Fam. ii. 145 (1763).  
**TESSIERA**, DC. Prod. iv. 574 (1830).  
*aculeata*, Willd. ex Roem. & Schult. Syst. iii. 531 =  
 tenella.  
*adscendens*, Fisch. ex Link, Enum. Hort. Berol. i. 132  
 = *Mitracarpum Fischeri*.  
*adscendens*, Pav. ex DC. Prod. iv. 569 = *Richardsonia*  
*adscendens*.  
*adscendens*, Willd. ex Roem. & Schult. Syst. iii. 532. —  
 Madag.  
*affinis*, Pohl, ex DC. Prod. iv. 546 = *diffusa*.  
*alata*, Aubl. Pl. Gui. i. 60. —Guian.  
*ampliata*, Oliver, in Trans. Linn. Soc. xxix. (1873)  
 88. —Afr. trop.  
*angustifolia*, Wall. Cat. n. 835 = *stricta*.  
*apiculata*, Willd. ex Roem. & Schult. Syst. iii. 531 =  
 tenella.  
*aquatica*, Vell. Fl. Flum. 50; i. t. 128. —Bras.  
*arenosa*, Pohl, ex DC. Prod. iv. 564 = *Diodia arenosa*.  
*articularis*, Linn. f. Suppl. 119 = *hispida*.  
*articularis*, Pohl, ex DC. Prod. iv. 564 = *Diodia*  
*hyssopifolia*.  
*aspera*, Aubl. Pl. Gui. i. 59 = *latifolia*.  
*aspera*, Hemsl. Biol. Centr. Am. Bot. ii. 58. —Mexic.  
*aspera*, Vahl, Eclog. Am. i. 10 = *ocymoides*.  
*asperifolia*, Mart. & Gal. in Bull. Acad. Brux. xi. i.  
 (1844) 132. —Mexic.  
*assurgens*, Ruiz & Pav. Fl. Per. i. 60. t. 92 = *laevis*.  
*assurgens*, Spreng. Syst. i. 402 = *tenuior*.  
*aturensis*, H. B. & K. Nov. Gen. et Sp. iii. 345. —  
 Venezuela.  
*auriculata*, F. Muell. Fragm. iv. 42. —Austral.  
*avana*, Wall. Cat. n. 828 = *hispida*.  
*barbata*, Lam. Illustr. i. 274 = *Diodia rigida*.  
*Bartlingiana*, Hemsl. Biol. Centr. Am. Bot. ii. 58 =  
*latifolia*.  
*bogotensis*, H. B. & K. Nov. Gen. et Sp. iii. 347 =  
*Diodia bogotensis*.  
*brachystema*, R. Br. ex Benth. Fl. Austral. iii. 439. —  
 Austral.  
*brasiliensis*, Spreng. Syst. i. 402 = *tenella*?  
*breviflora*, F. Muell. ex Benth. Fl. Austral. iii. 442. —  
 Austral.

**SPERMACOCE:—**

*Brunonis*, Wall. Cat. n. 822 = *Knoxia brachycarpa*.  
 Burmanni, DC. Prod. iv. 555 (Quid?). —Ind. or.  
*buruensis*, Miq. Ann. Mus. Bot. Lugd. Bat. iv. 261. —  
 Ins. Sunda.  
*caerulea*, Pohl, ex DC. Prod. iv. 552. —Bras.  
*calyptera*, Decne. in Ann. Sc. Nat. Sér. II. ii. (1834)  
 267 = *Gaillonia calycoptera*.  
*capitata*, [Moç. & Sesse,] ex DC. Prod. iv. 567 =  
*Crusea calocephala*.  
*capitata*, Ruiz & Pav. Fl. Per. i. 61. —Peruv.  
*capitata*, Willd. ex H. B. & K. Nov. Gen. et Sp. iii.  
 346 = *tenella*.  
*capitellata*, Spreng. Neue Entdeck. iii. 46 = *obscura*.  
*capitellata*, Willd. ex Roem. & Schult. Syst. iii. 530 =  
*laevis*.  
*Cephalotes*, Willd. l. c. 531 = *Mitracarpum villosum*.  
*chaetocephala*, DC. Prod. iv. 554. —Afr. trop.  
*Chapmanii*, Torr. & Gray, Fl. N. Am. ii. 27 =  
*tenuior*.  
*ciliaris*, Pav. ex DC. Prod. iv. 564 = *Diodia arenosa*.  
*coccinea*, Pav. ex DC. l. c. 567 = *Crusea coccinea*.  
*coerulea*, Auct. = *caerulea*.  
*coerulescens*, Aubl. Pl. Gui. i. 57. t. 19. f. 2. —Guian.  
*commutata*, Schult. Mant. iii. 208 = *Diodia maritima*.  
*compacta*, Hochst. in Flora, xxv. (1842) i. Beibl. 134,  
 nomen; et ex Hiern, in Oliver, Fl. Trop. Afr. iii.  
 239. —Afr. trop.  
*compressa*, Afzel. ex Hiern, l. c. 235. —Afr. trop.  
*compressa*, Wall. Cat. n. 6187 = *Anotis Wightiana*.  
*conferta*, Schott, ex DC. Prod. iv. 563 = *Diodia*  
*conferta*.  
*cornifolia*, Fisch. ex Nees, Hor. Phys. Berol. 50 =  
*cymbata*.  
*corymbosa*, Burm. f. Fl. Ind. 33 = *Burmanni*.  
*corymbosa*, Linn. Sp. Pl. ed. II. 149 = *procumbens*.  
*corymbosa*, Roth, Nov. Pl. Sp. 98 = *Knoxia Heyneana*.  
*corymbosa*, Ruiz & Pav. Fl. Per. i. 60. —Peruv.;  
 Bras.; Boliv.  
*costata*, Roxb. Hort. Beng. [10]; Fl. Ind. i. 370 =  
*Hedyotis vestita*.  
*crassifolia*, Hort. ex DC. Prod. iv. 573 = *Mitrocarpum*  
*stylosum*.  
*cristata*, Willd. ex Roem. & Schult. Syst. iii. 530 =  
*Hedyotis vestita*.  
*cymosa*, Spreng. Syst. i. 403. —Bras.  
*debilis*, Benth. Fl. Austral. iii. 441. —Austral.  
*decidua*, Bosc, ex DC. Prod. iv. 556 = *Diodia rigida*?  
*declinata*, Pav. ex DC. l. c. 562 = *Diodia villosa*.  
*decurrens*, Vell. Fl. Flum. 50; i. t. 130. —Bras.  
*denticulata*, Walp. in Nov. Act. Nat. Cur. xix. Suppl.  
 i. (1843) 353. —Ins. Philipp.  
*dibrachiata*, Oliver, in Trans. Linn. Soc. xxix. (1873)  
 87. —Afr. trop.  
*dichotoma*, H. B. & K. Nov. Gen. et Sp. iii. 348 =  
*Diodia glabra*.  
*dichotoma*, Willd. ex Steud. Nom. ed. II. ii. 618 =  
*tenuior*.  
*diffusa*, H. B. & K. Nov. Gen. et Sp. iii. 343 = *Mitra-*  
*carpum villosum*.  
*diffusa*, Pohl, ex DC. Prod. iv. 544. —Bras.  
*diodina*, Michx. Fl. Bor. Am. i. 82 = *Diodia teres*.  
*discolor*, E. Mey. in Nov. Act. Nat. Cur. xii. II. (1825)  
 786 = *Mitracarpum Humboldtianum*.  
*distans*, H. B. & K. Nov. Gen. et Sp. iii. 344. —  
 Mexic.  
*divergens*, Pohl, ex DC. Prod. iv. 568 = *Richardsonia*  
*grandiflora*.  
*diversifolia*, H. B. & K. Nov. Gen. et Sp. iii. 341. —  
 Mexic.  
*domingensis*, Wright, in Sauv. Fl. Cub. 72 = *ocymoides*.  
*echioides*, H. B. & K. Nov. Gen. et Sp. iii. 344 =  
*laevis*.  
*elliptica*, Thunb. Pl. Bras. Dec. iii. 28. —Bras.  
*elongata*, Pohl, ex DC. Prod. iv. 547 = *capitata*.  
*ericacifolia*, Licht. ex Roem. & Schult. Syst. iii. 281  
 = *Anthospermum Lichtensteinii*.  
*eriolada*, DC. Prod. iv. 557. —Peruv.  
*exserta*, Benth. Fl. Austral. iii. 441. —Austral.  
*exserta*, Roxb. Hort. Beng. [10]; Fl. Ind. i. 368 =  
*Knoxia corymbosa*.  
*fasciculata*, Pohl, ex DC. Prod. iv. 547 = *tenella*.  
*ferruginea*, A. St. Hil. Pl. Us. Bras. t. 13 = *capitata*.  
*filifolia*, Perr. & Lepr. ex DC. Prod. iv. 540 = *Octodon*  
*filifolium*.  
*filiformis*, Hiern, in Oliver, Fl. Trop. Afr. iii. 234. —  
 Afr. trop.  
*filina*, Wall. Cat. n. 830 = *stricta*.

**SPERMACOCE:—**

*Fischeri*, Link, Enum. Hort. Berol. i. 132 = *Mitro-*  
*carpum Fischeri*.  
*flagellaris*, Willd. ex Roem. & Schult. Syst. iii. 532 =  
*stricta*.  
*flagelliformis*, Poir. Encyc. vii. 314 = *stricta*.  
*flavescens*, Pohl, ex DC. Prod. iv. 548 = *S. Poaya*.  
*flexuosa*, Lour. Fl. Cochinch. 79. —China.  
*frigida*, Willd. ex Roem. & Schult. Syst. iii. 531 =  
*Mitrocarpum Humboldtianum*.  
*fruticosa*, Pohl, ex DC. Prod. iv. 541 = *verticillata*.  
*Galeopsidis*, DC. l. c. 554. —Afr. trop.  
*galioides*, Pohl, ex DC. l. c. 573 = *Staelia galioides*.  
*Gardneri*, Wall. Cat. n. 834 = *stricta*.  
*gentianoides*, A. St. Hil. Pl. Us. Bras. sub t. 12. p. 3 =  
*S. Poaya*.  
*glabra*, Michx. Fl. Bor. Am. i. 82. —Am. bor. et austr.  
*glabra*, Roxb. Hort. Beng. 83; Fl. Ind. i. 368 =  
*Hedyotis glabra*.  
*globosa*, Pohl, ex DC. Prod. iv. 547 = *capitata*.  
*globosa*, Schum. & Thonn. Beskr. Guin. Pl. 73 = *verti-*  
*cillata*.  
*gracilis*, Pohl, ex DC. Prod. iv. 545 = *Mitracarpum*  
*villosum*.  
*gracilis*, Ruiz & Pav. Fl. Per. i. 61. t. 92 = *ocymoides*.  
*gracillima*, Pohl, ex DC. Prod. iv. 559. —Bras.  
*graminifolia*, Hemsl. Biol. Centr. Am. Bot. ii. 58 =  
*verticillata*.  
*grandiflora*, Spreng. Neue Entdeck. iii. 45 = *Diodia*  
*rigida*.  
*Haenkeana*, Hemsl. Biol. Centr. Am. Bot. ii. 59 =  
*verticillata*.  
*havanensis*, Jacq. Stirp. Am. ed. II; ex J. F. Gmel.  
 Syst. 234 = *Machaonia microphylla*?  
*hebecarpa*, DC. Prod. iv. 553. —Am. trop.  
*hebecarpa*, Oliver, in Trans. Linn. Soc. xxix. (1873)  
 89 = *Ruelliae*.  
*hedyotidea*, DC. Prod. iv. 555 = *Hedyotis fruticosa*.  
*hexagona*, Willd. Sp. Pl. i. 569 = *sexangularis*.  
*hexandra*, Rich. Hist. Nat. Ipec. 13, 31 = *Richardsonia*  
*pilosa*.  
*hexangularis*, Aubl. Pl. Gui. i. 61 = *sexangularis*.  
*hirsuta*, Willd. ex Roem. & Schult. Syst. iii. 531 =  
*Richardsonia pilosa*.  
*hirta*, Linn. Sp. Pl. ed. II. 148 = *Mitracarpum*  
*villosum*.  
*hirta*, Pav. ex DC. Prod. iv. 567 = *Crusea calocephala*.  
*hirta*, Rottl. in Ges. Naturf. Fl. Neue Schr. iv. (1803)  
 95 = *hispida*.  
*hirta*, Sw. Obs. Bot. 45 = *ocymoides*.  
*hirta*, Willd. Sp. Pl. i. 571 = *laevis*.  
*hispida*, Linn. Sp. Pl. 102. —Geront. trop.  
*hispida*, Miq. ex Hook. f. Fl. Brit. Ind. iii. 59 =  
*Hedyotis Auricularia*.  
*Holmiana*, Schult. ex Steud. Nom. ed. II. ii. 618 =  
*strigosa*.  
*humifusa*, Willd. ex Roem. & Schult. Syst. iii. 530. —  
 N. Granat.  
*hyssopifolia*, H. B. & K. Nov. Gen. et Sp. iii. 342 =  
*Diodia hyssopifolia*.  
*hyssopifolia*, Pers. Syn. i. 123 = *verticillata*.  
*hyssopifolia*, Sm. in Abbot, Insects Georgia, i. 75.  
 t. 38; et in Rees, Cyclop. xxxiii. [n. 7]. —Guian.;  
 Georgia.  
*inaperta*, F. Muell. Fragm. iv. 43. —Austral.  
*inconspicua*, Bartl. ex DC. Prod. iv. 557. —Peruv.  
*insularis*, Spreng. Syst. i. 104 = *Hedyotis glabra*.  
*involuta*, Pursh, Fl. Am. Sept. i. 105 = *Crusea*  
*rubra*.  
*Kleinii*, Steud. Nom. ed. II. ii. 618 = *stricta*.  
*Kotschyana*, Oliver, in Trans. Linn. Soc. xxix. (1873)  
 88. —Afr. trop.  
*laeta*, Salisb. Prod. 60 = *verticillata*.  
*laevicaulis*, Miq. Ann. Mus. Bot. Lugd. Bat. iv. 260. —  
 Java.  
*laevigata*, Hemsl. Biol. Centr. Am. Bot. ii. 59. —  
 Mexic.  
*laevigata*, F. Muell. Fragm. iv. 41. —Austral.  
*laevis*, Lam. Illustr. i. 273. t. 94. f. 2. —Am. trop.  
*laevis*, Roxb. Hort. Beng. [10]; Fl. Ind. i. 368 =  
*Knoxia brachycarpa*.  
*laevis*, Spreng. Syst. i. 401 = *ocymoides*.  
*lanceolata*, Frank, ex Presl, Bot. Bemerk. 86 =  
*Hedyotis Frankii*.  
*lanceolata*, Link, Enum. Hort. Berol. i. 132 = *tenuior*.  
*lanigera*, Pohl, ex DC. Prod. iv. 574. —Bras.  
*lasiantha*, Rafin. Fl. Ludov. 76. —Am. bor.  
*lasiocarpa*, R. Br. in Wall. Cat. n. 832 = *stricta*.

## SPERMACOCE:—

- lateralis*, Pohl, ex DC. Prod. iv. 568 = *Richardsonia grandiflora*.  
*latifolia*, Aubl. Pl. Gui. i. 55. t. 19.—Guian.  
*latifolia*, Pohl, ex DC. Prod. iv. 549 = *S. Poaya*.  
*lavandulaefolia*, Pohl, l. c. 548 = *tenella*.  
*leptoloba*, Benth. Fl. Austral. iii. 440.—Austral.  
*leucadea*, Hiern, in Oliver, Fl. Trop. Afr. iii. 237, sphalm. = seq.  
*leucodea*, Hochst. in Flora, xxv. (1842) l. Beibl. 134, nomen.—Afr. trop.  
*linearis*, H. B. & K. Nov. Gen. et Sp. iii. 343 = *Diodia hyssopifolia*.  
*lineata*, Blume, Bijdr. 947 = *Knoxia lineata*.  
*lineata*, Buch.-Ham. ex D. Don, Prod. Fl. Nep. 134 = *Hedyotis lineata*.  
*lineata*, Roxb. Hort. Beng. 83; Fl. Ind. i. 369 = *Hedyotis Auricularia*.  
*linifolia*, Nees, Hor. Phys. Berol. 49 = *Neesiana*.  
*linifolia*, Vahl, Eclog. Am. i. 8 = *laevis*.  
*linoides*, Pohl, ex DC. Prod. iv. 548 = *tenella*.  
*lithospermoides*, Bartl. ex DC. l. c. 574.—Mexic.  
*longicaulis*, R. Br. in Wall. Cat. n. 826 = *hispidula*.  
*longiflora*, D. Dietr. Syn. Pl. i. 475 = *longifolia*, Aubl.  
*longiflora*, H. B. & K. Nov. Gen. et Sp. iii. 346.—Mexic.  
*longifolia*, Aubl. Pl. Gui. i. 58. t. 21.—Guian.  
*longifolia*, Bartl. ex DC. Prod. iv. 552 = *tenuior*.  
*longifolia*, L'Hérit. ex DC. l. c. 542.—Jamaic.  
*longiseta*, Hemsl. Biol. Centr. Am. Bot. ii. 59.—Mexic.  
*longiseta*, Pohl, ex DC. Prod. iv. 546 = *tenella*.  
*lutescens*, Pohl, ex DC. l. c. 547 = *tenella*.  
*macrantha*, Reinw. ex Korth. in Nederl. Kruidk. Arch. ii. 11. (1851) 269.—Ins. Molucc.  
*macrophylla*, Hassk. Cat. Hor. Bog. Alt. 107 = *stricta*.  
*marginata*, Benth. Fl. Austral. iii. 440.—Austral.  
*megapotaunica*, Spreng. Syst. iv. Cur. Post. 40 = *Mitracarpum Sellowianum*.  
*membranacea*, R. Br. ex Benth. Fl. Austral. iii. 441.—Austral.  
*Meyeniana*, Walp. in Nov. Act. Nat. Cur. xix. Suppl. i. (1843) 353.—Ins. Philipp.  
*microcephala*, A. Rich. Fl. Cub. Fanerog. ii. 29.—Cuba.  
*microphylla*, Pohl, ex DC. Prod. iv. 546 = *ocymoides*.  
*minima*, Pohl, ex DC. l. c. 560 = *verticillata*.  
*mitracarpoides*, Mig. Ann. Mus. Bot. Lugd. Bat. iv. 261.—Java.  
*mucronata*, Nees, Hor. Phys. Berol. 49 = *verticillata*.  
*multicaulis*, Benth. Fl. Austral. iii. 440.—Austral.  
*muriculata*, Blanco, Fl. Filip. ed. II. 44 = *scaberrima*.  
*muriculata*, DC. Prod. iv. 554 = *stricta*.  
*mutilata*, Blanco, Fl. Filip. ed. II. 43 = *hispidula*.  
*nana*, Roxb. Hort. Beng. 83; Fl. Ind. i. 369.—Ins. 'Honimoo.'  
*natalensis*, Hochst. in Flora, xxvii. (1844) 555.—Afr. austr.  
*Neesiana*, Schult. Mant. iii. 209.—Bras.  
*neglecta*, Schott, ex DC. Prod. iv. 573 = *Mitracarpum Sellowianum*.  
*oaxacana*, Hemsl. Biol. Centr. Am. Bot. ii. 59 = *verticillata*.  
*obscura*, DC. Prod. iv. 556.—Ind. occ.  
*ocymifolia*, Willd. ex Roem. & Schult. Syst. iii. 530 = *Diodia rigida*?  
*ocymoides*, Burm. f. Fl. Ind. 34.—Cosmop. trop.  
*ocymoides*, Herb. Madr. ex Wall. Cat. n. 6185 = *stricta*.  
*Oldenlandia*, DC. Prod. iv. 557.—Chili.  
*oronocensis*, Willd. ex Roem. & Schult. Syst. iii. 531 = *tenella*.  
*ovalifolia*, Hemsl. Biol. Centr. Am. Bot. ii. 59 = *ocymoides*.  
*palmetorum*, DC. Prod. iv. 553.—Afr. trop.  
*papuana*, F. Muell. Papuan Pl. i. 27.—N. Guin.  
*parviflora*, Hemsl. Biol. Centr. Am. Bot. ii. 59; A. Gray, Syn. Fl. N. Am. i. 11. 34 = *ocymoides*.  
*parviflora*, Salisb. Prod. 60 = *tenuior*.  
*patula*, Hemsl. Biol. Centr. Am. Bot. ii. 59 = *ocymoides*.  
*pauciflora*, Vell. Fl. Flum. 50; i. t. 131.—Bras.  
*peruviana*, Pers. Syn. i. 124 = *corymbosa*.  
*philippensis*, Spreng. Syst. i. 401.—Ins. Philipp.  
*phyllocephala*, DC. Prod. iv. 553.—Afr. trop.  
*Phyteuma*, Schweinf. ex Hiern, in Oliver, Fl. Trop. Afr. iii. 235.—Afr. trop.  
*pilosa*, DC. Prod. iv. 553.—Afr. trop.  
*Poaya*, A. St. Hil. Pl. Us. Bras. t. 12.—Bras.

## SPERMACOCE:—

- podcephala*, Wright, in Sauv. Fl. Cub. 73; Hemsl. Biol. Centr. Am. Bot. ii. 60; A. Gray, Syn. Fl. N. Am. i. 11. 34 = *verticillata*.  
*pogostoma*, Benth. Fl. Austral. iii. 440.—Austral.  
*polycephala*, Bartl. ex DC. Prod. iv. 558.—Mexic.  
*polygonifolia*, A. St. Hil. Voy. Distr. Diam. i. 381.—Bras.  
*polyphylla*, Vell. Fl. Flum. 50; i. t. 129.—Bras.  
*portoricensis*, Balb. ex DC. Prod. iv. 552.—Ind. occ.  
*procera*, Hemsl. Biol. Centr. Am. Bot. ii. 60 = *tenella*.  
*procumbens*, Linn. Syst. ed. XII. 115 (*Hedyotis* sp.?).—Ind. or.  
*prostrata*, Aubl. Pl. Gui. i. 58. t. 22 = *ocymoides*.  
*psyllioides*, H. B. & K. Nov. Gen. et Sp. iii. 346 = *tenella*.  
*pumila*, Pohl, ex DC. Prod. iv. 543.—Bras.  
*purpureo-caerulea*, R. Br. ex Benth. Fl. Austral. iii. 442 = *laevigata*.  
*pusilla*, Pohl, ex DC. Prod. iv. 544, in syn.—Bras.  
*pusilla*, Wall. in Roxb. Fl. Ind. ed. Carey, i. 379 = *stricta*.  
*pygmaea*, Wright, in Sauv. Fl. Cub. 72 = *verticillata*.  
*radiata*, Sieber, ex DC. Prod. iv. 543, in syn.—Afr. trop.  
*radicans*, Aubl. Pl. Gui. i. 58. t. 20. f. 4.—Guian.  
*radicans*, Willd. ex Spreng. Syst. i. 405 = *Diodia maritima*.  
*Radula*, Spreng. Neue Entdeck. ii. 144 = *Diodia sarmantosa*.  
*Radula*, Willd. ex Roem. & Schult. Syst. iii. 531 = *Diodia Radula*.  
*ramisparsa*, Pohl, ex DC. Prod. iv. 544, in syn. = *ocymoides*.  
*ramosa*, Wall. Cat. n. 831 = *ocymoides*.  
*ramosissima*, R. Br. in Wall. Cat. n. 829 = *hispidula*.  
*reclinata*, Nees, Hor. Phys. Berol. 50 = *verticillata*.  
*reflexa*, Pohl, ex DC. Prod. iv. 573 = *Staelia reflexa*.  
*remota*, Lam. Illustr. i. 273 = *tenuior*.  
*richardsonioides*, Wright, in Sauv. Fl. Cub. 73.—Cuba.  
*rigida*, H. B. & K. Nov. Gen. et Sp. iii. 342 = *Diodia rigida*.  
*rigida*, Salisb. Prod. 60 = *hispidula*.  
*riparia*, Cham. & Schlecht. in Linnaea, iii. (1828) 355 = *glabra*.  
*rotata*, Poit. ex Roem. & Schult. Syst. iii. 275 = *ocymoides*.  
*Roxburghiana*, Schult. Mant. iii. 199 = *Knoxia brachycarpa*.  
*Roxburghiana*, Wall. Cat. n. 6186 = *ocymoides*.  
*Roxburghii*, Spreng. Syst. i. 404 = *Knoxia brachycarpa*.  
*rubra*, Jacq. Hort. Schoenb. iii. 3 = *Crusea rubra*.  
*rubra*, Spreng. in Schrad. Journ. (1800) 11. 199.—Hab.?  
*rubricaulis*, Wright, in Sauv. Fl. Cub. 71.—Cuba.  
*rubrostipulata*, Pohl, ex DC. Prod. iv. 547 = *tenella*.  
*Ruelliae*, DC. l. c. 554.—Afr. trop.  
*Ruelliae*, T. Thoms. in Speke, Journ. App. 636 = *ampliata*.  
*scaberrima*, Bartl. ex DC. Prod. iv. 557 = *ericiada*.  
*scaberrima*, Blume, Bijdr. 946.—Malaya.  
*scabra*, Willd. Sp. Pl. i. 572 = *hispidula*.  
*scabrila*, Pohl, ex DC. Prod. iv. 548 = *latifolia*.  
*scandens*, Aubl. Pl. Gui. i. 61.—Guian.  
*semierecta*, Roxb. Hort. Beng. [10]; Fl. Ind. i. 371.—Sumatra.  
*senensis*, Hiern, in Oliver, Fl. Trop. Afr. iii. 236.—Afr. trop.  
*serpyllifolia*, Willd. ex Roem. & Schult. Syst. iii. 532.—Madag.  
*serrulata*, Beauv. Fl. Owar. i. 39. t. 23 = *Diodia sarmantosa*.  
*setosa*, Hemsl. Biol. Centr. Am. Bot. ii. 60.—Mexic.  
*setosa*, Willd. ex DC. Prod. iv. 564 = *Diodia rigida*.  
*sexangularis*, Aubl. Pl. Gui. i. 61. t. 22. f. 8.—Guian.  
*sexangularis*, Sieber, ex Steud. Nom. ed. II. ii. 619 = *laevis*.  
*simplex*, Wright, in Sauv. Fl. Cub. 73.—Jamaic.  
*sparsa*, Pohl, ex DC. Prod. iv. 568 = *Richardsonia grandiflora*.  
*sphaerostigma*, Oliver, in Trans. Linn. Soc. xxix. (1873) 88, in nota = *ampliata*.  
*spinosa*, Jacq. Enum. Pl. Carib. 12; Select. Am. 21.—Am. trop.  
*spinosa*, Loeffl. ex Griseb. Fl. Brit. W. Ind. 349 = *Diodia sarmantosa*.  
*spinulosa*, Lam. Illustr. i. 275 = *spinosa*.

## SPERMACOCE:—

- squarrosa*, Poepp. ex Cham. & Schlecht. in Linnaea, iii. (1828) 363 = *Mitracarpum squarrosum*.  
*stachydea*, DC. Prod. iv. 554.—Afr. trop.  
*stellata*, Willd. ex Roem. & Schult. Syst. iii. 530 = *verticillata*.  
*stenophylla*, F. Muell. Fragm. iv. 43.—Austral.  
*stricta*, Linn. f. Suppl. 120; Roxb. Hort. Beng. 83; Fl. Ind. i. 370.—Geront. trop.  
*stricta*, F. Muell. Fragm. iv. 41 = *brachystema*.  
*stricta*, Schlecht. ex Hook. f. Fl. Brit. Ind. iii. 200 = *ocymoides*.  
*strictissima*, Pohl, ex DC. Prod. iv. 547 = *tenella*.  
*strigosa*, Hill, Veg. Syst. vii. 35 (Quid?).—Ital.; Hispan.  
*strigosa*, Linn. Syst. ed. X. 890 = *Diodia prostrata*.  
*strigosa*, Sims, Bot. Mag. t. 1558 = *Crusea rubra*.  
*strigosa*, Thunb. Pl. Bras. Dec. iii. 29.—Bras.  
*strumphioides*, Wright, in Sauv. Fl. Cub. 73.—Cuba.  
*stylosa*, Link, Enum. Hort. Berol. i. 132 = *Mitracarpum stylosum*.  
*subulata*, Pav. ex DC. Prod. iv. 543 = *Crusea subulata*.  
*suffrutescens*, Jacq. Hort. Schoenb. iii. 40. t. 322 = *laevis*.  
*suffruticosa*, R. Br. ex Benth. Fl. Austral. iii. 443.—Austral.  
*suffruticosa*, Hill, Veg. Syst. vii. 35 (Quid?).—Europ. austr.  
*suffruticosa*, Loeffl. It. Hisp. 201.—Am. trop.  
*suffruticosa*, Spreng. Syst. i. 400 = *laevis*.  
*sumatrensis*, Retz. Obs. v. 23 = *Knoxia corymbosa*.  
*sumatrensis*, Roxb. Hort. Beng. 83; Fl. Ind. i. 366 = *Knoxia sumatrensis*.  
*tenella*, H. B. & K. Nov. Gen. et Sp. iii. 345.—Bras.  
*tenera*, R. Br. in Wall. Cat. n. 833 = *ocymoides*.  
*tenera*, Pohl, ex DC. Prod. iv. 543, in syn.—Bras.  
*tenuior*, Linn. Sp. Pl. 102 (excl. syn. Dill.).—Am. trop.  
*tenuior*, Linn. l. c., partim = *glabra*.  
*tenuior*, Pav. ex DC. Prod. iv. 547 = *tenella*.  
*tenuis*, Pohl, ex DC. Prod. iv. 543, in syn.—Bras.  
*tenuissima*, Hiern, in Oliver, Fl. Trop. Afr. iii. 234.—Afr. trop.  
*teres*, Roxb. Hort. Beng. [10]; Fl. Ind. i. 367 = *Knoxia corymbosa*.  
*terminalis*, Vell. Fl. Flum. 51; i. t. 132 = *tenella*.  
*tetracocca*, Mart. & Gal. in Bull. Acad. Brux. xi. i. (1844) 132 = *Crusea allococca*.  
*tetragona*, Hort. Berol. ex DC. Prod. iv. 553 = *laevis*.  
*tetraquetra*, A. Rich. Fl. Cub. Fanerog. ii. 29.—Cuba.  
*thymocephala*, Wright, in Sauv. Fl. Cub. 72 = *verticillata*.  
*tomentosa*, Vell. Fl. Flum. 51; i. t. 133 = *tenella*.  
*triandra*, Buch.-Ham. ex D. Don, Prod. Fl. Nep. 134 = *stricta*.  
*tubularis*, R. Br. in Wall. Cat. n. 836 = *hispidula*.  
*vaginata*, Willd. ex Roem. & Schult. Syst. iii. 531 = *laevis*.  
*verticillata*, Linn. Sp. Pl. 102.—Afr. et Am. trop.  
*verticillata*, Vell. Fl. Flum. i. t. 127 = *tenella*.  
*villosa*, Sw. Prod. Veg. Ind. Occ. 29 = *Mitracarpum villosum*.  
*virgata*, Hemsl. Biol. Centr. Am. Bot. ii. 61.—Mexic.  
*virgata*, Link, ex Roem. & Schult. Syst. iii. 281, 531 = *Mitracarpum villosum*.  
*virginiana*, A. Rich. in Mém. Soc. Hist. Nat. Par. v. (1834) t. 14. f. 3 = *Diodia virginiana*.

## SPERMADICTYON, Roxb. Pl. Corom. iii. 32. t. 236

- (1819) = *Hamiltonia*, Roxb. (Rubiaceae).  
*azureum*, Wall. in Roxb. Fl. Ind. ed. Carey, ii. 225 = *H. suaveolens*.  
*mysorensis*, Steud. Nom. ed. II. ii. 619 = *H. suaveolens*.  
*pilosum*, Spreng. Syst. iv. Cur. Post. 73 = *H. pilosa*.  
*scabrum*, Spreng. l. c. = *H. suaveolens*.  
*suaveolens*, Roxb. Pl. Corom. iii. 32. t. 236 = *H. suaveolens*.

SPERMATURA, Reichb. Consp. 141 (1828) = *Osmorhiza*, Rafin. (Umbell.).SPERMAULAXEN, Rafin. Fl. Tellur. iii. 13 (1836); New Fl. Am. iii. 41 (1836) = *Polygonum*, Tourn. *dichotomus*, Rafin. Il. cc. 14; 42 (= *P. dichotomus*).—Am. bor.

## SPERMAXYRON, Steud. Nom. ed. II. ii. 619 (1841) = seq.

SPERMAXYRUM, Labill. Nov. Holl. Pl. ii. 84. t. 233 (1806) = *Olaex*, Linn.  
*aphyllum*, DC. Prod. i. 532 = *O. aphylla*.  
*Phyllanthi*, Labill. Nov. Holl. Pl. ii. 84. t. 233 = *O. Phyllanthi*.  
*strictum*, DC. Prod. i. 532 = *O. stricta*.

SPERMODON, Beauv. ex Lestib. Essai Fam. Cyp. 27 (1819) = *Rynchospora*, Vahl (Cyperac.).  
*confinis*, Nees, in Mart. Fl. Bras. ii. i. 119. — Bras.  
*curvulus*, Nees, l. c. = *R. tenuis*.  
*edentulatus*, Nees, in Linnaea, ix. (1834) 296 = *R. jun-ciformis*.  
*eximia*, Nees, in Seem. Bot. Voy. Herald, 222 = *R. eximia*.  
*filiformis*, Nees, in Mart. Fl. Bras. ii. i. 118 = *R. longispicata*.  
*setaceus*, Nees, in Linnaea, ix. (1834) 296 = *R. tener-ri-ma*.

SPERMOLEPIS, Brongn. & Gris, in Bull. Soc. Bot. Fr. x. (1863) 577; et in Ann. Sc. Nat. Sér. V. ii. (1864) 136. MYRTACEAE, Benth. & Hook. f. i. 710.  
*gummifera*, Brongn. & Gris, ll. cc. 578; 137. — N. Caled.  
*rubiginosa*, Brongn. & Gris, ll. cc. — N. Caled.

SPERMOLEPIS, Rafin. Neogenyt. 2 (1825) = *Apium*, Tourn. (Umbell.).  
*divaricata*, Rafin. l. c. = *A. divaricatum*.

SPERMOPHYLLA, Neck. Elem. i. 24 (1790) = *Ursinia*, Gaertn. (Compos.).

SPHACELE, Benth. in Bot. Reg. sub t. 1289 (1829).  
*LABIATAE*, Benth. & Hook. f. ii. 1193.  
 PHYTOXIS, Molina, Sagg. Chile, ed. II. 145, 290 (1810).  
*acuminatum*, Griseb. in Goett. Abh. xix. (1874) 238. — Reg. Argent.  
*alpina*, Oerst. in Kjoeb. Vidensk. Meddel. (1853) 36. — Costa Rica.  
*bullata*, Benth. Lab. Gen. et Sp. 568. — N. Granat.  
*calycina*, Benth. l. c. 568. — Calif.  
*campanulata*, Benth. in Bot. Reg. sub t. 1289. — Chili.  
*clinopodioides*, Griseb. in Goett. Abh. xxiv. (1879) 273. — Reg. Argent.  
*coerulea*, Hort. — Cf. Gard. Chron. (1865) 934 (Quid?). — Am. trop.  
*conferta*, Benth. Pl. Hartw. 244. — N. Granat.  
*cordifolia*, Benth. in DC. Prod. xii. 257. — Peruv.  
*floribunda*, Benth. l. c. 254. — Hab. ?  
*hastata*, A. Gray, in Proc. Am. Acad. v. (1862) 341. — Ins. Sandvic.  
*hastata*, Griseb. in Goett. Abh. xix. (1874) 238. — Reg. Argent.  
*lamiifolia*, Benth. Lab. Gen. et Sp. 570. — Peruv.  
*Lindleyi*, Benth. in Bot. Reg. sub t. 1289 (Lindley). — Chili.  
*mexicana*, S. Schau. in Linnaea, xx. (1847) 707. — Mexic.  
*mutica*, Benth. Pl. Hartw. 145. — Peruv.  
*paniculata*, Benth. Lab. Gen. et Sp. 568. — Ecuador.  
*parviflora*, Benth. in DC. Prod. xii. 256. — N. Granat.  
*Radula*, Benth. l. c. 257. — Peruv.  
*salviaefolia*, Benth. Lab. Gen. et Sp. 567. — N. Granat.  
*speciosa*, A. St. Hil. ex Benth. l. c. 570. — Bras.  
*subhastata*, Benth. in Bot. Reg. sub t. 1289. — Chili.  
*tenuiflora*, Benth. in DC. Prod. xii. 257. — N. Granat.  
*tomentosa*, Benth. Lab. Gen. et Sp. 569. — Peruv.

SPHACOPHYLLUM, Benth. in Hook. Ic. Pl. t. 1135 (1873). COMPOSITAE, Benth. & Hook. f. ii. 339.  
*Bojeri*, Benth. in Hook. Ic. Pl. t. 1135. — Madag.  
*Kirkii*, Oliver, l. c. t. 1451. — Afr. trop.

SPHAENODESMA, Schau. in DC. Prod. xi. 622 (1847), sphalm. = *Sphenodesme*, Jack (Verben.).

SPHAERALCEA, A. St. Hil. Fl. Bras. Mer. i. 209 (1825). MALVACEAE, Benth. & Hook. f. i. 204.  
 ANISODONTEA, Presl, Bot. Bemerk. 18 (1844).  
 MALOCOPIS, Walp. Ann. i. 104 (1848).  
 MALVEOPSIS, Presl, Bot. Bemerk. 19 (1844).  
 MELIPHLEA, Zucc. in Abh. Akad. Muench. ii. (1847) 359.

## SPHAERALCEA:—

PHYMOSIA, Desv. in Ham. Prod. Pl. Ind. Occ. 49 (1825).  
 SPHAEROMA, Schlecht. in Linnaea, xi. (1837) 352.  
*abutiloides*, G. Don, Gen. Syst. i. 465. — Ins. Baham.; Carolina.  
*acerifolia*, Nutt. ex Torr. & Gray, Fl. N. Am. i. 228. — Am. bor.  
*angustifolia*, G. Don, Gen. Syst. i. 465. — Mexic.  
*Berteroana*, Phil. in Linnaea, xxxiii. (1864–65) 23 = obtusiloba.  
*bonariensis*, Griseb. in Goett. Abh. xix. (1874) 92. — Reg. Argent.  
*chilensis*, C. Gay, Fl. Chil. i. 293. — Chili.  
*choapina*, Phil. in Linnaea, xxxiii. (1864–65) 26 = velutina.  
*cisplatina*, A. St. Hil. Fl. Bras. Mer. i. 210. — Am. trop.  
*collina*, Phil. in Linnaea, xxxiii. (1864–65) 24 = obtusiloba.  
*coquimbana*, Phil. in Anal. Univ. Chil. (1872) 680 = obtusiloba.  
*Dregeana*, Harv. in Harv. & Sond. Fl. Cap. i. 165. — Afr. austr.  
*elegans*, G. Don, Gen. Syst. i. 465. — Afr. austr.  
*Emoryi*, Torr. ex A. Gray, in Mem. Am. Acad. N. S. iv. (1849) 23. — Am. bor. occ.  
*Fendleri*, A. Gray, Pl. Wright. i. 21. — Am. bor. occ.  
*flicaulis*, Hemsl. Biol. Centr. Am. Bot. i. 113 = *Sida diffusa*.  
*floribunda*, Phil. in Linnaea, xxxiii. (1864–65) 25 = obtusiloba.  
*floribunda*, Walp. Rep. ii. 789. — Mexic.  
*Galeottii*, Turcz. in Bull. Soc. Nat. Mosc. xxxi. (1858) i. 186 = umbellata.  
*Gayana*, Phil. in Linnaea, xxxiii. (1864–65) 23 = obtusiloba.  
*glabrata*, Phil. l. c. 22 = chilensis.  
*hastulata*, A. Gray, Pl. Wright. i. 17. — N. Mexic.  
*incana*, Torr. ex A. Gray, in Mem. Am. Acad. N. S. iv. (1849) 23. — Am. bor. occ.  
*lactea*, Spach, Hist. Vég. Phan. iii. 354 = *Malvastrum vitifolium*.  
*Lindheimeri*, A. Gray, in Bost. Journ. Nat. Hist. vi. (1850) 162. — Texas; Mexic.  
*longispala*, Torr. in Bot. U. St. Expl. Exped. ii. 255. — Am. bor. occ.  
*mendocina*, Phil. in Anal. Univ. Chil. (1862) ii. 392; et in Linnaea, xxxiii. (1864–65) 24. — Chili.  
*miniata*, A. Gray, Gen. Illustr. ii. 70. t. 127 = *Fendleri*.  
*miniata*, Spach, Hist. Vég. Phan. iii. 352 = *cisplatina*.  
*Munroana*, Spach, l. c. 353. — Am. bor. occ.  
*nutans*, Scheidw. ex Planch. in Fl. des Serres, vii. (1851–52) 221. — Guatemala?  
*obtusiloba*, G. Don, Gen. Syst. i. 465. — Chili.  
*pedata*, Torr. ex A. Gray, in Mem. Am. Acad. N. S. iv. (1849) 23. — Am. bor. occ.  
*rhombifolia*, Griseb. in Goett. Abh. xix. (1874) 92 = *cisplatina*.  
*riularis*, Torr. ex A. Gray, in Mem. Am. Acad. N. S. iv. (1849) 23 = *acerifolia*.  
*rosea*, G. Don, Gen. Syst. i. 465 = umbellata.  
*rupestris*, Phil. in Linnaea, xxxiii. (1864–65) 26 = obtusiloba.  
*sessiliflora*, Phil. in Anal. Univ. Chil. (1872) 679. — Chili.  
*stellata*, Torr. & Gray, Fl. N. Am. i. 228 = *angustifolia*.  
*sulphurea*, S. Wats. in Proc. Am. Acad. xi. (1876) 113, 125. — Calif.  
*triflora*, Hassk. in Hoep. & De Vriese, Tijdschr. x. (1843) 135. — Java.  
*umbellata*, G. Don, Gen. Syst. i. 465. — Mexic.  
*valparidisea*, Phil. in Linnaea, xxxiii. (1864–65) 23, in syn. = obtusiloba.  
*velutina*, Presl, Rel. Haenk. ii. 124. — Chili.  
*vitifolia*, Benth. & Hook. ex Hemsl. Biol. Centr. Am. Bot. i. 114 = umbellata.  
*Wrightii*, A. Gray, Pl. Wright. ii. 21. — Mexic.

SPHAERANTHOIDES, A. Cunn. ex DC. Prod. v. 456 (1836) = *Pterocaulon*, Ell. (Compos.).

SPHAERANTHUS, Vaill. ex Linn. Coroll. Gen. 18 (1737). COMPOSITAE, Benth. & Hook. f. ii. 294.  
 OLIGOLEPIS, Cass. ex DC. Prod. v. 370, in syn. (1836).  
 POLYCEPHALOS, Forsk. Fl. Aegypt. Arab. 154 (1775).  
 SPRUNERA, Sch. Bip. in Flora, xxv. (1842) i. Beibl. 134, 145.

## SPHAERANTHUS:—

*abyssinicus*, Steetz, in Peters, Reise Mossamb. Bot. 411 = *suaveolens*.  
*africanus*, Burm. f. Fl. Ind. 185. t. 60. f. 2 = *Dichrocephala latifolia*.  
*africanus*, Linn. Sp. Pl. ed. II. 1314. — Geront. trop.  
*africanus*, Wall. Cat. n. 3179, partim = *indicus*.  
*alatus*, Blanco, Fl. Filip. ed. I. 635 = *indicus*.  
*amaranthoides*, Burm. f. Fl. Ind. 186. — Ind. or.  
*angustifolius*, DC. Prod. v. 370. — Afr. trop.  
*angustifolius*, Sch. Bip. ex Oliver & Hiern, in Fl. Trop. Afr. iii. 333, 334 = *suaveolens*, Steetzii.  
*chinensis*, Linn. Mant. i. 119 = *Athroisma laciniatum*.  
*cochinensis*, Lour. Fl. Cochinch. 510 = *africanus*.  
*cotuloides*, DC. Prod. v. 370. — Madag.  
*crispus*, Zipp. ex Span. in Linnaea, xv. (1841) 322, nomen. — Ins. Timor.  
*elongatus*, Blanco, Fl. Filip. ed. I. 636 = *Pterocaulon cylindrostachyum*.  
*erectus*, Zoll. & Mor. in Nat. en Geneesk. Arch. Neêrl. Indie, ii. (1845) 233. — Java.  
*glaber*, DC. Prod. v. 370 = *africanus*.  
*globosus*, Wall. ex DC. l. c. 369 = *africanus*.  
*gracilis*, Oliver, in Journ. Linn. Soc. xxi. (1885) 400. — Afr. trop.  
*hirtus*, Willd. Sp. Pl. iii. 2395 = *indicus*.  
*indicus*, Gaertn. Fruct. ii. 413. t. 164. f. 5 = *suaveolens*.  
*indicus*, Kurz, in Journ. As. Soc. Beng. xlv. (1877) ii. 183 = *africanus*.  
*indicus*, Linn. Sp. Pl. 927. — Geront. trop.  
*integrifolius*, Linn. f. ex Fisch. & Mey. Ind. Sem. Hort. Petrop. ii. 30 = *Myriactis nepalensis*.  
*Kirkii*, Oliver & Hiern, in Oliver, Fl. Trop. Afr. iii. 333. — Afr. trop.  
*Kotschyi*, Sch. Bip. ex Schweinf. Beitr. Fl. Aethiop. 308 = *suaveolens*.  
*laciniatus*, Wall. Cat. n. 3184 = *Athroisma laciniatum*.  
*laevigatus*, Wall. ex DC. Prod. v. 369 = *africanus*.  
*microcephalus*, Vathek, in Oestr. Bot. Zeitschr. xxv. (1875) 326 = *sphenocleoides*.  
*microcephalus*, Willd. Sp. Pl. iii. 2395 = *africanus*.  
*mollis*, Roxb. Hort. Beng. 62; Fl. Ind. iii. 446 = *indicus*.  
*mossambiquensis*, Steetz, in Peters, Reise Mossamb. Bot. 421 = *indicus*.  
*nubicus*, Sch. Bip. ex Schnizl. in Flora, xxv. (1842) i. Beibl. 134, 145. — Afr. trop.  
*ovalis*, Steetz, in Peters, Reise Mossamb. Bot. 413. — Ind. or.  
*paniculatus*, Cass. in Dict. Sc. Nat. l. 211 = *africanus*.  
*peduncularis*, DC. Prod. v. 370. — Afr. austr.  
*peguensis*, Kurz, ex C. B. Clarke, Comp. Ind. 97. — Burma.  
*polycephalus*, Oliver & Hiern, ex Oliver, in Trans. Linn. Soc. xxix. (1873) 95. t. 59. — Afr. trop.  
*senegalensis*, DC. Prod. v. 370 = *africanus*.  
*sinensis*, J. F. Gmel. Syst. 1280 = *chinensis*.  
*sphenocleoides*, Oliver & Hiern, in Oliver, Fl. Trop. Afr. iii. 333. — Afr. trop.  
*Steetzii*, Oliver & Hiern, l. c. 334. — Afr. trop.  
*strobiliferus*, Boiss. & Noë, Diagn. Ser. II. iii. 6. — Mesopot.  
*suaveolens*, DC. Prod. v. 370. — Afr. bor.  
*sæylanicus*, Heyne, ex Wall. Cat. n. 3180 = *amaranthoides*, peguensis.

SPHAERIDIOPHORA, Benth. & Hook. f. Gen. i. 494 (1865), sphalm. = seq.

SPHAERIDIOPHORUM, Desv. Journ. Bot. i. (1813) 125. t. 6 = *Indigofera*, Linn. (Legumin.).  
*abyssinicum*, Jaub. & Spach, Illustr. v. 102 = *I. linifolia*.  
*linifolium*, Desv. Journ. Bot. i. (1813) 125. t. 6 = *I. linifolia*.

SPHAERINE, Herb. Amaryll. 106. tt. 12, 13, 16, 18 (1837) = *Bomarea*, Mirb. (Amaryll.).  
*angustipetala*, Benth. Pl. Hartw. 260 = *B. angustipetala*.  
*brevis*, Herb. Amaryll. 108. t. 18. f. 1 = *B. brevis*.  
*coccinea*, Herb. l. c. 106. t. 16. f. 1 = *B. coccinea*.  
*distichophylla*, Herb. l. c. 107. t. 12. f. 3, 4 = *B. distichophylla*.  
*linifolia*, Kunth, Enum. Pl. v. 786 = *B. linifolia*.  
*nervosa*, Herb. Amaryll. 108. t. 13. f. 1 = *B. nervosa*.  
*secundifolia*, Herb. l. c. 107. t. 12. f. 1, 2 = *B. secundifolia*.



**SPHAERITIS**, Eckl. & Zeyh. Enum. 299 (1837) = **Crassula**, Dill.  
*biconvexa*, Eckl. & Zeyh. l. c. 300 = *C. biconvexa*.  
*incana*, Eckl. & Zeyh. l. c. = *C. incana*.  
*margaritifera*, Eckl. & Zeyh. l. c. 299 = *C. margaritifera*.  
*muricata*, Eckl. & Zeyh. l. c. = *C. cymosa*.  
*paucifolia*, Eckl. & Zeyh. l. c. 300 = *C. trachysantha*.  
*puberula*, Eckl. & Zeyh. l. c. = *C. subaphylla*.  
*setigera*, Eckl. & Zeyh. l. c. 301 = *C. tomentosa*.  
*stenophylla*, Eckl. & Zeyh. l. c. 299 = *C. cymosa*.  
*subaphylla*, Eckl. & Zeyh. l. c. 300 = *C. subaphylla*.  
*tomentosa*, Eckl. & Zeyh. l. c. = *C. tomentosa*.  
*trachysantha*, Eckl. & Zeyh. l. c. = *C. trachysantha*.  
*typica*, Eckl. & Zeyh. l. c. 299 = *C. cymosa*.

**SPHAERIUM**, Linn. Syst. ed. I (1735) = **Coix**, Linn. (Gramin.).

**SPHAEROCARDAMUM**, S. Schau. in Linnaea, xx. (1847) 720. **CRUCIFERAE**, Benth. & Hook. f. i. 83.  
*nesliaeforme*, S. Schau. l. c. —Mexic.

**SPHAEROCARPOS**, J. F. Gmel. Syst. 9 (1791) = **Globba**, Linn. (Scit.).  
*Hura*, J. F. Gmel. l. c. = *G. versicolor*.

**SPHAEROCARPUS**, Steud. Nom. ed. II. ii. 620 (1841), sphalm. = **SPHENOCARPUS**, Rich. = **Laguncularia**, Gaertn. (Combret.).

**SPHAEROCARYA**, Wall. in Roxb. Fl. Ind. ed. Carey, ii. 371 (1824) = **Pyrularia**, Michx. (Santal.).  
*edulis*, Wall. l. c. = *P. edulis*.  
*leprosa*, Dalz. in Hook. Kew Journ. iii. (1851) 34 = *Strombosia ceylanica*.  
*moschifera*, Blume, Mus. Bot. Lugd. Bat. i. 245 = *P. moschifera*.  
*vestita*, Wall. Cat. n. 7207 = *P. edulis*.  
*Wallichiana*, Wight & Arn. in Edinb. N. Phil. Journ. xv. (1833) 180 = *Scleropyrum Wallichianum*.

**SPHAEROCARYUM**, Nees, ex Steud. Nom. ed. II. ii. 620 (1841) = **Isachne**, R. Br. (Gramin.).  
*elegans*, Nees, ex Steud. l. c. = *I. pulchella*.

**SPHAEROCEPHALA**, Hill, Veg. Syst. iv. 48 (1762) = **Centaurea**, Linn. (Compos.).

**SPHAEROCEPHALUS**, Lag. ex DC. in Ann. Mus. Par. xix. (1812) 67 = **Nassauvia**, Juss. (Compos.).  
*Lagasciae*, D. Don, in Phil. Mag. (1832) 389 = *N. Lagasciae*.

**SPHAEROCEPHALUS**, Linn. Syst. ed. I (1735) = **Echinops**, Linn. (Compos.).

**SPHAEROCHELOA**, Beauv. ex Desv. in Ann. Sc. Nat. Sér. I. xiii. (1828) 47. t. 5 = **Eriocaulon**, Linn.  
*compressa*, Beauv. ex Desv. l. c. = *E. compressum*.  
*quingularis*, Beauv. ex Desv. l. c. = *E. quingularis*.

**SPHAEROCLINIUM**, Sch. Bip. Tanacet. 20 (1844) = **Matricaria**, Tourn. (Compos.).  
*nigellaefolium*, Sch. Bip. l. c. = *M. nigellaefolia*.

**SPHAEROCODON**, Benth. in Benth. & Hook. f. Gen. ii. 772 (1876). **ASCLEPIADEAE**, Benth. & Hook. f. l. c.  
*natalense*, Benth. in Hook. Ic. Pl. sub t. 1190. —Afr. austr.  
*obtusifolium*, Benth. l. c. t. 1190. —Afr. austr.

**SPHAEROCOMA**, T. Anders. in Journ. Linn. Soc. v. (1861) 16. t. 15. **CARYOPHYLLEAE**, Benth. & Hook. f. i. 154.  
*Aucherii*, Boiss. Fl. Orient. i. 739. —Persia.  
*Hookeri*, T. Anders. in Journ. Linn. Soc. v. (1861) 16. —Arab.

**SPHAERODENDRON**, Seem. in Journ. Bot. iii. (1865) 33. t. 26 = **Cussonia**, Thunb. (Araliac.).  
*angolense*, Seem. l. c. 34. t. 26 = *C. angolensis*.

**SPHAEROGYNE**, Naud. in Ann. Sc. Nat. Sér. III. xv. (1851) 331 = **Tococa**, Aubl. (Melastom.).  
*cinnamomea*, Linden, in Belg. Hort. xv. (1865) 101 (Quid?). —Costa Rica.  
*imperialis*, Hort. —Cf. Gard. Chron. (1869) 587; (1872) 7 = seq.?  
*imperialis*, Linden, in Illustr. Hort. xxiv. (1877) 109. t. 284 (Quid?). —Peruv.  
*latifolia*, Naud. in Ann. Sc. Nat. Sér. III. xv. (1851) 331 = *T. platyphylla*.

**SPHAEROLOBIUM**, Sm. in Kon. & Sims, Ann. Bot. i. (1805) 509. **LEGUMINOSAE**, Benth. & Hook. f. i. 469.  
*HUGELROEA*, Steud. Nom. ed. II. i. 778 (1840).  
*ROEA*, Hueg. Enum. Pl. Hueg. 34 (1837).

*acuminatum*, Benth. in Enum. Pl. Hueg. 32 = medium.  
*alatum*, Benth. l. c. —Austral.  
*crassirameum*, Meissn. in Bot. Zeit. xiii. (1855) 28 = macranthum.  
*daviesioides*, Turcz. in Bull. Soc. Nat. Mosc. xxvi. (1853) i. 266. —Austral.  
*Drummondii*, Turcz. l. c. 267 = macranthum.  
*euchilus*, Benth. Fl. Austral. ii. 67. —Austral.  
*foliosum*, F. Muell. Fragm. i. 166 = nudiflorum.  
*fornicatum*, Benth. in Enum. Pl. Hueg. 32. —Austral.  
*gracile*, Benth. Fl. Austral. ii. 64. —Austral.  
*grandiflorum*, Benth. in Enum. Pl. Hueg. 32. —Austral.  
*linophyllum*, Benth. Fl. Austral. ii. 64. —Austral.  
*macranthum*, Meissn. in Lehm. Pl. Preiss. ii. 213. —Austral.  
*medium*, R. Br. in Ait. Hort. Kew. ed. II. iii. 14. —Austral.  
*medium*, Meissn. in Lehm. Pl. Preiss. i. 58 = fornicatum.  
*minus*, Labill. Nov. Holl. Pl. i. 108. t. 138 = vimineum.  
*nudiflorum*, Benth. Fl. Austral. ii. 64. —Austral.  
*pulchellum*, Meissn. in Bot. Zeit. xiii. (1855) 28 = macranthum.  
*racemosum*, Benth. Fl. Austral. ii. 65. —Austral.  
*scabrusculum*, Meissn. in Lehm. Pl. Preiss. ii. 214. —Austral.  
*stenopterum*, Meissn. l. c. i. 57 = alatum.  
*vimineum*, Sm. in Kon. & Sims, Ann. Bot. i. (1805) 509. —Austral.

**SPHAEROMA**, Schlecht. in Linnaea, xi. (1837) 352 = **Sphaeralcea**, A. St. Hil. (Malvac.).  
*angustifolium*, Schlecht. l. c. 353 = *Sphaeralcea angustifolia*.  
*floribundum*, Schlecht. l. c. = *Sphaeralcea floribunda*.  
*Julii*, Harv. in Harv. & Sond. Fl. Cap. i. 166. —Afr. austr.  
*miniaturum*, Garcke, in Bot. Zeit. xi. (1853) 847, in obs. = *Sphaeralcea cisplatina*.  
*prostrata*, Harv. in Harv. & Sond. Fl. Cap. i. 166. —Afr. austr.  
*rosea*, Schlecht. in Linnaea, xi. (1837) 352 = *Sphaeralcea umbellata*.  
*umbellatum*, Schlecht. l. c. = *Sphaeralcea umbellata*.

**SPHAEROMERIA**, Nutt. in Trans. Am. Phil. Soc. N. S. vii. (1841) 401 = **Tanacetum**, Tourn. (Compos.).  
*argentea*, Nutt. l. c. 402 = *T. Nuttallii*.  
*capitata*, Nutt. l. c. = *T. capitatum*.

**SPHAEROMORPHEA**, DC. Prod. vi. 140 (1837). **COMPOSITAE**, [Benth. & Hook. f. ii. 430.]  
*Centipeda*, DC. l. c. = *Centipeda orbicularis*.  
*petiolaris*, DC. l. c. = *Epilates australis*.  
*Russeliana*, DC. l. c. —Ind. or.

**SPHAEROPHORA**, Blume, Mus. Bot. Lugd. Bat. i. 179. f. 36 (1850) = **Morinda**, Linn. (Rubiace.).  
*gemella*, Blume, l. c. = *M. gemella*.  
*glomerata*, Blume, l. c. = *M. glomerata*.

**SPHAEROPHORA**, Sch. Bip. in Pollichia, xx-xxi. (1863) 402 = **Eremanthus**, Less. (Compos.).  
*bicolor*, Sch. Bip. l. c. 403 = *E. bicolor*.

**SPHAEROPHYSA**, DC. Mém. Lég. 288 (1825). **LEGUMINOSAE**, Benth. & Hook. f. i. 504.  
*caspicum*, DC. Prod. ii. 271 = *salsula*.  
*Kotschyana*, Boiss. Fl. Orient. ii. 197. —Cappadoc.

**SPHAEROPHYSA** :—  
*microphylla*, Jaub. & Spach, Illustr. i. 126. t. 64 = *Colutea triphylla*.  
*pycnorrhiza*, Benth. & Hook. f. Gen. i. 504 = *Astragalus pycnorrhizus*.  
*salsula*, DC. Prod. ii. 271. —Reg. Casp.; As. bor.

**SPHAEROPUS**, Boeck. in Flora, lvi. (1873) 89 = **Scleria**, Berg. (Cyperac.).  
*pygmaeus*, Boeck. l. c. 90 = *Sc. pygmaea*.

**SPHAERORHIZON**, Hook. f. in Trans. Linn. Soc. xxii. (1856) 50. t. 10 = **Seybaliun**, Schott (Balanoph.).  
*curvatum*, Hook. f. l. c. 50 = *Sc. depressum*.  
*depressum*, Hook. f. l. c. t. 10 = *Sc. depressum*.

**SPHAEROSACME**, Wall. in Roxb. Fl. Ind. ed. Carey, ii. 429 (1824) = **Amoora**, Roxb. (Meliac.).  
*decandra*, Wall. Cat. n. 1276 = *A. decandra*.  
*fragrans*, Wall. ex Voigt, Hort. Suburb. Calc. 135 = *A. decandra*.  
*laxa*, Wall. Cat. n. 4894 = *A. cucullata*.  
*nepalensis*, M. Roem. Syn. Hesper. 98 = *A. decandra*.  
*paniculata*, Wall. ex Miq. Ann. Mus. Bot. Lugd. Bat. iv. 37 = *A. cucullata*.  
*polystachya*, Wall. Cat. n. 1277 = *A. Rohituka*.  
*Rohituka*, Wall. l. c. n. 1278 = *A. cucullata*.  
*spectabilis*, Royle, Illustr. Bot. Himal. 142 = *A. spectabilis*?  
*spicata*, Wall. Cat. n. 4895 = *A. Rohituka*.

**SPHAEROSCHOENUS**, Nees, in Nov. Act. Nat. Cur. xix. Suppl. i. 97 (1843) = **Rynchospora**, Vahl (Cyperac.).  
*Wallichii*, Nees, l. c. = *R. Wallichiana*.

**SPHAEROSEPALUM**, Baker, in Journ. Linn. Soc. xxi. (1884) 321. **GUTTIFERAE**.  
*alternifolium*, Baker, l. c. —Madag.

**SPHAEROSICYOS**, Hook. f. in Benth. & Hook. f. Gen. i. 824 (1867). **CUCURBITACEAE**, Benth. & Hook. f. l. c.  
*LAGENARIA*, Naud. in Ann. Sc. Nat. Sér. V. v. (1866) 8, partim.  
*Meyeri*, Hook. f. in Oliver, Fl. Trop. Afr. ii. 532 = *sphaericus*.  
*sphaericus*, Hook. f. in Benth. & Hook. f. Gen. ii. 824; Cogn. in DC. Monog. Phan. iii. 466. —Afr. trop. et austr.

**SPHAEROSPORA**, Klatt, in Linnaea, xxxii. (1863) 725 = **Acidanthera**, Hochst. (Irid.).  
*exscapa*, Klatt, l. c. = *A. tubulosa*.  
*flexuosa*, Klatt, l. c. 726 = *A. flexuosa*.  
*gigantea*, Klatt, l. c. xxxiv. (1865-66) 690 = *A. bicolor*.

**SPHAEROSPORA**, Sweet, Hort. Brit. ed. I. 398 (1827) = **Gladiolus**, Tourn. (Irid.).  
*imbricata*, Sweet, l. c. ed. II. 501 = *G. segetum*.  
*segetum*, Sweet, l. c. ed. I. 398 = *G. segetum*.  
*triphylla*, Sweet, l. c. ed. II. 501 = *G. triphyllus*.

**SPHAEROSTACHYS**, Miq. Syst. Pip. 375 (1843) = **Piper**, Linn.  
*Humboldtii*, Miq. l. c. 376 = *P. piluliferum*.

**SPHAEROSTEMA**, Blume, Bijdr. 22 (1825) = **Schizandra**, Michx. (Magnol.).  
*axillare*, Blume, l. c. 22 = *Schiz. axillaris*.  
*Blumiana*, Griff. Notul. iv. 714. t. 651. f. 2; 654 = *Schiz. axillaris*?  
*elongatum*, Blume, Bijdr. 23 = *Schiz. elongata*.  
*grandiflorum*, Blume, Fl. Jav. Schiz. 17 = *Schiz. grandiflora*.  
*grandiflorum*, Wall. Cat. n. 4985 = *Schiz. elongata*.  
*japonicum*, A. Gray, in Mem. Acad. Am. N. S. vi. (1858) 380 = seq.?  
*japonicum*, Sieb. & Zucc. Fl. Jap. Fam. Nat. 80 = *Schiz. chinensis*.  
*propinquum*, Blume, Fl. Jav. Schiz. 16, in obs. = *Schiz. propinqua*.  
*pyrifolium*, Blume, l. c. 16. t. 4. —Java.

**SPHAEROSTEMMA**, Reichb. Conspl. 86 (1828), sphalm. = *praec.*

**SPHAEROSTIGMA**, Fisch. & Mey. Ind. Sem. Hort. Petrop. ii. (1835) 49 = **Oenothera**, Linn. (Onagrar.).  
*alyssoides*, Walp. Rep. ii. 78 = *Oe. alyssoides*.  
*andinum*, Walp. l. c. 79 = *Oe. andina*.  
*bistorta*, Walp. l. c. 77 = *Oe. bistorta*.  
*Boothii*, Walp. l. c. = *Oe. Boothii*.  
*Chamissonis*, Fisch. & Mey. Ind. Sem. Hort. Petrop. ii. 49 = *Oe. dentata*.  
*cheiranthifolium*, Fisch. & Mey. l. c. 50 = *Oe. cheiranthifolia*.  
*contortum*, Walp. Rep. ii. 78 = *Oe. strigulosa*.  
*dentatum*, Walp. l. c. = *Oe. dentata*.  
*divaricatum*, C. Gay, Fl. Chil. ii. 328. — Chili.  
*epilobioides*, Walp. Rep. ii. 78 = *Oe. epilobioides*.  
*guaraeflorum*, Walp. l. c. = *Oe. guaraeflora*.  
*heterophyllum*, C. Gay, Fl. Chil. ii. 327 = *Oe. heterophylla*, Steud.  
*hirtum*, Fisch. & Mey. Ind. Sem. Hort. Petrop. ii. 50 = *Oe. hirta*.  
*micranthum*, Walp. Rep. ii. 77 = *Oe. micrantha*.  
*minimum*, Heynh. Nom. ii. 692 = *Oe. hirta*.  
*minutiflorum*, Fisch. & Mey. Ind. Sem. Hort. Petrop. ii. 50 = *Oe. minutiflora*.  
*paradozum*, C. Gay, Fl. Chil. ii. 329 = *Oe. micrantha*.  
*parvulum*, Walp. Rep. ii. 78 = *Oe. strigulosa*.  
*ramosissimum*, Phil. in Linnaea, xxxiii. (1864-65) 68. — Chili.  
*spirale*, Fisch. & Mey. Ind. Sem. Hort. Petrop. ii. 50 = *Oe. cheiranthifolia*.  
*strigulosum*, Fisch. & Mey. l. c. = *Oe. strigulosa*.  
*tenuifolium*, C. Gay, Fl. Chil. ii. 327 = *Oe. chilensis*.  
*viridescens*, Walp. Rep. ii. 77 = *Oe. cheiranthifolia*.

**SPHAEROSTYLIS**, Baill. Etud. Gén. Euph. 466. t. 21 (1858). **EUPHORBACEAE**, Benth. & Hook. f. iii. 327.  
*Tulasneana*, Baill. l. c. 467. — Madag.

**SPHAEROTELE**, Link, Klotzsch & Otto, Ic. Pl. Rar. Hort. Berol. 95. t. 38 (1841) = **Urceolina**, Reichb. (Amaryll.).  
*coccinea*, Link, Klotzsch & Otto, l. c. = *U. miniata*.

**SPHAEROTELE**, Presl, Rel. Haenk. i. 119. t. 16 (1827) = **Stenomesson**, Herb. (Amaryll.).  
*peruviana*, Presl, l. c. 120. t. 16. — Peruv.

**SPHAEROTHALAMUS**, Hook. f. in Trans. Linn. Soc. xxiii. (1860) 156. **ANONACEAE**, Benth. & Hook. f. i. 28.  
*insignis*, Hook. f. in Trans. Linn. Soc. xxiii. (1860) 156. — Borneo.

**SPHAEROTHECA**, Cham. & Schlecht. in Linnaea, ii. (1827) 605 = **Conobea**, Aubl. (Scrophul.).  
*scoparioides*, Cham. & Schlecht. l. c. 606 = *C. scoparioides*.

**SPHAEROTHELE**, Benth. & Hook. f. Gen. iii. 733 (1883) = **SPHAEROTELE**, Presl = **Stenomesson**, Herb. (Amaryll.).

**SPHAEROTHYLAX**, Bisch. ex Krauss, in Flora, xxvii. (1844) 426. t. 1. **PODOSTEMACEAE**, Benth. & Hook. f. iii. 113.  
*ANASTROPHEA*, Wedd. in DC. Prod. xvii. 78 (1873).  
*algiformis*, Bisch. ex Krauss, in Flora, xxvii. (1844) 426. — Afr. austr.

**SPHAERULA**, W. Anders. ex Hook. f. Fl. Antarct. 268 (1847) = **Acaena**, Linn. (Rosac.).

**SPHAERULARIA**, Heist. Syst. 9 (1748) = **Rapistrum**, Tourn. (Crucif.).

**SPHALANTHUS**, Jack, in Malay. Misc. ii. (1822) vii. 55 = **Quisqualis**, Linn. (Combret.).  
*confertum*, Jack, l. c. = *Q. densiflora*.  
*ovatifolia*, Steud. Nom. ed. II. ii. 621, sphalm. = praec.

**SPHALLEROCARPUS**, Bess. ex DC. Mém. Ombell. 60 (1829); Prod. iv. 230 (1830) = **Conopodium**, Koch (Umbell.).  
*Cyminum*, Bess. ex DC. l. c. = *C. Cyminum*.  
*longilobus*, Kar. & Kir. in Bull. Soc. Nat. Mosc. (1841) 432 = *Chaerophyllum Sphallerocarpus*.

**SPHANELLOPSIS**, Steud. ex Naud. in Ann. Sc. Nat. Sér. III. xviii. (1852) 137 = **Adelobotrys**, DC. (Melastom.).  
*ciliata*, Steud. ex Naud. l. c. = *A. ciliata*.

VOL. II.

**SPHEDAMNOCARPUS**, Planch. ex Benth. & Hook. f. Gen. i. 256 (1862). **MALPIGHIACEAE**, Benth. & Hook. f. l. c.  
*angolensis*, Planch. in Oliver, Fl. Trop. Afr. i. 279. — Afr. trop.  
*madagascariensis*, Baker, in Journ. Linn. Soc. xx. (1883) 110. — Madag.

**SPHENANDRA**, Benth. in Lindl. Introd. Nat. Syst. ed. II. 445 (1836). **SCROPHULARINEAE**, Benth. & Hook. f. ii. 945.  
*viscosa*, Benth. in Lindl. Introd. Nat. Syst. ii. 445. — Afr. austr.

**SPHENANTHA**, Schrad. in Linnaea, xii. (1838) 416 = **Cucurbita**, Tourn.  
*scabra*, Schrad. l. c. = *C. radicans*.  
*scandens*, Steud. Nom. ed. II. ii. 621 = *C. radicans*.

**SPHENANTHERA**, Hassk. in Versl. Kon. Akad. Wetensch. iv. (1855) 139 = **Begonia**, Tourn.  
*erosa*, Hassk. ex Klotzsch, in Bot. Zeit. xv. (1857) 182 = *B. erosa*.  
*multangula*, Klotzsch, l. c. 181 = *B. multangula*.  
*robusta*, Hassk. in Versl. Kon. Akad. Wetensch. iv. (1855) 139 = *B. robusta*.

**SPHENDAMNOCARPUS**, Baker, in Journ. Linn. Soc. xx. (1813) 110, sphalm. = **Sphedamnocarpus**, Planch. (Malpig.).

**SPHENISTA**, Rafin. Sylva Tellur. 90 (1838) = **Hirtella**, Linn. (Rosac.).  
*peruviana*, Rafin. l. c. 91 = *H. Cosmibuena*.

**SPHENOCARPUS**, Rich. Anal. Fr. 92 (1808) = **Laguncularia**, Gaertn. (Combret.).

**SPHENOCARPUS**, Wall. Cat. p. 236, sub n. 975 (1832 ?) = **Magnolia**, Linn.

**SPHENOCLEA**, Gaertn. Fruct. i. 113. t. 24 (1788). **CAMPANULACEAE**, Benth. & Hook. f. ii. 560.  
*GAERTNERA*, Retz. Obs. vi. 24 (1791).  
*PONGATIUM*, Juss. Gen. 423 (1789).  
*RAPINIA*, Lour. Fl. Cochinch. 127 (1790).  
*Pongatium*, DC. Prod. vii. 548 = *zeylanica*.  
*zeylanica*, Gaertn. Fruct. i. 113. t. 24. — Cosmop. trop.

**SPHENODESMA**, Griff. Notul. iv. 176 (1854) = seq.

**SPHENODESME**, Jack, in Malay. Misc. i. (1820) i. 19. **VERBENACEAE**, Benth. & Hook. f. ii. 1159.  
*BRACHYNEMA*, Griff. Notul. iv. 176 (1854).  
*DECADONTIA*, Griff. l. c. 175 (1854).  
*ROSCOEAE*, Roxb. Cat. Hort. Beng. 46 (1814), nomen.  
*SPHAENODESMA*, Schau. in DC. Prod. xi. 622 (1847).  
*VITICASTRUM*, Presl, Bot. Bemerk. 147 (1844).  
*acuminata*, Wight, Ic. t. 1476 = pentandra.  
*barbata*, Schau. in DC. Prod. xi. 623. — Malaya.  
*eryciboides*, Kurz, in Journ. As. Soc. Beng. xl. (1871) ii. 76. — Burma.  
*ferruginea*, Wight, Ic. t. 1474 = barbata.  
*Griffithiana*, Wight, l. c. iv. iii. 14. — Burma.  
*grossa*, Kurz, For. Fl. Brit. Burma, ii. 254 = *eryciboides*.  
*Jackiana*, Schau. in DC. Prod. xi. 622 = pentandra.  
*Jackiana*, Wight, Ic. t. 1477 = Griffithiana.  
*microstylis*, C. B. Clarke, in Hook. f. Fl. Brit. Ind. iv. 600. — Burma.  
*paniculata*, C. B. Clarke, l. c. — Ind. or.  
*pentandra*, Jack, in Malay. Misc. i. (1820) i. 19. — Ind. or.; Malaya.  
*triflora*, Wight, Ic. t. 1478. — Malaya.  
*unguiculata*, Schau. in DC. Prod. xi. 622. — Reg. Himal.; Burma.  
*Wallichiana*, Schau. l. c. = pentandra.

**SPHENOGYNE**, R. Br. in Ait. Hort. Kew. ed. II. v. 142 (1813) = **Ursinia**, Gaertn. (Compos.).  
*abrotanifolia*, R. Br. l. c. 143 = *U. abrotanifolia*.  
*adonitifolia*, DC. Prod. v. 682 = *U. anthemoides*.  
*anethifolia*, Less. Syn. Comp. 243. — Afr. austr.  
*anethoides*, DC. Prod. v. 685. — Afr. austr.  
*anthemoides*, R. Br. in Ait. Hort. Kew. ed. II. v. 142 = *U. anthemoides*.  
*anthemoides*, E. Mey. ex DC. Prod. v. 689 = *U. paradoxa*.

**SPHENOGYNE** :—

*brachyloba*, Kunze, in Linnaea, xx. (1847) 21. — Afr. austr.  
*brachypoda*, Harv. in Harv. & Sond. Fl. Cap. iii. 140. — Afr. austr.  
*brevifolia*, DC. Prod. v. 685 = *discolor*.  
*calendulaeflora*, DC. l. c. 682. — Afr. austr.  
*chamaemeloides*, DC. l. c. 685. — Afr. austr.  
*chamomillaefolia*, DC. l. c. 687. — Afr. austr.  
*chrysanthemoides*, Less. Syn. Comp. 242 = *Ursinia chrysanthemoides*.  
*ciliaris*, DC. Prod. v. 687. — Afr. austr.  
*concolor*, Harv. in Harv. & Sond. Fl. Cap. iii. 142. — Afr. austr.  
*coronopifolia*, Less. Syn. Comp. 244. — Afr. austr.  
*crithmifolia*, R. Br. in Ait. Hort. Kew. ed. II. v. 142 = *U. crithmifolia*.  
*crocea*, Hort. ex Vilm. Fl. Pl. Terre, ed. III. 1090 = *U. speciosa*.  
*dentata*, R. Br. in Ait. Hort. Kew. ed. II. v. 143 = *U. dentata*.  
*discolor*, Less. Syn. Comp. 243. — Afr. austr.  
*Dregeana*, DC. Prod. v. 683. — Afr. austr.  
*Eckloniana*, Sond. in Linnaea, xxiii. (1850) 64. — Afr. austr.  
*elegans*, Hort. ex Vilm. Fl. Pl. Terre, ed. III. 1090 = *U. speciosa*.  
*filipes*, E. Mey. ex DC. Prod. v. 687; et in Drège, Zwei Pfl. Docum. 223. — Afr. austr.  
*foeniculacea*, Sweet, Hort. Brit. ed. I. 238 = *U. foeniculacea*.  
*gracilis*, DC. Prod. v. 685 = *punctata*.  
*grandiflora*, DC. l. c. = *U. crithmifolia*.  
*heterodonta*, DC. l. c. 687. — Afr. austr.  
*hispida*, DC. l. c. 683. — Afr. austr.  
*incisa*, DC. l. c. 688. — Afr. austr.  
*Kraussii*, Sch. Bip. in Flora, xxvii. (1844) 674 = *chamomillaefolia*.  
*leptoglossa*, DC. Prod. v. 687. — Afr. austr.  
*leucanthemoides*, Sweet, Hort. Brit. ed. I. 238 = *U. leucanthemifolia*.  
*macropoda*, DC. Prod. v. 683. — Afr. austr.  
*microcephala*, DC. l. c. 682 = *U. anthemoides*.  
*natalensis*, Sch. Bip. in Flora, xxvii. (1844) 674 = *U. foeniculacea*.  
*nudicaulis*, Less. Syn. Comp. 243. — Afr. austr.  
*odorata*, R. Br. in Ait. Hort. Kew. ed. II. v. 142 = *U. odorata*.  
*paleacea*, Less. Syn. Comp. 244 = *U. paleacea*.  
*pallida*, DC. Prod. v. 682 = *U. foeniculacea*.  
*pauciloba*, DC. l. c. 686. — Afr. austr.  
*peduncularis*, E. Mey. ex DC. l. c. 683 = *sericea*.  
*pilifera*, Ker-Gawl. in Bot. Reg. t. 604; Less. Syn. Comp. 244 = *U. pilifera*.  
*pinnata*, Less. l. c. 243 = *U. filiformis*.  
*punctata*, Less. l. c. — Afr. austr.  
*pusilla*, DC. Prod. v. 682. — Afr. austr.  
*quinquepartita*, DC. l. c. 686. — Afr. austr.  
*rigidula*, DC. l. c. 685. — Afr. austr.  
*scapiformis*, DC. l. c. 684. — Afr. austr.  
*scariosa*, R. Br. in Ait. Hort. Kew. ed. II. v. 142 = *U. scariosa*.  
*sericea*, Less. Syn. Comp. 243. — Afr. austr.  
*serrata*, DC. Prod. v. 688 = *U. serrata*.  
*setigera*, DC. l. c. 684 = *U. dentata*.  
*Sonneratii*, Cass. in Dict. Sc. Nat. l. 205 = *U. serrata*.  
*speciosa*, Hort. ex Knowles & Westc. Flor. Cab. ii. (1838) 131 = *U. speciosa*.  
*subflosculosa*, E. Mey. ex DC. Prod. v. 686; et in Drège, Zwei Pfl. Docum. 223 = *U. paleacea*.  
*subhirsuta*, DC. Prod. v. 683. — Afr. austr.  
*tenuifolia*, DC. l. c. 687 = *U. tenuifolia*.  
*tridentata*, Harv. in Harv. & Sond. Fl. Cap. iii. 149. — Afr. austr.  
*trifida*, Less. Syn. Comp. 244. — Afr. austr.  
*trifurca*, Harv. in Harv. & Sond. Fl. Cap. iii. 147. — Afr. austr.  
*triloba*, DC. Prod. v. 687 = *trifida*.  
*tripartita*, DC. l. c. 686. — Afr. austr.  
*versicolor*, DC. l. c. 681. — Afr. austr.  
*versicolor*, Hort. ex Vilm. Fl. Pl. Terre, ed. III. 1090 = *U. speciosa*.

**SPHENOPUS**, Trin. Fund. Agrost. 135 (1820). **GRAMINEAE**, Benth. & Hook. f. iii. 1185.  
*divaricatus*, Reichb. Fl. Germ. Excurs. 45 = *Gouani*.  
*Gouani*, Trin. Fund. Agrost. 135. — Reg. Mediterr.

6 G

SPHENOSCIADIUM, A. Gray, in Proc. Am. Acad. vi. (1865) 536 = *Selinum*, Linn. (Umbell.).  
*capitellatum*, A. Gray, l. c. 537 = *Selinum capitellatum*.

SPHENOSTEMON, Baill. in Bull. Soc. Linn. Par. i. (1875) 53. *ILICINEAE*.  
Balansae, Baill. l. c. 54; et *Adansonia*, xi. (1875) 307.—N. Caled.  
pachycladum, Baill. ll. cc.—N. Caled.

SPHENOSTIGMA, Baker, in Journ. Linn. Soc. xvi. (1877) 124. *IRIDEAE*, Benth. & Hook. f. iii. 694.  
CARDIOSTIGMA, Baker, in Journ. Linn. Soc. xvi. (1877) 129.  
angustifolium, Klatt, in Abh. Naturf. Ges. Halle, xv. (1882) 363.—Bras.  
caeruleum, Klatt, l. c.—Bras.  
geniculatum, Klatt, l. c.—Bras.  
gracile, Benth. & Hook. f. Gen. iii. 695.—Bras.  
lineare, Benth. & Hook. f. l. c. (Cypellae sp.).—Venezuela.  
longispathum, Benth. & Hook. f. l. c.—Mexic.  
Sellowianum, Baker, in Journ. Linn. Soc. xvi. (1877) 124.—Bras.  
umbellatum, Klatt, in Abh. Naturf. Ges. Halle, xv. (1882) 363.—Bras.

SPHENOSTYLIS, E. Mey. Comm. Pl. Afr. Austr. 148 (1835) = *Vigna*, Savi (Legumin.).  
angustifolia, Sond. in Linnaea, xxiii. (1850) 33 = *V. angustifolia*.  
marginata, E. Mey. Comm. Pl. Afr. Austr. 148 = *V. marginata*.

PHENOTOMA, Sweet, Fl. Austral. t. 44 (1828) = *Dracophyllum*, Labill. (Epacrid.).  
capitatum, Lindl. Bot. Reg. t. 1515 = *D. capitatum*.  
dracophylloides, Sond. in Lehm. Pl. Preiss. i. 335 = *D. phlogiflorum*.  
Drummondii, F. Muell. Census, 109 = *D. Drummondii*.  
gracile, Sweet, Fl. Austral. t. 44 = *D. gracile*.  
parviflorum, F. Muell. Census, 109 = *D. parviflorum*.  
squarrosa, G. Don, Gen. Syst. iii. 785 = *D. squarrosus*.

SPHERANTHUS, Hill, Veg. Syst. ii. 113 (1761), sphalm. = *Sphaeranthus*, Vail. (Compos.).

SPHINCTANTHUS, Benth. in Benth. & Hook. f. Gen. ii. 1118 (1876). *ACANTHACEAE*, Benth. & Hook. f. l. c.  
Griffithii, Benth. l. c.; et in Hook. Ic. Pl. t. 1205.—Reg. Himal.

SPHINCTANTHUS, Benth. in Hook. Journ. Bot. iii. (1841) 212. *RUBIACEAE*, Benth. & Hook. f. ii. 84.  
CONOSIPHON, Poepp. & Endl. Nov. Gen. et Sp. iii. 27. t. 23 [1842]; Endl. Gen. Suppl. ii. 54 (1842).  
longiflorus, Griseb. in Mem. Am. Acad. N. S. viii. (1862) 503.—Cuba.  
rupestris, Benth. in Hook. Journ. Bot. iii. (1841) 212.—Guian.

SPHINCTEROSTIGMA, Schott, Melet. 20 (1832) = *Philodendron*, Schott (Aroid.).  
bipinnatifidum, Schott, l. c. = *P. bipinnatifidum*.

SPHINCTEROSTOMA, Stschégl. in Bull. Soc. Nat. Mosc. xxxii. (1859) i. 22 = *Andersonia*, R. Br. (Epacrid.).  
axilliflorum, Stschégl. l. c. = *A. colosseae*.  
echinocephalum, Stschégl. l. c. 23 = *A. patricia*.

SPHINCTOLOBIUM, Vog. in Linnaea, xi. (1837) 417 = *Lonchocarpus*, H. B. & K. (Legumin.).  
floribundum, Vog. l. c. 419 = *L. subglaucens*.  
glaucens, Miq. Stirp. Surin. Sel. 19 = *Muelleria moniliformis*.  
nitidum, Vog. in Linnaea, xi. (1837) 419 = *L. nitidus*.  
virgilioides, Vog. l. c. 418 = *L. virgilioides*.

SPHINCTOSTOMA, Benth. ex Benth. & Hook. f. Gen. ii. 772 (1876) = *Marsdenia*, R. Br. (Asclep.).

SPHINGIUM, E. Mey. Comm. Pl. Afr. Austr. 65 (1835) = *Melolobium*, Eckl. & Zeyh. (Legumin.).  
canaliculatum, E. Mey. l. c. 66 = *M. alpinum*.  
canescens, E. Mey. l. c. 67 = *M. canescens*.  
decumbens, E. Mey. l. c. = *M. decumbens*.  
campolobum, E. Mey. l. c. 66 = *M. adenoides*.  
microphyllum, E. Mey. l. c. 67 = *M. microphyllum*.  
spicatum, E. Mey. l. c. 66 = *M. cernuum*.  
velutinum, E. Mey. l. c. 67 = *M. candicans*.  
viscidulum, E. Mey. l. c. 66 = *M. viscidulum*.

SPHONDYLANTHA, Endl. Gen. 1195 (1841) = SPONDYLANTHA, Presl = *Vitis*, Tourn. (Ampel.).

SPHONDYLASTRUM, Reichb. Nom. 169 (1841) = *Myriophyllum*, Ponted. (Halorag.).

SPHONDYLUM, [Tourn.] Adans. Fam. ii. 100 (1763) = *Heracleum*, Linn. (Umbell.).  
alpinum, Scop. ex Steud. Nom. ed. II. ii. 622 = *H. alpinum*.  
asperum, Hoffm. Gen. Umbellif. ed. I. 134 = *H. asperum*.  
austriacum, Scop. Fl. Carn. ed. II. i. 204 = *H. austriacum*.  
Branca, Scop. l. c. = *H. Sphondylium*.  
conforme, Moench, Meth. 83 = *H. flavescens*.  
decipiens, Hoffm. Gen. Umbellif. ed. I. 134 = *H. pyrenaicum*.  
giganteum, Hoffm. l. c. 133 = *H. villosum*.  
gummiferum, Hoffm. l. c. 135 = *H. pubescens*, asperum.  
longifolium, Hoffm. l. c. 134 = *H. Sphondylium*.  
marginatum, Hoffm. l. c. = *H. villosum*.  
Panaces, Gaertn. Fruct. i. 86. t. 21. f. 4 = *H. Panaces*.  
pubescens, Hoffm. Gen. Umbellif. ed. I. 133 = *H. pubescens*.  
speciosum, Hoffm. l. c. 134 = *H. villosum*.  
subvillosum, Hoffm. l. c. 133 = *H. villosum*.  
villosum, Hoffm. l. c. = *H. villosum*.  
vulgare, S. F. Gray, Nat. Arr. Brit. Pl. ii. 520 = *H. Sphondylium*.

SPHONDYLOCOCCA, Willd. ex Schult. Syst. vi. p. lxx. 799 (1820) = *Bergia*, Linn. (Elatin.).  
malabarica, Willd. l. c. 799.—Ind. or.

SPHONDYLOCOCCUM, Schau. in DC. Prod. xi. 640 (1847) = *Callicarpa*, Linn. (Verben.).

SPHRAGIDIA, Thw. in Hook. Kew Journ. vii. (1855) 269. t. 10 = *Cyclostemon*, Blume (Euphorb.).  
zeylanica, Thw. l. c. 270 = *C. macrophyllus*.

SPHYROSPERMUM, Poepp. & Endl. Nov. Gen. et Sp. i. 4. t. 8 (1835). *VACCINIACEAE*, Benth. & Hook. f. ii. 576.  
buxifolium, Poepp. & Endl. l. c.—Peruv.  
cordifolium, Benth. Pl. Hartw. 222 = *Sophoclesia cordifolia*.  
longifolium, Poepp. & Endl. Nov. Gen. et Sp. i. 5.—Peruv.  
majus, Griseb. in Lechl. Berb. Am. Austr. 58, nomen; et Fl. Brit. W. Ind. 143 = *Sophoclesia major*.  
myrtifolium, Hook. Ic. Pl. t. 112.—Peruv.  
Koraimae, Klotzsch, in Linnaea, xxiv. (1851) 36.—Guian.

SPICILLARIA, A. Rich. in Mém. Soc. Hist. Nat. Par. v. (1830) 252 = *Petunga*, DC. (Rubiace.).  
Leschenaultii, A. Rich. l. c. = *P. Roxburghii*.

SPICIVISCUM, Engelm. in Mem. Am. Acad. N. S. iv. (1849) 58 = *Phoradendron*, Nutt. (Loranth.).  
polygynum, Karst. Fl. Columb. i. 73. t. 36 = *P. polygynum*.

SPICULAEA, Lindl. Swan River App. 56 (1839) = *Drakaea*, Lindl. (Orchid.).  
ciliata, Lindl. l. c. = *D. ciliata*.

SPIELMANNIA, Cuss. ex Juss. in Dict. Sc. Nat. lv. 328 (1828) = *Trinia*, Hoffm. (Umbell.).

SPIELMANNIA, Medic. in Act. Acad. Theod. Palat. iii. Phys. (1775) 196. t. 15 = *Oftia*, Adans. (Myopor.).  
africana, Willd. Sp. Pl. iii. 321 = *O. africana*.  
decurrens, Moench, Meth. 479 = *O. africana*.

SPIELMANNIA:—  
desertorum, Eckl. & Zeyh. ex Schau. in DC. Prod. xi. 526 = *Oftia revoluta*.  
jasminum, Medic. in Act. Acad. Theod. Palat. iii. Phys. (1775) 196. t. 15 = *O. africana*.  
revoluta, E. Mey. Comm. Pl. Afr. Austr. 274 = *O. revoluta*.

SPIESIA, Neck. Elem. iii. 13 (1790) = *Astragalus*, Tourn. (Legumin.).

SPIGELIA, Linn. Gen. ed. I. 361 (1737). *LOGANIACEAE*, Benth. & Hook. f. ii. 790.  
ARAPABACA, Adans. Fam. ii. 225 (1763).  
CANALA, Pohl, Pl. Bras. Ic. ii. 62. t. 142 (1831).  
COELOSTYLIS, Torr. & Gray, ex Endl. Nov. Stirp. Dec. 33 (1839).  
HEINZELMANNIA, Neck. Elem. i. 371 (1790).  
MONTIRA, Aubl. Pl. Gui. ii. 637. t. 257 (1775).  
aenea, Lem. Illustr. Hort. (1857) Misc. 52.—Am. centr.  
ambigua, Wright, in Sauv. Fl. Cub. 116.—Cuba.  
Anthelmia, Linn. Sp. Pl. 149.—Am. trop.  
asperifolia, Prog. in Mart. Fl. Bras. vi. i. 260.—Bras.  
Beyrichiana, Cham. & Schlecht. in Linnaea, i. (1826) 203.—Bras.  
Blanchetiana, A. DC. in DC. Prod. ix. 4.—Bras.  
brachystachya, Prog. in Mart. Fl. Bras. vi. i. 261.—Bras.  
Coulteriana, Benth. in Journ. Linn. Soc. i. (1857) 90.—Mexic.  
Flemmingiana, Cham. & Schlecht. in Linnaea, i. (1826) 203.—Bras.  
fruticulosa, Lam. Illustr. i. 474.—Guian.  
gentianoides, Chapm. ex A. DC. in DC. Prod. ix. 5.—Florida.  
glabrata, Mart. Nov. Gen. et Sp. ii. 127. t. 193.—Bras.  
gracilis, A. DC. in DC. Prod. ix. 6 = *spartioides*.  
hamelioides, H. B. & K. Nov. Gen. et Sp. iii. 185 (hamelioides).—N. Granat.  
hedyotideae, A. DC. in DC. Prod. ix. 7.—Mexic.  
Humboldtiana, Cham. & Schlecht. in Linnaea, i. (1826) 200.—Am. trop.  
humilis, Benth. in Hook. Journ. Bot. iii. (1841) 240.—Bras.  
insignis, Prog. in Mart. Fl. Bras. vi. i. 259.—Bras.  
japonica, Siebold, ex Miq. Ann. Mus. Bot. Lugd. Bat. iii. 108 = *Ophiorrhiza japonica*.  
laevigata, Prog. in Mart. Fl. Bras. vi. i. 263.—Bras.  
laurina, Cham. & Schlecht. in Linnaea, i. (1826) 204.—Bras.  
laurina, A. DC. in DC. Prod. ix. 4, partim = *glabrata*.  
linarioides, A. DC. l. c. 6.—Bras.  
Lindheimeri, A. Gray, Syn. Fl. N. Am. ii. i. 108.—Am. bor. occ.  
loganioides, A. DC. in DC. Prod. ix. 4.—Florida.  
longiflora, Mart. & Gal. in Bull. Acad. Brux. xi. i. (1844) 376.—Mexic.  
Lonicera, Mill. Gard. Dict. ed. VIII. n. 2 = *mari-landica*.  
Lundiana, A. DC. in DC. Prod. ix. 3.—Bras.  
macrophylla, A. DC. l. c. 8.—Bras.  
marilandica, Linn. Syst. ed. XII. 734.—Am. bor.  
Martiana, Cham. in Linnaea, viii. (1833) 15.—Bras.  
mexicana, A. DC. in DC. Prod. ix. 7.—Mexic.  
multispica, Steud. in Flora, xxvi. (1843) 764 = *S. Anthelmia*.  
nervosa, Steud. l. c. = *S. Anthelmia*.  
Olfersiana, Cham. & Schlecht. in Linnaea, i. (1826) 206.—Bras.  
oppositifolia, Stokes, Bot. Mat. Med. i. 307 = *S. Anthelmia*.  
pauciflora, A. DC. in DC. Prod. ix. 7 = *pusilla*.  
pauciflora, Mart. & Gal. in Bull. Acad. Brux. xi. i. (1844) 376.—Mexic.  
peduncularis, D. Dietr. Syn. Pl. i. 681 = *pedunculata*.  
pedunculata, H. B. & K. Nov. Gen. et Sp. iii. 185.—N. Granat.  
platyphylla, Prog. in Mart. Fl. Bras. vi. i. 256 = *splendens*.  
polita, Prog. l. c. 259.—Bras.  
polystachya, Klotzsch, in Schomb. Faun. Fl. Brit. Gui. 1082, nomen; et ex Prog. l. c. 265.—Guian.  
pulchella, Mart. Nov. Gen. et Sp. ii. 128. t. 194.—Bras.

**SPIGELIA** :—

- pulverulenta*, Mart. Nov. Gen. et Sp. ii. 126. t. 192 = Olfersiana.  
*pusilla*, Mart. l. c. 130.—Bras.  
*quadrifolia*, Stokes, Bot. Mat. Med. i. 307 = marilandica.  
*rubiaefolia*, A. DC. in DC. Prod. ix. 8 = Schlechtendaliana.  
*scabra*, Cham. & Schlecht. in Linnaea, i. (1826) 202.—Bras.  
*scabrella*, Benth. Pl. Hartw. 45.—Mexic.  
*Schlechtendaliana*, Mart. Nov. Gen. et Sp. ii. 129.—Bras.  
*Schomburgkiana*, Benth. in Hook. Journ. Bot. iii. (1841) 240 = Humboldtiana.  
*Schomburgkiana*, A. DC. in DC. Prod. ix. 8 = Flemmingiana.  
*Selloi*, Spreng. Syst. iv. Cur. Post. 59 = seq.  
*Sellowiana*, Cham. & Schlecht. in Linnaea, i. (1826) 205.—Bras.  
*spartioides*, Cham. in Linnaea, viii. (1833) 14.—Bras.  
*spartioides*, Griseb. ex Wright, in Sauv. Fl. Cub. 117 = sphagnicola.  
*speciosa*, H. B. & K. Nov. Gen. et Sp. iii. 186. t. 224.—Mexic.  
*sphagnicola*, Wright, in Sauv. Fl. Cub. 116.—Cuba.  
*sphagnicola*, Wright, l. c. 74, err. typ. = praec.  
*splendens*, Hort. Wendl. ex Hook. Bot. Mag. t. 5268.—Mexic. ; Guatemala.  
*stenophylla*, Prog. in Mart. Fl. Bras. vi. i. 260.—Bras.  
*stipularis*, Prog. l. c. 262.—Bras.  
*texana*, A. DC. in DC. Prod. ix. 5.—Texas.

**SPIILACRON**, Cass. in Dict. Sc. Nat. l. 238 (1827) = *Centaurea*, Linn. (Compos.).  
*crupinoides*, Cass. l. c. 239 = *C. arenaria*.

**SPIILANTHES**, Jacq. Enum. Pl. Carib. 8 (1760).

- COMPOSITAE*, Benth. & Hook. f. ii. 380.  
*ACMELLA*, Rich. in Pers. Syn. ii. 472 (1807).  
*ATHRONIA*, Neck. Elem. i. 32 (1790).  
*CERUCHIS*, Gaertn. ex Schreb. Gen. 543 (1791).  
*MENDEZIA*, DC. Prod. v. 532 (1836).  
*PYRETHRUM*, Medic. in Act. Acad. Theod. Palat. iii. Phys. (1775) 237. t. 18.  
*SPIILANTHUS*, Linn. Mant. ii. 475 (1771).  
*abyssinica*, Sch. Bip. ex Hochst. in Flora, xxiv. (1841) i. Intell. 26, nomen; et A. Rich. Tent. Fl. Abyss. i. 415 = *S. Acmeila*.  
*Acmeila*, Murr. Syst. ed. XIII. 610.—Cosmop. trop. et subtrop.  
*affinis*, Hook. & Arn. in Hook. Journ. Bot. iii. (1841) 317 = *arnicoides*.  
*africana*, DC. Prod. v. 623 = *S. Acmeila*.  
*alba*, L'Hérit. Stirp. Nov. 7. t. 4.—Peruv.  
*alpestris*, Griseb. in Goett. Abh. xix. (1874) 185.—Reg. Argent.  
*anactina*, F. Muell. Fragm. v. 63.—Borneo; Austral.  
*arborescens*, Forst. f. in Comm. Gotting. ix. 1787–88 (1789) 66 = *Petrobium arborescens*.  
*arnicoides*, DC. Prod. v. 620.—Bras.  
*Arrayana*, Gardn. in Hook. Lond. Journ. Bot. vii. (1848) 408 = *S. Acmeila*.  
*atriplicifolia*, Houtt. Handleid. x. 536; Miq. Fl. Ind. Bat. ii. 37 = *Dichrocephala latifolia*.  
*atriplicifolia*, Linn. Syst. ed. XII. iii. 236 = *Isocarpha atriplicifolia*.  
*Beccabunga*, DC. Prod. v. 622.—Mexic.  
*bicolor*, Benth. & Hook. f. ex Hemsl. Biol. Centr. Am. Bot. ii. 192.—Mexic.  
*blepharicarpa*, DC. Prod. v. 621 = *arnicoides*.  
*brasiliensis*, Spreng. Syst. iii. 444 = *S. Acmeila*.  
*caespitosa*, DC. Prod. v. 622.—Bras.  
*calva*, DC. in Wight, Contrib. 19 = *S. Acmeila*.  
*caulirhiza*, DC. Prod. v. 623 = *S. Acmeila*.  
*ciliata*, H. B. & K. Nov. Gen. et Sp. iv. 208.—Am. austr.  
*commutata*, C. Koch, in Ind. Sem. Hort. Berol. (1855) App. 14.—Am. bor.  
*costata*, Benth. in Hook. Niger Fl. 436 = *S. Acmeila*.  
*crocata*, Sims, Bot. Mag. t. 1627 = *Verbesina crocata*.  
*debilis*, H. B. & K. Nov. Gen. et Sp. iv. 210 = *S. Acmeila*.  
*diffusa*, Hook. f. in Trans. Linn. Soc. xx. (1847) 214.—Ins. Galapag.  
*diffusa*, Poepp. & Endl. Nov. Gen. et Sp. iii. 50.—Peruv.

**SPIILANTHES** :—

- doronicoides*, DC. Prod. v. 620 = *arnicoides*.  
*ecliptoides*, Gardn. in Hook. Lond. Journ. Bot. vii. (1848) 407 = *Jaegeria hirta*.  
*exasperata*, Jacq. Ic. Pl. Rar. iii. 15. t. 584.—Venezuela.  
*fimbriata*, H. B. & K. Nov. Gen. et Sp. iv. 208.—N. Granat.  
*fusca*, Hort. Par. ex Lam. Encyc. i. 416 = *S. Acmeila*.  
*grandiflora*, Turcz. in Bull. Soc. Nat. Mosc. xxiv. (1851) i. 185 = *S. Acmeila*.  
*grandifolia*, Miq. Fl. Ind. Bat. ii. 80.—Java.  
*grandis*, DC. Prod. v. 622 = *arnicoides*.  
*helenioides*, Hook. & Arn. in Hook. Journ. Bot. iii. (1841) 317 = *arnicoides*.  
*hirta*, Steud. Nom. ed. II. ii. 622.—Am. austr.  
*insipida*, Jacq. Enum. Pl. Carib. 28; Select. Am. 215. t. 126. f. 2.—Cuba.  
*intermedia*, DC. Prod. v. 624.—Am.  
*javanica*, Sch. Bip. in Zoll. Syst. Verz. Ind. Archip. 123, nomen.—Malaya.  
*Karvinskiana*, DC. Prod. v. 623.—Mexic.  
*leiocarpa*, DC. l. c. 626.—Peruv.  
*leptophylla*, DC. l. c. 621 = *arnicoides*.  
*leucantha*, H. B. & K. Nov. Gen. et Sp. iv. 210.—Ecuador.  
*lobata*, Blanco, Fl. Filip. ed. I. 622 = *S. Acmeila*.  
*longifolia*, DC. Prod. v. 621 = *arnicoides*.  
*Lundii*, DC. l. c. 622 = *S. Acmeila*.  
*Macraei*, Hook. & Arn. in Hook. Journ. Bot. iii. (1841) 317.—Chili.  
*macroglossa*, F. Muell. Fragm. v. 63 = *S. Acmeila*.  
*macropoda*, DC. Prod. v. 621 = *arnicoides*.  
*macropoda*, Turcz. in Bull. Soc. Nat. Mosc. xxiv. (1851) ii. 71.—Venezuela.  
*Mandonii*, Sch. Bip. in Linnaea, xxxiv. (1865–66) 529.—Bolivia.  
*Mariannae*, DC. Prod. v. 623 = *S. Acmeila*.  
*mauritianica*, DC. l. c. 625 = *S. Acmeila*.  
*melampodioides*, Gardn. in Hook. Lond. Journ. Bot. vii. (1848) 407 = *S. Acmeila*.  
*melissaeifolia*, Salisb. Prod. 186 = *S. Acmeila*.  
*multiflora*, Otto, ex Sweet, Hort. Brit. ed. II. 306, nomen (Quid ?)—Hab. ?  
*Mutisii*, H. B. & K. Nov. Gen. et Sp. iv. 209.—Am. austr.  
*nitida*, La Llave, in La Llave & Lex. Nov. Veg. Desc. fasc. i. 28.—Mexic.  
*Nuttallii*, Torr. & Gray, Fl. N. Am. ii. 356 = *repens*.  
*oleracea*, Linn. Syst. ed. XII. 534 = *S. Acmeila*.  
*paniculata*, Wall. Cat. n. 3186 = *S. Acmeila*.  
*papposa*, Hemsl. Biol. Centr. Am. Bot. ii. 193.—Mexic.  
*parvifolia*, Benth. ex Oerst. in Kjoeb. Vidensk. Meddel. (1852) 100.—Costa Rica.  
*peregrina*, Blanco, Fl. Filip. ed. I. 622 = *S. Acmeila*.  
*Poeppigii*, DC. Prod. v. 622.—Chili.  
*portoricensis*, Spreng. Syst. iii. 444.—Porto Rico.  
*Pseudo-acmeila*, Hook. & Arn. Bot. Beech. Voy. 150 = *Perityle microglossa*.  
*Pseudo-acmeila*, Murr. Syst. ed. XIII. 610 = *S. Acmeila*.  
*Pseudo-gummifera*, Forst. f. ex DC. Prod. v. 502 = *Petrobium arborescens*.  
*pusilla*, Hook. & Arn. in Hook. Journ. Bot. iii. (1841) 317 = *stolonifera*.  
*radicans*, Jacq. Coll. iii. 229 = *exasperata*.  
*radicans*, Schrad. Cat. Hort. Gotting. (1831) 5; ex Prod. v. 624.—Hab. ?  
*ramosa*, Hemsl. Biol. Centr. Am. Bot. ii. 193.—Mexic.  
*repens*, Hort. Par. & Berol. ex C. Koch, Ind. Sem. Hort. Berol. (1855) App. 14 = *commutata*.  
*repens*, Michx. Fl. Bor. Am. ii. 131.—Am. bor.  
*repens*, Spreng. ex DC. Prod. v. 625 = *urens*.  
*rhombifolia*, Zipp. ex Span. in Linnaea, xv. (1841) 323, nomen.—Ins. Timor.  
*rugosa*, Blume, ex DC. Prod. v. 625.—Java.  
*salivaria*, Murr. in Comm. Gotting. vi. (1785) 3. t. 1 = *alba*.  
*Salzmanni*, DC. Prod. v. 623 = *S. Acmeila*.  
*sessilifolia*, Hemsl. Biol. Centr. Am. Bot. ii. 193 = *Jaegeria hirta*.  
*sessilis*, Poepp. & Endl. Nov. Gen. et Sp. iii. 50.—Peruv.  
*sphaerocephala*, DC. Prod. v. 621 = *arnicoides*.  
*stenophylla*, Hook. & Arn. in Hook. Journ. Bot. iii. (1841) 317 = *arnicoides*.

**SPIILANTHES** :—

- stolonifera*, DC. Prod. v. 621.—Bras.  
*subhirsuta*, DC. l. c. 622.—Mexic.  
*tenella*, H. B. & K. Nov. Gen. et Sp. iv. 211 = *S. Acmeila*.  
*tetrandra*, Roxb. in Beats. Tracts St. Helena, App. 325 = *Petrobium arborescens*.  
*tinctoria*, Lour. Fl. Cochinch. 484 = *Adenostemma viscosum*.  
*uliginosa*, Sw. Prod. Veg. Ind. Occ. 110 = *S. Acmeila*.  
*urens*, Jacq. Enum. Pl. Carib. 28; Select. Am. 214. t. 126. f. 1.—Am. trop.  
*wedelioides*, Hook. & Arn. in Hook. Journ. Bot. iii. (1841) 318 = *Eclipta elliptica*.

**SPIILANTHUS**, Linn. Mant. ii. 475 (1771) = *praec.*

**SPILOCARPUS**, Lem. Jard. Fleur. iv. (1854) Misc. 79. *BORAGINEAE*.  
*gracilis*, Lem. l. c.—Cuba.

**SPILOXENE**, Salisb. Gen. Pl. Fragm. 44 (1866) = *Hypoxis*, Linn. (Amaryll.).  
*pavonina*, Salisb. l. c. = *H. stellata*.  
*stellata*, Salisb. l. c. = *H. stellata*.

**SPINACEA**, Schur, Enum. Pl. Transs. 574 (1866) = *seq.*

**SPINACHIA**, Hill, Hort. Kew. 421 (1768) = *seq.*

**SPINACIA**, [Tourn.] Linn. Syst. ed. I (1735).  
*CHENOPODIACEAE*, Benth. & Hook. f. iii. 53.  
*divaricata*, Turcz. ex Steud. Nom. ed. II. ii. 623, nomen = *Atriplex lenticularis*.  
*domestica*, Borkh. in Rhein. Mag. i. (1793) 481 = *oleracea*.  
*fera*, Linn. Sp. Pl. ed. II. 1493 = *Atriplex lenticularis*.  
*fera*, Pall. Reise, i. 496 = *Atriplex rosea*.  
*glabra*, Mill. Gard. Dict. ed. VIII. n. 2 = *oleracea*.  
*inermis*, Moench, Meth. 318 = *oleracea*.  
*littoralis*, Jacq. Enum. Pl. Carib. 33 (Quid ?)—Ind. occ.  
*minor*, C. Koch, in Linnaea, xvii. (1848) 311 = *tetrandra*.  
*oleracea*, Linn. Sp. Pl. 1027.—Ubique cult.  
*sessiliflora*, Stokes, Bot. Mat. Med. iv. 537 = *oleracea*.  
*spinosa*, Moench, Meth. 318 = *oleracea*.  
*tetrandra*, Roxb. Hort. Peng. 72; Fl. Ind. iii. 771 = *oleracea*.  
*tetrandra*, Steud. ex Bieb. Fl. Taur. Cauc. ii. 417.—Reg. Cauc.

**SPINGULA**, Noronha, in Verh. Batav. Gen. v. (1790) ed. I. Art. iv. 4 (Quid ?).

**SPINIFEX**, Linn. Mant. ii. 163 (1771). *GRAMINEAE*, Benth. & Hook. f. iii. 1109.  
*IXALUM*, Forst. f. Prod. 92 (1786).  
*alterniflorus*, Nees, in Lehm. Pl. Preiss. ii. 96 = *longifolius*.  
*dealbatus*, Nees & Meyen, ex Steud. Nom. ed. II. ii. 623, nomen.—China.  
*elegans*, Buesse, in De Vriese, Pl. Ind. Bat. Or. 113.—Ins. Sundaic.  
*fragilis*, R. Br. Prod. 198.—*longifolius*.  
*hirsutus*, Labill. Nov. Holl. Pl. ii. 81. tt. 230, 231.—Austral.; Ins. Pacif.  
*inermis*, Banks & Soland. ex Hook. f. Fl. N. Zel. i. 292 = *hirsutus*.  
*longifolius*, R. Br. Prod. 198.—Austral.  
*paradoxus*, Benth. in Hook. Ic. Pl. tt. 1243, 1244.—Austral.  
*sericeus*, R. Br. Prod. 198 = *hirsutus*.  
*squarrosus*, Linn. Mant. ii. 300.—Ind. or.

**SPINOVITIS**, Romanet, in Compt. Rend. Par. xcii. (1881) 1096 = *Vitis*, Tourn. (Ampel.).  
*Davidi*, Romanet, l. c. = *V. Labrusca*.

**SPIRACANTHA**, H. B. & K. Nov. Gen. et Sp. iv. 28. t. 313 (1820). *COMPOSITAE*, Benth. & Hook. f. ii. 237.  
*cornifera*, Steud. Nom. ed. II. ii. 623, sphalm. = *seq.*  
*cornifolia*, H. B. & K. Nov. Gen. et Sp. iv. 29.—N. Granat.  
*denticulata*, Ernst, in Flora, lvii. (1874) 213.—Venezuela.



**SPIRADICLIS**, Blume, Bijdr. 975 (1876). *RUBIACEAE*, Benth. & Hook. f. ii. 62.  
*PLEOTHECA*, Wall. Cat. n. 6215 (1831 ?).  
*bifida*, Kurz, in Journ. As. Soc. Beng. xli. (1872) 11. 310.—Reg. Himal.  
*caespitosa*, Blume, Bijdr. 975.—Burma; Java.  
*cylindrica*, Benth. & Hook. f. Gen. ii. 62.—Reg. Himal.

**SPIRAEA**, Linn. Syst. ed. I (1735). *ROSACEAE*, Benth. & Hook. f. i. 611.  
*ALIPENDULA*, Neck. Elem. ii. 89 (1790).  
*ARUNCUS*, Linn. Gen. ed. I. 310 (1737).  
*AWAYUS*, Rafin. Sylva Tellur. 151 (1838).  
*BASILIMA*, Rafin. New Fl. Am. iii. 75 (1836); Sylva Tellur. 152 (1838).  
*CHAMAEBATIARIA*, Maxim. in Act. Hort. Petrop. vi. (1879) 225.  
*DRYMOPOGON*, Rupp. Fl. Jen. ed. Hall. 124 (1745).  
*ELEIOSINA*, Rafin. Sylva Tellur. 150 (1838).  
*ERIOGNIA*, Hook. Fl. Bor. Am. i. 255. t. 88 (1833).  
*FILIPENDULA*, Tourn. ex Linn. Gen. ed. I. 145 (1737).  
*HOLODISCUS*, Maxim. in Act. Hort. Petrop. vi. (1879) 253.  
*LUETKEA*, Bong. in Mém. Acad. Pétersb. Sér. VI. ii. (1833) 130. t. 2.  
*SCHIZONOTUS*, Lindl. ex Wall. Cat. n. 703 (1830).  
*SERICOTHECA*, Rafin. Sylva Tellur. 152 (1838).  
*SIBIRAEA*, Maxim. in Act. Hort. Petrop. vi. (1879) 116, in obs.  
*SORBARIA*, A. Br. ex Aschers. Fl. Brandenb. 177 (1864).  
*THECANISIA*, Rafin. New Fl. Am. ii. 38 (1836); Sylva Tellur. 152 (1838).  
*ULMARIA*, [Tourn.] Hill, Hort. Kew. 213 (1768).  
*acutifolia*, Willd. Enum. Hort. Berol. 540 = hypericifolia.  
*adiantifolia*, Hort. ex W. Baxt. in Loud. Hort. Brit. Suppl. iii. 642 = vacciniifolia.  
*alba*, Du Roi, Harbk. Baumz. ii. 430 = salicifolia.  
*alpestris*, G. Don, Gen. Syst. ii. 519.—Sibir.  
*alpina*, Pall. Fl. Ross. i. 1. 35, 78.—Sibir.  
*altaica*, Pall. Reise, ii. 739 = laevigata.  
*altaiensis*, Laxm. in Nov. Comm. Acad. Petrop. xv. (1771) 554. t. 29. f. 2 = laevigata.  
*ambigua*, Pall. Fl. Ross. i. 1. 36, in obs. = hypericifolia.  
*amena*, Rafin. New Fl. Am. iii. 65 = salicifolia.  
*americana*, Steud. Nom. ed. I. 805 = S. Aruncus.  
*amoena*, Spae, in C. Morr. Ann. Soc. Bot. Gand, ii. (1846) 281. t. 72 = bella.  
*amurensis*, Maxim. Prim. Fl. Amur. 90 (= *Physocarpa amurensis*).—Manchuria.  
*angustifolia*, Mill. Gard. Dict. ed. VIII. n. 9 = S. Filipendula.  
*angustifolia*, Otto & Dietr. Allg. Gartenz. xiii. (1845) 249.—Hab.?  
*angustiloba*, Turcz. ex Fisch. Mey. & Avé-Lall. Ind. Sem. Hort. Petrop. viii. 71 = lobata.  
*aquilegifolia*, Pall. Reise, iii. 734 = hypericifolia.  
*arctica*, Hort. ex Lavall. Enum. Arb. Segrez. 80 = dasyantha.  
*arcuata*, Hook. f. Fl. Brit. Ind. ii. 325.—Reg. Himal.  
*argentea*, W. Baxt. ex Loud. Hort. Brit. Suppl. ii. 674 = nutans.  
*argentea*, Benth. Pl. Hartw. 82 = discolor.  
*argentea*, C. Koch, Dendrol. i. 328 = media.  
*argentea*, Linn. f. Suppl. 261.—N. Granat.  
*argunensis*, Ledeb. Fl. Ross. ii. 18 = palmata, Pall.  
*arguta*, Hoffmgg. Verz. Pfl. 114 = salicifolia.  
*arguta* ×, Zabel, in Wittm. Garten-Zeit. iii. (1884) 494.  
*ariaefolia*, Sm. in Rees, Cycl. xxxiii. n. 16 = discolor.  
*Aruncus*, Linn. Sp. Pl. 490.—Reg. bor. temp.  
*Aruncus*, Thunb. Fl. Jap. 211 = Astilbe japonica.  
*astilboides*, T. Moore, in Gard. Chron. (1880) II. 114; Carr. in Rev. Hort. (1884) 432 = S. Aruncus.  
*banatica*, Janka, ex Just, Jahresb. iv. 1061 = ulmifolia.  
*barbata*, Wall. Cat. n. 705 = Astilbe rivularis.  
*belgica*, Dum. Fl. Belg. Prod. 98.—Belgium.  
*bella*, Sims, Bot. Mag. t. 2426.—Reg. Himal.  
*Besseriana*, Sweet. Hort. Brit. ed. II. 194.—Podolia.  
*bethlehemensis*, Hort. ex C. Koch, Dendrol. i. 313 = salicifolia.  
*betulaefolia*, Wats. Dendrol. Brit. i. t. 67 = corymbosa.  
*betulifolia*, Pall. Fl. Ross. i. 1. 33. t. 16.—As. et Am. bor.  
*Billardii*, Hort. ex C. Koch, Dendrol. i. 312 = salicifolia.

**SPIRAEA** :—  
*blanda* ×, Zabel, in Wittm. Garten-Zeit. iii. (1884) 496.  
*Blumei*, G. Don, Gen. Syst. ii. 518.—Japon.  
*Boursierii*, Carr. in Rev. Hort. (1859) 520. f. 108.—Calif.  
*brachybotrys*, Lange, in Bot. Tidsskr. xiii. (1882) 26 = canescens.  
*bracteata*, Rafin. New Fl. Am. iii. 67.—Sibir.  
*bracteata* ×, Zabel, in Wittm. Garten-Zeit. iii. (1884) 496.  
*brahuica*, Boiss. Fl. Orient. ii. 690.—Ind. bor. occ.; Beluchist.  
*brumalis*, Lange, in Bot. Tidsskr. xiii. (1882) 28. (an hybr. ?)—Hab.?  
*bullata*, Maxim. in Act. Hort. Petrop. vi. (1879) 204.—Japon.  
*caerulescens*, Poir. Encyc. vii. 350 = cantoniensis?  
*caespitosa*, Nutt. in Torr. & Gray, Fl. N. Am. i. 418.—Am. bor. occ.  
*californica*, Torr. in Emory, Notes Mil. Reconnois. 140 = Vauquelinia Torreyi.  
*callosa*, Thunb. Fl. Jap. 209 = japonica.  
*callosa*, Wall. Cat. n. 707 = bella.  
*camtschatica*, Pall. Fl. Ross. i. 1. 41.—Kamtschat.; Ins. Aleut.  
*cana*, Walldst. & Kit. Pl. Rar. Hung. iii. 252. t. 227.—Europ. austr.  
*canadensis*, Fisch. ex Steud. Nom. ed. I. 805, nomen (Quid ?)—Am. bor.?  
*canescens*, D. Don, Prod. Fl. Nep. 227.—Reg. Himal.  
*cantonensis*, Lour. Fl. Cochinch. 322.—China.  
*capitata*, Pursh, Fl. Am. Sept. i. 342 = Neillia opulifolia.  
*carnea*, Steud. Nom. ed. I. 805 = salicifolia.  
*caroliniana*, Marsh. Arbust. 146 = Neillia opulifolia.  
*carpinifolia*, Willd. Enum. Hort. Berol. 540 = salicifolia.  
*ceanothifolia*, Hornem. Hort. Hafn. ii. 466 = corymbosa.  
*chamaedrifolia*, Blume, Bijdr. 1114 = Blumei.  
*chamaedrifolia*, Cambess. in Ann. Sc. Nat. Sér. I. i. (1824) 362 = media.  
*chamaedrifolia*, Hook. f. & Thoms. ex Hook. f. Fl. Brit. Ind. ii. 326 = gracilis.  
*chamaedrifolia*, Jacq. Hort. Vindob. ii. 66. t. 140 = ulmifolia.  
*chamaedrifolia*, Thunb. Fl. Jap. 210 = cantoniensis.  
*chamaedryfolia*, Cham. & Schlecht. in Linnaea, ii. (1827) 2 = betulifolia.  
*chamaedryfolia*, Linn. Sp. Pl. 489.—Europ. or.; As. bor.  
*chinensis*, Maxim. in Act. Hort. Petrop. vi. (1879) 193 = dasyantha.  
*ciliata*, Rafin. New Fl. Am. iii. 66 = salicifolia.  
*cinerea* ×, Zabel, in Wittm. Garten-Zeit. iii. (1884) 494.  
*coerulescens*, Auct. = *caerulescens*.  
*conferta* ×, Zabel, in Wittm. Garten-Zeit. iii. (1884) 495.  
*confusa*, Regel & Koern. Ind. Sem. Hort. Petrop. (1857) 57 = media.  
*contorta*, Stokes, Bot. Mat. Med. iii. 129 = S. Ulmaria.  
*coristantha* ×, Schreb. in Gard. Chron. (1882) II. 108.  
*corymbosa*, Rafin. Préc. Découv. 36.—Am. bor.  
*corymbosa*, Roxb. Hort. Beng. 38; Fl. Ind. ii. 512 = cantoniensis.  
*crataegifolia*, Link, Enum. Hort. Berol. ii. 40 = corymbosa.  
*crenata*, Bess. ex DC. Prod. ii. 543 = Besseriana.  
*crenata*, Cav. Desc. 503 = flabellata.  
*crenata*, Linn. Sp. Pl. 489.—Europ. or.; As. bor.  
*crenata*, Muhl. Cat. 51 = salicifolia.  
*crenata*, Pall. ex Bieb. Fl. Taur. Cauc. i. 392 = hypericifolia.  
*crenata*, Thunb. Fl. Jap. 210 = Thunbergii.  
*crenifolia*, C. A. Mey. in Beitr. Pfl. Russ. Reich. vi. 43.—Rossia.  
*cuneifolia*, Borkh. Handb. Forstbot. ii. 1455 = salicifolia.  
*cuneifolia*, Rafin. New Fl. Am. iii. 67 = Douglasii?  
*cuneifolia*, Wall. Cat. n. 699 = canescens.  
*cuneifolia*, Wender. ex Steud. Nom. ed. II. ii. 624, nomen (Quid ?)—Hab.?  
*cuspidata*, Hoffmgg. Verz. Pfl. 114, nomen.—Hab.?  
*dahurica*, Maxim. in Act. Hort. Petrop. vi. (1879) 190.—As. bor.  
*dasyantha*, Bunge, in Mém. Sav. Etr. Pétersb. ii. (1835) 97.—China.

**SPIRAEA** :—  
*daurica*, Hort. Angl. ex Steud. Nom. ed. II. ii. 624, nomen (Quid ?)—Dahuria.  
*daurica*, Rafin. New Fl. Am. iii. 69 = chamaedryfolia.  
*decumbens*, Koch, in Sturm, Deutschl. Fl. Heft 62.—Austria.  
*denticulata*, Rafin. New Fl. Am. iii. 71 = crenata.  
*denudata*, J. & C. Presl, Fl. Čech. 101 = S. Ulmaria.  
*digitata*, Willd. Sp. Pl. ii. 1061 = palmata, Pall.  
*discolor*, Pursh, Fl. Am. Sept. i. 342.—Am. bor.  
*Douglasii*, Hook. Fl. Bor. Am. i. 172.—Am. bor. occ.  
*dubia*, Steud. Nom. ed. II. ii. 624.—Sibir.  
*dumosa*, Nutt. ex Hook. Lond. Journ. Bot. vi. (1847) 217 = discolor.  
*elliptica*, Hort. ex C. Koch, Dendrol. i. 333 = canescens.  
*eximia*, Hort. ex Regel, Ind. Sem. Hort. Petrop. (1866) 106 = salicifolia.  
*expansa*, Wall. Cat. n. 702 = bella.  
*fastigiata*, Wall. l. c. n. 708 = bella.  
*ferruginea*, Rafin. New Fl. Am. iii. 63 = tomentosa.  
*Filipendula*, Linn. Sp. Pl. 490.—Europ.; As. bor.  
*filipendulina*, Hort. ex Vilm. Fl. Pl. Terre, ed. III. 1091 = S. Filipendula.  
*fissa*, Lindl. Bot. Reg. (1840) Misc. 73 = discolor.  
*flabellata*, Bertol. ex Guss. Pl. Rar. 205.—Ital.  
*flexuosa*, Fisch. ex Cambess. in Ann. Sc. Nat. Sér. I. i. (1824) 365 (err. typ. 265) = chamaedryfolia.  
*flexuosa*, Rafin. New Fl. Am. iii. 64 = salicifolia.  
*flexuosa*, Reichb. Fl. Germ. Excurs. 627 = decumbens.  
*floribunda*, Hort. ex C. Koch, Dendrol. i. 306 = sorbifolia.  
*foliosa*, Poir. Encyc. vii. 353 = media.  
*Fortunei*, Planch. in Fl. des Serres, ix. (1853-54) 35. t. 871 = japonica.  
*Foxii*, Hort. ex C. Koch, Dendrol. i. 329 = japonica.  
*Gieseleriana* ×, Zabel, in Wittm. Garten-Zeit. iii. (1884) 495.  
*glabrata*, Lange, in Bot. Tidsskr. xiii. (1882) 29 = japonica?  
*glauca*, Schultz, Prod. Fl. Starg. Suppl. i. 26 = S. Ulmaria.  
*glauca*, Wall. Cat. sub n. 707 = bella.  
*glomerata*, Rafin. New Fl. Am. iii. 63 = tomentosa.  
*gracilis*, Maxim. in Act. Hort. Petrop. vi. (1879) 200.—Reg. Himal.  
*grandiflora*, Hook. Bot. Mag. t. 4795 = Exochorda grandiflora.  
*grandiflora*, Hort. ex C. Koch, Dendrol. i. 333 = canescens.  
*grandiflora*, Sweet, Hort. Brit. ed. II. 194; Lodd. Bot. Cab. t. 1988 = salicifolia.  
*Hacquetii*, Fenzl, ex C. Koch, in Regel, Gartenfl. (1854) 400 = lancifolia.  
*heterophylla*, Rafin. New Fl. Am. iii. 65 = salicifolia.  
*Hookeri*, Hort. ex C. Koch, Dendrol. i. 332 = bella.  
*Hookeriana*, Rafin. New Fl. Am. iii. 73 = salicifolia.  
*Humanni*, Hort. ex C. Koch, Dendrol. i. 325 = cantoniensis.  
*Humboldtii*, Hort.—Cf. Gard. Chron. (1884) I. 827.—Hab.?  
*Humboldtii*, Spae, in C. Morr. Ann. Soc. Bot. Gand, ii. (1846) 311.—Hab.?  
*hydrangeaefolia*, Hort.—Cf. Gard. Chron. (1877) I. 245 = splendens.  
*hypericifolia*, Bieb. Fl. Taur. Cauc. i. 392 = crenata.  
*hypericifolia*, Linn. Sp. Pl. 489; DC. Fl. Fr. Suppl. 645.—Rossia; As. temp.  
*hypericifolia*, Marsh. Arbust. 146 = salicifolia.  
*incarnata*, Hort. ex C. Koch, Dendrol. i. 311 = salicifolia.  
*incisa*, Hort. ex Reichb. Fl. Germ. Excurs. 627; et in Rev. Hort. (1875) 160 = chamaedryfolia.  
*incisa*, Thunb. Fl. Jap. 213 = Stephanandra flexuosa.  
*indica*, Hort. ex C. Koch, Dendrol. i. 333 = canescens.  
*inflexa*, Hort. ex C. Koch, in Regel, Gartenfl. (1854) 405.—Hab.?  
*integrifolia*, Pall. Reise, iii. 317 = laevigata.  
*italica*, Rafin. New Fl. Am. iii. 72 = hypericifolia?  
*japonica*, Cambess. in Ann. Sc. Nat. Sér. I. i. (1824) 389 = Kerria japonica.  
*japonica*, Linn. f. Suppl. 262.—Reg. Himal.; China; Japon.  
*japonica*, Makoy, Cat. (1836) 36; ex Otto & Dietr. Allg. Gartenz. v. (1837) 211 = Astilbe japonica.

## SPIRAEA:—

- japonica*, Rafin. New Fl. Am. iii. 71 = Thunbergii.  
*japonica*, Siebold, ex Blume, Bijdr. 1114 = cantoniensis.  
*kamaonensis*, Hort. ex C. Koch, Dendrol. i. 331 = bella.  
*kamtschatica*, Auct. = camtschatica.  
*kamtschatica*, Wall. Cat. n. 704 = vestita.  
*Kirilowii*, Regel & Tiling, in Nouv. Mém. Soc. Nat. Mosc. xi. (1859) 81 = sorbifolia.  
*laciniata*, Rafin. New Fl. Am. iii. 71, in obs. = crenata.  
*laevigata*, Linn. Mant. ii. 244. —Sibir.  
*lanata*, Hort. ex C. Koch, Dendrol. i. 333 = canescens.  
*lanceolata*, Boreck. Handl. Forstbot. ii. 1457 = salicifolia.  
*lanceolata*, Comm. ex Poir. Encyc. vii. 354 = cantoniensis.  
*lancifolia*, Hoffmgg. Preisverz. Pfl. viii. (1825) Nachtr. 44; ex Walp. Rep. ii. 50. —Europ.  
*lasiocarpa*, Kar. & Kir. in Bull. Soc. Nat. Mosc. xv. (1842) 536 = crenifolia.  
*latifolia*, Boreck. Handb. Forstbot. ii. 1871 = salicifolia.  
*laxiflora*, Lindl. Bot. Reg. (1839) Misc. 60 = vacciniifolia.  
*leucantha*, Lange, in Bot. Tidsskr. xiii. (1882) 30, adnot. = japonica?  
*Lindleyana*, Wall. Cat. n. 703 = sorbifolia.  
*lobata*, Jacq. Hort. Vindob. i. 38. —Am. bor.  
*longigemmis*, Maxim. in Act. Hort. Petrop. vi. (1879) 205. —China.  
*lucida*, Dougl. ex Hook. Fl. Bor. Am. i. 172 = betulifolia.  
*magellanica*, Poir. Encyc. vii. 350 (sp. dub.). —Reg. Magellan.  
*media*, Pursh, Fl. Am. Sept. i. 342 = chamaedryfolia.  
*media*, F. Schmidt, Oestr. Baumz. i. 53. t. 54. —As. bor.  
*Menziesii*, Hook. Fl. Bor. Am. i. 173 = Douglasii.  
*mexicana*, Schiede, in Regel, Ind. Sem. Hort. Petrop. (1857) 58. —Mexic.  
*micrantha*, Hook. f. Fl. Brit. Ind. ii. 325. —Reg. Himal.  
*micropetala* ×, Zabel, in Wittm. Garten-Zeit. iii. (1884) 495.  
*Millefolium*, Torr. in Pacif. Rail. Rep. iv. 83. t. 5. —Calif.  
*mollis*, C. Koch & Bouché, in Regel, Gartenfl. (1854) 404. —Sibir.  
*mongolica*, Maxim. in Bull. Acad. Pétersb. xxvii. (1881) 467. —China.  
*monogyna*, Torr. in Ann. Lyc. N. York, ii. (1828) 194 = Neillia Torreyi.  
*montana*, Hort. ex C. Koch, Ind. Sem. Hort. Berol. (1853) App. 12 = bella.  
*multifida*, Ledeb. Fl. Ross. ii. 19 = pectinata.  
*multiflora* ×, Zabel, in Wittm. Garten-Zeit. iii. (1884) 494.  
*nepalensis*, Hort. ex C. Koch, Dendrol. i. 331, 332 = bella, canescens.  
*nepalensis*, Lodd. ex Loud. Hort. Brit. 202, nomen (Quid?). —Nepal.  
*nervosa*, Franch. & Sav. Enum. Pl. Jap. ii. 331 = dasyantha.  
*Nicoudierii*, Bosse, Handb. Blumenz. ed. II. iv. 624 = crenata.  
*nicoviensis*, Link, Enum. Hort. Berol. ii. 40 = crenifolia.  
*nivea*, Hort. ex C. Koch, Dendrol. i. 333 = canescens.  
*Nobleana*, Hook. f. Bot. Mag. t. 5169 = Douglasii.  
*nutans*, Hort. ex C. Koch, Dendrol. i. 332, 333 = canescens.  
*nutans*, Royle, ex Steud. Nom. ed. II. ii. 624 (sp. dub.). —Ind. or.  
*oblongata*, Wender. in Schrift. Marb. ii. (1831) 254 = chamaedryfolia.  
*oblongifolia*, Ledeb. Fl. Ross. ii. 13, partim = hypericifolia.  
*oblongifolia*, Regel, ex Maxim. in Act. Hort. Petrop. vi. (1879) 183 = alpina.  
*oblongifolia*, Waldst. & Kit. Pl. Rar. Hung. iii. 261. t. 235 = media.  
*obovata*, Rafin. ex DC. Prod. ii. 544 = salicifolia.  
*obovata*, Waldst. & Kit. ex Willd. Enum. Hort. Berol. 541 = hypericifolia.  
*obtusiloba*, Opiz, Seznam, 100, in syn. = S. Ulmaria.

## SPIRAEA:—

- occidentalis*, S. Wats. in Proc. Am. Acad. xviii. (1883) 192. —Am. bor. occ.  
*odorata*, S. F. Gray, Nat. Arr. Brit. Pl. ii. 589 = S. Ulmaria.  
*opulifolia*, Linn. Sp. Pl. 489 = Neillia opulifolia.  
*opulifolia*, Pall. Reise, iii. 230 = trilobata.  
*orbicularis*, Hoffmgg. Verz. Pfl. 114 = hypericifolia.  
*ostryfolia*, Rafin. New Fl. Am. iii. 69 = betulifolia.  
*ovalifolia*, Hort. ex C. Koch, Dendrol. i. 333 = canescens.  
*ovata*, Rafin. New Fl. Am. iii. 65 = salicifolia.  
*ovata*, Van Houtte, ex Regel, Gartenfl. (1852) 229. —Hab.?  
*oxyodon* ×, Zabel, in Wittm. Garten-Zeit. iii. (1884) 495.  
*pachystachys*, Hort. ex C. Koch, Dendrol. i. 314 = Douglasii.  
*Pallasii*, G. Don, Gen. Syst. ii. 520 = grandiflora.  
*palmata*, Murr. Syst. ed. XIII. 393 = lobata.  
*palmata*, Pall. Reise, iii. 735. —Sibir.; China.  
*palmata*, Thunb. Fl. Jap. 212. —Japon.  
*palustris*, Salisb. Prod. 364 = S. Ulmaria.  
*paniculata*, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 135 = S. Aruncus.  
*paniculata*, Willd. Sp. Pl. ii. 1055; G. Don, Gen. Syst. ii. 520 = salicifolia.  
*parvifolia*, Benth. Pl. Hartw. 36. —Mexic.  
*parvifolia*, Bertol. in Mem. Acad. Sc. Bologn. Ser. II. iv. (1864) 312 = gracilis.  
*parvifolia*, Rafin. New Fl. Am. iii. 63 = tomentosa.  
*pauciflora*, Nutt. ex Torr. & Gray, Fl. N. Am. i. 414 = Neillia opulifolia.  
*pectinata*, Torr. & Gray, Fl. N. Am. i. 417. —Am. bor. occ.  
*pikoviensis*, Bess. Enum. Pl. Volh. 46 = crenifolia.  
*pilosa*, Franch. in Ann. Sc. Nat. Sér. VI. xvi. (1883) 282. —Turkestan.  
*pinnata*, Blume, Cat. Gew. Buitenz. 76 = Weinmannia Blumei, Planch.  
*pinnata*, Moench, Meth. 663 = sorbifolia.  
*pinnifolia*, Walp. Rep. ii. 50, sphalm. = prunifolia.  
*procumbens*, Kirch. in C. Koch & Fint. Wochenschr. ii. (1859) 358 = betulifolia?  
*prostrata*, Maxim. in Act. Hort. Petrop. vi. (1879) 184. —China.  
*prostrata*, Schur, Enum. Pl. Transs. 181 = ulmifolia.  
*pruinosa*, Hort. ex C. Koch, Dendrol. i. 333 = canescens.  
*prunifolia*, Sieb. & Zucc. Fl. Jap. i. 131. —Japon.  
*pubescens*, Cav. Desc. 504. —Hab.?  
*pubescens*, DC. Fl. Fr. Suppl. 546 = S. Filipendula.  
*pubescens*, Lindl. in Journ. Hort. Soc. ii. (1847) 157 = dasyantha.  
*pubescens*, Turcz. in Bull. Soc. Nat. Mosc. v. (1832) 190. —China.  
*pulchella*, Kunze, in Linnaea, xx. (1847) 60 = bella?  
*pulverulenta*, Rafin. New Fl. Am. iii. 71 = crenata.  
*quingueloba*, Baumg. Enum. Stirp. Transs. ii. 47 = S. Ulmaria.  
*racemosa* ×, Schroed. in Gard. Chron. (1882) II. 108.  
*Reevesiana*, Lindl. Bot. Reg. (1844) t. 10 = cantoniensis.  
*Regeliana*, Hort. ex C. Koch, Dendrol. i. 314 = Douglasii.  
*repens*, Rafin. New Fl. Am. iii. 70 = betulifolia.  
*reticulata*, Rafin. l. c. 72 = hypericifolia?  
*rhamnifolia*, Wall. Cat. n. 700 = vacciniifolia.  
*rhodoclada*, Leresche & Levier, Deux Excurs. Bot. 26. —Hispan.  
*ribifolia*, Nutt. ex Torr. & Gray, Fl. N. Am. i. 414 = Neillia opulifolia.  
*rosea*, Rafin. New Fl. Am. iii. 62 = tomentosa.  
*rotundifolia*, Hort. ex C. Koch, Dendrol. i. 327 = trilobata.  
*rotundifolia*, Lindl. Bot. Reg. (1840) Misc. 72. —Reg. Himal.  
*Roxburghiana*, Wall. ex Voigt, Hort. Suburb. Calc. 197 = cantoniensis.  
*ruberrima*, Regel, Gartenfl. iii. (1854) 398 = bella.  
*rupestris*, Hort. ex C. Koch, Dendrol. i. 326 = Blumei.  
*ruscifolia*, Hort. ex C. Koch, l. c. 333 = canescens.  
*salicifolia*, Linn. Sp. Pl. 489. —Reg. bor. trop.  
*salicifolia*, Schang. in Pall. N. Nord. Beitr. vi. 36 = chamaedryfolia.  
*sanssouciana*, C. Koch, Berl. Allg. Gartenz. (1857) 214 = Douglasii.  
*sawranica*, Bess. Enum. Pl. Volh. 59 = crenata.

## SPIRAEA:—

- saxatilis*, Turcz. ex Bess. in Flora, xvii. (1834) I. Beibl. 11. —Sibir. baical.  
*Schinabecki* ×, Zabel, in Wittm. Garten-Zeit. iii. (1884) 495.  
*Schrenkiana*, C. A. Mey. Ind. Sem. Hort. Petrop. ix. 96 = Spiraeanthus Schrenckianus.  
*sericea*, Turcz. in Bull. Soc. Nat. Mosc. xvi. (1843) 591 = media.  
*serratifolia*, Hort. ex C. Koch, Dendrol. i. 333 = canescens.  
*siöirica*, Hort. ex Steud. Nom. ed. II. ii. 624 = hypericifolia.  
*sibirica*, Rafin. New Fl. Am. iii. 64 = salicifolia.  
*sorbifolia*, Linn. Sp. Pl. 490. —Reg. Himal.; As. bor.  
*sororia*, Penny, ex G. Don, in Loud. Hort. Brit. Suppl. i. 600 = corymbosa.  
*speciosa*, Hort. ex C. Koch, Dendrol. i. 325 = cantoniensis.  
*speciosa*, Fungh. in Nat. en Geneesk. Arch. Neërl. Indie, ii. (1845) 41. —Java.  
*splendens*, Hort. —Cf. Gard. Chron. (1877) I. 245; (1883) II. 12. —Hab.?  
*stellata*, Wall. Cat. sub n. 707 = bella.  
*stipulacea*, Pursh, Fl. Am. Sept. i. 343 = Gillenia stipulacea.  
*stipulata*, Muhl. ex Willd. Enum. Hort. Berol. 542 = Gillenia stipulacea.  
*subcordata*, Lenné & C. Koch, in Regel, Gartenfl. (1854) 402. —Am. bor.  
*syringaeiflora*, Hort. ex C. Koch, Dendrol. i. 329 = japonica.  
*tenuissima*, Carr. in Rev. Hort. (1867) 140. —Hab.?  
*thalictroides*, Pall. Fl. Ross. i. I. 34. t. 18 = hypericifolia.  
*Thunbergii*, Siebold, ex Blume, Bijdr. 1115. —China; Japon.  
*thyrsiflora*, C. Koch, Dendrol. i. 307 = Neillia thyrsiflora.  
*tobolskia*, Lodd. Cat. ex G. Don, in Loud. Hort. Brit. 202, nomen. —Sibir.  
*tomentosa*, Linn. Sp. Pl. 489. —Am. bor.  
*tomentosa*, Rafin. New Fl. Am. iii. 62 = Douglasii.  
*trifoliata*, Linn. Sp. Pl. 490 = Gillenia trifoliata.  
*triloba*, Murr. Syst. ed. XIII. 393 = seq.  
*trilobata*, Linn. Mant. ii. 224. —Sibir.; China.  
*triternata*, Wall. Cat. n. 706 = S. Aruncus.  
*tuberosa*, Salisb. Prod. 364 = S. Filipendula.  
*Ulmaria*, Linn. Sp. Pl. 490. —Europ.; As. bor.  
*ulmarioides*, Bory, Voy. Souterr. 124 = S. Ulmaria.  
*ulmifolia*, Scop. Fl. Carn. ed. II. i. 349. t. 22. —Europ. or.; Sibir.  
*undulata*, Borkh. Versuch Forstbot. Beschr. Holzart. 65 = salicifolia.  
*unguiculata*, Dulac, Fl. Hautes-Pyr. 315 = S. Ulmaria.  
*uralensis*, Sweet, Hort. Brit. ed. I. 149 = hypericifolia.  
*uratensis*, Franch. Pl. Davidian. i. (1884) 107. —Mongol.  
*vacciniifolia*, D. Don, Prod. Fl. Nep. 227. —Reg. Himal.  
*vacciniifolia*, Lodd. Bot. Cab. t. 1403 = gracilis.  
*Vanhouttei* ×, Zabel, in Wittm. Garten-Zeit. iii. (1884) 496.  
*venusta*, Hort. ex Otto & A. Dietr. Allg. Gartenz. xiii. (1845) 250. —Hab.?  
*venustula*, Kunth & Bouché, Ind. Sem. Hort. Berol. (1848) 16 = vacciniifolia.  
*versifolia*, Rafin. New Fl. Am. iii. 68 = chamaedryfolia.  
*vestita*, Wall. ex G. Don, Gen. Syst. ii. 521. —Reg. Himal.  
*virgata*, Rafin. New Fl. Am. iii. 72 = salicifolia.  
*vulgaris*, S. F. Gray, Nat. Arr. Brit. Pl. ii. 588 = S. Filipendula.  
*Zuccarinii*, Siebold, ex Miq. Ann. Bot. Mus. Lugd. Bat. iii. 32 = japonica.

**SPIRAEANTHEMUM**, A. Gray, Bot. U. St. Expl. Exped. i. 666. t. 83 (1854). **SAXIFRAGEAE**, Benth. & Hook. f. i. 650.  
*austroraledonicum*, Brongn. & Gris, in Bull. Soc. Bot. Fr. ix. (1862) 74; et in Ann. Sc. Nat. Sér. V. i. (1864) 374. —N. Caled.  
*caledonicum*, C. Muell. in Walp. Ann. vii. 910, sphalm. = praec.  
*densiflorum*, Brongn. & Gris, in Bull. Soc. Bot. Fr. ix. (1862) 74; et in Ann. Sc. Nat. Sér. V. i. (1864) 374. —N. Caled.

**SPIRAEANTHEMUM** :—

- Graeffei, *Seem. Fl. Vit.* 111. —Ins. Fiji.  
 Katakata, *Seem. in Bonplandia*, x. (1862) 36, nomen;  
 et l. c. —Ins. Fiji.  
 Macgillivrayi, *Seem. Fl. Vit.* 111. —Ins. N. Hebrid.  
 samoense, A. Gray, *Bot. U. St. Expl. Exped.* 667. t. 83.  
 —Ins. Samoa.  
 undulatum, *Viell. in Bull. Soc. Linn. Normand.* ix.  
 (1865) 342. —N. Caled.  
 vitiense, A. Gray, *Bot. U. St. Expl. Exped.* 669. t. 83.  
 —Ins. Fiji.

**SPIRAEANTHUS**, Maxim. in *Act. Hort. Petrop.*  
 vi. (1879) 226. **ROSACEAE**.  
 Schrenckianus, *Maxim. l. c.* 227. —Sibir. altaic.

**SPIRAEOPSIS**, Miq. *Fl. Ind. Bat. i. i.* 719 (1855).  
**SAXIFRAGEAE**, Benth. & Hook. f. i. 653.  
 DIRHYNCHOSIA, Blume, *Mél. Bot.*; ex *Flora*, xli.  
 (1858) 254.  
 celebica, *Miq. Fl. Ind. Bat. i. i.* 719. —Ins. Celebes.

**SPIRAGYNE**, Neck. *Elem.* ii. (1790) 14 = **Gentiana**,  
 Tourn.

**SPIRALEPIS**, D. Don, in *Mem. Wern. Soc.* v. (1826)  
 551 = **Leontonyx**, Cass. (Compos.).  
 declinata, D. Don, in *Loud. Hort. Brit.* 340 = **Helichrysum** declinatum.  
 glomerata, D. Don, in *Mem. Wern. Soc.* v. (1826) 552  
 = **L.** coloratus.  
 modesta, G. Don, in *Loud. Hort. Brit.* 340 = **Helip-**  
**terum** gnaphaloides.  
 rotundifolia, D. Don, in *Mem. Wern. Soc.* v. (1826)  
 552 = **Helichrysum** rotundifolium.  
 squarrosa, D. Don, l. c. 551 = **L.** tomentosus.  
 tincta, D. Don, l. c. 552 = **L.** tomentosus.

**SPIRANTHERA**, Boj. *Hort. Maurit.* 226 (1837) =  
**Ipomoea**, Linn. (Convolv.).  
 peltata, Boj. l. c. = **I.** peltata.  
 pentaphylla, Boj. l. c. = **I.** pentaphylla.  
 Turpethum, Boj. l. c. = **I.** Turpethum.

**SPIRANTHERA**, Hook. *Bot. Mag.* sub t. 3523  
 (1836) = **Pronaya**, Hueg. (Pittosp.).  
 Fraseri, Hook. l. c. = **P.** elegans.

**SPIRANTHERA**, Rafin. *Fl. Tellur.* iv. 31 (1836) =  
**Eustrephus**, R. Br. (Liliac.).  
 ovata, Rafin. l. c. = **E.** latifolius.

**SPIRANTHERA**, A. St. Hil in *Bull. Soc. Philom.*  
 (1823) 130. **RUTACEAE**, Benth. & Hook. f. i.  
 283.  
 TERPNANTHUS, Nees & Mart. in *Nov. Act. Nat.*  
 Cur. xi. (1823) 152. t. 19.  
 odoratissima, A. St. Hil. in *Bull. Soc. Philom.* (1823)  
 130. —Bas.

**SPIRANTHES**, Rich. in *Mém. Mus. Par. iv.* (1818)  
 50. **ORCHIDEAE**, Benth. & Hook. f. iii. 596.  
 ARISTOTELEA, Lour. *Fl. Cochinch.* 522 (1790).  
 CYCLOPOGON, Presl, *Rel. Haenk.* i. 93. t. 13 (1827).  
 CYCLOPTERA, Endl. *Ench.* 113 (1841).  
 DOTHILIS, Rafin. *Fl. Tellur.* ii. 60 (1836).  
 GYROSTACHIS, Pers. *Syn.* ii. 511 (1807), nomen  
 prius.  
 HELICTONIA, Ehrh. *Beitr.* iv. 148 (1789).  
 IBIDIUM, Salisb. in *Trans. Hort. Soc. i.* (1812) 291.  
 MONUSTES, Rafin. *Fl. Tellur.* ii. 87 (1836).  
 NARICA, Rafin. l. c. (1836).  
 SACOILA, Rafin. l. c. 86 (1836).  
 SARCOGLOTTIS, Presl, *Rel. Haenk.* i. 95. t. 15  
 (1827).  
 SAUROGLOSSUM, Lindl. *Bot. Reg.* t. 1618 (1833).  
 STENORYNCHUS, Rich. in *Mém. Mus. Par. iv.* (1818).  
 59.  
 STRATEUMA, Rafin. *Fl. Tellur.* ii. 89 (1836).  
 SYNASSA, Lindl. *Bot. Reg.* sub t. 1618 (1833).  
 actinophila, *Rodrig. Orch. Nov.* ii. 286. —Bras.  
 acutata, *Reichb. f. & Warm. in Otia Bot. Hamb.* 84.  
 —Bras.  
 aestivalis, Oakes, *Cat. Verm. Pl.* 28 = latifolia, *Torr.*  
 aestivalis, *Rich. in Mém. Mus. Par. iv.* (1818) 58. —  
 Europ.; Afr. bor.  
 africana, Lindl. in *Bot. Reg.* sub t. 823 = **Habenaria**  
 spiralis.

**SPIRANTHES** :—

- aguacatensis, *Reichb. f. in Bonplandia*, iii. (1855) 214.  
 —Costa Rica.  
 albescent, *Rodrig. Orch. Nov. i.* 186 = micrantha.  
 Allemannii, *Rodrig. l. c.* ii. 288 = picta?  
 alpestris, *Rodrig. l. c.* i. 184. —Bras.  
 amoena, *Spreng. Syst.* iii. 708 = australis.  
 apiculata, *Lindl. Gen. et Sp. Orch.* 474. —Ind. occ.  
 aprica, *Lindl. l. c.* 469. —Bras.  
 argirifolia, *Rodrig. Orch. Nov. i.* 183. —Bras.  
 Arrabidae, *Warm. in Kjoeb. Vidensk. Meddel.* (1884)  
 94. —Bras.  
 assurgens, *Reichb. f. Beitr. Orch. Centr. Am.* 66. —  
 Guatemala.  
 aurantiaca, *Hemsl. Biol. Centr. Am. Bot.* iii. 300. —  
 Mexic.  
 australis, *Lindl. in Bot. Reg.* sub t. 823. —As. temp. et  
 trop.; Australas.  
 autumnalis, *Rich. in Mém. Mus. Par. iv.* (1818) 59. —  
 Europ.; As. temp.  
 balanophorostachya, *Reichb. f. & Warm. in Otia Bot.*  
*Hamb.* 84. —Bras.  
 Beckii, *Lindl. Gen. et Sp. Orch.* 472 = gracilis.  
 bicolor, *Griseb. Fl. Brit. W. Ind.* 641. —Ind. occ., Bras.  
 bicolor, *Lindl. in Bot. Reg.* sub t. 823. —Ins. Trinit.  
 bonariensis, *Lindl. Gen. et Sp. Orch.* 475. —Bras.;  
 Reg. Argent.  
 bracteosa, *Lindl. Bot. Reg. t.* 1934. —Bras.  
 brevifolia, *Chapm. Fl. S. U. St.* 462. —Am. bor.  
 brevilabris, *Lindl. Gen. et Sp. Orch.* 471. —Am. bor.  
 calophylla, *Rodrig. Orch. Nov. i.* 182. —Bras.  
 camporum, *Lindl. Gen. et Sp. Orch.* 473. —Uruguay.  
 ceracifolia, *Rodrig. Orch. Nov. ii.* 285. —Bras.  
 cerina, *Lindl. Bot. Reg.* (1842) Misc. 20. —Guatemala.  
 cernua, *Fleisch. & Lindem. Fl. Deutsch. Ostseepro.*  
 309 (Quid?). —Europ.  
 cernua, *Rich. in Mém. Mus. Par. iv.* (1818) 59. —Am. bor.  
 chilensis, A. Rich. in *C. Gay, Fl. Chil.* v. 475. —Chili.  
 chloreaeformis, A. Rich. & Gal. in *Ann. Sc. Nat.*  
 Sér. III. iii. (1845) 33. —Mexic.  
 chloroleuca, *Rodrig. Orch. Nov. i.* 181. —Bras.  
 chlorops, *Reichb. f. Xenia Orch.* iii. 20. —Bolivia.  
 cinnabarina, *Hemsl. Biol. Centr. Am. Bot.* iii. 300. —  
 Mexic.  
 colorans, *Hemsl. l. c.*, sphalm. = seq.  
 colorata, N. E. Br. in *Gard. Chron.* (1883) i. 210. —  
 Mexic.  
 colorata, *Hassk. Cat. Hort. Bog. Alt.* 47. —Java.  
 comosa, *Reichb. f. in Linnaea*, xviii. (1844) 408. —  
 Mexic.  
 congesta, *Lindl. in Bot. Reg.* sub t. 823. —Sibir.  
 costaricensis, *Reichb. f. in Bonplandia*, iii. (1855) 214.  
 —Costa Rica.  
 crispata, *Zoll. & Mor. Syst. Verz. Zoll.* 89 = australis.  
 cuculligera, *Reichb. f. & Warm. in Otia Bot. Hamb.*  
 85. —Bras.  
 cuspidata, *Lindl. Gen. et Sp. Orch.* 471. —Bras.  
 decipiens, *Hook. Fl. Bor. Am.* ii. 203 = **Goodyera**  
 Menziesii.  
 densa, A. Rich. in *Ann. Sc. Nat. Sér. II.* xv. (1841)  
 79 = australis.  
 diaphana, *Lindl. Bot. Reg.* (1844) Misc. 12. —Mexic.?  
 dilatata, *Lindl. Gen. et Sp. Orch.* 474. —Uruguay.  
 diuretica, *Lindl. in Quart. Journ. R. Inst. N. S. i.*  
 (1827) 54. —Chili.  
 elata, *Rich. in Mém. Mus. Par. iv.* (1818) 59. —Am.  
 trop.  
 Eldorado, *Linden & Reichb. f. in Bot. Zeit.* xv.  
 (1857) 157. —Bras.  
 ensifolia, *Reichb. f. in Bonplandia*, iv. (1856) 211. —  
 Am. centr.  
 epiphyta, *Rodrig. Orch. Nov. i.* 189. —Bras.  
 Esmeralda, *Linden & Reichb. f. in Hamb. Gartenz.*  
 xviii. (1862) 36. —Bras.  
 Eugenii, *Reichb. f. & Warm. in Otia Bot. Hamb.* 84.  
 —Bras.  
 euphobia, *Reichb. f. in Bot. Zeit.* xli. (1883) 13. —Bras.  
 flexuosa, *Lindl. in Bot. Reg.* sub t. 823 = australis.  
 Funckiana, A. Rich. & Gal. in *Ann. Sc. Nat. Sér. III.*  
 iii. (1845) 32. —Mexic.  
 Galeottiana, A. Rich. l. c. —Mexic.  
 Gardneri, *Lindl. in Hook. Lond. Journ. Bot. i.* (1842)  
 190 = **Stenoptera** ananassocomos.  
 gemmipara, *Lindl. Syn. Brit. Fl. ed. I.* 257 = **Roman-**  
**zoffiana**.  
 glauca, *Rafin. Fl. Tellur.* ii. 88 = autumnalis.  
 gracilis, *Beck, Bot. N. & M. St.* 343; *Hook. Fl. Bor.*  
*Am.* ii. 202. t. 203. —Am. bor.

**SPIRANTHES** :—

- gracilis, *Hassk. Cat. Hort. Bog. Alt.* 47 = **Chlorosa**  
 gracilis.  
 graminea, *Lindl. in Benth. Pl. Hartw.* 25. —Am. bor.;  
 Mexic.  
 grandiflora, *Lindl. in Bot. Reg.* t. 1043 = picta.  
 grandis, *Hassk. Cat. Hort. Bog. Alt.* 47. —Java.  
 gutturosa, *Reichb. f. Beitr. Orch. Centr. Am.* 67. —  
 Am. centr.  
 hemichroa, *Lindl. Gen. et Sp. Orch.* 473. —Am. centr.  
 hirta, *Lindl. l. c.* 476. —Peruv.  
 homologastra, *Reichb. f. & Warm. in Otia Bot.*  
*Hamb.* 84. —Bras.  
 Hostmanni, *Reichb. f. ex Griseb. Fl. Brit. W. Ind.*  
 640. —Ins. Trinit.; Guian.  
 hyemalis, A. Rich. & Gal. in *Ann. Sc. Nat. Sér. III.*  
 iii. (1845) 32. —Mexic.  
 hypnophila, *Rodrig. Orch. Nov. i.* 187. —Bras.  
 hysterantha, *Rodrig. l. c.* 188. —Bras.  
 icmadophila, *Rodrig. in Rev. Engenh.* 144; ex *eod.*  
*Orch. Nov. ii.* 286. —Bras.  
 inaequilatera, *Poepp. & Endl. Nov. Gen. et Sp.* ii. 7.  
 t. 110. —Peruv.  
 indica, *Lindl. ex Steud. Nom. ed. II.* ii. 625 = australis.  
 lanuginosa, A. Rich. & Gal. in *Ann. Sc. Nat.*  
 Sér. III. iii. (1845) 32. —Mexic.  
 latifolia, A. Rich. & Gal. l. c. —Mexic.  
 latifolia, *Torr. ex Lindl. Gen. et Sp. Orch.* 467. —Am.  
 bor.  
 laxiflora, *Rafin. Fl. Tellur.* ii. 88 = tortilis.  
 Lindleyana, *Linn. Klotzsch & Otto, Ic. Pl. Rar. Hort.*  
*Berol.* 26. t. 11. —Am. austr.  
 lineata, *Lindl. Gen. et Sp. Orch.* 471. —Bras.  
 lithophila, *Rodrig. Orch. Nov. i.* 190. —Bras.  
 Llaveana, *Lindl. in Benth. Pl. Hartw.* 73. —Mexic.  
 lobata, *Lindl. Bot. Reg.* (1844) Misc. 11. —Mexic.  
 longepetiolata, *Reichb. f. Beitr. Orch. Centr. Am.* 67.  
 —Costa Rica.  
 longibracteata, *Rodrig. Orch. Nov. i.* 185. —Bras.  
 longifolia, *Lindl. Gen. et Sp. Orch.* 476; *Hassk. Cat.*  
*Hort. Bog. Alt.* 47. —Java.  
 longilabris, *Lindl. l. c.* 467. —Am. bor.  
 longispicata, A. Rich. in *Ann. Sc. Nat. Sér. II.* xv.  
 (1841) 78 = australis.  
 lupulina, *Hemsl. Biol. Centr. Am. Bot.* iii. 301. —  
 Mexic.  
 luteo-alba, A. Rich. & Gal. in *Ann. Sc. Nat. Sér. III.*  
 iii. (1845) 32. —Mexic.  
 macrantha, *Reichb. f. in Linnaea*, xix. (1847) 378. —  
 Bras.  
 macrophylla, *Spreng. Syst.* iii. 708 = **Herminium** con-  
 gestum.  
 macropoda, *Rodrig. Orch. Nov. i.* 186. —Bras.  
 macrostachya, *Poepp. & Endl. Nov. Gen. et Sp.* ii. 8.  
 t. 110 a-k = **Stenoptera** peruviana.  
 madrensis, *Hemsl. Biol. Centr. Am. Bot.* iii. 301. —  
 Mexic.  
 Mandonii, *Reichb. f. Xenia Orch.* iii. 21. —Bolivia.  
 margaritifera, *Linden & Reichb. f. in Gard. Chron.*  
 (1866) 219 = **S.** Esmeralda.  
 mechoacana, *Hemsl. Biol. Centr. Am. Bot.* iii. 301. —  
 Mexic.  
 micrantha, *Rodrig. Orch. Nov. i.* 183. —Bras.  
 minutiflora, *Reichb. f. in Bonplandia*, ii. (1854) 11. —  
 Peruv.  
 minutiflora, A. Rich. & Gal. in *Ann. Sc. Nat. Sér. III.*  
 iii. (1845) 32. —Mexic.  
 monophylla, *Spreng. Syst.* iii. 709 = **Herminium** grami-  
 neum.  
 montana, *Hemsl. Biol. Centr. Am. Bot.* iii. 301.  
 —Guatemala.  
 montana, A. Rich. & Gal. in *Ann. Sc. Nat. Sér. III.*  
 iii. (1845) 32. —Mexic.  
 multiflora, *Rodrig. Orch. Nov. ii.* 287. —Bras.  
 neuroptera, *Reichb. f. & Warm. in Otia Bot. Hamb.*  
 85 = simplex.  
 Novae-Zelandiae, *Hook. f. Fl. N. Zel.* i. 243 =  
 australis.  
 novofriburgensis, *Reichb. f. in Wawra, Bot. Ergeb.*  
*Maxim. Bras.* 148. —Bras.  
 Nuil, *Rich. in Mém. Mus. Par. iv.* (1818) 59 =  
 diuretica.  
 ochracea, A. Rich. & Gal. in *Ann. Sc. Nat. Sér. III.*  
 iii. (1845) 33. —Mexic.  
 odorata, *Lindl. Gen. et Sp. Orch.* 467. —Am. bor.  
 oestivalis, *Boiss. Fl. Orient.* v. 91, sphalm. = aestivalis.  
 oestifera, *Reichb. f. & Warm. in Otia Bot. Hamb.*  
 86. —Bras.

## SPIRANTHES:—

- orchioides, *A. Rich. Fl. Cub. Fanerog.* ii. 252.—Am. trop.  
 ornithocephala, *Rodrig. Orch. Nov.* ii. 288.—Bras.  
 orthosepala, *Reichb. f. & Warm. in Otia Bot. Hamb.* 85.—Bras.  
 ovalis, *Lindl. Gen. et Sp. Orch.* 466.—Texas.  
 paraguayensis, *Reichb. f. in Linnaea*, xxv. (1852) 230.—Paraguay.  
 parasitica, *A. Rich. & Gal. in Ann. Sc. Nat. Sér. III.* iii. (1845) 32.—Mexic.  
 parviflora, *Hassk. Cat. Hort. Bog. Alt.* 47.—Java.  
 parviflora, *Lindl. in Bot. Reg.* sub t. 823 = australis.  
 pauciflora, *A. Rich. & Gal. in Ann. Sc. Nat. Sér. III.* iii. (1845) 32; *Hemsl. Biol. Centr. Am. Bot.* iii. 302.—Mexic.  
 Pavonii, *Reichb. f. in Bonplandia*, iv. (1856) 211.—Peruv.  
 peruviana, *Presl, Rel. Haenk.* i. 93.—Peruv.  
 Petola, *Hassk. Cat. Hort. Bog. Alt.* 47 = *Macodes Petola*.  
 picta, *Lindl. in Bot. Reg.* sub t. 823.—Am. trop.  
 plantaginea, *Lindl. Gen. et Sp. Orch.* 468.—Peruv.  
 plantaginea, *Spreng. Syst.* iii. 708 = *Microstylis congesta*.  
 plantaginea, *Torr. Fl. N. York*, ii. 284 = latifolia, *Torr. polyantha*, *Reichb. f. in Linnaea*, xviii. (1844) 408.—Mexic.  
 porrifolia, *Lindl. Gen. et Sp. Orch.* 467.—Calif.  
 prasophylla, *Reichb. f. Beitr. Orch. Centr. Am.* 65.—Guatemala.  
 Preslii, *Lindl. Gen. et Sp. Orch.* 470.—Peruv.  
 pterygantha, *Reichb. f. & Warm. in Otia Bot. Hamb.* 86.—Bras.  
 pubens, *A. Rich. & Gal. in Ann. Sc. Nat. Sér. III.* iii. (1845) 33.—Mexic.  
 pubescens, *Rodrig. Orch. Nov.* i. 185 = bicolor, *Griseb.*  
 pudica, *Lindl. Coll. Bot.* t. 80; *Spreng. Syst.* iii. 708 = australis.  
 pusilla, *Miq. Fl. Ind. Bat.* iii. 722.—Sumatra.  
 pyramidalis, *Lindl. Gen. et Sp. Orch.* 473.—Guatemala.  
 quadridentata, *Lindl. in Bot. Reg.* sub t. 823.—Guian.  
 ramentacea, *Lindl. in Ann. Nat. Hist. Ser. I.* iv. (1840) 384.—Mexic.  
 Romanzoffiana, *Cham. & Schlecht. in Linnaea*, iii. (1828) 32.—As. bor. or.; Am. bor.; Hibern.  
 rosulata, *Lindl. Bot. Reg.* (1843) Misc. 60.—Guatemala.  
 rufescens, *Fisch. ex Klotzsch, in Otto & Dietr. Allg. Gartenz.* x. (1842) 107, in syn.—Bras.  
 rupestris, *Lindl. Gen. et Sp. Orch.* 474.—Reg. Argent.  
 rupestris, *Rodrig. Orch. Nov.* i. 189.—Bras.  
 saccata, *A. Rich. & Gal. in Ann. Sc. Nat. Sér. III.* iii. (1845) 32.—Mexic.  
 sagittata, *Reichb. f. & Warm. in Otia Bot. Hamb.* 85.—Bras.  
 saltensis, *Griseb. in Goett. Abh.* xxiv. (1879) 338.—Reg. Argent.  
 sancta, *Reichb. f. & Warm. in Otia Bot. Hamb.* 85.—Bras.  
 sarcoglossa, *A. Rich. & Gal. in Ann. Sc. Nat. Sér. III.* iii. (1845) 31.—Mexic.  
 sceptrodes, *Reichb. f. in Bonplandia*, iii. (1855) 214.—Guatemala.  
 Schaffneri, *Reichb. f. in Linnaea*, xxviii. (1856) 382.—Mexic.  
 Scopulariae, *Reichb. f. in Bonplandia*, ii. (1854) 11.—Venezuela.  
 sellilabris, *Griseb. in Goett. Abh.* xxiv. (1879) 338.—Reg. Argent.  
 simplex, *A. Gray, Bot. N. U. St.* ed. V. 506.—Am. bor.  
 simplex, *Griseb. Fl. Brit. W. Ind.* 641.—Ind. occ.  
 Smithii, *Reichb. f. in Gard. Chron.* (1868) 842.—Costa Rica; Am. centr.  
 speciosa, *Lindl. Gen. et Sp. Orch.* 475.—Peruv.  
 speciosa, *A. Rich. Fl. Cub. Fanerog.* ii. 252.—Cuba.  
 spiralis, *C. Koch, in Linnaea*, xxii. (1849) 290 = autumnalis.  
 strateumatica, *Lindl. in Bot. Reg.* sub t. 823 = *Zeuxine sulcata*.  
 Stylites, *Lindl. in Journ. Linn. Soc.* i. (1857) 178.—China.  
 sulphurea, *Hemsl. Biol. Centr. Am. Bot.* iii. 302.—Mexic.  
 tenuis, *Lindl. Gen. et Sp. Orch.* 466.—Guian.  
 Thelymitra, *Reichb. f. Beitr. Orch. Centr. Am.* 66.—Guatemala.

## SPIRANTHES:—

- tortilis, *Beck, Bot. N. & M. St.* 343 = gracilis.  
 tortilis, *Rich. in Mém. Mus. Par.* iv. (1818) 59.—Ind. occ.  
 transversalis, *A. Rich. & Gal. in Ann. Sc. Nat. Sér. III.* iii. (1845) 32.—Mexic.  
 trilineata, *Lindl. in Benth. Pl. Hartw.* 94.—Guatemala.  
 truncata, *Lindl. Gen. et Sp. Orch.* 470.—Bras.  
 uliginosa, *Rodrig. Orch. Nov.* i. 190.—Bras.  
 umbrosa, *Rodrig. l. c.* 188.—Bras.  
 unalascensis, *Spreng. Syst.* iii. 708 = *Herminium congestum*.  
 vaginata, *Lindl. Gen. et Sp. Orch.* 472.—Peruv.  
 vernalis, *Engelm. et A. Gray, in Bost. Journ. Nat. Hist.* v. (1845) 236.—Am. bor.  
 villosa, *Poepp. & Endl. Nov. Gen. et Sp.* ii. 8.—Bras.  
 violacea, *A. Rich. & Gal. in Ann. Sc. Nat. Sér. III.* iii. (1845) 32.—Mexic.  
 Warmingii, *Reichb. f. & Warm. Otia Bot. Hamb.* 84.—Bras.  
 Weirii, *Reichb. f. in Gard. Chron.* (1870) 923.—Bras.  
 Wightiana, *Lindl. in Wall. Cat. n.* 7378 = australis.

SPIRANTHOS, *St. Lag. in Ann. Soc. Bot. Lyon*, vii. (1880) 56 = praec.

SPIRASTIGMA, *L'Hérit. ex Schult. f. Syst.* vii. p. lxx (1830) = *Pitcairnia*, *L'Hérit.* (Bromel.).

SPIREA, *Pall. Reise*, ii. App. 44 (1777), sphalm. = *Spiraea*, *Linn.* (Rosac.).

SPIREMA, *Benth. in Journ. Linn. Soc.* xv. (1875) 10, sphalm. = *SPEIREMA*, *Hook. f. & Thoms.* = *Pratia*, *Gaudich.* (Campan.).

SPIRIDANTHUS, *Fenzl, in Endl. Gen. Suppl.* ii. 105 (1842) = *Monolopia*, *DC.* (Compos.).

SPIRILLUS, *J. Gay, in Compt. Rend. Acad. Sc.* xxxviii. (1854) 703 = *Potamogeton*, *Tourn.* (Naiad.).

SPIROCARPUS, *Opiz, Seznam*, 93 (1852) = *Medicago*, *Tourn.* (Legumin.).  
*minus*, *Opiz*, l. c. = *M. minima*.

SPIROCHAETA, *Turcz. in Bull. Soc. Nat. Mosc.* xxiv. (1851) i. 166 = *Elephantopus*, *Linn.* (Compos.).  
*Funchii*, *Turcz.* l. c. 167.—*N. Granat.*

SPIROCONUS, *Stev. in Bull. Soc. Nat. Mosc.* (1851) i. 576 = *Trichodesma*, *R. Br.* (Borag.).  
*glaucus*, *Stev.* l. c. 577 = *T. molle*.

SPIRODELA, *Schleid. in Linnaea*, xiii. (1839) 391 = *Lemna*, *Linn.*  
*atropurpurea*, *Montand. Guide Bot.* 309 = *L. polyrrhiza*.  
*oligorrhiza*, *Hegelm. Lemnac.* 147 = *L. oligorrhiza*.  
*polyrrhiza*, *Schleid. in Linnaea*, xiii. (1839) 392 = *L. polyrrhiza*.

SPIROLOBA, *Rafin. Sylva Tellur.* 119 (1838) = *Pithecolobium*, *Mart.* (Legumin.).  
*bigemina*, *Rafin.* l. c. = *P. bigeminum*.  
*fastuosa*, *Rafin.* l. c. = *Inga fastuosa*.  
*Unguis*, *Rafin.* l. c. = *P. Unguis-cati*.

SPIROLOBIUM, *Orb. Sert. Patag.* t. 13 (1839) = *Prosopis*, *Linn.* (Legumin.).  
*australe*, *Orb.* l. c. 13 = *P. strombulifera*.

SPIRONEMA, *Hochst. in Flora*, xxv. (1842) 226 = *Clerodendron*, *Linn.* (Verben.).  
*myricoides*, *Hochst.* l. c. = *C. myricoides*.

SPIRONEMA, *Lindl. in Bot. Reg.* (1840) t. 47. *COMMELINACEAE*, *Benth. & Hook.* f. iii. 854.  
*fragrans*, *Lindl. l. c.*—Mexic.  
*orthandrum*, *Lindb. in Act. Soc. Sc. Fenn.* x. (1871) 127. t. 4 = *fragrans*.  
*Robbinsii*, *Wright, in Sauv. Fl. Cub.* 158 = *Callisia repens*.  
*Warszewiczianum*, *Hassk. ex C. B. Clarke, in DC. Monog. Phan.* iii. 302 = *Tradescantia Warszewicziana*.

SPIRONEMA, *Rafin. Fl. Tellur.* iv. 92 (1836) = *Cassytha*, *Linn.* (Laurin.).  
*aphylla*, *Rafin.* l. c. 93 = *C. filiformis*?

SPIROPODIUM, *F. Muell. Fragm.* i. 33 (1858) = *Pluchea*, *Cass.* (Compos.).  
*baccharoides*, *F. Muell. l. c.* 34 = *P. baccharoides*.

SPIRORHYNCHUS, *Kar. & Kir. in Bull. Soc. Nat. Mosc.* xv. (1842) 159. *CRUCIFERAE*, *Benth. & Hook.* f. i. 95.  
*sabulosus*, *Kar. & Kir. l. c.* 160.—Soongar.

SPIROSPATHA, *Rafin. Fl. Tellur.* iv. 8 (1836) = *Homalomena*, *Schott* (Aroid.).  
*occulta*, *Rafin.* l. c. = *H. aromatica*.

SPIROSPERMUM, *Thou. Nov. Gen. Madag.* 19 (1806). *MENISPERMACEAE*, *Benth. & Hook.* f. i. 39; 962.  
*penduliflorum*, *DC. Syst.* i. 515.—Madag.

SPIROSTACHYS, *Sond. in Linnaea*, xxiii. (1850) 106 = *Excoecaria*, *Linn.* (Euphorb.).  
*africanus*, *Sond. l. c.* = *E. africana*.  
*madagascariensis*, *Baill. Etud. Gén. Euph.* 522 = *E. madagascariensis*.

SPIROSTACHYS, *Ung.-Sternb. Vers. Syst. Salic.* 100 (1866) = *Heterostachys*, *Ung.-Sternb.* (Chenop.).  
*Ritteriana*, *Ung.-Sternb. l. c.* = *H. Ritteriana*.

SPIROSTACHYS, *S. Wats. in Proc. Am. Acad. ix.* (1874) 125. *CHENOPODIACEAE*, *Benth. & Hook.* f. iii. 63.  
*occidentalis*, *S. Wats. l. c.*—Am. bor. occ.  
*patagonica*, *Griseb. in Goett. Abh.* xix. (1874) 86.—Reg. Argent.  
*vaginata*, *Griseb. l. c.* 85.—Reg. Argent.

SPIROSTALIS, *Rafin. Fl. Tellur.* iv. 51 (1836) = *Thalia*, *Linn.* (Scitam.).  
*biflora*, *Rafin.* l. c. = *T. dealbata*.

SPIROSTEMON, *Griff. Notul.* iv. 80 (1858) = *Parsonsia*, *R. Br.* (Apocyn.).  
*spiralis*, *Griff. l. c.* = *P. spiralis*.

SPIROSTIGMA, *Nees, in Mart. Fl. Bras.* ix. 83 (1847). *ACANTHACEAE*, *Benth. & Hook.* f. ii. 1077.  
*hirsutissima*, *Nees, l. c.* 84.—Bras.

SPIROSTYLIS, *Nees, ex Mast. in Journ. Linn. Soc.* x. (1869) 271 = *Willdenowia*, *Thunb.* (Restiac.).  
*Ecklonii*, *Nees, l. c.* = *W. Lucaeana*.

SPIROSTYLIS, *Presl, in Schult. f. Syst.* vii. p. xvii, 163 (1829) = *Loranthus*, *Linn.*  
*Haenkei*, *Presl, l. c.* 163 = *L. spirostylis*.  
*interruptus*, *Blume, l. c.* 1731 = *L. interruptus*.

SPIROTHEROS, *Rafin. in Ser. Bull. Bot.* i. (1830) 221 = *Heteropogon*, *Pers.* (Gramin.).  
*melanocarpus*, *Rafin. l. c.* = *H. acuminatus*.

SPIROTROPIS, *Tul. in Arch. Mus. Par.* iv. (1844) 113. *LEGUMINOSAE*, *Benth. & Hook.* f. i. 557.  
*Candollei*, *Tul. l. c.*—Guian.  
*longifolia*, *Baill. Hist. Pl.* ii. 364 = *Candollei*.

SPITZELIA, *Sch. Bip. in Flora*, xvi. (1833) 725 = *Pieris*, *Linn.* (Compos.).  
*aegyptiaca*, *Sch. Bip. l. c.* 727 = *P. pilosa*.  
*Aparine*, *Pomel, Nouv. Mat. Fl. Atl.* 268.—Alger.  
*aspera*, *Pomel, l. c.* 15.—Alger.  
*atlantica*, *Coss. ex Ball, in Journ. Linn. Soc.* xvi. (1878) 537 = *P. atlantica*.  
*aviorum*, *Pomel, Nouv. Mat. Fl. Atl.* 16 = *S. Saharae*.  
*coronopifolia*, *Sch. Bip. in Flora*, xviii. (1835) 658 = *P. radicata*.  
*cupuligera*, *Dur. in Duch. Rev. Bot.* ii. (1846) 431 = *P. pilosa*.  
*getula*, *Pomel, Nouv. Mat. Fl. Atl.* 267 = *S. Saharae*.



## SPITZELIA :—

- lyrata*, Coss. & Dur. in Bull. Soc. Bot. Fr. iv. (1857) 397 = *S. Saharæ*.  
*lyrata*, Sch. Bip. in Flora, xviii. (1835) 658 = *Picris radicata*.  
*radicata*, Coss. & Kral. in Bull. Soc. Bot. Fr. iv. (1857) 367 = *P. radicata*.  
*Saharæ*, Coss. & Kral. l. c. 397.—Afr. bor.  
*Sieberi*, Sch. Bip. in Flora, xvii. (1834) 474 = *P. radicata*.  
*tuberosa*, Pomel, Nouv. Mat. Fl. Atl. 268.—Alger.  
*Willkommii*, Sch. Bip. ex Willk. in Linnaea, xxv. (1852) 42 = *P. Willkommii*.

SPIXIA, Leandr. Sacram. in Denkschr. Akad. Muench. vii. 1818-1820 (1821) 231. t. 13 = **Pera**, Mutis (Euphorb.).

- barbinervis*, Klotzsch, in Wieg. Archiv, vii. (1841) 180, nomen = *P. obovata*.  
*cinerea*, Poepp. ex Baill. Etud. Gén. Euph. 434, nomen = *P. tomentosa*.  
*distichophylla*, Mart. in Flora, xxiv. (1841) II. Beibl. 30 = *P. distichophylla*.  
*glabrata*, Mart. ex Baill. Etud. Gén. Euph. 434 = *P. ferruginea*.  
*grandiflora*, Klotzsch, in Wieg. Archiv, vii. (1841) 179, nomen = *P. obovata*.  
*heteranthera*, Schrank, in Denkschr. Akad. Muench. vii. 1818-20 (1821) 242, in obs. = *P. obovata*.  
*Leandri*, Mart. in Flora, xxiv. (1841) II. Beibl. 30 = *P. obovata*.  
*lucida*, Poepp. ex Baill. Etud. Gén. Euph. 434, nomen = *P. ferruginea*.

SPIXIA, Schrank, Pl. Rar. Hort. Monac. t. 80 (1819) = **Centratherum**, Cass. (Compos.).  
*violacea*, Schrank, l. c. = *C. intermedium*.

SPLITGERBERA, Miq. Comm. Phytog. 133. t. 14 (1840) = **Boehmeria**, Jacq. (Urtic.).  
*denudata*, C. Gay, Fl. Chil. v. 362 = *B. excelsa*.  
*japonica*, Miq. Comm. Phytog. 139. t. 14 = *B. biloba*.  
*macrostachya*, Wight, Ic. t. 1977 = *B. platyphylla*.

SPODIAS, Hassk. Cat. Hort. Bog. Alt. 247 (1844), sphalm. = **Spondias**, Linn. (Anacard.).

SPODIOPOGON, Trin. Fund. Agrost. 192. t. 17 (1820). **GRAMINEAE**, Benth. & Hook. f. iii. 1126.  
**ISCHAEMOPOGON**, Griseb. Fl. Brit. W. Ind. 560 (1864).

- albidus*, Benth. in Journ. Linn. Soc. xix. (1881) 66.—Ind. or.  
*angustifolius*, Trin. in Mém. Acad. Pétersb. Sér. VI. ii. (1833) 300.—Ind. or. ; China ; Ins. Philipp.  
*arcuatus*, Nees, Fl. Afr. Austr. 97 = *Ischaemum fasciculatum*.  
*aureus*, Hook. & Arn. Bot. Beech. Voy. 273.—Ins. Lu Chu.  
*Blumii*, Nees, ex Steud. Syn. Pl. Gram. 373 = Ind. or. ; Malaya.  
*Byronis*, Trin. in Mém. Acad. Pétersb. Sér. VI. ii. (1833) 301.—Ins. Sandvic.  
*chordatus*, Trin. l. c. 302 = *Blumii*.  
*ciliaris*, Nees, ex Steud. Nom. ed. II. ii. 625 = *Ischaemum ciliare*.  
*conjugatus*, Voigt, Hort. Suburb. Calc. 706 = *Ischaemum conjugatum*.  
*cuspidatus*, Arn. ex Steud. Syn. Pl. Gram. 373 = *Blumii*.  
*depressus*, Nees, ex Steud. l. c.—Ind. or.  
*foliatus*, Fourn. ex Doell. in Mart. Fl. Bras. ii. III. 257 = *Erianthus saccharoides*.  
*inaequalivalvis*, Nees, ex Steud. Nom. ed. II. ii. 625, nomen.—China.  
*geniculatus*, Voigt, Hort. Suburb. Calc. 706 = *Ischaemum aristatum*.  
*ischaemoides*, Hook. & Arn. Bot. Beech. Voy. 274.—Ins. Bonin.  
*laniger*, Nees, ex Steud. Syn. Pl. Gram. 373 = *angustifolius*.  
*latifolius*, Nees, Agrost. Bras. 360 = *Ischaemum latifolium*.  
*Lehmanni*, Griseb. in Goett. Nachr. (1868) 91 = *Pollinia Lehmanni*.  
*notopogon*, Nees, ex Steud. Syn. Pl. Gram. 373 = *angustifolius*.

## SPODIOPOGON :—

- obliquivalvis*, Nees, in Nov. Act. Nat. Cur. xix. Suppl. i. (1843) 185 = *Ischaemum ciliare*.  
*petiolaris*, Trin. in Mém. Acad. Pétersb. Sér. VI. ii. (1833) 301 = *Pollinia Lehmanni*.  
*pilosus*, Nees, ex Steud. Syn. Pl. Gram. 373 = *Andropogon pilosus*.  
*pogonanthus*, Boiss. Fl. Orient. v. 457.—Phrygia.  
*scrobiculatus*, Nees, ex Steud. Syn. Pl. Gram. 373 = *Ischaemum ciliare*.  
*semisagittatus*, Voigt, Hort. Suburb. Calc. 706 = *Ischaemum semisagittatum*.  
*sibiricus*, Trin. Fund. Agrost. 192.—China ; Sibir.  
*vaginatus*, Fourn. ex Hemsl. Biol. Centr. Am. Bot. iii. 520 = *Erianthus saccharoides*.  
*villosus*, Nees, in Hook. & Arn. Bot. Beech. Voy. 242 = *Ischaemum ciliare*.  
*zeylanicus*, Nees, ex Steud. Syn. Pl. Gram. 377 = *Ischaemum ciliare*.

SPONDIAS, Linn. Gen. ed. I. 365 (1737). **ANACARDIACEAE**, Benth. & Hook. f. i. 426.

- CHRYSOMELON**, Forst. ex A. Gray, Bot. U. St. Expl. Exped. i. 374, in syn. (1854).  
**CYTHERAEEA**, Wight & Arn. Prod. 173 (1834).  
**EVIA**, Comm. ex Juss. Gen. 373 (1789).  
**MONBIN**, Plum. ex Adans. Fam. ii. 341 (1763).  
**POUPARTIA**, Comm. ex Juss. Gen. 372 (1789).  
**SHAKUA**, Boj. Hort. Maurit. 82 (1837).  
**WARMINGIA**, Engl. in Mart. Fl. Bras. xii. II. 281 (1874).  
**WIRTGENIA**, Jungh. ex Hassk. in Flora, xxvii. (1844) 624, partim.  
*acida*, Blume, in Flora, vii. (1824) 291 = *dulcis*.  
*acida*, Soland. ex Benth. Fl. Austral. i. 492 = *Pleiogynium Solandri*.  
*acuminata*, Roxb. Hort. Beng. 34 ; Fl. Ind. ii. 453 (sp. dub.).—Ind. or.  
*amara*, Lam. Encyc. iv. 261 = *mangifera*.  
*angolensis*, O. Hoffm. in Linnaea, xliii. (1880-82) 125 = *Pseudospondias microcarpa*.  
*aurantiaca*, Schum. & Thonn. Besk. Guin. Pl. 225 = *lutea*.  
*axillaris*, Roxb. Hort. Beng. 34 ; Fl. Ind. ii. 453 = *lutea*.  
*Birrea*, A. Rich. in Guill. & Perr. Fl. Seneg. Tent. 152. t. 41 = *Sclerocarya Birroea*.  
*borbonica*, Baker, Fl. Maurit. 62.—Ins. Maurit.  
*brasilensis*, Mart. ex Engl. in DC. Monog. Phan. iv. 244 = *lutea*.  
*Chakoua*, Boj. ex Baker, Fl. Maurit. 63 = *Sclerocarya castanea*.  
*Cirouella*, Tussac, Fl. Antill. iii. 37 = *purpurea*.  
*crispula*, Beurl. in Vet. Akad. Handl. Stockh. 1854 (1856), 119 = *purpurea*.  
*cytherea*, Sonner. Voy. Ind. iii. 242 = *dulcis*.  
*cytherea*, Tussac, Fl. Antill. iii. t. 28 = *lutea*.  
*dubia*, A. Rich. in Guill. & Perr. Fl. Seneg. Tent. 153 = *lutea*.  
*dulcis*, Forst. f. Prod. 34.—Cosmop. trop.  
*Edmonstonei*, Hook. f. in Trans. Linn. Soc. xx. (1847) 230 = *Bursera graveolens*.  
*elliptica*, Rottb. ex Hook. f. Fl. Brit. Ind. ii. 23 = *Buchanania latifolia*.  
*falcata*, Meissn. in Flora, xxvii. (1844) 349 = *Harpephyllum caffrum*.  
*fragrans*, Pav. ex Engl. in DC. Monog. Phan. iv. 247 = *dulcis*.  
*glabra*, Engl. l. c. 572 (Index) = *lutea*.  
*graveolens*, Macfad. Fl. Jamaica. i. 228 = *lutea*.  
*guianensis*, Klotzsch, ex Engl. in DC. Monog. Phan. iv. 277 = *Tapirira guianensis*.  
*longifolia*, Roxb. Hort. Beng. 34 ; Fl. Ind. ii. 453.—Ins. Maurit.  
*lucida*, Salisb. Prod. 172 = *lutea*.  
*lutea*, Linn. Sp. Pl. ed. II. 613.—Cosmop. trop.  
*lutea*, Royen, ex Blume, Mus. Bot. Lugd. Bat. i. 234 = *dulcis*.  
*macrocarpa*, Engl. in Mart. Fl. Bras. xii. II. 375. t. 78 = *dulcis*.  
*macrophylla*, Klotzsch, ex Engl. in DC. Monog. Phan. iv. 277 = *Tapirira guianensis*.  
*macrophylla*, Wall. Cat. n. 8480 = *mangifera*.  
*mangifera*, Willd. Sp. Pl. ii. 751.—As. trop.  
*maxima*, Engl. in DC. Monog. Phan. iv. 572 (Index) = *lutea*.  
*microcarpa*, A. Rich. in Guill. & Perr. Fl. Seneg. Tent. 151 = *Pseudospondias microcarpa*.

## SPONDIAS :—

- Mombin*, Jacq. Select. Am. 138 = *lutea*.  
*Mombin*, Linn. Sp. Pl. ed. I. 371 = *purpurea*.  
*Myrobalanus*, Jacq. Stirp. Am. t. 88 = *purpurea*.  
*Myrobalanus*, Linn. Syst. ed. X. 1036 = *lutea*.  
*Myrobalanus*, Vell. Fl. Flum. 197 ; iv. t. 185 = *venulosa*.  
*Oghigee*, G. Don, Gen. Syst. ii. 79 = *Odina acida*.  
*paniculata*, Roxb. ex Wight & Arn. Prod. 173 = *mangifera*.  
*parviflora*, Willd. ex Schlecht. in Linnaea, xiv. (1840) 295 = *Tapirira guianensis*.  
*pinnata*, Kurz, in Pegu Rep. A. 44 = *mangifera*.  
*pleiogyna*, F. Muell. Fragm. iv. 78 = *Pleiogynium Solandri*.  
*Pseudo-myrobalanus*, Tussac, Fl. Antill. iv. 97 = *lutea*.  
*pubescens*, Baker, Fl. Maurit. 62.—Ins. Maurit.  
*pubescens*, Borton, ex Steud. Nom. ed. II. ii. 626.—Ins. Maurit.  
*purpurea*, Linn. Sp. Pl. ed. II. 613.—Am. trop.  
*rugosa*, Klotzsch, ex Engl. in DC. Monog. Phan. iv. 277 = *Tapirira guianensis*.  
*simplicifolia*, Rottb. in Ges. Naturf. Fr. Neue Schr. iv. (1803) 187 = *Buchanania Lanza*.  
*sinensis*, Lour. ex Steud. Nom. ed. I. 306, nomen (Quid ?).—China.  
*Solandri*, Benth. Fl. Austral. i. 492 = *Pleiogynium Solandri*.  
*surinamensis*, Klotzsch, ex Engl. in DC. Monog. Phan. iv. 277 = *Tapirira guianensis*.  
*therebintoides*, Royen, ex Blume, Mus. Bot. Lugd. Bat. i. 234 = *dulcis* ?  
*tuberosa*, Arruda, in Koster, Trav. Braz. 496 (sp. dub.).—Bras.  
*venulosa*, Mart. ex Engl. in DC. Monog. Phan. iv. 245.—Bras.  
*viridiflora*, Fée, Cat. Méthod. Pl. Strasb. (1836) 110 (sp. dub.).—Bras.  
*Wirtgenii*, Hassk. Cat. Hort. Bog. Alt. 247 = *Odina Wodier*.  
*Zanzee*, G. Don, Gen. Syst. ii. 79 = *Pseudospondias microcarpa* ?

SPONDIODES, Smeath. ex Lam. Encyc. iii. 23 (1789) = **Cnestis**, Juss. (Connar.).  
*ferrugineum*, Smeath. ex DC. Prod. ii. 87 = *C. ferruginea*.  
*pruriens*, Smeath. ex Lam. Encyc. iii. 23 = *C. corniculata*.  
*villosa*, Smeath. l. c. 24 = *Agelaea villosa*.

SPONDOGONA, Rafn. Sylva Tellur. 35 (1838) = **Dipholis**, A. DC. (1844) (Sapot.).  
*nitida*, Rafn. l. c. = *D. salicifolia*.

SPONDYLANTHA, Presl, Rel. Haenk. ii. 35. t. 53 (1834) = **Vitis**, Tourn. (Ampel.).  
*aphylla*, Presl, l. c. = *V. sicyoides*.

SPONDYLOCOCCOS, Mitch. in Act. Phys. Med. Acad. Nat. Cur. viii. (1748) App. 218 = **Callicarpa**, Linn. (Verben.).

SPONDYLOCOCCUS, Reichb. Consp. 212 d (1828) = **SPONDYLOCCA**, Willd. = **Bergia**, Linn. (Elatin.).

SPONGOSTEMMA, Reichb. Ic. Fl. Germ. iv. 24 (1826) = **Scabiosa**, Tourn. (Dipsac.).

SPONGOTRICHUM, Nees, Gen. et Sp. Ast. 176 (1833) = **Olearia**, Moench (Compos.).  
*glandulosa*, Nees, l. c. 175, 176 = *O. glandulosa*.

SPONIA, Comm. ex Lam. Encyc. iv. 139 (1796) = **Trema**, Lour. (Urtic.).  
*acuminatissima*, Miq. Fl. Ind. Bat. Suppl. 410.—Sumatra.  
*affinis*, Planch. in Ann. Sc. Nat. Sér. III. x. (1848) 329 = *T. orientalis*.  
*africana*, Planch. l. c. 320 = *T. africana*.  
*amboinensis*, Decne. in Nouv. Ann. Mus. Par. iii. (1834) 498 = *T. amboinensis*.  
*Andaresa*, Comm. ex Lam. Encyc. iv. 139 = *T. orientalis*.

## SPONIA :—

- Andersonii*, Planch. in Ann. Sc. Nat. Sér. III. x. (1848) 336 = *Parasponia Andersonii*.  
*angustifolia*, Planch. l. c. 326 = *Trema angustifolia*.  
*annulata*, Teyssm. & Binn. in Nederl. Kruidk. Arch. iii. (1855) 408 = *Gironniera subaequalis*.  
*argentea*, Planch. in Ann. Sc. Nat. Sér. III. x. (1848) 323 = *T. argentea*.  
*argentea*, Seem. Bot. Voy. Herald, 413 = *T. amboinensis*.  
*aspera*, Decne. in Nouv. Ann. Mus. Par. iii. (1834) 498 = *T. aspera*.  
*Blancoi*, Planch. in Ann. Sc. Nat. Sér. III. x. (1848) 327 = *T. Blancoi*.  
*bracteolata*, Hochst. in Flora, xxviii. (1845) 87 = *T. bracteolata*.  
*Burmanni*, Planch. in DC. Prod. xvii. 200 = *T. amboinensis*.  
*canescens*, Decne. in Nouv. Ann. Mus. Par. iii. (1834) 498 = *T. micrantha*.  
*carinata*, Miq. Fl. Ind. Bat. i. ii. 215 = *T. carinata*.  
*Chichileae*, Planch. in Ann. Sc. Nat. Sér. III. x. (1848) 334 = *T. Chichileae*.  
*Commersonii*, Decne. ex Planch. l. c. 317 = *T. orientalis*.  
*crassifolia*, G. Don, in Sweet, Hort. Brit. ed. III. 610 = *Celtis occidentalis*.  
*crassifolia*, Liebm. in Vidensk. Selsk. Skr. V. ii. (1851) 340 = *T. micrantha*.  
*discolor*, Decne. in Nouv. Ann. Mus. Par. iii. (1834) 498 = *T. discolor*.  
*glabrescens*, Planch. in Ann. Sc. Nat. Sér. III. x. (1848) 317 = *T. glabrescens*.  
*glomerata*, Hochst. in Flora, xxviii. (1845) 87 = *T. glomerata*.  
*Griffithii*, Planch. in Ann. Sc. Nat. Sér. III. x. (1848) 324 = *T. amboinensis*.  
*grisea*, Liebm. in Vidensk. Selsk. Skr. V. ii. (1851) 340 = *T. micrantha*.  
*guineensis*, Planch. in DC. Prod. xvii. 197 = *Celtis guineensis*.  
*Hochstetteri*, Planch. l. c. 198.—Abyss.  
*ilicifolia*, Kurz, in Flora, lv. (1872) 448 = *Aphananthe philippinensis*.  
*imbricata*, Planch. in DC. Prod. xvii. 199 = *T. imbricata*.  
*integerrima*, Beurl. in Vet. Akad. Handl. Stockh. 1854 (1856) 144.—Panama.  
*laevigata*, G. Don, in Sweet, Hort. Brit. ed. III. 610 = *Celtis mississippiensis*.  
*Lamarckiana*, Decne. in Nouv. Ann. Mus. Par. iii. (1834) 498 = *T. Lamarckiana*.  
*Lima*, Decne. l. c. = *T. Lima*.  
*lucida*, Hassk. in Flora, xxv. (1842) ii. Beibl. 17.—Java.  
*macrophylla*, Decne. in Nouv. Ann. Mus. Par. iii. (1834) 498 = *T. macrophylla*.  
*macrophylla*, Planch. in Ann. Sc. Nat. Sér. III. x. (1848) 331 = *T. carinata*.  
*micrantha*, Decne. in Nouv. Ann. Mus. Par. iii. (1834) 498 = *T. micrantha*.  
*mollis*, Decne. l. c. = *T. mollis*.  
*morifolia*, Planch. in DC. Prod. xvii. 196 = *T. morifolia*.  
*nitens*, Hook. f. ex Planch. in Ann. Sc. Nat. Sér. III. x. (1848) 325 = *T. nitens*.  
*nudiflora*, Sieb. & Zucc. in Abh. Akad. Muench. iv. iii. (1846) 223 = *Aphananthe aspera*.  
*occidentalis*, G. Don, in Sweet, Hort. Brit. ed. III. 610 = *Celtis occidentalis*.  
*orientalis*, Blume, ex Planch. in Ann. Sc. Nat. Sér. III. x. (1848) 328 = *T. amboinensis*.  
*orientalis*, Decne. in Nouv. Ann. Mus. Par. iii. (1834) 498 = *T. orientalis*.  
*orientalis*, Seem. in Bonplandia, ix. (1861) 259 = *Parasponia Andersonii*.  
*pallida*, Miq. Fl. Ind. Bat. i. ii. 215 = *T. pallida*.  
*pendula*, Span. in Linnaea, xv. (1841) 343 = *Celtis timorensis*.  
*peruviana*, Klotzsch, in Linnaea, xx. (1847) 536 = *T. carinata*.  
*politoria*, Planch. in Ann. Sc. Nat. Sér. III. x. (1848) 326 = *T. politoria*.  
*pubigera*, Miq. Fl. Ind. Bat. i. ii. 216 = *T. pubigera*.  
*pumila*, G. Don, in Sweet, Hort. Brit. ed. III. 610 = *Celtis occidentalis*.  
*rigida*, Decne. in Nouv. Ann. Mus. Par. iii. (1834) 98 = *T. rigida*.  
VOL. II.

## SPONIA :—

- rigida*, Zoll. ex Planch. in DC. Prod. xvii. 181 = *Celtis cinnamomea*.  
*riparia*, Decne. in Nouv. Ann. Mus. Par. iii. (1834) 498 = *Trema riparia*.  
*rostrata*, Span. in Linnaea, xv. (1841) 343, nomen (Quid ?).—Ins. Timor.  
*rufescens*, Planch. in Ann. Sc. Nat. Sér. III. x. (1848) 334 = *T. rufescens*.  
*rugosa*, Decne. in Nouv. Ann. Mus. Par. iii. (1834) 498 = *T. rugosa*.  
*Sampsoni*, Hance, in Ann. Sc. Nat. Sér. V. v. (1866) 242 = *T. timorensis*.  
*scaberrima*, Miq. Fl. Ind. Bat. i. ii. 217 = *T. scaberrima*.  
*Schiedeana*, Planch. in Ann. Sc. Nat. Sér. III. x. (1848) 335 = *T. micrantha*.  
*sinensis*, Decne. in Nouv. Ann. Mus. Par. iii. (1834) 498 = *Celtis sinensis*.  
*Solenostigma*, Steud. Nom. ed. II. ii. 626 = *Celtis paniculata*.  
*stipellata*, Bello, in Anal. Soc. Esp. Hist. Nat. xii. (1883) 109.—Porto Rico.  
*strigosa*, Planch. in Ann. Sc. Nat. Sér. III. x. (1848) 320 = *T. strigosa*.  
*strychnifolia*, Teyssm. & Binn. in Nederl. Kruidk. Arch. iii. (1855) 392 = *Celtis laurifolia*.  
*subserata*, Kurz, in Flora, lv. (1872) 448 = *Gironniera reticulata*.  
*tahitensis*, Nadeaud, Enum. Pl. Tahiti, 42 = *Parasponia Andersonii*.  
*tetrandra*, Voigt, Hort. Suburb. Calc. 294 = *Celtis tetrandra*.  
*timorensis*, Decne. in Nouv. Ann. Mus. Par. iii. (1834) 498 = *T. timorensis*.  
*tomentosa*, Planch. in Ann. Sc. Nat. Sér. III. x. (1848) 336 = *T. amboinensis*.  
*trinervia*, Decne. in Nouv. Ann. Mus. Par. iii. (1834) 498.—Ins. S. Doming.  
*velutina*, Planch. in Ann. Sc. Nat. Sér. III. x. (1848) 327 = *T. amboinensis*.  
*Vieillardii*, Planch. in DC. Prod. xvii. 201.—N. Caled.  
*virgata*, Planch. in Ann. Sc. Nat. Sér. III. x. (1848) 316 = *T. timorensis*.  
*viridis*, Planch. l. c. 319 = *T. aspera*.  
*Wightii*, Planch. l. c. 322 = *T. orientalis*.  
*Willdenowiana*, G. Don, in Sweet, Hort. Brit. ed. III. 610 = *Celtis japonica*.

SPORABOLUS, Hassk. Cat. Hort. Bog. Alt. 17 (1844), sphalm. = *Sporobolus*, R. Br. (Gramin.).

SPORADANTHUS, F. Muell. ex J. Buch. in Trans. N. Z. Inst. vi. (1874) 340; x. (1878) App. 41 = *Lepyrodia*, R. Br. (Restiac.).  
*Traversii*, F. Muell. ex J. Buch. ll. cc. = *L. Traversii*.

SPORLEDERA, Bernh. in Linnaea, xvi. (1842) 41 = *Ceratotheca*, Endl. (Pedalin.).  
*Kraussiana*, Bernh. l. c. 42 = *C. Kraussiana*.  
*triloba*, Bernh. l. c. = *C. triloba*.

SPOROBOLUS, R. Br. Prod. 169 (1810). *GRAMINEAE*, Benth. & Hook. f. iii. 1148.

AGROSTICULA, Raddi, Agrost. Bras. 33. t. 1. f. 2 (1823).

BENNETIA, Rafin. in Ser. Bull. Bot. i. (1830) 220.

CRYPTOSTACHYS, Steud. Syn. Pl. Gram. 181 (1855).

DIACHYRIUM, Griseb. in Goett. Abh. xix. (1874) 256.

HELEOCHLOA, Beauv. Agrost. 23 (1812).

SERMACHITON, Llanos, Fragm. 25 (1851).

TRIACHYRUM, Hochst. in Flora, xxiv. (1841) i. Intell. 19.

VILFA, Beauv. Agrost. 16. t. 5. f. 8 (1812).

actinocladius, F. Muell. Fragm. viii. 140.—Austral.

aeneus, Kunth, Enum. Pl. i. 213.—Bras.

affinis, Kunth, Rév. Gram. i. 68.—Am. austr.

affinis, A. Rich. Tent. Fl. Abyss. ii. 396.—Abyss.

airoides, Torr. in Marcy, Rep. 300.—Am. bor. occ.

albicans, Nees, Fl. Afr. Austr. 154.—Afr. austr.

alpicola, Hochst. ex A. Rich. Tent. Fl. Abyss. ii. 395.—Abyss.

angustifolius, A. Rich. l. c. 396.—Abyss.

angustus, Buckl. in Proc. Acad. Sc. Philad. 1862 (1863) 88 = indicus.

arabicus, Boiss. Diagn. Ser. I. xiii. 47.—Arab.; Ind. or.

## SPOROBOLUS :—

- arenaceus*, Buckl. in Proc. Acad. Sc. Philad. 1862 (1863) 89 = *asperifolius*.  
*arenarius*, Duval-Jouve, in Bull. Soc. Bot. Fl. xvi. (1869) 294 = *pungens*.  
*argutus*, Kunth, Enum. Pl. i. 215.—Bras.  
*arundinaceus*, Vasey, Cat. Gr. U. St. 48 = *Arctagrostis latifolia*.  
*asper*, Kunth, Rév. Gram. i. 68.—Am. bor.  
*asperifolius*, Nees & Meyen, in Nov. Act. Nat. Cur. xix. Suppl. i. (1843) 141.—Am. occ. bor. et austr.  
*atrovirens*, Kunth, Rév. Gram. i. 68.—Mexic.  
*blephariphyllus*, A. Rich. Tent. Fl. Abyss. ii. 398.—Abyss.  
*brevifolius*, Nees, Fl. Afr. Austr. 160 = *tenellus*.  
*Buckleyi*, Vasey, in Bull. Torrey Bot. Club, x. (1883) 128.—Texas.  
*caespitosus*, Kunth, Rév. Gram. ii. 423. t. 125.—Ins. Adscens.  
*capensis*, Kunth, Enum. Pl. i. 212.—Afr. austr.  
*capillaris*, Miq. Anal. Bot. Ind. ii. 25 = *pulchellus*.  
*Carmichaeli*, Kunth, Rév. Gram. i. 68 = *Agrostis Carmichaeli*.  
*centrifugus*, Nees, Fl. Afr. Austr. 158.—Afr. austr.  
*ciliatus*, F. S. Presl, in Rel. Haenk. i. 242.—Mexic.  
*commutatus*, Kunth, Enum. Pl. i. 214 = *coromandelianus*.  
*compressus*, Kunth, l. c. 217.—Am. bor.  
*confertiflorus*, A. Rich. Tent. Fl. Abyss. ii. 397.—Abyss.  
*confertus*, F. A. Schmidt, Beitr. Fl. Cap. Verd. Ins. 142.—Ins. Cap. Virid.  
*consmilis*, Fresen. in Mus. Senckenb. ii. (1837) 140.—Abyss.  
*coromandelianus*, Link, Hort. Berol. i. 89, in nota; Kunth, Rév. Gram. i. 68.—As. et Afr. trop.  
*cryptandrus*, A. Gray, Man. Bot. N. U. St. ed. I. 576.—Am. bor.  
*cuspidatus*, Wood, Am. Bot. & Flor. 385; Scribner, in Bull. Torrey Bot. Club, x. (1883) 63.—Am. bor.  
*depauperatus*, Scribner, l. c.—Am. bor.  
*depauperatus*, Torr. ex Hemsl. Biol. Centr. Am. Bot. iii. 546 = *plumbeus*.  
*diander*, Beauv. Agrost. 26.—As. et Austral. trop.  
*diffusissimus*, Buckl. in Proc. Acad. Sc. Philad. 1862 (1863) 90 = *airoides*.  
*discosporus*, Nees, Fl. Afr. Austr. 158.—Afr. austr.  
*domingensis*, Kunth, Enum. Pl. i. 214.—Ind. occ.  
*Drummondii*, Vasey, Cat. Gr. U. St. 44.—Am. bor.  
*durus*, Brongn. in Duperr. Voy. Coq. Bot. 18. t. 4.—Ins. Adscens.  
*effusus*, Desv. Opusc. 60.—Bras.  
*elongatus*, R. Br. Prod. 170 = *indicus*.  
*eminens*, F. S. Presl, in Rel. Haenk. i. 242.—Mexic.  
*fastigiatus*, F. S. Presl, l. c. 241.—Peruv.  
*festivus*, Hochst. ex A. Rich. Tent. Fl. Abyss. ii. 398.—Abyss.  
*filiculmis*, Vasey, Cat. Gr. U. St. 44.—Am. bor.  
*fimbriatus*, Nees, Fl. Afr. Austr. 156.—Afr. austr.  
*floridanus*, Chapm. Fl. S. U. St. 550.—Florida.  
*gaditanus*, Boiss. & Reut. Pugill. Pl. Nov. 125 = *pungens*.  
*Gigas*, Miq. Fl. Ind. Bat. iii. 376.—Java.  
*glaucifolius*, Hochst. in Flora, xxv. (1842) i. Beibl. 133, nomen: et ex Steud. Syn. Pl. Gram. 154.—Nubia; Sind.  
*gracillimus*, Vasey, Cat. Gr. U. St. 44.—Am. bor.  
*heterolepis*, A. Gray, Man. Bot. N. U. St. ed. I. 576.—Am. bor.  
*heterolepis*, Lapham, in Trans. Wisconsin St. Agric. Soc. iii. 1853 (1854) 426, sphalm. = *praeac*.  
*humifusus*, Kunth, Rév. Gram. i. 67.—Mexic.  
*humilis*, F. S. Presl, in Rel. Haenk. i. 241.—Ins. Philipp.  
*indicus*, R. Br. Prod. 170.—Austral.  
*insulanus*, Parl. in Atti 8<sup>va</sup> Ruin. Sc. Ital. 586.—Ins. Cap. Virid.  
*insularis*, Hook. Niger Fl. 187, sphalm. = *praeac*.  
*ioclados*, Nees, Fl. Afr. Austr. 161.—Afr. austr.; Ind. or.  
*Jacquemontii*, Kunth, Rév. Gram. ii. 427. t. 127.—Ind. occ.  
*Jonesii*, Vasey, in Coult. Bot. Gaz. vi. (1881) 297.—Calif.  
*juncus*, Kunth, Rév. Gram. i. 68.—Am. bor.  
*Lamarckii*, Desv. in Ham. Prod. Pl. Ind. Occ. 4 = *indicus*.  
*leptostachys*, Ficalho & Hiern, in Trans. Linn. Soc. Ser. II. ii. (1881) 30.—Afr. trop.

**SPOROBOLUS**—

- Lindleyi*, Benth. Fl. Austral. vii. 623 = pallidus.  
*littoralis*, Kunth, R v. Gram. i. 68 = glaucifolius?  
*longifolius*, Wood, Class Book (1861), 775 = asper?  
*Ludwigii*, Hochst. in Flora, xxix. (1846) 118.—Afr. austr.  
*mangaloricus*, Miq. Anal. Bot. Ind. ii. 24 = minutiflorus.  
*marginatus*, Hochst. ex A. Rich. Tent. Fl. Abyss. ii. 397.—Abyss.  
*Matrella*, Nees, Fl. Afr. Austr. 152.—Afr. austr.  
*minor*, Kunth, Enum. Pl. i. 212 = indicus.  
*minutiflorus*, Link, Hort. Berol. i. 88.—Ind. or.  
*minutus*, Link, l. c.—Abyss.  
*Muehlenbergii*, Kunth, R v. Gram. i. 68.—Am. bor.  
*myrianthus*, Benth. in Hook. Niger Fl. 565.—Afr. trop.  
*nervosus*, Hochst. in Flora, xxxviii. (1855) 202.—Abyss.  
*noterophilus*, Hemsl. Biol. Centr. Am. Bot. iii. 546.—Mexic.  
*orientalis*, Kunth, Enum. Pl. i. 211.—Ind. or.  
*pallidus*, Benth. Fl. Austral. vii. 623, in obs., sphalm. = arabicus.  
*pallidus*, Lindl. in Mitch. Journ. Trop. Austral. 187.—Austral.  
*panicoides*, A. Rich. Tent. Fl. Abyss. ii. 399.—Abyss.  
*parviflorus*, Kunth, R v. Gram. i. 68.—Austral.  
*pellucidus*, Hochst. in Flora, xxxviii. (1855) 201.—Abyss.  
*phyllotrichus*, Hochst. l. c.—Abyss.  
*piliferus*, Kunth, Enum. Pl. i. 211.—Ind. or.; China.  
*plumbeus*, Hemsl. Biol. Centr. Am. Bot. iii. 546.—Mexic.  
*pulchellus*, R. Br. Prod. 170.—Austral.; Ind. or.  
*pungens*, Kunth, R v. Gram. i. 68.—Reg. Mediterr.  
*purgans*, Griseb. Fl. Brit. W. Ind. 773 (Index), sphalm. = praec.  
*purpurascens*, Ham. Prod. Pl. Ind. Occ. 5.—Am. trop.  
*pyramidalis*, Beauv. Fl. Omar. ii. 36.—Afr. trop.  
*ramosissimus*, Kunth, R v. Gram. i. 269. t. 46.—Am. trop.  
*ramulosus*, Kunth, l. c. 68.—Am. bor. occ.  
*repens*, J. S. Presl, in Rel. Haenk. i. 241.—Mexic.  
*rigens*, E. Desv. in C. Gay, Fl. Chil. vi. 295.—Chili.  
*robustus*, Kunth, R v. Gram. ii. 425. t. 126.—Afr. trop.  
*Rueppellianus*, Fresen. in Mus. Senckenb. ii. (1837) 139.—Abyss.  
*rupestris*, Kunth, R v. Gram. i. 267. t. 45.—Bras.  
*sarmentosus*, Griseb. in Goett. Abh. xxiv. (1879) 295.—Reg. Argent.  
*scaber*, Phil. Fl. Atac. 54.—Chili.  
*scoparius*, J. S. Presl, in Rel. Haenk. i. 243.—Ins. Philipp.  
*serotinus*, A. Gray, Man. Bot. N. U. St. ed. I. 577.—Am. bor.  
*spicatus*, Kunth, R v. Gram. i. 67.—Afr. bor.; Ind. or.  
*Sprengelii*, Kunth, l. c. 68.—Bras.  
*stachydanthus*, A. Rich. Tent. Fl. Abyss. ii. 394.—Abyss.  
*subinclusus*, Phil. Sert. Mendoc. Alt. 49.—Chili.  
*subtilis*, Kunth, R v. Gram. ii. 421. t. 124.—Madag.  
*subtilis*, F. Muell. Fragm. viii. 140 = pallidus.  
*tenacissimus*, Beauv. Agrost. 26 = indicus.  
*tenellus*, Kunth, Enum. Pl. i. 215.—Afr. austr.  
*tremulus*, Kunth, R v. Gram. i. 67 = virginicus.  
*tricholepis*, Coult. Man. Rocky Mount. Bot. 411.—Am. bor.  
*truncatellus*, Nees, ex Steud. Syn. Pl. Gram. 159.—Guian.  
*vaginaeflorus*, Vasey, Cat. Gr. U. St. 45.—Am. bor.  
*verticillatus*, Nees, in Hook. Kew Journ. ii. (1850) 101.—Ins. Philipp.  
*villosus*, Hochst. ex Doell, in Mart. Fl. Bras. ii. 234 = Panicum amplexicaule.  
*villosus*, Kunth, R v. Gram. i. 68.—Guian.  
*virginicus*, Kunth, l. c. 67.—Cosmop. trop.  
*Wolfii*, Vasey, in Bull. Torrey Bot. Club, x. (1883) 52.—Colorado.  
*Wrightii*, Munro, ex Vasey, Cat. Gr. U. St. 26, nomen.—Am. bor.

**SPORTELLA**, Hance, in Journ. Bot. xv. (1877) 207 = *Crataegus*, Tourn. (Rosac.).  
*atalantioides*, Hance, l. c. = C. *Pyracantha*.

**SPRAGUEA**, Torr. in Smithson. Contrib. vi. (Pl. Fr mont.) (1854) 4. t. 1. *PORTULACAEAE*, Benth. & Hook. f. i. 158.  
*paniculata*, Kellogg, in Proc. Calif. Acad. ii. (1863) 187. f. 56.—Am. bor. occ.  
*umbellata*, Torr. in Smithson. Contrib. vi. (1854) 4.—N. Mexic.

**SPREKELIA**, Heist. Syst. 5 (1748); Desc. Brunsvig. 19 (1753). *AMARYLLIDAEAE*, Benth. & Hook. f. iii. 724.  
*Cybister*, Herb. in Bot. Reg. (1840). t. 33 = *Hippeastrum* *Cybister*.  
*formosissima*, Herb. App. [Bot. Reg.] 35.—Mexic.  
*glaucula*, Lindl. Bot. Reg. (1840). Misc. 49 = *formosissima*.  
*Heisteri*, Trew, ex Kunth, Enum. Pl. v. 507 = *formosissima*.  
*Karwinskii*, M. Roem. Syn. Ens. 144 = *formosissima*.  
*ringens*, C. Morr. in Ann. Soc. Bot. Gand, ii. (1846) 133. t. 60 = *formosissima*.

**SPRENGALIA**, 'Andr.' ex Steud. Nom. ed. II. ii. 626 (1841), sphalm. = *Sprengelia*, Sm. (Epacrid.).

**SPRENGELIA**, Schult. Obs. Bot. 134 (1809) = *Mel-hania*, Forsk. (Stercul.).  
*modesta*, Schult. l. c. = M. *abyssinica*.

**SPRENGELIA**, Sm. in Vet. Acad. Handl. Stockh. (1794) 260; Tracts, 269. t. 2 (1798). *EPACRIDAEAE*, Benth. & Hook. f. ii. 617.  
*POIRETIA*, Cav. Ic. iv. 25. t. 343 (1797).  
*PONCELETIA*, R. Br. Prod. 554 (1810).  
*Andersoni*, F. Muell. Fragm. vi. 64 = *Andersonia* *sprengelioides*.  
*aristata*, F. Muell. l. c. 63 = *Andersonia* *aristata*.  
*brachyanthera*, F. Muell. l. c. 61 = *Andersonia* *brachyanthera*.  
*brachynema*, F. Muell. l. c. = *Andersonia* *heterophylla*.  
*brachyota*, F. Muell. l. c. 62 = *Andersonia* *parvifolia*.  
*brevifolia*, F. Muell. l. c. 61 = *Andersonia* *brevifolia*.  
*coerulea*, F. Muell. l. c. 64 = *Andersonia* *coerulea*.  
*colossea*, F. Muell. l. c. 63 = *Andersonia* *colossea*.  
*depressa*, F. Muell. l. c. = *Andersonia* *depressa*.  
*incarnata*, Sm. in Vet. Acad. Handl. Stockh. (1794) 260; Tracts, 272. t. 2.—Austral.  
*involuta*, F. Muell. Fragm. vi. 62 = *Andersonia* *involuta*.  
*latiflora*, F. Muell. l. c. 61 = *Andersonia* *latiflora*.  
*macrantha*, Hook. f. in Hook. Lond. Journ. Bot. vi. (1847) 273 = *incarnata*.  
*macronema*, F. Muell. Fragm. viii. 51.—Austral.  
*micrantha*, F. Muell. l. c. vi. 61 = *Andersonia* *micrantha*.  
*montana*, R. Br. Prod. 555 = *incarnata*.  
*parvifolia*, F. Muell. Fragm. vi. 62 = *Andersonia* *parvifolia*.  
*patricia*, F. Muell. l. c. 79 = *Andersonia* *patricia*.  
*Ponceletia*, F. Muell. l. c. i. 39.—Austral.  
*ponceletioides*, Sond. in Linnaea, xxvi. (1853–55) 254.—Austral.  
*propinqua*, A. Cunn. ex DC. Prod. vii. 768 = *incarnata*.  
*spirophylla*, F. Muell. Fragm. vi. 62 = *Andersonia* *grandiflora*.

**SPRINGALIA**, DC. Prod. vii. 768 (1839), err. typ. = praec.

**SPRINGIA**, Heurck & Muell. Arg. in Heurck, Obs. Pl. Nov. 142 (1871) = *Ichnocarpus*, R. Br. (Apocyn.).  
*indica*, Heurck & Muell. Arg. l. c. 143 = I. *ovatifolius*.

**SPRUCEA**, Benth. in Hook. Kew Journ. v. (1853) 230. *RUBIACEAE*, Benth. & Hook. f. ii. 43.  
*rubescens*, Benth. in Hook. Kew Journ. v. (1853) 230.—Bras.

**SPRUNIRA**, Sch. Bip. ex Hochst. in Flora, xxiv. (1841) 1. Intell. 42; xxv. (1842) 1. Beibl. 134, 145 = *Sphaeranthus*, Linn. (Compos.).  
*alata*, Sch. Bip. l. c. = *Sphaer. nubicus*.

**SPRUNNERA**, Sch. Bip. in Walp. Rep. ii. 954 (1843) = *Codonoccephalum*, Fenzl (Compos.).  
*inuloides*, Sch. Bip. l. c. = C. *inuloides*.

**SPYRIDIDIUM**, Fenzl, in Enum. Pl. Hueg. 24 (1837). *RHAMNEAE*, Benth. & Hook. f. i. 382.  
*STENODISCUS*, Reiss. in Linnaea, xxix. (1857–58) 295.

*bifidum*, F. Muell. ex Benth. Fl. Austral. i. 432.—Austral.  
*coactilifolium*, Reiss. in Linnaea, xxix. (1857–58) 291.—Austral.  
*complicatum*, F. Muell. Fragm. iii. 78.—Austral.  
*cordatum*, Benth. Fl. Austral. i. 430.—Austral.  
*diffusum*, Reiss. in Linnaea, xxix. (1857–58) 288 = *vexilliferum*.  
*divaricatum*, Benth. Fl. Austral. i. 427.—Austral.  
*eriocephalum*, Fenzl, in Enum. Pl. Hueg. 24.—Austral.  
*globulosum*, Benth. Fl. Austral. i. 429.—Austral.  
*Gunnii*, Benth. l. c.—Tasman.  
*halmaturinum*, F. Muell. ex Benth. l. c. 432.—Austral.  
*Lawrencii*, Benth. l. c. 430.—Tasman.  
*leucophractum*, F. Muell. Fragm. iii. 77 = *Stenanthemum* *leucophractum*.  
*microcephalum*, Benth. Fl. Austral. i. 434.—Austral.  
*obovatum*, Benth. l. c. 429.—Tasman.  
*oligocephalum*, Benth. l. c. 433.—Austral.  
*parvifolium*, F. Muell. Fragm. iii. 79.—Austral.  
*pauciflorum*, Benth. Fl. Austral. i. 432.—Austral.  
*phlebophyllum*, F. Muell. ex Benth. l. c. 430.—Austral.  
*phyllicoides*, Reiss. in Linnaea, xxix. (1857–58) 286 = *vexilliferum*.  
*prostratum*, Reiss. l. c. 284 = *eriocephalum*.  
*pumilum*, F. Muell. Fragm. ix. 137.—Austral.  
*rotundifolium*, F. Muell. l. c. iv. 25.—Austral.  
*serpyllaceum*, F. Muell. l. c. iii. 80.—Austral.  
*spadiceum*, Benth. Fl. Austral. i. 428.—Austral.  
*spatulatum*, F. Muell. ex Benth. l. c. 430.—Austral.  
*Stuarti*, Reiss. & F. Muell. in Linnaea, xxix. (1857–58) 290 = *coactilifolium*.  
*subochreatum*, Reiss. l. c. 287.—Austral.  
*thymifolium*, Reiss. l. c. 289 = *coactilifolium*.  
*tridentatum*, Benth. Fl. Austral. i. 427.—Austral.  
*ulicinum*, Benth. l. c. 434.—Tasman.  
*uncinatum*, Reiss. in Linnaea, xxix. (1857–58) 289 = *eriocephalum*.  
*vexilliferum*, Reiss. l. c. 285.—Austral.  
*villosum*, Benth. Fl. Austral. i. 432.—Austral.  
*Waterhousii*, F. Muell. Fragm. iii. 83 = *Stenanthemum* *Waterhousii*.  
*westringiaefolium*, Benth. Fl. Austral. i. 431.—Austral.

**SQUAMARIA**, Riv. ex Linn. Gen. ed. I. (1737) 183 = *Lathraea*, Linn. (Orobanch.).  
*Orobanche*, Scop. Fl. Carn. ed. II. i. 438 = L. *Squamaria*.

**SQUAMATAXUS**, [Nelson], Senilis, Pinaceae, 168 (1866) = *Saxegothaea*, Lindl. (Conif.).  
*Albertiana*, [Nelson], l. c. = Sax. *conspicua*.

**SQUAMMARIA**, Riv. ex Linn. Syst. ed. I (1735) = *SQUAMARIA*, Riv. = *Lathraea*, Linn. (Orobanch.).

**SQUILLA**, Steinh. in Ann. Sc. Nat. S r. II. vi. (1836) 276 = *Urginea*, Steinh. (Liliac.).  
*anthericoides*, Jord. & Fourr. Ic. Fl. Eur. ii. 2 = U. *anthericoides*.  
*insularis*, Jord. & Fourr. l. c. = U. *Scilla*.  
*littoralis*, Jord. & Fourr. l. c. = U. *Scilla*.  
*maritima*, Steinh. in Ann. Sc. Nat. S r. II. vi. (1836) 279 = U. *Scilla*.  
*numidica*, Jord. & Fourr. Ic. Fl. Eur. ii. 1 = U. *Scilla*.  
*Pancration*, Steinh. in Ann. Sc. Nat. S r. II. vi. (1836) 279 = U. *Scilla*.  
*sphaeroidea*, Jord. & Fourr. Ic. Fl. Eur. ii. 1 = U. *Scilla*.

**SRUTANTHUS**, Pritz. Ic. Ind. i. 1061 (1855), sphalm. = seq.

**SRUTHANTHUS**, DC. Prod. iv. 671 (1830), sphalm. = *STRUTHANTHUS*, Mart. = *Loranthus*, Linn.

**STAAVIA**, Dahl, Obs. Bot. 15 (1787). *BRUNIA-CEAE*, Benth. & Hook. f. i. 672.  
*ASTROCOMA*, Neck. Elem. i. 112 (1790).  
*LEVISANUS*, Schreb. Gen. i. 149 (1789).  
*STAVIA*, Thunb. Nov. Gen. vii. 108 (1792).

**STAAVIA:—**

- adenandraefolia*, Eckl. & Zeyh. Enum. 141.—Afr. austr.  
*capitella*, Sond. in Harv. & Sond. Fl. Cap. ii. 323 = *adenandraefolia*.  
*ciliata*, Brongn. in Ann. Sc. Nat. Sér. I. viii. (1826) 380.—Afr. austr.  
*ciliata*, Eckl. & Zeyh. Enum. 141 = *adenandraefolia*.  
*Dregeana*, Presl, Bot. Bemerk. 39 = *radiata*.  
*glaucescens*, E. Mey. in Drège, Zwei Pfl. Docum. 223, nomen = *glutinosa*.  
*globosa*, Sond. in Harv. & Sond. Fl. Cap. ii. 322 = *ciliata*.  
*glutinosa*, Dahl, Obs. Bot. 17.—Afr. austr.  
*nuda*, Brongn. in Ann. Sc. Nat. Sér. I. viii. (1826) 379.—Afr. austr.  
*nuda*, Eckl. & Zeyh. Enum. 141 = *adenandraefolia*.  
*pinifolia*, Willd. in Denkschr. Akad. Muench. i. (1809) 133 = *radiata*.  
*radiata*, Dahl, Obs. Bot. 15.—Afr. austr.  
*rupestris*, Eckl. & Zeyh. Enum. 141 = *adenandraefolia*.  
*Zeyheri*, Sond. in Harv. & Sond. Fl. Cap. ii. 323.—Afr. austr.

- STABEROHA**, Kunth, Enum. Pl. iii. 442 (1841). *RESTIACEAE*, Benth. & Hook. f. iii. 1034.  
*distachya*, Kunth, l. c. 444.—Afr. austr.  
*imbricata*, Kunth, l. c. 442 = Afr. austr.  
*stenoptera*, Kunth, l. c. 443 = *imbricata*.

- STACHIS**, Neck. Delic. Gallo-Belg. i. 255 (1768) = *Stachys*, Tourn. (Labiata.).

- STACHYACANTHUS**, Nees, in Mart. Fl. Bras. ix. 65 (1847). Genus dubium *ACANTHACEARUM*.—Cf. Benth. & Hook. f. Gen. ii. 1071.  
*Riedelianus*, Nees, l. c. 66.—Bras.

- STACHYANTHUS**, DC. Prod. v. 84 (1836) = *Eremanthus*, Less. (Compos.).  
*argyrophyllus*, Mart. & Zucc. ex Baker, in Mart. Fl. Bras. vi. ii. 168 = E. Martii.  
*Martii*, DC. Prod. v. 84 = E. Martii.

- STACHYARRHENA**, Hook. f. in Hook. Ic. Pl. t. 1068 (1870). *RUBIACEAE*, Benth. & Hook. f. ii. 80.  
*longifolia*, Hook. f. in Hook. Ic. Pl. sub t. 1068.—Bras.  
*spicata*, Hook. f. l. c. t. 1068.—Bras.

- STACHYCEPHALUM**, Sch. Bip. ex Benth. in Hook. Ic. Pl. t. 1102 (1872). *COMPOSITAE*, Benth. & Hook. f. ii. 344.  
*argentinum*, Griseb. in Goett. Abh. xxiv. (1879) 188.—Reg. Argent.  
*mexicanum*, Sch. Bip. ex Benth. in Hook. Ic. Pl. t. 1102.—Mexic.

- STACHYCHRYSUM**, Boj. Hort. Maurit. 114 (1837) = *Piptadenia*, Benth. (Legumin.).  
*pterospermum*, Boj. l. c. = P. chrysostachys.

- STACHYCRATER**, Turcz. in Bull. Soc. Nat. Mosc. xxxi. (1858) i. 464 = *Osmelia*, Thw. (Samyd.).  
*philippinus*, Turcz. l. c. 465 = O. philippinensis.  
*zeylanicus*, Turcz. l. c. xxxvi. (1863) i. 609 = O. Gardneri?

- STACHYOBIMUM**, Reichb. f. in Gard. Chron. (1869) 785 = *Dendrobium*, Sw. (Orchid.).  
*aureum*, Reichb. f. l. c. = D. binoculare.

- STACHYOCNIDE**, Blume, Mus. Bot. Lugd. Bat. ii. 227. t. 55 (1856) = *Pouzolzia*, Gaudich. (Urtic.).  
*luzonica*, Blume, l. c. 228. t. 55 = P. macrura.

- STACHYOPHORBE**, Liebm. in Overs. Dansk. Vidensk. Selsk. (1846) 8 = *Chamaedorea*, Willd. (Palm.).  
*cataractarum*, Liebm. l. c. = C. cataractarum.  
*Deckeriana*, Klotzsch, in Otto & Dietr. Allg. Gartenz. xx. (1852) 364 = C. Deckeriana.  
*montana*, Liebm. in Overs. Dansk. Vidensk. Selsk. (1846) 8 = *oreophila*.  
*pygmaea*, Oerst. in Kjoeb. Vidensk. Meddel. (1858) 10 = C. pygmaea.

- STACHYOPOGON**, Klotzsch, in Bot. Ergeb. Waldem. Reise, 49 (1862) = *Aletris*, Linn. (Haemod.).  
*pauciflorus*, Klotzsch, l. c.—Reg. Himal.  
*spicatus*, Klotzsch, l. c.—Reg. Himal.

- STACHYS**, [Tourn.] Linn. Syst. ed. I (1735). *LABIATAE*, Benth. & Hook. f. ii. 1208.

- AMBLEIA*, Spach, Hist. Vég. Phan. ix. 166 (1840), nomen.  
*ASPASIA*, E. Mey. ex Pfeiff. Nom. i. 295 (1873).  
*BETONICA*, Tourn. ex Linn. Syst. ed. I (1735); et Gen. ed. I. 171 (1737).  
*BONAMYA*, Neck. Elem. i. 316 (1790).  
*ERIOSTACHYS*, Reichb. ex Steud. Nom. ed. II. i. 588 (1840).  
*ERIOSTOMUM*, Hoffmgg. & Link, Fl. Port. i. 105. t. 7 (1809).  
*GALEOPSIS*, Moench, Meth. 397 (1794).  
*OLISIA*, Spach, Hist. Vég. Phan. ix. 166 (1840).  
*ORTOSTACHYS*, Fourr. in Ann. Soc. Linn. Lyon, N. S. xvii. (1869) 136.  
*TETRAHITUM*, Hoffmgg. & Link, Fl. Port. i. 103 (1809).  
*TRIXAGO*, Hall. Hist. Stirp. Helv. 101 (1768); Moench, Meth. 398 (1794).  
*TRIXELLA*, Fourr. in Ann. Soc. Linn. Lyon, N. S. xvii. (1869) 135.  
*ZIETENIA*, Gled. Syst. 185 (1764).  
*abrotanifolia*, Boiss. & Heldr. in Boiss. Fl. Orient. iv. 732 = *angustifolia*.  
*acerosa*, Boiss. Diagn. Ser. I. vii. 57.—Persia.  
*aculeolata*, Hook. f. in Journ. Linn. Soc. vi. (1862) 18.—Afr. trop.  
*acutifolia*, Bory & Chaub. Expéd. Mor. 168 = *germanica*.  
*acutifolia*, Link, in Linnaea, ix. (1834) 575 = *graeca*.  
*adenocalyx*, C. Koch, l. c. xxi. (1848) 691 = *annua*.  
*aegyptiaca*, Pers. Syn. ii. 124 = *affinis*.  
*aethiopica*, Linn. Mant. i. 82.—Afr. austr.  
*affinis*, Bunge, Enum. Pl. Chin. Bor. 51 = *palustris*.  
*affinis*, Fresen. in Mus. Senckenb. i. (1833) 91.—Aegypt.; Arab.  
*agraria*, Schlecht. & Cham. in Linnaea, v. (1830) 100.—Texas; Mexic.  
*agraria*, Torr. in Bot. U. St. Expl. Exped. ii. 408 = *bullata*.  
*ajugoides*, Benth. in Linnaea, vi. (1831) 80.—Calif.  
*alba*, Mill. Gard. Dict. ed. VIII. n. 4 = *germanica*.  
*albans*, A. Gray, in Proc. Am. Acad. vii. (1868) 387.—Calif.  
*albicaulis*, Bert. ex Benth. in DC. Prod. xii. 473 = *grandidentata*.  
*albicaulis*, Lindl. Bot. Reg. t. 1558.—Chili.  
*aleurites*, Boiss. & Heldr. Diagn. Ser. I. xii. 79.—Pamphylia.  
*alopeucos*, Benth. Lab. Gen. et Sp. 531.—Europ.  
*alpina*, Linn. Sp. Pl. 581.—Europ.; Reg. Cauc.  
*altissima*, Desf. Cat. Hort. Par. ed. III. 101 = *italica*.  
*ambigua*, Sm. Engl. Bot. t. 2089 = *sylvatica*.  
*angustifolia*, Bieb. Fl. Taur. Cauc. ii. 51.—Europ. austr. or.  
*angustifolia*, Gilib. Fl. Lituan. i. 80 = *palustris*.  
*anisochila*, Vis. & Panč. in Mem. Ist. Venet. xv. (1870) 13.—Serbia; Herceg.  
*annua*, Linn. Sp. Pl. ed. II. 813.—Europ.; Reg. Cauc.  
*annua*, Sibth. & Sm. Fl. Graec. Prod. i. 410 = *recta*.  
*annua*, Walt. Fl. Carol. 161 = *aspera*.  
*arabica*, Hornem. Hort. Hafn. 554.—Syria.  
*arenaria*, Vahl, Symb. Bot. ii. 64.—Reg. Mediterr. occ.  
*argentea*, Tausch, in Flora, xiv. (1831) 217 = *germanica*.  
*argilacea*, Pomel, Nouv. Mat. Fl. Atl. 118 = *Duriaei*.  
*argolica*, Boiss. Diagn. Ser. I. xii. 83 = *Swainsoni*.  
*armena*, Boiss. & Haussk. ex Boiss. Fl. Orient. iv. 694 = *Marrubium cephalanthum*.  
*Artemisiae*, Lour. Fl. Cochinch. 365 = *Leonurus sibiricus*.  
*arvensis*, Linn. Sp. Pl. ed. II. 814.—Geront. temp. bor.  
*arvensis*, Walt. Fl. Carol. 162 = *aspera*.  
*aspera*, Michx. Fl. Bor. Am. ii. 5.—Am. bor.  
*atherocalyx*, C. Koch, in Linnaea, xxi. (1848) 691 = *recta*.  
*Aucherii*, Benth. in DC. Prod. xii. 487.—Persia.  
*aurea*, Benth. l. c. 492.—Afr. austr.

**STACHYS:—**

- austriaca*, Heynh. Nom. ii. 697 = *palustris*.  
*baicalensis*, Fisch. ex Benth. Lab. Gen. et Sp. 543 = *palustris*.  
*Balansae*, Boiss. & Kotschy, ex Boiss. Fl. Orient. iv. 722.—As. Min.  
*Balbisii*, Link, Enum. Hort. Berol. ii. 110 = *pubescens*.  
*Ballota*, Kuntze, Taschen-Fl. Leipz. 112 = *Ballota nigra*.  
*ballotaeformis*, Vatke, in Bot. Zeit. xxxiii. (1875) 448 = *Benthamiana*.  
*barbata*, Lapeyr. Hist. Abr. Pl. Pyr. 336 = *heraclea*.  
*barbigera*, Viv. Fl. Cors. App. ii. 4 = *heraclea*.  
*Benthamiana*, Boiss. Fl. Orient. iv. 734.—Persia.  
*betaefolia*, Pers. Syn. ii. 124.—Hab.?  
*Betonica*, Benth. Lab. Gen. et Sp. 532.—Europ.; As. Min.  
*Betonica*, Crantz, Stirp. Austr. ed. II. fasc. iv. 264 = *annua*.  
*Betonica*, Scop. Fl. Carn. ed. II. i. 411 = *recta*.  
*betonicaeflora*, Rupr. Sert. Tiansch. 66.—Turkestan.  
*betonicaefolia*, Desf. in Ann. Mus. Par. x. (1807) 304 = *spinulosa*.  
*betonicaefolia*, Pers. Syn. ii. 124 = *heraclea*.  
*betonicifolia*, Regel, in Act. Hort. Petrop. vi. (1879) 366 = *betonicaeflora*.  
*biennis*, Hort. Hafn. ex Benth. in DC. Prod. xii. 464 = *lanata*.  
*biennis*, Roth, in Usteri, Ann. Bot. xiv. (1795) 27 = *germanica*.  
*biflora*, Hook. & Arn. Bot. Beech. Voy. 155 (sp. dub.).—Calif.  
*Bigelovii*, A. Gray, in Proc. Am. Acad. viii. (1872) 371.—Texas; Am. bor.  
*bithynica*, Boiss. Diagn. Ser. I. v. 28 = *germanica*.  
*Bodeana*, Bunge, Lab. Pers. 71 = *tomentosa*.  
*bogotensis*, H. B. & K. Nov. Gen. et Sp. ii. 309.—N. Granat.  
*bombycina*, Boiss. Diagn. Ser. I. xii. 79.—Syria.  
*boraginoides*, Benth. Lab. Gen. et Sp. 540 = *Lindenii*.  
*boraginoides*, Schlecht. & Cham. in Linnaea, v. (1830) 100.—Mexic.  
*brachiata*, Boj. ex Benth. Lab. Gen. et Sp. 547.—Madag.  
*brachyclada*, Noé, ex Coss. in Ann. Sc. Nat. Sér. IV. i. (1854) 226; et in Bull. Soc. Bot. Fr. ii. (1855) 583 = *annua*.  
*Brantii*, Benth. in DC. Prod. xii. 463.—Kurdistan.  
*Brantii*, Huet, ex Boiss. Fl. Orient. iv. 722 = *Huetii*.  
*brasiliensis*, Hort. ex Benth. Lab. Gen. et Sp. 550 = *arvensis*.  
*Bridgesii*, Benth. l. c. 546.—Chili.  
*Bufonia*, Thuill. Fl. Par. ed. II. i. 295 = *recta*.  
*bullata*, Benth. Lab. Gen. et Sp. 547.—Calif.  
*Burchellii*, Benth. l. c. 561.—Afr. austr.  
*burgsdorffoides*, Boiss. Diagn. Ser. I. xii. 85.—Syria; Mesopot.  
*byzantina*, C. Koch, in Linnaea, xxi. (1848) 686 = *lanata*.  
*caffra*, E. Mey. ex Benth. in DC. Prod. xii. 495.—Afr. austr.  
*californica*, Benth. l. c. 469.—Calif.  
*calycantha*, Bieb. Fl. Taur. Cauc. iii. 393 = *lavandulaefolia*.  
*canariensis*, Jacq. Ic. Pl. Rar. i. 11. t. 108 = *sylvatica*.  
*candida*, Benth. Lab. Gen. et Sp. 547, partim = *mollis*.  
*candida*, Bory & Chaub. Expéd. Mor. 167. t. 19.—Graecia.  
*candidissima*, Phil. in Linnaea, xxix. (1857–58) 19.—Chili.  
*canescens*, Bory & Chaub. Expéd. Mor. 167. t. 18.—Graecia.  
*capensis*, Presl, Bot. Bemerk. 100.—Afr. austr.  
*cardinalis*, Kunze, in Bot. Zeit. ii. (1844) 645 = *coccinea*, Jacq.  
*cassia*, Boiss. Diagn. Ser. I. xiii. 74.—Macedon.; Syria.  
*caucasica*, C. Koch, in Linnaea, xxi. (1848) 693 = *iberica*.  
*Chamaesideritis*, Boiss. & Bal. Diagn. Ser. II. iv. 41 = *citrina*.  
*Chamissonis*, Benth. in Linnaea, vi. (1831) 80.—Calif.  
*chinensis*, Bunge, ex Benth. Lab. Gen. et Sp. 544.—China.  
*chonotica*, Hook. f. Fl. Antarct. 336.—Chili.



**STACHYS:—**

chrysanth, Boiss. & Heldr. *Diagn. Ser. I. vii. 56.*—Graecia.  
*ciliaris*, Boiss. l. c. xii. 78 = libanotica.  
*ciliata*, Dougl. ex Benth. *Lab. Gen. et Sp.* 539.—Am. bor. occ.  
*cilicica*, Boiss. & Bal. *Diagn. Ser. II. iv. 42* = annua.  
*cinerea*, Hort. ex Benth. *Lab. Gen. et Sp.* 536 = germanica.  
*circinata*, L'Hérit. *Stirp. Nov.* 51. t. 26.—Hispan.; Afr. bor.  
*citrina*, Boiss. & Heldr. ex Benth. in DC. *Prod.* xii. 490.—Graecia; As. Min.  
*coccinea*, Hook. & Arn. *Bot. Beech. Voy.* 156 = bullata.  
*coccinea*, Jacq. *Hort. Schoenb.* iii. 18. t. 284.—Texas; Mexic.  
*coccinea*, Ortega, *Hort. Matr. Dec.* 20.—Cuba.  
*coerulea*, Burch. ex Benth. *Lab. Gen. et Sp.* 558.—Afr. austr.  
*congesta*, Urv. in *Mém. Soc. Linn. Par. i.* (1822) 324 = iberica.  
*cordata*, Gilib. *Fl. Lituan.* i. 80 = sylvatica.  
*cordata*, Riddell, *Suppl. Cat. Ohio Pl.* 15.—Am. bor.  
*cordato-folia*, Gilib. *Exercit. i.* 91 = sylvatica.  
*cordifolia*, C. Koch, in *Linnaea*, xxi. (1848) 685.—Oriens.  
*corsica*, Pers. *Syn.* ii. 36.—Reg. Mediterr.  
*crenata*, Rafin. *Fl. Ludov.* 42 (Quid ?).—Am. bor.  
*cretica*, Forsk. *Fl. Aegypt. Arab. p.* xxviii = orientalis.  
*cretica*, Linn. *Sp. Pl.* 581 = germanica, alpina.  
*cretica*, Sibth. & Sm. *Fl. Graec.* vi. 47. t. 558.—Graec.; As. Min.; Syria.  
*cretica*, Sieber, ex Boiss. *Fl. Orient.* iv. 718 = Tournefortii.  
*crispa*, Arv. *Ess. Pl. Dauph.* 58 (Quid ?).—Gallia.  
*cuneata*, Banks, ex Benth. *Lab. Gen. et Sp.* 560.—Afr. austr.  
*curviflora*, Tausch, in *Flora*, xiv. (1831) 216 = alpina.  
*Cydni*, Kotschy, ex Tchihat. *Asie Min. Bot.* ii. 173, nomen.—As. Min.  
*dasyanthos*, Heldr. ex Boiss. *Fl. Orient.* iv. 721 = Heldreichii.  
*dasyanthos*, Rafin. *Préc. Découv.* 39.—Sicil.  
*debilis*, Baker, in *Journ. Linn. Soc.* xx. (1883) 234.—Madag.  
*debilis*, H. B. & K. *Nov. Gen. et Sp.* ii. 309.—Ecuador.  
*decemdentata*, Forst. f. *Prod.* 91 = *Leucas flaccida*.  
*decumbens*, Pers. *Syn.* ii. 123 = mollissima.  
*decumbens*, Reichb. *Fl. Germ. Excurs.* 318 = recta.  
*decumbens*, Willd. *Enum. Hort. Berol. Suppl.* 41 = pubescens.  
*delphinensis*, Jord. *Cat. Jard. Bot. Grenoble* (1853), 12; et in F. Schultz, *Arch. Fl. Fr. et Allem.* 322 = recta.  
*densiflora*, Benth. *Lab. Gen. et Sp.* 532.—Europ. austr.  
*denticulata*, Burch. ex Benth. l. c. 560.—Afr. austr.  
*deserti*, Benth. in DC. *Prod.* xii. 494 = rugosa.  
*diffusa*, Schweigg. *Enum. Pl. Hort. Regiom.* 69 = arenaria.  
*discolor*, Benth. *Lab. Gen. et Sp.* 533.—Reg. Cauc.  
*distans*, Benth. in DC. *Prod.* xii. 472.—Syria.  
*divaricata*, Viv. *Fl. Cors. App.* 2 = hirta.  
*diversifolia*, Boiss. *Diagn. Ser. I. xii. 80.*—Syria.  
*Dregeana*, Benth. in E. Mey. *Comm. Pl. Afr. Austr.* 240.—Afr. austr.  
*Drummondii*, Benth. *Lab. Gen. et Sp.* 551.—Texas; Mexic.  
*Durandiana*, Coss. in *Bull. Soc. Bot. Fr.* xx. (1878) 256.—Maroc.  
*Duriaei*, Noé, in *Bull. Soc. Bot. Fr.* ii. (1855) 583.—Afr. bor.  
*Ehrenbergii*, Boiss. *Fl. Orient.* iv. 721.—Syria.  
*elata*, C. Koch, in *Linnaea*, xxi. (1848) 687 = spectabilis.  
*elliptica*, H. B. & K. *Nov. Gen. et Sp.* ii. 308.—Ecuador.  
*elliptica*, Phil. in *Linnaea*, xxxiii. (1864–65) 193.—Chili.  
*elliptica*, Poepp. ex Benth. in DC. *Prod.* xii. 473 = grandidentata.  
*elongata*, Hort. ex Benth. *Lab. Gen. et Sp.* 536 = germanica.  
*erecta*, C. Koch, in *Linnaea*, xxi. (1848) 691 = recta.  
*eriantha*, Benth. *Lab. Gen. et Sp.* 549.—Mexic.  
*eriroleuca*, Pomel, *Nouv. Mat. Fl. Atl.* 305.—Alger.

**STACHYS:—**

*excelsa*, Hort. ex Benth. *Lab. Gen. et Sp.* 536 = germanica.  
*excelsa*, Mart. & Gal. in *Bull. Acad. Brux.* xi. II. (1844) 194 = Keerlii.  
*flavescens*, Benth. in E. Mey. *Comm. Pl. Afr. Austr.* 241.—Afr. austr.  
*floccosa*, Benth. *Lab. Gen. et Sp.* 739.—Reg. Himal.  
*floribunda*, Montbr. & Auch. in *Ann. Sc. Nat. Sér. II.* vi. (1836) 51 = pumila.  
*floridana*, Shutt. ex Benth. in DC. *Prod.* xii. 478.—Florida.  
*fluminensis*, Vell. *Fl. Flum.* 241; vi. t. 1 = *Leucas martinicensis*.  
*Foeniculum*, Pursh, *Fl. Am. Sept.* ii. 407 = *Lophanthus anisatus*.  
*foetida*, Gueldenst. ex Ledeb. *Fl. Ross.* iii. 413 = sylvatica.  
*foetida*, Vitm. in *Colla, Herb. Pedem.* iv. 449.—Hab. ?  
*foliosa*, Benth. in E. Mey. *Comm. Pl. Afr. Austr.* 241 = rugosa.  
*foliosa*, Regel, in *Act. Hort. Petrop.* vi. (1879) 366 = betonicaeflora.  
*fragilis*, Vis. *Fl. Dalm.* ii. 207, in obs. t. 16. f. 1 = recta.  
*fruticulosa*, Bieb. *Fl. Taur. Cauc.* ii. 51.—Reg. Cauc.; Persia.  
*fusca*, Moench, *Meth. Suppl.* 136 = alpina.  
*Galeottii*, Martens, in *Bull. Acad. Brux.* xi. II. (1844) 192.—Mexic.  
*garana*, Boiss. *Diagn. Ser. I. xii. 76* = cretica.  
*gariepina*, Benth. in DC. *Prod.* xii. 493.—Afr. austr.  
*germanica*, Linn. *Sp. Pl.* 581.—Europ.; Afr. bor.  
*Gilliesii*, Benth. *Lab. Gen. et Sp.* 740.—Chili.  
*glabra*, Riddell, *Suppl. Cat. Ohio Pl.* 16 = aspera.  
*glaucescens*, Mussin. ex Spreng. *Syst.* ii. 736 = sylvatica.  
*glutinosa*, Linn. *Sp. Pl.* 581.—Reg. Mediterr.  
*glutinosa*, Sibth. & Sm. *Fl. Graec. Prod.* i. 409 = recta.  
*graciliflora*, Presl, *Bot. Bemerck.* 100.—Afr. austr.  
*graeca*, Boiss. & Heldr. *Diagn. Ser. I. xii. 77.*—Graecia.  
*Grahami*, Benth. *Lab. Gen. et Sp.* 551 = agraria.  
*grandidentata*, Lindl. *Bot. Reg.* t. 1080.—Chili.  
*grandiflora*, Benth. *Lab. Gen. et Sp.* 533.—As. Min.; Persia.  
*grandiflora*, Host, *Fl. Austr.* ii. 169 = menthaefolia.  
*grandifolia*, E. Mey. *Comm. Pl. Afr. Austr.* 239.—Afr. austr.  
*Guyoniana*, Noé, ex Munby, *Cat. Pl. Alger.* 24, nomen.—Alger.  
*Hauscknechtii*, Vatke, in *Bot. Zeit.* xxxiii. (1875) 461 = Kotschy.  
*Haynaldi*, Janka, ex Nym. *Consp.* 580 = angustifolia.  
*Heldreichii*, Boiss. *Fl. Orient.* iv. 721.—Graec.; Byzant.  
*heraclea*, All. *Fl. Pedem.* i. 31. t. 84.—Europ. austr.  
*heraclea*, Botan. Graec. ex Boiss. *Fl. Orient.* iv. 723 = graeca.  
*heraclea*, Webb, ex Ball, in *Journ. Linn. Soc.* xvi. (1878) 624 = germanica.  
*heterophylla*, Moench, *Meth. Suppl.* 135 = germanica.  
*Hildebrandtii*, Vatke, in *Linnaea*, xliii. (1880–82) 95.—Afr. trop.  
*hirsuta*, H. B. & K. *Nov. Gen. et Sp.* ii. 308.—Mexic.  
*hirta*, Georgi, *Beschr. Russ. Reich.* III. v. 1086 = arenaria.  
*hirta*, Linn. *Sp. Pl.* ed. II. 813.—Reg. Mediterr.  
*hirtula*, Pomel, *Nouv. Mat. Fl. Atl.* 305 = hirta.  
*hispanica*, Mill. *Gard. Dict. ed. VIII.* n. 6 = germanica ?  
*hispidula*, Pursh, *Fl. Am. Sept.* ii. 407 = aspera.  
*hispidula*, Hochst. in *Flora*, xxviii. (1845) 66.—Afr. austr.  
*Huetii*, Boiss. *Fl. Orient.* iv. 722.—Armenia.  
*humifusa*, Burch. ex Benth. *Lab. Gen. et Sp.* 547.—Afr. austr.  
*hybrida* x, Bruegg. in *Jahresb. Naturf. Ges. Graub.* II. xxiii–xxiv. (1880) 102.—Europ.  
*hydrophila*, Boiss. *Diagn. Ser. I. xii. 81.*—Syria.  
*hypoleuca*, Hochst. ex A. Rich. *Tent. Fl. Abyss.* ii. 197 = palaestina.  
*hypoleuca*, C. Koch, in *Linnaea*, xxi. (1848) 688 = spectabilis.

**STACHYS:—**

*hyssopifolia*, Michx. *Fl. Bor. Am.* ii. 4.—Am. bor.  
*hyssopifolia*, Vahl, ex Benth. *Lab. Gen. et Sp.* 559 = rugosa.  
*hyssopoides*, Burch. ex Benth. *Lab. Gen. et Sp.* 558.—Afr. austr.  
*iberica*, Bieb. *Fl. Taur. Cauc.* ii. 51.—As. Min.; Syria.  
*inflata*, Benth. *Lab. Gen. et Sp.* 562.—Mesopot.; Persia.  
*inscripta*, Reichb. *IC. Bot. Exot.* i. 28. t. 40 = hirta.  
*integrifolia*, Vahl, ex Benth. *Lab. Gen. et Sp.* 562.—Afr. austr.  
*intermedia*, Ait. *Hort. Kew. ed. I. ii.* 301 = germanica.  
*intermedia*, Tenore, *Prod. Fl. Nap.* p. xxxiv = heraclea.  
*italica*, Benth. ex Nym. *Consp.* 577, partim = dasyanthos.  
*italica*, Mill. *Gard. Dict. ed. VIII.* n. 3.—Reg. Mediterr.  
*italica*, Orph. ex Nym. *Consp.* 578 = cretica.  
*italica*, Reichb. ex Nym. l. c. = Janiana.  
*Iva*, Griseb. *Spicil. Fl. Rumel.* ii. 143.—Macedon.  
*ixodes*, Boiss. & Haussk. ex Boiss. *Fl. Orient.* iv. 738.—Persia.  
*Janiana*, Ces. *Pass. & Gib. Comp. Fl. Ital.* 318.—Europ.  
*japonica*, Miq. *Ann. Mus. Bot. Lugd. Bat.* ii. 111.—Japon.  
*jugalis*, Burch. ex Benth. *Lab. Gen. et Sp.* 562 = rugosa.  
*Keerlii*, Benth. l. c. 551.—Mexic.  
*Kotschy*, Boiss. & Hohen. *Diagn. Ser. I. v. 32.*—Kurdistan.  
*Kraussii*, Hochst. in *Flora*, xxviii. (1845) 66.—Afr. austr.  
*kurdica*, Boiss. & Hohen. *Diagn. Ser. I. v. 31* = subnuda.  
*labiosa*, Bertol. *Fl. Ital.* vi. 166 = subcrenata.  
*laetevirens*, Kotschy & Boiss. ex Boiss. *Fl. Orient.* iv. 734 = viscosa.  
*Lamarckii*, Benth. *Lab. Gen. et Sp.* 562.—Afr. austr.  
*lamiiflora*, Rupr. *Sert. Tiansch.* 67.—As. centr.  
*lamioides*, Benth. *Pl. Hartw.* 244.—N. Granat.  
*lanata*, Crantz, *Stirp. Austr.* ed. II. fasc. iv. 267 = germanica.  
*lanata*, Jacq. *IC. Pl. Rar.* i. 11. t. 107.—Byzant.; Reg. Cauc.; Persia.  
*lanata*, Moench, *Meth.* 397 = palaestina.  
*lasiantha*, Steud. *Nom. ed. II. ii.* 628, sphalm. = dasyanthos.  
*latifolia*, Ait. *Hort. Kew. ed. I. ii.* 303 = circinata.  
*lavandulaefolia*, Vahl, *Symb. Bot.* i. 42.—Reg. Cauc.; As. Min.; Persia.  
*laxa*, Boiss. & Buhse, in *Nouv. Mém. Soc. Nat. Mosc.* xii. (1860) 179.—Persia.  
*lazica*, Boiss. *Fl. Orient.* iv. 745 = pubescens.  
*leucoglossa*, Griseb. *Spicil. Fl. Rumel.* ii. 140 = recta.  
*libanotica*, Benth. in DC. *Prod.* xii. 462.—Syria.  
*Lindenii*, Benth. l. c. 467.—Mexic.  
*linearifolia*, C. Koch, in *Linnaea*, xxi. (1848) 692 = recta.  
*linearis*, Burch. ex Benth. *Lab. Gen. et Sp.* 559 = rugosa.  
*longespicata*, Boiss. & Kotschy, ex Boiss. *Fl. Orient.* iv. 725.—As. Min.; Syria.  
*longiflora*, Boiss. & Bal. *Diagn. Ser. II. iv.* 39.—Cilicia.  
*longifolia*, Benth. *Lab. Gen. et Sp.* 533.—Reg. Cauc.  
*longifolia*, Bert. ex Steud. *Nom. ed. II. ii.* 628 = sideritoides.  
*longifolia*, Rafin. in *Am. Monthly Mag.* (1818) 356, nomen (sphalm. Staelry longifolia) (Quid ?).—Am. bor.  
*lunata*, Pall. *Fl. Ross. (Index Tomi ii. I).*—Rossia.  
*lusitanica*, Bory & Chaub. *Nouv. Fl. Pélop.* 37 = graeca.  
*lusitanica*, Steud. *Nom. ed. I.* 806 = germanica.  
*Lyallii*, Benth. *Lab. Gen. et Sp.* 548.—Madag.  
*lycopsiformis*, C. Koch, in *Linnaea*, xxi. (1848) 692 = setifera.  
*macedonica*, D. Don, ex Steud. *Nom. ed. II. ii.* 628; et ex Griseb. *Spicil. Fl. Rumel.* ii. 143 = mollis.  
*macilenta*, E. Mey. *Comm. Pl. Afr. Austr.* 240.—Afr. austr.  
*Macraei*, Benth. in *Linnaea*, vi. (1831) 78.—Chili.

## STACHYS:—

*macrocheilos*, Boiss. Diagn. Ser. I. v. 30 = fruticulosa.  
*macrosperma*, Boiss. l. c. xii. 84 = arabica.  
 major, *Uspensky*, in *Bull. Soc. Nat. Mosc.* vii. (1834) 376, nomen.—Rossia.  
*maritima*, Linn. *Mant.* i. 82.—Europ. austr.  
*maritima*, Urv. in *Mém. Soc. Linn. Par.* i. (1822) 324 = pubescens.  
*marrubiifolia*, Viv. *Fl. Cors. App.* 2.—Ins. Corsic.; Afr. bor.  
*mauritanica*, Pers. Syn. ii. 123 = Anisomeles malabarica.  
 Maweana, Ball, in *Journ. Linn. Soc.* xvi. (1878) 626.—Marocc.  
*mediterranea*, Vell. *Fl. Flum.* 241; vi. t. 2 = Leonotis nepetaefolia.  
*melissaefolia*, Benth. *Lab. Gen. et Sp.* 538.—Reg. Himal.  
*menthaefolia*, Vis. in *Flora*, xii. (1829) i. *Erg.* 14.—Dalmat.  
*menthoides*, Kotschy & Boiss. in *Fl. Orient.* iv. 727.—Armenia.  
*mersinaea*, Boiss. Diagn. Ser. II. iv. 37 = cretica.  
*messeniaca*, Boiss. in *DC. Prod.* xii. 475.—Graecia.  
*mexicana*, Benth. *Lab. Gen. et Sp.* 541.—Mexic.  
 Meyeni, Phil. in *Anal. Univ. Chil.* (1873) 520.—Chili.  
 Meyenii, Walp. in *Nov. Act. Nat. Cur.* xix. *Suppl.* i. (1843) 875.—Peruv.  
 Mialhesii, Noé, in *Bull. Soc. Bot. Fr.* ii. (1855) 584.—Alger.  
*micrantha*, Griseb. in *Goett. Abh.* xxiv. (1879) 275.—Reg. Argent.  
*micrantha*, C. Koch, in *Linnaea*, xxi. (1848) 690 = annua.  
*modica*, Hance, in *Journ. Bot.* xx. (1882) 292.—China.  
*mollis*, Willd. ex Benth. in *Linnaea*, xi. (1837) 335; et in *DC. Prod.* xii. 475.—Marocc.  
*mollissima*, Willd. *Hort. Berol.* 60. t. 60.—Graecia.  
*Montbretii*, Benth. in *Ann. Sc. Nat. Sér. II.* vi. (1836) 48 = orientalis.  
*mucronata*, Sieber, ex Spreng. *Syst.* ii. 733.—Ins. Creta.  
*multicaulis*, Benth. in *DC. Prod.* xii. 486.—Persia.  
*multiflora*, Benth. l. c. 492.—Afr. austr.  
*natalensis*, Hochst. in *Flora*, xxviii. (1845) 65.—Afr. austr.  
*nepetaefolia*, Cav. *Desc.* 74.—Hab. ?  
*nepetifolia*, Desf. *Tabl.* ed. I. 60, nomen; et ex Pers. Syn. ii. 123.—Mexic.  
*nervosa*, Gater. *Desc.* Pl. Montaub. 107 = annua.  
*neurocalycina*, Boiss. *Diagn.* Ser. I. xii. 85.—Syria.  
*nigricans*, Benth. in *E. Mey. Comm. Pl. Afr. Austr.* 238.—Afr. austr.  
*nitens*, Fanka, in *Linnaea*, xxx. (1859–60) 597.—Europ. austr.  
*nivea*, Benth. in *DC. Prod.* xii. 461, in syn. = discolor.  
*nivea*, Labill. *l. c.* Pl. Syr. iii. 5. t. 3.—Syria.  
*nova*, Sadler, ex Reichb. *Fl. Germ. Excurs.* 319 = germanica.  
*numidica*, Pomel, *Nouv. Mat. Fl. Atl.* 117 = circinata.  
*nutans*, Benth. *Lab. Gen. et Sp.* 561.—Afr. austr.  
*Nuttallii*, Shutt. ex Benth. in *DC. Prod.* xii. 469 = cordata.  
*obliqua*, Waldst. & Kit. *Pl. Rar. Hung.* ii. 142 = orientalis.  
*oblongifolia*, Wall. *Cat. n.* 2076; Benth. in *Wall. Pl. As. Rar.* i. 64.—Ind. or.  
*obscura*, Boiss. & Bal. *Diagn.* Ser. II. iv. 43 = arabica.  
*obtusata*, Boiss. *Fl. Orient.* iv. 720 = germanica.  
*obtusirena*, Boiss. *Diagn.* Ser. I. vii. 57.—Persia.  
*ochroleuca*, Phil. in *Linnaea*, xxxiii. (1864–65) 192.—Chili.  
*ochroleuca*, Pomel, *Nouv. Mat. Fl. Atl.* 119 = Duriaei.  
*officinalis*, Franch. *Fl. Loir-et-Cher*, 483 = S. Betonica.  
*oligantha*, Baker, in *Journ. Linn. Soc.* xx. (1883) 233.—Madag.  
*olympica*, Poir. *Encyc. Suppl.* v. 226 = lanata.  
*orientalis*, Forsk. *Fl. Aegypt. Arab.* p. lxviii = affinis.  
*orientalis*, Hort. ex Benth. *Lab. Gen. et Sp.* 536 = germanica.  
*orientalis*, Linn. *Sp. Pl.* 582 = alpina.  
*orientalis*, Vahl, *Symb. Bot.* ii. 64.—Europ. or.; As. Min.  
*palaestina*, Linn. *Sp. Pl.* ed. II. 1674.—Syria.

## STACHYS:—

*palaestina*, Vahl, *Symb. Bot.* ii. 64 = affinis.  
*pallida*, Salisb. *Prod.* 83 = circinata.  
*palustris*, Linn. *Sp. Pl.* 580.—Reg. bor. temp.  
*palustris*, Walt. *Fl. Carol.* 162 = hyssopifolia.  
*paniculata*, Benth. in *DC. Prod.* xii. 485 = Sideritis lanata.  
*pannonica*, Láng, ex Tenore, Syll. *Fl. Neap.* 291 = germanica.  
*Parolinii*, Vis. in *Mem. Ist. Venet.* i. 1842 (1843) 46. t. 4.—Graecia.  
*parvifolia*, Benth. in *DC. Prod.* xii. 490.—Ind. bor. occ.; Afghan.  
*parvifolia*, Mart. & Gal. in *Bull. Acad. Brux.* xi. II. (1844) 193.—Mexic.  
*patens*, Sw. *Prod. Veg. Ind. Occ.* 88 = Hyptis verticillata.  
*patula*, Griseb. *Spicil. Fl. Rumel.* ii. 142 = recta.  
*pauciflora*, Benth. *Lab. Gen. et Sp.* 560 = affinis.  
*pauciflora*, Vis. in *Mem. Ist. Venet.* i. 1842 (1843) 46. t. 2. f. 2 = orientalis.  
*penicillata*, Heldr. & Sart. ex Nym. *Consp.* 577 = Heldreichii.  
*penicillata*, Heldr. & Sart. in Boiss. *Diagn.* Ser. II. iv. 37 = germanica.  
*persepolitana*, Boiss. l. c. Ser. I. vii. 56.—Persia.  
*persica*, S. G. Gmel. ex C. A. Mey. *Verz. Pfl. Cauc.* 94.—Persia.  
*peruviana*, Domb. ex Benth. *Lab. Gen. et Sp.* 551.—Peruv.  
*phlomodis*, Willd. *Enum. Hort. Berol. Suppl.* 41 = heraclea.  
*pilifera*, Benth. in *DC. Prod.* xii. 487.—Persia.  
*pilosa*, Nutt. in *Journ. Acad. Philad.* vii. (1834) 48.—Am. bor.  
*pilosissima*, Mart. & Gal. in *Bull. Acad. Brux.* xi. II. (1844) 194.—Mexic.  
 Pinardi, Boiss. *Diagn.* Ser. I. v. 29.—Caria.  
*pinetorum*, Boiss. & Bal. *Diagn.* Ser. II. iv. 36.—Cilicia.  
*pisidica*, Boiss. & Heldr. l. c. Ser. I. xii. 75 = germanica.  
*plebeia*, Vatke, in *Bot. Zeit.* xxxiii. (1875) 449 = Benthamiana.  
*plumosa*, Benth. in *DC. Prod.* xii. 492 = aurea.  
*plumosa*, Griseb. *Spicil. Fl. Rumel.* ii. 139 = recta.  
*Poiretii*, Tenore, Syll. *Fl. Neap.* 538 = marrubiifolia.  
*polystachya*, Tenore, *Prod. Fl. Nap.* p. xxxiv = germanica.  
 Prattenii, Durand, in *Journ. Acad. Nat. Sc. Philad.* Ser. II. iii. (1855) 100.—Calif.  
*procumbens*, Lam. *Fl. Fr.* ii. 385 = recta.  
*procumbens*, Poepp. ex Benth. in *DC. Prod.* xii. 473 = grandidentata.  
*procumbens*, Willd. ex Benth. in *Linnaea*, xi. (1837) 336 = pubescens.  
*prostrata*, Lag. ex DC. in *Mém. Soc. Phys. Genève.* i. II. (1823) 455 = arenaria.  
*pubescens*, Tenore, *Prod. Fl. Nap.* p. xxxiv.—Europ. austr.; Oriens.  
*pulchella*, Salisb. *Prod.* 83 = aethiopica.  
*pulchra*, Pomel, *Nouv. Mat. Fl. Atl.* 119 = Duriaei.  
*pumila*, [Soland. in] *Russ. Aleppo*, ed. II. ii. 255.—Syria.  
*pungens*, [Soland. in] *Russ. l. c.* = italica.  
*purpurea*, Poir. *Encyc. Suppl.* v. 227 = arenaria.  
*pycnantha*, Benth. *Pl. Hartw.* 331.—Calif.  
*pycnostachya*, Torr. in *Bot. U. St. Expl. Exped.* ii. 408 = albens.  
*quadridentata*, Bert. ex Benth. in *DC. Prod.* xii. 473 = Macraei.  
*ramosissima*, Montbr. & Auch. ex Benth. in *Ann. Sc. Nat. Sér. II.* vi. (1836) 50.—Mesopot.  
*ramosissima*, Rochel, *Pl. Banat. Rar.* 26, nomen; et Bot. *Reise Bannat*, 82 = recta.  
*recta*, Linn. *Mant.* i. 82.—Europ. austr.; Reg. Cauc.  
*recta*, Parol. ex Vis. in *Mem. Ist. Venet.* i. 1842 (1843) 47 = Parolinii.  
*recta*, Urv. in *Mém. Soc. Linn. Par.* i. (1822) 324 = angustifolia.  
*Reinerti*, Heldr. ex Boiss. *Fl. Orient.* iv. 720 = germanica.  
*repens*, Mart. & Gal. in *Bull. Acad. Brux.* xi. II. (1844) 194.—Mexic.  
*repens*, Schur, *Enum. Pl. Transs.* 538 = setifera.  
*revoluta*, Rafn. *Atl. Journ.* 148 (Quid ?)—Am. bor.  
*Riederi*, Benth. in *Linnaea*, vi. (1831) 570 = ciliata.

## STACHYS:—

*rigida*, Nutt. ex Benth. in *DC. Prod.* xii. 472 = bullata.  
*rosea*, Boiss. *Fl. Orient.* iv. 725.—Oriens.  
*rosea*, Hohen. in *Bull. Soc. Nat. Mosc.* (1838) 300 = germanica.  
*rosmarinifolia*, Benth. *Lab. Gen. et Sp.* 559 = rugosa.  
 Rothrockii, A. Gray, in *Proc. Am. Acad.* xii. (1877) 82.—N. Mexic.  
*rotundifolia*, Moc. & Sesse, ex Benth. *Lab. Gen. et Sp.* 548.—Mexic.  
*rubra*, Donn, *Hort. Cantab.* ed. IV. 136 = arenaria.  
*rugosa*, Ait. *Hort. Kew.* ed. I. ii. 303.—Afr. austr.  
*rugosa*, Lam. *Illustr.* iii. 66. t. 509. f. 3 = Lamarekii.  
*rupestris*, Montbr. & Auch. ex Benth. in *Ann. Sc. Nat. Sér. II.* vi. (1836) 49.—Cilicia.  
*rupicola*, Boj. ex Benth. in *DC. Prod.* xii. 477.—Madag.  
*Salisii*, Jord. & Fourr. *Brev. Pl. Nov. fasc.* ii. 92 = marrubiifolia.  
*Salviae*, Lindl. *Bot. Reg.* t. 1226 = Sphacele Lindleyi.  
*salviaefolia*, Tenore, *Prod. Fl. Nap.* p. xxxiv; *Fl. Nap.* ii. 25 = italica.  
*satureioides*, Montbr. & Auch. ex Benth. in *Ann. Sc. Nat. Sér. II.* vi. (1836) 51.—Syria; Mesopot.  
*saxicola*, Coss. & Bal. in *Bull. Soc. Bot. Fr.* xx. (1873) 257.—Marocc.  
*scaberula*, Vatke, in *Bot. Zeit.* xxxiii. (1875) 462.—Reg. Himal.  
*scardica*, Griseb. *Reise Rumel.* ii. 263 = graeca.  
*Schiedeana*, Schlecht. in *Linnaea*, vii. (1832) 398.—Mexic.  
 Schimperi, Vatke, in *Linnaea*, xxxvii. (1871–73) 330.—Abyss.  
*scordifolia*, Willd. *Enum. Hort. Berol.* 616 = arenaria.  
*scordioides*, Desf. *Tabl.* ed. I. 219 = mollis.  
*scordioides*, Poir. *Encyc.* vii. 373.—Afr. bor.  
*scyronica*, Boiss. *Diagn.* Ser. I. v. 81 = Swainsoni.  
*segetum*, Hagen, *Chloris Boruss.* 218 = palustris.  
*serbica*, Panč. ex Nym. *Consp.* 579, nomen.—Serbia.  
*sericea*, Cav. *Desc.* 75.—Chili.  
*sericea*, Ledeb. *Fl. Ross.* iii. 412 = persica.  
*sericea*, Wall. *Pl. As. Rar.* i. 64.—Reg. Himal.; As. bor.  
*serrata*, Clos, in *C. Gay, Fl. Chil.* iv. 500.—Chili.  
*serrulata*, Burch. ex Benth. *Lab. Gen. et Sp.* 549.—Afr. austr.  
*sessiliflora*, Rafn. *Atl. Journ.* 148 (Quid ?)—Am. bor.  
*sessilifolia*, E. Mey. *Comm. Pl. Afr. Austr.* 239.—Afr. austr.  
*setifera*, C. A. Mey. *Verz. Pfl. Cauc.* 94.—As. Min.; Persia; Afghan.  
*sibirica*, Link, *Enum. Hort. Berol.* ii. 109 = germanica.  
*sideritidoides*, Gill. ex Benth. *Lab. Gen. et Sp.* 740.—Chili.  
*sideritidoides*, C. Koch, in *Linnaea*, xxi. (1848) 692 = recta.  
*Sideritis*, Vill. *Hist. Pl. Dauph.* ii. 375 = recta.  
 Sieber, C. Koch, in *Linnaea*, xxi. (1848) 685 = Tournefortii.  
 Sieboldi, Miq. *Ann. Mus. Bot. Lugd. Bat.* ii. 112.—Japon.  
*spathulata*, Burch. ex Benth. *Lab. Gen. et Sp.* 559.—Afr. austr.  
*speciosa*, Hook. *Bot. Misc.* ii. (1831) 235 = Gardoquia elliptica.  
*spectabilis*, Choisy, ex DC. in *Mém. Soc. Phys. Genève.* i. II. (1823) 457.—Armen.; Persia.  
*sphaerodonta*, Baker, in *Journ. Linn. Soc.* xx. (1883) 233.—Madag.  
*spinosa*, Linn. *Sp. Pl.* 581.—Ins. Creta.  
*spinulosa*, Herb. *Madrit.* ex Willk. & Lange, *Prod. Fl. Hisp.* ii. 441 = heraclea.  
*spinulosa*, Sibth. & Sm. *Fl. Graec. Prod.* i. 410.—Europ. austr. or.  
*splendens*, Wall. *Pl. As. Rar.* i. 64 = melissaefolia, sericea.  
 Spreitzenhoferi, Heldr. in *Oestr. Bot. Zeitschr.* xxx. (1880) 344.—Ins. Cerigo.  
 Spruneri, Boiss. in *DC. Prod.* xii. 488.—Graecia.  
*stenophylla*, Spreng. *Nov. Prov.* 40 = recta ?  
*stenostachya*, Boiss. *Diagn.* Ser. II. iv. 41 = iberica.  
*subcrenata*, Vis. in *Flora*, xii. (1829) i. *Erg.* 15.—Dalmatia.  
*sublanata*, Fleischm. ex Nym. *Consp.* 577 = germanica.  
*subnuda*, Montbr. & Auch. ex Benth. in *Ann. Sc. Nat. Sér. II.* vi. (1836) 50.—Kurdist.

**STACHYS:—**

- subsessilis, *Burch. ex Benth. Lab. Gen. et Sp.* 548.—Afr. austr.  
 Swainsoni, *Benth. l. c.* 535.—Graecia.  
 Swainsoni, Sprun. ex Nym. Consp. 580 = Sprunerii.  
 sylvatica, Linn. *Sp. Pl.* 580.—Europ.; Reg. Himal.; As. bor.  
 sylvatica, Nutt. Gen. Am. ii. 30 = cordata.  
 sylvatica, Torr. in Bot. U. St. Expl. Exped. ii. 408 = bullata.  
 sylvestris, Forsk. Fl. Aegypt. Arab. p. xxviii = recta.  
 tenuifolia, Fisch. ex DC. in Mém. Soc. Phys. Genève. i. ii. (1823) 454.—Rossia.  
 tenuifolia, Fanka, in Oestr. Bot. Zeitschr. xxii. (1872) 180.—Turcia.  
 tenuifolia, Pall. in Link, Enum. Hort. Berol. ii. 109 = angustifolia.  
 tenuifolia, Willd. Sp. Pl. iii. 100 = aspera.  
 tetragona, Boiss. & Heldr. ex Boiss. Fl. Orient. iv. 736.—Graecia.  
 teucriifolia, Boiss. & Kotschy, Diagn. Ser. II. iv. 40 = distans.  
 Thirkei, C. Koch, in Linnaea, xxi. (1848) 685.—As. Min.  
 Thunbergii, Benth. Lab. Gen. et Sp. 540.—Afr. austr. tibetica, Vathe, in Bot. Zeitschr. xxxiii. (1875) 447.—Reg. Himal.  
 tmolea, Boiss. Diagn. Ser. I. v. 29.—As. Min.  
 tomentosa, Benth. in DC. Prod. xii. 489.—Persia.  
 tomentosa, Bunge, Lab. Pers. 71 = lavandulaefolia.  
 tomentosa, Gater. Desc. Pl. Montaub. 107 = germanica.  
 Toronjilcillo, Phil. in Linnaea, xxxiii. (1864–65) 193.—Chili.  
 Tournefortii, Bory & Chaub. Nouv. Fl. Pélop. 37 = messeniaca.  
 Tournefortii, Poir. Encyc. Suppl. v. 227.—Ins. Creta.  
 transsilvanica, Schur, Enum. Pl. Transs. 539 = recta.  
 trapezuntea, Boiss. Diagn. Ser. II. iv. 38 = sylvatica.  
 triloba, Stokes, Bot. Mat. Med. iii. 329 = Leonurus Cardiaca.  
 truncata, Kunze, ex Benth. Lab. Gen. et Sp. 550.—Chili.  
 umbrosa, Scheele, in Linnaea, xxii. (1849) 595.—Texas.  
 urticaefolia, Tausch, in Flora, xiv. (1831) i. 216 = alpina.  
 valentina, Lag. in Varied. Cienc. ii. iv. (1805) 39 = heraclea.  
 velutina, Schwein. in Long, Exped. Winnep. ii. 390 = palustris.  
 velutina, Willd. Enum. Hort. Berol. Suppl. 41 = circinata.  
 venosa, Pers. Syn. ii. 123.—Hab. ?  
 verbascifolia, Hort. ex Benth. Lab. Gen. et Sp. 536 = germanica.  
 vestita, Benth. l. c. 538 = sericea.  
 virgata, Bory & Chaub. Expéd. Mor. 166. t. 17.—Graecia.  
 viridis, Boiss. & Heldr. Diagn. Ser. II. iv. 39.—Graecia.  
 viscosa, Montbr. & Auch. ex Benth. in Ann. Sc. Nat. Sér. II. vi. (1836) 49.—Armenia.  
 viticina, Boiss. Diagn. Ser. I. xii. 77.—Syria.  
 Volckmanni, Phil. in Anal. Univ. Chil. (1873) 519.—Chili.  
 Wirtgenii, F. Schultz, in Pollichia, xviii–xix. (1861) 117.—Europ.  
 Zuccarinii, Benth. Lab. Gen. et Sp. 535 = virgata.

- STACHYSTEMON**, Planch. in Hook. Lond. Journ. Bot. iv. (1845) 471. t. 15. *EUPHORBIACEAE*, Benth. & Hook. f. iii. 263.  
 brachyphyllus, Muell. Arg. in Linnaea, xxxii. (1863) 76.—Austral.  
 polyandrus, Benth. Fl. Austral. vi. 62.—Austral.  
 vermicularis, Planch. in Hook. Lond. Journ. Bot. iv. (1845) 472. t. 15.—Austral.

- STACHYTARPHA**, Link, Enum. Hort. Berol. i. 18 (1821) = seq.

- STACHYTARPHETA**, Vahl, Enum. i. 205 (1805). *VERBENACEAE*, Benth. & Hook. f. ii. 1145.  
 ARENA, Neck. Elem. i. 296 (1790).  
 CYMBURUS, Salisb. Parad. Lond. tt. 49, 53 (1806).  
 MELASANTHUS, Pohl, Pl. Bras. Ic. i. 75. tt. 60–65 (1827).  
 STACHYTARPHA, Link, Enum. Hort. Berol. i. 18 (1827).

**STACHYTARPHETA:—**

- TARPHETA, Rafin. Fl. Tellur. ii. 103 (1836).  
 VALERIANOIDES, Medic. Phil. Bot. i. 177. (1789), nomen prius.  
 VERMICULARIA, Moench, Meth. Suppl. 150 (1802).  
 acuminata, DC. ex Schau. in DC. Prod. xi. 570.—Mexic.  
 ajugaefolia, Schau. l. c.—Bras.  
 albiflora, DC. ex Schau. l. c. 567.—Mexic.  
 angustifolia, Vahl, Enum. i. 205.—Guian.  
 aristata, Vahl, l. c. 206 = orubica.  
 asperrima, Walp. Rep. iv. 8, sphalm = scaberrima.  
 bicolor, Hook. f. Bot. Mag. t. 5538.—Bras.  
 bifurca, Benth. Pl. Hartw. 21 = Bouchea Ehrenbergii.  
 bogoriensis, Zoll. & Mor. Syst. Verz. Zoll. 52.—Java.  
 bracteosa, Turcz. in Bull. Soc. Nat. Mosc. xxxvi. (1863) ii. 198.—N. Granat.  
 cajanensis, Cham. in Linnaea, vii. (1832) 243 = dichotoma.  
 cajanensis, Vahl, Enum. i. 208.—Am. trop.  
 canescens, H. B. & K. Nov. Gen. et Sp. ii. 281.—Peruv.  
 cayennensis, Schau. in DC. Prod. xi. 562 = cajanensis.  
 Chamissonis, Walp. Rep. iv. 10.—Bras.  
 ciliata, Kunze, Del. Sem. Hort. Lips. (1840) 9, in Adnot. = indica.  
 coccinea, Schau. in DC. Prod. xi. 567.—Bras.  
 commutata, Schau. l. c. 570.—Bras.  
 crassifolia, Schrad. in Goett. Gel. Anz. i. (1821) 709.—Bras.  
 dichotoma, Vahl, Enum. i. 207.—Am. trop.  
 discolor, Cham. in Linnaea, vii. (1832) 251.—Bras.  
 elatior, Schrad. ex Schult. Mant. i. 172.—Bras.; Guian.  
 elegans, Welw. Apont. 588 = mutabilis.  
 Frantzi, Polak. in Linnaea, xli. (1877) 593.—Costa Rica.  
 gesnerioides, Cham. l. c. vii. (1832) 245.—Bras.  
 gibberosa, Reichb. Ic. Bot. Exot. ii. 15. t. 138 = dichotoma.  
 glabra, Cham. in Linnaea, vii. (1832) 250.—Bras.  
 glauca, Walp. Rep. iv. 11; Schau. in DC. Prod. xi. 569.—Bras.  
 goyazensis, Turcz. in Bull. Soc. Nat. Mosc. xxxvi. (1863) ii. 198.—Bras.  
 Hildebrandtii, Vathe, in Linnaea, xliii. (1880–82) 529.—Afr. trop.  
 hirsuta, Jacq. f. Eclog. Pl. ii. 10. t. 160 = canescens.  
 hirsutissima, Link, Enum. Hort. Berol. i. 19 = canescens.  
 hirta, H. B. & K. Nov. Gen. et Sp. ii. 280 = cajanensis.  
 hispida, Nees & Mart. in Nov. Act. Nat. Cur. xi. (1823) 69.—Bras.  
 indica, Vahl, Enum. i. 206.—Cosmop. trop.  
 integrifolia, Walp. Rep. iv. 10 = glauca.  
 jamaicensis, Gardn. in Hook. Lond. Journ. Bot. i. (1842) 184 = dichotoma.  
 jamaicensis, Vahl, Enum. i. 206 = indica.  
 lactea, Schau. in DC. Prod. xi. 562.—Bras.  
 lacunosa, Mart. ex Schau. l. c. 571.—Bras.  
 lanata, Schau. l. c.—Bras.  
 laxiflora, Turcz. in Bull. Soc. Nat. Mosc. xxxvi. (1863) ii. 199.—N. Granat.  
 longiflora, Turcz. l. c. 197.—Hab. ?  
 Lychnitis, Mart. ex Schau. in DC. Prod. xi. 571.—Bras.  
 lythrophylla, Schau. l. c. 563.—Bras.  
 marginata, Vahl, Enum. i. 207 = indica.  
 Martiana, Schau. in DC. Prod. xi. 568.—Bras.  
 Maximiliani, Schau. l. c. 565.—Bras.  
 microphylla, Walp. Rep. iv. 6 = sanguinea.  
 mutabilis, Vahl, Enum. i. 208.—Ind. occ.; Venezuela.  
 orubica, Vahl, l. c.—N. Granat.  
 pachystachya, Mart. ex Schau. in DC. Prod. xi. 569.—Bras.  
 palustris, Schott, Cat. Hort. Vindob. (1823) = elatior.  
 pilosiuscula, H. B. & K. Nov. Gen. et Sp. ii. 279 = indica.  
 Pohliana, Cham. in Linnaea, vii. (1832) 248.—Bras.  
 polyura, Schau. in DC. Prod. xi. 562.—Bras.  
 prismatica, Vahl, Enum. i. 209 = Bouchea Ehrenbergii.

**STACHYTARPHETA:—**

- Pseudochascanum, Walp. Rep. iv. 11 = Bouchea laetevirens.  
 quadrangula, Nees & Mart. in Nov. Act. Nat. Cur. xi. (1823) 69.—Bras.  
 reticulata, Mart. ex Schau. in DC. Prod. xi. 566.—Bras.  
 rhomboidalis, Walp. Rep. iv. 10; Schau. l. c. 569.—Bras.  
 rotundifolia, Link, ex Walp. Rep. iv. 5 = canescens.  
 sanguinea, Mart. ex Schau. in DC. Prod. xi. 564.—Bras.  
 scaberrima, Cham. in Linnaea, vii. (1832) 244.—Bras.  
 Schottiana, Schau. in DC. Prod. xi. 563.—Bras.  
 Sellowiana, Schau. l. c. 571.—Bras.  
 speciosa, Pohl, ex Schau. l. c. 568.—Bras.  
 squamosa, Vahl, Enum. i. 209 = Elytraria tridentata.  
 strigosa, Vahl, l. c. 207.—Mexic.; Ind. occ.  
 subincisa, Turcz. in Bull. Soc. Nat. Mosc. xxxvi. (1863) ii. 198.—Cuba.  
 triphylla, Walp. Rep. iv. 10 = rhomboidalis.  
 trispicata, Nees & Mart. in Nov. Act. Nat. Cur. xi. (1823) 70.—Bras.  
 umbrosa, H. B. & K. Nov. Gen. et Sp. ii. 280 = dichotoma.  
 urticifolia, Dalz. & Gibs. Bomb. Fl. Suppl. 68 = indica.  
 urticifolia, Sims, Bot. Mag. t. 1848 = dichotoma.  
 veronicaefolia, Cham. in Linnaea, vii. (1832) 246 = cajanensis.  
 villosa, Cham. l. c. 247 = commutata.  
 villosa, Schau. in DC. Prod. xi. 570.—Bras.  
 villosa, Turcz. in Bull. Soc. Nat. Mosc. xxxvi. (1863) ii. 197 = indica.  
 viscidula, Schau. in DC. Prod. xi. 570.—Bras.  
 Zuccagni, Roem. & Schult. Syst. i. 205 = mutabilis.

- STACHYURUS**, Sieb. & Zucc. Fl. Jap. i. 42. t. 18 (1835). *TERNSTROEMIACEAE*, Benth. & Hook. f. i. 184.  
 himalaicus, Hook. f. & Thoms. ex Benth. in Journ. Linn. Soc. v. (1861) 55.—Reg. Himal.  
 japonicus, Steud. Nom. ed. II. ii. 630, sphalm. = seq.  
 praecox, Sieb. & Zucc. Fl. Jap. i. 43.—Japan.

- STACHYUS**, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 109 = *Stachys*, Tourn. (Labiati.).

- STACKHOUSIA**, Sm. in Trans. Linn. Soc. iv. (1798) 218. *STACKHOUSIACEAE*, Benth. & Hook. f. i. 371.  
 PLOKIOSTIGMA, Schuch. in Linnaea, xxvi. (1853–55) 39.  
 TRIPTEROCOCCUS, Endl. in Enum. Pl. Hueg. 17 (1837).  
 aspericocca, Schuch. in Linnaea, xxvi. (1853–55) 12 = monogyna.  
 Brunonis, Benth. Fl. Austral. i. 409.—Austral.  
 cuneata, A. Cunn. ex Hook. f. Fl. Tasm. i. 79 = spathulata.  
 doryopetala, Schuch. in Linnaea, xxvi. (1853–55) 24 = viminea.  
 elata, F. Muell. Fragm. iii. 86 = viminea.  
 flava, Hook. f. in Hook. Ic. Pl. t. 269.—Austral.  
 Gunniana, Schuch. in Linnaea, xxvi. (1853–55) 18 = monogyna.  
 Gunnii, Hook. f. Fl. Tasm. i. 79 = monogyna.  
 Huegelii, Endl. in Enum. Pl. Hueg. 17.—Austral.  
 linariifolia, A. Cunn. in Field, N. S. Wales, 356 = monogyna.  
 lutea, Herb. Sond. ex Schuch. in Linnaea, xxvi. (1853–55) 8 = monogyna.  
 maculata, Sieber, ex Hook. f. in Hook. Journ. Bot. ii. (1840) 421 = spathulata.  
 megaloptera, F. Muell. Fragm. viii. 35.—Austral.  
 minima, Hook. f. Fl. N. Zel. i. 47.—N. Zel.  
 monogyna, Labill. Nov. Holl. Pl. i. 77. t. 104.—Austral.  
 monogyna, Labill. l. c., partim = spathulata.  
 monogyna, Sieber, ex Benth. Fl. Austral. i. 408 = viminea.  
 Muelleri, Schuch. in Linnaea, xxvi. (1853–55) 16 = monogyna.

**STACKHOSIA** :—

*muricata*, Ldl. Bot. Reg. sub t. 1917.—Austral.  
*nuda*, Lindl. c. = *viminea*.  
*obtusata*, Lincl. c. = *monogyna*.  
*pubescens*, Rich. Ser. Astrolab. 89. t. 33.—Austral.  
*pulvinaris*, Muell. in Trans. Phil. Soc. Vict. i. (1855) 10.—Austral.  
*scoparia*, Béh. Fl. Austral. i. 409.—Austral.  
*spathulata*, Zber, ex Spreng. Syst. iv. Cur. Post. 124.—Austral.  
*viminea*, Smn Rees, Cycl. xxxiii. n. 1.—Austral.

**STADMANIA**, Lam. Illustr. ii. 443 (1793).

*SAPINDACEAE*, Benth. & Hook. f. i. 406.  
*australis*, Cunn. ex Hook. Bot. Mag. sub t. 4470 =  
*Diploglos Cunninghamii*.  
*australis*, Don, Gen. Syst. i. 669 = *Melicocca*  
*australis*.  
*bahiensis*, Liden, Cat. n. 18. (1863) 10.—Bras.  
*bijuga*, Dietr. Syn. Pl. ii. 1304 = *Melicocca bijuga*.  
*dentata*, Dietr. l. c. 1305 = *Melicocca dentata*.  
*diversifolia*, Spreng. Syst. ii. 243 = *Doratoxylon*  
*diversifolium*.  
*Frazeri*, Liden, Cat. n. 17 (1861) 10.—Hab. ?  
*frigida*, Liden, l. c. = *Giesbrechtii*.  
*Giesbrechtii*, Hort. ex Pasq. Cat. Orto Bot. Nap.  
 112, nom.—Bras. ?  
*integrifolia*, Liden, Cat. n. 17 (1862) 10.—Bras.  
*Jonghii*, Liden, l. c.—Hab. ?  
*Liboniana*, Liden, l. c. n. 18. (1863) 10.—Bras.  
*macrophyll*, Liden, l. c.—Bras. ?  
*olivaeform*, D. Dietr. Syn. Pl. ii. 1305 = *Talisia*  
*olivaeformis*.  
*oppositifol*, Lam. Illustr. ii. 443; Encyc. vii. 376.—  
 Ins. Boron.  
*paniculata*, D. Dietr. Syn. Pl. ii. 1305 = *Hypelate*  
*paniculata*.  
*pubescens*, Spreng. Syst. ii. 243 = *Schleichera trijuga*.  
*pulchella*, Liden, Cat. n. 18. (1863) 10.—Bras.  
*Sideroxyle*, DC. Prod. i. 615 = *oppositifolia*.  
*sorbifolia*, Liden, Cat. n. 18. (1863) 10.—Bras.  
*trijuga*, Spreng. Syst. ii. 243 = *Schleichera trijuga*.

**STADTMANIA**, Walp. Ann. ii. 215 (1851-52), sphalm.  
= praec.

**STAEBE**, Hl. Veg. Syst. iii. 145 (1761); iv. 33 (1762)  
 = **Centarea**, Linn. (Compos.).  
*aethiopica* Hill, l. c. iii. 145.—Afr. bor.  
*Cineraria* Hill, Hort. Kew. 65 = *C. Cineraria*.  
*paniculata*, Hill, l. c. 66 = *C. paniculata*.  
*ragusina*, Hill, l. c. = *C. ragusina*.

**STAEHELINA**, Linn. Syst. ed. II. 28 (1740).

*COMPPOSITAE*, Penth. & Hook. f. ii. 471.  
*ALKIBAS*, Rafin. Fl. Tellur. iv. 119 (1836).  
*APLINA*, Rafin. l. c. (1836).  
*BARBELINA*, Cass. in Dict. Sc. Nat. xlvii. 500, 501  
 (1827).  
*HIRTELINA*, Cass. l. c. 499, 511 (1827); et l. 441.  
*OCNERON*, Rafin. Fl. Tellur. iv. 120 (1836).  
*ROCCADIA*, Rafin. l. c. 119 (1836).  
*alpina*, Schrank, in Denkschr. Akad. Muench. vii.  
 1816-17 (1820) 59 = *Saussurea alpina*.  
*apiculata* Labill. Ic. Pl. Syr. Dec. iv. 3. t. 1 = *Lobelii*.  
*arborescens*, Linn. Mant. i. 111.—Ins. Creta; Archip.;  
 Graec.  
*baetica*, DC. Prod. vi. 544.—Hispan.  
*centaurodes*, Burm. f. Fl. Cap. Prod. 23 = *Relhania*  
*centauroides*.  
*Chamaepeuce*, Linn. Syst. ed. XII. 538 = *Cnicus*  
*Chamaepeuce*.  
*corymbosus*, Thunb. Prod. Pl. Cap. 143 = *Vernonia*  
*corymbosa*.  
*corymbosus*, Wight, ex DC. Prod. vi. 364 = *Senecio*  
*corymbosus*.  
*cretica*, Zacc. ex DC. Prod. vi. 658 = *Cnicus Chamaepeuce*.  
*dubia*, Linn. Sp. Pl. 840.—Europ. austr.  
*elegans*, Walt. Fl. Carol. 202 = *Liatris elegans*.  
*fasciculata*, Thunb. Prod. Pl. Cap. 143 = *Lachno-*  
*spermum ericifolium*.  
*fimbriata*, Forst. ex DC. Prod. vi. 153 = *Craspedia*  
*uniflora*.  
*fruticosa*, Linn. Syst. ed. XII. 538.—Ins. Creta.  
*gnaphaloides*, Linn. Sp. Pl. 840 = *Helipterum*  
*gnaphaloides*.  
*hastata*, Vahl, Symb. Bot. i. 70 = *Vernonia atriplicifolia*.

**STAEHELINA** :—

*ilicifolia*, Linn. f. Suppl. 358 = *Gynoxys ilicifolia*.  
*imbricata*, Berg. Desc. Pl. Cap. 233; Thunb. Prod. Pl.  
 Cap. 143 = *Metasias uniflora*.  
*Lobelii*, DC. in Ann. Mus. Par. xvi. (1810) 194.—  
 Syria.  
*pinnata*, Lag. ex Pers. Syn. ii. 391 = *Jurinea pinnata*.  
*rosmarinifolia*, Cass. in Dict. Sc. Nat. l. 439 = *dubia*.  
*solidaginoides*, Willd. ex DC. Prod. v. 41 = *Vernonia*  
*scorpioides*.  
*spinosa*, Vahl, Symb. Bot. i. 69 = *Iphiona juniperifolia*.  
*squarrosa*, Rafin. Fl. Tellur. iv. 118 = *Helipterum*  
*gnaphaloides*.  
*syriaca*, Spreng. Syst. iii. 391 = *Lobelii*.  
*tenuifolia*, Presl, Fl. Sic. p. xxix = *dubia* ?  
*uniflosculosa*, Sibth. & Sm. Fl. Graec. Prod. ii. 162.—  
 Graecia.

**STAEHELINIA**, Hall. Enum. Stirp. Helv. ii. 624  
 (1742) = **Bartsia**, Linn. (Scrophul.).  
*alpina*, Crantz, Stirp. Austr. ed. II. 294 = *B. alpina*.

**STAELIA**, Cham. & Schlecht. in Linnaea, iii. (1828)  
 364. t. 3. f. 3. **RUBIACEAE**, Benth. & Hook. f. ii.  
 148.  
*caespitosa*, Griseb. in Goett. Abh. xxiv. (1879) 158.—  
 Reg. Argent.  
*galioides*, DC. Prod. iv. 573.—Bras.  
*reflexa*, DC. l. c.—Bras.  
*thymoides*, Cham. & Schlecht. in Linnaea, iii. (1828)  
 364.—Bras.

**STAFLINUS**, Rafin. New Fl. Am. iv. 28 (1836) =  
**Daucus**, Tourn. (Umbell.).  
*crinitus*, Rafin. l. c. = *D. crinitus*.  
*setifolius*, Rafin. l. c. = *D. setifolius*.

**STAGMARIA**, Jack, Desc. Malay. Pl. iii. 12 (1823) ?  
 = **Gluta**, Linn. (Anacard.).  
*verniciiflua*, Jack, l. c.; et in Hook. Comp. Bot. Mag.  
 i. (1835) 267 = *G. Benghas*.  
*verniciiflua*, Wall. Cat. n. 980 = *Melanorrhoea*  
*Wallichii*.

**STAHLIA**, Bello, in Anal. Soc. Esp. Hist. Nat. x.  
 (1881) 255. **LEGUMINOSAE**.  
*maritima*, Bello, l. c.—Porto Rico.

**STALAGMITES**, Spreng. Anleit. ii. II. 784 (1818) = seq.

**STALAGMITIS**, Murr. in Comm. Gotting. ix. 1787-88  
 (1789), 173 = **Garcinia**, Linn. (Guttif.).  
*acida*, Cambess. ex Spach, Hist. Vég. Phan. v. 328 =  
*G. cochinchinensis*.  
*Boobicowa*, G. Don, Gen. Syst. i. 621 = *G. paniculata* ?  
*Cambogia*, Pers. Syn. ii. 68 = seq.  
*cambogioides*, Murr. in Comm. Gotting. ix. 1787-88  
 (1789) 173 = *G. spicata*.  
*celebica*, G. Don, Gen. Syst. i. 621 = *G. cornea*.  
*cochinchinensis*, G. Don, l. c. = *G. cochinchinensis*.  
*Cowa*, G. Don, l. c. = *G. Cowa*.  
*dulcis*, Cambess. in Mém. Mus. Par. xvi. (1828) 393,  
 426 = *G. dulcis*.  
*elliptica*, G. Don, Gen. Syst. i. 621 = *G. elliptica*.  
*erosipetala*, Miq. in Journ. Bot. Néerl. i. (1861) 126  
 (sp. dub.).—China.  
*guineensis*, G. Don, Gen. Syst. i. 621 (= *Xantho-*  
*chymus guineensis*).—Afr. trop.  
*Guttia*, G. Don, l. c. = *G. Cambogia*.  
*indica*, G. Don, l. c. = *G. indica*.  
*javanensis*, Spach, Hist. Vég. Phan. v. 328 = *G.*  
*dulcis*.  
*Kydiana*, G. Don, Gen. Syst. i. 621 = *G. Cowa*.  
*lamponga*, Miq. Fl. Ind. Bat. Suppl. 496 = *G.*  
*cymulosa*.  
*lanceaefolia*, G. Don, Gen. Syst. i. 621 = *G. lanceae-*  
*folia*.  
*luteus*, G. Don, l. c. (= *Xanthochymus luteus*).—  
 Ind. or.  
*macrophylla*, G. Don, l. c. (= *Xanthochymus macro-*  
*phyllus*).—Ind. or.  
*nervosa*, Miq. Fl. Ind. Bat. Suppl. 496 = *G. Andersoni*.  
*ovalifolia*, G. Don, Gen. Syst. i. 621 = *G. ovalifolia*.  
*paniculata*, G. Don, l. c. = *G. paniculata*.  
*pictoria*, G. Don, l. c. 620 = *G. Xanthochymus*.  
*purpurea*, G. Don, l. c. 621 = *G. indica*.  
*spicata*, Walp. Rep. i. 396 = *G. ovalifolia*.  
*umbellata*, G. Don, Gen. Syst. i. 621.—Ind. or.

**STAMMARIUM**, Willd. ex DC. Prod. v. 102 (1836) =  
**Pectis**, Linn. (Compos.).  
*hyssopifolium*, Willd. ex DC. l. c. = *P. auricularis*.

**STANFORDIA**, S. Wats. in Bot. Calif. ii. 479 (1880)  
**CRUCIFERAE**.  
*californica*, S. Wats. l. c.—Calif.

**STANGERIA**, T. Moore, in Hook. Kew Journ.  
 v. (1853) 228. **CYCADACEAE**, Benth. & Hook. f.  
 iii. 446.  
*Katzeri*, Regel, Gartenfl. (1874) 163. t. 798.—Afr.  
 austr.  
*paradoxa*, T. Moore, in Hook. Kew Journ. v. (1853)  
 228.—Afr. austr.  
*schizodon*, Bull. Cat. (1872) 8.—Afr. austr.

**STANGGERIA**, Stevens, in Proc. Linn. Soc. ii. (1854)  
 340, sphalm. = praec.

**STANHOPEA**, Frost, ex Hook. Bot. Mag. tt. 2948,  
 2949 (1829). **ORCHIDEAE**, Benth. & Hook. f.  
 iii. 549.

**CERATOCYLUS**, Lindl. in Lodd. Bot. Cab. t. 1414  
 (1828).  
**STANHOPEASTRUM**, Reichb. f. in Bot. Zeit. x. (1852)  
 927.

*amoena*, Klotzsch, in Otto & Dietr. Allg. Gartenz. xx.  
 (1852) 273 = *Wardii*.  
*atropurpurea*, Lodd. ex Planch. Hort. Donat. 215 =  
*insignis*.  
*aurantia*, Lodd. ex P. N. Don, in Donn, Hort. Cantab.  
 ed. XIII. 608 = *S. Bucephalus*.  
*aurata*, Beer, Prakt. Orch. 310 = *graveolens*.  
*aurea*, Lodd. ex Lindl. Bot. Reg. (1841) Misc. 11;  
 Endl. in Harting. Parad. Vindob. t. 31 = *Wardii*.  
*bicolor*, C. Koch, Berl. Allg. Gartenz. (1857) 209,  
 nomen (Quid ?)—Hab. ?  
*Bucephalus*, Lindl. Gen. et Sp. Orch. 157.—Mexic.  
*calceolata*, Hort. ex Reichb. f. Xenia Orch. i. 117 =  
*eburnea*.  
*Calceolus*, Reichb. f. l. c.—Am. centr.  
*candida*, Rodrig. Orch. Nov. i. 101.—Bras.  
*Cavendishii*, Lindl. ex W. Baxt. in Loud. Hort. Brit.  
 Suppl. iii. 643, nomen = *devoniensis* ?  
*cirrha*, Lindl. in Journ. Hort. Soc. v. (1850) 37 =  
*Nicaragua*.  
*connata*, Klotzsch, in Otto & Dietr. Allg. Gartenz.  
 xxii. (1854) 226.—Peruv.  
*costaricensis*, Reichb. f. in Hamb. Gartenz. xvi. (1860)  
 424.—Costa Rica.  
*cymbiformis*, Reichb. f. Xenia Orch. ii. 84. t. 124.—  
 Am. centr.  
*deltoides*, Lem. Illustr. Hortic. ix. (1862), sub t. 340.  
 —Mexic.  
*devoniensis*, Lindl. Sert. Orch. t. 1.—Mexic.  
*eburnea*, Lindl. Bot. Reg. t. 1529.—Bras.  
*ecornuta*, Lem. in Fl. des Serres, ii. (1846) t. 181.  
 —Guatemala.  
*expansa*, P. N. Don, in Donn, Hort. Cantab. ed. XIII.  
 721; Hort. ex Reichb. f. Xenia Orch. i. 120 = *tigrina*.  
*flava*, Lodd. ex Beer, Prakt. Orch. 312 = *insignis*.  
*florida*, Reichb. f. in Gard. Chron. (1879) II. 615.—  
 Am. austr.  
*Fregeana*, Reichb. f. in Otto & Dietr. Allg. Gartenz.  
 xxiii. (1855) 313.—Mexic.  
*gibbosa*, Reichb. f. in Gard. Chron. (1869) 1254.—  
 Am. centr.  
*grandiflora*, Lindl. Gen. et Sp. Orch. 158 = *eburnea*.  
*grandiflora*, Reichb. f. in Walp. Ann. vi. 587 =  
*S. Bucephalus*.  
*graveolens*, Klotzsch, ex Reichb. f. Xenia Orch. i. 118  
 = *connata*.  
*graveolens*, Lindl. Bot. Reg. (1840) Misc. 59.—Peruv.  
*graveolens*, C. Morr. in Ann. Soc. Bot. Gand, ii. (1846)  
 55. t. 54 = *oculata*.  
*guttata*, Beer, Prakt. Orch. 312 = *S. Bucephalus*.  
*guttata*, C. Koch, Berl. Allg. Gartenz. (1858) 364 =  
 seq.  
*guttulata*, Lindl. Bot. Reg. (1843) Misc. 75 = *oculata*.  
*Harrisoniae*, P. N. Don, in Donn, Hort. Cantab.  
 ed. XIII. 607 = *Bifrenaria Harrisoniae*.  
*Haselowiana*, Reichb. f. in Otto & Dietr. Allg.  
 Gartenz. xxiii. (1855) 322 (Haseloffiana).—Peruv.  
*implicata*, Westcott, ex Lindl. Fol. Orchid. Stanh. 6 =  
*Martiana*.  
*inodora*, Lodd. Cat. n. 1147; ex Lindl. Bot. Reg.  
 (1845) t. 65.—Mexic.



**STANHOPEA** :—

- inodora*, Reichb. f. *Xenia* Orch. ii. 157 = *graveolens*.  
*insignis*, Frost, in *Hook. Bot. Mag.* tt. 2948, 2949.—Bras.  
*Jenischiana*, Kramer, ex Reichb. f. in *Bot. Zeit.* x. (1852) 934 = *S. Bucephalus*.  
*Lindleyi*, Zucc. in *Abh. Akad. Muench.* ii. (1831-36) 320 = *oculata*.  
*lyncea*, P. N. Don, in *Donn, Hort. Cantab.* ed. XIII. 608 = *devoniensis vel tigrina*.  
*macrochila*, Lem. *Illustr. Hort.* vi. (1859) *Misc.* 71, cum ic.—Mexic.  
*maculosa*, Knowles & Westc. *Flor. Cab.* iii. (1840) 119. t. 121 = *devoniensis*.  
*Marshii*, Reichb. f. *Xenia* Orch. i. 120.—Guatemala.  
*Martiana*, Lindl. *Bot. Reg.* (1840) *Misc.* 50.—Mexic.  
*nigroviolacea*, Beer, *Prakt. Orch.* 313 = *tigrina*.  
*oculata*, Lindl. *Gen. et Sp. Orch.* 158.—Mexic.  
*odoratissima*, Hort. ex Planch. *Hort. Donat.* 216 = *insignis*.  
*ornatissima*, Lem. *Illustr. Hort.* ix. (1862) t. 325.—Mexic.  
*platyceras*, Reichb. f. in *Gard. Chron.* (1868) 27.—N. Granat.  
*pulla*, Reichb. f. l. c. (1877) i. 850.—Costa Rica.  
*quadricornis*, Lindl. *Bot. Reg.* (1838) t. 5.—Am. bor. occ.  
*radiosa*, Lem. *Illustr. Hort.* vi. (1859) *Misc.* 72, cum ic. = *saccata*.  
*Reichenbachiana*, Roesl, ex Reichb. f. in *Gard. Chron.* (1879) ii. 40.—Reg. Andin.  
*Ruckeri*, Lindl. *Bot. Reg.* (1843) sub t. 44.—Nicaragua.  
*Russelliana*, Lodd. *Cat. ex P. N. Don, in Donn, Hort. Cantab.* ed. XIII. 721, nomen.—Bras.  
*saccata*, Batem. *Orch. Mex. & Guatem.* t. 15.—Guatemala.  
*Schilleriana*, Reichb. f. *Xenia* Orch. ii. 158.—Am. centr. ?  
*serrata*, Gard. *Chron.* (1880) i. 779 (Ind. gen.), sphalm. = *cirrhat*.  
*Shuttleworthii*, Reichb. f. in *Gard. Chron.* (1876) i. 795.—N. Granat.  
*tigrina*, Batem. *Orch. Mex. & Guatem.* t. 7.—Mexic.  
*tricornis*, Lindl. in *Journ. Hort. Soc.* iv. (1849) 263.—Peruv.  
*velata*, C. Morr. in *Ann. Soc. Bot. Gand.* iii. (1847) 333. t. 153 = *Martiana*.  
*venusta*, Lindl. *Bot. Reg.* (1841) *Misc.* 11, in obs. = *Wardii*.  
*Wallisii*, Reichb. f. in *Linnaea*, xli. (1877) 109.—N. Granat.  
*Wardii*, Lodd. ex Lindl. *Sert. Orch.* t. 20.—Mexic.  
*Warszewicziana*, Klotzsch, in *Otto & Dietr. Allg. Gartenz.* xx. (1852) 274.—Am. centr.  
*xytriophora*, Reichb. f. in *Gard. Chron.* (1868) 842.—Peruv.

**STANHOPEASTRUM**, Reichb. f. in *Bot. Zeit.* x. (1852) 927 = *Stanhopea*, Frost (Orchid.).  
*ecornutum*, Reichb. f. l. c. = *Stanhopea ecornuta*.

**STANLEYA**, Nutt. *Gen. Am.* ii. 21 (1818). *CRUCIFERAE*, Benth. & Hook. f. i. 80.

- PODOLOBUS*, Rafin. in *Am. Monthly Mag.* (1819) 194.  
*amplexifolia*, Nutt. in *Am. Journ. Sc. Ser. I.* v. (1822) 297 = *Warea amplexifolia*.  
*cartilaginea*, Spreng. *Syst.* ii. 909 = *Sisymbrium junceum*.  
*fruticosa*, Nutt. in *Journ. Acad. Philad. N. S.* i. (1847) 180 = *pinnatifida*.  
*gracilis*, DC. *Syst.* ii. 512 = *Warea cuneifolia*.  
*heterophylla*, Nutt. in *Torr. & Gray, Fl. N. Am.* i. 97 = *pinnatifida*.  
*integrifolia*, James, in *Long's Exped.* ii. 17; ex Torr. in *Ann. Lyc. N. York*, ii. (1828) 166 = *pinnatifida*.  
*pinnatifida*, Nutt. *Gen. Am.* ii. 71.—Am. bor.  
*tomentosa*, Parry, in *Am. Natural.* viii. (1874) 212.—Am. bor. occ.  
*viridiflora*, Nutt. in *Torr. & Gray, Fl. N. Am.* i. 98.—Am. bor. occ.  
*Washitana*, DC. *Syst.* ii. 512 = *Streptanthus maculatus* ?

**STANNIA**, Karst. *Ausw. Neuer Gew. Venez.* 27 (1848) = *Posoqueria*, Aubl. (Rubiaceae).  
*formosa*, Karst. l. c. t. 9 = *P. formosa*.  
*grandiflora*, Karst. *Fl. Columb.* i. 31. t. 16.—N. Granat.  
*metensis*, Karst. in *Linnaea*, xxviii. (1856) 441.—Venezuela.  
*panamensis*, Walp. & Duchass. in *Linnaea*, xxiii. (1850) 755 = *P. latifolia*.  
*spectabilis*, Klotzsch, ex Walp. & Duchass. l. c., in obs.—Hab. ?

**STAPELIA**, Linn. *Gen. ed. I.* 64 (1737). *ASCLEPIADEAE*, Benth. & Hook. f. ii. 784.  
*CARUNCULARIA*, Haw. *Syn. Pl. Succ.* 333 (1812).  
*GONOSTEMON*, Haw. l. c. t. 27 (1812).  
*ORBEA*, Haw. l. c. 37 (1812).  
*PODANTHES*, Haw. l. c. 32 (1812).  
*TRIDENTEA*, Haw. l. c. 34 (1812).  
*TROMOTRICHE*, Haw. l. c. 36 (1812).  
*acuminata*, Mass. *Stapel.* 15. t. 17.—Afr. austr.  
*adscendens*, Roxb. *Pl. Corom.* i. 28. t. 30 = *Caralluma adscendens*.  
*ambigua*, Mass. *Stapel.* 13. t. 12.—Afr. austr.  
*Ango*, A. Rich. *Tent. Fl. Abyss.* ii. 50 (*Carallumae* sp. ?)—Abyss.  
*anguinea*, Jacq. *Stapel.* t. 37 = *picta*.  
*angulata*, Todaro, *Hort. Bot. Panorm.* i. 54. t. 13. f. 3.—Afr. austr.  
*anonymos*, Poir. *Encyc.* vii. 391 = *multangula*.  
*aperta*, Mass. *Stapel.* 23. t. 37.—Afr. austr.  
*arida*, Mass. *Stapel.* 21. t. 33.—Afr. austr.  
*articulata*, Ait. *Hort. Kew. ed. I.* i. 310 = *Pectinaria articulata*.  
*Asterias*, Mass. *Stapel.* 14. t. 14.—Afr. austr.  
*atrata*, Todaro, *Hort. Bot. Panorm.* i. 50. t. 13. f. 1.—Afr. austr. ?  
*atropurpurea*, Salm-Dyck, *Hort. Dyck.* 372.—Afr. austr. ?  
*barbata*, Mass. *Stapel.* 11. t. 7 = *Huernia barbata*.  
*Bayfieldii*, N. E. Br. in *Gard. Chron.* (1877) i. 431. f. 66.—Hab. ?  
*beffoniana*, Hort. ex Schult. *Syst.* vi. 49 = *variegata*.  
*bidentata*, Hort. ex Salm-Dyck, *Hort. Dyck.* 266, nomen = *variegata*.  
*bifolia*, Hort. ex Schult. *Syst.* vi. 49 (Quid ?)—Hab. ?  
*bisulca*, Donn, *Hort. Cantab.* ed. III. 43, nomen; *et ex Schult. Syst.* vi. 37.—Afr. austr.  
*brevirostris*, Willd. *Enum. Hort. Berol. Suppl.* 14, nomen (Quid ?)—Hab. ?  
*bufonia*, Jacq. *Stapel.* t. 35 = *variegata*.  
*bufonis*, Sims, *Bot. Mag.* t. 1676 = *normalis*.  
*cactiformis*, Hook. l. c. t. 4127 = *clavata*, Willd.  
*caespitosa*, Mass. *Stapel.* 20. t. 29 = *Duvalia caespitosa*.  
*Callamulia*, Buch-Ham. ex Hook. f. *Fl. Brit. Ind.* iv. 77 = *Boucerosia umbellata*.  
*campanulata*, Mass. *Stapel.* 11 = *Huernia campanulata*.  
*campanulata*, Pav. ex Planch. in *Fl. des Serres*, viii. (1852-53) 55, sub t. 770 = *Dictyanthus Pavonii*.  
*campanulata*, Sims, *Bot. Mag.* t. 1661 = *Huernia clavigera*.  
*canescens*, Hort. ex Haw. *Syn. Succ. Pl.* 26.—Afr. austr.  
*caudata*, Thunb. *Prod. Pl. Cap.* 46 = *Brachystelma crispum*.  
*chinensis*, Lour. *Fl. Cochinch.* 165 = *Hoya carnos*.  
*ciliata*, Thunb. *Prod. Pl. Cap.* 46 = *Diplocyatha ciliata*.  
*ciliolata*, Todaro, *Ind. Sem. Hort. Panorm.* (1861) 10, nomen (Quid ?)—Afr. austr.  
*clavata*, Decne. in *DC. Prod. viii.* 664, sphalm. = *clavigera*.  
*clavata*, Willd. *Sp. Pl.* i. 1295 (*Trichocaulonis* sp.)—Afr. austr.  
*clavigera*, Jacq. *Stapel.* t. 5 = *Huernia clavigera*.  
*clypeata*, Jacq. l. c. t. 34.—Afr. austr.  
*cochinchinensis*, Lour. *Fl. Cochinch.* 165 = *Hoya cochinchinensis*.  
*comata*, Jacq. *Stapel.* t. 49.—Afr. austr.  
*compacta*, Schult. *Syst.* vi. 46 = *Duvalia compacta*.  
*concinna*, Mass. *Stapel.* 15. t. 18.—Afr. austr.  
*concolor*, Salm-Dyck, *Hort. Dyck.* 372 (*Duvaliae* sp.)—Afr. austr. ?  
*congestiflora*, Delile, in *Rochet, Sec. Voy. Choa*, 345.—Afr. trop.  
*conspurcata*, Willd. *Enum. Hort. Berol.* 284.—Afr. austr.

**STAPELIA** :—

- cordata*, Hort. ex Haw. *Syn. Pl.* cc. 26.—Afr. austr.  
*Corderoyi*, Hook. f. *Bot. Mag.* t. 082 = *Duvalia Corderoyi*.  
*Courcellii*, Hort. ex N. E. Br. in *Gard. Chron.* (1877) i. 140 = *patentirostris*.  
*crassa*, Donn, *Hort. Cantab.* ed. II. 43 = *Huernia tubata*.  
*crispa*, Hort. ex Haw. *Syn. Pl. Succ.* 31 = *Huernia crispa*.  
*Curtisii*, Schult. *Syst.* vi. 38 = *variegata*.  
*cylindrica*, Hort. ex Hook. f. *Bot. Ig.* t. 5930 = *Echidnopsis cereiformis*.  
*cymosa*, Hort. ex Schult. *Syst.* vi. 9 = *Duvalia hirtella*.  
*decora*, Mass. *Stapel.* 19. t. 26 = *Piarant's decorus*.  
*deflexa*, Hort. ex Haw. *Syn. Pl. Succ.* 1 = *reflexa*.  
*deflexa*, Hort. Lips. (1864); ex Today, *Hort. Bot. Panorm.* i. 52 = *trisulca*.  
*deflexa*, Jacq. *Stapel.* t. 20.—Afr. austr.  
*dejecta*, Salm-Dyck, *Hort. Dyck.* 372.—fr. austr.  
*dentata*, Forsk. *Fl. Aegypt. Arab.* cviii. (*Boucerosiae* sp.)—Arab.  
*depressa*, Hort. ex N. E. Br. in *Gard. Chron.* (1876) ii. 809, in obs. = *glabriflora*.  
*depressa*, Jacq. *Stapel.* t. 55 = *patula*.  
*Desmidorchis*, Steud. *Nom. ed. II.* ii. 63 = *Boucerosia Russelliana*.  
*discolor*, Todaro, *Hort. Bot. Panorm.* i. t. 12. f. 3.—Afr. austr. ?  
*divaricata*, Mass. *Stapel.* 17. t. 22.—Afr. austr.  
*duodecimfida*, Jacq. *Stapel.* t. 4 = *Huernia tubata*.  
*elegans*, Mass. *Stapel.* 19. t. 27 = *Duvalia elegans*.  
*elongata*, Sweet, *Hort. Brit. ed. II.* 357 = *patula*.  
*emarginata*, Breit. *Hort. Breit.* 504, nomen (Quid ?)—Hab. ?  
*erivacaria*, Roxb. *Hort. Beng.* 21, nomen (Quid ?)—Hab. ?  
*eruciformis*, Hort. ex N. E. Br. in *Gard. Chron.* (1875) i. 136 = *olivacea*.  
*europaea*, Guss. *Fl. Sic. Prod. Suppl.* i. 5 (1832); et in *Atti Acc. Sc. Nap.* iv. (1839) (B4) 87 = *Boucerosia Gussoneana*.  
*fasciculata*, Thunb. *Prod. Pl. Cap.* 46.—fr. austr.  
*fissirostris*, Jacq. *Stapel.* t. 23.—Afr. austr.  
*flavicomata*, Haw. *Suppl. Pl. Succ.* 8.—Afr. austr.  
*flavirostris*, N. E. Br. in *Gard. Chron.* (1877) i. 558 = *grandiflora*.  
*fuscata*, Hort. *Parm. ex Todaro, Hort. Bot. Panorm.* i. 47 = *mutabilis*.  
*fuscata*, Jacq. *Stapel.* t. 46.—Afr. austr.  
*geminata*, Mass. *Stapel.* 18. t. 25 = *Piaranthus geminatus*.  
*gemmifera*, Hort. ex Salm-Dyck, *Hort. Dyck.* 266, nomen = *seq.*  
*geminiflora*, Mass. *Stapel.* 14. t. 15.—Afr. austr.  
*gigantea*, N. E. Br. in *Gard. Chron.* (1877) i. 684. f. 112.—Afr. austr.  
*glabriflora*, N. E. Br. l. c. (1876) ii. 80. f. 149.—Afr. austr. ?  
*glandulifera*, Pers. *Syn.* i. 279 = *seq.*  
*glanduliflora*, Mass. *Stapel.* 16. t. 19.—Afr. austr.  
*glauca*, Jacq. *Stapel.* t. 44.—Afr. austr.  
*glomerata*, Hort. ex Haw. *Syn. Pl. Succ.* 6 = *Duvalia glomerata*.  
*Gordoni*, Mass. *Stapel.* 24. t. 40 = *Hoodia Gordoni*.  
*grandiflora*, Curt. *Bot. Mag.* t. 585 = *spectabilis*.  
*grandiflora*, Jacq. *Stapel.* t. 59 = *obscura*.  
*grandiflora*, Mass. *Stapel.* 13. t. 11.—Afr. austr.  
*Gussoneana*, Jacq. ex Lindl. *Bot. Reg.* t. 1731 = *Boucerosia Gussoneana*.  
*guttata*, Mass. *Stapel.* 10 = *Huernia guttata*.  
*hamata*, Jacq. *Stapel.* t. 50.—Afr. austr.  
*hircosa*, Jacq. l. c. 25.—Afr. austr.  
*hirsuta*, Linn. *Sp. Pl.* 217.—Afr. austr.  
*hirtella*, Jacq. *Stapel.* t. 10 = *Duvalia hirtella*.  
*hispidula*, Hornem. *Hort. Hafn.* i. 251 = *glanduliflora*.  
*humilis*, Mass. *Stapel.* 10. t. 5 = *Huernia humilis*.  
*Hystrix*, Hook. f. *Bot. Mag.* t. 5751 = *Huernia Hystrix*.  
*incarnata*, Linn. f. *Suppl.* 171 = *Boucerosia incarnata*.  
*inodora*, Decne. in *DC. Prod. viii.* 661.—Afr. austr.  
*involuta*, Herb. *Madr. ex Hook. f. Fl. Brit. Ind.* iv. 47 = *Heterostemma tanjorensis*.  
*irrorata*, Lodd. *Bot. Cab.* t. 127 = *verrucosa*.  
*irrorata*, Mass. *Stapel.* 12. t. 9.—Afr. austr.

## STAPELIA:—

*italica*, Tenore, ex Salm-Dyck, Hort. Dyck. 300, nomen = Boucerosia Gussoniana.  
*Jacquiniana*, Schult. Syst. vi. 45 = Duvalia Jacquiniana.  
*Juvenula*, Jacq. Stapel. t. 28.—Afr. austr.  
*laevigata*, Hort. ex Haw. Syn. Pl. Succ. 46 = Duvalia laevigata.  
*laevis*, Decne. in DC. Prod. viii. 658 = pedunculata.  
*lampadosa*, Jacq. ex Salm-Dyck, Hort. Dyck. 300, nomen = Boucerosia Gussoniana.  
*lanifera*, Haw. Suppl. Pl. Succ. 8.—Afr. austr.  
*lentiginosa*, Sims, Bot. Mag. t. 506 = Huernia guttata.  
*lepidia*, Jacq. Stapel. t. 43.—Afr. austr.  
*limosa*, Hort. ex Salm-Dyck, Hort. Dyck. 266 = praec.  
*lucida*, DC. Cat. Hort. Monsp. (1813) 148.—Afr. austr.  
*lunata*, Sweet, Hort. Brit. ed. II. 357 = uncinata.  
*macrocarpa*, A. Rich. Tent. Fl. Abyss. ii. 50.—Abyss.  
*maculosa*, Jacq. Stapel. t. 31.—Afr. austr.  
*mammillaris*, Linn. Mant. ii. 216 = Boucerosia mammillaris.  
*marginata*, Willd. Enum. Hort. Berol. Suppl. 13.—Afr. austr.  
*marmorata*, Jacq. Stapel. t. 38.—Afr. austr.  
*Massoni*, Haw. Syn. Pl. Succ. 18.—Cf. N. E. Br. in Gard. Chron. (1883) II. 761.—Afr. austr.  
*mastodes*, Jacq. Stapel. t. 13 = Duvalia mastodes.  
*mastodis*, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 135 = praec.  
*meliflua*, Blanco, Fl. Filip. ed. I. 202 = Hoya diversifolia.  
*mixta*, Donn, Hort. Cantab. ed. IV. 53, nomen = maculosa.  
*mixta*, Mass. Stapel. 23. t. 38.—Afr. austr.  
*monstrosa*, Hort. ex Steud. Nom. ed. II. ii. 631 = variegata.  
*moschata*, Donn, Hort. Cantab. ed. III. 43 = hircosa.  
*multangula*, Forsk. Fl. Aegypt. Arab. p. cviii (Echidnopsis sp.?).—Arab.  
*multiflora*, DC. Cat. Hort. Monsp. (1813) 149.—Afr. austr.  
*mutabilis*, Jacq. Stapel. t. 29.—Afr. austr.?  
*namaquensis*, N. E. Br. in Gard. Chron. (1882) II. 648.—Afr. austr.  
*neglecta*, Todaro, Hort. Bot. Panorm. i. 47 = mutabilis.  
*normalis*, Jacq. Stapel. t. 42.—Afr. austr.  
*obliqua*, Willd. Enum. Hort. Berol. Suppl. 13.—Afr. austr.  
*obscura*, N. E. Br. in Gard. Chron. (1877) I. 558, in obs.—Afr. austr.  
*ocellata*, Jacq. Stapel. t. 6 = Huernia ocellata.  
*olivacea*, N. E. Br. in Gard. Chron. (1875) I. 136.—Afr. austr.  
*ophiuncula*, Haw. Syn. Pl. Succ. 27.—Afr. austr.  
*orbicularis*, Andr. Bot. Rep. t. 439.—Afr. austr.  
*orbiculata*, Donn, Hort. Cantab. ed. III. 43, nomen = praec.  
*pellens*, Hort. ex Steud. Nom. ed. II. ii. 631 = pallida.  
*pallida*, Wendl. Coll. Bot. 39. t. 51.—Afr. austr.  
*paniculata*, Willd. Enum. Hort. Berol. Suppl. 13.—Afr. austr.  
*papillosa*, DC. Pl. Gr. ex Desf. Tabl. ed. II. 92, nomen (Quid?).—Afr. austr.  
*parviflora*, Mass. Stapel. 21 (Carallumae sp.).—Afr. austr.  
*Passerini*, Todaro, Hort. Bot. Panorm. i. 47, nomen = mutabilis.  
*patentirostris*, N. E. Br. in Gard. Chron. (1877) I. 140. f. 21.—Afr. austr.  
*patula*, Willd. Enum. Hort. Berol. 281.—Afr. austr.  
*pedunculata*, Mass. Stapel. 17. t. 21.—Afr. austr.  
*penduliflora*, Steud. Nom. ed. II. ii. 631 = pedunculata.  
*picta*, Donn, Hort. Cantab. ed. III. 43, nomen; Bot. Mag. t. 1169.—Hab.?  
*pilifera*, Linn. f. Suppl. 171 = Trichocaulon piliferum.  
*planiflora*, Jacq. Stapel. t. 40.—Afr. austr.  
*Plantii*, Hort. ex Hook. f. Bot. Mag. t. 5692.—Afr. austr.  
*Plantii*, MacKen, ex N. E. Br. in Gard. Chron. (1877) I. 684 = gigantea.  
*plicata*, Hort. ex Salm-Dyck, Hort. Dyck. 267, nomen (Quid?).—Hab.?  
 VOL. II.

## STAPELIA:—

*protensa*, Hornem. Suppl. Hort. Hafn. 30 = revoluta.  
*pruinosa*, Mass. Stapel. 24. t. 41.—Afr. austr.  
*pulchella*, Hort. ex Haw. Syn. Pl. Succ. 33 = roriflua.  
*pulchella*, Mass. Stapel. 22. t. 36.—Afr. austr.  
*pulchra*, Schult. Syst. vi. 28 = roriflua.  
*pulla*, Ait. Hort. Kew. ed. I. i. 310 = Boucerosia mammillaris.  
*pulvinata*, Donn, Hort. Cantab. ed. IV. 53 = lanifera.  
*pulvinata*, Mass. Stapel. 13. t. 13.—Afr. austr.  
*punctata*, Mass. l. c. 18.—Afr. austr.  
*quadrangula*, Blanco, Fl. Filip. ed. I. 202 = Heterostemma cuspidatum.  
*quadrangula*, Forsk. Fl. Aegypt. Arab. 51 = Boucerosia quadrangula.  
*quadrangula*, Schousb. Gew. Marok. 107 = Boucerosia maroccana.  
*quinquenervis*, Schult. Syst. vi. 37 = planiflora.  
*radiata*, Jacq. Stapel. t. 12 = Duvalia Jacquiniana.  
*radiata*, Sims, Bot. Mag. t. 619 = Duvalia radiata.  
*ramosa*, Mass. Stapel. 21. t. 32.—Afr. austr.  
*reclinata*, Mass. l. c. 19. t. 28 = Duvalia reclinata.  
*reclinata*, Sims, Bot. Mag. t. 1397 = Duvalia hirtella.  
*reflexa*, Haw. Syn. Pl. Succ. 18.—Afr. austr.  
*replicata*, Jacq. Stapel. t. 15 = Duvalia replicata.  
*reticulata*, Mass. Stapel. 9. t. 2 = Huernia reticulata.  
*retusa*, Schult. Syst. vi. 41.—Afr. austr.  
*revoluta*, Mass. Stapel. 12.—Afr. austr.  
*revoluta*, Sims, Bot. Mag. t. 724 = tigridia.  
*roriflua*, Jacq. Stapel. t. 19.—Afr. austr.  
*rufa*, Mass. Stapel. 16. t. 20.—Afr. austr.  
*rufescens*, Salm-Dyck, Hort. Dyck. 373.—Afr. austr.  
*rugosa*, Jacq. Stapel. t. 41.—Afr. austr.  
*rugosa*, Wendl. Coll. Bot. ii. 41. t. 52 = Wendlandiana.  
*sagittata*, Rottb. in Act. Lit. Univ. Hafn. i. (1778) 288 (Cynanchi sp.).—Guian.  
*sanguinea*, Hort. ex Pasq. Cat. Orto Bot. Nap. 99, nomen (Quid?).—Hab.?  
*sarmentosa*, Steud. Nom. ed. II. ii. 632 = Ceropegia variegata.  
*scutellata*, Todaro, Hort. Bot. Panorm. i. 52. t. 13. f. 2 = trisulca.  
*serrulata*, Jacq. Stapel. t. 17 = Piaranthus serrulatus.  
*Simsii*, Schult. Syst. vi. 33.—Afr. austr.  
*sororia*, Hook. f. Bot. Mag. t. 5963 = patentirostris.  
*sororia*, Jacq. Stapel. tt. 56, 57 = patula.  
*sororia*, Mass. Stapel. 23. t. 39.—Afr. austr.  
*spectabilis*, Haw. Syn. Pl. Succ. 16.—Afr. austr.  
*stellaris*, Haw. l. c. 19; Suppl. 9; Jacq. Stapel. t. 48.—Afr. austr.  
*stellata*, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 135 = S. Asterias.  
*stricta*, Sims, Bot. Mag. t. 2037.—Afr. austr.  
*stygia*, Schult. Syst. vi. 32 (err. typ. 562).—Afr. austr.  
*subulata*, Forsk. Fl. Aegypt. Arab. p. cviii = Caralluma subulata.  
*tigridia*, Decne. in DC. Prod. viii. 657.—Afr. austr.  
*tridentata*, Hort. ex Schult. Syst. vi. 49, nomen (Quid?).—Hab.?  
*trifida*, Todaro, Hort. Bot. Panorm. i. 45. t. 12. f. 1.—Afr. austr.  
*trifolia*, Breit. Hort. Breit. 505, nomen (Quid?).—Hab.?  
*trisulca*, Donn, Hort. Cantab. ed. III. 43; Jacq. Stapel. t. 33.—Afr. austr.  
*tsomoënsis*, N. E. Br. in Gard. Chron. (1882) II. 168.—Afr. austr.  
*tubata*, Jacq. Stapel. t. 3 = Huernia tubata.  
*tuberculata*, Hort. ex Haw. Syn. Pl. Succ. 46 = Duvalia radiata.  
*tuberosa*, Meerb. Pl. Rar. sub t. 54. f. 1 = Brachystelma tuberosum.  
*tubulosa*, Hort. ex Steud. Nom. ed. II. ii. 632 = Huernia tubata.  
*umbellata*, Donn, Hort. Cantab. ed. IV. 54; Roxb. Hort. Beng. 21; Pl. Corom. iii. 36. t. 241 = Boucerosia umbellata.  
*umbilicata*, Thuret, Choix Gr. n. 2 (1869), 6, nomen; ex Todaro, Hort. Bot. Panorm. i. 47 = mutabilis.  
*uncinata*, Jacq. Stapel. Disp. tab.—Afr. austr.  
*unguipetala*, N. E. Br. in Gard. Chron. (1877) I. 334. f. 54.—Afr. austr.  
*variegata*, Forsk. Fl. Aegypt. Arab. 51 = Ceropegia variegata.  
*variegata*, Linn. Sp. Pl. 217; Jacq. Misc. i. 27. t. 4.—Afr. austr.  
*venusta*, Mass. Stapel. 10 = Huernia venusta.  
*verrucosa*, Hort. ex Haw. Syn. Pl. Succ. 32 = roriflua.

## STAPELIA:—

*verrucosa*, Mass. Stapel. 11. t. 8.—Afr. austr.  
*verticillata*, Hort. ex Schult. Syst. vi. 49, nomen (Quid?).—Hab.?  
*vetula*, Mass. Stapel. 15. t. 16.—Afr. austr.  
*vetula*, Sims, Bot. Mag. t. 1234 = Simsii.  
*virgata*, Hort. ex Schult. Syst. vi. 49, nomen (Quid?).—Hab.?  
*Wendlandiana*, Schult. Syst. vi. 39.—Afr. austr.  
*Woodfordiana*, Hort. ex Haw. Syn. Pl. Succ. 42 = picta.  
 STAPHIDIATRUM, Naud. in Ann. Sc. Nat. Sér. III. xvii. (1852) 325 = *Sagraea*, DC. (Melastom.).  
*aphananthum*, Naud. l. c. 333 = Clidemia aphanantha.  
*attenuatum*, Naud. l. c. 332 = Sag. attenuata.  
*Berteri*, Naud. l. c. 328 = Sag. plumosa.  
*Bonplandii*, Naud. l. c. 333 = Sag. Bonplandii.  
*capilliflorum*, Naud. l. c. 330 = Sag. capilliflora.  
*cognatum*, Naud. l. c. 334 = Clidemia rubra.  
*coriaceum*, Naud. l. c. 329 = Sag. coriacea.  
*fasciculare*, Naud. l. c. 333 = Henriettella fascicularis.  
*impetiolare*, Naud. l. c. 329 = Calophysa pilosa.  
*latifolium*, Naud. l. c. 326 = Sag. latifolia.  
*obliquum*, Griseb. in Lechl. Berb. Am. Austr. 59 = Sag. obliqua.  
*pilosum*, Naud. in Ann. Sc. Nat. Sér. III. xvii. (1852) 334 = Sag. pilosa.  
*platyphyllum*, Naud. l. c. 331 = Sag. platyphylla.  
*polystachyum*, Naud. l. c. 327 = Sag. polystachya.  
*pulverulentum*, Naud. l. c. 334 = Oxymeris pulverulenta.  
*rariflorum*, Naud. l. c. 334 = Sag. rariflora.  
*rubrinerve*, Naud. l. c. 328 = Sag. domingensis.  
*rubrum*, Naud. l. c. 331 = Clidemia rubra.  
*scabridum*, Naud. l. c. 334 = Henriettella fascicularis.  
*umbrosum*, Naud. l. c. 327 = Sag. umbrosa.  
 STAPHIDIUM, Naud. in Ann. Sc. Nat. Sér. III. xvii. (1852) 305 = *Clidemia*, D. Don (Melastom.).  
*affine*, Naud. l. c. 313 = C. novemnervia.  
*agreste*, Naud. l. c. 324 = Leandra agrestis.  
*anceps*, Naud. l. c. 312 = C. tiliacifolia.  
*astrotrichum*, Naud. l. c. 324 = Miconia astrotricha.  
*attenuatum*, Griseb. in Goett. Abh. vii. (1857) 218 = *Sagraea attenuata*.  
*Benthamianum*, Naud. in Ann. Sc. Nat. Sér. III. xvii. (1852) 324 = C. hirta.  
*biserratum*, Naud. l. c. 315 = C. biserrata.  
*blepharodes*, Wawra, Bot. Ergeb. Maxim. Bras. 21. t. 38 = C. blepharodes.  
*brachystephanum*, Naud. in Ann. Sc. Nat. Sér. III. xvii. (1852) 309 = C. brachystephana.  
*bracteosum*, Naud. l. c. 318 = C. dependens.  
*chinantlanum*, Naud. l. c. 318 = C. chinatlana.  
*chrysanthum*, Naud. l. c. 310 = C. hirta.  
*confertiflorum*, Naud. l. c. 318 = C. dependens.  
*conglomeratum*, Naud. l. c. 321 = C. conglomerata.  
*cuneatum*, Berg, ex Triana, in Trans. Linn. Soc. xxviii. (1871) 113 = Miconia cuneata.  
*dependens*, Naud. in Ann. Sc. Nat. Sér. III. xvii. (1852) 319 = C. Deppeana.  
*dispar*, Berg, ex Triana, in Trans. Linn. Soc. xxviii. (1871) 141 = Calophysa dispar.  
*divaricatum*, Naud. in Ann. Sc. Nat. Sér. III. xvii. (1852) 315 = C. serrulata.  
*diversifolium*, Naud. l. c. 322 = Octopleura diversifolia.  
*elegans*, Naud. l. c. 307 = C. hirta.  
*Galeottii*, Naud. l. c. 319 = C. laxiflora.  
*glabratum*, Naud. l. c. 324 = Miconia ibaguensis.  
*gracile*, Naud. l. c. 314 = C. petiolaris.  
*Hostmannii*, Naud. l. c. 310 = C. hirta.  
*involutum*, Naud. l. c. 323 = C. involutata.  
*lanatum*, Naud. l. c. 324 = Miconia lanata.  
*lappaceum*, Naud. l. c. = Miconia lappacea.  
*latifolium*, Griseb. in Goett. Abh. vii. (1857) 218 = *Sagraea latifolia*.  
*Lindenianum*, Naud. in Ann. Sc. Nat. Sér. III. xvi. (1852) 314 = C. petiolaris.  
*lucidum*, Berg, ex Triana, in Trans. Linn. Soc. xxviii. (1871) 134 = Heterotrichum lucidum.  
*minutiflorum*, Berg, ex Triana, l. c. 137 = *Sagraea minutiflora*.  
*mutabile*, Naud. in Ann. Sc. Nat. Sér. III. xvii. (1852) 324 = Miconia mutabilis.  
*naevulum*, Naud. l. c. 323 = C. naevula.  
*novemnervium*, Naud. l. c. 312 = C. novemnervia.

## STAPHIDIUM:—

- octonum*, Naud. in Ann. Sc. Nat. Sér. III. xvii. (1852) 306 = *Heterotrichum octonum*.  
*oxyurum*, Naud. l. c. 321 = *Clidemia oxyura*.  
*paraguayense*, Naud. l. c. 324 = *Oxymeris paraguayensis*.  
*pauciflorum*, Naud. l. c. 308 = *C. hirta*.  
*petiolare*, Naud. l. c. 324 = *C. petiolaris*.  
*petiolatum*, Naud. l. c. = *C. Deppeana*.  
*pliosomon*, Naud. l. c. 313 = *C. rariflora*.  
*polyandrum*, Griseb. in Lechl. Berb. Am. Austr. 59 = *Miconia Benthiana*.  
*purpureum*, Naud. in Ann. Sc. Nat. Sér. III. xvii. (1852) 309 = *C. dentata*.  
*reversum*, Naud. l. c. 324 = *Oxymeris reversa*.  
*sessiliflorum*, Naud. l. c. 311 = *Sagraea sessiliflora*.  
*spicatum*, Naud. l. c. 316 = *C. dependens*.  
*strigosum*, Berg. ex Triana, in Trans. Linn. Soc. xxviii. (1871) 134 = *Heterotrichum strigosum*.  
*tiliaefolium*, Naud. in Ann. Sc. Nat. Sér. III. xvii. (1852) 324 = *C. tiliaefolia*.  
*triste*, Naud. l. c. 320 = *Miconia bracteata*, Triana.  
*umbrosum*, Griseb. in Goett. Abh. vii. (1857) 218 = *Sagraea umbrosa*.  
*urceolatum*, Naud. in Ann. Sc. Nat. Sér. III. xvii. (1852) 316 = *C. neglecta*.  
*Wilsonii*, Naud. l. c. 311 = *C. erythropogon*.

STAPHILEA, Medic. Pfl. Anat. 401 (1801), sphalm. = seq.

STAPHYLAEA, Linn. Syst. ed. I (1735) = seq.

## STAPHYLEA, Linn. Sp. Pl. ed. I. 270 (1753).

- SAPINDACEAE*, Benth. & Hook. f. i. 412.  
*BUMALDA*, Thunb. Nov. Gen. iii. 62 (1783).  
 STAPHYLODENDRON, Tourn. ex Hall. Enum. Stirp. Helv. i. 423 (1742).  
 Bolanderi, A. Gray, in Proc. Am. Acad. x. (1874) 69. —Calif.  
*Bumalda*, DC. Prod. ii. 2. —Japon.  
*chrysodonta*, Jungh. in Hoev. & De Vriese, Tijdschr. vii. (1840) 313. —Japon.  
*colchica*, Stev. in Bull. Soc. Nat. Mosc. xxi. (1848) 11. 276. —Reg. Cauc.  
*corymbosa*, DC. Prod. ii. 3 = *Turpinia occidentalis*.  
*Emodi*, Wall. Cat. n. 4275. —Reg. Himal.  
*geniculata*, Kellogg, in Proc. Calif. Acad. ii. (1863) 22. —Calif.  
*heterophylla*, Ruiz & Pav. Fl. Per. iii. 29. t. 253. —Peruv.  
*indica*, Burm. f. Fl. Ind. 75. t. 24. f. 2 = *Leea sambucina*.  
*montana*, Roxb. ex Wight & Arn. Prod. 160 = *Gymnosporia montana*.  
*occidentalis*, Sw. Prod. Veg. Ind. Occ. 55 = *Turpinia occidentalis*.  
*pinnata*, Linn. Sp. Pl. 270. —Europ.; Reg. Cauc.  
*pinnatifida*, Gueldenst. Reisen, i. 421 = praec.  
*simplicifolia*, Gardn. & Champ. in Hook. Kew Journ. i. (1849) 309 = *Turpinia arguta*.  
*trifolia*, Linn. Sp. Pl. 270. —Am. bor.  
*trifoliata*, Payer, Organ. t. 86 = praec.  
*vepretum*, Roxb. ex Wight & Arn. Prod. 160 = *Gymnosporia emarginata*.

STAPHYLIS, St. Lag. in Ann. Soc. Bot. Lyon, viii. (1881) 159 = praec.

STAPHYLLAEA, Scop. Intro. 253 (1797), sphalm. = praec.

STAPHYLODENDRON, Scop. Fl. Carn. ed. II. ii. 223 (1772), sphalm. = seq.

STAPHYLODENDRON, Tourn. ex Hall. Enum. Stirp. Helv. i. 423 (1742) = *Staphylea*, Linn. (Sapind.).  
*pinnatum*, Crantz, Inst. ii. 438 = *Staphylea pinnata*.  
*trifoliatum*, Crantz, l. c. = *Staphylea trifolia*.

STAPHYLODENDRUM, Moench, Meth. 64 (1794) = praec.

STAPHYLORHODOS, Turcz. in Bull. Soc. Bot. Mosc. (1862) 11. 321. Genus dubium *ROSACEARUM*, Benth. & Hook. f. i. 606.  
*Cotoneaster*, Turcz. l. c. 322. —'N. Zel.'

STAPHYLOSYCE, Hook. f. in Benth. & Hook. f. Gen. i. 828 (1867) = *Physedra*, Hook. f. (Cucurb.).  
*Barteri*, Hook. f. l. c. = *P. Barteri*.

STAPHYSAGRIA, Spach, Hist. Vég. Phan. vii. 347 (1839) = *Delphinium*, Tourn. (Kanunc.).

STARBIA, Thou. Gen. Nov. Madag. 7 (1806) = *Alectra*, Thunb. (Scrophul.).  
*madagascariensis*, Steud. Nom. ed. II. ii. 632. —Madag.

STARKEA, Willd. Sp. Pl. iii. 2216 (1804) = *Liabum*, Adans. (Compos.).  
*pinnata*, Nutt. Gen. Am. ii. 169 = *Aplopappus spinulosus*.  
*umbellata*, Willd. Sp. Pl. iii. 2216 = *L. Brownei*.

STARKIA, Juss. ex Stend. Nom. ed. II. ii. 632 (1841), sphalm. = praec.

STATICE, Tourn. ex Linn. Syst. ed. I (1735); Gen. ed. I. 88 (1737), partim. *PLUMBAGINEAE*, Benth. & Hook. f. ii. 625.

EURYCHITON, J. Grah. Cat. Pl. Bomb. Addend. (1839).

GONIOLIMON, Boiss. in DC. Prod. xii. 632 (1848).

LIMONIUM, Tourn. ex Adans. Fam. ii. 283 (1763).

PLEGORHIZA, Molina, Sagg. Chile, ed. I. 164, 351 (1782).

TAXANTHEMA, Neck. Elem. i. 115 (1790); R. Br. Prod. 426 (1810).

*acerosa*, Bieb. Fl. Taur. Cauc. i. 252 = *Acantholimon leptoroides*.

*acerosa*, Hohen. ex Boiss. Diagn. Ser. I. vii. 78 = *Acantholimon tenuiflorum*.

*acerosa*, Willd. in Ges. Naturf. Fr. Neue Schr. iii. (1801) 420 = *Acantholimon acerosum*.

*aciphylla*, Jaub. & Spach, Illustr. i. 162 = *Acantholimon Hohenackeri*.

*acutifolia*, Ehrenb. ex Boiss. in DC. Prod. xii. 636 = *Thouini*.

*acutifolia*, Reichb. Ic. Fl. Germ. iii. 23 = *minuta*, Linn.

*adensis*, Boiss. in DC. Prod. xii. 670. —Arab.

*aegyptiaca*, Pers. Syn. i. 334 = *Thouini*.

*airoides*, Tausch, in Syll. Ratisb. ii. (1828) 255 = *bellidifolia*.

*alata*, Willd. Enum. Hort. Berol. Suppl. 15 = *Thouini*.

*alata*, Regel & Schmalh. in Act. Hort. Petrop. v. (1877) 259. —Turkestan.

*albicans*, Ledeb. Fl. Ross. iii. 465 = *callicoma*.

*albida*, Guss. Fl. Sic. Syn. i. 369 = *psiloclada*.

*alliacea*, Cav. Ic. ii. 6. t. 109 = *Armeria allioides*.

*alliacea*, Guss. ex Nym. Consp. 614 = *Armeria macro-poda*.

*alliacea*, Sibth. & Sm. Fl. Graec. iii. t. 294 = *Armeria majellensis*.

*alliacea*, Willd. Sp. Pl. i. 1523 = *Armeria plantaginea*.

*alpina*, Poir. Encyc. Suppl. v. 234 = *Armeria alpina*.

*altaica*, Hort. ex G. Don, in Loud. Hort. Brit. 115, nomen. —Sibir.

*alutacea*, Stev. in Bull. Soc. Nat. Mosc. xxx. (1857) 1. 367. —Rossia.

*anceps*, Regel, Pl. Nov. Fedtsch. 74. —Turkestan.

*androsacea*, Jaub. & Spach, Illustr. i. 161, 164 = *Acantholimon androsaceum*.

*angustifolia*, Tausch, in Syll. Ratisb. ii. (1828) 254 = *S. Limonium*.

*annulata*, Spreng. Syst. i. 960 = *Aegialitis annulata*.

*aphylla*, Forsk. Fl. Aegypt. Arab. 60 = *pruinosa*.

*aphylla*, Poir. Encyc. vii. 408 = *decipiens*.

*arabica*, Jaub. & Spach, Illustr. i. 156. t. 85. —Arab.

*Ararati*, Hort. Angl. ex Planch. in Fl. des Serres, vii. (1851-52) 95. —Armen.

*arborea*, Brouss. ex Willd. Enum. Hort. Berol. 337 = *fruticans*.

*arborescens*, Brouss. Elench. Hort. Monsp. (1805) 58, nomen = *fruticans*.

*Arbuscula*, Maxim. in Trautv. Regel, Maxim. & Winkl. Decas Pl. Nov. 8. —Japon.

*arenaria*, Pers. Syn. i. 332 = *Armeria plantaginea*.

*aretiaefolia*, Fries, ex Boiss. in DC. Prod. xii. 657 = *linifolia*.

*argentea*, Pall. ex Siev. in Pall. N. Nord. Beitr. vii. 282 = *callicoma*.

*aristata*, Sibth. & Sm. Fl. Graec. Prod. i. 213 = *echioides*.

*Armeria*, Brot. Fl. Lusit. i. 486 = *Armeria Welwitschii*.

## STATICE:—

*Armeria*, Hook. Fl. Bor. Am. i. 123 = *Armeria sanguinolenta*.

*Armeria*, Hook. f. Fl. Antarct. ii. 339 = *Armeria macloviana*.

*Armeria*, Linn. Sp. Pl. 274 = *Armeria maritima*, *elongata*.

*Armeria*, Loisel. Fl. Gall. ed. II. i. 223 = *Armeria plantaginea*.

*Armeria*, Scop. Fl. Carn. ed. II. i. 227 = *Armeria alpina*.

*Armeria*, Sm. Engl. Bot. t. 226 = *Armeria pubescens*.

*articulata*, Loisel. Fl. Gall. ed. II. i. 225. t. 6. —Europ. austr.

*articulata*, Schimp. ex Nym. Consp. 612 = *cancellata*.

*articulata*, Vis. Fl. Dalm. ii. 7 = *cosyrensis*.

*aspera*, Lam. Fl. Fr. iii. 64 = *echioides*.

*attenuata*, Schult. Syst. vi. 798. —Abyss.

*Aucherii*, Girard, in Ann. Sc. Nat. Sér. III. ii. (1844) 38 = *ocymifolia*.

*aurea*, Linn. Sp. Pl. 276. —Sibir.

*auriculaefolia*, Benth. Cat. Pl. Pyren. 123 = *lychnidifolia*.

*auriculaefolia*, Brot. Fl. Lusit. i. 489 = *ovalifolia*.

*auriculaefolia*, DC. Fl. Fr. iii. 431 = *Girardiana*.

*auriculaefolia*, Poir. Encyc. vii. 401 = *duriuscula*.

*auriculaefolia*, Vahl, Symb. Bot. i. 25. —Europ.

*auriculaefolia*, Vahl, l. c., partim = *oleaefolia*.

*auriculae-ursifolia*, Pourr. in Mém. Acad. Toul. iii. (1788) 330 = *lychnidifolia*.

*auriculata*, Hort. Dorpat. (1810-14); ex Schult. Syst. vi. 799. —Hab.?

*australis*, Moris, Diagn. Stirp. Sard. (1857) 1 = *duriuscula*.

*australis*, Spreng. Syst. i. 959. —China; Japon.; Austral.

*Avei*, De Not. Prosp. Fl. Ligust. 54 = *echioides*.

*axillaris*, Forsk. Fl. Aegypt. Arab. 58. —Arab.

*bahamensis*, Griseb. Fl. Brit. W. Ind. 389. —Ind. occ.

*bahusiensis*, Fries, Mant. i. 10 = *S. Limonium*.

*Balansae*, Boiss. Diagn. Ser. II. iv. 69 = *pycnantha*.

*bayonnensis*, Gren. ex Boiss. in DC. Prod. xii. 649 = *occidentalis*.

*Beaumierana*, Coss. in Bull. Soc. Bot. Fr. xxii. (1875) 66, nomen. —Marocc.

*Behen*, Drejer, Fl. Excurs. Hafn. 122 = *S. Limonium*.

*bellidifolia*, Auct. ex Boiss. in DC. Prod. xii. 648 = *auriculaefolia*.

*bellidifolia*, Bertol. Fl. Ital. iii. 524 = *psiloclada*.

*bellidifolia*, Colm. Cat. Pl. Catalun. 130 = *virgata*.

*bellidifolia*, Gouan, Fl. Monsp. 231. —Europ.

*bellidifolia*, Gren. & Godr. Fl. Fr. ii. 749 = *caspia*.

*bellidifolia*, Sibth. & Sm. Fl. Graec. iii. 90. t. 295 = *ocymifolia*.

*bellidifolia*, Urv. in Mém. Soc. Linn. Par. i. (1822) 291 = *cordata*.

*Besseriana*, Frivald. ex Boiss. in DC. Prod. xii. 633 = *collina*.

*Besseriana*, Schult. Syst. vi. 789 = *tatarica*.

*bicolor*, Bunge, in Mém. Sav. Etr. Pétersb. ii. (1835) 129. —China.

*Billardieri*, Girard, in Ann. Sc. Nat. Sér. III. ii. (1844) 325. —Ins. Molucc.

*binervosa*, G. E. Sm. in Engl. Bot. Suppl. t. 2663 = *auriculaefolia*.

*Boissieri*, Lafont, in Act. Linn. Soc. Bord. xxvii. (1869) 156. t. 9. f. 7. —As. Min.; Aegypt.

*Bonduelli*, Lestib. in Ann. Sc. Nat. Sér. III. xvi. (1851) 81. —Alger.

*Bourgaei*, Webb, ex Boiss. in DC. Prod. xii. 638. —Ins. Canar.

*Bovei*, Jaub. & Spach, Illustr. i. 157. t. 86 = *axillaris*.

*bracteata*, Girard, in Ann. Sc. Nat. Sér. III. ii. (1844) 330 = *Acantholimon bracteatum*.

*bracteosa*, Vis. Fl. Aegypt. 16, nomen. —Aegypt.

*brasiliensis*, Boiss. in DC. Prod. xii. 644. —Am. bor. et austr.

*brassicaefolia*, Webb & Berth. Phyt. Canar. iii. 181. —Ins. Canar.

*Braunii*, C. Bolle, Ind. Sem. Hort. Berol. (1861) App. 4. —Ins. Cap. Virid.

*Brunneri*, Webb, in Hook. Niger Fl. 170. —Ins. Cap. Viid.

*Bubanii*, Girard, in Ann. Sc. Nat. Sér. III. ii. (1844) 326 = *occidentalis*.

*Bungeana*, Boiss. in DC. Prod. xii. 642. —Mongol.

*Bungei*, Claus, in Beitr. Pfl. Russ. Reich. viii. 308. —Reg. Casp.

*cabulica*, Boiss. in DC. Prod. xii. 666. —Afghan.

STATICE:—

caesia, Girard, in Ann. Sc. Nat. Sér. III. ii. (1844) 325.—Hispan.  
*caespitosa*, Cav. Ic. i. 38 = *Armeria juniperifolia*.  
*caespitosa*, Poir. Encyc. vii. 396, in obs. = *Armeria chilensis*.  
*caespitosa*, Urv. in Mém. Soc. Linn. Par. vi. (1826) 606 = *Armeria macloviana*.  
*Calcarae*, Todaro, ex Janka, in Termész. Füzetek, vi. (1882) 175 = *dictyoclada*.  
*californica*, Boiss. in DC. Prod. xii. 643 = *S. Limonium*.  
*callicoma*, C. A. Mey. in Mém. Acad. Pétersb. Sér. VI. iv. ii. (1845) 212.—Sibir.  
*cancellata*, Bernh. ex Bertol. Fl. Ital. iii. 525.—Dalmat.; Graecia.  
*cancellata*, Bernh. ex Mutel, Fl. Fr. iii. 88 = *furfuracea*.  
*canescens*, Host, Fl. Austr. i. 407 = *Armeria canescens*.  
*capillifolia*, Poir. Encyc. vii. 397 = *Armeria pinifolia*.  
*capitata*, Lam. Fl. Fr. iii. 63 = *Armeria maritima*.  
*carnosa*, Boiss. in DC. Prod. xii. 663.—Persia.  
*caroliniana*, Walt. Fl. Carol. 118 = *S. Limonium*.  
*caryophyllacea*, Boiss. & Hohen. ex Boiss. Diagn. Ser. I. vii. 79 = *Acantholimon caryophyllaceum*.  
*caspia*, Pollini, Fl. Veron. i. 418, 611 = *virgata*.  
*caspia*, Willd. Enum. Hort. Berol. 336.—Reg. Cauc.; Sibir.  
*catalaunica*, Willk. & Costa, ex Willk. in Linnaea, xxx. (1859–60) 122 = *duriuscula*.  
*Cephalotes*, Ait. Hort. Kew. ed. I. i. 383 = *Armeria latifolia*.  
*Cephalotes*, Bertol. Fl. Ital. iii. 511 = *Armeria Morisii*.  
*Cephalotes*, Poir. Encyc. vii. 394 = *Armeria mauritanica*.  
*cespitosa*, Auct. = *caespitosa*.  
*chilensis*, Phil. in Anal. Univ. Chil. (1861) 58.—Chili.  
*chryscephala*, Regel, in Act. Hort. Petrop. vi. (1879) 383.—As. centr.  
*chrysocoma*, Kar. & Kir. in Bull. Soc. Nat. Mosc. xv. (1842) 429.—Soongar.  
*cinerea*, Poir. Encyc. vii. 407 = *purpurata*.  
*collina*, Griseb. Spicil. Fl. Rumel. ii. 300.—Graec.; As. Min.; Syria.  
*collina*, Nym. Consp. 613 = *dalmatica*.  
*Companyonis*, Gren. & Billot, in F. Schultz, Fl. Fr. et Allem. 338.—Gallia.  
*confusa*, Gren. & Godr. Fl. Fr. ii. 743.—Reg. Mediterr.  
*congesta*, Heldr. ex Nym. Consp. 610 = *corinthiaca*.  
*congesta*, Ledeb. Fl. Alt. i. 427.—Sibir. altaic.  
*conspicua*, Sims, Bot. Mag. t. 1629 = *speciosa*.  
*coralloides*, Tausch, in Syll. Ratisb. ii. (1828) 255 = *decipiens*.  
*cordata*, Desf. Fl. Atlant. i. 273 = *virgata*.  
*cordata*, Guss. Fl. Sic. Prod. i. 382 = *cosyrensis*.  
*cordata*, Linn. Sp. Pl. 275.—Reg. Mediterr.  
*cordata*, Poir. Voy. Barb. ii. 142 = *spatulata*.  
*cordata*, Savi, Due Cent. 82 = *psiloclada*.  
*cordata*, [Suffr.] Princip. Bot. (1802) 132 = *bellidifolia*.  
*coriacea*, Hort. ex Schult. Syst. vi. 778 = *latifolia*.  
*Coriaria*, Pall. Tabl. Taur. 49; et ex Bieb. Fl. Taur. Cauc. i. 249 = *latifolia*.  
*corinthiaca*, Boiss. & Heldr. Diagn. Ser. II. iv. 69.—Graecia.  
*corymbulosa*, Boiss. in DC. Prod. xii. 658.—Afr. austr.  
*corymbulosa*, Nym. Consp. 609.—Hispan.  
*Costae*, Willk. in Linnaea, xxx. (1859–60) 12 = *Girardiana*.  
*cosyrensis*, Guss. Suppl. Fl. Sic. Prod. 90.—Europ. austr.  
*crispa*, Pers. Syn. i. 334 = *mucronata*.  
*Crownii*, Lenorm. ex Nym. Consp. 609 = *S. Limonium*.  
*cumana*, Tenore, Fl. Nap. iii. 351.—Italia.  
*cuneata*, Sm. ex Link, Handb. ii. 264; Hort. Loud. ex Boiss. in DC. Prod. xii. 636 = *Thouini*.  
*cuspidata*, Delort, in F. Schultz, Arch. Fl. Fr. et Allem. 339 = *duriuscula*.  
*cylindrica*, Steud. Nom. ed. I. 810, sphalm. = seq.  
*cylindrifolia*, Forsk. Fl. Aegypt. Arab. 59.—Arab.; Afr. bor.  
*cymulifera*, Boiss. & Reut. Pugill. Pl. Nov. (1852) 104.—Afr. bor.  
*cyrtostachya*, Girard, in Ann. Sc. Nat. Sér. III. ii. (1844) 328.—Afr. bor.

STATICE:—

*dalmatica*, Presl, Bot. Bemerk. 105.—Dalmat.; Graec.  
*dauverica*, Pall. Reise, iii. 320 = *flexuosa*.  
*decipiens*, Ledeb. Fl. Alt. i. 433.—Sibir. altaic.  
*decumbens*, Boiss. in DC. Prod. xii. 659.—Afr. austr.  
*delicatula*, Girard, in Ann. Sc. Nat. Sér. III. ii. (1844) 327.—Hispan.  
*densiflora*, Girard, l. c. Sér. II. xvii. (1842) 25 = *Girardiana*.  
*densiflora*, Guss. Suppl. Fl. Sic. Prod. 86 = *oleae-folia*.  
*dentata*, Hort. Pesth. (1812); ex Schult. Syst. vi. 799 (Quid?).—Hab.?  
*denticulata*, Bertol. Rar. Ital. Pl. Dec. ii. 34 = *Armeria denticulata*.  
*denudata*, Regel & Koern. Ind. Sem. Hort. Petrop. (1857) 37; Gartenfl. (1861) 159.—Hab.?  
*desertorum*, Trautv. Pl. Imag. 17. t. 11 = *tatarica*.  
*dianthifolia*, Jaub. & Spach, Illustr. i. 162 = *Acantholimon venustum*.  
*dichotoma*, Cav. Ic. i. 37. t. 50.—Hispan.; Graec.  
*dichotoma*, Duby, Bot. Gall. i. 388 = *bellidifolia*.  
*dichotoma*, Guss. Fl. Sic. Syn. i. 372 = *virgata*.  
*dichotoma*, Mutel, Fl. Fr. Suppl. 171 = *auriculae-folia*.  
*dichotoma*, Reichb. Pl. Crit. viii. 7. t. 718 = *oleae-folia*.  
*dichotoma*, Sibth. & Sm. Fl. Graec. Prod. i. 212 = *cosyrensis*.  
*dichotoma*, Willk. in Flora, xxxv. (1852) 290 = *duriuscula*.  
*dichroantha*, Rupr. Sert. Tiansch. 69.—As. centr.  
*Dicksonii*, Hort. ex Poit. in Rev. Hort. Sér. II. ii. (1843–44) 425.—Afr. austr.  
*Dicksoniana*, Hort. ex W. Baxt. in Loud. Hort. Brit. Suppl. iii. 643, nomen = *rosea*.  
*dictyoclada*, Boiss. in DC. Prod. xii. 654.—Corsica.  
*dictyophora*, Tausch, in Syll. Ratisb. ii. (1828) 254 = *cancellata*.  
*diffusa*, Laterr. ex Boiss. in DC. Prod. xii. 661 = *caspia*.  
*diffusa*, Pourr. in Mém. Acad. Toul. iii. (1788) 330.—Gall.; Lusitan.  
*divaricata*, Cav. ex Schult. Syst. vi. 847 = *reticulata*.  
*Dodartii*, Girard, in Ann. Sc. Nat. Sér. II. xvii. (1842) 31 = *auriculae-folia*.  
*Dregeana*, Presl, Bot. Bemerk. 105; Boiss. in DC. Prod. xii. 659.—Afr. austr.  
*drepanensis*, Tineo, ex Guss. Fl. Sic. Syn. ii. 805 = *S. Limonium*.  
*dschungarica*, Regel, in Act. Hort. Petrop. vi. (1879) 386.—As. centr.  
*dubia*, Andr. ex Guss. Suppl. Fl. Sic. Prod. 89 = *dictyoclada*.  
*Dubyei*, Gren. & Godr. Fl. Fr. ii. 750.—Gallia; Hispan.  
*Dufourei*, Girard, in Ann. Sc. Nat. Sér. II. xvii. (1842) 36.—Hispan.  
*Duriaei*, Girard, in Mém. Acad. Montp. (Sect. Sc.) i. (1848) 187.—Afr. bor.  
*duriuscula*, Girard, in Ann. Sc. Nat. Sér. III. ii. (1844) 327.—Gall. austr.  
*echinata*, Hort. Gorenk. (1812); ex Schult. Syst. vi. 799 (Quid?).—Hab.?  
*Echinus*, Bieb. Fl. Taur. Cauc. i. 251 = *Acantholimon Hohenackeri*.  
*Echinus*, Linn. Sp. Pl. 276 = *Acantholimon androsaceum*, *caryophyllaceum*, *tenuiflorum*.  
*echioides*, Hort. ex Schult. Syst. vi. 785 = *reticulata*.  
*echioides*, Linn. Sp. Pl. 275.—Reg. Mediterr.  
*echioides*, Sibth. & Sm. Fl. Graec. Prod. i. 213 = *rorida*.  
*effusa*, Boiss. in DC. Prod. xii. 646.—Lydia.  
*elata*, Fisch. Cat. Hort. Gorenk. (1812) 18.—Sibir.  
*elegans*, Coss. ex Nym. Consp. 613 = *caesia*.  
*elongata*, Hoffm. Deutschl. Fl. ed. II. i. 150 = *Armeria elongata*.  
*emarginata*, Schur, Enum. Pl. Transs. 558 = *Gmelini*.  
*emarginata*, Willd. Enum. Hort. Berol. 335.—Gibralt.  
*equisetina*, Boiss. in DC. Prod. xii. 658.—Afr. austr.  
*erinacea*, Jaub. & Spach, Illustr. i. 163 = *Acantholimon roseum*.  
*eximia*, Schrenk, Enum. Pl. Nov. i. 13.—As. centr.  
*fasciculata*, Vent. Jard. Cels, 38 = *Armeria fasciculata*.  
*ferox*, Jaub. & Spach, Illustr. i. 163 = *Acantholimon Scorpis*.

STATICE:—

*ferulacea*, Linn. Sp. Pl. ed. II. 396.—Reg. Mediterr. occ.  
*festucacea*, Jaub. & Spach, Illustr. i. 163 = *Acantholimon festucaceum*.  
*filicaulis*, Boiss. Elench. 80.—Hispan.  
*Fischeri*, Trautv. in Act. Hort. Petrop. ii. (1873) 481 = *nuda*.  
*flexuosa*, Less. in Linnaea, ix. (1834) 196 = *elata*.  
*flexuosa*, Linn. Sp. Pl. 276.—Sibir.  
*foliosa*, Penny, ex W. Baxt. in Loud. Hort. Brit. Suppl. ii. 675, nomen.—Ins. Canar.  
*formosa*, Hort. ex Vilna. Fl. Pl. Terré, ed. III. 1103 = *Armeria latifolia*.  
*Fortuni*, Lindl. Bot. Reg. (1845) t. 63 = *australis*.  
*Fradiniana*, Pomel, Nouv. Mat. Fl. Atl. 128 = *oleae-folia*.  
*Franchetii*, Debeaux, in Act. Linn. Soc. Bord. xxxi. (1877) 384.—China.  
*frutescens*, Hort. ex W. Baxt. in Loud. Hort. Brit. Suppl. iii. 643; Lem. in Fl. des Serres, iv. (1848) t. 325 = seq.  
*fruticans*, Webb, ex Boiss. in DC. Prod. xii. 636.—Ins. Canar.  
*fruticosa*, Lepech. Reise, i. 254 = *suffruticosa*.  
*furfuracea*, Lag. Gen. et Sp. Nov. 13.—Hispan.  
*furfuracea*, Reichb. Ic. Fl. Germ. xvii. 64 = *cancellata*.  
*Gaillardoti*, Lafont, in Act. Linn. Soc. Bord. xxvii. (1869) 158. t. 9. f. 9.—Syria.  
*genistoides*, Jaub. & Spach, Illustr. i. 162 = *Acantholimon genistoides*.  
*Girardiana*, Guss. Fl. Sic. Syn. i. 368.—Hispan.  
*glauca*, Less. in Linnaea, ix. (1834) 196 = *suffruticosa*.  
*glauca*, Pers. Syn. i. 333 = *spatulata*.  
*glauca*, Willd. ex Schult. Syst. vi. 799 = *Gmelini*.  
*globulariaefolia*, DC. Fl. Fr. Suppl. 379 = *confusa*.  
*globulariaefolia*, Desf. Fl. Atlant. i. 274.—Afr. bor.  
*globulariaefolia*, Webb, Iter Hisp. 18 = *Girardiana*.  
*globularifolia*, Pourr. ex Willk. & Lange, Prod. Fl. Hisp. ii. 376 = *salsuginosa*.  
*globularifolia*, Sibth. & Sm. Fl. Graec. iii. 90. t. 296 = *Sibthorpiana*.  
*globulifera*, Boiss. & Heldr. ex Boiss. in DC. Prod. xii. 665.—As. Min.  
*glomerata*, Tausch, in Syll. Ratisb. ii. (1828) 255.—Sardinia.  
*glumacea*, Jaub. & Spach, Illustr. i. 162, 166 = *Acantholimon glumaceum*.  
*Gmelini*, Koch, Syn. Fl. Germ. ed. II. 684 = *S. Limonium*.  
*Gmelini*, Spreng. Syst. i. 957 = *ovalifolia*.  
*Gmelini*, Willd. Sp. Pl. i. 1524.—Reg. Cauc.; Sibir.  
*Gougetiana*, Girard, in Ann. Sc. Nat. Sér. III. ii. (1844) 328.—Hispan.  
*gracilis*, Fisch. ex Boiss. in DC. Prod. xii. 660.—Sibir. altaic.  
*gracilis*, Tineo, in Guss. Fl. Sic. Syn. ii. 807 = *dictyoclada*.  
*graeca*, Boiss. in DC. Prod. xii. 650.—Graecia; Syria.  
*graeca*, Poir. Encyc. Suppl. v. 237 = *rorida*.  
*graminifolia*, Ait. Hort. Kew. ed. I. i. 383.—Rossia.  
*graminifolia*, Bess. Enum. Pl. Volh. 44 = *tatarica*.  
*grandiflora*, Hort. Viln. (1811) ex Schult. Syst. vi. 777 = *Armeria latifolia*.  
*Griffithii*, Aitch. & Hemsl. in Journ. Linn. Soc. xix. (1882) 175.—Afghan.  
*gummifera*, Dur. ex Boiss. & Reut. Pugill. Pl. Nov. (1852) 104.—Afr. bor.  
*Gussoniana*, Steud. Nom. ed. II. ii. 633 = *Sibthorpiana*.  
*Halleri*, Garcke, Fl. Deutschl. ed. II. 273 = *Armeria elongata*.  
*halochrysa*, Fisch. ex Boiss. in DC. Prod. xii. 641 = *Schrenkiana*.  
*hirsuta*, Presl, Bot. Bemerk. 105 = *sinuata*.  
*hirta*, Steud. Nom. ed. I. 811 = *Armeria baetica*.  
*Histrix*, Jaub. & Spach, Illustr. i. 162 = *Acantholimon libanoticum*.  
*Hoeltzeri*, Regel, in Act. Hort. Petrop. v. (1877) 259.—Turkestan.  
*Hohenackeri*, Jaub. & Spach, Illustr. i. 162, 167 = *Acantholimon Hohenackeri*.  
*horrida*, Girard, in Ann. Sc. Nat. Sér. III. ii. (1844) 331 = *Acantholimon Hohenackeri*.  
*Humboldtii*, C. Bolle, in Ind. Sem. Hort. Berol. (1861) App. 4.—Ins. Canar.  
*humilis*, Link, in Schrad. Journ. (1800) i. 61 = *Armeria caespitosa*.



## STATICE:—

- hybrida*, Mont. ex Lloyd, Fl. Loire-Inf. 211 = ovalifolia.
- hyssopifolia*, Girard, in Ann. Sc. Nat. Sér. III. ii. (1844) 329 = rorida.
- iconia*, Boiss. & Heldr. in DC. Prod. xii. 661. — Anatolia.
- imbricata*, Webb, ex Girard, in Ann. Sc. Nat. Sér. III. ii. (1844) 330. — Ins. Canar.
- inarimensis*, Guss. Enum. Pl. Inar. 267 = minutiflora.
- incana*, Bieb. Fl. Taur. Cauc. i. 251; Bess. Enum. Pl. Volh. 94 = tatarica.
- incana*, Ledeb. Fl. Alt. i. 435 = callicoma.
- incana*, Linn. Mant. i. 59. — Tauria; Sibir.; Afr. bor.
- incana*, Urv. ex Boiss. in DC. Prod. xii. 672 = collina.
- incana*, Vis. Fl. Dalm. ii. 7 = dalmatica.
- insignis*, Coss. Notes Pl. Crit. 177. — Hispan.
- intermedia*, Guss. Suppl. Fl. Sic. Prod. 87 = psiloclada.
- japonica*, Sieb. & Zucc. Fl. Jap. Fam. Nat. ii. 72 = australis.
- Jauberti*, Girard, in Ann. Sc. Nat. Sér. III. ii. (1844) 331 = Acantholimon roseum.
- Jovibarba*, Webb, ex Boiss. in DC. Prod. xii. 665. — Afr. trop.
- juncina*, Tatarinow, in Wlangali, Reise Oestl. Kirgisenst. 251, nomen. — Turkestan.
- juniperifolia*, Boiss. in DC. Prod. xii. 680 = Armeria splendens.
- juniperifolia*, Pall. ex Steud. Nom. ed. II. ii. 633 = juniperina.
- juniperifolia*, Vahl, Symb. Bot. i. 25 = Armeria caespitosa.
- juniperina*, Willd. ex Steud. Nom. ed. I. 811 = Acantholimon Hohenackeri.
- Karelini*, Stschégl. in Bull. Soc. Nat. Mosc. xxiv. (1851) ii. 475 = Acantholimon Karelini.
- kaschgaria*, Rupr. Sert. Tiansch. 69. — Turkestan.
- Kaufmanniana*, Regel, Gartenfl. (1880) 1. — As. centr.
- Kotschyi*, Jaub. & Spach, Illustr. i. 162 = Acantholimon Kotschy.
- Kraussiana*, Buching. ex Krauss, in Flora, xxviii. (1845) 73. — Afr. austr.
- laeta*, Ball, in Journ. Bot. xiii. (1875) 176 = ornata.
- laeta*, Moris, Fl. Sard. iii. 42 = duriuscula.
- laeta*, Salisb. Prod. 177 = mucronata.
- lanceolata*, Edgew. in Journ. As. Soc. Beng. xvi. (1847) 1218 = axillaris.
- lanceolata*, Hoffm. & Link, Fl. Port. i. 446 = ovalifolia.
- lanceolata*, Hort. ex Vilm. Fl. Pl. Terre, ed. III. 1099 = eximia.
- lanceolata*, Reichb. Pl. Crit. viii. 7. t. 719. f. 961 = occidentalis.
- latifolia*, Sm. in Trans. Linn. Soc. i. (1791) 250. — Bulgar.; Rossia; Reg. Cauc.
- latissima*, Kar. & Kir. in Bull. Soc. Nat. Mosc. (1841) 729. — Soongar.
- Lefroyi*, Hemsl. in Journ. Bot. xxi. (1883) 105. — Ins. Bermuda.
- Legrandi*, Gaut. & Timb. in Bull. Soc. Sc. Phys. et Nat. Toul. iv. (1877-78) 40 = Companyonis.
- lepidorachis*, Pomel, Nouv. Mat. Fl. Atl. 127 = sebkaram.
- leptoloba*, Regel, in Act. Hort. Petrop. vi. (1879) 385. — As. centr.
- leptophylla*, Schrenk, in Bull. Phys.-Math. Acad. Pétersb. iii. (1845) 211. — Soongar.
- leptostachya*, Boiss. Diagn. Ser. I. vii. 68. — Persia.
- leptostachys*, Pomel, Nouv. Mat. Fl. Atl. 311. — Alger.
- lepturoides*, Jaub. & Spach, Illustr. i. 163, 170 = Acantholimon lepturoides.
- Lespinassi*, Lafont, in Act. Linn. Soc. Bord. xxvii. (1869) 156. t. 8. f. 5. — Europ.
- leucacantha*, Jaub. & Spach, Illustr. i. 164 = Acantholimon Scorpis.
- leucantha*, Pouz. in Mém. Soc. Linn. Par. iv. (1826) 560; vi. (1827) 405; Loisel. Fl. Gall. ed. II. i. 223 = Armeria leucocephala.
- lilacina*, Boiss. & Bal. Diagn. Ser. II. iv. 68 = Gmelini.
- limonia*, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 135 = S. Limonium.
- Limonium*, Cav. ex Willk. & Lange, Prod. Fl. Hisp. ii. 379 = ovalifolia.
- Limonium*, Linn. Sp. Pl. ed. I. 274. — Europ.; Am. bor.
- Limonium*, Pall. Tabl. Taur. 49 = Gmelini.

## STATICE:—

- Limonium*, Thunb. Fl. Jap. 129 = australis.
- limonoides*, Bivona, ex Link, Enum. Hort. Berol. i. 295 = S. Limonium.
- linearifolia*, Laterr. Fl. Bord. ed. II. 189 = Armeria maritima.
- linearifolia*, Loisel. Fl. Gall. ed. I. i. 180 = Armeria elongata.
- Lingua*, Pomel, Nouv. Mat. Fl. Atl. 129. — Alger.
- linifolia*, Drège, ex Boiss. in DC. Prod. xii. 658 = equisetina.
- linifolia*, Linn. f. Suppl. 187. — Afr. austr.
- littoralis*, Poir. Encyc. Suppl. v. 235 = Armeria littoralis.
- lobata*, Linn. f. Suppl. 187 = Thouini.
- longidentata*, Lafont, in Act. Linn. Soc. Bord. xxvii. (1869) 156. t. 8. f. 6. — Europ.
- longifolia*, Thunb. Prod. Pl. Cap. 54 = purpurata.
- lusitanica*, Poir. Voy. Barb. ii. 141 = Armeria mauritanica.
- lusitanica*, Poir. l. c. 173 = Armeria latifolia.
- lychnidifolia*, Girard, in Ann. Sc. Nat. Sér. II. xvii. (1842) 18. t. 3. — Europ. austr. occ.; Maroc.
- lycopodioides*, Girard, l. c. Sér. III. ii. (1844) 330 = Acantholimon lycopodioides.
- lyrata*, Bieb. Besch. Casp. 166 = spicata.
- macrophylla*, Brouss. ex Spreng. Syst. i. 959. — Ins. Canar.
- macroptera*, Webb & Berth. Phyt. Canar. iii. 182. — Ins. Canar.
- macrorrhachis*, Boiss. Diagn. Ser. II. iv. 67. — Afghan.
- macrorrhiza*, Ledeb. Fl. Alt. i. 434. — Sibir. altaic.
- marginata*, Schott, ex Steud. Nom. ed. II. ii. 633. — Bras.
- maritima*, Lam. Fl. Fr. iii. 64 = cordata, S. Limonium.
- maritima*, Mill. Gard. Dict. ed. VIII. n. 3 = Armeria maritima.
- Maurocenia*, Hort. Par. ex Dum.-Cours. Bot. Cult. ed. I. i. 661 (Quid?). — Hab.?
- melia*, Nym. Consp. 612 = cosyrensis.
- membranacea*, Czern. ex Trautv. in Act. Hort. Petrop. ix. (1884) 117, nomen. — Rossia.
- Meyeri*, Boiss. in DC. Prod. xii. 645 = S. Limonium, Gmelini.
- micrantha*, Lafont, in Act. Linn. Soc. Bord. xxvii. (1869) 159. t. 9. f. 10. — As. Min.
- minuta*, Desf. Fl. Atlant. i. 275 = Gougetiana.
- minuta*, Falk, Beitr. ii. 153. — Ross. austr.
- minuta*, Linn. Mant. i. 59. — Reg. Mediterr.
- minuta*, Mor. ex Reichb. Pl. Crit. iii. 23 = rupicola.
- minuta*, Tenore, ex Nym. Consp. 610, partim = Gougetiana.
- minuta*, Tenore, Syll. 593 = minutiflora.
- minuta*, Tommas. ex Nym. Consp. 612 = cancellata.
- minuta*, Vis. Fl. Dalm. iii. 356 = cordata.
- minuta*, Willk. Pl. Haloph. 137 = virgata.
- minutiflora*, Guss. Suppl. Fl. Sic. Prod. 89. — Sicil.
- mongolica*, Fisch. ex Girard, in Ann. Sc. Nat. Sér. III. ii. (1844) 329. — Mongolia.
- monopetala*, Linn. Sp. Pl. 276 = Limoniastrum articulatum.
- montana*, Mill. Gard. Dict. ed. VIII. n. 2 = Armeria alpina.
- montana*, Soleir. ex Boiss. in DC. Prod. xii. 686 = Armeria leucocephala.
- mucosa*, Salzm. ex Boiss. l. c. 646 = ovalifolia.
- mucronata*, Linn. f. Suppl. 187. — Maroc.
- multiceps*, Pomel, Nouv. Mat. Fl. Atl. 128. — Alger.
- myosuroides*, Regel, Pl. Nov. Fedtsch. 74. — Turkestan.
- myriantha*, Schrenk, Enum. Pl. Nov. 14. — Soongar.
- nana*, Penny, ex G. Don, in Loud. Hort. Brit. Suppl. i. 601 = auriculaefolia?
- neglecta*, Andr. Rys. Bot. Wilno (1823), 48, nomen (Quid?). — Rossia.
- nigricans*, Lafont, in Act. Linn. Soc. Bord. xxvii. (1869) 155. — Europ.
- nuda*, Boiss. & Buhse, in Nouv. Mém. Soc. Nat. Mosc. xii. (1860) 184. — Persia.
- obovata*, Ledeb. Fl. Ross. iii. 468. — Reg. Cauc.
- obtus*, Dum.-Cours. Bot. Cult. ed. I. i. 660 = cordata.
- occidentalis*, Lloyd, Fl. Loire-Inf. 212. — Europ. occ.; Maroc.
- ochrantha*, Kar. & Kir. in Bull. Soc. Nat. Mosc. (1841) 730. — Sibir. altaic.
- ocimifolia*, Schult. Syst. vi. 780 = seq.
- ocymifolia*, Poir. Encyc. Suppl. v. 238. — Graecia.
- oleaefolia*, Host, Syn. Pl. Austr. 177 = reticulata.
- oleaefolia*, Pourr. ex DC. Fl. Fr. iii. 422 = virgata.

## STATICE:—

- oleaefolia*, Scop. Delic. Insub. i. 24. t. 10. — Reg. Mediterr. occ.
- oleaefolia*, Willd. Sp. Pl. i. 1525 = Dodartii.
- oleifolia*, Sibth. & Sm. Fl. Graec. Prod. i. 212 = virgata.
- Oliveriana*, Andr. ex Boiss. Fl. Orient. iv. 862 = rorida.
- Oliverii*, Jaub. & Spach, Illustr. i. 163, 168 = Acantholimon venustum.
- Oliveriana*, Andr. ex Boiss. in DC. Prod. xii. 650 = graeca.
- ornata*, Ball, in Journ. Linn. Soc. xvi. (1878) 559. — Maroc.
- Orphanidis*, Boiss. Diagn. Ser. II. vi. 146 (Index), sphalm. = Armeria majellensis.
- otolepis*, Schrenk, in Bull. Phys.-Math. Pétersb. i. (1843) 362. — Soongar.
- ovalifolia*, Poir. Encyc. Suppl. v. 237. — Reg. Mediterr. occ.
- Owerini*, Boiss. Fl. Orient. iv. 870. — Reg. Cauc.
- oxylepis*, Boiss. in DC. Prod. xii. 647 = oleaefolia.
- palmaris*, Sibth. & Sm. Fl. Graec. iii. 91. t. 297 = rorida.
- panormitana*, Todaro, Ind. Sem. Hort. Panorm. (1857) 45. — Cf. Linnaea, xxix. (1857-58) 750 = minutiflora.
- papillata*, Webb & Berth. Phyt. Canar. iii. 177. — Ins. Canar.
- parvifolia*, Tineo, in Guss. Fl. Sic. Syn. ii. 806 = dictyoclada.
- patens*, Fisch. ex Boiss. in DC. Prod. xii. 661 = bellidifolia.
- pauciflora*, Jaub. & Spach, Illustr. i. 162 = Acantholimon androsaccum.
- pectinata*, Ait. Hort. Kew. ed. I. i. 385. — Ins. Canar.
- pedicellata*, Wallr. ex Boiss. in DC. Prod. xii. 658. — Afr. austr.
- peregrina*, Berg. Desc. Pl. Cap. 80 (excl. syn.) = rosea.
- perfoliata*, Karel. in Bull. Soc. Nat. Mosc. (1839) 167, nomen; et ex Boiss. in DC. Prod. xii. 663. — Persia.
- pinifolia*, Brot. Fl. Lusit. i. 486 = Armeria pinifolia.
- plantaginea*, All. Fl. Pedem. ii. 90 = Armeria plantaginea.
- plantaginea*, Guss. Fl. Sic. Syn. i. 366 = Armeria Gussonei.
- plantaginiflora*, Jaub. & Spach, Illustr. i. 159. t. 88 = spicata.
- plumosa*, Phil. Fl. Atac. 46. — Chili.
- polianthemum*, Neck. Delic. Gallo-Belg. i. 160. — Europ.
- Preauxii*, Webb & Berth. Phyt. Canar. iii. 181. — Ins. Canar.
- preciosa*, Tcherthoff, in Bull. Soc. Nat. Mosc. vi. (1833) 15. — Rossia.
- prolifera*, Urv. in Mém. Soc. Linn. Par. i. (1822) 291 = rorida.
- pruinosa*, Cav. ex Willk. & Lange, Prod. Fl. Hisp. ii. 372 = caesia.
- pruinosa*, Forsk. ex Schult. Syst. vi. 794 = furfuracea.
- pruinosa*, Linn. Mant. i. 59. — Aegypt.
- pruinosa*, Webb & Berth. ex Boiss. in DC. Prod. xii. 640 = papillata.
- Pseudo-armeria*, Cav. Ic. i. 38 = Armeria gaditana.
- Pseudo-armeria*, Paxt. Mag. Bot. xi. (1844) t. 79 = Armeria latifolia.
- Pseudo-limonium*, Reichb. Fl. Germ. Excurs. 191 = S. Limonium.
- psiloclada*, Boiss. in DC. Prod. xii. 651. — Reg. Mediterr.
- puberula*, Webb, in Bot. Reg. t. 1450. — Ins. Canar.
- pubescens*, DC. Fl. Fr. Suppl. 380 = cordata.
- pubescens*, Koch, Syn. Fl. Germ. ed. I. 595 = cancellata.
- pubescens*, Reichb. Ic. Fl. Germ. ii. 79 = minuta, Linn.
- pubescens*, Salis, in Flora, xvii. (1834) II. Beibl. 13 = Armeria leucocephala.
- pubescens*, Sm. ex Schult. Syst. vi. 772 (cum cit. falsa) = Armeria maritima.
- pubigera*, Desf. Cat. Hort. Par. ed. III. 391 = Armeria maritima.
- pulchella*, S. F. Gray, Nat. Arr. Brit. Pl. ii. 296 = Armeria elongata.
- pungens*, Brot. Fl. Lusit. 487 = Armeria pungens.
- pungens*, Jaub. & Spach, Illustr. i. 163 = Acantholimon roseum.
- purpurata*, Linn. Mant. i. 59. — Afr. austr.

**STATICE:—**

*purpurata*, Willd. Sp. Pl. i. 1528 = rosea.  
*purpurea*, Koch, Syn. Fl. Germ. ed. I. 595 = *Armeria*  
*elongata*.  
*pycnantha*, C. Koch, in *Linnaea*, xxi. (1848) 716.—  
 As. Min.  
*pygmaea*, Tineo, in Guss. Fl. Sic. Syn. ii. 807 =  
*dictyoclada*.  
*pyramidata*, Lowe, in *Trans. Camb. Phil. Soc.* iv.  
 (1831) 18.—Ins. Porto-santo.  
*pyrrholepis*, Pomel, Nouv. Mat. Fl. Atl. 131 =  
*delicatula*.  
*Raddiana*, Boiss. in DC. Prod. xii. 653 = globu-  
*lariaefolia*.  
*ramosissima*, Poir. Voy. Barb. ii. 142 = globulariae-  
*folia*.  
*raviflora*, Drejer, Fl. Excurs. Hafn. 121 = S. *Limonium*.  
*remotispicula*, Lacaita, in *Nuov. Giorn. Bot. Ital.* xvi.  
 (1884) 168.—Italia.  
*reniformis*, Girard, in Ann. Sc. Nat. Sér. III. ii. (1844)  
 325 = *perfoliata*.  
*reticulata*, Auct. ex Boiss. in DC. Prod. xii. 654 =  
*dictyoclada*.  
*reticulata*, Bieb. Fl. Taur. Cauc. i. 251 = *caspia*.  
*reticulata*, Gouan, Suppl. Fl. Monsp. 139, nomen =  
*virgata*.  
*reticulata*, Linn. Sp. Pl. 275.—Europ.  
*reticulata*, Siev. ex Boiss. in DC. Prod. xii. 661 =  
*decipiens*.  
*rorida*, Sibth. & Sm. Fl. Graec. iii. 91. t. 298.—  
 Graecia; Syria.  
*rorida*, Vis. Stirp. Dalmat. 48; et ex Boiss. Fl. Orient.  
 iv. 863 = *cancellata*.  
*rosea*, Boiss. in DC. Prod. xii. 624 = *Acantholimon*  
*roseum*.  
*rosea*, Pall. Reise, iii. 260 = *flexuosa*.  
*rosea*, Sm. in Rees, Cycl. xxxiv. [n. 20].—Afr. austr.  
*rubella*, S. T. Gmel. Reise, ii. 199. t. 34 = *tatarica*.  
*rupicola*, Badaro, ex Reichb. Fl. Germ. Excurs. 191.—  
 Italia.  
*rytidophylla*, Hook. Bot. Mag. t. 4055 = *rosea*.  
*sabulosa*, Fourr. in Ann. Soc. Linn. Lyon, N. S. xvii.  
 (1869) 141.—Europ.  
*salicorniaceae*, F. Muell. Fragm. xi. 7.—Austral.  
*salsuginosa*, Boiss. in DC. Prod. xii. 653.—Hispan.  
*sareptana*, Becker, in Bull. Soc. Nat. Mosc. xxxi.  
 (1858) i. 12 = *tomentella*.  
*Sartorii*, Nym. Syll. Suppl. 25.—Ins. Mycon.  
*scabra*, Drège, ex Boiss. in DC. Prod. xii. 666 =  
*purpurata*.  
*scabra*, Krauss, in *Flora*, xxviii. (1845) 72 = *corym-  
 bulosa*, Boiss.  
*scabra*, Pall. ex Boiss. in DC. Prod. xii. 681 = *Armeria*  
*scabra*.  
*scabra*, Pers. Syn. i. 334 = *Limoniastrum articulatum*.  
*scabra*, Thunb. Prod. Pl. Cap. 54.—Afr. austr.  
*scabrida*, Presl, Bot. Bemer. 105 = *equisetina*.  
*Schrenkiana*, Fisch. & Mey. in Bull. Phys.-Math.  
*Acad. Pétersb.* i. (1843) 362.—Soongar.  
*scoparia*, Hort. ex Vilm. Fl. Pl. Terre, ed. III. 1098 =  
*eximia*.  
*scoparia*, C. A. Mey. ex Boiss. in DC. Prod. xii. 645 =  
 S. *Limonium*, Gmelini.  
*scoparia*, Pall. ex Willd. Sp. Pl. i. 1524 = Gmelini.  
*scoparia*, Reichb. ex Nym. Consp. 609 = S. *Limonium*.  
*Scopoliana*, Bertol. Fl. Ital. iii. 528 = *oleaefolia*.  
*Scorpius*, Jaub. & Spach, Illustr. i. 163 = *Acantholimon*  
*Scorpius*.  
*scorsoneraefolia*, Link, in Schrad. Journ. (1800) i. 60  
 = *Armeria plantaginea*.  
*sebkarum*, Pomel, Nouv. Mat. Fl. Atl. 130.—Alger.  
*sedoides*, Regel, in Act. Hort. Petrop. vi. (1879) 384.—  
 As. centr.  
*Semenovii*, Herd. in Bull. Soc. Nat. Mosc. xli. (1868)  
 i. 398.—Sibir.  
*serbica*, Nym. Syll. Suppl. 25.—Serbia.  
*serotina*, Reichb. Fl. Germ. Excurs. 191 = S. *Limonium*.  
*Sewerzowi*, Regel, in Act. Hort. Petrop. vi. (1879) 386.  
 —Turkestan.  
*sibirica*, Dum.-Cours. Bot. Cult. ed. I. i. 661 =  
*echioides*.  
*sibirica*, Ledeb. Fl. Ross. iii. 457.—Sibir. baical.  
*Sibthorpiana*, Guss. Suppl. Fl. Sic. Prod. 87.—Sicil.  
*Sieberi*, Boiss. Voy. Bot. Espagne, ii. 530, in nota.—  
 Graecia.  
*sinensis*, Girard, in Ann. Sc. Nat. Sér. III. ii. (1844)  
 329 = *australis*.  
*sinuata*, Linn. Sp. Pl. 276.—Reg. Mediterr.

**STATICE:—**

*sisymbriifolia*, Jaub. & Spach, Illustr. i. 158 = *spicata*.  
*Smithii*, Tenore, Fl. Nap. iii. 350. t. 223 = *virgata*.  
*Spachii*, Girard, in Ann. Sc. Nat. Sér. III. ii. (1844)  
 322 = *Acantholimon tragacanthinum*, A. *Scorpius*.  
*spathulata*, Desf. Fl. Atlant. i. 275.—Afr. bor.; Creta.  
*spathulata*, Heldr. ex Nym. Consp. 611 = *rorida*.  
*spathulata*, Hook. Brit. Fl. ed. I. 145 = *auriculaefolia*.  
*spathulata*, Jan, ex Nym. Consp. 610 = *oleaefolia*.  
*spathulata*, Nym. Syll. 143 = *emarginata*.  
*spathulata*, Sieber, ex Boiss. in DC. Prod. xii. 650 =  
*Sieberi*.  
*spathulata*, Willd. ex Boiss. l. c. 652 = *duriuscula*.  
*spathulata*, Willd. Enum. Hort. Berol. 335 = *Willde-  
 novii*.  
*speciosa*, Forsk. Fl. Aegypt. Arab. p. xxiv = *collina*.  
*speciosa*, Hort. ex Schult. Syst. vi. 796 = *mucronata*.  
*speciosa*, Linn. Sp. Pl. 275.—Reg. Cauc.; Oriens;  
 Sibir.  
*spicata*, Willd. Sp. Pl. i. 1533.—Sibir. occ.; Reg.  
 Cauc.; Oriens.  
*spinulosa*, Fanka, in Termész. Füzetek, vi. (1882) 170.  
 —Europ.  
*splendens*, Lag. & Rodr. in Anal. Cienc. Nat. v. (1802)  
 274 = *Armeria splendens*.  
*squamata*, Poir. Encyc. Suppl. v. 237 = *tubiflora*.  
*Stockii*, Boiss. in DC. Prod. xii. 664.—Sind; Belu-  
 chist.  
*stricta*, Gueldenst. Reisen, ii. 225; ex Ledeb. Fl. Ross.  
 iii. 470.—Ross. austr.  
*suffruticosa*, Linn. Sp. Pl. 276.—Reg. Cauc.; As.  
 med.  
*supina*, Girard, in Ann. Sc. Nat. Sér. III. ii. (1844)  
 326.—Hispan.  
*Suworowii*, Regel, in Act. Hort. Petrop. vii. (1880) 550.  
 —As. centr.  
*tatarica*, Linn. Sp. Pl. 275.—Europ. austr. or.; Reg.  
 Cauc.  
*Taxanthema*, Schult. Syst. vi. 798 = *australis*.  
*tenella*, Turcz. in Bull. Soc. Nat. Mosc. v. (1832) 203.  
 —Mongol.  
*Tenoreana*, Guss. Enum. Pl. Inar. 268, in syn. =  
*minutiflora*.  
*tenuicula*, Tineo, ex Guss. Suppl. Fl. Sic. Prod. 90 =  
*reticulata*.  
*tenuifolia*, Bertol. in Moris, Stirp. Sard. Elench. ii. 8 =  
*rupicola*.  
*tenuifolia*, Jaub. & Spach, Illustr. i. 162 = *Acantho-  
 limon Hohenackeri*.  
*tereikiensis*, Gueldenst. Reisen, ii. 33 = *tatarica*.  
*tetragona*, Drège, ex Boiss. in DC. Prod. xii. 659 =  
*Dregeana*.  
*tetragona*, Thunb. Prod. Pl. Cap. 54.—Afr. austr.  
*thessala*, Boiss. & Heldr. Diagn. Ser. II. vi. 146  
 (Index), sphalm. = *Armeria cariensis*.  
*Thouini*, Viv. Fl. Lib. Spec. 18. t. 11. f. 1.—Reg.  
 Mediterr.  
*thymoides*, Girard, in Mém. Acad. Montp. (Sect. Sc.)  
 i. (1848) 189.—Alger.  
*Tinei*, Woods, Tourist's Fl. 306 = *dictyoclada*.  
*tomentella*, Boiss. in DC. Prod. xii. 645.—Ross.  
 austr.  
*Tournefortii*, Girard, in Ann. Sc. Nat. Sér. III. ii.  
 (1844) 326 = *delicatula*.  
*Tournefortii*, Jaub. & Spach, Illustr. i. 165. t. 90 =  
*Acantholimon androsaceum*.  
*Tournefortii*, Jaub. & Spach, l. c. iv. t. 388 = *rorida*.  
*tragacanthina*, Jaub. & Spach, l. c. i. 164 = *Acan-  
 tholimon tragacanthinum*.  
*trigona*, Pall. Tabl. Taur. 49; et ex Bieb. Fl. Taur.  
 Cauc. i. 251 = *tatarica*.  
*trigonoides*, Hort. Par. ex Boiss. in DC. Prod. xii. 633  
 = *collina*.  
*trigonoides*, Pall. Reise, iii. 637 = *incana*.  
*trinervia*, Hort. Monsp. (1804); ex Schult. Syst. vi.  
 799 (Quid?).—Hab.?  
*tripteris*, Hort. Par. ex Poir. Encyc. Suppl. v. 237 =  
*Thouini*.  
*triquetra*, Boeb. in Pall. N. Nord. Beitr. vi. 261 =  
*tatarica*.  
*tuberculata*, Boiss. in DC. Prod. xii. 662.—Afr. trop.  
*tubiflora*, Delile, Fl. Egypte, 215. t. 25. f. 2.—Aegypt.  
*tubiflora*, Sieber, ex Schult. Syst. vi. 798 = *pruinosa*.  
*ulicina*, Willd. ex Schult. l. c. = *Acantholimon libano-  
 ticum*.  
*undulata*, Bory & Chaub. Nouv. Fl. Pélop. 20. t. 11 =  
*Armeria argyrocephala*.  
*varia*, Hance, in Journ. Bot. xx. (1882) 290.—China.

**STATICE:—**

*variabilis*, Salisb. Prod. 176 = *Armeria latifolia*.  
*venusta*, Fenzl, ex Boiss. Fl. Orient. iv. 832 = *Acantho-  
 limon venustum*.  
*verrucosa*, Willd. ex Boiss. in DC. Prod. xii. 650 =  
*graeca*.  
*viminea*, Schrad. ex Hornem. Suppl. Hort. Hafn. 37 =  
*virgata*.  
*virgata*, Herb. ex Nym. Consp. 611 = *confusa*.  
*virgata*, Orph. ex Nym. Consp. 610 = *Sieberi*.  
*virgata*, Willd. Enum. Hort. Berol. 336.—Reg.  
 Mediterr.  
*vulgaris*, Sweet, Hort. Brit. ed. I. 332 = *Armeria mari-  
 tima*.  
*Willdenovii*, Poir. Encyc. Suppl. v. 236.—Gall. austr.  
*Willdenowiana*, Herb. ex Nym. Consp. 610 = *oleae-  
 folia*.  
*Willdenowiana*, Reichb. Pl. Crit. ii. 55. f. 293 =  
*duriuscula*.  
*Willdenowii*, Loisel. Fl. Gall. II. i. 224 = *Girardiana*.  
*Wrightii*, Hance, in Ann. Sc. Nat. Sér. V. v. (1866)  
 236.—Ins. Luchu.

**STAUNTONIA**, DC. Syst. i. 513 (1818). *BERBERI-  
 DEAE*, Benth. & Hook. f. i. 42.  
*angustifolia*, Wall. Cat. n. 4951 = *Holboellia lati-  
 folia*.  
*Brunoniana*, Wall. l. c. n. 4592 = *Parvatia Bruno-  
 niana*.  
*chinensis*, DC. Syst. i. 514.—China.  
*filamentosa*, Griff. Notul. iv. 334; Ic. Pl. Asiat. t. 495.  
 f. 1 = *Holboellia latifolia*.  
*hexaphylla*, Decne. in Ann. Sc. Nat. Sér. II. xii.  
 (1839) 105; et in Arch. Mus. Par. i. (1839) 192.—  
 Japon.  
*latifolia*, Wall. Cat. n. 4950 = *Holboellia latifolia*.  
*trifoliata*, Griff. Notul. iv. 330; Ic. Pl. Asiat. t. 495.  
 f. 2, 3 = *Parvatia Brunoniana*.

**STAURACANTHUS**, Link, in Schrad. Neues Journ. ii.  
 ii. (1807) 52 = *Ulex*, Linn. (Legumin.).  
*aphyllus*, Link, l. c. = U. *genistoides*.  
*spartioides*, Webb, Otia Hisp. 27. t. 19 = U. *sparti-  
 oides*.  
*spectabilis*, Webb, l. c. t. 20 = U. *spectabilis*.

**STAUANTHERA**, Benth. Scroph. Ind. 57 (1835).  
*GESNERACEAE*, Benth. & Hook. f. ii. 1016.  
*ANOMORHEGMIA*, Meissn. Gen. 303 (1840).  
*CYANANTHUS*, Griff. Notul. iv. 154 (1854).  
*MIQUELIA*, Blume, in Bull. Néerl. (1838) 94.  
*QUINTILIA*, Endl. Gen. 1408 (1841).  
*Brandisii*, C. B. Clarke, in Hook. f. Fl. Brit. Ind. iv.  
 372.—Burma.  
*ecalcarata*, Benn. Pl. Jav. Rar. 121.—Java.  
*grandifolia*, Benth. Scroph. Ind. 57.—Malaya.  
*umbrosa*, C. B. Clarke, Comm. & Cyrt. Beng. t. 89.—  
 Assam.

**STAUANTHUS**, Liebm. in Kjoeb. Vidensk. Meddel.  
 (1853) 91. *RUTACEAE*, Benth. & Hook. f. i.  
 303.  
*perforatus*, Liebm. l. c. 92.—Mexic.

**STAUREGTON**, Fourr. in Ann. Soc. Linn. Lyon, N. S.  
 xvii. (1869) 170, sphalm. = **STAUROGETON**, Reichb.  
 = **Lemna**, Linn.

**STAUROGLOTTIS**, Schau. in Nov. Act. Nat. Cur. xix.  
 Suppl. i. (1843) 432 = **Phalaenopsis**, Blume  
 (Orchid.).  
*violacea*, Reichb. f. l. c. = P. *violacea*.

**STAUROGETON**, Reichb. Nom. 33 (1841) = **Lemna**,  
 Linn.  
*trisulcus*, Schur, in Verh. Siebenb. Ver. Naturw. iv.  
 (1853) 70 = L. *trisulca*.

**STAUROGLOTTIS**, Schau. in Nov. Act. Nat. Cur. xix.  
 Suppl. i. (1843) 432 = **Phalaenopsis**, Blume  
 (Orchid.).  
*equestris*, Schau. l. c. = P. *rosea*.

**STAUROGYNE**, Wall. Pl. As. Rar. ii. 80. t. 186 (1831)  
 = **Ebermaiera**, Nees (Acanth.).  
*angustifolia*, Wall. Cat. n. 4906 = E. *angustifolia*.  
*argentea*, Wall. Pl. As. Rar. ii. 80. t. 186 = E. *Stauro-  
 gyne*.

STAUROMATUM, Endl. Ench. 128 (1841), sphalm. = **Sauromatum**, Schott (Aroid.).

**STAUOPHRAGMA**, Fisch. & Mey. Ind. Sem. Hort. Petrop. ix. 90 (1843). **SCROPHULARINEAE**, Benth. & Hook. f. ii. 929. *natolicum*, Fisch. & Mey. l. c. —As. Min.

**STAUOPSIS**, Reichb. f. in Hamb. Gartenz. xvi. (1860) 117. **ORCHIDEAE**, Benth. & Hook. f. iii. 572.

**FIELDIA**, Gaudich. in Freyc. Voy. Bot. 424. t. 36 (1826). *fasciata*, Benth. & Hook. f. Gen. iii. 572. —Ind. or. *gigantea*, Benth. ex Pfitzer, Vergl. Morph. Orch. 14. —Burma. *lissochiloides*, Pfitzer, l. c. —Ins. Philipp. *pallens*, Reichb. f. in Hamb. Gartenz. xvi. (1860) 117 = *Phalaenopsis pallens*. *philippinensis*, Reichb. f. l. c. —Ins. Philipp.

**STAUOSPERMUM**, Thonn. in Schum. & Thonn. Beskr. Guin. Pl. 73 (1827) = **Mitracarpum**, Zucc. (Rubiace.). *verticillatum*, Schum. & Thonn. l. c. = *M. scabrum*.

**STAUROSTIGMA**, Scheidw. in Otto & Dietr. Allg. Gartenz. xvi. (1848) 129. **AROIDEAE**, Benth. & Hook. f. iii. 987.

**ASTEROSTIGMA**, Fisch. & Mey. in Bull. Phys.-Math. Acad. Pétersb. iii. (1845) 148; Schott, in Oestr. Bot. Wochenbl. ii. (1852) 67, nomen prius.

**RHOPALOSTIGMA**, Schott, in Oestr. Bot. Zeitschr. ix. (1859) 39.

*concinnum*, C. Koch, in Ender. Ind. Aroid. 77. —Bras.

*Luschnathianum*, C. Koch, l. c. 78. —Bras. *odorum*, Scheidw. in Otto & Dietr. Allg. Gartenz. xvi. (1848) 129. —Bras.

*Pavoni*, C. Koch, in Ender. Ind. Aroid. 78. —Peruv. *Riedelianum*, Engl. in Mart. Fl. Bras. iii. II. 206. —Bras.

*Tweedianum*, C. Koch, in Ender. Ind. Aroid. 78. —Bras.

*Vellozianum*, C. Koch, l. c. = *Luschnathianum*. *vermitoxicum*, Engl. in DC. Monog. Phan. ii. 517. —Rep. Argent.

**STAUROTHYRAX**, Griff. Notul. iv. 476 (1854); Ic. Pl. Asiat. t. 584. f. 6 = **Phyllanthus**, Linn. (Euphorb.).

**STAVIA**, Thunb. Nov. Gen. vii. 108 (1792), sphalm. = **Staavia**, Dahl (Bruniac.).

**STAWELLIA**, F. Muell. Fragm. vii. 85 (1870). **LILIACEAE**, Benth. & Hook. f. iii. 796. *dimorphantha*, F. Muell. l. c. —Austral.

**STECHMANNIA**, DC. Prod. vi. 543 (1837) = **Jurinea**, Cass. (Compos.).

*eriobasis*, Jaub. & Spach, Illustr. ii. t. 179 = *J. eriobasis*.

*heterophylla*, Jaub. & Spach, l. c. 99. t. 181 = *J. heterophylla*.

*leptoloba*, Jaub. & Spach, l. c. 100. t. 182 = *J. leptoloba*.

*ramosissima*, Jaub. & Spach, l. c. i. 128. t. 66 = *J. ramosissima*.

*Stachelinae*, DC. Prod. vi. 543 = *J. Stachelinae*.

**STECHYS**, Boiss. Fl. Orient. iv. 694 (1879), err. typ. = **Stachys**, Linn. (Labiata.).

**STEGIA**, Steud. Nom. ed. II. ii. 634 (1841), sphalm. = **STEGIA**, DC. = **Lavatera**, Linn. (Malvac.).

**STEENHAMERA**, Kostel. Allg. Med.-Pharm. Fl. iii. 838 (1834) = seq.

**STEENHAMMERA**, Reichb. Fl. Germ. Excurs. 337 (1831) = **Mertensia**, Roth (Borag.).

*dahurica*, Turcz. in Bull. Soc. Nat. Mosc. (1840) 250 = *M. dahurica*.

*hamcsatica*, Turcz. l. c. = *M. paniculata*. *maritima*, Reichb. Fl. Germ. Excurs. 337 = *M. maritima*.

**STEENHAMMERA** :—

*Pallasii*, Turcz. in Bull. Soc. Nat. Mosc. (1840) 247 = *Mertensia sibirica*.

*pilosa*, Turcz. l. c. 249 = *M. paniculata*.

*pterocarpa*, Turcz. l. c. 245 = *M. sibirica*.

*rivularis*, Turcz. l. c. 248 = *M. rivularis*.

*serrulata*, Turcz. l. c. 246 = *M. serrulata*.

*sibirica*, Turcz. l. c. 247 = *M. sibirica*.

*stylota*, Turcz. l. c. 248 = *M. stylota*.

*virginica*, Kostel. Allg. Med.-Pharm. Fl. iii. 838 = *M. pulmonarioides*.

**STEERBECKIA**, J. F. Gmel. Syst. 820 (1791) = **STERBECKIA**, Schreb. = **Stingana**, Aubl. (Inc. Sed.).

**STEETZIA**, Sond. in Linnaea, xxv. (1852) 450 = **Olearia**, Moench (Compos.).

*grandiflora*, Sond. l. c. 452 = *O. grandiflora*.

*Muelleri*, Sond. l. c. 453 = *O. pannosa*.

*ovata*, Sond. l. c. 452 = *O. pannosa*.

*pannosa*, Sond. l. c. 451 = *O. pannosa*.

**STEFFENSIA**, Kunth, in Linnaea, xiii. (1839) 609 = **Piper**, Linn.

*acutifolia*, Kunth, l. c. 650 = *P. acutifolium*.

*adunca*, Kunth, l. c. 633 = *P. aduncum*.

*alnoides*, Kunth, l. c. 643 = *P. alnoides*.

*ampla*, Kunth, l. c. 618 = *P. amplum*.

*angustifolia*, Kunth, l. c. 622 = *P. angustifolium*.

*anonaefolia*, Kunth, l. c. 619 = *P. anonaefolium*.

*asperifolia*, Kunth, l. c. 644 = *P. asperifolium*.

*asperiuscula*, Kunth, l. c. 631 = *P. hirsutum*.

*caracasana*, Kunth, l. c. 664 = *P. caracasana*.

*Carpunya*, Kunth, l. c. 690 = *P. Chaba*.

*celtidifolia*, Kunth, l. c. 635 = *P. celtidifolium*.

*chimonanthifolia*, Kunth, l. c. 628 = *P. chimonanthifolium*.

*citrifolia*, Kunth, l. c. 629 = *P. citrifolium*.

*coccoloboides*, Kunth, l. c. 666 = *P. coccoloboides*.

*consanguinea*, Kunth, l. c. 623 = *P. consanguineum*.

*crassinervia*, Kunth, l. c. 659 = *P. crassinervium*.

*crocata*, Kunth, l. c. 652 = *P. crocatum*.

*diospyrifolia*, Kunth, l. c. 627 = *P. diospyrifolium*.

*elongata*, Kunth, l. c. 637 = *P. elongatum*.

*eucalyptifolia*, Kunth, l. c. 620 = *P. eucalyptifolium*.

*evonymifolia*, Kunth, l. c. 624 = *P. lanceolatum*.

*eximia*, Kunth, l. c. 665 = *P. obliquum*.

*flexuosa*, Kunth, l. c. 644 = *P. flexuosum*.

*fuliginea*, Kunth, l. c. 655 = *P. fuligineum*.

*Gaudichaudiana*, Kunth, l. c. 638 = *P. Gaudichaudianum*.

*geniculata*, Kunth, l. c. 612 = *P. geniculatum*.

*glabrata*, Kunth, l. c. 632 = *P. glabratum*.

*hirsuta*, Kunth, l. c. 641 = *P. hirsutum*.

*hydrangeifolia*, Kunth, l. c. 659 = *P. crassinervium*.

*insigne*, Kunth, l. c. 667 = *P. insigne*.

*Jacquemontiana*, Kunth, l. c. 631 = *P. citrifolium*.

*lacunosa*, Kunth, l. c. 651 = *P. lacunosum*.

*Lhotskyana*, Kunth, l. c. 658 = *P. Lhotskyanum*.

*Luschnathiana*, Kunth, l. c. 616 = *P. Luschnathianum*.

*mollis*, Kunth, l. c. 648 = *P. mollicomum*.

*nitida*, Kunth, l. c. 611 = *P. nitidum*.

*nubigena*, Kunth, l. c. 634 = *P. crocatum*.

*obliqua*, Kunth, l. c. 663 = *P. obliquum*.

*oblonga*, Kunth, l. c. 625 = *P. Chamissonis*.

*Olfersiana*, Kunth, l. c. 645 = *P. hirsutum*.

*Opizii*, Kunth, l. c. 641 = *P. Opizianum*.

*plantaginea*, Kunth, l. c. 672 = *P. plantagineum*.

*Poeppigii*, Kunth, l. c. 646 = *P. Poeppigii*.

*pothifolia*, Kunth, l. c. 671 = *P. pothifolium*.

*Pseudo-churumayu*, Kunth, l. c. 662 = *P. Pseudo-churumayu*.

*Radula*, Kunth, l. c. 650 = *P. Bredemeyeri*.

*rhododendrifolia*, Kunth, l. c. 621 = *P. rhododendrifolium*.

*richardiaefolia*, Kunth, l. c. 668 = *P. richardiaefolium*.

*salicariaefolia*, Kunth, l. c. = *P. salicariaefolium*.

*scabra*, Kunth, l. c. 639 = *P. hirsutum*.

*Schlechtendalii*, Kunth, l. c. 673 = *P. decumanum*.

*scopulorum*, Kunth, l. c. 669 = *P. scopulorum*.

*secunda*, Kunth, l. c. 626 = *P. secundum*.

*Sellowiana*, Kunth, l. c. 657 = *P. Sellowianum*.

*tectoniaefolia*, Kunth, l. c. 660 = *P. tectoniaefolium*.

*tiliaefolia*, Kunth, l. c. 674 = *P. Schiedeianum*.

*tuberculata*, Kunth, l. c. 614 = *P. tuberculatum*.

*tumida*, Kunth, l. c. 654 = *P. tumidum*.

*verrucosa*, Kunth, l. c. 613 = *P. verrucosum*.

*xylopioides*, Kunth, l. c. 610 = *P. xylopioides*.

**STEGANOTAENIA**, Hochst. in Flora, xxvii. (1844) Beil. 4 = **Peucedanum**, Tourn. (Umbell.). *araliacea*, Hochst. l. c. = *P. araliaceum*.

**STEGANOTROPIS**, Lehm. Ind. Sem. Hort. Hamb. (1826); et in Flora, x. (1827) 96 = **Centrosema**, Benth. (Legumin.). *conjugata*, Lehm. ll. cc. = *C. conjugatum*.

**STEGANOTUS**, Cass. in Dict. Sc. Nat. xxxv. 396 (1825) = **Arctotis**, Linn. (Compos.). *undulatus*, Cass. l. c. = *A. laciniata*.

**STEGIA**, DC. Fl. Fr. iv. 835 (1805) = **Lavatera**, Linn. (Malvac.). *Lavatera*, DC. l. c. = *L. trimestris*.

**STEGITRIS**, Rafin. Sylva Tellur. 132 (1838) = **Helianthemum**, Tourn. (Cistin.). *algarviensis*, Rafin. l. c. = *H. ocyroides*. *atriplicifolius*, Rafin. l. c. = *H. atriplicifolium*. *calycinus*, Rafin. l. c. = *H. calycinum*. *lasianthus*, Rafin. l. c. = *H. alyssoides*.

**STEGNOCARPUS**, Torr. in Pacif. Rail. Rep. ii. 169 (1855) = **Coldenia**, Linn. (Borag.). *canescens*, Torr. l. c. 169. t. 7 = *C. canescens*.

**STEGNOSPERMA**, Benth. Bot. Voy. Sulph. 17. t. 12 (1844). **PHYTOLACCACEAE**, Benth. & Hook. f. iii. 87.

**CHLAMYDOSPERMA**, A. Rich. Ess. Fl. Cub. 631 (1845).

*cubense*, A. Rich. Ess. Fl. Cub. 632. —Cuba. *halimifolia*, Benth. Bot. Voy. Sulph. 17. t. 12. —Mexic.

**STEGOLEPIS**, Klotzsch, ex Koern. in Linnaea, xxxvii. (1871-73) 480. **RAPATEACEAE**, Benth. & Hook. f. iii. 859.

**MONOTREMA**, Koern. in Linnaea, xxxvii. (1871-73) 475.

*aemulans*, Benth. & Hook. f. Gen. iii. 859. —Bras. *ferruginea*, Baker, in Journ. Bot. xx. (1882) 331. —Guian.

*guianensis*, Klotzsch, ex Koern. in Linnaea, xxxvii. (1871-73) 481. —Guian.

**STEGOSIA**, Lour. Fl. Cochinch. 51. (1790) = **Rottboellia**, Linn. f. (Gramin.). *cochinchinensis*, Lour. l. c. = *R. exaltata*.

**STEIGERIA**, Muell. Arg. in Linnaea, xxxiv. (1865-66) 215 = **Baloghia**, Endl. (Euphorb.). *montana*, Muell. Arg. l. c. —N. Caled.

**STEINCHISMA**, Rafin. in Ser. Bull. Bot. i. (1830) 220 = **Panicum**, Linn. (Gramin.). *divaricatum*, Rafin. l. c. = *P. debile*? *hians*, Rafin. l. c. = *P. debile*.

**STEINERIA**, Klotzsch, in Abh. Akad. Berl. 1854 (1855) 64. t. 5 C = **Begonia**, Tourn.

*ferruginea*, Klotzsch, l. c. 65 = *B. Hookeriana*.

*pulchella*, Klotzsch, l. c. = *B. pulchella*.

**STEINHEILIA**, Decne. in Ann. Sc. Nat. Sér. II. ix. (1838) 339. t. 12. **ASCLEPIADEAE**, Benth. & Hook. f. ii. 748.

*radians*, Decne. l. c. —Arab.

**STEINMANNIA**, Opiz, Seznam, 93 (1852) = **Rumex**, Linn. (Polygonac.).

*aurea*, Opiz, l. c. = *R. maritimus*.

*flavo-virens*, Opiz, l. c. = *R. palustris*.

**STEINMANNIA**, Phil. f. in Anal. Univ. Chil. (1884) [reimpr.] 10. **LILIACEAE**.

*graminifolia*, Phil. f. l. c. —Chili.

**STEINREITERA**, Opiz, Seznam, 93 (1852) = **Thesium**, Linn. (Santalac.).

*secunda*, Opiz, l. c. = *T. alpinum*.

**STEINSCHISMA**, Steud. Nom. ed. II. ii. 635 (1841) = **STEINCHISMA**, Rafin. = **Panicum**, Linn. (Gramin.).

STEIRACTIS, DC. Prod. v. 345 (1836) = *Olearia*, Moench (Compos.).  
*arborescens*, DC. l. c. = *O. nitida*.

STEIRACTIS, Rafin. Fl. Tellur. iii. 5 (1836) = *Layia*? Hook. & Arn. (Compos.).

STEIRANISIA, Rafin. Fl. Tellur. ii. 68 (1836) = *Saxifraga*, Tourn.  
*heterantha*, Rafin. l. c. 69 = *Saxif. Mertensiana*.  
*punctata*, Rafin. l. c. = *Saxif. umbrosa*.  
*reflexa*, Rafin. l. c. = *Saxif. reflexa*.

STEIREMA, Benth. & Hook. f. Gen. iii. 363 (1880), sphalm. = seq.

STEIREMIS, Rafin. Fl. Tellur. iii. 40 (1836) = *Telanthera*, R. Br. (Amarant.).  
*ciliata*, Rafin. New Fl. Am. iv. 45 = *Digera arvensis*.  
*ficoidea*, Rafin. Fl. Tellur. iii. 41 = *T. ficoidea*.  
*repens*, Rafin. l. c. = *T. polygonoides*.  
*sessilifolia*, Rafin. l. c. = *Alternanthera sessilis*?

STEIREYA, Rafin. Fl. Tellur. iv. 100 (1836) = *Trichopus*, Gaertn. (Dioscor.).  
*angustifolia*, *cordata*, *media*, Rafin. l. c. = *T. zeylanicus*.

STEIROCOMA, Reichb. Nom. 88 (1841) = *Dicoma*, Cass. (Compos.).

STEIROCTIS, Rafin. Fl. Tellur. iv. 105 (1836) (Thymel.).  
*capitata*, Rafin. l. c. = *Lachnaea capitata*.  
*uniflora*, Rafin. l. c. = *Cryptadenia uniflora*.

STEIRODISCUS, Less. Syn. Comp. 251 (1832).  
*COMPOSITAE*, Benth. & Hook. f. ii. 264.  
*capillaceus*, Less. l. c. = *Afr. austr.*  
*linearilobus*, DC. Prod. vi. 74. = *Afr. austr.*

STEIROGLOSSA, DC. Prod. vi. 38 (1837) = *Brachycome*, Cass. (Compos.).  
*chamomillaefolia*, DC. l. c. 39 = *B. iberidifolia*.  
*humilis*, DC. l. c. = *B. diversifolia*.  
*lineariloba*, DC. l. c. = *B. ptychocarpa*.  
*rigidula*, DC. l. c. = *B. ciliaris*.

STEIRONEMA, Rafin. in Ann. Gén. Sc. Phys. vii. (1820) 193. *PRIMULACEAE*.  
*ciliatum*, Rafin. l. c. = *Europ.*; *Am. bor.*  
*floridum*, Baudo, in Ann. Sc. Nat. Sér. II. xx. (1843) 346 = *lanceolatum*.  
*heterophyllum*, Rafin. in Ann. Gén. Sc. Phys. vii. (1820) 193. = *Am. bor.*  
*hybridum*, Rafin. l. c. = *heterophyllum*.  
*lanceolatum*, A. Gray, in Proc. Am. Acad. xii. (1876) 63 = *heterophyllum*.  
*longifolium*, A. Gray, l. c. = *Am. bor.*  
*longifolium*, Rafin. in Ann. Gén. Sc. Phys. vii. (1820) 193. = *Am. bor.*  
*radicans*, A. Gray, in Proc. Am. Acad. xii. (1876) 63. = *Am. bor.*  
*revolutum*, Rafin. in Ann. Gén. Sc. Phys. vii. (1820) 193 = *longifolium*, Rafin.

STEKHOVIA, De Vriese, in Nat. Verh. Haarl. x. (1854) 166 = *Goodenia*, Sm.  
*scapigera*, De Vriese, l. c. 167. t. 32. f. 1-12 = *G. scapigera*.  
*viscida*, De Vriese, l. c. 168 = *G. viscida*.

STELANTHES, Stokes, Bot. Mat. Med. ii. 339 (1812) = *Marlea*, Roxb. (1814) (Cornac.).  
*solitarius*, Stokes, l. c. = *M. begonifolia*.

STELECHOCARPUS, Hook. f. & Thoms. Fl. Ind. i. 94 (1855). *ANONACEAE*, Benth. & Hook. f. i. 22.  
*Burakol*, Hook. f. & Thoms. l. c. = *Malaya*.  
*montana*, Miq. Fl. Ind. Bat. i. II. 22. = *Java*.

STELECHOSPERMUM, Blume, Fl. Jav. Dipter., in Adnot. (1829). Genus dubium *GUTTIFERARUM*.  
 —Cf. Benth. & Hook. f. i. 170.  
*flexuosum*, Blume, l. c. = *Java*.

STELEPHUROS, Adans. Fam. ii. 31 (1763) = *Phleum*, Linn. (Gramin.).

STELESTYLIS, Drude, in Mart. Fl. Bras. iii. II. 230. t. 53. *CYCLANTHACEAE*, Benth. & Hook. f. iii. 952.  
*coriacea*, Drude, l. c. 231. = *Bras.*

STELIS, Sw. in Schrad. Journ. ii. (1799) 239. *ORCHIDEAE*, Benth. & Hook. f. iii. 490.

DIALISSA, Lindl. in Ann. & Mag. Nat. Hist. Ser. I. xv. (1844) 107.

abrupta, Reichb. f. in Linnaea, xli. (1877) 7. = *N. Granat.*

acuífera, Lindl. Fol. Orch. Stelis, 12. = *N. Granat.*

acutiflora, Willd. Sp. Pl. iv. 139. = *Peruv.*

acutissima, Lindl. Fol. Orch. Stelis, 14. = *Peruv.*

alata, Lindl. l. c. 18. = *Venezuela.*

alba, H. B. & K. Nov. Gen. et Sp. i. 363. = *Peruv.*

alismaefolia, Lindl. Fol. Orch. Stelis, 16. = *Peruv.*

angustifolia, H. B. & K. Nov. Gen. et Sp. i. 362. = *N. Granat.*

apiculata, Lindl. Fol. Orch. Stelis, 11. = *Peruv.*

aprica, Lindl. in Hook. Comp. Bot. Mag. ii. (1836) 353. = *Bras.*

argentea, Lindl. Bot. Reg. (1842) Misc. 64. = *Guian.*

ascendens, Lindl. in Hook. Comp. Bot. Mag. ii. (1836) 353. = *Peruv.*

aspera, Pers. Syn. ii. 524. = *Peruv.*

atra, Lindl. Orch. Linden. 3. = *Venezuela.*

atropurpurea, Hook. Bot. Mag. t. 3975 = *ciliaris.*

atroviolacea, Reichb. f. in Bonplandia, iii. (1855) 70. = *Venezuela.*

attenuata, Lindl. Fol. Orch. Stelis, 2. = *N. Granat.*

aviceps, Lindl. l. c. 16. = *Peruv.*

barbicollis, Lindl. l. c. 9. = *Peruv.*

barrensis, Lindl. l. c. 6. = *Bras.*

bicornis, Lindl. l. c. 18. = *Peruv.*

biflora, Sm. in Rees, Cyclop. xxxiv. n. 13 (Bulbophyllum sp.). = *Reg. Himal.*

biserrula, Lindl. Fol. Orch. Stelis, 16. = *Peruv.*

braccata, Reichb. f. & Warsz. in Bonplandia, ii. (1854) 114. = *N. Granat.*

brevilabris, Lindl. in Ann. & Mag. Nat. Hist. Ser. I. v. (1845) 107. = *N. Granat.*

Bruchmuelleri, Reichb. f. ex Hook. f. Bot. Mag. t. 6521 (Brueckmuelleri). = *Mexic. ?*

caespitifica, Reichb. f. in Bonplandia, iii. (1855) 71. = *Venezuela.*

caespitosa, Lindl. in Hook. Comp. Bot. Mag. ii. (1836) 353. = *Bras.*

campanulifera, Lindl. Fol. Orch. Stelis, 3. = *Bolivia.*

canaliculata, Reichb. f. in Gard. Chron. (1872) 1718. = *N. Granat.*

capillaris, Lindl. in Hook. Comp. Bot. Mag. ii. (1836) 353. = *Peruv.*

capillipes, Reichb. f. in Bonplandia, iii. (1855) 240 = *flexuosa.*

carnosa, H. B. & K. Nov. Gen. et Sp. i. 361. = *Am. austr.*

catharinensis, Lindl. in Hook. Comp. Bot. Mag. ii. (1836) 353. = *Peruv.*

caudata, D. Don, Prod. Fl. Nep. 32 = *Bulbophyllum odoratissimum.*

chachapoyensis, Reichb. f. in Bonplandia, iii. (1855) 225. = *Peruv.*

chlorantha, Rodrig. Orch. Nov. ii. 86. = *Bras.*

ciliaris, Lindl. in Hook. Comp. Bot. Mag. ii. (1836) 353. = *Mexic.*

columnaris, Lindl. Fol. Orch. Stelis, 15. = *Peruv.*

concinna, Lindl. in Hook. Journ. Bot. i. (1834) 11. = *Peruv.*

connata, Presl, Rel. Haenk. i. 103. = *Peruv.*

contorta, Pers. Syn. ii. 524. = *Peruv.*

cordata, Willd. Sp. Pl. iv. 140. = *Peruv.*

coriifolia, Lindl. Fol. Orch. Stelis, 18. = *Venezuela.*

costaricensis, Reichb. f. in Bonplandia, iii. (1855) 225. = *Costa Rica.*

crassifolia, Lindl. Bot. Reg. (1842) Misc. 9. = *N. Granat.*

cupuligera, Reichb. f. in Bonplandia, ii. (1854) 114. = *Peruv.*

cymbiformis, Lindl. Fol. Orch. Stelis, 11. = *Venezuela.*

dactyloptera, Reichb. f. Otia Bot. Hamb. 19. = *Ecuador.*

densiflora, Lindl. Fol. Orch. Stelis, 16. = *Peruv.*

depauperata, Lindl. l. c. 16. = *Peruv.*

deregularis, Rodrig. Orch. Nov. ii. 94. = *Bras.*

Dialissa, Reichb. f. in Bonplandia, iii. (1855) 71. = *N. Granat.*

discolor, Reichb. f. l. c. 241. = *Peruv.*

## STELIS:—

disticha, Poepp. & Endl. Nov. Gen. et Sp. i. 47. t. 81. = *Peruv.*

drosophila, Rodrig. Orch. Nov. ii. 88. = *Bras.*

dubia, Lindl. Fol. Orch. Stelis, 8. = *Peruv.*

elator, Lindl. in Hook. Comp. Bot. Mag. ii. (1836) 353. = *Peruv.*

elongata, H. B. & K. Nov. Gen. et Sp. i. 363. = *N. Granat.*

endocharis, Reichb. f. in Linnaea, xli. (1877) 8. = *N. Granat.*

Endresii, Reichb. f. in Gard. Chron. (1870) 1373. = *Costa Rica.*

eublepharis, Reichb. f. in Bonplandia, iii. (1855) 240. = *Peruv.*

euspatha, Reichb. f. l. c. 225. = *Bolivia.*

fasciculiflora, Regel, in Act. Hort. Petrop. i. (1871) 99. = *Hab. ?*

Fendleri, Lindl. Fol. Orch. Stelis, 3. = *Venezuela.*

filiformis, Lindl. l. c. 6. = *Bras.*

fissa, Lindl. l. c. 5. = *Peruv.*

flacca, Reichb. f. in Bonplandia, iii. (1855) 210. = *Peruv.*

flavida, H. C. Focke, in Tijdschr. Wetensch. ii. (1849) 202 = *Pleurothallis flavida.*

flexuosa, Lindl. in Ann. & Mag. Nat. Hist. Ser. I. xii. (1843) 397. = *Peruv.*

floreana, Lindl. Fol. Orch. Stelis, 5. = *Venezuela.*

floribunda, H. B. & K. Nov. Gen. et Sp. i. 362. = *N. Granat.*

foliosa, Hook. in Ann. Nat. Hist. Ser. I. ii. (1839) 330 = *Polystachya cerea.*

foveata, Lindl. Fol. Orch. Stelis, 2. = *Peruv.*

fraterna, Lindl. l. c. 14. = *Bras.*

Gigas, Rodrig. Orch. Nov. ii. 89. = *Bras.*

gladiata, Lindl. Fol. Orch. Stelis, 9. = *Peruv.*

globiflora, Reichb. f. Otia Bot. Hamb. 19. = *Ecuador.*

glossula, Reichb. f. in Gard. Chron. (1870) 1373. = *Costa Rica.*

glumacea, Lindl. Fol. Orch. Stelis, 3. = *Peruv.*

graminea, Lindl. l. c. 11. = *Peruv.*

grandiflora, Lindl. in Hook. Comp. Bot. Mag. ii. (1836) 353. = *Bras.*

grandis, Reichb. f. in Bonplandia, iii. (1855) 70. = *Venezuela.*

grossilabris, Reichb. f. in Gard. Chron. (1881) II. 717. = *Hab. ?*

gutturosa, Reichb. f. in Bonplandia, ii. (1854) 23. = *Venezuela.*

Hallii, Lindl. in Hook. Journ. Bot. i. (1834) 12. = *Peruv.*

hemicardia, Reichb. f. in Linnaea, xli. (1877) 8. = *N. Granat.*

herbiola, Lindl. Fol. Orch. Stelis, 10. = *N. Granat.*

Heylidyana, H. C. Focke, in Tijdschr. Wetensch. ii. (1849) 201. = *Guian.*

hirta, Lindl. Fol. Orch. Stelis, 3. = *Peruv.*

hirta, Sm. in Rees, Cyclop. xxxiv. n. 11 = *Bulbophyllum hirtum.*

humilis, Lindl. Fol. Orch. Stelis, 10. = *Venezuela.*

hylophila, Reichb. f. in Bonplandia, iii. (1855) 241. = *Peruv.*

iminapensis, Reichb. f. Xenia Orch. iii. 25. = *Bolivia.*

intermedia, Poepp. & Endl. Nov. Gen. et Sp. i. 46. t. 79. = *Peruv.*

Jamesoni, Lindl. in Hook. Journ. Bot. i. (1834) 11. = *Ecuador.*

lamellata, Lindl. in Hook. Ic. Pl. t. 62. = *Ecuador.*

lanata, Lindl. Fol. Orch. Stelis, 13. = *Ecuador.*

lancea, Lindl. l. c. 3. = *Peruv.*

lanceolata, Willd. Sp. Pl. iv. 139. = *Peruv.*

lancilabris, Reichb. f. Beitr. Orch. Centr. Am. 94. t. 8. = *Costa Rica.*

lentiginosa, Lindl. Fol. Orch. Stelis, 8. = *Peruv.*

leucopogon, Reichb. f. Beitr. Orch. Centr. Am. 95. t. 9. = *Costa Rica.*

Liebmanni, Reichb. f. ex Hemsl. Biol. Centr. Am. Bot. iii. 203. = *Mexic.*

Lindeni, Lindl. Orch. Linden. 3. = *Venezuela.*

littoralis, Rodrig. Orch. Nov. ii. 85. = *Bras.*

lobata, Reichb. f. in Bonplandia, iii. (1855) 241. = *Peruv.*

loxensis, Lindl. in Benth. Pl. Hartw. 149. = *Ecuador.*

lutea, Lindl. Fol. Orch. Stelis, 7. = *Venezuela.*

macrocarpa, H. B. & K. Nov. Gen. et Sp. i. 363. = *N. Granat.*

macrostachya, Lodd. ex W. Baxt. in Loud. Hort. Brit. Suppl. iii. 643, nomen (Quid ?). = *Am. centr.*

major, Reichb. f. in Bonplandia, ii. (1854) 23. = *Venezuela.*



**STELIS:—**

- maxima, *Lindl. in Ann. & Mag. Nat. Hist. Ser. I.* xv. (1845) 106.—Peruv.  
 megantha, *Rodrig. Orch. Nov. ii.* 83.—Bras.  
 melanoxantha, *Reichb. f. in Bonplandia*, iii. (1855) 71.—Venezuela.  
 micrantha, *Rodrig. Orch. Nov. ii.* 93.—Bras.  
 micrantha, *Sw. in Schrad. Journ. ii.* (1799) 240.—Jamaic.  
 microcaulis, *Rodrig. Orch. Nov. ii.* 85.—Bras.  
 microglossa, *Reichb. f. in Linnaea*, xxii. (1849) 821.—Bras.  
 microphylla, *Lindl. Fol. Orch. Stelis*, 10.—Peruv.  
 microstigma, *Reichb. f. Beitr. Orch. Centr. Am.* 94. t. 8.—Costa Rica.  
 microtis, *Reichb. f. l. c.* 95. t. 8.—Costa Rica.  
 Miersii, *Lindl. in Ann. & Mag. Nat. Hist. Ser. I.* xii. (1843) 396.—Bras.  
 Miqueliana, *Lindl. Fol. Orch. Pleuroth.* 17, sphalm. = *Pleurothallis Miqueliana*.  
 modesta, *Rodrig. Orch. Nov. ii.* 87.—Bras.  
 mononeura, *Lindl. Fol. Orch. Stelis*, 4.—Peruv.  
 muscifera, *Lindl. l. c.* 2.—Venezuela.  
 muscosa, *Lindl. l. c.* 7.—Venezuela.  
 myriantha, *Lindl. l. c.* 10.—Peruv.  
 nana, *Lindl. l. c.* 16.—Peruv.  
 nanegalensis, *Lindl. l. c.* 8.—Peruv.  
 nitens, *Reichb. f. in Bonplandia*, ii. (1854) 22.—Venezuela.  
 nutans, *Lindl. Fol. Orch. Stelis*, 15.—Peruv.  
 oblonga, *Willd. Sp. Pl.* iv. 139.—Peruv.  
 oblongifolia, *Lindl. Fol. Orch. Stelis*, 12.—Peruv.  
 obscurata, *Reichb. f. Beitr. Orch. Centr. Am.* 95. t. 8.—Costa Rica.  
 ochreatea, *Lindl. Fol. Orch. Stelis*, 2.—Peruv.  
 odoratissima, *Sm. in Rees, Cyclop.* xxxiv. n. 12 = *Bulbophyllum odoratissimum*.  
 oligantha, *Rodrig. Orch. Nov. ii.* 93.—Bras.  
 omalosantha, *Rodrig. l. c.* i. 34.—Bras.  
 ophioglossoides, *Sw. in Schrad. Journ. ii.* (1799) 239.—Am. austr.  
 ovalifolia, *H. C. Focke, in Tijdschr. Wetensch.* ii. (1849) 202 = *Pleurothallis ovalifolia*.  
 pachystachya, *Lindl. Fol. Orch. Stelis*, 13.—N. Granat.  
 palmeiraensis, *Rodrig. Orch. Nov. ii.* 92.—Bras.  
 papauerensis, *Reichb. f. in Linnaea*, xxii. (1849) 822.—Bras.  
 parahybunensis, *Rodrig. Orch. Nov. ii.* 84.—Bras.  
 paraensis, *Rodrig. Orch. Nov. ii.* 88.—Bras.  
 pardipes, *Reichb. f. Beitr. Orch. Centr. Am.* 96.—Costa Rica.  
 parviflora, *Pers. Syn. ii.* 524 = *micrantha*, *Sw.*  
 parvilabris, *Lindl. in Ann. & Mag. Nat. Hist. Ser. I.* xv. (1845) 385.—N. Granat.  
 parvula, *Lindl. Fol. Orch. Stelis*, 7.—Nicaragua.  
 pauciflora, *Lindl. in Ann. & Mag. Nat. Hist. Ser. I.* xii. (1843) 396.—Bras.  
 peliochyla, *Rodrig. Orch. Nov. ii.* 84.—Bras.  
 penduliflora, *Rodrig. l. c.* 91.—Bras.  
 pentodonta, *Reichb. f. in Linnaea*, xxii. (1849) 821.—Am. trop.  
 petropolitana, *Reichb. f. in Wawra, Bot. Ergeb.* Maxim. Bras. 151.—Bras.  
 philargyrus, *Reichb. f. in Linnaea*, xli. (1877) 118.—Venezuela.  
 piperina, *Lindl. Fol. Orch. Stelis*, 17.—Peruv.  
 polybotrya, *Lindl. l. c.* 4.—Peruv.  
 polyclada, *Lindl. l. c.* 10.—Peruv.  
 polystachya, *Willd. Sp. Pl.* iv. 139.—Am. austr.  
 Porpax, *Reichb. f. in Bonplandia*, ii. (1854) 23.—Venezuela.  
 puberula, *Rodrig. Orch. Nov. ii.* 86.—Bras.  
 Pugiunculi, *Lindl. Fol. Orch. Stelis*, 17.—Peruv.  
 pulchella, *H. B. & K. Nov. Gen. et Sp.* i. 364. t. 90 = *Pleurothallis pulchella*.  
 Purdiaei, *Lindl. Fol. Orch. Stelis*, 5.—N. Granat.  
 purpurascens, *A. Rich. & Gal. in Ann. Sc. Nat. Sér.* III. iii. (1845) 18.—Mexic.  
 purpurea, *Willd. Sp. Pl.* iv. 140 = *Pleurothallis linearis*.  
 pusilla, *H. B. & K. Nov. Gen. et Sp.* i. 361.—Ecuador; Jamaic.  
 racemiflora, *Lodd. ex W. Baxt. in Loud. Hort. Brit. Suppl.* iii. 643, nomen (Quid?).—Jamaic.  
 racemosa, *Sm. in Rees, Cyclop.* xxxiv. n. 10 = *Liparis odorata*?  
 reflexa, *Lindl. Fol. Orch. Stelis*, 3.—Peruv.  
 revoluta, *Willd. Sp. Pl.* iv. 140.—Peruv.

**STELIS:—**

- Ruprechtiana, *Reichb. f. in Linnaea*, xxii. (1849) 821.—Bras.  
 scabrida, *Lindl. in Ann. Nat. Hist. Ser. I.* v. (1840) 115.—Ins. Dominic.  
 Scansor, *Reichb. f. in Bonplandia*, iii. (1855) 241.—Peruv.  
 Serra, *Lindl. in Ann. & Mag. Nat. Hist. Ser. I.* xii. (1843) 397.—Peruv.  
 sesquipedalis, *Lindl. Orch. Linden.* 3.—Venezuela.  
 setacea, *Lindl. Fol. Orch. Stelis*, 3.—Bolivia.  
 smaragdina, *Rodrig. Orch. Nov. ii.* 90.—Bras.  
 spatulata, *Poepp. & Endl. Nov. Gen. et Sp.* i. 46. t. 80.—Peruv.  
 sphaerochila, *Lindl. Fol. Orch. Stelis*, 13.—Venezuela.  
 spiralis, *Pers. Syn. ii.* 524 = *Pleurothallis spiralis*.  
 stenophylla, *Reichb. f. in Bonplandia*, iii. (1855) 70.—Peruv.  
 striolata, *Lindl. Fol. Orch. Stelis*, 4.—Peruv.  
 superbiens, *Lindl. l. c.* 8.—N. Granat.  
 tenuicaulis, *Lindl. l. c.* 16.—Bolivia.  
 tenuilabris, *Lindl. l. c.* 4.—Venezuela.  
 thecoglossa, *Reichb. f. Beitr. Orch. Centr. Am.* 93.—Costa Rica.  
 triangularis, *Rodrig. Orch. Nov. ii.* 91.—Bras.  
 tricardium, *Lindl. Fol. Orch. Stelis*, 14.—Peruv.  
 trichorrhachis, *Reichb. f. in Bonplandia*, iii. (1855) 71.—N. Granat.  
 tridentata, *Lindl. Fol. Orch. Stelis*, 6.—Peruv.  
 triplicata, *Lindl. l. c.* 2.—Peruv.  
 trisetata, *Lindl. l. c.* 17.—Bolivia.  
 tristyla, *Lindl. Bot. Reg.* (1838) Misc. 42.—Bras.  
 triura, *Lindl. Orch. Linden.* 3 (an gen.?).—Venezuela.  
 truncata, *Lindl. in Hook. Comp. Bot. Mag.* ii. (1836) 353.—Peruv.  
 tubata, *Lodd. Bot. Cab. t.* 1601 = *Physosiphon Loddigesii*.  
 Tweediana, *Lindl. Fol. Orch. Stelis*, 7.—Bras.  
 velutina, *Lindl. l. c.* 17.—Peruv.  
 vinosa, *Rodrig. Orch. Nov. ii.* 89.—Bras.  
 viridipurpurea, *Lindl. Fol. Orch. Stelis*, 3.—Bras.  
 vittata, *Lindl. l. c.* 13.—Peruv.  
 Vulcani, *Reichb. f. Otia Bot. Hamb.* 19.—Ecuador.  
 zonata, *Reichb. f. in Gard. Chron.* (1883) II. 556.—Guian.

STELLA, *Medic. in Vorles. Churpf. Phys. Ges.* ii. (1787) 377 = *Astragalus*, *Tourn.* (Legumin.).  
*radiata*, *Fourn. in Ann. Soc. Linn. Lyon*, N. S. xvi. (1868) 364 = *A. Stella*.  
*sesamea*, *Medic. in Vorles. Churpf. Phys. Ges.* ii. (1787) 377 = *A. sesameus*.

STELLANDRIA, *Brickell, in Med. Repos. N. York*, vi. (1803) 327 = *Schizandra*, *Michx.* (Magnol.).  
*glabra*, *Brickell, l. c.* = *Sch. coccinea*.

STELLARA, *Fisch. ex Reut. in DC. Prod.* xi. 39 (1847) = *Boschniakia*, *C. A. Mey.* (Orobanch.).  
*lathraeoides*, *Fisch. ex Reut. l. c.* = *B. glabra*.

STELLARIA, *Hall. Enum. Stirp. Helv.* i. 198 (1742) = *Callitriche*, *Linn.* (Halor.).  
*autumnalis*, [Weber, in] *Wigg. Prim. Fl. Holsat.* 2 = *C. autumnalis*.  
*intermedia*, [Weber, in] *l. c.* = *C. verna*.  
*verna*, [Weber, in] *l. c.* = *C. verna*.

STELLARIA, *Linn. Sp. Pl. ed. I.* 421 (1753).  
*CARYOPHYLLEAE*, *Benth. & Hook. f.* i. 149.  
*ADENONEMA*, *Bunge, in Mém. Sav. Etr. Pétersb.* ii. (1836) 448 (Verz. Suppl. Fl. Alt. 36).  
*DICHODON*, *Reichb. Nom.* 205 (1841).  
*HYLEBIA*, *Fourn. in Ann. Soc. Linn. Lyon*, N. S. xvi. (1868) 347.  
*LARBEREA*, *A. St. Hil. in Mém. Mus. Par.* ii. (1815) 287.  
*KRASCHENINIKOVIA*, *Turcz. ex Bess. in Flora*, xvii. (1834) i. Beibl. 9.  
*LEUCOSTEMMA*, *Benth. in Wall. Cat. n.* 642 (1828); et ex *G. Don, Gen. Syst.* i. 449 (1831).  
*MALACHIUM*, *Fries, Fl. Halland.* 77 (1817).  
*MIROPETALON*, *Pers. Syn.* i. 509 (1805).  
*MYOSANTHUS*, *Fourn. in Ann. Soc. Linn. Lyon*, N. S. xvi. (1868) 348.  
*MYOSOTON*, *Moench, Meth.* 225 (1794).  
*SCHIZOTECHNIUM*, *Reichb. Nom.* 205 (1841).

**STELLARIA:—**

- SPERGULASTRUM, *Michx. Fl. Bor. Am.* i. 275 (1803).  
 STELLULARIA, *Linn. Syst. ed. VI* (1748).  
 abortiva, *C. Gay, Fl. Chil.* i. 265.—Chili.  
 aculeata, *Scop. Fl. Carn. ed. II.* i. 316 = *Arenaria grandiflora*.  
 adulterina x, *Focke, in Bremen, Abh.* i. (1867) 145.—Europ.  
 alpestris, *Fries, Mant.* i. 10 = *borealis*.  
 alpestris, *Turcz. ex Ledeb. Fl. Ross.* i. 387 = *longipes*.  
 alpicola, *Lamotte, Prod. Fl. Centr. Fr.* i. 148 = *media*.  
 alpina, *S. F. Gray, Nat. Arr. Brit. Pl.* ii. 660 = *Cerastium alpinum*.  
 alsinaefolia, *Less. ex Ledeb. Fl. Ross.* i. 380 = *dichotoma*.  
 Alsine, *Afzel. & Wadsw. in Roem. Archiv*, iii. (1803) 97 = *media*.  
 Alsine, *Bunge, in Ledeb. Fl. Alt.* ii. 156 = *crassifolia*.  
 Alsine, *Hofm. Deutschl. Fl. ed. I.* 153 = *uliginosa*.  
 alsinoides, *Boiss. & Buhse, in Nouv. Mém. Soc. Nat. Mosc.* xii. (1860) 41.—Persia.  
 alsinoides, *Schleich, Cat. Fl. Helv. ed. III.* 29 = *media*.  
 altenoides, *C. Muell. in Walp. Ann.* vii. 291, sphalm. = *alsinoides*.  
 amblyosepala, *Schrenk, Enum. Pl. Nov.* ii. 54.—Soongar.  
 anagalloides, *Rupr. Fl. Cauc.* 222.—Reg. Cauc.  
 angustifolia, *Hook. Journ. Bot.* i. (1834) 250 = *palustris*.  
 anomala, *Reichb. Fl. Germ. Excurs.* 785 = *Cerastium anomalum*.  
 apetala, *Opiz, ex Nym. Consp.* 111 = *media*.  
 apetala, *Ucria, in Roem. Arch.* i. i. (1796) 68.—Sicil.  
 aphanantha, *Griseb. in Goett. Abh.* xxiv. (1879) 27.—Reg. Argent.  
 aquatica, *Cham. & Schlecht. in Linnaea*, i. (1826) 50 = *borealis*.  
 aquatica, *Pollich, Hist. Pl. Palat.* i. 429 = *uliginosa*.  
 aquatica, *Scop. Fl. Carn. ed. II.* i. 319.—Europ.; As. bor.  
 Arenaria, *Linn. Sp. Pl.* 1196 = *Arenaria spatulata*.  
 aristata, *Ser. in DC. Prod.* i. 396.—Mexic.  
 arvalis, *Phil. f. Cat. Fl. Vasc. Chil.* 26 = *prostrata*.  
 arvensis, *S. F. Gray, Nat. Arr. Br. Pl.* ii. 660 = *Cerastium arvense*.  
 arvensis, *Scop. Fl. Carn. ed. II.* i. 318 = *Spergula arvensis*.  
 australis, *Zoll. & Mor. in Nat. en Geneesk. Arch. Neêrl. Indie*, ii. (1845) 581.—Java.  
 Baldwini, *Fenzl, ex Peyr. in Linnaea*, xxx. (1859–60) 57.—Mexic.  
 Barthiana, *Schur, in Verh. Naturf. Ver. Bruenn*, xv. II. (1877) 142 = *graminea*.  
 biflora, *Host, Syn. Pl. Austr.* 243 = *Arenaria polygonoides*.  
 biflora, *Linn. Sp. Pl.* 422.—Europ.  
 biflora, *Pursh, Fl. Am. Sept.* i. 317 = *Arenaria lateriflora*.  
 biflora, *Rudolph, ex Ledeb. Fl. Ross.* i. 387 = *florida*.  
 biflora, *Wulf. in Jacq. Coll.* i. 351 = *Arenaria austriaca*.  
 Boraean, *Jord. Pugill. Pl. Nov.* 33 = *media*.  
 borealis, *Bieb. ex Steud. Nom. ed. II.* ii. 636 = *petraea*.  
 borealis, *Bigel. Fl. Bost. ed. II.* 182.—Reg. bor. et arct.  
 borealis, *Darling, Fl. Cestr.* 274 = *uliginosa*.  
 brachypetala, *Bong. Vég. Ins. Sitcha*, 126 = *borealis*.  
 brachypetala, *Bunge, in Ledeb. Fl. Alt.* ii. 161.—Sibir. altaic.  
 bracteata, *Richt. in Klatt & Richt. Fl. Leipz.* 386 = *uliginosa*.  
 Brauniana, *Fenzl, ex Schweinf. Beitr. Fl. Aethiop.* 60.—Afr. trop.  
 breviflora, *Gilib. Fl. Lituan.* ii. 151 = *uliginosa*.  
 brevifolia, *Borkh. in Rhein. Mag.* i. (1793) 523 = *graminea*.  
 brevifolia, *Schum. Pl. Saell.* 142 = *crassifolia*.  
 Brotherana, *Trautv. in Act. Hort. Petrop.* viii. (1883) 153.—Reg. Cauc.  
 bulbifera, *Benth. in Journ. Linn. Soc.* vi. (1862) 67.—Europ. centr.  
 bulbosa, *Wulf. in Jacq. Coll.* iii. 21.—Europ. or.; As. bor.; Reg. Himal.

## STELLARIA:—

*Bungeana*, Fenzl, in Ledeb. Fl. Ross. i. 376 = nemorum.  
*caespitosa*, Duf. in Act. Soc. Linn. Bord. viii. (1836) 91 = radicans?  
*caespitosa*, Hook. f. in Hook. Journ. Bot. ii. (1840) 411 = palustris.  
*caespitosa*, Vest, ex Steud. Nom. ed. II. ii. 636 = holostea.  
*calycantha*, Bong. Vég. Ins. Sitcha, 127 = borealis.  
*Cerastium*, Cham. & Schlecht. in Linnæa, i. (1826) 50 = media.  
*cerastoides*, Linn. Sp. Pl. 422 = Cerastium trigynum.  
*cerastoides*, Merlet, ex Steud. Nom. ed. I. 813 = Cerastium anomalum.  
*chinensis*, Regel, in Bull. Soc. Nat. Mosc. xxxv. (1862) 1. 283, in textu.—China.  
*ciliata*, Gilib. Fl. Lituan. ii. 152 = S. Holostea.  
*ciliata*, Scop. Fl. Carn. ed. II. i. 315 = Arenaria polygonoides.  
*ciliata*, Vahl, ex Pers. Syn. i. 501.—Peruv.  
*ciliata*, Willd. ex H. B. & K. Nov. Gen. et Sp. vi. 26 = ovata.  
*ciliatosepala*, Trautv. in Middend. Sibir. Reise, i. II. 52. t. 8.—Sibir.  
*cilicica*, Boiss. & Bal. Diagn. Ser. II. v. 59.—As. Min.; Syria.  
*connata*, Dulac, Fl. Hautes-Pyr. 250 = S. Holostea.  
*cordata*, Gilib. Fl. Lituan. ii. 152 = nemorum.  
*cordata*, S. G. Gmel. ex Ledeb. Fl. Ross. i. 402 = Cerastium davuricum.  
*cordata*, Willd. ex Schlecht. in Ges. Naturf. Fr. Berl. Mag. vii. (1816) 197.—Am. austr.  
*crassifolia*, Boland. Cat. Pl. Calif. 6, nomen = borealis.  
*crassifolia*, Cham. & Schlecht. in Linnæa, i. (1826) 50 = humifusa.  
*crassifolia*, Ehrh. in Hannov. Mag. 8tes St. (1784) 116; et ex F. F. Gmel. Syst. 718.—Reg. bor. et arct.  
*crassifolia*, S. Wats. Bot. King's Exped. 38 = longipes.  
*crispa*, Cham. & Schlecht. in Linnæa, i. (1826) 51.—Fret. Behring.  
*crispata*, Wall. ex D. Don, Prod. Fl. Nep. 215; Cat. n. 633.—Reg. Himal.  
*cryptopetala*, Griseb. in Goett. Abh. xxiv. (1879) 27.—Reg. Argent.  
*Cupaniana*, Nym. Consp. 111 = media.  
*cuspidata*, Willd. ex Schlecht. in Ges. Naturf. Fr. Berl. Mag. vii. (1816) 196 = nemorum.  
*davurica*, Spreng. Syst. ii. 398 = petraea.  
*davurica*, Willd. ex Schlecht. in Ges. Naturf. Fr. Berl. Mag. vii. (1816) 195.—Dahuria.  
*debilis*, Uru. in Mém. Soc. Linn. Par. iv. (1826) 618.—Patagon.  
*decandra*, Schur, Enum. Pl. Transs. 970 (Index) = media.  
*decipiens*, Hook. f. Fl. Antarct. 7.—Ins. Dom. Auckland.  
*decumbens*, Edgew. in Trans. Linn. Soc. xx. (1846) 35.—Reg. Himal.  
*depauperata*, Edgew. in Hook. f. Fl. Brit. Ind. i. 234.—Reg. Himal.  
*diandra*, Maxim. in Bull. Acad. Pétersb. xviii. (1873) 379.—Japon.  
*dichotoma*, Georgi, Besch. Russ. Reich. III. iv. 976 = media.  
*dichotoma*, Linn. Sp. Pl. 421.—Sibir.  
*dichotoma*, Patrin, ex Ledeb. Fl. Alt. ii. 153 = nemorum.  
*dichotoma*, Scop. Fl. Carn. ed. II. i. 314 = bulbosa.  
*dichotoma*, [Weber, in] Wigg. Prim. Fl. Holsat. 34 = crassifolia.  
*diceranoides*, Fenzl, in Ledeb. Fl. Ross. i. 395.—Fret. Behring.  
*diffusa*, Pall. ex Schlecht. in Ges. Naturf. Fr. Berl. Mag. vii. (1816) 195 = longifolia.  
*Dilleniana*, Leers, Fl. Herborn. 107 = uliginosa.  
*Dilleniana*, Moench, Enum. Pl. Hass. 214 = palustris.  
*discolor*, Turcz. in Bull. Soc. Nat. Mosc. (1838) 88; xv. (1842) 601.—Dahuria.  
*diversiflora*, Maxim. in Bull. Acad. Pétersb. xviii. (1873) 379, in nota.—Japon.  
*domingensis*, Spreng. Syst. ii. 392.—Ins. S. Doming.  
*drymarioides*, Thw. Enum. Pl. Zeyl. 24.—Zeylan.  
*dubia*, Bast. Fl. Maine-et-Loire, Suppl. 24 = Cerastium anomalum.  
*eciliata*, Rupr. Fl. Cauc. 297.—Reg. Cauc.

## STELLARIA:—

*Edwardsii*, R. Br. in Parry, 1st Voy. App. p. cclxxi = longipes.  
*elatinoides*, Hook. f. Fl. N. Zel. i. 25.—N. Zel.  
*elegans*, Meinh. in Baer & Helm. Beitr. Kenntn. Russ. Reich. xxvi. 146.—Sibir. or.  
*elegans*, Ser. in DC. Prod. i. 400 = Cerastium trigynum.  
*Elisabethae*, F. Schultz, Arch. Fl. 302 = media.  
*elodes*, Bieb. ex Bess. Enum. Pl. Volh. 81 = crassifolia.  
*elongata*, Nutt. Gen. Am. i. 289 = Arenaria lanuginosa.  
*eriantha*, Turcz. ex Ledeb. Fl. Ross. i. 388 = davurica.  
*Eschscholtziana*, Fenzl, in Ledeb. Fl. Ross. i. 384.—Kamtschat.  
*exigua*, Steph. ex Steud. Nom. ed. II. ii. 636 = petraea.  
*falcata*, Ser. in DC. Prod. i. 398 = davurica.  
*Fenzliana*, Klotzsch, in Bot. Ergeb. Waldem. Reise, 141 = longissima.  
*Fenzlii*, Regel, in Bull. Soc. Nat. Mosc. xxxv. (1862) 1. 264, 280 = borealis.  
*Fischeriana*, Ser. in DC. Prod. i. 398 = florida.  
*flaccida*, Hook. Comp. Bot. Mag. i. (1835) 275.—Austral.  
*flaccida*, Peterm. Fl. Lips. Excurs. 324 = graminea? florida, Fisch. ex DC. Prod. i. 399.—Camtschat.  
*foecunda*, Hance, in Walp. Ann. ii. 95 = aquatica.  
*fontana*, Wulf. in Jacq. Coll. i. 327 = uliginosa.  
*Frieseana*, Turcz. ex Ledeb. Fl. Ross. i. 388 = davurica.  
*Friesiana*, Ser. in DC. Prod. i. 397.—Europ. bor.  
*geniculata*, Gueldenst. Reisen, i. 192; ex Ledeb. Fl. Ross. i. 395 (Quid?)—Reg. Cauc.  
*glabella*, Nym. Consp. 111 = media.  
*glacialis*, Lagg. in Oestr. Bot. Zeitschr. xviii. (1868) 242 = uliginosa.  
*glandulifera*, Kit. in Linnæa, xxxii. (1863) 515 = glandulosa.  
*glandulifera*, Klotzsch, in Bot. Ergeb. Waldem. Reise, 141.—Ind. or.  
*glandulosa*, Kit. in Schult. Oestr. Fl. ed. II. 673.—Hungar.  
*glareosa*, Turcz. ex Steud. Nom. ed. II. ii. 636 = Cerastium trigynum.  
*glauca*, Frivald. ex Griseb. Spicil. Fl. Rumel. i. 207 = Cerastium manticum.  
*glauca*, E. Mey. Pl. Lab. 93 = longipes.  
*glauca*, Salisb. Prod. 301 = S. Holostea.  
*glauca*, Turcz. ex Ledeb. Fl. Ross. i. 388 = davurica.  
*glauca*, With. Bot. Arr. Brit. Pl. ed. III. ii. 420.—Europ.; Sibir.  
*Gmelini*, Nesterofsky, ex Fenzl, in Ledeb. Fl. Ross. i. 293 = Gypsophila uralensis.  
*gracilentia*, Hook. f. Fl. N. Zel. i. 326.—N. Zel.  
*gracilis*, Lange, ex Hage, Obflod. in Ersler, Geogr. Tidsskr. v. (1881) Hefte ix—x. 144 = crassifolia.  
*gracilis*, Richards, in Frankl. 1st Journ. App. 738 = uliginosa.  
*graminea*, Bigel. Fl. Bost. ed. I. 110 = longifolia.  
*graminea*, Cham. & Schlecht. in Linnæa, i. (1826) 48 = longipes.  
*graminea*, Grev. in Mem. Wern. Soc. iii. (1820) 429 = longipes?  
*graminea*, James, in Trans. Am. Phil. Soc. ii. (1825) 181, nomen = Jamesiana.  
*graminea*, Linn. Sp. Pl. 422.—Europ.; As. bor.  
*graminifolia*, Gmel. ex Fenzl, in Ledeb. Fl. Ross. i. 381 = S. Holostea.  
*graminifolia*, Salisb. Prod. 301 = graminea.  
*grandiflora*, Gilib. Fl. Lituan. ii. 151 = graminea.  
*grandiflora*, Woods, in Hook. Comp. Bot. Mag. ii. (1836) 264 = media.  
*groenlandica*, Retz. Prod. Fl. Scand. ed. II. 107 = Arenaria groenlandica.  
*gypsophiloides*, Fenzl, in Ledeb. Fl. Ross. i. 380.—China.  
*hebecalyx*, Fenzl, in Rupr. Beitr. Pfl. Russ. Reich. ii. 26.—Lapponia.  
*helodes*, Auct. = elodes.  
*heterophylla*, Magn. in Bull. Soc. Bot. Fr. xxviii. (1881) 82 = glauca.  
*Holostea*, Linn. Sp. Pl. 422.—Europ.; Reg. Cauc.  
*humifusa*, Retz. Fl. Scand. ed. I. 84 = crassifolia.  
*humifusa*, Rottb. in Skrivt. Vidensk. Selsk. Kiob. x. (1770) 447.—Reg. bor. et arct.  
*hypericifolia*, All. Fl. Pedem. ii. 115 = uliginosa.  
*hypericifolia*, [Weber, in] Wigg. Prim. Fl. Holsat. 34.—Europ.

## STELLARIA:—

*imbricata*, Bong. ex Fenzl, in Ledeb. Fl. Ross. i. 385 = Eschscholtziana.  
*imbricata*, Bunge, in Ledeb. Fl. Alt. ii. 159.—Sibir. altaic.  
*irrigua*, Bunge, Vers. Suppl. Fl. Alt. 35.—Sibir. altaic.  
*Jamesiana*, Torr. in Ann. Lyc. N. York, ii. (1828) 169.—Am. bor. occ.  
*Jamesii*, Steud. Nom. ed. II. ii. 636, sphalm. = praec.  
*Jamesonii*, G. Don, Gen. Syst. i. 428, sphalm. = praec.  
*japonica*, Miq. Ann. Mus. Bot. Lugd. Bat. ii. 79.—Japon.  
*juncea*, Fries, Summa Veg. Scand. 37 = graminea.  
*Kingii*, S. Wats. in Bot. King's Exp. 39. t. 6.—Am. bor. occ.  
*Kotschyana*, Fenzl, ex Boiss. Fl. Orient. i. 705.—Persia.  
*labradorica*, Schrank, in Denkschr. Bot. Ges. Regensb. i. II. (1818) 24 = Arenaria groenlandica.  
*laeta*, Richards, in Frankl. 1st Journ. App. 738 = longipes.  
*laevis*, Rohrb. in Linnæa, xxxvii. (1871–73) 275.—Peruv.  
*lanata*, Hook. f. Fl. Brit. Ind. i. 232.—Reg. Himal.  
*lanceolata*, Poir. Encyc. vii. 416.—Reg. Magellan.  
*lanceolata*, Torr. Fl. U. St. 453 = borealis.  
*lanuginosa*, Torr. & Gray, Fl. N. Am. i. 187 = Arenaria lanuginosa.  
*laricifolia*, Scop. Fl. Carn. ed. II. i. 317 = Arenaria laricifolia, recurva.  
*lateriflora*, Fleisch. in Bull. Soc. Nat. Mosc. i. (1829) 101 = crassifolia.  
*lateriflora*, Krock. Fl. Siles. ii. 1. 52 = uliginosa.  
*latifolia*, Edgew. & Hook. f. in Fl. Brit. Ind. i. 231.—Reg. Himal.  
*latifolia*, S. F. Gray, Nat. Arr. Brit. Pl. ii. 660 = Cerastium latifolium.  
*latifolia*, Pers. Syn. i. 501 = media.  
*Laxmanni*, Fisch. ex DC. Prod. i. 397 = glauca.  
*leptopetala*, Benth. Pl. Hartw. 163.—N. Granat.  
*leptophylla*, Hance, in Walp. Ann. ii. 96.—China.  
*ligustrina*, Spreng. Syst. iv. Cur. Post. 180 = Schiedea ligustrina.  
*linoides*, Tausch, in Flora, xix. (1836) 413 = uliginosa.  
*litigiosa*, Magn. in Bull. Soc. Bot. Fr. xxviii. (1881) 82 = glauca.  
*littoralis*, Torr. in Pacif. Rail. Rep. iv. 69.—Calif.  
*longicaulis*, Krock. Fl. Siles. Suppl. ii. 90 (Quid?)—Europ.  
*longifolia*, Fries, in Svensk Bot. viii. t. 506 = Friesiana.  
*longifolia*, Muhl. ex Willd. Enum. Hort. Berol. 479.—Sibir.; Am. bor.  
*longifolia*, Steud. Nom. ed. II. ii. 636, sphalm. = longissima.  
*longifolia*, Turcz. in Bull. Soc. Nat. Mosc. (1838) 88 = graminea.  
*longipes*, Goldie, in Edinb. Phil. Journ. vi. (Apr. 1822) 327.—Am. bor. et arct.  
*longissima*, Wall. Cat. n. 632.—Reg. Himal.  
*lycopodioides*, Fenzl, ex Rohrb. in Linnæa, xxxvii. (1871–73) 275 = laevis.  
*macropetala*, Torr. & Gray, Fl. N. Am. i. 184.—Am. bor. occ.  
*magna*, Gueldenst. Reisen, i. 427; ex Ledeb. Fl. Ross. i. 395 (Quid?)—Reg. Cauc.  
*Mannii*, Hook. f. in Journ. Linn. Soc. vii. (1864) 183.—Afr. trop.  
*mantica*, DC. Fl. Fr. iv. 794 = Cerastium manticum.  
*marginata*, Cham. & Schlecht. in Linnæa, i. (1826) 50 = humifusa.  
*media*, Cyrill. Char. Comm. (1784) 36.—Geront. temp.  
*media*, Sibth. Fl. Oxon. 141 = palustris.  
*media*, Wight, ex Edgew. in Hook. f. Fl. Brit. Ind. i. 229 = crispata.  
*Meyeriana*, Rupr. Fl. Cauc. 297. t. 5. f. 3.—Reg. Cauc.  
*micrantha*, Spruce, ex Rohrb. in Linnæa, xxxvii. (1871–73) 280.—Ecuador.  
*microphylla*, Schur, Enum. Pl. Transs. 116 = media.  
*modesta*, Fenzl, in Tijdschr. Nederl. Ind. xiv. (1857) 165 (Quid?)—Malaya.  
*Moenchii*, Magn. in Bull. Soc. Bot. Fr. xxviii. (1881) 82 = glauca.  
*moenchioides*, Fenzl, ex Torr. & Gray, Fl. N. Am. i. 675 = nitens.  
*mollis*, Fisch. ex DC. Prod. i. 397 = velutina.

**STELLARIA:—**

*mollis*, Klotzsch, in Bot. Ergeb. Waldem. Reise, 142 = longissima.  
*mollis*, Willd. ex Schlecht. in Ges. Naturf. Fr. Berl. Mag. vii. (1816) 196 = Cerastium Willdenowii.  
*mollis*, Wirzen, Geogr. Pl. Prov. Casan. 43. n. 95 = borealis.  
*molluginea*, Sweet, Hort. Brit. ed. II. 56 = Arenaria molluginea.  
*monogyna*, D. Don, Prod. Fl. Nep. 215 = media.  
*monosperma*, Buch.-Ham. ex D. Don, l. c. = crispata.  
*mosquiensis*, Bieb. ex Schlecht. in Ges. Naturf. Fr. Berl. Mag. vii. (1816) 195 = longifolia.  
*multicaulis*, Willd. Sp. Pl. ii. 714 = Cerastium trigynum.  
*multiflora*, Hook. Comp. Bot. Mag. i. (1835) 275. — Austral.  
*muralis*, Link, Enum. Hort. Berol. i. 429 = Arenaria graveolens.  
*Murmura*, Buch.-Ham. ex Wall. Cat. sub n. 630. p. 248 = media.  
*neglecta*, Weihe, in Bluff & Fingerh. Comp. Fl. Germ. ed. I. i. 560 = media.  
*memoralis*, Salisb. Prod. 301 = nemorum.  
*nemorum*, Linn. Sp. Pl. 421. — Europ.; Reg. Cauc.  
*nemorum*, Stev. ex Fenzl, in Ledeb. Fl. Ross. i. 377 = media.  
*nitens*, Nutt. in Torr. & Gray, Fl. N. Am. i. 185, 675. — Am. bor. occ.  
*nitida*, Hook. in Scoresby, Greenl. 411 = longipes.  
*nodosa*, Scop. Fl. Carn. ed. II. i. 319 = Sagina nodosa.  
*Nuttallii*, Torr. & Gray, Fl. N. Am. i. 183. — Texas.  
*obtus*, Engelm. in Coult. Bot. Gaz. vii. (1882) 5. — Am. bor.  
*oligosperma*, Rohrb. in Linnaea, xxxvii. (1871-73) 276. — Chili.  
*ovalifolia*, Hook. Fl. Bor. Am. i. 97 = Arenaria physodes.  
*ovata*, Willd. ex Schlecht. in Ges. Naturf. Fr. Berl. Mag. vii. (1816) 196. — Am. austr.  
*Pallasiana*, Ser. in DC. Prod. i. 399 = dichotoma.  
*pallida*, Dum. ex Nym. Consp. 111 = media.  
*paludosa*, Laest. ex Fries, Summa Veg. Scand. 37 = crassifolia.  
*palustris*, Ehrh. Beitr. v. 176, nomen; Retz. Fl. Scand. Prod. ed. II. 106. — Geront. temp.; Greenl.  
*palustris*, Richards. in Frankl. 1st Journ. App. 738 = longipes.  
*paniculata*, Edgew. in Trans. Linn. Soc. xx. (1846) 35 = crispata.  
*paniculata*, Pall. Tabl. Taur. 51 = graminea.  
*parviflora*, Banks & Soland. ex Hook. f. Fl. N. Zel. i. 25. — N. Zel.  
*patens*, D. Don, Prod. Fl. Nep. 215 = longissima.  
*pauciflora*, Zoll. & Mor. Syst. Verz. Zoll. 30. — Java.  
*peduncularis*, Bunge, in Ledeb. Fl. Alt. ii. 157 = longipes.  
*pentagyna*, Gaud. Fl. Helv. iii. 179 = aquatica.  
*pentandra*, Scop. Fl. Carn. ed. II. i. 318 = Spergula pentandra.  
*persica*, Boiss. Diagn. Ser. II. i. 85 = palustris.  
*petraea*, Bunge, in Ledeb. Fl. Alt. ii. 160. — Sibir. altaic.  
*petraea*, Hook. f. & Thoms. in Hook. f. Fl. Brit. Ind. i. 234 = decumbens.  
*pilosa*, Dulac, Fl. Hautes-Pyr. 250 = media.  
*prostrata*, Baldw. in Ell. Sketch, i. 518. — Am. bor. et austr.  
*Pseudo-malachium*, Schur, Enum. Pl. Transs. 117 = nemorum.  
*pubera*, Michx. Fl. Bor. Am. i. 273. — Am. bor.  
*pubescens*, Willd. ex H. B. & K. Nov. Gen. et Sp. vi. 35 = Arenaria lanuginosa.  
*pumila*, Brocchi, in Bibl. Ital. xxviii. (1822) 223 = Cerastium Thomasii.  
*pumila*, Fenzl, Verbr. Alsin. in Tab. Synop. ad p. 18 = petraea.  
*pumila*, S. F. Gray, Nat. Arr. Br. Pl. ii. 659 = Cerastium pumilum.  
*pungens*, Brongn. Voy. Coq. Bot. t. 78. — Austral.  
*radians*, Linn. Sp. Pl. 422. — Sibir.  
*radicans*, Lapeyr. Hist. Abr. Pl. Pyr. 250. — Mont. Pyren.  
*recurvata*, Willd. ex Schlecht. in Ges. Naturf. Fr. Berl. Mag. vii. (1816) 196. — N. Granat.  
*Reichenbachii*, Wierzb. ex Heuff. in Verh. Zool.-Bot. Ges. Wien, viii. (1858) 76 = nemorum.  
*repens*, Scop. Fl. Carn. ed. II. i. 320 = Cerastium tomentosum.

**STELLARIA:—**

*rigida*, Bunge, in Act. Hort. Petrop. v. (1877) 251. — Turkestan.  
*rotundifolia*, Humb. & Bonpl. ex Steud. Nom. ed. I. 813 = cordata.  
*rotundifolia*, Poir. Encyc. vii. 416. — Reg. Magellan.  
*Roughii*, Hook. f. Handb. N. Zeal. Fl. 23. — N. Zel.  
*rubra*, Scop. Fl. Carn. ed. II. i. 316 = Arenaria fasciculata, Gouan.  
*rupestris*, Scop. l. c. 317. t. 18. f. 1 = Arenaria lanceolata.  
*ruscifolia*, Pall. ex Schlecht. in Ges. Naturf. Fr. Berl. Mag. vii. (1816) 194. — Sibir. or.; Am. bor. occ.  
*sabulosa*, Fisch. ex DC. Prod. i. 397 = Cerastium anomalum.  
*saxatilis*, Buch.-Ham. ex D. Don, Prod. Fl. Nep. 215. — Reg. Himal.; As. bor.; Japon.  
*saxatilis*, Scop. Fl. Carn. ed. II. i. 317 = Arenaria saxatilis.  
*Saxifraga*, Bertol. Pl. Ital. Rar. iii. 55 = Arenaria Saxifraga.  
*scapigera*, Willd. Sp. Pl. ii. 716. — Scotia.  
*Schlechtendaliana*, Ser. in DC. Prod. i. 399 = dichotoma.  
*semidecandra*, Link, Diss. Bot. Suerin (1795), 62 = Cerastium semidecandrum.  
*semivestita*, Edgew. in Hook. f. Fl. Brit. Ind. i. 230. — Reg. Himal.  
*serpyllifolia*, Scop. Fl. Carn. ed. II. i. 319 = Arenaria serpyllifolia.  
*serpyllifolia*, Willd. ex Schlecht. in Ges. Naturf. Fr. Berl. Mag. vii. (1816) 196. — Peruv.  
*sikkimensis*, Hook. f. Fl. Brit. Ind. i. 230. — Reg. Himal.  
*sitchana*, Steud. Nom. ed. II. ii. 637 = borealis.  
*spatulata*, Reichb. Ic. Fl. Germ. v. 35. — Europ.  
*squarrosa*, Hook. Journ. Bot. i. (1834) 250 = pungens.  
*stenopetala*, Phil. in Linnaea, xxxiii. (1864-65) 20. — Chili.  
*Stephaniana*, Willd. ex Schlecht. in Ges. Naturf. Fr. Berl. Mag. vii. (1816) 194 = dichotoma.  
*stricta*, Hook. Fl. Bor. Am. i. 96, partim = nitens.  
*stricta*, C. Koch, in Linnaea, xv. (1841) 707 = palustris.  
*stricta*, Richards. in Frankl. 1st Journ. App. ed. II. 15 = longipes.  
*stricta*, Sw. ex Steud. Nom. ed. II. ii. 637 = Arenaria lapponica.  
*subulata*, Boeb. ex Schlecht. in Ges. Naturf. Fr. Berl. Mag. vii. (1816) 195 = graminea.  
*subumbellata*, Edgew. in Hook. f. Fl. Brit. Ind. i. 233. — Reg. Himal.  
*sylvatica*, Maxim. ex Regel, in Bull. Soc. Nat. Mosc. xxxv. (1862) i. 302. — Reg. Amur.  
*tenella*, Fenzl, in Zoll. Syst. Verz. Ind. Arch. 142; et in Tijdschr. Nederl. Ind. xiv. (1857) 165 = pauciflora.  
*tenella*, Rafin. in Am. Monthly Mag. (1818) 344; Bieb. ex Ledeb. Fl. Ross. i. 392 = longifolia.  
*tetragona*, Blume, Bijdr. 63. — Java.  
*tetrandra*, S. F. Gray, Nat. Arr. Brit. Pl. ii. 659 = Cerastium tetrandrum.  
*thymifolia*, Wall. Cat. n. 636 = uliginosa.  
*tibetica*, Kurz, in Flora, lv. (1872) 285. — Reg. Himal.  
*tomentosa*, Link, Diss. Bot. Suerin (1795), 62 = Cerastium tomentosum.  
*tomentosa*, Maxim. in Bull. Acad. Pétersb. xviii. (1873) 381. — Japon.  
*triandra*, Debray, ex Bluff Fingerh. Comp. Fl. Germ. ed. I. i. 171, nomen = Holosteum umbellatum.  
*trivialis*, Link, Diss. Bot. Suerin (1795), 62 = Cerastium triviale.  
*tschachanensis*, Less. ex Fenzl, in Ledeb. Fl. Ross. i. 386 = dichotoma.  
*uliginosa*, Laest. in Vet. Akad. Handl. Stockh. (1822) 335 = borealis.  
*uliginosa*, Murr. Prod. Stirp. Gotting. 55. — Reg. bor. temp. et arct.  
*umbellata*, Turcz. in Bull. Soc. Nat. Mosc. (1838) 89; xv. (1842) 173. — Sibir. or.; Am. bor. occ.  
*umbrosa*, Opiz & Rupr. in Opiz, Seznam, 93 = media.  
*undulata*, Regel, in Bull. Soc. Nat. Mosc. xxxv. (1862) i. 282 = chinensis.  
*undulata*, Thunb. Fl. Jap. 185 = uliginosa.  
*uniflora*, Walt. Fl. Carol. 141. — Am. bor.  
*velutina*, Ser. in DC. Prod. i. 397. — Sibir.  
*vestita*, Kurz, in Journ. Bot. xi. (1873) 194 = saxatilis.  
*villosa*, Poir. Encyc. vii. 416. — Ins. Borbon.

**STELLARIA:—**

*villosa*, Schlecht. in Ges. Naturf. Fr. Berl. Mag. vii. (1816) 194 = dichotoma.  
*virens*, Rupr. Fl. Cauc. 222. — Reg. Cauc.  
*virgata*, Ser. in DC. Prod. i. 396. — Hab.?  
*viscida*, Bieb. Fl. Taur. Cauc. i. 342 = Cerastium anomalum.  
*viscosa*, Albert, in Bull. Soc. Sc. Draguign. (1884), reimp. 13 (Quid?). — Gallia.  
*viscosa*, Link, Diss. Bot. Suerin (1795), 62 = Cerastium triviale.  
*vulgata*, Link, l. c. = Cerastium glomeratum.  
*Wagneriana*, Rohrb. in Linnaea, xxxvii. (1871-73) 281. — Ecuador.  
*Webbiana*, Edgew. & Hook. f. in Fl. Brit. Ind. i. 230. — Reg. Himal.  
*Willkommii*, Roem. ex Willk. & Lange, Prod. Fl. Hisp. iii. 617 = Arenaria intricata.

STELLARIOIDES, Medic. in Act. Acad. Theod. Palat. vi. Phys. (1790) 369 = *Anthericum*? Linn. (Liliac.).  
*canaliculata*, Medic. l. c. — Hab.?

STELLARIS, Dill. ex Moench, Meth. 303 (1794) = *Scilla*, Linn. (Liliac.).  
*bifolia*, Moench, l. c. 304 = Sc. bifolia.  
*corymbosa*, Moench, l. c. = Ornithogalum umbellatum.  
*erecta*, Moench, l. c. 303 = Ornithogalum pyrenaicum.  
*latifolia*, Moench, l. c. = Ornithogalum latifolium.  
*minima*, Moench, l. c. = Gagea pusilla.  
*parviflora*, Steinh. in Ann. Sc. Nat. Sér. II. vi. (1836) 286 = Sc. numidica.  
*Scilla*, Moench, Meth. 304 = Urginea Scilla.

STELLASTER, Heist. Syst. 5, 19 (1748) (Quid?).

STELLERA, J. G. Gmel. ex Linn. Diss. Dass. 16 (1747); Amoen. Acad. i. 399, pro parte (1749). *THYMELAEACEAE*, Benth. & Hook. f. iii. 193.  
*XAIASME*, Rafin. Fl. Tellur. iv. 106 (1836).  
*altaica*, Thieb. ex Pers. Syn. i. 436 = S. Chamaejasme.  
*annua*, Salisb. Prod. 282 = Thymelaea arvensis.  
*Chamaejasme*, Linn. Sp. Pl. 559. — As. bor. et temp.  
*concinna*, Edgew. in Trans. Linn. Soc. xx. (1846) 88 = S. Chamaejasme.  
*dichotoma*, Fisch. ex Sweet, Hort. Brit. ed. III. 592 = S. Chamaejasme.  
*Ganpi*, Siebold, in Verh. Batav. Gen. xii. (1830) 22; Meissn. in DC. Prod. xiv. 550 = Wikstroemia canescens.  
*Griffithii*, Meissn. l. c. = Lessertii.  
*Hedyotis*, Ehrenb. ex Boiss. Fl. Orient. iv. 1052 = Thymelaea Aucheri.  
*hypericifolia*, Endl. Gen. Suppl. iv. II. 63 = S. Chamaejasme.  
*japonica*, Siebold, in Verh. Batav. Gen. xii. (1830) 22 = Wikstroemia japonica.  
*lathraeoides*, Fisch. ex Ledeb. Fl. Ross. iii. 323 = Boschniakia glabra.  
*Lessertii*, C. A. Mey. in Bull. Phys.-Math. Acad. Pétersb. i. (1843) 359. — Oriens.  
*Passerina*, Linn. Sp. Pl. 559 = Thymelaea arvensis.  
*persica*, Endl. Gen. Suppl. iv. II. 63 = Lessertii.  
*pubescens*, Guss. Fl. Sic. Prod. i. 466 = Thymelaea arvensis.  
*spicata*, C. A. Mey. in Bull. Phys.-Math. Acad. Pétersb. i. (1843) 359 = Lessertii.  
*stachyoides*, Schrenk, in Bull. Sc. Acad. Pétersb. x. (1842) 253; et Enum. Pl. Nov. ii. 16 = Lessertii.

STELLERA, Turcz. in Bull. Soc. Nat. Mosc. (1840) 167 = *Swertia*, Linn. (Gentian.).  
*cyanea*, Turcz. l. c. 168 = Sw. tetrapetala.

STELLINA, Bubani, in Nuov. Giorn. Bot. Ital. v. (1873) 318 = *Callitriche*, Linn. (Halog.).  
*hamulata*, Bubani, l. c. = C. hamulata.

STELLIX, Noronha, in Verh. Batav. Gen. v. (1790) ed. I. Art. iv. 4 = *Psychotria*, Linn. (Rubiace.).

**STELLULARIA**, Benth. in Hook. Ic. Pl. t. 1318 (1880). *SCROPHULARINEAE*.  
*nigricans*, Benth. l. c. — Afr. trop.

STELLULARIA, Linn. Syst. ed. VI (1748) = **Stellaria**, Linn. (Caryoph.).

STELMANIS, Rafin. Fl. Tellur. ii. 47 (1836) = **Heterothea**, Cass. (Compos.).  
*scabra*, Rafin. l. c. = H. Lamarckii.

STELMATION, Fourn. in Mart. Fl. Bras. vi. iv. 226 (1885). **ASCLEPIADEAE**.  
*myrtifolium*, Fourn. l. c. 227. — Bras.

STELMESUS, Rafin. Fl. Tellur. ii. 19 (1836) = **Allium**, Tourn. (Liliac.).  
*stellatus*, Rafin. l. c. = A. stellatum.

STELMOTIS, Rafin. New Fl. Am. iv. 101 (1836) = **Oldenlandia**, Linn. (Rubiace.).  
*glomerata*, Rafin. l. c. = O. glomerata.

STEMEIENA, Rafin. Atl. Journ. 144 (1832) = **Krameria**, Loeff. (Polygal.).

STEMMACANTHA, Cass. in Bull. Soc. Philom. (1817) 12 = **Serratula**, Linn. (Compos.).  
*cynaroides*, Cass. in Dict. Sc. Nat. l. 460 = Cnicus cynaroides.  
*ficifolia*, Turcz. ex DC. Prod. vi. 663 = Serratula atriplicifolia.  
*inermis*, Dulac, Fl. Hautes-Pyr. 521 = Cnicus centauroides.

STEMMADENIA, Benth. Bot. Voy. Sulph. 124. t. 44 (1844). **APOCYNACEAE**, Benth. & Hook. f. ii. 707.  
ODONTOSTIGMA, A. Rich. Fl. Cub. Fanerog. 86. t. 56 (1853).  
*bella*, Miers, Apocyn. S. Am. 77. — Mexic.  
*bignoniaeflora*, Miers, l. c. — Mexic.  
*Galeottiana*, Miers, l. c. 76. — Cuba.  
*glabra*, Benth. Bot. Voy. Sulph. 124. t. 44. — Honduras.  
*grandiflora*, Miers, Apocyn. S. Am. 75 = Tabernaemontana grandiflora.  
*guatemalensis*, Muell. Arg. in Linnaea, xxx. (1859-60) 410 = Malouetia panamensis.  
*insignis*, Miers, Apocyn. S. Am. 76. — Mexic.; Venezuela.  
*mollis*, Benth. Bot. Voy. Sulph. 125. — Mexic.  
*pubescens*, Benth. l. c. — Mexic.

STEMMATELLA, Wedd. ex Sch. Bip. in Bull. Soc. Bot. Fr. xii. (1865) 82, nomen. **COMPOSITAE**, Benth. & Hook. f. ii. 359.  
*congesta*, Wedd. l. c., nomen. — Bolivia.

STEMMATIUM, Phil. in Anal. Univ. Chil. (1873) 551 = **Tristagma**, Poepp. (Liliac.).  
*narcissoides*, Phil. l. c. = T. narcissoides.

STEMMATOPHYSUM, Steud. Nom. ed. II. ii. 637 (1841), sphalm. = seq.

STEMMATOSIPHON, Meissn. Gen. 49 (1837) = seq.

STEMMATOSIPHUM, Pohl, Pl. Bras. Ic. ii. 86. tt. 157-159 (1831) = **Symplocos**, Linn. (Styrac.).  
*nitens*, Pohl, l. c. 88. t. 158 = Symplocos nitens.  
*platyphyllum*, Pohl, l. c. 87. t. 157 = Symplocos platyphylla.  
*uniflorum*, Pohl, l. c. 89. t. 159 = Symplocos uniflora.

STEMMATOSPERMUM, Beauv. Agrost. 144. t. 25. f. 5 (1812) = **Nastus**, Juss. (Gramin.).  
*verticillatum*, Beauv. l. c. = Nastus borbonicus.

STEMMODONTIA, Cass. in Bull. Soc. Philom. (1817) 11 = **Wedelia**, Jacq. (Compos.).  
*scaberrima*, Cass. in Dict. Sc. Nat. xlv. 407 = W. hispida.

STEMMODIA, Linn. Syst. ed. X. 1118 (1759). **SCROPHULARINEAE**, Benth. & Hook. f. ii. 950.  
DICKIA, Scop. Introd. 199 (1777).  
GOMPHIPUS, Rafin. Fl. Tellur. iv. 76 (1836).  
MATOUREA, Aubl. Pl. Gu. ii. 641. t. 259 (1775).

### STEMODIA :—

POARIUM, Desv. in Ham. Prod. Pl. Ind. Occ. 46 (1825).  
UNANUEA, Ruiz & Pav. Ic. Fl. Per. ined.; ex Benth. in DC. Prod. x. 380 (1846).  
*ageratifolia*, Wright, in Sauv. Fl. Cub. 99. — Cuba.  
*angulata*, Oerst. in Kjoeb. Vidensk. Meddel. (1853) 22. — Am. centr.  
*aquatica*, Willd. Sp. Pl. iii. 346 = Limnophila polystachya.  
*arenaria*, H. B. & K. Nov. Gen. et Sp. ii. 357. t. 175 = parviflora.  
*arvensis*, Steud. Nom. ed. II. ii. 637 = viscosa.  
*azurea*, Linden, Cat. n. 17 (1862) 6 = Otacanthus caeruleus.  
*balsamea*, Benth. in Wall. Cat. n. 3928 = Limnophila balsamea.  
*bartsiodes*, Benth. in Bot. Reg. sub t. 1470. — Mexic.  
Berteroana, Benth. in DC. Prod. x. 384. — Ins. S. Doming.  
*camphorata*, Benth. in Wall. Cat. n. 3932 = Limnophila diffusa.  
*camphorata*, Vahl, Symb. Bot. ii. 69 = Adenosma camphoratum.  
*capitata*, Benth. in Wall. Cat. n. 3926 = Adenosma capitatum.  
*chilensis*, Benth. in Bot. Reg. t. 1470. — Chili.  
*cimicina*, Benth. in Wall. Cat. n. 3933 = Limnophila diffusa.  
*coerulea*, Benth. in DC. Prod. x. 381 = Adenosma caeruleum.  
*coromandelina*, Heyne, ex Wall. Cat. n. 3929 D = viscosa.  
*debilis*, Benth. Fl. Austral. iv. 487. — Austral.  
*diffusa*, Benth. in Wall. Cat. n. 3937 = Limnophila pygmaea.  
*durantifolia*, Sw. Obs. Bot. 240. — Ind. occ.  
Ehrenbergiana, Schlecht. in Bot. Zeit. i. (1843) 169. — Mexic.  
*foliosa*, Benth. in Hook. Journ. Bot. ii. (1840) 46. — Bras.  
*glabra*, Oerst. in Kjoeb. Vidensk. Meddel. (1853) 21. — Mexic.  
*glabra*, Spreng. Syst. ii. 811 = Gratiola peruviana.  
*glauca*, Klein, ex Nees, in Hook. Comp. Bot. Mag. ii. (1836) 310 = Ebermaiera glauca.  
*grandiflora*, Buch.-Ham. ex D. Don, Prod. Fl. Nep. 89 = Lindenbergia grandiflora.  
*gratiolaefolia*, A. St. Hil. Pl. Rem. Brés. 217 = palustris.  
*gratioloides*, Benth. in Wall. Cat. n. 3938 = Limnophila erecta.  
*gratioloides*, F. Muell. Fragm. x. 89. — As.; Afr.; Austral.  
*grossa*, Benth. Fl. Austral. iv. 486. — Austral.  
*hirsuta*, Heyne, in Wall. Cat. n. 3930 = Limnophila hirsuta.  
*hypericifolia*, Benth. in Wall. Cat. n. 3934 = Limnophila hypericifolia.  
*hyptoides*, Cham. & Schlecht. in Linnaea, iii. (1828) 8. — Bras.  
*jurullensis*, H. B. & K. Nov. Gen. et Sp. ii. 358. — Mexic.  
*lanata*, Ruiz & Pav. ex Benth. in DC. Prod. x. 383. — Mexic.  
*lanceolata*, Benth. l. c. 384. — Bras.  
*latifolia*, Regel, Ind. Sem. Hort. Petrop. (1861) 39. — Hab. ?  
*linophylla*, F. Muell. Fragm. x. 88. — Austral.  
*littoralis*, Boiss. Fl. Orient. iv. 425 = Lindenbergia urticaefolia.  
*lobata*, J. A. Schmidt, in Mart. Fl. Bras. viii. 299. — Am. trop.  
*lobelioides*, Lehm. in Linnaea, xi. (1837) Litt. 91. — Chili.  
*lutea*, Moon, Cat. Pl. Ceyl. 45 = Adenosma camphoratum.  
*lythrifolia*, F. Muell. ex Benth. Fl. Austral. iv. 486. — Austral.  
*macrostachya*, Benth. in Wall. Cat. n. 3925 = Lindenbergia macrostachya.  
*maritima*, Heyne, ex Wall. Cat. n. 3931 = viscosa.  
*maritima*, Linn. Syst. ed. X. 1118. — Ind. occ.  
*Menthastrum*, Benth. in Wall. Cat. n. 3927 = Limnophila Roxburghii.  
*micrantha*, Benth. l. c. n. 3936 = Limnophila micrantha.  
*microphylla*, J. A. Schmidt, in Mart. Fl. Bras. viii. 298. — Bras.  
*minuta*, G. Don, Gen. Syst. iv. 542 = Vandellia scabra.

### STEMODIA :—

Morgania, F. Muell. Fragm. x. 89. — Austral.  
*multifida*, Spreng. Syst. ii. 811 = Conobea multifida.  
*muraria*, Roxb. ex D. Don, Prod. Fl. Nep. 89 = Lindenbergia urticaefolia.  
*odoratissima*, F. Muell. ex Benth. Fl. Austral. iv. 485 = Adenosma Muellieri.  
*palustris*, A. St. Hil. Pl. Rem. Brés. 216. — Bras.  
*parviflora*, Ait. Hort. Kew. ed. II. iv. 52. — Am. trop.  
*pedicellaris*, F. Muell. Fragm. viii. 231. — Austral.  
*peduncularis*, Benth. in DC. Prod. x. 382. — Mexic.  
*philippensis*, Cham. & Schlecht. in Linnaea, iii. (1828) 5 = Lindenbergia philippensis.  
*punctata*, F. Muell. Census, 97 = Limnophila gratisima.  
*pusilla*, Benth. Bot. Voy. Sulph. 144. — Mexic.  
*radicans*, Griseb. Cat. Pl. Cub. 182. — Cuba.  
*repens*, Benth. in Wall. Cat. n. 3935 = Limnophila conferta.  
*ruderalis*, Blanco, Fl. Filip. ed. I. 498 = Lindenbergia philippensis.  
*ruderalis*, Retz. Obs. v. 25. — Ind. or.  
*ruderalis*, Vahl, Symb. Bot. ii. 69 = Lindenbergia urticaefolia.  
*senegalensis*, Desf. Cat. Hort. Par. ed. III. 107. — Afr. trop.  
*serrata*, Benth. in DC. Prod. x. 381. — Ind. or.; Afr. trop.  
*sessiliflora*, F. Muell. Census, 97 = Limnophila sessiliflora.  
*sessilis*, Benth. in Wall. Cat. n. 3939 = Limnophila conferta.  
*stricta*, Cham. & Schlecht. in Linnaea, iii. (1828) 10. — Bras.  
*subbistata*, Benth. in DC. Prod. x. 381. — Bras.  
*suffruticosa*, H. B. & K. Nov. Gen. et Sp. ii. 357. — Am. austr.  
*surinamensis*, Miq. in Linnaea, xxii. (1849) 475. — Guian.  
*tenuiflora*, Benth. in Wall. Cat. n. 3940 = Limnophila conferta.  
*tomentosa*, G. Don, Gen. Syst. iv. 542 = Mazus rugosus.  
*trifoliata*, Reichb. Ic. Exot. i. 3. t. 1. — Bras.  
*veronicoides*, J. A. Schmidt, in Mart. Fl. Bras. viii. 298. — Bras.  
*verticillaris*, Link, Enum. Hort. Berol. ii. 144 = durantifolia.  
*viscosa*, Roxb. Pl. Corom. ii. 33. t. 163. — Ind. or.; Afghan.  
*xorullensis*, Spreng. Syst. ii. 810 = jurullensis.

STEMODIACRA, P. Br. Hist. Jamaic. 261. t. 22. f. 2 (1756) = praec.

STEMODOXIS, Rafin. Fl. Tellur. ii. 20 (1836) = **Allium**, Tourn. (Liliac.).  
*junceae*, Rafin. l. c. = A. junceum.

STEMONA, Lour. Fl. Cochinch. 404 (1790). **ROXBURGHACEAE**, Benth. & Hook. f. iii. 747.  
ROXBURGHIA, [Banks, in] Roxb. Pl. Corom. i. 29 (1795).  
*gloriosoides*, Voigt, Hort. Suburb. Calc. 650 = tuberosa.  
*Griffithiana*, Kurz, in Journ. As. Soc. Beng. xlii. (1873) ii. 109. t. 10. — Burma.  
*japonica*, Franch. & Sav. Enum. Pl. Jap. ii. 92. — Japon.  
*sessilifolia*, Franch. & Sav. l. c. — Japon.  
*tuberosa*, Lour. Fl. Cochinch. 404. — As. trop.

STEMONACANTHUS, Nees, in Mart. Fl. Bras. ix. 53. tt. 4, 205 (1847) = **Ruellia**, Plum. (Acanth.).  
*angustior*, Nees, l. c. 54. — Bras.  
*coccineus*, Griseb. Fl. Brit. W. Ind. 452 = R. coccinea.  
*formosus*, T. Anders. in Journ. Agri-Hort. Soc. Ind. N. S. i. (1868) 270 = R. formosa.  
*fulgidus*, Griseb. Fl. Brit. W. Ind. 452 = R. fulgida.  
*hirsutus*, Nees, in Mart. Fl. Bras. ix. 53. — Bras.  
*Humboldtianus*, Nees, in DC. Prod. xi. 206 = R. Humboldtiana.  
*macrophyllus*, Nees, l. c. 205 = R. macrophylla.  
*multiflorus*, Nees, in Mart. Fl. Bras. ix. 54. — Bras.  
*Pearcei*, Hook. f. Bot. Mag. t. 5648. — Bolivia.  
*radicans*, Nees, in DC. Prod. xi. 207. — Guian.  
*salviaefolius*, Nees, in Mart. Fl. Bras. ix. 54. — Bras.  
*Sellowianus*, Nees, l. c. — Bras.  
*thysacanthoides*, Nees, in DC. Prod. xi. 207. — N. Granat.  
*Willdenovianus*, Nees, l. c. — Hab. ?



STEMONE, Franch. & Sav. Enum. Pl. Jap. ii. 92 (1876) = **Stemona**, Lour. (Roxburgh.).

STEMONIX, Rafin. Atl. Journ. 165 (1833) = **Eurycles**, Salisb. (Amaryll.).  
*nervosus*, Rafin. l. c. = *E. sylvestris*.

STEMONOPORUS, Thw. in Hook. Kew Journ. vi. (1854) 67. t. 2 = **Vateria**, Linn. (Dipteroc.).  
*acuminatus*, Bedd. Fl. Sylv. t. 100 = *V. acuminata*.  
*affinis*, Thw. in Hook. Kew Journ. vi. (1854) 68 = *V. affinis*.  
*canaliculatus*, Thw. Enum. Pl. Zeyl. 38 = *V. canaliculata*.  
*Gardneri*, Thw. in Hook. Kew Journ. vi. (1854) 68 = *V. Gardneri*.  
*lanceolatus*, Thw. l. c. = *V. lanceolata*.  
*macrophyllus*, Thw. Enum. Pl. Zeyl. 37 = *V. ceylanica*.  
*Moonii*, Thw. l. c. 39 = *V. Moonii*.  
*nitidus*, Thw. l. c. = *V. nitida*.  
*oblongifolius*, Thw. in Hook. Kew Journ. vi. (1854) 68 = *V. oblongifolia*.  
*petiolaris*, Thw. Enum. Pl. Zeyl. 38 = *V. petiolaris*.  
*reticulatus*, Thw. l. c. = *V. reticulata*.  
*rigidus*, Thw. in Hook. Kew Journ. vi. (1854) 69 = *V. rigida*.  
*Wightii*, Thw. Enum. Pl. Zeyl. 37 = *V. ceylanica*.

STEMONURUS, Blume, Bijdr. 648 (1825) = **Gomphandra**, Wall. et **Lasianthera**, Beauv. (Olac.).  
*affinis*, Miers, l. c. 94 = *G. affinis*.  
*africanus*, Miers, l. c. 87 = *Lasianthera africana*.  
*apicalis*, Miers, in Trans. Linn. Soc. xxii. (1859) 110; Thw. Enum. Pl. Zeyl. 43 = *Lasianthera apicalis*.  
*axillaris*, Miers, Contrib. i. 91 = *G. axillaris*.  
*capitatus*, Becc. Malesia, i. (1877) 114. — Borneo.  
*ceylanica*, Miers, Contrib. i. 93 = *G. axillaris*.  
*coriaceus*, Miers, l. c. 87 = *G. polymorpha*.  
*crassipes*, Kurz, in Journ. As. Soc. Beng. xli. (1872) ii. 298 = *G. crassipes*.  
*Cumingianus*, Miers, Contrib. i. 83 = *G. Cumingiana*, Villar.  
*foetidus*, Wight, Spicil. Neilgherr. i. 21. t. 23 = *Mappia tomentosa*.  
*frutescens*, Blume, Bijdr. 649. — Java.  
*Gardneri*, Miers, Contrib. i. 89 = *G. polymorpha*.  
*grandifolius*, Becc. Malesia, i. (1877) 114. — Borneo.  
*Heyneanus*, Miers, Contrib. i. 91 = *G. axillaris*.  
*javanicus*, Blume, Bijdr. 649 = *Lasianthera javanica*.  
*javanicus*, Korth. ex Blume, Mus. Bot. Lugd. Bat. i. 250 = *G. affinis*.  
*lanceolatus*, Becc. Malesia, i. (1877) 114 = *Lasianthera lanceolata*.  
*laxiflorus*, Miers, in Ann. & Mag. Nat. Hist. Ser. II. x. (1852) 111 = *G. laxiflora*.  
*litoralis*, Blume, Mus. Bot. Lugd. Bat. i. 250 = *Lasianthera littoralis*.  
*longifolius*, Miers, Contrib. i. 90 = *G. axillaris*.  
*macrocarpus*, Blume, Mus. Bot. Lugd. Bat. i. 250 = *Lasianthera macrocarpus*.  
*macrophyllus*, Blume, l. c. = *Lasianthera macrophylla*.  
*membranaceus*, Blume, l. c. = *Lasianthera membranacea*.  
*ovalifolius*, M. Roem. Syn. Hesper. 24 = *Lasianthera ovalifolia*.  
*parviflorus*, Blume, Mus. Bot. Lugd. Bat. i. 250 = *Lasianthera parviflora*.  
*pauciflorus*, Blume, Bijdr. 648. — Java.  
*penangianus*, Miers, Contrib. i. 90 = *G. penangiana*.  
*polymorphus*, Miers, l. c. 87 = *G. polymorpha*.  
*prasinus*, Blume, Mus. Bot. Lugd. Bat. i. 249 = *G. affinis*.  
*punctatus*, Becc. in Malesia, i. (1877) 116, in obs. — Zeylan.?  
*quadrifidus*, Blume, Mus. Bot. Lugd. Bat. i. 249 = *G. penangiana*.  
*scorpioides*, Becc. Malesia, i. (1877) 113. — Borneo.  
*secundiflorus*, Blume, Bijdr. 649 = *Lasianthera apicalis*.  
*tomentellus*, Kurz, in Journ. As. Soc. Beng. xli. (1872) ii. 298 = *G. tomentella*.  
*umbellatus*, Becc. Malesia, i. (1877) 115. — Borneo.  
*vitiensis*, Seem. Fl. Vit. 39. — Ins. Fiji.  
*Walkerii*, Miers, Contrib. i. 93 = *G. polymorpha*.

STEMOPTERA, Miers, in Proc. Linn. Soc. i. (1840) 62 = **Apteria**, Nutt. (Burmann.).  
*lilacina*, Miers, l. c. = *A. setacea*?

STEMOTIS, Rafin. Sylva Tellur. 152 (1838) = **Rhododendron**, Linn. (Ericac.).  
*album*, Rafin. l. c. 153 = *R. album*.  
*coccineum*, Rafin. l. c. = *R. arboreum*.  
*roseum*, Rafin. l. c. = *R. arboreum*.

STENACHAENIUM, Benth. in Benth. & Hook. f. Gen. ii. 289 (1873). **COMPOSITAE**, Benth. & Hook. f. l. c.  
*campestre*, Baker, in Journ. Bot. xvi. (1878) 79. — Bras.  
*macrocephalum*, Benth. ex Benth. & Hook. f. Gen. ii. 289. — Bras.  
*macrocephalum*, Griseb. in Goett. Abh. xxiv. (1879) 183 = *campestre*.  
*megapotamicum*, Baker, in Mart. Fl. Bras. vi. III. 105. — Bras.  
*Riedelii*, Baker, in Journ. Bot. xvi. (1878) 78. — Bras.

STENACTIS, Cass. in Dict. Sc. Nat. xxxvii. 462 (1825) = **Erigeron**, Linn. (Compos.).  
*alpina*, Cass. l. c. 485; l. 485 = *E. alpinus*.  
*ambigua*, DC. Prod. v. 299 = *E. strigosus*.  
*annua*, Cass. in Dict. Sc. Nat. xxxvii. 485 = *E. annuus*.  
*bellidiflora*, A. Br. Ind. Sem. Hort. Berol. (1859) 10 (Quid?). — Helvet.  
*bellidioides*, Nees, Gen. et Sp. Ast. 274 = *E. bellidioides*, Benth. & Hook. f.  
*Beyrichii*, Fisch. & Mey. Ind. Sem. Hort. Petrop. v. n. 2169; ex iisd. vi. 63, in obs. = *E. strigosus*.  
*delphinifolia*, Cass. in Dict. Sc. Nat. xxxvii. 485; l. 483 = *E. delphinifolius*.  
*dubia*, Cass. xxxvii. l. c. 485 = *E. annuus*.  
*glauca*, Nees, Gen. et Sp. Ast. 275 = *E. glaucus*.  
*gnaphalioides*, Cass. in Dict. Sc. Nat. l. 484 = *E. gnaphalioides*.  
*multiradiata*, Lindl. in DC. Prod. v. 299 = *E. multiradiatus*.  
*pilosa*, DC. l. c. = *E. pilosus*.  
*pubescens*, Cass. in Dict. Sc. Nat. l. 484 = *E. pubescens*.  
*speciosa*, Lindl. Bot. Reg. t. 1577 = *E. speciosus*.  
*strigosa*, DC. Prod. v. 299 = *E. strigosus*.  
*verna*, Nees, Gen. et Sp. Ast. 275 = *E. nudicaulis*.

STENANDRIUM, Nees, in Lindl. Introd. Nat. Syst. ed. II. 444 (1836). **ACANTHACEAE**, Benth. & Hook. f. ii. 1095.  
CALDENBACHIA, Pohl, ex Nees, in DC. Prod. xi. 281 (1847).  
HEMITOME, Nees, l. c. 295, in obs. (1847).  
SYNDRA, Schrad. in Goett. Gel. Anz. i. (1821) 715.

*aurantiacum*, Nees, in Mart. Fl. Bras. ix. 78. — Bras.  
*barbatum*, Torr. & Gray, in Pacif. Rail. Rep. ii. 168. t. 4. — Mexic.  
*chameranthemoideum*, Oerst. in Kjoeb. Vidensk. Meddel. (1854) 139. — Mexic.  
*corymbosum*, Nees, in DC. Prod. xi. 727. — N. Granat.  
*decoratum*, Nees, in Mart. Fl. Bras. ix. 79. — Bras.  
*diphyllum*, Nees, l. c. 75. — Bras.  
*droseroides*, Nees, in DC. Prod. xi. 284. — Cuba.  
*dulce*, Nees, l. c. 282. — Chili.  
*elegans*, Nees, l. c. 283. — Venezuela.  
*hirsutum*, Nees, in Mart. Fl. Bras. ix. 77. — Bras.  
*Humboldtianum*, Nees, in DC. Prod. xi. 284. — Am. austr.  
*igneum*, André, in Illustr. Hortic. xxiv. (1877) t. 266. — Peruv.  
*igneum*, Nees, in Mart. Fl. Bras. ix. 78. — Bras.  
*Macraganum*, Nees, in DC. Prod. xi. 282, sphalm. = *dulce*.  
*Macrayanum*, Nees, in Mart. Fl. Bras. ix. 75 (an praec.?). — Chili; Peruv.  
*mandioccanum*, Nees, in Mart. Fl. Bras. ix. 76. — Bras.  
*obtusifolium*, Nees, l. c. 78. — Bras.  
*ornatum*, Nees, in DC. Prod. xi. 291 = *Aphelandra ornata*.  
*Pohlui*, Nees, in Mart. Fl. Bras. ix. 75. — Bras.  
*punctatum*, Griseb. Cat. Pl. Cub. 196. — Ind. occ.  
*radicosum*, Nees, in DC. Prod. xi. 283. — N. Granat.  
*Riedelianum*, Nees, in Mart. Fl. Bras. ix. 76. — Bras.  
*rupestre*, Nees, in DC. Prod. xi. 283. — Ind. occ.  
*scabrosum*, Nees, l. c. 284. — Ins. S. Doming.  
*serpens*, Nees, in Mart. Fl. Bras. ix. 77. — Bras.  
*speciosum*, Nees, ex Mart. in Flora, xxiv. (1841) ii. Beibl. 24 = *Geissomeria longiflora*.  
*tenellum*, Nees, in Mart. Fl. Bras. ix. 77. — Bras.

STENANDRIUM:—  
*trinerve*, Nees, in Mart. Fl. Bras. ix. 75. — Bras.  
*venatum*, Nees, l. c. 79. — Bras.  
*villosum*, Nees, l. c. 77. — Bras.

STENANTHEMUM, Reiss. in Linnaea, xxix. (1857–58) 295. **RHAMNEAE**, Benth. & Hook. f. i. 382.  
*coronatum*, Reiss. l. c. — Austral.  
*humile*, Benth. Fl. Austral. i. 436. — Austral.  
*leucophractum*, Reiss. in Linnaea, xxix. (1857–58) 295. — Austral.  
*pimeleoides*, Benth. Fl. Austral. i. 436. — Tasman.  
*pomaderoides*, Reiss. in Linnaea, xxix. (1857–58) 295. — Austral.  
*tridentatum*, Reiss. l. c. = *Spyridium tridentatum*.  
*Waterhousii*, Benth. Fl. Austral. i. 436. — Austral.

STENANTHERA, R. Br. Prod. 538 (1810) = **Astroloma**, R. Br. (Epacrid.).  
*brachyloma*, F. Muell. Fragm. iv. 99 = *Brachyloma concolor*.  
*ciliata*, Lindl. Swan River App. 25 = *A. longiflorum*.  
*conostephioides*, Sond. in Lehm. Pl. Preiss. i. 296 = *A. conostephioides*.  
*ericoides*, F. Muell. Fragm. iv. 98 = *Brachyloma ericoides*.  
*pinifolia*, R. Br. Prod. 538 = *A. pinifolium*.  
*squamuligera*, F. Muell. Fragm. iv. 97 = *A. Baxteri*.

STENANTHIUM, Kunth, Enum. Pl. iv. 189 (1843). **LILIACEAE**, Benth. & Hook. f. iii. 835.  
*angustifolium*, Kunth, l. c. 190. — Am. bor.  
*frigidum*, Kunth, l. c. — Mexic.  
*gramineum*, Kunth, l. c. = *angustifolium*.  
*occidentale*, A. Gray, in Proc. Am. Acad. viii. (1872) 405. — Am. bor. occ.  
*robustum*, S. Wats. l. c. xiv. (1879) 278. — Am. bor.  
*sachalinense*, F. Schmidt, Reisen Amurl. 188. — Ins. Sachalin.

STENANTHUS, Oerst. ex Hanst. in Linnaea, xxvi. (1853) 209 = **Columnea**, Plum. (Gesner.).  
*heterophyllus*, Oerst. ex Hanst. l. c. = *C. heterophylla*.  
*sanguinolentus*, Klotzsch, ex Oerst. in Vidensk. Selsk. Skr. V. v. (1861) 123 = *C. sanguinolenta*.  
*serratus*, Klotzsch, ex Oerst. l. c. = *C. serrata*.  
*squarrosus*, Klotzsch, ex Oerst. l. c. = *C. sanguinolenta*.

STENAPHIA, A. Rich. Tent. Fl. Abyss. i. 9 (1847), sphalm. = **Stephania**, Lour. (Menisp.).

STENARIA, Rafin. ex Steud. Nom. ed. II. i. 776, in syn. (1840) = **Houstonia**, Gronov. (Rubiace.).

STENARRHENA, D. Don, Prod. Fl. Nep. 111 (1825) = **Salvia**, Tourn. (Labiata).  
*lanata*, D. Don, l. c. = *Salvia lanata*.

STENGELIA, Neck. Elem. ii. 258 (1790) = **Mourera**, Aubl. (Podost.).

STENGELIA, Sch. Bip. in Flora, xxiv. (1841) i. Intell. 26 = **Vernonia**, Schreb. (Compos.).  
*adoensis*, Sch. Bip. l. c., nomen = *V. adoensis*.  
*Calvoana*, Hook. f. in Journ. Linn. Soc. vii. (1864) 199 = *V. Calvoana*.  
*controversa*, Sch. Bip. ex Walp. Rep. ii. 947 = *V. abyssinica*.  
*insignis*, Hook. f. in Journ. Linn. Soc. vii. (1864) 199 = *V. insignis*.  
*Kotschyana*, Hochst. in Flora, xxv. (1842) i. Beibl. 134, nomen = *V. Kotschyana*.  
*Schimperi*, Steetz, in Peters, Reise Mossamb. Bot. 360 = *V. Schimperi*.

STENIA, Lindl. Bot. Reg. sub t. 1991 (1837). **ORCHIDEAE**, Benth. & Hook. f. iii. 553.  
STENOPOLEN, Rafin. Fl. Tellur. iv. 49 (1836), nomen prius.  
*Beaumontii*, A. Rich. Cat. Hort. Pescat. ex Richb. f. Otia Bot. Hamb. iii. 37 = *Batemannia Beaumontii*.  
*fimbriata*, Linden & Reichb. f. in Gard. Chron. (1868) 1313 = *Chondrorhyncha fimbriata*.  
*guttata*, Reichb. f. l. c. (1880) ii. 134. — Peruv.  
*pallida*, Lindl. Bot. Reg. sub t. 1991; (1838) t. 20. — Guian.

STENOCAELIUM, Ledeb. & Hook. f. Gen. i. 902 (1867), sphalm = **STENOCOELIUM**, Ledeb. = **Seseli**, Linn. (Umbell.).

**STENOCALYX**, Berg. in *Linnaea*, xxvii. (1854) 309 = *Eugenia*, Mich. (Myrtac.).  
*affinis*, Berg. in *Mart. Fl. Bras.* xiv. i. 336.—Bras.  
*alagoensis*, Berg. l. c. 350.—Bras.  
*alagans*, Berg. in *Linnaea*, xxx. (1859-60) 698 = *Calyptranthes cuprea*?  
*bahiensis*, Berg. in *Mart. Fl. Bras.* xiv. i. 351.—Bras.  
*blastanthus*, Berg. l. c. 348.—Bras.  
*brasilensis*, Berg. l. c. 347 = *E. brasiliensis*.  
*brunneus*, Berg. l. c. 335.—Bras.  
*costatus*, Berg. l. c. 340 = *E. costata*, Cambess.  
*dasyblastus*, Berg. l. c. 337.—Bras.  
*dentatus*, Berg. l. c. 338.—Bras.  
*Duarceanus*, Berg. l. c. 342 = *E. Duarceana*.  
*dysentericus*, Berg. l. c. 351 = *E. dysenterica*.  
*Gardnerianus*, Berg. l. c. 350.—Bras.  
*gemmiflorus*, Berg. l. c. 344.—Bras.  
*glaber*, Berg. l. c. 337.—Bras.  
*grandiflorus*, Berg. l. c. 347.—Bras.  
*grandifolius*, Berg. l. c. 340.—Bras.  
*impressus*, Berg. l. c. 593.—Bras.  
*impunctatus*, Berg. l. c. 336 = *E. multiflora*.  
*lanceolatus*, Berg. l. c. 341 = *E. Uvalha*.  
*Langsdorffii*, Berg. l. c. 594 = *E. linearifolia*?  
*laxus*, Berg. l. c. 349 = *E. laxa*.  
*ligustrinus*, Berg. in *Linnaea*, xxvii. (1854) 312 = *E. ligustrina*, Willd.  
*longipes*, Berg. in *Mart. Fl. Bras.* xiv. i. 345.—Bras.  
*lucidus*, Berg. l. c. 337.—Bras.  
*Micheli*, Berg. l. c. = *E. uniflora*, Linn.  
*mollicoma*, Berg. l. c. 350 = *E. mollicoma*.  
*mutabilis*, Berg. l. c. 347.—Bras.  
*myrtifolius*, Berg. l. c. 342 = *E. myrtifolia*, Cambess.  
*oblongifolius*, Berg. l. c. 339.—Bras.  
*Patrisii*, Berg. in *Linnaea*, xxix. (1857-58) 247 = *E. Patrisii*.  
*pistaciaefolius*, Berg. in *Mart. Fl. Bras.* xiv. i. 343 = *E. pistaciaefolia*.  
*Pitanga*, Berg. l. c. 341.—Bras.  
*pilus*, Berg. l. c. 342 = *E. pia*.  
*Plumieri*, Berg. in *Linnaea*, xxx. (1859-60) 698.—Ind. occ.  
*portoricensis*, Berg. l. c. xxix. (1857-58) 246 = *E. portoricensis*.  
*protractus*, Berg. in *Mart. Fl. Bras.* xiv. i. 593.—Bras.  
*Pseudo-psidium*, Berg. in *Linnaea*, xxvii. (1854) 314 = *E. Pseudo-psidium*.  
*reticulatus*, Berg. in *Mart. Fl. Bras.* xiv. i. 340 = *E. ligustrina*, Miq.  
*Riedelianus*, Berg. l. c. 349.—Bras.  
*sessilifolius*, Berg. l. c. 344 = *E. sessilifolia*.  
*silvestris*, Berg. l. c. 346 = *E. brasiliensis*.  
*squamiflorus*, Berg. l. c. 345.—Bras.  
*stipularis*, Berg. l. c. 348.—Bras.  
*strigosus*, Berg. l. c. 335.—Bras.  
*sulcatus*, Berg. l. c. 339 = *E. sulcata*.  
*ubensis*, Berg. l. c. 344 = *E. ubensis*.  
*xanthoxyloides*, Berg. l. c. 346 = *E. xanthoxyloides*.

**STENOCALYX**, Turcz. in *Bull. Soc. Nat. Mosc.* xxxi. (1858) i. 393. *MALPIGHIACEAE*.  
*involutus*, Turcz. l. c. 394.—N. Granat.

**STENOCARPUS**, R. Br. in *Trans. Linn. Soc. x.* (1810) 201. *PROTEACEAE*, Benth. & Hook. f. iii. 182.  
*AGNOSTUS*, A. Cunn. in *Loud. Hort. Brit.* 530 (1830).  
*CYBELE*, Salisb. in *Knight, Prot.* 123 (1809), nomen prius.  
*acacioides*, F. Muell. *Fragm.* i. 135 = *salignus*.  
*concolor*, F. Muell. l. c. iii. 147 = *salignus*.  
*Cunninghami*, R. Br. *Prot. Nov.* 34.—Austral.  
*Cunninghami*, Hook. *Bot. Mag.* t. 4263 = *sinuatus*.  
*dareoides*, Brongn. & Gris, in *Bull. Soc. Bot. Fr.* xii. (1865) 45; et in *Ann. Sc. Nat. Sér. V.* iii. (1865) 208.—N. Caled.  
*elegans*, Brongn. & Gris, *ll. cc.* 44; 207.—N. Caled.  
*Forsteri*, R. Br. in *Trans. Linn. Soc. x.* (1810) 201.—N. Caled.  
*gracilis*, Brongn. & Gris, in *Bull. Soc. Bot. Fr.* xii. (1865) 43; et in *Ann. Sc. Nat. Sér. V.* iii. (1865) 205.—N. Caled.  
*heterophyllus*, A. Brongn. & Gris, *ll. cc.* 44; 207.—N. Caled.  
*intermedius*, A. Brongn. & Gris, *ll. cc.* 42; 204.—N. Caled.  
*latifolius*, Montr. in *Mém. Acad. Lyon*, x. (1860) 249.—N. Caled.

**STENOCARPUS** :—

*laurifolius*, Panch. & Sebert, *Not. Bois Nouv. Caléd.* 181 = *laurinus*.  
*laurinus*, Brongn. & Gris, in *Bull. Soc. Bot. Fr.* xii. (1865) 43; et in *Ann. Sc. Nat. Sér. V.* iii. (1865) 205.—N. Caled.  
*Milnei*, Hook. *Kew Journ.* vi. (1854) 359.—N. Caled.  
*Moorei*, F. Muell. *Fragm.* i. 134 = *salignus*.  
*rubiginosus*, Brongn. & Gris, in *Bull. Soc. Bot. Fr.* xii. (1865) 43; et in *Ann. Sc. Nat. Sér. V.* iii. (1865) 206.—N. Caled.  
*salignus*, R. Br. in *Trans. Linn. Soc. x.* (1810) 202.—Austral.  
*sinuatus*, Endl. *Gen. Suppl.* iv. ii. 88.—Austral.  
*sinuosus*, F. Muell. *Fragm.* vi. 224 = *præc.*?  
*tremuloides*, Brongn. & Gris, in *Bull. Soc. Bot. Fr.* xii. (1865) 44; et in *Ann. Sc. Nat. Sér. V.* iii. (1865) 207.—N. Caled.  
*villosus*, Brongn. & Gris, *ll. cc.* 44; 206.—N. Caled.

**STENOCEPHALUM**, Sch. Bip. in *Pollichia*, xx-xxi. (1863) 385 = *Vernonia*, Schreb. (Compos.).  
*apiculatum*, Sch. Bip. l. c. 387 = *V. apiculata*.  
*brevifolium*, Sch. Bip. l. c. = *V. megapotamica*.  
*hexanthum*, Sch. Bip. l. c. 390 = *V. hexantha*.  
*megapotamicum*, Sch. Bip. l. c. 388 = *V. megapotamica*.  
*melanotrichium*, Sch. Bip. l. c. = *V. megapotamica*.  
*monticolum*, Sch. Bip. l. c. 386 = *V. monticola*.  
*penicillatum*, Sch. Bip. l. c. 389 = *V. megapotamica*.  
*targiaefolium*, Sch. Bip. l. c. = *V. megapotamica*.

**STENOCHASMA**, Griff. *Notul.* iii. 431 (1851) = *Amomum*, Linn. (Scitam.).  
*convoluta*, Griff. l. c. 433 = *A. Leonurus*.  
*urceolare*, Griff. l. c. 431 = *A. scyphiferum*.

**STENOCHASMA**, Miq. *Pl. Jungh.* 45 (1850) = *Broussonetia*, L'Hérit. (Urtic.).  
*ancolanum*, Miq. l. c. = *Sumatra*.

**STENOCHILUS**, R. Br. *Prod.* 517 (1810) = *Eremophila*, R. Br. (Myopor.).  
*albicans*, Bartl. in *Lehm. Pl. Preiss.* i. 351 = *E. Brownii*.  
*bignoniæflorus*, Benth. in *Mitch. Journ. Trop. Austral.* 386 = *E. bignoniiflora*.  
*curvipes*, Benth. l. c. 221 = *E. maculata*.  
*glaber*, R. Br. *Prod.* 517 = *E. Brownii*.  
*incanus*, Lindl. in *Bot. Reg.* (1839) Misc. 70 = *E. Brownii*.  
*longifolius*, R. Br. *Prod.* 517 = *E. longifolia*.  
*longifolius*, A. Cunn. ex Lindl. *Bot. Reg.* (1839) Misc. 69 (an *præc.*?).—Austral.  
*maculatus*, Ker-Gawl. in *Bot. Reg.* t. 647 = *E. maculata*.  
*ochroleucus*, A. Cunn. ex A. DC. in *DC. Prod.* xi. 715 = *E. Brownii*.  
*pubiflorus*, Benth. in *Mitch. Journ. Trop. Austral.* 273 = *E. longifolia*.  
*racemosus*, Endl. in *Ann. Wien. Mus.* ii. (1838) 202 = *E. maculata*.  
*salicinus*, Benth. in *Mitch. Journ. Trop. Austral.* 251 = *E. longifolia*.  
*serrulatus*, DC. *Prod.* xi. 715 = *E. latifolia*.  
*subcanescens*, Bartl. in *Lehm. Pl. Preiss.* i. 351 = *E. Brownii*.  
*viscosus*, R. Grah. in *Edinb. N. Phil. Journ.* (Jan.-Mar. 1829) 387 = *E. Brownii*.

**STENOCHLOA**, Nutt. in *Journ. Acad. Philad. N. S.* i. (1847) 189 = *Dissanthelium*, Trin. (Gramin.).  
*californica*, Nutt. l. c. = *D. californica*.

**STENOCLINE**, DC. *Prod.* vi. 218 (1837). *COMPOSITAE*, Benth. & Hook. f. ii. 312.  
*bracteifera*, DC. l. c. = *Madag.*  
*chionaea*, DC. l. c. 219.—Bras.  
*ericoides*, DC. l. c. = *Madag.*  
*ferruginea*, Baker, in *Journ. Linn. Soc. xx.* (1883) 187.—*Madag.*  
*filaginoides*, DC. *Prod.* vi. 219.—*Madag.*  
*fruticosa*, Baker, in *Journ. Linn. Soc. xx.* (1883) 186.—*Madag.*  
*Gardneri*, Baker, in *Mart. Fl. Bras.* vi. III. 127 = *satureoides*.

**STENOPTERA** :—

*gymnocephala*, DC. *Prod.* vi. 218.—*Madag.*  
*incana*, Baker, in *Journ. Linn. Soc. xx.* (1883) 187.—*Madag.*  
*inuloides*, DC. in *Deless. Ic. Sel.* iv. t. 53.—*Madag.*  
*lecheoides*, DC. *Prod.* vi. 218.—*Madag.*  
*pusilla*, Klatt, in *Ann. Sc. Nat. Sér. V.* xviii. (1873) 373.—Ins. Maurit.  
*satureoides*, Benth. & Hook. f. *Gen.* ii. 312.—Bras.

**STENOCOELIUM**, Ledeb. *Fl. Alt.* i. 298 (1829) = *Seseli*, Linn. (Umbell.).  
*athamantoides*, Ledeb. l. c. = *Sibir. altaic.*  
*divaricatum*, Turcz. in *Bull. Soc. Nat. Mosc.* (1838) 93; xvii. (1844) 734 = *Siler divaricatum*.  
*trichocarpum*, Schrenk, in *Bull. Phys.-Math. Acad. Pétersb.* i. (1843) 80.—*Soongar.*

**STENOCORYNE**, Lindl. *Bot. Reg.* (1843) Misc. 53 = *Bifrenaria*, Lindl. (Orchid.).  
*longicornis*, Lindl. l. c. = *B. longicornis*.

**STENODISCUS**, Reiss. in *Linnaea*, xxix. (1857-58) 295 = *Spyridium*, Fenzl (Rhamn.).  
*ulicinus*, Reiss. l. c. = *Spyr. ulicinum*.

**STENODON**, Naud. in *Ann. Sc. Nat. Sér. III.* ii. (1844) 146. *MELASTOMACEAE*, Benth. & Hook. f. i. 737.  
*gracilis*, Berg. ex Triana, in *Trans. Linn. Soc.* xxviii. (1871) 25.—Bras.  
*suberosus*, Naud. in *Ann. Sc. Nat. Sér. III.* ii. (1844) 146, t. 3.—Bras.

**STENOCASTRA**, Hanst. in *Linnaea*, xxvi. (1853-55) 205 = *Sinningia*, Nees (Gesner.).  
*concinna*, Hook. f. *Bot. Mag.* t. 5253.—Bras.  
*hirsuta*, Hanst. in *Linnaea*, xxvi. (1853-55) 205.—Bras.  
*multiflora* ×, Lem. *Illustr. Hort.* (1864) t. 390.

**STENOGLOSSUM**, H. B. & K. *Nov. Gen. et Sp.* i. 355. t. 87 (1815). *ORCHIDEAE*, Benth. & Hook. f. iii. 523.  
*coriophorum*, Lindl. *Gen. et Sp. Orch.* 62 = *seq.*  
*corynephorum*, Spreng. *Syst.* iii. 742 = *seq.*  
*coryphorum*, H. B. & K. *Nov. Gen. et Sp.* i. 356.—N. Granat.  
*subulatum*, Lindl. in *Hook. Ic. Pl.* t. 51 = *coryphorum*.

**STENOGLOTTIS**, Lindl. in *Hook. Comp. Bot. Mag.* ii. (1836) 209. *ORCHIDEAE*, Benth. & Hook. f. iii. 622.  
*calcarata*, Reichb. f. in *Flora*, xlviii. (1865) 180 = *Habenaria calcarata* (in *Addend.*).  
*fimbriata*, Lindl. in *Hook. Comp. Bot. Mag.* ii. (1836) 210.—Afr. austr.

**STENOgonum**, Nutt. in *Journ. Acad. Philad. N. S.* i. (1847) 170 = *Eriogonum*, Michx. (Polygon.).  
*salsuginosum*, Nutt. l. c. = *E. salsuginosum*.

**STENOgyne**, Benth. in *Bot. Reg.* sub t. 1292 (1831). *LABIATAE*, Benth. & Hook. f. ii. 1217.  
*PHAEOPSIS*, Nutt. ex Benth. in *DC. Prod.* xii. 555 (1848).  
*angustifolia*, A. Gray, in *Proc. Am. Acad.* v. (1861-62) 348.—Ins. Sandvic.  
*calaminthoides*, A. Gray, l. c. 347.—Ins. Sandvic.  
*cordata*, Benth. *Lab. Gen. et Sp.* 654.—Ins. Sandvic.  
*crenata*, A. Gray, in *Proc. Am. Acad.* v. (1861-62) 348.—Ins. Sandvic.  
*diffusa*, A. Gray, l. c. = *microphylla*.  
*Haliakalae*, Wawra, in *Flora*, lv. (1872) 554 = *rotundifolia*.  
*Kaaleae*, Wawra, in *Flora*, lv. (1872) 556.—Ins. Sandvic.  
*Kamehamehae*, Wawra, l. c. 532 = *calaminthoides*.  
*Kealiae*, Wawra, l. c. 556 = *purpurea*.  
*macrantha*, Benth. in *Bot. Reg.* sub t. 1292.—Ins. Sandvic.  
*microphylla*, Benth. *Lab. Gen. et Sp.* 655.—Ins. Sandvic.  
*Nelsonii*, Benth. *Lab. Gen. et Sp.* 655 = *scrophularioides*.  
*parviflora*, H. Mann, in *Proc. Am. Acad.* vii. (1867) 193.—Ins. Sandvic.  
*purpurea*, H. Mann, l. c.—Ins. Sandvic.  
*rotundifolia*, A. Gray, in *Proc. Am. Acad.* v. (1861-62) 347.—Ins. Sandvic.

**STENOGYNE** :—

*rugosa*, Benth. in Bot. Reg. sub t. 1292.—Ins. Sandvic.  
*scrophularioides*, Benth. l. c.—Ins. Sandvic.  
*sessilis*, Benth. Lab. Gen. et Sp. 654.—Ins. Sandvic.

STENOGYNE, Cass. in Dict. Sc. Nat. l. 493 (1827) = *Eriocephalus*, Linn. (Compos.).

STENOLOBIUM, Benth. in Ann. Wien. Mus. ii. (1838) 125 = *Calopogonium*, Desv. (Legumin.).  
*arborescens*, Wawra, in Flora, xlvii. (1864) 243.—Bras.  
*brachycarpum*, Benth. in Seem. Bot. Voy. Herald, 109 = *C. mucunoides*.  
*caeruleum*, Benth. in Ann. Wien. Mus. ii. (1838) 125 = *C. caeruleum*.  
*galactioides*, Benth. in Mart. Fl. Bras. xv. i. 140 = *C. galactioides*.  
*glabrum*, Benth. in Ann. Wien. Mus. ii. (1838) 125 = *C. caeruleum*.  
*tomentosum*, Benth. l. c. = *C. caeruleum*.  
*velutinum*, Benth. in Ann. Nat. Hist. Ser. I. iii. (1839) 437 = *Rhynchosia Luschnathiana*.

STENOLOBIUM, D. Don, in Edinb. Phil. Journ. ix. (1823) 264 = *Tecoma*, Juss. (Bignon.).  
*castanifolium*, D. Don, l. c. = *Bignonia castaneaefolia*.  
*molle*, Seem. Journ. Bot. i. (1863) 90 = *T. mollis*.  
*sambucifolium*, Seem. l. c. 91 = *T. stans*.  
*stans*, Seem. l. c. 88 = *T. stans*.

STENOLOPHUS, Cass. in Dict. Sc. Nat. xlv. 35 (1826); l. 499 (1827) = *Centaurea*, Linn. (Compos.).

STENOMERIA, Turcz. in Bull. Soc. Nat. Mosc. xxv. (1852) ii. 312. *ASCLEPIADEAE*, Benth. & Hook. f. ii. 756.  
*decapilis*, Turcz. l. c. —N. Granat.  
*pentalepis*, Turcz. l. c. 313.—N. Granat.

STENOMERIS, Planch. in Ann. Sc. Nat. Sér. III. xviii. (1852) 319. *DIOSCOREACEAE*, Benth. & Hook. f. iii. 745.  
*Cumingiana*, Becc. in Nuov. Giorn. Bot. Ital. ii. (1870) 8.—Ins. Philipp.  
*dioscoreaefolia*, Planch. in Ann. Sc. Nat. Sér. III. xviii. (1852) 320.—Ins. Philipp.

STENOMESSION, Herb. App. [Bot. Reg.] 40 (1821). *AMARYLLIDEAE*, Benth. & Hook. f. iii. 733.  
*CALLITHAUMA*, Herb. Amaryll. 225 (1837).  
*CARPODETES*, Herb. App. [Bot. Reg.] 41 (1821).  
*CHRYPSIPHIALA*, [Ker-Gawl. in] Bot. Reg. sub t. 778 (1824).  
*CLINANTHUS*, Herb. App. [Bot. Reg.] 40 (1821).  
*CLITANTHES*, Herb. in Bot. Reg. xxv. (1839) Misc. 87.  
*COBURGIA*, Sweet, Brit. Flow. Gard. Ser. II. t. 17 (1838).  
*NEAERA*, Salisb. Gen. Fl. Fragm. 109 (1866).  
*SPHAEROTELE*, Presl, Rel. Haenk. 119. t. 16 (1830).  
*acutum*, Baker, in Saund. Refug. Bot. sub t. 308 = *incarnatum*.  
*aurantiacum*, Herb. App. [Bot. Reg.] 40.—Ecuador.  
*breviflorum*, Herb. Amaryll. 199. t. 28. f. 7, 8 = *coccineum*.  
*coccineum*, Herb. App. [Bot. Reg.] 40.—Peruv.  
*croceum*, Herb. Amaryll. 199. t. 28. f. 4.—Peruv.  
*curvidentatum*, Herb. in Bot. Mag. t. 2640 = *flavum*.  
*discolor*, Baker, in Saund. Refug. Bot. sub t. 308 = *recurvatum*.  
*eustephioides*, Herb. in Bot. Reg. (1843) Misc. 62 = *aurantiacum*.  
*flavum*, Herb. App. [Bot. Reg.] 40.—Peruv.  
*Hartwegii*, Lindl. Bot. Reg. (1844) t. 42 = *aurantiacum*.  
*humilis*, Baker, in Saund. Refug. Bot. sub t. 308.—Peruv.  
*incarnatum*, Baker, l. c.—Peruv.  
*latifolium*, Herb. in Bot. Mag. t. 3803 = *flavum*.  
*luteoviride*, Baker, l. c. t. 6508.—Ecuador.  
*luteum*, Baker, in Saund. Refug. Bot. sub t. 308 = *recurvatum*.  
*obragillensis*, Baker, l. c. = *recurvatum*.  
*pauciflorum*, Sweet, Hort. Brit. ed. I. 406; Herb. Amaryll. 198. t. 28. f. 3 = *flavum*.  
*Pearcei*, Baker, in Saund. Refug. Bot. t. 308.—Peruv.  
*recurvatum*, Baker, l. c.—Peruv.  
*rubrum*, Herb. Amaryll. 199. t. 28. f. 6.—Peruv.  
*Ruizianum*, Kunth, Enum. Pl. v. 642 = *croceum*.

**STENOMESSION** :—

Stricklandi, Baker, in Gard. Chron. (1882) ii. 102.—Ecuador.  
*suspensum*, Baker, in Saund. Refug. Bot. t. 22.—Peruv.  
*viridiflorum*, Benth. & Hook. f. Gen. iii. 733.—Peruv.  
*vitellinum*, Lindl. Bot. Reg. (1843) t. 2 = *flavum*.

STENONEMA, Hook. ex Benth. & Hook. f. Gen. i. 75 (1862) = *Dolichostylis*, Turcz. (Crucif.).

STENONIA, Baill. Etud. Gén. Euph. 578. t. 22 (1858). *EUPHORBACEAE*, Benth. & Hook. f. iii. 267.  
*Boiviniana*, Baill. l. c. 579. t. 22.—Afr. trop.

STENONIA, Didr. in Kjoeb. Vidensk. Meddel. (1857) 146 = *Argithamnia*, Sw. (Euphorb.).  
*montevidensis*, Didr. l. c. 148 = *A. montevidensis*.

STENOPETALUM, R. Br. ex DC. Syst. ii. 513 (1821); et in Mém. Mus. Par. vii. (1821) 239. *CRUCIFERAE*, Benth. & Hook. f. i. 82.  
*australis*, C. Muell. in Walp. Ann. vii. 146, sphalm. = *Menkea draboides*.  
*croceum*, Bunge, in Lehm. Pl. Preiss. i. 258 = *robustum*.  
*draboides*, Hook. Ic. Pl. t. 617 = *Menkea draboides*.  
*filifolium*, Benth. Fl. Austral. i. 78.—Austral.  
*gracile*, Bunge, in Lehm. Pl. Preiss. i. 257 = *robustum*.  
*incisifolium*, Hook. f. in Hook. Ic. Pl. t. 276 = *Capsella procumbens*.  
*lineare*, R. Br. ex DC. Syst. ii. 513.—Austral.  
*minus*, Bunge, in Lehm. Pl. Preiss. i. 258 = *robustum*.  
*nutans*, F. Muell. Fragm. iii. 27.—Austral.  
*pedicellare*, F. Muell. ex Benth. Fl. Austral. i. 79.—Austral.  
*procumbens*, Hook. Ic. Pl. t. 610 = *Menkea australis*.  
*robustum*, Endl. in Enum. Pl. Hueg. 4.—Austral.  
*sphaerocarpum*, F. Muell. in Trans. Phil. Soc. Vict. i. (1855) 35.—Austral.  
*velutinum*, F. Muell. Vict. Pl. i. 49.—Austral.

STENOPHRAGMA, Celak. in Arch. Naturw. Landesd. Boehm. iii. (1875) 445. *CRUCIFERAE*.  
*Thalianum*, Čelak. l. c.—Hispan.

STENOPHYLLUM, Sch. Bip. ex Benth. & Hook. f. Gen. ii. 391 (1873) = *Calea*, Linn. (Compos.).  
*senecioides*, Sch. Bip. ex Baker, in Mart. Fl. Bras. vi. iii. 258 = *C. senecioides*.  
*Senecionis*, Sch. Bip. ex Benth. & Hook. f. Gen. ii. 391 = *C. senecioides*.

STENOPHYLLUS, Rafin. Neogenyt. 4 (1825) = *Scirpus*, Tourn. (Cyper.).  
*caespitosus*, Rafin. l. c. (= *Isolepis stenophylla*).—Am. bor.

STENOPOLEN, Rafin. Fl. Tellur. iv. 49 (1836) = *Stenia*, Lindl. (1837) (Orchid.).

STENOPTERA, Presl, Rel. Haenk. i. 95. t. 14 (1827). *ORCHIDEAE*, Benth. & Hook. f. iii. 595.  
*PORPHYROSTACHYS*, Reichb. f. Xenia Orch. i. 18 (1854).  
*acuta*, Lindl. Gen. et Sp. Orch. 447.—Bras.  
*ananassacomus*, Reichb. f. in Bot. Zeit. xxi. (1863) 131.—Jamaic.  
*cardinalis*, Lindl. Gen. et Sp. Orch. 448.—Peruv.  
*goodyeroides*, Reichb. f. in Bonplandia, iv. (1856) 211.—Peruv.  
*macrostachya*, Reichb. f. in Bonplandia, iv. (1856) 211 = *peruviana*.  
*peruviana*, Presl, Rel. Haenk. i. 95.—Peruv.  
*viscosa*, Reichb. f. in Bonplandia, iv. (1856) 211.—Peruv.

STENORHYNCHUS, Lindl. in Ann. & Mag. Nat. Hist. Ser. I. xv. (1845) 386 = seq.

STENORHYNCHUS, Lindl. in Benth. Pl. Hartw. 92 (1842) = seq.

STENORRHYNCHIUM, Reichb. Nom. 55 (1841) = seq.

STENORRHYNCHOS, Spreng. Gen. ii. 660 (1831) = seq.

STENORRHYNCHUS, Reichb. Consp. 67 (1828) = seq.

STENORYNCHUS, Rich. in Mém. Mus. Par. iv. (1818) 59 = *Spiranthes*, Rich. (Orchid.).  
*actinophila*, Rodr. Orch. Nov. ii. p. xv (Index) = *Sp. actinophila*.

*albescens*, Rodr. l. c. i. p. x (Index) = *Sp. micrantha*.  
*aphyllus*, Lindl. Gen. et Sp. Orch. 478 = *Sp. orchioides*.

*argenteus*, Griseb. in Goett. Abh. xxiv. (1879) 339.—Reg. Argent.

*Arrabidae*, Reichb. f. in Linnaea, xxii. (1849) 815 = *Sp. Arrabidae*.

*aurantiacus*, Lindl. Gen. et Sp. Orch. 479 = *Sp. aurantiaca*.

*australis*, Lindl. l. c. 477 = *Sp. orchioides*?  
*calcaratus*, Rich. in Mém. Mus. Par. iv. (1818) 59 = *Pelexia setacea*.

*ceracifolia*, Rodr. Orch. Nov. ii. p. xv (Index) = *Sp. ceracifolia*.  
*cernuus*, Lindl. in Ann. & Mag. Nat. Hist. Ser. I. xv. (1845) 386.—Ecuador.

*cinnabarinus*, Lindl. Gen. et Sp. Orch. 479 = *Sp. cinnabarina*.

*epiphyta*, Rodr. Orch. Nov. i. p. x (Index) = *Sp. epiphyta*.

*euphlebia*, Reichb. f. in Regel, Gartenfl. (1853) 3, in obs. = *Sp. euphlebia*.

*flavus*, Spreng. Syst. iii. 710 = *Corymbis flava*.  
*hypnophila*, Rodr. Orch. Nov. i. p. x (Index) = *Sp. hypnophila*.

*hysterantha*, Rodr. l. c. = *Sp. hysterantha*.  
*icmadophila*, Rodr. l. c. ii. p. xv (Index) = *Sp. icmadophila*.

*lanceolatus*, Rich. in Mém. Mus. Par. iv. (1818) 59 = *Sp. orchioides*?

*laxus*, Poepp. & Endl. Nov. Gen. et Sp. ii. 7. t. 109 = *Pelexia laxa*.

*lupulina*, Lindl. Gen. et Sp. Orch. 479 = *Sp. lupulina*.

*macropoda*, Rodr. Orch. Nov. i. p. x (Index) = *Sp. macropoda*.

*madrensis*, Reichb. f. in Bonplandia, iii. (1855) 177 = *Sp. madrensis*.

*michuacanus*, Lindl. Gen. et Sp. Orch. 480 = *Sp. mechoacana*.

*montanus*, Lindl. in Benth. Pl. Hartw. 95 = *Sp. montana*.

*novofriburgensis*, Reichb. f. in Linnaea, xxii. (1849) 815 = *Sp. novofriburgensis*.

*nutans*, Kunth & Bouché, Ind. Sem. Hort. Berol. (1848) 12.—Venezuela.

*orchioides*, Rich. in Mém. Mus. Par. iv. (1818) 59 = *Sp. orchioides*.

*papulosus*, Lindl. Gen. et Sp. Orch. 477.—Mexic.

*pauciflorus*, Reichb. f. in Bonplandia, iv. (1856) 211 = *Sp. pauciflora*.

*polystachyon*, Spreng. Syst. iii. 710 (= *Chloidia vernalis*).—Jamaic.

*speciosus*, Rich. in Mém. Mus. Par. iv. (1818) 59 = *Sp. colorata*.

*squamulosus*, Spreng. Syst. iii. 710.—N. Granat.

*sulphureus*, Lindl. Gen. et Sp. Orch. 478 = *Sp. sulphurea*.

*umbrosa*, Rodr. Orch. Nov. i. p. x (Index) = *Sp. umbrosa*.

*vaginat*, Spreng. Syst. iii. 710; Reichb. f. in Linnaea, xli. (1877) 101 = *Sp. vaginata*.

STENOSEMIS, E. Mey. ex Harv. & Sond. Fl. Cap. ii. 551 (1862) = *Annesorhiza*, Cham. & Schlecht. (Umbell.).

*angustifolia*, E. Mey. ex Harv. & Sond. l. c.—Afr. austr.

*caffra*, Sond. l. c.—Afr. austr.

*teretifolia*, E. Mey. ex Sond. l. c. = *caffra*.

STENOSIPHON, Spach, in Nouv. Ann. Mus. Par. iv. (1835) 326, 384. *ONAGRARIEAE*, Benth. & Hook. f. i. 792.

*linifolium*, Heynh. Nom. ii. 704 = *virgatum*.  
*virgatum*, Spach, in Nouv. Ann. Mus. Par. iv. (1835) 385.—Am. bor.

STENOSIPHONIUM, Nees, in Wall. Pl. As. Rar. iii. 75 (1832). *ACANTHACEAE*, Benth. & Hook. f. ii. 1086.

*confertum*, T. Anders. in Journ. Linn. Soc. ix. (1867) 464 = *diandrum*.

*confertum*, Nees, in DC. Prod. xi. 105.—Ind. or.

**STENOSIPHONIUM** :—

- dianthrum*, Nees, in DC. Prod. xi. 105, partim = *Strobilanthes exareolatus*.  
*dianthrum*, Wight, Ic. t. 1502.—Ind. or.  
*Moonianum*, Wight & Gardn. ex T. Anders. in Journ. Linn. Soc. ix. (1867) 466 = *Strobilanthes adenophorus*.  
*parviflorum*, T. Anders. l. c. 464.—Ind. or.  
*Russelianum*, Nees, in Wall. Pl. As. Rar. iii. 84.—Ind. or.  
*Russelianum*, Nees, l. c., partim = *parviflorum*.  
*Russelianum*, Wight, Ic. t. 873 = confertum.  
*setosum*, T. Anders. in Journ. Linn. Soc. ix. (1867) 464.—Ind. or.  
*subsericeum*, Nees, in Wall. Pl. As. Rar. iii. 84 = *Russelianum*.  
*zeylanicum*, T. Anders. in Thw. Enum. Pl. Zeyl. 225.—Zeylan.

- STENOSOLENIUM**, Turcz. in Bull. Soc. Nat. Mosc. xiii. (1840) ii. 253 = *Arnebia*, Forsk. (Borag.).  
*perenne*, Schrenk, Enum. Pl. Nov. i. 34 = *Macrotomia perennis*.  
*saxatile*, Turcz. in Bull. Soc. Nat. Mosc. xiii. (1840) ii. 253.—Sibir. baical. ; China.

- STENOSPERMATION**, Schott, Gen. Aroid. 70 (1858). *AROIDEAE*, Benth. & Hook. f. iii. 990.  
*amomifolium*, Schott, Prod. Aroid. 348.—Peruv.  
*angustifolium*, Hemsl. Biol. Centr. Am. Bot. iii. 425.—Nicaragua.  
*marantaefolium*, Hemsl. l. c.—Nicaragua.  
*Mathewsii*, Schott, Gen. Aroid. t. 70.—Peruv.  
*popayanense*, Schott, in Oestr. Bot. Zeitschr. ix. (1859) 39.—N. Granat.  
*Spruceanum*, Schott, Gen. Aroid. t. 70.—Bras.  
*Wallisi*, Mast. in Gard. Chron. (1875) 558 = *popayanense*.

- STENOSPERMATIUM**, Schott, in Oestr. Bot. Zeitschr. ix. (1859) 39 = *praec.*

- STENOSPERMUM**, Sweet, Hort. Brit. ed. II. 209 (1830) = *Metrosideros*, Banks (Myrtac.).  
*capitatum*, Sweet, l. c. = *Kunzea capitata*.  
*ciliatum*, Heynh. Nom. i. 787 = *M. ciliata*.  
*corifolium*, Sweet, Hort. Brit. ed. II. 130 = *Kunzea corifolia*.  
*ericaeifolium*, Heynh. Nom. i. 787 ; ii. 338 = *Kunzea ericifolia*.

- STENOSTACHYS**, Turcz. in Bull. Soc. Nat. Mosc. xxxv. (1862) ii. 330. Genus dubium *GRAMINEARUM*.—Cf. Benth. & Hook. f. Gen. iii. 1228.  
*narduroides*, Turcz. l. c. 331.—N. Zel.

- STENOSTEPHANUS**, Nees, in Mart. Fl. Bras. ix. 91 (1847). *ACANTHACEAE*, Benth. & Hook. f. ii. 1106.  
*lasiostachyus*, Nees, in DC. Prod. xi. 311.—Venezuela.  
*lobeliaeformis*, Nees, in Mart. Fl. Bras. ix. 92.—Bras.

- STENOSTOMUM**, Gaertn. f. Fruct. iii. 69. t. 192 (1805) = *Antirrhoea*, Comm. (Rubiace.).  
*acutatum*, DC. Prod. iv. 460 = *A. aristata*.  
*bifurcatum*, DC. l. c. = *A. bifurcata*.  
*coriaceum*, Griseb. Fl. Brit. W. Ind. 334.—Ind. occ.  
*densiflorum*, Griseb. Cat. Pl. Cub. 132 = *Laugeria densiflora*.  
*dichotomum*, DC. Prod. iv. 461 = *A. dichotoma*, Tournefortia bicolor.  
*granulatum*, Griseb. in Mem. Am. Acad. N. S. viii. (1862) 507.—Cuba.  
*lucidum*, Gaertn. f. Fruct. iii. 69 = *A. lucida*.  
*microphyllum*, Griseb. Cat. Pl. Cub. 133 = *Guetarda Echinodendron*.  
*myrtifolium*, Griseb. Fl. Brit. W. Ind. 334.—Ind. occ.  
*nitidum*, DC. Prod. iv. 461.—Ind. occ.  
*paniculatum*, Poepp. & Endl. Nov. Gen. et Sp. iii. 27. t. 23.—Peruv. ?  
*pauciflorum*, Wright, in Sauv. Fl. Cub. 67.—Cuba.  
*radiatum*, Griseb. Cat. Pl. Cub. 132.—Ind. occ.  
*ramosa*, Griseb. ex Benth. & Hook. f. Gen. ii. 100, sphalm. = seq.  
*resinosum*, Griseb. Fl. Brit. W. Ind. 334 = *Laugeria resinosa*.  
*tomentosum*, DC. Prod. iv. 460.—Jamaica.  
*viscosum*, Griseb. Fl. Brit. W. Ind. 334 = *A. viscosa*.

- STENOTAENIA**, Boiss. in Ann. Sc. Nat. Sér. III. i. (1844) 339 = *Heracleum*, Linn. (Umbell.).  
*Hausknechtii*, Boiss. Fl. Orient. ii. 1052.—Persia.  
*nudicaulis*, Boiss. in Ann. Sc. Nat. Sér. III. i. (1844) 340.—Persia.  
*tordylioides*, Boiss. l. c. 339.—Persia.

- STENOTAPHRUM**, Trin. Fund. Agrost. 175 (1820). *GRAMINEAE*, Benth. & Hook. f. iii. 1108.  
*DIASTEMANTHE*, Steud. Syn. Pl. Gram. 360 (1855).  
*americanum*, Schrank, Pl. Rar. Hort. Monac. t. 98 = *glabrum*.  
*complanatum*, Schrank, in Flora, vii. (1824) ii. Beil. 26 = *glabrum*.  
*dimidiatum*, Brongn. in Duperr. Voy. Coq. Bot. 127 = *glabrum*.  
*glabrum*, Trin. Fund. Agrost. 176.—Littora tropica.  
*Koenigii*, Schrank, in Flora, vii. (1824) ii. Beil. 28 = *glabrum*.  
*lepturoides*, Hensl. in Ann. Nat. Hist. Ser. I. i. (1838) 346. t. 11 = *subulatum*.  
*madagascariense*, Kunth, Rév. Gram. ii. t. 211 = *glabrum*.  
*oostachyum*, Baker, in Journ. Linn. Soc. xx. (1883) 299.—Madag.  
*sarmentosum*, Nees, in Mart. Fl. Bras. ii. 93 ; Fl. Afr. Austr. 63 = *glabrum*.  
*subulatum*, Trin. in Mém. Acad. Pétersb. Sér. VI. Sc. Nat. iii. (1835) 190.—Ins. Pacif.  
*Swartzianum*, Nees, Fl. Afr. Austr. 62 = *glabrum*.  
*unilaterale*, Baker, in Journ. Linn. Soc. xx. (1883) 299.—Madag.

- STENOTHECA**, Monn. Ess. Hierac. 71 (1829) = *Hieracium*, Tourn. (Compos.).  
*mariana*, Monn. l. c. 72 = *H. marianum*.  
*subnuda*, Monn. l. c. = *H. venosum*.  
*venosa*, Monn. l. c. = *H. venosum*.

- STENOTIUM**, Presl, ex Steud. Nom. ed. II. ii. 58, in syn. (1841) = *Lobelia*, Linn. (Campan.).

- STENOTROPIS**, Hassk. Retzia, i. 183 (1855) = *Erythrina*, Linn. (Legumin.).  
*Berteroi*, Hassk. in Retzia, i. 183 = *E. poianthes*.

- STENOTUS**, Nutt. in Trans. Am. Phil. Soc. N. S. vii. (1841) 334 = *Aplopappus*, Cass. (Compos.).  
*acaulis*, Nutt. l. c. = *A. acaulis*.  
*armerioides*, Nutt. l. c. 335 = *A. armerioides*.  
*caespitosus*, Nutt. l. c. = *A. acaulis*.  
*florifer*, Torr. & Gray, Fl. N. Am. ii. 238 = *Townsendia florifer*.  
*linearifolius*, Torr. & Gray, l. c. = *A. linearifolius*.  
*multicaulis*, Nutt. in Trans. Am. Phil. Soc. N. S. vii. (1841) 335 = *A. multicaulis*.  
*pygmaeus*, Torr. & Gray, Fl. N. Am. ii. 237 = *A. pygmaeus*.

- STENURUS**, Salisb. Gen. Pl. Fragm. 5 (1866) = *Biarum*, Schott (Aroid.).  
*tenuifolium*, Salisb. l. c. = *B. tenuifolium*.

- STEPHANANDRA**, Sieb. & Zucc. in Abh. Akad. Muench. iii. (1843) 739. t. 4. *ROSACEAE*, Benth. & Hook. f. i. 612.  
*chinensis*, Hance, in Journ. Bot. xx. (1882) 210.—China.  
*flexuosa*, Sieb. & Zucc. in Abh. Akad. Muench. iii. (1843) 739. t. 4.—Japan.  
*gracilis*, Franch. & Sav. Enum. Pl. Jap. ii. 333.—Japan.  
*incisa*, Zabel, in Berl. Garten-Zeit. iv. (1885) 511 = *flexuosa*.  
*Tanaka*, Franch. & Sav. Enum. Pl. Jap. ii. 332.—Japan.

- STEPHANANTHUS**, Lehm. Ind. Sem. Hort. Hamb. (1826) 18 ; et in Flora, x. (1827) 96 = *Baccharis*, Linn. (Compos.).  
*juncus*, Lehm. ll. cc. = *B. juncea*.

- STEPHANIA**, Lour. Fl. Cochinch. 608 (1790). *MENISPERMACEAE*, Benth. & Hook. f. i. 37.  
*CLYPEA*, Blume, Bijdr. 26 (1825).  
*HOMOCNEMIA*, Miers, in Ann. & Mag. Nat. Hist. Ser. II. vii. (1851) 40.  
*ILIOCARPUS*, Miers, l. c. (1851).  
*PERICHASMA*, Miers, l. c. Ser. III. xviii. (1866) 21.  
*STYPHANIA*, C. Muell. in Walp. Ann. vii. 66 (1868).

**STEPHANIA** :—

- abyssinica*, Walp. Rep. i. 96.—Abyss.  
*acuminata*, Spreng. Syst. iv. Cur. Post. 316.—Java.  
*acuminatissima*, Walp. Rep. i. 96 = *praec.*  
*appendiculata*, Miers, in Ann. & Mag. Nat. Hist. Ser. III. xviii. (1866) 15.—Ind. or.  
*australis*, A. Gray, Bot. U. St. Expl. Exped. i. 38 = *discolor*.  
*australis*, Miers, in Ann. & Mag. Nat. Hist. Ser. II. vii. (1851) 40 = *Cissampelos Pereira*.  
*bullulata*, Miers, l. c. Ser. III. xviii. (1866) 16 = *abyssinica*.  
*Burmanni*, Walp. Rep. i. 96 = *Cyclea Burmanii*.  
*capitata*, Spreng. Syst. iv. Cur. Post. 316.—Java.  
*cauliflora*, Becc. Malesia, i. (1877) 155.—Ins. Celebes.  
*concinna*, Miers, in Ann. & Mag. Nat. Hist. Ser. III. xviii. (1866) 15.—Java.  
*convolvulacea*, Miers, l. c. Ser. II. vii. (1851) 40 = *Cissampelos Pereira*.  
*corymbosa*, Walp. Rep. i. 96.—Malaya.  
*discolor*, Spreng. Syst. iv. Cur. Post. 316.—Geront. trop.  
*elegans*, Hook. f. & Thoms. Fl. Ind. i. 195.—Reg. Himal.  
*exigua*, Miers, in Ann. & Mag. Nat. Hist. Ser. III. xviii. (1866) 16.—Ins. Philipp.  
*fastuosa*, Miers, l. c.—Afr. trop.  
*florulenta*, Becc. Malesia, i. (1877) 153.—N. Guin.  
*Forsteri*, A. Gray, Bot. U. St. Expl. Exped. i. 36 = *discolor*.  
*Gaudichaudii*, A. Gray, l. c. 37 = *discolor*.  
*glabra*, Miers, in Ann. & Mag. Nat. Hist. Ser. II. vii. (1851) 40 = *rotunda*.  
*glandulifera*, Miers, l. c. Ser. III. xviii. (1866) 15 = *rotunda*.  
*glaucescens*, Walp. Rep. i. 96.—Ins. Timor.  
*gracilenta*, Miers, in Ann. & Mag. Nat. Hist. Ser. III. xviii. (1866) 15.—Ind. or.  
*hermandifolia*, Walp. Rep. i. 96 = *discolor*.  
*hexandra*, Miers, in Ann. & Mag. Nat. Hist. Ser. II. vii. (1851) 40 = *rotunda*.  
*hypoglauca*, Miers, l. c. Ser. III. xviii. (1866) 15 = *discolor*.  
*intertexta*, Miers, l. c. = *discolor*.  
*japonica*, Miers, l. c. 14 = *rotunda*.  
*laetificata*, Oliver, Fl. Trop. Afr. i. 47.—Afr. trop.  
*laevigata*, Miers, in Ann. & Mag. Nat. Hist. Ser. III. xviii. (1866) 16 = *abyssinica*.  
*latifolia*, Miers, l. c. 15 = *discolor*.  
*longa*, Lour. Fl. Cochinch. 609 = *rotunda*.  
*longifolia*, Becc. Malesia, i. (1877) 156.—Borneo.  
*Meyeriana*, Harv. Gen. S. Afr. Pl. ed. II. 4.—Afr. austr.  
*obvia*, Miers, in Ann. & Mag. Nat. Hist. Ser. III. xviii. (1866) 15.—Java.  
*pallidula*, Miers, l. c. 16.—Austral.  
*praelata*, Miers, l. c.—Afr. austr.  
*racemosa*, Turcz. in Bull. Soc. Nat. Mosc. xxvii. (1854) ii. 282.—Ind. or.  
*ramuliflora*, Miers, in Ann. & Mag. Nat. Hist. Ser. III. xviii. (1866) 16.—Borneo.  
*rotunda*, Lour. Fl. Cochinch. 608.—As. trop.  
*rotundata*, Miq. Fl. Ind. Bat. i. ii. 84 = *tomentosa*.  
*Roxburghiana*, Miers, in Ann. & Mag. Nat. Hist. Ser. III. xviii. (1866) 14 = *rotunda*.  
*Schimperi*, Hochst. ex A. Rich. Tent. Fl. Abyss. i. 9 = *abyssinica*.  
*tetrandra*, S. Moore, in Journ. Bot. xiii. (1875) 225.—China.  
*tomentosa*, Spreng. Syst. iv. Cur. Post. 316.—Java.  
*venosa*, Spreng. l. c. 96 = *rotunda*.

- STEPHANIA**, Willd. Sp. Pl. ii. 239 (1799) = *Steriphoma*, Spreng. (Cappar.).  
*cleomoides*, Willd. l. c. = *Steriphoma cleomoides*.  
*elliptica*, DC. Prod. i. 253 = *Steriphoma ellipticum*.

- STEPHANIMUM**, Schreb. Gen. 124 (1789) = *Palicourea*, Aubl. (Rubiace.).  
*guianense*, J. F. Gmel. Syst. 368 = *P. guianensis*.

- STEPHANOCARPUS**, Spach, in Ann. Sc. Nat. Sér. II. vi. (1836) 368 = *Cistus*, Tourn.  
*monspeliensis*, Spach, l. c. 369 = *C. monspeliensis*.

- STEPHANOCHILUS**, Coss. & Dur. ex Benth. & Hook. f. Gen. ii. 477 (1873) = *Volutarella*, Cass. (Compos.).  
*omphalodes*, Coss. & Dur. ex Benth. & Hook. f. l. c. = *V. omphalodes*.



**STEPHANOCOMA**, Less. Syn. Comp. 56 (1832).  
*COMPOSITAE*, Benth. & Hook. f. ii. 461.  
*atriplicifolium*, Turcz. ex Steud. Nom. ed. II. ii. 639  
 = *Serratula atriplicifolia*.  
*berckheyoides*, Less. Syn. Comp. 56.—Afr. austr.  
*berckheyoides*, Sch. Bip. in Flora, xxvii. (1844) 775  
 (= *Stobaea echinopoda*).—Afr. austr.  
*carduoides*, Less. Syn. Comp. 56 = *Berkheya cardui-*  
*formis*.  
*incana*, Sch. Bip. in Flora, xxvii. (1844) 774 = *Berkheya*  
*fruticosa*.  
*rubricaulis*, Sch. Bip. l. c. = *B. carlinoides*.

**STEPHANODAPHNE**, Baill. Adansonia, xi.  
 (1875) 302. *THYMELAEACEAE*, Benth. & Hook. f.  
 iii. 198.  
*Boivini*, Baill. l. c.—Ins. Comor.  
*cremostachya*, Baill. l. c. 303.—Madag.

**STEPHANOASTRA**, Karst. & Triana, in Linnaea,  
 xxviii. (1856) 425 = *Centronia*, D. Don (Mela-  
 stom.).  
*purpurea*, Karst. & Triana, l. c. 426 = *C. Mutisii*.

**STEPHANOLIRION**, Baker, in Gard. Chron. (1875)  
 i. 234 = *Tristagma*, Poepp. (Liliac.).  
*narcissoides*, Baker, l. c. (= *Stemmatium narcissoides*).  
 —Chili.

**STEPHANOMERIA**, Nutt. in Trans. Am. Phil.  
 Soc. N. S. vii. (1841) 427. *COMPOSITAE*, Benth. &  
 Hook. f. ii. 533.  
*HEMIPHYLLUM*, Torr. Bot. Emory Exped. 105 (1858).  
*JAMESIA*, Nees, in Neuwied, Reise N. Am. ii. 442  
 (1844).  
*PTILORIA*, Rafin. Atl. Journ. 145 (1832), nomen  
 prius.  
*cichoriacea*, A. Gray, in Proc. Am. Acad. vi. (1864-  
 65) 552.—Calif.  
*coronaria*, Greene, in Bull. Calif. Acad. i. IV. (1885)  
 194.—Calif.  
*elata*, Nutt. in Journ. Acad. Philad. N. S. i. (1847)  
 173.—Calif.  
*exigua*, Nutt. in Trans. Am. Phil. Soc. N. S. vii.  
 (1841) 428.—Am. bor. occ.  
*heterophylla*, Nutt. l. c. 427 = *runcinata*.  
*intermedia*, Kellogg, in Proc. Calif. Acad. v. (1873)  
 39 = *Microseris nutans*.  
*lactucina*, A. Gray, in Proc. Am. Acad. vi. (1864-65)  
 552.—Calif.  
*minor*, Nutt. in Trans. Am. Phil. Soc. N. S. vii.  
 (1841) 427.—Am. bor. occ.  
*myrioclada*, Eaton, in Bot. King's Exp. 198. t. 20.—  
 Am. bor. occ.  
*paniculata*, Nutt. in Trans. Am. Phil. Soc. N. S. vii.  
 (1841) 428.—Am. bor. occ.  
*Parryi*, A. Gray, in Proc. Am. Acad. xix. (1883) 61.—  
 Calif.  
*pentachaeta*, Eaton, in Bot. King's Exp. 199. t. 20.—  
 Am. bor. occ.  
*runcinata*, Nutt. in Trans. Am. Phil. Soc. N. S. vii.  
 (1841) 428.—Am. bor. occ.  
*Schottii*, Benth. & Hook. f. Gen. ii. 533; A. Gray, in  
 Bot. Calif. i. 427.—Arizona.  
*Thurberi*, A. Gray, in Mem. Am. Acad. N. S. v. (1855)  
 325.—N. Mexic.  
*virgata*, Benth. Bot. Voy. Sulph. 32.—Am. bor. occ.  
*Wrightii*, A. Gray, in Proc. Am. Acad. xix. (1883) 62.  
 —Am. bor. occ.

**STEPHANOPAPPUS**, Less. in Linnaea, vi. (1831) 234  
 = *Nestlera*, Spreng. (Compos.).  
*reflexus*, Less. l. c. = *N. biennis*.

**STEPHANOPHYLLUM**, Guill. in Deless. Ic. Sel. iii.  
 61 (1837) = *Paepalanthus*, Mart. (Eriocaul.).  
*flagellaris*, Guill. l. c. 61 = *P. flagellaris*.  
*proliferum*, Guill. l. c. = *P. prolifer*.  
*viviparum*, Guill. l. c. = *P. viviparus*.

**STEPHANOPHORUM**, Dulac, Fl. Hautes-Pyr. 133  
 (1867) = *Narcissus*, Tourn. (Amaryll.).  
*biflorum*, Dulac, l. c. = *N. biflorus*.  
*filiforme*, Dulac, l. c. 134 = *N. juncifolius*.  
*grandiflorus*, Dulac, l. c. = *N. Pseudo-narcissus*.  
*infundibuliformis*, Dulac, l. c. = *N. Bulbocodium*.  
*luteum*, Dulac, l. c. = *N. Jonquilla*.  
*purpuraceum*, Dulac, l. c. 133 = *N. poeticus*.

**STEPHANOPHYSUM**, Pohl, Pl. Bras. Ic. ii. 83. tt. 155,  
 156 (1831) = *Ruellia*, Plum. (Acanth.).  
*angustiflorum*, Nees, in Mart. Fl. Bras. ix. 51.—  
 Bras.  
*asperulum*, Mart. & Nees, l. c. 52.—Bras.  
*attenuatum*, Mart. in Flora, xx. (1837) II. Beibl. 123  
 = *Geissomeria longiflora*.  
*Baikiei*, Hook. Bot. Mag. t. 5111.—Afr. trop.  
*brevifolium*, Pohl, Pl. Bras. Ic. ii. 84. t. 155.—  
 Bras.  
*ciliare*, Nees, in Mart. Fl. Bras. ix. 52.—Bras.  
*cordifolia*, Nees, l. c. 51.—Bras.  
*flavum*, Nees, l. c.—Bras.  
*Herbstii*, T. Anders. in Journ. Agri-Hort. Soc. Ind.  
 N. S. i. (1868) 269 = *Ruellia Herbstii*.  
*hirsutum*, Mart. ex Nees, in DC. Prod. xi. 205 =  
*asperulum*.  
*hirsutum*, Mart. ex Nees, in Mart. Fl. Bras. ix. 50.—  
 Bras.  
*longifolium*, Pohl, Pl. Bras. Ic. ii. 85. t. 156 =  
*R. amoena*.  
*molle*, Nees, in DC. Prod. xi. 203.—Peruv.  
*quadriflorum*, Nees, l. c. 202 = *Macrostegia Ruiziana*?  
*repens*, T. Anders. in Journ. Linn. Soc. vii. (1864) 25  
 = *Baikiei*.  
*Ruizianum*, Nees, in DC. Prod. xi. 203.—Peruv.;  
 Chili.  
*tubulatum*, Nees, l. c. 202 = *R. tubulata*.  
*ventricosum*, Nees, l. c. 203 = *R. ventricosa*.

**STEPHANOPODIUM**, Poepp. & Endl. Nov. Gen.  
 et Sp. iii. 40. t. 246 (1842). *CHAILLETIACEAE*,  
 Benth. & Hook. f. i. 341.  
*Engleri*, Baill. Adansonia, xi. (1873-76) 109.—  
 Bras.  
*peruvianum*, Poepp. & Endl. Nov. Gen. et Sp. iii. 40.  
 t. 246.—Peruv.

**STEPHANOSIPHON**, Boiv. ex C. DC. in DC. Monog.  
 Phan. i. 446 (1878) = *Turraea*, Linn. (Meliac.).  
*madagascariensis*, Boiv. ex C. DC. l. c. = *T. sericea*.

**STEPHANOSTACHYS**, Klotzsch, ex Oerst. in Kjoeb.  
 Vidensk. Meddel. (1858) 26 = *Chamaedorea*,  
 Willd. (Palm.).  
*Casperiana*, Klotzsch, ex Oerst. l. c. 27; et Oerst.  
 L'Amérique Centrale, 14. t. 7 = *C. Casperiana*.  
*Martiana*, Oerst. in Kjoeb. Vidensk. Meddel. (1858)  
 29 = *C. Martiana*.  
*Tepejilote*, Oerst. l. c. 28 = *C. Tepejilote*.  
*Wendlandiana*, Oerst. l. c. = *C. Wendlandi*.

**STEPHANOTELLA**, Fourn. in Mart. Fl. Bras. vi.  
 iv. 326 (1885). *ASCLEPIADEAE*.  
*Glaziovii*, Fourn. l. c.—Bras.

**STEPHANOTIS**, Thou. Gen. Nov. Madag. 11 (1806)  
*ASCLEPIADEAE*, Benth. & Hook. f. ii. 773.  
*ISAURA*, Comm. ex Poir. Encyc. Suppl. iii. 185  
 (1813).  
*JASMINANTHES*, Blume, Mus. Bot. Lugd. Bat. i.  
 148. t. 28 (1850).  
*acuminata*, Brongn. in Ann. Sc. Nat. Sér. II. vii. (1837)  
 30.—Madag.  
*chinensis*, Champ. ex Benth. in Hook. Kew Journ.  
 v. (1853) 53.—Ins. Hongk.  
*floribunda*, Brongn. in Ann. Sc. Nat. Sér. II. vii.  
 (1837) 30.—Madag.  
*grandiflora*, Decne. in DC. Prod. viii. 620.—Madag.  
*Isaura*, Decne. l. c.—Madag.  
*longiflora*, Benth. & Hook. f. Gen. ii. 773.—  
 Cuba.  
*Maingayi*, Hook. f. Fl. Brit. Ind. iv. 39.—Malacca.  
*Thouarsii*, Brongn. in Ann. Sc. Nat. Sér. II. vii.  
 (1837) 30.—Madag.  
*vincaeflora*, Benth. & Hook. f. Gen. ii. 773.—Cuba.

**STEPHANOTRICHUM**, Naud. in Ann. Sc. Nat. Sér.  
 III. iv. (1845) 54 = *Clidemia*, D. Don (Melastom.).  
*hispidum*, Naud. l. c. = *Heterotrichum octonum*.  
*octonum*, Naud. ex Hemsl. Biol. Centr. Am. Bot. i.  
 430 = *Heterotrichum octonum*.

**STEPHEGYNE**, Korth. Verh. Nat. Gesch. Bot. 160.  
 t. 35 (1840 ?) = *Mitragyna*, Korth. (Rubiace.).  
*africana*, Walp. Rep. ii. 513 = *M. africana*.  
*diversifolia*, Benth. & Hook. f. Gen. ii. 31; Hook. f.  
 Fl. Brit. Ind. iii. 26.—Burma; Ins. Philipp.

**STEPHEGYNE** :—  
*parvifolia*, Korth. Verh. Nat. Gesch. Bot. 161 =  
*Mitragyna parvifolia*.  
*parvifolia*, Vidal, Sinops. t. 56. f. A = *diversifolia*.  
*speciosa*, Korth. Verh. Nat. Gesch. Bot. 160. t. 35 =  
*M. speciosa*.  
*stipulata*, Benth. & Hook. f. Gen. ii. 31 = *M. macro-*  
*phylla*.  
*tubulosa*, Benth. & Hook. f. l. c.—Ind. or.  
*tubulosa*, F. Villar, in Blanco, Fl. Philipp. ed. III.  
 Nov. App. 104 = *diversifolia*.

**STEPHENSONIA**, Hort. ex Van Houtte, in Fl. des  
 Serres, xv. (1862-63) 177 = *Stevensonia*, Duncan  
 (Palm.).  
*grandifolia*, Hort. ex Van Houtte, l. c. = *Stevensonia*  
*grandifolia*.

**STEPTIUM**, Boiss. Fl. Orient. iv. 533 (1879) =  
**STREPTIUM**, Roxb. = *Priva*, Adans. (Verben.).

**STEPTORHAMPHUS**, Bunge, in Mém. Sav. Etr.  
 Pétersb. vii. (1851) 381 = *Lactuca*, Linn. (Compos.).  
*crambifolius*, Bunge, l. c. = *L. crambifolia*.  
*hispidulus*, Regel, in Bull. Soc. Nat. Mosc. xl. (1867)  
 II. 176.—Turkestan.

**STERBECKIA**, Schreb. Gen. i. 360 (1789) = *Singana*,  
 Aubl. (Inc. sed.).  
*guianensis*, J. F. Gmel. Syst. 820 = *Sing. guianensis*.  
*lateriflora*, Willd. Sp. Pl. ii. 1177 = *Sing. guianensis*.

**STERCULIA**, Linn. Diss. Dass. 29 (1747); Amoën.  
 Acad. i. 412 (1749). *STERCULIACEAE*, Benth. &  
 Hook. f. i. 217.  
*BALANGHAS*, Rafin. Sylva Tellur. 72 (1838).  
*BRACHYCHITON*, Schott, Melet. 34 (1832).  
*BRAXIPIS*, Rafin. Sylva Tellur. 72 (1838).  
*CARPOPHYLUM*, Miq. Fl. Ind. Bat. Suppl. 401  
 (1860).  
*CAVALAM*, Adans. Fam. ii. 357 (1763).  
*CHICHAEAE*, Presl, Rel. Haenk. ii. 140 (1836).  
*CLOMPANUS*, Rafin. Sylva Tellur. 73 (1838).  
*COLARIA*, Rafin. l. c. (1838).  
*CULHAMIA*, Forsk. Fl. Aegypt. Arab. 96 (1775).  
*DELABECHEA*, Lindl. in Mitch. Journ. Trop. Austral.  
 155 (1848).  
*ERYTHROPSIS*, Lindl. in Brande, Journ. (Sept. 1827)  
 112, in obs.  
*FIRMIANA*, Marsigli, in Sagg. Padov. i. (1786) 106,  
 cum ic.  
*HILDEGARDIA*, Schott, Melet. 33 (1832).  
*ICOSINIA*, Rafin. Sylva Tellur. 75 (1838).  
*IVIRA*, Aubl. Pl. Gui. 694. t. 279 (1775).  
*JOIRA*, Steud. Nom. ed. II. ii. 639, in syn. (1841).  
*KARAKA*, Rafin. Sylva Tellur. 72 (1838).  
*KAYALAMA*, Rafin. l. c. (1838).  
*MATEATIA*, Vell. Fl. Flum. ix. t. 95 (1827).  
*OLEOBACHIA*, Hort. ex Mast. in Gard. Chron.  
 (1880) II. 232.  
*ORSOPEA*, Rafin. Sylva Tellur. 73 (1838).  
*POECILODERMIS*, Schott, Melet. 33 (1832).  
*POMPILA*, Noronha, in Verh. Batav. Gen. v. (1790)  
 ed. I. Art. IV. 3.  
*PTEROCYMBIUM*, R. Br. in Benn. Pl. Jav. Rar. 219.  
 t. 45 (1838 ?).  
*PTERYGOTA*, Schott, Melet. 32 (1832).  
*SCAPHIUM*, Schott, l. c. (1832).  
*SOUTHWELLIA*, Salisb. Parad. Lond. t. 69 (1806).  
*THEODORIA*, Neck. Elem. ii. 286 (1790).  
*TRICHOSIPHON*, Schott, Melet. 34 (1832).  
*TRIPHACA*, Lour. Fl. Cochinch. 577 (1790).  
*TRILOBUS*, Rafin. Sylva Tellur. 110 (1838).  
*abyssinica*, R. Br. in Salt, Abyss. App. 64 = *S.*  
*Triphaca*.  
*abyssinica*, R. Br. l. c., partim = *arabica*.  
*acerifolia*, A. Cunn. in Loud. Hort. Brit. 392.—  
 Austral.  
*acerifolia*, A. Cunn. l. c., partim = *incana*.  
*acerifolia*, Hemsl. Biol. Centr. Am. Bot. i. 126.—  
 Mexic.  
*acuminata*, Beauv. Fl. Owar. i. 41. t. 24 = *Cola*  
*acuminata*.  
*affinis*, Mast. in Hook. f. Fl. Brit. Ind. i. 361.—  
 Malacca.  
*alata*, Blanco, Fl. Filip. ed. II. 525 = *Blancoi*.  
*alata*, Roxb. Hort. Beng. 50; Pl. Corom. iii. 84. t. 287.  
 —Ind. or.  
*alata*, Wall. Cat. n. 1127 D = *guttata*.

## STERCULIA:—

- Alexandri, *Harv. in Proc. Dubl. Univ. Zool. & Bot. Assoc.* i. (1859) 140. t. 15.—Afr. austr.  
*angustifolia*, Jack, in Malay. Misc. i. (1820) n. i. 21 = rubiginosa.  
*angustifolia*, Roxb. Hort. Beng. 50; Fl. Ind. iii. 148 = S. Balanghas.  
*apetala*, Karst. Fl. Columb. ii. 35 = carthaginensis.  
*arabica*, T. Anders. in Journ. Linn. Soc. v. Suppl. i. (1860) 9.—Arab.  
*arbutiflora*, Zipp. ex Mackl. in Bijdr. Nat. Wet. v. (1830) 178, nomen (Quid?).—N. Guin.  
*armata*, Mast. in Hook. f. Fl. Brit. Ind. i. 357 = ornata, etc.  
*Balanghas*, Ait. Hort. Kew. ed. II. v. 338 = nobilis.  
*Balanghas*, Linn. Sp. Pl. 1007.—As. trop.  
*Barteri*, Mast. in Oliver, Fl. Trop. Afr. i. 218.—Afr. trop.  
*bicolor*, Mast. in Hook. f. Fl. Brit. Ind. i. 359.—Malacca.  
*Bidwilli*, Hook. ex Benth. Fl. Austral. i. 228.—Austral.  
*Blancoi*, Rolfe, in Journ. Linn. Soc. xxi. (1884) 308.—Ins. Philipp.  
*Blumei*, G. Don, Gen. Syst. i. 515.—Java.  
*bullata*, Panch. & Sebert, Not. Bois Nouv. Caléd. 214.—N. Caléd.  
*campanulata*, Wall. ex Mast. in Hook. f. Fl. Brit. Ind. i. 362.—Burma; Java.  
*Candollii*, Wall. Pl. As. Rar. i. 4, in textu = populnifolia.  
*caribaea*, R. Br. in Benn. Pl. Fav. Rar. 228.—Ind. occ.  
*caricaefolia*, G. Don, Gen. Syst. i. 517 = Cola Afzelii.  
*carthaginensis*, R. Br. in Benn. Pl. Fav. Rar. 328, partim = P. Chica.  
*carthaginensis*, Cav. Diss. vi. 353.—Am. trop.  
*caudata*, Heward, ex Benth. Fl. Austral. i. 230.—Austral.  
*ceramica*, R. Br. in Benn. Pl. Fav. Rar. 233.—Ins. Molucc.  
*Chapelieri*, Baill. in Bull. Soc. Linn. Par. i. (1885) 486.—Madag.  
*Chicha*, A. St. Hil. Fl. Bras. Mer. i. 278. t. 46.—Bras.  
*chrysodasys*, Miq. Fl. Ind. Bat. Suppl. 399.—Sumatra.  
*cinerea*, A. Rich. Tent. Fl. Abyss. i. 74. t. 16.—Abyss.  
*cinerea*, Schweinf. Pl. Nilot. 15 = Hartmanniana.  
*citrifolia*, Salisb. Prod. 387 = S. Balanghas.  
*coccinea*, Jack, in Malay. Misc. i. (1820) n. i. 20 = laevis.  
*coccinea*, Roxb. Hort. Beng. 50; Fl. Ind. iii. 151.—Ind. or.  
*coccinea*, Wall. Cat. n. 1122, partim = alata.  
*Cola*, Pers. Syn. ii. 239 = Cola acuminata.  
*colorata*, Roxb. Pl. Corom. i. 26. t. 25.—Ind. or.  
*comorensis*, Baill. in Bull. Soc. Linn. Par. i. (1885) 485.—Madag.  
*comosa*, Wall. Pl. As. Rar. ii. 25.—Ins. Amboin.  
*convoluta*, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 135 = S. Helicteres.  
*cordata*, Blume, Bijdr. 83.—Java.  
*cordifolia*, Blanco, Fl. Filip. ed. I. 764.—Ins. Philipp.  
*cordifolia*, Cav. Diss. v. 236. t. 144. f. 2.—Afr. trop.  
*crassinervia*, Miq. Fl. Ind. Bat. Suppl. 399.—Sumatra.  
*crepitans*, F. Muell. Ind. Perf. Linn. Sp. Pl. 37, sphalm. = Hura crepitans.  
*crinita*, Cav. Diss. v. 285 = S. Ivira.  
*cuneata*, R. Br. in Benn. Pl. Fav. Rar. 232.—Ins. Philipp.  
*cuneata*, Heyne, in Wall. Cat. n. 1127<sup>3</sup> = guttata.  
*cuneifolia*, Miq. Fl. Ind. Bat. Suppl. 400.—Sumatra.  
*cuspidata*, R. Br. in Benn. Pl. Fav. Rar. 232.—Sumatra.  
*cymbiformis*, Blanco, Fl. Filip. ed. II. 526 (Quid?).—Ins. Philipp.  
*decandra*, Blanco, l. c. ed. I. 766 = Myristica intermedia.  
*discolor*, F. Muell. ex Benth. Fl. Austral. i. 228.—Austral.  
*diversifolia*, G. Don, Gen. Syst. i. 516.—Austral.  
*diversifolia*, Seem. Fl. Vit. 23.—Ins. Fiji.  
*ensifolia*, Mast. in Hook. f. Fl. Brit. Ind. i. 359.—Burma; Penang.

VOL. II.

## STERCULIA:—

- erythrosiphon, Baill. in Bull. Soc. Linn. Par. i. (1885) 486.—Madag.  
*excelsa*, Mart. in Flora, xxiv. (1841) II. Beibl. 40.—Bras.  
*ferruginea*, R. Br. in Benn. Pl. Fav. Rar. 232.—Ins. Philipp.  
*Fiorniana*, J. F. Gmel. Syst. 1034 = plantanifolia.  
*Firmiana*, J. F. Gmel. l. c. 1632 = praec.  
*foetida*, Linn. Sp. Pl. 1008.—Geront. trop.  
*Forsteri*, Seem. Fl. Vit. 23, in nota.—Ins. Tanna.  
*frondosa*, Rich. in Act. Soc. Hist. Nat. Par. i. (1792) 111.—Guian.  
*fulgens*, Wall. Cat. n. 1135.—Reg. Himal.; Burma; Malaya.  
*geniculata*, Miq. Fl. Ind. Bat. Suppl. 400.—Sumatra.  
*gilva*, Miq. l. c. 401.—Sumatra.  
*glandulosa*, Blanco, Fl. Filip. ed. I. 764 = Myristica simiarum.  
*glomerata*, Blanco, l. c. = Myristica glauca?  
*gracilis*, Korth. in Nederl. Kruidk. Arch. i. (1848) 306.—Borneo.  
*grandiflora*, Vent. Jard. Malm. sub t. 91 = Cola acuminata.  
*grandifolia*, R. Br. in Benn. Pl. Fav. Rar. 232.—Java.  
*guineensis*, Hort. ex Steud. Nom. ed. II. ii. 640 (Quid?).—Afr. trop.?  
*guttata*, Roxb. Hort. Beng. 50; Fl. Ind. iii. 148.—Ind. or.; Malaya.  
*Halmahairae*, Scheff. in Ann. Jard. Buitenz. i. (1876) 88, nomen.—N. Guin.  
*Hartmanniana*, Schweinf. Rel. Kotschy. 39.—Afr. trop.  
*Helicteres*, Pers. Syn. ii. 240.—N. Granat.  
*heterophylla*, Beauv. Fl. Owar. i. t. 40 = Cola heterophylla.  
*heterophylla*, Cunn. ex Sweet, Hort. Brit. ed. III. 82 = diversifolia, G. Don.  
*Heynei*, Bedd. Fl. Sylv. t. 230 = alata.  
*Humboldtiana*, Baill. in Bull. Soc. Linn. Par. i. (1885) 485.—Madag.  
*hyposticta*, Miq. Fl. Ind. Bat. Suppl. 399 = Sumatra.  
*imberbis*, DC. Prod. i. 483.—Guian.  
*incana*, Benth. Fl. Austral. i. 228.—Austral.  
*insularis*, R. Br. in Benn. Pl. Fav. Rar. 232.—Ins. Molucc.  
*ipomoeaeifolia*, Garcke, in Peters, Reise Mossamb. Bot. 130 = S. Triphaca.  
*Ivira*, Pers. Syn. ii. 239 = imberbis.  
*Ivira*, Sw. Prod. Veg. Ind. Occ. 98.—Am. austr.  
*Ivira*, Sw. l. c., partim = caribaea.  
*Juckiana*, Wall. Cat. n. 1134; et in Hook. Bot. Misc. i. (1830) 287 = rubiginosa.  
*javanica*, R. Br. in Benn. Pl. Fav. Rar. 230.—Java.  
*Jovira*, J. F. Gmel. Syst. 1633 (Index) = S. Ivira.  
*laevis*, Wall. Cat. n. 1138; et in Hook. Bot. Misc. i. (1830) 287.—Burma; Malaya.  
*lanceaeifolia*, Roxb. Hort. Beng. 50; Fl. Ind. iii. 150.—Reg. Himal.  
*lanceolata*, Blume, Bijdr. 82 = Blumei.  
*lanceolata*, Buch.-Ham. in Wall. Cat. n. 1122 = coccinea.  
*lanceolata*, Cav. Diss. v. 287.—China; Java.  
*lasiantha*, Mart. Med. Mat. Bras. (1843) 18 = striata.  
*laurifolia*, F. Muell. Fragm. vi. 172.—Austral.  
*linearicarpa*, Mast. in Hook. f. Fl. Brit. Ind. i. 360.—Malacca.  
*linearis*, Korth. in Nederl. Kruidk. Arch. i. (1848) 305.—Borneo.  
*linguifolia*, Mast. in Hook. f. Fl. Brit. Ind. i. 357.—Burma.  
*longifolia*, Vent. Jard. Malm. sub t. 91 = Cola acuminata.  
*lurida*, F. Muell. ex Benth. Fl. Austral. i. 228.—Austral.  
*lychnophora*, Hance, in Journ. Bot. xiv. (1876) 243.—Cambodia.  
*macrocarpa*, G. Don, Gen. Syst. i. 515 = Cola acuminata.  
*macrophylla*, Vent. Jard. Malm. sub t. 91.—Malaya.  
*madagascariensis*, R. Br. in Benn. Pl. Fav. Rar. 229.—Madag.  
*Maingayi*, Mast. in Hook. f. Fl. Brit. Ind. i. 359.—Malacca.  
*mexicana*, R. Br. in Benn. Pl. Fav. Rar. 227.—Mexic.

## STERCULIA:—

- mollis*, Wall. Cat. n. 1131 = S. Balanghas.  
*monosperma*, Vent. Jard. Malm. t. 91 = nobilis.  
*nitida*, Vent. l. c. sub t. 91 = Cola acuminata.  
*nobilis*, Sm. in Rees, Cycl. xxxiv. n. 4.—As. trop.  
*oblonga*, Mast. in Oliver, Fl. Trop. Afr. i. 216.—Afr. trop.  
*oblongata*, R. Br. in Benn. Pl. Fav. Rar. 232.—Ins. Philipp.  
*oblongifolia*, [Moq. & Sesse,] ex DC. Prod. i. 482.—Mexic.  
*obovata*, R. Br. in Benn. Pl. Fav. Rar. 233 = S. Tragacantha.  
*obtusifolia*, Zipp. ex Span. in Linnaea, xv. (1841) 173 = populnifolia.  
*ornata*, Wall. ex Voigt, Hort. Suburb. Calc. 105, nomen; et ex Kurz, in Journ. As. Soc. Beng. xlii. (1873) II. 228.—Burma.  
*ovalifolia*, Wall. Cat. n. 1132 = lanceaeifolia.  
*paniculata*, Wall. ex Boj. Hort. Maurit. 36.—Ind. or.  
*parviflora*, Roxb. Hort. Beng. 50; Fl. Ind. iii. 147.—Reg. Himal.; Malaya.  
*parvifolia*, Wall. Cat. n. 1123.—Malaya.  
*peltata*, G. Don, Gen. Syst. i. 517 = Pterospermum heterophyllum?  
*planifolia*, Linn. f. Suppl. 423.—China; Japon.  
*polyphylla*, R. Br. in Benn. Pl. Fav. Rar. 227.—Sumatra.  
*populifolia*, DC. Prod. i. 483 (an seq.?).—Ins. Timor.  
*populnifolia*, Roxb. Hort. Beng. 50; Fl. Ind. iii. 148.—Ind. or.  
*propinqua*, R. Br. in Benn. Pl. Fav. Rar. 229.—Guian.  
*pubescens*, G. Don, Gen. Syst. i. 515 = S. Tragacantha.  
*pubescens*, Mast. in Hook. f. Fl. Brit. Ind. i. 357.—Malacca.  
*pubescens*, F. Muell. ex Benth. Fl. Austral. i. 228, in nota.—Austral.  
*punctata*, [Moq. & Sesse,] ex DC. Prod. i. 483.—Mexic.  
*punduana*, Wall. Cat. n. 2701 = Reevesia Wallichii.  
*purpurascens*, Korth. in Nederl. Kruidk. Arch. i. (1848) 306.—Borneo.  
*pyriformis*, Bunge, in Mém. Sav. Etr. Pétersb. ii. (1835) 83 = planifolia.  
*quadrifida*, R. Br. in Benn. Pl. Fav. Rar. 233.—Austral.  
*ramiflora*, Benth. Fl. Austral. i. 227.—Austral.  
*Richardiana*, Baill. in Bull. Soc. Linn. Par. i. (1885) 486.—Madag.  
*robusta*, Carr. in Rev. Hort. (1868) 120.—China.  
*Roxburghiana*, Wall. Cat. n. 1124 = seq.  
*Roxburghii*, Wall. Pl. As. Rar. iii. 39 = lanceaeifolia.  
*rubicunda*, Wall. Cat. n. 1119 D, F, G = colorata.  
*rubiginosa*, Vent. Jard. Malm. sub t. 91.—Burma; Malaya.  
*rubiginosa*, Zoll. ex Miq. Fl. Ind. Bat. Suppl. 399 = chrysodasys.  
*rufa*, Korth. in Nederl. Kruidk. Arch. i. (1848) 306.—Borneo.  
*rugosa*, R. Br. in Benn. Pl. Fav. Rar. 229.—N. Granat.  
*rupestris*, Benth. Fl. Austral. i. 230.—Austral.  
*scaphigera*, Wall. Cat. n. 1130.—Burma; Malaya.  
*scatigera*, G. Don, Gen. Syst. i. 517, sphalm. = praec.  
*setigera*, Delile, Voy. Méroë Bot. 61 = tomentosa?  
*Spangleri*, R. Br. in Benn. Pl. Fav. Rar. 230.—Java.  
*spectabilis*, Miq. Fl. Ind. Bat. Suppl. 400.—Sumatra.  
*stipularis*, R. Br. in Benn. Pl. Fav. Rar. 232.—Ins. Philipp.  
*stipulata*, Korth. in Nederl. Kruidk. Arch. i. (1848) 306.—Borneo.  
*striata*, A. St. Hil. & Naud. in Ann. Sc. Nat. Sér. II. xviii. (1842) 213.—Bras.  
*striatiflora*, Mast. in Hook. f. Fl. Brit. Ind. i. 356.—Burma.  
*subpeltata*, Blume, Bijdr. 83.—Java.  
*surinamensis*, R. Br. in Benn. Pl. Fav. Rar. 229 = excelsa.  
*Tavia*, Baill. Adansonia, x. (1872) 177.—Ins. Molucc.  
*Thwaitesii*, Mast. in Hook. f. Fl. Brit. Ind. i. 361.—Zeylan.  
*tomentosa*, Guill. & Perr. Fl. Seneg. Tent. i. 81. t. 16.—Afr. trop.  
*tomentosa*, Thunb. Jap. Ic. Dec. iv. t. 8 = platani-folia.  
*Tragacantha*, Lindl. Bot. Reg. t. 1353.—Afr. trop.  
*Trichosiphon*, Benth. Fl. Austral. i. 229.—Austral.  
*triloba*, G. Don, Gen. Syst. i. 517 (Quid?).—Ind. or.

6 L

**STERCULIA:—**

- Triphaca, *R. Br. in Benn. Pl. Fav. Rar.* 228.—Afr. trop.  
 tubulata, *Mast. in Hook. f. Fl. Brit. Ind.* i. 362.—Malacca.  
 urceolata, *Sm. in Rees, Cycl.* xxxiv. n. 3.—Ins. Amboin.  
 urens, *Roxb. Pl. Corom.* i. 25. t. 24.—Ind. or.  
 versicolor, *Wall. Pl. As. Rar.* i. 48. t. 59.—Burma.  
 verticillata, *Thonn. in Schum. & Thonn. Beskr. Guin.* Pl. 240 = *Cola acuminata*.  
 villifera, *Steud. in Flora*, xxvi. (1843) 755 = *excelsa*.  
 villosa, *Roxb. Hort. Beng.* 50; *Fl. Ind.* iii. 153.—Ind. or.  
 vitiensis, *Seem. Fl. Vit.* 23.—Ins. Fiji.  
 Wallichii, *G. Don, Gen. Syst.* i. 516 (Quid?).—Ind. or.  
 Zippelii, *Korth. in Nederl. Kruidk. Arch.* i. (1848) 307.—Java.

STEREOCHILUS, *Lindl. in Journ. Linn. Soc.* iii. (1859) 38 = *Sarcophilus*, *R. Br.* (Orchid.).  
 hirtus, *Lindl. l. c.*—Reg. Himal.

STEREODERMA, *Blume, Fl. Jav. Praef.* 9 (1828) = *Olea*, *Tourn.*  
 javanica, *Blume, l. c.* = *O. maritima*.

STEREOSANDRA, *Blume, Mus. Bot. Lugd. Bat.* ii. 176 (1856). *ORCHIDEAE*, *Benth. & Hook. f.* iii. 607.  
 javanica, *Blume, l. c.*—Java.

STEREOSPERMUM, *Cham. in Linnaea*, vii. (1832) 720. *BIGNONIACEAE*, *Benth. & Hook. f.* ii. 1047.  
 DIPTEROSPERMA, *Hassk. Cat. Hort. Bog. Alt.* 152 (1844).  
 HIERANTHES, *Rafin. Sylva Tellur.* 79 (1838).  
 LAGAROPYXIS, *Miq. Ann. Mus. Bot. Lugd. Bat.* i. 198 (1863-64).  
 RADERMACHERA, *Zoll. & Mor. in Zoll. Syst. Verz. Ind. Archip.* 53 (1854).  
 Arguezona, *A. Rich. Tent. Fl. Abyss.* ii. 58.—Abyss.  
 Banaibana, *Rolfe, in Journ. Linn. Soc.* xxi. (1884) 314.—Ins. Philipp.  
 caudatum, *Miq. Ann. Mus. Bot. Lugd. Bat.* i. 200.—Ind. or.  
 chelonoides, *DC. in Bibl. Univ. Genève*, xvii. (1838) 124; *Prod.* ix. 210.—Ind. or.; Burma.  
 dentatum, *A. Rich. Tent. Fl. Abyss.* ii. 58.—Abyss.  
 euphorioides, *DC. Prod.* ix. 211.—Madag.  
 filiforme, *DC. in Bibl. Univ. Genève*, xvii. (1838) 124 = *Spathodea filiformis*.  
 fimbriatum, *DC. l. c.* 124; *et Prod.* ix. 211.—Burma; Malaya.  
 Ghorta, *C. B. Clarke, in Hook. f. Fl. Brit. Ind.* iv. 384.—Ind. or.  
 glandulosum, *Miq. Fl. Ind. Bat. Suppl.* 565.—Burma; Malaya.  
 Hasskarlii, *Teysm. ex Miq. Fl. Ind. Bat.* ii. 756 (an seq.?).—Java.  
 Hasskarlii, *Zoll. & Mor. in Zoll. Syst. Verz. Ind. Archip.* 54.—Malaya.  
 hypostictum, *Miq. Fl. Ind. Bat. Suppl.* 565.—Burma; Malaya.  
 integrifolium, *A. Rich. Tent. Fl. Abyss.* ii. 59.—Afr. trop.  
 Kunthianum, *Cham. in Linnaea*, vii. (1832) 720.—Afr. trop.  
 nematocarpum, *DC. Prod.* ix. 211.—Madag.  
 neuranthum, *Kurz, in Journ. As. Soc. Beng.* xlii. (1873) ii. 91.—Burma.  
 pinnatum, *F. Villar, in Blanco, Fl. Philipp.* ed. III. *Nov. App.* 151.—Ins. Philipp.  
 quadripinnatum, *F. Villar, l. c.* 151. t. 252.—Ins. Philipp.  
 Seemannii, *Rolfe, in Journ. Linn. Soc.* xxi. (1884) 314.—Ins. Philipp.  
 senegalense, *Miq. Ann. Mus. Bot. Lugd. Bat.* i. 200.—Afr. trop.  
 serrulatum, *DC. in Bibl. Univ. Genève*, xvii. (1838) 124; *Prod.* ix. 206 = *Spathodea Serratula*.  
 sinicum, *Hance, in Journ. Bot.* xx. (1882) 16.—China.  
 suaveolens, *DC. l. c.* 124; 211.—Ind. or.; Burma.  
 tetragonum, *DC. l. c.* 124; 210.—Ind. or.

**STEREOSPERMUM:—**

- Wallichii, *C. B. Clarke, in Hook. f. Fl. Brit. Ind.* iv. 383.—Burma.  
 zylocarpum, *Benth. & Hook. f. Gen.* ii. 1047.—Ind. or.  
 STEREOXYLON, *Ruiz & Pav. Prod.* 38. t. 6 (1794) = *Escallonia*, *Mutis (Saxifr.)*.  
 ciliatum, *Poir. Encyc. Suppl.* v. 247 = *Micromyrtus microphylla*.  
 corymbosum, *Ruiz & Pav. Fl. Per.* iii. 14 = *E. corymbosa*.  
 crenulatum, *Poir. ex DC. Prod.* iii. 230 = *Baeckea crenulata*.  
 cuneifolium, *Ruiz & Pav. Fl. Per.* iii. 16 = *E. discolor*?  
 discolor, *Poir. Encyc.* v. 246 = *E. discolor*.  
 paniculatum, *Ruiz & Pav. Fl. Per.* iii. 16 = *E. floribunda*.  
 patens, *Ruiz & Pav. l. c.* 13 = *E. myrtilloides*.  
 pendulum, *Ruiz & Pav. l. c.* 16 = *E. pendula*.  
 pulverulentum, *Ruiz & Pav. l. c.* 15 = *E. pulverulenta*.  
 resinosum, *Ruiz & Pav. l. c.* 14 = *E. resinosa*.  
 revolutum, *Ruiz & Pav. l. c.* 15 = *E. revoluta*.  
 rubrum, *Ruiz & Pav. l. c.* = *E. rubra*.  
 serratum, *Poir. Encyc.* vii. 435 = *E. serrata*.  
 virgatum, *Ruiz & Pav. Fl. Per.* iii. 14 = *E. virgata*.

STERIGMA, *DC. Syst.* ii. 579 (1821). *CRUCIFERAE*, *Benth. & Hook. f.* i. 102.  
 ARTHROLOBUS, *Stev. ex DC. Syst.* ii. 579 (1821).  
 STERIGMOSTEMUM, *Bieb. Fl. Taur. Cauc. Suppl.* 444 (1819).  
 acanthocarpum, *Fisch. & Mey. Ind. Sem. Hort. Petrop.* i. 38.—Armen.; Peruv.  
 brachypetalum, *Boiss. in Ann. Sc. Nat. Sér. II.* xvii. (1842) 386 = *sulphureum*.  
 chionophilum, *Schott, Nym. & Kotschy, Analect. Bot.* 111 = *Anchonium Tournefortii*.  
 contortuplicatum, *Boiss. in Ann. Sc. Nat. Sér. II.* xvii. (1842) 387.—Persia.  
 elychnisifolium, *DC. Syst.* ii. 581 = *Anchonium Tournefortii*.  
 longistylum, *Boiss. in Ann. Sc. Nat. Sér. II.* xvii. (1848) 387.—Persia.  
 purpurascens, *Boiss. Fl. Orient.* i. 241.—Persia; Afghan.  
 sulphureum, *DC. Syst.* ii. 580.—As. occ. et bor.  
 tomentosum, *DC. l. c.* 579.—Reg. Cauc.  
 torulosum, *DC. l. c.* 580.—Reg. Cauc.; Armen.

STERIGMANTHE, *Klotzsch & Garcke, in Monatsb. Akad. Berl.* (1859) 252; *et in Abh. Akad. Berl.* (1860) 100 = *Euphorbia*, *Linn.*  
 Bojeri, *Klotzsch & Garcke, ll. cc.* 252; 101 = *E. Bojeri*.  
 splendens, *Klotzsch & Garcke, ll. cc.* 252; 100 = *E. splendens*.

STERIGMOSTEMON, *Poir. in Dict. Sc. Nat.* l. 519 (1827) = seq.

STERIGMOSTEMUM, *Bieb. Fl. Taur. Cauc. Suppl.* 444 (1819) = *Sterigma*, *DC. (Crucif.)*.  
 incanum, *Bieb. l. c.* = *Sterigma torulosum*.  
 tomentosum, *Bieb. l. c.* = *Sterigma tomentosum*.

STERIPHA, *Banks, ex Gaertn. Fruct.* ii. 81 (1791) = *Dichondra*, *Forst. (Convolv.)*.  
 reniformis, *Soland. ex Gaertn. l. c.* = *D. repens*.

STERIPHE, *Phil. in Linnaea*, xxxiii. (1864-65) 141. *COMPOSITAE*, *Benth. & Hook. f.* ii. 251.  
 corymbosa, *Phil. l. c.*—Chili.

STERIPHOMA, *Spreng. Syst.* iv. *Cur. Post.* 130, 139 (1827) *CAPPARIDEAE*, *Benth. & Hook. f.* i. 107.  
 HERMUPOA, *Loefl. It. Hisp.* 307 (1758).  
 ROEMERA, *Tratt. Gen.* 88 (1802).  
 STEPHANIA, *Willd. Sp. Pl.* 239 (1799).  
 cleomoides, *Spreng. Syst.* iv. *Cur. Post.* 139.—N. Granat.  
 elliptica, *l. c.*—Ins. Trinit.  
 paradoxum, *Endl. in Flora*, xv. (1832) 396; *Karst. Ausw. Gew. Venez.* 10. t. 3 = *cleomoides*.  
 peruviana, *Spruce, ex Eichl. in Mart. Fl. Bras.* xiii. i. 267.—Peruv.

STERIS, *Adans. Fam.* ii. 255 (1763) = *Lychnis*, *Tourn. (Caryoph.)*.

STERIS, *Linn. Mant.* i. 8 (1767) = *Hydrolea*, *Linn. (Hydroph.)*.  
 aquatica, *Burm. f. Fl. Ind.* 73. t. 39. f. 3 = *H. zeylanica*.  
 javanica, *Linn. Mant.* i. 54 = *H. zeylanica*.  
 villosa, *Pav. ex A. W. Benn. in Journ. Linn. Soc.* xi. (1871) 275 = *H. zeylanica*.  
 villosa, *Pav. ex A. W. Benn. l. c.* 277 = *H. multiflora*.

STERNBECKIA, *Pers. Syn.* ii. 69, in syn. (1807), *sphalm.* = *STERBECKIA*, *Schreb.* = *Singana*, *Aubl. (Inc. sed.)*.

STERNBERGIA, *Waldst. & Kit. Pl. Rar. Hung.* ii. 172. t. 159 (1805). *AMARYLLIDAE*, *Benth. & Hook. f.* iii. 721.  
 OPORANTHUS, *Herb. App. [Bot. Reg.]* 38 (1821).  
 aetnensis, *Guss. Fl. Sic. Prod.* i. 395; *Schult. f. Syst.* vii. 794 = *colchiciflora*.  
 americana, *Hoffingg. Verz. Pfl.* 197 = *Haylockia pusilla*.  
 caucasica, *Willd. in Ges. Naturf. Fr. Berl. Mag.* ii. (1808) 27.—Reg. Cauc.  
 citrina, *Ker-Gawl. ex Schult. f. Syst.* vii. 795.—Graecia.  
 Clusiana, *Ker-Gawl. ex Schult. l. c.* 794 = *colchiciflora*.  
 colchiciflora, *Waldst. & Kit. Pl. Rar. Hung.* ii. 172. t. 159.—Europ. austr.  
 dalmatica, *Herb. Amaryll.* 413. t. 47. f. 2 = *colchiciflora*.  
 exigua, *Ker-Gawl. ex Schult. f. Syst.* vii. 795 = *Tapeinanthus humilis*.  
 exscapa, *Tineo, in Guss. Fl. Sic. Syn.* i. 384 (sp. dub.).—Sicil.  
 Fischeriana, *Roem. Syn. Ens.* 46 = *lutea*.  
 Fischeriana, *Rupr. in Regel, Gartenfl.* (1868) 100. t. 576.—Reg. Cauc.  
 lutea, *Ker-Gawl. ex Schult. f. Syst.* vii. 795.—Reg. Mediterr.  
 lutea, *Orph. ex Nym. Consp.* 713 = *citrina*.  
 macrantha, *J. Gay, ex Boiss. Fl. Orient.* v. 148 = *colchiciflora*.  
 pulchella, *Boiss. & Blanche, Diagn. Ser. II.* iv. 97 = *colchiciflora*.  
 Schuberti, *Schenk, Pl. Sp. Aegypt.* 11 = *colchiciflora*.  
 sicula, *Tineo, ex Guss. Fl. Sic. Syn.* ii. 811 = *lutea*.  
 stipitata, *Boiss. & Haussk. ex Boiss. Fl. Orient.* v. 148 = *colchiciflora*.

STERRHYMENIA, *Griseb. in Goett. Abh.* xix. (1874) 231 = *Sclerophylax*, *Miers (Solan.)*.  
 Cynocrambe, *Griseb. l. c.*—Reg. Argent.

STETHOMA, *Rafin. Fl. Tellur.* iv. 61 (1836) = *Dianthera*, *Gronov. (Acanth.)*.  
 pectoralis, *Rafin. l. c.* = *D. pectoralis*.

STEUARTA, *Catesb. ex Mill. Gard. Dict. ed. VI.* 175 *App.* (1752), *sphalm.* = *Stuartia*, *Linn. (Ternstr.)*.

STEUDELIA, *Mart. Nov. Gen. et Sp. Bras.* t. 168 (1827) = *Leonia*, *Ruiz & Pav. (Violar.)*.  
 cymosa, *Mart. l. c.* t. 169 = *L. cymosa*.  
 racemosa, *Mart. l. c.* t. 168 = *L. glycyarpa*.

STEUDELIA, *Presl, Steud. Nov. Pl. Gen.* (1829); *et Symb. Bot.* i. 3. t. 2 (1830) = *Adenogramma*, *Reichb. (Ficoid.)*.  
 capillaris, *Eckl. & Zeyh. Enum.* 283.—Afr. austr.  
 diffusa, *Eckl. & Zeyh. l. c.* 284 = *A. diffusa*.  
 galioides, *Presl, Steud. Nov. Pl. Gen.* (1829); *et Symb. Bot.* i. 3. t. 2 = *A. galioides*.  
 sylvatica, *Eckl. & Zeyh. Enum.* 283 = *A. sylvatica*.

STEUDELIA, *Spreng. Neue Entdeck.* iii. 59 (1822) = *Erythroxylum*, *P. Br. (Lineae)*.  
 brasiliensis, *Spreng. l. c.* = *E. ovatum*.

STEUDNERA, *C. Koch, in C. Koch & Fint. Wochenschr.* (1862) 114. *AROIDEAE*, *Benth. & Hook. f.* iii. 988.  
 colocasiaefolia, *C. Koch, l. c.* 114.—Malaya.  
 discolor, *Bull. in Gard. Chron.* (1875) 708 = *colocasiae-folia*.

STEVENA, *Andrz. ex DC. Syst.* ii. 291 (1821) = *Alyssum*, *Tourn. (Crucif.)*.

STEVENIA, Adams & Fisch. in Mém. Soc. Nat. Mosc. v. (1817) 84 = *Arabis*, Linn. (Crucif.).  
*alyssoides*, Adams & Fisch. l. c. —Sibir.  
*cheiranthoides*, DC. Syst. ii. 210 = *A. incarnata*.  
*incana*, Andr. ex DC. l. c. 291 = *A. incana*.

STEVENIA, Poit. in Ann. Mus. Par. iv. (1804) 235.  
 t. 60 = *Rondeletia*, Linn. (Rubiaceae).  
*buxifolia*, Poit. l. c. = *R. buxifolia*.

STEVENSONIA, J. Dunc. Cat. Hort. Maurit. 87 (1863), nomen. PALMEAE, Benth. & Hook. f. iii. 908.

PHOENICOPHORUM, H. Wendl. in Illustr. Hort. xii. (1865) Misc. 5. t. 433.

STEPHENSONIA, Hort. ex Van Houtte, Fl. des Serres, xv. (1862-63) 177.

*grandiflora*, J. Dunc. Cat. Pl. Maurit. 87 = seq.  
*grandifolia*, J. Dunc. l. c., in errat. —Ins. Mascar.  
*viridifolia*, J. Dunc. — Cf. Gard. Chron. (1870) 697;  
 Baker, Fl. Maurit. 388 = *Verschaffeltia splendida*.

STEVIA, Cav. Ic. iv. 32. tt. 354-356 (1797). COMPOSITAE, Benth. & Hook. f. ii. 242.

MUSTELIA, Spreng. Nachr. i. Bot. Gart. Halle, 28 (1801); et in Trans. Linn. Soc. vi. (1802) 152. t. 13.

NOTHITES, Cass. in Dict. Sc. Nat. xxxv. 163 (1825).  
 XETOLIGUS, Rafin. New Fl. Am. iv. 74 (1836).

*adenophora*, Lag. Gen. et Sp. Nov. 27. —Chili.

*alpina*, Griseb. in Goett. Abh. xix. (1874) 165. —Reg. Argent.

*amabilis*, Lemmon, ex A. Gray, in Proc. Am. Acad. xix. (1884) 1. —Arizona.

*angustifolia*, H. B. & K. Nov. Gen. et Sp. iv. 149 = *salicifolia*.

*anisostemma*, Turcz. in Bull. Soc. Nat. Mosc. xxiv. (1851) 1. 167. —Peruv.

*arbutifolia*, Willd. ex DC. Prod. v. 115 = *Ageratum arbutifolium*.

*aristata*, D. Don, ex Hook. & Arn. in Hook. Comp. Bot. Mag. i. (1835) 238. —Reg. Argent.

*Arnottiana*, Baker, in Mart. Fl. Bras. vi. ii. 201 = *Gilliesii*.

*Aschenborniana*, Sch. Bip. in Linnaea, xxv. (1852) 269. —Mexic.

*Berlandieri*, A. Gray, in Torr. Bot. Mex. Bound. 73, in Adnot. —Mexic.

*boliviensis*, Sch. Bip. in Bull. Soc. Bot. Fr. xii. (1865) 81; et in Linnaea, xxxiv. (1865-66) 535, nomen. —Bolivia.

*breviaristata*, Hook. & Arn. in Hook. Comp. Bot. Mag. i. (1835) 238. —Reg. Argent.

*breviflora*, Sch. Bip. in Linnaea, xxv. (1852) 291 = *aristata*?

*callosa*, Cerv. ex Loud. Hort. Brit. 335 (Quid?). —Mexic.

*callosa*, Nutt. in Journ. Acad. Philad. ii. (1821) 121 = *Polypteris callosa*.

*calycina*, DC. Prod. v. 124 = *Eupatorium calyculatum*.

*camporum*, Baker, in Mart. Fl. Bras. vi. ii. 202. —Bras.

*canescens*, H. B. & K. Nov. Gen. et Sp. iv. 143 = *serrata*.

*caracasana*, DC. Prod. v. 119. —Venezuela.

*cathartica*, Poepp. & Endl. Nov. Gen. et Sp. iii. 55. —Peruv.

*Chamaedrys*, Griseb. in Goett. Abh. xxiv. (1879) 167. —Reg. Argent.

*cinerascens*, Sch. Bip. ex Baker, in Mart. Fl. Bras. vi. ii. 209. —Bras.

*Clausseni*, Sch. Bip. ex Baker, l. c. 203. —Bras.

*clinopodia*, DC. Prod. v. 116. —Mexic.

*collina*, Gardn. in Hook. Lond. Journ. Bot. v. (1846) 458. —Bras.

*compacta*, Benth. Pl. Hartw. 197. —N. Granat.

*conferta*, DC. Prod. v. 116 = *pilosa*.

*congesta*, Hook. & Arn. in Hook. Comp. Bot. Mag. i. (1835) 238 = *satureiaefolia*.

*connata*, Lag. Elench. Hort. Madr. (1805); ex ej. Gen. et Sp. Nov. 27. —Mexic.

*cordifolia*, Benth. Pl. Hartw. 39. —Mexic.

*coriacea*, Lag. Gen. et Sp. Nov. 28. —Peruv.

*coronata*, Sch. Bip. in Bot. Zeit. iii. (1845) 155 = *urticaefolia*.

*coronifera*, DC. Prod. v. 115. —Mexic.

*crenata*, Benth. Pl. Hartw. 197. —Mexic.

## STEVIA:—

*crenata*, Sch. Bip. ex Baker, in Mart. Fl. Bras. vi. ii. 205 = *menthaefolia*, Sch. Bip.

*crenulata*, Baker, l. c. 211. —Bras.

*cryptantha*, Baker, l. c. 204. —Bras.

*decussata*, Baker, l. c. 203. —Bras.

*dissitifolia*, DC. Prod. v. 121. —Mexic.

*dissoluta*, Schlecht. Hort. Hal. 16. —Mexic.

*divaricata*, DC. Prod. v. 123. —Mexic.

*dodecachaeta*, DC. l. c. 122. —Peruv.

*Ehrenbergiana*, Schlecht. in Linnaea, xvi. (1842) 370. —Mexic.

*elator*, H. B. & K. Nov. Gen. et Sp. iv. 144. —N. Granat.

*elliptica*, Hook. & Arn. Bot. Beech. Voy. 434. —Mexic.

*elongata*, H. B. & K. Nov. Gen. et Sp. iv. 144. —N. Granat.

*enarthotricha*, Lag. Gen. et Sp. Nov. 27. —Mexic.

*erecta*, Walp. Rep. ii. 548, sphalm. = *ovata*?

*Eupatoria*, [Ker-Gawl.] Bot. Reg. t. 93 = *purpurea*.

*Eupatoria*, Willd. Sp. Pl. iii. 1775. —Mexic.

*fascicularis*, Less. in Linnaea, v. (1830) 140. —Mexic.

*fastigiata*, H. B. & K. Nov. Gen. et Sp. iv. 148. —Mexic.

*febrifuga*, Moç. [Sesse], ex DC. Prod. v. 104 = *Piqueria trinervia*.

*ferruginea*, Sch. Bip. ex Baker, in Mart. Fl. Bras. vi. ii. 211 = *S. Veroniceae*.

*fruticosa*, Griseb. in Goett. Abh. xxiv. (1879) 167. —Reg. Argent.

*Gardneriana*, Baker, in Mart. Fl. Bras. vi. ii. 207. —Bras.

*Gilliesii*, Hook. & Arn. in Hook. Comp. Bot. Mag. ii. (1836) 251, in textu. —Bras.

*glabra*, Moç. [Sesse], ex DC. Prod. v. 117 = *connata*.

*glandulifera*, Schlecht. Ind. Sem. Hort. Hal. (1839) 19. —Mexic.

*glandulosa*, Hook. & Arn. Bot. Beech. Voy. 296. —Mexic.

*glutinosa*, H. B. & K. Nov. Gen. et Sp. iv. 148. —N. Granat.

*gracilipes*, Mart. ex Baker, in Mart. Fl. Bras. vi. ii. 210 = *Lundiana*.

*grandidentata*, Sch. Bip. ex Klatt, in Leopoldina, xx. (1884) 75 = *glandulifera*.

*grandidentata*, Sch. Bip. in Bull. Soc. Bot. Fr. xii. (1865) 81; et in Linnaea, xxxiv. (1865-66) 535, nomen. —Bolivia.

*gratioloides*, Hook. & Arn. in Hook. Comp. Bot. Mag. i. (1835) 238 = *S. Veroniceae*.

*Haenkeana*, DC. Prod. v. 122. —Mexic.

*heptachaeta*, DC. l. c. —Bras.

*hirsuta*, DC. l. c. 121. —Mexic.

*hirsuta*, Hook. & Arn. in Hook. Comp. Bot. Mag. i. (1835) 239 = *satureiaefolia*.

*hirtiflora*, Sch. Bip. in Linnaea, xxv. (1852) 274. —Mexic.

*hispidula*, DC. Prod. v. 122. —Mexic.

*hymenopappa*, Moç. [Sesse], ex DC. Prod. v. 117 = *lucida*.

*hyptifolia*, Gardn. in Hook. Lond. Journ. Bot. vi. (1847) 434 = *collina*.

*hyssopifolia*, Cav. Desc. 190 = *S. Eupatoria*.

*hyssopifolia*, H. B. & K. Nov. Gen. et Sp. iv. 140 = *laxiflora*.

*hyssopifolia*, Phil. Fl. Atac. 29. —Chili.

*hyssopifolia*, Sims, Bot. Mag. t. 1861 = *paniculata*.

*imbricata*, Gardn. in Hook. Lond. Journ. Bot. v. (1846) 458 = *Dissothrix Gardneri*.

*incanescens*, Lag. Gen. et Sp. Nov. 27 = *serrata*, microcephala, uniaristata.

*involuta*, Sch. Bip. ex Baker, in Mart. Fl. Bras. vi. ii. 211. —Bras.

*ivaefolia*, Willd. in Ges. Naturf. Fr. Berl. Mag. i. (1807) 137. —Mexic.; N. Granat.

*jordensis*, H. B. & K. Nov. Gen. et Sp. iv. 144. —Mexic.

*Karwinskyana*, Steud. Nom. ed. II. ii. 641. —Mexic.

*lanceolata*, Hook. & Arn. in Hook. Comp. Bot. Mag. i. (1835) 238 = *Gilliesii*.

*lanceolata*, Lag. Gen. et Sp. Nov. 26. —Mexic.

*lanceolata*, Moç. [Sesse], ex DC. Prod. v. 116 = *subpubescens*.

*lanceolata*, Walp. in Linnaea, xiv. (1840) 319 = *Karwinskyana*.

*latifolia*, Benth. Pl. Hartw. 40. —Mexic.

## STEVIA:—

*lavandulaefolia*, Willd. ex DC. Prod. v. 125 = *Palafoxia linearis*.

*laxa*, Hook. & Arn. in Hook. Comp. Bot. Mag. i. (1835) 238 = *satureiaefolia*.

*laxiflora*, DC. Prod. v. 122. —Mexic.

*Lemmoni*, A. Gray, in Proc. A. Acad. xvii. (1882) 204. —Arizona.

*leptophylla*, Sch. Bip. ex Baker, in Mart. Fl. Bras. vi. ii. 205. —Bras.

*leucantha*, Schlecht. Hort. Hal. 16. —Mexic.

*leuconeura*, DC. Prod. v. 121. —Mexic.

*Liebmannii*, Sch. Bip. ex Klatt, in Leopoldina, xx. (1884) 75. —Mexic.

*linariaefolia*, DC. Prod. v. 123 = *satureiaefolia*.

*linearifolia*, Steud. Nom. ed. II. ii. 641 = *praece*.

*linearifolia*, Walp. in Linnaea, xiv. (1840) 320. —Mexic.

*linearis*, Gill. ex Baker, in Mart. Fl. Bras. vi. ii. 208 = *satureiaefolia*.

*linearis*, Willd. Sp. Pl. iii. 1774 = *Palafoxia linearis*.

*linoides*, Sch. Bip. in Linnaea, xxv. (1852) 284. —Mexic.

*longifolia*, Moç. [Sesse], ex DC. Prod. v. 118 = *viminea*.

*longiseta*, Moç. [Sesse], l. c. 121 = *leuconeura*.

*Lorentzii*, Griseb. in Goett. Abh. xix. (1874) 164 (err. typ. 416). —Reg. Argent.

*lucida*, Lag. Gen. et Sp. Nov. 28. —Mexic.

*Lundiana*, DC. Prod. v. 122. —Bras.

*macella*, A. Gray, Pl. Wright. ii. 70 = *micrantha*.

*Mandonii*, Sch. Bip. in Bull. Soc. Bot. Fr. xii. (1865) 81; et in Linnaea, xxxiv. (1865-66) 535, nomen. —Bolivia.

*megapotamica*, DC. Prod. v. 123 = *satureiaefolia*.

*melissaeifolia*, Sch. Bip. in Linnaea, xxv. (1852) 291. —Peruv.

*menthaefolia*, Phil. Fl. Atac. 29. —Chili.

*menthaefolia*, Sch. Bip. in Linnaea, xxv. (1852) 282. —Bras.

*micrantha*, Lag. Elench. Hort. Matr. (1805); ex ej. Gen. et Sp. Nov. 27. —Mexic.

*microcephala*, DC. Prod. v. 118. —Mexic.

*microchaeta*, Sch. Bip. in Linnaea, xxv. (1852) 291. —Mexic.

*micropappa*, Sch. Bip. in Bull. Soc. Bot. Fr. xii. (1865) 81 = *grandidentata*.

*microphylla*, H. B. & K. Nov. Gen. et Sp. iv. 140. —Mexic.

*minor*, Griseb. in Goett. Abh. xix. (1874) 166. —Reg. Argent.

*mollis*, Schrad. ex DC. Prod. v. 120. —Hab.?

*monardaefolia*, H. B. & K. Nov. Gen. et Sp. iv. 147. —Mexic.

*multiaristata*, Spreng. Syst. iii. 449 = *satureiaefolia*.

*multifida*, [Moç. & Sesse], ex DC. Prod. v. 121 = *trifida*.

*myriadenia*, Sch. Bip. ex Baker, in Mart. Fl. Bras. vi. ii. 206. —Bras.

*nepetaefolia*, H. B. & K. Nov. Gen. et Sp. iv. 146. —Am. austr.

*nervosa*, DC. Prod. v. 117. —Mexic.

*nitida*, Walp. in Linnaea, xiv. (1840) 320. —Mexic.

*oaxacana*, Sch. Bip. ex Klatt, in Leopoldina, xx. (1884) 75 = *lucida*.

*oligocephala*, DC. Prod. v. 117. —Bras.

*organensis*, Gardn. in Hook. Lond. Journ. Bot. iv. (1845) 115. —Bras.

*organifolia*, Walp. in Linnaea, xiv. (1840) 321. —Mexic.

*organoides*, H. B. & K. Nov. Gen. et Sp. iv. 147. —Mexic.

*ovata*, Dum.-Cours. Bot. Cult. ed. II. iv. 93 = *S. Eupatoria*, *salicifolia*.

*ovata*, Lag. Elench. Hort. Matr. (1805); ex ej. Gen. et Sp. Nov. 27. —Mexic.

*ovata*, Rafin. New Fl. Am. iv. 73 (Quid?). —Am. bor.

*oxylaena*, DC. Prod. v. 123. —Bras.

*pallida*, Mart. ex Baker, in Mart. Fl. Bras. vi. ii. 206 = *collina*.

*paniculata*, Lag. Elench. Hort. Matr. (1805); ex ej. Gen. et Sp. Nov. 27. —Mexic.

*paniculigera*, Mart. Herb. Fl. Bras. n. 772; et ex Baker, in Mart. Fl. Bras. vi. ii. 201 = *urticaefolia*.

*pedata*, Cav. Ic. iv. 33. t. 356 = *Florestina pedata*.

*petiolata*, Sch. Bip. in Linnaea, xxv. (1852) 291. —Peruv.

*pilosa*, Lag. Gen. et Sp. Nov. 26. —Mexic.



**STEVIA:—**

- Plummerae, A. Gray, in *Proc. Am. Acad.* xvii. (1882) 204.—Arizona.  
 podoccephala, DC. *Prod.* v. 121.—Mexic.  
 podoccephala, Schau. in *Linnaea*, xix. (1847) 718 = Aschenborniana.  
 Pohlana, Baker, in *Mart. Fl. Bras.* vi. II. 211.—Bras.  
 polycephala, Baker, l. c. 207.—Bras.  
 polycephala, Bertol. *Fl. Guatimal.* 32.—Guatamal.  
 polyphylla, DC. *Prod.* v. 123.—Am. austr.  
 puberula, D. Don, ex Hook. & Arn. in Hook. *Comp. Bot. Mag.* i. (1835) 238 = Gilliesii.  
 puberula, Hook. *Misc. Bot.* ii. (1831) 225.—Peruv.  
 pubescens, Lag. *Gen. et Sp. Nov.* 26.—Mexic.  
 pubescens, Moç. [& Sesse,] ex DC. *Prod.* v. 119 = nepetaefolia.  
 punctata, Pers. *Syn.* ii. 403 = S. Eupatoria.  
 punctata, Sch. Bip. in *Linnaea*, xxv. (1852) 286 = serrata.  
 purpurea, Lag. *Gen. et Sp. Nov.* 26 = laxiflora.  
 purpurea, Pers. *Syn.* ii. 402.—Mexic.  
 pyrolaeifolia, Schlecht. in *Linnaea*, xvi. (1842) 326.—Mexic.  
 quitensis, H. B. & K. *Nov. Gen. et Sp.* iv. 145.—Ecuador.  
 ranunculoides, Hemsl. *Biol. Centr. Am. Bot.* ii. 89 = seq.  
 rapunculoides, DC. *Prod.* v. 124.—Mexic.  
 reglensis, Benth. *Pl. Hartw.* 40.—Mexic.  
 Regnellii, Sch. Bip. in *Linnaea*, xxii. (1849) 572; xxv. (1852) 272 = S. Veroniceae.  
 resinosa, Gardn. in Hook. *Lond. Journ. Bot.* v. (1846) 457.—Bras.  
 rhombifolia, H. B. & K. *Nov. Gen. et Sp.* iv. 143.—Mexic.  
 Riedelii, Sch. Bip. ex Baker, in *Mart. Fl. Bras.* vi. II. 204.—Bras.  
 salicifolia, Cav.  *Ic.* iv. 32. t. 354.—Mexic.  
 salviaefolia, Hort. ex G. Don, in Loud. *Hort. Brit.* 335 (Quid?).—Mexic.  
 satureiaefolia, Sch. Bip. in *Linnaea*, xxv. (1852) 291.—Bras.  
 satureifolia, Cav. in *Anal. Cienc. Nat.* vi. (1802) 317 = Mikania amara.  
 scabrella, Benth. *Pl. Hartw.* 19.—Mexic.  
 Seemannii, Sch. Bip. in *Seem. Bot. Voy. Herald*, 298.—Mexic.  
 Selloi, Sch. Bip. ex Baker, in *Mart. Fl. Bras.* vi. II. 209 = oxylaena.  
 semperflorens, Tenore, ex DC. *Prod.* v. 117 = salicifolia.  
 sempervirens, Steud. *Nom. ed. II.* ii. 641, sphalm. = praec.  
 serrata, Cav.  *Ic.* iv. 33. t. 355.—Am. austr.  
 sphacelata, Nutt. ex Torr. in *Ann. Lyc. N. York*, ii. (1828) 214 = Polypteris Hookeriana.  
 stenoccephala, Sch. Bip. in *Bull. Soc. Bot. Fr.* xii. (1865) 81 = grandidentata.  
 stenophylla, A. Gray, in *Proc. Am. Acad.* xv. (1880) 25.—Mexic.  
 stricta, Hornem. *Hort. Hafn.* ii. 792 = purpurea.  
 suaveolens, Lag. *Gen. et Sp. Nov.* 27 = nepetaefolia.  
 subhirsuta, Lag. ex Reichb.  *Ic.* Bot. Exot. ii. 33. t. 188 = purpurea?  
 suboctoaristata, Lag. *Gen. et Sp. Nov.* 27.—Peruv.  
 subpubescens, Lag. l. c. 28.—Mexic.  
 tenella, Moç. [& Sesse,] ex DC. *Prod.* v. 121 = micrantha.  
 tenuifolia, D. Don, ex Hook. & Arn. in Hook. *Comp. Bot. Mag.* i. (1835) 238 = satureiaefolia.  
 tenuifolia, Phil. in *Anal. Univ. Chil.* (1862) II. 397; et in *Linnaea*, xxxiii. (1864–65) 128.—Chili.  
 tenuis, Hook. & Arn. in Hook. *Comp. Bot. Mag.* i. (1835) 239 = S. Veroniceae.  
 ternifolia, H. B. & K. *Nov. Gen. et Sp.* iv. 146.—Mexic.  
 tomentosa, H. B. & K. l. c. 145.—Mexic.  
 tomentosa, Schau. in *Linnaea*, xix. (1847) 719 = nepetaefolia.  
 trachelioides, DC. *Prod.* v. 115.—Mexic.  
 trachelioides, Hook. *Bot. Mag.* t. 3856 = glandulifera.  
 trichopoda, A. Gray, in *Mem. Am. Acad. N. S.* iv. (1849) 64.—Mexic.  
 trifida, Lag. *Gen. et Sp. Nov.* 27.—Mexic.  
 triflora, DC. *Prod.* v. 115.—Mexic.  
 umbellata, Alam. ex DC. l. c. 118 = viminea.  
 uniaristata, DC. l. c. 120.—Mexic.

**STEVIA:—**

- urticaefolia, Thunb. *Pl. Bras. Dec.* i. 13.—Bras.  
 vaga, Griseb. in *Goett. Abh.* xix. (1874) 165.—Reg. Argent.  
 Veroniceae, DC. *Prod.* v. 123.—Bras.  
 verticillata, Schlecht. in *Linnaea*, xvi. (1842) 372.—Bras.  
 vigintisetata, DC. *Prod.* v. 123.—Mexic.  
 villosa, Moç. [& Sesse,] ex DC. l. c. 122 = viscida.  
 viminea, Schrad. *Hort. Gotting.* (1832); DC. l. c. 117.—Mexic.  
 violacea, Cerv. ex Loud. *Hort. Brit. Suppl.* ii. 675 (Quid?).—Mexic.  
 virgata, H. B. & K. *Nov. Gen. et Sp.* iv. 142 = serrata.  
 viscida, H. B. & K. l. c. 140.—Mexic.  
 viscosa, Hort. ex Steud. *Nom. ed. II.* ii. 642 = viscida.

STEOGTIA, Neck. *Elem.* ii. 23 (1790) = **Convolvulus**, Tourn.  
 platycarpus, Rafin. *Fl. Tellur.* iv. 70 = Phacelia platycarpa.

STEWARTIA, Linn. in *Act. Soc. Upsal.* (1741) 79, sphalm. = **Stuartia**, Linn. (Ternstr.).

STHAELINA, Lag. *Gen. et Sp. Nov.* 24 (1816), err. typ. = **Stachelina**, Linn. (Compos.).

STIBADOTHECA, Klotzsch, in *Abh. Akad. Berl.* 1854 (1855), 128. t. 12 A = **Begonia**, Tourn.  
 ferruginea, Klotzsch, l. c. 130 = B. ferruginea.  
 magnifica, Klotzsch, l. c. 129 = B. ferruginea.  
 trachyptera, Klotzsch, l. c. 131 = B. trachyptera.  
 Urticae, Klotzsch, ex A. DC. in DC. *Prod.* xvi. i. 274 = B. trachyptera.

STIBAS, Comm. ex DC. *Prod.* vii. 338 (1839) = **Levenhookia**, R. Br. (Campan.).

STICHONEURON, Hook. f. in Benth. & Hook. f. *Gen.* iii. 747 (1883). **ROXBURGHACEAE**, Benth. & Hook. f. l. c.  
 membranaceum, Hook. f. & Thoms. (in *Herb. Kew.*).—Ind. or.

STICHOPHYLLUM, Phil. *Fl. Atac.* 19. t. 1 D (1860) = **Pycnophyllum**, Remy (Caryophyll.).  
 bryoides, Phil. l. c. = P. bryoides.

STICHORCHIS, Thou. *Orch. Isles Austr. Afr. Tabl.* 1<sup>er</sup> (1822) = **Liparis**, Rich. (Orchid.).

STICKMANNIA, Neck. *Elem.* iii. 171 (1790) = **Dichorisandra**, Mikan (Commel.).  
 africana, Rafin. *Fl. Tellur.* iii. 69 = Commelina africana.  
 guyanensis, Rafin. l. c. = Commelina nudiflora.  
 longicollis, Rafin. l. c. = Commelina nudiflora.  
 mollis, Rafin. l. c. = D. villosula.

STICTOPHYLLUM, Edgew. in *Proc. Linn. Soc.* i. (1845) 253; et in *Trans. Linn. Soc.* xx. (1846) 78 = **Tricholepis**, DC. (Compos.).  
 glabrum, Edgew. in *Trans. Linn. Soc.* xx. (1846) 78 = T. Stictophyllum.

STIEFIA, Medic. in *Staatsw. Vorles. Churpf. Phys.-Oek.* Ges. i. (1791) 200; Phil. *Bot.* ii. 40 (1791) = **Salvia**, Tourn. (Labi.).

**STIFFTIA**, Mikan, *Del. Bras.* i. 1. t. 1 (1820).  
**COMPOSITAE**, Benth. & Hook. f. ii. 491.  
 ARISTOMENIA, Vell. *Fl. Flum.* 345 (1825).  
 AUGUSTA, Leandr. in *Denkschr. Akad. Muench.* vii. (1819) 235. t. 14.  
 GONGYLOLEPIS, Schomb. in *Linnaea*, xx. (1847) 759.  
 MOCINIA, DC. *Prod.* vii. 26 (1838).  
 SANHILARIA, Leandr. ex DC. l. c. (1838).  
 Benthiana, Baker, in *Mart. Fl. Bras.* vi. III. 352.—Guian.  
 chrysantha, Mikan, *Del. Bras.* i. 1. t. 1.—Bras.  
 condensata, Baker, in *Mart. Fl. Bras.* vi. III. 351.—Guian.  
 insignis, Regel, *Cat. Pl. Hort. Aksakov.* 135 = chrysantha?  
 Martiana, Baker, in *Mart. Fl. Bras.* vi. III. 351.—Bras.  
 parviflora, D. Don, in *Trans. Linn. Soc.* xvi. (1833) 291.—Bras.

STIFTIA, Cass. in *Dict. Sc. Nat.* xlvii. 499, 511 (1827), sphalm. = praec.

STIFTIA, Pohl, ex Nees, in DC. *Prod.* xi. 70 (1847) = **Ebermaiera**, Nees (Acanth.).  
 elegans, Pohl, ex Nees, l. c. 72 = E. elegans.

**STIGMANTHUS**, Lour. *Fl. Cochinch.* 146 (1790).  
 Genus dubium **RUBIACEARUM**.—Cf. Benth. & Hook. f. ii. 29.

STIGMATANTHUS, Roem. & Schult. *Syst.* v. p. xv. 225 (1819).  
 cymosus, Lour. *Fl. Cochinch.* 146.—Cochinch.

**STIGMAPHYLLON**, A. Juss. in A. St. Hil. *Fl. Bras. Mer.* iii. 48. tt. 170, 171 (1832). **MALPIGHIACEAE**, Benth. & Hook. f. i. 257.

acuminatum, A. Juss. l. c. 58.—Bras.  
 adenodon, A. Juss. in *Arch. Mus. Par.* iii. (1843) 360.—Ind. occ.  
 affine, A. Juss. in A. St. Hil. *Fl. Bras. Mer.* iii. 57.—Bras.

alternans, Planch. & Triana, in *Ann. Sc. Nat. Sér. IV.* xviii. (1862) 316.—N. Granat.  
 alternifolium, A. Juss. in A. St. Hil. *Fl. Bras. Mer.* iii. 54 = tomentosum.

angulosum, A. Juss. in *Arch. Mus. Par.* iii. (1843) 362.—Ind. occ.

angustifolium, Griseb. in *Mart. Fl. Bras.* xii. i. 41 = seq.

angustilobum, A. Juss. in A. St. Hil. *Fl. Bras. Mer.* iii. 53.—Bras.

anomalum, A. Juss. in *Arch. Mus. Par.* iii. (1843) 363 = urenaefolium.

aristatum, Lindl. *Bot. Reg.* t. 1659.—Am. austr.

auriculatum, A. Juss. in A. St. Hil. *Fl. Bras. Mer.* iii. 48.—Bras.

bogotense, Triana & Planch. in *Ann. Sc. Nat. Sér. IV.* xviii. (1862) 320.—N. Granat.

brachiatum, Planch. & Triana, l. c. 316.—N. Granat.

cardiophyllum, A. Juss. in *Arch. Mus. Par.* iii. (1843) 374.—Bras.

ciliatum, A. Juss. in A. St. Hil. *Fl. Bras. Mer.* iii. 49.—Bras.

convolvulaefolium, A. Juss. in *Arch. Mus. Par.* iii. (1843) 372.—Guian.

dichotomum, Griseb. in *Linnaea*, xiii. (1839) 207 = rotundifolium.

diversifolium, A. Juss. in *Arch. Mus. Par.* iii. (1843) 381.—Ind. occ.

echitoides, Planch. & Triana, in *Ann. Sc. Nat. Sér. IV.* xviii. (1862) 318.—N. Granat.

ellipticum, A. Juss. in *Arch. Mus. Par.* iii. (1843) 377.—Mexic.

emarginatum, A. Juss. l. c. 382.—Ind. occ.

Faustinum, Wright, in *Sauv. Fl. Cub.* 16.—Cuba.

Finlayanum, A. Juss. in *Arch. Mus. Par.* iii. (1843) 373.—Ind. occ.

fulgens, A. Juss. l. c. 370.—Guian.

Gaudichaudianum, A. Juss. in A. St. Hil. *Fl. Bras. Mer.* iii. 50 = vitifolium.

Gayanum, Griseb. in *Linnaea*, xiii. (1839) 211 = affine.

Gayanum, A. Juss. in A. St. Hil. *Fl. Bras. Mer.* iii. 56.—Bras.

hastatum, Griseb. in *Linnaea*, xiii. (1839) 208 = affine.

heterophyllum, Hook. *Bot. Mag.* t. 4014.—Reg. Argent.

Humboldtianum, A. Juss. in A. St. Hil. *Fl. Bras. Mer.* iii. 56 = tomentosum.

Humboldtianum, Seem. *Bot. Voy. Herald*, 91 = retusum.

hypargyreum, Planch. & Triana, in *Ann. Sc. Nat. Sér. IV.* xviii. (1862) 318.—Panama.

hypoleucum, Miq. in *Linnaea*, xviii. (1844) 51.—Guian.

ipomoeoides, Planch. & Triana, in *Ann. Sc. Nat. Sér. IV.* xviii. (1862) 317.—N. Granat.

irregularis, A. Juss. in *Arch. Mus. Par.* iii. (1843) 366 = affine.

jatrophaefolium, A. Juss. in A. St. Hil. *Fl. Bras. Mer.* iii. 51.—Bras.

lacunosum, A. Juss. in *Arch. Mus. Par.* iii. (1843) 370 = puberulum.

Lalandianum, A. Juss. in A. St. Hil. *Fl. Bras. Mer.* iii. 58; et l. c. 381 = acuminatum.

latifolium, Benth. in Hook. *Lond. Journ. Bot.* vii. (1848) 128.—Guian.

**STIGMAPHYLLON** :—

- Lindenianum, *A. Juss. in Arch. Mus. Par.* iii. (1843) 362.—Mexic.  
 lineare, *Wright, ex Griseb. Cat. Pl. Cub.* 43.—Cuba.  
 littorale, *A. Juss. in A. St. Hil. Fl. Bras. Mer.* iii. 55.—Bras.  
*macropodium*, *A. Juss. in Arch. Mus. Par.* iii. (1843) 369 = tomentosum.  
*malpighioides*, *Turcz. in Bull. Soc. Nat. Mosc.* xxxvi. (1863) 1. 582.—Mexic.  
*Martianum*, *A. Juss. in Arch. Mus. Par.* iii. (1843) 371.—Bras.  
*megacarpum*, *Griseb. in Linnaea*, xiii. (1839) 209 = tomentosum.  
*microphyllum*, *Griseb. in Mem. Am. Acad. N. S.* viii. (1860) 168.—Cuba.  
*mucronatum*, *A. Juss. in Arch. Mus. Par.* iii. (1843) 377 = ellipticum.  
*multilobum*, *Miq. in Linnaea*, xix. (1847) 433.—Bras.  
*obtusum*, *Turcz. in Bull. Soc. Nat. Mosc.* xxxvi. (1863) 1. 582.—Cuba.  
*palmatum*, *A. Juss. in Arch. Mus. Par.* iii. (1843) 362.—Ind. occ.  
*Paralias*, *A. Juss. in A. St. Hil. Fl. Bras. Mer.* iii. 59 = *Brachypterys australis*.  
*periplocaefolium*, *A. Juss. in Arch. Mus. Par.* iii. (1843) 380.—Ind. occ.  
*puberulum*, *Griseb. in Linnaea*, xiii. (1839) 205.—Bras.  
*puberum*, *A. Juss. in Arch. Mus. Par.* iii. (1843) 376.—Ind. occ.  
*purpureum*, *Benth. in Hook. Lond. Journ. Bot.* vii. (1848) 128 = fulgens.  
*repandum*, *Griseb. in Linnaea*, xiii. (1839) 202.—Bras.  
*reticulatum*, *A. Juss. in Arch. Mus. Par.* iii. (1843) 378.—Cuba.  
*retusum*, *Griseb. & Oerst. in Kjoeb. Vidensk. Meddel.* (1853) 45.—Panama.  
*rhombifolium*, *Wright, in Sawv. Fl. Cub.* 17.—Cuba.  
*Richardianum*, *A. Juss. in Arch. Mus. Par.* iii. (1843) 372.—Guian.  
*rotundifolium*, *A. Juss. l. c.* 373.—Am. austr.  
*sagittatum*, *A. Juss. l. c.* 362.—Ind. occ.  
*Sagraeanum*, *A. Juss. l. c.* 379.—Cuba.  
*Saltzmännii*, *A. Juss. l. c.* 365.—Am. austr.  
*sericeum*, *Wright, ex Griseb. Cat. Pl. Cub.* 43 = *diversifolium*.  
*sinuatum*, *A. Juss. in Arch. Mus. Par.* iii. (1843) 361.—Guian.  
*strigosum*, *A. Juss. l. c.* 368.—Peruv.  
*ternatum*, *A. Juss. l. c.* 376 = ellipticum.  
*tomentosum*, *A. Juss. in A. St. Hil. Fl. Bras. Mer.* iii. 53.—Bras.  
*umbellatum*, *Juss. ex Steud. Nom. ed. II.* ii. 642 (Quid ?).—Bras.  
*urenaefolium*, *A. Juss. in A. St. Hil. Fl. Bras. Mer.* iii. 52.—Bras.  
*velutinum*, *Planch. & Linden, ex Triana & Planch. in Ann. Sc. Nat. Sér. IV.* xviii. (1862) 320.—N. Granat.  
*vitifolium*, *A. Juss. in A. St. Hil. Fl. Bras. Mer.* iii. 50.—Bras.

**STIGMAROSA**, *Hook. f. & Thoms. in Fl. Brit. Ind.* i. 193 (1872), sphalm. = seq.

**STIGMAROTA**, *Lour. Fl. Cochinch.* 633 (1790) = **Flacourtia**, *Comm. (Bixin.)*.  
*africana*, *Lour. l. c.* = *F. Ramontchi*.  
*edulis*, *Blanco, Fl. Filip. ed. II.* 560 = *F. sepiaria*.  
*Jangomas*, *Lour. Fl. Cochinch.* 634 = *F. cataphracta*.

**STIGMATANTHUS**, *Roem. & Schult. Syst. v. p.* xv. 220 (1819) = **Stigmanthus**, *Lour. (Rubiace.)*.

**STIGMATOCOCCA**, *Willd. ex Schult. Mant.* iii. 3, 55 (1827). *INCERT. SEDIS*.—Cf. *Benth. & Hook. f. Gen.* ii. 888.  
*solanacea*, *Willd. l. c.*—Bras.

**STIGMATOPHYLLON**, *Meissn. Gen.* 55 (1837) = **Stigmaphyllon**, *A. Juss. (Malpig.)*.

**STIGMATOPHYLLUM**, *Spach, Hist. Vég. Phan.* iii. 153 (1834) = praec.

**STIGMATOTHECA**, *Sch. Bip. in Webb & Berth. Phyt. Canar.* ii. 255 (1836–46) = **Chrysanthemum**, *Tourn. (Compos.)*.  
*lacera*, *Sch. Bip. l. c.* 257 = *C. Broussonetii*.  
*pinnatifida*, *Sch. Bip. l. c.* 255 = *C. pinnatifidum*.

**STILAGINELLA**, *Tul. in Ann. Sc. Nat. Sér. III.* xv. (1851) 240 = **Hyeronima**, *Allem. (Euphorb.)*.  
*amazonica*, *Tul. l. c.* 241 = *H. alchorneoides*.  
*Bentharii*, *Tul. l. c.* 247 = *H. oblonga*.  
*Blanchetiana*, *Tul. l. c.* 249 = *H. Blanchetiana*.  
*clusioides*, *Tul. l. c.* 245 = *H. clusioides*.  
*ferruginea*, *Tul. l. c.* 250 = *H. ferruginea*.  
*laxiflora*, *Tul. l. c.* 244 = *H. laxiflora*.  
*oblonga*, *Tul. l. c.* 248 = *H. oblonga*.  
*scabrida*, *Tul. l. c.* 242 = *H. scabrida*.

**STILAGO**, *Linn. Mant.* i. 16 (1767) = **Antidesma**, *Burm. (Euphorb.)*.  
*Bunius*, *Linn. l. c.* 122 = *A. Bunius*.  
*diandra*, *Roxb. Pl. Corom.* ii. t. 166 = *A. diandrum*.  
*lanceolata*, *Roxb. Hort. Beng.* 71 ; *Fl. Ind.* iii. 760 = *A. diandrum*.  
*tomentosa*, *Roxb. ll. cc.* 71 ; 757 = *A. Roxburghii*.

**STILBANTHUS**, *Hook. f. in Hook. Ic. Pl. t.* 1286 (1879). **AMARANTACEAE**, *Benth. & Hook. f.* iii. 35.  
*scandens*, *Hook. f. in Hook. Ic. Pl. t.* 1286.—Reg. Himal.

**STILBE**, *Berg. Desc. Pl. Cap.* 30. t. 4 (1767). **VERBENACEAE**, *Benth. & Hook. f.* ii. 1138.  
*LUEHEA*, *F. W. Schmidt, Neue u. Selt. Pfl.* 23 (1793).  
*albiflora*, *E. Mey. Comm. Pl. Afr. Austr.* 279.—Afr. austr.  
*cernua*, *Linn. f. Suppl.* 441 = *Campylostachys cernua*.  
*ericoides*, *Lam. ex Poir. Encyc. Suppl. v.* 251 = *albiflora*.  
*ericoides*, *Linn. Mant.* ii. 305 ; *Thunb. Prod. Pl. Cap.* 29.—Afr. austr.  
*myrtifolia*, *Poir. Encyc. Suppl. v.* 252 = *Lonchostoma obtusifolium*.  
*phylicoides*, *A. DC. in DC. Prod.* xii. 606.—Afr. austr.  
*phylicoides*, *Licht. ex Walp. Rep.* iv. 173 (Quid ?).—Hab. ?  
*pinastria*, *Linn. Mant.* ii. 305 = *vestita*.  
*procumbens*, *Spreng. Syst.* i. 418 = *Cephalanthus procumbens*.  
*serrulata*, *Hochst. in Flora*, xxv. (1842) 229 = *Eurylobium serrulatum*.  
*vestita*, *Berg. Desc. Pl. Cap.* 30.—Afr. austr.  
*virgata*, *Poir. Encyc. Suppl. v.* 252 = *ericoides*.

**STILBOCARPA**, *A. Gray, Bot. U. St. Expl. Exped.* i. 714 (1854). **ARALIACEAE**, *Benth. & Hook. f.* i. 935.

**STYLBOCARPA**, *Decne. & Planch. in Rev. Hort.* (1854) 105, sphalm.  
*Lyallii*, *Armst. in Trans. N. Z. Inst.* xiii. (1881) 336.—N. Zel.  
*polaris*, *A. Gray, Bot. U. St. Expl. Exped.* i. 714.—N. Zel.

**STILINGIA**, *Rafin. Atl. Journ.* 146 (1832), sphalm. = **Stillingia**, *Linn. (Euphorb.)*.

**STILLENGIA**, *Torr. in Emory, Notes Mil. Reconnois.* 151 (1848), sphalm. = praec.

**STILLINGFLEETIA**, *Boj. Hort. Maur.* 284 (1837) = **Sapium**, *P. Br. (Euphorb.)*.  
*sebifera*, *Boj. l. c.* = **Sapium sebiferum**.

**STILLINGIA**, *Linn. Mant.* i. 19 (1767). **EUPHORBACEAE**, *Benth. & Hook. f.* iii. 334.  
*DITRISYNIA*, *Rafin. Sylva Tellur.* 64 (1838).  
*GYMNOSTILLINGIA*, *Muell. Arg. in Linnaea*, xxxii. (1863) 89.  
*SEBORIUM*, *Rafin. Sylva Tellur.* 63 (1838).  
*acutifolia*, *Benth. & Hook. f. ex Hemsl. Biol. Centr. Am. Bot.* iii. 135.—Mexic.  
*africana*, *Baill. Adansonia*, iii. (1862–63) 163 = *Excoecaria africana*.  
*Agallocha*, *Muell. Arg. in DC. Prod.* xv. ii. 1161, 1220 = *Excoecaria Agallocha*.  
*angustifolia*, *Engl. ex S. Wats. in Proc. Am. Acad.* xviii. (1883) 154.—Texas.

**STILLINGIA** :—

- annua, *Muell. Arg. in DC. Prod.* xv. ii. 1160.—Mexic.  
 appendiculata, *Muell. Arg. in Linnaea*, xxxii. (1863) 87.—Mexic.  
 aquatica, *Chapm. Fl. S. U. St.* 405.—Florida.  
*asperococca*, *Muell. Arg. in DC. Prod.* xv. ii. 1161, 1175 = *Sebastiania Chamaelea*.  
*aucuparia*, *Muell. Arg. l. c.* 1161, 1206 = **Sapium Aucuparium**.  
*baccata*, *Muell. Arg. l. c.* 1161, 1211 = **Sapium baccatum**.  
*bahiensis*, *Baill. Adansonia*, v. (1864–65) 329 = *Sebastiania bahiensis*.  
*bidentata*, *Baill. l. c.* 324 = *Sebastiania virgata*.  
*biglandulosa*, *Baill. l. c.* 320 = **Sapium Aucuparium**.  
*bingyrica*, *Muell. Arg. in DC. Prod.* xv. ii. 1161, 1216 = **Sapium indicum**.  
*brasilensis*, *Muell. Arg. l. c.* 1161, 1191 = *Maprounea brasilensis*.  
*brevifolia*, *Baill. Adansonia*, v. (1864–65) 328 = *Sebastiania brevifolia*.  
*campestris*, *Muell. Arg. in DC. Prod.* xv. ii. 1161, 1169 = *Sebastiania corniculata*.  
*Chamaelea*, *Muell. Arg. l. c.* 1161, 1175 = *Sebastiania Chamaelea*.  
*cochinchinensis*, *Baill. Adansonia*, i. (1860–61) 351 = *Excoecaria Loureiroana*.  
*Commersoniana*, *Baill. l. c.* v. (1864–65) 330 = *Gymnanthes marginata*.  
*concolor*, *Baill. l. c.* 327 = *Actinostemon caribaeus*.  
*coriacea*, *Baill. l. c.* 323 = *Sebastiania marginata*.  
*corniculata*, *Baill. Etud. Gén. Euph. Atlas*, 17 = *Sebastiania corniculata*.  
*cremostachys*, *Baill. Adansonia*, v. (1864–65) 322 = **Sapium Aucuparium**.  
*crotonoides*, *Muell. Arg. in DC. Prod.* xv. ii. 1161, 1171 = *Sebastiania corniculata*.  
*cubana*, *Muell. Arg. l. c.* 1161, 1212 = *Excoecaria cubensis*.  
*daphniphylla*, *Baill. Adansonia*, v. (1864–65) 326 = *Sebastiania daphniphylla*.  
*desertorum*, *Klotzsch, in Wieg. Archiv*, vii. (1841) 183, nomen = *Sebastiania brasiliensis*.  
*dichotoma*, *Muell. Arg. in Linnaea*, xxxii. (1863) 88.—Bras.  
*discolor*, *Champ. ex Benth. in Hook. Kew Journ.* vi. (1854) 1 = **Sapium discolor**.  
*discolor*, *Muell. Arg. in DC. Prod.* xv. ii. 1161, 1885 = *Sebastiania discolor*.  
*diversifolia*, *Miq. Fl. Ind. Bat. Suppl.* 461 = *Excoecaria diversifolia*.  
*dracunculoides*, *Baill. Adansonia*, v. (1864–65) 321 = **Sapium Aucuparium**.  
*eglandulosa*, *A. Rich. Fl. Cub. Fanerog.* ii. 202 = *Bonania adenodon*.  
*elliptica*, *Baill. Adansonia*, iii. (1862–63) 162.—Afr. austr.  
*frutescens*, *Bosc, ex Steud. Nom. ed. I.* 815 = seq.  
*fruticosa*, *Spreng. Syst.* iii. 805 = *Sebastiania ligustrina*.  
*Gaudichaudii*, *Baill. Adansonia*, v. (1864–65) 332 = *Sebastiania Gaudichaudii*.  
*glabrata*, *Baill. Etud. Gén. Euph. Atlas*, 17 = *Sebastiania multiramea*.  
*glandulosa*, *Domb. ex Baill. l. c.* = *Adenopeltis Colliguaya*.  
*Goudotiana*, *Baill. Adansonia*, ii. (1861–62) 30 = *Excoecaria Goudotiana*.  
*guineensis*, *Benth. in Hook. Niger Fl.* 501 = *Excoecaria guineensis*.  
*guyanensis*, *Baill. Adansonia*, v. (1864–65) 332 = *Maprounea guianensis*.  
*hastata*, *Baill. l. c.* 325 = *Sebastiania ditassoides*.  
*heterodoxa*, *Muell. Arg. in Linnaea*, xxxii. (1863) 89.—Bras.  
*Hilariana*, *Baill. Adansonia*, v. (1864–65) 332 = *Maprounea brasiliensis*.  
*himalayensis*, *Klotzsch, in Bot. Ergeb. Waldem. Reise*, 116 = **Sapium indicum**, *Excoecaria acerifolia*.  
*Hippomane*, *Muell. Arg. in DC. Prod.* xv. ii. 1161, 1204 = **Sapium Aucuparium**.  
*hypoleuca*, *Baill. Adansonia*, v. (1864–65) 330 = *Gymnanthes hypoleuca*.  
*indica*, *Muell. Arg. in DC. Prod.* xv. ii. 1161, 1216 = **Sapium indicum**.  
*integerrima*, *Baill. Adansonia*, iii. (1862–63) 162.—Afr. austr.

**STILLINGIA** :—

- jacobinensis*, Baill. Adansonia, v. (1864-65) 329 = *Sebastiania jacobinensis*.  
*japonica*, Sieb. & Zucc. in Abh. Akad. Muench. iv. II. (1846) 145 = *Excoecaria japonica*.  
*lanceolaria*, Miq. Fl. Ind. Bat. Suppl. 461 = *Excoecaria lanceolaria*.  
*lanceolata*, Nutt. in Trans. Am. Phil. Soc. N. S. v. (1837) 176.—Am. bor.  
*Lastellei*, Muell. Arg. in DC. Prod. xv. II. 1162, 1218 = *Excoecaria Lastellei*.  
*Laureola*, Baill. Adansonia, v. (1864-65) 327 = *Sebastiania Laureola*.  
*laurifolia*, A. Rich. Fl. Cub. Fanerog. ii. 201 = *Sapium Laurocerasum*.  
*Laurocerasus*, Baill. Adansonia, i. (1860-61) 351 = *Sapium Laurocerasum*.  
*ligustrina*, Michx. Fl. Bor. Am. ii. 213 = *Sebastiania ligustrina*.  
*linearifolia*, S. Wats. in Proc. Am. Acad. xiv. (1879) 297.—Calif.  
*lineata*, Muell. Arg. in DC. Prod. xv. II. 1157.—Ind. Maurit.  
*Luschnathiana*, Muell. Arg. l. c. 1162, 1177 = *Sebastiania multiramea*.  
*macrantha*, Benth. & Hook. f. ex Hemsl. Biol. Centr. Am. Bot. iii. 135.—Mexic.  
*madagascariensis*, Baill. Adansonia, ii. (1861-62) 30 = *Excoecaria madagascariensis*.  
*marginata*, Baill. l. c. v. (1864-65) 321 = *Sapium marginatum*.  
*mauritanica*, Baill. l. c. ii. (1861-62) 27 = *obtusifolia*.  
*melanosticta*, Baill. l. c. i. (1860-61) 285.—Madag.  
*multiramea*, Muell. Arg. in DC. Prod. xv. II. 1162, 1179 = *Sebastiania multiramea*.  
*myrtilloides*, Baill. Adansonia, v. (1864-65) 323 = *Sebastiania daphnoides*.  
*nervosa*, Baill. l. c. 328 = *Sebastiania nervosa*.  
*nutans*, Geisel. Crot. Monog. 80 = *Homalanthus nutans*.  
*nutans*, Vahl, ex Spreng. Syst. iii. 805.—Ins. Amicor.  
*obovata*, Baill. Adansonia, v. (1864-65) 321 = *Sapium obovatum*.  
*obtusifolia*, Muell. Arg. in DC. Prod. xv. II. 1157 = *lineata*.  
*oppositifolia*, Baill. Etud. Gén. Euph. Atlas, 13.—Bras.  
*oppositifolia*, Muell. Arg. in DC. Prod. xv. II. 1162, 1219 = *Excoecaria crenulata*.  
*pachystachys*, Muell. Arg. in Linnaea, xxxii. (1863) 102 = *Sebastiania pachystachys*.  
*pacifica*, Muell. Arg. in DC. Prod. xv. II. 1156.—Ins. Fiji.  
*paniculata*, Miq. Fl. Ind. Bat. Suppl. 461 = *Sapium baccatum*.  
*patula*, Muell. Arg. in DC. Prod. xv. II. 1162, 1172 = *Sebastiania corniculata*.  
*paucidentata*, S. Wats. in Proc. Am. Acad. xiv. (1879) 298.—Am. bor.  
*phyllanthiformis*, Baill. Adansonia, v. (1864-65) 331 = *Sebastiania Schottiana*.  
*populnea*, Geisl. Crot. Monog. 80 = *Homalanthus Leschenaultianus*.  
*prostrata*, Baill. Adansonia, v. (1864-65) 324 = *Sebastiania corniculata*.  
*prunifolia*, Baill. ex Muell. Arg. in DC. Prod. xv. II. 1162 = *Sapium Aucuparium*.  
*pteroclada*, Baill. Adansonia, v. (1864-65) 329 = *Sebastiania pteroclada*.  
*ramosissima*, Baill. l. c. 328 = *Sebastiania brasiliensis*.  
*rigida*, Baill. l. c. 330 = *Sebastiania rigida*.  
*salicifolia*, Klotzsch, ex Baill. Adansonia, v. (1864-65) 320 = *Sapium Aucuparium*.  
*salicifolia*, Rafin. Atl. Journ. 146 (Quid?).—Am. bor.  
*sanguinolenta*, Muell. Arg. in Linnaea, xxxii. (1863) 88.—Mexic.  
*saxatilis*, Muell. Arg. in Mart. Fl. Bras. xi. II. 539.—Bras.  
*Schottiana*, Baill. Adansonia, v. (1864-65) 331 = *Sebastiania Schottiana*.  
*sebifera*, Michx. Fl. Bor. Am. ii. 213 = *Sapium sebiferum*.  
*Sellowiana*, Muell. Arg. in DC. Prod. xv. II. 1162, 1169 = *Sebastiania corniculata*.  
*serrata*, Baill. Adansonia, v. (1864-65) 329 = *Sebastiania serrata*.  
*serrulata*, Muell. Arg. in DC. Prod. xv. II. 1162, 1167 = *Sebastiania serrulata*.  
*sinensis*, Muell. Arg. l. c. 1162, 1210 = *Sapium sebiferum*.

**STILLINGIA** :—

- spinulosa*, Torr. in Emory, Notes Mil. Reconnois. 151.—Am. bor.  
*stipulacea*, Baill. Adansonia, v. (1864-65) 325 = *Sebastiania stipulacea*.  
*sylvatica*, Linn. Mant. i. 126.—Am. bor.  
*tanguinia*, Baill. Adansonia, ii. (1861-62) 28 = *lineata*.  
*terminalis*, Baill. l. c. 29.—Madag.  
*Thuarsiana*, Baill. l. c. 28.—Afr. trop.  
*Torreyana*, S. Wats. in Proc. Am. Acad. xiv. (1879) 298 = *Sebastiania Treculiana*?  
*trinervia*, Baill. Adansonia, v. (1864-65) 328 = *Sebastiania trinervia*.  
*velutina*, Muell. Arg. in DC. Prod. xv. II. 1162, 1168 = *Sebastiania corniculata*.  
*virgata*, Muell. Arg. l. c. 1162, 1216 (= *Excoecaria virgata*).—Java.  
*Weddelliana*, Baill. Adansonia, v. (1864-65) 329 = *Sebastiania Weddelliana*.  
*Widgreni*, Baill. l. c. 326 = *Sebastiania Widgreni*.  
*ypanemensis*, Baill. l. c. 330 = *Sebastiania ypanemensis*.  
*zelayensis*, Muell. Arg. in Linnaea, xxxii. (1863) 87.—Mexic.

**STILPNOGYNE**, DC. Prod. vi. 293 (1837). *COMPOSITAE*, Benth. & Hook. f. ii. 444.  
*bellidioides*, DC. l. c.; et in Deless. Ic. Sel. iv. 24. t. 54 (1839).—Afr. austr.

- STILPNOPAPPUS**, Mart. ex DC. Prod. v. 75 (1836). *COMPOSITAE*, Benth. & Hook. f. ii. 232.  
*LASICARPHUS*, Pohl, ex Baker, in Mart. Fl. Bras. vi. II. 138 (1873).  
*STROPHOPAPPUS*, DC. Prod. v. 75 (1836).  
*XIPHOCHAETA*, Poepp. & Endl. Nov. Gen. et Sp. iii. 44. t. 250 (1842).  
*agrestis*, Gardn. ex Baker, in Mart. Fl. Bras. vi. II. 136 = *pratensis*.  
*bicolor*, Mart. ex Baker, l. c. 140.—Bras.  
*dentatus*, Gardn. in Hook. Lond. Journ. Bot. v. (1846) 229 = *pratensis*.  
*emarginatus*, Gardn. l. c. vi. (1847) 424.—Bras.  
*ferrugineus*, Baker, in Mart. Fl. Bras. vi. II. 138.—Bras.  
*glomeratus*, Gardn. in Hook. Lond. Journ. Bot. vi. (1847) 423.—Bras.  
*patulus*, Mart. in Flora, xxiv. (1841) II. Beibl. 109.—Bras.  
*Pohlui*, Baker, in Mart. Fl. Bras. vi. II. 139.—Bras.  
*pratensis*, Mart. ex DC. Prod. v. 76.—Bras.  
*procumbens*, Gardn. in Hook. Lond. Journ. Bot. v. (1846) 229.—Bras.  
*Regnellii*, Baker, in Mart. Fl. Bras. vi. II. 139.—Bras.  
*Riedelianus*, Gardn. in Hook. Lond. Journ. Bot. vi. (1847) 424.—Bras.  
*rufulus*, Mart. ex Baker, in Mart. Fl. Bras. vi. II. 138 = *patulus*.  
*scaposus*, DC. Prod. v. 76.—Bras.  
*speciosus*, Baker, in Mart. Fl. Bras. vi. II. 138 = *patulus*.  
*suffruticosus*, Gardn. in Hook. Lond. Journ. Bot. v. (1846) 228.—Bras.  
*tomentosus*, Gardn. l. c. 230 = *pratensis*.  
*tomentosus*, Mart. ex DC. Prod. v. 76.—Bras.  
*trichospiroides*, Mart. l. c.—Bras.  
*villosus*, Mart. ex Baker, in Mart. Fl. Bras. vi. II. 140.—Bras.  
*viridis*, Benth. ex Baker, l. c. 137.—Bras.

**STILPNOPHYLLUM**, Hook. f. in Hook. Ic. Pl. t. 1147 (1873). *RUBIACEAE*, Benth. & Hook. f. ii. 33.  
*lineatum*, Hook. f. in Hook. Ic. Pl. t. 1147.—Peruv.

**STILPNOPHYTUM**, Less. Syn. Comp. 264 (1832). *COMPOSITAE*, Benth. & Hook. f. ii. 433.  
*axillare*, Less. l. c.—Afr. austr.  
*linifolium*, Less. l. c.—Afr. austr.  
*longifolium*, Less. l. c. = *linifolium*.  
*ocephalum*, DC. Prod. vi. 93.—Afr. austr.

**STIMEGAS**, Rafin. Fl. Tellur. iv. 45 (1836) = *Cypripedium*, Linn. (Orchid.).  
*venustum*, Rafin. l. c. 46 = *C. venustum*.

**STIMENES**, Rafin. Fl. Tellur. iii. 76 (1836) = *Nierembergia*, Ruiz & Pav. (Solanac.).  
*gracilis*, Rafin. l. c. = *N. gracilis*.

**STIMOMPHIS**, Rafin. Fl. Tellur. iii. 76 (1836) = *Salpiglossis*, Ruiz & Pav. (Solanac.).  
*linearis*, Rafin. l. c. = *Sal. linearis*.

**STIMORYNE**, Rafin. Fl. Tellur. iii. 76 (1836) = *Petunia*, Juss. (Solanac.).  
*purpurea*, Rafin. l. c. = *P. violacea*.

**STIMPSONIA**, Wright, ex A. Gray, in Mem. Am. Acad. N. S. vi. (1858-59) 401, in Adnot. *PRIMULACEAE*, Benth. & Hook. f. ii. 633.  
*chamaedryoides*, Wright, ex Gray, l. c.—Ins. Luchu.  
*crispidens*, Hance, in Journ. Bot. xviii. (1880) 234 (*Lysimachiae* sp.).—China.

**STIPA**, Linn. Sp. Pl. ed. II. 78 (1753). *GRAMINEAE*, Benth. & Hook. f. iii. 1141.

- ACHNATHERUM*, Beauv. Agrost. 19. t. 6. f. 7 (1812).  
*ARISTELLA*, Bertol. Fl. Ital. i. 690 (1833).  
*JARAVA*, Ruiz & Pav. Prod. Fl. Per. 2. t. 1 (1794).  
*LASIAGROSTIS*, Link. Hort. Berol. i. 99 (1827).  
*LASINGROSTIS*, Schur, Enum. Pl. Transs. 741 (1866).  
*MACROCHLOA*, Kunth, Rév. Gram. i. 58 (1830).  
*ORTHORAPHIUM*, Nees, in Proc. Linn. Soc. i. (1841) 94.  
*PODOPOGON*, Rafin. Neogenyt. 4 (1825).  
*PTILAGROSTIS*, Griseb. in Ledeb. Fl. Ross. iv. 447 (1853).  
*STREPTACHNE*, R. Br. Prod. 174 (1810).  
*TRICHOSATHERA*, Ehrh. Beitr. iv. 149 (1789).  
*africana*, Burn. f. Fl. Cap. Prod. 3.—Afr. austr.  
*alpestris*, Willd. ex Steud. Nom. ed. II. ii. 642 = *Muehlenbergia alpestris*.  
*altaica*, Trin. ex Ledeb. Fl. Alt. i. 80 = *splendens*.  
*amethystina*, Steud. Syn. Pl. Gram. 124.—Chili.  
*angulata*, Steud. Nom. ed. II. ii. 642 = *Zizania aquatica*.  
*aperta*, Janka, ex Čelak. in Oestr. Bot. Zeitschr. xxxiii. (1883) 319 = *pennata*.  
*appendiculata*, Čelak. l. c. = *pennata*.  
*arabica*, Trin. & Rupr. in Mém. Acad. Pétersb. Sér. VI. Sc. Nat. v. (1842) 77 = *barbata*.  
*arenaria*, Brot. Fl. Lusit. i. 86 = *gigantea*, Link.  
*arguens*, Linn. Sp. Pl. ed. II. 117 = *Anthistiria arguens*.  
*arguens*, Thunb. Prod. Pl. Cap. 20 = *Anthistiria imberbis*.  
*Aristella*, Gouan, Illustr. 4 = *S. Calamagrostis*.  
*Aristella*, Linn. Syst. ed. XII. iii. App. 229.—Reg. Mediterr.; As. Min.  
*aristiglumis*, F. Muell. in Trans. Vict. Inst. i. (1855) 43.—Austral.  
*arundinacea*, Benth. in Journ. Linn. Soc. xix. (1881) 81.—N. Zel.  
*australis*, Steud. in Zoll. Syst. Verz. Ind. Archip. 55; Syn. Pl. Gram. 132.—Java.  
*avenacea*, Hook. & Arn. Bot. Beech. Voy. 403 = *setigera*.  
*avenacea*, Linn. Sp. Pl. 78.—Am. bor.  
*avenacea*, Spreng. ex Trin. & Rupr. in Mém. Acad. Pétersb. Sér. VI. Sc. Nat. v. (1842) 40 = *hyalina*.  
*avenacea*, Willd. ex Steud. Nom. ed. II. ii. 643 = *virescens*.  
*barbata*, Desf. Fl. Atlant. i. 97. t. 27.—Reg. Mediterr.  
*barbata*, Michx. Fl. Bor. Am. i. 53 = *avenacea*.  
*bella*, Phil. Sert. Mendoc. Alt. 45 = *Neaei*.  
*Bergeri*, Link. in Linnaea, ix. (1834) 135 = *parviflora*.  
*Bertrandi*, Phil. l. c. xxxiii. (1864-65) 283.—Chili.  
*bicolor*, Cav. Ic. v. 42. t. 466. f. 2 = *Neesiana*.  
*bicolor*, Nees, Agrost. Bras. 373, partim = *Oryzopsis setacea*.  
*bicolor*, Pursh, Fl. Am. Sept. i. 73 = *avenacea*.  
*bicolor*, Vahl, Symb. Bot. ii. 24.—Bras.; Chili.  
*Bloomeri*, Boland. in Proc. Calif. Acad. iv. (1870) 168 = *sibirica*.  
*brachychaeta*, Godr. in Mém. Acad. Montp. (Sect. Médic.) i. (1853) 450.—Hab.?  
*brevicalyx*, Fourn. ex Hemsl. Biol. Centr. Am. Bot. iii. 538 = *Oryzopsis Fournieriana*.  
*breviflora*, Griseb. in Goett. Nachr. (1868) 82.—Tibet.  
*brevipes*, E. Desv. in C. Gay, Fl. Chil. vi. 282.—Chili.  
*Bungeana*, Trin. ex Bunge in Mém. Sav. Etr. Pétersb. ii. (1835) 144.—China; Mongol.

## STIPA:—

- caerulescens*, Rasp. in Ann. Sc. Nat. Sér. I. v. (1825) 449 = *Oryzopsis caerulescens*.  
*caespitosa*, Willd. ex Steud. Nom. ed. II. ii. 643 = *Aristida jorullensis*.  
*Calamagrostis*, *Wahlenb. Veg. Helv.* 23.—Europ. austr.  
*calatajeronensis*, Tineo, ex Arcang. Comp. Fl. Ital. 772 = *barbata*.  
*campylachne*, Nees, in Lehm. Pl. Preiss. ii. 99 = *semi-barbata*.  
*canadensis*, Poir. Encyc. vii. 452 = *Oryzopsis parviflora*.  
*capensis*, Thunb. Prod. Pl. Cap. 19 = *tortilis*?  
*capillaris*, Gromow, ex Trautv. in Act. Hort. Petrop. ix. (1884) 350 = *capillata*.  
*capillaris*, Lam. Illustr. i. 158 = *Muehlenbergia capillaris*.  
*capillata*, Hook. Fl. Bor. Am. ii. 237 = *comata*.  
*capillata*, Linn. Sp. Pl. ed. II. 116.—Europ. austr.; As. bor.  
*Caragana*, Trin. in Mém. Acad. Pétersb. Sér. VI. i. (1831) 74 = *Redowskii*.  
*caspia*, C. Koch, in Linnaea, xxi. (1848) 440 = *barbata*.  
*caudata*, Trin. in Mém. Acad. Pétersb. Sér. VI. i. (1831) 75.—Chili.  
*chapulcensis*, Fourn. ex Hemsl. Biol. Centr. Am. Bot. iii. 536.—Mexic.  
*chrysophylla*, E. Desv. in C. Gay, Fl. Chil. vi. 278. t. 76. f. 2.—Am. bor. occ.; Chili.  
*ciliata*, Scheele, in Linnaea, xxii. (1849) 342.—Texas.  
*cirrosa*, Fourn. ex Hemsl. Biol. Centr. Am. Bot. iii. 536.—Mexic.  
*Clarazii*, Ball, in Journ. Linn. Soc. xxi. (1884) 237.—Patagon.  
*coerulea*, J. Presl, in Rel. Haenk. i. 227.—Mexic.  
*coleotricha*, Steud. Syn. Pl. Gram. 125.—Mexic.  
*comata*, Trin. & Rupr. in Mém. Acad. Pétersb. Sér. VI. Sc. Nat. v. (1842) 75.—Am. bor.  
*commutata*, Trin. & Rupr. l. c. 49 = *pubescens*.  
*compressa*, R. Br. Prod. 175.—Austral.  
*conferta*, Poir. Encyc. Suppl. v. 252 = *Redowskii*.  
*consanguinea*, Trin. & Rupr. in Mém. Acad. Pétersb. Sér. VI. Sc. Nat. v. (1842) 78 = *Richteriana*.  
*contracta*, Phil. in Linnaea, xxxiii. (1864–65) 285.—Chili.  
*contracta*, Willd. ex Steud. Nom. ed. II. ii. 643 = *Muehlenbergia glabrata*.  
*coronata*, Thurb. ex S. Wats. in Bot. Calif. ii. 287.—Calif.  
*crinita*, Gaudich. in Freyc. Voy. Bot. 407 = *flavescens*?  
*Cumingiana*, Trin. in Bull. Sc. Acad. Pétersb. i. (1836) 67.—Chili.  
*damascena*, Boiss. Diagn. Ser. I. xiii. 45 = *barbata*.  
*dasyphylla*, Czern. ex Trautv. in Act. Hort. Petrop. ix. (1884) 350, nomen = *pennata*.  
*Delilei*, Steud. Syn. Pl. Gram. 126 = *papposa*.  
*demissa*, Steud. l. c. 130.—Am. bor.  
*Dichelachne*, Steud. Nom. ed. II. ii. 643 = *Dichelachne sciurea*.  
*diffusa*, Walt. Fl. Carol. 78 = *Muehlenbergia capillaris*.  
*diffusa*, Willd. ex Steud. Nom. ed. II. ii. 643 = *avenacea*.  
*Dregeana*, Steud. Syn. Pl. Gram. 132.—Afr. austr.  
*Drummondii*, Steud. l. c. 128.—Austral.  
*duriuscula*, Phil. in Linnaea, xxxiii. (1864–65) 282.—Chili.  
*editorum*, Fourn. ex Hemsl. Biol. Centr. Am. Bot. iii. 536.—Mexic.  
*Ehrenbergiana*, Trin. & Rupr. in Mém. Acad. Pétersb. Sér. VI. Sc. Nat. v. (1842) 75 = *barbata*.  
*elegantissima*, Labill. Nov. Holl. Pl. i. 23. t. 29.—Austral.  
*elongata*, Roth, in Usteri, Ann. Bot. xiv. (1795) 22.—Peruv.  
*elongata*, Steud. Syn. Pl. Gram. 132.—Afr. austr.  
*eminens*, Cav. Ic. v. 42. t. 467. f. 1.—Am. bor. et austr.  
*eminens*, Nees, Agrost. Bras. 374 = *setigera*.  
*erecta*, Fourn. ex Hemsl. Biol. Centr. Am. Bot. iii. 536.—Mexic.  
*erecta*, Hort. Madr. ex Trin. in Mém. Acad. Pétersb. Sér. VI. i. (1831) 81 = *capillata*.  
*ericaulis*, Borb. in Oestr. Bot. Zeitschr. xxxiii. (1883) 401.—Europ. austr.

## STIPA:—

- eripus*, Benth. Fl. Austral. vii. 570.—Austral.  
*eristachya*, H. B. & K. Nov. Gen. et Sp. i. 127. t. 41 = *S. Jarava*.  
*expansa*, Poir. Encyc. vii. 453 = *Cinna arundinacea*.  
*expansa*, Willd. ex Steud. Nom. ed. II. ii. 643 = *Gymnopogon racemosus*.  
*fernandeziana*, Phil. in Anal. Univ. Chil. (1873) 560.—Chili.  
*fernandeziana*, Steud. Syn. Pl. Gram. 124 = *bicolor*.  
*filiculmis*, Delile, Ind. Sem. Hort. Monsp. (1849) 7.—Hab.?  
*filifolia*, Nees, Agrost. Bras. 379.—Reg. Argent.  
*filiformis*, Turcz. ex Steud. Nom. ed. II. ii. 643 = *mongolica*.  
*fimbriata*, H. B. & K. Nov. Gen. et Sp. i. 126 = *Oryzopsis fimbriata*.  
*flavescens*, Labill. Nov. Holl. Pl. i. 24. t. 30.—Austral.  
*flavescens*, Nees, in Lehm. Pl. Preiss. ii. 99 = *scabra*.  
*Fontanesii*, Parl. Fl. Ital. i. 167, in obs. = *gigantea*.  
*formicarum*, Delile, Ind. Sem. Hort. Monsp. (1849) 7.—Hab.?  
*frigida*, Phil. Fl. Atac. 54.—Chili.  
*gallica*, Celak. in Oestr. Bot. Zeitschr. xxxiii. (1883) 317 = *pennata*.  
*geniculata*, Phil. Sert. Mendoc. Alt. 46.—Chili.  
*gigantea*, Lag. Gen. et Sp. Nov. 3.—Reg. Mediterr. occ.  
*gigantea*, Ledeb. Fl. Ross. iv. 448 = *Lagascæ*.  
*gigantea*, Link, in Schrad. Journ. ii. (1799) 313.—Lusitan.  
*Grafana*, Stev. in Bull. Soc. Nat. Mosc. xxx. (1857) 11. 116 = *pennata*.  
*Grisebachii*, Fourn. ex Hemsl. Biol. Centr. Am. Bot. iii. 537.—Mexic.  
*gynerioides*, Phil. in Anal. Univ. Chil. (1870) 103; ex Hemsl. l. c. = *S. Jarava*.  
*Haussknechtii*, Boiss. Fl. Orient. v. 501.—Persia.  
*hemipogon*, Benth. Fl. Austral. vii. 569.—Austral.  
*heterophylla*, Willd. ex Nees, Agrost. Bras. 373 = *fimbriata*.  
*hirta*, Phil. in Linnaea, xxxiii. (1864–65) 283.—Chili.  
*hispanica*, Trin. & Rupr. in Mém. Acad. Pétersb. Sér. VI. Sc. Nat. v. (1842) 77 = *barbata*.  
*Hohenackeriana*, Trin. & Rupr. l. c. 80 = *barbata*.  
*holosericea*, Trin. l. c. Sér. VI. i. (1831) 81 = *Lagascæ*.  
*humilis*, Brot. Fl. Lusit. i. 86 = *tortilis*.  
*humilis*, Cav. Ic. v. 41. t. 466. f. 1.—Am. austr.  
*hyalina*, Nees, Agrost. Bras. 378.—Reg. Argent.  
*hymenoides*, Roem. & Schult. Syst. ii. 339 = *Oryzopsis cuspidata*.  
*ibarrensis*, H. B. & K. Nov. Gen. et Sp. i. 125.—Ecuador.  
*Ichnu*, Kunth, Rév. Gram. i. 60 = *S. Jarava*.  
*inconspicua*, J. Presl, in Rel. Haenk. i. 227 (= *Urachne Haenkeana*).—Peruv.  
*inebrians*, Hance, in Journ. Bot. xiv. (1876) 212.—China.  
*intermedia*, Trin. & Rupr. in Mém. Acad. Pétersb. Sér. VI. Sc. Nat. v. (1842) 26.—Bras.  
*intricata*, Godr. in Mém. Acad. Montp. (Sect. Médic.) i. (1853) 449.—Hab.?  
*Jacquemontii*, Faub. & Spach, Illustr. iv. 60.—Reg. Himal.  
*Jarava*, Beauv. Agrost. 19. t. 6. f. 3.—Mexic.  
*juncea*, Cav. Desc. 39 = *gigantea*, Lag.  
*juncea*, Kunze, in Flora, xxix. (1846) 631 = *parviflora*.  
*juncea*, Lam. Illustr. i. 157 = *capillata*.  
*juncea*, Linn. Sp. Pl. 78.—Reg. Mediterr.  
*juncea*, Michx. Fl. Bor. Am. i. 54 = *Oryzopsis parviflora*.  
*juncea*, Nutt. Gen. Am. i. 58 = *comata*.  
*juncea*, Pursh, Fl. Am. Sept. i. 72 = *spartea*.  
*juncea*, Sibth. & Sm. Fl. Graec. i. 67. t. 85 = *Lagascæ*.  
*Kingii*, Boland. in Proc. Calif. Acad. iv. (1870) 170.—Calif.  
*koteotricha*, Steud. Syn. Pl. Gram. 125.—Mexic.  
*Kotschyana*, Hochst. ex Ledeb. Fl. Ross. iv. 448 = *Lagascæ*.  
*lachnophylla*, Trin. in Bull. Sc. Acad. Pétersb. i. (1836) 67 (= *Urachne megalantha*).—Chili.  
*laeviculmis*, Nees, in Lehm. Pl. Preiss. ii. 99.—Tasman.  
*Lagascæ*, Guss. Pl. Rar. 48 = *gigantea*, Link.  
*Lagascæ*, Roem. & Schult. Syst. ii. 333.—Reg. Mediterr.; Oriens.

## STIPA:—

- latifolia*, Rasp. in Ann. Sc. Nat. Sér. I. v. (1825) 449 = *Olyra latifolia*.  
*laxa*, E. Desv. in C. Gay, Fl. Chil. vi. 283.—Chili.  
*laxa*, Portenschl. ex Steud. Syn. Pl. Gram. 132 = *elongata*, Steud.  
*Lechleriana*, Steud. in Lechl. Berb. Am. Austr. 56.—Peruv.  
*leiocarpa*, Nees, ex Steud. Syn. Pl. Gram. 124.—Chili.  
*leptostachya*, Griseb. in Goett. Abh. xxiv. (1879) 299.—Reg. Argent.  
*Lessingiana*, Trin. & Rupr. in Mém. Acad. Pétersb. Sér. VI. Sc. Nat. v. (1842) 79 = *pennata*?  
*leucogluma*, Steud. Syn. Pl. Gram. 420.—Chili.  
*leucotricha*, Trin. & Rupr. in Mém. Acad. Pétersb. Sér. VI. Sc. Nat. v. (1842) 54 = *setigera*.  
*Liebmanni*, Fourn. ex Hemsl. Biol. Centr. Am. Bot. iii. 537.—Mexic.  
*linearifolia*, Fourn. ex Hemsl. l. c.—Mexic.  
*littorea*, Burm. f. Fl. Ind. 29 = *Spinifex squarrosus*.  
*longearistata*, Steud. Syn. Pl. Gram. 127.—Austral.  
*longiflora*, Steud. l. c. 124.—Chili.  
*longiglumis*, Phil. in Linnaea, xxxiii. (1864–65) 286.—Chili.  
*Lorentziana*, Griseb. in Goett. Abh. xxiv. (1879) 298.—Reg. Argent.  
*madagascariensis*, Baker, in Journ. Linn. Soc. xx. (1883) 300.—Madag.  
*manicata*, E. Desv. in C. Gay, Fl. Chil. vi. 288.—Chili.  
*megalantha*, Steud. Syn. Pl. Gram. 124.—Chili.  
*megapotamica*, Spreng. ex Trin. in Mém. Acad. Pétersb. Sér. VI. i. (1831) 77.—Bras.  
*melanocarpa*, Muhl. Desc. Gram. 183 = *Heteropogon acuminatus*.  
*melanosperma*, J. Presl, in Rel. Haenk. i. 226.—Hab.?  
*membranacea*, Linn. Sp. Pl. 560 = *Festuca bromoides*.  
*membranacea*, Pursh, Fl. Am. Sept. ii. 728 = *Oryzopsis cuspidata*.  
*Meyeriana*, Trin. in Mém. Acad. Pétersb. Sér. VI. Sc. Nat. v. (1842) 78 = *barbata*.  
*micrantha*, Cav. Ic. v. 42; R. Br. Prod. 175.—Austral.  
*micrantha*, Nees, ex Hook. f. Handb. Fl. N. Zel. 326 = *Dichalachne sciurea*.  
*micrantha*, Sieber, ex Trin. in Mém. Acad. Pétersb. Sér. VI. i. (1831) 74 = *ramosissima*.  
*microsperma*, Willd. ex Steud. Nom. ed. II. ii. 643 = *Andropogon stipoides*.  
*mollis*, R. Br. Prod. 174 = *semibarbata*.  
*mongolica*, Turcz. ex Trin. in Bull. Sc. Acad. Pétersb. i. (1836) 67.—Sibir. baical.; Am. bor. occ.  
*mucronata*, H. B. & K. Nov. Gen. et Sp. i. 125.—Mexic.  
*Muelleri*, Tate, in Trans. Roy. Soc. S. Austral. vii. (1885) 70.—Austral.  
*Neaei*, Nees, ex Steud. Syn. Pl. Gram. 126.—Patagon.  
*Neesiana*, Trin. & Rupr. in Mém. Acad. Pétersb. Sér. VI. Sc. Nat. v. (1842) 27 = *setigera*.  
*nitens*, Ball, in Journ. Linn. Soc. xvi. (1878) 712.—Marocce.  
*nivalis*, Steud. in Lechl. Berb. Am. Austr. 56.—Peruv.  
*Nuttalliana*, Steud. Nom. ed. II. ii. 643 = *viridula*.  
*occidentalis*, Boland. in Proc. Calif. Acad. iv. (1870) 169, partim = *comata*.  
*occidentalis*, Thurb. ex S. Wats. in Bot. King's Exp. 380.—Am. bor. occ.  
*orientalis*, C. A. Mey. Verz. Pfl. Cauc. 14 = *barbata*.  
*orientalis*, Trin. ex Ledeb. Fl. Alt. i. 83.—As. bor.  
*Orthoraphium*, Steud. Syn. Pl. Gram. 131.—Ind. or.  
*ovata*, Trin. in Mém. Acad. Pétersb. Sér. VI. i. (1831) 73 = *Oryzopsis setacea*.  
*paleacea*, Poir. Voy. Barb. ii. 101 = *Anthistiria paleacea*.  
*paleacea*, Sibth. & Sm. Fl. Graec. i. 68. t. 86 = *tortilis*.  
*paleacea*, Vahl, Symb. Bot. ii. 24 = *barbata*.  
*panicoides*, Lam. Illustr. i. 158 = *Oryzopsis setacea*.  
*panicoides*, Nees, Agrost. Bras. 376 (= *Urachne panicoides*).—Chili; Bras.  
*papposa*, Delile, Ind. Sem. Hort. Monsp. (1849) 7.—Hab.?  
*papposa*, Nees, Agrost. Bras. 377 = *S. Jarava*.  
*paradoxa*, Rasp. in Ann. Sc. Nat. Sér. I. v. (1825) 449 = *Oryzopsis paradoxa*.  
*Parishii*, Vasey, in Coult. Bot. Gaz. vii. (1882) 33.—Calif.



**STIPA** :—

- parviflora, Desf. *Fl. Atlant.* i. 98. t. 29.—Reg. Mediterr.  
 parviflora, Nutt. Gen. Am. i. 58 = viridula.  
 parvula, Nees, *Fl. Afr. Austr.* 169.—Afr. austr.  
 patens, Willd. ex Steud. Nom. ed. II. ii. 643 = Muehlenbergia stipoides.  
 pauciflora, Rasp. in Ann. Sc. Nat. Sér. I. v. (1825) 449 = Olyra pauciflora.  
 pekinensis, Hance, in *Journ. Bot.* xv. (1877) 268.—China.  
 peltata, Trin. in Mém. Acad. Pétersb. Sér. VI. Sc. Nat. v. (1842) 71 = Lagascae.  
 pennata, Hohen. in Bull. Soc. Nat. Mosc. vi. (1833) 213 = barbata.  
 pennata, Linn. *Sp. Pl.* 78.—Europ.; As. et Am. bor.  
 pennatiformis, Fig. & De Not. in Mem. Acc. Torin. Ser. II. xii. (1852) 250 = barbata.  
 penniglutinis, Trin. in Mém. Acad. Pétersb. Sér. VI. i. (1831) 77 = Chrysopogon stipoides.  
 Pentapogon, F. Muell. *Fragm.* viii. 106 = Pentapogon Billardieri.  
 Petriei, J. Buch. Man. Indig. Grasses, N. Zeal. t. 17<sup>2</sup>. f. 2 = setacea.  
 Philippii, Steud. *Syn. Pl. Gram.* 125.—Chili.  
 platyphylla, Czern. ex Trautv. in Act. Hort. Petrop. ix. (1884) 350, nomen = pennata.  
 plumosa, Pourr. ex Willk. & Lange, *Prod. Fl. Hisp.* i. 60 = barbata.  
 plumosa, Sieber, ex Nees, *Fl. Afr. Austr.* 180 = Aristida obtusa.  
 plumosa, Trin. in Bull. Sc. Acad. Pétersb. i. (1836) 67.—Chili.  
 plumosula, Nees, ex Steud. *Syn. Pl. Gram.* 127.—Chili.  
 Poeppigiana, Trin. & Rupr. in Mém. Acad. Pétersb. Sér. VI. Sc. Nat. v. (1842) 29.—Chili.  
 poganathera, E. Desv. in C. Gay, *Fl. Chil.* vi. 277.—Chili.  
 pratensis, Phil. in *Linnaea*, xxxiii. (1864–65) 284.—Chili.  
 prolifera, Steud. *Syn. Pl. Gram.* 131.—Nubia.  
 puberula, Steud. l. c. 128 = scabra.  
 pubescens, R. Br. *Prod.* 174.—Austral.  
 pubescens, Lag. Gen. et Sp. Nov. 3 = Lagascae.  
 pubinodis, Trin. & Rupr. in Mém. Acad. Pétersb. Sér. VI. Sc. Nat. v. (1842) 50.—Tasman.  
 pulchella, Munro, ex Ball, in *Journ. Linn. Soc.* xxi. (1884) 237.—Patagon.  
 pulcherrima, C. Koch, in *Linnaea*, xxi. (1848) 440 = pennata.  
 pungens, [Nees, in] Meyen, *Reise*, i. 484 = S. Jarava.  
 purpurea, Griseb. in *Goett. Nachr.* (1868) 82.—Tibet.  
 pycnostachya, Benth. *Fl. Austral.* vii. 568.—Austral.  
 ramosissima, Trin. in Mém. Acad. Pétersb. Sér. VI. i. (1831) 74 = micrantha.  
 rariflora, Benth. in *Journ. Linn. Soc.* xix. (1881) 81.—Am. antarct.  
 Redowskii, Trin. in *Spreng. Neue Entdeck.* ii. 53.—As. bor.  
 Regeliana, Hack. in *Sitzb. Akad. Wien*, lxxxix. (1884) 130.—As. centr.  
 Richardsoni, Link, *Hort. Berol.* ii. 245.—Am. bor.  
 Richteriana, Kar. & Kir. in Bull. Soc. Nat. Mosc. (1841) 862.—Soongar.  
 robusta, Nutt. ex Trin. & Rupr. in Mém. Acad. Pétersb. Sér. VI. Sc. Nat. v. (1842) 69 = spartea.  
 rostrata, Anderss. in Vet. Akad. Handl. Stockh. 1853 (1855) 142 (Quid ?).—Ins. Galapag.  
 rostrata, Willd. ex Steud. Nom. ed. II. ii. 643 = Muehlenbergia stipoides.  
 rudis, Spreng. *Syst.* iv. Cur. Post. 31 = pubescens.  
 sareptana, Beck. in Bull. Soc. Nat. Mosc. lvii. (1882) 52 = capillata.  
 scabra, Lindl. in *Mitch. Journ. Trop. Austral.* 31.—Austral.  
 scelerata, Behr, ex Benth. *Fl. Austral.* vii. 568 = setacea.  
 Scribneri, Vasey, in Bull. Torrey Bot. Club, xi. (1884) 125.—N. Mexic.  
 Sellowiana, Nees, ex Trin. & Rupr. in Mém. Acad. Pétersb. Sér. VI. Sc. Nat. v. (1842) 38.—Bras.  
 semibarbata, R. Br. *Prod.* 174.—Austral.  
 seminuda, Vahl, ex Hornem. *Hort. Hafn.* i. 76 = tortilis.  
 sericea, Michx. *Fl. Bor. Am.* i. 54 = Muehlenbergia capillaris.

**STIPA** :—

- setacea, R. Br. *Prod.* 174.—Austral.  
 setifolia, Kunth, Enum. Pl. i. 182 (= *Urachne simplex*).—Peruv.  
 setigera, J. Presl, in *Rel. Haenk.* i. 226.—Am. bor. occ.  
 sibirica, Lam. *Illustr.* i. 158.—As. bor.; Reg. Himal.  
 Sibthorpii, Boiss. & Reut. ex Boiss. *Fl. Orient.* v. 501 = Lagascae.  
 spartea, Hook. *Fl. Bor. Am.* ii. 237 = viridula.  
 spartea, Trin. in Mém. Acad. Pétersb. Sér. VI. i. (1831) 82.—Am. bor.  
 speciosa, Trin. & Rupr. l. c. Sér. VI. Sc. Nat. v. (1842) 45.—Calif.; Chili.  
 spicata, Linn. f. *Suppl.* 111; Thunb. *Prod. Pl. Cap.* 20 = Heteropogon hirtus.  
 spicata, Walt. *Fl. Carol.* 78 = Ctenium carolinianum.  
 Spica-venti, Godr. in Mém. Acad. Montp. (Sect. Médic.) i. (1853) 449 = Apera Spica-venti.  
 Spinifex, Linn. *Mant.* i. 84 = Spinifex squarrosus.  
 splendens, Trin. in *Spreng. Neue Entdeck.* ii. 54.—Sibir.  
 stenophylla, Czern. ex Trautv. in Act. Hort. Petrop. ix. (1884) 351, nomen = pennata.  
 Stillmannii, Boland. in *Proc. Calif. Acad.* iv. (1870) 169.—Calif.  
 Streptachne, F. Muell. *Census*, i. 133.—Austral.  
 striata, Link, *Hort. Berol.* i. 98.—Austral.?  
 stricta, Lam. *Illustr.* i. 158.—Am. bor.  
 stricta, Vasey, in Bull. Torrey Bot. Club, x. (1883) 42.—Am. bor.  
 subulata, Fourn. ex Hemsl. *Biol. Centr. Am. Bot.* iii. 537.—Mexic.  
 Szowitsiana, Trin. ex Hohen. in Bull. Soc. Nat. Mosc. (1838) 243 = barbata.  
 tauricola, Čelak. in Oestr. Bot. Zeitschr. xxxiii. (1883) 349 = pennata?  
 tenacissima, Linn. *Cent. Pl.* i. 6; *Amoen. Acad.* iv. 266.—Reg. Mediterr. occ.  
 tenacissima, Ucria, *Hort. Panorm.* (1789) 61 = tortilis.  
 tenella, Godr. in Mém. Acad. Montp. (Sect. Médic.) i. (1853) 452.—Hab.?  
 tenuiflora, Phil. in *Linnaea*, xxx. (1864–65) 281.—Chili.  
 tenuifolia, Sieber, ex Steud. Nom. ed. II. ii. 643 = parviflora.  
 tenuifolia, Steud. *Syn. Pl. Gram.* 128 = scabra.  
 tenuis, Phil. *Sert. Mendoc. Alt.* 46.—Chili.  
 tenuis, Willd. ex Steud. Nom. ed. II. ii. 643 = Aristida tenuis, Kunth.  
 tenuissima, Trin. in Bull. Sc. Acad. Pétersb. i. (1836) 67.—Chili.  
 teretifolia, Steud. *Syn. Pl. Gram.* 128.—Austral.; N. Zel.  
 Tirsia, Stev. in Bull. Soc. Nat. Mosc. xxx. (1857) ii. 115 = pennata.  
 tortilis, Buch, in Abh. Akad. Berl. 1816–17 (1819), 376 = tenacissima.  
 tortilis, Desf. *Fl. Atlant.* i. 99. t. 31.—Reg. Mediterr.; Oriens.; Afr. austr.  
 tortuosa, E. Desv. in C. Gay, *Fl. Chil.* vi. 281.—Chili.  
 trachysperma, Phil. in *Linnaea*, xxxiii. (1864–65) 284.—Chili.  
 trichophylla, Benth. *Fl. Austral.* vii. 570.—Austral.  
 trichotoma, Nees, *Agrost. Bras.* 375 (= *Urachne trichotoma*).—Uruguay.  
 trochlearis, [Nees, in] Meyen, *Reise*, i. 484, nomen.—Peruv.; Mexic.  
 Tuckeri, F. Muell. *Fragm.* xi. 128.—Austral.  
 ucranica, Steud. Nom. ed. I. 816 = seq.  
 ucranensis, Lam. *Illustr.* i. 157 = capillata.  
 vaginata, Phil. in *Linnaea*, xxxiii. (1864–65) 281.—Chili.  
 verticillata, Nees, in *Spreng. Syst.* iv. Cur. Post. 30 = micrantha.  
 villosa, Walt. *Fl. Carol.* 78 = Oryzopsis cuspidata.  
 virescens, H. B. & K. *Nov. Gen. et Sp.* i. 126. t. 630.—Mexic.  
 virginica, Pers. *Syn.* i. 99 = avenacea.  
 viridula, Trin. in Bull. Sc. Acad. Pétersb. i. (1836) 67.—Am. bor. occ.  
 Virletii, Fourn. ex Hemsl. *Biol. Centr. Am. Bot.* iii. 538.—Mexic.  
 vulgaris, Gueldenst. *Reisen*, ii. 39; ex Ledeb. *Fl. Ross.* iv. 451 = pennata.  
 vulpiaeformis, Cesati, in *Att. Soc. Acc. Sc. Nap.* v. (1873) n. vii. 19.—Reg. Argent.

STIPAGROSTIS, Nees, in *Linnaea*, vii. (1832) 290 = **Aristida**, Linn. (Gramin.).  
 capensis, Nees, l. c. 291 = A. capensis.  
 Dregeana, Nees, *Fl. Afr. Austr.* 172 = A. Dregeana.  
 geminifolia, Nees, l. c. 173 = A. geminifolia.  
 obtusa, Nees, in *Linnaea*, vii. (1833) 293 = A. obtusa.  
 plumosa, Munro, ex T. Anders. in *Journ. Linn. Soc.* v. *Suppl.* i. (1860) 40 = A. plumosa.

**STIPECOMA**, Muell. Arg. in *Mart. Fl. Bras.* vi. i. 175. t. 53 (1860). *APOCYNACEAE*, Benth. & Hook. f. ii. 724.  
 macrocalyx, Miers, *Apocyn. S. Am.* 136 = Echites macrocalyx.  
 mucronata, Miers, l. c. 135 = Echites peltata.  
 ovata, Miers, l. c. 137 (Quid ?).—Bras.  
 peltata, Miers, l. c. 134 = Echites peltata.  
 peltigera, Muell. Arg. in *Mart. Fl. Bras.* vi. i. 176.—Bras.  
 plicata, Miers, *Apocyn. S. Am.* 134 = Echites peltata.  
 pulchra, Miers, l. c. 135 (Quid ?).—Bras.  
 speciosa, Miers, l. c. 136 (Quid ?).—Bras.

**STIPELLARIA**, Benth. in Hook. *Kew Journ.* vi. (1854) 2 = **Alchornea**, Sw. (Euphorb.).  
 mollis, Benth. l. c. 3 = A. mollis.  
 parviflora, Benth. l. c. 4 = A. parviflora.  
 tiliaefolia, Benth. l. c. = A. tiliaefolia.  
 trewioides, Benth. l. c. 3 = A. trewioides.  
 villosa, Benth. l. c. 4 = A. villosa.  
 Zollingeri, Miq. *Fl. Ind. Bot. Suppl.* 183, 460 = A. villosa.

**STIPELLARIA**, Klotzsch, in Schomb. *Faun. Fl. Brit.* Gui. 1203 (1848) nomen. *LEGUMINOSAE*.  
 mollis, Klotzsch, l. c. (Quid ?).—Guian.

**STIPHONIA**, Hemsl. *Biol. Centr. Am. Bot.* 218 (1880), sphalm. = STYPHONIA, Nutt. = **Rhus**, Linn. (Anacard.).

**STIPULARIA**, Beauv. *Fl. Owar.* ii. 26. t. 75 (1805). *RUBIACEAE*, Benth. & Hook. f. ii. 74.  
 africana, Beauv. l. c.—Afr. trop.  
 elliptica, Schweinf. ex Hiern, in *Oliver, Fl. Trop. Afr.* iii. 80.—Afr. trop.  
 gabonica, Hiern, l. c.—Afr. trop.

**STIPULARIA**, Haw. *Syn. Pl. Succ.* 103 (1812) = **Spergularia**, J. & C. Presl (Caryoph.).  
 capensis, Haw. l. c. 104 = Arenaria capensis.  
 fallax, Edgew. in *Journ. Linn. Soc.* vi. (1862) 185 (Quid ?).—Ind. or.  
 flaccida, Edgew. l. c. = Spargula pentandra.  
 marina, Haw. *Syn. Pl. Succ.* 104 = Spargularia media.  
 media, Haw. l. c. 103 = Spargularia media.  
 pentandra, Edgew. in *Journ. Linn. Soc.* vi. (1862) 185 = Spargula pentandra.  
 pubescens, Haw. *Syn. Pl. Succ.* 103 = Spargularia media.  
 rubra, Haw. l. c. = Spargularia rubra.

**STIPULICIDA**, Michx. *Fl. Bor. Am.* i. 26. t. 6 (1803). *CARYOPHYLLEAE*, Benth. & Hook. f. i. 154.  
 setacea, Michx. l. c.—Am. bor.

**STIRADOTHECA**, Klotzsch, in *Monatsb. Berl. Akad.* (Maerz 1854) 127 = **Begonia**, Tourn.  
 ferruginea, Klotzsch, l. c. = B. ferruginea.  
 magnifica, Klotzsch, l. c. = B. magnifica.  
 trachyptera, Klotzsch, l. c. = B. trachyptera.

**STIRLINGIA**, Endl. *Gen.* 339 (1838). *PROTEACEAE*, Benth. & Hook. f. iii. 173.  
 SIMSIA, R. Br. in *Trans. Linn. Soc.* x. (1810) 152.  
 abrotanoides, Meissn. in *Lehm. Pl. Preiss.* i. 517.—Austral.  
 acutifolia, Endl. *Gen. Suppl.* iv. ii. 81 = tenuifolia.  
 affinis, Meissn. in *Lehm. Pl. Preiss.* i. 516 = teretifolia.  
 anethifolia, Endl. *l. c.* 23 = tenuifolia.  
 capillifolia, Meissn. in Hook. *Kew Journ.* vii. (1855) 70 = simplex.  
 intricata, Meissn. l. c. iv. (1852) 184 = tenuifolia.  
 latifolia, Steud. *Nom. ed. II.* ii. 644.—Austral.  
 paniculata, Lindl. *Swan River App.* 30 = latifolia.  
 simplex, Lindl. *l. c.*—Austral.  
 tenuifolia, Steud. *Nom. ed. II.* ii. 644; *Endl. Gen. Suppl.* iv. ii. 81.—Austral.  
 teretifolia, Meissn. in *Lehm. Pl. Preiss.* i. 515.—Austral.

STISSERA, Giseke, Prael. Linn. 207, 209 (1792) = **Curcuma**, Linn. (Scitam.).  
*Curcuma*, Raesch. Nom. ed. III. 2 = *C. longa*.  
*longa*, Giseke, Prael. Linn. 228 = *C. longa*.

STISSERIA, Linn. Syst. ed. I. (1735) = **Stapelia**?, Linn. (Asclep.).

STISSERIA, Scop. Introd. 199 (1777) = **Mimusops**, Linn. (Sapot.).

STIXIS, Lour. Fl. Cochinch. 295 (1790) = **Roydsia**, Roxb. (1819) (Cappar.).  
*scandens*, Lour. l. c. = Cochinch.

STIZA, E. Mey. Comm. Pl. Afr. Austr. 31 (1835) = **Lebeckia**, Thunb. (Legumin.).  
*erioloba*, E. Mey. l. c. = *L. pungens*.  
*psiloloba*, E. Mey. l. c. 32 = *L. psiloloba*.  
*pungens*, Presl, Bot. Bemerk. 125 = *L. pungens*.

STIZOLOBIUM, P. Br. Hist. Jamaica. 290 (1756) = **Mucuna**, Adans. (1763) (Legumin.).  
*altissima*, Pers. Syn. ii. 299 = *M. altissima*.  
*bulbosum*, Spreng. Syst. iii. 252 = *Pachyrhizus angulatus*.  
*domingense*, Spreng. l. c. = *Pachyrhizus angulatus*.  
*ellipticum*, Pers. Syn. ii. 299 = *M. elliptica*.  
*giganteum*, Spreng. Syst. iv. Cur. Post. 281 = *M. gigantea*.  
*inflexum*, Pers. Syn. ii. 299 = *M. inflexa*.  
*macroceras*, Spreng. Syst. iv. Cur. Post. 281 = *M. macroceratides*.  
*Meyeri*, Spreng. l. c. iii. 253 = *M. spuria*.  
*mite*, Pers. Syn. ii. 299 = *M. mitis*.  
*molle*, Spreng. Syst. iv. Cur. Post. 281 = *M. mollis*.  
*montanum*, Spreng. Syst. iii. 252 = *Pueraria phaseoloides*.  
*Mutisianum*, Spreng. Syst. iv. Cur. Post. 281 = *M. Mutisiana*.  
*nigricans*, Pers. Syn. ii. 299 = *M. nigricans*.  
*platycarpum*, Pers. l. c. = *M. platycarpa*.  
*pruriens*, Medic. in Vorles. Churpf. Phys. Ges. ii. (1787) 399 = *M. pruriens*.  
*scarabaeoides*, Spreng. Syst. iii. 253 = *Atylosia scarabaeoides*.  
*tuberosum*, Spreng. l. c. 252 = *Pachyrhizus tuberosus*.  
*urens*, Pers. Syn. ii. 299 = *M. urens*.

STIZOLOPHUS, Cass. in Dict. Sc. Nat. xlv. 35 (1826) = **Centaurea**, Linn. (Compos.).  
*Balsamita*, Cass. l. c. 36 = *C. Balsamita*.  
*balsamitaefolius*, Cass. l. c. li. 49, 50 = *C. Balsamita*.  
*coronopifolius*, Cass. l. c. 51 = *C. coronopifolia*.

STIZOPHYLLUM, Miers, in Proc. Roy. Hort. Soc. iii. (1863) 197 = **Bignonia**, Linn.  
*adsersum*, Miers, l. c. 198, nomen.—Bras.  
*affinis*, Miers, l. c. nomen. = *B. affinis*.  
*auricomum*, Miers, l. c., nomen.—Bras.  
*cordifolium*, Miers, l. c. = *B. cordifolia*.  
*dentatum*, Miers, l. c. = *B. dentata*.  
*denticulatum*, Miers, l. c. 197.—Bras.  
*glandulosum*, Miers, l. c. 198 = *B. glandulosa*.  
*insigne*, Miers, l. c., nomen.—Bras.  
*longipes*, Miers, l. c., nomen.—Bras.  
*occidentale*, Miers, l. c. = *B. occidentalis*.  
*perforatum*, Miers, l. c. = *B. perforata*.  
*punctulatum*, Miers, l. c. nomen.—Bras.  
*velutinum*, Miers, l. c. = *B. velutina*.

STOBÆA, Thunb. Prod. Pl. Cap. 141 (1800) = **Berkheya**, Ehrh. (Compos.).  
*acanthopoda*, DC. Prod. vi. 521.—Afr. austr.  
*acarnoides*, DC. l. c. 519.—Afr. austr.  
*adenocarpa*, DC. l. c. 515 = *B. fruticosa*?  
*aristosa*, DC. l. c. 518.—Afr. austr.  
*atractylodes*, Thunb. Prod. Pl. Cap. 141 = *B. carlinoides*.  
*Bergeri*, DC. Prod. vii. 37, sphalm. = seq.  
*Bergii*, Spreng. Syst. iii. 394 = *Dicoma diacanthoides*.  
*biloba*, DC. Prod. vi. 516.—Afr. austr.  
*bipinnatifida*, Harv. in Harv. & Sond. Fl. Cap. iii. 499.—Afr. austr.  
*buphthalmoides*, DC. Prod. vi. 517.—Afr. austr.  
*cardopatifolia*, DC. l. c. 514.—Afr. austr.  
*carlinaefolia*, DC. l. c. 516.—Afr. austr.

VOL. II.

# STOBÆA :—

*carlinoides*, E. Mey. ex DC. Prod. vi. 516 = *carlinaefolia*.  
*carlinoides*, Thunb. Prod. Pl. Cap. 141 = *Berkheya carlinoides*.  
*cirsifolia*, DC. Prod. vi. 519.—Afr. austr.  
*crispa*, DC. l. c. 517.—Afr. austr.  
*cruciata*, Harv. in Harv. & Sond. Fl. Cap. iii. 498 = *B. cruciata*.  
*decurrens*, Thunb. Prod. Pl. Cap. 141 = *Stephanocoma berkheyoides*.  
*discolor*, DC. Prod. vi. 520.—Afr. austr.  
*echinacea*, Harv. in Harv. & Sond. Fl. Cap. iii. 495.—Afr. austr.  
*echinopoda*, DC. Prod. vi. 521.—Afr. austr.  
*epitrichys*, DC. l. c. 515.—Afr. austr.  
*eriobasis*, DC. l. c. 516.—Afr. austr.  
*Erysithales*, DC. l. c. 519.—Afr. austr.  
*erysithalis*, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 185 = praec.  
*Gaertneri*, DC. Prod. vi. 522.—Afr. austr.  
*Gerrardii*, Harv. in Harv. & Sond. Fl. Cap. iii. 495.—Afr. austr.  
*glabrata*, Alam. ex DC. Prod. v. 660 = *Jaumea mexicana*.  
*glabrata*, Thunb. Prod. Pl. Cap. 141.—Afr. austr.  
*glabriuscula*, DC. Prod. vi. 519.—Afr. austr.  
*glaucæ*, DC. l. c. 516.—Afr. austr.  
*glomerata*, Spreng. Syst. iii. 394 = *Platycarpha glomerata*.  
*grandifolia*, DC. Prod. vi. 517.—Afr. austr.  
*helianthiflora*, DC. l. c. 520.—Afr. austr.  
*heterophylla*, Thunb. Prod. Pl. Cap. 141.—Afr. austr.  
*insignis*, Harv. in Harv. & Sond. Fl. Cap. iii. 496 = *B. subulata*.  
*Kraussii*, Sch. Bip. in Flora, xxvii. (1844) 776 = *B. grandiflora*.  
*lanata*, Thunb. Prod. Pl. Cap. 141.—Afr. austr.  
*M'Kenii*, Harv. in Harv. & Sond. Fl. Cap. iii. 494.—Afr. austr.  
*membranifolia*, DC. Prod. vi. 521.—Afr. austr.  
*microcephala*, DC. l. c. 520.—Afr. austr.  
*multijuga*, DC. l. c. 521.—Afr. austr.  
*onobromoides*, DC. l. c. 516.—Afr. austr.  
*onopordifolia*, DC. l. c. 521.—Afr. austr.  
*oppositifolia*, DC. l. c. 517.—Afr. austr.  
*petiolata*, DC. l. c. 520.—Afr. austr.  
*pinnata*, Thunb. Prod. Pl. Cap. 141 = *B. pinnata*.  
*pinnatifida*, Thunb. l. c.—Afr. austr.  
*platyptera*, Harv. in Harv. & Sond. Fl. Cap. iii. 495.—Afr. austr.  
*polyacantha*, DC. Prod. vi. 519.—Afr. austr.  
*purpurea*, DC. l. c. 518 = *B. purpurea*.  
*Radula*, Harv. in Harv. & Sond. Fl. Cap. iii. 491.—Afr. austr.  
*rhapontica*, DC. Prod. vi. 519.—Afr. austr.  
*rigida*, Thunb. Prod. Pl. Cap. 141.—Afr. austr.  
*rubricaulis*, DC. Prod. vi. 515 = *B. carlinoides*.  
*scolymoides*, DC. l. c. 520 = *B. scolymoides*.  
*seminivea*, DC. l. c. 518 = *B. seminivea*.  
*sonchifolia*, Harv. in Harv. & Sond. Fl. Cap. iii. 496.—Afr. austr.  
*speciosa*, DC. Prod. vi. 518.—Afr. austr.  
*sphaerocephala*, DC. l. c. 518.—Afr. austr.  
*viscosa*, DC. l. c. 517.—Afr. austr.  
*Zeyheri*, DC. l. c. 515 = *B. carlinoides*.  
*Zeyheri*, Harv. & Sond. Fl. Cap. iii. 496 = *B. subulata*.

**STOCKSIA**, Benth. in Hook. Kew Journ. v. (1853) 304. **SAPINDACEAE**, Benth. & Hook. f. i. 397.  
*brahuica*, Benth. in Hook. Kew Journ. v. (1853) 305.—Beluchist.

**STOEBE**, Linn. Coroll. Gen. 14 (1737). **COMPOSITAE**, Benth. & Hook. f. ii. 323.  
**EREMANTHIS**, Cass. ex DC. Prod. vi. 261, in syn. (1837).  
**SERIPHUM**, Linn. Sp. Pl. ed. I. 928 (1753).  
*adpressa*, DC. ex Harv. & Sond. Fl. Cap. iii. 285.—Afr. austr.  
*aethiopica*, Linn. Sp. Pl. 831.—Afr. austr.  
*aethiopica*, Sieber, ex DC. Prod. vi. 260 = *incana*.  
*alopecuroides*, Less. Syn. Comp. 349.—Afr. austr.  
*alopecuroides*, Reichb. ex DC. Prod. vi. 262 = *cinerea*.  
*artemisioides*, E. Mey. ex DC. l. c. 263.—Afr. austr.

# STOEBE :—

*aspera*, Thunb. Prod. Pl. Cap. 170 = *Helichrysum ericaefolium*.  
*canescens*, Sch. Bip. in Pollichia, xviii-xix. (1861) 182 = *Elytropappus canescens*.  
*capitata*, Berg. Desc. Pl. Cap. 338.—Afr. austr.  
*cernua*, Thunb. Prod. Pl. Cap. 170 = *Elytropappus Rhinocerotis*.  
*cinerea*, Sieber, ex DC. Prod. vi. 256 = *Elytropappus glandulosus*.  
*cinerea*, Thunb. Prod. Pl. Cap. 169.—Afr. austr.  
*cinerea*, Zeyh. ex DC. Prod. vi. 266 = *ifloga polycnemoides*.  
*colorata*, E. Mey. ex DC. l. c. 263 = *spiralis*.  
*copholepis*, Sch. Bip. in Pollichia, xviii-xix. (1861) 179.—Afr. austr.  
*cupressina*, Reichb. ex DC. Prod. vi. 257 = *Elytropappus Rhinocerotis*.  
*disticha*, Linn. f. Suppl. 391 (= *Trichogyne seriphoides*).—Afr. austr.  
*ericoides*, Berg. Desc. Pl. Cap. 339.—Afr. austr.  
*fasciculata*, Cass. in Dict. Sc. Nat. li. 62 = *cinerea*.  
*fasciculata*, Thunb. Prod. Pl. Cap. 169 (= *Trichogyne seriphoides*).—Afr. austr.  
*flaginea*, Sch. Bip. ex Harv. & Sond. Fl. Cap. iii. 285.—Afr. austr.  
*fusca*, Thunb. Prod. Pl. Cap. 170.—Afr. austr.  
*glandulosus*, Sch. Bip. in Pollichia, xviii-xix. (1861) 182 = *Elytropappus glandulosus*.  
*gnaphaloides*, Linn. Mant. ii. 518 = *gomphrenoides*.  
*gnaphaloides*, Thunb. Fl. Cap. ed. Schult. 726 = *Metalasia pulcherrima*.  
*gomphrenoides*, Berg. Desc. Pl. Cap. 336.—Afr. austr.  
*incana*, Thunb. Prod. Pl. Cap. 169.—Afr. austr.  
*laricifolia*, E. Mey. ex DC. Prod. vi. 265 (= *Trichogyne laricifolia*).—Afr. austr.  
*leiocarpa*, Sch. Bip. in Flora, xxvii. (1844) 694.—Afr. austr.  
*leucocephala*, DC. Prod. vi. 259.—Afr. austr.  
*microcephala*, Steud. Nom. ed. II. ii. 645, sphalm. = seq.  
*microphylla*, DC. Prod. vi. 259.—Afr. austr.  
*mucida*, E. Mey. ex DC. l. c. 256 = *Elytropappus glandulosus*.  
*muricata*, Spreng. in Flora, xiii. (1830) i. Beil. 21 = *Elytropappus glandulosus*.  
*muricella*, Steud. ex Sch. Bip. in Pollichia, xviii-xix. (1861) 183.—Afr. austr.  
*nervigera*, Sch. Bip. l. c. 179.—Afr. austr.  
*nivea*, Thunb. Prod. Pl. Cap. 170 = *ericoides*.  
*pallens*, Sch. Bip. in Pollichia, xviii-xix. (1861) 182 = *Elytropappus glandulosus*.  
*paniculata*, Cass. in Dict. Sc. Nat. li. 63 = seq.  
*passerinoides*, Willd. Sp. Pl. iii. 2408.—Ins. Maurit.  
*phlaeoides*, Harv. & Sond. Fl. Cap. iii. 282, sphalm. = seq.  
*phleoides*, Sch. Bip. in Pollichia, xviii-xix. (1861) 179.—Afr. austr.  
*phylicoides*, Thunb. Prod. Pl. Cap. 169.—Afr. austr.  
*phyllostachya*, Sch. Bip. in Pollichia, xviii-xix. (1861) 179.—Afr. austr.  
*plumosa*, Thunb. Prod. Pl. Cap. 169 = *cinerea*.  
*prostrata*, Linn. Mant. ii. 291.—Afr. austr.  
*ramosissima*, Sch. Bip. in Pollichia, xviii-xix. (1861) 183 = *Elytropappus ambiguus*.  
*reflexa*, Linn. f. Suppl. 391 (= *Trichogyne reflexa*).—Afr. austr.  
*Rhinocerotis*, Linn. f. Suppl. 391 = *Elytropappus Rhinocerotis*.  
*rigida*, Spreng. Syst. iii. 441.—Afr. austr.  
*rugulosa*, Harv. in Harv. & Sond. Fl. Cap. iii. 280.—Afr. austr.  
*scabra*, Linn. f. Suppl. 391 = *Elytropappus ambiguus*.  
*spiralis*, Less. Syn. Comp. 247.—Afr. austr.  
*squarrosa*, Harv. in Harv. & Sond. Fl. Cap. iii. 282.—Afr. austr.  
*stenostachya*, Sch. Bip. in Pollichia, xviii-xix. (1861) 183 = *Elytropappus ambiguus*.  
*subulata*, Sm. in Rees, Cycl. xxxiv. n. 10 = *Elytropappus ambiguus*.  
*torta*, Spreng. Neue Entdeck. iii. 42 = *Disparago ericoides*.  
*tortilis*, DC. Prod. vi. 260.—Afr. austr.  
*vermiculata*, DC. ex Harv. & Sond. Fl. Cap. iii. 284 = *artemisioides*.  
*virgata*, Thunb. Prod. Pl. Cap. 170 = *cinerea*.

6 M

STOECHAS, Gueldenst. Reisen (1787); ex Ledeb. Fl. Ross. ii. 607 (1846) = *Helichrysum*, Vaill. (Compos.).  
*citrina*, Gueldenst. l. c. = *H. arenarium*.

STOECHAS, Tourn. ex Linn. Syst. ed. I (1735) = *Lavandula*, Tourn. (Labiata.).  
*abrotanoides*, Reichb. f. in Oestr. Bot. Wochenbl. vii. (1857) 161 = *L. abrotanoides*.  
*dentata*, Mill. Gard. Dict. ed. VIII. n. 3; Reichb. f. l. c. = *L. dentata*.  
*officinatum*, Mill. l. c. n. 1. = *L. Stoechas*.  
*pedunculata*, Mill. l. c. n. 2; Reichb. f. in Oestr. Bot. Wochenbl. vii. (1857) 161 = *L. pedunculata*.  
*pinnata*, Reichb. f. l. c. = *L. pinnata*.  
*rotundifolia*, Reichb. f. l. c. = *L. rotundifolia*.

STOEHELINA, Hall. Helv. 312; ex Benth. in DC. Prod. x. 544 (1846) = *Bartsia*, Linn. (Scrophul.).

STOERKEA, Baker, in Journ. Linn. Soc. xiv. (1875) 523 = seq.

STOERKIA, Crantz, Duab. Dracon. Arb. 25 (1768) = *Dracaena*, Vand. (Liliac.).  
*Draco*, Crantz, l. c. = *D. Draco*.

STOKESIA, L'Hérit. Sert. Angl. 27 (1788). *COMPOSITAE*, Benth. & Hook. f. ii. 234.  
CARTESIA, Cass. in Bull. Soc. Philom. (1816) 198.  
*cyanea*, L'Hérit. Sert. Angl. 28.—Am. bor.

STOLIDIA, Baill. Adansonia, ii. (1862) 359.  
*OLACINEAE*, Benth. & Hook. f. i. 996.  
*mauritanica*, Baill. l. c.—Ins. Maurit.

STOMADENA, Rafin. Fl. Tellur. ii. 12 (1836) = *Ipomoea*, Linn. (Convolv.).  
*violacea*, Rafin. l. c. = *I. Aitonii*.

STOMARRHENA, DC. Prod. vii. 738 (1839) = *Astroloma*, R. Br. (Epacrid.).  
*serratifolia*, DC. l. c. = *A. Candolleianum*.  
*xerophylla*, DC. l. c. = *A. xerophyllum*.

STOMATECHIUM, Spach, Hist. Vég. Phan. ix. 31 (1840), sphalm. = *STOMOTECHIUM*, Lehm. = *Anchusa*, Linn. (Borag.).

STOMATOCALYX, Muell. Arg. in DC. Prod. xv. ii. 1142 (1866) = *Pimelodendron*, Hassk. (Euphorb.).  
*Griffithianus*, Muell. Arg. l. c.—Malaya.

STOMOISIA, Rafin. Fl. Tellur. iv. 108 (1836) = *Utricularia*, Linn. (Lentib.).  
*cornuta*, Rafin. l. c. = *U. cornuta*.

STOMOTECHIUM, Lehm. Asperif. 395 (1818) = *Anchusa*, Linn. (Borag.).  
*papillosum*, Lehm. l. c. 396.—Afr. austr.

STONCKENYA, Rafin. in Am. Monthly Mag. iv. (1819) 193, err. typ. = *HONCKENYA*, Ehrh. = *Arenaria*, Rupp. (Caryoph.).

STOORIA, Neck. Elem. i. 132 (1790) = *Lobelia*, Plum. (Campan.).

STOPINACA, Rafin. Fl. Tellur. iii. 11 (1836) = *Polygonella*, Michx. (Polygon.).  
*parvifolia*, Rafin. l. c. = *P. parvifolia*.

STORCKIELLA, Seem. in Bonplandia, ix. (1861) 255, 363. t. 6. *LEGUMINOSAE*, Benth. & Hook. f. i. 571.  
DOGA, Baill. Adansonia, ix. (1869) 205.  
Pancheri, Baill. l. c.—N. Caled.  
*vitensis*, Seem. in Bonplandia, ix. (1861) 255, 363. t. 6.—Ins. Fiji.

STORTHOCALYX, Radlk. in Sitzb. Math.-Phys. Akad. Muench. ix. (1879) 499, 660. *SAPINDACEAE*.  
*chryseus*, Radlk. l. c. 661.—N. Caled.  
*leioneurus*, Radlk. l. c.—N. Caled.  
Pancheri, Radlk. l. c.—N. Caled.  
*sordidus*, Radlk. l. c.—N. Caled.

STRABONIA, DC. Prod. v. 481 (1836) = *Pulicaria*, Gaertn. (Compos.).  
*gnaphalodes*, DC. l. c. = *P. gnaphalodes*.

STRACHEYA, Benth. in Hook. Kew Journ. v. (1853) 306. *LEGUMINOSAE*, Benth. & Hook. f. i. 510.  
*tibetica*, Benth. in Hook. Kew Journ. v. (1853) 307.—Reg. Himal.

STRAKAEA, Presl, Epim. Bot. 221 (1849) = *Bragantia*, Lour. (Aristol.).  
*melastomaeifolia*, Presl, l. c. 222 = *B. corymbosa*.

STRAMONIUM, Tourn. ex Hall. Enum. Stirp. Helv. ii. 439 (1742) = *Datura*, Linn. (Solan.).  
*arborescens*, Moench, Meth. Suppl. 173 = *D. suaveolens*.  
*Datura*, Noronha, in Verh. Batav. Gen. v. (1790) ed. I. Art. iv. 27 = *D. fastuosa*.  
*fastuosum*, Moench, Meth. 456 = *D. fastuosa*.  
*foetidum*, Scop. Fl. Carn. ed. II. i. 157; All. Fl. Pedem. i. 103 = *D. Stramonium*.  
*infernale*, Noronha, in Verh. Batav. Gen. v. (1790) ed. I. Art. iv. 27 = *D. fastuosa*?  
*laeve*, Moench, Meth. 456 = *D. inermis*?  
*Metel*, Moench, l. c. = *D. Metel*.  
*spinosum*, Lam. Fl. Fr. ii. 256 = *D. Stramonium*.  
*Tatula*, Moench, Meth. 456 = *D. Stramonium*.  
*vulgare*, Moench, l. c. = *D. Stramonium*.  
*vulgatum*, Gaertn. Fruct. ii. 243. t. 132; Moench, l. c. = *D. Stramonium*.

STRANGALIS, Dulac, Fl. Hautes-Pyr. 195 (1867) = *Brassica*, Tourn. (Crucif.).  
*adpressa*, Dulac, l. c. = *B. adpressa*.

STRANGEA, Meissn. in Hook. Kew Journ. vii. (1855) 66 = *Grevillea*, R. Br. (Proteac.).  
*cynanchocarpa*, F. Muell. Fragm. vii. 132 = *G. cynanchicarpa*.  
*linearis*, Meissn. in Hook. Kew Journ. vii. (1855) 66 = *G. Strangea*.

STRANGEVEIA, Baker, in Journ. Linn. Soc. xi. (1871) 429 = *STRANGWEJA*, Bertol. = *Hyacinthus*, Tourn. (Liliac.).

STRANGULA, Noronha, in Verh. Batav. Gen. v. (1790) ed. I. Art. iv. 4 = *Ardisia*, Sw. (Myrsin.).

STRANGWEIA, Baker, in Journ. Linn. Soc. xi. (1871) 423 = seq.

STRANGWEJA, Bertol. in Mem. Soc. Ital. Modena, xxi. (1835) 2. t. 1 = *Hyacinthus*, Tourn. (Liliac.).  
*hyacinthoides*, Bertol. l. c. = *H. spicatus*.  
*spicata*, Bertol. l. c. = *H. spicatus*.

STRANGWEYA, Benth. & Hook. f. Gen. iii. 812 (1883) = praec.

STRANIA, Noronha, in Verh. Batav. Gen. v. (1790) ed. I. Art. iv. 4 = *Canarium*, Rumph (Burser.).

STRANVAESIA, Lindl. Bot. Reg. t. 1956 (1837). *ROSACEAE*, Benth. & Hook. f. i. 627.  
Calleryana, Decne. in Nouv. Arch. Mus. Par. Sér. I. x. (1874) 179.—China.  
Davidiana, Decne. l. c. 179.—Tibet.  
*digyna*, Sieb. & Zucc. in Abh. Akad. Muench. iv. ii. (1843) 129 = *Photinia villosa*.  
*glauca*, Baill. Hist. Pl. i. 411 = *glaucescens*.  
*glaucescens*, Lindl. Bot. Reg. t. 1956.—Reg. Himal.  
*Nussia*, Decne. in Nouv. Arch. Mus. Par. Sér. I. x. (1874) 178 = *glaucescens*.  
*undulata*, Decne. l. c. 179.—China.

STRASBURGERIA, Baill. Adansonia, xi. (1876) 372. *TERNSTROEMACEAE*.  
*calliantha*, Baill. l. c.—N. Caled.

STRATEUMA, Rafin. Fl. Tellur. ii. 89 (1836) = *Zeuxine*, Lindl. (Orchid.).  
*zeylanica*, Rafin. l. c. = *Z. sulcata*.

STRATEUMA, Salisb. in Trans. Hort. Soc. i. (1812) 290 = *Orchis*, Tourn.  
*grandis*, Salisb. l. c. = *O. purpurea*.  
*militaris*, Salisb. l. c. = *O. Simia*.

STRATIOITES, Gilib. Exercit. i. 342 (1791), sphalm. = seq.

STRATIOTES, Linn. Syst. ed. I (1735). *HYDROCHARIDEAE*, Benth. & Hook. f. iii. 454.  
*acorooides*, Linn. f. Suppl. 268 = *Enhalus Koenigii*.  
*aculeatus*, Stokes, Bot. Mat. Med. iii. 52 = *aloides*.  
*alismoides*, Linn. Sp. Pl. 535 = *Ottelia alismoides*.  
*aloides*, Linn. l. c.—Europ.  
*aquaticus*, Pall. Reise, iii. 315 = *aloides*.  
*ensiformis*, Gilib. Fl. Lituan. ii. 220 = *aloides*.  
*nymphoides*, Humb. & Bonpl. in Willd. Sp. Pl. iv. 821 = *Hydrocleys Commersonii*.  
*quinquealatus*, Stokes, Bot. Mat. Med. iii. 53 = *Ottelia alismoides*.

STRAUSSIA, A. Gray, in Proc. Am. Acad. iv. (1860) 42. *RUBIACEAE*, Benth. & Hook. f. ii. 122.  
*hawaiiensis*, A. Gray, l. c. 43.—Ins. Sandvic.  
*kaduana*, A. Gray, l. c.—Ins. Sandvic.  
*mariniana*, A. Gray, l. c.—Ins. Sandvic.

STRAVADIA, Pers. Syn. ii. 30 (1807) = seq.

STRAVADIUM, Juss. Gen. 326 (1789) = *Barringtonia*. Forst. (Myrtac.).  
*acuminatum*, Blume, in Fl. des Serres, vii. (1851–52) 24 = *B. acuminata*.  
*acuminatum*, Wall. Cat. n. 3636 = *B. macrostachya*.  
*acutangulum*, Sweet, Hort. Brit. ed. I. 159 = *B. acutangula*.  
*album*, Pers. Syn. ii. 30 = *B. racemosa*.  
*augustum*, Wall. Cat. n. 3637 = *B. augusta*.  
*coccineum*, DC. Prod. iii. 289 = *B. excelsa*.  
*cochinchinense*, Blume, in Fl. des Serres, xvii. (1851–52) 24 = *B. acutangula*?  
*costatum*, Blume, l. c. vii. (1851–52) 24 = *B. costata*.  
*demissum*, Miers, in Trans. Linn. Soc. Ser. II. i. (1875) 81 = *B. acutangula*.  
*denticulatum*, Miers, l. c. 88.—Austral.  
*excelsum*, DC. Prod. iii. 289 = *B. excelsa*.  
*globosum*, Miers, in Trans. Linn. Soc. Ser. II. i. (1875) 86 = *B. acutangula*.  
*gracile*, Miers, l. c. = *B. acutangula*.  
*Horsfieldii*, Miers, l. c. 85 = *B. Horsfieldii*.  
*insigne*, Blume, in Fl. des Serres, xvii. (1851–52) 21, 24 = *B. insignis*.  
*integrifolium*, Montr. in Mém. Acad. Lyon, x. (1860) 210.—N. Caled.  
*lucidum*, Miers, in Trans. Linn. Soc. Ser. II. i. (1875) 88.—Java.  
*luzonense*, Miers, l. c. 84 = *B. luzonensis*.  
*macrophyllum*, Blume, in Fl. des Serres, vii. (1851–52) 24 = *B. speciosa*.  
*obtusangulum*, Blume, l. c. = *B. acutangula*.  
*pubescens*, Miers, in Trans. Linn. Soc. Ser. II. i. (1875) 83 = *B. acutangula*.  
*racemosum*, Sweet, Hort. Brit. ed. I. 159 = *B. racemosa*.  
*Reinwardtii*, Miers, in Trans. Linn. Soc. Ser. II. i. (1875) 88 = *B. Reinwardtii*.  
*reticulatum*, Blume, in Fl. des Serres, vii. (1851–52) 24 = *B. reticulata*.  
*Rheedii*, Blume, l. c. = *B. acutangula*.  
*rubrum*, DC. Prod. iii. 289, partim = *B. racemosa*.  
*rubrum*, Pers. Syn. ii. 30 = *B. acutangula*.  
*sarcostachys*, Blume, in Fl. des Serres, vii. (1851–52) 24 = *B. macrostachyum*.  
*semisutum*, Miers, in Trans. Linn. Soc. Sér. II. i. (1875) 89.—Ins. Pacif.  
*serratum*, Miers, l. c. 87 = *B. serrata*.  
*spicatum*, Blume, ex DC. Prod. iii. 289 = *B. spicata*.

STREBANTHUS, Rafin. in Ser. Bull. Bot. i. (1830) 218 = *Eryngium*, Tourn. (Umbell.).  
*auriculatus*, Rafin. l. c. = *E. Baldwini*.  
*gracilis*, Rafin. New Fl. Am. iv. 36 = *E. Baldwini*.  
*heterophyllum*, Rafin. l. c. 35 = *E. prostratum*.  
*humilis*, Rafin. l. c. = *E. Baldwini*.  
*tenuifolia*, Rafin. l. c. 36 = *E. Baldwini*.

STREBLANTHERA, Steud. in Flora, xxvii. (1844) 29 = *Trichodesma*, R. Br. (Borag.).  
*oleaeifolia*, A. Rich. Tent. Fl. Abyss. ii. 93.—Abyss.  
*trichodesmoides*, Steud. in Flora, xxvii. (1844) 29 = *T. calathiforme*.

STREBLANTHUS, Rafin. Atl. Journ. 149 (1832) = *STREBANTHUS*, Rafin. = *Eryngium*, Tourn. (Umbell.).

STREBLIDIA, Link, Hort. Berol. i. 276 (1827) = **Schoenus**, Linn. (Cyperac.).  
*ferruginea*, Link, l. c. = Sch. ferrugineus.

STREBLOCARPUS, Arn. in Ann. Sc. Nat. Sér. II. ii. (1834) 235 = **Maerua**, Forsk. (Cappar.).  
*angustifolia*, Endl. Gen. 893 = M. oblongifolia.  
*Fenzlii*, Parl. in Webb, Fragm. Fl. Aethiop. 24.—Abyss.  
*oblongifolia*, Endl. Gen. 893 = M. oblongifolia.  
*ovalifolia*, Endl. ex Walp. Rep. i. 197 = M. ovalifolia.  
*pubescens*, Klotzsch, in Peters, Reise Mossamb. Bot. 166 = M. nervosa.  
*scabra*, Endl. ex Walp. Rep. i. 197 = M. ovalifolia.  
*scandens*, Klotzsch, in Peters, Reise Mossamb. Bot. 165 = M. nervosa.

STREBLOCHAETA, Benth. & Hook. f. Gen. iii. 1163 (1883), sphalm. = seq.

STREBLOCHAETE, Hochst. ex A. Rich. Tent. Fl. Abyss. ii. 421 (1851) = **Danthonia**, DC. (Gramin.).  
*Costlini*, Hochst. ex A. Rich. l. c. = D. Streblochaeta.  
*nutans*, Hochst. ex Steud. Syn. Pl. Gram. 245 = D. Streblochaeta.  
*Schimperi*, Hochst. ex Steud. l. c. = D. Streblochaeta.

STREBLORHIZA, Benth. & Hook. f. Gen. i. 503. (err. typ.) (1865) = seq.

STREBLORRIZA, Endl. Prod. Fl. Norf. 92 (1833).  
**LEGUMINOSAE**, Benth. & Hook. f. i. 503.  
*speciosa*, Endl. l. c. 93.—Ins. Norfolk.

STREBLOSA, Korth. in Nederl. Kruidk. Arch. ii. 11. (1851) 245 = **Psychotria**, Linn. (Rubiace.).  
*polyantha*, Korth. l. c. 246 = P. singalensis.  
*tortilis*, Korth. l. c. = P. tortilis.  
*undulata*, Korth. l. c. 247 = P. undulata.

STREBLUS, Lour. Fl. Cochinch. 614 (1790). **URTICACEAE**, Benth. & Hook. f. iii. 359.  
**ALBRANDIA**, Gaudich. in Freyc. Voy. Bot. 509 (1826).  
**CALUS**, Blanco, Fl. Filip. ed. I. 698 (1837).  
**EPICARPURUS**, Blume, Bijdr. 488 (1825).  
*asper*, Lour. Fl. Cochinch. 615.—As. trop.  
*Brunoniana*, F. Muell. Fragm. vi. 192 = Pseudomorus Brunoniana.  
*cordatus*, Lour. Fl. Cochinch. 615 = Trophis cordata.  
*lactescens*, Blume, Mus. Bot. Lugd.-Bat. ii. 80 = asper.  
*macrophyllus*, Blume, l. c. (= *Diplocos macrophylla*).—Ins. Celebes.  
*mauritanus*, Blume, l. c. = Ampalis madagascariensis.  
*microphylla*, Kurz, For. Fl. Brit. Burma, ii. 465 = Phyllochlamys spinosa.  
*mitis*, Kurz, l. c. 464.—Burma.  
*pendulina*, F. Muell. Fragm. vi. 192 = Pseudomorus Brunoniana.  
*rectinervis*, F. Muell. l. c. = Aphanantha philippinensis.  
*taxoides*, Kurz, For. Fl. Brit. Burma, ii. 465 = Phyllochlamys spinosa.  
*zeylanica*, Kurz, l. c. 464 = Taxotrophis zeylanica.

STRECKERA, Sch. Bip. in Flora, xvii. (1834) 483 = **Leontodon**, Linn. (Compos.).  
*Claurae*, Sch. Bip. l. c. 487 = L. asperimus.  
*tuberosa*, Fourr. in Ann. Soc. Linn. Lyon, N. S. xvii. (1869) 197 = L. tuberosus.

STRELESKIA, Hook. f. in Hook. Lond. Journ. Bot. vi. (1847) 266 = **Wahlenbergia**, Schrad. (Campan.).  
*montana*, Hook. f. l. c. 267 = W. saxicola.

STRELITSIA, Thunb. Fl. Cap. ii. 113 (1818), sphalm. = seq.

STRELITZIA, [Banks] Ait. Hort. Kew. ed. I. i. 285. t. 2 (1789). **SCITAMINEAE**, Benth. & Hook. f. iii. 656.  
*angusta*, D. Dietr. Syn. Pl. i. 850, sphalm. = S. Augusta.

# STRELITZIA:—

*angustifolia*, [Dryand. in] Ait. Hort. Kew. ed. II. ii. 55 = parvifolia.  
*Augusta*, Thunb. Nov. Gen. 113.—Afr. austr.  
*farinosa*, [Dryand. in] Ait. Hort. Kew. ed. II. ii. 55 = S. Reginae.  
*gigantea*, J. S. Kern. Hort. Semperv. t. 589 = S. Augusta?  
*glauca*, Rich. in Nov. Act. Nat. Cur. xv. (1831) Suppl. 17. t. 2-8 = S. Reginae.  
*humilis*, Link, Enum. Hort. Berol. i. 150; Handb. i. 234 = S. Reginae.  
*juncea*, Link, Enum. l. c.; Andr. ex Spreng. Syst. i. 833 = parvifolia.  
*lanceolata*, Hort. ex Steud. Nom. ed. II. ii. 645 (Quid?).—Afr. austr.  
*Lemoinei*, Miellez, in Fl. des Serres, xviii. (1880) sub t. 2370 = S. Reginae.  
*macrophylla*, Hort. ex Steud. Nom. ed. II. ii. 645 (Quid?).—Afr. austr.  
*Nicolai*, Regel & C. Koch, in Gartenfl. (1858) 265. t. 235.—Afr. austr.  
*ovata*, [Dryand. in] Ait. Hort. Kew. ed. II. ii. 55 = S. Reginae.  
*parvifolia*, [Dryand.] l. c.—Afr. austr.  
*Principis*, Andr. ex Spreng. Syst. i. 833 = parvifolia.  
*prolifera*, Carr. in Rev. Hort. (1869) 159 = S. Reginae.  
*pumila*, Hort. ex Planch. in Fl. des Serres, xi. (1856) 53 = S. Reginae.  
*Quenconi*, Lem. Illustr. Hort. x. (1863) Misc. 20.—Afr. austr.  
*regalis*, Salisb. Prod. 145 = S. Reginae.  
*Reginae*, [Banks, in] Ait. Hort. Kew. ed. I. i. 285. t. 2; Thunb. Nov. Gen. 113.—Afr. austr.  
*rutilans*, C. Morr. in Ann. Soc. Bot. Gand, ii. (1846) t. 53 = S. Reginae.  
*teretifolia*, Barrow, ex Steud. Nom. ed. II. ii. 645 (Quid?).—Afr. austr.

STREMPERIA, A. Rich. in Mém. Soc. Hist. Nat. Par. v. (1834) 180. t. 18. f. 2 = **Psychotria**, Linn. (Rubiace.).  
*guianensis*, A. Rich. l. c.—Guian.

STREMPELIOPSIS, Benth. in Benth. & Hook. f. Gen. ii. 702 (1876). **APOCYNACEAE**, Benth. & Hook. f. l. c.  
*strempeleioides*, Benth. l. c.—Cuba.

STREPHIUM, Schrad. ex Nees, Agrost. Bras. 298 (1829) = **Olyra**, Linn. (Gramin.).  
*distichophyllum*, Schrad. ex Kunth, Enum. Pl. i. 70 = O. polypodioides.  
*floribundum*, Nees, ex Steud. Syn. Pl. Gram. 36 = O. floribunda.  
*pulchellum*, Wright, in Sauv. Fl. Cub. 193.—Cuba.  
*strictiflorum*, Fourn. in Bull. Soc. Bot. Belg. xv. (1876) 465 = O. strictiflora.

STREPHONEMA, Hook. f. in Benth. & Hook. f. Gen. i. 782 (1867). **LYTHRARIACEAE**, Benth. & Hook. f. l. c.  
*Mannii*, Hook. f. l. c.—Afr. trop.  
*sericea*, Hook. f. l. c.—Afr. trop.

STREPSANTHERA, Rafin. Fl. Tellur. iv. 13 (1836) = **Anthurium**, Schott (Aroid.).  
*macrophylla*, Rafin. l. c. = A. grandifolium.

STREPSIA, Steud. Nom. ed. II. ii. 645 (1841) = **Tillandsia**, Linn. (Bromel.).  
*usneoides*, Steud. l. c. = T. usneoides.

STREPSILOBUS, Rafin. Sylva Tellur. 117 (1838) = **Entada**, Adans. (Legum.).  
*scandens*, Rafin. l. c. 118 = E. scandens.

STREPSIMELA, Rafin. Sylva Tellur. 159 (1838) = **Loranthus**, Linn.  
*coccinea*, Rafin. l. c. = L. coccinea.

STREPSIPHUS, Rafin. Fl. Tellur. ii. 91 (1836) = **Peristrophe**, Nees (Acanth.).  
*speciosus*, Rafin. l. c. = P. speciosa.

STREPSIPHYLA, Rafin. Fl. Tellur. iii. 60 (1836) = **Drimia**, Jacq. (Liliac.).  
*undulata*, Rafin. l. c. = Scilla undulata.  
*villosa*, Rafin. l. c. = D. villosa.

STREPTACHNE, R. Br. Prod. 174 (1810) = **Stipa**, Linn. (Gramin.).  
*Calamagrostis*, Dum. Obs. Gram. Belg. 135 = Stipa Calamagrostis.  
*cubensis*, A. Rich. Fl. Cub. Fanerog. ii. 311.—Cuba.  
*floridana*, Chapm. Fl. S. U. St. 554 = Aristida floridana.  
*indica*, Buese, ex De Vriese, Pl. Ind. Bat. Or. 99.—Malaya.  
*ramosissima*, Trin. & Rupr. in Mém. Acad. Pétersb. Sér. VI. Sc. Nat. v. (1842) 7 = Stipa micrantha.  
*stipoides*, R. Br. Prod. 174.—Austral.  
*verticillata*, Trin. & Rupr. in Mém. Acad. Pétersb. Sér. VI. Sc. Nat. v. (1842) 7 = Stipa micrantha.

STREPTACHNE, H. B. & K. Nov. Gen. et Sp. i. 124. t. 40 (1815) = **Aristida**, Linn. (Gramin.).  
*domingensis*, Spreng. ex Schult. Mant. ii. 188 = Andropogon hirtiflorus.  
*pilosa*, H. B. & K. Nov. Gen. et Sp. i. 124 = A. jorulensis.  
*scabra*, H. B. & K. l. c. t. 40 = A. scabra.  
*tenuis*, H. B. & K. l. c. = A. tenuis, Kunth.

STREPTALON, Rafin. Fl. Tellur. iii. 80 (1836) = **Hypericum**, Tourn.  
*dolabriforme*, Rafin. l. c. = H. dolabriforme.

STREPTANTHERA, Sweet, Brit. Flow. Gard. Ser. I. iii. t. 209 (1827). **IRIDEAE**, Benth. & Hook. f. iii. 703.  
*cuprea*, Sweet, Hort. Brit. ed. II. 501.—Afr. austr.  
*elegans*, Sweet, Brit. Flow. Gard. Ser. I. iii. t. 209.—Afr. austr.  
*lineata*, Klatt, in Abh. Naturf. Ges. Halle, xv. (1882) 390 = Sparaxis grandiflora.  
*tricolor*, Klatt, l. c. = Sparaxis tricolor.

STREPTANTHUS, Nutt. in Journ. Acad. Philad. v. (1825) 134. t. 7. **CRUCIFERAE**, Benth. & Hook. f. i. 69.  
*angustifolius*, A. Gray, in Proc. Acad. Philad. 1863 (1864) 57 = Arabis Drummondii.  
*angustifolius*, Nutt. ex Torr. & Gray, Fl. N. Am. i. 76 = Arabis Holboellii.  
*arcuatus*, Nutt. l. c. 77 = Arabis arcuata.  
*bracteatus*, A. Gray, Gen. Am. Bor.-or. Illustr. i. 146.—Am. bor. occ.  
*brazoensis*, Buckl. in Proc. Acad. Sc. Philad. 1861 (1862), 448 = Arabis petiolaris.  
*Breweri*, A. Gray, in Proc. Calif. Acad. iii. (1864) 101.—Calif.  
*carinatus*, Wright, ex A. Gray, Pl. Wright. ii. 11.—N. Mexic.  
*cordatus*, Nutt. ex Torr. & Gray, Fl. N. Am. i. 77.—Am. bor. occ.  
*cordatus*, Torr. in Pacif. Rail. Rep. iv. 65 = tortuosus.  
*crassicaulis*, Torr. in Stansbury, Exped. Utah, 383. t. 9 = Caulanthus crassicaulis.  
*diversifolius*, S. Wats. in Proc. Am. Acad. xvii. (1882) 363.—Calif.  
*flavescens*, A. Gray, l. c. vi. (1864) 186 = Caulanthus procerus.  
*flavescens*, Hook. Ic. Pl. t. 44.—Calif.  
*flavescens*, Torr. in Pacif. Rail. Rep. iv. 65 = Thelypodium flavescens.  
*glabrifolius*, Buckl. in Proc. Acad. Sc. Philad. 1861 (1862), 448 = hyacinthoides.  
*glandulosus*, Hook. Ic. Pl. t. 40.—Am. bor. occ.  
*heterophyllum*, Nutt. ex Torr. & Gray, Fl. N. Am. i. 77 = Caulanthus Coulteri.  
*hispidus*, A. Gray, in Proc. Calif. Acad. iii. (1864) 101.—Calif.  
*Howellii*, S. Wats. in Proc. Am. Acad. xx. (1885) 353.—Am. bor. occ.  
*hyacinthoides*, Hook. Bot. Mag. t. 3516.—Am. bor. occ.  
*linearifolius*, A. Gray, in Mem. Am. Acad. N. S. iv. (1849) 7 = Thelypodium linearifolium.  
*longifolius*, Benth. Pl. Hartw. 10 = Thelypodium longifolium.  
*maculatus*, Nutt. in Journ. Acad. Philad. v. (1825) 134. t. 7.—Am. bor. occ.  
*micranthus*, A. Gray, in Mem. Am. Acad. N. S. iv. (1849) 7 = Thelypodium longifolium.  
*obtusifolius*, Hook. Bot. Mag. t. 3317 = maculatus.  
*petiolaris*, A. Gray, in Mem. Am. Acad. N. S. iv. (1849) 7 = Arabis petiolaris.  
*platycarpus*, A. Gray, Pl. Wright. ii. 10.—Am. bor. occ.



**STREPTANTHUS:**—

- polygaloides, *A. Gray*, in *Proc. Am. Acad.* i. (1865) 519.—Calif.  
*procerus*, Brewer, ex *A. Gray*, l. c.=*Caulanthus procerus*.  
*repandus*, *Nutt. ex Torr. & Gray*, *Fl. N. Am.* i. 77 (Arabidis sp.?).—Calif.  
*sagittatus*, *Nutt.* in *Journ. Acad. Philad.* vii. (1834) 12 = *Thelypodium Nuttallii*.  
*tortuosus*, *Kellogg*, in *Proc. Calif. Acad.* ii. (1863) 152. f. 46.—Calif.  
*virgatus*, *Nutt. ex Torr. & Gray*, *Fl. N. Am.* i. 76 = *Arabis Holboellii*.

**STREPTIMA**, *Rafin.* *Fl. Tellur.* ii. 93 (1836) = **Frankenia**, *Linn.*  
*pauciflora*, *Rafin.* l. c. = *F. pauciflora*.

**STREPTIUM**, *Roxb.* *Pl. Corom.* ii. 25. t. 146 (1798) = **Priva**, *Adans.* (*Verben.*).  
*asperum*, *Roxb.* l. c. = *P. leptostachya*.

**STREPTOCALYX**, *Beer*, in *Flora*, xxxvii. (1854) 348. **BROMELIACEAE**, *Benth. & Hook.* f. iii. 659.  
*Furstenbergii*, *E. Morr.* in *Belg. Hort.* (1883) 13.—Bras.  
*Poeppigii*, *Beer*, *Bromel.* 141.—Bras.  
*Vallerandi*, *E. Morr.* in *Belg. Hort.* xxxiii. (1883) 13. t. 1-2.—Bras.

**STREPTOCARPUS**, *Lindl.* *Bot. Reg.* t. 1173 (1828). **GESNERACEAE**, *Benth. & Hook.* f. ii. 1023.  
*angovensis*, *DC. Prod.* ix. 271.—Madag.  
*benguellensis*, *Welw. ex C. B. Clarke*, in *DC. Monog. Phan.* v. 150.—Afr. trop.  
*biflorus*, *Crocker*, in *Journ. Linn. Soc.* v. (1861) 66. t. 4 = *Gardenii*.  
*Bojeri*, *R. Br. in Benn. Pl. Fav. Rar.* 119.—Madag.  
*caulescens*, *Vatke*, in *Linnaea*, xliii. (1880-82) 323.—Afr. trop.  
*Cooperi*, *C. B. Clarke*, in *DC. Monog. Phan.* v. 150.—Afr. austr.  
*Fanninii*, *Harv. ex C. B. Clarke*, l. c.—Afr. austr.  
*floribunda*, *Hort.*—Cf. *Gard. Chron.* (1878) ii. 282 (an hybr.?).—Hab.?  
*Gardenii*, *Hook. Bot. Mag.* t. 4862.—Afr. austr.  
*Greenii* ×, *Hort.*—Cf. *Gard. Chron.* (1876) i. 74.  
*Hildebrandtii*, *Vatke*, in *Linnaea*, xliii. (1880-82) 324.—Madag.  
*Hilsenbergii*, *R. Br. in Benn. Pl. Fav. Rar.* 119 (Helsingbergii).—Madag.  
*Kirkii*, *Hook. f. Bot. Mag.* t. 6782.—Afr. trop.  
*lutea*, *C. B. Clarke*, in *DC. Monog. Phan.* v. 153.—Afr. austr.  
*monophylla*, *Welw. in Bibl. Univ. Genève.* (1861) 202.—Afr. trop.  
*muscosa*, *C. B. Clarke*, in *DC. Monog. Phan.* v. 155.—Madag.  
*nobilis*, *C. B. Clarke*, l. c.—Afr. trop.  
*paniculata*, *R. Br. in Benn. Pl. Fav. Rar.* 119.—Madag.  
*parviflorus*, *E. Mey. in Drège, Zwei Pfl. Docum.* 152.—Afr. austr.  
*plantaginea*, *Vatke*, in *Linnaea*, xliii. (1880-82) 323.—Ins. Comor.  
*polyanthus*, *Hook. Bot. Mag.* t. 4850.—Afr. austr.  
*primuloides*, *Dickie*, in *Journ. Linn. Soc.* ix. (1867) 126, nomen.—Hab.?  
*pusillus*, *Harv. ex C. B. Clarke*, in *DC. Monog. Phan.* v. 149.—Afr. austr.  
*Rexii*, *Lindl. Bot. Reg.* t. 1173.—Afr. austr.  
*Saundersii*, *Hook. Bot. Mag.* t. 5251.—Afr. austr.  
*Thompsonii*, *R. Br. in Benn. Pl. Fav. Rar.* 119.—Madag.

**STREPTOCAULON**, *Wight & Arn. Contrib.* 64 (1834). **ASCLEPIADEAE**, *Benth. & Hook.* f. ii. 744.  
*TRIPOLEPIS*, *Turcz.* in *Bull. Soc. Nat. Mosc.* xxi. (1848) i. 251.  
*abyssinicum*, *Hochst. ex Steud. Nom. ed. II.* ii. 305, in syn.; 646 = *Periploca linearifolia*.  
*albicans*, *G. Don*, *Gen. Syst.* iv. 162 = *Periploca albicans*.  
*Baumii*, *Decne. in DC. Prod.* viii. 496.—Ins. Philipp.  
*calophyllum*, *Wight*, in *Wight & Arn. Contrib.* 65 = *Periploca calophylla*.

**STREPTOCAULON:**—

- chinense*, *G. Don*, *Gen. Syst.* iv. 162 = *Vallis sinensis*.  
*cochinchinense*, *G. Don*, l. c. (*Pergulariae* sp.?).—Cochinch.  
*Cumingii*, *F. Villar*, in *Blanco, Fl. Philipp.* ed. III. *Nov. App.* 132.—Ins. Philipp.  
*divaricatum*, *G. Don*, *Gen. Syst.* iv. 162 = *Strophanthus divergens*.  
*extensum*, *Wight*, in *Wight & Arn. Contrib.* 65 = *Myriopteron paniculatum*.  
*Griffithii*, *Hook. f. Fl. Brit. Ind.* iv. 10.—Burma.  
*Hamiltonii*, *Wight*, in *Wight & Arn. Contrib.* 64 = *Decalepis Hamiltonii*.  
*Horsfieldii*, *Miq.* *Fl. Ind. Bat.* ii. 470 = *Myriopteron paniculatum*.  
*Kleinii*, *Wight & Arn. Contrib.* 65.—Ind. or.  
*mauritanum*, *G. Don*, *Gen. Syst.* iv. 162 = *Tylophora laevigata*.  
*obtusum*, *Turcz.* in *Bull. Soc. Nat. Mosc.* xxi. (1848) i. 252 = *Baumii*.  
*parviflorum*, *G. Don*, *Gen. Syst.* iv. 162 = *Periploca parviflora*.  
*sylvestre*, *Wight*, in *Wight & Arn. Contrib.* 65.—Ind. or.  
*tomentosum*, *Wight*, l. c. 64.—Burma; China.  
*virgatum*, *G. Don*, *Gen. Syst.* iv. 162 (= *Orthosia virgata*).—Bras.  
*Wallichii*, *Wight*, in *Wight & Arn. Contrib.* 65.—Malaya.

**STREPTOCHAETA**, *Schrad. ex Nees*, *Agrost. Bras.* 536 (1829). **GRAMINEAE**, *Benth. & Hook.* f. iii. 1111.  
*LEPIDEILEMA*, *Trin.* in *Mém. Acad. Pétersb. Sér. VI.* i. (1831) 93.  
*spicata*, *Schrad. ex Nees*, *Agrost. Bras.* 537.—Bras.

**STREPTODESMIA**, *A. Gray*, *Bot. U. St. Expl. Exped.* i. 427. t. 47 (1854) = **Adesmia**, *DC.* (*Legumin.*).  
*canescens*, *A. Gray*, l. c.—Patagon.

**STREPTOGLOSSA**, *Steetz*, ex *F. Muell.* in *Trans. Bot. Soc. Edinb.* vii. (1863) 491 = **Pterigeron**, *A. Gray* (*Compos.*).  
*Steetzii*, *F. Muell.* l. c. = *P. decurrens*.

**STREPTOGYNE**, *Beauv.* *Agrost.* 80. t. 16. f. 8. (1812). **GRAMINEAE**, *Benth. & Hook.* f. iii. 1191.  
*crinita*, *Beauv.* l. c.—Am. bor.; Ind. occ.  
*guianensis*, *Rich. ex Roem. & Schult. Syst.* ii. 614 = *crinita*.

**STREPTOLIRION**, *Edgew.* in *Proc. Linn. Soc.* i. (1845) 254; et in *Trans. Linn. Soc.* xx. (1846) 90. t. 2. **COMMELINACEAE**, *Benth. & Hook.* f. iii. 852.  
*volubile*, *Edgew. ll. cc.*—Reg. Himal.

**STREPTOLOMA**, *Bunge*, in *Arb. Naturf. Ver. Riga*, i. (1847) 155. **CRUCIFERAE**, *Benth. & Hook.* f. i. 77.  
*desertorum*, *Bunge*, l. c. 156.—Turkest.

**STREPTOPETALUM**, *Hochst.* in *Flora*, xxiv. (1841) 665. **TURNERACEAE** [*Benth. & Hook.* f. i. 807].  
*Hildebrandtii*, *Urb. in Eichl. Jahrb. Berl.* ii. (1883) 57.—Afr. trop.  
*serratum*, *Hochst.* in *Flora*, xxiv. (1841) 666.—Abyss.

**STREPTOPUS**, *Michx.* *Fl. Bor. Am.* i. 200. t. 18 (1803). **LILIACEAE**, *Benth. & Hook.* f. iii. 769.  
*HEXORIMA*, *Rafin.* in *Med. Repos. N. York*, v. (1808) 351.—Cf. *Desv. Journ. Bot.* ii. (1809) 168.  
*KRUHSEA*, *Regel*, in *Nouv. Mém. Soc. Nat. Mosc.* xi. (1859) 122.  
*ajanensis*, *Tiling*, ex *Regel & Tiling*, l. c. 122.—Sibir.; Am. bor.  
*alpina*, *Royle*, *Illustr. Bot. Himal.* 464 (Index), sphalm. = *Smilacina alpina*.  
*amplexicaulis*, *Poir. Encyc.* vii. 467, sphalm. = seq.  
*amplexifolius*, *DC. Fl. Fr.* iii. 174 = *distortus*.  
*borealis*, *Royle*, *Illustr. Bot. Himal.* 464 (Index), sphalm. = *Smilacina borealis*.

**STREPTOPUS:**—

- brevipes*, *Baker*, in *Journ. Linn. Soc.* xiv. (1875) 592.—Am. bor. occ.  
*candidus*, *Wall.* *Cat. n.* 5111 = simplex.  
*chinensis*, *Sm.* in *Rees, Cycl.* xxxvii. sub *Uvularia*, n. 4 = *Disporum pullum*.  
*distortus*, *Michx. Fl. Bor. Am.* i. 200; *Bess. Prim. Fl. Galic.* i. 234.—Europ.; Am. bor.  
*fusca*, *Royle*, *Illustr. Bot. Himal.* 464 (Index), sphalm. = *Smilacina fusca*.  
*lanuginosus*, *Michx. Fl. Bor. Am.* i. 201 = *Disporum lanuginosum*.  
*maculatus*, *Buckl.* in *Am. Journ. Sc. Ser. I.* xlv. (1843) 170 (*Dispori* sp.).—Am. bor.  
*multiflorus*, *D. Dietr. Syn. Pl.* ii. 1121 = *Disporum pullum*.  
*pallida*, *Royle*, *Illustr. Bot. Himal.* 464 (Index), sphalm. = *Smilacina pallida*.  
*peduncularis*, *Sm.* in *Rees, Cycl.* xxxvii. sub *Uvularia*, n. 5 = *Disporum pullum*.  
*purpurea*, *Royle*, *Illustr. Bot. Himal.* 464 (Index), sphalm. = *Smilacina purpurea*.  
*roseus*, *Michx. Fl. Bor. Am.* ii. 201. t. 18.—Am. bor.  
*roseus*, *Wright*, ex *S. Wats.* in *Proc. Am. Acad.* xiv. (1879) 269 = *ajanensis*.  
*simplex*, *D. Don*, *Prod. Fl. Nep.* 48.—Reg. Himal.  
*undulatus*, *Rafin.* in *Am. Monthly Mag.* (1811) 356, nomen = *distortus*?

**STREPTORHAMPHUS**, *Regel*, in *Bull. Soc. Nat. Mosc.* xl. (1867) ii. 176, sphalm. = **STEPTORHAMPHUS**, *Bunge* = **Lactuca**, *Tourn.* (*Compos.*).

**STREPTOSEMA**, *Presl*, *Bot. Bemerk.* 128 (1844); in *Abh. Boehm. Ges.* v. iii. (1845) 558 = **Aspalathus**, *Linn.* (*Legumin.*).  
*Histrix*, *Presl*, *Bot. Bemerk.* 128 = *A. Hystrix*.  
*verrucosa*, *Presl*, l. c. = *A. verrucosa*.

**STREPTOSOLEN**, *Miers*, in *Ann. & Mag. Nat. Hist.* Ser. II. v. (1850) 208. **SOLANACEAE**, *Benth. & Hook.* f. ii. 910.  
*Benthami*, *Miers*, *Illustr. S. Am. Pl.* ii. 70 = *Jamesonii*.  
*Jamesonii*, *Miers*, in *Ann. & Mag. Nat. Hist.* Ser. II. v. (1850) 208.—N. Granat.

**STREPTOSTACHYS**, *Desv.* in *Nouv. Bull. Soc. Philom.* ii. (1810) 190 = **Panicum**, *Linn.* (*Gramin.*).  
*asperifolia*, *Desv.* l. c. = *P. Streptostachys*.  
*hirsuta*, *Beauv. Agrost.* t. 10. f. 11 = *P. Streptostachys*.

**STREPTOSTIGMA**, *Regel*, *Gartenfl.* (1853) 322. t. 68 = **Cacabus**, *Benth.* (*Solan.*).  
*Warszewiczii*, *Regel*, l. c.—Peruv.

**STREPTOSTIGMA**, *Thw.* in *Hook. Kew Journ.* vi. (1854) 298. t. 9 A = **Harpullia**, *Roxb.* (*Sapind.*).  
*viridiflora*, *Thw.* l. c. = *H. cupanoides*.

**STREPTOTHAMNUS**, *F. Muell. Fragm.* iii. 27 (1862). **BIXINEAE**, *Benth. & Hook.* f. i. 972.  
*Becklerii*, *F. Muell.* l. c. 28.—Austral.  
*Moorii*, *F. Muell.* l. c.—Austral.

**STREPTYLIS**, *Rafin.* *Fl. Tellur.* iv. 122 (1836) = **Aneilema**, *R. Br.* (*Commel.*).  
*bracteolata*, *Rafin.* l. c. = *A. spiratum*.

**STRIGA**, *Lour.* *Fl. Cochinch.* 22 (1790). **SCROPHULARINEAE**, *Benth. & Hook.* f. ii. 968.  
*CAMPULEIA*, *Thou.* *Gen. Nov. Madag.* 7 (1806).  
*MICROSYPHUS*, *Presl*, *Bot. Bemerk.* 91 (1844).  
*PSAMMOSTACHYS*, *Presl*, l. c. (1844).  
*aspera*, *Benth.* in *Hook. Comp. Bot. Mag.* i. (1835) 362.—Afr. trop.  
*Campuleia*, *Steud. Nom. ed. II.* ii. 646 = *hermonthica*.  
*coccinea*, *Benth.* in *Hook. Comp. Bot. Mag.* i. (1835) 364 = *lutea*.  
*curviflora*, *Benth.* l. c. 362.—Austral.  
*densiflora*, *Benth.* l. c. 363.—Ind. or.  
*elegans*, *Benth.* l. c.—Afr. austr.  
*euphrasioides*, *Benth.* l. c. 364.—Ind. or.  
*Eustriga*, *Steud. Nom. ed. II.* ii. 546 = *lutea*.

**STRIGA** :—

- flava*, *Miq. Fl. Ind. Bat.* ii. 704.—Sumatra.  
*Forbesii*, *Benth. in Hook. Comp. Bot. Mag.* i. (1835) 364.—Afr. austr.  
*glabrata*, *Benth. l. c.* = *euphrasiodes*.  
*hermonthica*, *Benth. l. c.* 365.—Afr. bor. et trop.  
*hirsuta*, *Benth. in DC. Prod.* x. 502 = *lutea*.  
*humifusa*, *Benth. in Hook. Comp. Bot. Mag.* i. (1835) 362 = *Cynium humifusum*.  
*humilis*, *Hochst. ex Benth. in DC. Prod.* x. 504 = *Cynium humifusum*.  
*latericea*, *Vatke, in Linnaea*, xliii. (1880–82) 311.—Afr. trop.  
*lutea*, *Lour. Fl. Cochinch.* 22.—As. et Afr. trop.  
*macrantha*, *Benth. in DC. Prod.* x. 503.—Afr. trop.  
*Masuria*, *Benth. in Hook. Comp. Bot. Mag.* i. (1835) 364.—Afr. austr.  
*micrantha*, *A. Rich. Tent. Fl. Abyss.* ii. 130.—Abyss.  
*multiflora*, *Benth. in Hook. Comp. Bot. Mag.* i. (1835) 363.—Austral.  
*orchidea*, *Hochst. in Flora*, xxiv. (1841) i. Intell. 43 = *orobanchoides*.  
*orobanchoides*, *Benth. in Hook. Comp. Bot. Mag.* i. (1835) 361. t. 19.—Ind. or.; Afr. trop.  
*parviflora*, *Benth. l. c.* 362.—Austral.  
*parvula*, *Miq. in Journ. Bot. Néerl.* i. (1861) 113 = *lutea*.  
*phoenicea*, *Benth. Scroph. Ind.* 40 = *lutea*.  
*pubiflora*, *Klotzsch, in Peters, Reise Mossamb. Bot.* 227.—Afr. trop.  
*pusilla*, *Hochst. ex Benth. in DC. Prod.* x. 503 = *lutea*.  
*Schimperiana*, *Hochst. in Flora*, xxiv. (1841) i. Intell. 24, nomen.—Abyss.  
*senegalensis*, *Benth. in Hook. Comp. Bot. Mag.* i. (1835) 363.—Afr. trop.  
*Spanogheana*, *Miq. Fl. Ind. Bat.* ii. 704.—Ins. Timor. vel Java.  
*sulphurea*, *Dalz. in Gibs. Bomb. Fl.* 182.—Ind. or.  
*Thunbergii*, *Benth. in Hook. Comp. Bot. Mag.* i. (1835) 363.—Afr. austr.  
*zangebarica*, *Klotzsch, in Peters, Reise Mossamb. Bot.* t. 35 = *hirsuta*.  
*zanzibarensis*, *Vatke, in Linnaea*, xliii. (1880–82) 310.—Afr. trop.

**STRIGILIA**, Cav. Diss. vii. 358. t. 201 (1789) = **Styrax**, Linn.

- acuminata*, *Miers, in Ann. & Mag. Nat. Hist. Ser. III.* iii. (1859) 282 = *Styr. acuminatum*.  
*alba*, *Miers, l. c.* = *Styr. album*.  
*argentea*, *Miers, l. c.* = *Styr. argenteum*.  
*aurea*, *Miers, l. c.* = *Pamphilis aurea*.  
*camporum*, *Miers, l. c.* = *Styr. camporum*.  
*chrysastera*, *Miers, l. c.* = *Styr. chrysasterum*.  
*cordata*, *Poir. Encyc.* vii. 469 = *Styr. cordatum*.  
*crocea*, *G. Don, Gen. Syst.* i. 679.—Peruv.  
*ferruginea*, *Miers, in Ann. & Mag. Nat. Hist. Ser. III.* iii. (1859) 283 = *Styr. ferrugineum*.  
*florida*, *Miers, l. c.* 282 = *Styr. floridum*.  
*Gardneriana*, *Miers, l. c.* = *Styr. Gardnerianum*.  
*glabrata*, *Miers, l. c.* 283 = *Styr. glabratum*.  
*guayanensis*, *Miers, l. c.* 282 = *Styr. glabrum*.  
*laevis*, *Miers, Contrib. Bot.* i. t. 30 = *Styr. leiophyllum*.  
*latifolia*, *Miers, in Ann. & Mag. Nat. Hist. Ser. III.* iii. (1859) 282 = *Styr. latifolium*.  
*leiophylla*, *Miers, l. c.* 283 = *Styr. leiophyllum*.  
*leprosa*, *Miers, l. c.* = *Styr. leprosum*.  
*longiflora*, *Miers, l. c.* 282 = *Styr. longiflorum*.  
*macrophylla*, *Miers, l. c.* 283 = *Styr. macrophyllum*.  
*nervosa*, *Miers, l. c.* 282 = *Styr. reticulatum*.  
*obliquinervia*, *Miers, l. c.* = *Styr. chrysasterum*.  
*oblonga*, *Poir. Encyc.* vii. 469 = *Styr. oblongum*.  
*ovata*, *Poir. l. c.* = *Styr. ovatum*.  
*pallida*, *Miers, in Ann. & Mag. Nat. Hist. Ser. III.* iii. (1859) 282 = *Styr. pallidum*.  
*parvifolia*, *Miers, l. c.* = *Styr. parvifolium*.  
*pauciflora*, *Miers, l. c.* 283 = *Styr. pauciflorum*.  
*Pavonii*, *Miers, l. c.* = *Styr. Pavonii*.  
*Pohlil*, *Miers, l. c.* 282 = *Styr. Pohlil*.  
*psilophylla*, *Miers, l. c.* 283 = *Styr. psilophyllum*.  
*punctata*, *Miers, l. c.* 282 = *Styr. punctatum*.  
*racemosum*, *Cav. Diss.* vii. 358 = *Styr. racemosum*.  
*reticulata*, *Miers, in Ann. & Mag. Nat. Hist. Ser. III.* iii. (1859) 282 = *Styr. reticulatum*.  
*subcordata*, *Miers, l. c.* = *Styr. subcordatum*.  
*tomentosa*, *Miers, l. c.* 283 = *Styr. tomentosum*.

**STRIGOSELLA**, Boiss. *Diagn. Ser.* II. iv. 22 (1853) = **Malcomia**, R. Br. Crucif.).  
*cabulica*, Boiss. l. c. = *M. cabulica*.

**STROBIDIA**, *Miq. Fl. Ind. Bat. Suppl.* 614 (1860).  
**SCITAMINEAE**, *Benth. & Hook. f.* iii. 647.  
*sumatrana*, *Miq. l. c.*—Sumatra.

**STROBILA**, *G. Don, Gen. Syst.* iv. 327 (1837) = **Arnebia**, *Forsk. (Borag.)*.  
*hispidissima*, *G. Don, l. c.* = *A. hispidissima*.

**STROBILA**, *Noronha, in Verh. Batav. Gen.* v. (1790) ed. I. Art. iv. 4 (Quid?).

**STROBILACANTHUS**, *Griseb. in Bonplandia*, vi. (1858) 10. **ACANTHACEAE**, *Benth. & Hook. f.* ii. 1096.  
*lepidospermus*, *Griseb. l. c.*—Panama.

**STROBILANTHES**, *Blume, Bijdr.* 781, 796 (1826).  
**ACANTHACEAE**, *Benth. & Hook. f.* ii. 1086.

**ADENACANTHUS**, *Nees, in Wall. Pl. As. Rar.* iii. 75, 196 (1832).

**BUTERAEA**, *Nees, l. c.* (1832).  
**DIDYPSANDRA**, *Wight, Ic.* iv. iv. 3. t. 1515 (1850).

**ENDOPOGON**, *Nees, in Wall. Pl. As. Rar.* iii. 76 (1832).

**GOLDFUSSIA**, *Nees, l. c.* 196 (1832).  
**GUTZLAFFIA**, *Hance, in Hook. Kew Journ.* i. (1849) 142.

**LEPTACANTHUS**, *Nees, in Wall. Pl. As. Rar.* iii. 75, 169 (1832).

**MACKENZIEA**, *Nees, in DC. Prod.* xi. 308 (1847).  
**PHLEBOPHYLLUM**, *Nees, in Wall. Pl. As. Rar.* iii. 75, 102 (1832).

**TRIAENANTHUS**, *Nees, in DC. Prod.* xi. 169 (1847).

*acrocephalus*, *T. Anders. in Journ. Linn. Soc.* ix. (1867) 473.—Reg. Himal.

*acuminatus*, *T. Anders. l. c.*—Burma.  
*acuminatus*, *T. Anders. l. c.*, partim = *longipes*.

*adenophorus*, *Bedd. Ic. Pl. Ind. Or.* i. 53. t. 225.—Ind. or.

*adenophorus*, *Nees, in DC. Prod.* xi. 182 = *lanceolatus*.  
*adnatus*, *C. B. Clarke, in Hook. f. Fl. Brit. Ind.* iv. 436.—Reg. Himal.

*agrestis*, *C. B. Clarke, l. c.* 466.—Reg. Himal.

*alatus*, *Blume, Bijdr.* 798.—Java.  
*alatus*, *Nees, in DC. Prod.* xi. 194.—Reg. Himal.

*alatus*, *Steud. Nom. ed. II.* ii. 646 = *Wallichii*.  
*amabilis*, *C. B. Clarke, in Hook. f. Fl. Brit. Ind.* iv. 476.—Ind. or.

*amplectens*, *Nees, in Wall. Pl. As. Rar.* iii. 86 = *auriculatus*.

*anceps*, *Nees, in Hook. Comp. Bot. Mag.* ii. (1836) 312.—Ind. or.

*ancolanus*, *Miq. Fl. Ind. Bat.* ii. 799.—Sumatra.  
*Andersonii*, *Bedd. in Madr. Journ. Sc. Ser. III.* i. (1864) 55.—Ind. or.

*angustifrons*, *C. B. Clarke, in Hook. f. Fl. Brit. Ind.* iv. 466.—Reg. Himal.

*anisophyllus*, *T. Anders. in Cat. Pl. Hort. Bot. Calc.* 43; et in *Journ. Linn. Soc.* ix. (1867) 478.—Reg. Himal.

*anisostachys*, *Boj. ex Nees, in DC. Prod.* xi. 368 (= *Anisostachya Bojeri*).—Madag.

*apricus*, *T. Anders. ex Benth. Fl. Hongk.* 262.—China.

*arborea*, *Span. in Linnaea*, xv. (1841) 328.—Ins. Timor.

*argutus*, *Nees, in DC. Prod.* xi. 188 = *sexennis*.  
*Arnottianus*, *Nees, in Hook. Comp. Bot. Mag.* ii. (1836) 312.—Zeylan.

*asper*, *Decne. in Nouv. Ann. Mus. Par.* iii. (1834) 385 = *scaber*.

*asper*, *Wight, Ic.* t. 1518.—Ind. or.

*aspermus*, *Dalz. & Gibs. Bomb. Fl.* 187 = *Heyneanus*.  
*aspermus*, *Nees, in DC. Prod.* xi. 183.—Zeylan.

*atropurpureus*, *Nees, in Wall. Pl. As. Rar.* iii. 86.—Reg. Himal.

*attenuatus*, *Jacq. ex Nees, in DC. Prod.* xi. 193 = *alatus*.

*auriculatus*, *Nees, in Wall. Pl. As. Rar.* iii. 86. t. 195.—Ind. or.; Burma.

*barbatus*, *Nees, l. c.* 85.—Ind. or.

**STROBILANTHES** :—

*Beddomei*, *T. Anders. in Journ. Linn. Soc.* ix. (1867) 482 = *gracilis*.

*bibracteatus*, *Blume, Bijdr.* 799.—Java.  
*biceps*, *Miq. Fl. Ind. Bat.* ii. 804 = *capitatus*.

*boërhaavioides*, *T. Anders. in Journ. Linn. Soc.* ix. (1867) 479.—Reg. Himal.

*bolumpattianus*, *Bedd. Ic. Pl. Ind. Or.* i. 46.—Ind. or.  
*Brandisii*, *T. Anders. in Journ. Linn. Soc.* ix. (1867) 475.—Burma.

*Brunonianus*, *Nees, in Wall. Pl. As. Rar.* iii. 87.—Reg. Himal.

*burmanicus*, *Kurz, in Journ. As. Soc. Beng.* xlii. (1873) ii. 92 = *Hemigraphis elegans*.

*callosus*, *Nees, in Wall. Pl. As. Rar.* iii. 85.—Ind. or.  
*callosus*, *Nees, l. c.*, partim = *zeylanicus*.

*calycinus*, *Nees, in Hook. Comp. Bot. Mag.* ii. (1836) 312.—Zeylan.

*campanulatus*, *Wight, Ic.* t. 1562 = *Heyneanus*.  
*canaricus*, *Bedd. Ic. Pl. Ind. Or.* i. 50.—Ind. or.

*capitatus*, *T. Anders. in Journ. Linn. Soc.* ix. (1867) 475.—Reg. Himal.; Burma.

*caudatus*, *T. Anders. in Thw. Enum. Pl. Zeyl.* 228.—Ind. or.

*cerinthoides*, *Nees, in DC. Prod.* xi. 724 = *sexennis*.  
*cernuus*, *Blume, Bijdr.* 797.—Java.

*Championi*, *T. Anders. ex Benth. Fl. Hongk.* 261 = *flaccidifolius*.

*ciliatus*, *T. Anders. in Journ. Linn. Soc.* ix. (1867) 468, partim = *warreensis*.

*ciliatus*, *Nees, in Wall. Pl. As. Rar.* iii. 85.—Ind. or.  
*collinus*, *Nees, l. c.* 86.—Ins. Penang.

*coloratus*, *T. Anders. in Journ. Linn. Soc.* ix. (1867) 481.—Reg. Himal.

*coloratus*, *Nees, in Hook. Comp. Bot. Mag.* ii. (1836) 312 = *trifidus*, *calycinus*.

*consanguineus*, *T. Anders. in Thw. Enum. Pl. Zeyl.* 226, partim = *exareolatus*.

*consanguineus*, *C. B. Clarke, in Hook. f. Fl. Brit. Ind.* iv. 435.—Ind. or.

*crassifolius*, *Miq. Fl. Ind. Bat.* ii. 800.—Sumatra.  
*crataegifolius*, *T. Anders. in Journ. Linn. Soc.* ix. (1867) 477.—Burma.

*crenulatus*, *Boj. ex Nees, in DC. Prod.* xi. 369 = *Justicia tenella*.

*crenulatus*, *Hassk. Cat. Hort. Bog. Alt.* 148 = *hirtus*.

*crinitus*, *T. Anders. in Journ. Linn. Soc.* ix. (1867) 481 = *coloratus*.

*crispus*, *T. Anders. l. c.* = *phyllostachyus*.  
*crispus*, *Blume, Bijdr.* 798.—Java.

*cuspidatus*, *T. Anders. in Journ. Linn. Soc.* ix. (1867) 465.—Ind. or.

*Dalhousianus*, *C. B. Clarke, in Hook. f. Fl. Brit. Ind.* iv. 460.—Reg. Himal.

*Dalzellii*, *T. Anders. ex C. B. Clarke, l. c.* 443 = *lupulinus*.

*dasypermus*, *Kurz, in Journ. As. Soc. Beng.* xlii. (1873) ii. 94.—Burma.

*debilis*, *C. B. Clarke, in Hook. f. Fl. Brit. Ind.* iv. 467.—Burma.

*decurrens*, *T. Anders. in Journ. Linn. Soc.* ix. (1867) 470 = *adnatus*.

*decurrens*, *Nees, in DC. Prod.* xi. 189.—Ind. or.  
*deflexus*, *T. Anders. in Thw. Enum. Pl. Zeyl.* 227.—Zeylan.

*denticulatus*, *T. Anders. in Journ. Linn. Soc.* ix. (1867) 483.—Reg. Himal.

*diclipteroides*, *Miq. Fl. Ind. Bat.* ii. 802.—Java.

*dimorphotrichus*, *Hance, in Journ. Bot.* xxi. (1883) 355.—China.

*discolor*, *T. Anders. in Journ. Linn. Soc.* ix. (1867) 477.—Reg. Himal.

*divaricatus*, *T. Anders. l. c.* 478.—Reg. Himal.

*Dupeni*, *Bedd. ex C. B. Clarke, in Hook. f. Fl. Brit. Ind.* iv. 453.—Ind. or.

*durus*, *T. Anders. ex C. B. Clarke, l. c.* 447 = *phyllostachyus*.

*echinatus*, *Nees, in Wall. Pl. As. Rar.* iii. 85 = *pectinatus*.

*Edgeworthianus*, *Nees, in DC. Prod.* xi. 190 = *auriculatus*.

*elatus*, *Fungh. in Nat. en Geneesk. Arch. Néerl. Indie*, ii. (1845) 53.—Malaya.

*elegans*, *Wall. ex Voigt, Hort. Suburb. Calc.* 484, nomen.—Manipore.

*elongatus*, *C. B. Clarke, in Hook. f. Fl. Brit. Ind.* iv. 470.—Reg. Himal.

**STROBILANTHES:—**

- eriocephalus*, T. Anders. in Journ. Linn. Soc. ix. (1867) 466 = *ixiocephalus*.  
*erosus*, Nees, in DC. Prod. xi. 180.—Java.  
*exareolatus*, C. B. Clarke, in Hook. f. Fl. Brit. Ind. iv. 432.—Zeylan.  
*exsertus*, C. B. Clarke, l. c. 445.—Zeylan.  
*extensus*, Bedd. Ic. Pl. Ind. Or. i. 47. t. 202 = Newii.  
*extensus*, Nees, in DC. Prod. xi. 195.—Reg. Himal.  
*Falconeri*, T. Anders. in Journ. Linn. Soc. ix. (1867) 484.—Burma.  
*farinosus*, C. B. Clarke, in Hook. f. Fl. Ind. iv. 470.—Burma.  
*filiformis*, Blume, Bijdr. 800.—Java.  
*fimbriatus*, T. Anders. in Journ. Linn. Soc. ix. (1867) 470, partim = *macrostegius*.  
*fimbriatus*, Nees, in Wall. Pl. As. Rar. iii. 86.—Reg. Himal.  
*flaccidifolius*, Nees, in DC. Prod. xi. 194.—Ind. or.; Burma; China.  
*flaccidus*, G. Mann, Assam For. Rep. (1876-77) par. 135 = *flaccidifolius*.  
*flavus*, Kurz, in Journ. As. Soc. Beng. xxxix. (1870) II. 78 = *Hemigraphis flava*.  
*foetidissimus*, Kurz, in Journ. As. Soc. Beng. xlii. (1873) II. 93.—Burma.  
*foliosus*, T. Anders. in Journ. Linn. Soc. ix. (1867) 467.—Ind. or.  
*formosanus*, S. Moore, in Journ. Bot. xv. (1877) 294.—Ins. Formosa.  
*Gardnerianus*, T. Anders. in Thw. Enum. Pl. Zeyl. 226.—Zeylan.  
*geniculatus*, C. B. Clarke, in Hook. f. Fl. Brit. Ind. iv. 459.—Reg. Himal.  
*glabratus*, Nees, in Wall. Pl. As. Rar. iii. 85.—Reg. Himal.  
*glandulosus*, Blume, Bijdr. 800.—Java.  
*glandulosus*, Kurz, in Journ. As. Soc. Beng. xlii. (1873) II. 92.—Ins. Andaman.  
*glaucescens*, Nees, in Wall. Pl. As. Rar. iii. 85; Cat. n. 7155 = *Hemigraphis glaucescens*.  
*glomeratus*, T. Anders. in Journ. Linn. Soc. ix. (1867) 475.—Reg. Himal.; Burma.  
*glutinosus*, J. Grah. Cat. Pl. Bomb. 162 = *ixiocephalus*.  
*glutinosus*, Nees, in Wall. Pl. As. Rar. iii. 86.—Reg. Himal.  
*Goldfussia*, Dalz. & Gibs. Bomb. Fl. Suppl. 71 (excl. syn.) = *isophyllus*.  
*gossypinus*, T. Anders. in Journ. Linn. Soc. ix. (1867) 466.—Ind. or.  
*gracilis*, T. Anders. l. c. 474 = *geniculatus*.  
*gracilis*, Bedd. in Madr. Journ. Sc. Ser. III. i. (1864) 55.—Ind. or.  
*Grahamianus*, Wight, Ic. t. 1520 = *callosus*.  
*Griffithianus*, T. Anders. in Journ. Linn. Soc. ix. (1867) 481.—Reg. Himal.  
*haplanthoides*, T. Anders. l. c. 471.—Burma.  
*Helferi*, T. Anders. l. c. 472.—Burma.  
*helicoides*, T. Anders. in Thw. Enum. Pl. Zeyl. 229.—Zeylan.  
*Helictus*, T. Anders. in Journ. Linn. Soc. ix. (1867) 479.—Reg. Himal.  
*heteromallus*, T. Anders. ex C. B. Clarke, in Hook. f. Fl. Brit. Ind. iv. 437.—Ind. or.  
*Heyneanus*, Nees, in Wall. Pl. As. Rar. iii. 85.—Ind. or.  
*hirsutissimus*, Nees, in Hook. Comp. Bot. Mag. ii. (1836) 313 = *sexennis*.  
*hirsutus*, Decne. in Nouv. Ann. Mus. Par. iii. (1834) 386 = *Hemigraphis Decaisneana*.  
*hirtus*, Blume, Bijdr. 797.—Java.  
*homotropus*, Nees, in DC. Prod. xi. 187.—Ind. or.  
*Hookeri*, Nees, in Hook. Comp. Bot. Mag. ii. (1836) 312.—Zeylan.  
*hypoleucus*, T. Anders. in Thw. Enum. Pl. Zeyl. 226 = *rhytisperma*.  
*imbricatus*, Nees, in Wall. Pl. As. Rar. iii. 86.—Burma.  
*inflatus*, T. Anders. in Journ. Linn. Soc. ix. (1867) 476.—Reg. Himal.  
*interruptus*, Benth. ex C. B. Clarke, in Hook. f. Fl. Brit. Ind. iv. 474 = *sexennis*.  
*involutocratus*, Blume, Bijdr. 799.—Java.  
*isophyllus*, T. Anders. in Cat. Pl. Hort. Bot. Calc. 43; et in Journ. Linn. Soc. ix. (1867) 478.—Ind. or.  
*ixiocephalus*, Benth. in Flora, xxxii. (1849) 557.—Ind. or.

**STROBILANTHES:—**

- japonicus*, Miq. Ann. Mus. Bot. Lugd. Bat. ii. 124.—China; Japon.  
*jeyporensis*, Bedd. Ic. Pl. Ind. Or. i. 50.—Ind. or.  
*karensium*, Kurz, in Journ. As. Soc. Beng. xlii. (1873) II. 94 = *Falconeri*.  
*khasyanus*, T. Anders. in Journ. Linn. Soc. ix. (1867) 471.—Reg. Himal.  
*Kunthianus*, T. Anders. ex Benth. Fl. Hongk. 262, in nota.—Ind. or.  
*lachenensis*, C. B. Clarke, in Hook. f. Fl. Brit. Ind. iv. 465.—Reg. Himal.  
*lactatus*, Hook. Bot. Mag. t. 4366 (*Ruelliae* sp.?).—Bras.  
*laevigatus*, C. B. Clarke, in Hook. f. Fl. Brit. Ind. iv. 467.—Reg. Himal.  
*laevigatus*, Wall. ex Voigt, Hort. Suburb. Calc. 484, nomen.—Reg. Himal.  
*lamiifolius*, T. Anders. in Journ. Linn. Soc. ix. (1867) 476.—Reg. Himal.  
*lamioides*, T. Anders. l. c. 485.—Burma.  
*lanatus*, Nees, in DC. Prod. xi. 191.—Ind. or.  
*lanceifolius*, T. Anders. in Journ. Linn. Soc. ix. (1867) 480.—Burma.  
*lanceolatus*, Hook. ex Nees, in DC. Prod. xi. 181.—Zeylan.  
*laxus*, T. Anders. in Thw. Enum. Pl. Zeyl. 228.—Zeylan.  
*longifolius*, Miq. Fl. Ind. Bat. ii. 797.—Java.  
*longipes*, C. B. Clarke, in Hook. f. Fl. Brit. Ind. iv. 455.—Burma.  
*lupulinus*, T. Anders. in Journ. Linn. Soc. ix. (1867) 469 = *Heyneanus*, trifidus.  
*lupulinus*, Nees, in Wall. Pl. As. Rar. iii. 85.—Ind. or.  
*luridus*, Wight, Ic. t. 1515-16.—Ind. or.  
*Maclellandi*, C. B. Clarke, in Hook. f. Fl. Brit. Ind. iv. 453.—Burma.  
*macrostachya*, C. B. Clarke, l. c. 442 = *anceps*.  
*macrostegius*, C. B. Clarke, l. c. 456.—Reg. Himal.  
*maculatus*, T. Anders. in Journ. Linn. Soc. ix. (1867) 473 = *petiolaris*.  
*maculatus*, Nees, in DC. Prod. xi. 190.—Reg. Himal.  
*madagascariensis*, Baker, in Journ. Linn. Soc. xx. (1883) 220.—Madag.  
*Maingayi*, C. B. Clarke, in Hook. f. Fl. Brit. Ind. iv. 448.—Malaya.  
*Mastersi*, T. Anders. in Journ. Linn. Soc. ix. (1867) 481.—Assam.  
*micranthus*, Wight, Ic. t. 1519.—Ind. or.  
*microcarpus*, T. Anders. in Journ. Linn. Soc. ix. (1867) 482.—Burma.  
*microstachyus*, Benth. in Flora, xxxii. (1849) 557 = *anceps*.  
*monadelphus*, Nees, in Wall. Pl. As. Rar. iii. 87.—Reg. Himal.  
*moschiferus*, Blume, Bijdr. 800.—Java.  
*multidens*, C. B. Clarke, in Hook. f. Fl. Brit. Ind. iv. 461.—Reg. Himal.  
*mysurensis*, Nees, in Wall. Pl. As. Rar. iii. 86 = *Asystasia Lawiana*.  
*Neesianus*, Wight, Ic. t. 1523 = *ixiocephalus*.  
*Neesii*, Kurz, in Journ. As. Soc. Beng. xlii. (1873) II. 93.—Burma.  
*neglectus*, T. Anders. ex C. B. Clarke, in Hook. f. Fl. Brit. Ind. iv. 435 = *consanguineus*.  
*neilgherrensis*, Bedd. Ic. Pl. Ind. Or. i. 45.—Ind. or.  
*Newii*, Bedd. ex C. B. Clarke, in Hook. f. Fl. Brit. Ind. iv. 464.—Ind. or.  
*nigrescens*, T. Anders. in Thw. Enum. Pl. Zeyl. 226.—Zeylan.  
*nobilis*, C. B. Clarke, in Hook. f. Fl. Brit. Ind. iv. 471.—Reg. Himal.  
*nutans*, T. Anders. in Journ. Linn. Soc. ix. (1867) 475.—Reg. Himal.  
*oliganthus*, Miq. Ann. Mus. Bot. Lugd. Bat. ii. 124.—China; Japon.  
*oligocephalus*, T. Anders. ex C. B. Clarke, in Hook. f. Fl. Brit. Ind. iv. 461.—Reg. Himal.  
*pallidus*, T. Anders. in Journ. Linn. Soc. ix. (1867) 470 = *decurrens*.  
*Panichanga*, T. Anders. l. c. 478.—Reg. Himal.  
*paniculatus*, T. Anders. l. c. 483.—Zeylan.  
*paniculatus*, Bedd. Ic. Pl. Ind. Or. i. 46. t. 199 = *rubicundus*.  
*paniculatus*, Miq. Fl. Ind. Bat. ii. 802 = *alatus*.

**STROBILANTHES:—**

- papillosus*, T. Anders. in Journ. Linn. Soc. ix. (1867) 468.—Ind. or.  
*parabolicus*, Nees, in DC. Prod. xi. 180.—Java.  
*Parishii*, C. B. Clarke, in Hook. f. Fl. Brit. Ind. iv. 431.—Burma.  
*parviflorus*, Bedd. Ic. Pl. Ind. Or. i. 45 = *warrensis*.  
*paucinervis*, T. Anders. ex C. B. Clarke, in Hook. f. Fl. Brit. Ind. iv. 470.—Burma.  
*pauper*, C. B. Clarke, l. c. 463.—Reg. Himal.  
*pectinatus*, T. Anders. in Journ. Linn. Soc. ix. (1867) 474.—Reg. Himal.  
*pedunculatus*, Miq. Fl. Ind. Bat. ii. 803.—Java.  
*pentstemonoides*, T. Anders. in Journ. Linn. Soc. ix. (1867) 477.—Reg. Himal.  
*pentstemonoides*, T. Anders. l. c., partim = *Dalhousianus*.  
*perfoliatus*, T. Anders. l. c. 471.—Ind. or.  
*Perrottetianus*, Nees, in DC. Prod. xi. 179.—Ind. or.  
*petiolaris*, Nees, l. c. 189, partim.—Reg. Himal.  
*petiolaris*, Nees, l. c., partim = *Brunonianus*.  
*phyllocaulos*, C. B. Clarke, in Hook. f. Fl. Brit. Ind. iv. 464.—Reg. Himal.  
*phyllostachyus*, Kurz, in Journ. As. Soc. Beng. xi. (1871) II. 75.—Burma.  
*plumulosus*, Nees, in Wall. Pl. As. Rar. iii. 86 = *auriculatus*.  
*polybotrys*, Miq. Fl. Ind. Bat. ii. 803.—Sumatra.  
*polycephalus*, Miq. l. c. 798.—Java.  
*polythrix*, T. Anders. in Journ. Linn. Soc. ix. (1867) 470.—Reg. Himal.  
*pterocaulis*, Kurz, in Journ. As. Soc. Beng. xlii. (1873) II. 93 = *imbricatus*.  
*pulcherrimus*, T. Anders. in Thw. Enum. Pl. Zeyl. 229.—Ind. or.  
*pulneyensis*, C. B. Clarke, in Hook. f. Fl. Brit. Ind. iv. 438.—Ind. or.  
*pumilus*, Hassk. Cat. Hort. Bog. Alt. 310.—Japon.  
*punctatus*, Bedd. Ic. Pl. Ind. Or. i. 47, in obs. = *pulneyensis*.  
*punctatus*, Nees, in DC. Prod. xi. 183 = *anceps*.  
*purpureus*, Hook. ex Nees, l. c. = *asperimus*.  
*quadrangularis*, C. B. Clarke, in Hook. f. Fl. Brit. Ind. iv. 460.—Reg. Himal.  
*radicans*, T. Anders. in Benth. Fl. Hongk. 262.—China.  
*reflexus*, Nees, in DC. Prod. xi. 194 = *alatus*.  
*remotus*, T. Anders. in Journ. Linn. Soc. ix. (1867) 471.—Tenasserim.  
*reptans*, Boj. ex Nees, in DC. Prod. xi. 368 = *Justicia trifolioides*.  
*rhamnifolius*, T. Anders. in Thw. Enum. Pl. Zeyl. 226.—Zeylan.  
*rhombifolius*, C. B. Clarke, in Hook. f. Fl. Brit. Ind. iv. 461.—Reg. Himal.  
*rhytispermus*, C. B. Clarke, l. c. 432.—Zeylan.  
*roseus*, Nees, in Wall. Pl. As. Rar. iii. 84.—Burma.  
*rubescens*, T. Anders. in Journ. Linn. Soc. ix. (1867) 479.—Reg. Himal.  
*rubicundus*, T. Anders. l. c. 483.—Ind. or.  
*rubicundus*, T. Anders. in Thw. Enum. Pl. Zeyl. 229 = *paniculatus*.  
*rufescens*, T. Anders. in Journ. Linn. Soc. ix. (1867) 472.—Burma.  
*rugosus*, Wight, Ic. t. 1619 = *Heyneanus*.  
*Sabinianus*, Nees, in Wall. Pl. As. Rar. iii. 86.—Reg. Himal.  
*salicifolius*, T. Anders. in Journ. Linn. Soc. ix. (1867) 484.—Reg. Himal.  
*scaber*, T. Anders. in Thw. Enum. Pl. Zeyl. 227, partim = *Hemigraphis flava*.  
*scaber*, Nees, in Wall. Pl. As. Rar. iii. 84.—Ind. or.; Burma.  
*scrobiculatus*, Dalz. ex C. B. Clarke, in Hook. f. Fl. Brit. Ind. iv. 445.—Ind. or.  
*secundus*, T. Anders. in Journ. Linn. Soc. ix. (1867) 480.—Reg. Himal.  
*sessilis*, Nees, in Wall. Pl. As. Rar. iii. 85.—Ind. or.  
*sessiloides*, Wight, Ic. t. 1512 = *praec.*  
*sexennis*, Bedd. Ic. Pl. Ind. Or. i. 48. t. 206 = *homotropus*.  
*sexennis*, Nees, in Hook. Comp. Bot. Mag. ii. (1836) 312.—Ind. or.  
*Simonsii*, T. Anders. in Journ. Linn. Soc. ix. (1867) 474.—Reg. Himal.

**STROBILANTHES** :—

- speciosus, *Blume, Bijdr.* 799.—Java.  
 spicatus, *T. Anders. in Journ. Linn. Soc. ix.* (1867) 484.—Reg. Himal.  
 stenodon, *C. B. Clarke, in Hook. f. Fl. Brit. Ind. iv.* 432.—Zeylan.  
 stenophyllus, *C. B. Clarke, l. c.* 472.—Reg. Himal.  
 subcapitatus, *C. B. Clarke, l. c.* 455.—Burma.  
 subnudatus, *C. B. Clarke, l. c.* 472.—Reg. Himal.  
 subflaccidus, *Kurz, in Journ. As. Soc. Beng. xlii.* (1873) 11. 94 = acuminatus.  
 sumatranus, *Miq. Fl. Ind. Bat. ii.* 802.—Sumatra.  
 tamburensis, *C. B. Clarke, in Hook. f. Fl. Brit. Ind. iv.* 454.—Reg. Himal.  
 Tatei, *F. Muell. in Trans. Roy. Soc. S. Austral. v.* (1882) 81.—Austral.  
 tener, *Nees, in DC. Prod. xi.* 184 = trifidus.  
 tetrapheris, *Dalz. in Hook. Kew Journ. ii.* (1850) 342 = barbatus.  
 Teysmanni, *Miq. Fl. Ind. Bat. ii.* 799.—Sumatra.  
 Thomsoni, *T. Anders. in Journ. Linn. Soc. ix.* (1867) 478.—Reg. Himal.  
 Thwaitesii, *T. Anders. in Thw. Enum. Pl. Zeyl.* 227.—Zeylan.  
 timorensis, *Nees, in DC. Prod. xi.* 178.—Ins. Timor.  
 trifidus, *Hook. ex Nees, l. c.* 186 = calycinus.  
 trifidus, *Nees, in Hook. Comp. Bot. Mag. ii.* (1836) 312.—Zeylan.  
 tristis, *T. Anders. in Journ. Linn. Soc. ix.* (1867) 470.—Ind. or.  
 urophyllus, *Nees, in DC. Prod. xi.* 192.—Reg. Himal.  
 verruculosus, *Nees, l. c.* 181.—Ind. or.  
 vestitus, *Nees, l. c.* 180.—Zeylan.  
 violaceus, *Bedd. Ic. Pl. Ind. Or. i.* 48.—Ind. or.  
 violaeifolius, *T. Anders. in Journ. Linn. Soc. ix.* (1867) 485.—Reg. Himal.  
 virgatus, *Blume, ex Zipp. in Flora, xii.* (1829) 284, nomen.—N. Guin.  
 viscosus, *T. Anders. in Thw. Enum. Pl. Zeyl.* 226.—Zeylan.  
 Walkeri, *Arn. ex Nees, in Hook. Comp. Bot. Mag. ii.* (1836) 312.—Zeylan.  
 Wallichii, *Nees, in Wall. Pl. As. Rar. iii.* 87.—Reg. Himal.  
 warrensii, *Dalz. in Hook. Kew Journ. ii.* (1850) 341.—Ind. or.  
 Wightianus, *Nees, in Wall. Pl. As. Rar. iii.* 86.—Ind. or.  
 Zenkerianus, *T. Anders. in Journ. Linn. Soc. ix.* (1867) 467.—Ind. or.  
 zeylanicus, *T. Anders. in Thw. Enum. Pl. Zeyl.* 227.—Zeylan.

STROBILANTHOS, *St. Lag. in Ann. Soc. Bot. Lyon, vii.* (1880) 56 = praec.

STROBILANTHUS, *Reichb. Handb.* 190 (1837) = praec.

STROBILOCARPOS, *Benth. & Hook. f. Gen. iii.* 231 (1880) = seq.

STROBILOCARPUS, *Klotzsch, in Linnaea, xiii.* (1839) 380 = *Grubbia*, *Berg. (Santal.)*.  
*diversifolius*, *Klotzsch, l. c.* 381 = *G. stricta*.

STROBILORHACHIS, *Klotzsch, in Otto & Dietr. Allg. Gartenz. vii.* (1839) 307 = *Aphelandra*, *R. Br. (Acanth.)*.  
*Blanchetiana*, *Nees, in Mart. Fl. Bras. ix.* 85.—Bras.  
*glabra*, *Klotzsch, in Otto & Dietr. Allg. Gartenz. vii.* (1839) 308 = *A. prismatica*.  
*hirta*, *Klotzsch, l. c.* = *A. lutea*.  
*prismatica*, *Nees, in Mart. Fl. Bras. ix.* 84 = *A. prismatica*.

STROBOCALYX, *Sch. Bip. in Pollichia, xviii-xix.* (1861) 170 = *Vernonia*, *Schreb. (Compos.)*.  
*arborescens*, *Sch. Bip. l. c.* 171 = *V. arborescens*.  
*Blumeana*, *Sch. Bip. l. c.* = *V. arborescens*.  
*celestica*, *Sch. Bip. l. c.* = *V. arborescens*.  
*Doniana*, *Sch. Bip. l. c.* = *V. Doniana*.  
*elaegnifolia*, *Sch. Bip. l. c.* = *V. elaeagnifolia*.  
*elliptica*, *Sch. Bip. l. c.* = *V. elaeagnifolia*.  
*glandulosa*, *Sch. Bip. l. c.* = *V. glandulosa*.  
*insularum*, *Sch. Bip. l. c.* 170 (= *Monosis insularum*).—Ins. Fiji.

**STROBOCALYX** :—

- javanica*, *Sch. Bip. in Pollichia, xviii-xix.* (1861) 171 = *Vernonia arborescens*.  
*obovatus*, *Sch. Bip. l. c.* 172 = *V. scandens*.  
*pyrrhopappa*, *Sch. Bip. l. c.* = Ins. Philipp.  
*secundifolia*, *Sch. Bip. l. c.* 171 = *V. secundifolia*.  
*solanifolia*, *Sch. Bip. l. c.* = *V. solanifolia*.  
*Wightiana*, *Sch. Bip. l. c.* 170 = *V. Monosis*.

STROBON, *Rafin. Sylva Tellur. 132* (1838) = *Cistus*, *Tourn., &c.*  
*halimifolium*, *Rafin. l. c.* = *Helianthemum halimifolium*.  
*vaginatum*, *Rafin. l. c.* = *C. vaginatus*.

STROBUS, *Opiz, in Lotos, iv.* (1854) 94 = *Pinus*, *Tourn. (Conif.)*.  
*Weymouthiana*, *Opiz, l. c.* = *P. Strobilus*.

STROEMERIA, *Roxb. Fl. Ind. ii.* 78 (1832), *sphalm.* = seq.

STROEMIA, *Vahl, Symb. Bot. i.* 19 (1790) = *Cadaba*, *Forsk. (Cappar.)*.  
*capparoides*, *Spreng. Syst. i.* 766 = *C. capparoides*.  
*dubia*, *D. Dietr. Syn. Pl. i.* 802 = *C. farinosa*.  
*farinosa*, *Vahl, Symb. Bot. i.* 20 = *C. farinosa*.  
*glandulosa*, *Vahl, l. c.* = *C. glandulosa*.  
*longifolia*, *R. Br. in Salt, Abyss. App. 64* = *C. longifolia*.  
*ovalifolia*, *Zipp. ex Span. in Linnaea, xv.* (1841) 164 = *C. capparoides*.  
*rotundifolia*, *Vahl, Symb. Bot. i.* 20 = *C. rotundifolia*.  
*tetrandra*, *Vahl, l. c.* = *C. indica*.  
*trifoliata*, *Roxb. Hort. Beng. 86* ; *Fl. Ind. ii.* 79 = *C. trifoliata*.  
*trifoliata*, *Vahl, ex Schum. & Thonn. Beskr. Guin. Pl. 114* = *Enadenia trifoliata*.  
*trinervia*, *D. Dietr. Syn. Pl. i.* 802 = *Cleome coluteoides*.

STROGANOVIA, *Lindl. Veg. Kingd.* 355 (1847) = seq.

STROGANOWIA, *Kar. & Kir. in Bull. Soc. Nat. Mosc. (1841)* 386. *CRUCIFERAE*, *Benth. & Hook. f. i.* 88.  
*brachyota*, *Kar. & Kir. l. c.* 387.—Sibir. altaic.  
*intermedia*, *Kar. & Kir. l. c.* xv. (1842) 162.—Sibir. altaic.  
*paniculata*, *Regel & Schmalh. in Act. Hort. Petrop. v.* (1877) 242.—Turkestan.  
*sagittata*, *Kar. & Kir. in Bull. Soc. Nat. Mosc. (1841)* 387.—Sibir. altaic.

STROMANTHE, *Sond. in Hamb. Gartenz. v.* (1849) 225. *SCITAMINEAE*, *Benth. & Hook. f. iii.* 650.  
*KERCHOVEA*, *Jorissens, in Belg. Hort. (1882)* 201. t. 8.  
*MARANTOPSIS*, *Koern. in Bull. Soc. Nat. Mosc. xxxv.* (1862) i. 97.  
*amabilis*, *Hort. ex E. Morr. in Belg. Hort. xxv.* (1875) 135.—Bras.  
*eximia*, *Eichl. in Berl. Phys. Abh. (1884)* 81 = *Maranta eximia*.  
*Lubbersiana*, *E. Morr. in Belg. Hort. xxxii.* (1882) 21. t. 1 (*Myrosotis* sp.).—Bras.  
*lutea*, *Eichl. in Berl. Phys. Abh. (1884)* 81.—Venezuela.  
*Porteana*, *A. Gris, in Ann. Sc. Nat. Sér. IV. ix.* (1858) 185.—Bras.  
*sanguinea*, *Sond. in Hamb. Gartenz. v.* (1849) 225.—Ind. or.  
*Schottiana*, *Eichl. in Berl. Phys. Abh. (1884)* 81.—Bras.  
*Selloi*, *A. Gris, ex Horan. Prod. Monog. Scitam. 10* = *Maranta Selloi*.  
*setosa*, *A. Gris, in Bull. Soc. Bot. Fr. vi.* (1859) 348 = *Ctenanthe setosa*.  
*spectabilis*, *Lem. Jard. Fleur. iv.* (1854) t. 401 ; et *Misc. 63* = *sanguinea*.  
*Tonckat*, *Eichl. in Berl. Phys. Abh. (1884)* 80.—Guian.

STROMATOCACTUS, *Karw. ex Foerst. Handb. Cact. ed. II. i.* 229 (1885) = *Mammillaria*, *Haw. (Cact.)*.  
*Kotschoubeyi*, *Karw. ex Foerst. l. c.* 232 (= *Anhalonium sulcatum*).—Mexic.

STROMBOCARPA, *A. Gray, in Bost. Journ. Nat. Hist. v.* (1845) 243 = *Prosopis*, *Linn. (Legumin.)*.  
*brevifolia*, *Nutt. ex A. Gray, Pl. Wright. i.* 60 = *P. pubescens*.  
*cinerascens*, *A. Gray, l. c.* 61 = *P. cinerascens*.  
*odorata*, *A. Gray, Bot. U. St. Expl. Exped. i.* 475 = *P. juliflora* ?  
*pubescens*, *A. Gray, Pl. Wright. i.* 60 = *P. pubescens*.  
*reptans*, *A. Gray, Bot. U. St. Expl. Exped. i.* 475 = *P. reptans*.  
*strombulifera*, *A. Gray, l. c.* = *P. strombulifera*.

STROMBOCARPUS, *Benth. & Hook. f. Gen. i.* 591 (1867), *sphalm.* = praec.

STROMBODURUS, *Willd. ex Steud. Nom. ed. II. ii.* 647 (1841) = *Pentarrhapis*, *H. B. & K. (Inc. Sed.)*.  
*gracilis*, *Willd. ex Steud. l. c.* = *P. scabra*.

STROMBOSIA, *Blume, Bijdr. 1154* (1826). *OLACINEAE*, *Benth. & Hook. f. i.* 348.  
*LAVALLEA*, *Baill. Adansonia, ii.* (1862) 361.  
*ceylanica*, *Gardn. in Calc. Journ. Nat. Hist. vi.* (1846) 350.—Zeylan.  
*grandifolia*, *Hook. f. ex Benth. in Hook. Niger Fl.* 258.—Afr. trop.  
*javanica*, *Blume, Bijdr. 1155*.—Burma ; Malaya.  
*javanica*, *Thw. Enum. Pl. Zeyl.* 42 = *ceylanica*.  
*lucida*, *Teijsm. & Binn. Cat. Hort. Bog. 207*, nomen.—Java.  
*philippinensis*, *Vidal, Phan. Cuming. Philipp. 23*, 102.—Ins. Philipp.

STRONGYLOCALYX, *Blume, Mus. Bot. Lugd. Bat. i.* 89. t. 54 (1849) = *Eugenia*, *Mich. (Myrtac.)*.  
*hemisphaericus*, *Blume, l. c.* 90 = *E. hemisphaerica*.  
*lanceaefolius*, *Blume, l. c.* 89, in obs. = *E. Wallichii*.  
*leptostachyus*, *Blume, ex Miq. Fl. Ind. Bat. i.* 1 443 = *E. leptostemon*.  
*leptostemon*, *Blume, Mus. Bot. Lugd. Bat. i.* 89 = *E. leptostemon*.  
*oblatus*, *Blume, l. c.*, in obs. = *E. oblata*.  
*praecox*, *Blume, l. c.*, in obs. = *E. Wallichii*.

STRONGYLODON, *Vog. in Linnaea, x.* (1836) 585. *LEGUMINOSAE*, *Benth. & Hook. f. i.* 532.  
*Lastellianus*, *Baill. in Bull. Soc. Linn. Par. i.* (1883) 381.—Madag.  
*lucidus*, *Seem. Fl. Vit. 61*.—Ins. Fiji.  
*macrobotrys*, *A. Gray, Bot. U. St. Expl. Exped. i.* 448. t. 49.—Ins. Philipp.  
*madagascariensis*, *Baker, in Journ. Linn. Soc. xviii.* (1881) 267.—Madag.  
*ruber*, *Vog. in Linnaea, x.* (1836) 585.—Ins. Sandvic.

STRONGYLOMA, *DC. Prod. vii.* 52 (1838) = *Nas-sauvia*, *Comm. (Compos.)*.  
*axillare*, *DC. l. c.* = *N. axillaris*.  
*glomerulosum*, *DC. l. c.* = *N. glomerulosa*.

STRONGYLOSPERMA, *Less. Syn. Comp. 261* (1832) = *Cotula*, *Tourn. (Compos.)*.  
*australe*, *Less. l. c.* = *C. australis*.  
*reptans*, *Benth. in Enum. Pl. Hueg. 60* = *C. reptans*.

STROPHA, *Noronha, in Verh. Batav. Gen. v.* (1790) ed. I. Art. iv. 4 ; ed. II. 66 (1827) = *Chloranthus*, *Sw.*

STROPHADES, *Boiss. in Ann. Sc. Nat. Sér. II. xvii.* (1842) 82 = *Erysimum*, *Tourn. (Crucif.)*.  
*lanceolata*, *Boiss. l. c.* 83 = *E. Strophades*.  
*linearis*, *Boiss. l. c.* = *E. oleaefolium*.

STROPHANTHUS, *DC. in Bull. Soc. Philom. iii.* (1802) 122. t. 8. *APOCYNACEAE*, *Benth. & Hook. f. ii.* 714.  
*CERCOCOMA*, *Wall. Cat. n.* 1623 (1831 ?).  
*CHRISTYA*, *Harv. in Hook. Journ. Bot. iv.* (1842) 134. t. 21.  
*alterniflorus*, *Spreng. Syst. i.* 638.—China.  
*brevicaudatus*, *Wight, Ic. t.* 1302.—Burma ; Malaya.  
*Bullenianus*, *Mast. in Gard. Chron. (1870)* 1471. f. 257.—Afr. trop.  
*capensis*, *A. DC. in DC. Prod. viii.* 419.—Afr. austr.  
*caudatus*, *Kurz, For. Fl. Brit. Burma, ii.* 192 = *Wallichii* ?



**STROPHANTHUS** :—

- caudatus*, Kurz, in Journ. As. Soc. Beng. xvi. (1877) ii. 257 = *dichotomus*.  
*chinensis*, G. Don, Gen. Syst. iv. 85 = *divergens*.  
*Cumingii*, A. DC. in DC. Prod. viii. 418.—Ins. Philipp.  
*dichotomus*, DC. in Bull. Soc. Philom. iii. (1802) 123.—Burma; Malaya.  
*dichotomus*, Wall. Cat. n. 1641 = *Wallichii*.  
*divaricatus*, Hook. & Arn. Bot. Beech. Voy. 199 = *divergens*.  
*divaricatus*, Wall. Cat. n. 1642.—Burma.  
*divergens*, R. Grah. in Edinb. N. Phil. Journ. (Apr.-Jun. 1827) 177.—China.  
*Griffithii*, Wight, Ic. t. 1300 = *dichotomus*.  
*hirtus*, Poir. in Dict. Sc. Nat. ii. 150 = seq.  
*hispidus*, DC. in Bull. Soc. Philom. iii. (1802) 123.—Afr. austr.  
*Horsfieldianus*, Miq. Fl. Ind. Bat. ii. 442 = *dichotomus*.  
*Jackianus*, Wall. Cat. n. 1643.—Ins. Penang.  
*Kombe*, Oliver, in Hook. Ic. Pl. t. 1098.—Afr. trop.  
*laurifolius*, DC. in Bull. Soc. Philom. iii. (1802) 123.—Afr. trop.  
*longicaudatus*, Wight, Ic. t. 1299 = *dichotomus*.  
*pendulus*, Hook. in W. Gray, Trav. West. Afr. 392. t. C = *sarmentosus*.  
*pentaphyllus*, Griff. Notul. iv. 78 = *dichotomus*.  
*Petersianus*, Klotzsch, in Peters, Reise Mossamb. Bot. 276.—Afr. trop.  
*sarmentosus*, DC. in Bull. Soc. Philom. iii. (1802) 123. t. 8. f. 1.—Afr. trop.  
*scandens*, Griff. Notul. iv. 743 (an seq.?).—Malacca.  
*scandens*, Reinw. & Schult. Syst. iv. 412 = *dichotomus*.  
*Senegambiae*, A. DC. in DC. Prod. viii. 418 = *sarmentosus*.  
*Stanleyanus*, Hort. ex Hook. Bot. Mag. sub t. 4466 = *Roupellia grata*.  
*terminalis*, Blume, Cat. Gew. Buitenz. 56 = *dichotomus*.  
*Wallichii*, A. DC. in DC. Prod. viii. 418.—Ind. or.  
*Wightianus*, Wall. Cat. n. 1659.—Ind. or.

- STROPHIOTOMA**, Turcz. in Bull. Soc. Nat. Mosc. (1840) 258 = *Myosotis*, Tourn. (Borag.).  
*amoena*, Rupr. Ind. Sem. Hort. Petrop. (1852); et in Bull. Phys.-Math. Acad. Pétersb. xiv. (1856) 229 = *M. amoena*.  
*propinqua*, Turcz. in Bull. Soc. Nat. Mosc. (1840) 259 = *M. propinqua*.  
*sparsiflorum*, Turcz. l. c. 258 = *M. sparsiflora*.

- STROPHIS**, Salisb. Gen. Pl. Fragm. 12 (1866) = *Dioscorea*, Plum.  
*cirrrosa*, Salisb. l. c. 12 = *D. cirrhosa*.

- STROPHIUM**, Dulac, Fl. Hautes-Pyr. 247 (1867) = *Arenaria*, Rupp. (Caryoph.).  
*filiforme*, Dulac, l. c. 248 = *A. muscosa*.  
*trinervium*, Dulac, l. c. = *A. trinervia*.

- STROPHOLIRION**, Torr. in Pacif. Rail. Rep. iv. 149 (1856). *LILIACEAE*, Benth. & Hook. f. iii. 799.  
*MACROSCAPA*, Kellogg, ex Curran, in Bull. Calif. Acad. i. iii. (1885) 148.  
*RUPALLEYA*, Morière, in Bull. Soc. Linn. Normand. viii. (1864) 313. t. 15.  
*californicum*, Torr. in Pacif. Rail. Rep. iv. 149. t. 21.—Calif.

- STROPHOPAPPUS**, DC. Prod. v. 75 (1836) = *Stilpnopappus*, Mart. (Compos.).  
*bicolor*, DC. l. c. = *Stilpnopappus bicolor*.  
*emarginatus*, Baker, in Mart. Fl. Bras. vi. ii. 141, sphalm. = *Stilpnopappus emarginatus*.  
*Riedelianus*, Baker, l. c. 140, sphalm. = *Stilpnopappus bicolor*.

- STROPHOSTYLES**, Ell. Sketch. ii. 229 (1822) = *Phaseolus*, Tourn. (Legumin.).  
*angulosa*, Ell. l. c. = *P. diversifolius*.  
*helvola*, Ell. l. c. 230 = *P. helvolus*.  
*peduncularis*, Ell. l. c. = *P. helvolus*.

- STROPHOSTYLES**, E. Mey. Comm. Pl. Afr. Austr. 147 (1835) = *Vigna*, Savi (Legumin.).  
*capensis*, E. Mey. l. c. = *V. capensis*.

- STRUCHIUM**, P. Br. Hist. Jamaic. 312. t. 34 (1756) = *Sparganophorus*, Vaill. (Compos.).  
*africanum*, Beauv. Fl. Owar. i. 81. t. 48 = *Sparg. Vaillantii*.  
*americanum*, Poir. Encyc. vii. 475 = *Sparg. Vaillantii*.

- STRUKERIA**, Vell. Fl. Flum. 8; i. t. 20 (1825) = *Vochisia*, Juss.  
*oppugnata*, Vell. ll. cc. = *V. oppugnata*.

- STRUMARIA**, Jacq. Ic. Pl. Rar. ii. 13. tt. 356–360 (1790). *AMARYLLIDEAE*, Benth. & Hook. f. iii. 728.  
*CHOERADODIA*, Herb. Amaryll. 87 (1837).  
*EUDOLON*, Salisb. Gen. Pl. Fragm. 127 (1866).  
*HYMENETRON*, Salisb. l. c. 128 (1866).  
*NESYSTYLIS*, Rafin. Fl. Tellur. iv. 123 (1836).  
*PUGIONELLA*, Salisb. Gen. Pl. Fragm. 128 (1866).  
*STYLAGO*, Salisb. l. c. 127 (1866).  
*angustifolia*, Jacq. Ic. Pl. Rar. ii. 13. t. 359; Coll. Suppl. 48.—Afr. austr.  
*Baueriana*, Herb. Amaryll. 394. t. 45. f. 5 = *truncata*.  
*chilensis*, Molina, Sagg. Chile, ed. II. 130, 284.—Chili.  
*crispa*, Ker-Gawl. in Bot. Mag. t. 1363 = *Hessee crispa*.  
*filifolia*, Jacq. Ic. Pl. Rar. ii. 14. t. 361 = *Hessee filifolia*.  
*gemmata*, Ker-Gawl. in Bot. Mag. t. 1620 = *Hessee geminata*.  
*lilifolia*, D. Dietr. Syn. Pl. ii. 1187 = *Hessee filifolia*.  
*linguaefolia*, Jacq. Ic. Pl. Rar. ii. 13. t. 356 = *truncata*.  
*rubella*, Jacq. l. c. t. 358.—Afr. trop.  
*spiralis*, Ait. Hort. Kew. ed. II. ii. 213 = *Carpolyza spiralis*.  
*stellaris*, Ker-Gawl. in Bot. Mag. sub t. 1363 = *Hessee stellaris*.  
*strumosa*, Salisb. Gen. Pl. Fragm. 127 = *Hessee filifolia*.  
*truncata*, Jacq. Ic. Pl. Rar. ii. 13. t. 357.—Afr. trop.  
*undulata*, Berg. ex Kunth, Enum. Pl. v. 627 = *Hessee gemmata*.  
*undulata*, Jacq. Ic. Pl. Rar. ii. 14. t. 360.—Afr. austr.

- STRUMARIUM**, Rafin. in Ann. Gén. Sc. Phys. vi. (1820) 89 = *Xanthium*, Linn. (Compos.).

- STRUMPFIA**, Jacq. Enum. Pl. Carib. 8 (1760); Select. Am. 218 (1763). *RUBIACEAE*, Benth. & Hook. f. ii. 117.  
*PATSIOTI*, Adans. Fam. ii. 84 (1763).  
*dubia*, [Sprang.] Bot. Gart. Halle, 93, nomen = seq.?  
*maritima*, Jacq. Enum. Pl. Carib. 28; Select. Am. 218.—Ind. occ.

- STRUTHANTHUS**, Mart. in Flora, xiii. (1830) 102 = *Loranthus*, Linn.  
*acuminatus*, Blume, in Schult. f. Syst. vii. 1731 = *L. acuminatus*.  
*acutifolius*, Blume, l. c. = *L. acutifolius*.  
*aduncus*, Blume, l. c. = *L. aduncus*.  
*affinis*, Mart. in Flora, xiii. (1830) 105 = *L. affinis*.  
*alveolatus*, G. Don, Gen. Syst. iii. 410 = *L. alveolatus*.  
*amplexicaulis*, G. Don, l. c. = *L. amplexicaulis*.  
*anceps*, G. Don, l. c. 411 = *L. anceps*.  
*androstylus*, Eichl. in Mart. Fl. Bras. v. ii. 74.—Bras.  
*attenuatus*, Eichl. l. c. 72 = *L. attenuatus*.  
*avicularis*, Mart. in Flora, xiii. (1830) 105 = *L. avicularis*.  
*buxifolius*, Blume, in Schult. f. Syst. vii. 1731 = *L. buxifolius*.  
*calobotrys*, Eichl. in Mart. Fl. Bras. v. ii. 79.—Bras.  
*chordocladus*, Eichl. l. c. 70, in obs. = *L. chordocladus*.  
*citricola*, Mart. in Flora, xiii. (1830) 105 = *L. citricola*.  
*complexus*, Eichl. in Mart. Fl. Bras. v. ii. 73.—Bras.  
*concinus*, Mart. in Flora, xiii. (1830) 105 = *L. concinus*.  
*conduplicatus*, Mart. l. c. = *L. conduplicatus*.

**STRUTHANTHUS** :—

- confertus*, Mart. in Flora, xiii. (1830) 104 = *Loranthus confertus*.  
*crassipes*, Eichl. in Mart. Fl. Bras. v. ii. 70, in obs. = *L. crassipes*.  
*cuspidatus*, Mart. in Flora, xiii. (1830) 105 = *L. cuspidatus*.  
*Deppeanus*, Blume, in Schult. f. Syst. vii. 1731 = *L. Deppeanus*.  
*Destructor*, Blume, l. c. = *L. Destructor*.  
*dichotrianthus*, Eichl. in Mart. Fl. Bras. v. ii. 75.—Am. trop.  
*domingensis*, G. Don, Gen. Syst. iii. 414 = *L. dominicensis*.  
*elegans*, Mart. in Flora, xiii. (1830) 105 = *L. elegans*, Mart.  
*ellipticus*, Blume, in Schult. f. Syst. vii. 1731 = *L. ellipticus*.  
*emarginatus*, G. Don, Gen. Syst. iii. 410 = *L. emarginatus*.  
*erythrocarpus*, Mart. in Flora, xiii. (1830) 105 = *L. erythrocarpus*.  
*Eschscholzanus*, Mart. l. c. 104 = *L. Eschscholzanus*.  
*Eschscholzanus*, Schult. f. Syst. vii. 1613 = *præc.*  
*eugenioides*, Blume, in Schult. f. l. c. 1731 = *L. eugenioides*.  
*flexicaulis*, Mart. in Flora, xiii. (1830) 105 = *L. flexicaulis*.  
*floribundus*, Blume, in Schult. f. Syst. vii. 1731 (Quid?).—Hab.?  
*glomeratus*, Mart. in Flora, xiii. (1830) 104 = *L. glomeratus*.  
*glomeriflorus*, Eichl. in Mart. Fl. Bras. v. ii. 84.—Bras.  
*guadalupensis*, G. Don, Gen. Syst. iii. 414 = *L. guadalupensis*.  
*guianensis*, Klotzsch, in Schomb. Faun. Fl. Brit. Gui. 978 = *L. syringaeifolius*.  
*heterophyllus*, Blume, in Schult. f. Syst. vii. 1731 = *L. heterophyllus*.  
*interruptus*, G. Don, Gen. Syst. iii. 413 = *L. interruptus*.  
*lancifolius*, Blume, in Schult. f. Syst. vii. 1731 = *L. lancifolius*.  
*laurifolius*, Blume, l. c. = *L. laurifolius*.  
*laxiflorus*, G. Don, Gen. Syst. iii. 414 = *L. laxiflorus*.  
*leptostachyus*, G. Don, l. c. 411 = *L. leptostachyus*.  
*ligustrifolius*, Blume, in Schult. f. Syst. vii. 1731 = *L. ligustrifolius*.  
*longepedunculatus*, Mart. in Flora, xiii. (1830) 105 = *L. longipedunculatus*.  
*Magdalenae*, G. Don, Gen. Syst. ii. 414 = *L. Magdalenae*.  
*marginatus*, Blume, in Schult. f. Syst. vii. 1731 = *L. marginatus*.  
*microphyllus*, G. Don, Gen. Syst. iii. 413 = *L. microphyllus*.  
*nigricans*, Eichl. in Mart. Fl. Bras. v. ii. 76.—Bras.  
*nitens*, Mart. in Flora, xiii. (1830) i. 105 = *L. nitens*.  
*nitidus*, Blume, in Schult. f. Syst. vii. 1731 = *L. nitidus*.  
*oblongus*, G. Don, Gen. Syst. ii. 410 = *Phoradendron rubrum*.  
*occidentalis*, G. Don, l. c. = *L. occidentalis*.  
*orbicularis*, Blume, in Schult. f. Syst. vii. 1731 = *L. orbicularis*.  
*orinocensis*, Blume, l. c. = *L. orinocensis*.  
*ovalifolius*, G. Don, Gen. Syst. iii. 411 = *L. ovalifolius*.  
*paniculatus*, Blume, in Schult. f. Syst. vii. 1731 = *L. paniculatus*.  
*parvifolius*, G. Don, Gen. Syst. iii. 413 = *L. parvifolius*.  
*patens*, Mart. in Flora, xiii. (1830) 104 = *L. patens*.  
*Patrisii*, G. Don, Gen. Syst. iii. 410 = *L. Patrisii*.  
*pauciflorus*, G. Don, l. c. 414 = *L. pauciflorus*, Sw.  
*pauciflorus*, Miq. ex Eichl. in Mart. Fl. Bras. v. ii. 75 = *dichotrianthus*.  
*pedunculatus*, G. Don, Gen. Syst. iii. 414 = *L. pedunculatus*.  
*Perrottetii*, G. Don, l. c. 413 = *L. Perrottetii*.  
*phillyraeoides*, Blume, in Schult. f. Syst. vii. 1731 = *L. phillyraeoides*.  
*phylliraeoides*, G. Don, Gen. Syst. iii. 413 = *præc.*  
*podopterus*, G. Don, l. c. 410 = *L. podopterus*.  
*polyanthus*, Mart. in Flora, xiii. (1830) 105 = *L. polyanthus*.  
*polyrrhizus*, Mart. l. c. = *L. polyrrhizus*.

## STRUTHANTHUS:—

- polystachyus*, Blume, in Schult. f. Syst. vii. 1731 = *Loranthus polystachyus*.  
*portoricensis*, G. Don, Gen. Syst. iii. 414 = *L. portoricensis*.  
*psilobotrys*, G. Don, l. c. = *L. psilobotrys*.  
*pterygopus*, Mart. in Flora, xiii. (1830) 105 = *L. pterygopus*.  
*punctatus*, Blume, in Schult. f. Syst. vii. 1731 = *L. punctatus*, Ruiz & Pav.  
*puracensis*, Blume, l. c. = *L. puracensis*.  
*pyrifolius*, Blume, l. c. = *L. pyrifolius*.  
*quercicola*, Blume, l. c. = *L. quercicola*.  
*radicans*, Blume, l. c. = *L. radicans*.  
*retroflexus*, Blume, l. c. = *L. retroflexus*.  
*retusus*, Blume, l. c. = *L. Sellowianus*.  
*rhynophyllus*, Eichl. in Mart. Fl. Bras. v. II. 85.—Bras.  
*rotundifolius*, Kostel. Allg. Med.-Pharm. Flora, ii. 536 = *L. rotundifolius*.  
*rubens*, Mart. in Flora, xiii. (1830) 105 = *L. rubens*.  
*rufus*, Mart. l. c. = *L. rufus*.  
*salicifolius*, Mart. l. c. 104 = *L. salicifolius*.  
*Salzmanni*, Eichl. in Mart. Fl. Bras. v. II. 80.—Bras.  
*sarmentosus*, Blume, in Schult. f. Syst. vii. 1731 = *L. sarmentosus*.  
*sessilis*, Blume, l. c. = *L. sessilis*.  
*spicatus*, G. Don, Gen. Syst. iii. 410 = *L. spicatus*.  
*squamulosus*, Klotzsch, in Schomb. Faun. Fl. Brit. Gui. 978 (= *Phthirusa squamulosa*).—Guian.  
*staphylinus*, Mart. in Flora, xiii. (1830) 105 = *L. staphylinus*.  
*Stelis*, Blume, in Schult. f. Syst. vii. 1731 = *L. Stelis*.  
*suaveolens*, Blume, l. c. = *L. suaveolens*.  
*subcampestris*, Mart. in Flora, xiii. (1830) 105 = *L. subcampestris*.  
*subrotundus*, G. Don, Gen. Syst. iii. 413 = *L. subrotundus*.  
*syringaeifolius*, Mart. in Flora, xiii. (1830) 105 = *L. syringaeifolius*.  
*Tagua*, Blume, in Schult. f. Syst. vii. 1731 = *L. Tagua*.  
*taubatenensis*, Eichl. in Mart. Fl. Bras. v. II. 84.—Bras.  
*terniflorus*, Eichl. l. c. 75 = *L. terniflorus*.  
*terniflorus*, Klotzsch, in Schomb. Faun. Fl. Brit. Gui. 978 = *dichotrianthus*.  
*tetraqueter*, Mart. in Flora, xiii. (1830) 105 = *L. tetraqueter*.  
*Theobromae*, Blume, in Schult. f. Syst. vii. 1731 = *L. Theobromae*.  
*thyrsiflorus*, Blume, l. c. = *L. thyrsiflorus*.  
*triceps*, Klotzsch, in Schomb. Faun. Fl. Brit. Gui. 1161 = *L. syringaeifolius*.  
*uniflorus*, G. Don, Gen. Syst. iii. 414 = *L. uniflorus*.  
*uraguensis*, G. Don, l. c. 410 = *L. uraguensis*.  
*uruguayensis*, Gibert, Enum. Pl. Montev. 83 = *L. uraguensis*.  
*venetus*, Blume, in Schult. f. Syst. vii. 1731 = *L. venetus*.  
*virgatus*, Mart. in Flora, xiii. (1830) 105 = *L. virgatus*.  
*vulgaris*, Mart. l. c. xxiv. (1841) II. Beibl. 33.—Bras.

STRUTHIA, Royen, ex Linn. Gen. ed. II. 164 (1742) = *Gnidia*, Linn. (Thymel.).

STRUTHIOLA, Linn. Mant. i. 4 (1767). *THYME-*

- LAECACEAE*, Benth. & Hook. f. iii. 196.  
*BEI VALA*, Adans. Fam. ii. 285 (1763).  
*angustifolia*, Lam. Illustr. i. 314 (err. typ. 214).—Afr. austr.  
*angustifolia*, Steud. ex Meissn. in Linnaea, xiv. (1840) 469 = *lineariloba*.  
*argentea*, Lehm. Del. Sem. Hort. Hamb. (1831) 6, 7.—Afr. austr.  
*aurea*, Eckl. & Zeyh. ex Meissn. in DC. Prod. xiv. 571 = *argentea*.  
*brevifolia*, Willd. ex Meissn. in Linnaea, xiv. (1840) 477 = *striata*.  
*chrysanthia*, Eckl. & Zeyh. ex Meissn. in DC. Prod. xiv. 572 = *tomentosa*.  
*chrysanthia*, Licht. ex Roem. & Schult. Syst. iii. 333.—Afr. austr.  
*ciliata*, Andr. Bot. Rep. t. 149 = *virgata*.  
*ciliata*, Lam. Illustr. i. 314 (err. typ. 214) = *lucens*.  
*dodecapetala*, Bartl. ex Meissn. in Linnaea, xiv. (1840) 475.—Afr. austr.  
*Dregeana*, Meissn. l. c. 472 = *argentea*.  
*Eckloniana*, Meissn. in DC. Prod. xiv. 568.—Afr. austr.

VOL. II.

## STRUTHIOLA:—

- erecta*, Curt. Bot. Mag. t. 222 = *lineariloba*?  
*erecta*, Linn. Mant. i. 41.—Afr. austr.  
*formosa*, Eckl. & Zeyh. ex Meissn. in DC. Prod. xiv. 571 = *argentea*.  
*glabra*, Roem. & Schult. Syst. iii. 331 = *erecta*.  
*glabra*, Zeyh. ex Meissn. in Linnaea, xiv. (1840) 468 = *parviflora*.  
*glaucua*, Lodd. Cat. (1807) 33 = *virgata*?  
*glaucua*, Nois. ex Meissn. in DC. Prod. xiv. 570 = *longiflora*.  
*glaucua*, Sieber, ex Presl, Bot. Bemerk. 108 = *virgata*.  
*grandis*, Bartl. ex Meissn. in Linnaea, xiv. (1840) 476 = *hirsuta*.  
*hirsuta*, Wikstr. in Vet. Akad. Handl. Stockh. (1818) 290.—Afr. austr.  
*imbricata*, Andr. Bot. Rep. t. 113 = *striata*.  
*imbricata*, Hort. ex Meissn. in DC. Prod. xiv. 559 = *Arthrosolen spicatus*.  
*incana*, Lodd. Bot. Cab. t. 11 = *virgata*.  
*juniperina*, Retz. Obs. iii. 26 = *lineariloba*.  
*lanceolata*, Retz. l. c. = *ovata*.  
*lateriflora*, Hornem. Hort. Hafn. ii. 955 = *striata*.  
*lateriflora*, Meissn. in DC. Prod. xiv. 573 = *Arthrosolen spicatus*.  
*laxa*, Nois. ex Schult. Mant. iii. 260, nomen (Quid?).—Hab.?  
*lineariloba*, Meissn. in Linnaea, xiv. (1840) 468.—Afr. austr.  
*littoralis*, Wendl. ex Endl. Gen. Suppl. iv. II. 63 = *Arthrosolen spicatus*.  
*longiflora*, Lam. Illustr. i. 314 (err. typ. 214) t. 78.—Afr. austr.  
*lucens*, Poir. Encyc. vii. 477.—Afr. austr.  
*lutescens*, Eckl. & Zeyh. ex Meissn. in DC. Prod. xiv. 568 = *parviflora*.  
*Martiana*, Meissn. l. c. 570.—Afr. austr.  
*Mundtii*, Eckl. ex Meissn. l. c. 572.—Afr. austr.  
*Myrsinites*, Lam. Illustr. i. 314 (err. typ. 214) = *ovata*.  
*nana*, Linn. f. Suppl. 128 = *Gnidia nana*.  
*oppositifolia*, Cat. Pl. Bot. Gard. Liverpool (1808), 176, nomen (Quid?).—Hab.?  
*ovata*, Thunb. Prod. Pl. Cap. 76.—Afr. austr.  
*parviflora*, Bartl. ex Meissn. in Linnaea, xiv. (1840) 467.—Afr. austr.  
*pendula*, Salisb. Prod. 282 = *erecta*.  
*pubescens*, Retz. Obs. iii. 26 = *virgata*.  
*pubescens*, Sims, Bot. Mag. t. 1212 = *longiflora*.  
*pubescens*, Steud. ex Meissn. in Linnaea, xiv. (1840) 478 = *lucens*.  
*rigida*, Meissn. in DC. Prod. xiv. 570.—Afr. austr.  
*rubra*, Donn. Hort. Cantab. ed. IV. 31 = *longiflora*.  
*rubra*, Steud. Nom. ed. II. ii. 648 = *virgata*.  
*scandens*, Wall. ex Mast. in Hook. f. Fl. Brit. Ind. i. 582 = *Cansjera Rheedii*.  
*striata*, Eckl. & Zeyh. ex Meissn. in DC. Prod. xiv. 572 = *Mundtii*.  
*striata*, Lam. Illustr. i. 314 (err. typ. 214).—Afr. austr.  
*stricta*, Donn. Hort. Cantab. ed. VI. 40 = *lineariloba*?  
*subulata*, Lam. Illustr. i. 314 (err. typ. 214) = *erecta*.  
*subulata*, Vahl, ex Wikstr. in Vet. Akad. Handl. Stockh. (1818) 291 = *tuberculosa*?  
*sulcata*, F. W. Schmidt, Neue u. Selt. Pfl. 34 = *striata*.  
*superba*, Cat. Hort. Bot. Gard. Liverpool (1808), 176, nomen (Quid?).—Hab.?  
*tetragona*, Retz. Obs. iii. 25 = *erecta*.  
*Thomsoni*, Oliver, in Journ. Linn. Soc. xxi. (1885) 404.—Afr. trop.  
*tomentosa*, Andr. Bot. Rep. t. 334.—Afr. austr.  
*tuberculosa*, Lam. Illustr. i. 314 (err. typ. 214).—Afr. austr.  
*tuberculosa*, Vahl, ex Wikstr. in Vet. Akad. Handl. Stockh. (1818) 287 = *virgata*.  
*Vahlui*, Wikstr. l. c. 291 = *tuberculosa*?  
*villosa*, Vahl, ex Wikstr. l. c. 287 = *virgata*.  
*villosa*, Wikstr. l. c. 288 = *tomentosa*.  
*virgata*, Houtt. Handleid. vii. 364. t. 40. f. 2 = *lucens*.  
*virgata*, Linn. Mant. i. 41; *Burm. f. Fl. Cap. Prod.* 12.—Afr. austr.  
*virgata*, Wendl. Bot. Beobacht. 9. t. 2. f. 9 = *striata*.

STRUTHIOLA, Burm. f. Fl. Cap. Prod. 12 (1768) = *præc.*

STRYCHNODAPHNE, Nees & Mart. in Linnaea, viii. (1833) 39 = *Ocotea*, Aubl. (Laurin.).  
*floribunda*, Griseb. in Mem. Am. Acad. N. S. viii. (1860) 188 = *O. botryophylla*.

## STRYCHNODAPHNE:—

- lanceolata*, Nees, in Linnaea, viii. (1833) 39 = *Ocotea lanceolata*.  
*Lhotskyi*, Meissn. in DC. Prod. xv. i. 143 = *O. Lhotskyi*.  
*puberula*, Nees & Mart. in Linnaea, viii. (1833) 39 = *O. puberula*.  
*salicifolia*, Meissn. in Kjoeb. Vidensk. Meddel. (1870) 139 (= *Oreodaphne microbotrys*).—Bras.  
*suaveolens*, Griseb. in Goett. Abh. xxiv. (1879) 134 = *O. puberula*.

STRYCHNOPSIS, Baill. in Bull. Soc. Linn. Par. i. (1885) 456. *MENISPERMACEAE*.  
*Thouarsii*, Baill. l. c.—Madag.

STRYCHNOS, Linn. Syst. ed. I (1735). *LOGANIA-*

- CEAE*, Benth. & Hook. f. ii. 797.  
*ATHERSTONEA*, Pappe, Sylva Cap. ed. II. 29 (1862).  
*BREHMIA*, Harv. in Hook. Lond. Journ. Bot. i. (1842) 25.  
*CHEMNICIA*, Scop. Introd. 139 (1777).  
*CURARE*, Humb. Relat. Hist. ii. 549 (1819).  
*IGNATIA*, Linn. f. Suppl. 20 (1781).  
*IGNATIANA*, Lour. Fl. Cochinch. 126 (1790).  
*LASIOSTOMA*, Schreb. Gen. 75 (1789).  
*NARDA*, Vell. Fl. Flum. 108 (1825); iii. t. 24 (1827).  
*ROUHAMON*, Aubl. Pl. Gui. i. 93. t. 36 (1775).  
*TOXICARIA*, Schreb. in Naturf. xix. (1783) 146.  
*UNGUACHA*, Hochst. in Flora, xxvii. (1844) 103.  
*abyssinica*, Hochst. in Flora, xxiv. (1841) i. *Intell.* 25, nomen.—Abyss.  
*acuminata*, Wall. Cat. n. 1593, partim.—Burma.  
*acuminata*, Wall. l. c., partim = *rufa*.  
*acuta*, Prog. in Mart. Fl. Bras. vi. i. 280.—Bras.  
*albiflora*, Prog. l. c. 279.—Bras.  
*angustifolia*, Benth. in Journ. Linn. Soc. i. (1856) 102.—China.  
*Atherstonei*, Harv. Thes. Cap. ii. 41.—Afr. austr.  
*axillaris*, Blume, Bijdr. 1019 = *monosperma*.  
*axillaris*, Colebr. in Trans. Linn. Soc. xii. (1819) 356. t. 15.—Reg. Himal.  
*axillaris*, Dalz. & Gibs. Bomb. Fl. 155 = *Dalzellii*.  
*Baculum*, Harv. Thes. Cap. ii. 41 = *Atherstonei*.  
*Beddomei*, C. B. Clarke, in Hook. f. Fl. Brit. Ind. iv. 88.—Ind. or.  
*Benthami*, C. B. Clarke, l. c. 87.—Zeylan.  
*bicirrhosa*, Lesch. ex Roxb. Fl. Ind. ed. Carey, ii. 267 = *colubrina*.  
*bicolor*, Prog. in Kjoeb. Vidensk. Meddel. (1869) 31.—Bras.  
*brachiata*, Ruiz & Pav. Fl. Per. ii. 30. t. 157.—Peruv.  
*brasiliensis*, Benth. in Journ. Linn. Soc. i. (1856) 107, partim = *Martii*.  
*brasiliensis*, Mart. in Flora, xxiv. (1841) II. Beibl. 84.—Bras.  
*breviflora*, A. DC. in DC. Prod. ix. 15.—Bras.  
*brevifolia*, Spruce, ex Benth. in Journ. Linn. Soc. i. (1857) 106.—Bras.  
*Castelnaeana*, Baill. Adansonia, xii. (1879) 374 = *seq.*  
*Castelnaei*, Wedd. in Castel. Exp. Am. Sud. v. 22; ex Benth. in Journ. Linn. Soc. i. (1856) 108.—Bras.  
*chlorantha*, Prog. in Mart. Fl. Bras. vi. i. 273.—Costa Rica.  
*cinnamomea*, Thw. Enum. Pl. Zeyl. 425, sphalm. = *seq.*  
*cinnamomifolia*, Thw. l. c. 201.—Zeylan.  
*cirrhosa*, Stokes, Bot. Mat. Med. i. 414 = *colubrina*.  
*cogens*, Benth. in Hook. Journ. Bot. iii. (1841) 241.—Guian.  
*colubrina*, Auct. ex DC. Prod. ix. 15 = *ligustrina*.  
*colubrina*, Blume, Rumphia, i. 70 = *Rheedei*.  
*colubrina*, Linn. Sp. Pl. 189.—Ind. or.  
*colubrina*, Stokes, Bot. Mat. Med. i. 414 (Quid?).—Hab.?  
*colubrina*, Wall. Cat. nn. 4455, 1589 = *Beddomei*, *cinnamomifolia*.  
*coriacea*, Thw. Enum. Pl. Zel. 425 = *Beddomei*.  
*Crevauxiana*, Baill. Adansonia, xii. (1879) 377.—Guian.  
*Crevauxii*, G. Planch. in Journ. Pharm. et Chim. (1880), reimpr. 25 = *præc.*  
*Curare*, Benth. in Journ. Linn. Soc. i. (1856) 108.—Am. trop.  
*Dalzellii*, C. B. Clarke, in Hook. f. Fl. Brit. Ind. iv. 87.—Ind. or.  
*darienensis*, Seem. in Bot. Voy. Herald, 166.—Panama.

**STRYCHNOS:—**

- densiflora, *Baill. Adansonia*, xii. (1879) 369.—Afr. austr.  
 depauperata, *Baill. l. c.* 372.—Am. trop.  
 dysophylla, *Benth. in Journ. Linn. Soc. i.* (1856) 103.—Afr. austr.  
 Erichsonii, *Schomb. Faun. Fl. Brit. Gui.* 1082, nomen; *et ex Prog. in Mart. Fl. Bras. vi.* 1. 274.—Guian.  
 farinosa, *Blume, Rumphia*, i. 70.—Madag.  
 Gardneri, *A. DC. in DC. Prod. ix.* 14.—Bras.  
 Gaultheriana, *Pierre*, ex C. B. Clarke, in *Hook. f. Fl. Brit. Ind. iv.* 89=malaccensis.  
 Geoffraeana, *Baill. Adansonia*, xii. (1879) 378.—Bras.?  
 glabra, *Sagot, ex Prog. in Mart. Fl. Bras. vi.* 1. 275.—Guian.  
 Gomesiana, *Casar. Atti 3<sup>a</sup> Riun. Scient. Ital.* (1841) 515=triplinervia.  
 grandis, *Wall. Cat. n.* 4454=Anisophyllea grandis.  
 Grayi, *Griseb. in Mem. Am. Acad. N. S. viii.* (1862) 519.—Cuba.  
 Gubleri, *G. Planch. in Journ. Pharm. et Chim. v.* (1882) reimpr. 1.—Venezuela.  
 guineensis, *Thonn. ex Didr. in Kjoeb. Vidensk. Meddel.* (1854) 190=Landolphia scandens.  
 hachensis, *Karst. Fl. Columb. ii.* 75. t. 138.—N. Granat.  
 hirsuta, *Spruce, ex Benth. in Journ. Linn. Soc. i.* (1856) 106.—Bras.  
 Horsfieldiana, *Miq. Fl. Ind. Bat. ii.* 379.—Java.  
 hypogyna, *C. B. Clarke, in Hook. f. Fl. Brit. Ind. iv.* 86.—Burma.  
 Icaja, *Baill. Adansonia*, xii. (1879) 368.—Afr. trop.  
 Ignatii, *Berg. Mat. Med. i.* 146.—Ins. Philipp.  
 innocua, *Delile, Cent. Pl. Méroë*, 53.—Nubia.  
 Jobertiana, *Baill. Adansonia*, xii. (1879) 367.—Bras.  
 lanceolaris, *Miq. Fl. Ind. Bat. Suppl.* 551.—Sumatra.  
 lanceolata, *Spruce, ex Benth. in Journ. Linn. Soc. i.* (1856) 105.—Bras.  
 laurina, *Thw. Enum. Pl. Zeyl.* 201=Beddomei.  
 laurina, *Wall. Cat. n.* 1591.—Ind. or.; Malaya.  
 ligustrina, *Blume, Rumphia*, i. 68. t. 25=S. Nux-vomica.  
 ligustrina, *Zipp. ex Span. in Linnaea*, xv. (1841) 325=colubrina.  
 Lokua, *A. Rich. Tent. Fl. Abyss. ii.* 52.—Abyss.  
 lucida, *R. Br. Prod.* 469.—Austral.  
 lucida, *Wall. Cat. n.* 1590=S. Nux-vomica, Wallichiana, macroacanthos, *Prog. in Mart. Fl. Bras. vi.* 1. 280. t. 82.—Bras.  
 madagascariensis, *Poir. Encyc. viii.* 696.—Madag.  
 madagascariensis, *Spreng. ex Baker, Fl. Maurit.* 235=spinosa.  
 Maingayi, *C. B. Clarke, in Hook. f. Fl. Brit. Ind. iv.* 88.—Malacca.  
 malaccensis, *Benth. in Journ. Linn. Soc. i.* (1856) 101.—Burma; Malaya.  
 marginata, *Benth. l. c.* 107.—Bras.  
 Martii, *Prog. in Mart. Fl. Bras. vi.* 1. 279.—Bras.  
 Medeola, *Sagot, ex Prog. l. c.* 282.—Am. trop.  
 Melinoniana, *Baill. in Bull. Soc. Linn. Par. i.* (1880) 256.—Guian.  
 micrantha, *Thw. Enum. Pl. Zeyl.* 425.—Zeylan.  
 minor, *Benth. in Journ. Linn. Soc. i.* (1856) 100=Benthami.  
 minor, *Blume, Rumphia*, i. 70=colubrina.  
 minor, *Dennst. Schluess. Hort. Malab.* 33.—Ind. or.  
 Mittscherlichii, *Schomb. Faun. Fl. Brit. Gui.* 950=smilacina.  
 monosperma, *Miq. Fl. Ind. Bat. ii.* 381.—Malaya.  
 monosperma, *Stokes, Bot. Mat. Med. i.* 415=potatorum.  
 multiflora, *Benth. in Journ. Linn. Soc. i.* (1856) 102.—Ins. Philipp.  
 muricata, *Kostel. Allg. Med.-Pharm. Flora*, iii. 1072=ligustrina.  
 nigricans, *Prog. in Mart. Fl. Bras. vi.* 1. 280. t. 79.—Bras.  
 nitida, *G. Don, Gen. Syst. iv.* 66=S. Nux-vomica, Wallichiana.  
 Nux-vomica, *Linn. Sp. Pl.* 189.—Ind. or.; Burma.  
 oblongifolia, *Hochst. in Flora*, xxvii. (1844) 827=Carissa oblongifolia.  
 ovalifolia, *Stokes, Bot. Mat. Med. i.* 412=S. Nux-vomica.  
 ovalifolia, *Wall. Cat. n.* 1592=laurina.  
 palembanica, *Miq. Fl. Ind. Bat. Suppl.* 551.—Sumatra.  
 panamensis, *Seem. Bot. Voy. Herald*, 166.—Panama.

**STRYCHNOS:—**

- paniculata, *Champ. ex Benth. in Hook. Kew Journ. v.* (1853) 56.—China.  
 parviflora, *Spruce, ex Benth. in Journ. Linn. Soc. i.* (1856) 107.—Bras.  
 parvifolia, *A. DC. in DC. Prod. ix.* 16.—Bras.  
 pedunculata, *Benth. in Journ. Linn. Soc. i.* (1856) 105.—Guian.  
 philippensis, *Blanco, Fl. Filip. ed. II.* 61=Ignatii.  
 Poeppigii, *Prog. in Mart. Fl. Bras. vi.* 1. 282.—Peruv.  
 potatorum, *Linn. f. Suppl.* 148.—Ind. or.; Burma.  
 Pseudo-china, *Benth. in Journ. Linn. Soc. i.* (1856) 104=seq.  
 Pseudo-quina, *A. St. Hil. in Mém. Mus. Par. ix.* (1822) 340.—Bras.  
 psilosperma, *F. Muell. Fragm. iv.* 44.—Austral.  
 pubescens, *C. B. Clarke, in Hook. f. Fl. Brit. Ind. iv.* 89.—Malacca.  
 randiaeformis, *Baill. in Bull. Soc. Linn. Par. i.* (1880) 246.—Afr. austr.  
 Rheedei, *C. B. Clarke, in Hook. f. Fl. Brit. Ind. iv.* 87.—Ind. or.  
 rhexioides, *Klotzsch, in Schomb. Faun. Fl. Brit. Gui.* 1144, nomen.—Guian.  
 rondeletioides, *Spruce, ex Benth. in Journ. Linn. Soc. i.* (1856) 104.—Bras.  
 Rouhamon, *Benth. l. c.* 106.—Am. trop.  
 rubiginosa, *A. DC. in DC. Prod. ix.* 16.—Bras.  
 rufa, *C. B. Clarke, in Hook. f. Fl. Brit. Ind. iv.* 89.—Burma; Malacca.  
 scandens, *Schum. & Thonn. Beskr. Guin. Pl.* 127=Landolphia scandens.  
 Schomburgkiana, *Klotzsch, in Schomb. Faun. Fl. Brit. Gui.* 1144=pedunculata.  
 septemnervis, *C. B. Clarke, in Hook. f. Fl. Brit. Ind. iv.* 88.—Malacca.  
 smilacina, *Benth. in Journ. Linn. Soc. i.* (1856) 105.—Am. trop.  
 spinosa, *Lam. Illustr. ii.* 38.—Madag.  
 subcordata, *Spruce, ex Benth. in Journ. Linn. Soc. i.* (1856) 106.—Bras.  
 Telankotta, *J. F. Gmel. Syst.* 387, sphalm.=seq.  
 Tetankotta, *Retz. Obs. ii.* 12=potatorum.  
 Ticute, *Steud. Nom. ed. II.* ii. 648, err. typ.=seq.  
 Tieute, *Lesch. in Ann. Mus. Par. xvi.* (1810) 479, 480. t. 23.—Java.  
 tomentosa, *Benth. in Journ. Linn. Soc. i.* (1856) 104.—Guian.  
 toxifera, *Schomb. ex Benth. in Hook. Journ. Bot. iii.* (1841) 240; *et in Hook. Ic. Pl. tt.* 364–365.—Guian.  
 trinitensis, *Griseb. Fl. Brit. W. Ind.* 407.—Ind. occ.  
 triplinervia, *Mart. in Flora*, xxiv. (1841) ii. Beibl. 83.—Bras.  
 Unguacha, *A. Rich. Tent. Fl. Abyss. ii.* 52.—Abyss.  
 Vacacoua, *Baill. in Bull. Soc. Linn. Par. i.* (1880) 242.—Madag.  
 vestita, *Prog. in Kjoeb. Vidensk. Meddel.* (1869) 32.—Bras.  
 vomica, *St. Lag. in Ann. Soc. Bot. Lyon*, vii. (1880) 70=S. Nux-vomica.  
 Vuntak, *Boj. Hort. Maurit.* 205=spinosa.  
 Wallichiana, *Benth. in Journ. Linn. Soc. i.* (1856) 102.—Reg. Himal.  
 Wallichiana, *Steud. Nom. ed. II.* ii. 648=S. Nux-vomica, Wallichiana.  
 yapurensis, *G. Planch. in Journ. Pharm. et Chim. v.* (1882), reimpr. 12.—Ecuador.

STRYCHNUS, *Linn. Gen. ed. I.* 54 (1737)=præc.

- STRYPHODENDRON**, *Mart. in Flora*, xx. (1837) ii. Beibl. 117. **LEGUMINOSAE**, *Benth. & Hook. f. i.* 590.  
**FOLIANTHERA**, *Rafin. Sylva Tellur.* 120 (1838).  
 angustum, *Benth. in Trans. Linn. Soc. xxx.* (1875) 375; *et in Mart. Fl. Bras. xv.* ii. 287.—Bras.  
 Barbatimam, *Mart. in Flora*, xx. (1837) ii. Beibl. 117.—Bras.  
 coriaceum, *Benth. in Trans. Linn. Soc. xxx.* (1875) 373; *et in Mart. Fl. Bras. xv.* ii. 284.—Bras.  
 discolor, *Benth. in Hook. Journ. Bot. iv.* (1842) 342=rotundifolium.  
 floribundum, *Benth. l. c.* 343.—Bras.  
 guianense, *Benth. in Trans. Linn. Soc. xxx.* (1875) 374.—Guian.  
 inaequale, *Benth. l. c.*=microstachyum.

**STRYPHODENDRON:—**

- Melinonis, *Sagot, in Ann. Sc. Nat. Sér. VI.* xiii. (1882) 322.—Guian.  
 microstachyum, *Poepp. & Endl. Nov. Gen. et Sp.* iii. 82.—Bras.  
 obovatum, *Benth. in Trans. Linn. Soc. xxx.* (1875) 374; *et in Mart. Fl. Bras. xv.* ii. 286.—Bras.  
 paniculatum, *Poepp. & Endl. Nov. Gen. et Sp.* iii. 81. t. 291=Piptadenia Poeppigii.  
 polyphyllum, *Mart. in Flora*, xx. (1837) ii. Beibl. 117.—Bras.  
 rotundifolium, *Mart. l. c.*—Bras.

STRZELECKYA, *F. Muell. in Hook. Kew Journ.* ix. (1857) 308=**Flindersia**, *R. Br. (Meliac.)*.  
 dissosperma, *F. Muell. l. c.*=F. maculosa.

**STUARTIA**, *Linn. in Act. Soc. Upsal.* (1741) 79 (Stewartia). **TERNSTROEMACEAE**, *Benth. & Hook. f. i.* 185.

**MALACHODENDRON**, *Mitch. in Act. Phys.-Med. Acad. Nat. Cur.* (1748) App. 216; *Cav. Diss. v.* 302. t. 158 (1788).

**MALACHODENDRON**, *Pers. Syn. ii.* 260 (1807).  
 corchoroides, *Forsk. Fl. Aegypt. Arab.* 126=Sida spinosa.

dentata, *Nois. ex Steud. Nom. ed. I.* 815, nomen (Quid?).—Hab.?

grandiflora, *Carr. in Rev. Hort.* (1874) 399.—Japon.

grandiflora, *Siebold, ex Briot, in Rev. Hort.* (1879) 430=S. Pseudo-camellia.

Malacodendron, *Linn. Sp. Pl.* 698.—Am. bor.

marilandica, *Andr. Bot. Rep. t.* 397=S. Malacodendron.

monadelpha, *Maxim. in Bull. Acad. Pétersb.* xi. (1867) 430=serrata.

monadelpha, *Sieb. & Zucc. Fl. Jap. i.* 181. t. 96.—Japon.

montana, *Bartr. Trav. ed. II.* (1794) 332=pentagyna.

nobilis, *Salisb. Prod.* 386=S. Malacodendron.

pentagyna, *L'Hérit. Stirp. Nov.* 155. t. 74.—Am. bor.

Pseudo-camellia, *Maxim. in Bull. Acad. Pétersb.* xi. (1867) 429.—Japon.

serrata, *Maxim. l. c.* 430.—Japon.

virginica, *Cav. Diss. v.* 303. t. 159. f. 2=S. Malacodendron.

**STUARTINA**, *Sond. in Linnaea*, xxv. (1852) 521. **COMPOSITAE**, *Benth. & Hook. f. ii.* 300.

Muelleri, *Sond. l. c.* 522.—Austral.

**STUBENDORFFIA**, *Schrenk, ex Fisch. Mey. & Avé-Lall. Ind. Sem. Hort. Petrop. ix.* Suppl. 20 (1844).

**CRUCIFERAE**, *Benth. & Hook. f. i.* 89.

orientalis, *Schrenk, l. c.* 21.—Soongar.

**STUBENDORFIA**, *Walp. Rep. v.* 50 (1846), sphalm.=præc.

**STUPA**, *Aschers. Fl. Brandenb.* 812 (1864)=**Stipa**, *Linn. (Gramin.)*.

**STURMIA**, *Gaertn. f. Fruct. iii.* t. 192. f. 3 (1805)=**Antirrhoea**, *Comm. (Rubiace.)*.

lucida, *Gaertn. f. l. c.*=A. lucida.

**STURMIA**, *Hoppe, in Sturm, Deutschl. Fl. Heft.* vii. (1799)=**Mibora**, *Adans. (Gramin.)*.

minima, *Hoppe, l. c.*=M. verna.

verna, *Pers. Syn. i.* 76=M. verna.

**STURMIA**, *Reichb. in Moessl. Handb. ed. II.* ii. 1576 (1828)=**Liparis**, *Rich. (Orchid.)*.

abyssinica, *Reichb. f. in Walp. Ann.* iii. 527=L. abyssinica.

angustilabris, *F. Muell. Fragm. iv.* 164=L. reflexa.

arnoglossophylla, *Reichb. f. in Bonplandia*, iv. (1856) 217=L. arnoglossophylla.

bituberculata, *Reichb. f. l. c.* ii. (1854) 22=L. bituberculata, elata.

capensis, *Sond. in Linnaea*, xix. (1847) 71=L. capensis.

coelogynoides, *F. Muell. Fragm. ii.* 71=L. coelogynoides.

cuneilabris, *Benth. Fl. Austral. vi.* 273, sphalm.=L. reflexa.

elliptica, *Reichb. f. in Linnaea*, xxii. (1849) 833=L. elliptica.

habenarina, *F. Muell. Fragm. iv.* 131=L. habenarina.

## STURMIA:—

- Kappleri*, Reichb. f. in Linnaea, xxii. (1849) 833 = *Liparis Kappleri*.  
*lilifolia*, Reichb. f. in Walp. Ann. iii. 527 = *L. lilifolia*.  
*Loeselii*, Reichb. in Moesl. Handb. ed. II. ii. 1576 = *L. Loeselii*.  
*longipes*, Reichb. f. in Bonplandia, iii. (1855) 250 = *L. longipes*.  
*nervosa*, Reichb. f. l. c. = *L. nervosa*.  
*paludosa*, Reichb. in Moesl. Handb. ed. II. ii. 1576 = *Malaxis paludosa*.  
*reflexa*, F. Muell. Fragm. ii. 72 = *L. reflexa*.  
*Wageneri*, Reichb. f. in Bonplandia, iii. (1855) 73 = *L. Wageneri*.

STURTIA, R. Br. in Sturt, Exped. Centr. Austral. ii. App. 68 (1849) = *Gossypium*, Linn. (Malvac.).  
*gossypioides*, R. Br. l. c. = *G. Sturtii*.

STUTZERIA, F. Muell. Fragm. v. 31 (1865) = *Callicoma*, Andr. (Saxifr.).  
*callicomoides*, F. Muell. l. c. = *C. Stutzeri*.

STYGNANTHE, Hanst. in Linnaea, xxvi. (1853) 209 = *Columnnea*, Plum. (Gesner.).  
*moesta*, Hanst. l. c. = *C. moesta*.

STYLAGO, Salisb. Gen. Pl. Fragm. 127 (1866) = *Strumaria*, Jacq. (Liliac.).  
*rubella*, Salisb. l. c. 128 = *Strumaria rubella*.

STYLANDRA, Nutt. Gen. Am. i. 170 (1818) = *Podostigma*, Ell. (Asclep.).  
*pumila*, Nutt. l. c. = *P. pubescens*.

STYLANTHUS, Reichb. & Zoll. in Linnaea, xxviii. (1856) 312 = *Mallotus*, Lour. (Euphorb.).

STYLAPTERA, Benth. & Hook. f. Gen. iii. 202 (1880), sphalm. = seq.

STYLAPTERUS, A. Juss. in Ann. Sc. Nat. Sér. III. vi. (1846) 23. t. 1 = *Penaea*, Linn.  
*barbatus*, A. Juss. l. c. = *P. barbata*.  
*ericoides*, A. Juss. l. c. = *P. ericoides*.  
*fruticulosus*, A. Juss. l. c. = *P. fruticulosa*.

STYLOCARPA, Decne. & Planch. in Rev. Hortic. (1854) 105, sphalm. = *Stilbocarpa*, Decne. (Araliac.).

STYLEDIUM, Andr. Bot. Rep. t. 658 (1811?), sphalm. = *Stylidium*, Sw.

STYLESIA, Nutt. in Trans. Am. Phil. Soc. N. S. vii. (1841) 377 = *Bahia*, Lag. (Compos.).  
*ambrosioides*, Nutt. l. c. = *B. ambrosioides*.  
*puberula*, Nutt. l. c. 378. — Chili.

STYLEURODON, Rafin. Fl. Tellur. ii. 14 (1836) = *Verbena*, Linn.  
*carolinianum*, Rafin. l. c. = *V. carolina*.

STYLEXIA, Rafin. Fl. Tellur. iv. 121 (1836) = *Cayusea*, A. St. Hil. (Resed.).

STYLIDIUM, Lour. Fl. Cochinch. 220 (1790) = *Marlea*, Roxb. (Cornac.).  
*chinense*, Lour. l. c. 221 = *M. begonifolia*.  
*vitiense*, F. Muell. Census, 74 = *M. vitiensis*.

STYLIDIUM, Sw. in Ges. Naturf. Fr. Berl. Mag. i. (1807) 48. tt. 1, 2. *STYLIDIEAE*, Benth. & Hook. f. ii. [II.] 534.  
 ANDERSONIA, Koen. ex G. Don, Gen. Syst. iii. 721 (1834).  
 CANDOLLEA, Labill. in Ann. Mus. Par. vi. (1805) 453.  
 FORSTERIOPSIS, Sond. in Lehm. Pl. Preiss. i. 393 (1845).  
 VENTENATIA, Sm. Exot. Bot. ii. 13 (1806).  
*aciculare*, Sond. in Lehm. Pl. Preiss. i. 373 = *lineare*.  
*adnatum*, R. Br. Prod. 572. — Austral.  
*adpressum*, Benth. Fl. Austral. iv. 22. — Austral.  
*affine*, Sond. in Lehm. Pl. Preiss. i. 371 = *redu-plicatum*.  
*alsinoides*, R. Br. Prod. 572. — Austral.  
*amoenum*, R. Br. l. c. 570. — Austral.

## STYLIDIUM:—

*androsaceum*, DC. Prod. vii. 783 = *guttatum*.  
*androsaceum*, Lindl. Swan River App. 29 = *calcaratum*.  
*Armeria*, Labill. Nov. Holl. Pl. ii. 66. t. 216 = *gramini-folium*.  
*armerium*, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 135 = *praeac*.  
*articulatum*, R. Br. Prod. 570. — Austral.  
*assimile*, R. Br. l. c. 569. — Austral.  
*Barleei*, F. Muell. Fragm. vi. 5. t. 69. — Austral.  
*bellidifolium*, Sond. in Lehm. Pl. Preiss. i. 376 = *spathulatum*.  
*bicolor*, Lindl. Swan River App. 28 = *piliferum*.  
*brachyphyllum*, Sond. in Lehm. Pl. Preiss. i. 386. — Austral.  
*breviscapum*, R. Br. Prod. 572. — Austral.  
*Brunonianum*, Benth. in Enum. Pl. Hueg. 72. — Austral.  
*Brunonis*, Griff. Notul. iv. 275 = *Kunthii*.  
*bryoides*, F. Muell. Fragm. vi. 91 = *pedunculatum*.  
*bulbiferum*, Benth. in Enum. Pl. Hueg. 73. — Austral.  
*buxifolium*, Hort. Belv. ex Steud. Nom. ed. I. 818, nomen (Quid?) — Austral.?  
*caespitosum*, R. Br. Prod. 569. — Austral.  
*calcaratum*, R. Br. l. c. 570. — Austral.  
*canaliculatum*, Lindl. Swan River App. 29. — Austral.  
*canaliculatum*, Poir. Encyc. Suppl. v. 412 = *gramini-folium*.  
*capillare*, R. Br. Prod. 570. — Austral.  
*caricifolium*, Lindl. Swan River App. 28 = *redupli-catum*.  
*carnosum*, Benth. in Enum. Pl. Hueg. 71. — Austral.  
*caulescens*, Lindl. Swan River App. 29; DC. Prod. vii. 782 = *amoenum*.  
*cicatricosum*, Sond. in Lehm. Pl. Preiss. i. 390 = *fasciculatum*.  
*ciliatum*, Lindl. Swan River App. 28. — Austral.  
*compressum*, Lindl. l. c. 29 = *Brunonianum*.  
*corymbosum*, Benth. in Enum. Pl. Hueg. 72 = *pul-chellum*.  
*corymbosum*, R. Br. Prod. 571. — Austral.  
*crassifolium*, R. Br. l. c. — Austral.  
*crossocephalum*, F. Muell. Fragm. vi. 5. — Austral.  
*debile*, F. Muell. l. c. i. 149. — Austral.  
*despectum*, R. Br. Prod. 571. — Austral.  
*dichotomum*, DC. Prod. vii. 783. — Austral.  
*Dicksoni*, Hort. ex W. Baxt. in Loud. Hort. Brit. Suppl. iii. 645 = *pilosum*.  
*diffusum*, R. Br. Prod. 571. — Austral.  
*dispermum*, F. Muell. Fragm. iv. 93. — Austral.  
*diuroides*, Lindl. Swan River App. 29. — Austral.  
*divaricatum*, Sond. in Lehm. Pl. Preiss. i. 385 = *streptocarpum*.  
*diversifolium*, R. Br. Prod. 570. — Austral.  
*Drummondii*, R. Grah. in Edinb. N. Phil. Journ. (1840-41) 208 = *reduplicatum*.  
*eglandulosum*, F. Muell. Fragm. i. 150. — Austral.  
*elongatum*, Benth. Fl. Austral. iv. 11. — Austral.  
*emarginatum*, Sond. in Lehm. Pl. Preiss. i. 383. — Austral.  
*eriopodium*, DC. Prod. vii. 784 = *breviscapum*.  
*erlorhizum*, R. Br. Prod. 569. — Austral.  
*falcatum*, R. Br. l. c. 572. — Austral.  
*fasciculatum*, R. Br. l. c. — Austral.  
*fasciculatum*, Lindl. Bot. Reg. t. 1459 = *adnatum*.  
*fissilobum*, F. Muell. Fragm. i. 154. — Austral.  
*Floodii*, F. Muell. l. c. 149. — Austral.  
*floribundum*, R. Br. Prod. 569. — Austral.  
*fruticosum*, R. Br. l. c. 570 = *glandulosum*.  
*glandulosum*, Salisb. Parad. Lond. t. 77. — Austral.  
*glaucum*, R. Br. Prod. 569 = *rupestre*.  
*glaucum*, Labill. Nov. Holl. Pl. ii. 64. t. 214. — Austral.  
*graminifolium*, Sw. in Ges. Naturf. Fr. Berl. Mag. i. (1807) 49. — Austral.  
*guttatum*, R. Br. Prod. 571. — Austral.  
*hebegynum*, DC. Prod. vii. 782 = *reduplicatum*.  
*hirsutum*, R. Br. Prod. 568. — Austral.  
*hispidum*, Lindl. Swan River App. 29 = *ciliatum*.  
*Hookeri*, Planch. in Fl. des Serres, vi. (1850-51) 229 = *dichotomum*.  
*imbricatum*, Benth. in Enum. Pl. Hueg. 73. — Austral.  
*inundatum*, R. Br. Prod. 571 = *despectum*.  
*involutatum*, F. Muell. Fragm. i. 154 = *breviscapum*.  
*juncum*, R. Br. Prod. 569. — Austral.  
*Kunthii*, Wall. Cat. n. 3759. — Ind. or.; Burma.  
*laricifolium*, Rich. in Pers. Syn. ii. 210. — Austral.

## STYLIDIUM:—

*laricifolium*, Walp. Rep. ii. 704, sphalm. = *redu-plicatum*.  
*laxiflorum*, DC. Prod. vii. 782 = *scabridum*.  
*Lehmannianum*, Sond. in Lehm. Pl. Preiss. i. 375 = *rupestre*.  
*lepidum*, F. Muell. ex Benth. Fl. Austral. iv. 27. — Austral.  
*leptobotrydium*, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 135 = *seq.*  
*leptobotrys*, DC. Prod. vii. 783 = *crassifolium*.  
*leptocalyx*, Sond. in Lehm. Pl. Preiss. i. 373 = *sca-bridum*.  
*leptophyllum*, DC. Prod. vii. 783. — Austral.  
*leptorhizum*, F. Muell. Fragm. i. 148. — Austral.  
*leptostachyum*, Lindl. Swan River App. 28 = *car-nosum*.  
*Lessoni*, DC. Prod. vii. 337 = *falcatum*?  
*limbatum*, F. Muell. Fragm. x. 57. — Austral.  
*Lindleyanum*, Sond. in Lehm. Pl. Preiss. i. 390 = *calcaratum*.  
*lineare*, Sieber, ex DC. Prod. vii. 333 = *gramini-folium*.  
*lineare*, Sw. in Ges. Naturf. Fr. Berl. Mag. i. (1807) 50. t. I. f. 1. — Austral.  
*lineatum*, Sond. in Lehm. Pl. Preiss. i. 376. — Austral.  
*lobuliflorum*, F. Muell. Fragm. i. 153. — Austral.  
*longifolium*, Rich. in Pers. Syn. ii. 210 = *pilosum*.  
*longitubum*, Benth. in Enum. Pl. Hueg. 73. — Austral.  
*luteum*, R. Br. Prod. 570. — Austral.  
*marginatum*, Sond. in Lehm. Pl. Preiss. i. 379 = *diversifolium*.  
*melastachys*, R. Br. Prod. 568 = *graminifolium*.  
*mitrasacmoides*, F. Muell. Fragm. i. 150 = *alsinoides*.  
*mucronifolium*, Hook. Bot. Mag. t. 4538 = *dicho-tomum*.  
*mucronifolium*, Sond. in Lehm. Pl. Preiss. i. 383 = *leptophyllum*.  
*musciola*, F. Muell. Fragm. i. 153. — Austral.  
*nudum*, Lindl. Swan River App. 29 = *glaucum*.  
*obtusatum*, Sond. in Lehm. Pl. Preiss. i. 382 = *petiolare*.  
*pachyrhizum*, F. Muell. Fragm. i. 152. — Austral.  
*pedunculatum*, R. Br. Prod. 571. — Austral.  
*perminutum*, F. Muell. Fragm. vi. 78 = *perpusillum*.  
*perpusillum*, Hook. f. in Hook. Lond. Journ. Bot. vi. (1847) 266. — Austral.  
*petiolare*, Sond. in Lehm. Pl. Preiss. i. 382. — Austral.  
*piliferum*, R. Br. Prod. 569. — Austral.  
*pilosum*, Labill. Nov. Holl. Pl. ii. 63. t. 213. — Austral.  
*pilosum*, Sond. in Lehm. Pl. Preiss. i. 371 = *redu-plicatum*.  
*planifolium*, Poir. Encyc. Suppl. v. 412 = *lineare*.  
*plantagineum*, Sond. in Lehm. Pl. Preiss. i. 371 = *pilosum*.  
*polystachium*, Rich. in Pers. Syn. ii. 210 = *gramini-folium*?  
*Preissii*, F. Muell. Fragm. iii. 122. — Austral.  
*proliferum*, DC. Prod. vii. 783 = *bulbiferum*.  
*propinquum*, R. Br. Prod. 572 = *adnatum*.  
*pruinatum*, Sond. in Lehm. Pl. Preiss. i. 379 = *diversi-folium*.  
*pubigerum*, Sond. l. c. 383. — Austral.  
*pulchellum*, Sond. l. c. 381. — Austral.  
*pyncostachyum*, Lindl. Swan River App. 29. — Austral.  
*pygmaeum*, R. Br. Prod. 571. — Austral.  
*radicans*, Sond. in Lehm. Pl. Preiss. i. 381 = *repens*.  
*ramosum*, Willd. in Ges. Naturf. Fr. Berl. Mag. i. (1807) 57. — Hab.?  
*recurvum*, R. Grah. in Bot. Mag. t. 3913 = *bulbi-ferum*.  
*reduplicatum*, R. Br. Prod. 568. — Austral.  
*repens*, R. Br. l. c. 571. — Austral.  
*rhynchocarpum*, Sond. in Lehm. Pl. Preiss. i. 389. — Austral.  
*rigidulum*, Sond. l. c. = *streptocarpum*.  
*robustum*, Sond. l. c. 378. — Austral.  
*roseum*, Kurz, in Journ. As. Soc. Beng. xlv. (1876) II. 137 = *tenellum*.  
*rotundifolium*, R. Br. Prod. 571. — Austral.  
*rupestre*, Sond. in Lehm. Pl. Preiss. i. 375. — Austral.  
*saxifragoides*, Lindl. Swan River App. 28 = *ciliatum*.  
*scabridum*, Lindl. l. c. — Austral.



**STYLIDIUM** :—

scandens, *R. Br. Prod.* 570.—Austral.  
*scariosum*, DC. *Prod.* vii. 783 = *juncum*.  
*schizanthum*, *F. Muell. Fragm.* i. 152.—Austral.  
*schoenoides*, DC. *Prod.* vii. 782 = *reduplicatum*.  
*semipartitum*, *F. Muell. Fragm.* i. 147 = *leptorhizum*.  
*serrulatum*, Rich. in *Pers. Syn.* ii. 210 = *graminifolium*.  
*setaceum*, Labill. *Nov. Holl. Pl.* ii. 65 = *spinulosum*?  
*setigerum*, DC. *Prod.* vii. 782 = *ciliatum*.  
*sinicum*, Hance, in *Walp. Ann.* ii. 1030 = *uliginosum*.  
*soboliferum*, *F. Muell. in Hook. Kew Journ.* viii. (1856) 162.—Austral.  
*spathulatum*, *R. Br. Prod.* 569.—Austral.  
*spinulosum*, *R. Br. l. c.*—Austral.  
*squamulosum*, DC. *Prod.* vii. 782 = *caespitosum*.  
*stipitatum*, Benth. in *Enum. Pl. Hueg.* 72 = *Levenhookia stipitata*.  
*streptocarpum*, *Sond. in Lehm. Pl. Preiss.* i. 385.—Austral.  
*striatum*, *Lindl. Swan River App.* 28.—Austral.  
*subulatum*, *Hook. f. Handb. N. Zeal. Fl.* 168.—N. Zel.  
*sulcatum*, *Steud. Nom. ed. I.* 818; *ed. II. ii.* 649 = *falcatum*.  
*tenellum*, *R. Br. Prod.* 571 = *uliginosum*.  
*tenellum*, *Sw. in Ges. Naturf. Fr. Berl. Mag. i.* (1807) 51.—Ind. or.; Burma.  
*tenerrimum*, *F. Muell. Fragm.* i. 150.—Austral.  
*tenerum*, *Spreng. Syst.* iii. 749 = *uliginosum*.  
*tenuis*, *Sond. in Lehm. Pl. Preiss.* i. 380 = *Brunonianum*.  
*tenuifolium*, *R. Br. Prod.* 570 = *laricifolium*.  
*thesioides*, DC. *Prod.* vii. 783 = *canaliculatum*.  
*thyrsiforme*, DC. l. c. = *pycnostachyum*.  
*trichopodium*, *F. Muell. Fragm.* x. 86.—Austral.  
*uliginosum*, *Kurz, in Flora*, lv. (1872) 303 = *Kunthii*.  
*uliginosum*, *Sw. in Ges. Naturf. Fr. Berl. Mag. i.* (1807) 52.—As. et Austral. trop.  
*umbellatum*, *Labill. Nov. Holl. Pl.* ii. 66. t. 217 = *graminifolium*?  
*uniflorum*, *Sond. in Lehm. Pl. Preiss.* i. 381.—Austral.  
*utricularioides*, *Benth. in Enum. Pl. Hueg.* 73.—Austral.  
*verticillatum*, *F. Muell. Fragm.* iv. 94.—Austral.  
*violaceum*, *R. Br. Prod.* 569.—Austral.  
*Wightianum*, *Wall. Cat. n.* 3760 (*Quid?*).—Ind. or.

**STYLIMNUS**, *Rafin. in Journ. Phys.* lxxxix. (1819) 100 = **Pluchea**, *Cass. (Compos.)*.  
*maritimus*, *Rafin. ex DC. Prod.* v. 452 = *P. camphorata*.

**STYLIS**, *Poir. Encyc. Suppl.* v. 260 (1817) = **Marlea**, *Roxb. (Cornac.)*.  
*chinensis*, *Poir. l. c.* = *M. begonifolia*.

**STYLISMA**, *Rafin. Neogenyt.* 2 (1825) = **Breweria**, *R. Br. (Convolv.)*.  
*aquatica*, *Rafin. l. c.*; *Chapm. Fl. S. U. St.* 346 = *B. aquatica*.  
*elliptica*, *Rafin. New Fl. Am.* iv. 55 (*Quid?*).—Am. bor.  
*evolvuloides*, *Choisy, Conv. Rar.* 160 = *B. humistrata*.  
*heterophylla*, *Rafin. New Fl. Am.* iv. 54 (*Quid?*).—Am. bor.  
*humistrata*, *Chapm. Fl. S. U. St.* 346 = *B. humistrata*.  
*peduncularis*, *Rafin. New Fl. Am.* iv. 55 (*Quid?*).—Am. bor.  
*Pickeringii*, *A. Gray, Man. Bot. N. U. St. ed. II.* 335 = *B. Pickeringii*.  
*Sherardi*, *Rafin. New Fl. Am.* iv. 55; *Fl. Tellur.* iv. 83 (*Quid?*).—Am. bor.  
*tenella*, *Rafin. Neogenyt.* 2 = *B. humistrata*.

**STYLISMUS**, *Spach, Hist. Vég. Phan.* ix. 94 (1840) = *præc.*

**STYLISTA**, *Rafin. Sylva Tellur.* 112 (1838) = **Cleome**, *Linn. (Cappar.)*.

**STYLOBASIUM**, *Desf. in Mém. Mus. Par. v.* (1819) 37. t. 2. **ROSACEAE**, *Benth. & Hook. f. i.* 609.  
**MACROSTIGMA**, *Hook. Ic. Pl. t.* 412 (1842).  
*lineare*, *Nees, in Lehm. Pl. Preiss.* i. 95.—Austral.  
*spathulatum*, *Desf. in Mém. Mus. Par. v.* (1819) 37. t. 2.—Austral.

**STYLOCERAS**, *A. Juss. Euph. Tent.* 53. t. 17 (1824). **EUPHORBIACEAE**, *Benth. & Hook. f. iii.* 265.

*columnare*, *Muell. Arg. in DC. Prod.* xvi. i. 10.—Bolivia.  
*Dombeyanum*, *Baill. Etud. Gén. Euph.* 666; et *Monog. Bux.* 80 = *laurifolium*.  
*Kunthianum*, *A. Juss. Euph. Tent.* 117. t. 17. f. 56.—Ecuador.  
*laurifolium*, *H. B. & K. Nov. Gen. et Sp.* vii. 173. t. 638.—N. Granat.; Peruv.  
*macrostachyum*, *Poepp. ex Baill. Monog. Bux.* 81 = *Alchornea cordata*.  
*subrotundum*, *Poepp. ex Baill. Adansonia, v.* (1864–65) 240 = *Alchornea glandulosa*.

**STYLOCHITON**, *Lepr. in Ann. Sc. Nat. Sér. II. ii.* (1834) 184 (*Stylochaeton*). **AROIDEAE**, *Benth. & Hook. f. iii.* 969.  
*GUEINZIA*, *Sond. ex Schott, Aroideae*, 10 (1853).  
*hypogaeum*, *Lepr. in Ann. Sc. Nat. Sér. II. ii.* (1834) 185.—Afr. trop.  
*lancifolium*, *Kotschy & Peyr. Pl. Tinn.* 42. t. 20.—Afr. trop.  
*natalense*, *Schott, Aroideae*, 10. t. 14.—Afr. austr.

**STYLOCLINE**, *Nutt. in Trans. Am. Phil. Soc. N. S. vii.* (1841) 338. **COMPOSITAE** [*Benth. & Hook. f. ii.* 298].  
**ANCISTROCARPHUS**, *A. Gray, in Proc. Am. Acad.* vii. (1868) 355.  
*acaulis*, *Kellogg, in Proc. Calif. Acad.* vii. (1877) 112 = *Evax caulescens*.  
*filaginea*, *A. Gray, in Proc. Am. Acad.* viii. (1873) 652.—Am. bor. occ.  
*gnaphaloides*, *Nutt. in Trans. Am. Phil. Soc. N. S. vii.* (1841) 338.—Calif.  
*Griffithii*, *A. Gray, in Proc. Am. Acad.* viii. (1873) 652.—Afghan.  
*micropoides*, *A. Gray, Pl. Wright.* ii. 84.—Am. bor. occ.

**STYLOCORYNA**, *Cav. Ic.* iv. 45. t. 368 (1797) = **Randia**, *Houst. (Rubiaceae)*.  
*albituba*, *Miq. Fl. Ind. Bat. Suppl.* 541.—Sumatra.  
*attenuata*, *Voigt, Hort. Suburb. Calc.* 377 = *Tarenna zeylanica*.  
*auricularia*, *Wall. Cat. n.* 8402 = *Anomanthoda auriculata*.  
*bispinosa*, *Griff. Notul.* iv. 260 = *R. longiflora*.  
*brevifolia*, *Schlecht. ex Hook. f. Fl. Brit. Ind.* iii. 106 (= *Webera lucens*).—Ind. or.  
*buruensis*, *Miq. Ann. Mus. Bot. Lugd. Bat.* iv. 129.—Ins. Buru.  
*celebica*, *Miq. l. c.* 190.—Ins. Celebes.  
*coffeoides*, *A. Gray, in Proc. Am. Acad.* iv. (1859) 309 = *R. coffeoides* (in *Addend.*).  
*conferta*, *Benth. in Hook. Niger Fl.* 389 = *Tarenna conferta*.  
*coriacea*, *Korth. in Nederl. Kruidk. Arch.* ii. ii. (1851) 175.—Borneo.  
*corymbosa*, *Labill. Sert. Austro-Caled.* 48. t. 48 = *Olostyla corymbosa*.  
*costata*, *Miq. Fl. Ind. Bat.* ii. 203.—Sumatra.  
*cuspidata*, *E. Mey. ex Sond. in Harv. & Sond. Fl. Cap.* iii. 4.—Afr. austr.  
*dasyphylla*, *Miq. Fl. Ind. Bat.* ii. 205.—Sumatra.  
*densiflora*, *Steud. Nom. ed. II. ii.* 649 = *R. densiflora*.  
*dimorphophylla*, *Teysm. & Binn. in Tijdschr. Nederl. Ind.* xxv. (1863) 402 = *R. densiflora*.  
*elliptica*, *Thw. Enum. Pl. Zeyl.* 421 = *Byrsophyllum ellipticum*.  
*Forsteniana*, *Miq. Ann. Mus. Bot. Lugd. Bat.* iv. 191.—Ins. Celebes.  
*fragilis*, *D. Dietr. Syn. Pl. i.* 794 = *seq.*  
*fragrans*, *Blume, Bijdr.* 982 (= *Webera fragrans*).—Malaya.  
*grandiflora*, *Benth. in Hook. Niger Fl.* 390 = *Tarenna grandiflora*.  
*grandifolia*, *Miq. Fl. Ind. Bat. Suppl.* 540.—Sumatra.  
*Harveyi*, *A. Gray, in Proc. Am. Acad.* iv. (1859) 309.—Ins. Fiji.  
*hirsuta*, *Korth. in Nederl. Kruidk. Arch.* ii. ii. (1851) 175.—Java.  
*Junghuhniana*, *Miq. Ann. Mus. Bot. Lugd. Bat.* iv. 237.—Java?  
*lateriflora*, *Span. in Linnaea*, xv. (1841) 316.—Ins. Timor.

**STYLOCORYNA** :—

*laxiflora*, *Blume, Bijdr.* 983 (= *Webera fragrans*).—Malaya.  
*lucida*, *Miq. Fl. Ind. Bat. Suppl.* 541 (= *Webera fragrans*).—Malaya.  
*macrophylla*, *Bartl. ex DC. Prod.* iv. 377.—Ins. Philipp.  
*macrophylla*, *Wall. Cat. n.* 8405 = *Coptosapelta flavescent*.  
*malabarica*, *DC. Prod.* iv. 377 = *Randia malabarica*.  
*mollissima*, *Walp. Rep. ii.* 517 (= *Webera mollissima*).—China.  
*monosperma*, *Wight & Arn. Prod.* 401.—Ind. or.  
*nitidula*, *Benth. in Hook. Niger Fl.* 390 = *Tarenna nitidula*.  
*odorata*, *Steud. Nom. ed. II. ii.* 649 (= *Webera odorata*).—Ind. or.  
*oppositifolia*, *Steud. l. c.* = *R. densiflora*.  
*orophila*, *Miq. Ann. Mus. Bot. Lugd. Bat.* iv. 237.—Sumatra.  
*ovata*, *Miq. Fl. Ind. Bat.* ii. 203.—Java.  
*Pandaki*, *DC. Prod.* iv. 377 = *R. malabarica*.  
*pavettoides*, *Miq. Fl. Ind. Bat.* ii. 354.—Ins. Banca.  
*penangensis*, *Miq. l. c.* 206 (= *Webera odorata*).—Reg. Himal.; Penang.  
*pepericarpa*, *Benth. in Hook. Lond. Journ. Bot.* ii. (1843) 223.—Ins. Fiji.  
*polycarpa*, *Miq. Fl. Ind. Bat.* ii. 204.—Java.  
*pubescens*, *Bartl. ex DC. Prod.* iv. 377.—Ins. Philipp.  
*pubiflora*, *Decne. in Nouv. Ann. Mus. Par.* iii. (1834) 419.—Ins. Timor.  
*racemosa*, *Cav. Ic.* iv. 46. t. 368 = *R. racemosa*.  
*refracta*, *Miq. Fl. Ind. Bat.* ii. 204.—Java.  
*Rheedii*, *Kostel. Allg. Med.-Pharm. Fl.* ii. 576.—Malabar.  
*rigida*, *Wight, Ic.* t. 1064 = *Tarenna zeylanica*.  
*Roxburghii*, *Steud. Nom. ed. II. ii.* 649 (= *Webera odorata*).—Reg. Himal.; Penang.  
*sambucina*, *A. Gray, in Proc. Am. Acad.* iv. (1859) 309 (*Tarennae sp.*).—Ins. Pacif.  
*setigera*, *Walp. Ann.* ii. 793.—Sumatra.  
*subsessilis*, *A. Gray, in Mem. Am. Acad. N. S. vi.* (1858) 394.—Ins. Bonin.  
*tomentosa*, *Blume, Bijdr.* 983.—Java.  
*truncata*, *Wall. Cat. n.* 8403 = *Triseiadia truncata*.  
*Webera*, *Kurz, Andam. Rep. B.* 10 (= *Webera Kurzii*).—Ins. Andam. et Nicob.  
*Webera*, *A. Rich. in Mém. Soc. Hist. Nat. Par.* v. (1834) 248 = *Tarenna zeylanica*.  
*Webera*, *Wall. Cat. n.* 8401 = *Tarenna zeylanica* (et *Webera odorata*, *stellulata*, *Wallichii*, *campanuliflora*).—As. trop.

**STYLOCORYNE**, *Wight & Arn. Prod.* 400 (1834) = **Tarenna**, *Gaertn. (Rubiaceae)*.

**STYLODISCUS**, *Benn. Pl. Jav. Rar.* 133. t. 29 (1838) = **Bischofia**, *Blume (Euphorb.)*.  
*trifoliatus*, *Benn. l. c.* = *B. javanica*.

**STYLODON**, *Rafin. Neogenyt.* 2 (1825) = **Verbena**, *Linn.*  
*scabrum*, *Rafin. l. c.* = *V. carolina*.

**STYLOGLOSSUM**, *Breda, Orch. Kuhl. & Hass. t.* [7] (1827) = **Calanthe**, *R. Br. (Orchid.)*.  
*nervosa*, *Breda, l. c.* = *C. curculigoides*.

**STYLOGYNE**, *A. DC. in Ann. Sc. Nat. Sér. II. xvi.* (1841) 91 = **Ardisia**, *Sw. (Myrsin.)*.  
*Martiana*, *A. DC. l. c.* = *A. latipes*.

**STYLOLEPIS**, *Lehm. Sem. Hort. Hamb.* (1828) 17.—Cf. *Flora*, xii. (1829) i. Erg. 55 = **Podolepis**, *Labill. (Compos.)*.  
*gracilis*, *Lehm. l. c.* = *P. gracilis*.

**STYLOMECON**, *Benth. in Journ. Linn. Soc. v.* (1861) 74, lapsu = **HYLOMECON**, *Maxim. = Stylophorum*, *Nutt. (Papav.)*.

**STYLONCERUS**, *Spreng. Syst.* iii. 356 (1826) = **Angianthus**, *Wendl. (Compos.)*.  
*cylindræus*, *Steetz, in Lehm. Pl. Preiss.* i. 485 = *A. humifusus*.  
*humifusus*, *Spreng. Syst.* iii. 356 = *A. humifusus*.  
*multiflorus*, *Nees, in Lehm. Pl. Preiss.* ii. 244 = *Rutidosia Pumilo*.  
*suberectus*, *Steetz, l. c.* i. 436 = *A. humifusus*.

STYLOPAPPUS, Nutt. in Trans. Am. Phil. Soc. N. S. vii. (1841) 431 = *Troximon*, Nutt. (Compos.).  
*elatus*, Nutt. l. c. 433 = *T. Nuttallii*.  
*grandiflorus*, Nutt. l. c. 422 = *T. grandiflorum*.  
*laciniatum*, Nutt. l. c. = *T. laciniatum*.  
*Lessingii*, D. Dietr. Syn. Pl. iv. 1322 = *T. humile*.  
*pumilus*, D. Dietr. l. c. = *T. aurantiacum*.

STYLOPHORUM, Nutt. Gen. Am. ii. 7 (1818).  
 PAPAVERACEAE, Benth. & Hook. f. i. 52.  
 DICRANOSTIGMA, Hook. f. & Thoms. Fl. Ind. i. 255 (1855).  
 HYLOMECON, Maxim. in Mém. Sav. Etr. Pétersb. ix. (1858) (Prim. Fl. Amur.) 36. t. 3.  
*cambricum*, Spreng. Syst. ii. 570 = *Meconopsis cambrica*.  
*crassifolium*, Steud. Nom. ed. II. ii. 650 = *Meconopsis heterophylla*.  
*diphyllum*, Nutt. Gen. Am. ii. 7.—Am. bor.  
*heterophyllum*, Steud. Nom. ed. II. ii. 650 = *Meconopsis heterophylla*.  
*japonicum*, Miq. Ann. Mus. Bot. Lugd. Bat. iii. 11.—Japon.  
*lactucoides*, Baill. Hist. Pl. iii. 114.—Reg. Himal.  
*nepalense*, Spreng. Syst. iv. Cur. Post. 203 = *Meconopsis nepaulensis*.  
*ohiense*, Spreng. Syst. ii. 570 = *diphyllum*.  
*paniculatum*, G. Don, Gen. Syst. i. 135 = *Meconopsis nepaulensis*.  
*petiolatum*, Nutt. Gen. Am. ii. 8 = *diphyllum*.  
*simplicifolium*, Spreng. Syst. iv. Cur. Post. 203 = *Meconopsis simplicifolia*.

STYLOSANTHES, Sw. Prod. Veg. Ind. Occ. 108 (1788); et Fl. Ind. Occ. 1280. t. 25 (1806). *LEGUMINOSAE*, Benth. & Hook. f. i. 517.  
*angustifolia*, Vog. in Linnaea, xiii. (1838) 63.—Bras.  
*angustissima*, Klotzsch, in Schomb. Faun. Fl. Brit. Gui. 1200, nomen.—Guian.  
*aprica*, Span. in Linnaea, xv. (1841) 192 = *mucronata*.  
 Bojeri, Vog. in Linnaea, xii. (1838) 68.—Afr. trop.  
*bracteata*, Vog. l. c. 70.—Bras.  
*capitata*, Vog. l. c.—Bras.  
*elator*, Sw. in Vet. Acad. Handl. Stockh. (1789) 296. t. 11. f. 2.—Am. bor.  
*erecta*, Beauv. Fl. Owar. ii. 28. t. 77.—Afr. trop.  
*flavicans*, Baker, in Oliver, Fl. Trop. Afr. ii. 156.—Afr. trop.  
*glutinosa*, H. B. & K. Nov. Gen. et Sp. vi. 507. t. 595.—Mexic.  
*gracilis*, H. B. & K. l. c. t. 596.—N. Granat.  
*guianensis*, Sw. in Vet. Acad. Handl. Stockh. (1789) 296.—Guian.  
*guineensis*, G. Don, Gen. Syst. ii. 281.—Afr. trop.  
*guineensis*, Schum. & Thonn. Beskr. Guin. Pl. 357 = *erecta*.  
*hispida*, Michx. Fl. Bor. Am. ii. 75 = *elator*.  
*hispida*, Rich. in Act. Soc. Hist. Nat. Par. i. (1792) 112 = *guianensis*.  
*humilis*, H. B. & K. Nov. Gen. et Sp. vi. 506. t. 594.—Venezuela.  
*humilis*, Rich. ex Hemsl. Biol. Centr. Am. Bot. i. 272 = *procumbens*.  
*juncata*, Michx. in Mém. Soc. Phys. Genève. xxviii. (1883) n. vii. 19.—Paraguay.  
*leiocarpa*, Vog. in Linnaea, xii. (1838) 64.—Bras.  
*longiseta*, Michx. in Mém. Soc. Phys. Genève. xxviii. (1883) n. vii. 18.—Paraguay.  
*montevidensis*, Vog. in Linnaea, xii. (1838) 67.—Bras.  
*mucronata*, Willd. Sp. Pl. iii. 1166.—As. et Afr. trop.  
*procumbens*, Sw. Prod. Veg. Ind. Occ. 108.—Ind. occ.  
*rigida*, Spreng. Syst. iii. 310.—Bras.  
*ruellioides*, Mart. ex Benth. in Mart. Fl. Bras. xv. i. 90.—Bras.  
*scabra*, Vog. in Linnaea, xii. (1838) 69.—Am. trop.  
*setosa*, Harv. in Harv. & Sond. Fl. Cap. ii. 227 = *mucronata*.  
*surinamensis*, Miq. in Linnaea, xviii. (1844) 567 = *guianensis*.  
*tenuifolia*, G. Don, Gen. Syst. ii. 281 = *angustifolia*.  
*viscosa*, Sw. Prod. Veg. Ind. Occ. 108.—Am. trop.

STYLURUS, Rafin. Fl. Ludov. 27 (1817) = *Ranunculus*, Tourn.  
*filulosus*, Rafin. l. c. 28 = *R. multifidus*?

STYLURUS, Salisb. in Knight, Prot. 115 (1809) = *Grevillea*, R. Br. (1810) (Proteac.).  
*buxifolia*, Knight, l. c. 115 = *G. buxifolia*.  
*collina*, Knight, l. c. 116 = *G. buxifolia*.

STYLYPUS, Rafin. Neogenyt. 3 (1825) = *Geum*, Linn. (Rosac.).  
*vernus*, Rafin. l. c. = *G. vernum*.

STYPA, Garcke, Fl. Deutschl. ed. II. 367 (1851) = *Stipa*, Linn. (Gramin.).

STYPANDRA, R. Br. Prod. 278 (1810). *LILIA-CEAE*, Benth. & Hook. f. iii. 794.  
 STYPONEMA, Salisb. Gen. Pl. Fragm. 67 (1866).  
*caerulea*, R. Br. Prod. 279, in obs. = *Pasithea caerulea*.  
*caespitosa*, R. Br. l. c.—Austral.  
*coarctata*, R. Br. l. c. in obs. = *Excremis ramosa*.  
*frutescens*, Knowles & Westc. Flor. Cab. ii. (1838) 69 = *glaucia*.  
*glaucia*, R. Br. Prod. 279.—Austral.  
*grandiflora*, Lindl. Swan River App. 57 = *glaucia*.  
*imbricata*, R. Br. Prod. 279 = *glaucia*.  
*propinqua*, A. Cunn. in Hook. Bot. Mag. t. 3417 = *glaucia*.  
*scabra*, R. Br. Prod. 279 = *Agrostocrinum stypan-droides*.  
*scoparia*, Endl. in Lehm. Pl. Preiss. ii. 35 = *glaucia*.  
*umbellata*, R. Br. Prod. 279.—Austral.  
*virgata*, Endl. in Lehm. Pl. Preiss. ii. 35 = *glaucia*.

STYPHANIA, C. Muell. in Walp. Ann. vii. 66 (1868), sphalm. = *Stephania*, Lour. (Menisp.).

STYPHELIA, Sm. Spec. Bot. New Holl. 45. t. 14 (1793). *EPACRIDAE*, Benth. & Hook. f. ii. 610.  
 SOLENISCIA, DC. Prod. vii. 737 (1839).  
*abietina*, Labill. Nov. Holl. Pl. i. 48. t. 68 = *Cyathodes abietina*.  
*acerosa*, Soland. ex Gaertn. Fruct. ii. 78 = *Cyathodes acerosa*.  
*acicularis*, F. Muell. Census, 106 = *Leucopogon acicularis*.  
*acuminata*, Spreng. Syst. i. 659 = *Leucopogon acuminatus*.  
*adscendens*, R. Br. Prod. 537.—Austral.  
*affinis*, Spreng. Syst. i. 658 = *Leucopogon lanceolatus*.  
*aggregata*, Spreng. l. c. 657 = *Acrotriche aggregata*.  
*Allittii*, F. Muell. Fragm. vi. 34 = *Leucopogon Allittii*.  
*alternifolia*, Spreng. Syst. i. 655 = *Leucopogon alternifolius*.  
*amplexicaulis*, Rudge, in Trans. Linn. Soc. viii. (1807) 292. t. 8 = *Leucopogon amplexicaulis*.  
*androstoma*, F. Muell. Fragm. vi. 55 = *Cyathodes empetrifolia*.  
*angustifolia*, DC. Prod. vii. 735 = *laeta*.  
*apiculata*, Spreng. Syst. i. 656 = *Leucopogon apiculatus*.  
*appressa*, Spreng. l. c. 658 = *Leucopogon appressus*.  
*assimilis*, F. Muell. Census, 106 = *Leucopogon assimilis*.  
*attenuata*, F. Muell. l. c. 106 = *Leucopogon attenuatus*.  
*australis*, F. Muell. Fragm. vi. 43 = *Leucopogon australis*.  
*Baxteri*, F. Muell. l. c. 35 = *Astroloma Baxteri*.  
*biflora*, Spreng. Syst. i. 659 = *Leucopogon biflorus*.  
*Billardieri*, F. Muell. Fragm. vi. 43 = *Cyathodes glauca*.  
*blepharolepis*, F. Muell. l. c. 48 = *Leucopogon blepharolepis*.  
*blepharophylla*, F. Muell. l. c. 34 = *Leucopogon elegans*.  
*Bossiaea*, F. Muell. l. c. 47 = *Leucopogon Bossiaea*.  
*brachycephala*, F. Muell. l. c. 34 = *Leucopogon cucullatus*.  
*brachyloma*, F. Muell. l. c. 39 = *Brachyloma Preissii*.  
*bracteolaris*, F. Muell. Census, 106 = *Leucopogon bracteolaris*.  
*brevicuspis*, F. Muell. l. c. = *Leucopogon brevicuspis*.  
*breviflora*, F. Muell. l. c. 107 = *Leucopogon breviflorus*.  
*Brownii*, Spreng. Syst. v. 683 (Index) = *Leucopogon reflexus*.  
*Candolleana*, F. Muell. Fragm. vi. 38 = *Astroloma Candolleana*.  
*capitellata*, F. Muell. l. c. 31 = *Leucopogon capitellatus*.

STYPHELIA:—

*carinata*, Spreng. Syst. i. 658, partim = *Leucopogon carinatus*.  
*ciliata*, F. Muell. Fragm. vi. 42 = *Brachyloma ciliatum*.  
*collina*, Labill. Nov. Holl. Pl. i. 47. t. 65 = *Leucopogon collinus*.  
*compacta*, F. Muell. Census, 106 = *Leucopogon compactus*.  
*compacta*, Spreng. Syst. i. 657 = *Astroloma compactum*.  
*conanthes*, F. Muell. Fragm. vi. 30 = *Conostephium planifolium*.  
*concinna*, F. Muell. Census, 106 = *Leucopogon concinnus*.  
*concurva*, F. Muell. Fragm. vi. 36 = *Leucopogon concurvus*.  
*conferta*, F. Muell. Census, 106 = *Leucopogon confertus*.  
*Conostephium*, F. Muell. Fragm. vi. 40 = *Conostephium pendulum*.  
*conostephioides*, F. Muell. l. c. 34 = *Leucopogon conostephioides*.  
*cordata*, Labill. Nov. Holl. Pl. i. 46. t. 63 = *Acrotriche ovalifolia*.  
*cordata*, F. Muell. Census, 106 = *Leucopogon cordatus*.  
*cordifolia*, F. Muell. Fragm. viii. 54 = *Leucopogon cordifolius*.  
*corifolia*, F. Muell. Census, 105 = *Leucopogon corifolius*.  
*cornifolia*, Rudge, in Trans. Linn. Soc. viii. (1807) t. 9 = *Trochocarpa laurina*.  
*corynocarpa*, F. Muell. Census, 107 = *Leucopogon corynocarpus*.  
*costata*, F. Muell. in Wing's South. Sc. Record (April, (1885)).—Austral.  
*crassiflora*, F. Muell. Fragm. vi. 40 = *Leucopogon crassiflorus*.  
*crassifolia*, F. Muell. l. c. 33 = *Leucopogon crassifolius*.  
*cryptantha*, F. Muell. Census, 106 = *Leucopogon cryptanthus*.  
*cucullata*, Spreng. Syst. i. 656 = *Leucopogon cucullatus*.  
*cuneifolia*, F. Muell. Fragm. vi. 37 = *Astroloma compactum*.  
*Cunninghami*, F. Muell. l. c. 39 = *Melichrus urceolatus*.  
*cuspidata*, Spreng. Syst. i. 657 = *Leucopogon cuspidatus*.  
*cymbiformis*, F. Muell. Fragm. vi. 34 = *Leucopogon cymbiformis*.  
*Cymbula*, Spreng. Syst. iv. Cur. Post. 67 = *Leucopogon Cymbulae*.  
*daphnoides*, Sm. Spec. Bot. New Holl. 48 = *Brachyloma daphnoides*.  
*dealbata*, Spreng. Syst. i. 659 = *Cyathodes dealbata*.  
*deformis*, Spreng. l. c. 658 = *Leucopogon deformis*.  
*denticulata*, Spreng. l. c. = *Astroloma humifusum*.  
*denudata*, Spreng. Syst. iv. Cur. Post. 67 = *Leucopogon micropphyllus*.  
*depressa*, F. Muell. Fragm. vi. 42 = *Brachyloma depressum*.  
*depressa*, Spreng. Syst. i. 655 = *Acrotriche depressa*.  
*distans*, Spreng. l. c. = *Leucopogon distans*.  
*divaricata*, Spreng. l. c. 658 = *Acrotriche divaricata*.  
*Drummondii*, F. Muell. Fragm. vi. 37 = *Astroloma Drummondii*.  
*dura*, F. Muell. Census, 107 = *Leucopogon durus*.  
*elegans*, Sond. in Lehm. Pl. Preiss. i. 296 = *tenuiflora*.  
*elliptica*, Sm. Spec. Bot. New Holl. 49 = *Monotoca elliptica*.  
*empetrifolia*, F. Muell. in Papers Roy. Soc. Tasm. (1874) 86 = *Monotoca empetrifolia*.  
*Epacridis*, F. Muell. Fragm. vi. 38 = *Astroloma divaricatum*.  
*epacrioides*, Hort. ex G. Don, in Loud. Hort. Brit. 65, nomen (Quid?).—Austral.  
*ericoides*, Sm. Spec. Bot. New Holl. 48 = *Leucopogon ericoides*.  
*erubescens*, F. Muell. Fragm. vi. 33 = *Leucopogon Oxycedrus*.  
*esquamata*, Spreng. Syst. i. 658 = *Leucopogon esquamatus*.  
*exarrhena*, F. Muell. Fragm. vi. 31 = *pusilliflora*.  
*exolasia*, F. Muell. l. c. 34 = *Leucopogon exolasius*.  
*fasciculiflora*, F. Muell. l. c. viii. 55 = *Acrotriche fasciculiflora*.  
*fastigiata*, Spreng. Syst. iv. Cur. Post. 67 = *Leucopogon esquamata*.

**STYPHELIA :—**

- fibriata*, F. Muell. Census, 106 = *Leucopogon fibriatus*.  
*flavescens*, F. Muell. Fragm. vi. 33 = *Leucopogon flavescens*.  
*flexifolia*, Spreng. Syst. i. 659 = *Leucopogon flexifolius*.  
*florulenta*, F. Muell. Census, 106 = *Leucopogon florulentus*.  
*Fraseri*, F. Muell. Fragm. vi. 56 = *Leucopogon Fraseri*.  
*geissoloma*, F. Muell. l. c. 39 = *Brachyloma concolor*.  
*gibbosa*, F. Muell. Census, 106 = *Leucopogon gibbous*.  
*Gilbertii*, F. Muell. l. c. = *Leucopogon Gilbertii*.  
*glabella*, F. Muell. Fragm. vi. 32 = *Leucopogon phyllostachys*.  
*glabella*, Spreng. Syst. i. 655 = *Leucopogon glabellus*.  
*glacialis*, F. Muell. Census, 106 = *Leucopogon glacialis*.  
*glaucula*, Labill. Nov. Holl. Pl. i. 45. t. 61 = *Monotoca lineata*.  
*glaucescens*, Sieber, ex Spreng. Syst. iv. Cur. Post. 67 = *triflora*.  
*gnaphalioides*, F. Muell. Census, 106 = *Leucopogon gnaphalioides*.  
*Gnidium*, Vent. Jard. Malm. 23 = *Leucopogon Richii*.  
*gracilis*, Spreng. Syst. i. 658 = *Leucopogon gracilis*.  
*gracillima*, F. Muell. Fragm. vi. 34 = *Leucopogon gracillimus*.  
*grandiuscula*, F. Muell. l. c. 47 = *Leucopogon atherolepis*.  
*Hainesii*, F. Muell. l. c. iv. 96. t. 28. — Austral.  
*hirsuta*, F. Muell. l. c. vi. 31 = *Leucopogon hirsutus*.  
*hirtella*, F. Muell. Census, 107 = *Leucopogon hirtellus*.  
*Hookeri*, F. Muell. Fragm. vi. 44 = *Cyathodes ascendens*.  
*humifusa*, Pers. Syn. i. 174 = *Astroloma humifusum*.  
*imbricata*, Spreng. Syst. i. 656 = *Leucopogon imbricatus*.  
*interrupta*, Spreng. l. c. = *Leucopogon interruptus*.  
*involuta*, Spreng. l. c. 655 = *Pentachondra involu-crata*.  
*juniperina*, Pers. Syn. i. 174 = *Leucopogon juniperinus*.  
*laeta*, R. Br. Prod. 537. — Austral.  
*lanceolata*, Sm. Spec. Bot. New Holl. 49 = *Leucopogon lanceolatus*.  
*lasionema*, F. Muell. Fragm. vi. 40 = *Astroloma stomarrhena*.  
*lasiolepis*, F. Muell. Census, 106 = *Leucopogon lasiolepis*.  
*latifolia*, R. Br. Prod. 537 = *laeta*.  
*ledifolia*, F. Muell. Census, 107 = *Monotoca ledifolia*.  
*leptantha*, F. Muell. l. c. = *Leucopogon leptanthus*.  
*leptospermoides*, Spreng. Syst. i. 659 = *Leucopogon leptospermoides*.  
*Leucopogon*, F. Muell. Fragm. iv. 97. — Austral.  
*Lindleyi*, F. Muell. l. c. vi. 40 = *Conostephium minus*.  
*linifolia*, F. Muell. l. c. 36 = *Leucopogon melaleucoides*.  
*lissanthoides*, F. Muell. l. c. 33 = *Leucopogon cuneifolius*.  
*lobopogona*, F. Muell. l. c. 39 = *Brachyloma ericoides*.  
*longiflora*, F. Muell. l. c. viii. 54 = *Astroloma longiflorum*.  
*longifolia*, R. Br. Prod. 537. — Austral.  
*Macraei*, F. Muell. Fragm. vi. 46 = *Leucopogon Macraei*.  
*macrocalyx*, F. Muell. l. c. 37 = *Astroloma macrocalyx*.  
*malaica*, Spreng. Syst. iv. Cur. Post. 67 = *Leucopogon malayanus*.  
*margarodes*, Spreng. Syst. i. 657 = *Leucopogon margarodes*.  
*megacarpa*, F. Muell. Fragm. vi. 32 = *Leucopogon planifolius*.  
*melaleucoides*, F. Muell. l. c. iv. 97. — Austral.  
*Michiei*, F. Muell. l. c. vi. 80 = *Coleanthera myrtoides*.  
*microcalyx*, F. Muell. l. c. 37 = *Astroloma microcalyx*.  
*microdonta*, F. Muell. Census, 105 = *Astroloma microdonta*.  
*microphylla*, Spreng. Syst. i. 656 = *Leucopogon microphyllus*.  
*minutiflora*, F. Muell. Fragm. xi. 122 = *Monotoca tamariscina*.  
*Mitchellii*, F. Muell. Census, 107 = *Leucopogon Mitchellii*.

**STYPHELIA :—**

- montana*, F. Muell. Fragm. vi. 45 = *Lissanthe montana*, *Leucopogon Hookeri*.  
*multiflora*, Spreng. Syst. i. 658 = *Leucopogon multiflorus*.  
*mutica*, F. Muell. Fragm. vi. 45 = *Leucopogon muticus*.  
*neo-anglica*, F. Muell. Census, 107 = *Leucopogon neo-anglicus*.  
*obovata*, Labill. Nov. Holl. Pl. i. 48. t. 67 = *Leucopogon revolutus*.  
*oblecta*, F. Muell. Census, 107 = *Leucopogon oblectus*.  
*obtusata*, F. Muell. l. c. 106 = *Leucopogon obtusatus*.  
*Oldfieldii*, F. Muell. l. c. = *Leucopogon Oldfieldii*.  
*Oldfieldii*, F. Muell. l. c. 107 = *Leucopogon ovalifolius*.  
*oligarrhenoides*, F. Muell. Fragm. ix. 47 = *Monotoca oligarrhenoides*.  
*opponens*, F. Muell. l. c. vi. 48 = *Leucopogon opponens*.  
*oppositifolia*, F. Muell. l. c. 32 = *Leucopogon oppositifolius*.  
*ovalifolia*, Spreng. Syst. i. 656 = *Acrotriche ovalifolia*.  
*Oxycedrus*, Labill. Nov. Holl. Pl. i. 49. t. 69 = *Cyathodes acerosa*.  
*ozothamnoides*, F. Muell. Census, 106 = *Leucopogon ozothamnoides*.  
*pallida*, Spreng. Syst. i. 658 = *Astroloma pallidum*.  
*parviflora*, Andr. Bot. Rep. t. 287 = *Leucopogon Richei*.  
*parvifolia*, F. Muell. in Papers Roy. Soc. Tasm. (1874) 86 = *Cyathodes parvifolia*.  
*patula*, Spreng. Syst. i. 657 = *Acrotriche patula*.  
*pauciflora*, Spreng. l. c. 658 = *Leucopogon leptospermoides*.  
*pendula*, Spreng. l. c. 657 = *Leucopogon pendulus*.  
*pentapogona*, F. Muell. Fragm. vi. 36 = *Astroloma microphyllum*.  
*phyllostachys*, F. Muell. Census, 106 = *Leucopogon phyllostachys*.  
*pinifolia*, Spreng. Syst. i. 659 = *Astroloma pinifolium*.  
*platyphylla*, F. Muell. Fragm. vi. 37 = *Astroloma tectum*.  
*pleiosperma*, F. Muell. l. c. 41 = *Leucopogon pleiospermus*.  
*pleurandroides*, F. Muell. l. c. 32 = *Leucopogon pleurandroides*.  
*plumiflora*, F. Muell. l. c. 29 = *Leucopogon plumiflorus*.  
*pluriloculata*, F. Muell. l. c. 32 = *Leucopogon pluriloculatus*.  
*pogonocalyx*, F. Muell. Census, 107 = *Leucopogon pogonocalyx*.  
*polymorpha*, F. Muell. Fragm. vi. 31 = *Leucopogon polymorphus*.  
*polystachys*, Spreng. Syst. i. 659 = *Leucopogon polystachys*.  
*Preissii*, F. Muell. Fragm. vi. 40 = *Conostephium Preissii*.  
*procumbens*, Pers. Syn. i. 174 = *Melichrus rotatus*.  
*propinqua*, Spreng. Syst. i. 658 = *Leucopogon propinquus*.  
*prostrata*, F. Muell. Census, 105 = *Astroloma prostratum*.  
*pulchella*, F. Muell. Fragm. vi. 34 = *Leucopogon pulchellus*.  
*pumila*, Spreng. Syst. i. 656 = *Pentachondra pumila*.  
*pungens*, F. Muell. Fragm. vi. 34 = *Leucopogon propinquus*.  
*pusilliflora*, F. Muell. l. c. iv. 105. — Austral.  
*racemulosa*, F. Muell. l. c. vi. 33 = *Leucopogon racemulosus*.  
*ramiflora*, F. Muell. l. c. vi. 44 = *Acrotriche fasciculiflora*.  
*ramiflora*, Spreng. Syst. i. 659 = *Acrotriche ramiflora*.  
*reflexa*, Rudge, in Trans. Linn. Soc. x. (1811) 296. t. 19 = *Leucopogon collinus*?  
*reflexa*, Spreng. Syst. i. 655 = *Leucopogon reflexus*.  
*revoluta*, Spreng. l. c. 657 = *Leucopogon revolutus*.  
*Richei*, Labill. Nov. Holl. Pl. i. 44. t. 60 = *Leucopogon Richei*.  
*rotata*, F. Muell. Fragm. vi. 38 = *Melichrus rotatus*.  
*rotundifolia*, F. Muell. l. c. 45 = *Leucopogon cordifolius*.  
*rotundifolia*, Spreng. Syst. i. 655 = *Leucopogon rotundifolius*.

**STYPHELIA :—**

- rubicunda*, F. Muell. Fragm. vi. 31 = *Leucopogon rubicundus*.  
*rubricaulis*, Spreng. Syst. i. 656 = *Leucopogon revolutus*.  
*rudis*, F. Muell. Fragm. vi. 32 = *Leucopogon assimilis*.  
*rufa*, F. Muell. l. c. 46 = *Leucopogon rufus*.  
*ruscifolia*, Spreng. Syst. i. 656 = *Leucopogon ruscifolius*.  
*sapida*, F. Muell. Fragm. vi. 42 = *Lissanthe sapida*.  
*scoparia*, Sm. Spec. Bot. New Holl. 49 = *Monotoca scoparia*.  
*semiopposita*, F. Muell. Fragm. vi. 49 = *Leucopogon elatior*.  
*serrulata*, Labill. Holl. Pl. Nov. i. 45. t. 62 = *Acrotriche serrulata*.  
*setigera*, Spreng. Syst. i. 658 = *Leucopogon setiger*.  
*Sonderi*, F. Muell. Fragm. vi. 36 = *Astroloma conostephoides*.  
*splendens*, Hort. ex Planch. in Fl. des Serres, x. (1854-55) 129 = *Astroloma divaricatum*.  
*sprengelioides*, F. Muell. Census, 106 = *Leucopogon sprengelioides*.  
*spuria*, Poir. Encyc. vii. 485 = *Leucopogon ericoides*.  
*squarrosa*, F. Muell. Fragm. vi. 31 = *Leucopogon squarrosus*.  
*straminea*, Spreng. Syst. i. 656 = *Cyathodes straminea*.  
*striata*, Spreng. l. c. = *Leucopogon striatus*.  
*stricta*, F. Muell. Census, 107 = *Leucopogon strictus*.  
*strigosa*, Sm. Spec. Bot. New Holl. 49 = *Lissanthe strigosa*.  
*strongylophylla*, F. Muell. Fragm. vi. 33 = *Leucopogon strongylophyllus*.  
*subulifolia*, F. Muell. l. c. = *Leucopogon insularis*.  
*tamariscina*, Spreng. Syst. i. 656 = *Leucopogon tamariscinus*.  
*Tameiameiae*, F. Muell. Fragm. vi. 55 = *Cyathodes Tameiameiae*.  
*tecta*, Spreng. Syst. i. 657 = *Astroloma tectum*.  
*tenuiflora*, Benth. Fl. Austral. iv. 148. — Austral.  
*tenuifolia*, Lindl. Swan River App. 25, sphalm. = *præc.*  
*tenuis*, F. Muell. Census, 106 = *Leucopogon tenuis*.  
*tetragona*, F. Muell. Fragm. vi. 31 = *Leucopogon tetragonus*.  
*thymifolia*, F. Muell. Census, 106 = *Leucopogon thymifolius*.  
*triandra*, Spreng. Syst. iv. Cur. Post. 67 = *triflora*.  
*trichocarpa*, Labill. Nov. Holl. Pl. i. 47. t. 66 = *Leucopogon ericoides*.  
*triflora*, Andr. Bot. Rep. t. 72. — Austral.  
*trochocarpoides*, F. Muell. Papuan Pl. 107. — N. Guin.  
*tubiflora*, Sm. Spec. Bot. New Holl. 45. t. 14. — Austral.  
*unilateralis*, F. Muell. Census, 106 = *Leucopogon unilateralis*.  
*urceolata*, F. Muell. Fragm. vi. 38 = *Melichrus urceolatus*.  
*variifolia*, F. Muell. l. c. 32 = *Leucopogon glabellus*.  
*verticillata*, Spreng. Syst. i. 656 = *Leucopogon verticillatus*.  
*villosa*, Dryand. in Kon. & Sims, Ann. Bot. ii. (1806) 513 = *Leucopogon juniperinus*.  
*villosa*, Spreng. Syst. i. 657 = *Leucopogon revolutus*?  
*virgata*, Labill. Nov. Holl. Pl. i. 46. t. 64 = *Leucopogon virgatus*.  
*viridiflora*, R. Br. Prod. 537 = *viridis*.  
*viridis*, Andr. Bot. Rep. t. 312. — Austral.  
*Woodsii*, F. Muell. Census, 107 = *Leucopogon Woodsii*.  
*xerophylla*, F. Muell. Fragm. vi. 38 = *Astroloma xerophyllum*.

**STYPHNOLOBIUM**, Schott, in Wien. Zeitschr. iii. (1830) 844; ex Endl. in Linnaea, vi. (1831) Litt. 54 = **Sophora**, Linn. (Legumin.).  
*affine*, Walp. Rep. i. 807 = *Sophora affine*.  
*japonicum*, Schott, in Wien. Zeitschr. iii. (1830) 844; ex Endl. in Linnaea, vi. (1831) Litt. 55 = *Sophora japonica*.

**STYPHONIA**, Medic. in Staatsw. Vorles. Churpf. Phys.-Oek. Ges. i. 230 (1791); Phil. Bot. ii. 70 (1791) = **Lavandula**, Tourn. (Labiata.).

STYPHONIA, Nutt. in Torr. et Gray, Fl. N. Am. i. 220 (1838) = *Rhus*, Tourn. (Anacard.).  
*atra*, Nutt. l. c. = *Oncocarpus vitiensis*,  
*integrifolia*, Nutt. l. c. = *R. integrifolia*.  
*mollis*, Nutt. l. c. = *R. mollis*.  
*serrata*, Nutt. l. c. = *R. integrifolia*.

STYPONEMA, Salisb. Gen. Pl. Fragm. 67 (1866) =  
*Stypandra*, R. Br. (Liliac.).

STYRANDRA, Rafin. in Am. Monthly Mag. (1818)  
 266 = *Maianthemum*, Weber (Liliac.).  
*bifolia*, Rafin. Med. Fl. ii. 84 = *M. Convallaria*.  
*canadensis*, Rafin. in Am. Monthly Mag. (1818) 266  
 = *M. Convallaria*.

STYRAX, [Tourn.] Linn. Syst. ed. I (1735); Gen.  
 ed. I. 143 (1737). STYRACEAE, Benth. & Hook. f.  
 ii. 669.

BENZON, Hayne, Arzn. Gew. xi. t. 24 (1829).  
 CYRTA, Lour. Fl. Cochinch. 278 (1790).  
 EPIGENIA, Vell. Fl. Flum. 183 (1825); iv. tt. 137,  
 138 (1827).  
 FOVEOLARIA, Ruiz & Pav. Prod. 57. t. 9 (1794),  
 partim.  
 STRIGILIA, Cav. Diss. vii. 358. t. 201 (1789).  
 TREMANTHUS, Pers. Syn. i. 467 (1805).  
 TRICHOGAMILA, P. Br. Hist. Jamaic. 218 (1756).  
*acuminatum*, Pohl, Pl. Bras. Ic. ii. 58. t. 138.—Bras.  
*agreste*, G. Don, Gen. Syst. iv. 5.—Cochinch.  
*album*, Mart. ex Spreng. Syst. ii. 285.—Bras.  
*alutaceum*, Seub. in Mart. Fl. Bras. vii. 190.—Bras.  
*ambiguum*, Seub. l. c. 192.—Bras.  
*americanum*, Lam. Encyc. i. 82.—Am. bor.  
*angustifolium*, Buc'hoz, Herb. Am. t. 26.—Hab. ?  
*argenteum*, Presl, Rel. Haenk. ii. 60.—Mexic.  
*aureum*, Mart. Reise Bras. i. 551 = *Pamphilia aurea*.  
*barbatum*, Willd. ex Seub. in Mart. Fl. Bras. vii. 188  
 = *glabrum*.  
*benjuiferum*, Stokes, Bot. Mat. Med. ii. 517 =  
*S. Benzoin*.  
*Benzoin*, Dryand. in Phil. Trans. lxxvii. (1787) ii.  
 308. t. 12.—Malaya.  
*californicum*, Torr. in Smithson. Contrib. vi. (1854) 4.  
 —Calif.  
*camporum*, Pohl, Pl. Bras. Ic. ii. 53. t. 136.—Bras.  
*Candollei*, Seub. in Mart. Fl. Bras. vii. 189.—Bras.  
*chrysasterum*, Pohl, Pl. Bras. Ic. ii. 59. t. 139.—Bras.  
*cordatum*, A. DC. in DC. Prod. viii. 267.—Peruv.  
*cotinifolium*, Salisb. Prod. 286 = *officinale*.  
*crotonoides*, C. B. Clarke, in Hook. f. Fl. Brit. Ind.  
 iii. 589.—Singapore.  
*crymophyllum*, G. Don, Gen. Syst. iv. 5, sphalm. =  
*erymophyllum*.  
*ellipticum*, Fungh. & De Vriese, in De Vriese, Pl.  
 Nov. Ind. Batav. fasc. i. (1845) 10.—Sumatra.  
*erymophyllum*, Pohl, Pl. Bras. Ic. ii. 57. t. 137 =  
*glabratum*.  
*ferrugineum*, Nees & Mart. in Nov. Act. Nat. Cur. xi.  
 i. (1823) 88.—Bras.  
*ferrugineum*, Pohl, Pl. Bras. Ic. ii. 55. t. 135 = *Pohl.*  
*Finlaysonianum*, Wall. Cat. n. 4403.—Siam ?  
*floribundum*, Griff. Notul. iv. 287 = *serrulatum*.  
*floridum*, Pohl, Pl. Bras. Ic. ii. 54. t. 134.—Bras.  
*fulvum*, Klotzsch, ex A. DC. in DC. Prod. viii. 264 =  
*longiflorum*.  
*Gardnerianum*, A. DC. l. c. 263.—Bras.  
*glabratum*, Schott, in Spreng. Syst. iv. App. 406.—  
 Bras.  
*glabrescens*, Benth. Pl. Hartw. 66.—Mexic.  
*glabrum*, Cav. Diss. vii. 340. t. 188. f. 1 = *americanum*.  
*glabrum*, Sw. Prod. Veg. Ind. Occ. 74.—Am. trop.  
*grandiflorum*, J. F. Gmel. Syst. 1633, sphalm. =  
*grandifolium*.  
*grandiflorum*, Griff. Notul. iv. 287 = *serrulatum*.  
*grandifolium*, Ait. Hort. Kew. ed. I. ii. 75.—Am. bor.  
*guineense*, G. Don, Gen. Syst. iv. 5.—Afr. trop.  
*guyanense*, A. DC. in DC. Prod. viii. 261 = *glabrum*.  
*Hookeri*, C. B. Clarke, in Hook. f. Fl. Brit. Ind. iii.  
 589.—Reg. Himal.  
*japonicum*, Sieb. & Zucc. Fl. Jap. i. 53. t. 23.—Japon.  
*japurense*, Mart. ex Seub. in Mart. Fl. Bras. vii. 188 =  
*glabrum*.  
*javanicum*, Blume, Bijdr. 671 = *Marlea begoniaefolia*.  
*Klotzschii*, Seub. in Mart. Fl. Bras. vii. 194.—Bras.  
*laeve*, Walt. Fl. Carol. 140 = *americanum*.  
*laevigatum*, Ait. Hort. Kew. ed. I. ii. 75 = *americanum*.  
*laevigatum*, Sims, Bot. Mag. t. 921 = *pulverulentum*.

## STYRAX:—

*lanceifolium*, Klotzsch, ex Seub. in Mart. Fl. Bras. vii.  
 191.—Bras.  
*latifolium*, Pohl, Pl. Bras. Ic. ii. 60. t. 140.—Bras.  
*leiophyllum*, Miers, in Lindl. Veg. Kingd. 593.—Bras.  
*leprosum*, Hook. & Arn. in Hook. Journ. Bot. i. (1834)  
 282.—Bras.  
*Limoncillo*, Miers, in Journ. Linn. Soc. xvii. (1879) 292  
 = *Symplocos martinicensis*.  
*longiflorum*, A. DC. in DC. Prod. viii. 264.—Bras.  
*macrophyllum*, Schott, in Spreng. Syst. iv. App. 405,  
 nomen; et ex Pohl, Pl. Bras. Ic. ii. 61. t. 141.—Bras.  
*Martii*, Seub. in Mart. Fl. Bras. vii. 194.—Bras.  
*nervosum*, A. DC. in DC. Prod. viii. 263 = *ferru-*  
*gineum*.  
*Obassia*, Sieb. & Zucc. Fl. Jap. i. 93. t. 46.—Japon.  
*obliquinervium*, A. DC. in DC. Prod. viii. 263 =  
*chrysasterum* ?  
*oblongum*, A. DC. l. c. 261.—Peruv.  
*obtusifolium*, Griseb. Cat. Pl. Cub. 167.—Cuba.  
*occidentale*, Thunb. Diss. Styr. 8 = *glabrum*.  
*octandrum*, L'Hérit. ex Ait. Hort. Kew. ed. I. ii. 75 =  
*americanum*.  
*odoratissimum*, Champ. ex Benth. in Hook. Kew  
 Journ. iv. (1852) 304 = *Finlaysonianum*.  
*officinale*, Linn. Sp. Pl. 444.—Europ. austr.; As. Min.  
*officinale*, Walt. Fl. Carol. 140 = *grandifolium*.  
*officinatum*, Crantz, Inst. ii. 382 = *officinale*.  
*ovale*, Klotzsch, ex Seub. in Mart. Fl. Bras. vii. 194 =  
*Klotzschii*.  
*ovatum*, A. DC. in DC. Prod. viii. 267.—Peruv.  
*pallidum*, A. DC. l. c. 261.—Guian.  
*parvifolium*, Herb. Berol. ex A. DC. l. c. 263 =  
*floridum*.  
*parvifolium*, Pohl, Pl. Bras. Ic. ii. 53. t. 133.—Bras.  
*pauciflorum*, A. DC. in DC. Prod. viii. 265.—Bras.  
*Pavonii*, A. DC. l. c. 266.—Peruv.  
*Pentlandianum*, Remy, in Ann. Sc. Nat. Sér. III. viii.  
 (1847) 229.—Bolivia.  
*platnifolium*, Engelm. ex Torr. in Smithson. Contrib.  
 vi. (1854) 4, in nota.—Texas.  
*Pohl.*, A. DC. in DC. Prod. viii. 264.—Bras.  
*polyspermum*, C. B. Clarke, in Hook. f. Fl. Brit. Ind.  
 iii. 590.—Reg. Himal.  
*Porterianum*, Wall. Cat. n. 4401 = *serrulatum*.  
*psilophyllum*, A. DC. in DC. Prod. viii. 266.—Guian.  
*pulverulentum*, Michx. Fl. Bor. Am. ii. 41.—Am. bor.  
*punctatum*, A. DC. in DC. Prod. viii. 264.—Bras.  
*racemosum*, A. DC. l. c. 265.—Peruv.  
*reticulatum*, Mart. Reise Bras. i. 550 = *ferrugineum*.  
*rigidum*, Salisb. Prod. 286 = *americanum*.  
*Rossamala*, Reinw. ex Steud. Nom. ed. II. ii. 651,  
 nomen = *Marlea begoniaefolia* ?  
*rugosum*, Kurz, in Journ. As. Soc. Beng. xl. (1871)  
 ii. 61.—Burma.  
*serrulatum*, Roxb. Hort. Beng. 33; Fl. Ind. ii. 415.—  
 Reg. Himal.; Burma; China.  
*subcordatum*, Moric. Pl. Nouv. Am. 117. t. 71.—Bras.  
*subdentulatum*, Miq. Fl. Ind. Bat. Suppl. 474.—  
 Sumatra.  
*suberifolium*, Hook. & Arn. Bot. Beech. Voy. 196. t. 40.  
 —China.  
*subleprosum*, Klotzsch, in Schomb. Faun. Fl. Brit.  
 Gui. 1087, nomen.—Guian.  
*subpaniculatum*, Fungh. & De Vriese, in De Vriese, Pl.  
 Nov. Ind. Batav. fasc. i. (1845) 9. t. 3.—Sumatra.  
*tinifolium*, G. Don, Gen. Syst. iv. 5 = *Clethra tini-*  
*folia*.  
*tomentosum*, Humb. & Bonpl. Pl. Aequin. ii. 72. t. 101.  
 —Ecuador.  
*tomentosum*, Spreng. Syst. iv. App. 405 = *macro-*  
*phyllum*.  
*varians*, Seub. in Mart. Fl. Bras. vii. 189 = *chrysa-*  
*sterum*.  
*villosum*, Blume, Bijdr. 671.—Java.  
*virgatum*, Wall. Cat. n. 4400 = *serrulatum*.

STYROSINIA, Rafin. Fl. Tellur. ii. 95 (1836) = *Ges-*  
*neria*, Linn.  
*coccinea*, Rafin. l. c. 96 = *G. aggregata*.

SUAEDA, Forsk. Fl. Aegypt. Arab. 69. t. 18 B  
 (1775). CHENOPODIACEAE, Benth. & Hook. f.  
 iii. 66.  
*BELOVIA*, Moq. in DC. Prod. xiii. ii. 168 (1849).  
*BREZIA*, Moq. l. c. 167 (1849).  
*CALVELIA*, Moq. l. c. (1849).  
 CHENOPODINA, Moq. l. c. 159 (1849).

## SUAEDA:—

COCHLIOSPERMUM, Lag. Mem. Pl. Barill. 58 (1817).  
 DONDIA, Adans. Fam. ii. 261 (1763), nomen prius.  
 EINADIA, Rafin. Fl. Tellur. iv. 121 (1836).  
 LERCHEA, Hall. Hort. Gotting. 21 (1743).  
 SCHANGINIA, C. A. Mey. in Ledeb. Fl. Alt. i. 394  
 (1829).  
 SCHOBERIA, C. A. Mey. l. c. 395 (1829).  
 SEVADA, Moq. in DC. Prod. xiii. ii. 154 (1849).  
 TRIKALIS, Rafin. Fl. Tellur. iii. 47 (1836).  
*acuminata*, Moq. in Ann. Sc. Nat. Sér. I. xxiii. (1831)  
 306.—Rossia.  
*aestuarina*, Dum. in Bull. Soc. Bot. Belg. vii. (1868)  
 328 = *maritima*.  
*africana*, Hort. ex Moq. in DC. Prod. xiii. ii. 158 =  
*Salsola aphylla*.  
*albida*, Pall. Illustr. Pl. 53. t. 45 = *Kochia hirsuta*.  
*altissima*, Pall. l. c. 49. t. 42.—Europ. austr.; As. occ.  
*ampullacea*, Bunge, in Bull. Acad. Pétersb. xxv. (1879)  
 360.—Mongolia.  
*anonyma*, J. F. Gmel. Syst. 503 (Quid ?).—Reg.  
 Arab.  
*arcuata*, Bunge, in Mém. Sav. Etr. Pétersb. vii. (1851)  
 461.—Turkest.  
*asphaltica*, Boiss. Fl. Orient. iv. 938.—Palaest.  
*australis*, Moq. in Ann. Sc. Nat. Sér. I. xxiii. (1831)  
 318.—As.; Austral.; Polynes.  
*baccata*, Forsk. Fl. Aegypt. Arab. 69.—Aegypt.  
*baccifera*, Pall. Illustr. Pl. 48. t. 41.—Ross. mer.  
*bacciformis*, Dum. in Bull. Soc. Bot. Belg. vii. (1868)  
 328 = *maritima*.  
*Balansae*, Boiss. Diagn. Ser. II. iv. 75 = *setigera*.  
*Biebersteinia*, C. Koch, in Linnaea, xvii. (1843) 312 =  
*microphylla*.  
*calceoliformis*, Moq. Chenop. Enum. 128.—Am. bor.  
*californica*, Nutt. ex Moq. in DC. Prod. xiii. ii. 161 =  
*maritima*.  
*californica*, S. Wats. in Proc. Am. Acad. ix. (1874) 89.  
 —Calif.  
*chenopodioides*, Pall. Illustr. Pl. 56 = *maritima*.  
*cinerea*, Schur, Enum. Pl. Transs. 570 = *Kochia*  
*scoparia*.  
*Clemente*, Heynh. Nom. ii. 712 = *setigera*.  
*corniculata*, Bunge, in Act. Hort. Petrop. vi. (1879)  
 429.—Tibet.; Soongar.; Sibir.  
*crassifolia*, Heynh. Nom. ii. 712 = *maritima*.  
*crassifolia*, Pall. Illustr. Pl. 54. t. 46 = *Kochia hirsuta*.  
*dendroides*, Moq. Chenop. Enum. 126.—Reg. Caucas.  
*depressa*, S. Wats. Bot. King's Exped. 294 = *plattensis*.  
*diffusa*, S. Wats. in Proc. Am. Acad. ix. (1874) 88.—  
 Am. bor. occ.  
*divaricata*, Moq. Chenop. Enum. 123.—Chili.  
*filiformis*, Dum. Fl. Belg. 22 = *maritima*.  
*foetida*, Moq. Chenop. Enum. 132.—Hab. ?  
*foliosa*, Moq. in DC. Prod. xiii. ii. 156.—Peruv.  
*fruticosa*, Delile, Fl. Aeg. Illustr. 57 = *monoica*.  
*fruticosa*, Dum. Fl. Belg. 22 = *fruticosa*.  
*fruticosa*, Forsk. Fl. Aegypt. Arab. 70.—Reg. bor.  
 temp.  
*fruticosa*, Hook. & Arn. Bot. Beech. Voy. 387 =  
*Torreyana*.  
*fruticulosa*, Moq. Chenop. Enum. 132.—Reg. Ural.  
*glaucia*, Bunge, in Bull. Acad. Pétersb. xxv. (1879) 362  
 = *Stauntoni*.  
*gracilis*, Moq. Chenop. Enum. 123 = *setigera*.  
*Helenae*, Moq. in DC. Prod. xiii. ii. 158.—Ins. S.  
 Helen.  
*heterocarpa*, Fenzl, in Ledeb. Fl. Ross. iii. 781.—  
 Reg. Caucas.; Persia.  
*heterophylla*, Bunge, in Act. Hort. Petrop. vi. (1879)  
 429; Boiss. Fl. Orient. iv. 943 = *Afghan*; Sibir.  
*hirsuta*, Reichb. Fl. Germ. Excurs. 580 = *Kochia*  
*hirsuta*.  
*hortensis*, Forsk. Fl. Aegypt. Arab. 70.—Aegypt.  
*hyssopifolia*, Pall. Illustr. Pl. 44. t. 36 = *Kochia*  
*hyssopifolia*.  
*indica*, Moq. in Ann. Sc. Nat. Sér. I. xxiii. (1831) 316  
 = *nudiflora*.  
*indica*, Seem. Bot. Voy. Herald, 406 = *australis*.  
*intermedia*, S. Wats. in Proc. Am. Acad. xiv. (1879)  
 296.—Am. bor. occ.  
*Jacquinii*, Dum. in Bull. Soc. Bot. Belg. vii. (1868)  
 329 = *maritima*.  
*Kareliniana*, Fenzl, in Ledeb. Fl. Ross. iii. 789.—  
 Sibir. altaic.  
*Kochii*, Todaro, ex Nym. Consp. 630 = *maritima*.  
*laxifolia*, Lowe, in Trans. Camb. Phil. Soc. vi. (1838)  
 reimp. 11 = *fruticosa*.



**SUAEDA :—**

- leiosperma*, Moq. in Ann. Sc. Nat. Sér. I. xxiii. (1831) 306 = *altissima*.  
*linearis*, Moq. *Chenop. Enum.* 130.—Am. bor.; Cuba.  
*linifolia*, Pall. *Illustr. Pl.* 47. t. 40.—Ross. mer. or.  
*longifolia*, C. Koch, in *Linnaea*, xxii. (1849) 188 = *setigera*.  
*macrocarpa*, Moq. in Ann. Sc. Nat. Sér. I. xxiii. (1831) 309 = *maritima*.  
*maritima*, Dum. *Fl. Belg.* 22.—Reg. temp. bor. et austr.  
*maritima*, S. Wats. in Bot. King's Exped. 294 = *diffusa*.  
*maxima*, C. Koch, in *Linnaea*, xvii. (1843) 312 = *altissima*.  
*microphylla*, C. Koch. l. c. = *dendroides*.  
*microphylla*, Moq. *Chenop. Enum.* 127 = *microphylla*.  
*microphylla*, Pall. *Illustr. Pl.* 52. t. 44.—Reg. Caucas.; Sibir.  
*microsperma*, Fenzl, in *Ledeb. Fl. Ross.* iii. 785.—Soongaria; Tibet.  
*minima*, Fenzl, l. c. 789.—Sibir. altaic.  
*minutiflora*, S. Wats. in *Proc. Am. Acad.* xviii. (1883) 194.—Calif.  
*mollis*, Delile, *Fl. Aegypt. Illustr.* 57 = *vermiculata*.  
*monantha*, C. Koch, in *Linnaea*, xvii. (1843) 313 = *setigera*.  
*monoica*, Forsk. *Fl. Aegypt. Arab.* 70.—Afr. bor.; As. occ.; Ind. or.  
*monoica*, Schimp. ex Boiss. *Fl. Orient.* iv. 986 = *baccata*.  
*muricata*, Pall. *Illustr. Pl.* 43. t. 35 = *Kochia muricata*.  
*nudiflora*, Moq. in Ann. Sc. Nat. Sér. I. xxiii. (1831) 316.—Ind. or.  
*nudiflora*, Moq. in DC. *Prod.* xiii. II. 155 = *maritima*.  
*nudiflora*, Thw. *Enum. Pl. Zeyl.* 246 = *monoica*.  
*obtusifolia*, Trautv. in *Bull. Soc. Nat. Mosc.* xi. (1867) II. 62.—Turkestan.  
*occidentalis*, S. Wats. in *Proc. Am. Acad.* ix. (1874) 90.—Am. bor. occ.  
*Pallasiana*, Heynh. *Nom.* ii. 712 = *Kochia hirsuta*.  
*paradoxa*, Bunge, in *Act. Hort. Petrop.* vi. (1879) 427.—Bokhara.  
*parvifolia*, Moq. *Chenop. Enum.* 131 = *microsperma*.  
*physophora*, Pall. *Illustr. Pl.* 51. t. 43.—Reg. Casp.; Persia; As. bor.  
*pinnatifida*, Delile, *Desc. Egypt.* 57. n. 298 = *Salsola pinnatifida*.  
*plattensis*, Nutt. ex Moq. in DC. *Prod.* xiii. II. 164, in syn.—Am. bor. occ.  
*platyphylla*, Ehrenb. ex Boiss. *Fl. Orient.* iv. 986 = *baccata*.  
*prostrata*, Pall. *Illustr. Pl.* 55. t. 47 = *microsperma*.  
*pruinosa*, Lange, in Kjoeb. *Vidensk. Meddel.* (1861) 45 = *vera*.  
*Przewalskii*, Bunge, in *Bull. Acad. Petersb.* xxv. (1879) 360.—Mongolia.  
*pterantha*, Bunge, in *Act. Hort. Petrop.* vi. (1879) 430.—Soongar.  
*puberula*, Moq. *Chenop. Enum.* 122.—Hab.?  
*pygmaea*, Moq. l. c. 127.—Hab.?  
*Rosmarinus*, Ehrenb. ex Boiss. *Fl. Orient.* iv. 951 = *Seidlitzia Rosmarinus*.  
*salsa*, Pall. *Illustr. Pl.* 46. t. 39.—Reg. Caucas.; Sibir.  
*sedifolia*, Pall. l. c. 41. tt. 32–34 = *Kochia sedoides*.  
*sedoides*, Steud. *Nom. ed.* II. ii. 651, sphalm. = *praec.*  
*setifera*, Willk. & Lange, *Prod. Fl. Hisp.* i. 257 = *Halogeton sativus*.  
*setigera*, Moq. in Ann. Sc. Nat. Sér. I. xxiii. (1831) 309.—Reg. Mediterr.; As. occ.  
*Sieversiana*, Pall. *Illustr. Pl.* 45. t. 38 = *Kochia scoparia*.  
*spicata*, Moq. in Ann. Sc. Nat. Sér. I. xxiii. (1831) 317 = *maritima*.  
*splendens*, Gren. & Godr. *Fl. Fr.* iii. 30 = *setigera*.  
*Stauntonii*, Moq. *Chenop. Enum.* 131.—China.  
*suffrutescens*, S. Wats. in *Proc. Am. Acad.* ix. (1874) 88.—Am. bor. occ.  
*tamariscina*, Lindl. in Mitch. *Journ. Trop. Austral.* 239 = *Enchylaena microphylla*.  
*tomentosa*, Lowe, in *Trans. Camb. Phil. Soc.* vi. (1838), reimp. 12 = *Chenolea canariensis*.  
*Torreyana*, S. Wats. in *Proc. Am. Acad.* ix. (1874) 88.—Am. bor. occ.

**SUAEDA :—**

- tortuosa*, Moq. *Chenop. Enum.* 131.—N. Zel.  
*transoxana*, Boiss. *Fl. Orient.* iv. 943 = *pterantha*.  
*triandra*, Henck. *Adumbr. Hort. Hal.* 21 = *Kochia hyssopifolia*.  
*trigyna*, Heynh. *Nom.* ii. 640, in syn.—Hab.?  
*vera*, Forsk. *Fl. Aegypt. Arab.* 69.—Reg. Mediterr.  
*vermiculata*, Forsk. l. c. 70.—Afr. bor.; Arab.  
*villosa*, Lowe, ex Moq. in DC. *Prod.* xiii. II. 129 = *Chenolea canariensis*.  
*SUARDA*, Nocca, ex Steud. *Nom. ed.* II. ii. 651 (1841) = *Eugenia*, Mich. (Myrtac.).  
*ligustrifolia*, Nocca, ex Steud. l. c. = *E. baruensis*.  
*SUARDIA*, Schrank, *Pl. Rar. Hort. Monac.* t. 58 (1819) = *Melinis*, Beauv. (Gramin.).  
*picta*, Schrank, l. c. = *M. minutiflora*.  
*SUBERTIA*, Wood, in *Proc. Acad. Nat. Sc. Philad.* 1868 (1869) 172, sphalm. = *SEUBERTIA*, Kunth = *Brodiaea*, Sm. (Liliac.).  
*SUBLIMIA*, Comm. ex Mart. *Hist. Nat. Palm.* iii. 164 (1836 ?) = *Hyophorbe*, Gaertn. (Palm.).  
*aevidaps*, Comm. ex Mart. l. c. 176 = *H. amari-caulis*.  
*amaricaulis*, Comm. ex Mart. l. c. 309 = *H. amari-caulis*.  
*Areca*, Comm. ex Mart. l. c. 169 = *Areca Catechu*.  
*centennina*, Comm. ex Mart. l. c. 174 = *Acantho-phoenix crinita*.  
*palmicaulis*, Comm. ex Mart. l. c. 175 = *Dictyosperma album*.  
*vilicaulis*, Comm. ex Mart. l. c. 164 = *H. indica*.  
*SUBRISIA*, Rafin. *Sylva Tellur.* 43 (1838) = *Ehretia*, Linn. (Borag.).  
*petiolaris*, Rafin. l. c. = *E. petiolaris*.  
*SUBULARIA*, Forsk. *Fl. Aegypt. Arab.* 117 (1775) = *Schouwia*, DC. (Crucif.).  
*purpurea*, Forsk. l. c. = *Schouwia arabica*.  
*SUBULARIA*, Ray, ex Linn. *Syst. ed.* I (1735). *CRUCIFERAE*, Benth. & Hook. f. i. 83.  
*alpina*, Willd. *Sp. Pl.* iii. 424 = *Arabis vochinensis*.  
*aquatica*, Linn. *Sp. Pl.* 642.—Europ.; Am. bor.  
*monticola*, A. Br. ex Schweinf. *Beitr. Fl. Aethiop.* 76.—Abyss.  
*repens*, Pritz. *Ic. Ind.* 1082, sphalm. = *Littorella juncea*.  
*SUCCISA*, Neck. *Elem.* i. 109 (1790); Wallr. *Sched. Crit.* 46, in syn. (1822) = *Cephalaria*, Schrad. et *Scabiosa*, Tourn. (Dipsac.).  
*alpina*, Moench, *Meth.* 488 = *C. alpina*.  
*altissima*, Schur, *Enum. Pl. Transs.* 297 = *Sc. Succisa*.  
*ambrosioides*, Spreng. *Syst.* i. 379 = *C. comiculata*.  
*amplexicaulis*, Spreng. l. c. = *Sc. amplexicaulis*.  
*angustula*, Jord. & Fourr. *Brev. Pl. Nov. fasc.* ii. 49 = *Sc. Succisa*.  
*arvensis*, Rafin. *Fl. Tellur.* iv. 94 = *Sc. arvensis*.  
*atropurpurea*, Moench, *Meth.* 490 = *Sc. australis*.  
*aurigerana*, Jord. & Fourr. *Brev. Pl. Nov. fasc.* ii. 51 = *Sc. Succisa*.  
*australis*, Reichb. *Fl. Germ. Excurs.* 196 = *Sc. australis*.  
*beugesia*, Jord. & Fourr. *Brev. Pl. Nov. fasc.* ii. 51 = *Sc. Succisa*.  
*bipinnata*, Moench, *Meth.* 489 = *Sc. gramuntia*.  
*brevis*, Jord. & Fourr. *Brev. Pl. Nov. fasc.* ii. 49 = *Sc. Succisa*.  
*cagiriensis*, Jeanb. & Timb. in *Bull. Soc. Phys. et Nat. Toul.* iii. (1875–76) 580 = *Sc. Succisa*.  
*centauroides*, Spreng. *Syst.* i. 379 = *C. corniculata*.  
*ciliata*, Rafin. *Fl. Tellur.* iv. 94 = *Sc. ciliata*.  
*Columbaria*, Moench, *Meth.* 489 = *Sc. Columbaria*.  
*corniculata*, Sweet, *Hort. Brit. ed.* I. 204 = *C. corniculata*.  
*cretacea*, Reichb. *Ic. Fl. Germ.* xii. 23. t. 701 = *C. corniculata*.  
*cuspidata*, Jord. *Brev. Pl. Nov. fasc.* ii. 54 = *Sc. Succisa*.  
*decurrens*, Spreng. *Syst.* i. 379 = *C. attenuata*.  
*dentata*, Jord. & Fourr. *Brev. Nov. fasc.* ii. 54 = *Sc. Succisa*.  
*dichotoma*, Rafin. *Fl. Tellur.* iv. 94 = *Sc. dichotoma*.

**SUCCISA :—**

- diversifolia*, Spreng. *Neue Entdeck.* i. 279 = *Scabiosa banatica*.  
*elliptica*, Jeanb. & Timb. in *Bull. Soc. Sc. Phys. et Nat. Toul.* iii. (1875–76) 579 = *Sc. Succisa*.  
*Fuchsii*, S. F. Gray, *Nat. Arr. Brit. Pl.* ii. 476 = *Sc. Succisa*.  
*fuscescens*, Jord. & Fourr. *Brev. Pl. Nov. fasc.* ii. 48 = *Sc. Succisa*.  
*Fussiana*, Heuff. ex Schur, *Enum. Pl. Transs.* 293 = *C. radiata*.  
*gigantea*, Jeanb. & Timb. in *Bull. Soc. Sc. Phys. et Nat. Toul.* iii. (1875–76) 579 = *Sc. Succisa*.  
*glabrata*, Jord. & Fourr. *Brev. Pl. Nov. fasc.* ii. 54 = *Sc. Succisa*.  
*glabrata*, Sweet, *Hort. Brit. ed.* I. 204 = *Sc. Succisa*.  
*gracilescens*, Jord. & Fourr. *Brev. Pl. Nov. fasc.* ii. 50 = *Sc. Succisa*.  
*graminifolia*, Moench, *Meth. Suppl.* 185 = *Sc. graminifolia*.  
*humilis*, Spreng. *Syst.* i. 379 = *C. attenuata*.  
*incisa*, Jord. & Fourr. *Brev. Pl. Nov. fasc.* ii. 51 = *Sc. Succisa*.  
*inflexa*, Schur, *Enum. Pl. Transs.* 298 = *Sc. australis*.  
*joppica*, Spreng. *Syst.* i. 378 = *C. joppensis*.  
*laetevirens*, Jord. & Fourr. *Brev. Pl. Nov. fasc.* ii. 53 = *Sc. Succisa*.  
*laevigata*, Spreng. *Syst.* i. 379 = *C. corniculata*.  
*lancifolia*, Moench, *Meth.* 488 = *C. syriaca*.  
*leucantha*, Moench, l. c. 489 = *C. leucantha*.  
*macrocalycina*, Moench, l. c. = *Sc. ucranica*.  
*microcephala*, Jord. & Fourr. *Brev. Pl. Nov. fasc.* ii. 56 = *Sc. Succisa*.  
*microcephala*, Willk. in *Flora*, xxxiv. (1851) 740 = *Sc. microcephala*.  
*palustris*, Sass, Phaner. *Fl. Oesels*, 57 = *Sc. Succisa*.  
*parvula*, Jord. & Fourr. *Brev. Pl. Nov. fasc.* ii. 56 = *Sc. Succisa*.  
*pentaphylla*, Moench, *Meth.* 488 = *C. transylvanica*.  
*pinnatifida*, Lange, in Kjoeb. *Vidensk. Meddel.* (1861) 63 = *Sc. Succisa* ?  
*platyphylla*, Jord. & Fourr. *Brev. Pl. Nov. fasc.* ii. 48 = *Sc. Succisa*.  
*praemorsa*, Aschers. *Fl. Brandenb.* 285 = *Sc. Succisa*.  
*pratensis*, Moench, *Meth.* 489 = *Sc. Succisa*.  
*pratensis*, Jord. & Fourr. *Brev. Pl. Nov. fasc.* ii. 52 = *Sc. Succisa*.  
*procera*, Jord. & Fourr. l. c. = *Sc. Succisa*.  
*properea*, Jord. & Fourr. l. c. 55 = *Sc. Succisa*.  
*pyrenaica*, Jord. & Fourr. l. c. 55 = *Sc. Succisa*.  
*radiata*, Schur, *Enum. Pl. Transs.* 293 = *C. radiata*.  
*rhodanensis*, Jord. & Fourr. *Brev. Pl. Nov. fasc.* ii. 53 = *Sc. Succisa*.  
*rigida*, Spreng. *Syst.* i. 379 = *C. rigida*.  
*sabauda*, Jord. & Fourr. *Brev. Pl. Nov. fasc.* ii. 50 = *Sc. Succisa*.  
*scabra*, Spreng. *Syst.* i. 379 = *C. scabra*.  
*stellata*, Moench, *Meth.* 490 = *Sc. stellata*.  
*stricta*, Jord. & Fourr. *Brev. Pl. Nov. fasc.* ii. 52 = *Sc. Succisa*.  
*subacaulis*, N. Bernardin, in *Cariot. Et. Fl. ed.* V. ii. 301 = *Sc. Succisa*.  
*sylvatica*, Jord. & Fourr. *Brev. Pl. Nov. fasc.* ii. 59 = *Sc. Succisa*.  
*syriaca*, Spreng. *Syst.* i. 378 = *C. syriaca*.  
*tardans*, Jord. & Fourr. *Brev. Pl. Nov. Fasc.* ii. 54 = *Sc. Succisa*.  
*tatarica*, Spreng. *Syst.* i. 378 = *C. tatarica*.  
*transylvanica*, Spreng. l. c. = *C. transylvanica*.  
*trifida*, Spreng. l. c. 379 = *C. attenuata*.  
*uralensis*, Spreng. *Syst.* i. 378 = *C. corniculata*.  
*ustulata*, Spreng. l. c. 379 = *C. attenuata*.  
*viretorum*, Jord. & Fourr. *Brev. Pl. Nov. fasc.* ii. 49 = *Sc. Succisa*.  
*vogesiana*, Jord. & Fourr. l. c. 55 = *Sc. Succisa*.  
*vulgaris*, J. & C. Presl, *Fl. Čech.* 31 = *Sc. Succisa*.  
*SUCCISOCREPIS*, Fourr. in Ann. Soc. Linn. Lyon, N. S. xvii. (1869) 104 = *Crepis*, Vaill. (Compos.).  
*succisaefolia*, Fourr. l. c. = *C. succisaefolia*.  
*SUCCOVIA*, Spreng. *Anleit.* ii. II. 721 (1818) = *Succowia*, Medic. (Crucif.).  
*SUCCOWIA*, Dennst. *Schluss. Hort. Malab.* 32 (1818) = *Hiptage*, Gaertn. (Malpig.).  
*fimbriata*, Dennst. l. c. = *H. Madablota*.

**SUCCOWIA**, Medic. Pflanzeng. i. 64 (1792) t. 1. f. 9. *CRUCIFERAE*, Benth. & Hook. f. i. 86. *balearica*, Medic. l. c. 65.—Reg. Mediterr. *echinata*, Moench, Meth. 265 = *balearica*.

**SUCCUTA**, Desmoul. Etudes Org. Cusc. 74 (1853) = **Cuscuta**, Tourn. (Convolv.). *alba*, Desmoul. l. c. = *C. Epithymum*.

**SUCHTENLENIA**, Karel. ex Meissn. Gen. Comm. 188 (1840); et in Bull. Soc. Nat. Mosc. (1841) 16. t. 2. *BORAGINEAE*, Benth. & Hook. f. ii. 845. *acanthocarpa*, Karel. in Bull. Soc. Nat. Mosc. (1841) 17. t. 2 = *cerinthifolia*. *calycina*, A. DC. in DC. Prod. x. 163 = *cerinthifolia*. *cerinthifolia*, Karel. ex Meissn. Gen. Comm. 188.—Reg. Transcauc.; Turkest. *uniserialis*, Ledeb. Fl. Ross. iii. 169 = *cerinthifolia*.

**SUCKLEYA**, A. Gray, in Proc. Am. Acad. xi. (1876) 103. *CHENOPODIACEAE*, Benth. & Hook. f. iii. 54. *petiolaris*, A. Gray, l. c.—Am. bor.

**SUEDA**, Edgew. in Journ. Linn. Soc. vi. (1862) 192, sphalm. = **Suaeda**, Forsk. (Chenop.).

**SUENSONIA**, Gaudich. ex Miq. Syst. Pip. 535 (1843) = **Piper**, Linn.

**SUFFRENIA**, Bell. in Mém. Acad. Turin, x, xi. (1802-3) 445 = **Ammannia**, Houst. et **Rotala**, Linn. (Lythrar.). *capensis*, Harv. Thes. Cap. ii. 56. t. 189 = *R. filiformis*. *dichotoma*, Miq. Fl. Ind. Bat. i. i. 616 = *Ammannia multiflora*. *filiformis*, Bell. in Mém. Acad. Turin, x, xi. (1802-3) 445 = *R. filiformis*.

**SUGEROKIA**, Miq. Ann. Mus. Bot. Lugd. Bat. iii. 144 (1867) = **Heloniopsis**, A. Gray (Liliac.). *japonica*, Miq. l. c. 145 = *H. japonica*.

**SUGILLARIA**, Salisb. Gen. Pl. Fragm. 18 (1866) = **Scilla**, Linn. (Liliac.). *lanceaeifolia*, Salisb. l. c. = *S. lanceaeifolia*.

**SUITENIA**, Stokes, Bot. Mat. Med. ii. 479 (1812) = **Swietenia**, Linn. (Meliac.).

**SUITRAMIA**, Reichb. Nom. 173 (1841) = **Svitramia**, Cham. (Melastom.).

**SUKAMINEA**, Rafin. New Fl. Am. iii. 44 (1836) = **Maclura**, Nutt. (Urtic.).

**SUKANA**, Adans. Fam. ii. 269 (1763) = **Celosia**, Linn. (Amarant.).

**SUKSDORFIA**, A. Gray, in Proc. Am. Acad. xv. (1880) 41. *SAXIFRAGEAE*. *violacea*, A. Gray, l. c. 42.—Am. bor.

**SULCANUX**, Rafin. Sylva Tellur. 148 (1838) = **Psychotria**, Linn. (Rubiace.).

**SULIPA**, Blanco, Fl. Filip. ed. I. 497 (1837) (Genus delendum). *globosa*, Blanco, l. c. ed. II. 348 = *Planchonia valida*. *Pseudopsidium*, Blanco, l. c. ed. I. 497 = *Gardenia Pseudopsidium*.

**SULITRA**, Medic. in Vorles. Churpf. Phys. Ges. ii. (1787) 366 = **Lessertia**, DC. (Legumin.). *africana*, Medic. l. c. = *L. linearis*? *herbacea*, Medic. Phil. Bot. i. 202 = *L. linearis*. *perennans*, Medic. in Vorles. Churpf. Phys. Ges. ii. (1787) 366 = *L. perennans*. *pubescens*, Moench, Meth. 164 = *L. linearis*.

**SULLA**, Medic. in Vorles. Churpf. Phys. Ges. ii. (1787) 372 = **Hedysarum**, Tourn. (Legumin.). *amoena*, Medic. l. c. 373 = *H. coronarium*. *coronaria*, Medic. Phil. Bot. i. 209 = *H. coronarium*. *flexuosa*, Medic. l. c. = *H. flexuosum*.

VOL. II.

**SULLIVANTIA**, Torr. & Gray, in Am. Journ. Sc. Ser. I. xlii. (1842) 22, in nota. *SAXIFRAGEAE*, Benth. & Hook. f. i. 636.

*Ohionis*, Torr. & Gray, l. c.; et in Hook. Lond. Journ. Bot. i. (1842) 229.—Am. bor. *oregana*, S. Wats. in Proc. Am. Acad. xiv. (1879) 292.—Am. bor. occ.

**SULPITIA**, Rafin. Fl. Tellur. iv. 37 (1836) = **Epiden-drum**, Linn. (Orchid.). *odorata*, Rafin. l. c. = *E. odoratissimum*.

**SULZERIA**, Roem. & Schult. Syst. iv. p. lx. 707 (1819) = **Anabata**, Willd. (Logan.). *odorata*, Roem. & Schult. l. c. 707 = *A. odorata*.

**SUMBAVIA**, Baill. Etud. Gén. Euph. 390 (1858). *EUPHORBIACEAE*, Benth. & Hook. f. iii. 304. *DORYXYLON*, Zoll. in Tijdschr. Nederl. Ind. xiv. (1857) 172, nomen prius. *MERCADOA*, Naves, in Blanco, Fl. Philipp. ed. III. t. 463 (1880?). *macrophylla*, Muell. Arg. in Flora, xlvii. (1864) 482.—Ind. or. *rottleroides*, Baill. Etud. Gén. Euph. 390.—Malaya.

**SUMBULUS**, H. Reinsch, in Jahrb. Pract. Pharm. xiii. (1846) 69 = **Ferula**, Tourn. (Umbell.). *moschatus*, H. Reinsch, l. c. = *F. Sumbul*.

**SUNANIA**, Rafin. Fl. Tellur. iii. 95 (1836) = **Polygonum**, Tourn. *filiformis*, Rafin. l. c. = *P. virginianum*.

**SUNAPTEA**, Griff. Notul. iv. 516 (1854) = **Vatica**, Linn. (Dipteroc.). *bantamensis*, Kurz, in Journ. As. Soc. Beng. xxxix. (1870) ii. 65 = *V. grandiflora*. *disticha*, Trimen, Syst. Cat. Pl. Ceyl. 9 = *V. disticha*. *grandiflora*, Kurz, in Journ. As. Soc. Beng. xxxix. (1870) ii. 65 = *V. grandiflora*. *odorata*, Griff. Notul. iv. 516 = *V. grandiflora*. *scabriuscula*, Trimen, Syst. Cat. Pl. Ceyl. 9 = *V. scabriuscula*.

**SUNIPIA**, Buch.-Ham. ex Sm. in Rees, Cycl. xxxiv. Art. Stelis, nn. 11, 13 [1816]; Lindl. Orch. Scel. 14 (1826). *ORCHIDEAE*, Benth. & Hook. f. iii. 504. *bicolor*, Lindl. Gen. et Sp. Orch. 179 (= *Ione bicolor*).—Reg. Himal. *scariosa*, Lindl. in Wall. Cat. n. 7373; et l. c.—Reg. Himal.; Burma.

**SUPRAGO**, Gaertn. Fruct. ii. 402. t. 166 (1791) = **Vernonia**, Schreb. (Compos.). *glaucua*, Gaertn. l. c. = *V. noveboracensis*. *sphaerocephala*, Cass. in Dict. Sc. Nat. li. 386 = *Liatris scariosa*. *spicata*, Gaertn. Fruct. ii. 402. t. 167 = *Liatris spicata*.

**SUREGADA**, [Roxb.] Willd. in Ges. Naturf. Fr. Neue Schr. iv. (1803) 206 = **Gelonium**, Roxb. (Euphorb.). *adenophora*, Baill. Adansonia, i. (1860-61) 253 = *G. adenophorum*. *angustifolia*, Baill. Etud. Gén. Euph. 396 = *G. lanceolatum*. *bifaria*, Baill. Hist. Pl. v. 120 = *G. bifarium*. *bilocularis*, Roxb. ex Wall. Cat. n. 7981 = *G. multiflorum*. *Boiviniana*, Baill. Adansonia, i. (1860-61) 252 = *G. Boivinianum*. *ceratophora*, Baill. l. c. iii. (1862-63) 154 = *G. africanum*. *crenulata*, Baill. l. c. i. (1860-61) 252 = *G. adenophorum*. *glabra*, Roxb. Fl. Ind. iii. 831, in obs. = *G. multiflorum*. *glomerulata*, Baill. Etud. Gén. Euph. 396 = *G. bifarium*. *laurina*, Baill. Adansonia, i. (1860-61) 253 = *G. laurinum*. *multiflora*, Baill. Etud. Gén. Euph. 396 = *G. multiflorum*. *spicata*, Baill. l. c. = *G. spicatum*. *zanzibariensis*, Baill. Adansonia, i. (1860-61) 254 = *G. zanzibariense*.

**SURIANA**, Domb. & Cav. ex D. Don, in Edinb. N. Phil. Journ. xiii. (Apr.-Oct. 1832) 238; Meissn. Gen. Comm. 235 (1841) = **Ercilla**, A. Juss. (Phytol.). *volubilis*, Domb. & Cav. l. c. = *E. volubilis*.

**SURIANA**, Plum. ex Linn. Gen. ed. I. 340 (1737). *SIMARUBEAE*, Benth. & Hook. f. i. 313. *maritima*, Linn. Sp. Pl. 284.—Littora trop.

**SURUBEA**, Jaume St. Hil. Expos. ii. 355 (1805) = **SOUROUBEA**, Aubl. = **Ruyschia**, Jacq. (Ternstr.). *Aubletii*, G. F. W. Mey. Prim. Fl. Esseq. 120 = *R. Souroubea*.

**SURWALA**, M. Roem. Syn. Hesper. 108 (1846) = **Walsura**, Roxb. (Meliac.). *robusta*, M. Roem. l. c. = *W. robusta*.

**SUSARIUM**, Phil. in Linnaea, xxxiii. (1864-65) 248 = **Symphystemon**, Miers (Irid.). *andinum*, Phil. l. c. 250 = *Chamelum andinum*. *nigricans*, Phil. l. c. 249.—Chili. *Segethi*, Phil. l. c.—Chili.

**SUSIANA**, Linn. Syst. ed. I (1735) = **Fritillaria**, Tourn. (Liliac.).

**SUSSEA**, Gaudich. Bot. Voy. Bonite, tt. 24, 25, 38 (1844-57?) = **Pandanus**, Rumph. *conoidea*, Gaudich. l. c. t. 24 = *P. montanus*. *lagenaeformis*, Gaudich. l. c. t. 25 = *P. lagenaeformis*. *microcarpa*, Gaudich. l. c. = *P. Sussea*. *microstigma*, Gaudich. l. c. t. 38 = *P. microstigma*.

**SUSSODIA**, Buch.-Ham. ex D. Don, Prod. Fl. Nep. 104 (1825) = **Colebrookia**, Sm. (Labiata). *oppositifolia*, Buch.-Ham. l. c. = *C. oppositifolia*.

**SUSUM**, Blume, in Schult. f. Syst. vii. p. xcv. 1493 (1830). *FLAGELLARIEAE*, Benth. & Hook. f. iii. 861. *HANGUANA*, Blume, Enum. Pl. Jav. 15 (1827). *VERATRONIA*, Miq. Fl. Ind. Bat. 553 (1859). *anthelminthicum*, Blume, in Schult. f. Syst. vii. 1493.—Java. *minus*, Miq. Fl. Ind. Bat. Suppl. 598.—Sumatra.

**SUTERA**, Hort. ex Steud. Nom. ed. I. 820 (1821) = **Lessertia**, DC. (Legumin.). *pubescens*, Hort. ex Steud. l. c. = *L. perennans*.

**SUTERA**, Roth, Bot. Bemerk. 172 (1807) = **Chaenostoma**, Benth. (Scrophul.). *brachiata*, Roth, l. c. 173.—Hab.? *foetida*, Roth, l. c. 172 = *C. foetidum*. *oppositifolia*, Roth, ex Steud. Nom. ed. II. ii. 652 = *C. hispidum*.

**SUTERA**, Roth, Nov. Pl. Sp. 291 (1821). *SCROPHULARINEAE*, Benth. & Hook. f. ii. 945. *dissecta*, Walp. Rep. iii. 271 = *glandulosa*. *glandulosa*, Roth, Nov. Pl. Sp. 291.—Afr. bor.; Arab.; Ind. or. *multifida*, Walp. Rep. iii. 271 = *Conobea multifida*. *serrata*, Hochst. in Flora, xxiv. (1841) i. Intell. 43 = *Stemodia serrata*.

**SUTERIA**, DC. Prod. iv. 536 (1830) = **Psychotria**, Linn. (Rubiace.). *brasiliensis*, Mart. in Flora, xxiv. (1841) ii. Beibl. 71 = *P. brasiliensis*. *calycina*, DC. Prod. iv. 536 = *P. Lindleyana*. *fluminensis*, Mart. in Flora, xxiv. (1841) ii. Beibl. 71 = *P. fluminensis*. *Hookeriana*, Gardn. in Hook. Lond. Journ. Bot. iv. (1845) 109 = *P. Gardneriana*. *macrantha*, Gardn. l. c. 110 = *P. macrantha*. *macrocalyx*, Mart. in Flora, xxiv. (1841) ii. Beibl. 71 = *P. megalocalyx*. *nuda*, Mart. l. c. = *P. Gardneriana*. *parviflora*, Gardn. in Hook. Lond. Journ. Bot. iv. (1845) 110 = *P. suterella*.

**SUTHERLANDIA**, R. Br. in Ait. Hort. Kew. ed. II. iv. 327 (1812). *LEGUMINOSAE*, Benth. & Hook. f. i. 503. *Darumbium*, Bert. ex Colla, in Mem. Acc. Torin. xxxvii. (1834) 55.—Chili.

**SUTHERLANDIA:—**

floribunda, Carr. in *Rev. Hort.* (1870-71) 611.—Hab.?  
 foliolata, Lange, *Ind. Sem. Hort. Haun.* (1859) 29; et in *Linnaea*, xxx. (1859-60) 757.—Austral.?  
 frutescens, R. Br. in *Ait. Hort. Kew.* ed. II. iv. 327.—Afr. austr.  
 incana, E. Mey. *Comm. Pl. Afr. Austr.* 121 = frutescens.  
 microphylla, Burch. ex DC. *Prod.* ii. 273 = frutescens.  
 tomentosa, Eckl. & Zeyh. *Enum.* 251 = frutescens.  
 tomentosa, Spreng. *Syst.* iii. 242 = Lessertia tomentosa.  
 vesicularis, Spreng. l. c. = Lessertia vesicaria.

SUTHERLANDIA, J. F. Gmel. *Syst.* 1027 (1791) = **Heritiera**, Dryand. (*Stercul.*).  
 littoralis, J. F. Gmel. l. c. = H. littoralis.

**SUTRINA**, Lindl. in *Ann. & Mag. Nat. Hist. Ser. I. x.* (1842) 184. **ORCHIDEAE**, Benth. & Hook. f. iii. 567.  
 bicolor, Lindl. l. c. 185.—Peruv.

SUTTONIA, A. Rich. *Ess. Fl. N. Zél.* 349 (1832) = **Myrsine**, Linn.  
 australis, A. Rich. l. c. 349, t. 38 = M. Urvillei.  
 divaricata, Hook. f. *Fl. Antarct.* 51. t. 34 = M. divaricata.  
 montana, Hook. f. *Fl. N. Zél.* ii. 334 = M. montana.  
 nummularia, Hook. f. l. c. i. 173 = M. nummularia.  
 salicina, Hook. f. *Fl. Antarct.* 52; et l. c. 172 = M. salicina.  
 saligna, Walp. *Rep.* vi. 450, sphalm. = praec.  
 tenuifolia, Hook. f. *Fl. Antarct.* 52.—Ins. Norfolk.

SUZYGIUM, P. Br. *Hist. Jamaic.* 240 (1756); Adans. *Fam.* ii. 244 (1763) = **Calyptranthes**, Sw. (*Myrtac.*).

SVIDA, Opiz, *Seznam*, 94 (1852) = **Cornus**, Tourn.  
 alba, Opiz, l. c. = C. alba.  
 sanguinea, Opiz, l. c. = C. sanguinea.

**SVITRAMIA**, Cham. in *Linnaea*, ix. (1834) 445. **MELASTOMACEAE**, Benth. & Hook. f. i. 736.  
 canescens, Walp. *Rep.* ii. 132 = pulchra.  
 pulchra, Cham. in *Linnaea*, ix. (1834) 446.—Bras.

**SWAINSONA**, Salisb. *Parad. Lond.* t. 28 (1806) **LEGUMINOSAE**, Benth. & Hook. f. i. 504.  
 CYCLOGYNE, Benth. in Lindl. *Swan River App.* 16 (1839).

DIPLOLOBUM, F. Muell. in *Trans. Bot. Soc. Edinb.* vii. (1863) 489.  
 albiflora, G. Don, *Gen. Syst.* ii. 245 = coronillaefolia.  
 astragalifolia, Hort. ex G. Don, in *Loud. Hort. Brit.* 305 = lessertiaefolia.  
 brachycarpa, Benth. *Fl. Austral.* ii. 217.—Austral.  
 Burkei, F. Muell. ex Benth. l. c. 218.—Austral.  
 Burkittii, F. Muell. ex Benth. l. c.—Austral.  
 campylantha, F. Muell. in *Rep. Greg. Pl.* 6.—Austral.  
 canescens, F. Muell. *Fragm.* iii. 46.—Austral.  
 colutoides, F. Muell. l. c. x. 6.—Austral.  
 coronillaefolia, Salisb. *Parad. Lond.* t. 28.—Austral.  
 Drummondii, Benth. *Fl. Austral.* ii. 220.—Austral.  
 Fraseri, Benth. l. c. 224.—Austral.  
 Froebelii, Regel, *Gartenfl.* iii. (1854) 178 = lessertiaefolia.  
 galegifolia, R. Br. in *Ait. Hort. Kew.* ed. II. iv. 327 = coronillaefolia.  
 gracilis, Benth. *Fl. Austral.* ii. 220.—Austral.  
 grandiflora, R. Br. in *Sturt, Exped. Centr. Austral.* ii. App. 74 = Greyana.  
 Greyana, Lindl. *Bot. Reg.* (1846) t. 66.—Austral.  
 laxa, R. Br. in *Sturt, Exped. Centr. Austral.* ii. App. 76.—Austral.  
 lessertiaefolia, DC. in *Ann. Sc. Nat. Sér. I.* iv. (1825) 99.—Austral.  
 luteola, F. Muell. *Fragm.* i. 75.—Austral.  
 Maccullochiana, F. Muell. l. c. vii. 25.—Austral.  
 magnifica, Hort. ex Dombr. *Flor. Mag.* v. (1866) t. 273 = coronillaefolia?  
 microphylla, A. Gray, *Bot. U. St. Expl. Exped.* i. 410.—Austral.  
 monticola, Benth. ex A. Gray, l. c. 411.—Austral.  
 Murrayana, Wawra, in *Oestr. Bot. Zeitschr.* xxxi. (1881) 69.—Austral.

**SWAINSONA:—**

Novae-Zelandiae, Hook. f. *Handb. N. Zeal. Fl.* 51.—N. Zel.  
 occidentalis, F. Muell. *Fragm.* iii. 46.—Austral.  
 oligophylla, F. Muell. ex Benth. *Fl. Austral.* ii. 219.—Austral.  
 Oliverii, F. Muell. in *Wing, South. Sc. Record*, ii. (1882) 152.—Austral.  
 oncinotropis, F. Muell. in *Melb. Chemist* (Oct. 1884).—Austral.  
 oroboides, F. Muell. ex Benth. *Fl. Austral.* ii. 222.—Austral.  
 Osbornii, T. Moore, in *Gardn. Comp.* (1852) t. 65 = coronillaefolia.  
 parviflora, Benth. *Fl. Austral.* ii. 223.—Austral.  
 phacifolia, F. Muell. in *S. Austral. Register* (1850); ex Benth. *Fl. Austral.* ii. 221.—Austral.  
 phacoides, Benth. in *Mitch. Journ. Trop. Austral.* 363.—Austral.  
 plagiotropis, F. Muell. *Fragm.* ix. 153.—Austral.  
 procumbens, F. Muell. l. c. iii. 46.—Austral.  
 stenodonta, F. Muell. l. c. xi. 70.—Austral.  
 stipularis, F. Muell. in *Linnaea*, xxv. (1852) 393 = phacifolia.  
 tephroticha, F. Muell. l. c. 392 = lessertiaefolia.  
 unifoliolata, F. Muell. *Fragm.* viii. 226.—Austral.  
 viciaefolia, F. Muell. in *D. N. F. Dietr. Fl. Univ.* N. S. t. 17 = lessertiaefolia.  
 violacea, Henders. *Illustr. Bouq.* t. 19 = procumbens.

SWAINSONIA, Spreng. *Anleit.* ii. ii. 754 (1818) = praec.

SWAMMERDAMIA, DC. *Prod.* vi. 164 (1837) = **Heli-chrysum**, Vaill. (*Compos.*).  
 Antennaria, DC. l. c. = H. antennarium.  
 glomerata, Raoul, in *Ann. Sc. Nat. Sér. III.* ii. (1844) 120 (= *Ozothamnus glomeratus*).—N. Zel.  
 volubilis, Regel, *Cat. Pl. Hort. Aksakov.* 136, nomen.—Austral.

SWANALLOIA, Hort. ex Walp. *Rep.* iii. 934 (1844-45), sphalm. = **Juanulloa**, Ruiz & Pav. (*Solan.*).  
 aurantiaca, Hort. ex Walp. l. c. = J. parasitica.

SWANTIA, Alef. in *Oestr. Bot. Zeitschr.* ix. (1859) 358, 365 = **Vicia**, Linn. (*Legumin.*).  
 aurantia, Alef. l. c. 366 = V. aurantia.

SWARTZIA, J. F. Gmel. *Syst.* 360 (1791) = **Solandra**, Sw. (*Solan.*).  
 grandiflora, J. F. Gmel. l. c. = Sol. grandiflora.

**SWARTZIA**, Schreb. *Gen.* 518 (1791). **LEGUMINOSAE**, Benth. & Hook. f. i. 561.  
 DITHYRIA, Benth. in Hook. *Journ. Bot.* ii. (1840) 89.  
 GYNANTHISTROPHE, Poit. ex DC. *Prod.* ii. 424 (1825).  
 HOELZELIA, Neck. *Elem.* iii. 62 (1790).  
 POSSIRA, Aubl. *Pl. Gui.* ii. 934, t. 355 (1775).  
 RITTERA, Schreb. *Gen.* 364 (1789).  
 RIVERIA, H. B. & K. *Nov. Gen. et Sp.* vii. 266, t. 659 (1825).  
 ROSSINA, Steud. *Nom. ed.* II. ii. 652 (1841), sphalm.  
 TOUNATEA, Aubl. *Pl. Gui.* i. 549, t. 218 (1775), nomen prius.  
 TRISCHIDIUM, Tul. in *Ann. Sc. Nat. Sér. II.* xx. (1843) 141, t. 4.  
 acuminata, Willd. ex Vog. in *Linnaea*, xi. (1837) 173.—Bras.  
 acutifolia, Vog. l. c. 174.—Bras.  
 alata, Willd. *Sp. Pl.* ii. 1220.—Guian.  
 alterna, Benth. in Hook. *Journ. Bot.* ii. (1840) 89.—Bras.  
 amazonica, S. Moore, in *Journ. Bot.* xvi. (1878) 132.—Bras.  
 apetala, Raddi, in *Mem. Moden. xviii. Fis.* (1820) 398.—Bras.  
 aptera, DC. *Mém. Légum.* 405.—Am. trop.  
 argentea, Spruce, ex Benth. in *Mart. Fl. Bras.* xv. ii. 31.—Bras.  
 auriculata, Poepp. & Endl. *Nov. Gen. et Sp.* iii. 61.—Bras.  
 Benthamiana, Mig. *Stirp. Surin. Sel.* 15.—Am. trop.  
 bifida, Steud. in *Flora*, xxvi. (1848) 757 = triphylla.  
 Blanchetii, Benth. in *Mart. Fl. Bras.* xv. ii. 29.—Bras.

**SWARTZIA:—**

brachystachya, DC. *Mém. Légum.* 408.—Guian.  
 bracteosa, Mart. ex Benth. in *Mart. Fl. Bras.* xv. ii. 20.—Bras.  
 brasiliensis, Vog. in *Linnaea*, xi. (1837) 169 = Langsdorffii.  
 callistemon, Spruce, ex Benth. in *Mart. Fl. Bras.* xv. ii. 36 = acuminata.  
 calophylla, Poepp. & Endl. *Nov. Gen. et Sp.* iii. 61, t. 267.—Peruv.  
 capparioides, Klotzsch, in *Schomb. Faun. Fl. Brit. Gui.* 1104, nomen.—Guian.  
 cardiosperma, Spruce, ex Benth. in *Mart. Fl. Bras.* xv. ii. 33.—Bras.  
 caribaea, Griseb. *Fl. Brit. W. Ind.* 212.—Ind. occ.  
 conferta, Spruce, ex Benth. in *Mart. Fl. Bras.* xv. ii. 20.—Bras.  
 coriacea, Desv. in *Ann. Sc. Nat. Sér. I.* ix. (1826) 424 = Dipteryx nudipes.  
 coriacea, Steud. *Nom. ed.* II. ii. 652, sphalm. = apetala.  
 corrugata, Benth. in Hook. *Journ. Bot.* ii. (1840) 87.—Am. trop.  
 crocea, Benth. in *Mart. Fl. Bras.* xv. ii. 23.—Bras.  
 cuspidata, Spruce, ex Benth. l. c. 36.—Bras.  
 dicarpa, Moric. ex Meissn. *Gen. Comm.* 68.—Am. trop.  
 dipetala, Willd. ex Vog. in *Linnaea*, xi. (1837) 173 = dicarpa.  
 discolor, Poepp. & Endl. *Nov. Gen. et Sp.* iii. 62.—Bras.  
 dodecandra, Willd. *Sp. Pl.* ii. 1220.—Am. austr.  
 elegans, Schott, in *Spreng. Syst. iv. App.* 407.—Bras.  
 eriocarpa, Benth. in *Mart. Fl. Bras.* xv. ii. 17.—Guian.  
 erythrocarpa, Spruce, ex Benth. l. c. 28 = sericea.  
 Flemmingi, Raddi, in *Mem. Moden. xviii. Fis.* (1820) 397 (Flaemingi).—Bras.  
 floribunda, Spruce, ex Benth. in *Mart. Fl. Bras.* xv. ii. 21.—Bras.  
 fugax, Spruce, ex Benth. l. c. 30.—Bras.  
 glabra, Vog. in *Linnaea*, xi. (1837) 175 = apetala.  
 grandiflora, Vog. l. c. 169, partim = crocea.  
 grandiflora, Willd. *Sp. Pl.* ii. 1220.—Am. trop.  
 grandifolia, Bong. ex Benth. in Hook. *Journ. Bot.* ii. (1840) 85.—Am. trop.  
 Hostmanni, Benth. in *Mart. Fl. Bras.* xv. ii. 18.—Guian.  
 Langsdorffii, Raddi, in *Mem. Moden. xviii. Fis.* (1820) 396.—Bras.  
 latifolia, Benth. in Hook. *Journ. Bot.* ii. (1840) 86.—Guian.  
 laurifolia, Benth. l. c. 87.—Bras.  
 laxiflora, Bong. ex Benth. l. c. 86.—Bras.  
 leiocalycina, Benth. in *Mart. Fl. Bras.* xv. ii. 28.—Guian.  
 leptopetala, Benth. in Hook. *Journ. Bot.* ii. (1840) 87.—Bras.  
 lomatus, Mart. in *Flora*, xx. (1837) 11. Beibl. 103 = multijuga, Vog.  
 longifolia, DC. *Mém. Légum.* 406.—Guian.  
 macrocarpa, Spruce, ex Benth. in *Mart. Fl. Bras.* xv. ii. 38.—Bras.  
 macrophylla, Willd. ex Vog. in *Linnaea*, xi. (1837) 172.—Bras.  
 macrosperma, Bertol. *Misc. Bot.* xxi. 16.—Guatemala.  
 macrostachya, Benth. in *Mart. Fl. Bras.* xv. ii. 24.—Bras.  
 madagascariensis, Desv. in *Ann. Sc. Nat. Sér. I.* ix. (1826) 424.—Madag.  
 marginata, Benth. in Hook. *Journ. Bot.* ii. (1840) 87 = madagascariensis.  
 Martii, Eichl. in *Mart. Fl. Bras.* xv. ii. 19.—Bras.  
 Mathewsii, Benth. in Hook. *l. c.* t. 1064 (Matthewsii).—Peruv.; Bolivia.  
 microcarpa, Spruce, ex Benth. in *Mart. Fl. Bras.* xv. ii. 35.—Bras.  
 micropetala, Schott, in *Spreng. Syst. iv. App.* 407 = myrtifolia.  
 microstylis, Benth. in Hook. *Journ. Bot.* ii. (1840) 89 = dicarpa.  
 mollis, Benth. l. c.—Bras.  
 montana, Vog. in *Linnaea*, xi. (1837) 174 = Flemmingi.  
 multijuga, A. Rich. *Ess. Fl. Cub.* 457.—Cuba.  
 multijuga, Vog. in *Linnaea*, xi. (1837) 175.—Bras.  
 myrtifolia, Sm. in *Rees, Cycl.* xxxiv. n. 5.—Am. trop.  
 nitens, Vog. ex Steud. *Nom. ed.* II. ii. 653.—N. Granat.

**SWARTZIA** :—

- oblonga, *Benth. in Hook. Kew Journ.* ii. (1850) 238.—Guian.  
 ochracea, DC. *Mém. Légum.* 405. t. 58 = grandiflora.  
 panamensis, *Benth. in Mart. Fl. Bras.* xv. II. 38.—Am. centr.  
 parviflora, DC. *Mém. Légum.* 403. t. 60 = triphylla.  
 pendula, *Spruce, ex Benth. in Mart. Fl. Bras.* xv. II. 19.—Bras.  
 picta, *Spruce, ex Benth. l. c.* 25.—Bras.  
 pilulifera, *Benth. in Hook. Journ. Bot.* ii. (1840) 90.—Bras.  
 pinnata, Seem. *Bot. Voy. Herald*, 113 = panamensis.  
 pinnata, Willd. *ex Vog. in Linnaea*, xi. (1837) 173 = acuminata.  
 pinnata, Willd. *Sp. Pl.* ii. 1220.—Guian.  
 polyanthera, Steud. in *Flora*, xxvi. (1843) 757 = tomentosa.  
 polyphylla, DC. *Mém. Légum.* 411.—Guian.  
 pulcherrima, *Alle. ex Benth. in Mart. Fl. Bras.* xv. II. 24 = Langsdorffii.  
 pulchra, *Vog. in Linnaea*, xi. (1837) 169 = elegans.  
 racemosa, *Benth. in Hook. Kew Journ.* ii. (1850) 238.—Bras.  
 recurva, *Poepp. & Endl. Nov. Gen. et Sp.* iii. 61.—Bras.  
 robiniaefolia, Willd. *ex Vog. in Linnaea*, xi. (1837) 171.—N. Granat.  
 rosea, *Mart. ex Benth. in Mart. Fl. Bras.* xv. II. 32.—Bras.  
 Schomburgkii, *Benth. l. c.* 38.—Guian.  
 sericea, *Vog. in Linnaea*, xi. (1837) 176.—Bras.  
 simplex, *Spreng. Syst.* ii. 567 = grandiflora.  
 simplicifolia, Willd. *Sp. Pl.* ii. 1219 = grandiflora.  
 Sprucei, *Benth. in Mart. Fl. Bras.* xv. II. 37.—Bras.  
 stipellata, *Benth. l. c.* = Sprucei.  
 stipularis, *Spruce, ex Benth. l. c.* 38 = macrocarpa.  
 subspicata, *Klotzsch, in Schomb. Faun. Fl. Brit. Gui.* 1208, nomen.—Guian.  
 surinamensis, *Klotzsch, l. c.*, nomen.—Guian.  
 tomentosa, DC. *Mém. Légum.* 409. t. 59.—Guian.  
 Trianae, *Benth. in Mart. Fl. Bras.* xv. II. 39.—Am. trop.  
 triphylla, DC. *Prod.* ii. 423, partim = myrtifolia.  
 triphylla, Willd. *Sp. Pl.* 1220.—Am. trop.  
 velutina, *Spruce, ex Benth. in Mart. Fl. Bras.* xv. II. 21.—Bras.

**SWEERTIA**, Koch, *Syn. Fl. Germ. ed. II.* 558 (1844) = **Swertia**, Linn. (*Gentian.*).

**SWEETIA**, DC. *Prod.* ii. 381 (1825) = **Galactia**, P. Br. (*Legumin.*).  
*filiformis*, DC. l. c. 382 = *G. filiformis*.  
*lignosa*, DC. l. c. —Ins. S. Doming.  
*longifolia*, DC. l. c. 381 = *G. Jussiaeana*.  
*uliginosa*, G. Don, *Gen. Syst.* ii. 342 = *Derris uliginosa*.  
*velutina*, G. Don, l. c. = *Tephrosia velutina*.

**SWEETIA**, Spreng. *Syst.* ii. 171, 213 (1825). **LEGU-MINOSAE**, *Benth. & Hook. f.* i. 559.  
*ACOSMIUM*, Schott, in *Spreng. Syst.* iv. *Cur. Post.* 406 (1827).  
*LEPTOLOBIUM*, *Vog. in Linnaea*, xi. 388 (1837).  
*bijuga*, *Benth. in Journ. Linn. Soc.* viii. (1865) 261.—Bras.  
*brachystachya*, *Benth. l. c.* 262.—Bras.  
*dasycarpa*, *Benth. l. c.*—Bras. -  
*elegans*, *Benth. l. c.*—Bras.  
*fruticosa*, *Spreng. Syst.* ii. 213.—Bras.  
*Gardneri*, *Benth. in Journ. Linn. Soc.* viii. (1865) 263 = *Rourea Gardneriana*.  
*glabrifolia*, *Benth. l. c.* 262 = *dasycarpa*.  
*lentiscifolia*, *Spreng. Syst.* iv. *Cur. Post.* 406.—Bras.  
*nitens*, *Benth. in Journ. Linn. Soc.* viii. (1865) 262.—Bras.  
*panamensis*, *Benth. l. c.* 263.—Panama.  
*tenuifolia*, *Benth. in Mart. Fl. Bras.* xv. II. 7.—Bras.

**SWERTIA**, All. *Fl. Pedem.* i. 208 (1785) = **Tolpis**, Linn. (*Compos.*).  
*barbata*, All. l. c. = *T. barbata*.

**SWERTIA**, Linn. *Sp. Pl. ed. I.* 226 (1753). **GENTIA-NEAE**, *Benth. & Hook. f.* ii. 816.  
*AGATHOTES*, D. Don, in *Trans. Linn. Soc.* xvii. (1837) 522.  
*ANAGALLIDIUM*, Griseb. *Gen. et Sp. Gent.* 311 (1836).

**SWERTIA** :—

- BLEPHARADEN, Dulac, *Fl. Hautes-Pyr.* 449 (1867).  
 HENRICEA, Lem. Lis. in *Bull. Soc. Philom.* (1824) 171.  
 MONOBOTHRUM, Hochst. in *Flora*, xxvii. (1844) 27.  
 OPHELIA, D. Don, *ex G. Don, Gen. Syst.* iv. 178 (1837); *et in Trans. Linn. Soc.* xvii. (1837) 524.  
 RELLESTA, Turcz. in *Bull. Soc. Nat. Mosc.* xxii. (1849) II. 337.  
 SCZUKINIA, Turcz. l. c. (1840) 165.  
 STELLERA, Turcz. l. c. 167 (1840).  
 abyssinica, *Hochst. in Flora*, xxiv. (1841) I. *Intell.* 24, nomen; *et ex Griseb. in DC. Prod.* ix. 134.—Abyss.  
 affinis, C. B. Clarke, in *Hook. f. Fl. Brit. Ind.* iv. 126.—Ind. or.  
 alata, Royle, *ex D. Don, in Trans. Linn. Soc.* xvii. (1837) 523.—Reg. Himal.  
 albicaulis, Dougl. *ex Griseb. Gen. et Sp. Gent.* 330 = *Frasera albicaulis*.  
 alpestris, *Baumg. Mant.* (1846) 19.—Transsylyv.  
 altemifolia, Royle, *Illustr. Bot. Himal.* 278. t. 67. f. 2.—Reg. Himal.  
 americana, Spreng. *Syst.* i. 861 = *Halenia deflexa*.  
 angustifolia, Buch.-Ham. *ex D. Don, Prod. Fl. Nep.* 127.—Reg. Himal.  
 asclepiadea, H. B. & K. Nov. Gen. et Sp. iii. 175 = *Halenia Pavoniana*.  
 Aucheri, Boiss. *Diagn. Ser. I.* v. 90.—Armen.; Persia.  
 Balansae, Boiss. *Fl. Orient.* iv. 78.—Pontus.  
 Beddomei, C. B. Clarke, in *Hook. f. Fl. Brit. Ind.* iv. 127.—Ind. or.  
 bimaculata, *Hook. f. & Thoms. ex C. B. Clarke, in Journ. Linn. Soc.* xiv. (1875) 449.—Reg. Himal.  
 brevicornis, H. B. & K. Nov. Gen. et Sp. iii. 174 = *Halenia brevicornis*.  
 brevicornis, Willd. *ex Schult. Syst.* vi. 132 = *Halenia Pavoniana*.  
 caerulea, Royle, *Illustr. Bot. Himal.* 464, (Index) = *coerulea*.  
 carinthiaca, Wulf. in *Jacq. Misc.* ii. 53 = *Pleurogyna carinthiaca*.  
 centrostemma, Wall. Cat. n. 4385 = *Halenia elliptica*.  
 chinensis, Franch. in *Bull. Soc. Bot. Fr.* xxxii. (1885) 26 = *diluta*.  
 Chirata, Buch.-Ham. *ex Wall. Cat.* n. 4372.—Reg. Himal.  
 ciliata, Royle, *ex D. Don, in Trans. Linn. Soc.* xvii. (1837) 526 = *purpurascens*.  
 clarenceana, *Hook. f. in Journ. Linn. Soc.* vi. (1862) 16.—Afr. trop.  
 coerulea, Royle, *Illustr. Bot. Himal.* 278. t. 67. f. 1.—Reg. Himal.  
 connata, Schrenk, *Enum. Pl. Nov.* i. 37.—Sibir. altaic.  
 cordata, Wall. Cat. n. 4378.—Reg. Himal.  
 corniculata, Linn. *Sp. Pl.* 227 = *Halenia sibirica*.  
 corniculata, Michx. *Fl. Bor. Am.* i. 97 = *Halenia deflexa*.  
 corymbosa, Wight, *ex Griseb. Gen. et Sp. Gent.* 317; *Field. & Gardn. Sert. Pl.* t. 71.—Ind. or.  
 cuneata, Wall. Cat. n. 4380.—Reg. Himal.  
 decumbens, Vahl, *Symb. Bot.* i. 24.—Arab.  
 decussata, Nimmo, in *J. Graham. Cat. Pl. Bomb.* 249, nomen; *et ex C. B. Clarke, in Hook. f. Fl. Brit. Ind.* iv. 127.—Ind. or.  
 deflexa, Sm. in Rees, *Cyclop.* xxxiv. n. 8 = *Halenia deflexa*.  
 dichotoma, Linn. *Sp. Pl.* 227.—Sibir.  
 difformis, Linn. *Herb.* *ex A. Gray, Syn. Fl. N. Am.* ii. 1. 125 = *Frasera carolinensis*.  
 difformis, Linn. *Sp. Pl.* 226 = *Sabbatia Elliotii*.  
 dilatata, C. B. Clarke, in *Hook. f. Fl. Brit. Ind.* iv. 122.—Reg. Himal.  
 diluta, *Benth. & Hook. f. Gen.* ii. 817.—As. or.  
 elegans, Wall. Cat. n. 4376 = *pulchella*.  
 erythrostickta, Maxim. in *Bull. Acad. Pétersb.* xxvii. (1881) 503.—China.  
 fastigiata, Pursh, *Fl. Am. Sept.* i. 101 = *Frasera thyrsoflora*.  
 filiformis, *Macfad. in Hook. Bot. Misc.* ii. (1831) 116, nomen.—Jamaic.  
 florida, Wall. Cat. n. 4382 = *pulchella*.  
 gracilis, H. B. & K. Nov. Gen. et Sp. iii. 176 = *Halenia gracilis*.  
 Griffithii, C. B. Clarke, in *Hook. f. Fl. Brit. Ind.* iv. 122.—Reg. Himal.  
 Hookeri, C. B. Clarke, l. c. 127.—Reg. Himal.

**SWERTIA** :—

- Hugelii, Griseb. in DC. *Prod.* ix. 133 = *cuneata*.  
 hypericoides, H. B. & K. Nov. Gen. et Sp. iii. 176 = *Halenia hypericoides*.  
 iberica, Fisch. *ex Boiss. Fl. Orient.* iv. 78 = *punctata*.  
 intermedia, Schur, in *Verh. Siebenb. Ver. Naturw.* x. (1859) 149 = *alpestris*.  
 intermixta, A. Rich. *Tent. Fl. Abyss.* ii. 57.—Abyss.  
 javanica, Blume, *Bijdr.* 848.—Java.  
 kamoonsensis, Steud. *Nom. ed. II.* ii. 653, sphalm. loci nomen.—Cf. Wall. Cat. sub nn. 4379, 4380.  
 Kingii, *Hook. f. Ic. Pl.* t. 1442.—Reg. Himal.  
 lactea, Bunge, in *Mém. Sav. Etr. Pétersb.* vii. (1851) 393.—Persia; Turkest.  
 lahulensis, Kern, in *Ber. Naturw. Ver. Innsbruck*, i. (1870) 100 = *petiolata*.  
 longifolia, Boiss. *Diagn. Ser. I.* v. 90.—Persia.  
 lurida, Royle, *ex D. Don, in Trans. Linn. Soc.* xvii. (1837) 528.—Reg. Himal.  
 lutea, Vest, *ex Reichb. Fl. Germ. Excurs.* 429 = *Gentiana lutea*.  
 macrosperma, C. B. Clarke, in *Hook. f. Fl. Brit. Ind.* iv. 123.—Reg. Himal.  
 Mannii, *Hook. f. in Journ. Linn. Soc.* vii. (1864) 206.—Afr. trop.  
 marginata, Schrenk, in *Bull. Sc. Acad. Pétersb.* x. (1842) 353.—Soongar.  
 Michauxiana, Schlecht. & Cham. in *Linnaea*, v. (1830) 122 = *Halenia Schiedeana*.  
 Michauxiana, Schult. *Syst.* vi. 130 = *Halenia deflexa*.  
 multicaulis, D. Don, *Prod. Fl. Nep.* 127.—Reg. Himal.  
 nervosa, Wall. Cat. n. 4383.—Reg. Himal.  
 obtusa, C. Koch, in *Linnaea*, xxiii. (1850) 586 = *Aucheri*.  
 obtusa, Ledeb. in *Mém. Acad. Pétersb.* v. (1812) 526 = *perennis*.  
 Pallasii, G. Don, *Gen. Syst.* iv. 176 = *tetrapetala*.  
 paniculata, Wall. Cat. n. 4374; *et Pl. As. Rar.* iii. 3. t. 205.—Reg. Himal.  
 parnassifolia, Labill. *Nov. Holl. Pl.* i. 72. t. 97 = *Villarsia parnassifolia*.  
 parviflora, H. B. & K. Nov. Gen. et Sp. iii. 174 = *Halenia parviflora*.  
 pauciflora, Humb. & Bonpl. *ex Schult. Syst.* vi. 135 = *Halenia plantaginea*.  
 peloria, Griff. *Itin. Notes*, 197 = *Halenia elliptica*.  
 perennis, Bieb. *ex Boiss. Fl. Orient.* iv. 78 = *punctata*.  
 perennis, Linn. *Sp. Pl.* 226.—Reg. bor. temp.  
 perfoliata, Royle, *ex G. Don, Gen. Syst.* iv. 176 = *petiolata*.  
 persica, Griseb. in DC. *Prod.* ix. 132 = *Aucheri*.  
 petiolata, Royle, *Illustr. Bot. Himal.* 277, nomen; *et ex D. Don, in Trans. Linn. Soc.* xvii. (1837) 519.—Reg. Himal.  
 Petitiana, A. Rich. *Tent. Fl. Abyss.* ii. 55.—Abyss.  
 pinifolia, Ruiz & Pav. *ex G. Don, Gen. Syst.* iv. 177 = *Halenia pinifolia*.  
 plantaginea, H. B. & K. Nov. Gen. et Sp. iii. 175 = *Halenia plantaginea*.  
 pulchella, Buch.-Ham. *ex D. Don, Prod. Fl. Nep.* 127; *et ex Wall. Cat.* n. 4375.—Reg. Himal.  
 pumila, Hochst. *ex Hook. f. in Journ. Linn. Soc.* vii. (1864) 206.—Abyss.  
 punctata, Baumg. *Enum. Stirp. Transs.* i. 190.—Europ. or.; Reg. Caucas.  
 purpurascens, Wall. Cat. n. 4379.—Reg. Himal.  
 purpurea, Royle, *Illustr. Bot. Himal.* 277 = *praec.*?  
 pusilla, Pursh, *Fl. Am. Sept.* i. 101 = *Pleurogyna carinthiaca*.  
 quadricornis, Willd. *ex Schult. Syst.* vi. 134 = *Halenia Pavoniana*.  
 Quartianiana, A. Rich. *Tent. Fl. Abyss.* ii. 56.—Abyss.  
 racemosa, Wall. Cat. n. 4377.—Reg. Himal.  
 recurva, Sm. in Rees, *Cyclop.* xxxiv. n. 9 = *Halenia gracilis*.  
 Rex, C. B. Clarke, in *Hook. f. Fl. Brit. Ind.* iv. 127.—Reg. Himal.  
 rotata, Linn. *Sp. Pl.* 226 = *Pleurogyna rotata*.  
 rotata, Pall. *Fl. Ross.* i. II. 98. t. 89. f. 3 = *Pleurogyna carinthiaca*.  
 rotata, Thunb. *Fl. Jap.* 115.—Japon.  
 Schimperii, Griseb. in DC. *Prod.* ix. 563.—Abyss.  
 speciosa, G. Don, *Gen. Syst.* iv. 176 = *petiolata*.  
 speciosa, Wall. Cat. n. 4384.—Reg. Himal.  
 stigmantha, C. Koch, in *Linnaea*, xxiii. (1850) 586 = *punctata*.  
 sulcata, Rottb. in *Skrift. Kioeb. Selsk.* x. (1770) 438. t. I. f. 4 = *Pleurogyna rotata*.



**SWERTIA:**—

- tetragona, *Edgew. in Trans. Linn. Soc.* xx. (1846) 86.  
—Reg. Himal.  
tetrandra, *Hochst. in Flora*, xxvii. (1844) 28.—Abyss.  
tetrapetala, *Pall. Fl. Ross.* i. 11. 99.—Kamtschat.  
tetraptera, *Maxim. in Bull. Acad. Pétersb.* xxvii.  
(1881) 503.—China.  
Thomsoni, *C. B. Clarke, in Hook. f. Fl. Brit. Ind.* iv.  
129.—Reg. Himal.  
trichotoma, *Wall. Cat. n.* 4381.—Ind. or.  
turfosa, Baumg. ex Steud. Nom. ed. II. ii. 653, nomen  
(Quid?).—Transsylv.  
umbellata, Mathews, ex Griseb. Gen. et Sp. Gent. 328  
= *Halenia gracilis*.  
umbellata, Ruiz & Pav. Fl. Per. iii. 21 = *Halenia*  
Pavoniana.  
vacillans, *Maxim. in Bull. Acad. Pétersb.* xxvii. (1881)  
504, in obs.—China.  
zeylanica, *Walker, ex Griseb. Gen. et Sp. Gent.* 316,  
in syn.—Zeylan.

SWERTYA, Steud. Nom. ed. II. ii. 653 (1841), sphalm.  
= SWERTIA, All. = *Tolpis*, Linn. (Compos.).

**SWIETENIA**, Jacq. Enum. Pl. Carib. 4 (1760).

- MELIACEAE, Benth. & Hook. f. Gen. i. 338.  
MAHAGONI, Adans. Fam. ii. 343 (1763).  
ROIA, Scop. Introduct. 226 (1777).  
acutifolia, Stokes, Bot. Mat. Med. ii. 479 = *S. Mahagoni*.  
alternifolia, Steud. Nom. ed. II. ii. 653 = *Cedrela*  
alternifolia.  
angolensis, *Welw. Apont.* 587.—Afr. trop.  
Chickrassia, Roxb. Hort. Beng. 33; Fl. Ind. ii. 399 =  
*Chickrassia tabularis*.  
Chloroxylon, Roxb. Pl. Corom. i. 46. t. 64 = *Chlor-*  
oxylon Swietenia.  
fabrilis, Salisb. Prod. 317 = *S. Mahagoni*.  
febrifuga, Roxb. Pl. Corom. i. 18. t. 17 = *Soymida*  
febrifuga.  
humilis, Zucc. in *Abh. Akad. Muench.* ii. (1831-36)  
355. t. 7.—Mexic.  
Mahagoni, Jacq. Enum. Pl. Carib. 20; Linn. Sp. Pl.  
ed. II. 271.—Am. austr.  
Mahogani, DC. Prod. i. 625 = praec.  
Mahogoni, Lam. Encyc. iii. 678 = praec.  
multijuga, Schiede, in Linnaea, iv. (1829) 578 =  
humilis.  
obtusifolia, Stokes, Bot. Mat. Med. ii. 480 = *Soymida*  
febrifuga.  
rubra, Wight, ex Wall. Cat. n. 4890 = *Soymida febr-*  
fuga.  
senegalensis, Desv. in Lam. Encyc. iii. 679 = *Khaya*  
senegalensis.  
Soymida, A. Dunc. Tent. 16 = *Soymida febrifuga*.  
Sureni, Blume, Cat. Gew. Buitenz. 72 = *Cedrela*  
Toona.  
Toon, Stokes, Bot. Mat. Med. ii. 480 = *Cedrela Toona*.  
trilocularis, Roxb. ex Buch.-Ham. Journ. i. 184 =  
*Chickrassia tabularis*.  
velutina, Wall. ex Kurz, in Journ. As. Soc. Beng. xlii.  
(1873) 11. 65 = *Chickrassia tabularis*.  
villosa, Wall. ex Kurz, l. c. = *Chickrassia tabularis*.

**SWINTONIA**, Griff. in Proc. Linn. Soc. i. (1846) 283.

- ANACARDIACEAE, Benth. & Hook. f. i. 421.  
ANAXANOPETALUM, Teijsm. & Binn. in Journ. Bot.  
Néerl. i. (1861) 368.  
ASTROPETALUM, Griff. Notul. iv. 411. t. 565 (1854).  
acuta, *Engl. Bot. Jahrb.* i. (1881) 44.—Borneo.  
floribunda, *Griff. in Proc. Linn. Soc.* i. (1846) 283.—  
Burma.  
glaucula, *Engl. Bot. Jahrb.* i. (1881) 44.—Borneo.  
Griffithii, Kurz, in Journ. As. Soc. Beng. xxxix. (1870)  
11. 75 = floribunda.  
Helferi, *Hook. f. Fl. Brit. Ind.* ii. 26.—Burma.  
obtusifolia, *Engl. in DC. Monog. Phan.* iv. 231.—  
Borneo.  
Pierrei, *Hance, in Journ. Bot.* xiv. (1876) 257.—  
Cambodia.  
Schwenckii, *Teijsm. & Binn. Cat. Hort. Bog.* 230,  
nomen; et ex *Hook. f. Fl. Brit. Ind.* ii. 26.—Malaya.  
spicifera, *Hook. f. Fl. Brit. Ind.* ii. 27.—Malaya.

SYAGRUS, Mart. Hist. Nat. Palm. ii. 129. t. 89 (1824)  
= *Cocos*, Linn. (Palm.).

- amara, Mart. Palmet. Orbign. 132 = *C. amara*.  
botryophora, Mart. l. c. 133 = *C. botryophora*.  
Chiragua, H. Wendl. in Kerch. Palm. 257.—N. Granat.

**SYAGRUS:**—

- coccoides, Mart. Hist. Nat. Palm. ii. 130. tt. 89, 90 =  
*Cocos Syagrus*.  
comosa, Mart. Palmet. Orbign. 134 = *C. comosa*.  
macrocarpa, Rodrig. Prot.-App. Enum. Palm. Nov. 46,  
48 = *C. Procopia*.  
majestica, Hort. ex H. Wendl. in Kerch. Palm. 257,  
nomen.—Hab.?  
Mikaniana, Mart. Palmet. Orbign. 133 = *C. Mikan-*  
iana.  
picrophylla, Rodrig. Prot.-App. Enum. Palm. Nov. 45,  
48 = *C. Martiana*.  
Sancona, Karst. in Linnaea, xxviii. (1856) 247.—  
N. Granat.  
Tamaca, Linden, in Illustr. Hort. xxviii. (1881) 32,  
nomen.—N. Granat.  
Wallisi, Linden, Cat. n. 16 (1861); n. 18 (1863) 45.—  
N. Granat.

SYALITA, Adans. Fam. ii. 364 (1763) = *Dillenia*,  
Linn.

SYAMA, Jones, in As. Res. iv. (1795) 261 = *Pupalia*,  
Juss. (Amarant.).  
lata, Pritz. Ic. Ind. i. 1082 (Quid?).—Ind. or.

SYCAMORUS, Oliver, in Trans. Linn. Soc. xxix. (1874)  
149, err. typ. = SYCOMORUS, Gasp. = *Ficus*, Tourn.  
(Urtic.).

SYCHINIUM, Desv. in Mém. Soc. Linn. Par. iv. (1826)  
216. t. 12 = *Dorstenia*, Plum. (Urtic.).  
ramosum, Desv. l. c. 217 = *D. arifolia*.

SYCHNOSEPALUM, Eichl. in Flora, xlvii. (1864)  
395. MENISPERMACEAE, Benth. & Hook. f. i. 963.  
DETANDRA, Miers, in Ann. & Mag. Nat. Hist. Ser.  
III. xiii. 124 (1864); et xx. (1867) 17.  
microphyllum, Eichl. in Flora, xlvii. (1864) 396.—  
Bras.  
paraense, Eichl. l. c. —Bras.  
Sagotianum, Eichl. l. c. —Guian.

SYCIOS, Medic. Vorles. Churpf. Phys. Ges. iv. i. (1789)  
190, sphalm. = *Sicyos*, Linn. (Cucurb.).

SYCODIUM, Pomel, Nouv. Mat. Fl. Atl. 39 (1874) =  
*Anvillea*, DC. (Compos.).  
radiatum, Pomel, l. c. = *A. radiata*.

SYCOMORPHE, Miq. in Ann. Sc. Nat. Sér. III. i.  
(1844) 35 = *Ficus*, Tourn. (Urtic.).  
Roxburghii, Miq. l. c. = *F. hispida*.

SYCOMORUS, Gasp. Ricerch. Caprif. e Fic. 86 (1845) =  
*Ficus*, Tourn. (Urtic.).

- antiquorum, Gasp. l. c. = *F. Sycomorus*.  
capensis, Miq. in Hook. Lond. Journ. Bot. vii. (1848)  
113. t. 3. f. B = *F. capensis*.  
capraefolia, Walp. Ann. iii. 418 = *F. antithetophylla*.  
Dahro, Walp. l. c. = *F. Dahro*.  
gnaphalocarpus, Miq. in Hook. Lond. Journ. Bot. vii.  
(1848) 113 = *F. gnaphalocarpa*.  
guineensis, Miq. l. c. 112. t. 14 = *F. capensis*.  
gummiflua, Miq. Pl. Jungh. 64 = *F. variegata*.  
hirsuta, Sond. in Linnaea, xxiii. (1850) 137 =  
*F. Sonderi*.  
panifica, Miq. in Hook. Lond. Journ. Bot. vii. (1848)  
111. t. 3. f. A = *F. panifica*.  
rigida, Miq. l. c. 110.—Afr. trop.  
riparia, Miq. l. c. 114 = *F. riparia*.  
Schimperiana, Miq. l. c. 112 = *F. Vallis-Choudae*.  
Thonningiana, Miq. l. c. = *F. Thonningiana*.  
trachyphyllus, Miq. l. c. 110 = *F. trachyphylla*.  
Vogeliana, Miq. l. c. 112 = *F. Vogeliana*.

SYCOPSIS, Oliver, in Trans. Linn. Soc. xxiii. (1860)  
83. t. 8. HAMAMELIDEAE, Benth. & Hook. f. i.  
666.  
Griffithiana, Oliver, l. c.—Reg. Himal.

SYDERITIS, All. in Misc. Taur. v. (1773) 59, sphalm.  
= *Sideritis*, Linn. (Labi.).

SYENA, Schreb. Gen. 39 (1789) = *Mayaca*, Aubl.  
Aubletii, Schott & Endl. Melet. 24 = *M. Aubletii*.  
fluviatilis, Willd. Sp. Pl. i. 254 = *M. fluviatilis*.  
Mayaca, J. F. Gmel. Syst. 121 = *M. fluviatilis*.  
Nuttalliana, Schult. Mant. i. 343.—Am. bor.

SYKESIA, Arn. in Nov. Act. Nat. Cur. xviii. (1836)  
351 = *Gaertnera*, Lam. (Logan.).  
Koenigii, Arn. l. c. 353 = *G. Koenigii*.  
thyrsiflora, Arn. l. c. = *G. Koenigii*.  
Walkerii, Arn. l. c. 354 = *G. Walkerii*.

SYKORAEA, Opiz, Seznam, 94 (1852) = *Campanula*,  
Tourn.  
barbata, Opiz, l. c. = *C. barbata*.  
hortensis, Opiz, l. c. = *C. Medium*.

SYLITRA, E. Mey. Comm. Pl. Afr. Austr. 114 (1835).  
LEGUMINOSAE, Benth. & Hook. f. i. 496.  
angolensis, Baker, in Oliver, Fl. Trop. Afr. ii. 103.—  
Afr. trop.  
biflora, E. Mey. Comm. Pl. Afr. Austr. 114.—Afr.  
austr.

SYLLEPIS, Fourn. ex Benth. & Hook. f. Gen. iii. 1125  
(1883) = *Imperata*, Cyrilli (Gramin.).  
polystachya, Fourn. ex Hack. in Mart. Fl. Bras. ii. 111.  
251 = *I. exaltata*.  
Ruprechtii, Fourn. ex Hack. l. c. = *I. brasiliensis*.

SYLLISIUM, Endl. Gen. Suppl. iii. 102 (1843) = seq.

SYLLYSIUM, Meyen & Schau. in Nov. Act. Nat. Cur.  
xix. Suppl. i. (1843) 334 = *Eugenia*, Mich. (Myrtac.).  
buxifolium, Meyen & Schau. l. c. = *E. pyxophylla*?

SYLVIA, Lindl. Veg. Kingd. 685 (1847), sphalm. =  
*Silvia*, Benth. (Scrophul.).

SYMBASIANDRA, Willd. ex Steud. Nom. ed. II. i. 767  
(1840) = *Hilaria*, H. B. & K. (Gramin.).  
repens, Willd. ex Steud. l. c. = *H. cenchroides*.

SYMBLOMERIA, Nutt. in Trans. Am. Phil. Soc. N. S.  
vii. (1841) 284 = *Albertinia*, Spreng. (Compos.).  
Baldwiniana, Nutt. l. c. = *A. brasiliensis*.

SYMBOLANTHUS, G. Don, Gen. Syst. iv. 210 (1837)  
= *Lisianthus*, Linn. (Gentian.).  
calygonus, Griseb. in DC. Prod. ix. 80 = *L. calygonus*.  
Kunthii, G. Don, Gen. Syst. iv. 210 = *L. anomalus*.  
Pavonii, G. Don, l. c. = *L. calygonus*.  
superbus, Miers, in Journ. Bot. vii. (1869) 218.—  
N. Granat.

SYMBRYON, Griseb. Cat. Pl. Cub. 64 (1866).  
PIPERACEAE, Benth. & Hook. f. iii. 133.  
tetrastachyum, Griseb. l. c.—Cuba.

SYMEA, Baker, in Saund. Refug. Bot. t. 260 (1871) =  
*Solaria*, Phil. (Liliac.).  
gillesioides, Baker, l. c. = *Solaria miersioides*.

SYMETHUS, Rafin. Fl. Tellur. iv. 83 (1836) = *Convol-*  
vulus, Tourn.  
siculum, Rafin. l. c. = *C. siculum*.

SYMMERIA, Benth. in Hook. Lond. Journ. Bot. iv.  
(1845) 630. POLYGONACEAE, Benth. & Hook. f.  
iii. 105.  
THURNHEYSSERA, Mart. ex Meissn. in DC. Prod.  
xiv. 185 (1856).  
paniculata, Benth. in Hook. Lond. Journ. Bot. iv.  
(1845) 630.—Bras.

SYMMETRIA, Blume, Bijdr. 1130 (1826) = *Carallia*,  
Roxb. (Rhizoph.).  
obovata, Blume, l. c. 1131 = *C. integerrima*.

SYMPACHNE, Steud. Nom. ed. II. ii. 654 (1841),  
sphalm. = SYMPHACHNE, Beauv. = *Eriocaulon*,  
Linn.

SYMPEGMA, Bunge, in Bull. Acad. Pétersb. xxv.  
(1879) 371. CHENOPODIACEAE, Benth. &  
Hook. f. iii. 76.  
Regelii, Bunge, l. c.—Turkest.

SYMPETALEIA, A. Gray, in Proc. Am. Acad. xii.  
(1877) 161. LOASEAE.  
aurea, A. Gray, l. c.—Am. bor. occ.

SYMPHACHNE, Beauv. ex Desv. in Ann. Sc. Nat. Sér. I. xiii. (1828) 47. t. 5 = *Eriocaulon*, Linn. *xyroides*, Beauv. ex Desv. l. c. 48 = *E. decangulare*.

SYMPHYANDRA, Steud. Nom. ed. II. ii. 655 (1841), sphalm. = *Symphyanandra*, DC. (Campan.).

SYMPHIONEMA, R. Br. in Trans. Linn. Soc. x. (1810) 157 = *Symphyonema*, R. Br. (Proteac.).

SYMPHITUM, Neck. in Act. Acad. Theod. Palat. ii. (1770) 479 = *Symphytum*, Tourn. (Borag.).

SYMPHONIA, Linn. f. Suppl. 49, 303 (1781). *GUTTIFERAE*, Benth. & Hook. f. i. 173.

ACTINOSTIGMA, Welw. Apont. 560 (1858).

ANEURISCUS, Presl, Symb. Bot. i. 71. t. 48 (1832).

CHRYSOPIA, Thon. Gen. Nov. Madag. 14 (1806).

acuminata, Baker, in Journ. Linn. Soc. xxi. (1884) 322.—Madag.

clusioides, Baker, in Journ. Bot. xx. (1882) 19.—Madag.

esculenta, Arruda, ex DC. Prod. i. 563 = globulifera, Moronobea grandiflora.

esculenta, Steud. Nom. ed. II. ii. 654, partim = *Platonia insignis*.

eugenioides, Baker, in Journ. Linn. Soc. xx. (1883) 91.—Madag.

fasciculata, Baill. Hist. Pl. vi. 399.—Madag.

globulifera, Linn. f. Suppl. 302.—Guian.; Afr. trop.

grandiflora, Spreng. Syst. iii. 334 = Moronobea grandiflora.

lepidocarpa, Baker, in Journ. Linn. Soc. xx. (1883) 91.—Madag.

Melleri, Baker, l. c. 90.—Madag.

Moronobea, Raesch. Nom. ed. III. 191 = Moronobea grandiflora.

pauciflora, Baker, in Journ. Linn. Soc. xx. (1883) 90.—Madag.

—Madag.

SYMPHORANTHUS, Mitch. in Act. Phys. Med. Acad. Nat. Cur. viii. (1748) App. 219 = *Polypremum*, Linn. (Logan.).

SYMPHOREMA, Roxb. Pl. Corom. ii. 46. t. 186 (1798). *VERBENACEAE*, Benth. & Hook. f. ii. 1159.

ANALECTIS, Juss. in Jaume St. Hil. Expos. ii. 362 (1805).

SCZEGLEWIA, Turcz. in Bull. Soc. Nat. Mosc. (1863) ii. 212.

glabrum, Hassk. in Flora, xlviii. (1865) 402.—Ins. Philipp.

grossum, Kurz, For. Fl. Brit. Burma, ii. 254.—Burma.

involucratum, Roxb. Pl. Corom. ii. 46. t. 186.—Ind. or.

involucratum, Wall. Cat. n. 1740 = polyandrum.

Jackianum, Kurz, For. Fl. Brit. Burma, ii. 255 = Sphenodesme pentandra.

luzonicum, F. Villar, in Blanco, Fl. Philipp. ed. III. Nov. App. 162.—Ins. Philipp.

luzoniense, Vidal, Sinops. t. 75. f. F = praec.

microstylis, Bedd. ex C. B. Clarke, in Hook. f. Fl. Brit. Ind. iv. 600 = Sphenodesme microstylis.

paniculatum, Heyne, ex Wall. Cat. n. 1739, partim = involucratum.

pentandrum, Kurz, For. Fl. Brit. Burma, ii. 255 = Sphenodesme Griffithiana.

polyandrum, Wight, Ic. t. 363.—Ind. or.

unguiculatum, Kurz, For. Fl. Brit. Burma, ii. 255 = Sphenodesme unguiculata.

—Madag.

SYMPHORIA, Pers. Syn. i. 214 (1805) = *Symphoricarpos*, Dill. (Caprifol.).

albus, Rafin. New Fl. N. Am. iii. 21 = *Symphoricarpos racemosus*.

conglomerata, Pers. Syn. i. 214 = *Symphoricarpos orbiculatus*.

elongata, Torr. & Gray, Fl. N. Am. ii. 3 = *Symphoricarpos racemosus*.

glaucescens, Spreng. Syst. i. 757 = *Symphoricarpos microphyllus*.

globuliflora, Sweet, Hort. Brit. ed. III. 95, in syn. sphalm. = *Symphonia globulifera*.

glomerata, Pursh, Fl. Am. Sept. i. 162 = *Symphoricarpos orbiculatus*.

—Madag.

SYMPHORIA:—

*heterophylla*, Rafin. New Fl. Am. iii. 21; Torr. & Gray, Fl. N. Am. ii. 3 = *Symphoricarpos racemosus*.

*leucocarpa*, Hort. ex DC. Prod. iv. 339 = *Symphoricarpos racemosus*.

*microphylla*, Spreng. Syst. i. 757 = *Symphoricarpos microphyllus*.

*montana*, Spreng. l. c. = *Symphoricarpos microphyllus*.

*occidentalis*, R. Br. in Richards. App. Frankl. 2nd Journ. 733 = *Symphoricarpos occidentalis*.

*parviflora*, Buek, Ind. ad DC. Prod. i. 386 = *Symphoricarpos orbiculatus*.

*punicea*, Loud. Hort. Brit. 80 = *Symphoricarpos puniceus*.

*racemosa*, Pursh, Fl. Am. Sept. i. 162 = *Symphoricarpos racemosus*.

*rubra*, Rafin. New Fl. N. Am. iii. 21.—Am. bor.

*vulgaris*, D. Dietr. Syn. Pl. i. 783 = *Symphoricarpos orbiculatus*.

SYMPHORICARPA, Neck. Elem. i. 129 (1790) = seq.

SYMPHORICARPOS, Dill. ex Juss. Gen. 211 (1789). *CAPRIFOLIACEAE*, Benth. & Hook. f. ii. 4.

ANISANTHUS, Willd. ex Roem. & Schult. Syst. v. p. xiv. (1819).

DESCLIAEA, [Moq. & Sesse,] ex DC. Prod. iv. 483 (1830).

MARGARIS, DC. l. c. (1830).

SYMPHORIA, Pers. Syn. i. 214 (1805).

albus, C. Koch, Dendrol. ii. i. 48 = *racemosus*.

*ciliatus*, Nutt. ex Torr. & Gray, Fl. N. Am. ii. 4 = *molliis*.

*conglomeratus*, Pers. Syn. i. 214 = *orbiculatus*.

*elongatus*, Presl, ex DC. Prod. iv. 339 = *racemosus*.

*erythrocarpus*, Hort. ex C. Koch, Dendrol. ii. i. 98 = *orbiculatus*.

*glaucescens*, H. B. & K. Nov. Gen. et Sp. iii. 424. t. 295 = *microphyllus*.

*glomeratus*, C. Koch, Dendrol. ii. i. 48 = *orbiculatus*.

*heterophyllus*, Presl, ex DC. Prod. iv. 339 = *racemosus*.

*imberbis*, Tausch, in Flora, xxi. (1838) 734 = *orbiculatus*.

*leucocarpus*, Hort. ex C. Koch, Dendrol. ii. i. 49 = *racemosus*.

*longiflorus*, A. Gray, in Journ. Linn. Soc. xiv. (1873) 12.—Am. bor. occ.

*mexicanus*, Hort. ex C. Koch, Dendrol. ii. i. 50 = *microphyllus*.

*microphyllus*, H. B. & K. Nov. Gen. et Sp. iii. 424.—Mexic.

*molliis*, Nutt. ex Torr. & Gray, Fl. N. Am. ii. 4.—Am. bor. occ.

*montanus*, A. Gray, in Am. Journ. Sc. Ser. II. xxxiv. (1862) 249 = *oreophilus*.

*montanus*, H. B. & K. Nov. Gen. et Sp. iii. 425. t. 296 = *microphyllus*.

*montanus*, S. Wats. Bot. King's Exped. 132 = *rotundifolius*.

occidentalis, Hook. Fl. Bor. Am. i. 285.—Am. bor.

odoratus, Buch.-Ham. ex D. Don, Prod. Fl. Nep. 145 = *Schoepfia fragrans*.

orbiculatus, Moench, Meth. 503.—Am. bor.

oreophilus, A. Gray, in Journ. Linn. Soc. xiv. (1873) 12.—Am. bor. occ.

parviflorus, Desf. Tabl. ed. I. 114 = *orbiculatus*.

poluccensis, C. Koch, Dendrol. ii. i. 149, sphalm. = *toluccensis*.

puniceus, Steud. Nom. ed. II. ii. 654.—Am. bor.

racemosus, Michx. Fl. Bor. Am. i. 107.—Am. bor.

rotundifolius, A. Gray, Pl. Wright. ii. 66.—Mexic.

rotundifolius, C. Koch, Dendrol. ii. i. 48 = *orbiculatus*.

spicatus, Engelm. ex A. Gray, in Bost. Journ. Nat. Hist. vi. (1850) 215 = *orbiculatus*.

toluccensis, Hort. ex C. Koch, Dendrol. ii. i. 49, 50 = *microphyllus*, *racemosus*.

vulgaris, Michx. Fl. Bor. Am. i. 106 = *orbiculatus*.

SYMPHORICARPUS, H. B. & K. Nov. Gen. et Sp. iii. 424 (1818) = praec.

SYMPHYANDRA, A. DC. Monog. Camp. 365. t. 8 (1830). *CAMPANULACEAE*, Benth. & Hook. f. ii. 563.

armena, A. DC. l. c. 366. t. 8.—Reg. Cauc.

cretica, A. DC. l. c.—Ins. Creta.

SYMPHYANDRA:—

*heterophylla*, Schur, Enum. Pl. Transs. 431 = Wanneri.

Hofmanni, Pant. in Magyar Növényk. Lapok, v. (1881) 150.—Bosnia.

lazica, Boiss. & Bal. ex Boiss. Fl. Orient. iii. 888.—Pontus.

ossetica, A. DC. Monog. Camp. 366. t. 8.—Reg. Cauc.

pendula, A. DC. l. c.—Reg. Cauc.

stylosa, Royle, Illustr. Bot. Himal. 253 = *Phyteuma Thomsoni*.

Wanneri, Heuff. in Flora, xxxvii. (1854) 292.—Transsylv.

SYMPHYDOLON, Salisb. Gen. Pl. Fragm. 142 (1866) = *Gladolus*, Tourn. (Irid.).

angustus, Salisb. l. c. = *G. angustus*.

blandus, Salisb. l. c. = *G. blandus*.

cardinalis, Salisb. l. c. = *G. cardinalis*.

carneus, Salisb. l. c. = *G. cuspidatus*.

cuspidatus, Salisb. l. c. = *G. cuspidatus*.

floribundus, Salisb. l. c. = *G. floribundus*.

hastatus, Salisb. l. c. = *G. hastatus*.

Milleri, Salisb. l. c. = *G. Milleri*.

undulatus, Salisb. l. c. = *G. undulatus*.

SYMPHYLLANTHUS, Vahl, in Skrivt. Nat. Hist. Selsk. vi. (1810) 86 = *Chailletia*, DC.

glaber, Vahl, l. c. 89.—Guian.

rugosus, Vahl, l. c. 88.—Guian.

SYMPHYLLIA, Baill. Etud. Gén. Euph. 473. t. 11 (1858) = *Adenochlaena*, Baill. (Euphorb.).

mallotiformis, Muell. Arg. in Linnaea, xxxiv. (1865–66) 156 = *A. indica*.

siletiana, Baill. Etud. Gén. Euph. 474. t. 11 = *A. silhetensis*.

silhetense, Benth. in Journ. Linn. Soc. xvii. (1878) 228 = praec.

SYMPHYLLIUM, Benth. in Journ. Linn. Soc. xvii. (1878) 228 = praec.

SYMPHYLOCARPUS, Maxim. Prim. Fl. Amur. 151. t. 8. f. 1 (1859). *COMPOSITAE*, Benth. & Hook. f. ii. 296.

exilis, Maxim. l. c.—Manchuria.

SYMPHYLOMA, Steud. Nom. ed. II. ii. 654 (1841), sphalm. = *SYMPHYOLOMA*, C. A. Mey. = *Heraclium*, Linn. (Umbell.).

SYMPHYODOLON, Baker, in Journ. Linn. Soc. xvi. (1877) 170, sphalm. = *SYMPHYDOLON*, Salisb. = *Gladolus*, Tourn. (Irid.).

SYMPHYOGLOSSUM, Turcz. in Bull. Soc. Nat. Mosc. xxi. (1848) i. 255 = *Cynanchum*, Linn. (Asclep.).

hastatum, Turcz. l. c. 256 = *C. Wilfordii*.

SYMPHYLOMA, C. A. Mey. Verz. Pfl. Cauc. 127 (1831) = *Heraclium*, Linn. (Umbell.).

graveolens, C. A. Mey. l. c.—Reg. Cauc.

SYMPHYOMERA, Hook. f. in Hook. Lond. Journ. Bot. vi. (1847) 116 = *Cotula*, Tourn. (Compos.).

Filicula, Hook. f. l. c. 118 = *C. Filicula*.

SYMPHYOMYRTUS, Schau. in Lehm. Pl. Preiss. i. 126 (1844) = *Eucalyptus*, L'Hérit. (Myrtac.).

Lehmanni, Schau. l. c. 127 = *E. Lehmanni*.

SYMPHYONEMA, R. Br. in Trans. Linn. Soc. x. (1810) 157 (*Symphionema*); Spreng. Anleit. ii. i. 333 (1817). *PROTEACEAE*, Benth. & Hook. f. iii. 174.

abrotanoides, Sieber, in Spreng. Syst. iv. Cur. Post. 46 = *paludosum*.

montanum, R. Br. in Trans. Linn. Soc. x. (1810) 48, 157.—Austral.

montanum, Endl. Ic. t. 12 = *paludosum*.

paludosum, R. Br. in Trans. Linn. Soc. x. (1810) 48, 157.—Austral.

SYMPHYOPAPPUS, Turcz. in Bull. Soc. Nat. Mosc. xxi. (1848) i. 583. *COMPOSITAE*, Benth. & Hook. f. ii. 244.

KALLOPHYLLON, Pohl, ex Baker, in Mart. Fl. Bras. vi. ii. 365 (1876).

**SYMPHYOPAPPUS** :—

cuneatus, *Sch. Bip. ex Baker, in Mart. Fl. Bras.* vi. 11. 367.—Bras.  
decussatus, *Turcz. in Bull. Soc. Nat. Mosc.* xxi. (1848) i. 584.—Bras.  
polystachyus, *Baker, in Mart. Fl. Bras.* vi. 11. 368.—Bras.  
reticulatus, *Baker, l. c.* 367.—Bras.  
vernicosus, *Sch. Bip. ex Baker, l. c.* 368 = reticulatus.  
viscosus, *Sch. Bip. ex Baker, l. c.* 366.—Bras.

SYMPHYOPETALON, J. Drumm. ex Harv. in Hook. Kew Journ. vii. (1855) 54 = **Nematolepis**, Turcz. (Rutac.).

*corraeoides*, J. Drumm. ex Harv. l. c. = **N. phebaloides**.

SYMPHYOSTEMON, Klotzsch, in Peters, Reise Mossamb. Bot. 159 (1861) = **Cleome**, Linn. (Cappar.).  
*strictus*, Klotzsch, l. c. = **C. strigosa**.

SYMPHYOSTEMON, Miers, in Proc. Linn. Soc. i. (1841) 123; et in Trans. Linn. Soc. xix. (1843) 97. **IRIDEAE**, Benth. & Hook. f. iii. 700.

*Psithyrism*, Herb. in Bot. Reg. (1843) Misc. 85.

*Susarium*, Phil. in Linnaea, xxxiii. (1864-65) 248.

*flexuosus*, Miers, in Proc. Linn. Soc. i. (1841) 122, 123 = **Sisyrinchium cuspidatum**.

*narcissoides*, Phil. f. Cat. Pl. Vasc. Chil. 283 = odoratissimus.

odoratissimus, *Miers, in Proc. Linn. Soc. i.* (1841) 122, 123.—Am. austr.

SYMPHYOTRICHUM, Nees, Gen. et Sp. Ast. 135 (1833) = **Aster**, Tourn. (Compos.).

*unctuosum*, Nees, l. c. = **A. Novi-Belgii**.

SYMPHYZIA, Presl, Epist. ad Jacq. (1827); et in Oken, Isis, xxi. (1828) 274; xxiv. (1831) 489 = **Horne-mannia**, Vahl (Vaccin.).

*guadalupensis*, Klotzsch, in Linnaea, xxiv. (1851) 37 = **H. martinicensis**.

*martinicensis*, Presl, Epist. ad Jacq. (1827); in Oken, Isis, xxi. (1828) 274; et in Flora, xi. (1828) 110 = **H. martinicensis**.

SYMPHYSCARPUS, Hassk. in Flora, xl. (1857) 101 = **Heterostemma**, Wight & Arn. (Asclep.).

*chrysanthus*, Hassk. l. c. 102.—Java.

SYMPHYSDAPHNE, A. Rich. Fl. Cub. Fanerog. ii. 190. t. 67 (1853) = **Misanteca**, Cham. (Laurin.).

*cubensis*, A. Rich. l. c. = **M. cubensis**.

**SYMPHYTUM**, Tourn. ex Linn. Syst. ed. I (1735). **BORAGINEAE**, Benth. & Hook. f. ii. 854.

*abchasicum*, Trautv. in Bull. Soc. Nat. Mosc. xliii. (1870) i. 72.—Reg. Cauc.

*album*, Hort. ex Steud. Nom. ed. I. 821 = officinale.

*anatolicum*, Boiss. Diagn. Ser. I. iv. 43.—Anatolia.

*angustifolium*, Kern. in Oestr. Bot. Zeitschr. xiii. (1863) 227 = tuberosum.

*armenum*, Gundelsh. ex DC. Prod. x. 66 = **Onosma sericea**.

*aspermum*, Donn, in Sims, Bot. Mag. t. 929.—Reg. Cauc.; Persia.

*aspermum*, Urv. in Mém. Soc. Linn. Par. i. (1822) 276 = **anatolicum**.

*asperum*, Lepech. in Nov. Act. Acad. Petrop. xiv. (1805) 442. t. 7 = **aspermum**.

*azureum*, Van Hall, in Tijdschr. Wetensch. ii. (1849) 128.—Hab.?

*bohemicum*, F. W. Schmidt, Fl. Boëm. iii. 13. t. 263 = officinale.

*borragineum*, Tausch, in Flora, xix. (1836) 393 = **tauricum**.

*brachycalyx*, Boiss. Diagn. Ser. I. iv. 43.—Kurdistan.

*brochum*, Bory & Chaub. Nouv. Fl. Pélop. 13. t. 8 = **bulbosum**.

*bulbosum*, Schimp. in Flora, viii. (1825) 17.—Europ.

*bulbosum*, Schur, Enum. Pl. Transs. 468 = **tuberosum**.

*bullatum*, Hornem. Hort. Hafn. i. 179 = **tauricum**.

*calcaratum*, Clarke, Trav. ii. 651.—Palaest.

*Carmosina*, Hort. Angl. ex Steud. Nom. ed. II. ii. 654 (Quid?).—Sibir.

*caucasicum*, Bieb. Fl. Taur. Cauc. i. 128.—Reg. Cauc.

*caucasicum*, D. Don, in Sweet, Brit. Flow. Gard. Ser. II. t. 294 = **Donii**.

*caucasicum*, D. Don, in Sweet, Brit. Flow. Gard. Ser. II. t. 294 = **Donii**.

*caucasicum*, D. Don, in Sweet, Brit. Flow. Gard. Ser. II. t. 294 = **Donii**.

*caucasicum*, D. Don, in Sweet, Brit. Flow. Gard. Ser. II. t. 294 = **Donii**.

*caucasicum*, D. Don, in Sweet, Brit. Flow. Gard. Ser. II. t. 294 = **Donii**.

*caucasicum*, D. Don, in Sweet, Brit. Flow. Gard. Ser. II. t. 294 = **Donii**.

*caucasicum*, D. Don, in Sweet, Brit. Flow. Gard. Ser. II. t. 294 = **Donii**.

*caucasicum*, D. Don, in Sweet, Brit. Flow. Gard. Ser. II. t. 294 = **Donii**.

*caucasicum*, D. Don, in Sweet, Brit. Flow. Gard. Ser. II. t. 294 = **Donii**.

*caucasicum*, D. Don, in Sweet, Brit. Flow. Gard. Ser. II. t. 294 = **Donii**.

*caucasicum*, D. Don, in Sweet, Brit. Flow. Gard. Ser. II. t. 294 = **Donii**.

*caucasicum*, D. Don, in Sweet, Brit. Flow. Gard. Ser. II. t. 294 = **Donii**.

*caucasicum*, D. Don, in Sweet, Brit. Flow. Gard. Ser. II. t. 294 = **Donii**.

*caucasicum*, D. Don, in Sweet, Brit. Flow. Gard. Ser. II. t. 294 = **Donii**.

*caucasicum*, D. Don, in Sweet, Brit. Flow. Gard. Ser. II. t. 294 = **Donii**.

*caucasicum*, D. Don, in Sweet, Brit. Flow. Gard. Ser. II. t. 294 = **Donii**.

*caucasicum*, D. Don, in Sweet, Brit. Flow. Gard. Ser. II. t. 294 = **Donii**.

*caucasicum*, D. Don, in Sweet, Brit. Flow. Gard. Ser. II. t. 294 = **Donii**.

*caucasicum*, D. Don, in Sweet, Brit. Flow. Gard. Ser. II. t. 294 = **Donii**.

*caucasicum*, D. Don, in Sweet, Brit. Flow. Gard. Ser. II. t. 294 = **Donii**.

*caucasicum*, D. Don, in Sweet, Brit. Flow. Gard. Ser. II. t. 294 = **Donii**.

*caucasicum*, D. Don, in Sweet, Brit. Flow. Gard. Ser. II. t. 294 = **Donii**.

*caucasicum*, D. Don, in Sweet, Brit. Flow. Gard. Ser. II. t. 294 = **Donii**.

*caucasicum*, D. Don, in Sweet, Brit. Flow. Gard. Ser. II. t. 294 = **Donii**.

*caucasicum*, D. Don, in Sweet, Brit. Flow. Gard. Ser. II. t. 294 = **Donii**.

*caucasicum*, D. Don, in Sweet, Brit. Flow. Gard. Ser. II. t. 294 = **Donii**.

*caucasicum*, D. Don, in Sweet, Brit. Flow. Gard. Ser. II. t. 294 = **Donii**.

**SYMPHYTUM** :—

*Clusii*, C. C. Gmel. Fl. Bad. iv. 144 = **bulbosum**.

*coccineum*, Hort. ex Schlecht. in Bot. Zeit. vii. (1849) 731.—Hab.?

*coeruleum*, Hort. Angl. ex DC. Prod. x. 40.—Sibir.

*Consolida*, Gueldenst. Reisen, i. 420; ex Ledeb. Fl. Ross. iii. 114 = officinale.

*cordatum*, Bieb. Fl. Taur. Cauc. i. 130 = **grandiflorum**.

*cordatum*, Waldst. & Kit. Pl. Rar. Hung. i. 6. t. 7.—Hungar.

*cordatum*, Willd. in Ges. Naturf. Fr. Neue Schrift. ii. (1799) 121.—Europ. centr.

*cordifolium*, Baumg. Enum. Stirp. Transs. i. 126 = **cordatum**.

*Donii*, DC. Prod. x. 37.—Hab.?

*echinatum*, Ledeb. Hort. Dorpat. Suppl. (1811) 5 = **aspermum**.

*elatum*, Tausch, in Flora, xix. (1836) 393 = officinale.

*filipendulum*, Bisch. l. c. ix. (1826) 562 = **bulbosum**.

*floribundum*, Shuttlew. ex Nym. Consp. 509 = **mediterraneum**.

*foliosum*, Rehm. in Verh. Zool.-Bot. Ges. Wien, xviii. (1868) 495.—Rossia.

*fruticosum*, Moç. ex DC. Prod. x. 121 = **Antiphytum mexicanum**.

*grandiflorum*, DC. Prod. x. 40.—Reg. Cauc.

*Gussonei*, F. Schultz, in Arch. Fl. (1874) p. lviii; et in Flora, lviii. (1875) 218.—Sicil.

*hirsutum*, Rafin. Med. Fl. ii. 95.—Am. bor.

*ibericum*, Stev. ex Bieb. Fl. Taur. Cauc. iii. 647 = **grandiflorum**.

*intermedium*, Fisch. Hort. Gorenk. ed. II. 27; Roem. & Schult. Syst. iv. 66 (Quid?).—Hab.?

*Jacquinianum*, Tausch, in Flora, xix. (1836) 392, in obs. = orientale.

*kurdicum*, Boiss. & Haussk. ex Boiss. Pl. Or. Nov. Dec. ii. 5.—Kurdist.

*laeve*, Bess. Cat. Hort. Crem. Suppl. (1812) (Quid?).—Podolia.

*macrolepis*, J. Gay, ex Reichb. Fl. Germ. Excurs. 347 = **bulbosum**.

*majus*, Gueldenst. ex Ledeb. Fl. Ross. iii. 115 = **aspermum**.

*mediterraneum*, Guss. ex F. Schultz, in Flora, lviii. (1875) 218 = **Gussonei**.

*mediterraneum*, Koch, Syn. Fl. Germ. ed. I. 500.—Europ. austr.

*microcalyx*, Opiz, Seznam, 94 = officinale.

*molle*, Fanka, in Termész. Füzetek, i. (1877) 29.—Hungar.

*nodosum*, Schur, Enum. Pl. Transs. 468 = **tuberosum**.

*officinale*, Linn. Sp. Pl. 136.—Europ.

*orientale*, Linn. l. c.—Byzant.

*orientale*, Pall. Tabl. Taur. 47; Bieb. Fl. Taur. Cauc. i. 129 = **tauricum**.

*orientale*, Pinard, ex DC. Prod. x. 40 = **brachycalyx**.

*ottomanum*, Frivald. in Flora, xix. (1836) 439.—Rumelia.

*Palestinae*, Boiss. Diagn. Ser. I. xi. 94.—Syria.

*pannonicum*, Pers. Syn. i. 161 = **cordatum**.

*patens*, Fries, Mant. ii. 13 = orientale.

*patens*, Sibth. Fl. Oxon. 70 = officinale.

*peregrinum*, Ledeb. Ind. Sem. Hort. Dorpat. (1820) 4; et ex Spreng. Syst. i. 563 = **aspermum**.

*pictum*, Hort.—Cf. Gard. Chron. (1884) i. 827.—Hab.?

*punctatum*, Gaud. Fl. Helv. ii. 41 = **bulbosum**.

*racemosum*, Steph. ex Roem. & Schult. Syst. iv. 752 = **caucasicum**.

*regium*, S. T. Gmel. Reise, iii. 363. t. 36. f. 1 (= **Cynoglossum umbellatum**).—Hungar.

*secundum*, S. T. Gmel. l. c. = **Echium glomeratum**.

*sepulcrale*, Boiss. & Bal. ex Boiss. Fl. Orient. iv. 174.—Pontus.

*sylvaticum*, Boiss. Pl. Or. Nov. Dec. ii. 4.—Pontus.

*tanaicense*, Stev. in Bull. Soc. Nat. Mosc. xxiv. (1851) i. 577.—Rossia.

*tauricum*, Willd. in Ges. Naturf. Fr. Neue Schr. ii. (1799) 121. t. 5. f. 1.—Reg. Cauc.; Armen.

*tuberosum*, Linn. Sp. Pl. 136.—Europ. austr.

*uliginosum*, Kern. in Oestr. Bot. Zeitschr. xiii. (1863) 227 = officinale.

*uplandicum*, Nym. Syll. 80 = orientale.

*variegatum*, Hort. ex Gard. Chron. (1880) i. 779, cum cit. falsa = officinale.

*Zeyheri*, Schimp. in Flora, xii. (1829) 418 = **bulbosum**.

*Zeyheri*, Schimp. in Flora, xii. (1829) 418 = **bulbosum**.

*Zeyheri*, Schimp. in Flora, xii. (1829) 418 = **bulbosum**.

*Zeyheri*, Schimp. in Flora, xii. (1829) 418 = **bulbosum**.

*Zeyheri*, Schimp. in Flora, xii. (1829) 418 = **bulbosum**.

*Zeyheri*, Schimp. in Flora, xii. (1829) 418 = **bulbosum**.

*Zeyheri*, Schimp. in Flora, xii. (1829) 418 = **bulbosum**.

*Zeyheri*, Schimp. in Flora, xii. (1829) 418 = **bulbosum**.

*Zeyheri*, Schimp. in Flora, xii. (1829) 418 = **bulbosum**.

*Zeyheri*, Schimp. in Flora, xii. (1829) 418 = **bulbosum**.

*Zeyheri*, Schimp. in Flora, xii. (1829) 418 = **bulbosum**.

*Zeyheri*, Schimp. in Flora, xii. (1829) 418 = **bulbosum**.

*Zeyheri*, Schimp. in Flora, xii. (1829) 418 = **bulbosum**.

*Zeyheri*, Schimp. in Flora, xii. (1829) 418 = **bulbosum**.

*Zeyheri*, Schimp. in Flora, xii. (1829) 418 = **bulbosum**.

*Zeyheri*, Schimp. in Flora, xii. (1829) 418 = **bulbosum**.

*Zeyheri*, Schimp. in Flora, xii. (1829) 418 = **bulbosum**.

*Zeyheri*, Schimp. in Flora, xii. (1829) 418 = **bulbosum**.

*Zeyheri*, Schimp. in Flora, xii. (1829) 418 = **bulbosum**.

*Zeyheri*, Schimp. in Flora, xii. (1829) 418 = **bulbosum**.

*Zeyheri*, Schimp. in Flora, xii. (1829) 418 = **bulbosum**.

*Zeyheri*, Schimp. in Flora, xii. (1829) 418 = **bulbosum**.

*Zeyheri*, Schimp. in Flora, xii. (1829) 418 = **bulbosum**.

*Zeyheri*, Schimp. in Flora, xii. (1829) 418 = **bulbosum**.

*Zeyheri*, Schimp. in Flora, xii. (1829) 418 = **bulbosum**.

*Zeyheri*, Schimp. in Flora, xii. (1829) 418 = **bulbosum**.

*Zeyheri*, Schimp. in Flora, xii. (1829) 418 = **bulbosum**.

*Zeyheri*, Schimp. in Flora, xii. (1829) 418 = **bulbosum**.

*Zeyheri*, Schimp. in Flora, xii. (1829) 418 = **bulbosum**.

*Zeyheri*, Schimp. in Flora, xii. (1829) 418 = **bulbosum**.

*Zeyheri*, Schimp. in Flora, xii. (1829) 418 = **bulbosum**.

*Zeyheri*, Schimp. in Flora, xii. (1829) 418 = **bulbosum**.

*Zeyheri*, Schimp. in Flora, xii. (1829) 418 = **bulbosum**.

*Zeyheri*, Schimp. in Flora, xii. (1829) 418 = **bulbosum**.

*Zeyheri*, Schimp. in Flora, xii. (1829) 418 = **bulbosum**.

*Zeyheri*, Schimp. in Flora, xii. (1829) 418 = **bulbosum**.

**SYMPIEZA**, Licht. ex Roem. & Schult. Syst. iii. 8, 171 (1818). **ERICACEAE**, Benth. & Hook. f. ii. 593.

*brachyphylla*, Benth. in DC. Prod. vii. 706.—Afr. austr.

*capitellata*, Licht. ex Roem. & Schult. Syst. iii. 8, 171.—Afr. austr.

*Eckloniana*, Klotzsch, in Linnaea, viii. (1823) 656.—Afr. austr.

*Kunthii*, Klotzsch, l. c. 229.—Afr. austr.

*tenuiflora*, Benth. in DC. Prod. vii. 706.—Afr. austr.

*tenuiflora*, Benth. in DC. Prod. vii. 706.—Afr. austr.

*tenuiflora*, Benth. in DC. Prod. vii. 706.—Afr. austr.

*tenuiflora*, Benth. in DC. Prod. vii. 706.—Afr. austr.

## SYMPLOCOS:—

- brevipes*, Turcz. in Bull. Soc. Nat. Mosc. xxxvi. (1863) i. 577, in obs. = coccinea.  
*caerulescens*, Brongn. & Gris, in Bull. Soc. Bot. Fr. xiii. (1866) 429.—N. Caled.  
*caryophyllodes*, Zoll. Syst. Verz. Ind. Arch. 136; et in Tijdschr. Nederl. Ind. xiv. (1857) 161.—Java.  
*caudata*, Wall. Cat. n. 4413.—Reg. Himal.; China; Japon.  
*celastrifolia*, Griff. ex C. B. Clarke, in Hook. f. Fl. Brit. Ind. iii. 575.—Malaya.  
*celastrinea*, Mart. ex Miq. in Mart. Fl. Bras. vii. 31.—Bras.  
*cerasifolia*, Wall. Cat. n. 4434.—Malaya.  
*cernua*, Benth. Pl. Hartw. 78 = Hartwegi.  
*cernua*, Humb. & Bonpl. Pl. Aequin. i. 188. t. 53.—Peruv.  
*ciliata*, Benth. Pl. Hartw. 78, in nota.—Mexic.  
*ciliata*, Miq. Fl. Ind. Bat. i. ii. 466.—Java.  
*Ciponima*, L'Hérit. in Trans. Linn. Soc. i. (1791) 175.—Am. trop.  
*ciponimoides*, Griseb. Cat. Pl. Cub. 167.—Cuba.  
*citrea*, Lex. in La Llave & Lex. Nov. Veg. Desc. fasc. i. 22.—Mexic.  
*Claussenii*, A. DC. in DC. Prod. viii. 251.—Bras.  
*coccinea*, Humb. & Bonpl. Pl. Aequin. i. 185. t. 52.—Mexic.  
*congesta*, Benth. Fl. Hongk. 211.—China.  
*congesta*, Zoll. Syst. Verz. Ind. Arch. 136.—Malaya.  
*cordifolia*, Thw. Enum. Pl. Zeyl. 187.—Zeylan.  
*coriacea*, A. DC. in DC. Prod. viii. 248.—Peruv.  
*coronata*, Thw. Enum. Pl. Zeyl. 187.—Zeylan.  
*costaricana*, Hemsl. Biol. Centr. Am. Bot. ii. 301.—Costa Rica.  
*costata*, Choisy, ex Zoll. Syst. Verz. Ind. Arch. 136.—Java.  
*crassifolia*, Benth. Fl. Hongk. 212.—China.  
*crassipes*, C. B. Clarke, in Hook. f. Fl. Brit. Ind. iii. 580.—Malacca.  
*crataegoides*, Buch.-Ham. ex D. Don, Prod. Fl. Nep. 145.—Reg. Himal.; Burma; China; Japon.  
*cubensis*, Griseb. in Mem. Am. Acad. N. S. viii. (1862) 518.—Cuba.  
*cuneata*, Thw. Enum. Pl. Zeyl. 186.—Zeylan.  
*decora*, Hance, in Journ. Bot. xii. (1874) 369.—China.  
*dryophila*, C. B. Clarke, in Hook. f. Fl. Brit. Ind. iii. 578.—Reg. Himal.  
*elegans*, Thw. Enum. Pl. Zeyl. 185.—Zeylan.  
*estrellensis*, Casar. Nov. Stirp. Bras. Dec. 32.—Bras.  
*fasciculata*, Roxb. ex A. DC. Prod. viii. 259 = Eurya japonica.  
*fasciculata*, Zoll. Syst. Verz. Ind. Arch. 136.—Malaya.  
*ferruginea*, Roxb. Hort. Beng. 40; Fl. Ind. ii. 542.—Reg. Himal.; Malaya.  
*flavida*, Miq. ex C. B. Clarke, in Hook. f. Fl. Brit. Ind. iii. 573 = spicata.  
*floribunda*, Wall. Cat. n. 4419 = S. Sumuntia.  
*foliosa*, Wight, Ic. t. 1234.—Ind. or.  
*Fordii*, Hance, in Journ. Bot. xx. (1882) 78.—China.  
*Gardneriana*, Wight, Ic. t. 1231.—Ind. or.  
*glaucescens*, Vieill. ex Miers, in Journ. Linn. Soc. xvii. (1879) 305.—N. Caled.  
*glomerata*, King, ex Gamble, Darjeeling List, 54.—Reg. Himal.  
*gracilis*, Brongn. & Gris, in Bull. Soc. Bot. Fr. xiii. (1866) 431.—N. Caled.  
*grandiflora*, Wall. Cat. n. 4421.—Reg. Himal.  
*Hamiltoniana*, Wall. Cat. n. 4420 = racemosa.  
*Hartwegi*, A. DC. in DC. Prod. viii. 252.—Mexic.  
*hebantha*, Thw. ex C. B. Clarke, in Hook. f. Fl. Brit. Ind. iii. 586.—Zeylan.  
*Henscheli*, Benth. ex C. B. Clarke, in Hook. f. Fl. Brit. Ind. iii. 588.—Malaya; China.  
*hirsuta*, A. DC. in DC. Prod. viii. 253.—Bras.  
*hirsuta*, Wight & Gardn. ex Thw. Enum. Pl. Zeyl. 185 = minor, latiflora.  
*hispidula*, Thw. Enum. Pl. Zeyl. 186.—Zeylan.  
*Hohenackeri*, C. B. Clarke, in Hook. f. Fl. Brit. Ind. iii. 582.—Ind. or.  
*Hookeri*, C. B. Clarke, l. c. 578.—Reg. Himal.  
*Horsfieldiana*, Miq. Fl. Ind. Bat. Suppl. 475 = ferruginea.  
*Itatiaia*, Wawra, Itin. Princ. Coburgi, i. 77. t. 4. f. B.—Bras.  
*iteophylla*, Miq. Fl. Ind. Bat. Suppl. 187, 476 = adenophylla.  
*japonica*, A. DC. in DC. Prod. viii. 255.—China; Japon.

## SYMPLOCOS:—

- javanica*, Kurz, in Journ. As. Soc. Beng. xl. (1871) ii. 64 = ferruginea.  
*jucunda*, Thw. Enum. Pl. Zeyl. 186.—Zeylan.  
*Jurgensenii*, Hemsl. Biol. Centr. Am. Bot. ii. 301.—Mexic.  
*kurgensis*, C. B. Clarke, in Hook. f. Fl. Brit. Ind. iii. 576.—Ind. or.  
*lachnobotrya*, Miq. Fl. Ind. Bat. Suppl. 475 = ferruginea.  
*laeta*, Thw. Enum. Pl. Zeyl. 184.—Zeylan.  
*lanceaefolia*, Brongn. ex Miers, in Journ. Linn. Soc. xvii. (1879) 305 = Lenormandiana.  
*lanceolata*, A. DC. in DC. Prod. viii. 253.—Bras.  
*lancifolia*, Sieb. & Zucc. in Abh. Akad. Muench. iv. iii. (1846) 133.—Assam; China; Japon.  
*latiflora*, C. B. Clarke, in Hook. f. Fl. Brit. Ind. iii. 585.—Zeylan.  
*laurina*, Wall. Cat. n. 4416 = spicata.  
*laxiflora*, Benth. in Trans. Linn. Soc. xviii. (1841) 232. t. 18.—Bras.  
*leiostachya*, Kurz, For. Fl. Brit. Burma, ii. 144, partim = nicobarica.  
*leiostachya*, Kurz, in Journ. As. Soc. Beng. xlii. (1873) ii. 89.—Burma.  
*Lenormandiana*, Brongn. & Gris, in Bull. Soc. Bot. Fr. xiii. (1866) 428.—N. Caled.  
*leptostachys*, Sieb. & Zucc. in Abh. Akad. Muench. iv. iii. (1846) 134 = lancifolia.  
*leucantha*, Kurz, in Journ. As. Soc. Beng. xlii. (1873) ii. 89.—Burma.  
*Limoncillo*, Humb. & Bonpl. Pl. Aequin. i. 196 = martinicensis.  
*linearis*, Zoll. Syst. Verz. Ind. Arch. 136, nomen.—Japon.  
*Loha*, Buch.-Ham. ex D. Don, Prod. Fl. Nep. 144 = spicata.  
*Lohu*, Miers, in Journ. Linn. Soc. xvii. (1879) 298 = praec.  
*lucida*, Brongn. & Gris, ex Miers, l. c. 305, in syn.—N. Caled.  
*lucida*, Sieb. & Zucc. Fl. Jap. i. 55. t. 24 = japonica.  
*lucida*, Wall. Cat. n. 4414 = theaeifolia.  
*Lundii*, A. DC. in DC. Prod. viii. 251.—Bras.  
*macrocarpa*, Wight, ex C. B. Clarke, in Hook. f. Fl. Brit. Ind. iii. 582.—Ind. or.  
*macrophylla*, Wall. Cat. n. 4431.—Reg. Himal.  
*Maingayi*, Benth. ex C. B. Clarke, in Hook. f. Fl. Brit. Ind. iii. 588.—Malacca.  
*marginalis*, Thw. Enum. Pl. Zeyl. 187.—Zeylan.  
*Martii*, A. DC. in DC. Prod. viii. 252.—Bras.  
*martinicensis*, Jacq. Enum. Pl. Carib. 24; Linn. Sp. Pl. ed. II. 747.—Ind. occ.  
*Mathewsii*, A. DC. in DC. Prod. viii. 250 (Mathewsii).—Peruv.  
*microcarpa*, Champ. ex Benth. in Hook. Kew Journ. iv. (1852) 303 = lancifolia.  
*microphylla*, Wight, Ic. t. 1232.—Ind. or.  
*minor*, C. B. Clarke, in Hook. f. Fl. Brit. Ind. iii. 586.—Zeylan.  
*mollis*, Wall. Cat. n. 4433 = ferruginea.  
*monantha*, Wight, Ic. t. 1236.—Ind. or.  
*montana*, Brongn. & Gris, in Bull. Soc. Bot. Fr. xiii. (1866) 430.—N. Caled.  
*mucronata*, Humb. & Bonpl. Pl. Aequin. i. 196.—N. Granat.  
*myrtacea*, Sieb. & Zucc. in Abh. Akad. Muench. iv. iii. (1846) 133.—Japon.  
*neriifolia*, Sieb. & Zucc. l. c. 134.—Japon.  
*nervosa*, A. DC. in DC. Prod. viii. 256 = racemosa.  
*nervosa*, Wight, Ic. t. 1235 = foliosa.  
*nicobarica*, C. B. Clarke, in Hook. f. Fl. Brit. Ind. iii. 580.—Ins. Nicobar.  
*nitens*, Benth. in Trans. Linn. Soc. xviii. (1841) 232.—Bras.  
*nitida*, Brongn. & Gris, in Bull. Soc. Bot. Fr. xiii. (1866) 430.—N. Caled.  
*nuda*, Humb. & Bonpl. Pl. Aequin. i. 195.—N. Granat.  
*oblongifolia*, Casar. Nov. Stirp. Bras. Dec. 31.—Bras.  
*oblongifolia*, Vidal, Phan. Cuming. Philipp. 33, 124.—Ins. Philipp.  
*obovata*, A. DC. in DC. Prod. viii. 251.—Bras.  
*obovata*, Wight & Gardn. ex Thw. Enum. Pl. Zeyl. 185 = obtusa.  
*obtusa*, Wall. Cat. n. 4424.—Ind. or.  
*octopetala*, Sw. Prod. Veg. Ind. Occ. 109.—Jamaic.  
*odoratissima*, Choisy, ex Zoll. Syst. Verz. Ind. Arch. 136.—Java.

## SYMPLOCOS:—

- oligandra*, Bedd. Forest. Man. Bot. 150.—Travancor.  
*ophirensis*, C. B. Clarke, in Hook. f. Fl. Brit. Ind. iii. 579.—Malacca.  
*ovalis*, Wright, ex Griseb. Cat. Pl. Cub. 168.—Cuba.  
*oxyphylla*, Wall. Cat. n. 4430.—Reg. Himal.; Burma.  
*pallida*, Franch. & Sav. Enum. Pl. Jap. i. 308 = crataegoides.  
*paniculata*, Miq. Ann. Mus. Bot. Lugd. Bat. iii. 102.—Japon.  
*paniculata*, Wall. ex D. Don, Prod. Fl. Nep. 145; et Cat. n. 4429 = crataegoides.  
*paraensis*, Endl. ex Miq. in Mart. Fl. Bras. vii. 24 = S. Ciponima.  
*parviflora*, Benth. in Trans. Linn. Soc. xviii. (1841) 232.—Bras.  
*parvifolia*, Benth. Pl. Hartw. 140.—Ecuador; Peruv.  
*pauciflora*, Wight, ex C. B. Clarke, in Hook. f. Fl. Brit. Ind. iii. 587.—Zeylan.  
*pedicellata*, Kurz, in Journ. As. Soc. Beng. xlii. (1873) ii. 89 = oxyphylla.  
*pendula*, Thw. Enum. Pl. Zeyl. 84 = pauciflora.  
*pendula*, Wight, Ic. t. 1237.—Zeylan.  
*pentagyna*, Spreng. Neue Entdeck. ii. 129 = Vismia decipiens.  
*phaeoclados*, A. DC. in DC. Prod. viii. 253.—Bras.  
*phyllocalyx*, C. B. Clarke, in Hook. f. Fl. Brit. Ind. iii. 575 = japonica.  
*platyphylla*, Benth. in Trans. Linn. Soc. xviii. (1841) 233.—Bras.  
*polycarpa*, Wall. Cat. n. 4423 = spicata.  
*polystachya*, Wall. l. c. n. 4428 = ferruginea.  
*prionophylla*, Hemsl. Biol. Centr. Am. Bot. ii. 302.—Mexic.  
*propinqua*, Hance, in Journ. Bot. vi. (1868) 329 = racemosa.  
*prunifolia*, Sieb. & Zucc. in Abh. Akad. Muench. iv. iii. (1846) 133 = caudata.  
*pubescens*, Klotzsch, ex Benth. in Trans. Linn. Soc. xviii. (1841) 233.—Bras.  
*pulchra*, Wight, Ic. t. 1230.—Ind. or.  
*pycnantha*, Hemsl. Biol. Centr. Am. Bot. ii. 302.—Mexic.  
*pycnobotrya*, Mart. ex Miq. in Mart. Fl. Bras. vii. 25.—Bras.  
*pyrifolia*, Wall. Cat. n. 4415.—Reg. Himal.  
*racemosa*, Roxb. Hort. Beng. 40; Fl. Ind. ii. 539.—Ind. or.; China.  
*racemosa*, Wall. Cat. n. 4418 = spicata, theaeifolia, S. Sumuntia.  
*racemosa*, Wight, ex C. B. Clarke, in Hook. f. Fl. Brit. Ind. iii. 583 = rosea.  
*ramentacea*, Mart. ex Miq. in Mart. Fl. Bras. vii. 33.—Bras.  
*ramosissima*, Wall. Cat. n. 4425.—Reg. Himal.  
*reflexa*, A. DC. in DC. Prod. viii. 248.—Peruv.  
*repandula*, Miq. Fl. Ind. Bat. Suppl. 475.—Sumatra.  
*reticulata*, J. Grah. Cat. Bomb. Pl. 104.—Ind. or.  
*revoluta*, Casar. Nov. Stirp. Bras. Dec. 31.—Bras.  
*revoluta*, A. DC. in DC. Prod. viii. 253.—Bras.  
*rhamnifolia*, A. DC. l. c.—Bras.  
*Ribes*, Fungh. & De Vriese, in De Vriese, Pl. Nov. Ind. Batav. fasc. i. 11.—Java.  
*rigida*, C. B. Clarke, in Hook. f. Fl. Brit. Ind. iii. 581.—Malacca.  
*rigida*, Wall. Cat. n. 4422 = racemosa.  
*rosea*, Bedd. in Madr. Journ. Sc. Ser. III. i. (1864) 51.—Travancor.  
*rotundifolia*, Brongn. & Gris, in Bull. Soc. Bot. Fr. xiii. (1866) 430.—N. Caled.  
*rubiginosa*, Wall. Cat. n. 4432.—Malaya.  
*rufescens*, Humb. & Bonpl. Pl. Aequin. i. 192. t. 55.—N. Granat.  
*rufescens*, Thw. Enum. Pl. Zeyl. 184 = versicolor.  
*salacensis*, Miq. Fl. Ind. Bat. i. ii. 466.—Java.  
*salicifolia*, Buch.-Ham. ex C. B. Clarke, in Hook. f. Fl. Brit. Ind. iii. 579 = pyrifolia.  
*salicifolia*, Griseb. Cat. Pl. Cub. 168.—Ind. occ.  
*Samuntia*, Miers, in Journ. Linn. Soc. xvii. (1879) 298, sphalm. = S. Sumuntia.  
*Schiedeana*, Schlecht. in Linnaea, viii. (1833) 527.—Bras.  
*Schomburgkii*, Klotzsch, in Schomb. Faun. Fl. Brit. Gui. 1087, nomen.—Guian.  
*serrulata*, Humb. & Bonpl. Pl. Aequin. i. 190. t. 54.—N. Granat.  
*sessilis*, C. B. Clarke, in Hook. f. Fl. Brit. Ind. iii. 587.—Travancor.



**SYMPLOCOS**—

- sinica*, [Ker-Gawl.] *Bot. Reg.* t. 710.—China.  
*speciosa*, *Hemsl. Biol. Centr. Am. Bot.* ii. 302.—Mexic.  
*spicata*, *Roxb. Hort. Beng.* 40; *Fl. Ind.* ii. 541.—As.  
 et Austral. trop.  
*Stawellii*, F. Muell. *Fragm.* v. 60 = *spicata*.  
*stravadioides*, *Brongn. & Gris*, in *Bull. Soc. Bot. Fr.*  
 xiii. (1866) 428.—N. Caled.  
*subcordata*, Wight, ex C. B. Clarke, in *Hook. f. Fl.*  
*Brit. Ind.* iii. 585 = *hispidula*.  
*subsessilis*, *Choisy*, ex *Zoll. Syst. Verz. Ind. Arch.*  
 136.—Java.  
*subspinosa*, Buch.-Ham. ex D. Don, *Prod. Fl. Nep.*  
 144 = *spicata*.  
*sulcata*, *Kurz*, in *Journ. As. Soc. Beng.* xl. (1871) ii.  
 65.—Burma.  
*Sumuntia*, *Buch.-Ham. ex D. Don, Prod. Fl. Nep.* 145.  
 —Reg. Himal.  
*Swinhoeana*, Hance, in *Ann. Sc. Nat. Sér. IV.* xv.  
 (1861) 226 = *caudata*.  
*tetrandra*, *Mart. Syst. Mat. Med. Bras.* 49.—Bras.  
*theaeifolia*, *D. Don, Prod. Fl. Nep.* 145.—Reg. Himal.;  
 Burma.  
*theophrastaeifolia*, *Sieb. & Zucc. in Abh. Akad. Muench.*  
 iv. III. (1846) 134.—Japon.  
*Thwaitesii*, F. Muell. *Fragm.* iii. 22.—Austral.  
*tinctoria*, *L'Hérit. in Trans. Linn. Soc. i.* (1791) 176.  
 —Am. bor.  
*tomentosa*, *Humb. & Bonpl. Pl. Aequin.* i. 195.—  
 N. Granat.  
*uniflora*, *Bedd. in Madr. Journ. Sc. Ser. III.* i. (1864)  
 51 = *anamallayana*.  
*uniflora*, *Benth. in Trans. Linn. Soc.* xviii. (1840)  
 233.—Bras.  
*urceolaris*, *Hance*, in *Journ. Bot.* xiv. (1876) 307.—  
 China.  
*variabilis*, *Mart. ex Miq. in Mart. Fl. Bras.* vii. 30.—  
 Bras.  
*Verhuelli*, *Jungh. & De Vriese*, in *De Vriese, Pl. Nov.*  
*Ind. Batav.* i. 12 = *ferruginea*.  
*versicolor*, *C. B. Clarke*, in *Hook. f. Fl. Brit. Ind.* iii.  
 584.—Zeylan.  
*Vieillardii*, *Brongn. & Gris*, in *Bull. Soc. Bot. Fr.*  
 xiii. (1866) 429.—N. Caled.  
*virgata*, *Royle*, *Illustr. Bot. Himal.* 464 (Index),  
 sphalm. = *Styrax serrulatum*.  
*xanthophylla*, *Jungh. & De Vriese*, in *De Vriese, Pl.*  
*Nov. Ind. Batav.* i. 11.—Java.
- SYMPLODIUM**, C. Koch, in *Linnaea*, xvi. (1842) 356 =  
**Carum**, Rupp. (Umbell.).  
*simplex*, C. Koch, l. c. = *C. elegans*.
- SYNACTILA**, Rafin. *Fl. Tellur.* iv. 104 (1836) = **Passi-**  
**flora**, Linn.  
*viridiflora*, Rafin. l. c. = *P. viridiflora*.
- SYNADENA**, Rafin. *Fl. Tellur.* iv. 9 (1836) = **Phalae-**  
**nopsis**, Blume (Orchid.).  
*amabilis*, Rafin. l. c. = *P. amabilis*.
- SYNADENIUM**, Boiss. in *DC. Prod.* xv. II. 187  
 (1862). **EUPHORBACEAE**, Benth. & Hook. f. iii.  
 261.  
*arborescens*, *Boiss. l. c.*—Afr. austr.  
*carinatum*, *Boiss. l. c.*—Ins. Borbon.  
*Grantii*, *Hook. f. Bot. Mag.* t. 5633.—Afr. trop.
- SYNAECIA**, Pritz.  *Ic. Ind.* i. 1048 (1855), sphalm.  
 = **SYNOECIA**, *Miq. = Ficus*, *Tourn. (Urtic.)*.
- SYNAEDRIS**, Steud. *Nom. ed. II.* ii. 655 (1841), sphalm.  
 = seq.
- SYNAEDRYS**, Lindl. *Introd. Nat. Syst. ed. II.* 441  
 (1836) = **Quercus**, *Tourn. (Cupul.)*.  
*ossea*, *Lindl. l. c.* = *Q. cornea*.
- SYNALLODIA**, Rafin. *New Fl. Am.* iv. 93 (1836).  
 (Gentianac. ?)  
*japonica*, Rafin. l. c. (Quid ?).—Japon.
- SYNANDRA**, Nutt. *Gen. Am.* ii. 29 (1818).  
**LABIATAE**, Benth. & Hook. f. ii. 1205.  
*TORREYA*, Rafin. in *Am. Monthly Mag.* (1811) 356.  
*grandiflora*, *Nutt. Gen. Am.* ii. 29.—Am. bor.
- SYNANDRA**, Schrad. in *Goett. Gel. Anz.* (1821) i. 715  
 = **Stenandrium**, *Nees (Acanth.)*.  
*amoena*, *Schrad. l. c.* 716 = *Sten. igneum*.

**SYNANDRODAPHNE**, Meissn. in *DC. Prod.* xv.  
 i. 176 (1864). **LAURINEAE**, Benth. & Hook. f. iii.  
 159.  
*antillana*, Meissn. l. c. (= *Oreodaphne fragrans*).—  
 Ind. occ.  
*laxa*, *Meissn. l. c.*—N. Granat.

**SYNANDROSPADIX**, Engl. *Bot. Jahrb.* iv. (1883)  
 61. **AROIDEAE**.  
*vermitoxicus*, *Engl. l. c.* 62.—Reg. Argent.

**SYNANTHERIAS**, Schott, *Gen. Aroid.* t. 28 (1858).  
**AROIDEAE**, Benth. & Hook. f. iii. 972.  
*sylvatica*, *Schott, l. c.*—Ind. or.

**SYNAPHE**, Dulac, *Fl. Hautes-Pyr.* 90 (1867) = **Fes-**  
**tuca**, *Tourn. (Gramin.)*.  
*rigida*, *Dulac, l. c.* = *F. rigida*.

**SYNAPHEA**, R. Br. in *Trans. Linn. Soc.* x. (1810)  
 155. **PROTEACEAE**, Benth. & Hook. f. iii. 173.  
*acutifolia*, *Meissn. in Lehm. Pl. Preiss.* i. 528.—  
 Austral.  
*brachystachya*, *Lindl. Swan River App.* 32 = poly-  
 morpha.  
*decorticans*, *Lindl. l. c.*—Austral.  
*dilatata*, *R. Br. in Trans. Linn. Soc.* x. (1810) 156.—  
 Austral.  
*Drummondii*, *Meissn. in Hook. Kew Journ.* iv. (1852)  
 183 = *dilatata*.  
*favosa*, *R. Br. in Trans. Linn. Soc.* x. (1810) 156.—  
 Austral.  
*gracillima*, *Lindl. Swan River App.* 32 = *petiolaris*.  
*petiolaris*, *R. Br. in Trans. Linn. Soc.* x. (1810) 156.  
 —Austral.  
*pinnata*, *Lindl. Swan River App.* 32.—Austral.  
*polymorpha*, *R. Br. in Trans. Linn. Soc.* x. (1810)  
 156.—Austral.  
*Preissii*, *Meissn. in Lehm. Pl. Preiss.* i. 529.—Austral.

**SYNAPISMA**, Steud. *Nom. ed. II.* ii. 655 (1841)  
 sphalm. = **SYNASPISMA**, *Endl. = Codiaenum*,  
*Rumph (Euphorb.)*.

**SYNAPSIS**, Griseb. *Cat. Pl. Cub.* 187 (1866). **SCRO-**  
**PHULARINEAE**, Benth. & Hook. f. ii. 943.  
*ilicifolia*, *Griseb. l. c.*—Cuba.

**SYNAPTANTHA**, Hook. f. in *Hook. Ic. Pl.* t. 1146  
 (1873). **RUBIACEAE**, Benth. & Hook. f. ii. 61.  
*tillaeacea*, *Hook. f. in Hook. Ic. Pl.* t. 1146.—Austral.

**SYNAPTEA**, Kurz, in *Journ. As. Soc. Beng.* xxxix. (1870)  
 ii. 65 = **SUNAPTEA**, *Griff. = Vatica*, *Linn. (Dip-*  
*teroc.)*.

**SYNAPTOLEPIS**, Oliver, in *Hook. Ic. Pl.* t. 1074  
 (1870). **THYMELAEACEAE**, Benth. & Hook. f. iii.  
 198.  
*alternifolia*, *Oliver, l. c.* t. 1194.—Afr. trop.  
*Kirkii*, *Oliver, l. c.* t. 1074.—Afr. trop.

**SYNARRHENA**, Fisch. & Mey. in *Bull. Sc. Acad.*  
*Petersb.* viii. (1841) 255 = **Mimusops**, *Linn. (Sapot.)*.  
*floribunda*, *Fisch. & Mey. l. c.* 256 = *M. floribunda*.  
*subsericea*, *Fisch. & Mey. l. c.* 255 = *M. subsericea*.

**SYNARTHRON**, Benth. & Hook. f. *Gen. ii.* 477 (1873)  
 = seq.

**SYNARTHURUM**, Cass. in *Dict. Sc. Nat.* xlviii. 448  
 (1827) = **Senecio**, *Tourn. (Compos.)*.  
*appendiculatum*, *Cass. l. c.* = *Senecio appendiculatus*.

**SYNASPISMA**, *Endl. Gen.* 1110 (1840) = **Codiaenum**,  
*Rumph. (Euphorb.)*.  
*peltatum*, *Endl. l. c.* = *C. inophyllum*.

**SYNASSA**, *Lindl. Orch. Scel.* 9 (1826); *Bot. Reg.* sub  
 t. 1618 (1833) = **Spiranthes**, *Rich. (Orchid.)*.  
*corymbosa*, *Lindl. Bot. Reg.* sub t. 1618 (= *Pelexia*  
*corymbosa*).—Peruv.

**SYNCARPHA**, *DC. in Ann. Mus. Par.* xvi. (1810) 205.  
 t. 5. f. 31 = **Helipterum**, *DC. (Compos.)*.  
*gnaphaloides*, *DC. l. c.* 207 = *H. gnaphaloides*.  
*staehelinoides*, *Steud. Nom. ed. II.* ii. 655 = *praec.*

**SYNCARPIA**, *Tenore, Ind. Sem. Hort. Neap.* (1839) 12.  
 n. 13; et in *Ann. Sc. Nat. Sér. II.* xiii. (1840) 381.  
**MYRTACEAE**, Benth. & Hook. f. i. 709.  
**KAMPTZIA**, *Nees, Progr. Gratul. Kamptzia* (1840);  
 et in *Nov. Act. Nat. Cur.* xviii. Suppl. i. p. ix.  
 (1841).

**SINCARPIA**, *Tenore*, in *Mem. Soc. Ital. Moden.* xxii.  
 (1841) 230.  
*Hillii*, *Bailey*, in *Proc. Roy. Soc. Queensl.* i. (1884) 86.  
 —Austral.  
*laurifolia*, *Tenore, Ind. Sem. Hort. Neap.* (1839) 12. n.  
 13; et in *Ann. Sc. Nat. Sér. II.* xiii. (1840) 381.—  
 Austral.  
*leptopetala*, *F. Muell. Fragm.* i. 79.—Austral.  
*Vertholenii*, *Teijsm. & Binn. in Nederl. Kruidk. Arch.*  
 iii. (1855) 411.—Ins. Amboin.

**SYNCEPHALANTHA**, *Bartl. Ind. Sem. Hort.*  
*Gotting.* (1836) 6.—Cf. *Linnaea*, xii. (1838) Litt. 80.  
**COMPOSITAE**, Benth. & Hook. f. ii. 409.  
*decipiens*, *Bartl. l. c.*—Mexic.

**SYNCEPHALANTHUS**, Benth. & Hook. f. *Gen. ii.*  
 409 (1873), err. typ. = *praec.*

**SYNCEPHALUM**, *DC. Prod.* vi. 282 (1837). **COM-**  
**POSITAE**, Benth. & Hook. f. ii. 326.  
*Bojeri*, *DC. l. c.*—Madag.

**SYNCHODENDRON**, *Boj. ex DC. Prod.* v. 92  
 (1836). **COMPOSITAE**, Benth. & Hook. f. ii. 288.  
*Bernieri*, *Baill. in Bull. Soc. Linn. Par.* i. (1881) 279.  
 —Madag.  
*pauciflorum*, *Steud. Nom. ed. II.* ii. 655, sphalm. = seq.  
*ramiflorum*, *DC. Prod.* v. 93.—Madag.  
*senegalense*, *Klatt, in Ann. Sc. Nat. Sér. V.* xviii.  
 (1873) 364.—Afr. austr.

**SYNCLISIA**, Benth. in Benth. & Hook. f. *Gen. i.* 36  
 (1862). **MENISPERMACEAE**, Benth. & Hook. f.  
 l. c.  
*scabrida*, *Miers, in Ann. & Mag. Nat. Hist.* Ser. III.  
 xx. (1867) 171.—Afr. trop.

**SYNCODIUM**, *Rafin. Fl. Tellur.* ii. 22 (1836) = **Seilla**,  
*Linn. (Liliac.)*.  
*nutans*, *Rafin. l. c.* = *S. festalis*.

**SYNCODON**, *Fourr. in Ann. Soc. Linn. Lyon*, N. S.  
 xvii. (1869) 111 = **Campanula**, *Tourn.*  
*cervicarium*, *Fourr. l. c.* = *C. Cervicaria*.  
*glomeratum*, *Fourr. l. c.* = *C. glomerata*.  
*thyrsoides*, *Fourr. l. c.* = *C. speciosa*.

**SYNCOLOSTEMON**, *E. Mey. Comm. Pl. Afr.*  
*Austr.* 230 (1837). **LABIATAE**, Benth. & Hook. f.  
 ii. 1174.  
*densiflorus*, *Benth. in E. Mey. Comm. Pl. Afr. Austr.*  
 230.—Afr. austr.  
*dissitiflorus*, *Benth. in DC. Prod.* xii. 54.—Afr.  
 austr.  
*parviflorus*, *Benth. in E. Mey. Comm. Pl. Afr. Austr.*  
 230.—Afr. austr.  
*ramulosus*, *Benth. l. c.*—Afr. austr.  
*rotundifolius*, *Benth. l. c.*—Afr. austr.

**SYNDESMANTHUS**, *Klotzsch, in Linnaea*, xii. (1838)  
 240 = **Simocheilus**, *Klotzsch (Ericac.)*.  
*articulatus*, *Klotzsch, l. c.* 241.—Afr. austr.  
*capitellatus*, *Klotzsch, ex Benth. in DC. Prod.* vii. 705  
 = *Simocheilus oblongus*.  
*ciliatus*, *Benth. l. c.* 707.—Afr. austr.  
*fasciculatus*, *Klotzsch, in Linnaea*, xii. (1838) 240 =  
*Simocheilus glabellus*.  
*glaucus*, *Klotzsch, l. c.*—Afr. austr.  
*paucifolius*, *Benth. in DC. Prod.* vii. 707.—Afr.  
 austr.  
*scaber*, *Klotzsch, in Linnaea*, xii. (1838) 241.—Afr.  
 austr.  
*squarrosus*, *Benth. in DC. Prod.* vii. 707.—Afr. austr.

**SYNDESMIS**, *Wall. in Roxb. Fl. Ind. ed. Carey*, ii. 314  
 (1824) = **Gluta**, *Linn. (Anacard.)*.  
*coarctatus*, *Griff. Notul.* iv. 409. t. 567. f. 1 =  
*G. velutina*.  
*elegans*, *Wall. in Roxb. Fl. Ind. ed. Carey*, ii. 314 =  
*G. elegans*.  
*tavoyana*, *Wall. Cat. n.* 1004 = *G. tavoyana*.

SYNDESMON, Hoffmgg. in Flora, xv. (1832) II. Intell. n. iv. (err. typ. n. iii.) 34 = **Anemone**, Linn. (Ranunc.).  
*thalictroides*, Hoffmgg. l. c. = *A. thalictroides*.  
*tuberosum*, Hoffmgg. l. c. = *Thalictrum tuberosum*.

SYNECHANTHUS, H. Wendl. in Bot. Zeit. xvi. (1858) 145. **PALMAE**, Benth. & Hook. f. iii. 912.

RATHEA, Karst. in C. Koch & Fint. Wochenschr. i. (1858) 377.

REINECKIA, Karst. l. c. 349 (1858).

angustifolius, H. Wendl. in C. Koch & Fint. Wochenschr. (1859) 15.—Costa Rica.

fibrosus, H. Wendl. in Bot. Zeit. xvi. (1858) 145.—Guatemala.

Warszewiczianus, H. Wendl. l. c.—Costa Rica.

SYNEDRELLA, Gaertn. Fruct. ii. 456. t. 171 (1791). **COMPOSITAE**, Benth. & Hook. f. ii. 383.

UCACOU, Adans. Fam. ii. 131 (1763), partim.

nodiflora, Gaertn. Fruct. ii. 456. t. 171.—Am. trop.

peduncularis, Benth. Pl. Hartw. 119.—Ecuador.

vialis, A. Gray, in Proc. Am. Acad. xvii. (1882) 217 = *Blainvillea tampicana*.

SYNEILESIS, Maxim. Prim. Fl. Amur. 165 (1859) = **Senecio**, Tourn. (Compos.).

aconitifolia, Maxim. l. c. = *Senecio aconitifolius*.

palmata, Maxim. in Bull. Acad. Petersb. xix. (1874) 487 = *Senecio Syneilesis*.

SYNELCOSCIADIUM, Boiss. in Ann. Sc. Nat. Sér. III. i. (1844) 345 = **Tordylium**, Linn. (Umbell.).  
*Carmeli*, Boiss. l. c. = *Heracleum Carmeli*.

SYNEMA, Dulac, Fl. Hautes-Pyr. 154 (1867) = **Mercurialis**, Tourn. (Euphorb.).  
*annuum*, Dulac, l. c. = *M. annua*.  
*perenne*, Dulac, l. c. = *M. perennis*.

SYNEXEMIA, Rafin. Neogenyt. 2- (1825) = **Phyllanthus**, Linn. (Euphorb.).  
*caroliniana*, Rafin. l. c. = *P. carolinensis*.  
*cuneifolia*, Rafin. New Fl. Am. iv. 100 (Quid?).—Am. bor.  
*humilis*, Muell. Arg. in DC. Prod. xv. II. 399, sphalm. = *P. pumilus*.  
*obovata*, Rafin. Neogenyt. 2 = *P. carolinensis*.  
*pumila*, Rafin. l. c. = *P. pumilus*.

SYNGONIUM, Schott, in Wien. Zeitschr. iii. (1829) 780; ex Endl. in Linnaea, vi. (1831) Litt. 53. **AROIDEAE**, Benth. & Hook. f. iii. 979.  
*affine*, Schott, Syn. Aroid. 67.—Am. trop.  
*albolineatum*, Bull. Cat. (1871) 6.—Am. centr.  
*angustatum*, Schott, in Oestr. Bot. Zeitschr. viii. (1858) 178.—Nicaragua.

auritum, Schott, in Wien. Zeitschr. iii. (1829) 780; ex Endl. in Linnaea, vi. (1831) Litt. 53.—Mexic.

decipiens, Schott, Syn. Aroid. 69 = *Vellozianum*.

gracile, Schott, l. c. 70 = *affine*.

Hoffmannii, Schott, in Oestr. Bot. Zeitschr. viii. (1858) 178 = *Porphyrospatha Hoffmannii*.

neglectum, Schott, in Bonplandia, vii. (1859) 163 = *auritum*.

Oerstedianum, Schott, in Oestr. Bot. Zeitschr. viii. (1858) 178 (*Oerstedianum*).—Costa Rica.

peliocladum, Schott, Prod. Aroid. 202.—Costa Rica.

Plumieri, Schott, l. c. 206 = *auritum*.

podophyllum, Schott, in Bot. Zeit. ix. (1851) 85.—Mexic.

Poeppigii, Schott, Syn. Aroid. 68 = *Vellozianum*.

Riedelianum, Schott, l. c. 70 = *Vellozianum*.

Ruizii, Schott, in Oestr. Bot. Wochenbl. iv. (1854) 418 = *auritum*.

salvadorense, Schott, in Oestr. Bot. Zeitschr. viii. (1858) 178 = *podophyllum*.

Schottianum, Wendl. ex Schott, Prod. Aroid. 200 = *Porphyrospatha Schottiana*.

Vellozianum, Schott, in Oestr. Bot. Wochenbl. iv. (1854) 418.—Bras.

Wendlandii, Schott, in Oestr. Bot. Zeitschr. viii. (1858) 178.—Costa Rica.

Willdenowii, Schott, Syn. Aroid. 68 = *Vellozianum*.

xanthophidium, Schott, Prod. Aroid. 214.—Mexic.

VOL. II.

SYNIMA, Radlk. in Sitzb. Math.-Phys. Akad. Muench. ix. (1879) 501. **SAPINDACEAE**.  
*Cordierii*, Radlk. l. c. 513, 539.—Austral.

SYNISOON, Baill. in Bull. Soc. Linn. Par. i. (1879) 208. **RUBIACEAE**.  
*Schomburgkianum*, Baill. l. c.—Guian.

SYNMERIA, Nimmo, in J. Grah. Cat. Pl. Bomb. Addend. (1839) p. sine numero = **Habenaria**, Willd. (Orchid.).

schizochilus, Nimmo, l. c. = *H. crinifera*.

SYNNEMA, Benth. in DC. Prod. x. 538 (1846) = **Cardanthera**, Buch.-Ham. (Acanthac.).  
*avanum*, Benth. l. c. = *C. avana*.

SYNNETIA, Sweet, Brit. Flow. Gard. Ser. I. t. 150 (1826), sphalm. = seq.

SYNNOTTIA, Baker, in Journ. Linn. Soc. xvi. (1877) 169, sphalm. = seq.

SYNNOTIA, Sweet, Brit. Flow. Gard. Ser. I. t. 150 (1826) (sphalm. *Synnetia*, in Ind. correct.). **IRIDEAE**, Benth. & Hook. f. iii. 709.

ANACTORION, Rafin. Fl. Tellur. iv. 34 (1836).

bicolor, Sweet, Hort. Brit. ed. I. 398; ed. II. 501.—Afr. austr.

galeata, Sweet, ll. cc.—Afr. austr.

variegata, Sweet, Brit. Flow. Gard. Ser. I. t. 150.—Afr. austr.

versicolor, Steud. Nom. ed. II. ii. 614, in syn., sphalm. = *praec.*

Walthamii, Hort. Kew.—Cf. Gard. Chron. (1881) I. 370, nomen = *variegata*.

SYNODON, Rafin. Sylva Tellur. 95 (1838) = **Conostegia**, D. Don (Melastom.).  
*calyprata*, Rafin. l. c. = *C. calyprata*.  
*montana*, Rafin. l. c. = *C. montana*.

SYNOECIA, Miq. in Hook. Lond. Journ. Bot. vii. (1848) 469 = **Ficus**, Tourn. (Urtic.).

diversifolia, Miq. l. c. 470. t. 9 A = *F. diversifolia*.

falcata, Miq. l. c. t. 9. B = *F. punctata*.

grandifolia, Kurz, in Tijdschr. Nederl. Ind. xxvii. (1864) 184 = *F. oligoneura*.

Guillielmi-primi, De Vriese, Synoecia, 1 = *F. asper-rima*.

serpens, Miq. Pl. Jungh. 67 = *F. punctata*.

sumatrana, Miq. Fl. Ind. Bat. i. II. 329 = *F. kalliecarpa*.

SYNOLIGA, Rafin. Fl. Tellur. ii. 15 (1836) = **Xyris**, Linn.

pauciflora, Rafin. l. c. = *X. pauciflora*.

subulata, Rafin. l. c. = *X. subulata*.

SYNOPECTRIS, Rafin. Fl. Tellur. ii. 89 (1836) = **Neottia**, Linn. (Orchid.), etc.

picta, Rafin. l. c. 90 = *Spiranthes picta*.

viridis, Rafin. l. c.—Hab.?

SYNOPTERA, Rafin. Sylva Tellur. 98 (1838) = **Miconia**, Ruiz & Pav. (Melastom.).

levigata, Rafin. l. c. = *M. laevigata*.

SYNOSMA, Rafin. in Loud. Gard. Mag. viii. (1832) 247 = **Senecio**, Tourn. (Compos.).

reniformis, Rafin. l. c. 247 = *Sen. Muehlenbergii*.

suaveolens, Rafin. l. c. = *Sen. suaveolens*.

SYNOSTEMON, F. Muell. Fragm. i. 32 (1858) = **Phyllanthus**, Linn. (Euphorb.).

glaucus, F. Muell. l. c. 33 = *P. Adami*.

hirtellus, F. Muell. l. c. iii. 89 = *P. hirtellus*.

ramosissimus, F. Muell. l. c. i. 33 = *P. ramosissimus*.

rigens, F. Muell. l. c. ii. 153 = *P. rigens*.

SYNOUM, A. Juss. in Mém. Mus. Par. xix. (1830) 226. t. 15. **MELIACEAE**, Benth. & Hook. f. i. 335.

glandulosum, A. Juss. l. c. 227. t. 15.—Austral.

Muelleri, C. DC. in DC. Monog. Phan. i. 593.—Austral.

SYNPHYLLIUM, Griff. in Madr. Journ. Sc. Ser. I. iv. (1836) 373 = **Curanga**, Juss. (Scrophul.).

torenioides, Griff. l. c. = *C. amara*.

SYNPTERA, Llanos, Fragm. 98 (1851) = **Cleisostoma**, Blume (Orchid.).  
*subviolacea*, Llanos, l. c. = *C. subviolaceum*.

SYNSIPHON, Regel, in Act. Hort. Petrop. vi. (1879) 490 = **Colchicum**, Linn. (Liliac.).  
*crociflorus*, Regel, l. c. 491 = *C. crociflorum*, Regel.

SYNSTIMA, Rafin. Sylva Tellur. 48 (1838) = **Ilex**, Tourn.

acuminata, Rafin. l. c. 49 = *I. ambigua*.

ambigua, Rafin. ex S. Wats. Bibliog. Ind. N. Am. Bot. i. 157 = *I. ambigua*.

caroliniana, Rafin. Sylva Tellur. 49 = *I. ambigua*.

rotundifolia, Rafin. l. c. = *I. rotunda*?

SYNTHERISMA, Walt. Fl. Carol. 76 (1788) = **Panicum**, Linn. (Gramin.).

aegyptiacum, Schult. ex Steud. Nom. ed. II. ii. 656 = *Eleusine aegyptiaca*.

ciliare, Schrad. Fl. Germ. 160 = *P. sanguinale*.

glabrum, Schrad. l. c. 163. t. 3. f. 6 = *P. glabrum*.

malabaricum, Sw. ex Schult. Syst. ii. 474 = *Centotheca lappacea*.

praecox, Walt. Fl. Carol. 76 = *P. sanguinale*.

sanguinale, Dulac, Fl. Hautes-Pyr. 77 = *P. sanguinale*.

serotinum, Walt. Fl. Carol. 76 = *Paspalum serotinum*.

villosum, Walt. l. c. 77 = *P. filiforme*?

vulgare, Schrad. Fl. Germ. 161 = *P. sanguinale*.

SYNTHLIPSIS, A. Gray, in Mem. Am. Acad. N. S. iv. (1849) (Pl. Fendl.) 116. **CRUCIFERAE**, Benth. & Hook. f. i. 93.

Berlandieri, A. Gray, ex Torr. Bot. Mex. Bound. 34, in nota.—Mexic.

Greggii, A. Gray, in Mem. Am. Acad. N. S. iv. (1849) 116.—N. Mexic.

heterochroma, S. Wats. in Proc. Am. Acad. xvii. (1882) 321.—N. Mexic.

SYNTHYRIS, Benth. in DC. Prod. x. 454 (1846). **SCROPHULARINEAE**, Benth. & Hook. f. ii. 963.

alpina, A. Gray, in Am. Journ. Sc. Ser. II. xxxiv. (1862) 251.—Am. bor. occ.

Houghtoniana, Benth. in DC. Prod. x. 454.—Am. bor. pinnatifida, S. Wats. in Bot. King's Exp. 227. t. 22.—Am. bor. occ.

plantaginea, Benth. in DC. Prod. x. 455.—Am. bor. occ.

reniformis, Benth. l. c. 454.—Am. bor. occ.

rotundifolia, A. Gray, Syn. Fl. N. Am. ii. I. 285.—Am. bor. occ.

rubra, Benth. in DC. Prod. x. 455.—Am. bor. occ.

SYNTRICHOPAPPUS, A. Gray, in Pacif. Rail. Rep. iv. 106 (1856). **COMPOSITAE**, Benth. & Hook. f. ii. 402.

Fremontii, A. Gray, l. c.—Calif.

Lemmonii, A. Gray, in Proc. Am. Acad. xix. (1883) 20.—Calif.

SYNTROPHE, G. Ehrenb. ex Muell. Arg. in Neue Denkschr. Schw. Ges. Zuerich, xvi. (1858) 227 = **Caylusea**, A. St. Hil. (Resed.).

canescens, G. Ehrenb. l. c. = *C. canescens*.

fruticosa, G. Ehrenb. l. c. 229 = *C. canescens*.

SYNZISTACHIUM, Rafin. Sylva Tellur. 89 (1838) = **Heliotropium**, Tourn. (Borag.).

peruvianum, Rafin. l. c. = *H. peruvianum*.

SYNZYGANTHERA, Ruiz & Pav. Prod. 137. t. 50 (1794) = **Laetisema**, Sw.

purpurea, Ruiz & Pav. Syst. Veg. 273 = *L. purpureum*.

SYORHYNCHIUM, Hoffmgg. Verz. Pfl. 198 (1824), err. typ. = **Sisyrinchium**, Linn. (Irid.).

SYPHARISSA, Salisb. Gen. Pl. Fragm. 37 (1866) = **Urginea**, Steinh. (Liliac.).

exuviata, Salisb. l. c. 38 = *U. exuviata*.

filifolia, Salisb. l. c. = *U. filifolia*.

fragrans, Salisb. l. c. = *U. fragrans*.

SYPHOCAMPYLOS, Hort. Belg. ex Hook. Bot. Mag. t. 4505 (1850), sphalm. = **Siphocampylus**, Pohl (Campanul.).

SYPHOMERIS, Steud. Nom. ed. II. ii. 656 (1841), sphalm. = SIPHOMERIS, Boj. = **Grewia**, Juss. (Tiliac.).

**SYRENIA**, Andr. ex DC. Syst. ii. 491 (1821). **CRUCIFERAE**, Benth. & Hook. f. i. 80. *angustifolia*, Reichb. Fl. Germ. Excurs. 689 = *Erysimum angustifolium*, Ehrh. *Biebersteinii*, Andr. ex DC. Syst. ii. 493 = *Erysimum cuspidatum*. *cuspidata*, Reichb. Fl. Germ. Excurs. 689 = *Erysimum cuspidatum*. *Ehrharti*, Andr. ex DC. Syst. ii. 492 (*Ehrarti*) = *Erysimum angustifolium*, Ehrh. *Ehrhartiana*, Andr. in Bess. Enum. Pl. Volh. 104 = praec. *goniocala*, Boiss. & Hohen. Diagn. Ser. I. viii. 24 = *Erysimum goniocalon*. *Lamarckii*, Andr. ex DC. Syst. ii. 492 = sessiliflora. *latifolia*, Andr. ex Bess. Enum. Pl. Volh. 27 = *Erysimum cuspidatum*. sessiliflora, Ledeb. Fl. Ross. i. 193.—Ross. mer. siliculosa, Andr. ex DC. Syst. ii. 491.—Sibir.

**SYRENOPSIS**, Jaub. & Spach, Illustr. i. 6. t. 3 (1842) = **Iberidella**, Boiss. (Crucif.). *stylosa*, Jaub. & Spach, l. c.—As. Min.

**SYRINGA**, Linn. Syst. ed. I (1735). **OLEACEAE**, Benth. & Hook. f. ii. 675.

**LIGUSTRINA**, Rupr. Beitr. Pfl. Russ. Reich. xi. 55 (1859).

**LILAC**, Tourn. ex Adans. Fam. ii. 223 (1763). **LILIACUM**, Renault, Fl. Dép. Orne, 100 (1800).

*albiflora*, Opiz, Natural. n. x. (1825) 239 = vulgaris. *amoena*, Hort. ex C. Koch, Dendrol. ii. i. 266 = vulgaris.

*amurensis*, Rupr. in Bull. Phys.-Math. Acad. Pétersb. xv. (1857) 371.—Manchuria.

*angustifolia*, Salisb. Prod. 14 = persica. *bicolor*, Hort. ex C. Koch, Dendrol. ii. i. 266 = vulgaris.

*capitata*, S. T. Gmel. Reise, iii. 304 = persica. *carlsruhensis*, Hort. ex C. Koch, Dendrol. ii. i. 266 = vulgaris.

*chinensis*, Bunge, in Mém. Sav. Etr. Pétersb. ii. (1835) 116 = oblata.

*chinensis*, Turcz. ex DC. Prod. viii. 283 = villosa. *chinensis*, Willd. Berl. Baumz. 378.—China.

*cordifolia*, Stokes, Bot. Comment. i. 33 = vulgaris. *dubia*, Pers. Syn. i. 9 = chinensis.

*Emodi*, Wall. Cat. n. 2831.—Reg. Himal. *Josikaea*, Jacq. f. in Flora, xiv. (1831) 67, 399.—Transsylv.

*laciniata*, Mill. Gard. Dict. ed. VIII. n. 3 = persica. *latifolia*, Salisb. Prod. 13 = vulgaris.

*Libertii*, Hort. ex Pasq. Cat. Orto Bot. Nap. 100, nomen = vulgaris?

*ligustrina*, Hort. ex C. Koch, Dendrol. ii. i. 272 = amurensis.

*marliensis*, Hort. l. c. 266 = vulgaris. *media*, Dum.-Cours. Bot. Cult. ed. I. i. 709 = chinensis.

*nigricans*, Hort. ex C. Koch, Dendrol. ii. i. 266 = vulgaris. *Notgeri*, Hort. l. c. = vulgaris.

*oblata*, Lindl. ex Carr. in Fl. des Serres, xiii. (1858) 126.—China.

*pekinense*, Rupr. in Bull. Phys.-Math. Acad. Pétersb. xv. (1857) 371 = amurensis.

*persica*, Linn. Sp. Pl. 9.—Reg. Cauc.; Persia. *Philemon*, Hort. ex C. Koch, Dendrol. ii. i. 266 = vulgaris.

*pubescens*, Turcz. in Bull. Soc. Nat. Mosc. (1840) 73 = villosa.

*rothomagensis*, Hort. ex A. Rich. in Dict. Class. ix. 401 = chinensis.

*rotundifolia*, Decne. in Nouv. Arch. Mus. Par. Sér. II. ii. (1879) 44.—Manchuria.

*speciosa*, Hort. ex DC. Prod. viii. 282 = chinensis. *suspensa*, Thunb. Fl. Jap. 19 = Forsythia suspensa.

*versaliensis*, Hort. ex C. Koch, Dendrol. ii. i. 266 = vulgaris.

*villosa*, Vahl, Enum. i. 38.—China. *vincetoxifolia*, Baumg. ex Steud. Nom. ed. II. ii. 656 = S. Josikaea.

*virginialis*, Hort. ex C. Koch, Dendrol. ii. i. 266 = vulgaris.

*vulgaris*, Linn. Sp. Pl. 9.—Transsylv.

**SYRINGA**, Tourn. ex Adans. Fam. ii. 244 (1763) = **Philadelphus**, Riv. (Saxifr.).

*inodora*, Moench, Meth. 678 = P. inodorus. *suaveolens*, Moench, l. c. = P. coronarius.

**SYRINGODEA**, D. Don, in Edinb. N. Phil. Journ. xvii. (1834) 155 = **Erica**, Tourn.

*abietina*, D. Don, l. c. = E. abietina. *acuminata*, Steud. Nom. ed. II. ii. 656 = E. Massoni.

*ambigua*, G. Don, Gen. Syst. iii. 824 = E. Massoni. *Archeriana*, G. Don, l. c. 822 = E. Archeria.

*argentiflora*, G. Don, l. c. = E. purpurea. *aurea*, G. Don, l. c. = E. aurea.

*Bedfordiana*, G. Don, l. c. 819 = E. pellucida. *Bedfordiana*, G. Don, l. c. 821 = E. Massoni.

*bicolor*, D. Don, in Edinb. N. Phil. Journ. xvii. (1834) 155 = E. bicolor.

*Bowieana*, G. Don, Gen. Syst. iii. 825 = E. Bowieana. *brachialis*, G. Don, l. c. 820 = E. brachialis.

*Broadleyana*, G. Don, l. c. 818 = E. Broadleyana. *buccinaeformis*, G. Don, l. c. 824 = E. buccinaeformis.

*carinata*, G. Don, l. c. 825 = E. Massoni. *Cephalotes*, G. Don, l. c. 822 = E. Cephalotes.

*cerviciflora*, G. Don, l. c. 825 = E. cerviciflora. *clavaeflora*, G. Don, l. c. 824 = E. clavaeflora.

*clavata*, G. Don, l. c. 818 = E. viridiflora. *coccinea*, D. Don, in Edinb. N. Phil. Journ. xvii. (1834) 155 = E. coccinea.

*colorans*, G. Don, Gen. Syst. iii. 821 = E. colorans. *concinna*, G. Don, l. c. 823 = E. concinna.

*conspicua*, G. Don, l. c. 820 = E. conspicua. *coronata*, D. Don, in Edinb. N. Phil. Journ. xvii. (1834) 155 = E. fascicularis.

*costata*, G. Don, Gen. Syst. iii. 818 = E. versicolor. *cruenta*, D. Don, in Edinb. N. Phil. Journ. xvii. (1834) 155 = E. cruenta.

*curviflora*, G. Don, Gen. Syst. iii. 819 = E. curviflora.

*cuspidigera*, G. Don, l. c. 824 = E. ignescens. *cyrillaeflora*, G. Don, l. c. 821 = E. palustris.

*densa*, G. Don, l. c. 824 = E. ventricosa. *densiflora*, Steud. Nom. ed. II. ii. 656, sphalm. = seq.

*densifolia*, G. Don, Gen. Syst. iii. 823 = E. Uhria. *diaphana*, G. Don, l. c. 818 = E. transparens.

*dichrus*, G. Don, l. c. = E. dichrus. *Dickensoni*, G. Don, l. c. 824 = E. pallens.

*Dicksoniana*, Steud. Nom. ed. II. ii. 656, sphalm. = praec.

*discolor*, G. Don, Gen. Syst. iii. 823 = E. discolor. *doliiformis*, G. Don, l. c. 826 = E. blanda.

*echiiflora*, G. Don, l. c. 822 = E. coccinea. *elata*, G. Don, l. c. 819 = E. conspicua.

*elongata*, G. Don, l. c. 826 = E. elongata. *epistomia*, G. Don, l. c. 824 = E. sacciflora.

*erubescens*, G. Don, l. c. 819 = E. erubescens. *Ewerana*, G. Don, l. c. 823 = E. Uhria.

*exposita*, G. Don, l. c. 826 = E. pellucida. *exsurgens*, G. Don, l. c. 819 = E. exsurgens.

*exudans*, G. Don, l. c. 819 = E. pellucida. *fascicularis*, G. Don, l. c. 825 = E. fascicularis.

*filamentosa*, D. Don, in Edinb. N. Phil. Journ. xvii. (1834) 155 = E. filamentosa.

*flammea*, G. Don, Gen. Syst. iii. 819 = E. flammea. *flava*, G. Don, l. c. = E. parilis.

*foliacea*, Benth. in DC. Prod. vii. 630, sphalm. = seq.

*foliosa*, G. Don, Gen. Syst. iii. 825 = E. foliacea. *gemmifera*, G. Don, l. c. 820 = E. Massoni.

*gilva*, G. Don, l. c. 825 = E. gilva. *glabra*, Steud. Nom. ed. II. ii. 656 = E. ventricosa.

*glandulosa*, G. Don, Gen. Syst. iii. 820 = E. pellucida.

*grandiflora*, G. Don, l. c. 822 = E. grandiflora. *Hibbertiana*, G. Don, l. c. = E. Hibbertia.

*hirsuta*, G. Don, l. c. 826 = E. perspicua. *hirta*, G. Don, l. c. 823 = E. speciosa.

*hybrida*, G. Don, l. c. 824 = E. Massoni. *ignescens*, G. Don, l. c. 820 = E. ignescens.

*insulsa*, G. Don, l. c. 818 = E. insulsa. *lanata*, G. Don, l. c. 823 = E. conspicua.

*Leeana*, D. Don, in Edinb. N. Phil. Journ. xvii. (1834) 155 = E. Leea.

*Linkii*, G. Don, Gen. Syst. iii. 819 = E. protrudens.

*Linnaeana*, D. Don, in Edinb. N. Phil. Journ. xvii. (1834) 155 = E. perspicua.

**SYRINGODEA** :—

*linnaeoides*, G. Don, Gen. Syst. iii. 819 = *Erica perspicua*.

*lituiflora*, G. Don, l. c. 820 = E. perspicua. *longifolia*, D. Don, in Edinb. N. Phil. Journ. xvii. (1834) 155 = E. longifolia.

*lycopodiifolia*, D. Don, ex Steud. Nom. ed. II. ii. 656 = E. Massoni.

*mammosa*, G. Don, Gen. Syst. iii. 825 = E. mammosa.

*Massonii*, G. Don, l. c. 820 = E. Massoni. *mutabilis*, G. Don, l. c. 824 = E. cruenta.

*nana*, G. Don, l. c. = E. nana. *nitens*, G. Don, l. c. = E. nitens.

*obpyramidalis*, G. Don, l. c. 821 = E. pyramidalis. *onosmaeflora*, G. Don, l. c. 822 = E. onosmaeflora.

*ostrina*, G. Don, l. c. 824 = E. coccinea. *pallens*, G. Don, l. c. 818 = E. pallens.

*Patersonii*, G. Don, l. c. 825 = E. abietina. *patersonioides*, G. Don, l. c. = E. Massoni.

*pauciflora*, Steud. Nom. ed. II. ii. 656, sphalm. = E. sacciflora.

*pellucida*, G. Don, Gen. Syst. iii. 818 = E. pellucida. *perspicua*, G. Don, l. c. 821 = E. Massoni.

*phylicifolia*, D. Don, in Edinb. N. Phil. Journ. xvii. (1834) 155 = E. purpurea.

*pineae*, G. Don, Gen. Syst. iii. 821 = E. vestita. *pinifolia*, G. Don, l. c. = E. longifolia.

*procera*, G. Don, l. c. 820 = E. ignescens. *pulchella*, G. Don, l. c. 823 = E. Leea.

*pulviniformis*, G. Don, l. c. = E. coccinea. *pusa*, G. Don, l. c. = E. Leea.

*purpurea*, G. Don, l. c. = E. purpurea. *radiata*, G. Don, l. c. 819 = E. Massoni.

*refulgens*, G. Don, l. c. 818 = E. versicolor. *Rollinsonii*, G. Don, l. c. 826 = E. Rollissonia.

*rosea*, G. Don, l. c. 822 = E. vestita. *rubida*, G. Don, l. c. 826 = E. Massoni.

*rugosa*, G. Don, l. c. 823 = E. Massoni. *sacciflora*, G. Don, l. c. 825 = E. sacciflora.

*Salisburiana*, G. Don, l. c. 822 = E. purpurea. *sanguinea*, G. Don, l. c. 824 = E. sanguinea.

*sceptriformis*, G. Don, l. c. 826 = E. spicata. *serratifolia*, G. Don, l. c. 820 = E. serratifolia.

*sessiliflora*, D. Don, in Edinb. N. Phil. Journ. xvii. (1834) 155 = E. spicata.

*simpliciflora*, G. Don, Gen. Syst. iii. 820 = E. curviflora, buccinaeformis.

*sordida*, G. Don, l. c. = E. conspicua. *speciosa*, G. Don, l. c. 824 = E. speciosa.

*spicata*, G. Don, l. c. 825 = E. spicata. *splendens*, G. Don, l. c. 821 = E. conspicua.

*spuria*, G. Don, l. c. 819 = E. Massoni. *stagnalis*, G. Don, l. c. = E. sulphurea.

*sulphurea*, G. Don, l. c. 820 = E. sulphurea. *transparens*, G. Don, l. c. 818 = E. elongata.

*triphylla*, G. Don, l. c. = E. triphylla. *tubiflora*, G. Don, l. c. 820 = E. tubiflora.

*tumida*, G. Don, l. c. 825 = E. tumida. *velitaris*, G. Don, l. c. = E. velitaris.

*versicolor*, D. Don, in Edinb. N. Phil. Journ. xvii. (1834) 155 = E. versicolor.

*verticillata*, G. Don, Gen. Syst. iii. 821 = E. mammosa. *vestita*, D. Don, in Edinb. N. Phil. Journ. xvii. (1834) 155 = E. vestita.

*virescens*, G. Don, Gen. Syst. iii. 824 = E. virescens. *viridiflora*, G. Don, l. c. = E. viridiflora.

*viridis*, G. Don, l. c. 822 = E. Leea.

**SYRINGODEA**, Hook. f. Bot. Mag. t. 6072 (1873). **IRIDEAE**, Benth. & Hook. f. iii. 693.

*bicolor*, Baker, in Journ. Bot. xiv. (1876) 67.—Afr. austr.

*filifolia*, Baker, l. c.—Afr. austr. *latifolia*, Klatt, in Abh. Naturf. Ges. Halle, xv. (1882) 403.—Afr. austr.

*minuta*, Klatt, l. c. = *Pauridia hypoxidioides*. *montana*, Klatt, l. c.—Afr. austr.

*pulchella*, Hook. f. Bot. Mag. t. 6072.—Afr. austr. *rosea*, Klatt, in Abh. Naturf. Ges. Halle, xv. (1882) 403 = *Romulea rosea*.

**SYRINGOSMA**, Mart. ex Reichb. Consp. 134 (1828); et ex Lindl. Veg. Kingd. 601 (1847) = **Forsteronia**, G. W. F. Mey. (Apocyn.).

**SYRIUM**, Steud. Nom. ed. II. ii. 657 (1841), sphalm. = **SIRIUM**, Schreb. = **Santalum**, Linn.

SYRMATIUM, Vog. in Linnaea, x. (1835-36) 590 = *Hosackia*, Dougl. (Legumin.).  
*glabrum*, Vog. l. c. 591 = *H. glabra*.  
*tomentosum*, Vog. l. c. = *H. tomentosa*.

SYRRHONEMA, Miers, in Ann. & Mag. Nat. Hist. Ser. III. xiii. (1864) 124; xx. (1867) 19. Genus dubium *MENISPERMACEARUM*. Cf. Benth. & Hook. f. i. 959.  
*fasciculatum*, Miers, *ll. cc.* 124; 20.—Ins. Fernando Po.

SYSIMBRIUM, Pall. Reise, ii. 740 (1774), err. typ. = *Sisymbrium*, Tourm. (Crucif.).

SYSIRINCHIUM, Engelm. & A. Gray, in Bost. Journ. Nat. Hist. v. (1845) 263, sphalm. = *Sisyrinchium*, Linn. (Irid.).

SYSPONE, Griseb. Spicil. Fl. Rumel. i. 5 (1843) = *Genista*, Linn. (Legumin.).  
*sagittalis*, Griseb. l. c. 6 = *G. sagittalis*.

SYSTEMON, Regel, Ind. Sem. Hort. Petrop. (1856) 38; Gartenfl. vi. (1857) 81 = *Galipea*, Aubl. (Rutac.).  
*Fischeri*, Regel, *ll. cc.*—Bras.

SYSTREPHA, Burch. Trav. i. 546 (1822) = *Ceropegia*, Linn. (Asclep.).  
*filiforme*, Burch. l. c.—Afr. austr.  
*multiflora*, Burch. ex Baker, in Saund. Refug. Bot. t. 10 = *C. multiflora*.

SYSTREPHIA, Benth. & Hook. f. Gen. ii. 779 (1876), sphalm. = *præc.*

SYZIGANTHUS, Steud. Syn. Pl. Cyp. 153 (1855) = *Gahnia*, Forst. (Cyperac.).  
*multiflorus*, Steud. l. c. = *G. javanica*.

SYZIGIUM, Steud. Nom. ed. II. ii. 657 (1841), sphalm. = *seq.*

SYZYGEUM, Wight, Ic. i. 4 (1838), sphalm. = *seq.*

SYZYGIUM, Gaertn. Fruct. i. 166. t. 33 (1788) = *Eugenia*, Mich. (Myrtac.).  
*acuminatissimum*, DC. Prod. iii. 261.—Java.  
*acuminatum*, Miq. Fl. Ind. Bat. i. i. 452 = *E. acuminata*.  
*aegiceroides*, Korth. in Nederl. Kruidk. Arch. i. (1848) 203 = *E. aegiceroides*.  
*alternans*, Miq. ex Duthie, in Hook. f. Fl. Brit. Ind. ii. 500 = *E. Heyneana*.  
*alternifolium*, Walp. Rep. ii. 179 = *E. alternifolia*.  
*altissimum*, Wall. Cat. n. 3588 = *E. Thumra*.  
*amicorum*, C. Muell. in Walp. Ann. iv. 839 = *E. amicorum*.  
*androsaeoides*, Walp. Rep. ii. 179 = *E. androsaeoides*.  
*angolanum*, Miq. Fl. Ind. Bat. i. i. 448 = *E. operculata*.  
*apodum*, Miq. l. c. Suppl. 312.—Sumatra.  
*areolatum*, DC. Prod. iii. 260 = *E. areolata*.  
*Arnottianum*, Walp. Rep. ii. 180 = *E. Arnottiana*.  
*assimile*, Thw. Enum. Pl. Zeyl. 116 = *E. assimilis*.  
*auriculatum*, Brongn. & Gris, in Bull. Soc. Bot. Fr. xii. (1865) 184.—N. Caled.  
*avene*, Miq. Fl. Ind. Bat. Suppl. 312.—Sumatra.  
*balsameum*, Wall. Cat. n. 3592 = *E. balsamea*.  
*Bellutta*, DC. Prod. iii. 261 = *E. zeylanica*.  
*borneense*, Miq. Fl. Ind. Bat. i. i. 453 = *E. borneensis*.  
*brachiatum*, Miq. l. c. 460 = *E. brachiata*.  
*brachybotryum*, Miq. l. c. 452.—Sumatra.  
*brachynemum*, F. Muell. Fragm. iv. 59 = *E. Smithii*.  
*Brackenridgei*, C. Muell. in Walp. Ann. iv. 838 = *E. Brackenridgei*.  
*brevifolium*, C. Muell. l. c. 839 = *E. brevifolia*.  
*buxifolium*, Hook. & Arn. Bot. Beech. Voy. 187.—China.  
*calophyllifolium*, Walp. Rep. ii. 180 = *E. calophyllifolia*.  
*campanellum*, Miq. Fl. Ind. Bat. i. i. 451.—Java.  
*campanulatum*, Korth. in Nederl. Kruidk. Arch. i. (1848) 203.—Borneo.  
*capillare*, Wall. Cat. n. 3578 = *E. filiformis*, Wall.  
*caryophyllaeum*, Gaertn. Fruct. i. 166. t. 33 = *E. caryophyllaea*.  
*caryophyllifolium*, DC. Prod. iii. 260 = *E. Jambolana*.

## SYZYGIUM:—

*caryophyllifolium*, Zipp. ex Miq. Fl. Ind. Bat. i. i. 449 = *Zippelianum*.  
*caudatum*, Wall. Cat. n. 3591 = *Eugenia cymosa*.  
*cinerascens*, Presl, Bot. Bemerk. 70 = *seq.*  
*cinereum*, Wall. Cat. n. 3576 = *E. brachiata*.  
*claviflorum*, Wall. l. c. 3575 = *E. claviflora*.  
*clusiaefolium*, C. Muell. in Walp. Ann. iv. 839 = *E. clusiaefolia*.  
*coarctatum*, Blume, ex Miq. Fl. Ind. Bat. i. i. 437 = *E. zeylanica*.  
*concinnum*, Wall. Cat. n. 3582 = *E. cymosa*.  
*confertiflorum*, C. Muell. in Walp. Ann. iv. 838 = *E. confertiflora* (cf. Addend.).  
*confusum*, Blume, ex Miq. Anal. Bot. Ind. i. 27 = *E. microbotrya*.  
*conicum*, Korth. in Nederl. Kruidk. Arch. i. (1848) 204.—Borneo.  
*contractum*, Wall. Cat. n. 3602 = *E. pellucida*.  
*cordatum*, Hochst. in Flora, xxvii. (1844) 425 = *E. cordatum*, M. Laws.  
*cordifolium*, Klotzsch, in Peters, Reise Mossamb. Bot. 63. t. 11 = *E. cordatum*, M. Laws.  
*cordifolium*, Walp. Rep. ii. 179 = *E. cordifolia*.  
*corticatum*, Wall. Cat. n. 3565 = *E. zeylanica*.  
*corymbosum*, DC. Prod. iii. 261.—Java.  
*corynocarpa*, C. Muell. in Walp. Ann. iv. 839 = *E. corynocarpa*.  
*costatum*, Miq. Fl. Ind. Bat. i. i. 451 = *E. operculata*.  
*costatum*, Wall. Cat. n. 3556 (Quid ?)—Ind. or.  
*cuneatum*, Wall. l. c. 3598 = *E. cuneata*.  
*cuneifolium*, Boj. ex Baker, in Journ. Linn. Soc. xx. (1883) 144 = *E. cuneifolia*.  
*cyminiferum*, Presl, Bot. Bemerk. 70 (= *Jambosa cymifera*).—Afr. austr.  
*cymosum*, DC. Prod. iii. 259 = *E. cymosa*.  
*cymosum*, Korth. in Nederl. Kruidk. Arch. i. (1848) 202 = *E. pamatensis*, operculata.  
*densiflorum*, Brongn. & Gris, in Bull. Soc. Bot. Fr. xii. (1865) 182.—N. Caled.  
*densiflorum*, Wall. Cat. n. 3601 = *E. Arnottiana*.  
*effusum*, C. Muell. in Walp. Ann. iv. 838 = *E. effusa*.  
*ellipticum*, Wall. Cat. n. 3587 = *E. valdevenosa*.  
*euneuron*, Miq. Fl. Ind. Bat. Suppl. 314.—Sumatra.  
*excavatum*, Wall. Cat. n. 3574 = *E. claviflora*.  
*expansum*, Wall. l. c. 3567 = *E. expansa*, Duthie.  
*ficifolium*, Wall. l. c. 3558 = *E. tetragona*.  
*filiforme*, Wall. l. c. 3580 = *E. filiformis*.  
*firmitum*, Thw. Enum. Pl. Zeyl. 417 = *E. grandis*.  
*floribundum*, F. Muell. Fragm. iv. 58 = *E. Ventenatii*.  
*forte*, F. Muell. l. c. v. 13 = *E. grandis*.  
*fraternum*, Miq. Fl. Ind. Bat. i. i. 458.—Java.  
*frutescens*, Brongn. & Gris, in Bull. Soc. Bot. Fr. xii. (1865) 184.—N. Caled.  
*fruticosum*, DC. Prod. iii. 260 = *E. fruticosa*.  
*furcatum*, Blume, ex Miq. Anal. Bot. Ind. i. 23 = *E. Muellieri*.  
*Gardneri*, Thw. Enum. Pl. Zeyl. 117 = *E. Gardneri*.  
*glaucescens*, Miq. Anal. Bot. Ind. i. 24 = *E. borneensis*.  
*glomeratum*, DC. Prod. iii. 259 = *E. glomerata*, Lam.  
*grande*, Wall. Cat. n. 3554 = *E. grandis*.  
*gratum*, Wall. l. c. 3586 = *E. grata*.  
*guineense*, DC. Prod. iii. 259 = *E. Calyptanthus guineensis*.  
*guineense*, Guill. & Perr. Fl. Seneg. Tent. 315. t. 72 = *E. owariensis*.  
*Heyneanum*, Wall. Cat. n. 3599 = *E. Heyneana*.  
*hypericifolium*, DC. Prod. iii. 261.—Ins. Borbon.  
*inophylloides*, C. Muell. in Walp. Ann. iv. 838 = *E. inophylloides*.  
*inophyllum*, DC. Prod. iii. 260 = *E. inophylla*.  
*Jambolanum*, DC. l. c. 259 = *E. Jambolana*.  
*javanicum*, Miq. Fl. Ind. Bat. i. i. 461.—Java.  
*kalahiense*, Korth. in Nederl. Kruidk. Arch. i. (1848) 205 = *E. kalahiensis*.  
*Korthalsianum*, Miq. Fl. Ind. Bat. i. i. 454 = *E. Korthalsiana*.  
*laevigatum*, Miq. l. c. 457 = *E. laevigata*.  
*lanceolatum*, Wight & Arn. Prod. 330 = *E. Wightiana*.  
*lateriflorum*, Brongn. & Gris, in Bull. Soc. Bot. Fr. xii. (1865) 183.—N. Caled.  
*lateriflorum*, Royle, ex Duthie, in Hook. f. Fl. Brit. Ind. ii. 499 = *E. Jambolana*.  
*latifolium*, Blanco, Fl. Filip. ed. II. 294 = *E. bracteata*.  
*latifolium*, DC. Prod. iii. 259.—Ins. Maurit.  
*laxiflorum*, DC. l. c. 261 = *E. Calyptanthus laxiflora*.  
*leucoxydon*, Korth. in Nederl. Kruidk. Arch. i. (1848) 203 = *E. leucoxydon*.

## SYZYGIUM:—

*lineare*, Wall. Cat. n. 3596 = *Eugenia linearis*, Duthie.  
*lissophyllum*, Thw. Enum. Pl. Zeyl. 117 = *E. lissophylla*.  
*longiflorum*, Presl, Bot. Bemerk. 70.—Ins. Philipp.  
*longiflorum*, Wall. Cat. n. 3572 = *E. claviflora*.  
*lucidum*, Gaertn. Fruct. i. 167. t. 33 = *E. lucida*, Banks.  
*macranthum*, Brongn. & Gris, in Bull. Soc. Bot. Fr. xii. (1865) 182.—N. Caled.  
*magnoliaefolium*, DC. Prod. iii. 261.—Java.  
*magnoliaefolium*, Korth. in Nederl. Kruidk. Arch. i. (1848) 203 = *E. borneensis*.  
*Makul*, Gaertn. Fruct. i. 166. t. 33.—Zeylan.  
*marginatum*, Korth. in Nederl. Kruidk. Arch. i. (1848) 203.—Sumatra.  
*Metrosideros*, DC. Prod. iii. 261.—Cochinch.  
*micans*, Brongn. & Gris, in Bull. Soc. Bot. Fr. xiii. (1866) 468.—N. Caled.  
*Michellii*, Duthie, in Hook. f. Fl. Brit. Ind. ii. 505 = *E. uniflora*, Linn.  
*micranthum*, Blume, ex Miq. Anal. Bot. Ind. i. 22 = *E. pamatensis*.  
*micranthum*, Thw. Enum. Pl. Zeyl. 117 = *E. micrantha*, Bedd.  
*minutiflorum*, Miq. Fl. Ind. Bat. Suppl. 311.—Sumatra.  
*montanum*, Thw. Enum. Pl. Zeyl. 116 = *E. grandis*.  
*Muelleri*, Miq. Fl. Ind. Bat. i. i. 453 = *E. Muellieri*.  
*multipetalum*, Panch. ex Brongn. & Gris, in Bull. Soc. Bot. Fr. xii. (1865) 182.—N. Caled.  
*myrtifolium*, DC. Prod. iii. 261 = *E. myrtifolia*, Roxb.  
*Neesianum*, Arn. in Nov. Act. Nat. Cur. xviii. i. (1836) 335 = *E. Neesiana*.  
*neglectum*, Brongn. & Gris, in Bull. Soc. Bot. Fr. xii. (1865) 184.—N. Caled.  
*nelitricarpum*, Teijsm. & Binn. in Tijdschr. Nederl. Ind. xxvii. (1864) 53 = *E. cymosa*.  
*nervosum*, DC. Prod. iii. 260 = *E. operculata*.  
*nitidum*, Benth. in Hook. Lond. Journ. Bot. ii. (1843) 221.—N. Guin.  
*nitidum*, Brongn. & Gris, in Bull. Soc. Bot. Fr. xii. (1865) 183.—N. Caled.  
*nodosum*, Miq. Fl. Ind. Bat. i. i. 447 = *E. operculata*.  
*oblatum*, Wall. Cat. n. 3569 = *E. oblata*.  
*obovatum*, DC. Prod. iii. 259 = *E. obovata*, Poir.  
*obovatum*, Korth. in Nederl. Kruidk. Arch. i. (1848) 205 = *E. Muellieri*.  
*obovatum*, Wall. Cat. n. 3552 = *E. operculata*.  
*obtusatum*, Blume, ex Miq. Anal. Bot. Ind. i. 25 = *E. caryophyllaea*.  
*obtusifolium*, Kostel. Allg. Med.-Pharm. Fl. iv. 1532 = *E. Jambolana*.  
*occlusum*, Miq. Fl. Ind. Bat. i. i. 460 = *E. occlusa*.  
*odoratum*, DC. Prod. iii. 260.—China.  
*oleinum*, Wall. ex Walp. Rep. ii. 178 = *E. myrtifolia*.  
*oliganthum*, Thw. Enum. Pl. Zeyl. 118 = *E. oligantha*.  
*ovale*, Korth. in Nederl. Kruidk. Arch. i. (1848) 205.—Borneo.  
*owariense*, Benth. in Hook. Niger Fl. 359 = *E. owariensis*.  
*palembanicum*, Miq. Fl. Ind. Bat. Suppl. 313 = *E. lepidocarpa*.  
*Pancheri*, Brongn. & Gris, in Bull. Soc. Bot. Fr. xii. (1865) 183.—N. Caled.  
*Panealla*, Wall. Cat. n. 3557 = *E. operculata*.  
*paniculatum*, Gaertn. Fruct. i. 167. t. 33 = *E. paniculata*.  
*patens*, Korth. in Nederl. Kruidk. Arch. i. (1848) 203.—Sumatra.  
*patens*, Panch. ex Brongn. & Gris, in Bull. Soc. Bot. Fr. xii. (1865) 184.—N. Caled.  
*politum*, Wall. Cat. n. 3626 = *E. zeylanica*.  
*polyanthum*, Miq. Fl. Ind. Bat. i. i. 450.—Java.  
*polyanthum*, Thw. Enum. Pl. Zeyl. 116 = *E. operculata*.  
*polyanthum*, Walp. Rep. ii. 180 = *E. polyantha*, Wight.  
*Pseudo-jambolana*, Miq. Fl. Ind. Bat. i. i. 458.—Java.  
*pterocalyx*, Brongn. & Gris, in Ann. Sc. Nat. Sér. V. xiii. (1870-71) 386.—N. Caled.  
*pulchellum*, Wall. Cat. n. 3566 = *E. oblata*.  
*punctulatum*, Wall. l. c. 3583 = *E. pyrifolia*, Duthie.  
*pyrifolium*, DC. Prod. iii. 261 = *E. pyrifolia*, Duthie.  
*quadrialatum*, Teijsm. & Binn. Cat. Hort. Bog. 246.—Ins. Molucc.  
*racemosum*, DC. Prod. iii. 261.—Java.  
*rameum*, Wall. Cat. n. 3595 = *E. tetragona*.  
*reticulatum*, Walp. Rep. ii. 179 = *E. mangifolia*.  
*revolutum*, Walp. l. c. 180 = *E. revoluta*, Wight.



## SYZYGIIUM:—

*ribesioides*, Wall. Cat. n. 3553 A = *Eugenia brachiata*.  
*rigidum*, Wall. l. c. 3581 = *E. chlorantha*.  
*robustum*, Miq. Fl. Ind. Bat. i. 1. 1086.—Ins. Banca.  
*rostratum*, DC. Prod. iii. 261.—Java.  
*rotundifolium*, Arn. in Nov. Act. Nat. Cur. xviii. 1.  
 (1836) 335 = *E. rotundifolia*.  
*rubens*, Walp. Rep. ii. 180 = *E. rubens*.  
*rubescens*, C. Muell. in Walp. Ann. iv. 839 = *E. rubescens*.  
*rubicundum*, Wight & Arn. Prodr. 330 = *E. rubicunda*.  
*rugosum*, Korth, in Nederl. Kruidk. Arch. i. (1848) 204.—Java.  
*salicifolium*, J. Grah. Cat. Pl. Bomb. 73 = *E. Heyneana*.  
*salicifolium*, Wall. Cat. n. 3597 = *E. rubicunda*.  
*sandwicensis*, C. Muell. in Walp. Ann. iv. 838 = *E. sandwicensis*.  
*savaicensis*, C. Muell. l. c. 839 = *E. savaicensis*.  
*scandens*, Boj. Hort. Maurit. 143 = *E. scandens*.  
*Schwenckii*, Teijsm. & Binn. Cat. Hort. Bog. 246.—Sumatra.  
*sclerophyllum*, Thw. Enum. Pl. Zeyl. 118 = *E. sclerophylla*.  
*scoparium*, Wall. Cat. n. 3594 = *E. scoparia*.  
*sessile*, Blume, ex Miq. Anal. Bot. Ind. i. 25 = *E. Korthalsiana*.  
*Sieberianum*, Presl, Bot. Bemerk. 69.—Ins. Maurit.  
*spathulatum*, Thw. Enum. Pl. Zeyl. 118 = *E. olivifolia*.  
*speciosum*, Wall. Cat. n. 3568 = *E. Thumra*.  
*spicatum*, DC. Prod. iii. 260 = *E. zeylanica*.  
*suavissimum*, Wall. Cat. n. 3573 = *E. leptantha*, Wight.  
*subcapitulatum*, Miq. Fl. Ind. Bat. i. 1. 450.—Java.  
*subdecurrens*, Miq. l. c. 449.—Java.  
*subdecussatum*, Wall. Cat. n. 3589 = *E. subdecussata*.  
*subnodosum*, Miq. Fl. Ind. Bat. Suppl. 313.—Sumatra.  
*subtile*, Miq. l. c.—Sumatra.  
*sylvestre*, Walp. Rep. ii. 178 = *E. sylvestris*.  
*Tatna*, Wall. Cat. n. 3555 = *E. Tatna* (in Addend.).  
*tenellum*, Blume, ex Miq. Anal. Bot. Ind. i. 27.—Borneo.  
*tenuis*, Wall. Cat. n. 3570 = *E. tenuis*.  
*tenuiflorum*, Brongn. & Gris, in Bull. Soc. Bot. Fr. xii. (1865) 183.—N. Caled.  
*tesselatum*, Korth, in Nederl. Kruidk. Arch. i. (1848) 203.—Borneo.  
*tetragonum*, Wall. ex Wight, Illustr. Ind. Bot. ii. 16 = *E. tetragona*.  
*timorianum*, Decne. in Nouv. Ann. Mus. Par. iii. (1834) 455.—Ins. Timor.  
*toddalioides*, Walp. Rep. ii. 179 = *E. toddalioides*.  
*triplinervium*, Teijsm. & Binn. Cat. Hort. Bog. 246.—Java.  
*truncatum*, Miq. Fl. Ind. Bat. i. 1. 455.—Java.  
*tutuileense*, C. Muell. in Walp. Ann. iv. 839 = *E. tutuilensis*.  
*umbellatum*, Korth, in Nederl. Kruidk. Arch. i. (1848) 205.—Sumatra.  
*umbrosum*, Thw. Enum. Pl. Zeyl. 118 = *E. subavenis*.  
*validum*, Korth, in Nederl. Kruidk. Arch. i. (1848) 204.—Sumatra.  
*varitfolium*, Miq. Fl. Ind. Bat. Suppl. 311.—Ins. Banca.  
*vastum*, Wall. Cat. n. 3561 = *E. operculata*.  
*venosum*, DC. Prod. iii. 260 = *E. frondosa*.  
*venulosum*, Wall. Cat. n. 3585 = *E. venulosa*.  
*verecundum*, Wall. l. c. 3579 = *E. verecunda*.  
*vimineum*, Wall. l. c. 3593 = *E. cymosa*.  
*wagapense*, Brongn. & Gris, in Bull. Soc. Bot. Fr. xiii. (1866) 468.—N. Caled.  
*Wallichianum*, Presl, Bot. Bemerk. 70 = *E. operculata*.  
*Wallichii*, Walp. Rep. ii. 180 = *E. Wallichii*.  
*Wightianum*, Wall. Cat. n. 3577 = *E. Wightiana*.  
*zeylanicum*, DC. Prod. iii. 260 = *E. zeylanica*, Wight.  
*Zippelianum*, Miq. Fl. Ind. Bat. i. 1. 449.—Java.

SZEGLEWIA, C. Muell. in Walp. Ann. vii. 419 (1868), sphalm. = SCZEGLEEWIA, Turcz. = *Symphorema*, Roxb. (Verben.).

SZOVITSIA, Fisch. & Mey. Ind. Sem. Hort. Petrop. i. 39 1835). *UMBELLIFERAE*, Benth. & Hook. f. i. 925  
*callicarpa*, Fisch. & Mey. l. c.—Reg. Cauc.

SZOWITSIA, Steud. Nom. ed. II. ii. 658 (1841) = *prae*c.

## T

TABACINA, Reichb. Handb. 201 (1837) = seq.

TABACUM, Gilib. Fl. Lituan. i. 39 (1781) = *Nicotiana*, Linn. (Solan.).  
*latissimum*, Bercht. & Opiz, Oek. Fl. Boehm. iii. 309 = *N. Tabacum*.  
*Nicotianum*, Bercht. & Opiz, l. c. 307 = *N. Tabacum*.  
*ovatifolium*, Gilib. Fl. Lituan. i. 39 = *N. Tabacum*.

TABACUS, Moench, Meth. 448 (1794) = *Nicotiana*, Linn. (Solan.).  
*viscidus*, Moench, l. c. = *N. glutinosa*.

TABEBUIA, Gomez, Obs. ii. 7. t. 2 (1803). *BI-GNONIACEAE*, Benth. & Hook. f. ii. 1042.  
 POTAMOXYLON, Rafin. Sylva Tellur. 78 (1838).  
*aesculifolia*, Hemsl. Biol. Centr. Am. Bot. ii. 494.—Mexic.  
*Avellanadae*, Lorentz, ex Griseb. in Goett. Abh. xxiv. (1879) 258.—Reg. Argent.  
*brevipes*, Miers, in Proc. Roy. Hort. Soc. iii. (1863) 199, nomen.—Bras.  
*cassinoides*, DC. Prod. ix. 213.—Bras.  
*citrifolia*, DC. in Bibl. Univ. Genèv. xvii. (1838) 131; Prod. ix. 213.—Bras.  
*cordata*, Benth. Bot. Voy. Sulph. 129.—Am. austr.  
*dentata*, Miers, in Proc. Roy. Hort. Soc. iii. (1863) 199.—Bras.  
*dracocephaloides*, Miers, l. c.—Bras.  
*fallax*, DC. in Bibl. Univ. Genèv. xvii. (1838) 131 = *Bignonia fallax*.  
*flavescens*, Benth. & Hook. f. ex Griseb. in Goett. Abh. xxiv. (1879) 257.—Reg. Argent.  
*fluviatilis*, DC. Prod. ix. 215.—Guian.  
*fusca*, Hemsl. Biol. Centr. Am. Bot. ii. 494.—Mexic.  
 Guayacan, Hemsl. l. c. 495.—Panama.  
*haemantha*, DC. Prod. ix. 214.—Porto Rico.  
*heterotricha*, Hemsl. Biol. Centr. Am. Bot. ii. 495.—S. Salvador.  
*ilicifolia*, DC. Prod. ix. 213.—Madag.  
*japurensis*, DC. l. c. 214.—Bras.  
*lanceolata*, DC. in Bibl. Univ. Genèv. xvii. (1838) 131; Prod. ix. 213.—Bras.  
*latifolia*, DC. l. c. = *Callichlamys riparia*.  
*leucoxylla*, DC. l. c. 131; 212.—Am. trop.  
*magnolioides*, Miers, in Proc. Roy. Hort. Soc. iii. (1863) 199.—Bras.  
*Mansoana*, DC. Prod. ix. 214.—Bras.  
*mexicana*, Hemsl. Biol. Centr. Am. Bot. ii. 495.—Mexic.  
*neurophylla*, Miq. in Linnaea, xxvi. (1853) 219.—Guian.  
*nodosa*, Griseb. in Goett. Abh. xxiv. (1879) 258.—Reg. Argent.  
*pallida*, Miers, in Proc. Roy. Hort. Soc. iii. (1863) 199.—Ind. occ.  
*palustris*, Hemsl. Biol. Centr. Am. Bot. ii. 495.—Panama.  
*pentaphylla*, Hemsl. l. c.—Panama.  
*Pisoniana*, Miers, in Proc. Roy. Hort. Soc. iii. (1863) 199.—Bras.  
*pyramidata*, DC. Prod. ix. 214.—Guian.  
*rosea*, DC. l. c. 215.—Mexic.  
*rufinervis*, DC. l. c. 213 = *Callichlamys riparia*.  
*sanguinea*, DC. in Bibl. Univ. Genèv. xvii. (1838) 131; Prod. ix. 176 = *Fredericea speciosa*.  
*triphylla*, DC. Prod. ix. 214.—Ind. occ.  
*uliginosa*, DC. in Bibl. Univ. Genèv. xvii. (1838) 131; Prod. ix. 212.—Bras.  
*xanthophylla*, DC. Prod. ix. 214.—Bras.

TABERNA, Miers, Apocyn. S. Am. 61 (1878) = *Tabernaemontana*, Plum. (Apocyn.).  
*cymosa*, Miers, l. c. 62 = *Tabernaem. cymosa*.  
*discolor*, Miers, l. c. = *Tabernaem. discolor*.  
*disparifolia*, Miers, l. c. 63.—Peruv.  
*disticha*, Miers, l. c. 64 = *Tabernaem. disticha*.  
*laurina*, Miers, l. c. 63 = *Tabernaem. laurifolia*.  
*Poeppigii*, Miers, l. c. = *Tabernaem. Poeppigii*.  
*Riedelii*, Miers, l. c. 64 = *Tabernaem. Riedelii*.

TABERNAEMONTANA, Plum. ex Linn. Gen. ed. i. 66 (1737). *APOCYNACEAE*, Benth. & Hook. f. ii. 706.

ANACAMPTA, Miers, Apocyn. S. Am. 64 (1878).  
 ANARTIA, Miers, l. c. 79 (1878).  
 BONAFOUSIA, A. DC. in DC. Prod. viii. 359 (1844).  
 CODONEMMA, Miers, Apocyn. S. Am. 72 (1878).  
 MERIZADENIA, Miers, l. c. 78 (1878).  
 PANDACA, Thou. Gen. Nov. Madag. 10 (1806).  
 PESCHIERA, A. DC. in DC. Prod. viii. 360 (1844).  
 REICHARDIA, Dennst. Schluess. Hort. Malab. 32 (1818).  
 REJOUA, Gaudich. in Freyc. Voy. Bot. 450. t. 61 (1826).  
 RHIGOSPIRA, Miers, Apocyn. S. Am. 67 (1878).  
 TABERNA, Miers, l. c. 61 (1878).  
*acapulcensis*, Miers, l. c. 57.—Mexic.  
*accedens*, Muell. Arg. in Kjoeb. Vidensk. Meddel. (1869) 107.—Bras.  
*acuminata*, Muell. Arg. in Linnaea, xxx. (1859-60) 406.—Bolivia.  
*acutissima*, Muell. Arg. in Mart. Fl. Bras. vi. 1. 73.—Bras.  
*affinis*, Muell. Arg. l. c. 83.—Bras.  
*africana*, A. DC. in DC. Prod. viii. 367.—Afr. trop.  
*alba*, Mill. Gard. Dict. ed. VIII. n. 2 = *citrifolia*.  
*alba*, Nicholson, ex Griseb. Fl. Brit. Pl. Ind. 409 = *citrifolia*.  
*alternifolia*, Linn. Sp. Pl. 211 = *coronaria*?  
*alternifolia*, Roxb. Fl. Ind. ii. 24 = *crispa*.  
*Amsonia*, Linn. Sp. Pl. ed. II. 308 = *Amsonia Tabernaemontana*.  
*amygdalaefolia*, Jacq. Enum. Pl. Carib. 14.—Am. austr.  
*amygdalifolia*, Seem. Bot. Voy. Herald, 167 = *acapulcensis*.  
*amygdalifolia*, Sieber, ex A. DC. in DC. Prod. viii. 369 = *persicariaefolia*.  
*angulata*, Mart. ex Muell. Arg. in Mart. Fl. Bras. vi. 1. 72.—Bras.  
*angustifolia*, Ait. Hort. Kew. ed. I. i. 300 = *Amsonia angustifolia*.  
*apoda*, Wright, in Sawv. Fl. Cub. 118.—Cuba.  
*arcuata*, Ruiz & Pav. Fl. Per. ii. 22. t. 143.—Peruv.  
*aurantiaca*, Gaudich. Freyc. Voy. Bot. 50, 55.—Ins. Rawak.  
*australis*, Muell. Arg. in Mart. Fl. Bras. vi. 1. 84.—Bras.  
*Barteri*, Hook. Bot. Mag. t. 5859.—Afr. trop.  
*Benthaminiana*, Muell. Arg. in Mart. Fl. Bras. vi. 1. 70 = *Muelleriana*.  
*Benthaminiana*, Muell. Arg. l. c. 80.—Bras.  
*Benthaminina*, Miers, Apocyn. S. Am. 289, sphalm. = *prae*c.  
*Berterii*, A. DC. in DC. Prod. viii. 367.—Porto Rico.  
*bicolor*, Klotzsch, in Schomb. Faun. Fl. Brit. Gui. 952, nomen.—Guian.  
*bovina*, Lour. Fl. Cochinch. 118.—Cochinch.  
*bracteolaris*, Mart. ex Muell. Arg. in Mart. Fl. Bras. vi. 1. 83.—Bras.  
*breviflora*, Muell. Arg. l. c. 79.—Bras.  
*bufalina*, Lour. Fl. Cochinch. 117.—Cochinch.  
*calycina*, Spruce, ex Miers, Apocyn. S. Am. 73 = *Muelleriana*.  
*calycina*, Wall. Cat. n. 1577; et in Bot. Reg. sub t. 1273.—Burma.  
*Camassi*, Regel, Cat. Pl. Hort. Aksakov. 137 = *Gonioma Kamassi*.  
*catharinensis*, A. DC. in DC. Prod. viii. 365.—Bras.  
*celebica*, Miq. Ann. Mus. Bot. Lugd. Bat. iv. 139.—Ins. Celebes.  
*cerifera*, Panch. & Sebert, Not. Bois Nouv. Caléd. 188.—N. Caled.  
*cerniflora*, Zipp. ex Span. in Linnaea, xv. (1841) 325.—Ins. Timor.  
*cestroides*, Nees, ex Mart. in Nov. Act. Nat. Cur. xi. 1. (1823) 83 = *Malouetia cestroides*.  
*cirrrosa*, Blanco, Fl. Filip. ed. I. 115 = *Finlaysonia obovata*.  
*citrifolia*, Forst. f. Prod. 20 = *orientalis*.  
*citrifolia*, Linn. Sp. Pl. 210.—Ind. occ.; Mexic.  
*citrifolia*, Lunan, Fl. Jamaic. ii. 222 = *discolor*.  
*coffeaeifolia*, Boj. ex Baker, Fl. Maurit. 224, sphalm. = seq.  
*coffeoides*, Boj. ex A. DC. in DC. Prod. viii. 370.—Ins. Mascari. & Johann.  
*Collignonae*, Heurck & Muell. Arg. in Heurck, Obs. Bot. 170 = *graciliflora*.

## TABERNAEMONTANA:—

- collina, *Gardn. in Hook. Journ. Bot. i.* (1842) 178.—Bras.  
*congesta*, Benth. ex Muell. Arg. in Mart. Fl. Bras. vi. 1. 71 = rubrostriolata.  
*coriacea*, Link. ex Roem. & Schult. Syst. iv. 431.—Bras.  
*coronaria*, Willd. Enum. Hort. Berol. 275.—Ind. or. *coronata*, Paxt. Mag. Bot. xvi. (1848) t. 354, sphalm. = praec.  
*corymbosa*, Roxb. Hort. Beng. [84]; Fl. Ind. ii. 25; et ex Wall. in Bot. Reg. sub t. 1273.—Ind. or.  
*crassa*, Benth. in Hook. Niger Fl. 447.—Afr. trop.  
*crispa*, Roxb. Hort. Beng. 20; Fl. Ind. ii. 24.—Ins. Andaman.  
*Cumingiana*, A. DC. in DC. Prod. viii. 373.—Ins. Philipp.  
*cylindracea*, Wall. Cat. n. 4451 = *Rauwolfia serpentina*.  
*cylindrica*, Steud. Nom. ed. II. ii. 658 = praec.  
*cymosa*, Jacq. Enum. Pl. Carib. 14.—N. Granat.  
*cymosa*, Mart. ex Miers, Apocyn. S. Am. 84 = *Geissospermum Martianum*.  
*cymulosa*, Miq. Fl. Ind. Bat. ii. 422.—Sumatra.  
*Decaisnei*, A. DC. in DC. Prod. viii. 369 = *orientalis*.  
*densiflora*, Wall. in Bot. Reg. t. 1273 = *Rauwolfia densiflora*.  
*dichotoma*, Roxb. Hort. Beng. 20; Fl. Ind. ii. 21.—Ind. or.  
*didyma*, Vell. Fl. Flum. 106.—Bras.  
*discolor*, Sw. Prod. Veg. Ind. Occ. 52.—Ind. occ.  
*disticha*, A. DC. in DC. Prod. viii. 362.—Guian.  
*divaricata*, R. Br. ex Roem. & Schult. Syst. iv. 427.—Cf. R. Br. in Mem. Wern. Soc. i. (1811) 72 = *coronaria*.  
*divaricata*, G. Don, Gen. Syst. iv. 91 = *coronaria*.  
*ebracteata*, R. Br. Prod. 468 = *pubescens*, R. Br.  
*echinata*, Aubl. Pl. Gui. i. 263.—Guian.  
*echinata*, Vell. Fl. Flum. 105; iii. t. 17 = *T. Hystrix*.  
*Echites*, Linn. Syst. ed. X. 945.—Jamaic.?  
*elastica*, Spreng. Syst. i. 639 = *Urceola elastica*.  
*elliptica*, Blanco, Fl. Filip. ed. I. 115.—Ins. Philipp.  
*elliptica*, Thunb. Fl. Jap. 111 = *Amsonia elliptica*.  
*fagraeoides*, Miq. Fl. Ind. Bat. ii. 420.—Java.  
*fallax*, Muell. Arg. in Mart. Fl. Bras. vi. i. 84.—Bras.  
*fasciculata*, Poir. Encyc. vii. 531.—Guian.  
*Finlaysonianae*, Wall. Cat. n. 4452.—Siam.  
*flavescens*, Willd. ex Roem. & Schult. Syst. iv. 798 = *Malouetia flavescens*.  
*flavicans*, Willd. ex Roem. & Schult. l. c. 797.—Bras.  
*floribunda*, Blume, Bijdr. 1028.—Java.  
*frutescens*, Miers, Apocyn. S. Am. 57 = *laurifolia*.  
*fuchsiaefolia*, A. DC. in DC. Prod. viii. 365.—Bras.  
*Gaudichaudii*, A. DC. l. c.—Bras.  
*glabrata*, Mart. ex Miers, Apocyn. S. Am. 81 = *oblongifolia*.  
*globosa*, Blanco, Fl. Filip. ed. I. 116 = *Voacanga foetida*.  
*globosa*, Naves, ex F. Villar, in Blanco, Fl. Philipp. ed. III. Nov. App. 130 = *sphaerocarpa*.  
*graciliflora*, Wall. in Bot. Reg. sub t. 1273; Cat. n. 1576.—Burma.  
*gracilis*, Benth. in Hook. Journ. Bot. iii. (1841) 244.—Guian.  
*gracilis*, Muell. Arg. in Mart. Fl. Bras. vi. i. 82.—Bras.  
*grandiflora*, Hook. in W. Gray, Trav. West. Afr. 389 = *africana*.  
*grandiflora*, Jacq. Enum. Pl. Carib. 14.—Ind. occ.  
*grandiflora*, Linn. Mant. i. 53.—N. Granat.  
*gratissima*, Lindl. in Trans. Hort. Soc. vii. i. (1830) 55; Bot. Reg. t. 1084 = *recurva*.  
*guianensis*, Miq. in Linnaea, xviii. (1844) 754.—Guian.  
*guyanensis*, Muell. Arg. in Linnaea, xxx. (1859–60) 404.—Guian.  
*heterophylla*, Span. in Hook. Comp. Bot. Mag. i. (1835) 347, nomen.—Ins. Timor.  
*heterophylla*, Vahl, Eclog. Am. ii. 22.—Guian.  
*Heyneana*, Wall. in Bot. Reg. sub t. 1273; Cat. n. 1573.—Ind. or.  
*Hilariana*, Muell. Arg. in Mart. Fl. Bras. vi. i. 85.—Bras.  
*hirta*, Hook. f. Fl. Brit. Ind. iii. 646.—Malacca.  
*hirtula*, Mart. ex Muell. Arg. in Mart. Fl. Bras. vi. i. 73.—Bras.  
*humilis*, Salisb. Prod. 148 = *Amsonia Tabernaemontana*.

## TABERNAEMONTANA:—

- Hystrix*, Steud. Nom. ed. II. ii. 658.—Bras.  
*indica*, Willd. ex Steud. l. c. nomen (Quid?)—Ind. or.  
*intercedens*, Heurck & Muell. Arg. in Heurck, Obs. Bot. 166 = *Heyneana*.  
*jasminoides*, H. B. & K. Nov. Gen. et Sp. iii. 225 = *Malouetia jasminoides*.  
*javanica*, Miq. Fl. Ind. Bat. ii. 422.—Java.  
*Kamassi*, Eckl. in S. Afr. Quart. Journ. i. (1830) 371 = *Gonioma Kamassi*.  
*lactiflua*, Miers, Apocyn. S. Am. 289 (Index) = *Malouetia lactiflua*.  
*laeta*, Mart. in Flora, xx. (1837) II. Beibl. 98.—Bras.  
*laevigata*, Mart. ex Muell. Arg. in Mart. Fl. Bras. vi. i. 77 = *flavicans*.  
*laevis*, Vell. Fl. Flum. 105; iii. t. 18 = *Geissospermum Vellozii*.  
*lanceolata*, Miers, Apocyn. S. Am. 268. t. 7.—Am. austr.  
*laurifolia*, Blanco, Fl. Filip. ed. I. 114 = *T. Pandacaqui*.  
*laurifolia*, Ker-Gawl. in Bot. Reg. t. 716 = *dichotoma*.  
*laurifolia*, Linn. Sp. Pl. 210.—Ind. occ.  
*laurifolia*, Schott, ex Miers, Apocyn. S. Am. 76 = *Stemmadenia insignis*.  
*laxa*, Benth. in Hook. Journ. Bot. iii. (1841) 244 = *Ambelania laxa*.  
*laxifolia*, Teijsm. & Binn. in Tijdschr. Nederl. Ind. xxv. (1863) 403.—Java.  
*Linkii*, A. DC. in DC. Prod. viii. 364.—Bras.  
*litoralis*, H. B. & K. Nov. Gen. et Sp. iii. 228.—Mexic.  
*longiflora*, Benth. in Hook. Niger Fl. 447.—Afr. trop.  
*longiflora*, Benth. in Hook. Journ. Bot. iii. (1841) 243.—Guian.  
*lucida*, H. B. & K. Nov. Gen. et Sp. vii. 209.—Venezuela.  
*Lundii*, A. DC. in DC. Prod. viii. 365.—Bras.  
*lurida*, Heurck & Muell. Arg. in Heurck, Obs. Bot. 172.—Hab.?  
*macrocalyx*, Muell. Arg. in Linnaea, xxx. (1859–60) 403.—Guian.  
*macrocarpa*, Jack, in Malay. Misc. ii. (1822) n. vii. 80.—Sumatra.  
*macrocarpa*, Korth, ex Blume, Mus. Bot. Lugd. Bat. i. 154 = *Willughbeia firma*.  
*macrophylla*, Muell. Arg. in Mart. Fl. Bras. vi. i. 75 = *Phissocarpus rigidus*.  
*macrophylla*, Poir. Encyc. Suppl. v. 276.—Am. austr.  
*malaccensis*, Hook. f. Fl. Brit. Ind. iii. 649.—Malacca.  
*Martensii*, Peyr. in Linnaea, xxx. (1859–60) 31.—Mexic.  
*mauritanica*, Poir. Encyc. vii. 530.—Ins. Mascari.  
*membranacea*, A. DC. in DC. Prod. viii. 370.—Ins. Nossibé.  
*membranifolia*, Kurz, in Journ. As. Soc. Beng. xlii. (1873) II. 90.—Burma.  
*Meyeri*, G. Don, Gen. Syst. iv. 89.—Guian.  
*micrantha*, A. DC. in DC. Prod. viii. 370.—Ins. Maurit.  
*micrantha*, Voigt, Hort. Suburb. Calc. 527 = *Wallichiana*.  
*microcarpa*, Wall. in Bot. Reg. sub t. 1273; Cat. n. 1581 = *Rauwolfia microcarpa*.  
*modesta*, Baker, in Journ. Bot. xx. (1882) 219.—Madag.  
*mollis*, Hook. & Arn. Bot. Beech. Voy. 199.—China.  
*monocarpa*, Steud. Nom. ed. II. ii. 658, sphalm. = *macrocarpa*.  
*Muelleriana*, Mart. ex Muell. Arg. in Mart. Fl. Bras. vi. i. 181.—Bras.  
*multiflora*, Link. ex Roem. & Schult. Syst. iv. 431 = *Linkii*.  
*multiflora*, Sm. in Rees, Cycl. xxxv. n. 11.—Ins. Mascari.  
*muricata*, Link. ex Roem. & Schult. Syst. iv. 431.—Bras.  
*muricata*, Spruce, ex Muell. Arg. in Mart. Fl. Bras. vi. i. 76 = *macrophylla*.  
*nerifolia*, Vahl, Eclog. Am. ii. 21.—Porto Rico.  
*nerosa*, Desf. ex Poir. Encyc. Suppl. v. 275 = *persicariaefolia*.  
*nicobarica*, Liebm. Ind. Sem. Hort. Havn. (1855) 27.—Cf. Linnaea, xxviii. (1856) 363.—Ins. Nicobar.  
*Noronhiana*, Boj. Hort. Maurit. 210.—Madag.  
*novo-guineensis*, Scheff. in Ann. Jard. Buitenz. i. (1876) 36.—N. Guin.

## TABERNAEMONTANA:—

- oblonga*, Wall. in Bot. Reg. sub t. 1273.—Ind. or.  
*oblongifolia*, A. DC. in DC. Prod. viii. 368.—Bras.  
*obtusa*, Sm. in Rees, Cycl. xxxv. n. 8.—Ins. Borbon.  
*obtusifolia*, Poir. Encyc. Suppl. v. 275.—Madag.  
*occidentalis*, Miers, Apocyn. S. Am. 58.—Peruv.  
*ochracea*, Benth. ex Muell. Arg. in Mart. Fl. Bras. vi. i. 81 = *muricata*.  
*odorata*, Vahl, Eclog. Am. ii. 22 = *Malouetia Tamaquarina*.  
*olivacea*, Muell. Arg. in Mart. Fl. Bras. vi. i. 75.—Bras.  
*ophiorrhizoides*, Kurz, in Journ. As. Soc. Beng. xlii. (1873) II. 89.—Burma.  
*orientalis*, R. Br. Prod. 468.—Ind. or.; Austral.  
*orientalis*, G. Don, Gen. Syst. iv. 92 = *Melodinus orientalis*.  
*ovalis*, Miq. Fl. Ind. Bat. Suppl. 229, 554.—Sumatra.  
*pacifica*, Seem. Fl. Vit. 160.—Ins. Fiji.  
*Pandacaqui*, Poir. Encyc. vii. 529.—N. Guin.  
*parviflora*, Boj. Hort. Maurit. 209 = *mauritanica*.  
*parviflora*, Decne. in Nouv. Ann. Mus. Par. iii. (1834) 379 = *orientalis*.  
*parviflora*, Heyne, ex Wall. Cat. p. 158, re n. 1 80 = *Hunteria corymbosa*.  
*parviflora*, Heyne, ex Wall. Cat. n. 4453 = *Rauwolfia densiflora*.  
*parviflora*, Poir. Encyc. Suppl. v. 276 = *populifolia*.  
*parviflora*, Roxb. Hort. Beng. 20; Fl. Ind. ii. 25 = *Wallichiana*.  
*pauciflora*, Blume, Bijdr. 1028.—Java.  
*pauciflora*, Wight, Ic. t. 393 = *Wallichiana*.  
*paucifolia*, Muell. Arg. in Mart. Fl. Bras. vi. i. 87.—Bras.  
*peduncularis*, Wall. in Bot. Reg. sub t. 1273; Cat. n. 1575.—Ins. Penang.  
*pentasticta*, Scheff. in Flora, lii. (1869) 309; et in Tijdschr. Nederl. Ind. xxxi. (1870) 22.—Malaya.  
*Perrottetii*, A. DC. in DC. Prod. viii. 362.—Guian.  
*persicariaefolia*, Jacq. Coll. iv. 139.—Ins. Mascari.  
*pilifera*, Benth. ex Muell. Arg. in Mart. Fl. Bras. vi. i. 73 = *hirtula*.  
*Poeppigii*, Muell. Arg. in Linnaea, xxx. (1859–60) 405.—Bras.  
*polyantha*, Blume, Bijdr. 1029 = *Micrechites polyantha*.  
*polyantha*, Herb. Lugd. Bat. ex Miq. Fl. Ind. Bat. ii. 394 = *Urceola elastica*.  
*polygama*, Blanco, Fl. Filip. ed. II. 82.—Ins. Philipp.  
*populifolia*, Poir. Encyc. Suppl. v. 276.—Am. austr.  
*psychotriaefolia*, Steud. Nom. ed. II. ii. 658 = seq.  
*psychotriifolia*, H. B. & K. Nov. Gen. et Sp. iii. 227.—Am. trop.  
*psychotrioides*, G. Don, Gen. Syst. iv. 90 = praec.  
*pubescens*, R. Br. Prod. 468.—Austral.  
*pubescens*, Teijsm. & Binn. Cat. Hort. Bog. 125.—Ins. Buru.  
*Rauwolfiae*, A. DC. in DC. Prod. viii. 364 = *Salzmanni*.  
*recurva*, Hohen. ex Hook. f. Fl. Brit. Ind. iii. 646 = *Heyneana*.  
*recurva*, Roxb. Hort. Beng. 20; Fl. Ind. ii. 26.—Ind. or.; Burma.  
*repanda*, E. Mey. ex Steud. Nom. ed. II. ii. 658.—Guian.  
*reticulata*, A. DC. in DC. Prod. viii. 366.—Bras.  
*rhynchophylla*, Miq. Fl. Ind. Bat. ii. 422.—Ins. Banca.  
*Riedeliana*, Miq. Ann. Mus. Bot. Lugd. Bat. iv. 139.—Ins. Celebes.  
*Riedelii*, Muell. Arg. in Mart. Fl. Bras. vi. i. 72.—Bras.  
*riparia*, H. B. & K. Nov. Gen. et Sp. iii. 228 = *Malouetia riparia*.  
*rosea*, Tenore, Cat. Orto Nap. (1845) 97.—Hab.?  
*rostrata*, Wall. in Bot. Reg. sub t. 1273; Cat. n. 1578.—Burma.  
*rubrostriolata*, Mart. ex Muell. Arg. in Mart. Fl. Bras. vi. i. 71.—Bras.  
*rupicola*, Benth. in Hook. Journ. Bot. iii. (1841) 243.—Guian.  
*salicifolia*, Wall. in Bot. Reg. sub t. 1273; Cat. n. 1580 = *Hunteria corymbosa*.  
*Salzmanni*, A. DC. in DC. Prod. viii. 362.—Bras.  
*Sananho*, Ruiz & Pav. Fl. Per. ii. 22. t. 144.—Peruv.  
*sessilifolia*, Baker, in Journ. Linn. Soc. xx. (1883) 205.—Madag.  
*sessilifolia*, Klotzsch, in Schomb. Faun. Fl. Brit. Gui. 952, nomen.—Guian.  
*sessilis*, Vell. Fl. Flum. 106 = *Malouetia sessilis*.  
*solanifolia*, A. DC. in DC. Prod. viii. 365.—Bras.

**TABERNAEMONTANA** :—

- speciosa*, *Poir. Encyc. Suppl.* v. 275.—Guian.  
*sphaerocarpa*, *Blume, Bijdr.* 1028.—Java.  
*Spixiana*, *Mart. ex Muell. Arg. in Mart. Fl. Bras.* vi. 1. 78.—Bras.  
*Sprucei*, *Muell. Arg. l. c.* 86.—Bras.  
*squamosa*, *Sm. in Rees, Cycl.* xxxv. n. 3 = mauritiana.  
*squamosa*, *Spreng. ex A. DC. in DC. Prod.* viii. 327 = *Urceola elastica*.  
*stenoloba*, *Muell. Arg. in Linnaea*, xxx. (1859–60) 407.—Peruv.  
*subcapitata*, *Hook. f. & Thoms. ex Hook. f. Fl. Brit. Ind.* iii. 633 = *Rauwolfia densiflora*.  
*subcapitata*, *Wall. in Bot. Reg.* sub t. 1273; *Cat. n.* 1579.—Burma.  
*submollis*, *Mart. ex Muell. Arg. in Mart. Fl. Bras.* vi. 1. 70.—Bras.  
*subsessilis*, *Benth. in Hook. Niger Fl.* 448.—Afr. trop.  
*Telfairiana*, *Wall. in Bot. Reg.* sub t. 1273.—Ins. Maurit.  
*tenuiflora*, *Miq. Fl. Ind. Bat. Suppl.* 554.—Sumatra.  
*tenuiflora*, *Muell. Arg. in Mart. Fl. Bras.* vi. 1. 76.—Bras.  
*tenuifolia*, *Willd. ex Meissn. in DC. Prod.* xv. 1. 28 = *Alseodaphne semecarpifolia*.  
*ternstroemiacea*, *Muell. Arg. in Mart. Fl. Bras.* vi. 1. 88.—Bras.  
*tetrastachya*, *H. B. & K. Nov. Gen. et Sp.* iii. 227.—N. Granat.  
*Thurstoni*, *Horne, ex Baker, in Journ. Linn. Soc.* xx. (1883) 368.—Ins. Fiji.  
*umbrosa*, *H. B. & K. Nov. Gen. et Sp.* iii. 226.—N. Granat.  
*undulata*, *G. F. W. Mey. Prim. Fl. Esseq.* 135 = *Meyeri*.  
*undulata*, *Perr. ex A. DC. in DC. Prod.* viii. 362 = *Perrottetii*.  
*undulata*, *Vahl, Eclog. Am.* ii. 20.—Ind. occ.; Guian.  
*utilis*, *Arn. in Edinb. N. Phil. Journ.* viii. (1830) 318.—Guian.  
*Vanheurckii*, *Muell. Arg. in Heurck, Obs. Bot.* 168.—Peruv.  
*ventricosa*, *Hochst. ex A. DC. in DC. Prod.* viii. 366.—Afr. austr.  
*verrucosa*, *Blume, Bijdr.* 1029.—Java.  
*verticillata*, *Bedd. Forest. Fl. Anal. Gen.* xx; *Man. Bot.* 159 = *Rauwolfia Beddomei*.  
*vitiensis*, *Seem. in Bonplandia*, ix. (1861) 257 = *orientalis*.  
*Wallichiana*, *Steud. Nom. ed. II.* ii. 658.—Sumatra.  
*Warmingii*, *Muell. Arg. in Kjoeb. Vidensk. Meddel.* (1869) 107.—Bras.  
*Wulfschlaegelii*, *Griseb. Fl. Brit. W. Ind.* 409.—Jamaica.

**TABRACA**, *Noronha, in Verh. Batav. Gen.* v. (1790) ed. I. Art. IV. 4 (Anonacea?).

**TACAMAHACA**, *Mill. Gard. Dict. ed. VI. App.* 175 (1752) = *Populus*, *Linn. (Salicin.)*.

**TACAZZEA**, *Decne. in DC. Prod.* viii. 492 (1844). *ASCLEPIADEAE*, *Benth. & Hook. f. ii.* 745.  
*LEPTOPAEIA*, *Harv. Gen. S. Afr. Pl. ed. II.* 231 (1868).  
*apiculata*, *Oliver, in Trans. Linn. Soc.* xxix. (1875) 108.—Afr. trop.  
*venosa*, *Decne. in DC. Prod.* viii. 493.—Abyss.

**TACCA**, *Forst. Char. Gen.* 69. t. 35 (1776). *TACCA-CEAE*, *Benth. & Hook. f. iii.* 741.  
*ATACCIA*, *Presl, Rel. Haenk.* 149 (1828).  
*artocarpifolia*, *Seem. Fl. Vit.* 101.—Ins. Mascar.  
*aspera*, *Roxb. Hort. Beng.* 25; *Fl. Ind.* ii. 169 = *integrifolia*.  
*Brownii*, *Seem. Fl. Vit.* 100 = *pinnatifida*.  
*cristata*, *Jack, in Malay. Misc.* i. (1820) n. v. 23.—Ind. or.  
*dubia*, *Schult. f. Syst.* vii. 167.—Ins. Amboin.  
*Gaogao*, *Blanco, Fl. Filip.* ed. I. 262 = *pinnatifida*.  
*guineensis*, *G. Don, ex Loud. Hort. Brit.* 124, nomen = *involuta*?  
*integrifolia*, *Ker-Gawl. in Bot. Mag.* t. 1488.—Ind. or.  
*involuta*, *Schum. & Thonn. Beskr. Guin. Pl.* 177.—Afr. trop.  
*laevis*, *Roxb. Hort. Beng.* 25; *Fl. Ind.* ii. 171.—Ind. or.  
*lancaefolia*, *Zoll. & Mor. Syst. Verz. Zoll.* 91.—Java.  
*maculata*, *Seem. Fl. Vit.* 103 = *pinnatifida*.

**TACCA** :—

- maculata*, *Zipp. ex Span. in Linnaea*, xv. (1841) 480, nomen (Quid?).—Ins. Timor.  
*madagascariensis*, *Boj. Hort. Maurit.* 350 = *pinnatifida*?  
*montana*, *Schult. f. Syst.* vii. 168 = *palmata*.  
*oceanica*, *Seem. in Journ. Bot.* iv. (1866) 261 = *pinnatifida*.  
*palmata*, *Blume, Enum. Pl. Fav.* i. 83.—Java.  
*palmatifida*, *Baker, in Journ. Linn. Soc.* xv. (1876) 100.—Ins. Celebes.  
*Parkeri*, *Seem. Fl. Vit.* 102.—Guian.  
*phallifera*, *Schult. f. Syst.* vii. 167, in syn. = *pinnatifida*, *Amorphophallus campanulatus*.  
*pinnatifida*, *Forst. Char. Gen.* 70. t. 35.—As. et Afr. trop.; Ins. Pacif.  
*pinnatifolia*, *Gaertn. Fruct.* i. 43. t. 14. f. 2, sphalm. = *praece*.  
*quanzensis*, *Welw. Apont.* 591 = *pinnatifida*.  
*Rafflesiana*, *Jack, ex Wall. Cat. n.* 5172 = *cristata*.  
*Rumphii*, *J. C. Schau. in Nov. Act. Nat. Cur.* xix. *Suppl.* i. (1843) 442.—Ins. Philipp.  
*Sprucei*, *Benth. in Benth. & Hook. f. Gen.* iii. 741.—Bras.  
*vesicaria*, *Blanco, Fl. Filip.* ed. I. 261 = *palmata*.

**TACCARUM**, *Brongn. ex Schott, Gen. Aroid.* t. 65 (1858). *AROIDEAE*, *Benth. & Hook. f. iii.* 986.  
*ENDERA*, *Regel, Gartenfl.* (1872) 226. t. 732.  
*LYSISTIGMA*, *Schott, in Bonplandia*, x. (1862) 222.  
*cylindricum*, *Arcangeli, in Nuov. Giorn. Bot. Ital.* xi. (1879) 190.—Java.  
*peregrinum*, *Engl. in DC. Monog. Phan.* ii. 646 = *cylindricum*.  
*Warmingii*, *Engl. in Kjoeb. Vidensk. Meddel.* (1880) 362.—Bras.  
*Weddellianum*, *Brongn. ex Schott, Gen. Aroid.* t. 65.—Bras.

**TACHIA**, *Aubl. Pl. Gui.* i. 75. t. 29 (1775). *GENTIANEA*, *Benth. & Hook. f. ii.* 813.  
*MYRMECIA*, *Schreb. Gen.* 74 (1789).  
*calygonia*, *Griseb. Gen. et Sp. Gent.* 204 = *Lisianthus calygonus*.  
*cordifolia*, *Mart. Nov. Gen. et Sp.* ii. 119 = *Leianthus longifolius*.  
*exsertus*, *Mart. l. c.* = *Leianthus exsertus*.  
*gracilis*, *Benth. in Hook. Kew Journ.* vi. (1854) 203.—Guian.  
*guianensis*, *Aubl. Pl. Gui.* i. 75. t. 29.—Guian.  
*longifolia*, *Mart. Nov. Gen. et Sp.* ii. 119 = *Leianthus longifolius*.  
*Schomburgkiana*, *Benth. in Hook. Kew Journ. Bot.* vi. (1854) 204.—Guian.  
*Swartzia*, *G. Don, Gen. Syst.* iv. 197 = *Leianthus exsertus*.

**TACHIA**, *Pers. Syn.* i. 459 (1805) = **Tachigalia**, *Aubl. (Legumin.)*.  
*paniculata*, *Pers. l. c.* 460 = *Tachigalia paniculata*.  
*punctata*, *Plée, ex Tul. in Arch. Mus. Par.* iv. (1844) 148 = *Caesalpinia monosperma*.  
*trigona*, *Pers. Syn.* i. 460 = *Tachigalia paniculata*.

**TACHIADENUS**, *Griseb. Gen. et Sp. Gent.* 200 (1839). *GENTIANEA*, *Benth. & Hook. f. ii.* 804.  
*carinatus*, *Griseb. l. c.*—Madag.  
*gracilis*, *Griseb. in DC. Prod.* ix. 82.—Madag.  
*longiflorus*, *Griseb. Gen. et Sp. Gent.* 202.—Madag.  
*platypterus*, *Baker, in Journ. Bot.* xx. (1882) 172.—Madag.  
*trinervis*, *Griseb. Gen. et Sp. Gent.* 201.—Madag.  
*tubiflorus*, *Griseb. l. c.* 202.—Madag.

**TACHIBOTA**, *Aubl. Pl. Gui.* 287. t. 112 (1775).  
*Genus dubium BIXINEARUM*.—Cf. *Benth. & Hook. f. i.* 124.  
*SALMASIA*, *Schreb. Gen.* 201 (1789).  
*guianensis*, *Aubl. Pl. Gui.* i. 287.—Guian.

**TACHIGALIA**, *Aubl. Pl. Gui.* 372. t. 143 (1775) (*Tachigali*). *LEGUMINOSAE*, *Benth. & Hook. f. i.* 582.  
*CUBA*, *Scop. Introd.* 300 (1777).  
*TACHIA*, *Pers. Syn.* i. 459 (1805).  
*TASSIA*, *Rich. ex DC. Prod.* ii. 487 (1825).  
*VALENTINIA*, *Neck. Elem.* ii. 450 (1790).  
*angustifolia*, *Miq. Stirp. Surin.* Sel. 13 = *paniculata*.  
*aurea*, *Tul. in Arch. Mus. Par.* iv. (1844) 169 = *Sclerolobium aureum*.

**TACHIGALIA** :—

- bijuga*, *DC. Prod.* ii. 487 = *Sweetia bijuga*.  
*emarginata*, *G. Don, Gen. Syst.* ii. 436.—Bras.  
*ericalyx*, *Tul. in Arch. Mus. Par.* iv. (1844) 164 = *paniculata*.  
*floribunda*, *Steud. Nom. ed. II.* ii. 659 = *Molden-hawera floribunda*.  
*glauca*, *Tul. in Arch. Mus. Par.* iv. (1844) 165.—Guian.  
*multijuga*, *Benth. in Mart. Fl. Bras.* xv. ii. 229.—Am. austr.  
*paniculata*, *Aubl. Pl. Gui.* i. 372. t. 143. f. 1.—Guian.  
*Poeppigiana*, *Tul. in Arch. Mus. Par.* iv. (1844) 168 = *polyphylla*.  
*polyphylla*, *Poepp. & Endl. Nov. Gen. et Sp.* iii. 60.—Bras.  
*ptychophysca*, *Spruce, ex Benth. in Mart. Fl. Bras.* xv. ii. 229.—Bras.  
*pubiflora*, *Benth. in Hook. Journ. Bot.* ii. (1840) 94.—Am. trop.  
*purpurea*, *Rich. in Act. Soc. Hist. Nat. Par.* i. (1792) 108.—Guian.  
*Richardiana*, *Tul. in Arch. Mus. Par.* iv. (1844) 166.—Guian.  
*sericea*, *Tul. l. c.* 163 = *paniculata*.  
*trigona*, *Aubl. Pl. Gui.* i. 372. t. 143. f. 2 = *paniculata*.

**TACHIGALEA**, *Griseb. Fl. Brit. W. Ind.* 501 (1861), sphalm. = **TALIGALEA**, *Aubl. = Amasonia*, *Linn. f. (Verben.)*.

**TACHITES**, *Soland. ex Gaertn. Fruct.* i. 205 (1788) = **Melicytus**, *Forst. (Violar.)*.  
*umbellata*, *Soland. ex Gaertn. l. c.* = *M. ramiflorus*.

**TACHYTES**, *Steud. Nom. ed. II.* ii. 659 (1841), sphalm. = *praece*.

**TACSONIA**, *Juss. Gen.* 398 (1789). *PASSIFLOREAE*, *Benth. & Hook. f. i.* 811.  
*ODOSTELMA*, *Rafin. Fl. Tellur.* iv. 104 (1836).  
*POGGENDORFFIA*, *Karst. in Linnaea*, xxviii. (1856) 438; et *Fl. Columb.* i. 29. t. 15 (1858).  
*RATHEA*, *Karst. Fl. Columb.* i. 77. t. 38 (1859?).  
*adulterina*, *Juss. in Ann. Mus. Par.* vi. (1805) 393.—N. Granat.  
*ampullacea*, *Mast. in Mart. Fl. Bras.* xiii. i. 539.—Ecuador.  
*anastomosans*, *Lamb. ex DC. Prod.* iii. 335.—Peruv.  
*Andersoni* ×, *Mast. in Gard. Chron.* (1875) ii. 167.  
*bicoronata*, *Mast. in Mart. Fl. Bras.* xiii. i. 541 = *mixta*?  
*bicuspidata*, *Karst. in Linnaea*, xxx. (1859–60) 160 = *Passiflora bicuspidata*.  
*bilobata*, *Spreng. Syst.* iii. 44 = *Passiflora bilobata*.  
*Buchanani*, *Lem. Illustr. Hort.* xiv. (1867) t. 519 = *Passiflora vitifolia*.  
*canaliculata*, *Juss. in Ann. Mus. Par.* vi. (1805) 392 = *Passiflora glandulosa*.  
*candida*, *Poepp. & Endl. Nov. Gen. et Sp.* ii. 59 = *Passiflora candida*.  
*citrifolia*, *Juss. in Ann. Mus. Par.* vi. (1805) 392 = *Passiflora citrifolia*.  
*cumbalensis*, *Karst. in Linnaea*, xxx. (1859–60) 161 = *glaberrima*.  
*cuneata*, *Benth. Pl. Hartw.* 183 = *Passiflora bicuspidata*.  
*Dombeyana*, *M. Roem. Syn. Pepon.* 197 = *peduncularis*.  
*eriantha*, *Benth. Pl. Hartw.* 183 = *mixta*.  
*exoniensis* ×, *Hort. Veitch*.—Cf. *Gard. Chron.* (1872) 1653.  
*flexipes*, *Mast. in Journ. Linn. Soc.* xx. (1883) 26.—N. Granat.  
*floribunda*, *Mast. in Trans. Linn. Soc.* xxvii. (1871) 628; et *in Mart. Fl. Bras.* xiii. i. 538.—N. Granat.  
*Fockeana*, *Miq. in Linnaea*, xviii. (1844) 364 = *Passiflora glandulosa*.  
*fulgens*, *Hort. ex Mast. in Journ. Hort. Soc. N. S.* iv. (1877) 127 = *Passiflora coccinea*, *quadriglandulosa*.  
*glaberrima*, *Juss. in Ann. Mus. Par.* vi. (1805) 394.—Peruv.  
*glandulosa*, *Juss. l. c.* 391 = *Passiflora glandulosa*.  
*glauca*, *Poepp. ex Mast. in Mart. Fl. Bras.* xiii. i. 569 = *Passiflora reflexiflora*.  
*gracilens*, *A. Gray, in Bot. U. St. Expl. Exped.* i. 639.—Peruv.  
*grandiflora*, *Forbes, Hort. Woburn.* 232.—Hab.?

**TACSONIA** :—

- grandis*, Hort. ex Mast. in Journ. Hort. Soc. N. S. iv. (1877) 127 = Van-Volxemii?  
*hastata*, Ruiz & Pav. ex Mast. in Trans. Linn. Soc. xxvii. (1871) 638 = Passiflora reflexiflora.  
*hederacea*, Mast. & André, in Journ. Linn. Soc. xx. (1883) 29.—Ecuador.  
*igneae*, Hort. ex Mast. in Trans. Linn. Soc. xxvii. (1871) 629 = manicata.  
*infundibularis*, Mast. in Journ. Bot. xxi. (1883) 34.—Peruv.  
*insignis*, Mast. in Gard. Chron. (1873) 1112.—Am. austr.  
*Jamesoni*, Mast. in Mart. Fl. Bras. xiii. i. 537.—Peruv.  
*laevis*, Benth. Pl. Hartw. 118 = Passiflora reflexiflora.  
*lanata*, Fuss. in Ann. Mus. Par. vi. (1805) 392. t. 59. f. 1.—N. Granat.  
*lanceolata*, Mast. in Mart. Fl. Bras. xiii. i. 536.—Peruv.  
*longifolia*, Pers. Syn. ii. 223 = mixta.  
*Mandoni*, Mast. in Mart. Fl. Bras. xiii. i. 538.—Bolivia.  
*manicata*, Fuss. in Ann. Mus. Par. vi. (1805) 393. t. 59. f. 2.—Peruv.  
*Mansii*, Mart. in Florá, xxii. (1839) i. Beibl. 7 = Passiflora Mansoi.  
*Mathewsii*, Mast. in Mart. Fl. Bras. xiii. i. 539 (Matthewsii).—Peruv.  
*micradena*, DC. Prod. iii. 334.—Peruv.  
*mixta*, Fuss. in Ann. Mus. Par. vi. (1805) 394.—Am. trop.  
*mollissima*, Hort. ex Mast. in Gard. Chron. (1869) 368 = mixta.  
*mollissima*, H. B. & K. Nov. Gen. et Sp. ii. 144.—N. Granat.  
*Parritae*, Mast. in Gard. Chron. (1882) i. 218.—N. Granat.  
*parvifolia*, DC. Prod. iii. 335.—Peruv.  
*peduncularis*, Fuss. in Ann. Mus. Par. vi. (1805) 395.—Peruv.  
*pennipes*, M. Roem. Syn. Pepon. 194 = pinnatistipula.  
*pinnatistipula*, Fuss. in Ann. Mus. Par. vi. (1805) 393.—Chili.  
*pubescens*, DC. Prod. iii. 335 = Passiflora quadriglandulosa.  
*Purupuru*, DC. ex Mast. in Mart. Fl. Bras. xiii. i. 537 = pinnatistipula.  
*quadridentata*, DC. Prod. iii. 335 = Passiflora quadriglandulosa.  
*quadriglandulosa*, DC. l. c. = Passiflora quadriglandulosa.  
*quitensis*, Benth. Pl. Hartw. 183 = mixta.  
*reflexiflora*, Juss. in Ann. Mus. Par. vi. (1805) 393 = Passiflora reflexiflora.  
*Rohriana*, DC. Prod. iii. 335 = Passiflora glandulosa.  
*rugosa*, Mast. in Mart. Fl. Bras. xiii. i. 539.—N. Granat.  
*sanguinea*, Benth. ex Mast. l. c. 542 = Passiflora vitifolia.  
*sanguinea*, DC. Prod. iii. 334 = Passiflora quadriglandulosa.  
*serrata*, Karst. in Linnaea, xxx. (1859-60) 160 = mixta.  
*speciosa*, H. B. & K. Nov. Gen. et Sp. ii. 143 = mixta.  
*spinescens*, Klotzsch, in Schomb. Faun. Fl. Brit. Gui. 1168, nomen.—Guian.  
*spinosa*, Poepp. & Endl. Nov. Gen. et Sp. ii. 59 = Passiflora spinosa.  
*splendens*, Hort. Veitch, ex Mast. in Journ. Hort. Soc. N. S. iv. (1877) 127.—Hab.?  
*Stoupyana*, DC. Prod. iii. 335 = Passiflora glandulosa.  
*subcoriacea*, Garcke, in Linnaea, xxii. (1849) 62 = Passiflora glandulosa.  
*Tacso*, Pers. Syn. ii. 223 = mixta.  
*tomentosa*, Fuss. in Ann. Mus. Par. vi. (1805) 394.—Peruv.  
*trifoliata*, Fuss. l. c. 393.—Peruv.; Chili.  
*trigona*, DC. Prod. iii. 334 = trifoliata.  
*trinervia*, Juss. in Ann. Mus. Par. vi. (1805) 390. t. 58 = Passiflora trinervia.  
*tripartita*, Fuss. l. c. 395. t. 60.—Ecuador.  
*umbilicata*, Griseb. in Goett. Abh. xix. (1874) 149.—Reg. Argent.  
*urceolata*, Mast. in Mart. Fl. Bras. xiii. i. 539.—Am. trop.  
*Van-Volxemii*, Hook. Bot. Mag. t. 5571.—N. Granat.  
*viridiflora*, Juss. in Ann. Mus. Par. vi. (1805) 389 = Passiflora viridiflora.

**TAENAIS**, Salisb. Gen. Pl. Fragm. 115. (1866) = **Crinum**, Linn. (Amaryll.).  
*ampla*, Salisb. l. c. = **C. giganteum**.  
*Australasiae*, Salisb. l. c. = **C. flaccidum**.  
*caricifolia*, Salisb. l. c. = **C. yuccaeiflorum**.  
*mucronigera*, Salisb. l. c. = **C. zeylanicum**.  
*ornata*, Salisb. l. c. = **C. yuccaeiflorum**?  
*yuccaeiflorum*, Salisb. l. c. = **C. yuccaeiflorum**.  
*zeylanica*, Salisb. l. c. = **C. zeylanicum**.

**TAENIDIUM**, Targ. Tozz. Cat. Veg. Mar. 80. t. 1 (1826) = **Posidonia**, Kon. (Naiad.).  
*acuminatum*, Targ. Tozz. l. c. 84 = **P. Caulini**.  
*oceanicum*, Targ. Tozz. l. c. 81 = **P. Caulini**.

**TAENIOCARPUM**, Desv. in Ann. Sc. Nat. Sér. I. ix. (1826) 420 = **Pachyrhizus**, Rich. (Legumin.).  
*articulatum*, Desv. l. c. 421 = **P. angulatus**.

**TAENIOCHLAENA**, Hook. f. in Benth. & Hook. f. Gen. i. 433 (1865). **CONNARACEAE**, Benth. & Hook. f. l. c.  
*Griffithii*, Hook. f. l. c. 434.—Malacca.

**TAENIOLA**, Salisb. Gen. Pl. Fragm. 35 (1866) = **Ornithogalum**, Tourn. (Liliac.).  
*vittata*, Salisb. l. c. = **O. vittatum**.

**TAENIOPETALUM**, Vis. Fl. Dalm. iii. 49 (1849) = **Peucedanum**, Tourn. (Umbell.).  
*Neumayeri*, Vis. l. c. = **P. Neumayeri**.  
*peucedanoides*, Bunge, in Mém. Sav. Etr. Pétersb. vii. (1851) 203 = **P. alsaticum**.

**TAENIOPHYLLUM**, Blume, Bijdr. 355. t. 70 (1825). **ORCHIDEAE**, Benth. & Hook. f. iii. 582.  
*ALWISIA*, Thw. ex Lindl. in Journ. Linn. Soc. iii. (1858) 42, in obs.  
*acuminatissimum*, Blume, Bijdr. 357.—Java.  
*Alwisii*, Lindl. in Journ. Linn. Soc. iii. (1858) 42.—Zeylan.  
*asperulum*, Reichb. f. Otia Bot. Hamb. 53.—Ins. Tahiti.  
*elegantissimum*, Reichb. f. l. c.—Ins. Tahiti.  
*Fasciola*, Reichb. f. in Seem. Fl. Vit. 296.—Ins. Fiji.  
*glandulosum*, Blume, Bijdr. 356.—Java.  
*Hasseltii*, Reichb. f. Xenia Orch. ii. 68.—Java?  
*hirtum*, Blume, Bijdr. 356.—Java.  
*Jerdonianum*, Wight, Ic. v. t. 1756 = **Saccolabium Jerdonianum**.  
*Muelleri*, Lindl. ex Benth. Fl. Austral. vi. 291.—Austral.  
*obtusum*, Blume, Bijdr. 357.—Java.  
*philippinense*, Reichb. f. Otia Bot. Hamb. 53.—Ins. Philipp.  
*Seemanni*, Reichb. f. in Seem. Fl. Vit. 296.—Ins. Fiji.  
*Zollingeri*, Reichb. f. in Bonplandia, v. (1857) 41.—Java.

**TAENIOSAPIUM**, Muell. Arg. in DC. Prod. xv. ii. 1200 (1866) = **Excoecaria**, Linn. (Euphorb.).  
*Goudotianum*, Muell. Arg. l. c. 1201 = **E. Goudotiana**.

**TAENIOSTEMA**, Spach, in Hook. Comp. Bot. Mag. ii. (1836) 289 = **Helianthemum**, Tourn. (Cistin.).  
*micranthum*, Spach, l. c. = **H. glomeratum**.

**TAENOSAPIUM**, Benth. & Hook. f. Gen. iii. 337 (1880), err. typ. = **TAENIOSAPIUM**, Muell. Arg. = **Excoecaria**, Linn. (Euphorb.).

**TAETSIA**, Medic. Theodora, 82 (1786) = **Cordylone**, Royen (Liliac.).  
*ferrea*, Medic. l. c. = **C. terminalis**.

**TAFALLA**, D. Don, in Edinb. N. Phil. Journ. (July-Sept. 1831) 273. **COMPOSITAE**, Benth. & Hook. f. ii. 300.  
**LORICARIA**, Wedd. Chlor. And. i. 165. t. 27\* A, B, C (1856).  
**THYOPSIS**, Wedd. l. c. 165, in nota, t. 27 (1856).  
*ferruginea*, D. Don, in Edinb. N. Phil. Journ. (July-Sept. 1831) 274.—Reg. Andin.  
*thyoides*, D. Don, l. c. 273.—Reg. Andin.

**TAFALLA**, Ruiz & Pav. Prod. 136. t. 29 (1794) = **Hedyosmum**, Sw. (Chloranth.).  
*angustifolia*, Ruiz & Pav. Syst. Veg. 272 = **H. angustifolium**.

**TAFALLA** :—

*glauca*, Ruiz & Pav. ex Spreng. Syst. iii. 866 = **Hedyosmum Bonplandianum**.  
*glauca*, Ruiz & Pav. Syst. Veg. 271 = **H. glaucum**.  
*laciniata*, Ruiz & Pav. l. c. 272 = **H. laciniatum**.  
*racemosa*, Ruiz & Pav. l. c. 271 = **H. racemosum**.  
*scabra*, Ruiz & Pav. l. c. 270 = **H. scabrum vel glabratum**.

**TAGERA**, Rafin. Sylva Tellur. 129 (1838) = **Cassia**, Tourn. (Legumin.).  
*filiformis*, Rafin. l. c. = **C. Tagera**.

**TAGETES**, Linn. Gen. ed. I. 261 (1737). **COMPOSITAE**, Benth. & Hook. f. ii. 411.

**DIGLOSSUS**, Cass. in Bull. Soc. Philom. (1817) 70.  
**ENALCIDA**, Cass. l. c. (1819) 31.  
**SOLENOTHECA**, Nutt. in Trans. Am. Phil. Soc. N. S. vii. (1841) 375.  
*angustifolia*, H. B. & K. Nov. Gen. et Sp. iv. 194.—Mexic.  
*apetala*, Posado, in Baill. Adansonia, x. (1872) 186.—N. Granat.  
*bonariensis*, Pers. Syn. ii. 459 = *minuta*.  
*campanulata*, Griseb. in Goett. Abh. xix. (1874) 188.—Reg. Argent.  
*caracasana*, Humb. ex Willd. Sp. Pl. iii. 2128.—Venezuela.  
*clandestina*, Lag. Gen. et Sp. Nov. 28 = *coronopifolia*.  
*congesta*, Hook. & Arn. Bot. Beech. Voy. 299 = *micrantha*.  
*coronopifolia*, Willd. Enum. Hort. Berol. Suppl. 60.—Mexic.  
*corymbosa*, Lag. Elench. (1805); ex ej. Gen. et Sp. Nov. 29 = *coronopifolia*.  
*corymbosa*, Sweet, Brit. Flow. Gard. Ser. I. t. 151 = *patula*.  
*daucoides*, Schrad. Sem. Hort. Gotting. (1833) 5.—Cf. *Linnaea*, x. (1836) Litt. 71.—Chili.  
*dianthiflora*, H. B. & K. Nov. Gen. et Sp. iv. 197.—Peruv.  
*dianthifolia*, DC. Prod. v. 646, sphalm. = *praec.*  
*dichotoma*, Turcz. in Bull. Soc. Nat. Mosc. xxiv. (1851) ii. 72.—Peruv.  
*elliptica*, Sm. in Rees, Cycl. xxxv. n. 7.—Peruv.  
*elongata*, Willd. Sp. Pl. iii. 2127 = *patula*, *peduncularis*.  
*erecta*, Linn. Sp. Pl. 887.—Mexic.  
*Feuillaei*, Bert. ex Colla, in Mem. Acc. Torin. xxxviii. (1835) 35. t. 30 = *Lasthenia obtusifolia*.  
*Fevillei*, Steud. Nom. ed. II. ii. 12, in syn., sphalm. = *praec.*  
*filifolia*, Lag. Elench. (1805); ex ej. Gen. et Sp. Nov. 28 = *multifida*.  
*filiformis*, Hemsl. Biol. Centr. Am. Bot. ii. 223, sphalm. = *praec.*  
*florida*, Sweet, Brit. Flow. Gard. Ser. II. t. 35 = *lucida*.  
*flosculosa*, Spreng. Syst. iii. 571.—Reg. Argent.  
*foeniculacea*, Desf. Cat. Hort. Par. ed. III. 171 = *coronopifolia*.  
*foeniculacea*, Poepp. ex DC. Prod. v. 646.—Peruv.  
*foetidissima*, Hort. ex DC. l. c. 645.—Mexic.  
*glandulifera*, Schrank, Pl. Rar. Hort. Monac. t. 54 = *minuta*.  
*glandulosa*, Schrank, ex Link, Enum. Hort. Berol. ii. 339 = *minuta*.  
*gracilis*, DC. Prod. v. 645.—Peruv.  
*graveolens*, L'Hérit. ex DC. l. c. 644.—Peruv.  
*lanceolata*, La Llave, in La Naturaleza, vii. (1885) Apénd. 73.—Mexic.  
*Lemmonii*, A. Gray, Proc. Am. Acad. xix. (1883) 40.—Arizona.  
*lucida*, Cav. Ic. iii. 33. t. 264.—Mexic.  
*lunulata*, Ortega, Hort. Matr. Dec. 44.—Mexic.  
*macroglossa*, Polak. in Linnaea, xli. (1877) 580.—Costa Rica.  
*maculata*, Hort. ex Steud. Nom. ed. II. ii. 660 (Quid?).—Hab.?  
*major*, Gaertn. Fruct. ii. 434. t. 172 = *erecta*.  
*Mandonii*, Sch. Bip. in Linnaea, xxxiv. (1865-66) 529, nomen.—Bolivia.  
*Michauxiana*, Roem. ex Steud. Nom. ed. II. ii. 660 (Quid?).—Hab.?  
*micrantha*, Cav. Ic. iv. 31. t. 352.—Mexic.  
*microglossa*, Benth. Bot. Voy. Sulph. 118.—N. Granat.  
*minuta*, Linn. Sp. Pl. 887.—Am. trop.  
*montana*, Hort. ex DC. Prod. v. 644 = *glandulifera*.  
*multifida*, DC. l. c. 646.—Mexic.



**TAGETES**—

- multiflora, *H. B. & K. Nov. Gen. et Sp.* iv. 197.—Ecuador.  
 multisetata, *DC. Prod.* v. 645.—Mexic.  
 oligocephala, *DC. l. c.*—Mexic.  
*Ozolis*, Spreng. ex *DC. Prod.* v. 647 (Quid?).—Hab.?  
*papposa*, Vent. Jard. Cels, 36=Dysodia chrysanthemoides.  
 Parryi, *A. Gray, in Proc. Am. Acad.* xv. (1880) 40.—Mexic.  
 patula, *Linn. Sp. Pl.* 887.—Mexic.  
 pauciloba, *DC. Prod.* v. 645.—Chili.  
 pectinata, *Turcz. in Bull. Soc. Nat. Mosc.* xxiv. (1851) ii. 71.—Peruv.  
 peduncularis, *Cav. Desc.* 201; *Lag. & Rod. in Anal. Cienc. Nat.* v. (1802) 74.—Mexic.  
 Pineda, *La Llave, in La Naturaleza*, vii. (1885) Apénd. 73.—Mexic.  
*Porophyllum*, Vell. Fl. Flum. viii. t. 116=minuta.  
*pumila*, Hort. Pisan. ex Pursh, Fl. Am. Sept. ii. 559=Dysodia chrysanthemoides.  
*punctata*, Moq. & Sesse, ex *DC. Prod.* v. 638=Adenophyllum coccineum.  
 pusilla, *H. B. & K. Nov. Gen. et Sp.* iv. 194.—Ecuador.  
 remotiflora, *Kunze, in Linnaea*, xx. (1847) 23.—Mexic.  
 rotundifolia, *Mill. Gard. Dict.* ed. VIII. n. 4.—Mexic.  
 Schiedeana, *Less. in Linnaea*, ix. (1835) 271.—Mexic.  
 signata, *Bartl. Ind. Sem. Hort. Gotting.* (1837) 7.—Mexic.  
 silenoides, *Meyen & Walp. in Nov. Act. Nat. Cur.* xix. Suppl. i. (1843) 272.—Peruv.  
 subulata, *Cerv. in La Llave & Lex. Nov. Veg. Desc.* fasc. i. 31=multisetata.  
 subvillosa, *Lag. Elench.* (1804); ex *ej. Gen. et Sp. Nov.* 29.—Mexic.  
 tanacetifolia, Hort. ex Steud. Nom. ed. II. ii. 660=foetidissima.  
 tenuifolia, *Cav. Ic.* ii. 54. t. 169.—Peruv.  
 tenuifolia, *H. B. & K. Nov. Gen. et Sp.* iv. 196=patula.  
 terniflora, *H. B. & K. l. c.*—Ecuador.  
 tinctoria, *Hornsch. Del. Sem. Hort. Gryph.* (1845) 3.—Bras.  
 verticillata, *Lag. & Rod. in Anal. Cienc. Nat.* v. (1802) 73.—Venezuela.  
 Wislizenii, *A. Gray, in Mem. Am. Acad. N. S.* iv. (1849) 92.—Mexic.  
 zypaquinensis, *Humb. & Bonpl. Pl. Aequin.* ii. 18. t. 73.—N. Granat.

**AGUARIA**, Rafin. Sylva Tellur. 125 (1838)=**Loranthus**, Linn.  
*elliptica*, Rafin. l. c.=L. ellipticus.  
*laurifolia*, Rafin. l. c.=L. laurifolius.  
*nitida*, Rafin. l. c.=L. nitidus.  
*punctata*, Rafin. l. c.=L. punctatus.  
*puracensis*, Rafin. l. c.=L. puracensis.  
*vera*, Rafin. l. c.=L. Tagua.

**TAINIA**, Blume, Bijdr. 354 (1825). **ORCHIDEAE**, Benth. & Hook. f. iii. 515.  
 ANIA, Lindl. Gen. et Sp. Orch. 129 (1831).  
 MITOPETALUM, Blume, Fl. Jav. Praef. 8 (1838).  
 angustifolia, *Benth. & Hook. f. Gen.* iii. 515.—Burma.  
 barbata, Lindl. in Gard. Chron. (1857) 68=Eria barbata.  
 bicornis, *Reichb. f. in Bonplandia*, v. (1857) 54.—Ind. or.  
 fimbriata, *Teijsm. & Binn. in Tijdschr. Nederl. Ind.* v. (1853) 492.—Java.  
 latifolia, *Reichb. f. in Bonplandia*, v. (1857) 54.—Reg. Himal.; Burma.  
 maculata, Trimen, Cat. Pl. Ceyl. 88 (=Chrysoglossi sp.).—Zeylan.  
 speciosa, *Blume, Bijdr.* 354.—Malaya.  
 trinervis, *Reichb. f. in Bonplandia*, v. (1857) 54.—Java.

TALA, Blanco, Fl. Filip. ed. I. 484 (1837); ed. II. 338 (1845)=**Limnophila**, R. Br. (Scrophul.).  
 odorata, Blanco, l. c. ed. I. 484=L. Roxburghii.

TALANELIS, Rafin. Fl. Tellur. iv. 70 (1836)=**Campanula**, Tourn.  
 Medium, Rafin. l. c.=C. Medium.

TALANGNINIA, Chapel. ex DC. Prod. iv. 389 (1830)=**Randia**, Houst. (Rubiace.).

TALASIUM, Spreng. Syst. iv. Cur. Post. 22 (1827)=**THALASIUM**, Spreng.=**Panicum**, Linn. (Gram.).

**TALAUMA**, Juss. Gen. 281 (1789). **MAGNOLIA-CEAE**, Benth. & Hook. f. i. 18.  
 AROMADENDRON, Blume, Bijdr. 8 (1825).  
 BLUMEA, Nees, in Verh. Batav. Gen. ix. (1823) 147.  
 BUEGERIA, Sieb. & Zucc. Fl. Jap. Fam. Nat. i. 78. t. 2 (1845).  
 angatensis, D. Vidal, Cat. Pl. Prov. Man. 17 (an seq.?). —Ins. Philipp.  
 angatensis, F. Villar, in Blanco, Fl. Philipp. ed. III. Nov. App. 3=Hodgsoni.  
 caerulea, Jaime St. Hil. Expos. ii. 76 (caerulea)=Plumierii.  
 Candollei, *Blume, Bijdr.* 9; Fl. Jav. Magnol. 32.—Ins. Amboin.  
 Cespedesii, *Triana & Planch. in Ann. Sc. Nat. Sér. IV.* xvii. (1862) 23.—N. Granat.  
 coerulea, Steud. Nom. ed. II. ii. 660=caerulea.  
 dubia, *Eichl. in Mart. Fl. Bras.* xiii. i. 126.—Bras.  
 elegans, *Miq. Ann. Mus. Bot. Lugd. Bat.* iv. 70.—Java.  
 fragrantissima, *Hook. Ic. Pl.* tt. 208-212.—Bras.  
 gigantifolia, *Miq. Fl. Ind. Bat.* i. ii. 15.—Sumatra.  
 glauca, *Miq. Ann. Mus. Bot. Lugd. Bat.* iv. 70.—Sumatra.  
 Hodgsoni, *Hook. f. & Thoms. Fl. Ind.* i. 74.—Reg. Himal.  
 lanigera, *Hook. f. & Thoms. in Hook. f. Fl. Brit. Ind.* i. 40.—Malaya.  
 liliifera, *Kurz, in Journ. As. Soc. Beng.* xliii. (1874) ii. 47.—Burma.  
 macrocarpa, *Zucc. in Abh. Akad. Muench.* ii. (1831-36) 369. t. 1.—Mexic.  
 mexicana, *G. Don, Gen. Syst.* i. 85.—Mexic.  
 mutabilis, *Blume, Fl. Jav. Magnol.* 35.—Java.  
 mutabilis, F. Villar, in Blanco, Fl. Philipp. ed. III. Nov. App. 3=Villariana.  
 obovata, Benth. & Hook. f. ex Hance, in Journ. Bot. xx. (1882) 2=Magnolia obovata.  
 obovata, *Korth. in Nederl. Kruidk. Arch.* ii. (1851) Versl. 98.—Borneo.  
 ovalis, *Miq. Ann. Mus. Bot. Lugd. Bat.* iv. 69.—Ins. Celebes.  
 ovata, *A. St. Hil. Fl. Bras. Mer.* i. 26. t. 4. f. A.—Bras.  
 Plumierii, *DC. Prod.* i. 81.—Ind. occ.  
 pumila, Blume, Fl. Jav. Magnol. 38=Magnolia pumila.  
 Rabaniana, *Hook. f. & Thoms. Fl. Ind.* i. 75.—Reg. Himal.  
 Roxburghii, *G. Don, Gen. Syst.* i. 85=Magnolia pterocarpa.  
 rubra, *Miq. Fl. Ind. Bat.* i. ii. 14.—Sumatra.  
 Rumphii, *Blume, Bijdr.* 10.—Ins. Molucc.  
 salicifolia, *Miq. Ann. Mus. Bot. Lugd. Bat.* ii. 258.—Japan.  
 Sebassa, *Miq. Fl. Ind. Bat. Suppl.* 153, 367.—Sumatra.  
 Selloi, Steud. Nom. ed. II. ii. 90, in syn., sphalm.=seq.  
 Sellowiana, *A. St. Hil. Fl. Bras. Mer.* i. 26. t. 4. f. B.—Bras.  
 Sieboldii, *Miq. Ann. Mus. Bot. Lugd. Bat.* ii. 257=Magnolia obovata.  
 stellata, *Miq. l. c.*—Japan.  
 Villariana, *Rolfe, in Journ. Linn. Soc.* xxi. (1884) 307.—Ins. Philipp.  
 villosa, *Miq. Fl. Ind. Bat. Suppl.* 367.—Sumatra.  
 Vrieseana, *Miq. Ann. Mus. Bot. Lugd. Bat.* iv. 70=Magnolia Vrieseana.

TALBOTIA, Balf. in Trans. Bot. Soc. Edinb. ix. (1868) 190=**Vellozia**, Vand. (Amaryll.).  
 elegans, Balf. l. c. 192=V. elegans.

**TALGUENEA**, Miers, Trav. Chili, ii. 529 (1826). **RHAMNEAE**, Benth. & Hook. f. i. 385.  
 costata, *Miers, l. c.*—Chili.  
 mollis, *Miers, in Ann. & Mag. Nat. Hist. Ser. III.* vi. (1860) 8; *Contrib.* i. 298.—Chili.

TALI, Adans. Fam. ii. 319 (1763)=**Connarus**, Linn.

TALIERA, Mart. Progr. Palm. Fam. et Gen. 10 (1824)=**Corypha**, Linn. (Palm.).  
 bengalensis, Spreng. Syst. ii. 18=C. Taliera.  
 Gembanga, Schult. f. Syst. vii. 1307=C. umbraculifera.  
 sylvestris, Blume, in Schult. f. l. c.=C. sylvestris.  
 Tali, Mart. in Schult. f. l. c. 1306=C. Taliera.

TALIGALEA, Aubl. Pl. Gui. ii. 625. t. 252 (1775)=**Amasonia**, Linn. f. (Verben.).  
 campestris, Aubl. l. c.=A. erecta.  
 punicea, Poir. Encyc. vii. 556=A. punicea.  
 umbellata, Blanco, Fl. Filip. ed. II. 337=Ixora macrophylla.

TALINIUM, Rafin. in Am. Monthly Mag. (1818) 175=**Talinum**, Adans. (Portul.).

**TALINOPSIS**, A. Gray, Pl. Wright. i. (in Smithson. Contrib. iii.) 14. t. 3 A (1852). **PORTULACEAE**, Benth. & Hook. f. i. 157.  
 frutescens, *A. Gray, l. c.* 15.—N. Mexic.

**TALINUM**, Adans. Fam. ii. 245 (1763). **PORTULACEAE**, Benth. & Hook. f. i. 157.  
 HELIANTHEMOIDES, Medic. Phil. Bot. i. 95 (1789).  
 PHEMERANTHUS, Rafin. in Med. Repos. N. York, v. (1808) 350.  
 acaule, Spreng. Syst. ii. 453=Calandrinia compressa.  
 adscendens, Hort. Berol. ex DC. Prod. iii. 359=Calandrinia compressa.  
 album, Ruiz & Pav. Prod. 65, in obs.; Syst. Veg. 116=Calandrinia alba.  
 aliatum, Hook. Exot. Bot. ii. t. 82, sphalm.=ciliatum, Hook.  
 Anacampteros, Moench, Meth. 232=Anacampteros Telephium.  
 Andrewsii, Sweet, Hort. Brit. ed. I. 170=Calandrinia Andrewsii.  
 arachnoides, Ait. Hort. Kew. ed. II. iii. 149=Anacampteros arachnoides.  
 Arnottii, *Hook. f. Bot. Mag.* t. 6220.—Afr. austr.  
 aurantiacum, *Engelm. in Bost. Journ. Nat. Hist.* vi. (1850) 153.—Texas.  
 brachypodium, *S. Wats. in Proc. Am. Acad.* xx. (1885) 355.—Mexic.  
 brevifolium, *Torr. in Sitgr. Rep.* 156.—Am. bor. occ.  
 caffrum, Eckl. & Zeyh. Enum. 282=Portulaca caffra.  
 calycinum, *Engelm. in Wisliz. Tour N. Mexico*, 88.—Am. bor. occ.  
 caulescens, Spreng. Syst. i. 453=Calandrinia caulescens, nitida.  
 ciliatum, Hook. Exot. Bot. ii. t. 82=Calandrinia pilosiuscula.  
 ciliatum, Lindl. Bot. Reg. (1843) sub t. 1=teretifolium.  
 ciliatum, Ruiz & Pav. Prod. 65, in obs.; et Syst. Veg. 116=Calandrinia ciliata.  
 confertiflorum, *Greene, in Bull. Torrey Bot. Club*, viii. (1881) 121.—Am. bor.  
 crassifolium, Willd. Sp. Pl. ii. 862=triangulare.  
 crenatum, Ruiz & Pav. Prod. 65, in obs.; Syst. Veg. 115.—Peruv.  
 cuneifolium, Willd. Sp. Pl. ii. 864.—Ind. or.; Arab.; Afr.  
 decumbens, Willd. Sp. Pl. ii. 864=Orygia decumbens.  
 dichotomum, Ruiz & Pav. Syst. Veg. 118=reflexum.  
 diffusum, *Colla, in Mem. Acc. Torin.* xxxvii. (1834) 70.—Chili.  
 filamentosum, Ait. Hort. Kew. ed. II. iii. 149=Anacampteros filamentosa.  
 fruticosum, Macfad. Fl. Jamaic. ii. 169=patens.  
 fruticosum, Willd. Sp. Pl. ii. 864=triangulare.  
 gracile, *Colla, in Mem. Acc. Torin.* xxxvii. (1834) 70.—Chili.  
 grandiflorum, Hort. ex G. Don, in Loud. Hort. Brit. 188=Calandrinia Lockharti.  
 humile, *Greene, in Coult. Bot. Gaz.* vi. (1881) 183.—N. Mexic.  
 indicum, Wight & Arn. Prod. 356=cuneifolium.  
 lanceolatum, Link. Enum. Hort. Berol. ii. 2=Anacampteros lanceolata.  
 Linaria, *Colla, in Mem. Acc. Torin.* xxxvii. (1834) 70.—Chili.  
 lineare, Hoffmgg. Verz. Pf. 217=Calandrinia pilosiuscula.

**TALINUM:—**

- lineare, *H. B. & K. Nov. Gen. et Sp.* vi. 77.—Mexic.  
*linguaeforme*, Hort. ex Lem. Illustr. Hort. x. (1863)  
 Misc. 81=Cotyledon linguaeformis.  
*lingulatum*, Ruiz & Pav. Prod. 65, in obs.; Syst.  
 Veg. 116=Calandrinia lingulata.  
*Menziesii*, Hook. Fl. Bor. Am. i. 223. t. 70=Calan-  
 drinia Menziesii.  
 mexicanum, *Hemsl. Diagn. Pl. Nov.* 23.—Mexic.  
 minimum, *Miers, Trav. Chil.* i. 530, nomen; et ex  
*Colla, in Mem. Acc. Torin.* xxxvii. (1834) 69.—Chili.  
 minus, *Eckl. & Zeyh. Enum.* 282.—Afr. austr.  
*monandrum*, Ruiz & Pav. Prod. 65, in obs.; Syst.  
 Veg. 118=Monocosmia corrigioloides.  
 mucronatum, *H. B. & K. Nov. Gen. et Sp.* vi. 76.—  
 Mexic.  
 nanum, Nees, in *Lehm. Pl. Preiss.* i. 246=Calandrinia  
 pygmaea.  
 napiforme, *DC. Prod.* iii. 357.—Mexic.  
 nitidum, Ruiz & Pav. Prod. 65, in obs.; Syst. Veg.  
 117=Calandrinia nitida.  
*paniculatum*, Gaertn. Fruct. ii. 219. t. 128=patens.  
*paniculatum*, Moench, *Meth.* 232=triangulare.  
*paniculatum*, Ruiz & Pav. Prod. 65, in obs.; Syst.  
 Veg. 114=Calandrinia paniculata.  
 parviflorum, *Nutt. ex Torr. & Gray, Fl. N. Am.* i. 197.  
 —Am. bor. occ.  
*patens*, Andr. Bot. Rep. iv. t. 253=Calandrinia An-  
 drewsii.  
 patens, *Willd. Sp. Pl.* ii. 863.—Am. trop.  
*polyandrum*, Hook. Bot. Mag. t. 4833=Calandrinia  
 polyandra.  
 polyandrum, *Ruiz & Pav. Prod.* 65, in obs.; Syst.  
 Veg. 115.—Peruv.  
 polygaloides, *Gill. ex Arn. in Edinb. Journ. Nat. &  
 Geog. Sc.* iii. (1831) 354–55.—Chili.  
*polyphyllum*, Link, *Enum. Hort. Berol.* ii. 3=Ana-  
 campseros polyphylla.  
*purpureum*, Fisch. ex Sweet, Hort. Brit. ed. II. 219  
 (Quid ?)—Hab. ?  
*pygmaeum*, A. Gray, in *Am. Journ. Sc. Ser. II.* xxxiii.  
 (1862) 407=Calandrinia pygmaea.  
*racemosum*, Rohrb. in *Mart. Fl. Bras.* xiv. ii. 297=  
 triangulare.  
 reflexum, *Cav. Ic.* i. t. 1.—Am. bor. et austr.  
*retusum*, Willd. *Enum. Hort. Berol. Suppl.* 26=  
 Anacampseros arachnoides.  
 revolutum, *H. B. & K. Nov. Gen. et Sp.* vi. 76.—  
 Venezuela.  
 rubens, Hort. ex Steud. *Nom. ed. II.* ii. 661=Ana-  
 campseros arachnoides.  
 sarmentosum, *Engelm. in Bost. Journ. Nat. Hist.* vi.  
 (1850) 153.—Texas.  
*spathulatum*, A. Gray, Pl. Wright. i. 14=reflexum.  
 spinosum, *Torr. in Bot. U. St. Expl. Exped.* ii. 250.—  
 Am. bor. occ.  
 strictum, *Wall. Cat. n.* 6846.—Ind. or.  
 teretifolium, *Pursh, Fl. Am. Sept.* ii. 365.—Am. bor.  
 triangulare, *Willd. Sp. Pl.* ii. 862.—Am. trop.  
*trichotomum*, Desf. *Tabl. ed. I.* 166=teretifolium.  
 trigonum, *Colla, in Mem. Acc. Torin.* xxxvii. (1834)  
 71.—Chili.  
*umbellatum*, Ruiz & Pav. Prod. 65, in obs.; Syst.  
 Veg. 117=Calandrinia umbellata.

TALIPULIA, Rafin. Fl. Tellur. ii. 17 (1836) =  
 Aneilema, R. Br. (Commel.).

- TALISIA**, Aubl. Pl. Gui. i. 349. t. 136 (1775).  
*SAPINDACEAE*, Benth. & Hook. f. i. 401.  
 ACLADODEA, Ruiz & Pav. Prod. 133. t. 29 (1794).  
 COMATOGLOSSUM, Karst. & Triana, in *Linnaea*,  
 xxviii. (1856) 436.  
 Acladodea, *DC. Prod.* i. 609.—Peruv.  
 acutifolia, *Radlk. in Sitzb. Math.-Phys. Akad.*  
*Muench.* viii. (1878) 349.—Bras.  
 angustifolia, *Radlk. l. c.* 345.—Bras.  
 carinata, *Radlk. l. c.* 348.—Guian.  
 cerasina, *Radlk. l. c.* 347=Sapindus oblongus, cera-  
 sinus.  
 clathrata, *Radlk. l. c.* 349.—Bras.  
 coriacea, *Radlk. l. c.* 346.—Bras.  
 cupularis, *Radlk. l. c.* 350.—Bras.  
 dasyclada, *Radlk. l. c.* 348.—Bras.  
 esculenta, *Radlk. l. c.* 345=Sapindus esculentus.  
 firma, *Radlk. l. c.* 346.—Bras.  
 glabra, *DC. Prod.* i. 609=guianensis.  
 guianensis, *Aubl. Pl. Gui.* i. 349. t. 136.—Guian.

VOL. II.

**TALISIA:—**

- hemidasia, *Radlk. in Sitzb. Math.-Phys. Akad.*  
*Muench.* viii. (1878) 349.—Guian.  
 hexaphylla, *Vahl, Eclog. Am.* ii. 29.—Am. austr.  
 laxiflora, *Benth. in Hook. Kew Journ.* ii. (1850) 212  
 (al. gen. ?)—Bras.  
 longifolia, *Radlk. in Sitzb. Math.-Phys. Akad. Muench.*  
*viii.* (1878) 348; ix. (1879) 519=Cupania longi-  
 folia.  
 macrophylla, *Radlk. l. c.* viii. (1878) 347.—Bras.  
 megaphylla, *Sagot, in Ann. Sc. Nat. Sér. VI.* xii.  
 (1881) 196.—Guian.  
 mollis, Cambess. in *Mém. Mus. Par.* xviii. (1829) 48=  
 guianensis.  
 multinervis, *Radlk. in Sitzb. Math.-Phys. Akad.*  
*Muench.* viii. (1878) 346.—Bras.  
 oedipoda, *Radlk. l. c.* 347.—Bras.  
 olivaeformis, *Radlk. l. c.* 342.—N. Granat.  
 pachycarpa, *Radlk. l. c.* 350.—Guian.  
 pedicellaris, *Radlk. l. c.* 342.—Guian.  
 pilosula, *Sagot, in Ann. Sc. Nat. Sér. VI.* xii. (1881)  
 196.—Guian.  
 pinnata, *Radlk. in Sitzb. Math.-Phys. Akad. Muench.*  
*viii.* (1878) 351=T. Acladodea.  
 praealta, *Radlk. l. c.* 345=Cupania praealta.  
 pulverulenta, *Radlk. l. c.* 342.—Guian.  
 rosea, *Vahl, Eclog. Am.* ii. 30=guianensis.  
 squarrosa, *Radlk. in Sitzb. Math.-Phys. Akad. Muench.*  
*viii.* (1878) 346.—Guian.  
 stricta, *Triana & Planch. ex Radlk. l. c.* 350.—  
 N. Granat.  
 subalbens, *Radlk. l. c.* 345.—Bras.  
 sylvatica, *Radlk. l. c.* 341=Racaria sylvatica.

TALPINARIA, Karst. Fl. Columb. i. 153. t. 76 (1859 ?)  
 =Pleurothallis, R. Br. (Orchid.).  
 bivalvis, Karst. l. c.=P. bivalvis.

TAMALA, Rafin. Sylva Tellur. 136 (1838) = Persea,  
 Plum. (Laurin).  
 acuminata, Rafin. l. c. 137=Nectandra berchemiaefolia.  
 borbonia, Rafin. l. c. 136=P. carolinensis.  
 carolinensis, Rafin. l. c.=P. carolinensis.  
 palustris, Rafin. l. c. 137=P. Lingue.

TAMARA, Roxb. ex Steud. *Nom. ed. II.* ii. 661 (1841)  
 =Nelumbium, Juss. (Nymph.).  
 alba, Roxb. ex Steud. l. c.=N. speciosum.  
 hemisphaerica, Buch-Ham. ex Pritz. *Ic. Ind.* i. 1087  
 =N. speciosum ?  
 rubra, Roxb. ex Steud. *Nom. ed. II.* ii. 661 =  
 N. speciosum.

**TAMARINDUS**, Tourn. ex Linn. Syst. ed. I (1735).  
*LEGUMINOSAE*, Benth. & Hook. f. i. 581.  
 indica, *Linn. Sp. Pl.* 34.—As. et Afr. trop.  
 Intsia, Spreng. Syst. iii. 158=Azelia bijuga.  
 occidentalis, Gaertn. Fruct. ii. 310. t. 146=indica.  
 officinalis, Hook. Bot. Mag. t. 4563=indica.  
 umbrosa, Salisb. Prod. 323=indica.

TAMARISCUS, Tourn. ex Hall. Enum. Stirp. Helv. i.  
 419 (1742)=Tamarix, Linn.  
 decander, Lam. Fl. Fr. iii. 74=Myricaria germanica.  
 gallicus, All. Fl. Pedem. ii. 87=Tamarix gallica.  
 germanicus, Scop. Fl. Carn. ed. II. i. 224=Myricaria  
 germanica.  
 pentander, Lam. Fl. Fr. iii. 73=Tamarix gallica.

**TAMARIX**, Linn. Syst. ed. I (1735). *TAMARI-*  
*SCINEAE*, Benth. & Hook. f. i. 160.  
 TAMARISCUS, Tourn. ex Hall. Enum. Stirp. Helv. i.  
 419 (1742).  
 TRICHAURUS, Arn. in Wight & Arn. Prod. 40  
 (1834).  
 aegyptiaca, Bertol. Misc. Bot. xiv. 15=gallica.  
 affinis, Bunge, Tent. Gen. Tamaric. (1852) 36.—  
 Reg. Casp.  
 africana, Bory & Chaub. *Nouv. Fl. Pélop.* 20=  
 tetrandra.  
 africana, *Poir. Voy. Barb.* ii. 139; Desf. *Fl. Atlant.* i.  
 269.—Reg. Mediterr.  
 amplexicaulis, *Ehrenb. in Linnaea*, ii. (1827) 275.—  
 Afr. bor.  
 anglica, Webb, in Hook. Journ. Bot. iii. (1841) 430=  
 gallica.

**TAMARIX:—**

- angustifolia, Boiss. Fl. Orient. i. 771=florida.  
 angustifolia, Hohen. in Bull. Soc. Nat. Mosc. (1838)  
 363=Hohenackeri.  
 angustifolia, Ledeb. in Eichw. Besch. Casp.-Cauc. 12  
 =gracilis.  
 arabica, Bunge, Tent. Gen. Tamaric. (1852) 55.—Arab.  
 aralensis, Bunge, l. c. 59.—Reg. Casp.  
 arborea, *Ehrenb. ex Bunge, l. c.* 67.—Aegypt.  
 arcuthoides, Bunge, in *Mém. Sav. Etr. Pétersb.* vii.  
 (1851) 295.—As. bor.  
 articulata, *Vahl, Symb. Bot.* ii. 48. t. 32.—Arab.;  
 Pers.; Ind. or.  
 articulata, Wall. Cat. n. 3756 B, C=dioica.  
 bachtiarica, Bunge, ex Boiss. Fl. Orient. i. 772.—  
 Persia.  
 Balansae, J. Gay, ex Munby, Cat. 12, nomen.—Alger.  
 bounopaea, J. Gay, l. c. nomen.—Alger.  
 Boveana, Bunge, Tent. Gen. Tamaric. (1852) 24.—  
 Alger.  
 brachystachys, Bunge, l. c. 26.—Reg. Casp.  
 brachystylis, J. Gay, ex Munby, Cat. 12, nomen.  
 —Alger.  
 Bungei, Boiss. Fl. Orient. i. 774.—Persia.  
 canariensis, Willd. in Abh. Akad. Berl. 1812–13  
 (1816) 79=gallica.  
 canescens, Desv. in Ann. Sc. Nat. Sér. I. iv. (1825)  
 348=hispida.  
 chinensis, Lour. Fl. Cochinch. 182.—China.  
 chinensis, Sieb. & Zucc. Fl. Jap. i. 132=juniperina.  
 cretica, Bunge, Tent. Gen. Tamaric. (1852) 33=  
 parviflora.  
 cupressiformis, Ledeb. Fl. Alt. i. 423.—Sibir. altaic.  
 davarica, Willd. in Abh. Akad. Berl. 1812–13 (1816)  
 85=Myricaria davarica.  
 decandra, Pall. Fl. Ross. ii. 73. t. 80=Myricaria  
 longifolia.  
 decandra, Salisb. Prod. 173=Myricaria germanica.  
 deserti, Boiss. Diagn. Ser. I. x. 9=tetragyna.  
 dioica, Roxb. Hort. Beng. 22; Fl. Ind. ii. 101.—Ind.  
 or.; Burma.  
 dubia, Bunge, Tent. Gen. Tamaric. (1852) 18.—Persia.  
 effusa, *Ehrenb. in Linnaea*, ii. (1827) 258.—Aegypt.  
 Ehrenbergii, Presl, ex Bunge, Tent. Gen. Tamaric.  
 (1852) 54=gallica.  
 elegans, Spach, Hist. Vég. Phan. v. 481=gallica.  
 elongata, Ledeb. Fl. Alt. i. 421.—Sibir. altaic.  
 epacroides, Sm. in Rees, Cycl. xxxv. n. 4=gallica.  
 ericoides, *Rottl. in Ges. Naturf. Fr. Neue Schr.* iv.  
 (1803) 214.—Ind. or.  
 Eversmanni, Presl, ex Ledeb. Fl. Ross. ii. 135=  
 gallica.  
 Faras, Edgew. in Journ. Linn. Soc. vi. (1862) 188=  
 articulata.  
 floribunda, Stev. ex Bunge, Tent. Gen. Tamaric.  
 (1852) 44=Hohenackeri ?  
 florida, Bunge, l. c. 37.—Persia.  
 Furas, Buch-Ham. ex Royle, Illustr. Bot. Himal. 213  
 =articulata.  
 gallica, [Habl.] Besch. Taur. 105=tetrandra.  
 gallica, Linn. Sp. Pl. 270.—Europ.; As.; Afr.  
 gallica, Sieber, ex Nym. Consp. 253=parviflora.  
 gallica, Thunb. Fl. Jap. 126=chinensis.  
 germanica, S. T. Gmel. Reise, iv. 63=seq. ?  
 germanica, Linn. Sp. Pl. 271=Myricaria germanica.  
 germanica, Pall. Reise, iii. 320=Myricaria longifolia.  
 germanica, Schang. in Pall. N. Nord. Beitr. vi. 49=  
 Myricaria davarica.  
 gracilis, Willd. in Abh. Akad. Berl. 1812–13 (1816)  
 81.—Sibir. altaic.  
 Hampeana, Boiss. & Heldr. Diagn. Ser. I. x. 8.—  
 As. Min.  
 herbacea, Willd. in Abh. Akad. Berl. 1812–13 (1816)  
 84=Myricaria germanica ?  
 hexandra, Hampe, in Flora, xxv. (1842) 62=Ham-  
 peana.  
 hispanica, Boiss. Diagn. Ser. II. ii. 56.—Hispan.  
 hispida, Willd. in Abh. Akad. Berl. 1812–13 (1816)  
 77.—Reg. Casp.  
 Hohenackeri, Bunge, Tent. Gen. Tamaric. (1852)  
 44.—Reg. Casp.  
 indica, Willd. in Ges. Naturf. Fr. Neue Schr. iv.  
 (1803) 214=gallica.  
 ispanica, Bunge, ex Boiss. Fl. Orient. i. 768.—  
 Persia.  
 Jordanis, Boiss. l. c. 771.—Syria.  
 juniperina, Bunge, in *Mém. Sav. Etr. Pétersb.* ii.  
 (1835) 102.—China.

**TAMARIX:—**

- Karelini, *Bunge, l. c.* vii. (1851) 294.—Reg. Casp.  
Korolkowi, *Regel & Schmalh. in Act. Hort. Petrop.*  
v. (1877) 582.—Turkestan.  
Kotschy, *Bunge, Tent. Gen. Tamaric.* (1852) 30.—  
Persia.  
laxa, *Willd. in Abh. Akad. Berl.* 1812–13 (1816) 82.  
—Ross.; Sibir. altaic.  
leptopetala, *Bunge, Tent. Gen. Tamaric.* (1852) 72.—  
Persia.  
leptostachys, *Bunge, in Mém. Sav. Etr. Pétersb.*  
vii. (1851) 293.—Turkestan.  
Lessingii, *Presl, ex Bunge, Tent. Gen. Tamaric.* (1852)  
51 = gallica.  
libanotica, *Hort. ex C. Koch, Dendrol. i.* 454 = gallica.  
longifolia, *Willd. in Abh. Akad. Berl.* 1812–13  
(1816) 85 = Myricaria longifolia.  
longipes, *Presl, ex Bunge, Tent. Gen. Tamaric.* (1852)  
21 = Hampeana.  
macrocarpa, *Ehrenb. ex Bunge, l. c.* 79.—Aegypt.;  
Persia.  
mannifera, *Ehrenb. ex Bunge, l. c.* 63.—Aegypt.;  
Arab.; Persia.  
mannifera, *Kotschy, ex Bunge, l. c.* 52 = gallica.  
mascatenensis, *Bunge, l. c.* 60.—Arab.  
Meyeri, *Boiss. Diagn. Ser. I. x.* 9 = tetragyna.  
monogyna, *Stokes, Bot. Mat. Med. ii.* 176 = Myricaria  
germanica.  
mucronata, *Sm. in Rees, Cycl. xxxv. n. 5* = ericoides.  
nilotica, *Ehrenb. ex Bunge, Tent. Gen. Tamaric.*  
(1852) 54 = gallica.  
Noëana, *Boiss. Diagn. Ser. II. ii.* 56 = tetragyna.  
octandra, *Bunge, Tent. Gen. Tamaric.* (1852) 17.—  
Persia.  
odessana, *Stev. ex Bunge, l. c.* 47.—Ross.  
orientalis, *Forsk. Fl. Aegypt. Arab.* 206 = articulata.  
palaestina, *Bertol. Misc. Bot. xiv.* 16 = gallica.  
Pallasii, *Desv. in Ann. Sc. Nat. Sér. I. iv.* (1825) 349  
= gallica.  
paniculata, *Stev. ex DC. Prod. iii.* 96 = gallica.  
parviflora, *DC. l. c.* 97.—Graecia.  
passerinoidea, *Delile, Fl. Aegypt. Illustr.* 58.—Aegypt.;  
Arab.  
pauciovulata, *J. Gay, ex Munby, Cat.* 12, nomen.—  
Alger.  
pentandra, *Hampe, ex Bunge, Tent. Gen. Tamaric.*  
(1852) 32 = parviflora.  
pentandra, *Pall. Fl. Ross. i. ii.* 72; *Salisb. Prod.* 173  
= gallica.  
Petteri, *Presl, ex Bunge, Tent. Gen. Tamaric.* (1852)  
32 = parviflora.  
Pharos, *Buch.-Ham. ex Wall. Cat. n.* 3758 = articulata.  
Pharos, *Steud. Nom. ed. II. ii.* 661, sphalm. = praec.  
plumosa, *Carr. in Rev. Hortic.* (1868) 358 = gallica?  
polystachya, *Ledeb. Fl. Ross. ii.* 133 = laxa.  
praecox, *Portenschl. ex Bunge, Tent. Gen. Tamaric.*  
(1852) 40 = africana.  
pyncocarpa, *DC. Prod. iii.* 97 = passerinoides.  
ramosissima, *Karel. ex Boiss. Fl. Orient. i.* 776 =  
Karelini.  
ramosissima, *Ledeb. Fl. Alt. i.* 424 = gallica.  
rosea, *Bunge, Tent. Gen. Tamaric.* (1852) 19.—Persia.  
salina, *Dyer, in Hook. f. Fl. Brit. Ind. i.* 248.—Ind.  
bor. occ.  
salsa, *Stev. ex Bunge, Tent. Gen. Tamaric.* (1852)  
24 = tetragyna.  
senegalensis, *DC. Prod. iii.* 96 = gallica.  
serotina, *Bunge, ex Boiss. Fl. Orient. i.* 773.—Persia.  
smyrnensis, *Bunge, Tent. Gen. Tamaric.* (1852) 53.—  
Smyrna.  
songarica, *Eversm. ex Steud. Nom. ed. II. ii.* 661 =  
Haloxylon Ammodendron.  
soongorica, *Pall. in Nov. Act. Acad. Petrop. x.* (1797)  
374 = Hololachna songorica.  
speciosa, *Ball, in Journ. Linn. Soc. xvi.* (1877) 372.  
—Marocc.  
speciosa, *Hort. ex C. Koch, Dendrol. i.* 453 = tetrandra.  
squamosa, *Steud. Nom. ed. II. ii.* 661 = Myricaria ger-  
manica.  
stricta, *Boiss. Diagn. Ser. II. ii.* 57.—Sind.; Beluchist.  
syriaca, *Stev. ex Bunge, Tent. Gen. Tamaric.* (1852)  
21, in syn.; *Boiss. Fl. Orient. i.* 767.—Syria.  
Szovitsiana, *Bunge, Tent. Gen. Tamaric.* (1852) 26.—  
Persia.  
taurica, *Pall. in Nov. Act. Acad. Petrop. x.* (1797)  
276, in nota = tetrandra.  
tenacissima, *Euch.-Ham. ex Wall. Cat. n.* 3757 =  
ericoides.

**TAMARIX:—**

- tetragyna, *Buhse, ex Bunge, Tent. Gen. Tamaric.*  
(1852) 19 = dubia.  
tetragyna, *Ehrenb. in Linnaea, ii.* (1827) 257, 258.—  
Aegypt.; Arab.  
tetragyna, *Szovits, ex Bunge, Tent. Gen. Tamaric.*  
(1852) 18 = octandra.  
tetramera, *Kar. in Bull. Soc. Nat. Mosc.* (1839) 155,  
nomen (Quid?).—Turkestan.  
tetrandra, *Gueb. ex Bunge, Tent. Gen. Tamaric.*  
(1852) 52 = gallica.  
tetrandra, *Pall. ex Bieb. Fl. Taur. Cauc. i.* 247.—  
Europ. or.  
tetrandra, *Szovits, ex Bunge, Tent. Gen. Tamaric.*  
(1852) 48 = odessana.  
tomentosa, *Sm. in Rees, Cyclop. xxxv. n. 2* = hispida.  
usneoides, *E. Mey. in Drège, Zwei Pfl. Docum.* 225  
= articulata.  
variabilis, *Hort. ex C. Koch, Dendrol. i.* 457 =  
tetragyna.

**TAMATAVIA.** *Hook. f. in Benth. & Hook. f. Gen.*  
*ii.* 92 (1873). *RUBIACEAE*, *Benth. & Hook. f. l. c.*  
*Melleri, Hook. f. l. c.; et in Hook. Ic. Pl. t.* 1090.—  
Madag.

**TAMBOURISSA.** *Sonner. Voy. Ind. Or. iii.* 267.  
*t.* 134 (1782). *MONIMACEAE*, *Benth. & Hook. f.*  
*iii.* 139.

- AMBORA, *Juss. Gen.* 401 (1789).  
MITHRIDATEA, *Comm. ex Schreb. Gen.* 783 (1791).  
alternifolia, *A. DC. in DC. Prod. xvi. ii.* 660 =  
quadriifida?  
amplifolia, *A. DC. l. c.* 659.—Ins. Maurit.  
Boivinii, *A. DC. l. c.*—Madag.  
elliptica, *A. DC. l. c.* 660.—Ins. Mascar.  
Ficus, *A. DC. l. c.* 659.—Java.  
leptophylla, *A. DC. l. c.* 658.—Ins. Comor.  
neglecta, *A. DC. l. c.* 659 = quadriifida.  
obovata, *A. DC. l. c.* 660 = quadriifida.  
parvifolia, *Baker, in Journ. Bot. xx.* (1882) 267.—  
Madag.  
pedicellata, *Baker, Fl. Maurit.* 289.—Ins. Maurit.  
peltata, *Baker, l. c.* 288.—Ins. Maurit.  
purpurea, *A. DC. in DC. Prod. xvi. ii.* 659.—Madag.  
quadriifida, *Sonner. Voy. Ind. Or. iii.* 267. *t.* 134.—  
Ins. Mascar.  
religiosa, *A. DC. in DC. Prod. xvi. ii.* 659.—Madag.  
Rota, *Baker, in Journ. Linn. Soc. xx.* (1883) 240.—  
Madag.  
Sieberi, *A. DC. in DC. Prod. xvi. ii.* 660.—Ins.  
Maurit.  
tetragona, *A. DC. l. c.* 659.—Ins. Maurit.  
trichophylla, *Baker, in Journ. Linn. Soc. xx.* (1883)  
240.—Madag.  
vestita, *A. DC. in DC. Prod. xvi. ii.* 660.—Ins. Borbon.

**TAMMSIA.** *Karst. Fl. Columb. i.* 179. *t.* 89 (1861?).  
*RUBIACEAE*, *Benth. & Hook. f. ii.* 79.  
anomala, *Karst. l. c.*—N. Granat.

**TAMNUS.** *Tourn. ex Linn. Syst. ed. I* (1735) = **Tamus**,  
*Linn. (Dioscor.).*

**TAMONEA.** *Aubl. Pl. Gui. i.* 441. *t.* 175 (1775) = **Mi-**  
**conia**, *Ruiz & Pav. (Melastom.).*  
guianensis, *Aubl. l. c.* = *M. Fothergilla*.  
lasiopetala, *DC. ex Triana, in Trans. Linn. Soc. xxviii.*  
(1871) 103 = *M. platyhedra*.

**TAMONEA.** *Aubl. Pl. Gui. ii.* 659. *t.* 268 (1775).  
*VERBENACEAE*, *Benth. & Hook. f. ii.* 1147.  
GHINIA, *Schreb. Gen.* 19 (1789).  
ISCHNIA, *DC. ex Meissn. Gen.* 298; *Comm.* 206  
(1840); *et Prod. ix.* 257 (1845).  
KAEMPFERA, *Houst. Reliq. 3. t.* 2 (1781).  
LEPTOCARPUS, *Willd. in Link, Jahrb. i. iii.* (1820) 51.  
arabica, *Mirb. Hist. Pl. ed. II. xv.* 233 = *Priva lep-*  
*tostachys*.  
curasavica, *Pers. Syn. ii.* 139 = spinosa.  
juncea, *Schau. in DC. Prod. xi.* 529.—Bras.  
lappulacea, *Poir. Encyc. vii.* 568 = *Priva echinata*.  
mutica, *Sw. Prod. Veg. Ind. Occ.* 94 = spicata.  
scabra, *Schlecht. & Cham. in Linnaea, v.* (1830)  
99.—Mexic.  
spicata, *Aubl. Pl. Gui. ii.* 660. *t.* 268.—Guian.  
spinosa, *Sw. Prod. Veg. Ind. Occ.* 94.—Ind occ.  
verbenacea, *Sw. Fl. Ind. Occ. ii.* 1089, in syn. = spinosa.

**TAMONOPSIS.** *Griseb. in Goett. Abh. xix.* (1874) 246  
= *Lantana*, *Linn. (Verben.).*  
spicata, *Griseb. l. c.*—Reg. Argent.

**TAMPOA.** *Aubl. Pl. Gui. ii. Suppl.* 35 (1775).  
*INCERT. SEDIS.*  
guyanensis, *Aubl. l. c.*—Guian.

**TAMUS.** *Linn. Gen. ed. I.* 305 (1737). *DIO-*  
*SCOREACEAE*, *Benth. & Hook. f. iii.* 744.  
TAMNUS, *Tourn. ex Linn. Syst. ed. I* (1735).  
canariensis, *Willd. ex Kunth, Enum. Pl. v.* 455  
(Quid?).—Ins. Canar.  
communis, *Link, in Buch, Besch. Canar. Ins.* 140 =  
edulis.  
communis, *Linn. Sp. Pl.* 1028.—Europ.; Persia; Afr.  
bor.  
cordifolia, *Stokes, Bot. Mat. Med. iv.* 544 = com-  
munis.  
cretica, *Linn. Sp. Pl.* 1028 = communis.  
edulis, *Lowe, in Trans. Camb. Phil. Soc. iv.* 1. (1833)  
12.—Ins. Mader.  
Elephantipes, *L'Hérit. Sert. Angl.* 29 = Testudinaria  
Elephantipes.  
Norsa, *Lowe, in Trans. Camb. Phil. Soc. vi. iii.* (1838),  
reimp. 21 = edulis.  
parviflora, *Kunth, Enum. Pl. v.* 454.—Ins. Teneriff.  
racemosa, *Gouan, Fl. Monsp.* 426 = communis.  
sylvestris, *Hort. Berol. ex Kunth, Enum. Pl. v.* 443 =  
Testudinaria sylvatica.

**TANACETUM.** *Tourn. ex Linn. Syst. ed. I* (1735).  
*COMPOSITAE*, *Benth. & Hook. f. ii.* 434.

HEMIPAPPUS, *C. Koch, in Linnaea, xxiv.* (1851)  
340.

MATRICARIOIDES, *Spach, Hist. Vég. Phan. x.* 24  
(1841).

OMALANTHUS, *Less. Syn. Comp.* 260 (1832).

OMALOTES, *DC. Prod. vi.* 83 (1837).

PSANACETUM, *Neck. Elem. i.* 89 (1790).

SPHAEROMERIA, *Nutt. in Trans. Am. Phil. Soc. N. S.*  
*vii.* (1841) 401.

Achilleae, *Sch. Bip. Tanacet.* 58 = Chrysanthemum  
Achilleae.

achilleaeefolium, *Sch. Bip. l. c.* 47 = Chrysanthemum  
achilleaeefolium.

achilleoides, *DC. Prod. vi.* 130.—Mongol.

acutilobum, *DC. l. c.* 132 = Matricaria acutiloba.

aegyptiacum, *Juss. ex Jacq. Hort. Vindob. iii.* 46.  
*t.* 88 = Grangea maderaspatana.

alaticum, *Herd. in Bull. Soc. Nat. Mosc. xl.* (1867)  
*ii.* 129.—Sibir. ural.

albidum, *DC. Prod. vi.* 132 = Matricaria albida.

alpestre, *Pall. ex Ledeb. Fl. Ross. ii.* 602 = boreale.

alpinum, *Sch. Bip. Tanacet.* 61 = Chrysanthemum  
alpinum.

angulatum, *Willd. Sp. Pl. iii.* 1811 = Achillea filipen-  
dulina.

annuum, *Linn. Sp. Pl.* 844.—Europ. austr.

arcticum, *Sch. Bip. Tanacet.* 35 = Chrysanthemum  
arcticum.

argenteum, *Willd. Ach. 51. t. 2. f. 4.*—As. Min.

argyreaum, *DC. Prod. vi.* 134 = Schistostephium  
flabelliforme.

argyranthemoides, *Sch. Bip. in Pollichia, xx-xxi.*  
(1863) 444.—Armenia.

armenum, *Sch. Bip. Tanacet.* 35 = Chrysanthemum  
fruticulosum.

artemisioides, *Sch. Bip. ex Hook. f. Fl. Brit. Ind. iii.*  
318.—Reg. Himal.

atratum, *Sch. Bip. Tanacet.* 62 = Chrysanthemum  
atratum.

Aucheri, *DC. Prod. vii.* 298.—Syria.

Aucherianum, *Sch. Bip. Tanacet.* 49.—As. Min.

Audiberti, *DC. Prod. vi.* 131.—Reg. Mediterr.

axillare, *Thunb. Prod. Pl. Cap.* 147 = Stilpnophytum  
axillare.

Balsamita, *Linn. Sp. Pl.* 845 = Chrysanthemum Bal-  
samita.

balsamitoides, *Sch. Bip. Tanacet.* 51 = Chrysanthemum  
Balsamita.

balsamitum, *St. Lag. in Ann. Soc. Bot. Lyon, vii.*  
(1880) 136 = praec.

Barclayanum, *DC. Prod. iv.* 128.—Sibir.

bipinnatum, *Sch. Bip. Tanacet.* 48 = Chrysanthemum  
bipinnatum.

Bocconii, *Sch. Bip. l. c.* = Chrysanthemum Bocconi.

## TANACETUM:—

boreale, Fisch. ex Link, Enum. Hort. Berol. ii. 313.—Podol.; Sibir.  
 boreale, Nutt. in Traas. Am. Phil. Soc. N. S. vii. (1841) 401 = *huronense*.  
*Burchellii*, DC. Prod. vi. 132 = *Matricaria Burchellii*.  
*camphoratum*, Less. in *Linnaea*, vi. (1831) 521.—Calif.  
*canariense*, DC. Cat. Hort. Monsp. (1813) 149 = *Gonospermum canariense*.  
*canescens*, DC. Prod. vi. 129.—Persia.  
*canum*, Eaton, in *Bot. King's Exp.* 179. t. 19. f. 8–14.—Am. bor. occ.  
*capense*, Burm. f. *Fl. Cap. Prod.* 24.—Afr. austr.  
*capitatum*, Torr. & Gray, *Fl. N. Am.* ii. 415.—Am. bor.  
*cappadocicum*, Sch. Bip. *Tanacet.* 48.—As. Min.  
*Capusi*, Franch. in *Ann. Sc. Nat. Sér. VI.* xvi. (1883) 308.—Turkestan.  
*carneum*, Sch. Bip. *Tanacet.* 58 = *Chrysanthemum coronopifolium*, Willd.  
*caucasicum*, Sch. Bip. l. c. 60 = *Chrysanthemum caucasicum*.  
*ceratophylloides*, Sch. Bip. l. c. 35 = *Chrysanthemum coronopifolium*, Vill.  
*chiliophyllum*, Sch. Bip. l. c. 47 = *Chrysanthemum millefolium*.  
*chinense*, A. Gray, ex Maxim. in *Bull. Acad. Pétersb.* xvii. (1872) 427 = *Crossostephium artemisioides*.  
*chrysanthemoides*, Gaertn. *Fruct.* ii. 396. t. 165 = *Chrysanthemum flosculosum*.  
*cinerariaefolium*, Sch. Bip. *Tanacet.* 58 = *Chrysanthemum cinerariaefolium*.  
*cinereum*, DC. Prod. vi. 131 = *Cotula cinerea*.  
*consanguineum*, DC. l. c. 133 = *Schistostephium crataegifolium*.  
*corymbosum*, Sch. Bip. *Tanacet.* 57 = *Chrysanthemum corymbosum*.  
*cotuloides*, Linn. *Mant.* ii. 232 = *Hippia gracilis*.  
*crataegifolium*, DC. Prod. vi. 134 = *Schistostephium crataegifolium*.  
*crispum*, Noronha, in *Verh. Batav. Gen.* v. (1790) ed. I. Art. iv. 27 (Quid ?).—Java.  
*crispum*, Steud. *Nom.* ed. I. 825; Hoffmgg. *Verz. Pf.* 116 = *vulgare*.  
*crithmifolium*, Linn. *Sp. Pl.* 843 = *Athanasia parviflora*, Thunb.  
*decepiens*, Sch. Bip. *Tanacet.* 47 = *Matricaria decepiens*.  
*densum*, Sch. Bip. l. c. 48 = *Chrysanthemum densum*.  
*discoideum*, Reichb. f. Ic. *Fl. Germ.* xvi. 51. t. 988 = *Chrysanthemum discoideum*.  
*diversifolium*, Eaton, in *Bot. King's Exp.* 180. t. 19.—Am. bor. occ.  
*Douglasii*, DC. Prod. iv. 128 = *huronense*.  
*dumosum*, Boiss. *Diagn.* Ser. I. vi. 89.—Persia.  
*elatum*, Salisb. *Prod.* 190 = *vulgare*.  
*elegans*, Decne. in *Fl. des Serres*, xii. (1857) 19. t. 1191 = *camphoratum*.  
*elongatum*, Sch. Bip. *Tanacet.* 61 = *Matricaria oreades*.  
*Falconeri*, Hook. f. *Fl. Brit. Ind.* iii. 320.—Reg. Himal.  
*fasciculata*, Sch. Bip. *Tanacet.* 11 = *Artemisia fasciculata*.  
*ferulaceum*, Sch. Bip. l. c. 50.—Ins. Canar.  
*Fisheræ*, Aitch. & Hemsl. in *Journ. Linn. Soc.* xix. (1882) 170.—Afghanistan.  
*flabellifolium*, Boiss. & Heldr. *Diagn.* Ser. I. xi. 26.—As. Min.  
*flabelliforme*, L'Hérit. *Sert. Angl.* 21 = *Pentzia crenata*.  
*frutescens*, Linn. *Sp. Pl.* 844 = *Hippia frutescens*.  
*fruticosum*, Harv. in *Harv. & Sond. Fl. Cap.* iii. 166, in syn., sphalm. = *Matricaria multiflora*.  
*fruticosum*, Link. in *Buch, Besch. Canar. Ins.* 149 = *Gonospermum canariense*.  
*fruticulosum*, C. B. Clarke, *Comp. Ind.* 153 = *gracile*.  
*fruticulosum*, Ledeb. *Fl. Alt.* iv. 58.—Reg. Himal.; Soongar.  
*Funkii*, Sch. Bip. ex Willk. & Lange, *Prod. Fl. Hisp.* ii. 102.—Hispan.  
*Gayanum*, Sch. Bip. in *Bonplandia*, vii. (1860) 369 = *Chrysanthemum Mawii*.  
*globiferum*, DC. 6me Not. *Jard. Genève* 8 = *Matricaria globifera*.  
*Gmelini*, Sch. Bip. *Tanacet.* 35 = *Chrysanthemum arcticum*.

## TANACETUM:—

*gnaphaloides*, Steud. in *Flora*, xiii. (1830) 542 = *Helichrysum anomalum*.  
*gossypinum*, Hook. f. & Thoms. ex C. B. Clarke, *Comp. Ind.* 154.—Reg. Himal.  
*gracile*, Hook. f. & Thoms. ex Hook. f. *Fl. Brit. Ind.* iii. 318.—Reg. Himal.  
*graminifolium*, Reichb. f. Ic. *Fl. Germ.* xvi. 51 = *Chrysanthemum graminifolium*.  
*grandiflorum*, Poir. *Encyc.* vii. 574 (= *Plagiograndiflorus*).—Afr. bor.  
*grandiflorum*, Thunb. *Prod. Pl. Cap.* 147 = *Matricaria grandiflora*.  
*gratum*, Wall. ex DC. *Prod.* v. 374 = *Cyathocline lyrata*.  
*griseum*, Harv. in *Harv. & Sond. Fl. Cap.* iii. 168 (*Schistostephium* sp.).—Afr. austr.  
*heptalobum*, DC. Prod. vi. 133 (*Schistostephium* sp.).—Afr. austr.  
*heptalobum*, Sch. Bip. in *Flora*, xxvii. (1844) 675 = *hippiaefolium*.  
*Herderi*, Regel & Schmalh. in *Act. Hort. Petrop.* v. (1877) 619.—Turkestan.  
*heterophyllum*, Boiss. *Diagn. Ser. I.* vi. 90 = *myriophyllum*.  
*hippiaefolium*, DC. Prod. vi. 133 (*Schistostephium* sp.).—Afr. austr.  
*hispidum*, DC. l. c. = *Cenia hispida*.  
*humile*, Forsk. *Fl. Aegypt. Arab.* 148 = *Grangea maderaspataana*.  
*huronense*, Nutt. *Gen. Am.* ii. 141.—Am. bor.  
*huronense*, Nutt. in *Trans. Am. Phil. Soc. N. S.* vii. (1841) 401, partim = *camphoratum*.  
*incanum*, Fisch. & Mey. ex DC. *Prod.* vi. 129 = *canescens*.  
*incanum*, Hort. ex DC. l. c. 128 = *Barclayanum*.  
*incanum*, Linn. *Sp. Pl.* 844 = *Artemisia fasciculata*.  
*indicum*, Sch. Bip. *Tanacet.* 50 = *Chrysanthemum indicum*.  
*integrifolium*, Sch. Bip. l. c. 35 = *Chrysanthemum integrifolium*.  
*Johnstonii*, Hemsl. in *Journ. Bot.* xxi. (1883) 135.—Afghan.  
*Kochii*, Sch. Bip. *Tanacet.* 47 = *Chrysanthemum millefolium*.  
*Kotschyi*, Boiss. *Fl. Orient.* iii. 351 = *myriophyllum*.  
*Kotzebuense*, Bess. in *Bull. Soc. Nat. Mosc.* ix. (1836) 107; et ex DC. *Prod.* vi. 131 = *Chrysanthemum bipinnatum*.  
*lanuginosum*, Sch. Bip. & Herd. in *Pollichia*, xx–xxi. (1863) 442.—Sibir.  
*larvatum*, Kanitz, ex Nym. *Consp.* 371 = *Chrysanthemum coronopifolium*.  
*latifolium*, Sch. Bip. *Tanacet.* 35 = *Chrysanthemum lacustre*.  
*Ledebourii*, Sch. Bip. l. c. 47.—Reg. Casp.  
*leptolobum*, DC. Prod. vi. 133 = *Matricaria multiflora*.  
*leptophyllum*, Sch. Bip. *Tanacet.* 48.—Reg. Cauc.  
*Leucanthemum*, Sch. Bip. l. c. 35 = *Chrysanthemum Leucanthemum*.  
*leucophyllum*, Regel, in *Act. Hort. Petrop.* vii. (1880) 551.—Turkestan.  
*linearilobum*, DC. Prod. vi. 133 = *Cenia sericea*.  
*linifolium*, Thunb. *Prod. Pl. Cap.* 147 = *Stilpnophytum linifolium*.  
*longifolium*, Thunb. l. c. = *Stilpnophytum linifolium*.  
*longifolium*, Wall. *Cat. n.* 3231.—Reg. Himal.  
*macrophyllum*, Fisch. ex Steud. *Nom.* ed. I. 825, nomen (Quid ?).—Hab.?  
*macrophyllum*, Sch. Bip. *Tanacet.* 53 = *Chrysanthemum macrophyllum*.  
*Maresii*, Sch. Bip. in *Bonplandia*, viii. (1860) 369 = *Chrysanthemum Maresii*.  
*marginatum*, Miq. *Ann. Mus. Bot. Lugd. Bat.* ii. 177.—Borneo.  
*matricarioides*, Ledeb. *Fl. Ross.* ii. 544 = *Matricaria discoidea*.  
*maximum*, Sch. Bip. *Tanacet.* 35 = *Chrysanthemum maximum*.  
*Meyerianum*, Sch. Bip. l. c. 47.—Sibir.  
*microphyllum*, DC. *Prod.* vi. 131.—Hispan.  
*millefolium*, Fisch. & Mey. ex DC. l. c. 128.—Armenia.  
*millefolium*, Aitch. in *Journ. Linn. Soc.* xix. (1882) 169 = *Achillea micrantha*.  
*minimum*, Sch. Bip. *Tanacet.* 60 = *Chrysanthemum tomentosum*.

## TANACETUM:—

*monanthos*, Linn. *Mant.* i. 111 = *Anacyclus alexandrinus*.  
*monspeliense*, Sch. Bip. *Tanacet.* 35 = *Chrysanthemum monspeliense*.  
*montanum*, Sch. Bip. l. c. = *Chrysanthemum montanum*.  
*multicaule*, Sch. Bip. l. c. 48 = *Chrysanthemum multicaule*.  
*multiflorum*, Thunb. *Prod. Pl. Cap.* 147 = *Matricaria multiflora*.  
*Myconis*, Schenk, *Ind. Sem. Hort. Wirceb.* (1861) = *Chrysanthemum Myconis*.  
*myriophyllum*, Willd. *Sp. Pl.* iii. 1814.—Reg. Cauc.  
*nanum*, C. B. Clarke, *Comp. Ind.* 155.—Reg. Himal.  
*nivale*, Sch. Bip. *Tanacet.* 60.—Armenia.  
*niveum*, Sch. Bip. l. c. 56 = *Chrysanthemum praealtum*.  
*nubigenum*, Wall. ex DC. *Prod.* vi. 130.—Reg. Himal.  
*Nuttallii*, Torr. & Gray, *Fl. N. Am.* ii. 415.—Am. bor. occ.  
*obtusum*, Thunb. *Prod. Pl. Cap.* 147 = *Matricaria globifera*.  
*officinale*, Gueldenst. ex Ledeb. *Fl. Ross.* ii. 601 = *vulgare*.  
*officinatum*, Crantz, *Inst.* i. 273 = *vulgare*.  
*oligocephalum*, Sch. Bip. *Tanacet.* 48 = *Chrysanthemum millefolium*.  
*orientale*, Willd. *Sp. Pl.* iii. 1812 = *Artemisia fasciculata*.  
*ovatifolium*, Stokes, *Bot. Mat. Med.* iv. 180 = *Chrysanthemum Balsamita*.  
*Pallasianum*, Trautv. & Mey. in *Middend. Reise (Fl. Ochot.)* 55.—Manchuria.  
*pallens*, Sch. Bip. *Tanacet.* 35 = *Chrysanthemum pallens*.  
*palmatifidum*, Sch. Bip. l. c. 60.—Hispan.  
*palustre*, Sch. Bip. l. c. 49 = *Chrysanthemum palustre*.  
*parthenifolium*, Sch. Bip. l. c. 56 = *Chrysanthemum praealtum*.  
*Parthenium*, Sch. Bip. l. c. 55 = *Chrysanthemum Parthenium*.  
*pauciflorum*, DC. Prod. vi. 131 = *Matricaria discoidea*.  
*pauciflorum*, Fisch. *Hort. Gorenk.* ed. II. (1812) 37 (Quid ?).—Hab.?  
*pauciflorum*, Richards. in *Frankl. Narr. 1st Journ. App.* ed. II. 30 = *huronense*.  
*pilosum*, Berg. *Desc. Pl. Cap.* 244 = *Hippia gracilis*.  
*pinnatifidum*, Sch. Bip. *Tanacet.* 52 = *Chrysanthemum multifidum*.  
*pinnatum*, Boiss. *Diagn.* Ser. I. vi. 90.—Persia.  
*polycephalum*, Sch. Bip. *Tanacet.* 47 (= *Pyrethrum polycephalum*).—Mesopot.  
*potentilloides*, A. Gray, in *Proc. Am. Acad.* ix. (1874) 204.—Am. bor. occ.  
*Pseudo-parthenium*, Sch. Bip. in *Pollichia*, xx–xxi. (1863) 444 = *nivale*.  
*ptarmicaeflorum*, Sch. Bip. *Tanacet.* 50 (= *Pyrethrum ptarmicaeflorum*).—Ins. Canar.  
*pulchellum*, Sch. Bip. l. c. 61.—Sibir.  
*pulchrum*, Sch. Bip. l. c. 49.—Sibir. altaic.  
*pulverulentum*, Sch. Bip. l. c. 48 = *Chrysanthemum pulverulentum*.  
*purpureum*, Buch.-Ham. ex D. Don, *Prod. Fl. Nep.* 181 = *Cyathocline lyrata*.  
*pyrethroides*, Sch. Bip. in *Pollichia*, xx–xxi. (1863) 441 = *Chrysanthemum Richeria*.  
*radicans*, Sch. Bip. *Tanacet.* 48 = *Chrysanthemum radicans*.  
*robustum*, Hook. f. & Thoms. ex C. B. Clarke, *Comp. Ind.* 154.—Reg. Himal.  
*roseum*, Sch. Bip. *Tanacet.* 58 = *Chrysanthemum coccineum*.  
*rotundifolium*, DC. Prod. vi. 133 = *Schistostephium rotundifolium*.  
*saxatile*, Sch. Bip. *Tanacet.* 47 = *Chrysanthemum millefolium*.  
*Scharnhorsti*, Regel & Schmalh. in *Act. Hort. Petrop.* v. (1877) 620.—Turkestan.  
*Semenovii*, Herd. in *Bull. Soc. Nat. Mosc.* xl. (1867) II. 130.—As. bor.  
*Senecionis*, J. Gay, ex DC. *Prod.* vi. 129.—Reg. Himal.  
*sericeum*, Sch. Bip. *Tanacet.* 59 = *Chrysanthemum argenteum*.  
*serotinum*, Sch. Bip. l. c. 35 = *Chrysanthemum serotinum*.  
*setaceum*, Tausch, in *Flora*, xii. (1829) 11 = *myriophyllum*.



**TANACETUM** :—

*sibiricum*, Falk, Topogr. ii. n. 942; ex Ledeb. Fl. Alt. iv. 60 = vulgare.  
*sibiricum*, Linn. Sp. Pl. 844.—Sibir.  
*siculum*, P. G. Strobl, in Flora, lxx. (1882) 249 = vulgare.  
*silafolium*, Sch. Bip. Tanacet. 61 = *Matricaria grandiflora*.  
*simplicifolium*, Salisb. Prod. 190 = *Chrysanthemum Balsamita*.  
*sinaicum*, Delile, ex DC. Prod. vi. 59.—Arab.  
*sinense*, Sch. Bip. Tanacet. 50 = *Chrysanthemum sinense*.  
*sinuatum*, Sch. Bip. l. c. 35 = *Chrysanthemum sinuatum*.  
*suaveolens*, Hook. Fl. Bor. Am. i. 327. t. 110 = *Matricaria discoidea*.  
*suffruticosum*, Burm. ex DC. Prod. vi. 144 = *Hippia gracilis*.  
*suffruticosum*, Linn. Sp. Pl. 843 = *Matricaria multiflora*.  
*suffruticosum*, Thunb. Fl. Cap. ed. Schult. 641, partim = *Hippia frutescens*.  
*sulphureum*, Sch. Bip. Tanacet. 48.—Hispan.  
*tauricum*, Sch. Bip. l. c. = *Chrysanthemum millefoliatum*.  
*tenuifolium*, Jacquem. ex DC. Prod. vi. 129.—Reg. Himal.  
*tenuisectum*, Sch. Bip. in Pollichia, xx-xxi. (1863) 444 = *Chrysanthemum coronopifolium*, Vill.  
*tibeticum*, Hook. f. & Thoms. ex C. B. Clarke, Comp. Ind. 154.—Reg. Himal.  
*tomentellum*, Kotschy, ex Boiss. Fl. Orient. iii. 354.—Armenia.  
*tomentosum*, DC. Prod. vi. 130 = *T. Senecionis*.  
*tomentosum*, Regel & Herd. in Bull. Soc. Nat. Mosc. xl. (1867) II. 128 = Herderi.  
*tomentosum*, Siev. in Pall. N. Nord. Beitr. vii. 305 = fruticosum.  
*tortuosum*, DC. Prod. vi. 133 = *Pentzia tortuosa*.  
*Tournefortii*, Sch. Bip. Tanacet. 59 = *Chrysanthemum argenteum*.  
*transiliense*, Herd. in Bull. Soc. Nat. Mosc. xl. (1867) II. 129.—As. bor.  
*trichophyllum*, Regel & Schmalh. in Act. Hort. Petrop. v. (1877) 255.—Turkestan.  
*trifidum*, DC. Prod. vi. 130.—Mongol.  
*trifidum*, Franch. Pl. Davidian. i. (1884) 172 = praec.?  
*trifurcatum*, Sch. Bip. Tanacet. 48 = *Chrysanthemum trifurcatum*.  
*uliginosum*, Sibth. & Sm. Fl. Graec. Prod. ii. 167 = *Cotula tridentata*.  
*umbellatum*, Gilib. Fl. Lituan. i. 171 = vulgare.  
*umbelliferum*, Boiss. Diagn. Ser. II. iii. 30.—Afghan.  
*uniflorum*, Sch. Bip. Tanacet. 48.—Persia.  
*VahlII*, DC. Prod. vi. 129.—Hispan.  
*vestitum*, Thunb. Prod. Pl. Cap. 147 = *Athanasia fasciculata*.  
*virgatum*, Loisel. Fl. Gall. ed. I. 551 = *Chrysanthemum flosculosum*.  
*viscosum*, Wall. Cat. n. 3232 = *Cyathocline lyrata*.  
*vulgare*, Linn. Sp. Pl. 844.—Europ.; As. bor.  
*Waldsteinii*, Sch. Bip. Tanacet. 35 = *Chrysanthemum rotundifolium*.  
*Willkommii*, Sch. Bip. ex Willk. in Flora, xxxiv. (1851) 748 = VahlII.

**TANAECIUM**, Sw. Prod. Veg. Ind. Occ. 91 (1788).

*BIGNONIACEAE*, Benth. & Hook. f. ii. 1039.  
*albiflorum*, DC. Prod. ix. 245 = *T. Jaroba*.  
*brasiliense*, Miers, in Ann. & Mag. Nat. Hist. Ser. III. viii. (1861) 118.—Bras.  
*crucigerum*, Seem. in Bonplandia, iv. (1856) 127.—Ind. occ.  
*exsertum*, Griseb. Fl. Brit. W. Ind. 450.—Jamaica.  
*Jaroba*, Sw. Prod. Veg. Ind. Occ. 92.—Am. trop.  
*lilacinum*, Seem. Bot. Voy. Herald, 182.—Panama.  
*paniculatum*, Sieber, ex DC. Prod. ix. 245 = *Jacaranda Sagraana*.  
*parasiticum*, Sw. Prod. Veg. Ind. Occ. 92 = *Schlegelia parasitica*.  
*pinnatum*, Willd. Sp. Pl. iii. 312 = *Kigelia pinnata*.  
*praelongum*, Miers, in Ann. & Mag. Nat. Hist. Ser. III. viii. (1861) 117.—Guian.  
*Tripinna*, Rausch. Nom. ed. III. 178 = *Colea tripinnata*.

**TANAKAEA**, Franch. & Sav. Enum. Pl. Jap. ii. 352 (1876), err. typ. = seq.

**TANAKEA**, Franch. & Sav. Enum. Pl. Jap. i. 144 (1875). *SAXIFRAGEAE*.  
*radicans*, Franch. & Sav. l. c.—Japon.

**TANAXION**, Rafin. Fl. Tellur. ii. 51 (1836) = *Eri-geron*, Linn. (Compos.).  
*tomentosum*, Rafin. l. c. = *E. bahamensis*.

**TANDONIA**, Baill. Adansonia, i. (1860–61) 184 = *Tannodia*, Baill. (Euphorb.).  
*cordifolia*, Baill. l. c. 185 = *Tannodia cordifolia*.

**TANDONIA**, Moq. in DC. Prod. xiii. II. 226 (1849) = *Boussingaultia*, H. B. & K. (Chenop.).  
*brachystachya*, Moq. l. c. 227.—N. Granat.  
*cordifolia*, Moq. l. c. 228.—N. Granat.  
*diffusa*, Moq. l. c. 226.—Peruv.  
*filiformis*, Moq. l. c. 227.—Peruv.  
*marginata*, Moq. l. c. 226.—Ecuador.  
*obovata*, Moq. l. c. 227.—N. Granat.  
*ramosa*, Moq. l. c. = *B. ramosa*.

**TANGARACA**, Adans. Fam. ii. 143 (1763) = *Hamelia*, Jacq. (Rubiace.).

**TANGHINIA**, Thou. Gen. Nov. Madag. 10 (1806) = *Cerbera*, Linn. (Apocyn.).  
*dichotoma*, G. Don, in Sweet, Hort. Brit. ed. III. 461 = *Tabernaemontana dichotoma*.  
*lactaria*, G. Don, l. c. = *C. Odollam*.  
*laurifolia*, G. Don, Gen. Syst. iv. 98 = *C. Odollam*.  
*maculata*, G. Don, in Sweet, Hort. Brit. ed. III. 461 = *Ochrosia borbonica*.  
*Manghas*, G. Don, Gen. Syst. iv. 98 = *C. Odollam*.  
*Odollam*, G. Don, l. c. = *C. Odollam*.  
*veneneflua*, G. Don, l. c. sphalm. = seq.  
*venenifera*, Poir. Encyc. Suppl. v. 283 = *C. Tanghin*.

**TANIBOUCA**, Aubl. Pl. Gui. 448. t. 178 (1775) = *Terminalia*, Linn. (Combret.).  
*guianensis*, Aubl. l. c. = *Term. Tanibouca*.

**TANKERVILLIA**, Link, Handb. i. 251 (1829) = *Phaius*, Lour. (Orchid.).  
*cantonensis*, Link, l. c. = *P. grandifolius*.

**TANNODIA**, Baill. Adansonia, i. (1860–61) 251. t. 7. *EUPHORBIACEAE*, Benth. & Hook. f. iii. 304.

**TANDONIA**, Baill. Adansonia, i. (1860–61) 184.  
*cordifolia*, Baill. l. c. 251.—Madag.

**TANROUJOU**, Juss. Gen. 351, in adnot. (1789) = *Hymenaea*, Linn. (Legumin.).

**TANTALUS**, Noronha, ex Thou. Hist. Vég. Afr. 39 (1806) = *Sarcolaena*, Thou. (Chlaen.).

**TANULEPIS**, Balf. f. in Journ. Linn. Soc. xvi. (1877) 17; et in Baker, Fl. Maurit. 225 (1877).  
*ASCLEPIADEAE*.  
*sphenophylla*, Balf. f. II. cc.—Ins. Rodriguez.

**TAONABO**, Aubl. Pl. Gui. i. 569. tt. 227, 228 (1775) = *Ternstroemia*, Mutis.  
*dentata*, Aubl. l. c. 569 = *Ternstr. dentata*.  
*punctata*, Aubl. l. c. 571 = *Ternstr. punctata*.

**TAPANAFA**, Adans. Fam. ii. 470 (1763) = *Pothos*, Linn. (Aroid.).  
*chinensis*, Rafin. Fl. Tellur. iv. 14 = *P. scandens*.  
*indica*, Rafin. l. c. = *P. scandens*.  
*Rheedi*, Hassk. in Hoev. & De Vriese, Tijdschr. ix. (1842) 165 = *P. scandens*.

**TAPANAWA**, Hassk. in Hoev. & De Vriese, Tijdschr. ix. (1842) 165 = praec.

**TAPANHUACANGA**, Vell. ex Vand. Fl. Lusit. 9. f. 5 (1788). *RUBIACEAE*? (Quid?).  
*brasiliensis*, Steud. Nom. ed. II. ii. 663.—Bras.

**TAPEINAEGLE**, Herb. in Bot. Reg. (1847) t. 22. f. 4 = *Tapeinanthus*, Herb. (Amaryll.).  
*humilis*, Herb. l. c. = *Tapeinanthus humilis*.

**TAPEINANTHUS**, Boiss. ex Benth. in DC. Prod. xii. 436 (1848) = *Chamaesphaeos*, Schrenk (Labiata.).  
*brahuicus*, Boiss. Diagn. Ser. II. iv. 29.—Persia.  
*persicus*, Boiss. ex Benth. in DC. Prod. xii. 436.—Persia.

**TAPEINANTHUS**, Herb. Amaryll. 190 (1837).  
*AMARYLLIDEAE*, Benth. & Hook. f. iii. 719.  
*BRAXIREON*, Rafin. Fl. Tellur. iv. 23 (1836), nomen prius.  
*CARREGNOA*, Boiss. Voy. Bot. Espagne, ii. 605 (1842).  
*GYMNOTERPE*, Salisb. Gen. Pl. Fragm. 108 (1866).  
*TAPEINAEGLE*, Herb. in Bot. Reg. (1847) t. 22.  
*humilis*, Herb. Amaryll. 190, 414.—Hispan.; Marocc.

**TAPEINIA**, Juss. Gen. 59 (1789). *IRIDEAE*, Benth. & Hook. f. iii. 699.  
*magellanica*, J. F. Gmel. Syst. 108; Ker-Gawl. Gen. Irid. 9.—Chili.

**TAPEINOCHEILOS**, Miq. Ann. Mus. Bot. Lugd. Bat. iv. 101. t. 4 (1868). *SCITAMINEAE*, Benth. & Hook. f. iii. 644.  
*pungens*, Miq. l. c.—Malaya; Austral.

**TAPEINOCILUS**, Benth. & Hook. f. Gen. iii. 644 (1883), sphalm. = praec.

**TAPEINOPHALLUS**, Baill. Dict. Bot. i. (fasc. v.), Ic. sine desc. [1877] = *Amorphophallus*, Blume (Aroid.).  
*Rivieri*, Baill. l. c. = *A. Rivieri*.

**TAPEINOSPERMA**, Hook. f. in Benth. & Hook. f. Gen. ii. 647 (1876). *MYRSINEAE*, Benth. & Hook. f. l. c.  
*Lenormandii*, Hook. f. l. c.—N. Caled.  
*Veillardii*, Hook. f. l. c.—N. Caled.

**TAPEINOSTEMON**, Benth. in Hook. Kew Journ. vi. (1854) 194. *GENTIANAEAE*, Benth. & Hook. f. ii. 808.  
*capitatum*, Benth. in Hook. Kew Journ. vi. (1854) 195.—Bras.  
*spenneroides*, Benth. l. c. 194.—Bras.

**TAPEINOTES**, DC. Prod. vii. 544 (1839) = *Sinningia*, Nees (Gesner.).  
*barbata*, DC. l. c. = *S. Carolinae*.  
*Carolinae*, Wawra, in Oestr. Bot. Zeitschr. xii. (1862) 273 = *S. Carolinae*.  
*pusilla*, DC. Prod. vii. 544 (= *Ligeria pusilla*).—Bras.  
*villosa*, Walp. Rep. ii. 716 = *S. villosa*.

**TAPHROGITON**, Montand. Guide Bot. 346 (1868) = *Scirpus*, Tourn. (Cyperac.).  
*radicans*, Montand. l. c. = *S. radicans*.  
*sylvaticum*, Montand. l. c. = *S. sylvaticus*.

**TAPHROSPERMUM**, C. A. Mey. in Ledeb. Fl. Alt. iii. 172 (1831) = *Cochlearia*, Tourn. (Crucif.).  
*altaicum*, C. A. Mey. l. c. 173.—Sibir. altaic.  
*brachycarpum*, Meissn. Comm. 12 = *Erysimum brachycarpum*.  
*caucasicum*, Rupr. Fl. Cauc. 84.—Reg. Cauc.  
*platypetalum*, Schrenk, Enum. Pl. Nov. ii. 60.—Soongaria.

**TAPIA**, Adans. Fam. ii. 407 (1763) = *Crataeva*, Linn. (Cappar.).

**TAPINA**, Mart. Nov. Gen. et Sp. iii. 59. t. 225. f. 1 (1829) = *Sinningia*, Nees (Gesner.).  
*barbata*, Mart. l. c. 60. t. 225. f. 1 = *S. Carolinae*.  
*Carolinae*, Hort. ex Pasq. Cat. Ort. Bot. Nap. 101 = *S. Carolinae*.  
*pusilla*, Mart. Nov. Gen. et Sp. iii. 61. t. 225. f. 2 (= *Ligeria pusilla*).—Bras.  
*splendens*, Triana, in Belg. Hortie. vii. (1857) 198 = *Episcia splendens*?  
*variegata*, Linden, Cat. n. 21. (1867) 5; et in Belg. Hortie. xvii. (1867) 105.—Peruv.  
*villosa*, Gardn. in Hook. Ic. t. 469 = *S. villosa*.

**TAPINANTHUS**, Blume, in Schult. f. Syst. vii. 1730 (1830) = *Loranthus*, Linn.  
*lanceolatus*, Blume, l. c. = *L. lanceolatus*.  
*sessilifolius*, Blume, l. c. = *L. sessilifolius*.

**TAPINIA**, Steud. Nom. ed. II. ii. 663 (1841), sphalm.=  
**Tapirira**, Aubl. (Anacard.).

**TAPINOCARPUS**, Dalz. in Hook. Kew Journ. iii.  
(1851) 345 = **Therophonum**, Blume (Aroid.).  
*Dalselli*, Schott, Gen. Aroid. t. 15 (*Dalseli*) = **Therophonum** crenatum.

**TAPIRIA**, Juss. Gen. 372 (1789), sphalm.=seq.

**TAPIRIRA**, Aubl. Pl. Gui. i. 470. t. 188 (1775).  
**ANACARDIACEAE**, Benth. & Hook. f. i. 423.  
**JONCQUETIA**, Schreb. Gen. 308 (1789).  
**PEGIA**, Coleb. in Trans. Linn. Soc. xv. (1827) 364.  
**PHLEBOCHITON**, Wall. in Trans. Med. & Phys. Soc.  
Calc. vii. (1835) 230.  
**SALABERTIA**, Neck. Elem. ii. 238 (1790).  
**TAPIRIA**, Juss. Gen. 372 (1789).

*acida*, March. Rév. Anacard. 162 = *Odina acida*.  
*bijuga*, Hook. f. ex March. l. c. = *guianensis*.  
*caffra*, March. l. c. = *Harpephyllum caffrum*.  
*Colebrookiana*, Hook. f. ex March. l. c. = *Nothopegia*  
*Colebrookiana*.  
*cyrtocarpa*, Benth. & Hook. f. ex Hemsl. Biol. Centr.  
Am. Bot. i. 222.—Mexic.  
*discolor*, March. Rév. Anacard. 162 = *Odina discolor*.  
*extensa*, Hook. f. ex March. l. c. = Reg. Himal.  
*fruticosa*, March. l. c. = *Odina fruticosa*.  
*guianensis*, Aubl. Pl. Gui. i. 470. t. 188.—Guian.  
*hirsuta*, Hook. f. Fl. Brit. Ind. ii. 28 = *extensa*.  
*humilis*, March. Rév. Anacard. 162 = *Odina humilis*.  
*Marchandii*, Engl. in Mart. Fl. Bras. xii. ii. 379.—  
Bras.  
*mexicana*, March. Rév. Anacard. 162.—Mexic.  
*myriantha*, Triana & Planch. in Ann. Sc. Nat.  
Sér. V. xiv. (1872) 295.—N. Granat.  
*obovata*, March. Rév. Anacard. 162 = *Odina obovata*.  
*Pao-pombo*, March. in Kjoeb. Vidensk. Meddel. (1873)  
58 = *guianensis*.  
*Peckoltiana*, Engl. in Mart. Fl. Bras. xii. ii. 380.—  
Bras.  
*velutina*, March. Rév. Anacard. 162 = *Odina velutina*.  
*Wodier*, March. l. c. = *Odina Wodier*.

**TAPIROCARPUS**, Sagot, in Ann. Sc. Nat. Sér. VI.  
xiii. (1882) 292. **BURSERACEAE**.  
*Talisia*, Sagot, l. c.—Guian.

**TAPOGOMEA**, Aubl. Pl. Gui. i. 157. tt. 60, 63 (1775)  
= **Cephaelis**, Sw. (Rubiace.).  
*aiba*, Aubl. l. c. 164 = *C. alba*.  
*axillaris*, Poir. Encyc. vii. 585 = *C. axillaris*.  
*Carapichea*, Poir. l. c. 587 = *C. involucreta*.  
*elata*, Poir. l. c. 585 = *C. elata*.  
*glabra*, Aubl. Pl. Gui. i. 165 = *C. glabra*.  
*muscosa*, Poir. Encyc. vii. 587, in obs. = *C. muscosa*.  
*prunifolia*, Poir. in Dict. Sc. Nat. lii. 236 = *Psychotria*  
*microcephala*.  
*punicea*, Poir. Encyc. vii. 585 = *C. elata*.  
*purpurea*, Aubl. Pl. Gui. i. 162 = *C. purpurea*.  
*rubra*, Blanco, Fl. Filip. ed. I. 145 = *Uncaria acida*.  
*tomentosa*, Aubl. Pl. Gui. i. 160. t. 61 = *Psychotria*  
*tomentosa*, Muell. Arg.  
*violacea*, Aubl. l. c. 157 = *C. violacea*.

**TAPOMANA**, Adans. Fam. ii. 343 (1763) = **Connarus**,  
Linn.

**TAPURA**, Aubl. Pl. Gui. i. 126. t. 48 (1775).  
**CHAILLETIACEAE**, Benth. & Hook. f. i. 341.  
**ROHRIA**, Schreb. Gen. 30 (1789).  
*africana*, Oliver, Fl. Trop. Afr. i. 344.—Afr. trop.  
*amazonica*, Poepp. & Endl. Nov. Gen. et Sp. iii. 41.  
t. 246. f. 2.—Bras.  
*capitulifera*, Baill. Adansonia, xi. (1873) 112.—Bras.  
*ciliata*, Gardn. in Hook. Ic. Pl. t. 466.—Bras.  
*cubensis*, Griseb. Cat. Pl. Cub. 56.—Cuba.  
*cucullata*, Benth. in Hook. Kew Journ. v. (1853) 292.  
—Bras.  
*guianensis*, Aubl. Pl. Gui. i. 126. t. 48.—Guian.  
*latifolia*, Benth. in Hook. Kew Journ. v. (1853) 291.  
—Am. trop.?

**TARA**, Molina, Sagg. Chile, ed. II. 153 (1810) =  
**Caesalpinia**, Linn. (Legumin.).  
*tinctoria*, Molina, l. c. = *C. tinctoria*.

**TARAKTOGENOS**, Hassk. Retzia, 127 (1855).  
**BIXINEAE**, Benth. & Hook. f. i. 129.  
Blume, Hassk. l. c.—Sumatra.

**TARALEA**, Aubl. Pl. Gui. ii. 745. t. 298 (1775) =  
**Dipteryx**, Schreb. (1791) (Legumin.).  
*oppositifolia*, Aubl. l. c. = *D. oppositifolia*.

**TARAXACUM**, Linn. Syst. ed. I (1735); Hall.  
Enum. Stirp. Helv. ii. 739 (1742). **COMPOSITAE**,  
Benth. & Hook. f. ii. 522.  
**CARAMANICA**, Tineo, Pl. Rar. Sic. fasc. i. 3 (1846).  
**DENS-LEONIS**, Tourn. ex Rupp. Fl. Jen. ed. Hall.  
197 (1745).

**LASTIOPUS**, D. Don, in Sweet, Brit. Flow. Gard.  
Ser. II. t. 346 (1836).

**LEONTODON**, Adans. Fam. ii. 112 (1763).  
*affine*, Jord. Pugill. Pl. Nov. 113 = officinale.

*alpestre*, DC. Prod. vii. 148 = officinale.  
*alpinum*, C. Koch, in Linnaea, xxiii. (1850) 676 =  
officinale.

*alpinum*, Schur, in Verh. Siebenb. Ver. Naturw. (1852)  
87, nomen; Enum. Pl. Transs. 368 = palustre.

*apenninum*, DC. Prod. vii. 148.—Ital.  
*arcuatum*, Dum. Fl. Belg. 61 = officinale.

*Assemani*, Blanche, ex Boiss. Fl. Orient. iii. 791.—As.  
Min.; Persia.

*atlanticum*, Pomel, Nouv. Mat. Fl. Atl. 9 = micro-  
cephalum.

*aureum*, Fisch. ex Herd. in Bull. Soc. Nat. Mosc. xliii.  
(1870) i. 180 = officinale.

*autumnale*, Cast. Cat. Pl. Marseille, 87 = gymnan-  
thum.

*autumnale*, Gueldenst. ex Ledeb. Fl. Ross. ii. 778 =  
*Leontodon autumnalis*.

*bellidifolium*, Fisch. ex Herd. in Bull. Soc. Nat. Mosc.  
xliii. (1870) i. 187 = officinale.

*bessarabicum*, Fisch. Hort. Gorenk. ed. II. (1812) 34,  
nomen = palustre.

*bicolor*, DC. Prod. vii. 148.—Sibir. altaic.  
*bithynicum*, Boiss. Fl. Orient. iii. 791 = *Assemani*.

*bithynicum*, DC. Prod. vii. 149.—Bithyn.  
*boreale*, DC. l. c. 105, in syn.—Rossia.

*bulbosum*, Reichb. Fl. Germ. Excurs. 270 = *Crepis*  
*bulbosa*.

*canescens*, Boiss. Fl. Orient. iii. 786 = montanum.  
*capense*, Sch. Bip. in Flora, xxxi. (1848) 170.—Afr.  
austr.

*causasicum*, DC. Prod. vii. 146 = officinale  
*caulescens*, Moris, in Mem. Acc. Torin. xxxvii. (1834)  
108. t. 24 (= *Macrorhynchus pterocarpus*).—Chili.

*ceratophorum*, DC. Prod. vii. 146 = officinale.  
*collinum*, DC. l. c. 149.—Sibir.

*commune*, Dum.-Cours. Bot. Cult. ed. II. iv. 25 =  
officinale.

*commutatum*, Jord. Pugill. Pl. Nov. 116 = officinale.  
*corniculatum*, DC. Prod. vii. 146 = officinale.

*coronopifolium*, Urv. in Mém. Soc. Linn. Par. iv. (1826)  
609 (= *Macrorhynchus pumilus*).—Ins. Falkland.

*crepidiforme*, DC. Prod. vii. 149.—As. Min.; Persia.  
*crispum*, Heuff. in Verh. Zool.-Bot. Ges. Wien, viii.  
(1858) 148 = serotinum.

*Dens-leonis*, Desf. Fl. Atlant. ii. 228 = officinale.  
*denudatum*, Boiss. Diagn. Ser. II. iii. 95 = montanum.

*dissectum*, Ledeb. Fl. Ross. ii. 814.—Sibir. or.  
*erectum*, Schrank, Baier. Fl. ii. 314 = officinale.

*eripodium*, DC. Prod. vii. 147 = officinale.  
*erythrospermum*, Andr. ex Bess. Enum. Pl. Volh. 75,  
106 = officinale.

*frigidum*, Schur, Enum. Pl. Transs. 368 = palustre.  
*fulvipilus*, Harv. in Harv. & Sond. Fl. Cap. iii. 527.  
—Afr. austr.

*getulum*, Pomel, Nouv. Mat. Fl. Atl. 264.—Alger.  
*Gilliesii*, Hook. & Arn. in Hook. Comp. Bot. Mag. i.  
(1835) 31.—Reg. Argent.

*glabrum*, DC. Prod. vii. 147.—Dahuria.  
*glaciale*, Huet, ex Nym. Consp. 437 = officinale.

*glaucanthum*, DC. Prod. vii. 147 = officinale.  
*glaucescens*, Reichb. Fl. Germ. Excurs. 270 = offi-  
cinale.

*gymnanthum*, DC. Prod. vii. 145.—Reg. Mediterr.  
*halophilum*, Trautv. ex Beck. in Bull. Soc. Nat. Mosc.  
xl. (1867) i. 111, nomen = officinale.

*hirsutum*, DC. Prod. vii. 149 = *Troximon humile*.  
*Hoppeanum*, Griseb. & Schenk, in Wieg. Archiv,  
xviii. (1852) i. 349 = officinale.

*hybernium*, Stev. in Bull. Soc. Nat. Mosc. xxix. (1856)  
ii. 410 = gymnanthum.

## TARAXACUM:—

*inaequilobum*, Pomel, Nouv. Mat. Fl. Atl. 8.—Alger.  
*integrifolium*, C. Koch, in Linnaea, xxiii. (1850) 676.  
—As. Min.

*lacinatum*, Martr. Pl. Crit. Tarn. 32 = officinale.  
*laevigatum*, DC. Cat. Hort. Monsp. (1813) 149 =  
officinale.

*lanceolatum*, Poir. Encyc. v. 349 = officinale.  
*lanuginosum*, Noé, ex Nym. Consp. 436 = serotinum.

*latilobum*, DC. Prod. vii. 146 = officinale?  
*Leontodon*, Gueldenst. Reisen, ii. 56; Dum. Fl. Belg.  
61 = officinale.

*leptocephalum*, Reichb. Fl. Germ. Excurs. 270 =  
palustre.

*leucanthum*, Ledeb. Fl. Ross. ii. 815 = bicolor.  
*leucospermum*, Jord. Cat. Jard. Dijon (1848), 31 =  
officinale.

*levigatum*, Poir. Encyc. Suppl. iv. 420 = officinale.  
*libanoticum*, DC. Prod. vii. 149 = serotinum.

*lyratum*, DC. l. c. 148.—Sibir. altaic.  
*maculatum*, Jord. Pugill. Pl. Nov. 117 = officinale.

*magellanicum*, Comm. ex Sch. Bip. in Flora, xxxviii.  
(1855) 122.—Reg. Argent.

*mexicanum*, DC. Prod. vii. 146 = officinale.  
*microcephalum*, Pomel, Nouv. Mat. Fl. Atl. 8.—  
Alger.

*microcephalum*, Schur, Enum. Pl. Transs. 367 =  
officinale.

*minimum*, Heldr. ex Nym. Consp. 437 = officinale.  
*minimum*, Terrac. in Att. Ist. Incoragg. Nap. Ser. II.  
vi. (1869) 352.—Sicil.; Ital.

*montanum*, DC. Prod. vii. 145.—As. Min.; Persia.  
*montanum*, Nutt. in Trans. Am. Phil. Soc. N. S. vii.  
(1841) 430 = officinale.

*nigricans*, Reichb. Fl. Germ. Excurs. 270 = officinale.  
*obovatum*, DC. Rapp. Voy. ii. 83 = officinale.

officinale, [Weber, in] Wigg. Prim. Fl. Holsat. 56.—  
Reg. temp. bor. et austr.

*officinatum*, Rupr. Fl. Ingr. 619 = officinale.  
*Pacheri*, Sch. Bip. in Flora, xxxi. (1848) 170 =  
apenninum.

*paludosum*, Kern. in Oestr. Bot. Zeitschr. xxii. (1872)  
215 = palustre.

*palustre*, DC. Fl. Fr. iv. 45.—Europ.; As. bor.  
*parvulum*, DC. Prod. vii. 149 = officinale.

*phymatocarpum*, f. Vahl, in Fl. Dan. t. 2298.—Reg.  
arct.

*porphyranthum*, Boiss. Fl. Orient. iii. 790.—Reg. Cauc.  
*pratense*, Hegetschw. Fl. Schw. 762 = officinale.

*procumbens*, Less. in Linnaea, ix. (1834) 181 =  
palustre.

*Pseudo-officinale*, Schur, Enum. Pl. Transs. 366 =  
officinale.

*psychrophilum*, Boiss. Diagn. Ser. I. xi. 48 = *crepidi-*  
*forme*.

*pumilum*, Gaud. in Ann. Sc. Nat. Sér. I. v. (1825) 103  
(= *Macrorhynchus pumilus*).—Ins. Falkland.

*purpurascens*, Schur, Enum. Pl. Transs. 366 = offi-  
cinale.

*pyrenaicum*, Reut. Cat. Gr. Genève. (1861) 4 (Quid?).  
—Mont. Pyren.

*pyrenaicum*, Timb. ex Nym. Consp. 437 = officinale.  
*pyrrhopappum*, Boiss. & Reut. Diagn. Pl. Nov. Hisp.  
19 = serotinum.

*Raii*, S. F. Gray, Nat. Arr. Brit. Pl. ii. 426 = palustre.  
*rubrinerve*, Jord. Pugill. Pl. Nov. 115 = officinale.

*runcinatum*, Fisch. ex Herd. in Bull. Soc. Nat. Mosc.  
xliii. (1870) i. 187 = officinale.

*salinum*, Dum. Fl. Belg. 61 = palustre.  
*salsugineum*, Lamotte, in Bull. Soc. Bot. Fr. xxi.  
(1874) 123 = palustre.

*Scorzonera*, Reichb. Fl. Germ. Excurs. 270 = palustre.  
*Scorzonera*, Trautv. Fl. Taimyr. 40 = phymatocarpum.

*serotinum*, Poir. Encyc. Suppl. iv. 420; Sadl. Fl. Pest.  
ed. I. ii. 243.—Europ. or.; As. occ.

*sinense*, Poir. l. c.; DC. Prod. vii. 150 = officinale.  
*stenocephalum*, Boiss. & Kotschy, ex Boiss. Fl. Orient.  
iii. 790.—Kurdistan.

*stenolobum*, Stschég. in Bull. Soc. Nat. Mosc. xxvii.  
(1854) i. 180.—As. bor.

*Stevenii*, DC. Prod. vii. 149 = officinale.  
*stipitatum*, Sch. Bip. Cich. 76; ex Nym. Consp. 436 =  
*Chondrilla stipitata*.

*sylvaticum*, Andr. ex Trautv. in Act. Hort. Petrop.  
viii. (1883) 525, nomen.—Rossia.

*syriacum*, Boiss. Diagn. Ser. II. iii. 96 = serotinum.  
*taraxacoides*, Willk. & Lange, Prod. Fl.  
Hisp. ii. 231 = officinale.

**TARAXACUM:**—

*tenuifolium*, Koch, in *Flora*, xxiii. (1840) 374.—Europ.  
*tomentosum*, Lange, in Kjoeb. Vidensk. Meddel. (1861)  
101 = *serotinum*.  
*triviale*, Hegetschw. Fl. Schw. 762 = officinale.  
*udum*, Jord. Pugill. Pl. Nov. 114 = palustre.  
*vulgare*, Schrank, Baier. Reise, 11 = officinale.  
*Wallichii*, DC. Prod. vii. 147 = officinale.  
*Wattii*, Hook. f. Fl. Brit. Ind. iii. 402.—Reg. Himal.

**TARCHONANTHUS**, Linn. Coroll. Gen. 13 (1737).

*COMPOSITAE*, Benth. & Hook. f. ii. 288.  
*SALVIASTRUM*, Heist. Syst. 16 (1748).  
*abyssinicus*, Sch. Bip. ex Schweinf. Beitr. Fl. Aethiop.  
287 = *camphoratus*.  
*angustissimus*, DC. Prod. v. 431 = minor.  
*camphoratus*, Houtt. ex DC. l. c. 430 = *Brachylaena*  
elliptica.  
*camphoratus*, Linn. Sp. Pl. 842.—Afr. austr.  
*dentatus*, Eckl. ex DC. Prod. v. 430 = *Brachylaena*  
nereifolia.  
*dentatus*, Thunb. Prod. Pl. Cap. 145 = *Brachylaena*  
dentata.  
*ellipticus*, Thunb. l. c. = *Brachylaena* elliptica.  
*ericoides*, Linn. f. Suppl. 360 = *Eriocephalus* glaber.  
*glaber*, Linn. l. c. = *Brachylaena* dentata.  
*lanceolatus*, Thunb. Prod. Pl. Cap. 145 = *Brachylaena*  
nereifolia.  
*litakunensis*, DC. Prod. v. 431 = *camphoratus*.  
minor, Less. Syn. Comp. 208.—Afr. austr.  
*obovatus*, DC. Prod. v. 431 = minor.  
*procerus*, Salisb. Prod. 189 = *camphoratus*.  
*racemosus*, Thunb. Prod. Pl. Cap. 145 = *Brachylaena*  
racemosa.  
*trilobus*, DC. Prod. v. 432.—Afr. austr.

**TARDAVEL**, Adans. Fam. ii. 145 (1763) = **Sperma-**  
**coce**, Dill. (Rubiace).**TARENAYA**, Rafin. Sylva Tellur. 111 (1838) = **Cleome**,  
Linn. (Cappar.).  
*spinosa*, Rafin. l. c. = *C. spinosa*.**TARENNA**, Gaertn. Fruct. i. 139. t. 28 (1788).

*RUBIACEAE*, Benth. & Hook. f. ii. 86.  
*CERISCUS*, Nees, in *Flora*, viii. (1825) 116.  
*CHOMELIA*, Linn. Gen. ed. I. 55 (1737).  
*STYLOCORYNE*, Wight & Arn. Prod. 400 (1834).  
*WAHLENBERGIA*, Blume, Cat. Gew. Buitenz. 14  
(1823).  
*WEBBERA*, Schreb. Gen. 794 (1791).  
*angolensis*, Hiern, in Oliver, Fl. Trop. Afr. iii. 89.—  
Afr. trop.  
*conferta*, Hiern, l. c. 90.—Afr. trop.  
*congensis*, Hiern, l. c. 91.—Afr. trop.  
*grandiflora*, Hiern, l. c.—Afr. trop.  
*macrochlamys*, Baker, in Journ. Linn. Soc. xxi. (1885)  
411.—Madag.  
*mossambicensis*, Hiern, in Oliver, Fl. Trop. Afr. iii.  
89.—Afr. trop.  
*nigrescens*, Hiern, l. c. 92.—Afr. trop.  
*nilotica*, Hiern, l. c. 90.—Afr. trop.  
*nitidula*, Hiern, l. c.—Afr. trop.  
*pallidula*, Hiern, l. c. 91.—Afr. trop.  
*tetramera*, Hiern, l. c.—Afr. trop.  
*zeylanica*, Gaertn. Fruct. i. 139. t. 28. f. 3.—Zeylan.

**TARIRI**, Aubl. Pl. Gui. Suppl. 37 (1775) = **Pieramnia**,  
Sw. (Simarub.).  
*guianensis*, Aubl. l. c. = *P. Tariri*.  
*polyantha*, Baill. Hist. Pl. iv. 412 = *P. polyantha*.**TARPHETA**, Rafin. Fl. Tellur. ii. 103 (1836) = **Stachy-**  
**tarphe**, Vahl (Verben.).**TARRIETIA**, Blume, Bijdr. 227 (1825). *STERCU-*

*LIACEAE*, Benth. & Hook. f. i. 218.  
*ARGYRODENDRON*, F. Muell. Fragm. i. 2 (1858).  
*Argyrodendron*, Benth. Fl. Austral. i. 230.—Austral.  
*javanica*, Blume, Bijdr. 227.—Java.  
*Riedeliana*, Oliver, in Journ. Linn. Soc. xv. (1876)  
98.—Ins. Celebes.  
*simplicifolia*, Mast. in Hook. f. Fl. Brit. Ind. i. 362.—  
Malacca.  
*sumatrana*, Miq. Fl. Ind. Bat. Suppl. 401.—Sumatra.  
*trifoliolata*, F. Muell. Fragm. ix. 43.—Austral.

**TARSINA**, Noronha, in Verh. Batav. Gen. v. (1790) ed.  
I. Art. iv. 4 (Quid?).**TASMANNIA**, R. Br. ex DC. Syst. i. 445 (1818) = **Drimys**,  
Forst. (Magnol.).

*aromatica*, R. Br. l. c. = *D. aromatica*.  
*dipetala*, R. Br. ex DC. Prod. i. 78 = *D. dipetala*.  
*insipida*, R. Br. ex DC. Syst. i. 445 = *D. dipetala*.  
*monticola*, A. Rich. Sert. Astrolab. 50 = *D. dipetala*.  
*piperita*, Miers, in Ann. & Mag. Nat. Hist. Ser. III. ii.  
(1858) 110 = *D. piperita*.

**TASOBA**, Rafin. Fl. Tellur. iii. 94 (1836) = **Polygonum**,  
Tourn.

*arifolia*, Rafin. l. c. = *P. arifolium*.  
*sagittata*, Rafin. l. c. 95 = *P. sagittatum*.

**TASSADIA**, Decne. in DC. Prod. viii. 579 (1844).

*ASCLEPIADEAE*, Benth. & Hook. f. ii. 756.  
Burchellii, Fourn. in Mart. Fl. Bras. vi. iv. 230.—  
Bras.  
Colubrina, Decne. in DC. Prod. viii. 579.—Bras.  
comosa, Fourn. in Mart. Fl. Bras. vi. iv. 229.—Bras.  
Decaisneana, Miq. in Linnaea, xviii. (1844) 25 =  
Metastelma Decaisneana.  
floribunda, Decne. in DC. Prod. viii. 580.—Bras.  
guianensis, Decne. l. c. 579.—Guian.  
lanceolata, Decne. l. c.—Bras.  
leptobotrys, Decne. l. c.—Guian.  
Martiana, Decne. l. c. 580.—Bras.  
neovidensis, Fourn. in Mart. Fl. Bras. vi. iv. 229.—  
Bras.  
obovata, Decne. in DC. Prod. viii. 579.—Guian.  
Poeppigiana, Decne. l. c. 580.—Bras.  
propinqua, Decne. l. c. 579.—Guian.  
Selloana, Fourn. in Mart. Fl. Bras. vi. iv. 231.—Bras.  
Sprucei, Fourn. l. c. 229.—Bras.  
turiformis, Fourn. l. c. 231.—Bras.

**TASSIA**, Rich. ex DC. Prod. ii. 487 (1825) = **Tachi-**  
**galia**, Juss. (Legumin.).**TATEA**, F. Muell. in Trans. Roy. Soc. S. Austral. vi.

(1883) 33. *VERBENACEAE*.  
*acaulis*, F. Muell. Census, Suppl. i. 3, sphalm. = seq.  
*subcaulis*, F. Muell. in Trans. Roy. Soc. S. Austral.  
vi. (1883) 34.—Austral.

**TATEA**, Seem. Fl. Vit. 125 (1866) = **Bikkia**, Reinw.

(Rubiace.).  
*portlandioides*, Seem. l. c.—N. Caled.

**TATTIA**, Scop. Introd. 104 (1777) = **Homalium**,  
Jacq. (Samyd.).

*ignota*, J. F. Gmel. Syst. 886 = *H. Napimoga*.

**TAUMASTOS**, Rafin. Fl. Tellur. iv. 9 (1836) =

**Libertia**, Spreng. (Irid.).  
*compressus*, Rafin. l. c. 10 = *L. formosa*.

**TAUOSTALIX**, Reichb. f. in Bot. Zeit. x. (1852) 933

= **Bulbophyllum**, Thou. (Orchid.).  
*herminiostachys*, Reichb. f. l. c. = *B. herminiostachys*.

**TAURRETTIA**, Raeusch. Nom. ed. III. 176 (1797),

sphalm. = **Tourrettia**, Juss. (Bignon.).

**TAUSCHERIA**, Fisch. Hort. Gorenk. ed. II. (1812)

49; et ex DC. Syst. ii. 563 (1821). *CRUCI-*  
*FERAE*, Benth. & Hook. f. i. 94.  
*desertorum*, Ledeb. Ic. Pl. Fl. Ross. ii. 14. t. 139;  
Royle, Illustr. Bot. Himal. 72 = *lasiocarpa*.  
*gymnocarpa*, Fisch. Hort. Gorenk. ed. II. (1812) 49,  
nomen; et ex DC. Syst. ii. 564 = *lasiocarpa*.  
*lasiocarpa*, Fisch. l. c., nomen; et ex DC. l. c. 563.—  
Reg. Himal. et Casp.

**TAUSCHIA**, Preissler, in *Flora*, xi. (1828) 43 = **Horne-**

**mannia**, Vahl (Vaccin.).  
*hederaefolia*, Preissler, l. c. 44 = *H. martinicensis*.

**TAUSCHIA**, Schlecht. in Linnaea, ix. (1834) 607.

*UMBELLIFERAE*, Benth. & Hook. f. i. 882.  
Coulteri, A. Gray & Harv. ex A. Gray, in Bost. Journ.  
Nat. Hist. vi. (1850) 211.—Mexic.  
*nudicaulis*, Schlecht. in Linnaea, ix. (1834) 608.—  
Mexic.  
*texana*, A. Gray, in Bost. Journ. Nat. Hist. vi. (1850)  
211 = *Eulophus texanus*.

**TAVALLA**, Pers. Syn. ii. 633 (1807) = **TAFALLA**, Ruiz  
& Pav. = **Hedyosmum**, Sw. (Chloranth.).**TAVERNARIA**, Reichb. Consp. 152 (1828) = seq.**TAVERNIERA**, DC. Mém. Légum. 339. t. 52

(1825?). *LEGUMINOSAE*, Benth. & Hook. f. i. 510.  
*abyssinica*, A. Rich. Tent. Fl. Abyss. i. 206.—  
Afr. trop.  
*aegyptiaca*, Boiss. Diagn. Ser. I. ix. 113.—Aegypt.  
*cuneifolia*, Arn. in Nov. Act. Nat. Cur. xviii. i. (1836)  
332 = *nummularia*.  
*cyclophylla*, Hochst. ex Baker, in Oliver, Fl. Trop.  
Afr. ii. 141 = *Schimperi*.  
*ephedroides*, Jaub. & Spach, Illustr. i. 122 = *num-*  
*mularia*.  
*floribunda*, Schweinf. Beitr. Fl. Aethiop. 17 =  
*Schimperi*.  
*glabra*, Boiss. Diagn. Ser. I. ii. 90.—Persia.  
*glauca*, Edgew. in Journ. As. Soc. Beng. xvi. (1874)  
ii. 1214.—Arab.  
*gonoclada*, Jaub. & Spach, Illustr. i. 120 = *num-*  
*mularia*.  
*incana*, Boiss. Diagn. Ser. I. ii. 90 = *nummularia*.  
*lappacea*, DC. Prod. ii. 339.—Arab.  
*nummularia*, DC. Mém. Légum. 340.—Persia; Mesopot.;  
Ind. bor. occ.  
*persica*, Boiss. & Haussk. ex Boiss. Fl. Orient. ii. 509.  
—Persia.  
*Schimperi*, Jaub. & Spach, Illustr. v. 83. t. 474.—  
Abyss.  
*sericophylla*, Balf. f. in Proc. Roy. Soc. Edinb. xi.  
(1882) 510.—Ins. Socotra.  
*spartea*, DC. Prod. ii. 339 = *nummularia*.  
*Stocksii*, Boiss. Fl. Orient. ii. 509.—Beluchist.

**TAVOMYTA**, Vitm. Summa Pl. vi. 70 (1792), sphalm.  
= **Tovomita**, Aubl. (Guttif.).**TAXANTHEMA**, Neck. Elem. i. 115 (1790) = **Statice**,  
Linn. (Plumbag.).

*aegyptiaca*, Sweet, Hort. Brit. ed. I. 333 = *S. Thouini*.  
*alata*, Sweet, l. c. = *S. Thouini*.  
*attenuata*, R. Br. in Salt, Abyss. App. 64 = *S. at-*  
*tenuata*.  
*auriculaefolia*, Sweet, Hort. Brit. ed. I. 332 =  
*S. auriculaefolia*.  
*australis*, R. Br. Prod. 426 = *S. australis*.  
*bellidifolia*, Sweet, Hort. Brit. ed. I. 332 = *S. ocymi-*  
*folia*.  
*caroliniana*, Sweet, l. c. = *S. Limonium*.  
*caspia*, Sweet, l. c. = *S. caspia*.  
*conspicua*, Sweet, l. c. 333 = *S. speciosa*.  
*cordata*, Sweet, l. c. 332 = *S. cordata*.  
*dichotoma*, Sweet, l. c. 333 = *S. dichotoma*.  
*echioides*, Sweet, l. c. = *S. rorida*.  
*elata*, Sweet, l. c. 332 = *S. elata*.  
*emarginata*, Sweet, l. c. = *S. emarginata*.  
*ferulacea*, Sweet, l. c. 333 = *S. ferulacea*.  
*flexuosa*, Sweet, l. c. = *S. flexuosa*.  
*globulariaefolia*, Sweet, l. c. 332 = *S. globulariae-*  
*folia*.  
*Gmelini*, Sweet, l. c. = *S. Gmelini*.  
*graminifolia*, Sweet, l. c. = *S. graminifolia*.  
*incana*, Sweet, l. c. = *S. incana*.  
*latifolia*, Sweet, l. c. = *S. latifolia*.  
*Limonium*, Sweet, l. c. = *S. Limonium*.  
*macrophylla*, Sweet, l. c. 333 = *S. macrophylla*.  
*minuta*, Sweet, l. c. = *S. minuta*.  
*monopetala*, Sweet, l. c. = *Limonium* articulata.  
*mucronata*, Sweet, l. c. = *S. mucronata*.  
*oleaefolia*, Sweet, l. c. 332 = *S. virgata*.  
*pectinata*, Sweet, l. c. 333 = *S. pectinata*.  
*purpurata*, Sweet, l. c. 332 = *S. purpurata*.  
*reticulata*, Sweet, l. c. 333 = *S. reticulata*.  
*scabra*, Sweet, l. c. 332 = *S. scabra*.  
*Scoparia*, Sweet, l. c. = *S. Gmelini*.  
*sinuata*, Sweet, l. c. 333 = *S. sinuata*.  
*spathulata*, Sweet, l. c. 332 = *S. spathulata*.  
*speciosa*, Sweet, l. c. 333 = *S. speciosa*.  
*suffruticosa*, Sweet, l. c. = *S. suffruticosa*.  
*tatarica*, Sweet, l. c. = *S. tatarica*.  
*tetragona*, Sweet, l. c. 332 = *S. tetragona*.  
*Thouini*, Sweet, l. c. 333 = *S. Thouini*.  
*viminea*, Sweet, l. c. = *S. virgata*.  
*virgata*, Sweet, l. c. = *S. virgata*.  
*Willdenowiana*, Sweet, l. c. 332 = *S. Willdenovii*.

**TAXODIUM**, Rich. in Ann. Mus. Par. xvi. (1810) 298. *CONIFERAE*, Benth. & Hook. f. iii. 429. CUPRESSINATA, [Nelson], Senilis, Pinaceae, 61 (1866).

GLYPTOSTROBUS, Endl. Syn. Conif. 69 (1847). SCHUBERTIA, Mirb. in Nouv. Bull. Soc. Philom. iii. (1812) 123.

*ascendens*, Brongn. in Ann. Sc. Nat. Sér. I. xxx. (1833) 182 = distichum.

*capense*, Hort. ex Endl. Syn. Conif. 32 = Callitris arborea. *denudatum*, Hort. ex Carr. Conif. ed. II. 182 = distichum.

*distichum*, H. B. & K. Nov. Gen. et Sp. ii. 4 = mucronatum.

*distichum*, Rich. in Ann. Mus. Par. xvi. (1810) 298. —Am. bor.

*fastigiatum*, Hort. ex Carr. Conif. ed. I. 145 = distichum.

*giganteum*, Hort. ex Carr. l. c. 164 = Sequoia sempervirens.

*giganteum*, Kellogg & Behr, in Proc. Calif. Acad. ed. II. i. (1873) 51 = Sequoia gigantea.

*heterophyllum*, Brongn. in Ann. Sc. Nat. Sér. I. xxx. (1833) 184. —China.

*Horsfieldii*, Knight, ex Carr. Conif. ed. I. 478 = Podocarpus cupressina.

*Hugeli*, Laws. ex Gord. Pinet. 307 = mucronatum.

*imbricatum*, Hort. ex Carr. Conif. ed. II. 181 = distichum.

*japonicum*, Brongn. in Ann. Sc. Nat. Sér. I. xxx. (1833) 183 = Cryptomeria japonica.

*japonicum*, Dehnhardt, ex Gord. Pinet. 89 = heterophyllum.

*juniperoides*, Rich. ex Steud. Nom. ed. II. ii. 664 = Callitris arborea.

*Knightii*, Hort. ex C. Koch, Dendrol. ii. ii. 198 = distichum.

*mexicanum*, Carr. Conif. ed. I. 147 = mucronatum.

*microphyllum*, Brongn. in Ann. Sc. Nat. Sér. I. xxx. (1833) 182 = distichum.

*Montezumae*, Decne. in Bull. Soc. Bot. Fr. i. (1854) 71 = mucronatum.

*mucronatum*, Tenore, in Ann. Sc. Nat. Sér. III. xix. (1853) 355. —Mexic.

*nucifera*, Brongn. ex Gord. Pinet. ed. II. 126 = heterophyllum.

*nutkaense*, Lamb. ex Endl. Syn. Conif. 198 = Sequoia sempervirens?

*pinnatum*, Hort. ex Carr. Conif. ed. I. 147 = mucronatum.

*sempervirens*, Lamb. Pin. 114; ed. II. 107 = Sequoia sempervirens.

*sinense*, Forbes, Pinet. Woburn. 179 = heterophyllum.

*sinense*, Nois. ex Gord. Pinet. 309 = distichum.

*Washingtonianum*, Winslow, in Calif. Farm. (Sept. 1854); ex Hook. Kew Journ. vii. (1855) 29 = Sequoia gigantea.

**TAXOTROPHIS**, Blume, Mus. Bot. Lugd. Bat. ii. 77. t. 26 (1852) [1856]. *URTICACEAE*, Benth. & Hook. f. iii. 358.

DIPLOCOS, Bur. in DC. Prod. xvii. 215 (1873).

TOXOTROPHIS, Planch. in DC. l. c. 208 (1873).

*javanica*, Blume, Mus. Bot. Lugd. Bat. ii. 77. —Java.

*microphylla*, F. Muell. Fragm. vi. 193 (= *Epicarpurus microphyllus*). —N. Zel.

*rectinervis*, F. Muell. l. c. 192 = Aphananthe philippinensis.

*Roxburghii*, Blume, Mus. Bot. Lugd. Bat. ii. 78. —Ind. or.; Malaya.

*zeylanica*, Thw. Enum. Pl. Zeyl. 264. —Zeylan.

**TAXUS**, [Tourn.] Linn. Syst. ed. I (1735). *CONIFERAE*, Benth. & Hook. f. iii. 431.

VERATAXUS, [Nelson], Senilis, Pinaceae, 168 (1866). adpressa, Hort. ex Lindl. & Gord. in Journ. Hort. Soc. v. (1850) 227. —Japon.

*aurea*, Hort. ex C. Koch, Dendrol. ii. ii. 93 = baccata.

*baccata*, Hook. Fl. Bor. Am. ii. 167, partim = brevifolia.

*baccata*, Linn. Sp. Pl. 1040. —Reg. bor. temp.

*baccata*, Thunb. Fl. Jap. 275 = Cephalotaxus drupacea.

*Bourcierii*, Carr. in Rev. Hort. Sér. IV. iii. (1854) 228 = brevifolia.

*brevifolia*, Hort. ex Gord. Pinet. 310 = adpressa.

**TAXUS**—

*brevifolia*, Nutt. N. Am. Sylva, iii. 86. —Am. bor. occ.

*canadensis*, Bigel. in Pacif. Rail. Rep. iv. 25 = brevifolia.

*canadensis*, Willd. Sp. Pl. iv. 856. —Am. bor.

*capensis*, Lam. Encyc. iii. 229 = Podocarpus elongata.

*chinensis*, Roxb. Hort. Beng. 73 = Podocarpus chinensis.

*columnaris*, Hort. ex C. Koch, Dendrol. ii. ii. 92 = baccata.

*contorta*, Griff. Notul. iv. 28 = baccata.

*coriacea*, Hort. ex Knight, Syn. Conif. 51 = Cephalotaxus drupacea.

*cuspidata*, Sieb. & Zucc. Fl. Jap. Fam. Nat. ii. 108. —Japon.

*disticha*, Wender. ex Henk. & Hochst. Syn. Nadelh. 354 = baccata.

*Dovastonii*, Hort. ex Carr. Conif. ed. I. 518 = baccata.

*elegantissima*, Hort. ex Carr. l. c. = baccata.

*elongata*, Ait. Hort. Kew. ed. I. iii. 415; Thunb. Prod. Pl. Cap. 117 = Podocarpus elongata.

*empetrifolia*, Hort. ex Gord. Pinet. ed. II. 390 = baccata.

*erecta*, Hort. ex Carr. Conif. ed. I. 518 = baccata.

*ericoides*, Hort. ex Carr. l. c. 519 = baccata.

*expansa*, Hort. ex C. Koch, Dendrol. ii. ii. 92 = baccata.

*falcata*, Thunb. Prod. Pl. Cap. 117 = Podocarpus falcata.

*fastigiata*, Lindl. & Gord. in Journ. Hort. Soc. v. (1850) 227 = baccata.

*floridana*, Nutt. N. Am. Sylva, iii. 92, in obs.; ed. II. ii. 155. —Florida.

*Fortunei*, Hort. ex Gord. Pinet. ed. II. 338 = Podocarpus koraiana.

*Foxii*, Hort. Angl. ex Carr. Conif. ed. I. 519 = baccata.

*globosa*, Schlecht. in Linnaea, xii. (1838) 496. —Mexic.

*Harringtonia*, Knight, ex Forbes, Pinet. Woburn. 217 = Cephalotaxus pedunculata.

*hibernica*, Hook. ex Loud. Arbor. iv. 2066 = baccata.

*horizontalis*, Hort. ex Carr. Conif. ed. I. 518 = baccata.

*imperialis*, Hort. ex Gord. Pinet. 312 = baccata.

*Inukaja*, Knight, Syn. Conif. 51 = Cephalotaxus pedunculata.

*Jacksonii*, Hort. ex C. Koch, Dendrol. ii. ii. 93 = baccata.

*japonica*, Hook. ex Gord. Pinet. Suppl. 21 = Cephalotaxus drupacea.

*japonica*, Lodd. ex Gord. Pinet. 275 = Cephalotaxus pedunculata.

*Lambertiana*, Wall. Cat. n. 6056 = Abies Pindrow.

*lanceifolia*, Wikstr. in Vet. Acad. Handl. Stockh. (1827) 76 = Podocarpus coriacea.

*latifolia*, Thunb. Prod. Pl. Cap. 117 = Podocarpus Thunbergii.

*Lindleyana*, A. Murr. in Edinb. N. Phil. Journ. i. (Jan.-Apr. 1855) 294 = brevifolia.

*longifolia*, Hort. ex Gord. Pinet. 278 = Podocarpus macrophylla.

*lugubris*, Salisb. Prod. 396 = baccata.

*macrophylla*, Banks, ex Endl. Syn. Conif. 218 = Podocarpus Thunbergii.

*macrophylla*, Thunb. Fl. Jap. 276 = Podocarpus macrophylla.

*Makoya*, Forbes, Pinet. Woburn. 218 = Podocarpus macrophylla.

*marginata*, Hort. ex Carr. Conif. ed. I. 518 = baccata.

*Michellii*, Hort. ex Carr. l. c. ed. II. 736 = baccata.

*microphylla*, Hort. ex Gord. Pinet. 313 = baccata.

*Mitchelli*, Hort. ex Gord. l. c. = baccata.

*monstrosa*, Hort. ex Gord. l. c. = baccata.

*monstruosa*, Hort. ex Parl. in DC. Prod. xvi. ii. 501 = baccata.

*montana*, Humb. & Bonpl. ex Willd. Sp. Pl. iv. 857 = Podocarpus taxifolia.

*montana*, Nutt. N. Am. Sylva, iii. 92, in obs.; ed. II. ii. 155 = floridana.

*nana*, Hort. ex Parl. in DC. Prod. xvi. ii. 501 = baccata.

*nepalensis*, Jacquem. ex Parl. l. c. 500 = baccata.

*nucifera*, Hort. ex Parl. l. c. 439 = Glyptostrobos heterophyllus

*nucifera*, Linn. Sp. Pl. 1040 = Torreya nucifera.

**TAXUS**—

*nucifera*, Telfair, ex Steud. Nom. ed. II. ii. 664 = Podocarpus chinensis.

*nucifera*, Wall. Tent. Fl. Nep. 57. t. 44 = baccata.

*occidentalis*, Nutt. N. Am. Sylva, iii. t. 108 = brevifolia.

*orientalis*, Bertol. Misc. Bot. xxiv. 17 = baccata.

*parvifolia*, Wender. Conif. 42; ex Henck. & Hochst. Syn. Nadelh. 361 = adpressa.

*patagonica*, Hort. ex Gord. Pinet. 300 = Saxegothaea conspicua.

*pectinata*, Gilib. Exercit. ii. 417 = baccata.

*pendula*, Hort. ex Carr. Conif. ed. I. 518 = baccata.

*procumbens*, Lodd. Cat. (1836) 67; ex Loud. Arbor. iv. 2067 = canadensis.

*pyramidalis*, Hort. ex Carr. Conif. ed. I. 519 = baccata.

*recurvata*, Laws. ex Gord. Pinet. 313 = baccata.

*serratifolia*, Nois. ex Gord. Pinet. Suppl. 43 = Phyllocladus rhomboidalis.

*sinensis*, Knight, ex Gord. Pinet. Suppl. 21 = Cephalotaxus pedunculata.

*sparsifolia*, Loud. Encyc. Trees, 940 = baccata.

*spicata*, Domb. ex Mirb. in Mém. Mus. Par. xiii. (1825) 76 = Podocarpus andina.

*spinulosa*, Sm. in Rees, Cycl. xxxv. n. 7 = Podocarpus spinulosa.

*stricta*, Hort. ex Gord. Pinet. 312 = baccata.

*tardiva*, Laws. ex Gord. l. c. 310 = adpressa.

*tenuifolia*, Parl. in DC. Prod. xvi. ii. 509 = Podocarpus coriacea.

*tomentosa*, Thunb. Prod. Pl. Cap. 117 = Grubbia rosmarinifolia.

*umbraculifera*, Hort. ex Gord. Pinet. 312 = baccata.

*variegata*, Hort. ex Carr. Conif. ed. I. 518 = baccata.

*verticillata*, Thunb. Fl. Jap. 276 = Sciadopitys verticillata.

*virgata*, Wall. ex Gord. Pinet. 317 = baccata.

*Wallichiana*, Zucc. in Abh. Akad. Muench. iii. (1837-43) 803. t. 5 = baccata.

*Washingtoni*, Hort. ex Gord. Pinet. ed. II. 394 = canadensis.

**TAYOTUM**, Blanco, Fl. Filip. ed. I. (1837) 104; ed. II. 76 (1845). Genus dubium *APOCYNACEARUM*. —Cf. Benth. & Hook. f. ii. 690.

*ngirescens*, Blanco, l. c. ed. I. 105. —Ins. Philipp.

**TCHIHATCHEWIA**, Boiss. in Tchihat Asie Min. Bot. i. 292 (1860). *CRUCIFERAE*, Benth. & Hook. f. i. 93.

*isatidea*, Boiss. l. c. —Armenia.

**TECLEA**, Delile, in Ann. Sc. Nat. Sér. II. xx. (1843) 90 = *Toddalia*, Juss. (Rutac.).

*nobilis*, Delile, l. c. = *Toddalia nobilis*.

**TECMARSIS**, DC. Prod. v. 93 (1836) = *Pluchea*, Cass. (Compos.).

*Bojeri*, DC. l. c. —Madag.

**TECOMA**, Juss. Gen. 139 (1789). *BIGNONIACEAE*, Benth. & Hook. f. ii. 1044.

*ASTIANTHUS*, D. Don, in Edinb. Phil. Journ. ix. (1823) 262.

*CAMPSIDIUM*, Seem. in Ann. & Mag. Nat. Hist. Ser. III. x. (1862) 32.

*CAMPSIS*, Lour. Fl. Cochinch. 377 (1790).

*DENDROPHILA*, Zipp. ex Blume, Rumphia, iv. 34. t. 190 (1848).

*DUCOUDRAEA*, Bur. Monog. Bign. 49 (1864).

*KOKOSCHKINIA*, Turez. in Bull. Soc. Nat. Mosc. xxii. (1849) ii. 33.

*LEUCOXYLON*, Rafin. Sylva Tellur. 77 (1838).

*PANDOREA*, Spach, Hist. Vég. Phan. ix. (1840) 136.

*PLATOLARIA*, Rafin. Sylva Tellur. 78 (1838).

*STENOLOBUM*, D. Don, in Edinb. Phil. Journ. ix. (1823) 264.

*TECOMARIA*, Spach, Hist. Vég. Phan. ix. 137 (1840).

*TECOMELLA*, Seem. in Ann. & Mag. Nat. Hist. Ser. III. x. (1862) 30.

*actinophylla*, Griseb. Cat. Pl. Cub. 194. —Cuba.

*aesculifolia*, DC. Prod. ix. 221 = *Tabebuia aesculifolia*.

*Aesculus*, DC. l. c. 222. —Bras.

*africana*, G. Don, Gen. Syst. iv. 224 = *Bignonia africana*.



**TECOMA:—**

- alata*, DC. Rev. Bign. (1838) 24; et Prod. ix. 225 = *T. Guarume*.  
*alba*, Cham. in *Linnaea*, vii. (1832) 655.—Bras.  
*amboinensis*, Blume, *Rumphia*, iv. 35.—Ins. Amboin.  
*araliacea*, DC. Prod. ix. 221.—Bras.  
*atrovirens*, DC. l. c. 220.—Bras.  
*aurea*, DC. l. c. 222.—Bras.  
*australis*, R. Br. Prod. 471.—Austral.  
*austroraledonica*, Bur. in *Bull. Soc. Bot. Fr.* ix. (1862) 163.—N. Caled.  
*azaleaeflora*, H. B. & K. Nov. Gen. et Sp. iii. 142 = *rosaefolia*.  
*azaleaefolia*, G. Don, Gen. Syst. iv. 224, sphalm. = *praece*.  
*barbata*, DC. Prod. ix. 221.—Venezuela.  
*Barterii*, DC. l. c. 220.—Ind. occ.  
*bibracteolata*, Griseb. *Cat. Pl. Cub.* 193.—Cuba.  
*capensis*, Lindl. Bot. Reg. t. 1117.—Afr. austr.  
*Cariba*, Mart. in *Flora*, xxiv. (1841) II. Beibl. 14.—Bras.  
*Carianthera*, Mart. ex DC. Prod. ix. 225 (= *Lundia intermedia*).—Bras.  
*ceramensis*, Teijsm. & Binn. in *Tijdschr. Nederl. Ind.* xxv. (1863) 412.—Ins. Ceram.  
*chinensis*, C. Koch, Dendrol. ii. 1. 307 = *grandiflora*.  
*chrysantha*, DC. Prod. ix. 221.—Venezuela.  
*chrysotricha*, Mart. ex DC. l. c. 216.—Bras.  
*conspicua*, DC. l. c. 221.—Guian.  
*cuspidata*, Blume, *Rumphia*, iv. 35 = *Nyctocalos brunfelsiaeflorus*.  
*cyrtantha*, Mart. ex DC. Prod. ix. 218.—Bras.  
*Dendrophila*, Blume, *Rumphia*, iv. 35.—N. Guin.  
*digitata*, H. B. & K. Nov. Gen. et Sp. iii. 142.—Mexic.  
*diversifolia*, G. Don, Gen. Syst. iv. 225 = *australis*.  
*dubia*, Wright, in *Sauv. Fl. Cub.* 95.—Cuba.  
*elliptica*, DC. Prod. ix. 220.—Bras.  
*eximia*, Mig. in *Linnaea*, xxii. (1849) 803.—Bras.  
*flavescens*, Mart. ex DC. Prod. ix. 216 = *Tabebuia flavescens*.  
*floribunda*, A. Cunn. ex DC. Rev. Bign. (1838) 24; et Prod. ix. 225 = *australis*.  
*fulgens*, Mart. ex DC. Prod. ix. 222.—Bras.  
*fulva*, G. Don, Gen. Syst. iv. 224.—Peruv.; Bolivia.  
*fuscata*, DC. Prod. ix. 218 = *Tabebuia fuscata*.  
*Garrocha*, Hieron. in *Bol. Acad. Nac. Córdoba*, iv. (1881) 402.—Reg. Argent.  
*Gaudichaudi*, DC. Prod. ix. 223.—N. Granat.  
*glauca*, DC. l. c. = *undulata*.  
*grandiflora*, Loisel. *Herb. Amat.* v. t. 286.—China; Japon.  
*grandiflora*, Sweet, Hort. Brit. ed. I. 284 = *Aeschynanthus grandiflora*.  
*Guarume*, DC. Prod. ix. 224.—Peruv.  
*Guarume*, Hook. Bot. Mag. sub t. 4896, in adnot. = *valdiviana*.  
*Guayacan*, Seem. Bot. Voy. Herald, 180 = *Tabebuia Guayacan*.  
*haemantha*, Griseb. *Cat. Pl. Cub.* 194.—Cuba.  
*heptaphylla*, Mart. in *Flora*, xxiv. (1841) II. Beibl. 13, 14.—Bras.  
*heteropoda*, DC. Prod. ix. 219.—Peruv.  
*heterotricha*, DC. l. c. = *Tabebuia heterotricha*.  
*Hillii*, F. Muell. *Fragm.* x. 101.—Austral.  
*hirsuta*, DC. Prod. ix. 222.—Ind. or.  
*hirta*, Mart. ex DC. l. c. = *Bras.*  
*hypodictyon*, DC. l. c. 217.—Eras.  
*hypoleuca*, Wright, in *Sauv. Fl. Cub.* 94.—Cuba.  
*impetiginosa*, Mart. ex DC. Prod. ix. 218.—Bras.  
*incisa*, Sweet, Hort. Brit. ed. I. 284 = *stans*.  
*insignis*, Mig. *Stirp. Surin. Sel.* 122.—Guian.  
*Ipe*, Liai, Brés. 605 = *ochracea*, obtusata.  
*jasminoides*, Lindl. Bot. Reg. t. 2002; G. Don, Gen. Syst. iv. 225.—Austral.  
*lasianthera*, Mart. ex DC. Prod. ix. 180 = *Lundia cordata*.  
*lateriflora*, Mart. in *Flora*, xxiv. (1841) II. Beibl. 51 = *Cuspidaria lateriflora*.  
*Latrobei*, F. Muell. ex Teijsm. & Binn. Cat. Hort. Bog. 154, nomen.—Austral.?  
*lepidophylla*, Griseb. in *Mem. Am. Acad. N. S.* viii. (1862) 524.—Cuba.  
*lepidota*, DC. Prod. ix. 220.—Cuba.  
*leptophylla*, Blume, *Rumphia*, iv. 35.—N. Guin.  
*leucophlaeos*, Mart. ex DC. Prod. ix. 217.—Bras.  
*leucoxydon*, Mart. ex DC. l. c. 219.—Ind. occ.; Guian.  
*longiflora*, Griseb. *Cat. Pl. Cub.* 194.—Cuba.  
*longiflora*, Mart. ex DC. Prod. ix. 218 = *speciosa*.  
*loxensis*, Benth. Pl. Hartw. 354 = *Delostoma nervosum*.

**TECOMA:—**

- Maximiliani, Mart. ex DC. Prod. ix. 222.—Bras.  
*meonantha*, Sweet, Hort. Brit. ed. I. 284 = *australis*.  
*mexicana*, Mart. ex DC. Prod. ix. 218 = *Tabebuia mexicana*.  
*Meyeriana*, DC. l. c. 221.—Guian.  
*mirabilis*, Hort. ex Van Houtte, in *Fl. des Serres*, xx. (1874) 149 = *valdiviana*.  
*mollis*, H. B. & K. Nov. Gen. et Sp. iii. 144.—Mexic.  
*myriantha*, DC. Prod. ix. 220.—Bras.  
*myrtifolia*, Griseb. in *Mem. Am. Acad. N. S.* viii. (1862) 524.—Cuba.  
*nigricans*, Klotzsch, in *Schomb. Faun. Fl. Brit. Gui.* 1159, nomen.—Guian.  
*nodosa*, Griseb. in Goett. Abh. xix. (1874) 223 = *Tabebuia nodosa*.  
*Nyassae*, Oliver, in Hook. Ic. Pl. t. 1351.—Afr. trop.  
*obtusata*, DC. Prod. ix. 217.—Bras.  
*ochracea*, Cham. in *Linnaea*, vii. (1832) 653.—Bras.  
*ochracea*, Mart. ex DC. Prod. ix. 217 = *obtusata*.  
*ochroxantha*, Kunth & Bouché, Ind. Sem. Hort. Berol. (1847) 12 = *australis*.  
*Oxleyi*, A. Cunn. ex DC. Prod. ix. 225 = *australis*.  
*Pandorea*, Juss. ex Steud. Nom. ed. II. ii. 664 = *australis*.  
*parviflora*, Mart. ex DC. Prod. ix. 215 (= *Craterotecomia parviflora*).—Bras.  
*Patrisiana*, DC. l. c. 221.—Guian.  
*pentaphylla*, Juss. Gen. 139 = *Tabebuia pentaphylla*.  
*Petersii*, Klotzsch, in Peters, Reise Mossamb. Bot. 193, in obs. = *capensis*.  
*platyantha*, Griseb. *Fl. Brit. W. Ind.* 447.—Jamaic.  
*radicans*, Juss. Gen. 139.—Am. bor.  
*rosaefolia*, H. B. & K. Nov. Gen. et Sp. iii. 143.—Peruv.  
*rosea*, Bertol. Fl. Guatim. 25 = *Tabebuia rosea*.  
*Salzmanni*, DC. Prod. ix. 219.—Bras.  
*sambucifolia*, H. B. & K. Nov. Gen. et Sp. iii. 143 = *stans*.  
*sanguinea*, Wright, in *Sauv. Fl. Cub.* 96.—Cuba.  
*serratifolia*, G. Don, Gen. Syst. iv. 224.—Ind. occ.  
*setulosa*, Griseb. *Cat. Pl. Cub.* 193.—Cuba.  
*sinensis*, Spach, Hist. Vég. Phan. ix. 135 = *grandiflora*.  
*sorbifolia*, H. B. & K. Nov. Gen. et Sp. iii. 144 = *mollis*.  
*speciosa*, DC. ex Mart. in *Flora*, xxiv. (1841) II. Beibl. 13.—Bras.  
*spectabilis*, Planch. & Linden, ex Planch. in *Fl. des Serres*, ix. (1853-54) 233. t. 948.—Ind. occ.; Venezuela.  
*spiralis*, Wright, ex Griseb. *Cat. Pl. Cub.* 194.—Cuba.  
*splendida*, Spreng. Syst. ii. 834 = *Esterhazyia splendida*.  
*squamululosa*, DC. Prod. ix. 220.—Bras.  
*stans*, Griseb. in Goett. Abh. xxiv. (1879) 257 = *T. Garrocha*.  
*stans*, Juss. Gen. 139.—Am. bor. et austr.  
*suaveolens*, G. Don, Gen. Syst. iv. 224 = *Stereospermum suaveolens*.  
*subvernica*, DC. Prod. ix. 219.—Bras.  
*Tagliabuana*, Vis. in Att. Ist. Venet. Sc. Ser. III. iv. (1858-59) 135.—Hab.?  
*Thunbergi*, Carr. in Rev. Hort. (1876) 440.—Hab.?  
*toxophora*, Mart. in *Flora*, xxiv. (1841) II. Beibl. 15.—Bras.  
*trachycarpa*, Griseb. *Cat. Pl. Cub.* 192.—Cuba.  
*trichocalycina*, DC. Prod. ix. 221.—Bolivia.  
*triphylla*, Mart. ex DC. l. c. 215 = *Tabebuia triphylla*.  
*uliginosa*, Mart. ex DC. l. c. 212 = *Tabebuia uliginosa*.  
*umbellata*, Sond. in *Linnaea*, xxii. (1849) 562.—Bras.  
*undulata*, G. Don, Gen. Syst. iv. 223.—Oriens; Ind. bor. occ.  
*uspallatensis*, Mart. ex DC. Prod. ix. 235 = *Argylia uspallatensis*.  
*valdiviana*, Phil. in *Linnaea*, xxix. (1857-58) 14.—Chili.  
*velutina*, Lindl. in Gard. Chron. (1855) 820 = *stans vel mollis*?  
*venusta*, Lem. Hort. Univ. (Mai 1843) 1 = *Bignonia venusta*.  
*viminalis*, Hemsl. Biol. Centr. Am. Bot. ii. 497.—Mexic.  
*xylocarpa*, G. Don, Gen. Syst. iv. 225 = *Stereospermum xylocarpum*.  
*Zeyheri*, Regel, Cat. Pl. Hort. Aksakov. 138 (Quid?).—Hab.?
- TECOMARIA, Spach, Hist. Vég. Phan. ix. 137 (1840) = *Tecoma*, Juss. (Bignon.).  
*capensis*, Spach, l. c. = *Tecoma capensis*.  
*fulva*, Seem. in Journ. Bot. i. (1863) 19 = *Tecoma fulva*.

**TECOMARIA:—**

- Krebsii*, Klotzsch, in Peters, Reise Mossamb. Bot. 193, in obs. = *Tecoma capensis*.  
*Petersii*, Klotzsch, l. c. 192 = *Tecoma capensis*.  
*rosaefolia*, Seem. in Journ. Bot. i. (1863) 20 = *Tecoma rosaefolia*.  
TECOMELLA, Seem. in Ann. & Mag. Nat. Hist. Ser. III. x. (1862) 30 = *Tecoma*, Juss. (Bignon.).  
*Bulweri*, F. Muell. *Fragm.* iv. 147 = *Diplanthera tetraphylla*.  
*undulata*, Seem. in Ann. & Mag. Nat. Hist. Ser. III. x. (1862) 30 = *Tecoma undulata*.  
TECOPHILAEA, Bert. ex Colla, in Mem. Acc. Torin. xxxix. (1836) 19. t. 55. *HAEMODORACEAE*, Benth. & Hook. f. iii. 680.  
DISTREPTA, Miers, Trav. Chil. ii. 529 (1826), nomen prius.  
PHYGANTHUS, Poepp. & Endl. Nov. Gen. et Sp. ii. 71. t. 200 (1838).  
POEFFIGIA, Kunze, in Reichb. Consp. 212<sup>a</sup> (1828).  
*albida*, Miers, in Trans. Linn. Soc. xxiv. (1864) 505 = *violaeiflora*.  
*cyaneo-crocea*, Baker, in Journ. Linn. Soc. xvii. (1879) 496, sphalm. = seq.  
*cyanocrocus*, Leyb. in *Bonplandia*, x. (1862) 370.—Chili.  
*violaeiflora*, Bert. ex Colla, in Mem. Acc. Torin. xxxix. (1836) 20.—Chili.  
TECOPHILEA, Herb. Amaryll. 69 (1837) = *praece*.  
TECTICORNIA, Hook. f. in Benth. & Hook. f. Gen. iii. 65 (1880). *CHENOPODIACEAE*, Benth. & Hook. f. l. c.  
*cinerea*, Hook. f. l. c.—Austral.  
TECTONA, Linn. f. Suppl. 20, 151 (1781). *VERBENACEAE*, Benth. & Hook. f. ii. 1152.  
NAUTEA, Noronha, in Verh. Batav. Gen. v. (1790) ed. I. Art. iv. 3.  
THEKA, Adans. Fam. ii. 445 (1763).  
*grandis*, Linn. f. Suppl. 151.—Ind. or.; Burma.  
*Hamiltoniana*, Wall. Pl. As. Rar. iii. 68. t. 294.—Ind. or.  
*philippinensis*, Benth. & Hook. f. Gen. ii. 1152.—Ins. Philipp.  
*ternifolia*, Buch.-Ham. ex Wall. Pl. As. Rar. iii. 68 = *Hamiltoniana*.  
*Theca*, Lour. Fl. Cochinch. 137 = *grandis*.  
TECTONIA, Spreng. Anleit. ii. II. 893 (1818) = *praece*.  
TEEDIA, Rudolphi, in Schrad. Journ. ii. (1799) 288, 289. *SCROPHULARINEAE*, Benth. & Hook. f. ii. 936.  
BORCKHAUSENIA, Roth, Catalect. fasc. ii. 56 (1800).  
*lucida*, Rudolphi, in Schrad. Journ. ii. (1799) 228.—Afr. austr.  
*pubescens*, Burch. in Bot. Reg. t. 214.—Afr. austr.  
TEESDALEA, Aschers. Fl. Brandenb. 58 (1864) = seq.  
TEESDALIA, R. Br. in Ait. Hort. Kew. ed. II. iv. 83 (1812). *CRUCIFERAE*, Benth. & Hook. f. i. 92.  
FOLIS, Dulac, Fl. Hautes-Pyr. 190 (1867).  
GUELFINIA, Bast. Fl. Maine-et-Loire, Suppl. 35 (1812).  
*caulescens*, Holl, in Hook. Journ. Bot. i. (1834) 21 = *nudicaulis*.  
*Iberis*, DC. Syst. ii. 392 = *nudicaulis*.  
*irregularis*, S. F. Gray, Nat. Arr. Brit. Pl. ii. 693 = *nudicaulis*.  
*Lepidium*, DC. Syst. ii. 392 = *regularis*.  
*nudicaulis*, R. Br. in Ait. Hort. Kew. ed. II. iv. 83.—Europ.; Reg. Mediterr.  
*petraea*, Reichb. Fl. Germ. Excurs. 659 = *Hutchinsia petraea*.  
*regularis*, Sm. in Trans. Linn. Soc. xi. (1815) 286.—Reg. Mediterr.; As. Min.  
TEGANIUM, Schmid. Ic. Pl. 67. t. 18 (1747) = *Nolana*, Linn. (Convolv.).  
*procumbens*, Schmid. Ic. Pl. ed. Kell. (1762) 67 = *N. prostrata*.  
TEGANOCHARIS, Hochst. in Flora, xxiv. (1841) I. Intell. 42, sphalm. = *TENAGOCCHARIS*, Hochst. = *Butomopsis*, Kunth (Alismac.).

TEGNERIA, Lilja, Flora oefver Sver. Odl. Vext. 76 (1839) = *Calandrinia*, H. B. & K. (Portulac.). *discolor*, Lilja, l. c. 77 = *C. discolor*. *speciosa*, Lilja, l. c. 76 = *C. Menziesii*.

TEICHMEYERIA, Scop. Introd. 267 (1777) = *Gustavia*, Linn. (Myrtac.).

TEICHOSTEMMA, R. Br. in Salt, Abyss. App. 65 (1814) = *Vernonia*, Schreb. (Compos.). *fruticosum*, R. Br. l. c. = Abyss.

TEINOSOLEN, Hook. f. in Benth. & Hook. f. Gen. ii. 61 (1873). *RUBIACEAE*, Benth. & Hook. f. l. c. *grandiflora*, Hook. f. in *Herb. Kew.*—Bolivia. *macrosepala*, Hook. f. l. c. = Bolivia. *Pearcei*, Hook. f. l. c. = Bolivia.

TEINOSTACHYUM, Munro, in Trans. Linn. Soc. xxvi. (1868) 142. t. 3. *GRAMINEAE*, Benth. & Hook. f. iii. 1213. *attenuatum*, Munro, l. c. 143.—Ind. or. *Griffithii*, Munro, l. c. = Ind. or. *maculatum*, Trimen, in *Journ. Bot.* xxiii. (1885) 273.—Zeylan. *schizostachyoides*, Kurz, in *Journ. As. Soc. Beng.* xxxix. (1870) ii. 89 = *Melocanna* Kurzii. *Wightii*, Munro, ex *Bedd. Fl. Sylv.* ii. 233. t. 323.—Ind. or.

TEKTONA, Linn. f. Suppl. 20 (1781) = *Tectona*, Linn. f. (Verben.).

TELANTHERA, R. Br. in Tuckey, Congo, 477, in nota (1818). *AMARANTACEAE*, Benth. & Hook. f. iii. 38. *ADOKETON*, Rafin. New Fl. Am. i. 65 (1836). *AMARANTESIA*, Hort. ex Regel, Gartenfl. (1869) 102. *BRANDESIA*, Mart. Nov. Gen. et Sp. ii. 25. t. 125 (1826). *BUCHOLZIA*, Mart. l. c. 49. t. 147 (1826). *STEIREMIS*, Rafin. Fl. Tellur. iii. 40 (1836). *albida*, Moq. in *DC. Prod.* xiii. ii. 367.—Reg. Argent. *amoena*, Regel, Gartenfl. (1869) 101.—Bras. *andicola*, Moq. in *DC. Prod.* xiii. ii. 373.—Peruv. *angustata*, Anderss. *Eugenies* Resa, Bot. 61 = *strictiuscula*. *arenaria*, Casar. ex Seub. in *Mart. Fl. Bras.* v. i. 185 = *Alternanthera paronychioides*. *argentea*, Anderss. in *Vet. Akad. Handl. Stockh.* 1853 (1855) 168 = *echinocephala*. *Bettichiana*, Regel, *Ind. Sem. Hort. Petrop.* (1862) 28; *Gartenfl.* (1862) 178.—Bras. ? *brasiliensis*, Moq. in *DC. Prod.* xiii. ii. 382 = *Mogiphanes straminea*. *canescens*, Moq. l. c. 368.—Venezuela. *capituliflora*, Moq. l. c. 381.—N. Granat.; Peruv. *caracasana*, Moq. l. c. 370.—Venezuela. *cinerascens*, Moq. l. c. 372 = *mexicana*. *Crucis*, Moq. l. c. 362.—Ind. occ. *cyclophylla*, Seub. in *Mart. Fl. Bras.* v. i. 174.—Bras. *densiflora*, Moq. in *DC. Prod.* xiii. ii. 366.—Am. trop. *dentata*, Moq. l. c. 378 = *Mogiphanes brasiliensis*. *diffusa*, Moq. l. c. 382 = *Mogiphanes ramosissima*. *echinocephala*, Moq. l. c. 373.—Ins. Galapag. *elongata*, Moq. l. c. 372.—Bras. *eupatorioides*, Remy, in *C. Gay, Fl. Chil.* v. 223.—Chili. *fcoidea*, Moq. in *DC. Prod.* xiii. ii. 363.—Am. trop. *filifolia*, Moq. l. c. 368.—Ins. Galapag. *flavescens*, Moq. l. c. 382 = *Mogiphanes flavescens*. *flavicomma*, Anderss. in *Vet. Akad. Handl. Stockh.* 1853 (1855) 166.—Ins. Galapag. *floridana*, Chapm. Fl. S. U. St. 383.—Florida. *frutescens*, Moq. in *DC. Prod.* xiii. ii. 365.—Am. trop. *glaucescens*, Moq. l. c. 369.—Ins. Galapag. *glomerata*, Moq. l. c. 376 = *pubiflora*. *gomphrenoides*, Moq. l. c. 377.—Peruv. *gracilis*, Moq. l. c. 375.—Mexic. *grandifolia*, Moq. l. c. 376.—Mexic. *hirtula*, Moq. l. c. 380 = *Mogiphanes hirtula*. *junciflora*, Remy, in *C. Gay, Fl. Chil.* v. 224.—Chili.

VOL. II.

# TELANTHERA :—

*lanceolata*, Moq. in *DC. Prod.* xiii. ii. 371.—N. Granat. *longipes*, Moq. l. c. 370 = *Alternanthera longipes*. *lupulina*, Moq. l. c. 374.—Peruv. *luzuloides*, Moq. l. c. 378.—Bolivia. *manillensis*, Walp. in *Nov. Act. Nat. Cur.* xix. Suppl. i. (1848) 404 = *frutescens*. *maritima*, Moq. in *DC. Prod.* xiii. ii. 364.—Am. trop.; Afr. trop. *Martii*, Moq. l. c. 374.—Bras. *martinicensis*, Moq. l. c. 366.—Ins. Martinic. *mexicana*, Moq. l. c. 372.—Mexic. *Meyeriana*, Regel & Koern. *Ind. Sem. Hort. Petrop.* (1856) 24.—Peruv. *microcephala*, Moq. in *DC. Prod.* xiii. ii. 371.—Mexic. *minutiflora*, Seub. in *Mart. Fl. Bras.* v. i. 177.—Bras. *Moquini*, Webb, ex Moq. in *DC. Prod.* xiii. ii. 379 = *Mogiphanes villosa*. *multicaulis*, Moq. l. c. 380 = *Mogiphanes straminea*. *nana*, Moq. l. c. 374.—Peruv. *nodifera*, Moq. l. c. 367.—Reg. Argent. *nudicaulis*, Moq. l. c. 369.—Ins. Galapag. *obovata*, Moq. l. c. 370.—Mexic. *paniculata*, Moq. l. c. 377.—N. Granat. *paraguayensis*, Parodi, in *Anal. Soc. Cient. Argent.* v. (1878) 315; *Contrib.* 83.—Paraguay. *peruviana*, Moq. in *DC. Prod.* xiii. ii. 366.—Peruv. *philoxeroides*, Moq. l. c. 362.—Bras. *picta*, C. Koch, *Wochenschr.* ix. (1866) 15 = *Bettichiana*. *polygonoides*, Moq. in *DC. Prod.* xiii. ii. 363.—Am. trop. *polygonoides*, Seem. *Bot. Voy. Herald*, 407 = *Alternanthera sessilis*. *porrigens*, Moq. in *DC. Prod.* xiii. ii. 377.—Peruv. *praelonga*, Moq. l. c. 369.—Bras. *puberula*, Moq. l. c. 372.—Bras. *pubiflora*, Moq. l. c. 375.—Am. trop. *pungens*, Moq. l. c. 371 = *Alternanthera achyrantha*. *pyncantha*, Moq. l. c. 376.—Mexic. *ramosissima*, Moq. l. c. 381 = *Mogiphanes ramosissima*. *Regelii*, Seub. in *Mart. Fl. Bras.* v. i. 177.—Bras. *rufa*, Moq. in *DC. Prod.* xiii. ii. 375.—Bras. *serpyllifolia*, Moq. l. c. 373.—Ind. occ. *strictiuscula*, Anderss. in *Vet. Akad. Handl. Stockh.* 1853 (1855) 166.—Ins. Galapag. *strigosa*, Moq. in *DC. Prod.* xiii. ii. 370.—Java. *tomentosa*, Moq. l. c. 380.—Peruv. *truxillensis*, Moq. l. c. 367.—Peruv. *versicolor*, Regel, *Ind. Sem. Hort. Petrop.* (1868) 83.—Bras. *vestita*, Anderss. in *Vet. Akad. Handl. Stockh.* 1853 (1855) 169.—Ins. Galapag. *villosa*, Moq. in *DC. Prod.* xiii. ii. 379.—Peruv. *virgata*, Moq. l. c. 382 = *Mogiphanes straminea* ?

TELEIANDRA, Nees & Meyen, in *Linnaea*, viii. (1833) 46 = *Ocotea*, Aubl. (Laurin.). *glauca*, Nees & Meyen, l. c. (= *Oreodaphne Teleiandra*).—Bras.

TELEIANTHERA, Endl. Gen. 301 (1837) = *Telanthera*, R. Br. (Amarant.).

TELEKIA, Baumg. Enum. Stirp. Transs. iii. 149 (1816) = *Bupthalmum*, Linn. (Compos.). *africana*, Hook. f. in *Journ. Linn. Soc.* vii. (1864) 201 = *Anisoppapus africanus*. *cordifolia*, DC. Prod. v. 485 = *B. speciosum*. *ovata*, C. Koch, in *Linnaea*, xxiii. (1850) 712 = *B. speciosum*. *speciosa*, Baumg. Enum. Stirp. Transs. iii. 150 = *B. speciosum*. *speciosissima*, DC. Prod. v. 485 = *B. speciosissimum*.

TELELOPHUS, Dulac, Fl. Hautes-Pyr. 353 (1867) = *Seseli*, Linn. (Umbell.). *tenuifolius*, Dulac, l. c. (= *Dethawia tenuifolia*).—Mont. Pyren.

TELEPHIASTRUM, Medic. Phil. Bot. i. 100 (1789) = *Anacampseros*, Linn. (Portulac.).

TELEPHIOIDES, Tourn. ex Moench, Meth. Suppl. 310 (1802) = *Andrachne*, Linn. (Euphorb.). *procumbens*, Moench, l. c. = *A. Telephioides*.

TELEPHIUM, Tourn. ex Linn. Syst. ed. I (1735). *FICOIDEAE*, Benth. & Hook. f. i. 857.

*MEROPHRAGMA*, Dulac, Fl. Hautes-Pyr. 365 (1867). *album*, *Gueldenst. Reise*, ii. 209.—Ross. *alternifolium*, DC. Prod. iii. 366, sphalm. = *oppositifolium*. *alternifolium*, Moench, Meth. 231 = *Imperati*. *glandulosum*, Bertol. *Misc. Bot.* i. 18.—Assyria. *Imperati*, Linn. *Sp. Pl.* 271.—Reg. Mediterr.; Oriens. *laxiflorum*, DC. Prod. iii. 366 = *Orygia decumbens*. *madagascariense*, Baker, in *Journ. Linn. Soc.* xxi. (1844) 347.—Madag. *maximum*, Eichw. Skizze, 159 = *Sedum maximum*. *oligospermum*, Steud. ex Boiss. *Fl. Orient.* i. 754.—Kurdist. *oppositifolium*, Linn. *Sp. Pl.* ed. II. 388.—Afr. bor. *orientale*, Boiss. *Diagn. Ser.* I. x. 11 = *Imperati*. *purpureum*, Eichw. Skizze, 159 = *Sedum Telephium*. *repens*, Lam. Fl. Fr. iii. 71 = *Imperati*. *sphaerospermum*, Boiss. *Diagn. Ser.* I. iv. 12.—Aegypt.; Arab. *triphylum*, Eichw. Skizze, 159 = *Sedum Telephium*.

TELESIA, Rafin. Fl. Tellur. ii. 41 (1836) = *Zexmenia*, La Llave (Compos.). *aurea*, Rafin. l. c. = *Z. aurea*.

TELESILLA, Klotzsch, in Schomb. Faun. Fl. Brit. Gui. 1083 (1848), nomen. *ASCLEPIADEAE*. *cynanchioides*, Klotzsch, l. c. = Guian.

TELESMIA, Rafin. Alsog. Am. 15 (1838) = *Salix*, Tourn. *hermaphrodita*, Rafin. l. c. = *S. pentandra*.

TELESONIX, Rafin. Fl. Tellur. ii. 69 (1836) = *Saxifraga*, Tourn. *Jamesi*, Rafin. l. c. = *S. Jamesii*.

TELESTRIA, Rafin. Sylva Tellur. 122 (1838) = *Bauhinia*, Linn. (Legumin.). *purpurea*, Rafin. l. c. = *B. purpurea*. *racemosa*, Rafin. l. c. = *B. racemosa*.

TELFAIRIA, Hook. Bot. Mag. t. 2751–2752 (1827). *CUCURBITACEAE*, Benth. & Hook. f. i. 821. *AMPELOSIKYOS*, Thou. Hist. Vég. Isles Afr. Austr. 68. t. 22 (1807). *JOLIFFIA*, Boj. ex Delile, in *Mém. Soc. Hist. Nat. Par.* iii. (1827) 314. t. 6. *occidentalis*, Hook. f. in *Oliver, Fl. Trop. Afr.* ii. 524.—Afr. trop. *pedata*, Hook. Bot. Mag. t. 2751–2752.—Afr. trop.

TELFAIRIA, Newm. ex Hook. Bot. Misc. i. (1830) 291 = *Buettneria*, Loefl. *volubilis*, Newm. ex Hook. l. c. = *B. heterophylla*.

TELINA, E. Mey. Comm. Pl. Afr. Austr. 67 (1835) = *Lotononis*, Eckl. & Zeyh. (1836) (Legumin.). *angustifolia*, E. Mey. l. c. 70 = *L. angustifolia*. *brevifolia*, Eckl. & Zeyh. ex Drège, in *Linnaea*, xix. (1847) 639.—Afr. austr. *Capnitidis*, E. Mey. Comm. Pl. Afr. Austr. 69 = *L. Capnitidis*. *cytisoides*, E. Mey. l. c. 68 = *L. cytisoides*. *erocarpha*, E. Mey. l. c. = *L. cytisoides*. *excisa*, E. Mey. l. c. 70 = *L. prostrata*. *genuflexa*, E. Mey. l. c. 69 = *L. genuflexa*. *heterophylla*, E. Mey. l. c. = *L. azurea*. *prostrata*, E. Mey. l. c. = *L. prostrata*. *striata*, E. Mey. l. c. 68 = *L. carnosia*. *varia*, E. Mey. l. c. 70 = *L. varia*. *villosa*, E. Mey. l. c. = *L. villosa*.

TELINARIA, Presl, Bot. Bemerk. 49 (1844); in Abh. Boehm. Ges. V. iii. (1845) 566 = *Cytisus*, Linn. (Legumin.). *acanthoclada*, Presl, l. c. 136 = *Genista acanthoclada*. *albida*, Presl, l. c. = *Genista albida*. *anglica*, Presl, l. c. = *Genista anglica*. *aprutia*, Presl, l. c. = *Genista Michellii* ? *aspalathoides*, Presl, l. c. = *Genista aspalathoides*. *biflora*, Presl, l. c. = *C. Fontanesii*. *canariensis*, Presl, l. c. 49 = *C. canariensis*. *candicans*, Presl, l. c. = *C. candicans*. *cinerea*, Presl, l. c. 136 = *Genista cinerea*. *congesta*, Presl, l. c. 49 = *Genista congesta*. *Cumingii*, Presl, l. c. 136 = *Anarthrophyllum Cumingii*.

## TELINARIA :—

- florida*, Presl, Bot. Bemerck. 136 = *Genista florida*.  
*Friedrichsthaliana*, Presl, l. c. = *Genista acanthoclada*.  
*hispanica*, Presl, l. c. = *Genista hispanica*.  
*holopetala*, Presl, l. c. = *Genista radiata*.  
*horrida*, Presl, l. c. = *Genista horrida*.  
*humifusa*, Presl, l. c. = *Genista humifusa*.  
*linifolia*, Presl, l. c. 49 = *Cytisus linifolius*.  
*Lobelii*, Presl, l. c. 136 = *Genista aspalathoides*.  
*pilosa*, Presl, l. c. = *Genista pilosa*.  
*radiata*, Presl, l. c. 135 = *Genista radiata*.  
*ramosissima*, Presl, l. c. 49 = *C. canariensis*.  
*rosmarinifolia*, Presl, l. c. = *C. rosmarinifolius*.  
*sagittalis*, Presl, l. c. 136 = *Genista sagittalis*.  
*Salsmanni*, Presl, l. c. 49 = *Genista aspalathoides*.  
*sericea*, Presl, l. c. 136 = *Genista sericea*.  
*stenopetala*, Presl, l. c. 49 = *Genista stenopetala*.  
*triquetra*, Presl, l. c. = *Genista triquetra*, L'Herit.  
*umbellata*, Presl, l. c. 135 = *Genista umbellata*.  
*virgata*, Presl, l. c. 49 = *Genista virgata*.

TELINE, Medic. in Vorles. Churpf. Phys. Ges. ii. (1787) 342; Phil. Bot. i. 203 (1789) = **Cytisus**, Linn. (Legumin.).

- canariensis*, Webb & Berth. Phyt. Canar. ii. 37 = *C. canariensis*.  
*candicans*, Medic. Phil. Bot. i. 203 = *C. candicans*.  
*candidum*, Steud. Nom. ed. II. ii. 665, sphalm. = *praec.*  
*congesta*, Webb & Berth. Phyt. Canar. ii. 40 = *Genista congesta*.  
*linifolia*, Webb & Berth. l. c. 41 = *C. linifolius*.  
*maderensis*, Webb & Berth. l. c. 37 = *C. maderensis*.  
*medicagioides*, Medic. in Vorles. Churpf. Phys. Ges. ii. (1787) 342 = *C. candicans*?  
*monspessulana*, C. Koch, Dendrol. i. 30 = *C. monspessulana*.  
*ramosissima*, Webb & Berth. Phyt. Canar. ii. 38 = *C. canariensis*.  
*rosmarinifolia*, Webb & Berth. l. c. 43. t. 44 = *C. rosmarinifolius*.  
*stenopetala*, Webb & Berth. l. c. 39. t. 45 = *Genista stenopetala*.

TELIOSTACHYA, Nees, in Mart. Fl. Bras. ix. 71. t. 8 (1847) = **Lepidagathis**, Willd. (Acanth.).

- alopecuroidea*, Nees, in DC. Prod. xi. 263 = *L. alopecuroidea*.  
*alopecuroides*, Nees, l. c. 262 = *praec.*  
*cataractae*, Nees, in Mart. Fl. Bras. ix. 72. —Bras.  
*diffusa*, Nees, l. c. —Bras.  
*hyssopifolia*, Benth. in Hook. Niger Fl. 481 = *L. hyssopifolia*.  
*laguroidea*, Nees, in DC. Prod. xi. 264 = *L. laguroidea*.  
*lanceolata*, Nees, in Mart. Fl. Bras. ix. 74. —Bras.  
*lopecuroidea*, Nees, l. c. 72, sphalm. = *L. alopecuroidea*.  
*microcarpa*, Nees, l. c. 73. —Bras.

TELIPODUS, Rafin. Fl. Tellur. iii. 66 (1836) = **Philo-dendron**, Schott (Aroid.).

- grandifolius*, Rafin. l. c. = *P. Simsii*.

TELIPOGON, H. B. & K. Nov. Gen. et Sp. i. 335. t. 75. (1815). **ORCHIDEAE**, Benth. & Hook. f. iii. 587.

- Alberti, *Reichb. f. in Linnaea*, xli. (1877) 27. —N. Granat.  
*andicola*, *Reichb. f. in Bonplandia*, iii. (1855) 239. —Ecuador.  
*angustifolius*, H. B. & K. Nov. Gen. et Sp. i. 336. t. 75. —N. Granat.; Venezuela.  
*antioquiensis*, *Reichb. f. in Linnaea*, xli. (1877) 72. —N. Granat.  
*Astroglossus*, *Reichb. f. Xenia Orch.* i. 16. t. 7 = *Trichoceros Astroglossus*.  
*asuayanus*, *Reichb. f. in Linnaea*, xli. (1877) 71. —Ecuador.  
*aureus*, *Lindl. in Benth. Pl. Hartw.* 150. —Ecuador.  
*auritus*, *Reichb. f. in Linnaea*, xli. (1877) 69. —N. Granat.  
*Benedicti*, *Reichb. f. l. c. 3.* —Bolivia.  
*Boissierianus*, *Reichb. f. in Bonplandia*, iv. (1856) 213. —Peruv.  
*Bowmani*, *Reichb. f. in Linnaea*, xli. (1877) 69. —N. Granat.  
*Bruchmuelleri*, *Reichb. f. l. c. 28.* —N. Granat.  
*chrysocrates*, *Reichb. f. l. c. 4.* —N. Granat.  
*Croesus*, *Reichb. f. l. c. 70.* —N. Granat.

## TELIPOGON :—

- dendriticus*, *Reichb. f. Otia Bot. Hamb.* 6. —Ecuador.  
*dubius*, *Reichb. f. in Linnaea*, xli. (1877) 104. —N. Granat.  
*falcatus*, *Linden & Reichb. f. in Bonplandia*, ii. (1854) 280. —N. Granat.  
*felinus*, *Reichb. f. in Linnaea*, xli. (1877) 4. —Venezuela.  
*Fritillum*, *Reichb. f. & Warsz. in Bonplandia*, ii. (1854) 101. —Peruv.  
*Gustavi*, *Reichb. f. in Linnaea*, xli. (1877) 105. —N. Granat.  
*gymnoste*, *Reichb. f. l. c. 70.* —Peruv.  
*Hartwegii*, *Reichb. f. Otia Bot. Hamb.* 6. —Ecuador.  
*hastatus*, *Reichb. f. in Linnaea*, xli. (1877) 69. —N. Granat.  
*Hausmanni*, *Reichb. f. l. c. 70* = seq.  
*Hausmannianus*, *Reichb. f. in Bonplandia*, ix. (1861) 213. —N. Granat.  
*hemimelas*, *Reichb. f. in Linnaea*, xli. (1877) 72. —N. Granat.  
*ionopogon*, *Reichb. f. l. c. 27.* —Ecuador.  
*Klotzscheanus*, *Reichb. f. in Linnaea*, xxii. (1849) 851. —N. Granat.  
*latifolius*, H. B. & K. Nov. Gen. et Sp. i. 336. —Peruv.  
*latifolius*, *Lindl. Orch. Linden.* 23 = *Hausmannianus*.  
*macroglossus*, *Reichb. f. in Linnaea*, xli. (1877) 71. —Ecuador.  
*muscaeus*, *Reichb. f. l. c. 3.* —N. Granat.  
*nitens*, *Reichb. f. l. c. 4.* —N. Granat.  
*obovatus*, *Lindl. Bot. Reg.* (1847) sub t. 27. —Peruv.  
*pachensis*, *Reichb. f. in Linnaea*, xli. (1877) 105. —N. Granat.  
*pamplonensis*, *Reichb. f. Xenia Orch.* i. 232. —N. Granat.  
*Papilio*, *Reichb. f. & Warsz. in Bonplandia*, ii. (1854) 101. —Peruv.  
*Patini*, *Reichb. f. in Linnaea*, xli. (1877) 70. —N. Granat.  
*pogonostalis*, *Reichb. f. l. c. 72.* —Ecuador.  
*polymerus*, *Reichb. f. l. c. 4.* —N. Granat.  
*polyrrhizus*, *Reichb. f. Otia Bot. Hamb.* 6. —Ecuador.  
*pulcher*, *Reichb. f. in Linnaea*, xli. (1877) 105. —N. Granat.  
*radiatus*, *Reichb. f. l. c. 70.* —Peruv.  
*Roelzii*, *Reichb. f. l. c. 4.* —Venezuela.  
*tesselatus*, *Lindl. in Benth. Pl. Hartw.* 150. —Peruv.  
*Wallisii*, *Reichb. f. in Linnaea*, xli. (1877) 104. —N. Granat.  
*Warszewiczii*, *Reichb. f. Xenia Orch.* i. 231 (Warszewiczii). —Ecuador.  
*zephyrinus*, *Reichb. f. in Linnaea*, xli. (1877) 71. —N. Granat.

TELIS, Linn. Syst. ed. I (1735) = **Trigonella**, Linn. (Legumin.).TELLIMA, R. Br. in Frankl. Narr. 1st Journ. App. 765, in obs. (1823). **SAXIFRAGEAE**, Benth. & Hook. f. i. 637.

- LITHOFRAGMA*, Nutt. in Journ. Acad. Philad. vii. (1834) 26.  
*LITHOPHRAGMA*, Torr. & Gray, Fl. N. Am. i. 583 (1840).  
*PLEURENDOTRIA*, Rafin. Fl. Tellur. ii. 73 (1836).  
*affinis*, A. Gray, in Bot. Calif. i. 193. —Am. bor. occ.  
*Bolanderi*, A. Gray, l. c. —Calif.  
*Cymbalaria*, *Steud. Nom. ed. II. ii. 665; Walp. Rep.* ii. 372. —Am. bor. occ.  
*glabra*, *Steud. Nom. l. c.; Walp. l. c. 371* = *tenella*.  
*grandiflora*, R. Br. in Frankl. Narr. 1st Journ. App. 765, in obs.; *Dougl. ex Lindl. Bot. Reg.* t. 1178. —Am. bor. occ.  
*heterophylla*, Hook. & Arn. Bot. Beech. Voy. 346. —Calif.  
*parviflora*, Hook. Fl. Bor. Am. i. 289. t. 78 A. —Am. bor. occ.  
*tenella*, *Steud. Nom. ed. II. ii. 665; Walp. Rep.* ii. 371. —Am. bor. occ.

TELMATOPHACE, Schleid. in Linnaea, xiii. (1839) 391 = **Lemna**, Linn.

- arrhiza*, Schur, in Verh. Siebenb. Ver. Naturw. iv. (1853) 70 = *L. gibba*.  
*cylindracea*, Welw. ex Hegelm. Lemnaceen, 123 = *Wolffia cylindracea*.

## TELMATOPHACE :—

- gibba*, Schleid. in Linnaea, xiii. (1839) 391 = *Lemna gibba*.  
*gibbosa*, Montand. Guide Bot. 308 = *L. gibba*.  
*orbicularis*, Schur, in Verh. Siebenb. Ver. Naturw. iv. (1853) 70 = *L. polyrrhiza*.  
*polyrrhiza*, Godr. Fl. Lorr. ed. I. iii. 18; ed. II. ii. 327 = *L. polyrrhiza*.  
*transsilvanica*, Schur, Enum. Pl. Transs. 635 = *L. polyrrhiza*.

TELMATOPHILA, Ehrh. Beitr. iv. 147 (1789) = **Scheuchzeria**, Linn. (Naiad.).TELMATOPHILA, Mart. ex Baker, in Mart. Fl. Bras. vi. ii. 170 (1873). **COMPOSITAE**, Benth. & Hook. f. ii. 236.  
*Scolymastrum*, Mart. ex Baker, l. c. —Bras.TELMATOPHACE, Ball. in Journ. Linn. Soc. xvi. (1878) 685, sphalm. = **TELMATOPHACE**, Schleid. = **Lemna**, Linn.TELMINOSTELMA, Fourn. in Mart. Fl. Bras. vi. iv. 218 (1885). **ASCLEPIADEAE**.  
*roulinioides*, Fourn. l. c. —Bras.TELMISSA, Fenzl, Pugill. Pl. Nov. Syr. 14 (1842) = **Sedum**, Tourn. (Crassul.).  
*microcarpa*, Boiss. Fl. Orient. ii. 795 = *Crassula microcarpa*.  
*sedoides*, Fenzl, Pugill. Pl. Nov. Syr. 15 = *Crassula microcarpa*.TELOGYNE, Baill. Etud. Gén. Euph. 327 (1858) = **Trigonostemon**, Blume (Euphorb.).  
*indica*, Baill. l. c. 328 = *Trig. indicus*.TELOPEA, R. Br. in Trans. Linn. Soc. x. (1810) 197. **PROTEACEAE**, Benth. & Hook. f. iii. 184.  
*HYLOGYNE*, Salisb. in Knight, Prot. 126 (1809), nomen prius.  
*oreades*, F. Muell. Fragm. ii. 170. —Austral.  
*speciosissima*, R. Br. in Trans. Soc. Linn. x. (1810) 198. —Austral.  
*truncata*, R. Br. l. c. —Tasman.TELOPEA, Soland. ex Baill. Etud. Gén. Euph. 345 (1858) = **Aleurites**, Forst. (Euphorb.).  
*perspicua*, Soland. ex Seem. Fl. Vit. 223 = *A. triloba*.TELOPOGON, Mutis, ex Spreng. Anleit. ii. i. 291 (1817) = **Telipogon**, H. B. & K. (Orchid.).

## TELOXIS, Reichb. Handb. 238 (1837) = seq.

TELOXYS, Moq. in Ann. Sc. Nat. Sér. II. i. (1834) 289, t. 10 = **Chenopodium**, Tourn.  
*aristata*, Moq. l. c. = *C. aristatum*.  
*cornuta*, Torr. in Pacif. Rail. Rep. iv. 129 = *C. cornutum*.TELUKRAMA, Rafin. Alsog. Am. 64 (1838) = **Cornus**, Tourn.  
*obovata*, Rafin. l. c. (Quid?). —Am. bor.TEMA, Adans. Fam. ii. 496 (1763) = **Panicum**, Tourn. (Gramin.).TEMECARPUS, Proc. Linn. Soc. (1882-83) 2, err. typ. = **Semecarpus**, Linn. (Anacard.).TEMMINCKIA, De Vriese, in Nederl. Kruidk. Arch. ii. i. (1851) 141 = **Scaevola**, Linn. (Gooden.).  
*Chamissoniana*, De Vriese, l. c. 143 = *S. Chamissoniana*.  
*ciliata*, De Vriese, l. c. 144 = *S. Chamissoniana*.  
*Gaudichaudii*, De Vriese, l. c. = *S. Gaudichaudii*.  
*macrophylla*, De Vriese, l. c. 146 (Quid?). —'N. Zel.'  
*Menziesiana*, De Vriese, l. c. 144 = *S. Chamissoniana*.  
*micrantha*, De Vriese, l. c. 145 = *S. micrantha*.  
*mollis*, De Vriese, l. c. 147 = *S. mollis*.  
*tomentosa*, De Vriese, l. c. 148 = *S. tomentosa*.TEMNADENIA, Miers, Apocyn. S. Am. 207 (1878). **APOCYNACEAE**.

- annularis*, Miers, l. c. 216 = *Prestonia annularis*.  
*bicrura*, Miers, l. c. 208 = *Echites varia*.  
*cordata*, Miers, l. c. 212 = *Echites cordata*.

**TEMNADENIA** :—

- corrugulata, Miers, *Apocyn. S. Am.* 215.—Bras.  
*Francisceae*, Miers, l. c. 212 = Echites varia.  
*glaucescens*, Miers, l. c. 214 = Mandevilla oaxacana.  
*lasiocarpa*, Miers, l. c. 210 = Mandevilla hispida.  
*leptoloba*, Miers, l. c. 211 = Echites leptoloba.  
*Lobbiana*, Miers, l. c. 209 = Mandevilla hispida.  
*pallidiflora*, Miers, l. c. 211 = Echites varia.  
*palustris*, Miers, l. c. 213 = Echites tomentosa.  
*parviflora*, Miers, l. c. 215 = Prestonia parviflora.  
*quinquangularis*, Miers, l. c. 217 = Prestonia quin-  
 quangularis.  
*Riedelii*, Miers, l. c. 216 (= *Haemadictyon Riedelii*).  
 —Bras.  
*secundiflora*, Miers, l. c. 211 = Echites secundiflora.  
*semidigyna*, Miers, l. c. 213 = Echites semidigyna.  
*solaniifolia*, Miers, l. c. 214 (= *Haemadictyon solani-*  
*folium*).—Bras.  
*stellaris*, Miers, l. c. 210 = Echites stellaris.  
*tenuicula*, Miers, l. c. 216.—Bras.  
*tomentosa*, Miers, l. c. 213 = Echites tomentosa, *Vahl.*  
*violacea*, Miers, l. c. 208 = Echites violacea.  
*xanthostoma*, Miers, l. c. 212 = Echites xanthostoma.

**TEMNOCYDIA**, Mart. ex DC. *Prod.* ix. 143 (1845) = **Bignonia**, Tourn.

- aequinoctialis*, Mart. l. c. 155 = B. aequinoctialis.  
*Carajura*, Mart. l. c. 185 = Arrabidaea rosea.  
*densiflora*, Mart. l. c. 181 = Lundia densiflora.  
*elliptica*, Mart. l. c. 156 = B. Martiusiana.  
*flavida*, Mart. l. c. 168 = B. flavida, flava.  
*laserpitifolia*, Mart. l. c. = B. laserpitifolia.  
*spectabilis*, Mart. l. c. 155 = B. aequinoctialis.

**TEMNOPTERYX**, Hook. f. in Benth. & Hook. f. *Gen. ii.* 72 (1873). **RUBIACEAE**, Benth. & Hook. f. l. c. sericea, *Hook. f. l. c.*—Afr. trop.**TEMPLETONIA**, R. Br. in Ait. *Hort. Kew.* ed. II. iv. 269 (1812). **LEGUMINOSAE**, Benth. & Hook. f. i. 474.

- NEMATOPHYLLUM*, F. Muell. in *Hook. Kew Journ.* ix. (1857) 20.  
*aculeata*, Benth. *Fl. Austral.* ii. 170.—Austral.  
*Drummondii*, Benth. l. c. 169.—Austral.  
*egena*, Benth. l. c. 170.—Austral.  
*glauca*, Sims, *Bot. Mag.* t. 2088 = retusa.  
*Hookeri*, Benth. *Fl. Austral.* ii. 170.—Austral.  
*Muelleri*, Benth. l. c. 169.—Austral.  
*retusa*, R. Br. in Ait. *Hort. Kew.* ed. II. iv. 269.—Austral.  
*sulcata*, Benth. *Fl. Austral.* ii. 171.—Austral.

**TEMU**, Berg, in *Linnaea*, xxx. (1859–60) 710 = **Myrtus**, Tourn.  
*Cruckshanksii*, Berg, l. c. 711 = *Eugenia Cruckshanksii*.  
*divaricatum*, Berg, l. c. = *Eugenia divaricata*, Berg.**TEMUS**, Molina, *Sagg. Chile*, 178 (1782) = **Myrtus**, Tourn.  
*moschata*, Molina, l. c.—Chili.**TENAGEIA**, Ehrh. *Beitr.* iv. 148 (1789); Reichb. Ic. *Fl. Germ.* ix. 22. t. 416 (1847) = **Juncus**, Tourn.  
*bufonia*, Fourr. in *Ann. Soc. Linn. Lyon*, N. S. xvii. (1869) 172 = J. bufonius.  
*bulbosa*, Fourr. l. c. = J. supinus.  
*Gerardi*, Fourr. l. c. = J. Gerardi.  
*multiflora*, Fourr. l. c. = J. subulatus.  
*ranaria*, Fourr. l. c. = J. bufonius.  
*sphaerocarpa*, Reichb. Ic. *Fl. Germ.* ix. 22 = J. Tenageia.  
*squarrosa*, Fourr. in *Ann. Soc. Linn. Lyon*, N. S. xvii. (1869) 172 = J. squarrosus.  
*Vaillantii*, Reichb. Ic. *Fl. Germ.* ix. 22, in obs. = J. Tenageia.**TENAGOCCHARIS**, Hochst. in *Flora*, xxiv. (1841) 369 = **Butomopsis**, Kunth (Alismac.).  
*alismoides*, Hochst. l. c. i. *Intell.* 42 = B. lanceolata.  
*cordofana*, Hochst. l. c. xxiv. (1841) 369 = B. lanceolata.  
*latifolia*, Buchen. in *Goett. Nachr.* (1869) 238 = B. lanceolata.**TENARIS**, E. Mey. *Comm. Pl. Afr. Austr.* 198 (1837). **ASCLEPIADEAE**, Benth. & Hook. f. ii. 775. *rostrata*, N. E. Br. in *Gard. Chron.* (1885) ii. 39.—Afr. trop.  
*rubella*, E. Mey. *Comm. Pl. Afr. Austr.* 198.—Afr. austr.**TENDANA**, Reichb. f. in *Oestr. Bot. Wochenbl.* vi. (1857) 160 = **Micromeria**, Benth. (Labiata).  
*Piperella*, Reichb. f. l. c. = M. Piperella.**TENICROA**, Rafin. *Fl. Tellur.* iii. 52 (1836) = **Urginea**, Steinh. (Liliac.).  
*fragrans*, Rafin. l. c. 53 = U. fragrans.**TENOREA**, Colla, *Hort. Ripul.* 137 (1824) = **Trixis**, P. Br. (Compos.).  
*Berteri*, Colla, l. c. = Trixis radialis.  
*calyculata*, Bert. ex Colla, l. c. = Trixis frutescens.**TENOREA**, Gasp. *Nov. Gen. Fici*, 6 (1844); et *Ricerche* Caprif. e Fic. 81 (1845) = **Ficus**, Tourn. (Urtic.).  
*heterophylla*, Gasp. ll. cc. 7; 81 = F. stipulata.**TENOREA**, C. Koch, *Dendrol.* i. 670 (1869) = **TENORIA**, Spreng. = **Bupleurum**, Tourn. (Umbell.).**TENOREA**, Rafin. *Specch.* i. 193 (1814) = **Zanthoxylum**, Linn. (Rutac.).  
*corymbosa*, Rafin. l. c. = Z. corymbosum.**TENORIA**, Dehnh. & Giord. *Cat. Pl. Hort. Camald.* ed. II. (1829) 24 = **Hygrophila**, R. Br. (Acanth.).  
*undulata*, Dehnh. l. c. = H. spinosa.**TENORIA**, Spreng. in *Neue Schr. Naturf. Ges. Halle*, ii. (1813) (Pl. Umb. Prod.) 32 = **Bupleurum**, Tourn. (Umbell.).  
*arborescens*, Spreng. l. c. = *Heteromorpha arborescens*.  
*baldensis*, Spreng. l. c. = B. baldense.  
*canariensis*, Spreng. in *Neue Schr. Naturf. Ges. Halle*, ii. (1813) 32 = *Astydamia canariensis*.  
*canescens*, Schousb. ex Loud. *Hort. Brit.* 106 = B. gibraltarium.  
*coriacea*, Spreng. in *Neue Schr. Naturf. Ges. Halle*, ii. (1813) 32 = B. gibraltarium.  
*difformis*, Spreng. l. c. = B. difforme.  
*frutescens*, Spreng. l. c. = B. frutescens.  
*fruticosa*, Spreng. l. c. = B. fruticosum.  
*nuda*, Spreng. l. c. = B. nudum.  
*plantaginea*, Spreng. in *Schult. Syst.* vi. 676 = B. plantagineum.  
*pyrenaea*, Spreng. in *Neue Schr. Naturf. Ges. Halle*, ii. (1813) 32 = B. angulosum.  
*romana*, Schk. ex Spreng. in *Schult. Syst.* vi. 434 = *Foeniculum vulgare*.  
*spinosa*, Spreng. in *Neue Schr. Naturf. Ges. Halle*, ii. (1813) 32 = B. spinosum.**TEPESIA**, Gaertn. f. *Fruct.* iii. 72. t. 192 (1805) = **Hamelia**, Jacq. (Rubiace.).  
*dubia*, Gaertn. f. l. c.—Chili.**TEPHEA**, Delile, in *Rochet, Sec. Voy. Choa*, 340 (1846). **APOCYNACEAE**.  
*aequipetala*, Delile, l. c.—Afr. trop.**TEPHIS**, Adans. *Fam.* ii. 276 (1763) = **Polygonum**, Tourn.  
*frutescens*, Rafin. *Fl. Tellur.* iii. 11 = *Atraphaxis lanceolata*?  
*parvifolia*, Rafin. l. c. = *Polygonella parvifolia*.**TEPHRANTHUS**, Neck. *Elem.* ii. 235 (1790) = **Phyllanthus**, Linn. (Euphorb.).**TEPHRAS**, E. Mey. ex Harv. & Sond. *Fl. Cap.* ii. 477 (1862) = **Galenia**, Linn. (Ficoid.).  
*papulosa*, E. Mey. ex Harv. & Sond. l. c. = G. pruinosa.**TEPHROCACTUS**, Lem. *Cact.* 88 (1868) = **Opuntia**, Tourn. (Cactae).  
*andicolus*, Lem. l. c. 88 = O. andicola.  
*aoracanthus*, Lem. l. c. 89 = O. aoracantha.  
*calvus*, Lem. l. c. 88 = O. Turpinii.  
*diadematus*, Lem. l. c. = O. diademata.  
*platyacanthus*, Lem. l. c. = O. diademata.  
*pusillus*, Lem. l. c. = O. pusilla.  
*retrospinosa*, Lem. l. c. = O. Parmentieri.  
*Turpinii*, Lem. l. c. = O. Turpinii.**TEPHROSERIS**, Reichb. *Nom.* 87 (1841) = **Senecio**, Tourn. (Compos.).  
*alpestris*, Griseb. & Schenk, in *Wieg. Archiv*, xviii. (1852) i. 342 = S. alpestris.  
*angustifolia*, Schur, in *Verh. Siebenb. Ver. Naturw.* x. (1859) 102 = S. lugens.  
*aurantiaca*, Griseb. & Schenk, in *Wieg. Archiv*, xviii. (1852) i. 342 = S. palustris.  
*campestris*, Griseb. & Schenk, l. c.; Schur, *Enum. Pl. Transs.* 343 = S. campestris.  
*capitata*, Griseb. & Schenk, l. c. = S. palustris.  
*cladobotrys*, Griseb. & Schenk, l. c. 343 = S. cladobotrys.  
*Clusiana*, Schur, *Ennm. Pl. Transs.* 344 = S. alpestris.  
*crassifolia*, Griseb. & Schenk, in *Wieg. Archiv*, xviii. (1852) i. 342 = S. alpestris.  
*crispa*, Schur, *Enum. Pl. Transs.* 346 = S. crispatus.  
*Fussii*, Griseb. & Schenk, in *Wieg. Archiv*, xviii. (1852) i. 342 = S. campestris.  
*longifolia*, Griseb. & Schenk, l. c. 343; Schur, *Enum. Pl. Transs.* 344 = S. brachychaetus.  
*microrrhiza*, Schur, in *Verh. Siebenb. Ver. Naturw.* x. (1859) 146 = S. campestris.  
*palustris*, Fourr. in *Ann. Soc. Linn. Lyon*, N. S. xvi. (1868) 404 = S. palustris.  
*papposa*, Schur, *Enum. Pl. Transs.* 344 = S. lugens.  
*pratensis*, Griseb. & Schenk, in *Wieg. Archiv*, xviii. (1852) i. 342 = S. campestris.  
*procera*, Griseb. & Schenk, l. c. 343 = *Cineraria procera*.  
*rivularis*, Schur, *Enum. Pl. Transs.* 347 = S. crispatus.  
*rupicola*, Schur, l. c. 345.—Europ.  
*spathulaefolia*, Schur, l. c. 344 = seq.  
*spathulifolia*, Griseb. & Schenk, in *Wieg. Archiv*, xviii. (1852) i. 342 = S. spathulaefolius.  
*stenophylla*, Schur, in *Oestr. Bot. Zeitschr.* x. (1860) 326 = S. lugens.  
*transsilvanica*, Schur, *Enum. Pl. Transs.* 345 = S. lugens?  
*Wolffii*, Schur, in *Verh. Siebenb. Ver. Naturw.* x. (1859) 102 = S. campestris.**TEPHROSIA**, Pers. *Syn.* ii. 328 (1807). **LEGUMINOSAE**, Benth. & Hook. f. i. 496.

- APODYNOMENE*, E. Mey. *Comm. Pl. Afr. Austr.* 111 (1835).  
*BALBOA*, Liebm. in *Kjoeb. Vidensk. Meddel.* (1856) 106.  
*BRISSONIA*, Neck. *Elem.* iii. 36 (1790).  
*CATACLINE*, Edgew. in *Journ. As. Soc. Beng.* xvi. (1847) 1214.  
*CRACCA*, Linn. *Fl. Zeyl.* 139 (1747); et *Sp. Pl.* ed. I. 752 (1753), nomen prius.  
*EREBINTHUS*, Mitch. in *Act. Phys. Med. Acad. Nat. Cur.* viii. (1748) App. 210.  
*KIESERA*, Reinw. in *Syll. Ratisb.* ii. (1828) 11.  
*MACRONYX*, Dalz. in *Hook. Kew Journ.* ii. (1850) 35.  
*NEEDHAMIA*, Scop. *Introd.* 310 (1777).  
*POGONOSTIGMA*, Boiss. *Diagn. Ser. I.* ii. 39 (1843).  
*REINERIA*, Moench, *Meth. Suppl.* 44 (1802).  
*REQUIENIA*, DC. in *Ann. Sc. Nat. Sér. I.* iv. (1825) 91.  
*SEEMANNANTHA*, Alef. in *Bonplandia*, x. (1862) 264.  
*XIPHOCARPUS*, Presl, *Symb. Bot.* i. 13. t. 7 (1830).  
*acaciaefolia*, Welw. ex Baker, in *Oliver, Fl. Trop. Afr.* ii. 106.—Afr. trop.  
*adscendens*, Benth. in *Mart. Fl. Bras.* xv. i. 48 = *purpurea*.  
*adunca*, Benth. in *Ann. Nat. Hist. Ser. I.* iii. (1839) 432.—Am. trop.  
*aemula*, Harv. in *Harv. & Sond. Fl. Cap.* ii. 210.—Afr. austr.  
*aequilata*, Baker, in *Oliver, Fl. Trop. Afr.* ii. 113.—Afr. trop.  
*ambigua*, D. Dietr. *Syn. Pl.* iv. 1043, in syn.; *Chapm. Fl. S. U. St.* 96.—Am. bor.  
*amoena*, Hort. Calc. ex Baker, in *Hook. f. Fl. Brit. Ind.* ii. 113 = *Hookeriana*.  
*amoena*, E. Mey. *Comm. Pl. Afr. Austr.* 109.—Afr. austr.  
*andongensis*, Welw. ex Baker, in *Oliver, Fl. Trop. Afr.* ii. 116.—Afr. trop.  
*angulata*, E. Mey. *Comm. Pl. Afr. Austr.* 109 = *pallens*.  
*angustifolia*, Featherman, *Bot. Rep. Louisiana Univ.* (1870) 73 = *onobrychoides*.



**TEPHROSIA:—**

- angustissima, *Shuttlew. ex Chapm. Fl. S. U. St.* 96.—Am. bor.  
 aniloides, *Bello, in Anal. Soc. Esp. Hist. Nat.* x. (1881) 258.—Porto Rico.  
 Ansellii, *Hook. f. in Hook. Niger Fl.* 297.—Afr. trop.  
 anthylloides, *Hochst. ex Webb, in Hook. Kew Journ.* ii. (1850) 345; *Baker, in Oliver, Fl. Trop. Afr.* ii. 118.—Afr. trop.  
 Apollinea, *Guill. & Perr. Fl. Seneg. Tent.* 196 = anthylloides.  
 Apollinea, *Klotzsch, in Peters, Reise Mossamb. Bot.* 47 = villosa.  
 Apollinea, *Link, Enum. Hort. Berol.* ii. 252; *DC. Prod.* ii. 254.—Afr. trop.  
 arabica, *Steud. Nom. ed. II.* ii. 666.—Arab.  
 argentea, *Pers. Syn.* ii. 329 = villosa.  
 argentea, *Wight, ex Wall. Cat. n.* 5648 = fusca.  
 ascendens, *Macfad. Fl. Jamaic.* i. 257 = purpurea.  
 astragalina, *H. B. & K. Nov. Gen. et Sp.* vi. 464.—Ecuador.  
 astragaloides, *Benth. Fl. Austral.* ii. 208.—Austral.  
 barbigera, *Welw. ex Baker, in Oliver, Fl. Trop. Afr.* ii. 113.—Afr. trop.  
 Barclayana, *Sweet, Hort. Brit. ed. II.* 142 = mimosoides.  
 Barclayi, *Baill. in Bull. Soc. Linn. Par. i.* (1883) 388 = *Dalbergia Barclayii*.  
 Baueri, *Benth. ex A. Gray, Bot. U. St. Expl. Exped. i.* 408 = purpurea.  
 Bidwilli, *Benth. Fl. Austral.* ii. 210.—Austral.  
 biflora, *DC. Prod.* ii. 254.—Hab. ?  
 biflora, *Zipp. ex Span. in Linnaea, xv.* (1841) 191 = purpurea.  
 Boiviniana, *Baill. in Bull. Soc. Linn. Par. i.* (1883) 388.—Madag.  
 Bojeri, *Baill. l. c.* 389.—Madag.  
 brachycarpa, *F. Muell. ex Benth. Fl. Austral.* ii. 207.—Austral.  
 brachyloba, *E. Mey. Comm. Pl. Afr. Austr.* 110 = Dregeana.  
 brachystachya, *DC. in Ann. Sc. Nat. Sér. I. iv.* (1825) 99.—Nepal.  
 brachystachya, *Zoll. ex Miq. Fl. Ind. Bat. i. i.* 299 = coarctata.  
 bracteolata, *Guill. & Perr. Fl. Seneg. Tent. i.* 194.—Afr. trop.  
 brevipes, *Benth. in Ann. Nat. Hist. Ser. I. iii.* (1839) 432.—Am. trop.  
 brunnea, *Baker, in Oliver, Fl. Trop. Afr.* ii. 122.—Afr. trop.  
 calophylla, *Bedd. Ic. Pl. Ind. Or. i.* 36.—Ind. or.  
 candida, *DC. Prod.* ii. 249.—As. trop.  
 canescens, *E. Mey. Comm. Pl. Afr. Austr.* 109.—Afr. austr.  
 capensis, *Pers. Syn.* ii. 330.—Afr. austr.  
 capillipes, *Welw. ex Baker, in Oliver, Fl. Trop. Afr.* ii. 108.—Afr. trop.  
 capitulata, *Link, Enum. Hort. Berol.* ii. 251.—Ins. Sandvic.  
 caribaea, *DC. Prod.* ii. 251.—Am. trop.  
 cephalantha, *Welw. ex Baker, in Oliver, Fl. Trop. Afr.* ii. 119.—Afr. trop.  
 chilensis, *Trev. in Linnaea, x.* (1836) Litt. 73.—Chili.  
 chinensis, *Lindl. in Trans. Hort. Soc. vii.* (1830) 58.—China.  
 chrysophylla, *Mart. & Gal. in Bull. Acad. Brux. x.* ii. (1843) 49.—Mexic.  
 chrysophylla, *Pursh, Fl. Am. Sept.* ii. 489.—Am. bor.  
 cinerea, *Pers. Syn.* ii. 328.—Am. trop.  
 coarctata, *Miq. Fl. Ind. Bat. i. i.* 299.—Ins. Lombok.  
 coccinea, *Wall. Pl. As. Rar. i.* 49 = tinctoria.  
 coerulea, *Pers. Syn.* ii. 329 = *Dalea Mutisii*.  
 Colonila, *Buch.-Ham. in Trans. Linn. Soc. xiii.* (1822) 545 = purpurea.  
 Colutea, *Pers. Syn.* ii. 329.—Ind. occ.  
 Colutea, *Wight, ex Wall. Cat. n.* 5647 = *Hookeriana*.  
 concinna, *Baker, in Oliver, Fl. Trop. Afr.* ii. 112.—Afr. trop.  
 conferta, *F. Muell. Census*, 39 = singuliflora ?  
 confertiflora, *Benth. in Miq. Pl. Jungh.* 208.—Java.  
 cordofana, *Hochst. ex Baker, in Oliver, Fl. Trop. Afr.* ii. 118 = anthylloides.  
 coriacea, *Benth. ex Harv. & Sond. Fl. Cap.* ii. 208 = elongata, *E. Mey.*  
 coriacea, *Benth. Fl. Austral.* ii. 204.—Austral.  
 coronillaefolia, *DC. Prod.* ii. 252.—Ins. Borbon.

**TEPHROSIA:—**

- coronilloides, *Welw. ex Baker, in Oliver, Fl. Trop. Afr.* ii. 123.—Afr. trop.  
 crassa, *Boj. ex Baker, in Journ. Bot. xx.* (1882) 68 = purpurea.  
 crassifolia, *Benth. Bot. Voy. Sulph.* 80.—Mexic.  
 crocea, *Benth. Fl. Austral.* ii. 205.—Austral.  
 crotalarioides, *Klotzsch, in Peters, Reise Mossamb. Bot.* i. 45 = *Indigofera crotalarioides*.  
 dasphylla, *Welw. ex Baker, in Oliver, Fl. Trop. Afr.* ii. 118.—Afr. trop.  
 davarica, *Pers. Syn.* ii. 328 = *Astragalus dahuricus*.  
 decidua, *Steud. ex A. Rich. Tent. Fl. Abyss.* i. 189 = subtriflora.  
 decora, *Welw. ex Baker, in Oliver, Fl. Trop. Afr.* ii. 123.—Afr. trop.  
 decumbens, *Benth. ex Oerst. in Kjoeb. Vidensk. Meddel.* (1853) 7.—Nicaragua.  
 deflexa, *Baker, in Oliver, Fl. Trop. Afr.* ii. 111.—Afr. trop.  
 densiflora, *Hook. f. in Hook. Niger Fl.* 296.—Afr. trop.  
 desertorum, *Scheele, in Linnaea, xvii.* (1843) 338.—Abyss.  
 dichotoma, *Desv. in Ann. Sc. Nat. Sér. I. ix.* (1826) 415.—Ins. Philipp.  
 dichrocarpa, *Steud. ex Hochst. in Flora, xxiv.* (1841) i. Intell. 31, nomen; et *ex A. Rich. Tent. Fl. Abyss.* i. 185.—Abyss.  
 diffusa, *Harv. in Harv. & Sond. Fl. Cap.* ii. 210.—Afr. austr.  
 diffusa, *Wight & Arn. Prod.* 213 = purpurea.  
 digitata, *DC. Prod.* ii. 255.—Afr. trop.  
 dimorphophylla, *Welw. ex Baker, in Oliver, Fl. Trop. Afr.* ii. 116.—Afr. trop.  
 discolor, *E. Mey. Comm. Pl. Afr. Austr.* 111.—Afr. austr.  
 disperma, *Welw. ex Baker, in Oliver, Fl. Trop. Afr.* ii. 108.—Afr. trop.  
 dolichocarpa, *Griseb. in Goett. Abh.* xxiv. (1879) 101.—Reg. Argent.  
 domingensis, *Pers. Syn.* ii. 330 = purpurea.  
 Dregana, *E. Mey. in Linnaea, vii.* (1832) 169.—Afr. austr.  
 drepanocarpa, *Welw. ex Baker, in Oliver, Fl. Trop. Afr.* ii. 124.—Afr. trop.  
 dubia, *Pers. Syn.* ii. 330 = *Lessertia diffusa*.  
 Ehrenbergiana, *Schweinf. Beitr. Fl. Aethiop.* 18 = villosa.  
 elegans, *Nutt. in Journ. Acad. Philad. vii.* (1834) 105 = hispidula.  
 elegans, *Schum. in Schum. & Thonn. Beskr. Guin. Pl.* 376.—Afr. trop.  
 elegans, *Wall. Cat. n.* 5634 = senticosa.  
 Elliottii, *Benth. in Ann. Wien. Mus. ii.* (1838) 127, in obs. = *Galactia Elliottii*.  
 elongata, *Hook. f. in Hook. Niger Fl.* 298.—Afr. trop.  
 elongata, *E. Mey. Comm. Pl. Afr. Austr.* 111.—Afr. austr.  
 emarginata, *H. B. & K. Nov. Gen. et Sp.* vi. 461 = toxicaria.  
 emeroides, *A. Rich. Tent. Fl. Abyss.* i. 190.—Abyss.  
 ensifolia, *Harv. in Harv. & Sond. Fl. Cap.* ii. 208 = elongata, *E. Mey.*  
 eriocarpa, *Benth. Fl. Austral.* ii. 207.—Austral.  
 erioseoides, *Oliver, in Trans. Linn. Soc. xxix.* (1872) 57.—Afr. trop.  
 falcata, *Pers. Syn.* ii. 328.—Afr. austr.  
 fasciculata, *Hook. f. in Hook. Niger Fl.* 298.—Afr. trop.  
 ferruginea, *Wall. ex Voigt, Hort. Suburb. Calc.* 215 = *Derris ferruginea*.  
 filifolia, *Pers. Syn.* ii. 328 = *Argyrolobium filiforme*.  
 filiformis, *Pers. l. c.*—Am. austr.  
 filipes, *Benth. Fl. Austral.* ii. 208.—Austral.  
 flammea, *F. Muell. ex Benth. l. c.* 204.—Austral.  
 flexuosa, *Chapm. ex Torr. & Gray, Fl. N. Am. i.* 297 = hispidula.  
 flexuosa, *G. Don, Gen. Syst.* ii. 232.—Afr. trop.  
 Forbesii, *Baker, in Oliver, Fl. Trop. Afr.* ii. 116, in nota.—Afr. trop.  
 Forrestiana, *F. Muell. Fragm.* xi. 98.—Austral.  
 frutescens, *DC. Prod.* ii. 256.—Honduras.  
 fruticosa, *DC. l. c.* 249.—Ind. or.  
 fulvinervis, *Hochst. ex A. Rich. Tent. Fl. Abyss.* i. 187.—Abyss.  
 fusca, *Wight & Arn. Prod.* 210.—Ind. or.  
 galeoides, *R. Grah. ex Wall. Cat. n.* 5649 = purpurea.

**TEPHROSIA:—**

- glabrescens, *Benth. Bot. Voy. Sulph.* 81 = *Cracca glabrescens*.  
 glandulifera, *Benth. l. c.*—Ecuador.  
 glomeruliflora, *Meissn. in Hook. Lond. Journ. Bot.* ii. (1843) 86.—Afr. austr.  
 gracilipes, *Guill. & Perr. Fl. Seneg. Tent. i.* 194. t. 49.—Afr. trop.  
 gracilis, *Nutt. Gen. Am. ii.* 119 = hispidula.  
 Grahmi, *Wall. Cat. n.* 5652 = tinctoria.  
 graminifolia, *F. Muell. ex Benth. Fl. Austral.* ii. 206.—Austral.  
 grandiflora, *Pers. Syn.* ii. 329.—Afr. austr.  
 gynothrix, *Miq. in Linnaea, xviii.* (1844) 29 = cinerea.  
 heterantha, *Griseb. in Goett. Abh.* xxiv. (1879) 101.—Reg. Argent.  
 heterophylla, *Boj. ex Baker, in Journ. Bot. xx.* (1882) 69 = *Vigna angivensis*.  
 heterophylla, *Fisch. Hort. Gorenk. ed. II.* (1812) 71 = tinctoria.  
 heterophylla, *Vatke, in Oestr. Bot. Zeitschr.* xxviii. (1878) 214.—Afr. trop.  
 Heyneana, *Wall. Cat. n.* 5631 = tinctoria.  
 Heyniana, *Sweet, Hort. Brit. ed. II.* 142 = tinctoria.  
 Hildebrandtii, *Vatke, in Oestr. Bot. Zeitschr.* xxix. (1879) 222.—Afr. trop.  
 hirsuta, *Schum. & Thonn. Beskr. Guin. Pl.* 377.—Afr. trop.  
 hirta, *Boj. Hort. Maurit.* 93, nomen.—Afr. trop.  
 hirta, *Buch.-Ham. in Trans. Linn. Soc. xiii.* (1822) 546 = *Hookeriana*.  
 hispida, *DC. Prod.* ii. 250 = spicata.  
 hispidula, *Pers. Syn.* ii. 329.—Am. bor.  
 holosericea, *Nutt. in Journ. Acad. Philad. vii.* (1834) 105 = virginiana.  
 Hookeriana, *Wight & Arn. Prod.* 212.—Ind. or.; Malaya; Ins. Mascar.  
 huillensis, *Welw. ex Baker, in Oliver, Fl. Trop. Afr.* ii. 121.—Afr. trop.  
 humilis, *Guill. & Perr. Fl. Seneg. Tent. i.* 196.—Afr. trop.  
 hypargyrea, *DC. in Ann. Sc. Nat. Sér. I. iv.* (1825) 99 = tinctoria.  
 ichthynea, *Bertol. Misc. Bot.* xviii. 18 = *Mundulea suberosa*.  
 incana, *Sweet, Hort. Brit. ed. II.* 142; *R. Grah. in Wall. Cat. n.* 5644 = villosa.  
 indigofera, *Bertol. Misc. Bot.* xix. 9. t. 5 = purpurea.  
 inebrians, *Welw. Apont.* 573 = *Vogelii*.  
 intermedia, *R. Grah. in Wall. Cat. n.* 5632 = tinctoria.  
 interrupta, *Hochst. ex Steud. in Flora, xxiv.* (1841) i. Intell. 31; et *ex Steud. Nom. ed. II.* ii. 666 = *dichrocarpa*.  
 juncea, *Benth. Fl. Austral.* ii. 208.—Austral.  
 Kiukii, *Baker, in Oliver, Fl. Trop. Afr.* ii. 115.—Afr. trop.  
 Kotschyana, *Hochst. ex A. Rich. Tent. Fl. Abyss.* i. 186 = bracteolata.  
 Kraussiana, *Meissn. in Hook. Lond. Journ. Bot.* ii. (1843) 87.—Afr. austr.  
 laevigata, *Welw. ex Baker, in Oliver, Fl. Trop. Afr.* ii. 107.—Afr. trop.  
 Lagascana, *DC. Prod.* ii. 253.—Hab. ?  
 lamprolobioides, *F. Muell. Fragm.* ix. 64.—Austral.  
 lanata, *Mart. & Gal. in Bull. Acad. Brux. x.* ii. (1843) 48.—Mexic.  
 lanceaefolia, *Link, Enum. Hort. Berol.* ii. 252 = purpurea.  
 lanceolata, *R. Grah. in Wall. Cat. n.* 5636 = purpurea.  
 lathyroides, *Guill. & Perr. Fl. Seneg. Tent. i.* 193.—Afr. trop.  
 leiocarpa, *A. Gray, Pl. Wright.* ii. 36.—N. Mexic.  
 leptoclada, *Benth. Fl. Austral.* ii. 207.—Austral.  
 leptostachya, *DC. Prod.* ii. 251 = purpurea.  
 leucantha, *H. B. & K. Nov. Gen. et Sp.* vi. 460.—Mexic.  
 Lindheimeri, *A. Gray, in Bost. Journ. Nat. Hist.* vi. (1850) 172.—Texas.  
 linearis, *Pers. Syn.* ii. 330.—Afr. trop.  
 lineata, *Schum. & Thonn. Beskr. Guin. Pl.* 376 = purpurea.  
 littoralis, *Pers. Syn.* ii. 329 = cinerea.  
 lobata, *R. Grah. in Wall. Cat. n.* 5646 = purpurea.  
 longifolia, *Pers. Syn.* ii. 328.—Am. trop.  
 longipes, *Meissn. in Hook. Lond. Journ. Bot.* ii. (1843) 87.—Afr. austr.  
 lupinifolia, *DC. Prod.* ii. 255.—Afr. trop. et austr.

**TEPHROSIA :—**

- lurida*, *Sond. in Linnaea*, xxiii. (1850) 30.—Afr. austr.  
*luzoniensis*, *Vog. in Nov. Act. Nat. Cur.* xix. *Suppl.* i. (1843) 15.—Ins. Philipp.  
*Lyallii*, *Baker, in Journ. Bot.* xx. (1882) 68.—Madag.  
*macrocarpa*, *Benth. Fl. Austral.* ii. 209.—Austral.  
*macrophylla*, *Wall. ex Voigt, Hort. Suburb. Calc.* 214 = *Milletia auriculata*.  
*macropoda*, *Harv. in Harv. & Sond. Fl. Cap.* ii. 210.—Afr. austr.  
*madrensis*, *Seem. Bot. Voy. Herald*, 280. t. 61.—Mexic.  
*mariana*, *DC. Prod.* ii. 253.—Ins. Marian.  
*maxima*, *Pers. Syn.* ii. 329 = *purpurea*.  
*melanocalyx*, *Welw. ex Baker, in Oliver, Fl. Trop. Afr.* ii. 106.—Afr. trop.  
*mimosoides*, *Pers. Syn.* ii. 330.—Ind. or.  
*Mitchellii*, *R. Grah. in Wall. Cat. n.* 5641 = *purpurea*.  
*modesta*, *Steud. ex A. Rich. Tent. Fl. Abyss.* i. 162 = *Argyrolobium abyssinicum*.  
*mollis*, *H. B. & K. Nov. Gen. et Sp.* vi. 463 = *Cracca caribaea*.  
*mollissima*, *Bertol. in Mem. Acad. Sc. Bolog.* ii. (1850) 274 = *spicata*.  
*monantha*, *Baker, in Journ. Linn. Soc.* xx. (1883) 123.—Madag.  
*moschata*, *Tussac, Fl. Antill.* ii. 22. t. 6.—Ind. occ.  
*mucronata*, *DC. Prod.* ii. 251 = *Lessertia mucronata*.  
*multiflora*, *Featherman, Bot. Rep. Louisiana Univ.* (1870) 73 = *onobrychoides*.  
*myrtifolia*, *DC. Prod.* ii. 255.—Afr. austr.  
*nana*, *Kotschy, ex Schweinf. Reliq. Kotsch.* 20. t. 16.—Afr. trop.  
*nematophylla*, *F. Muell. Fragm.* ix. 63.—Austral.  
*nervosa*, *Pers. Syn.* ii. 328 = *tinctoria*.  
*nicaraguensis*, *Oerst. in Kjoeb. Vidensk. Meddel.* (1853) 6.—Nicaragua.  
*nitens*, *Benth. in Seem. Bot. Voy. Herald*, 107.—Am. trop.  
*noctiflora*, *Boj. Hort. Maurit.* 93, nomen; *et ex Baker, in Oliver, Fl. Trop. Afr.* ii. 112.—Afr. trop.  
*nubica*, *Baker, l. c.* 125.—Afr. trop.  
*obcordata*, *Baker, l. c.*—Afr. trop.  
*oblongata*, *Benth. Fl. Austral.* ii. 205.—Austral.  
*oblongifolia*, *E. Mey. Comm. Pl. Afr. Austr.* 108.—Afr. austr.  
*ochroleuca*, *Pers. Syn.* ii. 329 = *Cracca ochroleuca*.  
*odorata*, *Balf. f. in Proc. Roy. Soc. Edinb.* xii. (1884) 404.—Ins. Socotra.  
*oligophylla*, *Benth. Fl. Austral.* ii. 209.—Austral.  
*onobrychoides*, *Nutt. in Journ. Acad. Philad.* vii. (1834) 104.—Am. bor. occ.  
*oroboides*, *Benth. Bot. Voy. Sulph.* 81 = *decumbens*.  
*oroboides*, *H. B. & K. Nov. Gen. et Sp.* vi. 462. t. 578.—Mexic.  
*oxygona*, *Welw. ex Baker, in Oliver, Fl. Trop. Afr.* ii. 114.—Afr. trop.  
*pallens*, *Pers. Syn.* ii. 329.—Afr. austr.  
*paniculata*, *Welw. ex Baker, in Oliver, Fl. Trop. Afr.* ii. 122.—Afr. trop.  
*parviflora*, *Wight, ex Wall. Cat. n.* 5642 = *purpurea*.  
*pauciflora*, *Wall. Cat. n.* 5635.—Ind. or.; Burma.  
*paucifolia*, *Nutt. Gen. Am.* ii. 119 = *spicata*.  
*pedicellata*, *Baker, in Oliver, Fl. Trop. Afr.* ii. 117.—Afr. trop.  
*penicillata*, *Benth. in Ann. Nat. Hist. Ser. I.* iii. (1839) 431 = *adunca*.  
*pentaphylla*, *Sweet, Hort. Brit. ed. II.* 142; *R. Grah. in Wall. Cat. n.* 5650 = *senticosa*.  
*Perriniana*, *DC. Prod.* ii. 251.—Am. austr.  
*persica*, *Boiss. Diagn. Ser. I.* ii. 40.—Persia.  
*Petersiana*, *Klotzsch, in Peters, Reise Mossamb. Bot.* 584 (Index) t. 9 = *Mundulea suberosa*.  
*phaeosperma*, *F. Muell. ex Benth. Fl. Austral.* ii. 208.—Austral.  
*pinnata*, *Pers. Syn.* ii. 330.—Afr. austr.  
*piscatoria*, *Pers. l. c.* 329 = *purpurea*.  
*platycarpa*, *Guill. & Perr. Fl. Seneg. Tent.* i. 195.—Afr. trop.  
*plicata*, *Oliver, in Hook. Ic. Pl.* t. 1445.—Afr. austr.  
*Pogonostigma*, *Boiss. Fl. Orient.* ii. 193.—Aegypt.; Arab.  
*polysperma*, *Baker, in Oliver, Fl. Trop. Afr.* ii. 113.—Afr. trop.  
*polystachya*, *E. Mey. Comm. Pl. Afr. Austr.* 109.—Afr. austr.

**TEPHROSIA :—**

- polyzyga*, *F. Muell. ex Benth. Fl. Austral.* ii. 206.—Austral.  
*porrecta*, *Benth. l. c.*—Austral.  
*procumbens*, *Buch.-Ham. in Trans. Linn. Soc.* xiii. (1822) 54 = *purpurea*.  
*procumbens*, *Macfad. Fl. Jamaic.* i. 256 = *cinerea*.  
*prostrata*, *Nutt. Gen. Am.* ii. 120 = *chrysophylla*, *Pursh.*  
*Pseudo-piscatoria*, *Klotzsch, in Schomb. Faun. Fl. Brit. Gui.* 1200, nomen.—Guian.  
*pulchella*, *Hook. f. in Hook. Niger Fl.* 299.—Afr. trop.  
*pulcherrima*, *Wight, ex Baker, in Hook. f. Fl. Brit. Ind.* ii. 112 = *tinctoria*.  
*pulchra*, *Coleb. in Wall. Cat. n.* 5630 = *Milletia pulchra*.  
*pumila*, *Pers. Syn.* ii. 330 = *purpurea*.  
*purpurea*, *Pers. l. c.* 329.—Amphig. trop.  
*pusilla*, *Pers. l. c.* 328.—Afr. austr.  
*racemosa*, *Sweet, Hort. Brit. ed. II.* 142; *Wight & Arn. Prod.* 210 = *Milletia racemosa*.  
*radicans*, *Welw. ex Baker, in Oliver, Fl. Trop. Afr.* ii. 121.—Afr. trop.  
*reflexa*, *DC. Prod.* ii. 252.—Hab.?  
*remotiflora*, *F. Muell. ex Benth. Fl. Austral.* ii. 209.—Austral.  
*reptans*, *Baker, in Oliver, Fl. Trop. Afr.* ii. 121.—Afr. trop.  
*reticulata*, *Benth. Fl. Austral.* ii. 205.—Austral.  
*Rheedii*, *DC. Prod.* ii. 255.—Ind. or.  
*rigida*, *Baker, in Oliver, Fl. Trop. Afr.* ii. 114.—Afr. trop.  
*rigida*, *Span. in Linnaea*, xv. (1841) 191.—Ins. Timor.  
*rigidula*, *Welw. ex Baker, in Oliver, Fl. Trop. Afr.* ii. 112.—Afr. trop.  
*rosea*, *F. Muell. ex Benth. Fl. Austral.* ii. 211.—Austral.  
*rufescens*, *Benth. in Linnaea*, xxii. (1849) 513.—Bras.  
*Rutenbergiana*, *Vatke, in Bremen. Abh.* vii. (1882) 246.—Afr. trop.  
*Schiedeana*, *Schlecht. in Linnaea*, xii. (1838) 299 = *toxicaria*.  
*secunda*, *Welw. ex Baker, in Oliver, Fl. Trop. Afr.* ii. 115.—Afr. trop.  
*semiglabra*, *Sond. in Linnaea*, xxiii. (1850) 29.—Afr. austr.  
*seminuda*, *Boj. ex Baker, in Journ. Bot.* xx. (1882) 68.—Madag.  
*Senna*, *H. B. & K. Nov. Gen. et Sp.* vi. 458.—N. Granat.  
*sennoides*, *Blume, ex Miq. Fl. Ind. Bat.* i. i. 292.—Ins. Celebes.  
*senticosa*, *Pers. Syn.* ii. 330.—Ind. or.; Burma.  
*sericea*, *Baker, in Oliver, Fl. Trop. Afr.* ii. 107.—Afr. trop.  
*sericea*, *Buch.-Ham. in Trans. Linn. Soc.* xiii. (1822) 545 = *purpurea*.  
*sericea*, *DC. Prod.* ii. 249 = *Mundulea suberosa*.  
*sericea*, *Hort. Bog. ex Zoll. & Mor. in Nat. en Geneesk. Arch. Neêrl. Indie*, iii. (1846) 76 = *candida*.  
*sericea*, *Pers. Syn.* ii. 328 = *Argyrolobium pumilum*.  
*simplicifolia*, *Franch. in Révoil, Çomali*, 28.—Afr. trop.  
*simplicifolia*, *F. Muell. ex Benth. Fl. Austral.* ii. 206.—Austral.  
*singuliflora*, *F. Muell. Fragm.* ix. 65.—Austral.  
*sophoroides*, *DC. in Ann. Sc. Nat. Sér. I.* iv. (1825) 99.—Reg. Himal.  
*sphaerosperma*, *Baker, in Oliver, Fl. Trop. Afr.* ii. 125.—Afr. trop.  
*sphaerospora*, *F. Muell. in Wing, South. Sc. Record*, iii. (1883) 128.—Austral.  
*spicata*, *Torr. & Gray, Fl. N. Am.* i. 296.—Am. bor.  
*spinosa*, *Pers. Syn.* ii. 330.—Ind. or.; Malaya.  
*stipularis*, *DC. Prod.* ii. 254.—Am. austr.  
*striata*, *Eckl. & Zeyh. ex Steud. Nom. ed. II.* ii. 667 = *capensis*.  
*striata*, *Pers. Syn.* ii. 328 = *Lessertia pulchra*.  
*stricta*, *R. Grah. in Wall. Cat. n.* 5639 = *purpurea*.  
*stricta*, *Pers. Syn.* ii. 329.—Afr. austr.  
*Stuartii*, *Benth. Fl. Austral.* ii. 207.—Austral.  
*suberosa*, *DC. Prod.* ii. 249 = *Mundulea suberosa*.  
*subsessilis*, *R. Grah. in Wall. Cat. n.* 5969.—Ind. or.  
*subtriflora*, *Hochst. ex Baker, in Oliver, Fl. Trop. Afr.* ii. 117.—Abyss.

**TEPHROSIA :—**

- Taylori*, *R. Grah. in Wall. Cat. n.* 5637 = *purpurea*.  
*Telfairii*, *Sweet, Hort. Brit. ed. II.* 142, nomen = *Mundulea Telfairii*.  
*tenella*, *A. Gray, Pl. Wright.* ii. 36.—Mexic.  
*tenuis*, *Wall. Cat. n.* 5970.—Ind. or.  
*ternata*, *DC. Prod.* ii. 256 = *Aspalathus ferruginea*.  
*timoriensis*, *DC. l. c.* 254 = *purpurea*.  
*tinctoria*, *R. Grah. in Wall. Cat. n.* 5643 = *purpurea*.  
*tinctoria*, *Pers. Syn.* ii. 329.—Ind. or.  
*tomentosa*, *Pers. l. c.*—Arab.  
*totta*, *Pers. l. c.* 328.—Afr. austr.  
*toxicaria*, *Pers. l. c.* 329.—Am. trop.  
*trapezicarpa*, *DC. Prod.* ii. 255 = *Indigofera senegalensis*.  
*trifoliata*, *DC. l. c.* 256 = *Argyrolobium sericeum*.  
*uliginosa*, *Spreng. Syst.* iii. 232 = *Derris uliginosa*.  
*uniflora*, *Pers. Syn.* ii. 329.—Afr. trop.  
*uniovulata*, *F. Muell. Fragm.* xi. 70.—Austral.  
*velutina*, *Spreng. Syst.* iii. 232.—Ins. S. Doming.  
*venosa*, *Mart. & Gal. in Bull. Acad. Brux.* x. ii. (1843) 47.—Mexic.  
*venustula*, *H. B. & K. Nov. Gen. et Sp.* vi. 459 = *cinerea*.  
*vestita*, *Vog. in Nov. Act. Nat. Cur. xix. Suppl.* i. (1843) 15.—Sumatra; China.  
*viciaeformis*, *Edgew. in Journ. As. Soc. Beng.* xxi. (1852) 168.—Ind. or.  
*vicioides*, *A. Rich. Tent. Fl. Abyss.* i. 188.—Afr. trop.  
*vicioides*, *Schlecht. in Linnaea*, xii. (1838) 297.—Mexic.  
*villosa*, *Pers. Syn.* ii. 329.—As. et Afr. trop.  
*villosa*, *Zoll. in Nat. en Geneesk. Arch. Neêrl. Indie*, iii. (1846) 54 = *confertiflora*.  
*virginiana*, *Pers. Syn.* ii. 329.—Am. bor.  
*virginica*, *Bigel. Fl. Bost. ed. III.* 296 = *praec.*  
*Vogelii*, *Hook. f. in Hook. Niger Fl.* 296.—Afr. trop.  
*Wallichii*, *R. Grah. in Wall. Cat. n.* 5640 = *purpurea*.
- TEPHROTHAMNUS**, *Sch. Bip. in Pollichia*, xx-xxi. (1863) 431 = **Vernonia**, *Schreb. (Compos.)*.  
*calophyllus*, *Sch. Bip. l. c.* 432.—Venezuela.  
*paradoxus*, *Sch. Bip. l. c.* = *V. paradoxa*.  
*pycnanthus*, *Sch. Bip. l. c.* 433 = *V. pycnantha*.
- TEPHROTHAMNUS**, *Sweet, Hort. Brit. ed. II.* 126 (1830) = **Argyrolobium**, *Eckl. & Zeyh.* (1836) (*Legumin.*).  
*tomentosus*, *Sweet, l. c.* = *A. Andrewsianum*.
- TEPION**, *Adans. Fam.* ii. 131 (1763) = **Verbesina**, *Linn. (Compos.)*.
- TEPUALIA**, *Griseb. in Goett. Abh.* vi. (1854) 119. *MYRTACEAE*, *Benth. & Hook. f.* i. 710.  
*Philippiana*, *Griseb. l. c.* 120 = *stipularis*?  
*Philippii*, *Griseb. ex Phil. in Linnaea*, xxviii. (1856) 637 = *stipularis*?  
*stipularis*, *Griseb. in Goett. Abh.* vi. (1854) 119.—Chili.
- TERAMNUS**, *P. Br. Hist. Jamaic.* 290 (1756); *Sw. Prod. Veg. Ind. Occ.* 105 (1788). *LEGUMINOSAE*, *Benth. & Hook. f.* i. 530.  
*Botrydium*, *Schott, in Wien. Zeitschr.* iv. (1830) 1216; *ex Endl. in Linnaea*, vi. (1831) Litt. 55 = *uncinatus*.  
*clandestinus*, *Spreng. Syst.* iii. 235 = *Glycine clandestina*.  
*flexilis*, *Benth. in Journ. Linn. Soc.* viii. (1865) 265.—Reg. Himal.  
*grandiflorus*, *Griseb. Cat. Pl. Cub.* 75.—Cuba.  
*hedysaroides*, *Spreng. Syst.* iii. 235 = *Glycine hedy-saroides*.  
*labialis*, *Spreng. Syst.* iii. 235.—Cosmop. trop.  
*mollis*, *Benth. in Journ. Linn. Soc.* viii. (1865) 265 = *labialis*.  
*obcordatus*, *Baill. in Bull. Soc. Linn. Par.* i. (1883) 382.—Madag.  
*oxyphyllus*, *Kurz, in Journ. As. Soc. Beng.* xlv. (1876) ii. 255.—Burma.  
*parviflorus*, *Spreng. Syst.* iii. 235 = *labialis*.  
*rhombifolius*, *Beurl. in Vet. Akad. Handl. Stockh.* 1854 (1856) 120.—Panama.  
*tenuiflorus*, *Spreng. Syst.* iii. 325 = *Galactia dubia*.  
*uncinatus*, *Sw. Prod. Veg. Ind. Occ.* 105.—Am. trop.  
*volubilis*, *Sw. l. c.*—Am. trop.  
*Wallichii*, *Kurz, in Journ. As. Soc. Beng.* xlv. (1876) ii. 255.—Burma.

**TERANA**, La Llave, in *La Naturaleza*, vii. (1885) Apénd. 83. *COMPOSITAE*. lanceolata, *La Llave*, l. c. 84.—Mexic.

**TEREBINTHUS**, [Tourn.] P. Br. Hist. Jamaic. 345 (1756) = **Pistacia**, Linn. (Anacard.). *Brownii*, Jacq. Enum. Pl. Carib. 18 = *Bursera gummi-fera*. *Lentiscus*, Moench, Meth. 345 = *P. Lentiscus*. *vulgaris*, Fourn. in Ann. Soc. Linn. Lyon, N. S. xvi. (1868) 356 = *P. Lentiscus*.

**TEREBRARIA**, Sesse, ex DC. Prod. iv. 458 (1830) = **Guettarda**, Linn. (Rubiace).

**TEREIANTHES**, Rafin. Fl. Tellur. iii. 72 (1836) = **Reseda**, Tourn. *alba*, Rafin. l. c. = *R. alba*. *fruticosa*, Rafin. l. c. = *R. alba*. *glauca*, Rafin. l. c. = *R. glauca*. *undata*, Rafin. l. c. = *R. alba*.

**TEREIANTHUS**, Fourn. in Ann. Soc. Linn. Lyon, N. S. xvi. (1868) 342 = **Reseda**, Tourn. *suffruticulosus*, Fourn. l. c. = *R. alba*.

**TEREIETRA**, Rafin. Fl. Tellur. iv. 124 (1836) = **Ipomoea**, Linn. (Convolv.). *violacea*, Rafin. l. c. 125 = *I. violacea*.

**TEREIPHAS**, Rafin. Fl. Tellur. iv. 95 (1836) = **Scabiosa**, Tourn. (Dipsac.). *rutefolia*, Rafin. l. c. = *S. rutae-folia*. *urceolata*, Rafin. l. c. = *S. rutae-folia*.

**TEREMIS**, Rafin. Sylva Tellur. 53 (1838) = **Lycium**, Linn. (Solan.). *elliptica*, Rafin. l. c. 54 = *L. barbarum*. *turbinata*, Rafin. l. c. = *L. chinense*.

**TEREPIS**, Rafin. Fl. Tellur. iii. 94 (1836) = **Salvia**, Tourn. (Labiata.). *Forskålei*, Rafin. l. c. = *S. Forskohlei*.

**TERERA**, [Domb.] ex Naud. in Ann. Sc. Nat. Sér. III. xvi. (1851) 196, in obs. = **Miconia**, Ruiz & Pav. (Melastom.). *triplineria*, [Domb.] ex Naud. l. c. = *M. Terera*.

**TERMINALIA**, Linn. Mant. i. 21 (1767). *COM-BRETACEAE*, Benth. & Hook. f. i. 685.

**ARISTOTELIA**, Comm. ex Lam. Encyc. i. 349 (1784). **BADAMIA**, Gaertn. Fruct. ii. 90. t. 97 (1791).

**BUCERAS**, P. Br. Hist. Jamaic. t. 23 (1756), nomen prius.

**BUCHENAVIA**, Eichl. in Flora, xlix. (1866) 164.

**BUCIDA**, Linn. Syst. ed. X. 1025 (1759).

**CATAPPA**, Gaertn. Fruct. ii. 206. t. 127 (1791).

**CHICHARRONIA**, A. Rich. Ess. Fl. Cub. 529. t. 43 (1845).

**CHUNCOA**, Pav. ex Juss. Gen. 76 (1789).

**FATREA**, Juss. in Ann. Mus. Par. v. (1804) 223.

**GIMBERNATEA**, Ruiz & Pav. Prod. 138. t. 36 (1794).

**HUDSONIA**, Robins. in Lunan, Hort. Jamaic. ii. 310 (1814).

**KNIPHOFIA**, Scop. Introd. 327 (1777).

**MYROBALANUS**, Gaertn. Fruct. ii. 90. t. 97 (1791).

**PAMEA**, Aubl. Pl. Gui. 946. t. 359 (1775).

**PENTAPTERA**, Roxb. Hort. Beng. 34 (1814); Fl. Ind. ii. 437 (1832).

**RESINARIA**, Comm. ex Lam. Encyc. i. 349 (1784).

**TANIBOUCA**, Aubl. Pl. Gui. 448. t. 178 (1775).

**VICENTIA**, Allem. Diss. (1844).—Cf. Bot. Zeit. xii. (1854) 435.

*actinophylla*, Mart. in Flora, xxiv. (1841) II. Beibl. 22. —Bras.

*acuminata*, Eichl. in Mart. Fl. Bras. xiv. II. 92. —Bras.

*acuta*, Herb. Madr. ex Wall. Cat. n. 3980 C = *paniculata*.

*acuta*, Walp. Rep. ii. 61 = *T. Chebula*.

*adamantium*, Cambess. in A. St. Hil. Fl. Bras. Mer. ii. 241. —Bras.

*aderopoda*, Miq. Fl. Ind. Bat. Suppl. 327. —Sumatra.

*alata*, D. Dietr. Syn. Pl. ii. 1522. —Ind. or.

*alata*, Herb. Madr. ex Wall. Cat. n. 3980 B = *paniculata*.

*alata*, Roth, Nov. Pl. Sp. 379 = *tomentosa*.

*amboinensis*, Hort. ex Steud. Nom. ed. II. ii. 668 (Quid ?). —Malaya ?

#### **TERMINALIA** :—

*angolensis*, O. Hoffm. in *Linnaea*, xliii. (1880–82) 131. —Afr. trop.

*angustifolia*, Blanco, Fl. Filip. ed. I. 377 = *T. Bellerica*.

*angustifolia*, Jacq. Hort. Vindob. iii. 51. —Malaya.

*angustifolia*, Roxb. Hort. Beng. 33; Fl. Ind. ii. 437 = *travancorensis*.

*angustifolia*, Sauv. Fl. Cub. 38 = *T. Buceris*.

*Arbuscula*, Sw. Prod. Veg. Ind. Occ. 68. —Jamaic.

*argentea*, Mart. Nov. Gen. et Sp. i. 43. —Bras.

*Arjuna*, Wight & Arn. Prod. 314, in textu; Bedd. Fl. Sylv. t. 28. —Ind. or.

*Arunja*, Steud. Nom. ed. II. ii. 668, sphalm. = *praeac*.

*Aruta*, Buch.-Ham. ex G. Don, Gen. Syst. ii. 659 = *T. Chebula*.

*attenuata*, Edgew. in Trans. Linn. Soc. xx. (1846) 46 = *T. Bellerica*.

*australis*, Cambess. in A. St. Hil. Fl. Bras. Mer. ii. 240. —Bras.

*avicennioides*, Guill. & Perr. Fl. Seng. Tent. i. 277. t. 64. —Afr. trop.

*Badamia*, DC. Prod. iii. 12. —Madag.

*Badamia*, Tul. in Ann. Sc. Nat. Sér. IV. vi. (1856) 92 = *T. Catappa*.

*Belirica*, Wall. Cat. n. 3968 = seq.

*Bellerica*, Roxb. Pl. Corom. ii. 54. t. 198. —Ind. or.; Malaya.

*bengalensis*, Roxb. ex DC. Prod. iii. 12. —Ind. or.; Malaya.

*Bensoë*, Pers. Syn. i. 485 = seq.

*Benzoin*, Linn. f. Suppl. 434 = *angustifolia*.

*Berryi*, Wight & Arn. Prod. 314 = *T. Arjuna*.

*bialata*, Steud. Nom. ed. II. ii. 668; Kurz, For. Fl. Brit. Burma, i. 456. —Ind. or.; Burma.

*bialata*, F. Villar, in Blanco, Fl. Filip. ed. III. Nov. App. 80 = *T. Calamansanay*.

*biscutella*, Eichl. in Mart. Fl. Bras. xiv. II. 88. —Bras.

*Biticaria*, Roxb. Hort. Beng. [90] = *T. Bellerica*.

*Boivinii*, Tul. in Ann. Sc. Nat. Sér. IV. vi. (1856) 95. —Madag.

*brasiliensis*, Eichl. in Mart. Fl. Bras. xiv. II. 91. —Bras.

*brasiliensis*, Raddi, ex Steud. Nom. ed. II. ii. 668 = *januarensis*.

*brasiliensis*, Spreng. Syst. ii. 359 = *Gouania Blanchetiana*.

*Brownii*, Fresen. in Mus. Senckenb. ii. (1837) 152. t. 9. f. 1 = *cycloptera*.

*Buceris*, Wright, in Sauv. Fl. Cub. 38; Baill. Hist. Pl. vi. 275. —Ind. occ.; Am. centr.

*bursarina*, F. Muell. Fragm. ii. 149. —Austral.

*Cacoucia*, Baill. Hist. Pl. vi. 275 = *Cacoucia coccinea*.

*Calamansanay*, Rolfe, in Journ. Linn. Soc. xxi. (1884) 310. —Ins. Philipp.

*calophylla*, Tul. in Ann. Sc. Nat. Sér. IV. vi. (1856) 102. —Madag.

*capitata*, Sauv. Fl. Cub. 38 = *Hilariana*.

*Catappa*, Linn. Mant. ii. 519. —As. trop.

*Chebula*, Retz. Obs. v. 31. —As. trop.

*Chebula*, Willd. ex Flem. in As. Res. xi. (1810) 181 = *T. Bellerica*.

*Chicharronia*, Wright, in Sauv. Fl. Cub. 38. —Cuba.

*cicatricosa*, Boiss. Diagn. Ser. I. vi. 54. —Persia.

*ciliata*, Spreng. Syst. ii. 359 (sp. dub.). —Ind. or.

*circumalata*, F. Muell. Fragm. iii. 91. —Austral.

*citrina*, Roxb. ex Flem. in As. Res. xi. (1810) 183. —Ind. or.; Malaya.

*confertifolia*, Steud. ex A. Rich. Tent. Fl. Abyss. i. 263 = *cycloptera*.

*coriacea*, [Rottl.] ex Spreng. Fl. Hal. Mant. 54. —Zeylan.

*coriacea*, Wight & Arn. Prod. 315 = *tomentosa*.

*crenata*, Tul. in Ann. Sc. Nat. Sér. IV. vi. (1856) 91. —Madag.

*crenulata*, Roth, Nov. Pl. Sp. 380; Wight & Arn. Prod. 314 = *tomentosa*.

*cuneata*, Roth, l. c. 379 = *T. Arjuna*.

*cuneifolia*, Wall. Cat. n. 3972. —Ind. or.

*cycloptera*, R. Br. in Salt, Abyss. App. 64. —Abyss.

*dichotoma*, E. Mey. Prim. Fl. Esseq. 177 = *T. Tanibouca*.

*discolor*, F. Muell. Fragm. iii. 92. —Austral.

*discolor*, Spreng. Neue Entdeck. ii. 111. —Bras.

*disticha*, Lodd. ex G. Don, in Loud. Hort. Brit. 412, nomen (Quid ?). —Ind. or.

#### **TERMINALIA** :—

*edulis*, Blanco, Fl. Filip. ed. II. 265 = *T. Bellerica*.

*edulis*, F. Muell. Fragm. ii. 151. —Austral.

*eglandulosa*, Roxb. ex C. B. Clarke, in Hook. f. Fl. Brit. Ind. ii. 445 = *T. Bellerica*.

*elegans*, Linden, Cat. n. 21. (1867) 11. —Madag.

*elliptica*, Willd. Sp. Pl. iv. 969 = *tomentosa*.

*erecta*, Baill. Hist. Pl. vi. 266, 275 = *Conocarpus erectus*.

*eriantha*, Benth. in Hook. Kew Journ. ii. (1850) 240 = *T. Tanibouca*.

*eristachya*, A. Rich. Ess. Fl. Cub. 524. —Cuba.

*erythrocarpa*, F. Muell. Fragm. ii. 150. —Austral.

*erythrophylla*, Burch. Trav. i. 400. —Afr. austr.

*excelsa*, Liebm. ex Hemsl. Biol. Centr. Am. Bot. i. 402. —Mexic.

*exsculpta*, Tul. in Ann. Sc. Nat. Sér. IV. vi. (1856) 93. —Madag.

*fagifolia*, Mart. Nov. Gen. et Sp. i. 42. t. 29. —Bras.

*Fatraea*, DC. Prod. iii. 12. —Madag.

*firma*, Mart. Nov. Gen. et Sp. i. 43 = *lucida*.

*flavicans*, Tul. in Ann. Sc. Nat. Sér. IV. vi. (1856) 99. —Madag.

*foetidissima*, Griff. Notul. iv. 685. —Malaya.

*gangetica*, Roxb. Hort. Beng. 23; Fl. Ind. ii. 437 = *T. Chebula*.

*Gella*, Dalt. in Hook. Kew Journ. iii. (1851) 227 = *T. Bellerica*.

*glabra*, R. Br. ex Benth. Fl. Austral. ii. 501, nomen = *Muelleri*.

*glabra*, Wight & Arn. Prod. 314 = *T. Arjuna*.

*glabrata*, Forst. f. Prod. 74. —Ins. Amicor.

*glabrescens*, Mart. in Flora, xx. (1837) II. Beibl. 124. —Bras.

*glaucescens*, Planch. ex Benth. in Hook. Niger Fl. 336. —Afr. trop.

*gracilis*, Tul. in Ann. Sc. Nat. Sér. IV. vi. (1856) 96. —Madag.

*grandialata*, Eichl. in Mart. Fl. Bras. xiv. II. 127, in obs. —Bras.

*grandiflora*, Benth. Fl. Austral. ii. 503. —Austral.

*guyanensis*, Eichl. in Mart. Fl. Bras. xiv. II. 88. —Bras.; Guian.

*hemignosta*, Steud. ex A. Rich. Tent. Fl. Abyss. i. 263 = *cycloptera*.

*Hilariana*, Steud. Nom. ed. II. ii. 668. —Bras.

*Hilia*, Buch.-Ham. ex Wall. Cat. n. 3970 C = *citrina*.

*hirta*, Steud. ex A. Rich. Tent. Fl. Abyss. i. 265 = *Combretum Schimperianum*.

*horrida*, Steud. Nom. ed. II. ii. 668 = *Scleropyrum Wallichianum*.

*Hylobates*, Eichl. in Kjoeb. Vidensk. Meddel. (1870) 195. —Bras.

*intermedia*, Bert. ex Spreng. Syst. ii. 359 = *T. Catappa*.

*intermedia*, Span. in Linnaea, xv. (1841) 203 = *microcarpa*.

*jamaicensis*, Steud. Nom. ed. II. ii. 668, sphalm. = seq.

*januarensis*, DC. Prod. iii. 11. —Bras.

*javanica*, Miq. Fl. Ind. Bat. i. 1. 603. —Java.

*Kydiana*, Roxb. ex Wall. Cat. sub n. 3974 = *procera*.

*lanceolata*, Mart. Nov. Gen. et Sp. i. 43. t. 29 = *fagifolia*.

*lancifolia*, Griff. Notul. iv. 685 = *Combretum trifoliatum*.

*latifolia*, Blanco, Fl. Filip. ed. I. 376 = *T. Catappa*.

*latifolia*, Sw. Prod. Veg. Ind. Occ. 68. —Jamaic.

*latipes*, Benth. Fl. Austral. ii. 501. —Austral.

*laurinoides*, Teijsm. & Binn. Cat. Hort. Bog. 237. —Java.

*leiocarpa*, Baill. Hist. Pl. vi. 265 = *Anogeissus leiocarpa*.

*litoralis*, Seem. Fl. Vit. 94. —Ins. Fiji.

*lucida*, Hoffmgg. ex Mart. Nov. Gen. et Sp. i. 43. —Bras.

*macrocarpa*, Steud. Nom. ed. II. ii. 668 = *tomentosa*.

*macrophylla*, Spruce, ex Eichl. in Mart. Fl. Bras. xiv. II. 98, in syn. —Bras.

*macroptera*, Guill. & Perr. Fl. Seneg. Tent. i. 276. —Afr. trop.

*macroptera*, Mart. in Flora, xxiv. (1841) II. Beibl. 22 = *grandialata*.

*macrostemon*, Spreng. Syst. ii. 358 = *Myrcia micrantha*.

*madagascariensis*, Spreng. l. c. = *T. Fatraea*.

*Maradu*, Buch.-Ham. ex G. Don, Gen. Syst. ii. 660, in syn. = *tomentosa*.

**TERMINALIA :—**

- Mariana, *Tul. in Ann. Sc. Nat. Sér. IV. vi.* (1856) 98.—Madag.  
*mauritiiana*, Blanco, *Fl. Filip. ed. II.* 264 = T. Catappa.  
*mauritiiana*, Lam. *Encyc. i.* 349.—Ins. Mascar.  
*melanocarpa*, F. Muell. *Fragm. iii.* 92.—Austral.  
*microcarpa*, Decne. in *Nouv. Ann. Mus. Par. iii.* (1834) 457.—Ins. Timor.  
*microcarpa*, F. Muell. *Fragm. iii.* 92 = Muellieri.  
*microphylla*, Eichl. in *Kjoeb. Vidensk. Meddel.* (1870) 193.—Bras.  
*modesta*, Eichl. in *Mart. Fl. Bras. xiv. II.* 87 = subsericea.  
*modesta*, *Tul. in Ann. Sc. Nat. Sér. IV. vi.* (1856) 102.—Madag.  
*mollis*, M. Laws. in *Oliver, Fl. Trop. Afr. ii.* 417.—Afr. trop.  
*mollis*, Vidal, *Phan. Cumings. Philipp. 30, 112.*—Ins. Philipp.  
*moluccana*, Lam. *Encyc. i.* 349 = T. Catappa.  
*moluccana*, Roxb. *Hort. Beng. 33; Fl. Ind. ii.* 432 = T. Bellerica.  
*moluccana*, Wall. *Cat. n. 3969* (Quid ?).—Ind. or.  
*monaptera*, Roth, *Nov. Pl. Sp. 382* = paniculata.  
*Muelleri*, Benth. *Fl. Austral. ii.* 500.—Austral.  
*myriocarpa*, Heurck & Muell. *Arg. in Heurck, Obs. Bot. 215.*—Reg. Himal.; Burma.  
*Myrobalana*, Roth, *Nov. Pl. Sp. 378* = T. Catappa.  
*nitens*, Presl, *Epim. Bot. 214.*—Ins. Philipp.  
*nitida*, Roxb. ex G. Don, *Gen. Syst. ii.* 659 (sp. dub.).—Ind. or.  
*nitidissima*, Raeusch. *Nom. ed. III.* 296.—Guian.  
*oblonga*, Steud. *Nom. ed. II. ii.* 668.—Peruv.  
*oblongata*, F. Muell. *Fragm. ii.* 152.—Austral.  
*obovata*, Cambess. in A. St. Hil. *Fl. Bras. Mer. ii.* 241 = Hilariana.  
*obovata*, Steud. *Nom. ed. II. ii.* 668.—Peruv.  
*octandra*, Spreng. ex Eichl. in *Mart. Fl. Bras. xiv. II.* 93, nomen (Cupaniae sp.).—Bras.  
*odontoptera*, Heurck & Muell. *Arg. in Heurck, Obs. Bot. 217.*—Guian.  
*ovalifolia*, Rottl. ex C. B. Clarke, in Hook. f. *Fl. Brit. Ind. ii.* 447 = T. Arjuna.  
*ovata*, Rottl. ex C. B. Clarke, l. c. = tomentosa.  
*ovatifolia*, Noronha, in Verh. Batav. Gen. v. (1790) ed. I. Art. iv. 27 = T. Catappa.  
*oxycarpa*, Mart. in *Flora*, xxiv. (1841) II. Beibl. 22.—Bras.  
*oxyphylla*, Miq. *Fl. Ind. Bat. Suppl. 326.*—Sumatra.  
*Pamaea*, Steud. *Nom. ed. II. ii.* 668 = seq.  
*Pamea*, DC. *Prod. iii.* 13.—Guian.  
*paniculata*, Roth, *Nov. Pl. Sp. 383.*—Ind. or.  
*Papilio*, Hance, in *Journ. Bot. xv.* (1877) 333.—Siam.  
*paraënsis*, Mart. in *Flora*, xxiv. (1841) II. Beibl. 24 = T. Catappa.  
*parviflora*, Presl, *Epim. Bot. 214.*—Ins. Philipp.  
*parviflora*, Thw. *Enum. Pl. Zeyl. 103* = T. Chebula.  
*pauciflora*, *Tul. in Ann. Sc. Nat. Sér. IV. vi.* (1856) 101.—Madag.  
*pellucida*, Presl, *Epim. Bot. 214.*—Ins. Philipp.  
*petiolaris*, A. Cunn. ex Benth. *Fl. Austral. ii.* 502.—Austral.  
*phaeocarpa*, Eichl. in *Mart. Fl. Bras. xiv. II.* 89.—Bras.  
*platyphylla*, F. Muell. *Fragm. ii.* 150.—Austral.  
*platyptera*, F. Muell. l. c. 151.—Austral.  
*polyantha*, Presl, *Epim. Bot. 213.*—Ins. Philipp.  
*porphyrocarpa*, F. Muell. ex Benth. *Fl. Austral. ii.* 501.—Austral.  
*procera*, Roxb. *Hort. Beng. 33; Fl. Ind. ii.* 429.—Ins. Andam. et Nicob.  
*prunioides*, M. Laws. in *Oliver, Fl. Trop. Afr. ii.* 415.—Afr. trop.  
*psidiifolia*, Delile, Voy. Méroë, Bot. 92 = T. Arjuna.  
*pterocarya*, F. Muell. *Fragm. ii.* 152.—Austral.  
*pumila*, *Tul. in Ann. Sc. Nat. Sér. IV. vi.* (1856) 97.—Madag.  
*punctata*, Eichl. in *Mart. Fl. Bras. xiv. II.* 85.—Bras.  
*punctata*, Roth, *Nov. Pl. Sp. 381* = T. Bellerica.  
*punctata*, Spruce, ex Eichl. in *Mart. Fl. Bras. xiv. II.* 98, in syn.—Bras.  
*pyrifolia*, Kurz, *For. Fl. Brit. Burma, i.* 457; et in *Journ. As. Soc. Beng. xlvii.* (1877) II. 54.—Burma.  
*pyrifolia*, Steud. *Nom. ed. II. ii.* 669 = Combretum pyrifolium.

**TERMINALIA :—**

- reticulata*, Roth, *Nov. Pl. Sp. 381* = T. Chebula.  
*rhomboides*, Spreng. *Syst. ii.* 358.—Madag.  
*Richii*, A. Gray, *Bot. U. St. Expl. Exped. i.* 616.—Ins. Samoa.  
*Riedelii*, Eichl. in *Mart. Fl. Bras. xiv. II.* 92.—Bras.  
*rotata*, Roxb. ex DC. *Prod. iii.* 12 = bengalensis.  
*rotundifolia*, Lodd. ex G. Don, in *Loud. Hort. Brit. 412*, nomen (Quid ?).—Ind. or.  
*rubrigemmis*, *Tul. in Ann. Sc. Nat. Sér. IV. vi.* (1856) 102.—Madag.  
*Saja*, Steud. *Nom. ed. II. ii.* 669 = myriocarpa.  
*salicifolia*, Schweinf. in *Verh. Zool.-Bot. Ges. Wien, xviii.* (1868) 663.—Afr. trop.  
*Schimperiana*, Hochst. ex Delile, in Ferret & Galin. *Voy. Abyss. iii.* 133 = avicennioides.  
*scutifera*, Planch. ex M. Laws. in *Oliver, Fl. Trop. Afr. ii.* 417.—Afr. trop.  
*sericea*, Burch. ex DC. *Prod. iii.* 13.—Afr. austr.  
*sericea*, Cambess. in A. St. Hil. *Fl. Bras. Mer. ii.* 243 = argentea.  
*sericocarpa*, F. Muell. *Fragm. ix.* 159.—Austral.  
*suaveolens*, Spruce, ex Eichl. in *Mart. Fl. Bras. xiv. II.* 97, in syn.—Bras.  
*subcordata*, Humb. & Bonpl. ex Willd. *Sp. Pl. iv.* 968 = T. Catappa.  
*subsericea*, Eichl. in *Mart. Fl. Bras. xiv. II.* 127, in obs.—Bras.  
*sulcata*, *Tul. in Ann. Sc. Nat. Sér. IV. vi.* (1856) 94.—Madag.  
*sumatrana*, Miq. *Fl. Ind. Bat. Suppl. 326.*—Sumatra.  
*Tanibouca*, Rich. in *Act. Soc. Hist. Nat. Par. i.* (1792) 109; Sm. in *Rees, Cycl. xxxv. n. 11.*—Guian.  
*tarapotensis*, Heurck & Muell. *Arg. in Heurck, Obs. Bot. 213.*—Peruv.  
*Telfaireana*, Wall. *Cat. n. 3977.*—Ins. Maurit.  
*Thozetii*, Benth. *Fl. Austral. ii.* 500.—Austral.  
*tomentella*, Kurz, in *Journ. As. Soc. Beng. xlii.* (1873) II. 80 = T. Chebula.  
*tomentosa*, Mart. ex Eichl. in *Mart. Fl. Bras. xiv. II.* 97, in syn.—Bras.  
*tomentosa*, Wight & Arn. *Prod. 314.*—Ind. or.  
*travancorensis*, Wight & Arn. l. c. = Ind. or.  
*trifoliata*, Spreng. *Syst. ii.* 358.—Bras.  
*triopteris*, Heyne, ex Wall. *Cat. n. 3980 B* = paniculata.  
*undulata*, Steud. *Nom. ed. II. ii.* 669 = Combretum flagrocarpum.  
*Urjan*, Royle, *Illustr. Bot. Himal. 209* = T. Arjuna.  
*Vasivae*, Spruce, ex Eichl. in *Mart. Fl. Bras. xiv. II.* 97 = suaveolens.  
*venosa*, Wall. *Cat. n. 3973.*—Burma.  
*Vernix*, Lam. *Encyc. i.* 350.—Ins. Molucc.  
*villosa*, Spreng. *Neue Entdeck. ii.* 111.—Bras.  
*volucris*, R. Br. ex Benth. *Fl. Austral. ii.* 498.—Austral.  
*zeylanica*, Heurck & Muell. *Arg. in Heurck, Obs. Bot. 220* = T. Chebula.

**TERMINALIS**, Medic. Theodora, 83 (1786) = **Dracaena**, Vand. (Liliac.).

*angustifolia*, Medic. l. c. = D. angustifolia.

**TERMINTHOS**, St. Lag. in *Ann. Soc. Bot. Lyon, viii.* (1881) 203 = **Pistacia**, Linn. (Anacard.).

**TERMONTIS**, Rafin. Chl. Aetn. 5 (1813) = **Linaria**, Tourn. (Scrophul.).

*chalepensis*, Rafin. l. c. = L. chalepensis.

*cordata*, Rafin. l. c. = Europ. austr.

*purpurea*, Rafin. l. c. 10 = L. purpurea.

*villosa*, Rafin. l. c. 5 = L. villosa.

**TERNATEA**, Tourn. ex Linn. *Syst. ed. I* (1735); H. B. & K. *Nov. Gen. et Sp. vi.* 415 (1823) = **Clitoria**, Linn. (Legumin.).  
*vulgaris*, H. B. & K. l. c. = C. Ternatea.

**TERNIOLA**, *Tul. in Arch. Mus. Par. vi.* (1852) 189, t. 13. **PODOSTEMACEAE**, Benth. & Hook. f. iii. 108.

*DALZELLIA*, Wight, *l. c. v. II.* 34 (1852).

*LAWIA*, *Tul. in Ann. Sc. Nat. Sér. III. xi.* (1849) 112.

*MNIANTHUS*, Walp. *Ann. iii.* 443 (1853).

*TULASNEA*, Wight, *l. c. t.* 1919–20 (1852).

*foliosa*, Wedd. in *DC. Prod. xvii.* 47.—Ind. or.

*Lawii*, Wedd. l. c.—Ind. or.

**TERNIOLA :—**

- longipes*, *Tul. in Arch. Mus. Par. vi.* (1852) 193, t. 13.—Ind. or.  
*pedunculosa*, Wedd. in *DC. Prod. xvii.* 47.—Ind. or.  
*pulchella*, *Tul. in Arch. Mus. Par. vi.* (1852) 192, t. 13, f. 4.—Ind. or.  
*ramosissima*, Wedd. in *DC. Prod. xvii.* 47.—Ind. or.  
*zeylanica*, *Tul. in Arch. Mus. Par. vi.* (1852) 190, t. 13, f. 3.—Zeylan.

**TERNSTROEMIA**, Mutis, ex Linn. f. *Suppl. 39* (1781). **TERNSTROEMACEAE**, Benth. & Hook. f. i. 182.

**AMPHANIA**, Banks, ex DC. in *Mém. Soc. Phys. Genève. i.* (1821) 408.

**CLEYERA**, Thunb. *Nov. Gen. 68* (1783); *Fl. Jap. 12* (1784).

**DUPINIA**, Scop. *Introd. 195* (1777).

**ERYTROCHITON**, [Schlecht. in] *Bot. Zeit. iv.* (1846) 656.

**HOFERIA**, Scop. *Introd. 194* (1777).

**LLANOSIA**, Blanco, *Fl. Filip. ed. II.* 319 (1845).

**REINWARDTIA**, Korth. *Verh. Nat. Gesch. Bot. 101.* t. 12 (1840 ?).

**TAONABO**, Aubl. *Pl. Gui. 569. tt. 227, 228* (1775), nomen prius.

**TONABEA**, Juss. *Gen. 262, 451* (1789).

**VOELCKERIA**, Klotzsch & Karst. in *Endl. Gen. Suppl. iv.* 66 (1847).

*acuminata*, Jack, in *Malay. Misc. ii.* (1822) n. VII. 26.—Sumatra.

*albo-punctata*, Planch. ex Griseb. *Cat. Pl. Cub. 36.*—Cuba.

*aneura*, Miq. *Fl. Ind. Bat. Suppl. 477* = japonica.

*bancana*, Miq. l. c. 477.—Ins. Banca.

*bifaria*, Buch.-Ham. ex D. Don, *Prod. Fl. Nep. 143* = Eurya acuminata.

*bilocularis*, Roxb. *Fl. Ind. ii.* 522 = Saurauja tristyla.

*brasiliensis*, Cambess. in A. St. Hil. *Fl. Bras. Mer. i.* 298, t. 59.—Bras.

*brevipes*, DC. in *Mém. Soc. Phys. Genève. i.* (1822) 408 = elliptica.

*carnosa*, Cambess. in A. St. Hil. *Fl. Bras. Mer. i.* 299.—Am. austr.

*cernua*, Griseb. *Cat. Pl. Cub. 35.*—Cuba.

*clusiaefolia*, H. B. & K. *Nov. Gen. et Sp. v.* 207, t. 463, f. 1.—Ecuador.

*congestiflora*, Triana & Planch. in *Ann. Sc. Nat. Sér. IV. xviii.* (1862) 259.—N. Granat.

*coriacea*, Scheff. in *Tijdschr. Nederl. Ind. xxxi.* (1870) 352.—Malaya.

*coriacea*, Wall. *Cat. n. 1453* = Adinandra acuminata.

*corymbosa*, Sm. in *Rees, Cycl. xxxv. n. 6.*—Guian.

*crassifolia*, Benth. in *Hook. Lond. Journ. Bot. ii.* (1843) 363.—Am. austr.

*crenata*, Macfad. *Fl. Jamaic. i.* 114 = Symlocos octopetala.

*crenulata*, Wall. *Cat. n. 3723* = Adinandra crenulata.

*cuneata*, Poepp. ex Choisy, in *Mém. Soc. Phys. Genève. xiv.* (1855) 111.—Peruv.

*cuneifolia*, Gardn. in *Hook. Lond. Journ. Bot. iv.* (1845) 100.—Bras.

*cuneifolia*, Pav. ex Choisy, in *Mém. Soc. Phys. Genève. xiv.* (1855) 107 = elliptica.

*cuspidata*, Jack, in *Malay. Misc. ii.* (1822) n. VII. 28 (Sauraujae sp.).—Sumatra.

*dasyanthera*, Turcz. in *Bull. Soc. Nat. Mosc. xxxi.* (1858) i. 241.—Japon.

*delicula*, Choisy, in *Mém. Soc. Phys. Genève. xiv.* (1855) 108.—Guian.

*dentata*, Spreng. ex DC. l. c. i. (1821) 411 = Freziera undulata.

*dentata*, Sw. *Prod. Veg. Ind. Occ. 81.*—Guian.

*dubia*, Choisy, in *Mém. Soc. Phys. Genève. xiv.* (1855) 19 = japonica.

*dumosa*, Wall. *Cat. n. 2245* = Adinandra dumosa.

*elliptica*, Choisy, in *Mém. Soc. Phys. Genève. xiv.* (1855) 16 = sylvatica.

*elliptica*, Sw. *Prod. Veg. Ind. Occ. 81.*—Ind. occ.; Mexic.

*emarginata*, Choisy, in *Mém. Soc. Phys. Genève. xiv.* (1855) 104.—Zeylan.

*fasciculata*, Wall. *Cat. subn. 1468* = Saurauja fasciculata.

*flavescens*, Griseb. *Cat. Pl. Cub. 35.*—Cuba.

*fragrans*, Choisy, in *Mém. Soc. Phys. Genève. xiv.* (1855) 109 = japonica.

*gedeensis*, Teijsm. & Binn. in *Nat. Tijdschr. Neêrl. Ind. xiv.* (1857) 156, sphalm. = seq.

*gedehensis*, Teijsm. & Binn. l. c. iii. (1852) 332.—Java.



**TERNSTROEMIA:—**

- globiflora, Ruiz & Pav. Syst. 179.—Peruv.  
 globosa, Choisy, in Mém. Soc. Phys. Genève. xiv. (1855)  
 106 = praec.  
 globuliflora, Steud. Nom. ed. II. ii. 669, sphalm. =  
 globiflora.  
 integerrima, Wall. Cat. n. 1452 = Adinandra integer-  
 rima.  
 japonica, Thunb. in Trans. Linn. Soc. ii. (1794) 335.—  
 As. subtrop.  
 khasyana, Choisy, in Mém. Soc. Phys. Genève. xiv.  
 (1855) 110 = Illicium Griffithii.  
 lineata, DC. l. c. i. (1822) 409 = elliptica.  
 longipes, Klotzsch, in Schomb. Faun. Fl. Brit. Gui.  
 1092, nomen.—Guian.  
 Lushia, Buch.-Ham. ex D. Don, Prod. Fl. Nep. 225 =  
 Cleyera ochracea.  
 Lushia, Choisy, in Mém. Soc. Phys. Genève. xiv.  
 (1855) 109 = japonica.  
 macrocarpa, Scheff. in Tijdschr. Nederl. Ind. xxxi.  
 (1870) 15 = penangiana.  
 macrocarpa, Triana & Planch. in Ann. Sc. Nat.  
 Sér. IV. xviii. (1862) 259.—N. Granat.  
 macrophylla, Wall. Cat. n. 3663 = Pyrenaria acuminata.  
 meridionalis, Mutis, Amer. i. t. 9; ex Linn. f. Suppl.  
 264.—N. Granat.  
 meridionalis, Sw. Prod. Veg. Ind. Occ. 81 = elliptica.  
 micrantha, Choisy, in Zoll. Syst. Verz. Ind. Archip.  
 142, 145.—Java.  
 microcarpa, Turcz. in Bull. Soc. Nat. Mosc. xxxi.  
 (1858) i. 241.—Am. austr.  
 multiflora, Choisy, in Mém. Soc. Phys. Genève. xiv.  
 (1855) 108 = dentata.  
 obovalis, A. Rich. Ess. Fl. Cub. 221. t. 25.—Ind. occ.  
 occidentalis, Choisy, in Mém. Soc. Phys. Genève. xiv.  
 (1855) 106 = globiflora.  
 panduana, Wall. Cat. sub n. 1470 = Saurauja  
 panduana.  
 paniculata, Wall. l. c. sub n. 1469 = Saurauja  
 napaulensis.  
 patens, Choisy, in Mém. Soc. Phys. Genève. xiv. (1855)  
 109.—Sumatra.  
 Pavoniana, Moric. l. c. vii. (1836) 258. t. 13.—Peruv.  
 peduncularis, DC. l. c. i. (1822) 409 = elliptica.  
 peduncularis, Seem. Bot. Voy. Herald, 87 = Seemannii.  
 penangiana, Choisy, in Mém. Soc. Phys. Genève. xiv.  
 (1855) 110.—Malaya.  
 pentapetala, Jack, in Malay. Misc. i. (1820) n. v. 40 =  
 Saurauja tristyla.  
 punctata, Sw. Prod. Veg. Ind. Occ. 81.—Guian.  
 quinquepartita, Ruiz & Pav. Syst. 180.—Peruv.  
 racemosa, D. Don, Prod. Fl. Nep. 225 = Saurauja napau-  
 lensis.  
 reticulata, Wall. Cat. n. 2246 = Adinandra integer-  
 rima.  
 revoluta, Splitg. in Hoev. & De Vriese, Tijdschr. ix.  
 (1842) 99 = punctata.  
 Roraimae, Klotzsch, in Schomb. Faun. Fl. Brit. Gui.  
 1092, nomen.—Guian.  
 rubicunda, Klotzsch, l. c. 1092, 1175, nomen.—Guian.  
 rubiginosa, Jack, in Malay. Misc. i. (1820) n. v. 39  
 (= Cleyera rubiginosa).—Sumatra.  
 Ruiziana, Moric. in Mém. Soc. Phys. Genève. vii. (1836)  
 257. t. 12.—Peruv.  
 salicifolia, DC. l. c. i. (1822) 411 = Freziera undulata.  
 Schomburgkiana, Benth. in Hook. Lond. Journ. Bot.  
 ii. (1843) 362.—Guian.  
 Seemannii, Triana & Planch. in Ann. Sc. Nat. Sér. IV.  
 xviii. (1862) 260.—Panama.  
 sericea, Wall. Cat. n. 1454 = Adinandra villosa.  
 serrata, Jack, in Malay. Misc. ii. (1822) n. vii. 27.—  
 Sumatra.  
 serrata, Roxb. Hort. Beng. 40; Fl. Ind. ii. 521 =  
 Saurauja Roxburghii.  
 serrulata, Pav. ex Choisy, in Mém. Soc. Phys. Genève.  
 xiv. (1855) 110 = Cleyera serrulata.  
 sessiliflora, Turcz. in Bull. Soc. Nat. Mosc. xxxvi.  
 (1863) i. 577.—Bras.  
 siphilitica, Pav. ex Choisy, in Mém. Soc. Phys. Genève.  
 xiv. (1855) 110 = Cleyera siphilitica.  
 suborbicularis, Klotzsch, in Schomb. Faun. Fl. Brit.  
 Gui. 1092, nomen.—Guian.  
 sylvatica, Cham. & Schlecht. in Linnaea, v. (1830) 220  
 = globiflora.  
 sylvatica, Choisy, in Mém. Soc. Phys. Genève. xiv.  
 (1855) 106.—Mexic.  
 Tepezapote, Cham. & Schlecht. l. c. vi. (1831) 420 =  
 elliptica. ?

**TERNSTROEMIA:—**

- Toquian, F. Villar, in Blanco, Fl. Philipp. ed. III.  
 Nov. App. 19.—Ins. Philipp.  
 trilocularis, Roxb. Hort. Beng. [93] = Saurauja  
 tristyla.  
 venosa, Spreng. Neue Entdeck. ii. 162.—Bras.  
 verticillata, Klotzsch, in Schomb. Faun. Fl. Brit. Gui.  
 1092, nomen.—Guian.  
 vitiensis, Seem. Fl. Vit. 14.—Ins. Fiji.  
 Wightii, Choisy, in Mém. Soc. Phys. Genève. xiv.  
 (1855) 109 = japonica.  
 TEROBERA, Steud. in Flora, xxxiii. (1850) 229, nomen;  
 Syn. Pl. Cyp. 164 (1855) = Cladium, P. Br.  
 (Cyperac.).  
 scirpoidea, Steud. ll. cc. = C. scirpoideum.  
 TEROGIA, Rafin. Fl. Tellur. iii. 56 (1836) = Ortega,  
 Loeff. (Caryoph.).  
 dichotoma, Rafn. l. c. = O. dichotoma.  
 TERPNANTHUS, Nees & Mart. in Nov. Act. Nat. Cur.  
 xi. (1823) 152. t. 19 = Spiranthera, A. St. Hil.  
 (Rutac.).  
 jasminoides, Nees & Mart. l. c. 178 = S. odoratissima.  
 TERPNOPHYLLUM, Thw. in Hook. Kew Journ. vi.  
 (1854) 70. t. 2 C = Garcinia, Linn. (Guttif.).  
 acuminatum, Planch. & Triana, in Ann. Sc. Nat.  
 Sér. IV. xiv. (1860) 364 = G. terpnophylla.  
 zeylanicum, Thw. in Hook. Kew Journ. vi. (1854) 70.  
 t. 2. f. 1 = G. terpnophylla.  
 TERRANEA, Colla, in Mem. Acc. Torin. xxxviii.  
 (1855) 11. t. 23 = Erigeron, Linn. (Compos.).  
 fernandesiana, Colla, l. c. = E. fruticosus.  
 TERSONIA, Moq. in DC. Prod. xiii. ii. 40 (1849).  
 PHYTOLACCACEAE, Benth. & Hook. f. iii. 87.  
 GYRANDRA, Moq. l. c. (1849).  
 brevipes, Moq. l. c.—Austral.  
 brevipes, Moq. l. c. (quoad ♂) = Gyrostemon ramu-  
 losus.  
 subvolubilis, Benth. Fl. Austral. v. 150.—Austral.  
 TERTREA, DC. Prod. iv. 481 (1830). RUBIA-  
 CEAE, Benth. & Hook. f. ii. 108.  
 SCHIEDEA, A. Rich. in Mém. Soc. Hist. Nat. Par.  
 v. (1834) 186.  
 martinicensis, DC. Prod. iv. 481.—Ins. Martinic.  
 TERTRIA, Schrank, Fl. Monac. iii. 249 (1816) =  
 Polygala, Tourn.  
 Chamaebuxus, Schrank, l. c. = P. Chamaebuxus.  
 TERUSTROEMIA, Jack, in Malay. Misc. i. (1820)  
 n. v. 39, err. typ. = Ternstroemia, Mutis.  
 TESOTA, C. Muell. in Walp. Ann. iv. 479 (1857) =  
 Olneya, A. Gray (Legumin.).  
 TESSARANDRA, Miers, in Ann. & Mag. Nat. Hist.  
 Ser. II. viii. (1851) 198 = Linociera, Sw. (Oleac.).  
 fluminensis, Miers, l. c.—Bras.  
 TESSARANTHIUM, Kellogg, in Proc. Calif. Acad. ii.  
 (1862) 142 = Fraxera, Walt. (Gentian.).  
 radiatum, Kellogg, l. c. 144 = F. speciosa.  
 TESSARIA, Ruiz & Pav. Prod. 112. t. 24 (1794).  
 COMPOSITAE, Benth. & Hook. f. ii. 291.  
 GYNETERIA, Spreng. Anleit. ii. II. 899 (1818).  
 GYNHETERIA, Willd. in Ges. Naturf. Fr. Berl. Mag.  
 i. (1807) 140.  
 MONOPHALACRUS, Cass. in Dict. Sc. Nat. liii. 235  
 (1828).  
 PHALACROMESUS, Cass. l. c. (1828).  
 POLYPAPPUS, Nutt. in Journ. Acad. Philad. N. S.  
 i. (1847) 178.  
 absinthioides, DC. Prod. v. 457.—Chili.  
 absinthioides, Griseb. in Goett. Abh. xxiv. (1879) 185  
 = integrifolia.  
 ambigua, DC. Prod. v. 457.—Am. austr.  
 banksiaefolia, Brongn. Bot. Voy. Cog. t. 64.—Hab. ?  
 boliviensis, Sch. Bip. in Linnaea, xxxiv. (1865–66) 534,  
 nomen.—Bolivia.

**TESSARIA:—**

- borealis, A. Gray, Pl. Wright. i. 102.—N. Mexic.  
 dentata, Ruiz & Pav. Syst. Veg. 213 = integrifolia.  
 integrifolia, Ruiz & Pav. l. c.—Bras.  
 legitima, DC. Prod. v. 456 = integrifolia.  
 mucronata, DC. l. c. = integrifolia.  
 redolens, Less. in Linnaea, vi. (1831) 151 (= Monen-  
 teles redolens).—N. Caled.  
 TESSENIA, Bubani, in Nuov. Giorn. Bot. Ital. v. (1873)  
 318 = Erigeron, Linn. (Compos.).  
 muralis, Bubani, l. c. = E. acris.  
 TESSERANTHERUM, Curran, in Bull. Calif. Acad. i.  
 n. III. (1885) 142, sphalm. = TESSARANTHIUM,  
 Kellogg = Fraxera, Walt. (Gentian.).  
 TESSERANTHIUM, Pritz. Ic. Ind. ii. 270 (1865),  
 sphalm. = praec.  
 TESSIERA, DC. Prod. iv. 574 (1830) = Spermacoce,  
 Linn. (Rubiace.).  
 lanigera, DC. l. c. = S. lanigera.  
 lithospermoides, DC. l. c. = S. lithospermoides.  
 pubescens, Miq. Stirp. Surin. Sel. 178.—Guian.  
 TESTUDINARIA, Salisb. in Burch. Trav. ii. 147  
 (1824). DIOSCOREACEAE, Benth. & Hook. f. iii.  
 744.  
 RHIZEMYS, Rafin. Fl. Tellur. iv. 26 (1836).  
 Elephantipes, Salisb. in Burch. Trav. ii. 148.—Afr.  
 austr.  
 montana, Burch. l. c.—Afr. austr.  
 sylvatica, Hort. Berol. ex Kunth, Enum. Pl. v. 443.—  
 Afr. austr.  
 TETA, Roxb. Hort. Beng. 24 (1814); Fl. Ind. ii. 165  
 (1832) = Peliosanthes, Andr. (Haemod.).  
 petiolaris, Voigt, Hort. Suburb. Calc. 650 = P. petio-  
 laris.  
 viridiflora, Roxb. Hort. Beng. 24; Fl. Ind. ii. 165 =  
 P. Teta.  
 TETANOSIA, Rich. ex M. Roem. Syn. Hesper. 23  
 (1846) = Opilia, Roxb. (Olacin.).  
 olacioides, M. Roem. l. c. = O. amentacea.  
 TETARIS, [Lindl. in] Chesn. Narrat. Euphr. Exped.  
 (1868) t. ad p. 443. BORAGINEAE.  
 capitata, [Lindl.] l. c. t. ad p. 443.—Mesopot.  
 parviflora, [Lindl.] l. c.—Mesopot.  
 TETILLA, DC. Prod. iv. 667 (1830). SAXIFRA-  
 GEAE, Benth. & Hook. f. i. 640.  
 DIMORPHOPETALUM, Bert. 'Merc. Chil. (1829).—  
 Cf. Bull. Férussac, xx. (1830) 110; Am. Journ. Sc.  
 Ser. I. xx. (1831) 256, nomen.  
 TETRAPLASIUM, Kunze, in Flora, xiv. (1831) 378.  
 hydrocotylaefolia, DC. Prod. iv. 667; et vii. 778.—  
 Chili.  
 TETRACANTHUS, A. Rich. Fl. Cub. Fanerog. ii.  
 60 (1853). COMPOSITAE.  
 linearifolius, A. Rich. l. c.—Cuba.  
 TETRACANTHUS, Wright, ex Griseb. Cat. Pl. Cub.  
 153 (1866) = Pinillosia, Ossa (Compos.).  
 humilis, Wright, ex Griseb. l. c. = P. bellioides.  
 TETRACARPAEA, Benth. in Journ. Linn. Soc. iii.  
 (1859) 72, sphalm. = TETRACRYPTA, Gardn. =  
 Anisophyllea, (Rhizoph.).  
 TETRACARPAEA, Hook. f. in Hook. Ic. Pl. t. 264  
 (1840). SAXIFRAGEAE, Benth. & Hook. f. i.  
 648.  
 tasmanica, Hook. f. in Hook. Ic. Pl. t. 264.—  
 Tasman.  
 TETRACARPUM, Moench, Meth. Suppl. 240 (1802) =  
 Schkuhria, Roth. (Compos.).  
 pinnatum, Moench, l. c. 241 = S. abrotanoides.  
 TETRACELLION, Turcz. ex Fisch. & Mey. Ind. Sem.  
 Hort. Petrop. i. (1835) 39 = TETRAPOMA, Turcz.  
 = Nasturtium, R. Br. (Crucif.).  
 ellipsoideum, Turcz. l. c. = N. palustre.  
 globosum, Turcz. ex Steud. Nom. ed. II. ii. 669 = N.  
 austriacum.

**TETRACERA**, Linn. Gen. ed. I. 345 (1737). *DIL-  
LENIACEAE*, Benth. & Hook. f. i. 12.  
ASSA, Houtt. Handleid. v. 275 (1776).  
CALLIGONUM, Lour. Fl. Cochinch. 342 (1790).  
DELIMA, Linn. Diss. Dass. 19 (1747); Amoen. Acad.  
i. 403 (1749).  
DELIMOPSIS, Miq. Fl. Ind. Bat. i. II. 9 (1859).  
DIPLITER, Rafin. Sylva Tellur. 165 (1838).  
ELEIATIS, Rafin. l. c. (1838).  
EURYANDRA, Forst. Char. Gen. 81. t. 41 (1776).  
GYNETRA, Rafin. Sylva Tellur. 165 (1838).  
KOROSVEL, Adans. Fam. ii. 442 (1763).  
LEONTOGLOSSUM, Hance, in Walp. Ann. ii. 18  
(1851).  
ROEHLINGIA, Dennst. Schlusss. Hort. Malab. 31  
(1818).  
TRACHYTELLA, DC. Syst. i. 410 (1818).  
TRAXILISA, Rafin. Sylva Tellur. 161 (1838).  
WAHLBOMIA, Thunb. in Vet. Akad. Handl. Stockh.  
(1790) 215. t. 9.  
acuminata, DC. Syst. i. 399.—Am. austr.  
alata, Presl, Rel. Haenk. ii. 71.—Mexic.  
alnifolia, DC. Syst. i. 401 = obtusata.  
alnifolia, Willd. Sp. Pl. ii. 1243.—Afr. trop.  
arborescens, Jack, in Malay. Misc. i. (1820) n. v. 45.  
—Sumatra.  
aspera, Willd. Sp. Pl. ii. 1241.—Guian.  
asperula, Miq. in Linnaea, xix. (1847) 133 = rotundi-  
folia.  
Assa, DC. Syst. i. 402.—Ind. or.; Malaya.  
Blumei, Walp. Rep. i. 67.—Java.  
Boiviniana, Baill. Adansonia, vii. (1866-67) 300. t. 7.  
—Afr. trop.  
borneensis, Miq. Ann. Mus. Bot. Lugd. Bat. iv. 76.—  
Borneo.  
Breyiniana, Schlecht. in Linnaea, viii. (1833) 174.—  
Bras.  
Calinea, Willd. Sp. Pl. ii. 1241 = Doliocarpus  
Calinea.  
canescens, Willd. ex Schlecht. in Linnaea, viii. (1833)  
177, nomen (Myrtaceae).—Bras.  
carpinifolia, Eichl. in Mart. Fl. Bras. xiii. i. 92.—  
Bras.  
castaneaeifolia, Triana & Planch. in Ann. Sc. Nat.  
Sér. IV. xvii. (1862) 22.—N. Granat.  
ciliata, Poepp. ex Eichl. in Mart. Fl. Bras. xiii. i. 101  
= Davilla cuspidulata.  
costata, Mart. ex Eichl. l. c. 86.—Bras.  
cuspidata, G. F. W. Mey. Prim. Fl. Esseq. 205 =  
Doliocarpus Rolandri.  
Daemeliana, F. Muell. Fragm. v. 191.—Austral.  
dichotoma, Blume, Bijdr. 3.—Java.  
Doliocarpus, Willd. Sp. Pl. ii. 1241 = Doliocarpus  
Rolandri.  
erecta, Sesse & Moç. ex DC. Syst. i. 404.—Mexic.  
Euryandra, Vahl, Symb. Bot. iii. 71.—Malaya; N.  
Caled.  
fagifolia, Blume, Bijdr. 4.—Java.  
fagifolia, Willd. ex Schlecht. in Linnaea, viii. (1833)  
174 = rotundifolia.  
Gardneri, Eichl. in Mart. Fl. Bras. xiii. i. 91.—Bras.  
gracilis, Blume, Bijdr. 4.—Java.  
grandiflora, Eichl. in Mart. Fl. Bras. xiii. i. 92.—  
Bras.  
Guillemini, Steud. Nom. ed. II. ii. 670 = alnifolia.  
Heyneana, Wall. Cat. n. 6630.—Ind. or.  
hispidula, Spreng. Syst. ii. 629.—Bras.  
hydrophila, Triana & Planch. in Ann. Sc. Nat. Sér.  
IV. xvii. (1862) 20.—N. Granat.  
hygrophila, Kurz, For. Fl. Brit. Burma, i. 22.—  
Ind. or.  
jamaicensis, DC. Syst. i. 399 = volubilis.  
japurensis, Mart. & Zucc. in Abh. Akad. Muench. i.  
(1832) 367.—Bras.  
juncata, Hort. Angl. ex Steud. Nom. ed. II. ii. 670  
(Quid?).—Austral.  
Korthalsii, Miq. Ann. Mus. Bot. Lugd. Bat. iv. 75.—  
Borneo.  
laevigata, Miq. Fl. Ind. Bat. i. II. 8.—Sumatra.  
laevis, Vahl, Symb. Bot. iii. 71.—Ind. or.; Malaya.  
lasiocarpa, Eichl. in Mart. Fl. Bras. xiii. i. 84.—  
Bras.  
laurifolia, Willd. ex Schlecht. in Linnaea, viii. (1833)  
177 = Myrcia magnoliaefolia.  
Lima, Willd. ex DC. Syst. i. 399 = Davilla rugosa.  
lucida, Wall. Cat. n. 6631 = T. Euryandra.  
lutea, Spreng. Neue Entdeck. ii. 164 = Ochna arborea.  
macrocarpa, Wall. Cat. n. 6628.—Ind. or.; Malaya.

VOL. II.

**TETRACERA** :—

macrophylla, Wall. ex Hook. f. & Thoms. Fl. Ind. i. 63,  
sphalm. = praec.  
madagascariensis, Willd. ex Schlecht. in Linnaea, viii.  
(1833) 176.—Madag.  
malabarica, Lam. Illustr. iii. 32 = T. Assa.  
mexicana, Eichl. in Mart. Fl. Bras. xiii. i. 87, in obs.  
—Mexic.  
monocarpa, Blanco, Fl. Filip. ed. I. 459.—Ins. Philipp.  
multiflora, DC. Syst. i. 400 = Davilla Sagraeana.  
multiflora, H. B. & K. ex Schlecht. in Linnaea, viii.  
(1833) 177, in obs. = Davilla multiflora.  
nitida, Vahl, Symb. Bot. iii. 70.—Ins. Trinit.  
Nordtiana, F. Muell. Fragm. v. 1.—Austral.  
oblongata, DC. Syst. i. 399.—Bras.  
obovata, DC. l. c. 401 = alnifolia.  
obovata, Willd. Sp. Pl. ii. 1241 = Doliocarpus Soramia.  
obtusata, Planch. ex Oliver, Fl. Trop. Afr. i. 12.—  
Afr. trop.  
ovalifolia, DC. Syst. i. 400.—Ind. occ.; Guian.  
pauciflora, Baker, in Journ. Linn. Soc. xx. (1833) 88.  
—Madag.  
Perriniana, Spreng. Neue Entdeck. ii. 164.—Am.  
austr.  
plicata, Willd. ex Schlecht. in Linnaea, viii. (1833)  
177 = Davilla Kunthii.  
plumbea, Moric. ex Eichl. in Mart. Fl. Bras. xiii. i. 90  
= Breyiniana.  
Poeppigiana, Schlecht. in Linnaea, viii. (1833) 174 =  
volubilis.  
portobellensis, Beurl. in Vet. Akad. Handl. Stockh.  
1854 (1856) 113.—Panama.  
potatoria, Afzel. ex G. Don, Gen. Syst. i. 69 =  
alnifolia.  
Radula, Eichl. in Mart. Fl. Bras. xiii. i. 91. t. 23.—  
Bras.  
rhamnifolia, Presl, Rel. Haenk. ii. 72.—Panama.  
Rheedii, DC. Syst. i. 402 = laevis.  
Riedeliana, Eichl. in Mart. Fl. Bras. xiii. i. 88.—Bras.  
rigida, Blume, Bijdr. 4.—Java.  
rotundifolia, Sm. in Rees, Cycl. xxxv. n. 7.—Am. trop.  
rugosa, Guill. & Perr. Fl. Seneg. Tent. i. 2 = alnifolia.  
rugosa, H. B. & K. ex Schlecht. in Linnaea, viii. (1833)  
177, in obs. = Davilla Kunthii.  
Rutenbergii, Buchen. in Bremen, Abh. vii. (1880) 12.  
—Madag.  
salicifolia, Presl, Rel. Haenk. ii. 71.—Mexic.  
sarmentosa, Vahl, Symb. Bot. iii. 70.—China.  
scaberrima, Miq. Fl. Ind. Bat. i. II. 9.—Sumatra.  
scabra, Hook. f. in Hook. Niger Fl. 203 = alnifolia.  
Sellowiana, Schlecht. in Linnaea, viii. (1833) 175.—  
Bras.  
senegalensis, DC. Syst. i. 401.—Afr. trop.  
sericea, Blume, Bijdr. 3 = laevis.  
sessiliflora, Triana & Planch. in Ann. Sc. Nat. Sér.  
IV. xvii. (1862) 21.—N. Granat.  
stricta, Willd. Sp. Pl. ii. 1241 = Doliocarpus strictus.  
sumatrana, Miq. Fl. Ind. Bat. Suppl. i. 619 =  
fagifolia.  
surinamensis, Miq. in Linnaea, xviii. (1844) 265.—  
Guian.  
Tigarea, DC. Syst. i. 403 = aspera.  
tomentosa, Willd. Sp. Pl. ii. 1241 = Doliocarpus  
Rolandri.  
triceris, Thou. ex Baill. in Bull. Soc. Linn. Par. i. (1882)  
332 = madagascariensis.  
trigyna, Roxb. ex Wall. Cat. n. 6629 A = T. Assa.  
trigyna, Roxb. Hort. Beng. [93]; Fl. Ind. ii. 645 =  
laevis.  
tripetala, Turcz. in Bull. Soc. Nat. Mosc. xxxvi.  
(1863) 1. 547.—Java.  
ulmifolia, Willd. ex Schlecht. in Linnaea, viii. (1833)  
177, nomen (Brockia sp.?).—Bras.  
volubilis, H. B. & K. Nov. Gen. et Sp. v. 50 =  
sessiliflora.  
volubilis, Linn. Sp. Pl. 533.—Am. austr.  
Wahlbomia, DC. Syst. i. 403.—Java.  
Willdenowiana, Steud. Nom. ed. II. ii. 670 = rotundi-  
folia.  
Wuthiana, F. Muell. Fragm. x. 49.—Austral.

**TETRACHELOS**, Lehm. Pl. Preiss. ii. 368 (1847) =  
**Acacia**, Willd. (Legumin.).  
Meisneri, Lehm. l. c. = A. tetragonocarpa.

**TETRACHNE**, Nees, Fl. Afr. Austr. Gram. 375  
(1841). *GRAMINEAE*, Benth. & Hook. f. iii. 1171.  
Dregei, Nees, l. c. 376.—Afr. austr.

**TETRACHYRON**, Schlecht. in Linnaea, xix. (1847) 744  
= **Calea**, Linn. (Compos.).  
manicatum, Schlecht. l. c. = C. manicata.

**TETRACLEA**, A. Gray, in Am. Journ. Sc. Ser. II.  
xvi. (1853) 98. *LABIATAE*, Benth. & Hook. f. ii.  
1220.  
Coulteri, A. Gray, l. c. —N. Mexic.

**TETRACLIS**, Hiern, in Trans. Camb. Phil. Soc.  
xii. (1873) 271. t. 11. *EBENACEAE*, Benth. &  
Hook. f. ii. 666.  
clusiaefolia, Hiern, l. c. —Madag.

**TETRACME**, Bunge, Del. Sem. Hort. Dorpat. (1836).  
—Cf. Linnaea, xii. (1838) Litt. 71. *CRUCIFERAE*,  
Benth. & Hook. f. i. 76.  
contorta, Boiss. Fl. Orient. i. 317.—Afghan.  
quadricornis, Bunge, Del. Sem. Hort. Dorpat. (1836).  
—Cf. Linnaea, xii. (1838) Litt. 71.—Turkestan.  
recurvata, Bunge, in Arb. Naturf. Ver. Riga, i. (1847)  
158.—Oriens.  
secunda, Boiss. Diagn. Ser. II. i. 29.—Afghan.  
Stocksii, Boiss. Fl. Orient. i. 317.—Beluchist.

**TETRACOCCLUS**, Engelm. ex Parry, in West-Am.  
Scientist, i. (1885) 13. *EUPHORBIAEAE*.  
dioicus, Parry, l. c. 13, 35.—Calif.  
Engelmanni, S. Wats. in Proc. Am. Acad. xx. (1885)  
373 = dioicus.

**TETRACOCYNE**, Turcz. in Bull. Soc. Nat. Mosc.  
(1863) i. 555 = **Ryania**, Vahl (Bixin.).  
angustifolia, Turcz. l. c. = R. speciosa.  
puberula, Turcz. l. c. —Guian.

**TETRACRYPTA**, Gardn. & Champ. in Hook. Kew  
Journ. i. (1849) 314 = **Anisophyllea**, R. Br.  
(Rhizoph.).  
cinnamomoides, Gardn. & Champ. l. c. = A. zeylanica.

**TETRACINOSTIGMA**, Hassk. in Flora, xl. (1857)  
533; Hort. Bog. Desc. 55 (1858) = **Aporosa**, Blume  
(Euphorb.).  
lucidum, Miq. Fl. Ind. Bat. Suppl. 471.—Sumatra.  
microcalyx, Hassk. in Flora, xl. (1857) 533 =  
A. microcalyx.

**TETRACTIS**, DC. Prod. i. 16 (1824), sphalm. = **TE-  
TRACTYS**, Spreng. (Ranunc.?).

**TETRACTOMIA**, Hook. f. Fl. Brit. Ind. i. 490  
(1875). *RUTACEAE*.  
majus, Hook. f. l. c. 491.—Malaya.  
Roxburghii, Hook. f. l. c. —Malaya.

**TETRACTYS**, Spreng. Neue Entdeck. iii. 53 (1822).  
Genus dubium *RANUNCULACEARUM*.—Cf. Benth.  
& Hook. f. i. 3.  
capensis, Spreng. l. c. —Afr. austr.

**TETRADENIA**, Benth. in Bot. Reg. sub t. 1300  
(1830). *LABIATAE*, Benth. & Hook. f. ii. 1180.  
fruticosa, Benth. in Bot. Reg. sub t. 1300.—Madag.

**TETRADENIA**, Nees, in Wall. Pl. As. Rar. ii. 61  
(1831) = **Litsea**, Lam. (Laurin.).  
consimilis, Nees, l. c. 64 = L. zeylanica.  
foliosa, Nees, l. c. = L. zeylanica.  
furfuracea, Nees, l. c. = L. zeylanica.  
lanuginosa, Nees, l. c. = L. lanuginosa.  
obovata, Nees, l. c. = Actinodaphne obovata.  
Pseudo-Culitlawan, Nees, in Otto & Dietr. Allg.  
Gartenz. i. (1833) 373 = L. Pseudoculitlawan.  
umbrosa, Nees, in Wall. Pl. As. Rar. ii. 64 =  
L. umbrosa, zeylanica.  
zeylanica, Nees, l. c. = L. zeylanica.

**TETRADIA**, Benn. Pl. Jav. Rar. 233 (1844). *STER-  
CULIACEAE*, Benth. & Hook. f. i. 219.  
Horsfieldii, Benn. l. c. —Java.

**TETRADIA**, Thou. ex Tul. in Ann. Sc. Nat. Sér. IV. vi.  
(1856) 137 = **Tetrataxis**, Hook. f. (Lythrar.).  
salicifolia, Thou. ex Tul. l. c. = Tetrataxis salicifolia.

**TETRADICLIS**, Stev. ex Bieb. Fl. Taur. Cauc. iii. 648.—Cf. 277 (1819). *RUTACEAE*, Benth. & Hook. f. i. 288.

ANATROPA, Ehrenb. in Linnaea, iv. (1829) 402.  
caspia, [Lindl. in] Chesn. Narrat. Euph. Exped. (1868) t. ad p. 441.—Mesopot.  
Eversmanni, Bunge, in Linnaea, xiv. (1840) 178.—Reg. Casp.  
salsa, Claus, in Goebel, Reise, ii. 319 = Eversmanni.  
salsa, C. A. Mey. Verz. Pfl. Cauc. 226.—Reg. Cauc.

**TETRADIMUM**, Dulac, Fl. Hautes-Pyr. 321 (1867) = **Sedum**, Tourn. (Crassul.).  
odoratum, Dulac, l. c. = S. roseum, Scop.

**TETRADIMUM**, Lour. Fl. Cochinch. 91 (1790) = **Evoidia**, Forst. (Rutac.).  
amarissimum, Poir. Encyc. Suppl. v. 291 = Brucea sumatrana.  
cymosum, Wall. ex Royle, Illustr. Bot. Himal. 157 = E. fraxinifolia.  
fraxinifolium, Wall. ex Royle, l. c. = E. fraxinifolia.  
trichotomum, Lour. Fl. Cochinch. 91 = E. fraxinifolia.

**TETRADYMIA**, DC. Prod. vi. 440 (1830). *COMPOSITAE*, Benth. & Hook. f. ii. 450.

LAGOTHAMNUS, Nutt. in Trans. Am. Phil. Soc. N. S. vii. (1841) 416.  
canescens, DC. Prod. vi. 440; et in Deless. Ic. Sel. iv. 27. t. 60.—Am. bor. occ.  
comosa, A. Gray, in Proc. Am. Acad. xii. (1877) 60.—Am. bor. occ.  
glabrata, A. Gray, in Pacif. Rail. Rep. ii. (1854) 122. t. 5.—Am. bor. occ.  
inermis, Nutt. in Trans. Am. Phil. Soc. N. S. vii. (1841) 415 = canescens.  
Nuttallii, Torr. & Gray, Fl. N. Am. ii. 447.—Am. bor. occ.  
ramosissima, Torr. in Emory, Notes Mil. Reconnois. 145 = Psathyrotes ramosissima.  
spinosa, Hook. & Arn. Bot. Beech. Voy. 360.—Am. bor. occ.  
squamata, A. Gray, in Proc. Am. Acad. ix. (1874) 207 = Lepidospartum squamatum.  
stenolepis, Greene, in Bull. Calif. Acad. i. III. (1885) 92.—Calif.

**TETRAMESTUS**, Reichb. f. in Bonplandia, ii. (1854) 21 = **Ponera**, Lindl. (Orchid.).  
aureus, Reichb. f. l. c. 22 = Ornithidium ruberrimum.  
isochiloides, Regel, Ind. Sem. Hort. Petrop. (1856) 20; et in Ann. Sc. Nat. Sér. IV. vi. (1856) 376.—N. Granat.  
modestus, Reichb. f. in Bonplandia, ii. (1854) 21 = P. modesta.

**TETRAGASTRIS**, Gaertn. Fruct. ii. 130. t. 109 (1791) = **Hedwigia**, Sw. (Burser.).—Cf. Benth. & Hook. f. i. 326; iii. 318.  
ossea, Gaertn. l. c.—Hab. ?

**TETRAGLOCHIN**, [Kunze, in] Poepp. Fragm. Syn. Pl. Chile, 26 (1833) = **Margyricarpus**, Ruiz & Pav. (Rosac.).  
buxifolium, Presl, Epim. Bot. 200.—Chili.  
caespitosum, Phil. in Linnaea, xxxiii. (1864-65) 63.—Chili.  
microphyllum, Phil. l. c. xxviii. (1856) 687 = M. microphyllus.  
strictum, [Kunze, in] Poepp. Fragm. Syn. Pl. Chile, 26 = M. alatus.  
striosum, Walp. Rep. ii. 44, sphalm. = praec.

**TETRAGLOSSA**, Bedd. in Madr. Journ. Sc. Ser. II. xxii. (1861) 70 = **Cleidion**, Blume (Euphorb.).  
indica, Bedd. l. c. = C. javanicum ?

**TETRAGONANTHUS**, S. G. Gmel. Fl. Sibir. iv. 113 (1769) = **Halenia**, Borkh. (Gentian.).

**TETRAGONELLA**, Miq. in Lehm. Pl. Preiss. i. 245 (1844) = **Tetragonia**, Linn. (Ficoid.).  
implexica, Miq. l. c. (amplexica) = Tetragonia implexica.

**TETRAGONIA**, Linn. Syst. ed. I (1735). *FICOIDAE*, Benth. & Hook. f. i. 854.  
DEMIDOVIA, Pall. Hort. Demid. 150. t. 1 (1781).  
LUDOLFIA, Adans. Fam. ii. 244 (1763).

## TETRAGONIA:—

**TETRAGONELLA**, Miq. in Lehm. Pl. Preiss. i. 245 (1844).

angustifolia, Barn. in C. Gay, Fl. Chil. ii. 470.—Chili.  
Arbuscula, Fenzl, ex Harv. & Sond. Fl. Cap. ii. 467.—Afr. austr.

calycina, Fenzl, l. c. 466.—Afr. austr.  
chenopodioides, Eckl. & Zeyh. Enum. 324.—Afr. austr.

cornuta, Gaertn. Fruct. ii. 483 = expansa, Murr.  
crystallina, L'Hérit. Stirp. Nov. 81. t. 39.—Peruv.  
decumbens, Mill. Gard. Dict. ed. VIII. n. 2.—Afr. austr.

diptera, F. Muell. Fragm. xi. 8.—Austral.  
distorta, Fenzl, ex Harv. & Sond. Fl. Cap. ii. 467.—Afr. austr.

echinata, Ait. Hort. Kew. ed. I. ii. 177.—Afr. austr.  
expansa, Murr. in Comm. Gotting. vi. (1783) 13.—Australas.

expansa, Thunb. in Trans. Linn. Soc. ii. (1794) 335.—Japon.

fruticosa, Linn. Sp. Pl. 480.—Afr. austr.  
galenioides, Fenzl, ex Harv. & Sond. Fl. Cap. ii. 463.—Afr. austr.

glauca, Fenzl, l. c. 468.—Afr. austr.  
halimifolia, Forst. f. Prod. 39 = expansa, Murr.  
halimoides, Fenzl, ex Harv. & Sond. Fl. Cap. ii. 463.—Afr. austr.

Haworthii, Fenzl, l. c. 468.—Afr. austr.  
herbacea, Linn. Sp. Pl. 480.—Afr. austr.

heterophylla, Eckl. & Zeyh. Enum. 324.—Afr. austr.  
hirsuta, Linn. f. Suppl. 258.—Afr. austr.

implexica, Hook. f. Fl. Tasm. i. 148.—Austral.  
inermis, F. Muell. in Linnaea, xxv. (1852) 384 = expansa, Murr.

ivaefolia, Linn. f. Suppl. 257 = Haloragis alata.  
japonica, Thunb. Fl. Jap. 208 = expansa, Thunb.

lanceolata, Burm. f. Fl. Cap. Prod. 14.—Afr. austr.  
linearis, Haw. Rev. Pl. Succ. 73.—Afr. austr.

macrocarpa, Phil. Fl. Atac. 19.—Chili.  
maritima, Barn. in C. Gay, Fl. Chil. ii. 469.—Chili.

microcarpa, Phil. Anal. Univ. Chil. (1872) 717; Fl. Atac. 19.—Chili.

microptera, Fenzl, ex Harv. & Sond. Fl. Cap. ii. 461.—Afr. austr.

nigrescens, Eckl. & Zeyh. Enum. 323.—Afr. austr.  
obovata, Haw. Rev. Pl. Succ. 73.—Afr. austr.

pedunculata, Phil. in Anal. Univ. Chil. (1872) 717.—Chili.

pentandra, Balf. f. in Proc. Roy. Soc. Edinb. xii. (1884) 404.—Ins. Socotra.

peruviana, Hort. Chels. ex Haw. in Phil. Mag. (1827) 124 = Calandrinia phacosperma.

portulacoides, Fenzl, ex Harv. & Sond. Fl. Cap. ii. 462.—Afr. austr.

psiloptera, Fenzl, l. c. 466.—Afr. austr.

purpurea, Otto, ex Sweet, Hort. Brit. ed. II. 234.—Hab. ?

pusilla, Phil. in Anal. Univ. Chil. (1872) 716.—Chili.

quadricornis, Stokes, Bot. Mat. Med. iii. 127 = expansa, Murr.

reduplicata, Welw. ex Oliver, Fl. Trop. Afr. ii. 583.—Afr. trop.

robusta, Fenzl, ex Harv. & Sond. Fl. Cap. ii. 467.—Afr. austr.

saligna, Fenzl, l. c. 469.—Afr. austr.

sarcophylla, Fenzl, l. c. 468.—Afr. austr.

spicata, Linn. f. Suppl. 258.—Afr. austr.

Tetrapteris, Haw. Misc. Nat. 121.—Afr. austr.

trigyna, Banks & Soland. ex Hook. f. Fl. N. Zel. i. 77; et Handb. N. Zeal. Fl. 84.—N. Zel.

verrucosa, Fenzl, ex Harv. & Sond. Fl. Cap. ii. 465.—Afr. austr.

villosa, Poir. Encyc. vii. 604 = hirsuta.

Zeyheri, Fenzl, ex Harv. & Sond. Fl. Cap. ii. 465.—Afr. austr.

**TETRAGONOCARPUS**, Hassk. in Flora, xl. (1857) 99 = **Marsdenia**, R. Br. (Asclep.).

Teysmanni, Hassk. l. c. 100.—Malaya.

**TETRAGONOLOBUS**, Scop. Fl. Carn. ed. II. ii. 87 (1772) = **Lotus**, Tourn. (Legumin.).

aduncus, Griseb. Spicil. Fl. Rumel. i. 46 = L. aduncus.

aegaeus, Griseb. l. c. 45 = L. aegaeus.

biflorus, Ser. in DC. Prod. ii. 215 = L. biflorus.

## TETRAGONOLOBUS:—

**Boutelouii**, Willk. Iber. Halbinsel, 116 = Lotus siliquosus.

conjugatus, Link, Enum. Hort. Berol. ii. 264 = L. conjugatus.

edulis, Link, l. c. = L. Tetragonolobus.

glauca, Dulac, Fl. Hautes-Pyr. 284 = L. siliquosus.

guttatus, Pomel, Nouv. Mat. Fl. Atl. 182 = L. conjugatus.

maritimus, Roth, Tent. Fl. Germ. i. 323 = L. siliquosus.

monanthos, Sacc. & Penzig, in Bot. Centralbl. v. (1881) 285.—Hab. ?

palaestinus, Boiss. Diagn. Ser. II. ii. 20.—As. Min.; Syria.

prostratus, Moench, Meth. 164 = L. siliquosus.

purpureus, Moench, l. c. = L. Tetragonolobus.

Requienii, Fisch. & Mey. Ind. Sem. Hort. Petrop. ii. 23 = L. Requieni.

Scandalida, Bernh. Syst. Verz. Erf. 243 = L. uliginosus.

siliquosus, Roth, Tent. Fl. Germ. i. 323 = L. siliquosus.

simplicifolius, Blanco, Fl. Filip. ed. II. 397 = Alysicarpus tetragonolobus.

tauricus, Bunge, ex Nym. Consp. 182 = L. siliquosus.

Wiedemanni, Boiss. Fl. Orient. ii. 176 = L. Wiedemanni.

**TETRAGONOSPERMA**, Scheele, in Linnaea, xxii. (1849) 166 = **Tetragonotheca**, Dill. (Compos.).

lyratifolium, Scheele, l. c. 167 = Tetragonotheca texana.

**TETRAGONOTHECA**, Dill. ex Linn. Gen. ed. I. 259 (1737). *COMPOSITAE*, Benth. & Hook. f. ii. 367.

BIKERA, Adans. Fam. ii. 130 (1763).

GONOTHECA, Rafin. in Med. Repos. N. York, v. (1808) 352.

HALEA, Torr. & Gray, Fl. N. Am. ii. 304 (1840).

TETRAGONOSPERMA, Scheele, in Linnaea, xxii. (1849) 166.

abyssinica, Ledeb. Ind. Sem. Hort. Dorpat. Suppl. (1824) 7 = Guizotia abyssinica.

helianthoides, Linn. Sp. Pl. 903.—Am. bor.

ludoviciana, A. Gray, in E. Hall, List. Pl. Tex. 13.—Am. bor.

parviflora, Jacq. Enum. Pl. Carib. 28.—Ind. occ.

texana, A. Gray & Engelm. in Proc. Am. Acad. i. (1848) 48.—Texas; Mexic.

**TETRAGYNE**, Miq. Fl. Ind. Bat. Suppl. 463 (1860).

Genus dubium *EUPHORBACEARUM*.—Cf. Benth. & Hook. f. iii. 257.

acuminata, Miq. l. c. 464.—Sumatra.

**TETRAHIT**, Adans. Fam. ii. 190 (1763) = **Galeopsis**, Linn. (Labiata.).

grandiflorum, Gilib. Fl. Lituan. i. 83 = G. Tetrahit.

Ladanum, Moench, Meth. 394 = G. Ladanum.

leucanthum, Fourn. in Ann. Soc. Linn. Lyon, N. S. xvii. (1869) 135 = G. Tetrahit.

longiflorum, Moench, Meth. 395 = G. ochroleuca.

Navieri, Fourn. in Ann. Soc. Linn. Lyon, N. S. xvii. (1869) 135 = G. Tetrahit.

nodosum, Moench, Meth. 395 = G. Tetrahit.

praecox, Fourn. in Ann. Soc. Linn. Lyon, N. S. xvii. (1869) 135 = G. Tetrahit.

purpurascens, Gilib. Fl. Lituan. i. 83 = G. Tetrahit.

Reichenbachii, Fourn. in Ann. Soc. Linn. Lyon, N. S. xvii. (1869) 135 = G. Tetrahit.

sulfureum, Fourn. l. c. = G. versicolor.

**TETRAHITUM**, Hoffm. & Link, Fl. Port. i. 103 (1809) = **Stachys**, Tourn. (Labiata.).

hirtum, Hoffm. & Link, l. c. 104 = S. hirta.

**TETRALEPIS**, Steud. Syn. Pl. Cyp. 159 (1855) = **Cyathochaeta**, Nees (Cyperac.).

australis, Steud. l. c. = C. avenacea.

**TETRALIX**, Griseb. Cat. Pl. Cub. 8 (1866). Genus dubium *BIXINEARUM*.—Cf. Benth. & Hook. f. i. 971.

brachypetalus, Griseb. l. c. 9.—Cuba.

**TETRALIX**, Hill, Veg. Syst. iv. 18 (1762) = **Cnicus**, Linn. (Compos.).

eriphora, Hill, Herb. Brit. i. 75 = C. eriophorus.

**TETRALOBUS**, A. DC. in DC. Prod. viii. 667 (1844) = **Polypompholyx**, Lehm. (Lentib.).

Preissii, A. DC. l. c. = P. multifida.

pusillus, A. DC. l. c. = P. tenella.

**TETRALOPHA**, Hook. f. in Hook. Ic. Pl. t. 1072 (1870). *RUBIACEAE*, Benth. & Hook. f. ii. 120. Motley, *Hook. f. in Hook. Ic. Pl.* t. 1072.—Borneo.

**TETRALYX**, Hill, Hort. Kew. 61 (1768) = **TETRALIX**, Hill = **Cnicus**, Linn. (Compos.).

**TETrameLES**, R. Br. in Denh. & Clapp. Trav. II. 230 (App. 25) (1826). *DATISCEAE*, Benth. & Hook. f. i. 845.

**ANICTOCLEA**, Nimmo, in J. Grah. Cat. Bomb. Pl. 252 (1835).  
*Grahamiana*, Wight, Ic. t. 1956 = *nudiflora*.  
*Horsfieldii*, Steud. Nom. ed. II. ii. 671 = *nudiflora*.  
*nudiflora*, R. Br. in Benn. Pl. Jav. Rav. 79. t. 17.—Ind. or.; Malaya.  
*rufinervis*, Miq. Fl. Ind. Bat. i. i. 726; Pl. Jungh. 401 = *nudiflora*.

**TETRAMERIS**, Naud. in Ann. Sc. Nat. Sér. III. xiv. (1850) 120. t. 4 = **Comolia**, DC. (Melastom.).  
*Aubletii*, Naud. l. c. 127 = *C. Aubletii*.  
*brachyandra*, Naud. l. c. = *Pterolepis glomerata*, Tibouchina *versicolor*.

*cerastifolia*, Naud. l. c. 122 = *Tibouchina cerastifolia*.  
*excoriata*, Naud. l. c. 125 = *C. violacea*.  
*isanthera*, Naud. l. c. 123 = *Tibouchina versicolor*.  
*Martiana*, Naud. l. c. 121 = *Tibouchina sebastianopolitana*.  
*nitida*, Naud. l. c. 127 = *Tibouchina nitida*.  
*repanda*, Naud. l. c. = *Pterolepis repanda*.  
*rotundifolia*, Naud. l. c. 124 = *C. denudata*.  
*serrulata*, Naud. l. c. 123 = *Tibouchina nitida*.  
*Sertularia*, Naud. l. c. 126 = *C. Sertularia*.  
*simplicicaulis*, Naud. l. c. 122 = *Tibouchina simplicicaulis*.  
*stenodon*, Naud. l. c. 126 = *C. stenodon*.  
*trivialis*, Naud. l. c. 121. t. 4 = *Macairea multinervia*.  
*uruguayensis*, Naud. l. c. 127 = *Tibouchina nitida*.  
*versicolor*, Naud. l. c. = *Tibouchina versicolor*.  
*villosa*, Naud. l. c. 127 = *C. villosa*.  
*violacea*, Naud. l. c. 124 = *C. lanceaeflora*.  
*viscidula*, Naud. l. c. 125 = *C. sessilis*.

**TETRAMERISTA**, Miq. Fl. Ind. Bat. Suppl. 534 (1860). *OCHNACEAE*, Benth. & Hook. f. i. 318.  
*glabra*, Miq. l. c.—Malaya.  
*paniculata*, Kurz, in Journ. Bot. xiii. (1875) 333.—Malaya.

**TETRAMERIUM**, Gaertn. f. Fruct. iii. 90. t. 196 (1805) = **Faramea**, Aubl. (Rubiaceae).  
*coeruleum*, Nees, ex Mart. in Nov. Act. Nat. Cur. xii. i. (1824) 13 = *F. coerulea*.  
*jasminoides*, H. B. & K. Nov. Gen. et Sp. iii. 373. t. 287 = *F. jasminoides*.  
*latifolium*, Cham. & Schlecht. in Linnaea, iv. (1829) 30 = *F. latifolia*.  
*montevidense*, Cham. & Schlecht. l. c. 29 = *F. montevidensis*.  
*multiflorum*, Bartl. ex DC. Prod. iv. 497 = *F. guayaquilensis*.  
*occidentale*, Nees, ex Mart. in Nov. Act. Nat. Cur. xii. i. (1824) 13 = *F. odoratissima*.  
*odoratissimum*, Gaertn. f. Fruct. iii. 90. t. 196 = *F. odoratissima*.  
*oleaefolium*, Spreng. Syst. i. 409 = *Coffea oleifolia*.  
*paniculatum*, Spreng. l. c. = *Coffea paniculata*.  
*sessilifolium*, H. B. & K. Nov. Gen. et Sp. iii. 374 = *F. sessilifolia*.  
*stipulaceum*, Cham. & Schlecht. in Linnaea, iv. (1829) 31 = *F. stipulacea*.

**TETRAMERIUM**, Nees, in Benth. Bot. Voy. Sulph. 147. t. 48 (1844). *ACANTHACEAE*, Benth. & Hook. f. ii. 1121.  
**HENRYA**, Nees, in Benth. Bot. Voy. Sulph. 148. t. 49 (1844).  
*glandulosum*, Oerst. in Kjoeb. Vidensk. Meddel. (1854) 171.—Mexic.  
*hispidum*, Nees, in DC. Prod. xi. 468.—Mexic.  
*nervosum*, Nees, in Benth. Bot. Voy. Sulph. 148. t. 48.—Am. centr.  
*ovalifolium*, Oerst. in Kjoeb. Vidensk. Meddel. (1854) 170.—Mexic.  
*ovatum*, Oerst. l. c. 169.—Mexic.  
*platystegium*, Torr. in Bot. Mex. Bound. 126.—Am. bor.

### TETRAMERIUM:—

*polystachyum*, Nees, in Benth. Bot. Voy. Sulph. 147.—Am. austr.  
*racemosum*, Nees, l. c. 148, in obs.; et in DC. Prod. xi. 468.—Ind. occ.  
*scorpioides*, Hemsl. Biol. Centr. Am. Bot. ii. 526.—Am. centr.

**TETRAMICRA**, Lindl. Gen. et Sp. Orch. 119 (1831). *ORCHIDEAE*, Benth. & Hook. f. iii. 532.

**LEPTOTES**, Lindl. Bot. Reg. t. 1625 (1833).  
*bicolor*, Rolfe, in Gard. Chron. (1883) II. 20.—Bras.  
*Eulophiae*, Reichb. f. ex Griseb. Cat. Pl. Cub. 264.—Cuba.  
*montana*, Griseb. Fl. Brit. W. Ind. 622 = *Octadesmia serratifolia*.  
*parviflora*, Lindl. ex Griseb. l. c.—Jamaic.  
*platyphylla*, Griseb. Cat. Pl. Cub. 264 = *Bletia sarcophylla*.  
*rigida*, Lindl. Gen. et Sp. Orch. 119.—Ind. occ.  
*schoenina*, Benth. & Hook. f. Gen. iii. 533.—Ins. S. Doming.  
*tenera*, Griseb. ex Benth. in Journ. Linn. Soc. xviii. (1881) 814 = *Eulophiae*.

**TETRAMOLOPIUM**, Nees, Gen. et Sp. Aster. 202 (1833), partim. *COMPOSITAE*, Benth. & Hook. f. ii. 282.

*ochraceum*, DC. Prod. v. 262.—Ecuador.  
*phylloides*, DC. l. c.—Mexic.  
*rupestre*, Nees, Gen. et Sp. Aster. 203 = *Diplostegium rupestre*.  
*tenerium*, Nees, l. c. 203.—Ins. Sandvic.

**TETRAMORPHEA**, DC. in Guill. Arch. Bot. ii. (1833) 331 = **Centaurea**, Linn. (Compos.).  
*Belangeriana*, DC. Prod. vi. 609 = *C. phyllocephala*.  
*Bruguieriana*, DC. l. c. = *C. phyllocephala*.

**TETRANDRA**, Miq. Fl. Ind. Bat. ii. 929 (1859) = **Tournefortia**, Linn. (Borag.).  
*glabra*, Miq. l. c. = *Tourn. Wallichii*.  
*Wallichii*, Miq. l. c. 928 = *Tourn. Wallichii*.  
*Zollingeri*, Miq. l. c. = *Tourn. Wallichii*.

**TETRANEMA**, Benth. in Bot. Reg. (1843) t. 52. *SCROPHULARINEAE*, Benth. & Hook. f. ii. 942.  
*mexicanum*, Benth. in Bot. Reg. (1843) t. 52.—Mexic.

**TETRANEMA**, Sweet, Hort. Brit. ed. II. 149 (1830) = **Desmodium**, Desv. (Legumin.).  
*nutans*, Sweet, l. c. = *D. tiliaefolium*.

**TETRANTHA**, Poit. ex DC. Prod. v. 696, 503 (1836) = **Riencourtia**, Cass. (Compos.).  
*suaveolens*, Poit. ex DC. l. c. 504 = *R. glomerata*.

**TETRANTHERA**, Jacq. Hort. Schoenb. i. 59. t. 113 (1797) = **Litsea**, Lam. (Laurin.).  
*accedens*, Blume, Mus. Bot. Lugd. Bat. i. 383 (= *Cylicodaphne accedens*).—Borneo.  
*acuminatissima*, Blume, l. c. 381 = *L. amara*.  
*aestivalis*, Spreng. Syst. ii. 267 = *L. geniculata*.  
*albicans*, Kurz, in Journ. As. Soc. Beng. xlii. (1873) II. 102.—Burma.  
*albida*, Spreng. Syst. ii. 267 = *Sassafras officinale*.  
*alnoides*, Miq. Pl. Jungh. 180 = *L. polyantha*.  
*amara*, Nees, Syst. Laurin. 551 = *L. amara*.  
*ambigua*, Blume, Mus. Bot. Lugd. Bat. i. 377.—Ins. Molucc.  
*ambrosa*, Wall. Cat. n. 2564, sphalm. = *L. umbrosa*.  
*angulata*, Nees, Syst. Laurin. 544 = *L. angulata*.  
*angusta*, Wall. Cat. n. 6344 = *L. amara*.  
*angustifolia*, Wall. l. c. n. 2537.—Ind. or.  
*angustifolia*, Wall. l. c. n. 2559 = *Actinodaphne angustifolia*.  
*angustifolia*, Zoll. ex Meissn. in DC. Prod. xv. i. 182 = *L. citrata*.  
*apetala*, Dalz. & Gibs. Bomb. Fl. 222 = *L. tomentosa*.  
*apetala*, Herb. Mus. Par. ex Blume, Mus. Bot. Lugd. Bat. i. 382 = *L. timoriana*.  
*apetala*, Roxb. Pl. Corom. ii. 25 = *L. Sebifera*.  
*areolata*, Blume, Mus. Bot. Lugd. Bat. i. 381.—N. Guin.  
*attenuata*, Wall. Cat. n. 2534 = *salicifolia*, Roxb.  
*bancana*, Miq. Fl. Ind. Bat. i. i. 950.—Ins. Banca.  
*bandongana*, Miq. in Zoll. Syst. Verz. Ind. Archip. 114, 115 = *L. Noronhae*.

### TETRANTHERA:—

*Baula*, Buch.-Ham. ex Nees, in Wall. Cat. n. 2540 B; et Pl. As. Rar. ii. 67 (= *Cylicodaphne nitida*).—Ind. or.  
*Berterii*, Spreng. Syst. ii. 267.—Am. austr.  
*bifaria*, Wall. Cat. n. 2530 = *Lindera heterophylla*.  
*bifurca*, Steud. Nom. ed. II. ii. 671, sphalm. = *praec. Bindoniana*, F. Muell. Fragm. v. 167.—Austral.  
*Blumei*, Miq. Pl. Jungh. 178 = seq.  
*Blumii*, Nees, in Wall. Pl. As. Rar. ii. 65 = *Litsea ferruginea*.  
*borneensis*, Meissn. in DC. Prod. xv. i. 184.—Borneo.  
*brachystachya*, Blume, Mus. Bot. Lugd. Bat. i. 384.—Java.  
*Brawas*, Blume, l. c.—Sumatra.  
*caduca*, Buch.-Ham. ex Wall. Cat. n. 2559 = *Actinodaphne angustifolia*.  
*calicaris*, Hook. f. Fl. N. Zel. i. 216 = *T. Tangao*.  
*californica*, Hook. & Arn. Bot. Beech. Voy. 159 = *Umbellularia californica*.  
*calononeura*, Miq. Fl. Ind. Bat. i. i. 946.—Java.  
*calophylla*, Kurz, in Journ. As. Soc. Beng. xlii. (1873) II. 102 = *martabanica*.  
*calophylla*, Miq. Pl. Jungh. 183 = *L. Tetranthera*.  
*calycaris*, Hook. f. ex Meissn. in DC. Prod. xv. i. 191 = *calicaris*.  
*camphoracea*, Wall. ex Meissn. l. c. 25 = *Cinnamomum inunctum*.  
*capitata*, Roxb. ex Nees, in Wall. Pl. As. Rar. ii. 65 = *L. Sebifera*.  
*capitulata*, Miq. Pl. Jungh. 182 = *L. amara*.  
*caudata*, Wall. Cat. n. 2566 (= *Daphnidium caudatum*).—Ind. or.  
*cauliflora*, Moon, Cat. Pl. Ceyl. 69 = *L. longifolia*.  
*causticans*, Pasq. in Nuov. Giorn. Bot. Ital. i. (1869) 290 = *Umbellularia californica*?  
*celastroides*, Miq. ex Meissn. in DC. Prod. xv. i. 180 = *L. ligustrina*.  
*Cervantesii*, Nees, Syst. Laurin. 553 = *L. glaucescens*.  
*chartacea*, Meissn. in DC. Prod. xv. i. 186, partim.—Reg. Himal.  
*chartacea*, Wall. Cat. n. 2531.—Nepal.  
*chrysantha*, Blume, Mus. Bot. Lugd. Bat. i. 376 = *L. minuta*.  
*chrysophaena*, Blume, l. c. 377.—Ins. Molucc.  
*chrysopleura*, Blume, l. c. 383.—Java.  
*citrata*, Nees, Syst. Laurin. 560 = *L. citrata*.  
*citrifolia*, Spreng. Syst. ii. 266 = *L. Sebifera*.  
*cordata*, Jack, in Malay. Misc. ii. (1822) n. VII. 34.—Sumatra.  
*cordifolia*, Meissn. in DC. Prod. xv. i. 196, sphalm. = *cordata*.  
*coriacea*, Heyne, ex Wall. Cat. n. 2556.—Ins. Penang.  
*crassifolia*, Blume, Mus. Bot. Lugd. Bat. i. 386.—Borneo.  
*Cubeba*, Meissn. in DC. Prod. xv. i. 199 = *L. Cubeba*.  
*Cuipala*, D. Don, Prod. Fl. Nep. 65 = *L. lanuginosa*.  
*cuneata*, Blume, Mus. Bot. Lugd. Bat. i. 375.—Ins. Celebes.  
*cuspidata*, Blume, l. c. 383.—Java.  
*Daradmeda*, Buch.-Ham. ex Wall. Cat. n. 2554 E = *L. Sebifera*.  
*dealbata*, R. Br. Prod. 403 = *L. dealbata*.  
*Dengek*, Miq. Pl. Jungh. 178 = *L. fulva*.  
*Diepenhorstii*, Miq. Fl. Ind. Bat. Suppl. 363.—Sumatra.  
*Diglatia*, Buch.-Ham. ex Nees, in Wall. Pl. As. Rar. ii. 66 = *salicifolia*, Roxb.  
*Diospyros*, Spreng. Syst. ii. 267 = *Lindera melissaefolia*.  
*discolor*, Blume, Mus. Bot. Lugd. Bat. i. 382 = *L. timoriana*.  
*diversifolia*, Hassk. Cat. Hort. Bog. Alt. 90 = *L. diversifolia*.  
*diversifolia*, Zoll. Syst. Verz. Ind. Arch. 114 (= *Cylicodaphne sumatrana*).—Malaya.  
*Doshia*, D. Don, Prod. Fl. Nep. 65 = *L. oblonga*.  
*elliptica*, Nees, Syst. Laurin. 550 = *L. elliptica*.  
*elongata*, Hook. f. & Thoms. ex Meissn. in DC. Prod. xv. i. 181.—Ind. or.  
*elongata*, Wall. Cat. n. 2546 = *L. elongata*.  
*fagifolia*, Wall. l. c. n. 2539 = *Beilschmiedia fagifolia*.  
*faginea*, Miq. Pl. Jungh. 181 = *L. amara*.  
*Farwettiana*, F. Muell. Fragm. v. 168 = *reticulata*, Meissn.  
*ferruginea*, R. Br. Prod. 403 = *L. hexantha*.  
*ferruginea*, F. Muell. ex Meissn. in DC. Prod. xv. i. 73 = *Endiandra pubens*.  
*firma*, Blume, Mus. Bot. Lugd. Bat. i. 381.—Borneo.



## TETRANTHERA :—

- flexuosa*, Blume, Mus. Bot. Lugd. Bat. i. 382.—Ins. Molucc.  
*floribunda*, Champ. ex Benth. in Hook. Kew Journ. v. (1853) 199 = *Litsea citrata*.  
*floridana*, Shutt. ex Meissn. in DC. Prod. xv. i. 181 = *L. geniculata*.  
*foliosa*, Wall. Cat. n. 2563 = *L. zeylanica*.  
*Forstenii*, Blume, Mus. Bot. Lugd. Bat. i. 383.—Ins. Celebes.  
*fruticosa*, Buch.-Ham. ex Meissn. in DC. Prod. xv. i. 189 = *L. polyantha*.  
*fruticosa*, Nees, Syst. Laurin. 543 = *L. amara*.  
*fruticosa*, Roxb. Hort. Beng. 73; Fl. Ind. iii. 823.—Ind. or.  
*fruticosa*, Span. in Linnaea, xv. (1841) 346, nomen = *undulata*.  
*fulva*, Blume, Mus. Bot. Lugd. Bat. i. 377 = *L. fulva*.  
*furfuracea*, Wall. Cat. n. 2568 = *L. zeylanica*.  
*Gardneri*, Thw. Enum. Pl. Zeyl. 255 = *L. Gardneri*.  
*gemelliflora*, Miq. Pl. Jungh. 179.—Sumatra.  
*geminata*, Nees, Syst. Laurin. 559 = *L. Sebifera*.  
*geniculata*, Nees, l. c. 567 = *L. geniculata*.  
*glaberrima*, Thw. Enum. Pl. Zeyl. 255 = *L. glaberrima*.  
*glabra*, Roxb. Hort. Beng. 73, nomen.—Ind. or.  
*glabraria*, Nees, Syst. Laurin. 569 = *L. Sebifera*.  
*glabrata*, Wall. Cat. n. 2548.—Ind. or.  
*glauca*, Wall. l. c. n. 2533 = *salicifolia*, Roxb.  
*glaucescens*, Spreng. Syst. ii. 267 = *L. glaucescens*.  
*glaucescens*, Wall. Cat. n. 2560 = *Cinnamomum Cecdodaphne*.  
*grandiflora*, Wall. l. c. n. 2544 = *Dodecadinia grandiflora*.  
*grandis*, Wall. l. c. n. 2552.—Ins. Penang.  
*Griffithii*, Meissn. in DC. Prod. xv. i. 191.—Malacca.  
*Gullavara*, Buch.-Ham. ex Wall. Cat. n. 2593 = *Actinodaphne angulifolia*.  
*hexantha*, Sieber, ex Meissn. in DC. Prod. xv. i. 189 = *L. polyantha*.  
*Hirana*, Buch.-Ham. ex Wall. Cat. n. 2554 F = *L. polyantha*.  
*hispidula*, Zipp. ex Blume, Mus. Bot. Lugd. Bat. i. 374 = *L. Sebifera*.  
*Hookeriana*, Meissn. in DC. Prod. xv. i. 188.—Zeylan.  
*hypoglaucis*, Miq. Pl. Jungh. 182 = *Actinodaphne glomerata*.  
*impressa*, Blume, Mus. Bot. Lugd. Bat. i. 378.—Java.  
*insignis*, Blume, l. c. 382.—Sumatra.  
*intermedia*, Blume, l. c. 383.—Java.  
*itiodaphne*, Nees, Syst. Laurin. 542 = *L. ovalifolia*.  
*japonica*, Spreng. Syst. ii. 266 = *L. japonica*.  
*japonica*, Wight, ex Wall. Cat. n. 2550 B = *L. tomentosa*.  
*khasyana*, Meissn. in DC. Prod. xv. i. 185.—Reg. Himal.  
*laeta*, Wall. Cat. n. 2541 = *L. laeta*.  
*lanceaefolia*, Roxb. Hort. Beng. 73; Fl. Ind. iii. 822 = *salicifolia*, Roxb.  
*lancifolia*, Roxb. ex Wall. Cat. n. 2532 = *L. minuta*.  
*lanuginosa*, Wall. l. c. n. 2561 = *L. lanuginosa*.  
*laurifolia*, Jacq. Hort. Schoenb. i. 59 = *L. Sebifera*.  
*laurifolia*, Roxb. Hort. Beng. 73; Fl. Ind. iii. 823 = *salicifolia*, Roxb.  
*leiantha*, Kurz, For. Fl. Brit. Burma, ii. 300.—Ins. Andam.  
*Lhuysii*, Carr. in Rev. Hort. (1869) 368.—Japon.  
*ligustrina*, Nees, in Wall. Pl. As. Rar. ii. 65 = *L. ligustrina*.  
*ligustrina*, Thw. Enum. Pl. Zeyl. 254.—Zeylan.  
*litoralis*, Blume, Mus. Bot. Lugd. Bat. i. 375 = *L. Sebifera*.  
*longifolia*, Nees, Syst. Laurin. 528 = *L. longifolia*.  
*longifolia*, Thw. Enum. Pl. Zeyl. 255 = *L. laeta*, *glaberrima*.  
*lucida*, Hassk. Cat. Hort. Bog. Alt. 90.—Java.  
*lusona*, Nees, ex Meissn. in DC. Prod. xv. i. 200 = *Lindera heterophylla*.  
*luzonica*, Blume, Mus. Bot. Lugd. Bat. i. 377 = *L. luzonica*.  
*macrantha*, Wall. Cat. n. 2587 = *L. Sebifera*.  
*macrocalyx*, Hance, in Journ. Bot. xv. (1877) 336.—China.  
*macrocarpa*, Nees, Syst. Laurin. 565 (= *Nothaphoebe cuneata*).—Malaya.  
*macrophylla*, Roxb. Hort. Beng. 73; Fl. Ind. iii. 822.—Ind. or.  
*macrophylla*, Wall. Cat. n. 2549 = *L. polyantha*.  
*mappacea*, Blume, Mus. Bot. Lugd. Bat. i. 381.—Sumatra.

## TETRANTHERA :—

- martabanica*, Kurz, For. Fl. Brit. Burma, ii. 301.—Burma.  
*megapotaamica*, Spreng. Syst. iv. Cur. Post. 156.—Bras.  
*melaetomaceae*, Wall. Cat. n. 2565 = *Lindera melaetomaceae*.  
*Merawas*, Miq. Fl. Ind. Bat. Suppl. 362.—Sumatra.  
*micrantha*, Meissn. in DC. Prod. xv. i. 83 = *coriacea*.  
*Mogal*, Blume, Mus. Bot. Lugd. Bat. i. 383.—Java.  
*mollis*, Blume, l. c. 372.—Java.  
*mollis*, Miq. Pl. Jungh. 179.—Java?  
*monopetala*, Roxb. Pl. Corom. ii. 26 = *Litsea polyantha*.  
*multiflora*, Nees, Syst. Laurin. 544 = *L. Sebifera*.  
*multiflora*, Zoll. Syst. Verz. Ind. Arch. 114 = *grandis*.  
*myristicaefolia*, Wall. Cat. n. 2548.—Burma.  
*Myrrha*, Kostel. Allg. Med.-Pharm. Flora, ii. 479 = *L. trinervia*?  
*Neesiana*, Schau. in Linnaea, xix. (1847) 712 = *L. Neesiana*.  
*Neesiana*, Wall. Cat. n. 2558 = *Lindera Neesiana*.  
*nemorialis*, Thw. Enum. Pl. Zeyl. 255 = *L. nemoralis*.  
*nervosa*, Meissn. in DC. Prod. xv. i. 187 = *L. glaberrima*.  
*nigricans*, Meissn. l. c. 190.—Borneo.  
*nitens*, Blume, Mus. Bot. Lugd. Bat. i. 375.—Java.  
*nitida*, Roxb. Hort. Beng. 73; Fl. Ind. iii. 818 (= *Cylicodaphne nitida*).—Ind. or.  
*nuculanea*, Kurz, in Journ. As. Soc. Beng. xlii. (1873) ii. 102.—Burma.  
*oblonga*, Wall. Cat. n. 2542 = *L. oblonga*.  
*obovata*, Wall. l. c. n. 2562 = *Actinodaphne obovata*.  
*obscura*, Blume, Mus. Bot. Lugd. Bat. i. 386.—N. Guin.  
*obtusa*, Nees, Syst. Laurin. 564 = *L. obtusa*.  
*ochrascentis*, Miq. Fl. Ind. Bat. Suppl. 363 = *L. rugosa*.  
*oleoides*, Meissn. in DC. Prod. xv. i. 195.—Ind. or.  
*oppositifolia*, Miq. Pl. Jungh. 178 = *L. fulva*.  
*ovalifolia*, Thw. Enum. Pl. Zeyl. 256 = *L. ovalifolia*.  
*oxyphylla*, Wall. Cat. n. 2547 (= *Aperula oxyphylla*).—Ins. Penang.  
*pellens*, D. Don, Prod. Fl. Nep. 68 = *L. umbrosa*.  
*pallida*, Blume, Mus. Bot. Lugd. Bat. i. 377.—Celebes.  
*palmatinervia*, Meissn. in DC. Prod. xv. i. 191.—Ins. Fiji.  
*Panamanja*, Nees, in Wall. Pl. As. Rar. ii. 67 = seq.  
*Panamonja*, Buch.-Ham. ex Wall. Cat. n. 2553.—Ind. or.  
*Panshia*, Herb. Buch.-Ham. ex Wall. l. c. n. 2554 D = *L. Sebifera*.  
*Pantjara*, Blume, Mus. Bot. Lugd. Bat. i. 385.—Java; Sumatra.  
*pentandra*, Roxb. Fl. Ind. iii. 824 = *L. zeylanica*.  
*Perrottetii*, Blume, Mus. Bot. Lugd. Bat. i. 384 = *L. Perrottetii*.  
*Pichurim*, Spreng. in Berl. Jahrb. (1821) t. 3; ex Pritz. Ic. Ind. i. 1093 (Quid?).—Hab.?  
*Pickeringii*, A. Gray, ex Seem. Fl. Vit. 203.—Ins. Fiji.  
*picta*, Carr. in Rev. Hort. (1869) 367.—Japon.  
*pilosa*, Spreng. Syst. ii. 267 = *Machilus pilosa*.  
*platyphylla*, Nees, Syst. Laurin. 570 = *L. Sebifera*.  
*polyantha*, Wall. Cat. n. 2538 = *L. citrata*.  
*polycephala*, Wall. ex Meissn. in DC. Prod. xv. i. 179 = *L. Sebifera*.  
*polyneura*, Hort. Bog. ex Miq. Fl. Ind. Bat. i. i. 939 (= *Lepidadenia polyneura*).—Java?  
*propinqua*, Blume, Mus. Bot. Lugd. Bat. i. 385.—Sumatra.  
*prunifolia*, Wall. ex Meissn. in DC. Prod. xv. i. 241 = *Lindera Neesiana*.  
*Pseudo-angulata*, Blume, Mus. Bot. Lugd. Bat. i. 385 = *L. Noronhae*.  
*pulcherrima*, Wall. Cat. n. 2567 = *L. zeylanica*, *umbrosa*.  
*pusilla*, Blume, Mus. Bot. Lugd. Bat. i. 376 = *L. minuta*.  
*quadriflora*, Roxb. Hort. Beng. 73; Fl. Ind. iii. 821.—Ind. or.  
*racemosa*, Spreng. ex Nees, Syst. Laurin. 394 = *Ocotea tristis*.  
*rangoonensis*, Meissn. in DC. Prod. xv. i. 187.—Burma.  
*resinosa*, Nees, Syst. Laurin. 550 = *L. resinosa*.  
*reticulata*, Buch.-Ham. ex Wall. Cat. n. 2551 = *Lindera reticulata*.

## TETRANTHERA :—

- reticulata*, Meissn. in DC. Prod. xv. i. 192.—Austral.  
*riparia*, Blume, Mus. Bot. Lugd. Bat. i. 382.—Ins. Molucc.  
*robusta*, Nees, Syst. Laurin. 564 = *Litsea robusta*.  
*rotundifolia*, Nees, ex Meissn. in DC. Prod. xv. i. 200 = *Actinodaphne chinensis*.  
*Roxburghii*, Nees, in Wall. Pl. As. Rar. ii. 65 = *L. Sebifera*.  
*rubra*, Miq. ex Meissn. in DC. Prod. xv. i. 202 = *L. Noronhae*.  
*rubra*, Nees, Syst. Laurin. 564 = *L. rubra*.  
*Rumphii*, Blume, Mus. Bot. Lugd. Bat. i. 382.—Ins. Molucc.  
*salicifolia*, Roxb. ex Wall. Cat. n. 2536.—Ind. or.  
*salicifolia*, Zoll. ex Meissn. in DC. Prod. xv. i. 179 = *L. Sebifera*.  
*saligna*, Hook. f. & Thoms. ex Meissn. in DC. Prod. xv. i. 185 = *salicifolia*, Roxb.  
*saligna*, Nees, in Wall. Pl. As. Rar. ii. 67 = *angustifolia*.  
*Sebifera*, Spreng. Syst. ii. 267 = *L. Sebifera*.  
*Seemannii*, Meissn. in DC. Prod. xv. i. 192.—Ins. Fiji.  
*semecarpifolia*, Wall. Cat. n. 6345 A = *L. polyantha*.  
*sericea*, Wall. l. c. 2545.—Reg. Himal.  
*sikkimensis*, Meissn. in DC. Prod. xv. i. 181 = *L. elongata*.  
*subovata*, Miq. Fl. Ind. Bat. Suppl. 362.—Sumatra.  
*Tangao*, R. Cunn. ex A. Cunn. in Ann. Nat. Hist. Ser. I. i. (1838) 380.—N. Zel.  
*tersa*, Spreng. Syst. ii. 267 = *L. Sebifera*.  
*Thomsonii*, Meissn. in DC. Prod. xv. i. 183.—Ind. or.  
*timoriana*, Span. in Linnaea, xv. (1841) 346, nomen = *L. timoriana*.  
*tomentosa*, Nees, in Wall. Pl. As. Rar. ii. 65 = *L. Sebifera*.  
*tomentosa*, Roxb. ex Wall. Cat. n. 2550 A, B = *L. tomentosa*, Heyne.  
*trinervia*, Spreng. Syst. ii. 266 = *L. zeylanica*, *trinervia*?  
*umbrosa*, Wall. Cat. n. 2564 (*ambrosa*) = *L. umbrosa*.  
*undulata*, Zipp. ex Span. in Linnaea, xv. (1841) 346, nomen.—Ins. Timor.  
*utilis*, Meissn. in DC. Prod. xv. i. 183.—Borneo.  
*varians*, Blume, Mus. Bot. Lugd. Bat. i. 376.—Sumatra.  
*velutina*, Blume, l. c.—Ind. or.  
*venulosa*, Meissn. in DC. Prod. xv. i. 187.—Ind. or.  
*verticillata*, Buch.-Ham. ex Meissn. in DC. l. c. 189 = *L. polyantha*.  
*verticillata*, Wall. ex Meissn. in DC. l. c. 214 = *Actinodaphne angustifolia*.  
*vestita*, Nees, Syst. Laurin. 551 = *L. tomentosa*, *Blume*.  
*vestita*, Wall. Cat. sub n. 2530 = *bifaria*?  
*villosa*, Boj. Hort. Maurit. 272 = *L. polyantha*.  
*villosa*, Mart. & Gal. in Bull. Acad. Brux. x. ii. (1843) 359 = *L. Neesiana*.  
*villosa*, Zipp. ex Blume, Mus. Bot. Lugd. Bat. i. 350 = *L. villosa*.  
*virens*, Nees, Syst. Laurin. 536.—Ins. Penang.  
*vitiana*, Meissn. in DC. Prod. xv. i. 514.—Ins. Fiji.  
*Waitziana*, Blume, Mus. Bot. Lugd. Bat. i. 384.—Java.  
*Wightiana*, Wall. Cat. n. 2557 = *L. Wightiana*.  
*Wightii*, Nees, Syst. Laurin. 523.—Ind. or.  
*xanthophylla*, Blume, Mus. Bot. Lugd. Bat. i. 381.—Sumatra.  
*Zollingeriana*, Miq. in Zoll. Syst. Verz. Ind. Archip. 114, 115 = *intermedia*.
- TETRANTHUS**, Sw. Prod. Veg. Ind. Occ. 116 (1788). **COMPOSITAE**, Benth. & Hook. f. ii. 343.  
*Berterii*, Spreng. Syst. iii. 459 = *Pinillosia tetranthoidea*.  
*hirsutus*, Spreng. Neue Entdeck. iii. 40.—Ins. S. Doming.  
*littoralis*, Spreng. Syst. iii. 459 = *hirsutus*.  
*littoralis*, Sw. Prod. Veg. Ind. Occ. 116.—Ins. S. Doming.  
*ruderalis*, Griseb. in Goett. Abh. vii. (1857) 234 = *Eleutheranthera ovata*.  
*thymoides*, Griseb. Cat. Pl. Cub. 286 = *Thymopsis Wrightii*.
- TETRAOTIS**, Reinw. in Blume, Bijdr. 892 (1826) = **Enhydra**, Lour. (Compos.).  
*longifolia*, Reinw. l. c. = *E. paludosa*.  
*paludosa*, Reinw. l. c. = *E. paludosa*.

**TETRAPANAX**, C. Koch, in C. Koch & Fint. Wochenschr. ii. (1859) 371 = **Fatsia**, Decne. (Araliac.). *innovans*, C. Koch, l. c. = *Acanthopanax innovans*. *papyrifera*, C. Koch, l. c. = *F. papyrifera*. *ricinifolium*, C. Koch, l. c. = *Acanthopanax ricinifolium*.

**TETRAPASMA**, G. Don, Gen. Syst. ii. 40 (1832) = **Discaria**, Hook. (Rhamn.). *juncea*, G. Don, l. c. = *D. australis*.

**TETRAPATHAEA**, Reichb. Consp. 132 (1828) = **Passiflora**, Linn. *australis*, Raoul, in Ann. Sc. Nat. Sér. III. ii. (1844) 123 = *P. tetrandra*.

**TETRAPELTIS**, Wall. ex Lindl. Gen. et Sp. Orch. 212 (1832) = **Otochilus**, Lindl. (Orchid.). *fragrans*, Wall. ex Lindl. l. c. 213 = *O. porrecta*.

**TETRAPETALUM**, Miq. Ann. Mus. Bot. Lngd. Bat. ii. 1 (1865-66). **AVONACEAE**, Benth. & Hook. f. i. 955. *volubile*, Miq. l. c. — Borneo.

**TETRAPHYLAX**, De Vriese, in Nat. Verh. Haarl. x. (1854) 164 = **Goodenia**, Sm. *quadrilocularis*, De Vriese, l. c. 165 = *G. quadrilocularis*.

**TETRAPHYLE**, Eckl. & Zeyh. Enum. 292 (1837) = **Crassula**, Dill. *campestris*, Eckl. & Zeyh. l. c. 294 = *Tillaea pharnaceoides*.

*corallina*, Eckl. & Zeyh. l. c. 293 = *C. corallina*. *furcata*, Eckl. & Zeyh. l. c. = *C. furcata*. *lanceolata*, Eckl. & Zeyh. l. c. 294 = *C. lanceolata*. *littoralis*, Eckl. & Zeyh. l. c. 293 = *C. littoralis*. *lycopodioides*, Eckl. & Zeyh. l. c. 294 = *C. lycopodioides*. *muscosa*, Eckl. & Zeyh. l. c. = *C. muscosa*. *parvula*, Eckl. & Zeyh. l. c. = *C. parvula*. *polpodacea*, Eckl. & Zeyh. l. c. 293 = *C. polpodacea*. *propinqua*, Eckl. & Zeyh. l. c. = *C. propinqua*. *pyramidalis*, Eckl. & Zeyh. l. c. 292 = *C. pyramidalis*. *quadrangula*, Eckl. & Zeyh. l. c. 293 = *C. quadrangula*.

**TETRAPHYLLUM**, Griff. Notul. iv. 148 (1854). **CYRTANDREAE**. *bengalense*, C. B. Clarke, in DC. Monog. Phan. v. 137.—Ind. or.

**TETRAPILUS**, Lour. Fl. Cochinch. 611 (1790) = **Olea**, Tourn. *axillaris*, Rafin. Sylva Tellur. 138.—Hab. ? *brachiatus*, Lour. Fl. Cochinch. 611 = *O. maritima*.

**TETRAPLACUS**, Radlk. in Sitzb. Akad. Muench. xv. (1885) 261. **SCROPHULARINEAE**. *platychilus*, Radlk. l. c. 262.—Bras.

**TETRAPLANDRA**, Baill. in Ann. Sc. Nat. Sér. IV. ix. (1858) 200 = **Algernonia**, Baill. (Euphorb.). *Leandri*, Baill. l. c. 202.—Bras. *Riedelii*, Muell. Arg. in Mart. Fl. Bras. xi. II. 534.—Bras.

**TETRAPLASANDRA**, A. Gray, Bot. U. St. Expl. Exped. i. 727. t. 94 (1854). **ARALIACEAE**, Benth. & Hook. f. i. 947. *hawaiiensis*, A. Gray, l. c. 728. t. 94.—Ins. Sandvic. *paucidentis*, Miq. Ann. Mus. Bot. Lugd. Bat. i. 4.—N. Guin. *Waimeae*, Wawra, in Flora, lvi. (1873) 158.—Ins. Sandvic.

**TETRAPLASIUM**, Kunze, in Flora, xiv. (1831) 378 = **Tetilla**, DC. (Saxifr.). *petiolare*, Kunze, ex Walp. Rep. ii. 265 = *Tetilla hydrocotylaefolia*.

**TETRAPLEURA**, Benth. in Hook. Journ. Bot. iv. (1842) 345. **LEGUMINOSAE**, Benth. & Hook. f. i. 590. *andongensis*, Welw. ex Oliver, Fl. Trop. Afr. ii. 331.—Afr. trop. *obtusangula*, Welw. ex Oliver, l. c.—Afr. trop. *Thonningii*, Benth. in Hook. Journ. Bot. iv. (1842) 345.—Afr. trop.

**TETRAPLEURA**, Parl. ex Webb, in Hook. Niger Fl. 131 (1849) = **Tornabenia**, Parl. (Umbell.). *insularis*, Parl. ex Webb, l. c. = *Torn. insularis*.

**TETRAPOGON**, Desf. Fl. Atlant. ii. 388. t. 255 (1799). **GRAMINEAE**, Benth. & Hook. f. iii. 1170. *macranthus*, Benth. in Journ. Linn. Soc. xix. (1881) 106.—Arab. *villosus*, Desf. Fl. Atlant. ii. 388. t. 255.—Afr. bor.

**TETRAPOMA**, Turcz. ex Fisch. & Mey. Ind. Sem. Hort. Petrop. i. (1835) 39 = **Nasturtium**, Linn. (Crucif.). *barbareaefolium*, Turcz. l. c. 39 = *N. palustre*. *Crustianum*, Walp. Rep. i. 154, sphalm. = seq. *Kruhsianum*, Fisch. & Mey. Ind. Sem. Hort. Petrop. i. 39 = *N. palustre*. *pyriforme*, Seem. Bot. Voy. Herald, 24. t. 2.—Sibir.

**TETRAPORA**, Schau. in Linnaea, xvii. (1843) 238 = **Baeckea**, Linn. (Myrtac.). *glomerata*, Turcz. in Bull. Phys.-Math. Acad. Pétersb. x. (1852) 329 = *B. pentandra*. *Preissiana*, Schau. in Linnaea, xvii. (1843) 238 = *B. pentandra*. *verrucosa*, Turcz. in Bull. Phys.-Math. Acad. Pétersb. x. (1852) 329 = *Kunzea recurva*.

**TETRAPTERA**, Miers, in Lindl. Veg. Kingd. 172 (1847) = **Burmannia**, Linn.

**TETRAPTERA**, Phil. in Bot. Zeit. xxviii. (1870) 169 = **Gaya**, H. B. & K. (Malvac.). *parviflora*, Phil. l. c. = *G. Gaudichaudiana*.

**TETRAPTERIS**, Cav. Diss. ix. 433. tt. 260-262 (1790). **MALPIGHIACEAE**, Benth. & Hook. f. i. 260. *acapulcensis*, H. B. & K. Nov. Gen. et Sp. v. 168.—Mexic. *acuminata*, Rausch. ex A. Juss. in Arch. Mus. Par. iii. (1843) 521 = *mucronata*. *acutifolia*, Cav. Diss. ix. 433. t. 261.—Guian. *acutifolia*, Griseb. in Linnaea, xiii. (1839) 236, partim = *psilandra*. *adenodon*, Miq. l. c. xxii. (1849) 548 = *multiglandulosa*. *aequalis*, Wright, in Sawv. Fl. Cub. 18.—Cuba. *affinis*, A. Juss. in Arch. Mus. Par. iii. (1843) 519.—Bras. *allopterys*, Moris, in Mem. Soc. Ital. Sc. Moden. xxiv. II. (1850) 213.—N. Granat. *anisoptera*, A. Juss. in Arch. Mus. Par. iii. (1843) 520.—Bras. *argentea*, Bertol. in Nov. Comm. Acad. Bonon. -iv. (1840) 419.—Guatemala. *Benthamiana*, Griseb. in Mart. Fl. Bras. xii. I. 88.—Bras. *Benthamii*, Triana & Planch. in Ann. Sc. Nat. Sér. IV. xviii. (1862) 333.—N. Granat. *brachyptera*, Mart. ex A. Juss. in Arch. Mus. Par. iii. (1843) 524 = *magnifolia*. *bracteolata*, Griseb. in Linnaea, xiii. (1839) 238.—Bras. *buxifolia*, Cav. Diss. ix. 434. t. 262. f. 1.—Ins. S. Doming. *calophylla*, A. Juss. in Arch. Mus. Par. iii. (1843) 525.—Guian. *chalcophylla*, A. Juss. l. c. 529 = *sericea*. *chamaecerasifolia*, A. Juss. in A. St. Hil. Fl. Bras. Mer. iii. 7. t. 162.—Bras. *chamaedrifolia*, Steud. Nom. ed. II. ii. 672, sphalm. = *praec.* *cinerea*, Griseb. in Linnaea, xiii. (1839) 233.—Bras. *citrifolia*, Pers. Syn. i. 508.—Jamaic. *citrifolia*, Sw. Fl. Ind. Occ. ii. 857 = *inaequalis*. *complicata*, Miq. Stirp. Surin. Sel. 82.—Guian. *Cotoneaster*, A. Juss. in Arch. Mus. Par. iii. (1843) 528.—Mexic. *crebriflora*, A. Juss. in A. St. Hil. Fl. Bras. Mer. iii. 9.—Bras. *crebriflora*, Mart. ex A. Juss. in Arch. Mus. Par. iii. (1843) 521, in obs. = *Guilleminiana*. *crispa*, A. Juss. l. c. 522.—Guian. *crotonifolia*, Benth. Pl. Hartw. 115 = *Benthamii*. *crotonifolia*, A. Juss. in Arch. Mus. Par. iii. (1843) 526.—Peruv.

**TETRAPTERIS** :—

*cuspidata*, Triana & Planch. in Ann. Sc. Nat. Sér. IV. xviii. (1862) 336.—N. Granat. *discolor*, Benth. in Hook. Lond. Journ. Bot. vii. (1848) 134 = *ovalifolia*. *discolor*, DC. Prod. i. 587.—Guian. *eriocarpa*, Bertol. in Nov. Comm. Acad. Bonon. iv. (1840) 419.—Guatemala. *fimbripetala*, A. Juss. in Arch. Mus. Par. iii. (1843) 544.—Guian. *fraxinifolia*, A. Juss. l. c. 537 = *lucida*. *Gaudichaudiana*, A. Juss. in A. St. Hil. Fl. Bras. Mer. iii. 9 = *Hiraea Gaudichaudiana*. *glaberrima*, Benth. in Hook. Lond. Journ. Bot. vii. (1848) 134 = *mucronata*. *glabra*, Griseb. in Mart. Fl. Bras. xii. I. 82 = *punctulata*. *glandulosa*, Griseb. l. c. 83.—Bras. *Goudotiana*, Triana & Planch. in Ann. Sc. Nat. Sér. IV. xviii. (1862) 333.—N. Granat. *gracilis*, Walp. Ann. iii. 1152 (Index) = *maranhamensis*. *Guilleminiana*, A. Juss. in Arch. Mus. Par. iii. (1843) 534.—Bras. *helianthemifolia*, Griseb. in Kjoeb. Vidensk. Meddel. (1875) 144.—Bras. *heteropetala*, Griseb. in Mart. Fl. Bras. xii. I. 88.—Bras. *humilis*, A. Juss. in Arch. Mus. Par. iii. (1843) 546.—Bras. *inaequalis*, Cav. Diss. ix. 433. t. 260.—Am. trop. *inclusens*, Benth. in Hook. Lond. Journ. Bot. vii. (1848) 133.—Guian. *Jamesonii*, Turcz. in Bull. Soc. Nat. Mosc. xxxi. (1858) I. 394.—Ecuador. *Kohauti*, Sieber, ex Presl, in Oken, Isis, xxi. (1828) 273 = *citrifolia*. *Lalandiana*, A. Juss. in Arch. Mus. Par. iii. (1843) 530 = *sericea*. *lancifolia*, A. Juss. l. c. 536.—Bras. *Langsdorffiana*, A. Juss. l. c. 539.—Bras. *lasiocarpa*, A. Juss. l. c. 527 = *rotundifolia*. *laurifolia*, Griseb. in Mart. Fl. Bras. xii. I. 88.—Bras. *leucanthele*, Griseb. in Schomb. Faun. Fl. Brit. Gui. 1003 (= *Mascagnia leucanthele*).—Bras. ; Guian. *leucosepala*, A. Juss. in Arch. Mus. Par. iii. (1843) 531.—Bras. *ligustrifolia*, A. Juss. in A. St. Hil. Fl. Bras. Mer. iii. 12.—Bras. *longibracteata*, A. Juss. in Arch. Mus. Par. iii. (1843) 541.—Bras. *lucida*, A. Juss. in A. St. Hil. Fl. Bras. Mer. iii. 11.—Bras. *macrophylla*, Poepp. ex Griseb. in Mart. Fl. Bras. xii. I. 77 = *ovalifolia*. *magnifolia*, Ruiz, ex Griseb. in Linnaea, xxii. (1849) 22.—Bras. *maranhamensis*, A. Juss. in Arch. Mus. Par. iii. (1843) 537.—Bras. *metallicolor*, A. Juss. l. c. 531 = *punctulata*. *mexicana*, Hook. & Arn. Bot. Beech. Voy. 281.—Mexic. *mogoriifolia*, A. Juss. in A. St. Hil. Fl. Bras. Mer. iii. 11.—Bras. *mollis*, Griseb. in Linnaea, xiii. (1839) 232.—Bras. *mucronata*, Cav. Diss. ix. 434. t. 262. f. 2.—Guian. *multiflora*, A. Juss. in Arch. Mus. Par. iii. (1843) 533 = *mogoriifolia*. *multiglandulosa*, A. Juss. l. c. 532.—Bras. *mutabilis*, Bunb. in Proc. Linn. Soc. i. (1841) 109.—Bras. *nitida*, Mart. ex A. Juss. in Arch. Mus. Par. iii. (1843) 523.—Bras. *obovata*, Poepp. ex A. Juss. l. c. 314 = *Hiraea crassipes*. *oleifolia*, Griseb. in Mart. Fl. Bras. xii. I. 86, in obs.—Guian. *ovalifolia*, Griseb. in Linnaea, xiii. (1839) 237.—Bras. *paludosa*, A. Juss. in Arch. Mus. Par. iii. (1843) 540.—Bras. *panamensis*, Seem. Bot. Voy. Herald, 92 = *Hiraea Barclayana*. *paniculata*, Bello, in Anal. Soc. Esp. Hist. Nat. x. (1881) 245.—Porto Rico. *papyracea*, Triana & Planch. in Ann. Sc. Nat. Sér. IV. xviii. (1862) 334.—N. Granat. *pauciflora*, DC. Prod. i. 587 = *Diplopterys Paralias*.

**TETRAPTERIS** :—

- Poeppigiana, Griseb. in Mart. Fl. Bras. xii. 1. 87.—Bras.  
 psilandra, Griseb. l. c. 81.—Bras.  
 puberula, Miq. in Hoeb. & De Vriese, Tijdschr. x. (1843) 84.—Guian.  
 punctulata, A. Juss. in A. St. Hil. Fl. Bras. Mer. iii. 10.—Bras.  
 racemulosa, A. Juss. in Arch. Mus. Par. iii. (1843) 547.—Bras.  
 ramiflora, A. Juss. in A. St. Hil. Fl. Bras. Mer. iii. 8, partim.—Bras.  
 ramiflora, A. Juss. l. c., partim=humilis.  
 renidens, Griseb. in Mart. Fl. Bras. xii. 1. 88.—Bras.  
 rotundifolia, A. Juss. in A. St. Hil. Fl. Bras. Mer. iii. 6. t. 161.—Bras.  
 Schiedeana, Cham. & Schlecht. in Linnaea, v. (1830) 218.—Mexic.  
 Seemanni, Triana & Planch. in Ann. Sc. Nat. Sér. IV. xviii. (1862) 335.—Panama.  
 sericea, A. Juss. in Arch. Mus. Par. iii. (1843) 529.—Bras.  
 squarrosa, Griseb. in Mart. Fl. Bras. xii. 1. 87.—Bras.  
 Stephaniana, Griseb. in Kjoeb. Vidensk. Meddel. (1875) 143.—Bras.  
 styloptera, A. Juss. in Arch. Mus. Par. iii. (1843) 542.—Peruv.  
 suaveolens, A. Juss. l. c. 535.—Bolivia.  
 surinamensis, Miq. in Linnaea, xviii. (1844) 55.—Guian.  
 tinifolia, Triana & Planch. in Ann. Sc. Nat. Sér. IV. xviii. (1862) 336.—N. Granat.  
 trinitensis, A. Juss. in Arch. Mus. Par. iii. (1843) 524 = discolor.  
 Turnerae, Mart. ex A. Juss. l. c. 546.—Bras.  
 vacciniifolia, A. Juss. l. c. 543.—Venezuela.  
 viburnifolia, Mart. ex A. Juss. l. c. 528 = rotundifolia.  
 xylosteifolia, A. Juss. in A. St. Hil. Fl. Bras. Mer. iii. 7.—Bras.  
 Xylostium, Griseb. in Mart. Fl. Bras. xii. 1. 84.—Bras.

**TETRAPTERYGIIUM**, Fisch. & Mey. Ind. Sem. Hort. Petrop. i. 39 (1835). *CRUCIFERAE*, Benth. & Hook. f. i. 95.  
*glatifolium*, Boiss. in Ann. Sc. Nat. Sér. II. xvii. (1842) 204 = stylophorum.  
*glatifolium*, Fisch. & Mey. Ind. Sem. Hort. Petrop. i. 39.—Armenia.  
*stylophorum*, Faub. & Spach, Illustr. i. 100. t. 50.—Persia.

**TETRAPTERYS**, A. Juss. in Ann. Sc. Nat. Sér. II. xiii. (1840) 261 = *Tetrapteris*, Cav.

**TETRARHAPHIS**, Miers, in Trans. Linn. Soc. xxi. (1853) 143 [t. 17] = *Oxytheca*, Nutt. (Polygon.).  
*apiculata*, Miers, ex Benth. in DC. Prod. xiv. 23 = *O. dendroidea*.

**TETRARIA**, Beauv. in Mém. Inst. Fr. [Acad. Sc. Par.] 1812 (1816), II. 54. *CYPERACEAE*, [Benth. & Hook. f. iii. 1063].  
*BUEKIA*, Nees, in Linnaea, ix. (1835) 300.  
*CYATHOCOMA*, Nees, l. c. (1835) 300.  
*DECALEPIS*, Boeck. in Engl. Bot. Jahrb. v. (1884) 509.  
*ELYNANTHUS*, Nees, in Linnaea, vii. (1832) 520; ix. 298 (1835).  
*IDELERIA*, Kunth, Enum. Pl. ii. 310 (1837).  
*LEPISIA*, Presl, Lepis. Nov. Pl. Gen. (1829); et Symb. Bot. i. 9. t. 5 (1830).  
*SLEROCHEAETIUM*, Nees, in Linnaea, ix. (1835) 302.  
*TRICHOBALLIA*, Presl, Symb. Bot. i. 9 (1830).  
 compar, Beauv. in Lestib. Ess. Cyp. 36.—Afr. austr.  
 Thuarii, Beauv. in Mém. Inst. Fr. [Acad. Sc. Par.] 1812 (1816), II. 54.—Afr. austr.

**TETRARRHENA**, R. Br. Prod. 209 (1810).  
*GRAMINEAE*, Benth. & Hook. f. iii. 1138.  
*acuminata*, R. Br. l. c. 210.—Austral.  
*distichophylla*, R. Br. l. c.—Austral.  
*Drummondiana*, Nees, in Hook. Lond. Journ. Bot. ii. (1843) 409 = laevis.  
*juncea*, R. Br. Prod. 210.—Austral.  
*laevis*, R. Br. l. c.—Austral.  
*tenacissima*, Nees, in Hook. Lond. Journ. Bot. ii. (1843) 409 = juncea.

**TETRASPERMA**, Steud. Nom. ed. II. ii. 673 (1841), sphalm. = *TETRAPASMA*, G. Don = *Discaria*, Hook. (Rhamn.).  
*juncea*, Steud. l. c. = *D. australis*.

**TETRASPIDIUM**, Baker, in Journ. Linn. Soc. xx. (1883) 215. *SCROPHULARINEAE*.  
*laxiflorum*, Baker, l. c.—Madag.

**TETRASPORA**, Miq. in Nederl. Kruidk. Arch. iv. (1859) 150 = *Baeckea*, Linn. (Myrtac.).  
*Gunniana*, Miq. l. c. = *B. Gunniana*.

**TETRASTEMON**, Hook. & Arn. in Hook. Bot. Misc. iii. (1833) 317 = *Myrrhinium*, Schott (Myrtac.).  
*loranthoides*, Hook. & Arn. l. c. 318 = *M. rubriflorum*.

**TETRASTYLIDIUM**, Engl. in Mart. Fl. Bras. xii. ii. 33 (1872) *OLACIENAE*.  
*brasiliense*, Engl. l. c.—Bras.

**TETRASTYLIS**, Barb. Rodrig. in Rev. Engenh. (Nov. 14, 1882), reimpr. 1 = *Passiflora*, Linn.  
*montana*, Barb. Rodrig. l. c., reimpr. 3 = *P. ovalis*.

**TETRATAXIS**, Hook. f. in Benth. & Hook. f. Gen. i. 783 (1867). *LYTHRARIACEAE*, Benth. & Hook. f. l. c.  
*TETRADIA*, Thou. ex Tul. in Ann. Sc. Nat. Sér. IV. vi. (1856) 137.  
*salicifolia*, Baker, Fl. Maurit. 100.—Ins. Mascar.

**TETRATELEIA**, Sond. in Harv. & Sond. Fl. Cap. i. 58 (1859) = *Cleome*, Linn. (Cappar.).  
*maculata*, Sond. l. c. (= *Polanisia maculata*).—Afr. austr.

**TETRATHECA**, Sm. Bot. Nov. Holl. i. t. 2 (1793).  
*TREMANDREAE*, Benth. & Hook. f. i. 134.  
*PETROTHECA*, Steud. Nom. ed. II. ii. 310 (1841), sphalm.

*aculeata*, Steetz, in Lehm. Pl. Preiss. i. 218 = hirsuta.  
*affinis*, Endl. in Enum. Pl. Hueg. 7.—Austral.  
*aphylla*, F. Muell. in Wing, South. Sc. Record, ii. (1882) 97.—Austral.  
*baueriaefolia*, F. Muell. in Schuch. Syn. Trem. 29 = ciliata.  
*calva*, Schuch. l. c. 25 = pilosa.  
*ciliata*, Lindl. in Mitch. Three Exped. ii. 206.—Austral.  
*confertifolia*, Steetz, in Lehm. Pl. Preiss. i. 214.—Austral.  
*denticulata*, Sieber, ex Spreng. Syst. iv. App. 147 = pilosa.  
*efoliata*, F. Muell. Fragm. x. 3.—Austral.  
*elongata*, Schuch. Syn. Trem. 38 = setigera.  
*epilobioides*, Steetz, in Lehm. Pl. Preiss. i. 218 = hirsuta.  
*ericifolia*, F. Muell. Pl. Vict. i. 182, partim = pilosa.  
*ericifolia*, Sm. Exot. Bot. i. 37. t. 20.—Austral.  
*ericoides*, Planch. in Van Houtte, Fl. des Serres, x. (1854–55) 229. t. 1065 = pilosa.  
*filiformis*, Benth. Fl. Austral. i. 135.—Austral.  
*galioides*, Schnizl. Ic. t. 232 = *Platytheca galioides*.  
*glandulosa*, Labill. Nov. Holl. Pl. i. 95. t. 123.—Austral.  
*glandulosa*, Sm. Exot. Bot. i. 39. t. 21 = pilosa.  
*gracilis*, Steetz, in Lehm. Pl. Preiss. i. 215 = viminea.  
*Gunnii*, Hook. f. Fl. Tasm. i. 36 = pilosa.  
*Harperi*, F. Muell. Fragm. v. 49. t. 38.—Austral.  
*hirsuta*, Lindl. Swan River App. 38.—Austral.  
*hispidissima*, Steetz, in Lehm. Pl. Preiss. i. 217.—Austral.  
*juncea*, Sm. Spec. Bot. Nov. Holl. t. 2.—Austral.  
*micrantha*, Schuch. Syn. Trem. 43 = pilifera.  
*nuda*, Lindl. Swan River App. 38.—Austral.  
*oppositifolia*, Pers. Syn. i. 419 = *Boronia polygaliifolia*.  
*pilifera*, Lindl. Swan River App. 38.—Austral.  
*pilosa*, Labill. Nov. Holl. Pl. i. 95. t. 122.—Austral.  
*Preissiana*, Steetz, in Lehm. Pl. Preiss. i. 219 = pilifera.  
*procumbens*, Gunn, ex Hook. f. Fl. Tasm. i. 35 = pilosa.  
*pubescens*, Turcz. in Bull. Soc. Nat. Mosc. xxv. (1852) ii. 141.—Austral.

**TETRATHECA** :—

- rubiaeoides*, A. Cunn. in Field, N. S. Wales, 335 = *ericifolia*.  
*rubriseta*, Lindl. Swan River App. 38 = hirsuta.  
*setigera*, Endl. in Enum. Pl. Hueg. 8.—Austral.  
*speciosa*, Hort. ex Walp. Ann. ii. 87 = *Platytheca galioides*.  
*subaphylla*, Benth. Fl. Austral. i. 132.—Austral.  
*tenuiramea*, Turcz. in Bull. Soc. Nat. Mosc. xxv. (1852) ii. 142 = pubescens.  
*thymifolia*, Sm. Exot. Bot. i. 41. t. 22.—Austral.  
*verticillata*, Paxt. Mag. Bot. xiii. (1847) 171 = *Platytheca galioides*.  
*viminea*, Lindl. Swan River App. 38.—Austral.  
*virgata*, Steetz, in Lehm. Pl. Preiss. i. 212.—Austral.

**TETRATHYLACIUM**, Poepp. & Endl. Nov. Gen. et Sp. iii. 34. t. 240 (1842). *VIOLARIEAE*, Benth. & Hook. f. i. 119.

*EDMONSTONIA*, Seem. Bot. Voy. Herald, 98. t. 18 (1853 ?).  
*macrophyllum*, Poepp. & Endl. Nov. Gen. et Sp. iii. 34. t. 240.—Chili.

**TETRATHYRIUM**, Benth. Fl. Hongk. 132 (1861) = *Loropetalum*, R. Br. (Hamamel.).  
*subcordata*, Benth. l. c. 133 = *L. subcordatum*.

**TETRATOME**, Poepp. & Endl. Nov. Gen. et Sp. ii. 46. t. 163 (1838) = *Mollinedia*, Ruiz & Pav. (Monim.).  
*arguta*, Mart. ex Tul. in Mart. Fl. Bras. iv. i. 321 = *M. nitida*.  
*cinerea*, Gardn. in Hook. Lond. Journ. Bot. iv. (1845) 136 = *M. cinerea*.  
*elliptica*, Gardn. l. c. i. (1842) 530 = *M. nitida*.  
*latifolia*, Poepp. & Endl. Nov. Gen. et Sp. ii. 47 = *M. latifolia*.  
*lepidota*, Poepp. & Endl. l. c. = *Citriosma Poeppigii*.  
*racemosa*, Poepp. ex Schlecht. in Linnaea, xx. (1847) 114 = *M. racemosa*.  
*tomentosa*, Benth. Pl. Hartw. 250 = *M. tomentosa*.  
*triflora*, Poepp. & Endl. Nov. Gen. et Sp. ii. 46. t. 163 = *M. racemosa*.

**TETRAULACIUM**, Turcz. in Bull. Soc. Nat. Mosc. xvi. (1843) 53. *SCROPHULARINEAE*, Benth. & Hook. f. ii. 949.  
*veronicaeforme*, Turcz. l. c. 54.—Bras.

**TETRAZYGIA**, Rich. ex DC. Prod. iii. 172 (1828).  
*MELASTOMACEAE*, Benth. & Hook. f. i. 762.  
*ANTHERYA*, Rafin. Sylva Tellur. 95 (1838).  
*CHITONIA*, Naud. in Ann. Sc. Nat. Sér. III. xv. (1851) 339.  
*HARRERA*, Macfad. Fl. Jamaic. ii. 60 (1837).  
*LOMANTHERA*, Rafin. Sylva Tellur. 96 (1838).  
*MICONIASTRUM*, Naud. in Ann. Sc. Nat. Sér. III. xv. (1851) 341.  
*NAUDINIA*, A. Rich. Ess. Fl. Cub. i. 561 (1845).  
*adenophora*, Griseb. in Goett. Abh. ix. (1861) 53 = *Miconia aurea*.  
*albicans*, Triana, in Trans. Linn. Soc. xxviii. (1871) 100.—Ind. occ.  
*ancistrophora*, Wright, in Sauv. Fl. Cub. 48 = *Miconia ancistrophora*.  
*angustiflora*, Griseb. in Goett. Abh. ix. (1861) 53 = *Miconia delicatula*, pallens.  
*angustifolia*, DC. Prod. iii. 172.—Ind. occ.  
*brachycentra*, Wright, in Sauv. Fl. Cub. 49.—Cuba.  
*cornifolia*, Griseb. in Goett. Abh. ix. (1861) 53 = *Miconia cinnamomifolia*.  
*crotonifolia*, DC. Prod. iii. 172.—Ins. S. Doming.  
*discolor*, DC. l. c.—Ind. occ.  
*elaegnoides*, DC. l. c.—Ind. occ.  
*elaegnoides*, Griseb. Cat. Pl. Cub. 98 = *Miconia delicatula*.  
*elaegnoides*, Griseb. Fl. Brit. W. Ind. 255 = *laxiflora*.  
*elaegnoides*, Hook. Bot. Mag. t. 4383 = *Miconia pallens*.  
*Fadyenii*, Hook. Kew Journ. i. (1849) 379 = *Charianthus Fadyeni*.  
*hispida*, Macfad. Fl. Jamaic. ii. 58.—Jamaic.  
*laxiflora*, Naud. in Ann. Sc. Nat. Sér. III. xv. (1851) 343.—Ind. occ.  
*semicrenata*, Griseb. in Mem. Am. Acad. N. S. viii. (1860) 185 = *Miconia semicrenata*.  
*smaragdina*, Griseb. in Goett. Abh. ix. (1861) 53 = *Miconia smaragdina*.  
*tetrandra*, DC. Prod. iii. 172 = *Miconia tetrandra*.

TETRAZYGOS, Rich. ex DC. Prod. iii. 197 (1828) = *Charianthus*, D. Don (Melastom.).  
*ciliatus*, Rich. ex DC. l. c. = *C. ciliatus*.

TETRAZYGUS, Triana, in Trans. Linn. Soc. xxviii. (1871) 99 = praec.

**TETREILEMA**, Turcz. in Bull. Soc. Nat. Mosc. xxxvi. (1863) II. 199. Genus dubium *VERBENA-CEARUM*.—Cf. Benth. & Hook. f. Gen. ii. 1137. articulatam, Turcz. l. c. 200.—Chili. boliviense, Turcz. l. c. (bolierense).—Bolivia.

TETRODEA, Rafin. New Fl. Am. i. 81 (1836) = *Amphicarpea*, Ell. (Legumin.).  
*comosa*, Rafin. l. c. = *A. monoica*.  
*monoica*, Rafin. l. c. = *A. monoica*.  
*subterranea*, Rafin. l. c. = *Voandzeia subterranea*.

TETRODUS, Cass. in Dict. Sc. Nat. IV. 264, 272 (1828) = *Helenium*, Linn. (Compos.).  
*quadridentatus*, Cass. II. c. = *H. quadridentatum*.

**TETRONCIUM**, Willd. in Ges. Naturf. Fr. Berl. Mag. ii. (1808) 17. *NAIADACEAE*, Benth. & Hook. f. iii. 1013.  
CATHANTHES, Rich. in Mém. Mus. Par. i. (1815) 365.  
*magellanicum*, Willd. in Ges. Naturf. Fr. Berl. Mag. ii. (1808) 17.—Reg. Magellan.

**TETROCHIDIUM**, Poepp. & Endl. Nov. Gen. et Sp. iii. 23. t. 227 (1842). *EUPHORBACEAE*, Benth. & Hook. f. iii. 288.  
*andinum*, Muell. Arg. in Flora, xlvii. (1864) 538.—Peruv.  
*macrophyllum*, Muell. Arg. in DC. Prod. xv. II. 1133.—Peruv.  
*parvulum*, Muell. Arg. in Mart. Fl. Bras. xi. II. 513.—Bras.  
*rubrivenium*, Poepp. & Endl. Nov. Gen. et Sp. iii. 23.—Costa Rica.  
*trigynum*, Baill. Etud. Gén. Euph. 440 = *rubrivenium*.

TETRORHIZA, Rafin. Fl. Tellur. iii. 25 (1836) = TRETORRHIZA, Renealm. = *Gentiana*, Tourn.

TETRORRHIZA, Steud. Nom. ed. II. ii. 673 (1841) = praec.

**TEUCRIDIMUM**, Hook. f. Fl. N. Zel. i. 203. t. 49 (1854). *VERBENACEAE*, Benth. & Hook. f. ii. 1157.  
*parvifolium*, Hook. f. Fl. N. Zel. 203. t. 49.—N. Zel.

TEUCRION, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 136 = *Teucrium*, Tourn. (Labi.).  
*chamaedryum*, St. Lag. l. c. = *Teucrium Chamaedrys*.  
*scorodonium*, St. Lag. l. c. = *Teucrium Scorodonia*.

**TEUCRIUM**, [Tourn.] Linn. Syst. ed. I (1735). *LABIATAE*, Benth. & Hook. f. ii. 1221.  
BOTRYS, Fourr. in Ann. Soc. Linn. Lyon, N. S. xvii. (1869) 188.  
CHAMAEDRYS, Tourn. ex Hall. Enum. Stirp. Helv. ii. 630 (1742).  
MELOSOMON, Rafin. Fl. Tellur. iii. 85 (1836).  
MONIPSIS, Rafin. l. c. (1836).  
MONOCHILON, Dulac, Fl. Hautes-Pyr. 405 (1867).  
POLIODENDRON, Noé, in Webb & Berth. Phyt. Canar. iii. 106. t. 173 (1835-60).  
POLIUM, Tourn. ex Linn. Syst. ed. I (1735).  
SCORDIUM, Cav. Ic. i. 19. t. 31 (1791).  
SCORODONIA, Adans. Fam. ii. 188 (1763).  
TRIXAGO, Rafin. Fl. Tellur. iii. 85 (1836).  
*abutiloides*, L'Hérit. Stirp. Nov. 84.—Ins. Mader.  
*abyssinicum*, Hochst. ex Benth. in DC. Prod. xii. 586 = *T. Scordium*.  
*Achaemenis*, Schreb. Pl. Vert. Unilab. 44 = *T. Polium*.  
*aegypticum*, Pers. Syn. ii. 112 = *T. Polium*.  
*africanum*, Thunb. Prod. Pl. Cap. 95.—Afr. austr.  
*albidum*, Munby, in Bull. Soc. Bot. Fr. ii. (1855) 286.—Alger.  
*album*, Poir. Encyc. Suppl. ii. 770 = *T. Polium*.  
*Alopecurus*, Noé, in Bull. Soc. Bot. Fr. ii. (1855) 585.—Afr. bor.

**TEUCRIUM** :—

alpestre, Sibth. & Sm. Fl. Graec. vi. 31. t. 538.—Ins. Creta.  
*alpinum*, Linn. Syst. ed. X. 1094 = *T. Botrys*.  
*alysifolium*, Stapf, in Denkschr. Akad. Wien, I. (1885) 104.—Lycia.  
*amplexicaule*, Benth. Lab. Gen. et Sp. 687.—Hispan.  
*amplexicaule*, Wallr. in Linnaea, xiv. (1840) 594 (Beitr. Fl. Hercyn. 224) = *scordioides*.  
*angustifolium*, Salisb. Prod. 76 = *fruticans*.  
*angustifolium*, Steud. Nom. ed. I. 828 = *T. Polium*.  
*angustissimum*, Schreb. Pl. Vert. Unilab. 49 = *T. Polium*.  
*aragonense*, Huet, ex Čelak. in Bot. Centralbl. xiv. (1883) 186 = *chlorocephalum*.  
*aragonense*, Losc. & Pard. Ser. Inconf. 85 = *T. Polium*.  
Arduini, Linn. Mant. i. 81.—Europ. austr.  
*arenarium*, S. T. Gmel. Reise, i. 149. t. 26 = *T. Scordium*.  
*argutum*, R. Br. Prod. 504.—Austral.  
*arcanum*, Orph. in Boiss. Diagn. Ser. II. iv. 55.—Graecia.  
*arvense*, Salisb. Prod. 76 = *Ajuga Chamaepitys*.  
*asiaticum*, Linn. Mant. i. 80 = *lancifolium*.  
*atratum*, Pomel, Nouv. Mat. Fl. Atl. 304.—Alger.  
*aureiforme*, Pomel, l. c. 113 = *T. Polium*.  
*aureum*, Schreb. Pl. Vert. Unilab. 43 = *T. Polium*.  
*australe*, Sieber, ex Steud. Nom. ed. II. ii. 673 = *Anisomeles australis*.  
*baeticum*, Boiss. & Reut. Pugill. Pl. Nov. 98 = *T. Pseudo-scorodonia*.  
*baeticum*, Clem. ex Nym. Consp. 564 = *fruticans*.  
*Balansae*, Ball, in Journ. Linn. Soc. xvi. (1878) 632 = *mauritanicum*.  
*balearicum*, Coss. ex Marès. & Vigin. Cat. Pl. Baléar. 224 = *subspinosum*.  
*Belion*, Schreb. Pl. Vert. Unilab. 47 = *T. Polium*.  
*betonicaefolium*, Jacq. Coll. i. 145 = *betonicum*.  
*betonicum*, L'Hérit. Stirp. Nov. 83. t. 40.—Ins. Mader.  
*bicolor*, Sm. in Rees, Cycl. xxxv. [n. 25].—Peruv.; Chili.  
*Botrydium*, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 136 = *T. Botrys*.  
*botryoides*, Hort. ex Steud. Nom. ed. II. ii. 673 = *T. Botrys*.  
*Botrys*, Linn. Sp. Pl. 562.—Europ.; Afr. bor.  
*bracteatum*, Desf. Fl. Atlant. ii. 7. t. 120.—Reg. Mediterr. occ.  
*brevifolium*, Schreb. Pl. Vert. Unilab. 27.—Graecia; Ins. Creta.  
*bullatum*, Coss. & Bal. in Bull. Soc. Bot. Fr. xx. (1873) 260.—Marocc.  
*buxifolium*, Schreb. Pl. Vert. Unilab. 42.—Hispan.; Creta.  
*caespitosum*, Duf. in Bull. Soc. Bot. Fr. vii. (1860) 430 = *T. Polium*.  
*campanulatum*, Linn. Sp. Pl. 562.—Ital.; Graecia.  
*canadense*, Linn. l. c. 564.—Am. bor.  
*canadense*, Torr. in Bot. U. St. Expl. Exped. ii. II. 409 = *occidentale*.  
*canariense*, Lam. Encyc. ii. 692 = *heterophyllum*.  
*canescens*, Forst. f. in Comm. Gotting. ix. (1789) 58 = *betonicum*.  
*canum*, Fisch. & Mey. Ind. Sem. Hort. Petrop. i. 40 = *T. Chamaedrys*.  
*capense*, Thunb. Prod. Pl. Cap. 95.—Afr. austr.  
*capitatum*, Linn. Sp. Pl. 566 = *T. Polium*.  
*carthaginense*, Lange, in Kjoeb. Vidensk. Meddel. (1881) 97.—N. Granat.  
*causasicum*, Willd. ex Spreng. Syst. ii. 708 = *T. Scordium*.  
*Cavanillesii*, Bert. ex Steud. Nom. ed. II. ii. 674 = *bicolor*.  
*Cephalotes*, Pomel, Nouv. Mat. Fl. Atl. 116 = *T. Polium*.  
*chamaedriforme*, Mill. Gard. Dict. ed. VIII. n. 16 = *cubense*.  
*Chamaedrys*, Linn. Sp. Pl. 565.—Europ.; As. bor.; Oriens.  
*Chamaepitys*, Linn. l. c. = *Ajuga Chamaepitys*.  
*charamoniense*, Cav. Desc. 82 = *creticum*.  
*chilense*, Desf. ex Steud. Nom. ed. II. ii. 674.—Chili.  
*chium*, J. F. Gmel. Syst. 893 = *Ajuga chia*.  
*chlorocephalum*, Čelak. in Bot. Centralbl. xiv. (1883) 186.—Hispan.  
*chrysotrichium*, Lange, in Kjoeb. Vidensk. Meddel. (1881) 96.—Europ.  
*Chulilia*, Cav. ex Spreng. Syst. ii. 708 = *T. Polium*.  
*cinereum*, Boiss. Elench. 79.—Hispan.

**TEUCRIUM** :—

*cinereum*, Rafin. New Fl. Am. iv. 98 (Quid?).—Am. bor.  
*coeleste*, Schreb. Pl. Vert. Unilab. 49 = *T. Polium*.  
*collinum*, Coss. & Bal. in Bull. Soc. Bot. Fr. xx. (1873) 258.—Marocc.  
*collinum*, Salisb. Prod. 75 = *T. Botrys*.  
*collinum*, Salisb. l. c. 77 = *T. Polium*.  
*Commersonii*, Spreng. Syst. ii. 710 = *Salvia procurrens*.  
*compactum*, Clem. ex Lag. Gen. et Sp. Nov. 17.—Hispan.  
*compositum*, Pomel, Nouv. Mat. Fl. Atl. 114 = *T. Polium*.  
*coniortodes*, Boiss. & Blanche, ex Boiss. Fl. Orient. iv. 818.—Syria.  
*corbariense*, Lapeyr. ex Steud. Nom. ed. I. 829 = *resupinatum*.  
*corbariense*, Pourr. ex Nym. Consp. 565 = *scordioides*.  
*cordifolium*, Čelak. in Bot. Centralbl. xiv. (1883) 221.—Europ.  
*corymbiferum*, Desf. Fl. Atlant. ii. 8 = *T. Polium*.  
*corymbosum*, R. Br. Prod. 504.—Austral.  
*creticum*, Lam. Encyc. ii. 692 = *brevifolium*.  
*creticum*, Linn. Sp. Pl. 563.—Reg. Mediterr.  
*crispum*, Pomel, Nouv. Mat. Fl. Atl. 304 = *T. Pseudo-scorodonia*.  
*cubense*, Jacq. Enum. Pl. Carib. 25.—Am. bor. et trop.  
*cuneifolium*, Schimp. ex Boiss. Diagn. Ser. I. v. 44 = *leucocladum*.  
*cuneifolium*, Sibth. & Sm. Fl. Graec. vi. 30. t. 537.—Ins. Creta.  
*cuneifolium*, Webb, Iter Hisp. 23 = *fragile*.  
*cuspidatum*, Čelak. in Bot. Centralbl. xiv. (1883) 222.—Europ.  
*cylindricum*, Lam. ex Steud. Nom. ed. I. 829 = *T. Polium*.  
*cymosum*, Pers. Syn. ii. 112.—Hispan.  
*cyprium*, Boiss. Diagn. Ser. I. v. 43.—Ins. Cyprus.  
*Decaisnii*, Presl, Bot. Bermerk. 100.—Arab.  
*decipiens*, Coss. & Bal. in Bull. Soc. Bot. Fr. xx. (1873) 258.—Marocc.  
*densiflorum*, Vis. Sem. Rar. Hort. Patav. (1847) 4.—Cf. Linnaea, xxiv. (1851) 181 = *Arduini*.  
*divaricatum*, Sieber, ex Benth. Lab. Gen. et Sp. 682, in syn.; Boiss. Fl. Orient. iv. 816.—Graec.; As. Min.; Syria.  
*diversiflorum*, Moench, Meth. Suppl. 132 = *campanulatum*.  
*elevatum*, Benth. in Wall. Cat. n. 2026 = *stoloniferum*.  
*elongatum*, Menyh. Kalocsa Vidék. Növényt. 146 = *T. Scordium*.  
*eriocalyx*, Čelak. in Bot. Centralbl. xiv. (1883) 187.—Hispan.  
*eriocephalum*, Willk. in Linnaea, xxv. (1852) 58.—Hispan.  
*euganeum*, Vis. Ind. Sem. Hort. Patav. (1836); ex Walp. Rep. iii. 923 = *T. Scorodonia*.  
*fasciculatum*, Poir. Encyc. Suppl. ii. 767.—Hab.?  
*filifolium*, Willd. ex Benth. in Linnaea, xi. (1837) 348 = *Campylanthus salsoloides*.  
*filiforme*, Poir. Encyc. Suppl. ii. 769 = *Campylanthus salsoloides*.  
*fililobum*, F. Muell. ex Benth. Fl. Austral. v. 134.—Austral.  
*flavescens*, Schreb. Pl. Vert. Unilab. 44 = *T. Polium*.  
*flavicans*, Lam. Encyc. ii. 700 = *T. Polium*.  
*flavum*, Linn. Sp. Pl. 565.—Reg. Mediterr.  
*foliosum*, Pomel, Nouv. Mat. Fl. Atl. 115 = *T. Polium*.  
*Fortunei*, Benth. in DC. Prod. xii. 583 = *quadrifarium*.  
*fragile*, Boiss. Elench. 77.—Hispan.  
*fruticans*, Linn. Sp. Pl. 563.—Reg. Mediterr. occ.  
*fulvum*, Hance, in Walp. Ann. iii. 270 = *quadrifarium*.  
*Funkianum*, Willk. Iber. Halbinsel, 184 = *T. Polium*.  
*garganicum*, Fisch. ex Steud. Nom. ed. I. 829 (Quid?).—Hab.?  
*Gasparrini*, Nym. Consp. 564 = *T. Scorodonia*.  
*genevense*, Crantz, Stirp. Austr. ed. II. 253 = *Ajuga genevensis*.  
*glandulosum*, Kellogg, in Proc. Calif. Acad. ii. (1863) 23.—Mexic.  
*globuliferum*, Salisb. Prod. 77 = *abutiloides*.  
*gnaphalodes*, L'Hérit. Stirp. Nov. 84; Vahl, Symb. Bot. i. 41 = *T. Polium*.  
*gracum*, Čelak. in Bot. Centralbl. xiv. (1883) 217 = *divaricatum*.  
*granatense*, Boiss. & Reut. Pugill. Pl. Nov. 99.—Reg. Mediterr. occ.  
*Gussonii*, Nym. Consp. 567 = *T. Polium*.



**TEUCRIUM:—**

- Haenseleri, Boiss. *Elench.* 79.—Hispan.  
 Halacsyanum, Heldr. in *Oestr. Bot. Zeitschr.* xxix. (1879) 241.—Graec.  
 heliotropifolium, Barbey, in *Bull. Soc. Vaud. Sc. Nat.* xxi. (1875) 97.—Ins. Karpathos.  
 heterophyllum, Cav. Ic. vi. 56 = bicolor.  
 heterophyllum, L'Herit. *Stirp. Nov.* 84. t. 49.—Ins. Canar.  
 hircanicum, Linn. *Syst. ed. X.* 1095.—Reg. Cauc.; Persia.  
 hirtum, Willd. ex Spreng. *Syst. ii.* 710 = inflatum.  
 hispidum, Benth. ex Wall. *Cat. n.* 2029 = Ajuga parviflora.  
 hyrcanicum, Steud. *Nom. ed. II. ii.* 674 = hircanicum.  
 hyssopifolium, Schreb. *Pl. Vert. Unilab.* 28 = creticum.  
 incanum, Aitch. & Hemsl. in *Journ. Linn. Soc.* xix. (1882) 184.—Afghan.  
 incanum, Schur, *Enum. Pl. Transs.* 547 = montanum.  
 inflatum, Sw. *Prod. Veg. Ind. Occ.* 88.—Am. austr.  
 integerrimum, Steud. *Nom. ed. II. ii.* 674 = T. Polium.  
 integrifolium, Benth. *Fl. Austral.* v. 133.—Austral.  
 intricatum, Lange, in *Kjoeb. Vidensk. Meddel.* (1863) 21.—Hispan.  
 Iva, Georgi, *Beschr. Russ. Reich.* III. v. 1076 = Ajuga Laxmanni.  
 Iva, Linn. *Sp. Pl.* 563 = Ajuga Iva.  
 japonicum, Willd. *Sp. Pl.* iii. 23.—Japon.  
 Kotschyannum, Poech, *Enum. Pl. Ins. Cyp.* 24.—As. Min.  
 laciniatum, Torr. in *Ann. Lyc. N. York*, ii. (1828) 231.—Am. bor. occ.  
 laevigatum, [Soland. in] *Russ. Aleppo*, ed. II. ii. 255 = Ajuga laevigata.  
 laevigatum, Vahl, *Symb. Bot. i.* 40 = cubense.  
 lamiifolium, Urv. in *Mém. Soc. Linn. Par. i.* (1822) 320 = Arduini.  
 lanceolatum, Benth. *Lab. Gen. et Sp.* 666 = corymbosum.  
 lanceolatum, Rafin. & Collins, in *Rafin. New Fl. Am.* iv. 97 (Quid?).—Am. bor.  
 lancifolium, Boiss. *Diagn. Ser. II. iv.* 56.—Ins. Balear.  
 lanigerum, Lag. *Gen. et Sp. Nov.* 17 = T. Polium.  
 lanuginosum, Hoffmgg. & Link, *Fl. Port. i.* 84. t. 3 = scordioides.  
 latifolium, Linn. *Sp. Pl.* 563 = fruticans.  
 lavandulatum, Pourr. ex Benth. *Lab. Gen. et Sp.* 686 = T. Polium.  
 Laxmanni, Murr. *Syst. ed. XIII.* 439 = Ajuga Laxmanni.  
 laxum, D. Don, *Prod. Fl. Nep.* 109.—Reg. Himal.  
 leucocladum, Boiss. *Diagn. Ser. I. v.* 44.—Arab.  
 leucophyllum, Montb. & Auch. ex Benth. in *Ann. Sc. Nat. Sér. II. vi.* (1836) 55.—Cappadoc.  
 Leucosceptrum, Voigt, *Hort. Suburb. Calc.* 463 = Leucosceptrum canum.  
 levigatum, Rafin. *New Fl. Am. iv.* 96 = cubense?  
 Libanitis, Schreb. *Pl. Vert. Unilab.* 48 = pumilum.  
 lucidum, Linn. *Syst. ed. X.* 1095.—Reg. Mediterr.  
 lucidum, Sibth. & Sm. *Fl. Graec. vi.* 27. t. 532 = divaricatum.  
 lusitanicum, Benth. in *DC. Prod. xii.* 585, partim = lancifolium.  
 lusitanicum, Lam. *Encyc. ii.* 694.—Europ. austr.  
 lusitanicum, Schreb. *Pl. Vert. Unilab.* 47 = T. Polium.  
 macrophyllum, Lam. *Encyc. ii.* 692 = abutiloides.  
 macrostachyum, Wall. ex Benth. *Lab. Gen. et Sp.* 664 = Leucosceptrum canum.  
 macrum, Boiss. & Haussk. ex Boiss. *Fl. Orient. iv.* 810.—Persia.  
 maderense, Lam. *Encyc. ii.* 692 = betonicum.  
 Majorana, Pers. *Syn. ii.* 112.—Hispan.  
 majoricum, Rouy, in *La Natural. ii.* (1882) (*Matér. Rév. Fl. Portug.* 11, 15).—Ins. Balear.  
 maritimum, Lam. *Fl. Fr. ii.* 414 = T. Marum.  
 Marum, Linn. *Sp. Pl.* 564.—Reg. Mediterr.  
 mascatense, Boiss. *Diagn. Ser. I. v.* 44.—Arab.  
 massiliense, Linn. *Sp. Pl. ed. II.* 789.—Europ. austr.  
 massiliense, Lour. *Fl. Cochinch.* 362 = stoloniferum.  
 mauritanicum, Noé, ex Coss. in *Ann. Sc. Nat. Sér. IV. i.* (1854) 226; et in *Bull. Soc. Bot. Fr. ii.* (1855) 585.—Alger.  
 mauritanum, Linn. *Sp. Pl.* 563 = T. Pseudo-chamaepitys.  
 Mazziarrii, Heldr. ex Nym. *Consp.* 567 = Coleus arabicus.  
 melissaeefolium, Noronha, in *Verh. Batav. Gen. v.* (1790) ed. I. Art. iv. 27 = stoloniferum.  
 melissoides, Boiss. & Haussk. ex Boiss. *Fl. Orient. iv.* 813.—Persia.

**TEUCRIUM:—**

- microphyllum, Desf. in *Ann. Mus. Par. x.* (1807) 300.—Ins. Creta.  
 micropodioides, Rouy, in *La Natural. ii.* (1882) (*Matér. Rév. Fl. Portug.* 16).—Lusitan.  
 montanum, Linn. *Sp. Pl.* 565.—Europ.; Oriens.  
 Montbretii, Benth. in *Ann. Sc. Nat. Sér. II. vi.* (1836) 56.—As. Min.; Syria.  
 moschatum, Mill. *Gard. Dict. ed. VIII. n.* 15 = Ajuga Iva.  
 mucronatum, Linn. *Sp. Pl.* 566 = spinosum.  
 multicaule, Montb. & Auch. ex Benth. in *Ann. Sc. Nat. Sér. II. vi.* (1836) 54.—Syria.  
 multiflorum, Hort. ex Benth. *Lab. Gen. et Sp.* 680 = T. Chamaedrys.  
 multiflorum, Linn. *Sp. Pl.* 564.—Hispan.  
 myrtifolium, Desf. *Cat. Hort. Par. ed. III.* 394 = T. Marum.  
 myrtifolium, Poir. *Encyc. Suppl. ii.* 766.—Oriens.  
 nepetaefolium, Benth. in *DC. Prod. xii.* 580.—China.  
 Nissolianum, Linn. *Sp. Pl.* 563 = T. Pseudo-chamaepitys.  
 nitidum, Schreb. *Pl. Vert. Unilab.* 35.—Mauritan.  
 nivale, Boiss. *Diagn. Ser. I. xii.* 91 = orientale.  
 nuchense, C. Koch, in *Linnaea*, xxi. (1848) 704 = T. Chamaedrys.  
 nudicaule, Hook. *Bot. Misc. ii.* (1831) 235.—Peruv.  
 occidentale, A. Gray, *Syn. Fl. N. Am. ii.* 1. 849.—Am. bor.  
 ochroleucum, Jord. *Pugill. Pl. Nov.* 137 = montanum.  
 Odontites, Boiss. & Bal. *Diagn. Ser. II. iv.* 57.—Cilicia.  
 odoratum, Lam. *Fl. Fr. ii.* 413 = massiliense.  
 odorum, Salisb. *Prod.* 76 = T. Marum.  
 officinale, Lam. *Fl. Fr. ii.* 414 = T. Chamaedrys.  
 oliganthum, Hassk. *Cat. Hort. Bog. Alt.* 310.—Japon.  
 Oliverianum, Ging. ex Benth. *Lab. Gen. et Sp.* 668.—Persia; Assyria.  
 orchideum, Lindl. *Bot. Reg. t.* 1255 = bicolor.  
 orientale, Linn. *Sp. Pl.* 562.—As. Min.  
 paederotoides, Boiss. *Fl. Orient. iv.* 1268 (Index).—Cf. 814.—Syria; Persia.  
 palmatum, Benth. ex Hook. *f. Fl. Brit. Ind. iv.* 702.—Reg. Himal.; China.  
 palustre, H. B. & K. *Nov. Gen. et Sp. ii.* 306 = inflatum.  
 palustre, Lam. *Fl. Fr. ii.* 411 = T. Scordium.  
 paniculatum, Herb. *Madr. ex Wall. Cat. n.* 2025 = tomentosum.  
 pannonicum, Kern, in *Oestr. Bot. Zeitschr.* xiii. (1863) 384 = montanum.  
 parviflorum, Schreb. *Pl. Vert. Unilab.* 31.—As. Min.; Persia.  
 Pernyi, Franch. *Pl. Davidian. i.* (1884) 245.—China.  
 persicum, Boiss. *Diagn. Ser. I. v.* 42.—Persia.  
 Pestalozzae, Boiss. *l. c.* xii. 90.—Syria.  
 petiolare, Balf. *f. in Proc. Roy. Soc. Edinb.* xii. (1884) 92.—Ins. Socotra.  
 petiolare, Rafin. *New Fl. Am. iv.* 97 (Quid?).—Am. bor.  
 petrophilum, F. Muell. in *Linnaea*, xxv. (1852) 426 = corymbosum.  
 pictum, Boiss. & Haussk. ex Boiss. *Fl. Orient. iv.* 809 = procerum.  
 poederotoides, Boiss. & Haussk. ex Boiss. *l. c.* 814, err. typ. = paederotoides.  
 Polium, Decne. ex Presl, *Bot. Bemerck.* 100 = Decaisnii.  
 Polium, Linn. *Sp. Pl.* 566.—Reg. Mediterr.; Oriens.  
 Polium-trifoliatum, Vahl, *Symb. Bot. i.* 40 = T. Polium.  
 polycephalon, Medic. in *Act. Acad. Theod. Palat. iii.* Phys. (1775) 216. t. 13 = T. Polium?  
 polycephalum, Pomel, *Nouv. Mat. Fl. Atl.* 114 = T. Polium.  
 procerum, Boiss. & Blanche, *Diagn. Ser. II. iv.* 56.—Syria; Persia.  
 prostratum, Balf. *f. in Proc. Roy. Soc. Edinb.* xii. (1884) 92.—Ins. Socotra.  
 prostratum, Schur, in *Verh. Siebenb. Ver. Naturw.* iv. (1853) 60.—Transsylv.  
 pruinatum, Boiss. *Fl. Orient. iv.* 808.—Cappadoc.  
 Pseudiva, Gueldenst. ex Ledeb. *Fl. Ross. iii.* 449 = Ajuga Laxmanni.  
 Pseudo-chamaedrys, Wender. in *Flora*, ix. (1826) 358 = T. Chamaedrys.  
 Pseudo-chamaepitys, Georgi, *Beschr. Russ. Reich.* III. v. 1076 = Ajuga chia.

**TEUCRIUM:—**

- Pseudo-chamaepitys, Linn. *Sp. Pl.* 562.—Reg. Mediterr.  
 Pseudo-hyssopus, Schreb. *Pl. Vert. Unilab.* 45 = T. Polium.  
 Pseudo-scorodonia, Desf. *Fl. Atlant. ii.* 5. t. 119.—Reg. Mediterr. occ.  
 pulverulentum, Coss. ex Barcelo, *Fl. Balear.* 375; et Rouy, in *La Natural. ii.* (1882) (*Matér. Rév. Fl. Portug.* 16) = T. Polium.  
 pumilum, Linn. *Cent. Pl. i.* 15; *Amoen. Acad.* iv. 276.—Hispan.  
 purpurascens, Medic. in *Act. Acad. Theod. Palat. iii.* Phys. (1775) 210 = T. Polium?  
 purpureum, Link, *Handb. i.* 456 = T. Polium.  
 pycnaphyllum, Schreb. *Pl. Vert. Unilab.* 48 = T. Polium.  
 pyramidale, Crantz, *Stirp. Austr. ed. II.* 252 = Ajuga pyramidalis.  
 pyrenaicum, Linn. *Sp. Pl.* 566.—Europ. austr.  
 quadratulum, Schreb. *Pl. Vert. Unilab.* 36.—Hispan.  
 quadratulum, Sibth. & Sm. *Fl. Graec. vi.* 25. t. 530 = microphyllum.  
 quadrifarium, Buch.-Ham. in *D. Don, Prod. Fl. Nep.* 108.—Reg. Himal.; China.  
 quadrifarium, Wight, ex Hook. *f. Fl. Brit. Ind. iv.* 701 = Wightii.  
 racemosum, R. Br. *Prod.* 504.—Austral.  
 ramosissimum, Desf. *Fl. Atlant. ii.* 4. t. 118.—Hispan.  
 regium, Auct. ex Boiss. *Fl. Orient. iv.* 817 = divaricatum.  
 regium, Hort. ex Benth. *Lab. Gen. et Sp.* 682 = flavum.  
 regium, Schreb. *Pl. Vert. Unilab.* 35.—Hispan.  
 reptans, Pourr. in *Mém. Acad. Toul. iii.* (1788) 330 = pyrenaicum.  
 reptans, Salisb. *Prod.* 75 = Ajuga reptans.  
 resupinatum, Balansa, ex Coss. in *Ann. Sc. Nat. Sér. IV. i.* (1854) 226 = mauritanicum.  
 resupinatum, Desf. *Fl. Atlant. ii.* 4. t. 117.—Reg. Mediterr. occ.  
 revolutum, Stokes, *Bot. Mat. Med. iii.* 295 = montanum.  
 rhombifolium, Willd. ex Spreng. *Syst. ii.* 732 = Hyptis canescens.  
 rigidum, Benth. in *DC. Prod. xii.* 578.—Assyria.  
 riparium, Hochst. in *Flora*, xxviii. (1845) 66.—Afr. austr.  
 riparium, Rafin. *New Fl. Am. iv.* 97 (Quid?).—Am. bor.  
 rosmarinifolium, Herb. *Bout. ex Willk. & Lange, Prod. Fl. Hisp. ii.* 469 = fruticans.  
 rosmarinifolium, Lam. *Encyc. ii.* 693 = creticum.  
 rosmarinifolium, Pourr. ex Willk. & Lange, *Prod. Fl. Hisp. ii.* 476 = pumilum.  
 rotundifolium, Poir. *Encyc. Suppl. ii.* 767 = Salvia procurrens.  
 rotundifolium, Schreb. *Pl. Vert. Unilab.* 42 = pyrenaicum.  
 Royleanum, Wall. *Cat. n.* 2027.—Reg. Himal.  
 rupestre, Coss. & Bal. in *Bull. Soc. Bot. Fr. xx.* (1873) 259.—Marocc.  
 salicifolium, Linn. *Mant. i.* 80 = Ajuga salicifolia.  
 salviaefolium, Salisb. *Prod.* 76 = T. Scrodonia.  
 Salviastrum, Hoffmgg. & Link, *Fl. Port. i.* 85. t. 2 = lusitanicum.  
 Salviastrum, Schreb. *Pl. Vert. Unilab.* 38 = T. Pseudo-scorodonia.  
 saxatile, Cav. Ic. ii. 19. t. 121. f. 1 = buxifolium.  
 saxatile, Lam. *Encyc. ii.* 699 = pyrenaicum.  
 saxatile, Sieber, ex Benth. *Lab. Gen. et Sp.* 685 = alpestre.  
 saxatile, Sieber, ex Čelak. in *Bot. Centralbl.* xiv. (1883) 187 = Sieberi.  
 Schimper, Presl, *Bot. Bemerck.* 100 = leucocladum.  
 scordioides, Schreb. *Pl. Vert. Unilab.* 37.—Reg. Mediterr.; Oriens.  
 Scordium, Brot. *Fl. Lusit. i.* 164 = scordioides.  
 Scordium, Linn. *Sp. Pl.* 565.—Europ.; As. temp.; Afr. bor.  
 Scrodonia, Falk, *Beitr. ii.* 204 (Quid?).—Sibir. altaic.  
 Scrodonia, Linn. *Sp. Pl.* 564.—Europ.  
 Scrodonia, Sibth. & Sm. *Fl. Graec. Prod. i.* 392 = Kotschyannum.  
 scrobiculatum, C. Koch, in *Linnaea*, xxi. (1848) 705.—Oriens.  
 secundum, Heyne, in *Wall. Cat. n.* 2028 = Anisomeles Heyneana.

**TEUCRIUM** :—

- serratum, *Benth. in DC. Prod.* xii. 586.—Afghan.  
sessiliflorum, *Benth. l. c.* 580.—Austral.  
sessilifolium, *Clarke, Trav.* iv. 555 (sessilifolium).—  
Thracia.  
sibiricum, *Linn. Sp. Pl.* 564 = *Nepeta ucranica*.  
sibiricum, *Willd. ex Benth. in Linnaea*, xi. (1837) 347  
= *Nepeta parviflora*.  
siculum, *Guss. Fl. Sic. Syn.* ii. 837 = *T. Scorodonia*.  
Sieber, *Celak. in Bot. Centralb.* xiv. (1883) 187.—  
Reg. Mediterr.  
sinaicum, *Boiss. Diagn. Ser. I.* xii. 91.—Arab.  
sinuatum, *Celak. in Bot. Centralb.* xiv. (1883) 218.—  
Kurdistan.  
smyrneum, *Boiss. Diagn. Ser. I.* v. 42 = *Kotschyannum*.  
Socinianum, *Boiss. Fl. Orient.* iv. 818.—Syria.  
Sordium, *Steud. Nom. ed. II.* ii. 675, in syn., err. typ.  
= *T. Scordium*.  
speciosum, *Hill, Hort. Kew.* 253 = canadense.  
spicigerum, *C. Koch, in Linnaea*, xxi. (1848) 706.—  
Oriens.  
spinosa, *Linn. Sp. Pl.* 566.—Reg. Mediterr.  
staechadifolium, *Pomel, Nouv. Mat. Fl. Atl.* 118 =  
*T. Polium*.  
Stockianum, *Boiss. Diagn. Ser. II.* iv. 58.—Beluchist.  
stoloniferum, *Roxb. Hort. Beng.* 44; *Fl. Ind.* iii. 3.—  
As. trop.  
subspinosa, *Pourr. ex Willd. Enum. Hort. Berol.*  
596.—Ins. Balear.  
subtriphyllum, *Lag. Gen. et Sp. Nov.* 17 = *T. Polium*.  
subpinum, *Linn. Sp. Pl.* 566 = montanum.  
sylvestre, *Lam. Fl. Fr.* ii. 412 = *T. Scorodonia*.  
sypsiense, *C. Koch, in Linnaea*, xxi. (1848) 704 =  
*T. Chamaedrys*.  
Taylora, *Boiss. Diagn. Ser. I.* vii. 61.—Persia.  
Teuthron, *Schreb. Pl. Vert. Unilab.* 46 = *T. Polium*.  
Thea, *Lour. Fl. Cochinch.* 363.—China.  
thymifolium, *Schreb. Pl. Vert. Unilab.* 50.—Hispan.  
thymoides, *Pomel, Nouv. Mat. Fl. Atl.* 112 =  
*T. Polium*.  
tomentosum, *Heyne, in Wall. Cat. n.* 2025.—Ind. or.  
tomentosum, *Lam. Fl. Fr.* ii. 407; *Vill. Hist. Pl.*  
Dauph. ii. 352 = *T. Polium*.  
tomentosum, *Moench, Meth.* 382 = fruticans.  
tomentosum, *Wight, Ic. t.* 1458 = Wightii.  
trifidum, *Retz. Obs. i.* 21 = africanum.  
trifidum, *Schlecht. in Linnaea*, xx. (1847) 609 =  
sessiliflorum.  
trifidum, *Wendl. Bot. Beobacht.* 50 = africanum?  
trifoliatum, *Willd. Sp. Pl.* iii. 36 = *T. Polium*.  
tripartitum, *Meyen, Reise, i.* 406 = nudicaule.  
undulatum, *Lour. Fl. Cochinch.* 362.—Cochinch.  
undulatum, *Rafin. Fl. Ludov.* 42 (Quid?).—Am.  
bor.  
valentinum, *Schreb. Pl. Vert. Unilab.* 46 = *T. Polium*.  
veronicaefolium, *Salisb. Prod.* 76 = *T. Chamaedrys*.  
veronicoides, *Maxim. in Bull. Acad. Pétersb.* xxiii.  
(1877) 388.—Japon.  
verticillatum, *Cav. Ic. ii.* 77. t. 198.—Hispan.  
vesicarium, *Mill. Gard. Dict. ed. VIII.* n. 17 =  
inflatum.  
vestitum, *Wall. ex Steud. Nom. ed. II.* ii. 675 = quadri-  
farium.  
villosum, *Forst. f. Prod.* 43 = inflatum.  
vincentinum, *Rouy, in La Natural.* ii. (1882) (Matér.  
*Rév. Fl. Portug.* 9).—Lusit.  
virescens, *Pomel, Nouv. Mat. Fl. Atl.* 115 = *T. Polium*.  
virginicum, *Linn. Sp. Pl.* 564 = canadense.  
virginicum, *Thunb. Fl. Jap.* 244 = japonicum.  
viscidum, *Blume, Bijdr.* 827 = stoloniferum.  
Wallichianum, *Benth. in Wall. Pl. As. Rar.* ii. 19 =  
*Achyrosperrum Wallichianum*.  
Webbianum, *Boiss. Elench.* 78.—Hispan.  
Wightii, *Hook. f. Fl. Brit. Ind.* iv. 701.—Ind. or.

TEURIUM, *Meerb. Afbeeld.* t. 45 (1775), sphalm. =  
præc.

TEXIERA, *Jaub. & Spach, Illustr.* i. 1. t. 1 (1842).  
*CRUCIFERAE*, *Benth. & Hook. f. i.* 96.

GLASTARIA, *Boiss. in Ann. Sc. Nat. Sér. II.* xvi.  
(1841) 382.  
glastifolia, *Jaub. & Spach, Illustr.* i. 1. t. 1.—As.  
Min.

TEXTORIA, *Miq. Ann. Mus. Bot. Lugd. Bat.* i. 12  
(1863) = *Dendropanax*, *Decne. (Araliac.)*.  
japonica, *Miq. l. c.* = *D. japonicum*.

VOL. II.

TEYSMANNIA, *Miq. in Versl. en Med. Kon. Wetensch.*  
*Akad. vi.* (1857) 193 = *Pottisia*, *Hook. & Arn.*  
(Apocyn.).  
Hookeriana, *Miq. l. c.* 194; et *Fl. Ind. Bat.* ii. 456  
= *P. cantonensis*.  
laxiflora, *Miq. ll. cc.* 194; 455 = *P. cantonensis*.

TEYSMANNIA, *Reichb. f. & Zoll. in Linnaea*,  
xxviii. (1856) 657 (Teyssmania). *PALMAE*, *Benth.*  
& *Hook. f. iii.* 924.  
altifrons, *Reichb. f. & Zoll. l. c.*—Java.

THACLA, *Spach, Hist. Vég. Phan.* vii. 295 (1839) =  
*Caltha*, *Rupp. (Ranunc.)*.  
ficarioides, *Spach, l. c.* = *C. natans*.

THACOMBAUIA, *Seem. Fl. Vit.* 426 (1871).  
*HUMIRACEAE*.  
vitiensis, *Seem. l. c.*—Ins. Fiji.

THALAMIA, *Spreng. Anleit.* ii. 218 (1817) = *Phyllo-*  
*cladus*, *Rich. (Conif.)*.  
asplenifolia, *Spreng. l. c.* = *P. rhomboidalis*.  
cupressina, *Spreng. Syst.* iii. 890 = *Dacrydium cupres-*  
*sinum*.

THALASIUM, *Spreng. Syst.* iv. *Cur. Post.* 30 (1827) =  
*Panicum*, *Linn. (Gramin.)*.  
montevidense, *Spreng. l. c.* = *P. racemosum*?

THALASSIA, *Banks, in Kon. & Sims, Ann. Bot.*  
ii. (1805) 96. *HYDROCHARIDEEAE*, *Benth. &*  
*Hook. f. iii.* 455.

SCHIZOTHECA, *Ehrenb. in Abh. Akad. Berl.* i. (1832)  
429.

antarctica, *F. Muell. ex Aschers. in Linnaea*, xxxv.  
(1867–68) 159 = *Cymodocea antarctica*.

bullata, *Kunth, Enum. Pl.* iii. 120 = *Zostera bullata*.  
ciliata, *Decne. in Ann. Sc. Nat. Sér. II.* ii. (1834) 18  
= *Halophila ovata*.

ciliata, *Kon. in Kon. & Sims, Ann. Bot.* ii. (1805) 97  
= *Cymodocea ciliata*.

Hemprichii, *Aschers. in Neumayer, Anleit. Wiss.* 361.  
—Litora As. trop.

stipulacea, *Kon. in Kon. & Sims, Ann. Bot.* ii. (1805)  
97 = *Halophila ovata*.

testudinum, *Kon. l. c.* 96.—Mare Caribaeum.  
vaginata, *Decne. ex Kunth, Enum. Pl.* iii. 120 =  
*Halophila ovata*.

vitroriorum, *Pers. Syn.* ii. 563 = *testudinum*.

THALESIA, *Rafin. in Am. Monthly Mag.* (1818) 267 =  
*Aphyllon*, *Mitch. (Orobanch.)*.

uniflora, *Rafin. l. c.* = *A. uniflorum*.

THALIA, *Linn. Gen. ed. I.* 362 (1737). *SCITA-*  
*MINEAE*, *Benth. & Hook. f. iii.* 650.

MALACARYA, *Rafin. in Am. Monthly Mag.* (1819)  
190.

PERONIA, [Delar. in] *Red. Lil. vi.* t. 342 (1812).  
SPIROSTALIS, *Rafin. Fl. Tellur.* iv. 51 (1836).

altissima, *Klotzsch, in Schomb. Faun. Fl. Brit. Gui.*  
917 = *geniculata*.

angustifolia, *Wright, ex Griseb. Cat. Pl. Cub.* 256.—  
Cuba.

bicolor, *C. Koch, in Berl. Allg. Gartenz.* xxv. (1857) 146  
= *Maranta bicolor*.

brachystachys, *C. Koch, l. c.* = *Phrynium brachy-*  
*stachyum*.

cannaeformis, *Forst. f. Prod.* 1 = *Clinogyne dichotoma*.  
colorata, *Vell. Fl. Flum.* 5; i. t. 16 = *Maranta bicolor*.

composita, *C. Koch, in Berl. Allg. Gartenz.* xxv.  
(1857) 146 = *Maranta Riedeliana*.

concolor, *Horan. Prod. Monog. Scitam.* 11, sphalm.  
= *colorata*.

dealbata, *Fras. Thal. dealbata*, t. 1.—Am. bor.  
dealbata, *Hort. ex Link, Jahrb.* i. III. (1820) 21 =  
*Clinogyne dichotoma*.

dichotoma, *Roxb. ex Link, l. c.* = *Clinogyne dichotoma*.  
divaricata, *Chapm. Fl. S. U. St.* 465.—Am. bor.

erecta, *Vell. Fl. Flum.* 4; i. t. 17.—Bras.  
farinosa, *Brongn. in Ann. Sc. Nat. Sér. IV.* xii. (1860)

195, in obs. = *Ischnosiphon leucophaeus*.  
geniculata, *Linn. Sp. Pl.* 1193.—Am. bor.

glumacea, *C. Koch, in Berl. Allg. Gartenz.* xxv.  
(1857) 163 = *Maranta glumacea*.

hexantha, *Poepp. & Endl. Nov. Gen. et Sp.* ii. 24.  
t. 132 = *Maranta hexantha*.

**THALIA** :—

latifolia, *Link, Jahrb.* i. III. (1820) 22 = *Calathea*  
*latifolia*.

leptostachya, *C. Koch, in Berl. Allg. Gartenz.* xxv.  
(1857) 258 = *Maranta leptostachya*.

Linkiana, *Steudner, in Ind. Sem. Hort. Berol.* (1857)  
App. 10 = *Maranta Riedeliana*.

Luschnathiana, *C. Koch, ex Horan. Prod. Monog.*  
*Scitam.* 11 = *Ctenanthe Luschnathiana*.

lutea, *Steudner, in Ind. Sem. Hort. Berol.* (1857) App.  
10 = *Stromanthe lutea*.

marantifolia, *Vell. Fl. Flum.* 5; i. t. 15.—Bras.  
multiflora, *Horkel, ex Koern. in Bull. Soc. Nat. Mosc.*  
xxxv. (1862) i. 76.—Bras.

nemorosa, *Willd. ex Link, Jahrb.* i. III. (1820) 22 =  
*Heliconia psittacorum*.

Pavonii, *Koern. in Bull. Soc. Nat. Mosc.* xxxv. (1862)  
i. 77.—Peruv.

pilosa, *C. Koch, in Berl. Allg. Gartenz.* xxv. (1857)  
146 = *Stromanthe Tonckat*.

pubescens, *Willd. ex Link, Jahrb.* i. III. (1820) 22 =  
*Stromanthe Tonckat*.

racemosa, *Humb. ex Link, l. c.* 21 = *Stromanthe Tonckat*.  
rotundifolia, *C. Koch, ex Horan. Prod. Monog.*

*Scitam.* 11 = *Calathea rotundifolia*.  
sanguinea, *Lem. Jard. Fleur.* iii. (1852–53) t. 268 =  
*Stromanthe sanguinea*.

Selloi, *C. Koch, in Steudner, Ind. Sem. Hort. Berol.*  
(1857) App. 10; et in *Berl. Allg. Gartenz.* xxv.  
(1857) 258 = *Ctenanthe Luschnathiana*.

setosa, *C. Koch, ll. cc.* 9; 258 = *Myrosma setosum*.  
spectabilis, *Lem. Jard. Fleur.* iv. (1854) t. 401; *Misc.*  
63 = *Stromanthe sanguinea*.

Steudneri, *C. Koch, ex Koern. in Bull. Soc. Nat.*  
*Mosc.* xxxv. (1862) i. 65 = *Ctenanthe pilosa*.

sylvestris, *Willd. ex Schult. Mant.* i. 10.—Am. austr.  
tuberosa, *Vell. Fl. Flum.* 4; i. t. 18 = *Calathea tube-*  
*rosa*.

unilateralis, *Poepp. & Endl. Nov. Gen. et Sp.* ii. 24.  
t. 133 = *Myrosma unilateralis*.

THALIANTHUS, *Klotzsch, in Schomb. Reise Brit. Gui.*  
iii. 1125 (Faun. Fl. Brit. Gui.) (1846) = *Myrosma*,  
*Linn. f. (Scitam.)*.

macropus, *Klotzsch, l. c.* = *M. cannaefolium*.  
macropus, *Koern. in Bull. Soc. Nat. Mosc.* (1862) i. 66  
= *Maranta Moritziana*.

THALICTRUM, *Tourn. ex Linn. Gen. ed. I.* 164  
(1737). *RANUNCULACEAE*, *Benth. & Hook. f. i.* 4.

PHYSOCARPUM, *Bercht. & Presl, Rostl. i. Ranunc.* 14  
(1823).

PRATICOLA, *Ehrh. Phyt. n.* 15 (1786); ex ej. *Beitr.*  
iv. 146 (1789).

RUPRECHTIA, *Opiz, Seznam.* 86 (1852).  
TRIPETERIUM, *Bercht. & Presl, Rostl. i. Ranunc.* 14  
(1823).

abbreviatum, *Lièvre, in Oestr. Bot. Zeitschr.* xxiii.  
(1873) 255 = *angustifolium*?

abortivum, *Jord. Diagn.* i. 89 = minus.  
acaule, *Jacquem. Voy. Bot.* 3 = alpinum.

actaeifolium, *Sieb. & Zucc. in Abh. Akad. Muench.* iv.  
ii. (1843) 178.—Japon.

acuminatum, *Spreng. Pugill.* ii. 68 = minus.  
acutibulum, *DC. Syst.* i. 177 = foetidum.

adanthifolium, *Bess. ex Eichw. Skizze.* 182 = minus.  
affine, *Jord. Diagn.* i. 42, partim = minus.

affine, *Ledeb. Fl. Ross.* i. 10 = simplex.  
agreste, *Kar. & Kir. in Bull. Soc. Nat. Mosc.* (1841)  
371 = minus.

alatum, *Dulac, Fl. Hautes-Pyr.* 212 = *aquilegifolium*.  
alchemillifolium, *Wall. ex D. Don, Prod. Fl. Nep.*  
193 = *rotundifolium*.

alpestre, *Gaud. Fl. Helvet.* iii. 502 = alpinum.  
alpestre, *Schur, Enum. Pl. Transs.* 7 = *aquilegi-*  
*folium*.

alpicolum, *Jord. Diagn.* i. 43 = simplex.  
alpinum, *Linn. Sp. Pl.* 545.—Reg. bor. et arct.

altaicum, *Hort. Dorpat. ex Lecoy. in Bull. Soc. Bot.*  
*Belg.* xxiv. (1885) 248 (Quid?).—Rossia.

altaicum, *Hort. Monsp. ex Lecoy. l. c.* = minus.  
altissimum, *Thomas, ex De Massas, in Ann. Sc. Nat.*  
*Sér. II.* ix. (1838) 369 = flavum.

altissimum, *Wender. in Flora.* ix. (1826) 358 =  
glaucum.

ambigens, *Jord. Diagn.* i. 38 = minus.  
ambiguum, *Schleich. Cat. Pl. Helvet. ed. IV.* 34 =  
minus.

**THALICTRUM:—**

*ammophilum*, Schur, in Verh. Naturf. Ver. Bruenn, xv. II. (1877) 21 = angustifolium.  
*amoenum*, Schrad. ex Lecoy. in Bull. Soc. Bot. Belg. xxiv. (1885) 248 = minus.  
*amurense*, Maxim. Prim. Fl. Amur. 15 = simplex.  
*anemonoides*, Michx. Fl. Bor. Am. i. 322 = Anemone thalictroides.  
*angulatum*, Pers. Syn. ii. 101, sphalm. = seq.  
*angulosum*, Desf. Tabl. ed. I. 123 = glaucum.  
*angulosum*, Hort. Par. ex Lecoy. in Bull. Soc. Bot. Belg. xxiv. (1885) 251 (Quid?).—Hab.?  
*angustatum*, Schrad. Hort. Gotting. ex Lecoy. l. c. = minus.  
*angustissimum*, Weinm. ex Lecoy. l. c. 250 = flavum.  
*angustifolium*, Linn. Sp. Pl. 546.—Europ.; As. Min.  
*angustifolium*, Pollich, Hist. Pl. Palat. ii. 101 = simplex.  
*angustissimum*, Crantz, Stirp. Austr. ed. I. fasc. ii. 76; ed. II. 105 = angustifolium.  
*anonymum*, Wallr. ex Lecoy. in Bull. Soc. Bot. Belg. xxiv. (1885) 252 = flavum.  
*apiculatum*, Loud. Encyc. Pl. 647 (Quid?).—Hab.?  
*apiculatum*, Schrad. ex Lecoy. in Bull. Soc. Bot. Belg. xxiv. (1885) 252 = minus.  
*apiifolium*, Schrad. l. c. = minus.  
*appendiculatum*, C. A. Mey. in Ledeb. Fl. Alt. ii. 356 = minus.  
*aquilegifolium*, Linn. Sp. Pl. 547.—Europ.; As. bor.  
*arabicum*, Botta, ex Lecoy. in Bull. Soc. Bot. Belg. xxiv. (1885) 253 = minus.  
*aristatum*, Willd. ex Lecoy. l. c. = revolutum.  
*armenum*, C. Koch, ex Lecoy. l. c. = minus.  
*Arnaudiae*, Jord. Diagn. i. 31 = minus.  
*arriens*, Jord. l. c. 35 = minus.  
*athesianum*, Lièvre, in Oestr. Bot. Zeitschr. xxii. (1872) 288 = minus.  
*atropurpureum*, Jacq. Hort. Vindob. iii. 34 = aquilegifolium.  
*auriculatum*, Bess. ex Eichw. Skizze, 182 = simplex vel flavum.  
*auriculatum*, Schrad. ex Lecoy. in Bull. Soc. Bot. Belg. xxiv. (1885) 254 = simplex.  
*aurigeranum*, Baill. & Timb. in Bull. Soc. Bot. Fr. xi. (1864) 63 = minus.  
*axilliflorum*, Schur, Enum. Pl. Transs. 10 = simplex.  
*baicalense*, Turcz. in Bull. Soc. Nat. Mosc. (1838) 85.—Sibir. baical.  
*banchianum*, Lièvre, in Oestr. Bot. Zeitschr. xxii. (1872) 289 = minus.  
*Barthii*, Schur, in Verh. Naturf. Ver. Bruenn, xv. II. (1877) 14 = minus.  
*Batula*, Buch.-Ham. ex DC. Syst. i. 185 = rotundifolium.  
*Bauhini*, Crantz, Stirp. Austr. ed. I. fasc. ii. 70; ed. II. 105 = angustifolium, simplex.  
*Bauhini*, Schur, in Verh. Naturf. Ver. Bruenn, xv. II. (1877) 22 = angustifolium.  
*Bauhinianum*, Wallr. Sched. Crit. 264 = angustifolium.  
*belgium*, Jord. Diagn. i. 51 = flavum.  
*Bilottii*, F. Schultz, ex Jord. l. c. 36 = minus.  
*Bondonii*, Lièvre, in Oestr. Bot. Zeitschr. xxii. (1872) 121 = minus.  
*brachycarpum*, Timb. in Bull. Soc. Sc. Phys. et Nat. Toul. vi. (1883-84) 77.—Mont. Pyren.  
*bracteatum*, Roxb. Hort. Beng. 43; Fl. Ind. ii. 671 = Clematis Cadmia.  
*bracteifolium*, Bertol. in Mem. Acad. Sc. Bolog. Ser. II. iii. (1863) 422 = alpinum.  
*bresimense*, Lièvre, in Oestr. Bot. Zeitschr. xxii. (1872) 55 = minus.  
*brevepubens*, Jord. Diagn. i. 33 = minus.  
*budense*, Simk. in Magyar Növényt. Lapok, i. (1877) 149.—Europ.  
*caffrum*, Eckl. & Zeyh. Enum. 1 = minus.  
*calabricum*, Spreng. Pugill. i. 37.—Italia.  
*calabrum*, Tenore, Fl. Nap. iv. 333, sphalm. = praec.  
*calcareum*, Jord. Obs. Pl. Crit. v. (1847) 9 = minus.  
*calcareum*, Kitt. Taschenb. ed. II. 752 (Quid?).—Europ.  
*callistemon*, Wender. ex Lecoy. in Bull. Soc. Bot. Belg. xxiv. (1885) 257 (Quid?).—Europ.?  
*canadense*, Mill. Gard. Dict. ed. VIII. n. 5.—Am. bor.  
*capillare*, Reichb. Fl. Germ. Excurs. 729 = minus.  
*capitatum*, Jord. Diagn. i. 51 = flavum.  
*carolinianum*, Bosc, ex DC. Syst. i. 174 = Cornuti, dasycarpum.

**THALICTRUM:—**

*carolinianum*, Walt. Fl. Carol. 157 = Anemone Walteri.  
*Chelidonii*, DC. Prod. i. 11.—Reg. Himal.  
*Chelidonii*, Hook. f. & Thoms. Fl. Ind. i. 13, partim = cultratum.  
*chymocarpum*, Walp. Ann. ii. 5 = rhynchocarpum.  
*cinereum*, Desf. Tabl. ed. II. 146 = glaucum?  
*clavatum*, DC. Syst. i. 171.—Am. bor.  
*clavatum*, Hook. Fl. Bor. Am. i. 2 = sparsiflorum.  
*Clesianum*, Lièvre, in Oestr. Bot. Zeitschr. xxiii. (1873) 119 = simplex.  
*clypeatum*, Timb. in Bull. Soc. Sc. Phys. et Nat. Toul. ii. (1874) 446 = minus.  
*collinum*, Wallr. Sched. Crit. 259 = minus.  
*columnare*, Costa, Suppl. (1877) 2 (sp. dub.).—Hispan.  
*commutatum*, C. A. Mey. ex Ledeb. Fl. Ross. i. 12 = flavum?  
*comosum*, Fries, ex Lecoy. in Bull. Soc. Bot. Belg. xxiv. (1885) 260 = minus.  
*complex*, Regel, in Bull. Soc. Nat. Mosc. xxxii. (1859) i. 225, sphalm. = simplex.  
*concinnum*, Willd. Enum. Hort. Berol. 584 = minus.  
*confertiflorum*, C. A. Mey. ex Trautv. in Act. Hort. Petrop. viii. (1883) 29 = simplex.  
*confertum*, Moench, Meth. 297 (Quid?).—Hab.?  
*contortum*, Linn. Sp. Pl. 547 = aquilegifolium.  
*controversum*, Schimp. & Spenn. in Spenn. Fl. Friburg. iii. 992.—Europ.  
*convexum*, Schrad. ex Lecoy. in Bull. Soc. Bot. Belg. xxiv. (1885) 262 = minus.  
*copticum*, Jord. ex Lecoy. l. c. (Quid?).—Hab.?  
*cordifolium*, Willd. ex Spreng. Syst. ii. 670 = podocarpum.  
*Cornuti*, Linn. Sp. Pl. 545.—Am. bor.  
*Cornuti*, Poir. Encyc. v. 319 = minus, aquilegifolium.  
*Cornuti*, Torr. & Gray, Fl. N. Am. i. 38, partim = corynellum.  
*corymbosum*, Lièvre, in Oestr. Bot. Zeitschr. xxiii. (1873) 256 = angustifolium.  
*corynellum*, DC. Syst. i. 172.—Am. bor.  
*Costae*, Timb. ex Debeaux, Rech. Fl. Pyrén. Orient. i. 14.—Mont. Pyren.  
*crenatum*, Desf. Tabl. ed. II. 146 = glaucum.  
*cruciatum*, Schrad. ex Lecoy. in Bull. Soc. Bot. Belg. xxiv. (1885) 264 = minus.  
*Csatoi*, Schur, in Verh. Naturf. Ver. Bruenn, xv. II. (1877) 15 = minus.  
*cultratum*, Wall. Pl. As. Rar. ii. 26.—Reg. Himal.  
*cuneatum*, Hort. ex Reichb. Fl. Germ. Excurs. 730 = crenatum.  
*cuneatum*, Schur, in Verh. Naturf. Ver. Bruenn, xv. II. (1877) 14, in textu = minus.  
*cuspidatum*, Koch, ex Ind. Sem. Hort. Panorm. (1874) = minus.  
*cynapiifolium*, Fisch. ex G. Don, Gen. Syst. i. 14.—Sibir.  
*cysticarpum*, Wall. Pl. As. Rar. ii. 26 = Chelidonii.  
*Dahurici*, Lecoy. in Bull. Soc. Bot. Belg. xxiv. (1885) 265, sphalm. = davoricum.  
*Dalingo*, Buch.-Ham. ex DC. Syst. i. 175 = foliolosum.  
*Dalzellii*, Hook. Ic. Pl. t. 868.—Ind. or.  
*dasycarpum*, Fisch. Mey. & Avé-Lall. Ind. Sem. Hort. Petrop. viii. 72.—Am. bor.  
*davoricum*, Fisch. ex Ledeb. Fl. Ross. i. 11 = minus.  
*debile*, Buckl. in Am. Journ. Sc. Ser. I. xlv. (1843) 175.—Am. bor. occ.  
*Delarbrei*, Lamotte, Prod. Fl. Centr. Fr. i. 34 = minus.  
*densiflorum*, H. B. & K. ex DC. Syst. i. 184 = glaucum.  
*depauperatum*, Dum. in Bull. Soc. Bot. Belg. viii. (1868) 357 = minus.  
*despiciens*, Schrad. ex Lecoy. l. c. xxiv. (1885) 266 = minus.  
*dichotomum*, Hort. ex Steud. Nom. ed. II. ii. 266 = squarrosum.  
*diffusum*, Schrad. ex Sweet, Hort. Brit. ed. I. 2 = minus.  
*dioicum*, Hook. ex Lecoy. in Bull. Soc. Bot. Belg. xxiv. (1885) 264 = corynellum.  
*dioicum*, Linn. Sp. Pl. 545.—Am. bor.  
*discolor*, Willd. Enum. Hort. Berol. Suppl. 40 = glaucum.  
*dispermum*, Hort. Dorpat. ex Lecoy. in Bull. Soc. Bot. Belg. xxiv. (1885) 267 (Quid?).—Hab.?  
*distans*, Laest. ex Nym. Consp. 6 = minus?

**THALICTRUM:—**

*divaricatum*, Herb. Berol. ex Lecoy. in Bull. Soc. Bot. Belg. xxiv. (1885) 264 = corynellum.  
*divaricatum*, Spreng. Ind. Sem. Hort. Hal. (1807) 61 = angustifolium.  
*divergens*, Link, Enum. Hort. Berol. ii. 92 = corynellum.  
*dubium*, Schrad. ex Lecoy. in Bull. Soc. Bot. Belg. xxiv. (1885) 268 = minus.  
*dubium*, Schum. Enum. Pl. Saell. i. 167 = simplex.  
*dumulosum*, Jord. Diagn. i. 36 = minus.  
*dunense*, Dum. Fl. Belg. Prod. 126 = minus.  
*elatum*, Jacq. Hort. Vindob. iii. 49 = minus.  
*elegans*, Jord. Obs. Pl. Crit. v. (1847) 7 = minus.  
*elegans*, Wall. Cat. n. 4728.—Reg. Himal.  
*elongatum*, Jord. ex Nym. Consp. 6 = simplex.  
*eminens*, Jord. Obs. Pl. Crit. v. (1847) 4 = minus.  
*erectum*, Falc. ex Lecoy. in Bull. Soc. Bot. Belg. xxiv. (1885) 270 = pauciflorum, Royle.  
*exaltatum*, Gaud. Fl. Helvet. iii. 515 = flavum?  
*exaltatum*, C. A. Mey. in Ledeb. Fl. Alt. ii. 352 = simplex.  
*eximium*, Desf. ex Lecoy. in Bull. Soc. Bot. Belg. xxiv. (1885) 276 (Quid?).—Hab.?  
*expansum*, Jord. Obs. Pl. Crit. v. (1847) 6 = minus.  
*falcatum*, Hort. Ticin. ex Lecoy. in Bull. Soc. Bot. Belg. xxiv. (1885) 271 (Quid?).—Hab.?  
*Falconeri*, Lecoy. l. c. 192.—Reg. Himal.  
*fallacinum*, Gren. ex Lecoy. l. c. 271 = minus.  
*Fendleri*, C. L. Anders. Cat. Pl. Nevad. 117 = polycarpum.  
*Fendleri*, Engelm. ex A. Gray, in Mem. Am. Acad. N. S. iv. (1849) 5.—Am. bor. occ.  
*filamentosum*, Maxim. Prim. Fl. Amur. 13.—Reg. Amur.  
*filipes*, Torr. & Gray, Fl. N. Am. i. 38 = clavatum.  
*firmum*, Hort. ex Lecoy. in Bull. Soc. Bot. Belg. xxiv. (1885) 272 (Quid?).—Hab.?  
*Fischeri*, Ledeb. ex Lecoy. l. c. = minus.  
*fistulosum*, Jacquem. ex Lecoy. l. c. = cultratum.  
*flaccidum*, Schleich. Cat. Pl. Helvet. ed. IV. 35 = flavum?  
*flavo-virens*, Ledeb. Fl. Ross. i. 9 = minus.  
*flavum*, Cav. Desc. 508 = glaucum.  
*flavum*, Linn. Sp. Pl. 546.—Europ.; As. bor.  
*flavum*, Pall. Reise, iii. 519 = simplex.  
*flavum*, Thunb. Fl. Jap. 241 = minus.  
*flexicaule*, Schrad. ex Lecoy. in Bull. Soc. Bot. Belg. xxiv. (1885) 274 = minus.  
*flexuosum*, Bernh. Cat. (1815); ex Reichb. Fl. Germ. Excurs. 728 = minus.  
*floribundum*, Schrad. Ind. Sem. Hort. Gotting. (1832).—Cf. Linnaea, viii. (1833) Litt. 27 = minus.  
*foeniculaceum*, Bunge, in Mem. Sav. Etr. Petersb. ii. (1835) 76.—China.  
*foetidum*, Gouan, Hort. Monsp. 263 = minus.  
*foetidum*, Linn. Sp. Pl. 545.—Europ.; Sibir.  
*foliolosum*, DC. Syst. i. 175.—Reg. Himal.  
*foliolosum*, Hook. f. & Thoms. Fl. Ind. i. 14, partim = Falconeri.  
*formosum*, Steud. Nom. ed. II. ii. 676 = aquilegifolium.  
*Fortunei*, S. Moore, in Journ. Bot. xvi. (1878) 130.—China.  
*Friesii*, Rupr. in Beitr. Pfl. Russ. Reich. ii. 17 = minus.  
*Friesii*, Wolfner, in Lotos, v. (1855) 115, 140 = minus?  
*frigidum*, Arv. Ess. Pl. Dauph. 11 = minus.  
*frutetorum*, Jord. Diagn. i. 33 = minus.  
*fulgidum*, Gren. ex Nym. Consp. 5 = angustifolium.  
*Galeottii*, Lecoy. in Bull. Soc. Bot. Belg. xxiv. (1885) 131.—Mexic.  
*galiiforme*, Schur, in Verh. Naturf. Ver. Bruenn, xv. II. (1877) 19 = angustifolium.  
*galioides*, Andr. ex Lecoy. in Bull. Soc. Bot. Belg. xxiv. (1885) 251 (Quid?).—Podol.  
*galioides*, Pers. Syn. ii. 101 = simplex.  
*galioides*, Presl, ex Nym. Consp. 5 = angustifolium.  
*Gerberi*, [Willk.] Del. Sem. Hort. Dorpat. (1880) 5 (Quid?).—Hab.?  
*gibbosum*, Lecoy. in Bull. Soc. Bot. Belg. xxiv. (1885) 132.—Mexic.  
*glaucescens*, Willd. Enum. Hort. Berol. Suppl. 40 = minus.  
*glaucifolium*, Wender. Ind. Sem. Hort. Mart. App. n. 12 = glaucum.  
*glaucophyllum*, Wender. l. c. n. 13 = glaucum.

**THALICTRUM:—**

- glaucoirens*, Andr. ex Lecoy. in Bull. Soc. Bot. Belg. xxiv. (1885) 277 = flavum.  
*glaucum*, Desf. *Tabl.* ed. I. 123; ed. II. 146.—Europ. austr.  
*glaucum*, Sieber, ex Lecoy. in Bull. Soc. Bot. Belg. xxiv. (1885) 264 = corynellum.  
*globiflorum*, Ledeb. Fl. Ross. i. 9 = minus.  
*glomerulosum*, Fries, Mant. iii. 49 = minus.  
*glyphocarpum*, Wight & Arn. *Prod.* 2 = javanicum.  
*Godroni*, Jord. *Diagn.* i. 32 = minus.  
*gracile*, C. A. Mey. in Ledeb. Fl. Alt. ii. 348 = minus, foetidum.  
*gracile*, Schur, ex Lecoy. in Bull. Soc. Bot. Belg. xxix. (1885) 273 = flavum.  
*Grenieri*, Loret, in Bull. Soc. Bot. Fr. vi. (1859) 16, in textu = minus.  
*Hernandezii*, Tausch, in Presl, *Rel. Haenk.* ii. 69.—Mexic.  
*heterophyllum*, Lej. *Rev. Fl. Spa.* 109 = flavum.  
*heterophyllum*, Nutt. ex Torr. Bot. U. St. Expl. Exped. ii. 213 = dioicum.  
*heterophyllum*, Schur, in Verh. Naturf. Ver. Bruenn, xv. II. (1877) 20 = angustifolium?  
*heterophyllum*, Turcz. ex Ledeb. Fl. Ross. i. 727 = simplex.  
*hircinum*, Schrad. ex Lecoy. in Bull. Soc. Bot. Belg. xxiv. (1885) 280 = minus.  
*hirsutum*, Mert. ex Lecoy. l. c. 264 = corynellum.  
*hirsutum*, Willd. l. c. 280 = foetidum.  
*hirtellum*, Schur, in Verh. Naturf. Ver. Bruenn, xv. II. (1877) 13 = minus.  
*hirtum*, Hort. Dorpat. ex Lecoy. in Bull. Soc. Bot. Belg. xxiv. (1885) 280 (Quid?).—Hab.?  
*Hornemanni*, Schrad. ex Lecoy. l. c. = minus.  
*humile*, Schleich. ex Mert. & Koch, *Deutschl. Fl.* iv. 123 = minus.  
*hybridum*, Jord. ex Nym. *Consp.* 5 = flavum.  
*hypoleucum*, Sieb. & Zucc. in Abh. Akad. Muench. iv. II. (1843) 178 = minus.  
*ibericum*, Hort. Dorpat. ex Lecoy. in Bull. Soc. Bot. Belg. xxiv. (1885) 281 (Quid?).—Hab.?  
*incisum*, Schrad. ex Lecoy. l. c. = minus.  
*inclinatum*, Schur, in Verh. Naturf. Ver. Bruenn, xv. II. (1877) 14 = minus.  
*iodostemum* x. Borb. Cf. Oestr. Bot. Zeitschr. xxix. (1879) 410.—Europ.  
*isopyroides*, C. A. Mey. in Ledeb. Fl. Alt. ii. 346.—Oriens; As. bor.  
*Jacquinianum*, Koch, Syn. Fl. Germ. ed. II. 5 = minus.  
*japonicum*, Thunb. in Trans. Linn. Soc. ii. (1794) 337 = *Coptis brachypetala*.  
*javanicum*, Blume, *Bijdr.* 2.—Ind. or.; Java.  
*Jordani*, F. Schultz, ex Jord. Obs. Pl. Crit. v. (1847) 12 = minus, simplex.  
*Jordanianum*, F. Schultz, Fl. Pfalz, 5 = praec.?  
*kamtschaticum*, Nyland. Spicil. Pl. Fenn. Cent. ii. 9, in obs. = minus.  
*kemense*, Fries, Fl. Hall. i. 94 = minus.  
*Kochii*, Fries, Mant. iii. 46 = minus.  
*lacerostipellatum*, C. Koch & Bouché, in Ind. Sem. Hort. Berol. (1854) App. 13 = simplex.  
*laetum*, Jord. *Diagn.* i. 44 = simplex.  
*laevigatum*, Michx. Fl. Bor. Am. i. 322 = dioicum.  
*Laggeri*, Jord. *Diagn.* i. 26 = minus.  
*lanatum*, Lecoy. in Bull. Soc. Bot. Belg. xvi. (1877) 226.—Mexic.  
*laserpitiifolium*, Willd. Enum. Hort. Berol. Suppl. 40 = angustifolium?  
*lasiostylum*, Presl, *Rel. Haenk.* ii. 70 = *Hernandezii*.  
*lathyridifolium*, Schrad. ex Lecoy. in Bull. Soc. Bot. Belg. xxiv. (1885) 285 = angustifolium.  
*latifolium*, Tausch, ex Steud. Nom. ed. II. ii. 676 = flavum.  
*laxiflorum*, Schur, in Verh. Siebenb. Ver. Naturw. iii. (1852) 93 = aquilegifolium.  
*Ledebourianum*, C. A. Mey. ex Rupr. Fl. Cauc. 4, in textu = minus.  
*leiocarpum*, Fries.—Cf. Linnaea, xxix. (1857–58) 731 = baicalense.  
*leptophyllum*, Nyland. Spicil. Pl. Fenn. Cent. ii. 8 = minus.  
*leucostemon*, C. Koch & Bouché, in Ind. Sem. Hort. Berol. (1854) App. 13 = corynellum.  
*leucostylum*, Link, ex Lecoy. in Bull. Soc. Bot. Belg. xxiv. (1885) 285 = corynellum.  
*Leyii*, Loehr, in Flora, xxv. (1842) 107 = simplex.

**THALICTRUM:—**

- lividum*, Schrad. ex Lecoy. in Bull. Soc. Bot. Belg. xxiv. (1885) 286 = angustifolium.  
*lobatum*, Fisch. Cat. Hort. Dresd. ex Lecoy. l. c. 286 (Quid?).—Hab.?  
*longepedunculatum*, Hochst. ex Steud. Nom. ed. II. ii. 676 = rhynchocarpum.  
*longifolium*, Krock. Fl. Siles. ii. i. 242 = angustifolium.  
*longistylum*, DC. *Syst.* i. 171.—Am. austr.  
*lucidum*, Guent. ex Lecoy. in Bull. Soc. Bot. Belg. xxiv. (1885) 251 (Quid?).—Siles.  
*lucidum*, Linn. Sp. Pl. 546 = angustifolium, minus.  
*lumacense*, Lièvre, in Oestr. Bot. Zeitschr. xxii. (1872) 287 = minus.  
*macilentum*, Jord. *Diagn.* i. 31 = minus.  
*macranthum*, Hort. Choix Pl. Liège (1880) 7; ex Lecoy. in Bull. Soc. Bot. Belg. xxiv. (1885) 288 (Quid?).—Hab.?  
*macrocarpum*, Gren. in Acad. Sc. Besanf. Séances Publ. (1838) 117.—Mont. Pyren.  
*macrostigma*, Edgew. in Trans. Linn. Soc. xx. (1846) 26 = pauciflorum.  
*macrostigma*, Herb. Kew. ex Lecoy. in Bull. Soc. Bot. Belg. xxiv. (1885) 333 = virgatum.  
*majus*, Dum. ex Ind. Sem. Hort. Panorm. (1880) 32 (Quid?).—Hab.?  
*majus*, Gren. in Act. Linn. Soc. Bord. viii. (1836) 2. t. 9 = macrocarpum.  
*majus*, Jacq. Fl. Austr. v. 9. t. 430 = minus.  
*majus*, Tenore, Syll. 265 = aquilegifolium.  
*marginatum*, Royle, Illustr. Bot. Himal. 51 = alpinum.  
*maritimum*, Duf. in Bull. Soc. Bot. Fr. vii. (1860) 221 = flavum.  
*maritimum*, Willd. ex Lecoy. in Bull. Soc. Bot. Belg. xxiv. (1885) 290 = minus.  
*Maxwellii*, Royle, Illustr. Bot. Himal. 52 = minus.  
*meanense*, Lièvre, in Oestr. Bot. Zeitschr. xxii. (1872) 123 = minus.  
*medianum*, Jord. *Diagn.* i. 48 = minus.  
*mediterraneum*, Jord. l. c. 52 = angustifolium.  
*medium*, Jacq. Hort. Vindob. iii. 50 = minus.  
*medium*, Saut. Versuch, 44 = flavum.  
*megacarpum*, Torr. in Frém. Rep. 87 = polycarpum?  
*menthosma*, Stocks, ex Lecoy. in Bull. Soc. Bot. Belg. xxiv. (1885) 291 = reniforme.  
*mexicanum*, DC. *Syst.* i. 187 (sp. dub.).—Mexic.  
*mexicanum*, Hort. Berol. ex Lecoy. in Bull. Soc. Bot. Belg. xxiv. (1885) 292 = *Hernandezii*, minus.  
*micranthum*, Dougl. ex Lecoy. l. c. = minus.  
*microcarpon*, Loud. Hort. Brit. Suppl. ii. 676, nomen = angustifolium.  
*microphyllum*, Anders. ex Lecoy. in Bull. Soc. Bot. Belg. xxiv. (1885) 292 = minus.  
*microphyllum*, Royle, Illustr. Bot. Himal. 51 = alpinum.  
*micropodium*, Kar. & Kir. in Bull. Soc. Nat. Mosc. (1841) 370 = minus.  
*minus*, Linn. Sp. Pl. 546.—Europ.; As. et Afr. bor.  
*minus*, Oed. Fl. Dan. t. 244 = simplex.  
*minutiflorum*, C. A. Mey. ex Lecoy. in Bull. Soc. Bot. Belg. xxiv. (1885) 295 = angustifolium.  
*minutissimum*, Timb. & Gant. in Mém. Acad. Toul. Ser. VII. vii. (1875) 472 = minus.  
*montanum*, Schimp. & Spenn. in Spenn. Fl. Friburg. iii. 993 (an seq.?)—Europ.  
*montanum*, Wallr. Sched. Crit. 255 = minus.  
*monticolum*, Jord. *Diagn.* i. 24 = minus.  
*Morisoni*, C. C. Gmel. Fl. Bad. iv. 422 = flavum?  
*mucronatum*, Ledeb. Fl. Ross. i. 8 = minus.  
*multiflorum*, Loret, in Bull. Soc. Bot. Fr. vi. (1859) 17 = minus.  
*nanum*, Schleich. Cat. Pl. Helvet. ed. IV. 35 = minus.  
*neglectum*, Wallr. in Linnaea, xiv. (1840) 590 (Beitr. Fl. Hercyn. 220) = minus.  
*nemorale*, Schrad. ex Lecoy. in Bull. Soc. Bot. Belg. xxiv. (1885) 297 = minus.  
*Nestleri*, F. Schultz, Fl. Pfalz, 4 = simplex.  
*neurocarpum*, Royle, Illustr. Bot. Himal. 51 = reniforme.  
*negrescens*, Hort. ex Lecoy. in Bull. Soc. Bot. Belg. xxiv. (1885) 297 = angustifolium.  
*nigricans*, DC. *Syst.* i. 182; Prod. i. 14 = angustifolium.  
*nigricans*, Jacq. Fl. Austr. v. t. 421 = flavum.  
*nigricans*, Reichb. ex Lecoy. in Bull. Soc. Bot. Belg. xxiv. (1885) 251 (Quid?).—Europ.  
*nitidulum*, Jord. Obs. Pl. Crit. v. (1847) 17 = minus, simplex.  
*niveum*, Lecoy. in Bull. Soc. Bot. Belg. xxiv. (1885) 298 = aquilegifolium.  
*nothum*, Jord. *Diagn.* i. 39 = minus.

**THALICTRUM:—**

- nudicaule*, Schwein. ex Torr. & Gray, Fl. N. Am. i. 39 = clavatum.  
*nutans*, Gilib. Fl. Lituan. ii. 284; Desf. *Tabl.* ed. I. 123 = minus.  
*nutans*, Schleich. ex Mert. & Koch, *Deutschl. Fl.* iv. 129, 137 = flavum.  
*obscuratum*, Jord. *Diagn.* i. 30 = minus.  
*obscurum*, Schrad. ex Lecoy. in Bull. Soc. Bot. Belg. xxiv. (1885) 299 = minus.  
*obtusatum*, Schrad. ex Lecoy. l. c. = flavum.  
*obtusilobum*, Tausch, Ind. Sem. Hort. Panorm. (1874) = minus.  
*occidentale*, A. Gray, in Proc. Am. Acad. viii. (1872) 372 = dioicum.  
*ochotense*, Schrad. ex Lecoy. in Bull. Soc. Bot. Belg. xxiv. (1885) 300 = minus.  
*ochoticum*, Fisch. in Zeyh. Cat. Sem. Hort. Schweiz. (1823) = minus.  
*odoratum*, Gren. & Godr. Fl. Fr. i. 6 = minus.  
*olidum*, Jord. *Diagn.* i. 22 = minus.  
*oligospermum*, Fisch. ex Sweet, Hort. Brit. ed. I. 2 = squarrosus.  
*olympicum*, Boiss. & Heldr. *Diagn.* Ser. II. i. 5 = minus.  
*oreites*, Jord. *Diagn.* i. 28 = minus.  
*orientale*, Boiss. in Ann. Sc. Nat. Sér. II. xvi. (1841) 349.—Graec.; As. Min.  
*ovatum*, Hort. Berol. ex C. Koch & Bouché, in Ind. Sem. Hort. Berol. (1855) App. 15 = minus.  
*pallidiflorum*, Hort. Monac. in Bull. Soc. Bot. Belg. xxiv. (1885) 301 = minus.  
*pallidum*, Fisch. Del. Sem. Hort. Dorpat. 5 (Quid?).—Hab.?  
*pallidum*, Franch. ex Lecoy. in Bull. Soc. Bot. Belg. xxiv. (1885) 301 = *Fortunei*.  
*palmatum*, Walt. ex Spreng. *Syst.* ii. 674 = *Trautvetteria palmata*.  
*paniculatum*, Bess. ex Link, *Handb.* ii. 400.—Hab.?  
*paradoxum*, Jord. Obs. Pl. Crit. v. (1847) 10 = minus.  
*parisiense*, Jord. *Diagn.* i. 40 = minus.  
*parviflorum*, Salisb. *Prod.* 370 = minus.  
*parvifolium*, Bertol. in Mém. Acad. Sc. Bologn. Ser. II. v. (1865) 376 = foetidum.  
*parvifolium*, Moench, Meth. 298 = minus.  
*patens*, Hort. ex Lecoy. in Bull. Soc. Bot. Belg. xxiv. (1885) 302 (Quid?).—Hab.?  
*pauciflorum*, Rafin. Atl. Journ. 151 (Quid?).—Am. bor.  
*pauciflorum*, Royle, Illustr. Bot. Himal. 52.—Reg. Himal.  
*pauciflorum*, Schur, in Verh. Siebenb. Ver. Naturw. iii. (1852) 84 = aquilegifolium.  
*pauciflorum*, Steph. ex Lecoy. in Bull. Soc. Bot. Belg. xxiv. (1885) 302 = simplex.  
*pauperculum*, Herm. ex DC. *Syst.* i. 183 = flavum.  
*pedunculatum*, Edgew. in Trans. Linn. Soc. xx. (1846) 27.—Reg. Himal.  
*peltatum*, DC. *Prod.* i. 11.—Mexic.  
*persicum*, Sprenger, Ind. Sem. Hort. Panorm. (1874); ex Lecoy. in Bull. Soc. Bot. Belg. xxiv. (1885) 303 = minus.  
*petaloideum*, Linn. Sp. Pl. ed. II. 771.—As. bor.  
*petrosum*, Schur, Enum. Pl. Transs. 8 = minus.  
*peucedanifolium*, Griseb. & Schenk, in Wieg. Archiv, xviii. i. (1852) 312 = angustifolium.  
*planum*, Lièvre, in Oestr. Bot. Zeitschr. xxiii. (1873) 254 = angustifolium.  
*platycarpum*, Hook. f. & Thoms. Fl. Ind. i. 13 = cultratum.  
*platystemon*, Lecoy. in Bull. Soc. Bot. Belg. xxiv. (1885) 303 = aquilegifolium.  
*podocarpum*, H. B. & K. *Nov. Gen. et Sp.* v. 38.—Am. austr.  
*podolicum*, Lecoy. in Bull. Soc. Bot. Belg. xxiv. (1885) 173.—Europ.  
*polycarpum*, Loret, in Bull. Soc. Bot. Fr. vi. (1859) 17 = minus.  
*polycarpum*, S. Wats. in Proc. Am. Acad. xiv. (1879) 288.—Am. bor. occ.  
*polygamum*, Herb. Link, ex Lecoy. in Bull. Soc. Bot. Belg. xxiv. (1885) 264 = corynellum.  
*polygamum*, Muhl. in Trans. Am. Phil. Soc. iii. (1793) 172, nomen; et ex Pursh, Fl. Am. Sept. ii. 388; DC. *Syst.* i. 173 = corynellum, revolutum, minus.  
*polyphyllum*, Schrad. ex Lecoy. in Bull. Soc. Bot. Belg. xxiv. (1885) 304 = minus.  
*polyspermum*, Arv. Ess. Pl. Dauph. 13–14 = minus.  
*Porphyratae*, F. Schultz, in Flora, lvi. (1873) 232 = minus.  
*porrectum*, Jord. ex Nym. *Consp.* 5 = flavum.



**THALICTRUM:—**

- porrigens*, Jord. Diagn. i. 48 = minus.  
*praecox*, Jord. Obs. Pl. Crit. v. (1847) 2 = minus.  
*praecox*, C. Koch & Bouché, in Ind. Sem. Hort. Berol. (1855) App. 15 = minus.  
*praecox*, F. Schultz, in Pollichia, (1859) 1 = minus.  
*praeiflorens*, Jord. Diagn. i. 27 = minus.  
*praeruptum*, Timb. in Bull. Soc. Sc. Phys. et Nat. Toul. ii. (1874) 445 = minus.  
*pratense*, Linn. Sp. Pl. 546, in syn. = flavum.  
*pratense*, F. Schultz, in Pollichia, xx-xxi. (1863) 102 = minus.  
*Princeps*, Dum. in Bull. Soc. Bot. Belg. viii. (1869) 458 = flavum.  
*procerulum*, Jord. Diagn. i. 45 = simplex.  
*propendens*, Jord. l. c. 37 = minus.  
*prorepens*, Jord. l. c. 50 = flavum.  
*pruinatum*, E. Mey. in Drège, Zwei Pfl. Docum. 226 = minus.  
Przewalskii, *Maxim.* in Bull. Acad. Pétersb. xxiii. (1877) 305.—China.  
*Pseudo-flavum*, Schur, ex Lecoy. in Bull. Soc. Bot. Belg. xxiv. (1885) 306 = flavum.  
*pubens*, Steph. ex Lecoy. l. c. = foetidum.  
*puberulum*, Aschenb. ex Lecoy. l. c. = Hernandezii.  
*pubescens*, Pursh, Fl. Am. Sept. ii. 388 = corynellum, revolutum.  
*pubescens*, Schleich. ex DC. Fl. Fr. Suppl. 633 = minus.  
*pubigerum*, Benth. Pl. Hartw. 285.—Mexic.  
*pulchellum*, Pursh, ex Lecoy. in Bull. Soc. Bot. Belg. xxiv. (1885) 307 = dioicum.  
*punduanum*, Wall. Pl. As. Rar. ii. 26; Cat. n. 3712.—Reg. Himal.  
*purpurascens*, DC. Syst. i. 174 = dioicum.  
*purpurascens*, Georgi, Besch. Russ. Reich. III. iv. 1063 = minus.  
*purpurascens*, Linn. Sp. Pl. 546 = minus, corynellum.  
*purpureum*, Schang. in Pall. N. Nord. Beitr. vi. 42 = minus.  
*purpureum*, Tenore, ex Steud. Nom. ed. II. ii. 676, 677 = calabricum.  
*pyramidale*, Hort. Panorm. ex Lecoy. in Bull. Soc. Bot. Belg. xxiv. (1885) 308 = minus.  
*pyrenaicum*, Jord. Diagn. i. 29 = minus.  
*pyrrhocarpum*, Ckodi, Ind. Sem. Hort. Valent. (1883) (Quid?).—Hab.?  
*radiatum*, Royle, Illustr. Brit. Himal. 52 = saniculaeforme.  
*radicans*, Hort. ex Lecoy. in Bull. Soc. Bot. Belg. xxiv. (1885) 308 = minus.  
*ranunculinum*, Muhl. ex Willd. Enum. Hort. Berol. 585 = Trautvetteria palmata.  
*rariflorum*, Fries, Summa Veg. Scand. 137 = minus, simplex?  
*recurvum*, Schrad. ex Lecoy. in Bull. Soc. Bot. Belg. xxiv. (1885) 309 = minus.  
*Regelianum*, Bruegg. in Jahresb. Naturf. Ges. Graub. II. xxiii-xxiv. (1880) 75 = simplex.  
*reniforme*, Wall. Pl. As. Rar. ii. 26; Cat. n. 3716.—Reg. Himal.  
*repens*, W. Baxt. ex Loud. Hort. Brit. Suppl. ii. 676, = minus?  
*repens*, C. A. Mey. ex Lecoy. in Bull. Soc. Bot. Belg. xxiv. (1885) 309 = minus.  
*repens*, Schrad. ex Lecoy. l. c. = squarrosus.  
*revolutum*, DC. Syst. i. 173.—Am. bor.  
*revolutum*, Herb. Fisch. ex Lecoy. in Bull. Soc. Bot. Belg. xxiv. (1885) 264 = corynellum.  
*revolutum*, Lièvre, in Oestr. Bot. Zeitschr. xxiii. (1873) 254 = angustifolium.  
*rhaeticum* x, Bruegg. in Jahresb. Naturf. Ges. Graub. II. xxiii-xxiv. (1880) 76.—Europ.  
*rhodanense*, Jord. Diagn. i. 45 = simplex.  
*rhynchocarpum*, Q. Dillon. & A. Rich. in Ann. Sc. Nat. Sér. II. xiv. (1840) 262.—Afr. trop.  
*Richardsonii*, A. Gray, in Am. Journ. Sc. Ser. I. xlii. (1842) 17, in textu = sparsiflorum.  
*rigidum*, Fisch. ex Lecoy. in Bull. Soc. Bot. Belg. xxiv. (1885) 310 = minus.  
*riparium*, Jord. ex Bor. Fl. Centr. Fr. ed. III. ii. 5 = flavum.  
*Rochebrunnianum*, Franch. & Sav. Enum. Pl. Jap. ii. 264.—Japan.  
*rosmarinifolium*, Pollini, in Brugnati. Giorn. Fis. ix. (1816) 32 = minus.  
*rostellatum*, Hook. f. & Thoms. Fl. Ind. i. 15.—Reg. Himal.  
*rotundifolium*, DC. Syst. i. 185.—Reg. Himal.

**THALICTRUM:—**

- rotundifolium*, Laest. ex Nym. Consp. 6 = minus.  
*rotundum*, Schrad. ex Lecoy. in Bull. Soc. Bot. Belg. xxiv. (1885) 311 = minus.  
*rubellum*, Sieb. & Zucc. in Abh. Akad. Muench. iv. II. (1843) 177 = aquilegifolium.  
*rufinerve*, Lej. & Court. Comp. Fl. Belg. ii. 207 = flavum.  
*rufum*, Lecoy. in Bull. Soc. Bot. Belg. xvi. (1877) 227.—Ind. or.  
*rugosum*, Ait. Hort. Kew. ed. I. ii. 262 = flavum, glaucum, corynellum.  
*rugosum*, Poir. Encyc. v. 317 = angustifolium.  
*rugosum*, Pursh, Fl. Am. Sept. ii. 388 = dasycarpum?  
*rustre*, Hort. Berol. ex Lecoy. in Bull. Soc. Bot. Belg. xxiv. (1885) 312 = minus.  
*rustre*, Madden, ex Lecoy. l. c. = saniculaeforme.  
*rutaeifolium*, Hook. f. & Thoms. Fl. Ind. i. 14.—Reg. Himal.  
*ruthenicum*, Schrad. Ind. Sem. Hort. Gotting. (1832).—Cf. Linnaea, viii. (1833) Litt. 27 = minus.  
*rutidocarpum*, DC. Syst. i. 172.—Am. austr.  
*sachalinense*, Lecoy. in Bull. Soc. Bot. Belg. xxiv. (1885) 152.—Ins. Sachalin.  
*saniculaeforme*, DC. Prod. i. 12.—Reg. Himal.  
*Savatieri*, Foucaud, Cat. Pl. Vasc. Charente-Inf. ii. 45 = minus.  
*saxatile*, Schleich. ex DC. Fl. Fr. Suppl. 633 = minus.  
*saxatile*, Vill. Prosp. 50; Hist. Pl. Dauph. iii. 714 = minus.  
*saxicolum*, Arv. Ess. Pl. Dauph. 15 = minus.  
*Schimperianum*, Hochst. ex Schweinf. Beitr. Fl. Aethiop. 78 = minus.  
*Schultzii*, Jord. Diagn. i. 32 = minus.  
*Schweiggeri*, Spreng. Syst. ii. 671 = minus.  
*secundum*, Edgew. in Trans. Linn. Soc. xx. (1846) 26 = pauciflorum.  
*Sendtneri*, F. Schultz, Arch. Fl. 31 = minus.  
*serotinum*, F. Schultz, in Pollichia, xvii. (1859) 1 = minus.  
*sibiricum*, Ledeb. Fl. Ross. i. 11 = squarrosus.  
*sibiricum*, Linn. Sp. Pl. 546 = minus, foetidum, isopyroides.  
*sibiricum*, Pall. Reise, i. 219 = foetidum.  
*silaifolium*, Jord. Diagn. i. 41 = minus.  
*silleanum*, Lièvre, in Oestr. Bot. Zeitschr. xxii. (1872) 285 = minus.  
*silvaticum* x, Bruegg. in Jahresb. Naturf. Ges. Graub. II. xxiii-xxiv. (1880) 76.—Europ.  
*simplex*, DC. Prod. i. 15 = flavum.  
*simplex*, Linn. Mant. i. 78.—Europ. et As. bor.  
*sinense*, Lour. Fl. Cochinch. 346 (sp. dub.).—China.  
*soboliferum*, Schur, in Oestr. Bot. Zeit. x. (1860) 250, in textu = flavum.  
*sparsiflorum*, Turcs. ex Fisch. & Mey. Ind. Sem. Hort. Petrop. i. 40.—Dahuria; Am. bor. occ.  
*speciosum*, Hort. ex Poir. Encyc. v. 315 = glaucum.  
*speciosum*, Mill. Gard. Dict. ed. VIII. n. 2 = angustifolium.  
*sphaerocarpon*, Schrad. ex Lecoy. in Bull. Soc. Bot. Belg. xxiv. (1885) 317 = angustifolium.  
*sphaerocarpon*, Lej. & Court. Comp. Fl. Belg. ii. 208 = flavum.  
*sphaerospermum*, Schrad. ex Lecoy. in Bull. Soc. Bot. Belg. xxiv. (1885) 317 = angustifolium.  
*spurius*, Timeroy, ex Jord. Obs. Pl. Crit. v. (1847) 19 = flavum.  
*squamiferum*, Lecoy. in Bull. Soc. Bot. Belg. xvi. (1877) 229.—Tibet.  
*squarrosus*, Steph. ex Willd. Sp. Pl. ii. 1299.—Sibir.; China.  
*stamineum*, Linn. f. Suppl. 271 = petaloideum.  
*stenocarpum*, Timb. in Bull. Soc. Sc. Phys. et Nat. Toul. ii. (1874) 446, in obs. = minus.  
*stenophyllum*, Schur, in Verh. Naturf. Ver. Bruenn, xv. ii. (1877) 19 = angustifolium?  
*stipellatum*, Jord. Diagn. i. 42 = minus.  
*stipulaceum*, Hort. ex G. Don, in Loud. Hort. Brit. 229 (Quid?).—Europ.  
*strictum*, Laest. ex Nym. Consp. 6 = minus, simplex.  
*strictum*, Ledeb. Fl. Ross. i. 10 = simplex.  
*strigillosum*, Hemsl. Diagn. Pl. Nov. 1.—Mexic.  
*styloideum*, Linn. f. Suppl. 271 = foetidum.  
*subalpinum*, Lièvre, in Oestr. Bot. Zeitschr. xxii. (1872) 57 = minus.  
*subcorymbosum* x, Borb.—Cf. Oestr. Bot. Zeitschr. xxix. (1879) 410.—Europ.  
*subspicatum*, Jord. Diagn. i. 46 = simplex.

**THALICTRUM:—**

- subtrigynum*, Reichb. ex Lecoy. in Bull. Soc. Bot. Belg. xxiv. (1885) 320 = minus.  
*sylvaticum*, Koch, in Flora, xxiv. (1841) 426 = minus.  
*tenuis*, Franch. in Pl. Davidian. i. (1884) 16.—China.  
*tenuicolum*, Schrad. ex Lecoy. in Bull. Soc. Bot. Belg. xxiv. (1885) 320 = foetidum.  
*tenuifolium*, Gueldenst. ex Ledeb. Fl. Ross. i. 12 = angustifolium.  
*tenuifolium*, Schwein. ex Lecoy. in Bull. Soc. Bot. Belg. xxiv. (1885) 294 = minus.  
*tenuifolium*, Sw. Summ. Veg. Scand. 72 = simplex.  
*thamnophilum*, Jord. Diagn. i. 34 = minus.  
*thibeticum*, Franch. ex Lecoy. in Bull. Soc. Bot. Belg. xxiv. (1885) 153.—Tibet.  
*Thunbergii*, DC. Syst. i. 183 = minus.  
*Timeroyi*, Jord. Obs. Pl. Crit. v. (1847) 14 = simplex.  
*tortuosum*, Jord. Diagn. i. 38 = minus.  
*transsilvanicum*, Schur, in Verh. Siebenb. Ver. Naturw. iii. (1852) 84 = minus.  
*tridentinum*, Lièvre, in Oestr. Bot. Zeitschr. xxii. (1872) 219 = minus.  
*trifidum*, Lièvre, l. c. xxiii. (1873) 255 = angustifolium.  
*trigynum*, Fisch. ex Trev. Ind. Sem. Hort. Vratisl. App. ii. (1820) 3 = squarrosus.  
*trispermum*, Fisch. ex Link, Enum. Hort. Berol. ii. 92 = squarrosus.  
*triternatum*, Rupr. Fl. Caucas. 2.—Reg. Cauc.  
*tuberiferum*, Maxim. in Bull. Acad. Pétersb. xxii. (1877) 227.—Japan.  
*tuberosum*, Linn. Sp. Pl. 545.—Europ. occ.  
*udum*, Jord. Diagn. i. 50 = flavum.  
*uncinnatum*, Rehm. in Spraw. Kom. Fis. Krakow, vii. (1873) 90.—Cf. Oestr. Bot. Zeitschr. xxxiii. (1883) 239 = petaloideum.  
*uncinatum*, Franch. ex Lecoy. in Bull. Soc. Bot. Belg. xxiv. (1885) 169.—Tibet.  
*vaccinense*, Lièvre, in Oestr. Bot. Zeitschr. xxii. (1872) 125 = minus.  
*vaginatum*, Desf. Tabl. ed. II. 274 = flavum.  
*vaginatum*, Royle, Illustr. Bot. Himal. 52 = minus, foetidum, squamiferum.  
*varium*, Doell. Rhein. Fl. 543 (Quid?).—Europ.  
*Verloti*, Arv. Ess. Pl. Dauph. 13, 14 = minus.  
*versiflorum*, Schrad. ex Lecoy. in Bull. Soc. Bot. Belg. xxiv. (1885) 323 = minus.  
*versifolium*, Schrad. ex Lecoy. l. c. = minus.  
*vesiculosum*, Lecoy. l. c. 130.—Am. austr.  
*villosum*, Jacquem. ex Lecoy. l. c. 323 = Falconeri, minus.  
*viperinum*, Andr. in Nouv. Mém. Soc. Nat. Mosc. ii. (1832) 336 = minus.  
*virens*, Wallr. ex Koch, Syn. Fl. Germ. ed. II. 1015 (Quid?).—Europ.  
*virgatum*, Hook. f. & Thoms. Fl. Ind. i. 14.—Reg. Himal.  
*virgatum*, Schrad. ex Lecoy. in Bull. Soc. Bot. Belg. xxiv. (1885) 323 = minus.  
*virginicum*, Drège, ex Lecoy. l. c. = dasycarpum.  
*virgultorum*, Jord. Diagn. i. 35 = minus.  
*vitifolium*, Schlecht. ex Ledeb. Fl. Ross. i. 741 = Trautvetteria palmata.  
*viviparum*, Stocks, ex Lecoy. in Bull. Soc. Bot. Belg. xxiv. (1885) 323 = Chelidonii.  
*Vrabelyi*, Schur, in Verh. Naturf. Ver. Bruenn, xv. ii. (1877) 11 = minus.  
*vulgare*, Kitt. Taschenb. ed. II. 752 = minus.  
*vulgatum*, F. Schultz, Fl. Pfalz, 3 = minus.  
*Wallrothi*, Boenn. Prod. Fl. Monast. 162 = flavum.  
*Wallrothianum*, Dettd. ex Lecoy. in Bull. Soc. Bot. Belg. xxiv. (1885) 273, 324 = flavum.  
*Walteri*, Spreng. ex Steud. Nom. ed. II. ii. 677 = Anemone Walteri.  
*Wrightii*, A. Gray, Pl. Wright. ii. 7.—Mexic.

THALLIANA, Steud. Nom. ed. II. ii. 677 (1841), sphalm. = **Tralliana**, Lour. (Inc. Sed.).

THALYSIA, Linn. Syst. ed. I (1735) = **Zea**, Linn. (Gramin.).

THAMINOPHYLLUM, Harv. in Harv. & Sond. Fl. Cap. iii. 155 (1864-65). **COMPOSITAE**, Benth. & Hook. f. ii. 423.  
 multiflorum, Harv. l. c.—Afr. austr.  
 Mundtii, Harv. l. c.—Afr. austr.

THAMNEA, Soland. ex R. Br. Pl. Abel. 3 (1818), nomen; et ex Brongn. in Ann. Sc. Nat. Sér. I. viii. (1826) 386. t. 38. **BRUNIACEAE**, Benth. & Hook. f. i. 671.

**THAMNEA** :—

depressa, *Oliver, in Journ. Linn. Soc.* ix. (1867) 332.—Afr. austr.  
*gracilis, Oliver, l. c.*—Afr. austr.  
*hirtella, Oliver, l. c.*—Afr. austr.  
*laxa, Baill. Hist. Pl.* iii. 388 = *Tittmannia laxa*.  
*uniflora, Soland. ex Brongn. in Ann. Sc. Nat. Sér. I.* viii. (1826) 386.—Afr. austr.

**THAMNIUM**, Klotzsch, in *Linnaea*, xii. (1838) 223 = *Scyphogyne*, Brongn. (Ericac.).  
*puberulum*, Klotzsch, l. c. = *S. puberulum*.

**THAMNOCALAMUS**, Munro, in *Trans. Linn. Soc.* xxvi. (1868) 33, 157 = *Arundinaria*, Michx. (Gramin.).  
*Falconeri, Hook. f. ex Munro, l. c.* 34 = *A. falcata*.  
*Ringala, Falc. ex Munro, l. c.* 157 = *A. falcata*.  
*spathiflora*, Munro, l. c. 34 = *A. spathiflora*.

**THAMNOCHORTUS**, Berg. Desc. Pl. Cap. 353 (1767). *RESTIACEAE*, Benth. & Hook. f. iii. 1034.

*aemulus*, Kunth, Enum. Pl. iii. 439 = *imbricatus*.  
*argenteus, Kunth, l. c.* 432.—Afr. austr.  
*bromoides, Kunth, l. c.* = *dichotomus*.  
*Burchellii, Mast. in DC. Monog. Phan. i.* 322.—Afr. austr.  
*carcinus, Mast. l. c.* 327.—Afr. austr.  
*cernuus, Kunth, Enum. Pl. iii.* 439.—Afr. austr.  
*consanguineus, Kunth, l. c.* 432 = *dichotomus*.  
*debilis, Spreng. ex Steud. Nom. ed. II. ii.* 677 = *Restio debilis*.  
*dichotomus, R. Br. Prod.* 244.—Afr. austr.  
*dichotomus, Kunth, Enum. Pl. iii.* 432 = *elongatus*, *dichotomus*.  
*dichotomus, Spreng. Syst. i.* 187 = *Restio triflorus*, *triticeus*?  
*distichus, Mast. in Journ. Linn. Soc. x.* (1869) 233.—Afr. austr.  
*Ecklonianus, Kunth, Enum. Pl. iii.* 430 = *dichotomus*.  
*elongatus, Hochst. in Flora, xxviii.* (1845) 339 = *striatus*.  
*elongatus, Mast. in Journ. Linn. Soc. x.* (1869) 226.—Afr. austr.  
*erectus, Mast. l. c.* xiv. (1875) 419.—Afr. austr.  
*floribundus, Kunth, Enum. Pl. iii.* 435.—Afr. austr.  
*fruticosus, Berg. Desc. Pl. Cap.* 353.—Afr. austr.  
*giganteus, Kunth, Enum. Pl. iii.* 435.—Afr. austr.  
*gracilis, Mast. in DC. Monog. Phan. i.* 327.—Afr. austr.  
*imbricatus, Mast. in Journ. Linn. Soc. x.* (1869) 231.—Afr. austr.  
*micans, Kunth, Enum. Pl. iii.* 441.—Afr. austr.  
*modestus, Kunth, l. c.* 434 = *Leptocarpus modestus*.  
*platypterus, Kunth, l. c.* 429.—Afr. austr.  
*robustus, Kunth, l. c.* 436 = *Cannamois Cephalotes*.  
*scariosus, R. Br. Prod.* 244 = *fruticosus*.  
*scirpiformis, Mast. in Journ. Linn. Soc. x.* (1869) 228.—Afr. austr.  
*scirpoides, Kunth, Enum. Pl. iii.* 438 = *Cannamois scirpoides*.  
*spicigerus, R. Br. Prod.* 244.—Afr. austr.  
*spicigerus, Sieber, ex Kunth, Enum. Pl. iii.* 434 = *dichotomus*.  
*striatus, Hochst. in Flora, xxviii.* (1845) 339.—Afr. austr.  
*strictus, Kunth, Enum. Pl. iii.* 438 = *Cannamois simplex*.  
*umbellatus, Kunth, l. c.* 440.—Afr. austr.  
*virgatus, Kunth, l. c.* 436 = *Cannamois Cephalotes*.

**THAMNOSERIS**, Phil. f. in *Anal. Univ. Chil.* (1875) 191. *COMPOSITAE*.  
*lacerata, Phil. f. l. c.*—Chili.

**THAMNOSMA**, Torr. & Frém. in Frém. [2nd] Rep. 313 (1845). *RUTACEAE*, Benth. & Hook. f. i. 288.  
*RUTOSMA*, A. Gray, Gen. Illustr. 143. t. 155 (1849).  
*montana, Torr. & Frém. in Frém. [2nd] Rep.* 313; *et in Duch. Rév. Bot. ii.* (1846–47) 154.—Calif.  
*socotrana, Balf. f. in Proc. Roy. Soc. Edinb.* xi. (1882) 505.—Ins. Socotra.  
*texana, Torr. in Bot. Mex. Bound.* 42.—Am. bor.

**THAMNUS**, Klotzsch, in *Linnaea*, xii. (1838) 235 = *Simocheilus*, Klotzsch (Ericac.).  
*multiflorus, Klotzsch, l. c.* = *S. obovatus*.

**THAMNUS**, Link, Enum. Hort. Berol. ii. 426 (1822) = **Tamus**, Linn. (Dioscor.).

**THANATOPHORUS**, Walp. Ann. ii. 213 (1851–52), sphalm. = **DANATOPHORUS**, Blume = **Harpullia**, Roxb. (Sapind.).

**THAPSANDRA**, Griseb. Spicil. Fl. Rumel. ii. 40 (1844) = **Celsia**, Linn. (Scrophul.).  
*cretica, Griseb. l. c.* = *C. cretica*.

**THAPSIA**, Linn. Syst. ed. I (1735). *UMBELLIFERAE*, Benth. & Hook. f. i. 930.

*MELANOSELINUM*, Hoffm. Gen. Umb. 156 (1814).  
*MONIZIA*, Lowe, in Hook. Ken. Journ. viii. (1856) 295.

*altissima, Mill. Gard. Dict. ed. VIII. n. 6.*—Ital.  
*apulia, Mill. l. c. n. 4* = *Elaeoselinum Asclepium*.  
*asclepiadea, St. Lag. in Ann. Soc. Bot. Lyon, vii.* (1880) 136 = seq.  
*Asclepium, Linn. Sp. Pl.* 261 = *Elaeoselinum Asclepium*.

*decipiens, Hook. f. Bot. Mag. t.* 5670.—Ins. Mader.  
*decussata, Lag. Gen. et Sp. Nov.* 12 = *garganica*.  
*foetida, Linn. Sp. Pl.* 261 = *Elaeoselinum foetidum*.  
*garganica, Linn. Mant. i.* 57.—Reg. Mediterr.

*glomerata, Nutt. Gen. Am. i.* 184 = *Cymopterus glomeratus*.

*gummifera, Spreng. Sp. Umbellif.* 31 = *Laserpitium gummiferum*.

*Laserpitii, Spreng. l. c.* 32 = *Prangos ferulacea*.  
*lineariloba, Pomel, Nouv. Mat. Fl. Atl.* 314 = *garganica*.

*marocana, Pomel, l. c.* in obs. = *garganica*.  
*maxima, Mill. Gard. Dict. ed. VIII. n. 2* = *villosa*.  
*melanoselina, Masf. in Anal. Soc. Esp. Hist. Nat. x.* (1881) 185 = *decipiens*?

*meoides, Guss. Fl. Sic. Prod. i.* 370 = *Elaeoselinum meoides*.

*microcarpa, Pomel, Nouv. Mat. Fl. Atl.* 312 = *villosa*.

*minor, Hort. ex Nym. Consp.* 276 = *villosa*.  
*minor, Link, ex Steud. Nom. ed. I.* 831 (Quid?)—Hab.?

*Moniza, Masf. in Anal. Soc. Esp. Hist. Nat. x.* (1881) 185.—Ins. Canar.

*platycarpa, Pomel, Nouv. Mat. Fl. Atl.* 313 = *garganica*.

*polygama, Desf. Fl. Atlant. i.* 261. t. 75.—Afr. bor.  
*polygama, Salzm. ex Ball, in Journ. Linn. Soc. xvi.* (1878) 481 = *Elaeoselinum foetidum*.

*praealta, Urv. in Mém. Soc. Linn. Par. i.* (1822) 288.—Ins. Cos.

*silphia, St. Lag. in Ann. Soc. Bot. Lyon, vii.* (1880) 136 = *garganica*.

*stenocarpa, Pomel, Nouv. Mat. Fl. Atl.* 313 = *garganica*.

*stenoptera, Pomel, l. c.* 312 = *villosa*.  
*Sylphium, Viv. Fl. Lib. Spec.* 17 = *garganica*.

*tenuifolia, Lag. Gen. et Sp. Nov.* 12 = *Elaeoselinum Lagascae*.

*transagana, Brot. Fl. Lusit. i.* 468.—Lusitan.

*trifoliata, Linn. Sp. Pl.* 262 = *Thaspium trifoliatum*.  
*trifoliata, Mill. Gard. Dict. ed. VIII. n. 5* = *Thaspium barbinode*.

*villosa, Linn. Sp. Pl.* 261.—Europ. austr.

**THAPSIUM**, Walp. Rep. ii. 403 (1843), sphalm. = **Thaspium**, Nutt. (Umbell.).

**THAPSUS**, Rafin. Fl. Tellur. iv. 89 (1836) = **Verbascum**, Tourn. (Scrophul.).

*Blattaria, Rafin. l. c.* = *V. Blattaria*.  
*floccosum, Rafin. l. c.* = *V. pulverulentum*.

*Linnaei, Opiz, Seznam, 95* = *V. Thapsus*.  
*Lychnitis, Rafin. Fl. Tellur. iv.* 89 = *V. Lychnitis*.

*montanum, Rafin. l. c.* = *V. montanum*.  
*mucronatum, Rafin. l. c.* = *V. mucronatum*.

*nigrum, Rafin. l. c.* = *V. nigrum*.  
*phoeniceum, Rafin. l. c.* = *V. phoeniceum*.

*phlomoides, Opiz, Seznam, 96* = *V. phlomoides*.  
*pulverulentum, Rafin. Fl. Tellur. iv.* 89 = *V. pulverulentum*.

*thapsoides, Rafin. l. c.* = *V. thapsoides*.  
*Schraderi, Opiz, Seznam, 96* = *V. Thapsus*.

*sinuatum, Rafin. Fl. Tellur. iv.* 89 = *V. sinuatum*.  
*Willdenowii, Opiz, Seznam, 96* = *V. thapsoides*.

**THASPIUM**, Nutt. Gen. Am. i. 196 (1818). *UMBELLIFERAE*, Benth. & Hook. f. i. 913.

*UPOFION*, Rafin. New Fl. Am. iv. 29 (1836).  
*actaeifolium, Nutt. Gen. Am. i.* 196 = *Archangelicum Gmelini*.

*atropurpureum, Nutt. l. c.*—Am. bor.  
*aureum, Nutt. l. c.*—Am. bor.

*barbinode, Nutt. l. c.*—Am. bor.  
*cordatum, Torr. & Gray, Fl. N. Am. i.* 615 = *atropurpureum*.

*foliosum, Royle, Illustr. Bot. Himal.* 40 = *Pimpinella caespitosa*.

*macrocarpum, Herb. Bourg. ex S. Wats. Bibl. Ind. N.* Am. Bot. 429 = *Peucedanum macrocarpum*.

*montanum, A. Gray, in Mem. Am. Acad. N. S. iv.* (1849) 57 = *Ligusticum montanum*.

*pinnatifidum, A. Gray, Man. Bot. N. U. St. ed. II.* 155 = *Walteri*.

*purpureum, Walp. Am. ii.* 702 = *atropurpureum*.  
*trachypleurum, A. Gray, in Proc. Acad. Sc. Philad.* 1863 (1864) 63 = *Cicuta trachypleura*.

*trifoliatum, A. Gray, Man. Bot. N. U. St. ed. II.* 156.—Am. bor.

*verticillatum, Geyer, ex Hook. Lond. Journ. Bot. vi.* (1847) 233 = *Angelica verticillata*.

*Walteri, Shuttl. ex A. Gray, Pl. Wright. i.* 79.—Am. bor.

**THAUMATOCOCCUS**, Benth. in Benth. & Hook. f. Gen. iii. 652 (1833). *SCITAMINEAE*, Benth. & Hook. f. l. c.

*Danielli, Benth. l. c.*—Afr. trop.

**THAUMATOPHYLLUM**, Schott, in Bonplandia, vii. (1859) 31. *AROIDEAE*, Benth. & Hook. f. iii. 979.

*Spruceanum, Schott, l. c.*—Bras.

**THAUMAZA**, Salisb. Gen. Pl. Fragm. 15 (1866) = **Eriospermum**, Jacq. (Liliac.).

*paradoxa, Salisb. l. c.* = *E. paradoxum*.

**THAUMURIA**, Gaudich. in Freyc. Voy. Bot. 502 (1826) = **Parietaria**, Tourn. (Urtic.).

*cretica, Gaudich. l. c.* = *P. cretica*.

**THEA**, Linn. Syst. ed. I (1735) = **Camellia**, Linn. (Ternstr.).

*assamica, J. W. Mast. in Journ. Agric. & Hort. Soc. Ind. iii.* (1844) 63 = *C. Thea*.

*assimilis, Seem. in Trans. Linn. Soc. xxii.* (1859) 349 = *C. assimilis*.

*Bohea, Linn. Sp. Pl. ed. II.* 743 = *C. Thea*.  
*Camellia, Hoffm. Verz. Pf.* 117 = *C. japonica*.

*cantonensis, Lour. Fl. Cochinch.* 339 = *C. Thea*.  
*caudata, Seem. in Trans. Linn. Soc. xxii.* (1859) 348 = *C. caudata*.

*chinensis, Sims, Bot. Mag. t.* 998 = *C. Thea*.  
*cochinchinensis, Lour. Fl. Cochinch.* 338 = *C. Thea*.

*euryoides, Booth, in Trans. Hort. Soc. vii.* (1830) 560 = *C. euryoides*.

*grandifolia, Salisb. Prod.* 370 = *C. Thea*.  
*imperialis, Hort. ex Steud. Nom. ed. II. ii.* 678; *et ex Seem. in Trans. Linn. Soc. xxii.* (1859) 350 = *Micromeria obovata*.

*japonica, Baill. Hist. Pl. iv.* 229 = *C. Thea*.  
*latifolia, Lodd. ex Sweet, Hort. Brit. ed. III.* 91 = *C. Thea*.

*longifolia, Nois. ex Steud. Nom. ed. I.* 832 = *C. Thea*.  
*maliflora, Seem. in Trans. Linn. Soc. xxii.* (1859) 346 = *C. rosaeiflora*.

*oleosa, Lour. Fl. Cochinch.* 339 = *C. Thea*.  
*parvifolia, Salisb. Prod.* 370 = *C. Thea*.

*salicifolia, Seem. in Trans. Linn. Soc. xxii.* (1859) 349 = *C. salicifolia*.

*Sasangua, Nois. ex Cels, Cat. Arbr.* (1817) 35 = *C. Thea*.

*sinensis, Linn. Sp. Pl.* 515 = *C. Thea*.  
*stricta, Hayne, Arn. Gew. vii.* t. 27 = *C. Thea*.

*viridis, Linn. Sp. Pl. ed. II.* 735 = *C. Thea*.

**THEAPHYLA**, Rafin. Sylva Tellur. 139 (1838) = seq.

**THEAPHYLLA**, Rafin. Med. Fl. ii. 267 (1830) = **Camellia**, Linn. (Ternstr.).

*anamensis, Rafin. Sylva Tellur.* 139 = *C. Thea*?

*cantonensis, Rafin. l. c.* = *C. Thea*.  
*euryoides, Rafin. l. c.* = *C. euryoides*.

**THEAPHYLLA** :—

*lanceolata*, Rafin. Sylva Tellur. 139 = *Camellia lanceolata*.  
*laxa*, Rafin. l. c. = *C. Thea*.  
*oleifera*, Rafin. l. c. = *C. Thea*.  
*viridis*, Rafin. l. c. = *C. Thea*.

**THEAPHYLLUM**, Nutt. ex Turcz. in Bull. Soc. Nat. Mosc. xxxvi. (1863) 1. 605 = **Perrottetia**, H. B. & K. (Celastr.).  
*celastrinum*, Nutt. ex Turcz. l. c. = *P. sandwicensis*.

**THEBESIA**, Neck. Elem. ii. 313 (1790) = **Knowltonia**, Salisb. (Ranunc.).

**THECA**, Juss. Gen. 108 (1789) = **THEKA**, Adans. = **Tectona**, Linn. (Verben.).

**THECACORIS**, A. Juss. Tent. Euph. 12. t. 1 (1824).  
**EUPHORBACEAE**, Benth. & Hook. f. iii. 286.  
*madagascariensis*, A. Juss. l. c. 105. t. 1. —Madag.  
*Manniana*, Muell. Arg. in DC. Prod. xv. ii. 246. —Afr. trop.  
*stenopetala*, Muell. Arg. l. c. —Afr. trop.  
*trichogyne*, Muell. Arg. in Journ. Bot. ii. (1864) 328. —Afr. trop.

**THECANISIA**, Rafin. New Fl. Am. ii. 38 (1836) = **Spiraea**, Linn. (Rosac.).  
*angustifolia*, Rafin. l. c. 39 = *S. angustifolia*?  
*discolor*, Rafin. l. c. = *S. discolor*.  
*lobata*, Rafin. l. c. 38 = *S. lobata*.  
*palmata*, Rafin. Sylva Tellur. 152 = *S. palmata*?  
*purpurea*, Rafin. New Fl. Am. ii. 38 = *S. lobata*?  
*Ulmaria*, Rafin. Sylva Tellur. 152 = *S. Ulmaria*.

**THECANTHES**, Wikstr. in Vet. Akad. Handl. Stockh. (1818) 271 = **Pimelea**, Banks (Thymel.).  
*Cornucopiae*, Wikstr. l. c. = *P. Cornucopiae*.  
*punicea*, Wikstr. l. c. 272 = *P. punicea*.

**THECOCARPUS**, Boiss. in Ann. Sc. Nat. Sér. III. ii. (1844) 93. **UMBELLIFERAE**, Benth. & Hook. f. i. 903.  
*meifolius*, Boiss. l. c. 94. —Persia.

**THECOSTELE**, Reichb. f. in Bonplandia, v. (1857) 37. **ORCHIDEAE**, Benth. & Hook. f. iii. 539.  
*alata*, Par. & Reichb. f. in Trans. Linn. Soc. xxx. (1874) 144 = Zollingeri.  
*Zollingeri*, Reichb. f. in Bonplandia, v. (1857) 37. —Java.

**THEIS**, Salisb. ex DC. Prod. vii. 715 (1835) = **Rhododendron**, Linn. (Ericac.).

**THEKA**, Adans. Fam. ii. 445 (1763) = **Tectona**, Linn. (Verben.).  
*grandis*, Lam. Illustr. ii. 111 = *Tectona grandis*.  
*ternifolia*, Buch.-Ham. in Trans. Linn. Soc. xvii. (1837) 185 = *Tectona Hamiltoniana*.

**THELA**, Lour. Fl. Cochinch. 119 (1790) = **Plumbago**, Tourn.  
*alba*, Lour. l. c. = *P. zeylanica*.  
*coccinea*, Lour. l. c. = *P. rosea*.

**THELAIA**, Alef. in Linnaea, xxviii. (1856) 33 = **Pyrola**, Tourn. (Ericac.).  
*angustifolia*, Alef. l. c. 52 = *P. angustifolia*.  
*aphylla*, Alef. l. c. 39 = *P. aphylla*.  
*arenaria*, Alef. in Bot. Zeit. xx. (1862) 220 = *P. rotundifolia*.  
*asarifolia*, Alef. in Linnaea, xxviii. (1856) 54 = *P. rotundifolia*.  
*bracteosa*, Alef. l. c. 57 = *P. rotundifolia*.  
*chlorantha*, Alef. l. c. 41 = *P. chlorantha*.  
*elliptica*, Alef. l. c. 47 = *P. elliptica*.  
*grandiflora*, Alef. l. c. 68 = *P. rotundifolia*.  
*intermedia*, Alef. l. c. 65 = *P. rotundifolia*.  
*media*, Alef. in Bot. Zeit. xx. (1862) 219 = *P. chlorantha*?  
*occidentalis*, Alef. in Linnaea, xxviii. (1856) 36 = *P. chlorantha*.  
*rotundifolia*, Alef. l. c. 60 = *P. rotundifolia*.  
*Sartorii*, Alef. l. c. 50 = *P. Sartorii*.  
*spathulata*, Alef. l. c. 45 = *P. picta*.

**THELASIS**, Blume, Bijdr. 385. t. 75 (1825).  
**ORCHIDEAE**, Benth. & Hook. f. iii. 589.  
**EUPROBOSIS**, Griff. in Calc. Journ. Nat. Hist. v. (1845) 371. t. 26.  
**OXYANTHERA**, Brongn. in Duperr. Voy. Bot. 197. t. 87 (1829).

*capitata*, Blume, Bijdr. 386. —Java.  
*carinata*, Blume, l. c. —Java.  
*carinata*, Reichb. f. in Bonplandia, v. (1857) 37 = *pygmaea*.  
*contracta*, Blume, Mus. Bot. Lugd. Bat. ii. 187. —Java.  
*elegans*, Blume, l. c. = *Phreatia elegans*.  
*elongata*, Blume, l. c. —Java.  
*obtusa*, Blume, Bijdr. 386. —Java.  
*ochreatea*, Lindl. in Journ. Linn. Soc. iii. (1859) 63. —Borneo.  
*pygmaea*, Lindl. l. c. —Ind. or.  
*triptera*, Reichb. f. in Bonplandia, iii. (1855) 219. —Malaya.  
*Zollingeri*, Reichb. f. l. c. v. (1857) 37. —Java.

**THELEOPHYTON**, Moq. in DC. Prod. xiii. ii. 115 (1849) = **Atriplex**, Tourn. (Chenop.).  
*Billardieri*, Moq. l. c. 116 = *A. Billardieri*.

**THELEPOGON**, Roth, ex Roem. & Schult. Syst. ii. 46, 788 (1817); Roth, Nov. Pl. Sp. 62 (1821).  
**GRAMINEAE**, Benth. & Hook. f. iii. 1131.  
**JARDINEA**, Steud. in Flora, xxxiii. (1850) 229 (Jandinea).  
**RHINACHNE**, Hochst. ex Steud. Syn. Pl. Gram. 360, in syn. (1855).  
*elegans*, Roth, ex Roem. & Schult. Syst. ii. 788; Nov. Pl. Sp. 62. —Afr. trop.; Ind. or.  
*sanguineus*, Spreng. Syst. i. 299 = *Andropogon Pseudograya*.

**THELESERMA**, Less. in Linnaea, vi. (1831) 511.  
**COMPOSITAE**, Benth. & Hook. f. ii. 387.  
**COSMIDIUM**, Nutt. in Trans. Am. Phil. Soc. N. S. vii. (1841) 361.  
*ambiguum*, A. Gray, in Proc. Am. Acad. xix. (1883) 16. —Am. bor. occ.  
*filifolium*, A. Gray, in Hook. Kew Journ. i. (1849) 252. —Am. bor. occ.  
*gracile*, A. Gray, l. c. —Am. bor. occ.  
*longipes*, A. Gray, Pl. Wright. i. 109. —Texas; Mexic.  
*scabiosoides*, Less. in Linnaea, vi. (1831) 511. —Bras.  
*simplicifolium*, A. Gray, in Hook. Kew Journ. i. (1849) 252. —Mexic.  
*subnudum*, A. Gray, in Proc. Am. Acad. x. (1874) 72. —Am. bor. occ.  
*subsimplifolium*, A. Gray, in Torr. Bot. Mex. Bound. 90. —Am. bor. occ.

**THELIGONUM**, Linn. Gen. ed. I. 357 (1737) = **Thelygonum**, Linn. (Urtic.).

**THELIRA**, Thou. Gen. Nov. Madag. 21 (1806) = **Pariarium**, Aubl. (Rosac.).

**THELMATOPHACE**, Godr. Fl. Lorr. ed. I. iii. 18 (1844); ed. II. ii. 327 (1861), sphalm. = **TELMATOPHACE**, Schleid. = **Lemna**, Linn.

**THELYCHITON**, Endl. Prod. Fl. Norf. 32 (1833) = **Dendrobium**, Sw. (Orchid.).  
*argyropus*, Endl. l. c. = *Bulbophyllum argyropus*.  
*brachypus*, Endl. l. c. 33 = *D. brachypus*.  
*macropus*, Endl. l. c. = *D. macropus*.

**THELYCRANIA**, Fourn. in Ann. Soc. Linn. Lyon, N. S. xvi. (1868) 394 = **Cornus**, Tourn. (Cornac.).  
*sanguinea*, Fourn. l. c. = *C. sanguinea*.

**THELYGONUM**, Linn. Gen. ed. I. 357 (1737) (Theligonum); Schreb. Gen. ii. 644 (1791). **URTICACEAE**, Benth. & Hook. f. iii. 395.  
**CYNOCRAME**, Gaertn. Fruct. i. 362. t. 75 (1788).  
*alsinoidum*, Lam. Fl. Fr. ii. 198 = *T. Cynocrambe*.  
*Cynocrambe*, Linn. Sp. Pl. 993. —Reg. Mediterr.; Oriens; Ind. or.

**THELYMITRA**, Forst. Char. Gen. 97. t. 49 (1776).  
**ORCHIDEAE**, Benth. & Hook. f. iii. 607.  
**MACDONALDIA**, Gunn, ex Lindl. Swan River App. 50. t. 9 (1839).

*angustifolia*, R. Br. Prod. 314 = *longifolia*.  
*angustifolia*, Hook. f. Fl. Tasm. ii. 5 = *aristata*.  
*antennifera*, Hook. f. l. c. 4. t. 101 A. —Austral.  
*arenaria*, Lindl. Gen. et Sp. Orch. 519 = *longifolia*.  
*aristata*, Lindl. l. c. 521. —Austral.  
*Benthamiana*, Reichb. f. Beitr. Syst. Pfl. 55. —Austral.  
*campanulata*, Endl. in Lehm. Pl. Preiss. ii. 14 = *canaliculata*.  
*campanulata*, Lindl. Swan River App. 49 = *ixioides*.  
*canaliculata*, R. Br. Prod. 314. —Austral.  
*carnea*, R. Br. l. c. —Austral.  
*circumsepta*, Fitzg. Austral. Orch. t. 4. —Austral.  
*Colensoi*, Hook. f. Handb. N. Zeal. Fl. 271. —N. Zel.  
*cornicina*, Reichb. f. Beitr. Syst. Pfl. 54 = *canaliculata*.  
*crinita*, Lindl. Swan River App. 49. —Austral.  
*cyanea*, Lindl. ex Benth. Fl. Austral. vi. 323. —Austral.  
*epipactoides*, F. Muell. Fragm. v. 174 = *canaliculata*.  
*flexuosa*, Endl. Nov. Stirp. Dec. 23. —Austral.  
*Forbesii*, Ridl. in H. O. Forbes, Nat. Wand. East. Archip. 618. —Ins. Timor.  
*formosa*, Colenso, in Trans. N. Z. Inst. xvi. (1884) 328. —N. Zel.  
*Forsteri*, Sw. in Vet. Akad. Handl. Stockh. xxi. (1800) 228 = *longifolia*.  
*fuscolutea*, R. Br. Prod. 315. —Austral.  
*graminea*, Lindl. Swan River App. 49 = *longifolia*.  
*grandiflora*, Fitzg. in Gard. Chron. (1882) i. 495. —Austral.  
*grandis*, F. Muell. ex Benth. Fl. Austral. vi. 319 = *aristata*.  
*imberbis*, Hook. f. Fl. N. Zel. i. 244. —N. Zel.  
*intermedia*, Berggr. in Minneskr. Fisiog. Sällks. Lund, (1877) n. viii. 21. —N. Zel.  
*iridioides*, Sieber, ex Benth. Fl. Austral. vi. 318 = *ixioides*.  
*ixioides*, Sw. in Vet. Akad. Handl. Stockh. xxi. (1800) 228. t. 3. —Austral.  
*javanica*, Blume, Bijdr. 419. —Java.  
*juncifolia*, Lindl. Gen. et Sp. Orch. 522 = *ixioides*.  
*lilacina*, F. Muell. ex Lindl. in Linnaea, xxvi. (1854-55) 242 = *ixioides*.  
*longifolia*, Forst. Char. Gen. 98. t. 49. —Austral.  
*luteociliium*, Fitzg. in Gard. Chron. (1882) i. 495. —Austral.  
*Mackibbinii*, F. Muell. in Melb. Chemist (1881), 44. —Austral.  
*Macmillani*, F. Muell. Fragm. v. 93. —Austral.  
*macrophylla*, Lindl. Swan River App. 49 = *aristata*.  
*media*, R. Br. Prod. 314 = *canaliculata*.  
*mucida*, Fitzg. in Gard. Chron. (1882) i. 495. —Austral.  
*nemoralis*, Colenso, in Trans. N. Z. Inst. xvii. (1885) 249. —N. Zel.  
*nuda*, R. Br. Prod. 314 = *longifolia*.  
*ovata*, F. Muell. Fragm. vi. 84 = *crinita*.  
*pardalina*, F. Muell. l. c. v. 94 = *villosa*.  
*pauciflora*, R. Br. Prod. 314 = *longifolia*.  
*porphyrostica*, F. Muell. Fragm. v. 97 = *variegata*.  
*pulchella*, Hook. f. Fl. N. Zel. i. 244. —N. Zel.  
*purpureo-fusca*, Colenso, in Trans. N. Z. Inst. xvii. (1880) 249. —N. Zel.  
*rubra*, Fitzg. in Gard. Chron. (1882) i. 495. —Austral.  
*Smithiana*, Hook. f. Fl. Tasm. ii. 4. t. 101 B = *flexuosa*.  
*stellata*, Lindl. Swan River App. 49. —Austral.  
*stenopetala*, Hook. f. Fl. Antarct. 69. —Ins. Dom. Auckland.  
*tigrina*, R. Br. Prod. 315. —Austral.  
*uniflora*, Hook. f. Fl. Antarct. 70. —Ins. Dom. Auckland.  
*variegata*, Lindl. ex Benth. Fl. Austral. vi. 323. —Austral.  
*venosa*, R. Br. Prod. 314. —Austral.  
*venosa*, Hook. f. Fl. Tasm. ii. 4. t. 102 A = *cyanea*.  
*versicolor*, Lindl. Gen. et Sp. Orch. 520 = *longifolia*.  
*villosa*, Lindl. Swan River App. 49. t. 8 C. —Austral.  
*winalis*, Fitzg. in Gard. Chron. (1882) i. 495. —Austral.

**THELYPODIUM**, Endl. Gen. 876 (1839). **CRUCIFERAE**, [Benth. & Hook. f. i. 81].  
**PACHYPODIUM**, Nutt. ex Torr. & Gray, Fl. N. Am. i. 96 (1838).

**THELYPODIUM** :—

- ambiguum, *S. Wats. in Proc. Am. Acad.* xiv. (1879) 290.—Am. bor.  
 auriculatum, *S. Wats. l. c.* xvii. (1881–82) 321.—N. Mexic.  
 brachycarpum, *Torr. Bot. U. St. Expl. Exped.* ii. 231. t. 1.—Calif.  
 Cooperi, *S. Wats. in Proc. Am. Acad.* xii. (1877) 246.—Calif.  
 flavescens, *S. Wats. in Bot. King's Exp.* 25.—Calif.  
 integrifolium, *Endl. in Walp. Rep.* i. 172.—Am. bor. occ.  
 laciniatum, *Endl. l. c.*—Am. bor. occ.  
 linearifolium, *S. Wats. in Bot. King's Exp.* 25.—Am. bor. occ.  
 longifolium, *S. Wats. l. c.*—Am. bor. occ.  
 neglectum, *M. Jones, in Am. Natural.* xvii. ii. (1882) 875.—Calif.  
 Nuttallii, *S. Wats. in Bot. King's Exp.* 26.—Am. bor. occ.  
 petiolatum, *Hemsl. Diagn. Pl. Nov.* 2.—Mexic.  
 pinnatifidum, *S. Wats. in Bot. King's Exp.* 25.—Am. bor. occ.  
 sagittatum, *Endl. in Walp. Rep.* i. 172.—Am. bor. occ.  
 Wrightii, *A. Gray, Pl. Wright.* i. 7.—N. Mexic.

**THELYPOGON**, Spreng. Syst. iii. 682 (1826) = **Teli-pogon**, H. B. & K. (Orchid.).

**THELYRA**, DC. Prod. ii. 527 (1825) = **THELIRA**, Thou. = **Parinarium**, Aubl. (Rosac.).  
*madagascariensis*, G. Don, Gen. Syst. ii. 479 = Madag.

**THELYSIA**, Salisb. in Trans. Hort. Soc. i. (1812) 303 = **Iris**, Tourn.

- alata*, Parl. Fl. Ital. iii. 317 = **I. alata**.  
*caucasica*, Parl. l. c., in obs. = **I. caucasica**.  
*fumosa*, Decne. in Bull. Soc. Bot. Fr. xx. (1873) 304 = **I. fumosa**.  
*grandiflora*, Salisb. in Trans. Hort. Soc. i. (1812) 303 = **I. alata**.  
*persica*, Parl. Fl. Ital. iii. 317, in obs. = **I. persica**.

**THELYTHAMNOS**, Spreng. f. Tent. Suppl. Syst. 25 (1828) = **Ursinia**, Gaertn. (Compos.).  
*filiformis*, Spreng. l. c. = **U. filiformis**.

**THEMEDA**, Forsk. Fl. Aegypt. Arab. 178 (1775) = **An-thistiria**, Linn. f. (Gramin.).  
*polygama*, J. F. Gmel. Syst. 149 = **A. Forskålilii** (cf. Addend.).  
*triandra*, Forsk. Fl. Aegypt. Arab. 178 = **A. Forskålilii**.

**THEMIS**, Salisb. Gen. Pl. Fragm. 85 (1866) = **Bro-diaea**, Sm. (Liliac.).  
*ixioides*, Salisb. l. c. = **B. ixioides**.

**THEMISTOCLESIA**, Klotzsch, in Linnaea, xxiv. (1851) 41. **VACCINIACEAE**, Benth. & Hook. f. ii. 576.  
*Episcopia*, Mor. ex Klotzsch, in Linnaea, xxiv. (1851) 42, in syn.  
*buxifolia*, Klotzsch, l. c. 42 = *Ceratostema buxifolium*.  
*coronilla*, Linden & André, *Illustr. Hort.* xvii. (1870) 176. t. 33.—N. Granat.  
*pendula*, Klotzsch, in Linnaea, xxiv. (1851) 42.—N. Granat.

**THENARDIA**, H. B. & K. Nov. Gen. et Sp. iii. 209. t. 240 (1818). **APOCYNACEAE**, Benth. & Hook. f. ii. 710.  
*corymbosa*, Benth. in Hook. Journ. Bot. iii. (1841) 246 = *Forsteronia Schomburgkii*.  
*floribunda*, H. B. & K. Nov. Gen. et Sp. iii. 209. t. 240.—Mexic.  
*laurifolia*, Benth. in Hook. Journ. Bot. iii. (1841) 246 = *Forsteronia laurifolia*.  
*scabra*, Spreng. Syst. iv. Cur. Post. 65.—N. Caled.  
*suaveolens*, Mart. & Gal. in Bull. Acad. Brux. xi. (1844) 359.—Mexic.  
*umbellata*, Spreng. Syst. i. 636.—Guian.

**THENARDIA**, [Moç. & Sesse,] ex DC. Prod. iii. 108 (1828) = **Rhynchanthera**, DC. (Melastom.).  
*rosea*, Moç. & Sesse, l. c. = **R. mexicana**.

**THEOBROMA**, Linn. Gen. ed. I. 351 (1737).

- STERCULIACEAE**, Benth. & Hook. f. i. 225.  
 CACAO, Gaertn. Fruct. ii. 190. t. 122 (1791).  
*alba*, Bernoulli, in Denkschr. Schw. Naturf. Ges. xxiv. (1871) n. III. 14 (sp. dub.).—Guian.  
*angustifolia*, [Moç. & Sesse,] ex DC. Prod. i. 484 = *speciosa*.  
*augusta*, Linn. Syst. ed. XII. 233 = *Abroma augusta*.  
*bicolor*, Humb. & Bonpl. Pl. Aequin. i. 104. t. 30.—N. Granat.  
*Cacao*, Linn. Sp. Pl. 782.—Am. trop.  
*caribaea*, Sweet, Hort. Brit. ed. II. 67 = **T. Cacao**?  
*celtifolia*, Salisb. Prod. 387 = *Guazuma ulmifolia*.  
*ferruginea*, Bernoulli, in Denkschr. Schw. Naturf. Ges. xxiv. (1871) n. III. 13.—Bras.  
*glauca*, Karst. in Linnaea, xxviii. (1856) 447 (sp. dub.).—N. Granat.  
*Guazuma*, Linn. Sp. Pl. 782 = *Guazuma ulmifolia*.  
*guianensis*, J. F. Gmel. Syst. 1151 = **T. Cacao**.  
*guyanensis*, Voigt, in Syll. Ratisb. ii. (1828) 55 (sp. dub.).—Guian.  
*integerrima*, Stokes, Bot. Mat. Med. iv. 83 = **T. Cacao**.  
*lelocarpa*, Bernoulli, in Denkschr. Schw. Naturf. Ges. xxiv. (1871) n. III. 6.—Am. centr.  
*macrantha*, Bernoulli, l. c. 11.—Bras.  
*Martiana*, D. Dietr. Syn. Pl. iv. 1242.—Bras.  
*microcarpa*, Mart. in Buchn. Repert. xxxv. (1830) 24; *Bernoulli*, in Denkschr. Schw. Naturf. Ges. xxiv. (1871) n. III. 11. t. 3.—Bras.  
*montana*, Goudet, ex Bernoulli, l. c. 15 (sp. ignota).—Hab.?  
*nitida*, Bernoulli, l. c.—Bras.  
*obovata*, Klotzsch, ex Bernoulli, l. c. 14 = *subincana*.  
*ovatifolia*, [Moç. & Sesse,] ex DC. Prod. i. 485 = *bicolor*.  
*pentagona*, Bernoulli, in Denkschr. Schw. Naturf. Ges. xxiv. (1871) n. III. 6.—Am. centr.  
*quingueneria*, Bernoulli, l. c. 8 = *speciosa*.  
*Salzmanniana*, Bernoulli, l. c. 7 (*Salzmanniana*).—Bras.  
*speciosa*, Willd. ex Mart. Reise Bras. iii. 1127 = *macrantha*.  
*speciosa*, Willd. ex Spreng. Syst. iii. 332.—Bras.  
*Spruceana*, Bernoulli, in Denkschr. Schw. Naturf. Ges. xxiv. (1871) n. III. 9 = *speciosa*.  
*subincana*, Mart. in Buchn. Repert. xxxv. (1830) 23.—Bras.  
*subincana*, Spruce, ex Sagot, in Ann. Sc. Nat. Sér. VI. xi. (1881) 154 = *speciosa*.  
*sylvestris*, Aubl. ex Mart. in Buchn. Repert. xxxv. (1830) 24 = *Martiana*.  
*sylvestris*, G. Don, Gen. Syst. i. 522 = *Genipa Merianae*.

**THEODORA**, Medic. Theod. 16 (1786) = **Schotia**, Jacq. (Legumin.).  
*speciosa*, Medic. l. c. 16, 61 = **S. speciosa**.  
*stipulata*, Eckl. & Zeyh. Enum. 261 = **S. speciosa**.

**THEODOREA**, Cass. in Dict. Sc. Nat. xlvii. (1827); liii. 463 (1828) = **Saussurea**, DC. (Compos.).  
*amara*, Cass. l. c. liii. 464 = **S. amara**.  
*pulchella*, Cass. l. c. 465 = **S. japonica**.

**THEODOREA**, Rodrig. Orch. Nov. i. 144 (1877). **ORCHIDEAE**.  
*gomezoides*, Rodrig. l. c. 145.—Bras.

**THEODORIA**, Neck. Elem. ii. 286 (1790) = **Sterculia**, Linn.

**THEOPHRASTA**, Linn. Gen. ed. I. 45 (1737), partim; Juss. Gen. 150 (1789). **MYRSINEAE**, Benth. & Hook. f. ii. 649.  
*americana*, Linn. Sp. Pl. 149.—Ind. occ.  
*americana*, Sw. Obs. Bot. 59 = *Jussieui*.  
*angustifolia*, Linden, Cat. n. 18 (1863) 10 (*Clavijae* sp.?).—Hab.?  
*antioquensis*, Linden, l. c. n. 91 (1874) 11 (*Clavijae* sp.).—N. Granat.  
*attenuata*, Linden, Cat. n. 18 (1863) 10 (*Clavijae* sp.?).—Hab.?  
*cochinchinensis*, Spreng. Syst. i. 671 = *Melodinus monogynus*?  
*crassipes*, Linden, Cat. n. 18 (1863) 10 (*Clavijae* sp.?).—Hab.?  
*densiflora*, Decne. in Ann. Sc. Nat. Sér. VI. iii. (1876) 142.—Ins. S. Doming.  
*fusca*, Decne. l. c. 143.—Hab.?  
*glycyarpa*, Spreng. Syst. i. 671 = *Leonia glycyarpa*.

**THEOPHRASTA** :—

- Henrici*, Ham. Prod. Pl. Ind. Occ. 27 = *Jussieui*.  
*Hookeri*, Linden, Cat. n. 91 (1874) 55 = *Clavija Hookeri*.  
*imperialis*, Linden, ex C. Koch & Fint. Wochenschr. ii. (1859) 91; Regel, Gartenfl. (1864) 323. t. 453.—Ind. occ.  
*integrifolia*, Pohl, ex Miq. in Mart. Fl. Bras. x. 277 = *Clavija integrifolia*.  
*Jussieui*, Hook. Bot. Mag. t. 4239 (excl. syn.) = *densiflora*.  
*Jussieui*, Lindl. Coll. Bot. t. 26.—Am. austr.  
*latifolia*, Willd. ex Roem. & Schult. Syst. iv. 787 = *Clavija latifolia*.  
*longifolia*, Jacq. Coll. iv. 136 = *Clavija ornata*.  
*macrophylla*, Linden, Cat. n. 91 (1874) 54, nomen = *Clavija grandis*.  
*macrophylla*, Link, ex Roem. & Schult. Syst. iv. 187 = *Clavija macrophylla*.  
*madagascariensis*, Willd. ex Roem. & Schult. l. c. 787 (sp. dub.).—Madag.  
*minor*, Linden, Cat. n. 18 (1863) 10 (*Clavijae* sp.?).—Hab.?  
*nobilis*, Linden, l. c. = **C. clavata**.  
*pinnata*, Jacq. Fragm. 49.—Venezuela.  
*pungens*, Willd. ex Roem. & Schult. Syst. iv. 787 = *Clavija ornata*.  
*regalis*, Linden, Cat. n. 21 (1867) 5 = *Clavija clavata*.  
*Rodekiana*, Linden, l. c. n. 95 (1876) 12 = *C. Rodekiana*.  
*serrata*, Hort. ex Hoffm. Verz. Pfl. Nachtr. ii. 218 = *Clavija macrophylla*.  
*serratifolia*, Cat. Cels. (1828) 4; ex Colla, in Mem. Acc. Torin. xxxv. (1831) 151, 153. t. 111 = *Brexia madagascariensis*?  
*smaragdina*, Hort. Linden, ex Decne. in Ann. Sc. Nat. Sér. VI. iii. (1876) 139 = *Deherainia smaragdina*.  
*spinosa*, Willd. ex C. Koch & Fint. Wochenschr. ii. (1859) 98, 108.—Ind. occ.  
*tetramera*, Mart. in Flora, xxiv. (1841) II. Beibl. 27 = *Clavija macrophylla*.  
*umbrosa*, Linden, Cat. n. 19 (1865) 6, 15 = *Clavija umbrosa*.

**THEOPHROSERIS**, Andrae, in Bot. Zeit. xiii. (1855) 310, sphalm. = **TEPHROSERIS**, Reichb. = **Senecio**, Tourn. (Compos.).

**THEOPYXIS**, Griseb. in Goett. Abh. vi. (1856) 126 = **Lysimachia**, Tourn. (Primul.).  
*chilensis*, Griseb. l. c. 127 = **L. umbellata**.

**THEREBINA**, Noronha, in Verh. Batav. Gen. v. (1790) ed. I. Art. iv. 4 = **Oroxylum**?, Vent. (Bignoniac.).

**THERESA**, Clos, in C. Gay, Fl. Chil. iv. 496. t. 54 (1849) = **Perilomia**, H. B. & K. (Labiata).  
*valdiviana*, Clos, l. c. 497.—Chili.

**THERESIA**, C. Koch, in Linnaea, xxii. (1849) 232 = **Fritillaria**, Linn. (Liliac.).  
*Fleischeri*, Klatt, in Hamb. Gartenz. xvi. (1860) 439 = **F. Fleischeriana**.  
*libanotica*, Boiss. Diagn. Ser. I. xiii. 20 = **F. libanotica**.  
*persica*, C. Koch, in Linnaea, xxii. (1849) 233 = **F. persica**.  
*Pinardi*, Klatt, in Hamb. Gartenz. xvi. (1860) 439 = **F. Pinardi**.  
*pudica*, Klatt, l. c. = **F. pudica**.  
*tulipifolia*, Klatt, l. c. 438 (excl. syn.) = **F. tulipifolia**.

**THERIOPHONUM**, Blume, Rumphia, i. 127 (1835). **AROIDEAE**, Benth. & Hook. f. iii. 967.

- CALYPTROCORYNE**, Schott, in Oestr. Bot. Wochenschr. vii. (1857) 262.  
**TAPINOCARPUS**, Dalz. in Hook. Kew Journ. iii. (1851) 345.  
*crenatum*, Blume, Rumphia, i. 128.—Ind. or.  
*Dalzellii*, Schott, Aroid. i. 15 (*Dalzellii*).—Ind. or.  
*infaustum*, N. E. Br. in Journ. Linn. Soc. xviii. (1880) 260.—Ind. or.  
*Kleinii*, Schott, in Oestr. Bot. Zeitschr. viii. (1858) 2 = *crenatum*.  
*Wightii*, Engl. in DC. Monog. Phan. ii. 608 = *infaustum*.  
*Wightii*, Schott, in Oestr. Bot. Zeitschr. viii. (1858) 3.—Ind. or.  
*zeylanicum*, N. E. Br. in Journ. Linn. Soc. xviii. (1880) 258.—Zeylan.



**THERMIA**, Nutt. Gen. Am. i. 282 (1818) = **Thermopsis**, R. Br. (Legumin.).  
*alpina*, Spreng. Syst. iv. Cur. Post. 171 = *Thermopsis corgonensis*.  
*fabacea*, Spreng. l. c. = *Thermopsis fabacea*.  
*laburnifolia*, Spreng. l. c. = *Piptanthus nepalensis*.  
*lupinoides*, Nutt. Gen. Am. i. 283 = *Thermopsis lanceolata*.  
*rhombofolia*, Nutt. l. c. 282 = *Thermopsis rhombifolia*.

**THERMINTHOS**, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 183 = *Pistacia*, Linn. (Anacard.).

**THERMOPHILA**, Miers, in Trans. Linn. Soc. xxviii. (1872) 398 = *Salacia*, Linn. (Celastr.).  
*angulosa*, Peyr. in Mart. Fl. Bras. xi. 1. 154 = *S. multiflora*.  
*cordata*, Miers, in Trans. Linn. Soc. xxviii. (1872) 401 = *S. multiflora*.  
*emarginata*, Miers, l. c. = *S. multiflora*.  
*macrophylla*, Miers, l. c. 399 = *S. macrophylla*, Miq.  
*obovata*, Miers, l. c. = *S. multiflora*.  
*rugulosa*, Miers, l. c. 400 = *S. multiflora*.

**THERMOPSIS**, R. Br. in Ait. Hort. Kew. ed. II. iii. 3 (1811). *LEGUMINOSAE*, Benth. & Hook. f. i. 465.

**DREPILIA**, Rafin. New Fl. Am. ii. 52 (1836).  
**SCOLOBUS**, Rafin. in Journ. Phys. lxxxix. (1819) 259.  
**THERMIA**, Nutt. Gen. Am. i. 282 (1818).  
*alpina*, Ledeb. Fl. Alt. ii. 112 = *corgonensis*.  
*alterniflora*, Regel & Schmalh. ex Regel, Pl. Nov. Fedtsch. 18.—Turkestan.  
*barbata*, Benth. in Royle, Illustr. Bot. Himal. 196. t. 32. f. 1.—Reg. Himal.  
*californica*, S. Wats. in Proc. Am. Acad. xi. (1876) 126.—Am. bor. occ.  
*caroliniana*, M. A. Curt. in Am. Journ. Sc. Ser. I. xlv. (1843) 80.—Am. bor.  
*chinensis*, Benth. ex S. Moore, in Journ. Bot. xvi. (1878) 131 = *fabacea*.  
*corgonensis*, DC. in DC. Prod. ii. 99.—Sibir. altaic.  
*fabacea*, DC. l. c.—Kamtchat.  
*fabacea*, Hook. Fl. Bor. Am. i. 128 = *montana*.  
*fabacea*, Torr. Bot. Mex. Bound. 58 = *californica*.  
*fraxinifolia*, M. A. Curt. in Am. Journ. Sc. Ser. I. xlv. (1843) 81.—Am. bor.  
*gorgonensis*, Walp. Rep. i. 562, sphalm. = *corgonensis*.  
*inflata*, Cambess. in Jacquem. Voy. Bot. 35.—Reg. Himal.  
*laburnifolia*, D. Don, Prod. Fl. Nep. 239 = *Piptanthus nepalensis*.  
*lanceolata*, R. Br. in Ait. Hort. Kew. ed. II. iii. 3.—Sibir.; Kamtchat.  
*lupinoides*, Link, Enum. Hort. Berol. i. 401 = *lanceolata*.  
*macrophylla*, Hook. & Arn. Bot. Beech. Voy. 329.—Calif.  
*macrophylla*, Torr. in Pacif. Rail. Rep. iv. 81 = *californica*.  
*mollis*, M. A. Curt. ex A. Gray, in Mem. Am. Acad. N. S. iii. (1848) 47. t. 9.—Am. bor.  
*montana*, Nutt. ex Torr. & Gray, Fl. N. Am. i. 388.—Am. bor.  
*napaulensis*, DC. in Ann. Sc. Nat. Sér. I. iv. (1825) 98 = *Piptanthus nepalensis*.  
*rhombifolia*, Richards. in Frankl. Narr. 1st Journ. App. 737.—Am. bor.

**THEROFON**, Rafin. New Fl. Am. iv. 66 (1836) = **Boykinia**, Nutt. (Saxifr.).  
*napelloides*, Rafin. l. c. = *B. aconitifolia*.

**THEROGERON**, DC. Prod. v. 283 (1836) = **Minuria**, DC. (Compos.).  
*denticulatus*, DC. l. c. = *M. denticulata*.  
*integerrimus*, DC. l. c. = *M. integerrima*.  
*tenuifolius*, Sond. in Linnaea, xxv. (1852) 467 = *M. Cunninghamii*.

**THEROLEPTA**, Rafin. Neogenyt. 3 (1825) = **Marshallia**, Schreb. (Compos.).  
*pumila*, Rafin. l. c. = *M. pumila*.

**THEROPOGON**, Maxim. in Bull. Acad. Pétersb. xv. (1871) 89. *LILIACEAE*, Benth. & Hook. f. iii. 771.  
*pallidus*, Maxim. l. c. 90.—Reg. Himal.

**THESIDIUM**, Sond. in Flora, xl. (1857) 364. *SANTALACEAE*, Benth. & Hook. f. iii. 222.  
*exocarpaeoides*, Sond. l. c. 365.—Afr. austr.  
*fragile*, Sond. l. c. 364.—Afr. austr.  
*globosum*, A. DC. in DC. Prod. xiv. 673.—Afr. austr.  
*hirtulum*, Sond. in Flora, xl. (1857) 405 = *globosum*, strigulosum.  
*hirtum*, Sond. l. c. 365 = *globosum*, strigulosum.  
*leptostachyum*, A. DC. in DC. Prod. xiv. 674.—Afr. austr.  
*microcarpum*, A. DC. l. c. = *exocarpaeoides*.  
*podocarpum*, A. DC. l. c. = *Thunbergii*.  
*strigulosum*, A. DC. l. c. 673.—Afr. austr.  
*Thunbergii*, Sond. in Flora, xl. (1857) 364.—Afr. austr.

**THESION**, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 186 = **Thesium**, Linn. (Santal.).  
*micromerion*, St. Lag. l. c. = *Thesium Micromeria*.  
*micromerium*, St. Lag. l. c. viii. (1881) 203 = *Thesium Micromeria*.

**THESIUUM**, Linn. Gen. 60 (1737). *SANTALACEAE*, Penth. & Hook. f. iii. 221.

*FRISCA*, Spach, Hist. Vég. Phan. x. 460 (1841).  
*RHINOSTEGIA*, Turcz. in Bull. Soc. Nat. Mosc. xvi. (1843) 56.  
*STEINREITERA*, Opiz, Seznam, 93 (1852).  
*XEROLOPHUS*, Dulac, Fl. Hautes-Pyr. 160 (1867).  
*acutissimum*, A. DC. Esp. Nouv. Thes. (1857) 4.—Afr. austr.  
*adpressifolium*, Sond. in Flora, xl. (1857) 358 = *funale*.  
*adulterinum*, Montand. Guide Bot. 286 = *pratense*.  
*alatavicum*, Kar. & Kir. in Bull. Soc. Nat. Mosc. xv. (1842) 445.—Sibir.  
*alpinum*, Desf. Fl. Atlant. i. 206 = *humile*.  
*alpinum*, Kunth, ex A. DC. in DC. Prod. xiv. 643 = *divaricatum*.  
*alpinum*, Linn. Sp. Pl. 207.—Europ.; Reg. Cauc.  
*alpinum*, Thuill. Fl. Par. ed. II. 122 = *humifusum*.  
*ambiguum*, Tenore, Fl. Nap. iii. 312 = *pratense*.  
*amblystachyum*, A. DC. Esp. Nouv. Thes. (1857) 6.—Afr. austr.  
*amplexicaule*, Linn. Mant. ii. 213 = *euphorbioides*.  
*angulosum*, A. DC. Esp. Nouv. Thes. (1857) 2.—Afr. austr.  
*aphyllum*, Mart. ex A. DC. in DC. Prod. xiv. 671.—Bras.  
*apiculatum*, Sond. in Flora, xl. (1857) 357 = *acutissimum*.  
*asperulum*, Boiss. & Buhse, in Nouv. Mém. Soc. Nat. Mosc. xii. (1860) 194 = *ramosum*.  
*assimile*, Sond. in Flora, xl. (1857) 360 = *carinatum*.  
*aureum*, Faub. & Spach, Illustr. ii. 4; iii. 151. t. 300.—Cappadoc.  
*australe*, R. Br. Prod. 353.—China; Japon; Austral.  
*australe*, A. Cunn. ex A. DC. in DC. Prod. xiv. 676 = *Choretum lateriflorum*.  
*Basninianum*, Turcz. in Bull. Soc. Nat. Mosc. xxv. (1852) ii. 470.—Dahuria.  
*bavarum*, Schrank, Baier. Reise, 129.—Europ.  
*Bergeri*, Zucc. in Abh. Akad. Muench. ii. (1831-36) 324.—Graec.; As. Min.  
*bibracteatum*, Turcz. ex Bess. in Flora, xvii. (1834) i. Beibl. 23.—Sibir. baical.  
*Billardieri*, Boiss. Diagn. Ser. I. v. 48 = *heterophyllum*.  
*Boissieranum*, A. DC. in DC. Prod. xiv. 663.—Afr. austr.  
*brachycephalum*, Sond. in Flora, xl. (1857) 360 = *capitellatum*.  
*brachyphyllum*, Boiss. Diagn. Ser. I. v. 48.—As. Min.  
*bracteatum*, Gromow, ex Trautv. in Act. Hort. Petrop. ix. (1884) 152, nomen = *ebracteatum*?  
*brasiliense*, A. DC. in DC. Prod. xiv. 671.—Bras.  
*brevicolle*, J. & C. Presl, Fl. Čech. 54 = *pratense*.  
*brevifolium*, A. DC. Esp. Nouv. Thes. (1857) 3 = *leptocaula*.  
*byzantinum*, A. DC. in DC. Prod. xiv. 644 = *divaricatum*.  
*capitatum*, Banks, ex A. DC. l. c. 664 = *scabrum*.  
*capitatum*, Linn. Sp. Pl. 207.—Afr. austr.  
*capitellatum*, A. DC. Esp. Nouv. Thes. (1857) 7.—Afr. austr.  
*capituliflorum*, Sond. in Flora, xl. (1857) 363.—Afr. austr.  
*carinatum*, A. DC. Esp. Nouv. Thes. (1857) 7.—Afr. austr.

## THESIUUM :—

*carnosum*, Wolfn. in Flora, xxxix. (1856) 561 = *alpinum*.  
*chinense*, Turcz. in Bull. Soc. Nat. Mosc. (1837) n. vii. 157 = *australe*.  
*ciliatum*, R. Br. Prod. 353.—Afr. austr.  
*Colpoda*, J. F. Gmel. Syst. 1636, sphalm. = seq.  
*Colpoon*, Linn. f. Suppl. 161; Thunb. Prod. Pl. Cap. 46 = *Colpoon compressum*.  
*commutatum*, Sond. in Flora, xl. (1857) 362.—Afr. austr.  
*comosum*, Roth, Catalect. fasc. ii. 29 = *ebracteatum*.  
*compressum*, Boiss. & Heldr. Diagn. Ser. I. xii. 104.—As. Min.  
*confertum*, Willd. ex A. DC. in DC. Prod. xiv. 659 = *ericaeifolium*.  
*confine*, Sond. in Flora, xl. (1857) 363.—Afr. austr.  
*corniculatum*, Krauss, ex A. DC. in DC. Prod. xiv. 659 = *squarrosus*.  
*corniculatum*, E. Mey. & Drège, ex A. DC. l. c. 662.—Afr. austr.  
*corymbiflorum*, Sond. in Flora, xl. (1857) 354 = *pinifolium*.  
*corymbosulum*, Michx. Fl. Bor. Am. i. 112 = *Comandra umbellata*.  
*corymbuligerum*, Sond. in Flora, xl. (1857) 362.—Afr. austr.  
*crassifolium*, R. Br. Prod. 353.—Afr. austr.  
*crassifolium*, Sond. in Flora, xl. (1857) 355.—Afr. austr.  
*cucullatum*, A. DC. in DC. Prod. xiv. 656 = *paniculatum*.  
*debile*, R. Br. Prod. 353, nomen; Spreng. Syst. i. 830.—Afr. austr.  
*decumbens*, Dollin. Enum. Pl. Austr. Infer. 113 = *humile*.  
*decumbens*, C. C. Gmel. Fl. Bad. i. 549 = *pratense*.  
*decurrens*, Blume, ex A. DC. in DC. Prod. xiv. 652 = *australe*.  
*densiflorum*, A. DC. Esp. Nouv. Thes. (1857) 7.—Afr. austr.  
*diffusum*, Andr. ex A. DC. in DC. Prod. xiv. 644.—Podol.  
*divaricatum*, R. Grah. ex A. DC. l. c. 658 = *leptocaula*.  
*divaricatum*, Fan, ex Mert. & Koch, Deutschl. Fl. ii. 285.—Reg. Mediterr.  
*diversifolium*, Sond. in Flora, xl. (1857) 359 = *spicatum*.  
*Dregeanum*, A. DC. in DC. Prod. xiv. 657.—Afr. austr.  
*Dregei*, Sond. in Flora, xl. (1857) 356 = *gnidiaceum*.  
*drupaceum*, Labill. Nov. Holl. Pl. i. 68. t. 93 = *Leptomeria Billardieri*.  
*ebracteatum*, Hayne, in Schrad. Journ. iii. II. (1800) 33. t. 7.—Europ.  
*Ecklonianum*, Sond. in Flora, xl. (1857) 356.—Afr. austr.  
*eifaliense*, Steud. Nom. ed. II. ii. 679.—Europ.  
*elatus*, Sond. in Flora, xl. (1857) 355.—Afr. austr.  
*elegans*, Rochel, Pl. Banat. Rar. 36. t. 4 = *Comandra elegans*.  
*erectiramosum*, A. DC. in DC. Prod. xiv. 655 = *quinqueflorum*.  
*ericaeifolium*, A. DC. Esp. Nouv. Thes. (1857) 3.—Afr. austr.  
*ericoides*, R. Br. Prod. 353.—Afr. austr.  
*euphorbioides*, Berg. Desc. Pl. Cap. 74; Linn. Mant. ii. 214.—Afr. austr.  
*euphorbioides*, Jacq. ex A. DC. in DC. Prod. xiv. 655 = *strictum*.  
*euphrasioides*, A. DC. Esp. Nouv. Thes. (1857) 8.—Afr. austr.  
*Exul*, A. DC. in DC. Prod. xiv. 647.—Afr. austr.  
*flexuosum*, A. DC. Esp. Nouv. Thes. (1857) 6.—Afr. austr.  
*foliosum*, A. DC. in DC. Prod. xiv. 656.—Afr. austr.  
*fragile*, Link, ex A. DC. l. c. 660 = *crassifolium*, Sond.  
*fragile*, Linn. f. Suppl. 162 = *Thesidium Thunbergii*.  
*fragile*, Spreng. ex A. DC. in DC. Prod. xiv. 656 = *paniculatum*.  
*Frisea*, Linn. Mant. ii. 213.—Afr. austr.  
*Frisea*, Sond. in Flora, xl. (1857) 359 = *debile*.  
*fulvipes*, Griessel. l. c. xxii. (1839) 17 = *intermedium*.  
*funale*, Herb. Vindob. ex A. DC. in DC. Prod. xiv. 667 = *T. Frisea*.  
*funale*, Linn. Syst. ed. X. 944.—Afr. austr.

THESIUM:—

galioides, *A. DC. Esp. Nouv. Thes.* (1857) 5.—Afr. austr.  
*gallicum*, Schultz, ex Steud. Nom. ed. II. ii. 679 = humifusum.  
*glaucum*, Serres, in Bull. Soc. Bot. Fr. iv. (1857) 438 = divaricatum.  
*globosum*, A. DC. Esp. Nouv. Thes. (1857) 4 = Thesidium globosum.  
*glomeruliflorum*, Soud. in Flora, xl. (1857) 355.—Afr. austr.  
*gnidiaceum*, A. DC. Esp. Nouv. Thes. (1857) 7.—Afr. austr.  
*gracum*, Boiss. & Sprun. Diagn. Ser. I. v. 47 = Bergeri.  
*gracum*, Zucc. in Abh. Akad. Muench. ii. (1831-36) 322 = humile.  
*griseum*, Soud. in Flora, xl. (1857) 357.—Afr. austr.  
*heterophyllum*, Boiss. in Ann. Sc. Nat. Sér. IV. ii. (1854) 254.—As. Min.  
*himalense*, Royle, Illustr. Bot. Himal. 322, nomen; Edgew. in Trans. Linn. Soc. xx. (1846) 88.—Reg. Himal.  
*hirtulum*, Soud. in Flora, xl. (1857) 359 = pubescens.  
*hispidulum*, Lam. Illustr. ii. 124.—Afr. austr.  
*hispidulum*, Zeyh. ex A. DC. in DC. Prod. xiv. 659 = squarrosus.  
*Hockeanum*, Opiz, in Bercht. & Opiz, Oek. Fl. Boehm. ii. II. 41.—Europ.  
*hottentottum*, Soud. in Flora, xl. (1857) 363 = euphrasioides.  
*humifusum*, DC. Fl. Fr. Suppl. 366.—Europ.  
*humifusum*, Dollin. Enum. Pl. Austr. Infer. 113 = ramosum.  
*humifusum*, Griseb. Spicil. Fl. Rumel. ii. 323 = divaricatum.  
*humifusum*, Willk. in Willk. & Lange, Prod. Fl. Hisp. i. 295 = nevadense.  
*humile*, Vahl, Symb. Bot. iii. 43.—Reg. Mediterr.  
*Hussenoti*, Hussen. Chard. Manc. 114 = humifusum.  
*Hussenoti*, Schultz, ex Steud. Nom. ed. II. ii. 679.—Gallia.  
*Hutterianum*, Opiz, in Bercht. & Opiz, Oek. Fl. Boehm. ii. II. 46.—Europ.  
*imbricatum*, Drège, ex A. DC. in DC. Prod. xiv. 662 = gnidiaceum.  
*imbricatum*, Thunb. Diss. Thes. 6.—Afr. austr.  
*impressum*, Steud. ex A. DC. in DC. Prod. xiv. 649.—As. Min.; Persia.  
*intermedium*, Bess. Prim. Fl. Galic. i. 187 = bavarum.  
*intermedium*, Schrad. Spicil. Fl. Germ. 27.—Europ.; Reg. Caucas.  
*italicum*, A. DC. in DC. Prod. xiv. 644 = intermedium.  
*junceum*, Bernh. ex Krauss, in Flora, xxviii. (1845) 80.—Afr. austr.  
*junceum*, Soud. in Flora, xl. (1857) 359 = flexuosum.  
*juncifolium*, A. DC. Esp. Nouv. Thes. (1857) 1.—Afr. austr.  
*Kotschyianum*, Boiss. Diagn. Ser. I. vii. 86 = impressum.  
*Krebsii*, A. DC. Esp. Nouv. Thes. (1857) 1.—Afr. austr.  
*laevigatum*, Hort. Kew. ex A. DC. in DC. Prod. xiv. 663 = capitatum.  
*laxiflorum*, Trautv. in Act. Hort. Petrop. ix. (1884) 152.—Rossia.  
*leptocaulum*, Soud. in Flora, xl. (1857) 362, 404.—Afr. austr.  
*leptostachyum*, A. DC. Esp. Nouv. Thes. (1857) 6 = Thesidium leptostachyum.  
*libanoticum*, Ehrenb. ex A. DC. in DC. Prod. xiv. 648.—Syria.  
*linariae-folium*, Gilib. Exercit. ii. 429 = intermedium.  
*lineare*, Spreng. ex A. DC. in DC. Prod. xiv. 665 = capituliflorum.  
*lineatum*, Linn. f. Suppl. 162.—Afr. austr.  
*lineatum*, Willd. ex A. DC. in DC. Prod. xiv. 672 = Polygalae sp.?  
*linifolium*, Schrank, Baier. Reise, 129; Baier. Fl. i. 506 = T. Linophyllum.  
*Linophyllum*, DC. Fl. Fr. iii. 352 = pratense.  
*Linophyllum*, Hayne, in Schrad. Journ. iii. (1800) 1. 28. t. 6 = bavarum.  
*Linophyllum*, Linn. Sp. Pl. 207 = bavarum, intermedium, divaricatum.  
*Linophyllum*, Pall. Reise, ii. 458 = refractum.  
*Linophyllum*, Patrin, ex A. DC. in DC. Prod. xiv. 646 = longifolium.  
*Linophyllum*, Reichb. Ic. Fl. Germ. xi. 10. t. 546 = intermedium.

VOL. II.

THESIUM:—

lobelioides, A. DC. Esp. Nouv. Thes. (1857) 8.—Afr. austr.  
*longifolium*, Turcz. in Bull. Soc. Nat. Mosc. (1838) 100; xxv. (1852) ii. 469.—Dahuria.  
*macranthum*, Fenzl, in Flora, xxvi. (1843) 401.—Mesopot.  
*macranthum*, Presl, in Sommer. Topogr. xi. 26; ex Wolfner, in Flora, xxxix. (1856) 561 = rostratum.  
*macrocarpon*, Michx. ex A. DC. in DC. Prod. xiv. 649 = impressum.  
*macrocarpum*, E. Mey. ex A. DC. l. c. 635 = Osyridi-carpos natalensis.  
*macrostachyum*, A. DC. Esp. Nouv. Thes. (1857) 6.—Afr. austr.  
*madagascariense*, A. DC. in DC. Prod. xiv. 652.—Madag.  
*magalismontanum*, Soud. in Flora, xl. (1857) 358.—Afr. austr.  
*maritimum*, C. A. Mey. Verz. Pfl. Cauc. 40.—Reg. Casp.  
*microcarpum*, A. DC. Esp. Nouv. Thes. (1857) 5 = Thesidium exocarpaeoides.  
*Micromeria*, A. DC. l. c. 8.—Afr. austr.  
*micropogon*, A. DC. l. c. 6.—Afr. austr.  
*monophyllum*, Gilib. Exercit. ii. 428 = ebracteatum.  
*montanum*, Ehrh. Beitr. v. 175, nomen = bavarum.  
*monticulum*, Soud. in Flora, xl. (1857) 359 = ambly-stachyum.  
*multicaule*, Fisch. & Mey. ex A. DC. in DC. Prod. xiv. 649 = Szowitsii.  
*multicaule*, Hook. f. & Thoms. ex A. DC. l. c. 646 = pachyrhizum.  
*multicaule*, Ledeb. Fl. Alt. i. 276.—Sibir. altaic.  
*multiflorum*, A. DC. Esp. Nouv. Thes. (1857) 4 = squarrosus.  
*nanum*, Patrin, ex A. DC. in DC. Prod. xiv. 648 = repens.  
*natalense*, Soud. in Flora, xl. (1857) 358 = macrostachyum.  
*nevadense*, Willk. in Willk. & Lange, Prod. Fl. Hisp. i. 295.—Hispan.  
*nigromontanum*, Soud. in Flora, xl. (1857) 361.—Afr. austr.  
*nilagiricum*, Miq. Anal. Bot. Ind. iii. 15 = Wightianum.  
*pachyrhizum*, A. DC. in DC. Prod. xiv. 646.—Reg. Himal.  
*palatinum*, Roth, Catalect. fasc. ii. 29 = ramosum.  
*pallidum*, A. DC. Esp. Nouv. Thes. (1857) 2.—Afr. austr.  
*paniculatum*, Linn. Mant. i. 51.—Afr. austr.  
*paniculatum*, Portenschl. ex A. DC. in DC. Prod. xiv. 659 = ericaefolium.  
*paniculatum*, Thunb. Prod. Pl. Cap. 45 = Thunbergianum.  
*Parnassi*, A. DC. in DC. Prod. xiv. 648.—Ital.; Graec.  
*paronychioides*, Soud. in Flora, xl. (1857) 359 = junceum.  
*parvifolium*, A. DC. Esp. Nouv. Thes. (1857) 3.—Afr. austr.  
*patentiflorum*, Soud. in Flora, xl. (1857) 357 = micropogon.  
*phylicoides*, E. Mey. ex A. DC. in DC. Prod. xiv. 672 (Phyllaea sp.?).—Afr. austr.  
*phyllostachyum*, Soud. in Flora, xl. (1857) 355.—Afr. austr.  
*pinifolium*, A. DC. Esp. Nouv. Thes. (1857) 2.—Afr. austr.  
*planifolium*, A. DC. l. c. 5 = triflorum.  
*podocarpum*, A. DC. l. c. = Thesidium Thunbergii.  
*pratense*, Ehrh. Beitr. v. 175, nomen.—Europ.  
*pratense*, Holand. ex Steud. Nom. ed. II. ii. 679 = Hussenoti.  
*pratense*, Ledeb. Fl. Ross. iii. 542 = ramosum.  
*pratense*, Turcz. Fl. Baic. ii. 1. 79 = saxatile.  
*pratense*, Vahl, in Fl. Dan. t. 1205 = ebracteatum.  
*procumbens*, C. A. Mey. Verz. Pfl. Cauc. 40.—Reg. Caucas.  
*psilotoides*, Hance, in Journ. Bot. vi. (1868) 48.—China.  
*pubescens*, A. DC. Esp. Nouv. Thes. (1857) 7.—Afr. austr.  
*pumilum*, Patrin, ex A. DC. in DC. Prod. xiv. 648 = repens.  
*pyrenaicum*, Pourr. in Mém. Acad. Toul. iii. (1788) 331 = pratense.

THESIUM:—

quinqueflorum, Soud. in Flora, xl. (1857) 354.—Afr. austr.  
*racemosum*, Bernh. ex Krauss, l. c. xxviii. (1845) 79.—Afr. austr.  
*radicans*, Hochst. l. c. xxiv. (1841) i. Intell. 22, nomen; et ex A. Rich. Tent. Fl. Abyss. ii. 235.—Abyss.  
*radicans*, Hohen. ex A. DC. in DC. Prod. xiv. 647 = Wightianum.  
*ramellosum*, Soud. in Flora, xl. (1857) 362 = ericaefolium.  
*ramosum*, Bess. ex A. DC. in DC. Prod. xiv. 644 = diffusum.  
*ramosum*, Griseb. Spicil. Fl. Rumel. ii. 223 = Parnassi.  
*ramosum*, Hayne, in Schrad. Journ. iii. (1800) i. 30. t. 7.—Europ.; As. or.  
*ramosum*, Ledeb. Fl. Alt. i. 275 = refractum.  
*ramosum*, J. & C. Presl, Fl. Čech. 54 = intermedium.  
*rariflorum*, Soud. in Flora, xl. (1857) 364.—Afr. austr.  
*recurvifolium*, Soud. l. c. 356 = lobelioides.  
*refractum*, Kar. & Kir. ex A. DC. in DC. Prod. xiv. 644 = ramosum.  
*refractum*, Ledeb. Fl. Ross. iii. 539, partim = saxatile.  
*refractum*, C. A. Mey. in Bull. Sc. Acad. Pétersb. viii. (1841) 340.—Sibir. altaic.  
*repens*, Ledeb. Fl. Alt. i. 274.—Sibir. altaic.  
*rigidum*, Soud. in Flora, xl. (1857) 354 = lineatum.  
*robustum*, Bernh. ex Krauss, in Flora, xxviii. (1845) 80 = strictum.  
*rostratum*, Mert. & Koch, Deutschl. Fl. ii. 287.—Europ.  
*rugulosum*, Bunge, ex A. DC. in DC. Prod. xiv. 649 = australe.  
*rupestre*, Ledeb. Fl. Alt. i. 277.—Sibir. altaic.  
*Rytischowii*, Fisch. ex A. DC. in DC. Prod. xiv. 646 = longifolium.  
*saxatile*, Turcz. in Bull. Soc. Nat. Mosc. (1838) 100.—Dahuria.  
*scabrum*, Linn. Sp. Pl. ed. II. 302; Berg. Desc. Pl. Cap. 73.—Afr. austr.  
*scandens*, E. Mey. in Drège, Zwei Pfl. Docum. 226.—Afr. austr.  
*Schimperianum*, Hochst. in Flora, xxiv. (1841) i. Intell. 22, nomen; et ex A. Rich. Tent. Fl. Abyss. ii. 235.—Abyss.  
*sedifolium*, A. DC. in DC. Prod. xiv. 660 = crassifolium.  
*selagineum*, A. DC. Esp. Nouv. Thes. (1857) 3.—Afr. austr.  
*serratum*, Kit. ex D. Dietr. Syn. Pl. i. 878.—Pannonia.  
*sessiliflorum*, Sekera, ex Nym. Consp. 644 = alpinum.  
*Souardi*, Schultz, ex Steud. Nom. ed. II. ii. 680 = Hussenoti.  
*sparteum*, R. Br. Prod. 353.—Afr. austr.  
*sparteum*, Soud. in Flora, xl. (1857) 358 = macrostachyum.  
*spathulatum*, Blume, Bijdr. 646 = Henslowia umbellata.  
*spathulatum*, Korth. ex Blume, Mus. Bot. Lugd. Bat. i. 244 = Henslowia varians.  
*spicatum*, Linn. Mant. ii. 214.—Afr. austr.  
*spicatum*, Murr. Syst. ed. XV. 249 = funale.  
*spinosum*, Jacq. ex A. DC. in DC. Prod. xiv. 660 = crassifolium, Soud.  
*spinosum*, Linn. f. Suppl. 161.—Afr. austr.  
*spinosum*, Portenschl. ex A. DC. in DC. Prod. xiv. 647 = T. Exul.  
*spinulosum*, A. DC. l. c.—Afr. austr.  
*squarrosus*, Linn. f. Suppl. 162.—Afr. austr.  
*stelleroideus*, Faub. & Spach, Illustr. ii. 4. t. 104.—Cappadoc.  
*strictum*, Berg. Desc. Pl. Cap. 73.—Afr. austr.  
*strictum*, Dum. Fl. Belg. 16 = eifaliense.  
*strictum*, Krauss, ex A. DC. in DC. Prod. xiv. 656 = paniculatum.  
*strigulosum*, A. DC. Esp. Nouv. Thes. (1857) 4 = Thesidium strigulosum.  
*subnudum*, Soud. in Flora, xl. (1857) 360 = spicatum.  
*Szowitsii*, A. DC. in DC. Prod. xiv. 649.—Armenia.  
*tauricum*, Boiss. & Haussk. ex Boiss. Fl. Orient. iv. 1067.—As. Min.  
*tenue*, Bernh. ex Krauss, in Flora, xxviii. (1845) 80.—Afr. austr.  
*tenuifolium*, Saut. ex Koch, Syn. Fl. Germ. ed. II. 718 = alpinum.

**THESIUM** :—

- tenuissimum*, Hook. f. in *Journ. Linn. Soc.* vi. (1862) 19.—Afr. trop.  
*teretifolium*, R. Br. *Prod.* 353.—Afr. austr.  
*Thunbergianum*, A. DC. in *DC. Prod.* xiv. 666.—Afr. austr.  
*transgaripepinum*, Sond. in *Flora*, xl. (1857) 356 = *Zeyheri*.  
*transsilvanicum*, Schur, *Enum. Pl. Transs.* 589 = *intermedium*.  
*triflorum*, Linn. f. *Suppl.* 162.—Afr. austr.  
*Turczaninowii*, Sond. in *Flora*, xl. (1857) 354.—Afr. austr.  
*umbellatum*, Linn. Sp. Pl. 208 = *Comandra umbellata*.  
*umbrosum*, Opiz, in Bercht. & Opiz, *Oek. Fl. Boehm.* ii. 11. 45 = *bavarum*, &c.  
*virens*, E. Mey. ex A. DC. in *DC. Prod.* xiv. 653.—Afr. austr.  
*virgatum*, Lam. *Illustr.* ii. 123.—Afr. austr.  
*virgatum*, Sond. in *Flora*, xl. (1857) 361, 402 = *juncifolium*.  
*Vlassovianum*, Fisch. ex A. DC. in *DC. Prod.* xiv. 646 = *longifolium vel Barninianum*.  
*Weickerianum*, Opiz, in Bercht. & Opiz, *Oek. Fl. Boehm.* ii. 11. 41 = *alpinum*.  
*Wightianum*, Wall. *Cat. n.* 4037.—Ind. or.  
*Zeyheri*, A. DC. *Esp. Nouv. Thes.* (1857) 8.—Afr. austr.

**THESPESIA**, Soland. ex Correa, in *Ann. Mus. Par.* ix. (1807) 290. t. 8. f. 2. **MALVACEAE**, Benth. & Hook. f. i. 208.

- AZANZA*, Alef. in *Bot. Zeit.* xix. (1861) 298.  
*altissima*, Spreng. *Syst. iv. Cur. Post.* 257.—Java.  
*Banalo*, Blanco, *Fl. Filip.* ed. II. 382 = *macrophylla*.  
*brasilensis*, Spreng. *Syst.* iii. 96.—Bras.  
*campylosiphon*, Rolfe, in *Journ. Linn. Soc.* xxi. (1884) 308.—Ins. Philipp.  
*Danis*, Oliver, in Hook. *l.c. Pl.* t. 1336.—Afr. trop.  
*grandiflora*, DC. *Prod.* i. 456 (sp. dub.).—Porto Rico.  
*Lampas*, Dalz. ex Dalz. & Gibs. *Bomb. Fl.* 19 = *macrophylla*.  
*macrophylla*, Blume, *Bijdr.* 73.—As. et Afr. trop.; Ins. Malay.  
*populnea*, Soland. ex Correa, in *Ann. Mus. Par.* ix. (1807) 290.—As. et Afr. trop.  
*populneoides*, Kostel. *Allg. Med. Pharm. Fl.* v. 1861 = *populnea*.  
*sublobata*, Blanco, *Fl. Filip.* ed. II. 382 = *macrophylla*.  
*tomentosa*, Presl, *Rel. Haenk.* ii. 136.—Mexic.

**THESPIDIUM**, F. Muell. in *Journ. Landsborough, Exped. App.* (1862). **COMPOSITAE**, Benth. & Hook. f. ii. 292.

- basiflorum*, F. Muell. *l. c.*—Austral.  
**THESPIS**, DC. in *Guill. Arch. Bot.* ii. (1833) 517. **COMPOSITAE**, Benth. & Hook. f. ii. 285.  
*divaricata*, DC. *l. c.* 517.—Ind. or.; Burma.  
*erecta*, DC. *Prod.* v. 375 = *divaricata*.  
*sinapifolia*, DC. in *Guill. Arch. Bot.* ii. (1833) 517 = *divaricata*.

**THEVENOTIA**, DC. in *Guill. Arch. Bot.* ii. (1833) 331. **COMPOSITAE**, Benth. & Hook. f. ii. 466.

- persica*, DC. *Prod.* vi. 551; et in *Deless. Ic. Sel.* iv. t. 72.—Persia.  
*scabra*, Boiss. *Fl. Orient.* iii. 455.—Persia.

**THEVENOTIA**, Linn. Gen. ed. I. 380 (1737) = **Genipa**, Tourn. (Rubiaceae).**THEVETIA**, Linn. Gen. ed. I. 50 = *praec.*

- THEVETIA**, Linn. Gen. ed. I. 62 (1737). **APOCYNACEAE**, Benth. & Hook. f. ii. 699.  
*Ahouai*, A. DC. in *DC. Prod.* viii. 345.—Bras.  
*Ahuai*, Rafin. *Sylva Tellur.* 91 = *praec.*  
*bicornuta*, Muell. *Arg. in Linnaea*, xxx. (1859–60) 392.—Paraguay.  
*calophylla*, Miers, *Apocyn. S. Am.* 20.—Venezuela.  
*cornuta*, Miers, *l. c.*, sphalm. = *bicornuta*.  
*cuneifolia*, A. DC. in *DC. Prod.* viii. 344.—Mexic.  
*Humboldtii*, Schomb. *Faun. Fl. Brit. Gui.* 1144, nomen.—Guian.  
*linearis*, Rafin. *Sylva Tellur.* 91; A. DC. in *DC. Prod.* viii. 354 = *nereifolia*.

**THEVETIA** :—

- nereifolia*, Juss. ex Steud. *Nom.* ed. II. ii. 680.—Am. trop.  
*nitida*, A. DC. in *DC. Prod.* viii. 344.—Mexic.  
*ovata*, A. DC. *l. c.*—Mexic.  
*plumeriaefolia*, Benth. *Bot. Voy. Sulph.* 124. t. 43.—Honduras.  
*Yccothi*, A. DC. in *DC. Prod.* viii. 343.—Mexic.

**THEVETIA**, Vell. *Fl. Flum.* 57; i. t. 151 (1825). Genus ignotum, an **RUTACEAE**?

- pinnata*, Vell. *l. c.*—Bras.

**THEYGA**, Molina, *Sagg. Chile*, ed. II. 163 (1810) = **THIGA**, Molina = **Laurelia**, Juss. (Monim.).**THEYODIS**, A. Rich. *Tent. Fl. Abyss.* i. 364 (1847) = **Oldenlandia**, Linn. (Rubiaceae).

- octodon*, A. Rich. *l. c.* 365 = *O. hedyotoides*.

**THIBAUDIA**, Ruiz & Pav. *Fl. Per.* iv. tt. 384–388, partim [1802]; et ex Jaume St. Hil. *Expos.* i. 362 (1805); H. B. & K. *Nov. Gen. et Sp.* iii. 268 (1818). **VACCINIACEAE**, Benth. & Hook. f. ii. 571.

- CHUPALON*, Adans. *Fam.* ii. 164 (1763), nomen prius.  
*acuminata*, Dun. in *DC. Prod.* vii. 565 (Quid?).—Peruv.

- acuminata*, Hook. f. *Bot. Mag.* t. 5752 = *Cavendishia acuminata*.

- acuminata*, Wall. *Cat. n.* 6297 = *Corallobotrys acuminata*.

- alata*, Dun. in *DC. Prod.* vii. 562 (= *Proclesia alata*).—Peruv.

- alnifolia*, Dun. *l. c.* 564 (= *Proclesia alnifolia*).—Venezuela.

- angustifolia*, Hook. *l.c. Pl.* t. 110 = *Eurygania angustifolia*.

- ardisiaefolia*, H. B. & K. *Nov. Gen. et Sp.* iii. 274 = *Eurygania ardisiaefolia*.

- auriculata*, Griff. *Notul.* iv. 300; *l.c. Pl. Asiat.* t. 508 = *Agapetes auriculata*.

- bicolor*, Ruiz & Pav. ex Dun. in *DC. Prod.* vii. 561 = *Psammisia bicolor*.

- bracteata*, Benth. *Pl. Hartw.* 143 (= *Proclesia Hartwegiana*).—Ecuador.

- bracteata*, Ruiz & Pav. *Fl. Per.* iv. t. 388 (= *Proclesia bracteata*).—Peruv.

- breviflora*, Benth. *Pl. Hartw.* 224 = *Psammisia breviflora*.

- camelifolia*, Griff. *Notul.* iv. 301; *l.c. Pl. Asiat.* t. 516 = *Vaccinium Griffithianum*.

- capitata*, Benth. *Pl. Hartw.* 142 = *Cavendishia nobilis*.

- caulilata*, Ruiz & Pav. *Fl. Per.* iv. t. 386 (= *Proclesia alata*).—Peruv.

- Cerander*, Dun. in *DC. Prod.* vii. 565 (Quid?).—Hab.?

- cerandra*, St. Lag. in *Ann. Soc. Bot. Lyon*, vii. (1880) 136 = *praec.*

- cinnamomifolia*, Willd. ex Walp. *Ann.* ii. 1087 = *Cavendishia pubescens*.

- coarctata*, Ruiz & Pav. *Fl. Per.* iv. t. 385 = *Psammisia bicolor*.

- cordifolia*, H. B. & K. *Nov. Gen. et Sp.* iii. 271 (= *Proclesia cordifolia*).—N. Granat.

- coriacea*, Blume, *Bijdr.* 860 = *Vaccinium Korthalsii*.

- coronaria*, Hook. f. *Bot. Mag.* t. 5575 = *Themistoclesia coronilla*.

- corymbodendron*, Ruiz & Pav. ex Dun. in *DC. Prod.* vii. 569 = *Vaccinium corymbodendron*.

- crassifolia*, Benth. *Pl. Hartw.* 65 = *Cavendishia crassifolia*.

- crenulata*, Remy, in *Ann. Sc. Nat. Sér. III.* viii. (1847) 234.—Bolivia.

- cubensis*, A. Rich. *Fl. Cub. Fanerog.* ii. 73.—Cuba.

- cuneifolia*, Blume, *Bijdr.* 861 = *Vaccinium cuneifolium*.

- cyathifera*, Benth. *Pl. Hartw.* 222 = *Psammisia cyathifera*.

- dependens*, Benth. *l. c.* 220.—N. Granat.

- diphylla*, Dun. in *DC. Prod.* vii. 562 (Quid?).—Peruv.

- elliptica*, Blume, *Bijdr.* 859 = *Vaccinium ellipticum*.

- elliptica*, Ruiz & Pav. *Fl. Per.* iv. t. 384 (= *Siphonandra elliptica*).—Peruv.

- emarginata*, Ruiz & Pav. *l. c.*—Peruv.

- falcata*, H. B. & K. *Nov. Gen. et Sp.* iii. 269 = *Psammisia falcata*.

**THIBAUDIA** :—

- flava*, Nutt. ex Hook. f. in Hook. *Bot. Mag.* sub t. 4910 = *Pentapterygium flavum*.  
*floribunda*, Blume, *Bijdr.* 859 = *Vaccinium Teysmannii*.  
*floribunda*, H. B. & K. *Nov. Gen. et Sp.* iii. 269.—N. Granat.  
*formosa*, Klotzsch, in Schomb. *Faun. Fl. Brit. Gui.* 1088, nomen = *Psammisia formosa*.  
*gaultherifolia*, Griff. *Notul.* iv. 301; *l.c. Pl. Asiat.* t. 512 = *Vaccinium gaultheriaefolium*.  
*glabra*, Griff. *l. c.* 301; 514 = *Agapetes glabra*.  
*glandulosa*, Humb. & Bonpl. *Rel. Hist.* 602; ex DC. *Prod.* vii. 556 = *Gaylussacia buxifolia*.  
*glandulosa*, Willd. ex Cham. & Schlecht. in *Linnaea*, i. (1826) 528 = *Gaylussacia decipiens*.  
*grandiflora*, Ruiz & Pav. ex Dun. in *DC. Prod.* vii. 553 = *Ceratostema grandiflorum*.  
*guyanensis*, Klotzsch, in Schomb. *Faun. Fl. Brit. Gui.* 1087, nomen.—Guian.  
*Hendersoni*, Regel, *Gartenfl.* (1875) 258; et in *Act. Hort. Petrop.* iii. ii. (1875) 287.—Hab.?  
*hirsuta*, Ruiz & Pav. ex Dun. in *DC. Prod.* vii. 553 = *Ceratostema cordifolium*.  
*hirtiflora*, Benth. *Pl. Hartw.* 224.—N. Granat.  
*Hookeri*, Walp. *Rep.* vi. 412 = *Cavendishia acuminata*.  
*Jessicae*, Hook. f. *Bot. Mag.* t. 5547.—Venezuela?  
*Jussiae*, Dun. in *DC. Prod.* vii. 565 (Quid?).—Peruv.  
*latifolia*, Griseb. *Fl. Brit. W. Ind.* 143 = *Vaccinium latifolium*.  
*laurifolia*, Blume, *Bijdr.* 859 = *Vaccinium laurifolium*.  
*laurifolia*, Mart. & Gal. in *Bull. Acad. Brux.* ix. ii. (1842) 530.—Mexic.  
*leucostoma*, Benth. ex Meissn. in *Mart. Fl. Bras.* vii. 127 = *Psammisia leucostoma*.  
*longifolia*, H. B. & K. *Nov. Gen. et Sp.* iii. 269 = *Psammisia longifolia*.  
*loranthiflora*, Wall. *Cat. n.* 754 = *Agapetes loranthiflora*.  
*lucida*, Blume, *Bijdr.* 860 = *Vaccinium Rollisoni*.  
*macrantha*, Hook. *Bot. Mag.* t. 4566 = *Agapetes macrantha*.  
*macrocalyx*, Remy, in *Ann. Sc. Nat. Sér. III.* viii. (1847) 235.—Bolivia.  
*macrophylla*, H. B. & K. *Nov. Gen. et Sp.* iii. 270 = *Psammisia macrophylla*.  
*madagascariensis*, Spreng. *Syst.* ii. 294 = *Agapetes madagascariensis*.  
*Martii*, Meissn. in *Mart. Fl. Bras.* vii. 173.—Bras.  
*melastomoides*, H. B. & K. *Nov. Gen. et Sp.* iii. 272 (= *Proclesia melastomoides*).—N. Granat.  
*mellifera*, G. Don, *Gen. Syst.* iii. 860, sphalm. = seq.  
*melliflora*, Ruiz & Pav. *Fl. Per.* iv. t. 387 = *Eurygania melliflora*.  
*mexicana*, Mart. & Gal. in *Bull. Acad. Brux.* ix. ii. (1842) 530 = *Cavendishia acuminata*.  
*microphylla*, Lindl. in *Gard. Chron.* (1848) 23.—Peruv.  
*microphylla*, Ruiz & Pav. ex Dun. in *DC. Prod.* vii. 576 = *Vaccinium acuminatum*.  
*Moricandi*, Dun. in *DC. Prod.* vii. 563 (Quid?).—Peruv.  
*multiflora*, Klotzsch, in *Linnaea*, xxiv. (1851) 27 = *Eurygania ovata*.  
*myrtifolia*, Griff. *Notul.* iv. 301; *l.c. Pl. Asiat.* t. 510 = *Pentapterygium serpens*.  
*myrtoidea*, Blume, *Bijdr.* 861 = *Vaccinium myrtoidea*.  
*nitida*, H. B. & K. *Nov. Gen. et Sp.* iii. 271 = *Psammisia nitida*.  
*nutans*, Klotzsch, in Schomb. *Faun. Fl. Brit. Gui.* 1087, nomen.—Guian.  
*obliqua*, Griff. *Notul.* iv. 301; *l.c. Pl. Asiat.* t. 515 = *Agapetes setigera*.  
*oblongifolia*, Remy, in *Ann. Sc. Nat. Sér. III.* viii. (1847) 233.—Bolivia.  
*ocanensis*, Linden, *Cat. n.* 6 (1851) 4 (Quid?).—N. Granat.  
*panurensis*, Benth. ex Meissn. in *Mart. Fl. Bras.* vii. 125.—Peruv.  
*penduliflora*, Dun. in *DC. Prod.* vii. 562 = *Psammisia penduliflora*.  
*phyllireaefolia*, Dun. *l. c.* 564 = *Eurygania phyllireaefolia*.  
*pichinchensis*, Benth. *Pl. Hartw.* 223.—N. Granat.  
*pubescens*, Benth. *l. c.* 224 (= *Proclesia Pseudopubescens*).—N. Granat.  
*pubescens*, H. B. & K. *Nov. Gen. et Sp.* iii. 273 = *Cavendishia pubescens*.

**THIBAUDIA** :—

- pulcherrima*, Wall. ex Hook. Bot. Mag. t. 4303 = *Agapetes variegata*.  
*punctata*, Dun. in DC. Prod. vii. 564, in syn. = *punctatifolia*.  
*punctatifolia*, Ruiz & Pav. Fl. Per. iv. t. 387.—Peruv.  
*Quereme*, H. B. & K. Nov. Gen. et Sp. iii. 274. t. 256 = *Cavendishia Querema*.  
*retusa*, Griff. Notul. iv. 300; Ic. Pl. Asiat. t. 509 = *Vaccinium retusum*.  
*revoluta*, Griff. ll. cc. 301; 513 = *Vaccinium Dunalianum*.  
*rhodoides*, Lamb. ex Dun. in DC. Prod. vii. 554 = *Agapetes variegata*.  
*rosea*, Fungh. in Flora, xxx. (1847) 524.—Java.  
*rupestris*, H. B. & K. Nov. Gen. et Sp. iii. 270 = *Psammisia rupestris*.  
*sarcantha*, Hook. Bot. Mag. t. 5450 = *Psammisia sarcantha*?  
*scabriuscula*, H. B. & K. Nov. Gen. et Sp. iii. 272 (= *Proclesia scabriuscula*).—Ecuador.  
*Schlimiana*, Linden, Cat. n. 6 (1851) 4.—N. Granat.  
*secundiflora*, Poepp. & Endl. Nov. Gen. et Sp. i. 5. t. 9 = *Orthaea secundiflora*.  
*septemnervia*, Willd. ex Walp. Ann. ii. 1087 = *Cavendishia pubescens*.  
*serrata*, Dun. in DC. Prod. vii. 563 (Quid?).—Peruv.  
*serrata*, Wall. Cat. n. 6299 = *Vaccinium serratum*.  
*setigera*, Wall. l. c. n. 752 = *Agapetes setigera*.  
*speciosa*, Benth. Pl. Hartw. 141 = *Semiramisia speciosa*.  
*Sprengelii*, Wall. Cat. n. 6298 = *Vaccinium Donianum*.  
*strobilifera*, H. B. & K. Nov. Gen. et Sp. iii. 272 (= *Proclesia strobilifera*).—N. Granat.  
*tarapotana*, Meissn. in Mart. Fl. Bras. vii. 126 = *Cavendishia tarapotana*.  
*tetragona*, Linden, Cat. n. 6 (1851) 4.—N. Granat.  
*vaccinacea*, Royle, Illustr. Bot. Himal. 256, sphalm. = *verticillata*.  
*variegata*, Royle, l. c. 257 = *Agapetes setigera*.  
*variegata*, Wall. Cat. n. 751 = *Agapetes variegata*.  
*varingiaefolia*, Blume, Bijdr. 860 = *Vaccinium varingiaefolium*.  
*verticillata*, Wall. Cat. n. 753 = *Agapetes setigera*.  
*virgata*, Ruiz & Pav. ex DC. Prod. vii. 571 = *Vaccinium attenuatum*.  
*Vitis-idaea*, Griseb. in Lechl. Berb. Am. Austr. 58.—Peruv.

**THICUANIA**, Rafin. Fl. Tellur. iv. 47 (1836) = **Dendrobium**, Sw. (Orchid.).  
*moschata*, Rafin. l. c. = *D. moschatum*.

**THIEBAUTIA**, Colla, in Mém. Soc. Linn. Par. iii. (1825) 161. t. 4 = **Bletia**, Ruiz & Pav. (Orchid.).  
*nervosa*, Colla, l. c. = *B. florida*.

**THIELEDOXA**, Cham. in Linnaea, ix. (1834) 251 = **Alibertia**, A. Rich. (Rubiace.).  
*elliptica*, Cham. l. c. 252.—Bras.  
*lanceolata*, Cham. l. c. 253.—Bras.

**THIERSIA**, Baill. Adansonia, xii. (1879) 335. **RUBIACEAE**.  
*insignis*, Baill. l. c.; et Hist. Pl. vii. 486.—Guian.

**THIGA**, Molina, Sagg. Chile, ed. II. 297 (1810) = **Laurelia**, Juss. (Monim.).  
*chilensis*, Molina, l. c. = *L. aromatica*.

**THILACHIUM** et **THILAKIUM**, Lour. Fl. Cochinch. 342 (1790) = **Thylachium**, Lour. (Cappar.).

**THILCUM**, Molina, Sagg. Chile, ed. II. 146 (1810) = **Fuchsia**, Plum. (Onagr.).  
*tinctorium*, Molina, l. c. = *F. macrostemma*.

**THILLAEA**, Sang. in Atti Acc. Pont. Lincei, Ser. I. v. (1852) 717, sphalm. = **Tillaea**, Linn. (Crassul.).

**THILOA**, Eichl. in Flora, xlix. (1866) 149 = **Combreum**, Linn.  
*glaucocarpa*, Eichl. l. c. 151 = *C. glaucocarpum*.  
*gracilis*, Eichl. l. c. 152 = *C. gracile*.  
*nitida*, Eichl. l. c. = *C. nitidum*.  
*paraguariensis*, Eichl. l. c. 151.—Bras.  
*stigmara*, Eichl. l. c. 152 = *C. stigmarium*.

**THIMUS**, Neck. Delic. Gallo-Belg. i. 260 (1768) = **Thymus**, Tourn. (Labiata.).

**THINOGETON**, Benth. Bot. Voy. Sulph. 142 (1844) = **Cacabus**, Benth. (Solan.).  
*Hookeri*, Anderss. in Vet. Akad. Handl. Stockh. 1853 (1855) 217.—Ins. Galapag.  
*Lobbianum*, Miers, in Ann. & Mag. Nat. Hist. Ser. II. iv. (1849) 360.—N. Granat.  
*maritimum*, Benth. Bot. Voy. Sulph. 142 = *C. maritimum*.  
*Miersii*, Miers, in Ann. & Mag. Nat. Hist. Ser. II. iv. (1849) 359.—Peruv.; N. Granat.

**THINOUIA**, Planch. & Triana, in Ann. Sc. Nat. Sér. IV. xviii. (1862) 368 = **Thouinia**, Poit. (Sapind.).  
*compressa*, Radlk. in Sitzb. Math.-Phys. Akad. Muench. viii. (1878) 282.—Bras.  
*mucronata*, Radlk. l. c.—Bras.  
*myriantha*, Triana & Planch. in Ann. Sc. Nat. Sér. IV. xviii. (1862) 369 = *Thouinia myriantha*.  
*obliqua*, Radlk. in Sitzb. Math.-Phys. Akad. Muench. viii. (1878) 282.—Peruv.  
*scandens*, Triana & Planch. in Ann. Sc. Nat. Sér. IV. xviii. (1862) 369 = *Thouinia scandens*.  
*ternata*, Radlk. in Sitzb. Math.-Phys. Akad. Muench. viii. (1878) 282 = *Banisteria trifoliata*.  
*ventricosa*, Radlk. in Atti Congr. Bot. Firenze, 1874 (1876) 61.—Bras.

**THIODIA**, Benn. Pl. Jav. Rar. 192, in adnot. (1838) = **Laetia**, Linn. (Bixin.).  
*laetioides*, Griseb. in Goett. Abh. ix. (1861) 25 = *Casearia icosandra*.  
*serrata*, Endl. in Walp. Rep. i. 204.—Ind. occ.  
*serrata*, Griseb. Fl. Brit. W. Ind. 22 = *Casearia icosandra*.

**THIOLIEREA**, Montr. in Mém. Acad. Lyon, x. (1860) 217 = **Randia**, Linn. (Rubiace.).  
*artensis*, Montr. l. c.—N. Caled.

**THISANTHA**, Eckl. & Zeyh. Enum. 302 (1837) = **Crassula**, Dill.  
*decumbens*, Eckl. & Zeyh. l. c. = *C. decumbens*.  
*glabra*, Eckl. & Zeyh. l. c. = *C. glabra*.  
*glomerata*, Eckl. & Zeyh. l. c. = *C. glomerata*.  
*patens*, Eckl. & Zeyh. l. c. = *C. patens*.  
*scaberula*, Kunze, ex Fenzl. Adv. [2]; in Ind. Sem. Hort. Vindob. (1851).—Hab.?  
*strigosa*, Eckl. & Zeyh. Enum. 302 = *C. glomerata*?  
*subulata*, Hook. Ic. Pl. t. 590 = *Tillaea subulata*.

**THISBE**, Falc. in Lindl. Veg. Kingd. 183 (1847) = **Herminium**, Linn. (Orchid.).

**THISMIA**, Griff. in Proc. Linn. Soc. i. (1844) 221; et in Trans. Linn. Soc. xix. (1845) 341. t. 39. **BURMANNIACEAE**, Benth. & Hook. f. iii. 459.  
*MYOSTOMA*, Miers, in Trans. Linn. Soc. xxv. (1866) 474. t. 57.

**OPHIOMERIS**, Miers, l. c. xx. (1851) 373. t. 15.  
**TRIBRACHYS**, Champ. ex Thw. Enum. Pl. Zeyl. 325 (1864).

*Aseroë*, Becc. Malesia, i. (1878) 252.—Singapore.  
*Brunoniana*, Duch. in Ann. Sc. Nat. Sér. III. vii. (1842) 348 = *Brunonis*.  
*Brunoniana*, Miers, in Trans. Linn. Soc. xx. (1851) t. 15. f. 20 = *Gardneriana*.  
*Brunonis*, Griff. in Proc. Linn. Soc. i. (1844) 221.—Burma.  
*clandestina*, Miq. Fl. Ind. Bat. iii. 616.—Java.  
*Gardneriana*, Hook. f. ex Thw. Enum. Pl. Zeyl. 325.—Zeylan.  
*Neptunis*, Becc. Malesia, i. (1878) 251.—Borneo.  
*Ophiuris*, Becc. l. c. 252.—Borneo.

**THIUM**, Steud. Nom. ed. I. 833 (1821), sphalm. = **TIUM**, Medic. = **Astragalus**, Tourn. (Legumin.).

**THLADIANTHA**, Bunge, in Mém. Sav. Etr. Pétersb. ii. (1835) 103 (Enum. Pl. Chin. Bor. 29). **CUCURBITACEAE**, Benth. & Hook. f. i. 825.  
*calcarata*, C. B. Clarke, in Journ. Linn. Soc. xv. (1876) 126.—Ind. or.; Burma.  
*cordifolia*, Cogn. in DC. Monog. Phan. iii. 424.—Java.  
*dubia*, Bunge, in Mém. Sav. Etr. Pétersb. ii. (1835) 103.—China.

**THLADIANTHA** :—

*dubia*, Hook. f. in Hook. Bot. Mag. t. 5469 = *calcarata*.  
*dubia*, Naud. ex Griseb. Ind. Sem. Hort. Gotting. (1877) 8 (Quid?).—Hab.?  
*Hookeri*, C. B. Clarke, in Hook. f. Fl. Brit. Ind. ii. 631.—Reg. Himal.  
*monoeca*, Griseb. Ind. Sem. Hort. Gotting. (1877) 8.—Hab.?

**THLAPSI**, Linn. Syst. ed. I (1735), err. typ. = **Thlaspi**, Tourn. (Crucif.).

**THLASIDIA**, Rafin. Fl. Tellur. iv. 96 (1836) = **Scabiosa**, Tourn. (Dipsac.).  
*bidens*, Rafin. l. c. 96 = *S. bidens*.

**THLASPI**, [Tourn.], Linn. Gen. ed. I. 193 (1737). **CRUCIFERAE**, Benth. & Hook. f. i. 91.

**CARPOCERAS**, Link. Handb. ii. 289 (1831).  
**MINAEA**, Lojac. in Nouv. Giorn. Bot. Ital. xiii. (1881) 305.  
**PACHYPHRAGMA**, Reichb. Nom. 179 (1841).  
**PTEROLOBUM**, Andr. ex DC. Syst. ii. 374 (1821).  
**PTEROTROPIS**, Fourr. in Ann. Soc. Linn. Lyon, N. S. xvi. (1868) 337.  
**THLASPIDEA**, Opiz, Seznam, 96 (1852).

*affine*, Schott & Kotschy, ex Boiss. Fl. Orient. i. 327.—Europ. or.

*africanum*, Burm. f. Fl. Cap. Prod. 17 = *Lepidium ruderae*.  
*alliaceum*, [Habl.] Desc. Taur. 145 = *montanum*.  
*alliaceum*, Linn. Sp. Pl. 641.—Europ.

*alpestre*, C. C. Gmel. Fl. Bad. iii. 28. t. 1 = *perfoliatum*.

*alpestre*, Jacq. Enum. Stirp. Vindob. 116, 260 = *alpinum*.

*alpestre*, Linn. Sp. Pl. ed. II. 903.—Europ.

*alpestre*, Lucé, Fl. Osil. 223 = *montanum*.

*alpestre*, Vill. Fl. Delphin. 67 = *virgatum*.

*alpinum*, Crantz, Stirp. Austr. ed. I. fasc. i. 25; ed. II. 23.—Europ.

*alpinum*, Griseb. Spicil. Fl. Rumel. i. 280 = *affine*.

*amarum*, Crantz, Stirp. Austr. ed. I. fasc. i. 26; ed. II. 25 = *Iberis amara*.

*ambiguum*, Jord. ex F. Schultz, Arch. Fl. Fr. et Allem. 161.—Europ.

*andicola*, Hook. & Arn. in Hook. Bot. Misc. iii. (1833) 138.—Chili.

*annuum*, C. Koch, in Linnaea, xv. (1841) 258 = *natolicum*.

*apetalum*, Poir. Encyc. vii. 547 = *Lepidium incisum*.

*arabicum*, Bieb. Fl. Taur. Cauc. iii. 430 = *Aethionema cappadocicum*.

*arabicum*, Desv. Journ. Bot. iii. (1814) 167 = *Aethionema cristatum*.

*arabicum*, Vahl, Symb. Bot. ii. 76 = *Schouwia arabica*.

*arenarium*, Jord. ex F. Schultz, Arch. Fl. Fr. et Allem. 162 = *alpestre*.

*Arnaudiae*, Jord. ex Bor. Fl. Centr. Fr. ed. III. ii. 60 = *virgatum*.

*arvense*, Linn. Sp. Pl. 641.—Europ.; As. bor.

*arvernense*, Jord. ex Bor. Fl. Centr. Fr. ed. III. ii. 61 = *alpestre*.

*australe*, Hook. f. Fl. N. Zel. ii. 325 = *Notothlaspi australe*.

*baicalense*, DC. Syst. ii. 376 = *arvense*.

*balcanum*, Janka, in Termesz. Füzetek, vii. (1883) 126.—Balkan.

*banaticum*, Uechtritz, in Oestr. Bot. Zeitschr. xxv. (1875) 186.—Banat.

*bellidifolium*, Griseb. Spicil. Fl. Rumel. ii. 505.—Macedon.

*beugesiacum*, Jord. Diagn. i. 267 = *alpestre*.

*bispinosum*, Hornem. Hort. Hafn. ii. 604 = *Lepidium spinosum*.

*bonariense*, Poir. Encyc. vii. 543 = *Lepidium bonariense*.

*brachypetalum*, Jord. Obs. Pl. Crit. iii. (1846) 5 = *virgatum*.

*brevicaule*, Boiss. ex Kotschy, Diagn. Ser. II. v. 40.—Syria.

*brevistylum*, Jord. Obs. Pl. Crit. iii. (1846) 27 = *rivale*.

*brevistylum*, Mutel, Fl. Fr. i. 99 = *Hutchinsia alpina*.

*bulbosum*, Griseb. Spicil. Fl. Rumel. i. 280 = *bellidifolium*.

*bulbosum*, Sprun. in Boiss. Diagn. Ser. I. i. 74.—Graecia.

*Bursa*, Thunb. Fl. Jap. 259 = *seq.*



**THLASPI:—**

*Bursa-pastoris*, Linn. Sp. Pl. 647 = *Capsella Bursa-pastoris*.  
*Bursetta*, Bergeret, ex DC. Syst. ii. 384 = praec.  
*Buxbaumii*, Fisch. ex Hornem. Suppl. Hort. Hafn. 71 = *Aethionema cappadocicum*.  
*caerulescens*, J. & C. Presl, Fl. Čech. 133 = alpestre.  
*calaminare*, Lej. & Court. Comp. Fl. Belg. ii. 307 = alpestre.  
*californicum*, S. Wats. in Proc. Am. Acad. xvii. (1882) 365. — Calif.  
*campestre*, Linn. Sp. Pl. 641 = *Lepidium campestre*.  
*Cardamines*, Poir. Encyc. vii. 545 = *Lepidium Cardamines*.  
*cardiocarpum*, Hook. f. & Thoms. in Journ. Linn. Soc. v. (1861) 176. — Reg. Himal.  
*carneum*, [Soland. in] Russ. Aleppo, ed. II. ii. 257 = *Aethionema cristatum*.  
*cartilagineum*, J. Mayer, in Abh. Boehm. Ges. (1786) 235. t. 7 = *Lepidium crassifolium*.  
*cataonicum*, Reut. Cat. Gr. Genève. (1868) 4. — Cf. Bull. Soc. Bot. Fr. xvi. (1869) Rev. Bibl. 53. — Tauria.  
*cepeaeifolium*, Koch, in Mert. & Koch, Deutschl. Fl. iv. 534. — Europ.  
*ceratocarpum*, Murr. in Comm. Gotting. (1774) 26. t. 1. — As. Min.; Sibir.  
*chalepense*, Poir. Encyc. vii. 547 = *Lepidium chalepense*.  
*cochleariforme*, DC. Syst. ii. 381 = alpestre.  
*cochleariforme*, Eichw. Skizze, 178 = montanum.  
*cochlearinum*, F. Muell. Fl. Vict. i. 51. — Austral.  
*cochlearioides*, Hook. f. & Thoms. in Journ. Linn. Soc. v. (1861) 177. — Reg. Himal.  
*coerulescens*, Steud. Nom. ed. II. ii. 681 = alpestre.  
*collinum*, Bieb. Fl. Taur. Cauc. ii. 99 = arvense.  
*commutatum*, Rochel, Bot. Reise Banat. 83 = alpestre, montanum, praecox.  
*cordatum*, Desf. in Ann. Mus. Par. xi. (1808) 382. t. 39 = *Aethionema cordatum*.  
*cornutum*, [Clairv.] Man. Herb. 214 = *ceratocarpum*.  
*coronarum* et *coronatum*, Hort. ex Vilm. Fl. Pl. Terre, ed. III. 1132 = *Iberis umbellata*.  
*Corongianum*, Czetz, ex Nym. Consp. 63 = dacicum.  
*coronopifolium*, Bergeret, ex Steud. Nom. ed. I. 826, in syn. = *Teesdalia regularis*.  
*corsicum*, Soleir. ex Mutel, Fl. Fr. i. 101 = *Lepidium hirtum*.  
*corymbosum*, Molina, Sagg. Chile, ed. II. 292 = *magellanicum*.  
*corymbosum*, Reichb. Ic. Fl. Germ. ii. 3 = *rotundifolium*?  
*cristatum*, Serres, in Bull. Soc. Bot. Fr. iv. (1857) 434. — Europ.  
*cuneatum*, Stokes, Bot. Mat. Med. iii. 434 = *Capsella Bursa-pastoris*.  
*cuneifolium*, Griseb. ex Pantoš, in Oestr. Bot. Zeitschr. xxiii. (1873) 268 = montanum.  
*dacicum*, Heuff. in Verh. Zool.-Bot. Ges. Wien, viii. (1858) 61. — Europ. or.  
*densiflorum*, Boiss. & Kotschy, ex Unger & Kotschy, Ins. Cyp. 328; Boiss. Fl. Orient. i. 328. — As. Min.; Syria.  
*divaricatum*, Poir. Encyc. vii. 543 = *Lepidium divaricatum*.  
*drabaeflorum*, Fenzl, Pugill. Pl. Nov. Syr. 14 = *natolicum*.  
*Drummondii*, Benth. Fl. Austral. i. 88. — Austral.  
*elegans*, Boiss. Diagn. Ser. I. v. 82. — As. Min.  
*erraticum*, Jord. Pugill. Pl. Nov. 12 = *perfoliatum*.  
*exile*, Phil. in Linnaea, xxviii. (1856) 670. — Chili.  
*Fendleri*, A. Gray, Pl. Wright. ii. 14 = alpestre.  
*Fischerianum*, Bess. ex DC. Syst. ii. 377 = *orbiculatum*.  
*formosum*, Hort. ex Vilm. Fl. Pl. Terre, ed. III. 1132 = *Iberis umbellata*.  
*Gaudinianum*, Jord. Obs. Pl. Crit. iii. (1846) 14 = alpestre.  
*geratocarpum*, Scop. Delic. Insub. i. 10, err. typ. = *ceratocarpum*.  
*glastifolium*, Poir. Encyc. vii. 538 = *Lepidium glastifolium*.  
*glaucophyllum*, Barn. in C. Gay, Fl. Chil. i. 168. — Chili.  
*goesingense*, Hald. in Oestr. Bot. Zeitschr. xxx. (1880) 173. — Europ.  
*gracile*, Phil. in Linnaea, xxviii. (1856) 670. — Chili.  
*graecum*, Ford. Obs. Pl. Crit. iii. (1846) 30. — Pelop.  
*graminifolium*, Poir. Encyc. vii. 546 = *Lepidium graminifolium*.

**THLASPI:—**

*granatense*, Boiss. & Reut. Diagn. Ser. II. i. 40. — Hispan.  
*grandiflorum*, Bory & Chaub. Nouv. Fl. Pélop. 41. t. 38 = *Capsella grandiflora*.  
*Griffithianum*, Boiss. Fl. Orient. i. 329 = alpestre.  
*hastulatum*, Stev. ex DC. Syst. ii. 388, in syn. — Reg. Casp.  
*Haussknechtii*, Boiss. Fl. Orient. i. 330 (*Hausknechtii*). — Cataonia.  
*heterophyllum*, Cav. ex DC. Syst. ii. 542 = *perfoliatum*.  
*heterophyllum*, DC. Fl. Fr. iv. 712 = *Lepidium hirtum*.  
*hirsutum*, Lam. Fl. Fr. ii. 465 = *Lepidium campestre*, *hirtum*.  
*hirtum*, Georgi, Besch. Russ. Reich. III. iv. 1122 = *Lepidium campestre*.  
*hirtum*, Linn. Sp. Pl. 641 = *Lepidium hirtum*.  
*Huetii*, Boiss. Diagn. Ser. II. v. 39. — Armenia.  
*improperum*, Jord. Diagn. i. 250 = *perfoliatum*.  
*incanum*, Gilib. Fl. Lituan. ii. 55 = *Lepidium campestre*.  
*infestum*, Salisb. Prod. 267 = *Capsella Bursa-pastoris*.  
*inornatum*, Schott, in Oestr. Bot. Wochenbl. iv. (1854) 145 = *perfoliatum*.  
*Ionopsidium*, Janka, in Termész. Füzetek, vii. (1883) 124 = *Cochlearia acaulis*.  
*Jankae*, Kern. in Oestr. Bot. Zeitschr. xvii. (1867) 35 = praecox.  
*Kernerii*, Huter, l. c. xxiv. (1874) 82. — Europ. centr.  
*Korongianum*, Czetz, ex Nym. Syll. Suppl. 37 = dacicum.  
*Kotschyianum*, Boiss. & Hohen. Diagn. Ser. I. viii. 39. — Persia.  
*Kovátsii*, Heuff. in Flora, xxxvi. (1853) 624. — Banat.  
*latifolium*, Bieb. Fl. Taur.-Cauc. ii. 99. — Reg. Cauc.  
*latifolium*, Opiz, Natural. n. x. (1825) 253 = arvense.  
*Lereschii*, Reut. in Compt. Rend. Soc. Hallér. (1853-54) 17 = alpestre.  
*lilacinum*, Boiss. & Huet, Diagn. Ser. II. v. 41. — As. Min.  
*longiracemosum*, Schur, in Oestr. Bot. Zeitschr. viii. (1858) 22 = *Kovátsii*.  
*lotharingum*, Jord. Diagn. i. 268 = montanum.  
*lutescens*, Gilib. Fl. Lituan. ii. 54 = arvense.  
*luteum*, Bivona, Cent. Pl. Sic. i. 78 = *Bivonaea lutea*.  
*macrophyllum*, Hoffm. in Comm. Soc. Phys. Med. Mosq. i. (1805) 7. — Reg. Cauc.  
*magellanicum*, Pers. Syn. ii. 189. — Reg. Magellan.  
*marginatum*, Lapeyr. Hist. Abr. Pl. Pyr. Suppl. 90 = *Aethionema ovalifolium*.  
*martiale*, Jord. Diagn. i. 251 = *perfoliatum*.  
*micranthum*, Boiss. & Blanche, Diagn. Ser. II. v. 41 = *perfoliatum*.  
*microphyllum*, Boiss. & Orph. l. c. vi. 19. — Graecia.  
*microstylum*, Boiss. Diagn. Ser. I. viii. 38. — Syria.  
*minimum*, Ard. Animad. Alt. 33 = alpinum.  
*montanum*, Bory & Chaub. Nouv. Fl. Pélop. 41 = graecum.  
*montanum*, Huds. Fl. Angl. ed. I. 246; ed. II. 282 = alpestre.  
*montanum*, Linn. Sp. Pl. 647. — Europ.  
*montanum*, Poir. Encyc. vii. 536 = *Lepidium campestre*.  
*multifidum*, Poir. l. c. 545 = *Lepidium bonariense*.  
*Mureti*, Gremli, Beitr. Fl. Schweiz, 60. — Helvet.  
*Nasturtium*, Bergeret, ex Steud. Nom. ed. I. 473, in syn. = *Lepidium sativum*.  
*natolicum*, Boiss. in Ann. Sc. Nat. Sér. II. xvii. (1842) 180. — As. Min.; Syria.  
*neglectum*, Crépin, in Bull. Acad. Belg. Sér. II. xiv. (1862) 87 = *perfoliatum*.  
*nemorium*, Jord. Diagn. i. 257 = *virgatum*.  
*memorosum*, Adam, in Hoffm. Hort. Mosq. (1808) n. 3249; ex DC. Prod. i. 176 = arvense.  
*nevadense*, Boiss. & Reut. Pugill. Pl. Nov. (1852) 11. — Hispan.  
*nudicaule*, DC. Fl. Fr. iv. 708 = *Teesdalia nudicaulis*, *regularis*.  
*obtusatum*, Pomel, Nouv. Mat. Fl. Atl. 376 = *perfoliatum*.  
*occitanicum*, Jord. Obs. Pl. Crit. iii. (1846) 12 = alpestre.  
*ochranthum*, F. Muell. ex Benth. Fl. Austral. i. 88. — Austral.  
*ochroleucum*, Boiss. & Heldr. Diagn. Ser. I. viii. 39. — Graec.; As. Min.  
*oleraceum*, Poir. Encyc. vii. 547 = *Lepidium oleraceum*.

**THLASPI:—**

*oppositifolium*, Poir. Encyc. Suppl. v. 277 = *Aethionema oppositifolium*.  
*orbiculatum*, Stev. ex DC. Syst. ii. 377. — Reg. Cauc.  
*orientale*, Willd. ex DC. l. c. 562 = *Aethionema cappadocicum*.  
*oxyceras*, Boiss. Diagn. Ser. I. viii. 37, in syn. — Syria.  
*papillosum*, Boiss. Fl. Orient. i. 330. — As. Min.  
*Pastoraea*, Janka, in Termész. Füzetek, vii. (1883) 124 = *Bivonaea praecox*.  
*peregrinum*, Linn. Sp. Pl. 645 = *Aethionema saxatile*.  
*peregrinum*, Poir. Encyc. vii. 541 = *Aethionema cristatum*.  
*perfoliatum*, Linn. Sp. Pl. 641. — Europ.; As. bor.  
*pinnatifidum*, Phil. f. Cat. Pl. Vasc. Chil. 19 = *Lepidium bonariense*.  
*pinnatum*, Noutet, Fl. Sous-Pyr. 61 = *Iberis pinnata*.  
*piscidium*, Poir. Encyc. vii. 546 = *Lepidium piscidium*.  
*platycarpum*, Fisch. & Mey. Ind. Sem. Hort. Petrop. vii. 57. — Natolia.  
*Pollichii*, Poir. Encyc. vii. 547 = *Lepidium graminifolium*.  
*polymorphum*, Gilib. Fl. Lituan. ii. 56 = *Capsella Bursa-pastoris*.  
*posteriflorum*, Jord. Diagn. i. 250 = *perfoliatum*.  
*praecox*, Schleich. ex DC. Syst. ii. 380 = alpestre.  
*praecox*, Unger, ex Nym. Consp. 63 = rivale.  
*praecox*, Wulf. in Jacq. Coll. ii. 124. — Austria.  
*procumbens*, Lapeyr. Hist. Abr. Pl. Pyr. 366 = *Capsella procumbens*.  
*Prolongi*, Boiss. Voy. Bot. Espagne, ii. 53. t. 14 A. — Hispan.  
*Psychine*, Willd. Sp. Pl. iii. 443 = *Psychine stylosa*.  
*pubescens*, Guss. in Ind. Sem. Hort. Boccad. (1825); ex ej. Fl. Sic. Syn. ii. 154 = *Lepidium nebrodense*.  
*pumilum*, Ledeb. Fl. Ross. i. 164. — Reg. Cauc.  
*pygmaeum*, Jord. Diagn. i. 252 = rivale.  
*Revellierii*, Bor. Fl. Centr. Fr. ed. III. ii. 60 = *perfoliatum*.  
*rhaeticum*, Jord. l. c. 259 = alpestre.  
*rivale*, Presl, Delic. Prag. 12. — Graec.; Ital.  
*rosulare*, Boiss. & Balansa, Diagn. Ser. II. v. 39. — Cappadoc.  
*Rothianum*, Steud. Nom. ed. II. ii. 681 = *Aethionema cappadocicum*.  
*rotundifolium*, Gaud. Fl. Helv. iv. 218. — Europ.  
*rotundifolium*, Tineo, Pl. Rar. Sic. 46 = *perfoliatum*.  
*rubellum*, Loret & Barr. Fl. Montp. i. 60 = *Capsella rubella*.  
*rudemale*, All. Fl. Pedem. i. 250 = *Lepidium rudemale*.  
*Salisii*, Bruegg. in Zeitschr. Ferdinand. Tirol. III. ix. (1860) 45 = alpestre.  
*salticolum*, Jord. Diagn. i. 255 = *virgatum*.  
*samolifolium*, DC. Syst. ii. 382; (Sp. fict. — Cf. Boiss. Fl. Orient. i. 330).  
*sativum*, Crantz, Stirp. Austr. ed. I. fasc. i. 21; ed. II. 22 = *Lepidium sativum*.  
*saxatile*, [Habl.] Desc. Taur. 157 = *Iberis taurica*.  
*saxatile*, Linn. Sp. Pl. 646 = *Aethionema saxatile*.  
*scapiflorum*, Viv. Prod. Fl. Cors. App. 3 = *Lepidium humifusum*.  
*Schrankii*, J. F. Gmel. Syst. 974 = *Capsella Bursa-pastoris*.  
*spathulatum*, Gater. Desc. Pl. Montaub. 115 = *montanum*.  
*spinosum*, Poir. Encyc. vii. 545 = *Lepidium spinosum*.  
*stenocarpum*, Boiss. & Hohen. Diagn. Ser. I. viii. 38, in syn. — Persia.  
*stenopterum*, Boiss. & Reut. Diagn. Ser. I. viii. 40 = alpestre.  
*strictum*, Sweet, Hort. Brit. ed. II. 27. — Persia.  
*stylosum*, Reichb. Ic. Fl. Germ. ii. 3. t. 6 = *Noccaea stylosa*.  
*subulatum*, Cav. Desc. 414 = *Lepidium subulatum*.  
*suecicum*, Jord. Diagn. i. 254 = alpestre.  
*suffruticosum*, Asso, ex Losc. & Pard. Ser. Inconf. ed. II. 38 = alpestre?  
*sylvestre*, Jord. Obs. Pl. Crit. iii. (1846) 9 = alpestre.  
*sylvium*, Gaud. Fl. Helv. iv. 221 = alpinum.  
*Szowitsianum*, Boiss. Fl. Orient. i. 324. — Afghan.  
*tasmanicum*, Hook. f. Fl. Tasman. i. 23. — Tasman.  
*taygeteum*, Boiss. Diagn. Ser. I. viii. 40 = graecum.  
*telephiifolium*, Pourr. ex Willk. & Lange, Prod. Fl. Hisp. iii. 780 = *Aethionema saxatile*.

**THLASPI** :—

- tenuifolium*, Lam. Fl. Fr. ii. 467 = *Lepidium ruderales*.  
*Tineanum*, Huet, ex Ball, in Journ. Linn. Soc. xvi. (1877) 333 = *perfoliatum*.  
*Tinei*, Nym. Syll. 205 = *perfoliatum*.  
*tuberosum*, Nutt. Gen. Am. ii. 65 = *Cardamine rhomboidea* ?  
*umbellatum*, Crantz, Stirp. Austr. ed. I. fasc. i. 26; ed. II. 25 = *Iberis umbellata*.  
*umbellatum*, Stev. ex DC. Syst. ii. 377.—Reg. Casp.  
*Verloti*, Jord. Diagn. i. 256 = *virgatum*.  
*Villarsianum*, Jord. Obs. Pl. Crit. iii. (1847) 26 = *montanum*.  
*violascens*, Schott & Kotschy, ex Unger & Kotschy, Ins. Cyp. 328; Boiss. Fl. Orient. i. 328.—As. Min.; Syria; Ins. Cyprus.  
*virens*, Jord. Obs. Pl. Crit. iii. (1846) 17 = *alpestre*.  
*virgatum*, Gren. & Godr. Prosp. 8 (1846); ex eor. Fl. Fr. i. 144.—Mont. Pyren.  
*virginianum*, Poir. Encyc. vii. 544 = *Lepidium virginicum*.  
*virginicum*, Cav. Desc. 413 = *Lepidium virginicum*.  
*vogesiaceum*, Jord. ex F. Schultz, Arch. Fl. Fr. et Allem. 159 = *alpestre*.  
*vulcanorum*, Lamotte, Notes Pl. Nouv. 24.—Cf. Bull. Soc. Bot. Fr. vi. (1859) 93 = *virgatum*.  
*vulgatum*, Roucell, Fl. Nord. Fr. ii. 69 = *Lepidium campestre*.

**THLASPIDEA**, Opiz, Sèznam, 96 (1852) = **Thlaspi**, Tourn. (Crucif.).  
*arvensis*, Opiz, l. c. = *Thlaspi arvense*.

**THLASPIDIUM**, Spach, Hist. Vég. Phan. vi. 556 (1838) = **Lepidium**, Linn. (Crucif.).  
*sativum*, Spach, l. c. 557 = *L. sativum*.

**THLASPIDIUM**, Tourn. ex Adans. Fam. ii. 422 (1763) = **Biscutella**, Linn. (Crucif.).  
*hieracifolium*, Medic. Pflanzeng. i. 29 = *B. didyma*.  
*laevigatum*, Medic. l. c. 30; et in Usteri, Ann. Bot. viii. (1794) 38 = *B. laevigata*.  
*saccatum*, Moench, Meth. 218 = *B. auriculata*.  
*semperflorens*, Andr. ex DC. Syst. ii. 744 (Index), sphalm. = seq.  
*sempervirens*, Andr. ex DC. l. c. 394 = *Iberis semperflorens*.

**THLASPIUS**, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 109 = **Thlaspi**, Tourn. (Crucif.).

**THLIPSOCARPUS**, Kunze, in Flora, xxix. (1846) 695 = **Hyoseris**, Linn. (Compos.).  
*baeticus*, Kunze, l. c. = *H. radiata*.

**THOA**, Aubl. Pl. Gui. ii. 874. t. 336 (1775) = **Gnetum**, Linn.  
*edulis*, Willd. Sp. Pl. iv. 477 = *G. scandens*.  
*nigra*, Hort. ex Carr. Conif. ed. I. 545 = *G. nigrum*.  
*pendula*, Blanco, Fl. Filip. ed. II. 514 = *G. scandens*.  
*urens*, Aubl. Pl. Gui. ii. 874 = *G. urens*.  
*urens*, Poepp. ex Parl. in DC. Prod. xvi. ii. 351 = *G. amazonicum*.

**THOMASIA**, J. Gay, in Mém. Mus. Par. vii. (1821) 450. tt. 21, 22. **STERCULIACEAE**, Benth. & Hook. f. i. 227.  
**ASTEROCHITON**, Turcz. in Bull. Soc. Nat. Mosc. xxv. (1852) ii. 138.  
**LEUCOTHAMNUS**, Lindl. Swan River App. 19 (1839).  
**RHYNCHOSTEMON**, Steetz, in Lehm. Pl. Preiss. ii. 333 (1847).  
*aemula*, Steud. in Lehm. Pl. Preiss. i. 233 = *glutinosa*.  
*angustifolia*, Steud. l. c. 232.—Austral.  
*brachystachys*, Turcz. in Bull. Soc. Nat. Mosc. xxv. (1852) ii. 143.—Austral.  
*canescens*, Lindl. Swan River App. 18 = *glutinosa*.  
*cognata*, Steud. in Lehm. Pl. Preiss. i. 232.—Austral.  
*cynopotamica*, Steud. l. c. 231 = *grandiflora*.  
*diffusa*, G. Don, Gen. Syst. i. 527 = *foliosa* ?  
*discolor*, Steud. in Lehm. Pl. Preiss. i. 233.—Austral.  
*dumosa*, Hort. ex Steetz, in Lehm. Pl. Preiss. ii. 356 = *Rulingia parviflora*.  
*foliosa*, J. Gay, in Mém. Mus. Par. vii. (1821) 454. t. 22.—Austral.  
*Gilbertiana*, Turcz. in Bull. Soc. Nat. Mosc. xxii. (1849) ii. 10 = *triphylla* ?  
*glabrata*, Steud. in Lehm. Pl. Preiss. i. 234 = *triphylla*.

**THOMASIA** :—

- glutinosa*, Lindl. Swan River App. 18.—Austral.  
*grandiflora*, Lindl. l. c.—Austral.  
*hypoleuca*, Steud. in Lehm. Pl. Preiss. i. 234 = *quercifolia*.  
*involuta*, Turcz. in Bull. Soc. Nat. Mosc. xxv. (1852) ii. 143 = *Lysiosepalum Barryanum*.  
*lasioptaloidea*, Steud. in Lehm. Pl. Preiss. i. 233 = *glutinosa*.  
*laxiflora*, Benth. Fl. Austral. i. 256.—Austral.  
*lucida*, Steud. in Lehm. Pl. Preiss. i. 231 = *grandiflora*.  
*macrocalyx*, Schlecht. in Linnaea, xx. (1847) 633 = *petalocalyx*.  
*macrocalyx*, Steud. in Lehm. Pl. Preiss. i. 230.—Austral.  
*macrocalyx*, Hueg. in Endl. Nov. Stirp. Dec. 32.—Austral.  
*montana*, Steud. in Lehm. Pl. Preiss. i. 230.—Austral.  
*paniculata*, Lindl. Swan River App. 18 = *pauciflora*.  
*pauciflora*, Lindl. l. c.—Austral.  
*petalocalyx*, F. Muell. in Trans. Phil. Soc. Vict. i. (1855) 35.—Austral.  
*pogonanthra*, F. Muell. Fragm. ii. 7 = *Guichenotia micrantha*.  
*prostrata*, Hort. ex Steetz, in Lehm. Pl. Preiss. ii. 356 = *Rulingia parviflora*.  
*pumila*, Steud. in Lehm. Pl. Preiss. i. 233 = *Guichenotia Sarotes*.  
*purpurea*, J. Gay, in Mém. Mus. Par. vii. (1821) 452. t. 21.—Austral.  
*pygmaea*, Benth. Fl. Austral. i. 257.—Austral.  
*quercifolia*, Bauer, ex Steetz, in Lehm. Pl. Preiss. ii. 326 = *discolor*.  
*quercifolia*, J. Gay, in Mém. Mus. Par. vii. (1821) 459. t. 21.—Austral.  
*rhynchocarpa*, Turcz. in Bull. Soc. Nat. Mosc. xxv. (1852) ii. 142.—Austral.  
*rugosa*, Turcz. l. c. xix. (1846) ii. 501.—Austral.  
*rulingioides*, Steud. in Lehm. Pl. Preiss. i. 232.—Austral.  
*rupestris*, Steud. l. c. 231 = *purpurea*.  
*salvifolia*, Hook. ex Steetz, in Lehm. l. c. ii. 333 = *Rulingia salvifolia*.  
*Sarotes*, Turcz. in Bull. Soc. Nat. Mosc. xxv. (1852) ii. 145.—Austral.  
*solanacea*, J. Gay, in Mém. Mus. Par. vii. (1821) 456. t. 21.—Austral.  
*stelligera*, Benth. Fl. Austral. i. 256.—Austral.  
*stipulacea*, Hook. Bot. Mag. t. 4111 = *macrocarpa*.  
*stipulacea*, Lindl. Swan River App. 18 = *triphylla*.  
*subhastata*, Steud. in Lehm. Pl. Preiss. i. 232 = *pauciflora*.  
*tenuivestita*, F. Muell. Fragm. ii. 7.—Austral.  
*triflora*, Walp. Ann. i. 1117 (Index), sphalm. = seq.  
*triloba*, Turcz. in Bull. Soc. Nat. Mosc. xix. (1846) ii. 500.—Austral.  
*triphylla*, J. Gay, in Mém. Mus. Par. vii. (1821) 458.—Austral.  
*undulata*, Steetz, in Lehm. Pl. Preiss. ii. 320 = *purpurea*.  
*viridis*, Steud. in Lehm. l. c. i. 234 = *foliosa*.

**THOMMASINIA**, Steud. Nom. ed. II. ii. 681 (1841), sphalm. = **TOMMASINIA**, Bertol. = **Peucedanum**, Tourn. (Umbell.).

**THOMPSONIA**, R. Br. in Trans. Linn. Soc. xiii. (1820) 221 = **Deidamia**, Thou. (Passifl.).  
*Browniana*, M. Roem. Syn. Pepon. 138 = *D. Thompsoniana*.

**THOMPSONIA**, Steud. Nom. ed. II. ii. 682 (1841), sphalm. = seq.

**THOMSONIA**, Wall. Pl. As. Rar. i. 83. t. 99 (1830).  
**AROIDEAE**, Benth. & Hook. f. iii. 971.  
**ALLOPHYTHION**, Schott, Gen. Aroid. t. 24 (1832).  
**PYTHONIUM**, Schott, Melet. i. 17 (1832).  
*Hookeri*, Engl. in DC. Monog. Phan. ii. 307 = *napalensis*.  
*napalensis*, Wall. Pl. As. Rar. i. 83. t. 99.—Ind. bor. occ.

**THONNINGIA**, Vahl, in Dansk. Selsk. Skrivt. vi. (1810) 124. t. 6. **BALANOPHOREAE**, Benth. & Hook. f. iii. 236.  
**CEPHALOPHYTON**, Hook. f. ex Baker, in Journ. Linn. Soc. xx. (1833) 250.  
**CONOPHYTA**, Schum. ex Hook. f. in Trans. Linn. Soc. xxii. (1856) 42.  
**HAEMATOSTROBUS**, Endl. Gen. 76, in Adnot. (1836).

**THONNINGIA** :—

- janeirensis*, Liebm. in Forhandl. Skand. Naturf. Christ. (1847) 180 = *Langsdorffia hypogaea*.  
*mexicana*, Liebm. l. c. = *Langsdorffia hypogaea*.  
*sanguinea*, Vahl, in Dansk. Selsk. Skrivt. vi. (1810) 125. t. 6.—Afr. trop.

**THORA**, Fourr. in Ann. Soc. Linn. Lyon, N. S. xvi. (1868) 325 = **Ranunculus**, Tourn.  
*venefica*, Fourr. l. c. = *R. Thora*.

**THORACOSPERMA**, Klotzsch, in Linnaea, ix. (1834) 350; et xii. (1838) 229 = **Simoecheilus**, Klotzsch (Ericac.).  
*paniculata*, Klotzsch, ll. cc. = *S. obovatus*.

**THORACOSTACHYS**, Kurz, in Tijdschr. Nederl. Ind. xxvii. (1864) 224 = seq.

**THORACOSTACHYUM**, Kurz, in Journ. As. Soc. Beng. xxxviii. (1869) ii. 75. **CYPERACEAE** [Benth. & Hook. f. iii. 1055].  
*bancanum*, Kurz, l. c.—Malaya.  
*sumatranum*, Kurz, l. c.—Malaya.

**THORELIA**, Hance, in Journ. Bot. xv. (1877) 268. **LYTHRARIAE**.  
*deglupta*, Hance, l. c. 269.—Cochinch.

**THORNTONIA**, Reichb. Consp. 202 (1828) = **Favonia**, Cav. (Malvac.).

**THORVALDSENIA**, Liebm. in Lindbl. Bot. Notiser (1844), 103. **ORCHIDEAE**.  
*speciosa*, Liebm. l. c.—Mexic.

**THORWALDSENIA**, Bot. Zeit. iv. (1846) 396 = *praec.*

**THOTTEA**, Rottb. in Nye Dansk. Vidensk. Selsk. Skrift. ii. (1783) 529. t. 2. **ARISTOLOCHIACEAE**, Benth. & Hook. f. iii. 123.  
**LOBBIA**, Planch. in Hook. Lond. Journ. Bot. vi. (1844) 144. t. 3.  
*dependens*, Klotzsch, in Monatsb. Akad. Berl. (1859) 589.—Malaya.  
*grandiflora*, Rottb. in Nye Dansk. Vidensk. Selsk. Skrift. ii. (1783) 529. t. 2.—Malaya.  
*macrophylla*, Becc. in Nuov. Giorn. Bot. Ital. ii. (1870) 5.—Borneo.  
*rhizantha*, Becc. l. c. 6.—Borneo.

**THOUAREA**, Kunth, Enum. Pl. i. 173 (1833) = **Thuarea**, Pers. (Gramin.).

**THOUARSIA**, Vent. ex DC. Prod. v. 318 (1836) = **Psiadia**, Jacq. (Compos.).

**THOUINIA**, Linn. f. Suppl. 9, 89 (1781) = **Linociera**, Sw. (Oleac.).  
*flavicans*, Steud. Nom. ed. I. 834, sphalm. = seq.  
*flavida*, Soyer-Willem. in Usteri, Ann. Bot. xviii. (1796) 2 = *Noronhia emarginata*.  
*ligustrina*, Sw. Prod. Veg. Ind. Occ. 14 = *L. ligustrina*.  
*nutans*, Linn. f. Suppl. 89 = *L. purpurea*.

**THOUINIA**, Poit. in Ann. Mus. Par. iii. (1804) 70. tt. 6, 7. **SAPINDACEAE**, Benth. & Hook. f. i. 400.  
**CARPIDOPTERIX**, Karst. Fl. Columb. ii. 45. t. 123 (1860?).  
**THINOUIA**, Planch. & Triana, in Ann. Sc. Nat. Sér. IV. xviii. (1862) 368.  
**THOUINIDIUM**, Radlk. in Sitzb. Akad. Muench. viii. (1878) 267, 281.  
**THYANA**, Ham. Prod. Pl. Ind. Occ. 36 (1825).  
**VARGASIA**, Bert. ex Spreng. Syst. ii. 233 (1825).  
*adenophora*, Miq. in Lehm. Pl. Preiss. i. 224 = *Dodonaea adenophora*.  
*australis*, A. Rich. Sert. Astrolab. ii. 31. t. 12 = *Atalaya salicifolia*.  
*canescens*, Radlk. in Sitzb. Math.-Phys. Akad. Muench. viii. (1878) 281.—Cuba.  
*decandra*, Humb. & Bonpl. Pl. Aequin. i. 198. t. 56.—Mexic.  
*dicarpa*, Turcz. in Bull. Soc. Nat. Mosc. xxxvi. (1863) i. 587.—Afr. trop.

**THOUINIA** :—

- dioica*, Nees & Mart. in Nov. Act. Nat. Cur. xii. (1824) 21. t. 4 = *Schmidelia heterophylla*.  
*discolor*, Griseb. *Fl. Brit. W. Ind.* 127.—Ins. Baham.  
*elliptica*, Radlk. in *Sitzb. Math.-Phys. Akad. Muench.* viii. (1878) 280.—Cuba.  
*hemiglaucula*, F. Muell. *Fragm.* i. 98 = *Atalaya hemiglaucula*.  
*integrifolia*, Spreng. *Neue Entdeck.* ii. 155.—Bras.  
*macroptera*, Casar. *Nov. Stirp. Bras. Dec.* 45.—Am. trop.  
*mauritianica*, Boj. *Hort. Maurit.* 56 = *Hornea mauritianica*.  
*Morisiana*, Casar. *Nov. Stirp. Bras. Dec.* 75 = *Pausandra Morisiana*.  
*myriantha*, C. Muell. in *Walp. Ann.* vii. 628.—N. Granat.  
*nervosa*, Griseb. in *Mem. Am. Acad. N. S.* viii. (1860) 169.—Cuba.  
*ornifolia*, Griseb. in *Goett. Abh.* xxiv. (1879) 82.—Reg. Argent.  
*patentinervis*, Radlk. in *Sitzb. Math.-Phys. Akad. Muench.* viii. (1878) 280.—Cuba.  
*pinnata*, Turpin, in *Ann. Mus. Par. v.* (1804) 401. t. 26.—Ins. S. Doming.  
*polygama*, G. F. W. Mey. *Prim. Fl. Esseq.* 156.—Guian.  
*pulverulenta*, Griseb. *Cat. Pl. Cub.* 46.—Cuba.  
*punctata*, Radlk. in *Sitzb. Math.-Phys. Akad. Muench.* viii. (1878) 281.—Cuba.  
*rotundata*, Wright, in *Sauv. Fl. Cub.* 25.—Cuba.  
*scandens*, Cambess. in *A. St. Hil. Fl. Bras. Mer. i.* 284.—Bras.  
*serrata*, Radlk. in *Sitzb. Math.-Phys. Akad. Muench.* viii. (1878) 280.—Mexic.  
*simplicifolia*, Poit. in *Ann. Mus. Par. iii.* (1804) 71. t. 6.—Ins. S. Doming.  
*tomentosa*, DC. *Prod. i.* 612.—Ins. S. Doming.  
*trifoliata*, Poit. in *Ann. Mus. Par. iii.* (1804) 72; v. (1804) 401, 402. t. 27.—Ins. S. Doming.  
*variifolia*, F. Muell. *Fragm.* i. 45 = *Atalaya variifolia*.  
*villosa*, [Moc. & Sesse], ex DC. *Prod. i.* 612.—Mexic.  
*weimmannifolia*, Griseb. in *Goett. Abh.* xxiv. (1879) 81.—Am. austr.

**THOUINIA**, Sm. Ic. Ined. t. 7 (1789) = **Humbertia**, Lam. (Convolv.).  
*spectabilis*, Sm. l. c. = *H. madagascariensis*.

**THOUINIDIUM**, Radlk. in *Sitzb. Math.-Phys. Akad. Muench.* viii. (1878) 267, 281 = **Thouinia**, Poit. (Sapind.).  
*decandrum*, Radlk. l. c. 284 = *Thouinia decandra*.  
*oblongum*, Radlk. l. c.—Mexic.  
*pinnatum*, Radlk. l. c. 283 = *Thouinia pinnata*.  
*pulverulentum*, Radlk. l. c. 284 = *Thouinia pulverulenta*.

**THOZETIA**, F. Muell. ex Benth. *Fl. Austral.* iv. 347 (1869). **ASCLEPIADEAE**, Benth. & Hook. f. ii. 776.  
*racemosa*, F. Muell. ex Benth. *Fl. Austral.* iv. 347.—Austral.

**THRASIA**, Kunth, Syn. Pl. Aequin. i. 191 (1822), sphalm. = seq.

**THRASYA**, H. B. & K. Nov. Gen. et Sp. i. 120. t. 39 (1815) = **Panicum**, Linn. (Gramin.).  
*cultrata*, Nees, in Mart. *Fl. Bras.* ii. 95 = *P. monostachyum*.  
*hirsuta*, Nees, l. c. 94 = *P. thrasyoides*.  
*paspaloides*, H. B. & K. Nov. Gen. et Sp. i. 121. t. 39 = *P. Thrasya*.

**THRAULOCOCCUS**, Radlk. in *Sitzb. Math.-Phys. Akad. Muench.* viii. (1878) 246 = **Sapindus**, Tourn.  
*erectus*, Radlk. l. c. 309 = *S. erectus*.  
*simplicifolius*, Radlk. l. c. = *S. Thwaitesii*.

**THRELKELDIA**, R. Br. *Prod.* 409 (1810). **CHENOPODIACEAE**, Benth. & Hook. f. iii. 62.  
**OSTEOCARPUM**, F. Muell. *Second Gen. Rep.* 15 (1854).  
*brevicuspis*, F. Muell. ex Benth. *Fl. Austral.* v. 198.—Austral.  
*diffusa*, R. Br. *Prod.* 410.—Austral.

**THRELKELDIA** :—

- haloragoides*, F. Muell. ex Benth. *Fl. Austral.* v. 198.—Austral.  
*proceriflora*, F. Muell. *Fragm.* viii. 38.—Austral.  
*salsuginosa*, F. Muell. l. c. vii. 12.—Austral.

**THRICA**, S. F. Gray, Nat. Arr. Brit. Pl. ii. 428 (1821)  
**THRINCIA**, Roth = **Leontodon**, Linn. (Compos.).

**THRICHOSTEMA**, Linn. *Coroll. Gen.* 10 (1737), sphalm. = **Trichostema**, Gronov. (Labiata.).

**THRINAX**, Linn. f. ex Sw. *Prod. Veg. Ind. Occ.* 57 (1788). **PALMAE**, Benth. & Hook. f. iii. 930.  
**POROTHRINAX**, H. Wendl. ex Griseb. *Cat. Pl. Cub.* 221 (1866).

*argentea*, Lodd. ex Desf. *Cat. Hort. Par. ed. III.* 31.—Panama.  
*aurantia*, Fulch. ex Schult. f. *Syst.* vii. 1301.—Hab. ?

*aurata*, Hort. ex Kunth, *Enum. Pl.* iii. 254 = *radiata*.  
*barbadensis*, Lodd. ex Mart. *Hist. Nat. Palm.* iii. 320.—Ins. Barbad.

*brasiliensis*, Mart. l. c. t. 104 = *Trithrinax brasiliensis*.  
*Chuco*, Mart. l. c. 320 = *Acanthorhiza Chuco*.  
*crinita*, Griseb. & H. Wendl. ex Kerch. *Palm.* 258.—Cuba.

*elegans*, Hort. ex Schult. f. *Syst.* vii. 1301 = *radiata*.  
*excelsa*, Lodd. ex Mart. *Hist. Nat. Palm.* iii. 320 (Quid ?).—Guian.

*ferruginea*, Lodd. ex Mart. l. c. (Quid ?).—Jamaic.  
*Garberi*, Chapm. in *Coult. Bot. Gaz.* iii. (1878) 12.—Florida.

*gracilis*, Hort. ex Schult. f. *Syst.* vii. 1301 = *radiata*.  
*graminifolia*, Hort. ex H. Wendl. *Cycl. Pand. Cycad.* 39; *Illustr. Hortic.* xxxi. (1884) t. 542 = *multiflora*.

*grandis*, Hort. ex Kerch. *Palm.* 258 (Quid ?).—Cuba.

*havanensis*, Hort.—Cf. *Gard. Chron.* (1870) 37.—Ind. occ.

*maritima*, Lodd. ex Mart. *Hist. Nat. Palm.* iii. 320 (Quid ?).—Cuba.

*Martii*, Griseb. *Cat. Pl. Cub.* 221 = *parviflora*.  
*mexicana*, Lodd. ex Mart. *Hist. Nat. Palm.* iii. 320 (Quid ?).—Mexic.

*Miraguana*, Mart. *Hist. Nat. Palm.* iii. 320.—Cuba.  
*montana*, Lodd. ex Mart. l. c. (Quid ?).—Cuba.  
*multiflora*, Mart. l. c. t. 103. f. 1; t. 163.—Ins. S. Doming.

*parviflora*, Maycock, *Fl. Barbad.* 146 = *barbadense*.  
*parviflora*, Sw. *Prod. Veg. Ind. Occ.* 57.—Jamaic.; Ins. S. Doming.

*pumila*, Fulch. ex Schult. f. *Syst.* vii. 1301 = *T. Pumilio*.  
*Pumilio*, Lodd. ex Schult. f. l. c.—Hab. ?

*radiata*, Lodd. ex Desf. *Cat. Hort. Par. ed. III.* 31.—Ins. Trinit.

*rigida*, Griseb. *Cat. Pl. Cub.* 221.—Cuba.  
*stellata*, Lodd. ex Mart. *Hist. Nat. Palm.* iii. 320 = *T. Miraguana*.

*tunicata*, Linden, in *Illustr. Hortic.* xxviii. (1881) 32, nomen.—Cuba.  
*Yuraguana*, A. Rich. *Fl. Cub. Fanerog.* ii. 278 = *T. Miraguana*.

**THRINCIA**, Roth, in Roem. Arch. i. 1. 36 (1796); *Catalect. fasc. i.* 97 (1797) = **Leontodon**, Linn. (Compos.).

*arenaria*, Mart. *Fl. Tarn.* 396 = *L. hirtus*.  
*caulescens*, Trev. ex Spreng. *Syst. iv. Cur. Post.* 304 = *Picris radicata*.  
*glabra*, Schleich. *Cat. Pl. Helvet. ed. III.* 29 = *L. hirtus*.

*glabrata*, Hoffm. & Link, *Fl. Port.* ii. 159.—Lusitan.

*grumosa*, Brot. *Fl. Lusit.* i. 325 = *L. tuberosus*.  
*hirta*, Roth, *Catalect. fasc. i.* 98; DC. *Fl. Fr.* iv. 51 = *L. hirtus*.

*hispida*, DC. l. c. 52 = *L. hirtus*.  
*hispida*, Roth, *Catalect. fasc. i.* 99 = *L. saxatilis*.  
*laevis*, Lag. *Gen. et Sp. Nov.* 24 = *L. hirtus*.

*leontodontoides*, Wallr. in *Linnaea*, xiv. (1840) 662 (Beitr. Fl. Hercyn. 292).—Europ. centr.  
*Leyseri*, Wallr. *Sched. Crit.* 441 = *L. hirtus*.

*major*, Peterm. in *Flora*, xxvii. (1844) 475 = *L. hirtus*.

**THRINCIA** :—

*maroccana*, Pers. *Syn.* ii. 368 = *Leontodon maroccanus*.  
*mauritanica*, Spreng. *Syst.* iii. 666 = *L. saxatilis*, maroccanus.

*Muelleri*, Nym. *Syll.* 54 = *L. Salzmanni*.  
*nudicaulis*, Lag. *Gen. et Sp. Nov.* 24 = *L. hirtus*.  
*nudicaulis*, Lowe, in *Trans. Camb. Phil. Soc.* iv. (1831) 28 = *L. saxatilis*.

*orientalis*, Nym. *Syll. Suppl.* 14 = *L. hispidulus*.  
*psilocalyx*, Lag. ex Reichb. *IC. Pl. Crit.* viii. 20. t. 749. f. 995. = *L. hirtus*.

*psilostachya*, Lag. ex Webb & Berth. *Phyt. Canar.* ii. 468 = praec.

*pygmaea*, Pers. *Syn.* ii. 369 = *L. saxatilis*.  
*Salzmanni*, Nym. *Consp.* 470 = *L. Salzmanni*.  
*taraxacoides*, Gaud. *Fl. Helv.* v. 49 = *L. saxatilis*.

*tingitana*, Boiss. & Reut. *Pugill. Pl. Nov.* 68 = *L. tingitanus*.  
*tuberosa*, DC. *Fl. Fr.* iv. 52 = *L. tuberosus*.

**THRIXIA**, Dulac, *Fl. Hautes-Pyr.* 495 (1867) = **Leontodon**, Linn. (Compos.).  
*hirta*, Dulac, l. c. 496 = *L. hirtus*.

**THRIXSPERMUM**, Lour. *Fl. Cochinch.* 519 (1790) = **Sarcophilus**, R. Br. (1810) (Orchid.).

*acuminatissimum*, Reichb. f. *Xenia Orch.* ii. 121 = *S. acuminatissimum*.

*adversum*, Reichb. f. l. c. 122 = *S. adversus*.  
*amplexicaule*, Reichb. f. l. c. 121 = *S. amplexicaulis*.  
*anceps*, Reichb. f. l. c. 122 = *S. anceps*.

*angustifolium*, Reichb. f. l. c. = *S. angustifolius*.  
*Arachnites*, Reichb. f. l. c. 121 = *S. Arachnites*.  
*auriferum*, Reichb. f. l. c. = *S. aurifer*.

*australe*, Reichb. f. *Beitr. Syst. Pf.* 71 = *S. parviflorus*.  
*Berkeleyi*, Reichb. f. in *Gard. Chron.* (1882) i. 557 = *S. Berkeleyi*.

*Calceolus*, Reichb. f. *Xenia Orch.* ii. 122 = *S. Calceolus*.  
*Ceciliae*, Reichb. f. *Beitr. Syst. Pf.* 71 = *S. Ceciliae*.

*Centipeda*, Lour. *Fl. Cochinch.* 520.—Cochinch.  
*compressum*, Reichb. f. *Xenia Orch.* ii. 121 = *S. compressus*.

*croceum*, Reichb. f. l. c. 122 = *S. croceus*.  
*dilatatum*, Reichb. f. l. c. = *S. olivaceus*.  
*divitiflorum*, Reichb. f. in *Gard. Chron.* (1877) i. 750 = *S. divitiflorus*.

*falcatum*, Reichb. f. *Xenia Orch.* ii. 122 = *S. falcatus*.  
*Freemanii*, Reichb. f. in *Gard. Chron.* (1877) i. 750 = *S. Freemanii* (in Addend.).

*Godeffroyanum*, Reichb. f. *Xenia Orch.* ii. 122.—Ins. Fiji.

*gracilentum*, Reichb. f. l. c. 121 = *S. gracilentus*.  
*Graeffei*, Reichb. f. in *Seem. Fl. Vit.* 297.—Ins. Samoa.

*Hartmanni*, Reichb. f. in *Gard. Chron.* (1877) i. 716 = *S. Hartmanni*.  
*Hillii*, Reichb. f. *Beitr. Syst. Pf.* 71 = *S. Hillii*.

*Hystrix*, Reichb. f. in *Trans. Linn. Soc.* xxx. (1874) 145 = *S. Hystrix*.  
*japonicum*, Reichb. f. in *Bot. Zeit.* xxxvi. (1878) 75 = *S. japonicum*.

*leopardinum*, Par. & Reichb. f. in *Trans. Linn. Soc.* xxx. (1874) 145.—Burma.

*lilacinum*, Reichb. f. *Xenia Orch.* ii. 121 = *S. lilacinus*.  
*luniferum*, Reichb. f. in *Gard. Chron.* (1868) 786.—Burma.

*Moorei*, Reichb. f. l. c. (1880) i. 104 = *S. Moorei* (in Addend.).

*muriculatum*, Reichb. f. l. c. (1881) ii. 198 = *S. muriculatum* (in Addend.).

*obtusum*, Reichb. f. *Xenia Orch.* ii. 121 = *S. obtusum*.  
*olivaceum*, Reichb. f. l. c. 122 = *S. olivaceus*.  
*pallidum*, Reichb. f. l. c. = *S. pallidus*.

*parviflorum*, Reichb. f. l. c. = *S. parviflorus*.  
*phyllorrhizum*, Reichb. f. *Beitr. Syst. Pf.* 71 = *S. phyllorrhizum*.

*pictum*, Reichb. f. *Xenia Orch.* ii. 122 = *S. olivaceus*.  
*purpurascens*, Reichb. f. l. c. 121 = *S. purpurascens*.  
*rhopalorrhachis*, Reichb. f. l. c. = *S. rhopalorrhachis*.

*serraeforme*, Reichb. f. l. c. 121 = *S. Arachnites*.  
*Sillemianum*, Reichb. f. in *Gard. Chron.* (1882) i. 524 = *S. Sillemianum*.

*spurius*, Reichb. f. *Xenia Orch.* ii. 122 = *S. spurius*.  
*subulatum*, Reichb. f. l. c. = *S. subulatus*.  
*teres*, Reichb. f. l. c. 121 = *S. teres*.

## THRIXSPERMUM:—

- Teysmanni*, Reichb. f. Xenia Orch. ii. 121 = *Aërides* *Teysmanni*.  
*tridentatum*, Reichb. f. l. c. 122 = *Cleisostoma* *tridentatum*.  
*unguiculatum*, Reichb. f. l. c. = *Sarchochilus* *unguiculatus*.  
*usneoides*, Reichb. f. l. c. 120 = *S. usneoides*.  
*Zollingeri*, Reichb. f. l. c. 121 = *Aërides* *Zollingeri*.

THRYALLIS, Linn. Sp. Pl. ed. II. 554 (1762) = **Galphimia**, Cav. (Malpig.).  
*brasiliensis*, Linn. l. c. = *G. brasiliensis*.  
*macroptera*, Mart. in Flora, xxiv. (1841) II. Beibl. 104 = *Dicella macroptera*.

THRYALLIS, Mart. Nov. Gen. et Sp. iii. 78. tt. 230, 231 (1829). **MALPIGHIACEAE**, Benth. & Hook. f. i. 254.  
*brachystachis*, Lindl. Bot. Reg. t. 1162.—Bras.  
*latifolia*, Mart. Nov. Gen. et Sp. iii. 79. t. 231.—Bras.  
*longifolia*, Mart. l. c. 78. t. 230.—Bras.  
*rotundifolia*, A. Gray, Bot. U. St. Expl. Exped. i. 264.—Bras.

THRYCOCEPHALUM, Steud. Nom. ed. II. ii. 682 (1841) = seq.

THRYCOCEPHALON, Forst. Char. Gen. 129. t. 65 (1776) = **Kyllinga**, Rottb. (Cyper.).  
*nemorale*, Forst. l. c. 130 = *K. monocephala*.

THRYPTOMENE, Endl. in Ann. Wien. Mus. ii. (1838) 192. **MYRTACEAE**, Benth. & Hook. f. i. 700.

- ASTRAEA, Schau. in Linnaea, xvii. (1843) 238.  
 BUCHERIA, Heynh. Nom. ii. 80 (1846).  
 EREMOPYXIS, Baill. Adansonia, ii. (1861–62) 328.  
 GOMPHOTIS, Rafin. Sylva Tellur. 103 (1838).  
 PARYPHANTHA, Schau. in Linnaea, xvii. (1843) 235.  
*auriculata*, F. Muell. Fragm. x. 24.—Austral.  
*australis*, Endl. in Ann. Wien. Mus. ii. (1838) 192.—Austral.  
*baeckeacea*, F. Muell. Fragm. iv. 65.—Austral.  
*ciliata*, F. Muell. in Woolls, Pl. Neighb. Sydney, 23.—Austral.  
*denticulata*, Benth. Fl. Austral. iii. 60.—Austral.  
*Drummondii*, F. Muell. Census, 53 = *Micromyrtus* *Drummondii*.  
*Elliottii*, F. Muell. Fragm. ix. 62.—Austral.  
*elobata*, F. Muell. l. c. iv. 63 = *Micromyrtus* *elobata*.  
*ericaea*, F. Muell. l. c. i. 12.—Austral.  
*flaviflora*, F. Muell. l. c. viii. 13.—Austral.  
*Homalocalyx*, F. Muell. l. c. iv. 63 = *Homalocalyx* *ericaeus*.  
*hymenonema*, F. Muell. l. c. x. 26.—Austral.  
*hyporhysis*, Turcz. in Bull. Soc. Nat. Mosc. xxxv. (1862) II. 324.—Austral.  
*imbricata*, F. Muell. Census, 53 = *Micromyrtus* *imbricata*.  
*Johnsonii*, F. Muell. Fragm. iv. 77.—Austral.  
*leptocalyx*, F. Muell. Census, 53 = *Micromyrtus* *imbricata*.  
*Maisonnevii*, F. Muell. Fragm. iv. 64.—Austral.  
*micrantha*, Hook. f. in Hook. Kew Journ. v. (1853) 299.—Tasman.  
*minutiflora*, F. Muell. in Woolls, Pl. Neighb. Sydney, 23 = *Micromyrtus* *minutiflora*.  
*Miqueliana*, F. Muell. Fragm. i. 11.—Austral.  
*Mitchelliana*, F. Muell. l. c.—Austral.  
*mucronulata*, Turcz. in Bull. Soc. Nat. Mosc. xx. (1847) I. 156.—Austral.  
*obovata*, Turcz. in Bull. Phys.-Math. Acad. Pétersb. x. (1852) 322.—Austral.  
*oligandra*, F. Muell. Fragm. i. 11.—Austral.  
*plicata*, F. Muell. l. c. iv. 63 = *Micromyrtus* *microphylla*.  
*polyandra*, F. Muell. l. c. 77 = *Homalocalyx* *polyandrus*.  
*prolifera*, Turcz. in Bull. Soc. Nat. Mosc. xxxv. (1862) II. 324.—Austral.  
*racemosa*, F. Muell. Census, 53 = *Micromyrtus* *racemosus*.  
*racemulosa*, Turcz. in Bull. Soc. Nat. Mosc. xx. (1847) I. 156.—Austral.  
*saxicola*, Miq. Stirp. Nov. Holl. 20 = *Miqueliana*.

## THRYPTOMENE:—

- saxicola*, Schau. in Lehm. Pl. Preiss. i. 102.—Austral.  
*stenocalyx*, F. Muell. Fragm. x. 23.—Austral.  
*strongylophylla*, F. Muell. ex Benth. Fl. Austral. iii. 61.—Austral.  
*tenella*, Benth. l. c. 59.—Austral.  
*trachycalyx*, F. Muell. Fragm. x. 25.—Austral.  
*urceolaris*, F. Muell. l. c.—Austral.

THUAREA, Pers. Syn. i. 110 (1805). **GRAMINEAE**, Benth. & Hook. f. iii. 1109.  
**MICROTHUAREA**, Thou. Gen. Nov. Madag. 3 (1806).

- ORNITHOCEPHALOCLOA, Kurz, in Journ. Bot. xiii. (1875) 332. t. 171.  
 THUAREA, Kunth, Enum. Pl. i. 173 (1833).  
*involuta*, Eschsch. in Mém. Acad. Pétersb. x. (1826) 291 = *sarmentosa*.  
*involuta*, R. Br. Prod. 197 = *sarmentosa*.  
*latifolia*, R. Br. l. c. = *sarmentosa*.  
*media*, R. Br. l. c. = *sarmentosa*.  
*sarmentosa*, Pers. Syn. i. 110.—Geront. trop.

THUESSINKIA, Korth. ex Miq. Fl. Ind. Bat. iii. 41 (1855) = **Caryota**, Linn. (Palm.).  
*speciosa*, Korth. l. c. = *C. mitis*.

THUIA, Scop. Introd. 353 (1777) = **Thuya**, Linn. (Conif.).

THUIACARPUS, Benth. & Hook. f. Gen. iii. 428, (1880), sphalm. = seq.

THUIAECARPUS, Trautv. Imag. Pl. Ross. II. t. 6 (1844) = **Juniperus**, Tourn. (Conif.).  
*juniperinus*, Trautv. l. c. (forma monstrosa) = *J. communis*.

THUIOPSIS, Endl. Syn. Conif. 53 (1847) = **THUJOPSIS**, Sieb. & Zucc. = **Thuya**, Linn. (Conif.).

THUJA, Linn. Hort. Cliff. 449 (1737) = **Thuya**, Linn. (Conif.).

THUJOPSIS, Sieb. & Zucc. Fl. Jap. ii. 32. tt. 119, 120 (1844) = **Thuya**, Linn. (Conif.).  
*borealis*, Hort.—Cf. Gard. Chron. (1854) 727; et ex Carr. Conif. ed. I. 113 = *Cupressus nootkatensis*.  
*cupressoides*, Carr. in Jacques & Hérincq, Man. Pl. iv. 324 = *Cupressus nootkatensis*.  
*dolabrata*, Hort. ex Carr. Conif. ed. II. 99 = **Thuya** *orientalis*.  
*dolabrata*, Sieb. & Zucc. Fl. Jap. ii. 34. tt. 119, 120 = **Thuya** *dolabrata*.  
*laetevirens*, Lindl. in Gard. Chron. (1861) 56 = **Thuya** *dolabrata*.  
*Standishi*, Gord. Pinet. Suppl. 100 = **Thuya** *japonica*.  
*Tchugatskoyae*, Hort. ex Carr. Conif. ed. I. 113 = *Cupressus nootkatensis*.  
*Tschugatskoi*, Hort. ex C. Koch, Dendrol. ii. II. 166 = *praec.*

THUNBERGIA, Poit. in Rev. Hortic. Sér. II. iv. (1845–46) 409, sphalm. = **Thunbergia**, Retz. (Acanth.).

THUMUNG, Koen. in Retz. Obs. iii. 62 (1783) = **Zingiber**, Adans. (Scitam.).

THUNBERGIA, Montin. in Vet. Akad. Handl. Stockh. (1773) 288. t. 11 = **Gardenia**, Ellis (Rubiace.).  
*capensis*, Linn. f. Suppl. 162, in syn. = *G. Thunbergia*.

THUNBERGIA, Retz. in Phys. Sällsk. Handl. i. (1776) 163. **ACANTHACEAE**, Benth. & Hook. f. ii. 1072.

- ENDOMELAS, Rafin. Fl. Tellur. iv. 67 (1836).  
 HEXACENTRIS, Nees, in Wall. Pl. As. Rar. iii. 78 (1832).  
 MEYENIA, Nees, l. c. (1832).  
 PLEIMERIS, Rafin. Sylva Tellur. 21 (1838).  
 PLEUREMIDIS, Rafin. Fl. Tellur. iv. 67 (1836).  
 SCHMIDIA, Wight, Ic. t. 1848 (1852).  
*adenocalyx*, Radlk. in Bremen, Abh. viii. (1888) 431.—Afr. trop.  
*affinis*, S. Moore, in Journ. Bot. xviii. (1880) 5.—Afr. trop.  
*alata*, Boj. ex Sims, Bot. Mag. t. 2591; et ex Hook. Exot. Fl. t. 177.—Afr. trop.; Ind. or. (cult.).

## THUNBERGIA:—

- albiflora*, Gord. in Gard. Chron. (1845) 169 = *alata*.  
*angolensis*, S. Moore, in Journ. Bot. xviii. (1880) 195.—Afr. trop.  
*angulata*, R. Br. in Salt, Abyss. App. 65 = *Sal-tiana*.  
*angulata*, Hilsenb. & Boj. ex Hook. Exot. Fl. iii. t. 166; t. 177. ff. 1–5.—Madag.  
*angustifolia*, Buch.-Ham. ex Nees, in Wall. Pl. As. Rar. iii. 78 = *fragrans*.  
*annua*, Hochst. in Flora, xxiv. (1841) I. Intell. 43, nomen; et ex Nees, in DC. Prod. xi. 55.—Afr. trop.  
*armipotens*, S. Moore, in Journ. Bot. xviii. (1880) 195.—Afr. trop.  
*arnhemica*, F. Muell. Fragm. ix. 73 = *fragrans*.  
*aspera*, Nees, in DC. Prod. xi. 56.—Afr. austr.  
*atriplicifolia*, E. Mey. in Drège, Zwei Pfl. Docum. 226, nomen; et ex Nees, l. c.—Afr. austr.  
*aurantiaca*, Paxt. Mag. Bot. vi. (1839) 269 = *alata*.  
*Backerii*, Hort. ex Vilm. Fl. Pl. Terre, ed. II. 919 = *alata*.  
*capensis*, Retz. in Phys. Sällsk. Handb. i. (1776) 163.—Afr. austr.  
*cerinthoides*, Radlk. in Bremen, Abh. viii. (1883) 434.—Afr. trop.  
*chrysops*, Hook. Bot. Mag. t. 4119.—Afr. trop.  
*coccinea*, Wall. Tent. Fl. Nap. i. 48. t. 37; R. Grah. in Edinb. Phil. Journ. xiv. (1826) 150.—Reg. Himal.; Burma.  
*coerulea*, Wight, ex Nees, in Wall. Pl. As. Rar. iii. 78 = *Hawtayneana*.  
*convolvulifolia*, Baker, in Journ. Linn. Soc. xxi. (1885) 428.—Madag.  
*cordata*, Colla, Hort. Ripul. 139. t. 21 = *fragrans*.  
*cordifolia*, Herb. Madr. ex Wall. Cat. n. 769 = *Hawtayneana*.  
*cordifolia*, Nees, in DC. Prod. xi. 55 = *grandiflora*.  
*cyanea*, Boj. ex Nees, l. c.—Madag.  
*Cycnium*, S. Moore, in Journ. Bot. xviii. (1880) 194.—Afr. trop.  
*cynanchifolia*, Benth. in Hook. Niger Fl. 475.—Afr. trop.  
*Diplocalymna*, Steud. Nom. ed. II. ii. 683 = *Diplocalymna* *vulubile*.  
*Doddii*, Paxt. Mag. Bot. xv. (1849) t. 221 = *alata*.  
*Dregeana*, Presl, Bot. Bemerk. 94.—Afr. austr.  
*erecta*, T. Anders. in Journ. Linn. Soc. vii. (1864) 18.—Afr. trop.  
*erecta*, Herb. Madr. ex Nees, in Wall. Pl. As. Rar. iii. 78 = *Hawtayneana*.  
*fastuosa*, Poit. in Rev. Hortic. Sér. II. iv. (1846) 409.—Mexic.  
*flava*, Hoffm. Preisverz. (1841) 81.—Cf. Linnaea, xvi. (1842) Litt. 273 = *fragrans*.  
*fragrans*, Drège, ex Presl, Bot. Bemerk. 94 = *Dregeana*.  
*fragrans*, Roxb. Pl. Corom. i. 47. t. 67.—Ind. or.; Malaya; Austral.  
*fragrans*, Wall. Cat. n. 767, partim = *tomentosa*.  
*frangulaefolia*, Zipp. ex Span. in Linnaea, xv. (1841) 329 = *hastata*.  
*Fryeri*, Hort. ex Vilm. Fl. Pl. Terre, ed. I. 876 = *alata*.  
*gentianoides*, Radlk. in Bremen, Abh. viii. (1883) 433.—Afr. trop.  
*geraniifolia*, Benth. in Hook. Niger Fl. 475.—Afr. trop.  
*grandiflora*, Roxb. Hort. Beng. 45; Fl. Ind. iii. 34.—Ind. or.; Burma.  
*grandiflora*, Wall. Cat. n. 768, partim = *laurifolia*.  
*Harrisii*, Hook. f. Bot. Mag. t. 4998 = *laurifolia*.  
*hastata*, Decne. in Nouv. Ann. Mus. Par. iii. (1834) 388.—Ins. Timor.  
*Hawtayneana*, Wall. Tent. Fl. Nap. 49, in obs.—Ind. or.  
*Hawtayneii*, T. Anders. in Journ. Linn. Soc. ix. (1867) 448 = *praec.*  
*heterophylla*, Wall. Cat. n. 771 = *fragrans*.  
*hirsuta*, T. Anders. in Journ. Linn. Soc. vii. (1864) 20.—Abyss.  
*hirta*, Sond. in Linnaea, xxiii. (1850) 89 = *neglecta*.  
*hispidula*, Solms, in Schweinf. Beitr. Fl. Aethiop. 113.—Afr. trop.  
*huillensis*, S. Moore, in Journ. Bot. xviii. (1880) 194.—Afr. trop.  
*humilis*, Eckl. & Zeyh. ex Nees, in DC. Prod. xi. 55 = *capensis*.



**THUNBERGIA** :—

- hyalina, S. Moore, in *Journ. Bot.* xviii. (1880) 195.—Afr. trop.  
*javonica*, Gaertn. f. *Fruct.* iii. 22 = fragrans.  
 Kirkiana, T. Anders. in *Journ. Linn. Soc.* vii. (1864) 19.—Afr. trop.  
 Kirkii, Hook. f. *Bot. Mag.* t. 6677.—Afr. trop.  
 laevis, Wall. & Nees, in *Wall. Pl. As. Rar.* iii. 77 = fragrans.  
 lancifolia, T. Anders. in *Journ. Linn. Soc.* vii. (1864) 19.—Afr. trop.  
 laurifolia, Lindl. in *Gard. Chron.* (1856) 260.—Malaya.  
 leucantha, Hort. ex Steud. *Nom. ed.* II. ii. 683 (Quid?).—Hab.?  
 longiflora, F. Muell. *Fragm.* ix. 73, in obs. = fragrans.  
 lutea, T. Anders. in *Journ. Linn. Soc.* ix. (1867) 448.—Reg. Himal.  
 malvifolia, Buch.-Ham. ex Wall. *Cat. n.* 768 = grandiflora.  
 mysorensis, T. Anders. ex Bedd. in *Trans. Linn. Soc.* xxv. (1865) 222; et in *Journ. Linn. Soc.* ix. (1867) 448.—Ind. or.  
 natalensis, Hook. *Bot. Mag.* t. 5082.—Afr. austr.  
 neglecta, Sond. in *Linnaea*, xxiii. (1850) 89.—Afr. austr.  
 oblongifolia, Oliver, in *Trans. Linn. Soc.* xxix. (1875) 125.—Afr. trop.  
 pendula, Hassk. *Cat. Hort. Bog. Alt.* 147 = coccinea.  
 platyphylla, Baker, in *Journ. Linn. Soc.* xx. (1883) 217.—Madag.  
 Powellii, F. Muell. *Census*, 99.—Austral.  
 quinquerivis, Buch.-Ham. ex Nees, in *Wall. Pl. As. Rar.* iii. 78 = coccinea.  
 repens, Pers. *Syn.* ii. 179 = *Lepidagathis repens*.  
 reticulata, Hochst. ex Nees, in *DC. Prod.* xi. 58.—Abyss.  
 Roxburghia, Nees, in *Wall. Pl. As. Rar.* iii. 78 = fragrans.  
 Saltiana, Steud. *Nom. ed.* II. ii. 683.—Abyss.  
 scandens, Pers. ex Nees, in *DC. Prod.* xi. 57 = fragrans.  
 Schweinfurthii, S. Moore, in *Journ. Bot.* xviii. (1880) 6.—Afr. trop.  
 smilacifolia, Kurz, *For. Fl. Brit. Burma*, ii. 241.—Burma.  
 stolonifera, Blanco, *Fl. Filip.* ed. I. 517 = *Herpestis Monnieria*.  
 subsagittata, Blanco, l. c. 518 = fragrans.  
 tomentosa, Wall. ex Nees, in *Wall. Pl. As. Rar.* iii. 78.—Ind. or.  
 Vogeliana, Benth. in *Hook. Niger Fl.* 476.—Afr. trop.  
 volubilis, Pers. *Syn.* ii. 179 = fragrans.  
 Wightiana, T. Anders. in *Journ. Linn. Soc.* ix. (1867) 448.—Ind. or.  
 THUNIA, Reichb. f. in *Bot. Zeit.* x. (1852) 764 = *Phaius*, Lour. (*Orchid.*).  
 alba, Reichb. f. l. c. = P. albus.  
 Bensoniae, Hook. f. *Bot. Mag.* t. 5694 = P. albus.  
 Marshalliana, Reichb. f. in *Linnaea*, xli. (1877) 65 = P. albus.  
 pulchra, Reichb. f. in *Flora*, lv. (1872) 276 = P. albus.  
 Veitchiana, Reichb. f. in *Gard. Chron.* (1885) i. 818.  
 THURARIA, Molina, *Sagg. Chile*, 159 (1782). Genus dubium *EBENACEARUM*.—Cf. Benth. & Hook. f. ii. 663.  
 TURARIA, Spreng. *Syst.* ii. 260 (1825).  
 chilensis, Molina, *Sagg. Chile*, 159.—Chili.  
 THURARIA, [Nutt.] in *Fras. Cat.* (1813) n. 85 = *Grindelia*, Willd. (*Compos.*).  
 herbacea, [Nutt.] l. c. = G. squarrosa.  
 THURBERIA, Benth. in *Journ. Linn. Soc.* xix. (1881) 58. *GRAMINEAE*, Benth. & Hook. f. iii. 1118.  
 GREENIA, Nutt. in *Trans. Am. Phil. Soc.* v. (1837) 142.  
 SCLERACHNE, Torr. ex Trin. in *Mém. Acad. Pétersb.* Sér. VI. vi. (1845) 273.  
 arkansana, Benth. ex Vasey, *Gr. U. St.* 16.—Am. bor. occ.  
 pilosa, Vasey, l. c. = arkansana.  
 THURBERIA, A. Gray, in *Mem. Am. Acad. N. S. v.* (1855) 308 = *Gossypium*, Linn. (*Malvac.*).  
 thespesioides, A. Gray, l. c. = G. Thurberi.

THURNHAUSERA, Pohl, ex G. Don, *Gen. Syst.* iv. 201 (1837) = *Curtia*, Cham. & Schlecht. (*Gentian.*).

THURNHEYSSERA, Mart. ex Meissn. in *DC. Prod.* xiv. 185 (1856) = *Symmeria*, Benth. (*Polygon.*).  
*Tragopyrum*, Mart. ex Meissn. l. c. 186 = *S. paniculata*.

THURNIA, Hook. f. in *Hook. Ic. Pl.* tt. 1407, 1408 (1883). *JUNCACEAE*, Benth. & Hook. f. iii. 869.  
 Jenmani, Hook. f. in *Hook. Ic. Pl.* t. 1408.—Guian.  
 sphaerocephala, Hook. f. l. c. t. 1407.—Guian.

THURYA, Boiss. & Bal. *Diagn. Ser.* II. v. 63 (1856).  
*CARYOPHYLLEAE*, Benth. & Hook. f. i. 978.  
 capitata, Boiss. & Bal. l. c. 64.—As. Min.

- THUYA, Linn. *Syst. ed.* I (1735). *CONIFERAE*, Benth. & Hook. f. iii. 426.  
 BIOTA, D. Don, in *Lamb. Pin. ed.* II. ii. 129 (1828); *Endl. Syn. Conif.* 46 (1847).  
 CHAMAECYPARIS, Spach, *Hist. Vég. Phan.* xi. 329 (1842).  
 CHAMAEPUCE, Zucc. in *Endl. Ench.* 139 (1841).  
 PLATYCLADUS, Spach, *Hist. Vég. Phan.* xi. 333 (1842).  
 RETINISPORA, Sieb. & Zucc. *Fl. Jap.* ii. 36. tt. 121–123 (1842), partim.  
 THUJA, Linn. *Hort. Cliff.* 449 (1737).  
 THUJOPSIS, Sieb. & Zucc. *Fl. Jap.* ii. 32. tt. 119, 120 (1844).  
 acuta, Moench, *Meth.* 692 = orientalis.  
 andina, Poepp. & Endl. *Nov. Gen. et Sp.* iii. 17. t. 220 = *Libocedrus chilensis*.  
 antarctica, Hort. ex Gord. *Pinet. Suppl.* 102 = orientalis.  
 aphylla, Burm. f. *Prod. Fl. Cap.* 27 = *Callitris cupressoides*.  
 aphylla, Linn. *Cent. Pl.* i. 32; *Amoen. Acad.* iv. 295 = *Tamarix articulata*.  
 argentea, Hort. ex Carr. *Conif. ed.* I. 94 = orientalis.  
 articulata, Vahl, *Symb. Bot.* ii. 96 = *Callitris quadrivalvis*.  
 asplenifolia, Hort. ex Carr. *Conif. ed.* II. 106 = plicata.  
 aurea, Hort. ex Carr. l. c. ed. I. 96 = orientalis.  
 australis, Bosc, ex Desf. *Tabl. ed.* II. 274, nomen; Poir. *Encyc. Suppl.* v. 302 = *Callitris rhomboidea*.  
 australis, Hort. ex Tenore, in *Mém. Acc. Sc. Borb. Nap.* iii. II. (1832) 35 = orientalis.  
 californica, Hort. ex Carr. *Conif. ed.* II. 106 = plicata.  
 californica, Hort. ex C. Koch, *Dendrol.* ii. II. 177 = gigantea.  
 canadensis, Hort. ex C. Koch, l. c. 175 = occidentalis.  
 caucasica, Hort. ex Gord. *Pinet. Suppl.* 103 = occidentalis.  
 chilensis, D. Don, in *Lamb. Pin. ed.* 8vo. 128. n. 62; Hook. *Lond. Journ. Bot.* ii. (1843) 199 = *Libocedrus chilensis*.  
 compacta, Standish, ex Gord. *Pinet. Suppl.* 103 = occidentalis.  
 Craigana, A. Murr. *Oreg. Exp.* 2. [t. 5] = *Libocedrus decurrens*.  
 cristata, Hort. ex Carr. *Conif. ed.* II. 97 = orientalis.  
 cristata, Hort. ex Carr. l. c. 111 = occidentalis.  
 cuneata, Domb. ex Endl. *Syn. Conif.* 45 = *Libocedrus chilensis*.  
 cupressoides, Hort. ex Carr. *Conif. ed.* II. 97 = orientalis.  
 cupressoides, Linn. *Mant.* i. 125 = *Callitris cupressoides*.  
 curviramea, Miq. *Cat. Hort. Bot. Amst.* 21 = *Cupressus torulosa*.  
 decora, Salisb. *Prod.* 398 = orientalis.  
 Devriesiana, Hort. Germ. ex Carr. *Conif. ed.* II. 141 = occidentalis.  
 dolabrata, Linn. f. *Suppl.* 420.—Japon.  
 Doniana, Hook. *Lond. Journ. Bot.* i. (1842) 571 (*Libocedrus* sp.).—N. Zel.  
 Douglasii, Nutt. ex Parl. in *DC. Prod.* xvi. II. 457 = gigantea.  
 dumosa, Gord. *Pinet. Suppl.* 102 = orientalis.  
 elegantissima, Hort. ex Gord. l. c. 17 = orientalis.  
 Ellwangeriana, Hort. ex Carr. in *Rev. Hortie.* (1869) 350 = occidentalis.

**THUYA** :—

- ericoides, Hort. ex Carr. *Conif. ed.* II. 141 = orientalis?  
 ericoides, Hort. ex Gord. *Pinet. Suppl.* 91 = occidentalis.  
 excelsa, Bong. in *Mém. Acad. Pétersb. Sér.* VI. ii. (1833) 164 = *Cupressus nootkatensis*.  
 expansa, Laws. ex C. Koch, *Dendrol.* ii. II. 182 = orientalis.  
 falcata, Hort. ex Carr. *Conif. ed.* II. 96 = orientalis.  
 filiformis, Lodd. ex Lindl. *Bot. Reg.* (1842) t. 20 = orientalis.  
 flagelliformis, Hort. ex Carr. *Conif. ed.* II. 101 = orientalis.  
 flagelliformis, Hort. ex Gord. *Pinet.* 325 = plicata.  
 Fortunei, Hort. ex Carr. *Conif. ed.* II. 94 = orientalis.  
 freneloides, Hort. l. c. ed. I. 93 = orientalis.  
 funiculata, Hort. ex Gord. *Pinet. ed.* II. 52 = orientalis.  
 gigantea, Gord. *Pinet.* 321 = *Abies microphylla*.  
 gigantea, Nutt. in *Journ. Acad. Philad.* vii. (1834) 52.—Am. bor. occ.  
 gigantea, Parl. in *DC. Prod.* xvi. II. 457 = japonica.  
 glauca, Hort. ex Carr. *Conif. ed.* I. 95 = orientalis.  
 gracilifolia, Knight, ex Parl. in *DC. Prod.* xvi. II. 459 = orientalis.  
 Hoveyi, Hort. ex Gord. *Pinet. ed.* II. 405 = occidentalis.  
 hybrida, Hort. ex Carr. *Conif. ed.* II. 102 = orientalis.  
 inaequalis, Desf. *Tabl. ed.* II. 274 = *Callitris rhomboidea*.  
 intermedia, Hort. ex Gord. *Pinet. Suppl.* 18 = orientalis.  
 japonica, Hort. ex Carr. *Conif. ed.* I. 94 = occidentalis.  
 japonica, Hort. ex Carr. l. c. ed. II. 141 = dolabrata.  
 japonica, Maxim. in *Bull. Acad. Pétersb.* x. (1866) 490.—Japon.  
 javanica, Burm. f. *Fl. Ind.* 202 (err. typ. 302) (Quid?).—Java.  
 lavandulaefolia, Poir. *Encyc. Suppl.* v. 303 = *Taxodium heterophyllum*.  
 lineata, Poir. l. c. = *Taxodium heterophyllum*.  
 Lobbiana, Hort. ex Gord. *Pinet.* 323 = gigantea.  
 Lobbii, Hort. ex Gord. *Pinet.* 323 = praec.  
 meldonensis, Quéty, in *Hérinçq, Hortie. Franç.* v. (1855) 231 = orientalis.  
 Menziesii, Dougl. ex Endl. *Syn. Conif.* 52 = gigantea.  
 minor, Hort. Angl. ex Carr. *Conif. ed.* II. 110 = occidentalis.  
 minor, Paul, ex Gord. *Pinet. Suppl.* 102 = orientalis.  
 monstrosa, Hort. ex Gord. l. c. 18 = orientalis.  
 nana, Hort. ex Carr. *Conif. ed.* I. 93; II. 110 = orientalis, occidentalis.  
 nepalensis, Lodd. ex G. Don, in *Loud. Hort. Brit.* 388; Hort. ex Carr. *Conif. ed.* I. 92 = orientalis.  
 obtusa, Mast. in *Journ. Linn. Soc.* xviii. (1881) 491 = *Cupressus obtusa* (cf. *Addend.*).  
 obtusa, Moench, *Meth.* 691 = occidentalis.  
 occidentalis, Linn. *Sp. Pl.* 1002.—Am. bor.; Sibir.  
 odorata, Marsh. *Arbust. Am.* 152 = occidentalis.  
 orientalis, Linn. *Sp. Pl.* 1002.—China; Japon.  
 pendula, Lamb. *Pin. ed.* 8vo. 130. t. 67. n. 64; Sieb. & Zucc. *Fl. Jap.* ii. 30 = orientalis.  
 pendulata, Hort. ex Carr. *Conif. ed.* I. 98 = praec.  
 pensilis, [Abel, in] Staunt. *Embassy*, 436 = *Taxodium heterophyllum*.  
 pisifera, Mast. in *Journ. Linn. Soc.* xviii. (1881) 489 = *Cupressus pisifera* (cf. *Addend.*).  
 plicata, Donn, *Hort. Cantabr.* ed. VI. 249.—Am. bor.  
 plicata, Lamb. *Pin. ed.* 8vo. 127. n. 61, partim = gigantea.  
 procera, Salisb. *Prod.* 398 = occidentalis.  
 pygmaea, Hort. ex Carr. *Conif. ed.* II. 96 = orientalis.  
 pyramidalis, Tenore, in *Mem. Acc. Sc. Borb. Nap.* iii. II. (1832) 35. t. 2 = orientalis.  
 quadrangularis, Vent. in *Duham. Arb.* ed. Nov. iii. 16.—Madag.  
 semperaurescens, Hort. ex C. Koch, *Dendrol.* ii. II. 183 = orientalis.  
 sibirica, Hort. ex Carr. *Conif. ed.* II. 106 = plicata.  
 sibirica, Hort. ex Gord. *Pinet. Suppl.* 104 = occidentalis.  
 sphaeroidalis, Rich. *Monog. Conif. et Cyc.* 45. t. 8. f. 2 = *Cupressus thuyoides* (cf. *Addend.*).  
 sphaeroidea, Spreng. *Syst.* iii. 889 = praec.  
 Standishii, Carr. *Conif. ed.* II. 108 = japonica.

**THUYA:—**

*stricta*, Hort. ex Gord. Pinet. Suppl. 17 = *orientalis*.  
*tatarica*, Gord. Pinet. Suppl. 104 = *occidentalis*.  
*tatarica*, Lodd. ex G. Don, in Loud. Hort. Brit. 388,  
nomen = *orientalis*.  
*tetragona*, Hook. Lond. Journ. Bot. iii. (1844) 148 =  
*Libocedrus tetragona*.  
*variegata*, Hort. ex Carr. Conif. ed. I. 94 = *orientalis*.  
*variegata*, Marsh. Arbust. Am. 152 = *occidentalis*.  
*Verschaffeltii*, Hort. ex Parl. in DC. Prod. xvi. ii. 462  
= *orientalis*.  
*Vervaeana*, Van-Geert, ex Gord. Pinet. Suppl. 103  
= *occidentalis*.  
*Wareana*, Booth, Cat. (1838); ex Loud. Arb. Brit. iv.  
2654 = *plicata*.  
*Wareana*, Hort. ex Carr. Conif. ed. I. 104 = *occidentalis*.  
*Zuccarini*, Hort. ex Carr. l. c. ed. II. 94 = *orientalis*.

THUYOPSIS, Parl. in DC. Prod. xvi. ii. 460 (1868) =  
THUJOPSIS, Sieb. & Zucc. = **Thuya**, Linn. (Conif.).

THYANA, Ham. Prod. Pl. Ind. Occ. 36 (1825) =  
**Thouinia**, Poit. (Sapind.).

THYAREA, Benth. in Journ. Linn. Soc. xvii. (1878) 196  
= **Thuaria**, Pers. (Gramin.).

THYELLA, Rafin. Pl. Tellur. iv. 84 (1836) = **Con-**  
**volvulus**, Tourn.  
*obtusiloba*, Rafin. l. c. = *Ipomoea carnosa*.  
*tamnifolia*, Rafin. l. c. = *Jacquemontia tamnifolia*.

THYIA, Aschers. Fl. Brandenb. i. 886 (1864) = **Thuya**,  
Linn. (Conif.).

THYLACANTHA, Nees & Mart. in Nov. Act. Nat.  
Cur. xi. (1823) 45 = **Angelonia**, Humb. & Bonpl.  
(Scrophul.).  
*campestris*, Mart. l. c. = *A. salicariaefolia*.

THYLACANTHUS, Tul. in Arch. Mus. Par. iv.  
(1844) 175. **LEGUMINOSAE**, Benth. & Hook. f. i.  
564.  
*corymbosus*, Baill. Hist. Pl. ii. 96 = *Dicymbe corym-*  
*bosa*.  
*ferrugineus*, Tul. in Arch. Mus. Par. iv. (1844) 176.—  
Bras.

THYLACHIUM, Lour. Fl. Cochinch. 342 (1790)  
[Thilachium, em. ab DC. Prod. i. 254 (1824)]. **CAP-**  
**PARIDEAE**, Benth. & Hook. f. i. 107.  
*africanum*, Lour. l. c. — Afr. or.  
*angustifolium*, Boj. in Bouton, Rapp. Ann. Maur.  
(1842) 49. — Madag.  
*Grandidieri*, Baill. in Bull. Soc. Linn. Par. i. (1885)  
464. — Madag.  
*heterophyllum*, Fuss. in Ann. Mus. Par. xii. (1808)  
71. — Madag.  
*laburnoides*, Baker, in Journ. Linn. Soc. xxi. (1884)  
319. — Madag.  
*laurifolium*, Baker, l. c. — Madag.  
*lucidum*, DC. Prod. i. 254 = *Capparis lucida*.  
*oppositiflorum*, DC. l. c. — Ind. occ.  
*ovalifolium*, Juss. in Ann. Mus. Par. xii. (1808) 71 =  
*africanum*.  
*ovatifolium*, Steud. Nom. ed. II. ii. 683, sphalm. =  
*praec*.  
*panduraeforme*, Fuss. in Ann. Mus. Par. xii. (1808)  
71. — Ins. Maurit.  
*querimbense*, Klotzsch, in Peters, Reise Mossamb. Bot.  
163 = *africanum*.  
*Sumangui*, Boj. Hort. Maurit. 18; et ex Bouton, in  
Rapp. Ann. Maur. (1842) 48. — Ins. Mascar.  
*verrucosum*, Klotzsch, in Peters, Reise Mossamb. Bot.  
164 = *africanum*.

THYLACITIS, Renealm. ex Adans. Fam. ii. 504, 539  
(1763) = **Gentiana**, Tourn.  
*angustifolia*, Fourn. in Ann. Soc. Linn. Lyon, N. S.  
xvii. (1869) 119 = *G. acaulis*.  
*Clusii*, Fourn. l. c. = *G. acaulis*.  
*compressa*, Rafin. Fl. Tellur. iii. 25 (Quid?). — Hab. ?  
*grandiflora*, Delarb. Fl. Auv. ed. II. 26 = *G. acaulis*.  
*leptina*, Rafin. Fl. Tellur. iii. 25 = *G. leptina*.  
*maritima*, Rafin. l. c. = *Erythraea maritima* ?

THYLACIUM, Spreng. Anleit. ii. 776 (1818) =  
**Thylachium**, Lour. (Cappar.).

VOL. II.

THYLACOSPERMUM, Fenzl, in Endl. Gen. 967  
(1840). **CARYOPHYLLEAE**, Benth. & Hook. f. i.  
151.

BRYOMORPHA, Kar. & Kir. in Bull. Soc. Nat.  
Mosc. (1842) 172.

FLOURENSIA, Cambess. in Jacquem. Voy. Bot. t. 29  
(1844).

PERIANDRA, Cambess. l. c. 27 (1844).  
*rupifragum*, Schrenk, Enum. Pl. Nov. ii. 53. — Soongar.;  
Reg. Himal.

THYLACTITIS, Steud. Nom. ed. II. i. 671, in syn.  
(1840), sphalm. = **THYLACITIS**, Renealm. = **Genti-**  
**ana**, Tourn.

THYLOCERAS, Steud. Nom. ed. II. ii. 721, in syn.  
(1841), sphalm. = **Styloceras**, A. Juss. (Euphorb.).

THYLOGLOSSA, Nees, in DC. Prod. xi. 389 (1847),  
sphalm. = **TYLOGLOSSA**, Hochst. = **Justicia**, Linn.  
(Acanth.).

THYMBRA, Linn. Sp. Pl. ed. I. 569 (1753). **LABIA-**  
**TAE**, Benth. & Hook. f. ii. 1190.

*ambigua*, Clarke, Trav. iv. 239 = *spicata*.

*capitata*, Griseb. Spicil. Fl. Rumel. ii. 127 = *Thymus*  
*capitatus*.

*caroliniana*, Walt. Fl. Carol. 162 = *Macbridea*  
*pulchra*.

*cephalota*, Desv. Opusc. 40 = *Thymus Cephalotes*.

*ciliata*, Desf. Fl. Atlant. ii. 10 = *Thymus ciliatus*.

*ciliata*, Tenore, Prod. Fl. Nap. p. lxxix = *Thymus*  
*Serpyllum*.

*hirsuta*, Pers. Syn. ii. 114 = *Satureia Thymbra*.

*hirsutissima*, Vent. ex Pers. l. c. = *praec*.

*spicata*, Linn. Sp. Pl. 569. — Graec.; As. Min.

*spicata*, Pall. ex Bieb. Fl. Taur. Cauc. iv. 259 = *Zizi-*  
*phora taurica*.

*verticillata*, Linn. Sp. Pl. 569 = *spicata*.

*Zotas*, Willd. ex Benth. in Linnaea, xi. (1837) 328 =  
*Thymus ciliatus*.

THYMELAEA, Tourn. ex Adans. Fam. ii. 285 (1763) =  
**Daphne**, Tourn. (Thymel.).

THYMELAEA, Tourn. ex Scop. Fl. Carn. ed. II. ii.  
275 (1772), partim; Endl. Gen. Suppl. iv. ii. 65  
(1847). **THYMELAEACEAE** Benth. & Hook. f.  
iii. 191.

CHEAMYDANTHUS, C. A. Mey. in Bull. Phys.-Math.  
Acad. Pétersb. i. (1843) 355, 358.

GASTRILIA, Rafin. Fl. Tellur. iv. 105 (1836), partim.

LYGIA, Fasano, in Atti Acc. Nap. 1787 (1788) 245  
(Ligia).

PAUSIA, Rafin. Fl. Tellur. iv. 105 (1836).

PIPTOCHLAMYS, C. A. Mey. in Bull. Phys.-Math.  
Acad. Pétersb. i. (1843) 356, 358.

*alpina*, All. Fl. Pedem. i. 132 = *Daphne alpina*.

*argentea*, Endl. Gen. Suppl. iv. ii. 65 = *T. Tartonraira*.

*arvensis*, Lam. Fl. Fr. iii. 218. — Reg. Medit.; As. or.  
et bor.; Ind. bor. occ.

*Aucherii*, Meissn. in DC. Prod. xiv. 552. — As. Min.;  
Persia.

*Bauhini*, Endl. Gen. Suppl. iv. ii. 66 = *T. Sanamunda*.

*calycina*, Meissn. in DC. Prod. xiv. 555. — Mont. Pyren.

*candida*, Scop. Fl. Carn. ed. II. i. 277 = *Daphne*  
*alpina*.

*canescens*, Endl. Gen. Suppl. iv. ii. 65. — Marocc.;  
Hispan.

*cilicica*, Meissn. in DC. Prod. xiv. 552. — Cilicia.

*Cneorum*, Reichb. Ic. Fl. Germ. xi. t. 551 = *T. Sana-*  
*munda*.

*Cneorum*, Scop. Fl. Carn. ed. II. i. 276 = *Daphne*  
*Cneorum*.

*coridifolia*, Endl. Gen. Suppl. iv. ii. 66. — Hispan.

*dioica*, All. Auct. Fl. Pedem. 9. — Europ.

*elliptica*, Endl. Gen. Suppl. iv. ii. 66. — Hispan.

*floribunda*, Boiss. ex Casav. in Anal. Soc. Esp. Hist.

Nat. ix. (1880) 301 = *calycina*.

*Gnidium*, All. Fl. Pedem. i. 133 = *Daphne Gnidium*.

*Gussoni*, Bor. in Mém. Soc. Acad. Maine-et-Loire, iv.  
(1858) 121. — Sicil.

*hirsuta*, Endl. Gen. Suppl. iv. ii. 65 = *Passerina*  
*hirsuta*.

*Laureola*, Scop. Fl. Carn. ed. II. i. 276 = *Daphne*  
*Laureola*.

*Mesereum*, Scop. l. c. = *Daphne Mezereum*.

*microphylla*, Coss. & Dur. in Bull. Soc. Bot. Fr. iii.  
(1856) 744; Meissn. in DC. Prod. xiv. 556. — Alger.

**THYMELAEA:—**

*nitida*, Endl. Gen. Suppl. iv. ii. 65. — Reg. Mediterr.  
*niyalis*, Meissn. in DC. Prod. xiv. 555. — Mont. Pyren.  
*orientalis*, Meissn. l. c. 557. — 'Oriens'; Hispan.  
*Passerina*, Lange, in Willk. & Lange, Prod. Fl. Hisp.  
i. 298 = *arvensis*.

*praecox*, Gilib. Exercit. i. 7 = *Daphne Mezereum*.

*pubescens*, Meissn. in DC. Prod. xiv. 558 = *virgata* ?

*Rodriguezii*, Nym. Consp. 641 = *velutina*.

*Ruizi*, Losc. ex Casav. in Anal. Soc. Esp. Hist. Nat.

ix. (1880) 301 = *calycina*.

*Sanamunda*, All. Fl. Pedem. i. 132. — Europ.

*Tartonraira*, All. l. c. 133. — Europ. austr.

*thesoides*, Endl. Gen. Suppl. iv. ii. 66. — Hispan.

*Thomasii*, Endl. l. c. = *T. Tartonraira*.

*tinctoria*, Endl. l. c. — Europ. occ.

*tomentosa*, Endl. l. c. = *T. Tartonraira*.

*velutina*, Meissn. in DC. Prod. xiv. 555. — Ins. Balear.

*villosa*, Endl. Gen. Suppl. iv. ii. 66. — Reg. Mediterr. occ.

*virescens*, Meissn. in DC. Prod. xiv. 554. — Alger.

*virgata*, Endl. Gen. Suppl. iv. ii. 66. — Marocc.

THYMELINA, Hoffmgg. Verz. Pfl. 198 (1824) =  
**Gnidia**, Linn. (Thymel.).

*sericea*, Hoffmgg. l. c. 199, in obs. = *G. sericea*.

*simplex*, Hoffmgg. l. c. 198 = *G. carinata*.

THYMOPHYLLA, Lag. Gen. et Sp. Nov. 25 (1816).  
**COMPOSITAE**, Benth. & Hook. f. ii. 410.

LOWELLIA, A. Gray, in Mem. Am. Acad. N. S. iv.  
(1849) 89.

Greggii, A. Gray, l. c. 92. — Mexic.

*setifolia*, Lag. Gen. et Sp. Nov. 25. — Mexic.

THYMOPHYLLUM, Benth. & Hook. f. Gen. ii. 410  
(1873), sphalm. = *praec*.

THYMOPSIS, Benth. in Benth. & Hook. f. Gen. ii.  
407 (1873). **COMPOSITAE**, Benth. & Hook. f. l. c.  
Wrightii, Benth. l. c. — Cuba.

THYMOPSIS, Jaub. & Spach, Illustr. i. 72 (1843) =  
**Hypericum**, Tourn.

*aspera*, Jaub. & Spach, l. c. = *H. Thymopsis*.

THYMOS, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880)  
70, 136 = **Thymus**, Tourn. (Labiata.).

*chamaedryus*, St. Lag. l. c. 136 = *Thymus Chamaedrys*.

*mastichinus*, St. Lag. l. c. = *Thymus Mastichina*.

*piperellus*, St. Lag. l. c. = *Thymus Piperella*.

*serpyllus*, St. Lag. l. c. = *Thymus Serpyllum*.

THYMUS, Tourn. ex Linn. Syst. ed. I (1735).  
**LABIATAE**, Benth. & Hook. f. ii. 1186.

CORIDOTHYMUS, Reichb. f. in Oestr. Bot. Wochenbl.  
vii. (1857) 160.

*MASTICHINA*, Adans. Fam. ii. 194 (1763).

*SERPILLUM*, Tourn. ex Rupp. Fl. Jen. ed. Hall.

234 (1745).

*ZYGIS*, Desv. in Ham. Prod. Pl. Ind. Occ. 46 (1825).

*acicularis*, Bess. Enum. Pl. Volh. 24 = *T. Serpyllum*.

*acicularis*, Guss. Fl. Sic. Prod. ii. 127 = *striatus*.

*acicularis*, Waldest. & Kit. Pl. Rav. Hung. ii. 157. —  
Europ.

*acinoides*, Schleich. ex Reichb. Fl. Germ. Excurs. 327  
= *Calamintha Acinos*.

*acinoides*, Tenore, Prod. Fl. Nap. p. xxxv = *Calamintha*  
*suaveolens*.

*Acinos*, Asso, Syn. Stirp. Arag. 77 = *Ziziphora acinoides*.

*Acinos*, Brot. ex Steud. Nom. ed. II. ii. 683 = *Calami-*  
*nthata patavina*.

*Acinos*, Linn. Sp. Pl. 591 = *Calamintha Acinos*.

*adscendens*, Bernh. ex Link, Enum. Hort. Berol. ii. 115  
= *T. Serpyllum*.

*aegyptiacus*, Bernh. ex Steud. Nom. ed. I. 835, nomen  
(Quid?). — Aegypt.

*aestivalis*, Kit. in Linnaea, xxxii. (1863) 432. — Europ.

*aestivus*, Reut. ex Willk. & Lange, Prod. Fl. Hisp. ii.  
402. — Hispan.

*affinis*, Sieber, ex Benth. Lab. Gen. et Sp. 343 =  
*T. Herba-barona*.

*affinis*, Vis. in Parl. Giorn. Bot. Ital. ii. III. (1846) 4, in  
obs. = *T. Serpyllum*.

*albicans*, Hoffmgg. & Link, Fl. Port. i. 124. t. 11. —  
Lusitan.

*albidus*, Opiz, in Flora, vii. (1824) 526 = *T. Serpyllum*.

*albinervis*, Strobil. in Oestr. Bot. Zeitschr. xxxiii.  
(1883) 830 = *T. Zygis*.

**THYMUS:—**

*albus*, Link, Enum. Hort. Berol. ii. 116 = *Micromeria rupestris*.  
*algarbiensis*, Lange, in Kjoeb. Vidensk. Meddel. (1863) 5 = *albicans*.  
*algeriensis*, Boiss. & Reut. Pugill. Pl. Nov. (1852) 95 = *ciliatus*.  
*Allionii*, Zumag. Fl. Pedem. i. 226 = *Micromeria Piperella*.  
*Almoradux*, Duf. ex Boiss. Voy. Bot. Espagne, ii. 487 = *tomentosus*.  
*alpicolus*, Schur, Enum. Pl. Transs. 525 = *T. Serpyllum*.  
*alpinus*, Linn. Sp. Pl. 591 = *Calamintha alpina*.  
*alpinus*, Pall. Tabl. Taur. 53 = *Calamintha Acinos*.  
*angulosus*, Dulac, Fl. Hautes-Pyr. 401 = *T. Serpyllum*.  
*angustifolius*, Pers. Syn. ii. 130 = *T. Serpyllum*.  
*angustifolius*, Salisb. Prod. 86 = *T. Zygis*.  
*angustifolius*, Webb, Iter Hisp. 21 = *serpylloides*.  
*angustus*, Opiz, ex Déségl. in Bull. Soc. Sc. Angers, (1882) 190 = *T. Serpyllum*.  
*apricus*, Opiz, Seznam, 97 = *T. Serpyllum*.  
*arenarius*, Bernh. ex Reichb. Fl. Germ. Excurs. 312 = *T. Serpyllum*.  
*argaeus*, Boiss. & Bal. Diagn. Ser. II. iv. 7 = *T. Serpyllum*.  
*arthoclaides*, Stapf, in Denkschr. Akad. Wien, I. (1885) 36.—Persia.  
*arvensis*, Schur, Enum. Pl. Transs. 972 (Index) = *Calamintha Acinos*.  
*athonicus*, Bernh. ex Reichb. Fl. Germ. Excurs. 329 = *Calamintha Nepeta*.  
*attenuatus*, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 136, 70 = *T. Herba-barona*.  
*atticus*, Čelak. in Flora, lxxv. (1882) 564 = *striatus*.  
*aureus*, Hort. ex Belg. Hort. (1872) 356 = *T. Serpyllum*.  
*austriacus*, Bernh. ex Reichb. Fl. Germ. Excurs. 312 = *T. Serpyllum*.  
*azoricus*, Lodd. Bot. Cab. t. 1530 = *T. Serpyllum*.  
*azureus*, Maund, ex Steud. Nom. ed. II. ii. 683, nomen (Quid ?)—Europ. austr.  
*Balansae*, Boiss. & Kotschy, ex Boiss. Fl. Orient. iv. 556 = *T. Serpyllum*.  
*barbatus*, Opiz, Boehm. Gew. (1823) 74 = *T. Serpyllum*.  
*Barrelieri*, Spreng. Syst. ii. 698 = *Micromeria marifolia*.  
*Beneschianus*, Opiz, Seznam, 96 = *T. Serpyllum*.  
*bidentatus*, Stokes, Bot. Mat. Med. iii. 360 = *Mentha Pulegium*.  
*biflorus*, Buch.-Ham. ex D. Don, Prod. Fl. Nep. 112 = *Micromeria biflora*.  
*Billardieri*, Boiss. Diagn. Ser. II. iv. 8.—Ins. Cyprus.  
*biserratus*, Blanco, Fl. Filip. ed. I. 478 = *Hyptis brevipes*.  
*Bleicherianus*, Pomel, Nouv. Mat. Fl. Atl. 308.—Alger.  
*bonariensis*, Tenore, Ind. Sem. Hort. Neap. (1839) 12. n. 14; et in Ann. Sc. Nat. Sér. II. xiii. (1840) 381 = *Micromeria bonariensis*.  
*Bovei*, Benth. Lab. Gen. et Sp. 342 = *T. Serpyllum*.  
*Bowei*, Steud. Nom. ed. II. ii. 683, sphalm. = *praece*.  
*brachyphyllus*, Opiz, Seznam, 97 = *T. Serpyllum*.  
*bracteatus*, Lange, in Kjoeb. Vidensk. Meddel. (1863) 8.—Hispan.  
*bracteatus*, Opiz, Seznam, 97 = *T. Serpyllum*.  
*bracteatus*, Vis. ex Benth. Lab. Gen. et Sp. 346.—Dalmat.  
*Brauneanus*, Hoppe, ex Reichb. Fl. Germ. Excurs. 329 = *Calamintha Nepeta*.  
*brevicalyx*, Strobl, in Oestr. Bot. Zeitschr. xxxiii. (1883) 330 = *T. Serpyllum*.  
*brevifolius*, Wahlenb. in Bergg. Resor. ii. Bihang, 61; et in Oken, Isis, xxi. (1828) 1001.—Syria.  
*Broussonetii*, Boiss. Voy. Bot. Espagne, ii. 492. t. 141.—Maroccc.  
*Brownei*, Sw. Prod. Veg. Ind. Occ. 89 = *Micromeria Brownei*.  
*caespititius*, Brot. Fl. Lusit. i. 176 = *T. Serpyllum*.  
*caespitosus*, Opiz, Seznam, 97 = *T. Serpyllum*.  
*Calamintha*, Scop. Fl. Carn. ed. II. i. 425; Sm. Engl. Bot. t. 1676 = *Calamintha officinalis*.  
*calaminthoides*, Reichb. Fl. Germ. Excurs. 329, in syn. = *Calamintha officinalis*.  
*caliculus*, Schur, Enum. Pl. Transs. 529 = *T. Serpyllum*.  
*campestris*, Salisb. Prod. 85 = *T. Serpyllum*.  
*camphoratus*, Hoffmgg. & Link, Fl. Port. i. 131.—Lusitan.  
*canescens*, Dum. Fl. Belg. 48 = *Calamintha Acinos*.

**THYMUS:—**

*canus*, Stev. ex Bieb. Fl. Taur. Cauc. ii. 60 = *Calamintha graveolens*.  
*capitatus*, Hoffmgg. & Link, Fl. Port. i. 123.—Reg. Mediterr.  
*capitellatus*, Hoffmgg. & Link, l. c. 125. t. 12.—Lusitan.  
*cappadocicus*, Boiss. Diagn. Ser. I. v. 17.—Cappadoc.  
*carniolicus*, Borb. ex Déségl. in Bull. Soc. Sc. Angers, (1882) 191 = *T. Serpyllum*.  
*carnosus*, Boiss. Voy. Bot. Espagne, ii. 490. t. 139.—Hispan.  
*carolinianus*, Michx. Fl. Bor. Am. ii. 9 = *Calamintha caroliniana*.  
*carpathicus*, Čelak. in Flora, lxxv. (1882) 563 = *T. Serpyllum*.  
*caucasicus*, Willd. ex Benth. in Linnaea, xi. (1837) 341 = *T. Serpyllum*.  
*Cephalotes*, Linn. Sp. Pl. 592.—Hispan.; Lusit.  
*Chamaedrys*, Fries, Nov. Fl. Suec. 197 = *T. Serpyllum*.  
*Chamissonis*, Benth. in Linnaea, vi. (1831) 80 = *Micromeria Douglasii*.  
*Chaubardi*, Boiss. & Heldr. ex Boiss. Diagn. Ser. II. iv. 6 = *T. Serpyllum*.  
*cherlerioides*, Vis. in Mem. Ist. Venet. i. 1842 (1843) 44 = *hirsutus*.  
*chinesis*, Hort. ex C. Koch, Dendrol. ii. i. 314, 315 = *vulgaris*.  
*ciliatus*, Benth. Lab. Gen. et Sp. 348.—Afr. bor.; Ins. Canar.  
*ciliatus*, Lam. Fl. Fr. ii. 392 = *T. Serpyllum*.  
*ciliatus*, Moench, Meth. Suppl. 138 = *T. Mastichina*.  
*cilicicus*, Boiss. & Bal. Diagn. Ser. II. iv. 8.—Cilicia.  
*cimicinus*, Blum, ex Ledeb. Fl. Ross. iii. 348.—Ross. austr.  
*citratus*, Dum. Fl. Belg. 48 = *T. Serpyllum*.  
*citriodorus*, Schreb. in Schweigg. & Koerte, Fl. Erlang. ii. 17 = *T. Serpyllum*.  
*clandestinus*, Opiz, Boehm. Gew. (1823) 74 = *acicularis*.  
*clandestinus*, Salzm. ex Mutel, Fl. Fr. iii. 18 = *Calamintha glandulosa*.  
*clandestinus*, Schur, Bot. Rundr. (1853) 63 = *T. Serpyllum*.  
*collinus*, Bieb. Fl. Taur. Cauc. iii. 401 = *T. Serpyllum*.  
*collinus*, Salisb. Prod. 86 = *vulgaris*.  
*coloratus*, Boiss. & Reut. Pugill. Pl. Nov. (1852) 96 = *ciliatus*.  
*communis*, Kitt. Taschenb. ed. II. 373 = *T. Serpyllum*.  
*comosus*, Heuff. ex Griseb. & Schenk, in Wieg. Archiv, xviii. i. (1852) 328 = *T. Serpyllum*.  
*comptus*, Frivald. in Flora, xix. (1836) 439.—Rumelia.  
*comptus*, Griseb. Spicil. Fl. Rumel. ii. 118 = *odoratissimus*.  
*concinus*, Salisb. Prod. 86 = *Calamintha Acinos*.  
*concolor*, Opiz, Seznam, 97 = *T. Serpyllum*.  
*conspersus*, Čelak. in Flora, lxxv. (1882) 564 = *striatus*.  
*coriaceus*, Vog. in Linnaea, xv. (1841) 74.—As. Min. ?  
*corsicus*, Moris, Stirp. Sard. Elench. 37 = *Mentha Requienii*.  
*corsicus*, Pers. Syn. ii. 131 = *Calamintha corsica*.  
*crenatus*, Willd. ex Benth. in Linnaea, xi. (1837) 342 = *Gardoquia affinis*.  
*creticus*, Brot. Fl. Lusit. i. 174 = *capitatus*.  
*creticus*, DC. Fl. Fr. iii. 564 = *Micromeria marifolia*.  
*cristatus*, Hampe, in Flora, xx. (1837) 233 = *Micromeria cristata*.  
*croaticus*, Pers. Syn. ii. 130 = *Micromeria croatica*.  
*dalmaticus*, Freyn, in Verh. Zool.-Bot. Ges. Wien, xxvii. (1878) 400 = *T. Serpyllum*.  
*debilis*, Bunge, in Ledeb. Fl. Alt. ii. 391 = *Calamintha debilis*.  
*decumbens*, Bernh. ex Reichb. Fl. Germ. Excurs. 313 = *T. Serpyllum*.  
*decussatus*, Benth. Lab. Gen. et Sp. 482.—Arab.  
*deflexus*, Benth. l. c. 344 = *T. Serpyllum*.  
*denticulatus*, Steud. Nom. ed. II. ii. 684.—Cephalonia.  
*diffusus*, Bluff & Fingerh. Comp. Fl. Germ. ed. I. ii. 41 = *Calamintha Acinos*.  
*diffusus*, Boiss. Voy. Bot. Espagne, ii. 489 = *hirtus*.  
*diffusus*, Hort. ex Benth. Lab. Gen. et Sp. 387 = *Calamintha Nepeta*.  
*diffusus*, Salzm. ex Benth. l. c. 342.—Hispan.  
*Douglasii*, Benth. in Linnaea, vi. (1831) 80 = *Micromeria Douglasii*.  
*duinensis*, Moretti, ex Reichb. Fl. Germ. Excurs. 860 = *Calamintha thymifolia*.

**THYMUS:—**

*effusus*, Host, Fl. Austr. ii. 137 = *T. Serpyllum*.  
*Eisensteinianus*, Opiz, ex Steud. Nom. ed. II. ii. 684 = *T. Serpyllum*.  
*elatus*, Schrad. ex Reichb. Fl. Germ. Excurs. 313 = *T. Serpyllum*.  
*ellipticus*, Opiz, Boehm. Gew. (1823) 74; Natural. n. 9 (1825) 103 = *T. Serpyllum*.  
*elongatus*, Opiz, Seznam, 97 = *T. Serpyllum*.  
*elongatus*, Schrad. ex Link, Enum. Hort. Berol. ii. 116 = *tomentosus*.  
*elwendicus*, Stapf, in Denkschr. Akad. Wien, I. (1885) 37.—Persia.  
*ericaeifolius*, Roth, Catalect. fasc. ii. 50 = *Micromeria varia*.  
*exiguus*, Sibth. & Sm. Fl. Graec. Prod. i. 421; Fl. Graec. vi. 61. t. 575 = *Calamintha graveolens*.  
*exserens*, Ehrh. ex Link, Enum. Hort. Berol. ii. 115 = *T. Serpyllum*.  
*fallax*, Fisch. & Mey. in Ann. Sc. Nat. Sér. IV. i. (1854) 33 = *T. Serpyllum*.  
*filiformis*, Ait. Hort. Kew. ed. I. ii. 313 = *Micromeria filiformis*.  
*filiformis*, Sieber, ex Benth. Lab. Gen. et Sp. 376 = *Micromeria nervosa*.  
*floribundus*, Willd. ex Benth. in Linnaea, xi. (1837) 341 = *Micromeria densiflora*.  
*Fontanesii*, Boiss. & Reut. Pugill. Pl. Nov. (1852) 95 = *Monardi*.  
*Froelichianus*, Opiz, Nom. Bot. (1831) 80 = *T. Serpyllum*.  
*fruticosus*, Link, Enum. Hort. Berol. ii. 116 = *Micromeria marifolia*.  
*fruticulosus*, Bertol. Amoen. Ital. 101 = *Micromeria approximata*.  
*Funkii*, Coss. Notes Crit. 125.—Hispan.  
*gibbosus*, Stokes, Bot. Mat. Med. iii. 360 = *Calamintha Acinos*.  
*glaber*, Mill. Gard. Dict. ed. VIII. n. 6 = *T. Serpyllum*.  
*glabratus*, Hoffmgg. & Link, Fl. Port. i. 130. t. 15 = *T. Serpyllum*.  
*glabrescens*, Benth. Lab. Gen. et Sp. 345 = *T. Serpyllum*.  
*glandulosus*, Lag. ex Boiss. Voy. Bot. Espagne, ii. 487 = *vulgaris*.  
*glandulosus*, Req. in Ann. Sc. Nat. Sér. I. v. (1825) 386 = *Calamintha glandulosa*.  
*glaucus*, Frivald. ex Boiss. Fl. Orient. iv. 558 = *comptus*.  
*gracilis*, Willd. ex Benth. in Linnaea, xi. (1837) 341 = *Micromeria xalapensis*.  
*granatensis*, Boiss. Elench. 74.—Hispan.  
*grandiflorus*, Scop. Fl. Carn. ed. II. i. 424 = *Calamintha grandiflora*.  
*grandiflorus*, Sims, Bot. Mag. t. 997 = *Calamintha caroliniana*.  
*gratissimus*, Duf. ex Willk. & Lange, Prod. Fl. Hisp. ii. 405 = *T. Serpyllum*.  
*graveolens*, Bieb. Fl. Taur. Cauc. ii. 60 = *Calamintha graveolens*.  
*graveolens*, Sibth. & Sm. Fl. Graec. Prod. i. 421; Fl. Graec. vi. 61. t. 576 = *teucrioides*.  
*Guyonii*, Noé, in Bull. Soc. Bot. Fr. ii. (1855) 580.—Alger.  
*Hackelianus*, Opiz, Seznam, 97 = *T. Serpyllum*.  
*hayderensis*, Stapf, in Denkschr. Akad. Wien, I. (1885) 39.—Persia.  
*Herba-barona*, Loisel. Fl. Gall. ed. I. 360. t. 9. f. 1.—Ins. Corsic.  
*heterophyllus*, Poir. Encyc. vii. 648 = *Calamintha Acinos*.  
*heterotrichus*, Griseb. Spicil. Fl. Rumel. ii. 116 = *T. Serpyllum*.  
*hirsutissimus*, Kit. ex Kanitz, in Verh. Zool.-Bot. Ges. Wien, xiii. (1863) 537.—Hungar.  
*hirsutissimus*, Poir. Encyc. vii. 650 = *Satureia Thymbra*.  
*hirsutus*, Auct. ex Benth. Lab. Gen. et Sp. 345 = *T. Serpyllum*.  
*hirsutus*, Bieb. Fl. Taur. Cauc. ii. 59.—Graec.; As. Min.  
*hirtus*, Link, in Buch, Besch. Canar. Ins. 143, partim = *Micromeria julianoides*.  
*hirtus*, Rafin. Caratteri, 80 = *striatus*.  
*hirtus*, Sieber, ex Benth. Lab. Gen. et Sp. 386 = *Micromeria marifolia*.  
*hirtus*, [Soland. in] Russ. Aleppo, ed. II. ii. 256 = *Micromeria graeca*.

THYMUS:—

*hirtus*, Viv. Fl. Lib. Spec. 30. t. 44 = *Salvia aegyptiaca*.  
*hirtus*, Willd. Enum. Hort. Berol. 623.—Hispan.  
*hispanicus*, Hort. ex Poir. Encyc. vii. 646 = *Micromeria inodora*.  
*Hornungianus*, Opiz, Seznam, 97 = *T. Serpyllum*.  
*humifusus*, Bernh. ex Link, Enum. Hort. Berol. ii. 115 = *T. Serpyllum*.  
*humifusus*, Willd. ex Benth. in Linnaea, xi. (1837) 342 = *Micromeria nubigena*.  
*humillimus*, Čelak. in Flora, lxvii. (1884) 534.—As. Min.  
*hyemalis*, Lange, in Kjoeb. Vidensk. Meddel. (1863) 7.—Hispan.  
*ilerdensis*, Gonzal. ex Costa, Supl. Fl. Catal. 63 = *T. Zygis*.  
*imbricatus*, Čelak. in Flora, lxvii. (1884) 535.—As. Min.  
*imbricatus*, Forsk. Fl. Aegypt. Arab. 108 = *Micromeria Forskählei*.  
*incanus*, Sibth. & Sm. Fl. Graec. Prod. i. 421; Fl. Graec. vi. 62. t. 577 = *Calamintha incana*.  
*incanus*, Spreng. Nov. Prov. 40.—Aegypt.  
*incanus*, Willd. ex Benth. in Linnaea, xi. (1837) 342 = *T. Serpyllum*.  
*includens*, Ehrh. ex Reichb. Fl. Germ. Excurs. 313 = *T. Serpyllum*.  
*indicus*, Burm. f. Fl. Ind. 129 = *Geniosporum prostratum*.  
*inodorus*, Benth. in Linnaea, vi. (1831) 77 = *Micromeria varia*.  
*inodorus*, Desf. Fl. Atlant. ii. 30 = *Micromeria inodora*.  
*inodorus*, Frivald. ex Griseb. Spicil. Fl. Rumel. ii. 122 = *Micromeria cristata*.  
*inodorus*, Lej. Rev. Fl. Spa, 122 = *T. Serpyllum*.  
*integer*, Griseb. Spicil. Fl. Rumel. ii. 116 = *Billardieri*.  
*integer*, Sart. ex Nym. Conspect. 594 = *T. Serpyllum*.  
*intermedius*, Schult. Obs. Bot. 112.—Hab.?  
*interruptus*, Opiz, Seznam, 97 = *T. Serpyllum*.  
*jalkanensis*, Stapf, in Denkschr. Akad. Wien, i. (1885) 38.—Persia.  
*Jankae*, Čelak. in Flora, lxvi. (1883) 147 = *T. Serpyllum*.  
*Kollmunserianus*, Opiz, ex Benth. Lab. Gen. et Sp. 343 = *T. Serpyllum*.  
*Kosteleckianus*, Opiz, Natural. n. ix. (1825) 104 = *T. Serpyllum*.  
*Kotschyianus*, Boiss. & Hohen. Diagn. Ser. I. v. 16 = *T. Serpyllum*.  
*Kratzmannianus*, Opiz, Seznam, 97 = *T. Serpyllum*.  
*laevigatus*, Vahl, Symb. Bot. ii. 65 = *T. Serpyllum*.  
*lanceolatus*, Desf. Fl. Atlant. ii. 30. t. 128.—Graecia; Afr. bor.  
*lanceolatus*, Poir. Encyc. Suppl. v. 305 = *Pycnanthemum lanceolatum*.  
*lanceolatus*, Sibth. & Sm. Fl. Graec. Prod. i. 419 = *T. Serpyllum*.  
*lanuginosus*, Mill. Gard. Dict. ed. VIII. n. 8 = *T. Serpyllum*.  
*latifolius*, Andr. ex Trautv. in Act. Hort. Petrop. ix. (1884) 90 = *T. Serpyllum*.  
*linearis*, Benth. in Wall. Pl. As. Rar. i. 31 = *T. Serpyllum*.  
*lobatus*, Vog. in Linnaea, xv. (1841) 75 = *villosus*.  
*Loevyanus*, Opiz, Natural. n. ix. (1825) 105 = *T. Serpyllum*.  
*longicaulis*, Presl, Fl. Sic. p. xxxvii = *striatus*.  
*longiflorus*, Boiss. Elench. 75.—Hispan.  
*longistylus*, Opiz, Seznam, 96 = *T. Serpyllum*.  
*Loscosii*, Willk. in Willk. & Lange, Prod. Fl. Hisp. ii. 401.—Hispan.  
*lucidus*, Ehrh. Beitr. vii. 150 = *Ziziphora clinopodioides*.  
*lucidus*, Guss. Suppl. Fl. Sic. Prod. 198 = *nitidus*.  
*lucidus*, Willd. Enum. Hort. Berol. 624 = *T. Serpyllum*.  
*lusitanicus*, Boiss. Voy. Bot. Espagne, ii. 489 = *villosus*.  
*Majorana*, Kuntze, Taschen-Fl. Leipz. 106 = *Origanum Majorana*.  
*majoranaefolius*, Desf. Tabl. ed. II. 74 = *T. Serpyllum*.  
*Mannianus*, Opiz, Seznam, 97 = *T. Serpyllum*.  
*marginatus*, Kern. in Oestr. Bot. Zeitschr. xxiv. (1874) 184 = *T. Chamaedrys*.  
*marginatus*, Sm. in Rees, Cyclop. xxxv. n. 17 = *Micromeria Piperella*.

THYMUS:—

*marifolius*, Pourr. ex Willd. Enum. Hort. Berol. 626 = *tomentosus*.  
*marifolius*, Willd. l. c. 624 = *Micromeria marifolia*.  
*Marinosci*, Steud. & Hochst. ex Steud. Nom. ed. II. ii. 684 = *denticulatus*.  
*Marinosci*, Tenore, Prod. Fl. Nap. p. xxxv = *striatus*.  
*maroccanus*, Ball, in Journ. Bot. xiii. (1875) 174.—Marocc.  
*Marschallianus*, Viv. Fl. Cors. Diagn. 9 = *T. Herbarona*.  
*Marschallianus*, Willd. Sp. Pl. iii. 141 = *T. Serpyllum*.  
*Mastichina*, Linn. Sp. Pl. ed. II. 827.—Hispan.; Afr. bor.  
*Mastichina*, Sibth. & Sm. Fl. Graec. Prod. i. 422 = *Micromeria nervosa*.  
*megapotamicus*, Spreng. Syst. iv. Cur. Post. 224.—Bras.  
*melissoides*, Bernh. ex Reichb. Fl. Germ. Excurs. 327 = *Calamintha patavina*.  
*melissoides*, Fisch. ex Benth. Lab. Gen. et Sp. 344 = *T. Serpyllum*.  
*melissoides*, Schweigg. Enum. Pl. Hort. Regiom. 72 = *Calamintha patavina*?  
*membranaceus*, Boiss. Elench. 75.—Hispan.  
*micans*, Lowe, in Trans. Camb. Phil. Soc. iv. (1831) 19 = *T. Serpyllum*.  
*micranthus*, Brot. Fl. Lusit. i. 176 = *Micromeria graeca*.  
*micranthus*, Wierzb. ex Opiz, Nom. (1831) 77 = *T. Serpyllum*.  
*micromerioides*, Rouy, in Bull. Soc. Bot. Fr. xxxi. (1884) 275.—Hispan.  
*microphyllus*, Urv. in Mém. Soc. Linn. Par. i. (1822) 327 = *Micromeria microphylla*.  
*minor*, Trev. Ind. Sem. Hort. Vratisl. (1819) App. i. 4 = *Calamintha Nepeta*.  
*minutus*, Opiz, Seznam, 97 = *T. Serpyllum*.  
*Monardi*, Nol, in Expl. Scientif. Algér. t. 66.—Alger.  
*montanus*, Crantz, Stirp. Austr. ed. II. fasc. iv. 278 = *Calamintha alpina*.  
*montanus*, Dum.-Cours. Bot. Cult. ed. II. iii. 32 = *Satureia montana*.  
*montanus*, Waldst. & Kit. Pl. Rar. Hung. i. 72. t. 71 = *T. Serpyllum*.  
*monticola*, Opiz, in Lotos, iv. (1854) 103, nomen (Quid?).  
*Moschatella*, Pollini, in Brugn. Giorn. Fis. ix. (1816) 33 = *Calamintha officinalis*.  
*multiflorus*, Pers. Syn. ii. 131.—Hab.?  
*Munbyanus*, Boiss. & Reut. Pugill. Pl. Nov. (1852) 96 = *ciliatus*.  
*neapolitanus*, Herb. Kern. ex Strobil. in Oestr. Bot. Zeitschr. xxxiii. (1883) 329 = *striatus*.  
*Nepeta*, Sm. Fl. Brit. ii. 642 = *Calamintha Nepeta*.  
*nepetoides*, D. Don, Prod. Fl. Nep. 113 = *Nepeta ruderalis*.  
*nervosus*, J. Gay, ex Benth. Lab. Gen. et Sp. 345 = *T. Serpyllum*.  
*nitidus*, Guss. Fl. Sic. Syn. ii. 97.—Sicil.  
*Notarisii*, Zúmag. Fl. Pedem. i. 226 = *Micromeria thymoides*.  
*nubigenus*, H. B. & K. Nov. Gen. et Sp. ii. 316 = *Micromeria nubigena*.  
*numidicus*, Benth. Lab. Gen. et Sp. 347 = *T. Zygis*.  
*numidicus*, Poir. Voy. Barb. ii. 189 = *lanceolatus*.  
*nummularifolius*, Loisel. Fl. Gall. ed. I. t. 9. f. 2; et ex Benth. Lab. Gen. et Sp. 732 = *Calamintha alpina*.  
*nummularius*, Bieb. Fl. Taur.-Cauc. ii. 58 = *T. Serpyllum*.  
*oblongifolius*, Opiz, Natural. n. x. (1825) 241 = *T. Serpyllum*.  
*obtusatus*, Opiz, in Lotos, iv. (1854) 103 (Quid?).—Europ.  
*ochrus*, Heldr. & Sart. in Boiss. Diagn. Ser. II. iv. 6 = *T. Serpyllum*.  
*odoratissimus*, Bieb. Fl. Taur.-Cauc. iii. 405.—Ross. austr.; As. Min.  
*odoratissimus*, Mill. Gard. Dict. ed. VIII. n. 9 = *T. Serpyllum*.  
*origanifolius*, D. Don, Prod. Fl. Nep. 112 = *Calamintha longicaulis*.  
*origanifolius*, Vis. in Flora, xiii. (1830) 51 = *Micromeria dalmatica*.

THYMUS:—

*origanoides*, Webb & Berth. Phyt. Canar. iii. 69. t. 152.—Ins. Canar.  
*Origanum*, Kuntze, Taschen-Fl. Leipz. 106 = *Origanum vulgare*.  
*Ortmannianus*, Opiz, Seznam, 97 = *T. Serpyllum*.  
*ovatus*, Mill. Gard. Dict. ed. VIII. n. 7 = *T. Serpyllum*.  
*pallens*, Opiz, ex Déségl. in Bull. Soc. Sc. Angers, (1882) 186 = *T. Serpyllum*.  
*pallescent*, Nol, in Expl. Scientif. Algér. t. 66.—Alger.  
*pallidus*, Coss. in Bull. Soc. Bot. Fr. xxii. (1875) 65, nomen = *lanceolatus*.  
*pannonicus*, All. Fl. Pedem. i. 20 = *T. Serpyllum*.  
*paronychioides*, Čelak. in Flora, lxv. (1882) 564.—Sicil.  
*parviflorus*, Opiz, Seznam, 96 = *T. Serpyllum*.  
*parviflorus*, Req. in Ann. Sc. Nat. Sér. I. v. (1825) 386 = *Mentha Requieni*.  
*parvifolius*, C. Koch, in Linnaea, xxi. (1848) 666 = *T. Serpyllum*.  
*patavinus*, Jacq. Obs. Bot. iv. 7 = *Calamintha patavina*.  
*patavinus*, Pall. ex Bieb. Fl. Taur.-Cauc. ii. 60 = *Calamintha graveolens*.  
*pectinatus*, Fisch. & Mey. in Ann. Sc. Nat. Sér. IV. i. (1854) 32 = *odoratissimus*.  
*Petteri*, Presl, Bot. Bemer. 100 = *acicularis*.  
*piligerus*, Opiz, ex Reichb. Fl. Germ. Excurs. 312 = *T. Serpyllum*.  
*pilosus*, Opiz, Boehm. Gew. (1823) 74; Natural. n. vi. (1824) 40 = *T. Serpyllum*.  
*Piperella*, All. Fl. Pedem. i. 21. t. 37. f. 3 = *Micromeria Piperella*.  
*Piperella*, Linn. Syst. ed. XII. 400.—Reg. Mediter.  
*Piperella*, Waldst. & Kit. Pl. Rar. Hung. ii. 169 = *Micromeria croatica*.  
*piperitus*, D. Don, Prod. Fl. Nep. 112 = *Calamintha longicaulis*.  
*praecox*, Opiz, Natural. n. vi. (1824) 40; et in Flora, vii. (1824) Beil. 84 = *T. Serpyllum*.  
*procerus*, Opiz, ex Benth. Lab. Gen. et Sp. 343 = *T. Serpyllum*.  
*procumbens*, Bernh. ex Opiz, Boehm. Gew. (1823) 74 = *T. Serpyllum*?  
*pruinosis*, Boiss. in Ann. Sc. Nat. Sér. IV. ii. (1854) 253 = *cappadocicus*.  
*Pseudo-serpyllum*, Reichb. ex Benth. Lab. Gen. et Sp. 344 = *T. Serpyllum*.  
*pulchellus*, Bluff & Fingerh. Comp. Fl. Germ. ed. I. ii. 40; C. A. Mey. Verz. Pfl. Cauc. 87 = *T. Serpyllum*.  
*pulcherrimus*, Schur, in Verh. Siebenb. Ver. Naturw. x. (1859) 140 = *T. Serpyllum*.  
*pulegioides*, Linn. Sp. Pl. 592 = *T. Serpyllum*.  
*pulegioides*, Reichb. Fl. Germ. Excurs. 313 = *T. Serpyllum*.  
*pulvinatus*, Čelak. in Flora, lxvii. (1884) 533.—As. Min.  
*pumilus*, Gueldenst. ex Ledeb. Fl. Ross. iii. 346 = *T. Serpyllum*.  
*punctatus*, Tineo, ex Benth. in DC. Prod. xii. 217 = *Micromeria approximata*.  
*punctatus*, Vis. in Mem. Ist. Venet. i. 1842 (1843) 43. t. 2. f. 1 = *T. Serpyllum*.  
*punctatus*, Willd. Phyt. 8 = *Ziziphora clinopodioides*.  
*purpurascens*, Poir. Encyc. vii. 654 = *Calamintha purpurascens*.  
*pusillus*, Gueldenst. ex Ledeb. Fl. Ross. iii. 346 = *T. Serpyllum*.  
*Pusio*, Dichtl, in Deutsche Bot. Monatsschr. ii. (1884) 134 = *T. Serpyllum*.  
*quadrangulus*, Ehrh. ex Boiss. Fl. Orient. iv. 559 = *decussatus*.  
*rariflorus*, C. Koch, in Linnaea, xxi. (1848) 666 = *T. Serpyllum*.  
*rariopilus*, Dichtl, in Deutsche Bot. Monatsschr. ii. (1884) 134 = *T. Serpyllum*.  
*recurvatus*, Kit. in Linnaea, xxxii. (1863) 431.—Hungar.  
*reflexus*, Lej. Rev. Fl. Spa, 121 = *T. Serpyllum*.  
*Reichelianus*, Opiz, Seznam, 96 = *T. Serpyllum*.  
*Reinegeri*, Opiz, l. c. 97 = *T. Serpyllum*.  
*repens*, D. Don, Prod. Fl. Nep. 113 = *Calamintha umbrosa*.  
*repens*, Gilib. Fl. Lituan. i. 74 = *T. Serpyllum*.  
*Richardi*, Pers. Syn. ii. 130 = *Origanum majoricum*.



**THYMUS:**

- rigidus*, Reichb. ex Bess. in Flora, xv. (1832) II. Beibl. 18 = T. Serpyllum.  
*robustus*, Opiz, Seznam, 97 = T. Serpyllum.  
*Rochelianus*, Čelak. in Flora, lxv. (1882) 563 = T. Chamaedrys.  
*Roegneri*, C. Koch, in Linnaea, xxi. (1848) 666 = T. Serpyllum.  
*rotundifolius*, Pers. Syn. ii. 131 = Zizyphora acinoides.  
*rotundifolius*, Poir. Encyc. vii. 654 = T. Piperella.  
*rotundifolius*, Rochel, ex Nym. Consp. 588 = Calamintha patavina.  
*rotundifolius*, Schur, in Verh. Siebenb. Ver. Naturw. i. (1850) 108 = T. Serpyllum.  
*sabulicola*, Coss. Notes Crit. 125.—Hispan.  
*sabulicus*, Walp. Ann. iii. 924, sphalm. = praec.  
*satureioides*, Coss. & Bal. in Bull. Soc. Bot. Fr. xx. (1873) 253.—Marocc.  
*scaber*, Presl, Fl. Sic. p. xxxvi = Satureia scabra.  
*scaber*, Willd. ex Benth. in Linnaea, xi. (1837) 342 = Gardoquia affinis.  
*scharakensis*, Opiz, in Lotos, iv. (1854) 103, nomen (Quid?).—Europ.  
*Selloi*, Spreng. ex J. A. Schmidt, in Mart. Fl. Bras. viii. 168 = Cunila fasciculata.  
*senilis*, Dichtl, in Deutsche Bot. Monatsschr. ii. (1884) 133 = T. Serpyllum.  
*serpens*, Opiz, Seznam, 97 = T. Serpyllum.  
*serpylloides*, Bory, in Ann. Gén. Sc. Phys. iii. (1820) 16.—Hispan.  
*Serpyllum*, Coss. ex Willk. & Lange, Prod. Fl. Hisp. ii. 405 = bracteatus.  
*Serpyllum*, Linn. Sp. Pl. 590.—Europ.; As. et Afr. bor.  
*serratus*, Opiz, in Flora, v. (1822) 267 = T. Serpyllum.  
*serratus*, Poir. Encyc. vii. 653 = Pycnanthemum muticum.  
*serrulatus*, Hochst. ex Benth. in DC. Prod. xii. 203.—Abyss.  
*Sibthorpii*, Benth. Lab. Gen. et Sp. 345 = lanceolatus.  
*silvestris*, Nym. Consp. 593 = sylvestris.  
*simplex*, Kitt. Taschenb. ed. II. 373 = T. Serpyllum.  
*Sintenisii*, Čelak. in Flora, lxvii. (1884) 537.—As. Min.  
*sipyleus*, Boiss. Diagn. Ser. I. v. 16 = T. Serpyllum.  
*sparsiflorus*, Pourr. ex Willk. & Lange, Prod. Fl. Hisp. ii. 402 = T. Zygis.  
*spathulatus*, Opiz, Natural. n. ix. (1825) 105; Fisch. ex Ledeb. Fl. Ross. iii. 346 = T. Serpyllum.  
*spicatus*, W. Baxt. in Loud. Hort. Brit. Suppl. ii. 677, nomen (Quid?).—Europ.  
*spinulosus*, Tenore, Prod. Fl. Nap. p. xxxv = striatus.  
*squarrosus*, Fisch. & Mey. in Ann. Sc. Nat. Sér. IV. i. (1854) 32 = T. Serpyllum.  
*stenophyllus*, Opiz, Seznam, 97 = T. Serpyllum.  
*striatus*, Munby, Fl. Algér. 62 = hirtus.  
*striatus*, Reichb. Ic. Fl. Germ. xviii. 36 = T. Serpyllum.  
*striatus*, Vahl, Symb. Bot. iii. 78.—Europ. austr.; As. Min.  
*suaveolens*, Sibth. & Sm. Fl. Graec. Prod. i. 420 = Calamintha suaveolens.  
*suavis*, Salisb. Prod. 86 = T. Mastichina.  
*subcitratus*, Schreb. in Schweigg. & Koerte, Fl. Erlang. ii. 18 = T. Serpyllum.  
*subcordatus*, Vis. Fl. Dalmat. i. t. 19 = Micromeria croatica.  
*sublaxus*, Rouy, in La Natural. ii. (1882) (Matér. Rev. Fl. Portug. 46) = vulgaris.  
*sublobatus*, Pomel, Nouv. Mat. Fl. Atl. 308 = ciliatus.  
*subnudus*, Spreng. Syst. ii. 698 = Micromeria Pulegium.  
*sudeticus*, Opiz, ex Reichb. Fl. Germ. Excurs. 312 = T. Serpyllum.  
*sylvaticus*, Bernh. Syst. Verz. Erf. 77 = Calamintha Clinopodium.  
*sylvestris*, Hoffm. & Link, Fl. Port. i. 132. t. 16.—Hispan.  
*sylvestris*, Schreb. in Schweigg. & Koerte, Fl. Erlang. ii. 17 = T. Serpyllum.  
*syriacus*, Boiss. Diagn. Ser. I. xii. 47.—Syria.  
*syrticus*, Spreng. Syst. ii. 697 = Salvia aegyptiaca.

**THYMUS:**

- taxifolius*, Willd. ex Benth. in Linnaea, xi. (1837) 342 = Gardoquia taxifolia.  
*Teneriffae*, Hort. ex Benth. Lab. Gen. et Sp. 377 = Micromeria microphylla.  
*Teneriffae*, Poir. Encyc. vii. 650 = Micromeria Teneriffae.  
*tenuifolius*, Mill. Gard. Dict. ed. VIII. n. 2 = T. Zygis.  
*teucroides*, Boiss. & Sprun. Diagn. Ser. I. v. 15.—Graec.  
*therebinthinaceus*, Brouss. ex Willd. Enum. Hort. Berol. 624 = Micromeria Teneriffae.  
*thymbroides*, Pomel, Nouv. Mat. Fl. Atl. 124 = ciliatus.  
*tomentosus*, Boiss. & Reut. ex Willk. & Lange, Prod. Fl. Hisp. ii. 400 = T. Mastichina.  
*tomentosus*, Willd. Enum. Hort. Berol. ii. 626.—Hispan.  
*Trachselianus*, Opiz, Natural. n. xi. (1826) 461 = T. Serpyllum?  
*Tragoriganum*, Linn. Mant. i. 84 = Satureia Thymbra.  
*transsilvanicus*, Schur, in Verh. Siebenb. Ver. Naturw. ii. (1851) 197 = T. Serpyllum.  
*tunetanus*, Pomel, Nouv. Mat. Fl. Atl. 310—Afr. bor.  
*umbrosus*, Spreng. Nov. Prov. 41 = Calamintha officinalis.  
*variabilis*, Hoffm. & Link, Fl. Port. i. 134. t. 15 = T. Serpyllum.  
*verecundus*, Salisb. Prod. 86 = Calamintha patavina.  
*veronicaefolius*, Spreng. Syst. ii. 698 = Melissa veronicaefolia.  
*verticillatus*, Poir. Encyc. vii. 653 = Pycnanthemum lanceolatum.  
*villosissimus*, Tausch, in Syll. Ratisb. ii. (1828) 248 = Calamintha alpina.  
*villosus*, Linn. Sp. Pl. 592.—Europ. austr.  
*villosus*, Pall. ex Bieb. Fl. Taur.-Cauc. ii. 59 = T. Serpyllum.  
*villosus*, Sibth. & Sm. Fl. Graec. vi. 62. t. 578 = Billardieri.  
*villosus*, Willd. ex Benth. in Linnaea, xi. (1837) 342 = T. Cephalotes.  
*virgatus*, Tenore, Prod. Fl. Nap. p. xxxv = Micromeria graeca.  
*virginicus*, Blanco, Fl. Filip. ed. I. 478 = Hyptis capitata.  
*virginicus*, Linn. Mant. ii. 409 = Pycnanthemum lanceolatum.  
*vulgaris*, Bieb. Besch. Casp. 209 = T. Serpyllum.  
*vulgaris*, Linn. Sp. Pl. 591.—Europ. austr.; As. bor.  
*vulgaris*, Sibth. & Sm. Fl. Graec. Prod. i. 419 = hirsutus.  
*vulgaris*, Willk. in Willk. & Lange, Prod. Fl. Hisp. ii. 402 = aestivus.  
*Webbianus*, Rouy, in Bull. Soc. Bot. Fr. xxxi. (1884) 275.—Hispan.  
*Welwitschii*, Boiss. Diagn. Ser. II. iv. 9.—Lusitan.  
*Wierzbickianus*, Opiz, Seznam, 97 = T. Serpyllum.  
*Willdenowii*, Boiss. in Kelaart, Fl. Calp. 218 = hirtus.  
*Wondraekianus*, Opiz, Seznam, 97 = T. Serpyllum.  
*xalapensis*, H. B. & K. Nov. Gen. et Sp. ii. 316 = Micromeria Brownei.  
*xylorrhizus*, Boiss. & Kotschy, ex Boiss. Fl. Orient. iv. 556 = T. Serpyllum.  
*Zattar*, Munby, Cat. Pl. Alger. 23, nomen.—Alger.  
*zattarellus*, Pomel, Nouv. Mat. Fl. Atl. 309 = ciliatus.  
*zygioides*, Griseb. Spicil. Fl. Rumel. ii. 118 = striatus.  
*Zygis*, Bieb. Besch. Casp. 210 = odoratissimus.  
*Zygis*, Brot. Fl. Lusit. i. 176 = sylvestris.  
*Zygis*, Linn. Sp. Pl. 591.—Hispan.; Lusit.  
*Zygis*, Pall. in Nov. Act. Acad. Petrop. x. (1797) 313 = T. Serpyllum.  
*Zygis*, Sibth. & Sm. Fl. Graec. vi. 60. t. 574 = striatus.
- THYOPSIS**, Wedd. Chlor. And. i. 165, in nota, t. 27\*, A B C (1856) = **Tafalla**, D. Don (Compos.).  
*ferruginea*, Wedd. l. c. = T. ferruginea.  
*graveolens*, Wedd. l. c. (= *Loricaria graveolens*).—N. Granat.  
*stenophylla*, Wedd. l. c. (= *Loricaria stenophylla*).—N. Granat.
- THYPHA**, Costa, Introd. Fl. Catal. p. lxv. 292 (Index) (1864), sphalm. = **Typpha**, Linn.

**THYRIDOSTACHYUM**, Nees, in Lindl. Introd. Nat. Syst. ed. II. 379 (1836) = **Ophiurus**, Gaertn. f. (Gramin.).  
*laeve*, Nees, ex Steud. Nom. ed. II. ii. 615 = O. perforatus.

**THYROCARPUS**, Hance, in Ann. Sc. Nat. Sér. IV. xviii. (1862) 225. **BORAGINEAE**, Benth. & Hook. f. ii. 847.  
*fulvescens*, Maxim. in Bull. Acad. Pétersb. xxvi. (1880) 499.—China.  
*glochidiatus*, Maxim. l. c.—China.  
*Sampsoni*, Hance, in Ann. Sc. Nat. Sér. IV. xviii. (1862) 225.—China.

**THYROMA**, Miers, Apocyn. S. Am. 22 (1878) = **Aspidosperma**, Mart. & Zucc. (Apocyn.).  
*bicolor*, Miers, l. c. 25 = A. bicolor.  
*decipiens*, Miers, l. c. 24 = A. decipiens.  
*Lhotskiana*, Miers, l. c. 25 = A. Lhotskianum.  
*nitida*, Miers, l. c. 24 = A. nitida.  
*parvifolia*, Miers, l. c. 25 = A. parvifolium.  
*polynura*, Miers, l. c. 24 = A. polynuron.  
*Riedelii*, Miers, l. c. 26 = A. Riedelii.  
*Sellowii*, Miers, l. c. 24 = A. Sellowii.  
*sessiliflora*, Miers, l. c. 23 = A. sessiliflorum.

**THYROPHORA**, Neck. Elem. ii. 13 (1790) = **Gentiana**, Tourn.

**THYRSACANTHUS**, Nees, in Mart. Fl. Bras. ix. 97. t. 13 (1847). **ACANTHACEAE**, Benth. & Hook. f. ii. 1119.

**ODONTONEMA**, Nees, in Linnaea, xvi. (1842) 300.  
*amplexicaulis*, Nees, in Mart. Fl. Bras. ix. 98.—Bras.  
*barlerioides*, Nees, l. c. 97.—Bras.  
*bracteolatus*, Nees, in DC. Prod. xi. 325.—N. Granat.  
*callistachyus*, Nees, l. c. 326.—Mexic.  
*calycotrichus*, T. Anders. in Journ. Agri-Hort. Soc. Ind. N. S. i. (1868) 284 = Schaueria calycotricha.  
*coccineus*, T. Anders. l. c. = Jacobinia coccinea.  
*cuspidatus*, Nees, in DC. Prod. xi. 323.—Mexic.  
*dissitiflorus*, Nees, in Mart. Fl. Bras. ix. 98.—Bras.  
*Earlii*, F. Muell. Fragm. vi. 87 = Graptophyllum Earlii.  
*embelioides*, Pritz. Ic. Ind. i. 1103, sphalm. = *Thyrsanthus embelioides*.  
*Flagellum*, Oerst. in Kjoeb. Vidensk. Meddel. (1854) 146.—Costa Rica.  
*foliaceo-bracteatus*, Oerst. l. c.—Costa Rica.  
*tuchsoides*, Nees, in DC. Prod. xi. 325.—N. Granat.  
*Hookerianus*, Nees, l. c. 324.—Ecuador.  
*indicus*, Nees, l. c. 325 = Eranthemum indicum.  
*interruptus*, Nees, l. c. 326.—N. Granat.  
*Lemairianus*, Nees, l. c. 729.—Hab.?  
*lilacinus*, Lindl. in Journ. Hort. Soc. vi. (1851) 159 = callistachys.  
*Lindenianus*, Nees, in DC. Prod. xi. 326 = Eranthemum cuspidatum.  
*longifolius*, Oerst. in Kjoeb. Vidensk. Meddel. (1854) 145.—Nicaragua.  
*longistamineus*, Nees, in DC. Prod. xi. 326 (an Jacobinia sp.?).—Peruv.  
*nitidus*, Nees, l. c. 327.—Ind. occ.  
*pantasmensis*, Oerst. in Kjoeb. Vidensk. Meddel. (1854) 144.—Nicaragua.  
*ramosissimus*, Moric. Pl. Nouv. Am. 165. t. 96; Nees, in Mart. Fl. Bras. ix. 98 = Jacobinia ramosissima (in Addend.).  
*ruber*, Nees, in DC. Prod. xi. 326.—Venezuela.  
*rutilans*, Planch. in Fl. des Serres, vii. (1852) 241. t. 732.—N. Granat.  
*Schomburgkianus*, Nees, in Hook. Lond. Journ. Bot. iv. (1845) 636.—Guian.  
*sessilis*, Nees, in DC. Prod. xi. 324.—N. Granat.  
*squarrosus*, T. Anders. in Journ. Agri-Hort. Soc. Ind. N. S. i. (1868) 284 = Dianthera nodosa?  
*strictus*, Nees, in DC. Prod. xi. 324.—Honduras.  
*tubaeformis*, Nees, l. c.—Guatemala.  
*variegatus*, Nees, l. c. 325.—Guian.

**THYSAMUS**, Reichb. Consp. 197 (1828), sphalm. = **Thysanus**, Lour. (Inc. Sed.).

**THYRSANTHEMA**, Neck. Elem. i. 6 (1790) = **Chaptalia**, Vent. (Compos.).

**THYRSANTHUS**, Benth. in Hook. Journ. Bot. iii. (1841) 245 = **Forsteronia**, G. F. W. Mey. (Apocyn.).  
*Acouci*, Miers, Apocyn. S. Am. 98 = *F. Acouci*.  
*adenobasis*, Miers, l. c. 96 = *F. adenobasis*.  
*affinis*, Miers, l. c. 101 = *F. affinis*.  
*Aubletianus*, Miers, l. c. 98 = *Thenardia umbellata*.  
*Benthamianus*, Miers, l. c. 95 = *F. Benthamiana*.  
*bracteatus*, Miers, l. c. 102 = *F. bracteata*.  
*brasiliensis*, Griseb. Fl. Brit. W. Ind. 412, in obs. = *F. brasiliensis*.  
*corylifolius*, Griseb. in Mem. Am. Acad. N. S. viii. (1862) 519 = *F. corylifolia*.  
*corymbiferus*, Miers, Apocyn. S. Am. 98 = *F. Schomburgkii*.  
*corymbosus*, Miers, l. c. 97 = *Parsonsia corymbosa*.  
*crebriflorus*, Miers, l. c. 105 = *Bras.*  
*difformis*, Miers, l. c. 99 = *Trachelospermum difforme*.  
*diospyrifolius*, Miers, l. c. 96 = *F. diospyrifolia*.  
*embelioides*, A. DC. in DC. Prod. viii. 387 = *F. embelioides*.  
*fasciculatus*, Miers, Apocyn. S. Am. 100 = *Tabernaemontana fasciculata*.  
*Gardneri*, A. DC. in DC. Prod. viii. 387 = *F. Gardneri*.  
*glabrescens*, Miers, Apocyn. S. Am. 102 = *F. glabrescens*.  
*gracilis*, Benth. in Hook. Journ. Bot. iii. (1841) 246 = *Guian.*  
*guyanensis*, Miers, Apocyn. S. Am. 97 = *F. guyanensis*.  
*laurifolius*, Miers, l. c. 94 = *F. laurifolia*.  
*leptocarpus*, Griseb. in Goett. Abh. xxiv. (1879) 224 = *Parsonsia leptocarpa*.  
*Luschnatii*, Miers, Apocyn. S. Am. 106 = *F. Luschnatii*.  
*macrophyllus*, Miers, l. c. 96 = *F. macrophylla*.  
*meridionalis*, Miers, l. c. 106 = *F. meridionalis*.  
*multinerviis*, Miers, l. c. 103 = *F. multinervia*.  
*myrianthus*, Miers, l. c. 105 = *F. floribunda*, *Muell. Arg.*  
*parviflorus*, Miers, l. c. 100 = *Tabernaemontana populi folia*.  
*pilosus*, A. DC. in DC. Prod. viii. 387 = *F. pilosa*.  
*placidus*, Miers, Apocyn. S. Am. 101 = *Bras.*  
*populifolius*, Miers, l. c. 99 = *Tabernaemontana populi folia*.  
*pubescens*, Miers, l. c. 101 = *F. pubescens*.  
*pyriformis*, Miers, l. c. 100 = *Ind. occ.*  
*rufus*, Miers, l. c. 104 = *F. rufa*.  
*Schomburgkii*, Benth. in Hook. Journ. Bot. iii. (1841) 246 = *Guian.*  
*sessilis*, Miers, Apocyn. S. Am. 104 = *Malouetia sessilis*.  
*spicatus*, Griseb. in Mem. Am. Acad. N. S. viii. (1862) 520, in obs. = *F. spicata*.  
*velutinus*, Miers, Apocyn. S. Am. 86 = *F. multinervia*.  
*Wilsonii*, Griseb. Fl. Brit. W. Ind. 412 = *Jamaic.*

**THYRSANTHUS**, Ell. in Journ. Acad. Philad. i. (1818) 371 = *Wistaria*, Nutt. (Legumin.).  
*floridana*, Croom, in Am. Journ. Sc. Ser. I. xxv. (1834) 75 = *W. speciosa*.  
*frutescens*, Ell. in Journ. Acad. Philad. i. (1818) 371 = *W. speciosa*.

**THYRSANTHUS**, Schrank, in Denkschr. Akad. Muench. 1813 (1814) 75 = *Lysimachia*, Tourn. (Primul.).  
*palustris*, Schrank, l. c. = *L. thyriflora*.

**THYRSINE**, Gled. Syst. 286 (1764) = **Cytinus**, Linn. (Balanoph.).  
*Hypocistis*, Walp. Ann. iii. 514 = *C. Hypocistis*.

**THYRSODIUM**, Salzm. ex Benth. in Hook. Kew Journ. iv. (1852) 17. **ANACARDIACEAE**, [Benth. & Hook. f. i. 323].  
*giganteum*, Engl. in DC. Monog. Phan. iv. 297 = *Bras.*  
*guianense*, Sagot, ex March. R v. Anacard. 160 = *Guian.*  
*Salzmannianum*, Benth. in Hook. Kew Journ. iv. (1852) 18 = *Schomburgkiana*.  
*Schomburgkianum*, Benth. l. c. = *Am. trop.*  
*Spruceanum*, Benth. l. c. 17 = *Bras.*

**THYRSOSMA**, Rafin. Sylva Tellur. 130 (1838) = **Viburnum**, Linn. (Caprif.).  
*chinensis*, Rafin. l. c. = *V. odoratissimum*.

**THYSANACHNE**, Presl, Thysan. Nov. Pl. Gen. (1829); et J. Presl, in Rel. Haenk. i. 252 (1830) = **Arun-dinella**, Raddi (Gramin.).  
*peruviana*, J. Presl, in Rel. Haenk. i. 253 (= *Ischaemum peruvianum*).—Peruv.  
*scoparia*, Presl, Thysan. Nov. Pl. Gen. (1829); et J. Presl, in Rel. Haenk. i. 253 = *A. Deppeana*.

**THYSANELLA**, A. Gray, ex Engelm. & Gray, in Bost. Journ. Nat. Hist. v. (1845) 232 = **Polygonum**, Tourn.  
*fimbriata*, A. Gray, l. c. = *P. fimbriatum*.

**THYSANELLA**, Salisb. Gen. Pl. Fragm. 67 (1866) = **Thysanotus**, R. Br. (Liliac.).

**THYSANOCARPUS**, Hook. Fl. Bor. Am. i. 69. t. 18. f. A (1829). **CRUCIFERAE**, Benth. & Hook. f. i. 94.  
*crenatus*, Nutt. in Torr. & Gray, Fl. N. Am. i. 118 = *laciniatus*.  
*curvipes*, Hook. Fl. Bor. Am. i. 69. t. 18. f. A.—Am. bor. occ.  
*Deppii*, Nutt. ex Torr. & Gray, Fl. N. Am. i. 118 = *elegans*.  
*elegans*, Fisch. & Mey. Ind. Sem. Hort. Petrop. ii. 51. —Calif.  
*erectus*, S. Wats. in Proc. Am. Acad. xi. (1876) 124. —Ind. occ.  
*laciniatus*, Nutt. in Torr. & Gray, Fl. N. Am. i. 118. —Calif.  
*oblongifolius*, Nutt. l. c. = *pusillus*.  
*pulchellus*, Fisch. & Mey. Ind. Sem. Hort. Petrop. ii. 50 = *curvipes*.  
*pusillus*, Hook. Ic. Pl. t. 42. —Am. bor. occ.  
*radians*, Benth. Pl. Hartw. 297. —Calif.  
*runcinatus*, G. Don, Gen. Syst. i. 196 = *curvipes*.

**THYSANOCHILUS**, Falc. in Proc. Linn. Soc. i. (1839) 14. **ORCHIDEAE** (an **Cyrtopera**? Lindl.).

**THYSANOLAENA**, Nees, in Edinb. N. Phil. Journ. xviii. (1835) 180. **GRAMINEAE**, Benth. & Hook. f. iii. 1120.  
*MYRIACHAETA*, Zoll. & Mor. Verz. Pl. Zoll. 101 (1845–46).  
*acarifera*, Arn. & Nees, in Nov. Act. Nat. Cur. xix. Suppl. i. (1843) 181 = *T. Agrostis*.  
*Agrostis*, Nees, in Edinb. N. Phil. Journ. xviii. (1835) 180. —As. trop.

**THYSANOSPERMUM**, Champ. ex Benth. in Hook. Kew Journ. iv. (1852) 168. **RUBIACEAE**, Benth. & Hook. f. ii. 43.  
*diffusum*, Champ. l. c. —Ins. Hongkong.

**THYSANOTUS**, R. Br. Prod. 282 (1810). **LILIACEAE**, Benth. & Hook. f. iii. 700.  
*CHLAMYSPORUM*, Salisb. Parad. Lond. t. 103 (1809), nomen prius.  
*ISANDRA*, Salisb. Gen. Pl. Fragm. 67 (1866).  
*THYSANELLA*, Salisb. l. c. (1866).  
*anceps*, Endl. in Lehm. Pl. Preiss. ii. 37 = *dichotomus*.  
*anceps*, Lindl. Swan River App. 58. —Austral.  
*Arbuscula*, Baker, in Journ. Linn. Soc. xv. (1876) 339. —Austral.  
*asper*, Lindl. Swan River App. 58. —Austral.  
*Banksii*, R. Br. Prod. 283 = *tuberosus*.  
*Baueri*, R. Br. l. c. —Austral.  
*brevipes*, Endl. in Lehm. Pl. Preiss. ii. 38 = *multiflorus*.  
*chinensis*, Benth. Fl. Hongk. 372. —Austral.; China; Ins. Philipp.  
*chrysanthreus*, F. Muell. Fragm. v. 202 = *chinensis*.  
*deformis*, R. Br. Prod. 284 = *dichotomus*.  
*dichotomus*, R. Br. l. c. —Austral.  
*divaricatus*, R. Br. l. c. = *dichotomus*.  
*Drummondii*, Baker, in Journ. Linn. Soc. xv. (1876) 341. —Austral.  
*elator*, R. Br. Prod. 283 = *tuberosus*.  
*elongatus*, R. Br. l. c. = *dichotomus*.  
*exasperatus*, F. Muell. Fragm. i. 21. —Austral.  
*exiliflorus*, F. Muell. in Trans. Roy. Soc. S. Austral. iv. (1882) 112. —Austral.  
*flexuosus*, R. Br. Prod. 284 = *dichotomus*.  
*glaucus*, Endl. in Lehm. Pl. Preiss. ii. 38. —Austral.  
*gracilis*, R. Br. Prod. 283 = *dichotomus*.  
*hispidulus*, R. Br. l. c. 285 = *triandrus*.  
*humilis*, F. Muell. Fragm. i. 22 = *Baueri*.

**THYSANOTUS**.—  
*intricatus*, Lindl. Bot. Reg. (1838) Misc. 59; Paxt. Mag. Bot. vi. (1839) 243 = *dichotomus*.  
*isantherus*, R. Br. Prod. 283. —Austral.  
*isantherus*, Lindl. in Bot. Reg. t. 655 = *tuberosus*.  
*juncus*, R. Br. Prod. 283. —Austral.  
*Lindleyanus*, Endl. in Lehm. Pl. Preiss. ii. 36 = *dichotomus*.  
*Manglesianus*, Kunth, Enum. Pl. iv. 616 = *Patersoni*.  
*Menziesii*, R. Br. Prod. 284 = *Patersoni*.  
*micranthus*, Endl. in Lehm. Pl. Preiss. ii. 36 = *Corynotheca dichotoma*.  
*multiflorus*, R. Br. Prod. 285. —Austral.  
*nanus*, Endl. in Lehm. Pl. Preiss. ii. 38 = *triandrus*.  
*paniculatus*, R. Br. Prod. 283 = *tuberosus*.  
*Patersoni*, R. Br. l. c. 284. —Austral.  
*pauciflorus*, R. Br. l. c. 285. —Austral.  
*proliferus*, Lindl. Bot. Reg. (1838) t. 8 = *multiflorus*.  
*scaber*, Endl. in Lehm. Pl. Preiss. ii. 37. —Austral.  
*sparteus*, R. Br. Prod. 283 = *dichotomus*.  
*tenellus*, Endl. in Lehm. Pl. Preiss. ii. 37. —Austral.  
*tenuis*, Endl. l. c. = *tuberosus*.  
*tenuis*, Lindl. Bot. Reg. (1838) t. 50 = *dichotomus*?  
*thyrsoides*, Baker, in Journ. Linn. Soc. xv. (1876) 336. —Austral.  
*triandrus*, R. Br. Prod. 284. —Austral.  
*tuberosus*, R. Br. l. c. 282. —Austral.  
*undulatum*, Behr, ex Baker, in Journ. Linn. Soc. xv. (1876) 336 = *Baueri*.  
*volubilis*, R. Br. Prod. 284 = *Patersoni*?

**THYSANTHA**, Hook. Ic. Pl. t. 590 (1843) = **THISANTHE**, Eckl. & Zeyh. = **Tillaea**, Mich. (Crassul.).

**THYSANUS**, Lour. Fl. Cochinch. 284 (1790).  
*Genus dubium CONNARACEARUM*, Benth. & Hook. f. i. 431.  
*cochinchinensis*, DC. Prod. ii. 91 = *T. Palala*.  
*Palala*, Lour. Fl. Cochinch. 284. —China.

**THYSSELINUM**, Adans. Fam. ii. 100 (1763) = **Peucedanum**, Tourn. (Umbell.).  
*angustifolium*, Reichb. Fl. Germ. Excurs. 453 = *P. palustre*.  
*cantabrigense*, Hoffm. Gen. Umbell. ed. I. 154 = *Selinum sylvestre*.  
*Crouanorum*, Bor. in Bull. Soc. Bot. Fr. xx. (1878) 30. —Gallia.  
*dawuricum*, Spreng. Syst. i. 895 = *Angelica dahurica*.  
*grandiflorum*, Moench, Meth. 85 = *Pleurospermum austriacum*.  
*involutum*, Moench, l. c. (= *Pachypleurum alpinum*). —Sibir. altaic.  
*lucidum*, Moench, Meth. Suppl. 31. —Hab.?  
*nigrum*, Moench, Meth. 84 = *Ligusticum pyrenaicum*.  
*palustre*, Hoffm. Gen. Umbell. ed. I. 154 = *P. palustre*.  
*Plinii*, Spreng. Spec. Umbellif. 69 = *P. palustre*.  
*Schivereckii*, Bess. Enum. Pl. Volh. 12 = *P. palustre*.  
*silvestre*, Reichb. Fl. Germ. Excurs. 453 = *seq.*  
*silvestre*, Hoffm. Gen. Umbell. ed. I. 154 = *P. palustre*.

**TIARANTHUS**, Herb. Amayll. 202, 206 (1837) = **Pancratium**, Dill. (Amaryll.).

**TIARELLA**, Linn. Diss. Chen. 29 (1751); Amoen. Acad. iii. 17 (1787). **SAXIFRAGEAE**, Benth. & Hook. f. i. 637.  
*BLONDIA*, Neck. Elem. ii. 115 (1790).  
*OREOTRYS*, Rafin. Fl. Tellur. ii. 74 (1836).  
*PETALOSTEIRA*, Rafin. l. c. (1836).  
*alternifolia*, Fisch. ex Ser. in DC. Prod. iv. 50 = *Tellima grandiflora*.  
*bitermata*, Vent. Jard. Malm. 54. t. 54 = *Astilbe decandra*.  
*bracteata*, Torr. in Ann. Lyc. N. York, ii. (1828) 204 = *Heuchera bracteata*.  
*colorans*, R. Grah. in Edinb. N. Phil. Journ. (Jul.–Oct. 1829) 349 = *Heuchera glabra*.  
*cordifolia*, Linn. Sp. Pl. 405. —As. et Am. bor.  
*laciniata*, Hook. Fl. Bor. Am. i. 239. t. 77 = *trifoliata*.  
*Menziesii*, Pursh, Fl. Am. Sept. i. 313 = *Tolmiea Menziesii*.  
*pentandra*, Rafin. in Ser. Bull. Bot. i. (1830) 216, in obs. = *Heuchera bracteata*.  
*polyphylla*, D. Don, Prod. Fl. Nep. 210. —Reg. Himal.  
*rhombifolia*, Nutt. ex Torr. & Gray, Fl. N. Am. i. 588 = *trifoliata*.

**TIARELLA:—**

*stenopetala*, Presl, Rel. Haenk. ii. 55 = trifoliata.  
*trifolia*, J. F. Gmel. Syst. 1637 = trifoliata.  
*trifoliata*, James, Cat. 181; ex S. Wats. Bibliog. Ind.  
 Bot. N. Am. 325 = Heuchera bracteata?  
*trifoliata*, Linn. Sp. Pl. 406.—As. et Am. bor.  
*unifolia*, Retz. Obs. iii. 30 = Mitella nuda?  
*unifoliata*, Hook. Fl. Bor. Am. i. 238. t. 81.—Am.  
 bor. occ.

**TIARIDIUM**, Lehm. Asperif. 13 (1818); Ic. 10. t. 6  
 (1821) = **Heliotropium**, Tourn. (Borag.).  
*anisophyllum*, G. Don, Gen. Syst. iv. 364 = H.  
 indicum.  
*elongatum*, Lehm. Asperif. 18 = H. elongatum.  
*heliotropioides*, Cham. in Linnaea, iv. (1829) 453 = H.  
 tiaridioides.  
*indicum*, Lehm. Asperif. 14 = H. indicum.  
*monostachyum*, G. Don, Gen. Syst. iv. 365 = H. mono-  
 stachyum.  
*prostratum*, Zipp. ex Span. in Linnaea, xv. (1 41)  
 335, nomen = H. prostratum?  
*velutinum*, Lehm. Asperif. 15 = H. indicum?

**TIBOUCHINA**, Aubl. Pl. Gui. i. 445. t. 177 (1775).  
**MELASTOMACEAE**, [Benth. & Hook. f. i.  
 743].

**BRACTEARIA**, DC. ex Steud. Nom. ed. II. i. 222  
 (1840).  
**CHAETOGASTRA**, DC. Prod. iii. 131 (1828); Naud.  
 in Ann. Sc. Nat. Sér. III. xiv. (1850) 127.  
**DIPLOSTEGIUM**, D. Don, in Mem. Wern. Soc. iv.  
 (1823) 296.  
**HEPHESTIONIA**, Naud. in Ann. Sc. Nat. Sér. III. xiii.  
 (1849) 36.  
**LASIANDRA**, DC. Prod. iii. 127 (1828).  
**MICRANTHELLA**, Naud. in Ann. Sc. Nat. Sér. III.  
 xiii. (1849) 347.  
**OREOCOSMUS**, Naud. in Ann. l. c. 37 (1849).  
**PURPURELLA**, Naud. in Ann. l. c. 301 (1849).  
**SAVASTANA**, Scop. Introd. 213 (1777).  
**Ackermannii**, Cogn. in Mart. Fl. Bras. xiv. III. 365.—  
 Bras.  
*adenostemon*, Cogn. l. c. 332.—Bras.  
*aegopogon*, Cogn. l. c. 383.—Bras.  
*aemula*, Cogn. l. c. 412.—Bras.  
*angustifolia*, Cogn. l. c. 396.—Bras.  
*arborea*, Cogn. l. c. 299.—Bras.  
*arenaria*, Cogn. l. c. 329.—Bras.  
*Arstedii*, Cogn. l. c. 297, sphalm. = Oerstedii.  
*aspera*, Aubl. Pl. Gui. i. 446. t. 177.—Guian.;  
 Bras.  
*asperior*, Cogn. in Mart. Fl. Bras. xiv. III. 366.—  
 Bras.  
*australis*, Cogn. l. c. 392.—Bras.  
*axillaris*, Cogn. l. c. 396.—Bras.  
*barbiger*, Baill. in Adansonia, xii. (1877) 75.—  
 Bras.  
*Benthamiana*, Cogn. in Mart. Fl. Bras. xiv. III. 391.  
 —Bras.  
*Bergiana*, Cogn. l. c. 316.—Bras.  
*bipenicillata*, Cogn. l. c. 385.—Am. trop.  
*Blanchetiana*, Cogn. l. c. 351.—Bras.  
*caldensis*, Cogn. l. c. 306.—Bras.  
*Candolleana*, Cogn. l. c. 339.—Bras.  
*canescens*, Cogn. l. c. 298.—Bras.  
*cardinalis*, Cogn. l. c. 371.—Bras.  
*cerastifolia*, Cogn. l. c. 403.—Bras.  
*Chamissoana*, Cogn. l. c. 349.—Bras.  
*cinerea*, Cogn. l. c. 416.—Bras.  
*cisplatensis*, Cogn. l. c. 407.—Bras.  
*Claussenii*, Cogn. l. c. 310.—Bras.  
*clidemioides*, Cogn. l. c. 398.—Bras.  
*clinopodifolia*, Cogn. l. c. 411.—Bras.  
*collina*, Cogn. l. c. 318.—Bras.  
*cordifolia*, Cogn. l. c. 393.—Bras.  
*coronata*, Cogn. l. c. 307.—Peruv.  
*corymbosa*, Cogn. l. c. 363.—Bras.  
*cujabensis*, Cogn. l. c. 382.—Bras.  
*debilis*, Cogn. l. c. 401.—Bras.  
*decemcostata*, Cogn. l. c. 331.—Bras.  
*dendroides*, Cogn. l. c. 369.—Bras.  
*divaricata*, Cogn. l. c. 397.—Bras.  
*dubia*, Cogn. l. c. 415.—Bras.  
*Eichleri*, Cogn. l. c. 370.—Bras.  
*elegans*, Cogn. l. c. 323.—Bras.  
*estrellensis*, Cogn. l. c. 342.—Bras.

**TIBOUCHINA:—**

*exasperata*, Cogn. in Mart. Fl. Bras. xiv. III. 377.—  
 Bras.  
*fissinervia*, Cogn. l. c. 343.—Bras.  
*floribunda*, Cogn. l. c. 312.—Bras.  
*formosa*, Cogn. l. c. 348.—Bras.  
*Fothergillae*, Cogn. l. c. 320.—Bras.  
*foveolata*, Cogn. l. c. 307.—Bras.  
*fragilis*, Baill. Hist. Pl. vii. 7 = Arthrostem. fragile.  
*Francavillana*, Cogn. in Mart. Fl. Bras. xiv. III. 314.  
 —Bras.  
*frigidula*, Cogn. l. c. 328.—Bras.  
*Gardneri*, Cogn. l. c. 334.—Bras.  
*Gardneriana*, Cogn. l. c. 319.—Bras.  
*Gaudichaudiana*, Baill. Hist. Pl. vii. 7. f. 9.—Bras.  
*Glazioviana*, Cogn. in Mart. Fl. Bras. xiv. III. 325.—  
 Bras.  
*gracilis*, Cogn. l. c. 386.—Bras.  
*grandifolia*, Cogn. l. c. 335.—Bras.  
*granulosa*, Cogn. l. c. 340.—Bras.  
*grossa*, Cogn. l. c. 297.—Am. trop.  
*herbacea*, Cogn. l. c. 408.—Bras.  
*Herincquiana*, Cogn. l. c. 399.—Bras.  
*heteromalla*, Cogn. l. c. 336.—Bras.  
*hieracioides*, Cogn. l. c. 389.—Bras.  
*hirsutissima*, Cogn. l. c. 356.—Bras.  
*holosericea*, Baill. Hist. Pl. vii. 34.—Bras.  
*hospita*, Cogn. in Mart. Fl. Bras. xiv. III. 417.—  
 Bras.  
*hygrophila*, Cogn. l. c. 413.—Bras.  
*inappendiculata*, Baill. Adansonia, xii. (1877) 74 =  
 mollis.  
*intermedia*, Cogn. in Mart. Fl. Bras. xiv. III. 367.—  
 Bras.  
*Itatiaiae*, Cogn. l. c. 414.—Bras.  
*Karstenii*, Cogn. l. c. 381.—Venezuela; N. Granat.  
*Langsdorffiana*, Baill. Hist. Pl. vii. 34.—Bras.  
*lasiophylla*, Cogn. in Mart. Fl. Bras. xiv. III. 297.—  
 Guian.  
*lepidota*, Baill. Adansonia, xii. (1877) 74.—Am.  
 trop.  
*Lhotzkyana*, Cogn. in Mart. Fl. Bras. xiv. III. 357.—  
 Bras.  
*Lindeniana*, Cogn. l. c. 347.—N. Granat.  
*longifolia*, Baill. Adansonia, xii. (1877) 74.—Am.  
 trop.  
*macrochiton*, Cogn. in Mart. Fl. Bras. xiv. III. 313.—  
 Bras.  
*macrostachya*, Baill. Hist. Pl. vii. 6 = Heeria macro-  
 stachya.  
*Martialis*, Cogn. in Mart. Fl. Bras. xiv. III. 346.—  
 Bras.  
*Martiusiana*, Cogn. l. c. 327.—Bras.  
*Mathaei*, Cogn. l. c. 380.—Peruv.  
*Maximiliana*, Baill. Hist. Pl. vii. 34.—Bras.  
*melastomoides*, Cogn. in Mart. Fl. Bras. xiv. III.  
 377.—Bras.  
*minor*, Cogn. l. c. 390.—Bras.  
*minutiflora*, Cogn. l. c. 415.—Bras.  
*mollis*, Cogn. l. c. 349.—Am. trop.  
*Moricandiana*, Baill. Adansonia, xii. (1877) 75.—  
 Bras.  
*Mosenii*, Cogn. in Mart. Fl. Bras. xiv. III. 393.—  
 Bras.  
*multiceps*, Cogn. l. c. 326.—Bras.  
*multiflora*, Cogn. l. c. 333.—Bras.  
*multinervia*, Baill. Adansonia, xii. (1877) 75 =  
 Macairea multinervia.  
*mutabilis*, Cogn. in Mart. Fl. Bras. xiv. III. 300.—  
 Bras.  
*nervulosa*, Cogn. l. c. 315.—Bras.  
*nitida*, Cogn. l. c. 404.—Am. trop.  
*ochypetala*, Baill. Adansonia, xii. (1877) 75.—Peruv.  
*Oerstedii*, Cogn. in Mart. Fl. Bras. xiv. III. 297  
 (Arstedii).—Am. centr.  
*organensis*, Cogn. l. c. 308.—Bras.  
*ornata*, Baill. Adansonia, xii. (1877) 74.—Am.  
 trop.  
*paleacea*, Cogn. in Mart. Fl. Bras. xiv. III. 373.—  
 N. Granat.  
*pallida*, Cogn. l. c. 316.—Bras.  
*papyrifera*, Cogn. l. c. 378.—Bras.  
*parviflora*, Cogn. l. c. 410.—Bras.  
*pauciflora*, Cogn. l. c. 348.—Bras.  
*pogonanthra*, Cogn. l. c. 381.—Bras.  
*pulchra*, Cogn. l. c. 301.—Bras.  
*Raddiana*, Cogn. l. c. 303.—Bras.  
*rediviva*, Cogn. l. c. 399.—Bras.

**TIBOUCHINA:—**

*Regeliana*, Cogn. in Mart. Fl. Bras. xiv. III. 356.—  
 Bras.  
*Regnellii*, Cogn. l. c. 305.—Bras.  
*Reichardtiana*, Cogn. l. c. 361.—Bras.  
*reticulata*, Cogn. l. c. 298.—Ecuador.  
*Riedeliana*, Cogn. l. c. 368.—Bras.  
*robusta*, Cogn. l. c. 394.—Bras.  
*rotundifolia*, Cogn. l. c. 370.—Bras.  
*Saldanhaei*, Cogn. l. c. 302.—Bras.  
*salviaefolia*, Cogn. l. c. 364.—Bras.  
*scaberrima*, Cogn. l. c. 400.—Bras.  
*scrobiculata*, Cogn. l. c. 341.—Bras.  
*sebastianopolitana*, Cogn. l. c. 409.—Bras.  
*Sellowiana*, Cogn. l. c. 304.—Bras.  
*semidecandra*, Cogn. l. c. 309.—Bras.  
*setulosa*, Cogn. l. c. 338.—Bras.  
*simplicicaulis*, Cogn. l. c. 406.—Bras.  
*Spruceana*, Cogn. l. c. 376.—Bras.  
*stenocarpa*, Cogn. l. c. 344.—Bras.  
*sulcata*, Cogn. l. c. 337.—Bras.  
*Thereminiana*, Cogn. l. c. 310.—Bras.  
*trichopoda*, Baill. Adansonia, xii. (1877) 75.—Bras.  
*tuberosa*, Cogn. in Mart. Fl. Bras. xiv. III. 395.—Bras.  
*urceolaris*, Cogn. l. c. 355.—Bras.  
*ursina*, Cogn. l. c. 351.—Bras.  
*Urvilleana*, Cogn. l. c. 358.—Bras.  
*Valtherii*, Cogn. l. c. 317.—Bras.  
*velutina*, Cogn. l. c. 350.—Bras.  
*versicolor*, Cogn. l. c. 405.—Bras.  
*verticillaris*, Cogn. l. c. 379.—Bras.  
*villosissima*, Cogn. l. c. 330.—Bras.  
*viminea*, Cogn. l. c. 359.—Bras.  
*virgata*, Cogn. l. c. 365.—Bras.  
*Weddellii*, Cogn. l. c. 311.—Bras.

**TIBUCHINA**, Jaume St. Hil. Expos. ii. 173 (1805) =  
 praec.

**TICANTO**, Adans. Fam. ii. 319 (1763) = **Caesalpinia**,  
 Linn. (Legumin.).  
*Nuga*, Medic. Theod. 52 = C. Nuga.

**TICOREA**, Aubl. Pl. Gui. ii. 689. t. 277 (1775).  
**RUTACEAE**, Benth. & Hook. f. i. 285.  
**OZOPHYLLUM**, Schreb. Gen. 452 (1791).  
*aculeata*, Blanco, Fl. Filip. ed. I. 85 = Leea aculeata.  
*foetida*, Aubl. Pl. Gui. ii. 689. t. 277.—Guian.  
*longiflora*, DC. in Mém. Mus. Par. ix. (1822) 146. t. 9.  
 —Guian.  
*nitida*, Presl, Symb. Bot. i. 28.—Am. austr.  
*pedicellata*, DC. in Mém. Mus. Par. ix. (1822) 145.  
 t. 8.—Guian.

**TICOREA**, A. St. Hil. in Bull. Soc. Philom. (1823) 132  
 = **Galipea**, Aubl. (Rutac.).  
*bracteata*, A. St. Hil. ex DC. Prod. i. 730 =  
 G. bracteata.  
*febrifuga*, A. St. Hil. in Mém. Mus. Par. x. (1823) 292  
 = G. multiflora.  
*jasmiflora*, A. St. Hil. in Bull. Soc. Philom. (1823)  
 132; et in Mém. Mus. Par. x. (1823) 291 =  
 G. multiflora.  
*simplicifolia*, A. St. Hil. ex DC. Prod. i. 730 =  
 G. simplicifolia.

**TIEDEMANNIA**, DC. Mém. Ombell. 51. t. 12 (1829);  
 et Prod. iv. 187 (1830) = **Peucedanum**, Tourn.  
 (Umbell.).  
*teretifolia*, DC. Prod. iv. 187 = P. teretifolium.

**TIEDMANNIA**, Torr. & Gray, Fl. N. Am. i. 630 (1840),  
 sphalm. = praec.

**TIGAREA**, Aubl. Pl. Gui. ii. 917. t. 350, 351 (1775) =  
**Doliocarpus**, Roland. (Dillen.).  
*aspera*, Aubl. l. c. 918 = Tetracera aspera.  
*dentata*, Aubl. l. c. 920 = D. Rolandri.

**TIGAREA**, Pursh, Fl. Am. Sept. i. 333. t. 15 (1814) =  
**Purshia**, DC. (Rosac.).  
*tridentata*, Pursh, l. c. = P. tridentata.

**TIGLIUM**, Klotzsch, in Nov. Act. Nat. Cur. xix. Suppl.  
 i. (1843) 418 = **Croton**, Linn. (Euphorb.).  
*Klotzschianum*, Wight, Ic. t. 1914 = C. caudatus.  
*officinale*, Klotzsch, in Nov. Act. Nat. Cur. xix. Suppl.  
 i. (1843) 418 = C. Tiglium.

**TIGRIDIA**, Juss. Gen. 57 (1789). *IRIDEAE*, Benth. & Hook. f. iii. 690.

**BEATONIA**, Herb. in Bot. Mag. sub t. 3779 (1840).

**PARDINIA**, Herb. in Lindl. Bot. Reg. (1844) Misc. 66, in obs., partim.

*atrata*, Baker, in Journ. Linn. Soc. xvi. (1877) 136.—Mexic.

*augusta*, Drapiez, in Van-Geel, Sert. Bot. iv. (1832) t. 131; et ex C. Morr. Hort. Belg. v. (1838) 279. t. 110.—Mexic.

*azurea*, Hort.—Cf. Fl. des Serres, ix. (1853-54) 139 = *Cypella plumbea*.

*coelestis*, Hort. Berol.—Cf. l. c. = *Cypella plumbea*.

*conchiflora*, Sweet, Brit. Flow. Gard. Ser. I. ii. t. 128 = *T. Pavonia*.

*curvata*, Baker, in Journ. Linn. Soc. xvi. (1877) 136.—Mexic.

*Dugesii*, S. Wats. in Proc. Am. Acad. xx. (1885) 375.—Mexic.

*grandiflora*, Salisb. in Trans. Hort. Soc. i. (1812) 309 = *T. Pavonia*.

*Herberti*, Herb. in Bot. Mag. t. 2599 = *Cypella Herberti*.

*Herbertiana*, Steud. Nom. ed. II. ii. 686 = *praec.*

*Houttei*, Roetzl, in Fl. des Serres, xxi. (1875) 49 (*Hydrotaenae* sp.).—Mexic.

*lutea*, Link, Klotzsch & Otto, Ic. Pl. Hort. Berol. 85. t. 34.—Chili; Peruv.

*oxyptala*, R. Morris, Fl. Conspic. t. 20 = *T. Pavonia*.

*Pavonia*, Ker-Gawl. in Kon. & Sims, Ann. Bot. i. (1804) 246; Pers. Syn. i. 50.—Mexic.

*speciosa*, Poit. in Rev. Hort. Sér. II. ii. (1843-44) 447 = *T. Pavonia*.

*Van-Houttei*, Roetzl, in Fl. des Serres, xxi. (1875) t. 2174 = *Houttei*.

*violacea*, Schied. & Schlecht. in Otto & Dietr. Allg. Gartenz. vi. (1838) 233.—Mexic.

**TILCO**, Adans. Fam. ii. 498 (1763) = **Fuchsia**, Plum. (Onagr.).

**TILCUSTA**, Rafin. Fl. Tellur. iv. 15 (1836) = **Tupistra**? Ker-Gawl. (Liliac.)

*nepalensis*, Rafin. l. c. = *Tupistra aurantiaca*?

**TILDENIA**, Miq. in Inst. Versl. en Med. 1842 (1843) 82 = **Peperomia**, Ruiz & Pav. (Piperac.).

*mexicana*, Miq. l. c. 83 = *P. mexicana*.

*peruviana*, Miq. in Nov. Act. Nat. Cur. xix. Suppl. i. (1843) 483 = *P. umbilicata*.

**TILESIA**, G. F. W. Mey. Prim. Fl. Esseq. 251 (1818) = **Wulfia**, Neck. (Compos.).

*capitata*, G. F. W. Mey. l. c. 254 = *W. stenoglossa*.

*spilanthoides*, Griseb. Cat. Pl. Cub. 154. (= *Calydermos spilanthoides*).—Cuba.

**TILESIA**, Thunb. ex Steud. Nom. ed. II. ii. 686 (1841), nomen = **Gladiolus**, Tourn. (Irid.).

*incarnata*, Thunb. ex Steud. l. c., nomen = *G. incarnatus*?

*spiralis*, Thunb. ex Steud. l. c., nomen = *G. tristis*.

**TILIA**, [Tourn.] Linn. Syst. ed. I (1735). **TILIA-CEAE**, Benth. & Hook. f. i. 236.

**LINDNERA**, Reichb. Handb. 303 (1837).

**TILIOIDES**, Medic. in Staatsw. Vorles. Churpf. Phys.-Oek. Ges. i. (1791) 213.

*acuminata*, Opiz, Seznam, 98 = *vulgaris*.

*affinis*, Opiz, Natural. n. xi. (1826) 461 = *platyphyllos*.

*alba*, Ait. Hort. Kew. ed. I. ii. 230.—Am. bor.

*alba*, Waldst. & Kit. Pl. Rar. Hung. i. 3. t. 3 = *tomentosa*.

*americana*, Duroi, Harbk. Baumz. ii. 467 = *alba*.

*americana*, Linn. Sp. Pl. 514.—Am. bor.

*angulata*, Hayne, ex Bayer, in Verh. Zool.-Bot. Ges. Wien, xii. (1862) 27 = *cordata*?

*angulata*, Hayne, ex Bayer, l. c. 33 = *platyphyllos*.

*apiculata*, Court. in Nouv. Mém. Acad. Brux. ix. (1835) n. vi. 15 = *platyphyllos*.

*argentea*, Bayer, in Verh. Zool.-Bot. Ges. Wien, xii. (1862) 48 = *mandshurica*.

*argentea*, DC. Cat. Hort. Monsp. (1813) 150 = *tomentosa*.

*asplenifolia*, Hort. ex Bayer, in Verh. Zool.-Bot. Ges. Wien, xii. (1862) 41 = *platyphyllos*.

*aurea*, Juengst. Fl. Westfalen, 194 = *platyphyllos*.

**TILIA** :—

*barbata*, Stokes, Bot. Mat. Med. iii. 201 = *platyphyllos*, *vulgaris*, *cordata*.

*begonifolia*, Stev. in Bull. Soc. Nat. Mosc. xxix. (1846) i. n. ii. 326, in textu = *rubra*.

*betulaefolia*, Hofm. ex Bayer, in Verh. Zool.-Bot. Ges. Wien, xii. (1862) 23 = *cordata*.

*bicuspidata*, Court. in Nouv. Mém. Acad. Brux. ix. (1835) n. vi. 13 = *platyphyllos*.

*bohémica*, Opiz, Seznam, 97, in syn. = *cordata*.

*bohémica*, Ortm. ex Nym. Consp. 131 = *platyphyllos*.

*bohémica*, Rupr. Fl. Cauc. 255, 299 = *cordata*?

*bracteolata*, Host, ex Bayer, in Verh. Zool.-Bot. Ges. Wien, xii. (1862) 25 = *cordata*.

*canadensis*, Michx. l. l. Bor. Am. i. 306 = *americana*.

*caroliniana*, Mill. Gard. Dict. ed. VIII. n. 4 = *americana*.

*caucasica*, Rupr. Fl. Cauc. 253 (spp. plurim.).

*cinerea*, Rafin. Alsog. Am. 46 (Quid?).—Am. bor.

*colchica*, Stev. ex Rupr. Fl. Cauc. 299 = *dasystyla*.

*communis*, Schimp. & Spenn. in Spenn. Fl. Friburg. iii. 875 = *platyphyllos*, *cordata*.

*corallina* Sm. in Rees, Cycl. xxxv. n. 2 = *platyphyllos*, *cordata*, Mill. Gard. Dict. ed. VIII. n. 1.—Europ.

*cordifolia*, Bess. Prim. Fl. Galic. i. 343 = *vulgaris*.

*corinthiaca*, Bosc, Nouv. Cours Agric. xiii. 139 = *rubra*.

*corylifolia*, Host, Fl. Austr. ii. 59 = *platyphyllos*.

*corymbosa*, Ortm. in Opiz, Nom. 25 = *platyphyllos*.

*crenata*, Rafin. Alsog. Am. 44 (Quid?).—Am. bor.

*dasystyla*, Loud. Arb. Brit. i. 366 = *euchlora*.

*dasystyla*, Stev. in Bull. Soc. Nat. Mosc. iv. (1832) i. 260.—Oriens.

*euchlora*, C. Koch, in Wochenschr. ix. (1866) 284; Ind. Sem. Hort. Berol. (1867) App. i. 9.—Hab.?

*europaea*, Linn. Sp. Pl. 514.—Cf. *platyphyllos*, *vulgaris*, *cordata*.

*flaccida*, Host, ex Bayer, in Verh. Zool.-Bot. Ges. Wien, xii. (1862) 46 = *platyphyllos*.

*flava*, Wolny, ex Rochel, Pl. Banat. Rar. 2, in textu = *platyphyllos*.

*flavescens*, A. Br. in Doell, Rhein. Fl. 672 = *americana*.

*flavescens*, Kit. in Linnaea, xxxii. (1868) 548 = *platyphyllos*?

*floribunda*, A. Br. in Doell, Rhein. Fl. 672 = *americana*.

*floribunda*, Reichb. Ic. Fl. Germ. vi. 58. t. 314 = *vulgaris*.

*foemina*, Bayer, in Verh. Zool.-Bot. Ges. Wien, xii. (1862) 24 = *cordata*.

*fulva*, Rafin. Alsog. Am. 45 (Quid?).—Am. bor.

*fuscata*, Rafin. l. c. 45 (Quid?).—Am. bor.

*glabra*, Vent. in Mém. Institut. Par. iv. An xi. [1803] 9. t. 2 = *americana*.

*glauca*, Rafin. Alsog. Am. 45 (Quid?).—Am. bor.

*glauca*, Schwein. ex Bayer, in Verh. Zool.-Bot. Ges. Wien, xii. (1862) 53 = *alba*.

*grandifolia*, Ehrh. Beitr. v. 158 = *platyphyllos*.

*grandifolia*, Hohen. in Bull. Soc. Nat. Mosc. vi. (1833) 236 = *rubra*.

*grandifolia*, Hort. ex Steud. Nom. ed. II. ii. 687 = *languida*.

*grata*, Salisb. Prod. 367 = *americana*.

*heterophylla*, Hort. ex C. Koch, Dendrol. i. 480 = *americana*.

*heterophylla*, Vent. in Mém. Institut. Par. iv. An xi. [1803] 16. t. 5 = *alba*.

*Hoffmanniana*, Opiz, Seznam, 97 = *cordata*.

*hollandica*, Duroi, ex Steud. Nom. ed. I. 837 = *americana*.

*hollandica*, Herb. Petrop. ex Bayer, in Verh. Zool.-Bot. Ges. Wien, xii. (1862) 30 = *cordata*.

*hollandica*, Hort. ex C. Koch, Dendrol. i. 471 = *platyphyllos*.

*Hostii*, Opiz, Seznam, 98 = *platyphyllos*.

*hybrida*, [Behlan, in] Bechst. Forsth. ed. V. 161 = *vulgaris*.

*inciso-dentata*, Hort. ex C. Koch, Dendrol. i. 480 = *americana*.

*intermedia*, DC. Prod. i. 513 = *vulgaris*.

*intermedia*, Host, Fl. Austr. ii. 61 = *platyphyllos*.

*intermedia*, Tenore, Fl. Nap. iv. 309 = *cordata*.

*laeta*, Salisb. Prod. 367.—Cf. *platyphyllos*, *vulgaris*, *cordata*.

*languida*, Hoffmgg. Verz. Pfl. Nachtr. ii. 220.—Hab.?

*latebracteata*, Host, Fl. Austr. ii. 60 = *cordata*.

*latifolia*, Hort. ex C. Koch, Dendrol. i. 472 = *platyphyllos*.

**TILIA** :—

*latifolia*, Salisb. Prod. 367 = *americana*.

*laxiflora*, Michx. Fl. Bor. Am. i. 306 = *americana*.

*laxiflora*, Pursh, Fl. Am. Sept. ii. 363 = *alba*.

*leptophylla*, Hort. Berol. ex Bayer, in Verh. Zool.-Bot. Ges. Wien, xii. (1862) 58 = *americana*.

*longifolia*, Rafin. Alsog. Am. 44 (Quid?).—Am. bor.

*lucida*, Hort. ex C. Koch, Dendrol. i. 472 = *platyphyllos*.

*macrocarpa*, Hort. ex C. Koch, l. c. 473 = *platyphyllos*.

*macrophylla*, Hort. ex Steud. Nom. ed. II. ii. 687 = *alba*.

*macrophylla*, Leveillé, in Demid. Voy. Russ. Mém. ii. 208 = *cordata*.

*macropoda*, Court. in Nouv. Mém. Acad. Brux. ix. (1835) n. vi. 10 = *platyphyllos*.

*mandshurica*, Rupr. in Bull. Phys.-Math. Acad. Pétersb. xv. (1856) 124.—Manchur.; Japon.

*mellita*, Presl, ex Bayer, in Verh. Zool.-Bot. Ges. Wien, xii. (1862) 36 = *platyphyllos*.

*mexicana*, Benth. Pl. Hartw. 35.—Mexic.

*mexicana*, Schlecht. in Linnaea, xi. (1837) 377 = *americana*.

*Michauxii*, Nutt. N. Am. Sylva, ed. II. i. 108 = *alba*.

*multiflora*, Vent. in Mém. Institut. Par. iv. An xi. [1803] 5. t. i. f. 1 = *cordata*.

*Miqueliana*, Maxim. in Bull. Acad. Pétersb. xxvi. (1880) 434.—Japon.

*mississippiensis*, Bosc, Encyc. Agric. vii. 748 = *americana*.

*mollis*, Spach, in Ann. Sc. Nat. Sér. II. ii. (1834) 336; Ortm. ex Opiz, Nom. 22 = *platyphyllos*.

*mongolica*, Maxim. in Bull. Acad. Pétersb. xxvi. (1880) 433.—Mongolia; China.

*multiflora*, Hort. ex Vent. in Mém. Institut. Par. iv. An xi. [1803] 12 = *americana*.

*multiflora*, Ledeb. Fl. Ross. i. 442 = *dasystyla*.

*mutabilis*, Host, Fl. Austr. ii. 60 = *platyphyllos*.

*neglecta*, Spach, in Ann. Sc. Nat. Sér. II. ii. (1834) 341 = *americana*.

*Nickerlii*, Opiz, ex Nym. Consp. 131 = *platyphyllos*.

*nigra*, Borkh. Handb. Forsth. ii. 1219 = *americana*.

*obliqua*, Opiz, Natural. n. xi. (1826) 462; Host, Fl. Austr. ii. 62 = *platyphyllos*.

*obliquifolia*, Ortm. ex Steud. Nom. ed. II. ii. 687 = *platyphyllos*.

*oblongata*, Court. in Nouv. Mém. Acad. Brux. ix. (1835) n. vi. 12 = *platyphyllos*.

*offinarum*, Crantz, Stirp. Austr. ed. I. fasc. ii. 61; ed. II. 96 = *europaea*.

*ovata*, Ortm. in Flora, xviii. (1835) 502 = *platyphyllos*.

*oxycarpa*, Reichb. ex Bayer, in Verh. Zool.-Bot. Ges. Wien, xii. (1862) 37 = *vulgaris*.

*pallida*, Salisb. Prod. 367 = *alba*.

*pallida*, Wierzb. ex Reichb. Ic. Fl. Germ. vi. 58. t. 513 = *platyphyllos*.

*pannonica*, Jacq. f. ex Bayer, in Verh. Zool.-Bot. Ges. Wien, xii. (1862) 48 = *petiolaris*.

*parviflora*, Boiss. Fl. Orient. i. 846, sphalm. = *seq.*

*parvifolia*, Ehrh. Beitr. v. 159; vii. 53 = *cordata*.

*pauciflora*, Hayne, Arn. Gew. iii. t. 48 = *platyphyllos*.

*peduncularis*, Delile, ex Bayer, in Verh. Zool.-Bot. Ges. Wien, xii. (1862) 58 = *alba*.

*pekinensis*, Rupr. ex Maxim. Prim. Fl. Amur. 469 = *mandshurica*.

*petiolaris*, DC. Prod. i. 514.—Hungar.

*pilosa*, Presl, ex Ortm. in Flora, xviii. (1835) 501 = *platyphyllos*.

*platyphylla*, C. A. Mey. Verz. Pfl. Cauc. 224 = *rubra*.

*platyphyllos*, Bieb. Fl. Taur. Cauc. ii. 6 = *dasystyla*.

*platyphyllos*, Scop. Fl. Carn. ed. II. i. 373.—Europ.

*platyptera*, Court. in Nouv. Mém. Acad. Brux. ix. (1835) n. vi. 11 = *platyphyllos*.

*Podhorsiana*, Andr. ex Trautv. in Act. Hort. Petrop. viii. (1883) 165, nomen.—Podolia.

*polyantha*, Schur, Enum. Pl. Transs. 131 = *cordata*.

*praecox*, A. Br. in Doell, Rhein. Fl. 673 = *americana*.

*praecox*, Host, Fl. Austr. ii. 60 = *platyphyllos*.

*Preslii*, Ortm. in Opiz, Nom. 24 = *platyphyllos*.

*pubescens*, Ait. Hort. Kew. ed. I. ii. 229 = *americana*.

*pubescens*, Hort. ex C. Koch, Dendrol. i. 472 = *platyphyllos*.

*pyramidalis*, Host, Fl. Austr. ii. 61 = *platyphyllos*.

*riparia*, Rafin. Alsog. Am. 45 (Quid?).—Am. bor.

*rotundifolia*, Vent. in Mém. Institut. Par. iv. An xi. [1803] 12. t. 4 = *tomentosa*.



**TILIA** :—

- rubra*, DC. *Cat. Hort. Monsp.* (1813) 150.—Tauria.  
*rugosa*, Host, ex Bayer, in Verh. Zool.-Bot. Ges. Wien, xii. (1862) 22 = cordata.  
*semicuneata*, Rupr. *Fl. Cauc.* 252, in textu.—Sibir.  
*septentrionalis*, Rupr. *Fl. Ingr.* i. 219 = cordata.  
*serratifolia*, Hort. ex C. Koch, Dendrol. i. 472 = platyphyllos.  
*sibirica*, Bayer, in Verh. Zool.-Bot. Ges. Wien, xii. (1862) 23 = cordata.  
*speciosa*, Hort. ex C. Koch, Dendrol. i. 472 = platyphyllos.  
*spectabilis*, Host, ex Bayer, in Verh. Zool.-Bot. Ges. Wien, xii. (1862) 42 = platyphyllos.  
*sphaerocarpha*, Hort. ex C. Koch, Dendrol. i. 473 = platyphyllos.  
*stenopetala*, Rafin. *Fl. Ludov.* 92 = americana?  
*stipulata*, Gilib. *Exercit.* i. 329 = platyphyllos, vulgaris, cordata.  
*sylvestris*, Desf. *Tabl. ed. I.* 152 = cordata.  
*Teckiana*, Bayer, in Verh. Zool.-Bot. Ges. Wien, xii. (1862) 25 = cordata.  
*tenuifolia*, Host, *Fl. Austr.* ii. 61 = platyphyllos.  
*tomentosa*, Moench, *Verzeich.* 137.—Europ.  
*translucens*, Opiz, ex Nym. *Consp.* 131 = platyphyllos.  
*triflora*, Puerari, in Hornem. Hort. Hafn. 493 = rubra.  
*triflora*, Schrad. ex Bayer, in Verh. Zool.-Bot. Ges. Wien, xii. (1862) 40 = platyphyllos.  
*truncata*, Spach, in Ann. Sc. Nat. Sér. II. ii. (1834) 342 = americana.  
*Tulekii*, Opiz, in Lotos, iv. (1854) 103 = platyphyllos.  
*turbinata*, Hort. ex C. Koch, Dendrol. i. 473 = platyphyllos.  
*ulmifolia*, Scop. *Fl. Carn. ed. II.* i. 373 = cordata.  
*umbellata*, Rafn. Alsog. Am. 46 (Quid?).—Am. bor.  
*variegata*, Hort. ex C. Koch, Dendrol. i. 472 = platyphyllos.  
*vitifolia*, Host, *Fl. Austr.* ii. 59 = platyphyllos.  
*vulgaris*, Heyne, *Arzn. Gew.* iii. t. 47.—Europ.

**TILIACORA**, Colebr. in Trans. Linn. Soc. xiii. (1822) 53. *MENISPERMACEAE*, Benth. & Hook. f. i. 36.  
*BAGALATTA*, Roxb. ex Reichb. *Consp.* 86 (1828).  
*BRAUNEA*, Willd. *Sp. Pl.* iv. 797 (1805), ex parte.  
*abnormalis*, Miers, *Contrib.* iii. 78 = racemosa.  
*acuminata*, Miers, in Ann. & Mag. Nat. Hist. Ser. II. vii. (1851) 39 = racemosa.  
*cuspidiformis*, Miers, l. c. Ser. III. xiv. (1864) 254; *Contrib.* iii. 77 = racemosa.  
*fraternaria*, Miers, *Contrib.* iii. 77 = racemosa.  
*funifera*, Oliver, *Fl. Trop. Afr.* i. 44.—Afr. trop.  
*racemosa*, Colebr. in Trans. Linn. Soc. xiii. (1822) 67.—Ind. or.; Java.

**TILINGIA**, Regel & Tiling, in Nouv. Mém. Soc. Nat. Mosc. xi. (1859) 97 = *Selinum*, Linn. (Umbell.).  
*ajanensis*, Regel & Tiling, l. c.—Sibir. or.

**TILIOIDES**, Medic. in Staatsw. Vorles. Churpf. Phys.-Oek. Ges. i. (1791) 213 = *Tilia*, Tourn.

**TILLAEA**, Mich. ex Linn. *Syst. ed. I* (1735).  
*CRASSULACEAE*, Benth. & Hook. f. i. 657.  
*BULLIARDA*, DC. in Bull. Soc. Philom. iii. (1801) n. 49. l.  
*COMBESIA*, A. Rich. *Tent. Fl. Abyss.* i. 307 (1847).  
*DISPOROCARPA*, A. Rich. l. c. 307, in syn. (1847).  
*HELOPHYTUM*, Eckl. & Zeyh. *Enum.* 288 (1836).  
*MESANCHUM*, Dulac, *Fl. Hautes-Pyr.* 320 (1867).  
*abyssinica*, Walp. *Ann.* ii. 666 = aquatica.  
*ascendens*, Nees, in Lehm. *Pl. Preiss.* i. 277 = Sieberiana.  
*alata*, Viv. *Pl. Egypt.* Dec. 16 = pharnaceoides.  
*alsinoides*, Hook. f. in *Journ. Linn. Soc.* vii. (1864) 192.—Afr. trop.  
*andicola*, Phil. in *Anal. Univ. Chil.* (1872) 720.—Chili.  
*angustifolia*, Nutt. in *Torr. & Gray, Fl. N. Am.* i. 558.—Am. bor.  
*aquatica*, Lam. *Illustr.* i. 361 = Vaillantii.  
*aquatica*, Linn. *Sp. Pl.* 128.—Europ.; Afr. trop.  
*aquatica*, Schkuhr, in Usteri, *Ann. Bot.* ii. (1791) 21 = prostrata.  
*ascendens*, Eaton, *Man. Bot. N. Am. ed. V.* 419 = simplex, Nutt.  
*brevifolia*, Walp. *Rep.* ii. 251.—Afr. austr.  
*capensis*, Linn. *f. Suppl.* 129.—Afr. austr.  
*chiloensis*, C. Gay, *Fl. Chil.* ii. 532.—Chili.

**TILLAEA** :—

- Closiana*, C. Gay, *Fl. Chil.* ii. 531.—Chili.  
*colorata*, Nees, in Lehm. *Pl. Preiss.* i. 277 = Sieberiana.  
*connata*, Ruiz & Pav. *Fl. Per.* i. 70.—Ecuador; Peruv.  
*cyathiformis*, Steud. *Nom. ed. II.* ii. 687, sphalm. = *Tillandsia cyathiformis*.  
*cymosa*, Nutt. *Gen. Am.* i. 110 = *Diamorpha pusilla*.  
*debilis*, Colenso, ex Hook. f. *Fl. N. Zel.* i. 75.—N. Zel.  
*decumbens*, Willd. *Sp. Pl.* i. 721.—Afr. austr.  
*diffusa*, Willd. ex Steud. *Nom. ed. II.* ii. 687 = connata.  
*Drummondii*, Torr. & Gray, *Fl. N. Am.* i. 558.—Am. bor.  
*Ecklonis*, Walp. *Rep.* ii. 251.—Afr. austr.  
*elatinoides*, Walp. l. c.—Afr. austr.  
*erecta*, DC. *Prod.* iii. 406, in syn. = *Sedum caespitosum*.  
*erecta*, Hook. & Arn. *Bot. Beech. Voy.* 24 = minima.  
*filiformis*, Endl. ex Walp. *Rep.* ii. 252.—Afr. austr.  
*fluitans*, Endl. l. c.—Afr. austr.  
*Hamiltonii*, T. Kirk, ex W. Ham. in *Trans. N. Z. Inst.* xvii. (1885) 292.—N. Zel.  
*hexandra*, Lapiere, in *Journ. Phys.* lvi. (1802) 358 = *Elatine hexandra*.  
*inanis*, Steud. *Nom. ed. II.* ii. 687 = capensis.  
*intricata*, Nees, in Lehm. *Pl. Preiss.* i. 278 = recurva.  
*leptopetala*, Benth. *Pl. Hartw.* 310 = minima.  
*macrantha*, Hook. f. in Hook. *l. c.* t. 310.—Austral.  
*magellanica*, Willd. ex Schult. *Mant.* iii. 345.—Reg. Magellan.  
*minima*, Miers, *Trav.* ii. 530, nomen; et ex Hook. & Arn. in Hook. *Bot. Misc.* iii. (1833) 338.—Chili; Calif.  
*moschata*, DC. *Prod.* iii. 382.—N. Zel.; Ins. Antarct.; Chili.  
*muscosa*, Forst. f. *Prod.* 11 = Sieberiana.  
*muscosa*, C. Gay, *Pl. Chil.* ii. 529 = minima.  
*muscosa*, Linn. *Sp. Pl.* 129.—Europ.; Afr. bor.  
*Ovallei*, Phil. in *Anal. Univ. Chil.* (1872) 719.—Chili.  
*paludosa*, Schlecht. in *Lechl. Berb. Am. Austr.* 54.—Chili.  
*pedicellulosa*, F. Muell. *Fragm.* xi. 118, in obs.—Austral.  
*peduncularis*, Sm. in *Rees, Cycl.* xxxv. n. 4.—Bras.  
*pedunculata*, Sieber, ex DC. *Prod.* iii. 382 = Sieberiana.  
*pedunculata*, Willd. ex Schult. *Mant.* iii. 345.—Lusitan.  
*pentandra*, Royle, *Illustr. Bot. Himal.* 222, nomen; et ex Edgew. in *Trans. Linn. Soc.* xx. (1846) 50.—Ind. or.; Afr. trop.  
*perfoliata*, Linn. *f. Suppl.* 129 = capensis.  
*pharnaceoides*, Hochst. ex Steud. *Nom. ed. II.* ii. 687, nomen; et ex Britten, in Oliver, *Fl. Trop. Afr.* ii. 387.—Afr. trop.  
*prostrata*, Schkuhr, in Usteri, *Ann. Bot.* xii. (1794) 6.—Europ.?  
*purpurata*, Hook. f. in Hook. *Lond. Journ. Bot.* vi. (1847) 472.—Austral.  
*radicans*, Phil. in *Anal. Univ. Chil.* (1872) 718.—Chili.  
*recurva*, Hook. f. *Fl. Tasman.* i. 146.—Austral.  
*reflexa*, Endl. ex Walp. *Rep.* ii. 252.—Afr. austr.  
*rubella*, Blanco, *Fl. Filip.* ed. I. 75 = *Bergia ammannioides*.  
*rubescens*, H. B. & K. *Nov. Gen. et Sp.* vi. 43 = connata.  
*rubra*, Linn. *Sp. Pl.* 129; Gouan, *Hort. Monsp.* 77 = *Sedum caespitosum*.  
*saginoides*, Maxim. in *Bull. Acad. Pétersb.* xxvi. (1880) 473.—Soongar.  
*Sieberi*, Steud. *Nom. ed. II.* ii. 687, sphalm. = seq.  
*Sieberiana*, Schult. *Mant.* iii. 345.—Am. austr.; Austral.; N. Zel.  
*simplex*, Nutt. in *Journ. Acad. Philad.* i. (1817) 114.—Am. bor.  
*simplex*, Phil. in *Anal. Univ. Chil.* (1872) 719.—Chili.  
*Sinclairii*, Hook. f. *Handb. N. Zeal. Fl.* 62.—N. Zel.  
*Solierii*, C. Gay, *Fl. Chil.* ii. 530.—Chili.  
*subulata*, Benth. & Hook. f. *Gen.* i. 658, in obs.—Afr. trop. et austr.  
*trichopoda*, Fenzl, ex Boiss. *Fl. Orient.* ii. 767 = pharnaceoides.

**TILLAEA** :—

- trichotoma*, Walp. *Rep.* ii. 251.—Afr. austr.  
*umbellata*, Willd. *Sp. Pl.* i. 721 = *Crassula umbellata*.  
*Vaillantii*, Willd. l. c. 720.—Europ.; Afr. bor.  
*verticillaris*, DC. *Prod.* iii. 382 = Sieberiana.  
*verticillaris*, Hook. *l. c.* t. 295 = recurva.  
*verticillata*, Steud. *Nom. ed. II.* ii. 687, sphalm. = Sieberiana.

**TILLANDSIA**, Linn. *Syst. ed. I* (1735). *BROMELIACEAE*, Benth. & Hook. f. iii. 669.

- ACANTHOSPORA*, Spreng. *Anleit.* ii. i. 255 (1817); *Syst.* ii. 25 (1825).  
*ALLARDIA*, A. Dietr. in Otto & Dietr. *Allg. Gartenz.* xx. (1852) 241.  
*AMALIA*, Hort. *Hisp. ex Endl. Gen.* 183 (1837).  
*ANOPLOPHYTUM*, Beer, in *Flora*, xxxvii. (1854) 346.  
*BONAPARTEA*, Ruiz & Pav. *Fl. Per.* iii. 38 (1802).  
*DENDROPOGON*, Rafin. *Neogenyt.* 3 (1825).  
*DIAPHORANTHEMA*, Beer, in *Flora*, xxxvii. (1854) 349; *Bromel.* 153 (1857).  
*HEXALEPIS*, Rafin. *Fl. Tellur.* iv. 24 (1836).  
*MISANDRA*, F. G. Dietr. *Vollst. Lexik. Gaertn. Nachtr.* v. 102 (1819).  
*PHYTARRHIZA*, Vis. in *Mem. Ist. Venet.* v. (1855) 340.  
*PITYROPHYLLUM*, Beer, *Bromel.* 79 (1857).  
*PLATYSTACHYS*, C. Koch, *Ind. Sem. Hort. Berol.* (1854) App. 11; et Beer, *Bromel.* 80 (1857).  
*RENEALMIA*, Linn. *Gen. ed. I.* 340 (1737).  
*STREPISIA*, Steud. *Nom. ed. II.* ii. 645 (1841).  
*VRIESIA*, Lindl. *Bot. Reg.* (1848) t. 10.  
*WALLISIA*, E. Morr. in Belg. *Hortic.* xx. (1870) 97. t. 5.  
*acaulis*, Lindl. *Bot. Reg.* t. 1157 = *Cryptanthus undulatus*.  
*acoriifolia*, Griseb. in *Goett. Nachr.* (1864) 19.—N. Granat.  
*acutifolia*, Hort. *Angl. ex Link, Enum. Hort. Berol.* i. 308, nomen (Quid?).—Hab.?  
*aëranthos*, Desf. ex Steud. *Nom. ed. II.* ii. 687 = *dianthoidea*.  
*aloides*, Schlecht. & Cham. in *Linnaea*, vi. (1831) 55.—Mexic.  
*aloifolia*, Hook. *Exot. Fl.* t. 205 = flexuosa.  
*amoena*, Lodd. *Bot. Cab.* t. 76 = *Billbergia speciosa*.  
*anceps*, Lodd. l. c. t. 771.—Ins. Trinit.  
*andicola*, Gill. ex Baker, in *Journ. Bot.* xvi. (1878) 239.—Chili.  
*angustifolia*, Sw. *Prod. Veg. Ind. Occ.* 57.—Ind. occ.; Am. trop.  
*apicroides*, Schlecht. & Cham. in *Linnaea*, vi. (1831) 55.—Mexic.  
*argentea*, Griseb. *Cat. Pl. Cub.* 254.—Cuba.  
*argentea*, C. Koch & J. Versch. in C. Koch, *Wochenschr.* xi. (1868) 163 = *tectorum*.  
*augusta*, Vell. *Fl. Flum.* 135; iii. t. 135 = *Aechmea augusta*.  
*aurantiaca*, Griseb. in *Goett. Nachr.* (1864) 16.—Am. trop.  
*axillaris*, Griseb. *Fl. Brit. W. Ind.* 597 = complanata.  
*azurea*, Presl, *Rel. Haenk.* i. 124.—Peruv.  
*Balbiana*, Schult. *f. Syst.* vii. II. 1212.—Ind. occ.  
*Bartrami*, Nutt. in *Am. Journ. Sc.* Ser. I. v. (1822) 292 = *utriculata*.  
*Bartramii*, Ell. *Sketch*, i. 379 = recurvata, setacea.  
*Benthamiana*, Klotzsch, ex Beer, *Bromel.* 263, nomen.—Mexic.  
*Berteroniana*, Schult. *f. Syst.* vii. II. 1221 = *Catopsis nutans*.  
*bicolor*, Brongn. in Duperr. *Voy. Coq. Bot.* 185. t. 36 = stricta.  
*biflora*, Ruiz & Pav. *Fl. Per.* iii. 41.—Peruv.  
*bivittata*, Linden, *Cat. n.* 17 (1862) 7; et Regel, *Gartenfl.* xiv. (1865) 2 = *Cryptanthus bivittatus*.  
*brachycaulos*, Schlecht. in *Linnaea*, xviii. (1844) 422.—Mexic.  
*bracteata*, Chapm. *Fl. S. U. St.* 471 = fasciculata.  
*bracteata*, Vell. *Fl. Flum.* 132; iii. t. 125 = *Aechmea fasciata*?  
*bracteosa*, Klotzsch, ex Beer, *Bromel.* 263.—Ins. S. Doming.  
*breviscapa*, A. Rich. *Fl. Cub. Fanerog.* ii. 265 = pruinosa.  
*bromeliaefolia*, Rudge, *Pl. Gui.* 32. t. 50 = *Aechmea bromeliaefolia*.  
*bryoides*, Griseb. in *Goett. Abh.* xxiv. (1879) 334.—Reg. Argent.  
*bulbosa*, Hook. *Exot. Fl.* t. 173.—Am. trop.  
*caerulea*, H. B. & K. *Nov. Gen. et Sp.* i. 291.—Mexic.

## TILLANDSIA:—

- caespitosa*, Gill. ex Baker, in Journ. Bot. xvi. (1878) 238 = retorta.  
*caespitosa*, Le Conte, in Ann. Lyc. N. York, ii. (1828) 181 = setacea.  
*caespitosa*, Schlecht. & Cham. in Linnaea, vi. (1831) 54.—Mexic.  
*calamifolia*, Salisb. in Trans. Hort. Soc. i. (1812) 270 = setacea.  
*calothyrsus*, Poepp. ex Beer, Bromel. 263, nomen.—Peruv.  
*canescens*, Sw. Prod. Veg. Ind. Occ. 57.—Jamaic.; Mexic.  
*capillaris*, Ruiz & Pav. Fl. Per. iii. 42.—Peruv.  
*capitata*, Griseb. Cat. Pl. Cub. 255.—Cuba.  
*capituligera*, Griseb. l. c. 254.—Cuba.  
*Caput-Medusae*, E. Morr. in Belg. Hort. xxx. (1880) 90.—Mexic.  
*Caraguata*, D. Dietr. Syn. Pl. ii. 1059 = Caraguata Berteroniana.  
*cinerascens*, Willd. ex Schult. f. Syst. vii. II. 1218 = disticha.  
*circinalis*, Griseb. in Goett. Abh. xix. (1874) 272 = Duratii.  
*circinnata*, Schlecht. in Linnaea, xviii. (1844) 430 = streptophylla.  
*citrina*, Burch. ex Baker, in Journ. Bot. xvii. (1879) 235.—Bras.  
*clavata*, D. Dietr. Syn. Pl. ii. 1060 = Caraguata lingulata.  
*clavata*, Lam. Encyc. i. 617 = Guzmanian tricolor.  
*coarctata*, Gill. ex Baker, in Journ. Bot. xvi. (1878) 236 = bryoides.  
*coarctata*, Willd. ex Schult. f. Syst. vii. II. 1217 = floribunda.  
*coerulea*, Auct. = caerulea.  
*comata*, Vell. Fl. Flum. 136; iii. t. 140.—Bras.  
*Commelyna*, E. Morr. in Belg. Hort. xx. (1870) 97 = Hamaleana.  
*comosa*, Griseb. Fl. Brit. W. Ind. 598, 775 (Index) = Guzmanian tricolor.  
*compacta*, Griseb. in Goett. Nachr. (1864) 18.—Venezuela.  
*complanata*, Benth. Bot. Voy. Sulph. 173.—N. Granat.  
*complanata*, E. Morr. in Belg. Hort. xxii. (1872) 300. t. 23 = xiphostachys.  
*compressa*, Bert. ex Schult. f. Syst. vii. II. 1210.—Jamaic.  
*compressa*, Gill. ex Baker, in Journ. Bot. xvi. (1878) 240 = Gilliesii.  
*concentrica*, Vell. Fl. Flum. 134; iii. t. 133 (Nidularii sp.).—Bras.  
*conspecta*, Miq. in Linnaea, xviii. (1844) 376.—Guian.  
*corallina*, C. Koch, Ind. Sem. Hort. Berol. (1873) App. iv. 5.—Bras.  
*cordobensis*, Hieron. Ic. Pl. Argent. 10 = recurvata.  
*crinita*, Willd. ex Beer, Bromel. 152 = usneoides.  
*cyanea*, E. Morr. in Belg. Hort. xxix. (1879) 297.—Guatemala.  
*cyathiformis*, Vell. Fl. Flum. 137; iii. t. 144 (Canistri sp.).—Bras.  
*decumbens*, Forsk. Fl. Aegypt. Arab. 72 = Cyanotis papilionacea.  
*Deppeana*, Steud. Nom. ed. II. ii. 688.—Mexic.  
*Devillea*, Steud. l. c. = Caraguata Berteroniana.  
*dianthoidea*, Rossi, Cat. Pl. Hort. Madoet. 79. t. 1.—Bras.  
*discolor*, Hort. ex Antoine, Bromel. 43 = Karatas purpurea.  
*dissitiflora*, Wright, in Sauv. Fl. Cub. 168.—Cuba.  
*distachia*, Vell. Fl. Flum. 136; iii. t. 141 (Bilbergiae sp.).—Bras.  
*distachya*, Baker, in Gard. Chron. (1880) i. 200.—Honduras.  
*disticha*, H. B. & K. Nov. Gen. et Sp. i. 292.—Peruv.  
*disticha*, Willd. ex Schult. f. Syst. vii. II. 1226 = heliconioides.  
*divaricata*, Benth. Bot. Voy. Sulph. 174.—Ecuador.  
*Duratii*, Vis. in Nuovi Sagg. Padov. v. (1841) 271.—Am. trop.  
*Ehrenbergiana*, Hemsl. Biol. Centr. Am. Bot. iii. 320.—Mexic.  
*Ehrenbergii*, Klotzsch, ex Beer, Bromel. 264, nomen.—Mexic.  
*elongata*, H. B. & K. Nov. Gen. et Sp. i. 293.—N. Granat.

VOL. II.

## TILLANDSIA:—

- eminens*, Lindl. & Paxt. Flow. Gard. i. (1850–51) 160 = bulbosa.  
*ensiformis*, Vell. Fl. Flum. 133; iii. t. 129.—Bras.  
*erecta*, Gill. ex Baker, in Journ. Bot. xvi. (1878) 239.—Chili.  
*erubescens*, Schlecht. in Linnaea, xviii. (1844) 427.—Mexic.  
*erubescens*, H. Wendl. in Otto & Dietr. Allg. Gartenz. xxii. (1854) 153 = ionantha.  
*erythraea*, Lindl. & Paxt. Flow. Gard. i. (1850–51) 160 = bulbosa.  
*excelsa*, Griseb. Cat. Pl. Cub. 254 = dissitiflora.  
*excelsa*, Griseb. Fl. Brit. W. Ind. 597.—Ind. occ.  
*exsudans*, Desf. Cat. Hort. Par. ed. III. 50 = Aechmea exsudans.  
*farinosa*, Hort. ex Schult. f. Syst. vii. II. 1229, nomen (Quid?).—Hab.?  
*fasciculata*, Sw. Prod. Veg. Ind. Occ. 56.—Am. bor.; Ind. occ.  
*Fendleri*, Griseb. in Goett. Nachr. (1864) 17.—Venezuela.  
*fenestralis*, Hort.—Cf. Gard. Chron. (1878) i. 440.—Hab.?  
*filifolia*, Schlecht. & Cham. in Linnaea, vi. (1831) 53.—Mexic.  
*filiformis*, Lodd. ex Schult. f. Syst. vii. 1229 = usneoides?  
*flavescens*, Mart. & Gal. in Bull. Acad. Brux. x. II. (1843) 118 = vestita.  
*flexuosa*, Sw. Prod. Veg. Ind. Occ. 56.—Am. trop.  
*floribunda*, Durat. ex Vis. in Nuovi Sagg. Padov. v. (1841) 271 = Duratii.  
*floribunda*, H. B. & K. Nov. Gen. et Sp. i. 292.—Peruv.  
*foliosa*, Griseb. Fl. Brit. W. Ind. 597.—Am. trop.  
*foliosa*, Mart. & Gal. in Bull. Acad. Brux. x. II. (1843) 119.—Mexic.  
*fusca*, Baker, in Journ. Bot. xvi. (1878) 240.—Peruv.  
*Gardneri*, Lindl. Bot. Reg. (1842), sub t. 63.—Bras.  
*geminiflora*, Brongn. in Duperr. Voy. Coq. Bot. 186.—Bras.  
*gigantea*, Griseb. Fl. Brit. W. Ind. 597 = T. Regina.  
*gigantea*, Mart. ex Schult. f. Syst. vii. II. 1224.—Bras.  
*gigantea*, Ruchinger, Cat. (1876) = Duratii.  
*Gilliesii*, Baker, in Journ. Bot. xvi. (1878) 240.—Chili.  
*gladioliflora*, H. Wendl. in Hamb. Gartenz. xix. (1863) 31.—Am. centr.  
*globosa*, Wawra, in Oestr. Bot. Zeitschr. xxx. (1880) 222.—Bras.  
*glutinosa*, Mart. ex Schult. f. Syst. vii. II. 1225.—Bras.  
*gracilis*, Griseb. in Goett. Nachr. (1864) 17 = procera.  
*gracilis*, Hort. ex Sweet, Hort. Brit. ed. II. 536, nomen (Quid?).—Ind. occ.  
*grandis*, Schlecht. in Linnaea, xviii. (1844) 424.—Mexic.  
*Hamaleana*, E. Morr. in Belg. Hort. xx. (1870) 97.—Ecuador.  
*haplostachya*, Wright, in Sauv. Fl. Cub. 169.—Cuba.  
*havanensis*, Beer, Bromel. 85 = fasciculata.  
*heliconioides*, H. B. & K. Nov. Gen. et Sp. i. 293.—N. Granat.  
*heptandra*, Poir. Encyc. vii. 671, sphalm. = seq.  
*heptantha*, Ruiz & Pav. Fl. Per. iii. 41.—Peruv.  
*heterophylla*, E. Morr. in Belg. Hort. xxiii. (1873) 138 = virginialis.  
*hieroglyphica*, Bull. ex E. Morr. in Belg. Hort. xxxv. (1885) 57, in syn.—Bras.  
*humilis*, Presl, Rel. Haenk. i. 125.—Chili.  
*imbricata*, Vell. Fl. Flum. 134; iii. t. 131.—Bras.  
*inanis*, Lindl. & Paxt. Flow. Gard. i. (1850–51) 159 = bulbosa.  
*incana*, Gill. ex Baker, in Journ. Bot. xvi. (1878) 238 = virescens.  
*incana*, Wawra, in Oestr. Bot. Zeitschr. xxx. (1880) 223 = Gardneri.  
*incarnata*, H. B. & K. Nov. Gen. et Sp. i. 291.—Am. trop.  
*incurva*, Griseb. in Goett. Nachr. (1864) 15.—Venezuela.  
*incurvata*, Wright, in Sauv. Fl. Cub. 169 = Deppeana.  
*ionantha*, Planch. in Fl. des Serres, x. (1854–55) 101. t. 1006.—Mexic.  
*ixioides*, Griseb. in Goett. Abh. xxiv. (1879) 333.—Reg. Argent.

## TILLANDSIA:—

- Jonghei*, C. Koch, Wochenschr. xi. (1868) 91.—Bras.  
*juncea*, Poir. Encyc. Suppl. v. 309; Le Conte, in Ann. Lyc. N. York, ii. (1828) 130 = setacea.  
*juncea*, Willd. ex Steud. Nom. ed. II. ii. 688 = Agave geminiflora.  
*juncifolia*, Regel, Gartenfl. (1874) 321 = setacea.  
*Karwinskyana*, Schult. f. Syst. vii. II. 1209.—Mexic.  
*Kunthiana*, Gaudich. Bot. Voy. Bonite, t. 53.—Mexic.  
*laevis*, Vell. Fl. Flum. 133; iii. t. 126 = Pitcairnia australis?  
*Landbeckii*, Phil. in Linnaea, xxxiii. (1864–65) 248 = recurvata.  
*lanuginosa*, Gill. ex Baker, in Journ. Bot. xvi. (1878) 237 = propinqua.  
*latifolia*, Meyen, Reise, ii. 45.—Peruv.  
*laxa*, Griseb. Fl. Brit. W. Ind. 596 = Valenzuelana.  
*laxa*, Griseb. in Goett. Nachr. (1864) 18.—Ind. occ.; Venezuela.  
*Leiboldiana*, Schlecht. in Linnaea, xviii. (1844) 414.—Mexic.  
*Lescaillei*, Wright, in Sauv. Fl. Cub. 167.—Cuba.  
*ligulata*, Schult. f. Syst. vii. II. 1220 = utriculata.  
*limbata*, Schlecht. in Linnaea, xviii. (1844) 419 = flexuosa.  
*Lindenii*, Regel, Ind. Sem. Hort. Petrop. 1868 (1869) 92; E. Morr. in Belg. Hort. xix. (1869) 321, cum ic.—Peruv.  
*Lindeniana*, Regel, Gartenfl. (1869) 193 = praec.  
*linearis*, Vell. Fl. Flum. 133; iii. t. 128.—Bras.  
*lingulata*, Bartr. Trav. ed. II. (1794) 59 = utriculata.  
*lingulata*, Linn. Sp. Pl. 286 = Caraguata lingulata.  
*loliacea*, Mart. ex Schult. f. Syst. vii. II. 1204.—Bras.  
*longibracteata*, Meyen, Reise, ii. 45 = purpurea.  
*Lorentziana*, Griseb. in Goett. Abh. xix. (1874) 271.—Reg. Argent.  
*lorifolia*, Lem. in Fl. des Serres, ii. (Mai, 1846) sub t. 4.—Bras.  
*macrocnemis*, Griseb. in Goett. Abh. xxiv. (1879) 332 = xiphioides.  
*macrostachya*, Klotzsch, ex Beer, Bromel. 264, nomen = polystachya.  
*maculata*, Ruiz & Pav. Fl. Per. iii. 40.—Peruv.  
*Malzinei*, Baker, in Kew Gard. Rep. (1878) 59.—Mexic.  
*monostacha*, Linn. Sp. Pl. ed. II. 410 = Guzmanian tricolor.  
*monostachya*, Bartr. Trav. ed. II. (1794) 59 = recurvata, setacea, utriculata.  
*monostachys*, Gill. ex Baker, in Journ. Bot. xvi. (1878) 239 = recurvata.  
*Morelliana*, Hort. ex Henfrey, in Moore & Ayres, Gard. Mag. Bot. iii. (1851) 33 = Billbergia vittata.  
*Moritziana*, Klotzsch, ex Beer, Bromel. 265, nomen.—Venezuela.  
*Morreniana*, Regel, Gartenfl. (1870) 41 = Lindenii.  
*mosaica*, Hort.—Cf. Gard. Chron. (1874) II. 49 = mosaica.  
*mucronata*, Griseb. in Goett. Nachr. (1864) 20.—Venezuela.  
*multicaulis*, Steud. Nom. ed. II. ii. 688 = caespitosa.  
*multiflora*, Benth. Bot. Voy. Sulph. 174.—Ecuador.  
*musaica*, Linden & André, in Illustr. Hort. xx. (1873) 171 = Caraguata mosaica.  
*myosura*, Griseb. in Goett. Abh. xxiv. (1879) 333.—Reg. Argent.  
*Nappii*, Lor. & Niederl. in Roca, Exped. Rio-Negro, ii. 282.—Patagon.  
*narthecioides*, Presl, Rel. Haenk. i. 125.—Ecuador.  
*nitida*, Hook. Exot. Fl. t. 218 = Catopsis nitida.  
*nutans*, Sw. Prod. Veg. Ind. Occ. 56 = Catopsis nutans.  
*Nuttalliana*, Schult. f. Syst. vii. II. 1220 = utriculata.  
*obscura*, Lodd. ex G. Don, in Loud. Hort. Brit. 119, nomen (Quid?).—Am. austr.  
*Osyana*, Hort. Belg. ex C. Koch, in Belg. Hort. xii. (1862) 127.—Hab.?  
*paleacea*, Presl, Rel. Haenk. i. 125.—Chili.  
*paniculata*, Linn. Sp. Pl. ed. II. 410.—Ins. S. Doming.  
*paniculata*, Schlecht. & Cham. in Linnaea, vi. (1831) 54 = Deppeana.  
*parviflora*, Ruiz & Pav. Fl. Per. iii. 41.—Peruv.  
*patens*, Willd. ex Schult. f. Syst. vii. II. 1229 = flexuosa.  
*paucifolia*, Baker, in Gard. Chron. (1878) II. 748 = bulbosa.  
*pendula*, Thunb. ex Gaertn. f. Fruct. iii. 13.—Hab.?  
*penduliflora*, Griseb. Fl. Brit. W. Ind. 597.—Ins. Dominic.

6 Y

**TILLANDSIA** :—

- pinifolia*, Le Conte, in Ann. Lyc. N. York, ii. (1828) 131 = setacea.  
*pitiphylla*, Mart. ex Schult. f. Syst. vii. II. 1208 = pulchra.  
*platynema*, Griseb. in Goett. Nachr. (1864) 19.—Am. trop.  
*pleiosticha*, Griseb. l. c.—Venezuela.  
*polystachia*, Linn. Sp. Pl. ed. II. 410.—Ind. occ.  
*polystachia*, Vell. Fl. Flum. 136; iii. t. 138 = Aechmea brasiliensis.  
*polystachya*, Jacq. ex Griseb. Fl. Brit. W. Ind. 595 = fasciculata.  
*polystachya*, Muhl. Cat. ed. I. 34 = utriculata.  
*polytrichoides*, E. Morr. in Belg. Hort. xxx. (1880) 240 = bryoides.  
*procera*, Mart. ex Schult. f. Syst. vii. II. 1224.—Bras.  
*propinqua*, C. Gay, Fl. Chil. vi. 15.—Chili.  
*pruinosa*, Sw. Fl. Ind. Occ. i. 594.—Ind. occ.; Venezuela.  
*Pseudo-ananas*, Blanco, Fl. Filip. ed. I. 853 = Freycinetia insignis.  
*psittacina*, Hook. Bot. Mag. t. 2841.—Bras.  
*pulchella*, Hook. Exot. Fl. ii. t. 154 = seq.  
*pulchra*, Hook. l. c. t. 154, in textu.—Am. trop.  
*pumila*, Griseb. in Goett. Nachr. (1864) 16.—Venezuela.  
*pumila*, Lindl. & Paxt. Flow. Gard. i. (1850-51) 160 = bulbosa.  
*punctulata*, Schlecht. & Cham. in Linnaea, vi. (1831) 53.—Mexic.  
*purpurea*, Ruiz & Pav. Fl. Per. iii. 41.—Peruv.  
*purpurea*, Spreng. Neue Entdeck. i. 251 = Sprengeliana.  
*pusilla*, Gill. ex Baker, in Journ. Bot. xvi. (1878) 237.—Chili.  
*quadrangularis*, Mart. & Gal. in Bull. Acad. Brux. x. II. (1843) 119.—Mexic.  
*ramealis*, Klotzsch, in Schomb. Faun. Fl. Brit. Gui. 1121, nomen.—Guian.  
*ramosa*, Bello, in Anal. Soc. Esp. Hist. Nat. xii. (1883) 121.—Porto Rico.  
*ramosa*, Sweet, Hort. Brit. ed. I. 425 = utriculata.  
*rectangula*, Baker, in Journ. Bot. xvi. (1878) 238.—Reg. Argent.  
*recurvata*, Linn. Sp. Pl. ed. II. 410.—Am. trop.  
*recurvifolia*, Hook. Bot. Mag. t. 5246 = dianthoidea.  
*Regina*, Vell. Fl. Flum. 136; iii. t. 142.—Am. trop.  
*retorta*, Griseb. in Goett. Abh. xxiv. (1879) 334.—Reg. Argent.  
*rigida*, Gill. ex Baker, in Journ. Bot. xvi. (1878) 239 = erecta.  
*rigida*, Hort. ex Sweet, Hort. Brit. ed. I. 425, nomen (Quid ?).—Ind. occ.  
*ringens*, Griseb. Cat. Pl. Cub. 255.—Cuba.  
*robusta*, Griseb. in Goett. Nachr. (1864) 15.—Venezuela.  
*Roezli*, E. Morr. in Belg. Hort. xxvii. (1877) 272. t. 15.—Peruv.  
*rosea*, Lindl. Bot. Reg. t. 1357 = dianthoidea.  
*rubida*, Lindl. l. c. (1842) t. 63 = geminiflora.  
*rubra*, Hort. ex Antoine, Bromel. 43 = Karatas purpurea.  
*rubra*, Ruiz & Pav. Fl. Per. iii. 40.—Peruv.  
*Saundersii*, C. Koch, Ind. Sem. Hort. Berol. (1873) App. iv. 6.—Bras.  
*saxatilis*, Vell. Fl. Flum. 136; iii. t. 139.—Bras.  
*Schiedeana*, Steud. Nom. ed. II. ii. 688 = vestita.  
*Schuchii*, Beer & Fenzl, in Allg. Gartenz. xiv. (1846) 266 = Pitcairnia albiflos.  
*scoparia*, Willd. ex Schult. f. Syst. vii. II. 1217 = straminea.  
*secunda*, H. B. & K. Nov. Gen. et Sp. i. 294.—Ecuador.  
*Selloa*, C. Koch, Ind. Sem. Hort. Berol. (1873) App. iv. 7 = setacea.  
*serrata*, Linn. Sp. Pl. 286 (sp. dub.).—Ind. occ.  
*sessiliflora*, Ruiz & Pav. Fl. Per. iii. 42 (Catopsidis sp.).—Am. trop.  
*setacea*, Hook. Bot. Mag. t. 3275 = compressa.  
*setacea*, Sw. Fl. Ind. Occ. i. 593.—Am. trop.  
*simplex*, Vell. Fl. Flum. 133; iii. t. 130.—Bras.  
*sordida*, Salisb. Prod. 247 = Caraguata lingulata.  
*spiculosa*, Griseb. in Goett. Nachr. (1864) 17.—Venezuela.  
*spiculosa*, Schlecht. ex E. Morr. in Belg. Hort. xxix. (1879) 57 (Quid ?).—Mexic.  
*splendens*, Brongn. in Fl. des Serres, ii. (Mai, 1846) t. 4.—Guian.  
*Sprengeliana*, Klotzsch, ex Beer, Bromel. 266, nomen.—Bras.

**TILLANDSIA** :—

- squamulosa*, Willd. ex Schult. f. Syst. vii. II. 1209 = caerulea.  
*staticeflora*, E. Morr. in Belg. Hort. xxi. (1871) 177. t. 12 = filifolia.  
*straminea*, H. B. & K. Nov. Gen. et Sp. i. 292.—Peruv.  
*streptophylla*, Scheidw. in Hort. Belge, iii. (1836) 252.—Mexic.  
*striata*, Willd. ex Schult. f. Syst. vii. II. 1209 = incarnata.  
*stricta*, Lindl. Bot. Reg. t. 1338 = dianthoidea.  
*stricta*, Soland. ex Sims, Bot. Mag. t. 1529.—Bras.  
*strobilantha*, Poir. Encyc. Suppl. v. 309.—Peruv.  
*suaveolens*, Lem. in Fl. des Serres, ii. (Mai, 1846) sub t. 4.—Reg. Argent.  
*subulata*, Vell. Fl. Flum. 132; iii. t. 127 = stricta.  
*tectorum*, E. Morr. in Belg. Hort. xxvii. (1877) 328. t. 18.—Peruv.  
*tenuifolia*, Bert. ex Schult. f. Syst. vii. II. 1212 = Balbisiana.  
*tenuifolia*, Jacq. Select. Am. 92. t. 63 = flexuosa.  
*tenuifolia*, Linn. Sp. Pl. 286, partim = setacea.  
*terminalis*, Vell. Fl. Flum. 137; iii. t. 143 (Nidularii sp.).—Bras.  
*tessellata*, Linden, Cat. (1873) 9; Illustr. Hort. (1873) 78; (1874) 123. t. 179.—Bras.  
*tetrantha*, Ruiz & Pav. Fl. Per. iii. 39.—Peruv.  
*tetrastachia*, Vell. Fl. Flum. 135; iii. t. 137.—Bras.  
*tortilis*, Klotzsch, ex Beer, Bromel. 266 = pruinosa.  
*tortuosa*, Lodd. ex Schult. f. Syst. vii. II. 1229, nomen (Quid ?).—Hab. ?  
*trichoides*, H. B. & K. Nov. Gen. et Sp. i. 290 = usneoides.  
*tricholepis*, Baker, in Journ. Bot. xvi. (1878) 237.—Bolivia.  
*tricolor*, Schlecht. & Cham. in Linnaea, vi. (1831) 54 = punctulata.  
*triflora*, Vell. Fl. Flum. 134; iii. t. 134.—Bras.  
*triglochinoides*, Presl, Rel. Haenk. i. 125.—Ecuador.  
*tuberosa*, Vell. Fl. Flum. 135; iii. t. 136 = Dyckia rariiflora.  
*Unca*, Griseb. in Goett. Abh. xix. (1874) 273.—Reg. Argent.  
*undulata*, Baker, in Journ. Bot. xvi. (1878) 240.—Paraguay.  
*uniflora*, H. B. & K. Nov. Gen. et Sp. i. 290 = recurvata.  
*unispicata*, Vell. Fl. Flum. 132; iii. t. 124 = Aechmea nudicaulis.  
*usneoides*, Linn. Sp. Pl. ed. II. 411.—Am. bor. et austr.  
*utriculata*, Linn. l. c. ed. I. 286.—Ind. occ.  
*Valenzuelana*, A. Rich. Fl. Cub. Fanerog. ii. 267.—Cuba.  
*variabilis*, Schlecht. in Linnaea, xviii. (1844) 418.—Mexic.  
*variegata*, Schlecht. l. c. 429.—Mexic.  
*variegata*, Vell. Fl. Flum. 134; iii. t. 132.—Bras.  
*ventricosa*, Griseb. in Goett. Nachr. (1864) 19.—Venezuela.  
*ventricosa*, Wawra, in Oestr. Bot. Zeitschr. xxx. (1880) 222.—Bras.  
*vestita*, Benth. Pl. Hartw. 25 = Benthamiana.  
*vestita*, Schlecht. & Cham. in Linnaea, vi. (1831) 52.—Mexic.  
*vestita*, Willd. ex Schult. f. Syst. vii. II. 1228 = Aechmea bromeliaefolia.  
*viminalis*, Hemsl. Biol. Centr. Am. Bot. iii. 323.—Costa Rica.  
*violacea*, Klotzsch, ex Beer, Bromel. 266.—Venezuela.  
*virescens*, Ruiz & Pav. Fl. Per. iii. 43.—Peruv.  
*virginalis*, E. Morr. in Belg. Hort. xxx. (1880) 238.—Mexic.  
*viridiflora*, Hort. ex Antoine, Bromel. 21 = viminalis.  
*vitellina*, Link, Klotzsch & Otto, in Otto & Dietr. Allg. Gartenz. ix. (1841) 81.—Venezuela.  
*vittata*, Linden, ex Beer, Bromel. 43.—Hab. ?  
*xiphoides*, Ker-Gawl. in Bot. Reg. t. 105.—Am. trop.  
*xiphostachys*, Griseb. in Goett. Nachr. (1864) 14.—Mexic.  
*Zahnii*, Hort. Veitch, ex Hook. f. Bot. Mag. sub t. 6059 = Caraguata Zahnii.

TILLEA, Sanguin. in Att. Acc. Pont. Lincei, Ser. I. v. (1852) 506, sphalm. = Tillaea, Mich. (Crassul.).

TILLIA, St. Lag. in Ann. Soc. Bot. Lyon, viii. (1881) 173 = praec.

TIMAEOSIA, Klotzsch, in Bot. Ergeb. Waldem. Reise, 138. t. 33. (1862) = Gypsophila, Linn. (Caryoph.).  
*cerastioides*, Klotzsch, l. c. 138 = G. cerastioides.  
*rupestris*, Edgew. & Hook. f. in Fl. Brit. Ind. i. 217, sphalm. = praec.

TIMANDRA, Klotzsch, in Wieg. Archiv, vii. (1841) 197 = Croton, Linn. (Euphorb.).  
*dichotoma*, Klotzsch, l. c. - C. dichotomus.  
*erythroxyloides*, Klotzsch, l. c. = C. erythroxyloides.  
*serrata*, Klotzsch, l. c. = C. serratus.

TIMANTHEA, Salisb. Prod. 208 (1796) = Baltimora, Linn. (Compos.).  
*tristis*, Salisb. l. c. = B. recta.

TIMBALIA, Clos, in Bull. Soc. Bot. Fr. xviii. (1871) 178 = Crataegus, Tourn. (Rosac.).  
*Pyraantha*, Clos, l. c. = C. Pyraantha.

TIMBULETA, Steud. Nom. ed. II. ii. 688 (1841), err. typ. = SIMBULETA, Forsk. = Anarrhinum, Desf. (Scrophul.).

TIMEROYA, Benth. & Hook. f. Gen. iii. 10 (1880), sphalm. = seq.

TIMEROYEA, Montr. in Mém. Acad. Lyon, x. (1860) 247. NYCTAGINEAE, Benth. & Hook. f. iii. 10.  
 VIEILLARDIA, Brongn. & Gris, in Bull. Soc. Bot. Fr. viii. (1861) 375.  
*artensis*, Montr. in Mém. Acad. Lyon, x. (1860) 247.—N. Caled.

TIMMIA, J. F. Gmel. Syst. 524, 538 (1791) = Cyrtanthus, Ait. (Amaryll.).  
*angustifolia*, J. F. Gmel. l. c. = C. angustifolius.  
*obliqua*, J. F. Gmel. l. c. = C. obliquus.

TIMONIUS, Rumph. Amboin. iii. 216. t. 140 (1743); DC. Prod. iv. 461 (1830). RUBIACEAE, Benth. & Hook. f. ii. 102.  
 BURNEYA, Cham. & Schlecht. in Linnaea, iv. (1829) 189, partim.  
 ERITHALIS, Forst. f. Prod. 17 (1786).  
 EUPYRENA, Wight & Arn. Prod. 422 (1834).  
 HELOSPORA, Jack, in Trans. Linn. Soc. xiv. (1823) 127. t. 4. f. 3.  
 NELITRIS, Gaertn. Fruct. i. 134. t. 27 (1788).  
 POLYPHRAGMON, Desf. in Mém. Mus. Par. vi. (1820) 5. t. 2.  
 POROCARPUS, Gaertn. Fruct. ii. 473. t. 178 (1791).  
 PYROSTRIA, Roxb. Hort. Beng. 83 (1814); Fl. Ind. i. 388 (1832).  
*acuminatus*, Wall. Cat. n. 6218 = Urophyllum Blumeum.  
*affinis*, A. Gray, in Proc. Am. Acad. iv. (1860) 36.—Ins. Fiji.  
*Finlaysonianus*, Hook. f. Fl. Brit. Ind. iii. 127.—Singapore.  
*flavescens*, Baker, Fl. Mauriti. 144.—Ins. Seychelles.  
*Forsteri*, DC. Prod. iv. 461.—Ins. Societ.  
*fuscus*, Walp. Ann. ii. 765 = Bobea fusca (in Addend.).  
*Gaudichaudii*, DC. Prod. iv. 461.—Ins. Sandvic.  
*Jambosella*, Thw. Enum. Pl. Syst. 153 = Koenigii.  
*Koenigii*, Blume, ex Korth. in Nederl. Kruidk. Arch. ii. II. (1851) 211.—Malaya.  
*mutabilis*, Walp. Ann. ii. 765.—Borneo.  
*platycarpus*, Montr. in Mém. Acad. Lyon, x. (1860) 221.—N. Caled.  
*putaminosus*, F. Muell. Fragm. iv. 92 (= Guettardella putaminosa).—Austral.  
*Rumphii*, DC. Prod. iv. 461.—Malaya.  
*sapotaeifolius*, A. Gray, in Proc. Am. Acad. iv. (1860) 35.—Ins. Fiji.

TINA, Blume, Bijdr. 235 (1825) = Harpullia, Roxb. (Sapind.).  
*rupestris*, Blume, l. c. = H. cupanioides.

TINA, Roem. & Schult. Syst. v. p. xxxii. 414 (1819) = Ratonia, DC. (Sapindac.).  
*cupanioides*, DC. Prod. i. 614 = Cupania laevis, T. Gelonium.  
*dasyrca*, Radlk. in Sitzb. Math.-Phys. Akad. Muench. ix. (1879) 663.—Madag.  
*fulwinermis*, Radlk. l. c. 662.—Madag.  
*Gelonium*, Roem. & Schult. Syst. v. 414.—Madag.

- TINA**:—  
*isoneura*, Radlk. in Sitzb. Math.-Phys. Akad. Muench. ix. (1879) 663.—Madag.  
*madagascariensis*, DC. Prod. i. 614 = *T. Gelonium*.  
*madagascariensis*, Radlk. in Sitzb. Math.-Phys. Akad. Muench. ix. (1879) 662 = *Garuga madagascariensis*.  
*polyphylla*, Baker, in Journ. Linn. Soc. xxi. (1884) 335.—Madag.  
*striata*, Radlk. in Sitzb. Math.-Phys. Akad. Muench. ix. (1879) 663.—Madag.  
*trijuga*, Radlk. l. c. 662.—Madag.
- TINAEAE**, Boiss. Fl. Orient. v. 58 (1884), sphalm. = **TINEA**, Bivona = **Habenaria**, Willd. (Orchid.).
- TINAEAE**, Garzia, in Rel. Acc. Zel. Aci-Reale, Ann. 3-4. 24; ex Parl. Fl. Palerm. i. 138 (1845) = **Lamarkia**, Moench (Gramin.).  
*elegans*, Garzia, ex Parl. l. c. 139 = *L. aurea*.
- TINANTIA**, Mart. & Gal. in Bull. Acad. Brux. xi. i. (1844) 240 = **Senkenbergia**, Schau. (Nyctag.).  
*gypsophiloides*, Mart. & Gal. l. c. = *S. annulata*.
- TINANTIA**, Schiedw. in Otto & Dietr. Allg. Gartenz. vii. (1839) 365. **COMMELINACEAE**, Benth. & Hook. f. iii. 853.  
**POGOMESIA**, Rafin. Fl. Tellur. iii. 67 (1836), nomen prius.  
*anomala*, C. B. Clarke, in DC. Monog. Phan. iii. 287.—Mexic.  
*erecta*, Schlecht. in Linnaea, xxv. (1852) 185 = *fugax*.  
*fugax*, Scheidw. in Otto & Dietr. Allg. Gartenz. vii. (1839) 365.—Am. trop.  
*latifolia*, Schlecht. in Linnaea, xxv. (1852) 184 = *fugax*.  
*lineolata*, Hassk. Pl. Jav. Rar. 98 = *Ancilema herbaceum*.  
Sprucei, C. B. Clarke, in DC. Monog. Phan. iii. 287.—Bras.  
*undata*, Schlecht. in Linnaea, xxv. (1852) 185 = *fugax*.
- TINEA**, Bivona, in Giorn. Sc. Sicil. (1833) 149 = **Habenaria**, Willd. (Orchid.).  
*cylindrica*, Bivona, l. c. = *H. intacta*.  
*intacta*, Boiss. Fl. Orient. v. 58 = *H. intacta*.
- TINEA**, Spreng. Neue Entdeck. ii. 165 (1821) = **Prockia**, Linn. (Tiliac.).  
*triplinervia*, Spreng. l. c. = *P. Crucis*.
- TINGUARRA**, Parl. in Webb & Berth. Phyt. Canar. ii. 156. t. 71 (1836-50). **UMBELLIFERAE**, Benth. & Hook. f. i. 896.  
*cervariaefolia*, Parl. l. c. 157.—Ins. Canar.  
*montana*, Benth. & Hook. f. Gen. i. 897.—Ins. Canar.  
*sicula*, Benth. & Hook. f. l. c.—Sicil.
- TINIARIA**, Reichb. Handb. 236 (1837) = **Polygonum**, Tourn.  
*alata*, Montand. Guide Bot. 270 = *P. dumetorum*.  
*carinata*, Montand. l. c. = *P. Convolvulus*.  
*Convolvulus*, Webb & Moq. in Webb & Berth. Phyt. Canar. iii. 221 = *P. Convolvulus*.  
*dumetorum*, Opiz, Seznam, 98 = *P. dumetorum*.
- TINNEA**, Kotschy & Peyr. Pl. Tinn. 25. t. 11 (1867). **LABIATAE**, Benth. & Hook. f. ii. 1220.  
**RENSCHIA**, Vatke, in Linnaea, xliii. (1880-82) 94.  
*aethiopica*, Kotschy & Peyr. Pl. Tinn. 25. t. 11.—Afr. trop.  
*antiscorbutica*, Welw. in Trans. Linn. Soc. xxvii. (1869) 58.—Afr. trop.  
*erianthera*, Vatke, in Linnaea, xliii. (1880-82) 539.—Afr. trop.  
*ericalyx*, Welw. in Trans. Linn. Soc. xxvii. (1869) 59.—Afr. trop.  
*heterotypica*, S. Moore, in Journ. Bot. xv. (1877) 69.—Afr. trop.
- TINNETHAMNUS**, Pritz. Ic. Ind. ii. 273 (1865) = *praec*.
- TINNIA**, Noronha, in Verh. Batav. Gen. v. (1790) ed. I. Art. IV. 4 (Quid?).
- TINOMISCIMUM**, Miers, in Ann. & Mag. Nat. Hist. Ser. II. vii. (1851) 44. **MENISPERMACEAE**, Benth. & Hook. f. i. 34.  
*coriaceum*, Miers, l. c. = *petiolare*.  
*elasticum*, Becc. Malesia, i. (1877) 141.—N. Guin.  
*javanicum*, Miers, in Ann. & Mag. Nat. Hist. Ser. III. xiii. (1864) 490.—Java.  
*petiolare*, Miers, l. c. Ser. II. vii. (1851) 44.—Malaya.  
*phytorenoides*, Kurz, ex Teysm. & Binn. in Tijdschr. Nederl. Ind. xxvii. (1864) 36.—Sumatra.  
*pyrrhobotryum*, Miq. Ann. Mus. Bot. Lugd. Bat. iv. 81.—Java.
- TINOSPOREA**, Miers, in Ann. & Mag. Nat. Hist. Ser. II. vii. (1851) 38. **MENISPERMACEAE**, Benth. & Hook. f. i. 34.  
*arifakiana*, Becc. Malesia, i. (1877) 140.—N. Guin.  
*Bakis*, Miers, in Ann. & Mag. Nat. Hist. Ser. II. vii. (1851) 38; et Ser. III. xiii. (1864) 322.—Afr. trop.  
*convolvulacea*, Miers, l. c. Ser. II. vii. (1851) 38 = *cordifolia*.  
*cordifolia*, Miers, l. c.—Ind. or.  
*crispa*, Miers, l. c.—Java.  
*flavescens*, Miers, l. c. = *Cocculus flavescens*.  
*glauca*, Miers, l. c. = *Cocculus glaucus*.  
*Hullsii*, F. Muell. Fragm. v. 147.—Austral.  
*lacunosus*, Miers, in Ann. & Mag. Nat. Hist. Ser. II. vii. (1851) 38 = *Anamirta paniculata*.  
*malabarica*, Miers, l. c.—Ind. or.  
*nudiflora*, Kurz, in Journ. As. Soc. Beng. xli. (1872) ii. 392.—Ind. or.  
*palminervis*, Miers, in Ann. & Mag. Nat. Hist. Ser. III. xiii. (1864) 317.—Burma.  
*reticulata*, Miers, l. c. 321.—Ins. Philipp.  
*smilacina*, Benth. in Journ. Linn. Soc. v. Suppl. ii. (1861) 52.—Austral.  
*sumatrana*, Becc. Malesia, i. (1877) 139.—Sumatra.  
*tenera*, Miers, in Ann. & Mag. Nat. Hist. Ser. III. xiii. (1864) 322.—Afr. trop.  
*tomentosa*, Miers, l. c. Ser. II. vii. (1851) 38.—Ind. or.; Burma.  
*uliginosa*, Miers, l. c. Ser. III. xiii. (1864) 321.—Malaya.  
*Walcottii*, F. Muell. ex Benth. Fl. Austral. i. 56.—Austral.
- TINUS**, Linn. Syst. ed. X. 1010 (1759) = **Clethra**, Gronov. (Ericac.).  
*occidentalis*, Linn. l. c. = *C. tinifolia*.  
*Volckameria*, Crantz, Inst. ii. 376 = *C. tinifolia*.
- TINUS**, [Tourn.] Linn. Syst. ed. I (1735) = **Viburnum**, Linn. (Caprif.).  
*laurifolius*, Borkh. in Roem. Arch. i. ii. (1797) 20 = *V. Tinus*.  
*rugosus*, Spach, Hist. Vég. Phan. viii. 317 = *V. rigidum*.
- TIPALIA**, Dennst. Schluess. Hort. Malab. 31 (1818) = **Zanthoxylum**, Linn. (Rutac.).  
*Limonella*, Dennst. l. c. = *Z. Rhetsa*.
- TIPHA**, Neck. Delic. Gallo-Belg. ii. 376 (1768) = **Typha**, Linn.
- TIPHOGETON**, Ehrh. Beitr. iv. 146 (1789) = **Ludwigia**, Linn. (Onagrar.).
- TIPUANA**, Benth. in Journ. Linn. Soc. iv. Suppl. (1860) 72. **LEGUMINOSAE**, Benth. & Hook. f. i. 546.  
*heteroptera*, Benth. in Journ. Linn. Soc. iv. Suppl. (1860) 72.—Bras.  
*macrocarpa*, Benth. l. c.—Bras.  
*speciosa*, Benth. l. c.—Am. austr.
- TIPULARIA**, Nutt. Gen. Am. ii. 195 (1818). **ORCHIDEAE**, Benth. & Hook. f. iii. 497.  
*ANTHERICLIS*, Rafin. in Am. Monthly Mag. (1819) 195; et in Journ. Phys. lxxxix. (1819) 261.  
*PLECTRURUS*, Rafin. Neogenyt. 4 (1825).  
*camtschatica*, Spreng. Syst. iii. 734.—Kamtschat.  
*discolor*, Nutt. Gen. Am. ii. 195.—Am. bor.  
*Josephi*, Reichb. f. ex Lindl. in Journ. Linn. Soc. i. (1857) 174.—Reg. Himal.
- TIQUILIA**, Pers. Syn. i. 157 (1805) = **Coldenia**, Linn. (Borag.).  
*brevifolia*, Nutt. ex Torr. in Bot. Mex. Bound. 136 = *C. Nuttallii*.  
*dichotoma*, Pers. Syn. i. 157 = *C. dichotoma*.  
*oregana*, Torr. in Bot. U. St. Expl. Exped. ii. 411. t. 12 = *C. Nuttallii*.  
*parvifolia*, Nutt. ex Benth. in Hook. Kew Journ. iii. (1851) 296 = *C. Nuttallii*.
- TIRASEKIA**, G. Don, in Sweet, Hort. Brit. ed. III. 563 (1839), sphalm. = **JIRASEKIA**, F. W. Schmidt = **Anagallis**, Tourn. (Primul.).
- TIRICTA**, Rafin. New Fl. Am. iv. 22 (1836) = **Daucus**, Tourn. (Umbell.).  
*daucoides*, Rafin. l. c. 23 = *D. Carota*.
- TIRTALIA**, Rafin. Fl. Tellur. iv. 71 (1836) = **Ipomoea**, Linn. (Convolv.).  
*anceps*, Rafin. l. c. = *I. Turpethum*.  
*angustifolia*, Rafin. l. c. = *I. angustifolia*, Jacq.  
*dissecta*, Rafin. l. c. = *I. sinuata*.  
*domingensis*, Rafin. l. c. = *I. sidaefolia*.  
*emarginata*, Rafin. l. c. = *Hab.?*  
*filicaulis*, Rafin. l. c. = *I. angustifolia*, Jacq.  
*gemella*, Rafin. l. c. = *I. obscura*, Ker-Gawl.  
*hispida*, Rafin. l. c. = *I. eriocarpa*.  
*macrorrhiza*, Rafin. l. c. = *I. macrorrhiza*.  
*malabarica*, Rafin. l. c. = *Argyrea malabarica*.  
*maxima*, Rafin. l. c. = *I. sepiaria*.  
*pandurata*, Rafin. l. c. = *I. fastigiata*.  
*quinqueloba*, Rafin. l. c. = *I. palmata*.  
*sibirica*, Rafin. l. c. = *I. sibirica*.  
*striata*, Rafin. l. c. = *I. sepiaria*.  
*triflora*, Rafin. l. c. = *I. sepiaria?*  
*triqueter*, Rafin. l. c. = *I. Turpethum*.  
*umbellata*, Rafin. l. c. = *I. umbellata*, Linn.  
*vitifolia*, Rafin. l. c. = *I. vitifolia*.
- TIRUCALLA**, Rafin. Fl. Tellur. iv. 112 (1836) = **Euphorbia**, Tourn.  
*indica*, Rafin. l. c. = *E. Tiruculli*.
- TISSA**, Adans. Fam. ii. 507 (1763) = **Spergularia**, J. & C. Presl (1819) (Caryoph.).
- TITA**, Scop. Introd. 219 (1777) = **Cassipourea**, Aubl. (Rhizoph.).
- TITANIA**, Endl. Prod. Fl. Norf. 31 (1833) = **Oberonia**, Lindl. (Orchid.).  
*miniata*, Endl. l. c. = *O. Titania*.
- TITELBACHIA**, Klotzsch, in Monatsb. Berl. Acad. (Maerz, 1854) 126, sphalm. = **TITTELBACHIA**, Klotzsch = **Begonia**, Tourn.
- TITHONA**, Linn. Syst. ed. I (1735) = **Rivina**, Plum. (Phytolac.).
- TITHONIA**, Desf. ex Juss. Gen. 189 (1789); et in Ann. Mus. Par. i. (1802) 49. t. 4. **COMPOSITAE**, Benth. & Hook. f. ii. 374.  
*angustifolia*, Hook. & Arn. Bot. Beech. Voy. 435 = *Viguiera buddleiaeformis*.  
*argophylla*, Eaton, in Bot. King's Exp. 423 = *Helianthella argophylla*.  
*aristata*, Oerst. in Kjoeb. Vidensk. Meddel. (1852) 114.—Costa Rica.  
*calva*, Sch. Bip. in Seem. Bot. Voy. Herald, 305 = *Gymnolomia calva*.  
*decurrens*, A. Gray, in Mem. Am. Acad. N. S. iv. (1849) 85 = *Viguiera decurrens*.  
*diversifolia*, A. Gray, in Proc. Am. Acad. xix. (1883) 5.—Mexic.  
*excelsa*, DC. Prod. v. 585 = *Viguiera excelsa*.  
*glutinosa*, Collie, ex Hook. & Arn. Bot. Beech. Voy. 33 = *Helianthus thurifer*.  
*helianthoides*, Weinm. ex Steud. Nom. ed. II. ii. 689 = *tubaeformis*.  
*heterophylla*, Griseb. in Bonplandia, vi. (1858) 9.—Am. centr.  
*ovata*, Hook. Bot. Mag. t. 3901 = *Zexmenia ovata*.  
*pachycephala*, DC. Prod. v. 585 = *Viguiera pachycephala*.  
*platylepis*, Sch. Bip. ex Benth. & Hook. f. Gen. ii. 368 = *Gymnolomia platylepis*.



**TITHONIA:—**

- pusilla*, A. Gray, in *Proc. Am. Acad.* v. (1861) 124.—Peruv.  
*recurrens*, Hemsl. *Biol. Centr. Am. Bot.* ii. 176, sphalm. = *Viguiera decurrens*.  
*scaberrima*, Benth. ex Oerst. in Kjoeb. Vidensk. Meddel. (1852) 91 = *Gymnolomia platylepis*.  
*scabra*, Sch. Bip. ex Benth. & Hook. f. *Gen.* ii. 375.—Hab. ?  
*speciosa*, Hook. ex Griseb. *Cat. Pl. Cub.* 155.—Mexic.  
*splendens*, Hort. Rendatler, ex Planch. in *Fl. des Serres*, viii. (1852) 19 = *Dysodia grandiflora*.  
*tagetiflora*, Desf. in *Ann. Mus. Par.* i. (1802) 46. t. 4.—Mexic.  
*Thurberi*, A. Gray, in *Proc. Am. Acad.* viii. (1873) 655.—Mexic.  
*tubaeformis*, Cass. in *Dict. Sc. Nat.* liv. 456.—Mexic.  
*tubaeformis*, A. Gray, in *Bot. Mex. Bound.* 90 = *Thurberi*.  
*uniflora*, J. F. Gmel. *Syst.* 1259 = *tagetiflora* ?

**TITHONIA**, Raeusch. *Nom.* ed. III. 251 (1797) = **Rudbeckia**, Linn. (*Compos.*).  
*laciniata*, Raeusch. l. c. = *R. laciniata*.

**TITHYMALOPSIS**, Klotzsch & Garcke, in *Monatsb. Akad. Berl.* (1859) 249 = **Euphorbia**, Linn.  
*angustifolia*, Klotzsch & Garcke, l. c. = *E. discoidalis*.  
*corollata*, Klotzsch & Garcke, l. c. = *E. corollata*, Linn.  
*sphaerorrhiza*, Klotzsch & Garcke, in *Abh. Akad. Berl.* (1860) 44 = *E. sphaerorrhiza*.

**TITHYMALUS**, Tourn. ex Hall. *Enum. Stirp. Helv.* i. 189 (1742) = **Euphorbia**, Linn.  
*acalyphoides*, Schweinf. *Beitr. Fl. Aethiop.* 38 = *E. acalyphoides*.  
*acenocarpus*, Klotzsch & Garcke, in *Abh. Akad. Berl.* (1860) 79 = *E. akenocarpa*.  
*acicularis*, Dulac, *Fl. Hautes-Pyr.* 156 = *E. Cyparissias*.  
*acutifolius*, Lam. *Fl. Fr.* iii. 90 = *E. Pithyusa*.  
*Adrianus*, Klotzsch & Garcke, in *Abh. Akad. Berl.* (1860) 73 = *E. Adriana*.  
*agovensis*, Schweinf. *Beitr. Fl. Aethiop.* 38 = *E. agowensis*.  
*agrarius*, Klotzsch & Garcke, in *Abh. Akad. Berl.* (1860) 89 = *E. agraria*.  
*aleppicus*, Klotzsch & Garcke, l. c. 84 = *E. aleppica*.  
*alpinus*, Klotzsch & Garcke, l. c. 70 = *E. alpina*.  
*altaicus*, Klotzsch & Garcke, l. c. 79 = *E. altaica*.  
*altissimus*, Klotzsch & Garcke, l. c. 80 = *E. altissima*.  
*amplexicaulis*, Klotzsch & Garcke, l. c. = *E. condylocarpa*.  
*amygdaloides*, Hill, *Hort. Kew.* 172/4 = *E. amygdaloides*.  
*Anacampseros*, Klotzsch & Garcke, in *Abh. Akad. Berl.* (1860) 86 = *E. Anacampseros*.  
*andrachnoides*, Klotzsch & Garcke, l. c. 88 = *E. subcordata*.  
*angulatus*, Rafin. *Fl. Tellur.* iv. 115; Klotzsch & Garcke, l. c. 77 = *E. angulata*.  
*angustifolius*, Gilib. *Fl. Lituan.* ii. 209 = *E. Cyparissias*.  
*Antiquorum*, Moench, *Meth.* 665 = *E. Antiquorum*.  
*aphyllus*, Klotzsch & Garcke, in *Abh. Akad. Berl.* (1860) 82 = *E. aphylla*.  
*apiculatus*, Klotzsch & Garcke, l. c. 94 = *E. epicyparissias*.  
*Apios*, Hill, *Hort. Kew.* 173/3 = *E. Apios*.  
*arbores*, Lam. *Fl. Fr.* iii. 94 = *E. dendroides*.  
*arkansanus*, Klotzsch & Garcke, in *Abh. Akad. Berl.* (1860) 66 = *E. dictyosperma*.  
*arvalis*, Klotzsch & Garcke, l. c. 82 = *E. arvalis*.  
*asperus*, Klotzsch & Garcke, l. c. 78 = *E. aspera*.  
*atropurpureus*, Klotzsch & Garcke, l. c. 80 = *E. atropurpurea*.  
*atro-sanguineus*, Klotzsch & Garcke, l. c. 70 = *E. portulacoides*.  
*attenuatus*, Klotzsch & Garcke, l. c. 69 = *E. elliptica*.  
*Aucher*, Klotzsch & Garcke, l. c. 93 = *E. Aucheri*.  
*aulacospermus*, Klotzsch & Garcke, l. c. 82 = *E. aulacosperma*.  
*auriculatus*, Lam. *Fl. Fr.* iii. 102 = *E. Peplis*.  
*azoricus*, Klotzsch & Garcke, in *Abh. Akad. Berl.* (1860) 98 = *E. Pinea*.  
*balsamiferus*, Haw. *Syn. Pl. Succ.* 140 = *E. balsamifera*.

**TITHYMALUS:—**

*Bergii*, Klotzsch & Garcke, in *Abh. Akad. Berl.* (1860) 68 = *Euphorbia elliptica*.  
*biglandulosa*, Haw. *Syn. Pl. Succ.* 141 = *E. biglandulosa*.  
*biumbellatus*, Klotzsch & Garcke, in *Abh. Akad. Berl.* (1860) 85 = *E. biumbellata*.  
*blepharophyllus*, Klotzsch & Garcke, l. c. 73 = *E. blepharophylla*.  
*brachypus*, Klotzsch & Garcke, l. c. 74 = *E. mauritanica*.  
*bracteatus*, Haw. *Syn. Pl. Succ.* 138 = *Pedilanthus bracteatus*.  
*Brauni*, Schweinf. in *Journ. Bot.* i. (1863) 295 = *E. longetuberculosa*.  
*Bridgesii*, Klotzsch & Garcke, in *Abh. Akad. Berl.* (1860) 70 = *E. portulacoides*.  
*buchtormensis*, Klotzsch & Garcke, l. c. 79 = *E. buchtormensis*.  
*bupleurifolius*, Haw. *Syn. Pl. Succ.* 138 = *E. bupleurifolia*.  
*caesius*, Klotzsch & Garcke, in *Abh. Akad. Berl.* (1860) 87 = *E. Esula*.  
*Cajogalus*, Moench, *Meth.* 667 = *E. Gerardiana*.  
*calendulaefolius*, Klotzsch & Garcke, in *Abh. Akad. Berl.* (1860) 74 = *E. angulata*.  
*calyculatus*, Klotzsch & Garcke, l. c. 81 = *E. calyculata*.  
*campester*, Klotzsch & Garcke, l. c. 86 = *E. campestris*.  
*capensis*, Klotzsch & Garcke, l. c. 98 = *E. striata*.  
*cardiophyllus*, Klotzsch & Garcke, l. c. 78 = *E. cardiophylla*.  
*carniolicus*, Rafin. *Fl. Tellur.* iv. 115; Klotzsch & Garcke, l. c. 77 = *E. carniolica*.  
*Cassia*, Klotzsch & Garcke, l. c. 67 = *E. Cassia*.  
*cebrinus*, Klotzsch & Garcke, l. c. 86 = *E. cerebrina*.  
*Chamaesyce*, Moench, *Meth.* 666 = *E. Chamaesyce*.  
*Characias*, Hill, *Hort. Kew.* 172/4 = *E. Characias*.  
*cheiradenius*, Klotzsch & Garcke, in *Abh. Akad. Berl.* (1860) 98 = *E. cheiradenia*.  
*Chesneyi*, Klotzsch & Garcke, l. c. 99 = *E. Chesneyi*.  
*chiliensis*, Klotzsch & Garcke, l. c. 67 = *E. portulacoides*.  
*chrysophyllus*, Klotzsch & Garcke, l. c. 72 = *E. chrysophylla*.  
*cinerascens*, Moench, *Meth.* 668 = *E. segetalis*.  
*Clementei*, Klotzsch & Garcke, in *Abh. Akad. Berl.* (1860) 76 = *E. Clementei*.  
*cognata*, Klotzsch & Garcke, l. c. 66 = *E. pilosa*.  
*collinus*, Klotzsch & Garcke, l. c. 93 = *E. collina*.  
*commutata*, Klotzsch & Garcke, l. c. 82 = *E. commutata*.  
*condylocarpus*, Klotzsch & Garcke, l. c. 78 = *E. condylocarpa*.  
*conferus*, Klotzsch & Garcke, l. c. 94 = *E. ericoides*.  
*consanguineus*, Klotzsch & Garcke, l. c. 64 = *E. consanguinea*.  
*coralloides*, Rafin. *Fl. Tellur.* iv. 115 = *E. coralloides*.  
*cotinifolius*, Haw. *Syn. Pl. Succ.* 141 = *E. cotinifolia*.  
*craspedius*, Klotzsch & Garcke, in *Abh. Akad. Berl.* (1860) 87 = *E. craspedia*.  
*crispus*, Haw. *Rev. Pl. Succ.* 61 = *E. elliptica*.  
*cuneifolius*, Klotzsch & Garcke, in *Abh. Akad. Berl.* (1860) 76 = *E. cuneifolia*.  
*Cupani*, Klotzsch & Garcke, l. c. 85 = *E. Cupani*.  
*cyatophorus*, Moench, *Meth.* 667 = *E. heterophylla*.  
*cybirensis*, Klotzsch & Garcke, in *Abh. Akad. Berl.* (1860) 79 = *E. cybirensis*.  
*Cyparissias*, Hill, *Hort. Kew.* 172/4, sphalm. = seq.  
*Cyparissias*, Lam. *Fl. Fr.* iii. 96 = *E. Cyparissias*.  
*damascenus*, Klotzsch & Garcke, in *Abh. Akad. Berl.* (1860) 96 = *E. tinctoria*.  
*declinatus*, Moench, *Meth. Suppl.* 284 = *E. portulacoides*.  
*deflexus*, Klotzsch & Garcke, in *Abh. Akad. Berl.* (1860) 84 = *E. deflexa*.  
*dendroides*, Hill, *Hort. Kew.* 172/4 = *E. dendroides*.  
*densus*, Klotzsch & Garcke, in *Abh. Akad. Berl.* (1860) 65 = *E. densa*.  
*denticulatus*, Moench, *Meth.* 668 = *E. spinosa*.  
*depauperatus*, Klotzsch & Garcke, in *Abh. Akad. Berl.* (1860) 79 = *E. depauperata*.  
*desertorum*, Klotzsch & Garcke, l. c. 97 = *E. desertorum*.  
*diffusus*, Lam. *Fl. Fr.* iii. 101 = *E. spinosa*.  
*dilatatus*, Klotzsch & Garcke, in *Abh. Akad. Berl.* (1860) 89 = *E. dilatata*.

**TITHYMALUS:—**

*discolor*, Klotzsch & Garcke, in *Abh. Akad. Berl.* (1860) 97 = *Euphorbia Esula*.  
*divergens*, Klotzsch, in *Bot. Ergeb. Waldem. Reise*, 114 = *E. Rothiana*.  
*dracunculoides*, Klotzsch & Garcke, in *Abh. Akad. Berl.* (1860) 84 = *E. dracunculoides*.  
*dulcis*, Scop. *Fl. Carn.* ed. II. i. 334 = *E. dulcis*.  
*dumosus*, Klotzsch & Garcke, in *Abh. Akad. Berl.* (1860) 70 = *E. thamnoides*.  
*Eckloni*, Klotzsch & Garcke, l. c. 68 = *E. pistiaefolia*.  
*Elliotii*, Klotzsch & Garcke, l. c. 67 = *E. Ipecacuanha*.  
*ellipticus*, Klotzsch & Garcke, l. c. 69 = *E. elliptica*.  
*epicyparissias*, Klotzsch & Garcke, l. c. 88 = *E. epicyparissias*.  
*epithymoides*, Klotzsch & Garcke, l. c. 79 = *E. epithymoides*.  
*eriophorus*, Klotzsch & Garcke, l. c. 65 = *E. eriophora*.  
*erubescens*, Klotzsch & Garcke, l. c. 96 = *E. macrostegia*.  
*erythradenius*, Klotzsch & Garcke, l. c. 86 = *E. erythradenia*.  
*erythrina*, Klotzsch & Garcke, l. c. 91 = *E. erythrina*.  
*erythronon*, Klotzsch & Garcke, l. c. 87 = *E. erythronon*.  
*erythrorrhiza*, Klotzsch & Garcke, l. c. 71 = *E. erythrorrhiza*.  
*Esula*, Hill, *Hort. Kew.* 172/4; Scop. *Fl. Carn.* ed. II. i. 338 = *E. Esula*.  
*esulaeformis*, Klotzsch & Garcke, in *Abh. Akad. Berl.* (1860) 84 = *E. campestris*.  
*exiguus*, Lam. *Fl. Fr.* iii. 100 = *E. exigua*.  
*falcatus*, Klotzsch & Garcke, ex Garcke, *Fl. Deutschl.* ed. IV. 292; et in *Abh. Akad. Berl.* (1860) 83 = *E. falcata*.  
*Fendleri*, Klotzsch & Garcke, in *Abh. Akad. Berl.* (1860) 85 = *E. Fendleri* ?  
*firmus*, Klotzsch & Garcke, l. c. 73 = *E. Gerardiana*.  
*flaccidus*, Moench, *Meth.* 665 = *E. mauritanica*.  
*foliosus*, Klotzsch & Garcke, in *Abh. Akad. Berl.* (1860) 67 = *E. dumosa*.  
*fragiferus*, Klotzsch & Garcke, l. c. 79 = *E. fragifera*.  
*fruticosus*, Gilib. *Fl. Lituan.* ii. 206 = *E. palustris*.  
*fruticosus*, Klotzsch & Garcke, in *Abh. Akad. Berl.* (1860) 78 = *E. Bivonae*.  
*furcillatus*, Klotzsch & Garcke, l. c. 86 = *E. furcillata*.  
*Gaillardoti*, Klotzsch & Garcke, l. c. 74 = *E. Gaillardoti*.  
*galilaeus*, Klotzsch & Garcke, l. c. 83 = *E. falcata*.  
*Gayi*, Klotzsch & Garcke, l. c. 88 = *E. Gayi*.  
*genistoides*, Klotzsch & Garcke, l. c. 97 = *E. genistoides*.  
*Gerardi*, Rafin. *Fl. Tellur.* iv. 115 = seq. ?  
*Gerardiana*, Steud. *Nom.* ed. II. ii. 689; Klotzsch & Garcke, ex Garcke, *Fl. Deutschl.* ed. IV. 291 = *E. Gerardiana*.  
*glaberrimus*, Klotzsch & Garcke, in *Abh. Akad. Berl.* (1860) 95 = *E. iteophylla*.  
*glaucus*, Moench, *Meth. Suppl.* 282 = *E. Moenchiana*.  
*gracilis*, Klotzsch & Garcke, in *Abh. Akad. Berl.* (1860) 92 = *E. Esula*.  
*graecus*, Klotzsch & Garcke, l. c. 84 = *E. graeca*.  
*granulatus*, Rafin. *Fl. Tellur.* iv. 115 = *E. granulata*.  
*Guyoniana*, Klotzsch & Garcke, in *Abh. Akad. Berl.* (1860) 82 = *E. Guyoniana*.  
*hebecarpus*, Klotzsch & Garcke, l. c. 88 = *E. hebecarpa*.  
*helioscopius*, Hill, *Hort. Kew.* 172/3 = *E. helioscopia*.  
*herniariaefolius*, Klotzsch & Garcke, in *Abh. Akad. Berl.* (1860) 87 = *E. herniariaefolia*.  
*heterophyllus*, Haw. *Syn. Pl. Succ.* 141 = *E. heterophylla*.  
*hiberna*, Rafin. *Fl. Tellur.* iv. 115 = *E. hyberna*.  
*himalayensis*, Klotzsch, in *Bot. Ergeb. Waldem. Reise*, 115 = *E. himalayensis*.  
*hirsutus*, Lam. *Fl. Fr.* iii. 98 = *E. pilosa*.  
*Hochstetterianus*, Klotzsch & Garcke, in *Abh. Akad. Berl.* (1860) 97 = *E. monticola*.  
*Hohenackeri*, Klotzsch & Garcke, l. c. 91 = *E. Orphanidis*.  
*huachanhanus*, Klotzsch & Garcke, l. c. 71 = *E. huachanhanus*.  
*humilis*, Klotzsch & Garcke, l. c. 67 = *E. humilis*.  
*hybernus*, Hill, *Hort. Kew.* 172/4 = *E. hyberna*.  
*imbricatus*, Klotzsch & Garcke, in *Abh. Akad. Berl.* (1860) 73 = *E. imbricata*.  
*indieriensis*, Klotzsch & Garcke, l. c. 65 = *E. pygmaea*.  
*involutus*, Klotzsch & Garcke, l. c. 91 = *E. involutatus*, *E. Mey.*

## TITHYMALUS:—

- Ipecacuanhae*, Klotzsch & Garcke, in Abh. Akad. Berl. (1860) 69 = *Euphorbia Ipecacuanha*.  
*ispahanicus*, Klotzsch & Garcke, l. c. 89 = *E. megalantha*.  
*Kotschyana*, Klotzsch & Garcke, l. c. 96 = *E. Kotschyana*.  
*laetus*, Haw. Syn. Pl. Succ. 140 = *E. dendroides*.  
*Lagascae*, Klotzsch & Garcke, in Abh. Akad. Berl. (1860) 65 = *E. Lagascae*.  
*lateriflorus*, Klotzsch & Garcke, l. c. 81 = *E. osyridea*.  
*Lathyris*, Hill, Hort. Kew. 172/3 = *E. Lathyris*.  
*latifolius*, Klotzsch & Garcke, in Abh. Akad. Berl. (1860) 89 = *E. latifolia*.  
*laurocerasifolius*, Mill. Gard. Dict. ed. VIII. n. 2 = *Pedilanthus padifolius*.  
*leptaleus*, Klotzsch & Garcke, in Abh. Akad. Berl. (1860) 65 = *E. graminea*.  
*linearis*, Rafin. Fl. Tellur. iv. 115 = *E. linearis*.  
*linifolius*, Klotzsch & Garcke, in Abh. Akad. Berl. (1860) 81 = *E. spinosa*.  
*linifolius*, Lam. Fl. Fr. iii. 95 = *E. Esula*.  
*literatus*, Rafin. Fl. Tellur. iv. 115 = *E. platyphyllos*?  
*longepetiolatus*, Klotzsch & Garcke, in Abh. Akad. Berl. (1860) 68 = *E. elliptica*.  
*lucidus*, Klotzsch & Garcke, ex Garcke, Fl. Deutschl. ed. IV. 292; et in Abh. Akad. Berl. (1860) 89 = *E. lucida*.  
*lutescens*, Klotzsch & Garcke, in Abh. Akad. Berl. (1860) 80 = *E. lutescens*.  
*macroceras*, Klotzsch & Garcke, l. c. 95 = *E. macroceras*.  
*macrocladus*, Klotzsch & Garcke, l. c. 97 = *E. tinctoria*.  
*macrorrhizus*, Klotzsch & Garcke, l. c. 79 = *E. macrorhiza*.  
*maculatus*, Moench, Meth. 666 = *E. maculata*.  
*maritimus*, Lam. Fl. Fr. iii. 90 = *E. Paralias*.  
*Marschallianus*, Klotzsch & Garcke, in Abh. Akad. Berl. (1860) 86 = *E. Marschalliana*.  
*mauritanicus*, Haw. Syn. Pl. Succ. 139 = *E. mauritanica*.  
*medicagineus*, Klotzsch & Garcke, in Abh. Akad. Berl. (1860) 83 = *E. medicaginea*.  
*megalanthus*, Klotzsch & Garcke, l. c. 91 = *E. megalantha*.  
*melapetalus*, Klotzsch & Garcke, l. c. 81 = *E. melapetala*.  
*melliferus*, Moench, Meth. Suppl. 282 = *E. mellifera*.  
*Meyeri*, Klotzsch & Garcke, in Abh. Akad. Berl. (1860) 75 = *E. erubescens*.  
*micrantha*, Rafin. Fl. Tellur. iv. 115 (Quid?).—Hab.?  
*microsciadus*, Klotzsch & Garcke, in Abh. Akad. Berl. (1860) 74 = *E. striatella*.  
*microsphaerus*, Klotzsch & Garcke, l. c. 74 = *E. microsphaera*.  
*monticolus*, Klotzsch & Garcke, l. c. 87 = *E. bounophila*.  
*multicaulis*, Klotzsch & Garcke, l. c. 98 = *E. sclerophylla*.  
*Myrsinitis*, Hill, Hort. Kew. 172/4 = *E. Myrsinites*.  
*myrtifolius*, Mill. Gard. Dict. ed. VIII. n. 1 = *Pedilanthus tithymaloides*.  
*nevadensis*, Klotzsch & Garcke, in Abh. Akad. Berl. (1860) 90 = *E. nevadensis*.  
*nicaeensis*, Klotzsch & Garcke, l. c. 89 = *E. nicaeensis*.  
*notadaeniensis*, Klotzsch & Garcke, l. c. 78 = *E. orientalis*.  
*nudiflorus*, Haw. Syn. Pl. Succ. 142 = *E. nudiflora*.  
*nummularis*, Lam. Fl. Fr. iii. 101 = *E. Chamaesyce*.  
*oblongifolius*, Klotzsch & Garcke, in Abh. Akad. Berl. (1860) 96 = *E. amygdaloides*.  
*obtusatus*, Klotzsch & Garcke, l. c. 69 = *E. obtusata*.  
*obtusifolius*, Klotzsch & Garcke, l. c. 74 = *E. obtusifolia*.  
*orientalis*, Hill, Hort. Kew. 172/3 = *E. orientalis*.  
*ovatus*, Klotzsch & Garcke, in Abh. Akad. Berl. (1860) 97 = *E. ovata*.  
*pachyrrhizus*, Klotzsch & Garcke, l. c. 69 = *E. pachyrrhiza*.  
*Pallasii*, Klotzsch & Garcke, l. c. 75 = *E. Pallasii*.  
*palustris*, Hill, Hort. Kew. 172/4 = *E. palustris*.  
*panaceus*, Klotzsch & Garcke, in Abh. Akad. Berl. (1860) 84 = *E. Terracina*.  
*paniculatus*, Rafin. Fl. Tellur. iv. 115 = *E. corollata*?  
*papillosus*, Klotzsch & Garcke, in Abh. Akad. Berl. (1860) 77 = *E. Duvalii*.  
*Paralias*, Hill, Hort. Kew. 172/3 = *E. Paralias*.  
*Paralias*, Scop. Fl. Carn. ed. II. i. 338 = *E. Gerardiana*.

## TITHYMALUS:—

- parvulus*, Klotzsch & Garcke, in Abh. Akad. Berl. (1860) 93 = *Euphorbia arvalis*.  
*pendulus*, Haw. Syn. Pl. Succ. 138 = *E. pendula*.  
*Peplis*, Scop. Fl. Carn. ed. II. i. 340 = *E. Peplis*.  
*peplodes*, Klotzsch & Garcke, in Abh. Akad. Berl. (1860) 83 = *E. peplodes*.  
*Peplus*, Gaertn. Fruct. ii. 115 = *E. Peplus*.  
*persepolitanus*, Klotzsch & Garcke, in Abh. Akad. Berl. (1860) 74 = *E. striatella*.  
*Pestalozzae*, Klotzsch & Garcke, l. c. 87 = *E. Pestalozzae*.  
*petiolaris*, Haw. Syn. Pl. Succ. 141 = *E. petiolaris*.  
*Petitianus*, Klotzsch & Garcke, in Abh. Akad. Berl. (1860) 96 = *E. cerebrina*.  
*Philippianus*, Klotzsch & Garcke, l. c. 65 = *E. Philippiana*.  
*pictus*, Haw. Syn. Pl. Succ. 143 = *E. graminea*.  
*pilosus*, Hill, Hort. Kew. 172/3 = *E. pilosa*.  
*piluliferus*, Moench, Meth. Suppl. 283 = *E. pilulifera*.  
*pineus*, Klotzsch & Garcke, in Abh. Akad. Berl. (1860) 85 = *E. pinea*.  
*piscatorius*, Haw. Syn. Pl. Succ. 139 = *E. piscatoria*.  
*Pithyusa*, Scop. Fl. Carn. ed. II. i. 335 = *E. Pithyusa*.  
*platiphylos*, Rafin. Fl. Tellur. iv. 115 = seq.?  
*platyphyllos*, Hill, Hort. Kew. 172/4 = *E. platyphyllos*.  
*plebejus*, Klotzsch & Garcke, in Abh. Akad. Berl. (1860) 86 = *E. plebeia*.  
*polycaulis*, Klotzsch & Garcke, l. c. 97 = *E. decipiens*.  
*portlandicus*, Hill, Hort. Kew. 172/3 = *E. portlandica*.  
*procerus*, Klotzsch & Garcke, ex Garcke, Fl. Deutschl. ed. IV. 291 = *E. pilosa*.  
*prunifolius*, Haw. Syn. Pl. Succ. 143 = *E. geniculata*.  
*pterococcus*, Klotzsch & Garcke, in Abh. Akad. Berl. (1860) 72 = *E. pterococca*.  
*pumilus*, Klotzsch & Garcke, l. c. 87 = *E. herniariaefolia*.  
*puniceus*, Haw. Syn. Pl. Succ. 140 = *E. punicea*.  
*purpureus*, Lam. Fl. Fr. iii. 98 = *E. Characias*.  
*pygmaeus*, Klotzsch & Garcke, in Abh. Akad. Berl. (1860) 84 = *E. pygmaea*.  
*Rapulum*, Klotzsch & Garcke, l. c. 67 = *E. Rapulum*.  
*Regis-Jubae*, Klotzsch & Garcke, l. c. 93 = *E. Regis-Jubae*.  
*repandus*, Haw. Syn. Pl. Succ. 142 = *E. repanda*.  
*repens*, Klotzsch & Garcke, in Abh. Akad. Berl. (1860) 96 = *E. repens*.  
*repetitus*, Klotzsch & Garcke, l. c. 96 = *E. repetita*.  
*retusus*, Klotzsch & Garcke, l. c. 83 = *E. sulcata*.  
*Reuterianus*, Klotzsch & Garcke, l. c. 83 = *E. Reuteriana*.  
*revolvulus*, Klotzsch & Garcke, l. c. 99 = *E. corifolia*.  
*rosea*, Rafin. Fl. Tellur. iv. 115 = *E. rosea*?  
*Rothianus*, Klotzsch & Garcke, in Abh. Akad. Berl. (1860) 89 = *E. Rothiana*.  
*rotundifolius*, Lam. Fl. Fr. iii. 100 = *E. Peplus*.  
*rupestris*, Klotzsch & Garcke, in Abh. Akad. Berl. (1860) 73 = *E. rupestris*.  
*rupestris*, Lam. Fl. Fr. iii. 97 = *E. Gerardiana*.  
*rupicolus*, Klotzsch & Garcke, in Abh. Akad. Berl. (1860) 78 = *E. rupicola*.  
*sagittalis*, Hill, Hort. Kew. 172/3, sphalm. = *E. segetalis*.  
*salicifolius*, Klotzsch & Garcke, in Abh. Akad. Berl. (1860) 89 = *E. salicifolia*.  
*saxatilis*, Klotzsch & Garcke, l. c. 91 = *E. saxatilis*.  
*Schimperianus*, Klotzsch & Garcke, l. c. 96 = *E. Schimperiana*.  
*schizoceras*, Klotzsch & Garcke, l. c. 98 = *E. tinctoria*.  
*Schottii*, Klotzsch & Garcke, l. c. 70 = *E. Schottiana*.  
*segetalis*, Lam. Fl. Fr. iii. 90 = *E. segetalis*.  
*Seguieri*, Scop. Fl. Carn. ed. II. i. 335 = *E. nicaeensis*.  
*Selloi*, Klotzsch & Garcke, in Abh. Akad. Berl. (1860) 66 = *E. elodes*.  
*semiperfoliatus*, Klotzsch & Garcke, l. c. 95 = *E. semiperfoliata*.  
*serotina*, Rafin. Fl. Tellur. iv. 115 = *E. nicaeensis*?  
*serratus*, Gilib. Fl. Lituan. ii. 207 = *E. Helioscopia*.  
*serratus*, Hill, Hort. Kew. 172/3 = *E. serrata*.  
*sessiliflorus*, Klotzsch & Garcke, in Abh. Akad. Berl. (1860) 77 = *E. oblongata*.  
*silenifolius*, Haw. Rev. Pl. Succ. 61 = *E. elliptica*.  
*sororius*, Klotzsch & Garcke, in Abh. Akad. Berl. (1860) 65 = *E. sororia*.  
*spinus*, Rafin. Fl. Tellur. iv. 115; Klotzsch & Garcke, l. c. 77 = *E. spinosa*.  
*squamosus*, Klotzsch & Garcke, l. c. 78 = *E. aspera*.  
*stenophyllus*, Klotzsch & Garcke, l. c. 66 = *E. stenophylla*.  
*striatus*, Klotzsch & Garcke, l. c. 86 = *E. striatella*.

## TITHYMALUS:—

- strictus*, Klotzsch & Garcke, ex Garcke, Fl. Deutschl. ed. IV. 290 = *Euphorbia stricta*.  
*subamplexicaulis*, Klotzsch & Garcke, in Abh. Akad. Berl. (1860) 69 = *E. subamplexicaulis*.  
*subcordatus*, Klotzsch & Garcke, l. c. 88 = *E. subcordata*.  
*subcrenatus*, Klotzsch & Garcke, l. c. 66 = *E. portulacoides*.  
*sylvaticus*, Hill, Hort. Kew. 172/4 = *E. amygdaloides*.  
*sypsiensis*, Klotzsch & Garcke, in Abh. Akad. Berl. (1860) 97 = *E. tinctoria*.  
*Szovitsii*, Klotzsch & Garcke, l. c. 65 = *E. Szovitsii*.  
*taurinensis*, Klotzsch & Garcke, l. c. 83 = *E. taurinensis*.  
*tenuifolius*, Klotzsch & Garcke, l. c. 92 = *E. tenuifolia*.  
*Terracinus*, Klotzsch & Garcke, l. c. 90 = *E. Terracina*.  
*Thwaitesii*, Klotzsch & Garcke, l. c. 92 = *E. Rothiana*.  
*trapezoidalis*, Klotzsch & Garcke, l. c. 96 = *E. Terracina*.  
*trichotomus*, Klotzsch & Garcke, l. c. 81 = *E. trichotoma*.  
*trinervius*, Klotzsch & Garcke, l. c. 85 = *E. boetica*.  
*tristis*, Klotzsch & Garcke, l. c. 92 = *E. Esula*.  
*truncatus*, Klotzsch & Garcke, l. c. 75 = *E. erubescens*.  
*tuberosus*, Hill, Hort. Kew. 173/3 = *E. tuberosa*.  
*Tuckeyanus*, C. Bolle, ex Klotzsch & Garcke, in Abh. Akad. Berl. (1860) 93 = *E. Tuckeyana*.  
*Turczaninowii*, Klotzsch & Garcke, l. c. 64 = *E. Turczaninowii*.  
*undulatus*, Klotzsch & Garcke, l. c. 92 = *E. undulata*.  
*uniflorus*, Haw. in Phil. Mag. x. (1831) 418 = *E. uniflora*.  
*variabilis*, Klotzsch & Garcke, in Abh. Akad. Berl. (1860) 90 = *E. variabilis*.  
*venetus*, Klotzsch & Garcke, l. c. 95 = *E. Wulfenii*.  
*verrucosus*, Hill, Hort. Kew. 172/3 = *E. cybirensis*.  
*verrucosus*, Rafin. Fl. Tellur. iv. 115 (Quid?).—Hab.?  
*virgatus*, Haw. Syn. Pl. Succ. 139 = *E. obtusifolia*.  
*virgatus*, Klotzsch & Garcke, ex Garcke, Fl. Deutschl. ed. IV. 292; et in Abh. Akad. Berl. (1860) 88 = *E. virgata*.  
*Welwitschii*, Klotzsch & Garcke, in Abh. Akad. Berl. (1860) 77 = *E. Welwitschii*.  
*Zeyheri*, Klotzsch & Garcke, l. c. 71 = *E. mauritanica*.

TITRAGYNE, Salisb. Gen. Pl. Fragm. 9 (1866) = **Rohdea**, Roth (Liliac.).  
*japonicum*, Salisb. l. c. = *R. japonica*.

TITTELBACHIA, Klotzsch, in Monatsb. Berl. Akad. (Maerz, 1854) 126 (Titelbachia); et in Abh. Akad. Berl. 1854 (1855) 105. t. 10 A = **Begonia**, Tourn.  
*albiflora*, Klotzsch, in Monatsb. Berl. Akad. (Maerz, 1854) 126 = *B. albiflora*.  
*castaneaefolia*, Klotzsch, l. c. = *B. castaneaefolia*.  
*complicata*, Hassk. Hort. Bogor. Desc. 342 = *B. Ottonis*.  
*fuchsoides*, Klotzsch, in Monatsb. Berl. Akad. (Maerz, 1854) 126; et in Abh. Akad. Berl. 1854 (1855) 106 = *B. fuchsoides*.  
*Hamiltoniana*, Regel, Ind. Sem. Hort. Petrop. (1860) 45 = *B. acuminata*.  
*miniata*, Klotzsch, in Monatsb. Berl. Akad. (Maerz, 1854) 126; et in Abh. Akad. Berl. 1854 (1855) 106 = *B. fuchsoides*.

TITTMANNIA, Brongn. in Ann. Sc. Nat. Sér. I. viii. (1826) 385. t. 38. **BRUNIACEAE**, Benth. & Hook. f. i. 671.

MOESSLERA, Reichb. in Moessl. Handb. ed. II. i. p. 1. (1827); Consp. 160 (1828).  
*lateriflora*, Brongn. in Ann. Sc. Nat. Sér. I. viii. (1826) 386.—Afr. austr.  
*laxa*, Presl, Bot. Bemerk. 32 = *lateriflora*.

TITTMANNIA, Reichb. Ic. Bot. Exot. i. 27. t. 38 (1824) = **Vandellia**, Linn. (Scrophul.).  
*alsinoides*, Spreng. Syst. ii. 800 = *V. alsinoides*.  
*angustifolia*, Benth. in Wall. Cat. n. 3951 = *V. angustifolia*.  
*Colsmanni*, Benth. l. c. n. 3950 = *Bonnaya veronicaefolia*.  
*elata*, Benth. l. c. n. 3944 = *V. elata*.  
*erecta*, Benth. l. c. n. 3947 = *V. erecta*.  
*grandiflora*, Benth. l. c. n. 3949 = *V. pedunculata*.  
*grandiflora*, Spreng. Syst. ii. 801 = *Ilysanthes grandiflora*.  
*hirta*, Benth. in Wall. Cat. n. 3948 = *V. mollis*.

## TITTMANNIA:—

*monticola*, Spreng. Syst. ii. 800 = *Ilysanthes refracta*.  
*obovata*, Bunge, Enum. Pl. Chin. Bor. 49 = *Mazus rugosus*.  
*ovata*, Benth. in Wall. Cat. n. 3942 = *Vandellia hirsuta*.  
*ovata*, Reichb. Ic. Bot. Exot. i. 27 = *V. crustacea*.  
*pusilla*, Benth. in Wall. Cat. n. 3945 = *V. scabra*.  
*scabra*, Spreng. Syst. ii. 800 = *V. crustacea*.  
*scapigera*, Spreng. l. c. = *V. scapigera*.  
*stachydifolia*, Turcz. in Bull. Soc. Nat. Mosc. (1837) n. vii. 156 = *V. stachydifolia*.  
*subulata*, Spreng. Syst. ii. 801 = *V. subulata*.  
*sulcata*, Wight, ex Wall. Cat. n. 3946 = *V. scabra*.  
*trichotoma*, Benth. in Wall. Cat. n. 3943 = *V. multiflora*.  
*viscosa*, Reichb. Ic. Bot. Exot. i. 26. t. 38 = *V. hirsuta*.

TITYRUS, Salisb. Gen. Pl. Fragm. 101 (1866) = *Narcissus*, Tourn. (Amaryll.).  
*bifrons*, Salisb. l. c. = *N. Tazetta*.  
*compressus*, Salisb. l. c. = *N. compressus*.  
*Jonquilla*, Salisb. l. c. = *N. Jonquilla*.  
*primulaceus*, Salisb. l. c. = *N. Tazetta*.  
*similis*, Salisb. l. c. = *N. Jonquilla*.

TIUM, Medic. in Vorles. Churpf. Phys. Ges. ii. (1787) 373 = *Astragalus*, Tourn. (Legumin.).  
*hians*, Moench, Meth. 162 = *Oxytropis deflexa*.  
*lineare*, Moench, l. c. = *A. sulcatus*.  
*sulcatum*, Medic. in Vorles. Churpf. Phys. Ges. ii. (1787) 374 = *A. sulcatus*.

TOANABO, DC. Prod. i. 528 (1824), sphalm. = *TAONABO*, Aubl. = *Ternstroemia*, Linn. f.

TOBINIA, Desv. in Ham. Prod. Pl. Ind. Occ. 56 (1825) = *Zanthoxylum*, Linn. (Rutac.).  
*acuminatum*, Desv. l. c. 57 = *Z. acuminatum*.  
*coriacea*, Desv. l. c. = *Z. coriaceum*.  
*emarginata*, Desv. l. c. = *Z. emarginatum*.  
*punctata*, Griseb. Fl. Brit. W. Ind. 137 = *Z. punctatum*.  
*spinosa*, Desv. in Ham. Prod. Pl. Ind. Occ. 57 = *Z. spinosum*.  
*ternata*, Desv. l. c. = *Z. ternatum*.

TOCOCA, Aubl. Pl. Gui. i. 437. t. 174 (1775).  
*MELASTOMACEAE*, Benth. & Hook. f. i. 764.  
*HAPPIA*, Neck. Elem. ii. 126 (1790).  
*SPHAEROGYNE*, Naud. in Ann. Sc. Nat. Sér. III. xv. (1851) 331.

*acuminata*, Benth. Bot. Voy. Sulph. 94. —N. Granat.  
*aristata*, Benth. in Hook. Journ. Bot. ii. (1840) 305. —Guian.  
*Aubletii*, D. Don, in Mem. Wern. Soc. iv. (1823) 304 = *guianensis*.  
*barbata*, Benth. in Hook. Journ. Bot. ii. (1840) 305 = *guianensis*.  
*bullifera*, Mart. & Schrank, ex DC. Prod. iii. 165. —Bras.  
*bullifera*, Triana, in Trans. Linn. Soc. xxviii. (1871) 132, partim = *occidentalis*.  
*cardiophylla*, Naud. in Ann. Sc. Nat. Sér. III. xvi. (1851) 91. —Bras.  
*castrata*, Naud. l. c. 93 = *subnuda*.  
*ciliata*, Triana, in Trans. Linn. Soc. xxviii. (1871) 133. —Bras.  
*cinnamomea*, Triana, l. c. —Bras.  
*cordata*, Berg, ex Triana, l. c. —Bras.  
*coriacea*, S. Moore, in Journ. Bot. xviii. (1880) 3. —Honduras.  
*coronata*, Benth. in Hook. Journ. Bot. ii. (1840) 303. —Am. trop.  
*didymophysca*, Naud. in Ann. Sc. Nat. Sér. III. xvi. (1851) 90 = *formicaria*.  
*egensis*, Naud. l. c. 92. —Bras.  
*erythrostachya*, Spruce, ex Triana, in Trans. Linn. Soc. xxviii. (1871) 132 = *bullifera*.  
*formicaria*, Mart. ex DC. Prod. iii. 165. —Bras.  
*formicata*, Steud. Nom. ed. II. ii. 689, sphalm. = *praece*.  
*guianensis*, Aubl. Pl. Gui. i. 438. t. 174. —Am. trop.  
*heterophylla*, D. Don, in Mem. Wern. Soc. iv. (1823) 305 = *Calophysa heterophylla*.  
*hirsuta*, Steud. ex Triana, in Trans. Linn. Soc. xxviii. (1871) 132 = *formicaria*.  
*hirta*, Berg, ex Triana, l. c. —Venezuela.  
*lanata*, D. Don, ex Loud. Hort. Brit. 174. —Ins. Trinit.  
*lancifolia*, Spruce, ex Triana, in Trans. Linn. Soc. xxviii. (1871) 133. —Bras.

## TOCOCA:—

*latifolia*, Naud. in Ann. Sc. Nat. Sér. III. xvi. (1851) 90. —Bras.  
*macrophysca*, Spruce, ex Triana, in Trans. Linn. Soc. xxviii. (1871) 132. —Bras.  
*macroptera*, Naud. in Ann. Sc. Nat. Sér. III. xvi. (1851) 94. —Bras.  
*macrosperma*, Mart. Nov. Gen. et Sp. iii. 148. t. 279 = *Myrmidone macrosperma*.  
*Mayeta*, D. Don, in Mem. Wern. Soc. iv. (1823) 305 = *Maieta guianensis*, Poeppigii.  
*nitens*, Triana, in Trans. Linn. Soc. xxviii. (1871) 133 = *Weddellii*.  
*occidentalis*, Naud. in Ann. Sc. Nat. Sér. III. xvi. (1851) 92. —Peruv.  
*orcheophora*, Naud. l. c. 89. —Boliv.  
*parviflora*, Spruce, ex Triana, in Trans. Linn. Soc. xxviii. (1871) 132. —Peruv.  
*pauciflora*, Spruce, ex Triana, l. c. 131. —Bras.  
*planifolia*, Benth. in Hook. Journ. Bot. ii. (1840) 305. —Am. trop.  
*platyphylla*, Benth. Pl. Hartw. 181. —Am. trop.  
*pubescens*, Benth. ex Triana, in Trans. Linn. Soc. xxviii. (1871) 133 = *coronata*.  
*Roraimae*, Benth. in Hook. Journ. Bot. ii. (1840) 305 (*Roreimi*) = *guianensis*.  
*sanguinea*, D. Don, in Mem. Wern. Soc. iv. (1823) 305 = *Miconia hispidiissima*.  
*scabriuscula*, Benth. ex Triana, in Trans. Linn. Soc. xxviii. (1871) 133 = *planifolia*.  
*spadiciflora*, Triana, l. c. 132. —N. Granat.  
*stephanotricha*, Naud. in Ann. Sc. Nat. Sér. III. xvi. (1851) 95. —Bras.  
*subciliata*, Triana, in Trans. Linn. Soc. xxviii. (1871) 133. —Bras.  
*subnuda*, Benth. in Hook. Journ. Bot. ii. (1840) 303. —Guian.  
*truncata*, Benth. l. c. 304. —Bras.  
*vesiculosa*, DC. Prod. iii. 166 = *Calophysa vesiculosa*.  
*Weddellii*, Naud. in Ann. Sc. Nat. Sér. III. xvi. (1851) 94. —Bras.

TOCOYENA, Aubl. Pl. Gui. i. 131. t. 50 (1775).  
*RUBIACEAE*, Benth. & Hook. f. ii. 83.

*JOCAYENA*, Rafin. in Ann. Gén. Sc. Phys. vi. (1820) 82.  
*UCRIANA*, Willd. Sp. Pl. i. 961 (1797).  
*acutiflora*, Mart. in Flora, xxiv. (1841) II. Beibl. 82. —Bras.  
*brasiliensis*, Mart. l. c. —Bras.  
*bullata*, Mart. l. c. 80. —Bras.  
*foetida*, Poepp. & Endl. Nov. Gen. et Sp. iii. 25. t. 129. —Bras.  
*havanensis*, A. Rich. Fl. Cub. Fanerog. ii. 8 = *Posoqueria havanensis*.  
*hirsuta*, Moric. ex DC. Prod. iv. 375; et in Pl. Nouv. Am. 85. t. 56. —Bras.  
*insignis*, Roem. & Schult. Syst. v. 229 = *Posoqueria latifolia*.  
*latifolia*, Lam. Illustr. ii. 259 = *Posoqueria latifolia*.  
*longiflora*, Aubl. Pl. Gui. i. 131. —Guian.  
*longifolia*, H. B. & K. Nov. Gen. et Sp. iii. 411. —N. Granat.  
*longifolia*, Poir. Encyc. vii. 692 = *longiflora*.  
*macrophylla*, H. B. & K. Nov. Gen. et Sp. iii. 412 = *Posoqueria latifolia*.  
*microdon*, Mart. in Flora, xxiv. (1841) II. Beibl. 82. —Bras.  
*Mutisii*, H. B. & K. Nov. Gen. et Sp. iii. 411. —N. Granat.  
*scandens*, Blume, Bijdr. 980 = *Randia longiflora*.  
*speciosa*, Rich. in Act. Soc. Hist. Nat. Par. i. (1792) 107. —Guian.  
*velutina*, Mart. in Flora, xxiv. (1841) II. Beibl. 81. —Bras.  
*viscidula*, Mart. l. c. 80. —Bras.

TODAROA, Parl. in Webb & Berth. Phyt. Canar. ii. 155. t. 74 (1836-50). *UMBELLIFERAE*, Benth. & Hook. f. i. 900.  
*aurea*, Parl. l. c. —Ins. Canar.  
*montana*, Webb, ex Benth. & Hook. f. Gen. i. 897, in obs. = *Tinguarra montana*.

TODAROA, A. Rich. & Gal. in Ann. Sc. Nat. Sér. III. iii. (1845) 28 = *Campylocentron*, Benth. (Orchid.).  
*micrantha*, A. Rich. & Gal. l. c. = *C. Schiedeii*.

TODDALIA, Juss. Gen. 371 (1789). *RUTACEAE*, Benth. & Hook. f. i. 300.

*ASAPHES*, DC. Prod. ii. 90 (1825).  
*ASPIDOSTIGMA*, Hochst. in Flora, xxvii. (1844) 18.  
*BOSCIA*, Thunb. Prod. Pl. Cap. 32 (1794).  
*CRANZIA*, Schreb. Gen. 143 (1789).  
*DIPETALUM*, Dalz. in Hook. Kew Journ. ii. (1850) 38.  
*DUNCANIA*, Reichb. Consp. 197 (1828).  
*RUBENTIA*, Boj. ex Steud. Nom. ed. II. ii. 475 (1841).  
*SCOPOLIA*, Sm. Ic. Ined. ii. t. 34 (1790).  
*TECLEA*, Delile, in Ann. Sc. Nat. Sér. II. xx. (1843) 90.  
*VEPRIS*, Comm. ex A. Juss. in Mém. Mus. Par. xii. (1825) 509.

*aculeata*, Pers. Syn. i. 249. —Ind. or.; Malaya; Ins. Mascar.  
*ambigua*, Turcz. in Bull. Soc. Nat. Mosc. xxxi. (1858) i. 444. —Ins. Philipp.  
*angustifolia*, Lam. Illustr. ii. 117 = *aculeata*?  
*asiatica*, Lam. l. c. 116 = *aculeata*.  
*bilocularis*, Wight & Arn. Prod. 149. —Ind. or.  
*effusa*, Turcz. in Bull. Soc. Nat. Mosc. xxxi. (1858) i. 443. —Ins. Philipp.  
*floribunda*, Wall. Pl. As. Rar. iii. 17. t. 232 = *aculeata*.  
*inermis*, Pers. Syn. i. 249 = *paniculata*.  
*lanceolata*, Lam. Illustr. ii. 117. —Afr. trop.; Ins. Maurit.  
*megapotamica*, G. Don, Gen. Syst. i. 805. —Bras.  
*micracantha*, Miq. Fl. Ind. Bat. i. II. 672, sphalm. = *seq.*  
*micrantha*, Steud. Nom. ed. II. ii. 690. —Java.  
*mitis*, Miq. ex Hook. f. Fl. Brit. Ind. i. 492 = *Zanthoxylum ovalifolium*.  
*natalensis*, Sond. in Harv. & Sond. Fl. Cap. i. 447. —Afr. austr.  
*nitida*, Lam. Mlustr. ii. 116 = *aculeata*.  
*nobilis*, Hook. f. ex Oliver, Fl. Trop. Afr. i. 306. —Afr. trop.  
*paniculata*, Lam. Illustr. ii. 117. —Ins. Mascar.  
*pilosa*, Baker, in Journ. Linn. Soc. xxi. (1884) 329. —Madag.  
*rubicaulis*, Roem. & Schult. Syst. v. 323 = *aculeata*.  
*schmidelioides*, Baker, in Journ. Linn. Soc. xx. (1883) 118. —Madag.  
*venosa*, G. Don, Gen. Syst. i. 805. —Bras.  
*Willdenowii*, Steud. Nom. ed. II. ii. 690. —Ins. Mascar.

TODDA-PANA, Adans. Fam. ii. 25 (1763) = *Cycas*, Linn.

TOECHIMA, Radlk. in Sitzb. Math.-Phys. Akad. Muench. ix. (1879) 501, 671. *SAPINDACEAE*.  
*Daemelianum*, Radlk. l. c. 672. —Austral.  
*erythrocarpum*, Radlk. l. c. 671. —Austral.  
*subteres*, Radlk. l. c. —N. Guin.  
*tenax*, Radlk. l. c. = *Ratonia tenax*.

TOFFIELDIA, Schrank, in Denkschr. Akad. Muench. 1813 (1814) 94, sphalm. = *seq.*

TOFIELDIA, Pers. Syn. i. 399 (1805) = *seq.*

TOFIELDIA, Huds. Fl. Angl. ed. II. 157 (1778).

*LILIACEAE*, Benth. & Hook. f. iii. 828.  
*CONRADIA*, Rafin. Neogenyt. 3 (1825).  
*CYMBA*, Dulac, Fl. Hautes-Pyr. 117 (1867).  
*HEBELIA*, C. C. Gmel. Fl. Bad. ii. 117 (1806).  
*HERITERIA*, Schrank, Baier. Fl. i. 133 (1789).  
*ISIDROGALVIA*, Ruiz & Pav. Fl. Per. iii. 69. t. 302 (1802).  
*LEPTILIX*, Rafin. Neogenyt. 3 (1825).  
*TRIANTHA*, Nutt. Gen. Am. i. 235 (1818).  
*allemanica*, Bluff & Finger. Comp. Fl. Germ. ed. I. i. 478 = *calyculata*.  
*alpina*, Hoppe & Sternb. in Denkschr. Bot. Ges. Regensb. i. (1815) 152 = *palustris*.  
*alpina*, Sm. in Trans. Linn. Soc. xii. (1817) 24 = *calyculata*.  
*anthericoides*, Roth, Enum. Pl. Phaen. i. II. 109 = *calyculata*.  
*borealis*, Wahlenb. Fl. Lapp. 89 = *palustris*.  
*calyculata*, Wahlenb. l. c. 90, in obs. —Europ.; Am. bor.  
*capitata*, Hoppe, ex Michl. in Flora, iii. (1820) 314 = *palustris*.

**TOFIELDIA** :—

- cernua*, Sm. in *Trans. Linn. Soc.* xii. (1817) 244.—Sibir.  
*coccinea*, Richards. in *Frankl. Narr.* 1st Journ. App. 736 = calyculata.  
*collina*, Schult. Oesterr. Fl. ed. II. i. 581 = calyculata.  
*falcata*, Pers. Syn. i. 399.—Peruv.  
*flexuosa*, Willd. in *Ges. Naturf. Fr. Berl. Mag.* ii. (1808) 28 = falcata.  
*frigida*, H. B. & K. Nov. Gen. et Sp. i. 267 = falcata.  
*glaberrima*, Macbride, ex Ell. Sketch, i. 424 = glabra.  
*glabra*, Nutt. Gen. Am. i. 235.—Am. bor.  
*glacialis*, Gaud. Fl. Helv. ii. 596 = calyculata.  
*glutinosa*, Pers. Syn. i. 399.—Am. bor.  
*gracilis*, Franch. & Sav. Enum. Pl. Jap. ii. 531.—Japon.  
*himalaica*, Baker, in *Journ. Linn. Soc.* xvii. (1879) 489.—Reg. Himal.  
*japonica*, Miq. Ann. Mus. Bot. Lugd. Bat. iii. 201.—Japon.  
*nepalensis*, Wall. Cat. n. 5097 (Aletridis sp.).—Reg. Himal.; China.  
*nuda*, Franch. & Sav. Fl. Jap. ii. 89, partim = stenantha.  
*nuda*, Maxim. in *Bull. Acad. Pétersb.* xvii. (1872) 176.—Japon.  
*nutans*, Willd. ex Schult. f. Syst. vii. 1573, in obs.—Sibir. or.; Japon.; Am. bor.  
*occidentalis*, S. Wats. in *Proc. Am. Acad.* xiv. (1879) 283.—Am. bor. occ.  
*ossifraga*, Nem. ex Chaub. in *Act. Linn. Soc. Bord.* xix. (1853) 228 = *Narthecium ossifragum*.  
*palustris*, DC. Fl. Fr. iii. 193 = calyculata.  
*palustris*, Huds. Fl. Angl. ed. II. i. 175.—Reg. bor. et arct.  
*pubens*, Willd. in *Ges. Naturf. Fr. Berl. Mag.* ii. (1808) 28; [*Dryand.* in] *Ait. Hort. Kew.* ed. II. ii. 325.—Am. bor.  
*pubescens*, Pers. Syn. i. 399 = pubens.  
*pusilla*, Pers. l. c. = palustris.  
*racemosa*, Hoppe & Hornsch. in *Flora*, iv. (1821) 189 = calyculata.  
*rubra*, F. Br. in *Flora*, iii. (1820) 469 = calyculata.  
*sessiliflora*, Hook. Ic. Pl. t. 691 = falcata.  
*sibirica*, Adams, in *Mém. Soc. Nat. Mosc.* ix. (1834) 236 = coccinea.  
*sordida*, Maxim. in *Bull. Acad. Pétersb.* xi. (1867) 437.—Japon.  
*stenantha*, Franch. & Sav. Enum. Pl. Jap. ii. 530.—Japon.  
*stenopetala*, Sm. in *Trans. Linn. Soc.* xii. (1817) 243. t. 8 f. 1 = calyculata.

**TOKOYENA**, Rich. ex Steud. Nom. ed. II. ii. 383, in syn. (1841), sphalm. = **Tocoyena**, Aubl. (Rubiace.).

**TOLA**, Wedd. ex Benth. & Hook. f. Gen. ii. 257 (1873) = **Lepidophyllum**, Cass. (Compos.).

**TOLLATIA**, Endl. Gen. 428 (1838) = **Layia**, Hook. & Arn. (Compos.).  
*chrysanthemoides*, Endl. ex Walp. Rep. ii. 631 = *L. chrysanthemoides*.

**TOLMIAEA**, Buek, Ind. in DC. Prod. iii. 479 (1858), sphalm. = seq.

**TOLMIEA**, Hook. Fl. Bor. Am. ii. 44 (1834) = **Cladotamnus**, Bong. (Ericac.).  
*occidentalis*, Hook. l. c. 45 = *C. pyroliflorus*.

**TOLMIEA**, Torr. & Gray, Fl. N. Am. i. 582 (1840).  
**SAXIFRAGEAE**, Benth. & Hook. f. i. 638.  
**LEPTAXIS**, Rafin. Fl. Tellur. ii. 75 (1836), nomen prius.  
*Menziesii*, Torr. & Gray, Fl. N. Am. i. 582.—Am. bor. occ.

**TOLPIS**, Adans. Fam. ii. 112 (1763). **COMPOSITAE**, Benth. & Hook. f. ii. 508.

**AETHONIA**, D. Don, in *Edinb. N. Phil. Journ.* (1828-29) 309.

**CALODONTA**, Nutt. in *Trans. Am. Phil. Soc. N. S.* vii. (1841) 448.

**CHATELANIA**, Neck. Elem. i. 53 (1790).

**DREPANIA**, Juss. Gen. 169 (1789).

**POLYCHAETIA**, Tausch, ex Less. Syn. Comp. 129 (1832).

**SCHMIDTIA**, Moench, Meth. Suppl. 217 (1802).

**SWERTIA**, All. Fl. Pedem. i. 208 (1785).

*abyssinica*, A. Rich. Tent. Fl. Abyss. i. 459.—Abyss.

**TOLPIS** :—

- abyssinica*, Sch. Bip. in Webb & Berth. Phyt. Canar. ii. 399 = altissima.  
*altissima*, Pers. Syn. ii. 377.—Reg. Mediterr.; Syria.  
*ambigua*, Req. ex Nym. Consp. 473 = virgata.  
*baetica*, Jord. & Fourr. Ic. Fl. Eur. i. 43 = barbata.  
*barbata*, Bivona, Monog. 13. t. 3 = umbellata.  
*barbata*, Gaertn. Fruct. ii. 872. t. 160.—Reg. Mediterr.  
*biaristata*, Link, Handb. i. 811, sphalm. = *sexaristata*.  
*Bivonae*, Jord. & Fourr. Brev. Pl. Nov. fasc. ii. 87 = barbata.  
*Calderae*, Bolle, in *Bonplandia*, vii. (1859) 298.—Ins. Canar.  
*canariensis*, Jord. & Fourr. Brev. Pl. Nov. fasc. ii. 84 = barbata.  
*capensis*, Sch. Bip. in *Bonplandia*, ix. (1861) 172 = *Hieracium capense*.  
*concolor*, Jord. & Fourr. Brev. Pl. Nov. fasc. ii. 85 = umbellata.  
*coronopifolia*, Bivona, Monog. 17. t. 5.—Europ.; Ins. Canar.  
*cretica*, Sieber, ex Nym. Consp. 473 = altissima.  
*crinita*, Lowe, in *Trans. Camb. Phil. Soc.* iv. (1831) 24 = umbellata vel barbata.  
*crithmifolia*, DC. Prod. vii. 87.—Ins. Canar.  
*dichroa*, Jord. & Fourr. Brev. Pl. Nov. fasc. ii. 86 = barbata.  
*discolor*, Jord. & Fourr. l. c. = barbata.  
*eriantha*, Sch. Bip. in *Bonplandia*, ix. (1861) 173, in syn. = *Hieracium erianthum*.  
*farinulosa*, Walp. Ann. ii. 955.—Ins. Cap. Virid.  
*filiformis*, DC. Prod. vii. 87.—Ins. Mader.  
*fruticosa*, Schrank, Pl. Rar. Hort. Monac. t. 46.—Ins. Canar.  
*glandulifera*, Bolle, in *Bonplandia*, vii. (1859) 298.—Ins. Canar.  
*grandiflora*, Tenore, Viagg. Basil. e Calabr. 128 = altissima.  
*laciniata*, Webb & Berth. Phyt. Canar. ii. 406.—Ins. Canar.  
*Lagopoda*, C. Sm. ex Link, in *Buch. Besch. Canar.* Ins. 147.—Ins. Canar.  
*macrodonia*, Jord. & Fourr. Brev. Pl. Nov. fasc. ii. 85 = umbellata.  
*macrorhiza*, DC. Prod. vii. 87.—Ins. Mader.  
*macrorhiza*, H. C. Wats. ex Seub. Fl. Azor. 33 = nobilis.  
*madagascariensis*, Sch. Bip. in *Bonplandia*, ix. (1861) 172 = *Hieracium madagascariense*.  
*microcephala*, Pomel, Nouv. Mat. Fl. Atl. 271 = umbellata.  
*nobilis*, Hochst. in *Seub. Fl. Azor.* 33. t. 11.—Ins. Azor.  
*pallidiflora*, Jord. & Fourr. Brev. Pl. Nov. fasc. ii. 85 = barbata.  
*pectinata*, DC. Prod. vii. 87.—Ins. Mader.  
*prolifera*, Moench, Meth. Suppl. 220 = barbata.  
*pygmaea*, Steud. Nom. ed. II. ii. 691 = *Leontodon nudicaulis*.  
*quadriaristata*, Bivona, Monog. 9 = altissima.  
*quercifolia*, Sch. Bip. in Webb & Berth. Phyt. Canar. ii. 398, 399 = umbellata, macrorhiza.  
*quinqueradiata*, C. Koch, in *Linnaea*, xxiii. (1850) 654 = umbellata.  
*sexaristata*, Bivona, Monog. 11. t. 2 = altissima.  
*stacticefolia*, Sch. Bip. in *Bonplandia*, ix. (1861) 173 = *Hieracium stacticefolium*.  
*succulenta*, Lowe, Man. Fl. Mad. i. 525 = fruticosa.  
*umbellata*, Bertol. in *Mem. Soc. Emul. Genova*, ii. (1803) 133.—Reg. Mediterr.  
*umbellata*, Bertol. l. c., partim = barbata.  
*virgata*, Bertol. l. c. 135 = altissima.  
*virgata*, Bivona, Monog. 15. t. 4.—Reg. Mediterr.  
*Webbii*, Sch. Bip. in Webb & Berth. Phyt. Canar. ii. 409.—Ins. Canar.

**TOLUIFERA**, Linn. Gen. ed. II. 182 (1742) = **Myroxylon**, Linn. (Legumin.).

*Balsamum*, Linn. Sp. Pl. 384 = *M. toluiferum*.

*pedicellata*, Baill. Hist. Pl. ii. 383 = *M. pedicellatum*.

*Pereirae*, Baill. l. c. = *M. Pereirae*.

*peruifera*, Baill. l. c. = *M. peruiferum*.

*pubescens*, Baill. l. c. = *M. pubescens*.

*punctata*, Baill. l. c. = *M. toluiferum*.

**TOLUIFERA**, Lour. Fl. Cochinch. 262 (1790) = **Loureira**, Meissn. (Gen. ignot.).

*cochinchinensis*, Lour. l. c. = *L. cochinchinensis*, *Buchanania Lanza*.

**TOLUMNIA**, Rafin. Fl. Tellur. ii. 101 (1836) = **Oncidium**, Sw. (Orchid.).  
*pulchella*, Rafin. l. c. = *O. pulchellum*.

**TOLYPANTHUS**, Blume, in Schult. f. Syst. vii. II. 1731 (1830) = **Loranthus**, Linn.  
*coriaceus*, Blume, l. c. = *L. coriaceus*.  
*involutus*, Blume, l. c. = *L. involutus*.  
*loniceroides*, Blume, l. c. = *L. loniceroides*.

**TOLYPEUMA**, E. Mey. in Drège, Zwei Pfl. Docum. 226 (1843), nomen = **Nesaea**, Comm. (Lythrac.).  
*floridum*, E. Mey. l. c. = *N. floribunda*.

**TOMANTEA**, Steud. Nom. ed. II. ii. 691 (1841), sphalm. = seq.

**TOMANTHEA**, DC. Prod. vi. 564 (1837) = **Centaurea**, Linn. (Compos.).  
*Aucherii*, DC. l. c. = *C. luzoides*.

**TOMANTHERA**, Rafin. New Fl. Am. ii. 65 (1836) = **Gerardia**, Linn. (Scrophul.).  
*auriculata*, Rafin. l. c. 66 = *G. auriculata*.  
*lanceolata*, Rafin. l. c. = *Zaluzianskyia villosa*.

**TOMARIS**, Rafin. Fl. Tellur. iii. 46 (1836) = **Rumex**, Linn. (Polygon.).

**TOMEX**, Forsk. Fl. Aegypt. Arab. 32 (1775) = **Dobera**, Juss. (Salvad.).—Cf. Benth. & Hook. f. ii. 680; iii. 162, in nota.  
*dubia*, Jacq. Hort. Vindob. ii. 90 = *D. dubia*.  
*glabra*, Forsk. Fl. Aegypt. Arab. 32 = *D. Roxburghii*.

**TOMEX**, Linn. Diss. Dass. 5 (1747); Amoen. Acad. i. 389 (1749) = **Callicarpa**, Linn. (Verben.).  
*tomentosa*, Linn. Sp. Pl. 118 = *C. lanata*.

**TOMEX**, Thunb. Nov. Gen. iii. 65 (1783) = **Litsea**, Lam. (Laurin.).  
*Boldo*, Nees, Syst. Laurin. 719 (Index), sphalm. = seq.  
*Bolo*, Buch.-Ham. ex D. Don, Prod. Fl. Nep. 64 = *Lindera melastomacea*.  
*Doshia*, Buch.-Ham. ex D. Don, l. c. 65 = *L. oblonga*.  
*japonica*, Thunb. Nov. Gen. iii. 64 = *L. japonica*.  
*laurina*, Hornem. ex Meissn. in DC. Prod. xv. i. 229 = *L. zeylanica*, umbrosa.  
*monopetala*, Hoffm. Verz. Pfl. Nachtr. II. 221 = *L. polyantha*.  
*pubescens*, Willd. ex Meissn. in DC. Prod. xv. i. 189 = *L. polyantha*.  
*Sebifera*, Willd. Sp. Pl. ii. 840 = *L. Sebifera*.  
*Tetranthera*, Willd. l. c. 839 = *L. Sebifera*.

**TOMIEPHYLLUM**, Fourr. in Ann. Soc. Linn. Lyon, N. S. xvii. (1869) 125 = **Scrophularia**, Tourn.  
*caninum*, Fourr. l. c. = *S. canina*.  
*tenuisectum*, Fourr. l. c. = *S. canina*.

**TOMILIX**, Rafin. New Fl. Am. ii. 72 (1836) = **Macranthera**, Torr. (Scrophul.).  
*bracteata*, Rafin. l. c. = *M. fuchsoides*.

**TOMMASINIA**, Bertol. Fl. Ital. iii. 414 (1839) = **Peucedanum**, Tourn. (Umbell.).  
*Kotschyi*, Boiss. in Ann. Sc. Nat. Sér. III. i. (1844) 302 = *Dorema Aucheri*.  
*purpurascens*, Boiss. Fl. Orient. ii. 979 = *Dorema Aucheri*.  
*Szowitsii*, Boiss. in Ann. Sc. Nat. Sér. III. i. (1844) 302 = *Dorema Aucheri*.  
*verticillaris*, Bertol. Fl. Ital. iii. 414 = *P. verticillare*.

**TOMODON**, Rafin. Fl. Tellur. iv. 22 (1836) = **Hymenocallis**, Salisb. (Amaryll.).  
*coronarium*, Rafin. l. c. = *H. crassifolia*.  
*floridanum*, Rafin. l. c. = *H. crassifolia*.  
*pratense*, Rafin. l. c. = *H. crassifolia*?  
*riparium*, Rafin. l. c. = *H. crassifolia*?  
*rotatum*, Rafin. l. c. = *H. lacera*.

**TOMOSTIMA**, Rafin. Neogenyt. 2 (1825) = **Draba**, Linn. (Crucif.).  
*caroliniana*, Rafin. l. c. = *D. caroliniana*.  
*hispidula*, Rafin. l. c. = *D. caroliniana*.



TOMOSTYLIS, Montr. in Mém. Acad. Lyon, x. (1860)  
201 = *Crossostyles*, Forst. (Rhizoph.).  
*multiflora*, Montr. l. c. = *C. multiflora*.

TOMOTRIS, Rafin. Fl. Tellur. ii. 89 (1836) = *Corymbis*, Thou. (Orchid.).  
*flava*, Rafin. l. c. = *C. flava*.  
*polystachia*, Rafin. l. c. (= *Chloidia vernalis*).—Jamaica.

TOMOXIS, Rafin. Fl. Tellur. iii. 54 (1836) = *Ornithogalum*, Tourn. (Liliac.).  
*coarctata*, Rafin. l. c. = *O. coarctatum*.  
*odorata*, Rafin. l. c. = *O. suaveolens*.  
*virens*, Rafin. l. c. = *O. virens*.

TONABEA, Juss. Gen. 262 (1789) = *TAONABO*, Aubl.  
= *Ternstroemia*, Linn. f.

TONDIN, G. W. Schilling, Desc. Pl. Curat. Leprae, (1778) 198; et ex J. F. Gmel. Syst. 635 (1791) (Quid?).  
*surinamensis*, G. W. Schilling, l. c. t. 1; et ex J. F. Gmel. l. c.—Guian.

TONELLA, Nutt. ex A. Gray, in Proc. Am. Acad. vii. (1868) 378. *SCOPHULARINEAE*, Benth. & Hook. f. ii. 941.  
collinsioides, Nutt. ex A. Gray, l. c.—Am. bor. occ.  
floribunda, A. Gray, in Bot. Calif. i. 556.—Calif.

TONGUEA, Endl. Gen. 1419 (1841) = *Sisymbrium*, Tourn. (Crucif.).

TONINA, Aubl. Pl. Gui. ii. 856. t. 330 (1775). *ERIO-CAULEAE*, Benth. & Hook. f. iii. 1024.  
*HYPHYDRA*, Schreb. Gen. 666 (1791).  
*fluviatilis*, Aubl. Pl. Gui. ii. 857. t. 330.—Guian.

TONNINGIA, Neck. Elem. iii. 165 (1790) = *Cyanotis*, D. Don (Commel.).

TONSELLA, Schreb. Gen. 34 (1789) = *TONTELEA*, Aubl. = *Salacia*, Linn. (Celastr.).

TONSHIA, Buch.-Ham. ex D. Don, Prod. Fl. Nep. 225 (1825) = *Saurauja*, Willd. (Ternstroem.).  
*polypetala*, Buch.-Ham. ex D. Don, l. c. = *S. napaulensis*.

TONTANEA, Aubl. Pl. Gui. i. 108. t. 42 (1775) = *Coccocypselum*, P. Br. (Rubiace.).  
*guianensis*, Aubl. l. c. = *C. Tontanea*.  
*repens*, Pers. Syn. i. 134 = *C. Tontanea*.

TONTELEA, Aubl. Pl. Gui. i. 31. t. 10 (1775) = *Salacia*, Linn. (Celastr.).  
*africana*, Willd. Sp. Pl. i. 194 = *S. africana*.  
*attenuata*, Miers, in Trans. Linn. Soc. xxviii. (1872) 384 = *S. Richardii*.  
*Aubletiana*, Miers, l. c. 383 = *S. scabra*.  
*brachypoda*, Miers, l. c. 387 = *S. brachypoda*.  
*brasiliensis*, Spreng. Syst. i. 177 = *S. brasiliensis*.  
*Calypso*, Spreng. l. c. = *S. Calypso*.  
*calypsoides*, Endl. in Walp. Rep. i. 400 = *S. calypsoides*.  
*chinensis*, Spreng. Syst. i. 177 = *S. Roxburghii*.  
*corrugulata*, Miers, in Trans. Linn. Soc. xxviii. (1872) 386 = *S. micrantha*.  
*crassifolia*, Spreng. Syst. i. 177 = *S. crassifolia*.  
*decussata*, Vahl, Enum. ii. 30 = *Hippocratea decussata*.  
*disperma*, Poir. Encyc. Suppl. v. 316 = *Hippocratea indica*.  
*elliptica*, Spreng. Syst. i. 178 = *S. elliptica*.  
*erythroxyloides*, Endl. ex Walp. Rep. i. 400 = *S. elliptica*.  
*floribunda*, Miers, in Trans. Linn. Soc. xxviii. (1872) 385 = *Hippocratea acapulcensis*.  
*glomerata*, Spreng. Syst. i. 177 = *S. glomerata*.  
*grandiflora*, Spreng. l. c. 178 = *S. grandifolia*.  
*Hookeriana*, Miers, in Trans. Linn. Soc. xxviii. (1872) 388.—Mexico.  
*laevigata*, Hoffmgg. ex Link, Jahrb. i. III. (1820) 68 = *S. laevigata*.  
*levigata*, Poir. Encyc. Suppl. v. 316 = *Hippocratea ovata*.  
*longifolia*, Miers, in Trans. Linn. Soc. xxviii. (1872) 384 = *Hippocratea malpighiaefolia*.

TONTELEA :—

*macrophylla*, Poir. Encyc. Suppl. v. 317 = *Hippocratea macrophylla*.  
*madagascariensis*, Vahl, Enum. ii. 32 = *Salacia madagascariensis*.  
*malpighiaefolia*, G. F. W. Mey. Prim. Fl. Esseq. 20 = *Hippocratea malpighiaefolia*.  
*micrantha*, Spreng. Syst. i. 177 = *S. micrantha*.  
*multiflora*, Vahl, Enum. ii. 32 = *S. multiflora*.  
*oblongifolia*, Spreng. Syst. i. 178 = *S. elliptica*.  
*obtusifolia*, Endl. in Walp. Rep. i. 400 = *S. obtusifolia*.  
*paniculata*, Poir. Encyc. Suppl. v. 316 = *Hippocratea paniculata*.  
*parviflora*, Miers, in Trans. Linn. Soc. xxviii. (1872) 386 = *S. parviflora*.  
*prinoides*, Willd. in Ges. Naturf. Fr. Neue Schr. iv. (1803) 184 = *S. prinoides*.  
*pyriformis*, Hort. ex G. Don, in Loud. Hort. Brit. 14 = *S. pyriforme*.  
*Radula*, Spreng. Syst. i. 177 = *S. Radula*.  
*scabra*, Vahl, Enum. ii. 29 = *S. scabra*.  
*scandens*, Aubl. Pl. Gui. i. 31 = *S. scabra*.  
*senegalensis*, Vahl, Enum. ii. 31 = *S. senegalensis*.  
*serrata*, Endl. in Walp. Rep. i. 401 = *S. serrata*.  
*trinervia*, Spreng. Syst. i. 177 = *S. trinervia*.  
*undulata*, Spreng. l. c. = *S. undulata*.  
*velutina*, Endl. in Walp. Rep. i. 401 = *S. velutina*.

TOONA, M. Roem. Syn. Hesper. 131, 139 (1846) = *Cedrela*, P. Br. (Meliace.).  
*ciliata*, M. Roem. l. c. 139 = *C. Toona*.  
*febrifuga*, M. Roem. l. c. = *C. Toona*.  
*hexandra*, M. Roem. l. c. = *C. Toona*.  
*longifolia*, M. Roem. l. c. 140 = *C. Toona*.  
*serrata*, M. Roem. l. c. 139 = *C. Toona*.  
*sinensis*, M. Roem. l. c. = *C. sinensis*.  
*velutina*, M. Roem. l. c. = *Chickrassia tabularis*.  
*villosa*, M. Roem. l. c. 140 = *Chickrassia tabularis*.

TOPEINOSTEMON, C. Muell. in Walp. Ann. v. 509 (1858), err. typ. = *Tapeinostemon*, Benth. (Gentian.).

TOPIARIS, Rafin. Sylva Tellur. 43 (1838) = *Cordia*, Linn. (Borag.).  
*geniculata*, Rafin. l. c. = *C. mirabiloides*.

TOPOBEA, Aubl. Pl. Gui. i. 476. t. 189 (1775). *MELASTOMACEAE*, Benth. & Hook. f. i. 770.  
*DREPANANDRUM*, Neck. Elem. ii. 118 (1790).  
*anisophylla*, Triana, in Trans. Linn. Soc. xxviii. (1871) 161.—N. Granat.  
*calycularis*, Naud. in Ann. Sc. Nat. Sér. III. xviii. (1852) 149.—Mexico.  
*fragrans*, Naud. l. c. = *laevigata*.  
*glaberrima*, Triana, in Trans. Linn. Soc. xxviii. (1871) 150.—N. Granat.  
*glabrescens*, Triana, l. c. 149.—N. Granat.  
*gracilis*, Triana, l. c. 150.—N. Granat.  
*inflata*, Triana, l. c.—N. Granat.  
*insignis*, Triana, l. c.—N. Granat.  
*laevigata*, Naud. in Ann. Sc. Nat. Sér. III. xviii. (1852) 150.—Mexico.  
*latifolia*, Triana, in Trans. Linn. Soc. xxviii. (1871) 149.—N. Granat.  
*longipes*, Naud. in Ann. Sc. Nat. Sér. III. xviii. (1852) 147.—Peruv.  
*multiflora*, Triana, in Trans. Linn. Soc. xxviii. (1871) 149.—Peruv.  
*paniculata*, Rich. ex DC. Prod. iii. 105 = *Adelobotrys adscendens*.  
*parasitica*, Aubl. Pl. Gui. i. 476.—Guian.  
*punctulata*, Triana, in Trans. Linn. Soc. xxviii. (1871) 150.—N. Granat.  
*rotundifolia*, Naud. in Ann. Sc. Nat. Sér. III. xviii. (1852) 150 = *Blakea rotundifolia*.  
*sessilifolia*, Triana, in Trans. Linn. Soc. xxviii. (1871) 150.—N. Granat.  
*setosa*, Triana, l. c. 149.—N. Granat.  
*stephanochaeta*, Naud. in Ann. Sc. Nat. Sér. III. xviii. (1852) 148.—N. Granat.  
*subscabrula*, Triana, in Trans. Linn. Soc. xxviii. (1871) 150.—N. Granat.  
*superba*, Naud. in Ann. Sc. Nat. Sér. III. xviii. (1852) 147.—Panama.

TOQUERA, Rafin. Sylva Tellur. 40 (1838) = *Cordia*, Linn. (Borag.).  
*tomentosa*, Rafin. l. c. = *C. Toqueve*.

TORDYLOIDES, Wall. ex DC. Prod. iv. 199 (1830) = *Heracleum*, Linn. (Umbell.).  
*Brunonis*, Wall. ex DC. l. c. = *H. Brunonis*.

TORDYLIOPSIS, DC. Prod. iv. 199 (1830) = *Heracleum*, Linn. (Umbell.).  
*Brunonis*, DC. l. c. = *H. Brunonis*.

TORDYLIUM, Tourn. ex Linn. Gen. ed. I. 71 (1737). *UMBELLIFERAE*, Benth. & Hook. f. i. 924.  
*AINSWORTHIA*, Boiss. in Ann. Sc. Nat. Sér. III. i. (1844) 343.  
*CONDYLOCARPUS*, Hoffmgg. Gen. Umbell. ed. II. 202 (1816).  
*HASSELQUISTIA*, Linn. Cent. Pl. i. 9 (1755); Amoen. Acad. iv. 270 (1759).  
*SYNELCOSCIADIUM*, Boiss. in Ann. Sc. Nat. Sér. III. i. (1844) 345.  
*absinthifolium*, Pers. Syn. i. 314 = *Zosima orientalis*.  
*aegyptiacum*, Lam. Illustr. ii. 336.—Syria; Mesopot.  
*americanum*, Nutt. ex DC. Prod. iv. 196 = *Polytaenia Nuttallii*.  
*Anthriscus*, Linn. Sp. Pl. 240 = *Caucalis Anthriscus*.  
*apulum*, Linn. l. c. 239.—Reg. Mediterr.  
*apulum*, Reichb. Fl. Germ. Excurs. 452 = officinale.  
*Arthedia*, Crantz, Cl. Umb. Emend. 56 = *Artemisia squamata*.  
*asperum*, Gilib. Fl. Lituan. ii. 11 = *Caucalis Anthriscus*.  
*Aucher*, Jaub. & Spach, Illustr. iii. 46. t. 237 = *Ormosciadium Aucheri*.  
*austriacum*, Hort. Vilm. (1811); ex Schult. Syst. vi. 462 (Quid?).—Europ.  
*brachytaenium*, Boiss. & Heldr. Diagn. Ser. I. x. 45.—Pamphyl.  
*Brunonis*, Wall. Cat. n. 590 = *Heracleum Brunonis*.  
*cappadocicum*, Boiss. in Ann. Sc. Nat. Sér. III. i. (1844) 349.—Cappadoc.  
*concinnum*, Tenore, Syll. Fl. Nap. App. iv. 11 = *apulum*.  
*cordatum*, Poir. Encyc. vii. 712.—Ins. Cypr.; Mesopot.  
*cyrenaicum*, Spreng. Syst. i. 895 = *Apium nodiflorum*.  
*divaricatum*, Moench, Meth. 77 = *syriacum*.  
*grande*, Salisb. Prod. 160 = maximum.  
*grandiflorum*, Moench, Meth. 78 = *apulum*.  
*Hasselquistia*, Crantz, Cl. Umb. Emend. 57 = *aegyptiacum*.  
*Hasselquistiae*, DC. Prod. iv. 198.—Syria.  
*humile*, Desf. Fl. Atlant. i. 235. t. 58 = *apulum*.  
*insulare*, Clarke, Trav. iii. 337 = *apulum*.  
*intermedium*, Pass. in Nuov. Giorn. Bot. Ital. iii. (1871) 167, 168 = *apulum*.  
*lanatum*, Boiss. Fl. Orient. ii. 1030.—As. Min.  
*latifolium*, Linn. Sp. Pl. 240 = *Caucalis latifolia*.  
*lusitanicum*, Hoffmgg. & Link, Fl. Port. ii. 389 = maximum.  
*macropetalum*, Boiss. in Ann. Sc. Nat. Sér. III. i. (1844) 348.—Caria.  
*magnum*, Brot. Fl. Lusit. i. 450 = maximum.  
*maximum*, Linn. Sp. Pl. 240.—Europ.; Reg. Cauc.  
*microspermum*, Tenore, Add. (1827); ex DC. Prod. iv. 198 = officinale.  
*nodiflorum*, Salisb. Prod. 160 = seq.  
*nodosum*, Linn. Sp. Pl. 240 = *Caucalis nodosa*.  
*officinale*, Linn. Sp. Pl. 239.—Europ. austr.  
*officinale*, Reichb. Fl. Germ. Excurs. 452 = *apulum*.  
*peregrinum*, Linn. Mant. i. 55 = *Capnophyllum dichotomum*.  
*persicum*, Boiss. & Haussk. ex Boiss. Fl. Orient. ii. 1032.—Persia.  
*Pestalozzae*, Boiss. Diagn. Ser. I. x. 45.—Lycia.  
*Secacul*, Mill. Gard. Dict. ed. VIII. n. 5 = *Pastinaca Secacul*.  
*segetum*, Hort. Par. ex Schult. Syst. vi. 484 = *Caucalis arvensis*.  
*Sekakul*, DC. Prod. iv. 90 = *T. Secacul*.  
*siifolium*, Scop. Fl. Carn. ed. II. i. 194 = *Heracleum austriacum*.  
*suaveolens*, Delile, Fl. Egypte, Illustr. 58. n. 323 = *Pastinaca Secacul*.  
*sulcatum*, Desf. Tabl. ed. II. Suppl. 274 (Quid?).—Hab.?  
*syriacum*, Linn. Sp. Pl. 239.—Cilicia; Syria.  
*verecundum*, Salisb. Prod. 160 = *Caucalis Anthriscus*.

TOREALA, Noronha, in Verh. Batav. Gen. v. (1790) ed. I. Art. iv. 4 = *Inga*, Scop. et *Parkia*, R. Br. (Legumin.).

**TORENIA**, Linn. Diss. Chen. 45 (1751); Amoen. Acad. iii. 25 (1756). *SCROPHULARINEAE*, Benth. & Hook. f. ii. 954.

*CAËLA*, Adans. Fam. ii. 209 (1763).

*DUNALIA*, R. Br. in Salt. Abyss. App. 64 (1814).

*LEGAZPIA*, Blanco, Fl. Filip. ed. II. 338 (1845).

*NORTENIA*, Thou. Gen. Nov. Madag. 9 (1806).

*PENTSTERIA*, Griff. Notul. iv. 118 (1854).

*PERISTEIRA*, Hook. f. Fl. Brit. Ind. iv. 277-8-9 (1884), sphalm.

*alata*, Benth. in DC. Prod. x. 411.—Ins. Molucc.

*alba*, Buch.-Ham. ex Wall. Cat. n. 3961 = peduncularis, *Vandellia crustacea*.

*angustifolia*, Buch.-Ham. l. c. n. 3951 A = *Vandellia angustifolia*.

*arracanensis*, Hort. ex Paxt. Mag. Bot. xv. (1849) 198.—Burma?

*asiatica*, Benth. Scroph. Ind. 38; et in DC. Prod. x. 410 = peduncularis.

*asiatica*, Herb. Madr. ex Wall. Cat. n. 3954 A = cordifolia.

*asiatica*, Linn. Sp. Pl. 619.—As. trop.

*asiatica*, Wall. Cat. n. 3953, partim = vagans.

*asiatica*, Wight, ex Hook. f. Fl. Brit. Ind. iv. 278 = bicolor.

*auriculæfolia*, Dombr. Flor. Mag. x. (1871) t. 534 = *Craterostigma pumilum*.

*Bailloni*, Godefroy, ex André, in Illustr. Hortic. xxv. (1878) 136. t. 324 = flava.

*Benthamiana*, Hance, in Ann. Sc. Nat. Sér. IV. xviii. (1862) 226.—China.

*bicolor*, Dalz. in Hook. Kew Journ. iii. (1851) 38.—Ind. or.

*calcarata*, Griff. Notul. iv. 124 = *Vandellia angustifolia*.

*cardiosephala*, Benth. in DC. Prod. x. 409 = polygonoides.

*ciliaris*, Sm. in Rees, Cycl. xxxvi. n. 3.—Malaya.

*ciliata*, Hook. f. Fl. Brit. Ind. iv. 278, sphalm. = *præc. coerulea*, Miq. Fl. Ind. Bat. Suppl. 562 = ciliaris.

*colorans*, C. Morr. in Ann. Soc. Bot. Gand, ii. (1846) t. 94 = concolor.

*concolor*, Lindl. Bot. Reg. (1846) t. 62.—China.

*cordifolia*, Benth. in Wall. Cat. n. 3954 = asiatica.

*cordifolia*, Buch.-Ham. ex Wall. l. c. n. 3949 D = *Vandellia pedunculata*.

*cordifolia*, Roxb. Pl. Corom. ii. 52. t. 161.—Ind. or.; Malaya.

*crustacea*, Cham. & Schlecht. in Linnaea, ii. (1827) 570 = *Vandellia crustacea*.

*diffusa*, D. Don, Prod. Fl. Nep. 86 = vagans.

*diffusa*, Roxb. Hort. Beng. 45; Fl. Ind. iii. 95 = *Vandellia pedunculata*.

*edentula*, Benth. in DC. Prod. x. 410 = peduncularis.

*edentula*, Griff. in Madr. Journ. Sc. Ser. I. iv. (1836) 376 = *Vandellia mollis*?

*erecta*, Buch.-Ham. ex Wall. Cat. n. 3947 A = *Vandellia erecta*.

*exappendiculata*, Regel, Gartenfl. (1877) 34; et in Act. Hort. Petrop. v. (1877) 271 = peduncularis.

*fimbriata*, Hook. ex R. Grah. in Edinb. N. Phil. Journ. (Jul.-Sept. 1831) 379 = *Artanema fimbriatum*.

*flaccida*, R. Br. Prod. 440 = *Vandellia crustacea*.

*flava*, Buch.-Ham. ex Wall. Cat. n. 3957 A, B.—As. trop.

*flava*, Wall. Cat. n. 3957 C = ciliaris.

*Fordii*, Hook. f. Bot. Mag. t. 6797 B.—China.

*Fournieri*, Linden, ex Fourn. in Illustr. Hortic. xxiii. (1876) 129. t. 249.—Cochinch.

*globosa*, Buch.-Ham. ex Wall. Cat. n. 3945 D = *Vandellia scabra*.

*gracilis*, Benth. in Wall. l. c. n. 3952 = *Bonnaya veronicaefolia*.

*guingueneris*, Llanos, Fragm. 76 (err. typ.) = *quingueneris*.

*hians*, Roxb. Hort. Beng. 45; Fl. Ind. iii. 96 = vagans.

*hirsuta*, Willd. Sp. Pl. iii. 266.—Ind. or.

*hirta*, Buch.-Ham. ex Wall. Cat. n. 3948 A = *Vandellia mollis*.

*hirta*, Cham. & Schlecht. in Linnaea, ii. (1827) 571 = *Vandellia scabra*.

*hirtella*, Hook. f. Fl. Brit. Ind. iv. 277.—Ind. or.

*inflata*, Mig. Ann. Mus. Bot. Lugd. Bat. iii. 192.—Japon.

*lamponga*, Miq. Fl. Ind. Bat. Suppl. 562.—Sumatra.

*lanceolata*, Hook. f. Fl. Brit. Ind. iv. 279 (sp. dub.).—Ind. or.

VOL. II.

**TORENIA:—**

*lepidota*, Roth, Nov. Pl. Sp. 281 = *Centranthera humifusa*.

*lobelioides*, Hook. & Arn. Bot. Beech. Voy. 202 = oblonga.

*longiflora*, C. Morr. in Ann. Soc. Bot. Gand, ii. (1846) 441, 471 = concolor.

*lucida*, Buch.-Ham. ex Wall. Cat. n. 3962 = *Vandellia crustacea*.

*minuta*, Blume, Bijdr. 755 = *Vandellia minuta*.

*molluginoides*, Benth. in Wall. Cat. n. 3960 = *Vandellia molluginoides*.

*mucronulata*, Benth. in DC. Prod. x. 409.—Burma.

*multiflora*, Roxb. Hort. Beng. 45; Fl. Ind. iii. 96 = *Vandellia multiflora*.

*nana*, Benth. in DC. Prod. x. 412.—Afr. austr.

*Nortenia*, Steud. Nom. ed. II. ii. 692.—Madag.; Bras.

*oblonga*, Steud. l. c.; Hance, in Ann. Sc. Nat. Sér. IV. xv. (1861) 227, in nota.—China.

*obtusa*, Blume, Bijdr. 754 = *Vandellia obtusa*.

*obtusifolia*, Sm. in Rees, Cycl. xxxvi. n. 5.—Ind. or.

*ovata*, Sweet, Hort. Brit. ed. I. 306 = *Vandellia crustacea*.

*paniculata*, Blanco, Fl. Filip. ed. I. 486.—Ins. Philipp.

*parviflora*, Buch.-Ham. ex Wall. Cat. n. 3958.—Amphig. trop.

*peduncularis*, Benth. in Wall. l. c. n. 3956.—Ind. or.; Malaya.

*pedunculata*, Willd. ex Steud. Nom. ed. II. ii. 692 = *T. Nortenia*.

*plantaginea*, Benth. in DC. Prod. x. 411 = *Craterostigma plantagineum*.

*polygonoides*, Benth. Scroph. Ind. 39.—Ind. or.; Malaya.

*pumila*, Benth. in DC. Prod. x. 411 = *Craterostigma pumilum*.

*quingueneris*, Llanos, Fragm. 70 (err. typ. *guingueneris*).—Ins. Philipp.

*racemosa*, Benth. Scroph. Ind. 38; et in Wall. Cat. n. 3957 = ciliaris.

*ramosissima*, Vatke, in Oestr. Bot. Zeitschr. xxv. (1875) 10.—Afr. trop.

*Roxburghii*, Buch.-Ham. ex Wall. Cat. n. 3856 A = *Bonnaya reptans*.

*rubella*, Buch.-Ham. l. c. n. 3962 A = *Vandellia crustacea*.

*rubens*, Benth. in DC. Prod. x. 410 = vagans.

*rubens*, Thw. Enum. Pl. Zeyl. 219 = *hirtella*.

*scabra*, R. Br. Prod. 440 = *Vandellia crustacea*.

*scabra*, R. Grah. in Bot. Mag. t. 3104 = *Artanema fimbriatum*.

*Schwainfurthii*, Oliver, in Hook. Ic. Pl. t. 1256.—Afr. trop.

*sessiliflora*, Benth. in Wall. Cat. n. 3959 = *Vandellia sessiliflora*.

*Soriana*, Blanco, Fl. Filip. ed. II. 340 = *Vandellia Soriana*.

*stolonifera*, Boj. ex Benth. in DC. Prod. x. 410.—Madag.

*trichotoma*, Buch.-Ham. ex Wall. Cat. n. 3943 A = *Vandellia erecta*.

*vagans*, Roxb. Hort. Beng. [95]; Fl. Ind. iii. 96.—Ind. or.; China.

*varians*, Griff. Notul. iv. 125 = *Vandellia pedunculata*.

*varians*, Roxb. Hort. Beng. 45; Fl. Ind. iii. 96 = *Vandellia crustacea*.

*veronicaefolia*, Klotzsch, in Otto & Dietr. Allg. Gartenz. xix. (1851) 282.—Am. centr.

*veronicaefolia*, Willd. ex Steud. Nom. ed. II. ii. 692 = *T. Nortenia*.

*veronicifolia*, Herb. Madr. ex Wall. Cat. n. 3856 B = *Bonnaya reptans*.

*viscosa*, Sweet, Hort. Brit. ed. I. 306 = *Vandellia hirsuta*.

**TORESIA**, Pers. Syn. ii. 534 (1807) = **TORRESIA**, Ruiz & Pav. = **Hierochloë**, S. G. Gmel. (Gramin.).

**TORFOSIDIS**, Rafin. Fl. Tellur. iv. 112 (1836) = **Euphorbia**, Linn.

*canariensis*, Rafin. l. c. = *E. canariensis*.

**TORICELLIA**, DC. Prod. iv. 257 (1830). **CORNA-CEAE**, Benth. & Hook. f. i. 952.

*tiliaefolia*, DC. l. c.—Reg. Himal.

**TORILIS**, Adans. Fam. ii. 99 (1763) = **Caucalis**, Linn. (Umbell.).

*africana*, Spreng. Pugill. ii. 55; et in Schult. Syst. vi. 468 = *C. capensis*.

*anthriscus*, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 136 = *C. Anthriscus*.

*Anthriscus*, Bernh. Syst. Verz. Erf. 167; C. C. Gmel. Fl. Bad. i. 613 = *C. Anthriscus*.

*Anthriscus*, Gaertn. Fruct. 83. t. 20; Moench, Meth. 103 = *Anthriscus vulgaris*.

*Anthriscus*, Spreng. ex DC. Prod. iv. 219 = *C. arvensis*.

*arvensis*, Link, Enum. Hort. Berol. i. 265 = *C. arvensis*.

*Borszczowi*, Regel & Schmalh. in Act. Hort. Petrop. v. (1877) 600.—Turkestan.

*bracteosa*, Bianca, ex Nym. Consp. 282 = *C. nodosa*.

*brevipes*, Lowe, Man. Fl. Mad. i. 372.—Ins. Mader.

*chlorocarpa*, Spreng. Syst. i. 898 = *C. infesta*.

*chrysocarpa*, Boiss. & Blanche, Diagn. Ser. II. ii. 98 = *C. fallax*.

*convexa*, Dulac, Fl. Hautes-Pyr. 361 = *C. Anthriscus*.

*crinita*, Spreng. Sp. Umb. 141 = *Daucus crinitus*.

*divaricata*, Moench, Meth. Suppl. 34 = *C. arvensis*.

*elata*, Spreng. Syst. iv. Cur. Post. 119; DC. Prod. iv. 220 = *C. Anthriscus*.

*erythrotricha*, Reichb. f. Ic. Fl. Germ. xxi. 84 = *C. erythrotricha*.

*Friedrichsthalii*, Cesati, in Fried. Reise Neu-Griechenl. 280 = *C. arvensis*.

*grandiflora*, Boiss. in Ann. Sc. Nat. Sér. III. ii. (1844) 56 = *microcarpa*.

*helvetica*, C. C. Gmel. Fl. Bad. i. 617 = *C. arvensis*.

*heterophylla*, Guss. Fl. Sic. Prod. i. 326 = *C. linearifolia*.

*heterotricha*, Trautv. in Bull. Soc. Nat. Mosc. xxxix. (1866) i. 329.—Turkestan.

*infesta*, Roth, Enum. Pl. Phan. Germ. i. 901; Reichb. Fl. Germ. Excurs. 447 = *C. infesta*.

*infesta*, Spreng. Pl. Umb. Prod. 24 = *C. arvensis*.

*intermedia*, Gren. in Mém. Soc. Emul. Doubs, i. i. 'Tome 3me' (1842-43) 66 (Cat. Pl. Phan. Doubs, 34) = *T. Anthriscus*?

*japonica*, DC. Prod. iv. 219 = *C. Anthriscus*.

*lanuginosa*, [Clairv.] Man. Herb. 78 = *Anthriscus vulgaris*.

*leptophylla*, Reichb. f. Ic. Fl. Germ. xxi. 83. t. 169 = *C. leptophylla*.

*macrocarpa*, Gaertn. Fruct. i. 83 = *Chaerophyllum nodosum*.

*melanantha*, Vatke, in Linnaea, xl. (1876) 190 = *C. melanantha*.

*microcarpa*, Bess. Enum. Pl. Volh. 43.—Rossia; As. Min.

*neglecta*, Schult. Syst. vi. 484 = *C. infesta*.

*nodosa*, Gaertn. Fruct. i. 82. t. 20. f. 6 = *C. nodosa*.

*nodosa*, Kotschy, in Unger & Kotschy, Ins. Cypern, 306 = *C. fallax*.

*obscura*, Lowe, Man. Fl. Mad. i. 372.—Ins. Mader.

*persica*, Boiss. & Buhse, in Nouv. Mém. Soc. Nat. Mosc. xii. (1860) 102 = *C. Anthriscus*.

*peruviana*, Presl, ex DC. Prod. iv. 214 = *Daucus montanus*.

*praetermissa*, Hance, in Ann. Sc. Nat. Sér. V. v. (1866) 214 = *C. Anthriscus*.

*purpurea*, Guss. Fl. Sic. Prod. i. 325 = *C. arvensis*.

*radiata*, Moench, Meth. 103 = *C. infesta*.

*rubella*, Moench, l. c. = *C. Anthriscus*.

*scabra*, DC. Prod. iv. 219 = *C. Anthriscus*.

*scandicina*, Adans. ex Schult. Syst. vi. 524 = *Anthriscus vulgaris*.

*setifolia*, Boiss. Diagn. Ser. II. ii. 98 = *Psammogeton setifolium*.

*stricta*, Wibel, Prim. Fl. Werth. 192 = *C. Anthriscus*.

*syriaca*, Boiss. & Blanche, Diagn. Ser. II. ii. 98 = *C. infesta*.

*tenella*, Reichb. f. Ic. Fl. Germ. xxi. 84.—Europ.

*tenuifolia*, Lowe, Man. Fl. Mad. i. 370.—Ins. Mader.

*trichosperma*, Spreng. Sp. Umb. 142 = *C. trichosperma*.

*trilobata*, Viv. ex DC. Prod. iv. 121 = *Pimpinella peregrina*.

*triradiata*, Boiss. & Heldr. Diagn. Ser. I. x. 48.—Pamphylia.

*tuberculata*, Spreng. in Schult. Syst. vi. 426 = *Pimpinella peregrina*.

*tumida*, Moench, Meth. 102 = *Chaerophyllum nodosum*.

*ucranica*, Spreng. in Schult. Syst. vi. 485 = *microcarpa*.

- TORMENTILLA**, [Tourn.] Linn. Syst. ed. I (1735) = **Potentilla**, Linn. (Rosac.).  
*adstringens*, Lindem. in Bull. Soc. Nat. Mosc. xxiii. (1850) II. 480 = *P. Tormentilla*.  
*alpina*, Opiz, Boehm. Gew. (1823) 64 = *P. aurea*?  
*Anserina*, Stokes, Bot. Mat. Med. iii. 155 = *P. Anserina*.  
*dissecta*, Timb. in Bull. Soc. Bot. Fr. xix. (1872) p. cxviii. = *P. Tormentilla*?  
*divergens*, Reichb. ex Bot. Zeit. i. (1843) 263 = *P. Tormentilla*.  
*erecta*, Linn. Sp. Pl. 500 = *P. Tormentilla*.  
*ericetorum*, Timb. in Bull. Soc. Bot. Fr. xix. (1872) p. cxviii; et in Bull. Soc. Sc. Phys. et Nat. Toul. vi. (1883-84) 114 = *P. Tormentilla*.  
*fruticosa*, Stokes, Bot. Mat. Med. iii. 154 = *P. fruticosa*.  
*humifusa*, G. Don, Gen. Syst. ii. 562 = *P. humifusa*.  
*montana*, Schur, Enum. Pl. Transs. 188 = *P. Tormentilla*.  
*nodosa*, Schur, l. c. = *P. Tormentilla*.  
*obovatifolia*, Stokes, Bot. Mat. Med. iii. 152 = *P. Fragariastrum*.  
*officinalis*, Curt. Fl. Lond. fasc. v. t. 35 = *P. Tormentilla*.  
*orophila*, Timb. in Bull. Soc. Bot. Fr. xix. (1872) p. cxviii. = *P. Tormentilla*.  
*parviflora*, Wallr. in Linnaea, xiv. (1840) 580 (Beitr. Fl. Hercyn. 210) = *P. Tormentilla*.  
*pusilla*, Willd. ex Steud. Nom. ed. II. ii. 693 = *P. elegans*.  
*reptans*, Linn. Sp. Pl. 500 = *P. procumbens*.  
*reptans*, Stokes, Bot. Mat. Med. iii. 153 = *P. reptans*.  
*sessilifolia*, Stokes, l. c. 151 = *P. Tormentilla*.  
*tuberosa*, Reyn. Fl. Dép. Orne, 148 = *P. Tormentilla*.
- TORMINALIS**, Medic. Phil. Bot. i. 134 (1789) = **Pyrus**, Tourn. (Rosac.).
- TORMINARIA**, M. Roem. Syn. Rosifl. 130 (1847) = **Pyrus**, Tourn. (Rosac.).  
*Clusii*, M. Roem. l. c. = *P. Tormalis*.  
*florentina*, M. Roem. l. c. 131 = *P. crataegifolia*.  
*vulgaris*, Schur, Enum. Pl. Transs. 207 = *P. Tormalis*.
- TORNABENEA**, Parl. ex Webb, in Hook. Kew Journ. ii. (1850) 370. **UMBELLIFERAE**, Benth. & Hook. f. i. 930.  
*TETRAPLEURA*, Parl. in Hook. Niger Fl. 131 (1849).  
*Bischoffii*, J. A. Schmidt, Beitr. Fl. Cap. Verd. Ins. 254.—Ins. Cap. Virid.  
*hirta*, J. A. Schmidt, l. c. 253.—Ins. Cap. Virid.  
*insularis*, Parl. ex Webb, in Hook. Kew Journ. ii. (1850) 370.—Ins. Cap. Virid.
- TORNABENIA**, Benth. & Hook. f. Gen. i. 930 (1867), sphalm. = *prae*.
- TORNELIA**, Gutierrez, ex Schlecht. in Linnaea, xxvi. (1853) 382 = **Monstera**, Adans. (Aroid.).  
*dilacerata*, Schott, Prod. Aroid. 356 = *M. dilacerata*.  
*dissecta*, Schott, in Oestr. Bot. Zeitschr. viii. (1858) 179 = *M. dilacerata*.  
*fragrans*, Gutierrez, ex Schlecht. in Linnaea, xxvi. (1853) 382 = *M. deliciosa*.  
*laniata*, Schott, in Oestr. Bot. Zeitschr. viii. (1858) 179 = *M. pertusa*.  
*Lindeni*, Schott, ex Engl. in DC. Monog. Phan. ii. 259 = *M. Friedrichsthalii*.  
*Spruceana*, Schott, in Oestr. Bot. Zeitschr. ix. (1859) 40 = *M. Spruceana*.  
*subpinnata*, Schott, Prod. Aroid. 357 = *M. subpinnata*.
- TORPESIA**, M. Roem. Syn. Hesper. 86, 116 (1846) = **Trichilia**, Linn. (Meliac.).  
*mucronata*, M. Roem. l. c. 116 = *Trich. heterophylla*.
- TORRENTIA**, Vell. Fl. Flum. viii. t. 149 (1827) = **Ichthyothere**, Mart. (Compos.).  
*quinquenervis*, Vell. l. c. = *I. Cunabi*.
- TORRESIA**, Ruiz & Pav. Prod. 125 (1794) = **Hierochloë**, S. G. Gmel. (Gramin.).  
*antarctica*, Beauv. Agrost. 63 = *H. antarctica*.  
*biflora*, Roem. & Schult. Syst. ii. 515 = *Centotheca lappacea*.  
*latifolia*, Beauv. ex Roem. & Schult. l. c. = *Centotheca lappacea*.

- TORRESIA** :—  
*magellanica*, Beauv. Agrost. 63 = *Hierochloë magellanica*.  
*redolens*, Roem. & Schult. Syst. ii. 516 = *H. redolens*.  
*utriculata*, Ruiz & Pav. Syst. Veg. 251 = *H. utriculata*.
- TORREYA**, Arn. in Ann. Nat. Hist. Ser. I. i. (1838) 130. **CONIFERAE**, Benth. & Hook. f. iii. 431.  
**CARYOTAXUS**, Zucc. ex Endl. Syn. Conif. 240 (1847).  
**FOETATAXUS**, [Nelson.] Senilis, Pinaceae 167 (1866).  
*bogotensis*, Linden, Cat. n. 25 (1870) 12; et ex Thurb. in Bull. Torrey Bot. Club, i. (1870) 7 (sp. dub.).—N. Granat.  
*californica*, Torr. in N. York Journ. Pharm. iii. (1852) 49.—Calif.  
*grandis*, Fortune, ex Gord. Pinet. ed. I. 326.—China.  
*Humboldtii*, Hort. Kew. ex Lindl. & Gord. in Journ. Hort. Soc. v. (1850) 226 = *Podocarpus taxifolia*.  
*montana*, Hort. ex Lindl. & Gord. l. c. 229 = *taxifolia*.  
*Myristica*, Hook. Bot. Mag. t. 4780 = *californica*.  
*nucifera*, Sieb. & Zucc. in Abh. Akad. Muench. iii. IV. (1846) 234.—Japon.  
*taxifolia*, Arn. in Ann. Nat. Hist. Ser. I. i. (1838) 130.—Florida.
- TORREYA**, Croom, ex Meissn. Gen. Comm. 340 (1843) = **Croomia**, Torr. (Roxburgh.).
- TORREYA**, Rafin. in Am. Monthly Mag. (1818) 356 = **Synandra**, Nutt. (Labiata).  
*grandiflora*, Rafin. l. c.; et (1819) 194 = *S. grandiflora*.
- TORREYA**, Rafin. in Journ. Phys. lxxxix. (1819) 105 = **Cyperus**, Mich.  
*caespitosa*, Rafin. l. c. = *C. Nuttallii*.  
*maritima*, Rafin. l. c. (= *Pycnei* sp.).—Am. bor.
- TORREYA**, Spreng. Neue Entdeck. ii. 121 (1821) = **Clerodendron**, Linn. (Verben.).  
*paniculata*, Spreng. l. c.—Bras.
- TORRUBIA**, Vell. Fl. Flum. 139 (1825); iii. t. 150 = **Pisonia**, Plum. (Nyctag.).  
*opposita*, Vell. II. cc.—Bras.
- TORRULIA**, Steud. Nom. ed. II. ii. 693 (1841), sphalm. = *prae*.
- TORTULA**, Roxb. ex Willd. Sp. Pl. iii. 359 (1800) = **Priva**, Adans. (Verben.).  
*aspera*, Roxb. ex Willd. l. c. = *P. leptostachya*.
- TORULINIUM**, Desv. in Ham. Prod. Pl. Ind. Occ. 15 (1825) = **Mariscus**, Ehrh. (Cyperac.).  
*confertum*, Desv. l. c. (= *Cyperus ferax*).—Ind. occ.  
*ferox*, Ham. l. c. (= *Cyperus ferax*).—Ind. occ.
- TORYMENES**, Salisb. in Trans. Hort. Soc. i. (1812) 283 = **Amomum**, Linn. (Scitam.).  
*officinalis*, Salisb. l. c. = *A. Granum-Paradisii*.
- TOSAGRIS**, Beauv. Agrost. 29. t. 8. f. 3 (1812) = **Muehlenbergia**, Schreb. (Gramin.).  
*agrostidea*, Beauv. l. c. = *M. capillaris*.
- TOUCHARDIA**, Gaudich. Bot. Voy. Bonite, t. 94 (1854?). **URTICACEAE**, Benth. & Hook. f. iii. 388.  
*candidissima*, Blume, Mus. Bot. Lugd. Bat. ii. 165 = *Leucosyke javanica*.  
*latifolia*, Gaudich. Bot. Voy. Bonite, t. 94.—Ins. Sandvic.
- TOUCHIROA**, Aubl. Pl. Gui. i. 384. t. 148 (1775) = **Crudia**, Schreb. (Legumin.).  
*aromatica*, Aubl. l. c. 385 = *C. aromatica*.  
*bantamensis*, Hassk. Retzia, i. 202 (= *Priona bantamensis*).—Java.  
*Parivoa*, Rich. ex DC. Prod. ii. 520 = *C. Parivoa*.  
*Vouarana*, Rich. l. c. = *Cupania Vouarana*.
- TOULICHIBA**, Adans. Fam. ii. 326 (1763) = **Ormosia**, Jack (Legumin.).

- TOULICIA**, Aubl. Pl. Gui. i. 359. t. 140 (1775). **SAPINDACEAE**, Benth. & Hook. f. i. 393.  
**DICRANOPETALUM**, Presl, Bot. Bemerk. 24 (1844); (in Abh. Boehm. Ges. V. iii. (1845) 454).  
**PONAEA**, Schreb. Gen. 266 (1789).  
*brasiliensis*, Casar. Nov. Stirp. Bras. Dec. 45.—Bras.  
*bullata*, Radlk. in Sitzb. Math.-Phys. Akad. Muench. viii. (1878) 372.—Bras.  
*crassifolia*, Radlk. l. c. 373.—Bras.  
*elliptica*, Radlk. l. c. 371.—Bras.  
*guianensis*, Aubl. Pl. Gui. i. 359. t. 140. f. 3.—Guian.  
*laevigata*, Radlk. in Sitzb. Math.-Phys. Akad. Muench. viii. (1878) 372.—Bras.  
*megalocarpa*, Radlk. Monog. Serj. 353.—Venezuela.  
*pulvinata*, Radlk. in Sitzb. Math.-Phys. Akad. Muench. viii. (1878) 371.—Guian.  
*stans*, Radlk. Monog. Serj. 353.—Bras.  
*tomentosa*, Radlk. in Sitzb. Math.-Phys. Akad. Muench. viii. (1878) 373.—Bras.
- TOULOUOUNA**, M. Roem. Syn. Hesper. 123 (1846) = **Carapa**, Aubl. (Meliac.).  
*gigantea*, M. Roem. l. c. = *C. procera*.
- TOUMBOA**, Naud. in Rev. Hort. (1862) 186 = **TUMBOA**, Welw. = **Welwitschia**, Hook. f. (1862) (Gnetac.).
- TOUNATEA**, Aubl. Pl. Gui. i. 549. t. 218 (1775) = **Swartzia**, Schreb. (Legumin.).  
*guianensis*, Aubl. l. c. 550 = *S. alata*.  
*madagascariensis*, Baill. in Bull. Soc. Linn. Par. (1885) 446 = *S. madagascariensis*.
- TOURNEFORTIA**, Linn. Syst. ed. I (1735). **BORAGINEAE**, Benth. & Hook. f. ii. 843.  
**ARGUSIA**, Amm. ex Linn. Hort. Upsal. 36 (1748).  
**ARGUZIA**, Rafin. Sylva Tellur. 167 (1838); Stev. in Bull. Soc. Nat. Mosc. (1851) i. 558.  
**MESSERSCHMIDIA**, Murr. Syst. ed. XIII. 161 (1774).  
**MESSERSMIDIA**, Linn. Hort. Upsal. 36 (1748).  
**OSKAMPIA**, Rafin. Sylva Tellur. 123 (1838).  
**PITTONIA**, Plum. ex Adans. Fam. ii. 177 (1763).  
**TETRANDRIA**, Miq. Fl. Ind. Bat. ii. 929 (1859).  
**VERRUCARIA**, Medic. Malv. 103 (1787).  
*acclinis*, F. Muell. Fragm. iv. 95 = *sarmentosa*.  
*acuminata*, DC. Prod. ix. 520.—Ins. Mascar.  
*acutiflora*, Mart. & Gal. in Bull. Acad. Brux. xi. II. (1844) 333.—Mexic.  
*acutifolia*, Willd. ex Roem. & Schult. Syst. iv. 540 = *caracasana*.  
*alba*, Splitg. ex De Vriese, in Nederl. Kruidk. Arch. i. (1848) 347.—Guian.  
*angulosa*, Desf. Tabl. ed. II. 85, nomen (Quid ?).—Hab.?  
*angustiflora*, Ruiz & Pav. Fl. Per. ii. 25. t. 151.—Peruv.  
*angustifolia*, Roem. & Schult. Syst. iv. 539 = *T. Messerschmidia*.  
*arborea*, Blanco, Fl. Filip. ed. I. 129 = *argentea*.  
*arborescens*, Lam. Illustr. i. 417 (Quid ?).—Ind. or.  
*argentea*, Linn. f. Suppl. 133.—Ind. or.; Malaya; Austral.  
*Arguzia*, Roem. & Schult. Syst. iv. 540 = *sibirica*.  
*aspermia*, Mart. & Gal. in Bull. Acad. Brux. xi. II. (1844) 333.—Mexic.  
*astrotricha*, DC. Prod. ix. 520.—Jamaic.  
*bicolor*, Sw. Prod. Veg. Ind. Occ. 40.—Am. trop.  
*bifida*, Boj. Hort. Maur. 234 = *Bojeri*.  
*bifida*, Lam. Illustr. i. 417.—Ins. Maurit.  
*Billbergiana*, Beurl. in Vet. Acad. Handl. Stockh. 1854 (1856) 139.—Panama.  
*Blanchetii*, A. DC. in DC. Prod. ix. 524.—Bras.  
*Bojeri*, A. DC. l. c. 516.—Ins. Maurit.  
*brachiata*, A. DC. l. c. 525.—Bras.  
*brasiliensis*, Poir. Encyc. v. 357.—Bras.  
*breviflora*, DC. Prod. ix. 520.—Am. trop.  
*calycina*, Benth. Bot. Voy. Sulph. 139.—Mexic.  
*candida*, Walp. Rep. vi. 556.—Mexic.  
*Candollii*, C. B. Clarke, in Hook. f. Fl. Brit. Ind. iv. 146.—Reg. Himal.  
*canescens*, H. B. & K. Nov. Gen. et Sp. iii. 82.—Am. austr.  
*capitata*, Mart. & Gal. in Bull. Acad. Brux. xi. II. (1844) 332.—Mexic.  
*caracasana*, H. B. & K. Nov. Gen. et Sp. iii. 80.—Venezuela.  
*caribaea*, Griseb. Fl. Brit. W. Ind. 484.—Ind. occ.  
*carnosa*, Mill. Gard. Dict. ed. VIII. n. 6.—N. Granat.

## TOURNEFORTIA:—

- chamaedrifolia*, Sm. in Rees, Cycl. xxxvi. n. 2 = *Cordia mirabiliflora*.  
*chrysantha*, Walp. Rep. vi. 556.—Mexic.  
*cornifolia*, H. B. & K. Nov. Gen. et Sp. iii. 84.—N. Granat.  
*corymbosa*, Sieber, ex DC. Prod. ix. 517 = *hirsutissima*.  
*corymbosa*, Willd. ex Roem. & Schult. Syst. iv. 541 = *foetidissima*.  
*cuspidata*, H. B. & K. Nov. Gen. et Sp. iii. 83.—Ecuador.  
*cymosa*, Griseb. in Goett. Abh. vii. (1857) 253; cf. ej. Fl. Brit. W. Ind. 483 = *filiflora*.  
*cymosa*, Heyne, ex C. B. Clarke, in Hook. f. Fl. Brit. Ind. iv. 145 = *Heyneana*.  
*cymosa*, Jacq. Coll. i. 96 = *astrotricha*.  
*cymosa*, Linn. Sp. Pl. ed. II. 202.—Ind. occ.  
*densiflora*, Mart. ex Gal. in Bull. Acad. Brux. xi. II. (1844) 332.—Mexic.  
*dichotoma*, [Moq. & Sesse,] ex DC. Prod. ix. 518 = *foetidissima*.  
*difformis*, Anderss. in Vet. Akad. Handl. Stockh. 1853 (1855) 206.—Ins. Galapag.  
*Edgeworthii*, A. DC. in DC. Prod. ix. 529 = *Heliotropium zeylanicum*.  
*elegans*, Cham. in Linnaea, iv. (1829) 469.—Bras.  
*elliptica*, Mart. ex Gal. in Bull. Acad. Brux. xi. II. (1844) 332.—Mexic.  
*ferruginea*, Lam. Illustr. i. 417 = *scandens*.  
*filiflora*, Griseb. Fl. Brit. W. Ind. 483.—Ind. occ.  
*floribunda*, H. B. & K. Nov. Gen. et Sp. iii. 79.—N. Granat.  
*foetida*, Pers. Syn. i. 165 = *foetidissima*.  
*foetidissima*, Descourt. ex Griseb. Fl. Brit. W. Ind. 483 = *cymosa*.  
*foetidissima*, Linn. Sp. Pl. 140.—Ind. occ.; Mexic.  
*frangulaefolia*, Zipp. ex Span. in Linnaea, xv. (1841) 334 = *sarmentosa*.  
*fruticosa*, [Ker-Gawl.] Bot. Reg. t. 464 = *T. Messerschmidia*.  
*fruticosa*, Ortega, Hort. Matr. Dec. 57.—Mexic.  
*fuliginosa*, H. B. & K. Nov. Gen. et Sp. iii. 81.—Am. austr.  
*Gardneri*, A. DC. in DC. Prod. ix. 526.—Bras.  
*glaberrima*, Salzm. ex DC. l. c. 519.—Bras.  
*glabra*, Linn. Sp. Pl. 141 = *cymosa*.  
*glabra*, Aubl. Pl. Gui. i. 118; Spreng. Neue Entdeck. ii. 124.—Guian.  
*glabra*, Zoll. & Mor. in Nat. en Geneesk. Arch. Neêrl. Indie, ii. (1845) 5.—Java.  
*gnaphalodes*, R. Br. Prod. 496.—Am. trop.  
*grandifolia*, Fresen. in Mart. Fl. Bras. viii. 56.—Bras.  
*Hartwegiana*, Steud. Nom. ed. II. ii. 693.—Mexic.  
*heliotropioides*, Hook. Bot. Mag. t. 3096 = *Heliotropium anchusaefolium*.  
*Hernandesii*, Dun. ex DC. Prod. ix. 529.—Mexic.  
*Heyneana*, DC. Prod. ix. 516 = *Candollii*.  
*Heyneana*, Wall. Cat. n. 910.—Ind. or.  
*hirsutissima*, Billb. ex Beurl. in Vet. Akad. Handl. Stockh. 1854 (1856) 140 = *Billbergiana*.  
*hirsutissima*, Blanco, Fl. Filip. ed. I. 128 = *sarmentosa*.  
*hirsutissima*, Linn. Sp. Pl. 140.—Am. trop.  
*hispida*, H. B. & K. Nov. Gen. et Sp. iii. 82.—Am. austr.  
*Hookeri*, C. B. Clarke, in Hook. f. Fl. Brit. Ind. iv. 147.—Reg. Himal.  
*Horsfieldii*, Mig. Fl. Ind. Bat. ii. 927.—Java.  
*Hostmanni*, Klotzsch, in Schomb. Faun. Fl. Brit. Gui. 1151, nomen.—Guian.  
*humilis*, Linn. Sp. Pl. 141 = *Heliotropium fruticosum*.  
*incana*, G. Don, Gen. Syst. iv. 368 = *Meyeri*.  
*incana*, Lam. Illustr. i. 417.—Ind. occ.  
*intermedia*, Fresen. in Mart. Fl. Bras. viii. 50.—Bras.  
*hasiana*, C. B. Clarke, in Hook. f. Fl. Brit. Ind. iv. 147.—Reg. Himal.  
*laevigata*, Lam. Illustr. i. 416.—Am. trop.  
*laevigata*, Sm. in Rees, Cycl. xxxvi. n. 18 = *volubilis*.  
*lanceolata*, Fresen. in Mart. Fl. Bras. viii. 55.—Bras.  
*latifolia*, D. Dietr. Syn. Pl. i. 629 = *laurifolia*.  
*latifolia*, Willd. in Roem. & Schult. Syst. iv. 540 = *laevigata*.  
*laurifolia*, Poepp. ex Cham. & Schlecht. in Linnaea, iv. (1829) 465 = *laevigata*.  
*laurifolia*, Vent. Choix Pl. 2.—Am. trop.

## TOURNEFORTIA:—

- laxiflora*, DC. Prod. ix. 525 = *floribunda*.  
*leptostachya*, Benth. Bot. Voy. Sulph. 140.—N. Granat.?  
*leucophylla*, H. B. & K. Nov. Gen. et Sp. iii. 85.—N. Granat.  
*linearis*, E. Mey. in Drège, Zwei Pfl. Docum. 226 (= *Heliohytum lineare*).—Afr. austr.  
*longifolia*, Ruiz & Pav. Fl. Per. ii. 25. t. 150.—Peruv.  
*loxensis*, H. B. & K. Nov. Gen. et Sp. iii. 81.—Ecuador.  
*lucida*, Desf. Cat. Hort. Par. ed. III. 397 = *volubilis*.  
*lucida*, Desv. ex Ham. Prod. Pl. Ind. Occ. 24.—Ind. occ.  
*maculata*, DC. Prod. ix. 527.—Bras.  
*macrophylla*, Lam. Illustr. i. 416 = *cymosa*, *foetidissima*.  
*maculata*, Jacq. Enum. Pl. Carib. 14.—Am. austr.  
*maritima*, Salzm. ex DC. Prod. ix. 526.—Bras.  
*Martii*, Fresen. in Mart. Fl. Bras. viii. 55.—Bras.  
*megapotamica*, Spreng. Syst. iv. Cur. Post. 66.—Reg. Argent.  
*melanochaeta*, DC. Prod. ix. 520.—Guian.  
*membranacea*, DC. l. c. 530 = *scandens*.  
*Messerschmidia*, Sweet, Hort. Suburb. Lond. 31.—Ins. Canar.  
*mexicana*, Vatke, Ind. Sem. Hort. Berol. (1876) App. 1.—Mexic.  
*Meyeri*, DC. Prod. ix. 530.—Guian.  
*micranthos*, A. DC. l. c. x. 67 = *Heliotropium micranthum*.  
*microphylla*, Bert. ex Steud. Nom. ed. II. ii. 693 = *scandens*.  
*microphylla*, Desv. in Ham. Prod. Pl. Ind. Occ. 24 = *volubilis*.  
*microstachya*, Roem. & Schult. Syst. iv. 538 = *Heliotropium microstachyum*.  
*minuta*, Bert. ex Spreng. Syst. i. 644 = *incana*.  
*mollis*, Bertol. Misc. Bot. xii. 44, cum tab. (= *Van-gueriae* sp.?).—Afr. trop.  
*mollis*, A. Gray, in Proc. Am. Acad. x. (1875) 50.—Am. bor.  
*mollis*, F. Muell. Fragm. i. 59.—Austral.  
*Monclovana*, S. Wats. in Proc. Am. Acad. xviii. (1883) 120.—Mexic.  
*monostachya*, Willd. ex Roem. & Schult. Syst. iv. 540 = *Heliotropium strictum*.  
*montana*, Lour. Fl. Cochinch. 122.—Cochinch.  
*mutabilis*, Vent. Choix Pl. t. 3.—Java; Mexic.?  
*nitida*, H. B. & K. Nov. Gen. et Sp. iii. 84.—N. Granat.  
*obscura*, A. DC. in DC. Prod. ix. 517.—Guian.  
*obtusiflora*, Benth. Bot. Voy. Sulph. 140.—Ecuador.  
*octostachya*, DC. Prod. ix. 518.—N. Granat.  
*opaca*, Anderss. in Vet. Akad. Handl. Stockh. 1853 (1855) 205.—Ins. Galapag.  
*orientalis*, R. Br. Prod. 497 = *sarmentosa*.  
*ovata*, Wall. Cat. n. 908.—Burma; China.  
*paniculata*, Cham. in Linnaea, iv. (1829) 468.—Bras.  
*peruviana*, Poir. Encyc. Suppl. iv. 425.—Peruv.  
*petiolaris*, DC. Prod. ix. 520.—Mexic.  
*Pohlil*, Fresen. in Mart. Fl. Bras. viii. 52.—Bras.  
*poliochros*, Spreng. Syst. i. 644.—Jamaic.  
*polystachya*, Poepp. ex DC. Prod. ix. 492 = *Cordia Poeppigii*.  
*polystachya*, Ruiz & Pav. Fl. Per. ii. 24. t. 149.—Peruv.  
*Pseudo-heliotropium*, Lehm. in E. Otto, Hamb. Gartenz. vi. (1850) 456.—Hab.?  
*psilostachya*, H. B. & K. Nov. Gen. et Sp. iii. 78.—Am. austr.  
*puberula*, Baker, in Journ. Linn. Soc. xx. (1883) 211.—Madag.  
*pubescens*, Hook. f. in Trans. Linn. Soc. xx. (1847) 198.—Ins. Galapag.  
*punctata*, Lem. Fard. Fleur. iv. (1854) Misc. 79.—Hab.?  
*punctata*, Spreng. Syst. i. 648 = *volubilis*.  
*pyrrhotricha*, Fresen. in Mart. Fl. Bras. viii. 53.—Bras.  
*reticosa*, Wight, Ic. t. 1386.—Ind. or.  
*rosmarinifolia*, Steud. Nom. ed. II. ii. 693 = *sibirica*.  
*Roxburghii*, C. B. Clarke, in Hook. f. Fl. Brit. Ind. iv. 146.—Ind. or.  
*Royleana*, DC. Prod. ix. 527 = *Heliotropium zeylanicum*.

## TOURNEFORTIA:—

- rubicunda*, Salzm. ex DC. Prod. ix. 526.—Bras.  
*rufescens*, Willd. ex Roem. & Schult. Syst. iv. 541.—Am. austr.  
*rufipila*, Benth. Bot. Voy. Sulph. 140.—Mexic.  
*rufo-sericea*, Hook. f. in Trans. Linn. Soc. xx. (1847) 197.—Ins. Galapag.  
*rugosa*, Willd. in Roem. & Schult. Syst. iv. 540 = *fuliginosa*.  
*Sagraeana*, DC. Prod. ix. 522 = *laurifolia*.  
*salicifolia*, DC. l. c. 530.—Bras.  
*Salzmanni*, DC. l. c. 524.—Bras.  
*Sampsoni*, Hance, in Journ. Bot. vi. (1868) 330 = *ovata*.  
*sarmentosa*, Lam. Illustr. i. 416.—As. et Austral. trop.; Ins. Mascar.  
*scabra*, Lam. l. c. 417.—Ins. S. Doming.  
*scabrida*, H. B. & K. Nov. Gen. et Sp. iii. 83.—Am. austr.  
*scandens*, Mill. Gard. Dict. ed. VIII. n. 4.—Jamaic.  
*scandens*, Willd. Enum. Hort. Berol. 188 = *peruviana*.  
*Schiedeana*, G. Don, Gen. Syst. iv. 368.—Mexic.  
*Schomburgkii*, DC. Prod. ix. 517.—Guian.  
*sericea*, Vahl, Eclog. Am. i. 17 = *tomentosa*?  
*serrata*, Linn. Sp. Pl. 140 = *Cordia mirabiliflora*.  
*sessilifolia*, Poir. Encyc. v. 360.—Reg. Argent.  
*sibirica*, Linn. Sp. Pl. 141.—Ross.; Sibir.  
*spigeliaeflora*, A. DC. in DC. Prod. ix. 525.—Guian.  
*staminea*, Griseb. Fl. Brit. W. Ind. 484.—Ind. occ.  
*stenoraca*, Klotzsch, in Peters, Reise Mossamb. Bot. 250.—Afr. trop.  
*strigosa*, Anderss. in Vet. Akad. Handl. Stockh. 1853 (1855) 207 = *psilostachya*.  
*suaveolens*, H. B. & K. Nov. Gen. et Sp. iii. 81.—Peruv.  
*subsessilis*, Cham. in Linnaea, viii. (1833) 119.—Bras.  
*subulata*, Hochst. ex DC. Prod. ix. 528 = *Heliotropium zeylanicum*.  
*suffruticosa*, Linn. Sp. Pl. ed. II. 202 = *incana*.  
*surinamensis*, A. DC. in DC. Prod. ix. 526 = *laurifolia*.  
*synzostachya*, Roem. & Schult. Syst. iv. 539 = *Heliotropium synzostachyum*.  
*syringaeifolia*, Mig. Stirp. Surin. Sel. 137. t. 41.—Guian.  
*syringaeifolia*, Vahl, Symb. Bot. iii. 23 = *laurifolia*.  
*tenuiflora*, Willd. ex Roem. & Schult. Syst. iv. 540 = *Declieuxia herbacea*.  
*tenuifolia*, Steud. Nom. ed. II. ii. 694, sphalm. = *ternifolia*.  
*ternata*, Wall. Cat. n. 912.—Burma.  
*ternifolia*, H. B. & K. Nov. Gen. et Sp. iii. 84.—Am. austr.  
*tetragona*, D. Dietr. Syn. Pl. i. 629, sphalm. = *seq.*  
*tetrandra*, Blume, Bijdr. 845.—Ins. Molucc.  
*tetrandra*, Wall. Cat. n. 911 = *Wallichii*.  
*tomentosa*, Mill. Gard. Dict. ed. VIII. n. 5.—Am. trop.  
*trichocalycina*, DC. Prod. ix. 517.—Mexic.  
*tristachya*, Willd. ex Roem. & Schult. Syst. iv. 540 = *psilostachya*.  
*tuberculosa*, Cham. in Linnaea, iv. (1829) 467.—Afr. austr.  
*umbellata*, H. B. & K. Nov. Gen. et Sp. iii. 79.—Mexic.  
*undulata*, Benth. Pl. Hartw. 20 = *Hartwegiana*.  
*undulata*, Ruiz & Pav. Fl. Per. ii. 25.—Venezuela.  
*Urvilleana*, Cham. in Linnaea, iv. (1829) 465.—Ins. Philipp.  
*Vauthieri*, DC. Prod. ix. 526.—Bras.  
*velutina*, H. B. & K. Nov. Gen. et Sp. iii. 79. t. 201.—Mexic.  
*velutina*, Sm. in Rees, Cycl. xxxvi. n. 13 = *argentea*.  
*villosa*, Salzm. ex DC. Prod. ix. 524.—Bras.  
*virgata*, Ruiz & Pav. Fl. Per. ii. 25.—Peruv.  
*viridiflora*, Gamble, Darjeling List, 57 = *Hookeri*.  
*viridiflora*, Wall. in Roxb. Fl. Ind. ed. Carey, ii. 5; Cat. n. 907 = *sarmentosa*.  
*volubilis*, Linn. Sp. Pl. 140.—Am. trop.  
*volubilis*, Ruiz & Pav. Fl. Per. ii. 24 = *peruviana*.  
*vulgaris*, Salzm. ex DC. Prod. ix. 524 = *Salzmanni*.  
*Walkeriae*, C. B. Clarke, in Hook. f. Fl. Brit. Ind. iv. 147.—Zeylan.  
*Wallichii*, DC. Prod. ix. 527.—Malaya.  
*Wallichii*, Thw. Enum. Pl. Zeyl. 214 = *Walkeriae*.  
*Wightii*, C. B. Clarke, in Hook. f. Fl. Brit. Ind. iv. 146.—Ind. or.  
*zeylanica*, Wight, Illustr. t. 170 = *Heliotropium zeylanicum*.



TOURNESOL, Adans. Fam. ii. 356 (1763) = seq.

TOURNESOLIA, Nissol. ex Scop. Introd. 243 (1777) = *Chrozophora*, Neck. (1790) (Euphorb.).

**TOURNEUXIA**, Coss. in Bull. Soc. Bot. Fr. vi. (1859) 395; et in Ann. Sc. Nat. Sér. IV. xviii. (1862) 211. t. 13. *COMPOSITAE*, Benth. & Hook. f. ii. 532.  
*variifolia*, Coss. *ll. cc.* 396; 212.—Alger.

**TOURNONIA**, Moq. in DC. Prod. xiii. ii. 225 (1849). *CHENOPODIACEAE*, Benth. & Hook. f. iii. 77.  
*Hookeriana*, Moq. *l. c.*—N. Granat.  
*leptostachys*, Moq. *l. c.* = Boussingaultia baselloides.

TOUROLIA, Stokes, Bot. Mat. Med. iii. 104 (1812) = TOUROULIA, Aubl. = *Quina*, Aubl. (Guttif.).

TOUROUBEA, Steud. Nom. ed. II. ii. 694 (1841), sphalm. = *Souroubea*, Aubl. (Ternstr.).

TOUROULIA, Aubl. Pl. Gui. i. 492. t. 194 (1775) = *Quina*, Aubl. (Guttif.).  
*guianensis*, Aubl. *l. c.* = *Q. guianensis*.  
*solitaria*, Stokes, Bot. Mat. Med. iii. 105 = *Q. guianensis*.

**TOURRETIA**, Foug. in Mém. Acad. Sc. Par. 1784 (1787) 205. t. 1. *BIGNONIACEAE*, Benth. & Hook. f. ii. 1049.  
*DOMBEYA*, L'Hérit. Stirp. Nov. 33. t. 17 (1784).  
*MEDICA*, Cothen. Disp. Veg. 7 (1790).  
*lappacea*, Willd. Sp. Pl. iii. 263 = *volubilis*.  
*scaber*, Domb. ex DC. Prod. ix. 239 = *Eccremocarpus scaber*.  
*volubilis*, *f. F. Gmel. Syst.* 940.—Peruv.

TOURRETTIA, DC. Prod. ix. 236 (1845), sphalm. = *praece*.

TOVARA, Adans. Fam. ii. 276 (1763) = *Polygonum*, Tourn.  
*virginiana*, Rafin. Fl. Tellur. iii. 12 = *P. virginianum*.

TOVARIA, Neck. Elem. iii. 190 (1790) = *Smilacina*, Desf. (Liliac.).  
*davurica*, Baker, in Journ. Linn. Soc. xiv. (1875) 567 = *S. dahurica*.  
*flexuosa*, Baker, *l. c.* = *S. flexuosa*.  
*fusca*, Baker, *l. c.* 568 = *S. fusca*.  
*japonica*, Baker, *l. c.* 570 = *S. japonica*.  
*laxiflora*, Baker, *l. c.* 569 = *S. laxiflora*.  
*nervulosa*, Baker, *l. c.* = *S. nervulosa*.  
*oleracea*, Baker, *l. c.* = *S. oleracea*.  
*oligophylla*, Baker, *l. c.* 565.—Reg. Himal.  
*pallida*, Baker, *l. c.* 566 = *S. purpurea*.  
*paniculata*, Baker, *l. c.* 568 = *S. paniculata*.  
*purpurea*, Baker, *l. c.* 566 = *S. purpurea*.  
*racemosa*, Neck. Elem. iii. 190 = *S. racemosa*.  
*Rossii*, Baker, in Journ. Linn. Soc. xvii. (1879) 387 = *S. japonica*.  
*Salvini*, Baker, *l. c.* xiv. (1875) 567 = *S. Salvini*.  
*scilloides*, Baker, *l. c.* = *S. scilloidea*.  
*sessilifolia*, Baker, *l. c.* 566 = *S. sessilifolia*.  
*stellata*, Neck. Elem. iii. 190 = *S. stellata*.  
*thyrsoides*, Baker, in Journ. Linn. Soc. xiv. (1875) 568 = *S. thyrsoides*.  
*trifolia*, Neck. Elem. iii. 190 = *S. trifolia*.

**TOVARIA**, Ruiz & Pav. Prod. 49. t. 8 (1794). *CAPPARIDAE*, Benth. & Hook. f. i. 110.  
*BANCROFTIA*, Macfad. Fl. Jamaica. i. 112 (1837).  
*pendula*, Ruiz & Pav. Fl. Per. iii. 373. t. 309.—Peruv.; Ind. occ.

TOVOMIA, Pers. Syn. ii. 68 (1807) = seq.

**TOVOMITA**, Aubl. Pl. Gui. ii. 956. t. 364 (1775). *GUTTIFERAE*, Benth. & Hook. f. i. 173.  
*BEAUHARNOISIA*, Ruiz & Pav. in Ann. Mus. Par. xi. (1808) 71. t. 9.  
*EUTHALES*, F. G. Dietr. Vollst. Lexik. Gaertn. Nachtr. iii. 307 (1817).  
*MARIALVA*, Vand. Fl. Lusit. 37 (1788).  
*MICRANTHERA*, Choisy, in Mém. Soc. Hist. Nat. Par. i. (1823) 224. tt. 11, 12.

# TOVOMITA:—

*amazonica*, Poepp. & Endl. ex Walp. Rep. i. 392.—Bras.; Ind. occ.  
*brasiliensis*, Mart. Nov. Gen. et Sp. ii. 83.—Bras.  
*calypttrata*, Schlecht. in Linnæa, viii. (1838) 187 = *Rhedia calypttrata*.  
*Choisyana*, Planch. & Triana, in Ann. Sc. Nat. Sér. IV. xiv. (1860) 281.—Guian.  
*clusiaefolia*, G. Don, Gen. Syst. i. 617.—Guian.  
*clusioides*, Cambess. in Mém. Mus. Par. xvi. (1828) 419 = *Richardiana*.  
*clusioides*, Griseb. in Mem. Am. Acad. N. S. viii. (1860) 166.—Cuba.  
*foliosa*, Presl, Symb. Bot. ii. 20 = *paniculata*.  
*fructipendula*, Cambess. in Mém. Mus. Par. xvi. (1828) 419 = *brasiliensis*.  
*fructipendula*, G. Don, Gen. Syst. i. 617.—Peruv.  
*Goudotiana*, Cambess. ex C. Muell. in Walp. Ann. vii. 355 = *Ochrocarpus Goudotianus*.  
*gracilipes*, Planch. & Triana, in Ann. Sc. Nat. Sér. IV. xiv. (1860) 280.—Bras.  
*Grisebachiana*, Planch. & Triana, *l. c.* 284.—Cuba.  
*guianensis*, Aubl. Pl. Gui. ii. 957.—Guian.  
*hameliaefolia*, Klotzsch, in Schomb. Faun. Fl. Brit. Gui. 996, nomen = *Schomburgkiana*?  
*havetioides*, Griseb. Fl. Brit. W. Ind. 106.—Jamaic.  
*laurina*, Planch. & Triana, in Ann. Sc. Nat. Sér. IV. xiv. (1860) 282.—Bras.  
*leucantha*, Planch. & Triana, *l. c.* 278.—Bras.  
*ligustrina*, Poit. ex Planch. & Triana, *l. c.* 270 = *brasiliensis*.  
*macrophylla*, Klotzsch, in Schomb. Faun. Fl. Brit. Gui. 996, nomen.—Guian.  
*macrophylla*, Walp. Rep. i. 392.—Bras.  
*madagascariensis*, Cambess. in Mém. Mus. Par. xvi. (1828) 419 = *Ochrocarpus madagascariensis*.  
*microcarpa*, Walp. Rep. i. 392.—Peruv.  
*myriandra*, Benth. in Hook. Lond. Journ. Bot. ii. (1843) 368.—Guian.  
*nigrescens*, Planch. & Triana, in Ann. Sc. Nat. Sér. IV. xiv. (1860) 276.—Guian.  
*paniculata*, A. St. Hil. Fl. Bras. Mer. i. 315.—Bras.  
*pentapetala*, Blanco, Fl. Filip. ed. I. 432 = *Ochrocarpus pentapetalus*.  
*Plumieri*, Griseb. Fl. Brit. W. Ind. 106.—Ins. Dominic.  
*pyrifolia*, Planch. & Triana, in Ann. Sc. Nat. Sér. IV. xiv. (1860) 280 = *macrophylla*.  
*Richardiana*, Planch. & Triana, *l. c.* 273.—Guian.  
*rubella*, Spruce, ex Planch. & Triana, *l. c.* 275.—Bras.  
*Schomburgkiana*, Klotzsch, in Schomb. Faun. Fl. Brit. Gui. 996, nomen (an seq.?).—Guian.  
*Schomburgkii*, Planch. & Triana, in Ann. Sc. Nat. Sér. IV. xiv. (1860) 274.—Guian.  
*secunda*, Poepp. ex Planch. & Triana, *l. c.* 271 = *brasiliensis*.  
*Spruceana*, Planch. & Triana, *l. c.* 277.—Am. austr.  
*stigmatica*, Planch. & Triana, *l. c.* 275.—N. Granat.  
*stylosa*, Hemsl. Diagn. Pl. Nov. 3.—Panama.  
*tenuiflora*, Benth. ex Planch. & Triana, in Ann. Sc. Nat. Sér. IV. xiv. (1860) 272.—Bras.  
*turbinata*, Planch. & Triana, *l. c.* 283.—N. Granat.  
*umbellata*, Benth. in Hook. Lond. Journ. Bot. ii. (1843) 367.—Guian.  
*uniflora*, G. Don, Gen. Syst. i. 617.—Guian.  
*Weddeliana*, Planch. & Triana, in Ann. Sc. Nat. Sér. IV. xiv. (1860) 277.—Bolivia.

**TOVOMITOPSIS**, Planch. & Triana, in Ann. Sc. Nat. Sér. IV. xiv. (1860) 261 = *Chrysochlamys*, Poepp. (Guttif.).  
*costaricana*, Oerst. ex Planch. & Triana, *l. c.* 265 = *C. costa-ricana*.  
*cuneata*, Planch. & Linden, *l. c.* 264.—N. Granat.  
*glauca*, Oerst. ex Planch. & Triana, *l. c.* = *C. glauca*.  
*nicaraguensis*, Oerst. ex Planch. & Triana, *l. c.* 266 = *C. nicaraguensis*.  
*paniculata*, Planch. & Triana, *l. c.* 262 = *Tovomita paniculata*.  
*psychotriaefolia*, Oerst. ex Planch. & Triana, *l. c.* 263 = *C. psychotriaefolia*.

**TOWNSENDIA**, Hook. Fl. Bor. Am. ii. 16. t. 119 (1833). *COMPOSITAE*, Benth. & Hook. f. ii. 268.  
*arizonica*, A. Gray, in Proc. Am. Acad. xvi. (1881) 85.—N. Mexic.  
*condensata*, Parry, in Am. Natural. viii. (1874) 106, 213.—Am. bor. occ.

# TOWNSENDIA:—

*eximia*, A. Gray, in Mem. Am. Acad. N. S. iv. (1849) 70.—N. Mexic.  
*Fendleri*, A. Gray, *l. c.*—N. Mexic.  
*florifer*, A. Gray, in Proc. Am. Acad. xvi. (1881) 84.—Am. bor. occ.  
*Fremontii*, Torr. & Gray, in Bost. Journ. Nat. Hist. v. (1847) 106 = *incana*.  
*glabella*, A. Gray, in Proc. Am. Acad. xvi. (1881) 86.—Am. bor. occ.  
*grandiflora*, Nutt. in Trans. Am. Phil. Soc. N. S. vii. (1841) 306.—Am. bor. occ.  
*incana*, Nutt. *l. c.* 305.—Am. bor. occ.  
*mexicana*, A. Gray, in Mem. Am. Acad. N. S. iv. (1849) 70.—Mexic.  
*Parryi*, Eaton, in Am. Natural. viii. (1874) 212.—Am. bor. occ.  
*Rothrockii*, A. Gray, ex Rothrock, in Wheeler, Rep. vi. 148.—Am. bor. occ.  
*scapigera*, Eaton, in Bot. King's Exped. 145. t. 17.—Am. bor. occ.  
*sericea*, Hook. Fl. Bor. Am. ii. 16. t. 119.—Am. bor. occ.  
*spathulata*, Nutt. in Trans. Am. Phil. Soc. N. S. vii. (1841) 305.—Am. bor. occ.  
*strigosa*, Eaton, in Bot. King's Exped. 145 = *Watsoni*.  
*strigosa*, A. Gray, Bot. U. St. Expl. Exped. ii. 344 = *florifer*.  
*strigosa*, Nutt. in Trans. Am. Phil. Soc. N. S. vii. (1841) 306.—Am. bor. occ.  
*Watsoni*, A. Gray, in Proc. Am. Acad. xvi. (1881) 84.—Am. bor. occ.  
*Wilcoxiana*, Wood, in Bull. Torrey Bot. Club, vi. (1875) 163.—Am. bor. occ.  
*Wrightii*, A. Gray, in Torr. Bot. Mex. Bound. 78 = *Aster Wrightii*.

**TOXANTHERA**, Hook. f. in Hook. Ic. Pl. xv. 16. t. 1421 (1883). *CUCURBITACEAE*.  
*natalensis*, Hook. f. *l. c.*—Afr. austr.

**TOXANTHES**, Turcz. in Bull. Soc. Nat. Mosc. xxiv. (1851) i. 176. *COMPOSITAE*, Benth. & Hook. f. ii. 317.  
*ANTHOCERASTES*, A. Gray, in Hook. Kew Journ. iv. (1852) 225.  
*major*, Turcz. in Bull. Soc. Nat. Mosc. xxiv. (1851) i. 64 = *Scyphocoronis viscosa*.  
*Muelleri*, Benth. Fl. Austral. iii. 592.—Austral.  
*perpusilla*, Turcz. in Bull. Soc. Nat. Mosc. xxiv. (1851) i. 177.—Austral.

**TOXANTHUS**, Benth. Fl. Austral. iii. 592 (1866), sphalm. = *praece*.

**TOXICARIA**, Aepnel. ex Steud. Nom. ed. I. 434, in syn. (1821) = *Antiaris*, Lesch. (Urtic.).  
*macassariensis*, Aepnel. ex Steud. *l. c.* = *A. toxicaria*.

**TOXICARIA**, Schreb. in Naturf. xix. (1783) 146 = *Strychnos*, Linn. (Logan.).  
*americana*, Schreb. *l. c.* = *S. Rouhamon*.

**TOXICODENDRON**, Auct. = *Toxicodendrum*, Thunb. (Euphorb.).

**TOXICODENDRON**, [Tourn.] Linn. Syst. ed. I (1735) = *Rhus*, Tourn. (Anacard.).  
*altissimum*, Mill. Gard. Dict. ed. VIII. n. 10 = *R. succedanea*.  
*arborescens*, Mill. *l. c.* n. 9 = *R. arborescens*.  
*arborescens*, Mill. *l. c.* n. 8 = *Schmidelia Cominia*.  
*crenatum*, Mill. *l. c.* n. 5 = *R. aromatica*.  
*cuneatum*, C. Koch, Dendrol. i. 579 = *R. aromatica*.  
*glabrum*, Mill. Gard. Dict. ed. VIII. n. 3 = *R. glabra*.  
*magnum*, Bertram, ex Steud. Nom. ed. II. ii. 694 = *R. Toxicodendron*.  
*pinnatifolium*, Mill. Gard. Dict. ed. VIII. n. 4 = *Amyris toxifera*.  
*pubescens*, Mill. *l. c.* n. 2 = *R. Toxicodendron*.  
*serratum*, Mill. *l. c.* n. 7 = *R. Toxicodendron*.  
*volubile*, Mill. *l. c.* n. 6 = *R. Toxicodendron*.  
*vulgare*, Mill. *l. c.* n. 1 = *R. Toxicodendron*.

**TOXICODENDRUM**, Gaertn. Fruct. i. 207. t. 44 (1788) = *Allophylus*, Linn. (Sapind.).  
*Cobbe*, Gaertn. *l. c.* = *A. Cobbe*.

**TOXICODENDRUM**, Thunb. in Vet. Akad. Handl. Stockh. (1796) 188. t. 7. *EUPHORBIACEAE*, Benth. & Hook. f. iii. 280.

*HYAENANCHE*, Lamb. Desc. Cinch. (1797) 52. t. 10. *acutifolium*, Benth. in Journ. Linn. Soc. xvii. (1878) 214.—Afr. austr.

*capense*, Thunb. in Vet. Akad. Handl. Stockh. (1796) 188. t. 7.—Afr. austr.

**TOXICOPHLEA**, Harv. in Hook. Lond. Journ. Bot. i. (1842) 24 = *Acokanthera*, G. Don (Apocyn.). *cestroides*, A. DC. in DC. Prod. viii. 336 = *A. venenata*. *spectabilis*, Sond. in Linnaea, xxiii. (1850) 79 = *A. spectabilis*.

*Thunbergii*, Harv. in Hook. Lond. Journ. Bot. i. (1842) 24 = *A. venenata*.

*Thunbergii*, Hort. Williams.—Cf. Gard. Chron. (1872) 327, 363 = *A. spectabilis*.

**TOXINA**, Noronha, in Verh. Batav. Gen. v. (1790) ed. I. Art. iv. 4 = *Buddleia*, Houst. (Logan.).

**TOXOCARPUS**, Wight & Arn. Contrib. 61 (1834). *ASCLEPIADEAE*, Benth. & Hook. f. ii. 746.

*GONIOSTEMMA*, Wight, Contrib. 62 (1834).

*RHYNCHOSTIGMA*, Benth. in Benth. & Hook. f. Gen. ii. 771 (1876).

*SCHISTOCODON*, Schau. in Nov. Act. Nat. Cur. xix. Suppl. i. (1843) 362.

*acuminatus*, Benth. ex Hook. f. Fl. Brit. Ind. iv. 15.—Reg. Himal.

*africanus*, Oliver, in Trans. Linn. Soc. xxix. (1875) 109.—Afr. trop.

*auriculatus*, Decne. in DC. Prod. viii. 505.—Java. Blumei, Decne. l. c. 506.—Java.

*concanensis*, Hook. f. Fl. Brit. Ind. iv. 14.—Ind. or. *crassifolius*, Dalz. & Gibs. Bomb. Fl. 148 = *Genianthus laurifolius*.

*crassifolius*, Wight & Arn. Contrib. 61 = *Genianthus crassifolius*.

*eriocarpus*, Hook. f. Fl. Brit. Ind. iv. 15 (sp. dub.).—Ind. or.

*glaucus*, Decne. in DC. Prod. viii. 505.—Ins. Philipp. *gracilis*, Decne. l. c.—Ins. Philipp.

*Griffithii*, Decne. l. c.—Burma; Malaya. *himalensis*, Falc. ex Hook. f. Fl. Brit. Ind. iv. 13.—Reg. Himal.

*Kleinii*, Wight & Arn. Contrib. 61.—Ind. or. *Kurzii*, Hook. f. Fl. Brit. Ind. iv. 15.—Ins. Andaman.

*laurifolius*, Wight & Arn. Contrib. 61 = *Genianthus laurifolius*.

*longistigma*, Wight & Arn. ex Steud. Nom. ed. II. ii. 694 = *Roxburghii*.

*macrophyllus*, Decne. in DC. Prod. viii. 505.—Java. *maritimus*, Miq. Fl. Ind. Bat. ii. 476.—Java.

*oblongifolius*, Decne. in DC. Prod. viii. 505.—Ins. Maurit. (cult.).

*Roxburghii*, Griff. Notul. iv. 68; Ic. Pl. Asiat. t. 386 A. f. 4, 5 = *Griffithii*?

*Roxburghii*, Wight & Arn. Contrib. 61.—Ind. or. *villosus*, Decne. in DC. Prod. viii. 506.—Java.

*Wightianus*, Hook. & Arn. Bot. Beech. Voy. 200 (sp. dub.).—Reg. Himal.; China.

**TOXOPHOENIX**, Schott, Nachr. Oester. Naturf. in Brasil. Anh. ii. 12 (1822) = *Astrocaryum*, G. F. W. Mey. (Palm.).

*aculeatissima*, Schott, l. c. 12 = *A. Ayri*.

**TOXOPUS**, Rafin. New Fl. Am. ii. 71 (1836) = *Macranthera*, Torr. (Scrophul.).

*calycinus*, Rafin. l. c. 72 = *M. fuchsoides*.

*gymnanthes*, Rafin. l. c. = *M. Lecontii*.

**TOXOSIPHON**, Baill. Adansonia, x. (1872) 311 = *Erythrochiton*, Nees & Mart. (Rutac.).

*Lindeni*, Baill. l. c. 312 = *E. Lindeni*.

**TOXOSTIGMA**, A. Rich. Tent. Fl. Abyss. ii. 86. t. 77 (1850) = *Arnebia*, Forsk. (Borag.).

*luteum*, A. Rich. l. c.—Abyss.

*purpurascens*, A. Rich. l. c. 87.—Abyss.

**TOXOTROPHIS**, Planch. in DC. Prod. xvii. 208 (1873), sphalm. = *Taxotrophis*, Blume (Urtic.).

**TOXOTROPIS**, Turcz. in Bull. Soc. Nat. Mosc. xix. (1846) ii. 506 = *Corynella*, DC. (Legumin.).

*Jaegeri*, Turcz. l. c. 507 = *C. polyantha*.

**TOXYLON**, Rafin. in Am. Monthly Mag. iv. (1818) 188 = *Maclura*, Nutt. (Urtic.).

*Maclura*, Rafin. New Fl. Am. iii. 43 = *M. aurantiaca*.

**TOZZETTIA**, Parl. Nuov. Gen. e Spec. 11 (1854) = *Fritillaria*, Tourn. (Liliac.).

*persica*, Parl. l. c. 13 = *F. persica*.

**TOZZETTIA**, Savi, in Mem. Soc. Ital. Sc. viii. (1798) 477 = *Alopecurus*, Linn. (Gramin.).

*pratensis*, Savi, l. c. = *A. utriculatus*.

*utriculata*, Savi, in Usteri, Ann. Bot. xxiv. (1800) 49 = *A. utriculatus*.

**TOZZIA**, Linn. Gen. ed. I. 181 (1737). *SCROPHULARINEAE*, Benth. & Hook. f. ii. 980.

*FERECUPPA*, Dulac, Fl. Hautes-Pyr. 373 (1867).

*KERNERA*, Schrank, Baier. Reise, 50 (1786).

*alpina*, Linn. Sp. Pl. 607.—Europ.

**TRACANTHELIUM**, Kit. ex Schur, in Verh. Siebenb. Ver. Naturw. iv. (1853) 47 = *Phyteuma*, Linn. (Campan.).

*canescens*, Schur, l. c. = *P. canescens*.

*salignum*, Schur, Enum. Pl. Transs. 973 (Index) = *P. canescens*.

**TRACAULON**, Rafin. Fl. Tellur. iii. 13 (1836) = *Polygonum*, Tourn.

*arifolium*, Rafin. l. c. = *P. arifolium*.

**TRACHELANTHUS**, Klotzsch, in Abh. Akad. Berl. 1854 (1855) 82. t. 8 C = *Begonia*, Tourn.

*attenuatus*, Klotzsch, l. c. 83 = *B. attenuata*.

*rhizocarpus*, Klotzsch, l. c. = *B. rhizocarpa*.

**TRACHELANTHUS**, Kunze, in Bot. Zeit. viii. (1850) 665 = *Solenanthus*, Ledeb. (Borag.).

*cerinthoides*, Kunze, l. c. = *S. cerinthoides*.

*kurdicus*, Boiss. Fl. Orient. iv. 271 = *S. cerinthoides*.

**TRACHELIOPSIS**, Opiz, Seznam, 98 (1852) = *Campanula*, Tourn.

*latifolia*, Opiz, l. c. = *C. latifolia*.

*vulgaris*, Opiz, l. c. = *C. Trachelium*.

**TRACHELIUM**, Tourn. ex Linn. Syst. ed. I (1735). *CAMPANULACEAE*, Benth. & Hook. f. ii. 563.

*alteratum*, Bianca, ex Nym. Consp. 485 = *caeruleum*, *angustifolium*, Schousb. Vextr. Marokko, 85.—Marocc.

*asperuloides*, Boiss. & Orph. Diagn. Ser. II. iii. 117 = *Gracila*.

*azureum*, Gouan, Hort. Monsp. 100 = *caeruleum*, *caeruleum*, Linn. Sp. Pl. 171.—Reg. Mediterr. occ.

*diffusum*, Linn. f. Suppl. 143 = *Prismatocarpus diffusus*, Jacquin, Boiss. Fl. Orient. iii. 961.—Ins. Creta.

*lanceolatum*, Guss. Fl. Sic. Syn. i. 252.—Sicil. *longifolium*, Bianca, ex Guss. l. c. 577 = *lanceolatum*.

*myrtifolium*, Boiss. Fl. Orient. iii. 962.—As. Min. *rumelianum*, Hampe, in Flora, xx. (1837) 234.—

*Gracila*. *rumelicum*, Boiss. Fl. Orient. iii. 961, sphalm. = *praec.*

*serotinum*, Boiss. Diagn. Ser. II. iii. 117 = *tubulosum*, *tenuifolium*, Linn. f. Suppl. 143 = *Merciera tenuifolia*.

*tubulosum*, Boiss. Diagn. Ser. I. xi. 60.—Cilicia; Syria.

**TRACHELOCARPUS**, C. Muell. in Walp. Ann. iv. 909 (1857) = *Begonia*, Tourn.

*attenuatus*, C. Muell. l. c. 910 = *B. attenuata*.

*rhizocarpus*, C. Muell. l. c. = *B. rhizocarpa*.

**TRACHELOSPERMUM**, Lem. Jard. Fleur. i. (1851) t. 61. *APOCYNACEAE*, Benth. & Hook. f. ii. 720.

*PARECHITES*, Miq. in Versl. en Med. Kon. Akad. Wetensch. vi. (1857) 193.

*RHYNCHOSPERMUM*, Lindl. in Journ. Hort. Soc. i. (1846) 74.

*TRIADENIA*, Miq. Fl. Ind. Bat. ii. 458 (1856).

*axillare*, Hook. f. Fl. Brit. Ind. iii. 668.—Reg. Himal.

*difforme*, A. Gray, Syn. Fl. N. Am. ii. 85.—Am. bor. *fragrans*, Hook. f. Fl. Brit. Ind. iii. 667.—Reg. Himal.

*gracilipes*, Hook. f. l. c. 668.—Reg. Himal. *jasmynoides*, Lem. Jard. Fleur. i. (1851) t. 61.—

China.

**TRACHINEMA**, Rafin. Fl. Tellur. ii. 27 (1836) = *Anthericum*, Linn. (Liliac.).

*hispidum*, Rafin. l. c. = *A. hispidum*.

*vespertina*, Rafin. l. c. = *A. falcatum*.

**TRACHODES**, D. Don, in Trans. Linn. Soc. xvi. (1830) 182 = *Sonchus*, Tourn. (Compos.).

*paniculatus*, D. Don, l. c. = *S. paniculatus*.

**TRACHOPYRON**, Ger. ex Rafin. Fl. Tellur. iii. 10 (1836) = *Polygonum*, Tourn.

**TRACHYANDRA**, Kunth, Enum. Pl. iv. 573 (1843) = *Anthericum*, Linn. (Liliac.).

*affinis*, Kunth, l. c. 579 = *A. Jacquinianum*.

*asperata*, Kunth, l. c. 574 = *A. asperatum*.

*blepharophora*, Kunth, l. c. 578 = *A. ciliatum*, Linn. f.

*bracteosa*, Kunth, l. c. 582 = *A. ciliatum*, Linn. f.

*Brehmeana*, Kunth, l. c. 586 = *A. Brehmeana*.

*canaliculata*, Kunth, l. c. 578 = *A. canaliculatum*.

*ciliata*, Kunth, l. c. 585 = *A. ciliatum*, Linn. f.

*corymbosa*, Kunth, l. c. 577 = *A. hirsutum*.

*divaricata*, Kunth, l. c. 580 = *A. revolutum*.

*elongata*, Kunth, l. c. 584 = *A. Jacquinianum*.

*falcata*, Kunth, l. c. 586 = *A. falcatum*.

*fimbriata*, Kunth, l. c. 583 = *A. longifolium*.

*flexifolia*, Kunth, l. c. 579 = *A. flexifolium*.

*floribunda*, Kunth, l. c. 583 = *Bulbinella latifolia*.

*hirsuta*, Kunth, l. c. 577 = *A. hirsutum*.

*hispidum*, Kunth, l. c. 574 = *A. hispidum*.

*humilis*, Kunth, l. c.—Afr. austr.

*Jacquinii*, Kunth, l. c. 578 = *A. Jacquinianum*.

*longepedunculata*, Kunth, l. c. 584 = *A. longepedunculatum*.

*longifolia*, Kunth, l. c. 582 = *A. longifolium*.

*muricata*, Kunth, l. c. 576 = *A. muricatum*.

*paradoxa*, Kunth, l. c. 576 = *A. paradoxum*.

*pauciflora*, Kunth, l. c. 584 = *A. triflorum*.

*revoluta*, Kunth, l. c. 579 = *A. revolutum*.

*scabra*, Kunth, l. c. 585 = *A. scabrum*.

*Schultesii*, Kunth, l. c. 586 = *A. Schultesii*.

*undulata*, Kunth, l. c. 582 = *A. hispidum*.

*vespertina*, Kunth, l. c. 581 = *A. falcatum*.

**TRACHYCARPUS**, H. Wendl. in Bull. Soc. Bot. Fr. viii. (1861) 429. *PALMAE*, Benth. & Hook. f. iii. 929.

*excelsus*, H. Wendl. l. c.—Japon.

*Fortunei*, H. Wendl. l. c.—China.

*Griffithii*, Hort. ex Rev. Hortic. (1879) 212 = *khassianus*.

*khassianus*, H. Wendl. in Bull. Soc. Bot. Fr. viii. (1861) 429.—Reg. Himal.

*Martianus*, H. Wendl. in Kerch. Palm. 258.—Reg. Himal.

**TRACHYCARYON**, Klotzsch, in Lehm. Pl. Preiss. i. 175 (1844) = *Adriana*, Gaudich. (Euphorb.).

*Billardieri*, Klotzsch, ex Benth. Fl. Austral. vi. 135 = *A. quadripartita*.

*Cunninghami*, F. Muell. in Trans. Phil. Soc. Vict. i. (1855) 15 = *A. glabrata*.

*Hookeri*, F. Muell. l. c. 16 = *A. Hookeri*.

*Klotzschii*, F. Muell. l. c. 15 = *A. Klotzschii*.

*Labillardieri*, Klotzsch, in Lehm. Pl. Preiss. i. 175 = *A. quadripartita*.

**TRACHYDIUM**, Lindl. in Royle, Illustr. Bot. Himal. 232 (1835). *UMBELLIFERAE*, Benth. & Hook. f. i. 884.

*EREMODAUCUS*, Bunge, Del. Sem. Hort. Dorpat. (1843).—Cf. Linnaea, xviii. (1844) 151.

*HAPLOSCIADIUM*, Hochst. in Flora, xxvii. (1844) 20. *abyssinicum*, Benth. & Hook. f. ex Hiern, in Oliver, Fl. Trop. Afr. iii. 10.—Afr. trop.

*depressum*, Boiss. Fl. Orient. ii. 929.—Persia. *dissectum*, C. B. Clarke, in Hook. f. Fl. Brit. Ind. ii. 672.—Reg. Himal.

*elbrusense*, Boiss. Fl. Orient. ii. 930.—Persia. *hirsutulum*, C. B. Clarke, in Hook. f. Fl. Brit. Ind. ii. 672.—Reg. Himal.

*Kotschyi*, Boiss. Fl. Orient. ii. 929.—Persia. *novem-jugum*, C. B. Clarke, in Hook. f. Fl. Brit. Ind. ii. 672.—Reg. Himal.

*obtusiusculum*, Benth. & Hook. f. Gen. ii. 884; C. B. Clarke, l. c. 673.—Reg. Himal.

*Roylei*, Lindl. in Royle, Illustr. Bot. Himal. 232.—Reg. Himal.; Ind. or.

**TRACHYLOBIUM**, Hayne, in Flora, x. (1827) 743; et Arzn. Gew. xi. t. 18 (1830). *LEGUMINO-SAE*, Benth. & Hook. f. i. 583.  
*floribundum*, G. Don, Gen. Syst. ii. 459 = *Hymenaea floribunda*.  
*Gaertnerianum*, Hayne, in Flora, x. (1827) 744 = *Hornemannianum*.  
*Hornemannianum*, Hayne, l. c. — Afr. trop.  
*Lamarckeanum*, Hayne, l. c. = *Hymenaea verrucosa*.  
*Martianum*, Hayne, l. c. = *Hymenaea Martiana*.  
*mossambicense*, Klotzsch, in Peters, Reise Mossamb. Bot. 21. t. 11 = *Hornemannianum*.  
*verrucosum*, Oliver, Fl. Trop. Afr. ii. 311, in adnot. — Ins. Mascari.

**TRACHYLOMIA**, Nees, in Mart. Fl. Bras. ii. i. 174 (1842) = *Scleria*, Berg. (Cyperac.).  
*triglomerata*, Nees, l. c. = *S. triglomerata*.

**TRACHYMARATHRUM**, Tausch, in Flora, xvii. (1834) 344 = *Hippomarathrum*, Link (Umbell.).  
*siculum*, Tausch, l. c. 344 = *H. cristatum*.

**TRACHYMENE**, DC. Prod. iv. 72 (1830) = *Platysace*, Bunge (Umbell.).  
*anceps*, DC. Prod. iv. 73 (= *Sieberta compressa*). — Austral.  
*Billardieri*, F. Muell. Census, 62 = seq.  
*buxifolia*, Sieber, ex DC. Prod. iv. 73 (= *Sieberta Billardieri*). — Austral.  
*Candelabrum*, Bunge, in Lehm. Pl. Preiss. i. 289 (= *Sieberta juncea*). — Austral.  
*cirrosa*, F. Muell. Census, 62 = *P. cirrosa*.  
*commutata*, Turcz. in Bull. Soc. Nat. Mosc. xxii. (1849) ii. 30 (= *Sieberta commutata*). — Austral.  
*compressa*, Spreng. Sp. Umbellif. 9 (= *Sieberta compressa*). — Austral.  
*conferta*, Gaudich. ex Benth. in Enum. Pl. Hueg. 54 = seq.  
*crassifolia*, Benth. l. c. 54 (= *Sieberta Billardieri*). — Austral.  
*deflexa*, Turcz. in Bull. Soc. Nat. Mosc. xxii. (1849) ii. 31 (= *Sieberta deflexa*). — Austral.  
*dissecta*, F. Muell. Census, 62 (= *Sieberta dissecta*). — Austral.  
*effusa*, Turcz. in Bull. Soc. Nat. Mosc. xxii. (1849) ii. 31 = *P. trachymenoides*.  
*ericoides*, Sieber, ex DC. Prod. iv. 73 (= *Sieberta ericoides*). — Austral.  
*filiformis*, Bunge, in Lehm. Pl. Preiss. i. 289 (= *Sieberta juncea*). — Austral.  
*haplosciadea*, F. Muell. Census, 62 (= *Sieberta haplosciadea*). — Austral.  
*heterophylla*, F. Muell. First Gen. Rep. 13 (= *Sieberta heterophylla*). — Austral.  
*juncea*, Bunge, in Lehm. Pl. Preiss. i. 287 (= *Sieberta juncea*). — Austral.  
*lanceolata*, Spreng. Syst. i. 879 (= *Sieberta Billardieri*). — Austral.  
*linearis*, Spreng. Sp. Umbellif. 7 (= *Sieberta linearifolia*). — Austral.  
*myrtifolia*, Sieber, ex DC. Prod. iv. 73 = seq.  
*ovalis*, DC. l. c. (= *Sieberta Billardieri*). — Austral.  
*ovata*, Spreng. Sp. Umbellif. 7 = praec.  
*pendula*, Benth. in Enum. Pl. Hueg. 54 (= *Sieberta juncea*). — Austral.  
*platyptera*, Bunge, in Lehm. Pl. Preiss. i. 287 (= *Sieberta compressa*). — Austral.  
*ramosissima*, Benth. in Enum. Pl. Hueg. 54 (= *Sieberta juncea*). — Austral.  
*scabriuscula*, Bunge, in Lehm. Pl. Preiss. i. 287 = praec.  
*Stephensonii*, Turcz. in Bull. Soc. Nat. Mosc. xx. (1847) i. 170 (= *Sieberta Stephensonii*). — Austral.  
*stricta*, Bunge, in Lehm. Pl. Preiss. i. 288 (= *Sieberta compressa*). — Austral.  
*subvelutina*, DC. Prod. iv. 73 (= *Sieberta ericoides*). — Austral.  
*tenuis*, DC. l. c. 73 = praec.  
*tenuissima*, F. Muell. Census, 62 (= *Sieberta tenuissima*). — Austral.  
*teres*, Bunge, in Lehm. Pl. Preiss. i. 286 (= *Sieberta juncea*). — Austral.  
*valida*, F. Muell. Census, 62 = *P. valida*.

**TRACHYMENE**, Rudge, in Trans. Linn. Soc. x. (1811) 300. t. 21. *UMBELLIFERAE*, Benth. & Hook. f. i. 873.  
*CESATIA*, Endl. in Ann. Wien. Mus. ii. (1838) 200.  
*DIDISCUS*, DC. in Bot. Mag. t. 2875 (1828).

# TRACHYMENE:—

*DIMETOPIA*, DC. Prod. iv. 71 (1830).  
*HEMICARPUS*, F. Muell. in Hook. Kew Journ. ix. (1857) 18.  
*HUEGELIA*, Reichb. Consp. 144 (1828).  
*LAMPRA*, Lindl. ex DC. Prod. iv. 72 (1830).  
*PRITZELIA*, Walp. Rep. i. 428 (1842).  
*australis*, Benth. Fl. Austral. iii. 349. — Austral.  
*austro-caledonica*, F. Muell. Phyt. New Hebr. 13. — N. Hebrid.  
*coerulea*, R. Grah. in Edinb. N. Phil. Journ. (July-Sept. 1828) 380. — Austral.  
*cyanea*, A. Cunn. ex DC. Prod. iv. 72 = *coerulea*.  
*cyanopetalea*, Benth. Fl. Austral. iii. 348. — Austral.  
*eriocarpa*, Benth. l. c. — Austral.  
*gigantea*, Ait. ex W. Baxt. in Loud. Hort. Brit. Suppl. iii. 650. — Hab. ?  
*glandulosa*, Benth. Fl. Austral. iii. 350. — Austral.  
*glaucofolia*, Benth. l. c. — Austral.  
*hemicarpa*, Benth. l. c. 351. — Austral.  
*Homei*, Seem. in Journ. Bot. ii. (1864) 75. — N. Caled.  
*humilis*, Benth. Fl. Austral. iii. 351. — Austral.  
*incisa*, Rudge, in Trans. Linn. Soc. x. (1811) 300. t. 21. — Austral.  
*lanceolata*, Rudge, l. c. — Austral.  
*ovata*, Rudge, l. c. 300. — Austral.  
*pilosa*, Sm. in Rees, Cycl. xxxix. Add. n. 2. — Austral.  
*procumbens*, Benth. Fl. Austral. iii. 350. — Austral.  
*villosa*, Benth. Fl. Austral. iii. 349. — Austral.

**TRACHYNIA**, Link, Hort. Berol. i. 42 (1827) = *Brachypodium*, Beauv. (Gramin.).  
*distachya*, Link, l. c. 43 = *B. distachyum*.  
*rigida*, Link, l. c. = *Triticum asperum*.  
*subtilis*, Hort. ex Ind. Sem. Hort. Lips. (1842). — Cf. Walp. Ann. i. 948 = *B. distachyum*.

**TRACHYNOTIA**, Michx. Fl. Bor. Am. i. 63 (1803) = *Spartina*, Schreb. (Gramin.).  
*alterniflora*, DC. Fl. Fr. Suppl. 279 = *S. stricta*.  
*alternifolia*, Steud. Nom. ed. II. ii. 695, sphalm. = praec.  
*cynosuroides*, Michx. Fl. Bor. Am. i. 64 = *S. Schreberi*.  
*fasciculata*, Poir. Encyc. Suppl. ii. 443, in obs. = *S. fasciculata*.  
*juncea*, Michx. Fl. Bor. Am. i. 64 = *S. juncea*.  
*patens*, Poir. Encyc. Suppl. ii. 443, in obs. = *S. patens*.  
*polystachya*, Michx. Fl. Bor. Am. i. 64 = *S. polystachya*.  
*stricta*, DC. Fl. Fr. iii. 74 = *S. stricta*.

**TRACHYOZUS**, Reichb. Consp. 48 (1828) = *Trachys*, Pers. (Gramin.).  
*muricata*, Steud. Svn Pl. Gram. 112 = *Trachys mucronata*.

**TRACHYPHYNIUM**, Benth. in Benth. & Hook. f. Gen. iii. 651 (1833). *SCITAMINEAE*, Benth. & Hook. f. l. c.

**TRACHYPHYTUM**, Nutt. ex Torr. & Gray, Fl. N. Am. i. 533 (1840) = *Mentzelia*, Plum. (Loasac.).  
*albicaule*, Nutt. l. c. 534 = *M. albicaulis*.  
*congestum*, Nutt. l. c. = *M. congesta*.  
*gracile*, Nutt. l. c. = *M. albicaulis*.

**TRACHYPLEURUM**, Reichb. Consp. 143 (1828) = *Bupleurum*, Tourn. (Umbell.).  
*tenuissimum*, Schur, Enum. Pl. Transs. 251 = *B. tenuissimum*.

**TRACHYPOGON**, Nees, Agrost. Bras. 341 (1829), partim. *GRAMINEAE*, Benth. & Hook. f. iii. 1133.  
*angustifolius*, Fourn. ex Hemsl. Biol. Centr. Am. Bot. iii. 522. — Mexic.  
*angustifolius*, Nees, Agrost. Bras. 342 = polymorphus.  
*argenteus*, Nees, l. c. 348 = *Andropogon saccharoides*.  
*avenaceus*, Nees, l. c. 354 = *Sorghum halepense*.  
*canescens*, Nees, l. c. 343 = polymorphus.  
*capensis*, Trin. in Mém. Acad. Pétersb. Sér. VI. ii. (1833) 257 = polymorphus.  
*dactyloides*, Fourn. ex Hemsl. Biol. Centr. Am. Bot. iii. 523. — Mexic.

# TRACHYPOGON:—

*dissolutus*, Nees, in Linnaea, xix. (1847) 695 = polymorphus.  
*Gouini*, Fourn. ex Hemsl. Biol. Centr. Am. Bot. iii. 523 = polymorphus.  
*gracilis*, Anderss. in Oefv. Vet. Akad. Foerhandl. Stockh. xiv. (1857) 50 = polymorphus.  
*hirtus*, Nees, Agrost. Bras. 346 = *Heteropogon hirtus*.  
*laguroides*, Nees, l. c. 349 = *Andropogon saccharoides*.  
*ligularis*, Nees, l. c. 345 = polymorphus.  
*macroglossus*, Trin. in Mém. Acad. Pétersb. Sér. VI. ii. (1833) 257 = polymorphus.  
*micans*, Anderss. in Oefv. Vet. Akad. Foerhandl. Stockh. xiv. (1857) 47 = polymorphus.  
*Minarum*, Nees, Agrost. Bras. 349 = *Chrysopogon stipoides*.  
*mollis*, Nees, l. c. 343 = polymorphus.  
*Montufari*, Nees, l. c. 342 = polymorphus.  
*Muelleri*, Fourn. ex Hemsl. Biol. Centr. Am. Bot. iii. 523 = polymorphus.  
*plumosus*, Nees, Agrost. Bras. 344 = polymorphus.  
*polymorphus*, Hack. in Mart. Fl. Bras. ii. iii. 263. — Reg. trop. et subtrop.  
*Preslei*, Anderss. in Oefv. Vet. Akad. Foerhandl. Stockh. xiv. (1857) 50 = polymorphus.  
*pubescens*, Fourn. in Ann. Soc. Linn. Lyon, N. S. xvii. (1869) 180 = *Heteropogon pubescens*.  
*rufus*, Nees, Agrost. Bras. 346 = *Andropogon rufus*.  
*scaberrimus*, Nees, l. c. 354 = *Chrysopogon nutans*.  
*Schoenanthus*, Nees, in Linnaea, vii. (1832) 281 = *Andropogon Nardus*.  
*scrobiculatus*, Nees, Agrost. Bras. 347 = *Heteropogon acuminatus*.  
*stipoides*, Nees, l. c. 351 = *Chrysopogon avenaceus*.  
*truncatus*, Anderss. in Oefv. Vet. Akad. Foerhandl. Stockh. xiv. (1857) 49 = polymorphus.  
*vestitus*, Anderss. l. c. 52. — Bras.  
*violaceus*, Anderss. l. c. 49 = polymorphus.

**TRACHYRHYNCHIUM**, Nees, in Nov. Act. Nat. Cur. xix. Suppl. i. (1843) 113 = *Cladium*, P. Br. (Cyperac.).  
*iridifolium*, Nees, l. c. 114 (= *Baumea Meyenii*). — Ins. Sandvic.

**TRACHYRHYNGIUM**, Nees, ex Kunth, Enum. Pl. ii. 314, in syn. (1837), sphalm. = praec.

**TRACHYS**, Pers. Syn. i. 85 (1805). *GRAMINEAE*, Benth. & Hook. f. iii. 1122.  
*TRACHYOZUS*, Reichb. Consp. 48 (1828).  
*TRACHYSTACHYS*, A. Dietr. Sp. Pl. ii. 16 (1833).  
*mucronata*, Pers. Syn. i. 85. — Ind. or.  
*muricata*, Steud. Syn. Pl. Gram. 112, sphalm. = praec.

**TRACHYSCIADIUM**, Eckl. & Zeyh. Enum. 341 (1837) = *Carum*, Rupp. (Umbell.).  
*capense*, Eckl. & Zeyh. l. c. = *C. capense*.

**TRACHYSPERMA**, Rafn. in Med. Repos. N. York, v. (1808) 352 = *Limonanthemum*, S. T. Gmel. (Gentian.).  
*nutans*, Rafn. l. c. = *L. trachyspermum*.

**TRACHYSPERMUM**, Link, Enum. Hort. Berol. i. 267 (1821) = *Carum*, Rupp. (Umbell.).  
*copticum*, Link, l. c. = *C. copticum*.  
*rigens*, G. Don, in Loud. Hort. Brit. 103 (= *Bunium rigens*). — Afr. austr.

**TRACHYSTACHYS**, A. Dietr. Sp. Pl. ii. 16 (1833) = *Trachys*, Pers. (Gramin.).  
*geminata*, A. Dietr. l. c. = *Trachys mucronata*.

**TRACHYSTELLA**, Steud. Nom. ed. II. ii. 695 (1841), sphalm. = *TRACHYTELLA*, DC. = *Tetracera*, Linn. (Dillen.).

**TRACHYSTEMMA**, Auct. ex Meissn. Gen. Comm. 188 (1840) = seq.

**TRACHYSTEMON**, D. Don, in Edinb. N. Phil. Journ. xiii. (1832) 239. *BORAGINEAE*, Benth. & Hook. f. ii. 355.  
*NORDMANNIA*, Ledeb. ex Nordm. in Bull. Sc. Acad. Pétersb. ii. (1837) 312.  
*PSILOSTEMON*, DC. Prod. x. 35 (1846).

**TRACHYSTEMON** :—

creticum, *D. Don*, ex *G. Don*, *Gen. Syst.* iv. 309.—Archip. Graec.  
orientale, *D. Don*, in *Edinb. N. Phil. Journ.* xiii. (1832) 239.—As. Min.

**TRACHYSTIGMA**, *C. B. Clarke*, in *DC. Monog. Phan.* v. 131 (1883). *CYRTANDREAE*.  
*Mannii*, *C. B. Clarke*, *l. c.*—Afr. trop.

**TRACHYTELLA**, *DC. Syst.* i. 410 (1818) = *Tetracera*, *Linn.* (*Dilleniac.*).  
*Actaea*, *DC. l. c.* = *Tet. sarmentosa*.  
*aspera*, *DC. l. c.* = *Tet. sarmentosa*.  
*Calligonum*, *DC. l. c.* = *Tet. sarmentosa*.

**TRACHYTHECA**, *Nutt. ex Benth.* in *DC. Prod.* xiv. 7 (1857) = *Eriogonum*, *Michx.* (*Polygon.*).

**TRACTEMA**, *Rafin. Fl. Tellur.* ii. 57 (1836) = *Scilla*, *Linn.* (*Liliac.*).  
*pumila*, *Rafin. l. c.* = *S. monophyllos*.

**TRADESCANTIA**, *Rupp. ex Linn. Syst. ed. I* (1735).  
*COMMELINACEAE*, *Benth. & Hook. f.* iii. 853.  
*APLOLEIA*, *Rafin. Fl. Tellur.* ii. 17 (1836).  
*DESCANTARIA*, *Schlecht.* in *Linnaea*, xxvi. (1853-55) 140.  
*DISGREGA*, *Hassk.* in *Flora*, xlix. (1866) 215.  
*EPHEMERUM*, *Tourn. ex Moench, Meth.* 237 (1794).  
*ETHEOSANTHES*, *Rafin. Neogenyt.* 3 (1825).  
*GIBASIS*, *Rafin. Fl. Tellur.* ii. 16 (1836).  
*HEMINEMA*, *Rafin. l. c.* 17 (1836).  
*HETERACHTHIA*, *Kunze*, in *Bot. Zeit.* viii. (1850) 1.  
*KNOWLESIA*, *Hassk.* in *Flora*, xlix. (1866) 215.  
*LEIANDRA*, *Rafin. Fl. Tellur.* ii. 17 (1836).  
*MANDONIA*, *Hassk.* in *Flora*, liv. (1871) 260.  
*PHYODINA*, *Rafin. Fl. Tellur.* ii. 16 (1836).  
*PYRRHEIMA*, *Hassk.* in *Flora*, lii. (1869) 366.  
*SIDERASIS*, *Rafin. Fl. Tellur.* iii. 67 (1836).  
*SKOFITZIA*, *Hassk. & Kanitz*, in *Oestr. Bot. Zeitschr.* xxii. (1872) 147.  
*TRIPAGANDRA*, *Rafin. Fl. Tellur.* ii. 16 (1836).  
*TROPITIA*, *Rafin. l. c.* iii. 68 (1836).  
*acaulis*, *Mart. & Gal.* in *Bull. Acad. Brux.* ix. II. (1842) 375 = *crassifolia*.  
*albida*, *Herb. Kunth*, ex *C. B. Clarke*, in *DC. Monog. Phan.* iii. 290 = *virginiana*.  
*albiflora*, *Kunth, Enum. Pl.* iv. 84 = *fluminensis*.  
*ambigua*, *Mart. in Schult. f. Syst.* vii. 1170.—*Bras.*  
*amplexicaulis*, *Klotzsch*, ex *C. B. Clarke*, in *DC. Monog. Phan.* iii. 304.—*Mexic.*  
*anagallidea*, *Seub. in Mart. Fl. Bras.* iii. I. 249.—*Bras.*  
*Andrieuxii*, *C. B. Clarke*, in *DC. Monog. Phan.* iii. 291. (*Andreuxii*).—*Mexic.*  
*anomala*, *Torr. Bot. Mex. Bound.* 225 = *Tinantia anomala*.  
*aphylla*, *Heyne*, ex *C. B. Clarke*, in *DC. Monog. Phan.* iii. 201 = *Aneilema scapiflorum*.  
*argentea*, *Falkenb. Bau Veget. Org. Monocot.* 116 (*Quid?*).—*Hab.?*  
*Aubletii*, *J. F. Gmel. Syst.* 533 = *Dichorisandra Aubletiana*.  
*axillaris*, *Linn. Mant.* ii. 321 = *Cyanotis axillaris*.  
*axillaris*, *Rafin. New Fl. Am.* ii. 87 = *virginiana?*  
*Balbisii*, *Kunth, Enum. Pl.* iv. 97 = *elongata*.  
*barbata*, *Rafin. New Fl. Am.* ii. 85 = *virginiana*.  
*barbata*, *Spreng. Syst. iv. Cur. Post.* 138 = *Cyanotis barbata*.  
*biandra*, *Torr. Mex. Bound. Bot.* 224 (*err. typ.*) = *leiandra*.  
*bicolor*, *Kunth, Enum. Pl.* iv. 88 = *gracilis*.  
*bifida*, *Roth, Catalect. fasc. i.* 42 = *Tinantia fugax*.  
*biflora*, *Willd. ex Schult. f. Syst.* vii. 1176 = *Commelina subulata*.  
*brasiliensis*, *Lodd. ex Steud. Nom. ed. II.* ii. 694 (*Quid?*).—*Bras.*  
*brevicaulis*, *Rafin. Atl. Journ.* 150 = *virginiana*.  
*Callisia*, *Sw. Fl. Ind. Occ. i.* 603 = *Callisia repens*.  
*canaliculata*, *Rafin. Atl. Journ.* 150 = *virginiana*.  
*capitata*, *Blume, Enum. Pl. Jav. i.* 6 = *Cyanotis capitata*.  
*capitata*, *Vell. Fl. Flum.* 139; iii. t. 151 = *Campelia Zanonia*.  
*caricifolia*, *Hook. Bot. Mag.* t. 3546 = *virginiana*.

**TRADESCANTIA** :—

*carinata*, *E. Mey. in Presl, Rel. Haenk.* i. 139.—*Peruv.*  
*cerinthoides*, *Kunth, Enum. Pl.* iv. 83.—*Bras.*  
*ciliata*, *Blume, Cat. Gew. Buitenz.* 61.—*Java.*  
*ciliata*, *Hort. Berol. ex Kunth, Enum. Pl.* iv. 81 = *virginiana*.  
*cirrifera*, *Mart. Ausw. Merkw. Pfl.* 10. t. 7 = *virginiana*.  
*Commelina*, *Neuenh. in Roem. Arch. i, II.* (1797) 24 = *Tinantia fugax*.  
*Commelina*, *Vell. Fl. Flum.* 140; iii. t. 154 = *elongata*.  
*commelinoides*, *Schult. f. Syst.* vii. 1176.—*Mexic.*  
*congesta*, *Mart. & Gal. in Bull. Acad. Brux.* ix. II. (1842) 377 = *elongata*.  
*congesta*, *Penny*, ex *W. Baxt.* in *Loud. Hort. Brit. Suppl.* iii. 650 (*Quid?*).—*Am. bor.*  
*consanguinea*, *Klotzsch*, ex *C. B. Clarke*, in *DC. Monog. Phan.* iii. 301 = *geniculata*.  
*cordifolia*, *Griff. Priv. Journ.* 208 = *Streptolirion volubile*.  
*cordifolia*, *Sw. Prod. Veg. Ind. Occ.* 57.—*Am. trop.*  
*crassifolia*, *Cav. l. c.* i. 54. t. 75.—*Am. austr.*  
*crassifolia*, *Hassk. in Miq. Pl. Jungh.* 152 = *Cyanotis capitata*.  
*crassipes*, *Barcl. ex R. Grah. in Edinb. N. Phil. Journ.* (Jan.-March, 1829) 388 = *T. Crassula*.  
*Crassula*, *Link & Otto, l. c. Pl. Rar. Hort. Berol.* 13. t. 7.—*Bras.*  
*crinifera*, *Nees*, in *Linnaea*, xix. (1847) 700 = *virginiana*.  
*cristata*, *Blanco, Fl. Philipp.* ed. III. i. 293 = *Commelina nudiflora*.  
*cristata*, *Heyne*, ex *C. B. Clarke*, in *DC. Monog. Phan.* iii. 246 = *Cyanotis papilionacea*.  
*cristata*, *Linn. Syst. ed. XII.* 233 = *Cyanotis cristata*.  
*cristata*, *Walt. Fl. Carol.* 119 = *virginiana*.  
*cucullata*, *Roth, Nov. Pl. Sp.* 189 = *Cyanotis cucullata*.  
*cumanensis*, *Kunth, Enum. Pl.* iv. 96.—*Venezuela*.  
*cyanotidea*, *Hassk. Commel. Ind.* 65 = *Cyanotis villosa*.  
*cymbispatha*, *C. B. Clarke*, in *DC. Monog. Phan.* iii. 296.—*Bolivia*.  
*debilis*, *H. B. & K. Nov. Gen. et Sp.* i. 262 = *gracilis*.  
*decumbens*, *Klotzsch*, in *Otto & Dietr. Allg. Gartenz.* xxi. (1853) 118 = *geniculata*.  
*diaphana*, *Willd. ex Schult. f. Syst.* vii. 1178, in *obs.* = *gracilis*.  
*dilatata*, *C. B. Clarke*, in *DC. Monog. Phan.* iii. 304 = *amplexicaulis*.  
*discolor*, *L'Hérit. Sert. Angl.* 8. t. 12 = *Rhoeo discolor*.  
*discolor*, *Rafin. New Fl. Am.* ii. 87 = *virginiana*.  
*Disgrega*, *Kunth, Enum. Pl.* iv. 97.—*Mexic.*  
*diuretica*, *Mart. Reise Bras.* i. 281 = *elongata*.  
*divaricata*, *Rafin. Atl. Journ.* 148 = *virginiana*.  
*divaricata*, *Vahl, Eclog. Am. i.* 34 = *Dichorisandra Aubletiana*.  
*effusa*, *Mart. in Schult. f. Syst.* vii. 1159 = *geniculata*.  
*Ehrenbergiana*, *Klotzsch*, ex *C. B. Clarke*, in *DC. Monog. Phan.* iii. 305 = *T. Disgrega*.  
*elata*, *Lodd. Bot. Cab. t.* 1513 = *virginiana*.  
*elegans*, *Pritz. Ic. Ind.* 1110, sphalm. = *Thysanocarpus elegans*.  
*elongata*, *G. F. W. Mey. Prim. Fl. Esseq.* 146.—*Am. austr.*  
*erecta*, *Jacq. Coll. iv.* 113; *Ic. Pl. Rar.* ii. 13. t. 354 = *Tinantia fugax*.  
*fasciculata*, *Heyne*, ex *Roth, Nov. Pl. Sp.* 189 = *Cyanotis fasciculata*.  
*filiformis*, *Mart. & Gal. in Bull. Acad. Brux.* ix. II. (1842) 376 = *Leptorhoë filiformis*.  
*Fischeri*, *Weinm. Elench. Pl. Hort. Pawlowsk.* (1824) 154; et *ex Schult. f. Syst.* vii. 1172 = *crassifolia*.  
*flexuosa*, *Rafin. Atl. Journ.* 150 = *virginiana*.  
*floribunda*, *Kunth, Enum. Pl.* iv. 89 = *geniculata*.  
*floribunda*, *Mart. & Gal. in Bull. Acad. Brux.* ix. II. (1842) 377 = *holosericea*.  
*floridana*, *S. Wats. in Proc. Am. Acad.* xvii. (1882) 381.—*Florida*.  
*fluminensis*, *Vell. Fl. Flum.* 140; iii. t. 152.—*Bras.*  
*formosa*, *Willd. Sp. Pl.* ii. 20 = *Cyanotis nodiflora*.  
*fusca*, *Lodd. Bot. Cab. t.* 374.—*Bras.*  
*Galeottiana*, *Kunth, Enum. Pl.* iv. 696 = *holosericea*.  
*gangetica*, *Linn. ex C. B. Clarke*, in *DC. Monog. Phan.* iii. 216 = *Aneilema vaginatum*.  
*Gaudichaudiana*, *Kunth, Enum. Pl.* iv. 93 = *elongata*.  
*geniculata*, *Blanco, Fl. Filip. ed. I.* 232 = *Floscopa scandens*.  
*geniculata*, *Jacq. Enum. Pl. Carib.* 18.—*Am. austr.*

**TRADESCANTIA** :—

*geniculata*, *Lour. Fl. Cochinch.* 193 = *Cyanotis geniculata*.  
*geniculata*, *Vell. Fl. Flum.* 140; iii. t. 153 = *cymbispatha*.  
*gentianaefolia*, *Salisb. Prod.* 216 = *Campelia Zanonia*.  
*glabra*, *C. B. Clarke*, in *DC. Monog. Phan.* iii. 290, in *syn. errore* = *virginiana*.  
*glandulosa*, *Seub. in Mart. Fl. Bras.* iii. I. 253.—*Guian.*  
*glomerata*, *Heyne*, ex *C. B. Clarke*, in *DC. Monog. Phan.* iii. 245 = *Cyanotis cucullata*.  
*glomerata*, *Willd. ex Schult. f. Syst.* vii. 1175 = *Floscopa glomerata*.  
*Gonatandra*, *Schlecht. in Linnaea*, xxiv. (1851) 659 = *Campelia Zanonia*.  
*gracilis*, *H. B. & K. Nov. Gen. et Sp.* i. 261. t. 672.—*Ecuador*.  
*graminifolia*, *Mart. & Gal. in Bull. Acad. Brux.* ix. II. (1842) 378 = *linearis*.  
*graminifolia*, *Rafin. Atl. Journ.* 148 (*Quid?*).—*Am. bor.*  
*guianensis*, *Miq. in Linnaea*, xviii. (1844) 374 = *elongata*.  
*Herba-ratti*, *Nees*, *l. c.* xix. (1847) 699 = *crassifolia*.  
*hirsuta*, *H. B. & K. Nov. Gen. et Sp.* i. 263.—*N. Granat.*  
*hirsutissima*, *Pohl*, ex *Seub. in Mart. Fl. Bras.* iii. I. 254 = *fuscata*.  
*holosericea*, *Kunth, Enum. Pl.* iv. 92.—*Mexic.*  
*Humboldtiana*, *Schult. f. Syst.* vii. 1172 = *crassifolia*.  
*hypophaea*, *C. Koch & Bouché, Ind. Sem. Hort. Berol.* (1855) App. 9 = *geniculata*.  
*imbricata*, *Roxb. Hort. Beng.* [23]; *Fl. Ind.* ii. 120 = *Cyanotis cristata*.  
*incana*, *Heyne*, ex *C. B. Clarke*, in *DC. Monog. Phan.* iii. 250 = *Cyanotis arachnoidea*.  
*iridescens*, *Lindl. Bot. Reg.* (1838) Misc. 86 = *crassifolia*.  
*Karwinskyana*, *Herb. Berol. ex C. B. Clarke*, in *DC. Monog. Phan.* iii. 298 = *venustula*.  
*Karwinskyana*, *Schult. f. Syst.* vii. 1165.—*Mexic.*  
*Koernickeana*, *Seub. in Mart. Fl. Bras.* iii. I. 249 = *cerinthoides*.  
*Kunthiana*, *Seub. l. c.* 252 = *geniculata*.  
*laevigata*, *Auct. = levigata*.  
*lanata*, *Heyne*, ex *C. B. Clarke*, in *DC. Monog. Phan.* iii. 250 = *Cyanotis arachnoidea*.  
*lanuginosa*, *Hassk. Commel. Ind.* 67 = *crassifolia*.  
*latifolia*, *Herb. Madr. ex Wall. Cat. n.* 5223 D = *Aneilema herbaceum*.  
*latifolia*, *Ruiz & Pav. Fl. Per.* iii. 44. t. 272 = *Tinantia fugax*.  
*laxiflora*, *C. B. Clarke*, in *DC. Monog. Phan.* iii. 307.—*Mexic.*  
*leiandra* (*err. typ. biandra*), *Torr. Bot. Mex. Bound.* 224-5 = *Commelina leiandra*.  
*levigata*, *Rafin. New Fl. Am.* ii. 85 = *virginiana*.  
*linearis*, *Benth. Pl. Hartw.* 27.—*Mexic.*  
*Loureiriana*, *Schult. f. Syst.* vii. 1178 = *Cyanotis geniculata*.  
*Lyonii*, *Steud. Nom. ed. II.* ii. 695; *Schlecht. in Linnaea*, xxv. (1852) 186 = *virginiana*.  
*malabarica*, *Herb. ex Schult. f. Syst.* vii. 1161 = *Tinantia fugax*.  
*malabarica*, *Linn. Sp. Pl. ed. II.* 412 = *Aneilema nudiflorum*.  
*marginata*, *Bouché*, in *Verh. Ges. Nat. Fr. Berl.* i. (1819) 392 = *Campelia Zanonia*.  
*Martensiana*, *Kunth, Enum. Pl.* iv. 697 = *Callisia Martensiana*.  
*mexicana*, *Hort. Belved. ex Schult. f. Syst.* vii. 1179 (*Quid?*).—*Mexic.*  
*mexicana*, *Kunth, Enum. Pl.* iv. 93 = *elongata*.  
*micrantha*, *Torr. Bot. Mex. Bound.* 224.—*Mexic.*  
*minuta*, *C. B. Clarke*, in *DC. Monog. Phan.* iii. 307.—*Mexic.*  
*mollis*, *Kunth, Enum. Pl.* iv. 95 = *elongata*.  
*monandra*, *Sw. Prod. Veg. Ind. Occ.* 57 = *Callisia umbellulata*.  
*montana*, *Heyne*, ex *Wall. Cat. n.* 5203 B = *Aneilema montanum*.  
*multiflora*, *Kunth, Enum. Pl.* iv. 96, *partim* = *amplexicaulis*.  
*multiflora*, *Sw. Prod. Veg. Ind. Occ.* 57.—*Jamaic.*  
*mundula*, *Kunth, Enum. Pl.* iv. 83 = *fluminensis*.  
*nana*, *Mart. & Gal. in Bull. Acad. Brux.* ix. II. (1842) 374.—*Mexic.*



**TRADESCANTIA:—**

- nucularis, *Origies*, in *Regel, Gartenfl.* xxvi. (1877) 130. t. 901.—Peruv.  
*nervosa*, Linn. Mant. ii. 223 = *Telipogon angustifolius*.  
*nodiflora*, Lam. Encyc. ii. 371 = *Cyanotis nodiflora*.  
*ohiensis*, Rafin. Préc. Découv. 45 = *virginiana*.  
*paniculata*, Heyne, ex Roth, Nov. Pl. Sp. 188 = *Aneilema montanum*.  
*paniculata*, Roxb. Pl. Corom. ii. 6. t. 109 = *Floscopa scandens*.  
*papilionacea*, Linn. Mant. ii. 513 = *Cyanotis papilionacea*.  
*parviflora*, Ruiz & Pav. Fl. Per. iii. 43. t. 272. f. 2 = *multiflora*.  
*pellucida*, Mart. & Gal. in Bull. Acad. Brux. ix. II. (1842) 376 = *pulchella*.  
*pilosa*, Lehm. Ind. Sem. Hort. Hamb. (1827) 16; et in Nov. Act. Nat. Cur. xiv. II. (1829) 822 = *virginiana*.  
*pilosa*, Willd. ex Schult. f. Syst. vii. 1155 = *Cyanotis pilosa*.  
*pilosissima*, Fraser, ex Schult. f. l. c. 1175 = *virginiana*.  
*portoricensis*, Bello, in *Anal. Soc. Esp. Hist. Nat.* xii. (1883) 122.—Porto Rico.  
*procumbens*, Willd. Sp. Pl. ii. 19 = *multiflora*.  
*pulchella*, H. B. & K. Nov. Gen. et Sp. i. 262.—Mexic.  
*pumila*, Rafin. New Fl. Am. ii. 86 (Quid?).—Am. bor. purpurascens, *Schau. in Linnaea*, xix. (1847) 700.—Mexic.  
*radicans*, Royle, Illustr. Bot. Himal. 403 = *Cyanotis barbata*.  
*recta*, Raensch. Nom. ed. III. 91 = *Tinantia fugax*.  
*reflexa*, Rafin. New Fl. Am. ii. 87 = *virginiana*?  
*repens*, Vand. in *Roem. Script.* 95.—Bras.  
*rhodantha*, Torr. Bot. Mex. Bound. 225 = *venustula*.  
*riparia*, Rafin. New Fl. Am. ii. 88 (Quid?).—Am. bor. rosea, *Vent. Jard. Cels.* t. 24.—Am. bor.  
*rufa*, Presl, Rel. Haenk. i. 138 = *Floscopa scandens*.  
*rupestris*, Law, in J. Grah. Cat. Bomb. Pl. 223 = *Cyanotis fasciculata*.  
*rupestris*, Rafin. Atl. Journ. 150 = *virginiana*.  
*scaberrima*, Hassk. in Hoev. & De Vriese, Tijdschr. x. (1843) 120 = *Aneilema protensum*.  
*Schiedeana*, Kunth, Enum. Pl. iv. 90 = *geniculata*.  
*Schlechtendalii*, Kunth, l. c. 94 = *elongata*.  
*Schomburgkiana*, Kunth, l. c. 663 = *elongata*.  
*Sellowiana*, Kunth, l. c. 93 = *elongata*.  
*spathacea*, Sw. Prod. Veg. Ind. Occ. 57 = *Rhoeo discolor*.  
*speciosa*, Buckl. in Proc. Acad. Sc. Philad. 1862 (1863) 9 = *Commelina leiandra*.  
*speciosa*, H. B. & K. Nov. Gen. et Sp. i. 263 = *crassifolia*.  
*speciosa*, Linn. f. Suppl. 192 = *Cyanotis nodiflora*.  
*speciosa*, Salisb. Prod. 216 = *virginiana*.  
*spicata*, Knowles & Westc. Flor. Cab. ii. (1838) 159 = *virginiana*?  
*splendens*, C. Koch & Bouché, in C. Koch & Fint. Wochenschr. ii. (1859) 334 = *virginiana*.  
*subaspera*, Ker-Gawl. in Bot. Mag. t. 1597 = *virginiana*.  
*subscandens*, *Scheidw. in Journ. Hort. Prat.* ii. (1845) 321.—Mexic.  
*tenella*, Kunth, Enum. Pl. iv. 83 = *fluminensis*.  
*terminalis*, Blume, Enum. Pl. Jav. i. 6 = *Aneilema Hamiltonianum*.  
*thyrsiflora*, Blume, l. c. = *Pollia thyrsiflora*.  
*trachyloma*, C. B. Clarke, in DC. Monog. Phan. iii. 290, in syn. = *virginiana*.  
*triandra*, Kunth, Enum. Pl. iv. 93 = *elongata*.  
*tricolor*, Hort. ex C. B. Clarke, in DC. Monog. Phan. iii. 318 = *Zebrina pendula*.  
*triflora*, Mart. & Gal. in Bull. Acad. Brux. ix. II. (1842) 376 = *geniculata*.  
*tuberosa*, Roxb. Pl. Corom. ii. 5. t. 108 = *Cyanotis tuberosa*.  
*tumida*, Lindl. Bot. Reg. (1840) t. 42 = *virginiana*.  
*umbellata*, Heyne, ex C. B. Clarke, in DC. Monog. Phan. iii. 247 = *Cyanotis cristata*.  
*umbellata*, Pav. ex C. B. Clarke, l. c. 304 = *amplexicaulis*.  
*umbellata*, Vahl, Eclog. iii. 7 = *Tinantia fugax*.  
*undata*, Humb. & Bonpl. ex Willd. Enum. Hort. Berol. 347 = *Tinantia fugax*.  
*undulata*, Vahl, in Kjoeb. Skrivt. Natur. Seisk. ii. II. (1793) 27 = *Tinantia fugax*.  
*vaga*, Lour. Fl. Cochinch. 193 = *Cyanotis vaga*.  
*vaga*, Zoll. Syst. Verz. Ind. Arch. ii. 65 = *Cyanotis cristata*.

**TRADESCANTIA:—**

- velutina, *Kunth & Bouché, Ind. Sem. Hort. Berol.* (1848) 12.—Guatemala.  
*venustula*, *Kunth, Enum. Pl.* iv. 87.—Mexic.  
*versicolor*, Salisb. Prod. 216 = *Rhoeo discolor*.  
*villosa*, Spreng. Syst. ii. 116 = *Cyanotis villosa*.  
*villosissima*, Fras. ex C. B. Clarke, in DC. Monog. Phan. iii. 291 = *virginiana*.  
*virginiana*, Linn. Sp. Pl. 288.—Am. bor.  
*virginica*, Georgi, Besch. Russ. Reich. III. iv. 888 = *Trillium ovatum*?  
*virginica*, Linn. Syst. ed. X. 975 = *virginiana*.  
*virginica*, Walt. Fl. Carol. 119 = *rosea*.  
*Warmingiana*, Seub. ex Warm. in Kjoeb. Vidensk. Meddel. (1872) 126 = *elongata*.  
*Warszewicziana*, *Kunth & Bouché, Ind. Sem. Hort. Berol.* (1847) 11.—Guatemala.  
*Warszewiczii*, Hort. in Rev. Hortic. Sér. IV. ix. (1860) 135 = *præc.*  
*Zanonina*, Sw. Prod. Veg. Ind. Occ. 57 = *Campelia Zanonina*.  
*zebrina*, Hort. ex Loud. Encyc. Pl. Suppl. ii. 1340 = *Zebrina pendula*.  
**TRAEVIA**, Neck. Elem. ii. 268 (1790) = **Trewia**, Linn. (Euphorb.).  
**TRAGACANTHA**, Tourn. ex Linn. Syst. ed. I (1735); Mill. Gard. Dict. ed. VI (1752) = **Astragalus**, Tourn. (Legumin.).  
*angustifolia*, Stev. in Bull. Soc. Nat. Mosc. iv. (1832) 269 = *A. angustifolius*.  
*argentea*, Mill. Gard. Dict. ed. VIII. n. 3 = *A. Barba-Jovis*.  
*aristata*, Stev. in Bull. Soc. Nat. Mosc. iv. (1832) 269 = *A. aristatus*.  
*Arnacantha*, Stev. l. c. = *A. Arnacantha*.  
*aureus*, Stev. l. c. = *A. aureus*.  
*breviflora*, Stev. l. c. = *A. eriocephalus*.  
*caspica*, Stev. l. c. = *A. caspicus*.  
*caucasica*, Stev. l. c. = *A. caucasicus*.  
*compacta*, Stev. l. c. = *A. compactus*.  
*cretica*, Stev. l. c. = *A. creticus*.  
*Criacantha*, Stev. l. c. xxix. (1856) i. 257, sphalm. = *A. Arnacantha*.  
*denudata*, Stev. l. c. iv. (1832) 269 = *A. microcephalus*.  
*echinoides*, Stev. l. c. = *A. angustifolius*.  
*Echinus*, Stev. l. c. = *A. Echinus*.  
*eriocaulos*, Stev. l. c. = *A. microcephalus*.  
*genargentea*, Stev. l. c. = *A. sirinicus*.  
*glabra*, Mill. Gard. Dict. ed. VIII. n. 4 = *A. Clusii*?  
*hispanica*, Mill. l. c. n. 2.—Ins. Balear.  
*lagopodoides*, Stev. in Bull. Soc. Nat. Mosc. iv. (1832) 269 = *A. lagopoides*.  
*Lagurus*, Stev. l. c. = *A. Lagurus*.  
*longifolia*, Stev. l. c. = *A. longifolius*.  
*massiliensis*, Mill. Gard. Dict. ed. VIII. n. 1 = *A. Tragacantha*.  
*oleaefolia*, Stev. in Bull. Soc. Nat. Mosc. iv. (1832) 269 = *A. oleaefolius*.  
*plumosa*, Stev. l. c. = *A. plumosus*.  
*Pseudotragacantha*, Stev. l. c. = *A. Pseudotragacanthus*.  
*ptilodes*, Stev. l. c. = *A. plumosus*.  
*pyncnophylla*, Stev. l. c. = *A. mesoleios*.  
*sicula*, Stev. l. c. = *A. siculus*.  
*triacantha*, Stev. l. c. xxix. (1856) II. 153 = *A. Anthacantha*?  
*trojana*, Stev. l. c. iv. (1832) 269 = *A. gummifer*.  
*vera*, Medic. in Vorles. Churpf. Phys. Ges. ii. (1787) 374 = *A. Tragacantha*.  
*xanthura*, Stev. in Bull. Soc. Nat. Mosc. iv. (1832) 269 = *A. Lagurus*.  
**TRAGANTHA**, Wallr. ex Endl. Gen. 370 (1837), sphalm. = seq.  
**TRAGANTHES**, Wallr. Sched. Crit. i. 456, in nota (1822) = **Eupatorium**, Tourn. (Compos.).  
*tenuifolia*, Wallr. l. c. = *E. foeniculaceum*.  
**TRAGANTHUS**, Klotzsch, in Wieg. Archiv, vii. (1841) 188. t. 9; et in Hook. Lond. Journ. Bot. ii. (1843) 46 = **Bernardia**, Houst. (Euphorb.).  
*sidoides*, Klotzsch, II. cc. = *B. sidoides*.  
**TRAGANUM**, Delile, Fl. Egypte, 204. t. 22 (1813).  
**CHENOPODIACEAE**, Benth. & Hook. f. iii. 68.  
 Moquini, *Webb, ex Moq. in DC. Prod.* xiii. II. 171.—Ins. Canar.

**TRAGANUM:—**

- nudatum*, *Delile, Fl. Egypte*, 204.—Aegypt.  
*nudatum*, Moq. in Webb & Berth. Phyt. Canar. iii. 212 = *Moquini*.  
*nudatum*, Schimp. ex Boiss. Fl. Orient. iv. 985 = *Halogeton alopecuroides*.  
*nudatum*, Sieber, ex Moq. in DC. Prod. xiii. II. 172 = *Cornulaca monacantha*.  
**TRAGIA**, Plum. ex Linn. Gen. ed. I. 282 (1737).  
**EUPHORBACEAE**, Benth. & Hook. f. iii. 323.  
 AGIRTA, Baill. Etud. Gén. Euph. 463 (1858).  
 BIA, Klotzsch, in Wieg. Archiv, vii. (1841) 189.  
 CTENOMERIA, Harv. in Hook. Lond. Journ. Bot. i. (1842) 29.  
 LASSIA, Baill. Etud. Gén. Euph. 464. t. 4 (1858).  
 LEPTOBOTRYS, Baill. Etud. Gén. Euph. 478. t. 2 (1858).  
 LEPTORHACHIS, Klotzsch, in Wieg. Archiv, vii. 189 (1841).  
 LEUCANDRA, Klotzsch, l. c. 188.  
 ZUCKERTIA, Baill. Etud. Gén. Euph. 495. t. 4 (1858).  
*adenanthera*, *Baill. Adansonia*, i. (1860–61) 275.—Afr. trop.  
*amoena*, *Muell. Arg. in Mart. Fl. Bras.* xi. II. 414.—Bras.  
*angolensis*, *Muell. Arg. in Journ. Bot.* ii. (1864) 333.—Afr. trop.  
*angustifolia*, *Benth. in Hook. Niger Fl.* 502.—Afr. trop.  
*angustifolia*, Nutt. in Trans. Am. Phil. Soc. v. (1827) 172 = *nepetaefolia*.  
*arabica*, Baill. Etud. Gén. Euph. 461 = *mitis*.  
*arborea*, Comm. ex Baill. *Adansonia*, i. (1860–61) 267 = *Acalypha arborea*.  
*bahiensis*, *Muell. Arg. in Linnaea*, xxxiv. (1865–66) 182.—Bras.  
*Bailloniana*, *Muell. Arg. l. c.* 178.—Mexic.  
*betonicaefolia*, *Muell. Arg. l. c.* 181.—Bras.  
*betonicaefolia*, Nutt. in Trans. Am. Phil. Soc. v. (1837) 173.—Am. bor.  
*bicolor*, *Mig. in Linnaea*, xxvi. (1853) 222.—Ind. or.  
*bicornis*, Vahl, ex A. Juss. Euph. Tent. 49 = *Sebastiania corniculata*.  
*Boiviniana*, *Muell. Arg. in Linnaea*, xxxiv. (1865–66) 183.—Madag.  
*bracteata*, Blanco, Fl. Filip. ed. II. 481 = *Pimelodendron amboinicum*.  
*brevispica*, *Engelm. & A. Gray, in Bost. Journ. Nat. Hist.* v. (1845) 262.—Texas.  
*burmanica*, *Kurz, in Journ. As. Soc. Beng.* xlii. (1873) II. 244.—Burma.  
*Camolia*, Roxb. Hort. Beng. [103], nomen (Quid?).—Ind. or.  
*cannabina*, Linn. f. Suppl. 415 = *involucrata*.  
*capensis*, E. Mey. ex Sond. in *Linnaea*, xxiii. (1850) 110 = *Meyerianum*.  
*capensis*, *Thunb. Prod. Pl. Cap.* 14.—Afr. austr.  
*castaneaefolia*, Juss. ex Baill. *Adansonia*, i. (1860–61) 267 = *Acalypha marginata*.  
*Chamaelea*, Linn. Sp. Pl. 981 = *Sebastiania Chamaelea*.  
*chlorocaulon*, *Baill. Etud. Gén. Euph.* 461; et *Adansonia*, v. (1864–65) 306.—Bras.  
*cissooides*, *Muell. Arg. in Mart. Fl. Bras.* xi. II. 406.—Bras.  
*colorata*, Poir. Encyc. vii. 725 = *Acalypha integrifolia*.  
*cordata*, Heyne, ex Wall. Cat. n. 7791 A = *involucrata*.  
*cordata*, Michx. Fl. Bor. Am. ii. 176 = *macrocarpa*.  
*cordata*, A. Rich. Tent. Fl. Abyss. ii. 244 = *mitis*.  
*cordata*, Willd. Sp. Pl. iv. 322 = *cordifolia*, *Vahl*.  
*cordifolia*, *Benth. in Hook. Niger Fl.* 501.—Afr. trop.  
*cordifolia*, *Vahl, Symb. Bot.* i. 76.—Arabia.  
*corniculata*, Vahl, Eclog. Am. ii. 55 = *Sebastiania corniculata*.  
*cuneata*, *Muell. Arg. in Linnaea*, xxxiv. (1865–66) 180.—Bras.  
*diffusa*, Vell. Fl. Flum. x. t. 10 = *volubilis*.  
*dioica*, *Balf. f. in Proc. Roy. Soc. Edinb.* xii. (1884) 95.—Ins. Socotra.  
*dioica*, Sond. in *Linnaea*, xxiii. (1850) 109 = *rupestris*.  
*discolor*, *Muell. Arg. in DC. Prod.* xv. II. 946 = *innocua*.  
*dodecandra*, *Griseb. in Goett. Abh.* xix. (1874) 98.—Reg. Argent.

**TRAGIA:—**

*elliptica*, Hochst. in Flora, xxviii. (1845) 85 = *Sapium indicum*.  
*erosa*, Hochst. l. c. 86 = *Pyrenacantha scandens*.  
*fallax*, Muell. Arg. in Linnaea, xxxiv. (1865-66) 179. —Peruv.  
*Fendleri*, Muell. Arg. l. c. 179. —Venezuela.  
*filiformis*, Poir. Encyc. vii. 727 = *Acalypha spiciflora*.  
*fruticosa*, Comm. ex Baill. Adansonia, i. (1860-61) 267 = *Acalypha integrifolia*.  
*furialis*, Boj. Hort. Maurit. 286 = *angustifolia*.  
*Gayana*, Baill. Etud. Gén. Euph. 461 = *volubilis*.  
*geraniifolia*, Klotzsch, ex Baill. l. c., nomen; et ex Muell. Arg. in DC. Prod. xv. ii. 933. —Bras.  
*gracilis*, Griseb. in Goett. Nachr. (1865) 176. —Cuba.  
*grandifolia*, Klotzsch, in Hook. Lond. Journ. Bot. ii. (1843) 46 = *Bernardia grandifolia*.  
*haguensis*, Goudot, ex Baill. Etud. Gén. Euph. 461 = *volubilis*.  
*hastata*, Muell. Arg. in Mart. Fl. Bras. xi. ii. 407. —Bras.  
*hastata*, Reinw. ex Hassk. Pl. Jav. Rar. 245 = *Cnesmone javanica*.  
*hexandra*, Jacq. Enum. Pl. Carib. 31 = *Platygyne urens*.  
*Hildebrandtii*, Muell. Arg. in Bremen, Abh. vii. (1880) 26. —Afr. trop.  
*hirsuta*, Blume, Bijdr. 630. —Java.  
*hispidula*, Willd. Sp. Pl. iv. 323 = *involuta*.  
*ibaguensis*, Goudot, ex Muell. Arg. in DC. Prod. xv. ii. 936 = *volubilis*.  
*incana*, Klotzsch, ex Baill. Etud. Gén. Euph. 461, nomen; et ex Muell. Arg. in DC. Prod. xv. ii. 935. —Bras.  
*infesta*, Mart. ex D. Dietr. Syn. Pl. v. 256 = *volubilis*.  
*innocua*, Blanco, Fl. Filip. ed. II. 479 = *Alchornea villosa*.  
*innocua*, Walt. Fl. Carol. 229. —Am. bor.  
*integerrima*, Hochst. in Flora, xxviii. (1845) 85 = *Excoecaria reticulata*.  
*integrifolia*, Willd. ex Muell. Arg. in DC. Prod. xv. ii. 948 = *Acalypha integrifolia*.  
*interrupta*, Spreng. Syst. iii. 833. —Zeylan.  
*involuta*, Linn. Sp. Pl. 980. —As. trop.  
*japurensis*, Muell. Arg. in Mart. Fl. Bras. xi. ii. 404. —Bras.  
*Kirkiana*, Muell. Arg. in Flora, xlvii. (1864) 538. —Afr. trop.  
*laciniata*, Muell. Arg. in Linnaea, xxxiv. (1865-66) 182. —Mexic.  
*lagoënsis*, Muell. Arg. in Mart. Fl. Bras. xi. ii. 409. —Bras.  
*laminularis*, Muell. Arg. in Linnaea, xxxiv. (1865-66) 183. —Afr. trop.  
*Lessertiana*, Muell. Arg. l. c. 178. —Bras.  
*linearifolia*, Ell. Sketch, ii. 563 = *innocua*.  
*lobata*, Wall. Cat. n. 7796 = *Acalypha integrifolia*.  
*macrocarpa*, Willd. Sp. Pl. iv. 323. —Am. bor.  
*macrophylla*, Wall. Cat. n. 7796 = *Cnesmone javanica*.  
*Manniana*, Muell. Arg. in Flora, xlvii. (1864) 436. —Afr. trop.  
*marginata*, Poir. Encyc. vii. 725 = *Acalypha marginata*.  
*melochioides*, Griseb. in Goett. Abh. xxiv. (1879) 60. —Reg. Argent.  
*Mercurialis*, Linn. Sp. Pl. 980 = *Claoxylon Mercurialis*.  
*Mercurialis*, Walt. Fl. Carol. 229 = *urticaefolia*.  
*mexicana*, Muell. Arg. in Linnaea, xxxiv. (1865-66) 181. —Mexic.  
*Meyeriana*, Muell. Arg. in DC. Prod. xv. ii. 938. —Afr. austr.  
*minor*, Sond. in Linnaea, xxiii. (1850) 108 = *rupestris*.  
*Miqueliana*, Muell. Arg. in DC. Prod. xv. ii. 942 = *bicolor*.  
*mitis*, Hochst. ex A. Rich. Tent. Fl. Abyss. ii. 244. —Abyss.  
*moammarensis*, Baill. Etud. Gén. Euph. 461. —Arab.  
*monadelpha*, Schum. & Thonn. Beskr. Guin. Pl. 404. —Afr. trop.  
*monandra*, Baill. Etud. Gén. Euph. 461 = *volubilis*.  
*montana*, Muell. Arg. in Linnaea, xxxiv. (1865-66) 183 = *involuta*.  
*natalensis*, Hochst. in Flora, xxviii. (1845) 85 = *Excoecaria reticulata*.

VOL. II.

**TRAGIA:—**

*natalensis*, Sond. in Linnaea, xxiii. (1850) 107. —Afr. austr.  
*nepetaefolia*, Cav. Ic. vi. 37. t. 557. f. 1. —Mexic.  
*nepetaefolia*, Wawra, in Bot. Ergeb. Maxim. Bras. 34 = *bahiensis*.  
*Novae-Hollandiae*, Muell. Arg. in Linnaea, xxxiv. (1865-66) 180. —Austral.  
*obtusata*, Vahl, ex Baill. Adansonia, i. (1860-61) 267 = *Acalypha integrifolia*.  
*odorata*, Steud. Nom. ed. II. ii. 696, sphalm. = *Acalypha integrifolia*.  
*ovata*, Parodi, in Anal. Soc. Cient. Argent. xi. (1881) 51. —Reg. Argent.  
*pedicellaris*, Muell. Arg. in Mart. Fl. Bras. xi. ii. 415. —Bras.  
*pedunculata*, Beauv. Fl. Owar. i. 90. t. 54 = *volubilis*.  
*peltata*, Vell. Fl. Flum. x. t. 6 (peltata). —Bras.  
*pilosa*, Vell. l. c. t. 9 = *Sebastiania corniculata*.  
*pinnata*, A. Juss. Euph. Tent. 48. —Bras.  
*plumosa*, Desf. Tabl. ed. I. 207 = *virgata*.  
*Pohlil*, Muell. Arg. in Linnaea, xxxiv. (1865-66) 81. —Bras.  
*polyandra*, Vell. Fl. Flum. x. t. 7. —Bras.  
*pruricus*, Willd. ex Endl. Gen. Suppl. iv. iii. 88 = *Platygyne urens*.  
*pungens*, Muell. in DC. Prod. xv. ii. 941 = *cordifolia*, Vahl.  
*ramosa*, Torr. Bot. Mex. Bound. 200 = *stylaris*.  
*ramosa*, Torr. in Ann. Lyc. N. York, ii. (1828) 245 = *nepetaefolia*.  
*reticulata*, Poir. Encyc. vii. 725 = *Acalypha arborea*.  
*rugosa*, Wall. Cat. n. 7794 = *Cnesmone javanica*.  
*rupestris*, Sond. in Linnaea, xxiii. (1850) 108. —Afr. austr.  
*salviaefolia*, Boj. ex Baill. Etud. Gén. Euph. 443 = *Acalypha salviaefolia*.  
*scandens*, Muell. Arg. in Linnaea, xxxiv. (1865-66) 183. —Madag.  
*scutellariaefolia*, Scheele, l. c. xxv. (1852) 587 = *nepetaefolia*.  
*Sellowiana*, Muell. Arg. l. c. xxxiv. (1865-66) 179. —Bras.  
*senegalensis*, Muell. Arg. l. c. 182. —Afr. trop.  
*Serra*, Poepp. & Endl. Nov. Gen. et Sp. iii. 20. t. 223 = *volubilis*.  
*spathulata*, Benth. in Hook. Niger Fl. 502. —Afr. trop.  
*stylaris*, Muell. Arg. in Linnaea, xxxiv. (1865-66) 180. —Am. bor. occ.  
*subhastata*, Poepp. & Endl. Nov. Gen. et Sp. iii. 20. t. 223. —Peruv.  
*tenuifolia*, Benth. in Hook. Niger Fl. 502. —Afr. trop.  
*tenuis*, Wall. Cat. n. 7787 = *Acalypha brachystachya*.  
*teucriifolia*, Scheele, in Linnaea, xxv. (1852) 586 = *nepetaefolia*.  
*triandra*, Muell. Arg. in DC. Prod. xv. ii. 947. —Afr. austr.  
*triangularis*, Vell. Fl. Flum. x. t. 8 = *volubilis*.  
*trifida*, Wall. Cat. n. 7795 = *involuta*.  
*tristis*, Muell. Arg. in Mart. Fl. Bras. xi. ii. 410. —Bras.  
*uberabana*, Muell. Arg. l. c. 417. —Bras.  
*urens*, Linn. Sp. Pl. ed. II. 1391 (nomen falsum) = *innocua*.  
*urticaefolia*, Benth. Pl. Hartw. 14 = *nepetaefolia*.  
*urticaefolia*, Michx. Fl. Bor. Am. ii. 176. —Am. bor.  
*villosa*, Thunb. Prod. Fl. Cap. 14 = *Acalypha decumbens*.  
*virgata*, Lam. Illustr. iii. 347. —Hab. ?  
*volubilis*, Linn. Sp. Pl. 980. —Ind. occ.  
*volubilis*, Michx. ex Baill. Etud. Gén. Euph. 460 = *urticaefolia*.

**TRAGIOPSIS**, Karst. in C. Koch & Fint. Wochenschr. ii. (1859) 5 = *Sebastiania*, Spreng. (Euphorb.).  
*fruticulosa*, Karst. l. c. = *S. corniculata*.

**TRAGIOPSIS**, Pomel, Nouv. Mat. Fl. Atl. 139 (1874) = *Carum*, Rupp. (Umbell.).  
*dichotoma*, Pomel, l. c. 140 = *C. dichotomum*.  
*scabriuscula*, Pomel, l. c. 139 = *C. dichotomum*.

**TRAGIUM**, Spreng. Pl. Umbell. Prod. 26 (1813) = *Pimpinella*, Riv. (Umbell.).  
*anisoides*, Steud. Nom. ed. II. ii. 696 = *P. villosa*.  
*Anisum*, Link, Enum. Hort. Berol. i. 285 = *P. Anisum*.

**TRAGIUM:—**

*apulium*, Heynh. Nom. i. 814 = *Pimpinella Tragium* ?  
*aromaticum*, Spreng. Pl. Umbell. Prod. 26 = *P. aromatica*.  
*Broteri*, Spreng. l. c. 27 = *P. villosa*.  
*Buchii*, Webb & Berth. Phyt. Canar. ii. 151 = *P. Buchii*.  
*canescens*, Hoffm. Gen. Umbell. ed. I. 91 = *P. Tragium*.  
*Columnae*, Spreng. Pl. Umbell. Prod. 26 = *P. Tragium*.  
*Cumbræ*, Choisy, ex Link, in Buch, Besch. Canar. Ins. 152 = *P. Cumbræ*.  
*Dendroselinum*, Webb & Berth. Phyt. Canar. ii. 152 = *P. Dendroselinum*.  
*depressum*, Sieber, ex Spreng. in Schult. Syst. vi. 392 = *P. Tragium*.  
*dichotomum*, Link, Handb. i. 322 = *Carum dichotomum*.  
*eriocarpum*, Schult. Syst. vi. 394 = *P. eriocarpus*.  
*glaucum*, J. & C. Presl, Delic. Prag. 125 = *P. Tragium*.  
*Gussonii*, J. & C. Presl, l. c. 126 = *P. Gussonii*.  
*hirtellum*, Hochst. in Flora, xxiv. (1841) i. Intell. 28 = *P. peregrina*.  
*incanum*, Choisy, ex DC. Prod. iv. 122 = *P. Cumbræ*.  
*palmetorum*, Hochst. & Steud. ex Steud. Nom. ed. II. ii. 696 = *P. palmetorum*.  
*peregrinum*, Spreng. Pl. Umbell. Prod. 26 = *P. peregrina*.  
*petraeum*, Hoffm. Gen. Umbell. ed. I. 91 = *P. Tragium*.  
*Schousboei*, Spreng. in Schult. Syst. vi. 394 = *P. villosa*.  
*tauricum*, Ledeb. Ind. Sem. Hort. Dorpat. (1819); et ex Link, Enum. Hort. Berol. i. 286 = *P. peregrina*.  
*tenuis*, Sieber, ex Link, l. c. = *P. eriocarpus*.  
*tenuifolium*, Spreng. in Schult. Syst. vi. 393 = *P. tenuifolia*.  
*tortuosum*, Link, Handb. i. 322 = *P. villosa*.  
*villosum*, Spreng. Pl. Umbell. Prod. 26 = *P. villosa*.

**TRAGOCERAS**, Spreng. Syst. iii. 576 (1826) = seq.

**TRAGOCEROS**, H. B. & K. Nov. Gen. et Sp. iv. 248. t. 385 (1820). *COMPOSITAE*, Benth. & Hook. f. ii. 356.  
*flavicomum*, DC. Prod. v. 533. —Mexic.  
*microglossum*, DC. l. c. —Mexic.  
*peucedanifolium*, Spreng. Syst. iii. 576 = *Isostigma peucedanifolium*.  
*Schiedeanum*, Less. in Linnaea, ix. (1834) 269. —Mexic.  
*zinnoides*, H. B. & K. Nov. Gen. et Sp. iv. 249. t. 385. —Mexic.

**TRAGOPOGON**, [Tourn.] Linn. Syst. ed. I (1735).

*COMPOSITAE*, Benth. & Hook. f. ii. 530.  
*GEROPOGON*, Linn. Sp. Pl. ed. II. 1109 (1763).  
*acanthocarpus*, Boiss. Diagn. Ser. I. xi. 45. —Armen.; Persia.  
*aculeatus*, Moench, Meth. 539 = *Urospermum picroides*.  
*angustifolius*, Bell. ex Willd. Sp. Pl. iii. 1494 = *crocifolius*.  
*asper*, Linn. Sp. Pl. 790 = *Urospermum picroides*.  
*aureus*, Boiss. Fl. Orient. iii. 754. —Pontus.  
*australis*, Bourq. ex Nym. Consp. 462 = *longirostris*.  
*australis*, Jord. Cat. Jard. Dijon (1848), 32 = *porrifolius*.  
*barbistrostris*, Bischoff, Del. Sem. Hort. Heidelb. (1846) 4. —Cf. Linnaea, xxiv. (1851) 161 = *eriospermus* ?  
*Baylei*, Lecoq & Lamotte, Cat. Pl. Vasc. Fr. 246 = *dubius*.  
*bicolor*, Moench, Meth. 539 = *Urospermum Dalechampi*.  
*Bischoffii* x, Sch. Bip. in Webb & Berth. Phyt. Canar. ii. 469, in obs. —Hab. ?  
*brachyphyllus*, Nym. Consp. 462 = *porrifolius*.  
*brevifolius*, C. Koch, in Linnaea, xxiii. (1850) 662 = *persicus*.  
*brevirostris*, DC. Prod. vii. 114. —Rossia; Soongar.  
*bupththalmoides*, Boiss. Fl. Orient. iii. 750 = *persicus*.  
*calyculatus*, Jacq. Hort. Vindob. ii. 48 = *Scorzonera hirsuta*.  
*campestris*, Bess. Enum. Pl. Vohl. 84 = *dubius*.  
*canus*, Willd. Sp. Pl. iii. 1493 = *floccosus*.  
*capensis*, Jacq. Coll. ii. 320 = *Urospermum picroides*.  
*caricifolius*, Boiss. Diagn. Ser. I. vii. 4 = *collinus*.  
*carinatus*, Gilib. Fl. Lituan. i. 227 = *pratensis*.  
*castellanus*, Levier, Deux Excurs. Bot. 26. —Hispan.

7 A

**TRAGOPOGON:—**

*caucasicus*, Bess. ex DC. Prod. vii. 114 = brevirostris.  
*caucasicus*, Fisch. & Mey. ex DC. l. c. 114 = graminifolius.  
*coelesyriacus*, Boiss. Diagn. Ser. I. xi. 47 = longirostris.  
*collinus*, DC. Prod. vii. 115.—As. Min.; Persia.  
*coloratus*, C. A. Mey. Verz. Pfl. Cauc. 61.—Reg. Cauc.; Persia.  
*Crantsii* x, Dichtl. in Deutsche Bot. Monatsschr. i. (1883) 171.—Europ.  
*crocifolius*, Linn. Syst. ed. X. 1191.—Europ. austr.  
*crocifolius*, Sibth. & Sm. Fl. Graec. viii. 58. t. 779 = longirostris.  
*Cupani*, Guss. ex DC. Prod. vii. 113.—Sicilia.  
*cuspidatus*, Steud. Nom. ed. I. 843 = Troximom cuspidatum.  
*Dalechampi*, Linn. Sp. Pl. 790 = Urospermum Dalechampi.  
*Dandelion*, Linn. l. c. ed. II. 1111 = Krigia Dandelion.  
*dshimilensis*, C. Koch, in Linnaea, xxiii. (1850) 663 = longirostris.  
*dubius*, Scop. Fl. Carn. ed. II. ii. 95.—Europ.  
*elator*, Stev. in Bull. Soc. Nat. Mosc. xxix. (1856) ii. 407.—Tauria.  
*elatus*, Salisb. Prod. 178 = dubius.  
*eriospermus*, Tenore, Fl. Med. ii. 3; ex ej. Fl. Nap. iii. p. xi.—Ital.  
*erostis*, Boiss. & Haussk. in Fl. Orient. iii. 754.—Kurdistan.  
*filifolius*, Rehm. ex Boiss. l. c.—Reg. Cauc.  
*floccosus*, Cutand. Fl. Comp. Madrit. 439 = crocifolius.  
*floccosus*, Tommas. ex Bischoff, Beitr. Fl. Deutschl. 97 = Tommasinii.  
*floccosus*, Waldst. & Kit. Pl. Rar. Hung. ii. 116. t. 112.—Europ. or.; As. bor.  
*fritillarioides*, Less. in Linnaea, vi. (1831) 101 = Picrosia longifolia.  
*glaber*, Hill. Hort. Kew. 41 = hybridus.  
*glaucus*, Steud. Nom. ed. I. 843 = Troximom glaucum.  
*Gorskianus*, Reichb. f. Ic. Fl. Germ. xix. 19 = floccosus.  
*gracilis*, D. Don, in Mem. Wern. Soc. iii. (1820) 414.—Reg. Himal.  
*graminifolius*, DC. Prod. vii. 114.—Reg. Cauc.; Persia.  
*grandiflorus*, Saut. in Oestr. Bot. Wochenbl. vi. (1856) 107, in obs. = pratensis.  
*heterospermus*, Schweigg. in Koenigsb. Arch. Naturw. i. (1812) 229 = floccosus.  
*hirsutus*, Gouan, Fl. Monsp. 342 = Scorzonera hirsuta.  
*humilis*, Fisch. Hort. Gorenk. ed. II. (1812) 34.—Reg. Cauc.  
*hybridus*, Linn. Sp. Pl. 789.—Ital.  
*intermedius*, Bess. Enum. Sem. Hort. Crem. (1821); ex ej. Enum. Pl. Volh. 83 = brevirostris.  
*jesdianus*, Boiss. & Buhse, in Nouv. Mém. Soc. Nat. Mosc. xii. (1860) 138.—Persia.  
*juncus*, Wall. Cat. n. 3257 = gracilis.  
*Kotschy*, Boiss. Diagn. Ser. I. xi. 45 = graminifolius.  
*laetus*, Salisb. Prod. 178 = Urospermum Dalechampi.  
*Lamottei*, Rouy, in Bull. Soc. Bot. Fr. xxviii. (1881) p. lix.—Gallia.  
*lanatus*, Linn. Sp. Pl. ed. II. 1111 = Scorzonera lanata.  
*latifolius*, Boiss. Diagn. Ser. I. iv. 23.—As. Min.  
*leiocarpos*, Saut. in Flora, xl. (1857) 178 = pratensis.  
*lithuanicus*, Bess. ex DC. Prod. vii. 114 = brevirostris.  
*livescens*, Bess. Enum. Pl. Volh. 30 = dubius.  
*longifolius*, Heldr. & Sart. in Boiss. Diagn. Ser. II. iii. 90.—Graecia.  
*longifolius*, Lamotte, Prod. Fl. Centr. Fr. ii. 457 = Lamottei.  
*longipappus*, Peterm. in Flora, xxvii. (1844) 478 = orientalis.  
*longirostris*, Bischoff, ex Sch. Bip. in Webb & Berth. Phyt. Canar. ii. 469.—As. Min.; Arab.  
*macropogon*, C. A. Mey. in Bull. Soc. Nat. Mosc. (1838) 273 = dubius.  
*major*, Jacq. Fl. Austr. i. 19 = dubius.  
*marginatus*, Boiss. & Buhse, in Nouv. Mém. Soc. Nat. Mosc. xii. (1860) 136 = collinus, acanthocarpus.  
*minor*, Billot, ex Nym. Consp. 463 = dubius.  
*minor*, Fries, Nov. Fl. Suec. ed. II. 241 = pratensis.  
*minor*, Mill. Gard. Dict. ed. VIII. n. 2.—Europ.  
*mutabilis*, Hohen. in Bull. Soc. Nat. Mosc. (1838) 273 = collinus.  
*mutabilis*, Jacq. Ic. Pl. Rar. i. 16. t. 157; Misc. ii. 316.—Reg. Cauc.

**TRAGOPOGON:—**

*nebrodensis*, Guss. Fl. Sic. Syn. ii. 384.—Sicil.  
*nervosus*, [Soland. in] Russ. Aleppo, ed. II. ii. 261.—Syria.  
*nervulosus*, Boiss. Diagn. Ser. I. xi. 47 = persicus.  
*novus*, Geners. ex Steud. Nom. ed. I. 844 = orientalis.  
*olympicus*, Boiss. Diagn. Ser. I. xi. 46.—As. Min.  
*orgyalis*, Reut. Cat. Gr. Jard. Genève. (1863); (1867) 4 = longirostris.  
*orientalis*, Linn. Sp. Pl. 789.—Europ.; As. bor.  
*orientalis*, Stev. in Mém. Soc. Nat. Mosc. iv. (1813) 59 = pusillus.  
*palaestinus*, Boiss. Diagn. Ser. I. xi. 46 = persicus.  
*parviflorus*, Hornem. Hort. Hafn. ii. 970 = crocifolius.  
*perpusillus*, Arv. Ess. Pl. Dauph. 39 (Quid?).—Gallia.  
*persicus*, Boiss. Diagn. Ser. I. vii. 4.—As. Min.; Syria; Persia.  
*phaenopappus*, Fisch. ex Steud. Nom. ed. II. ii. 697 = coloratus.  
*Pichleri*, Boiss. Fl. Orient. iii. 753.—Bithyn.  
*picroides*, Linn. Sp. Pl. 790 = Urospermum picroides.  
*plantagineus*, Boiss. & Huet, Diagn. Ser. II. iii. 91 = persicus.  
*podolicus*, Bess. ex DC. Prod. vii. 114 = brevirostris.  
*porrifolius*, J. F. Gmel. Syst. 1638, sphalm. = porrifolius.  
*Pommaretii*, F. Schultz, in Flora, xlix. (1866) 52 = dubius.  
*porrifolius*, Linn. Sp. Pl. 789.—Reg. Mediterr.  
*porrifolius*, Pall. ex Bieb. Fl. Taur. Cauc. ii. 233 = dubius.  
*pratensis*, Linn. Sp. Pl. 789.—Europ.; As. Min.; Ind. bor. occ.  
*pterocarpus*, DC. Prod. vii. 112.—Syria.  
*pubescens*, Kit. in Schult. Oesterr. Fl. ed. II. ii. 403.—Hungar.  
*pusillus*, Bieb. Fl. Taur. Cauc. iii. 521.—Reg. Cauc.; Persia.  
*reticulatus*, Boiss. & Huet, Diagn. Ser. II. iii. 90.—Armenia.  
*revolutus*, Schweigg. in Hagen, Chlor. Boruss. 288 = orientalis.  
*roseus*, C. A. Mey. Verz. Pfl. Cauc. 61 = collinus.  
*roseus*, Trevir. in Mag. Ges. Naturf. Fr. Berl. vii. (1816) 152 = ruber.  
*ruber*, Eichw. Casp.-Cauc. 28 = collinus.  
*ruber*, S. T. Gmel. Reise, ii. 198.—Sibir.  
*ruthenicus*, Bess. ex Claus, in Beitr. Pfl. Russ. Reich. viii. 234, nomen.—Turkestan.  
*Samaritani*, Heldr. & Sart. in Boiss. Diagn. Ser. II. v. 116.—Graecia.  
*sativus*, Gater. Desc. Pl. Montaub. 136 = porrifolius.  
*Shuttleworthii*, Godet, Fl. Jura, i. 401 = pratensis.  
*silesiacus*, Krock. Fl. Siles. Suppl. ii. 224 (Quid?).—Europ.  
*sinuatus*, Avé-Lall. Pl. Ital. Bor. 17 = pratensis.  
*sonchifolius*, Salisb. Prod. 178 = Urospermum picroides.  
*stenophyllus*, Boiss. & Huet, Diagn. Ser. II. iii. 89 = reticulatus.  
*stenophyllus*, Jord. Obs. Pl. Crit. vii. (1849) 42 = crocifolius.  
*talyschensis*, Boiss. & Buhse, in Nouv. Mém. Soc. Nat. Mosc. xii. (1860) 137 = graminifolius.  
*Tommasinii*, Sch. Bip. in Bischoff, Beitr. Fl. Deutschl. 97.—Europ. austr.  
*tortilis*, Pritz. Ic. Ind. ii. 275 = pratensis.  
*transsilvanicus*, Schur, Enum. Pl. Transs. 361 = orientalis.  
*tuberosus*, C. Koch, in Linnaea, xxiii. (1850) 662 = pusillus.  
*undulatus*, Jacq. Ic. Pl. Rar. i. 16. t. 158; Misc. ii. 317 = orientalis.  
*undulatus*, Thuill. Fl. Par. ed. II. 396 = pratensis.  
*verticillatus*, Lam. Fl. Fr. ii. 77 = Urospermum Dalechampi.  
*villosus*, [Habl.] Desc. Taur. 151 = orientalis.  
*villosus*, Linn. Sp. Pl. ed. II. 1110 (sp. dub.).—Hispan.  
*villosus*, Pall. Reise, ii. 332 = floccosus.  
*virginicus*, Linn. Sp. Pl. 789 = Krigia amplexicaulis.  
*vulgaris*, Gueldenst. Reisen, ii. 33; ex Ledeb. Fl. Ross. ii. 790 (Quid?).—Reg. Cauc.

TRAGOPOGUM, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 109 = praeac.

TRAGOPYRUM, Bieb. Fl. Taur. Cauc. iii. 284 (1819) = *Atraphaxis*, Linn. (Polygon.).  
*angustifolium*, Endl. Gen. Suppl. iv. ii. 54 = *A. angustifolia*.

**TRAGOPYRUM:—**

*Aucherii*, Endl. Gen. Suppl. iv. ii. 54 = *Atraphaxis Aucherii*.  
*Billardieri*, Endl. l. c. = *A. Billardieri*.  
*buxifolium*, Bieb. Fl. Taur. Cauc. iii. 284 = *A. buxifolia*.  
*buxifolium*, Kar. & Kir. in Bull. Soc. Nat. Mosc. (1841) 741 = *A. laetevirens*.  
*canescens*, Presl, Bot. Bemerk. 109 = *A. canescens*.  
*compactum*, Presl, l. c. = *A. compacta*.  
*decipiens*, Endl. Gen. Suppl. iv. ii. 54 = *A. decipiens*.  
*frutescens*, Radde, Reisen Ost-Sibir. 425 = *A. Laxmanni*?  
*glaucum*, Spreng. Syst. ii. 251 = *A. Laxmanni*.  
*grandiflorum*, Bieb. Fl. Taur. Cauc. iii. 285 = *A. grandiflora*.  
*laetevirens*, Ledeb. Fl. Alt. ii. 75 = *A. laetevirens*.  
*lanceolatum*, Bieb. Fl. Taur. Cauc. iii. 285 = *A. Laxmanni*.  
*lanceolatum*, Ledeb. Fl. Alt. ii. 73 = *A. micrantha*.  
*lanceolatum*, Turcz. ex Meissn. in DC. Prod. xiv. 78 = *A. pungens*.  
*linearifolium*, Auch. ex Meissn. l. c. 79 = *A. angustifolia*.  
*mucronatum*, Hort. ex C. Koch, Dendrol. ii. i. 361 = *A. Laxmanni*.  
*polygamum*, Spreng. Syst. ii. 251 = *Polygonella parvifolia*.  
*pungens*, Bieb. Fl. Taur. Cauc. iii. 285 = *A. Laxmanni*.  
*rotundifolium*, Presl, Bot. Bemerk. 109 = *A. spinosa*.  
*spinosa*, Presl, l. c. = *A. spinosa*.  
*suaedaefolium*, Endl. Gen. Suppl. iv. ii. 54 = *A. suaedaefolia*.  
*Tournefortii*, Endl. l. c. = *A. Tournefortii*.

TRAGOSELINUM, Tourn. ex Hall. Enum. Stirp. Helv. ii. 428 (1742) = *Pimpinella*, Riv. (Umbell.).  
*Angelica*, Lam. Fl. Fr. iii. 449 = *Aegopodium Podagraria*.  
*dissectum*, Moench, Meth. 99 = *P. magna*.  
*hircinum*, Moench, l. c. = *P. Saxifraga*.  
*luteum*, Pomel, Nouv. Mat. Fl. Atl. 142 = *P. lutea*.  
*magnum*, Moench, Meth. 99 = *P. magna*.  
*majus*, Lam. Fl. Fr. iii. 448 = *P. magna*.  
*minus*, Lam. l. c. 447 = *P. Saxifraga*.  
*pumilum*, Lam. l. c. 448 = *Trinia Kitaibelii*, vulgaris.  
*saxifragum*, Moench, Meth. 99 = *P. Saxifraga*.

TRAGOSMA, C. A. Mey. ex Ledeb. Fl. Ross. ii. 365 (1844) = *Cymbocarpum*, DC. (Umbell.).  
*foetidum*, C. A. Mey. ex Ledeb. l. c. = *C. anethoides*.

TRAGULARIA, Koen. ex Roxb. Fl. Ind. ii. 217 (1832) = *Pisonia*, Plum. (Nyctag.).  
*horrida*, Koen. ex Roxb. l. c. = *P. aculeata*.

**TRAGUS, Hall. Hist. Stirp. Helv. ii. 203 (1768).**

GRAMINEAE, Benth. & Hook. f. iii. 1122.  
*ECHISACHYS*, Neck. Elem. iii. 228 (1790).  
*LAPPAGO*, Schreb. Gen. 55 (1789).  
*NAZIA*, Adans. Fam. ii. 31 (1763), nomen prius.  
*alienus*, Schult. Mant. ii. 205 = *racemosus*.  
*Berteronianus*, Schult. l. c. = *racemosus*.  
*biflorus*, Schult. l. c. = *racemosus*.  
*brevicaulis*, Boiss. Diagn. Ser. I. xiii. 44.—Persia.  
*decipiens*, Boiss. Fl. Orient. v. 450 = *brevicaulis*.  
*Halleri*, Doell, in Mart. Fl. Bras. ii. ii. 122 = *racemosus*.  
*koelerioides*, Aschers. in Verh. Bot. Ver. Brandenb. xx. (1878) p. xxx = *racemosus*?  
*Latipes*, J. Gay, ex Kunth, Enum. Pl. i. 171 = *Latipes senegalensis*.  
*muricatus*, Moench, Meth. 53 = *racemosus*.  
*occidentalis*, Nees, Agrost. Bras. 286 = *racemosus*.  
*orientalis*, Nees, l. c. = *racemosus*.  
*racemosus*, Scop. Introduct. 73; All. Fl. Pedem. ii. 241.—Reg. Mediterr.; Afghan.  
*racemosus*, Steud. Nom. ed. II. ii. 697 = *Deschampsia caespitosa*.  
*senegalensis*, J. Gay, ex Kunth, Enum. Pl. i. 171 = *Latipes senegalensis*.  
*tcheliensis*, Debeaux, in Act. Linn. Soc. Bord. xxxiii. (1879) 71.—China.

TRAGUS, Panz. in Denkschr. Akad. Muench. 1813 (1814) 296 = *Festuca*, Tourn. (Gramin.).  
*elator*, Panz. l. c. = *F. elator*.  
*gracilis*, Panz. l. c. = *Brachypodium sylvaticum*.

## TRAGUS:—

*inermis*, Panz. in Denkschr. Akad. Muench. 1813 (1814) 296 = *Bromus inermis*.  
*loliaceus*, Panz. l. c. = *Festuca elatior*.  
*pinnatus*, Panz. l. c. = *Brachypodium pinnatum*.  
*pratensis*, Panz. l. c. = *F. elatior*?  
*pumilus*, Panz. l. c. = *F. varia*.  
*unioloides*, Panz. l. c. = *Bromus unioloides*.  
*varius*, Panz. l. c. = *F. varia*.

TRAILLIA, Lindl. ex Endl. Gen. Suppl. 1419 (1841) = **Schimpera**, Hochst. (Crucif.).

TRALLESIA, Zumag. Fl. Pedem. i. 361 (1849) = **Matricaria**, Tourn. (Compos.).  
*matricarioides*, Zumag. l. c. = *M. inodora*.

TRALLIANA, Lour. Fl. Cochinch. 157 (1790). Genus dubium **CELASTRINEARUM**.—Cf. Benth. & Hook. f. i. 360.  
*scandens*, Lour. l. c. = *Cochinch.*

TRAMBIS, Rafin. Fl. Tellur. iii. 87 (1836) = **Phlomis**, Linn. (Labiata).  
*alpina*, Rafin. l. c. = *P. alpina*.  
*tuberosa*, Rafin. l. c. = *P. tuberosa*.

TRANKENIA, Thunb. Fl. Cap. ii. 250 (1818), err. typ. = **Frankenia**, Linn.

TRAPA, Linn. Gen. ed. I. 359 (1737). **ONAGRARIACEAE**, Benth. & Hook. f. i. 793.  
*bicornis*, Linn. f. Suppl. 128 = *natans*.  
*bispinosa*, Roxb. Hort. Beng. 11; Fl. Ind. i. 428.—Geront. trop.  
*Castanea*, Gilib. Fl. Lituan. ii. 127 = *natans*.  
*chinensis*, Lour. Fl. Cochinch. 86 = *natans*.  
*cochinchinensis*, Lour. l. c. 108.—Cochinchin.  
*hungarica*, Opiz, ex Nym. Consp. 249 = *natans*.  
*incisa*, Sieb. & Zucc. in Abh. Akad. Muench. iv. II. (1846) 134.—Japon.  
*laevis*, Presl, ex Nym. Consp. 249 = *natans*.  
*natans*, Linn. Sp. Pl. 120.—Europ.; Oriens; Ind. or.  
*natans*, Thunb. Fl. Jap. 65 = *bispinosa*.  
*quadricornis*, Stokes, Bot. Mat. Med. i. 229 = *natans*.  
*quadrispinosa*, Roxb. Hort. Beng. 11; Fl. Ind. i. 430 = *natans*.  
*quadrispinosa*, Wall. Cat. n. 6340 = *bispinosa*.  
*verbanensis*, De Not. Cat. Sem. Ort. Bot. Roma (1875), 28; et in Nuov. Giorn. Bot. Ital. viii. (1876) 42.—Ital.

TRAPAULOS, Reichb. Consp. 92 (1828), sphalm. = **IRAUPALOS**, Rafin. = **Viburnum**, Linn. (Caprifol.).

TRASIS, Beauv. in Lestib. Essai Fam. Cyp. 32 (1819) (Trasi) = **Cladium**, P. Br. (Cyperac.).

TRASUS, S. F. Gray, Nat. Arr. Brit. Pl. ii. 53 (1821) = **Carex**, Dill. (Cyperac.).  
*ampullaceus*, S. F. Gray, l. c. 59 = *C. ampullacea*.  
*atratus*, S. F. Gray, l. c. 56 = *C. atrata*.  
*binervis*, S. F. Gray, l. c. 63 = *C. binervis*.  
*capillaris*, S. F. Gray, l. c. 66 = *C. capillaris*.  
*chlorostachyos*, S. F. Gray, l. c. 68 = *C. Pseudo-cyperus*.  
*clandestinus*, S. F. Gray, l. c. 56 = *C. humilis*.  
*depauperatus*, S. F. Gray, l. c. 63 = *C. depauperata*.  
*digitatus*, S. F. Gray, l. c. 57 = *C. digitata*.  
*distans*, S. F. Gray, l. c. 62 = *C. distans*.  
*erectus*, S. F. Gray, l. c. 67 = *C. sempervirens*.  
*extensus*, S. F. Gray, l. c. 61 = *C. extensa*.  
*filiformis*, S. F. Gray, l. c. 59 = *C. filiformis*.  
*flavus*, S. F. Gray, l. c. 60 = *C. flava*.  
*fulvus*, S. F. Gray, l. c. 62 = *C. fulva*.  
*glaucus*, S. F. Gray, l. c. 67 = *C. glauca*.  
*hirtus*, S. F. Gray, l. c. 58 = *C. hirta*.  
*Hostianus*, S. F. Gray, l. c. 61 = *C. fulva*.  
*laevigatus*, S. F. Gray, l. c. 66 = *C. laevigata*.  
*limosus*, S. F. Gray, l. c. 67 = *C. limosa*.  
*Oederi*, S. F. Gray, l. c. 60 = *C. Oederi*.  
*pallens*, S. F. Gray, l. c. 69 = *C. pallens*.  
*paludosus*, S. F. Gray, l. c. 64 = *C. paludosa*.  
*panicus*, S. F. Gray, l. c. 63 = *C. panicea*.  
*pauciflorus*, S. F. Gray, l. c. 56 = *C. pauciflora*.  
*pendulus*, S. F. Gray, l. c. 65 = *C. pendula*.

## TRASUS:—

*piluliferus*, S. F. Gray, Nat. Arr. Brit. Pl. ii. 58 = *Carex pilulifera*.  
*praecox*, S. F. Gray, l. c. 57 = *C. praecox*.  
*rariflorus*, S. F. Gray, l. c. 68 = *C. rariflora*.  
*riparius*, S. F. Gray, l. c. 64 = *C. riparia*.  
*strigosus*, S. F. Gray, l. c. 65 = *C. strigosa*.  
*sylvaticus*, S. F. Gray, l. c. 65 = *C. sylvatica*.  
*tomentosus*, S. F. Gray, l. c. 57 = *C. tomentosa*.  
*ustulatus*, S. F. Gray, l. c. 66 = *C. ustulata*.  
*vesicarius*, S. F. Gray, l. c. 59 = *C. vesicaria*.

TRATTENIKIA, Pers. Syn. ii. 403 (1807) = **Marshallia**, Schreb. (Compos.).  
*angustifolia*, Pers. l. c. = *M. angustifolia*.  
*lanceolata*, Pers. l. c. = *M. lanceolata*.  
*latifolia*, Pers. l. c. = *M. latifolia*.

TRATTINICKIA, Willd. Sp. Pl. iv. 975 (1806) (Trattinnickia). **BURSERACEAE**, Benth. & Hook. f. i. 326.  
*burseraefolia*, Mart. in Nov. Gen. et Sp. iii. 93. t. 239.—Bras.  
*guianensis*, Klotzsch, in Schomb. Faun. Fl. Brit. Gui. 1188 = *burseraefolia*.  
*humilis*, Spruce, ex Engl. in Mart. Fl. Bras. xii. II. 284 = *burseraefolia*.  
*rhoifolia*, Willd. Sp. Pl. iv. 975.—Bras.  
*Ryanii*, Dider. in Kjoeb. Vidensk. Meddel. (1857) 125.—Ins. Trinit.  
*Schomburgkiana*, Klotzsch, ex Engl. in Mart. Fl. Bras. xii. II. 284 = seq.  
*Schomburgkii*, Klotzsch, in Schomb. Faun. Fl. Brit. Gui. 1188 = *burseraefolia*.

TRAUNSTEINERA, Reichb. Nom. 50 (1841); Fl. Sax. 87 (1844) = **Orchis**, Tourn.  
*globosa*, Reichb. Fl. Sax. 87 = *O. globosa*.

TRAUTVETTERIA, Fisch. & Mey. Ind. Sem. Hort. Petrop. i. 22 (1835). **RANUNCULACEAE**, Benth. & Hook. f. i. 5.  
*grandis*, Nutt. in Torr. & Gray, Fl. N. Am. i. 37 = *palmata*.  
*japonica*, Sieb. & Zucc. in Abh. Akad. Muench. iv. II. (1846) 184 = *palmata*.  
*palmata*, Fisch. & Mey. Ind. Sem. Hort. Petrop. i. 22.—Am. bor. occ.; Japon.

TRAVERSIA, Hook. f. Handb. N. Zeal. Fl. 163 (1864) = **Senecio**, Tourn. (Compos.).  
*baccharoides*, Hook. f. i. c. 164.—N. Zel.

TRAXARA, Rafin. Fl. Tellur. iv. 85 (1836) = **Lobostemon**, Lehm. (Borag.).  
*capitata*, Rafin. l. c. 86 = *L. capitatus*.

TRAXILISA, Rafin. Sylva Tellur. 161 (1838) = **Tetracera**, Linn. (Dillen.).  
*aspera*, Rafin. l. c. 162 = *Tet. sarmentosa*.

TRAXILUM, Rafin. Sylva Tellur. 42 (1838) = **Ehretia**, Linn. (Borag.).  
*asperatum*, Rafin. l. c. = *E. laevis*.

TREACORIS, Pritz. Ic. Ind. i. 1111 (1855), sphalm. = **Thecacoris**, A. Juss. (Euphorb.).

TRECHONAETES, Miers, in Hook. Lond. Journ. Bot. iv. (1845) 350. **SOLANACEAE**, Benth. & Hook. f. ii. 898.  
*Bridgesii*, Dun. in DC. Prod. xiii. i. 468 = *laciniata*.  
*laciniata*, Miers, in Hook. Lond. Journ. Bot. iv. (1845) 350.—Chili.  
*sativa*, Miers, l. c. 352 (sp. dub.).—Reg. Argent.

TRECUlia, Decne. ex Tréc. in Ann. Sc. Nat. Sér. III. viii. (1847) 108. t. 3. **URTICACEAE**, Benth. & Hook. f. iii. 374.

**PSEUDOTRECUlia**, Baill. Adansonia, xi. (1875) 292, in obs.  
*acuminata*, Baill. l. c. 292.—Afr. trop.  
*africana*, Decne. ex Tréc. in Ann. Sc. Nat. Sér. III. viii. (1847) 109.—Afr. trop.

TREICHELIA, Vatke, in Linnaea, xxxviii. (1874) 700. **CAMPANULACEAE**, Benth. & Hook. f. ii. 559.  
**LEPTOCODON**, Sond. in Harv. & Sond. Fl. Cap. iii. 584 (1865).  
*longebracteata*, Vatke, in Linnaea, xxxviii. (1874) 700.—Afr. austr.

TREISIA, Haw. Syn. Pl. Succ. 131 (1812) = **Euphorbia**, Linn.

*Clava*, Haw. l. c. = *E. Clava*.  
*erosa*, Haw. Suppl. Pl. Succ. 66 = *E. cereiformis*.  
*Hystrix*, Haw. Syn. Pl. Succ. 131 = *E. Hystrix*.  
*tuberculata*, Haw. Suppl. Pl. Succ. 65 = *E. Clava*.

TREISTERIA, Griff. Notul. iv. 109 (1854) = **Curanga**, Juss. (Scrophul.).  
*assamica*, Griff. l. c. 111 = *C. amara*.  
*cordata*, Griff. l. c. 109 = *Torenia asiatica*.  
*lanceolata*, Griff. l. c. 111 (*Toreniae* sp.).—Burma.

TREMA, Lour. Fl. Cochinch. 562 (1790). **URTICACEAE**, Benth. & Hook. f. iii. 355.

**SPONIA**, Comm. ex Lam. Encyc. iv. 139 (1796).  
*affinis*, Blume, Mus. Bot. Lugd. Bat. ii. 58 = *orientalis*.  
*africana*, Blume, l. c.—Afr. trop.  
*amboinensis*, Blume, l. c. 61.—As. et Austral. trop.  
*angustifolia*, Blume, l. c. 58.—Malaya.  
*argentea*, Blume, l. c.—Ins. Bonin.  
*aspera*, Blume, l. c.—As. et Austral. trop.  
*Blancoi*, Blume, l. c.—Ins. Philipp.  
*bracteolata*, Blume, l. c.—Afr. austr.  
*Burmanni*, Blume, l. c. 62 = *amboinensis*.  
*canescens*, Blume, l. c. 58 = *micrantha*.  
*cannabina*, Lour. Fl. Cochinch. 562 (= *amboinensis*?).—Cochinchin.

*carinata*, Blume, Mus. Bot. Lugd. Bat. ii. 59.—Ins. Molucc.  
*Chichilea*, Blume, l. c. 58.—Peruv.  
*Commersonii*, Blume, l. c. 60 = *orientalis*.  
*discolor*, Blume, l. c. 58.—Ind. or.  
*glabrescens*, Blume, l. c.—Ins. Philipp.  
*glomerata*, Blume, l. c. 58.—Afr. austr.  
*Griffithii*, Blume, l. c. = *amboinensis*.  
*grisea*, Baker, in Journ. Linn. Soc. xx. (1883) 263.—Madag.  
*imbricata*, Blume, Mus. Bot. Lugd. Bat. ii. 63.—Ins. Molucc.

*Lamarckiana*, Blume, l. c. 58.—Ind. occ.  
*Lima*, Blume, l. c.—Ind. occ.  
*macrophylla*, Blume, l. c.—Am. austr.  
*Melinona*, Blume, l. c. 64.—Guian.  
*micrantha*, Blume, l. c. 58.—Am. trop.  
*mollis*, Blume, l. c.—Ind. occ.; Venezuela.  
*morifolia*, Blume, l. c. 59.—Ins. Celebes.  
*nitens*, Blume, l. c. 58.—Afr. trop.  
*orientalis*, Blume, l. c. 62.—Geront. trop.  
*pallida*, Blume, l. c. 60.—Ins. Amboin.  
*politoria*, Blume, l. c. 58.—Reg. Himal.  
*pubigera*, Blume, l. c. 60.—Ins. Molucc.  
*rigida*, Blume, l. c. 61.—Java.  
*riparia*, Blume, l. c. 58.—Am. austr.  
*rufescens*, Blume, l. c.—Jamaic.  
*rugosa*, Blume, l. c.—Porto Rico.  
*scaberrima*, Blume, l. c. 63.—Sumatra.  
*Schiedeana*, Blume, l. c. 58 = *micrantha*.  
*Sieberi*, Blume, l. c. = *orientalis*.  
*strigosa*, Blume, l. c.—Afr. trop.  
*timorensis*, Blume, l. c. 60.—Barma; Malaya.  
*velutina*, Blume, l. c. 62 = *amboinensis*.  
*virgata*, Blume, l. c. 59 = *timorensis*.  
*viridis*, Blume, l. c. 58 = *aspera*.  
*Wightii*, Blume, l. c. = *orientalis*.

TREMANDRA, R. Br. in Flind. Voy. App. ii. 544 (1814). **TREMANDREAE**, Benth. & Hook. f. i. 134.

*diffusa*, R. Br. ex DC. Prod. i. 344.—Austral.  
*Huegelii*, Hort. ex W. Baxt. in Loud. Hort. Brit. Suppl. iii. 647 = *Tetratheca hirsuta*.  
*oppositifolia*, Steetz, in Lehm. Pl. Preiss. i. 222 = *stelligera*.  
*stelligera*, R. Br. ex DC. Prod. i. 344.—Austral.  
*verticillata*, Hueg. ex Walp. Ann. i. 76 = *Platythea galioides*.

TREMANTHUS, Pers. Syn. i. 467 (1805) = **Styrax**, Tourn.

*cordata*, Pers. l. c. = *S. cordatum*.  
*ferruginea*, Pers. l. c. = *S. racemosum*.  
*oblonga*, Pers. l. c. = *S. oblongum*.  
*ovata*, Pers. l. c. = *S. ovatum*.

TREMASPERMA, Rafin. Fl. Tellur. iv. 124 (1836) = **Ipomoea**, Linn. (Convolv.).  
*Bona-nox*, Rafin. l. c. = *I. Bona-nox*.



**TREMASTELMA**, Rafin. Fl. Tellur. iv. 96 (1836) = **Scabiosa**, Tourn. (Dipsac.).  
*brachiata*, Rafin. l. c. = *S. brachiata*.  
*Sibthorpi*, Rafin. l. c. = *S. brachiata*.

**TREMATOSPERMA**, Urb. in Ber. Deutsch. Bot. Ges. i. (1883) 182. **OLACINEAE**.  
*cordatum*, Urb. l. c. — *Cf. Eichl. Jahrb. Berl.* iii. (1884) 244. — Afr. trop.

**TREMBLEYA**, DC. Prod. iii. 125 (1828). **MELASTOMACEAE**, Benth. & Hook. f. i. 738.  
*agrestis*, DC. l. c. 126 = *Microlicia agrestis*.  
*calycina*, Cham. in *Linnaea*, ix. (1834) 430. — Bras.  
*canescens*, *Schnitzl. Ic.* iv. t. 268. f. 1. — Hab. ?  
*Chamissoana*, Naud. in *Ann. Sc. Nat. Sér. III.* xii. (1849) 270. — Bras.  
*heterostemon*, DC. Prod. iii. 126. — Bras.  
*laniflora*, Cogn. in *Mart. Fl. Bras.* xiv. iii. 130 = *T. Lychnitis*.  
*Lychnitis*, DC. Prod. iii. 12. — Bras.  
*neopyrenaica*, Naud. in *Ann. Sc. Nat. Sér. III.* ii. (1844) 154. — Bras.  
*paniculata*, Naud. l. c. = *heterostemon*.  
*parviflora*, Cogn. in *Mart. Fl. Bras.* xiv. iii. 127 = *heterostemon*, triflora.  
*pentagona*, Naud. in *Ann. Sc. Nat. Sér. III.* ii. (1844) 154. — Bras.  
*phlogiformis*, DC. Prod. iii. 126. — Bras.  
*pithyoides*, Cham. in *Linnaea*, ix. (1834) 428. — Bras.  
*pityrophylla*, Mart. ex Triana, in *Trans. Linn. Soc.* xxviii. (1871) 24 = *Pyramia pityrophylla*.  
*Pradosiana*, Netto, in *Ann. Sc. Nat. Sér. V.* iii. (1865) 378. t. 12. — Bras.  
*revoluta*, Naud. l. c. Sér. III. ii. (1844) 155 = *calycina*.  
*rhynanthera*, Griff. Notul. iv. 677 = *Melastoma malabathricum*.  
*rosmarinoides*, DC. Prod. iii. 125. — Bras.  
*Selloana*, Cogn. in *Mart. Fl. Bras.* xiv. iii. 133. — Bras.  
*stachyoides*, Naud. in *Ann. Sc. Nat. Sér. III.* ii. (1844) 154 = *phlogiformis*.  
*stenophylla*, Naud. l. c. xii. (1849) 265. — Bras.  
*tridentata*, Naud. l. c. ii. (1844) 154. — Bras.  
*triflora*, DC. Prod. iii. 126. — Bras.  
*Warmingii*, Cogn. in *Mart. Fl. Bras.* xiv. iii. 133. — Bras.

**TREMOTIS**, Rafin. Sylva Tellur. 59 (1838) = **Ficus**, Tourn. (Urtic.).  
*cordata*, Rafin. l. c. = *F. Cunia*.

**TREMULA**, Dum. in Van Hall, Bijdr. Wet. i. (1826) 46 = **Populus**, Linn. (Salic.).  
*trepida*, Rafin. Alsog. Am. 42 = *P. tremuloides*.  
*vulgaris*, Opiz, Seznam, 99 = *P. tremula*.

**TREMULARIA**, Heist. Syst. 12 (1748) = **Briza**, Linn. (Gramin.).

**TRENDELENBURGIA**, Klotzsch, in Monatsb. Berl. Acad. (Maerz, 1854) 123; et in Abh. Akad. Berl. 1854 (1855) 52. t. 3 B = **Begonia**, Tourn.  
*fruticosa*, Klotzsch, ll. cc. = *B. fruticosa*.

**TRENTEPOHLIA**, Boeck. in Bot. Zeit. xvi. (1858) 249 = **Cyperus**, Mich.  
*bifoliata*, Boeck. l. c. = *C. Cephalotes*.

**TRENTEPOHLIA**, Roth, Catalect. fasc. ii. 73 (1800) = **Heliophila**, Burm. f. (Crucif.).  
*integrifolia*, Roth, l. c. 76 = *H. amplexicaulis*.  
*lepidioides*, Roth, Nov. Pl. Sp. 326 (err. typ. 226) = *H. diffusa*.  
*pinnata*, Roth, Catalect. fasc. ii. 73 = *H. pendula*.

**TREPNANTHUS**, Steud. Nom. ed. II. ii. 698 (1841), sphalm. = **TERPNANTHUS**, Nees & Mart. = **Spiranthera**, A. St. Hil. (Rutac.).

**TREPOCARPUS**, Nutt. ex DC. Mém. Ombell. 56 (1829); Prod. iv. 201 (1830). **UMBELLIFERAE**, Benth. & Hook. f. i. 926.  
**ENTASIKON**, Rafin. New Fl. Am. iv. 28 (1836).  
*Aethusae*, Nutt. ex DC. Mém. Ombell. 56; Prod. iv. 201. — Am. bor.  
*brachycarpus*, DC. ll. cc. 56; 202 = *T. Aethusae*.

**TRESANTHERA**, Karst. Fl. Columb. i. 37. t. 19 (1858) = **Rustia**, Klotzsch (Rubiace.).  
*condamineoides*, Karst. l. c. — Venezuela.

**TRESTEIRA**, Hook. f. Fl. Brit. Ind. iv. 279 (1884), sphalm. = **TREISTERIA**, Griff. = **Curanga**, Juss. (Scrophul.).

**TRETOCARYA**, Maxim. in Bull. Acad. Pétersb. xxvii. (1881) 505. **BORAGINEAE**.  
*pratensis*, Maxim. l. c. — China.

**TRETORHIZA**, Adans. Fam. ii. 503 (1763) = seq.

**TRETORRHIZA**, Renealm. ex Delarb. Fl. Auv. ed. II. i. 24 (1800) = **Gentiana**, Tourn.  
*Cruciata*, Delarb. l. c. = *G. Cruciata*.

**TREUIA**, Stokes, Bot. Mat. Med. iv. 570 (1812) = **Trewia**, Linn. (Euphorb.).

**TREUTLERA**, Hook. f. in Hook. Ic. Pl. t. 1425 (1883). **ASCLEPIADEAE**.  
*insignis*, Hook. f. l. c. — Reg. Himal.

**TREVAUXIA**, Steud. Nom. ed. II. ii. 698 (1841), sphalm. = **TREVOUXIA**, Scop. = **Luffa**, Tourn. (Cucurb.).

**TREVESIA**, Vis. in Giorn. Tosc. Sc. Med. Fis. e Nat. i. (1840) 72; et in Mem. Acc. Torin. Ser. II. iv. (1842) 262. **ARALIACEAE**, Benth. & Hook. f. i. 942.

**PARAPANAX**, Miq. Fl. Ind. Bat. Suppl. 338 (1860).

**PETASULA**, Noronha, in Verh. Batav. Gen. v. (1790) ed. I. Art. iv. 3.

**REYNOLDSIA**, A. Gray, Bot. U. St. Expl. Exped. i. 723. t. 92/93 (1854).

*eminens*, Bull. Cat. (1884) 17. — Ins. Philipp.

*insignis*, Miq. Ann. Mus. Bot. Lugd. Bat. i. 220 = *palmata*.

*littoralis*, Benth. & Hook. f. Gen. i. 943. — Sumatra.

*moluccana*, Miq. Fl. Ind. Bat. i. 1. 748. — Ins. Amboin.

*novo-guineensis*, Scheff. in Ann. Jard. Buitenz. i. (1876) 26. — N. Guin.

*palmata*, Vis. in Mem. Acc. Torin. Ser. II. iv. (1842) 262. — Ind. or.; Burma.

*pleiosperma*, Benth. & Hook. f. Gen. i. 943. — Ins. Samoa.

*sandwicensis*, Benth. & Hook. f. l. c. — Ins. Sandvic.

*sundaica*, Miq. Fl. Jungh. 420. — Java.

*Zippeliana*, Miq. Ann. Mus. Bot. Lugd. Bat. i. 11. — Ins. Amboin.

**TREVIEWIA**, Linn. Sp. Pl. ed. I. 1193 (1753) = **Trewia**, Linn. (Euphorb.).

**TREVIRANA**, Willd. Enum. Hort. Berol. 637 (1809) = **Achimenes**, P. Br. (Gesner.).

*Andrieuxii*, D. Dietr. Syn. Pl. iii. 568 = *A. Andrieuxii*.

*candida*, Decne. ex Lem. in Fl. des Serres, iv. (1848) t. 420 = *Dicyrta candida*.

*coccinea*, Willd. Enum. Hort. Berol. 638 = *A. coccinea*.

*comifera*, D. Dietr. Syn. Pl. iii. 568 (*conifera*) = *A. comifera*.

*discolor*, Poepp. & Endl. Nov. Gen. et Sp. iii. 8 = *Diastema discolor*.

*divaricata*, Poepp. & Endl. l. c. 9 = *Diastema divaricatum*.

*erinoides*, D. Dietr. Syn. Pl. iii. 568 = *A. erinoides*.

*Escheri* x, Regel. — *Cf. Linnaea*, xxiv. (1851) 198.

*grandiflora*, Schiede, in *Linnaea*, viii. (1833) 247 = *A. grandiflora*.

*heterophylla*, Mart. Nov. Gen. et Sp. iii. 65 (err. typ. 56) = *A. heterophylla*.

*hirsuta*, D. Dietr. Syn. Pl. iii. 568 = *A. hirsuta*.

*longiflora*, D. Dietr. l. c. = *A. longiflora*.

*maculata*, Mart. & Gal. in Bull. Acad. Brux. ix. ii. (1842) 36 = *A. foliosa*.

*maculata*, Poepp. & Endl. Nov. Gen. et Sp. iii. 8 = *Diastema maculatum*.

*molliis*, Poepp. & Endl. l. c. 9 = *Diastema molle*.

*parviflora*, Hook. & Arn. Bot. Beech. Voy. 302 = *Anethanthus parviflora*.

*patens*, Walp. Ann. i. 472, in nota = *A. patens*.

*pulchella*, Mart. Nov. Gen. et Sp. iii. 66. t. 226. f. 4 = *A. coccinea*.

**TREVIRANA** :—  
*scabra*, Poepp. & Endl. Nov. Gen. et Sp. iii. 8 = *Diastema scabrum*.  
*tenella*, D. Dietr. Syn. Pl. iii. 568 = *Achimenes tenella*.  
*tenerrima*, Poepp. & Endl. Nov. Gen. et Sp. iii. 9. t. 207 C = *Diastema tenerrimum*.  
*urticaefolia*, Poepp. & Endl. l. c. 8. t. 207 B = *Diastema urticaefolium*.

**TREVIRANIA**, Heynh. Nom. ii. 736 (1846) = **Psychotria**, Linn. (Rubiace.).  
*calycina*, Heynh. l. c. = *P. Lindleyana*.

**TREVIRANIA**, Roth, in Weber, Beitr. ii. (1810) 123 = **Vandellia**? Linn. (Scrophul.).  
*Gratiolae*, Roth, l. c. — Hab. ?

**TREVIRANIA**, Spreng. Anleit. ii. i. 400 (1817) = **TREVIRANA**, Willd. = **Achimenes**, P. Br. (Gesner.).

**TREVOA**, Miers, Trav. Chile, ii. 529 (1826). **RHAMNEAE**, Benth. & Hook. f. i. 384.

*Berteroana*, Miers, in Ann. & Mag. Nat. Hist. Ser. III. v. (1860) 490 = *Retanilla spinifera*.

*Berteroiana*, Steud. Nom. ed. II. ii. 698. — Chili.

*Closiana*, Miers, in Ann. & Mag. Nat. Hist. Ser. III. v. (1860) 492 = *Retanilla spinifera*.

*Frutilla*, Steud. & Hochst. ex Steud. Nom. ed. II. ii. 698. — Chili.

*quinenervia*, Gill. & Hook. in Hook. Bot. Misc. i. (1830) 158. — Chili.

*tenuis*, Miers, in Ann. & Mag. Nat. Hist. Ser. III. v. (1860) 489. — Chili.

*trinervia*, Gill. & Hook. in Hook. Bot. Misc. i. (1830) 159 = seq.

*trinervia*, Miers, Trav. Chile, ii. 529. — Chili.

*Weddelliana*, Miers, in Ann. & Mag. Nat. Hist. Ser. III. v. (1860) 491. — Bolivia.

**TREVOUXIA**, Scop. Introd. 152 (1777) = **Luffa**, Tourn. (Cucurb.).

**TREWIA**, Linn. Gen. ed. I. 152 (1737). **EUPHORBIACEAE**, Benth. & Hook. f. iii. 318.

*Rotllera*, Willd. in Goett. Journ. Wiss. i. (1797) 7. t. 1.

*africana*, Baill. Adansonia, i. (1860–61) 68 = *Claoxylon*.

*Barteri*.

*discolor*, Sm. in Rees, Cycl. xxxvi. n. 4. — Ind. or.

*hernandifolia*, Roth, Nov. Pl. Sp. 374 = *Macaranga indica*?

*Inophyllum*, Spreng. Syst. iii. 906 = *Codiaeum Inophyllum*.

*insignis*, Steud. Nom. ed. II. ii. 698 = *Alchornea Blumeana*.

*integerrima*, Stokes, Bot. Mat. Med. iv. 570 = *nudiflora*.

*macrophylla*, Blume, Bijdr. 612 = *Alchornea Blumeana*.

*macrophylla*, Roth, Nov. Pl. Sp. 373 = *nudiflora*.

*macrostachya*, Klotzsch, in Bot. Ergeb. Waldem. Reise, 117 = *nudiflora*.

*nudiflora*, Linn. Sp. Pl. 1193. — As. trop.

*nudiflora*, Wight, Ic. t. 1871, partim = *polycarpa*.

*polycarpa*, Benth. & Hook. f. Gen. iii. 318. — Ind. or.

*pubescens*, Sm. in Rees, Cycl. xxxvi. n. 3. — Ins. Amboin.

*rusciflora*, Heyne, ex Roth, Nov. Pl. Sp. 374 (Quid?). — Ind. or.

*tricuspidata*, Willd. Sp. Pl. iv. 835 = *Mallotus cochinchinensis*.

**TRIACHNE**, Cass. in Bull. Soc. Philom. (1818) 48 = **Nassauvia**, Comm. (Compos.).

*pygmaea*, Cass. l. c. = *N. pygmaea*.

**TRIACHYRUM**, Benth. in Journ. Linn. Soc. xix. (1881) 86, sphalm. = seq.

**TRIACHYRUM**, Hochst. in Flora, xxiv. (1841) i. Intell. 19, nomen; et ex Steud. Syn. Pl. Gram. 176 (1855) = **Sporobolus**, R. Br. (Gramin.).

*adoense*, Hochst. ll. cc. — Abyss.

*cordofanum*, Hochst. l. c. xxv. (1842) i. Beibl. 134, nomen; et ex Steud. Syn. Pl. Gram. 176. — Nubia.

*discosporum*, Steud. l. c. — Afr. austr.

*longifolium*, Hochst. ex Steud. l. c. — Abyss.

*micranthum*, Steud. l. c. — Abyss.

*nilagiricum*, Steud. l. c. = *S. piliferus*.

**TRIACIS**, Griseb. in Mem. Am. Acad. N. S. viii. (1860) 189 = **Turnera**, Linn.  
*microphylla*, Griseb. l. c. = *Turnera diffusa*.

**TRIACMA**, Van Hass. ex Miq. Fl. Ind. Bat. ii. 523 (1857) = **Hoya**, R. Br. (Asclep.).

**TRIACTINA**, Hook. f. & Thoms. in Journ. Linn. Soc. ii. (1858) 90. **CRASSULACEAE**, Benth. & Hook. f. i. 661.  
*verticillata*, Hook. f. & Thoms. in Journ. Linn. Soc. ii. (1858) 103. —Reg. Himal.

**TRIADENIA**, Miq. Fl. Ind. Bat. ii. 458 (1856) = **Trachelospermum**, Lem. (Apocyn.).  
*verrucosa*, Miq. l. c. 459. —Java.

**TRIADENIA**, Spach, in Ann. Sc. Nat. Sér. II. v. (1836) 172, 354 = **Hypericum**, Tourn.  
*aegyptiaca*, Boiss. Fl. Orient. i. 783 = *H. aegypticum*.  
*maritima*, Boiss. l. c. 784 = *H. maritimum*.  
*microphylla*, Spach, in Ann. Sc. Nat. Sér. II. v. (1836) 173 = *H. aegypticum*.  
*Russeggeri*, Fenzl, Pugill. Pl. Nov. Syr. 7. —Syria.  
*Sieberi*, Spach, in Ann. Sc. Nat. Sér. II. v. (1836) 175 = *H. maritimum*.  
*thymifolia*, Spach, l. c. = *H. Spachianum*.  
*Webbii*, Spach, l. c. = *H. aegypticum*.

**TRIADENUM**, Rafin. in Med. Repos. N. York, v. (1808) 352 = **Hypericum**, Tourn.  
*purpurascens*, Rafin. in Desv. Journ. Bot. ii. (1809) 171 = *H. virginicum*.  
*purpureum*, Rafin. in Med. Repos. N. York, v. (1808) 352 = *H. virginicum*.  
*virginicum*, Rafin. Fl. Tellur. iii. 79 = *H. virginicum*.

**TRIADICA**, Lour. Fl. Cochinch. 610 (1790) = **Sapium**, P. Br. (Euphorb.).  
*chinensis*, Spreng. Syst. i. 93, sphalm. = *sinensis*.  
*cochinchinensis*, Lour. Fl. Cochinch. 610 = *Excoecaria Loureiroana*.  
*japonica*, Baill. Etud. Gén. Euph. 512 = *Excoecaria japonica*.  
*sinensis*, Lour. Fl. Cochinch. 610 = *S. Sebifera*.

**TRIAENA**, H. B. & K. Nov. Gen. et Sp. i. 178 [t. 61] (1815) = **Bouteloua**, Lag. (Gramin.).  
*racemosa*, H. B. & K. l. c. 179 [t. 61] = *B. Triathera*.

**TRIAENANTHUS**, Nees, in DC. Prod. xi. 169 (1847) = **Strobilanthes**, Blume (Acanth.).  
*Griffithianus*, Nees, l. c. = *S. Griffithianus*.

**TRIAINA**, H. B. & K. Nov. Gen. et Sp. i. t. 61 (1815), sphalm. = **TRIAENA**, H. B. & K. = **Bouteloua**, Lag. (Gramin.).

**TRIAINOLEPIS**, Hook. f. in Benth. & Hook. f. Gen. ii. 126 (1873). **RUBIACEAE**, Benth. & Hook. f. l. c.  
*africana*, Hook. f. l. c. —Afr. trop.  
*Hildebrandtii*, Vatke, in Oestr. Bot. Zeitschr. xxv. (1875) 230. —Afr. trop.

**TRIALLOSIA**, Rafin. Fl. Tellur. iii. 60 (1836) = **Lachenalia**, Jacq. (Liliac.).  
*pallida*, Rafin. l. c. = *L. pallida*.

**TRIANAEA**, Planch. & Linden, in Linden, Prix-Cour. n. 8 (1853) 4. —Cf. Bot. Zeit. xi. (1853) 717 = **Dyssochroma**, Miers (Solan.).  
*nobilis*, Planch. & Linden, ll. cc. —N. Granat.

**TRIANEA**, Karst. in Linnaea, xxviii. (1856) 424 = **Limnobia**, Rich. (Hydroch.).  
*bogotensis*, Karst. l. c. 425. —N. Granat.

**TRIANOPTILES**, Fenzl, in Endl. Gen. 113 (1836) = **Ecklonea**, Steud. (Cyperac.).  
*capensis*, Harv. Gen. S. Afr. Pl. ed. II. 422 = *E. capensis*.

**TRIANOSPERMA**, Mart. Syst. Mat. Med. Bras. 79 (1843) = **Cayaponia**, Silva Manso (Cucurb.).  
*africana*, Hook. f. in Oliver, Fl. Trop. Afr. ii. 568 = *C. latebrosa*.  
*angustiloba*, Cogn. in Mart. Fl. Bras. vi. iv. 84 = *C. angustiloba*.  
*arguta*, Mart. Syst. Mat. Med. Bras. 80, nomen. —Bras.

**TRIANOSPERMA** :—

*attenuata*, Hemsl. Biol. Centr. Am. Bot. i. 486 = *Cayaponia attenuata*.  
*Belangerii*, Naud. in Ann. Sc. Nat. Sér. IV. xviii. (1862) 201. t. 11 = *C. americana*.  
*Boykinii*, M. Roem. Syn. Pepon. 45 = *C. Boykinii*.  
*Crugerii*, Naud. in Ann. Sc. Nat. Sér. IV. xvi. (1861) 193 = *C. Crugerii*.  
*diversifolia*, Cogn. in Mart. Fl. Bras. vi. iv. 92. t. 28 = *C. diversifolia*.

*ficifolia*, Cogn. l. c. 89 = *C. ficifolia*.  
*ficifolia*, Mart. Syst. Mat. Med. Bras. 79 = *C. Martiana*.  
*floribunda*, Cogn. in Mart. Fl. Bras. vi. iv. 88. t. 26 = *C. floribunda*.  
*glandulosa*, Mart. Syst. Mat. Med. Bras. 80 = *C. glandulosa*.

*graciliflora*, Griseb. Cat. Pl. Cub. 112 = *C. americana*.  
*gracillima*, Cogn. in Mart. Fl. Bras. vi. iv. 91 = *C. gracillima*.

*heterophylla*, Naud. in Ann. Sc. Nat. Sér. IV. xvi. (1861) 194 = *C. heterophylla*.

*Hilariana*, Naud. l. c. Sér. V. vi. (1866) 14 = *C. ficifolia*.  
*Lhotskyana*, Cogn. in Mart. Fl. Bras. vi. iv. 83 = *C. Lhotskyana*.

*Martiana*, Cogn. l. c. 87. t. 25 = *C. Martiana*.  
*piachuensis*, Cogn. l. c. 83 = *C. piachuensis*.

*racemosa*, Griseb. Cat. Pl. Cub. 112 = *C. racemosa*.  
*rigida*, Cogn. in Mart. Fl. Bras. vi. iv. 94 = *C. rigida*.  
*setulosa*, Cogn. l. c. 86 = *C. setulosa*.

*simplicifolia*, Naud. in Ann. Sc. Nat. Sér. IV. xvi. (1861) 195 = *C. simplicifolia*.  
*Tayuya*, Mart. Syst. Mat. Med. Bras. 80 = *C. Tayuya*.

*Tibiricae*, Naud. in Ann. Sc. Nat. Sér. IV. xvi. (1861) 191 = *C. Tibiricae*.  
*triangularis*, Cogn. in Mart. Fl. Bras. vi. iv. 86 = *C. triangularis*.

*trifoliolata*, Cogn. l. c. 93 = *C. trifoliolata*.  
*trilobata*, Cogn. l. c. 89. t. 27 = *C. trilobata*.

**TRIANTHA**, Baker, in Journ. Linn. Soc. xvii. (1879) 490 = **Tofieldia**, Huds. (Liliac.).  
*glutinosa*, Baker, l. c. = *Tof. glutinosa*.  
*japonica*, Baker, l. c. 491 = *Tof. japonica*.  
*pubens*, Baker, l. c. 490 = *Tof. pubens*.

**TRIANTHAEA**, Spach, Hist. Veg. Phan. x. 39 (1841) = **Vernonia**, Schreb. (Compos.).

**TRIANTHEMA**, Sauv. Meth. Fol. 127 (1751); Linn. Sp. Pl. ed. I. 223 (1753). **FICOIDEAE**, Benth. & Hook. f. i. 855.

**ANCISTROSTIGMA**, Fenzl, in Ann. Wien. Mus. ii. (1838) 293.

**DIPLOCHONIUM**, Fenzl, Nov. Stirp. Dec. 57 (1839).

**PAPULARIA**, Forsk. Fl. Aegypt. Arab. 69 (1775).

**PORTULACAstrum**, Juss. ex Medic. Phil. Bot. i. 99 (1789).

**REME**, Adans. Fam. ii. 245 (1763).

**ROCAMA**, Forsk. Fl. Aegypt. Arab. 71 (1775).

**ZALEYA**, Burm. f. Fl. Ind. 110. t. 31 (1768).

*americana*, Gill, in Edinb. Journ. Nat. & Geog. Sc. iii. (1831) 354 = *Sesuvium Portulacastrum*.

*anceps*, Thunb. Prod. Pl. Cap. 80 = *Acrosanthes fistulosa*.

*corymbosum*, E. Mey. in Drège, Zwei Pfl. Docum. 226, nomen = crystallina.

*crystallina*, Vahl, Symb. Bot. i. 32. —As. et Afr. trop.

*cypseloides*, Benth. Fl. Austral. iii. 331. —Austral.

*decandra*, Linn. Mant. i. 70. —As. trop.

*diffusa*, Mill. Gard. Dict. ed. VIII. n. 2 = *decandra*.

*dubia*, Spreng. ex Turcz. in Bull. Soc. Nat. Mosc. xxv. (1852) 11. 179, in syn. = *Adenocline pauciflora*.

*flexuosa*, Schum. & Thonn. Beskr. Guin. Pl. 221 = *T. Portulacastrum*.

*fruticosa*, Vahl, Symb. Bot. i. 32 = *Gymnocarpus fruticosus*.

*glaucofolia*, F. Muell. Fragm. i. 172 = *crystallina*.

*glinoides*, Pers. Syn. i. 486 = *decandra*.

*glossostigma*, F. Muell. in Wing, South. Sc. Record, iii. (1883) 282. —Austral.

*Govindia*, Buch.-Ham. in Wall. Cat. n. 6838 = *pentandra*.

*humifusa*, Thunb. Prod. Pl. Cap. 80 = *Acrosanthes humifusa*.

*humillima*, F. Muell. Fragm. x. 72. —Austral.

*hyaspica*, Edgew. in Journ. Linn. Soc. vi. (1862) 203. —Ind. or.; Afr. trop.

*monogyna*, Linn. Mant. i. 69 = *T. Portulacastrum*.

**TRIANTHEMA** :—

*obcordata*, Roxb. Hort. Beng. 34; Fl. Ind. ii. 445 = *T. Portulacastrum*.

*obcordata*, Wall. Cat. n. 6837 F = *pentandra*.

*oxycalyptra*, F. Muell. Fragm. i. 173. —Austral.

*parvifolium*, E. Mey. in Drège, Zwei Pfl. Docum. 226, nomen; et ex Harv. & Sond. Fl. Cap. ii. 598. —Afr. austr.

*pentandra*, Linn. Mant. i. 70. —As. et Afr. trop.

*pilosa*, F. Muell. Fragm. i. 174. —Austral.

*polyandra*, Blume, Bijdr. 1137 = *Sesuvium Portulacastrum*.

*polysperma*, Hochst. ex Oliver, Fl. Trop. Afr. ii. 588 = *hyaspica*.

*Portulacastrum*, Linn. Sp. Pl. 223; Moench, Meth. 700. —Am. trop.

*procumbens*, Mill. Gard. Dict. ed. VIII. n. 1 = *T. Portulacastrum*.

*rhynchocalyptra*, F. Muell. Fragm. i. 174. —Austral.

*rubens*, E. Mey. in Drège, Zwei Pfl. Docum. 227, nomen = *crystallina*.

*salsoloides*, Fenzl, ex Oliver, Fl. Trop. Afr. ii. 588. —Afr. trop.

*sedifolia*, Vis. Pl. Aegypt. Dec. 19. t. 3. f. 1 = *crystallina*.

*triquetra*, Rottl. & Willd. in Ges. Naturf. Fr. Neue Schr. iv. (1803) 181 = *crystallina*.

*turgidifolia*, F. Muell. Fragm. x. 83. —Austral.

**TRIANTHIUM**, Desv. Opusc. 69, in obs. (1831) = **Chrysopogon**, Trin. (Gramin.).

**TRIANTHUS**, Hook. f. Fl. Antarct. ii. 320 (1846) = **Nassauvia**, Comm. (Compos.).

*ulcinus*, Hook. f. l. c. —Patagon.

**TRIAS**, Lindl. in Wall. Cat. n. 1977 (1829); Gen. et Sp. Orch. 60 (1830). **ORCHIDEAE**, Benth. & Hook. f. iii. 505.

*oblonga*, Lindl. ll. cc. —Burma.

*ovata*, Lindl. Gen. et Sp. Orch. 60. —Ind. or.

**TRIASCIDIUM**, Benth. & Hook. f. Gen. i. 876 (1867), sphalm. = **TRISCIADIUM**, Phil. = **Huanaca**, Cav. (Umbell.).

**TRIASEKIA**, G. Don, in Sweet, Hort. Brit. ed. III. 792 (1839), sphalm. = **JIRASEKIA**, F. W. Schmidt = **Anagallis**, Tourn. (Primul.).

**TRIASPIS**, Burch. Trav. ii. 280 (1824). **MALPIGHIACEAE**, Benth. & Hook. f. i. 259.

*auriculata*, Radlk. in Bremen, Abh. viii. (1883) 379. —Afr. trop.

*flabellaria*, A. Juss. in Arch. Mus. Par. iii. (1843) 507. —Afr. trop.

*floribunda*, O. Hoffm. Sert. Madag. 8. —Madag.

*hypericoides*, Burch. Trav. ii. 280. —Afr. austr.

*lateriflora*, Oliver, Fl. Trop. Afr. i. 281. —Afr. trop.

*macropteron*, Welw. ex Oliver, l. c. —Afr. trop.

*mozambica*, A. Juss. in Arch. Mus. Par. iii. (1843) 505. —Afr. trop.

*Nelsoni*, Oliver, in Hook. Ic. Pl. t. 1418. —Afr. austr.

*odorata*, A. Juss. in Deless. Ic. Sel. iii. 21. t. 36. —Afr. trop.

*squarrosa*, Radlk. in Bremen, Abh. viii. (1883) 377. —Afr. trop.

*stipulata*, Oliver, Fl. Trop. Afr. i. 281. —Afr. trop.

**TRIATHERA**, Desv. in Nouv. Bull. Soc. Philom. ii. (1810) 188 = **Bouteloua**, Lag. (Gramin.).

*americana*, Desv. l. c. = *B. Triathera*.

*bromoides*, Roth, ex Kunth, Enum. Pl. i. 520 = *Enteropogon melicoides*.

*juncea*, Desv. ex Beauv. Agrost. 40 = *B. Triathera*.

*racemosa*, Desv. Opusc. 72 = *B. Triathera*.

**TRIBELES**, Phil. in Linnaea, xxxiii. (1864–65) 307. **PITTOSPOREAE** [vel **SAXIFRAGEAE**], Benth. & Hook. f. i. 973.

**CHALEPOA**, Hook. f. in Hook. Ic. Pl. t. 1082 (1871).

*australis*, Phil. in Linnaea, xxxiii. (1864–65) 307. —Ins. Chiloe.

**TRIBLEMMA**, R. Br. ex DC. Prod. iii. 113 (1828) = **Bertolonia**, Raddi (Melastom.).

*acaule*, Steud. Nom. ed. II. ii. 698 = *Eriocnema Hilariana*.

*leuzeanum*, Steud. l. c. = *B. leuzeana*.

*longifolium*, Steud. l. c. = *B. longifolia*.

## TRIBLEMMA:—

- maculata*, Mart. ex DC. Prod. iii. 114 = *Bertolonia maculata*.  
*nymphaeifolium*, Mart. ex DC. l. c. 113 = *B. ovata*.  
*nymphaeifolium*, Steud. Nom. ed. II. ii. 698 = *B. nymphaeifolia*.  
*ovatum*, Steud. l. c. = *B. ovata*.

TRIBOLACIS, Griseb. Fl. Brit. W. Ind. 297 (1860) = **Turnera**, Linn.

- junceae*, Griseb. l. c. = *Turnera guianensis*.

TRIBOLIUM, Desv. Opusc. 64 (1831) = **Lasiochloa**, Kunth (Gramin.).

- hispidum*, Desv. l. c. = *L. hispida*.

TRIBONANTHES, Endl. Nov. Stirp. Dec. 27 (1839). **HAEMODORACEAE**, Benth. & Hook. f. iii. 675.

- australis*, Endl. l. c. — Austral.  
*brachypetala*, Lindl. *Swan River App.* 44. — Austral.  
*Lindleyana*, Endl. in Lehm. Pl. Preiss. ii. 27 = longi-  
 petala.  
*longipetala*, Lindl. *Swan River App.* 44. — Austral.  
*odora*, Endl. in Lehm. Pl. Preiss. ii. 28 = brachy-  
 petala.  
*uniflora*, Lindl. *Swan River App.* 44. — Austral.  
*variabilis*, Lindl. l. c. — Austral.  
*violacea*, Endl. in Lehm. Pl. Preiss. ii. 28 = uniflora.

TRIBRACHIA, Lindl. Bot. Reg. sub t. 832 (1824); et Coll. Bot. t. 41 (1825) = **Bulbophyllum**, Thou. (Orchid.).

- biflora*, Lindl. Coll. Bot. sub t. 41 (= *Stelis biflora*). — Reg. Himal.  
*hirta*, Lindl. l. c. = *B. hirtum*.  
*odoratissima*, Lindl. l. c. = *B. odoratissimum*.  
*pendula*, Lindl. l. c. = *B. pendulum*.  
*purpurea*, Lindl. l. c. = *B. Careyanum*.  
*racemosa*, Lindl. l. c. = *Liparis odorata*?  
*reptans*, Lindl. l. c. = *B. reptans*.

## TRIBRACHIUM, Benth. &amp; Hook. f. Gen. iii. 501 (1863), sphalm. = praec.

TRIBRACHYA, Korth. in Nederl. Kruidk. Arch. ii. 11. (1851) 254. **RUBIACEAE**, Benth. & Hook. f. ii. 118.

- morindaeformis*, Korth. l. c. 255. — Sumatra.

TRIBRACHYS, Champ. ex Thw. Enum. Pl. Zeyl. 325 (1864) = **Thismia**, Griff. (Burman.).

- Gardneriana*, Champ. ex Thw. l. c. = *Thismia Gardneriana*.

TRIBULA, Hill, Veg. Syst. vi. 10 (1764) = **Athamanta**, Linn. (Umbell.).

- Turbith*, Hill, Hort. Kew. 91 = *A. Matthioli*.

## TRIBULARIA, Heist. Syst. 8 (1748) (Quid?).

TRIBULASTRUM, B. Juss. ex Linn. Gen. ed. II. 185 (1742) = **Neurada**, Linn. (Rosac.).TRIBULOPIS, R. Br. in Sturt, Exped. Centr. Austral. ii. App. 70 (1849) = **Tribulus**, Linn. (Zygoph.).

- angustifolia*, R. Br. l. c. = *Tribulus angustifolius*.  
*bicolor*, F. Muell. Fragm. i. 47 = *Tribulus bicolor*.  
*pentandra*, R. Br. in Sturt, Exped. Centr. Austral. ii. App. 70 = *Tribulus Brownii*.  
*Solandri*, R. Br. l. c. = *Tribulus Solandri*.  
*Solandri*, F. Muell. Fragm. i. 47, partim = *Tribulus angustifolius*.

## TRIBULOPSIS, F. Muell. Fragm. i. 47 (1858) = praec.

## TRIBULUS, Tourn. ex Linn. Syst. ed. I (1735).

- ZYGOPHYLLAEAE**, Benth. & Hook. f. i. 264.

- EHRENBERGIA**, Mart. Nov. Gen. et Sp. ii. 72. t. 163 (1827).

- HETEROZYGIS**, Bunge, Suppl. Fl. Alt. 82 (1836).

- KALLISTROEMIA**, Scop. Introd. 212 (1777).

- TRIBULOPIS**, R. Br. in Sturt, Exped. Centr. Austral. ii. App. 70 (1849).

- acanthococcus*, F. Muell. in Trans. Phil. Soc. Vict. i. (1855) 9 = terrestris.

- adscendens*, Anderss. in Vet. Akad. Handl. Stockh. 1853 (1855) 245. — Ins. Galapag.

## TRIBULUS:—

- alatus*, Delile, Fl. Aeg. Illustr. 62. — Afr. bor.; Ind. or.  
*alatus*, Drège, ex Presl, Bot. Bemerk. 30 = pterophorus.  
*albus*, Poir. Encyc. viii. 45 = terrestris.  
*angustifolius*, Benth. Fl. Austral. i. 290. — Austral.  
*astrocarpus*, F. Muell. Fragm. xii. 4. — Austral.  
*bicolor*, F. Muell. Pl. Vict. i. 99. — Austral.  
*bicornutus*, Fisch. & Mey. in Bull. Soc. Nat. Mosc. (1838) 391 = terrestris.  
*bimucronatus*, Kralik, in Ann. Sc. Nat. Sér. III. xi. (1849) 28, sphalm. = praec.  
*bimucronatus*, Viv. Pl. Aegypt. Dec. iv. 9. — Aegypt.; Afghan.  
*bispinulosus*, Kralik, in Ann. Sc. Nat. Sér. III. xi. (1849) 26 = bimucronatus?  
*brasilienis*, Spreng. Syst. iv. Cur. Post. 343. — Bras.  
*Brownii*, F. Muell. Pl. Vict. i. 99. — Austral.  
*californicus*, S. Wats. in Proc. Am. Acad. xi. (1876) 125. — Calif.  
*cistoides*, Linn. Sp. Pl. 387. — Cosmop. trop.  
*cristatus*, Ehrenb. ex C. Muell. in Walp. Ann. iv. 404 = Ehrenbergii.  
*cristatus*, Presl, Bot. Bemerk. 30. — Afr. austr.  
*decolor*, Macfad. Fl. Jamaic. i. 186 = maximus.  
*dubescens*, Walp. Ann. ii. 244, err. typ. = pubescens.  
*Ehrenbergii*, Aschers. in Schweinf. Beitr. Fl. Aethiop. i. 249. — Afr. trop.  
*excrucians*, Wawra & Peyr. in Sitzb. Akad. Wien, Math.-Nat. xxxviii. (1860) 557 = terrestris.  
*Fisherii*, Kellogg, in Proc. Calif. Acad. vii. (1877) 162 = grandiflorus.  
*Forrestii*, F. Muell. in Wing, South. Sc. Record, (Nov. 1885). — Austral.  
*grandiflorus*, Benth. & Hook. f. ex S. Wats. Ind. Bibliog. N. Am. Bot. 149. — Am. bor. occ.  
*Gussonii*, Todaro & Pirain. ex Parl. Fl. Ital. v. 334 = terrestris.  
*hirsutus*, Benth. Fl. Austral. i. 289. — Austral.  
*hispidus*, Presl, Bot. Bemerk. 29 = terrestris.  
*humifusus*, Schum. & Thonn. Beskr. Guin. Pl. 215 = terrestris.  
*Hystrix*, R. Br. in Sturt, Exped. Centr. Austral. ii. App. 69. — Austral.  
*inermis*, Kralik, in Ann. Sc. Nat. Sér. III. xi. (1849) 25 = bimucronatus?  
*intermedius*, Kralik, l. c. 27 = bimucronatus.  
*Kotschyanus*, Boiss. Diagn. Ser. II. i. 111 = terrestris.  
*lanatus*, Walp. Ann. ii. 243 = T. Hystrix.  
*lanuginosus*, Blanco, Fl. Filip. ed. I. 350 = cistoides.  
*lanuginosus*, Linn. Sp. Pl. 387 = terrestris.  
*littoralis*, Ait. ex Sweet, Hort. Brit. ed. III. 766 (Quid?). — Austral.  
*longipetalus*, Viv. Pl. Aegypt. Dec. iv. 10 = alatus.  
*macranthus*, Hassk. in Flora, xlviii. (1865) 403 = cistoides.  
*macrocarpus*, F. Muell. ex Benth. Fl. Austral. i. 289. — Austral.  
*macropterus*, Boiss. Diagn. Ser. I. i. 161. — Aegypt.; Persia; Afghan.  
*maximus*, Linn. Sp. Pl. 386. — Am. calid.  
*megistopterus*, Kralik, in Ann. Sc. Nat. Sér. III. xi. (1849) 32. — Arab.  
*micans*, Welw. Apont. 566 = terrestris.  
*microcephalus*, Bertol. f. in Mem. Acc. Sc. Bologn. iii. (1851) 255. — Afr. trop.  
*minutus*, Leichh. ex Benth. Fl. Austral. i. 291. — Austral.  
*mollis*, Ehrenb. in Schweinf. Beitr. Fl. Aethiop. i. 29 = terrestris.  
*moluccanus*, Decne. in Nouv. Ann. Mus. Par. iii. (1834) 446 = cistoides.  
*Murex*, Presl, Bot. Bemerk. 29 = terrestris.  
*muricatus*, Stokes, Bot. Mat. Med. ii. 496 = terrestris.  
*occidentalis*, R. Br. in Sturt, Exped. Centr. Austral. ii. App. 69 = T. Hystrix.  
*parvispinus*, Presl, Bot. Bemerk. 29 = terrestris.  
*pentandrus*, Benth. Fl. Austral. i. 290 = Brownii.  
*pentandrus*, Forsk. Fl. Aegypt. Arab. 81 (sp. dub.). — Arab.  
*persicus*, Kralik, in Ann. Sc. Nat. Sér. III. xi. (1849) 31 = macropterus.  
*platypterus*, Benth. Fl. Austral. i. 289. — Austral.  
*pterocarpus*, Ehrenb. ex C. Muell. in Walp. Ann. iv. 404 = macropterus.  
*pterophorus*, Presl, Bot. Bemerk. 30. — Afr. austr.  
*pubescens*, G. Don, Gen. Syst. i. 769 = maximus.

## TRIBULUS:—

- ranunculiflorus*, F. Muell. Fragm. i. 48. — Austral.  
*Revoili*, Franch. in Revoil, Comali, 22. — Afr. trop.  
*robustus*, Boiss. & Noé, Diagn. Ser. II. i. 112 = terrestris.  
*sericens*, Anderss. in Vet. Akad. Handl. Stockh. 1853 (1855) 245. — Ins. Galapag.  
*sinaicus*, Boiss. Diagn. Ser. I. viii. 120 = bimucronatus.  
*Solandri*, F. Muell. Pl. Vict. i. 99, partim. — Austral.  
*Solandri*, F. Muell. l. c., partim = angustifolius.  
*spurius*, Kralik, in Ann. Sc. Nat. Sér. III. xi. (1849) 28 = bimucronatus.  
*subinermis*, Fisch. Cat. Hort. Gorenk. (1808) 94. — Tibet.  
*terrestris*, Linn. Sp. Pl. 387. — Amphig. trop.  
*terrestris*, Muhl. Cat. 43 = maximus.  
*trijugatus*, Nutt. Gen. Am. i. 277 = maximus.  
*trijugus*, Steud. Nom. ed. II. ii. 699, sphalm. = praec.  
*Zeyheri*, Sond. in Harv. & Sond. Fl. Cap. i. 353. — Afr. austr.

TRICALYSIA, A. Rich. ex DC. Prod. iv. 445 (1830); et in Mém. Soc. Hist. Nat. Par. v. (1834) 224. **RUBIACEAE**, Benth. & Hook. f. ii. 95.

- BUNBURYA**, Meissn. ex Hochst. in Flora, xxvii. (1844) 553.

- NATALANTHE**, Sond. in Linnaea, xxiii. (1850) 52.

- ROSEA**, Klotzsch, in Monatsb. Akad. Berl. (1853) 501.

- angolensis*, A. Rich. ex DC. Prod. iv. 445; et in Mém. Soc. Hist. Nat. Par. v. (1834) 225. — Afr. trop.

- biafrana*, Hiern, in Oliver, Fl. Trop. Afr. iii. 122. — Afr. trop.

- bracteata*, Hiern, l. c. 120. — Afr. trop.

- buxifolia*, Hiern, l. c. 119. — Afr. trop.

- congesta*, Hiern, l. c. 120. — Afr. trop.

- coriacea*, Hiern, l. c. — Afr. trop.

- crassifolia*, Benth. & Hook. f. ex Hiern, l. c. 124. — Afr. trop.

- cryptocalyx*, Baker, in Journ. Bot. xx. (1882) 138. — Madag.

- djurensis*, Schweinf. ex Hiern, in Oliver, Fl. Trop. Afr. iii. 123. — Afr. trop.

- gabonica*, Hiern, l. c. 122. — Afr. trop.

- jasminiflora*, Benth. & Hook. f. ex Hiern, l. c. 124. — Afr. trop.

- Kirkii*, Hiern, l. c. 124. — Afr. trop.

- micrantha*, Hiern, l. c. 122. — Afr. trop.

- microphylla*, Hiern, l. c. 123. — Afr. trop.

- niamniamensis*, Schweinf. ex Hiern, l. c. 123. — Afr. trop.

- Nyassae*, Hiern, l. c. 121. — Afr. trop.

- okelensis*, Hiern, l. c. 122. — Afr. trop.

- ovalifolia*, Hiern, l. c. 119. — Afr. trop.

- pallens*, Hiern, l. c. 121. — Afr. trop.

- reticulata*, Hiern, l. c. 121. — Afr. trop.

- Sonderiana*, Hiern, l. c. 119. — Afr. trop.

- syrmanthera*, Hiern, l. c. 120. — Afr. trop.

TRICARDIA, Torr. ex S. Wats. Bot. King's Exped. 258, t. 24 (1871). **HYDROPHYLLACEAE**, Benth. & Hook. f. ii. 829.

- Watsoni*, Torr. ex S. Wats. l. c. — Am. bor. occ.

TRICARIUM, Lour. Fl. Cochinch. 557 (1790) = **Phyllanthus**, Linn. (Euphorb.).

- cochinchinense*, Lour. l. c. = *P. cochinchinensis*.

## TRICARYUM, Spreng. Syst. iii. 848 (1826) = praec.

TRICATUS, Pritz. Ic. Ind. ii. 275 (1866), sphalm. = TRICKATUS, L'Hérit. = **Abronia**, Juss. (Nyctag.).

- admirabilis*, Pritz. l. c. = *A. umbellata*.

TRICENTRUM, DC. Prod. iii. 123 (1828) = **Comolia**, DC. (Melastom.).

- leptophyllum*, DC. l. c. = *C. leptophylla*.

- ovalifolium*, DC. l. c. = *C. denudata*.

TRICERA, Schreb. Gen. 630 (1791); Sw. Fl. Ind. Occ. i. 331. t. 7 (1797) = **Buxus**, Linn. (Euphorb.).

- acuminata*, Griseb. in Goett. Nachr. (1865) 162 = *B. acuminata*.

- citrifolia*, Willd. Sp. Pl. iv. 338 = *B. citrifolia*.

- cordifolia*, Willd. l. c. 339 = *B. cordifolia* (cf. Addend.).

## TRICERA:—

- cubana*, A. Rich. Fl. Cub. Fanerog. ii. 217 = *Buxus cubana*.  
*fasciculata*, Griseb. Fl. Brit. W. Ind. 31 = *B. Purdieana*.  
*glomerata*, Griseb. in Mem. Am. Acad. N. S. viii. (1860) 157 = *B. glomerata*.  
*gonoclada*, Wright, ex Griseb. Cat. Pl. Cub. 282 = *B. gonoclada*.  
*laevigata*, Sw. Fl. Ind. Occ. i. 333 = *B. laevigata*.  
*laevigata*, Willd. Sp. Pl. iv. 338, partim = *B. Vahl.*  
*microphylla*, Griseb. in Goett. Nachr. (1865) 163 = *B. Wrightii*.  
*nepalensis*, Wall. Cat. n. 7979 = *Sarcococca pruni-formis*.  
*retusa*, Griseb. in Goett. Nachr. (1865) 163 = *B. retusa*.

TRICERAIA, Willd. ex Roem. & Schult. Syst. iv. 803 (1819) = *Turpinia*, Vent. (Sapind.).  
*tinifolia*, Humb. & Bonpl. ex Roem. Schult. l. c. = *Turpinia insignis*.

TRICERAS, Andr. ex Reichb. Consp. 185 (1828) = *Matthiola*, R. Br. (Crucif.).

TRICERASTES, Presl, Rel. Haenk. ii. 88. t. 64 (1836) = *Datisca*, Linn.  
*glomerata*, Presl, l. c. = *D. glomerata*.

TRICERATIA, A. Rich. Ess. Fl. Cub. 614. t. 44 (1845) = *Sicydium*, Schlecht. (Cucurb.).  
*bryonioides*, A. Rich. l. c. 615 = *S. Schiedeianum*.

TRICERCANDRA, A. Gray, in Perry, Jap. Exped. ii. 318 (1857) = *Chloranthus*, Sw.  
*Fortuni*, A. Gray, in Mem. Am. Acad. N. S. vi. (1858-59) 405 = *C. Fortunei*.  
*quadrifolia*, A. Gray, in Perry, Jap. Exped. ii. 318 = *C. japonicus*.

TRICERMA, Liebm. in Kjoeb. Vidensk. Meddel. (1853) 97 = *Maytenus*, Molina (Celastr.).  
*crassifolium*, Liebm. l. c. 98 = *M. phyllanthoides*.

TRICEROS, Griff. Notul. iv. 606 (1854) = *Gomphogyne*, Griff. (Cucurb.).

TRICEROS, Lour. Fl. Cochinch. 184 (1790). Genus dubium *ANACARDIACEARUM*.—Cf. Benth. & Hook. f. i. 418, 1000.  
*cochinchinensis*, Lour. l. c.—Cochinch.  
*xalapensis*, Spreng. Syst. i. 947 = *Turpinia insignis*.

TRICHACANTHUS, Zoll. & Mor. in Nat. en Geneesk. Arch. Neêrl. Indie, ii. (1845) 572. *ACANTHACEAE*, Benth. & Hook. f. ii. 1089.  
*exiguus*, Zoll. & Mor. l. c.—Java.

TRICHACHNE, Nees, Agrost. Bras. 85 (1829) = *Panicum*, Linn. (Gramin.).  
*ferruginea*, Nees, l. c. 90 = *P. phaeothrix*.  
*insularis*, Nees, l. c. 86 = *P. lanatum*.  
*recalva*, Nees, l. c. 88 = *P. recalvum*.  
*sacchariflora*, Nees, l. c. 87 = *P. lanatum*.  
*Sellowii*, C. Muell. in Bot. Zeit. xix. (1861) 315 = *Andropogon leucostachyus*.  
*tenuis*, Nees, Agrost. Bras. 89 = *P. tenerimum*.  
*velutinum*, Nees, l. c. 90 = *P. vestitum*.

TRICHADENIA, Thw. in Hook. Kew Journ. vii. (1855) 196. t. 8. *BIXINEAE*, Benth. & Hook. f. i. 129.  
*zeylanica*, Thw. l. c.—Zeylan.

TRICHAETA, Beauv. Agrost. 86. t. 17. f. 8 (1812) = *Trisetum*, Pers. (Gramin.).  
*ovata*, Beauv. l. c. = *Trisetum ovatum*.

TRICHANDRUM, Neck. Elem. i. 84 (1790) = *Helichrysum*, Vaill. (Compos.).

TRICHANTHA, Hook. Ic. Pl. tt. 666, 667 (1844). *GESNERACEAE*, Benth. & Hook. f. ii. 1009.  
*major*, Hook. l. c. t. 667.—N. Granat.  
*minor*, Hook. l. c. t. 666.—N. Granat.

TRICHANTHA, Karst. & Triana, in Linnaea, xxviii. (1856) 437 = *Breweria*, R. Br. (Convolv.).  
*ferruginea*, Karst. & Triana, l. c. 438.—N. Granat.

TRICHANTHEMIS, Regel & Schmalh. in Act. Hort. Petrop. v. (1877) 617. *COMPOSITAE*.  
*karataviensis*, Regel & Schmalh. l. c.—Turkestan.

TRICHANTHERA, Ehrenb. in Linnaea, iv. (1829) 401 = *Hermannia*, Linn. (Stercul.).  
*modesta*, Ehrenb. l. c. = *H. arabica*.

TRICHANTHERA, H. B. & K. Nov. Gen. et Sp. ii. 243, in obs. (1817). *ACANTHACEAE*, Benth. & Hook. f. ii. 1084.  
*TRIXANTHERA*, Rafin. Sylva Tellur. 146 (1838).  
*gigantea*, Humb. & Bonpl. ex Steud. Nom. ed. I. 708, in syn.; Nees, in DC. Prod. xi. 218.—N. Granat.; Panama.

TRICHANTHODIUM, Sond. & F. Muell. in Linnaea, xxv. (1852) 489 = *Gnephosis*, Cass. (Compos.).  
*skerriophorum*, Sond. & F. Muell. l. c. 490 = *G. skirrophora*.

TRICHARIS, Salisb. Gen. Pl. Fragm. 24 (1866) = *Dipeadi*, Medic. (Liliac.).  
*serotina*, Salisb. l. c. = *D. serotinum*.

TRICHASMA, Walp. in Linnaea, xiii. (1839) 510 = *Argyrolobium*, Eckl. & Zeyh. (Legumin.).  
*calycinum*, Walp. l. c. = *A. calycinum*.  
*ciliatum*, Walp. l. c. = *A. Andrewsianum*.

TRICHAsterOPHYLLUM, Willd. ex Link, Jahrb. i. iii. (1820) 69 = *Helianthemum*, Tourn. (Cistin.).  
*hyssopifolium*, Willd. ex Link, l. c. = *H. glomeratum*.

TRICHAURUS, Arn. in Wight & Arn. Prod. 40 (1834) = *Tamarix*, Linn.  
*Aucherianus*, Decne. in Jacquem. Voy. Bot. 59 = *Tam. passerinoides*.  
*ericoides*, Arn. ex Wight & Arn. Prod. 40 = *Tam. ericoides*.  
*pycnocarpus*, Decne. in Jacquem. Voy. Bot. 59 = *Tam. passerinoides*.  
*vaginatus*, Desv. ex Walp. Rep. ii. 115.—Persia.

TRICHELOSTYLIS, Lestib. Ess. Fam. Cyp. 40 (1819) = *Fimbristylis*, Vahl (Cyperac.).  
*angularis*, Nees, in Wight, Contrib. 105, in obs. = *F. angularis*.  
*aspera*, Nees, in Mart. Fl. Bras. ii. i. 80 = *F. aspera*.  
*asperima*, Nees, ex Boeck. in Linnaea, xxxvii. (1871-73) 41 = *F. asperima*.  
*autumnalis*, Nees, in Linnaea, ix. (1834) 290 = *F. autumnalis*.  
*borealis*, Wood, Am. Bot. & Flor. 364.—Am. bor.  
*capillaris*, Wood, Class-Book (1861), 742 (Bulbostylidis sp.).—Am. bor.  
*capitata*, Nees, in Linnaea, ix. (1834) 290 = *F. capitata*.  
*carinata*, Wood, Class-Book (1861), 742 = *Scirpus carinatus*.  
*chaetorrhiza*, Nees, in Wight, Contrib. 106 = *F. junciformis*.  
*ciliatifolia*, Wood, Am. Bot. & Flor. 364 (Bulbostylidis sp.).—Am. bor.  
*cinnamometorum*, Nees, in Linnaea, ix. (1834) 290 = *F. cyperoides*.  
*coarctata*, Wood, Class-Book (1861), 742 (Bulbostylidis sp.).—Am. bor.  
*complanata*, Nees, in Wight, Contrib. 103 = *F. complanata*.  
*contexta*, Nees, in Linnaea, x. (1836) 146 (Bulbostylidis sp.).—Madag.; Afr. austr.  
*curvifolia*, Nees, in Wight, Contrib. 105, in obs. = *F. diphylla*.  
*digitata*, Dalz. ex Boeck. in Flora, lxi. (1878) 35 = *F. digitata*.  
*filiformis*, Nees, in Wight, Contrib. 102 = *F. pauciflora*.  
*geminata*, Nees, in Linnaea, ix. (1834) 290; et in Mart. Fl. Bras. ii. i. 80 = *F. autumnalis*.  
*globulosa*, Nees, in Wight, Contrib. 105 = *F. globulosa*.  
*gracilis*, Nees, in Linnaea, vii. (1832) 492 = *Ficinia gracilis*.  
*junciformis*, Nees, in Wight, Contrib. 106 = *F. junciformis*.  
*Kielmeyeri*, Nees, ex Boeck. in Linnaea, xxxvii. (1871-73) 38 = *F. complanata*.  
*latifolia*, Nees, in Wight, Contrib. 106 = *F. junciformis*.

## TRICHELOSTYLIS:—

*Ludwigii*, Nees, in Linnaea, ix. (1834) 290 = *Scirpus Ludwigii*.  
*miliacea*, Nees, in Wight, Contrib. 103 = *Fimbristylis miliacea*.  
*mucronulata*, Torr. in Ann. Lyc. N. York, iii. (1836) 355 = *F. autumnalis*.  
*obtusifolia*, Nees, in Linnaea, ix. (1834) 290 = *F. obtusifolia*.  
*pentagona*, Nees, in Wight, Contrib. 105, in obs. = *F. miliacea*.  
*pentaptera*, Nees, l. c. = *F. pentaptera*.  
*pilosula*, Nees, ex Boeck. in Linnaea, xxxvii. (1871-73) 28 = *F. exilis*.  
*quinguangularis*, Nees, in Wight, Contrib. 104 = *F. miliacea*.  
*Rudgeana*, Nees, in Mart. Fl. Bras. ii. i. 79 = *F. complanata*.  
*salbundia*, Nees, in Wight, Contrib. 105 = *F. salbundia*.  
*scabra*, Nees, l. c. 103 = *F. complanata*.  
*Schimperiana*, Hochst. ex Boeck. in Linnaea, xxxvii. (1871-73) 28 = *F. exilis*.  
*stenophylla*, Wood, Class-Book (1861), 742 (Bulbostylidis sp.).—Am. bor.  
*stricta*, Nees, in Hook. Journ. Bot. ii. (1840) 394 = *F. Schomburgkiana*.  
*tenella*, Nees, in Wight, Contrib. 103 = *F. tenera*.  
*tetragona*, Nees, l. c. 104 = *F. miliacea*.  
*torta*, Nees, l. c. 105 = *F. junciformis*.  
*Warei*, Wood, Class-Book (1861), 742 (Bulbostylidis sp.).—Florida.  
*xyroides*, Arn. ex Hook. f. Fl. Tasm. p. xlviii = *F. tetragona*.

TRICHERA, Schrad. Cat. Sem. Hort. Gotting. (1814); Roem. & Schult. Syst. iii. 54 (1818) = *Scabiosa*, Tourn. (Dipsac.).  
*ambigua*, Nym. Syll. Suppl. 14 = *S. ambigua*.  
*amplexicaulis*, Nym. Syll. 60 = *S. amplexicaulis*.  
*arvensis*, Schrad. Cat. Sem. Hort. Gotting. (1814); Roem. & Schult. Syst. iii. 54 = *S. arvensis*.  
*bidens*, Schult. Mant. iii. 29 = *S. bidens*.  
*bohemia*, Nym. Consp. 347 = *S. arvensis*.  
*brevis*, Schult. Mant. iii. 30 = *S. papposa*.  
*calycina*, Presl, Fl. Sic. p. xxviii.—Sicil.  
*campestris*, Schult. Mant. iii. 27 = *S. arvensis*.  
*carpathica*, Nym. Syll. Suppl. 14 = *S. arvensis*.  
*carphophyllax*, Nym. Consp. 347 = *S. sylvatica*.  
*ciliata*, Roem. & Schult. Syst. iii. 57 = *S. ciliata*.  
*collina*, Nym. Syll. 60 = *S. collina*.  
*communis*, Celak. in Arch. Naturw. Landesd. Boehm. iv. (1881) 815 = *S. arvensis*.  
*cuspidata*, Nym. Syll. Suppl. 14 = *S. sylvatica*.  
*diodon*, Presl, Fl. Sic. p. xxviii.—Sicil.  
*dipsacifolia*, Nym. Syll. Suppl. 14 = *S. sylvatica*.  
*diversifolia*, Nym. Syll. 60 = *S. banatica*.  
*diversifolia*, Schult. Mant. iii. 28 = *S. banatica*.  
*drymeia*, Nym. Syll. Suppl. 14 = *S. sylvatica*?  
*dumetorum*, Nym. l. c. = *S. arvensis*.  
*dumetorum*, Roem. & Schult. Syst. iii. 56 = *S. dumetorum*.  
*exaltata*, Nym. Consp. 347 = *S. arvensis*.  
*Fleischmanni*, Nym. Syll. 59 = *S. arvensis*.  
*Godeti*, Nym. Consp. 347 = *S. longifolia*.  
*hirsuta*, Schult. Mant. iii. 27 = *S. arvensis*.  
*hybrida*, Roem. & Schult. Syst. iii. 58 = *S. integrifolia*.  
*indivisa*, Nym. Syll. Suppl. 14 = *S. arvensis*.  
*integrifolia*, Roem. & Schult. Syst. iii. 59 = *S. integrifolia*.  
*lancifolia*, Fuss, in Verh. Siebenb. Ver. Naturw. xiv. (1863) 195 = *S. sylvatica*.  
*legionensis*, Roem. & Schult. Syst. iii. 56 = *S. legionensis*.  
*leucantha*, Schrad. Cat. Sem. Hort. Gotting. (1814) 3; ex Roem. & Schult. Syst. iii. 58 = *S. ciliata*.  
*longifolia*, Roem. & Schult. l. c. 56 = *S. longifolia*.  
*lyrophylla*, Nym. Consp. 347 = *S. macedonica*.  
*macedonica*, Nym. Syll. 60 = *S. macedonica*.  
*magnifica*, Nym. Consp. 347 (= *Knautia magnifica*).—Macedon.  
*mollis*, Nym. Syll. 60 = *S. arvensis*.  
*montana*, Roem. & Schult. Syst. iii. 57 = *S. montana*.  
*mutabilis*, Schrad. Cat. Sem. Hort. Gotting. (1814) = *S. integrifolia*.  
*nympharum*, Nym. Syll. Suppl. 14 = *S. ciliata*.  
*ovatifolia*, Roem. & Schult. Syst. iii. 56 = *S. sylvatica*.  
*pannonica*, Nym. Syll. Suppl. 14 = *S. sylvatica*.



## TRICHERA:—

- puberula*, Nym. Syll. Suppl. 14 = *Scabiosa sylvatica*.  
*pubescens*, Schrad. Cat. Sem. Hort. Gotting. (1814);  
 Roem. & Schult. Syst. iii. 57 = *S. arvensis*.  
*Salcedi*, Roem. & Schult. Syst. iii. 55 = *S. Salcedi*.  
*subcanescens*, Nym. Consp. 347 = *S. sylvatica*.  
*subscaposa*, Nym. Syll. 60 = *S. collina*.  
*sylvatica*, Schrad. Cat. Sem. Hort. Gotting. (1814);  
 Roem. & Schult. Syst. iii. 55 = *S. sylvatica*.  
*Timeroyi*, Nym. Syll. 60 = *S. arvensis*.  
*transsilvanica*, Schur, ex Nym. Consp. 347 = *S. sylvatica*.  
*trivialis*, Nym. l. c. = *S. arvensis*.  
*Urvillei*, Nym. Syll. 60 = *S. integrifolia*.  
*virgata*, Nym. Consp. 347 = *S. arvensis*.  
*Willichii*, Schult. Mant. iii. 29 = *S. plumosa*.

TRICHEROSTIGMA, Boiss. in DC. Prod. xv. II. 7 (1862), sphalm. = TRICHOSTERIGMA, Klotzsch = *Euphorbia*, Linn.

## TRICHILIA, P. Br. Hist. Jamaica. 278 (1756).

- MELIACEAE, Benth. & Hook. f. i. 337.  
 ACRILIA, Griseb. Fl. Brit. W. Ind. 129 (1859).  
 BARBILUS, P. Br. Hist. Jamaica. 216 (1756).  
 ELCAJA, Forsk. Fl. Aegypt. Arab. 127 (1775).  
 GENIOSTEPHANUS, Fenzl, in Flora, xxvii. (1844) 312.  
 HALEZIA, Loeff. It. Hisp. 188 (1758).  
 HEYNICHIA, Kunth, Ind. Sem. Hort. Berol. (1844), adn., 8.  
 MAFUREIRA, Bertol. Misc. Bot. ix. 5. t. 2 (1851).  
 MOSCHOXYLUM, A. Juss. in Mém. Mus. Par. xix. (1830) 238.  
 ODONTANDRA, Willd. ex Roem. & Schult. Syst. v. p. xli. 511 (1819).  
 ODONTOSIPHON, M. Roem. Syn. Hesper. 85, 106 (1846).  
 PHOLACILIA, Griseb. Fl. Brit. W. Ind. 129 (1859).  
 PORTESIA, Cav. Diss. vii. 369. tt. 215, 216 (1789).  
 ROCHETIA, Delile, in Rochet, Sec. Voy. Choa, 344 (1846).  
 TORPESIA, M. Roem. Syn. Hesper. 86, 116 (1846).  
*acuminata*, C. DC. in DC. Monog. Phan. i. 704.—N. Granat.  
*affinis*, A. Juss. in A. St. Hil. Fl. Bras. Mer. ii. 78 = *T. Catigua*.  
*albicans*, C. DC. in Mart. Fl. Bras. xi. i. 218.—Bras.  
*alliacea*, Forst. f. Prod. 33 = *Dysoxylum Forsteri*.  
*alternans*, C. DC. in DC. Monog. Phan. i. 700.—Bras.  
*amplifolia*, C. DC. l. c. 694.—Peruv.  
*appendiculata*, C. DC. l. c. 696.—N. Granat.  
*arborescens*, Spreng. Syst. iv. Cur. Post. 252 = *Dysoxylum arborescens*.  
*asterotricha*, Radlk. in Bremen, Abh. viii. (1883) 383.—Afr. trop.  
*Aubletii*, Steud. Nom. ed. II. ii. 700 = *Guarea trichilioides*.  
*barraensis*, C. DC. in Mart. Fl. Bras. xi. i. 222 = *fluminensis*?  
*bijuga*, Labill. Sert. Austro-Caled. 54. t. 54 (= *Hartighsea Billardieri*).—N. Caled.  
*Blancheti*, C. DC. in Mart. Fl. Bras. xi. i. 217.—Bras.  
*brachystachya*, Klotzsch, ex C. DC. in DC. Monog. Phan. i. 650.—Guian.; Venezuela.  
*canjerana*, Vell. Fl. Flum. 176; iv. t. 102.—Bras.  
*capensis*, Pers. Syn. i. 468 = *Ekebergia capensis*.  
*capitata*, Klotzsch, in Peters, Reise Mossamb. Bot. 120.—Afr. trop.  
*Casaretti*, C. DC. in Mart. Fl. Bras. xi. i. 217.—Bras.  
*cathartica*, Mart. Reise Bras. i. 546.—Bras.  
*Catigna*, C. DC. in DC. Monog. Phan. i. 689, sphalm. = seq.  
*Catigua*, A. Juss. in A. St. Hil. Fl. Bras. Mer. ii. 77.—Bras.  
*caucana*, C. DC. in DC. Monog. Phan. i. 669.—N. Granat.  
*cauliflora*, Soland. ex A. Cun. in Ann. Nat. Hist. Ser. I. iii. (1839) 318 = *Dysoxylum spectabile*.  
*Cipo*, C. DC. in Mart. Fl. Bras. xi. i. 214.—Guian.; Bras.  
*Claussenii*, C. DC. l. c. 207.—Bras.  
*corcovadensis*, C. DC. l. c. 215.—Bras.  
*coriacea*, Heyne, ex Wall. Cat. sub n. 1265 = *Walsura Piscidia*.  
*cuneata*, Radlk. in Sitzb. Math.-Phys. Akad. Muench. ix. (1879) 642.—Guatemala.  
*cuspidata*, C. DC. in Mart. Fl. Bras. xi. i. 222.—Bras.

## TRICHILIA:—

- discolor, A. Juss. in Mém. Mus. Par. xix. (1830) 236, 277.—Bras.  
*Distini*, C. DC. in DC. Monog. Phan. i. 698.—Jamaic.  
*diversifolia*, A. Juss. in Mém. Mus. Par. xix. (1830) 237, 278 = *simplicifolia*.  
*Dregeana*, Harv. & Sond. Fl. Cap. i. 246 = *Dregei*.  
*Dregei*, E. Mey. in Drège, Zwei Pfl. Docum. 227, nomen.—Afr. austr.  
*echinocarpa*, Walp. Ann. ii. 227.—Guian.  
*Ekebergia*, E. Mey. in Drège, Zwei Pfl. Docum. 227 = *Ekebergia Meyerii*.  
*elegans*, A. Juss. in A. St. Hil. Fl. Bras. Mer. ii. 79. t. 98.—Bras.  
*emarginata*, C. DC. in Mart. Fl. Bras. xi. i. 212.—Bras.  
*emetica*, Vahl, Symb. Bot. i. 31.—Afr. trop.; Arab.  
*euneura*, C. DC. in DC. Monog. Phan. i. 673.—Guian.  
*excelsa*, Benth. in Hook. Kew Journ. iii. (1851) 368.—Bras.  
*excelsa*, Spreng. Syst. iv. Cur. Post. 252 = *Dysoxylum excelsum*.  
*flava*, C. DC. in Mart. Fl. Bras. xi. i. 203. t. 59.—Bras.  
*flaviflora*, C. DC. l. c. 216.—Bras.  
*fluminensis*, M. Roem. Syn. Hesper. 112.—Bras.  
*fuscescens*, Radlk. in Sitzb. Math.-Phys. Akad. Muench. ix. (1879) 641.—Guian.  
*Gardneri*, C. DC. in Mart. Fl. Bras. xi. i. 221.—Bras.  
*Gaudichaudii*, C. DC. l. c. 209.—Bras.  
*glabra*, Linn. Syst. ed. X. 1020.—Am. trop.  
*glabra*, Macfad. Fl. Jamaica. i. 172 (al. ordinis).—Jamaic.  
*glabra*, Vell. Fl. Flum. 175; iv. t. 101 = *fluminensis*.  
*glandulosa*, Sm. in Rees, Cycl. xxxvi. n. 10 = *Synonym glandulosum*.  
*Glaziovii*, C. DC. in Mart. Fl. Bras. xi. i. 205. t. 60. f. 1.—Bras.  
*Goudotiana*, Triana & Planch. in Ann. Sc. Nat. Sér. V. xv. (1872) 366.—N. Granat.  
*grandiflora*, Oliver, Fl. Trop. Afr. i. 335.—Afr. trop.  
*Guara*, Linn. Sp. Pl. ed. II. 551 = *Guarea trichilioides*.  
*guayaquilensis*, C. DC. in DC. Monog. Phan. i. 682.—Ecuador.  
*guianensis*, Klotzsch, ex C. DC. l. c. 657.—Guian.  
*Halesia*, Loeff. ex A. Juss. in Mém. Mus. Par. xix. (1830) 236 = *trifolia*.  
*havannensis*, Jacq. Enum. Pl. Carib. 20 = *glabra*.  
*heterophylla*, Willd. Sp. Pl. ii. 554.—Madag.  
*Heudelotii*, Planch. ex Oliver, Fl. Trop. Afr. i. 334.—Afr. trop.  
*hexandra*, Blume, ex Miq. Ann. Mus. Bot. Lugd. Bat. iv. 29 = *Chisocheton patens*.  
*Hieronymi*, Griseb. in Goett. Abh. xxiv. (1879) 77.—Reg. Argent.  
*hirsuta*, C. DC. in Mart. Fl. Bras. xi. i. 221. t. 63.—Bras.  
*hirta*, Linn. Syst. ed. X. 1020.—Jamaic.  
*humilis*, Zipp. ex Miq. Ann. Mus. Bot. Lugd. Bat. iv. 4 = *Munronia javanica*.  
*inermis*, Spreng. Neue Entdeck. i. 285.—Bras.  
*insignis*, C. DC. in Mart. Fl. Bras. xi. i. 206. t. 61. f. 1.—Bras.  
*jamaicensis*, C. DC. in DC. Monog. Phan. i. 678.—Jamaic.  
*japurensis*, C. DC. in Mart. Fl. Bras. xi. i. 214.—Bras.  
*Karstenii*, C. DC. in DC. Monog. Phan. i. 704.—N. Granat.  
*Karwinskyana*, C. DC. l. c. 663.—Mexic.  
*lagoënsis*, C. DC. in Mart. Fl. Bras. xi. i. 207.—Bras.  
*lanceolata*, C. DC. in DC. Monog. Phan. i. 698.—Peruv.  
*lepidota*, Mart. in Flora, xxii. (1839) i. Beibl. 54.—Bras.  
*longissima*, Wall. Cat. n. 8069 = *Chisocheton paniculatus*.  
*macrocarpa*, Spreng. Syst. iv. Cur. Post. 252 = *Dysoxylum macrocarpum*.  
*macrophylla*, Benth. in Hook. Kew Journ. iii. (1851) 369.—Bras.  
*Martiana*, C. DC. in Mart. Fl. Bras. xi. i. 205.—Bras.  
*mauritanica*, Turcz. in Bull. Soc. Nat. Mosc. xxxvi. (1863) i. 589.—Ins. Maurit.  
*maynasiana*, C. DC. in DC. Monog. Phan. i. 700.—Peruv.

## TRICHILIA:—

- membranacea*, Macfad. Fl. Jamaica. i. 171 = *moschata*.  
*micrantha*, Benth. in Hook. Kew Journ. iii. (1851) 369.—Bras.  
*microphylla*, Walp. Ann. iv. 389 = *macrophylla*.  
*microphyllina*, C. DC. in Mart. Fl. Bras. xi. i. 216.—Bras.  
*microstachya*, C. DC. l. c. 212.—Bras.  
*minor*, A. Rich. Ess. Fl. Cub. 301. t. 33 = *glabra*.  
*mollis*, C. DC. in Mart. Fl. Bras. xi. i. 202.—Bras.  
*mollissima*, Spreng. Syst. iv. Cur. Post. 252 = *Dysoxylum mollissimum*.  
*monophylla*, A. Rich. Ess. Fl. N. Zél. 306 = *Pittosporum tenuifolium*.  
*montana*, H. B. & K. Nov. Gen. et Sp. vii. 226.—N. Granat.  
*Moritzii*, C. DC. in DC. Monog. Phan. i. 707.—Venezuela.  
*moschata*, Sw. Prod. Veg. Ind. Occ. 67.—Jamaic.  
*multiflora*, Casar. Nov. Stirp. Bras. Dec. ii. 23.—Bras.  
*natalensis*, Sond. in Linnaea, xxiii. (1850) 23.—Afr. austr.  
*nervosa*, Vahl, Symb. Bot. i. 31 = *Sandoricum indicum*.  
*oblonga*, C. DC. in Mart. Fl. Bras. xi. i. 218.—Bras.  
*octandra*, Soland. ex M. Roem. Syn. Hesper. 101 = *Synonym glandulosum*.  
*odorata*, Andr. Bot. Rep. t. 637.—Ins. S. Vincent.  
*Oerstediana*, C. DC. in DC. Monog. Phan. i. 677.—Nicaragua.  
*oligantha*, C. DC. l. c. 693.—Mexic.  
*oxyphylla*, C. DC. in Mart. Fl. Bras. xi. i. 204.—Bras.  
*pallens*, C. DC. l. c. 218.—Bras.  
*pallida*, Sw. Prod. Veg. Ind. Occ. 67.—Ins. S. Doming.  
*paraënsis*, C. DC. in Mart. Fl. Bras. xi. i. 213.—Bras.  
*parviflora*, C. DC. in DC. Monog. Phan. i. 679.—N. Granat.  
*pentandra*, Blanco, Fl. Filip. ed. I. 355.—Malaya.  
*peruviana*, C. DC. in DC. Monog. Phan. i. 654.—Peruv.; Chili.  
*Pleæana*, C. DC. in Mart. Fl. Bras. xi. i. 215.—Bras.  
*Poeppigii*, C. DC. in DC. Monog. Phan. i. 685.—Bras.  
*polyantha*, Poepp. ex Triana & Planch. in Ann. Sc. Nat. Sér. V. xv. (1872) 371 = *Guarea Poeppigii*.  
*portoricensis*, Spreng. Syst. iii. 68.—Porto Rico.  
*Prieureana*, A. Juss. in Mém. Mus. Par. xix. (1830) 276.—Afr. trop.  
*procera*, Forsyth, ex DC. Prod. i. 626 = *Carapa procera*.  
*propinqua*, C. DC. in DC. Monog. Phan. i. 693 = *Nicaragua*.  
*Pseudostipularis*, C. DC. in Mart. Fl. Bras. xi. i. 215.—Bras.  
*pteleaefolia*, A. Juss. in A. St. Hil. Fl. Bras. Mer. ii. 80. t. 99.—Bras.  
*pubescens*, Klotzsch, ex C. DC. in DC. Monog. Phan. i. 650 = *brachystachya*.  
*pubescens*, Rich. in Act. Soc. Hist. Nat. Par. i. (1792) 108 = *Guarea pubescens*.  
*Purdiei*, C. DC. in DC. Monog. Phan. i. 697.—N. Granat.  
*quadrifuga*, H. B. & K. Nov. Gen. et Sp. v. 215.—Porto Rico.  
*quinquejuga*, Vell. Fl. Flum. 176; iv. t. 103.—Bras.  
*quinquevalvis*, Montr. in Mém. Acad. Lyon, x. (1860) 191.—N. Caled.  
*quinquevalvis*, Panch. & Sebert, Not. Bois Nouv. Caled. 227 = *Dysoxylum Lessertianum*.  
*repanda*, Vell. Fl. Flum. 176; iv. t. 104 = *Casaretti*.  
*retusa*, Oliver, Fl. Trop. Afr. i. 334.—Afr. trop.  
*Richardiana*, A. Juss. in A. St. Hil. Fl. Bras. Mer. ii. 78.—Bras.  
*Riedelii*, C. DC. in Mart. Fl. Bras. xi. i. 202 = *echinocarpa*?  
*rimosa*, Blanco, Fl. Filip. ed. I. 297 = *Heynea trijuga*.  
*riparia*, Mart. ex C. DC. in Mart. Fl. Bras. xi. i. 213.—Bras.  
*roraimana*, C. DC. in DC. Monog. Phan. i. 670.—Guian.  
*rubescens*, Oliver, Fl. Trop. Afr. i. 336.—Afr. trop.  
*rubra*, C. DC. in Mart. Fl. Bras. xi. i. 203.—Bras.  
*rufinervis*, Blume, Bijdr. 164.—Java.  
*Rueppelliana*, Fresen. in Mus. Senckenb. ii. (1837) 278 = *Ekebergia Ruppeliana*.  
*Ruiziana*, C. DC. in DC. Monog. Phan. i. 702.—Peruv.

**TRICHILIA:—**

- scandens, *Lunan, Hort. Jamaic.* ii. 319, 320.—Jamaic.  
 Schiedeana, *C. DC. in DC. Monog. Phan.* i. 664.—Mexic.  
 schinoides, *Klotzsch, in Linnaea*, xiv. (1840) 300.—Bras.  
 Schomburgkii, *C. DC. in DC. Monog. Phan.* i. 695.—Guian.  
 sebastianopolitana, *C. DC. in Mart. Fl. Bras.* xi. i. 216.—Bras.  
 Selloi, *C. DC. l. c.* 219.—Bras.  
 septentrionalis, *C. DC. l. c.* 220.—Bras.  
 silvatica, *C. DC. l. c.* 212.—Bras.  
 similis, *Spreng. Syst. iv. Cur. Post.* 252 = *Dysoxylon simile*.  
 simplicifolia, *Spreng. Syst.* iii. 69.—Ins. Martinic.  
 singularis, *C. DC. in Mart. Fl. Bras.* xi. i. 217.—Bras.  
 Sloanet, *Macfad. Fl. Jamaic.* i. 168 = terminalis.  
 spectabilis, *Forst. f. Prod.* 33 = *Dysoxylon spectabile*.  
 spinosa, *Willd. Sp. Pl.* ii. 554 = *Atalantia monophylla*.  
 spondiodes, *Jacq. Enum. Pl. Carib.* 20; *Select. Am.* 128.—Ind. occ.  
 strigulosa, *Welw. ex C. DC. in DC. Monog. Phan.* i. 658.—Afr. trop.  
 subalata, *C. DC. in Mart. Fl. Bras.* xi. i. 213.—Bras.  
 subsessilifolia, *C. DC. in DC. Monog. Phan.* i. 685.—Guian.  
 surinamensis, *C. DC. l. c.* 679.—Guian.  
 terminalis, *Jacq. Enum. Pl. Carib.* 20; *Select. Am.* 130.—Jamaic.  
 tetrapetala, *C. DC. in Mart. Fl. Bras.* xi. i. 211.—Bras.  
 tocachiana, *C. DC. in DC. Monog. Phan.* i. 701.—Peruv.  
 tomentosa, *H. B. & K. Nov. Gen. et Sp.* v. 215.—Peruv.  
 trachyantha, *C. DC. in DC. Monog. Phan.* i. 697.—Cuba.  
 trifolia, *Linn. Syst. ed. X.* 1020.—Venezuela.  
 trifoliata, *Linn. Sp. Pl. ed. II.* 551 = praec.  
 trifoliata, *Wall. Cat. n.* 8093 = *Walsura piscidia*.  
 trijuga, *Vell. Fl. Flum.* 176; iv. t. 105 = cathartica.  
 trinitensis, *A. Juss. in Mém. Mus. Par.* xix. (1830) 279.—Ind. occ.  
 tripetala, *Blanco, Fl. Filip. ed. I.* 354 (al. ordinis).—Ins. Philipp.  
 tuberculata, *C. DC. in DC. Monog. Phan.* i. 711.—Panama.  
 Tweediana, *C. DC. in Mart. Fl. Bras.* xi. i. 213.—Bras.  
 velutina, *C. DC. l. c.* 208.—Bras.  
 venosa, *Spreng. Syst.* iii. 68 = *Sandoricum indicum*.  
 verrucosa, *C. DC. in DC. Monog. Phan.* i. 695.—N. Granat.  
 villosa, *Wall. Cat. n.* 1264 = *Walsura villosa*.  
 volubilis, *Blanco, Fl. Filip. ed. II.* 249 = *Aglaiagrandis*.  
 Warmingii, *C. DC. in Mart. Fl. Bras.* xi. i. 220.—Bras.  
 Wawrana, *C. DC. in DC. Monog. Phan.* i. 666.—Mexic.  
 Weddellii, *C. DC. in Mart. Fl. Bras.* xi. i. 201.—Bras.  
 Welwitschii, *C. DC. in DC. Monog. Phan.* i. 659.—Afr. trop.

**TRICHINIUM**, *R. Br. Prod.* 414 (1810). **AMARANTACEAE**, *Benth. & Hook. f.* iii. 33.

- ARTHROTRICHUM**, *F. Muell. in Trans. Bot. Soc. Edinb.* vii. (1863) 500.  
**GOMOTRICHE**, *Turcz. in Bull. Soc. Nat. Mosc.* xxii. (1849) ii. 37.  
**HEMISTEIRUS**, *F. Muell. in Linnaea*, xxv. (1852) 434.  
 aervoides, *F. Muell. Fragm.* iii. 123.—Austral.  
 alopecuroideum, *Lindl. Bot. Reg.* (1839) t. 28 = exaltatum.  
 alopecuroideum, *Lindl. in Mitch. Three Exped.* ii. 13.—Austral.  
 angustifolium, *Moq. in DC. Prod.* xiii. ii. 293 = macrocephalum.  
 arthrolasium, *F. Muell. ex Benth. Fl. Austral.* v. 239.—Austral.  
 astrolasium, *F. Muell. ex Benth. l. c.* 222.—Austral.  
 atriplicifolium, *A. Cunn. ex Moq. in DC. Prod.* xiii. ii. 286 = obovatum.

VOL. II.

**TRICHINIUM:—**

- auriculaefolium, *A. Cunn. ex Moq. in DC. Prod.* xiii. ii. 287.—Austral.  
 axillare, *F. Muell. ex Benth. Fl. Austral.* v. 232.—Austral.  
 Beckerianum, *F. Muell. in Linnaea*, xxv. (1852) 436.—Austral.  
 brachyanthum, *F. Muell. ex Benth. Fl. Austral.* v. 239.—Austral.  
 brachytrichum, *F. Muell. Fragm.* iii. 161 = helipteroides.  
 caespitosum, *F. Muell. ex Benth. Fl. Austral.* v. 240.—Austral.  
 calostachyum, *F. Muell. ex Benth. l. c.* 236.—Austral.  
 candicans, *Nees, in Lehm. Pl. Preiss.* i. 629 = alopecuroideum.  
 carneum, *Moq. in DC. Prod.* xiii. ii. 291 = *Stirlingii*.  
 carnosum, *Moq. ex Benth. Fl. Austral.* v. 190 = *Chenolea carnosus*.  
 Chrysurus, *Meissn. ex Moq. in DC. Prod.* xiii. ii. 307 = *Sericocoma Chrysurus*.  
 conicum, *Lindl. in Mitch. Journ. Trop. Austral.* 363 = alopecuroideum.  
 conicum, *Spreng. Syst.* i. 816 = *Ptilotus conicus*.  
 corymbosum, *Gaudich. in Freyc. Voy. Bot.* 444.—Austral.  
 corymbosum, *Spreng. Syst.* i. 816 = *Ptilotus corymbosus*.  
 Cunninghamii, *Benth. Fl. Austral.* v. 238.—Austral.  
 declinatum, *Moq. in DC. Prod.* xiii. ii. 293.—Austral.  
 densum, *A. Cunn. ex Moq. l. c.* 289 = nobile.  
 dissitiflorum, *F. Muell. Fragm.* iv. 89.—Austral.  
 distans, *R. Br. Prod.* 415.—Austral.  
 divaricatum, *Gaudich. in Freyc. Voy. Bot.* 445.—Austral.  
 Drummondii, *Moq. in DC. Prod.* xiii. ii. 292.—Austral.  
 eriocephalum, *Moq. l. c.* 293 = declinatum.  
 erubescens, *Moq. l. c.*—Austral.  
 esquamatum, *Benth. Fl. Austral.* v. 229.—Austral.  
 exaltatum, *Benth. l. c.* 227.—Austral.  
 floribundum, *Moq. in DC. Prod.* xiii. ii. 283 = sericostachyum.  
 Fraseri, *A. Cunn. ex Moq. l. c.* 295.—Austral.  
 fusiforme, *R. Br. Prod.* 415.—Austral.  
 fusiforme, *Lindl. in Mitch. Journ. Trop. Austral.* 383 = macrocephalum.  
 fusiforme, *Nees, in Lehm. Pl. Preiss.* i. 626 = Drummondii.  
 Gaudichaudii, *Steud. Nom. ed. II.* ii. 700 = corymbosum.  
 giganteum, *A. Cunn. ex Moq. in DC. Prod.* xiii. ii. 296 = alopecuroideum.  
 gnaphalodes, *A. Cunn. ex Moq. l. c.* 285 = incanum.  
 gomphrenoides, *Moq. l. c.* 287.—Austral.  
 gracile, *R. Br. Prod.* 415.—Austral.  
 helichrysoides, *F. Muell. ex Benth. Fl. Austral.* v. 241.—Austral.  
 helipteroides, *F. Muell. Fragm.* iii. 122.—Austral.  
 holosericeum, *Moq. in DC. Prod.* xiii. ii. 287.—Austral.  
 Hoodii, *F. Muell. Fragm.* viii. 232 = *Ptilotus Hoodii*.  
 humile, *Nees, in Lehm. Pl. Preiss.* i. 628 = *Ptilotus humilis*.  
 incanum, *R. Br. Prod.* 415.—Austral.  
 incanum, *Moq. in DC. Prod.* xiii. ii. 285 = obovatum.  
 lanatum, *Lindl. in Mitch. Three Exped.* ii. 123 = obovatum.  
 latifolium, *E. Mey. ex Moq. in DC. Prod.* xiii. ii. 328 = *Cyathula cylindrica*.  
 laxum, *Benth. Fl. Austral.* v. 232.—Austral.  
 Leucocoma, *Moq. in DC. Prod.* xiii. ii. 292.—Austral.  
 linifolium, *A. Cunn. ex Moq. l. c.* = erubescens.  
 macrocephalum, *R. Br. Prod.* 415.—Austral.  
 macrocephalum, *Moq. in DC. Prod.* xiii. ii. 290 = exaltatum.  
 macrocephalum, *Nees, in Lehm. Pl. Preiss.* i. 627 = *Manglesii*.  
 Manglesii, *Lindl. Bot. Reg.* (1839) sub t. 28.—Austral.  
 mucronatum, *Nees, in Lehm. Pl. Preiss.* i. 628 = spathulatum.  
 nanum, *F. Muell. Fragm.* iii. 161 = *Ptilotus humilis*.  
 nitidum, *Moq. in DC. Prod.* xiii. ii. 289 = *Ptilotus humilis*.  
 nobile, *Lindl. in Mitch. Three Exped.* ii. 22.—Austral.  
 obovatum, *Gaudich. in Freyc. Voy. Bot.* 445.—Austral.

**TRICHINIUM:—**

- pachycephalum, *Moq. in DC. Prod.* xiii. ii. 294 = macrocephalum.  
 pallidum, *Moq. l. c.* 295 = alopecuroideum.  
 parviflorum, *Lindl. in Mitch. Three Exped.* ii. 13.—Austral.  
 parvifolium, *F. Muell. Rep. Babb. Exp.* 19.—Austral.  
 polystachyum, *Gaudich. in Freyc. Voy. Bot.* 445.—Austral.  
 Preissii, *Nees, in Lehm. Pl. Preiss.* i. 629 = alopecuroideum.  
 pulchellum, *A. Cunn. ex Moq. in DC. Prod.* xiii. ii. 290 = semilatum.  
 pyramidatum, *Moq. l. c.* 288.—Austral.  
 remotiflorum, *Hook. Ic. Pl. t.* 596 = *Sericocoma remotiflora*.  
 Roei, *F. Muell. ex Benth. Fl. Austral.* v. 240.—Austral.  
 roseum, *Moq. in DC. Prod.* xiii. ii. 284.—Austral.  
 rotundifolium, *F. Muell. Fragm.* iii. 122.—Austral.  
 semilatum, *Lindl. in Mitch. Journ. Trop. Austral.* 45.—Austral.  
 sericostachyum, *Nees, in Lehm. Pl. Preiss.* i. 627.—Austral.  
 sessilifolium, *Lindl. in Mitch. Three Exped.* ii. 13 = obovatum.  
 setigerum, *A. Cunn. ex Moq. in DC. Prod.* xiii. ii. 290 = semilatum.  
 spathulatum, *R. Br. Prod.* 415.—Austral.  
 spectabile, *Field. & Gardn. Sert. Pl. t.* 53 = *Manglesii*.  
 Stirlingii, *Lindl. Bot. Reg.* (1839) sub t. 28.—Austral.  
 striatum, *Moq. ex Benth. Fl. Austral.* v. 233.—Austral.  
 subfuscum, *Moq. in DC. Prod.* xiii. ii. 332 = *Pupalia subfusca*.  
 variable, *F. Muell. in Linnaea*, xxv. (1852) 436 = obovatum.  
 villosum, *Nees, in Lehm. Pl. Preiss.* i. 628.—Austral.  
 virgatum, *A. Cunn. ex Moq. in DC. Prod.* xiii. ii. 286 = parviflorum.  
 Zeyheri, *Moq. l. c.* 296.—Afr. austr.

**TRICHLIS**, *Hall. Hort. Gotting.* 26 (1743) = **Polycarpon**, *Loefl. (Caryoph.)*.

**TRICHLORA**, *Baker, in Hook. Ic. Pl. t.* 1237 (1877). **LILIACEAE**, *Benth. & Hook. f.* iii. 805.  
 peruviana, *Baker, l. c.*—Peruv.

**TRICHLORIS**, *Fourn. ex Benth. in Journ. Linn. Soc.* xix. (1881) 102. **GRAMINEAE**, *Benth. & Hook. f.* iii. 1166.  
 fasciculata, *Fourn. ex Benth. in Journ. Linn. Soc.* xix. (1881) 102.—Mexic.  
 pluriflora, *Fourn. ex Hemsl. Biol. Centr. Am. Bot.* iii. 560.—Mexic.

**TRICHOA**, *Pers. Syn.* ii. 634 (1807) = **Abuta**, *Aubl. (Menisp.)*.  
 concolor, *Endl. ex Walp. Rep.* i. 95 = *A. concolor*.  
 conferta, *DC. Prod.* i. 103 = *A. spicata*.  
 conferta, *Pers. Syn.* ii. 634.—N. Granat.  
 guianensis, *Klotzsch, ex Eichl. in Mart. Fl. Bras.* xiii. i. 181 = *A. guianensis*.  
 racemosa, *Pers. Syn.* ii. 634 = *A. racemosa*.  
 spicata, *Pers. l. c.* = *A. spicata*.

**TRICHOBALLIA**, *Presl, Symb. Bot.* i. 9 (1830) = **Tetralia**, *Beauv. (Cyperac.)*.  
 dactyloides, *Presl, l. c.*, in obs.—Afr. austr.  
 involucreta, *Presl, l. c.* = *Lepidosperma involucreta*.  
 thermalis, *Presl, l. c.*—Afr. austr.

**TRICHOBASIS**, *Turcz. in Bull. Phys.-Math. Acad. Pétersb.* x. (1852) 336. **MYRTACEAE**.  
 aurea, *Turcz. l. c.* 337.—Austral.

**TRICHOCALYX**, *Balf. f. in Proc. Roy. Soc. Edinb.* xii. (1884) 87. **ACANTHACEAE**.  
 obovatus, *Balf. f. l. c.* 88.—Ins. Socotra.  
 orbiculatus, *Balf. f. l. c.*—Ins. Socotra.

**TRICHOCALYX**, *Schau. Myrt. Xeroc.* 86, in adnot. (1840) = **Calythrix**, *Labill. (Myrtac.)*.

**TRICHOCARPUS**, *Neck. Elem.* ii. 70 (1790) = **Prunus**, *Tourn. (Rosac.)*.

TRICHOCARPUS, Schreb. Gen. 366 (1789) = *Sloanea*, Linn. (Tiliac.).  
*guianensis*, Rausch. Nom. ed. III. 158 = *S. guianensis laurifolia*, Willd. Sp. Pl. ii. 1224 = *S. laurifolia*.

TRICHOCARYA, Miq. Fl. Ind. Bat. i. 1. 357 (1855).  
 ROSACEAE, Benth. & Hook. f. i. 607.  
*ANGELESIA*, Korth, in Nederl. Kruidk. Arch. iii. (1855) 384.  
*DIEMENIA*, Korth, l. c. 388 (1855).  
*racemosa*, Miq. Fl. Ind. Bat. i. 1. 358.—Sumatra.  
*splendens*, Miq. l. c.—Sumatra.

TRICHOCAULON, N. E. Br. in Journ. Linn. Soc. xvii. (1878) 164. ASCLEPIADEAE.  
*flavum*, N. E. Br. l. c. 165.—Afr. austr.  
*piliferum*, N. E. Br. l. c. 164.—Afr. austr.

TRICHOCENTRUM, Poepp. & Endl. Nov. Gen. et Sp. ii. 11. t. 115 (1838). ORCHIDEAE, Benth. & Hook. f. iii. 559.  
*albo-coccineum*, Linden, in Belg. Hort. xv. (1865) 103.—Bras.  
*albo-purpureum*, Reichb. f. ex Rodrig. Orch. Nov. ii. 238.—Bras.  
*amazonicum*, Rodrig. l. c. i. 140.—Bras.  
*atropurpureum*, Linden & Reichb. f. in Gard. Chron. (1866) 219.—Bras.  
*caloceras*, Endres & Reichb. f. l. c. (1871) 1257.—Costa Rica.  
*candidum*, Lindl. Bot. Reg. (1843) Misc. 9.—Guatemala.  
*capistratum*, Linden & Reichb. f. in Gard. Chron. (1871) 1257.—Costa Rica.  
*Cornucopiae*, Linden & Reichb. f. l. c. (1866) 266.—Am. trop.  
*funale*, Lindl. Bot. Reg. (1837), sub t. 1951 = *Dendrophylax funalis*.  
*fuscum*, Lindl. l. c. t. 1951.—Mexic.  
*Hoegei*, Reichb. f. in Gard. Chron. (1881) II. 717.—Mexic.  
*ionophthalmum*, Reichb. f. l. c. (1876) II. 100.—Bras.  
*iridifolium*, Lodd. ex Lindl. Bot. Reg. (1838) Misc. 94 (al. gen.).—Guian.  
*maculatum*, Lindl. Orchid. Linden. 24.—Bras.  
*orthoplectron*, Reichb. f. in Gard. Chron. (1883) I. 562.—Am. centr. ?  
*Pfavi*, Reichb. f. l. c. (1881) II. 70.—Am. centr.  
*Pineli*, Lindl. l. c. (1854) 772.—Bras.  
*Plectrophora*, Reichb. f. in Walp. Ann. vi. 544 (Comparettiae sp.).—Guian.  
*Porphyrio*, Reichb. f. in Illustr. Hort. xxxi. (1884) 9. t. 508.—Am. centr. ?  
*pulchrum*, Poepp. & Endl. Nov. Gen. et Sp. ii. 11. t. 115.—Peruv.  
*purpureum*, Lindl. in Gard. Chron. (1854) 772.—Guian. ?  
*recurvum*, Lindl. Bot. Reg. (1843) Misc. 9.—Guian.  
*tenuiflorum*, Lindl. in Lindl. & Paxt. Flow. Gard. i. (1850-51) 12.—Bras.  
*tigrinum*, Linden & Reichb. f. in Gard. Chron. (1869) 892.—Am. centr.

TRICHOCEPHALUM, Schur, Enum. Pl. Transs. 293 (1866) = *Dipsacus*, Linn.  
*pilosum*, Schur, l. c. = *D. pilosus*.

TRICHOCEPHALUS, Brongn. in Ann. Sc. Nat. Sér. I. x. (1827) 374. t. 17. f. i. = *Phyllia*, Linn. (Rhamn.).  
*atratus*, Eckl. & Zeyh. Enum. 131 = *P. atrata*.  
*callosus*, Eckl. & Zeyh. l. c. 130 = *P. callosa*.  
*comosus*, Eckl. & Zeyh. l. c. 132 = *P. comosa*.  
*ellipticus*, G. Don, Gen. Syst. ii. 40 = *Nesiota elliptica*.  
*elongatus*, Eckl. & Zeyh. Enum. 130 = *Staavia ciliata*.  
*gracilis*, Eckl. & Zeyh. l. c. 131 = *P. gracilis*.  
*imberbis*, Eckl. & Zeyh. l. c. 132 = *P. cuspidata*.  
*laevis*, Eckl. & Zeyh. l. c. 130 = *P. atrata*.  
*littoralis*, Eckl. & Zeyh. l. c. 131 = *P. atrata*.  
*ramosissimus*, G. Don, Gen. Syst. ii. 40 = *P. ramosissima*.  
*rhizophorus*, Eckl. & Zeyh. Enum. 131 = *P. stipularis*.  
*ruber*, Eckl. & Zeyh. l. c. 131 = *P. rubra*.  
*spicatus*, Brongn. in Ann. Sc. Nat. Sér. I. x. (1827) 375 = *P. spicata*.  
*stipularis*, Brongn. l. c. = *P. stipularis*.  
*trachyphyllus*, Eckl. & Zeyh. Enum. 131 = *P. trachyphylla*.  
*verticillatus*, Eckl. & Zeyh. l. c. 131 = *P. verticillata*.  
*virgata*, Eckl. & Zeyh. l. c. 132 = *P. virgata*.

TRICHOCERAS, Spreng. Anleit. ii. 1. 291 (1817) = seq.

TRICHOCEROS, H. B. & K. Nov. Gen. et Sp. i. 337. t. 76 (1815). ORCHIDEAE, Benth. & Hook. f. iii. 587.  
 ASTROGLOSSUS, Reichb. f. ex Benth. & Hook. f. Gen. iii. 588 (1883).  
*antennifer*, H. B. & K. Nov. Gen. et Sp. i. 338.—Ecuador.  
*armillatus*, Reichb. f. in Bonplandia, iv. (1856) 212.—Peruv.  
*astroglossus*, Lindl. ex Benth. & Hook. f. Gen. iii. 588.—Peruv.  
*muralis*, Lindl. Gen. et Sp. Orch. 174.—Peruv.  
*parviflorus*, H. B. & K. Nov. Gen. et Sp. i. 337. t. 76.—N. Granat.  
*platyceros*, Reichb. f. Xenia Orch. i. 22. t. 9. f. 3.—Peruv.  
*Tupapi*, Reichb. f. in Linnaea, xli. (1877) 33.—Peruv.

TRICHOCHAETA, Steud. Syn. Pl. Cyp. 155 (1855) = *Rynchospora*, Vahl (Cyperac.).  
*tenuis*, Steud. l. c. 156.—Bras.

TRICHOCHLOA, Beauv. Agrost. 29. t. 8. f. 2 (1812) = *Muehlenbergia*, Schreb. (Gramin.).  
*alpestris*, Roem. & Schult. Syst. ii. 388 = *M. alpestris*.  
*Berteroniana*, Schult. Mant. ii. 209 = *M. Berteroniana*.  
*calycina*, Trin. Gram. Unifl. 193 = *M. debilis*.  
*capillaris*, DC. Cat. Hort. Monsp. (1813) 152; Roem. & Schult. Syst. ii. 384 = *M. capillaris*.  
*ciliata*, Roem. & Schult. l. c. 386 = *M. ciliata*.  
*debilis*, Roem. & Schult. l. c. 385 = *M. debilis*.  
*elegans*, Roem. & Schult. l. c. 387 = *M. elegans*.  
*expansa*, DC. Cat. Hort. Monsp. (1813) 151 = *Cinna arundinacea*.  
*foliosa*, Trin. Fund. Agrost. 117 = *M. mexicana*.  
*glabrata*, Roem. & Schult. Syst. ii. 387 = *M. glabrata*.  
*glomerata*, Trin. Fund. Agrost. 117 = *M. glomerata*.  
*gracilis*, Roem. & Schult. Syst. ii. 389 = *M. gracilis*.  
*implicata*, Roem. & Schult. l. c. 385 = *M. implicata*.  
*longiflora*, Kunth, Enum. Pl. i. 601 (Index) = seq. ?  
*longiseta*, Trin. Fund. Agrost. 117 = *M. Willdenowii*.  
*mexicana*, Trin. l. c. = *M. mexicana*.  
*microsperma*, DC. Cat. Hort. Monsp. (1813) 151 = *M. debilis*.  
*mucronata*, Roem. & Schult. Syst. ii. 387 = *M. mucronata*.  
*Polypogon*, DC. Cat. Hort. Monsp. (1813) 152 = *M. capillaris*.  
*quadridentata*, Roem. & Schult. Syst. ii. 388 = *M. quadridentata*.  
*rigida*, Roem. & Schult. l. c. 386 = *M. rigida*.  
*setosa*, Roem. & Schult. l. c. = *M. debilis*.  
*simplex*, Schult. Mant. ii. 577 = *Polypogon maritimus* ?  
*sobolifera*, Trin. Fund. Agrost. 117 = *M. sobolifera*.  
*spicata*, Schult. Mant. ii. 577 = *M. spicata*.  
*stipoides*, Roem. & Schult. Syst. ii. 388 = *M. stipoides*.  
*tenella*, Roem. & Schult. l. c. 385 = *M. tenella*.  
*tenuiflora*, Sweet, Hort. Brit. ed. I. 443 = *M. Willdenowii*.  
*virescens*, Roem. & Schult. Syst. ii. 389 = *M. virescens*.

TRICHOCLADUS, Pers. Syn. ii. 597 (1807).  
 HAMAMELIDEAE, Benth. & Hook. f. i. 667.  
*DAHLIA*, Thunb. in Skrivt. Naturh. Selsk. Kiøbenhavn. ii. (1792) 133. t. 4.  
*crinitus*, Pers. Syn. ii. 597.—Afr. austr.  
*Ecklonianus*, Presl, Bot. Bemerk. 75 = *crinitus*.  
*ellipticus*, Eckl. & Zeyh. Enum. 356.—Afr. austr.  
*grandiflorus*, Oliver, in Hook. Ic. Pl. t. 1480.—Afr. austr.  
*peltatus*, Meissn. in Hook. Lond. Journ. Bot. ii. (1843) 537.—Afr. austr.  
*verticillatus*, Eckl. & Zeyh. Enum. 356.—Afr. austr.

TRICHOCLINE, Cass. in Bull. Soc. Philom. (1817) 13. COMPOSITAE, Benth. & Hook. f. ii. 496.  
 AMBLYSPERMA, Benth. in Enum. Pl. Hueg. 67 (1837).  
*BICHENIA*, D. Don, in Trans. Linn. Soc. xvi. (1830) 236.  
*ERIOPUS*, Sch. Bip. ex Baker, in Mart. Fl. Bras. vi. III. 376 (1884).  
*INGENHUSIA*, Vell. Fl. Flum. 351 (1825).  
*angustifolia*, Baker, in Mart. Fl. Bras. vi. III. 373.—Bras.

TRICHOCLINE:—

*araneosa*, Baker, in Mart. Fl. Bras. vi. III. 374.—Bras.  
*arenaria*, Baker, l. c.—Bras.  
*argentea*, Griseb. in Goett. Abh. xxiv. (1879) 214.—Reg. Argent.  
*Cineraria*, Hook. & Arn. in Hook. Comp. Bot. Mag. i. (1835) 103.—Bras.  
*collina*, Baker, in Mart. Fl. Bras. vi. III. 373.—Paraguay.  
*dealbata*, Benth. & Hook. f. ex Hieron. in Bol. Acad. Nac. Córdoba, iv. (1881) 359.—Chili.  
*denticulata*, Baker, in Mart. Fl. Bras. vi. III. 375.—Bras.  
*Eriopus*, Baker, l. c. 376.—Bras.  
*exscapa*, Griseb. in Goett. Abh. xix. (1874) 197.—Reg. Argent.  
*foliosa*, Hook. & Arn. in Hook. Comp. Bot. Mag. ii. (1836) 43.—Bras.  
*heterophylla*, Less. in Linnaea, v. (1830) 289.—Bras.  
*hieracioides*, Baker, in Mart. Fl. Bras. vi. III. 374.—Bras.  
*humilis*, Hook. & Arn. in Hook. Comp. Bot. Mag. i. (1835) 103 = Tweedie.  
*humilis*, Less. in Linnaea, v. (1830) 288 = heterophylla.  
*incana*, Cass. in Dict. Sc. Nat. lv. 216.—Bras.  
*macrocephala*, Less. in Linnaea, v. (1830) 288.—Bras.  
*Martii*, Baker, in Mart. Fl. Bras. vi. III. 375.—Bras.  
*maxima*, Less. in Linnaea, v. (1830) 290.—Bras.  
*nervosa*, Less. Syn. Comp. 118.—Bras.  
*nummularia*, Baker, in Mart. Fl. Bras. vi. III. 375.—Bras.  
*pedicularifolia*, Walp. in Linnaea, xiv. (1840) 310.—Chili.  
*plicata*, Hook. & Arn. in Hook. Comp. Bot. Mag. i. (1835) 103.—Chili.  
*polymorpha*, Baker, in Mart. Fl. Bras. vi. III. 373.—Bras.  
*scapigera*, F. Muell. Census, 85.—Austral.  
*speciosa*, Less. Syn. Comp. 117.—Bras.  
*tontalensis*, Hieron. in Bol. Acad. Nac. Córdoba, iv. (1881) 49.—Reg. Argent.  
*Tweedie*, DC. ex Steud. Nom. ed. II. ii. 701 (Tweedie).—Reg. Argent.

TRICHOCORONIS, A. Gray, in Mem. Am. Acad. N. S. iv. (1849) (Pl. Fendl.) 65. COMPOSITAE, Benth. & Hook. f. ii. 240.  
*MARGACOLA*, Buckl. in Proc. Acad. Sc. Philad. 1861 (1862) 457.  
*Greggii*, A. Gray, Pl. Wright. i. 89.—Mexic.  
*rivularis*, A. Gray, in Mem. Am. Acad. N. S. iv. (1849) 66.—N. Mexic.  
*Wrightii*, A. Gray, l. c. 65.—N. Mexic.

TRICHOCREPIS, Vis. Stirp. Dalm. Rar. 18. t. 7 (1826) = *Pterotheca*, Cass. (Compos.).  
*bifida*, Vis. l. c. 19 = *P. bifida*.

TRICHODESMA, R. Br. Prod. 496 (1810). BORAGINAE, Benth. & Hook. f. ii. 845.  
 BORRAGINOIDES, Moench, Meth. 515 (1794).  
 FRIEDRICHSTHALIA, Fenzl, in Endl. Nov. Stirp. Dec. 53 (1839).  
*LEIOCARYA*, Hochst. in Flora, xxvii. (1844) 30.  
*POLLICHIA*, Medic. Bot. Beobacht. (1783) 247.  
*SPIROCONUS*, Stev. in Bull. Soc. Nat. Mosc. (1851) I. 576.  
*STREBLANTHERA*, Steud. in Flora, xxvii. (1844) 29.  
*africanum*, R. Br. Prod. 496.—Afr. trop.; Persia; Ind. bor. occ.  
*ambacensis*, Welw. Apont. 589.—Afr. trop.  
*amplexicaule*, Roth, Nov. Sp. Pl. 104.—Ind. or.  
*angustifolia*, Haro. Thes. Cap. i. 26.—Afr. austr.  
*Aucher*, DC. Prod. x. 174.—Persia.  
*calathiforme*, Hochst. in Flora, xxvii. (1844) 29.—Abyss.  
*calcaratum*, Coss. in Bull. Soc. Bot. Fr. xxii. (1875) 64, nomen.—Afr. bor.  
*Ehrenbergii*, Schweinf. ex Boiss. Fl. Orient. iv. 281.—Egypt.; Arab.  
*hirsutum*, Edgew. in Journ. As. Soc. Beng. xxi. (1853) 175 = *indicum*.  
*inaequale*, Edgew. l. c. = *amplexicaule*.

**TRICHODESMA:—**

- incanum, Bunge, in *Mém. Sav. Etr. Pétersb.* vii. (1851) 417.—Persia.  
 indicum, *R. Br. Prod.* 496.—Ind. or.; Afghan; Persia.  
*indicum*, DC. *Prod.* x. 172=amplexicaule.  
 khasianum, C. B. Clarke, in *Hook. f. Fl. Brit. Ind.* iv. 154.—Reg. Himal.  
*Kotschyianum*, Fenzl, ex A. DC. in DC. *Prod.* x. 172=zeylanicum.  
 latispaleum, F. Muell. *Fragm.* x. 102.—Austral.  
 laxiflorum, Balf. f. in *Proc. Roy. Soc. Edinb.* xii. (1884) 81.—Ins. Socotra.  
 lithospermoides, Roem. & Schult. *Syst.* iv. 69.—Ind. or.  
 microcalyx, Balf. f. in *Proc. Roy. Soc. Edinb.* xii. (1884) 81.—Ins. Socotra.  
 molle, A. DC. in DC. *Prod.* x. 174.—Persia.  
*perfoliatum*, Wall. Cat. n. 934=indicum.  
 physaloides, A. DC. in DC. *Prod.* x. 173.—Afr. austr.  
 Scotti, Balf. f. in *Proc. Roy. Soc. Edinb.* xii. (1884) 81.—Ins. Socotra.  
*sericeum*, Lindl. in Mitch. *Journ. Trop. Austral.* 258=zeylanicum.  
*spinulosum*, Voigt, Hort. Suburb. Calc. 444=indicum.  
 Stocksii, Boiss. *Diagn.* Ser. II. iii. 140.—Persia; Beluchist.  
 strictum, Aitch. & Hemsl. in *Journ. Linn. Soc.* xix. (1882) 178.—Afghan.  
 subsessile, Wall. Cat. n. 933=indicum.  
 zeylanicum, *R. Br. Prod.* 496.—As. et Austral. trop.

TRICHODIA, Griff. *Notul.* iv. 570 (1854)=**Paropsia**, Noronha (Passifl.).  
*vareciformis*, Griff. l. c. 571=P. vareciformis.

**TRICHODICLIDA**, Cerv. in La *Natureza* (1870), 346. GRAMINEAE.  
*linearis*, Cerv. l. c. 347.—Mexic.  
*prolifera*, Cerv. l. c. 346.—Mexic.

TRICHODIUM, Michx. Fl. Bor. Am. i. 41. t. 8 (1803)=**Agrostis**, Linn. (Gramin.).  
*affine*, Willd. ex Steud. *Nom. ed.* II. ii. 701=A. Humboldtiana.  
*album*, Presl, Rel. Haenk. i. 244=A. clavata.  
*algidum*, Roem. & Schult. *Syst.* ii. 283=Phippsia algida.  
*alpestre*, Hoppe, Anl. Graes. n. 4; ex Schult. *Mant.* ii. 156=A. rupestris.  
*alpinum*, Schrad. Fl. Germ. i. 200. t. 3. f. 4=A. rupestris.  
*arenarium*, Schur, in Oestr. Bot. *Zeitschr.* ix. (1859) 51=A. canina.  
*arenosum*, Schur, Enum. Pl. Transs. 736=A. canina.  
*auratum*, Sieber, ex Steud. *Nom. ed.* II. ii. 701=A. alpina.  
*caninum*, Schrad. Fl. Germ. i. 198=A. canina.  
*clavatum*, Schult. *Mant.* ii. 556=A. clavata.  
*coerulescens*, Link, ex Steud. *Nom. ed.* II. ii. 701=A. canina.  
*decumbens*, Michx. Fl. Bor. Am. i. 42=A. decumbens.  
*diffusum*, Link, Enum. Hort. Berol. i. 69=A. canina, rupestris.  
*effusum*, Link, ex Schult. *Mant.* iii. 554=A. effusa.  
*elatum*, Pursh, Fl. Am. Sept. i. 61=A. elata.  
*elegans*, Thore, Promen. Gascogne, 92=A. elegans.  
*filiforme*, Spreng. Pugill. i. 6=A. rupestris.  
*flavescens*, Schult. Oestr. Fl. ed. II. i. 165=A. alpina.  
*glabrum*, Presl, Rel. Haenk. i. 244=A. glabra.  
*glaucinum*, Roem. & Schult. *Syst.* ii. 281=A. vulgaris.  
*hybridum*, Roem. & Schult. l. c. 282=A. canina.  
*inconspicuum*, Kunze, ex Steud. *Nom. ed.* II. ii. 701=A. rupestris.  
*intermedium*, Hoppe, ex Schult. *Mant.* ii. 520=A. alpina.  
*Kitaibelii*, Schult. Oestr. Fl. ed. II. i. 165=A. canina.  
*laxiflorum*, Bigel. ex Michx. Fl. Bor. Am. i. 42. t. 8=A. scabra.  
*laxum*, Schult. *Mant.* ii. 157=A. laxiflora.  
*montanum*, Torr. Fl. U. St. 84=A. scabra.  
*montanum*, Willd. ex Steud. *Nom. ed.* II. ii. 701=A. canina.  
*Muehlenbergiana*, Schult. *Mant.* ii. 159=A. laxiflora.  
*nanum*, Presl, Rel. Haenk. i. 243=A. nana.  
*neglectum*, Schult. Oestr. Fl. ed. II. i. 166=A. Schultesii.

**TRICHODIUM:—**

- noveboracense*, Schult. *Mant.* ii. 555=Epicampes lanata.  
*paradisiaca*, Nees, ex Steud. *Syn. Pl. Gram.* 163=Agrostis chilensis.  
*perennans*, Ell. Sketch, i. 99=A. perennans.  
*pusillum*, Nees & Meyen, in *Mém. Acad. Pétersb.* Sér. VI. vi. Sc. Nat. II. (1845) 312=A. Meyeni.  
*pusillum*, Van Hall, Fl. Belg. i. 56=A. canina.  
*rubrum*, Roem. & Schult. *Syst.* ii. 281=A. vulgaris.  
*rubrum*, Schur, Enum. Pl. Transs. 735=A. canina.  
*rupestre*, Schrad. Fl. Germ. i. 279=A. alpina.  
*rupestre*, Schur, Enum. Pl. Transs. 735=A. rupestris.  
*salmanticum*, Lag. Gen. et Sp. Nov. 3=A. salmantica.  
*scabrum*, Darl. Fl. Cestr. ed. I. i. 54=A. perennans.  
*scabrum*, Muhl. Desc. Gram. 61=A. laxiflora.  
*Schleicheri*, Fourr. in Ann. Soc. Linn. Lyon, N. S. xvii. (1869) 181=A. alpina.  
*setaceum*, Roem. & Schult. *Syst.* ii. 280=A. setacea.  
*setifolium*, Willd. ex Steud. *Nom. ed.* II. ii. 701=A. setacea.  
*strictum*, Roem. & Schult. *Syst.* ii. 281=A. stricta.  
*subalpinum*, Schur, Enum. Pl. Transs. 735=A. canina.  
*tenerum*, Schur, in Verh. Siebenb. Ver. Naturw. iv. (1853) 83=A. canina.  
*transsilvanicum*, Schur, l. c.=A. canina.  
*trichanthum*, Schult. *Mant.* ii. 157=A. trichantha.  
*turfosum*, Schur, Enum. Pl. Transs. 737=A. canina.

TRICHODON, Benth. in *Journ. Linn. Soc.* xix. (1881) 112, sphalm.=TRICHOON, Roth=**Phragmites**, Trin. (1820) (Gramin.).

TRICHODRYMONIA, Oerst. in *Vidensk. Selsk. Skr.* V. v. (1861) 112 (Gesn. Centr. Am. 38)=**Episcia**, Mart. (Gesner).  
*congesta*, Oerst. l. c.=E. congesta.

TRICHOGALIUM, Fourr. in Ann. Soc. Linn. Lyon, N. S. xvi. (1868) 396=**Galium**, Linn. (Rubiaceae).  
*boreale*, Fourr. l. c.=G. boreale.  
*rotundifolium*, Fourr. l. c.=G. rotundifolium.

TRICHOGAMILA, P. Br. Hist. Jamaic. 218 (1756)=**Styrax**, Linn.

**TRICHOGLOTTIS**, Blume, Bijdr. 359 (1825), pro parte. **ORCHIDEAE**, Benth. & Hook. f. iii. 576.  
*atropurpurea*, Reichb. f. in *Linnaea*, xli. (1877) 30.—Ins. Philipp.  
*Bimae*, Reichb. f. in *Bonplandia*, v. (1857) 39.—Ins. Bima.  
*cirrifer*, Teijsm. & Binn. in *Tijdschr. Nederl. Ind.* v. (1853) 493.—Java.  
*cochlearis*, Reichb. f. in *Gard. Chron.* (1883) I. 142.—Sumatra.  
*Dawsoniana*, Reichb. f. l. c. (1872) 699, in obs.—Burma.  
*fasciata*, Reichb. f. in *Flora*, iv. (1872) 137=Stauroopsis fasciata.  
*Guiberti*, Reichb. f. in *Gard. Chron.* (1872) 699, in obs.=Cleisostoma Guiberti.  
*lanceolaria*, Blume, Bijdr. 360.—Java.  
*pallens*, Lindl. in *Journ. Hort. Soc.* v. (1850) 34=Phalaenopsis pallens.  
*philippinensis*, Lindl. in Ann. & Mag. Nat. Hist. Ser. I. xv. (1845) 386=Stauroopsis philippinensis.  
*pusilla*, Reichb. f. in *Bonplandia*, iv. (1856) 325; vi. (1857) 39 (sp. dub.).—Java.  
*quadricornuta*, Kurz, in *Journ. As. Soc. Beng.* xlv. (1876) II. 156 (Cleisostomatis sp.).—Ins. Nicobar.  
*retusa*, Blume, Bijdr. 360.—Java.  
*rigida*, Blume, l. c. 361.—Java.  
*tenera*, Reichb. f. in *Gard. Chron.* (1872) 699, in obs. (Cleisostomatis sp.).—Ind. or.

**TRICHOGONIA**, Gardn. in Hook. Lond. *Journ. Bot.* v. (1846) 459. **COMPOSITAE**, Benth. & Hook. f. ii. 243.  
*campestris*, Gardn. l. c.—Bras.  
 Gardneri, A. Gray, in *Hook. Kew Journ.* iii. (1851) 224.—Bras.  
*hirtiflora*, Sch. Bip. ex Baker, in *Mart. Fl. Bras.* vi. II. 214.—Bras.  
*laxa*, Gardn. in Hook. Lond. *Journ. Bot.* vi. (1847) 435.—Bras.  
*leiantha*, Sch. Bip. ex Baker, in *Mart. Fl. Bras.* vi. II. 215=Gardneri.

**TRICHOGONIA:—**

- macrolepis, Baker, in *Mart. Fl. Bras.* vi. II. 215.—Bras.  
 Martii, Baker, l. c. 216.—Bras.  
 menthaefolia, Gardn. in Hook. Lond. *Journ. Bot.* vi. (1847) 434.—Bras.  
 multiflora, Gardn. l. c. v. (1846) 460=villosa.  
 podocarpa, Sch. Bip. in *Linnaea*, xxx. (1859–60) 182.—Bras.  
 salviaefolia, Gardn. in Hook. Lond. *Journ. Bot.* v. (1846) 460.—Bras.  
 Selloi, Sch. Bip. ex Baker, in *Mart. Fl. Bras.* vi. II. 215=Gardneri.  
 villosa, Sch. Bip. ex Baker, l. c. 213.—Bras.

TRICHOGYNE, Less. in *Linnaea*, vi. (1831) 231=**Ifloga**, Cass. (Compos.).  
*cauliflora*, DC. *Prod.* vi. 266=I. Fontanesii.  
*decumbens*, Less. *Syn. Comp.* 359.—Afr. austr.  
*glomerata*, Harv. in Harv. & Sond. Fl. Cap. iii. 237.—Afr. austr.  
*laricifolia*, Less. in *Linnaea*, vi. (1831) 231.—Afr. austr.  
*paronychioides*, DC. *Prod.* vi. 266=I. paronychioides.  
*polycnemoides*, Steud. *Nom. ed.* II. ii. 701=I. polycnemoides.  
*radicans*, DC. *Prod.* vi. 265=reflexa.  
*reflexa*, Less. *Syn. Comp.* 360.—Afr. austr.  
*seriphoides*, Less. l. c.—Afr. austr.  
*spicata*, Sch. Bip. in Webb & Berth. *Phyt. Canar.* ii. 310=I. Fontanesii.  
*verticillata*, Less. *Syn. Comp.* 361=I. polycnemoides.

TRICHOLAENA, Schrad. in Schult. *Mant.* ii. 163 (1824)=**Panicum**, Linn. (Gramin.).  
*arenaria*, Nees, Cat. Sem. Hort. Vratisl. (1836); ex ej. Fl. Afr. Austr. 20=P. ammophilum?  
*capensis*, Nees, Fl. Afr. Austr. 19=P. capense.  
*fragilis*, A. Br. in *Flora*, xxiv. (1841) 275=P. Braunii.  
*fusca*, Schult. *Mant.* ii. 164=Saccharum fuscum.  
*grandiflora*, Hochst. in *Flora*, xxiv. (1841) Intell. 19, nomen; et ex A. Rich. Tent. Fl. Abyss. ii. 445=P. insigne.  
*insularis*, Griseb. Fl. Brit. W. Ind. 557=P. leucophaeum.  
*leucantha*, Hochst. ex Steud. *Syn. Pl. Gram.* 92=P. leucanthum.  
*longiseta*, Hochst. ex Steud. l. c.=P. macrotrichum.  
*micrantha*, Schrad. in Schult. *Mant.* ii. 163=P. Teneriffae.  
*oblecta*, Fourr. ex Hemsl. Biol. Centr. Am. Bot. iii. 493=P. oblectum.  
*rosea*, Nees, Fl. Afr. Austr. i. 17=P. Teneriffae.  
*saccharoides*, Griseb. Fl. Brit. W. Ind. 557=Paspalum saccharoides.  
*semidecumbens*, Schult. *Mant.* ii. 164=Saccharum spontaneum.  
*sphacelata*, Benth. in Hook. Niger Fl. 559.—Afr. trop.  
*Teneriffae*, Parl. in Webb & Bert. *Phyt. Canar.* iii. 425=P. Teneriffae.  
*tonsa*, Nees, Cat. Sem. Hort. Vratisl. (1836); ex ej. Fl. Afr. Austr. 16=P. Teneriffae.  
*Wightii*, Nees & Arn. ex Steud. *Syn. Pl. Gram.* 93=P. megalanthum.

**TRICHOLEPIS**, DC. in Guill. Arch. Bot. ii. (1833) 515. **COMPOSITAE**, Benth. & Hook. f. ii. 475.  
**STICTOPHYLLUM**, Edgew. in *Trans. Linn. Soc.* xx. (1846) 78.  
 amplexicaulis, C. B. Clarke, *Comp. Ind.* 240.—Ind. or.  
 angustifolia, DC. *Prod.* vi. 564.—Ind. or.  
 Candolleana, Wight & Arn. in Hook. *Comp. Bot. Mag.* i. (1835) 81. t. 4=Volutarella divaricata.  
 elongata, DC. *Prod.* vi. 563.—Reg. Himal.  
 furcata, DC. l. c.; et in Deless. *l. c.* Sel. iv. t. 74.—Reg. Himal.  
 glaberrima, DC. *Prod.* vi. 564.—Ind. or.  
 Karensium, Kurz, in *Journ. As. Soc. Beng.* xli. (1872) II. 318.—Burma.  
 lanuginosa, Klotzsch, in Bot. Ergeb. Waldem. Reise, 79=elongata.  
 montana, Dals. & Gibs. *Bomb. Fl.* 131.—Ind. or.  
 nigricans, Edgew. in *Trans. Linn. Soc.* xx. (1846) 77=furcata.  
 procumbens, Wight, Ic. Pl. t. 1139=Volutarella divaricata.  
 radicans, DC. *Prod.* vi. 564.—Ind. or.



**TRICHOLEPIS** :—

Roylei, *Hook. f. Fl. Brit. Ind.* iii. 383.—Ind. bor. occ. *spartoides*, C. B. Clarke, *Comp. Ind.* 241 = tibetica. *Stewartii*, C. B. Clarke, *ex Hook. f. Fl. Brit. Ind.* iii. 380.—Ind. bor. occ. *Stictophyllum*, C. B. Clarke, *Comp. Ind.* 241.—Reg. Himal. *tibetica*, *Hook. f. & Thoms. ex C. B. Clarke, l. c.*—Reg. Himal.

**TRICHOLOBOS**, Turcz. in *Bull. Soc. Nat. Mosc.* xxvii. (1854) II. 290 = *Sisymbrium*, Tourn. (Crucif.). *capensis*, Turcz. l. c. = S. Turczaninowii.

**TRICHOLOBUS**, Blume, *Mus. Bot. Lugd. Bat.* i. 236 (1850). *CONNARACEAE*, Benth. & Hook. f. i. 433. *cochinchinensis*, *Baill. Adansonia*, ix. (1868-70) 150. —Cochinch. *connaroides*, F. Muell. *Fragm.* viii. 224.—Austral. *ferrugineus*, Blume, *Mus. Bot. Lugd. Bat.* i. 237.—Borneo. *fulvus*, Blume, l. c.—Sumatra.

**TRICHOLOMA**, Benth. in *DC. Prod.* x. 426 (1846) = *Glossostigma*, Arn. (Scrophul.). *elatinoides*, Benth. l. c. = G. elatinoides.

**TRICHOLOPHUS**, Spach, *Hist. Vég. Phan.* vii. 114 (1839) = *Polygala*, Tourn. *monspeliacus*, Spach, l. c. 116 = P. monspeliaca.

**TRICHOMARIA**, 'Hook. & Arn.' ex Steud. *Nom. ed.* II. ii. 702 (1841), sphalm. = *Tricomaria*, Gill. (Malpigh.).

**TRICHOMEMA**, S. F. Gray, *Nat. Arr. Brit. Pl.* ii. 195 (1821), err. typ. = seq.

**TRICHONEMA**, [Ker-Gawl.] in *Bot. Mag.* t. 575 (1802) = *Romulea*, Linn. (Irid.). *arenarium*, Steud. *Nom. ed.* II. ii. 702 = R. arenaria. *barbatum*, Herb. ex Baker, in *Journ. Linn. Soc.* xvi. (1877) 89 = R. barbata. *Bulbocodium*, [Ker-Gawl.] in *Bot. Mag.* sub t. 575 = R. Bulbocodium. *Bulbocodium*, Sm. *Engl. Bot.* t. 2549 = R. Columnae. *Bulbocodium*, Webb & Berth. *Phyt. Canar.* iii. 312 = R. grandiscapa. *candidum*, Tenore, *Ind. Sem. Hort. Neap.* (1842) 12. n. 4.—Afr. austr. ? *caulescens*, [Ker-Gawl. in] *Bot. Mag.* t. 1392 = R. bulbocodioides. *chloroleucum*, [Ker-Gawl.] l. c. sub t. 575 = R. chloroleuca. *Clusianum*, Lange, in *Kjoeb. Vidensk. Meddel.* (1860) 75 = R. Clusiana. *coelestinum*, Sweet, *Hort. Brit. ed. I.* 399 = *Nemastylis coelestina*. *collinum*, Salisb. in *Trans. Hort. Soc. i.* (1812) 317 = R. Bulbocodium. *Columnae*, Reichb. *Fl. Germ. Excurs.* 83 = R. Columnae. *croceum*, Klatt, in *Linnaea*, xxxiv. (1865-66) 669 = R. Bulbocodium. *cruciatum*, [Ker-Gawl.] in *Bot. Mag.* sub t. 575 = R. cruciata. *cupreum*, Herb. ex Baker, in *Journ. Linn. Soc.* xvi. (1877) 89 = R. cuprea. *dichotomum*, Klatt, in *Linnaea*, xxxiv. (1865-66) 666 = R. rosea. *edule*, Herb. in *Lindl. Bot. Reg.* (1842) Misc. 86 = R. purpurascens. *elongatum*, [Ker-Gawl.] in *Bot. Mag.* sub t. 1225 = R. elongata. *filifolium*, Ker-Gawl. *Irid. Gen.* 82 = R. filifolia. *grandiflorum*, Sprun. ex Nym. *Consp.* 704 = R. Bulbocodium. *grandiscapum*, Webb & Berth. *Phyt. Canar.* iii. 312. t. 222 = R. grandiscapa. *hirsutum*, Steud. *Nom. ed. II.* ii. 702; Klatt, in *Linnaea*, xxxiv. (1865-66) 665 = R. hirsuta. *humile*, [Ker-Gawl.] in *Bot. Mag.* sub t. 575 = Geis-sorhiza humilis. *hypoxidiflorum*, Salisb. in *Trans. Hort. Soc. i.* (1812) 316 = R. bulbocodioides. *latifolium*, Herb. ex Baker, in *Journ. Linn. Soc.* xvi. (1877) 89 = R. latifolia.

**TRICHONEMA** :—

*Linaresii*, Gren. & Godr. *Fl. Fr.* iii. 238 = *Romulea Requierii*. *Linaresii*, Klatt, in *Linnaea*, xxxiv. (1865-66) 660 = R. Linaresii. *longifolium*, Salisb. in *Trans. Hort. Soc. i.* (1812) 316 = R. longifolia. *longitubum*, Klatt, in *Linnaea*, xxxiv. (1865-66) 665 = *Syringodea bicolor*. *maritimum*, Sibth. ex Baker, in *Journ. Linn. Soc.* xvi. (1877) 87 = R. Linaresii. *minimum*, Tenore, *Syll. Fl. Neap.* 24 = R. Columnae. *monadelphum*, Sweet, *Hort. Brit. ed. I.* 399.—Afr. austr. *nivale*, Boiss. & Kotschy, *Diagn. Ser. II.* iv. 92 = R. Bulbocodium. *ochroleucum*, Ker-Gawl. in *Kon. & Sims, Ann. Bot. i.* (1804) 223 = R. chloroleuca. *ornithogaloides*, A. Dietr. *Sp. Pl.* ii. 583.—Afr. austr. *parviflorum*, S. F. Gray, *Nat. Arr. Brit. Pl.* ii. 195 = R. Bulbocodium. *parviflorum*, Steud. *Nom. ed. II.* ii. 702 = R. parviflora. *pudivum*, [Ker-Gawl.] in *Bot. Mag.* sub t. 575 = R. rosea. *purpurascens*, Sweet, *Hort. Brit. ed. I.* 399 = R. purpurascens. *Pylum*, Herb. in *Lindl. Bot. Reg.* (1847) t. 40 = R. Bulbocodium. *quadrangulum*, Sweet, *Hort. Brit. ed. I.* 399 = Geis-sorhiza quadrangula. *ramiflorum*, Sweet, l. c. ed. II. 596 = R. ramiflora. *ramosum*, Steud. *Nom. ed. II.* ii. 702 = R. arenaria. *recurvifolium*, Ker-Gawl. *Gen. Irid.* 83 = R. bulbocodioides. *recurvum*, Spreng. *Syst. i.* 149 = R. bulbocodioides. *reflexum*, Steud. *Nom. ed. II.* ii. 702 = R. reflexa. *roseum*, [Ker-Gawl.] in *Bot. Mag.* sub t. 575 = R. rosea. *simile*, Steud. *Nom. ed. II.* ii. 702 = R. similis. *speciosum*, Ker-Gawl. in *Kon. & Sims, Ann. Bot. i.* (1804) 223 = R. rosea. *spirale*, Burch. *Trav. i.* 260 = R. spiralis. *subalpestre*, Walp. *Ann. i.* 833, sphalm. = seq. *subpalustre*, Herb. in *Bot. Reg.* (1847) t. 40. f. 1 = R. Bulbocodium. *tortuosum*, Licht. *Reise*, iv. 51; Ker-Gawl. *Gen. Irid.* 83 = R. tortuosa. *uliginosum*, Walp. *Ann. i.* 833 = R. Bulbocodium. *umbellatum*, Klatt, in *Linnaea*, xxxiv. (1864-65) 670 = R. Bulbocodium. *vernum*, Sprun. ex Nym. *Consp.* 705 = R. Linaresii. *Zeyheri*, Steud. *Nom. ed. II.* ii. 702 = R. Zeyheri.

**TRICHONEURA**, Anderss. in *Vet. Akad. Handl. Stockh.* 1853 (1855) 148 = *Triodia*, R. Br. (Gramin.). *Hookeri*, Anderss. l. c. 149 = *Leptochloa Lindleyana*.

**TRICHOON**, Roth, in *Roem. Arch. i.* III. (1798) 37 = *Phragmites*, Trin. (1820) (Gramin.). *Karka*, Roth, l. c. = P. communis. *panicus*, Willd. *ex Steud. Nom. ed. II.* ii. 702 = *Pennisetum setosum*.

**TRICHOPELALUM**, Lindl. *Bot. Reg.* t. 1535 (1832) = *Bottionea*, Colla (Liliac.). *gracile*, Lindl. l. c. = B. thysantoides. *stellatum*, Lindl. l. c. = B. thysantoides.

**TRICHOPIHA**, Pritz. *l. c.* Ind. 1115 (1855), sphalm. = *Trichopilila*, Lindl. (Orchid.).

**TRICHOPIHURUM**, Pers. *Syn. i.* 69 (1805) = *Eriophorum*, Linn. et *Scirpus*, Tourn. (Cyperac.). *alpinum*, Pers. l. c. 70 = E. alpinum. *caespitosum*, Schur, in *Verh. Siebenb. Ver. Naturw. iv.* (1853) 78; *Enum. Pl. Trans.* 694 = S. caespitosus. *comosum*, A. Dietr. *Sp. Pl.* ii. 202 = E. comosum. *cyperinum*, Pers. *Syn. i.* 69 = S. Eriophorum. *emergens*, Norman, in 'Soc. Reg. Sc. Norveg. v.' (1868) 319 (Quid ?).—Norveg. *hudsonianum*, Pers. *Syn. i.* 69 = E. alpinum. *hudsonicum*, Steud. *Nom. ed. II.* ii. 702 = praec. *lineatum*, Pers. *Syn. i.* 69 = S. lineatus. *Lockharti*, G. Don, in *Loud. Hort. Brit.* 468 = E. Lockharti. *montevidense*, G. Don, l. c. = *Androtrichum polyccephalum*. *pendulum*, Muhl. *Desc. Gram.* 44 = S. lineatus.

**TRICHOPHYLLUM**, Ehrh. *Beitr.* iv. 147 (1789) = *Eleocharis*, R. Br. (1810) (Cyperac.).

**TRICHOPHYLLUM**, Nutt. *Gen. Am.* ii. 166 (1818) = *Bahia*, Lag. (Compos.). *angustifolium*, Less. in *Linnaea*, vi. (1831) 519 = *Calea angustifolia*. *integrifolium*, Hook. *Fl. Bor. Am. i.* 316 = *Eriophyllum caespitosum*. *lanatum*, Nutt. *Gen. Am.* ii. 168 = *Eriophyllum caespitosum*. *multiflorum*, Nutt. in *Journ. Acad. Philad.* vii. (1834) 35 = *Eriophyllum caespitosum*. *oppositifolium*, Nutt. *Gen. Am.* ii. 167 = *oppositifolia*.

**TRICHOPILIA**, Lindl. *Introd. Nat. Syst. ed. II.* 446 (1836). *ORCHIDEAE*, Benth. & Hook. f. iii. 559.

*HELICIA*, Lindl. *Bot. Reg.* (1845) Misc. 17. *LEUCOCYCLE*, Klotzsch, *Ind. Sem. Hort. Berol.* (1854) App. I.

*OLIVERIANA*, Reichb. f. in *Linnaea*, xli. (1877) 111.

*PILUMNA*, Lindl. *Bot. Reg.* (1844) Misc. 73. *albida*, H. Wendl. in *Otto & Dietr. Allg. Gartenz.* xix. (1851) 362.—Venezuela.

*Backhousiana*, Reichb. f. in *Gard. Chron.* (1876) I. 816.—N. Granat.

*callichroma*, Reichb. f. in *Linnaea*, xli. (1877) 104.—N. Granat.

*coccinea*, Warsz. ex Lindl. & Paxt. *Flow. Gard.* ii. (1851-52) 79 = *marginata*.

*costata*, Linden, *Cat. n.* 22 (1869), 45.—Hab. ?

*crispa*, Lindl. *ex Linden, l. c.*—Am. centr.

*dasyandra*, Reichb. f. *Xenia Orch.* iii. 64.—N. Granat.

*fragrans*, Reichb. f. in *Otto, Hamb. Gartenz.* xiv. (1858) 229.—N. Granat.

*Galeottiana*, A. Rich. & Gal. in *Ann. Sc. Nat. Sér. III.* iii. (1845) 26.—Mexic.

*grata*, Reichb. f. in *Gard. Chron.* (1868) 1338.—Peruv. ?

*hymenantha*, Reichb. f. in *Bonplandia*, ii. (1854) 90.—Peruv.

*Kienastiana*, Reichb. f. in *Gard. Chron.* (1883) II. 166.—Hab. ?

*laxa*, Reichb. f. in *Otto, Hamb. Gartenz.* xiv. (1858) 229.—Bras.

*lepida*, Hort. ex W. G. Smith, in *Flor. Mag. N. S.* (1874) t. 98 = *marginata*.

*maculata*, Reichb. f. in *Bonplandia*, iii. (1855) 215.—Am. centr.

*marginata*, Henfr. in *Moore & Ayres, Gard. Mag. Bot.* iii. (1851) 185.—N. Granat.

*mutica*, Reichb. f. in *Walp. Ann.* vi. 679.—Ins. Trinit.

*nobilis*, Reichb. f. *Xenia Orch.* ii. 100.—N. Granat.

*oicophyllax*, Reichb. f. in *Otto & Dietr. Allg. Gartenz.* xxiv. (1856) 97.—Hab. ?

*picta*, Lem. *Illustr. Hort.* vi. (1859) Misc. 86; et t. 225 = *Galeottiana*.

*Reichenheimia*, Klotzsch, in *Otto & Dietr. Allg. Gartenz.* xxiii. (1855) 353 = *laxa*.

*rostrata*, Reichb. f. in *Saund. Refug. Bot.* t. 100.—N. Granat.

*sanguinolenta*, Reichb. f. *Xenia Orch.* ii. 99.—Ecuador.

*suavis*, Lindl. & Paxt. *Flow. Gard.* i. (1850-51) 44.—Am. centr.

*subulata*, Reichb. f. in *Flora*, xlviii. (1865) 278 = *hymenantha*.

*tortilis*, Lindl. *Introd. Nat. Syst. ed. II.* 446; et *Bot. Reg.* t. 1863.—Mexic.

*Turialvae*, Batem. in *Bot. Mag.* t. 5550 = *Galeottiana*.

*Turialvae*, Reichb. f. in *Hamb. Gartenz.* xix. (1863) 11.—Costa Rica.

*Wagneri*, Reichb. f. in *Otto, Hamb. Gartenz.* xiv. (1858) 229.—Venezuela.

**TRICHOPODIUM**, Lindl. *Bot. Reg.* sub t. 1543 (1832) = *Trichopus*, Gaertn. (Dioscor.).

*angustifolium*, Lindl. l. c. = *Trichopus zeylanicus*.

*cordatum*, Lindl. l. c. = *Trichopus zeylanicus*.

*travancoricum*, Bedd. *l. c.* Pl. Ind. Or. 63 = *Trichopus zeylanicus*.

*zeylanicum*, Thw. *Enum. Pl. Zeyl.* 291, 443 = *Trichopus zeylanicus*.

**TRICHOPODIUM**, Presl, *Bot. Bemerk.* 52 (1844) = *Dalea*, Linn. (Legumin.).

*diffusum*, Presl, l. c. 53 = D. diffusa.

*glandulosum*, Presl, l. c. 52.—Mexic.

TRICHOPTERIA, Nees, in Lindl. Introd. Nat. Syst. ed. II. 449 (1836), sphalm.=seq.

TRICHOPTERYA, Nees, in Lindl. Introd. Nat. Syst. ed. II. 449 (1836), sphalm.=seq.

**TRICHOPTERYX**, Nees, Fl. Afr. Austr. 339 (1841).  
GRAMINEAE, Benth. & Hook. f. iii. 1162.  
LOUDETIA, Hochst. in Flora, xxiv. (1841) i. Intell. 20; xxiv. (1841) 713.  
Dregeana, Nees, Fl. Afr. Austr. 339.—Afr. austr.  
flammea, Benth. in Journ. Linn. Soc. xix. (1881) 98, sphalm.=seq.  
flammida, Benth. l. c. 59.—Bras.; Afr. trop.  
simplex, Benth. l. c. 98.—Afr. austr.

**TRICHOPTILUM**, A. Gray, in Torr. Bot. Mex. Bound. 97 (1858). COMPOSITAE, Benth. & Hook. f. ii. 415.  
incisum, A. Gray, l. c.—Calif.

**TRICHOPUS**, Gaertn. Fruct. i. 44. t. 14 (1788).  
DIOSCOREACEAE, Benth. & Hook. f. iii. 745.  
PODIANTHUS, Schnitzl. in Bot. Zeit. i. (1843) 739.  
STREYA, Rafin. Fl. Tellur. iv. 100 (1836).  
TRICHOPodium, Lindl. Bot. Reg. sub t. 1543 (1832).  
piperifolius, Wall. ex Griff. in Trans. Linn. Soc. xix. (1845) 336 = Bragantia tomentosa.  
zeylanicus, Gaertn. Fruct. i. 44. t. 14.—Ind. or.

TRICHORHIZA, Lindl. ex Steud. Nom. ed. II. ii. 702 (1841) = Luisia, Gaudich. (Orchid.).  
teretifolia, Lindl. ex Steud. l. c.—Penang.; N. Caled.

TRICHORYNE, F. Muell. Census, 118 (1882), sphalm. = Tricoryne, R. Br. (Liliac.).

**TRICHOSACME**, Zucc. in Abh. Akad. Muench. iv. II. (1845) 11. ASCLEPIADEAE, Benth. & Hook. f. ii. 765.  
lanata, Zucc. l. c. 12.—Mexic.

**TRICHOSANDRA**, Decne. in DC. Prod. viii. 625 (1844). ASCLEPIADEAE, Benth. & Hook. f. ii. 769.  
borbonica, Decne. l. c. 626.—Ins. Mascari.

TRICHOSANTHA, Steud. Nom. ed. II. ii. 702 (1841), sphalm. = TRICHOSATHERA, Ehrh. = Stipa, Linn. (Gramin.).

**TRICHOSANTHES**, Linn. Gen. ed. I. 295 (1737).  
CUCURBITACEAE, Benth. & Hook. f. i. 821.  
BOPEPON, Naud. in Ann. Sc. Nat. Sér. V. v. (1866) 31.  
INVOLUCRARIA, Ser. in Mém. Soc. Phys. Genève. iii. I. (1825) 25. t. 5.  
PLATYGONIA, Naud. in Ann. Sc. Nat. Sér. V. v. (1866) 33. t. 5.  
amara, Blanco, Fl. Filip. ed. I. 774 = Luffa acutangula.  
amara, Linn. Sp. Pl. 1008 (sp. dub.).—Ins. S. Doming.  
anamalaiensis, Bedd. in Madr. Journ. Sc. Ser. III. i. (1864) 47.—Ind. or.  
anamalayana, Bedd. in Trans. Linn. Soc. xxv. (1865) 217 = praec.  
Anguina, Linn. Sp. Pl. 1008.—As. trop.  
angulata, Lam. Encyc. i. 190 (sp. dub.).—Ind. or.  
aspera, Herb. Madr. ex Wall. Cat. n. 6686 E = pubera.  
asperifolia, Zipp. ex Span. in Linnaea, xv. (1841) 206, nomen = pubera.  
Beccariana, Cogn. in DC. Monog. Phan. iii. 380.—Sumatra.  
borneensis, Cogn. l. c. 369.—Borneo.  
bracteata, Voigt, Hort. Suburb. Calc. 58.—Ind. or.  
caudata, Willd. Sp. Pl. iv. 600 = cuspidata.  
celebica, Cogn. in DC. Monog. Phan. iii. 385.—Ins. Celebes.  
chinesis, Ser. in DC. Prod. iii. 315 (= cucumeroides?).—China.  
cochinchinensis, M. Roem. Syn. Pepon. 96 = cucumerina.  
colubrina, Jacq. f. Eclog. t. 128 = T. Anguina.  
cordata, Roxb. Hort. Beng. 70; Fl. Ind. iii. 703.—Ind. or.  
cordata, Wall. Cat. n. 6686 B = himalensis.  
cordata, Wall. l. c. 6688 C, E = pubera.  
coriacea, Blume, Bijdr. 935.—Sumatra.

**TRICHOSANTHES:—**

corniculata, Lam. Encyc. i. 191 = Ceratosanthes tuberosa.  
costata, Blume, Bijdr. 933 = Gymnopetalum cochinchinense.  
cucumerina, Buch.-Ham. ex Wall. Cat. n. 6688 B = pubera?  
cucumerina, Linn. Sp. Pl. 1008.—As. et Austral. trop.  
cucumerina, Miq. Ann. Mus. Bot. Lugd. Bat. ii. 82 = cucumeroides.  
cucumerina, Thunb. Fl. Jap. 332 = japonica.  
cucumerina, Wall. Cat. n. 6690 E = Gymnopetalum cochinchinense.  
cucumeroides, Maxim. in Franch. & Sav. Enum. Pl. Jap. i. 172.—Japon.  
cuspidata, Lam. Encyc. i. 188.—Ind. or.  
dicaelosperma, C. B. Clarke, in Hook. f. Fl. Brit. Ind. ii. 609.—Reg. Himal.  
dioica, Roxb. Hort. Beng. 70; Fl. Ind. iii. 701.—Ind. or.  
dioica, Wall. Cat. n. 6692 C = Melothria maderaspatana.  
erigera, D. Dietr. Syn. Pl. v. 370, sphalm. = ovigera.  
Fatoa, Buch.-Ham. in Wall. Cat. n. 6695 = Gymnopetalum cochinchinense.  
foetidissima, Jacq. Coll. ii. 341 = Kedrostis foetidisima.  
globosa, Blume, Bijdr. 936.—Java.  
grandibracteata, Kurz, in Journ. As. Soc. Beng. xlv. (1877) ii. 98, 99 = Wallichiana.  
grandiflora, Blume, Bijdr. 934.—Java.  
grandiflora, Wall. Cat. n. 6685 = Hodgsonia heteroclita.  
Hearnii, F. Muell. ex Benth. Fl. Austral. iii. 315.—Austral.  
heteroclita, Roxb. Hort. Beng. 70; Fl. Ind. iii. 705 = Hodgsonia heteroclita.  
hexasperma, Blume, Bijdr. 935 = Hodgsonia heteroclita.  
himalensis, C. B. Clarke, in Hook. f. Fl. Brit. Ind. ii. 608.—Reg. Himal.  
Horsfieldii, Miq. Fl. Ind. Bat. i. 1. 677.—Java.  
incisa, Rotl. ex Rosenth. Syn. Pl. Diaph. 683, nomen. —Hab.?  
integrifolia, Kurz, in Journ. As. Soc. Beng. xlv. (1877) ii. 99.—Ind. or.; Burma.  
integrifolia, Thw. Enum. Pl. Zeyl. 127 = Thwaitesii.  
japonica, Regel, Ind. Sem. Hort. Petrop. 1868 (1869) 90.—Japon.  
javanica, Miq. Pl. Jungh. 399; et Fl. Ind. Bat. i. 1. 678 = Thladiantha cordifolia.  
Kadam, Miq. Fl. Ind. Bat. Suppl. 331 = Hodgsonia heteroclita.  
Kakidonta, Roxb. ex Wight & Arn. Prod. 350 = pubera.  
Kirilowii, Maxim. Prim. Fl. Amur. 482.—Mongol.  
laciniosa, Klein, ex Willd. Sp. Pl. iv. 601 = cucumerina.  
laciniosa, Wight, ex Wall. Cat. n. 6689 A, B = pubera.  
Lepiniana, Cogn. in DC. Monog. Phan. iii. 377.—Reg. Himal.; Ind. or.  
lobata, Buch.-Ham. ex Wall. Cat. n. 6687 E = T. Anguina.  
lobata, Roxb. Hort. Beng. 70; Fl. Ind. iii. 703 = cucumerina.  
longiflora, Cogn. in DC. Monog. Phan. iii. 374.—N. Guin.  
lucioniana, Naves, ex F. Villar, in Blanco, Fl. Philipp. ed. III. Nov. App. 95 = pubera.  
macrocarpa, Blume, Bijdr. 935 = Hodgsonia heteroclita.  
macrocarpa, Kurz, in Journ. As. Soc. Beng. xli. (1872) ii. 308 = cordata.  
multiloba, C. B. Clarke, in Hook. f. Fl. Brit. Ind. ii. 607 = Wallichiana.  
multiloba, Miq. Ann. Mus. Bot. Lugd. Bat. ii. 82.—Japon.  
nervifolia, Linn. Sp. Pl. 1008.—Ind. or.  
officinalis, Buch.-Ham. ex Wall. Cat. n. 6694 = dioica.  
olida, F. Muell. in Trans. Soc. Bot. Edinb. vii. (1863) 491 = cucumerina.  
ovata, Cogn. in DC. Monog. Phan. iii. 365.—Reg. Himal.  
ovigera, Blume, Bijdr. 934.—Malaya.  
palmata, Benth. Fl. Austral. iii. 315 = subvelutina.  
palmata, Hance, in Journ. Bot. xvi. (1878) 227 = Kirilowii.  
palmata, Linn. Syst. ed. X. 1278.—Hab.?  
palmata, Roxb. Hort. Beng. 70; Fl. Ind. iii. 704 = pubera.

**TRICHOSANTHES:—**

palmata, Wall. Cat. n. 6688 = cordata.  
parviflora, Wight, ex Wall. l. c. 6690 E = Gymnopetalum cochinchinense.  
Patara, M. Roem. Syn. Pepon. 97 (sp. dub.).—Ins. Tahiti.  
pedatifolia, Miq. Fl. Ind. Bat. i. 1. 677 = cucumerina.  
pentaphylla, F. Muell. ex Benth. Fl. Austral. iii. 314.—Austral.  
Perrottetiana, Cogn. in DC. Monog. Phan. iii. 362.—Ind. or.  
Petala, Buch.-Ham. ex Wall. Cat. n. 6687 D = T. Anguina.  
pilosa, Buch.-Ham. ex Wall. l. c. n. 6691 = cucumerina.  
pilosa, Lour. Fl. Cochinch. 588.—Cochinch.  
pilosa, Wall. Cat. n. 6687, partim = bracteata.  
pomiformis, Macfad. Fl. Jamaic. ii. 143 = Cionosicyos pomiformis.  
pubera, Blume, Bijdr. 936.—Ind. or.; Malaya.  
punctata, Linn. Amoen. Acad. iii. 423 = Fevillea cordifolia.  
quadricirrha, Miq. Ann. Mus. Bot. Lugd. Bat. ii. 82 = cucumeroides.  
quinquangulata, A. Gray, Bot. U. St. Expl. Exped. i. 645.—Ins. Sulu.  
reniformis, Kurz, in Journ. As. Soc. Beng. (1871) ii. 57 = dicaelosperma.  
reniformis, Miq. Fl. Ind. Bat. i. 1. 675 = cucumerina.  
Russelliana, Wall. Cat. n. 6696 = Momordica dioica.  
scabra, Lour. Fl. Cochinch. 589.—Cochinch.  
subvelutina, F. Muell. ex Cogn. in DC. Monog. Phan. iii. 366.—Austral.  
sumatrana, Cogn. l. c. 373.—Sumatra.  
tamnifolia, Poir. Encyc. Suppl. i. 386.—Porto Rico.  
Tatoa, Buch.-Ham. ex Wall. Cat. n. 6695 (sp. dub.).—Ind. or.  
Theba, Buch.-Ham. ex Wall. Cat. n. 6684 A = Hodgsonia heteroclita.  
Thwaitesii, Cogn. in DC. Monog. Phan. iii. 387.—Zeylan.  
tricuspidata, Lour. Fl. Cochinch. 529.—Cochinch.  
tricuspis, Miq. Fl. Ind. Bat. i. 1. 679 = pubera.  
trifoliata, Blume, Bijdr. 936.—Malaya.  
truncata, C. B. Clarke, in Hook. f. Fl. Brit. Ind. ii. 608.—Reg. Himal.  
tuberosa, Roxb. ex Wight & Arn. Prod. 349 = cordata.  
tuberosa, Willd. Sp. Pl. iv. 601 = Ceratosanthes tuberosa.  
Turolata, Buch.-Ham. ex Wall. Cat. n. 6688 A = pubera.  
villosa, Blume, Bijdr. 934.—Java.  
villosula, Cogn. in DC. Monog. Phan. iii. 362.—Ind. or.  
Wallichiana, Wight, in Ann. & Mag. Nat. Hist. Ser. I. viii. (1842) 270.—Ind. or.  
Wawraei, Cogn. in DC. Monog. Phan. iii. 384.—Singapore.  
Wightiana, M. Roem. Syn. Pepon. 96 = cucumerina.

TRICHOSANTHOS, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 56 = praec.

TRICHOSATHERA, Ehrh. Beitr. iv. (1789) 149 = Stipa, Linn. (Gramin.).

**TRICHOSCYPHA**, Hook. f. in Benth. & Hook. f. Gen. i. 423 (1862). ANACARDIACEAE, Benth. & Hook. f. l. c.  
acuminata, Engl. Bot. Jahrb. i. (1881) 425.—Afr. trop.  
bijuga, Engl. l. c.—Afr. trop.  
imbricata, Engl. l. c. 426.—Afr. trop.  
longifolia, Engl. l. c. 425.—Afr. trop.  
lucens, Oliver, Fl. Trop. Afr. i. 444.—Afr. trop.  
Mannii, Hook. f. in Benth. & Hook. f. Gen. i. 423.—Afr. trop.  
Oliveri, Engl. Bot. Jahrb. i. (1881) 425.—Afr. trop.  
patens, Engl. l. c.—Afr. trop.  
reticulata, Engl. in DC. Monog. Phan. iv. 307.—Afr. trop.

TRICHOSERIS, Poepp. & Endl. Nov. Gen. et Sp. t. 263 (1845), sphalm. = TROCHOSERIS, Poepp. & Endl. = Troximom, Nutt. (Compos.).

TRICHOSERIS, Sch. Bip. in Flora, xxii. (1839) 19 = Pterotheca, Cass. (Compos.).  
Rueppellii, Sch. Bip. l. c. = P. bifida.

TRICHOSIA, Blume, Bijdr. Tabell. 11 (1825) = TRICHOTOSIA, Blume = *Eria*, Lindl. (Orchid.).

TRICHOSIPHON, Schott & Endl. Melet. 84 (1832) = *Sterculia*, Linn.  
*australe*, Schott & Endl. l. c. = *S. Trichosiphon*.

TRICHOSMA, Lindl. Bot. Reg. (1842) t. 21. *ORCHIDEAE*, Benth. & Hook. f. iii. 518.  
*cylindropoda*, Griff. Notul. iii. 299 = *suavis*.  
*suavis*, Lindl. Bot. Reg. (1842) t. 21.—Reg. Himal.

TRICHOSPERMUM, Blume, Bijdr. 56 (1825).  
*TILIACEAE*, Benth. & Hook. f. i. 236.  
*BIXAGREWIA*, Kurz, in Journ. Bot. xiii (1875) 325. t. 160.

DICLIDOCARPUS, A. Gray, Bot. U. St. Expl. Exped. i. 200. t. 14 (1854).

*javanicum*, Blume, Bijdr. 57.—Java.  
*mexicanum*, Baill. Hist. Pl. iv. 179 = *Belotia greviae-folia*.

*Richii*, Seem. in *Bonplandia*, ix. (1861) 254 (Ritchei); *Fl. Vit.* 27.—Ins. Fiji.

TRICHOSPIRA, H. B. & K. Nov. Gen. et Sp. iv. 27. t. 312 (1820). *COMPOSITAE*, Benth. & Hook. f. ii. 383.

*biaristata*, Less. in *Linnaea*, iv. (1829) 343 = *menthoides*.  
*menthoides*, H. B. & K. Nov. Gen. et Sp. iv. 23. t. 312.

—Am. austr.

*Prieurii*, DC. Prod. v. 91 = *menthoides*.

*Pulegium*, Mart. ex DC. l. c. = *menthoides*.

TRICHOSPORUM, D. Don, in Edinb. Phil. Journ. vii. (1822) 84 = *Aeschynanthus*, Jack (1823) (Gesner.).  
*albidum*, Nees, in *Flora*, viii. (1825) 144 = *A. albida*.  
*angustifolium*, Nees, l. c. = *A. angustifolia*.  
*grandiflorum*, D. Don, in Edinb. Phil. Journ. vii. (1822) 85; et Prod. Fl. Nep. 125 = *A. grandiflora*.  
*ovatum*, D. Don, ex C. B. Clarke, in DC. Monog. Phan. v. 41 = *A. radicans*.

*parviflorum*, D. Don, in Edinb. Phil. Journ. vii. (1822) 85; et Prod. Fl. Nep. 125 = *A. ramosissima*.

*pulchrum*, Blume, Bijdr. 764 = *A. pulchra*.

*radicans*, Nees, in *Flora*, viii. (1825) 144 = *A. radicans*.

*volubile*, Nees, l. c. = *A. volubilis*.

TRICHOSTACHYS, Hook. f. in Benth. & Hook. f. Gen. ii. 128 (1873). *RUBIACEAE*, Benth. & Hook. f. l. c.

*aurea*, Hiern, in *Oliver, Fl. Trop. Afr.* iii. 227.—Afr. trop.

*ciliata*, Hiern, l. c.—Afr. trop.

*longifolia*, Hiern, l. c.—Afr. trop.

*petiolata*, Hiern, l. c.—Afr. trop.

TRICHOSTACHYS, Welw. Synopse, 19 (1862) = *Faurea*, Harv. (Proteac.).  
*speciosa*, Welw. l. c. = *F. speciosa*.

TRICHOSTEGIA, Turcz. in Bull. Soc. Nat. Mosc. xxiv. (1851) ii. 81 = *Athrixia*, Ker-Gawl. (Compos.).  
*asteroides*, Turcz. l. c. = *A. multiceps*.

TRICHOSTEMA, Gronov. ex Linn. Hort. Cliff. 493 (1737). *LABIATAE*, Benth. & Hook. f. ii. 1219.  
*arizonicum*, A. Gray, in *Proc. Am. Acad.* viii. (1872) 371.—Arizona.

*brachiatum*, Lam. Illustr. iii. 71 = *lineare*.

*brachiatum*, Linn. Sp. Pl. 598 = *Isanthus coerulesus*.

*dichotomum*, Linn. l. c.—Am. bor.

*dichotomum*, Roth, Nov. Pl. Sp. 280 = *lineare*.

*dichotomum*, Torr. Bot. Mex. Bound. 134 = *arizonicum*.

*lanatum*, Benth. Lab. Gen. et Sp. 659.—Calif.

*lanceolatum*, Benth. l. c.—Am. bor. occ.

*laxum*, A. Gray, in *Proc. Am. Acad.* vii. (1868) 387.

—Calif.

*lineare*, Nutt. Gen. Am. ii. 39 = *seq.?*

*lineare*, Walt. Fl. Carol. 164.—Am. bor.

*linearifolium*, Bertol. Misc. Bot. xiii. 15. t. 2.—Am. bor.

*micranthum*, A. Gray, Syn. Fl. N. Am. ii. 348.—Calif.

*oblongum*, Benth. Lab. Gen. et Sp. 659.—Am. bor. occ.

*ovatum*, Curran, in Bull. Calif. Acad. i. iii. (1885) 154.—Calif.

*Parishii*, Vasey, in Coult. Bot. Gaz. vi. (1881) 173 = *lanatum*.

*pilosum*, Roth, Nov. Pl. Sp. 280 = *dichotomum*.

*Sandersoni*, Pritz. Ic. Ind. ii. 276, sphalm. = *Tryphostemma Sandersoni*.

*spiralis*, Lour. Fl. Cochinch. 371 = *Orthosiphon stamineus*.

TRICHOSTEMMA, Cass. in Dict. Sc. Nat. xlv. 399, 409 (1827) = *Wedelia*, Jacq. (Compos.).  
*hispidum*, Cass. l. c. 409 = *W. trichostephia*.

TRICHOSTEPHIUM, Cass. in Dict. Sc. Nat. lv. 266, in adnot. (1828) = *seq.*

TRICHOSTEPHUS, Cass. in Dict. Sc. Nat. lx. 618 (1830) = *Wedelia*, Jacq. (Compos.).  
*hispidus*, Cass. l. c. = *W. trichostephia*.

TRICHOSTERIGMA, Klotzsch & Garcke, in Monatsb. Akad. Berl. (1859) 248; et in Abh. Akad. Berl. (1860) 41 = *Euphorbia*, Linn.  
*californicum*, Klotzsch & Garcke, ll. cc. 248; 42 = *E. californica*.  
*fulgens*, Klotzsch & Garcke, ll. cc. = *E. fulgens*.  
*Hindsianum*, Klotzsch & Garcke, ll. cc. = *E. Hindsiana*.  
*miserum*, Klotzsch & Garcke, ll. cc. = *E. misera*.

TRICHOSTIGMA, A. Rich. Ess. Fl. Cub. i. 627 (1845) = *Villamilla*, Ruiz & Pav. (Phytol.).  
*rivinoides*, A. Rich. l. c. 628 = *V. octandra*.

TRICHOSTOSIA, Griff. Notul. iii. 331 (1851), sphalm. = TRICHOTOSIA, Blume = *Eria*, Lindl. (Orchid.).

TRICHOTHALAMUS, Spreng. Anleit. ii. 864 (1818);  
Lehm. in Nov. Act. Nat. Cur. x. (1821) 585. t. 49 = *Potentilla*, Linn. (Rosac.).  
*albus*, Fourr. in Ann. Soc. Linn. Lyon, N. S. xvi. (1868) 370 = *P. alba*.  
*alchemilloides*, Spreng. Anleit. ii. 864 = *P. alchemilloides*.

*caulescens*, Spreng. l. c. = *P. caulescens*.  
*Clusianus*, Spreng. l. c. = *P. Clusiana*.

*lignosus*, Lehm. in Nov. Act. Nat. Cur. x. (1821) 585. t. 49 = *P. lignosa*.

*lupinoides*, Spreng. Anleit. ii. 864 = *P. nivalis*.

*nitidus*, Spreng. l. c. = *P. nitida*.

*petiolulatus*, Fourr. in Ann. Soc. Linn. Lyon, N. S. xvi. (1868) 370 = *P. caulescens*.

*tridentatus*, Spreng. Anleit. ii. 864 = *P. tridentata*.

*Valderia*, Spreng. l. c. = *P. Valderia*.

TRICHOTOSIA, Blume, Bijdr. 342 (1825) = *Eria*, Lindl. (Orchid.).

*annulata*, Blume, l. c. 343 = *E. annulata*.

*biflora*, Griff. Notul. iii. 331; l. c. Pl. Asiat. t. 315 = *E. biflora*.

*ciliata*, Teijsm. & Binn. in Tijdschr. Nederl. Ind. v. (1853) 492 = *E. ciliata*.

*ferox*, Blume, Bijdr. 342 = *E. ferox*.

*ferox*, Korth. ex Blume, Mus. Bot. Lugd. Bat. ii. 184 = *E. rubiginosa*.

*microphylla*, Blume, Bijdr. 343 = *E. microphylla*.

*pauciflora*, Blume, l. c. = *E. pauciflora*, Blume.

TRICLANThERA, Rafin. Sylva Tellur. 108 (1888) = *Crataeva*, Linn. (Cappar.).

*corymbosa*, Rafin. l. c. = *C. magna*.

*falcata*, Rafin. l. c. = *C. falcata*.

TRICLISSA, Salisb. Gen. Pl. Fragm. 75 (1866) = *Kniphofia*, Moench (Liliac.).  
*Uvaria*, Salisb. l. c. = *K. aloides*.

TRICOILENDUS, Rafin. Fl. Tellur. ii. 97 (1836) = *Indigofera*, Linn. (Legumin.).  
*microphyllus*, Rafin. l. c. = *I. gracilis*.

TRICOMARIA, Gill. ex Hook. Bot. Misc. iii. (1833) 157. t. 101. *MALPIGHIACEAE*, Benth. & Hook. f. i. 258.

*Usillo*, Hook. & Arn. l. c. 158.—Chili.

TRICONDYLLUS, Salisb. in Knight, Prot. 121 (1809) = *Lomatia*, R. Br. (1810) (Proteac.).

*ferrugineus*, Knight, l. c. 123 = *L. ferruginea*.  
*myricaefolius*, Knight, l. c. 122 = *L. longifolia*.

*silafolius*, Knight, l. c. = *L. silafolia*.

*tinctorius*, Knight, l. c. = *L. tinctoria*.

TRICORYNE, R. Br. Prod. 278 (1810). *LILIA-CEAE*, Benth. & Hook. f. iii. 796.

*acaulis*, D. Dietr. Syn. Pl. ii. 1152 = *Ophiopogon japonicus*.

*anceps*, R. Br. Prod. 278.—Austral.

*anceps*, Endl. in Lehm. Pl. Preiss. ii. 36 = *elator*.

*caulescens*, D. Dietr. Syn. Pl. ii. 1152 = *Ophiopogon japonicus*.

*elator*, R. Br. Prod. 278.—Austral.

*humilis*, Endl. in Lehm. Pl. Preiss. ii. 36.—Austral.

*muricata*, Baker, in Journ. Linn. Soc. xv. (1876) 363.—Austral.

*platyptera*, Reichb. f. Beitr. Syst. Pfl. 72.—Austral.

*pteroaulon*, Baker, in Journ. Linn. Soc. xv. (1876) 363 = *platyptera*.

*scabra*, R. Br. Prod. 278 = *elator*.

*simplex*, R. Br. l. c.—Austral.

*tenella*, R. Br. l. c. = *elator*.

## TRICUSPIS:—

- latifolia*, Griseb. in Goett. Abh. xix. (1874) 259.—Reg. Argent.  
*monstra*, Munro, ex Hemsl. Diagn. Pl. Nov. 56 = *Scleropogon brevifolius*.  
*mutica*, Torr. in Pacif. Rail. Rep. iv. 156 = *Triodia mutica*.  
*noveboracensis*, Beauv. Agrost. 77 = *Triodia cuprea*.  
*pulchella*, Torr. in Pacif. Rail. Rep. iv. 156 = *Triodia pulchella*.  
*purpurea*, A. Gray, Man. Bot. N. U. St. ed. I. 589 = *Triplasis purpurea*.  
*quinquefida*, Beauv. ex G. Don. in Loud. Hort. Brit. 31 = *Triodia cuprea*.  
*seslerioides*, Torr. Fl. N. York, ii. 463 = *Triodia seslerioides*.  
*simplex*, Griseb. in Mem. Am. Acad. N. S. viii. (1862) 532.—Cuba.  
*stricta*, Nutt. ex A. Gray, in Proc. Acad. Sc. Philad. 1862 (1863) 335 = *Triodia stricta*.  
*texana*, Thurb. ex S. Wats. in Proc. Am. Acad. xviii. (1883) 180 = *Triodia texana*.  
*trinerviolumis*, Munro, ex A. Gray, in Proc. Acad. Sc. Philad. 1862 (1863) 333 = *Triodia trinerviolumis*.

TRICUSPIS, Pers. Syn. ii. 9 (1807) = **Tricuspidaria**, Ruiz & Pav. (Tiliac.).  
*dependens*, Pers. l. c. = *Tricuspidaria dependens*.

**TRICYCLA**, Cav. Ic. vi. 78. t. 598 (1801). **NYCTAGINEAE**, Benth. & Hook. f. iii. 7.  
*peruviana*, Poir. Encyc. Suppl. v. 359 = *Bougainvillea peruviana*.  
*spectabilis*, Poir. l. c. = *Bougainvillea spectabilis*.  
*spinosa*, Cav. Ic. vi. 79. t. 598; et in *Anal. Cienc. Nat.* v. (1802) 63.—Reg. Argent.

**TRICYRTIS**, Wall. Tent. Fl. Nap. 61. t. 46 (1826). **LILIACEAE**, Benth. & Hook. f. iii. 831.  
**COMPANTHUS**, Spreng. Syst. iv. Cur. Post. 137 (1827).  
**COMPSEA**, D. Don, Prod. Fl. Nep. 50 (1825), nomen prius.  
*elegans*, Wall. Tent. Fl. Nap. ii. t. 46 = *pilosa*.  
*flava*, Maxim. in *Bull. Acad. Pétersb.* xi. (1867) 434.—Japan.  
*formosana*, Baker in *Journ. Linn. Soc.* xvii. (1879) 465.—Ins. Formosa.  
*hirta*, Hook. Bot. Mag. t. 5355.—Japan.  
*japonica*, Miq. in Versl. en Med. Kon. Akad. Wetensch. II. ii. (1868) 86; et *Ann. Mus. Bot. Lugd. Bat.* iii. 155, 201 = *hirta*.  
*latifolia*, Maxim. in *Bull. Acad. Pétersb.* xi. (1867) 435.—Japan.  
*macropoda*, Miq. in Versl. en Med. Kon. Akad. Wetensch. II. ii. (1868) 86.—Japan.  
*pilosa*, Wall. Tent. Fl. Nap. ii. 62 [t. 46].—Reg. Himal.

TRIDACHNE, Liebm. ex Lindl. & Paxt. Flow. Gard. iii. (1852) 45 = **Notylia**, Lindl. (Orchid.).  
*virens*, Liebm. ex Lindl. & Paxt. l. c. = *N. Huegelii*.

TRIDACTYLINA, Sch. Bip. Tanacet. 48 (1844) = **Chrysanthemum**, Tourn. (Compos.).  
*Kirilowii*, Sch. Bip. l. c. 49 (= *Pyrethrum Kirilowii*).—Sibir. baical.

TRIDACTYLITES, Haw. Saxif. Enum. 21 (1821) = **Saxifraga**, Tourn.  
*annua*, Haw. l. c. = *S. Tridactylites*.  
*petraea*, Haw. l. c. 22 = *S. petraea*.

TRIDALIA, Noronha, in Verh. Batav. Gen. v. (1790) ed. I. Art. iv. 4 (Quid?).

**TRIDAX**, Linn. Hort. Cliff. 418 (1737). **COMPOSITAE**, Benth. & Hook. f. ii. 392.  
*BALBISIA*, Willd. Sp. Pl. iii. 2214 (1803).  
*BARTOLINA*, Adans. Fam. ii. 124 (1763).  
**CARPHOSTEPHIUM**, Cass. in Dict. Sc. Nat. xlv. 62 (1826).  
*GALINSOGEA*, H. B. & K. Nov. Gen. et Sp. iv. 252. t. 386 (1820).  
*MANDONIA*, Wedd. in Bull. Soc. Bot. Fr. xi. (1864) 50. t. 1.  
*PTILOSTEPHIUM*, H. B. & K. Nov. Gen. et Sp. iv. 253. tt. 387, 388 (1820).  
*SOGALGINA*, Cass. in Bull. Soc. Philom. (1818) 31.

## TRIDAX:—

- angustifolia*, Spruce, ex Benth. & Hook. f. Gen. ii. 392.—Ecuador.  
*balbisoides*, A. Gray, in Proc. Am. Acad. xv. (1880) 39.—Mexic.  
*bicolor*, A. Gray, in Mem. Am. Acad. N. S. iv. (1849) 104.—Am. bor. occ.  
*brachylepis*, Hemsl. Biol. Centr. Am. Bot. ii. 207.—Mexic.  
*candidissima*, A. Gray, in Proc. Am. Acad. xv. (1880) 39.—Mexic.  
*coronopifolia*, Hemsl. Biol. Centr. Am. Bot. ii. 207.—Mexic.  
*galardioides*, Hook. & Arn. Bot. Beech. Voy. 148 = *Layia galardioides*.  
*Mandonii*, Sch. Bip. in Bull. Soc. Bot. Fr. xii. (1865) 82; et in *Linnaea*, xxxiv. (1865–66) 536, nomen.—Bolivia.  
*obovata*, Turcz. in Bull. Soc. Nat. Mosc. xxiv. (1851) 1. 187.—Mexic.  
*Palmeri*, A. Gray, in Proc. Am. Acad. xv. (1880) 38.—Mexic.  
*procumbens*, Linn. Sp. Pl. 900.—Am. trop.  
*trifida*, A. Gray, in Proc. Am. Acad. xv. (1880) 39.—Mexic.  
*trilobata*, Hemsl. Biol. Centr. Am. Bot. ii. 208.—Mexic.

TRIDENS, Roem. & Schult. Syst. ii. 34 (1817) = **Triodia**, R. Br. (Gramin.).  
*ambigua*, Schult. Mant. ii. 333 = *Triodia ambigua*.  
*brasiliensis*, Nees, ex Steud. Syn. Pl. Gram. 248 (= *Uralepsis brasiliensis*).—Bras.  
*capensis*, Nees, in *Linnaea*, vii. (1832) 324 (= *Uralepsis capensis*).—Afr. austr.  
*quinquefida*, Schult. Mant. ii. 333 = *Triodia cuprea*.  
*verticillata*, Meyen, Reise, i. 408, nomen = *Diplachne verticillata*.  
*virens*, Nees, Agrost. Bras. 476 (= *Uralepsis virens*).—Bras.

TRIDENTEA, Haw. Syn. Pl. Succ. 34 (1812) = **Stapelia**, Linn.  
*depressa*, Haw. ex Schult. Syst. vi. 850 = *S. patula*.  
*gemmaiflora*, Haw. Syn. Pl. Succ. 34 = *S. gemmaiflora*.  
*hircosa*, Schult. Syst. vi. 850 = *S. hircosa*.  
*Juvencula*, Schult. l. c. 16 = *S. Juvencula*.  
*moschata*, Haw. Syn. Pl. Succ. 25 = *S. hircosa*.  
*paniculata*, Schult. Syst. vi. 850 = *S. paniculata*.  
*rugosa*, Schult. l. c. = *S. rugosa*.  
*Simsii*, Schult. l. c. = *S. Simsii*.  
*stygia*, Haw. Syn. Pl. Succ. 34 = *S. stygia*.  
*vetula*, Haw. l. c. 34 = *S. vetula*.

TRIDERMIA, Rafin. Sylva Tellur. 145 (1838) = **Grewia**, Linn. (Tiliac.).  
*papillosa*, Rafin. l. c. = *G. villosa*.

TRIDESMIS, Lour. Fl. Cochinch. 576 (1790) = **Croton**, Linn. (Euphorb.).  
*hispida*, Lour. l. c. = *C. China*.  
*tomentosa*, Lour. l. c. = *C. crassifolius*.

TRIDESMIS, Spach, Hist. Vég. Phan. v. 358 (1836); et in *Ann. Sc. Nat. Sér. II. v.* (1836) 351. t. 6 = **Cratoxylon**, Blume (Hyperic.).  
*Billardieri*, Spach, in *Ann. Sc. Nat. Sér. II. v.* (1836) 352. t. 6 = *C. formosum*.  
*formosa*, Korth. Verh. Nat. Gesch. Bot. 179. t. 37 = *C. formosum*.  
*Jackii*, Spach, in *Ann. Sc. Nat. Sér. II. v.* (1836) 352 = *C. formosum*.  
*ochroides*, Spach, Hist. Vég. Phan. v. 359 = *C. formosum*.  
*pruniflora*, Kurz, in *Journ. As. Soc. Beng.* xli. (1872) ii. 293 = *C. pruniflorum*.

TRIDESMUS, Steud. Nom. ed. II. i. 445 (1840), in syn., err. typ. = **TRIDESMIS**, Lour. = **Croton**, Linn. (Euphorb.).

TRIDIA, Korth. in Hoef. & De Vriese, Tijdschr. iii. (1836) 17. t. 1 = **Hypericum**, Tourn.  
*frankenioides*, Korth. l. c. 18 = *H. japonicum*.

**TRIDIANISIA**, Baill. in Bull. Soc. Linn. Par. i. (1879) 197. **OLACINEAE**.  
*Chapelieri*, Baill. l. c. = *Madag*.

**TRIDIMERIS**, Baill. Adansonia, ix. (1869) 219. **ANONACEAE**.  
*Hahniana*, Baill. l. c. = *Mexic*.

TRIDOPHYLLUM, Neck. Elem. ii. 93 (1790) = **Potentilla**, Linn. (Rosac.).

TRIDYNIA, Rafin. ex Steud. Nom. ed. II. ii. 704 (1841) = **Lysimachia**, Tourn. (Primul.).

TRIDYRA, Steud. Nom. ed. II. ii. 84 (1841), sphalm. = *praec*.

TRIENDILIX, Rafin. New Fl. Am. i. 85 (1836) = **Glycine**, Linn. (Legumin.).  
*clandestina*, Rafin. l. c. = *G. clandestina*.

**TRIENTALIS**, Rupp. ex Linn. Syst. ed. I (1735); Gen. ed. I. 109 (1737). **PRIMULACEAE**, Benth. & Hook. f. ii. 636.  
*alsinaeflora*, Gilib. Fl. Lituan. i. 31 = *T. europaea*.  
*americana*, Pursh, Fl. Am. Sept. i. 252.—Am. bor.  
*arctica*, Fisch. ex Hook. Fl. Bor. Am. ii. 121 = *europaea*.  
*borealis*, Rafin. in Med. Repos. N. York, II. v. (1808) 354 = *europaea*.  
*capensis*, Linn. Sp. Pl. 344 = *Crassula Septas*.  
*europaea*, Linn. l. c. = *Europ*; *As. bor*; *Am. bor. occ*.  
*europaea*, Michx. Fl. Bor. Am. i. 220 = *americana*.  
*heptagyna*, Crantz, Inst. ii. 365 = *Crassula Septas*.  
*latifolia*, Hook. Fl. Bor. Am. ii. 121 = *europaea*.

TRIEXASTIMA, Rafin. Fl. Tellur. iv. 121 (1836) = **Heteranthera**, Ruiz & Pav. (Ponted.).

TRIFAX, Noronha, in Verh. Batav. Gen. v. (1790) ed. I. Art. iv. 4 (Quid?).

TRIFILLIUM, Medic. in Vorles. Churpf. Phys. Ges. ii. (1787) 383 = **Medicago**, Tourn. (Legumin.).  
*platycarpus*, Medic. l. c. = *M. platycarpa*.

TRIFOLIASTRUM, Moench, Meth. 123 (1794) = **Trigonella**, Linn. (Legumin.).  
*caeruleum*, Moench, l. c. = *Trigonella caerulea*.

**TRIFOLIUM**, [Tourn.] Linn. Syst. ed. I (1735); Gen. ed. I. 229 (1737). **LEGUMINOSAE**, Benth. & Hook. f. i. 487.  
*AMARENUS*, Presl, Symb. Bot. i. 47 (1830).  
*AMORIA*, Presl, l. c. 43 (1830).  
*CALYCOMORPHUM*, Presl, l. c. 50 (1830).  
*DACTYPHYLLON*, Rafin. in Am. Monthly Mag. (1818) 268.  
*GALEARIA*, Presl, Symb. Bot. i. 49 (1830).  
*LAGOPUS*, Bernh. Syst. Verz. Erf. 229 (1800).  
*LOXOSPERMUM*, Hochst. in Flora, xxix. (1846) 594.  
*LUPINASTER*, Buxb. ex Heist. Syst. 9 (1748).  
*MICRANTHEUM*, Presl, Symb. Bot. i. 47 (1830).  
*MICROPHYTON*, Fourr. in Ann. Soc. Linn. Lyon, N. S. xvi. (1868) 362.  
*MISTYLLUS*, Presl, Symb. Bot. i. 49 (1830).  
*PARAMESUS*, Presl, l. c. 45 (1830).  
*PENTAPHYLLON*, Pers. Syn. ii. 352 (1807).  
*SERTULA*, Linn. Syst. ed. I (1735).  
*TRIPHYLLOIDES*, Ponted. ex Moench, Meth. 509 (1794).

*abbreviatum*, J. Woods, Tour. Fl. 92.—Europ.  
*acaule*, Steud. ex A. Rich. Tent. Fl. Abyss. i. 169.—Abyss.  
*aciculare*, Nutt. in Torr. & Gray, Fl. N. Am. i. 319 = *tridentatum*.  
*adscendens*, Hornem. Hort. Hafn. ii. 716 = *reflexum*?  
*affine*, Lej. ex DC. Prod. ii. 195 = *medium*.  
*affine*, Presl, Symb. Bot. i. 54 = *arvense*.  
*africanum*, Ser. in DC. Prod. ii. 200.—Afr. austr.  
*agrarium*, Huds. Fl. Angl. ed. I. 286 = *procumbens*.  
*agrarium*, Linn. Sp. Pl. 772.—Europ.; Afr. bor.; Oriens.  
*agrarium*, Mérat, Fl. Par. 202 = *patens*.  
*agrestinum*, Jord. ex Bor. Fl. Centr. Fr. ed. III. ii. 153 = *arvense*.  
*aintabense*, Boiss. & Haussk. ex Boiss. Fl. Orient. ii. 140.—Syria.  
*alatum*, Bivona, Stirp. Rar. iv. 14 = *physodes*.  
*albens*, Fisch. ex Loud. Hort. Brit. 300 = *T. Lupinaster*.  
*albiceps*, Ehrenb. ex Sweet, Hort. Brit. ed. II. 137.—Egypt.



**TRIFOLIUM:—**

albidum, *Retz. Obs.* iv. 30.—Hab.?  
 albidum, *Stev. ex Ledeb. Fl. Ross.* i. 543 = maritimum.  
 albiflorum, *Fisch. ex Loud. Hort. Brit.* 299 = eximium.  
 albopurpureum, *Torr. & Gray, Fl. N. Am.* i. 313 = Macraei.  
 album, *Crantz, Stirp. Austr. ed. II. fasc. v.* 408 = montanum, ochroleucum.  
 album, *Lam. Fl. Fr.* ii. 603 = hybridum, repens.  
 album, *Loisel. Fl. Gall. ed. I.* 479 (err. typ. 4) = *Melilotus alba*.  
 alexandrinum, *Bory & Chaub. Nouv. Fl. Pélop.* 50 = latinum.  
 alexandrinum, *Linn. Cent. Pl.* i. 25; *Amoen. Acad.* iv. 286.—Aegypt.; As. Min.  
 alopecuroides, *Kit. in Linnaea*, xxxii. (1863) 619 (an seq. ?).—Hungar.  
 alopecuroides, *Pers. Syn.* ii. 350, in obs. = pannonicum.  
 alpestre, *Crantz, Stirp. Austr. ed. II. fasc. v.* 407 = medium.  
 alpestre, *Linn. Sp. Pl.* ed. II. 1082.—Europ. austr.; As. bor.  
 alpicolum, *Hegetschw. Fl. Schw.* 699.—Europ.  
 alpinum, *Georgi, Besch. Russ. Reich.* III. iv. 1191 = alpestre.  
 alpinum, *Linn. Sp. Pl.* 767.—Europ.  
 alpinum, *Pall. Reise*, ii. 123 = eximium.  
 altissimum, *Dougl. ex Hook. Fl. Bor. Am.* i. 130.—Am. bor. occ.  
 altissimum, *Loisel. Fl. Gall. ed. I.* 479 (err. typ. 4) = *Melilotus officinalis*.  
 altissimum, *Torr. & Gray, in Pacif. Rail. Rep.* ii. 120 = Beckwithii.  
 amabile, *Auct. ex Lojac. in Nuov. Giorn. Bot. Ital.* xv. (1883) 143 = Hemsleyi.  
 amabile, *H. B. & K. Nov. Gen. et Sp.* vi. 503.—Mexic.  
 ambiguum, *Bieb. Fl. Taur. Cauc.* ii. 208.—Reg. Cauc.  
 amphianthum, *Torr. & Gray, Fl. N. Am.* i. 316.—Texas.  
 amplexens, *Torr. & Gray, l. c.* 319.—Am. bor. occ.  
 ampulescens, *Gilib. Fl. Lituan.* ii. 89 = fragiferum.  
 anatolicum, *Boiss. Diagn. Ser. I.* ii. 31 = hybridum.  
 Andersonii, *A. Gray, in Proc. Am. Acad.* vi. (1865) 522.—Am. bor. occ.  
 andinum, *Nutt. in Torr. & Gray, Fl. N. Am.* i. 314.—Am. bor. occ.  
 angulatum, *J. Gay, ex Reichb. Fl. Germ. Excurs.* 496 = Thalii.  
 angulatum, *Waldst. & Kit. Pl. Rar. Hung.* i. 26. t. 27.—Europ. austr.  
 angustifolium, *Linn. Sp. Pl.* 769.—Reg. Mediterr.; Oriens.  
 anomalum, *Bory & Chaub. Nouv. Fl. Pélop.* 51 = physodes.  
 anomalum, *Schrank, Pl. Rar. Hort. Monac.* t. 47 = repens.  
 appendiculatum, *Lojac. in Nuov. Giorn. Bot. Ital.* xv. (1883) 181.—Calif.  
 apulum, [*Hort. ex*] *All. in Misc. Taur.* v. 76 = spumosum.  
 arachnoideum, *Presl, Delic. Prag.* 49 = Cherleri.  
 arenivagum, *Jord. ex Bor. Fl. Centr. Fr.* ed. III. ii. 153 = arvense.  
 argutum, [*Soland. in*] *Russ. Aleppo*, ed. II. ii. 260 = spumosum.  
 aristatum, *Hornem. Hort. Hafn.* ii. 712.—Hab.?  
 aristatum, *Willd. Enum. Hort. Berol. Suppl.* 52, nomen; *Link, Enum. Hort. Berol.* ii. 262 = ligusticum.  
 armeniacum, *Penny, ex G. Don, in Loud. Hort. Brit. Suppl.* i. 601 = Pennyannum.  
 armenium, *Eichw. Besch. Casp. Cauc.* 28 = pannonicum.  
 armenium, *Willd. Enum. Hort. Berol.* 793.—As. Min.  
 arrectisetum, *Brot. Phyt. Lusit.* i. 152. t. 63 = ligusticum.  
 arvense, *Linn. Sp. Pl.* 769.—Europ.; As. et Afr. bor.; Oriens.  
 arvense, *Walt. Fl. Carol.* 183 = carolinianum.  
 arvernense, *Lamotte, Prod. Fl. Centr. Fr.* i. 202 = pallescens.  
 arvicolum, *Jord. ex Nym. Consp.* 175 = arvense.  
 asperulum, *De Not. ex Cesati, in Bibl. Ital.* xci. (1838) 347.—Ital.  
 atlanticum, *Ball, in Journ. Bot.* xi. (1873) 306.—Marocc.

**TRIFOLIUM:—**

atropurpureum, *Nutt. ex Torr. & Gray, Fl. N. Am.* i. 318 = involucratum.  
 Aucheri, *Boiss. Fl. Orient.* ii. 114 = medium.  
 aurantiacum, *Boiss. & Sprun. Diagn. Ser. I.* ii. 33.—Graecia.  
 aureum, *Geners. Elench. Scepus.* n. 69; *ex Wahlenb. Fl. Carpat.* 229 = badium.  
 aureum, *Pollich, Hist. Pl. Palat.* ii. 344 = agrarium.  
 aureum, *Thuill. Fl. Par. ed. II.* 385 = patens.  
 badium, *Ledeb. Fl. Ross.* i. 556 = rytidosemium.  
 badium, *Schreb. in Sturm, Deutschl. Fl. Heft* 16.—Europ.  
 baeticum, *Boiss. Voy. Bot. Espagne*, ii. 726.—Hispan.  
 baeticum, *Lag. ex Ser. ex DC. Prod.* ii. 193 = maritimum.  
 Balansae, *Boiss. Diagn. Ser. II.* v. 81.—As. Min.  
 Balbisianum, *Ser. in DC. Prod.* ii. 201.—Gallia.  
 barbatum, *DC. Cat. Hort. Monsp.* (1813) 152 = pannonicum.  
 barbigerrum, *Torr. in Pacif. Rail. Rep.* iv. 79.—Calif.  
 Beckwithii, *Brewer, ex S. Wats. in Proc. Am. Acad.* xi. (1876) 128.—Calif.  
 bejariense, *Moric. Pl. Nouv. Am.* 2.—Mexic.  
 benghalense, *Gaertn. Fruct.* ii. 335 (*Hedysari* sp.).—Ind. or.  
 berythrum, *Boiss. & Blanche, Diagn. Ser. II.* ii. 15 = supinum.  
 Biasoletianum, *Steud. & Hochst. ex Koch, Syn. Fl. Germ.* ed. I. 173 = repens.  
 biceps, *Schousb. ex Ball, in Journ. Linn. Soc.* xvi. (1878) 417 = Bocconi.  
 bicolor, *Moench, Meth.* 111 = hybridum.  
 bicorne, *Forsk. Fl. Aegypt. Arab.* 139 = resupinatum.  
 bifidum, *A. Gray, in Proc. Calif. Acad.* iii. (1863) 102.—Calif.  
 biflorum, *Linn. Sp. Pl.* 773 = *Stylosanthes elatior*.  
 bifurcatum, *Pourr. ex Willk. & Lange, Prod. Fl. Hisp.* iii. 353 = montanum.  
 bilineatum, *Fresen. in Flora*, xxii. (1839) 52.—Abyss.  
 Billardieri, *Spreng. Syst.* iii. 211 = comosum.  
 bithynicum, *Boiss. Diagn. Ser. I.* ix. 21 = medium.  
 Bivonae, *Guss. Fl. Sic. Prod.* ii. 512.—Sicil.  
 Blancheanum, *Boiss. Diagn. Ser. II.* ii. 13 = Desvauzii.  
 Bocconi, *Savi, Obs. Trif.* 37.—Europ.; Afr. bor.  
 Boissieri, *Guss. Fl. Sic. Syn.* ii. 858 (*Boisseri*).—Graec.; As. Min.  
 Bolanderi, *A. Gray, in Proc. Am. Acad.* vii. (1868) 335.—Calif.  
 Bonanni, *Presl, Delic. Prag.* 51.—Sicil.  
 Boryanum, *Steud. Nom.* ed. II. ii. 705 = physodes.  
 Bourgaei, *Boiss. ex Boiss. Fl. Orient.* ii. 121 = smyrneum.  
 brachystyles, *Knaf, in Lotos*, iv. (1854) 237 = pratense.  
 bracteatum, *Schousb. ex Willd. Enum. Hort. Berol.* 792.—Reg. Mediterr. occ.  
 Brandegei, *S. Wats. in Proc. Am. Acad.* xi. (1876) 130.—Am. bor. occ.  
 brevipes, *Phil. in Linnaea*, xxviii. (1856) 680.—Chili.  
 Breweri, *S. Wats. in Proc. Am. Acad.* xi. (1876) 131.—Calif.  
 Brittingeri, *Weitenweb. ex Opiz, Natural.* n. ix. (1825) 142 = arvense.  
 Broteri, *Link, Enum. Hort. Berol.* ii. 262 = ligusticum.  
 brutium, *Tenore, Viagg. Calabr.* 127; *Fl. Neap. Prod. App.* v. 24.—Calabria.  
 bullatum, *Boiss. & Haussk. ex Boiss. Fl. Orient.* ii. 138.—Syria.  
 Burchellianum, *Ser. in DC. Prod.* ii. 200.—Afr. austr.  
 Buxbaumii, *Sternb. & Hoppe, in Denkschr. Bot. Ges. Regensb.* i. ii. (1818) 131.—Europ. austr.  
 caeruleus, *E. Desv. ex Boiss. Diagn. Ser. II.* ii. 14 = Desvauzii.  
 caeruleum, *Auct. = coeruleum*.  
 caespitosum, *Eichw. Skizze*, 166 = elegans.  
 caespitosum, *J. F. Gmel. Syst.* 1141; *Willd. Sp. Pl.* iii. 1359 = Thalii.  
 caespitosum, *Sturm, Deutschl. Fl. Heft* 32 = pallescens.  
 calabricum, *Steud. Nom.* ed. II. ii. 705.—Calabria.  
 caloecephalum, *Fresen. in Flora*, xxii. (1839) 50.—Abyss.  
 caloecephalum, *Nutt. ex Torr. & Gray, Fl. N. Am.* i. 318 = involucratum.  
 caloxanthum, *Griseb. Bericht.* (1847) 62 = Boissieri.  
 calycinum, *Steud. Nom.* ed. II. ii. 705.—Sicil.  
 campestre, *Schreb. in Sturm, Deutschl. Fl. Heft* 16 = procumbens.

**TRIFOLIUM:—**

canescens, *Sims, Bot. Mag.* t. 1168 = trichocephalum.  
 canescens, *Willd. Sp. Pl.* iii. 1369.—As. Min.  
 capense, *Willd. l. c.* 1364.—Afr. austr.  
 capillatum, *Dum. Fl. Belg. Prod.* 101.—Belgium.  
 capilliforme, *Delile, ex Nym. Consp.* 181 = filiforme.  
 Carmeli, *Boiss. Diagn. Ser. II.* ii. 16.—Syria.  
 carolinianum, *Michx. Fl. Bor. Am.* ii. 58.—Am. bor.  
 carpathicum, *Janka, ex Nym. Consp.* 173 = pratense.  
 cassium, *Boiss. Diagn. Ser. I.* ix. 23.—Syria.  
 catanense, *Buek, Ind. ad DC. Prod.* i. p. viii.—Sicil.  
 caucasicum, *Tausch, in Syll. Ratisb.* ii. (1828) 245 = pannonicum.  
 caudatum, *Boiss. Diagn. Ser. I.* ix. 22.—Lydia.  
 cernuum, *Brot. Phyt. Lusit.* i. 150.—Lusitan.  
 Cherleri, *Linn. Cent. Pl.* i. 24; *Amoen. Acad.* iv. 286.—Reg. Mediterr.  
 chicleuse, *Ball, in Journ. Linn. Soc.* xxii. (1885) 35.—Peruv.  
 chilense, *Hook. & Arn. Bot. Beech. Voy.* 16.—Chili.  
 chlorotrichum, *Boiss. & Bal. Diagn. Ser. II.* vi. 48.—Phrygia.  
 chrysanthum, *Gaud. Fl. Helv.* iv. 603 = patens.  
 chrysopogon, *Viv. Pl. Aegypt. Arab. Dec.* 15.—Aegypt.  
 ciliatum, *Clarke, Trav.* ii. 261 = procumbens.  
 ciliatum, *Nutt. in Journ. Acad. Philad. N. S. Ser. II.* i. (1847) 152.—Am. bor. occ.  
 ciliolatum, *Benth. Pl. Hartw.* 304 = ciliatum.  
 ciliosum, *Thuill. Fl. Par. ed. II.* 380 = diffusum.  
 cinctum, *DC. Cat. Hort. Monsp.* (1813) 152.—Gallia.  
 cinerascens, *Kit. in Linnaea*, xxxii. (1863) 619 = ochroleucum.  
 circumdatum, *Guss. ex Steud. Nom.* ed. II. ii. 705 = calabricum.  
 circumdatum, *Kunze, in Linnaea*, xvi. (1842) 321.—Chili.  
 circumscissum, *Pers. Syn.* ii. 349 = diffusum.  
 clandestinum, *Lag. Nov. Gen. et Sp.* 23.—Hispan.  
 Clausonis, *Pomel, Nouv. Mat. Fl. Atl.* 181 = Durandoi.  
 Clusii, *Gren. & Godr. Fl. Fr.* i. 414 = resupinatum.  
 clypeatum, *Lapeyr. Hist. Abr. Pl. Pyr.* 436 = maritimum.  
 clypeatum, *Linn. Sp. Pl.* 769.—Graecia; As. Min.  
 coarctatum, *Reichb. Fl. Germ. Excurs.* 494.—Italia.  
 coccineum, *Steud. Nom.* ed. II. ii. 705.—Chili.  
 coerulescens, *Bieb. Fl. Taur. Cauc.* iii. 509 = *Trigonella azurea*.  
 coeruleum, *Bieb. l. c.* = *Trigonella azurea*.  
 coeruleum, *Viv. Pl. Aegypt. Arab. Dec.* 15.—Aegypt.  
 coeruleum, *Willd. Sp. Pl.* iii. 1352; *Bieb. Fl. Taur. Cauc.* ii. 207 = *Trigonella coerulea*.  
 coespitosum, *St. Lag. in Ann. Soc. Bot. Lyon*, vii. (1880) 144 = Thalii.  
 collinum, *Bast. Fl. Maine-et-Loire, Suppl.* 5 = Bocconi.  
 commutatum, *Ledeb. Fl. Ross.* i. 543 = maritimum.  
 comosum, *Labill. Ic. Pl. Syr. Dec.* v. 15.—Syria.  
 comosum, *Linn. Sp. Pl.* 767 = carolinianum.  
 concinnum, *Phil. Fl. Atac.* 14 = polymorphum.  
 congestum, *Guss. Cat. Pl. Boccad.* (1821) 81, Adnot. 12 = catanense.  
 congestum, *Link, in Linnaea*, ix. (1834–35) 584 = fragiferum.  
 conicum, *Kit. ex Nym. Consp.* 176 = striatum.  
 conicum, *Lag. Gen. et Sp. Nov.* 23 = Lagascanum.  
 conicum, *Pers. in Savi, Obs. Trif.* 41 = tenuiflorum.  
 constantinopolitanum, *Ser. in DC. Prod.* ii. 193 = alexandrinum.  
 controversum, *Jan, ex DC. Prod.* ii. 206 = filiforme.  
 cordifolium, *Walp. Rep.* i. 640, sphalm. = *Origanum cordifolium*.  
 Crosnierii, *Clos, in C. Gay, Fl. Chil.* ii. 68 = polymorphum.  
 cryptopodium, *Steud. ex A. Rich. Tent. Fl. Abyss.* i. 168.—Abyss.  
 cryptoscias, *Griseb. Spicil. Fl. Rumel.* i. 30 = uniflorum.  
 Cupani, *Tineo, Pl. Rar. Sicil. Pugill.* i. 16 = physodes.  
 cuspidatum, *Lour. Fl. Cochinch.* 445.—Cochinch.  
 Cussoni, *Hort. Berol. ex Spreng. Nov. Prov.* 41.—Hab.?  
 cyathiferum, *Lindl. Bot. Reg.* sub t. 1070.—Am. bor. occ.  
 cylindricum, *Wallr. Beitr. Fl. Hercyn.* 249 = tenuiflorum.

## TRIFOLIUM:—

*cytisoides*, Pall. Reise, iii. 266 = *Lespedeza juncea*.  
*dalmaticum*, Vis. in *Flora*, xii. (1829) i. Erg. 21.—  
 Europ. austr.; As. Min.  
*dasyphyllum*, Torr. & Gray, *Fl. N. Am.* i. 315.—Am.  
 bor. occ.  
*dasyurum*, Presl, *Symb. Bot.* i. 53 = *formosum*.  
*davuricum*, Laxm. in Nov. Comm. Acad. Petrop. xv.  
 (1771) 560. t. 30 = *Lespedeza trichocarpa*.  
*decipiens*, Hornem. *Hort. Hafn.* ii. 719.—Hab.?  
*decumbens*, F. Schultz, Arch. Fl. 272 = *elegans*.  
*densiflorum*, Phil. in *Linnaea*, xxviii. (1856) 619.—  
 Chili.  
*dentatum*, Waldst. & Kit. Pl. Rar. Hung. i. 41 =  
*Melilotus dentata*.  
*denudatum*, Nutt. in Journ. Acad. Philad. N. S. i.  
 (1847) 152 = *gracilentum*.  
*depauperatum*, Desv. *Journ. Bot.* iv. (1814) 69.—Am.  
 bor. occ.; Peruv.; Chili.  
*Desvauxii*, Boiss. & Blanche, *Diagn. Ser. II.* ii. 12.—  
 Syria.  
*dichotomum*, Hook. & Arn. Bot. Beech. Voy. 330 =  
*Macraei*.  
*dichroanthum*, Boiss. *Diagn. Ser. I.* ix. 20.—Palaestin.  
*diffusum*, Ehrh. *Beitr.* vii. (1792) 165.—Europ.;  
 Tauria.  
*diffusum*, Thunb. *Prod. Pl. Cap.* 136 = *capense*.  
*dimidiatum*, Salisb. *Prod.* 333 = *T. Lupinaster*.  
*dipsaceum*, Thuill. Fl. Par. ed. II. 382 = *ochroleucum*.  
*divaricatum*, Hornem. *Hort. Hafn.* ii. 715.—Europ.  
 austr.  
*diversifolium*, Nutt. in Journ. Acad. Philad. N. S. i.  
 (1847) 152 = *amplectens*.  
*dubium*, Sibth. *Fl. Oxon.* 231.—Europ.  
*duodecimnervae*, Losc. ex Willk. & Lange, *Prod. Fl.*  
*Hisp.* iii. 357 = *glomeratum*.  
*Durandoi*, Pomel, *Nouv. Mat. Fl. Atl.* 181.—Alger.  
*echinatum*, Bieb. Fl. Taur. Cauc. ii. 216 = *supinum*.  
*echinatum*, Wierzb. ex Nym. *Consp.* 175 = *reclinatum*.  
*Ehrenbergii*, Hort. Berol. ex Sweet, *Hort. Brit.* ed. II.  
 137.—Aegypt.  
*elegans*, Savi, *Fl. Pis.* ii. 161. t. 1. f. 2.—Reg.  
 Mediterr.; As. Min.; Afr. bor.  
*elongatum*, Willd. Sp. Pl. iii. 1368 = *armenium*.  
*Endressi*, J. Gay, ex Gren. & Godr. Fl. Fr. i. 417 =  
*montanum*.  
*erectum*, Poir. *Encyc.* viii. 28 = *procumbens*.  
*erectum*, Walt. Fl. Carol. 184 = *Rhynchosia tomen-*  
*tosa*.  
*erinaceum*, Bieb. Fl. Taur. Cauc. iii. 510 = *phleoides*.  
*eriocephalum*, Ledeb. Fl. Ross. i. 541 = *arvense*.  
*eriocephalum*, Nutt. in Torr. & Gray, *Fl. N. Am.* i.  
 313.—Am. bor. occ.  
*eriocephalum*, Parry, in Am. Natural. ix. (1875) 269,  
 partim = *longipes*.  
*eriosphoerum*, Boiss. *Diagn. Ser. I.* ix. 25.—Palaestin.  
*erubescens*, Fenzl, *Pugill. Fl. Nov. Syr.* 5.—Oriens.  
*erythraeum*, Schousb. ex Ball, in Journ. Linn. Soc. xvi.  
 (1878) 420 = *isthmocarpum*.  
*eximium*, Steph. ex Ser. in DC. *Prod.* ii. 203.—Sibir.  
 ural.  
*expansum*, Waldst. & Kit. Pl. Rar. Hung. iii. 263 =  
*pratense*.  
*fabaceum*, Lindl. ex Steud. *Nom.* ed. II. ii. 705 (Quid?).  
 —Calif.  
*filicaule*, Boiss. & Heldr. *Diagn. Ser. I.* ix. 24.—  
 Graecia.  
*filiforme*, Linn. Sp. Pl. 773, pro maj. parte.—Europ.;  
 Reg. Cauc.  
*filiforme*, Linn. l. c., partim = *dubium*.  
*fimbriatum*, Lindl. in Bot. Reg. t. 1070 = *involu-*  
*cratum*.  
*fistulosum*, Gilib. Fl. Lituan. ii. 86 = *hybridum*.  
*flavescens*, Tineo, Pl. Rar. Sicil. *Pugill.* i. 15 =  
*pallidum*.  
*flavicans*, Link, *Handb.* ii. 170 = *squarrosus*.  
*flavum*, Presl, *Fl. Sic.* p. xxi.—Sicil.  
*Fleischeri*, Steud. & Hochst. ex Steud. *Nom.* ed. II. ii.  
 705; et ex Presl, Bot. *Bemerk.* 52.—As. Min.  
*flexicaule*, Vill. *Prosp.* 43 = *medium*.  
*flexuosum*, Jacq. Fl. Austr. iv. 45. t. 386 = *medium*.  
*fluminense*, Vell. Fl. Flum. 316; vii. t. 143 =  
*Stylosanthes guianensis*.  
*folliculatum*, Lam. Fl. Fr. ii. 599 = *spumosum*.  
*formosum*, Curt. ex DC. *Prod.* ii. 200 = *resupinatum*.  
*formosum*, Savi, Obs. Trif. 102 = *elegans*.  
*formosum*, Urv. in *Mém. Soc. Linn. Par.* i. (1822)  
 350.—Graecia; Oriens.

VOL. II.

## TRIFOLIUM:—

*fragiferum*, Linn. Sp. Pl. 772.—Europ.; Oriens; Reg.  
 Himal.  
*frigidum*, Schur, Enum. Pl. Transs. 154 = *pratense*.  
*fruticans*, Linn. Sp. Pl. 770 = *Psoralea bracteata*.  
*fuscum*, Lindl. Bot. Reg. t. 1883.—Am. bor. occ.  
*fulcratum*, Griseb. Spicil. Fl. Rumel. i. 26 = *Pignanti*.  
*fuscum*, Desv. in Ann. Sc. Nat. Sér. I. xiii. (1828) 330  
 = *agrarium*.  
*galilaicum*, Boiss. *Diagn. Ser. I.* ix. 26 = *nervulosum*.  
*Gambelii*, Nutt. in Journ. Acad. Philad. N. S. i. (1847)  
 151 = *fuscum*.  
*gemellum*, Lapeyr. Hist. Abr. Pl. Pyr. 437 = *Boccone*.  
*gemellum*, Pourr. ex Willd. Sp. Pl. iii. 1376.—Hispan.  
*gemellum*, Savi, in Atti Acc. Ital. i. 202; ex Bertol.  
 Fl. Ital. viii. 152 = *ligusticum*.  
*glabellum*, Presl, Fl. Sic. p. xxi.—Europ. austr.  
*glabrum*, J. Gay, ex Nym. *Consp.* 175 = *maritimum*.  
*glaciale*, Porc. in Magyar Növényt. Lapok, ix. (1885)  
 126 = *pallescens*.  
*glaciale*, Reyner, ex J. F. Gmel. Syst. 1141; DC. *Prod.*  
 ii. 197 = *saxatile*.  
*glanduliferum*, Boiss. *Diagn. Ser. I.* ii. 30.—As. Min.  
*glareosum*, Dum. Fl. Belg. 100 = *pratense*.  
*glareosum*, Schleich. Cat. Pl. Helv. ed. IV. 35; Boiss.  
 Voy. Bot. Espagne, Suppl. 727 = *pallescens*.  
*glaucum*, Haussk. ex Nym. *Consp.* 180 = *Lagrangei*.  
*globosum*, Linn. Sp. Pl. 767.—Byzant.; As. Min.  
*globosum*, Ser. in DC. *Prod.* ii. 196 = *radiusum*.  
*glomeratum*, Linn. Sp. Pl. 770.—Europ. occ.; Reg.  
 Mediterr.; Oriens.  
*goniocarpum*, Lojac. in Nuov. Giorn. Bot. Ital. xv.  
 (1883) 145.—Mexic.  
*gracile*, Thuill. Fl. Par. ed. II. 383 = *arvense*.  
*gracilentum*, Torr. & Gray, *Fl. N. Am.* i. 316.—Am.  
 bor. occ.  
*gracum*, Griseb. Bericht. (1847) 62 = *speciosum*.  
*grandiflorum*, Hook. & Arn. Bot. Beech. Voy. 16 =  
*polymorphum*.  
*grandiflorum*, Ledeb. Fl. Alt. iii. 257 = *eximium*.  
*grandiflorum*, Schreb. in Nov. Act. Nat. Cur. iii. (1767)  
 477.—Ins. Creta.  
*Grayi*, Lojac. in Nuov. Giorn. Bot. Ital. xv. (1883)  
 189.—Calif.  
*guianense*, Aubl. Pl. Gui. ii. 776 = *Stylosanthes*  
*guianensis*.  
*Gussoni*, Tineo, Pl. Rar. Sicil. *Pugill.* i. 17 =  
*speciosum*.  
*gymnocarpum*, Nutt. in Torr. & Gray, *Fl. N. Am.* i.  
 320.—Am. bor. occ.  
*hamosum*, Bieb. Fl. Taur. Cauc. ii. 207 = *Trigonella*  
*spicata*.  
*Haussknechtii*, Boiss. Fl. Orient. ii. 125.—Mesopot.  
*Haydenii*, Porter, in Hayd. Rep. (1871) 480 = *Kingii*.  
*Haynaldi*, Meynh. *Kalocsa Vidék. Növényt.* 65; et ex  
 Knapp, in Oestr. Bot. Zeitschr. xxviii. (1878) 103.—  
 Europ.  
*Haynaldianum*, Pantoc. in Oestr. Bot. Zeitschr. xxviii.  
 (1878) 382.—Europ.  
*hedysaroides*, Pall. Reise, iii. 751 = *Lespedeza juncea*.  
*Hemsleyi*, Lojac. in Nuov. Giorn. Bot. Ital. xv. (1883)  
 148.—Mexic.  
*heterodon*, Torr. & Gray, Fl. N. Am. i. 318 =  
*involucrum*.  
*heterophyllum*, Tratt. Arch. Gew. i. 26; Lej. Rev. Fl.  
 Spa, 158 = *pratense*.  
*hirsutum*, E. Mey. Comm. Pl. Afr. Austr. 91 =  
*africanum*.  
*hirsutum*, Thunb. *Prod. Pl. Cap.* 136.—Afr. austr.  
*hirtum*, All. *Auct. Fl. Pedem.* 20.—Reg. Mediterr.;  
 As. Min.  
*hispidissimum*, Michx. ex Steud. *Nom.* ed. II. ii. 706  
 = *Stylosanthes elatior*.  
*hispidum*, Desf. Fl. Atlant. ii. 200 = *hirtum*.  
*Hohenackeri*, Jaub. & Spach, Illustr. ii. 55, in nota =  
*canescens*.  
*Humboldtianum*, A. Br. & Aschers. in Ind. Sem.  
*Hort. Berol.* (1868) 24.—Reg. Cauc.  
*Humboldtii*, Spreng. Syst. iii. 213 = *amabile*.  
*humile*, Ball, in Journ. Bot. xi. (1873) 306.—Marocc.  
*hybridum*, Linn. Sp. Pl. 766.—Europ. austr.; As. Min.  
*hybridum*, Pollich, Hist. Pl. Palat. ii. 330 = *elegans*.  
*hybridum*, Savi, Fl. Pis. ii. 90 = *nigrescens*.  
*hygrophilum*, Boiss. *Diagn. Ser. II.* ii. 18 = *Petrisavii*.  
*incanum*, Presl, Delic. Prag. 51 = *Cherleri*.  
*incarnatum*, Linn. Sp. Pl. 769.—Europ. austr.  
*incarnatum*, Steph. Enum. Stirp. Mosq. 33. n. 500 =  
*alpestre*.

## TRIFOLIUM:—

*indecorum*, Clos, in C. Gay, Fl. Chil. ii. 67 =  
*polymorphum*.  
*indicum*, Thunb. *Prod. Pl. Cap.* 136 = *Melilotus*  
*indica*.  
*intermedium*, Guss. Cat. Pl. Boccad. (1821) 82. *Adnot.*  
 14.—Reg. Mediterr.  
*intermedium*, Lapeyr. Suppl. Hist. Pl. Pyr. 115 =  
*hybridum*.  
*intertextum*, Wender. ex Steud. *Nom.* ed. II. ii. 706 =  
*Medicago intertexta*?  
*involucrum*, Dulac, Fl. Hautes-Pyr. 283 = *fragi-*  
*ferum*.  
*involucrum*, Lam. Fl. Fr. ii. 604 = *Cherleri*.  
*involucrum*, Ortega, Hort. Matr. Dec. 33; Willd. Sp.  
 Pl. iii. 1372.—Am. bor. occ.  
*involucrum*, Sm. in Rees, Cycl. xxxvi. n. 28 =  
*tridentatum*.  
*irregulare*, Pourr. in Mém. Acad. Toul. iii. (1788) 331  
 = *maritimum*.  
*isthmocarpum*, Brot. Phyt. Lusit. i. 148. t. 61.—Reg.  
 Mediterr. occ.  
*italicum*, Boiss. Fl. Orient. ii. 107, 1153 (Index) =  
*Melilotus italica*.  
*jaminianum*, Boiss. & Reut. *Diagn. Ser. II.* ii. 19 =  
*isthmocarpum*.  
*Kingii*, S. Wats. in Bot. King's Rep. v. 59.—Calif.  
*Kitabelianum*, Ser. in DC. *Prod.* ii. 194 = *striatum*.  
*Kochianum*, Hayne, in Schrad. Neues Journ. ii. (1807)  
 337 = *Melilotus dentata*.  
*laevigatum*, Poir. Voy. Barb. ii. 219 = *strictum*.  
*Lagascanum*, Ser. in DC. *Prod.* ii. 194.—Hab.?  
*lagopinum*, Jord. *Pugill. Pl. Nov.* 57 = *arvense*.  
*lagopinum*, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880)  
 136 = *T. Lagopus*.  
*Lagopus*, Gouan, Fl. Monsp. 105 = *arvense*.  
*Lagopus*, Pourr. ex Willd. Sp. Pl. iii. 1365.—  
 Hispan.; Pyren.  
*Lagrangei*, Boiss. Fl. Orient. ii. 154.—Archip.;  
 Graecia.  
*laguroides*, Pourr. ex Link, Enum. Hort. Berol. ii. 261  
 = *hirtum*.  
*lanatum*, Thunb. *Prod. Pl. Cap.* 136.—Afr. austr.  
*lappaceum*, Linn. Sp. Pl. 768.—Reg. Mediterr.;  
 Oriens.  
*lasioccephalum*, Link, Enum. Hort. Berol. ii. 262 =  
*hirsutum*.  
*latinum*, Sebast. Pl. Rom. fasc. i. 7. t. 1. f. 2.—Europ.  
 austr. occ.; Syria.  
*laxiusculum*, Boiss. & Blanche, *Diagn. Ser. II.* ii. 13 =  
*Desvauxii*.  
*leicalycinum*, Boiss. & Sprun. l. c. Ser. I. ii. 31.—  
 Graecia.  
*Lemmoni*, S. Wats. in Proc. Am. Acad. xi. (1876) 127.  
 —Calif.  
*leptocephalum*, Wallr. in Linnaea, xiv. (1840) 620  
 (Beitr. Fl. Hercyn. 250).—Europ. centr.  
*leucanthum*, Bieb. Fl. Taur. Cauc. ii. 214.—Europ.  
 austr.; As. Min.  
*leucophaeum*, Schousb. ex Ball, in Journ. Linn. Soc.  
 xvi. (1878) 418 = *bracteatum*.  
*libanoticum*, Ehrenb. ex Sweet, Hort. Brit. ed. II. 137  
 = *globosum*.  
*ligusticum*, Balb. in Mem. Acc. Torin. xxiii. (1818)  
 112, nomen; et ex Savi, Obs. Trifol. 38.—Reg.  
 Mediterr.  
*limonium*, Phil. in Linnaea, xxviii. (1856) 679 =  
*repens*.  
*litigiosum*, Desv. in Ann. Sc. Nat. Sér. I. xiii. (1828)  
 329 = *spadiceum*.  
*littorale*, Jord. ex Bor. Fl. Centr. Fr. ed. III. ii. 153 =  
*arvense*.  
*longepedunculatum*, Steud. *Nom.* ed. II. ii. 706 =  
*squarrosus*.  
*longestipulatum*, Ebel, Monteneg. 84. t. 4. f. 2 =  
*patulum*.  
*longestipulatum*, Loisel. Fl. Gall. ed. II. ii. 122 =  
*squarrosus*.  
*longipedunculatum*, Loisel. ex Bull. Sc. Anger (1828),  
 425 (err. typ.) = *praec.*  
*longipes*, Nutt. in Torr. & Gray, *Fl. N. Am.* i. 314.—  
 Am. bor. occ.  
*longisetum*, Boiss. & Bal. *Diagn. Ser. II.* vi. 47 =  
*arvense*.  
*lucanicum*, Gasp. in Guss. Fl. Sic. *Prod.* ii. 494 =  
*dalmaticum*.  
*lucidum*, Schousb. ex Ball, in Journ. Linn. Soc. xvi.  
 (1878) 419 = *strictum*.

7 C

## TRIFOLIUM:—

- ludovicianum*, Rafn. Fl. Ludov. 102 (Quid?).—Am. bor.  
*Lupinaster*, [Habl.] Desc. Taur. 187; ex Bieb. Fl. Taur. Cauc. ii. 221 = *Dorycnium suffruticosum*.  
*Lupinaster*, Linn. Sp. Pl. 766.—Sibir.  
*Lupinaster*, Sibth. & Sm. Fl. Graec. Prod. ii. 95 = *patulum*.  
*lupinastrium*, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 136 = *T. Lupinaster*.  
*lupulinum*, Gueldenst. ex Ledeb. Fl. Ross. i. 557 = *procumbens*.  
*lupulinum*, Savi, Fl. Pis. ii. 171 = *Medicago lupulina*.  
*luteolum*, Schur, in Verh. Naturf. Ver. Bruenn, xv. ii. (1877) 179 = *dubium*.  
*luteum*, Lam. Fl. Fr. ii. 604 = *filiforme*, *procumbens*.  
*luxurians*, Hort. Par. ex Steud. Nom. ed. II. ii. 706 = *repens*.  
*Macraei*, Hook. & Arn. in Hook. Bot. Misc. iii. (1833) 179.—Am. bor. occ.; Chili.  
*macrocalyx*, Hook. Ic. Pl. t. 285 = *bejariense*.  
*macrocephalum*, Poir. Encyc. Suppl. v. 336 = *megacephalum*.  
*macrocephalum*, Salzm. ex Ball, in Journ. Linn. Soc. xvi. (1878) 421 = *fragiferum*.  
*macropodium*, Guss. Fl. Sic. Syn. ii. 338 = *Michelianum*.  
*macropodium*, Steud. Nom. ed. II. ii. 706.—Sicil.  
*macrorrhizum*, Boiss. Diagn. Ser. II. v. 80 = *repens*.  
*macrorrhizum*, Waldst. & Kit. Pl. Rar. Hung. i. 24 = *Melilotus officinalis*.  
*maculatum*, Host, Fl. Austr. ii. 373.—Sicil.  
*magellanicum*, Poir. Encyc. viii. 25 = *Oxalis erio-carpa*.  
*magnum*, Gueldenst. Reisen, i. 426.—Transcauc.  
*malacanthum*, Link. Enum. Hort. Berol. ii. 261 = *leucanthum*.  
*maritimum*, Huds. Fl. Angl. ed. I. 284.—Europ. occ.; Reg. Mediterr.  
*mariscum*, Tenore, Syll. 620; ex Walp. Rep. ii. 850.—Europ.  
*Matthewsii*, A. Gray, Bot. U. St. Expl. Exped. i. 398.—Peruv.  
*mauritanicum*, Salzm. ex Ball, in Journ. Linn. Soc. xvi. (1878) 420 = *isthmocarpum*.  
*mauritanicum*, Willd. Sp. Pl. iii. 1354 = *Melilotus sulcata*.  
*mauritanicum*, Steud. Nom. ed. I. 849; ed. II. ii. 706 = *Melilotus mauritanica*.  
*mediterraneum*, Vell. Fl. Flum. 317; vii. t. 144.—Bras.  
*medium*, Griseb. Spicil. Fl. Rumel. i. 25 = *patulum*.  
*medium*, Linn. Faun. Suec. ed. II. 558, nomen; Huds. Fl. Angl. ed. I. 284.—Europ.; As. bor.  
*meduseum*, Blanche, ex Boiss. Fl. Orient. ii. 134.—Syria.  
*megacephalum*, Nutt. Gen. Am. ii. 105.—Am. bor. occ.  
*megalanthum*, Steud. Nom. ed. II. ii. 706 = *polymorphum*.  
*melananthum*, Hook. & Arn. Bot. Beech. Voy. 331 = *tridentatum*.  
*Melilotus*, Georgi, Reise, i. 227 = *Melilotus alba*.  
*Melilotus*, Gueldenst. ex Ledeb. Fl. Ross. i. 538 = *Melilotus officinalis*.  
*Melilotus*, Linn. Sp. Pl. ed. I. 764 = *Melilotus indica*.  
*Melilotus-caerulea*, Linn. l. c. = *Trigonella caerulea*.  
*Melilotus-corniculata*, Linn. l. c. 766 = *Melilotus italica*.  
*Melilotus-cretica*, Linn. l. c. 765 = *Trigonella cretica*.  
*Melilotus-indica*, Linn. l. c. = *Melilotus mauritanica*.  
*Melilotus-italica*, Brot. Fl. Lusit. ii. 102 = *Melilotus mauritanica*?  
*Melilotus-italica*, Linn. Sp. Pl. 765 = *Melilotus italica*.  
*Melilotus-mauritanica*, Schousb. Vextr. Marokko, 196 = *Melilotus mauritanica*.  
*Melilotus-officinalis*, Linn. Sp. Pl. 765 = *Melilotus officinalis*.  
*Melilotus-officinarum*, Crantz, Inst. ii. 41 = *Melilotus officinalis*.  
*Melilotus-ornithopodioides*, Linn. Sp. Pl. 766 = *Trigonella ornithopodioides*.  
*Melilotus-polonica*, Linn. l. c. 765 = *Melilotus polonica*.  
*Melilotus-segetalis*, Brot. Fl. Lusit. ii. 484 = *Melilotus sulcata*?  
*Melilotus-tauricum*, Bieb. Fl. Taur. iii. 506 = *Melilotus gracilis*.  
*Meneghinianum*, Clem. in Mem. Acc. Sc. Torin. Ser. II. xvi. (1857) 267.—Byzant.; Syria.  
*mesogitanum*, Boiss. Diagn. Ser. I. ii. 34 = *brutium*.

## TRIFOLIUM:—

- messanense*, Hill, Veg. Syst. xxii. 35 = seq.?  
*messanense*, Linn. Mant. ii. 275 = *Melilotus messanensis*.  
*mexicanum*, Hemsl. Biol. Centr. Am. Bot. i. 233.—Mexic.  
*Michelianum*, Gaud. Fl. Helv. iv. 573 = *hybridum*.  
*Michelianum*, Koch, Syn. Fl. Germ. ed. I. 174 = *Meneghinianum*.  
*Michelianum*, Savi, Fl. Pis. ii. 159.—Europ. austr.  
*micranthum*, Viv. Fl. Lib. Spec. 45. t. 19. f. 3 = *filiforme*.  
*microcephalum*, Pursh, Fl. Am. Sept. ii. 478.—Am. bor. occ.  
*microdon*, Hook. & Arn. in Hook. Bot. Misc. iii. (1833) 180.—Am. bor. occ.; Chili.  
*micropetalum*, E. Mey. Comm. Pl. Afr. Austr. i. 90 = *stipulaceum*.  
*microphyllum*, Desv. Journ. Bot. ii. (1809) 316 = *pratense*.  
*minimum*, Barton, Comp. Fl. Philad. ii. 74 = *procumbens*.  
*minus*, Relhan, Fl. Cantab. ed. II. 290 = *dubium*.  
*minutum*, Coss. Notes Crit. 5 = *cernuum*.  
*modestum*, Boiss. Diagn. Ser. I. ix. 27.—Syria.  
*Molinerii*, Balb. Cat. Hort. Taur. (1813) App. i. 17 = *incarnatum*.  
*molybdocalyx*, Reichb. f. Ic. Fl. Germ. xxii. 77. t. 2167 = *Petrisavii*.  
*monanthum*, A. Gray, in Proc. Am. Acad. vi. (1865) 523.—Calif.  
*montanum*, Linn. Sp. Pl. 770.—Europ. austr.; As. bor.  
*montanum*, Linn. l. c. 772 = *spadiceum*.  
*moriferum*, Boiss. Diagn. Ser. I. ix. 28 = *xerocephalum*.  
*mucronatum*, Willd. Sp. Pl. iii. 1372.—Mexic.  
*multicaule*, M. Jones, in Bull. Torrey Bot. Club, ix. (1882) 31.—Calif.  
*multinerve*, A. Rich. Tent. Fl. Abyss. i. 175.—Abyss.  
*multistriatum*, Koch, Syn. Fl. Germ. ed. II. 190.—Dalmat.; Graecia.  
*mutabile*, Portenschl. Enum. Pl. Dalm. 16.—Europ. austr.  
*Mutellii*, Gren. in Acad. Sc. Besanç. Séances Publ. (1838) 127.—Alger.  
*nanum*, Torr. in Ann. Lyc. N. York, i. (1824) 35. t. 3. f. 4.—Am. bor. occ.  
*neglectum*, Fisch. Mey. & Avé-Lall. Ind. Sem. Hort. Petrop. ix. Suppl. 21 = *fragiferum*.  
*neglectum*, Noé, ex Nym. Consp. 178 = *repens*.  
*neolagopus*, Lojac. in Nuov. Giorn. Bot. Ital. xv. (1883) 194.—Calif.  
*nervosum*, Presl, Fl. Sic. p. xxi.—Europ. austr.  
*nervulosum*, Boiss. & Heldr. Diagn. Ser. I. ix. 25.—As. Min.; Syria.  
*nevadense*, Boiss. Diagn. Ser. II. ii. 17.—Hispan.  
*nidificum*, Griseb. Spicil. Fl. Rumel. i. 32 = *radiosum*.  
*nigrescens*, Viv. Fragm. Fl. Ital. 12. t. 13.—Europ. austr.  
*nigrocinctum*, Boiss. & Orph. Diagn. Ser. II. vi. 47 = *maritimum*.  
*nigrolineatum*, Wahlenb. in Bergg. Resor. ii. Bihang, 42; et in Oken, Isis, xxi. (1828) 992.—Thracia.  
*nigropunctatum*, G. Don, Gen. Syst. ii. 181 = *nigrolineatum*.  
*nivale*, Arv. Ess. Pl. Dauph. 23 (Quid?).—Gallia.  
*nivale*, Sieber, ex Koch, Syn. Fl. Germ. ed. I. 168 = *pratense*.  
*Noëanum*, Reichb. ex Koch, in Roehl. Deutschl. Fl. ed. III. v. 265 = *incarnatum*.  
*noricum*, Wulf. in Roem. Arch. iii. (1805) 387.—Europ. austr.  
*nothum*, Stev. in Bull. Soc. Nat. Mosc. xxix. (1856) II. 137 = *repens*.  
*Nuttallii*, Steud. Nom. ed. II. ii. 707 = *tridentatum*.  
*obcordatum*, Desv. Journ. Bot. iii. (1814) 76 = *polymorphum*.  
*oblongifolium*, Ser. in DC. Prod. ii. 197.—Hispan.  
*obscurum*, Savi, Obs. Trif. 31. f. 1 = *leucanthum*.  
*obtusiflorum*, Hook. Ic. Pl. t. 281 = *tridentatum*.  
*obvallatum*, Moench, Meth. 112 = *Cherleri*.  
*ochreatum*, Kunze, ex Steud. Nom. ed. II. ii. 707.—Chili.  
*ochroleucum*, Huds. Fl. Angl. ed. I. 283.—Europ.; Oriens.  
*ochroleucum*, Rostk. & Schmidt, Fl. Seden. 302 = *scabrum*.  
*ochroleucum-magnum*, Gueldenst. ex Ledeb. Fl. Ross. i. 545 = *canescens*.  
*odoratum*, Schrank, Baier. Fl. ii. 286 = *montanum*?

## TRIFOLIUM:—

- officinale*, Willd. Sp. Pl. iii. 1355 = *Melilotus officinalis*.  
*oliganthum*, Steud. Nom. ed. II. ii. 707 = *pauciflorum*.  
*Oliverianum*, Ser. in DC. Prod. ii. 197 = *globosum*.  
*olympicum*, Hornem. ex Hook. Bot. Mag. t. 2790 = *armenium*.  
*ornatum*, Clarke, Trav. iii. 336.—Ins. Cos.  
*ornithopodioides*, Sm. Fl. Brit. iii. 782 = *Trigonella ornithopodioides*.  
*Orphanideum*, Boiss. Diagn. Ser. II. ii. 17 = *repens*.  
*Ottonis*, Sprun. ex Boiss. Diagn. Ser. I. ii. 28.—Graecia.  
*ovatifolium*, Bory & Chaub. Nouv. Fl. Pélop. 51 = *physodes*.  
*oxaloides*, Bunge, ex Nym. Consp. 177 = *subterraneum*.  
*oxypetalum*, Fisch. & Mey. Ind. Sem. Hort. Petrop. ii. 51 = *carolinianum*.  
*oxypetalum*, Nym. Consp. 1036 = *hirtum*.  
*oxypetalum*, Heldr. & Sart. ex Nym. l. c. 174 = *hirtum*.  
*palaestinum*, Boiss. Diagn. Ser. I. ix. 21.—Palestin.  
*palavicum*, Hochst. in Lorent. Wanderungen, 346 = *purpureum*.  
*pallidum*, DC. Fl. Fr. Suppl. 555 = *nigrescens*.  
*pallidum*, Schreb. in Sturm, Deutschl. Fl. Heft 15.—Europ. austr.  
*pallidum*, Jord. Pugill. Pl. Nov. 56 = *ochroleucum*.  
*pallidum*, Bory & Chaub. Nouv. Fl. Pélop. 50. t. 28 = *Pignantii*.  
*pallidum*, Waldst. & Kit. Pl. Rar. Hung. i. 35. t. 36.—Reg. Mediterr.  
*pallidum*, Webb, ex Ball, in Journ. Linn. Soc. xvi. (1878) 418 = *bracteatum*.  
*Palmeri*, S. Wats. in Proc. Am. Acad. xi. (1876) 132.—Calif.  
*palustre*, Waldst. & Kit. Pl. Rar. Hung. iii. 295 = *Melilotus mauritanica*?  
*pamphylicum*, Boiss. & Heldr. Diagn. Ser. I. ix. 20.—As. Min.  
*pannonicum*, Jacq. Obs. Bot. ii. 21.—Europ.; Oriens.  
*pannonicum*, Sibth. & Sm. Fl. Graec. Prod. ii. 98 = *armenium*.  
*panormitanum*, Presl, Fl. Sic. p. xxi.—Reg. Mediterr. et Casp.  
*paradoxum*, Steud. Nom. ed. II. ii. 707.—Chili.  
*parisiense*, DC. Fl. Fr. Suppl. 562 = *patens*.  
*Parnassi*, Boiss. & Sprun. Diagn. Ser. I. ii. 30.—Graecia.  
*Parnassi*, Orph. ex Nym. Consp. 178 = *repens*.  
*Parryi*, A. Gray, in Am. Journ. Sc. Ser. II. xxxiii. (1862) 409.—Am. bor. occ.  
*parviflorum*, Ehrh. Beitr. vii. (1792) 165.—Reg. Mediterr.; As. Min.  
*parviflorum*, Perrey. Pl. Frej. 84 = *Perreymondi*.  
*parvifolium*, Bunge, ex Nym. Consp. 180 = *dubium*.  
*patens*, Schreb. in Sturm, Deutschl. Fl. Heft 16.—Europ. austr.  
*patulum*, Tausch, in Syll. Ratisb. ii. (1828) 245.—Dalmat.; Graecia.  
*pauciflorum*, Nutt. in Torr. & Gray, Fl. N. Am. i. 319.—Am. bor. occ.  
*pauciflorum*, Urv. in Mém. Soc. Linn. Par. i. (1822) 350 = *globosum*.  
*pauciflorum*, Willd. ex Steud. Nom. ed. II. ii. 707 = *amabile*.  
*pectinatum*, Willd. ex Steud. l. c. = *arvense*.  
*Pennyannum*, Steud. l. c.—Armenia.  
*pennsylvanicum*, Willd. Enum. Hort. Berol. 793 = *medium*.  
*Perreymondi*, Coss. ex Willk. & Lange, Prod. Fl. Hisp. iii. 356 = *cernuum*.  
*Perreymondi*, Gren. & Godr. Fl. Fr. i. 422.—Hispan.  
*peruvianum*, Vog. in Nov. Act. Nat. Cur. xix. Suppl. I. (1843) 12.—Peruv.  
*Petitianum*, A. Rich. Tent. Fl. Abyss. i. 168.—Abyss.  
*Petitpierreanum*, Hayne, in Schrad. Neues Journ. ii. (1807) 337 = *Melilotus mauritanica*.  
*Petrisavii*, Clem. in Mem. Acc. Sc. Torin. Ser. II. xvi. (1857) 268.—Byzant.; As. Min.  
*phlebocalyx*, Fenzl, ex Tchihat. Asie Min. Bot. i. 29 = *Cherleri*.  
*phleoides*, Pourr. ex Willd. Sp. Pl. iii. 1377.—Reg. Mediterr.  
*physanthum*, Hook. & Arn. in Hook. Bot. Misc. iii. (1833) 180.—Chili.  
*physodes*, Eichw. Skizze, 166 = *fragiferum*.  
*physodes*, Stev. ex Bieb. Fl. Taur. Cauc. ii. 217.—Europ. austr.; Oriens.

## TRIFOLIUM:—

*physopetalum*, Fisch. & Mey. Ind. Sem. Hort. Petrop. iii. 47 = fucatum.  
*pictum*, Roth, Catalect. fasc. ii. 101 = hirtum.  
*Pignanti*, *Fauché & Chaub. in Expéd. Morée Bot.* 219.—Graecia; Dalmat.  
*Pignati*, Steud. Nom. ed. II. ii. 707, sphalm. = praec.  
*piliferum*, Straub. ex Nym. Consp. 176 = formosum.  
*pilulare*, Boiss. *Diagn.* Ser. I. ii. 29.—As. Min.; Syria.  
*platycephalum*, Bisch. Del. Sem. Hort. Heidelberg. (1839).—Cf. Linnaea, xiv. (1840) Litt. 132 = reflexum.  
*plebeium*, Boiss. *Diagn.* Ser. I. ix. 23.—Syria.  
*plicatum*, Presl, ex Sweet, Hort. Brit. ed. II. 137 = speciosum.  
*Plummeri*, Lemmon, ex Lojac. in *Nuov. Giorn. Bot. Ital.* xv. (1883) 162.—Calif.  
*plumosum*, Dougl. ex Hook. *Fl. Bor. Am.* i. 130.—Am. bor. occ.  
*polyanthemum*, Tenore, ex DC. *Prod.* ii. 200 = hybridum.  
*polyccephalum*, Ser. in *DC. l. c.* 196.—Afr. austr.  
*polymorphum*, Poir. *Encyc.* viii. 20.—Reg. Magellan.  
*polyphyllum*, C. A. Mey. *Vers. Pfl. Cauc.* 139.—Reg. Cauc.  
*polyphyllum*, Nutt. in Torr. & Gray, *Fl. N. Am.* 319 = tridentatum.  
*polystachyum*, Fresen. in *Flora*, xxii. (1839) 50.—Abyss.  
*potosanum*, Lojac. in *Nuov. Giorn. Bot. Ital.* xv. (1883) 144.—Mexic.  
*praecox*, Wallr. in *Linnaea*, xiv. (1840) 621 (*Beitr. Fl. Hercyn.* 251).—Europ.  
*praetutianum*, Guss. *Pl. Rar. Sic.* 308.—Italia.  
*pratense*, Linn. *Sp. Pl.* 768.—Europ.; As. temp.  
*Preslianum*, Boiss. *Diagn.* Ser. I. ii. 25 = arvense.  
*procerum*, Rochel, *Pl. Banat. Rar.* 50 = reclinatum.  
*procumbens*, Linn. *Sp. Pl.* 727, partim = dubium.  
*procumbens*, Linn. *l. c.*—Europ.; Afr. et As. bor.  
*procumbens*, Pollich, *Hist. Pl. Palat.* ii. 345 = filiforme.  
*prostratum*, Biasol. ex Koch, *Syn. Fl. Germ.* ed. I. 173 = repens.  
*prostratum*, Burm. f. *Fl. Cap. Prod.* 22.—Afr. austr.  
*prostratum*, Griseb. *Spicil. Fl. Rumel.* i. 29 = Petri-savii.  
*prutetianum*, Ser. in *DC. Prod.* ii. 202, sphalm. = praetutianum.  
*Pseudo-procumbens*, C. C. Gmel. *Fl. Bad.* iii. 240 = procumbens.  
*psoraloides*, Walt. *Fl. Carol.* 184 = Psoralea melilotoides.  
*purpurascens*, Fisch. ex Loud. *Hort. Brit.* 300; G. Don, *Gen. Syst.* ii. 192.—Sibir.  
*purpurascens*, Roth, *Catalect. Bot. fasc.* iii. 74 = diffusum.  
*purpureum*, Gilib. *Fl. Lituan.* ii. 86 = pratense.  
*purpureum*, Gueldenst. ex Ledeb. *Fl. Ross.* i. 546 = alpestre.  
*purpureum*, Loisel. *Fl. Gall.* ed. I. 484. t. 14.—Europ.; Oriens; As. bor.  
*purpureum-majus*, Gilib. *Fl. Lituan.* ii. 87 = alpestris.  
*pyrenaicum*, Pourr. in *Mém. Acad. Toul.* iii. (1788) 331.—Mont. Pyren.  
*Quartinianum*, A. Rich. *Tent. Fl. Abyss.* i. 169.—Abyss.  
*radiatum*, Delile, *Fl. Aeg. Illustr.* 70, nomen.—Aegypt.  
*radicosum*, Boiss. & Hohen. *Diagn.* Ser. I. ix. 27.—Persia.  
*radiosum*, Wahlenb. in *Bergg. Resor.* ii. Bihang, 43; et in *Oken, Isis*, xxi. (1828) 992.—Thracia.  
*reclinatum*, Griseb. *Spicil. Fl. Rumel.* i. 21 = leucanthum.  
*reclinatum*, Waldst. & Kit. *Pl. Rar. Hung.* iii. 299. t. 269.—Hungar.  
*recurvum*, Waldst. & Kit. *l. c.* ii. 179. t. 165 = vesiculosum.  
*reflexum*, Linn. *Sp. Pl.* 766.—Am. bor.  
*reflexum*, Pourr. ex Willk. & Lange, *Prod. Fl. Hisp.* iii. 356 = cernuum.  
*reflexum*, Roem. ex Scheele, in *Linnaea*, xxi. (1848) 460 = amphianthum.  
*reflexum*, Schlecht. & Cham. *l. c.* v. (1830) 576 = Schiedeanum.  
*reflexum*, Ser. in *DC. Prod.* ii. 197 = reclinatum.  
*repens*, Linn. *Sp. Pl.* 767.—Geront. bor. temp.  
*repens*, Walt. *Fl. Carol.* 183 = carolinianum?

## TRIFOLIUM:—

*resupinatum*, Less. in *Linnaea*, ix. (1834) 175 = fragiferum.  
*resupinatum*, Linn. *Sp. Pl.* 771.—Europ. occ.; Reg. Mediterr.  
*resupinatum*, Willk. in *Flora*, xxxiv. (1851) 628 = Bonani.  
*rhombeum*, S. Schau. in *Linnaea*, xx. (1847) 740.—Mexic.  
*rigidum*, Savi, *Fl. Pis.* i. t. 1. f. 1; ii. 154 = maritimum.  
*rigidum*, Schrad. ex Steud. *Nom. ed. I.* 850 = villosum, Seenus.  
*rivale*, Clos, in C. Gay, *Fl. Chil.* ii. 70 = polymorphum.  
*rivale*, Steud. *Nom. ed. II.* ii. 708, in syn., sphalm. = nivale, Sieber.  
*rivulare*, Boiss. & Bal. *Diagn.* Ser. II. vi. 49.—Cappadoc.  
*Roemerianum*, Scheele, in *Linnaea*, xxi. (1848) 460 = amphianthum.  
*roseum*, Presl, *Delic. Frag.* 50 = ochroleucum.  
*rotundatum*, Ser. in *DC. Prod.* ii. 200.—Hab.?  
*rotundifolium*, Bory & Chaub. *Nouv. Fl. Pélop.* 50 = filicaule.  
*rotundifolium*, Sibth. & Sm. *Fl. Graec.* viii. 35. t. 747.—Gracia.  
*Roussaeum*, Boiss. *Diagn.* Ser. I. ii. 26 = Desvauuxii.  
*Rouxii*, Gren. in *Mém. Soc. Emul. Doubs*, Sér. III. ii. (1858) 418 = isthmocarpum.  
*rubellum*, Jord. *Pugill. Pl. Nov.* (1852) 57 = arvense.  
*rubens*, Aubry, *Fl. Morb.* 56; ex DC. *Fl. Fr. Suppl.* 556 = incarnatum.  
*rubens*, [Habl.] *Desc. Taur.* 24; ex Bieb. *Fl. Taur. Cauc.* ii. 211 = alpestre.  
*rubens*, Linn. *Sp. Pl.* 768.—Europ. austr.  
*rubicundum*, Schousb. ex Ball, in *Journ. Linn. Soc.* xvi. (1878) 420 = isthmocarpum.  
*Rueppellianum*, Fresen. in *Flora*, xxii. (1839) 51.—Abyss.  
*rupestre*, Tenore, ex Ser. in *DC. Prod.* ii. 201.—Italia.  
*rupestre*, Tenore, *Prod. Fl. Nap.* p. xliii = montanum.  
*rytidosemium*, Boiss. & Hohen. *Diagn.* Ser. I. ix. 29.—Reg. Cauc.; Persia.  
*sabuletorum*, Jord. ex Bor. *Fl. Centr. Fr.* ed. III. ii. 153 = arvense.  
*sarosiense*, Hazsl. ex Neilr. *Diagn. Gefaesspfl.* 35.—Hungar.  
*sativum*, Crome, ex Boenn. *Prod. Fl. Monast.* 222 = pratense.  
*Savianum*, Guss. *Fl. Sic. Prod.* ii. 488 = uniflorum.  
*saxatile*, All. *Fl. Pedem.* i. 305. t. 59. f. 3.—Europ.  
*scabrum*, Linn. *Sp. Pl.* 770.—Reg. Mediterr.; Oriens.  
*scabrum*, Pollich, *Hist. Pl. Palat.* ii. 338 = striatum.  
*Schiedeanum*, S. Wats. in *Proc. Am. Acad.* xvii. (1882) 339.—Mexic.  
*Schimperi*, A. Rich. *Tent. Fl. Abyss.* i. 173.—Abyss.  
*Schreberi*, Jord. ex Reut. *Cat. Pl. Genève.* ed. II. 49 = procumbens.  
*sclerorrhizon*, Boiss. *Diagn.* Ser. I. ix. 28 = physodes.  
*scutatum*, Boiss. *Diagn.* Ser. I. ii. 27.—As. Min.; Syria.  
*Sebastiani*, Savi, in *Diar. Med. Flajani*, (1815); ex Sebast. *Rom. Pl. fasc.* ii. 14.—Ital.; Reg. Casp.  
*semiglabrum*, Brot. *Phyt. Lusit.* i. 155 = Bocconi.  
*semipilosum*, Fresen. in *Flora*, xxii. (1839) 52.—Abyss.  
*serrulatum*, Lag. *Gen. et Sp. Nov.* 23 = cernuum.  
*setiferum*, Boiss. *Diagn.* Ser. I. ii. 32.—As. Min.  
*sibiricum*, Gueldenst. *Reisen*, ii. 327; ex Ledeb. *Fl. Ross.* i. 558 (Quid?).—Sibir.  
*siculum*, Presl, ex Steud. *Nom. ed. II.* ii. 708.—Sicil.  
*simense*, Fresen. in *Flora*, xxii. (1839) 49.—Abyss.  
*simplex*, Clos, in C. Gay, *Fl. Chil.* ii. 69 = polymorphum.  
*simplicifolium*, Walt. *Fl. Carol.* 184 = Rhynchosisia tomentosa.  
*smynnaeum*, Boiss. *Diagn.* Ser. I. ii. 25.—As. Min.; Mesopot.  
*spadiceum*, Linn. *Fl. Suec.* ed. II. 261.—Europ.; As. Min.  
*spadiceum*, Thuill. *Fl. Par.* ed. II. 385 = procumbens.  
*spadiceum*, Vell. *Fl. Delph.* 80; *Hist. Pl. Dauph.* iii. 491 = badium.  
*speciosum*, Boiss. *Diagn.* Ser. I. ii. 33 = Boissieri.  
*speciosum*, Bory & Chaub. *Nouv. Fl. Pélop.* 51 = aurantiacum.

## TRIFOLIUM:—

*speciosum*, Marg. & Reut. *Fl. Zante*, 41 = patens.  
*speciosum*, Ser. in *DC. Prod.* ii. 205 = comosum.  
*speciosum*, Willd. *Sp. Pl.* iii. 1882.—Sicil.; Graec.; Oriens.  
*sphaerocephalum*, Desf. *Fl. Atlant.* ii. 201 = Cherleri.  
*spicatum*, Sibth. & Sm. *Fl. Graec.* viii. 32. t. 743 = Melilotus gracilis.  
*spinulosum*, Dougl. ex Hook. *Fl. Bor. Am.* i. 133 = involucratum.  
*spumosum*, Linn. *Sp. Pl.* 771.—Reg. Mediterr.  
*squarrosus*, Bieb. *Fl. Taur. Cauc.* ii. 214.—Reg. Cauc.  
*squarrosus*, DC. *Fl. Fr.* iv. 531 = panormitanum.  
*squarrosus*, Linn. *Sp. Pl.* 768.—Europ. austr.  
*squarrosus*, Schousb. ex Ball, in *Journ. Linn. Soc.* xvi. (1878) 418 = maritimum.  
*stellatum*, Huds. *Fl. Angl.* ed. II. 326 = maritimum.  
*stellatum*, Linn. *Sp. Pl.* 769.—Reg. Mediterr.; Oriens.  
*stellatum*, Pall. *Tabl. Taur.* 56 = leucanthum.  
*stenophyllum*, Boiss. *Diagn.* Ser. I. ix. 30.—Palaestin.  
*stenophyllum*, Nutt. in *Journ. Acad. Philad. N. S.* i. (1847) 151 = depauperatum.  
*Steudneri*, Schweinf. in *Verh. Zool.-Bot. Ges. Wien*, xviii. (1868) 652.—Afr. trop.  
*stipitatum*, Boiss. & Bal. ex Boiss. *Fl. Orient.* ii. 149.—As. Min.  
*stipitatum*, Clos, in C. Gay, *Fl. Chil.* ii. 71 = repens.  
*stipulaceum*, Lapeyr. *Suppl. Hist. Abr. Pl. Pyr.* 116 = maritimum.  
*stipulaceum*, Thunb. *Prod. Pl. Cap.* 136.—Afr. austr.  
*stoloniferum*, Muhl. *Cat.* 70.—Am. bor.  
*stramineum*, Guss. ex Tenore, *Syll. Fl. Neap.* 372 = tenuifolium.  
*stramineum*, Presl, *Fl. Sic.* p. xx = incarnatum.  
*strepens*, Crantz, *Stirp. Austr.* ed. II. fasc. v. 411 = agrarium.  
*striatum*, Linn. *Sp. Pl.* 770.—Europ. austr.; As. Min.  
*strictum*, Linn. *Cent. Pl.* i. 24; *Amoen. Acad.* iv. 285.—Europ.; Reg. Mediterr.  
*strictum*, Schreb. in *Sturm, Fl. Deutschl. Heft* 15 = parviflorum.  
*suaveolens*, Willd. *Enum. Hort. Berol.* i. 108; *Suppl.* 52 = resupinatum.  
*subcaulescens*, A. Gray, in *Ives, Rep. Colorado River*, Bot. 10 = gymnocarpon.  
*subcaulescens*, S. Wats. *Bot. King's Exped.* 59, partim = longipes.  
*subexpansum*, Schur, in *Verh. Naturf. Ver. Bruenn*, xv. ii. (1877) 177 = medium.  
*subrotundum*, Steud. & Hochst. in *Flora*, xxiv. (1841) i. *Intell.* 32; et ex A. Rich. *Tent. Fl. Abyss.* i. 172.—Abyss.  
*subterraneum*, Linn. *Sp. Pl.* 767.—Reg. Mediterr.; Oriens.  
*subulatum*, Gilib. *Fl. Lituan.* ii. 90 = montanum.  
*succinctum*, Vis. in *Flora*, xii. (1829) i. *Erg.* 21 = cinctum.  
*suffocatum*, Linn. *Mant.* ii. 276.—Europ. occ.; Reg. Mediterr. et Cauc.  
*sulphureum*, C. Koch, in *Linnaea*, xix. (1847) 63 = armenium.  
*supinum*, Savi, *Obs. Trif.* 46. f. 2.—Europ.; Oriens.  
*sylvaticum*, Gérard, ex Loisel. in *Desv. Journ. Bot.* ii. (1809) 367.—Gall. austr.  
*tauricum*, Bieb. *Fl. Taur. Cauc.* iii. 506 = Melilotus gracilis.  
*tembense*, Fresen. in *Flora*, xxii. (1839) 51.—Abyss.  
*Tenoreanum*, Boiss. & Sprun. *Diagn.* Ser. I. ii. 26 = tenuifolium.  
*Tenoreanum*, Buek, *Ind. ad DC. Prod.* i. p. viii = montanum.  
*tenu*, Clem. in *Atti 3a Riun. Sc. Ital.* (1841) 521.—Bras.  
*tenu*, Willd. *Enum. Hort. Berol. Suppl.* 52, nomen.—Hab.?  
*tenuiflorum*, Tenore, *Prod. Fl. Nap.* p. xlv.—Europ. austr.  
*tenuifolium*, Tenore, *l. c.*—Italia.  
*Thalii*, Vill. *Prosp.* 43; *Hist. Pl. Dauph.* i. 289; iii. 478.—Mont. Pyren.  
*thymiflorum*, Vill. *ll. cc.* 43; iii. 487 (*thimiflorum*) = saxatile.  
*tmoleum*, Boiss. ex Boiss. *Fl. Orient.* ii. 141 = glanduliferum.  
*tomentosum*, Linn. *Sp. Pl.* 771.—Reg. Mediterr.  
*tomentosum*, Willk. ex Nym. *Consp.* 177 = Bonani.  
*transsilvanicum*, Schur, *Enum. Pl. Transs.* 154, 157 = pratense.



**TRIFOLIUM:—**

triaristatum, Bert. ex Colla, in Mem. Acc. Torin. xxxvii. (1834) 54. t. 3.—Chili.  
 trichocephalum, Bieb. Fl. Taur. Cauc. ii. 212.—Reg. Cauc.  
 trichocephalum, Bieb. l. c., partim = canescens.  
 trichopterum, Panč. in Verh. Zool.-Bot. Ges. Wien, vi. (1856) 480.—Banat.  
 trichostomum, Godr. in Mém. Acad. Montp. (Sect. Médic.) i. (1853) 427.—Hab.?  
 tricuspidatum, Bert. ex Steud. Nom. ed. II. ii. 708.—Chili.  
 tridentatum, Hort. Berol. ex Steud. l. c. = Wormskioldii.  
 tridentatum, Lindl. Bot. Reg. sub t. 1070.—Am. bor. occ.  
 triste, Nutt. ex Torr. & Gray, Fl. N. Am. i. 318 = involucrellum.  
 tumens, Stev. ex Bieb. Fl. Taur. Cauc. ii. 217.—Reg. Cauc.; Persia.  
 tumescens, Gilib. Fl. Lituan. ii. 91 = agrarium.  
 turgidum, Bieb. Fl. Taur. Cauc. ii. 216 = vesiculosum.  
 umbellatum, A. Rich. Tent. Fl. Abyss. i. 172.—Abyss.  
 umbellatum, Losc. ex Willk. & Lange, Prod. Fl. Hisp. iii. 355 = repens.  
 umbellatum, Ser. in DC. Prod. ii. 199 = carolinianum.  
 umbellulatum, A. Rich. Tent. Fl. Abyss. i. 172.—Abyss.  
 uniflorum, Linn. Sp. Pl. 771.—Europ. austr.  
 unifolium, Forsk. Fl. Aegypt. Arab. 140 = Psoralea corylifolia.  
 vaginatum, Schleich. Cat. Pl. Helv. 51; ex Ser. in DC. Prod. ii. 195 = pratense.  
 Vaillantii, Bieb. ex Fisch. Cat. Hort. Gorenk. (1808) 111, nomen = ambiguum.  
 Vaillantii, Loisel. in Desv. Journ. Bot. ii. (1809) 365 = Michelianum.  
 Vaillantii, Poir. Encyc. viii. 4 = elegans.  
 Vaillantii, Tenore, Prod. Fl. Nap. p. xlv = hybridum vel nigrescens.  
 variabile, Guss. ex DC. Prod. ii. 197 = leucanthum.  
 variegatum, Nutt. in Torr. & Gray, Fl. N. Am. i. 317 = pauciflorum.  
 ventricosum, Presl, ex Steud. Nom. ed. II. ii. 708.—Sicil.  
 venulosum, Royle, ex Baker, in Hook. f. Fl. Brit. Ind. ii. 86 = repens.  
 vernum, Phil. in Anal. Univ. Chil. (1872) 687.—Chili.  
 versicolor, Steud. Nom. ed. II. ii. 708.—Chili.  
 vesiculosum, Savi, Fl. Pis. ii. 165.—Europ. austr.; Reg. Cauc.  
 villosum, Gilib. Fl. Lituan. ii. 89 = arvensis.  
 villosum, Presl, Delic. Prag. 48.—Sicil.  
 villosum, Seenus, ex Steud. Nom. ed. I. 850.—Europ.  
 villosum, Tenore, Syll. Fl. Neap. 373 = pratense.  
 volubile, Lour. Fl. Cochinch. 445.—'Afr. or.'  
 vulgare, Gueldenst. ex Ledeb. Fl. Ross. i. 537 = Melilotus alba.  
 vulgare, Hayne, in Schrad. Neues Journ. ii. (1807) 336 = Melilotus officinalis.  
 Waldsteinianum, Sweet, Hort. Brit. ed. II. 136 = reclinatum.  
 Watsonii, Lofac. in Nuov. Giorn. Bot. Ital. xv. (1883) 186.—Calif.  
 Willdenovii, Spreng. Syst. iii. 208 = involucrellum.  
 Wormskioldii, Lehm. Sem. Hort. Hamb. (1825) 17.—Cf. Linnaea, iii. (1828) Litt. 10 = involucrellum.  
 xanthinum, Freyn, in Bot. Centralb. i. (1880) 308.—Graec.  
 Xatardii, DC. Fl. Fr. Suppl. 558 = maritimum.  
 xerocephalum, Fenzl, Pugill. Pl. Nov. Syr. 5.—As. Min.; Syria.

TRIFURCARIA, Endl. Gen. 1359 (1841) = seq.

TRIFURCIA, Herb. in Bot. Mag. sub t. 3779 (1840) = *Herbertia*, Sweet (Irid.).  
 caerulea, Herb. l. c. = H. caerulea.

TRIGASTROTHECA, F. Muell. in Hook. Kew Journ. ix. (1857) 16 = *Mollugo*, Linn. (Ficoid.).  
 molluginea, F. Muell. l. c. = M. Trigastrotheca.

TRIGELLA, Salisb. Gen. Pl. Fragm. 46 (1866) = *Cyanella*, Linn. (Haemod.).  
 orchidiformis, Salisb. l. c. 47 = C. orchidiformis.

**TRIGLOCHIN**, Riv. ex Linn. Syst. ed. I (1735).  
 NAIADACEAE, Benth. & Hook. f. iii. 1012.  
 ABBOTIA, Rafin. New Fl. Am. i. 36 (1836).  
 CYCNOGETON, Endl. in Ann. Wien. Mus. ii. (1838) 210.

JUNCAGO, Tourn. ex Moench, Meth. 644 (1794).  
 MAUNDIA, F. Muell. Fragm. i. (1858) 23.  
 andinum, Phil. in Anal. Univ. Chil. (1873) 538.—Chili.  
 Ani, C. Koch, in Linnaea, xxii. (1849) 273 = maritimum.  
 atacamensis, Phil. Fl. Atac. 49 = striatum.  
 atlanticum, Willd. ex Kunth, Enum. Pl. iii. 143 = bulbosum.  
 Barrelieri, Loisel. Fl. Gall. ed. I. 725; ed. II. i. 264 = bulbosum.  
 bulbosum, Linn. Mant. ii. 226.—Reg. Mediterr.; Afr. trop. et austr.  
 calcaratum, Hook. Ic. Pl. t. 416 = mucronatum.  
 Calcitrapa, Hook. l. c. t. 731 = centrocarpum.  
 centrocarpum, Hook. l. c. t. 728.—Austral.  
 chilense, Meyen, Reise, i. 354 = palustre.  
 ciliatum, Ruiz & Pav. Fl. Per. iii. 72 (sp. dub.).—Peruv.  
 decipiens, R. Br. Prod. 343 = striatum.  
 densiflorum, Domb. ex Kunth, Enum. Pl. iii. 144 = striatum.  
 dubium, R. Br. Prod. 343 = procerum.  
 elatum, Nutt. Gen. Am. i. 237 = maritimum.  
 filifolium, Sieber, ex Spreng. Syst. iv. Cur. Post. 142 = striatum.  
 flaccidum, A. Cunn. in Hook. Comp. Bot. Mag. ii. (1836) 378 = striatum.  
 fonticola, Phil. Fl. Atac. 49 = palustre.  
 himalensis, Royle, Illustr. Bot. Himal. 402 = palustre?  
 junceum, Gilib. Exercit. ii. 501 = palustre.  
 laxiflorum, Guss. Ind. Sem. Hort. Boccad. (1825); Fl. Sic. Prod. i. 451.—Sicil.; Corsic.  
 Lechleri, Steud. in Lechl. Berb. Am. Austr. 53 = striatum.  
 lineare, Endl. in Lehm. Pl. Preiss. ii. 54 = procerum.  
 litoreum, Phil. in Anal. Univ. Chil. (1873) 539.—Chili.  
 littorale, Phil. ex Micheli, in DC. Monog. Phan. iii. 102 = striatum.  
 magellanicum, Vahl, ex Kunth, Enum. Pl. iii. 142 = Tetroncium magellanicum.  
 maritimum, Linn. Sp. Pl. 105.—Reg. bor. temp.  
 maritimum, Thunb. Fl. Cap. ed. Schult. 340 = striatum.  
 Maundii, F. Muell. Fragm. vi. 83, in obs.—Austral.  
 mexicanum, H. B. & K. Nov. Gen. et Sp. i. 244 = maritimum.  
 minutissimum, F. Muell. Fragm. vi. 82, in obs. = centrocarpum.  
 montevidense, Spreng. Syst. ii. 145 = striatum.  
 mucronatum, R. Br. Prod. 343.—Austral.  
 nanum, F. Muell. in Trans. Vict. Inst. i. (1855) 135 = centrocarpum.  
 Neesii, Endl. in Lehm. Pl. Preiss. ii. 54 = mucronatum.  
 palustre, Desf. Fl. Atlant. i. 232 = laxiflorum.  
 palustre, Linn. Sp. Pl. 338.—Europ.; As.; Am.  
 palustre, Ruching, Fl. Venet. 99 = maritimum.  
 palustre, Schousb. Vextr. Marokko, 184 = bulbosum.  
 patens, Steud. Nom. ed. II. ii. 709 = bulbosum.  
 procerum, R. Br. Prod. 343.—Austral.  
 racemosum, Endl. in Lehm. Pl. Preiss. ii. 54 = Bulbine semibarbatum.  
 reflexum, Vahl, ex Kunth, Enum. Pl. iii. 142 = Tetroncium magellanicum.  
 Roegneri, C. Koch, in Linnaea, xxii. (1849) 272 = maritimum.  
 salina, Wallr. in Linnaea, xiv. (1840) 567 (Beitr. Fl. Hercyn. 197) = maritimum.  
 sessile, Hill, Veg. Syst. x. 35 (Quid?).—Hab.?  
 sexloculare, Stokes, Bot. Mat. Med. ii. 324 = maritimum.  
 striatum, Ruiz & Pav. Fl. Per. iii. 72.—Am. bor. et austr.; Afr. austr.; Austral.  
 triandrum, Michx. Fl. Bor. Am. i. 208 = striatum.  
 trichophorum, Nees, ex Endl. in Lehm. Pl. Preiss. ii. 54 = centrocarpum.  
 Volkmanni, Phil. in Anal. Univ. Chil. (1873) 539.—Chili.

TRIGLOSSUM, Fisch. Hort. Gorenk. ed. II. p. vi (1812) = *Arundinaria*, Michx. (Gramin.).  
 bambusinum, Fisch. l. c. p. viii = A. macrosperma.

TRIGONACHRAS, Radlk. in Sitzb. Math.-Phys. Akad. Muench. viii. (1878) 299, 304; ix. (1879) 500, 672 = *Sapindus*, Tourn.  
 acuta, Radlk. l. c. ix. (1879) 672 = *Cupania acuta*.  
 cultrata, Radlk. l. c. viii. (1878) 304; ix. (1879) 672 = S. cultratus.

TRIGONEA, Parl. in Giorn. l'Occhio, i. (1839) 161; ex ej. Giorn. Bot. Ital. ii. (1847) 120 = *Allium*, Tourn. (Liliac.).  
 sicula, Parl. ll. cc. 161; 121 = A. Dioscoridis.

**TRIGONELLA**, Linn. Gen. ed. I. 351 (1737).  
 LEGUMINOSAE, Benth. & Hook. f. i. 486.  
 APORANTHUS, Bromf. Fl. Vect. 117 (1856).  
 BOTRYOLUTUS, Jaub. & Spach, Illustr. i. 124. t. 63 (1842).  
 BUCERAS, Hall. ex All. Fl. Pedem. i. 313 (1785).  
 FALCATULA, Brot. Phyt. Lusit. 160. t. 65 (1801).  
 FOENUM-GRAECUM, [Tourn.] Rupp. Fl. Jen. ed. Hall. 263 (1745).  
 FOLLICULLIGERA, Pasq. Cat. Ort. Bot. Nap. 46 (1867).  
 GRAMMOCARPUS, Schur, in Verh. Siebenb. Ver. Naturw. iv. (1853) 18.  
 KENTIA, Adans. Fam. ii. 508 (1763).  
 MELISITUS, Medic. in Vorles. Churpf. Phys. Ges. ii. (1787) 383.  
 NEPHROMEDIA, Kostel. Ind. Hort. Prag. 92 (1844).  
 POCOCCIA, Ser. in DC. Prod. ii. 185 (1825).  
 TELIS, Linn. Syst. ed. I (1735).  
 TRIFOLIASTRUM, Moench, Meth. 123 (1794).  
 aegyptiaca, Steud. Nom. ed. II. ii. 709 = stellata.  
 aleppica, Boiss. & Haussk. in Boiss. Fl. Orient. ii. 79.—Syria.  
 americana, Nutt. Gen. Am. ii. 120 = Hosackia Purshiana.  
 anatolica, Boiss. & Bal. Diagn. Ser. II. vi. 46 = polycerata.  
 anguina, Delile, Fl. Egypte, 254. t. 110. f. 2.—Afr. bor.; Mesopot.  
 arabica, Delile, in Laborde, Voy. Arab. Pétr. 84.—Arab.; Palaest.  
 arcuata, Boiss. & Blanch. Diagn. Ser. II. ii. 11 = berythea.  
 arcuata, C. A. Mey. Verz. Pfl. Cauc. 136.—Armen.; Persia.  
 arguta, Vis. Fl. Aegypt. 33 = occulta vel laciniata.  
 armata, Boiss. Fl. Orient. ii. 70 = berythea.  
 armata, Thunb. Prod. Fl. Cap. 137 = Melolobium collinum.  
 Aschersoniana, Urb. in Verh. Bot. Ver. Brandenb. xxiii. (1882) 67.—Aegypt.  
 astroites, Fisch. & Mey. Ind. Sem. Hort. Petrop. i. 40.—As. Min.; Syria.  
 Aucheri, Boiss. Diagn. Ser. I. ii. 20 = brachycarpa.  
 aurantiaca, Boiss. l. c. 22.—As. Min.  
 avium, Fritz. Ic. Ind. ii. 277, sphalm. = T. Pes-avium.  
 azurea, C. A. Mey. Verz. Pfl. Cauc. 136.—Graecia; As. Min.  
 Balansae, Boiss. & Reut. Diagn. Ser. II. v. 79.—Graecia; As. Min.  
 berythea, Boiss. & Blanche, l. c. ii. 10.—Syria.  
 Besseriana, Ser. in DC. Prod. ii. 181.—Europ. or.; As. Min.  
 biflora, Griseb. Spicil. Fl. Rumel. i. 41 = lunata.  
 brachycarpa, Moris, in Mem. Acc. Torin. xxxvi. (1833) 190.—Oriens.  
 brahuica, Boiss. Fl. Orient. ii. 73 = polycerata.  
 cachemiriana, Cambess. in Jacquem. Voy. Bot. 36 = Emodi.  
 caesyriaca, Boiss. Diagn. Ser. I. ix. 19.—Syria.  
 caerulea, Ser. in DC. Prod. ii. 181.—Europ. or.; Reg. Cauc.  
 caespitosa, Steud. ex A. Rich. Tent. Fl. Abyss. i. 168 = Trifolium Petitianum.  
 calliceras, Fisch. ex Bieb. Fl. Taur. Cauc. iii. 515.—Reg. Cauc.  
 cancellata, Desf. Tabl. ed. I. 190, nomen = striata.  
 capitata, Boiss. Diagn. Ser. I. ii. 17.—As. Min.  
 cariensis, Boiss. l. c. 21.—As. Min.  
 Cassia, Boiss. l. c. ix. 13.—Syria.  
 Cephalotes, Boiss. & Bal. l. c. Ser. II. v. 77.—Cilicia.  
 coerulea, Auct. = caerulea.  
 connata, Meyer, ex Steud. Nom. ed. II. ii. 709 = caerulea.  
 corniculata, Linn. Syst. ed. X. 1180.—Europ. austr.; As. Min.

**TRIGONELLA:—**

*corniculata*, Sibth. & Sm. Fl. Graec. viii. 44. t. 761 = Balansae.  
*crassifolia*, Hornem. Hort. Hafn. ii. 723.—Aegypt.  
*crassipes*, Boiss. Diagn. Ser. I. ii. 23.—As. Min.; Syria.  
*cretica*, Boiss. Fl. Orient. ii. 91.—As. Min.  
*cylindracea*, Desv. Journ. Bot. iii. (1814) 77.—Syria.  
*Desvauxii*, Boiss. Diagn. Ser. II. vi. 147 (Index), sphalm. = *Trifolium Desvauxii*.  
*dicarpa*, C. A. Mey. ex Boiss. Fl. Orient. ii. 77 = Noëana.  
*divaricata*, [Clairv.] Man. Herb. 132 = *monspeliaca*.  
*dura*, Vis. Pl. Aegypt. 32 = *maritima*.  
*egyptiaca*, Poir. Encyc. viii. 95 = *stellata*.  
*elator*, Sibth. & Sm. Fl. Graec. Prod. ii. 108 = *corniculata*.  
*elliptica*, Boiss. Diagn. Ser. I. ii. 20.—Persia.  
*elongata*, Hort. Dorp. ex Link, Enum. Hort. Berol. ii. 267 = *stellata*.  
*Emodi*, Benth. in Royle, Illustr. Bot. Himal. 197.—Reg. Himal.  
*ensifera*, Trautv. Del. Sem. Hort. Kiov. (1840) 6.—Cf. *Linnaea*, xv. (1841) Litt. 98.—Hab.?  
*esculenta*, Willd. Enum. Hort. Berol. 799 = *corniculata*.  
*falcata*, Balf. f. in Proc. Roy. Soc. Edinb. xi. (1882) 509.—Ins. Socotra.  
*fasciculata*, Bertol. Misc. Bot. ii. 19 = *azurea*.  
*filiformis*, Fisch. ex Ledeb. Fl. Ross. i. 532 = *striata*.  
*filipes*, Boiss. Diagn. Ser. I. ix. 16.—Syria; Mesopot.  
*fimbriata*, Royle, Illustr. Bot. Himal. 197 = *corniculata*.  
*Fischeriana*, Ser. in DC. Prod. ii. 183.—As. Min.; Reg. Cauc.  
*flexuosa*, Delile, ex Poir. Encyc. Suppl. v. 362 = *anguina*.  
*flexuosa*, Fisch. ex Bieb. Fl. Taur. Cauc. iii. 515 = *Fischeriana*.  
*Foenum-graecum*, [Habl.] Desc. Taur. 138 = *gladiata*.  
*Foenum-graecum*, Linn. Sp. Pl. 777.—Europ.; Oriens.  
*Foenum-graecum*, Sibth. & Sm. Fl. Graec. viii. 48. t. 766 = *cariensis*.  
*Foenum-graecum*, Suter, Fl. Helv. ed. Hegetschw. ii. 149 = *monspeliaca*.  
*Gaillardoti*, Boiss. Diagn. Ser. II. v. 78 = *caesaryiaca*.  
*geminiflora*, Boiss. Fl. Orient. ii. 77 = *Noëana*.  
*geminiflora*, Bunge, in Arb. Naturf. Ver. Riga, i. (1847) 219 = *polycerata*.  
*glabra*, Thunb. Prod. Pl. Cap. 137 = *hamosa*.  
*gladiata*, Steud. in Fisch. Cat. Hort. Gorenk. (1808) 112.—Reg. Mediterr.  
*glomerata*, Hort. Par. ex Fisch. & Mey. in Bull. Soc. Nat. Mosc. (1838) 340 = *brachycarpa*.  
*Goalia*, Buch.-Ham. ex Wall. Cat. n. 5920 C = *Cyamopsis psoraloides*.  
*gracilis*, Benth. in Royle, Illustr. Bot. Himal. 197.—Ind. or.  
*graeca*, Boiss. Fl. Orient. ii. 91.—Graecia; As. Min.  
*graeca*, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 136 = *T. Foenum-graecum*.  
*grandiflora*, Bunge, in Arb. Naturf. Ver. Riga, i. (1847) 218.—Turkestan.  
*Griffithii*, Boiss. Fl. Orient. ii. 88.—Afghan.  
*halophila*, Boiss. Diagn. Ser. II. v. 78.—Cilicia.  
*hamigera*, Clarke, Trav. ii. 260.—Graecia.  
*hamosa*, Bess. in Flora, xv. (1832) II. Beibl. 32, in nota = *spicata*.  
*hamosa*, Delile, ex Sm. in Rees, Cycl. xxxvi. n. 7 = *anguina*.  
*hamosa*, Linn. Syst. ed. X. 1180.—Aegypt.  
*hamosa*, Sibth. & Sm. Fl. Graec. viii. t. 764 = *Sibthorpii*.  
*hierosolymitana*, Boiss. Diagn. Ser. I. ix. 15.—As. Min.; Syria.  
*himalaica*, Wall. ex Baker, in Hook. f. Fl. Brit. Ind. ii. 88 = *Emodi*.  
*hirsuta*, Thunb. Prod. Pl. Cap. 137 = *Melolobium cernuum*.  
*hybrida*, Pourr. in Mém. Acad. Toul. iii. (1788) 331 = *Medicago Pourretii*.  
*incisa*, Hornem. ex Fisch. & Mey. Ind. Sem. Hort. Pétr. iv. 48 = *anguina*.  
*incisa*, Royle, Illustr. Bot. Himal. 197 = *polycerata*.  
*indica*, Linn. Sp. Pl. 778 = *Rothia trifoliata*.  
*isthmocarpa*, Boiss. & Bal. Diagn. Ser. II. vi. 44.—Cappadoc.  
*Kotschyi*, Boiss. Fl. Orient. ii. 87 = *rytidocarpa*.

**TRIGONELLA:—**

*Kotschyi*, Fenzl, ex Boiss. Diagn. Ser. I. ix. 15.—As. Min.  
*laciniata*, Desf. Tabl. ed. I. 190 = *polycerata*.  
*laciniata*, Linn. Sp. Pl. ed. II. 1095.—Aegypt.  
*lilacina*, Boiss. Diagn. Ser. I. ix. 17.—Palaestin.  
*littoralis*, Guss. Adnot. Cat. Pl. Boccad. (1821) 15 = *maritima*.  
*longirostris*, Stev. in Bull. Soc. Nat. Mosc. xxix. (1856) ii. 133 = *cariensis*.  
*lunata*, Boiss. Diagn. Ser. I. ii. 19.—As. Min.  
*macroglouchin*, Dur. in Bull. Soc. Bot. Fr. vi. (1859) 593.—Hab.?  
*macrorrhyncha*, Boiss. Diagn. Ser. I. ii. 21.—Cilicia.  
*marginata*, Hochst. & Steud. in Flora, xxiv. (1841) I. Intell. 32; et ex Steud. Nom. ed. II. ii. 709 = *Trifolium subrotundum*.  
*maritima*, Delile, in Poir. Encyc. Suppl. v. 361.—Reg. Mediterr. or.  
*maritima*, Tommas. ex Nym. Consp. 171 = *corniculata*.  
*media*, Delile, Fl. Aegypt. Illustr. 71 = *polycerata*.  
*media*, Lag. ex Loud. Hort. Brit. 290; Steud. Nom. ed. II. ii. 709 (Quid?).—Hab.?  
*Melilotus*, Link. Handb. ii. 165 = *Melilotus indica*.  
*mexicana*, G. Don, Gen. Syst. ii. 469.—Mexic.  
*micrantha*, Desf. Cat. Hort. Par. ed. III. 410.—Hab.?  
*microcarpa*, Fresen. in Mus. Senckenb. i. (1833) 186 = *stellata*.  
*mnioicarpa*, Wallr. ex DC. Prod. ii. 172 = *Medicago lupulina*.  
*monantha*, C. A. Mey. Verz. Pf. Cauc. 137 = *polycerata*.  
*monspeliaca*, Linn. Sp. Pl. 777.—Reg. Mediterr.  
*multiflora*, Humnichi, Cat. Pl. Luxeuil, 18.—Gallia.  
*multinervis*, Hochst. in Flora, xxiv. (1841) I. Intell. 32 = *Trifolium multinerve*.  
*nervosa*, Klotzsch, in Bot. Ergeb. Waldem. Reise, 158 = *hamosa*.  
*nilotica*, Presl, Bot. Bemerck. 52 = *laciniata*.  
*Noëana*, Boiss. Diagn. Ser. II. ii. 11.—As. Min.; Persia.  
*obcordata*, Wall. Cat. n. 5986 = *hamosa*.  
*occulta*, Delile, Fl. Aegypt. Illustr. 71.—Aegypt.  
*ornithopodioides*, DC. Fl. Fr. iv. 550.—Europ.  
*ornithorhynchos*, Fisch. ex Hornem. Suppl. Hort. Hafn. 85 = *calliceras*.  
*orthoceras*, Kar. & Kir. in Bull. Soc. Nat. Mosc. (1841) 399 = *polycerata*.  
*ovalis*, Boiss. Elench. 36 = *Medicago ovalis*.  
*oxyrhyncha*, Fisch. ex Ser. in DC. Prod. ii. 182 = *calliceras*.  
*parviflora*, Sm. in Rees, Cycl. xxxvi. n. 16.—Helvet.  
*Pecten*, Schenk, Pl. Sp. Aegypt. 34 = *arabica*.  
*persica*, Boiss. Diagn. Ser. I. ii. 22.—Persia.  
*Pes-avium*, Bertol. Fl. Ital. viii. 247.—Italia.  
*petiolaris*, Viv. Fl. Lib. Sp. 49. t. 18. f. 5 = *maritima*.  
*phrygia*, Boiss. & Bal. Diagn. Ser. II. vi. 45 = *aurantiaca*.  
*pinnatifida*, Cav. Ic. i. 26. t. 38 = *polycerata*.  
*plagioneura*, Boiss. Diagn. Ser. I. ix. 16 = *cylindracea*.  
*platycarpus*, Linn. Sp. Pl. 776 = *Medicago platycarpa*.  
*plicata*, Boiss. Fl. Orient. ii. 90.—As. Min.  
*polyantha*, Desv. Journ. Bot. iii. (1814) 77 = *stellata*.  
*polycarpa*, Boiss. & Heldr. Diagn. Ser. I. ix. 18.—Pamphylia.  
*polycerata*, Linn. Sp. Pl. 777.—Reg. Mediterr.; Oriens.  
*polyceratoides*, Lange, in Kjoeb. Vidensk. Meddel. (1865) 172 = *polycerata*.  
*procumbens*, Reichb. Fl. Germ. Excurs. 500 = *Besseriana*.  
*prostrata*, DC. Fl. Fr. Suppl. 571 = *gladiata*.  
*pubescens*, Edgew. ex Baker, in Hook. f. Fl. Brit. Ind. ii. 88.—Ind. or.  
*purpurascens*, Lam. Fl. Fr. ii. 590 = *ornithopodioides*.  
*radiata*, Boiss. Fl. Orient. ii. 90.—As. Min.; Persia.  
*raphanina*, Boiss. l. c. 71.—Cilicia.  
*retorsa*, Boiss. l. c. 78.—Afghan.  
*Retsii*, Spreng. Syst. iii. 283 = *arcuata*.  
*rytidocarpa*, Boiss. & Bal. Diagn. Ser. II. vi. 44 = *Emodi*.  
*rigida*, Boiss. & Bal. l. c. v. 79.—Cilicia.  
*rostrata*, Boiss. Fl. Orient. ii. 89.—As. Min.  
*ruthenica*, Linn. Sp. Pl. 776 = *Medicago ruthenica*.  
*ruthenica*, Patr. in Ledeb. Fl. Alt. iii. 253 = *Medicago platycarpa*.

**TRIGONELLA:—**

*rytidocarpa*, Boiss. Diagn. Ser. I. ix. 12, in syn.—Cappadoc.  
*Schimperi*, Hochst. in Flora, xxiv. (1841) I. Intell. 32 = *Trifolium Schimperii*.  
*sericea*, Eaton & Wright, N. Am. Bot. ed. VIII. 459 = *Hosackia Purshiana*.  
*Sibthorpii*, Boiss. Diagn. Ser. I. ix. 14.—As. Min.; Syria.  
*sinuata*, Boiss. l. c. 18 = *astroites*.  
*smyrnea*, Boiss. l. c. 19.—As. Min.  
*spicata*, Sibth. & Sm. Fl. Graec. Prod. ii. 108.—Graecia; As. Min.  
*spinosa*, Linn. Sp. Pl. 777.—Ins. Creta; Syria.  
*Spruneriana*, Boiss. Diagn. Ser. I. ii. 17.—Graecia; As. Min.  
*stellata*, Forsk. Fl. Aegypt. Arab. 140.—Afr. bor.; Arab.; Ins. Canar.  
*strangulata*, Boiss. Diagn. Ser. I. ix. 17.—Syria.  
*striata*, Linn. f. Suppl. 340.—As. Min.; Turkestan.  
*striata*, Viv. Pl. Aeg. Dec. iv. 15 = *hamosa*.  
*suavissima*, Lindl. in Mitch. Three Exped. i. 255.—Austral.  
*subinermis*, Thunb. ex Harv. & Sond. Fl. Cap. ii. 79 = *Melolobium collinum*.  
*subracemosa*, Boiss. Fl. Orient. ii. 73.—As. Min.  
*tenuior*, Thunb. ex Harv. & Sond. Fl. Cap. ii. 79 = *Melolobium collinum*.  
*tenuis*, Fisch. ex Bieb. Fl. Taur. Cauc. iii. 514 = *striata*.  
*tenuissima*, Brongn. & Guill. in Ann. Sc. Nat. Sér. II. xv. (1841) 59 = *suavissima*.  
*tetrapetala*, Roxb. ex Wight & Arn. Prod. 197 = *Cyamopsis psoraloides*.  
*tomentosa*, Thunb. Prod. Pl. Cap. 137 = *Psoralea obtusifolia*.  
*torta*, Sm. in Rees, Cycl. xxxvi. n. 7 = *anguina*.  
*torulosa*, Griseb. Spicil. Fl. Rumel. i. 40 = *Spruneriana*.  
*tuberculata*, Presl, Delic. Prag. 46 = *gladiata*.  
*uncata*, Boiss. & Noë, Diagn. Ser. II. ii. 12.—Persia; Afghan.  
*uncinata*, Ser. in DC. Prod. ii. 181 = *spicata*.  
*uncinata*, [Soland. in] Russ. Aleppo, ed. II. ii. 261.—As. Min.  
*uniflora*, Munby, in Bull. Soc. Bot. Fr. xi. (1864) 45 = *ornithopodioides*.  
*velutina*, Boiss. Diagn. Ser. I. ii. 18.—As. Min.; Syria.  
*villosa*, Thunb. Prod. Pl. Cap. 137 = *Melolobium collinum*.

**TRIGONIA**, Aubl. Pl. Gui. i. 387. tt. 149, 150 (1775).**VOCHYSIACEAE.**

*HOEFFNAGELIA*, Neck. Elem. iii. 68 (1790).

*MAINEA*, Vell. Fl. Flum. vii. t. 8 (1827).

*boliviana*, Warm. in Mart. Fl. Bras. xiii. II. 134.—Bolivia.

*candida*, Warm. l. c. 139.—Bras.

*Cepo*, Cambess. in A. St. Hil. Fl. Bras. Mer. ii. 115 = *mollis*.

*crotonoides*, Cambess. l. c.—Bras.

*fasciculata*, Griseb. in Linnaea, xxii. (1849) 29.—Bras.

*floribunda*, Oerst. in Kjoeb. Vidensk. Meddel. (1856) 38.—Nicaragua.

*Glazioviana*, Warm. in Mart. Fl. Bras. xiii. II. 129.—Bras.

*hypoleuca*, Griseb. in Linnaea, xxii. (1849) 30.—Guian.

*laevis*, Aubl. Pl. Gui. i. 390. t. 150.—Guian.

*macrantha*, Warm. in Mart. Fl. Bras. xiii. II. 129.—Peruv.

*macrocarpa*, Benth. in Hook. Lond. Journ. Bot. ii. (1843) 373.—Guian.

*macrostachya*, Klotzsch, in Schomb. Faun. Fl. Brit. Gui. 1258, nomen = *villosa*.

*micrantha*, Mart. in Flora, xx. (1837) II. Beibl. 102 = *crotonoides*.

*microcarpa*, Sagot, ex Warm. in Mart. Fl. Bras. xiii. II. 131.—Guian.

*mollis*, DC. Prod. i. 571.—Bras.

*najadum*, Warm. in Mart. Fl. Bras. xiii. II. 126.—Bras.

*nivea*, Cambess. in A. St. Hil. Fl. Bras. Mer. ii. 113.—Bras.

*paniculata*, Warm. in Mart. Fl. Bras. xiii. II. 132.—Bras.

*parviflora*, Benth. in Hook. Kew Journ. iii. (1851) 163.—Bras.; Peruv.

**TRIGONIA:—**

*parviflora*, Schott, in Spreng. Syst. iv. App. 409 = mollis.  
*pubescens*, Cambess. in A. St. Hil. Fl. Bras. Mer. ii. 114.—Bras.  
*rigida*, Oerst. in Kjoeb. Vidensk. Meddel. (1856) 39.—Nicaragua.  
*rugosa*, Benth. Bot. Voy. Sulph. 74.—N. Granat.  
*Schottiana*, Turcz. in Bull. Soc. Nat. Mosc. xxxvi. (1863) i. 560 = mollis.  
*Schottiana*, Warm. in Mart. Fl. Bras. xiii. II. 133.—Bras.  
*sericea*, H. B. & K. Nov. Gen. et Sp. v. 141.—N. Granat.  
*simplex*, Warm. in Mart. Fl. Bras. xiii. II. 125.—Bras.  
*Spruceana*, Benth. ex Warm. l. c. 130.—Bras.  
*subcymosa*, Benth. in Hook. Lond. Journ. Bot. ii. (1843) 373.—Guian.  
*tomentosa*, Warm. in Mart. Fl. Bras. xiii. II. 142 = *Trigonis tomentosa*.  
*velutina*, Pohl, ex A. W. Benn. l. c. xiii. III. 53 = *Bredemeyera velutina*.  
*villosa*, Aubl. Pl. Gui. i. 388. t. 149.—Guian.  
*xanthopila*, Garcke, in Linnaea, xxii. (1849) 51.—Guian.

**TRIGONIASTRUM**, Miq. Fl. Ind. Bat. Suppl. 394 (1860). *POLYGALEAE*, Benth. & Hook. f. i. 139.  
*ISOPTERIS*, Wall. Cat. n. 7261 (1831).  
*hypoleucum*, Miq. Fl. Ind. Bat. Suppl. 395.—Malaya.

**TRIGONIDIUM**, Lindl. Bot. Reg. t. 1923 (1837).  
*ORCHIDEAE*, Benth. & Hook. f. iii. 567.  
*acuminatum*, Batem. in Lindl. Bot. Reg. (1838) Misc. 74.—Guian.  
*callistele*, Reichb. f. in Hamb. Gartenz. xvi. (1860) 178.—Hab.?  
*Egertonianum*, Batem. in Lindl. Bot. Reg. (1838) Misc. 73.—Honduras.  
*latifolium*, Lindl. Bot. Reg. t. 1923.—Bras.  
*macranthum*, Rodrig. Orch. Nov. i. 105.—Bras.  
*monophyllum*, Griseb. Fl. Brit. W. Ind. 629 = *Laelia monophylla*.  
*obtusum*, Lindl. Bot. Reg. t. 1923.—Guian.  
*ringens*, Lindl. l. c. (1840) Misc. 57 = *Mormolyce lineolata*.  
*Seemannii*, Reichb. f. in Seem. Bot. Voy. Herald, 214.—Panama.  
*spatulatum*, Linden & Reichb. f. in Bonplandia, ii. (1854) 280.—N. Granat.  
*tenuis*, Lodd. Cat. n. 582; ex Lindl. Bot. Reg. (1839) Misc. 44.—Guian.  
*turbidatum*, Reichb. f. in Hamb. Gartenz. xv. (1859) 52.—Bras.

**TRIGONIS**, Jacq. Enum. Pl. Carib. 3 (1760); Select. Am. 102 (1763) = *Cupania*, Plum. (Sapind.).  
*tomentosa*, Jacq. ll. cc. 19; 102 = *C. americana*.

**TRIGONOCARPAEA**, Steud. Nom. ed. II. ii. 710 (1841), sphalm. = **TRIGONOCARPUS**, Wall. = *Kokoona*, Thw. (Celastr.).

**TRIGONOCARPUS**, Bert. ex Steud. Nom. ed. II. ii. 710 (1841) = *Chorizanthe*, R. Br. (Polygon.).  
*cymosus*, Bert. ex C. Gay, Fl. Chil. v. 283 = *C. virgata*.  
*secundiflorus*, Bert. ex Steud. Nom. ed. II. ii. 710 = *C. paniculata*.

**TRIGONOCARPUS**, Vell. Fl. Flum. 153 (1825); iv. t. 15 (1827) = *Cupania*, Plum. (Sapind.).  
*racemosus*, Vell. ll. cc. = *C. castaneaefolia*.

**TRIGONOCARPUS**, Wall. Cat. n. 6520 (1831) = *Kokoona*, Thw. (Celastr.).  
*littoralis*, Wall. l. c. = *K. zeylanica*.

**TRIGONOCARYUM**, Trautv. in Act. Hort. Petrop. iii. II. (1875) 278. *BORAGINEAE*, Benth. & Hook. f. ii. 856.  
*prostratum*, Trautv. l. c. 279.—Reg. Cauc.

**TRIGONOCHLAMYS**, Hook. f. in Trans. Linn. Soc. xxiii. (1860) 170. t. 27. *BURSERACEAE*, Benth. & Hook. f. i. 325.  
*Griffithii*, Hook. f. in Trans. Linn. Soc. xxiii. (1860) 170.—Malacca.

**TRIGONOPTERUM**, Steetz, ex Anderss. in Vet. Acad. Handl. Stockh. 1853 (1855) 183 = *Lipochaeta*, DC. (Compos.).  
*Ponténi*, Anderss. l. c. 184 (= *Macraea lancifolia*).—Ins. Galapag.

**TRIGONOSCIADIUM**, Boiss. in Ann. Sc. Nat. Sér. III. i. (1844) 344 = *Heracleum*, Linn. (Umbell.).  
*tuberosum*, Boiss. l. c. 345.—Mesopot.  
*viscidulum*, Boiss. & Haussk. ex Boiss. Fl. Orient. ii. 1051.—Assyria.

**TRIGONOSPERMUM**, Less. Syn. Comp. 214 (1832). *COMPOSITAE*, Benth. & Hook. f. ii. 346.  
*adenostemmoides*, Less. l. c.—Mexic.  
*melampodioides*, DC. Prod. v. 509.—Mexic.

**TRIGONOSTEMON**, Blume, Bijdr. 600 (1825) (*Trigostemon*); Fl. Jav. Praef. p. viii (1828).  
*EUPHORBIACEAE*, Benth. & Hook. f. iii. 298.  
*ATHROISMA*, Griff. Notul. iv. 477 (1854).  
*ENCHIDIUM*, Jack, in Malay. Misc. ii. (1822) n. VII. 89, nomen prius.  
*SILVAEA*, Hook. & Arn. Bot. Beech. Voy. 211 (1836).  
*TELOGYNE*, Baill. Etud. Gén. Euph. 327 (1858).  
*TYLOSEPALUM*, Kurz, ex Teysm. & Binn. in Tijdschr. Nederl. Ind. xvii. (1864) 50.  
*Cumingii*, Muell. Arg. in Linnaea, xxxiv. (1865–66) 213 = *Tritaxis Cumingii*.  
*diplopetalus*, Thw. Enum. Pl. Zeyl. 277.—Zeylan.  
*Gaudichaudi*, Muell. Arg. in Linnaea, xxxiv. (1865–66) 213.—Cochinch.  
*heteranthus*, Wight, Ic. t. 1890.—Burma.  
*Hookerianus*, Muell. Arg. in DC. Prod. xv. II. 1109 = *sempreflorens*.  
*indicus*, Muell. Arg. in Linnaea, xxxiv. (1865–66) 214.—Malaya.  
*laetus*, Baill. Etud. Gén. Euph. 341.—Burma.  
*laevigatus*, Muell. Arg. in Flora, xlvii. (1864) 538.—Borneo.  
*Lawianus*, Muell. Arg. in Linnaea, xxxiv. (1865–66) 212 = *Croton Lawianus*.  
*longifolius*, Baill. Etud. Gén. Euph. 341. t. 11.—Burma; Malaya.  
*macrophyllus*, Muell. Arg. in Linnaea, xxxiv. (1865–66) 213 = *Ostodes macrophylla*.  
*malaccanus*, Muell. Arg. in Flora, xlvii. (1864) 482.—Malacca.  
*nemoralis*, Thw. Enum. Pl. Zeyl. 277.—Ind. or.  
*sempreflorens*, Muell. Arg. in DC. Prod. xv. II. 1110.—Reg. Himal.  
*serratus*, Blume, Bijdr. 600.—Java.  
*zeylanicus*, Muell. Arg. in Linnaea, xxxiv. (1865–66) 213 = *Ostodes zeylanica*.

**TRIGONOTHECA**, Hochst. in Flora, xxiv. (1841) 662 = *Catha*, Forsk. (Celastr.).  
*serrata*, Hochst. l. c. = *C. edulis*.

**TRIGONOTHECA**, Sch. Bip. in Flora, xxvii. (1844) 672, in syn. = *Melanthera*, Rohr (Compos.).  
*natalensis*, Sch. Bip. l. c. = *M. Brownei*.

**TRIGONOTIS**, Stev. in Bull. Soc. Nat. Mosc. xxiv. (1851) i. 603. *BORAGINEAE*, Benth. & Hook. f. ii. 858.  
*ENDOGONIA*, Lindl. Veg. Kingd. 656 (1847), nomen prius.  
*brevipes*, Maxim. in Bull. Acad. Pétersb. xxvii. (1881) 506, in nota.—Japon.  
*clavata*, Stev. in Bull. Soc. Nat. Mosc. xxiv. (1851) i. 603.—As. temp.  
*Hookeri*, Benth. ex C. B. Clarke, in Hook. f. Fl. Brit. Ind. iv. 173.—Reg. Himal.  
*microcarpa*, Benth. ex C. B. Clarke, l. c. 172.—Reg. Himal.  
*multicaulis*, Benth. ex C. B. Clarke, l. c.—Reg. Himal.  
*myosotidea*, Maxim. in Bull. Acad. Pétersb. xxvii. (1881) 506, in nota.—Reg. Amur.  
*ovalifolia*, Benth. ex C. B. Clarke, in Hook. f. Fl. Brit. Ind. iv. 172.—Reg. Himal.  
*peduncularis*, Benth. ex S. Moore & Baker, in Journ. Linn. Soc. xvii. (1879) 384, nomen = *clavata*.  
*petiolaris*, Maxim. in Bull. Acad. Pétersb. xxvii. (1881) 506.—As. or.

**TRIGONOTIS:—**

*radicans*, Stev. in Bull. Soc. Nat. Mosc. xxiv. (1851) i. 603.—Reg. Amur.  
*rotundifolia*, Benth. ex C. B. Clarke, in Hook. f. Fl. Brit. Ind. iv. 172.—Reg. Himal.

**TRIGOSTEMON**, Blume, Bijdr. 600 (1825) = *Trigostemon*, Blume (Euphorb.).

**TRIGUERA**, Cav. Diss. i. 41 (1785) = *Hibiscus*, Linn. (Malvac.).  
*acerifolia*, Cav. l. c. = *H. Solandra*.

**TRIGUERA**, Cav. Diss. ii. App. 1. t. A (1786).  
*SOLANACEAE*, Benth. & Hook. f. ii. 897.  
*ambrosiaca*, Cav. l. c. 2.—Hispan.  
*baccata*, J. F. Gmel. Syst. 338 = *Celsia bugulifolia*?  
*inodora*, Cav. Diss. ii. App. 3 (al. gen.?).—Hispan.  
*Osbeckii*, Willk. in Willk. & Lange, Prod. Fl. Hisp. ii. 524 = *Celsia bugulifolia*?

**TRIGULA**, Noronha, in Verh. Batav. Gen. v. (1790) ed. I. Art. iv. 4; ed. II. 67 (1827) = *Clematis*, Dill. (Ranunc.).  
*trifoliata*, Noronha, ex DC. Prod. i. 6 = *C. Noronhiana*.

**TRIGYNAEA**, Schlecht. in Linnaea, ix. (1834) 328.  
*ANONACEAE*, Benth. & Hook. f. i. 25.  
*angustifolia*, Benth. in Journ. Linn. Soc. v. (1861) 70.—Venezuela.  
*canescens*, Benth. l. c.—Venezuela.  
*Galeottiana*, Baill. Adansonia, viii. (1867–68) 181.—Mexic.  
*grandis*, Benth. in Journ. Linn. Soc. v. (1861) 70.—Venezuela.  
*Matthewsi*, Benth. l. c. 69.—Peruv.  
*oblongifolia*, Schlecht. in Linnaea, ix. (1834) 329.—Bras.  
*Perrottetii*, Baill. Adansonia, viii. (1867–68) 179.—Guian.  
*rufescens*, Baill. l. c. 180.—Guian.

**TRIGYNEIA**, Reichb. Handb. 278 (1837), sphalm. = *praec.*

**TRIKALIS**, Rafin. Fl. Tellur. iii. 47 (1836) = *Suaeda*, Forsk. (Chenop.).  
*triflora*, Rafin. l. c. = *S. altissima*.  
*trigyna*, Moq. in DC. Prod. xiii. II. 158 = *S. altissima*.

**TRILEPIS**, Nees, in Edinb. N. Phil. Journ. xvii. (Oct. 1834) 267 = *Kobresia*, Willd. (Cyperac.).  
*abyssinica*, Boeck. in Linnaea, xxxix. (1875) 9 = *Eriopora abyssinica*.  
*Lhotskiana*, Nees, in Edinb. N. Phil. Journ. xvii. (Oct. 1834) 267 = *Fintelmanna restioides*.  
*pilosa*, Boeck. in Linnaea, xxxix. (1875) 10 = *Eriopora pilosa*.  
*Royleana*, Nees, in Edinb. N. Phil. Journ. xvii. (Oct. 1834) 267 = *K. Royleana*.

**TRILEPISIUM**, Thou. Gen. Nov. Madag. 22 (1806).  
*INCERT. SEDIS*. Cf. Benth. & Hook. f. i. 605.  
*madagascariense*, DC. Prod. ii. 639.—Madag.

**TRILIENA**, Rafin. Sylva Tellur. 54 (1838) = *Lycium*, Linn. (Solan.).

**TRILISA**, Cass. in Bull. Soc. Philom. (1818) 140; et in Dict. Sc. Nat. xvi. 10 (1820). *COMPOSITAE*, Benth. & Hook. f. ii. 248.  
*odoratissima*, Cass. ll. cc.—Am. bor.  
*paniculata*, Cass. in Dict. Sc. Nat. lv. 310.—Am. bor.

**TRILIX**, Linn. Mant. ii. 153 (1771) = *Prockia*, P. Br. (Tiliac.).  
*Crucis*, Griseb. in Goett. Abh. vii. (1857) 165 = *P. Crucis*.  
*glandulosa*, Domb. ex Tul. in Ann. Sc. Nat. Sér. III. vii. (1847) 288 = *Banara guianensis*.  
*guianensis*, Griseb. in Goett. Abh. vii. (1857) 165 = *Banara guianensis*.  
*hygroskopica*, Liais, Brésil, 617.—Bras.  
*iraguensis*, Griseb. in Goett. Abh. vii. (1857) 165, sphalm. = *Banara ibaguensis*.  
*lutea*, Linn. Mant. ii. 247 = *P. Crucis*?

TRILLIDIUM, Kunth, Enum. Pl. v. 120 (1850) = *Trillium*, Linn.  
*Govanianum*, Kunth, l. c. = *Trillium Govanianum*.  
*japonicum*, Franch. & Sav. Enum. Pl. Jap. ii. 525.—  
 Japon.

TRILLIUM, Linn. Sp. Pl. ed. I. 339 (1753). *LILIA-  
 CEAE*, Benth. & Hook. f. iii. 833.  
 DELOSTYLIS, Rafin. in Journ. Phys. lxxxix. (1819)  
 102.  
 ESDRA, Salisb. Gen. Pl. Fragm. 60 (1866).  
 PHYLLANTHERUM, Rafin. in Journ. Phys. xci. (1820)  
 72.

TRILLIDIUM, Kunth, Enum. Pl. v. 120 (1850).  
*acuminatum*, Rafin. in *Med. Repos. N. York*, v. (1808)  
 361.—Am. bor.

*atropurpureum*, M. A. Curt. ex Beck, Bot. N. & M.  
 St. 361 = erectum.

*amblopsi*, Rafin. Med. Fl. ii. 99 (Quid?).—Am. bor.  
*angustifolium*, Rafin. l. c. 98 (Quid?).—Am. bor.  
*brevipetalum*, Rafin. l. c. 100 (Quid?).—Am. bor.  
*californicum*, Kellogg, in Proc. Calif. Acad. ii. (1863)  
 50 = ovatum.

*camtschaticum*, Pall. ex Pursh, Fl. Am. Sept. i. 246 =  
 erectum?

*Catesbaei*, Ell. Sketch, i. 429 = stylosum.  
*cernuum*, Barton, Fl. N. Am. ii. 13. t. 40 = erectum.  
*cernuum*, Linn. Sp. Pl. 339.—Am. bor.

*cernuum*, Michx. Fl. Bor. Am. i. 216 = stylosum.  
*discolor*, Wray, ex Hook. Bot. Mag. t. 3097 = sessile.  
*divaricatum*, Rafin. Med. Fl. ii. 102 (Quid?).—  
 Am. bor.

*erectum*, Linn. Sp. Pl. 340.—Am. bor.  
*erectum*, Stell. in Pall. N. Nord. Beitr. ii. 300 =  
 obovatum.

*erythrocarpum*, Curt. Bot. Mag. t. 855 = grandiflorum.

*erythrocarpum*, Michx. Fl. Bor. Am. i. 216.—Am. bor.  
*flavum*, Rafin. Med. Fl. ii. 100 (Quid?).—Am. bor.

*foetidum*, Salisb. Parad. Lond. t. 35 = erectum.  
*glaucum*, Rafin. Med. Fl. ii. 102 = erectum.

*Govanianum*, Wall. Cat. n. 812; Royle, Illustr. Bot.  
 Himal. 384. t. 93. f. 1.—Reg. Himal.

*grandiflorum*, Salisb. Parad. Lond. t. 1.—Am. bor.  
*hamosum*, Rafin. Med. Fl. ii. 101 (Quid?).—Am. bor.

*isanthum*, Rafin. l. c. 98 (Quid?).—Am. bor.  
*kamtschaticum*, Ledeb. Fl. Ross. iv. 121 = obovatum.

*lanceolatum*, Boykin, ex S. Wats. in Proc. Am. Acad.  
 xiv. (1879) 274 = recurvatum.

*latifolium*, Rafin. Med. Fl. ii. 96, 101 = cernuum.  
*liriodes*, Rafin. l. c. 100 (Quid?).—Am. bor.

*longiflorum*, Rafin. l. c. 97 = sessile.  
*maculatum*, Rafin. l. c. 103 = sessile.

*medium*, Rafin. l. c. 102 = cernuum.  
*membranaceum*, Rafin. l. c. 98 (Quid?).—Am. bor.

*nerosum*, Ell. Sketch, i. 429 = stylosum.  
*nivale*, Riddell, Syn. Fl. W. St. 93.—Am. bor.

*nutans*, Rafin. Med. Fl. ii. 99 = erectum.  
*obcordatum*, Rafin. l. c. 101 = grandiflorum?

*obovatum*, Hook. Fl. Bor. Am. ii. 180 = ovatum.  
*obovatum*, Pursh, Fl. Am. Sept. i. 245 = erectum?

*ovatum*, Pursh, l. c.—Am. bor. occ.  
*pendulum*, Willd. in Ges. Naturf. Fr. Neue Schr. iii.  
 (1801) 421 = erectum.

*petiolatum*, Pursh, Fl. Am. Sept. i. 244.—Am. bor.  
 occ.

*pictum*, Pursh, l. c. = erythrocarpum.  
*pumilum*, Pursh, l. c. 245 = pusillum.

*purpureum*, Kin, ex Ell. Sketch, i. 430 = erectum.  
*pusillum*, Michx. Fl. Bor. Am. i. 215.—Am. bor.

*rectum*, D. Dietr. Syn. Pl. ii. 1212, sphalm. = erectum.  
*recurvatum*, Beck, in Am. Journ. Sc. Ser. I. xi.  
 (1826) 178.—Am. bor.

*rhomboideum*, Michx. Fl. Bor. Am. i. 215 = erectum,  
 grandiflorum.

*rivale*, S. Wats. in Proc. Am. Acad. xx. (1885) 378.—  
 Am. bor. occ.

*roseum*, Hort. ex Steud. Nom. ed. II. ii. 710 (Quid?).  
*rotundifolium*, Rafin. Med. Fl. ii. 97 (Quid?).—  
 Am. bor.

*sessile*, Linn. Sp. Pl. 340.—Am. bor.  
*Smallii*, Maxim. in Bull. Acad. Pétersb. xxix. (1884)  
 217.—Japon.

*spatulatum*, Rafin. Med. Fl. ii. 101 = erectum.  
*stylosum*, Nutt. Gen. Am. i. 239.—Am. bor.

*texanum*, Buckl. in Proc. Acad. Sc. Philad. 1860 (1861)  
 443 = pusillum.

*tinctorium*, Rafin. Med. Fl. ii. 98 (Quid?).—Am. bor.

# TRILLIUM:—

Tschonoskii, Maxim. in Bull. Acad. Pétersb. xxix.  
 (1884) 218.—Reg. Himal.; Japon.

*undulatum*, Willd. in Ges. Naturf. Fr. Neue Schr. iii.  
 (1801) 422 = erythrocarpum.

*unguiculatum*, Nutt. in Trans. Am. Phil. Soc. v.  
 (1837) 154 = recurvatum.

*unguiculatum*, Rafin. Med. Fl. ii. 98 (Quid?).—  
 Am. bor.

*viride*, Beck, in Am. Journ. Sc. Ser. I. xi. (1826) 178  
 = sessile.

*viridescens*, Nutt. in Trans. Am. Phil. Soc. v. (1837)  
 155 = sessile.

TRIOBULINA, Rafin. Fl. Tellur. iv. 110 (1836) =  
*Utricularia*, Linn. (Lentib.).

*crenata*, Rafin. l. c. = U. aphylla.  
*fibrosa*, Rafin. l. c. = U. fibrosa.

*striata*, Rafin. l. c. = U. fibrosa.

TRILOMISA, Rafin. Fl. Tellur. ii. 91 (1836) =  
*Begonia*, Tourn.

*undulata*, Rafin. l. c. = B. undulata.

TRILOPHUS, Fisch. Hort. Gorenk. ed. II. 56 (1812) =  
*Menispermum*, Tourn.

*Ampelisagria*, Fisch. l. c. = M. dauricum.

TRILOPUS, Mitch. in Act. Phys. Med. Acad. Nat. Cur.  
 viii. (1748) App. 219 = *Hamamelis*, Linn.

*dentata*, Rafin. New Fl. Am. iii. 17 = H. virginiana.  
*estivalis*, Rafin. l. c. 16 = Fothergilla Gardeni?

*hyemalis*, Rafin. l. c. = H. virginiana.  
*nigra*, Rafin. l. c. = H. virginiana.

*parvifolia*, Rafin. l. c. 17 = H. virginiana.  
*riparia*, Rafin. l. c. 16 = H. virginiana.

*rotundifolia*, Rafin. l. c. = H. virginiana.  
*virginica*, Rafin. l. c. 15 = H. virginiana.

TRIMA, Noronha, in Verh. Batav. Gen. v. (1790) ed. I.  
 Art. IV. 4 = *Anacardium*? Linn.

TRIMEIANDRA, Rafin. Fl. Tellur. iv. 105 (1836) =  
*Arthosolen*, C. A. Mey. (1843) (Thymel.).

*spicata*, Rafin. l. c. = A. spicatus.

TRIMELOPTER, Rafin. Fl. Tellur. ii. 24 (1836) =  
*Ornithogalum*, Tourn. (Liliac.).

*fuscatum*, Rafin. l. c. = O. fuscatum.

TRIMENIA, Seem. Fl. Vit. 425. t. 99 (1871).  
*MONIMIACEAE*, Benth. & Hook. f. iii. 143.

*weinmanniaefolia*, Seem. l. c.—Ins. Fiji.

TRIMERANTHES, Cass. in Dict. Sc. Nat. xlix. 115  
 (1827) = *Siegesbeckia*, Linn. (Compos.).

*dichotoma*, Cass. l. c. = S. flosculosa.

TRIMERANTHUS, Karst. in Linnaea, xxx. (1859–60)  
 159 = *Chaetolepis*, Miq. (Melastom.).

*alpestris*, Karst. l. c. = C. alpestris.

TRIMERIA, Harv. Gen. S. Afr. Pl. Suppl. 417  
 (1858). *BIXINEAE*, Benth. & Hook. f. i. 129.

MONOSPORA, Hochst. in Flora, xxiv. (1841) 660.  
 RENARDIA, Turcz. in Bull. Soc. Nat. Mosc. (1858) i.  
 466.

*alnifolia*, Harv. in Harv. & Sond. Fl. Cap. i. 69.—Afr.  
 austr.

*trinervis*, Harv. Gen. S. Afr. Pl. 417.—Afr. austr.

TRIMERIS, Presl, Prod. Monog. Lobel. 46 (1836) =  
*Lobelia*, Plum. (Campan.).

*oblongifolia*, Presl, l. c. = L. scaevolaefolia.

TRIMERISMA, Presl, Bot. Bemerk. 73 (1844) = *Platy-  
 lophus*, D. Don (Saxifr.).

*trifoliatum*, Presl, l. c. = P. trifoliatum.

TRIMERIZA, Lindl. Bot. Reg. sub t. 1543 (1832) =  
*Bragantia*, Lour. (Aristol.).

*piperina*, Lindl. l. c. = B. Wallichii.

TRIMETRA, Moq. ex DC. Prod. vii. 262 (1838) =  
*Borrichia*, Adans. (Compos.).

*ficoides*, Moc. l. c. = B. frutescens.

TRIMEZA, Salisb. in Trans. Hort. Soc. i. (1812) 308.

*IRIDEAE*, Benth. & Hook. f. iii. 690.

LANSBERGIA, De Vriese, Epim. Ind. Sem. Hort.  
 Lugd. Bat. (1846) 2.

POARCHON, Allem. Tract. Rio Jan. (1846).

REMACLEA, C. Morr. Belg. Hort. i. (1853) 1.  
 t. 1.

XANTHOCROMYON, Karst. in Bot. Zeit. v. (1847)  
 694.

*caracasana*, Benth. & Hook. f. Gen. iii. 690.—Vene-  
 zuela.

*juncifolia*, Benth. & Hook. f. l. c.—Bras.

*lurida*, Salisb. in Trans. Hort. Soc. i. (1812) 308.—  
 Mexic.

*martinicensis*, Herb. in Bot. Reg. (1844) Misc. 88 =  
*lurida*.

*meridensis*, Herb. l. c. = *lurida*.

TRIMORPHA, Cass. in Dict. Sc. Nat. iii. Suppl. 65  
 (1816) = *Erigeron*, Linn. (Compos.).

*acre*, S. F. Gray, Nat. Arr. Brit. Pl. ii. 466 = E. acris.

*alpina*, S. F. Gray, l. c. 467 = E. alpinus.

*glabrata*, Fourr. in Ann. Soc. Linn. Lyon, N. S. xvi.  
 (1868) 402 = E. glabratus.

*uniflora*, S. F. Gray, Nat. Arr. Brit. Pl. ii. 467 =  
 E. uniflorus.

*vulgaris*, Cass. in Dict. Sc. Nat. iv. 324 = E. acris.

TRIMORPHAEA, Cass. in Dict. Sc. Nat. xxxvii. 462  
 (1825) = praec.

TRIMORPHANDRA, Brongn. & Gris, in Bull. Soc.  
 Bot. Fr. xi. (1864) 190; et in Ann. Sc. Nat. Sér. V. ii.  
 (1864) 148 = *Hibbertia*, Andr. (Dillen.).

*pulchella*, Brongn. & Gris, ll. cc.—N. Caled.

TRIMORPHOEAE, Benth. & Hook. f. Gen. ii. 280 (1873),  
 err. typ. = TRIMORPHAEA, Cass. = *Erigeron*,  
 Linn. (Compos.).

TRINACTE, Gaertn. Fruct. ii. 415 (1791) = *Jungia*,  
 Linn. (Compos.).

*ferruginea*, Gaertn. l. c. = J. ferruginea.

TRINAX, D. Dietr. Syn. Pl. ii. 1091 (1840), sphalm. =  
*Thrinax*, Linn. f. (Palm.).

TRINCHINETTIA, Endl. Gen. 1383 (1841) = *Geisso-  
 pappus*, Benth. (Compos.).

*caleoides*, Endl. ex Walp. Rep. vi. 180 = G. caleoides.

TRINCIATELLA, Adans. Fam. ii. 112 (1763) = *Hyo-  
 seris*, Linn. (Compos.).

TRINEURIA, Presl, Bot. Bemerk. 30 (1844); (in Abh.  
 Boehm. Ges. Wiss. V. iii. (1845) 560) = *Aspalathus*,  
 Linn. (Legumin.).

*appendiculata*, Presl, Bot. Bemerk. 131 = A. ciliaris.

*Chenopoda*, Presl, l. c. = A. Chenopoda.

*ciliaris*, Presl, l. c. = A. ciliaris.

*cochleariformis*, Presl, l. c. = A. uniflora.

*comosa*, Presl, l. c. = A. comosa.

*cymbaeformis*, Presl, l. c. = A. uniflora.

*deciduiifolia*, Presl, l. c. = A. nigra.

*fuscescens*, Presl, l. c. 131, 133 = A. nigra.

*linarifolia*, Presl, l. c. 131 = A. linearifolia.

*marginalis*, Presl, l. c. = A. marginalis.

*papillosa*, Presl, l. c. = A. ciliaris.

*rigescens*, Presl, l. c. = A. rigescens.

TRINEURON, Hook. f. Fl. Antarct. i. 23. t. 17 (1845)  
 = *Abrotanella*, Cass. (Compos.).

*nivigenum*, F. Muell. in Trans. Phil. Soc. Vict. i.  
 (1855) 105 = A. nivigena.

*pusillum*, Hook. f. Fl. N. Zel. 131 = A. pusilla.

*scapigerum*, F. Muell. in Hook. Kew Journ. ix. (1857)  
 301 = A. scapigera.

*spathulatum*, Hook. f. Fl. Antarct. 24. t. 17 = A.  
 spathulata.

TRINGA, Roxb. Hort. Beng. [81], (1814), nomen,  
 sphalm. = TUNGA, Roxb. = *Hypolytrum*, Rich.  
 (Cyperac.).

TRINIA, Hoffm. Gen. Umbell. ed. I. 92 (1814). *UM-  
 BELLIFERAE*, Benth. & Hook. f. i. 887.

APINELLA, Neck. Elem. i. 191 (1790).

GRAMMOPETALUM, C. A. Mey. ex Meinsh. in  
 Linnaea, xxx. (1859–60) 514.



**TRINIA** :—

- RUMIA, Hoffm. Gen. Umbell. ed. II. 171 (1816).  
 SPIELMANNIA, Cuss. ex Juss. in Dict. Sc. Nat. iv. 328 (1828).  
*dahurica*, Turcz. ex Bess. in Flora, xvii. (1834) i. Beibl. 14 = seselioides.  
*dioica*, Fourr. in Ann. Soc. Linn. Lyon, N. S. xvi. (1868) 392 = vulgaris.  
*Dufourei*, DC. Prod. iv. 104. — Hispan.  
*elator*, Gaud. Fl. Helvet. ii. 413 = vulgaris.  
*glaberrima*, Hoffm. Gen. Umbell. ed. I. 93 = hispida, vulgaris.  
*glaucia*, Hoffm. ex Steud. Nom. ed. II. ii. 711 = Kitaibelii.  
*glaucia*, Reichb. Pl. Crit. v. 25; Dum. Fl. Belg. Prod. 78 = vulgaris.  
*Henningii*, Hoffm. Gen. Umbell. ed. I. 94. — Reg. Cauc. et Casp.  
*Henningii*, Koch, in Nov. Act. Nat. Cur. xii. i. (1824) 127 = vulgaris.  
*hispida*, Hoffm. Gen. Umbell. ed. I. 94. — Tauria; Reg. Cauc.  
*Hoffmanni*, Bieb. Fl. Taur. Cauc. iii. 244 = hispida.  
*Kitaibelii*, Bieb. Fl. Taur. Cauc. iii. 246. — Europ. or.; As. bor.  
*Lessingii*, Reichb. f. Ic. Fl. Germ. xxi. 8. — Europ.  
*pumila*, Reichb. Fl. Germ. Excurs. 473 = vulgaris.  
*ramosissima*, Fisch. ex Koch, in Nov. Act. Nat. Cur. xii. i. (1824) 127 = Kitaibelii.  
*scabra*, Boiss. & Noë, Diagn. Ser. II. ii. 73. — As. Min.  
*seselioides*, Ledeb. Fl. Alt. i. 357. — Sibir.  
*swellendamensis*, Eckl. & Zeyh. Enum. 340 = Rhyticarpus Ecklonis.  
*uitenahagensis*, Eckl. & Zeyh. i. c. = Rhyticarpus rugosus.  
*vulgaris*, DC. Prod. iv. 103. — Europ.

TRINIUSA, Steud. Syn. Pl. Gram. 328 (1855) = **Bromus**, Dill. (Gramin.).  
*Danthonia*, Steud. i. c. = B. macrostachys.  
*flavescens*, Steud. i. c. = B. fasciculatus.

TRINOGETON, Walp. Rep. vi. 615 (1847), sphalm. = THINOGETON, Benth. = **Cacabus**, Bernh. (Solan.).

TRIODALLUS, A. DC. in DC. Prod. vii. 491 (1839) = seq.

TRIODANIS, Rafin. New Fl. Am. iv. 67 (1836) = **Specularia**, Heist. (Campan.).  
*rupestris*, Rafin. i. c. = S. perfoliata.  
*scabra*, Rafin. i. c. = S. perfoliata.

**TRIODIA**, R. Br. Prod. 182 (1810). — **GRAMINEAE**, Benth. & Hook. f. iii. 1175.  
 BRACHATERA, Desv. in Nouv. Bull. Soc. Philom. ii. (1810) 189.  
 DASYOCHLOA, Willd. ex Steud. Nom. ed. II. i. 484 (1840).  
 LEPTOCARYDION, Hochst. ex Benth. & Hook. f. Gen. iii. 1176 (1883).  
 MERISACHNE, Steud. Syn. Pl. Gram. 117 (1855).  
 RHOMBOLYTRUM, Link, Hort. Berol. ii. 96 (1827).  
 SIEGLINGIA, Bernh. Verz. Pfl. Erf. 44 (1799), nomen prius.  
 TRICHONEURA, Anderss. in Vet. Akad. Handl. Stockh. 1853 (1855) 148.  
 TRICUSPIS, Beauv. Agrost. 77. t. 15. f. 10 (1812).  
 TRIDENS, Roem. & Schult. Syst. ii. 34 (1817).  
 URALEPIS, Spreng. Neue Entdeck. i. 244 (1821).  
 URALEPSIS, Nutt. Gen. Am. i. 62 (1818).  
 WINDSORIA, Nutt. Gen. Am. i. 70 (1818).  
*acuminata*, Benth. ex Vasey, Gr. U. St. 35. — Am. bor. occ.  
*albescens*, Benth. ex Vasey, l. c. — Texas.  
*alpina*, Roth, Enum. Pl. Phaen. Germ. i. i. 381 = *Danthonia provincialis*.  
*ambigua*, Benth. ex Vasey, Gr. U. St. 35. — Am. bor.  
*ambigua*, R. Br. Prod. 183 = *Diplachne fusca*.  
*antarctica*, Benth. in Journ. Linn. Soc. xix. (1881) 111 = *Catabrosa antarctica*.  
*antarctica*, Hook. f. Fl. Antarct. 380. — Reg. Magell.  
*avenacea*, H. B. & K. Nov. Gen. et Sp. i. 156. t. 48. — Mexic.  
*Billardieri*, Spreng. Syst. i. 330 = *Festuca littoralis*.  
*coerulescens*, Desv. Opusc. 99, in obs. = cuprea.  
*Cunninghamii*, Benth. Fl. Austral. vii. 606. — Austral.

**TRIODIA** :—

- cuprea, Jacq. Eclog. Gram. 21. t. 16. — Am. bor.  
*cynosuroides*, Spreng. Syst. i. 628 = *Dactylis cynosuroides*.  
*decumbens*, Beauv. Agrost. 76. t. 15. f. 9 = Europ.; Afr. bor.  
*exigua*, T. Kirk, in Gard. Chron. (1882) i. 260; et in Trans. N. Z. Inst. xiv. (1882) 378. — N. Zel.  
*festucacea*, Eichw. Skizze, 119 = *Graphephorum festucaceum*.  
*festucacea*, Roth, Enum. Pl. Phaen. Germ. i. i. 382 = *Graphephorum arundinaceum*.  
*festucoides*, Desv. Opusc. 98. — 'Am. bor.'  
*filiformis*, Nees, ex Steud. Syn. Pl. Gram. 249. — Chili.  
*Greenii*, Spreng. Syst. i. 330 = *Graphephorum Elliotii*.  
*irritans*, R. Br. Prod. 182. — Austral.  
*kerquelandensis*, Hook. f. Fl. Antarct. 379. t. 139 = *Festuca kerquelandensis*.  
*laxa*, Benth. Pl. Hartw. 194, sphalm. = *Triodon laxus*.  
*littoralis*, Spreng. Syst. i. 330 = *Danthonia paradoxa*.  
*melicoides*, Spreng. l. c. 331 = *Graphephorum melicoides*.  
*microdon*, F. Muell. Census, 135 = *Triraphis microdon*.  
*microstachya*, R. Br. Prod. 182. — Austral.  
*Mitchelli*, Benth. Fl. Austral. vii. 606. — Austral.  
*mutica*, Benth. ex S. Wats. in Proc. Am. Acad. xviii. (1883) 180. — Am. bor. occ.  
*novaeboracensis*, Desv. Opusc. 99, in obs. = cuprea.  
*pallida*, Spreng. Neue Entdeck. i. 246 = *Glyceria pallida*.  
*parviflora*, R. Br. Prod. 182 = *Diplachne parviflora*.  
*plumosa*, Benth. in Journ. Linn. Soc. xix. (1881) 110. — Afr. trop.  
*procera*, R. Br. Prod. 182. — Austral.  
*pulchella*, H. B. & K. Nov. Gen. et Sp. i. 155. t. 47. — Am. bor. occ.  
*pungens*, R. Br. Prod. 182. — Austral.  
*pungens*, Lindl. in Mitch. Journ. Trop. Austral. 340 = *Mitchelli*.  
*Schaffneri*, S. Wats. in Proc. Am. Acad. xviii. (1883) 181. — Mexic.  
*seslerioides*, Benth. ex Vasey, Gr. U. St. 35. — Am. bor.  
*splendida*, Steud. Syn. Pl. Gram. 249 = *Deschampsia caespitosa*.  
*stricta*, Benth. ex Vasey, Gr. U. St. 35. — Texas.  
*texana*, S. Wats. in Proc. Am. Acad. xviii. (1883) 180. — Mexic.  
*tridenticulata*, Nees, ex Steud. Syn. Pl. Gram. 249. — Reg. Argent.  
*trinervigulumis*, Benth. ex Vasey, Gr. U. St. 35. — Texas.  
*viscida*, Roem. & Schult. Syst. ii. 599 = *pungens*.

TRIODICA, Steud. Nom. ed. II. ii. 711 (1841), sphalm. = TRIADICA, Lour. = **Sapium**, P. Br. (Euphorb.).

**TRIODON**, DC. Prod. iv. 566 (1830). **RUBIACEAE**, Benth. & Hook. f. ii. 143.  
 EBELIA, Reichb. Nom. 74 (1841).  
*angulatus*, Benth. Pl. Hartw. 70. — Mexic.  
*anthospermoides*, DC. Prod. iv. 566. — Bras.  
*glomeratus*, DC. l. c. — Bras.  
*laxus*, Benth. Pl. Hartw. 194 (sphalm., *Triodia*). — Ecuador.  
*polymorphus*, DC. Prod. iv. 566. — Bras.

TRIODON, Rich. in Pers. Syn. i. 60, in nota (1805) = **Rynchospora**, Vahl (Cyperac.).  
*setaceus*, Rich. l. c. = R. tenerrima, Nees.

TRIODUS, Rafin. in Journ. Phys. lxxxix. (1819) 106 = **Carex**, Dill. (Cyperac.).

**TRIOLENA**, Naud. in Ann. Sc. Nat. Sér. III. xv. (1851) 328. **MELASTOMACEAE**, Benth. & Hook. f. i. 757.  
*hirsuta*, Triana, in Trans. Linn. Soc. xxviii. (1871) 81. — Am. trop.  
*pustulata*, Triana, l. c. — Ecuador.  
*scorpioides*, Naud. in Ann. Sc. Nat. Sér. III. xv. (1851) 328. — Mexic.

**TRIOMMA**, Hook. f. in Trans. Linn. Soc. xxiii. (1860) 171. **BURSERACEAE**, Benth. & Hook. f. i. 323.  
*malaccensis*, Hook. f. in Trans. Linn. Soc. xxiii. (1860) 171. — Malacca.

TRIONAEA, Medic. Malv. 45 (1787) = **Hibiscus**, Linn. (Malvac.).

TRIONUM, Linn. Syst. ed. I (1735); Medic. Malv. 46 (1787) = **Hibiscus**, Linn. (Malvac.).  
*annuum*, Medic. Malv. 47 = H. *Trionum*.  
*cordifolium*, Moench, Meth. Suppl. 202 = H. *Trionum*.  
*diffusum*, Moench, Meth. 618 = H. *Trionum*.  
*frutescens*, Medic. Malv. 47 = H. *Trionum*.

**TRIOPTERIS**, Linn. Gen. ed. I. 343 (1737). **MAL-PIGHIACEAE**, Benth. & Hook. f. i. 259.  
*acuminata*, Willd. Sp. Pl. ii. 745 = *Tetrapteris mucronata*.  
*acutifolia*, Willd. l. c. 744 = *Tetrapteris acutifolia*.  
*argentea*, Salzm. ex Griseb. in Mart. Fl. Bras. xii. i. 50 = *Banisteria nummifera*.  
*bifurca*, Gaertn. Fruct. ii. 168 = *Tetrapteris citrifolia*.  
*brasiliensis*, Poir. Encyc. viii. 105 = *Banisteria ferruginea*.  
*buxifolia*, Willd. Sp. Pl. ii. 745 = *Tetrapteris buxifolia*.  
*citrifolia*, Sw. Prod. Veg. Ind. Occ. 75 = *Tetrapteris citrifolia*.  
*discolor*, G. F. W. Mey. Prim. Fl. Esseq. 182 = *Tetrapteris discolor*.  
*divaricata*, A. Rich. ex A. Juss. in Arch. Mus. Par. iii. (1843) 412 = *Banisteria divaricata*.  
*floribunda*, Thunb. Pl. Bras. Dec. i. 14. — Bras.  
*havanensis*, H. B. & K. Nov. Gen. et Sp. v. 168. t. 451. — Cuba.  
*Hiraea*, Gaertn. Fruct. ii. 169 = *Hiraea reclinata*.  
*inaequalis*, Raeusch. Nom. ed. III. 131 = *Tetrapteris citrifolia*.  
*indica*, Willd. Sp. Pl. ii. 744 = *Aspidopterys Roxburghiana*.  
*jamaicensis*, Blanco, Fl. Filip. ed. I. 379 = *Hiptage Madablota*.  
*jamaicensis*, Linn. Sp. Pl. 428. — Ind. occ.  
*lingulata*, Poir. Encyc. viii. 104. — Ins. S. Doming.  
*lucida*, H. B. & K. Nov. Gen. et Sp. v. 167. t. 451. — Cuba.  
*macrophylla*, Salzm. ex Griseb. in Mart. Fl. Bras. xii. i. 99 = *Hiraea Salzmanniana*.  
*mexicana*, Walp. Rep. v. 314, sphalm. = *Tetrapteris Schiedeana*.  
*odorata*, Poir. Encyc. viii. 108 = *Triaspis odorata*.  
*ovata*, Cav. Diss. 431. t. 259. — Ins. S. Doming.  
*parvifolia*, A. Juss. in Ann. Sc. Nat. Sér. II. xiii. (1840) 266. — Ins. Baham.  
*pauciflora*, G. F. W. Mey. Prim. Fl. Esseq. 183 = *Diplopterys Paralias*.  
*pinnata*, Poir. Encyc. viii. 108 = *Flabellaria paniculata*.  
*Poliandra*, Blanco, Fl. Filip. ed. I. 380 = *Berrya Ammonilla*.  
*polycarpa*, Salzm. ex A. Juss. in Arch. Mus. Par. iii. (1843) 562 = *Hiraea maritima*.  
*quadrialata*, Pav. ex A. Juss. l. c. 539 = *Tetrapteris Schiedeana*.  
*reclinata*, Cav. Diss. ix. 431 = *Hiraea reclinata*.  
*rigida*, Sw. Prod. Veg. Ind. Occ. 75. — Ins. S. Doming.  
*sericea*, Schlecht. in Linnaea, x. (1836) 243 = *Gaudichaudia Schiedeana*.  
*volubilis*, Salzm. ex A. Juss. in Arch. Mus. Par. iii. (1843) 552 = *Hiraea sepium*.

TRIOPTERYS, A. Juss. in Ann. Sc. Nat. Sér. II. xiii. 265 (1840) = *praec*.

TRIOPTOLEMEA, Mart. ex Benth. in Ann. Wien. Mus. ii. (1838) 102 = **TRIPTOLEMEA**, Mart. = **Dalbergia**, Linn. (Legumin.).

TRIOSTEON, Dill. ex Adans. Fam. ii. 500 (1763) = seq.

**TRIOSTEUM**, Linn. Sp. Pl. ed. I. 176 (1753). **CAPRIFOLIACEAE**, Benth. & Hook. f. ii. 4.  
*angustifolium*, Linn. l. c. — Am. bor.  
*connatum*, Rafin. New Fl. Am. ii. 35 = *perfoliatum*.  
*emodorum*, Spreng. Syst. iv. Cur. Post. 82 = *hirsutum*.  
*himalayanum*, Wall. Cat. n. 484 = *hirsutum*.  
*hirsutum*, Roxb. Hort. Beng. 86; Fl. Ind. i. 538. — Reg. Himal.  
*hispidum*, Rafin. New Fl. Am. ii. 37 (Quid ?). — Am. bor.  
*levigatum*, Rafin. l. c. (Quid ?). — Am. bor.  
*majus*, Michx. Fl. Bor. Am. i. 107 = *perfoliatum*.  
*minus*, Michx. l. c. = *angustifolium*.  
*molle*, Rafin. New Fl. Am. ii. 36 (Quid ?). — Am. bor.  
*obovatum*, Rafin. l. c. 37 = *perfoliatum*.

**TRIOSTEUM:—**

perfoliatum, Linn. *Sp. Pl.* 176.—Am. bor.  
pinnatifidum, Maxim. in *Bull. Acad. Pétersb.* xxvii.  
(1881) 476.—China.  
pumilum, Rafn. *New Fl. Am.* ii. 36 = angustifolium.  
sinuatum, Maxim. in *Bull. Acad. Pétersb.* xv. (1871)  
373.—Japon.  
triflorum, Vahl, *Symb. Bot.* iii. 37 = Sabicea triflora.  
villosum, Rafn. *New Fl. Am.* ii. 36 (Quid?).—Am.  
bor.

TRIPAGANDRA, Rafn. *Fl. Tellur.* ii. 16 (1836) =  
**Tradescantia**, Linn. (Commel.).  
multiflora, Rafn. l. c. = Trad. multiflora.

TRIPENTAS, Casp. in *Monatsb. Berl. Akad.* 1857 (1858)  
43; et in *Pringsh. Jahrb.* i. (1858) 497, in obs. =  
**Hypericum**, Tourn.

TRIPETALEIA, Sieb. & Zucc. in *Abh. Akad. Muench.*  
iii. ii. (1843) 731. t. 3. f. 2 = **Elliottia**, Muhl.  
(Ericac.).  
bracteata, Maxim. in *Bull. Acad. Pétersb.* xi. (1867)  
433 = E. bracteata (in Addend.).  
paniculata, Sieb. & Zucc. in *Abh. Akad. Muench.* iii.  
ii. (1843) 731 = E. paniculata (in Addend.).

TRIPETELUS, Lindl. in *Mitch. Three Exped.* ii. 14  
(1839) = **Sambucus**, Tourn. (Caprifol.).  
australasicus, Lindl. l. c. = S. xanthocarpa.

TRIPHA, Noronha, in *Verh. Batav. Gen.* v. (1790) ed. I.  
Art. iv. 4 = **Cupania**, Plum. (Sapind.).

TRIPHACA, Lour. *Fl. Cochinch.* 577 (1790) = **Ster-  
culia**, Linn.  
africana, Lour. l. c. = S. Triphaca.

TRIPHASIA, Lour. *Fl. Cochinch.* 152 (1790).  
**RUTACEAE**, Benth. & Hook. f. i. 303.  
Aurantiola, Lour. l. c. 153.—As. trop.  
diacantha, M. Roem. *Syn. Hesper.* 37 = T. Aurantiola.  
glaucia, Lindl. in *Mitch. Journ. Trop. Austral.* 353 =  
Atalantia glauca.  
javanica, M. Roem. *Syn. Hesper.* 38 = T. Aurantiola.  
monophylla, DC. *Prod.* i. 536 = Atalantia trimera.  
sarmentosa, Blume, *Bijdr.* 132 = Luvunga eleuthe-  
randra.  
trifoliata, DC. *Prod.* i. 536; Blume, l. c. = T.  
Aurantiola.

TRIPHELIA, R. Br. ex Endl. in *Enum. Pl. Hueg.* 48  
(1837) = **Actinodium**, Schau. (Myrtac.).  
brunioides, R. Br. ex Endl. l. c. = A. Cunninghamii.

TRIPHORA, Nutt. *Gen. Am.* ii. 192 (1818) = **Pogonia**,  
Juss. (Orchid.).  
gentianoides, Nutt. l. c. 193, in nota = P. gentianoides.  
pendula, Nutt. l. c. = P. pendula.

TRIPHYLLOIDES, Moench, *Meth.* 509 (1794) = **Tri-  
folium**, Tourn. (Legumin.).  
angustifolia, Moench, l. c. 510 = Trifolium angusti-  
folium.  
clypeata, Moench, l. c. = Trifolium clypeatum.  
comosa, Moench, l. c. 509 = Trifolium subterraneum.  
nervosa, Moench, l. c. 510 = Trifolium alpestre.  
rigida, Moench, l. c. 509 = Trifolium lappaceum.  
rubens, Moench, l. c. = Trifolium rubens.

TRIPHYLLUM, Medic. *Phil. Bot.* i. 202 (1789) =  
**Medicago**, Tourn. (Legumin.).  
platycarpus, Medic. l. c. = M. platycarpa.

TRIPHYSARIA, Fisch. & Mey. *Ind. Sem. Hort. Petrop.*  
ii. 52 (1835) = **Orthocarpus**, Nutt. (Scrophul.).  
versicolor, Fisch. & Mey. l. c. = O. erianthus.

TRIPINNA, Lour. *Fl. Cochinch.* 391 (1790) = **Colea**,  
Boj. (Bignon.).  
africana, Voigt, *Hort. Suburb. Calc.* 479.—Afr. trop.  
vel Ins. Mascar.  
tripinnata, Lour. *Fl. Cochinch.* 391 = C. tripin-  
nata.

TRIPINNARIA, Pers. *Syn.* ii. 173 (1807) = **Colea**, Boj.  
(Bignon.).  
africana, Spreng. *Syst.* ii. 842 (= *Tripinna africana*).  
—Afr. trop. vel Ins. Mascar.

**TRIPINNARIA:—**

asiatica, Spreng. *Syst.* ii. 842 = Colea tripinnata.  
cochinchinensis, Pers. *Syn.* ii. 173 = C. tripinnata.  
tripinnata, Steud. *Nom. ed.* II. ii. 712 = C. tripin-  
nata.

**TRIPLACHNE**, Link. *Hort. Berol.* ii. 241 (1833).  
**GRAMINEAE**, Benth. & Hook. f. iii. 1151.  
nitens, Link. l. c. = Sicil.

TRIPLADENIA, D. Don, in *Proc. Linn. Soc.* i. (1839)  
46 = **Kreysigia**, Reichb. (Liliac.).  
Cunninghamii, D. Don, l. c. = K. multiflora.

TRIPLANDRA, Rafn. *Sylva Tellur.* 62 (1838) = **Croton**,  
Linn. (Euphorb.).  
lanata, Rafn. l. c. 63 = C. lanatus.

TRIPLANDRON, Benth. *Bot. Voy. Sulph.* 73. t. 38  
(1844) = **Clusia**, Linn. (Guttif.).  
lineatum, Benth. l. c. = C. lineata.  
lineatum, Seem. *Bot. Voy. Herald*, 88 = C. Seemanni.

TRIPLARINA, Rafn. *Sylva Tellur.* 104 (1838) =  
**Baeckea**, Linn. (Myrtac.).  
camphorata, Rafn. l. c. = B. camphorata.

**TRIPLARIS**, Loeffl. *It. Hisp.* 256 (1758); Linn.  
*Syst. ed.* X. 881 (1759). **POLYGONACEAE**, Benth.  
& Hook. f. iii. 104.  
BLOCHMANIA, Reichb. *Consp.* 163 (1828).  
VELLASQUEZIA, Bertol. *Fl. Guatim.* 39. t. 11 (1840).  
americana, Aubl. *Pl. Gui.* ii. 910. t. 347; Rottb. in  
*Act. Lit. Univ. Hafn.* i. (1778) 274. t. 3 = surina-  
mensis.

americana, H. B. & K. *Nov. Gen. et Sp.* ii. 182 = feli-  
pensis.  
americana, Linn. *Syst. ed.* X. 881.—Am. austr.  
americana, Pav. ex Meissn. in *DC. Prod.* xiv. 175 =  
auriculata.  
americana, Rob. Schomb. in *Ann. Nat. Hist. Ser. I.* i.  
(1838) 264 = Schomburgkiana.  
americana, Vahl, *Symb. Bot.* ii. 100, partim = Vah-  
liana.

apetala, Walp. *Ann.* iii. 295 = Ruprechtia apetala.  
Arnottiana, Meissn. in *DC. Prod.* xiv. 176.—Ecuador.  
auriculata, Meissn. l. c. 174.—Mexic.  
Bonplandiana, Wedd. in *Ann. Sc. Nat. Sér.* III. xiii.  
(1849) 262.—Peruv.

brachystachya, Endl. *Gen. Suppl.* iv. ii. 55 = Ruprechtia  
brachystachya.  
brasiliiana, Cham. in *Linnaea*, viii. (1833) 139.—  
Bras.

caracasana, Cham. l. c. 137.—N. Granat.  
colombiana, Meissn. in *DC. Prod.* xiv. 175 = Cumin-  
giana.  
coriacea, Karst. *Fl. Columb.* ii. 131. t. 169.—Vene-  
zuela.

crenata, Casar. *Nov. Stirp. Bras. Dec.* 80 (sp. dub.).—  
Bras.

Cumingiana, Fisch. & Mey. ex C. A. Mey. in *Mém.  
Acad. Pétersb.* Sér. VI. *Sc. Nat.* iv. (1845) 148.—  
N. Granat.

cuneata, Endl. *Gen. Suppl.* iv. ii. 55, sphalm. = crenata.  
felipensis, Wedd. in *Ann. Sc. Nat. Sér.* III. xiii. (1849)  
263.—N. Granat.

Gardneriana, Wedd. l. c. 265.—Bras.  
guayaquilensis, Wedd. l. c. 264.—Ecuador.  
laurifolia, Cham. & Schlecht. in *Linnaea*, iii. (1828)  
55 = Ruprechtia laurifolia.

Lindeniana, Wedd. in *Ann. Sc. Nat. Sér.* III. xiii.  
(1849) 266.—N. Granat.

macrocalyx, Casar. *Nov. Stirp. Bras. Dec.* ix. 79 (sp.  
dub.).—Bras.

Martiana, Fisch. & Mey. ex C. A. Mey. in *Mém. Acad.  
Pétersb.* Sér. VI. *Sc. Nat.* iv. (1845) 149.—Bras.  
mollis, Walp. *Ann.* iii. 296 = Ruprechtia mollis.

Noli-tangere, Wedd. in *Ann. Sc. Nat. Sér.* III. xiii.  
(1849) 264.—Bras.

Pachau, Mart. *Reise Bras.* iii. 1011, nomen; et ex  
Meissn. in *DC. Prod.* xiv. 177.—Bras.

paraguayensis, Parodi, in *Anal. Soc. Cient. Argent.* v.  
(1878) 167; *Contrib.* 50.—Reg. Argent.  
Pavonii, Meissn. in *DC. Prod.* xiv. 172.—Peruv.  
peruviana, Fisch. & Mey. ex C. A. Mey. in *Mém. Acad.  
Pétersb.* Sér. VI. *Sc. Nat.* iv. (1845) 149.—Peruv.  
Poeppigiana, Wedd. in *Ann. Sc. Nat. Sér.* III. xiii.  
(1849) 265.—Peruv.

**TRIPLARIS:—**

prognostica, Rottb. in *Act. Lit. Univ. Hafn.* i. (1778)  
285.—Guian.  
Purdiei, Meissn. in *Mart. Fl. Bras.* v. i. 49.—N.  
Granat.

pyramidalis, Jacq. *Select. Am.* 13. t. 173. f. 5 (Quid?).  
—N. Granat.

ramiflora, Jacq. l. c. 14 = Ruprechtia ramiflora.  
ramiflora, Schott, ex Meissn. in *Mart. Fl. Bras.* v. i. 54  
= Ruprechtia Lundii.

Riedeliana, Fisch. & Mey. ex C. A. Mey. in *Mém.  
Acad. Pétersb.* Sér. VI. *Sc. Nat.* iv. (1845) 149.—  
Bras.

salicifolia, Cham. & Schlecht. in *Linnaea*, iii. (1828)  
56 = Ruprechtia salicifolia.  
salicifolia, Miq. ex Meissn. in *Mart. Fl. Bras.* v. i. 54  
= Ruprechtia laurifolia.

scandens, Schott, ex Meissn. l. c. = Ruprechtia lauri-  
folia.  
Schomburgkiana, Benth. in *Hook. Lond. Journ. Bot.*  
iv. (1845) 628.—Guian.

surinamensis, Cham. in *Linnaea*, viii. (1833) 138.—  
Guian.

tenuiflora, Endl. *Gen. Suppl.* iv. ii. 55 = Ruprechtia  
tenuiflora.

tomentosa, Wedd. in *Ann. Sc. Nat. Sér.* III. xiii. (1849)  
265.—Bras.

Vahlia, Fisch. & Mey. ex C. A. Mey. in *Mém. Acad.  
Pétersb.* Sér. VI. *Sc. Nat.* iv. (1845) 148.—Guian.  
viridiflora, Schott, ex Meissn. in *Mart. Fl. Bras.* v. i.  
54 = Ruprechtia Lundii.

**TRIPLASANDRA**, Seem. in *Journ. Bot.* vi. (1868)  
139. **ARALIACEAE**.  
oahuensis, Seem. l. c. —Ins. Sandvic.

**TRIPLASIS**, Beauv. *Agrost.* 81. t. 16. f. 10 (1812).  
**GRAMINEAE**, Benth. & Hook. f. iii. 1176.  
DIPLOCEA, Rafn. in *Am. Journ. Sc. Ser. I.* i. (1819)  
252.

americana, Beauv. *Agrost.* 81. t. 16. f. 10.—Am. bor.  
cornuta, Benth. in *Journ. Linn. Soc.* xix. (1881) 111 =  
americana.  
purpurea, Chapm. *Fl. S. U. St.* 560.—Florida.  
setacea, Griseb. in *Goett. Abh.* xxiv. (1879) 304 =  
Diplachne spicata.  
sparsiflora, Chapm. in *Coult. Bot. Gaz.* iii. (1878) 19.  
—Florida.

TRIPLATEIA, Bartl. in *Presl, Rel. Haenk.* ii. 11. t. 50  
(1830) = **Hymenella**, Moç. & Sesse (Caryoph.).  
diffusa, Bartl. l. c. = H. moehringioides.

TRIPLATHERA, Endl. *Gen.* 94 (1837) = **Bouteloua**,  
Lag. (Gramin.).

TRIPLECTRUM, D. Don, ex Wight & Arn. *Prod.* 324  
(1834) = **Medinilla**, Gaudich. (Melastom.).  
radicans, D. Don, ex Wight & Arn. l. c. = M. Bed-  
domei.

TRIPLEURA, Lindl. in *Wall. Cat. n.* 7391 (1832); et  
*Bot. Reg.* sub t. 1618 (1833) = **Zeuxine**, Lindl.  
(Orchid.).  
pallida, Lindl. ll. cc. = Z. sulcata.

TRIPLEUROSPERMUM, Sch. Bip. *Tanacet.* 31 (1844)  
= **Matricaria**, Tourn. (Compos.).

aromaticum, Rupr. ex Boiss. *Fl. Orient.* iii. 334  
(= *Chamaemelum daghestanicum*).—Reg. Casp.

bienne, Knaf, ex Nym. *Consp.* 374 = M. inodora.  
caucasicum, J. Gay, ex Boiss. *Fl. Orient.* iii. 330 =  
M. conoclinia.

daghestanicum, Rupr. ex Boiss. l. c. 334 (= *Chamae-  
melum daghestanicum*).—Reg. Casp.

decipiens, Sch. Bip. ex Nym. *Consp.* 374 = M. decipiens.  
disciforme, Sch. Bip. *Tanacet.* 34 = M. corymbifera.  
fuscatum, Sch. Bip. in *Bonplandia*, viii. (1860) 369 =  
M. fuscata.

Hookeri, Sch. Bip. l. c. i. (1853) 151 = M. inodora.  
inodorum, Sch. Bip. *Tanacet.* 32 = M. inodora.  
maritimum, Koch, *Syn. Fl. Germ.* ed. II. 1026 =  
M. inodora.

nivale, Rupr. ex Boiss. *Fl. Orient.* iii. 334 (= *Chamae-  
melum daghestanicum*).—Reg. Casp.

uniglandulosum, Walp. *Ann.* i. 420 = M. trichophylla.

TRIPLIMA, Rafn. in *Am. Monthly Mag.* (1819) 195 =  
**Carex**, Dill. (Cyperac.).

TRIPLOBUS, Rafin. Sylva Tellur. 110 (1838) = **Sterculia**, Linn.  
*cordata*, Rafin. l. c. 111 = *S. cordata*.

TRIPLOCENTRON, Cass. in Dict. Sc. Nat. xlv. 38 (1826) = **Centaurea**, Linn. (Compos.).  
*apulum*, Cass. l. c. lv. 349 = *C. melitensis*.  
*melitense*, Cass. l. c. xlv. 38; lv. 349 = *C. melitensis*.  
*solstitialis*, Fourr. in Ann. Soc. Linn. Lyon, N. S. xvii. (1869) 97 = *C. solstitialis*.  
*sulphureum*, Webb, Iter Hisp. 33 = *C. sulphurea*.

TRIPLOCHITON, Alef. in Oestr. Bot. Zeitschr. xiii. (1863) 13 = **Hibiscus**, Linn. (Malvac.).  
*setosa*, Alef. l. c. = *H. panduraeformis*.  
*spathacea*, Alef. l. c. = *H. vulpinus*.

TRIPLOLEPIS, Turcz. in Bull. Soc. Nat. Mosc. xxi. (1848) i. 251 = **Streptocaulon**, Wight & Arn. (Asclep.).  
*Cumingii*, Turcz. l. c. = *S. Cumingii*.

TRIPLOMEIA, Rafin. Sylva Tellur. 134 (1838) = **Aerodielidium**, Nees (Laurin).  
*montana*, Rafin. l. c. 135 = *A. jamaicense*.

TRIPLORHIZA, Ehrh. Beitr. iv. (1789) 149 = **Habenaria**, Willd. (Orchid.).

TRIPLOSPERMA, G. Don, Gen. Syst. iv. 134 (1837) = **Ceropegia**?, Linn. (Asclep.).  
*cochinchinensis*, G. Don, l. c. = *Cochinch.*

TRIPLOSTEGIA, Wall. ex DC. Prod. iv. 642 (1830).  
**DIPSACEAE**, Benth. & Hook. f. ii. 158.  
*glandulifera*, Wall. ex DC. l. c.; et Cat. n. 436.—Reg. Himal.  
*glandulosa*, DC. Mém. Valér. 23. t. 5, sphalm. = *praec.*

TRIPODANTHERA, M. Roem. Syn. Pepon. 48 (1846) = **Gymnopetalum**, Arn. (Cucurb.).  
*cochinchinensis*, M. Roem. l. c. = *G. cochinchinense*.

TRIPODION, Medic. in Vorles. Churpf. Phys. Ges. ii. (1787) 348 = **Anthyllis**, Riv. (Legumin.).  
*lotoides*, Medic. l. c. = *A. tetraphylla*.  
*tetraphyllum*, Fourr. in Ann. Soc. Linn. Lyon, N. S. xvi. (1868) 359 = *A. tetraphylla*.

TRIOGON, Roth, Nov. Pl. Sp. 79 (1821). **GRAMINEAE**, Benth. & Hook. f. iii. 1169.  
**PLAGIOLYTRUM**, Nees, in Proc. Linn. Soc. i. (1841) 95.

*abyssinicus*, Nees, ex Steud. Syn. Pl. Gram. 301.—Abyss.  
*bromoides*, Benth. & Hook. f. Gen. iii. 1200 = *abyssinicus*.  
*bromoides*, Roth, Nov. Pl. Sp. 79.—Ind. or.  
*capillatus*, Faub. & Spach, Illustr. iv. 47.—Ind. or.  
*exiguus*, Buese, in Miq. Pl. Jungh. 353.—Java.  
*festucoides*, Jaub. & Spach, Illustr. iv. 49 = *bromoides*.  
*filiformis*, Nees, ex Steud. Syn. Pl. Gram. 301.—Ind. or.  
*Griffithii*, Nees & Arn. ex Steud. l. c. = *bromoides*.  
*lanatus*, Hochst. ex Steud. l. c. = *bromoides*.  
*major*, Hook. f. in Journ. Linn. Soc. vii. (1864) 230.—Afr. trop.  
*minimus*, Hochst. ex Steud. Syn. Pl. Gram. 301 = *abyssinicus*.  
*semitruncatus*, Nees, ex Steud. l. c. = *filiformis*.  
*unidentatus*, Nees, l. c. = *filiformis*.  
*zeylanicus*, Nees, l. c. = *bromoides*.

TRIPOLION, Rafin. Fl. Tellur. ii. 46 (1836) = **Aster**, Tourn. (Compos.).  
*maritimum*, Rafin. l. c. = *A. Tripolium*.  
*tataricum*, Rafin. l. c. = *A. tataricus*.  
*tenellum*, Rafin. l. c. = *A. tenellus*.

TRIPOLIUM, Nees, Gen. et Sp. Aster. 152 (1833) = **Aster**, Tourn. (Compos.).  
*andinum*, Phil. in Linnaea, xxxiii. (1864-65) 129.—Chili.  
*angustum*, Lindl. in Hook. Fl. Bor. Am. ii. 15 = *A. angustum*.  
*caricifolium*, Schau. in Linnaea, xix. (1847) 721 = *A. pauciflorum*.  
*conspicuum*, Lindl. ex DC. Prod. v. 254 = *A. imbricatus*, Walp. (cf. Addend.).  
*divaricatum*, Nutt. in Trans. Am. Phil. Soc. N. S. vii. (1841) 296 = *A. exilis*.

#### TRIPOLIUM:—

*flexuosum*, Nees, Gen. et Sp. Aster. 155 = *Aster tenuifolius*.  
*frondosum*, Nutt. in Trans. Am. Phil. Soc. N. S. vii. (1841) 296 = *A. frondosus*.  
*imbricatus*, Nutt. l. c. 297 = *A. imbricatus*, Walp. (cf. Addend.).  
*longicaule*, Duf. in Bull. Soc. Bot. Fr. vii. (1860) 327 = *A. Tripolium*.  
*maritimum*, Léveillé, in Demid. Voy. Russ. Mér. ii. 193, 236, 237 = *A. Tripolium*.  
*occidentale*, Nutt. in Trans. Am. Phil. Soc. N. S. vii. (1841) 296 = *A. occidentalis*.  
*oregonum*, Nutt. l. c. = *A. oregonus*.  
*paludosum*, Nees, Gen. et Sp. Aster. 155 = *A. paludosus*.  
*pannonicum*, Schur, Enum. Pl. Transs. 304 = *A. Tripolium*.  
*pauciflorum*, Nees, Gen. et Sp. Aster. 157 = *A. pauciflorum*.  
*subulatum*, Nees, l. c. 156 = *A. subulatum*.  
*uniflorum*, Phil. in Linnaea, xxxiii. (1864-65) 129.—Chili.  
*vulgare*, Nees, Gen. et Sp. Aster. 153 = *A. Tripolium*.

**TRIPSACUM**, Linn. Syst. ed. X. 1261 (1759).  
**GRAMINEAE**, Benth. & Hook. f. iii. 1113.

*aegiloides*, Kunth, Enum. Pl. i. 602 (Index) = *Rottboellia hirsuta*.  
*aristatum*, Rasp. in Ann. Sc. Nat. Sér. I. v. (1825) 306 = *Ischaemum aristatum*.  
*ciliare*, Rasp. l. c. = *Elionurus tripsacoides*.  
*compressum*, Fourn. in Bull. Soc. Bot. Belg. xv. (1876) 466, in obs. = *dactyloides*.  
*compressum*, Rasp. in Ann. Sc. Nat. Sér. I. v. (1825) 306 = *Hemarthria compressa*.  
*cylindricum*, Michx. Fl. Bor. Am. i. 60 = *Rottboellia cylindrica*.  
*dactyloides*, Linn. Syst. ed. X. 1261.—Am. bor.  
*dactyloides*, Schlecht. in Linnaea, vi. (1831) 40 = *fasciculatum*.  
*distachyum*, Poir. Encyc. viii. 114 = *Ischaemum rugosum*.  
*distichum*, Rasp. in Ann. Sc. Nat. Sér. I. v. (1825) 306 = *praec.*  
*fasciculatum*, Rasp. l. c. = *Chloris radiata*.  
*fasciculatum*, Trin. ex Steud. Nom. ed. II. ii. 712.—Mexic.  
*giganteum*, Rasp. in Ann. Sc. Nat. Sér. I. v. (1825) 306 = *Anthistria gigantea*.  
*granulare*, Rasp. l. c. = *Manisuris granularis*.  
*hermaphroditum*, Linn. Syst. ed. X. 1261 = *Anthephora elegans*.  
*hirsutum*, Rasp. in Ann. Sc. Nat. Sér. I. v. (1825) 306 = *Rottboellia hirsuta*.  
*lanceolatum*, Rupr. ex Benth. Pl. Hartw. 347 = *dactyloides*.  
*monostachyon*, Willd. Sp. Pl. iv. 202; Hort. Berol. l. t. 1 = *dactyloides*.  
*mucronatum*, Rasp. in Ann. Sc. Nat. Sér. I. v. (1825) 306 = *Trachys mucronata*.  
*muticum*, Rasp. l. c. = *Ischaemum muticum*.  
*Myuros*, Rasp. l. c. = *Rottboellia Myuros*.  
*panicum*, Rasp. l. c. = *Pogonatherum saccharoideum*.  
*pubescens*, Willd. ex Steud. Nom. ed. II. i. 317, in syn.; ii. 712 = *Cenchrus pubescens*.

TRIPSILINA, Rafin. Fl. Tellur. iv. 103 (1836) = **Passiflora**, Linn.  
*fetida*, Rafin. l. c. = *P. foetida*.

TRIPTERANTHUS, Wall. ex Miers, in Lindl. Veg. Kingd. 172 (1847) = **Burmanna**, Linn.

TRIPTERELLA, Michx. Fl. Bor. Am. i. 19. t. 3 (1803) = **Burmanna**, Linn.

*alba*, Schult. Mant. i. 358 = *B. alba*.  
*bicolor*, Schult. l. c. 357 = *B. bicolor*.  
*caerulea*, Muhl. Cat. ed. I. 4; et Ell. Sketch. i. 43 = *B. biflora*.  
*capitata*, Michx. Fl. Bor. Am. i. 19. t. 3 = *B. capitata*.  
*dasyantha*, Schult. Mant. i. 357 = *B. dasyantha*.  
*flava*, Schult. l. c. = *B. flava*.

**TRIPTERIS**, Less. in Linnaea, vi. (1831) 95. **COMPOSITAE**, Benth. & Hook. f. ii. 455.  
*aghillana*, DC. Prod. vi. 457.—Afr. austr.  
*amplectens*, Harv. in Harv. & Sond. Fl. Cap. iii. 427 = *arborescens*.

#### TRIPTERIS:—

*amplexicaulis*, DC. Prod. vi. 457 = *arborescens*.  
*amplexicaulis*, Less. in Linnaea, vi. (1831) 97.—Afr. austr.  
*arborescens*, Less. l. c. 96.—Afr. austr.  
*atropurpurea*, Turcz. in Bull. Soc. Nat. Mosc. xxiv. (1851) i. 212 = *clandestina*.  
*Burchellii*, Hook. f. in Melliss, St. Helena, 290. t. 45.—Ins. S. Helena.  
*cheiranthifolia*, Sch. Bip. ex Hochst. in Flora, xxiv. (1841) i. Intell. 26, nomen = *Vaillantii*.  
*clandestina*, Less. in Linnaea, vi. (1831) 97.—Afr. austr.  
*dentata*, Harv. in Harv. & Sond. Fl. Cap. iii. 427.—Afr. austr.  
*flexuosa*, Harv. l. c. 429.—Afr. austr.  
*gariepina*, Sond. ex Harv. & Sond. l. c. 432 = *pachypteris*.  
*glabrata*, Harv. l. c. 425 = *macroptera*.  
*glandulosa*, Turcz. in Bull. Soc. Nat. Mosc. xxiv. (1851) ii. 93.—Afr. austr.  
*herbacea*, E. Mey. ex DC. Prod. vi. 458 = *clandestina*.  
*humilis*, Turcz. in Bull. Soc. Nat. Mosc. xxiv. (1851) i. 211.—Afr. austr.  
*hyoseroides*, DC. Prod. vi. 458 = *clandestina*.  
*incana*, Harv. in Harv. & Sond. Fl. Cap. iii. 426.—Afr. austr.  
*Kraussii*, Sch. Bip. in Flora, xxvii. (1844) 767 = *setifera*?  
*leptoloba*, Harv. in Harv. & Sond. Fl. Cap. iii. 432.—Afr. austr.  
*limonifolia*, DC. Prod. vi. 458.—Afr. austr.  
*linearis*, Harv. in Harv. & Sond. Fl. Cap. iii. 426.—Afr. austr.  
*Lordii*, Oliver & Hiern, in Oliver, Fl. Trop. Afr. iii. 424.—Afr. trop.  
*macroptera*, DC. Prod. vi. 456.—Afr. austr.  
*microcarpa*, Harv. in Harv. & Sond. Fl. Cap. iii. 427.—Afr. austr.  
*monocephala*, Oliver & Hiern, in Oliver, Fl. Trop. Afr. iii. 424.—Afr. trop.  
*natalensis*, Harv. in Harv. & Sond. Fl. Cap. iii. 430.—Afr. austr.  
*oppositifolia*, E. Mey. ex DC. Prod. vi. 456 = *sinuata*.  
*pachypteris*, Harv. in Harv. & Sond. Fl. Cap. iii. 432.—Afr. austr.  
*pallescens*, DC. Prod. vi. 456.—Afr. austr.  
*petiolata*, DC. l. c. 457.—Afr. austr.  
*polycephala*, DC. l. c. 458.—Afr. austr.  
*rigida*, Harv. in Harv. & Sond. Fl. Cap. iii. 426.—Afr. austr.  
*scariosa*, DC. Prod. vi. 458 = *clandestina*.  
*setifera*, DC. l. c. 457.—Afr. austr.  
*sinuata*, DC. l. c. 456.—Afr. austr.  
*spatulata*, DC. l. c. 457.—Afr. austr.  
*spinescens*, Harv. in Harv. & Sond. Fl. Cap. iii. 431.—Afr. austr.  
*Thomii*, Harv. l. c. 426 = *macroptera*.  
*tomentosa*, Less. Syn. Comp. 90, in obs.—Afr. austr.  
*Vaillantii*, Decne. in Ann. Sc. Nat. Sér. II. ii. (1834) 260.—Arab.

TRIPTERIS, Thunb. Pl. Bras. Dec. i. 14 (1817), sphalm. = **Triopteris**, Linn. (Malpig.).

TRIPTERIUM, Bercht. & Presl, Rostl. i. Ranunculac. 14 (1823) = **Thalictrum**, Tourn. (Ranunc.).  
*alpestre*, Schur, Enum. Pl. Transs. 974 (Index) = *Th. aquilegifolium*.  
*aquilegifolium*, Bercht. & Presl, Rostl. i. Ranunculac. 14 = *Th. aquilegifolium*.  
*calabricum*, Bercht. & Presl, l. c. = *Th. calabricum*.  
*contortum*, Bercht. & Presl, l. c. = *Th. aquilegifolium*.  
*pauciflorum*, Schur, Enum. Pl. Transs. 7 = *Th. aquilegifolium*.  
*transsilvanicum*, Schur, in Verh. Siebenb. Ver. Naturw. iv. (1853) 10 = *Th. minus*.

TRIPTEROCALYX, Hook. Kew Journ. v. (1853) 261 = **Abronia**, Juss. (Nyctag.).  
*macrantha*, Torr. ex Hook. l. c. = *A. Cycloptera*.

TRIPTEROCARPUS, Meissn. Gen. 52 (1837) = **Bridgesia**, Bert. (Sapind.).  
*incisifolia*, Meissn. Comm. 37 = *B. incisifolia*.

TRIPTEROCOCCUS, Endl. in Enum. Pl. Hueg. 17 (1837) = **Stackhousia**, Sm.  
*brachystigma*, Schuch. in Linnaea, xxvi. (1853) 33 = *S. Brunonis*.  
*Brunonis*, Endl. in Enum. Pl. Hueg. 18 = *S. Brunonis*.

## TRIPTEROCOCCUS:—

- junceus*, Bunge, in Lehm. Pl. Preiss. i. 181 = *Stackhousia* Brunonis.  
*simplex*, Bunge, l. c. = *S. Brunonis*.  
*spathulatus*, F. Muell. ex Schuch. in Linnaea, xxvi. (1853) 29 = *S. spathulata*.

TRIPTEROSPERMUM, Blume, Bijdr. 849 (1826) = **Crawfurdia**, Wall. (Gentian.).

- caucasicum*, Owerin, ex Trautv. in Act. Hort. Petrop. viii. (1883) 454, sphalm. = *Tripleurospermum caucasicum*?  
*Championii*, Gardn. in Calc. Journ. Nat. Hist. viii. (1847) 15 = *C. japonica*.  
*trinerue*, Blume, Bijdr. 849 = *C. Blumei*.

TRIPTYERYGIUM, Hook. f. in Benth. & Hook. f. Gen. i. 368 (1862). **CELASTRINEAE**, Benth. & Hook. f. l. c.

- Bullockii*, Hance, in Journ. Bot. xviii. (1880) 259 = Wilfordii.  
 Wilfordii, Hook. f. in Benth. & Hook. f. Gen. i. 368. —China; Japon.

## TRIPTILION, Ruiz &amp; Pav. Prod. 102. t. 22 (1794).

- COMPOSITAE**, Benth. & Hook. f. ii. 503.  
*Achilleae*, DC. Prod. vii. 51. —Chili.  
*andinum*, Phil. in Linnaea, xxxiii. (1864–65) 116. —Chili.  
*axillare*, Lag. ex Lindl. in Bot. Reg. sub t. 853 = *Nassauvia axillaris*.  
*Benaventii*, Remy, in C. Gay, Fl. Chil. iii. 357. t. 39. —Chili.  
*bulbosum*, Remy, l. c. 358. —Chili.  
*capillatum*, Hook. & Arn. in Hook. Comp. Bot. Mag. ii. (1836) 43; DC. Prod. vii. 51. —Chili.  
*chilense*, Bert. ex DC. l. c. = *Achilleae*.  
*cordifolium*, Lag. in Bot. Reg. t. 853. —Chili.  
*diffusum*, D. Don, in Trans. Linn. Soc. xvi. (1830) 221. —Chili.  
*euphrasioides*, Bert. ex DC. Prod. vii. 51. —Chili.  
*gibbosum*, Remy, in C. Gay, Fl. Chil. iii. 356. —Chili.  
*glomerulosum*, Lag. ex Lindl. in Bot. Reg. sub t. 853 = *Nassauvia glomerulosa*.  
*laciniatum*, Willd. Sp. Pl. iii. 1626 = *spinusum*.  
*laxum*, Phil. in Linnaea, xxxiii. (1864–65) 116. —Chili.  
*maritimum*, Poepp. ex DC. Prod. vii. 51 = *cordifolium*.  
*pectinatum*, Phil. in Anal. Univ. Chil. (1856) II. 329. —Chili.  
*spinusum*, Ruiz & Pav. Syst. Veg. i. 185. —Chili.  
*tenuifolium*, Phil. in Linnaea, xxxiii. (1864–65) 117. —Chili.

## TRIPTILIUM, DC. in Ann. Mus. Par. xix. (1812) 67 = praec.

TRIPTILODISCUS, Turcz. in Bull. Soc. Nat. Mosc. xxiv. (1851) II. 66 = **Helipterum**, DC. (Compos.).

- pygmaeus*, Turcz. l. c. = *H. Dimorpholepis*.

## TRIPTOLEMAEA, Walp. Rep. i. 800 (1842), sphalm. = seq.

- TRIPTOLEMEA**, Mart. in Flora, xx. (1837) II. Beibl. 122 = **Dalbergia**, Linn. f. (Legumin.).  
*glabra*, Benth. in Ann. Wien. Mus. ii. (1838) 103 = *D. variabilis*.  
*latifolia*, Benth. l. c. = *D. variabilis*.  
*montana*, Mart. in Flora, xx. (1837) II. Beibl. 122 = *D. variabilis*.  
*myriantha*, Mart. ex Benth. in Ann. Wien. Mus. ii. (1838) 102 = *D. variabilis*.  
*ovata*, Benth. l. c. = *D. variabilis*.  
*pauciflora*, Mart. ex Benth. l. c. = *D. variabilis*.  
*platycarpa*, Benth. l. c. = *D. variabilis*.  
*pubescens*, Benth. in Hook. Journ. Bot. ii. (1840) 68 = *D. variabilis*.  
*riparia*, Mart. ex Benth. in Ann. Wien. Mus. ii. (1838) 103 = *D. riparia*.

TRIQUETRA, Medic. in Vorles. Churpf. Phys. Ges. ii. (1787) 376 = **Astragalus**, Tourn. (Legumin.).

- baetica*, Medic. l. c. = *A. baeticus*.

TRIRAPHIS, R. Br. Prod. 185 (1810). **GRAMINEAE**, Benth. & Hook. f. iii. 1177.

- bromoides*, F. Muell. Fragm. viii. 108. —Austral.  
*danthonioides*, F. Muell. l. c. 125. —Austral.  
*diantha*, F. Muell. l. c. = *pungens*?

## TRIRAPHIS:—

- microdon*, Benth. Fl. Austral. vii. 605 (sp. dub.). —Austral.  
*mollis*, R. Br. Prod. 185. —Austral.  
*pumilio*, R. Br. in Denh. & Clapp. Trav. App. 245. —Afr. trop.  
*pungens*, R. Br. Prod. 185. —Austral.

TRIRAPHIS, Nees, Fl. Afr. Austr. 270 (1841) = **Danthonia**, DC. (Gramin.).

- capensis*, Nees, l. c. 271 = *Trisetum insulare*.

TRISACARPIS, Rafin. Fl. Tellur. iv. 11 (1836) = **Hippeastrum**, Herb. (Amaryll.).

- falcata*, Rafin. l. c. = *H. calyptratum*.  
*psittacina*, Rafin. l. c. = *H. psittacinum*.  
*rubra*, Rafin. l. c. = *H. aulicum*.

TRISANTHUS, Lour. Fl. Cochinch. 175 (1790) = **Hydrocotyle**, Tourn. (Umbell.).

- cochinchinensis*, Lour. l. c. 176 = *H. asiatica*.

TRISCENIA, Griseb. in Mem. Am. Acad. N. S. viii. (1862) 534. **GRAMINEAE**, Benth. & Hook. f. iii. 1119.

- ovina*, Griseb. l. c. —Cuba.

TRISCHIDIUM, Tul. in Ann. Sc. Nat. Sér. II. xx. (1843) 141. t. 4 = **Swartzia**, Schreb. (Legumin.).

- vestitum*, Tul. l. c. 142 = *S. mollis*.

TRISCIADIA, Hook. f. in Benth. & Hook. f. Gen. ii. 68 (1873). **RUBIACEAE**, Benth. & Hook. f. l. c.

- truncata*, Hook. f. l. c. 69. —Ins. Penang.

TRISCIADIUM, Phil. in Anal. Univ. Chil. (1861) I. 61 = **Huanaca**, Cav. (Umbell.).

- andinum*, Phil. l. c. = *H. andina*.

TRISEMA, Hook. f. in Hook. Kew Journ. ix. (1857) 47. t. 1. **DILLENIACEAE**, Benth. & Hook. f. i. 14.

- TRISEMMA*, Panch. & Sebert, Not. Bois Nouv. Caléd. 211 (1874).

## VANIERIA, Montr. in Mém. Acad. Lyon, x. (1860) 176.

- coriacea*, Hook. f. in Hook. Kew Journ. ix. (1857) 47. —N. Caléd.  
*Pancheri*, Panch. & Sebert, Not. Bois Nouv. Caléd. 211 = *coriacea*.  
*Vieillardii*, Brongn. & Gris, in Bull. Soc. Bot. Fr. xi. (1864) 191; et in Ann. Sc. Nat. Sér. V. ii. (1864) 150. —N. Caléd.

## TRISEMMA, Panch. &amp; Sebert, Not. Bois Nouv. Caléd. 211 (1874), sphalm. = praec.

TRISEPALUM, C. B. Clarke, in Hook. f. Fl. Brit. Ind. iv. 363 (1884). **GESNERACEAE**.

- acutum*, C. B. Clarke, l. c. 364. —Burma.  
*obtusum*, C. B. Clarke, l. c. 363. —Burma.

TRISETARIA, Forsk. Fl. Aegypt. Arab. 27 (1775). **GRAMINEAE**, Benth. & Hook. f. iii. 1154.

- ANOMALOTIS*, Steud. Syn. Pl. Gram. 198 (1855).  
*airoides*, Baumg. Enum. Stirp. Transs. iii. 265 = *Trisetum subspicatum*.  
*alpestris*, Baumg. l. c. 264 = *Trisetum alpestre*.  
*brevifolia*, Baumg. Mant. 80 (1846) = *Trisetum distichophyllum*.  
*carpatia*, Baumg. Enum. Stirp. Transs. iii. 263 = *Trisetum carpathicum*.  
*flavescens*, Baumg. l. c. = *Trisetum pratense*.  
*Forskühlii*, J. F. Gmel. Syst. 177 = *linearis*.  
*linearis*, Forsk. Fl. Aegypt. Arab. p. lx. —Aegypt.; Arab.  
*pratensis*, Baumg. Enum. Stirp. Transs. iii. 264 = *Avena pratensis*.  
*pubescens*, Schur, Enum. Pl. Transs. 974 (Index), sphalm. = *Avena pubescens*.  
*quineseta*, Hochst. in Flora, xxxiii. (1855) 282. —Abyss.  
*sesquiteria*, Baumg. Enum. Stirp. Transs. iii. 262 = *Avena pubescens*.  
*tenuis*, Baumg. l. c. = *Ventenata avenacea*.

## TRISETARIUM, Poir. Encyc. Suppl. v. 365 (1817), sphalm. = seq.

TRISETUM, Pers. Syn. i. 97 (1805). **GRAMINEAE**, Benth. & Hook. f. iii. 1159.

- ACROSELIUM* & *ACROSELIUM*, Bess. ex Trin. in Mém. Acad. Pétersb. Sér. VI. i. (1831) 59.  
*REBENTISCHIA*, Opiz, in Lotos, iv. (1854) 104.  
*ROSTRARIA*, Trin. Fund. Agrost. 149 (1820).  
*TRICHAETA*, Beauv. Agrost. 86. t. 17. f. 8 (1812).  
*TRISETARIUM*, Poir. Encyc. Suppl. v. 365 (1817).  
*agrostideum*, Fries, Mant. iii. 180. —Europ.  
*agrostoides*, Steud. Syn. Pl. Gram. 226 = *myrianthum*.  
*airaeforme*, Steud. l. c. 229 = *Deschampsia airaeformis*.  
*airoides*, Roem. & Schult. Syst. ii. 666 = *subspicatum*.  
*Alopecuros*, Roem. & Schult. Syst. ii. 660. —Hab. ?  
*alpestre*, Beauv. Agrost. 88. —Europ. med.  
*alpinum*, Roem. & Schult. Syst. ii. 663 = *Avena pratensis*.  
*andinum*, Benth. Pl. Hartw. 261 = *subspicatum*.  
*andinum*, Phil. in Linnaea, xxix. (1857–58) 93. —Chili.  
*andropogonoides*, Steud. Syn. Pl. Gram. 228 = *Avena andropogonoides*.  
*anomalum*, Steud. l. c. 425. —Madag.  
*antarcticum*, Nees, in Linnaea, vii. (1832) 307 = *Danthonia antarctica*.  
*antarcticum*, Trin. in Mém. Acad. Pétersb. Sér. VI. i. (1831) 61. —N. Zel.; Chile.  
*arenarium*, Labill. Ic. Pl. Syr. Dec. v. 10. —Syria; Aegypt.  
*argenteum*, Roem. & Schult. Syst. ii. 665. —Europ. med.  
*argenteum*, Schur, in Oestr. Bot. Zeitschr. x. (1860) 77 = *distichophyllum*.  
*argentoideum*, Schur, l. c. 74 = *alpestre*.  
*aristoides*, Pers. Syn. i. 98 = *Avena aristoides*.  
*aureum*, Nees, ex Steud. Syn. Pl. Gram. 225. —Ind. or.  
*aureum*, Tenore, Fl. Nap. ii. 378. —Ital.  
*bambusiforme*, Fourn. ex Hemsl. in Biol. Centr. Am. Bot. iii. 555. —Mexic.  
*barbatum*, Nees, Fl. Afr. Austr. 345 = *Dregeanum*.  
*barbatum*, Steud. Nom. ed. II. ii. 713; Syn. Pl. Gram. 229. —Chili.  
*barbinode*, Trin. in Linnaea, x. (1836) 300. —Chili.  
*baregense*, Laff. & Miégev. in Bull. Soc. Bot. Fr. xxi. (1874) 46 = *agrostideum*.  
*Berteroanum*, Kunth, Rév. Gram. ii. 457. t. 142 = *Deschampsia Berteroniana*.  
*Berteronianum*, Steud. Syn. Pl. Gram. 220 = *Aira Gayana*.  
*biflorum*, Hochst. in Flora, xxxviii. (1855) 275. —Abyss.  
*biflorum*, Phil. in Anal. Univ. Chil. (1873) 568. —Chili.  
*brachyatherum*, Phil. l. c. 567. —Chili.  
*Brandegei*, Scribner, in Bull. Torrey Bot. Club, x. (1883) 64. —Am. bor. occ.  
*brevifolium*, Roem. & Schult. Syst. ii. 665 = *distichophyllum*.  
*Bungei*, Boiss. Fl. Orient. v. 535. —Persia.  
*Burnouffii*, Reg. ex Parl. Fl. Ital. i. 263. —Ins. Corsic.  
*canariense*, Parl. ex Webb & Berth. Phyt. Canar. iii. 399 = *panicum*.  
*canescens*, Buckl. in Proc. Acad. Sc. Philad. 1862 (1863) 100 = *cernuum*.  
*carpathicum*, Roem. & Schult. Syst. ii. 663. —Transsylv.  
*caudulatum*, Trin. in Linnaea, x. (1836) 300. —Chili.  
*Cavanillesii*, Trin. in Mém. Acad. Pétersb. Sér. VI. i. (1831) 63. —Europ. austr.; Oriens; Ind. bor. occ.  
*cernuum*, Trin. l. c. 61. —Ins. Sitcha.  
*chiloense*, Phil. in Linnaea, xxix. (1857–58) 93. —Ins. Chiloe.  
*chloranthum*, Steud. Syn. Pl. Gram. 225 = *aureum*, Tenore.  
*chromostachyum*, E. Desv. in C. Gay, Fl. Chil. vi. 350. —Chili.  
*compressum*, Fuss, Fl. Transs. 727 = *Avena compressa*.  
*condensatum*, Presl, in Schult. Mant. ii. 366 = *aureum*, Tenore.  
*depauperatum*, Phil. in Linnaea, xxxiii. (1864–65) 291. —Chili.  
*deyeuxioides*, Kunth, Rév. Gram. i. 102 = *Deyeuxia triflora*.  
*distichophyllum*, Beauv. Agrost. 88. —Europ. austr.  
*distichophyllum*, C. A. Mey. Verz. Ph. Cauc. 17 = *rigidum*.  
*Dregeanum*, Steud. Syn. Pl. Gram. 227. —Afr. austr.



**TRISETUM:—**

- Dufourei, Boiss. & Reut. Pugill. Pl. Nov. 122.—Hispan.  
 elatum, Nutt. ex A. Gray, in Proc. Acad. Sc. Philad. 1862 (1863) 337 = cernuum.  
 elongatum, Kunth, Rév. Gram. i. 101.—Mexic.  
 flavescens, Beauv. Agrost. 88 = pratense.  
 Forskëlii, Beauv. l. c. = Danthonia Forskählei.  
 fraudulentum, Steud. Syn. Pl. Gram. 424.—Reg. Magellan.  
 Friesianum, Steud. l. c. 225 = agrostideum.  
 fuscens, Pomel, Nouv. Mat. Fl. Atl. 387.—Alger.  
 fuscum, Roem. & Schult. Syst. ii. 664 = carpathicum.  
 gallicicum, Willk. & Lange, Prod. Fl. Hisp. i. 72.—Hispan.  
 Gaudinianum, Boiss. Voy. Bot. Espagne, ii. 653 = Cavanillesii.  
 glabratum, Schult. Mant. ii. 369 = Aira glabra.  
 glabrum, Buckl. in Proc. Acad. Sc. Philad. 1862 (1863) 100 = Danthonia calycina.  
 glabrum, Dulac, Fl. Hautes-Pyr. 85 = agrostideum.  
 glaciale, Boiss. Elench. 87.—Hispan.  
 glomeratum, Trin. ex Steud. Nom. ed. II. ii. 714; Syn. Pl. Gram. 229.—Ins. Sandvic.  
 glumaceum, Boiss. Diagn. Ser. I. xiii. 49.—Aegypt.; Arab.  
 Gmelini, Trin. in Bull. Sc. Acad. Pétersb. i. (1836) 66.—Hispan.  
 gracile, Boiss. Voy. Bot. Espagne, ii. 654, in textu = Morisii.  
 gracile, Fourn. ex Hemsl. in Biol. Centr. Am. Bot. iii. 556.—Mexic.  
 groenlandicum, Steud. Syn. Pl. Gram. 228.—Groenland.  
 Hallii, Scribner, in Bull. Torrey Bot. Club, xi. (1884) 6.—Texas.  
 heteronymum, Steud. Syn. Pl. Gram. 229.—Chili.  
 hirsutum, Phil. in Anal. Univ. Chil. (1873) 565.—Chili.  
 hirtulum, Steud. Syn. Pl. Gram. 228 = Avena hirta.  
 hirtum, Nees, Fl. Afr. Austr. 350 = Avena hirta.  
 hirtum, Trin. in Linnaea, x. (1836) 300.—Chili.  
 hispanicum, Pers. Syn. i. 97.—Hispan.  
 hispidum, Lange, in Kjoeb. Vidensk. Meddel. (1860) 42.—Hispan.  
 hispidum, Trin. ex Steud. Nom. ed. II. i. 849, in syn.; ii. 714 = Koeleria hispida.  
 Hohenackeri, Presl, Bot. Bemerck. 120 = Gaudinia fragilis.  
 imberbe, Nees, Fl. Afr. Austr. 347 = Danthonia antarctica.  
 insulare, Hemsl. Bot. Voy. Challenger, i. ii. 267.—Ins. St. Paul (Mare Ind.).  
 interruptum, Buckl. in Proc. Acad. Sc. Philad. 1862 (1863) 100 = elongatum.  
 interruptum, Fourn. ex Hemsl. Biol. Centr. Am. Bot. iii. 556.—Mexic.  
 labradoricum, Steud. Syn. Pl. Gram. 228.—Labrador.  
 lachnanthum, Hochst. ex A. Rich. Tent. Fl. Abyss. ii. 416 = Avena lachnantha.  
 laconicum, Boiss. & Orph. Diagn. Ser. II. iv. 129.—Laconia.  
 lasiolepis, E. Desv. in C. Gay, Fl. Chil. vi. 346.—Chili.  
 laxiflorum, Phil. in Anal. Univ. Chil. (1873) 566.—Chili.  
 laxum, Phil. l. c. 568.—Chili.  
 leoninum, Steud. Syn. Pl. Gram. 228 = Danthonia antarctica?  
 lineare, Boiss. Diagn. Ser. I. xiii. 49 = arenarium.  
 litorale, Phil. in Linnaea, xxix. (1857–58) 92.—Chili.  
 lobatum, Trin. in Mém. Acad. Pétersb. Sér. VI. i. (1831) 66 = Eatonia obtusata.  
 Loefflingii, Beauv. Agrost. 88, 180 = hispanicum.  
 Loefflingianum, Presl, Cyp. et Gram. Sic. 30 = aureum, Tenore.  
 longiaristum, A. Rich. Tent. Fl. Abyss. ii. 417.—Abyss.  
 longifolium, Nees, Fl. Afr. Austr. 348.—Afr. austr.  
 ludovicianum, Vasey, in Bull. Torrey Bot. Club, xii. (1885) 6.—Am. bor.  
 lusitanicum, Pers. Syn. i. 97 = paniceum.  
 luteum, Pers. l. c. = Avena lutea.  
 luzonense, Steud. Nom. ed. II. i. 228 = Triticum luzonense.  
 macilentum, Trin. in Mém. Acad. Pétersb. Sér. VI. i. (1831) 66 = Avellinia Michellii.  
 macrochaetum, Boiss. Diagn. Ser. I. xiii. 48.—Palaestin.

**TRISETUM:—**

- macrum, Beauv. Agrost. 88 = Ventenata macra.  
 malacanthum, Steud. Syn. Pl. Gram. 424.—Chili.  
 malacophyllum, Phil. in Anal. Univ. Chil. (1873) 566.—Chili.  
 malacophyllum, Steud. Nom. ed. II. ii. 714; Syn. Pl. Gram. 229.—Chili.  
 melitense, Steud. Syn. Pl. Gram. 225 = aureum, Tenore.  
 Michellii, Guss. Enum. Pl. Inar. 386 = Avellinia Michellii, Bromus festucoides.  
 micranthum, Roem. & Schult. Syst. ii. 659.—Europ. austr.  
 micratherum, E. Desv. in C. Gay, Fl. Chil. vi. 352 = Koeleria micrathera.  
 Miegivillii, Duval-Jouve, ex Miégev. in Bull. Soc. Bot. Fr. xxi. (1874) 47 = agrostideum.  
 molle, Kunth, Rév. Gram. i. 101 = subspicatum.  
 molle, Trin. in Mém. Acad. Pétersb. Sér. VI. i. (1831) 64, partim = toluccense.  
 monticola, Phil. in Linnaea, xxxiii. (1864–65) 291.—Chili.  
 Morisii, Trin. in Bull. Sc. Acad. Pétersb. i. (1836) 66.—Ins. Sardoia.  
 muricatum, Spreng. Syst. i. 333, in syn. = Danthonia papillosa.  
 myrianthum, C. A. Mey. in Fisch. Mey. & Avé-Lall. Ind. Sem. Hort. Petrop. ix. 95.—Ital.; Graecia.  
 nanum, Steud. Syn. Pl. Gram. 227 = Diplachne nana.  
 Neesii, Hochst. ex Steud. l. c. = Avena Neesii.  
 neglectum, Lange, in Kjoeb. Vidensk. Meddel. (1860) 41 = gallicicum.  
 neglectum, Presl, Cyp. et Gram. Sic. 29 = aureum, Tenore.  
 neglectum, Roem. & Schult. Syst. ii. 660 = panicum.  
 nitidum, Pers. Syn. i. 97.—Ins. Sardoia; Afr. bor.  
 nivolum, Fourn. ex Hemsl. Biol. Centr. Am. Bot. iii. 556.—Mexic.  
 Noëanum, Boiss. Diagn. Ser. I. xiii. 48 = aureum, Tenore.  
 nudum, Pers. Syn. i. 97 = Danthonia tortuosa.  
 ochrostachyum, Phil. in Linnaea, xxxiii. (1864–65) 290.—Chili.  
 ovatum, Pers. Syn. i. 98.—Hispan.  
 pallidum, Roem. & Schult. Syst. ii. 657 = Danthonia tortuosa.  
 palustre, Torr. Fl. U. St. 126.—Am. bor.  
 paniceum, Pers. Syn. i. 97.—Europ.  
 paniculatum, Fourn. ex Hemsl. Biol. Centr. Am. Bot. iii. 556.—Mexic.  
 pappophoroides, Steud. in Lechl. Berb. Am. Austr. 52, nomen.—Chili.  
 parviflorum, Herb. Bout. ex Willk. & Lange, Prod. Fl. Hisp. i. 72 = paniceum.  
 parviflorum, Pers. Syn. i. 97.—Ital.; Afr. bor.  
 pensylvanicum, Roem. & Schult. Syst. ii. 658 = Avena pensylvanica.  
 pensylvanicum, Trin. in Mém. Acad. Pétersb. Sér. VI. i. (1831) 66 = Eatonia obtusata.  
 phleoides, Kunth, Rév. Gram. i. 101 = subspicatum.  
 phleoides, Trin. in Mém. Acad. Pétersb. Sér. VI. i. (1831) 65 = Koeleria phleoides.  
 pilosum, Roem. & Schult. Syst. ii. 662 = Avena pilosa.  
 Pourretii, Roem. & Schult. l. c. 661.—Hispan.  
 praecox, Dum. Obs. Gram. Belg. 122 = Aira praecox.  
 pratense, Dum. l. c. = Avena pratensis.  
 pratense, Pers. Syn. i. 97.—Reg. bor. temp.  
 Preslei, E. Desv. in C. Gay, Fl. Chil. vi. 347 = Avena Preslii.  
 puberulum, Tenore, Fl. Nap. iv. 17 = Avellinia Michellii.  
 pubescens, Roem. & Schult. Syst. ii. 662 = Avena pubescens.  
 pubescens, Trin. in Mém. Acad. Pétersb. Sér. VI. i. (1831) 65 = Koeleria villosa.  
 pumilum, Kunth, Rév. Gram. i. 102.—Reg. Mediterr.; Oriens.  
 pungens, Beauv. Agrost. 88.—Hab.?  
 purpurascens, Torr. Fl. U. St. 127 = Avena striata, Michx.  
 rigidum, Roem. & Schult. Syst. ii. 662.—Reg. Cauc.; As. Min.  
 Rohlfii, Aschers. in Verh. Bot. Ver. Brandenb. xxi. (1880) 71.—Aegypt.  
 Ruprechtii, Steud. Syn. Pl. Gram. 226 = Avena Ruprechtii.  
 scabriusculum, Coss. Notes Crit. 129 = Koeleria scabriuscula.

**TRISETUM:—**

- sericeum, Desv. Opusc. 100.—Bras.  
 sesquiflorum, Trin. in Bull. Sc. Acad. Pétersb. i. (1836) 66 = Avena sesquiflora.  
 sesquiterium, Beauv. Agrost. 88 = Avena pubescens.  
 sesquiterium, Schur, Enum. Pl. Transs. 760 = praec.  
 sibiricum, Rupr. in Beitr. Pfl. Russ. Reich. ii. 65 = Avena Ruprechtii.  
 smyrnaeum, Trin. in Bull. Sc. Acad. Pétersb. i. (1836) 66 = Koeleria biseta.  
 spiciforme, Dulac, Fl. Hautes-Pyr. 86 = subspicatum.  
 splendens, Presl, Cyp. et Gram. Sic. 30 = pratense.  
 splendidulum, Steud. Syn. Pl. Gram. 229.—Chili.  
 Steudelii, Nees, in Linnaea, vii. (1832) 308.—Afr. austr.  
 striatum, Pers. Syn. i. 97 = Ventenata avenacea.  
 subaristatum, E. Desv. in C. Gay, Fl. Chil. vi. 353.—Chili.  
 subspicatum, Beauv. Agrost. 88.—Reg. frigid. bor. et austr.  
 tenue, Baumg. ex Steud. Syn. Pl. Gram. 226 = carpathicum.  
 tenue, Roem. & Schult. Syst. ii. 657 = Ventenata avenacea.  
 Thunbergii, E. Desv. in C. Gay, Fl. Chil. vi. 350, in nota = Danthonia antarctica.  
 toluccense, Kunth, Rév. Gram. i. 101.—Mexic.  
 transsilvanicum, Schur, in Oestr. Bot. Zeitschr. x. (1860) 77 = pratense.  
 transylvanicum, Steud. Syn. Pl. Gram. 226 = carpathicum.  
 Trisetaria, Roem. & Schult. Syst. ii. 658 = arenarium.  
 umbrosum, Hochst. ex Steud. Syn. Pl. Gram. 227.—Abyss.  
 uniflorum, Meyen, Reise, i. 484 = Agrostis Preslii.  
 valesiacum, Boiss. ex Nym. Consp. 814 = Cavanillesii.  
 variable, E. Desv. in C. Gay, Fl. Chil. vi. 351.—Chili.  
 varium, Schur, in Oestr. Bot. Zeitschr. x. (1860) 75 = pratense.  
 velutinum, Boiss. Elench. 88.—Hispan.  
 villosum, Pers. Syn. i. 97 = Danthonia Thunbergii.  
 villosum, Schult. Mant. ii. 368.—Europ.  
 villosum, Sieber, ex Steud. Nom. ed. II. ii. 714 = Danthonia tortuosa.  
 virescens, Nees, ex Steud. Syn. Pl. Gram. 226.—Reg. Himal.  
 viride, Kunth, Rév. Gram. i. 101 = Deyeuxia viridis, Fourn.  
 Virletii, Fourn. ex Hemsl. Biol. Centr. Am. Bot. iii. 556.—Mexic.  
 Wilhelmsii, Ledeb. ex Schult. Mant. ii. 367 = rigidum.  
 Wolfii, Vasey, in Rep. U. St. Dept. Agric. 1874 (1875), 156 (an seq.?).—Am. bor.  
 Wolfii, Vasey, in Rothr. Bot. Rep. U. St. Geogr. Surv. vi. 294 = Graphephorum Wolfii.  
 Youngii, Hook. f. Handb. N. Zeal. Fl. 335.—N. Zel.

TRISIOIA, Rafin. Fl. Ludov. 144 (1817) = **Uniola**, Linn. (Gramin.).  
 paniculata, Rafin. l. c. = U. paniculata.

TRISSAGO, Linn. Syst. ed. I (1735) = **Teucrium**?, Tourn. (Labiata.).

**TRISTACHYA**, Nees, Agrost. Bras. 458 (1829).  
 GRAMINEAE, Benth. & Hook. f. iii. 1161.  
 MONOPOGON, J. Presl, Rel. Haenk. i. 324. t. 44 (1830).  
 arundinacea, Hochst. ex A. Rich. Tent. Fl. Abyss. ii. 417.—Abyss.  
 barbata, Nees, Fl. Afr. Austr. 269; et ex Steud. Nom. ed. II. ii. 714.—Arab.; Afghan.  
 chrysothrix, Nees, Agrost. Bras. 460.—Bras.  
 elegans, A. Rich. Tent. Fl. Abyss. ii. 418.—Abyss.  
 leiostachya, Nees, Agrost. Bras. 459.—Am. trop.  
 leucothrix, Trin. ex Nees, l. c. 460.—Afr. austr.  
 mexicana, Kunth, Enum. Pl. i. 308 = leiostachya.  
 microstachya, Nees, ex Steud. Syn. Pl. Gram. 238.—Peruv.  
 monocephala, Hochst. in Flora, xxix. (1846) 120.—Afr. austr.  
 simplex, Nees, Fl. Afr. Austr. 269 = Trichopteryx simplex.  
 somalensis, Franch. in Réveil, Comali, 67.—Afr. trop.  
 Stocksii, Boiss. Fl. Orient. v. 552 = barbata.

**TRISTAGMA**, Poepp. Fragm. Syn. Pl. Chile, 8 (1833); Poepp. & Endl. Nov. Gen. et Sp. ii. 28. t. 140 (1838). *LILIACEAE*, Benth. & Hook. f. iii. 798. **STEMMATIUM**, Phil. in Anal. Univ. Chil. (1873) 551.

**STEPHANOLIRION**, Baker, in Gard. Chron. (1875) i. 234.

dimorphopetalum, *C. Gay, Fl. Chil.* vi. 126.—Chili. narcissoides, *Benth. & Hook. f. Gen.* iii. 799.—Chili. nivale, *Poepp. Fragm. Syn. Pl. Chile*, 9; *Poepp. & Endl. Nov. Gen. et Sp.* ii. 28. t. 140.—Chili.

**TRISTANIA**, R. Br. in Ait. Hort. Kew. ed. II. iv. 417 (1812). *MYRTACEAE*, Benth. & Hook. f. i. 708.

**CALLOBUXUS**, Panch. ex Brongn. & Gris, in Bull. Soc. Bot. Fr. x. (1868) 372.

**LOPHOSTEMON**, Schott, in Wien. Zeitschr. iii. (1830) 772; ex Endl. in Linnaea, vi. (1831) Litt. 54.

**TRISTANIOPSIS**, Brongn. & Gris, in Bull. Soc. Bot. Fr. x. (1863) 371.

*albans*, Hort. Berol. ex DC. Prod. iii. 210; et ex A. Cunn. in Bot. Reg. sub t. 1839 = *Syncarpia laurifolia*. *angustifolia*, Hook. in Mitch. Journ. Trop. Austral. 198 = *Lysicarpus ternifolius*.

*arborescens*, Sweet, Hort. Brit. ed. I. 156, nomen.—Austral.

*burmannica*, Griff. Cantor Pl. 17.—Burma; Malaya. *capitulata*, Panch. ex Brongn. & Gris, in Bull. Soc. Bot. Fr. x. (1863) 372.—N. Caled.

*conferta*, R. Br. in Ait. Hort. Kew. ed. II. iv. 417.—Austral.

*conferta*, Griff. Notul. iv. 649 = Griffithii. *corymbosa*, Hort. ex Steud. Nom. ed. II. i. 797, in syn.; ii. 714 = *Eugenia myrifolia*, Sims.

*densiflora*, Carr. in Rev. Hort. (1881) 420.—Austral.

*depressa*, Hort. Angl. ex Link, Enum. Hort. Berol. ii. 273, nomen; et A. Cunn. in Bot. Reg. sub t. 1839 = *suaveolens*.

*exiliflora*, F. Muell. Fragm. v. 11.—Austral.

*glauc*, Panch. ex Brongn. & Gris, in Bull. Soc. Bot. Fr. xiii. (1866) 471, in syn.—N. Caled.

Griffithii, Kurz, in Pegu Rep. App. B. 50.—Burma. *insularis*, Vieill. ex Brongn. & Gris, in Bull. Soc. Bot. Fr. xii. (1865) 300, in syn.—N. Caled.

*lactiflora*, F. Muell. Fragm. i. 82.—Austral.

*laurina*, R. Br. in Ait. Hort. Kew. ed. II. iv. 417.—Austral.

*macrophylla*, A. Cunn. in Bot. Reg. t. 1839 = *conferta*. *macroserpa*, F. Muell. Papuan Pl. i. 104.—N. Guin.

*Maingayi*, Duthie, in Hook. f. Fl. Brit. Ind. ii. 467.—Malaya.

*merguensis*, Griff. Cantor Pl. 18.—Burma. *myrtifolia*, Ait. ex W. Baxt. in Loud. Hort. Brit. Suppl. iii. 651, nomen (Quid?).—Austral.

*nerifolia*, R. Br. in Ait. Hort. Kew. ed. II. iv. 417.—Austral.

*obovata*, R. Br. in Benn. Pl. Fav. Rar. 127. t. 27.—Ins. Banca.

*persicaefolia*, A. Cunn. in Field, N. S. Wales, 350.—Austral.

*psidioides*, A. Cunn. in Bot. Reg. sub t. 1839.—Austral.

*rhytiphloia*, F. Muell. Fragm. i. 81 = *suaveolens*. *rufescens*, Hance, in Journ. Bot. xiv. (1876) 259.—Cambodia.

*salicifolia*, Link, ex Steud. Nom. ed. II. ii. 714 = *suaveolens*.

*salicina*, A. Cunn. in Bot. Reg. sub t. 1839 = *nerifolia*.

*suaveolens*, Sm. in Rees, Cycl. xxxvi. n. 2.—Austral. *subverticillata*, H. Wendl. in Otto & Dietr. Allg. Gartenz. i. (1833) 186 = *conferta*.

*sumatrana*, Miq. Fl. Ind. Bat. Suppl. 308 = *Whitiana*. *umbrosa*, A. Cunn. in Bot. Reg. sub t. 1839.—Austral.

*Whitiana*, Griff. Cantor Pl. 18.—Malaya. *Wightiana*, Duthie, in Hook. f. Fl. Brit. Ind. ii. 466 sphalm. = *prae*.

**TRISTANIA**, Poir. Encyc. Suppl. iv. 526, in obs. (1816) = **Spartina**, Schreb. (Gramin.).

*arundinacea*, Poir. l. c. = *S. arundinacea*.

**TRISTANIOPSIS**, Brongn. & Gris, in Bull. Soc. Bot. Fr. x. (1863) 371 = **Tristania**, R. Br. (Myrtac.). *Callobuxus*, Brongn. & Gris, l. c. 372.—N. Caled.

**TRISTANIOPSIS**.—

*capitulata*, Brongn. & Gris, in Bull. Soc. Bot. Fr. x. (1863) 372 = *Tristania capitulata*.

*glauc*, Brongn. & Gris, l. c. xiii. (1866) 471 = *Tristania glauca*.

*Guillainii*, Vieill. ex Brongn. & Gris, in Ann. Sc. Nat. Sér. V. xiii. (1870–71) 348.—N. Caled.

*Vieillardii*, Brongn. & Gris, in Bull. Soc. Bot. Fr. xii. (1865) 300 = *Tristania insularis*.

**TRISTEGIS**, Nees, Hor. Phys. Berol. 47, 54 (1820) = **Melinis**, Beauv. (Gramin.).

*glutinosa*, Nees, l. c. = *M. minutiflora*.

**TRISTELLARIA**, Reichb. Consp. 207 (1828) = seq.

**TRISTELLATEIA**, Thou. Gen. Nov. Madag. 47 (1806). *MALPIGHIACEAE*, Benth. & Hook. f. i. 258.

**PLATYNEMA**, Wight & Arn. in Edinb. N. Phil. Journ. (July, 1833) 179.

**ZYMUM**, Noronha, ex Thou. Vég. Iles Afr. Austr. 69 (1807).

*africana*, S. Moore, in Journ. Bot. xv. (1877) 289.—Afr. trop.

*Australasiae*, A. Rich. Sert. Astrolab. 159 = seq. *australis*, A. Rich. l. c. 38. t. 15.—Austral.

*Bernierana*, A. Juss. in Arch. Mus. Par. iii. (1843) 497.—Madag.

*Bojerana*, A. Juss. l. c. 498.—Madag.

*cocculifolia*, A. Juss. l. c. 499.—Madag.

*dulcamara*, A. Juss. l. c. 500.—Madag.

*heterophylla*, A. Juss. l. c. 495.—Madag.

*madagascariensis*, Poir. Encyc. Suppl. v. 367.—Madag.

*malintana*, Blanco, Fl. Filip. ed. II. 267 = *australis*. *montana*, A. Juss. in Arch. Mus. Par. iii. (1843) 496.—Madag.

*novaeaguineensis*, Blume, ex A. Juss. l. c. 495 = *australis*. *pluriset*, Baill. Adansonia, xi. (1874) 249.—Madag.

*pubescens*, Baill. l. c.—Madag.

*stenactis*, Baill. l. c. 250.—Madag.

**TRISTEMMA**, Juss. Gen. 329 (1789). *MELASTOMACEAE*, Benth. & Hook. f. i. 746.

*albiflorum*, Benth. in Hook. Niger Fl. 353.—Afr. trop.

*angustifolium*, Blume, Bijdr. 1079 = *Osbeckia chinensis*.

*capitatum*, Triana, in Trans. Linn. Soc. xxviii. (1871) 56 = *Dissotis capitata*.

*cornifolium*, Triana, l. c. = *Dissotis cornifolia*. *coronatum*, Benth. in Hook. Niger Fl. 354.—Afr. trop.

*erectum*, Guill. & Perr. Fl. Seneg. Tent. 312 = *Dissotis capitata*.

*hirtum*, Beauv. Fl. Owar. i. 94; Vent. Choix, sub t. 35.—Afr. trop.

*incompletum*, R. Br. in Tuckey, Congo, App. 435.—Afr. trop.

*intermedium*, Steud. Nom. ed. I. 853 = *incompletum*. *involutum*, Benth. in Hook. Niger Fl. 354.—Afr. trop.

*littorale*, Benth. l. c. 353.—Afr. trop.

*mauritanum*, J. F. Gmel. Syst. 693 = *virusanum*. *neglectum*, Naud. in Ann. Sc. Nat. Sér. III. xiii. (1850) 299 = *Dissotis cornifolia*.

*Schumacheri*, Guill. & Perr. Fl. Seneg. Tent. 311. t. 6. f. 6 = *incompletum*.

*segregatum*, Triana, in Trans. Linn. Soc. xxviii. (1871) 56 = *Dissotis segregata*.

*theaeifolium*, Triana, l. c. = *Dissotis theaeifolia*. *virusanum*, Juss. Gen. 329; Vent. Choix, t. 35.—Ins. Masc.

**TRISTEMON**, Klotzsch, in Linnaea, xii. (1838) 245 = **Scyphogyne**, Brongn. (Ericac.).

*puberulus*, Klotzsch, l. c. = *S. puberula*. *urceolatus*, Klotzsch, l. c. = *S. urceolata*.

**TRISTEMON**, Rafin. Am. Monthly Mag. (1819) 192 = **Triglochin**, Rupp. (Naiad.).

*conglomeratus*, Rafin. Fl. Tellur. iv. 32 = *Juncus effusus*. *marginatus*, Rafin. l. c. = *Juncus marginatus*.

*odoratus*, Rafin. l. c. = *Juncus marginatus*. *palustris*, Rafin. in Am. Monthly Mag. (1819) 192 = *Trig. palustre*.

*polyccephalus*, Rafin. Fl. Tellur. iv. 32 = *Juncus scirpoides*.

*triander*, Rafin. in Am. Monthly Mag. (1819) 192 = *Trig. striatum*.

**TRISTEMON**, Scheele, in Linnaea, xxi. (1848) 586 = **Cucurbita**, Tourn.

*texanum*, Scheele, l. c. = *C. Pepo*.

**TRISTERIA**, Hook. f. Fl. Brit. Ind. iv. 275 (1884), err. typ. = **TREISTERIA**, Griff. = **Curanga**, Juss. (Scrophul.).

**TRISTERIX**, Mart. in Flora, xiii. (1830) i. 108 = **Loranthus**, Linn.

*aphyllus*, G. Don, Gen. Syst. iii. 418 = *L. aphyllus*.

*Reinwardtianus*, Mart. in Flora, xiii. (1830) 109 = *L. Reinwardtianus*.

*tetrandrus*, Mart. l. c. = *L. tetrandrus*.

*viridiflorus*, Mart. l. c. = *L. globosus*.

**TRISTICHA**, Thou. Gen. Nov. Madag. 3 (1806). *PODOSTEMACEAE*, Benth. & Hook. f. iii. 108.

**DUFOUREA**, Bory, ex Willd. Sp. Pl. v. 55 (1810).

**PHILOCRENA**, Bong. in Mém. Acad. Pétersb. Sér. VI. i. (1832) 80. t. 6.

*alternifolia*, Thou. ex Spreng. Syst. i. 22.—Madag.

*bifaria*, Presl, Rel. Haenk. i. 86.—Ins. Philipp.

*bryoides*, Gardn. in Calc. Journ. Nat. Hist. vii. (1847) 178 = *hypnoides*.

*ceylanica*, Gardn. l. c. 177 = *Terniolia zeylanica*.

*Dregeana*, Tul. in Ann. Sc. Nat. Sér. III. xi. (1849) 112 = *hypnoides*.

*fontinaloides*, Welw. ex Wedd. in DC. Prod. xvii. 45 = *hypnoides*.

*hypnoides*, Spreng. Syst. iv. Cur. Post. 10.—Bras.

*phasioides*, Griseb. in Goett. Abh. xxiv. (1879) 41.—Reg. Argent.

*Philocrena*, Steud. Nom. ed. II. ii. 715 = *hypnoides*.

*trifaria*, Spreng. Syst. i. 22.—Ins. Mascar.

**TRISTICHOCALYX**, F. Muell. Fragm. iv. 27 (1863). *MENISPERMACEAE*, Benth. & Hook. f. i. 962.

*diffusa*, Miers, Contrib. iii. 286.—Austral.

*pubescens*, F. Muell. Fragm. iv. 27.—Austral.

**TRISTIRA**, Radlk. in Act. Congr. Bot. Amst. 1877 (1879) 133. *SAPINDACEAE*.

*harpullioides*, Radlk. l. c.—Ins. Molucc.

*triptera*, Radlk. l. c.—Ins. Philipp.

**TRISTYLEA**, Jord. & Fourr. Ic. Fl. Eur. ii. 5 (1870) = **Saxifraga**, Tourn. (Saxifr.).

*florulenta*, Jord. & Fourr. l. c. = *S. florulenta*.

**TRISTYLIUM**, Turcz. in Bull. Soc. Nat. Mosc. xxxi. (1858) i. 247 = **Cleyera**, DC. (Ternstr.).

*mexicanum*, Turcz. l. c. 248 = *C. mexicana*.

**TRISYNGYNE**, Baill. Adansonia, xi. (1874) 136. *EUPHORBIACEAE*, Benth. & Hook. f. iii. 332.

*Balansae*, Baill. l. c. 137.—N. Caled.

*codonandra*, Baill. l. c. 136.—N. Caled.

**TRITAENICUM**, Turcz. in Bull. Soc. Nat. Mosc. xx. (1847) i. 169 = **Asteriscium**, Cham. & Schlecht. (Umbell.).

*nudum*, Turcz. l. c.—Chili.

**TRITAXIS**, Baill. Etud. Gén. Euph. 342. t. 11 (1858). *EUPHORBIACEAE*, Benth. & Hook. f. iii. 292.

*Beddomei*, Benth. in Journ. Linn. Soc. xvii. (1878) 221.—Ind. or.

*Cumingii*, Benth. l. c.—Malaya.

*Gaudichaudi*, Baill. Etud. Gén. Euph. 343.—Cochinch.

*macrophylla*, Muell. Arg. in Flora, xlvii. (1864) 482 = *Ostodes macrophylla*.

*zeylanica*, Muell. Arg. l. c. = *Ostodes zeylanica*.

**TRITELANDRA**, Rafin. Fl. Tellur. ii. 85 (1836) = **Epidendrum**, Linn. (Orchid.).

*fuscata*, Rafin. l. c. 86 = *E. anceps*.

**TRITELEIA**, Dougl. ex Lindl. Bot. Reg. sub t. 1293 (1830) = **Brodiaea**, Sm. (Liliac.).

*aurea*, Lindl. Bot. Reg. (1841) Misc. 76 = *Milla aurea*.

*Berteri*, Kunth, Enum. Pl. iv. 467 = *Milla subbiflora*.

*bivalvis*, Hook. in Lindl. Bot. Reg. sub t. 1293 = *Milla bivalvis*.

*brevipes*, Kunze, in Linnaea, xx. (1847) 9 = *Milla brevipes*.

## TRITELEIA:—

- conspicua*, Baker, in Saund. Refug. Bot. t. 43 = *Milla* uniflora.  
*Gaudichaudiana*, Kunth, Enum. Pl. iv. 467 = *Milla* bivalvis.  
*gracilis*, Phil. in Anal. Univ. Chil. (1873) 550.—Chili.  
*graminifolia*, Presl, Bot. Bemerk. 116.—Chili.  
*grandiflora*, Lindl. Bot. Reg. sub t. 1293 = *B. Douglasii*.  
*hirtella*, Kunth, Enum. Pl. iv. 465 = *Milla hirtella*.  
*laxa*, Benth. in Trans. Hort. Soc. Ser. II. i. (1835) 413. t. 15. f. 2 = *B. laxa*.  
*peduncularis*, Lindl. Bot. Reg. sub t. 1685 = *B. peduncularis*.  
*Poeppigiana*, C. Gay, Fl. Chil. vi. 117 = *Milla Poeppigiana*.  
*porrifolia*, Poepp. Fragm. Syn. Pl. Chile, 10 = *Milla porrifolia*.  
*Sellowiana*, Kunth, Enum. Pl. iv. 466 = *Milla Sellowiana*.  
*sessilis*, Phil. in Linnaea, xxix. (1857–58) 72 = *Milla sessiliflora*.  
*uniflora*, Lindl. Bot. Reg. t. 1293 = *Milla uniflora*.  
*uniflora*, Van Houtte, in Fl. des Serres, ix. (1853–54) 283. t. 967 = *Milla Poeppigiana*.  
*violacea*, Kunth, Enum. Pl. iv. 468 = *Milla bivalvis*.

TRITELEYA, Phil. in Anal. Univ. Chil. (1873), reimpr. 74, sphalm. = praec.

TRITHECA, Miq. Fl. Ind. Bat. i. 1. 614 (1855) = *Ammannia*, Houst. (Lythrar.).  
*pentandra*, Miq. l. c. et 1089 = *A. pentandra*.

## TRITHRINAX, Mart. Hist. Nat. Palm. ii. 149

- (1837?). *PALMAE*, Benth. & Hook. f. iii. 925.  
*DIODOSPERMA*, H. Wendl. in Bot. Zeit. xxxvi. (1878) 118.  
*acanthocoma*, *Drude*, in *Regel, Gartenfl.* xxvii. (1878) 361. t. 959.—Bras.  
*aculeata*, Liebm. ex Mart. Hist. Nat. Palm. iii. 320 = *Acanthorhiza aculeata*.  
*brasiliensis*, Mart. Hist. Nat. Palm. ii. 150.—Bras.  
*brasiliensis*, Mart. Palmet. Orbign. 44. t. 10. f. 1, partim = *schizophylla*.  
*brasiliensis*, H. Wendl. in Kerch. Palm. t. 26 = *acanthocoma*.  
*campestris*, *Drude & Griseb.* in *Goett. Abh.* xxiv. (1879) 283.—Reg. Argent.  
*Chuco*, Walp. Ann. i. 1005 = *Acanthorhiza Chuco*.  
*compacta*, Griseb. Cat. Pl. Cub. 221 = *Hemithrinax compacta*.  
*mauritiaeformis*, Karst. in Linnaea, xxviii. (1856) 244 = *Sabal mauritiiformis*.  
*schizophylla*, *Drude*, in *Mart. Fl. Bras.* iii. II. 551.—Bras.

TRITHURIA, Hook. f. Fl. Tasman. ii. 78. t. 138 (1860). *CENTROLEPIDAE*, Benth. & Hook. f. iii. 1025.

JUNCCELLA, F. Muell. 2nd Gen. Rep. 16 (1854).  
*occidentalis*, Benth. Fl. Austral. vii. 199.—Austral.  
*submersa*, Hook. f. Fl. Tasman. ii. 79. t. 138.—Tasman.

TRITHYROCARPUS, Hassk. in Flora, xlix. (1866) 211 = *Commelina*, Plum.

- gelatinosus*, Hassk. l. c. = *C. gelatinosa*.  
*oligospatha*, Hassk. Commel. Ind. 25 = *C. paleata*.  
*polyspatha*, Hassk. in Flora, xlix. (1866) 211 = *C. obliqua*.  
*paleatus*, Hassk. l. c.; et Commel. Ind. 25 = *C. paleata*.

TRITICUM, Linn. Syst. ed. I (1735); Gen. ed. I. 16 (1737). *GRAMINEAE*, Benth. & Hook. f. iii. 1204.

- AEGILOPS*, Linn. Coroll. Gen. 20 (1837).  
*BROMUS*, Scop. Introd. 74 (1777).  
*CRITHODIUM*, Link. in Linnaea, ix. (1834) 132. t. 3.  
*CRYPTOPYRUM*, Heynh. Nom. ii. 174 (1846).  
*abyssinicum*, Steud. Syn. Pl. Gram. 342.—Abyss.  
*acutum*, DC. Cat. Hort. Monsp. (1813) 153 = *Agropyron acutum*.  
*acutum*, Dethard. Consp. Pl. Megalop. 11 = *Agropyron repens*.  
*acutum*, Fries, Summ. Veg. Scand. 249 = *Agropyron obtusiusculum*.

## TRITICUM:—

- aegilopoides*, Forsk. Fl. Aegypt. Arab. 26 = *Rottboellia hirsuta*.  
*aegilopoides*, A. Gray, in Proc. Acad. Philad. 1862 (1864) 79 = *Agropyron caninum*.  
*aegilopoides*, Turcz. ex Griseb. in Ledeb. Fl. Ross. iv. 339 = *Agropyron divergens*.  
*Aegilops*, Beauv. Agrost. 180, nomen.—Oriens.  
*aestivum*, Linn. Sp. Pl. 85 = vulgare.  
*affine*, Dethard. ex Kunth, Enum. Pl. i. 441 = *Agropyron acutum*.  
*alatum*, Peterm. in Flora, xxvii. (1844) 234 = *durum*.  
*album*, Gaertn. ex Steud. Nom. ed. I. 853 = vulgare.  
*algeriense*, Desf. ex Mert. & Koch, Deutschl. Fl. i. 697 = *durum*.  
*alpinum*, G. Don, ex Mitten, in Hook. Lond. Journ. Bot. vii. (1848) 533 = *Agropyron repens*.  
*amyleum*, Ser. Mélang. Bot. i. 124 = *dicoccum*.  
*angustifolium*, Link, Enum. Hort. Berol. i. 97 = *Agropyron sibiricum*.  
*aragonense*, Lag. in Varied. Cienc. ii. iv. (1805) 212.—Hispan.  
*arenicolum*, Kern. ex Menyh. Kalocsa Vidék. Növényt. 197.—Hungar.  
*Arias*, Roxas Clem. in Herrera, Agric. (1818) i. 74 = *T. Spelta*.  
*aristatum*, Hall. [f.] ex Steud. Nom. ed. II. ii. 715 = vulgare.  
*Arras*, Hochst. in Flora, xxxi. (1848) 450.—Abyss.  
*arundinaceum*, Schur, Enum. Pl. Transs. 806 = vulgare.  
*arundinaceum*, Steud. Syn. Pl. Gram. 343 = *Agropyron repens*.  
*arvense*, Schreb. in Koerte & Schweigg. Fl. Erlang. i. 143 = *Agropyron repens*.  
*asperillum*, Link, Handb. i. 18, sphalm. = seq.  
*asperum*, DC. Cat. Hort. Monsp. (1813) 153.—Hispan.  
*athericum*, Link, in Linnaea, xvii. (1843) 395 = *Agropyron pungens*.  
*atratum*, Host, Gram. Austr. iv. 5. t. 8 = *dicoccum*.  
*attenuatum*, H. B. & K. Nov. Gen. et Sp. i. 180 = *Agropyron attenuatum*.  
*Aucheri*, Parl. Fl. Ital. i. 508 = *Agropyron Aucheri*.  
*baeoticum*, Boiss. Diagn. Ser. I. xiii. 69 = *monococcum*.  
*barbinode*, Tausch, in Flora, xvii. (1834) 447 = *Brachypodium sylvaticum*.  
*Barrelieri*, Kunth, Rév. Gram. i. 145 = *Brachypodium pinnatum*.  
*Bauhini*, Lag. Gen. et Sp. Nov. 6 = *durum*.  
*benghalense*, Host, ex Steud. Nom. ed. II. ii. 715, nomen (Quid?).—Hab.?  
*bicorne*, Forsk. Fl. Aegypt. Arab. 26.—Aegypt.; Syria.  
*biflorum*, Brign. Fasc. Pl. Forojul. 18 = *Agropyron caninum*.  
*biflorum*, Turcz. ex Griseb. in Ledeb. Fl. Ross. iv. 339 = *Agropyron strigosum*.  
*biunciale*, Vill. Hist. Pl. Dauph. ii. 167 = *Festuca Poa*.  
*Bonaepartis*, Spreng. Nachr. i. Bot. Gart. Halle, 40 = *Agropyron patulum*.  
*boreale*, Turcz. Fl. Baic.-Dahur. ii. i. 345, in obs. = *Agropyron strigosum*.  
*brachystachyon*, Hornem. Hort. Hafn. i. 107 = praec.?  
*brachystachyum*, Lag. ex Schult. Mant. ii. 656 = *durum*.  
*brevisetum*, DC. Cat. Hort. Monsp. (1813) 153.—Hab.?  
*brizoides*, Lam. Illustr. i. 212 = *Demazeria sicula*.  
*bromoides*, [Weber, ex] Wigg. Prim. Fl. Holsat. 11 = *Brachypodium pinnatum*.  
*Brownei*, Kunth, Rév. Gram. i. 145 = *Agropyron pectinatum*.  
*bulbosum*, Steud. Syn. Pl. Gram. 346 = *Agropyron bulbosum*.  
*Bungeanum*, Trin. in Bunge, Verz. Suppl. Fl. Alt. 11 = *geniculatum*.  
*Buonapartis*, Roem. & Schult. Syst. ii. 768, in syn. = *Agropyron patulum*.  
*caeruleum*, Ard. ex Bayle-Barelle, Monog. Agron. Cereal. 39 (Quid?).—Hab.?  
*caesium*, Kunth, Rév. Gram. i. 145 = *Agropyron repens*.  
*caespitosum*, DC. Cat. Hort. Monsp. (1813) 153 = *Brachypodium ramosum*.  
*caespitosum*, Walp. Ann. iii. 782 = *Agropyron caespitosum*.

## TRITICUM:—

- campestre*, Roem. & Schult. Syst. ii. 769 = *Secale fragile*.  
*campestre*, Nym. Syll. Suppl. 74 = *Agropyron glaucum*.  
*candissimum*, Bayle-Barelle, Monog. Agron. Cereal. 42; ex Metzger, Europ. Cereal. 18 = *durum*.  
*caninum*, Ledeb. Fl. Alt. i. 118 = *Agropyron strigosum*.  
*caninum*, Linn. Sp. Pl. 86 = *Agropyron caninum*.  
*capense*, Spreng. Pugill. ii. 23 = *Eragrostis Uniola*.  
*causasicum*, Spreng. Fl. Hal. Mant. 35 = *Agropyron cristatum*.  
*caudatum*, Gren. & Godr. Fl. Fr. iii. 603.—Europ.  
*caudatum*, Pers. Syn. i. 110 = *Agropyron villosum*.  
*cereale*, Bernh. Syst. Verz. Erf. 46 = vulgare.  
*cereale*, Salisb. Prod. 27 = *Secale cereale*.  
*cereale*, Schrank, Baier. Fl. i. 387 = vulgare.  
*cerulescens*, Bayle-Barelle, Monog. Agron. Cereal. 39 (Quid?).—Hab.?  
*Cevallos*, Lag. Gen. et Sp. Nov. 6.—Hispan.  
*chinense*, Trin. ex Bunge, Enum. Pl. Chin. Bor. 72.—China.  
*Cienfuegos*, Lag. Gen. et Sp. Nov. 6 = *dicoccum*.  
*ciliare*, Trin. ex Bunge, Enum. Pl. Chin. Bor. 72.—China.  
*ciliatum*, Cav. Desc. 317; DC. Fl. Fr. iii. 85 = *Brachypodium distachyum*.  
*cinereum*, Hort. ex Roem. & Schult. Syst. ii. 770 (Quid?).—Hab.?  
*clavatum*, Seidl, ex Opiz, Natural. n. ix. (1825) 106 = vulgare.  
*coarctatum*, Spreng. ex Steud. Nom. ed. II. ii. 716 = *Gaudinia geminiflora*.  
*cochleare*, Lag. Gen. et Sp. Nov. 6 = *durum*.  
*compactum*, Host, Gram. Austr. iv. 4. t. 7 = vulgare.  
*compositum*, Linn. Sp. Pl. ed. II. 126 = vulgare.  
*compressum*, Hort. ex Roem. & Schult. Syst. ii. 770 (Quid?).—Hab.?  
*condensatum*, Kunth, Enum. Pl. i. 442 = *Agropyron condensatum*.  
*creticum*, Roem. & Schult. Syst. ii. 769.—Ins. Creta.  
*crinitum*, Kunth, Rév. Gram. i. 144 = *Agropyron crinitum*.  
*cristatum*, Schreb. Besch. Graeser, ii. 12. t. 23. f. 2 = *Agropyron cristatum*.  
*curvifolium*, C. Muell. in Walp. Ann. vi. 1047 = *Agropyron scirpeum*.  
*cylindricum*, Ces. Pass. & Gib. Comp. Fl. Ital. 86.—Europ.  
*cynosuroides*, Spreng. Syst. i. 325 = *Festuca cynosuroides*.  
*dasyanthum*, Ledeb. ex Spreng. Syst. i. 326 = *Agropyron dasyanthum*.  
*dasyphyllum*, Schrenk, in Bull. Sc. Acad. Pétersb. x. (1842) 356.—Sibir. altaic.  
*dasytachyum*, A. Gray, Man. Bot. N. U. St. ed. I. 602 = *Agropyron dasystachyum*.  
*densiflorum*, Willd. Enum. Hort. Berol. 135 = *Agropyron densiflorum*.  
*desertorum*, Fisch. ex Link, Enum. Hort. Berol. i. 97 = *Agropyron sibiricum*.  
*dicoccum*, Schrank, Baier. Fl. i. 389.—Europ. (cult.).  
*distachyon*, Brot. Fl. Lusit. i. 119 = *Brachypodium distachyum*.  
*distans*, Walp. Ann. iii. 782 = *Agropyron Bourgaei*.  
*distertum*, Tardent, Ess. Hist. Nat. Bessar. 37, nomen = *distachyon*?  
*distichum*, Schleich. ex DC. Fl. Fr. Suppl. 281 = *Agropyron glaucum*.  
*distichum*, Thunb. Prod. Pl. Cap. 23 = *Agropyron distichum*.  
*divaricatum*, Walp. Ann. vi. 1048 = *Agropyron divaricatum*.  
*divergens*, Steud. Syn. Pl. Gram. 347 = *Agropyron divergens*.  
*diversifolium*, Steud. l. c. 342.—Abyss.  
*dumetorum*, [Honck.] Verz. Aller Gew. Teutschl. 363 = seq.?  
*dumetorum*, Schreb. in Schweig. & Koerte, Fl. Erlang. i. 143 = *Agropyron repens*.  
*duplicatum*, Steud. Syn. Pl. Gram. 344.—Graecia.  
*durum*, Desf. Fl. Atlant. i. 114 = *sativum*.  
*elegans*, Spreng. ex Steud. Nom. ed. I. 854, nomen (Quid?).—Hab.?  
*elongatum*, Host, Gram. Austr. ii. 18 = *Agropyron rigidum*.  
*elymogenes*, Arndt, in Flora, xlii. (1859) 215, in textu = *Agropyron strictum*.  
*elymoides*, Hochst. ex A. Rich. Tent. Fl. Abyss. ii. 440.—Abyss.

## TRITICUM:—

*elymoides*, Hornem. Hort. Hafn. i. 107 = *T. Spelta*.  
*emarginatum*, Godr. in *Mém. Acad. Montp.* (Sect. Médic.) i. (1853) 454.—Hab.?  
*erinaceum*, Hornem. Hort. Hafn. i. 106 = *præc.*?  
*erinaceum*, Hort. ex Kunth, Enum. Pl. i. 438 = *vulgare*.  
*farctum*, Viv. Fl. Ital. Fragm. i. 28 = *Agropyron junceum*.  
*farrium*, Bayle-Barelle, Monog. Agron. Cereal. 50. t. 4. f. 1, 2 = *T. Spelta*.  
*fastuosum*, Lag. Gen. et Sp. Nov. 6 = *durum*.  
*Festuca*, DC. Fl. Fr. iii. 87 = *Festuca Poa*.  
*festucoides*, Bertol. Fl. Ital. i. 808 = *Festuca Poa*.  
*fibrosum*, Schrenk, in *Bull. Phys.-Math. Acad. Pétersb.* iii. (1845) 209.—Sibir. altaic.  
*filiforme*, Poir. Encyc. Suppl. ii. 677 = *Agropyron filiforme*.  
*firmum*, Link, Hort. Berol. ii. 188 = *Agropyron repens*.  
*fiabellatum*, Tausch, in *Flora*, xx. (1837) 117 = *Festuca Tauschii*.  
*flexum*, Hochst. ex A. Rich. Tent. Fl. Abyss. ii. 441 = *Brachypodium flexum*.  
*Forskalei*, Roxas Clem. in *Herrera, Agric.* (1818) i. 74 = *T. Spelta*.  
*fragile*, Ces. Pass. & Gib. *Comp. Fl. Ital.* 87.—Italia.  
*fragile*, Link, Hort. Berol. ii. 183 = *Secale fragile*.  
*fragile*, Roth, *Catalecta*, fasc. ii. 7 = *Agropyron junceum*.  
*Freyenietii*, Hort. Lips. ex Pasq. Cat. Ort. Bot. Nap. 104, nomen (Quid?).—Hab.?  
*Gaertnerianum*, Lag. Gen. et Sp. Nov. 6 = *durum*?  
*geminatum*, Spreng. Syst. i. 326 = *Eleusine indica*.  
*geniculatum*, Trin. ex Ledeb. Fl. Alt. i. 117.—Sibir. altaic.  
*geniculatum*, Walp. Ann. iii. 783 = *Brachypodium distachyum*.  
*genuense*, DC. Fl. Fr. Suppl. 284.—Ital.  
*giganteum*, Roth, *Catalecta*, fasc. iii. 22 = *Agropyron rigidum*.  
*glaucescens*, Auct. ex Steud. Nom. ed. II. ii. 716 = *Agropyron pungens*.  
*glaucum*, Bast. Fl. Maine-et-Loire, 45 = *Agropyron pungens*.  
*glaucum*, Desf. Tabl. ed. I. 16 = *Agropyron glaucum*.  
*glaucum*, Host, Gram. Austr. iv. 6. t. 10 = *Agropyron littorale*.  
*glaucum*, [Honck.] Verz. Aller Gew. Teutschl. 358 = *Agropyron glaucum*?  
*glaucum*, Krock. Fl. Siles. Suppl. i. 194 = *Agropyron rigidum*?  
*glaucum*, Link, Hort. Berol. ii. 187 = *Agropyron junceum*.  
*glaucum*, Moench, Meth. 174 = *polonicum*.  
*glaucum*, Urv. in *Mém. Soc. Linn. Par.* iv. (1826) 601 = *Agropyron repens*.  
*glaucum*, Willk. & Lange, Prod. Fl. Hisp. i. 110, sphalm. = *Agropyron campestre*.  
*Gmelini*, Trin. in *Linnaea*, xii. (1838) 467.—Sibir.  
*gracile*, Brot. Fl. Lusit. i. 121 = *Brachypodium sylvaticum*.  
*gracile*, DC. Fl. Fr. iii. 84 = *Brachypodium pinnatum*.  
*gracile*, Pouz. ex Gren. & Godr. Fl. Fr. iii. 608 = *Agropyron glaucum*.  
*Halleri*, Viv. Fl. Ital. Fragm. 24. t. 26. f. 1 = *Festuca Poa*.  
*hamosum*, Rehm. ex Boiss. Fl. Orient. v. 661 = *Agropyron strigosum*.  
*hebestachyum*, Fries, in Bot. Notiser (1858), 129; et ex Nym. Sver. Fanerog. ii. 458 = *Agropyron obtusiusculum*.  
*Hemipoa*, Delile, ex Tenore, Fl. Nap. iv. 18; Syll. Fl. Neap. 56 = *Festuca Hemipoa*.  
*hirsutum*, Hornem. Suppl. Hort. Hafn. 13 = *Agropyron cristatum*.  
*hirsutum*, Stev. ex Nym. Consp. 841 = *Agropyron rigidum*.  
*hispanicum*, Viv. Fl. Ital. Fragm. 21 = *Festuca Poa*.  
*hispanicum*, Willd. Sp. Pl. i. 479 = *Festuca tenuiflora*.  
*hordeaceum*, Coss. & Dur. in *Bull. Soc. Bot. Fr.* ii. (1855) 312.—Afr. bor.  
*hordeaceum*, Steud. Syn. Pl. Gram. 430 = *Agropyron orientale*.  
*hordeiforme*, Host, Gram. Austr. iv. 3. t. 5 = *durum*.  
*hordeiforme*, Wall. ex Steud. Nom. ed. II. ii. 716 = *Hordeum vulgare*.  
*Hornemannii*, Roxas Clem. in *Herrera, Agric.* (1818) i. 73 = *monococcum*.  
*Horstianum*, Roxas Clem. l. c. 81 = *vulgare*.

## TRITICUM:—

*Hosteanum*, Spreng. Syst. i. 323, in syn., sphalm. = *præc.*  
*hybernium*, Linn. Sp. Pl. 86 = *vulgare*.  
*ichyostachyum*, Seidl, ex Opiz, *Natural.* n. ix. (1825) 106.—Hab.?  
*imbricatum*, Bieb. Fl. Taur. Cauc. i. 88 = *Agropyron cristatum*.  
*imbricatum*, Hort. Vindob. ex Roem. & Schult. Syst. ii. 756 = *Agropyron sibiricum*.  
*imbricatum*, Lam. Illustr. i. 212 = *Agropyron repens*.  
*infestum*, Salisb. Prod. 27 = *Agropyron repens*.  
*intermedium*, Bess. Enum. Pl. Volh. 6 = *Agropyron rigidum*.  
*intermedium*, Bieb. ex Kunth, Enum. Pl. i. 443 = *Agropyron cristatum*.  
*intermedium*, Host, Fl. Austr. i. 180 = *Agropyron glaucum*.  
*intermedium*, Nocca & Balb. Fl. Tic. i. 63 = *Agropyron repens*.  
*junceum*, Linn. Cent. Pl. i. 6; Amoen. Acad. iv. 266 = *Agropyron junceum*.  
*Kingianum*, Endl. Prod. Fl. Norf. 21.—Ins. Norfolk.  
*Kirgianum*, Steud. Nom. ed. II. ii. 716, sphalm. = *præc.*  
*Koeleri*, Roxas Clem. in *Herrera, Agric.* (1818) i. 77 = *vulgare*.  
*Kotschyianum*, Boiss. ex Steud. Syn. Pl. Gram. 346 = *Agropyron patulum*.  
*Lachenalii*, C. C. Gmel. Fl. Bad. i. 291 = *Festuca Poa*.  
*laevissimum*, Habl. vel Hall. [f.] ex Steud. Nom. ed. II. ii. 716, 717 = *polonicum*.  
*lasianthum*, Steud. Syn. Pl. Gram. 430 = *Agropyron orientale*.  
*latronum*, Godr. in *Mém. Soc. Emul. Doubs, Sér. II.* v. (1854) 11 = *Agropyron glaucum*.  
*laxum*, Fries, Mant. iii. 13 = *Agropyron acutum*.  
*Leersianum*, Roem. & Schult. Syst. ii. 755, in syn. = *Agropyron repens*.  
*ligusticum*, Bertol. Fl. Ital. vi. 622 = *bicorne*.  
*ligusticum*, Walp. Ann. iii. 783 = *Agropyron ligusticum*.  
*Linnaeanum*, Lag. Gen. et Sp. Nov. 6 = *vulgare*.  
*litorale*, Auct. ex Nym. Consp. 841 = *Agropyron repens*.  
*litorale*, Host, Gram. Austr. iv. 5. t. 9 = *Agropyron littorale*.  
*litorale*, Pall. Reise, iii. 287 = *Elymus dasystachys*.  
*littoreum*, Brot. Phyt. Lusit. ii. 51 = *Agropyron junceum*.  
*littoreum*, Schum. Enum. Pl. Saeland. i. 38 = *Agropyron repens*.  
*loliaceum*, Sm. Engl. Bot. t. 221 = *Festuca loliacea*.  
*lolioides*, Kar. & Kir. in *Bull. Soc. Nat. Mosc.* (1841) 866.—Sibir. altaic.  
*lolioides*, Pers. Syn. i. 110 = *Festuca Poa*.  
*longearistatum*, Steud. Syn. Pl. Gram. 346 = *Agropyron longearistatum*.  
*luzonense*, Kunth, Enum. Pl. i. 446.—Ins. Philipp.  
*macrostachyum*, Le Gall, Fl. Morb. 760 = *Agropyron acutum*?  
*macrourum*, Turcz. in *Bull. Soc. Nat. Mosc.* (1838) 105 = *Brachypodium pinnatum*.  
*maritimum*, Linn. Sp. Pl. ed. II. 127 = *Cutandia maritima*.  
*maritimum*, Viv. Ann. Bot. i. 112 = *Festuca Poa*.  
*maritimum*, Willd. Sp. Pl. i. 479, in syn. = *Festuca tenuiflora*.  
*maritimum*, With. Bot. Arr. Brit. Pl. ed. II. i. 130 = *Festuca loliacea*.  
*maritimum*, Wulf. in Jacq. Coll. iii. 34 = *Festuca rigida*.  
*maximum*, Vill. Hist. Pl. Dauph. ii. 156 = *polonicum*?  
*mexicanum*, Schrad. ex Steud. Nom. ed. II. ii. 716.—Mexic.  
*missuricum*, Spreng. Syst. i. 325 = *Festuca spicata*.  
*molle*, Hort. ex Roem. & Schult. Syst. ii. 770 (Quid?).—Hab.?  
*monococcum*, Linn. Sp. Pl. 86.—Graec.; As. Min.  
*monostachyum*, Lam. ex Roem. & Schult. Syst. ii. 742 = *Brachypodium distachyum*.  
*multiflorum*, Banks & Soland. ex Hook. f. Fl. N. Zel. i. 311.—N. Zel.  
*multiflorum*, Steud. Nom. ed. I. 855 = *Agropyron repens*.  
*murale*, Salisb. Prod. 27 = *Hordeum murinum*.  
*muricatum*, Link, Enum. Hort. Berol. i. 97 = *Agropyron cristatum*.  
*Nardus*, DC. Fl. Fr. iii. 87 = *Festuca tenuiflora*.  
*nigricans*, Pers. Syn. i. 110.—Gallia.

## TRITICUM:—

*nodosum*, Stev. ex Bieb. Fl. Taur. Cauc. iii. 96 = *Agropyron junceum*.  
*nubigenum*, Steud. Syn. Pl. Gram. 342 = *Agropyron nubigenum*.  
*obtusatum*, Godr. in *Mém. Acad. Montp.* (Sect. Médic.) i. (1853) 454 = *bicorne*.  
*obtusiflorum*, DC. Cat. Hort. Monsp. (1813) 153 = *Agropyron obtusiflorum*.  
*obtusifolium*, Boiss. Elench. 93 = *Brachypodium ramosum*.  
*obtusiusculum*, Nym. Syll. Suppl. 74 = *Agropyron obtusiusculum*.  
*Olgae*, Regel, in *Act. Hort. Petrop.* vii. (1880) 588.—Turkestan.  
*orientale*, Bieb. Fl. Taur. Cauc. i. 86 = *Agropyron orientale*.  
*ovatum*, Rasp. in *Ann. Sc. Nat. Sér. I.* v. (1825) 435; Gren. & Godr. Fl. Fr. iii. 601.—Europ.  
*panormitanum*, Bertol. Fl. Ital. iv. 780 = *Agropyron panormitanum*.  
*patens*, Brot. Fl. Lusit. i. 120 = *Festuca loliacea*.  
*patulum*, Willd. Enum. Hort. Berol. 134 = *Agropyron patulum*.  
*pauciflorum*, Schwein. in Long, Exped. Winneb. ii. 383 = *Agropyron violaceum*.  
*pectinatum*, Bieb. Fl. Taur. Cauc. i. 87 = *Agropyron cristatum*, f. Gaertn.  
*pectinatum*, R. Br. Prod. 179 = *Agropyron pectinatum*.  
*pectiniforme*, Steud. Nom. ed. I. 855 = *Agropyron pectiniforme*.  
*peruvianum*, Lam. Illustr. i. 212 = *Agropyron peruvianum*.  
*petraeum*, Vis. & Panč. in *Mem. Ist. Venet.* x. (1861) 446 = *Agropyron panormitanum*.  
*phaenicoides*, DC. Fl. Fr. Suppl. 284 = *Brachypodium pinnatum*.  
*pilosum*, Dalz. & Gibs. Bomb. Fl. Suppl. 97 = *vulgare*.  
*pilosum*, Hornem. Hort. Hafn. i. 106 (Quid?).—Hab.?  
*pilosum*, Kunth, Enum. Pl. i. 442 = *Agropyron pilosum*.  
*pilosum*, Seenus, Reise Istrien, 71 = *Agropyron rigidum*.  
*pinnatum*, Moench, Enum. Pl. Hass. 53 = *Brachypodium pinnatum*.  
*planum*, Desf. Tabl. ed. I. 16 = *Agropyron patulum*.  
*platystachyum*, Lag. Gen. et Sp. Nov. 6 = *durum*?  
*Poa*, DC. Fl. Fr. iii. 86 = *Festuca Poa*.  
*poliens*, Tausch, in *Flora*, xx. (1837) 117 = *Festuca poliens*.  
*polonicum*, Linn. Sp. Pl. ed. II. 127.—(cult.)  
*polystachyum*, Lag. ex Steud. Nom. ed. II. ii. 717 = *Brachypodium distachyum*.  
*Pouzolzii*, Godr. in *Mém. Soc. Emul. Doubs, Sér. II.* v. (1854) 11 = *Agropyron glaucum*.  
*proliferum*, Reinw. ex Vriese, Pl. Ind. Bat. Or. 113 = *Spinifex elegans*.  
*prostratum*, Linn. f. Suppl. 114 = *Agropyron triticeum*.  
*pruinatum*, Hornem. Hort. Hafn. i. 107 = *durum*.  
*Pseudo-agropyrum*, Griseb. in *Ledeb. Fl. Ross.* iv. 343.—Sibir. transbaic.  
*puberulum*, Boiss. ex Steud. Syn. Pl. Gram. 345 = *Agropyron cristatum*.  
*pubescens*, Bieb. Besch. Casp. 81 = *monococcum*.  
*pubescens*, Hornem. Hort. Hafn. i. 107 (Quid?).—Hab.?  
*pubescens*, Trin. in Bunge, Verz. Suppl. Fl. Alt. 11 = *geniculatum*.  
*pubiflorum*, Steud. Syn. Pl. Gram. 429.—Reg. Magellan.  
*pulverulentum*, Hornem. Hort. Hafn. i. 16 (Quid?).—Hab.?  
*pumilum*, Linn. f. Suppl. 115 = *Agropyron triticeum*.  
*pumilum*, Steud. Syn. Pl. Gram. 344.—Sibir.  
*pungens*, Link, Hort. Berol. ii. 187.—Tauria.  
*pungens*, Pers. Syn. i. 109 = *Agropyron pungens*.  
*pyncanthum*, Godr. in *Mém. Soc. Emul. Doubs, Sér. II.* v. (1854) 10 = *Agropyron littorale*.  
*pyramidale*, Delile, ex Schult. Mant. ii. 414 = *vulgare*.  
*quadratum*, Mill. Gard. Dict. ed. VIII. n. 4 = *vulgare*.  
*ramificum*, Link, in *Linnaea*, xvii. (1843) 397 = *Agropyron pungens*.  
*ramosum*, Beck, ex Nym. Consp. 841 = *Agropyron repens*.  
*ramosum*, Trin. ex Ledeb. Fl. Alt. i. 114.—Sibir. ural.  
*recognitum*, Steud. Syn. Pl. Gram. 342.—Abyss.  
*repens*, Linn. Sp. Pl. 86 = *Agropyron repens*.  
*reptans*, [Clairv.] Man. Herb. 26 = *præc.*



**TRITICUM** :—

Requienii, *Ces. Pass. & Gib. Comp. Fl. Ital.* 86.—Ital.  
*Richardsonii*, Schrad. in *Linnaea*, xii. (1838) 467 =  
 Agropyron violaceum.  
*rigidum*, Schleich. ex Mert. & Koch, *Deutschl. Fl. i.*  
 705 = Agropyron glaucum.  
*rigidum*, Schrad. Sem. Hort. Gotting. (1803) 23; ex  
 ej. *Fl. Germ. i.* 392 = Agropyron rigidum.  
*Roegnerii*, Griseb. in *Ledeb. Fl. Ross. iv.* 339 = Agro-  
 pyron Roegnerii.  
*Rottboellia*, DC. *Fl. Fr. iii.* 86 (*Rottbolla*) = Demazeria  
 loliacea.  
*Rouxii*, Nym. *Consp.* 842 = Agropyron Rouxii.  
*rufescens*, Hort. ex Steud. *Nom. ed. II. ii.* 717 =  
 T. Spelta.  
*rupestre*, Fisch. ex Link, *Enum. Hort. Berol. i.* 98 =  
 Agropyron strigosum.  
*salinum*, Salz. ex Steud. *Nom. ed. II. ii.* 717, nomen  
 (Quid ?).—Hab. ?  
*sardinicum*, Koel. ex Spreng. *Syst. i.* 323 = vulgare.  
*Sartorii*, Boiss. & Heldr. ex Nym. *Consp.* 840 = Agro-  
 pyron junceum.  
*sativum*, Lam. *Fl. Fr. iii.* 625 = durum, turgidum, vul-  
 gare.  
*Savignionii*, Steud. *Syn. Pl. Gram.* 430 = seq.  
*Savignonii*, Nym. *Syll.* 424 = Agropyron Savignonii.  
*scaberrimum*, Steud. *Nom. ed. II. ii.* 717 = Brachy-  
 podium sylvaticum.  
*scaberrimum*, Tausch, in *Flora*, xx. (1837) 118 =  
 Brachypodium mexicanum.  
*scabrum*, R. Br. *Prod.* 178 = Agropyron scabrum.  
*scabrum*, A. Cunn. ex Hook. f. *Fl. N. Zel. i.* 311 =  
 multiflorum.  
*scabrum*, Steud. *Syn. Pl. Gram.* 343, sphalm. = Agro-  
 pyron strictum.  
*Schimperii*, *Hochst. in Flora*, xxiv. (1841) 1. *Intell.* 20,  
 nomen; et ex *A. Rich. Tent. Fl. Abyss. ii.* 441.—  
 Abyss.  
*Schrenkianum*, Fisch. & Mey. ex Schrenk, in *Bull.*  
*Phys.-Math. Acad. Petersb. iii.* (1845) 305 = Brachy-  
 podium Schrenkianum.  
*scirpeum*, Guss. *Fl. Sic. Prod. i.* 148 = Agropyron  
 scirpeum.  
*secalinum*, Georgi, *Bemerk. Reise Russ. Reich. i.* 198  
 = Elymus dasystachys.  
*secundum*, Kunth, *Enum. Pl. i.* 442 = Agropyron  
 secundum.  
*segetale*, Salisb. *Prod.* 27 = vulgare.  
*semicostatum*, Steud. *Syn. Pl. Gram.* 346 = Agropyron  
 semicostatum.  
*sepium*, Lam. *Fl. Fr. iii.* 629 = Agropyron caninum.  
*sepium*, Thuill. *Fl. Par. ed. II.* 67 = Agropyron repens.  
*sibiricum*, Willd. *Enum. Hort. Berol.* 135 = Agropyron  
 sibiricum.  
*siculum*, Roem. & Schult. *Syst. ii.* 765.—Sicil.; As.  
 (cult.).  
*simplex*, Hort. Vindob. ex Schult. *Mant. ii.* 422, nomen  
 (Quid ?).—Hab. ?  
*sinaicum*, Steud. *Syn. Pl. Gram.* 346.—Mons Sinai.  
*Solandri*, Steud. l. c. 347 = Agropyron scabrum.  
*Spelta*, Linn. *Sp. Pl.* 86.—Hab. ?  
*speltaeforme*, Seidl, ex Opiz, *Natural. n. ix.* (1825)  
 106 = T. Spelta.  
*spinulosum*, Lag. *Gen. et Sp. Nov. 7.*—Cuba.  
*squarrosus*, Banks & Soland. ex Hook. f. in Hook.  
*Lond. Journ. Bot. iii.* (1844) 417 = Agropyron  
 scabrum.  
*squarrosus*, Roth, *Neue Beytr. i.* 128 = Agropyron  
 patulum.  
*striatum*, Steud. *Syn. Pl. Gram.* 346.—Ind. or.  
*strictum*, Dethard. *Consp. Pl. Megalop. 11* = Agro-  
 pyron strictum.  
*strigosum*, Less. in *Linnaea*, ix. (1834) 170 = Agropyron  
 divergens.  
*strigosum*, Spreng. *Syst. i.* 326.—Tauria.  
*subaristatum*, Link, in *Linnaea*, xvii. (1847) 395 =  
 Agropyron repens.  
*subsecundum*, Link, *Hort. Berol. ii.* 190.—Am. bor.  
*subtile*, Fisch. Mey. & Avé-Lall. *Ind. Sem. Hort.*  
*Petrop. x.* 59 = Brachypodium distachyum.  
*subulatum*, Sm. ex Munro, in *Journ. Linn. Soc. vi.*  
 (1862) 51 = Festuca Poa ?  
*subulatum*, [Soland. in] Russ. Aleppo, ed. II. ii. 244  
 = Agropyron subulatum.  
*supinum*, Schrank, in *Denkschr. Bot. Ges. Regensb. i.*  
 II. (1818) 162 = Poa littoralis.  
*sylvaticum*, Moench, *Enum. Pl. Hass.* 54 = Brachypo-  
 dium sylvaticum.

**TRITICUM** :—

*sylvaticum*, Salisb. *Prod.* 27 = Elymus europaeus.  
*Tauri*, Walp. *Ann. vi.* 1048 = Agropyron Tauri.  
*tenellum*, Linn. *Syst. ed. X.* 880 = Festuca Poa.  
*tenellum*, Viv. *Ann. Bot. i. II.* 154 = Festuca tenuiflora.  
*tenuis*, Fisch. & Mey. ex Steud. *Syn. Pl. Gram.* 317 =  
 Festuca subtilis.  
*tenuicolum*, Loisel. in *Desv. Journ. Bot. ii.* (1809) 219  
 = Festuca Poa.  
*teretiflorum*, Wibel, *Prim. Fl. Werth.* 140 = Brachy-  
 podium sylvaticum.  
*Thaoudar*, Reut. ex Boiss. *Fl. Orient. v.* 673 = mono-  
 coccum.  
*tomentosum*, Bayle, Barelle, *Monog. Agron. Cereal.* 40.  
 t. 2. f. 10 = durum.  
*Tournefortii*, Walp. *Ann. iii.* 782 = Agropyron Aucheri.  
*trachycaulum*, Link, *Hort. Berol. ii.* 189.—Am. bor.  
 occ.  
*triaristatum*, Gren. & Godr. *Fl. Fr. iii.* 602.—Europ.  
*trichophorum*, Link, in *Linnaea*, xvii. (1843) 395.—  
 Europ. austr.  
*triccum*, Schuebl. *Char. Desc. Cereal.* (1818) 34; et  
 in *Flora*, iii. (1820) 458. tt. 1, 2 = dicoccum.  
*triunciale*, Rasp. in *Ann. Sc. Nat. Sér. I. v.* (1825)  
 435; Gren. & Godr. *Fl. Fr. iii.* 602.—Europ.  
*truncatum*, Wallr. in *Linnaea*, xiv. (1840) 544 (Beitr.  
*Fl. Hercyn. 174*) = Agropyron glaucum.  
*Tumonia*, Schrad. ex Balb. *Cat. Taur.* (1813) 78; et ex  
 Roem. & Schult. *Syst. ii.* 770, nomen (Quid ?).—Hab. ?  
*turgidum*, Linn. *Sp. Pl.* 86 = vulgare.  
*turgidum*, Steud. *Syn. Pl. Gram.* 342 = recognitum.  
*unilaterale*, All. *Fl. Pedem. ii.* 258 = Demazeria loli-  
 acea.  
*unilaterale*, Linn. *Mant. i.* 35 = Festuca tenuiflora.  
*unioloides*, Ait. *Hort. Kew. ed. I. i.* 122 = Demazeria  
 sicula.  
*vaginans*, Pers. *Syn. i.* 109 = Agropyron vaginans.  
*Vaillantianum*, Roem. & Schult. *Syst. ii.* 775, in syn.  
 = Agropyron repens.  
*variegatum*, Fisch. ex Spreng. *Pugill. ii.* 24 = Agro-  
 pyron sibiricum.  
*velutinum*, Hook. f. *Fl. Tasm. ii.* 129 = Agropyron velu-  
 tinum.  
*velutinum*, Schuebl. *Char. Desc. Cereal.* (1818) 13;  
 ex Schult. *Mant. ii.* 413 = vulgare.  
*ventricosum*, *Ces. Pass. & Gib. Comp. Fl. Ital.* 86.—  
 Europ.  
*venulosum*, Hochst. ex Steud. *Syn. Pl. Gram.* 342 =  
 recognitum.  
*venulosum*, Ser. *Mélang. Bot. i.* 133.—Aegypt.  
*villosus*, Beauv. *Agrost.* 103 = Agropyron villosus.  
*villosus*, Host, Gram. Austr. iv. 4. t. 6 = durum.  
*violaceum*, Hornem. in *Fl. Dan. t.* 2044 = Agropyron  
 violaceum.  
*virescens*, Aschers. ex Nym. *Consp.* 841 = Agropyron  
 glaucum.  
*vulgare*, Vill. *Hist. Pl. Dauph. ii.* 153.—Cosmop. (cult.)  
*Youngii*, Hook. f. *Handb. N. Zeal. Fl.* 343.—N. Zel.  
*Zea*, Host, Gram. Austr. iii. 20. t. 29 = T. Spelta.

**TRITILLARIA**, Sang. in *Atti Acc. Pont. Lincei*, Ser.  
 I. xv. (1862) 29, sphalm. = **Fritillaria**, Tourn. (Lili-  
 ac.).

**TRITOMA**, Ker-Gawl. in *Bot. Mag. t.* 744 (1804) =  
**Kniphofia**, Moench (Liliac.).  
*Burchellii*, Herb. ex Sweet, *Hort. Brit. ed. II.* 517,  
 nomen; Lindl. *Bot. Reg. t.* 1745 = K. Burchellii.  
*caulescens*, Carr. in *Rev. Hort.* (1884) 556 =  
 K. caulescens.  
*flammea*, Hook. *Bot. Mag. t.* 4819, in syn. = Blandfordia  
 flammea.  
*glauc*, Hort. ex Vilm. *Fl. Pl. Terre*, ed. I. 892.—Afr.  
 austr.  
*grandis*, Hort.—Cf. *Gard. Chron.* (1865) 7.—Hab. ?  
*Leichtlinii*, Carr. in *Rev. Hort.* (1884) 556 = K.  
 Leichtlinii.  
*Mac-Owani*, Carr. l. c. (1879) 390 = K. Macowani ?  
*Macowani*, Hort.—Cf. *Gard. Chron.* (1877) II. 374,  
 407 = K. Macowani.  
*maroccana*, May, in *Rev. Hort.* (1878) 255 =  
 K. pumila ?  
*media*, Ker-Gawl. in *Bot. Mag. t.* 744 = K. sarmentosa.  
*nobilis*, Carr. in *Rev. Hort.* (1883) 525 = K. aloides.  
*pumila*, Ker-Gawl. in *Bot. Mag. t.* 764 = K. pumila.  
*recurva*, Hort. ex Vilm. *Fl. Pl. Terre*, ed. I. 892 =  
 glauca.  
*recurvata*, Hort. l. c. ed. II. 933 = glauca.

**TRITOMA** :—

*Rooperi*, T. Moore, *Gard. Comp. i.* 113 = Kniphofia  
 Rooperi.  
*Saundersii*, Carr. in *Rev. Hort.* (1882) 504 =  
 K. aloides.  
*Uvaria*, Ker-Gawl. in *Bot. Mag. sub t.* 744 = K.  
 aloides.

**TRITOMANTHE**, Link, *Enum. Hort. Berol. i.* 333  
 (1821) = **Kniphofia**, Moench (Liliac.).  
*Burchellii*, Steud. *Nom. ed. II. ii.* 718 = K. Burchellii.  
*media*, Link, *Enum. Hort. Berol. i.* 333 = K. sarment-  
 tosa.  
*odorata*, Lodd. ex Steud. *Nom. ed. II. ii.* 718, nomen  
 (Quid ?).—Afr. austr.  
*pumila*, Link, *Enum. Hort. Berol. i.* 333 = K. pumila.  
*Uvaria*, Link, l. c. = K. aloides.

**TRITOMIUM**, Link, *Handb. i.* 170 (1829) = **TRITOMA**,  
 Ker-Gawl. = **Kniphofia**, Moench (Liliac.).

**TRITOMODON**, Turcz. in *Bull. Soc. Nat. Mosc. xxi.*  
 (1848) 1. 548 = **Enkianthus**, Lour. (Ericac.).  
*japonicus*, Turcz. l. c. 585.—Japon.

**TRITONIA**, Ker-Gawl. in *Bot. Mag. t.* 581 (1802).

*IRIDEAE*, Benth. & Hook. f. iii. 708.  
*AGRETTA*, Eckl. *Top. Verz.* 23 (1827).  
*BELLENDENIA*, Rafin. in *Loud. Gard. Mag. viii.*  
 (1832) 245.  
*DICHONE*, Laws. ex Salisb. in *Trans. Hort. Soc. i.*  
 (1812) 320.  
*MONTERETIA*, DC. in *Bull. Soc. Philom. iii.* (1803)  
 151.  
*TRITONIXIA*, Klatt, in *Abh. Naturf. Ges. Halle*, xv.  
 (1882) 354.  
*WAITZIA*, Reichb. *Consp.* 60 (1828).  
*abyssinica*, Walp. *Ann. iii.* 613 = Lapeyrousia abys-  
 sinica.  
*anigozanthiflora*, Sweet, *Hort. Brit. ed. I.* 398, nomen.  
 —Afr. austr.  
*aurantiaca*, Eckl. *Top. Verz.* 29 = crocata.  
*aurea*, Pappe, ex Hook. *Bot. Mag. t.* 4335 = Crocosmia  
 aurea.  
*Bakeri*, Klatt, in *Abh. Naturf. Ges. Halle*, xv. (1882)  
 358.—Afr. austr.  
*Bolusii*, Baker, in *Journ. Bot. xiv.* (1876) 337 = dubia.  
*capensis*, Ker-Gawl. in *Bot. Mag. t.* 618.—Afr. austr.  
*carnea*, Hort. ex Pasq. *Cat. Orto Bot. Nap.* 104, nomen  
 (Quid ?).—Hab. ?  
*catenularis*, Salisb. in *Trans. Hort. Soc. i.* (1812) 319  
 = lineata.  
*coccinea*, Eckl. *Top. Verz.* 29 = crocata.  
*concolor*, Sweet, *Hort. Brit. ed. I.* 398 = Ixia panicu-  
 lata.  
*Cooperi*, Klatt, in *Abh. Naturf. Ges. Halle*, xv. (1882)  
 358 (Ixiae sp.).—Afr. austr.  
*crispa*, Ker-Gawl. in *Bot. Mag. t.* 678.—Afr. austr.  
*crocata*, Ker-Gawl. l. c. sub t. 581.—Afr. austr.  
*deusta*, Ker-Gawl. l. c. t. 622.—Afr. austr.  
*dubia*, Eckl. *Top. Verz.* 30, nomen; et ex Klatt, in  
*Linnaea*, xxxii. (1863) 761.—Afr. austr.  
*fenestrata*, Ker-Gawl. in *Bot. Mag. t.* 704.—Afr.  
 austr.  
*flava*, Ker-Gawl. in *Kon. & Sims, Ann. Bot. i.* (1804)  
 228.—Afr. austr.  
*fucata*, Lindl. *Bot. Reg.* (1838) t. 35 = Antholyza  
 fucata.  
*fulva*, Dehnh. *Cat. Pl. Hort. Camald. ed. II.* 24  
 (Quid ?).—Afr. austr.  
*hyalina*, Baker, in *Journ. Linn. Soc. xvi.* (1877) 163 =  
 fenestrata.  
*kamisbergensis*, Klatt, in *Linnaea*, xxxii. (1863) 760.—  
 Afr. austr.  
*lacerata*, Klatt, in *Abh. Naturf. Ges. Halle*, xv. (1882)  
 358 = crispa.  
*laxifolia*, Benth. & Hook. f. *Gen. iii.* 708.—Afr. trop.  
*lineata*, Ker-Gawl. in *Kon. & Sims, Ann. Bot. i.*  
 (1804) 228.—Afr. austr.  
*longiflora*, Ker-Gawl. l. c. = Ixia paniculata.  
*Mac-Owani*, Hort.—Cf. *Gard. Chron.* (1877) II. 407,  
 sphalm. = Kniphofia Mac-Owani.  
*magniflora*, Dehnh. *Cat. Pl. Hort. Camald. ed. II.* 24  
 (Quid ?).—Afr. austr.  
*media*, Pritz. *Ind. i.* 1124, sphalm. = *Tritoma media*.  
*miniata*, Ker-Gawl. in *Bot. Mag. t.* 609 = crocata.  
*nervosa*, Klatt, in *Abh. Naturf. Ges. Halle*, xv. (1882)  
 358 (= *Morphixia nervosa*).—Afr. austr.

**TRITONIA:—**

- odorata*, Lodd. Bot. Cab. t. 1820 = *Freesia refracta*.  
*pallida*, Ker-Gawl. in Bot. Mag. sub t. 1275.—Afr. austr.  
*paniculata*, Klatt, in Abh. Naturf. Ges. Halle, xv. (1882) 358 = *Ixia paniculata*.  
*pauciflora*, Klatt, l. c.—Afr. austr.  
*pectinata*, Ker-Gawl. in Bot. Mag. sub t. 678 = *crispa*.  
*Pottsii*, Benth. & Hook. f. Gen. iii. 708.—Afr. austr.  
*pulchella*, Dehnh. Cat. Pl. Hort. Camald. ed. II. 24 (Quid?).—Afr. austr.  
*purpurea*, Ker-Gawl. in Bot. Mag. sub t. 1275 = *crocata*.  
*refracta*, Ker-Gawl. in Kon. & Sims, Ann. Bot. i. (1804) 228 = *Freesia refracta*.  
*Rocheana*, Sweet, Hort. Brit. ed. I. 398 = seq.  
*Rochensis*, Ker-Gawl. in Bot. Mag. t. 1503 = *Ixia paniculata*.  
*rosea*, [Dryand. in] Ait. Hort. Kew. ed. II. i. 91 = *capensis*.  
*rosea*, Klatt, in *Linnaea*, xxxii. (1863) 760.—Afr. austr.  
*sanguinea*, Eckl. Top. Verz. 29 = *crocata*.  
*Schimperii*, Aschers. & Klatt, in *Linnaea*, xxxiv. (1865-66) 697 = *Acidanthera unicolor*.  
*scillaris*, Baker, in *Journ. Linn. Soc.* xvi. (1877) 163.—Afr. austr.  
*secunda*, Steud. Nom. ed. II. ii. 719.—Afr. austr.  
*securigera*, Ker-Gawl. in Kon. & Sims, Ann. Bot. i. (1804) 228.—Afr. austr.  
*squalida*, Ker-Gawl. in Bot. Mag. t. 581.—Afr. austr.  
*striata*, Ker-Gawl. l. c. sub t. 678 = *Gladiolus striatus*.  
*strictifolia*, Benth. & Hook. f. Gen. iii. 708.—Afr. austr.  
*tenuiflora*, Ker-Gawl. in Bot. Mag. sub t. 1275 = *Ixia paniculata*.  
*tripunctata*, Dehnh. Cat. Pl. Hort. Camald. ed. II. 24 (Quid?).—Afr. austr.  
*tristis*, Dehnh. l. c. (Quid?).—Afr. austr.  
*undulata*, Baker, in *Journ. Linn. Soc.* xvi. (1877) 163.—Afr. austr.  
*ventricosa*, Hort. ex Pasq. Cat. Orto Bot. Nap. 104, nomen (Quid?).—Hab. ?  
*viridis*, Ker-Gawl. in Bot. Mag. t. 1275.—Afr. austr.  
*xanthospila*, Ker-Gawl. ex Spreng. Syst. i. 154 (= *Anomatheca xanthospila*).—Afr. austr.

**TRITONIXIA**, Klatt, in Abh. Naturf. Ges. Halle, xv. (1882) 355 = *Tritonia*, Ker-Gawl. (Irid.).  
*Bolusii*, Klatt, l. c. 356 = *Tritonia dubia*.  
*conferta*, Klatt, l. c. = *Tritonia dubia*.  
*crocata*, Klatt, l. c. = *Tritonia crocata*.  
*deusta*, Klatt, l. c. = *Tritonia deusta*.  
*disticha*, Klatt, l. c.—Afr. austr.  
*dubia*, Klatt, l. c. = *Tritonia dubia*.  
*hyalina*, Klatt, l. c. = *Tritonia fenestrata*.  
*kamisbergensis*, Klatt, l. c. = *Tritonia kamisbergensis*.  
*lineata*, Klatt, l. c. 357 = *Tritonia lineata*.  
*miniata*, Klatt, l. c. 356 = *Tritonia crocata*.  
*purpurea*, Klatt, l. c. = *Tritonia crocata*.  
*rosea*, Klatt, l. c. = *Tritonia rosea*.  
*scillaris*, Klatt, l. c. 357 = *Tritonia scillaris*.  
*squalida*, Klatt, l. c. 356 = *Tritonia squalida*.  
*stricta*, Klatt, l. c. 357 = *Tritonia scillaris*.  
*undulata*, Klatt, l. c. = *Tritonia undulata*.

**TRITOPHUS**, Lestib. in Ann. Sc. Nat. Sér. II. xv. (1841) 341 = *Kaempferia*, Linn. (Scitam.).

**TRITRIELA**, Rafn. Fl. Tellur. iii. 59 (1836) = *Ornithogalum*, Tourn. (Liliac.).

**TRIUMFETTA**, Plum. ex Linn. Gen. ed. I. 344 (1737). *TILIACEAE*, Benth. & Hook. f. i. 234.  
*BARTRAMIA*, Linn. Diss. Dass. 17 (1747); Fl. Zeyl. 77 (1747); Gaertn. Fruct. ii. 137. t. 111 (1791).  
*PORPA*, Blume, Bijdr. 117 (1825).  
*abutiloides*, A. St. Hil. Fl. Bras. Mer. i. 287.—Bras.  
*actinocarpa*, S. Moore, in *Journ. Bot.* xv. (1877) 66.—Afr. trop.  
*acuminata*, H. B. & K. Nov. Gen. et Sp. v. 344.—N. Granat.  
*acutifolia*, DC. Pl. Rar. Jard. Genève, 64.—Cuba.  
*aestuens*, Royle, Illustr. Bot. Himal. 103 (Quid?).—Reg. Himal.  
*althaeoides*, Lam. Encyc. iii. 420.—Am. trop.  
*angulata*, Lam. l. c. 421 = rhomboidea.

VOL. II.

**TRIUMFETTA:—**

- annua*, Linn. Mant. i. 73.—As. et Afr. trop.  
*appendiculata*, F. Muell. Fragm. iii. 7.—Austral.  
*Bartramia*, Linn. Syst. ed. X. 1044; Roxb. Fl. Ind. ii. 463 = rhomboidea.  
*benguensis*, Wawra & Peyr. in Sitzb. Akad. Wien, Math.-Nat. xxxviii. (1860) 559 = *flavescens*.  
*Berterii*, Spreng. ex Turcz. in Bull. Soc. Nat. Mosc. xxxi. (1858) i. 227.—N. Granat.  
*bicornuta*, Turcz. l. c. xxxvi. (1863) i. 574.—Java.  
*bilocularis*, Wall. Cat. n. 1081 = *rotundifolia*.  
*bogotensis*, DC. Prod. i. 506.—Am. centr.; N. Granat.  
*Botteriana*, Turcz. in Bull. Soc. Nat. Mosc. xxxii. (1859) i. 260.—Mexic.  
*brachypetala*, Turcz. l. c. xxxi. (1858) i. 227.—Mexic.  
*calycina*, Turcz. l. c. xxxvi. (1863) i. 574.—Peruv.  
*calyculata*, Vell. Fl. Flum. 200; v. t. 6 = *semitriloba*.  
*cana*, Blume, Bijdr. 113 = *obliqua*?  
*caudata*, Triana & Planch. in Ann. Sc. Nat. Sér. IV. xvii. (1862) 353.—N. Granat.  
*chaetocarpa*, F. Muell. Fragm. xi. 61.—Austral.  
*chrysotricha*, Boj. in Bouton, Rapp. Ann. Maur. (1842) 19.—Madag.  
*conspicua*, Trimen, in *Journ. Bot.* xxiii. (1885) 206.—Zeylan.  
*cordifolia*, A. Rich. in Guill. & Perr. Fl. Seneg. Tent. 91 = *semitriloba*.  
*cuneata*, Hochst. ex A. Rich. Tent. Fl. Abyss. i. 84 = *neglecta*.  
*cymosa*, Triana & Planch. in Ann. Sc. Nat. Sér. IV. xvii. (1862) 353.—N. Granat.  
*denticulata*, R. Br. ex Benth. Fl. Austral. i. 274.—Austral.  
*dichotoma*, Turcz. in Bull. Soc. Nat. Mosc. xxxii. (1859) i. 261.—Bras.  
*diversifolia*, E. Mey. in Drège, Zwei Pfl. Docum. 227, nomen = rhomboidea.  
*diversiloba*, Presl, Bot. Bemerk. 20 = *semitriloba*.  
*dumetorum*, Schlecht. in *Linnaea*, xi. (1837) 377 = *bogotensis*.  
*effusa*, E. Mey. in Drège, Zwei Pfl. Docum. 227, nomen; et ex Harv. & Sond. Fl. Cap. i. 228.—Afr. austr.  
*eriocarpa*, A. St. Hil. Fl. Bras. Mer. i. 288 = rhomboidea.  
*eriphelebia*, Hook. f. in Hook. Niger Fl. 235 = rhomboidea.  
*Fabreana*, Gaudich. in Freyc. Voy. Bot. 478.—Ins. Marian.  
*flavescens*, Hochst. ex A. Rich. Tent. Fl. Abyss. i. 82.—Afr. trop.  
*Galeottiana*, Turcz. in Bull. Soc. Nat. Mosc. xxxii. (1859) i. 260.—Mexic.  
*geoides*, Welw. ex Mast. in Oliver, Fl. Trop. Afr. i. 256.—Afr. trop.  
*glabra*, Spreng. Fl. Hal. Mant. 41.—Ind. or.  
*glandulosa*, Forsk. Fl. Aegypt. Arab. p. cxii; Lam. Encyc. iii. 421 = rhomboidea.  
*glandulosa*, Heyne, ex Wall. Cat. n. 1077 = *pilosa*.  
*glaucescens*, R. Br. ex Benth. Fl. Austral. i. 273.—Austral.  
*glechomoides*, Welw. ex Mast. in Oliver, Fl. Trop. Afr. i. 258.—Afr. trop.  
*grandiflora*, Hance, in *Journ. Bot.* xv. (1877) 329.—China.  
*grandiflora*, Vahl, Eclog. Am. ii. 34.—Ind. occ.; Mexic.  
*graveolens*, Blume, Bijdr. 113.—Java.  
*graveolens*, Zoll. & Mor. Syst. Verz. Zoll. 27 (excl. syn.) = *subhirtella*.  
*grossulariaefolia*, A. Rich. Ess. Fl. Cub. 205.—Ind. occ.  
*guazumaefolia*, Boj. in Bouton, Rapp. Ann. Maur. (1842) 18.—Madag.  
*havanensis*, H. B. & K. Nov. Gen. et Sp. v. 345 = *semitriloba*.  
*heterophylla*, Griseb. Fl. Brit. W. Ind. 96 = *semitriloba*.  
*heterophylla*, Lam. Encyc. iii. 420.—Am. austr.  
*Heudelotii*, Planch. ex Mast. in Oliver, Fl. Trop. Afr. i. 259.—Afr. trop.  
*hirta*, Vahl, Symb. Bot. iii. 63.—N. Granat.  
*hispida*, A. Rich. Ess. Fl. Cub. 204.—Ind. occ.  
*Hostmanni*, Miq. in *Linnaea*, xxii. (1849) 466 = *bogotensis*?  
*Hostmanniana*, Klotzsch, in Schomb. Faun. Fl. Brit. Gui. 1175, nomen.—Guian.

**TRIUMFETTA:—**

- humifusa*, Hassk. Retzia, i. 139.—Java.  
*indica*, Buch.-Ham. ex Wall. Cat. nn. 237, 1078 D = *tomentosa*.  
*indica*, Lam. Encyc. iii. 420 = *annua*.  
*Johnstoniana*, F. Muell. in Melb. Chemist (Febr. 1885).—Austral.  
*Josefina*, Polak. in *Linnaea*, xli. (1877) 552.—Costa Rica.  
*Kirkii*, Mast. in Oliver, Fl. Trop. Afr. i. 259.—Afr. trop.  
*lanigera*, Noronha, in Verh. Batav. Gen. v. (1790) ed. I. Art. iv. 27 = *villosiuscula*.  
*lappacea*, Salisb. Prod. 366 = *T. Lappula*.  
*Lappula*, Linn. Sp. Pl. 444.—Am. et Afr. trop.  
*Lappula*, Schomb. Faun. Fl. Brit. Gui. 1258, nomen = *heterophylla*?  
*Lappula*, Vell. Fl. Flum. v. t. 5; text. ed. Netto, 191 = rhomboidea.  
*leptacantha*, F. Muell. Fragm. xi. 62.—Austral.  
*Lindeniana*, Turcz. in Bull. Soc. Nat. Mosc. xxxi. (1858) i. 229.—Mexic.  
*longicoma*, A. St. Hil. Fl. Bras. Mer. i. 285.—Bras.  
*longispis*, Turcz. in Bull. Soc. Nat. Mosc. xxxi. (1858) i. 229.—Mexic.  
*longipes*, Klotzsch, in Schomb. Faun. Fl. Brit. Gui. 1175, nomen.—Guian.  
*longiseta*, DC. Pl. Rar. Jard. Genève, 64.—Cuba.  
*longiseta*, A. Rich. in Guill. & Perr. Fl. Seneg. Tent. 92 = *semitriloba*.  
*macrocalyx*, Turcz. in Bull. Soc. Nat. Mosc. xxxi. (1858) i. 230 = *speciosa*.  
*macropetala*, F. Muell. Fragm. iii. 8 = *Corchorus echinatus*.  
*macrophylla*, Vahl, Eclog. Am. ii. 34 = *althaeoides*.  
*Martiana*, Turcz. in Bull. Soc. Nat. Mosc. xxxi. (1858) i. 228 = rhomboidea.  
*mauritiana*, Presl, in Oken, Isis, xxi. (1828) 273.—Ins. Maurit.  
*mexicana*, Turcz. in Bull. Soc. Nat. Mosc. xxxi. (1858) i. 230 = *Belotia grewiaefolia*.  
*micracantha*, F. Muell. Fragm. iii. 7.—Austral.  
*micropetala*, Lindl. Bot. Reg. t. 1058 = rhomboidea.  
*microphylla*, Wight & Arn. Prod. 75 = *pilosa*?  
*mollis*, Schum. & Thonn. Beskr. Guin. Pl. 238 = rhomboidea.  
*mollissima*, H. B. & K. Nov. Gen. et Sp. v. 345.—Am. austr.  
*monoica*, Hochst. & Steud. ex A. Rich. Tent. Fl. Abyss. i. 82 = *flavescens*.  
*nana*, Boj. Hort. Maurit. 43, sphalm. = *annua*.  
*neglecta*, Wight & Arn. Prod. 75.—Ind. or.; Afr. trop.  
*nemorialis*, A. St. Hil. Fl. Bras. Mer. i. 284.—Bras.  
*nipaulensis*, G. Don, Gen. Syst. i. 545 = *annua*.  
*obliqua*, Roth, Nov. Pl. Sp. 224.—As. trop.  
*oblonga*, Hornem. ex Schrank, in Syll. Ratisb. i. (1824) 213; Wall. in D. Don, Prod. Fl. Nep. 227 = *pilosa*.  
*oblongata*, Link, Enum. Hort. Berol. ii. 5 = *pilosa*.  
*obovata*, Cham. & Schlecht. in *Linnaea*, v. (1830) 228.—Mexic.  
*obscura*, A. St. Hil. Fl. Bras. Mer. i. 286 = *semitriloba*.  
*octandra*, Griff. Notul. iv. 512 = *pilosa*.  
*orbiculata*, Roxb. Hort. Beng. [36] = *rotundifolia*.  
*Orizabae*, Turcz. in Bull. Soc. Nat. Mosc. xxxii. (1859) i. 261 (Orizaba).—Mexic.  
*orthacantha*, Welw. ex Mast. in Oliver, Fl. Trop. Afr. i. 258.—Afr. trop.  
*ovata*, DC. Prod. i. 507 = *semitriloba*.  
*oxyphylla*, [Moç. & Sesse] ex DC. l. c. 508.—Mexic.  
*paniculata*, Hook. & Arn. Bot. Beech. Voy. 279.—Mexic.  
*parviflora*, Benth. Fl. Austral. i. 274.—Austral.  
*pentandra*, A. Rich. in Guill. & Perr. Fl. Seneg. Tent. 93. t. 19 = *neglecta*.  
*petiolaris*, Lindl. Bot. Reg. sub t. 1058.—Peruv.  
*pilosa*, H. B. & K. Nov. Gen. et Sp. v. 343 = *bogotensis*.  
*pilosa*, Roth, Nov. Pl. Sp. 223.—As. et Afr. trop.  
*pilosa*, Wall. Cat. n. 1080 = *tomentosa*.  
*pilosula*, Thw. Enum. Pl. Zeyl. 401 = *neglecta*.  
*Plumieri*, Gaertn. Fruct. ii. 137 = *T. Lappula*.  
*plumigera*, F. Muell. Fragm. i. 69.—Austral.  
*polyandra*, [Moç. & Sesse] ex DC. Prod. i. 508 = *grandiflora*.  
*polycarpa*, Wall. Cat. n. 1079 = *pilosa*, *annua*.  
*procumbens*, Boj. Hort. Maurit. 44 = *radicans*.

**TRIUMFETTA** :—

- procumbens, *Forst. f. Prod.* 35.—Austral.; Ins. Societ.  
Pseudo-angulata, *Blume, Bijdr.* 111.—Java.  
quinqueloba, *Turcz. in Bull. Soc. Nat. Mosc.* xxxvi.  
(1863) i. 574.—Peruv.  
radicans, *Boj. in Bouton, Rapp. Ann. Maur.* (1842)  
20.—Ins. Seychell.  
rhombaeifolia, *Sw. Prod. Veg. Ind. Occ.* 76 = seq.  
rhomboidea, *Jacq. Enum. Pl. Carib.* 22; *Select. Am.*  
147. t. 90.—Reg. trop.  
rhomboidea, *Lindl. Coll. Bot. t.* 29 = petiolaris.  
riparia, *Hochst. in Flora*, xxvii. (1844) 295 = rhom-  
boidea.  
rotundifolia, *Lam. Encyc.* iii. 421; *Roth, Nov. Pl. Sp.*  
222.—Ind. or.  
rubricaulis, *H. B. & K. Nov. Gen. et Sp.* v. 342.—  
Venezuela.  
Salemanni, *Turcz. in Bull. Soc. Nat. Mosc.* xxxi.  
(1858) i. 229 = semitriloba.  
Schimperii, *Hochst. in Flora*, xxiv. (1841) i. Intell. 29;  
et ex Steud. *Nom. ed. II.* ii. 719 = annua.  
semitriloba, *Boj. Hort. Maurit.* 43 = rhomboidea.  
semitriloba, *Griseb. Fl. Brit. W. Ind.* 96, partim =  
heterophylla.  
semitriloba, *Jacq. Enum. Pl. Carib.* 22; *Select. Am.*  
147.—Reg. trop.  
sepium, *A. St. Hil. Fl. Bras. Mer.* i. 286 = semi-  
triloba.  
setulosa, *Mast. in Olivér, Fl. Trop. Afr.* i. 259.—Afr.  
trop.  
sinuosa, *Miq. in Linnaea*, xxii. (1849) 466 = hetero-  
phylla.  
Sonderii, *Ficalho & Hiern, in Trans. Linn. Soc.*  
Ser. II. ii. (1881) 17.—Afr. trop. et austr.  
speciosa, *Seem. Bot. Voy. Herald*, 86.—Panama;  
Mexic.  
spicata, *Blume, Bijdr.* 111.—Java.  
subhirtella, *Miq. Fl. Ind. Bat.* i. ii. 196.—Java.  
suborbiculata, *DC. Prod.* i. 506 = rotundifolia.  
suffruticosa, *Blume, Bijdr.* 113.—Java.  
surinamensis, *Steud. in Flora*, xxvi. (1843) 755  
(sp. dub.).—Guian.  
Thonningiana, *DC. Pl. Rar. Jard. Genève*, 64 =  
rhomboidea.  
tiliaefolia, *Vahl, ex DC. l. c.* 65.—Ind. occ.  
tomentosa, *Boj. Hort. Maurit.* 43, nomen; et in  
*Bouton, Rapp. Ann. Maur.* (1842) 19.—Geront. trop.  
tomentosa, *Noronha, in Verh. Batav. Gen.* v. (1790)  
ed. I. Art. iv. 27 = cana.  
tomentosa, *Telfair, ex Wall. Cat. n.* 1080 = pilosa.  
trichocarpa, *Hochst. ex A. Rich. Tent. Fl. Abyss.* i. 84.  
—Abyss.  
trichocarpa, *Sond. in Linnaea*, xxiii. (1850) 19 =  
Sonderii.  
trichoclada, *DC. Prod.* i. 507 = annua.  
triclada, *Link, Enum. Berol.* ii. 5 = annua.  
tricuspis, *A. St. Hil. Fl. Bras. Mer.* i. 288 = semi-  
triloba.  
trilobata, *Noronha, in Verh. Batav. Gen.* v. (1790)  
ed. I. Art. iv. 27 = spicata?  
trilocularis, *Roxb. Hort. Beng.* [36]; *Fl. Ind.* ii. 462  
= rhomboidea.  
ulmifolia, *Desv. in Ham. Prod. Pl. Ind. Occ.* 41 =  
semitriloba.  
urticaefolia, *Thunb. Fl. Javan.* 19 (Quid?).—Java.  
Vahlia, *Poir. Encyc. Suppl.* iii. 300 = rhomboidea.  
velutina, *Sieber, ex Presl, in Oken, Isis*, xxi. (1828)  
273 = mauritiana.  
velutina, *Vahl, Symb. Bot.* iii. 62 = rhomboidea.  
vestita, *Wall. Cat. n.* 1078 = tomentosa, rhomboidea.  
villosiuscula, *Blume, Bijdr.* 112.—Java.  
Welwitschii, *Mast. in Oliver, Fl. Trop. Afr.* i. 255.—  
Afr. trop.  
Winneckeana, *F. Muell. in Winnecke, Rep.* (1884) 15.  
—Austral.

TRIUMPHETTA, *Griff. Notul.* iv. 512 (1854), sphalm. =  
praec.

TRIUNILA, *Rafin. Neogenyt.* 4 (1825) = **Uniola**, *Linn.*  
(Gramin.).

**TRIURIS**, *Miers, in Proc. Linn. Soc.* i. (1841) 96.  
**TRIURIDEAE**, *Benth. & Hook. f.* iii. 1002.  
**HEXURIS**, *Miers, in Proc. Linn. Soc.* ii. (1850) 72;  
et in *Trans. Linn. Soc.* xxi. (1852) 44.  
**PELTOPHYLLUM**, *Gardn. Il. cc.* i. (1843) 176; xix.  
(1845) 157. t. 15.

**TRIURIS** :—

- hyalina, *Miers, in Proc. Linn. Soc.* i. (1841) 96.  
—Bras.  
lutea, *Benth. & Hook. f. Gen.* iii. 1002.—Bras.  
TRIVALVARIA, *Miq. Ann. Mus. Bot. Lugd. Bat.* ii. 19  
(1865) = **Polyalthia**, *Blume (Anonac.)*.  
carnosa, *Scheff. in Flora*, lii. (1869) 301 = Sacco-  
petalum carnosum.  
longirostris, *Becc. ex Scheff. in Ann. Jard. Buitenz.* ii.  
(1885) 28.—N. Guin.  
macrophylla, *Miq. Ann. Mus. Bot. Lugd. Bat.* ii. 19 =  
P. macrophylla?  
Stymanni, *Scheff. in Flora*, lii. (1869) 301.—Sumatra.  
TRIVOLVULUS, *Moq. & Sesse, ex Choisy, in DC.*  
*Prod.* ix. 368 (1845) = **Ipomoea**, *Linn. (Convolv.)*.  
nutans, *Moq. & Sesse, ex Choisy, l. c.* = I. nutans.  
TRIXAGO, *Hall. Hist. Stirp. Helv.* 101 (1768); *Moench,*  
*Meth.* 398 (1794) = **Stachys**, *Tourn. (Labiata)*.  
arvensis, *Hoffm. & Link, Fl. Port.* i. 102 =  
S. arvensis.  
colorata, *Presl, Fl. Sic. p.* xxxvii = S. arvensis.  
cordifolia, *Moench, Meth.* 398 = S. arvensis.  
punctata, *Gilib. Fl. Lituan.* i. 73 = S. arvensis.  
scordifolia, *Steud. Nom. ed. II.* ii. 719, sphalm. =  
S. arvensis.  
TRIXAGO, *Rafin. Fl. Tellur.* iii. 85 (1836) = **Teucrium**,  
*Tourn. (Labiata)*.  
Botrys, *Rafin. l. c.* = **Teucrium Botrys**.  
TRIXAGO, *Stev. in Mém. Soc. Nat. Mosc.* vi. (1823) 4  
= **Bartsia**, *Linn. (Scrophul.)*.  
apula, *Stev. l. c.* = B. Trixago.  
atroviolacea, *Nym. Consp.* 550 = B. latifolia.  
carnea, *Griseb. Spicil. Fl. Rumel.* ii. 12 = B. Trixago.  
latifolia, *Reichb. Fl. Germ. Excurs.* 360 = B. latifolia.  
maxima, *Webb & Berth. Phyt. Canar.* iii. 151 =  
B. Trixago.  
purpurea, *Stev. in Mém. Soc. Nat. Mosc.* vi. (1823) 4  
= B. latifolia.  
rhinanthina, *Link, ex Spreng. Syst.* ii. 773 = B. Trixago.  
scordifolia, *Reichb. in Flora*, xiii. (1830) 131 =  
B. scordifolia.  
versicolor, *Webb & Berth. Phyt. Canar.* iii. 151 =  
B. Trixago.  
viscosa, *Reichb. Fl. Germ. Excurs.* 360 = B. viscosa.  
TRIXANTHERA, *Rafin. Sylva Tellur.* 146 (1838) =  
**Trichanthera**, *Kunth (Acanth.)*.  
angularis, *Rafin. l. c.* = **Trichanthera gigantea**.  
TRIXAPIAS, *Rafin. Fl. Tellur.* iv. 108 (1836) =  
**Utricularia**, *Linn. (Lentib.)*.  
capillacea, *Rafin. l. c.* = U. capillacea.  
TRIXELLA, *Fourr. in Ann. Soc. Linn. Lyon, N. S.* xvii.  
(1869) 135 = **Stachys**, *Tourn. (Labiata)*.  
arvensis, *Fourr. l. c.* = S. arvensis.  
**TRIXIS**, *P. Br. Hist. Jamaic.* 312 (1756). **COM-**  
**POSITAE**, *Benth. & Hook. f.* ii. 501.  
BOWMANIA, *Gardn. in Hook. Ic. Pl.* t. 519 (1843).  
CASTRA, *Vell. Fl. Flum.* 242 (1825).  
CLEANTHES, *D. Don, in Trans. Linn. Soc.* xvi.  
(1830) 194.  
DOLICHLASIUM, *Lag. Amen. Nat.* i. 33 (1811).  
HOLOCHEILUS, *Cass. in Bull. Soc. Philom.* (1818)  
73.  
PERDICUM, *Linn. Pl. Afr. Rar.* 22 (1762).  
PLATYCHEILUS, *Cass. in Dict. Sc. Nat.* xxxiv. 212  
(1825).  
PRIONANTHES, *Schrank, Pl. Rar. Hort. Monac.* ii.  
t. 51 (1819).  
TENOREA, *Colla, Hort. Ripul.* 137 (1824).  
alata, *D. Don, in Trans. Linn. Soc.* xvi. (1830) 192.—  
Mexic.  
angustifolia, *DC. Prod.* vii. 69.—Am. bor. occ.; Mexic.  
antimenorrhoea, *Mart. ex Baker, in Mart. Fl. Bras.* vi.  
iii. 385 = divaricata.  
auriculata, *R. Grah. in Edinb. N. Phil. Journ.* (Apr.-  
June 1827) 178; et in *Bot. Mag.* t. 2765 = divari-  
cata.  
Bowmanii, *Baker, in Mart. Fl. Bras.* vi. iii. 390.—  
Bras.  
bracteata, *DC. Prod.* vii. 68.—Am. austr.

**TRIXIS** :—

- brasiliensis, *DC. in Ann. Mus. Par.* xix. (1812) 67.—  
Bras.  
brasiliensis, *Less. in Linnaea*, v. (1830) 26 = Lessingii.  
cacalioides, *D. Don, in Trans. Linn. Soc.* xvi. (1830)  
187.—Peruv.  
calcareia, *Gardn. in Hook. Lond. Journ. Bot.* vi. (1847)  
460 = divaricata.  
californica, *Kellogg, in Proc. Calif. Acad.* ii. (1863)  
182 = angustifolia.  
calycina, *D. Don, in Trans. Linn. Soc.* xvi. (1830)  
187.—Bras.  
chionopappa, *Sch. Bip. ex Baker, in Mart. Fl. Bras.* vi.  
iii. 386 = ophiorhiza.  
conferta, *Benth. Pl. Hartw.* 289.—Mexic.  
corymbosa, *D. Don, in Trans. Linn. Soc.* xvi. (1830)  
188.—Mexic.  
corymbosa, *Moq. ex DC. Prod.* vii. 66 = **Perezia fruti-**  
**cosa**.  
crenata, *Boj. ex DC. l. c.* v. 198 = **Mikania dioscoreae-**  
**folia**.  
decurrens, *DC. l. c.* vii. 68.—Mexic.  
dioscoreaeifolia, *Boj. ex DC. l. c.* v. 198 = **Mikania**  
**dioscoreaeifolia**.  
discolor, *D. Don, in Phil. Mag.* (1832) 388 = divaricata.  
divaricata, *Spreng. Syst.* iii. 501.—Am. trop.  
Ehrenbergii, *Kunze, in Linnaea*, xvi. (1842) 317.—  
Mexic.  
flexuosa, *Less. l. c.* v. (1830) 32 = mollissima.  
flexuosa, *Spreng. Syst.* iii. 501 = divaricata.  
floribunda, *Boj. ex DC. Prod.* v. 198 = **Mikania flori-**  
**bunda**.  
frutescens, *Spreng. Syst.* iii. 501 = radiale.  
glaberrima, *Less. Syn. Comp.* 413.—Bras.  
glabra, *D. Don, in Trans. Linn. Soc.* xvi. (1830) 297.  
—Mexic.  
glabrata, *Mart. ex Baker, in Mart. Fl. Bras.* vi. iii.  
388 = picroides.  
glandulifera, *Benth. & Hook. f. ex Hieron. in Bol.*  
*Acad. Nac. Córdoba*, iv. (1880) 50.—Chili.  
Glaziovii, *Baker, in Mart. Fl. Bras.* vi. iii. 391.—  
Bras.  
glutinosa, *D. Don, in Trans. Linn. Soc.* xvi. (1830)  
189.—Bras.  
Haenkei, *Sch. Bip. in Seem. Bot. Voy. Herald*, 314.—  
Mexic.  
havanensis, *Spreng. Syst.* iii. 501 = radiale.  
hieracioides, *DC. Prod.* vii. 71 = ochroleuca.  
Inula, *Crantz, Inst.* i. 329 = radiale.  
involuta, *D. Don, in Trans. Linn. Soc.* xvi. (1830)  
193.—Mexic.  
laevigata, *Lag. Amen. Nat.* i. 36 = radiale.  
lanceolata, *Mart. ex Baker, in Mart. Fl. Bras.* vi. iii.  
388 = glutinosa.  
latifolia, *Hook. & Arn. Bot. Beech. Voy.* 300 =  
**Perezia rigida**.  
Lessingii, *DC. Prod.* vii. 70.—Bras.  
longifolia, *D. Don, in Trans. Linn. Soc.* xvi. (1830)  
191.—Mexic.  
Lundii, *DC. Prod.* vii. 71 = Lessingii.  
magellanica, *Bert. ex Steud. Nom. ed. II.* ii. 75, 720 =  
**Chaptalia exscapa**.  
megapota mica, *Hook. & Arn. in Hook. Comp. Bot.*  
*Mag.* i. (1835) 33 = verbasciformis.  
mexicana, *Lex. in La Llave & Lex. Nov. Veg. Desc.*  
fasc. i. 27.—Mexic.  
mexicana, *Moq. ex Less. in Linnaea*, v. (1830) 33 =  
radiale.  
michuacana, *Lex. in La Llave & Lex. Nov. Veg.*  
*Desc. fasc. i.* 28.—Mexic.  
mollissima, *D. Don, in Trans. Linn. Soc.* xvi. (1830)  
299.—Bras.  
myricaefolia, *Boj. ex DC. Prod.* v. 188 = **Mikania**  
**myricaefolia**.  
Neaena, *DC. Prod.* vii. 67.—Peruv.  
obvallata, *Hook. & Arn. Bot. Beech. Voy.* 300. t. 65.—  
Mexic.  
ochroleuca, *Hook. & Arn. in Hook. Comp. Bot. Mag.*  
i. (1835) 33.—Bras.  
odoratissima, *Gardn. in Hook. Lond. Journ. Bot.* vi.  
(1847) 461 = divaricata.  
ophiorhiza, *Gardn. l. c.* 461.—Bras.  
othonnoides, *Less. in Linnaea*, v. (1830) 27 = brasili-  
ensis.  
pallida, *Less. l. c.* 30.—Bras.  
papillosa, *D. Don, in Phil. Mag.* (1832) 388.—  
Chili.  
paradoxa, *Cass. Opusc.* ii. 160.—Peruv.

**TRIXIS** :—

*patens*, Sch. Bip. in Seem. Bot. Voy. Herald, 315 = *Perezia patens*.  
*picroides*, *Gardn. in Hook. Lond. Journ. Bot.* vi. (1847) 462.—Bras.  
*pinnatifida*, Less. in *Linnaea*, v. (1830) 29.—Bras.  
*pyrifolia*, Boj. ex DC. Prod. v. 195 = *Mikania pyrifolia*.  
*radiale*, Lag. *Amen. Nat.* i. 36, in obs.—Am. trop.  
*rosea*, Mart. ex Baker, in Mart. Fl. Bras. vi. III. 387 = *verbasciformis*.  
*rosea*, Poepp. ex DC. Prod. vii. 57 = *Leucheria andryaloides*.  
*rosmarinifolia*, Nees, in *Linnaea*, xx. (1847) 699.—Mexic.  
*salicifolia*, D. Don, in Trans. Linn. Soc. xvi. (1830) 298 = *divaricata*.  
*Seemannii*, Sch. Bip. in Seem. Bot. Voy. Herald, 315 = *Perezia Seemannii*.  
*Sellowii*, Less. ex DC. Prod. vii. 71 = *brasiliensis*.  
*senecioides*, Hook. Exot. Fl. ii. 101 = *Leucheria senecioides*.  
*sinuosa*, Mart. ex Baker, in Mart. Fl. Bras. vi. III. 389 = *Vauthieri*.  
*spicata*, *Gardn. in Hook. Lond. Journ. Bot.* vi. (1847) 462.—Bras.  
*Sprengeliana*, *Gardn. l. c.* 460 = *divaricata*.  
*stricta*, Less. in *Linnaea*, v. (1830) 28.—Bras.  
*stricta*, Mart. ex Baker, in Mart. Fl. Bras. vi. III. 386 = *glaberrima*.  
*suaveolens*, Mart. ex Baker, l. c. 387 = *verbasciformis*.  
*suffruticosa*, S. Wats. in Bot. Calif. ii. 459 = *angustifolia*.  
*thunbergioides*, Boj. ex DC. Prod. v. 198 = *Mikania thunbergioides*.  
*turbinata*, Sch. Bip. in Seem. Bot. Voy. Herald, 315 = *Perezia turbinata*.  
*Vauthieri*, DC. Prod. vii. 69.—Bras.  
*verbasciformis*, Less. in *Linnaea*, v. (1830) 29.—Bras.

TRIXIS, Mitch. in Act. Phys. Med. Acad. Nat. Cur. viii. (1748) App. 220 = *Proserpinaca*, Linn. (Halor.).  
*palustris*, Gaertn. Fruct. i. 115. t. 24. f. 8 = *P. palustris*.

TRIXIS, Sw. Prod. Veg. Ind. Occ. 7, 115 (1788); Fl. Ind. Occ. iii. 1374. t. 26 (1806) = *Clibadium*, Linn. (Compos.).  
*aspera*, Sw. Prod. l. c. 115 = *C. surinamense*.  
*Barbasco*, Auct. ex Steud. Nom. ed. II. i. 384; ii. 720 = *C. Barbasco*.  
*erosa*, Sw. Prod. Veg. Ind. Occ. 115 = *C. erosum*.  
*nereifolia*, Bonpl. ex Humb. Rel. Hist. i. 605 = *C. nerifolium*.  
*pedunculosa*, Rich. in Act. Soc. Hist. Nat. Par. i. (1792) 112 (err. typ. 105) = *C. pedunculolum*.  
*scabra*, Sw. Fl. Ind. Occ. iii. 1378 = *C. surinamense*.  
*terebinthinacea*, Sw. Prod. Veg. Ind. Occ. 115 = *C. terebinthinaceum*.

TRIXOSTIS, Rafin. in Ser. Bull. Bot. i. (1830) 221 = *Aristida*, Linn. (Gramin.).  
*gracilis*, Rafin. l. c. = *A. gracilis*.

TRIZEUXIS, Lindl. Coll. Bot. t. 2 (1823). *ORCHIDEAE*, Benth. & Hook. f. iii. 566.  
*falcata*, Lindl. l. c. = *N. Granat*; Ins. Trinit. ?

TROCHERA, Rich. in Journ. Phys. xiii. (1779) 225. t. 3 = *Ehrharta*, Thunb. (Gramin.).  
*bulbosa*, Beauv. Agrost. 62. t. 12. f. 3 = *E. bulbosa*.  
*calicina*, Beauv. l. c. 62. t. 12. f. 4 = *E. calicina*.  
*spicata*, Poir. Encyc. Suppl. ii. 542, in syn., sphalm. = *E. bulbosa*.  
*striata*, Rich. in Journ. Phys. xiii. (1779) 225. t. 3 = *E. bulbosa*.

TROCHETIA, DC. in Mém. Mus. Par. x. (1823) 106, tt. 7, 8. *STERCULIACEAE*, Benth. & Hook. f. i. 222.  
*Blackburniana*, Boj. Hort. Maurit. 41, nomen; et ex Baker, Fl. Maurit. 29.—Ins. Maurit.  
*Boivini*, Baill. Adansonia, x. (1871) 109 = *Dombeya Boivini* (in Addend.).  
*Candolleana*, Boj. Hort. Maurit. 41 = *uniflora*.  
*contracta*, Wall. Cat. n. 1162 (Quid ?).—Ind. or decanthera, Benth. in Journ. Linn. Soc. vi. (1862) 116.—Madag.  
*erythroxyton*, Benth. l. c. = *Melhania erythroxyton*.

**TROCHETIA** :—

*grandiflora*, Boj. Hort. Maurit. 41; Lindl. Bot. Reg. (1844) Misc. 4. t. 21 = *triflora*.  
*laurifolia*, Benth. in Journ. Linn. Soc. vi. (1862) 116.—Madag.  
*melanoxyton*, Benth. l. c. = *Melhania melanoxyton*.  
*parviflora*, Boj. Hort. Maurit. 41, nomen; et ex Baker, Fl. Maurit. 30.—Ins. Maurit.  
*pentaglossa*, Baker, in Journ. Linn. Soc. xx. (1883) 102.—Madag.  
*Richardi*, Baill. Adansonia, x. (1871) 108 = *Dombeya Richardi* (in Addend.).  
*serrata*, Boj. Hort. Maurit. 41, nomen (Quid ?).—Ins. Maurit.  
*Thouarsii*, Baill. Adansonia, x. (1871) 110 = *Dombeya Thouarsii* (in Addend.).  
*triflora*, DC. in Mém. Mus. Par. x. (1823) 109.—Ins. Maurit.  
*uniflora*, DC. l. c. 107.—Ins. Borbon.

TROCHISANDRA, Bedd. Fl. Sylv. i. t. 120 (1871) = *Kurrimia*, Wall. (Celastr.).  
*indica*, Bedd. l. c. = *K. paniculata*.

TROCHISCANTHES, Koch, in Nov. Act. Nat. Cur. xii. i. (1824) 103. *UMBELLIFERAE*, Benth. & Hook. f. i. 910.  
*PODOPETALUM*, Gaud. Fl. Helv. ii. 401 (1828).  
*SCHNIZLEINIA*, Steud. Nom. ed. II. ii. 532, 720 (1841).  
*nodiflorus*, Koch, in Nov. Act. Nat. Cur. xii. i. (1824) 104.—Europ. austr.

TROCHISCANTHOS, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 56 = *præc.*

TROCHOCARPA, R. Br. Prod. 548 (1810). *EPA-CRIDEAE*, Benth. in Hook. f. ii. 612.  
*DECASPORA*, R. Br. Prod. 548 (1810).  
*Clarkei*, F. Muell. Fragg. iv. 57.—Austral.  
*disticha*, Spreng. Syst. i. 660.—Austral.  
*ericifolia*, F. Muell. in Papers Roy. Soc. Tasm. (1874) 86 = *Pentachondra ericaefolia*.  
*glauca*, Spreng. Syst. i. 660 = *Cyathodes glauca*.  
*Gunnii*, Benth. Fl. Austral. iv. 167.—Tasmania.  
*involutrata*, F. Muell. Fragg. vi. 57 = *Pentachondra involutrata*.  
*laurina*, R. Br. Prod. 548.—Austral.  
*parviflora*, Benth. Fl. Austral. iv. 167.—Austral.  
*pumila*, F. Muell. Fragg. vi. 57 = *Pentachondra pumila*.  
*thymifolia*, Spreng. Syst. i. 660.—Austral.  
*verticillata*, F. Muell. in Papers Roy. Soc. Tasm. (1874) 86 = *Pentachondra verticillata*.

TROCHOCEPHALUS, Opiz, ex Bercht. Oek. Fl. Boehm. ii. 222 (1838) = *Scabiosa*, Tourn. (Dipsac.).  
*graminifolius*, Opiz, ex Bercht. l. c. 223 = *S. graminifolius*.

TROCHODENDRON, Sieb. & Zucc. Fl. Jap. i. 83. tt. 39, 40 (1835). *MAGNOLIACEAE*, Benth. & Hook. f. i. 954.

GYMNANTHUS, Jungh. in Hœv. & De Vriese, Tijdschr. vii. (1840) 308.  
*raloides*, Sieb. & Zucc. Fl. Jap. i. 84.—Japan.

TROCHOMERIA, Hook. f. in Benth. & Hook. f. Gen. i. 822 (1867). *CUCURBITACEAE*, Benth. & Hook. f. l. c.

HETEROSICYOS, Welw. in Trans. Linn. Soc. xxvii. (1869) 33.  
*debilis*, Benth. & Hook. f. Gen. i. 822.—Afr. austr.  
*Garcini*, Benth. & Hook. f. l. c.—Afr. austr.  
*Hookeri*, Harv. Gen. S. Afr. Pl. ed. II. 125 = *Garcini*.  
*macrocarpa*, Harv. l. c.; Hook. f. in Oliver, Fl. Trop. Afr. ii. 524.—Afr. trop. et austr.  
*macroura*, Hook. f. l. c. 525.—Afr. trop.  
*madagascariensis*, Baker, in Journ. Bot. xx. (1882) 113.—Madag.  
*pectinata*, Benth. & Hook. f. Gen. i. 822.—Afr. austr.  
*polymorpha*, Cogn. in DC. Monog. Phan. iii. 401.—Afr. trop.  
*sagittata*, Benth. & Hook. f. Gen. i. 822.—Afr. austr.  
*stenoloba*, Cogn. in DC. Monog. Phan. iii. 402.—Afr. trop.  
*vitifolia*, Hook. f. in Oliver, Fl. Trop. Afr. ii. 525.—Afr. trop.  
*Wyleyana*, Benth. & Hook. f. Gen. i. 822.—Afr. austr.

TROCHOMERIOPSIS, Cogn. in DC. Monog. Phan. iii. 661 (1881). *CUCURBITACEAE*.  
*diversifolia*, Cogn. l. c.—Madag.

TROCHOSERIS, Endl. Gen. 500 (1838) = *Troximon*, Nutt. (Compos.).  
*alpina*, Poepp. & Endl. Nov. Gen. et Sp. iii. 56. t. 263 (= *Macrorhynchus Poeppigii*).—Chili.  
*pteroarpa*, Poepp. & Endl. l. c. 57 (= *Macrorhynchus pterocarpus*).—Chili.

TROCHOSTIGMA, Sieb. & Zucc. in Abh. Akad. Muench. iii. II. (1843) 726. t. 2. f. 2 = *Actinidia*, Lindl. (Ternstr.).  
*argutum*, Sieb. & Zucc. l. c. 727 = *A. callosa*.  
*Kolomikta*, Rupr. in Bull. Phys.-Math. Acad. Pétersb. xv. (1857) 261 = *A. callosa*.  
*polygamum*, Sieb. & Zucc. in Abh. Akad. Muench. iii. II. (1843) 728 = *A. polygama*.  
*repandum*, Sieb. & Zucc. l. c. = *A. polygama*.  
*rufum*, Sieb. & Zucc. l. c. 727 = *A. callosa*.  
*volubile*, Sieb. & Zucc. l. c. 728 = *A. volubilis*.

TROLIUS, Gilib. Fl. Lituan. ii. 280 (1782), sphalm. = *seq.*

TROLLIUS, Linn. Sp. Pl. ed. I. 556 (1753). *RANUNCULACEAE*, Benth. & Hook. f. i. 7.  
*GAISSENIA*, Rafin. in Med. Repos. N. York, v. (1808) 351.

HEGEMONE, Bunge, ex Ledeb. Fl. Ross. i. 51 (1842).  
*acaulis*, Lindl. Bot. Reg. (1842) Misc. 56.—Reg. Himal.  
*aconitifolius*, Hort. Berol. ex Steud. Nom. ed. I. 857; et ex Otto & Dietr. Allg. Gartenz. x. (1842) 186 = *europaeus*.  
*africanus*, Wender. in Schrift. Marb. ii. (1831) 217 = *asiaticus*?  
*altaicus*, C. A. Mey. Verz. Pfl. Cauc. 200.—Sibir. altaic.  
*altissimus*, Crantz, Stirp. Austr. ed. I. fasc. ii. 123; Wender. in Flora, i. (1818) 578 = *europaeus*.  
*americanus*, Ledeb. Fl. Ross. i. 734 = *patulus*.  
*americanus*, Muhl. in Trans. Am. Phil. Soc. iii. (1793) 172, nomen; et ex DC. Syst. i. 313.—Am. bor.  
*asiaticus*, Linn. Sp. Pl. 557.—Sibir.  
*aureus*, Hort. ex Vilm. Fl. Pl. Terre, ed. II. 936 = *caucasicus*.  
*aureus*, Tausch, in Flora, xxii. (1839) 173 = *patulus*?  
*caucasicus*, Ledeb. Fl. Alt. ii. 301 = *altaicus*.  
*caucasicus*, Stev. in Mém. Soc. Nat. Mosc. iii. (1812) 265.—Reg. Cauc.  
*chinensis*, Bunge, in Mém. Sav. Etr. Pétersb. ii. (1835) 77 = *asiaticus*.  
*connivens*, Moench, Meth. 313 = *europaeus*.  
*dahuricus*, Turcz. in Bull. Soc. Nat. Mosc. (1838) 86, nomen (*daharicus*); xv. (1842) 64 = *Ledebourii*, *patulus*.  
*decapetalus*, Herb. Bosc, ex DC. Syst. i. 314 = *americanus*.  
*dschungaricus*, Regel, in Act. Hort. Petrop. vii. (1880) 383.—Turkestan.  
*emarginatus*, G. Don, Gen. Syst. i. 45.—Hab.?  
*europaeus*, Falk, Beitr. ii. 203 = *altaicus*.  
*europaeus*, Linn. Sp. Pl. 556; ed. II. 782.—Europ.; Reg. Cauc.  
*europaeus*, Schlecht. in Linnaea, vi. (1831) 581 = *patulus*.  
*europaeus*, Sobol. Fl. Petrop. 134 = *asiaticus*.  
*germanicus*, Wender. in Schrift. Marb. ii. (1831) 217 = *europaeus*.  
*globosus*, Lam. Fl. Fr. iii. 323 = *europaeus*.  
*grandiflorus*, Hort. ex Vilm. Fl. Pl. Terre, ed. II. 936 = *caucasicus*.  
*grandiflorus*, Tausch, in Flora, xxii. (1839) 173 = *europaeus*?  
*humilis*, Crantz, Stirp. Austr. ed. I. fasc. ii. 123; ed. II. 134 = *europaeus*.  
*japonicus*, Miq. Ann. Mus. Bot. Lugd. Bat. iii. 6 = *asiaticus*?  
*laxus*, Salisb. in Trans. Linn. Soc. viii. (1807) 303 = *americanus*.  
*Ledebourii*, Reichb. Pl. Crit. iii. 63.—Sibir.  
*ilacinus*, Bunge, in Mém. Sav. Etr. Pétersb. ii. (1835) 555.—Sibir. altaic.  
*Loddigesii*, Hort. ex Vilm. Fl. Pl. Terre, ed. II. 936 = *asiaticus*.  
*macropetalus*, F. Schmidt, Reise Amurl. 218 = *asiaticus*.



**TROLLIUS:—**

- medius*, Wender. in Flora, i. (1818) 578 = europaeus.  
*minimus*, Wender, l. c. 579 = europaeus.  
*montanus*, Salisb. Prod. 373 = europaeus.  
*napellifolius*, Roep. in Flora, iii. (1820) 105 = europaeus.  
*ochotensis*, Tiling, in Regel & Tiling, Fl. Ajan. 38 = patulus.  
*palmaris*, Baill. Hist. Pl. i. 22 = Calathodes palmata.  
*parviflorus*, Ledeb. ex Reichb. Pl. Crit. iii. 63 = patulus.  
*patulus*, Bieb. Fl. Taur. Cauc. iii. 387 = caucasicus.  
*patulus*, Salisb. in Trans. Linn. Soc. viii. (1807) 303. — Reg. Cauc.; Persia; As. bor.  
*pentapetalus*, Herb. Banks, ex Pursh, Fl. Am. Sept. ii. 391 = americanus.  
*pumilus*, D. Don, Prod. Fl. Nep. 195. — Reg. Himal.  
*pumilus*, Royle, Illustr. Bot. Himal. 54 = acaulis.  
*Riederianus*, Fisch. & Mey. Ind. Sem. Hort. Petrop. iv. 48 = patulus.  
*rotundiflorus*, Stokes, Bot. Mat. Med. iii. 270 = europaeus.  
*sertiflorus*, Salisb. in Trans. Linn. Soc. viii. (1807) 303 = asiaticus.  
*somcheticus*, C. Koch, in Linnaea, xv. (1841) 247 = caucasicus.  
*sphaericus*, Salisb. in Trans. Linn. Soc. viii. (1807) 302 = europaeus.  
*tauricus*, Hort. ex Wender. in Flora, i. (1818) 579 = europaeus.  
*transsilvanicus*, Schur, Enum. Pl. Transs. 26 = europaeus.  
*viridiflorus*, Schur, l. c. = europaeus.  
*viridis*, Mielichh. in Flora, xxii. (1839) 492 = europaeus.

**TROMMSDORFFIA**, Mart. Nov. Gen. et Sp. ii. 40. t. 139 (1826) = **Hebanthe**, Mart. (Amarant.).  
*argentata*, Mart. l. c. 41 = Alternanthera argentata.  
*aurata*, Mart. l. c. = H. aurata.  
*canescens*, Mart. l. c. 42 = Iresine canescens.  
*pulverulenta*, Mart. l. c. = H. pulverulenta, Benth. & Hook. f.

**TROMMSDORFFIA**, Bernh. Syst. Verz. Erf. 102 (1800) = **Hypochoeris**, Linn. (Compos.).  
*maculata*, Bernh. l. c. 140 = H. maculata.

**TROMOTRICHE**, Haw. Syn. Pl. Succ. 36 (1812) = **Stapelia**, Linn. (Asclep.).  
*ciliata*, Sweet, Hort. Brit. ed. II. 358 = Diplocyatha ciliata.  
*fuscata*, Haw. Suppl. Pl. Succ. 10 = S. fuscata.  
*glauca*, Haw. Syn. Pl. Succ. 37 = S. glauca.  
*mutabilis*, Sweet, Hort. Brit. ed. II. 358 = S. rufa.  
*obliqua*, G. Don, in Loud. Hort. Brit. 96 = S. obliqua.  
*pruinosa*, Haw. Syn. Pl. Succ. 37 = S. pruinosa.  
*revoluta*, Haw. l. c. 36 = S. revoluta.

**TROMSDORFFIA**, Benth. & Hook. f. Gen. iii. 42 (1880), sphalm. = **TROMMSDORFFIA**, Mart. = **Hebanthe**, Mart. (Amarant.).

**TROMSDORFFIA**, Blume, Bijdr. 762 (1826) = **Chirita**, Buch.-Ham. (Gentian.).  
*elongata*, Blume, l. c. 763. — Ins. Molucc.  
*speciosa*, Blume, l. c. = C. Horsfieldii.

**TROMSDORFFIA**, R. Br. in Benn. Pl. Jav. Rar. 116 (1840) = **Dichrotrichum**, Reinw. (Gesner.).  
*elongata*, R. Br. l. c. = D. ternatum.

**TRONICENA**, Steud. Nom. ed. II. ii. 721 (1841) = **Aeginetia**, Linn. (Orobanch.).  
*mirabilis*, Steud. l. c. = A. Centronia.

**TRONICEUS**, Miq. Fl. Ind. Bat. ii. 713 (1856), in syn., sphalm. = praec.

**TROOSTWYCKIA**, Benth. & Hook. f. Gen. i. 434 (1862), sphalm. = seq.

**TROOSTWYCKIA**, Miq. Fl. Ind. Bat. Suppl. 531 (1860). **CONNARACEAE**, Benth. & Hook. f. i. 434. singularis, *Miq. l. c.* = Sumatra.

**TROPAEOLUM**, Linn. Gen. ed. I. 114 (1737). **GERANIACEAE**, Benth. & Hook. f. i. 274.  
**ANISOCENTRA**, Turcz. in Bull. Soc. Nat. Mosc. (1863) i. 593.

**TROPAEOLUM:—**

- CARDAMINDUM**, Tourn. ex Adans. Fam. ii. 388 (1763).  
**CHYMOCARPUS**, D. Don, in Trans. Linn. Soc. xvii. (1834) 13, 145.  
**MAGALLANA**, Cav. Ic. iv. 50. t. 374 (1797).  
**RIXEA**, C. Morr. in Ann. Soc. Bot. Gand, i. (1845) 225. t. 22.  
**TROPHAEUM**, Linn. Syst. ed. I (1735).  
*aduncum*, Sm. Tour, i. 165 = peregrinum.  
*albiflorum*, Lem. in Fl. des Serres, iii. (1847) 241. — Peruv.; Chili.  
*atrosanguineum*, Gordon, in Gard. Chron. (1845) 185. — Peruv.  
*aureum*, C. Muell. in Walp. Ann. vii. 493, sphalm. = azureum.  
*azureum*, Hook. Bot. Mag. t. 3985 = violaefflorum.  
*azureum*, Miers, Trav. Chile, ii. 531, nomen; Lindl. Bot. Reg. sub t. 1547. — Chili.  
*Beuthii*, Klotzsch, in Otto & Dietr. Allg. Gartenz. xviii. (1850) 161. — Bolivia.  
*bicolor*, Steud. Nom. ed. II. ii. 721 = seq.  
*bicolorum*, Ruiz & Pav. Fl. Per. iii. 76. — Peruv.  
*bogotense*, Turcz. in Bull. Soc. Nat. Mosc. xxxi. (1858) i. 425. — N. Granat.  
*brachyceras*, Hook. & Arn. Bot. Beech. Voy. 14. — Chili.  
*brasilense*, Casar. in Atti 3a Riun. Sc. Ital. Firenze, (1841) 612. — Bras.  
*Bridgesii*, Hook. Journ. Bot. i. (1834) 178; Field. & Gardn. Ser. Pl. t. 39. — Chili.  
*canariense*, Hort. ex Lindl. & Moore, Treas. Bot. i. 212 = peregrinum.  
*canariense*, C. R. Markham, Trav. Peru & Ind. 78 = Haynianum.  
*Chaixianum* x, E. Morr. Belg. Hort. vi. (1856) 2.  
*chilense*, Bert. ex Colla, in Mem. Acc. Torin. xxxvii. (1834) 47. — Chili.  
*chrysanthum*, Planch. & Linden, in Fl. des Serres, x. (1854-55) 97. — N. Granat.  
*ciliatum*, Ruiz & Pav. Fl. Per. iii. 77. — Peruv.  
*cirrhipes*, Hook. Ic. Pl. t. 411. — Peruv.  
*coccineum*, Miers, Trav. Chile, ii. 531, nomen = tricolorum.  
*crenatiflorum*, Hook. Bot. Mag. t. 4245. — Peruv.  
*crenatum*, Karst. Fl. Columb. i. 145. t. 72. — N. Granat.  
*Deckerianum*, Moritz & Karst. in Karst. Ausw. Neu. Gew. Venez. 38. t. 12. — Venezuela.  
*dentatifolium*, Stokes, Bot. Mat. Med. ii. 346 = minus.  
*digitatum*, Karst. in Otto & Dietr. Allg. Gartenz. xix. (1851) 301. — Venezuela.  
*dipetalum*, Ruiz & Pav. Fl. Per. iii. 77. t. 313. — Peruv.  
*edule*, Paxt. Mag. Bot. ix. (1842) 127. — Chili.  
*elatum*, Salisb. Prod. 275 = majus.  
*elegans*, G. Don, Gen. Syst. i. 747. — Chili.  
*emarginatum*, Turcz. in Bull. Soc. Nat. Mosc. xxxi. (1858) i. 425. — Mexic.  
*Fintelmanni*, Wagen. ex Schlecht. in Otto & Dietr. Allg. Gartenz. xviii. (1850) 105. — N. Granat.  
*floribundum*, Turcz. in Bull. Soc. Nat. Mosc. xxxi. (1858) i. 426. — Chili.  
*Funckii*, Turcz. l. c. 425. — Venezuela.  
*Gaertnerianum*, Haage & Schmidt, ex Regel, Gartenfl. xxx. (1884) t. 1146 = digitatum.  
*Haynianum*, Bernh. in Allg. Thuring. Gartenz. (1843) n. xviii. 73. — Peruv.  
*Heyneanum*, Seem. Journ. Bot. i. (1863) 129 = praec.  
*Hookerianum*, Barn. in C. Gay, Fl. Chil. i. 415. — Chili.  
*hybridum*, Linn. Mant. i. 64 = majus.  
*incrassatum*, Steud. in Flora, xxxix. (1856) 439. — Chili.  
*Jarrattii*, Paxt. Mag. Bot. v. (1838) 29. — Chili?  
*Kingi*, Phil. in Anal. Univ. Chil. (1872) 684. — Chili.  
*Klotzschii*, Warsz. in Otto & Dietr. Allg. Gartenz. xx. (1852) 293, in textu. — Bolivia.  
*Lechleri*, Steud. in Flora, xxxix. (1856) 440. — Chili.  
*leptophyllum*, G. Don, Gen. Syst. i. 747. — Chili.  
*linearifolium*, Steud. in Flora, xxxix. (1856) 440. — Chili.  
*Lobbianum*, Hort. Veitch, ex Hook. Bot. Mag. t. 4097. — N. Granat.  
*longifolium*, Turcz. in Bull. Soc. Nat. Mosc. xxxi. (1858) i. 423. — N. Granat.  
*majus*, Linn. Sp. Pl. 345. — Peruv.  
*massiliense* x, E. Morr. Belg. Hort. vi. (1856) 2.  
*minimum*, Miers, Trav. Chile, ii. 531, nomen = brachyceras.

**TROPAEOLUM:—**

- minus*, Linn. Sp. Pl. 345. — Peruv.  
*Moritzianum*, Klotzsch, in Otto & Dietr. Allg. Gartenz. vi. (1838) 241. — Venezuela.  
*Morreanum*, Klatt, in Hamb. Gartenz. xv. (1859) 219 = dipetalum.  
*mucronatum*, Meyen, Reise, ii. 27. — Peruv.  
*Naudinii*, E. Morr. in Belg. Hort. vi. (1856) 2. t. 1. f. 3. — Hab.?  
*nubigenum*, Phil. in Linnaea, xxxiii. (1864-65) 34. — Chili.  
*orthoceras*, Gardn. in Hook. Lond. Journ. Bot. i. (1842) 539 = brasiliense.  
*oxalanthum*, C. Morr. in Ann. Soc. Bot. Gand, iv. (1848) 257. t. 207. f. 5. — Chili.  
*paniculatum*, Meyen, Reise, i. 314, 342, nomen, sphalm. = mucronatum?  
*parviflorum*, Turcz. in Bull. Soc. Nat. Mosc. xxxi. (1858) i. 423. — Venezuela.  
*peltophorum*, Benth. Pl. Hartw. 127. — Peruv.  
*pendulum*, Klotzsch, in Otto & Dietr. Allg. Gartenz. xviii. (1850) 377. — Am. centr.  
*pentaphyllum*, Lam. Encyc. i. 612. — Reg. Argent.  
*peregrinum*, Linn. Sp. Pl. 345. — N. Granat.  
*pilosum*, Turcz. in Bull. Soc. Nat. Mosc. xxxi. (1858) i. 424. — Venezuela.  
*pinnatum*, Andr. Bot. Rep. viii. 535. — Peruv.  
*polyphyllum*, Cav. Ic. iv. 65. t. 395. — Chili.  
*polyphyllum*, Hort. ex Loud. Encyc. Pl. Suppl. ii. 1348 = edule.  
*Popelarii*, Drapiez, in Otto & Dietr. Allg. Gartenz. xv. (1847) 161 = albiflorum.  
*prostratum*, Miers, Trav. Chile, ii. 531, nomen = polyphyllum.  
*pubescens*, H. B. & K. Nov. Gen. et Sp. v. 251. — Peruv.  
*pulchellum*, Salisb. Prod. 275 = minus.  
*quinatum*, Hellen. Tropaeol. 20 = seq.  
*quinguelobum*, Berg, in Vet. Acad. Handl. Stockh. (1765) 33. t. 1 = majus.  
*Reineckeanum* x, A. Dietr. in Otto & Dietr. Allg. Gartenz. xiv. (1846) 153.  
*repandifolium*, Stokes, Bot. Mat. Med. ii. 346 = majus.  
*rhizophorum*, Warsz. in Otto & Dietr. Allg. Gartenz. xx. (1882) 293. — Bolivia.  
*rhomboideum*, Lem. in Fl. des Serres, iii. (1847) sub t. 236. — Chili.  
*Scheuerianum*, E. Morr. in Belg. Hort. vi. (1856) 1, in textu = majus.  
*Schillingii*, [B. Verlot, in] Vilm. Fl. Pl. Terre, ed. II. 189 = majus.  
*Schlimmii*, Linden, ex Planch. Fl. des Serres, vi. (1850-51) 47 = Wagnerianum.  
*sessilifolium*, Poepp. & Endl. Nov. Gen. et Sp. i. 24. t. 38. — Chili.  
*Smithii*, DC. Prod. i. 684 = peregrinum.  
*speciosum*, Poepp. & Endl. Nov. Gen. et Sp. i. 22. — Chili.  
*subincrassatum*, Steud. Nom. ed. II. ii. 721. — Chili.  
*tenellum*, G. Don, Gen. Syst. i. 747. — Chili.  
*tenuirostre*, Steud. in Flora, xxxix. (1856) 440. — Chili.  
*tricolor*, Lindl. Bot. Reg. t. 1935 = seq.  
*tricolorum*, Sweet, Brit. Flow. Gard. Ser. I. iii. t. 270. — Chili.  
*trilobum*, Turcz. in Bull. Soc. Nat. Mosc. xxxi. (1858) i. 424. — Venezuela.  
*tuberosum*, Ruiz & Pav. Fl. Per. iii. 77. t. 314. — Peruv.  
*umbellatum*, Hook. Bot. Mag. t. 4337. — Ecuador.  
*violaefflorum*, A. Dietr. in Otto & Dietr. Allg. Gartenz. xiii. (1845) 130. — Chili.  
*Wagnerianum*, Karst. in Otto & Dietr. l. c. xvii. (1849) 306. — Venezuela.  
*Warmingianum*, Rohrb. in Mart. Fl. Bras. xiv. II. 227. — Bras.  
*Zanderi* x, A. Dietr. in Otto & Dietr. Allg. Gartenz. xxii. (1854) 370.

**TROPEOLUM**, Nocca, in Usteri, Ann. Bot. v. (1793) 48, sphalm. = praec.

**TROPEXA**, Rafin. Fl. Tellur. iv. 98 (1836) = **Aristo-lochia**, Tourn.  
*biloba*, Rafin. l. c. = A. bilobata.

**TROPHAEUM**, Linn. Syst. ed. I (1735) = **Tropaeolum**, Linn. (Geran.).

**TROPHIANTHUS**, Scheidw. in Otto & Dietr. Allg. Gartenz. xii. (1844) 218 = **Aspasia**, Lindl. (Orchid.).  
*zonatus*, Scheidw. l. c. = *A. lunata*.

**TROPHIS**, P. Br. Hist. Jamaica. 357 (1756); Linn. Syst. ed. X. 1289 (1759). **URTICACEAE**, Benth. & Hook. f. iii. 365.

**BUCEPHALON**, Plum. ex Linn. Gen. ed. I. 375 (1737).  
*aculeata*, Roth, Nov. Pl. Sp. 368 = *Streblus asper*, *Plecosperrum spinosum*.  
*americana*, Linn. Syst. ed. X. 1289.—Ind. occ.  
*anthropophagorum*, Seem. in Bonplandia, ix. (1861) 259; Fl. Vit. 258 (= *Paratrophidis* sp.).—Ins. Fiji.  
*aspera*, Retz. Obs. v. 30 = *Streblus asper*.  
*coccinea*, Zipp. ex Span. in Linnaea, xv. (1841) 335, nomen = *Malaisia tortuosa*.  
*cochinensis*, Poir. Encyc. viii. 123 = *Streblus asper*.  
*cordata*, Poir. l. c. 124 = *Broussonetia papyrifera*.  
*fruticosa*, Hook. & Arn. Bot. Beech. Voy. 215 = *Cudrania javanensis vel fruticosa*.  
*glabrata*, Liebm. in Vidensk. Selsk. Skr. V. ii. (1851) 314.—Mexic.  
*Heyneana*, Wall. Cat. n. 4642 = *Phyllocllamys spinosa*.  
*Hilariana*, Casar. Nov. Stirp. Bras. Dec. 80 = *Sorocea Hilarii*.  
*laurifolia*, Willd. Sp. Pl. iv. 733 = *Styloceras laurifolium*.  
*mexicana*, Bur. in DC. Prod. xvii. 253.—Mexic.  
*opaca*, Forst. ex Bur. l. c. 236 = *Paratrophis heterophylla*.  
*Ramon*, Schlecht. & Cham. in Linnaea, vi. (1831) 357 = *americana*.  
*scandens*, Hook. & Arn. Bot. Beech. Voy. 214 = *Malaisia tortuosa*.  
*spinosa*, Blume, Bijdr. 489 = *Cudrania javanensis*.  
*spinosa*, Roxb. ex Willd. Sp. Pl. iv. 734 = *Plecosperrum spinosum*.  
*spinosa*, Roxb. Fl. Ind. iii. 762 = *Phyllocllamys spinosa*.  
*taxiformis*, Spreng. Syst. iii. 902 = *Phyllocllamys spinosa*.  
*taxoides*, Heyne, in Roth, Nov. Pl. Sp. 368 = *Phyllocllamys spinosa*.  
*zeylanica*, Koen. ex Blume, Mus. Bot. Lugd. Bat. ii. 79 = *Streblus asper*.

**TROPHOSPERMUM**, Walp. Rep. i. 171 (1842), sphalm. = **TAPHROSPERMUM**, C. A. Mey. = **Cochlearia**, Tourn. (Crucif.).

**TROPIDIA**, Lindl. in Wall. Cat. n. 7386 (1831); et Bot. Reg. sub t. 1618 (1833). **ORCHIDEAE**, Benth. & Hook. f. iii. 592.  
*CNEMIDIA*, Lindl. Bot. Reg. sub t. 1618 (1833).  
*DECAISNEA*, Lindl. in Wall. Cat. n. 7388 (1831).  
*GOVINDOOIA*, Wight, Ic. vi. 34. t. 2090 (1853).  
*PTYCHOCHILUS*, Schau. in Nov. Act. Nat. Cur. xix. Suppl. i. (1843) 431. t. 12 B.  
*angulosa*, Blume, Orch. Archip. Ind. 122.—Ind. or.; Burma.  
*assamica*, Blume, l. c. 124 = *curculigoides*.  
*bambusifolia*, Trimen, Cat. Pl. Ceyl. 90.—Zeylan.  
*curculigoides*, Lindl. in Wall. Cat. n. 7386.—Reg. Himal.; Burma.  
*effusa*, Reichb. f. in Seem. Fl. Vit. 295.—Ins. Fiji.  
*Govindooi*, Blume, Orch. Archip. Ind. 122 = *angulosa*.  
*graminea*, Blume, l. c. 124.—Malaya.  
*grandis*, Hance, in Journ. Linn. Soc. xiii. (1873) 128 = *Geodorum semicristatum*.  
*pedunculata*, Blume, Orch. Archip. Ind. 122.—Sumatra.  
*semilibera*, Blume, l. c. = *angulosa*.  
*septemnervis*, Reichb. f. in Linnaea, xxv. (1852) 230.—Ins. Philipp.  
*squamata*, Blume, Orch. Archip. Ind. 123.—Borneo.

**TROPIDOCARPUM**, Hook. Ic. Pl. tt. 43, 52 (1836). **CRUCIFERAE**, Benth. & Hook. f. i. 82.  
*gracile*, Hook. Ic. Pl. t. 43.—Am. bor. occ.  
*scabriusculum*, Hook. l. c. t. 52 = *gracile*.

**TROPIDOLEPIS**, Tausch, in Flora, xii. (1829) 68 = **Chiliotrichum**, Cass. (Compos.).  
*diffusa*, Tausch, l. c. = *C. amelloideum*.

**TROPIDOPETALUM**, Turcz. in Bull. Soc. Nat. Mosc. xxxii. (1859) 1. 265. Genus dubium **OLACINEARUM**.—Cf. Benth. & Hook. f. Gen. i. 995.  
*javanicum*, Turcz. l. c.—Java.

**TROPILIS**, Rafin. Fl. Tellur. ii. 95 (1836) = **Den-drobium**, Sw. (Orchid.).  
*emulum*, Rafin. l. c. = *D. aemulum*.

**TROPITOMA**, Rafin. New Fl. Am. ii. 19 (1836) = **Desmodium**, Desv. (Legumin.).  
*paradoxa*, Rafin. l. c. (= *D. leucanthum*).—Am. bor.

**TROPITRIA**, Rafin. Fl. Tellur. iii. 68 (1836) = **Tradesantia**, Linn. (Commel.).  
*Crassula*, Rafin. l. c. = *Trad.* *Crassula*.

**TROPOCARPA**, D. Don, ex Meissn. in DC. Prod. xiv. 423 (1857) = **Orites**, R. Br. (Proteac.).

**TROS**, Haw. Monog. Narciss. 5 (1831) = **Narcissus**, Tourn. (Amaryll.).  
*galanthifolia*, Haw. l. c. = *N. poculiformis*.  
*poculiformis*, Haw. l. c. = *N. poculiformis*.

**TROSCHELIA**, Klotzsch & Schomb. in Faun. Fl. Brit. Gui. 1066 (1843) = **Schieckia**, Meissn. (Haemod.).  
*orinocensis*, Klotzsch, l. c. = *S. orinocensis*.

**TROTULA**, Comm. ex DC. Prod. iii. 90 (1828) = **Nesaea**, Comm. (Lythrar.).  
*Trianthis*, Comm. ex DC. l. c. = *N. triflora*.

**TROXIMON**, Gaertn. Fruct. ii. 360 (1791). 'Genus male factum' Benth. & Hook. f. ii. 522.—Cf. seq.  
*Dandelion*, F. W. Schmidt, Samml. Phys. Aufs. i. (1795) 268; Pers. Syn. ii. 360 = *Krigia Dandelion*.  
*lanatum*, F. W. Schmidt, l. c. 269; Pers. l. c. = *Scorzonera lanata*.  
*virginicum*, F. W. Schmidt, l. c. 268 = *Krigia amplexicaulis*.

**TROXIMON**, [Nutt. in] Fras. Cat. (1813), nn. 83, 84; Pursh, Fl. Am. Sept. ii. 505, 742 (1814). **COMPOSITAE**, Benth. & Hook. f. ii. 522.  
*AGOSERIS*, Rafin. Fl. Ludov. 58 (1817).  
*AMMOGETON*, Schrad. Ind. Sem. Hort. Gotting. (1833) 1.  
*CRYPTOPLEURA*, Nutt. in Trans. Am. Phil. Soc. N. S. vii. (1841) 431.  
*KYMAPLEURA*, Nutt. in Trans. Am. Phil. Soc. N. S. vii. (1841) [in errat.] 455.  
*MACRORHYNCHUS*, Less. Syn. Comp. 139 (1832).  
*STYLOPAPPUS*, Nutt. in Trans. Am. Phil. Soc. N. S. vii. (1841) 431.  
*TROCHOSERIS*, Endl. Gen. 500 (1838).

*alpestre*, A. Gray, in Proc. Am. Acad. xix. (1883) 70.—Am. bor. occ.  
*apargioides*, A. Gray, in Bot. Calif. i. 438, partim = *humile*.  
*apargioides*, Less. in Linnaea, vi. (1831) 501.—Calif.  
*aurantiacum*, A. Gray, in Bot. Calif. i. 437, partim.—Nuttallii.  
*aurantiacum*, Hook. Fl. Bor. Am. i. 300. t. 104.—Am. bor. occ.  
*barbellulatum*, Greene, ex A. Gray, Syn. Fl. N. Am. i. ii. 437.—Calif.  
*bulbosum*, Rafin. Fl. Ludov. 57 (Quid ?).—Am. bor. occ.  
*chilense*, A. Gray, in Proc. Am. Acad. ix. (1876) 216 = *heterophyllum*.  
*ciliatum*, [Nutt. in] Fras. Cat. (1813) n. 83, nomen (Quid ?).—Am. bor.  
*cuspidatum*, Pursh, Fl. Am. Sept. ii. 742.—Am. bor.  
*fritillarioides*, [Froel. in] DC. Prod. vii. 251, sphalm. = *Picrosia longifolia*.  
*glaucum*, [Nutt. in] Fras. Cat. (1813) n. 84, nomen; Pursh, Fl. Am. Sept. ii. 505, 742.—Am. bor. occ.  
*glaucum*, Sims, Bot. Mag. t. 1667 = *cuspidatum*.  
*gracilens*, A. Gray, in Proc. Am. Acad. xix. (1883) 71.—Am. bor. occ.  
*grandiflorum*, A. Gray, l. c. ix. (1876) 216.—Am. bor. occ.  
*heterophyllum*, Greene, in Bull. Torrey Bot. Club, x. (1883) 88.—Am. bor. occ.  
*humile*, A. Gray, in Proc. Am. Acad. xix. (1883) 72.—Am. bor. occ.  
*laciniatum*, A. Gray, l. c.—Am. bor. occ.

**TROXIMON** :—

*marginatum*, Nutt. Gen. Am. ii. 128 = *cuspidatum*.  
*Nuttallii*, A. Gray, in Proc. Am. Acad. ix. (1876) 216.—Am. bor. occ.  
*odoratum*, Rafin. Fl. Ludov. 58 (Quid ?).—Am. bor.  
*pallidum*, Rafin. l. c. 59 (Quid ?).—Am. bor.  
*parviflorum*, Nutt. in Trans. Am. Phil. Soc. N. S. vii. (1841) 434.—Am. bor. occ.  
*pumilum*, Nutt. l. c. = *glaucum*.  
*retrosum*, A. Gray, in Proc. Am. Acad. ix. (1876) 216.—Calif.  
*Roemerianum*, Scheele, in Linnaea, xxii. (1849) 165 = *Pinaropappus roseus*.  
*roseum*, Nutt. in Trans. Am. Phil. Soc. N. S. vii. (1841) 434 = *glaucum*.  
*taraxacifolium*, Nutt. l. c. = *glaucum*.

**TROXIRUM**, Rafin. Sylva Tellur. 85 (1838) = **Peperomia**, Ruiz & Pav. (Piper.).  
*blandum*, Rafin. l. c. = *P. blanda*.  
*filiforme*, Rafin. l. c. = *P. filiformis*.  
*Pereskia*, Rafin. l. c. = *P. pereskiaefolia*.  
*pulchellum*, Rafin. l. c. = *P. pulchella*.  
*quadrifolium*, Rafin. l. c. = *P. reflexa*.  
*reflexum*, Rafin. l. c. = *P. reflexa*.  
*stellatum*, Rafin. l. c. = *P. stellata*.  
*trifolium*, Rafin. l. c. = *P. trifolia*.  
*verticillatum*, Rafin. l. c. = *P. pulchella*.

**TROXISTEMON**, Rafin. Fl. Tellur. iv. 23 (1836) = **Hymenocallis**, Salisb. (Amaryll.).  
*distichus*, Rafin. l. c. 123 = *H. littoralis*.  
*Dryandri*, Rafin. l. c. (*driandrum*) = *H. littoralis*.  
*fragrans*, Rafin. l. c. 23 = *H. caribaea*?  
*littorale*, Rafin. l. c. = *H. littoralis*.  
*mexicanus*, Rafin. l. c. 123 = *H. lacera*?

**TROZELIA**, Rafin. Sylva Tellur. 54 (1838) = **Acnistus**, Schott (Solan.).  
*umbellata*, Rafin. l. c. = *A. umbellatus*.

**TRUJANOIA**, La Llave, in La Llave & Lex. Nov. Veg. Desc. fasc. ii. 1 (1825). Genus dubium **EUPHORBIACEARUM**.  
*mexicana*, D. Dietr. Syn. Pl. i. 804 = *pinnata*.  
*pinnata*, La Llave, in La Llave & Lex. Nov. Veg. Desc. fasc. ii. 1.—Mexic.

**TRUNCARIA**, DC. Prod. iii. 106 (1828) = **Miconia**, Ruiz & Pav. (Melastom.).  
*caryophyllaea*, DC. l. c. = *M. caryophyllaea*.

**TRYALLIS**, C. Muell. in Walp. Ann. vii. 469 (1868-71), sphalm. = **Thryallis**, Mart. (Malpig.).

**TRYGONANTHUS**, Endl. ex Steud. Nom. ed. II. ii. 69, in syn. (1841) = **Loranthus**, Linn.

**TRYMALIUM**, Fenzl, in Enum. Pl. Hueg. 20 (1837). **RHAMNEAE**, Benth. & Hook. f. i. 382.  
*albicans*, Reiss. in Lehm. Pl. Preiss. ii. 280.—Austral.  
*angustifolium*, Reiss. l. c. 284.—Austral.  
*Behrii*, F. Muell. ex Reiss. in Linnaea, xxix. (1857-58) 274 = *Spyridium subochreatum*.  
*biauratum*, Reiss. & F. Muell. l. c. 281 = *Pomaderris obcordata*.  
*bifidum*, F. Muell. l. c. 282 = *Spyridium bifidum*.  
*Billardieri*, Fenzl, in Enum. Pl. Hueg. 25.—Austral.  
*bilobatum*, F. Muell. ex Reiss. in Linnaea, xxix. (1857-58) 279 = *Pomaderris obcordatum*.  
*brevifolium*, Reiss. in Lehm. Pl. Preiss. ii. 281.—Austral.  
*capsulare*, G. Don, in Sweet, Hort. Brit. ed. III. 137 = *Colubrina asiatica*.  
*Daltoni*, F. Muell. Fragm. ix. 135.—Austral.  
*daphnifolium*, Reiss. in Lehm. Pl. Preiss. ii. 283 = *ledifolium*.  
*daphnoides*, Reiss. in Linnaea, xxix. (1857-58) 278 = *Spyridium spathulatum*.  
*diversifolium*, F. Muell. Second Ind. Vict. Pl. 11 = *Spyridium vexilliferum*.  
*eupatorioides*, Reiss. & F. Muell. in Linnaea, xxix. (1857-58) 270 = *Spyridium parvifolium*.  
*expansum*, Steud. in Lehm. Pl. Preiss. i. 185 = *Billardieri*.  
*flabellare*, F. Muell. ex Reiss. in Linnaea, xxix. (1857-58) 281.—Austral.  
*floribundum*, Steud. in Lehm. Pl. Preiss. i. 185 = *Billardieri*.

**TRYMALIUM** :—

- globulosum*, Fenzl, in Enum. Pl. Hueg. 25 = *Spyridium globulosum*.  
*halmaturinum*, F. Muell. ex Reiss. in Linnaea, xxix. (1857-58) 283 = *Spyridium halmaturinum*.  
*helianthemifolium*, Reiss. l. c. 271 = *Pomaderris ledifolia*.  
*hermannioides*, Reiss. l. c. 275 = *Spyridium parvifolium*.  
*ledifolium*, Fenzl, in Enum. Pl. Hueg. 24.—Austral.  
*leucophractum*, F. Muell. ex Reiss. in Linnaea, xxix. (1857-58) 295 = *Stenanthemum leucophractum*.  
*Leucopogon*, F. Muell. ex Reiss. l. c. 274 = *Spyridium subochreatum*.  
*majoranifolium*, Fenzl, in Enum. Pl. Hueg. 21 = *Spyridium spadicum*.  
*microphyllum*, F. Muell. ex Reiss. in Linnaea, xxix. (1857-58) 273 = *Spyridium Lawrencii*.  
*obovatum*, Reiss. l. c. 278 = *Spyridium obovatum*.  
*oligocephalum*, Turcz. in Bull. Soc. Nat. Mosc. xxxi. (1858) i. 460 = *Spyridium oligocephalum*.  
*parvifolium*, F. Muell. ex Reiss. in Linnaea, xxix. (1857-58) 275 = *Spyridium parvifolium*.  
*phlebophyllum*, F. Muell. ex Reiss. l. c. 272 = *Spyridium phlebophyllum*.  
*polycephalum*, Turcz. in Bull. Soc. Nat. Mosc. xxxi. (1858) i. 460 = *Spyridium subochreatum*.  
*rosmarinifolium*, Reiss. in Lehm. Pl. Preiss. ii. 283 = *ledifolium*.  
*serpyllaceum*, Reiss. & F. Muell. in Linnaea, xxix. (1857-58) 280 = *Spyridium serpyllaceum*.  
*spadicum*, Fenzl, in Enum. Pl. Hueg. 26 = *Spyridium spadicum*.  
*spathulatum*, F. Muell. in Trans. Vict. Inst. i. (1855) 122 = *Spyridium spathulatum*.  
*stenophyllum*, Reiss. in Linnaea, xxix. (1857-58) 282 = *Spyridium bifidum*.  
*Stuarti*, F. Muell. ex Reiss. l. c. 289, 290 = *Spyridium coactilifolium*.  
*subochreatum*, F. Muell. in Trans. Vict. Inst. i. (1855) 122 = *Spyridium subochreatum*.  
*thomasioides*, Turcz. in Bull. Soc. Nat. Mosc. xxxi. (1858) i. 459 = *Spyridium spadicum*.  
*uncinatum*, F. Muell. Second Ind. Vict. Pl. 11 = *Spyridium eriocephalum*.  
*velutinum*, Reiss. in Linnaea, xxix. (1857-58) 276 = *Spyridium obovatum*.  
*vexilliferum*, F. Muell. ex Reiss. l. c. 286 = *Spyridium vexilliferum*.  
Wayae, F. Muell. & Tate, in Trans. Roy. Soc. S. Austral. v. (1882) 80; vi. (1883) 109.—Austral.  
Wayii, F. Muell. & Tate, l. c. vi. (1883) 109 = *praec.*  
*Wendlandianum*, G. Don, in Sweet, Hort. Brit. ed. III. 137 = *Pomaderris ferruginea*.  
*westringiaefolium*, Reiss. in Lehm. Pl. Preiss. ii. 284 = *Spyridium westringiaefolium*.  
*Wichurae*, Nees, ex Reiss. l. c. ii. 281.—Austral.

**TRYMATOCOCCUS**, Poepp. & Endl. Nov. Gen. et Sp. ii. 30. t. 142 (1838). *URTICACEAE*, Benth. & Hook. f. iii. 366.  
*africanus*, Baill. *Adansonia*, xi. (1875) 300.—Afr. trop.  
*amazonicus*, Poepp. & Endl. Nov. Gen. et Sp. ii. 30. t. 142.—Bras.

**TRYOCEPHALUM**, Endl. Gen. 119 (1836) = **THRYOCEPHALON**, Forst. = **Kyllinga**, Rottb. (Cyperac.).

**TRYPHANE**, Reichb. Ic. Fl. Germ. v. 28 (1841); Nom. 205 (1841) = **Arenaria**, Rupp. (Caryoph.).  
*cespitosa*, Reichb. l. c. = *A. verna*.  
*Facchinii*, Reichb. l. c. 29.—Europ.  
*Gerardi*, Reichb. l. c. = *A. verna*.  
*hispida*, Reichb. l. c. = *A. hispida*.  
*obtus*, Reichb. l. c. 32 = *A. polygonoides*.  
*recurva*, Reichb. l. c. 29 = *A. recurva*.  
*verna*, Reichb. l. c. 28 = *A. verna*.

**TRYPHERA**, Blume, Bijdr. 549 (1825) = **Mollugo**, Linn. (Ficoid.).  
*prostrata*, Blume, l. c. = *M. hirta*.

**TRYPHIA**, Lindl. Bot. Reg. sub t. 1701 (1835) = **Holothrix**, Rich. (Orchid.).  
*Mac-Owaniana*, Reichb. f. Otia Bot. Hamb. 108 = *H. Mac-Owaniana*.  
*major*, Sond. in Linnaea, xix. (1847) 82 = *H. secunda*.

**TRYPHIA** :—

- nivea*, Zeyh. ex Harv. Gen. S. Afr. Pl. 323 = *Holothrix Lindleyana*?  
*orthoceras*, Harv. Thes. Cap. ii. 4 = *H. orthoceras*.  
*parviflora*, Lindl. in Hook. Comp. Bot. Mag. ii. (1836) 209 = *H. parviflora*.  
*secunda*, Lindl. Bot. Reg. sub t. 1701 = *H. Lindleyana*.

**TRYPHOSTEMMA**, Harv. Thes. Cap. i. 32. t. 51 (1859). *PASSIFLOREAE*, Fenth. & Hook. f. i. 811.  
*Hanningtonianum*, Mast. in Hook. Ic. Pl. t. 1484.—Afr. trop.  
*natalense*, Mast. in Trans. Linn. Soc. xxvii. (1871) 639 = *Sandersoni*.  
*Sandersoni*, Harv. Thes. Cap. i. 33.—Afr. austr.  
*zanzibaricum*, Mast. in Oliver, Fl. Trop. Afr. ii. 508.—Afr. trop.

**TRYPTOMENE**, Walp. Rep. ii. 157 (1843), sphalm. = **Thryptomene**, Endl. (Myrtac.).

**TSCHUDYA**, DC. Prod. iii. 155 (1828) = **Oxymenis**, DC. (Melastom.).  
*asperiuscula*, DC. l. c. = *O. asperiuscula*.  
*berbiceana*, Griseb. in Goett. Abh. ix. (1861) 47 = *Miconia Acinodendron*.  
*ibaguensis*, Griseb. l. c. = *Miconia ibaguensis*.  
*ionopogon*, Mart. in Flora, xxiv. (1841) ii. Beibl. 37 = *O. ionopogon*.  
*lanata*, Griseb. Fl. Brit. W. Ind. 250 = *Miconia lanata*.  
*pulverulenta*, DC. Prod. iii. 155 = *O. pulverulenta*.  
*robusta*, Sagot, in Ann. Sc. Nat. Sér. VI. xv. (1883) 329 = *Miconia trichodes*.  
*rufescens*, DC. Prod. iii. 155 = *O. rufescens*.  
*spondylantha*, Griseb. Fl. Brit. W. Ind. 251 = *Miconia spondylantha*.  
*strigillosa*, Griseb. l. c. 250 = *Platycentrum clide-mioides*.  
*verticillata*, DC. Prod. iii. 155 = *O. rufescens*.

**TSIA**, Adans. Fam. ii. 450 (1763) = **Camellia**, Linn. (Ternstr.).

**TSIANA**, J. F. Gmel. Syst. i. 9 (1791) = **Costus**, Linn. (Scitac.).  
*speciosa*, J. F. Gmel. l. c. = *C. speciosus*.

**TSIEMTANI**, Adans. Fam. ii. 303 (1763) = **Rumphia**, Linn. (Anacard.).

**TSJERUCANIRAM**, Adans. Fam. ii. 80 (1763) = **Cansjera**? Juss. (Olcac.).

**TSJINKIA**, Adans. Fam. ii. 401 (1763) = **Lagerstroemia**, Linn. (Lythrac.).

**TSUBAKI**, Adans. Fam. ii. 399 (1763) = **Camellia**, Linn. (Ternstr.).

**TSUGA**, Carr. Conif. ed. I. 185 (1855). *CONIFERAE*, Benth. & Hook. f. iii. 440.  
*MICROPEUCE*, Gord. Pinet. Suppl. 13 (1862).  
*Balfouriana*, M<sup>c</sup>Nab, in Journ. Linn. Soc. xix. (1882) 211.—Am. bor. occ.  
*Brunoniana*, Carr. Conif. ed. I. 188.—Reg. Himal.  
*canadensis*, Carr. l. c. 189.—Am. bor.  
*caroliniana*, Engelm. in Coult. Bot. Gaz. vi. (1881) 223.—Am. bor.  
*diversifolia*, Mast. in Journ. Linn. Soc. xviii. (1881) 514.—Japon.  
*Douglasii*, Carr. Conif. ed. I. 192 = *Pseudotsuga Douglasii*.  
*Hookeriana*, Carr. l. c. ed. II. 252.—Calif.  
*Lindleyana*, Roetzl, Cat. Grain. Conif. Mex. 8 = *Pseudotsuga Douglasii*.  
*Mertensiana*, Carr. Conif. ed. II. 250.—Am. bor. occ.  
*Pattoniana*, Engelm. in Gard. Chron. (1879) ii. 756.—Am. bor. occ.  
*Roetzlii*, Carr. in Rev. Hort. (1870) 217.—Calif.  
*Sieboldii*, Carr. Conif. ed. I. 186.—Japon.  
*Tsujia*, A. Murr. in Proc. Hort. Soc. Lond. ii. (1862) 508 = *Sieboldii*.

**TSUSIOPHYLLUM**, Maxim. in Mém. Acad. Pétersb. Sér. VII. xvi. (1871) n. ix. 12. *ERICACEAE*, Benth. & Hook. f. ii. 602.  
*Tanaka*, Maxim. l. c.—Japon.

**TSUTSUSI**, Adans. Fam. ii. 164 (1763) = **Rhododendron**, Linn. (Ericac.).

**TUAMINA**, Alef. in Bonplandia, ix. (1861) 102 = **Vicia**, Tourn. (Legumin.).  
*Michauxii*, Alef. l. c. = *V. Michauxii*.

**TUBANTHERA**, Comm. ex DC. Prod. ii. 30 (1825) = **Colubrina**, Rich. (Rhamn.).  
*Katapa*, Rafin. Sylva, Tellur. 154 = *C. asiatica*.

**TUBERARIA**, Spach, in Ann. Sc. Nat. Sér. II. vi. (1836) 364 = **Helianthemum**, Tourn. (Cistin.).  
*annua*, Spach, l. c. 365 = *H. guttatum*.  
*brevipes*, Willk. Ic. Pl. Hisp. ii. 79. t. 116 = *H. guttatum*.  
*bupleurifolia*, Willk. l. c. 77. t. 115 = *H. bupleurifolium*.  
*discolor*, Pomel, Nouv. Mat. Fl. Atl. 218 = *H. discolor*.  
*echioides*, Willk. Ic. Pl. Hisp. ii. 81. t. 118 = *H. echioides*.  
*globulariaefolia*, Willk. l. c. 71. t. 111 = *H. globulariaefolium*.  
*glomerata*, Willk. l. c. t. 117 = *H. glomeratum*.  
*guttata*, Fourr. in Ann. Soc. Linn. Lyon, N. S. xvi. (1868) 340 = *H. guttatum*.  
*inconspicua*, Willk. Ic. Pl. Hisp. ii. 78. t. 116 = *H. guttatum*.  
*macrocephala*, Willk. l. c. 80. t. 117.—Hispan.  
*patula*, Pomel, Nouv. Mat. Fl. Atl. 354 = *H. patulum*.  
*perennis*, Spach, in Ann. Sc. Nat. Sér. II. vi. (1836) 365 = *H. Tuberaria*.  
*variabilis*, Willk. Ic. Pl. Hisp. ii. 73. tt. 112-114 = *H. variabile*.  
*villosissima*, Pomel, Nouv. Mat. Fl. Atl. 218 = *H. villosissimum*.  
*viscida*, Pomel, l. c. = *H. glutinosum*?  
*vulgaris*, Willk. Ic. Pl. Hisp. ii. 69. t. 110 = *H. vulgare*.

**TUBEROSA**, Heist. Syst. 5 (1748) = **Polianthes**, Linn. (Amaryll.).  
*amica*, Medic. in Act. Acad. Theod. Palat. vi. Phys. (1790) 430 = *P. tuberosa*.

**TUBEROSTYLES**, Benth. & Hook. f. Gen. ii. 241 (1873), err. typ. = *seq.*

**TUBEROSTYLIS**, Steetz, in Seem. Bot. Voy. Herald, 142. t. 29 (1853). *COMPOSITAE*, Benth. & Hook. f. ii. 241.  
*Rhizophorae*, Steetz, l. c.—Panama.

**TUBIFLORA**, J. F. Gmel. Syst. 27 (1791) = **Elytraria**, Michx. (1803) (Acanth.).  
*carolinensis*, J. F. Gmel. l. c. = *E. virgata*.

**TUBILIUM**, Cass. in Bull. Soc. Philom. (1817) 153 = **Pulicaria**, Gaertn. (Compos.).  
*angustifolium*, Cass. in Dict. Sc. Nat. lvi. 20 = *P. inuloides*.  
*siculum*, Choisy, ex DC. Prod. v. 477 = *P. sicula*.

**TUBOCYTISUS**, Fourr. in Ann. Soc. Linn. Lyon, N. S. xvi. (1868) 358 = **Cytisus**, Linn. (Legumin.).  
*biflorus*, Fourr. l. c. = *C. biflorus*.  
*capitatus*, Fourr. l. c. = *C. capitatus*.  
*elongatus*, Fourr. l. c. = *C. biflorus*.  
*supinus*, Fourr. l. c. xvii. (1869) 195 = *C. supinus*.

**TUBOPADUS**, Pomel, Mat. Fl. Atl. 8 (1860) = **Prunus**, Tourn. (Rosac.).  
*prostratus*, Pomel, l. c. = *P. prostrata*.

**TUCKERMANNIA**, Klotzsch. in Wieg. Archiv, vii. (1841) 248 = **Corema**, D. Don (Empetr.).  
*Conradi*, Klotzsch, l. c. = *C. Conradi*.

**TUCKERMANNIA**, Nutt. in Trans. Am. Phil. Soc. N. S. vii. (1841) 363 = **Leptosyne**, DC. (Compos.).  
*maritima*, Nutt. l. c. = *L. maritima*.

**TUCKEYA**, Gaudich. Bot. Voy. Bonite, t. 26 (1844-49) = **Pandanus**, Linn.  
*Candelabrum*, Gaudich. l. c. f. 10-20 = *P. Candelabrum*.

**TULA**, Adans. Fam. ii. 500 (1763). *RUBIACEAE*? Adansonii, Roem. & Schult. Syst. iv. 355.—Peruv.

**TULAKENIA**, Rafin. Fl. Tellur. iv. 120 (1836) = *Jurinea*, Cass. (Compos.).  
*blanda*, Rafin. l. c. = *J. mollis*.  
*cyanoideis*, Rafin. l. c. = *J. cyanoideis*.  
*mollis*, Rafin. l. c. = *J. mollis*.

**TULASNEA**, Naud. in Ann. Sc. Nat. Sér. III. ii. (1844) 142. *MELASTOMACEAE*, Benth. & Hook. f. i. 739.  
*foliosa*, Naud. l. c. 143.—Bras.  
*gracillima*, Naud. l. c. t. 2.—Bras.

**TULASNEA**, Wight, Ic. v. tt. 1919–20 (1852) = *Terniola*, Tul. (Podostem.).  
*ceylanica*, Wight, l. c. t. 1919 = *Terniola zeylanica*.  
*foliosa*, Wight, l. c. = *Terniola foliosa*.  
*Lawii*, Wight, l. c. (*Lauri*) = *Terniola Lawii*.  
*pedunculata*, Wight, l. c. t. 1919 = *Terniola pedunculata*.  
*pedunculosa*, Wedd. in DC. Prod. xvii. 47, sphalm. = *praeox*.  
*ramosissima*, Wight, Ic. t. 1920 = *Terniola ramosissima*.  
*zeylanica*, Wedd. in DC. Prod. xvii. 46 = *ceylanica*.

**TULBACHIA**, D. Dietr. Syn. Pl. ii. 1030 (1840), err. typ. = seq.

**TULBAGHIA**, Linn. Mant. ii. 148 (1771) (*Tulbagia*); Neck. Elem. iii. 188 (1790). *LILIACEAE*, Benth. & Hook. f. iii. 798.  
*OMENTARIA*, Salisb. Gen. Pl. Fragm. 87 (1866).  
*acutifolia*, Harv. Thes. Cap. ii. 51. t. 180.—Afr. austr.  
*aequinoctialis*, Welw. ex Baker, in Trans. Linn. Soc. Ser. II. i. (1878) 246.—Afr. trop.  
*affinis*, Link, Enum. Hort. Berol. i. 310 = *alliacea*.  
*alliacea*, Ker-Gawl. in Bot. Mag. t. 806 = *capensis*.  
*alliacea*, Linn. f. Suppl. 193; Thunb. Prod. Pl. Cap. 60.—Afr. austr.  
*australis*, Link, ex Steud. Nom. ed. I. 857 (nom. delend. sec. ej. ed. II. ii. 722).  
*brachystemma*, Kunth, Enum. Pl. iv. 483 = *alliacea*.  
*Camerooni*, Baker, in Journ. Bot. xvi. (1878) 321.—Afr. trop.  
*capensis*, Linn. Mant. ii. 223.—Afr. austr.  
*cepacea*, Linn. f. Suppl. 194 (excl. syn.).—Afr. austr.  
*cepacea*, Linn. f. l. c., partim = *capensis*.  
*cernua*, Avé-Lall. ex Fisch. Mey. & Avé-Lall. Ind. Sem. Hort. Petrop. ix. Suppl. 25.—Afr. austr.  
*Dregeana*, Kunth, Enum. Pl. iv. 483.—Afr. austr.  
*Heisteri*, Fabr. Enum. Pl. Hort. Helmst. 4 = *Agapanthus umbellatus*.  
*hypoxidea*, Sm. in Rees, Cycl. xxxvi. n. 3; Schult. f. Syst. vii. 995.—Afr. austr.  
*inodora*, Gaertn. Fruct. i. 57 = *alliacea*.  
*Ludwigiana*, Harv. in Bot. Mag. t. 3547 = *alliacea*.  
*narcissifolia*, Salisb. Prod. 219 = *alliacea*.  
*pulchella*, Avé-Lall. in Bull. Phys.-Math. Acad. Pétersb. iii. (1844) 204 = *capensis*.  
*violacea*, Harv. in Bot. Mag. t. 3555.—Afr. austr.

**TULEXIS**, Rafin. Fl. Tellur. iv. 42 (1836) = *Brassavola*, R. Br. (Orchid.).  
*bicolor*, Rafin. l. c. 43 = *B. tuberculata*.

**TULIPA**, Linn. Syst. ed. I (1735); Gen. ed. I. 91 (1737). *LILIACEAE*, Benth. & Hook. f. iii. 818.  
*LIRIACTIS*, Rafin. Fl. Tellur. ii. 97 (1836).  
*LIRIOPOGON*, Rafin. l. c. 35 (1836).  
*ORITHYIA*, D. Don, in Sweet, Brit. Flow. Gard. Ser. II. t. 336 (1836).  
*PODONIX*, Rafin. Fl. Tellur. iv. 28 (1836).  
*acrocampa*, Jord. ex Baker, in Journ. Linn. Soc. xiv. (1874) 293 = *gallica*.  
*acuminata*, Vahl, ex Hornem. Hort. Hafn. i. 328.—Hab.?  
*acutiflora*, DC. ex Baker, in Journ. Linn. Soc. xiv. (1874) 283 = *Didieri*.  
*acutiflora*, Poir. Encyc. viii. 134 = *T. Oculus-solis*.  
*agenensis*, [DC. in] Red. Lil. t. 60\*, Add. = *T. Oculus-solis*.  
*Alberti*, Regel, Gartenfl. (1877) 257; et in Act. Hort. Petrop. v. (1877) 264.—Turkestan.  
*aleppensis*, Boiss. ex Regel, Gartenfl. (1873) 296; et Act. Hort. Petrop. ii. (1873) 450 = *T. Oculus-solis*.

**TULIPA** :—  
*aleppica*, Baker, in Journ. Linn. Soc. xiv. (1874) 278 = *T. Oculus-solis*.  
*alpestris*, Jord. & Fourr. Brev. Pl. Nov. fasc. ii. 120 = *australis*.  
*alpina*, J. Gay, ex Baker, in Journ. Linn. Soc. xiv. (1874) 289 = *pulchella*.  
*altaica*, Gebler, ex Schult. f. Syst. vii. 385, 553 = *uniflora*.  
*altaica*, Pall. ex Spreng. Syst. ii. 63.—Sibir. altaic.  
*apula*, Guss. ex Tenore, Fl. Neap. Syll. App. v. 12 = *praeox*.  
*aristata*, Regel, in Act. Hort. Petrop. vi. (1879) 506.—China.  
*armena*, Boiss. Diagn. Ser. II. iv. 99 = *Gesneriana*.  
*atheniensis*, Orphan. in Bull. Congr. Bot. Pétersb. 1869 (1870) 116 = *Orphanidea*.  
*aurea*, Rafin. Atl. Journ. 153 (Quid?).—Am. bor.  
*australis*, Link, in Schrad. Journ. ii. (1799) 317.—Lusit.; Gall.  
*Beccariana*, Bicch. Agg. Fl. Lucch. (1860) 21, nomen; et Desc. Nuov. Sp. Tulip. 2, cum ic.—Ital.  
*Behmiana*, Regel, in Act. Hort. Petrop. vi. (1879) 505.—Turkestan.  
*bicolor*, Rafin. Atl. Journ. 153 (Quid?).—Am. bor.  
*Biebersteiniana*, Schult. f. Syst. vii. 382.—Reg. Cauc.; Podol.  
*biflora*, Becker, ex Nym. Consp. 723 = *Biebersteiniana*.  
*biflora*, Donn, Hort. Cantab. ed. V. 75 = *Clusiana*.  
*biflora*, Hort. Lund. ex Schult. f. Syst. vii. 384 = *patens*.  
*biflora*, Pall. Reise, iii. 727.—Reg. Cauc.  
*Billietiana*, Jord. in Ann. Soc. Linn. Lyon, N. S. v. (1858) 11 = *Didieri*.  
*bithynica*, Griseb. Spicil. Fl. Rumel. ii. 382, in syn.—As. Min.  
*boeotica*, Boiss. & Heldr. Diagn. Ser. II. iv. 99.—Graecia.  
*Boissieri*, Regel, Gartenfl. (1873) 296 = *montana*.  
*Bonarotiana*, Reboul, Nonn. Sp. Tulip. 7 = *strangulata*.  
*Borszczowi*, Regel, in Bull. Soc. Nat. Mosc. xli. (1868) i. 438.—Turkestan.  
*brachystemon*, Regel, Gartenfl. (1882) 323.—Turkestan.  
*Breyntiana*, Ker-Gawl. in Bot. Mag. t. 717 = *australis*.  
*Breyntiana*, Linn. Sp. Pl. 306 = *Baeometra columellaris*.  
*Browniana*, Hort. ex Vilm. Fl. Pl. Terre, ed. III. 1172 = *patens*.  
*Brujniana*, Roxb. Hort. Beng. 24, nomen = *Breyntiana*?  
*bucharica*, Merklin, ex Boiss. Fl. Orient. v. 193 = *sogdiana*.  
*Buhseana*, Boiss. Diagn. Ser. II. iv. 98 = *humilis*.  
*campopetala*, Delaun. ex Loisel. Herb. Gén. Amat. iii. t. 172.—Hab.?  
*caucasica*, Orsin. ex Nym. Consp. 723 = *australis*.  
*caucasica*, Otto, ex Steud. Nom. ed. II. ii. 722.—Reg. Cauc.  
*Celsiana*, [DC. in] Red. Lil. t. 38 = *australis*.  
*Celsiana*, Henning, in Mém. Soc. Nat. Mosc. vi. (1823) 70 = *Biebersteiniana*.  
*chrysantha*, Boiss. ex Baker, in Journ. Linn. Soc. xiv. (1874) 279.—Persia; Ind. bor. occ.  
*Clusiana*, [DC. in] Red. Lil. t. 37.—Europ.; Oriens.  
*Clusiana*, Orph. ex Nym. Consp. 723 = *Orphanidea*.  
*Clusiana*, Shepherd, ex Schult. f. Syst. vii. 1684 = *stellata*.  
*connivens*, Levier, Orig. Tul. Sav. Ital. 12.—Italia.  
*cornuta*, [Delile, in] Red. Lil. t. 445 = *acuminata*.  
*coronaria*, Salisb. Prod. 236 = *Gesneriana*.  
*cretica*, Boiss. & Heldr. Diagn. Ser. I. xiii. 19.—Ins. Creta.  
*crispata*, Boiss. & Buhse, in Nouv. Mém. Soc. Nat. Mosc. xii. (1860) 211.—Persia.  
*crocata*, Orph. in Bull. Congr. Bot. Pétersb. 1869 (1870) 116 = *Orphanidea*.  
*cuspidata*, Regel, Gartenfl. (1884) 66.—Alger.  
*cuspidata*, Stapf, in Denkschr. Akad. Wien, l. (1885) 17.—Persia.  
*Cypriani*, Hort. ex Steud. Nom. ed. II. ii. 722 = *Clusiana*.  
*dasytemon*, Regel, in Act. Hort. Petrop. vi. (1879) 507.—Turkestan.  
*Didieri*, Ford. Obs. Pl. Crit. i. (1846) 34.—Europ.  
*Didieri*, Passer, in Nuov. Giorn. Bot. Ital. iii. (1871) 168 = *Passerianiana*.  
*edulis*, Baker, in Journ. Linn. Soc. xiv. (1874) 295.—China; Japon.

**TULIPA** :—  
*Eichleri*, Regel, Gartenfl. (1874) 193.—Turkestan.  
*elegans*, Hort. ex Baker, in Journ. Linn. Soc. xiv. (1874) 286.—Hab.?  
*Elwesi*, Regel, Gartenfl. (1884) t. 1147 = *cuspidata*, Regel.  
*erythronioides*, Baker, in Journ. Bot. xiii. (1875) 292.—China.  
*etrusca*, Levier, in Bull. Soc. Sc. Nat. Neuchât. xiv. (1884) 262.—Ital.  
*eunanthiae*, Orph. in Boiss. Diagn. Ser. II. iv. 100 = *boeotica*.  
*florentina*, Hort. ex Baker, in Journ. Linn. Soc. xiv. (1874) 290 = *sylvestris*.  
*foliosa*, Stapf, in Denkschr. Akad. Wien, l. (1885) 80.—Armenia.  
*Foxiana*, Reboul, Select. Sp. Tulip. 2 = *praeox*.  
*fragrans*, Munby, in Bull. Soc. Bot. Fr. xiii. (1866) 256.—Alger.  
*Fransoniiana*, Parl. Nuov. Gen. e Spec. 15 = *Didieri*.  
*fulgens*, Hort. ex Baker, in Journ. Linn. Soc. xiv. (1874) 285.—Hab.?  
*gallica*, Delaun. ex Loisel. Herb. Gén. Amat. t. 160.—Gallia.  
*Gesneriana*, Bell. App. Fl. Pedem. 226 = *Didieri*.  
*Gesneriana*, [Ker-Gawl. in] Bot. Reg. t. 380 = *praeox*.  
*Gesneriana*, Linn. Sp. Pl. 306.—Europ. or.; Oriens.  
*Gesneriana*, Reboul, Sp. Tulip. (1822) 6 = *connivens*.  
*glaucophylla*, Fisch. ex Regel, in Act. Hort. Petrop. ii. (1873) 448 = *Borszczowi*.  
*graminifolia*, Baker, in Journ. Bot. xiii. (1875) 230 = *edulis*.  
*Greigi*, Regel, Gartenfl. (1873) 290. t. 773.—Turkestan.  
*Grisebachiana*, Pantoč. in Oestr. Bot. Zeitschr. xxiii. (1873) 265 = *Orphanidea*.  
*Grisebachii*, Borb. l. c. xxxiii. (1883) 202 = *praeox*.  
*Hageri*, Heldr. in Regel, Gartenfl. (1874) 97. t. 790.—Graecia.  
*heliophthalma*, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 70 = *T. Oculus-solis*.  
*heteropetala*, Ledeb. Ic. Pl. Fl. Ross. i. 21. t. 85 = *uniflora*.  
*heterophylla*, Baker, in Journ. Linn. Soc. xiv. (1874) 295.—Mont. Altaic.  
*hexagonata*, Borb. —Cf. Oestr. Bot. Zeitschr. xxxiii. (1883) 202 = *praeox*.  
*hispanica*, Willd. ex Schult. f. Syst. vii. 380, in obs. = *Clusiana*.  
*hortensis*, Gaertn. Fruct. i. 64 = *Gesneriana*.  
*hortulanorum*, Wender. in Otto & Dietr. Allg. Gartenz. vi. (1838) 71 = *suaveolens*.  
*humilis*, Herb. in Lindl. Bot. Reg. (1844) Misc. 30.—Persia.  
*hungarica*, Borb. —Cf. Oestr. Bot. Zeitschr. xxxiii. (1883) 202.—Hungar.  
*iliensis*, Regel, Gartenfl. (1879) 162. t. 975.—Turkestan.  
*Julia*, C. Koch, in Linnaea, xxii. (1849) 225 = *montana*.  
*Kaufmanniana*, Regel, Gartenfl. (1877) 194; et in Act. Hort. Petrop. v. (1877) 265.—Turkestan.  
*Kesselringi*, Regel, ll. cc. 34; 637.—Turkestan.  
*Kolpakowskiana*, Regel, in Act. Hort. Petrop. v. (1877) 266.—Turkestan.  
*Korolkowi*, Regel, l. c. iii. ii. (1875) 295.—Turkestan.  
*Krauseana*, Regel, l. c. vi. (1879) 508.—Turkestan.  
*laciniata*, Fisch. ex Bellerin. in Ges. Naturf. Fr. Berl. Mag. vii. (1816) 67 = *Gesneriana*.  
*laciniata*, Rafin. Fl. Tellur. ii. 35 = *praeox*.?  
*lanata*, Regel, in Act. Hort. Petrop. vii. (1884) 647. t. 4.—Bokhara.  
*Lehmanniana*, Merck. ex Bunge, in Mém. Sav. Etr. Pétersb. vii. (1851) 513 = *chrysantha*.  
*linifolia*, Regel, in Act. Hort. Petrop. viii. (1884) 648.—Bokhara.  
*Lortetii*, Jord. in Ann. Soc. Lyon, N. S. v. (1858) 9 = *T. Oculus-solis*.  
*Lownei*, Baker, in Journ. Linn. Soc. xiv. (1874) 294.—Syria.  
*lurida*, Levier, Orig. Tul. Sav. Ital. 15 (sp. dub.).—Europ.  
*maculata*, Dulac, Fl. Hautes-Pyr. 107 = *Clusiana*.  
*maculata*, Hort. ex Baker, in Journ. Linn. Soc. xiv. (1874) 289.—Hab.?  
*maculata*, Roth, Nov. Pl. Sp. 196 = *australis*.



**TULIPA:—**

maleolens, *Reboul, App. Nonnull. Sp. Tulip.* 1. —Ital.  
*Marshalliana*, Andr. ex Baker, in *Journ. Linn. Soc.* xiv. (1874) 290 = *syvestris*.  
*Martelliana*, *Levier, in Bull. Soc. Sc. Nat. Neuchât.* xiv. (1884) 245. —Europ.  
*mauriana*, Jord. & Fourr. *IC. Fl. Eur.* i. 9 = *Didieri*.  
*mauritanica*, Jord. in *Ann. Soc. Lyon, N. S.* (1858) 12 = *Didieri*.  
*media*, Agardh, ex Schult. f. *Syst.* vii. 379 = *acuminata*.  
*microgyna*, Baker, in *Journ. Linn. Soc.* xiv. (1874) 292 = *Biebersteiniana*.  
*Minervae*, Orph. ex Baker, l. c. 294 = *Orphanidea*.  
*montana*, *Lindl. in Bot. Reg.* t. 1106. —Oriens.  
*montana*, Rafin. *Atl. Journ.* 153 (Quid?). —Am. bor.  
*neglecta*, Reboul, *Select. Sp. Tul.* 7 = *strangulata*.  
*Oculus-solis*, Helder. ex Baker, in *Journ. Linn. Soc.* xiv. (1874) 286 = *boeotica*.  
*Oculus-solis*, [Ker-Gawl.] *Bot. Reg.* t. 204 = *praecox*.  
*Oculus-solis*, Koch, *Syn. Fl. Germ.* ed. I. 707 = *Didieri*.  
*Oculus-solis*, St. Amans, in *Rec. Soc. Agr. Agen.* i. 75. —Europ. austr.; Oriens.  
*odoratissima*, Vis. *Ort. Bot. Padov.* 149 = *suaveolens*?  
*orientalis*, *Levier, in Bull. Soc. Sc. Nat. Neuchât.* xiv. (1884) 263. —Europ. austr.; Reg. Cauc.  
*ornithogaloides*, Fisch. ex Bess. in *Flora*, xvii. (1834) i. Beibl. 25 = *Lloydia triflora*.  
*Orphanidea*, Boiss. ex Helder. in *Regel, Gartenfl.* (1862) 309. t. 373. —Graecia.  
*Orphanidesii*, Hort. ex Baker, in *Journ. Linn. Soc.* xiv. (1874) 294, sphalm. = *praecox*.  
*Ostrowskiana*, *Regel, Gartenfl.* (1884) 34. —Turkestan.  
*oxypetala*, *Stev. in Bull. Soc. Nat. Mosc.* xxx. (1857) ii. 81. —Tauria.  
*Passeriniana*, *Levier, in Bull. Soc. Sc. Nat. Neuchât.* xiv. (1884) 270. —Europ.  
*patens*, Agardh. ex Schult. f. *Syst.* vii. 384. —Sibir.  
*persica*, Willd. ex Kunth, *Enum. Pl.* iv. 226 = *patens*.  
*planifolia*, Jord. in *Ann. Soc. Linn. Lyon, N. S.* v. (1858) 13 = *Didieri*.  
*platystigma*, *Jord. in Billot, Annot.* 32. —Gallia.  
*polychroma*, *Steff. in Denkschr. Akad. Wien*, 1. (1885) 18. —Persia.  
*praecox*, Cav. Desc. 448 = *Clusiana*.  
*praecox*, Tenore, *Fl. Nap.* i. 170. —Europ. austr.; Syria.  
*primulina*, Baker, in *Gard. Chron.* (1882) ii. 8. —Alger.  
*pubescens*, Willd. *Enum. Hort. Berol. Suppl.* 17. —Hab.?  
*pudica*, Rafin. *Atl. Journ.* 153 (Quid?). —Am. bor.  
*pulchella*, Boiss. ex Baker, in *Journ. Linn. Soc.* xiv. (1874) 284 = *montana*.  
*pulchella*, Fenzl, in *Kotschy, Reise Cilicisch. Taurus*, 379. —Cilicia.  
*pumila*, Moench, *Meth.* 301 = *syvestris*.  
*pumila*, Tausch, in *Flora*, xii. (1829) i. Erg. 47 = *Biebersteiniana*.  
*Raddii*, Reboul, *Nonnull. Sp. Tulip.* 5 = *praecox*.  
*Regelii*, *Elwes. Cf. Gard. Chron.* (1879) i. 397. —Hab.?  
*repens*, Fisch. ex Sweet, *Brit. Flow. Gard. Ser.* II. t. 97 = *syvestris*.  
*retroflexa*, Hort. ex Baker, in *Journ. Linn. Soc.* xiv. (1874) 282. —Hab.?  
*rubroalba*, Brot. *Fl. Lusit.* i. 520 = *Clusiana*.  
*saxatilis*, Sieber, ex Spreng. *Syst.* ii. 63. —Ins. Creta.  
*scabriscapa*, *Strangw. in Bot. Reg.* t. 1990. —Ital.  
*Schrenkii*, Regel, *Gartenfl.* (1873) 297; et in *Act. Hort. Petrop.* ii. (1873) 452 = *Gesneriana*.  
*serotina*, Reboul, *Sel. Sp. Tulip.* 6. —Ital.  
*sibirica*, Patrin, ex Kunth, *Enum. Pl.* iv. 226 = *patens*.  
*Sibthorpiana*, Sibth. & Sm. *Fl. Graec. Prod.* i. 229 = *Fritillaria Sibthorpiana*.  
*syvestris*, Herb. Bout. ex Willk. & Lange, *Prod. Fl. Hisp.* i. 219 = *australis*.  
*sogdiana*, Bunge, in *Mém. Sav. Etr. Péttersb.* vii. (1851) 514. —Turkestan.  
*Sommieri*, *Levier, Orig. Tul. Sav. Ital.* 15. —Europ.  
*spatulata*, Bertol. *Fl. Ital.* iv. 85, 86 = *Gesneriana*.  
*stellata*, Hook. *Bot. Mag.* t. 2762. —Reg. Himal.; Persia.  
*stenopetala*, Delaun. ex Loisel. *Herb. Gén. Amat.* iii. t. 171 = *acuminata*.

**TULIPA:—**

*strangulata*, Helder. ex Baker, in *Journ. Linn. Soc.* xiv. (1874) 286 = *boeotica*.  
*strangulata*, Reboul, *Nonnull. Sp. Tulip.* 6. —Etruria.  
*strangwaysiana*, Reboul, ex Baker, in *Journ. Linn. Soc.* xiv. (1874) 281 = *praecox*.  
*stricta*, Stokes, *Bot. Mat. Med.* ii. 239 = *Gesneriana*.  
*stylosa*, Fisch. ex Fisch. & Mey. *Ind. Sem. Hort. Petrop.* iii. 28 = *uniflora*.  
*suaveolens*, Roth, *Catalect. fasc.* i. 45. —Rossia austr.  
*syvestris*, Bieb. *Fl. Taur. Cauc.* i. 270 = *Biebersteiniana*.  
*syvestris*, Falk, ex Kunth, *Enum. Pl.* iv. 226 = *altaica*.  
*syvestris*, Gouan, ex Baker, in *Journ. Linn. Soc.* xiv. (1874) 293 = *australis*.  
*syvestris*, Laxm. ex Schult. f. *Syst.* vii. 384 = *patens*.  
*syvestris*, Linn. *Sp. Pl.* 305. —Europ.  
*systola*, *Steff. in Denkschr. Akad. Wien*, 1. (1885) 17. —Persia.  
*tetraphylla*, Regel, in *Act. Hort. Petrop.* iii. ii. (1875) 296. —Turkestan.  
*thianschanica*, Regel, l. c. vi. (1879) 508. —As. centr.  
*Thirkeana*, C. Koch, in *Linnaea*, xxii. (1849) 226 = *Biebersteiniana*.  
*transtagana*, Brot. *Fl. Lusit.* i. 519 = *australis*.  
*tricolor*, Becker, ex Nym. *Consp.* 723 = *Biebersteiniana*.  
*tricolor*, C. Koch, in *Tchihat. Asie Min. Bot.* ii. 532 = *Biebersteiniana*.  
*tricolor*, Ledeb. *IC. Pl. Fl. Ross.* ii. 13. t. 135 = *patens*.  
*triphylla*, Regel, in *Act. Hort. Petrop.* v. (1877) 636. —Turkestan.  
*turcarum*, *Levier, in Bull. Soc. Sc. Nat. Neuchât.* xiv. (1884) 271 = *suaveolens*.  
*turcica*, Griseb. *Spicil. Fl. Rumel.* ii. 382 = *bithynica*.  
*turcica*, Kunth, *Enum. Pl.* iv. 221 = *acuminata*.  
*turcica*, Roth, *Catalect. fasc.* i. 45 = *syvestris*.  
*turkestanica*, Regel, in *Act. Hort. Petrop.* iii. ii. (1875) 296. —Turkestan.  
*undulata*, Jacquem. ex Baker, in *Journ. Linn. Soc.* xiv. (1874) 279 = *chrysanthia*.  
*undulatifolia*, Boiss. *Diagn. Ser. I.* v. 57. —As. Min.  
*unguiculata*, Rafin. *Fl. Tellur.* ii. 35 (Quid?). —Hab.?  
*uniflora*, Bess. ex Baker, in *Journ. Linn. Soc.* xiv. (1874) 295. —Sibir.  
*variopicta*, Reboul, *Select. Sp. Tulip.* 7 = *strangulata*.  
*violacea*, Boiss. & Buhse, in *Nouv. Mém. Soc. Nat. Mosc.* xii. (1860) 211. —Persia.  
*volgensis*, Bieb. ex Eichw. *Casp.-Cauc.* 2 = *suaveolens*.  
*wolgensis*, Auct. ex Steud. *Nom. ed. II.* ii. 723 = *Celsiana*.

**TULIPASTRUM**, Spach, *Hist. Vég. Phan.* vii. 481 (1839) = **Magnolia**, Linn.  
*americanum*, Spach, l. c. 483 = *M. acuminata*.

**TULIPIFERA**, Herm. ex Mill. *Gard. Dict.* ed. VI. (1752) = **Liriodendron**, Linn. (*Magnol.*).  
*Liriodendrum*, Mill. l. c. ed. VIII. = *L. tulipifera*.

**TULISMA**, Rafin. *Fl. Tellur.* ii. 98 (1836) = **Gesneria**, Linn.  
*verticillata*, Rafin. l. c. = *G. maculata*.

**TULLIA**, Leavenw. in *Am. Journ. Sc. Ser. I.* xx. (1830) 343. t. 5 = **Pycnanthemum**, Michx. (*Labi.*).  
*pycnanthemoides*, Leavenw. l. c. = *P. Tullia*.

**TULOCARPUS**, Hook. & Arn. *Bot. Beech. Voy.* 298. t. 63 (1841) = **Guardiola**, Cerv. (*Compos.*).  
*mexicanus*, Hook. & Arn. l. c. 299. t. 63 = *G. Tulocarpus*.

**TULOCLINIA**, Rafin. *Fl. Tellur.* iv. 119 (1836) = **Metalsia**, R. Br. (*Asclep.*).  
*imbricata*, Rafin. l. c. = *M. uniflora*.

**TULOPHOS**, Rafin. *Fl. Tellur.* iii. 71 (1836) = **Brodiaea**, Sm. (*Liliac.*).  
*grandiflora*, Rafin. l. c. = *B. Douglasii*.  
*laxa*, Rafin. l. c. = *B. laxa*.

**TULORIMA**, Rafin. *Fl. Tellur.* ii. 69 (1836) = **Saxifraga**, Tourn.  
*Cymbalaria*, Rafin. l. c. = *S. Cymbalaria*.

**TULOTIS**, Rafin. *Fl. Tellur.* ii. 37 (1836) = **Habenaria**, Willd. (*Orchid.*).  
*fuscescens*, Rafin. l. c. = *H. herbiola*.  
*herbiola*, Rafin. l. c. = *H. herbiola*.

**TUMALIS**, Rafin. *Fl. Tellur.* iv. 114 (1836) = **Euphorbia**, Linn.  
*Bojeri*, Rafin. l. c. = *E. Bojeri*.

**TUMBOA**, Welw. cf. *Gard. Chron.* (1861) 75 = **Welwitschia**, Hook. f. (1862) (*Gnetac.*).  
*Bainesii*, Hook. f. in *Gard. Chron.* (1861) 1008 = *W. mirabilis*.  
*strobilifera*, Welw. l. c. (1862) 71 = *W. mirabilis*.

**TUMELAIA**, Rafin. *Fl. Tellur.* iv. 105 (1836) = **Daphne**, Tourn. (*Thymel.*).

**TUNGA**, Roxb. *Fl. Ind. ed. Carey*, i. 187 (1820) = **Hypolytrum**, Rich. (*Cyperac.*).  
*diandra*, Roxb. l. c. 188 = *H. latifolium*, Rich.  
*laevigata*, Roxb. l. c. = *Lipocarpa argentea*.  
*triceps*, Roxb. l. c. 187 = *Lipocarpa sphacelata*.

**TUNICA**, Hall. *Enum. Stirp. Helv.* i. 381 (1742); Scop. *Fl. Carn.* ed. II. i. 298 (1772). **CARYOPHYLLEAE**, Benth. & Hook. f. i. 145.

**DIANTHELLA**, Clauson, ex Pomel, *Mat. Fl. Atl.* 9 (1860).

**FIEDLERIA**, Reichb. *Nom.* 206 (1841); *IC. Fl. Germ.* vi. t. 246 (1844).

**KOHLRAUSCHIA**, Kunth, *Fl. Berol.* i. 108 (1838).  
*arabica*, Boiss. *Diagn. Ser. I.* viii. 62. —Arab.

*arenaria*, Scop. *Fl. Carn.* ed. II. i. 301 = *Dianthus monspessulanus*.

*arenicola*, Nym. *Consp.* 100 = *T. Saxifraga*.  
*artegioides*, Auct. = *ortegioides*.

*barbata*, Scop. *Fl. Carn.* ed. II. i. 298 = *Dianthus barbatus*.

*bicolor*, Jord. & Fourr. *Brev. Pl. Nov. fasc.* i. 10 = *T. Saxifraga*.

*brachypetala*, Jaub. & Spach, *Illustr.* i. 10 = *pachygona*.

*Carthusianorum*, Scop. *Fl. Carn.* ed. II. i. 299 = *Dianthus Carthusianorum*.

*Caryophyllus*, Scop. l. c. 301 = *Dianthus Caryophyllus*.

*ciliata*, Dulac, *Fl. Hautes-Pyr.* 260 = *T. Saxifraga*.  
*compressa*, Fisch. & Mey. *Ind. Sem. Hort. Petrop.* iv. 50. —Afr. bor.

*cretica*, Fisch. & Mey. l. c. 49. —Ins. Creta.  
*dianthoides*, Fisch. & Mey. l. c. 48. —Ins. Creta.

*dianthoides*, Rafin. *Fl. Tellur.* ii. 54 = *Silene dianthoides*.

*erecta*, Jord. & Fourr. *Brev. Pl. Nov. fasc.* i. 10 = *T. Saxifraga*.

*Gasparrini*, Nym. *Consp.* 100. —Sicil.

*glumacea*, Boiss. *Fl. Orient.* i. 517. —Dalmat.; Graecia.

*graminea*, Boiss. *Diagn. Ser. I.* viii. 60. —Graecia.  
*hispidula*, Boiss. & Helder. l. c. 62. —As. Min.

*illyrica*, Fisch. & Mey. *Ind. Sem. Hort. Petrop.* iv. 49. —Europ. austr.

*Morrisii*, Walp. *Ann.* ii. 101 = *Dianthus Morrisii*.  
*ochroleuca*, Fisch. & Mey. *Ind. Sem. Hort. Petrop.* iv. 49. —Graecia.

*olympica*, Boiss. *Diagn. Ser. I.* viii. 61. —As. Min.  
*Orfanidesiana*, Clem. in *Mem. Acc. Sc. Torin.* Ser. II. xvi. (1857) 253 = *thessala*.

*ortegioides*, Fisch. & Mey. in *Ann. Sc. Nat. Sér.* IV. i. (1854) 36 (*artegioides*). —As. Min.

*pachygona*, Fisch. & Mey. *Ind. Sem. Hort. Petrop.* iv. 50. —As. Min.; Persia.

*pamphylica*, Boiss. & Bal. *Diagn. Ser. II.* vi. 27. —Pamphyli.

*plumaria*, Scop. *Fl. Carn.* ed. II. i. 300 = *Dianthus plumarius*.

*prolifera*, Scop. l. c. 299. —Europ.; Reg. Cauc.

*rigida*, Rafin. *Fl. Tellur.* ii. 54 = *Dianthus rigidus*?

*rigida*, Reichb. *IC. Fl. Germ.* v. 42 = *T. Saxifraga*.  
*Saxifraga*, Scop. *Fl. Carn.* ed. II. i. 300. —Europ.; Reg. Cauc.

*Sibthorpii*, Boiss. *Diagn. Ser. I.* viii. 61. —Graecia.  
*stricta*, Fisch. & Mey. *Ind. Sem. Hort. Petrop.* iv. 50. —As. Min.; Persia; Sibir.

*syriaca*, Boiss. *Diagn. Ser. I.* viii. 63. —Syria.  
*thessala*, Boiss. l. c. —Graecia.

*velutina*, Fisch. & Mey. *Ind. Sem. Hort. Petrop.* vi. 66. —Europ. austr.; Reg. Cauc.

**TUNICA:—**

*virginica*, Scop. Fl. Carn. ed. II. i. 302 = *Dianthus virgineus*.  
*xerophila*, Jord. & Fourr. Brev. Pl. Nov. fasc. i. 10 = *T. Saxifraga*.  
*xylophila*, Boiss. in Ann. Sc. Nat. Sér. IV. i. (1854) 246 = *Gypsophila ortegoides*.

TUPA, G. Don, Gen. Syst. iii. 700 (1834) = **Lobelia**, Plum. (Campan.).  
*acuminata*, A. DC. in DC. Prod. vii. 396 = *L. acuminata*.  
*arguta*, G. Don, Gen. Syst. iii. 700 = *Siphocampylus giganteus*.  
*assurgens*, A. DC. in DC. Prod. vii. 394 = *L. assurgens*.  
*atropurpurea*, Vis. in Nuov. Sagg. Padov. vi. (1847) 95 = *L. fulgens*?  
*Berterii*, A. DC. in DC. Prod. vii. 392 = *L. serrata*.  
*Bessieriana*, A. DC. l. c. 393 = *L. polyphylla*.  
*blanda*, D. Don, in Sweet, Brit. Flow. Gard. Ser. II. t. 308.—Chili.  
*bracteosa*, A. DC. in DC. Prod. vii. 393 = *L. polyphylla*.  
*Bridgesii*, A. DC. l. c. 394 = *L. Bridgesii*.  
*caudata*, Griseb. Fl. Brit. W. Ind. 386.—Ind. occ.  
*Cavanillesiana*, G. Don, Gen. Syst. iii. 700 = *L. mucronata*, Cav.  
*cirsifolia*, A. DC. in DC. Prod. vii. 395 = *L. cirsifolia*.  
*columnaris*, Vatke, in Linnaea, xxxviii. (1874) 725 = *L. columnaris*.  
*conglobata*, A. DC. in DC. Prod. vii. 395 = *L. conglobata*.  
*coquimbana*, Phil. ex Vatke, in Linnaea, xxxviii. (1874) 726 = *L. polyphylla*.  
*costaricana*, Planch. & Oerst. in Kjoeb. Vidensk. Meddel. (1857) 154.—Costa Rica.  
*crassicaulis*, Hook. Bot. Mag. t. 4505.—Hab.?  
*Deckenii*, Aschers. in Bot. Zeit. xxvii. (1869) 71; Decken, Reisen Ost-Afrika, iii. 74 = *L. Deckenii*.  
*digitalifolia*, Griseb. Fl. Brit. W. Ind. 387.—Ind. occ.  
*domingensis*, Vatke, in Linnaea, xxxviii. (1874) 728.—Ins. S. Doming.  
*ensifolia*, A. DC. in DC. Prod. vii. 396.—Ins. S. Doming.  
*Feuillei*, G. Don, Gen. Syst. iii. 700 = *L. Tupa*.  
*flavescens*, A. DC. in DC. Prod. vii. 395 = *L. conglobata*.  
*hyssopifolia*, A. DC. l. c. 392 = *L. hyssopifolia*.  
*ignescens*, Payer, Organog. t. 149 = *L. fulgens*?  
*imberbis*, Griseb. in Mem. Am. Acad. N. S. viii. (1862) 516.—Ind. occ.  
*infesta*, Griseb. Fl. Brit. W. Ind. 387.—Ind. occ.  
*Kerstenii*, Vatke, in Linnaea, xxxviii. (1874) 725 = *L. Deckenii*.  
*laxiflora*, Planch. & Oerst. in Kjoeb. Vidensk. Meddel. (1857) 154 = *L. laxiflora*.  
*Martagon*, Griseb. Fl. Brit. W. Ind. 386.—Ind. occ.  
*montana*, Phil. in Anal. Univ. Chil. (1873) 506.—Chili.  
*montana*, Wright, ex Griseb. Cat. Pl. Cub. 159.—Cuba.  
*mucronata*, A. DC. in DC. Prod. vii. 392 = *L. mucronata*, Cav.  
*obovata*, G. Don, Gen. Syst. iii. 700 = *L. incana*.  
*ovata*, G. Don, l. c.—Peruv.  
*ovata*, Phil. in Anal. Univ. Chil. (1873) 507.—Chili.  
*persicaefolia*, A. DC. in DC. Prod. vii. 395 = *L. persicaefolia*.  
*polyphylla*, G. Don, Gen. Syst. iii. 700 = *L. polyphylla*.  
*portoricensis*, Vatke, in Linnaea, xxxviii. (1874) 727.—Porto Rico.  
*purpurea*, G. Don, Gen. Syst. iii. 700 = *L. purpurea*.  
*racemosa*, A. DC. in DC. Prod. vii. 394 = *L. racemosa*, Sims.  
*Rhynchopetalum*, Hochst. ex A. Rich. Tent. Fl. Abyss. ii. 9 = *L. Rhynchopetalum*.  
*robusta*, A. DC. in DC. Prod. vii. 294 = *L. robusta*.  
*salicifolia*, G. Don, Gen. Syst. iii. 700 = *Siphocampylus giganteus*.  
*Schimperi*, Hochst. ex A. Rich. Tent. Fl. Abyss. ii. 10 = *L. Gibberoa*.  
*secunda*, G. Don, Gen. Syst. iii. 700 = *L. secunda*.  
*sonchifolia*, Griseb. Fl. Brit. W. Ind. 388 = *L. sonchifolia*.  
*stricta*, A. DC. in DC. Prod. vii. 395 = *L. stricta*.  
*subdentata*, A. DC. l. c. 393 = *L. polyphylla*.

VOL. II.

TUPEIA, Blume, Fl. Jav. Lanth. tt. 27, 28 (1830?) = **Henslowia**, Blume (Santal.).  
*microphylla*, Chalon, in Mém. Soc. Hainaut, Sér. III. v. (1870) 324 = *Lepidoceras Kingii*.  
*myrtifolia*, Chalon, l. c. = *Lanthanum myrtifolius*.  
*racemosa*, Korth. in Bull. Néerl. (1838) 157 = *H. Reinwardtiana*.  
*Reinwardtiana*, Blume, Fl. Jav. Lanth. t. 28; et ex Korth. in Verh. Batav. Gen. xvii. (1839) 195 = *H. Reinwardtiana*.  
*squamifera*, Chalon, in Mém. Soc. Hainaut, Sér. III. v. (1870) 324 = *Lepidoceras squamifer*.  
*umbellata*, Blume, Fl. Jav. Lanth. t. 27; et ex Korth. in Verh. Batav. Gen. xvii. (1839) 195 = *H. umbellata*.

TUPEIA, Cham. & Schlecht. in Linnaea, iii. (1828) 203. **LORANTHACEAE**, Benth. & Hook. f. iii. 216.  
*antarctica*, Cham. & Schlecht. l. c.—N. Zel.  
*Cunninghami*, Miq. l. c. xviii. (1844) 85 = *antarctica*.  
*pubigera*, Miq. l. c. 86 = *antarctica*.  
*undulata*, Colenso, in Trans. N. Z. Inst. xvi. (1884) 329 = *antarctica*.

TUPELO, Adans. Fam. ii. 80 (1763) = **Nyssa**, Gronov. (Cornac.).

TUPIDANTHUS, Hook. f. & Thoms. in Hook. Bot. Mag. t. 4908 (1856). **ARALIACEAE**, Benth. & Hook. f. i. 947.  
*calyptratus*, Hook. f. & Thoms. in Hook. Bot. Mag. t. 4908.—Reg. Himal.  
*Pueckleri*, C. Koch, in C. Koch & Fint. Wochenschr. ii. (1859) 348, cum f.—Java.

TUPISTRA, Ker-Gawl. in Bot. Mag. t. 1655 (1814). **LILIACEAE**, Benth. & Hook. f. iii. 772.  
*CAMPYLANDRA*, Baker, in Journ. Linn. Soc. xiv. (1875) 582, t. 20.  
*MACROSTIGMA*, Kunth, Ind. Sem. Hort. Berol. (1848) 12.—Cf. Ann. Sc. Nat. Sér. III. xi. (1849) 220; Enum. Pl. v. 319 (1850).  
*PLATYMETRA*, Noronha, ex Salisb. Gen. Pl. Fragm. 9 (1866).  
*TILICUSTA*, Rafin. Fl. Tellur. iv. 15 (1836).  
*aurantiaca*, Wall. Cat. n. 5194.—Reg. Himal.  
*Macrostigma*, Baker, in Hook. Bot. Mag. t. 6280.—Reg. Himal.  
*nutans*, Wall. in Bot. Reg. t. 1223.—Reg. Himal.  
*singaporeana*, Wall. Cat. n. 5195.—Singapore.  
*squalida*, Baker, in Journ. Linn. Soc. xiv. (1875) 580, partim = *T. Macrostigma*.  
*squalida*, Ker-Gawl. in Bot. Mag. t. 1655.—Ins. Amboina.  
*Stoliczana*, Kurz, in Journ. As. Soc. Beng. xlv. (1875) ii. 199.—Burma.

TURARIA, Spreng. Syst. ii. 260 (1825) = **Thuraria**, Molina (Inc. Sed.).

TURBINA, Rafin. Fl. Tellur. iv. 81 (1836) = **Ipomoea**, Linn. (Convolv.).  
*corymbosa*, Rafin. l. c. = *I. Burmanni*.

TURBITH, Tausch, in Flora, xvii. (1834) 343 = **Athamanta**, Linn. (Umbell.).  
*annua*, Tausch, l. c. = *A. cretensis*.  
*Matthioli*, Tausch, l. c. = *A. Matthioli*.

TURCZANINOVIA, DC. Prod. v. 257 (1836) = **Aster**, Tourn. (Compos.).  
*fastigiata*, DC. l. c.; Coll. Mém. ix. 20. t. 4 = *A. fastigiatus*.

TURETTA, Vell. Fl. Flum. 233 (1825) (Quid?).  
*racemosa*, Vell. l. c. 234; v. t. 115.—Bras.

TURGENIA, Hoffm. Gen. Umbell. 59 (1814) = **Caucalis**, Linn. (Umbell.).  
*brachyacantha*, Boiss. in Ann. Sc. Nat. Sér. III. ii. (1844) 52 = *C. latifolia*.  
*foeniculacea*, Fenzl, Pugill. Pl. Nov. Syr. 18.—As. Min.; Persia.  
*heterocarpa*, DC. Prod. iv. 218.—Persia.  
*latifolia*, Hoffm. Gen. Umbell. 59 = *C. latifolia*.  
*multiflora*, DC. Prod. iv. 218 = *C. latifolia*.  
*tuberculata*, Boiss. in Ann. Sc. Nat. Sér. III. ii. (1844) 52 = *C. latifolia*.

TURGENIOPSIS, Boiss. in Ann. Sc. Nat. Sér. III. ii. (1844) 53 = **Caucalis**, Linn. (Umbell.).  
*foeniculacea*, Boiss. l. c.—Syria.

TURGOSEA, Haw. Rev. Pl. Succ. 14 (1821) = **Crassula**, Dill.  
*alooides*, Haw. l. c. 16 = *C. alooides*.  
*capitella*, Haw. l. c. 17 = *C. capitella*.  
*linguaeifolia*, Haw. l. c. 14 = *C. linguaeifolia*.  
*obovata*, Haw. l. c. 16 = *C. obovata*.  
*pertusa*, Haw. l. c. 14 = *C. pertusa*.  
*thyrsiflora*, Haw. l. c. 17 = *C. thyrsiflora*.  
*tomentosa*, Haw. l. c. 14 = *C. tomentosa*.  
*turrita*, Haw. l. c. 17 = *C. turrita*.

TURIA, Forsk. Fl. Aegypt. Arab. 165 (1775) = **Luffa**, Tourn. (Cucurb.).  
*cordata*, J. F. Gmel. Syst. 403 = *L. aegyptiaca*.  
*cylindrica*, J. F. Gmel. l. c. = *L. aegyptiaca*.  
*Gijef*, Forsk. Aegypt. Arab. 166 = *Coralocarpus Gijef*.  
*Lelofa*, Forsk. l. c. 165 (Quid?).—Arab.  
*Moghadd*, Forsk. l. c. 166 = *Coccinia Moimoi*.  
*sativa*, Forsk. l. c. p. cxxi. = *L. aegyptiaca*.

TURNERA, Plum. ex Linn. Gen. ed. I. 87 (1737). **TURNERACEAE**, Benth. & Hook. f. i. 806.  
*BOHADSCHIA*, Presl, Rel. Haenk. ii. 98. t. 68 (1831).  
*PUMILEA*, P. Br. Hist. Jamaic. 188 (1756).  
*TRIACIS*, Griseb. in Mem. Am. Acad. N. S. viii. (1860) (Pl. Wright. Cub.) 189.  
*TRIBOLACIS*, Griseb. Fl. Brit. W. Ind. 297 (1860).  
*acaulis*, Griseb. Cat. Pl. Cub. 114.—Cuba.  
*acuta*, Spreng. Syst. i. 940 = *ulmifolia*.  
*acuta*, Willd. ex Schult. Syst. vi. 678.—Bras.  
*alba*, Liebm. in Ann. Sc. Nat. Sér. III. ix. (1848) 318 = *ulmifolia*.  
*albicans*, Urban, in Eichl. Jahrb. Berl. ii. (1883) 135.—Bras.  
*angustifolia*, Mill. Gard. Dict. ed. VIII. n. 2 = *ulmifolia*.  
*annularis*, Urban, in Eichl. Jahrb. Berl. ii. (1883) 124.—Bras.  
*aphrodisiaca*, L. F. Ward, Virgin. Med. Monthly (April 1876), 49; ex Journ. Bot. xviii. (1880) 20 = *diffusa*.  
*apifera*, DC. Prod. iii. 346, sphalm. = *opifera*.  
*arcuata*, Urban, in Eichl. Jahrb. Berl. ii. (1883) 146.—Bras.  
*arenaria*, Spruce, ex Urban, l. c. 115 = *melochioides*.  
*aspera*, Poir. Encyc. viii. 144 = *Piriqueta villosa*.  
*aturensis*, D. Dietr. Syn. Pl. ii. 1008 = *Piriqueta villosa*.  
*aurantiaca*, Benth. in Hook. Journ. Bot. iv. (1842) 116.—Guian.  
*aurea*, Cambess. in A. St. Hil. Fl. Bras. Mer. ii. 226 = *Piriqueta aurea*.  
*Benthamiana*, Schomb. Faun. Fl. Brit. Gui. 1166 = *velutina*.  
*Berneriana*, Tul. in Ann. Sc. Nat. Sér. V. ix. (1868) 322 = *Piriqueta Berneriana*.  
*betonicaefolia*, Salisb. Prod. 174 = *Piriqueta villosa*.  
*Blanchetiana*, Urban, in Eichl. Jahrb. Berl. ii. (1883) 180.—Bras.  
*brasiliensis*, Willd. ex Schult. Syst. vi. 678.—Bras.  
*callosa*, Urban, in Eichl. Jahrb. Berl. ii. (1883) 105.—Mexic.  
*ealyptrocarpa*, Urban, l. c. 128.—Bras.  
*capensis*, Harv. in Harv. & Sond. Fl. Cap. ii. 599 = *Piriqueta capensis*.  
*capitata*, Cambess. in A. St. Hil. Fl. Bras. Mer. ii. 215.—Bras.  
*caroliniana*, S. Wats. Bibliog. Ind. N. Am. Bot. 391 = *Piriqueta fulva*.  
*carpinifolia*, H. B. & K. Nov. Gen. et Sp. vi. 125 = *acuta*.  
*cearensis*, Urban, in Eichl. Jahrb. Berl. ii. (1883) 100.—Bras.  
*chamaedrifolia*, Cambess. in A. St. Hil. Fl. Bras. Mer. ii. 221.—Bras.  
*Chamaedrys*, Klotzsch, in Schomb. Faun. Fl. Brit. Gui. 1166, nomen = *ulmifolia*.  
*cistoides*, Baill. Hist. Pl. iv. 287 = *ulmifolia*.  
*cistoides*, Linn. Sp. Pl. ed. II. 387 = *Piriqueta villosa*.  
*cistoides*, Pursh, Fl. Am. Sept. i. 206 = *Piriqueta fulva*.  
*Clausseniana*, Urban, in Eichl. Jahrb. Berl. ii. (1883) 89.—Bras.  
*coerulea*, [Moç. & Sesse,] ex DC. Prod. iii. 346 = *ulmifolia*.  
*corchorifolia*, Willd. ex Schult. Syst. vi. 678 = *odorata*.

7 F

**TURNERA:—**

- corchoroides*, Klotzsch, in Schomb. Faun. Fl. Brit. Gui. 1166, nomen = *ulmifolia*.  
*coriacea*, Urban, in *Eichl. Jahrb. Berl.* ii. (1883) 144.—Bras.  
*cuneifolia*, Juss. ex Urban, l. c. 139 = seq.  
*cuneiformis*, Juss. ex Poir. Encyc. viii. 142 = *ulmifolia*.  
*curassavica*, Urban, in *Eichl. Jahrb. Berl.* ii. (1883) 118.—N. Granat.  
*decipiens*, Baill. Adansonia, x. (1872) 246 = *dichotoma*.  
*Desvauxii*, DC. Prod. iii. 348 = *hirta*.  
*dichotoma*, Gardn. ex Hook. Ic. Pl. t. 522.—Bras.  
*diffusa*, Willd. ex Schult. Syst. vi. 679.—Bras.  
*dolichostigma*, Urban, in *Eichl. Jahrb. Berl.* ii. (1883) 106.—Bras.  
*Duariteana*, Cambess. in A. St. Hil. Fl. Bras. Mer. ii. 223 = *Piriqueta Duarteana*.  
*elegans*, [Otto, ex] Nees, Hor. Phys. Berol. 36 = *ulmifolia*.  
*elliptica*, Urban, in *Eichl. Jahrb. Berl.* ii. (1883) 107.—Bras.  
*frutescens*, Aubl. Pl. Gui. i. 290, t. 113. f. 2 = *rupestris*.  
*frutescens*, Mill. ex Steud. Nom. ed. I. 858 = *ulmifolia*.  
*genistoides*, Cambess. in A. St. Hil. Fl. Bras. Mer. ii. 220, t. 121.—Bras.  
*glabra*, DC. Prod. iii. 347 = *Piriqueta fulva*.  
*Glaziovii*, Urban, in *Eichl. Jahrb. Berl.* ii. (1883) 93.—Bras.  
*guianensis*, Aubl. Pl. Gui. i. 291, t. 114.—Guian.  
*hebetepala*, Urban, in *Eichl. Jahrb. Berl.* ii. (1883) 127.—Bras.  
*helianthemoides*, Cambess. in A. St. Hil. Fl. Bras. Mer. ii. 224 = *Piriqueta villosa*.  
*hermannioides*, Cambess. l. c. 218.—Bras.  
*hexandra*, Spreng. Syst. iv. Cur. Post. 124 = *odorata*.  
*Hilaireana*, Urban, in *Eichl. Jahrb. Berl.* ii. (1883) 108 = *lanceolata*.  
*Hindsiana*, Benth. Bot. Voy. Sulph. 101.—Ecuador.  
*Hindsiana*, Hemsl. Biol. Centr. Am. Bot. i. 474 = *panamensis*.  
*hirsuta*, Bert. ex DC. Prod. iii. 347 = *Piriqueta villosa*.  
*hirsutissima*, Wright, in Sauv. Fl. Cub. 55 = *T. Pumilea*.  
*hirta*, Desv. in Ham. Prod. Pl. Ind. Occ. 33.—Guian.  
*hirta*, Willd. ex Schult. Syst. vi. 678 = *Piriqueta villosa*.  
*Humboldtii*, Spreng. Syst. i. 941 = *guianensis*.  
*humifusa*, Endl. ex Walp. Rep. ii. 230 = *diffusa*.  
*incana*, Cambess. in A. St. Hil. Fl. Bras. Mer. ii. 217.—Bras.  
*integrifolia*, Willd. ex Schult. Syst. vi. 679 = *Piriqueta fulva*.  
*lamiifolia*, Cambess. in A. St. Hil. Fl. Bras. Mer. ii. 213.—Bras.  
*lanceolata*, Cambess. l. c. 214.—Bras.  
*longiflora*, Cambess. l. c. 216.—Bras.  
*longipes*, Triana, ex Urban, in *Eichl. Jahrb. Berl.* ii. (1883) 99.—Venezuela.  
*lucida*, Urban, l. c. 137.—Bras.  
*lutescens*, Cambess. in A. St. Hil. Fl. Bras. Mer. ii. 217 = *opifera*.  
*macrophylla*, Urban, in *Eichl. Jahrb. Berl.* ii. (1883) 95.—Bras.  
*Melochia*, Triana & Planch. in Ann. Sc. Nat. Sér. V. xvii. (1873) 187.—N. Granat.  
*melochioides*, Cambess. in A. St. Hil. Fl. Bras. Mer. ii. 219.—Bras.  
*microphylla*, Desv. in Ham. Prod. Pl. Ind. Occ. 33 = *diffusa*.  
*mollis*, H. B. & K. Nov. Gen. et Sp. vi. 126 = *ulmifolia*.  
*nana*, Cambess. in A. St. Hil. Fl. Bras. Mer. ii. 219.—Bras.  
*nervosa*, Urban, in *Eichl. Jahrb. Berl.* ii. (1883) 108.—Paraguay.  
*oblongifolia*, Cambess. in A. St. Hil. Fl. Bras. Mer. ii. 215 = *lanceolata*.  
*obtusifolia*, Sm. in Rees, Cycl. xxxvi. n. 3 = *ulmifolia*.  
*odorata*, Rich. in Act. Soc. Hist. Nat. Par. i. (1792) 107.—Guian.  
*odorata*, Vahl, ex DC. Prod. iii. 346 = *ulmifolia*.  
*opifera*, Benth. in Hook. Journ. Bot. iv. (1842) 115 = *ulmifolia*.  
*opifera*, Mart. Reise Bras. i. 552.—Bras.  
*ovata*, Bello & Espinosa, in Anal. Soc. Esp. Hist. Nat. x. (1881) 275 = *Piriqueta ovata*.

**TURNERA:—**

- panamensis*, Urban, in *Eichl. Jahrb. Berl.* ii. (1883) 92.—Panama.  
*paniculata*, Willd. in Schult. Syst. vi. 678 = *Melochia graminifolia*.  
*parviflora*, Benth. in Hook. Journ. Bot. iv. (1842) 116 = *odorata*.  
*pernambucensis*, Urban, in *Eichl. Jahrb. Berl.* ii. (1883) 133.—Bras.  
*peruviana*, Willd. ex Schult. Syst. vi. 679 = *ulmifolia*.  
*pinifolia*, Cambess. in A. St. Hil. Fl. Bras. Mer. ii. 220.—Bras.  
*pinnatifida*, Juss. ex Poir. Encyc. viii. 144 = *sidoides*.  
*Pohlana*, Urban, in *Eichl. Jahrb. Berl.* ii. (1883) 104.—Bras.  
*procumbens*, Gardn. ex Hook. Ic. Pl. sub t. 522 = *genistoides*.  
*pumila*, Hill, Veg. Syst. xiv. 6, sphalm. = seq.  
*Pumilea*, Linn. Syst. ed. X. 965.—Am. trop.  
*Pumilea*, Poir. Encyc. viii. 143 = *diffusa*.  
*racemosa*, Jacq. Hort. Vindob. iii. 49 = *Piriqueta racemosa*.  
*ramosissima*, Spruce, ex Urban, in *Eichl. Jahrb. Berl.* ii. (1883) 116 = *melochioides*.  
*refracta*, Klotzsch, in Schomb. Faun. Fl. Brit. Gui. 1166, nomen = *ulmifolia*.  
*Riedeliana*, Urban, in *Eichl. Jahrb. Berl.* ii. (1883) 110.—Bras.  
*rosea*, Cambess. in A. St. Hil. Fl. Bras. Mer. ii. 225 = *Piriqueta rosea*.  
*rugosa*, Willd. Sp. Pl. i. 1504 = *Piriqueta villosa*.  
*rupestris*, Aubl. Pl. Gui. i. 289, t. 113. f. 1.—Guian.  
*salicifolia*, Cambess. in A. St. Hil. Fl. Bras. Mer. ii. 227 = *serrata*.  
*salicifolia*, Seem. Bot. Voy. Herald, 130 = *panamensis*.  
*Schomburgkiana*, Urban, in *Eichl. Jahrb. Berl.* ii. (1883) 132.—Guian.  
*sedoides*, DC. Prod. iii. 347 = *sidoides*.  
*sericea*, H. B. & K. Nov. Gen. et Sp. vi. 127 = *ulmifolia*.  
*serrata*, Vell. Fl. Flum. 128; iii. t. 108.—Bras.  
*setosa*, Sm. in Rees, Cycl. xxxvi. n. 6 = *sidoides*.  
*sidaefolia*, Cambess. in A. St. Hil. Fl. Bras. Mer. ii. 227 = *Piriqueta sidifolia*.  
*sidoides*, Linn. Mant. i. 58.—Bras.  
*sidoides*, Vell. Fl. Flum. 127; iii. t. 107 (Quid ?).—Bras.  
*stachydifolia*, Urban & Rolfe, in *Eichl. Jahrb. Berl.* ii. (1883) 122.—Bras.  
*stipularis*, Urban, l. c. 131.—Bras.  
*subglabra*, Klotzsch, in Schomb. Faun. Fl. Brit. Gui. 984, nomen = *aurantiaca*.  
*subulata*, Sm. in Rees, Cycl. xxxvi. n. 2 = *ulmifolia*.  
*surinamensis*, Miq. in Linnaea, xviii. (1844) 748 = *ulmifolia*.  
*tomentosa*, H. B. & K. Nov. Gen. et Sp. vi. 125 = *odorata*.  
*tomentosa*, Willd. ex Schult. Syst. vi. 678 = *Piriqueta villosa*.  
*tomentosa*, Wood, Am. Bot. & Flor. 129 = *Piriqueta fulva*.  
*trigona*, Urban, in *Eichl. Jahrb. Berl.* ii. (1883) 111.—Bras.  
*trioniflora*, Sims, Bot. Mag. t. 2106 = *ulmifolia*.  
*ulmifolia*, Linn. Sp. Pl. 271.—Am. trop.  
*velutina*, Benth. in Hook. Journ. Bot. iv. (1842) 116.—Guian.  
*velutina*, Presl, Rel. Haenk. ii. 44 = *ulmifolia*.  
*villosa*, Raeusch. Nom. ed. III. 86 = *Piriqueta villosa*.  
*virgata*, Willd. ex Schult. Syst. vi. 678 = *ulmifolia*.  
*viscosa*, Sauvalle, Fl. Cub. 55 = *Piriqueta viscosa*.  
*Weddelliana*, Urban & Rolfe, in *Eichl. Jahrb. Berl.* ii. (1883) 90.—Paraguay.  
*xanthotricha*, Shuttlew. ex Urban, l. c. 71 = *Piriqueta fulva*.  
*xanthotricha*, Shuttlew. ex Urban, l. c. = *praec.*

**TURPINIA**, Humb. & Bonpl. Pl. Aequin. i. 113. t. 33 (1808) = **Barnadesia**, Mutis (Compos.).  
*laurifolia*, Humb. & Bonpl. l. c. (= *Fulcaldea laurifolia*).—Peruv.

**TURPINIA**, Lex. in La Llave & Lex. Nov. Veg. Desc. fasc. i. 24 (1824) = **Vernonia**, Schreb. (Compos.).  
*tomentosa*, Lex. l. c. = **V. Monosis**.

**TURPINIA**, Pers. Syn. ii. 314 (1807) = **Poiretia**, Vent. (Legumin.).  
*montevidensis*, Spreng. Syst. iv. Cur. Post. 293 = **P. psoraloides**.  
*punctata*, Pers. Syn. ii. 314 = **P. punctata**.

**TURPINIA**, Rafin. in Med. Repos. N. York, v. (1808) 352 = **Rhus**, Tourn. (Anacard.).  
*aromatica*, Rafin. ex Desv. Journ. Bot. ii. (1809) 170 = **R. aromatica**.  
*glabra*, Rafin. in Med. Repos. N. York, v. (1808) 352 = **R. glabra**.  
*pubescens*, Rafin. l. c. = **R. pubescens** ?  
*suaveolens*, Rafin. l. c. = **R. aromatica**.

**TURPINIA**, Vent. Choix, 31. t. 31 (1803). **SAPIN-DACEAE**, Benth. & Hook. f. i. 413.

**DALRYMPLEA**, Roxb. Hort. Beng. 17 (1814); Pl. Corom. iii. 76. t. 279 (1819).

**EYREA**, Champ. in Hook. Kew Journ. iii. (1851) 331.

**LACEPEDEA**, H. B. & K. Nov. Gen. et Sp. v. 142. t. 144 (1821).

**OCHRANTHE**, Lindl. Bot. Reg. t. 1819 (1836).

**TRICERIA**, Willd. ex Roem. & Schult. Syst. iv. 803 (1819).

*arguta*, Seem. Bot. Voy. Herald, 371.—China.

*corymbosa*, G. Don, Gen. Syst. ii. 3 = *occidentalis*.

*glandulosa*, Bello, in Anal. Soc. Esp. Hist. Nat. x. (1881) 250.—Porto Rico.

*insignis*, Tul. in Ann. Sc. Nat. Sér. III. vii. (1847) 296.—Mexic.

*latifolia*, Wall. Cat. n. 4939 = *pomifera*.

*martabanica*, Wall. Cat. n. 4278 = *pomifera*.

*megaphylla*, Tul. in Ann. Sc. Nat. Sér. III. vi. (1846) 361.—N. Granat.

*microcarpa*, Wight & Arn. Prod. 156 = *pomifera*.

*montana*, Kurz, in Journ. As. Soc. Beng. xlv. (1875) 11. 182 = *pomifera*.

*nepalensis*, Wall. Cat. n. 4277 = *pomifera*.

*occidentalis*, G. Don, Gen. Syst. ii. 3.—Ind. occ.

*paniculata*, Vent. Choix, 31.—Ind. occ.; Mexic.

*pinnata*, Hemsl. Biol. Centr. Am. Bot. i. 216.—Mexic.

*pomifera*, DC. Prod. ii. 3.—As. trop.

*Schiedeana*, Tul. in Ann. Sc. Nat. Sér. III. vii. (1847) 296.—Mexic.

*sphaerocarpa*, Hassk. in Flora, xxv. (1842) 11. Beibl. 42.—Java.

**TURPITHUM**, Rafin. Fl. Tellur. iv. 71 (1836) =

**Ipomoea**, Linn. (Convolv.).

*australe*, Rafin. l. c. = **I. Turpethum**.

*indicum*, Rafin. l. c. = **I. Turpethum**.

**TURRAEA**, Linn. Mant. ii. 150 (1771). **MELIACEAE**, Benth. & Hook. f. i. 331.

**RUTAEA**, M. Roem. Syn. Hesper. 93 (1846).

**SCYPHOSIGMA**, M. Roem. l. c. 80 (1846).

**STEPHANOSIPHON**, Boiss. ex C. DC. in DC. Monog. Phan. i. 446 (1878).

*abyssinica*, Hochst. in Flora, xxiv. (1841) 1. Intell. 29.—Abyss.

*alata*, Wight & Arn. Prod. 117; Wight, Ic. t. 90 = **Naregamia alata**.

*americana*, Vell. Fl. Flum. 175; iv. t. 100.—Bras.

*Billardieri*, Juss. in Mém. Mus. Par. xix. (1830) 218 = *pubescens*.

*Boivini*, Baill. Adansonia, xi. (1873-76) 253.—Madag.

*Brownii*, C. DC. in DC. Monog. Phan. i. 442.—Austral.

*concinna*, Benn. Pl. Fav. Rar. i. 182.—Java.

*decandra*, Blanco, Fl. Philipp. ed. I. 347 = **Dysoxylum Blancoi**.

*floribunda*, Hochst. in Flora, xxvii. (1844) 297.—Afr. austr.

*Fockei*, Buchen. in Bremen, Abh. vii. (1880) 14.—Madag.

*glabra*, Cav. Diss. vii. 360 = *maculata*.

*graciliflora*, Schlecht. in Linnaea, xxv. (1852) 217 = *heterophylla*.

*herbacea*, Poir. Encyc. viii. 147 = **Schwenkia brasiliensis**.

*heterophylla*, Harv. & Sond. Fl. Cap. i. 245 = *floribunda*.

*heterophylla*, Sm. in Rees, Cycl. xxxvi. n. 6.—Afr. trop.

**TURRAEA** :—

- Hildebrandtii, *O. Hoffm. Sert. Pl. Madag.* 10.—Madag. indica, *C. DC. in DC. Monog. Phan.* i. 439.—Ind. or.  
 Kindtii, *Buchen. in Bremen, Abh.* vii. (1880) 15.—Madag.  
*lanceolata*, Cav. Diss. vii. 361. t. 205. f. 1 = *Quivisia lanceolata*.  
*lobata*, Lindl. Bot. Reg. (1843) Misc. 61 = heterophylla.  
*maculata*, Sm. *IC. Ined.* t. 11.—Madag.  
*mombassana*, *Hiern, ex C. DC. in DC. Monog. Phan.* i. 439.—Afr. trop.  
*nilotica*, *Kotschy & Peyr. Pl. Tinn.* 12. t. 6.—Afr. trop.  
*obtusifolia*, *Hochst. in Flora*, xxvii. (1844) 296 (err. typ. 962).—Afr. austr.  
*octandra*, *Blanco, Fl. Philipp.* ed. I. 349.—Ins. Philipp.  
*Pervillii*, *Baill. Adansonia*, xi. (1873–76) 252.—Afr. trop.  
*pinnata*, *Span. in Linnaea*, xv. (1841) 183.—Ins. Timor.  
*pinnata*, Wall. Pl. As. Rar. ii. 21. t. 119 = *Munronia Wallichii*.  
*procera*, *C. DC. in DC. Monog. Phan.* i. 444.—Afr. trop.  
*producta*, *Baill. Adansonia*, xi. (1873–76) 254.—Madag.  
*propinqua*, Hook. f. in Hook. Niger Fl. 254 = *Vogelii*.  
*pubescens*, Benth. Fl. Austral. i. 379 = *Brownii*.  
*pubescens*, *Hellen. in Vet. Acad. Nya Handl. Stockh.* ix. (1788) 308. t. 10. f. 1.—China.  
*pumila*, *Benn. Pl. Fav. Rar.* i. 183.—Java.  
*quercifolia*, G. Don, Gen. Syst. i. 678 = heterophylla.  
*Richardi*, *Baill. Adansonia*, xi. (1873–76) 252.—Madag.  
*rigida*, Vent. Choix, 48 = *Quivisia chilosantha*.  
*sericea*, Sm. *IC. Ined.* t. 12.—Madag.  
*stricta*, Steud. Nom. ed. I. 859; ed. II. ii. 725 = *Quivisia chilosantha*.  
*tetramera*, *Benn. Pl. Jav. Rar.* 184 = *Quivisia tetramera*.  
*tomentosa*, Cav. Diss. vii. 361. t. 205 = *sericea*.  
*tricaracopsis*, *Baill. Adansonia*, xi. (1873–76) 252.—Afr. trop.  
*trichostylis*, Miq. Fl. Ind. Bat. Suppl. 502 = *Leptonychia glabra*.  
*villosa*, *Benn. Pl. Fav. Rar.* i. 182.—Java.  
*virens*, *Blanco, Fl. Philipp.* ed. II. 243 = *Dysoxylum Blancoi*.  
*virens*, *Hellen. in Vet. Acad. Nya Handl. Stockh.* ix. (1788) 308. t. 10. f. 1 = *Atalantia monophylla*.  
*virens*, *Linn. Mant.* ii. 237 (err. typ. 732).—Ind. or.  
*Vogelii*, *Hook. f. in Hook. Niger Fl.* 253.—Afr. trop.  
*Wakefieldii*, *Oliver, in Hook. IC. Pl.* t. 1489.—Afr. trop.  
*Zollingeri*, *C. DC. in DC. Monog. Phan.* i. 441.—Java.

**TURRAEANTHUS**, *Baill. Adansonia*, xi. (1874) 261. **MELIACEAE**.  
*longipes*, *Baill. l. c.* 262.—Afr. trop.  
*Mannii*, *Baill. l. c.* 261.—Afr. trop.

**TURRETIA**, DC. Prod. ix. 236 (1845) = seq.

**TURRETTIA**, Poir. Encyc. vii. 719 (1806) = **Tourretia**, Foug. (Bignon.).

**TURRIGERA**, Decne. in DC. Prod. viii. 590 (1844). **ASCLEPIADEAE**, Benth. & Hook. f. ii. 751.  
*halophila*, *Griseb. in Goett. Abh.* xxiv. (1879) 232.—Reg. Argent.  
*inconspicua*, *Decne. in DC. Prod.* viii. 590.—Bras.

**TURRITA**, Wallr. Sched. Crit. 351, in nota (1822) = **Arabis**, Linn. (Crucif.).  
*major*, Wallr. l. c. 352 = *A. Turrita*.  
*pendula*, Wallr. l. c. = *A. pendula*.

**TURRITIS**, Tourn. ex Linn. Syst. ed. I (1735) = **Arabis**, Linn. (Crucif.).  
*accedens*, Fourn. in Ann. Soc. Linn. Lyon, N. S. xvi. (1868) 333 = *A. hirsuta*.  
*alpestris*, Schleich. Cat. Pl. Helv. ed. IV. 36 = *A. ciliata*.

**TURRITIS** :—

- alpina*, Braune, Salisb. Fl. ii. t. 2 = *Arabis bellidifolia*, *pumila*.  
*alpina*, Linn. Syst. ed. XII. 443 = *A. hirsuta*.  
*arenosa*, Lapeyr. Hist. Abr. Pl. Pyr. i. 387 = *A. arenosa*.  
*arvensis*, R. Br. in Ait. Hort. Kew. ed. II. iv. 108 = *Moricandia arvensis*.  
*auriculata*, Fourn. in Ann. Soc. Linn. Lyon, N. S. xvi. (1868) 332 = *A. auriculata*.  
*bellidifolia*, All. Fl. Pedem. i. 270 = *A. bellidifolia*.  
*brachycarpa*, Torr. & Gray, Fl. N. Am. i. 79 = *A. Drummondii*.  
*Brassica*, Leers, Fl. Herborn. 147 = *A. brassicaeformis*.  
*Breutelii*, Reichb. ex Lange, Consp. Fl. Groenl. i. 50 = *A. Breutelii*.  
*caerulea*, All. Fl. Pedem. i. 270 = *A. caerulea*.  
*cenisia*, Fourn. in Ann. Soc. Linn. Lyon, N. S. xvi. (1868) 333 = *A. alpestris*.  
*ciliata*, Hoepf. Mag. Naturk. Helv. iv. (1789) 29, 38 = *A. ciliata*.  
*ciliata*, Tausch, in Flora, xix. (1836) 407 = *A. hirsuta*.  
*collisparva*, Fourn. in Ann. Soc. Linn. Lyon, N. S. xvi. (1868) 333 = *A. hirsuta*.  
*curtisiliqua*, Fries, ex DC. Syst. ii. 223 = *A. hirsuta*.  
*diffusa*, Hook. Fl. Bor. Am. i. 41 = *Sisymbrium salsugineum*.  
*Dregeana*, Sond. in Linnaea, xxiii. (1850) 2 = *A. perfoliata*.  
*elongata*, Raesch. Nom. ed. III. 189 = *A. Turrita*.  
*enneaphyllos*, Scop. ex Steud. Nom. ed. I. 268, 859 = *Cardamine enneaphylla*.  
*falcata*, Turcz. in Bull. Soc. Nat. Mosc. (1840) 63.—Sibir.  
*Gerardi*, Bess. Prim. Fl. Galic. ii. 87 = *A. Gerardi*.  
*Gerardi*, Presl, ex Nym. Consp. 33 = *A. hirsuta*.  
*Gerardiana*, Ram. ex DC. Syst. ii. 222 = *A. hirsuta*.  
*glabra*, Linn. Sp. Pl. 666 = *A. perfoliata*.  
*Grahamii*, Lehm. Del. Sem. Hort. Hamb. (1831) 7.—Cf. *Linnaea*, vi. (1831) Litt. 74 = *A. Holboellii*.  
*hirsuta*, Brot. ex Nym. Consp. 33 = *A. lusitanica*.  
*hirsuta*, Linn. Sp. Pl. 666 = *A. hirsuta*.  
*hirtella*, Fourn. in Ann. Soc. Linn. Lyon, N. S. xvi. (1868) 333 = *A. hirsuta*.  
*hispidula*, Hemsl. Biol. Centr. Am. Bot. i. 35, sphalm. = *Sisymbrium hispidulum*.  
*hispidula*, DC. Syst. ii. 213 = *Sisymbrium hispidulum*.  
*humilis*, Schleich. ex Koch, Syn. Fl. Germ. ed. I. 40 = *A. muralis*.  
*idanensis*, Fourn. in Ann. Soc. Linn. Lyon, N. S. xvi. (1868) 333 = *A. hirsuta*.  
*laevigata*, Muhl. ex Willd. Sp. Pl. iii. 543 = *A. laevigata*.  
*lasiophylla*, Hook. & Arn. Bot. Beech. Voy. 321 = *Sisymbrium reflexum*.  
*Loeselii*, R. Br. in Ait. Hort. Kew. ed. II. iv. 109 = *Sisymbrium Loeselii*.  
*lyrata*, Rafin. in Am. Monthly Mag. ii. (1817) 44 = *A. canadensis*.  
*macrocarpa*, Nutt. in Torr. & Gray, Fl. N. Am. i. 78 = *A. perfoliata*.  
*minor*, Schleich. ex Willd. Enum. Hort. Berol. 685 = *A. incana*, *muralis*.  
*mollis*, Hook. Fl. Bor. Am. i. 40 = *A. Holboellii*?  
*mollissima*, Hoepf. Mag. Naturk. Helv. iv. (1789) 29, 38 = *A. saxatilis*.  
*multiflora*, Lapeyr. Hist. Abr. Pl. Pyr. 386 = *A. hirsuta*.  
*muralis*, Fourn. in Ann. Soc. Linn. Lyon, N. S. xvi. (1868) 333 = *A. muralis*.  
*nemorensis*, Wolf. in Hoffm. Deutschl. Fl. ed. II. ii. 58 = *A. hirsuta*.  
*oblongata*, Rafin. in Am. Monthly Mag. ii. (1817) 44 = *A. hirsuta*.  
*ochroleuca*, Lam. Fl. Fr. ii. 490 = *A. Turrita*.  
*ovata*, Pursh, Fl. Am. Sept. ii. 438 = *A. hirsuta*.  
*patula*, Ehrh. Beitr. vii. (1792) 159 = *A. auriculata*.  
*patula*, R. Grah. in Edinb. N. Phil. Journ. (July–Oct. 1829) 350 = *A. Holboellii*.  
*pauciflora*, Grimm, in Nov. Act. Nat. Cur. iii. (1767) App. 348 = *A. brassicaeformis*.  
*pendula*, Desf. Tabl. ed. II. 152 = *A. Turrita*.  
*perfoliata*, Neck. Delic. Gallo-Belg. 283 = *A. perfoliata*.  
*planisiliqua*, Pers. Syn. ii. 205 = *A. hirsuta*.  
*praecox*, Sm. in Rees, Cycl. xxxvi. n. 5 = *A. hirsuta*.  
*procera*, Fourn. in Ann. Soc. Linn. Lyon, N. S. xvi. (1868) 332 = *A. Gerardi*.  
*propera*, Fourn. l. c. 333 = *A. hirsuta*.

**TURRITIS** :—

- pubescens*, Desf. Fl. Atlant. ii. 92 = *Arabis pubescens*.  
*pubigera*, Fourn. in Ann. Soc. Linn. Lyon, N. S. xvi. (1868) 333 = *A. Gerardi*.  
*purpurea*, Lam. Fl. Fr. ii. 491 = *A. verna*.  
*Raii*, Vill. Prosp. 39; Hist. Pl. Dauph. iii. 326. t. 38 = *A. stricta*.  
*Raji*, J. & C. Presl, Fl. Čech. 140 = *A. hirsuta*.  
*recta*, Mert. & Koch, Deutschl. Fl. iv. 744 (Index) = *A. auriculata*.  
*retrofracta*, Hook. Fl. Bor. Am. i. 41 = *A. Holboellii*.  
*rigida*, Wall. Cat. n. 4783 = *A. perfoliata*.  
*rigidula*, Fourn. in Ann. Soc. Linn. Lyon, N. S. xvi. (1868) 332 = *A. Gerardi*.  
*rupestris*, Hoppe, ex Roehl. Deutschl. Fl. ed. II. 358; et ex Braune, in Flora, ii. (1819) 566 = *A. ciliata*.  
*sagittata*, Bertol. Pl. Genuens. 185 = *A. Gerardi*.  
*sagittata*, Jahn, ex Schrank, Pl. Rar. Hort. Monac. t. 99 = *A. brassicaeformis*.  
*salsuginosa*, DC. Syst. ii. 212 = *Sisymbrium salsugineum*.  
*sanguinea*, Claus, in Beitr. Pf. Russ. Reich. viii. 57.—Rossia.  
*saxatilis*, Kit. in Linnaea, xxxii. (1863) 495 = *A. saxatilis*?  
*serpyllifolia*, Fourn. in Ann. Soc. Linn. Lyon, N. S. xvi. (1868) 332 = *A. serpyllifolia*.  
*setosa*, Lapeyr. Hist. Abr. Pl. Pyr. Suppl. 93 = *Diplo-taxis setosa*.  
*spathulata*, Nutt. in Torr. & Gray, Fl. N. Am. i. 78 = *A. Drummondii*?  
*stenopetala*, Willd. Enum. Hort. Berol. Suppl. 46 = *A. hirsuta*.  
*stricta*, All. Auct. Fl. Pedem. 18 = *A. Allionii*.  
*stricta*, Fourn. in Ann. Soc. Linn. Lyon, N. S. xvi. (1868) 332 = *A. stricta*.  
*stricta*, R. Grah. in Edinb. N. Phil. Journ. (July–Oct. 1829) 350 = *A. Drummondii*.  
*stricta*, Host, Fl. Austr. ii. 268 = *A. perfoliata*.  
*verna*, Lam. Fl. Fr. ii. 490 = *A. alpina*.

**TURSENIA**, Cass. in Dict. Sc. Nat. xxxvii. 480 (1825) = **Baccharis**, Linn. (Compos.).  
*humifusa*, Cass. l. c. = *B. humifusa*.  
*sinuata*, Cass. l. c. = *B. sinuata*.

**TUSSACA**, Rafin. Préc. Découv. 42 (1814); et in Journ. Phys. lxxxix. (1819) 261 = **Goodyera**, R. Br. (Orchid.).  
*reticulata*, Rafin. Préc. Découv. 43 = *G. pubescens*.  
*secunda*, Rafin. l. c. = *G. repens*.

**TUSSACIA**, Klotzsch, ex Beer, Bromel. 99 (1857) = **Catopsis**, Griseb. (Bromel.).  
*apicroides*, Beer, l. c. = *Mexic.*  
*fulgens*, Klotzsch, ex Beer, l. c. 100 = *Tillandsia aurantiaca*.  
*nitida*, Beer, l. c. = *C. nitida*.  
*sessiliflora*, Beer, l. c. 101.—Peruv.  
*vitellina*, Klotzsch, ex Beer, l. c. 99.—Venezuela.

**TUSSACIA**, Reichb. Ic. Exot. i. 28. t. 41 (1827) (*Tussaca*); et in Moessl. Handb. i. p. xxxvii (1827). **GESNERACEAE**, Benth. & Hook. f. ii. 1006.  
**CHRYSOthemis**, Decne. in Rev. Hort. Sér. III. iii. (1849) 242.  
*Friedrichsthaliana*, *Hanst. in Linnaea*, xxxiv. (1865–66) 337.—Guatemala.  
*pulchella*, *Reichb. Ic. Bot.* i. 28. t. 41; *Oerst. in Vidensk. Selsk. Skr.* V. v. (1861) 113.—Panama.  
*rupestris*, *Benth. in Hook. Lond. Journ. Bot.* v. (1846) 363.—Guian.  
*sanguinea*, *Heynh. Nom.* ii. 747.—Am. austr.  
*semi-clausa*, *Hanst. ex André, in Illustr. Hort.* xvii. (1870) 140. t. 28.—Bras.  
*villosa*, *Benth. in Hook. Lond. Journ. Bot.* v. (1846) 363.—Guian.

**TUSSACIA**, Willd. ex Roem. & Schult. Syst. vii. p. x (1829) (Quid?).  
*elegans*, Willd. l. c. 57.—Am. austr.

**TUSSILAGO**, [Tourn.] Linn. Syst. ed. I (1735); Linn. Gen. ed. I. 252 (1737), partim. **COMPOSITAE**, Benth. & Hook. f. ii. 438.  
*FARFARA*, Gilib. Fl. Lituan. i. 177 (1781).  
*alba*, Linn. Sp. Pl. 866 = *Petasites albus*.



**TUSSILAGO** :—

- albicans*, Sw. Prod. Veg. Ind. Occ. 113 = *Chaptalia albicans*.  
*alpestris*, Hegetschw. Fl. Schw. 842 = *Homogyne alpina*?  
*alpina*, Georgi, Reise, i. 230 = *Gerbera Anandria*.  
*alpina*, Linn. Sp. Pl. 865 = *Homogyne alpina*.  
*alpina*, Scop. Fl. Carn. ed. II. ii. 156 = *Homogyne discolor*.  
*Anandria*, Linn. Sp. Pl. 865 = *Gerbera Anandria*.  
*androgyna*, Gilib. Fl. Lituan. i. 176 = *Petasites officinalis*.  
*aquatica*, Georgi, Reise, i. 230 = *Petasites laevigatus*.  
*Bellidiastrum*, Linn. Hort. Upsal. 259. t. 3. f. 2 = *Gerbera Anandria*.  
*bicolor*, Herb. Willd. ex DC. Prod. vii. 44 = *Chaptalia runcinata*.  
*bifolia*, Lavy, Vég. Orig. 13; ex DC. Prod. vii. 208 (Quid?).—Hab.?  
*bohémica*, Hoppe, Taschenb. (1803) 60; ex DC. Prod. v. 205 = *Petasites laevigatus*.  
*Cacalia*, Scop. Fl. Carn. ed. II. ii. 156 = *Adenostyles viridis*.  
*caryophyllata*, Vell. Fl. Flum. viii. t. 142 (Quid?).—Bras.  
*corymbosa*, R. Br. in Parry, 1st Voy. App. 269 = *Petasites frigidus*.  
*dentata*, Linn. Sp. Pl. ed. II. 1213 = *Chaptalia dentata*.  
*discolor*, Jacq. Fl. Austr. iii. 27 = *Homogyne discolor*.  
*elongata*, Salisb. Prod. 196 = *Petasites officinalis*.  
*exscapa*, Pers. Syn. ii. 456 = *Chaptalia exscapa*.  
*Farfara*, Linn. Sp. Pl. 865.—Europ.; As. bor. occ.; Ind. or.  
*fragrans*, Vill. in Act. Soc. Hist. Nat. Par. i. (1792) 72 = *Petasites fragrans*.  
*frigida*, Linn. Sp. Pl. 865 = *Petasites frigidus*.  
*frigida*, Vill. Hist. Pl. Dauph. iii. 175; Suter, Fl. Helv. ii. 180 = *Petasites niveus*.  
*glabrescens*, Steud. Nom. ed. I. 859 = *Petasites albus*.  
*Gmelini*, Turcz. ex DC. Prod. vii. 271 = *Gerbera Anandria*.  
*hastifolia*, Kit. in Linnaea, xxxii. (1883) 372 = *Petasites niveus*?  
*hermaphrodita*, Gilib. Fl. Lituan. i. 175 = *Petasites officinalis*.  
*hybrida*, Linn. Sp. Pl. 866 = *Petasites officinalis*.  
*integerrima*, Vell. Fl. Flum. viii. t. 140 (Quid?).—Bras.  
*integrifolia*, Michx. ex Willd. Sp. Pl. iii. 1964 = *Chaptalia tomentosa*.  
*intermedia*, Hinterhuber, ex Trachsel, in Flora, xii. (1829) 32 = *Petasites officinalis*.  
*japonica*, Linn. Mant. i. 113 = *Senecio Kaempferi*.  
*Kablikianus*, Opiz, Seznam, 73, in syn. = *Petasites officinalis*.  
*laevigata*, Willd. Sp. Pl. iii. 1969 = *Petasites laevigatus*.  
*lobata*, Hort. ex Steud. Nom. ed. II. ii. 726 = *Petasites palmatus*.  
*lutea*, J. F. Gmel. Syst. 1225 = *Petasites albus*.  
*lyrata*, Pers. Syn. ii. 456 = *Chaptalia nutans*.  
*lyrata*, Willd. Sp. Pl. iii. 1963 = *Gerbera Anandria*.  
*macrophylla*, Wall. Cat. n. 2989 = *Gerbera macrophylla*.  
*micrantha*, Andr. Rys Botan. ii. (1830) 27 (Quid?).—Rossia.  
*nana*, J. F. Gmel. Syst. 1224 = *Gerbera Anandria*.  
*nivea*, Vill. in Act. Soc. Hist. Nat. Par. i. (1792) 73 = *Petasites niveus*.  
*nutans*, Linn. Syst. ed. X. 1214 = *Chaptalia nutans*.  
*oblongifolia*, Bertol. Misc. Bot. vi. 28.—Am. bor.  
*odorata*, Vill. ex DC. Prod. v. 208 = *Adenostyles viridis*.  
*palmata*, Ait. Hort. Kew. ed. I. iii. 188 = *Petasites palmatus*.  
*paradoxa*, Retz. Obs. ii. 24 = *Petasites niveus*.  
*paradoxa*, Roth, ex Steud. Nom. ed. I. 860 = *Petasites spurius*.  
*patens*, Vell. Fl. Flum. viii. t. 144 (Quid?).—Bras.  
*Petasites*, Linn. Sp. Pl. 866 = *Petasites japonicus*.  
*piloselloides*, Pers. Syn. ii. 456 = *Chaptalia piloselloides*.  
*pumila*, Sw. Prod. Veg. Ind. Occ. 113 = *Chaptalia sinuata*.  
*racemosa*, Tausch, in Syll. Ratisb. ii. (1828) 251 = *Petasites fragrans*.  
*radiata*, Gilib. Fl. Lituan. iii. 177 = *T. Farfara*.  
*radiata*, J. F. Gmel. Syst. 1226 = *Petasites laevigatus*.

**TUSSILAGO** :—

- ramosa*, Hoppe, in Flora, x. (1827) 649 = *Petasites albus*.  
*reflexa*, Vell. Fl. Flum. viii. t. 141 (Quid?).—Bras.  
*rheifolia*, Warsz. in Otto & Dietr. Allg. Gartenz. xx. (1852) 293 (Quid?).—Bolivia.  
*riparia*, Salisb. Prod. 196 = *Petasites officinalis*.  
*rubella*, J. F. Gmel. Syst. 1225 (Quid?).—Sibir.  
*rubra*, Link, in Buch, Besch. Canar. Ins. 149, 176 = *Senecio cruentus*, DC.  
*ruderalis*, Salisb. Prod. 195 = *T. Farfara*.  
*rupestris*, Wall. Cat. n. 2990 = *T. Farfara*.  
*sagittata*, Herb. Banks, ex Pursh, Fl. Am. Sept. ii. 531 = *Petasites sagittatus*.  
*sarmentosa*, Pers. Syn. ii. 456 = *Chevreulia stolonifera*.  
*saxatilis*, Turcz. in Bull. Soc. Nat. Mosc. xix. (1846) 138 = *Petasites frigidus*?  
*sibirica*, J. F. Gmel. Syst. 1225 = *Gerbera Anandria*.  
*sinuata*, Pers. Syn. ii. 456 = *Chaptalia sinuata*.  
*spuria*, Retz. Obs. i. 29. t. 2 = *Petasites spurius*.  
*spuria*, Schrank, ex Steud. Nom. ed. I. 860 = *Petasites niveus*.  
*suaveolens*, Desf. Tabl. ed. I. 97 = *Petasites fragrans*.  
*sylvestris*, Jacq. Fl. Austr. v. App. t. 12 = *Homogyne sylvestris*.  
*tomentosa*, Ehrh. Beitr. iii. 65 = *Petasites spurius*.  
*trifurcata*, Forst. f. in Comm. Gotting. ix. (1789) 39 = *Senecio trifurcatus*.  
*vaccina*, Vell. Fl. Flum. viii. t. 143 (Quid?).—Bras.  
*vulgaris*, Lam. Fl. Fr. ii. 71 = *T. Farfara*.

**TUTUCA**, Molina, Sagg. Chile, ed. II. 135 (1810).  
 Genus dubium *ERICACEARUM*.  
*chilensis*, Molina, l. c.—Chili.  
*fistulosa*, Molina, l. c. 288.—Chili.

- TWEEDIA**, Hook. & Arn. in Hook. Journ. Bot. i. (1834) 291 = *Oxypetalum*, R. Br. (Asclep.).  
*birostrata*, Hook. & Arn. l. c. = *O. Hookeri*.  
*Brunonis*, Hook. & Arn. l. c. 292 = *O. Brunonis*.  
*coerulea*, D. Don, ex Sweet, Brit. Flow. Gard. Ser. II. t. 407.—Reg. Argent.  
*floribunda*, Hort. ex Lem. in Fl. des Serres, iv. (1848) 347 = *O. solanoides*.  
*macrolepis*, Hook. & Arn. in Hook. Journ. Bot. i. (1834) 291 = *O. macrolepis*.  
*pubescens*, Hort. ex Lem. in Fl. des Serres, iv. (1848) t. 347 = *O. solanoides*.  
*rosea*, Hort. ex Lem. l. c. = *O. solanoides*.  
*versicolor*, Hook. Bot. Mag. t. 3630 = *coerulea*.

- TYDAEA**, Decne. Rev. Hort. Ser. III. ii. (1848) 468 = *Isoloma*, Decne. (Gesner.).  
*amabilis*, Planch. & Linden, in Linden, Cat. n. 10 (1855) 4; et in Fl. des Serres, x. (1855) 237. t. 1070.—N. Granat.  
*Ceciliae*, André, Illustr. Hort. xxiii. (1876) 178. t. 260.—N. Granat.  
*elegans*, Planch. & Linden, in Linden, Cat. n. 10 (1855) 4 = *I. elegans*.  
*gigantea* ×, Planch. Fl. des Serres, x. (1854–55) 21. t. 975–76.  
*Hansteini* ×, Ortgies, in Regel, Gartenfl. vii. (1858) 65. t. 218.  
*Hillii*, Regel, Gartenfl. iii. (1854) 73, 74.—Hab.?  
*Karsteniana*, Hort. ex Hanst. in Linnaea, xxxiv. (1865–66) 439 = *I. picta*?  
*Lindenii*, André, Illustr. Hort. xx. (1873) 183. t. 147 = seq.  
*Lindeniana*, Regel, Gartenfl. xvii. (1868) 257. t. 589.—Am. trop.  
*magnifica*, Hanst. in Linnaea, xxxiv. (1865–66) 440 = *Achimenes magnifica*.  
*ocellata*, Regel, Gartenfl. iii. (1854) 74 = *I. ocellatum*.  
*Ortgiesii* ×, Hort. Van Houtte, ex Planch. in Fl. des Serres, xi. (1856) 213. t. 1181–1182.  
*pardina*, Linden & André, Illustr. Hort. xx. (1873) 212. t. 152.—N. Granat.  
*picta*, Decne. in Rev. Hort. Sér. III. ii. (1848) 468; et in Regel, Gartenfl. iii. (1854) 73, 75 = *I. picta*?  
*pyramidalis*, Regel, Gartenfl. x. (1861) 193. t. 328.—Hab.?  
*venosa*, Hort. ex Lescuyer, in L'Hortic. Franç. Sér. III. ii. (1861) 248. t. 20.—N. Granat.  
*Warszewiczii*, Regel, Gartenfl. iii. (1854) 73, 74.—N. Granat.

**TYDEA**, C. Muell. in Walp. Ann. v. 427 (1858–60), sphalm. = *praeac*.

**TYLACANTHA**, Endl. Gen. 672 (1839) = **THYLACANTHA**, Nees & Mart. = **Angelonia**, Humb. & Bonpl. (Scrophul.).

- TYLANTHUS**, Reiss. in Endl. Gen. 1101 (1840) = **Phylla**, Linn. (Rhamn.).  
*abietinus*, Presl, Bot. Bemerk. 38 = *P. abietina*.  
*atratus*, Presl, l. c. 37 = *P. atrata*.  
*brevifolius*, Presl, l. c. 38 = *P. brevifolia*.  
*callosus*, Presl, l. c. 37, 38 = *P. callosa*.  
*comosus*, Presl, l. c. 37 = *P. comosa*.  
*debilis*, Presl, l. c. 38 = *P. imberbis*.  
*diosmoides*, Presl, l. c. = *P. diosmoides*.  
*distichus*, Presl, l. c. = *P. disticha*.  
*emirnensis*, Tul. in Ann. Sc. Nat. Sér. IV. viii. (1857) 128.—Madag.  
*empetroides*, Presl, Bot. Bemerk. 38 = *P. disticha*, rubra.  
*eriphorus*, Presl, l. c. = *P. eriphora*.  
*excelsus*, Presl, l. c. 37, 38 = *P. excelsa*.  
*gracilis*, Presl, l. c. 37 = *P. gracilis*.  
*imberbis*, Presl, l. c. = *P. imberbis*.  
*lanceolatus*, Presl, l. c. 38 = *P. eriphora*.  
*litoralis*, Presl, l. c. 37 = *P. atrata*.  
*parviflorus*, Presl, l. c. 38 = *P. parviflora*.  
*retorsus*, Presl, l. c. 37 = *P. retorsus*.  
*rosmarinifolius*, Presl, l. c. 38 = *P. rosmarinifolia*.  
*secundus*, Presl, l. c. = *P. eriphora*.  
*Thunbergianus*, Presl, l. c. = *P. Thunbergiana*.  
*virgatus*, Presl, l. c. 37 = *P. virgata*.  
*Willdenowianus*, Presl, l. c. 38 = *P. Willdenowiana*.

- TYLOMA**, D. Don, in Trans. Linn. Soc. xvi. (1830) 238 = **Chaetanthera**, Ruiz & Pav. (Compos.).  
*glabratum*, DC. Prod. vii. 32.—Chili.  
*lanatum*, Phil. in Linnaea, xxxiii. (1864–65) 112.—Chili.  
*limbatum*, D. Don, in Trans. Linn. Soc. xvi. (1830) 236, 301 = *C. limbata*.  
*pusillum*, D. Don, in Phil. Mag. (1832) 391 = *C. pusilla*.  
*renifolium*, Wedd. Chlor. And. i. 28. t. 8 A.—Chili.  
*splendens*, Wedd. l. c. 27.—Chili.

**TYLOCHILUS**, Nees, in Verh. Gartenb. Ges. Berl. viii. (1832) 194. t. 3 = **Cyrtopodium**, R. Br. (Orchid.).  
*flavus*, Nees, l. c. 195 = *C. flavus*.

**TYLODERMA**, Miers, in Trans. Linn. Soc. xxviii. (1872) 413 = **Hippocratea**, Linn. (Celastr.).  
*praecelsa*, Miers, l. c. 414.—Panama.

**TYLODONTIA**, Griseb. Cat. Pl. Cub. 175 (1866) = **Astephanus**, R. Br. (Asclep.).  
*cubensis*, Griseb. l. c.—Cuba.

- TYLOGLOSSA**, Hochst. in Flora, xxv. (1842) i. Beibl. 144 = **Justicia**, Hout. (Acanth.).  
*acuminata*, Hochst. l. c. xxvi. (1843) 73 = *Adhatoda acuminata*.  
*adenostachya*, Nees, in Mart. Fl. Bras. ix. 117.—Bras.  
*chrysotrichoma*, Nees, l. c. 116.—Bras.  
*ciliata*, Nees, l. c.—Bras.  
*flexuosa*, Nees, l. c.—Bras.  
*genistiformis*, Nees, l. c. 115.—Bras.  
*glandulosa*, Nees, l. c. 117.—Bras.  
*Kotschyi*, Hochst. in Flora, xxvi. (1843) 74.—Afr. trop.  
*major*, Hochst. l. c. 73 = *J. major*.  
*minor*, Hochst. l. c. = *J. minor*.  
*palustris*, Hochst. l. c. xxv. (1842) i. Beibl. 144; xxvi. (1843) 72 = *J. palustris*.  
*pubescens*, Hochst. l. c. xxviii. (1845) 71.—Afr. austr.  
*rostrata*, Hochst. ex Nees, in DC. Prod. xi. 397 = *J. Schimperiana*.  
*Schimperi*, Hochst. in Flora, xxvi. (1843) 73 = *J. Schimperiana*.  
*sexangularis*, Hochst. in Flora, xxv. (1842) i. Beibl. 144 = *Dicliptera sexangularis*.

**TYLOMIUM**, Presl, Prod. Monog. Lobel. 31 (1836) = **Lobelia**, Plum. (Campan.).  
*assurgens*, Presl, l. c. 32 = *L. assurgens*.  
*conglobatum*, Presl, l. c. = *L. conglobata*.  
*flavescens*, Presl, l. c. = *L. conglobata*.  
*robustum*, Presl, l. c. = *L. robusta*.

**TYLOPHORA**, R. Br. in Mem. Wern. Soc. i. (1809) 28. **ASCLEPIADEAE**, Benth. & Hook. f. ii. 770.  
**AMBLYOGLOSSUM**, Turcz. in Bull. Soc. Nat. Mosc. xxv. (1852) ii. 310.

## TYLOPHORA:—

- BELOSTEMMA, Wall. in Wight, Contrib. 52 (1834).  
 HOMOLOSTYLES, Wall. ex Wight, l. c. 50 (1834).  
 HYBANTHERA, Endl. Prod. Fl. Norf. 59 (1833).  
 IPHISIA, Wight, Contrib. 52 (1834).  
 albida, Zipp. ex Span. in Linnaea, xv. (1841) 324, nomen.—Ins. Timor.  
 aristolochioides, Miq. Ann. Mus. Bot. Lugd. Bat. ii. 129.—Japon.  
 asthmatica, Wight & Arn. in Wright, Contrib. 51.—Ind. or.; Malaya.  
 barbata, R. Br. Prod. 460.—Austral.  
 Belostemma, Benth. in Benth. & Hook. f. Gen. ii. 771.—Reg. Himal.  
 bifida, F. Villar, in Blanco, Fl. Philipp. ed. III. Nov. App. 134.—Ins. Philipp.  
 biglandulosa, F. Muell. Fragm. ix. 71, 169.—Ins. Norfolk.  
 Bojeriana, Decne. in DC. Prod. viii. 607.—Madag.  
 Brackenridgei, A. Gray, in Proc. Am. Acad. v. (1862) 334.—Ins. Fiji.  
 brevipes, F. Villar, in Blanco, Fl. Philipp. ed. III. Nov. App. 134.—Ins. Philipp.  
 caffra, Meissn. in Hook. Lond. Journ. Bot. ii. (1843) 542 (err. typ. 442).—Afr. austr.  
 calcarata, Benth. Fl. Austral. iv. 335.—Austral.  
 cappariifolia, Wight & Arn. in Wright, Contrib. 51.—Ind. or.  
 carnosa, Dalz. & Gibs. Bomb. Fl. 150 = Dalzellii.  
 carnosa, Wall. ex Wight, Contrib. 49 = tenuis.  
 chlorantha, Miq. Fl. Ind. Bat. ii. 486.—Java.  
 cirsia, Aschers. ex Schweinf. Beitr. Fl. Aethiop. 132.—Afr. trop.  
 cissoides, Blume, Bijdr. 1061.—Java.  
 congesta, Decne. in DC. Prod. viii. 609.—Java.  
 cordifolia, Thw. Enum. Pl. Zeyl. 196.—Zeylan.  
 crassifolia, Zipp. ex Decne. in DC. Prod. viii. 612.—Ins. Timor.  
 cuspidata, Zipp. ex Decne. in Ann. Sc. Nat. Sér. II. ix. (1838) 274. t. 10.—Ins. Timor.  
 Dalzellii, Hook. f. Fl. Brit. Ind. iv. 43.—Ind. or.  
 enervis, F. Muell. Fragm. ix. 70.—Ins. Dom. Howe.  
 erecta, F. Muell. ex Benth. Fl. Austral. iv. 334.—Austral.  
 exilis, Colebr. in Trans. Linn. Soc. xii. (1818) 358.—Ind. or.; Malaya.  
 fasciculata, Buch.-Ham. ex Wight, Contrib. 50.—Ind. or.  
 fasciculata, Thw. Enum. Pl. Zeyl. 197 = T. Iphisia.  
 flava, Trimen, in Journ. Bot. xxiii. (1885) 239.—Zeylan.  
 flexuosa, R. Br. Prod. 460.—Austral.  
 floribunda, Benth. Fl. Austral. iv. 335.—Austral.  
 floribunda, Miq. Ann. Mus. Bot. Lugd. Bat. ii. 128.—Japon.  
 globifera, Hook. f. Fl. Brit. Ind. iv. 41.—Ins. Andaman; Malacca.  
 Govanii, Decne. in DC. Prod. viii. 610.—Reg. Himal.  
 grandiflora, R. Br. Prod. 460.—Austral.  
 Helferii, Hook. f. Fl. Brit. Ind. iv. 40.—Burma.  
 heterophylla, A. Rich. Tent. Fl. Abyss. ii. 41 = Vincetoxicum heterophyllum.  
 himalaica, Hook. f. Fl. Brit. Ind. iv. 42.—Reg. Himal.  
 hirsuta, Wight, Contrib. 49.—Reg. Himal.  
 hispida, Decne. in DC. Prod. viii. 610.—China.  
 incana, Brunn. in Flora, xxiii. (1840) II. Beibl. 26.—Afr. trop.  
 Iphisia, Decne. in DC. Prod. viii. 610.—Ind. or.  
 Jacquemontii, Decne. l. c. 607 = hirsuta.  
 japonica, Miq. Ann. Mus. Bot. Lugd. Bat. ii. 129.—Japon.  
 laevigata, Decne. in DC. Prod. viii. 612.—Ins. Maurit.  
 laevis, Decne. l. c. 611.—Hab.?  
 lanceolata, Zipp. ex Span. in Linnaea, xv. (1841) 324, nomen.—Ins. Timor.  
 longifolia, Wight, Contrib. 50.—Ind. or.  
 lutescens, Decne. in Herb. Gén. Amat. et Hort. Univ. 5 (1844).—Hab.?  
 lycioides, Decne. in DC. Prod. viii. 608.—Afr. austr.  
 macrantha, Hance, in Journ. Bot. xx. (1882) 79 = Dregea volubilis.  
 macrantha, Hook. f. Fl. Brit. Ind. iv. 40.—Ind. or.  
 macrobotrya, Miq. Fl. Ind. Bat. ii. 488.—Java?  
 macrophylla, Benth. Fl. Austral. iv. 334.—Austral.  
 membranifolia, Thw. Enum. Pl. Zeyl. 424 = zeylanica.  
 micrantha, Decne. in Nouv. Ann. Mus. Par. iii. (1834) 377.—Ins. Timor.

## TYLOPHORA:—

- micrantha, Thw. Enum. Pl. Zeyl. 197 = zeylanica.  
 microstachys, Hook. in Hook. Ic. Pl. t. 1450.—Reg. Himal.  
 mollissima, Wall. Cat. n. 8202; Wight, Contrib. 49 = hirsuta.  
 ovata, Hook. ex Steud. Nom. ed. II. ii. 726.—China.  
 paniculata, R. Br. Prod. 460.—Austral.  
 parviflora, Wight, Ic. iv. n. 1274, textu = pauciflora.  
 pauciflora, Herb. Hook. f. & Thoms. ex Hook. f. Fl. Brit. Ind. iv. 44 = Dalzellii.  
 pauciflora, Hohen. ex Hook. f. l. c. 40 = T. Iphisia.  
 pauciflora, Wight & Arn. in Wight, Contrib. 49.—Ind. or.  
 Perrottetiana, Decne. in DC. Prod. viii. 609.—Ins. Philipp.  
 pubescens, Wall. ex Hook. f. Fl. Brit. Ind. iv. 45 = asthmatica.  
 punctata, Kostel. Allg. Med. Pharm. Fl. iii. 1084 = Cosmostigma racemosa.  
 purpurea, Wall. ex Wight, Contrib. 51.—Burma.  
 rotundifolia, Buch.-Ham. ex Wight, l. c. 50.—Ind. or.  
 rupestris, Blume, Bijdr. 1062.—Java.  
 samoensis, A. Gray, in Proc. Am. Acad. v. (1862) 334.—Ins. Samoa.  
 sublanceolata, Miq. Ann. Mus. Bot. Lugd. Bat. ii. 128.—Japon.  
 sylvatica, Decne. in Ann. Sc. Nat. Sér. II. ix. (1838) 273.—Afr. trop.  
 syringaeifolia, E. Mey. Comm. Pl. Afr. Austr. 198; Drège, ex Brunn. in Flora, xxiii. (1840) II. Beibl. 27.—Afr. austr.  
 Tanakae, Maxim. ex Franch. & Sav. Enum. Pl. Jap. i. 321.—Japon.  
 tenerima, Wight, Contrib. 50.—Reg. Himal.  
 tenuis, Blume, Bijdr. 1062.—Java.  
 tenuissima, Wight, Contrib. 49 = tenuis.  
 tomentosa, G. Don, Gen. Syst. iv. 130 = asthmatica?  
 velutina, G. Don, l. c. 128 = Marsdenia velutina.  
 villosa, Blume, Bijdr. 1061; Miq. Fl. Ind. Bat. ii. 486.—Java.  
 vomitoria, Voigt, Hort. Suburb. Calc. 539 = asthmatica.  
 Wallichii, Hook. f. Fl. Brit. Ind. iv. 45.—Singapore.  
 Woollsii, Hook. f. Fl. Austral. iv. 335.—Austral.  
 zeylanica, Decne. in DC. Prod. viii. 608.—Ind. or.

TYLOSEPALUM, Kurz, ex Teysm. & Binn. in Tijdschr. Nederl. Ind. xxvii. (1864) 50 = **Trigonostemon**, Blume (Euphorb.).  
 aurantiacum, Kurz, ex Teysm. & Binn. l. c.—Ins. Banca.

TYLOSTYLIS, Blume, Fl. Jav. Praef. 6 (1828) = **Eria**, Lindl. (Orchid.).

TYLOTHRASYA, Doell, in Mart. Fl. Bras. ii. II. 295. t. 37 (1877) = **Panicum**, Linn. (Gramin.).  
 petrosa, Doell, l. c. 296 = P. petrosum.

TYMPANANTHE, Hassk. in Flora, xxx. (1847) 757 = **Dictyanthus**, Decne. (Asclep.).  
 suberosa, Hassk. l. c. 758 = D. Pavonii.

**TYNANTHUS**, Miers, in Proc. Roy. Hort. Soc. iii. (1863) 193. **BIGNONIACEAE**, Benth. & Hook. f. ii. 1031.

SCHIZOPSIS, Bur. ex Baill. Adansonia, v. (1865) 371. tt. 10, 11.

cognatus, Miers, in Proc. Roy. Hort. Soc. iii. (1863) 193.—Bras.

confertiflorus, Miers, l. c., nomen (Quid?).—Bras.

elegans, Miers, l. c. 193.—Bras.

fasciculatus, Miers, l. c.—Bras.

gibbus, Miers, l. c., nomen (Quid?).—Bras.

Gondotiana, Bur. in Baill. Adansonia, viii. (1867–68) 274.—Bras.

labiatus, Miers, in Proc. Roy. Hort. Soc. iii. (1863) 193.—Bras.

laxiflorus, Miers, l. c., nomen.—Peruv.

petiolatus, Miers, l. c., nomen.—Bras.

strictus, Miers, l. c., nomen (= *Pyrostegia lauta*).—Bras.

**TYNUS**, J. S. Presl, Rostl. ii. 93 (1823) = **Viburnum**, Linn. (Caprifol.).

ellipticus, J. S. Presl, l. c. = V. tinoides.

lauriformis, J. S. Presl, l. c. = V. Tinus.

lucidus, J. S. Presl, l. c. = V. Tinus.

nudus, J. S. Presl, l. c. = V. nudum.

rugosus, J. S. Presl, l. c. = V. rigidum.

**TYPHA**, Linn. Syst. ed. I (1735); Gen. ed. I. 281 (1737). **TYPHACEAE**, Benth. & Hook. f. iii. 955.

MASSULA, Dulac, Fl. Hautes-Pyr. 47 (1867).

abyssinica, Reichb. f. ex Rohrb. in Verh. Bot. Ver. Brandenb. xi. (1869) 89 = angustata.

aequalis, Schnizl. Typh. 25 = angustata.

ambigua, Schur, ex Rohrb. in Verh. Bot. Ver. Brandenb. xi. (1869) 76 = latifolia.

americana, Rich. ex Rohrb. l. c. 97 = domingensis.

angustata, Bory & Chaub. Nouv. Fl. Pélo. 4.—Reg. Mediterr. or.; Oriens.

angustifolia, All. Fl. Pedem. ii. 273 = Laxmanni.

angustifolia, Aubl. Pl. Gui. ii. 847 = domingensis.

angustifolia, Decne. in Nouv. Ann. Mus. Par. iii. (1834) 338 = javanica.

angustifolia, Eckl. & Zeyh. ex Rohrb. in Verh. Bot. Ver. Brandenb. xi. (1869) 100 = capensis.

angustifolia, Hook. f. Fl. Tasm. ii. 38 = Muellieri.

angustifolia, Linn. Sp. Pl. 971.—Europ.; Am. bor.

angustifolia, Sibth. & Sm. Fl. Graec. Prod. ii. 226 = angustata.

angustissima, Griff. ex Rohrb. in Verh. Bot. Ver. Brandenb. xi. (1869) 92 = Laxmanni.

australis, Schum. & Thonn. Beskr. Guin. Pl. 401 = angustifolia.

baetulona.—Cf. Bull. Soc. Bot. Fr. xi. (1864) Bibl. 230, sphalm. = bethulona.

Balansae, Reut. ex Rohrb. in Verh. Bot. Ver. Brandenb. xi. (1869) 90 = stenophylla.

bethulona, Costa, Intr. Fl. Catal. (1864) 251 = latifolia.

Brownii, Kunth, Enum. Pl. iii. 92 = angustifolia?

Bungeana, Presl, Epim. Bot. 239 = Laxmanni.

capensis, Rohrb. in Verh. Bot. Ver. Brandenb. xi. (1869) 96.—Afr. austr.

caucasica, Lehm. ex Rohrb. l. c. 92 = Laxmanni.

communis, Noronha, ex Thou. Prod. Phyt. 2; in Mélang. (1811), nomen (Quid?).—Madag.

crassa, Rafin. Atl. Journ. 148 (Quid?).—Am. bor.

daenatica, Ehrenb. ex Steud. Nom. ed. II. ii. 727 = seq.

damiattica, Ehrenb. ex Rohrb. in Verh. Bot. Ver. Brandenb. xi. (1869) 88 = angustata.

domingensis, Pers. Syn. ii. 532.—As. trop.

Ehrenbergii, Schur, ex Rohrb. in Verh. Bot. Ver. Brandenb. xi. (1869) 88 = angustata.

elata, Bor. Fl. Centr. Fr. ed. III. ii. 733 = latifolia.

elator, Boenn. Prod. Fl. Monast. 274 = angustifolia.

elator, Bor. in Guill. Arch. Bot. ii. (1833) 399 = latifolia.

elator, Rafin. in Med. Repos. N. York, v. (1808) 354, nomen; Atl. Journ. 148.—Am. bor.

elephantina, Roxb. Hort. Beng. 66; Fl. Ind. iii. 566.—Reg. Mediterr.; Ind. or.

elephantina, Schimp. ex Rohrb. in Verh. Bot. Ver. Brandenb. xi. (1869) 95 = Schimperii.

elephantina, Thw. Enum. Pl. Zeyl. = javanica.

elliptica, C. C. Gmel. Fl. Bad. iii. 603 = Laxmanni.

Engelmanni, A. Br. ex Rohrb. in Verh. Bot. Ver. Brandenb. xi. (1869) 76 = latifolia.

essequiboensis, G. F. W. Mey. ex Rohrb. l. c. 97 = domingensis.

gigantea, Schur, ex Kunth, Enum. Pl. iii. 92 = domingensis.

glaucua, Godr. Fl. Lorr. ed. I. iii. 20; ed. II. ii. 332.—Gallia.

gracilis, Jord. Obs. Pl. Crit. vii. (1849) 43; et Grain. Rec. Jard. Grenoble (1849), 24 = Laxmanni.

gracilis, Rafin. New Fl. Am. ii. 91 (Quid?).—Am. bor.

gracilis, Reichb. Ic. Fl. Germ. ix. 2. t. 520. f. 744 = angustifolia.

gracilis, Schur, Enum. Pl. Trans. 637 = angustata.

Hausknechtii, Rohrb. in Verh. Bot. Ver. Brandenb. xi. (1869) 99.—Armenia.

intermedia, Schleich. Cat. Pl. Helv. 59 = Laxmanni?

intermedia, Schur, in Verh. Siebenb. Ver. Naturw. ii. (1851) 206. t. 1 = latifolia.

japonica, Miq. Ann. Mus. Bot. Lugd. Bat. iii. 160.—Japon.

javanica, Schnitzl. ex Zoll. Cat. n. 77.—As. trop.; Ins. Mascar.

juncea, Stev. ex Rohrb. in Verh. Bot. Ver. Brandenb. xi. (1869) 92 = Laxmanni.

juncifolia, Čelak. in Lotos, xvi. (1866) 149 = stenophylla.

juncifolia, Montand. in Friche-Joset, Syn. Fl. Jura, 325 = Laxmanni.

latifolia, Forst. f. Prod. 64 = angustifolia.

**TYPHA** :—

- latifolia*, Krauss, in Flora, xxviii. (1845) 343 = capensis. *latifolia*, Linn. *Sp. Pl.* 971. —Europ.; Am. bor.  
*latifolia*, G. F. W. Mey. *Prim. Fl. Esseq.* 262 = domingensis.  
*Laxmanni*, Lepech. in *Nov. Act. Acad. Petrop.* xii. (1801) 84. —Europ.; As. bor.  
*macranthelia*, Webb & Berth. *Phyt. Canar.* iii. 291 = angustifolia.  
*major*, Curt. *Fl. Lond. fasc.* iii. t. 61 = latifolia.  
*Martini*, Jord. *Cat. Gr. Jard. Grenoble* (1850) = Laxmanni.  
*maxima*, Schur, ex Rohrb. in *Verh. Bot. Ver. Brandenb.* xi. (1869) 97 = domingensis.  
*media*, Barbieri, ex Rohrb. l. c. 90 = stenophylla.  
*media*, Bory & Chaub. *Exp. Sc. Morée*, 11 = angustata.  
*media*, C. C. Gmel. *Fl. Bad.* iii. 602 = angustifolia.  
*media*, Pollini, *Fl. Veron.* iii. 100 = latifolia?  
*minima*, Hoffm. *Deutschl. Fl. ed. II.* ii. 251; Funk, ex Willd. *Sp. Pl.* iv. 198 = Laxmanni.  
*minor*, Curt. *Fl. Lond. fasc.* iii. t. 62 = angustifolia.  
*minor*, Sm. *Fl. Brit.* iii. 960, quoad syn. = Laxmanni.  
*minuta*, Schrenk, ex Rohrb. in *Verh. Bot. Ver. Brandenb.* xi. (1869) 90 = stenophylla.  
*Muelleri*, Rohrb. l. c. 95. —Austral.; N. Zel.  
*nana*, Avé-Lall. *Pl. Ital. Bor.* 19 = Laxmanni.  
*orientalis*, Presl, *Epim. Bot.* 239 = Shuttleworthii.  
*pendula*, Fisch. ex Sond. *Fl. Hamb.* 508 = latifolia.  
*Poitiaei*, Poit. ex Rohrb. in *Verh. Bot. Ver. Brandenb.* xi. (1869) 92 = Laxmanni.  
*remotiuscula*, Schur, *Enum. Pl. Transs.* 637 = latifolia.  
*Schimper*, Rohrb. in *Verh. Bot. Ver. Brandenb.* xi. (1869) 95. —Abyss.  
*Shuttleworthii*, Koch & Sond. in *Koch, Syn. Pl. Germ.* ed. II. 786. —Europ.  
*Shuttleworthii*, Lehm. *Pl. Preiss.* ii. 1 = Muelleri.  
*spiralis*, Rafn. *Atl. Journ.* 148 (Quid?). —Am. bor.  
*stenophylla*, Fisch. & Mey. in *Bull. Phys.-Math. Petersb.* iii. (1845) 209. —Ital.; Rossia; Reg. Casp.  
*stenophylla*, Haussk. ex Rohrb. in *Verh. Bot. Ver. Brandenb.* xi. (1869) 99 = Haussknechtii.  
*tenuifolia*, H. B. & K. *Nov. Gen. et Sp.* i. 82 = domingensis.  
*transsilvanica*, Schur, *Enum. Pl. Transs.* 637 = Shuttleworthii.  
*truxillensis*, H. B. & K. *Nov. Gen. et Sp.* i. 82 = domingensis.

**TYPHALEA**, Neck. *Elem.* ii. 412 (1790) = **Pavonia**, Cav. (Malvac.).  
*spinifex*, Presl, *Bot. Bemerk.* 19 = *P. spinifex*.

**TYPHOIDES**, Moench, *Meth.* 201 (1794) = **Phalaris**, Linn. (Gramin.).  
*arundinacea*, Moench, l. c. 202 = *P. arundinacea*.

**TYPHONIUM**, Schott, in *Wien. Zeitschr.* iii. (1829) 72; ex Endl. in *Linnaea*, vi. (1831) Litt. 53. **AROIDEAE**, Benth. & Hook. f. iii. 967.  
**HETEROSTALIS**, Schott, in *Oestr. Bot. Wochenbl.* vii. (1857) 261.  
*alismsifolium*, F. Muell. *Fragm.* viii. 186. —Austral.  
*angustilobum*, F. Muell. l. c. x. 66. —Austral.  
*Brownii*, Schott, *Aroid.* 11. t. 15. —Austral.  
*bulbiferum*, Dalz. in *Hook. Kew Journ.* iv. (1852) 113. —Ind. or.  
*cochinchinense*, Blume, *Rumphia*, i. 135 = *Therophonum* Wightii.  
*crassifolium*, Ledeb. *Fl. Ross.* iv. 10 = *Helicophyllum* crassifolium.  
*crenatum*, Schott, Melet. i. 17 = *Therophonum* crenatum.  
*cuspidatum*, Decne. in *Nouv. Ann. Mus. Par.* iii. (1834) 367. —As. trop.  
*discolor*, Hassk. *Cat. Hort. Bog. Alt.* 54. —Java.  
*divaricatum*, Decne. in *Nouv. Ann. Mus. Par.* iii. (1834) 367; et ex Blume, *Rumphia*, i. 130. t. 36. —As. trop.  
*diversifolium*, Wall. *Cat. n.* 8933 A. —Ind. or.  
*fallax*, N. E. Br. in *Journ. Linn. Soc.* xviii. (1880) 260. —Java.  
*flagelliferum*, Griff. *Notul.* iii. 144 = cuspidatum.  
*flagelliforme*, Blume, *Rumphia*, i. 134 = cuspidatum.  
*foliolosum*, Engl. in *DC. Monog. Phan.* ii. 618 = diversifolium.  
*giganteum*, Engl. *Bot. Jahrb.* iv. (1883) 66. —China.  
*gracile*, Schott, *Aroid.* i. 12. —Ind. or.  
*hastiferum*, Miq. *Fl. Ind. Bat.* iii. 194; et in *Bot. Zeit.* xiv. (1856) 563 = cuspidatum.  
*Huegelianum*, Schott, *Aroid.* i. 13. t. 19 = diversifolium.

**TYPHONIUM** :—

- javanicum*, Miq. *Fl. Ind. Bat.* iii. 193; et in *Bot. Zeit.* xiv. (1856) 563 = divaricatum.  
*lilifolium*, F. Muell. ex Schott, *Prod. Aroid.* 107. —Austral.  
*minutum*, Schott, in *Wien. Zeitschr.* iii. (1829) 72; ex Endl. in *Linnaea*, vi. (1831) Litt. 54 = *Therophonum* Wightii?  
*Mottleyana*, Schott, *Prod. Aroid.* 106. —Ind. or.; Malaya.  
*orixense*, Schott, in *Wien. Zeitschr.* iii. (1829) 72; ex Endl. in *Linnaea*, vi. (1831) Litt. 54 = trilobatum.  
*pedatum*, Engl. in *DC. Monog. Phan.* ii. 613 = fallax.  
*pedatum*, Schott, in *Oestr. Bot. Wochenbl.* vii. (1857) 262. —Burma.  
*Reinwardtiana*, De Vriese & Miq. ex Miq. *Fl. Ind. Bat.* iii. 195 = cuspidatum.  
*Roxburghii*, Baker, in *Saund. Refug. Bot.* t. 283 = trilobatum.  
*Roxburghii*, Schott, *Aroid.* i. 12. t. 17. —Ind. or.  
*siamense*, Engl. in *DC. Monog. Phan.* ii. 615 = trilobatum.  
*sylvaticum*, Voigt, *Hort. Suburb. Calc.* 686 = *Synantherias* sylvaticus.  
*trilobatum*, Schott, in *Wien. Zeitschr.* iii. (1829) 72; ex Endl. in *Linnaea*, vi. (1831) Litt. 54. —Ind. or.; Malaya.  
*triste*, Griff. *Notul.* iii. 145 = trilobatum.  
*tuberculigerum*, Schott, in *Miq. Ann. Mus. Bot. Lugd. Bat.* i. 123. —Japon.

**TYPHONODORUM**, Schott, in *Oestr. Bot. Wochenbl.* vii. (1857) 70. **AROIDEAE**, Benth. & Hook. f. iii. 977.  
*Lindleyanum*, Schott, l. c. —Madag.  
*madagascariense*, Engl. *Bot. Jahrb.* i. (1881) 188. —Madag.

**TYPHYLA**, Heist. *Syst.* 12 (1748) 12 (Quid?).

**TYRIA**, Klotzsch, in *Endl. Gen. Suppl.* iv. III. 88 (1850) = **Bernardia**, Houst. (Euphorb.).  
*myricaefolia*, Scheele, in *Linnaea*, xxv. (1852) 581 = *B. myricaefolia*.

**TYRIA**, Klotzsch, in *Linnaea*, xxiv. (1851) 21 = **Macleania**, Hook. (Vaccin.).  
*Salapa*, Klotzsch, l. c. = *M. Salapa*.

**TYRIMNUS**, Cass. in *Bull. Soc. Philom.* (1818) 168; et in *Dict. Sc. Nat.* xli. 314, 335 (1826). **COMPOSITAE**, Benth. & Hook. f. ii. 470.  
*leucographus*, Cass. *ll. cc.* 168; 335. —Europ. austr.

**TYSSACIA**, Steud. *Nom. ed. II.* ii. 727 (1841), sphalm. = **Tussacia**, Reichb. (Gesner.).

**TYTONIA**, G. Don, *Gen. Syst.* i. 749 (1831) = **Hydrocera**, Blume (Geran.).  
*madagascariensis*, G. Don, l. c. 750 = *Impatiens* madagascariensis.  
*natans*, G. Don, l. c. 749 = *H. angustifolia*.

## U

**UAPACA**, Baill. *Etud. Gén. Euph.* 595 (1858). **EUPHORBIACEAE**, Benth. & Hook. f. iii. 282.  
**GYMNOCARPUS**, Thou. ex Baill. *Etud. Gén. Euph.* 595 (1858).  
*benguelensis*, Muell. *Arg. in Journ. Bot.* ii. (1864) 332. —Afr. trop.  
*Bojeri*, Baill. *Adansonia*, xi. (1874) 176. —Madag.  
*clusiacea*, Baker, in *Journ. Linn. Soc.* xviii. (1881) 278. —Madag.  
*clusioides*, Baker, l. c. xxi. (1885) 441. —Madag.  
*densifolia*, Baker, l. c. xx. (1883) 252. —Madag.  
*ferruginea*, Baill. *Etud. Gén. Euph.* 596. —Madag.  
*guineensis*, Muell. *Arg. in Flora*, xlvii. (1864) 517. —Afr. trop.  
*Heudelotii*, Baill. *Adansonia*, i. (1860–61) 81. —Afr. trop.  
*Kirkiana*, Muell. *Arg. in Flora*, xlvii. (1864) 517. —Afr. trop.  
*myricaefolia*, Baker, in *Journ. Linn. Soc.* xxi. (1885) 440. —Madag.  
*nitida*, Muell. *Arg. in Flora*, xlvii. (1864) 517. —Afr. trop.  
*Thouarsii*, Baill. *Etud. Gén. Euph.* 598. —Madag.

**UBIAEA**, J. Gay, in A. Rich. *Tent. Fl. Abyss.* i. 447 (1847) = **Landtia**, Less. (Compos.).  
*Schimper*, J. Gay, l. c. = *L. Schimper*.

**UBIUM**, J. F. Gmel. *Syst.* 839 (1791) = **Dioscorea**, Plum.  
*quadrifarium*, J. F. Gmel. l. c. (Quid?). —Hab. ?

**UCACEA**, Cass. in *Dict. Sc. Nat.* xxvii. 9 (1823) = **Blainvillea**, Cass. (Compos.).

**UCACOU**, Adans. *Fam.* ii. 131 (1763) = **Synedrella**, Gaertn. (Compos.).

**UCRIA**, Targ. ex Pfeiff. *Nom.* ii. 1519 (1874) (nomen auctoris lapsu pro genere habitum). —Cf. Benth. & Hook. f. *Gen.* iii. 964.

**UCRIANA**, Willd. *Sp. Pl.* i. 961 (1798) = **Tocoyena** Aubl. (Rubiace.).

*Hamelliae*, D. Dietr. *Syn. Pl.* i. 798 (*Adenosacmes* sp.). —Nepal.

*hirsuta*, D. Dietr. l. c. = *T. hirsuta*.  
*Humboldtii*, Spreng. *Syst.* i. 761 = *T. longifolia*.

*insignis*, Willd. ex Spreng. *Syst.* i. 761 = *Posoqueria* latifolia.

*longiflora*, D. Dietr. *Syn. Pl.* i. 798 = *T. longiflora*.  
*longifolia*, D. Dietr. l. c. = *T. longifolia*.

*longifolia*, Spreng. *Syst.* i. 761 = *Augusta lanceolata*.  
*macrophylla*, D. Dietr. *Syn. Pl.* i. 798 = *Posoqueria* latifolia.

*Mussaendae*, D. Dietr. l. c. (= *Menestoria* *Mussaendae*). —Nepal.  
*Mutisii*, Spreng. *Syst.* i. 761 = *T. Mutisii*.

*racemosa*, Schum. & Thonn. *Beskr. Guin. Pl.* 107 = *Oxyanthus tubiflorus*.

*rigida*, D. Dietr. *Syn. Pl.* i. 798 (= *Menestoria rigida*). —Nepal.

*speciosa*, Willd. *Sp. Pl.* i. 961 = *T. longiflora*.  
*Wallichii*, D. Dietr. *Syn. Pl.* i. 798 = *Mussaenda* *Roxburghii*?

**UDORA**, Nutt. *Gen. Am.* ii. 242 (1818) = **Elodea**, Michx. (Hydroch.).

*australis*, F. Muell. *Second Gen. Rep.* 16 = *Hydrilla* verticillata.

*brasiliensis*, Endl. & Mart. ex Seub. in *Mart. Fl. Bras.* iii. i. 99. —Am. austr.

*canadensis*, Nutt. *Gen. Am.* ii. 242 = *E. canadensis*.  
*cordofana*, Hochst. in *Flora*, xxv. (1842) Beibl. i. 183. —Afr. trop.

*granatensis*, Spreng. *Syst.* iv. *Cur. Post.* 25 = *E. grana-* tensis.

*guianensis*, Steud. *Nom. ed. II.* ii. 727 = *E. guian-* ensis.

*guyanensis*, Chat. *Anat. Comp.* (1856) 26. t. 10. f. 4–6 = praec. ?

*lithuanica*, Reichb. *Fl. Germ. Excurs.* 139 = *Hydrilla* verticillata.

*occidentalis*, Koch, *Syn. Fl. Germ. ed. I.* 669 = *Hydrilla* verticillata.

*orinocensis*, Spreng. *Syst.* iv. *Cur. Post.* 25 = *E. orino-* censis.

*pomeranica*, Reichb. *Fl. Germ.* vii. 31 = *Hydrilla* verticillata.

*verticillata*, Nutt. *Gen. Am.* ii. 242 = *E. canadensis*.  
*verticillata*, Spreng. *Syst.* i. 170 = *Hydrilla* verticillata.

**UEBELINIA**, Hochst. in *Flora*, xxiv. (1841) i. *Intell.* 30; ii. 664. **CARYOPHYLLEAE**, Benth. & Hook. f. i. 148.

*abyssinica*, Hochst. *ll. cc.* 30; 665. —Abyss.

*rotundifolia*, Oliver, in *Journ. Linn. Soc.* xxi. (1885) 397. —Afr. trop.

*spathulaefolia*, Hochst. ex A. Rich. *Tent. Fl. Abyss.* i. 46 = *abyssinica*.

**UGNI**, Turcz. in *Bull. Soc. Nat. Mosc.* xxi. (1848) i. 579 = **Myrtus**, Tourn.

*Berteroi*, Phil. f. *Cat. Pl. Vasc. Chil.* 79 = *M. Selkirkii*.

*Bridgesii*, Berg, in *Linnaea*, xxvii. (1854) 389, in obs. —Hab. ?

*Candollei*, Berg, l. c. 388 = *M. Candollei*.

*Friedrichsthalii*, Berg, l. c. = *Eugenia* *Friedrichsthalii*.

*Krausei*, Phil. ex Berg, in *Bot. Zeit.* xvi. (1858) 250 = *M. Krausei*.

## UGNI:—

- Molinae*, Turcz. in Bull. Soc. Nat. Mosc. xxi. (1848) i. 579 = *Myrtus Molinae*.  
*montana*, Berg, in Linnaea, xxvii. (1854) 392 = *M. montana*.  
*myricoides*, Berg, l. c. 391 = *M. myricoides*.  
*Oerstedii*, Berg, l. c. 389 = *M. Oerstedii*, *Eugenia irazuensis*.  
*Philippii*, Berg, l. c. 387 (*Philippii*) = *M. Molinae*.  
*Poeppigii*, Berg, l. c. 386. — Chili.  
*Selkirkii*, Berg, l. c. 392 = *M. Selkirkii*.  
*Warszewiczii*, Berg, l. c. 390 = *Eugenia Warszewiczii*.

UGONA, Adans. Fam. ii. (22) (1763) = *Hugonia*, Linn. (Linac.).

UHDEA, Kunth, Ind. Sem. Hort. Berol. (1847) 13. — Cf. Ann. Sc. Nat. Sér. III. ix. (1848) 316 = *Montana*, La Llave (Compos.).  
*bipinnatifida*, Kunth, l. c. = *M. bipinnatifida*.

UITENIA, Noronha, in Verh. Batav. Gen. v. (1790) ed. I. Art. iv. 4 = *Erioglossum*, Blume (Sapind.).  
*stilaginea*, Noronha, ex Miq. Fl. Ind. Bat. i. ii. 574 = *E. edule*.

ULANTHA, Hook. Bot. Mag. sub t. 2990, et Index (1830) = *Chloraea*, Lindl. (Orchid.).  
*grandiflora*, Hook. l. c. — Ins. S. Vincent. (cult.).

ULEX, Linn. Syst. ed. I (1735). *LEGUMINOSAE*, Benth. & Hook. f. i. 483.

LEONHARDIA, Opiz, in Lotos, vii. (1857) 88.  
 NEPA, Webb, in Ann. Sc. Nat. Sér. III. xvii. (1852) 286.

STAUACANTHUS, Link, in Schrad. Neues Journ. ii. ii. (1808) 52.

*africanus*, Webb, in Ann. Sc. Nat. Sér. III. xvii. (1852) 289. — Afr. bor. occ.

*aphyllus*, Link, ex Nym. Consp. 149 = *genistoides*.  
*argenteus*, Welw. ex Webb, *Otia* Hisp. 44. — Lusitan.  
*armoricus*, Mabilie, in Act. Linn. Soc. Bord. xxv. (1864) 524 = *europaeus*.

*australis*, Funk, ex Webb, *Otia* Hisp. 42 = *Willkommii*.  
*australis*, Roxas Clem. Ensay. Vid. 291 = *parviflorus*.  
*australis*, Welw. ex Webb, *Otia* Hisp. 41 = *Welwitschianus*.

*autumnalis*, Thore, Ess. Chlor. Land. 299 = *nanus*.  
*baeticus*, Boiss. *Elench.* 30. — Reg. Mediterr. occ.

*baeticus*, Willk. ex Webb, *Otia* Hisp. 42 = *Willkommii*.  
*Boivini*, Coss. ex Nym. Consp. 149 = *Cossonii*.

*Boivini*, Webb, *Iter* Hisp. 51. — Reg. Mediterr. occ.  
*Boivini*, Welw. ex Webb, *Otia* Hisp. 32 = *Escayracii*.

*Boivini*, Willk. in Willk. & Lange, Prod. Fl. Hisp. iii. 443 = *Webbianus*.

*Bourgaeus*, Webb, in Ann. Sc. Nat. Sér. III. xvii. (1852) 289 = *baeticus*.

*brachyacanthus*, Boiss. *Diagn.* Ser. II. ii. 9. — Hispan.  
*canescens*, Lange, in Kjoeb. Vidensk. Meddel. (1865) 159. — Hispan.

*capensis*, Linn. Sp. Pl. 741 = *Mundtia spinosa*.  
*compositus*, Moench, Meth. 289 = *europaeus*.

*Cossonii*, Nym. Syll. 278. — Hispan.  
*densus*, Welw. ex Webb, *Otia* Hisp. 43. — Lusitan.

*ericetorum*, Pourr. ex Willk. & Lange, Prod. Fl. Hisp. iii. 449 = *Welwitschianus*.

*erinaceus*, Welw. ex Webb, *Otia* Hisp. 44. — Lusitan.  
*Escayracii*, Nym. Syll. 278. — Lusitan.

*europaeus*, Brot. Fl. Lusit. ii. 78 = *nanus*.  
*europaeus*, Linn. Sp. Pl. 241. — Europ. occ.

*europaeus*, Savi, Alb. Tosc. i. 228 = *parviflorus*?  
*floridus*, Salisb. Prod. 329 = *europaeus*.

*Funkii*, Webb, *Otia* Hisp. 42; Nym. Consp. 148 = *Willkommii*.

Gallii, Planch. in Ann. Sc. Nat. Sér. III. xi. (1849) 213. t. 9. — Europ. occ.

*genistoides*, Brot. Fl. Lusit. ii. 78. — Lusitan.  
*genistoides*, Roxas Clem. Ensay. Vid. 291 = *spartioides*.

*genistoides*, Salzm. ex Lindl. Bot. Reg. t. 1452 = *Boivini*.  
*grandiflorus*, Pourr. in Mém. Acad. Toul. iii. (1788) 333 = *europaeus*.

*hibernicus*, G. Don, Gen. Syst. ii. 148 = *europaeus*.  
*hispanicus*, Hort. — Cf. Gard. Chron. (1882) i. 668 = *Genista hispanica*.

*hispanicus*, Pourr. ex Willk. & Lange, Prod. Fl. Hisp. iii. 426 = *Genista hirsuta*.

*ianthocladus*, Webb, in Ann. Sc. Nat. Sér. III. xvii. (1852) 290 = *baeticus*.

*intermedius*, Le Gall, in Congr. Sc. Fr. xvi. (1850) 189; Fl. Morb. 815 = *Gallii*.

## ULEX:—

Jussiaei, Webb, in Ann. Sc. Nat. Sér. III. xvii. (1852) 291. — Lusitan.

*lanuginosus*, Pourr. ex Willk. & Lange, Prod. Fl. Hisp. iii. 424 = *Genista hirsuta*.

*lucidus*, Willk. in Willk. & Lange, Prod. Fl. Hisp. iii. 469, sphalm. = seq.

*luridus*, Nym. Syll. 278 = *Webbianus*.  
*lusitanicus*, Mariz, in Bol. Soc. Broter. ii. (1884) 115. — Lusitan.

*lusitanicus*, Pourr. ex Colm. sec. Willk. & Lange, Prod. Fl. Hisp. iii. 449 = *Welwitschianus*.

*major*, Thore, Ess. Chlor. Land. 299 = *europaeus*.  
*Megalorites*, Willk. in Willk. & Lange, Prod. Fl. Hisp. iii. 469 = *Boivini*.

*micranthus*, Lange, in Kjoeb. Vidensk. Meddel. (1877-78) 236 = *Willkommii*.

*minor*, Roth, Catalect. fasc. i. 83 = *nanus*.  
*mitis*, Hort. ex G. Don, in Loud. Hort. Brit. 280 = *europaeus*.

*nanus*, Forst. in Symons, Syn. 160; Sm. Fl. Brit. 757. — Europ. occ.

*nanus*, Hort. — Cf. Gard. Chron. (1882) i. 668 = *Genista hispanica*.

*opistolepis*, Webb, in Ann. Sc. Nat. Sér. III. xvii. (1852) 291 = *europaeus*.

*parviflorus*, Losc. & Pard. Ser. Inconf. ed. II. 91 = *recurvatus*.

*parviflorus*, Pourr. in Mém. Acad. Toul. iii. (1788) 334. — Europ. occ.

*provincialis*, Le Gall, Fl. Morb. 128 = *Gallii*.  
*provincialis*, Loisel. in Desv. Journ. Bot. ii. (1809) 361 = *parviflorus*.

*recurvatus*, Pourr. ex Willk. & Lange, Prod. Fl. Hisp. iii. 449 = *Welwitschianus*.

*recurvatus*, Willk. l. c. 448. — Hispan.  
*Salzmanni*, Willk. l. c. 469. — Hispan.

*scaber*, Kunze, in Flora, xxix. (1846) 696. t. 2 = *baeticus*.  
*sparsiflorus*, Lange, in Kjoeb. Vidensk. Meddel. (1881) 104 (Quid?). — Hispan.

*spartioides*, Nym. Syll. 278. — Lusitan.  
*spectabilis*, Welw. ex Webb, *Otia* Hisp. 27. — Lusitan.

*strictus*, Hort. ex Del. Sem. Hort. Heidelberg. (1852) 8. — Cf. Linnaea, xxvi. (1853-55) 739 (an seq.). — Hab.?

*strictus*, Mackay, in Trans. Roy. Irish Acad. xiv. (1824) 166 = *europaeus*.

*Vaillantii*, Nym. Syll. 278 = *Boivini*.  
*vernalis*, Thore, Ess. Chlor. Land. 299 = *europaeus*.

*Webbianus*, Coss. Notes Crit. ii. 32. — Hispan.  
*Welwitschianus*, Coss. ex Mariz, in Bol. Soc. Broter. ii. (1884) 116 = *baeticus*.

*Welwitschianus*, Planch. in Ann. Sc. Nat. Sér. III. xi. (1849) 216. — Lusitan.

*Willkommii*, Webb, l. c. xvii. (1852) 290. — Hispan.

ULINA, Opiz, Seznam, 100 (1852) = *Inula*, Linn. (Compos.).

*germanica*, Opiz, l. c. = *I. germanica*.  
*hirta*, Opiz, l. c. = *I. hirta*.

*salicina*, Opiz, l. c. = *I. salicina*.

ULLOA, Pers. Syn. i. 218 (1805) = *Juanulloa*, Ruiz & Pav. (Solan.).

*parasitica*, Pers. l. c. = *J. parasitica*.

ULLUCUS, Caldas, in Seman. Nuov. Granad. (1809) 185. *CHENOPODIACEAE*, Benth. & Hook. f. iii. 77.

GANDOLA, Moq. in DC. Prod. xiii. ii. 224 (1849).  
 MELOCA, Lindl. in Gard. Chron. (1847) 685.

*Kunthii*, Moq. in Bibl. Univ. Genève. xi. (1849) 80 = *tuberosus*.

*tuberosus*, Caldas, in Seman. Nuov. Granad. (1809) 185. — Reg. Andin.

ULMARIA, [Tourn.] Hill, Hort. Kew. 213 (1768) = *Spiraea*, Linn. (Rosac.).

*Aruncus*, Hill, l. c. 214 = *S. Aruncus*.  
*denudata*, Opiz, Seznam, 100 = *S. Ulmaria*.

*Filipendula*, Hill, Hort. Kew. 214 = *S. Filipendula*.  
*glauca*, Fourr. in Ann. Soc. Linn. Lyon, N. S. xvi. (1868) 370 = *S. Ulmaria*.

*obtusiloba*, Opiz, Seznam, 100 = *S. Ulmaria*.  
*palustris*, Moench, Meth. 663 = *S. Ulmaria*.

*pentapetala*, Gilib. Fl. Lituan. ii. 236 = *S. Ulmaria*.  
*rubra*, Hill, Hort. Kew. 214. — Am. bor.

*Spiraea-Ulmaria*, Hill, l. c. = *S. Ulmaria*.  
*trifoliata*, Hill, l. c. = *Gillenia trifoliata*.

*variegata*, Hort. ex Vilm. Fl. Pl. Terre, ed. II. 863 = *S. Ulmaria*.

ULMUS, [Tourn.] Linn. Syst. ed. I (1735). *URTICACEAE*, Benth. & Hook. f. iii. 351.

CHAETOPTOLEA, Liebm. in Kjoeb. Vidensk. Meddel. (1850) 76.

MICROPTOLEA, Spach, in Ann. Sc. Nat. Sér. II. xv. (1841) 358.

*Abelicea*, Sibth. & Sm. Fl. Graec. Prod. i. 172 = *Zelkova cretica*.

*acuta*, Dum. Fl. Belg. 25 = *pedunculata*.  
*alata*, Michx. Fl. Bor. Am. i. 173. — Am. bor.

*alba*, Kit. ex Willd. Berl. Baumz. 518 = *pedunculata*.

*alba*, Rafin. Fl. Ludov. 115 = *americana*.  
*americana*, Ait. Hort. Kew. ed. I. i. 319 = *fulva*.

*americana*, Linn. Sp. Pl. 226. — Am. bor.  
*americana*, Planch. in DC. Prod. xvii. 155, partim = *racemosa*.

*angustifolia*, Moench, Verz. Ausl. Baeume, 137 = *campestris*.

*antarctica*, Hort. ex C. Koch, Dendrol. ii. i. 418 = *montana*.

*aquatica*, Rafin. Fl. Ludov. 165 = *Planera aquatica*.  
*aurea*, Hort. ex C. Koch, Dendrol. ii. i. 412 = *campestris*.

*batachina*, Hort. ex C. Koch, l. c. 414 = *montana*.  
*Berandii*, Hort. ex C. Koch, l. c. 409 = *campestris*.

*betulaefolia*, Lodd. Cat. (1836); ex Loud. Arbor. Brit. iii. 1376 = *campestris*.

*betuloides*, Hort. ex Steud. Nom. ed. II. ii. 727 = *praec.*?

*campestris*, Linn. Sp. Pl. 225. — Europ.; Oriens.  
*campestris*, Linn. l. c., partim = *montana*.

*campestris*, O. F. Muell. in Fl. Dan. t. 632 = *pedunculata*.

*campestris*, Walt. Fl. Carol. 111 = *Planera aquatica*.  
*carpinifolia*, Borkh. in Rhein. Mag. i. (1793) 498 = *campestris*.

*cebenensis*, Audib. ex Planch. in DC. Prod. xvii. 160 = *montana*.

*chinensis*, Desf. Tabl. ed. I. 212; Pers. Syn. i. 291 = *campestris*.

*ciliata*, Ehrh. Beitr. v. 161; vi. 88 = *pedunculata*.  
*cinerea*, Hort. ex Planch. in DC. Prod. xvii. 160 = *montana*.

*cornubiensis*, Hort. ex C. Koch, Dendrol. ii. i. 409 = *campestris*.

*corylacea*, Dum. Fl. Belg. 25 = *montana*?

*corylifolia*, Bor. Fl. Centr. Fr. ed. III. ii. 577 = *montana*.

*corylifolia*, Host, Fl. Austr. i. 329 = *campestris*.  
*crassifolia*, Nutt. in Trans. Am. Phil. Soc. v. (1837) 169. — Am. bor.

*crispa*, Willd. Enum. Hort. Berol. 295 = *fulva*.  
*Davidiana*, Planch. in Compt. Rend. Par. lxxiv. (1872) i. 1498, nomen; et in DC. Prod. xvii. 158. — China.

*dentata*, Rafin. New Fl. Am. iii. 39 (Quid?). — Am. bor.

*dimidiata*, Rafin. l. c. (Quid?). — Am. bor.

*effusa*, Sibth. Fl. Oxon. 87 = *montana*.  
*effusa*, Willd. Prod. Fl. Berl. 94 = *pedunculata*.

*elliptica*, C. Koch, in Linnaea, xxii. (1849) 599 = *campestris*.

*erosa*, Roth, Nov. Pl. Sp. 183. — Ind. or.  
*erosa*, Wall. Cat. n. 3546 = *Wallichii*.

*excelsa*, Borkh. Handb. Forstbot. i. 839 = *montana*.  
*exoniensis*, Hort. ex Loud. Arbor. Brit. iii. 1399 = *montana*.

*expansa*, Rota, in Bot. Zeit. xiii. (1855) 469 = *montana*.  
*floridana*, Chapm. Fl. S. U. St. 416 = *americana*.

*foliacea*, Gilib. Exercit. ii. 395 = *campestris*.  
*Fordii*, Hort. ex Loud. Arbor. Brit. iii. 1399 = *montana*.

*forficata*, Presl, in Verh. Ges. Vaterl. Mus. Boehm. (1841) 76 = *montana*?

*fulva*, Michx. Fl. Bor. Am. i. 172. — Am. bor.  
*fungosa*, Hort. ex Dum.-Cours. Bot. Cult. ed. II. vi. 384 = *campestris*.

*gigantea*, Hort. ex C. Koch, Dendrol. ii. i. 417 = *montana*.

*glabra*, Huds. Fl. Angl. ed. I. 95 = *montana*.  
*glabra*, Mill. Gard. Dict. ed. VIII. n. 4 = *campestris*.

*glaucescens*, Franch. Pl. Davidian. i. (1884) 267. — China.

*glutinosa*, Willd. Enum. Hort. Berol. Suppl. 14 = *montana*?

*hollandica*, Duroi, Harbk. Baumz. ii. 505 = *pedunculata*.

*hollandica*, Mill. Gard. Dict. ed. VIII. n. 5 = *campestris*.



**ULMUS:—**

*Hookeriana*, Planch. in DC. Prod. xvii. 162 = *lanceifolia*.  
*horizontalis*, Hort. ex Loud. Arbor. Brit. iii. 1398 = *montana*.  
*humilis*, Amman, ex Steud. Nom. ed. I. 862 = *pumila*.  
*integrifolia*, Roxb. in Willd. Sp. Pl. i. 1326 = *Holoptelea integrifolia*.  
*japonica*, Siebold, in Verh. Batav. Gen. xii. (1830) 28 = *parvifolia*.  
*Keaki*, Siebold, l. c. = *Zelkova acuminata*.  
*Keia-ki*, Planch. in DC. Prod. xvii. 163 = *præc.*  
*laevigata*, Royle, Illustr. Bot. Himal. 341 = *Wallichii*.  
*laevis*, Pall. Fl. Ross. i. 75. t. 48. f. F = *pedunculata*.  
*lanceifolia*, Roxb. Hort. Beng. 86; Fl. Ind. ii. 66. — Reg. Himal.; Burma.  
*latifolia*, Moench, Meth. 333 = *montana*.  
*leucocarpa*, Schur, Enum. Pl. Transs. 603 = *montana*.  
*leucosperma*, Schur, l. c. = *præc.*  
*longifolia*, Rafin. New Fl. Am. iii. 38 (Quid?). — Am. bor.  
*macrocarpa*, Hance, in Journ. Bot. vi. (1868) 332. — China.  
*major*, Hohen. in Bull. Soc. Nat. Mosc. (1838) 261 = *campestris*.  
*major*, Sm. Engl. Bot. t. 2542 = *montana*.  
*mexicana*, Planch. in DC. Prod. xvii. 156. — Mexic.  
*microphylla*, Pers. Syn. i. 291 = *pumila*.  
*minor*, Mill. Gard. Dict. ed. VIII. n. 6 = *campestris*.  
*modiolina*, Dum.-Cours. Bot. Cult. ed. II. vi. 384 = *campestris*.  
*mollifolia*, Marsh. Arbust. 156 = *americana*.  
*montana*, With. Bot. Arr. Brit. Pl. ed. III. ii. 279; Sm. Engl. Fl. ii. 22. — Europ.; As. bor.  
*nana*, Borkh. Handb. Forstbot. i. 839 = *campestris*.  
*nemoralis*, Ait. Hort. Kew. ed. I. i. 320 = *Zelkova crenata*.  
*nemoralis*, Boiss. ex Planch. in DC. Prod. xvii. 156 = *campestris*.  
*nemorosa*, Borkh. Handb. Forstbot. i. 846 = *campestris*.  
*nigra*, Lodd. Cat. (1836); ex Loud. Arbor. Brit. iii. 1398 = *montana*.  
*nitens*, Moench, Meth. 333 = *campestris*.  
*nuda*, Ehrh. Beitr. v. 160; vi. 86 = *campestris*.  
*obovata*, Rafin. New Fl. Am. iii. 38 (Quid?). — Am. bor.  
*octandra*, Schkuhr, Handb. 178. t. 67 = *pedunculata*.  
*ontariensis*, Hort. ex Steud. Nom. ed. II. ii. 728 = *montana*.  
*opaca*, Nutt. N. Am. Sylv. i. 51 = *crassifolia*.  
*parvifolia*, Jacq. Hort. Schoenb. iii. 6. t. 262. — As. temp.  
*pedunculata*, Fouger. in Mém. Acad. Sc. Par. 1784 (1787), 215. t. 2. — Europ.; Reg. Cauc.  
*pendula*, Lodd. Cat. (1836); ex Loud. Arbor. Brit. 1398 = *montana*.  
*pendula*, Willd. Berl. Baumz. 519; Enum. Hort. Berol. Suppl. 14 = *fulva*.  
*pinguis*, Rafin. Fl. Ludov. 115 (Quid?). — Am. bor.  
*planeroides* x, Carr. in Rev. Hort. (1875) 286, 287.  
*planifolia*, Hort. ex Loud. Arbor. Brit. iii. 1377 = *campestris*.  
*polygama*, Juss. ex Poir. Encyc. iv. 611; Rich. in Michx. Fl. Bor. Am. ii. 248 = *Zelkova crenata*.  
*procera*, Salisb. Prod. 391 = *campestris*.  
*pubescens*, Walt. Fl. Carol. 112 = *fulva*.  
*pumila*, Hort. ex Planch. in DC. Prod. xvii. 161 = *parvifolia*.  
*pumila*, Linn. Sp. Pl. 226. — As. bor.  
*pumila*, Pall. Reise, iii. 106 = *campestris*.  
*pumila*, Walt. Fl. Carol. 111 = *alata*.  
*purpurea*, Hort. ex Planch. in DC. Prod. xvii. 158 = *campestris*.  
*racemosa*, Borkh. Handb. Forstbot. i. 851 = *pedunculata*.  
*racemosa*, D. Thomas, in Am. Journ. Sc. Ser. I. xix. (1831) 170. — Am. bor.  
*reticulata*, Dum. Fl. Belg. 25 = *pedunculata*.  
*rotundifolia*, Carr. in Rev. Hort. (1868) 374 = *macrocarpa*?  
*rubra*, Hort. ex Loud. Arbor. Brit. iii. 1398 = *montana*.  
*rubra*, Michx. f. Hist. Arb. Am. iii. 278. t. 6 = *fulva*.  
*rugosa*, Lodd. Cat. (1836); ex Loud. Arbor. Brit. iii. 1398 = *montana*.

**ULMUS:—**

*sarniensis*, Lodd. Cat. (1836); ex Loud. Arbor. Brit. iii. 1376 = *campestris*.  
*sativa*, Mill. Gard. Dict. ed. VIII. n. 3; Duroi, Harbk. Baumz. ii. 502 = *campestris*.  
*sativa*, Pistohlk. in [Hupel.] Nord. Miscellan. xvii.; ex Ledeb. Fl. Ross. iii. 648 = *pedunculata*.  
*scabra*, Duroi, Harbk. Baumz. ii. [543] Zusatz = *campestris*.  
*scabra*, Mill. Gard. Dict. ed. VIII. n. 2 = *montana*?  
*scampstoniensis*, Hort. ex Steud. Nom. ed. II. ii. 728 = *campestris*.  
*sparsa*, Dum. Fl. Belg. 25 = *campestris*.  
*striata*, Bosc, Encyc. Agric. vii. 623, nomen (Quid?). — Am. bor.  
*stricta*, Lindl. Syn. Brit. Fl. ed. II. 227 = *campestris*.  
*suberosa*, Moench, Verz. Ausl. Baume, 136; Ehrh. Beitr. vi. 87 = *campestris*.  
*surculosa*, Stokes, Bot. Mat. Med. ii. 35 = *campestris*.  
*tetrandra*, Schkuhr, Handb. 178. [t. 57] = *campestris*.  
*tiliaefolia*, Host, Fl. Austr. i. 329 = *campestris*.  
*tomentosa*, Borkh. Handb. Forstbot. i. 856 = *montana*.  
*tortuosa*, Host, Fl. Austr. i. 330 = *campestris*.  
*transbaicalensis*, Steud. Nom. ed. I. 862 = *pumila*.  
*turkestanica*, Regel, Gartenfl. (1884) 28, in textu. — Turkestan.  
*urticaefolia*, Audib. Cat. Hort. Tonn. (1817) 23 = *montana*.  
*viminalis*, Lodd. Cat. (1836); ex Loud. Arbor. Brit. iii. 1376 = *campestris*.  
*virgata*, Roxb. Hort. Beng. 21; Fl. Ind. ii. 67 = *parvifolia*.  
*viscosa*, Desf. ex Steud. Nom. ed. I. 862 = *montana*?  
*vulgaris*, Pall. Reise, iii. 314; Dum. Fl. Belg. 25 = *campestris*.  
*Wallichiana*, Planch. in Compt. Rend. Par. lxxiv. (1872) i. 1498 = *seq.*  
*Wallichii*, Planch. in Ann. Sc. Nat. Sér. III. x. (1848) 277–8. — Reg. Himal.  
*Webbiana*, Lee, ex C. Koch, Dendrol. ii. i. 412 = *campestris*.

ULOMA, Rafin. Fl. Tellur. ii. 62 (1836) = *Colea*, Boj. (Bignon.).  
*Telfairia*, Rafin. l. c. = *C. Telfairii*.

ULOPTERA, Fenzl, in Flora, xxvi. (1843) 460 = *Ferula*, Tourn. (Umbell.).  
*macrocarpa*, Fenzl, l. c. (= *Ferulago macrocarpa*). — Mesopot.

ULOSPERMUM, Link, Enum. Hort. Berol. i. 267 (1821) = *Capnophyllum*, Gaertn. (Umbell.).  
*dichotomum*, Link, l. c. = *C. dichotomum*.  
*siculum*, Link, Handb. i. 343 = *Hippomarathrum siculum*.  
*tauricum*, Link, l. c. = *Sanicula crithmifolia*.

ULOSTOMA, D. Don, in G. Don, Gen. Syst. iv. 196 (1837) = *Gentiana*, Tourn.  
*filamentosa*, D. Don, l. c. = *G. filamentosa*.

ULRICIA, Jacq. ex Steud. Nom. ed. I. 862 (1821) = *Lepechinia*, Willd. (Labiata).  
*pyramidata*, Jacq. ex Steud. l. c. = *L. spicata*.

ULTICONA, Rafin. Sylva Tellur. 55 (1838) = *Hebecladus*, Miers (1845) (Solan.).  
*aspera*, Rafin. l. c. = *H. asperus*.  
*biflora*, Rafin. l. c. = *H. biflorus*.  
*viridiflora*, Rafin. l. c. = *H. viridiflorus*.

ULUXIA, Juss. in Dict. Sc. Nat. x. 103 (1818) = *Columellia*, Ruiz & Pav.

ULVA, Hall. Enum. Stirp. Helv. i. 242 (1742) = *Carex*, Dill. (Cyper.).

UMARI, Adans. Fam. ii. 342 (1763) = *Geoffraea*, Linn. (Legumin.).

**UMBELLULARIA**, Nutt. N. Am. Sylv. 87 (1842).  
*LAURINEAE*, Benth. & Hook. f. iii. 162.  
*DRIMOPHYLLUM*, Nutt. N. Am. Sylv. 85 (1842).  
*SCIADIODAPHNE*, Reichb. Nom. 70 (1841).

**UMBELLULARIA:—**

*californica*, Nutt. N. Am. Sylv. 87. — Am. bor. occ.  
*parvifolia*, Hemsl. Biol. Centr. Am. Bot. iii. 77. — Mexic.

UMBILICARIA, Pers. Syn. i. 510 (1805) = *Cotyledon*, Tourn. (Crassul.).

UMBILICUS, DC. in Bull. Soc. Philom. (1801) 49 = *Cotyledon*, Tourn. (Crassul.).  
*affinis*, Schrenk, Enum. Pl. Nov. 72. — Soongar.  
*Aizoon*, Fenzl, Pugill. Pl. Nov. Syr. 15. — As. Min.  
*alpestris*, Kar. & Kir. in Bull. Soc. Nat. Mosc. xv. (1842) 354. — Soongar.  
*botryoides*, Hochst. ex A. Rich. Tent. Fl. Abyss. i. 308 = *C. Umbilicus*.  
*chloranthus*, Heldr. & Sart. ex Boiss. Fl. Orient. ii. 768. — Europ. or.; As. Min.  
*chrysanthus*, Boiss. & Heldr. Diagn. Ser. I. x. 15. — As. Min.  
*deflexus*, Pomel, Nouv. Mat. Fl. Atl. 324. — Alger.  
*elymaeiticus*, Boiss. & Haussk. ex Boiss. Fl. Orient. ii. 770. — Persia.  
*erectus*, DC. Fl. Fr. iv. 384 = *C. lusitanica*.  
*erubescens*, Maxim. Prim. Fl. Amur. 114. — Manchur.  
*fimbriatus*, Turcz. in Bull. Soc. Nat. Mosc. xvii. (1844) 241 = *C. fimbriata*.  
*gaditanus*, Boiss. Diagn. Ser. I. vi. 58. — Alger.  
*glaber*, Regel & Winkler, in Act. Hort. Petrop. vi. (1879) 302. — Turkestan.  
*globulariaefolius*, Fenzl, Pugill. Pl. Nov. Syr. 15 = *C. globulariaefolius*.  
*Haussknechtii*, Boiss. & Reut. ex Boiss. Fl. Orient. ii. 774. — Mesopot.  
*Heylandianus*, Webb & Berth. Phyt. Canar. i. 176. — Ins. Canar.  
*hispidus*, DC. Prod. iii. 399 = *C. Mucizonia*.  
*horizontalis*, DC. l. c. 400 = *C. Umbilicus*.  
*horizontalis*, J. A. Schmidt, Beitr. Fl. Cap. Verd. Ins. 258 = *Schmidtii*.  
*intermedius*, Boiss. Fl. Orient. ii. 769. — As. Min.; Persia.  
*Lampusae*, Kotschy, in Unger & Kotschy, Ins. Cypren, 312 = *Sedum Lampusae*.  
*leucanthus*, G. Don, Gen. Syst. iii. 113 = *C. leucantha*.  
*libanoticus*, DC. Prod. iii. 399 = *C. libanotica*.  
*Lievenii*, G. Don, Gen. Syst. iii. 113 = *C. Lievenii*.  
*Lievenii*, Ledeb. Fl. Ross. ii. 173. — Persia; Sibir.  
*linearifolius*, Franch. in Ann. Sc. Nat. Sér. VI. xvi. (1883) 290. — Turkestan.  
*lineatus*, Boiss. Diagn. Ser. I. x. 14. — Palaestin.  
*lineolatus*, Boiss. Fl. Orient. ii. 769 = *intermedius*.  
*linifolius*, Rupr. Sert. Tiansch. 46. — As. centr.  
*luteus*, Decne. in Jacquem. Voy. Bot. 62. t. 73 = *C. Oreades*.  
*luteus*, Webb & Berth. Phyt. Canar. i. 177. — Ins. Canar.  
*malacophyllus*, DC. Prod. iii. 400 = *C. malacophylla*.  
*mexicanus*, Schlecht. in Linnaea, xiii. (1839) 409 = *C. mexicana*.  
*micranthus*, Pomel, Nouv. Mat. Fl. Atl. 325. — Alger.  
*microstachyum*, Kotschy, in Unger & Kotschy, Ins. Cypren, 311 = *Sedum microstachyum*.  
*multicaulis*, Boiss. & Buhse, in Nouv. Mém. Soc. Nat. Mosc. xii. (1860) 93 = *C. Lievenii*.  
*oppositifolius*, Ledeb. Fl. Ross. ii. 176. — Reg. Canc.  
*Oreades*, Decne. in Jacquem. Voy. Bot. 62 = *C. Oreades*.  
*oxypetalus*, Boiss. Diagn. Ser. I. iii. 15 = *tropaeolifolius*.  
*pallidus*, Schott & Kotschy, in Oestr. Bot. Wochenbl. vii. (1857) 229 = *chrysanthus*.  
*paniculatus*, Regel & Schmalh. in Act. Hort. Petrop. v. (1877) 583. — Kokania.  
*parviflorus*, Boiss. Fl. Orient. ii. 768. n. 2 = *Sprunerianus*.  
*parviflorus*, Boiss. l. c. n. 3 = *chloranthus*.  
*parviflorus*, DC. Prod. iii. 400 = *C. parviflora*.  
*patens*, Pomel, Nouv. Mat. Fl. Atl. 324. — Alger.  
*patulus*, Pomel, l. c. 323. — Alger.  
*pendulinus*, DC. Pl. Grass. t. 162 = *C. Umbilicus*.  
*persicus*, Boiss. Diagn. Ser. I. iii. 14. — Persia.  
*Pestalozzae*, Boiss. Diagn. Ser. II. v. 96. — As. Min.  
*platyphyllus*, Schrenk, Enum. Pl. Nov. 71. — Persia; Soongar.  
*pubescens*, G. Don, Gen. Syst. iii. 111 = *Sedum pilosum*.  
*pulvinatus*, Rupr. Sert. Tiansch. 47. — Turkestan.

UMBILICUS:—

- radicans*, Klotzsch, in Bot. Ergeb. Waldem. Reise, 143 = *Sedum rosulatum*.  
*radiciflorus*, Steud. ex Boiss. Fl. Orient. ii. 772 = *libanoticus*.  
*ramosissimus*, Maxim. Prim. Fl. Amur. 472 = *Cotyledon fimbriata*.  
*samius*, DC. Prod. iii. 399 = *C. samia*.  
*Schmidtii*, Bolle, in Bonplandia, vii. (1859) 245. — Ins. Canar.  
*sedoides*, DC. Prod. iii. 400 = *C. sedoides*.  
*Semenovii*, Regel & Herd. in Bull. Soc. Nat. Mosc. xxxix. (1866) II. 65. — As. temp.  
*semiensis*, J. Gay, ex A. Rich. Tent. Fl. Abyss. i. 308 = *C. simensis*.  
*Sempervivum*, DC. Prod. iii. 399 = *C. Sempervivum*.  
*sessilis*, Dulac, Fl. Hautes-Pyr. 326 = *C. sedoides*.  
*serratus*, DC. Prod. iii. 400 = *C. serrata*.  
*simplex*, C. Koch, in Linnaea, xix. (1847) 41 = *C. Umbilicus*.  
*spathulatus*, Hook. f. & Thoms. in Journ. Linn. Soc. ii. (1858) 92 = *C. spatulata*.  
*spinosa*, DC. Prod. iii. 400 = *C. spinosa*.  
*Sprunerianus*, Boiss. Diagn. Ser. I. vi. 57. — Graecia.  
*stamineus*, Ledeb. Fl. Ross. ii. 174. — Sibir.  
*subulatus*, G. Don, Gen. Syst. iii. 112 = *Sedum subulatum*.  
*thyrsiflorus*, DC. Prod. iii. 400 = *C. leucantha*.  
*tropaeolifolius*, Boiss. Diagn. Ser. I. iii. 14. — Persia.  
*tuberculosis*, DC. ex Steud. Nom. ed. II. ii. 729 = *C. tuberculosa*.  
*turkestanicus*, Regel & Winkl. in Act. Hort. Petrop. vi. (1879) 301. — Turkestan.  
*Winkleri*, Willk. in Ber. Deutsch. Bot. Ges. i. (1883) 269. — Europ.

UMSEMA, Rafin. in Med. Repos. N. York, v. (1808) 352 = *Pontederia*, Linn.  
*mucronata*, Rafin. l. c. = *P. cordata*.  
*obtusifolia*, Rafin. l. c. = *P. cordata*.

UNANNEA, Steud. Nom. ed. II. ii. 729 (1841), sphalm. = seq.

UNANUEA, Ruiz & Pav. Ic. Fl. Per. Ined.; ex Benth. in DC. Prod. x. 380 (1846) = *Stemodia*, Linn. (Scrophul.).  
*febrifuga*, Ruiz & Pav. l. c.; ex Benth. l. c. 382 = *S. suffruticosa*.

UNCARIA, Burch. Trav. i. 536 (1822) = *Harpagophytum*, DC. (Pedal.).  
*procumbens*, Burch. l. c. = *H. procumbens*.

UNCARIA, Schreb. Gen. i. 125 (1789). *RUBIA-CEAE*, Benth. & Hook. f. ii. 31.  
 AGYLOPHORA, Neck. Elem. i. 145 (1790).  
 OUROUFARIA, Aubl. Pl. Gui. i. 177. t. 68 (1775), nomen prius.  
 UNCINARIA, Reichb. Nom. 230 (1841).  
*acida*, [Hook. f. & Thoms.] ex Hook. f. Fl. Brit. Ind. iii. 31 = *dasyoneura*.  
*acida*, Roxb. Hort. Beng. 86; Fl. Ind. i. 520. — Ins. Penang.  
*aculeata*, Willd. in Usteri, Delect. Opusc. Bot. ii. (1793) 200 = *guianensis*.  
*africana*, G. Don, Gen. Syst. iii. 471. — Afr. trop.  
*appendiculata*, Benth. in Hook. Lond. Journ. Bot. ii. (1843) 222. — N. Guin.  
*attenuata*, Korth. Verh. Nat. Gesch. Bot. 170. t. 34. — Malaya.  
*brevispina*, Maing. ex Hook. f. Fl. Brit. Ind. iii. 31 = *dasyoneura*.  
*callophylla*, Korth. Verh. Nat. Gesch. Bot. 170. — Borneo.  
*canescens*, Korth. l. c. 172. — Malaya.  
*cirrhiiflora*, Roxb. Hort. Beng. 86; Fl. Ind. i. 520 (Quid?). — Malaya.  
*dasyoneura*, Korth. Verh. Nat. Gesch. Bot. 169. — Malaya; Zeylan.  
*elliptica*, R. Br. in Wall. Cat. n. 6104 = *dasyoneura*.  
*eumecescarpa*, Korth. ex Miq. Fl. Ind. Bat. ii. 143 = *pedicellatum*.  
*eurhyncha*, Miq. l. c. Suppl. 539. — Ins. Banca.  
*ferrea*, DC. Prod. iv. 348. — Malaya.  
*ferrea*, F. Villar, in Blanco, Fl. Philipp. ed. III. Nov. App. 105 = *Hookeri*.  
*ferruginea*, DC. Prod. iv. 348 = *pedicellata*.  
*ferruginea*, Kurz, For. Fl. Brit. Burma, ii. 69 = *sclerophylla*.

VOL. II.

UNCARIA:—

- florida*, Vidal, Phan. Cuming. Philipp. 176. — Ins. Philipp.  
*Gambier*, Roxb. Hort. Beng. 86; Fl. Ind. i. 517. — Malaya.  
*Gambier*, Thw. Enum. Pl. Zeyl. 138 = *dasyoneura*.  
*Gambier*, Wall. Cat. n. 6103 C, partim = *attenuata*.  
*glabrata*, DC. Prod. iv. 348. — Java.  
*glabrata*, F. Villar, in Blanco, Fl. Philipp. ed. III. Nov. App. 105 = *florida*.  
*guianensis*, F. F. Gmel. Syst. 370. — Guian.  
*Hallii*, Korth. Verh. Nat. Gesch. Bot. 165. t. 33 = *pedicellata*.  
*homomalla*, Miq. Fl. Ind. Bat. ii. 343. — Ind. or.; Malaya.  
*Hookeri*, Vidal, Phan. Cuming. Philipp. 177. — Ins. Philipp.  
*Horsfieldiana*, Miq. Fl. Ind. Bat. ii. 151 = *ferrea*.  
*inermis*, Willd. in Usteri, Delect. Opusc. Bot. ii. (1793) 199. t. 3 = *Mitragyna africana*.  
*insignis*, DC. Prod. iv. 348 = *sclerophylla*.  
*jasminiflora*, Wall. Cat. n. 6103 C, F. — Malaya.  
*laevigata*, Wall. l. c. 6111. — Reg. Himal.; Burma.  
*lanosa*, Wall. in Roxb. Fl. Ind. ed. Carey, ii. 131. — Malaya.  
*Lobbii*, Hook. f. Fl. Brit. Ind. iii. 33. — Singapore.  
*macrophylla*, Wall. in Roxb. Fl. Ind. ed. Carey, ii. 132. — Reg. Himal.  
*nemorosa*, Korth. Verh. Nat. Gesch. Bot. 166. — Sumatra.  
*ovalifolia*, Roxb. Hort. Beng. 86; Fl. Ind. i. 519. — Malaya.  
*ovata*, R. Br. in Wall. Cat. n. 6112, partim. — Malaya.  
*paucinervis*, Teyss. & Binn. Cat. Hort. Bog. 117. — Java.  
*pedicellata*, Roxb. Hort. Beng. 86; Fl. Ind. i. 520. — Malaya.  
*pilosa*, Roxb. ll. cc. 86; 520. — Reg. Himal.; Burma.  
*pilosa*, Wall. Cat. n. 6108 C = *homomalla*.  
*pteropoda*, Miq. Fl. Ind. Bat. ii. 343. — Malaya.  
*rhynchophylla*, Miq. Ann. Mus. Bot. Lugd. Bat. iii. 108 = *Nauclaea rhynchophylla*.  
*Roxburghiana*, Korth. Verh. Nat. Gesch. Bot. 172. — Malaya.  
*Roxburghii*, Korth. Obs. Nauc. Ind. 17 = *praec.*  
*sclerophylla*, DC. in Deless. Ic. Sel. iii. 48. t. 81 = *attenuata*.  
*sclerophylla*, Roxb. Hort. Beng. 86; Fl. Ind. i. 520. — Burma; Malaya.  
*sclerophylla*, Wall. Cat. n. 6105 = *pedicellata*.  
*sessilifolia*, Roxb. in Wall. l. c. n. 6107 = *macrophylla*.  
*sessilifolius*, Roxb. Hort. Beng. 86; Fl. Ind. i. 520. — Reg. Himal.; Burma.  
*setiloba*, Benth. in Hook. Lond. Journ. Bot. ii. (1843) 223. — Java.  
*speciosa*, Wall. Cat. n. 6106 = *sclerophylla*.  
*spinosa*, Raeusch. Nom. ed. III. 55 = *guianensis*.  
*surinamensis*, Miq. in Linnaea, xix. (1847) 129. — Guian.  
*tomentosa*, DC. Prod. iv. 349. — N. Granat.  
*Wallichii*, Korth. Obs. Nauc. Ind. 17, nomen (Quid?). — Ind. or.

UNCARIOPSIS, Karst. in Linnaea, xxx. (1859–60) 152; Fl. Columb. i. 181. t. 90 (1861?). *RUBIA-CEAE*, Benth. & Hook. f. ii. 67.  
*suaveolens*, Karst. ll. cc. — N. Granat.

UNCIFERA, Lindl. in Journ. Linn. Soc. iii. (1859) 39. *ORCHIDAEAE*, Benth. & Hook. f. iii. 579.  
*acuminata*, Lindl. l. c. 40. — Reg. Himal.  
*heteroglossa*, Reichb. f. in Gard. Chron. (1878) II. 234. — Hab.?  
*obtusifolia*, Lindl. in Journ. Linn. Soc. iii. (1859) 40. — Reg. Himal.

UNCINA, C. A. Mey. in Ledeb. Fl. Alt. iv. (1833) 234, sphalm. = *Uncinia*, Pers. (Cyperac.).

UNCINARIA, Reichb. Nom. 230 (1841) = *Uncaria*, Schreb. (Rubiace.).

UNCINIA, Pers. Syn. ii. 534 (1807). *CYPERA-CEAE*, Benth. & Hook. f. iii. 1072.  
*affinis*, Colenso, ex C. B. Clarke, in Journ. Linn. Soc. xx. (1883) 392 = *riparia*.  
*alopecuroides*, Colenso, in Trans. N. Z. Inst. xv. (1883) 335 = *australis*.  
*angusta*, Nees, in Linnaea, ix. (1835–36) 305 = *Douglasii*.

UNCINIA:—

- angustata*, Boeck. in Linnaea, xli. (1877) 347, in syn. = *Douglasii*.  
*australis*, R. Br. Prod. 241, in obs. = *leptostachya*.  
*australis*, Pers. Syn. ii. 534. — N. Zel.; Ins. Pacif.  
*Banksii*, Boott, in Hook. f. Fl. N. Zel. i. 287 = *riparia*.  
*bella*, Phil. in Linnaea, xxx. (1859–60) 204 = *macrophylla*.  
*bractata*, Colenso, in Trans. N. Z. Inst. xvi. (1884) 341 = *australis*.  
*brevicaulis*, Thou. Fl. Trist. Acugna, 35. t. 6. — Ins. Tristan da Cunha.  
*breviculmis*, Carmich. in Trans. Linn. Soc. xii. (1819) 508 = *brevicaulis*.  
*brevisetia*, Torr. in Ann. Lyc. N. York, iii. (1836) 428 = *Carex filifolia* (cf. Addend.).  
*caespitosa*, Colenso, ex Boott, in Hook. f. Fl. N. Zel. i. 287. — N. Zel.  
*Cheesemanniana*, Boeck. in Engl. Bot. Jahrb. v. (1884) 521 = *compacta*.  
*chlorostachya*, Phil. in Linnaea, xxxiii. (1864–65) 275 = *phleoides*.  
*compacta*, R. Br. Prod. 241. — Reg. temp.; Austral.  
*compacta*, A. Rich. Voy. Astrolab. Bot. 118 = *australis*.  
*Cumingii*, Nees, in Linnaea, ix. (1835–36) 305 = *phleoides*.  
*debilior*, F. Muell. Fragm. viii. 151 = *filiformis*.  
*De-la-Costa*, Steud. in Lechl. Berb. Am. Austr. 52 = *macloviana*.  
*digyna*, Hochst. ex Steud. Syn. Pl. Cyp. 244 = *Carex parasitica* (in Addend.).  
*distans*, Colenso, ex Boott, in Hook. f. Fl. N. Zel. i. 286 = *leptostachya*.  
*divaricata*, Boott, in Hook. f. l. c. = *compacta*.  
*Douglasii*, Boott, in Hook. f. Fl. Antarct. ii. 369. — Ins. J. Fernand.  
*Durvillei*, Steud. Syn. Pl. Cyp. 243 = *trichocarpa*.  
*erinacea*, Pers. Syn. ii. 534. — Am. austr.  
*europaea*, J. Gay, in Flora, x. (1827) 26 = *Carex microgloch.*  
*fernandesiana*, Nees, ex Boeck. in Linnaea, xli. (1877) 347, in syn. = *Douglasii*.  
*ferruginea*, Boott, in Hook. f. Fl. N. Zel. i. 288. t. 64 B = *australis*.  
*filifolia*, Nees, in Neuwied, Reise Nord-Amer. ii. 450 = *Carex filifolia*? (cf. Addend.).  
*filiformis*, Boott, ex C. B. Clarke, in Journ. Linn. Soc. xx. (1883) 392 = *riparia*.  
*filiformis*, Colenso, ex Boott, in Hook. f. Fl. N. Zel. i. 286. — Austral.; N. Zel.  
*Galeottii*, Boott, ex C. B. Clarke, in Journ. Linn. Soc. xx. (1883) 400 = *mexicana*.  
*gracilis*, Decne. in Bot. Voy. Astrolab. et Zélée, ii. t. 6. fig. B = *tenuis*.  
*gracilis*, Thou. Fl. Trist. Acugna, 35. t. 5 = *brevicaulis*.  
*Hookeri*, Boott, in Hook. f. Fl. Antarct. 91. t. 51 = *rupestris*.  
*Hookeri*, Colenso, ex C. B. Clarke, in Journ. Linn. Soc. xx. (1883) 395 = *compacta*.  
*horizontalis*, Colenso, in Trans. N. Z. Inst. xv. (1883) 334 = *caespitosa*.  
*jamaicensis*, Liebm. in Vidensk. Selsk. Skr. V. ii. (1851) 272 = *mexicana*.  
*jamaicensis*, Pers. Syn. ii. 534. — Am. trop.  
*Kingii*, R. Br. ex Boott, in Hook. f. Fl. Antarct. ii. 370. t. 145. — Chili.  
*lasiocarpa*, Steud. ex Boeck. in Linnaea, xli. (1877) 349 = *phleoides*.  
*laxiflora*, Petrie, in Trans. N. Z. Inst. xvii. (1885) 271 = *riparia*.  
*Lechleriana*, Steud. Syn. Pl. Cyp. 244. — Reg. Magellan.  
*Lehmannii*, Nees, in Linnaea, x. (1836) 206 = *Carex Lehmannii*.  
*leptostachya*, Phil. in Linnaea, xxxiii. (1864–65) 274 = *trichocarpa*.  
*leptostachya*, Raoul, in Ann. Sc. Nat. Sér. III. ii. (1844) 116 (Choix Pl. N. Zel. 12. t. 5 B). — N. Zel.  
*Lindleyana*, Kunth, Enum. Pl. ii. 526 = *australis*.  
*longearistata*, Steud. Syn. Pl. Cyp. 243 = *erinacea*.  
*longifolia*, E. Desv. in C. Gay, Fl. Chil. vi. 226. t. 72. f. 1 = *phleoides*.  
*longifolia*, Kunth, Enum. Pl. ii. 527 = *erinacea*.  
*longifolia*, Phil. ex C. B. Clarke, in Journ. Linn. Soc. xx. (1883) 399 = *phleoides*.  
*longispica*, Boeck. in Flora, xli. (1858) 650 = *phleoides*.

7 G

**UNCINIA** :—

- macloviana, *Gaudich. in Freyc. Voy. Bot.* 412.—Ins. Falkland.  
*macrolepis*, Decne. [et Hombron] in Bot. Voy. Astrolab. et Zélée, 13. t. 6. f. A = Lechleriana.  
*macrophylla*, Steud. Syn. Pl. Cyp. 244.—Chili.  
*macrostachya*, E. Desv. in C. Gay, Fl. Chil. vi. 229. t. 72. f. 2 = multifaria.  
*mexicana*, Steud. Syn. Pl. Cyp. 243.—Mexic.  
*microglochis*, Spreng. Syst. iii. 830 = *Carex microglochis*.  
*montana*, Phil. in Anal. Univ. Chil. (1865) II. 322.—Chili.  
*Montteana*, Phil. in Linnaea, xxx. (1859–60) 205 = *phleoides*.  
*Moseleyana*, Boeck. in Flora, lxi. (1878) 170 = compacta.  
*multifaria*, Nees, ex Boott, in Hook. f. Fl. Antarct. ii. 369.—Chili.  
*nepalensis*, Nees, in Wight, Contrib. 129 = *Carex linearis*.  
*neriosa*, Boott, in Hook. f. Fl. Tasman. ii. 102. t. 153 = compacta.  
*nigra*, Colenso, in Trans. N. Z. Inst. xvii. (1885) 253 = australis.  
*obtusata*, Colenso, l. c. xvi. (1884) 341.—N. Zel.  
*phalaroides*, Boott, ex C. B. Clarke, in Journ. Linn. Soc. xx. (1883) 396 = *macrophylla*.  
*phalaroides*, Nees, in Mart. Fl. Bras. ii. 1. 202 = *Carex phalaroides*.  
*Philippii*, Hohen. ex Steud. Syn. Pl. Cyp. 243 = *erinacea*.  
*phleoides*, C. A. Mey. in Bull. Acad. Brux. ix. (1842) 249 = *mexicana*.  
*phleoides*, Pers. Syn. ii. 534.—Chili.  
*phyllostachya*, Nees, in Mart. Fl. Bras. ii. 1. 201 = *Carex seticulmis*.  
*purpurata*, Petrie, in Trans. N. Z. Inst. xvii. (1885) 272.—N. Zel.  
*rigida*, Boeck. in Flora, lxxv. (1882) 64 = *brevicaulis*.  
*rigida*, Petrie, in Trans. N. Z. Inst. xvii. (1885) 271 = *rubra*.  
*rigidula*, Steud. Syn. Pl. Cyp. 245 = *australis*.  
*riparia*, R. Br. Prod. 241.—Austral.; N. Zel.  
*riparia*, Hook. f. in Hook. Lond. Journ. Bot. iii. (1844) 417 = *rupestris*.  
*rubra*, Colenso, ex Boott, in Hook. f. Fl. N. Zel. i. 287. t. 64 A.—N. Zel.  
*rupestris*, Raoul, in Ann. Sc. Nat. Sér. III. ii. (1844) 117; (Choix Pl. N. Zel. 13. t. 5. f. A).—N. Zel.  
*scaberrima*, Nees, in Linnaea, ix. (1835–36) 305 = *australis*.  
*scabra*, Colenso, ex Boott, in Hook. f. Fl. N. Zel. i. 285 = *leptostachya*.  
*Sellowiana*, Nees, in Mart. Fl. Bras. ii. 1. 201 = *Carex Sellowiana*.  
*Sinclairii*, Boott, ex Hook. f. Handb. N. Zeal. Fl. 309.—N. Zel.  
*spartea*, Nees, in Linnaea, x. (1836) 205.—Afr. austr.  
*spartea*, Spreng. Syst. iii. 830 = *praec.*?  
*Sprengelii*, Nees, in Linnaea, x. (1836) 205 = *Carex Sprengelii*.  
*tenella*, R. Br. Prod. 241.—Austral.  
*tenuis*, Poepp. ex Kunth, Enum. Pl. ii. 525.—Chili.  
*trichocarpa*, E. Desv. in C. Gay, Fl. Chil. vi. 227. t. 72. f. 3 = *phleoides*.  
*trichocarpa*, C. A. Mey. Cyp. Nov. 11. t. 4.—Chili.  
*Urvillei*, Steud. Syn. Pl. Cyp. 243 = *trichocarpa*.

UNCINUS, Raeusch. Nom. ed. III. 63 (1797), sphalm. = ONCINUS, Lour. = *Melodinus*, Forst. (Apocyn.).

UNEDO, Hoffm. & Link, Fl. Port. i. 415 (1809) = *Arbustus*, Tourn. (Ericac.).  
*edulis*, Hoffm. & Link, l. c. = A. Unedo.

UNGERIA, Nees, ex C. B. Clarke, in Journ. Linn. Soc. xxi. (1884) 34 = *Cyperus*, Mich.  
*monocephala*, Nees, ex C. B. Clarke, l. c. = C. Cephalotes.

UNGERIA, Schott & Endl. Melet. 27. t. 4 (1832). *STERCULIACEAE*, Benth. & Hook. f. i. 219.  
*floribunda*, Schott & Endl. l. c.—Ins. Norfolk.

UNGERNIA, Bunge, in Bull. Soc. Nat. Mosc. xlix. (1875) II. 271. *AMARYLLIDAE*, Benth. & Hook. f. iii. 721.  
*flava*, Boiss. & Haussk. ex Boiss. Fl. Orient. v. 149.—Persia.

**UNGERNIA** :—

- Oldhami, Maxim. in Engl. Bot. Jahrb. vi. (1885) 76.—Japan.  
*trisphaera*, Bunge, in Bull. Soc. Nat. Mosc. xlix. (1875) II. 273.—Persia.

UNGNADIA, Endl. Atakt. t. 36 (1834). *SAPINDACEAE*, Benth. & Hook. f. i. 398.  
*heptaphylla*, Scheele, in Linnaea, xxii. (1849) 352 = *speciosa*.  
*heterophylla*, Scheele, l. c. xxi. (1848) 589 = *speciosa*.  
*speciosa*, Endl. Atakt. t. 36; Nov. Stirp. Dec. 86.—Texas.

UNGUACHA, Hochst. in Flora, xxvii. (1844) 103 = *Strychnos*, Linn. (Logan).  
*simiarum*, Hochst. l. c. = S. Unguacha.

UNIFOLIUM, Hall. Enum. Stirp. Helv. i. 288 (1742) = *Maianthemum*, Weber (Liliac.).  
*quadrifidum*, All. Fl. Pedem. i. 124 = M. Convallaria.

UNIOLA, Linn. Gen. ed. I. 353 (1737). *GRAMINEAE*, Benth. & Hook. f. iii. 1192.  
*CHASMANTHIUM*, Link, Hort. Berol. i. 159 (1827).  
*NEUROCTOLA*, Rafin. Neogenyt. 4 (1825).  
*TRISIOLA*, Rafin. Fl. Ludov. 144 (1817).  
*TRIUNILA*, Rafin. Neogenyt. 4 (1825).

*bipinnata*, Linn. Sp. Pl. ed. II. 104 = *Eragrostis cynosuroides*.  
*borbonica*, Steud. Syn. Pl. Gram. 281.—Ins. Borbon.  
*capensis*, Trin. in Mém. Acad. Pétersb. Sér. VI. i. (1831) 360 = *Eragrostis Uniola*.  
*ciliata*, Beauv. Agrost. 75 (Quid?).—Hab.?  
*distichophylla*, Labill. Nov. Holl. Pl. i. 21. t. 24 = *Distichlis maritima*.  
*flexuosa*, Buckl. in Proc. Acad. Sc. Philad. 1862 (1863) 99 = *Distichlis maritima*.

*gracilis*, Michx. Fl. Bor. Am. i. 71.—Am. bor.  
*indica*, Spreng. Syst. i. 349 = *Eragrostis unioides*.  
*intermedia*, Bosc, ex Beauv. Agrost. 75.—Am. bor.  
*Jardinii*, Steud. ex Jard. Herb. Côte Occ. Afr. 8, nomen; Steud. Syn. Pl. Gram. 281.—Afr. trop.  
*lappacea*, Trin. in Mém. Acad. Pétersb. Sér. VI. i. (1831) 358 = *Centotheca lappacea*.  
*latifolia*, Michx. Fl. Bor. Am. i. 71.—Am. bor.  
*maritima*, Michx. l. c. = *Distichlis maritima*.  
*mucronata*, Linn. Sp. Pl. ed. II. 104 = *Eragrostis mucronata*, Benth. & Hook. f. (in Addend.).  
*multiflora*, Nutt. in Trans. Am. Phil. Soc. v. (1837) 148 = *Distichlis maritima*.  
*nitida*, Baldw. ex Ell. Sketch. i. 167 = *sessiliflora*.  
*ornithoryncha*, Steud. Syn. Pl. Gram. 280.—Am. bor.  
*paniculata*, Linn. Sp. Pl. 71.—Am. bor.  
*paniculata*, Roth, Neue Beytr. i. 98 = *latifolia*.  
*prostrata*, Trin. in Bull. Sc. Acad. Pétersb. i. (1836) 68 = *Distichlis prostrata*.

*pungens*, Beauv. Agrost. 75 = *Sporobolus pungens*.  
*pungens*, Rupr. ex Mart. & Gal. in Bull. Acad. Brux. ix. II. (1842) 234 = *Distichlis maritima*.  
*racemiflora*, Trin. in Bull. Sc. Acad. Pétersb. i. (1836) 68.—Ins. S. Doming.  
*scoparia*, Steud. Syn. Pl. Gram. 281 = *Poa scoparia*.  
*sessiliflora*, Poir. Encyc. viii. 185.—Am. bor.  
*simplex*, Trin. ex Steud. Nom. ed. II. ii. 730 (Quid?).—Hab.?  
*sparta*, Trin. in Linnaea, x. (1836) 307.—Cuba.  
*spicata*, Linn. Sp. Pl. 71 = *Distichlis maritima*.  
*stricta*, Torr. in Ann. Lyc. N. York, i. (1824) 155 = *Distichlis maritima*.  
*thalassica*, Trin. in Mém. Acad. Pétersb. Sér. VI. i. (1831) 359 = *Distichlis maritima*.  
*virgata*, Bartr. ex Schult. Syst. ii. 595 = *gracilis*.  
*virgata*, Griseb. Fl. Brit. W. Ind. 531 = *racemiflora*.

UNISEMA, Rafin. in Med. Repos. N. York, v. (1819) 192; et in Journ. Phys. lxxxix. (1819) 261 = *Pontederia*, Linn.  
*acutifolia*, Rafin. Med. Fl. ii. 107 = P. cordata.  
*deltifolia*, Rafin. l. c. 105.—Am. bor.  
*heterophylla*, Rafin. l. c. 108.—Am. bor.  
*lancifolia*, Rafin. Atl. Journ. 178 = P. cordata.  
*latifolia*, Rafin. Med. Fl. ii. 107.—Am. bor.  
*media*, Rafin. l. c.—Am. bor.  
*mucronata*, Rafin. l. c. = P. cordata.  
*obliquata*, Rafin. l. c.—Am. bor.  
*obtusifolia*, Rafin. in Med. Repos. N. York, v. (1819) 350 = P. cordata.

**UNISEMA** :—

- orbiculata*, Rafin. Med. Fl. ii. 108 = *Pontederia rotundifolia*.  
*peduncularis*, Rafin. New Fl. Am. ii. 75 = P. cordata.  
*Purshiana*, Rafin. Med. Fl. ii. 107 = P. cordata.  
*rotundifolia*, Rafin. l. c. 108.—Am. bor.  
*sagittata*, Rafin. Fl. Ludov. 18 (= *Sagittaria cerulea*).—Am. bor.

UNJALA, Blume, Cat. Gew. Buitenz. 56 (1823) = *Heptapleurum*, Gaertn. (Araliac.).  
*bipinnata*, Reinw. ex Blume, l. c.—Java.  
*decomposita*, Reinw. ex Blume, l. c.—Java.  
*longifolia*, Reinw. ex Blume, l. c. = H. longifolium.  
*Rhedii*, Reinw. ex Blume, l. c. (*Rhedii*) = H. tomentosum, polybotryum, scandens, rigidum.  
*serrata*, Reinw. ex De Vriese, Pl. Ind. Bat. Or. 89 = H. serratum.

UNONA, Linn. f. Suppl. 270 (1781). *ANONACEAE*, Benth. & Hook. f. i. 24.

ANCANA, F. Muell. Fragm. v. 27. t. 35 (1865).  
*DESMOS*, Lour. Fl. Cochinch. 352 (1790).  
*MEIOGYNE*, Miq. Ann. Mus. Bot. Lugd. Bat. ii. 12 (1865–66).

*MELODORUM*, Lour. Fl. Cochinch. 351 (1790).  
*acuminata*, DC. Syst. i. 488.—Guian.  
*acuta*, Zoll. in Miq. Ann. Mus. Bot. Lugd. Bat. ii. 11.—Java.  
*acutiflora*, Dun. Monog. Anon. 116. t. 22 = *Xylopia acutiflora*.  
*aethiopica*, Dun. l. c. 113 = *Xylopia aethiopica*.  
*Alphonsii*, Steud. Nom. ed. II. ii. 730.—Cuba.  
*Alphonsii*, Wall. Cat. n. 6426 = U. Dasymaschala.  
*altissima*, Russ. ex Wall. Cat. n. 6442 = *Polyalthia longifolia*.  
*ambongoensis*, Baill. Adansonia, viii. (1867–68) 350.—Madag.

*Amherstiana*, Wall. ex DC. Mém. Anon. 28; Wall. Cat. n. 6424 = *discolor*.  
*Ancana*, F. Muell. Fragm. v. 27.—Austral.  
*aromatica*, Dun. Monog. Anon. 112 = *concolor*.  
*asiatica*, Steud. Nom. ed. II. ii. 730 = *pannosa*.  
*biglandulosa*, Blume, Bijdr. 16 = *discolor*.  
*Boivini*, Baill. in Bull. Soc. Linn. Par. i. (1882) 339 = *Popowia Boivini*.  
*borneensis*, Miq. Ann. Mus. Bot. Lugd. Bat. ii. 11.—Borneo.  
*Brandisana*, Pierre, Fl. For. Cochinch. t. 19.—Burma.  
*Cabog*, Blanco, Fl. Filip. ed. I. 466 = U. Desmos.  
*cafra*, E. Mey. ex C. Muell. in Walp. Ann. vii. 53 = *Guatteria cafra*.  
*camphorata*, Blanco, Fl. Filip. ed. I. 468 = *Uvaria dulcis*.

*Cananga*, Spreng. Syst. iv. Cur. Post. 215.—Java.  
*Candolleana*, Steud. Nom. ed. II. ii. 730 = U. Dasymaschala.  
*carminativa*, Arruda, Diss. (1810) 48 = *Xylopia sericea*.  
*cauliflora*, Blanco, Fl. Filip. ed. II. 323 = *Melodorum fulgens*.  
*cauliflora*, Hook. f. & Thoms. Fl. Ind. i. 137 = *Polyalthia cinnamomea*.  
*cerasoides*, Baill. Hist. Pl. i. 272 = *Polyalthia cerasoides*.  
*Chapelieri*, Baill. in Bull. Soc. Linn. Par. i. (1882) 338 = *Polyalthia Chapelieri*.  
*chinensis*, DC. Syst. i. 495 = *discolor*.  
*chloroxantha*, Zipp. ex Miq. Ann. Mus. Bot. Lugd. Bat. ii. 17 (= *Monoon chloroxanthum*).—N. Guin.

*clavata*, Reinw. ex Blume, Fl. Jav. Anon. 66 = *Xylopia javanica*.  
*cochinchinensis*, DC. Syst. i. 495 = U. Desmos.  
*coelophloeae*, Scheff. in Flora, lii. (1869) 300.—Malaya.

*concinna*, Pierre, Fl. For. Cochinch. t. 28.—Cochinch.  
*concolor*, Willd. Sp. Pl. ii. 1271.—Guian.  
*cordifolia*, Roxb. ex Hook. f. & Thoms. in Hook. f. Fl. Brit. Ind. i. 59 (sphalm. pro *Uvaria*) = *discolor*.  
*Corinthi*, Baill. Hist. Pl. i. 272 = *Polyalthia Korinti*.  
*corniculata*, Blanco, Fl. Filip. ed. I. 469 = *Artabotrys suaveolens*.  
*corticosa*, Pierre, Fl. For. Cochinch. t. 20.—Cochinch.  
*costata*, Miq. Fl. Ind. Bat. Suppl. 376.—Sumatra.  
*crassipetala*, Dun. Monog. Anon. 101. t. 24.—Guian.  
*crinita*, Hook. f. & Thoms. in Hook. f. Fl. Brit. Ind. i. 61.—Malacca.  
*cubensis*, Steud. Nom. ed. II. ii. 730.—Cuba.

**UNONA:—**

*Dasymaschala*, Blume, *Fl. Jav. Anon.* 55. t. 27.—Burma; Malaya.  
*debilis*, Pierre, *Fl. For. Cochinch.* t. 29.—Cochinch.  
*dehiscens*, Blanco, *Fl. Filip. ed. I.* 466=Xylopia Blancoi.  
*desmantha*, Hook. f. & Thoms. in Hook. f. *Fl. Brit. Ind. i.* 61.—Reg. Himal.; Malaya.  
*Desmos*, *Raesch. Nom. ed. III.* 161; *Dun. Monog. Anon.* 112.—Reg. Himal.; Malaya.  
*discolor*, Vahl, *Symb. Bot. ii.* 63. t. 36.—As. trop.  
*discolor*, Wall. Cat. n. 6420 D, E=U. *Desmos*.  
*discreta*, Linn. f. *Suppl.* 270.—Guian.  
*diversifolia*, Span. in *Linnaea*, xv. (1841) 163.—Ins. Timor.  
*dumetorum*, *Dun. Monog. Anon.* 116.—Cochinch.  
*dumosa*, *Roxb. Hort. Beng.* 43; *Fl. Ind. ii.* 670.—Ind. or.; Malaya.  
*Dunali*, Hook. f. & Thoms. *Fl. Ind. i.* 131, partim = *discolor*.  
*Dunali*, Wall. Cat. n. 6425.—Burma; Malaya.  
*elegans*, Thw. *Enum. Pl. Zeyl.* 398.—Zeylan.  
*elliptica*, Blume, *Bijdr.* 15=Polyalthia elliptica.  
*erecta*, Pierre, *Fl. For. Cochinch.* t. 31.—Cochinch.  
*esculenta*, *Dun. Monog. Anon.* 107=Artabotrys odoratissimus.  
*fasciculata*, Steud. *Nom. ed. II. ii.* 730=Polyalthia simiarum.  
*ferruginea*, Oliver, *Fl. Trop. Afr. i.* 35.—Afr. trop.  
*Fitzgeraldii*, F. Muell. *Fragm. vi.* 1=Fitzgeraldia mitrastigma.  
*flagellaris*, Becc. in *Nuov. Giorn. Bot. Ital. iii.* (1871) 186.—Borneo.  
*fluminensis*, Vell. *Fl. Flum. v.* t. 121=Xylopia sericea.  
*fulgens*, Labill. *Sert. Austro-Caled.* 57. t. 56=Polyalthia nitidissima.  
*fulva*, Wall. Cat. n. 6427=U. *Desmos*.  
*furfuracea*, A. DC. in *Mém. Soc. Phys. Genève. v.* (1832) 205 (*Mém. Anon.* 29).—Madag.  
*fusca*, DC. *Syst. i.* 488.—Guian.  
*Gerrardi*, Baill. in *Bull. Soc. Linn. Par. i.* (1885) 540.—Madag.  
*glauca*, Zipp. in *Alg. Konst.-en Letter-Bode*, i. (1829) 297, nomen.—Malaya.  
*glaucocarpa*, Baill. in *Bull. Soc. Linn. Par. i.* (1882) 339=Popowia glaucocarpa.  
*grandiflora*, Leschen. ex DC. *Prod. i.* 90=Uvaria purpurea.  
*Greveana*, Baill. in *Bull. Soc. Linn. Par. i.* (1882) 339.—Madag.  
*hamata*, Blume, *Bijdr.* 15=Artabotrys odoratissimus.  
*Hancei*, Pierre, *Fl. For. Cochinch.* t. 32.—Cochinch.  
*Harmandii*, Pierre, l. c. t. 24.—Cochinch.  
*heterocarpa*, Miq. *Fl. Ind. Bat. i. ii.* 41.—Java.  
*hirsuta*, Benth. in *Trans. Linn. Soc. xxiii.* (1862) 469.—Afr. trop.  
*humilis*, Blume, *Bijdr.* 17=Uvaria humilis.  
*jucunda*, Pierre, *Fl. For. Cochinch.* t. 25.—Cochinch.  
*Kentii*, Blume, *Bijdr.* 16=Melodorum Kentii.  
*laevigata*, Wall. Cat. n. 6428 (=Roxburghiana?).—Ind. or.  
*latifolia*, *Dun. Monog. Anon.* 115.—Ins. Molucc.  
*latifolia*, Hook. f. & Thoms. ex Hook. f. *Fl. Brit. Ind. i.* 60=Brandisiana.  
*Lawii*, Hook. f. & Thoms. *Fl. Ind. i.* 132.—Ind. or.  
*Leichhardtii*, F. Muell. *Fragm. iii.* 41=Melodorum Leichhardtii.  
*lepidota*, Oliver, *Fl. Trop. Afr. i.* 36.—Afr. trop.  
*leptopetala*, *Dun. Monog. Anon.* 114=Cananga odorata.  
*Lessertiana*, *Dun. l. c.* 107. t. 26=discolor.  
*ligularis*, *Dun. l. c.* 110.—Ins. Amboin.  
*littoralis*, Blume, *Bijdr.* 16=Uvaria littoralis.  
*longiflora*, *Roxb. Hort. Beng.* 43; *Fl. Ind. ii.* 668.—Reg. Himal.  
*longiflora*, Steud. *Nom. ed. II. ii.* 730, sphalm.—Cf. longifolia.  
*longifolia*, *Dun. Monog. Anon.* 109=Polyalthia longifolia.  
*longifolia*, Steud. *Nom. ed. II. ii.* 730, sphalm.=Uvaria longifolia.  
*lucida*, Boj. *Hort. Maurit.* 6=Uvaria lucida.  
*lucida*, DC. *Syst. i.* 498=Xylopia longifolia.  
*lucidula*, Oliver, *Fl. Trop. Afr. i.* 35.—Afr. trop.  
*luensis*, Pierre, *Fl. For. Cochinch.* t. 30.—Cochinch.  
*macrocarpa*, Baill. in *Bull. Soc. Linn. Par. i.* (1882) 339=Popowia macrocarpa.

**UNONA:—**

*macrocarpa*, Vahl, ex DC. *Syst. i.* 489=Uvaria Chamae.  
*macrophylla*, Blume, *Bijdr.* 17=Goniothalamus macrophyllus.  
*Marenteria*, DC. *Syst. i.* 487=Uvaria Marenteria.  
*maritima*, Baill. in *Bull. Soc. Linn. Par. i.* (1882) 339=Polyalthia maritima.  
*Mesnyi*, Pierre, *Fl. For. Cochinch.* t. 17.—Malacca; Siam.  
*micrantha*, Miq. *Fl. Ind. Bat. i. ii.* 43.—Java.  
*modesta*, Pierre, *Fl. For. Cochinch.* t. 28.—Cochinch.  
*mollissima*, Zipp. ex Span. in *Linnaea*, xv. (1841) 162=Uvaria timorensis.  
*monilifera*, DC. *Prod. i.* 91, sphalm.=discreta.  
*moniliformis*, Steud. *Nom. ed. II. ii.* 731 (sphalm. pro Uvaria monilifera)=discolor.  
*monosperma*, Pierre, *Fl. For. Cochinch.* sub t. 18=Cananga monosperma.  
*Musaria*, *Dun. Monog. Anon.* 100.—Ins. Molucc.  
*Narum*, *Dun. l. c.* 99=Uvaria Narum.  
*nitens*, F. Muell. *Fragm. iii.* 2=Polyalthia nitidissima.  
*nitidissima*, *Dun. Monog. Anon.* 109. t. 23=Polyalthia nitidissima.  
*obovata*, Benth. in *Trans. Linn. Soc. xxiii.* (1862) 469.—Afr. trop.  
*obtusiflora*, DC. ex *Dun. Monog. Anon.* 102.—Guian.  
*odorata*, Blanco, *Fl. Filip. ed. II.* 325=U. *Desmos*.  
*odorata*, *Dun. Monog. Anon.* 108=Cananga odorata.  
*odoratissima*, Steud. *Nom. ed. II. ii.* 730 (sphalm. pro Uvaria)=Artabotrys odoratissima.  
*Oliveriana*, Baill. *Adansonia*, viii. (1867-68) 307.—Afr. trop.  
*ossea*, Blanco, *Fl. Filip. ed. I.* 467=discolor.  
*ovata*, Vahl, ex DC. *Syst. i.* 489=Uvaria ovata.  
*oxypetala*, DC. l. c. 496=Xylopia acutiflora?  
*pachypetala*, Spreng. *Syst. ii.* 637=crassipetala.  
*pannosa*, Dals. in *Hook. Kew Journ.* iii. (1851) 207.—Ind. or.  
*parviflora*, Steud. *Nom. ed. II. ii.* 730=Xylopia Dunaliana.  
*parvifolia*, Oliver, *Fl. Trop. Afr. i.* 36.—Afr. trop.  
*pedunculosa*, A. DC. in *Mém. Soc. Phys. Genève. v.* (1832) 204 (*Mém. Anon.* 28)=U. *Desmos*.  
*penduliflora*, *Dun. Monog. Anon.* 100. t. 28=Cymbopetalum penduliflorum.  
*pilosa*, Boiv. ex Baill. *Adansonia*, viii. (1867-68) 322=Popowia pilosa.  
*polycarpa*, DC. *Syst. i.* 499=Xylopia polycarpa.  
*praecox*, Hook. f. & Thoms. *Fl. Ind. i.* 136.—Reg. Himal.  
*pycnantha*, Hook. f. & Thoms. in Hook. f. *Fl. Brit. Ind. i.* 60 (Polyalthia sp.).—Malacca.  
*pygmaea*, Walp. *Rep. i.* 79, sphalm.=Asimina pygmaea.  
*Richardiana*, Baill. in *Bull. Soc. Linn. Par. i.* (1882) 339=Polyalthia Richardiana.  
*rigida*, Zipp. ex Span. in *Linnaea*, xv. (1841) 163, nomen.—Ins. Timor.  
*Roxburghiana*, Wall. Cat. sub n. 6428 A=Oxymitra fornicata.  
*Roxburghiana*, Wall. l. c. B=discolor.  
*selanica*, DC. *Prod. i.* 92.—Ins. Molucc.  
*sempervivens*, Baill. *Hist. Pl. i.* 272 (Polyalthia sp.).—As. trop.  
*setigera*, Blanco, *Fl. Filip. ed. II.* 323=Uvaria purpurea.  
*simiarum*, Baill. ex Pierre, *Fl. For. Cochinch.* t. 23=Polyalthia simiarum.  
*stenopetala*, Hook. f. & Thoms. *Fl. Ind. i.* 136.—Singapore.  
*suaveolens*, Blume, *Bijdr.* 17=Artabotrys suaveolens.  
*subbiglandulosa*, Miq. *Ann. Mus. Bot. Lugd. Bat. ii.* 11.—Borneo.  
*subcordata*, Blume, *Bijdr.* 15=Polyalthia subcordata.  
*subglandulosa*, Walp. *Ann. vii.* 54, sphalm.=subbiglandulosa.  
*sumatrana*, Miq. *Fl. Ind. Bat. Suppl.* 377.—Sumatra.  
*sylvatica*, *Dun. Monog. Anon.* 115.—Cochinch.  
*Thorelii*, Pierre, *Fl. For. Cochinch.* t. 22.—Cochinch.  
*tomentosa*, Willd. *Sp. Pl. ii.* 1271=U. *Desmos*.  
*tripetala*, Blanco, *Fl. Filip. ed. II.* 324, sphalm.=seq. tripetala, DC. *Prod. i.* 90=seq.  
*tripetaloides*, *Dun. Monog. Anon.* 104.—Java.  
*tristis*, Pierre, *Fl. For. Cochinch.* t. 27.—Cochinch.  
*uncinata*, *Dun. Monog. Anon.* 105. t. 12=Artabotrys odoratissimus.  
*undulata*, *Dun. l. c.* 111.—Afr. trop.

**UNONA:—**

*undulata*, Wall. *Pl. As. Rar. iii.* 42. t. 265=discolor.  
*uniflora*, Baill. *Adansonia*, viii. (1868) 327, sphalm.=Duguetia Candollei.  
*velutina*, Blume, ex Hook. f. & Thoms. *Fl. Ind. i.* 130, sphalm.=Cananga odorata.  
*velutina*, Hance, in *Journ. Bot.* xv. (1877) 328.—Cambodia.  
*verrucosa*, Becc. in *Nuov. Giorn. Bot. Ital. iii.* (1871) 185.—Borneo.  
*violacea*, *Dun. Monog. Anon.* 105. t. 25.—Mexic.  
*virgata*, Blume, *Bijdr.* 14=Cananga virgata.  
*viridiflora*, Bedd. *l. c. Pl. Ind. Or. i.* 34.—Ind. or.  
*viridiflora*, Splitz. in *Nederl. Kruidk. Arch. i.* (1848) 224.—Guian.  
*xylopioides*, *Dun. Monog. Anon.* 117. t. 21.—Venezuela.  
*zeylanica*, Hook. f. & Thoms. *Fl. Ind. i.* 132.—Zeylan.  
**UNXIA**, Bert. ex Colla, in *Mem. Acc. Torin.* xxxviii. (1835) 37. t. 32=Blennosperma, Less. (Compos.).  
*anthemidifolia*, Phil. f. Cat. *Pl. Vasc. Chil.* 156, 187, sphalm.=seq.  
*anthemifolia*, Bert. ex Colla, in *Mem. Acc. Torin.* xxxviii. (1835) 38=B. chilense.  
**UNXIA**, H. B. & K. *Nov. Gen. et Sp. iv.* 279. tt. 401, 402 (1820)=Villanova, Lag. (Compos.).  
*achillaeoides*, Less. in *Linnaea*, v. (1830) 159=V. achillaeoides.  
*alternifolia*, Spreng. *Syst. iii.* 620=V. alternifolia.  
*anemonifolia*, H. B. & K. *Nov. Gen. et Sp. iv.* 279. t. 402=V. oppositifolia.  
*dissecta*, Hook. *Bot. Misc. ii.* (1831) 227=V. dissecta.  
*pratensis*, H. B. & K. *Nov. Gen. et Sp. iv.* 279. t. 401=V. oppositifolia.  
**UNXIA**, Linn. f. *Suppl.* 56 (1781)=Melampodium, Linn. (Compos.).  
*achillaeoides*, Hemsl. *Biol. Centr. Am. Bot. ii.* 145=M. achillaeoides.  
*camphorata*, Linn. f. *Suppl.* 368=M. camphoratum.  
*digyna*, Steetz, in *Seem. Bot. Voy. Herald*, 154. t. 30=M. digynum.  
*hirsuta*, Rich. in *Act. Soc. Hist. Nat. Par. i.* (1792) 112 (err. typ. 105)=M. camphoratum.  
**UPATA**, Adans. *Fam. ii.* 201 (1763)=Avicennia, Linn. (Verben.).  
**UPOPION**, Rafin. *New Fl. Am. iv.* 29 (1836)=Thaspium, Nutt. (Umbell.).  
*cordatum*, Rafin. l. c. 31=T. trifoliatum.  
*heterophyllum*, Rafin. l. c.=T. trifoliatum.  
*lobatum*, Rafin. l. c. 30.—Am. bor.  
*pinnatum*, Rafin. l. c.=T. trifoliatum.  
*trifoliatum*, Rafin. l. c.=T. trifoliatum.  
**UPUDALIA**, Rafin. *Fl. Tellur. iv.* 66 (1836)=Daedala-canthus, T. Anders. (1864) (Acanth.).  
*pulchella*, Rafin. l. c.=D. nervosa.  
**URACHNE**, Trin. *Fund. Agrost.* 109 (1820)=Oryzopsis, Michx. (Gramin.).  
*acutigluma*, Steud. *Syn. Pl. Gram.* 121.—Japon.?  
*aemulans*, Steud. in *Lechl. Berb. Am. Austr.* 52.—Chili.  
*asperifolia*, Trin. *Gram. Unifl.* 174=O. asperifolia.  
*brevicaudata*, Trin. in *Mém. Acad. Pétersb. Sér. VI. Sc. Nat. iii.* (1835) 127=O. parviflora.  
*canadensis*, Torr. & Gray, ex Trin. & Rupr. l. c. v. (1842) 17=O. parviflora.  
*chilensis*, Trin. l. c. iii. (1835) 123 (=Nassella chilensis).—Chili.  
*coerulescens*, Trin. *Fund. Agrost.* 110=O. coerulescens.  
*comosa*, Trin. *Gram. Unifl.* 175 (=Piptatherum miliaceum).—Europ. austr.  
*depressa*, Steud. *Syn. Pl. Gram.* 123.—Chili.  
*Fieldingii*, C. Muell. in *Bot. Zeit.* xix. (1861) 342.—Hab.?  
*frutescens*, Link, *Hort. Berol. i.* 93 (=Piptatherum miliaceum).—Europ. austr.  
*fusca*, Steud. *Syn. Pl. Gram.* 123.—Chili.  
*gigantea*, Steud. l. c.—Chili.  
*grandiflora*, Steud. & Hochst. ex Steud. l. c. 124=Stipa megalantha.  
*grandiflora*, Trin. *Gram. Unifl.* 174=O. holciformis.  
*Haenkeana*, Trin. & Rupr. in *Mém. Acad. Pétersb. Sér. VI. Sc. Nat. v.* (1842) 20.—Peruv.



## URACHNE:—

- holciformis*, C. Koch, in Linnaea, xxi. (1848) 439 = *Oryzopsis holciformis*.  
*laevis*, Trin. & Rupr. in Mém. Acad. Pétersb. Sér. VI. Sc. Nat. v. (1842) 20.—Peruv.  
*lanata*, Trin. l. c. iii. (1835) 126 = *O. cuspidata*.  
*leucosperma*, Link, Hort. Berol. i. 94 = *O. asperifolia*.  
*Linnaei*, Trin. & Rupr. in Mém. Acad. Pétersb. Sér. VI. Sc. Nat. v. (1842) 13 = *O. paradoxa*.  
*longiflora*, Steud. Nom. ed. II. ii. 731.—Chili.  
*macrathera*, Steud. Syn. Pl. Gram. 123 = *trichotoma*.  
*major*, Trin. & Rupr. in Mém. Acad. Pétersb. Sér. VI. Sc. Nat. v. (1842) 21.—Chili?  
*megalantha*, Steud. Nom. ed. II. ii. 731 = *Stipa megalantha*.  
*melanosperma*, Link, Hort. Berol. i. 94 = *O. melanocarpa*.  
*Meyeniana*, Trin. & Rupr. in Mém. Acad. Pétersb. Sér. VI. Sc. Nat. v. (1842) 20.—Peruv.  
*micrantha*, Trin. & Rupr. l. c. 16 = *O. micrantha*.  
*molinioides*, Steud. Syn. Pl. Gram. 122 = *O. pubiflora*.  
*multiflora*, Link, Hort. Berol. i. 93 (= *Piptatherum miliaceum*).—Europ.  
*mutica*, Steud. Nom. ed. II. ii. 731 = *O. asperifolia*.  
*obtus*, Trin. & Rupr. in Mém. Acad. Pétersb. Sér. VI. Sc. Nat. v. (1842) 22.—Peruv.  
*panicoides*, Trin. l. c. iii. (1835) 124.—Chili; Bras.  
*paradoxa*, Link, Hort. Berol. i. 92 = *O. paradoxa*.  
*parviflora*, Trin. Fund. Agrost. 110 (= *Piptatherum miliaceum*).—Europ.  
*pauciflora*, Boiss. Fl. Orient. v. 507, sphalm. = praec.  
*pubiflora*, Trin. & Rupr. in Mém. Acad. Pétersb. Sér. VI. Sc. Nat. v. (1842) 21.—Peruv.  
*purpurea*, Steud. Syn. Pl. Gram. 122 = *O. coerulescens*.  
*racemosa*, Trin. Gram. Unifl. 174 = *O. melanocarpa*?  
*ramosa*, Steud. Nom. ed. II. ii. 731; Syn. Pl. Gram. 123 = *chilensis*.  
*ramosissima*, Trin. Gram. Unifl. 173 = *Stipa micrantha*.  
*setacea*, Walp. Ann. iii. 730, sphalm. = seq.  
*setosa*, Trin. in Mém. Acad. Pétersb. Sér. VI. Sc. Nat. iii. (1835) 124 = *O. setacea*.  
*simplex*, Trin. & Rupr. l. c. v. (1842) 22.—Chili.  
*sinaica*, Steud. Syn. Pl. Gram. 122 = *O. holciformis*.  
*songarica*, Trin. & Rupr. in Mém. Acad. Pétersb. Sér. VI. Sc. Nat. v. (1842) 15 = *O. holciformis*.  
*sphacelata*, Boiss. & Buhse, in Nouv. Mém. Soc. Nat. Mosc. xii. (1860) 230 (= *Piptatherum sphacelatum*).—Persia.  
*stipoides*, Trin. & Rupr. in Mém. Acad. Pétersb. Sér. VI. Sc. Nat. v. (1842) 25 (= *Piptochaetium bicolor*).—Bras.  
*Thomasii*, Steud. Syn. Pl. Gram. 122 (= *Piptatherum miliaceum*).—Europ.  
*trichotoma*, Trin. in Mém. Acad. Pétersb. Sér. VI. Sc. Nat. iii. (1835) 124.—Bras.  
*virescens*, Trin. Fund. Agrost. 110 (= *Piptatherum virescens*).—Europ. or.; As. Min.

- URAGOGA, Linn. Gen. ed. I. 378, et Index (1737) = *Psychotria*, Linn. (Rubiaceae).  
*arbutifolia*, Baill. Adansonia, xii. (1879) 292.—N. Caled.  
*asthmatica*, Baill. Hist. Pl. vii. 376 = *Cephaelis asthmatica* (in Addend.).  
*baladensis*, Baill. Adansonia, xii. (1879) 287.—N. Caled.  
*Balansae*, Baill. l. c. 223.—N. Caled.  
*brachylaena*, Baill. l. c. 250.—N. Caled.  
*calliantha*, Baill. l. c. 229.—N. Caled.  
*calorhamnus*, Baill. l. c. 286.—N. Caled.  
*Calothyrsus*, Baill. l. c. 249.—N. Caled.  
*canalensis*, Baill. l. c. 254.—N. Caled.  
*cardiochlamys*, Baill. l. c. 287.—N. Caled.  
*coptosperma*, Baill. l. c. 289.—N. Caled.  
*costularia*, Baill. l. c. 248.—Venezuela.  
*emetica*, Baill. Hist. Pl. vii. 371 = *P. emetica*.  
*Faguetti*, Baill. Adansonia, xii. (1879) 224.—N. Caled.  
*furcellata*, Baill. ex Vatke, in Bremen, Abh. ix. (1885) 118 = *P. furcellata*.  
*Gabriellae*, Baill. Adansonia, xii. (1879) 228.—N. Caled.  
*goniocarpa*, Baill. l. c. 285.—N. Caled.  
*granatensis*, Baill. Hist. Pl. vii. 370 = *P. Ipecacuanha*?  
*Grosourdiana*, Baill. Adansonia, xii. (1879) 227 = *P. Grosourdyana* (in Addend.).  
*guianensis*, Baill. Hist. Pl. vii. 376 = *Cephaelis guianensis* (in Addend.).

## URAGOGA:—

- Guiloveana*, Baill. Adansonia, xii. (1879) 329.—N. Guin.  
*Hombroiana*, Baill. l. c. 333.—Ins. Marian.  
*Ipecacuanha*, Baill. Hist. Pl. vii. 281 = *Psychotria Ipecacuanha*.  
*jasminiflora*, Baill. Adansonia, xii. (1879) 226.—N. Caled.  
*ligustrina*, Baill. l. c. 253.—N. Caled.  
*lyciiflora*, Baill. l. c. 290.—N. Caled.  
*lycioides*, Baill. l. c. 228.—N. Caled.  
*macroglossa*, Baill. l. c. 251.—N. Caled.  
*Marcgravia*, Baill. Hist. Pl. vii. 372 = *P. Marcgravia*.  
*macropoda*, Baill. l. c. 376 = *Geophila macropoda*.  
*microglossa*, Baill. Adansonia, xii. (1879) 252.—N. Caled.  
*Micromyrtus*, Baill. l. c. 291.—N. Caled.  
*monanthos*, Baill. l. c. 293 = *N. Caled.*  
*muscosa*, Baill. Hist. Pl. vii. 376 = *Cephaelis muscosa*.  
*Nathaliae*, Baill. Adansonia, xii. (1879) 248.—N. Caled.  
*Nekouana*, Baill. l. c. 287.—N. Caled.  
*noxia*, Baill. Hist. Pl. vii. 372 = *P. noxia*.  
*officinalis*, Baill. l. c. 376 = *P. officinalis*.  
*oleoides*, Baill. Adansonia, xii. (1879) 252.—N. Caled.  
*Pancheri*, Baill. l. c. 222.—N. Caled.  
*Paramaracarpus*, Baill. l. c. 293.—N. Caled.  
*parasitica*, Baill. l. c. 328 = *P. parasitica*.  
*Poissoniana*, Baill. l. c. 230.—N. Caled.  
*Remyana*, Baill. l. c. 253.—Ecuador.  
*reniformis*, Baill. Hist. Pl. vii. 376 = *Geophila reniformis*.  
*rosmarinifolia*, Baill. Adansonia, xii. (1879) 291.—N. Caled.  
*ruelliaefolia*, Baill. Hist. Pl. vii. 372 = *P. ruelliaefolia*.  
*rupicola*, Baill. Adansonia, xii. (1879) 288.—N. Caled.  
*sagittalis*, Baill. l. c. 249.—N. Caled.  
*Simira*, Baill. Hist. Pl. vii. 374 = *P. parviflora*.  
*Spachiana*, Baill. Adansonia, xii. (1879) 285.—N. Caled.  
*stricta*, Baill. l. c. 250.—N. Caled.  
*subuniflora*, Baill. l. c. 292.—N. Caled.  
*tinctoria*, Baill. Hist. Pl. vii. 374 = *Palicourea tinctoria*.  
*tortilis*, Baill. Adansonia, xii. (1879) 325 = *P. tortilis*.  
*trichopodantha*, Baill. l. c. 294.—N. Caled.  
*trilobata*, Baill. l. c. 289.—N. Caled.  
*undata*, Baill. Hist. Pl. vii. 371 = *P. undata*.  
*viburnifolia*, Baill. Adansonia, xii. (1879) 330.—Mexic.  
*Vieillardii*, Baill. l. c. 224.—N. Caled.

URALEPIS, Spreng. Neue Entdeck. i. 244 (1821) = seq.

URALEPSIS, Nutt. Gen. Am. i. 62 (1818) = *Triodia*, R. Br. (Gramin.).

- alba*, Steud. Syn. Pl. Gram. 248 = *Diplachne alba*.  
*alopecuroides*, Steud. l. c. = *T. plumosa*.  
*ambigua*, Kunth, Rév. Gram. i. 108 = *T. ambigua*.  
*arenaria*, Steud. Syn. Pl. Gram. 248 = *Diplachne arenaria*.  
*aristulata*, Nutt. Gen. Am. i. 63 = *Triplasis purpurea*.  
*avenacea*, Kunth, Rév. Gram. i. 108 = *T. avenacea*.  
*brasilensis*, Steud. Syn. Pl. Gram. 248.—Bras.  
*brevispinata*, Buckl. in Proc. Acad. Sc. Philad. 1862 (1863) 93 = *Diplachne dubia*.  
*capensis*, Kunth, Enum. Pl. i. 319.—Afr. austr.  
*capensis*, Steud. Syn. Pl. Gram. 248.—Afr. austr.  
*ciliata*, Steud. l. c. 247.—Afr. trop.  
*composita*, Buckl. in Proc. Acad. Sc. Philad. 1862 (1863) 94 = *Diplachne fascicularis*.  
*cornuta*, Ell. Sketch, i. 580 = *Triplasis americana*.  
*cuprea*, Kunth, Rév. Gram. i. 108 = *T. cuprea*.  
*densiflora*, Buckl. in Proc. Acad. Sc. Philad. 1862 (1863) 94 = *T. stricta*.  
*Drummondii*, Steud. Syn. Pl. Gram. 247 = *Diplachne fusca*.  
*Eleusine*, Steud. l. c. 248 = *Diplachne Eleusine*.  
*elongata*, Buckl. in Proc. Acad. Sc. Philad. 1862 (1863) 89 = *T. trinervium*.  
*flaccida*, Doell. in Mart. Fl. Bras. ii. iii. 95.—Bras.  
*fusca*, Steud. Syn. Pl. Gram. 247 = *Diplachne fusca*.  
*livida*, Steud. l. c. 248 = *Diplachne livida*.  
*mutica*, Fourn. ex Hemsl. Biol. Centr. Am. Bot. iii. 569 = *T. mutica*.  
*pallida*, Kunth, Rév. Gram. i. 108 = *Glyceria pallida*.  
*pilosa*, Buckl. in Proc. Acad. Sc. Philad. 1862 (1863) 94 = *T. acuminata*.  
*pilosa*, Buckl. l. c. 95 = *T. mutica*.  
*poaeoides*, Buckl. l. c. = *Sclerochloa californica*.

## URALEPSIS:—

- pulchella*, Kunth, Rév. Gram. i. 108 = *Triodia pulchella*.  
*pungens*, Kunth, l. c. = *Aeluropus arabicus*.  
*purpurea*, Nutt. Gen. Am. i. 62 = *Triplasis purpurea*.  
*quadridentata*, Doell. in Mart. Fl. Bras. ii. iii. 240.—Bras.  
*Tricuspis*, Steud. Nom. ed. II. i. 564, in syn. = *T. cuprea*.  
*verticillata*, Steud. Syn. Pl. Gram. 248 = *Diplachne verticillata*.  
*virens*, Kunth, Enum. Pl. i. 319.—Bras.

URANANTHUS, Benth. Pl. Hartw. 46 (1840) = *Eustoma*, Salisb. (Gentian.).  
*chironioides*, Benth. l. c. 46 = *E. silenifolium*.  
*glaucofolius*, Benth. l. c. = *E. silenifolium*.  
*pallidus*, Liebm. Ind. Sem. Hort. Hafn. (1845); ex Sond. in E. Otto, Allg. Gartenz. iv. (1848) 368 = *E. silenifolium*.  
*Russelianus*, Benth. Pl. Hartw. 46 = *E. Russelianum*.

URANDRA, Thw. in Hook. Kew Journ. vii. (1855) 211 = *Lasianthera*, Beauv. (Olac.).  
*apicalis*, Thw. l. c. = *L. apicalis*.

URANIA, DC. in Ann. Sc. Nat. Sér. I. iv. (1825) 100; et Desv. in Mém. Soc. Linn. Par. iv. (1826) 309, sphalm. = *Uraria*, Desv. (Legumin.).

URANIA, Schreb. Gen. 212 (1789) = *Ravenala*, Adans. (Scitamn.).  
*amazonica*, Mart. Reise Bras. iii. 946; Hort. ex Lem. Illustr. Hort. vii. (1860) t. 239 = *R. guyanensis*.  
*guyanensis*, Rich. in Nov. Act. Nat. Cur. xv. (1831) Suppl. 21 = *R. guyanensis*.  
*madagascariensis*, Raeusch. Nom. ed. III. 91 = *R. madagascariensis*.  
*Ravenalia*, Rich. in Nov. Act. Nat. Cur. xv. (1831) Suppl. 19 = *R. madagascariensis*.  
*speciosa*, Willd. Sp. Pl. ii. 7 = *R. madagascariensis*.

URANOSTACHYS, Fourr. in Ann. Soc. Linn. Lyon, N. S. xvii. (1869) 128 = *Veronica*, Tourn. (Scrophul.).  
*prostrata*, Fourr. l. c. 128 = *V. prostrata*.  
*Teucrium*, Fourr. l. c. = *V. Teucrium*.

URANTHERA, Naud. in Ann. Sc. Nat. Sér. III. iii. (1845) 189 = *Acisanthera*, P. Br. (Melastom.).  
*alsinaefolia*, Naud. l. c. = *A. alsinaefolia*.  
*dicranophora*, Naud. l. c. xii. (1849) 283 = *A. quadrata*.  
*Hostmanni*, Naud. l. c. 284 = *A. recurva*.  
*recurva*, Naud. l. c. iii. (1845) 189 = *A. recurva*.  
*variabilis*, Naud. l. c. 190. t. 7. f. 18 = *A. variabilis*.

URARIA, Desv. Journ. Bot. i. (1813) 122. t. 5. f. 19. *LEGUMINOSAE*, Benth. & Hook. f. i. 521.  
*DOODIA*, Roxb. Hort. Beng. 99 (1814); Fl. Ind. iii. 365 (1832).

- acuminata*, Kurz, in Journ. As. Soc. Beng. xlv. (1876) ii. 235, 236 = *picta*?  
*alopecuroides*, Sweet, Hort. Brit. ed. II. 149; Wight, l. c. t. 290 = *U. Lagopus*.  
*arborea*, G. Don, Gen. Syst. ii. 287 = *U. Lagopus*.  
*barbata*, Desv. in Mém. Soc. Linn. Par. iv. (1826) 309 = *Desmodium barbatum*.  
*campanulata*, Wall. Cat. n. 5685 = *Lourea campanulata*.  
*cercidifolia*, Desv. in Mém. Soc. Linn. Par. iv. (1826) 309, sphalm. = seq.  
*cercifolia*, Desv. Journ. Bot. i. (1813) 123. t. 5. f. 19 = *lagopoides*.  
*comosa*, DC. Prod. ii. 324 = *crinita*.  
*cordata*, Wall. Cat. n. 5679 = seq.  
*cordifolia*, Wall. Pl. As. Rav. i. 33.—Burma.  
*cornosa*, Span. in Linnaea, xv. (1841) 193 = *crinita*.  
*crinita*, Desv. Journ. Bot. i. (1813) 123.—As. trop.  
*cylindracea*, Benth. Fl. Austral. ii. 237.—Austral.  
*desmodioides*, R. Grah. in Wall. Cat. n. 5683 = *hamosa*.  
*hamosa*, Wall. Cat. n. 5681 A, C = *U. Lagopus*, *lagopoides*.  
*hamosa*, Wall. l. c. B.—Ind. or.; Malaya.  
*lagocephala*, DC. Prod. ii. 324 = *Desmodium barbatum*.  
*lagopoda*, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 136 = *U. Lagopus*.  
*lagopodioides*, Desv. in Mém. Soc. Linn. Par. iv. (1826) 309 = *lagopoides*?  
*lagopodioides*, Wall. Cat. n. 5676 = *U. Lagopus*.  
*lagopoides*, DC. Prod. ii. 324.—As. et Austral. trop.  
*Lagopus*, DC. in Ann. Sc. Nat. Sér. I. iv. (1825) 100.—Reg. Himal.; Burma.

**URARIA** :—

*lanceolata*, R. Grah. in Wall. Cat. n. 5682 = hamosa.  
*leptostachya*, Wall. l. c. 5684 = hamosa.  
*leucantha*, Zipp. ex Span. in Linnaea, xv. (1841) 193 = picta.  
*linearis*, Hassk. in Flora, xxv. (1842) II. Beibl. 61; Cat. Hort. Bog. Alt. 273 = picta.  
*macrostachya*, Wall. Pl. As. Rar. ii. t. 110 = crinita.  
*obcordata*, Miq. Fl. Ind. Bat. Suppl. 305 = Desmodium obcordatum.  
*paniculata*, Hassk. Cat. Hort. Bog. Alt. 273.—Java.  
*picta*, Desv. Journ. Bot. i. (1813) 123. t. 5. f. 19.—Geront. trop.  
*picta*, Wight, Ic. t. 411 = crinita.  
*prunellaefolia*, R. Grah. in Wall. Cat. n. 5686.—Reg. Himal.  
*repanda*, Wall. Cat. n. 5677.—Burma.  
*retrofracta*, Wall. l. c. 5678 = Mecopus nidulans.  
*retusa*, Wall. l. c. 5680 = lagopoides.  
*styracifolia*, Wight & Arn. Prod. 222 = Desmodium retroflexum.

**URASPERMUM**, Nutt. Gen. Am. i. 192 (1818) = *Osmorhiza*, Rafin. (Umbell.).  
*Claytoni*, Nutt. l. c. 193 = *O. longistylis*.  
*hirsutum*, Bigel. Fl. Bost. ed. III. 120 = *O. brevistylis*.

**URATEA**, J. F. Gmel. Syst. 677 (1791) = **OURATEA**, Aubl. = *Gomphia*, Schreb. (Ochnac.).

**URBANIA**, Vatke, in Oestr. Bot. Zeitschr. xxv. (1875) 10 = *Lyperia*, Benth. (Scrophul.).  
*lyperiaeflora*, Vatke, in Linnaea, xliii. (1880–82) 306 = *Lindenbergia sinaica*.  
*lyperiaeflora*, Vatke, in Oestr. Bot. Zeitschr. xxv. (1875) 10.—Afr. trop.

**URCEOLA**, Roxb. in As. Res. v. (1798) 169. *APOCYNACEAE*, Benth. & Hook. f. ii. 716.  
*CHAVANNESIA*, A. DC. in DC. Prod. viii. 444 (1844).  
*brachysepala*, Hook. f. Fl. Brit. Ind. iii. 659.—Malacca.  
*elastica*, Roxb. in As. Res. v. (1798) 169.—Malaya.  
*esculenta*, Benth. ex Hook. f. Fl. Brit. Ind. iii. 658.—Burma.  
*lucida*, Benth. & Hook. f. Gen. ii. 716.—Burma; Ins. Penang.  
*Maingayi*, Hook. f. Fl. Brit. Ind. iii. 658.—Singapore.  
*malaccensis*, Hook. f. l. c.—Malacca.  
*torulosa*, Hook. f. l. c. 659.—Malacca.

**URCEOLA**, Vand. Fl. Lusit. 8. t. 1. f. 4 (1788) (Quid?).  
*Vandelli*, Roem. & Schult. Syst. iii. 99.—Bras.

**URCEOLARIA** *capensis*, F. G. Dietr. Vollst. Lexik. Gaertn. Nachtr. iv. 396, sphalm. = *Utricularia capensis*.

**URCEOLARIA**, Herb. App. [Bot. Reg.] 28 (1821) = *Urceolina*, Reichb. (Amaryll.).  
*pendula*, Herb. l. c. = *Urceolina pendula*.

**URCEOLARIA**, Molina, Sagg. Chile, ed. II. 136, 277 (1810) = *Sarmienta*, Ruiz & Pav. (Gesner.).  
*chilensis*, Molina, l. cc. = *S. repens*.

**URCEOLARIA**, Willd. ex Cothen. Disp. Veg. Meth. 10 (1790) = *Schradera*, Vahl (Rubiace.).  
*exotica*, J. F. Gmel. Syst. 390 = *S. capitata*.

**URCEOLINA**, Reichb. Consp. 61 (1828). *AMARYLLIDAE*, Benth. & Hook. f. iii. 732.

**COLLANIA**, Schult. f. Syst. vii. II. p. liii, 893 (1830).

**LEPERIZA**, Herb. App. [Bot. Reg.] 41 (1821).  
**PENTLANDIA**, Herb. in Bot. Reg. (1839) t. 68.  
**SPHAEROTELE**, Link, Klotzsch & Otto, Ic. Pl. Rar. Hort. Berol. 95. t. 38 (1841).

**URCEOLARIA**, Herb. App. [Bot. Reg.] 28 (1821).  
*aurea*, Lindl. in Gard. Chron. (1864) 627, 890 = *pendula*.  
*fulva*, Herb. Amaryll. 194 = *pendula*.  
*latifolia*, Benth. & Hook. f. Gen. iii. 732.—Peruv.  
*lobata*, Pritz. Ic. Ind. 1134, sphalm. = *Urena lobata*.  
*miniata*, Benth. & Hook. f. Gen. iii. 732.—Peruv.  
*pendula*, Herb. Amaryll. 193.—Peruv.

**URECHITES**, Muell. Arg. in Bot. Zeit. xviii. (1860) 22. *APOCYNACEAE*, Benth. & Hook. f. ii. 727.  
*Andrieuxii*, Muell. Arg. in Linnaea, xxx. (1859–60) 442.—Mexic.  
*Jaegeri*, Muell. Arg. l. c. 443.—Ins. S. Doming.  
*jamaicensis*, Miers, Apocyn. S. Am. 112 = *Echites jamaicensis*.  
*Karwinskii*, Muell. Arg. in Linnaea, xxx. (1859–60) 440.—Mexic.  
*Neriandra*, Miers, Apocyn. S. Am. 111 = *Echites Andrewsii*.  
*suberecta*, Muell. Arg. in Linnaea, xxx. (1859–60) 444.—Ins. S. Doming.

**URENA**, Dill. ex Linn. Syst. ed. I (1735). *MALVACEAE*, Benth. & Hook. f. i. 205.  
*aculeata*, Mill. Gard. Dict. ed. VIII. n. 2 = *lobata*.  
*americana*, Linn. Pl. Surin. 11; Amoen. Acad. viii. 259; Linn. f. Suppl. 308 = *lobata*.  
*Armitiana*, F. Muell. Fragm. x. 78.—Austral.  
*Blumei*, Hassk. in Hoev. & De Vriese, Tijdschr. xii. (1845) 78.—Java.  
*campestris*, Vell. Fl. Flum. 286; vii. t. 47.—Bras.  
*cana*, Wall. Cat. n. 1930 B = *lobata*.  
*chinensis*, Osbeck, Voy. ed. Angl. i. 363 (Quid?).—China.  
*cordata*, Herb. Heyne, ex Mast. in Hook. f. Fl. Brit. Ind. i. 330 = *Pavonia glechomifolia*.  
*diversifolia*, Schum. & Thonn. Beskr. Guin. Pl. 308 = *lobata*.  
*foetida*, L'Hérit. ex DC. Prod. i. 444 = *Pavonia paniculata*.  
*glabra*, R. Br. in Salt, Abyss. App. 65 = *Pavonia glechomifolia*.  
*grandiflora*, [Moç. & Sesse,] ex DC. Prod. i. 442 = *lobata*.  
*Haenkeana*, Walp. Rep. i. 297 = *lobata*.  
*Hamiltoniana*, Wall. Cat. n. 2700 = *repanda*.  
*hastata*, Vell. Fl. Flum. 285; vii. t. 43.—Bras.  
*heteromorpha*, Montr. in Mém. Acad. Lyon, x. (1860) 180.—N. Caled.  
*heterophylla*, Presl, Rel. Haenk. ii. 127 = *lobata*.  
*heterophylla*, Rich. in Act. Soc. Hist. Nat. Par. i. (1792) 111 (Quid?).—Guian.  
*heterophylla*, Schrad. Cat. Sem. Hort. Gotting. (1835). —Cf. Linnaea, xi. (1837) Litt. 90 = *phyllomorpha*.  
*heterophylla*, Sm. in Rees, Cycl. xxxvii. n. 86 = *sinuata*.  
*hirta*, Vell. Fl. Flum. 286; vii. t. 45.—Bras.  
*hispida*, Boj. ex Baker, in Journ. Bot. xx. (1882) 45 = *Pavonia Bojeri*.  
*Lappago*, Sm. in Rees, Cycl. xxxvii. n. 11; DC. Prod. i. 441 = *sinuata*.  
*leptocarpa*, Linn. f. Suppl. 508 = *Pavonia Typhalaea*.  
*leucantha*, Poepp. ex Garcke, in Eichl. Jahrb. Berl. i. (1881) 211 = *Pavonia leucantha*.  
*lobata*, Linn. Sp. Pl. 692.—Cosmop. trop.  
*Loureiirii*, Meissn. ex Steud. Nom. ed. II. ii. 732 = *Malachra Urena*.  
*malacoides*, Hill, Veg. Syst. xv. 20 (Quid?).—China.  
*Manihot*, Klotzsch, in Bot. Zeit. iv. (1846) 102, nomen = *sinuata*.  
*mauritaniana*, Sieber, ex Colla, Hort. Ripul. 142 = *lobata*.  
*mediterranea*, Vell. Fl. Flum. 285; vii. t. 42.—Bras.  
*Meyeri*, F. Muell. Fragm. x. 79 = *Pavonia Columella*.  
*microcarpa*, DC. Prod. i. 442 = *lobata*.  
*mollis*, R. Br. in Salt, Abyss. App. 65 = *Pavonia Kraussiana*.  
*monopetala*, Lour. Fl. Cochinch. 418.—Cochinch.  
*morifolia*, DC. Prod. i. 442 = *sinuata*.  
*multifida*, Cav. Diss. vi. 336. t. 184. f. 2 = *sinuata*.  
*muricata*, DC. Prod. i. 442 = *sinuata*.  
*obtusata*, Guill. & Perr. Fl. Seneg. Tent. i. 48 = *lobata*.  
*ovalifolia*, Forsk. Fl. Aegypt. Arab. 124 = *Hibiscus micranthus*.  
*palmata*, Roxb. Hort. Beng. [97]; Fl. Ind. iii. 182 = *lobata*.  
*paradoxa*, H. B. & K. Nov. Gen. et Sp. v. 278 = *sinuata*.  
*phyllomorpha*, Steud. Nom. ed. II. ii. 732.—Java.  
*pilosa*, Burch. ex DC. Prod. i. 438 = *Pavonia Columella*.  
*polyflora*, Lour. Fl. Cochinch. 417 = *Malachra Urena*.  
*praemorsa*, Salisb. Prod. 382 = *Pavonia praemorsa*.  
*procumbens*, Linn. Sp. Pl. 692.—China.  
*repanda*, Blume, Bijdr. 64 = *Blumei*.

**URENA** :—

*repanda*, Roxb. Hort. Beng. 51; Fl. Ind. iii. 182.—Ind. or.; Burma.  
*reticulata*, Cav. Diss. vi. 335. t. 183. f. 2 = *lobata*.  
*Ribesia*, Sm. in Rees, Cycl. xxxvii. n. 5 = *lobata*.  
*ricinocarpa*, Eckl. & Zeyh. Enum. 37.—Afr. austr.  
*rigida*, Wall. Cat. n. 1929, partim.—Burma; Malaya.  
*rigida*, Wall. l. c., partim = *repanda*.  
*scabriuscula*, DC. Prod. i. 441 = *lobata*.  
*sidoides*, Vell. Fl. Flum. 286; vii. t. 46.—Bras.  
*Sieberi*, Colla, Hort. Ripul. 142. t. 30 = *lobata*.  
*sinuata*, Linn. Sp. Pl. 692.—Reg. trop.  
*sinuata*, Sw. Obs. Bot. 264 = *lobata*.  
*speciosa*, Wall. Pl. As. Rar. i. 23. t. 26 = *repanda*.  
*stellata*, Spreng. Neue Entdeck. ii. 163 = *Pavonia Typhalaea*.  
*stellipila*, Lem. Jard. Fleur. iii. (1852) t. 281.—Bras.  
*subtriloba*, Schrank, Pl. Rar. Hort. Monac. t. 79.—Bras.  
*Swartzii*, DC. Prod. i. 442 = *lobata*.  
*Swartzii*, Macfad. Fl. Jamaica. i. 60 = *sinuata*.  
*tomentosa*, Blume, Bijdr. 65.—Java.  
*tomentosa*, Wall. Cat. n. 1933 H = *sinuata*.  
*tricuspis*, Cav. Diss. vi. 334. t. 183. f. 1 = *lobata*.  
*trilobata*, Vell. Fl. Flum. vii. 269. t. 44 = *lobata*.  
*Typhalaea*, Linn. Mant. ii. 258 = *Pavonia Typhalaea*.  
*viminea*, Cav. Diss. vi. 335. t. 184. f. 1 = *lobata*.  
*virgata*, Guill. & Perr. Fl. Seneg. Tent. i. 48 = *lobata*.  
*Xanthium*, Vell. Fl. Flum. 284; vii. t. 41 (sp. dub.).—Bras.

**URERA**, Gaudich. in Freyc. Voy. Bot. 496 (1826).  
*URTICACEAE*, Benth. & Hook. f. iii. 383.  
*CALOSTIMA*, Rafin. Fl. Tellur. iii. 47 (1836).  
*SCEPOCARPUS*, Wedd. in DC. Prod. xvi. i. 98 (1869).  
*acuminata*, Gaudich. in Freyc. Voy. Bot. 497.—Ins. Maurit. et Timor.  
*acuminata*, Miq. in Mart. Fl. Bras. iv. i. 190 = *alceaefolia*.  
*alceaefolia*, Gaudich. in Freyc. Voy. Bot. 497.—Am. trop.  
*amberana*, Baker, in Journ. Bot. xx. (1882) 267.—Madag.  
*amplissima*, Blume, Mus. Bot. Lugd. Bat. ii. t. 22 = *Laportea amplissima*.  
*armigera*, Miq. in Mart. Fl. Bras. iv. i. 193 = *baccifera*.  
*aurantiaca*, Wedd. in Ann. Sc. Nat. Sér. III. xviii. (1852) 201.—Bras.  
*baccifera*, Gaudich. in Freyc. Voy. Bot. 497.—Am. austr.  
*cameroonensis*, Wedd. in DC. Prod. xvi. i. 97.—Afr. trop.  
*capitata*, Wedd. in Ann. Sc. Nat. Sér. III. xviii. (1852) 201.—Peruv.  
*caracasana*, Griseb. Fl. Brit. W. Ind. 154 = *alceaefolia*.  
*Commersoniana*, Wedd. in Ann. Sc. Nat. Sér. III. xviii. (1852) 202 = *Laportea crenulata*.  
*corallina*, Wedd. in DC. Prod. xvi. i. 90.—Costa Rica.  
*crassifolia*, Wedd. in Arch. Mus. Par. ix. (1856) 161.—Ins. Dominic.  
*crenulata*, Wedd. in Ann. Sc. Nat. Sér. III. xviii. (1852) 203 = *Laportea crenulata*.  
*densiflora*, Miq. in Mart. Fl. Bras. iv. i. 190 = *alceaefolia*.  
*denticulata*, Miq. l. c. 192 = *baccifera*.  
*elata*, Griseb. Fl. Brit. W. Ind. 154 = *sinuata*.  
*excelsa*, Wedd. in Ann. Sc. Nat. Sér. IV. i. (1854) 178 = *Laportea Gigas*.  
*expansa*, Griseb. Fl. Brit. W. Ind. 155.—Jamaic.  
*ficifolia*, Gaudich. in Freyc. Voy. Bot. 497 = *Obetia ficifolia*.  
*Gaudichaudiana*, Hensl. in Ann. Nat. Hist. Ser. I. i. (1838) 341 = *Fleurya aestuans*.  
*Gaudichaudiana*, Wedd. in Ann. Sc. Nat. Sér. IV. i. (1854) 177 = *Laportea Gaudichaudiana*.  
*gigantea*, Gaudich. in Freyc. Voy. Bot. 497 = *Laportea crenulata*.  
*girardinoides*, Seem. Bot. Voy. Herald, 194 = *lacinata*.  
*glabra*, Wedd. in Arch. Mus. Par. ix. (1856) 149 = *sandwicensis*.  
*grandifolia*, Parodi, in Anal. Soc. Cient. Argent. iv. (1877) 310.—Paraguay.

**URERA** :—

- horrida*, Miq. in Mart. Fl. Bras. iv. 192 = *baccifera*.  
*Humboldtii*, Baill. in Bull. Soc. Linn. Par. i. (1885) 479.—Madag.  
*Hypselodendron*, Wedd. in Ann. Sc. Nat. Sér. III. xviii. (1852) 203.—Abyss.  
*Jacquinii*, Wedd. l. c. 200 = *alceaefolia*.  
*javaensis*, Gaudich. in Freyc. Voy. Bot. 497 = *Laportea crenulata*.  
*Kaalae*, Wawra, in Flora, lvii. (1874) 542.—Ins. Sandvic.  
*laciniata*, Wedd. in Ann. Sc. Nat. Sér. III. xviii. (1852) 203.—Panama.  
*lamiifolia*, Gaudich. in Freyc. Voy. Bot. 497 = *Boehmeria nivea*.  
*Leichardiana*, Wedd. in Ann. Sc. Nat. Sér. IV. i. (1854) 178 = *Laportea photiniphylla*.  
*longifolia*, Wedd. l. c. 177.—Madag.  
*madagascariensis*, Gaudich. in Freyc. Voy. Bot. 497 = *Obetia madagascariensis*.  
*membranacea*, Wedd. in Arch. Mus. Par. ix. (1856) 103 (Quid?).—Hab.?  
*microcarpa*, Wedd. l. c. 156.—Jamaic.  
*microstigma*, Wedd. in Ann. Sc. Nat. Sér. III. xviii. (1852) 203 = *Laportea microstigma*.  
*mitis*, Miq. in Mart. Fl. Bras. iv. i. 191 = *alceaefolia*.  
*oblongifolia*, Benth. in Hook. Niger Fl. 515 = *obovata*.  
*obovata*, Benth. l. c. 516.—Afr. trop.  
*oligoloba*, Baker, in Journ. Linn. Soc. xx. (1883) 265.—Madag.  
*palmata*, Gaudich. in Freyc. Voy. Bot. 497 = *Girardinia palmata*.  
*parietariaefolia*, Gaudich. l. c. (Quid?).—Hab.?  
*platycarpa*, Wedd. in Ann. Sc. Nat. Sér. III. xviii. (1852) 202 = *Laportea platycarpa*.  
*Punu*, Wedd. l. c. 200.—Bras.  
*Radula*, Baker, in Journ. Linn. Soc. xviii. (1881) 279.—Madag.  
*rotundifolia*, Wedd. in Ann. Sc. Nat. Sér. IV. i. (1854) 177 = *Laportea Gigas*.  
*sandwicensis*, Wedd. l. c. 178.—Ins. Sandvic.  
*scandens*, Parodi, in Anal. Soc. Cient. Argent. v. (1878) 90; *Contrib.* 38.—Paraguay.  
*Schimperii*, Wedd. in Arch. Mus. Par. ix. (1856) 158 = *U. Hypselodendron*.  
*Schimperiana*, Wedd. l. c. 582 = *praec.*  
*simplex*, Wedd. in DC. Prod. xvi. i. 90.—N. Granat.  
*sinuata*, Blume, Bijdr. 605 = *Laportea crenulata*.  
*sinuata*, Wedd. in Ann. Sc. Nat. Sér. III. xviii. (1852) 201.—Panama.  
*sphaerophylla*, Baker, in Journ. Linn. Soc. xxi. (1885) 445.—Madag.  
*spicata*, Wedd. in Arch. Mus. Par. ix. (1856) 155 = *Gyrotaenia spicata*.  
*stimulans*, Blume, ex Miq. Fl. Ind. Bat. i. II. 231 = *Laportea stimulans*.  
*stimulans*, Wedd. in DC. Prod. xvi. i. 98 = *Laportea microstigma*.  
*subpeltata*, Miq. in Mart. Fl. Bras. iv. i. 189 = *alceaefolia*.  
**URETIA**, Rafin. Fl. Tellur. iii. 40 (1836) = **Digera**, Forsk. (Amarant.).  
*alternifolia*, Rafin. l. c. = *D. arvensis*.

- URGINEA**, Steinh. in Ann. Sc. Nat. Sér. II. i. (1834) 321. t. 14. **LILIACEAE**, Benth. & Hook. f. iii. 810.  
**FUSIFILUM**, Rafin. Fl. Tellur. ii. 27 (1836).  
**MONTASSA**, Salisb. Gen. Pl. Fragm. 36 (1866).  
**PHYSODIA**, Salisb. l. c. 37 (1866).  
**PILASIA**, Rafin. Fl. Tellur. iii. 53 (1836).  
**SQUILLA**, Steinh. in Ann. Sc. Nat. Sér. II. vi. (1836) 276.  
**SYPHARISSA**, Salisb. Gen. Pl. Fragm. 37 (1866).  
**TENICROA**, Rafin. Fl. Tellur. iii. 52 (1836).  
*aloides*, Bolus, in Journ. Linn. Soc. xviii. (1881) 395 = *Notosceptrum alooides*.  
*altissima*, Baker, l. c. xiii. (1873) 221.—Afr. trop.  
*angolensis*, Baker, in Journ. Bot. xii. (1874) 364.—Afr. trop.  
*anthericoides*, Steinh. in Ann. Sc. Nat. Sér. II. i. (1834) 328.—Marocc.  
*Beccarii*, Baker, in Journ. Linn. Soc. xiii. (1873) 223.—Abyss.  
*brevipes*, Baker, in Journ. Bot. xii. (1874) 364.—Afr. trop.

**URGINEA** :—

- chlorantha*, Welw. ex Baker, in Trans. Linn. Soc. Ser. II. i. (1878) 248.—Afr. trop.  
*ciliata*, Baker, in Journ. Linn. Soc. xiii. (1873) 218.—Afr. austr.  
*comosa*, Welw. ex Baker, in Trans. Linn. Soc. Ser. II. i. (1878) 247.—Afr. trop.  
*congesta*, Wight, l. c. 2065.—Ind. or.  
*coromandeliana*, Wight, l. c. t. 2064 = *indica*.  
*exuviata*, Steinh. in Ann. Sc. Nat. Sér. II. i. (1834) 330.—Afr. austr.  
*filifolia*, Steinh. l. c.—Afr. austr.  
*fragrans*, Steinh. l. c.—Afr. austr.  
*fugax*, Steinh. l. c. 328. t. 14. f. 1.—Reg. Mediterr.  
*grandiflora*, Baker, in Journ. Linn. Soc. xiii. (1873) 223.—Oriens.  
*Hesperia*, Webb & Berth. Phyt. Canar. iii. 399.—Ins. Canar.  
*indica*, Kunth, Enum. Pl. iv. 333.—Ind. or.; Burma; Afr. trop.  
*japonica*, Hort. Par. ex Rev. Hort. Sér. II. ii. (1843–44) 374 = *Scilla japonica*.  
*marginata*, Baker, in Journ. Linn. Soc. xiii. (1873) 218.—Afr. austr.  
*maritima*, Baker, l. c. 221 = *U. Scilla*.  
*mascarenensis*, Baker, in Journ. Bot. xii. (1874) 363.—Madag.  
*micrantha*, Solms, in Schweinf. Beitr. Fl. Aethiop. 294.—Afr. trop.  
*nematodes*, Baker, in Journ. Linn. Soc. xiii. (1873) 218.—Afr. austr.  
*nigritana*, Baker, l. c. 224.—Afr. trop.  
*Pancration*, Nym. Consp. 729 = *U. Scilla*.  
*Petitiana*, Solms, in Schweinf. Beitr. Fl. Aethiop. 294.—Abyss.  
*physodes*, Baker, in Journ. Linn. Soc. xiii. (1873) 217.—Afr. austr.  
*porphyrostachys*, Baker, ex Balf. f. in Proc. Roy. Soc. Edinb. xii. (1884) 411.—Ins. Socotra.  
*psilostachya*, Welw. ex Baker, in Trans. Linn. Soc. Ser. II. i. (1878) 247.—Afr. trop.  
*pusilla*, Baker, in Journ. Linn. Soc. xiii. (1873) 217.—Afr. austr.  
*Quartiniana*, Solms, in Schweinf. Beitr. Fl. Aethiop. 284.—Abyss.  
*rigidifolia*, Baker, in Journ. Bot. xvi. (1878) 323.—Afr. austr.  
*Scilla*, Steinh. in Ann. Sc. Nat. Sér. II. i. (1834) 321.—Afr. austr.  
*secunda*, Baker, in Journ. Linn. Soc. xiii. (1873) 222.—Afr. austr.  
*senegalensis*, Kunth, Enum. Pl. iv. 334 = *indica*.  
*simensis*, Schweinf. Beitr. Fl. Aethiop. 291.—Abyss.  
*undulata*, Steinh. in Ann. Sc. Nat. Sér. II. i. (1834) 330.—Reg. Mediterr.  
*zambesiaca*, Baker, in Journ. Linn. Soc. xiii. (1873) 223.—Afr. trop.

**URGINIA**, Kunth, Enum. Pl. iv. (1843) 331 = *praec.*

**URINARIA**, Medic. Malv. 80 (1787) = **Phyllanthus**, Linn. (Euphorb.).  
*erecta*, Medic. l. c. = *P. Niruri*.

**URMENETEA**, Phil. Fl. Atac. 26. t. 3 (1860).  
**COMPOSITAE**, Benth. & Hook. f. ii. 487.  
*atacamensis*, Phil. l. c. 27.—Chili.

**URNECTIS**, Rafin. Alsog. Am. 14 (1838) = **Salix**, Tourn.  
*hirta*, Rafin. l. c. = *S. nigricans*.

**UROCARPUS**, J. Drumm. ex Harv. in Hook. Kew Journ. vii. (1855) 54 = **Asterolasia**, F. Muell. (Rutac.).  
*phebaloides*, J. Drumm. ex Harv. l. c. 55 = *A. phebalioides*.

**UROCHLAENA**, Nees, Fl. Afr. Austr. 437 (1841).  
**GRAMINEAE**, Benth. & Hook. f. iii. 1181.  
*pusilla*, Nees, l. c. 438.—Afr. austr.

**UROCHLOA**, Beauv. Agrost. 52. t. 11. f. 1 (1812) = **Panicum**, Linn. (Gramin.).  
*aristatum*, Rasp. in Ann. Sc. Nat. Sér. I. v. (1825) 299 = *P. aristatum*.  
*cimicina*, Kunth, Rév. Gram. i. 31 = *P. cimicium*.  
*fasciculata*, Kunth, l. c. = *P. fasciculiflorum*.

**UROCHLOA** :—

- glabra*, Brongn. Voy. Coq. Bot. ii. 121 = *Panicum glumare*.  
*mauritiana*, Boj. Hort. Maurit. 363 = *P. javanicum*.  
*panicoides*, Beauv. Agrost. 52. t. 11 = *P. javanicum*.  
*paniculata*, Benth. in Hook. Niger Fl. 558.—Afr. trop.  
*paspaloides*, J. Presl, in Rel. Haenk. i. 319 = *P. ambiguum*, Trin.  
*pubescens*, Kunth, Rév. Gram. i. 31 = *P. javanicum*.  
*semialata*, Kunth, l. c. = *P. semialatum*.  
*unisetia*, J. Presl, in Rel. Haenk. i. 319 = *Setaria unisetia*.

**URODESMIUM**, Naud. in Ann. Sc. Nat. Sér. III. xv. (1851) 338. **MELASTOMACEAE**, Benth. & Hook. f. i. 748.  
*huberioides*, Naud. l. c. = *Bras*.

**URODON**, Turcz. in Bull. Soc. Nat. Mosc. xxii. (1849) ii. 16 = **Pultenaea**, Sm. (Legumin.).  
*capitatus*, Turcz. 17 = *P. Urodon*.  
*dasyphyllus*, Turcz. l. c. xxvi. (1853) i. 268 = *P. Urodon*.

**UROMORUS**, Bur. in DC. Prod. xvii. 236 (1873) = **Paratrophis**, Blume (Urtic.).  
*anthophagorum*, Bur. l. c.—Ins. Fiji.  
*philippinensis*, Bur. l. c. 237 = *P. philippinensis*.  
*tahitensis*, Bur. l. c. = *Pseudomorus Brunoniana*.

**UROPAPPUS**, Nutt. in Trans. Am. Phil. Soc. N. S. vii. (1841) 424 = **Microseris**, D. Don (Compos.).  
*grandiflorus*, Nutt. l. c. 425 = *M. linearifolia*.  
*heterocarpus*, Nutt. l. c. = *M. Lindleyi*.  
*Lindleyi*, Nutt. l. c. = *M. Lindleyi*.  
*linearifolius*, Nutt. l. c. = *M. linearifolia*.

**UROPEDIUM**, Lindl. Orch. Linden. 28 (1846) = **Selenipedium**, Reichb. f. (1854) (Orchid.).  
*Lindenii*, Lindl. l. c. = *S. caudatum*.

**UROPETALON**, [Ker-Gawl. in] Bot. Reg. t. 156 (1816) = **Dipcadi**, Medic. (Liliac.).  
*Bourgaei*, Nym. Consp. 731 = *D. serotinum*.  
*ciliare*, Eckl. & Zeyh. ex Harv. Thes. Cap. ii. 45 = *D. ciliare*.  
*concanense*, Dalz. in Hook. Kew Journ. ii. (1850) 143 = *D. concanense*.  
*crispum*, Burch. [ex Ker-Gawl.] in Bot. Reg. sub t. 156 = *D. crispum*.  
*depressum*, A. Rich. Tent. Fl. Abyss. ii. 325.—Abyss.  
*erythraeum*, Boiss. Fl. Orient. v. 286 = *D. erythraeum*.  
*fesoghense*, Solms, in Schweinf. Beitr. Fl. Aethiop. 204.—Afr. bor.  
*fulvum*, Sweet, Hort. Brit. ed. I. 419 = *D. serotinum*.  
*glaucum*, Burch. ex [Ker-Gawl. in] Bot. Reg. t. 156; et Trav. i. 548 = *D. glaucum*.  
*hyacinthoides*, Spreng. Syst. iv. Cur. Post. 185 = *D. hyacinthoides*.  
*hydsuricum*, Baker, in Journ. Linn. Soc. xi. (1871) 397 = *seq.*  
*hysudricum*, Edgew. in Trans. Linn. Soc. xx. (1846) 88 = *D. hydsuricum*.  
*longifolium*, Lindl. in Bot. Reg. t. 974 = *D. longifolium*.  
*maritimum*, Boj. Hort. Maurit. 346, nomen.—Madag.  
*minimum*, Steud. in A. Rich. Tent. Fl. Abyss. ii. 325 = *D. minimum*.  
*montanum*, Dalz. in Hook. Kew Journ. ii. (1850) 142 = *D. montanum*.  
*serotinum*, [Ker-Gawl. in] Bot. Reg. sub t. 156 = *D. serotinum*.  
*serotinum*, Webb & Berth. Phyt. Canar. iii. 341 = *D. erythraeum*.  
*tacazeaeum*, Hochst. in A. Rich. Tent. Fl. Abyss. ii. 325 = *D. tacazeaeum*.  
*umbonatum*, Baker, in Saund. Refug. Bot. t. 17 = *D. umbonatum*.  
*unicolor*, Stocks, in Hook. Kew Journ. iv. (1852) 180 = *D. unicolor*.  
*viride*, [Ker-Gawl. in] Bot. Reg. sub t. 156 = *D. filamentosum*.  
*Welwitschii*, Baker, in Saund. Refug. Bot. t. 16 = *D. Welwitschii*.

**UROPETALUM**, Burch. Trav. i. 548 (1822); Spreng. Syst. ii. 78 (1825) = *praec.*

**UROPHYLLON**, Salisb. Gen. Pl. Fragm. 35 (1866) = **Ornithogalum**, Tourn. (Liliac.).  
*caudatum*, Salisb. l. c. 36 = *O. caudatum*.  
*niveum*, Salisb. l. c. = *O. niveum*.

**UROPHYLLUM**, C. Koch, in Berl. Allg. Gartenz. xxv. (1857) 173, sphalm. = **Urospatha**, Schott (Aroid.).

**UROPHYLLUM**, Wall. in Roxb. Fl. Ind. ed. Carey, ii. 184 (1824). **RUBIACEAE**, Benth. & Hook. f. ii. 71.  
*AXANTHES*, Blume, Bijdr. 1002 (1826).  
*AXANTHIOPSIS*, Korth, in Nederl. Kruidk. Arch. ii. ii. (1851) 195.  
*CYMELONEMA*, Presl, Epim. Bot. 210 (1849).  
*MASCHALANTHE*, Blume, Fl. Jav. Praef. p. vi. (1828).  
*WALLICHIA*, Reinw. ex Blume, in Cat. Gew. Buitenz. 11 (1823).  
*Azelii*, Hiern, in Oliver, Fl. Trop. Afr. iii. 73.—Afr. trop.  
*arborescens*, Korth, in Nederl. Kruidk. Arch. ii. ii. (1851) 194 = *glabrum*.  
*biloculare*, Kurz, in Journ. As. Soc. Beng. xli. (1872) ii. 313 = *Diplospora Kurzii*.  
*Blumeum*, Hook. f. Fl. Brit. Ind. iii. 99.—Malaya.  
*borneense*, Miq. Ann. Mus. Bot. Lugd. Bat. iv. 238.—Borneo.  
*callicarpoides*, Hiern, in Oliver, Fl. Trop. Afr. iii. 72.—Afr. trop.  
*coriaceum*, Miq. Fl. Ind. Bat. Suppl. 542 = *Randia densiflora*.  
*corymbosum*, Korth, in Nederl. Kruidk. Arch. ii. ii. (1851) 194.—Java; Sumatra.  
*ellipticum*, Thw. Enum. Pl. Zeyl. 419.—Zeylan.  
*elongatum*, Miq. Fl. Ind. Bat. ii. 225.—Borneo.  
*glabrum*, Jack, ex Roxb. Fl. Ind. ed. Carey, ii. 186.—Burma; Malaya.  
*glabrum*, Wall. Cat. n. 8316 = *Blumeum*.  
*Griffithianum*, Hook. f. Fl. Brit. Ind. iii. 98.—Malaya.  
*hirsutum*, Hook. f. l. c.—Malaya.  
*hirtellum*, Benth. in Hook. Niger Fl. 397.—Afr. trop.  
*insulare*, Hiern, in Oliver, Fl. Trop. Afr. iii. 73.—Afr. trop.  
*Korthalsii*, Miq. Ann. Mus. Bot. Lugd. Bat. iv. 133.—Borneo.  
*longifolium*, Hook. f. Fl. Brit. Ind. iii. 99.—Burma.  
*Lyallii*, Baker, in Journ. Linn. Soc. xx. (1883) 165.—Madag.  
*macrophyllum*, Korth, in Nederl. Kruidk. Arch. ii. ii. (1851) 194.—Java.  
*memecyloides*, Vidal, Phan. Cuming. Philipp. 63.—Ins. Philipp.  
*micranthum*, Hiern, in Oliver, Fl. Trop. Afr. iii. 74.—Afr. trop.  
*micranthum*, Miq. Ann. Mus. Bot. Lugd. Bat. iv. 237.—Java.  
*moluccanum*, Miq. l. c. 238.—Ins. Sunda.  
*parviflorum*, Wall. Cat. n. 8320 = *streptopodium*.  
*paucinerve*, Hiern, in Oliver, Fl. Trop. Afr. iii. 74.—Afr. trop.  
*peltistigma*, Miq. Fl. Ind. Bat. Suppl. 542.—Sumatra.  
*polyneurum*, Miq. Ann. Mus. Bot. Lugd. Bat. iv. 239.—Borneo.  
*porphyraceum*, Baill. Hist. Pl. vii. 378.—Java.  
*repandum*, Miq. Fl. Ind. Bat. ii. 355 = *glabrum*.  
*rubens*, Benth. in Hook. Niger Fl. 396.—Afr. trop.  
*streptopodium*, Wall. Cat. n. 8317, partim.—Malaya.  
*streptopodium*, Wall. l. c., partim = *Blumeum*.  
*strigosum*, Korth, in Nederl. Kruidk. Arch. ii. ii. (1851) 194.—Java; Borneo.  
*strigosum*, Kurz, For. Fl. Brit. Burma, ii. 53 = *longifolium*.  
*tomentosum*, Miq. Fl. Ind. Bat. ii. 224.—Ins. Malaya.  
*umbellulatum*, Miq. Fl. Ind. Bat. Suppl. 542.—Sumatra.  
*villosum*, Jack & Wall. in Roxb. Fl. Ind. ed. Carey, ii. 184.—Malaya.  
*viridiflorum*, Schum. ex Hiern, in Oliver, Fl. Trop. Afr. iii. 74.—Afr. trop.  
*zeylanicum*, Thw. Enum. Pl. Zeyl. 418.—Zeylan.

**UROSKINNERA**, Lindl. in Gard. Chron. (1857) 36. **SCROPHULARINEAE**, Benth. & Hook. f. ii. 942.  
*hirtiflora*, Hemsl. Diagn. Pl. Nov. 34.—Mexic.  
*spectabilis*, Lindl. in Gard. Chron. (1857) 36.—Guatemala.

**UROSPATHA**, Schott, Aroid. 3. tt. 7–10 (1853). **AROIDEAE**, Benth. & Hook. f. iii. 996.  
**UROPHYLLUM**, C. Koch, in Berl. Allg. Gartenz. xxv. (1857) 173, sphalm.

**UROSPATHA** :—

*affinis*, Schott, Aroid. i. 3. t. 8 = *caudata*.  
*angustiloba*, Engl. in Mart. Fl. Bras. iii. ii. 123. t. 23.—Bras.  
*caudata*, Schott, Aroid. i. 3. t. 8.—Am. austr.  
*decipiens*, Schott, in Bonplandia, v. (1857) 128.—Bras.  
*desciscens*, Schott, in Oestr. Bot. Zeitschr. ix. (1859) 99.—Bras.  
*dubia*, Schott, in Bonplandia, v. (1857) 128.—Ind. occ.  
*Friedrichsthalii*, Schott, Aroid. i. 3. t. 7.—Nicaragua.  
*grandis*, Schott, in Bonplandia, v. (1857) 128.—Panama.  
*Hostmannii*, Schott, l. c.—Afr. trop.  
*Langsdorffiana*, Schott, in Oestr. Bot. Wochenbl. vii. (1857) 253.—Bras.  
*maculata*, Linden.—Cf. Gard. Chron. (1865) 365 (Quid ?)—Bras.  
*marmorea*, Linden.—Cf. l. c. (Quid ?)—Bras.  
*Meyeri*, Schott, Aroid. i. 4.—Guian.  
*Poeppigiana*, Schott, l. c.; et t. 10.—Bras.  
*quinquenervis*, Schott, in Oestr. Bot. Wochenbl. vii. (1857) 254 = *Spruceana*.  
*Riedeliana*, Schott, l. c. 253.—Bras.  
*sagittaeifolia*, Schott, Aroid. i. 4; et in Bonplandia, v. (1857) 128.—Bras.  
*Spruceana*, Schott, in Bonplandia, v. (1857) 128.—Bras.

**UROSPERMUM**, Auct. ex Steud. Nom. ed. II. ii. 733 (1841), sphalm. = **URASPERMUM**, Nutt. = **Osmorhiza**, Rafin. (Umbell.).

**UROSPERMUM**, Scop. Introd. 122 (1777). **COMPOSITAE**, Benth. & Hook. f. ii. 531.  
**ARNOPOGON**, Willd. Sp. Pl. iii. 1496 (1803).  
*asperum*, DC. Fl. Fr. iv. 63 = *picroides*.  
*capense*, Spreng. Syst. iii. 662 = *picroides*.  
*Dalechampii*, F. W. Schmidt, Samml. Phys. Aufs. i. (1795) 276.—Europ. austr.  
*picroides*, F. W. Schmidt, l. c. 275.—Europ. austr.

**UROSTELMA**, Bunge, Enum. Pl. Chin. Bor. 44; (in Mém. Sav. Etr. Pétersb. ii. (1835) 118) = **Metaplexis**, R. Br. (Asclep.).  
*chinense*, Bunge, ll. cc. = *M. chinensis*.

**UROSTIGMA**, Gasp. Nov. Gen. Fici, 7 (1844) = **Ficus**, Tourn. (Urtic.).  
*abutilifolium*, Miq. in Hook. Lond. Journ. Bot. vi. (1847) 551 = *F. abutilifolia*.  
*acamptophyllum*, Miq. Fl. Ind. Bat. Suppl. 439 = *F. acamptophylla*.  
*accedens*, Miq. Fl. Ind. Bat. i. ii. 347 = *F. superba*.  
*acrocarpum*, Miq. in Hook. Lond. Journ. Bot. vi. (1847) 557 = *F. acrocarpa*.  
*aegeorophyllum*, Miq. l. c. 565 = *F. infectoria*.  
*affine*, Miq. l. c. 564 = *F. religiosa*.  
*aggregatum*, Miq. l. c. 559 = *F. aggregata*.  
*altissimum*, Miq. in Zoll. Syst. Verz. Ind. Archip. 90 = *F. altissima*.  
*amazonicum*, Miq. in Hook. Lond. Journ. Bot. vi. (1847) 541 = *F. amazonica*.  
*amblyphyllum*, Miq. l. c. 569 = *F. retusa*.  
*Ampelos*, Dalz. & Gibs. Bomb. Fl. 315 = *F. gibbosa*.  
*anacardiifolium*, Miq. in Hook. Lond. Journ. Bot. vi. (1847) 587 = *F. anacardiifolia*.  
*angustifolium*, Miq. l. c. 539 = *F. angustifolia*.  
*annulatum*, Miq. in Zoll. Syst. Verz. Ind. Archip. 90 = *F. annulata*.  
*apiculatum*, Miq. in Hook. Lond. Journ. Bot. vi. (1847) 570 = *F. apiculata*.  
*apiocarpum*, Miq. Fl. Ind. Bat. Suppl. 440 = *F. apiocarpa*.  
*arbutifolium*, Miq. in Versl. en Med. Kon. Akad. Wetensch. xiii. (1862) 412 = *F. arbutifolia*.  
*Arnottianum*, Miq. in Hook. Lond. Journ. Bot. vi. (1847) 564 = *F. Arnottiana*.  
*atrovirens*, Regel, Ind. Sem. Hort. Petrop. (1858) 37 = *F. tristis*.  
*atrox*, Miq. in Hook. Lond. Journ. Bot. vi. (1847) 550 = *F. atrox*.  
*baccatum*, Liebm. in Vidensk. Selsk. Skr. V. ii. (1851) 327 = *F. baccata*.  
*Backhousii*, Miq. in Journ. Bot. Néerl. i. (1861) 240.—Austral.  
*balicum*, Miq. Fl. Ind. Bat. i. ii. 348.—Malaya.  
*bengalense*, Gasp. Nov. Gen. Fici, 7; Ricerche, 82. t. 7. f. 14–21 = *F. benghalensis*.  
*benjaminum*, Miq. in Hook. Lond. Journ. Bot. vi. (1847) 583 = *F. benjaminia*.  
*bibracteatum*, Regel, Ind. Sem. Hort. Petrop. (1858) 37 = *F. bibracteata*.

**UROSTIGMA** :—

*bicornis*, Miq. Pl. Jungh. 47 = *Ficus pilosa*.  
*Binderianum*, Kotschy, in Sitzb. Akad. Wien, Math. Nat. li. (1865) 353 = *F. platyphylla*.  
*Binnendykii*, Miq. Fl. Ind. Bat. i. ii. 341 = *F. Binnendijkii*.  
*biverrucellum*, Miq. Fl. Ind. Bat. Suppl. 436 = *F. annulata*.  
*Bonplandianum*, Liebm. in Vidensk. Selsk. Skr. V. ii. (1851) 323 = *F. Bonplandiana*.  
*botryapioides*, Miq. in Hook. Lond. Journ. Bot. vi. (1847) 538 = *F. botryapioides*.  
*brachypodium*, Miq. l. c. 552 = *F. eugenoides*.  
*bracteatum*, Miq. l. c. 576 = *F. bracteata*.  
*Burkei*, Miq. l. c. 555 = *F. Burkei*.  
*callophyllum*, Miq. Fl. Ind. Bat. i. ii. 349 = *F. callophylla*.  
*calyptoceras*, Miq. in Hook. Lond. Journ. Bot. vi. (1847) 527 = *F. calyptoceras*.  
*calyptratum*, Miq. l. c. 553 = *F. calyptrata*.  
*canaliculatum*, Miq. l. c. 579 = *F. glabella*.  
*casapiense*, Miq. l. c. 548 = *F. casapiensis*.  
*catalpaefolium*, Miq. l. c. 551 = *F. umbellata*.  
*catappaefolium*, Miq. l. c. 533 = *F. catappaefolia*.  
*caulobotryum*, Miq. l. c. 568 = *F. caulobotrya*.  
*caulocarpum*, Miq. l. c. 568 = *F. caulobotrya*.  
*cestrifolium*, Miq. l. c. 541 = *F. cestrifolia*.  
*ceylonense*, Miq. l. c. 570 = *F. Tjakela*.  
*chiriquianum*, Miq. in Versl. en Med. Kon. Akad. Wetensch. xiii. (1862) 412 = *F. chiriquiana*.  
*chrysophthalmum*, Miq. in Hook. Lond. Journ. Bot. vi. (1847) 575 = *F. chrysophthalma*.  
*chrysotrix*, Miq. in Zoll. Syst. Verz. Ind. Archip. 90, 96 = *F. pilosa*.  
*circumscissum*, Miq. Pl. Jungh. 292 = *F. elastica*.  
*clusiaefolium*, Miq. in Hook. Lond. Journ. Bot. vi. (1847) 543 = *F. clusiaefolia*.  
*clusioides*, Miq. l. c. 579 = *F. clusioides*.  
*complicatum*, Liebm. in Vidensk. Selsk. Skr. V. ii. (1851) 325 = *F. complicata*.  
*concinnum*, Miq. in Hook. Lond. Journ. Bot. vi. (1847) 570 = *F. glabella*.  
*connivens*, Miq. l. c. 573 = *F. tomentosa*.  
*conocarpum*, Miq. Fl. Ind. Bat. i. ii. 350 = *F. annulata*.  
*consanguineum*, Miq. in Versl. en Med. Kon. Akad. Wetensch. xiii. (1862) 408 = *F. consanguinea*.  
*consociatum*, Miq. in Zoll. Syst. Verz. Ind. Archip. 91 = *F. consociata*.  
*cordifolium*, Dalz. & Gibs. Bomb. Fl. 242 = *F. Arnottiana*.  
*cordifolium*, Gasp. Nov. Gen. Fici, 7 = *F. cordifolia*.  
*cordifolium*, Miq. in Hook. Lond. Journ. Bot. v. (1847) 564 = *F. Rumphii*.  
*costaricanum*, Liebm. in Vidensk. Selsk. Skr. V. ii. (1851) 322 = *F. costaricana*.  
*cotinifolium*, Miq. in Hook. Lond. Journ. Bot. vi. (1847) 530 = *F. cotinifolia*.  
*courtallense*, Miq. l. c. 564 = *F. Arnottiana*.  
*crassinervium*, Miq. l. c. 535 = *F. crassinervia*.  
*crassirameum*, Miq. Pl. Jungh. 48 = *F. procera*.  
*crocatum*, Miq. in Hook. Lond. Journ. Bot. vi. (1847) 531 = *F. crocata*.  
*cuneatum*, Miq. l. c. 585 = *Erythroxylum burmanicum*.  
*Cunninghamii*, Miq. l. c. 560 = *F. Cunninghamii*.  
*cycloneuron*, Miq. Fl. Ind. Bat. Suppl. 438.—Sumatra.  
*cyclophyllum*, Miq. in Mart. Fl. Bras. iv. i. 91 = *F. cyclophylla*.  
*cystopodium*, Miq. in Hook. Lond. Journ. Bot. vi. (1847) 532 (err. typ. 352) = *F. cystopoda*.  
*Dalhousiae*, Miq. l. c. 571 = *F. Dalhousiae*.  
*dasycarpum*, Miq. l. c. 574 = *F. mysorensis*.  
*Dekdekena*, Miq. l. c. 558 = *F. Dekdekena*.  
*depressum*, Miq. Fl. Ind. Bat. i. ii. 351 = *F. pruniformis*.  
*depressum*, Miq. in Hook. Lond. Journ. Bot. vi. (1847) 576 = *F. annulata*.  
*Diepenhorstii*, Miq. Fl. Ind. Bat. Suppl. 439.—Sumatra.  
*diospyrifolium*, Miq. in Hook. Lond. Journ. Bot. vi. (1847) 586 = *F. diospyrifolia*.  
*doliarium*, Miq. l. c. 527 = *F. doliaria*.  
*drupaceum*, Miq. l. c. 581 = *F. drupacea*.  
*elaticum*, Miq. l. c. 578 = *F. elastica*.  
*elegans*, Miq. in Hook. Niger Fl. 521 = *F. elegans*.  
*ellipticum*, Miq. in Hook. Lond. Journ. Bot. vi. (1847) 528 = *F. elliptica*.  
*enorme*, Miq. l. c. 544 = *F. enormis*.  
*eribotryoides*, Miq. l. c. 587 = *F. eribotryoides*.  
*erythrostictum*, Miq. l. c. 540 = *F. erythrosticta*.



## UROSTIGMA:—

- eugeniaefolium*, Liebm. in Vidensk. Selsk. Skr. V. ii. (1851) 329 = *Ficus eugeniaefolia*.  
*eugenioides*, Miq. in Journ. Bot. Néerl. i. (1861) 238 = *F. eugenioides*.  
*euneuon*, Miq. Fl. Ind. Bat. i. ii. 353 = *F. nervosa*.  
*euomphalum*, Miq. in Mart. Fl. Bras. iv. i. 103 = *F. euomphala*.  
*excelsum*, Miq. Fl. Ind. Bat. i. ii. 350 = *F. excelsa*.  
*eximium*, Miq. in Hook. Lond. Journ. Bot. vi. (1847) 527 = *F. eximia*.  
*fagifolium*, Miq. l. c. 544 = *F. fagifolia*.  
*fagineum*, Miq. l. c. 537 = *F. faginea*.  
*fazokelense*, Miq. l. c. 552 = *F. fazokelensis*.  
*ferrugineum*, Miq. l. c. 534 = *F. ferruginea*.  
*flavescens*, Miq. Pl. Jungh. 48 = *F. annulata*.  
*Fraseri*, Miq. in Hook. Lond. Journ. Bot. vi. (1847) 561 = *F. Cunninghamii*.  
*fuligineum*, Miq. l. c. 545 = *F. hirsuta*.  
*fulvum*, Miq. l. c. 528 = *F. holosericea*?  
*fuscescens*, Liebm. in Vidensk. Selsk. Skr. V. ii. (1851) 329 = *F. fuscescens*.  
*galactophorum*, Miq. in Hook. Lond. Journ. Bot. vi. (1847) 533 = *F. galactophora*.  
*Gomelleira*, Miq. in Mart. Fl. Bras. iv. i. 94 = *F. Gomelleira*, doliarium.  
*gardeniaefolium*, Miq. in Hook. Lond. Journ. Bot. vi. (1847) 546 = *F. hirsuta*.  
*Gardnerianum*, Miq. l. c. 530 = *F. Gardneriana*.  
*geminum*, Miq. l. c. 547 = *F. gemina*.  
*giganteum*, Miq. l. c. 530 = *F. gigantea*.  
*giganteum*, Miq. in Zoll. Syst. Verz. Ind. Archip. 90, 96 = *F. stupenda*.  
*glabellum*, Miq. Fl. Ind. Bat. i. ii. 340 = *F. glabella*.  
*glaberrimum*, Miq. l. c. = *F. glaberrima*.  
*glabrum*, Miq. in Hook. Lond. Journ. Bot. vi. (1847) 536 = *F. eximia*.  
*glanduliferum*, Miq. l. c. 550 (non *Ficus glandulifera*).—Bras.  
*glaucophyllum*, Gasp. Nov. Gen. Fici. 7 = *F. cordata*.  
*glaucum*, Liebm. in Vidensk. Selsk. Skr. V. ii. (1851) 322 = *F. glauca*.  
*globosum*, Miq. Fl. Ind. Bat. i. ii. 335 = *F. globosa*, Blume.  
*glumosum*, Miq. in Hook. Lond. Journ. Bot. vi. (1847) 552 = *F. glumosa*.  
*glycicarpum*, Miq. in Versl. en Med. Kon. Akad. Wetensch. xiii. (1862) 409 = *F. glycicarpa*.  
*Gomelleira*, Miq. in Hook. Lond. Journ. Bot. vi. (1847) 531 = *F. Gomelleira*.  
*griseum*, Miq. l. c. 588 = *F. grisea*, Vahl.  
*guatemalanum*, Miq. in Versl. en Med. Kon. Akad. Wetensch. xiii. (1862) 411 = *F. guatemalana*.  
*gummiferum*, Miq. in Hook. Lond. Journ. Bot. vi. (1847) 529 = *F. gummifera*, Miq.  
*haematocarpum*, Miq. l. c. 584 = *F. benjamina*.  
*Hartwegii*, Miq. l. c. 545 = *F. Hartwegii*.  
*Hasseltii*, Miq. Pl. Jungh. 46 = *F. pubinervis*.  
*hirsutum*, Miq. in Hook. Lond. Journ. Bot. vi. (1847) 530 = *F. hirsuta*.  
*Hochstetteri*, Miq. l. c. 555 = *F. Hochstetteri*.  
*holosericeum*, Miq. l. c. 531 = *F. holosericea*.  
*Huegeli*, Miq. l. c. 586 = *F. macrophylla*.  
*ilicinum*, Sond. in Linnaea, xxiii. (1850) 136 = *F. ilicina*.  
*infectarium*, Miq. Fl. Ind. Bat. i. ii. 339 = *F. infectoria*.  
*infectarium*, Miq. in Hook. Lond. Journ. Bot. vi. (1847) 566 = *F. Tjakela*.  
*infestum*, Miq. l. c. 550.—Bras.  
*ingens*, Miq. l. c. 554 = *F. Schimperiana*.  
*intramarginale*, Liebm. in Vidensk. Selsk. Skr. V. ii. (1851) 320 = *F. intramarginalis*.  
*involutum*, Miq. Fl. Ind. Bat. i. ii. 334 = *F. involu-crata*.  
*involutum*, Liebm. in Vidensk. Selsk. Skr. V. ii. (1851) 320 = *F. involuta*.  
*javanicum*, Miq. Fl. Ind. Bat. i. ii. 334 = *F. cordifolia*.  
*Karet*, Miq. l. c. 348 = *F. elastica*.  
*Kotschyannum*, Miq. in Hook. Lond. Journ. Bot. vi. (1847) 553 = *F. Kotschyana*.  
*Kunthii*, Miq. in Mart. Fl. Bras. iv. i. 96 = *F. Kunthii*.  
*lacciferum*, Miq. in Hook. Lond. Journ. Bot. vi. (1847) 575 = *F. altissima*.  
*lachnocaulon*, Miq. in Journ. Bot. Néerl. i. (1861) 238 = *F. platypoda*.  
*laevigatum*, Miq. in Hook. Lond. Journ. Bot. vi. (1847) 539 = *F. laevigata*.  
*Lambertianum*, Miq. l. c. 565 = *F. infectoria*.  
*lancifolium*, Miq. l. c. 538 = *F. lancifolia*.

## UROSTIGMA:—

- lapathifolium*, Liebm. in Vidensk. Selsk. Skr. V. ii. (1851) 319 = *Ficus lapathifolium*.  
*laurifolium*, Griseb. in Goett. Abh. vii. (1857) 194 = *F. lentiginosa*.  
*laurifolium*, Miq. in Hook. Lond. Journ. Bot. vi. (1847) 539 = *F. laurifolia*.  
*Leichhardtii*, Miq. in Journ. Bot. Néerl. i. (1861) 235 = *F. platypoda*.  
*lentiginosum*, Liebm. in Vidensk. Selsk. Skr. V. ii. (1851) 323 = *F. lentiginosa*.  
*leucocarpum*, Miq. in Hook. Lond. Journ. Bot. vi. (1847) 576 = *F. infectoria*.  
*leucostictum*, Miq. l. c. 535 = *F. leucosticta*.  
*leucotrichum*, Miq. in Journ. Bot. Néerl. i. (1861) 234 = *F. leucotricha*.  
*Liebmannianum*, Miq. in Seem. Bot. Voy. Herald, 195 = *F. Liebmanniana*.  
*littorale*, Miq. in Zoll. Syst. Verz. Ind. Archip. 91 = *F. retusa*.  
*longifolium*, Miq. in Mart. Fl. Bras. iv. i. 95 = *F. longifolia*.  
*longipes*, Liebm. in Vidensk. Selsk. Skr. V. ii. (1851) 321 = *F. longipes*.  
*lucescens*, Miq. Fl. Ind. Bat. i. ii. 341 = *F. infectoria*.  
*Luschnathianum*, Miq. in Mart. Fl. Bras. iv. i. 101 = *F. Luschnathiana*.  
*luteum*, Miq. in Hook. Lond. Journ. Bot. vi. (1847) 554 = *F. lutea*.  
*macrocarpum*, Walp. Ann. i. 684, sphalm. = *F. acrocarpa*.  
*macrophyllum*, Miq. in Hook. Lond. Journ. Bot. vi. (1847) 560 = *F. macrophylla*.  
*magnificum*, Regel, Gartenfl. (1858) 253; Ind. Sem. Hort. Petrop. (1858) 37.—Afr. trop.  
*Manok*, Miq. in Zoll. Syst. Verz. Ind. Archip. 90, 96 = *F. globosa*, Blume.  
*Mathewsii*, Miq. in Hook. Lond. Journ. Bot. vi. (1847) 549 = *F. Mathewsii*.  
*Maximilianum*, Miq. l. c. 529 = *F. Maximiliana*.  
*microcarpum*, Miq. l. c. 583 = *F. retusa*.  
*modestum*, Miq. l. c. 586 = *F. nervosa*.  
*monadenum*, Miq. Fl. Ind. Bat. Suppl. 437 = *F. sumatrana*.  
*Moritzianum*, Miq. in Zoll. Syst. Verz. Ind. Archip. 91, 97 = *F. glabella*.  
*Muelleri*, Miq. in Journ. Bot. Néerl. i. (1861) 235 = *F. Muelleri*.  
*mysorensis*, Miq. in Hook. Lond. Journ. Bot. vi. (1847) 574 = *F. mysorensis*.  
*myxaefolium*, Miq. in Versl. en Med. Kon. Akad. Wetensch. xiii. (1862) 410 = *F. myxaefolia*.  
*natalense*, Miq. in Hook. Lond. Journ. Bot. vi. (1847) 556 = *F. natalensis*.  
*neglectum*, Miq. Fl. Ind. Bat. i. ii. 347 = *F. benjamina*.  
*nervosum*, Miq. in Hook. Lond. Journ. Bot. vi. (1847) 585 = *F. nervosa*.  
*nesophilum*, Miq. in Journ. Bot. Néerl. i. (1861) 237 = *F. glabella*.  
*Neumannii*, Miq. in Hook. Lond. Journ. Bot. vi. (1847) 584 = *F. Neumannii*.  
*nitidum*, Gasp. Nov. Gen. Fici, 7 = *F. nitidum*.  
*nitidum*, Miq. in Hook. Lond. Journ. Bot. vi. (1847) 582 = *F. retusa*.  
*nudum*, Miq. l. c. 584 = *F. benjamina*.  
*nummularia*, Liebm. in Vidensk. Selsk. Skr. V. ii. (1851) 330 (sp. delend.).—Mexic.  
*nymphaefolium*, Miq. in Hook. Lond. Journ. Bot. vi. (1847) 527 = *F. nymphaefolia*.  
*obliquum*, Miq. l. c. 563 = *F. obliqua*.  
*obtusifolium*, Miq. l. c. 569 = *F. obtusifolia*.  
*obversum*, Miq. l. c. 573 = *F. tomentosa*.  
*odoratum*, Miq. Pl. Jungh. 49 = *F. elastica*.  
*Oerstediana*, Miq. in Seem. Bot. Voy. Herald, 196. t. 36 = *F. Oerstediana*.  
*oligoneuron*, Miq. Fl. Ind. Bat. Suppl. 438 = *F. oligoneura*.  
*onustum*, Miq. in Hook. Lond. Journ. Bot. vi. (1847) 575 = *F. globosa*.  
*organense*, Miq. l. c. 542 = *F. organensis*.  
*ottoniaefolium*, Miq. l. c. 557 = *F. ottoniaefolia*.  
*ovale*, Liebm. in Vidensk. Selsk. Skr. V. ii. (1851) 324 = *F. ovalis*.  
*ovatum*, Miq. in Hook. Lond. Journ. Bot. vi. (1847) 553 = *F. ovata*.  
*ovoideum*, Miq. l. c. 581, (excl. syn.) = *F. retusa*.

## UROSTIGMA:—

- padifolium*, Liebm. in Vidensk. Selsk. Skr. V. ii. (1851) 324 = *Ficus padifolia*.  
*pallidum*, Miq. in Hook. Lond. Journ. Bot. vi. (1847) 530 = *F. pallida*.  
*paraense*, Miq. l. c. 534 = *F. paraensis*.  
*parvifolium*, Miq. l. c. 570 = *F. glabella*.  
*pedunculatum*, Miq. l. c. 540 = *F. pedunculata*, [Dryand.].  
*peracutum*, Miq. Fl. Ind. Bat. i. ii. 343 = *F. prunifolmis*.  
*perseaeefolium*, Miq. in Hook. Lond. Journ. Bot. vi. (1847) 567 = *F. infectoria*.  
*pertusum*, Miq. l. c. 548 = *F. pertusa*.  
*petiolare*, Miq. l. c. 527 = *F. petiolaris*.  
*pilosum*, Miq. in Zoll. Syst. Verz. Ind. Archip. 90 = *F. pilosa*.  
*pisiferum*, Miq. in Hook. Lond. Journ. Bot. vi. (1847) 580 = *F. retusa*.  
*pisocarpum*, Miq. Fl. Ind. Bat. i. ii. 344 = *F. piso-carpa*.  
*planicostatum*, Miq. in Hook. Lond. Journ. Bot. vi. (1847) 586 = *F. planicostata*.  
*platypodum*, Miq. l. c. 561 = *F. platypoda*.  
*Pohlmanum*, Miq. in Mart. Fl. Bras. iv. i. 100 = *F. Pohlmana*.  
*politum*, Miq. in Hook. Lond. Journ. Bot. vi. (1847) 553 = *F. polita*.  
*populifolium*, Miq. l. c. 552 = *F. populifolia*.  
*populneum*, Miq. l. c. 537 = *F. populnea*.  
*Princeps*, Miq. l. c. 533 = *F. Princeps*.  
*prinoides*, Miq. l. c. 540 = *F. prinoides*.  
*procerum*, Miq. Fl. Ind. Bat. i. ii. 336 = *F. procera*.  
*prolixum*, Miq. in Hook. Lond. Journ. Bot. vi. (1847) 560 = *F. prolixa*.  
*protensum*, Griseb. in Bonplandia, vi. (1858) 4 = *F. protensa*.  
*prunifolmis*, Miq. in Zoll. Syst. Verz. Ind. Archip. 91, 97 = *F. prunifolmis*.  
*Pseudo-benjaminum*, Miq. in Hook. Lond. Journ. Bot. vi. (1847) 566 = *F. Tsiela*.  
*Pseudo-rubrum*, Miq. Fl. Ind. Bat. i. ii. 343 = *F. indica*.  
*Pseudo-Tjiela*, Miq. in Hook. Lond. Journ. Bot. vi. (1847) 566 = *F. Tsiela*.  
*psychotriaefolium*, Miq. l. c. 561 = *F. Cunninghamii*.  
*puberulum*, Miq. l. c. 562 = *F. puberula*.  
*pyrifolium*, Miq. Fl. Ind. Bat. i. ii. 338.—Java.  
*reflexum*, Miq. in Hook. Lond. Journ. Bot. vi. (1847) 569 = *F. reflexa*.  
*religiosum*, Gasp. Recherche Caprif. 82. t. 7. f. 1-5 = *F. religiosa*.  
*retusum*, Gasp. Nov. Gen. Fici, 7; Miq. in Hook. Lond. Journ. Bot. vi. (1847) 581 = *F. retusa*.  
*rhododendrifolium*, Miq. l. c. 579 = *F. rhododendrifolia*.  
*rigidum*, Miq. l. c. 578 = *F. rigida*.  
*Rolandri*, Liebm. in Vidensk. Selsk. Skr. V. ii. (1851) 329, in nota = *F. Rolandri*.  
*rubescens*, Miq. Fl. Ind. Bat. i. ii. 338 = *F. indica*.  
*rubicundum*, Miq. in Hook. Lond. Journ. Bot. vi. (1847) 553 = *F. rubicunda*.  
*rubiginosum*, Gasp. Nov. Gen. Fici, 7 = *F. rubiginosa*.  
*rubrum*, Miq. in Hook. Lond. Journ. Bot. vi. (1847) 559 = *F. rubra*.  
*rufum*, Miq. l. c. 528 = *F. rufa*.  
*Rumphii*, Miq. in Zoll. Syst. Verz. Ind. Archip. 90 = *F. Rumphii*.  
*salicifolium*, Miq. in Hook. Lond. Journ. Bot. vi. (1847) 556 = *F. salicifolia*.  
*Salzmannianum*, Miq. l. c. 547 = *F. Salzmanniana*.  
*Stae-crucis*, Liebm. in Vidensk. Selsk. Skr. V. ii. (1851) 328, in nota = *F. Sancti-crucis*.  
*sapidum*, Liebm. in Vidensk. Selsk. Skr. V. ii. (1851) 327 = *F. sapida*.  
*Saussureanum*, Miq. in Hook. Lond. Journ. Bot. vi. (1847) 533 = *F. Saussureana*.  
*saxophilum*, Miq. Fl. Ind. Bat. i. ii. 333 = *F. saxophila*.  
*scandens*, Liebm. in Vidensk. Selsk. Skr. V. ii. (1851) 330 = *F. pumila*.  
*Schiedeanum*, Miq. in Hook. Lond. Journ. Bot. vi. (1847) 539 = *F. ligustrina*.  
*Schimperi*, Miq. l. c. 555 = *F. Hochstetteri*.  
*Schumacheri*, Liebm. in Vidensk. Selsk. Skr. V. ii. (1851) 328, in nota = *F. Schumacheri*.  
*simile*, Regel, Ind. Sem. Hort. Petrop. (1858) 36.—Am. austr.

## UROSTIGMA:—

- sphaeridiophorum*, Miq. in Hook. Lond. Journ. Bot. vi. (1847) 543 = *Ficus sphaeridiophora*.  
*splendens*, Miq. in Hook. Lond. Journ. Bot. vi. (1847) 587 = *F. splendens*.  
*squamellosum*, Miq. in Journ. Bot. Néerl. i. (1861) 239 = *F. macrophylla*.  
*stipulosum*, Miq. in Hook. Lond. Journ. Bot. vi. (1847) 568 = *F. infectoria*.  
*strictum*, Miq. Pl. Jungh. 50 = *F. stricta*.  
*subapiculatum*, Miq. in Mart. Fl. Bras. iv. i. 101 = *F. subapiculata*.  
*subcordatum*, Miq. Fl. Ind. Bat. i. ii. 349 = *F. subcordata*.  
*subcuspidatum*, Miq. in Zoll. Syst. Verz. Ind. Archip. 91, 97 = *F. pilosa*.  
*subglaucescens*, Miq. in Journ. Bot. Néerl. i. (1861) 240 = *Austral.*  
*subnymphaeifolia*, Miq. Cat. Hort. Amst. 107 = *F. subnymphaeifolia*.  
*subpanduraeforme*, Miq. l. c. = *F. heterophylla*.  
*subtriplinerivium*, Miq. in Hook. Lond. Journ. Bot. vi. (1847) 542 = *F. subtriplinerivia*.  
*sulcipes*, Miq. in Versl. en Med. Kon. Akad. Wetensch. xiii. (1862) 413 = *F. sulcipes*.  
*sumatranum*, Miq. Pl. Jungh. 49 = *F. sumatrana*.  
*sundaicum*, Miq. Fl. Ind. Bat. i. ii. 339 = *F. indica*.  
*superbum*, Miq. Pl. Jungh. 46 = *F. superba*.  
*syringaeifolium*, Miq. in Hook. Lond. Journ. Bot. vi. (1847) 535 = *F. syringaeifolia*.  
*tecolutense*, Liebm. in Vidensk. Selsk. Skr. V. ii. (1851) 324 = *F. tecolutensis*.  
*terebratum*, Miq. in Hook. Lond. Journ. Bot. vi. (1847) 558 = *F. terebrata*.  
*Thonningii*, Miq. in Hook. l. c. 557 = *F. microcarpa*.  
*Thunbergii*, Miq. l. c. 556 = *F. cordata*.  
*timorense*, Miq. l. c. 569 = *F. infectoria*.  
*Tjakela*, Miq. l. c. 567 = *F. Tjakela*.  
*Tjiela*, Miq. l. c. 580 = *F. indica*.  
*Tjiela*, Thw. Enum. Pl. Zeyl. 265, partim = *F. Tri-  
 menii*.  
*trigonatum*, Griseb. in Goett. Abh. vii. (1857) 194; Miq. Ann. Mus. Bot. Lugd. Bat. iii. 297 = *F. crassinervia*.  
*trigonum*, Miq. in Hook. Lond. Journ. Bot. vi. (1847) 548 = *F. trigona*.  
*tomentellum*, Miq. l. c. 531 = *F. tomentella*.  
*tomentosum*, Miq. l. c. 573 = *F. tomentosa*.  
*trichocarpum*, Miq. Fl. Ind. Bat. i. ii. 338 = *F. trichocarpa*.  
*truncatum*, Miq. in Zoll. Syst. Verz. Ind. Archip. 91, 97 = *F. truncata*.  
*turbinatium*, Liebm. in Vidensk. Selsk. Skr. V. ii. (1851) 328 = *F. turbinata*.  
*Tweedianum*, Miq. in Hook. Lond. Journ. Bot. vi. (1847) 547. t. 21 = *F. Tweediana*.  
*validum*, Miq. Fl. Ind. Bat. i. ii. 336 = *F. annulata*.  
*velutinum*, Miq. in Hook. Lond. Journ. Bot. vi. (1847) 531 = *F. velutina*.  
*venustum*, Miq. l. c. 538 = *F. venusta*.  
*verrucosum*, Liebm. in Vidensk. Selsk. Skr. V. ii. (1851) 321 = *F. verrucosa*, *Hemsl.*  
*virgatum*, Miq. Fl. Ind. Bat. i. ii. 342 (stirps dub.) = *Java*.  
*vitellinum*, Miq. in Journ. Bot. Néerl. i. (1861) 237 = *F. puberula*.  
*Vogelii*, Miq. in Hook. Lond. Journ. Bot. vi. (1847) 553 = *F. Vogelii*.  
*volubile*, Dalz. & Gibs. Bomb. Fl. 242 = *F. gibbosa*.  
*Warszewiczii*, Miq. in Versl. en Med. Kon. Akad. Wetensch. xiii. (1862) 410 = *F. Warszewiczii*.  
*Wightianum*, Miq. in Hook. Lond. Journ. Bot. vi. (1847) 566 = *F. infectoria*.  
*xanthophyllum*, Miq. l. c. 554 = *F. lutea*.  
*xylophyllum*, Miq. l. c. 577 = *F. xylophylla*.  
*Zollingerianum*, Miq. in Zoll. Syst. Verz. Ind. Archip. 91, 97 = *F. obscura*.

UROSTYLIS, Meissn. Gen. 207; Comm. 133 (1839) = *Layia*, Hook. & Arn. (Compos.).  
*gaillardoides*, Meissn. l. c.; Comm. 133 = *L. galandioides*.

URSINIA, Gaertn. Fruct. ii. 462. t. 174 (1791).  
 COMPOSITAE, Benth. & Hook. f. ii. 456.  
 CHRONOBASIS, DC. ex Benth. & Hook. f. Gen. ii. 457 (1873).

VOL. II.

## URSINIA:—

- LEPTOTIS, Hoffm. Verz. Pf. 72 (1824).  
 OLIGAERION, Cass. in Dict. Sc. Nat. ii. Suppl. 75 (1816).  
 SPERMOPHYLLA, Neck. Elem. i. 24 (1790).  
 SPHENOGYNE, R. Br. in Ait. Hort. Kew. ed. II. v. 142 (1813).  
 THELYTHAMNOS, Spreng. f. Tent. Suppl. Syst. 25 (1828).  
*abrotanifolia*, Spreng. Syst. iii. 609. — Afr. austr.  
*abyssinica*, Sch. Bip. ex Walp. Rep. vi. 182. — Abyss.  
*affinis*, Harv. in Harv. & Sond. Fl. Cap. iii. 151. — Afr. austr.  
*albicaulis*, DC. Prod. v. 689. — Afr. austr.  
*annua*, Less. in Linnaea, vi. (1831) 165, in Adnot. — Afr. austr.  
*anthemoides*, Gaertn. Fruct. ii. 463, in obs.; Poir. Encyc. viii. 257. — Afr. austr.  
*apiculata*, DC. Prod. v. 689. — Afr. austr.  
*cakileifolia*, DC. l. c. 690. — Afr. austr.  
*calenduliflora*, Benth. & Hook. f. Gen. ii. 456. — Afr. austr.  
*chrysanthemoides*, Harv. in Harv. & Sond. Fl. Cap. iii. 152. — Afr. austr.  
*crithmifolia*, Spreng. Syst. iii. 609. — Afr. austr.  
*crithmoides*, Poir. Encyc. viii. 258 = *pilifera*.  
*dentata*, Poir. l. c. 256. — Afr. austr.  
*filicaulis*, DC. Prod. v. 689. — Afr. austr.  
*filiformis*, Griessl. in Linnaea, v. (1830) 414. — Afr. austr.  
*foeniculacea*, Poir. Encyc. viii. 258. — Afr. austr.  
*indecora*, DC. Prod. v. 690. — Afr. austr.  
*leucanthemifolia*, Poir. Encyc. viii. 258. — Afr. austr.  
*montana*, DC. Prod. v. 688. — Afr. austr.  
*nana*, DC. l. c. 690. — Afr. austr.  
*odorata*, Spreng. Syst. iii. 609. — Afr. austr.  
*paleacea*, Moench, Meth. 608. — Afr. austr.  
*paradoxa*, Gaertn. Fruct. ii. 462. t. 174. f. 4. — Afr. austr.  
*pedunculosa*, DC. Prod. v. 689. — Afr. austr.  
*pilifera*, Gaertn. Fruct. ii. 463, in obs.; Poir. Encyc. viii. 256. — Afr. austr.  
*pinната*, Benth. & Hook. f. Gen. ii. 456 = *filiformis*.  
*pygmaea*, DC. Prod. v. 690. — Afr. austr.  
*radicans*, DC. l. c. 689. — Afr. austr.  
*scariosa*, Poir. Encyc. viii. 257. — Afr. austr.  
*serrata*, Spreng. Syst. iii. 609. — Afr. austr.  
*speciosa*, DC. Prod. v. 690. — Afr. austr.  
*tenuifolia*, Poir. Encyc. viii. 259. — Afr. austr.  
*tenuiloba*, DC. Prod. v. 689 = *foeniculacea*.  
*tridentata*, Benth. & Hook. f. Gen. ii. 456. — Afr. austr.

URTICA, [Tourn.] Linn. Syst. ed. I (1735). URTICACEAE, Benth. & Hook. f. iii. 381.  
 ADICEA, Rafin. Cat. 13 (1824).  
 ILDEFONSIA, Mart. ex Steud. Nom. ed. II. i. 802 (1840).  
 RUTICA, Neck. Elem. ii. 202 (1790).  
 SELEPSION, Rafin. Fl. Tellur. iii. 48 (1836).  
*acerifolia*, Zenker, Pl. Ind. Dec. i. tt. 3, 4 = *Girardinia palmata*.  
*acuminata*, Poir. Encyc. Suppl. iv. 224 = *Urera acuminata*.  
*adoensis*, Hochst. in Flora, xxiv. (1841) i. Intell. 21 = *Girardinia condensata*.  
*aestuans*, Linn. Sp. Pl. ed. II. 1396 = *Fleurya aestuans*.  
*aestuans*, Sieber, ex Steud. Nom. ed. II. ii. 734 = *Urera alceaefolia*.  
*affinis*, Hook. & Arn. Bot. Beech. Voy. 69 = *Fleurya interrupta*.  
*alata*, J. F. Gmel. Syst. 268, sphalm. = *elata*.  
*alba*, Blume, Bijdr. 499 = *Leucosyke alba*.  
*alba*, Korth. ex Blume, Mus. Bot. Lugd. Bat. ii. 165 = *Leucosyke sumatrana*.  
*alba*, Rafin. Fl. Ludov. 114 (Quid?) — Am. bor.  
*alba*, Reinw. ex Blume, Mus. Bot. Lugd. Bat. ii. 165 = *Leucosyke celebica*.  
*alba*, Zipp. ex Blume, l. c. = *Leucosyke ochroneura*.  
*albido-punctata*, Steud. Nom. ed. II. ii. 734 = *Pipturus argenteus*.  
*alceaefolia*, Poir. Encyc. Suppl. iv. 227 = *Urera alceaefolia*.  
*alienata*, Jacq. ex Blume, Mus. Bot. Lugd. Bat. ii. 231 = *Pouzolzia confinis*, *indica*.  
*alienata*, Linn. Syst. ed. XII. 622 = *Pouzolzia indica*.

## URTICA:—

- alienata*, Roth, ex Blume, Mus. Bot. Lugd. Bat. ii. 231 = *Pouzolzia Rothiana*.  
*alnifolia*, Bert. ex Griseb. Fl. Brit. W. Ind. 709 = *Trema micrantha*.  
*americana*, Deless. ex Gaudich. in Freyc. Voy. Bot. 498 = *Laportea americana*.  
*amoena*, Wall. Cat. n. 4626 (*Conocephali* sp.) — Ind. or.  
*andicola*, Wedd. in Ann. Sc. Nat. Sér. III. xviii. (1852) 198 = *echinata*.  
*angulata*, Blume, Bijdr. 494 = *Pilea stipulosa*.  
*angustata*, Blume, l. c. 499 = *Debregeasia velutina*.  
*angustifolia*, Buch.-Ham. ex D. Don, Prod. Fl. Nep. 60 = *Boehmeria macrophylla*.  
*angustifolia*, Fisch. ex Hornem. Suppl. Hort. Hafn. 107 = *dioica*.  
*anisophylla*, Wall. Cat. n. 4594 = *Pilea anisophylla*.  
*appendiculata*, Wall. Cat. n. 4604 = *Villebrunea integrifolia*.  
*aquatica*, Liebm. in Vidensk. Selsk. Skr. V. ii. (1851) 291 = *dioica*.  
*aquatica*, Moon, Cat. Pl. Ceyl. 62 = *Boehmeria malabarica*.  
*arborea*, Linn. f. Suppl. 417 = *Gesnouinia arborea*.  
*arborea*, Reinw. ex Blume, Mus. Bot. Lugd. Bat. ii. 208 = *Cypholophus macrocephalus*.  
*arborescens*, Blanco, Fl. Filip. ed. II. 483 = *Pipturus asper*.  
*arborescens*, Link, Enum. Hort. Berol. ii. 386. — Ins. Philipp.  
*arborescens*, Poir. ex Wedd. in DC. Prod. xvi. i. 59 (*Leucosykes* sp.?) — Hab. ?  
*ardens*, Blume, Bijdr. 504 = *Laportea microstigma*?  
*ardens*, Link, Enum. Hort. Berol. ii. 385 = *parviflora*.  
*argentea*, Forst. f. Prod. 65 = *Pipturus argenteus*.  
*arguta*, H. B. & K. Nov. Gen. et Sp. ii. 39 = *Pilea arguta*.  
*armata*, Kunth, ex Wedd. in DC. Prod. xvi. i. 101 = *Girardinia palmata*.  
*armigera*, Presl, Bot. Bemerk. 110 = *Urera baccifera*.  
*articulata*, Juss. ex Wedd. in Arch. Mus. Par. ix. (1856) 180 = *Pilea articulata*.  
*arvensis*, Poepp. ex Miq. in Mart. Fl. Bras. iv. i. 200 = *Pilea hyalina*.  
*atlantica*, Blume, Mus. Bot. Lugd. Bat. ii. 149 = *urens*.  
*atrovirens*, Req. ex Loisel. in Mém. Soc. Linn. Par. vi. (1827) 432. — Europ. austr.  
*atrox*, Leschen. ex Gaudich. in Freyc. Voy. Bot. 498 = *Laportea peltata*.  
*aucklandica*, Hook. f. Fl. Antarct. 68. — Ins. Auckland.  
*australis*, Hook. f. l. c. — N. Zel.  
*azorica*, Hochst. ex Seub. Fl. Azor. 28 = *membranacea*.  
*baccifera*, Blanco, Fl. Filip. ed. I. 695 = *Pipturus asper*.  
*baccifera*, Linn. Sp. Pl. ed. II. 1398 = *Urera baccifera*.  
*balearica*, Linn. Syst. ed. X. 1265 = *pilulifera*.  
*ballotaefolia*, Wedd. in Ann. Sc. Nat. Sér. III. xviii. (1852) 197. — N. Granat.  
*Berlandiera*, Blume, Mus. Bot. Lugd. Bat. ii. 151 = *chamaedryoides*.  
*Berteroana*, Phil. in Linnaea, xxxiii. (1864–65) 235 = *echinata*.  
*betulaefolia*, Sw. in Vet. Akad. Handl. Stockh. viii. (1787) 59 = *Pilea hederacea*.  
*bicolor*, Roxb. Hort. Beng. 67; Fl. Ind. iii. 589 = *Debregeasia hypoleuca*.  
*bifida*, Hassk. Cat. Hort. Bog. Alt. 79 = *Boehmeria biloba*.  
*biloba*, Hort. ex Regel, Cat. Pl. Hort. Aksakov. 144 (Quid?) — Hab. ?  
*blanda*, Wall. ex Wedd. in Arch. Mus. Par. ix. (1856) 365 = *Boehmeria platyphylla*.  
*Blitum*, Salzm. ex Wedd. l. c. 569 = *Phenax vulgaris*.  
*Bollae*, Kanitz, in Flora, lv. (1872) 17 = *dioica*.  
*bonariensis*, Pers. Syn. ii. 552 = *spatulata*.  
*Bovista*, Riddell, ex Wedd. in Arch. Mus. Par. ix. (1856) 61 = *chamaedryoides*.  
*bracteata*, Steud. in Flora, xxxiii. (1850) 258 = *magellanica*.  
*Breweri*, S. Wats. in Proc. Am. Acad. x. (1875) 348. — Am. bor. occ.  
*bulbifera*, Sieb. & Zucc. in Abh. Akad. Muench. iv. III. (1846) 214 = *Laportea bulbifera*.

**URTICA :—**

- bullata*, Blume, Mus. Bot. Lugd. Bat. ii. 145 = grandidentata.  
*bullosa*, Hochst. ex Steud. in Flora, xxxiii. (1850) 259 = Girardinia bulbosa.  
*caerulea*, Blume, Bijdr. 495 = Cypholophus Blumeanus.  
*caffra*, Thunb. Prod. Pl. Cap. 31 = Fleurya capensis?  
*callitrichoides*, H. B. & K. Nov. Gen. et Sp. ii. 40 = Pilea muscosa.  
*calophylla*, Schlecht. in Linnaea, xxvii. (1854) 488 (Quid?).—Hab.?  
*canadensis*, Linn. Sp. Pl. 985 = Laportea canadensis.  
*candicans*, Burm. f. Fl. Ind. 197 (err. typ. 297) = Boehmeria nivea.  
*candidissima*, Blume, Bijdr. 498 = Leucosyke javanica.  
*cannabina*, Linn. Sp. Pl. 984.—As. bor.; Persia.  
*capensis*, Linn. f. Suppl. 417 = Leidesia capensis.  
*capensis*, E. Mey. ex Wedd. in Arch. Mus. Par. ix. (1856) 582 = Fleurya capensis.  
*capitata*, Blanco, Fl. Filip. ed. II. 483 = Fleurya interrupta.  
*capitata*, Linn. Sp. Pl. 985 = Leucosyke alba.  
*capitata*, Schwein. ex Blume, Mus. Bot. Lugd. Bat. ii. 214 = Boehmeria cylindrica.  
*capitellata*, Poir. Encyc. Suppl. iv. 227 = Leucosyke alba.  
*caracasana*, Griseb. in Goett. Abh. xxiv. (1879) 87.—Reg. Argent.  
*caracasana*, Jacq. Hort. Schoenb. iii. 71. t. 386 = Urena alceaefolia.  
*caravellana*, Schrank, Pl. Rar. Hort. Monac. t. 82 = Fleurya aestuans.  
*carolinensis*, Deless. ex Gaudich. in Freyc. Voy. Bot. 498 = Laportea carolinensis.  
*cataractae*, Steud. Nom. ed. II. ii. 734 = Pilea trinervia.  
*caudata*, Burm. f. Fl. Ind. 198 (err. typ. 298) = Boehmeria platyphylla.  
*caudata*, Vahl, Symb. Bot. ii. 96 = membranacea.  
*caudata*, Wall. Cat. n. 4600 = Pouzolzia caudata.  
*caudigera*, Wall. Cat. n. 4585 = Boehmeria platyphylla.  
*celebica*, Blume, Bijdr. 492 = Boehmeria platyphylla.  
*cellulosa*, Spreng. Neue Entdeck. iii. 21 = Pilea ciliaris.  
*chamaedryoides*, Pursh, Fl. Am. Sept. i. 113.—Am. bor.  
*Chesneyana*, Blume, Mus. Bot. Lugd. Bat. ii. 153 = pilulifera.  
*Chiple*, Buch.-Ham. ex Wall. Cat. n. 4616 = Pouzolzia viminea.  
*Churta*, Buch.-Ham. ex Wall. l. c. 4608 = Laportea crenulata.  
*ciliaris*, Linn. Syst. ed. X. 1266 = Pilea ciliaris.  
*ciliata*, Sw. in Vet. Acad. Handl. Stockh. (1787) 32 = Pilea Swartzii.  
*cilindrica*, Crantz, Inst. i. 147 = Boehmeria cylindrica.  
*cinerascens*, Blume, Bijdr. 497 = Pipturus argenteus.  
*cinerascens*, Korth. ex Blume, Mus. Bot. Lugd. Bat. ii. 204 = Pouzolzia cinerascens.  
*cinerascens*, Poir. Encyc. Suppl. iv. 226.—Ind. or.  
*cinerascens*, Wall. Cat. n. 4591 = Boehmeria platyphylla.  
*collina*, Bert. ex Spreng. Syst. iii. 839 = Pilea Chamaedrys.  
*comosa*, Buch.-Ham. ex Wall. Cat. sub n. 4616 = Boehmeria sidaefolia.  
*condensata*, Hochst. ex Steud. in Flora, xxxiii. (1850) 260 = Girardinia condensata.  
*conglobata*, Blume, Bijdr. 500 = Pouzolzia conglobata.  
*conglobata*, Pav. ex Wedd. in Arch. Mus. Par. ix. (1856) 102 (Phenacis sp.).—Hab.?  
*contracta*, Blume, Bijdr. 505 (Villebruniae sp.?).—Java.  
*convexa*, Hornem. ex Spreng. Syst. iii. 839 = pilulifera.  
*corallina*, Liebm. in Vidensk. Selsk. Skr. V. ii. (1851) 295 = Urena corallina.  
*cordata*, Gaudich. in Freyc. Voy. Bot. 498, in syn. = Fleurya aestuans.  
*cordatifolia*, Steud. in Flora, xxxiii. (1850) 258.—China.  
*cordifolia*, Moench, Meth. 351 = pilulifera.  
*corylifolia*, Juss. ex Poir. Encyc. Suppl. iv. 226 = Fleurya aestuans.  
*corymbosa*, Savigny, in Lam. Encyc. iv. 640 = Pilea corymbosa.  
*crassifolia*, Reinw. ex Blume, Mus. Bot. Lugd. Bat. ii. 222 = Boehmeria platyphylla.

**URTICA :—**

- crassifolia*, Willd. Sp. Pl. iv. 349 = Pilea densiflora.  
*crenata*, Zipp. ex Blume, Mus. Bot. Lugd. Bat. ii. 208 = Cypholophus macrocephalus.  
*crenulata*, Roxb. Hort. Beng. 67; Fl. Ind. iii. 591 = Laportea crenulata.  
*crenulata*, Sw. in Vet. Akad. Handl. Stockh. viii. (1785) 35; ex ej. Fl. Ind. Occ. i. 319 = Pilea cuneifolia.  
*cubensis*, Klotzsch, ex Herd. Ind. Sem. Hort. Petrop. (1858) 38.—Cuba.  
*cuneata*, A. Rich. Fl. Cub. Fanerog. ii. 224 = Fleurya umbellata.  
*cuneifolia*, Sw. in Vet. Acad. Handl. Stockh. viii. (1787) 70 = Pilea cuneifolia.  
*cuneiformis*, Herb. Mus. Par. ex Blume, Mus. Bot. Lugd. Bat. ii. 56 = Pilea insignis.  
*cuneiformis*, Savigny, in Lam. Encyc. iv. 640 = Pilea cuneiformis.  
*cuneiformis*, Steud. Nom. ed. II. ii. 734 = Pilea cuneifolia.  
*cuspidata*, Willd. Sp. Pl. iv. 349 = Pilea lucens.  
*cylindrica*, Linn. Sp. Pl. 984 = Boehmeria cylindrica.  
*cylindrica*, Wall. ex Wedd. in DC. Prod. xvi. i. 61 = Boehmeria platyphylla.  
*cylindrica*, Wedd. l. c. = Pilea cuneifolia.  
*cymosa*, Hassk. Pl. Jav. Rar. 200 = Fleurya cymosa.  
*Darwinii*, Hook. f. Fl. Antarct. 343 = magellanica.  
*dasyphylla*, Poepp. ex Wedd. in Arch. Mus. Par. ix. (1856) 178 = Pilea globosa.  
*dauciodora*, Pav. ex Wedd. in Ann. Sc. Nat. Sér. III. xviii. (1852) 223 = Pilea dauciodora.  
*debilis*, Endl. Prod. Fl. Norfolk. 37 = Parietaria debilis.  
*decumana*, Roxb. Hort. Beng. 67; Fl. Ind. iii. 587 = Laportea decumana.  
*depressa*, Sw. in Vet. Acad. Handl. Stockh. viii. (1787) 64 = Pilea depressa.  
*dichotoma*, Blume, Bijdr. 499 = Debregeasia dichotoma.  
*dichroa*, Poepp. ex Wedd. in DC. Prod. xvi. i. 61 = Pilea nummulariaefolia.  
*diffusa*, Sw. in Vet. Acad. Handl. Stockh. viii. (1785) 30 = Pilea diffusa.  
*dioecia*, Hill, Veg. Syst. xxvi. 23 = seq.  
*dioica*, Linn. Sp. Pl. 984.—Reg. bor. temp.  
*dioica*, Thunb. Fl. Jap. 69 = Thunbergiana.  
*dioica*, Vell. Fl. Flum. x. t. 18 = spatulata.  
*diplotricha*, Phil. in Linnaea, xxxiii. (1864-65) 234 = dioica.  
*distachya*, Spreng. Syst. iii. 840 = Boehmeria cylindrica?  
*divaricata*, Forsk. Fl. Aegypt. Arab. 160 = Fleurya aestuans.  
*divaricata*, Linn. Sp. Pl. 985 = Laportea canadensis.  
*divergens*, G. F. W. Mey. Prim. Fl. Esseq. 264 = Fleurya aestuans.  
*diversifolia*, Blume, Bijdr. 498 = Maoutia rugosa.  
*diversifolia*, Link, Enum. Hort. Berol. ii. 385 = Girardinia palmata.  
*Dodartii*, Linn. Syst. ed. X. 1265 = pilulifera.  
*dubia*, Forsk. Fl. Aegypt. Arab. 121 = membranacea.  
*echinata*, Benth. Pl. Hartw. 252.—Am. austr.  
*Eckloniana*, Blume, Mus. Bot. Lugd. Bat. ii. 142 = dioica.  
*elata*, Sw. Prod. Veg. Ind. Occ. 37 = Urena sinuata.  
*elevata*, Banks, ex Lowe, in Trans. Camb. Phil. Soc. iv. (1831) 15 = morifolia.  
*elongata*, Blume, Bijdr. 494 = Pilea trinervia.  
*elongata*, J. F. Gmel. Syst. 269 = Boehmeria platyphylla.  
*elongata*, Link, Enum. Hort. Berol. ii. 385.—Ins. Philipp.  
*elongata*, Vahl, in West. Bidr. Ste-Croix, 306.—Ind. occ.  
*evitata*, Wall. Cat. n. 4588 = Laportea terminalis.  
*excelsa*, Bert. ex Steud. in Flora, xxxiii. (1850) 261 = Boehmeria excelsa.  
*expansa*, Sw. Adnot. Bot. 60; et Griseb. Fl. Brit. W. Ind. 155 = Urena expansa.  
*falcicrenata*, Liebm. in Vidensk. Selsk. Skr. V. ii. (1851) 293 = subincisa.  
*fasciculata*, Savigny, in Lam. Encyc. iv. 640 = Pilea pumila, A. Gray.  
*fastigiata*, Blume, Mus. Bot. Lugd. Bat. ii. 151.—Chili.  
*fernandeziana*, Steud. Nom. ed. II. ii. 734 = Parietaria debilis.  
*ferocissima*, Sweet, Hort. Brit. ed. I. 363 = Girardinia heterophylla.  
*ferox*, Blanco, Fl. Filip. ed. II. 484 = Laportea Gaudichaudiana.

**URTICA :—**

- ferox*, Forst. f. Prod. 66.—N. Zel.  
*ficifolia*, Savigny, in Lam. Encyc. iv. 638 = Obetia ficifolia.  
*filiformis*, Walt. Fl. Carol. 230 = Boehmeria cylindrica?  
*Finlaysonian*, Wall. Cat. n. 4644.—Siam?  
*flabellata*, H. B. & K. Nov. Gen. et Sp. ii. 40.—Ecuador.  
*floribunda*, H. B. & K. l. c. 38 = Pilea multiflora.  
*foliolosa*, Wall. ex Wedd. in Arch. Mus. Par. ix. (1856) 103 = Pouzolzia scabra.  
*foliosa*, Blume, Mus. Bot. Lugd. Bat. ii. 142.—Japon.  
*freireaeformis*, Steud. Nom. ed. II. ii. 734 = Parietaria debilis.  
*frutescens*, Poir. Encyc. Suppl. iv. 226 (Quid?).—Am. austr.  
*frutescens*, Thunb. Fl. Jap. 70 = Villebrunea frutescens.  
*fruticosa*, Banks, ex Miq. Fl. Ind. Bat. i. ii. 283 = Botryomorus paniculata.  
*fruticosa*, Wight, Ic. t. 694 = Pouzolzia indica.  
*furialis*, Boj. ex Blume, Mus. Bot. Lugd. Bat. ii. 159 = Obetia ficifolia.  
*galeopsifolia*, Jacq. f. ex Blume, l. c. 145.—Hab.?  
*galeopsifolia*, Wierzb. ex Opiz, Natural. n. ix. (1825) 107 = dioica.  
*Gaudichaudii*, Steud. Nom. ed. II. ii. 734 = Fleurya interrupta.  
*gemina*, Lour. Fl. Cochinch. 558 = Acalypha australis.  
*gibbosa*, Zipp. ex Blume, Mus. Bot. Lugd. Bat. ii. 54 = Pilea trinervia.  
*gigantea*, Poir. Encyc. Suppl. iv. 225 = Laportea crenulata.  
*gigantea*, Teysm. ex Miq. Fl. Ind. Bat. i. ii. 232 = Laportea amplissima.  
*Gigas*, A. Cunn. ex Wedd. in Arch. Mus. Par. ix. (1856) 129 = Laportea Gigas.  
*Girardinia*, Steud. Nom. ed. II. ii. 734 = Girardinia heterophylla.  
*glaberrima*, Blume, Bijdr. 493 = Pilea smilacifolia.  
*glabrata*, Clem. ex Vis. Fl. Dalm. i. 217 = dioica.  
*glandulifera*, Liebm. in Vidensk. Selsk. Skr. V. ii. (1851) 293.—Mexic.  
*globosa*, Pav. ex Wedd. in Ann. Sc. Nat. Sér. III. xviii. (1852) 208 = Pilea globosa.  
*globulifera*, Roxb. Hort. Beng. 67; Fl. Ind. iii. 593.—Ind. or.  
*glomerata*, Klein, ex Willd. Sp. Pl. iv. 361 = Pouzolzia indica.  
*glomerulaeflora*, Steud. Nom. ed. II. ii. 735; et in Flora, xxxiii. (1850) 257.—Ins. J. Fernand.  
*Goglado*, Buch.-Ham. in Wall. Cat. n. 4593 = Pilea smilacifolia.  
*gracilentia*, Greene, in Bull. Torrey Bot. Club, viii. (1881) 122.—Mexic.  
*gracilescens*, Blume, Mus. Bot. Lugd. Bat. ii. 151 = chamaedryoides.  
*gracilis*, Ait. Hort. Kew. ed. I. iii. 341 = dioica.  
*gracilis*, Rafin. Atl. Journ. 16 = chamaedryoides.  
*grandidentata*, Liebm. in Vidensk. Selsk. Skr. V. ii. (1851) 296 = Urena bacifera.  
*grandidentata*, Miq. Pl. Jungh. 27.—Java.  
*grandidentata*, Moris, Stirp. Sard. Elench. fasc. ii. 9 = atrovirens.  
*grandifolia*, Linn. Syst. ed. X. 1266 = Pilea grandis.  
*grandifolia*, Sw. ex Griseb. Fl. Brit. W. Ind. 159 = Pilea pubescens.  
*grandifolia*, Thunb. ex Wedd. in DC. Prod. xvi. i. 213 = Boehmeria platyphylla.  
*grandis*, Hook. & Arn. Bot. Beech. Voy. 95 = Boehmeria stipularis.  
*grossa*, E. Mey. in Drège, Zwei Pfl. Docum. 228 = Fleurya grossa.  
*grossa*, Wall. Cat. n. 4615 = Distemon indicum.  
*grossecrenata*, Mart. ex Miq. in Mart. Fl. Bras. iv. i. 199 = Pilea pubescens.  
*Hamiltoniana*, Wall. Cat. n. 4590 = Pilea scripta, Boehmeria platyphylla.  
*hastata*, Forst. ex Spreng. Syst. iii. 836 = inermis.  
*Haussknechtii*, Boiss. Fl. Orient. iv. 1146.—Cataonia.  
*hederacea*, Savigny, in Lam. Encyc. iv. 642 = Pilea hederacea.  
*heracleifolia*, Juss. ex Wedd. in Arch. Mus. Par. ix. (1856) 107 = Obetia ficifolia.  
*herniarifolia*, Willd. Sp. Pl. iv. 359 = Pilea muscosa.  
*hernarioides*, Sw. in Vet. Akad. Handl. Stockh. viii. (1787) 64 = Pilea muscosa.

## URTICA:—

- heterophylla*, Vahl, Symb. Bot. i. 76 = Girardinia heterophylla.  
*heterophylla*, Wight, Ic. t. 687 = Girardinia palmata.  
*himalayensis*, Kunth & Bouché, Ind. Sem. Hort. Berol. (1846) 11 = parviflora.  
*hippurioides*, Griff. Itin. Notes, 362 = Pouzolzia pentandra.  
*hirsuta*, Pav. ex Wedd. in Ann. Sc. Nat. Sér. III. xviii. (1852) 220 = Pilea hirsuta.  
*hirsuta*, Vahl, Symb. Bot. i. 77 = Fleurya aestuans?  
*hirta*, Blume, Bijdr. 495 = Pouzolzia hirta.  
*hirta*, Sw. Fl. Ind. Occ. i. 285 = Phenax urticaefolius.  
*hispidula*, DC. Fl. Fr. Suppl. 355 = dioica.  
*hispidula*, Muell. Arg. in DC. Prod. xv. ii. 880, sphalm. = Acalypha Poiretii.  
*hispidula*, Cariot, Etude des Fleurs, ii. 505 = dioica.  
*holosericea*, Nutt. in Journ. Acad. Philad. N. S. i. (1847) 183.—Am. bor. occ.  
*horrida*, H. B. & K. Nov. Gen. et Sp. ii. 41 = Urera baccifera.  
*horrida*, Link, Enum. Hort. Berol. ii. 385 = Girardinia heterophylla.  
*humilis*, Sw. in Vet. Akad. Handl. Stockh. viii. (1787) 69 = Rousselia lappulacea.  
*hygrophila*, Miq. Pl. Jungh. 28 = Pilea hygrophila.  
*hyperborea*, Jacquem. ex Wedd. in Arch. Mus. Par. ix. (1856) 68.—Reg. Himal.  
*Hypselodendron*, Hochst. ex A. Rich. Tent. Fl. Abyss. ii. 260 = Urera Hypselodendron.  
*Ildefonsia*, Steud. Nom. ed. II. ii. 735.—Bras.  
*inaequalis*, Juss. ex Poir. Encyc. Suppl. iv. 222 = Pilea inaequalis.  
*incana*, Blume, Bijdr. 497 = Pipturus velutinus.  
*incisa*, Heyne, ex Wall. Cat. sub n. 4603 = Girardinia heterophylla.  
*incisa*, Poir. Encyc. Suppl. iv. 224.—Austral.; N. Zel.  
*inermis*, Spreng. Syst. iii. 886.—Ins. Pacif.  
*iners*, Forsk. Fl. Aegypt. Arab. 160 = urens.  
*iners*, Nees & Mart. ex Wedd. in Arch. Mus. Par. ix. (1856) 271 = Pilea Maximiliani.  
*integerrima*, Blume, in Flora, vii. (1824) 291 = Phytocrene macrophylla.  
*integrifolia*, Savigny, in Lam. Encyc. iv. 637 = pilulifera.  
*interrupta*, Jacq. ex Blume, Mus. Bot. Lugd. Bat. ii. 220 = Boehmeria Jacquiniiana.  
*interrupta*, Linn. Sp. Pl. 985 = Fleurya interrupta.  
*interrupta*, Noronha, in Verh. Batav. Gen. v. (1790) ed. I. Art. iv. 28 = ovalifolia.  
*involuta*, Roxb. Hort. Beng. 67; Fl. Ind. iii. 592 = Macaranga involucreta.  
*involuta*, Sims, Bot. Mag. t. 2481 = Pilea pubescens.  
*involuta*, Steud. Nom. ed. II. ii. 735 = Macaranga involucreta.  
*japonica*, Blanco, Fl. Filip. ed. I. 694 = Pouzolzia viminea.  
*japonica*, Linn. f. Suppl. 418 = Boehmeria platyphylla.  
*japonica*, Thunb. Fl. Jap. 70 (non Urticacea).—Japon.  
*javanensis*, Poir. ex Gaudich. in Freyc. Voy. Bot. 497 = Laportea crenulata.  
*javanica*, Blume, Bijdr. 503 = Fleurya interrupta.  
*kioviensis*, Bogowitch, in Bull. Soc. Nat. Mosc. (1843) n. II. p. 324 = dioica.  
*laciniata*, Goudot, ex Wedd. in Ann. Sc. Nat. Sér. III. xviii. (1852) 203 = Urera laciniata.  
*laetevirens*, Maxim. in Bull. Acad. Pétersb. xxii. (1877) 236.—Japon.  
*lamiifolia*, Juss. ex Pers. Syn. ii. 555 = Boehmeria nivea.  
*lamiifolia*, Poir. ex Wedd. in Arch. Mus. Par. ix. (1856) 103 (Debregeasiae sp.).—Hab.?  
*lanceolata*, A. Rich. Fl. Cub. Fanerog. ii. 225 = Pilea nudicaulis.  
*lanceolata*, Savigny, in Lam. Encyc. iv. 639 = Pilea lanceolata.  
*lappulacea*, Sw. in Vet. Akad. Handl. Stockh. viii. (1787) 69 = Rousselia lappulacea.  
*latifolia*, Moon, Cat. Pl. Ceyl. 62, nomen.—Zeylan.  
*latifolia*, Rich. in Act. Soc. Hist. Nat. Par. i. (1792) 113 = Fleurya aestuans.  
*laurifolia*, Poir. Encyc. Suppl. iv. 224.—Reg. Magellan.  
*laurina*, Sm. in Rees, Cyclop. xxxvii. n. 76 (Villebruneae sp.).—Ins. Amboin.  
*laxa*, Sw. in Vet. Akad. Handl. Stockh. viii. (1787) 58 = Pilea laxa.  
*leptophylla*, H. B. & K. Nov. Gen. et Sp. ii. 39 = magellanica.

## URTICA:—

- leptostachya*, Sm. in Rees, Cycl. xxxvii. n. 65 = Droguetia ovata.  
*leptostachys*, Juss. ex Pers. Syn. ii. 554 = Droguetia ovata.  
*leucophaea*, Blume, Bijdr. 493 = Pilea leucophaea.  
*leucophylla*, Wall. Cat. n. 4067 = Debregeasia Wallichiana.  
*leucotrys*, Rafin. Fl. Ludov. 114 (Quid?).—Am. bor.  
*limoniodora*, Pav. ex Wedd. in Ann. Sc. Nat. Sér. III. xviii. (1852) 216 = Pilea citriodora.  
*Lindeniana*, A. Rich. Fl. Cub. Fanerog. ii. 225 = Pilea serrulata.  
*lineata*, Roxb. Hort. Beng. [103]; Fl. Ind. iii. 589.—Ins. Molucc.  
*Linkiana*, Heynh. Nom. i. 832 = Girardinia heterophylla.  
*lobata*, E. Mey. ex Blume, Mus. Bot. Lugd. Bat. ii. 144 = Meyeri.  
*lobulata*, E. Mey. in Drège, Zwei Pfl. Docum. 228 = Meyeri.  
*lomatacarpa*, Hochst. ex Steud. in Flora, xxxiii. (1850) 260 = Fleurya interrupta.  
*longifolia*, Burm. f. Fl. Ind. 197 (err. typ. 297) = Debregeasia velutina.  
*longifolia*, Willd. Sp. Pl. iv. 348 = Pilea verbascifolia.  
*longipes*, Mart. ex Miq. Fl. Bras. iv. i. 201 = Pilea hyalina.  
*Lowei*, Seub. Fl. Azor. 28 = morifolia.  
*lucens*, Savigny, in Lam. Encyc. iv. 641 = Pilea lucens.  
*lucida*, Dum.-Cours. Bot. Cult. ed. II. vi. 369 = Pilea densiflora.  
*lucida*, Sw. in Vet. Akad. Handl. Stockh. (1785) 31 = Pilea lucida.  
*lucifuga*, Hook. f. in Hook. Lond. Journ. Bot. vi. (1847) 285 = incisa.  
*lusitanica*, Brot. Fl. Lusit. i. 205 = membranacea.  
*lutescens*, Blume, Bijdr. 494 = Cypholophus rufescens.  
*Lyallii*, S. Wats. in Proc. Am. Acad. x. (1875) 348.—Am. bor. occ.  
*macrophylla*, Hort. ex Schlecht. in Linnaea, xxvii. (1854) 488 = calophylla.  
*macrophylla*, Thunb. Fl. Jap. 69 = Boehmeria platyphylla.  
*macrostachya*, Wall. ex D. Don, Prod. Fl. Nep. 60 = Boehmeria macrophylla.  
*maculata*, Savigny, in Lam. Encyc. iv. 644 (Pileae sp.).—Ins. S. Doming.  
*madagascariensis*, Juss. ex Poir. Encyc. Suppl. iv. 227 = Obetia madagascariensis.  
*magellanica*, Juss. ex Poir. l. c. 223.—Reg. Magellan.  
*major*, Kanitz, in Bot. Zeit. xx. (1862) 190; xxi. (1863) 54 = dioica.  
*malabarica*, Wall. Cat. n. 4610 = Boehmeria malabarica.  
*manillensis*, Walp. ex Bur. in DC. Prod. xvii. 256 = Fatoua pilosa.  
*marginata*, Poepp. ex Wedd. in Arch. Mus. Par. ix. (1856) 238 = Pilea marginata.  
*mariana*, Mill. Gard. Dict. ed. VIII. n. 7 = Boehmeria cylindrica.  
*Masafueria*, Phil. in Bot. Zeit. xiv. (1856) 647; et in Anal. Univ. Chil. (1856) 167.—Ins. Masafuer.  
*melanocarpa*, Zipp. ex Blume, Mus. Bot. Lugd. Bat. ii. 210 = Cypholophus melanocarpus.  
*melastomoides*, Hort. ex Spreng. Syst. iii. 842 = Leucosyke alba.  
*melastomoides*, H. B. & K. Nov. Gen. et Sp. ii. 38 = Pilea multiflora.  
*melastomoides*, Poir. Encyc. Suppl. iv. 223 = Pilea trinervia.  
*membranacea*, Barbieri, ex Blume, Mus. Bot. Lugd. Bat. ii. 149 = urens.  
*membranacea*, Bourg. ex Wedd. in DC. Prod. xvi. i. 54 = morifolia.  
*membranacea*, Poir. ex Savigny, in Lam. Encyc. iv. 638.—Reg. Mediterr.  
*membranacea*, Sw. ex Wedd. in Arch. Mus. Par. ix. (1856) 103 = Urera membranacea.  
*mexicana*, Blume, Mus. Bot. Lugd. Bat. ii. 140 = dioica.  
*mexicana*, Liebm. in Vidensk. Selsk. Skr. V. ii. (1851) 291.—Mexic.  
*Meyeniana*, Walp. in Nov. Act. Nat. Cur. xix. Suppl. i. (1843) 422 = Laportea stimulans?  
*Meyeri*, Wedd. in Arch. Mus. Par. ix. (1856) 64.—Afr. austr.  
*micrantha*, Kunth & Bouché, in Ann. Sc. Nat. Sér. III. vii. (1847) 182.—Hab.?

## URTICA:—

- microphylla*, Boiss. & Haussk. ex Boiss. Fl. Orient. iv. 1147 = Haussknechtii.  
*microphylla*, Sw. in Vet. Akad. Handl. Stockh. viii. (1787) 66 = Pilea microphylla.  
*Milletii*, Hook. & Arn. Bot. Beech. Voy. 214 (sp. dub.).—China.  
*minima*, Roxb. Hort. Beng. [103]; Fl. Ind. iii. 585.—Ins. Molucc.  
*minor*, Lam. Fl. Fr. ii. 194 = urens.  
*minutifolia*, Griseb. in Goett. Abh. xix. (1874) 112.—Reg. Argent.  
*mitis*, E. Mey. in Drège, Zwei Pfl. Docum. 228 = Fleurya capensis.  
*mitis*, Vell. Fl. Flum. x. t. 19 = Urera alceaefolia.  
*mollis*, Reinw. ex Blume, Mus. Bot. Lugd. Bat. ii. 222 = Boehmeria platyphylla.  
*mollis*, Steud. Nom. ed. II. ii. 735; et in Flora, xxxiii. (1850) 258.—Chili.  
*mollissima*, Blume, Bijdr. 501 = Pipturus mollissimus.  
*mollissima*, Sm. in Rees, Cyclop. xxxvii. n. 54 = Pouzolzia laevigata.  
*moluccana*, Blume, Bijdr. 492.—Ins. Molucc.  
*monilifera*, Sm. ex Wedd. in Arch. Mus. Par. ix. (1856) 445 = Pipturus rotundifolius.  
*monoica*, Gilib. Exercit. ii. 450 = urens.  
*montana*, Korth. ex Blume, Mus. Bot. Lugd. Bat. ii. 227 = Boehmeria monticola.  
*morifolia*, Poir. Encyc. Suppl. iv. 223.—Ins. Canar.  
*morifolia*, Sm. in Rees, Cycl. xxxvii. n. 20 = ballotaefolia.  
*moroides*, A. Cunn. ex Wedd. in Arch. Mus. Par. ix. (1856) 142 = Laportea moroides.  
*multiflora*, Poir. Encyc. Suppl. iv. 223 = Pilea multiflora.  
*muralis*, Vahl, Symb. Bot. i. 77.—Arab.  
*muricata*, Heyne, ex Wall. Cat. n. 4612 = Debregeasia velutina.  
*Mutisiana*, Spreng. Syst. iii. 840 = Pilea multiflora.  
*Myrapi*, Korth. ex Blume, Mus. Bot. Lugd. Bat. ii. 227 = Boehmeria monticola.  
*nana*, Buch.-Ham. ex D. Don, Prod. Fl. Nep. 60 = Pouzolzia indica.  
*nana*, Hook. Journ. Bot. i. (1834) 232.—N. Granat.  
*nauciflora*, Roxb. Hort. Beng. 67; Fl. Ind. iii. 592 = Conocephalus suaveolens.  
*neglecta*, Guss. Ind. Sem. Hort. Boccad. (1825) 11 = membranacea.  
*nemorosa*, H. B. & K. Nov. Gen. et Sp. ii. 42 = Fleurya aestuans.  
*nicaraguensis*, Liebm. in Vidensk. Selsk. Skr. V. ii. (1851) 292.—Nicaragua.  
*nitida*, Hort. Berol. ex Walp. Ann. i. 647 = Pilea densiflora.  
*nitida*, Vell. Fl. Flum. x. t. 20 = Urera baccifera.  
*nivea*, Linn. Sp. Pl. 985 = Boehmeria nivea.  
*nudicaulis*, Sw. in Vet. Akad. Handl. Stockh. (1785) 34 = Pilea nudicaulis.  
*nummularifolia*, Sw. l. c. viii. (1787) 63. t. 1. f. 2 = Pilea nummulariaefolia.  
*nutans*, Poepp. ex Wedd. in Arch. Mus. Par. ix. (1856) 196 = Pilea nutans.  
*obesa*, Wall. Cat. n. 4587 = Pilea Wightii.  
*oblongata*, Koch, ex Maly, Fl. N. Steierm. 63 = urens.  
*obnoxia*, Hassk. Cat. Hort. Bog. Alt. 305 = Laportea microstigma?  
*obtusata*, Vahl, ex Wedd. in Arch. Mus. Par. ix. (1856) 262 = Pilea obtusata.  
*ochroneura*, Zipp. ex Blume, Mus. Bot. Lugd. Bat. ii. 165 = Leucosyke ochroneura.  
*orbiculata*, Rich. ex Steud. Nom. ed. II. ii. 735 (Pileae sp.).—Hab.?  
*oreophila*, Miq. Pl. Jungh. 27 = Pilea trinervia.  
*Orizabae*, Liebm. in Vidensk. Selsk. Skr. V. ii. (1851) 292 = chamaedryoides.  
*ovalifolia*, Blume, Bijdr. 504.—Java.  
*ovalifolia*, Buching. in Flora, xxviii. (1845) 88 = Fleurya capensis.  
*ovalifolia*, Stokes, Bot. Mat. Med. iv. 372 = urens.  
*palmata*, Forsk. Fl. Aegypt. Arab. 159 = Girardinia heterophylla.  
*palustris*, Juss. ex Pers. Syn. ii. 552 = Boehmeria cylindrica.  
*paniculata*, Gaudich. in Freyc. Voy. Bot. 497 = Fleurya ruderalis.  
*paniculata*, Roxb. Hort. Beng. [103]; Fl. Ind. iii. 589 = Wallichiana.  
*parasitica*, Blume, Bijdr. 506 = Pellionia javanica?



## URTICA:—

- parasitica*, Forsk. Fl. Aegypt. Arab. 160 = muralis.  
*Parietaria*, Linn. Sp. Pl. 985 = *Pilea ciliaris*.  
*Parietaria*, Savigny, in Lam. Encyc. iv. 639 = *Pilea articulata*.  
*parietariaefolia*, Bert. ex Steud. Nom. ed. II. ii. 735 = *Parietaria debilis*.  
*parietariaefolia*, Deless. ex Presl, Rep. Bot. 162 = *Urera parietariaefolia*.  
*parva*, Blume, Bijdr. 502 = *Pouzolzia indica*.  
*parviflora*, Roxb. Hort. Beng. 67; Fl. Ind. iii. 581. — Reg. Himal.  
*parvifolia*, Buch.-Ham. ex Wall. Cat. sub n. 4616 = *Pouzolzia viminea*.  
*parvula*, Blume, Mus. Bot. Lugd. Bat. ii. 150 = *urens*.  
*pauciflora*, Hochst. ex Steud. in Flora, xxxiii. (1850) 258 = *Droguetia diffusa*.  
*peduncularis*, E. Mey. in Drège, Zwei Pfl. Docum. 228 = *Fleurya capensis*.  
*peduncularis*, Sm. in Rees, Cycl. xxxvii. n. 6 = *Pilea trinervia*.  
*pedunculata*, Wedd. in Arch. Mus. Par. ix. (1856) 118 = *Fleurya capensis*.  
*pellucida*, Labill. Sert. Austro-Caled. 79. t. 80 = *Pipturus velutinus*.  
*peltata*, Blume, Bijdr. 496 = *Laportea peltata*.  
*pendula*, Willd. Sp. Pl. iv. 358 = *Pilea rupiendia*.  
*penduliflora*, Wall. Cat. n. 4595 = *Boehmeria macrophylla*.  
*pentandra*, Roxb. Hort. Beng. 67; Fl. Ind. iii. 583 = *Pouzolzia pentandra*.  
*pepoides*, Steud. Nom. ed. II. ii. 735 = *Pilea pepoides*.  
*petiolaris*, Sieb. & Zucc. in Abh. Akad. Muench. iv. III. (1846) 215 = *Pilea stipulosa*.  
*petiolata*, Steud. Nom. ed. II. ii. 735 = *Fleurya aestuans*.  
*photiniphylla*, A. Cunn. ex Wedd. in Arch. Mus. Par. ix. (1856) 139 = *Laportea photiniphylla*.  
*pilosa*, Lour. Fl. Cochinch. 558 = *Acalypha Poiratii*.  
*pilosiuscula*, Blume, Bijdr. 491 = *Boehmeria platyphylla*.  
*pilulifera*, Linn. Sp. Pl. 983. — Reg. Mediterr.; Oriens; Ind. or.  
*Pittoni*, Blume, Mus. Bot. Lugd. Bat. ii. 147 = *membranacea*.  
*platyphylla*, Buch.-Ham. ex D. Don, Prod. Fl. Nep. 60 = *Boehmeria platyphylla*.  
*platyphylla*, Wedd. in Arch. Mus. Par. ix. (1856) 86 = *dioica*.  
*polystachya*, Wall. Cat. n. 4584 = *Boehmeria polystachya*.  
*portulacina*, Spreng. Syst. iii. 838 = *Pilea muscosa*.  
*portulacoides*, Spreng. Neue Entdeck. iii. 21 = *Pilea muscosa*.  
*procera*, Muhl. ex Willd. Sp. Pl. iv. 353 = *dioica*.  
*procridioides*, E. Mey. in Drège, Zwei Pfl. Docum. 228 = *Pouzolzia procridioides*.  
*propinqua*, Liebm. in Vidensk. Selsk. Skr. V. ii. (1851) 293 = *chamaedryoides*.  
*Pseudo-dioica*, Steud. Nom. ed. II. ii. 735; et in Flora, xxxiii. (1850) 257 = *dioica*.  
*pubescens*, Ledeb. Fl. Alt. iv. 240, in nota = *dioica*.  
*pubescens*, Roxb. ex Wall. Cat. n. 4614, sphalm. = *frutescens*.  
*pulchella*, Hort. Angl. ex Link, Enum. Hort. Berol. ii. 385. — Ind. or.  
*pulcherrima*, Roxb. Hort. Beng. 67; Fl. Ind. iii. 588 = *Sarcochlamys pulcherrima*.  
*pulcherrima*, Wall. Cat. n. 4596 = *Boehmeria macrophylla*.  
*pulegifolia*, Poir. Encyc. Suppl. iv. 224 = *Pilea pulegifolia*.  
*Pulus*, Steud. Nom. ed. II. ii. 735 = *Laportea microstigma*?  
*pumila*, Euphras. ex Griseb. Fl. Brit. W. Ind. 159 = *Pilea hyalina*.  
*pumila*, Linn. Sp. Pl. 984 = *Pilea pumila*.  
*pumila*, Schwein. ex Blume, Mus. Bot. Lugd. Bat. ii. 213 = *Boehmeria cylindrica*.  
*punctata*, Buch.-Ham. ex Wall. Cat. sub n. 4616 = *Pouzolzia viminea*.  
*punctata*, H. B. & K. Nov. Gen. et Sp. ii. 38 = *Pilea punctata*.  
*purpurascens*, Nutt. in Trans. Am. Phil. Soc. v. (1837) 169 = *chamaedryoides*.  
*pusilla*, Poir. Encyc. Suppl. iv. 224 = *Australina pusilla*.  
*pustulata*, Liebm. in Vidensk. Selsk. Skr. V. ii. (1851) 294 = *Laportea canadensis*.

## URTICA:—

- Puya*, Buch.-Ham. ex Wall. Cat. n. 4605 = *Maoutia Puya*.  
*quadrifolia*, Hochst. ex A. Rich. Tent. Fl. Abyss. ii. 263 = *Pilea quadrifolia*.  
*quadrastipulata*, Dulac, Fl. Hautes-Pyr. 150 = *urens*.  
*quinquenervis*, Wall. Cat. n. 4601 = *Pouzolzia Bennetiana*.  
*racemosa*, Burm. ex Wedd. in Arch. Mus. Par. ix. (1856) 112 = *Fleurya aestuans*.  
*racemosa*, Gaudich. in Freyc. Voy. Bot. 497 = *Fleurya interrupta*.  
*radicans*, Bolla, in Verh. Ver. Naturk. Pressburg, i. (1856) Abh. 9; Sitzb. 24 = *dioica*.  
*radicans*, Pohl, ex Miq. in Mart. Fl. Bras. iv. i. 199 = *Pilea pubescens*.  
*radicans*, Sw. in Vet. Akad. Handl. Stockh. (1785) 29 = *Pilea radicans*.  
*radicans*, Wight, Ic. t. 1974 = *Pilea Wightii*.  
*Radula*, E. Mey. in Drège, Zwei Pfl. Docum. 228 = *Australina capensis*.  
*reclinata*, Hort. Par. ex Wedd. in Arch. Mus. Par. ix. (1856) 219 = *Pilea crassifolia*.  
*recurvata*, Otto, ex Blume, Mus. Bot. Lugd. Bat. ii. 147 = *membranacea*.  
*repanda*, Blume, Bijdr. 501 = *Pipturus repandus*.  
*repanda*, Kolmann, ex Planch. in DC. Prod. xvii. 199 = *Trema amboinensis*.  
*repens*, Sw. in Vet. Acad. Handl. Stockh. viii. (1787) 61 = *Pilea repens*.  
*repens*, Wall. Cat. n. 4619 = *Pouzolzia indica*.  
*reticulata*, Sw. in Vet. Acad. Handl. Stockh. viii. (1787) 70 = *Pilea reticulata*.  
*rhodopleura*, Zipp. ex Blume, Mus. Bot. Lugd. Bat. ii. 168 = *Villebrunea rhodopleura*.  
*rhombea*, Linn. f. Suppl. 417 = *Pilea rhombea*.  
*Riedlei*, Steud. Nom. ed. II. ii. 736 = *Pilea lucens*.  
*rigida*, G. Don, ex Benth. in Hook. Niger Fl. 519 = *Boehmeria rigida*.  
*rivularis*, Schlecht. ex Wedd. in Arch. Mus. Par. ix. (1856) 541 = *Droguetia diffusa*.  
*rotundifolia*, Buch.-Ham. ex D. Don, Prod. Fl. Nep. 60 = *Boehmeria platyphylla*.  
*rotundifolia*, Savigny, in Lam. Encyc. iv. 644 = *Pipturus rotundifolius*.  
*Roxburghii*, Steud. Nom. ed. II. ii. 736 = *Villebrunea frutescens*.  
*rubescens*, Blume, Bijdr. 506 = *Villebrunea scabra*.  
*rubra*, Rafin. Fl. Ludov. 113 (Quid?). — Am. bor.  
*rubra*, Reinw. ex Blume, Mus. Bot. Lugd. Bat. ii. 203 = *Pouzolzia viminea*.  
*rubricaulis*, Herd. ex Regel, Ind. Sem. Hort. Petrop. (1860) 34. — Hab.?  
*rubricaulis*, Hornem. ex Blume, Mus. Bot. Lugd. Bat. ii. 150 = *stachyoides*?  
*rubricaulis*, Span. in Linnaea, xv. (1841) 344. — Ins. Timor.  
*ruderalis*, Forst. f. Prod. 66 = *Fleurya ruderalis*.  
*rufa*, Sw. in Vet. Acad. Handl. Stockh. viii. (1787) 59 = *Pilea rufa*.  
*rugosa*, Reinw. ex Blume, Mus. Bot. Lugd. Bat. ii. 223 = *Boehmeria platyphylla*.  
*rugosa*, Sw. in Vet. Acad. Handl. Stockh. viii. (1787) 60 = *Pilea rugosa*.  
*rugosissima*, Reinw. in Blume, Bijdr. 490 = *Boehmeria platyphylla*.  
*rugosula*, Wall. Cat. n. 4597 = *Boehmeria rugulosa*.  
*Rumphii*, Kostel. Allg. Med. Pharm. Fl. ii. 400 (*Laportea* sp.?). — Ins. Molucc.  
*rupestris*, Guss. Adnot. Cat. Pl. Boccad. (1821) 15. — Sicil.  
*rupiendia*, Savigny, in Lam. Encyc. iv. 640 = *Pilea rupiendia*.  
*salicifolia*, Roxb. Hort. Beng. 67 = *Debregeasia hypoleuca*.  
*salicifolia*, Vahl, ex Wedd. in Arch. Mus. Par. ix. (1856) 334 = *Lecanthus Wightii*, *Elatostema papillosum*.  
*sandwicensis*, Wedd. l. c. 67 = *Hesperocnide sandwicensis*.  
*sanguinea*, Blume, Bijdr. 501 = *Pouzolzia viminea*.  
*saxicola*, Mor. ex Wedd. in Arch. Mus. Par. ix. (1856) 105 (al. ord.). — Hab.?  
*scabra*, Blume, Bijdr. 504 (al. ord.). — Java.  
*scabra*, Zoll. ex Blume, Mus. Bot. Lugd. Bat. ii. 167 = *Villebrunea scabra*.  
*scabrella*, Hornem. ex Schrank, in Denkschr. Bot. Ges. Regensb. ii. (1822) 29 = *U. Ildefonsia*.

## URTICA:—

- scabrella*, Roxb. Hort. Beng. 67; Fl. Ind. iii. 581 = *Boehmeria platyphylla*.  
*Scalpe*, Comm. ex Wedd. in Ann. Sc. Nat. Sér. III. xviii. (1852) 198 = *spatulata*.  
*Schimperiana*, Hochst. ex Steud. in Flora, xxxiii. (1850) 259 = *Fleurya aestuans*.  
*scripta*, Buch.-Ham. ex D. Don, Prod. Fl. Nep. 59 = *Pilea scripta*.  
*semicrenata*, Zipp. ex Blume, Mus. Bot. Lugd. Bat. ii. 167 = *Villebrunea semicrenata*.  
*sementata*, Juss. ex Poir. Encyc. Suppl. iv. 222 = *Pilea seimentata*.  
*semiserrata*, Sm. ex Wedd. in Arch. Mus. Par. ix. (1856) 569 = *Phenax vulgaris*.  
*serpyllacea*, H. B. & K. Nov. Gen. et Sp. ii. 37 = *Pilea serpyllifolia*.  
*Serra*, Blume, Mus. Bot. Lugd. Bat. ii. 140. — Mexic.  
*serrulata*, Sw. in Vet. Acad. Handl. Stockh. viii. (1787) 65 = *Pilea serrulata*.  
*sessiliflora*, Blanco, Fl. Filip. ed. I. 696 = *Fleurya interrupta*.  
*sessiliflora*, Sw. in Vet. Acad. Handl. Stockh. (1785) 33 = *Pilea sessiliflora*.  
*sessilifolia*, Savigny, in Lam. Encyc. iv. 642 = *Pilea sessilifolia*.  
*sessilifolia*, Wedd. in Arch. Mus. Par. ix. (1856) 105, sphalm. = *sessiliflora*, Blanco.  
*sicula*, Gasp. ex Guss. Fl. Sic. Syn. ii. 580 = *dioica*.  
*simensis*, Hochst. ex A. Rich. Tent. Fl. Abyss. ii. 260. — Abyss.  
*sinuta*, Blume, Bijdr. 605 = *Laportea crenulata*.  
*smilacifolia*, Wall. ex Voigt, Hort. Suburb. Calc. 279 = *Pilea smilacifolia*.  
*spatulata*, Sm. in Rees, Cyclop. xxxvii. n. 17. — Am. austr.  
*sphaerocephala*, Roxb. Hort. Beng. [103]; Fl. Ind. iii. 589 = *Leucosyke alba*.  
*spicata*, Thunb. Fl. Jap. 69; Blume, Bijdr. 492 = *Boehmeria platyphylla*.  
*spicigera*, Steud. Nom. ed. II. ii. 736 = *Fleurya interrupta*.  
*spinosa*, Blume, Bijdr. 507 = *Taxotrophis javanica*.  
*spiralis*, Domb. ex Wedd. in Ann. Sc. Nat. Sér. III. xviii. (1852) 232 = *Myriocarpa densiflora*.  
*spirealis*, Blume, Mus. Bot. Lugd. Bat. ii. 152. — Mexic.  
*squamigera*, Wall. Cat. n. 4592 = *Chamaebainia cuspidata*.  
*stachydidifolia*, Kunth & Bouché, Ind. Sem. Hort. Berol. (1846) 11 = *chamaedryoides*.  
*stachyoides*, Webb & Berth. Phyt. Canar. iii. 259. t. 210. — Ins. Canar.  
*stachyophylla*, Webb, ex Wedd. in Arch. Mus. Par. ix. (1856) 73 = *stachyoides*.  
*stimulans*, Linn. f. Suppl. 418 = *Laportea stimulans*.  
*stipulacea*, Bertol. Misc. Bot. ii. 24. — As. Min.  
*stipulosa*, Miq. Pl. Jungh. 28 = *Pilea stipulosa*.  
*stolonifera*, Sw. in Vet. Acad. Handl. Stockh. viii. (1787) 62 = *Pilea stolonifera*.  
*strigosa*, Blume, Bijdr. 495 = *Pouzolzia indica*.  
*subcordata*, Comm. ex Steud. Nom. ed. II. ii. 736 = *Pilea lucens*.  
*subincisa*, Benth. Pl. Hartw. 293. — Mexic.  
*submitis*, Boiss. Fl. Orient. iv. 1146 = *dioica*.  
*subperforata*, Wall. ex Wedd. in Arch. Mus. Par. ix. (1856) 383 = *Boehmeria subperforata*.  
*succulenta*, Salzm. ex Wedd. in Arch. Mus. Par. ix. (1856) 177 = *Pilea hyalina*.  
*suffruticosa*, Roxb. Hort. Beng. 67; Fl. Ind. iii. 584 = *Pouzolzia indica*.  
*superba*, Wall. Cat. n. 4625 (*Conocephali* sp.). — Ind. or.  
*sycophylla*, Bory, Voy. i. 281 = *Obetia ficifolia*.  
*sylvatica*, Blume, Bijdr. 506 = *Villebrunea sylvatica*.  
*tasmanica*, F. Muell. First Gen. Rep. 18 = *Australina Muellieri*.  
*tenacissima*, Roxb. Hort. Beng. 67; Fl. Ind. iii. 590 = *Boehmeria nivea*.  
*tenuis*, Steud. in Flora, xxxiii. (1850) 257 = *Pouzolzia indica*.  
*ternata*, Heyne, ex Wall. Cat. n. 4599 = *Pouzolzia Wightii*.  
*ternifolia*, Buch.-Ham. ex D. Don, Prod. Fl. Nep. 59 = *Boehmeria platyphylla*.  
*tetraphylla*, Steud. in Flora, xxxiii. (1850) 260 = *Pilea tetraphylla*.  
*Thunbergiana*, Sieb. & Zucc. in Abh. Akad. Muench. iv. III. (1846) 214. — Japon.

**URTICA** :—

- thymifolia*, H. B. & K. Nov. Gen. et Sp. ii. 37 = *Pilea globosa*.  
*tiliaefolia*, H. B. & K. l. c. 42 = *Urera alceaefolia*.  
*tomentosa*, Juss. ex Wedd. in Arch. Mus. Par. ix. (1856) 367 = *Boehmeria platyphylla*.  
*trachycarpa*, Wedd. l. c. 95 = *holosericea*.  
*triandra*, Blume, Bijdr. 496 = *Pouzolzia parvifolia*.  
*trianthemoides*, Sw. in Vet. Akad. Handl. Stockh. viii. (1787) 68 = *Pilea muscosa*.  
*trilobata*, Savigny, in Lam. Encyc. iv. 639 = *Pilea trilobata*.  
*trinervia*, Roxb. Hort. Beng. [103]; Fl. Ind. iii. 582 = *Pilea trinervia*.  
*triplinervia*, Poir. Encyc. Suppl. iv. 224 = *Pilea lucens*.  
*triplinervia*, Rottl. in Ges. Naturf. Fr. Neue Schr. iv. (1803) 220 = *Pouzolzia indica*.  
*triplinervis*, Buch.-Ham. ex Wall. Cat. sub n. 4590 = *Pilea scripta*.  
*triplinervis*, Juss. ex Pers. Syn. ii. 552 = *Pilea lucens*.  
*triplinervis*, Wall. Cat. n. 4617 = *Pouzolzia indica*.  
*tuberculata*, Anderss. in Vet. Akad. Handl. Stockh. 1853 (1855) 159 = *Fleurya aestuans*.  
*tuberosa*, Roxb. Hort. Beng. 67; Fl. Ind. iii. 583 = *Pouzolzia tuberosa*.  
*ulmifolia*, H. B. & K. Nov. Gen. et Sp. ii. 42 = *Urera alceaefolia*.  
*ulmifolia*, Vahl, ex Wedd. in Arch. Mus. Par. ix. (1856) 569 = *Phenax vulgaris*.  
*umbellata*, Blanco, Fl. Filip. ed. I. 696 = *Laportea Gaudichaudiana*.  
*umbellata*, Bory, Voy. iii. 173 = *Pilea insignis*.  
*umbrosa*, Wall. Cat. n. 4598 = *Pilea umbrosa*.  
*uragera*, Steud. Nom. ed. II. ii. 736 = *Boehmeria platyphylla*.  
*urens*, Bert. ex Steud. Nom. ed. II. ii. 736 = *spatulata*.  
*urens*, Linn. Sp. Pl. 984.—Geront. temp.  
*urentissima*, Comm. ex Pers. Syn. ii. 552 = *spatulata*.  
*urophylla*, Wall. ex Blume, Mus. Bot. Lugd. Bat. ii. 166 = *Villebrunea integrifolia*.  
*utilis*, Hort. ex De Vriese, Pl. Ind. Bat. Or. 146 = *Boehmeria nivea*.  
*variegata*, Spreng. Syst. iii. 839 = *Pilea sessiliflora*.  
*venosa*, Wall. Cat. n. 4602 A = *Boehmeria polystachya*.  
*venosa*, Wall. l. c. B = *Boehmeria rugulosa*.  
*verbascifolia*, Savigny, in Lam. Encyc. iv. 641 = *Pilea verbascifolia*.  
*verna*, Rafin. Atl. Journ. 16 = *chamaedryoides*.  
*veronicaefolia*, F. G. Dietr. Vollst. Lexik. Gaertn. x. 296 (Quid?).—Jamaic.  
*verrucosa*, Liebm. in Vidensk. Selsk. Skr. V. ii. (1851) 295 = *Urera alceaefolia*.  
*verrucosa*, Moon, Cat. Pl. Ceyl. 62, nomen = *Debregeasia velutina*.  
*verticillata*, Vahl, Symb. Bot. i. 76 = *urens*.  
*vesicaria*, Roxb. Hort. Beng. [103]; Fl. Ind. iii. 587 = *Pouzolzia vesicaria*.  
*villosa*, Blanco, Fl. Filip. ed. I. 695 = *Pouzolzia indica*.  
*villosa*, Salzm. ex Miq. in Mart. Fl. Bras. iv. 1. 197 = *Fleurya aestuans*.  
*villosa*, Thunb. Fl. Jap. 70.—Japon.  
*viminea*, Wall. Cat. n. 4616 = *Boehmeria sidaefolia*, *Pouzolzia viminea*.  
*virgata*, Forst. f. Prod. 66 = *Boehmeria platyphylla*.  
*virulens*, Royle, Illustr. Bot. Himal. 333, 466 (Index), sphalm. = seq.  
*virulenta*, Wall. Cat. n. 4586 = *parviflora*.  
*Wallichiana*, Steud. Nom. ed. II. ii. 736.—Ins. Molucc.  
*Whitlowi*, Muhl. in Green, Cat. Pl. N. York; ex Wedd. in Arch. Mus. Par. ix. (1856) 123 = *Laportea canadensis*.

URUCU, Adans. Fam. ii. 381 (1763) = **Bixa**, Linn.

URUPARIA, Rafin. Sylva Tellur. 148 (1838) = OUROPARIA, Aubl. = **Uncaria**, Schreb. (Rubiaceae).  
*versicolor*, Rafin. l. c. = *Uncaria guianensis*.

URVILLAEA, DC. Prod. i. 602 (1824) = seq.

**URVILLEA**, H. B. & K. Nov. Gen. et Sp. v. 105. t. 440 (1821). **SAPINDACEAE**, Benth. & Hook. f. i. 392.  
*affinis*, Schlecht. in *Linnaea*, xviii. (1844) 38 (err. typ. 54).—Bras.

**URVILLEA** :—

- Berteriana*, DC. Prod. i. 602.—N. Granat.  
*dasycarpa*, Radlk. in Sitzb. Math.-Phys. Akad. Muench. viii. (1878) 265.—Mexic.  
*euryptera*, Griseb. in Goett. Abh. xxiv. (1879) 79.—Reg. Argent.  
*euryptera*, Griseb. l. c., partim = *Serjania hebecarpa*.  
*ferruginea*, Lindl. Bot. Reg. t. 1077 = *Serjania cuspidata*.  
*glabra*, Benth. in Hook. Kew Journ. iii. (1851) 192, in obs. = *Serjania tenuis*.  
*glabra*, Cambess. in A. St. Hil. Fl. Bras. Mer. i. 353.—Bras.  
*glabrata*, Steud. Nom. ed. II. i. 736, sphalm. = praec.  
*intermedia*, Radlk. in Sitzb. Math.-Phys. Akad. Muench. viii. (1878) 263.—Bras.  
*laevis*, Radlk. in Atti. Congr. Bot. Firenze, 1874 (1876), 63.—Bras.  
*mexicana*, A. Gray, Pl. Wright. i. 38.—Mexic.  
*pubescens*, Klotzsch, in Schomb. Faun. Fl. Brit. Gui. 1179, nomen (Quid?).—Guian.  
*rufescens*, Cambess. in A. St. Hil. Fl. Bras. Mer. i. 354.—Bras.  
*Schomburgkii*, Klotzsch, in Schomb. Faun. Fl. Brit. Gui. 1180, nomen = *Serjania paucidentata*.  
*Seriana*, Griseb. Fl. Brit. W. Ind. 123 = *ulmacea*.  
*stipitata*, Radlk. in Sitzb. Math.-Phys. Akad. Muench. viii. (1878) 264.—Bras.  
*tenera*, Wawra, in Oestr. Bot. Zeitschr. xxix. (1879) 215.—Bras.  
*tridentata*, Miq. in *Linnaea*, xix. (1847) 434 = *Serjania dentata*.  
*triphylla*, Radlk. Monog. Serj. 47, 73.—Bras.  
*ulmacea*, H. B. & K. Nov. Gen. et Sp. v. 105. t. 440.—Venezuela.  
*uniloba*, Radlk. Monog. Serj. (1875) 173 = *ulmacea*.  
*villosa*, Radlk. in Sitzb. Math.-Phys. Akad. Muench. viii. (1878) 265.—Bras.

USIONIS, Rafin. Alsog. Am. 14 (1838) = **Salix**, Tourn. *aquatica*, Rafin. l. c. = *S. cinerea*.  
*aurita*, Rafin. l. c. = *S. aurita*.  
*Dicksoniana*, Rafin. l. c. = *S. phlyicifolia*.  
*foliolosa*, Rafin. l. c. = *S. foliolosa*.  
*fuscata*, Rafin. l. c. = *S. petiolaris*.  
*grisea*, Rafin. l. c. = *S. petiolaris*.  
*humilis*, Rafin. l. c. 17 = *S. humilis*.  
*pedicellaris*, Rafin. l. c. 14 = *S. myrtilloides*.  
*petiolaris*, Rafin. l. c. = *S. petiolaris*.  
*rosmarinifolia*, Rafin. l. c. = *S. repens*.  
*uliginosa*, Rafin. l. c. = *S. aurita*.

USTERIA, Cav. Ic. ii. 15. t. 116 (1793) = **Maurandia**, Ortega (Scrophul.).  
*antirrhiniflora*, Poir. Encyc. Suppl. v. 405 = *Antirrhinum maurandioides*.  
*scandens*, Cav. Ic. ii. 15 = *M. semperflorens*.

USTERIA, Dennst. Schluess. Hort. Malab. 81 (1818) = **Acalypha**, Linn. (Euphorb.).  
*racemosa*, Dennst. l. c. = *A. paniculata*.

USTERIA, Medic. in Act. Acad. Theod. Palat. vi. Phys. (1790) 480 = **Scilla**, Linn. (Liliac.).  
*disperma*, Medic. in Usteri, Ann. Bot. ii. (1791) 11 = *S. hispanica*.  
*hyacinthiflora*, Medic. in Act. Acad. Theod. Palat. vi. Phys. (1790) 480 = *S. festalis*.  
*secunda*, Medic. in Usteri, Ann. Bot. ii. (1791) 12 = *S. festalis*.

**USTERIA**, Willd. in Roem. & Usteri, Mag. (1790) 151; et ex Ges. Naturf. Fr. Berl. Schr. x. (1792) 51. t. 2. **LOGANIACEAE**, Benth. & Hook. f. ii. 796.  
*MONODYNAMIS*, J. F. Gmel. Syst. 10 (1791).  
*guianensis*, Steud. Nom. ed. II. ii. 736, sphalm. = seq.  
*guineensis*, Willd. in Ges. Naturf. Fr. Berl. Schr. x. (1792) 55.—Afr. trop.  
*volubilis*, Afzel. Gen. Guin. [27], cum ic. in titulo.—Afr. trop.

USUBIS, Burm. f. Fl. Ind. 89. t. 32. f. 1 (1768) = **Allophylus**, Linn. (Sapind.).  
*triphylla*, Burm. f. l. c. = *A. Cobbe*.

UTANIA, G. Don, Gen. Syst. iv. 663 (1837) = **Fagraea**, Thunb. (Logan.).  
*morindaefolia*, G. Don, l. c. = *F. morindaefolia*.

UTANICA, Steud. Nom. ed. II. ii. 736 (1841), sphalm. = praec.

UTEA, Jaume St. Hil. Expos. ii. 203 (1805) = **OUTEA**, Aubl. = **Macrolobium**, Schreb. (Legumin.).

UTERVERIA, Bertol. Pl. Nov. Hort. Bonon. ii. 8 (1839) = **Capparis**, Tourn.  
*Breynia*, Bertol. l. c. 10 = *C. Breynia*.  
*comosa*, Bertol. l. c. 9 = *C. comosa*.  
*Cynophallophora*, Bertol. l. c. = *C. Cynophallophora*.  
*Eustachiana*, Bertol. l. c. = *C. Eustachiana*.  
*frondosa*, Bertol. l. c. 8 = *C. frondosa*.  
*linearis*, Bertol. l. c. 10 = *C. linearis*.  
*tenuisiliqua*, Bertol. l. c. = *C. tenuisiliqua*.  
*verrucosa*, Bertol. l. c. 9 = *C. verrucosa*.

**UTLERIA**, Bedd. ex Benth. & Hook. f. Gen. ii. 743 (1876). **ASCLEPIADEAE**, Benth. & Hook. f. l. c. *salicifolia*, Bedd. ex Hook. f. Fl. Brit. Ind. iv. 7.—Ind. or.

**UTRICULARIA**, Linn. Syst. ed. I. (1735). **LENTIBULARIAEAE**, Benth. & Hook. f. ii. 987.  
*AKENTRA*, Benj. in *Linnaea*, xx. (1847) 319.  
*ASKOFAKE*, ENSKIDE, HAMULIA, LEPIACTIS, MEGOPIZA, MEIONULA, MELONEURA, NELIPUS, PERSONULA, PLECTOMA, PLESISA, STOMOISIA, TRILOBULINA, TRIXAPIAS, VESICULINA, Rafin. Fl. Tellur. iv. 108–110 (1836).  
*DIUOSPERMUM*, Edgew. in Proc. Linn. Soc. i. (1847) 351.

**LENTIBULARIA**, Adans. Fam. ii. 208 (1763).  
*acuta*, Benj. in *Linnaea*, xx. (1847) 314 = *caerulea*.  
*adpressa*, Salzm. ex A. St. Hil. & Girard, in Ann. Sc. Nat. Sér. II. xi. (1839) 159.—Bras.  
*affinis*, Wight, in Hook. Kew Journ. i. (1849) 373; et Ic. t. 1580/1.—Ind. or.  
*alata*, Benj. in Bot. Zeit. iii. (1845) 212.—Ind. or.  
*alba*, Hoffm. ex Link, Jahrb. i. III. (1820) 54 = *obtusa*.  
*albiflora*, R. Br. Prod. 431.—Austral.  
*albiflora*, Griff. Notul. iv. 168.—Burma.  
*albo-coerulea*, Dalz. in Hook. Kew Journ. iii. (1851) 279.—Ind. or.  
*alpina*, Georgi, Besch. Russ. Reich. III. iv. 655.—Sibir. or.  
*alpina*, Jacq. Enum. Pl. Carib. 11.—Am. trop.  
*ambigua*, A. DC. in DC. Prod. viii. 9 = *exoleta*.  
*amethystina*, Salzm. ex A. St. Hil. & Girard, in Ann. Sc. Nat. Sér. II. xi. (1839) 162.—Am. trop.  
*andicola*, Benj. in *Linnaea*, xx. (1847) 308.—Mexic.  
*angulosa*, Poir. Encyc. viii. 273.—Guian.  
*angustifolia*, Benj. in *Linnaea*, xx. (1847) 311.—Bras.  
*anomala*, A. St. Hil. & Girard, in Ann. Sc. Nat. Sér. II. xi. (1839) 153.—Am. trop.  
*antirrhinoides*, Wall. Cat. n. 1498 B = *bifida*.  
*aphylla*, Ruiz & Pav. Fl. Per. i. 20. t. 31. f. d.—Peruv.  
*adpressa*, Benj. in Mart. Fl. Bras. x. 244 = *adpressa*.  
*arcuata*, Wight, in Hook. Kew Journ. i. (1849) 372; et Ic. t. 1571/1.—Ind. or.  
*arenaria*, A. DC. in DC. Prod. viii. 20.—Afr. trop.  
*aurea*, Lour. Fl. Cochinch. 26.—Cochinch.  
*australis*, R. Br. Prod. 430 = *flexuosa*.  
*barbata*, R. Br. l. c. 432.—Austral.  
*Baueri*, R. Br. l. c. 431.—Austral.  
*Benjaminiana*, Oliver, in Journ. Linn. Soc. iv. (1860) 176.—Guian.  
*bicolor*, A. St. Hil. & Girard, in Ann. Sc. Nat. Sér. II. xi. (1839) 162.—Bras.  
*bifida*, Boj. ex A. DC. in DC. Prod. viii. 25 = *hians*.  
*bifida*, Linn. Sp. Pl. 18.—As. et Austral. trop.  
*bifida*, Macrae, ex A. DC. in DC. Prod. viii. 21 = *racemosa*.  
*bifida*, Wight, Ic. t. 1584 f. 2 = *verticillata*.  
*biflora*, Bonpl. ex A. DC. in DC. Prod. viii. 10 = *obtusa*.  
*biflora*, Lam. Illustr. i. 50.—Am. bor.  
*biflora*, Nutt. Gen. Am. i. 13 = *longirostris*.  
*biflora*, Roxb. Fl. Ind. ed. Carey, i. 144 = *exoleta*.  
*biflora*, Wall. Cat. n. 1498 = *bifida*.  
*biloba*, R. Br. Prod. 432.—Austral.  
*bipartita*, Chapm. Fl. S. U. St. 283 = *fibrosa*.  
*bipartita*, Ell. Sketch, i. 22.—Am. bor.  
*bisquamata*, Schrank, in Flora, vii. (1824) II. Beil. 9.—Afr. austr.

## UTRICULARIA:—

- Blanchetii, A. DC. in DC. Prod. viii. 13.—Bras.  
*Blumei*, Miq. Fl. Ind. Bat. ii. 994 = flexuosa.  
*Botocudorum*, A. St. Hil. & Girard, in Ann. Sc. Nat. Sér. II. xi. (1839) 151.—Bras.  
*brachiata*, Oliver, in Journ. Linn. Soc. iii. (1859) 187.—Reg. Himal.  
*brachypoda*, Wight, in Hook. Kew Journ. i. (1849) 373; et Ic. t. 1578/1 = affinis.  
*Bremii*, Heer, ex Koelliker, Verz. Phan. Gew. Zuer. 142 = minor.  
*brevicaulis*, Benj. in Linnaea, xx. (1847) 303 = bifida.  
*breviscapa*, Wright, ex Griseb. Cat. Pl. Cub. 161.—Cuba.  
*caerulea*, Benth. Fl. Hongk. 256 = affinis.  
*caerulea*, A. DC. in DC. Prod. viii. 19 = racemosa.  
*caerulea*, Heyne, ex Wall. Cat. sub n. 1493 = reticulata.  
*caerulea*, Linn. Sp. Pl. 18.—Ind. or.  
*calumpitensis*, Llanos, Fragm. 11.—Ins. Philipp.  
*calycifida*, Benj. in Linnaea, xx. (1847) 493.—Guian.  
*campestris*, Miq. ex C. B. Clarke, in Hook. f. Fl. Brit. Ind. iv. 333 = racemosa.  
*capensis*, Spreng. Syst. i. 50.—Afr. austr.  
*capillacea*, Thw. Enum. Pl. Zeyl. 171 = Wallichiana.  
*capillacea*, Wall. Cat. n. 6399 = scandens.  
*capillacea*, Willd. Sp. Pl. i. 113.—Ind. or.  
*capillaris*, D. Don, Prod. Fl. Nep. 85.—Nepal.  
*capillaris*, Hoffmgg. ex A. Dietr. Sp. Pl. i. 466 = filiformis.  
*ceratophylla*, Michx. Fl. Bor. Am. i. 12 = inflata.  
*cernua*, Hoffmgg. ex Benj. in Mart. Fl. Bras. x. 237 = oligosperma.  
*Chamissonis*, G. Weber, ex Benj. l. c. 241 = globulariaefolia.  
*chrysantha*, R. Br. Prod. 432.—Austral.  
*clandestina*, Nutt. ex A. Gray, Man. Bot. N. U. St. ed. I. 287.—Am. bor.  
*coccinea*, Benj. in Linnaea, xx. (1847) 490.—Am. trop.  
*coerulea*, Auct. = caerulea.  
*Colensoi*, Hook. f. Fl. N. Zel. i. 206.—N. Zel.  
*colorata*, Benj. in Mart. Fl. Bras. x. 240.—Bras.  
*complanata*, Wall. Cat. n. 1497 = racemosa.  
*compressa*, R. Br. Prod. 431.—Austral.  
*conferta*, Hassk. in Versl. en Kon. Akad. Wetensch. iv. (1855) 137; Retzia, i. 90.—Java?  
*conferta*, Wight, in Hook. Kew Journ. i. (1849) 372; et Ic. t. 1575 = caerulea.  
*confervaeifolia*, Jacks. ex D. Don, Prod. Fl. Nep. 84 = flexuosa.  
*cornuta*, Michx. Fl. Bor. Am. i. 12.—Am. bor. et austr.  
*crenata*, Vahl, Enum. i. 203 = aphylla.  
*cucullata*, A. St. Hil. & Girard, in Ann. Sc. Nat. Sér. II. xi. (1839) 152.—Bras.  
*cyanea*, R. Br. Prod. 431.—Austral.  
*cymbantha*, [Welw. ex] Oliver, in Journ. Linn. Soc. ix. (1867) 147.—Afr. trop.  
*decipiens*, Dalz. in Hook. Kew Journ. iii. (1851) 279 = affinis.  
*dentata*, G. Weber, ex Benj. in Mart. Fl. Bras. x. 248 = polyschista.  
*denticulata*, Benj. in Linnaea, xx. (1847) 492.—Mexic.  
*diantha*, A. DC. in DC. Prod. viii. 21 = bifida.  
*diantha*, Schult. Mant. i. 169 = exoleta.  
*dichotoma*, Labill. Nov. Holl. Pl. i. 11. t. 8.—Austral.  
*diffora*, Roxb. Hort. Beng. 4 = exoleta.  
*diploglossa*, Welw. ex Oliver, in Journ. Linn. Soc. ix. (1867) 147.—Afr. trop.  
*dubia*, Benj. in Linnaea, xx. (1847) 494.—N. Granat.  
*dubia*, Rosellini, ex Ces. Pass. & Gib. Comp. Fl. Ital. 416 = vulgaris?  
*Ecklonii*, Spreng. Syst. iv. Cur. Post. 336.—Afr. austr.  
*elegans*, Wall. Cat. n. 1502 = exoleta.  
*emarginata*, Benj. in Linnaea, xx. (1847) 489.—Mexic.  
*Endresii*, Reichb. f. in Gard. Chron. (1874) II. 582.—Costa Rica.  
*erectiflora*, A. St. Hil. & Girard, in Ann. Sc. Nat. Sér. II. xi. (1839) 159.—Bras.  
*exilis*, Oliver, in Journ. Linn. Soc. ix. (1867) 154.—Afr. trop.  
*exoleta*, R. Br. Prod. 430.—As. et Austral. trop.  
*extensa*, Hance, in Walp. Ann. iii. 3 = flexuosa.  
*fasciculata*, Roxb. Hort. Beng. 4; Fl. Ind. i. 143 = flexuosa.  
*fibrosa*, Chapm. Fl. S. U. St. 283 = biflora.

## UTRICULARIA:—

- fibrosa*, Walt. Fl. Carol. 64.—Am. bor.  
*filicaulis*, Wall. Cat. n. 1501 = racemosa.  
*filiformis*, Roem. & Schult. Syst. i. 199.—Bras.  
*fimbriata*, H. B. & K. Nov. Gen. et Sp. ii. 225.—Venezuela.  
*firmula*, Welw. ex Oliver, in Journ. Linn. Soc. ix. (1867) 152.—Afr. trop.  
*flaccida*, A. DC. in DC. Prod. viii. 17.—Bras.  
*flava*, R. Br. Prod. 432 = chrysantha.  
*flexuosa*, Vahl, Enum. i. 198.—As. et Austral. trop.  
*Fockeana*, Miq. Stirp. Surin. Sel. 113.—Guian.  
*foliosa*, Linn. Sp. Pl. 18.—Am. trop.  
*foliosa*, Salzm. ex A. DC. in DC. Prod. viii. 26 = Genlisea filiformis.  
*fontana*, A. St. Hil. & Girard, in Ann. Sc. Nat. Sér. II. xi. (1839) 163.—Bras.  
*fornicata*, Le Conte, in Ann. Lyc. N. York, i. (1824) 76. t. 6. f. 6 = gibba.  
*foveolata*, Edgew. in Proc. Linn. Soc. i. (1847) 351.—Bengal.  
*fulva*, F. Muell. in Trans. Phil. Soc. Vict. iii. (1858) 63.—Austral.  
*furcata*, Pers. Syn. i. 18 = aphylla.  
*furcellata*, Oliver, in Journ. Linn. Soc. iii. (1859) 189.—Reg. Himal.  
*fusiformis*, Warm. in Kjoeb. Vidensk. Meddel. (1874) 9.—Bras.  
*Gayana*, A. DC. in DC. Prod. viii. 9.—Chili.  
*geminiloba*, Benj. in Mart. Fl. Bras. x. 242.—Bras.  
*geminiscapa*, Benj. in Linnaea, xx. (1847) 305 = clandestina.  
*genliseoides*, Benj. in Mart. Fl. Bras. x. 250.—Bras.  
*gibba*, Le Conte, in Ann. Lyc. N. York, i. (1824) 76 = minor.  
*gibba*, Linn. Sp. Pl. 18.—Am. bor.  
*gibbosa*, Hill, Veg. Syst. xx. 45 = praec.  
*glandulosa*, G. Weber, ex Benj. in Mart. Fl. Bras. x. 254 = Genlisea violacea.  
*globulariaefolia*, Mart. ex Benj. l. c. 241.—Bras.  
*glochidiata*, Wight, in Hook. Kew Journ. i. (1849) 373; et Ic. t. 1581 = orbiculata.  
*Gomezii*, A. DC. in DC. Prod. viii. 13.—Bras.  
*gracilis*, H. B. & K. Nov. Gen. et Sp. ii. 225 = obtusa.  
*gracilis*, Lepr. ex Oliver, in Journ. Linn. Soc. ix. (1867) 147 = exoleta.  
*Grafiana*, Koch, in Flora, xxx. (1847) 265 = intermedia.  
*graminifolia*, Banks & Soland. ex Oliver, in Journ. Linn. Soc. iii. (1859) 179 = affinis?  
*graminifolia*, R. Br. Prod. 432 = cyanea.  
*graminifolia*, J. Grah. Cat. Pl. Bomb. 165 = reticulata.  
*graminifolia*, Vahl, Enum. i. 195 = caerulea.  
*grandiflora*, Pers. Syn. i. 18 = alpina.  
*Greenii*, Oakes, in Hovey, Mag. Hort. vii. (1841) 180 = resupinata.  
*Griffithii*, Wight, in Hook. Kew Journ. i. (1849) 373; et Ic. t. 1576 = affinis.  
*guianensis*, Splitg. ex De Vriese, in Nederl. Kruidk. Arch. i. (1848) 323.—Guian.  
*guyanensis*, A. DC. in DC. Prod. viii. 11.—Guian.  
*Harlandi*, Oliver, ex Benth. Fl. Hongk. 257.—Ins. Hongkong.  
*heterosepala*, Benj. in Linnaea, xx. (1847) 310.—Ins. Philipp.  
*hians*, A. DC. in DC. Prod. viii. 25.—Madag.  
*hirta*, Klein, ex Link. Fahr. i. III. (1820) 55.—Ind. or.  
*hirtella*, A. St. Hil. & Girard, in Ann. Sc. Nat. Sér. II. xi. (1839) 156.—Bras.  
*hispidula*, Lam. Illustr. i. 50.—Guian.  
*Hookeri*, Lehm. Pugill. viii. 47.—Austral.  
*Humboldtii*, Rob. Schomb. in Verh. Bevoerd. Gartenb. Preuss. xv. (1841) 141. t. 3.—Guian.  
*humilis*, Heyne, ex Wall. Cat. n. 1495 = reticulata.  
*humilis*, Vahl, Enum. i. 203 = bifida.  
*hydrocarpa*, Vahl, l. c. 200.—Guian.  
*ibarensis*, Baker, in Journ. Linn. Soc. xxi. (1885) 427.—Madag.  
*inaequalis*, Benj. in Linnaea, xx. (1847) 304 = flexuosa.  
*inaequalis*, Benj. in Mart. Fl. Bras. x. 243 = subulata.  
*inaequalis*, A. DC. in DC. Prod. viii. 666 = Hookeri.  
*inflata*, Walt. Fl. Carol. 64.—Am. bor.  
*inflata*, Forsk. Fl. Aegypt. Arab. 9 = stellaris.  
*integra*, Le Conte, in Ann. Lyc. N. York, i. (1824) 76 = biflora.  
*intermedia*, Hayne, in Schrad. Journ. (1800) I. 18; Roth, Catalect. fasc. ii. (1800) p. ante 1.—Europ.; As. et Am. bor.

## UTRICULARIA:—

- intricata*, Griff. ex Oliver, in Journ. Linn. Soc. iii. (1859) 179 = affinis.  
*Jamesoniana*, Oliver, l. c. iv. (1860) 169.—Ecuador.  
*junceae*, Vahl, Enum. i. 202.—Am. bor. et austr.  
*kumaonensis*, Oliver, in Journ. Linn. Soc. iii. (1859) 189.—Reg. Himal.  
*laciniata*, Mart. ex Benj. in Mart. Fl. Bras. x. 251 = Polypompholyx laciniata.  
*laciniata*, A. St. Hil. & Girard, in Ann. Sc. Nat. Sér. II. xi. (1839) 157.—Bras.  
*lagoënsis*, Warm. in Kjoeb. Vidensk. Meddel. (1874) 1.—Bras.  
*lasioaulis*, F. Muell. in Melb. Chemist, (1885) 50.—Austral.  
*lateriflora*, R. Br. Prod. 431.—Austral.  
*latilabiata*, Benj. in Linnaea, xx. (1847) 315 = Hookeri.  
*latiloba*, Benth. in Enum. Pl. Hueg. 82 = Polypompholyx multifida.  
*laxa*, A. St. Hil. & Girard, in Ann. Sc. Nat. Sér. II. xi. (1839) 160.—Bras.  
*Lehmanni*, Benj. in Bot. Zeit. iii. (1845) 213.—Afr. trop.  
*leptantha*, Benj. in Linnaea, xx. (1847) 313 = pusilla.  
*leptoplectra*, F. Muell. in Melb. Chemist (1885), 50.—Austral.  
*lilacina*, Griff. Notul. iv. 168.—Burma.  
*limosa*, R. Br. Prod. 432.—Austral.  
*linarioides*, Welw. ex Oliver, in Journ. Linn. Soc. ix. (1867) 151.—Afr. trop.  
*linetrifolia*, Benj. in Linnaea, xx. (1847) 306 = Hookeri.  
*lingulata*, Baker, in Journ. Linn. Soc. xx. (1883) 216.—Madag.  
*lingulata*, G. Weber, ex Benj. in Mart. Fl. Bras. x. 246 = nana.  
*livida*, E. Mey. Comm. Pl. Afr. Austr. 281.—Afr. austr.  
*longecalcarata*, Benj. in Linnaea, xx. (1847) 314.—Afr. austr.  
*longeciliata*, A. DC. in DC. Prod. viii. 23 = Polypompholyx laciniata.  
*longifolia*, Gardn. in Hook. Lond. Journ. Bot. i. (1842) 545.—Bras.  
*longirostris*, Le Conte, in Ell. Sketch, i. 21 = fibrosa.  
*longissima*, Klotzsch, in Schomb. Faun. Fl. Brit. Gui. 973, nomen.—Guian.  
*Lundii*, A. DC. in DC. Prod. viii. 14.—Bras.  
*macrocarpa*, Wall. Cat. n. 1494 = stellaris.  
*macroceras*, A. DC. in DC. Prod. viii. 666 = Menziesii.  
*macrolepis*, Wight, in Hook. Kew Journ. i. (1849) 373; et Ic. t. 1580/2 = Wallichiana.  
*macroptera*, G. Brueckn. ex Garcke, Fl. Deutschl. ed. III. 274 = minor.  
*macrorrhiza*, Le Conte, in Ann. Lyc. N. York, i. (1824) 73 = foliosa.  
*madagascariensis*, A. DC. in DC. Prod. viii. 20.—Madag.  
*major*, Koen. ex Vahl, Enum. i. 200, in nota = hydrocarpa.  
*major*, Schmidel, Ic. Pl. ed. Bischof, 80. t. 21. ff. a-l.—Europ.  
*Mannii*, Oliver, in Journ. Linn. Soc. ix. (1867) 149.—Afr. trop.  
*maxima*, G. Weber, ex Benj. in Mart. Fl. Bras. x. 249.—Bras.  
*media*, Salzm. ex A. St. Hil. & Girard, in Ann. Sc. Nat. Sér. II. xi. (1839) 155 = subulata.  
*media*, Schum. Enum. Pl. Saell. i. 9 = intermedia.  
*Menziesii*, R. Br. Prod. 431.—Austral.  
*micrantha*, Benj. in Linnaea, xx. (1847) 495.—N. Granat.  
*microcarpa*, F. G. Dietr. Vollst. Lexik. Gaertn. x. 305 = pusilla.  
*micropetalata*, Sm. in Rees, Cycl. xxxvii. n. 58.—Afr. trop.  
*millefolia*, Nutt. ex Tuckerm. in Am. Journ. Sc. Ser. I. xlv. (1843) 28 = intermedia.  
*minima*, Warm. in Kjoeb. Vidensk. Meddel. (1874) 6.—Bras.  
*minor*, Linn. Sp. Pl. 18.—Europ.; As. et Am. bor.  
*minor*, Pursh, Fl. Am. Sept. i. 15 = gibba.  
*minor*, Thuill. Fl. Par. ed. II. 12 = intermedia.  
*minutissima*, Boj. ex A. DC. in DC. Prod. viii. 25 = perpusilla.  
*minutissima*, Vahl, Enum. i. 204.—Malacca.  
*modesta*, A. DC. in DC. Prod. viii. 17.—Bras.

UTRICULARIA:—

monantha, *Benj. in Mart. Fl. Bras.* x. 244.—Bras.  
monanthos, *Hook. f. Fl. Tasm.* i. 299.—Tasman.; N. Zel.  
montana, *Jacq. Select. Am.* 7. t. 6 = alpina.  
montana, *Poir. Encyc.* viii. 268.—Ins. Martinic.  
multicaulis, *Oliver, in Journ. Linn. Soc.* iii. (1859) 188.—Reg. Himal.  
multifida, *R. Br. Prod.* 432 = Polypompholyx multifida.  
muscosa, *Benj. in Linnaea*, xx. (1847) 489.—Guian.  
myriocista, *A. St. Hil. & Girard, in Ann. Sc. Nat.* Sér. II. xi. (1839) 150.—Am. trop.  
nana, *A. St. Hil. & Girard, l. c.* 156.—Bras.  
natans, *Salzm. ex A. St. Hil. & Girard, l. c.* 154 = pallens.  
neglecta, *Lehm. Ind. Scholar. Hamb.* (1828) 88 = major.  
nelumbifolia, *Gardn. in Hook. Ic. Pl.* t. 505–506.—Bras.  
neottioides, *A. St. Hil. & Girard, in Ann. Sc. Nat.* Sér. II. xi. (1839) 157.—Bras.  
nephrophylla, *Benj. in Mart. Fl. Bras.* x. 246.—Bras.  
nervosa, *G. Weber, ex Benj. l. c.* 247.—Bras.  
nivea, *Vahl, Enum.* i. 203 = racemosa.  
Novae-Zelandiae, *Hook. f. Fl. N. Zel.* i. 206.—N. Zel.  
obovata, *Miq. in Linnaea*, xix. (1847) 144 = amethystina.  
obovata, *G. Weber, ex Benj. in Mart. Fl. Bras.* x. 253 = Genlisea repens.  
obtus, *Sw. Prod. Veg. Ind. Occ.* 14.—Am. trop.  
obtusata, *Sw. Fl. Ind. Occ.* i. 41 = praec.  
obtusiloba, *Benj. in Linnaea*, xx. (1847) 312.—Ind. or.; China.  
occidentalis, *A. Gray, in Proc. Am. Acad.* xix. (1883) 95.—Am. bor. occ.  
ochroleuca, *R. Hartm. in Bot. Notiser* (1857), 30.—Europ.  
oligocista, *Benj. in Linnaea*, xx. (1847) 491.—N. Granat.  
oligosperma, *A. St. Hil. Voy. Distr. Diam.* ii. 427.—Bras.  
olivacea, *Wright, ex Griseb. Cat. Pl. Cub.* 161.—Cuba.  
oppositiflora, *R. Br. Prod.* 430 = dichotoma.  
oppositifolia, *Spreng. Syst.* i. 50 = dichotoma.  
orbiculata, *Wall. Cat. n.* 1500.—As. trop.  
orysethorum, *Miq. ex C. B. Clarke, in Hook. f. Fl. Brit.* Ind. iv. 331 = reticulata.  
palatina, *G. Weber, ex Benj. in Mart. Fl. Bras.* x. 239.—Bras.  
pallens, *A. St. Hil. & Girard, in Ann. Sc. Nat.* Sér. II. xi. (1839) 153.—Guian.  
Parkeri, *Baker, in Journ. Linn. Soc.* xx. (1883) 216.—Madag.  
Parkeriana, *A. DC. in DC. Prod.* viii. 9.—Am. trop.  
parviflora, *R. Br. Prod.* 431 = lateriflora.  
pauciflora, *Blume, Bijdr.* 739.—Java.  
paucifolia, *Benj. in Linnaea*, xx. (1847) 309.—Ind. or.  
pectinata, *Splitg. ex De Vriese, in Nederl. Kruidk. Arch.* i. (1848) 325.—Guian.  
pedicellata, *Wight, in Hook. Kew Journ.* i. (1849) 373; et *Ic. t.* 1578/2 = caerulea.  
peltata, *Spruce, ex Oliver, in Journ. Linn. Soc.* iv. (1860) 172.—Am. trop.  
perminuta, *F. Muell. Fragm.* vi. 160 = violacea.  
perpusilla, *A. DC. in DC. Prod.* viii. 25.—Madag.  
personata, *Le Conte, in Ann. Lyc. N. York*, i. (1824) 77. t. 6 = cornuta.  
picta, *Warm. in Kjoeb. Vidensk. Meddel.* (1874) 10.—Bras.  
polygaloides, *Edgew. in Proc. Linn. Soc.* i. (1847) 351 = reticulata.  
polyschista, *Benj. in Mart. Fl. Bras.* x. 248.—Bras.  
porphyrophylla, *Wright, ex Griseb. Cat. Pl. Cub.* 162.—Cuba.  
praelonga, *A. St. Hil. & Girard, in Ann. Sc. Nat.* Sér. II. xi. (1839) 161.—Bras.; Guian.  
prehensilis, *E. Mey. Comm. Pl. Afr. Austr.* 282.—Afr. austr.  
Preissii, *A. DC. in DC. Prod.* viii. 666 = Hookeri.  
protrusa, *Hook. f. Fl. N. Zel.* i. 206.—N. Zel.  
pterosperma, *Edgew. in Proc. Linn. Soc.* i. (1847) 352 = exoleta.

UTRICULARIA:—

puberula, *Benj. in Mart. Fl. Bras.* x. 248.—Bras.  
pubescens, *Sm. in Rees, Cycl.* xxxvii. n. 53.—Afr. trop.  
pulchella, *C. B. Lehm. in Flora*, xxvi. (1848) 786 = minor.  
pumila, *Benj. in Linnaea*, xx. (1847) 313.—Am. bor.  
pumila, *Walt. Fl. Carol.* 64 = gibba, biflora.  
punctata, *Wall. Cat. n.* 2121.—Burma; Malaya.  
punctifolia, *Benj. in Linnaea*, xx. (1847) 493.—N. Granat.  
purpurascens, *J. Grah. Cat. Bomb. Pl.* 165 = caerulea.  
purpurea, *Walt. Fl. Carol.* 64.—Am. bor.  
purpurea, *Willd. ex Benj. in Linnaea*, xx. (1847) 309 = paucifolia.  
purpureo-caerulea, *A. St. Hil. & Girard, in Ann. Sc. Nat.* Sér. II. xi. (1839) 154.—Bras.  
pusilla, *J. Grah. Cat. Bomb. Pl.* 165 = orbiculata.  
pusilla, *Vahl, Enum.* i. 202.—Am. trop.  
pygmaea, *R. Br. Prod.* 432.—Austral.  
quinqueradiata, *Spruce, ex Oliver, in Journ. Linn. Soc.* iv. (1860) 171 = inflata.  
racemosa, *Wall. Cat. n.* 1496.—As. trop.  
racemosa, *Wight, Ic. t.* 1584. f. 1 = rosea.  
ramosa, *Vahl, Enum.* i. 204.—Ind. or.  
reclinata, *Hassk. in Versl. Kon. Akad. Wetensch.* iv. (1855) 161; et *Retzia*, i. 92.—Java.  
recurva, *Lour. Fl. Cochinch.* 26.—Cochinch.  
reflexa, *Oliver, in Journ. Linn. Soc.* ix. (1867) 146.—Afr. trop.  
reniformis, *A. St. Hil. Voy. Minas Geraes*, i. 224.—Bras.  
resupinata, *B. D. Greene, ex Hitchcock, Cat. Pl. Massach.* (1835) 107, nomen; et *in Bigel. Fl. Bost.* ed. III. 10.—Am. bor.  
reticulata, *Sm. Exot. Bot.* ii. 119. t. 119.—Ind. or.  
rhodocnemis, *Mart. ex Benj. in Mart. Fl. Bras.* x. 237 = oligosperma.  
rigida, *Benj. in Linnaea*, xx. (1847) 303.—Afr. trop.  
rosea, *Edgew. in Proc. Linn. Soc.* i. (1847) 352.—Ind. or.  
rosulata, *Benj. in Linnaea*, xx. (1847) 310.—Ins. Philipp.  
*Roxburghii*, *Spreng. Syst.* i. 52 = exoleta.  
saccata, *Le Conte, in Ell. Sketch*, i. 21 = purpurea.  
sacciformis, *Benj. in Linnaea*, xx. (1847) 302.—Ind. or.  
saharunporensis, *Royle, ex Oliver, in Journ. Linn. Soc.* iii. (1859) 176 = exoleta.  
Salzmanni, *A. St. Hil. & Girard, in Ann. Sc. Nat.* Sér. II. xi. (1839) 151.—Bras.  
Sandersoni, *Oliver, in Journ. Linn. Soc.* ix. (1867) 155.—Afr. trop.  
sanguinea, *Oliver, l. c.* 153.—Afr. trop.  
scandens, *Benj. in Linnaea*, xx. (1847) 309, partim.—Ind. or.  
scandens, *Benj. l. c.*, partim = Wallichiana.  
sclerocarpa, *Wright, in Sawv. Fl. Cub.* 91.—Cuba.  
secunda, *Benj. in Linnaea*, xx. (1847) 308.—Mexic.  
Selloi, *G. Weber, ex Benj. in Mart. Fl. Bras.* x. 250.—Bras.  
setacea, *Michx. Fl. Bor. Am.* i. 12 = subulata.  
setacea, *Wall. Cat. n.* 6398 = hirta, racemosa.  
similis, *Lehm. Pugill.* viii. 666 = Hookeri.  
simplex, *R. Br. Prod.* 431.—Austral.  
simplex, *Wright & Sawv. Fl. Cub.* 91.—Ind. occ.  
sinuata, *Benj. in Linnaea*, xx. (1847) 491.—Mexic.  
Smithiana, *Wight, in Hook. Kew Journ.* i. (1849) 373; et *Ic. t.* 1577 = caerulea.  
spartea, *Baker, in Journ. Linn. Soc.* xx. (1883) 216.—Madag.  
spatulata, *Splitg. ex De Vriese, in Nederl. Kruidk. Arch.* i. (1848) 324 = amethystina.  
speciosa, *R. Br. Prod.* 430 = dichotoma.  
spectabilis, *Madauss. ex Garcke, Fl. Deutschl.* ed. III. 274 = major.  
spiralis, *Sm. in Rees, Cycl.* xxxvii. n. 5.—Afr. trop.  
spirandra, *Wright, ex Griseb. Cat. Pl. Cub.* 161.—Cuba.  
spiricaulis, *Miq. ex Oliver, in Journ. Linn. Soc.* iii. (1859) 180 = reticulata.  
Spruceana, *Benth. ex Oliver, l. c.* iv. (1860) 173.—Bras.  
squamosa, *Benj. in Bot. Zeit.* iii. (1845) 212.—Nepal.

UTRICULARIA:—

squamosa, *Wight, in Hook. Kew Journ.* i. (1849) 373; et *Ic. t.* 1579 = caerulea.  
stellaris, *Linn. f. Suppl.* 86.—As.; Austral.; Afr. trop.  
stolonifera, *Benj. in Mart. Fl. Bras.* x. 245.—Bras.  
striata, *Le Conte, in Ann. Lyc. N. York*, i. (1824) 75 = fibrosa.  
striata, *Tuckerm. in Am. Journ. Sc. Ser. I.* xlv. (1843) 29 = clandestina.  
striatula, *Sm. in Rees, Cycl.* xxxvii. n. 17.—Zeylan.  
stricta, *G. F. W. Mey. Prim. Fl. Esseq.* 14.—Guian.  
suaveolens, *Afzel. ex Benj. in Linnaea*, xx. (1847) 303 = rigida.  
subsimilis, *Colenso, in Trans. N. Z. Inst.* xvi. (1884) 334.—N. Zel.  
subulata, *Linn. Sp. Pl.* 18.—Am. bor. et trop.  
sumatrana, *Miq. Fl. Ind. Bat.* ii. 998.—Sumatra.  
superba, *G. Weber, ex Benj. in Mart. Fl. Bras.* x. 252 = Genlisea ornata.  
tenella, *R. Br. Prod.* 432 = Polypompholyx tenella.  
tenuifolia, *Benj. in Linnaea*, xx. (1847) 304.—Ind. occ.  
tenuis, *Cav. Ic. v.* 24. t. 440. f. 2.—Chili.  
tertia, *Salzm. ex A. St. Hil. & Girard, in Ann. Sc. Nat.* Sér. II. xi. (1839) 158 = pusilla.  
Thonningii, *Schum. & Thonn. Beskr. Guin. Pl.* 12 = stellaris.  
tortilis, *Welw. ex Oliver, in Journ. Linn. Soc.* ix. (1867) 150.—Afr. trop.  
tremula, *Salzm. ex A. St. Hil. & Girard, in Ann. Sc. Nat.* Sér. II. xi. (1839) 155 = subulata.  
tribracteata, *Hochst. ex A. Rich. Tent. Fl. Abyss.* ii. 18.—Abyss.  
trichophylla, *Spruce, ex Oliver, in Journ. Linn. Soc.* iv. (1860) 173.—Am. trop.  
tricolor, *A. St. Hil. Voy. Distr. Diam.* ii. 418.—Bras.  
triloba, *Benj. in Mart. Fl. Bras.* x. 248.—Bras.  
trinervia, *Benj. l. c.* 247.—Bras.  
tubulata, *F. Muell. Fragm.* ix. 48.—Austral.  
uliginoides, *Wight, in Hook. Kew Journ.* i. (1849) 372; et *Ic. t.* 1573 = caerulea.  
uliginosa, *Benth. in Hook. l. c.* iv. (1852) 299 = caerulea.  
uliginosa, *Vahl, Enum.* i. 203 = reticulata.  
uniflora, *R. Br. Prod.* 431 = dichotoma.  
uniflora, *Spruce, ex Oliver, in Journ. Linn. Soc.* iv. (1860) 173 = Spruceana.  
unifolia, *Ruiz & Pav. Fl. Per.* i. 20. t. 31 = alpina.  
vaga, *Griseb. Cat. Pl. Cub.* 161.—Cuba.  
versicolor, *Benj. in Linnaea*, xx. (1847) 488 = amethystina.  
verticillata, *Benj. l. c.* 312.—Malacca.  
verticillata, *Salzm. ex A. St. Hil. & Girard, in Ann. Sc. Nat.* Sér. II. xi. (1839) 151 (verticiliata) = Salzmanni.  
violacea, *R. Br. Prod.* 431.—Austral.  
viscosa, *Spruce, ex Oliver, in Journ. Linn. Soc.* iv. (1860) 172.—Bras.  
volubilis, *R. Br. Prod.* 430.—Austral.  
volubilis, *Hook. ex Benj. in Linnaea*, xx. (1847) 309 = scandens.  
vulgaris, *Buch.-Ham. ex D. Don, Prod. Fl. Nep.* 84 = flexuosa.  
vulgaris, *Linn. Sp. Pl.* 18.—Europ.; As. et Am. bor.  
vulgaris, *Vell. Fl. Flum.* 18; i. t. 44 = oligosperma.  
Wallichiana, *Benj. in Bot. Zeit.* iii. (1845) 213 = bifida.  
Wallichiana, *Wight, Ic. t.* 1572/1.—Ind. or.  
Wallichii, *Wight, in Hook. Kew Journ.* i. (1849) 372 = praec.  
Welwitschii, *Oliver, in Journ. Linn. Soc.* ix. (1867) 152.—Afr. trop.

UVARIA, *Linn. Diss. Dass.* 21 (1747); *Amoen. Acad.* i. 404 (1749). *ANONACEAE*, *Benth. & Hook. f.* i. 23.

FITZALANIA, *F. Muell. Fragm.* iv. 33 (1863).  
MARENTERIA, *Thou. Gen. Nov. Madag.* 18 (1806).  
NARUM, *Adans. Fam.* ii. 365 (1763).  
PYRAGMA, *Noronha, in Verh. Batav. Gen.* v. (1790) ed. I. Art. IV. 3.  
WARIA, *Aubl. Pl. Gui.* i. 604. t. 243 (1775).  
Abermoa, *F. G. Dietr. Vollst. Lexik. Gaertn.* x. 311 = Guatteria Abermoa.  
acrantha, *Miq. Fl. Ind. Bat. Suppl.* 368 = ovalifolia.  
acuminata, *Oliver, Fl. Trop. Afr.* i. 21.—Afr. trop.  
acuminatissima, *Miq. Ann. Mus. Bot. Lugd. Bat.* ii. 6 —Borneo.



**UVARIA:—**

*acuta*, Teysm. & Binn. in Nederl. Kruidk. Arch. iii. (1855) 395 = *Unona acuta*.  
*aethiopica*, Rich. in Guill. & Perr. Fl. Seneg. Tent. i. 9 = *Xylopia aethiopica*.  
*Alphonsii*, C. Muell. in Walp. Ann. iv. 67 = *Unona Dasymaschala*.  
*Amuyon*, Blanco, Fl. Filip. ed. I. 463 = *Melodorum fulgens*.  
*amygdallina*, A. Gray, Bot. U. St. Expl. Exped. i. 31. —Ins. Fiji.  
*angolensis*, Welw. ex Oliver, Fl. Trop. Afr. i. 23. —Afr. trop.  
*argentea*, Blume, Fl. Jav. Anon. 24. —Java.  
*aromatica*, Lam. Encyc. i. 596 = *Unona concolor*.  
*Asterias*, S. Moore, in Journ. Bot. xv. (1877) 289. —Afr. trop.  
*astrosticta*, Miq. Ann. Mus. Bot. Lugd. Bat. ii. 8. —Sumatra.  
*aurita*, Blume, Fl. Jav. Anon. 15. —Java.  
*axillaris*, Roxb. Hort. Beng. 94; Fl. Ind. ii. 667 = *Cananga odorata*.  
*Badajamba*, Roxb. Hort. Beng. 43 (= *Guatteria Badajamba*). —Ind. or.  
*badiiflora*, Hance, in Walp. Ann. ii. 19 = *microcarpa*.  
*bancana*, Scheff. in Tijdschr. Nederl. Ind. xxxii. (1871) 388. —Ins. Banca.  
*bicolor*, Roxb. Hort. Beng. 94; Fl. Ind. ii. 662 = *Melodorum bicolor*.  
*bicolor*, Wall. Cat. n. 6466 = *Melodorum Wallichii*.  
*Blumeana*, Steud. Nom. ed. II. ii. 737 = *hirsuta*.  
*bracteata*, Roxb. Hort. Beng. 43; Fl. Ind. ii. 660. —Ind. or.; Burma.  
*brasiliensis*, Vell. Fl. Flum. 238; v. t. 122 (*Cymbopetalis* sp.). —Bras.  
*Burahol*, Blume, Bijdr. 14. —Java.  
*caffra*, E. Mey. ex Harv. & Sond. Fl. Cap. i. 8. —Afr. austr.  
*calamistrata*, Hance, in Journ. Bot. xx. (1882) 77. —China.  
*callicarpa*, Baill. Adansonia, viii. (1867-68) 347. —Madag.  
*canangioides*, Reichb. f. & Zoll. ex Miq. Fl. Ind. Bat. Suppl. 378 = *Polyalthia Jenkinsii*.  
*cauliflora*, Wall. Cat. n. 6476 = *Polyalthia cauliflora*.  
*cerasoides*, Roxb. Pl. Corom. i. 30. t. 33 = *Polyalthia cerasoides*.  
*ceylanica*, Heynh. Nom. i. 832 = *zeylanica*.  
*Chamae*, Beauv. Fl. Owar. ii. 48. t. 83. f. 2. —Afr. trop.  
*ciliata*, Heyne, ex Wight & Arn. Prod. 10 = *Miliusa indica*.  
*clavata*, Walp. Rep. i. 80 = *Anaxagorea javanica*.  
*Commersoniana*, Baill. Adansonia, viii. (1867-68) 346. —Madag.  
*conca*, Teysm. & Binn. in Nederl. Kruidk. Arch. iii. (1855) 406. —Java.  
*connivens*, Benth. in Trans. Linn. Soc. xxiii. (1862) 465. —Afr. trop.  
*conoidea*, Lem. Jard. Fleur. ii. (1852) Misc. 12 = *Asimina triloba*.  
*cordata*, Schum. & Thonn. Beskr. Guin. Pl. 255. —Afr. trop.  
*cordata*, Wall. Cat. n. 6486 = *macrophylla*.  
*cordifolia*, Roxb. Hort. Beng. 94; Fl. Ind. ii. 662 = *Unona discolor*.  
*coriacea*, Vahl, Symb. Bot. iii. 72 = *zeylanica*.  
*costata*, Wall. Cat. n. 6480 = *Polyalthia costata*.  
*crinata*, R. Br. ex Oliver, Fl. Trop. Afr. i. 23. —Afr. trop.  
*cylindrica*, Schum. & Thonn. Beskr. Guin. Pl. 256. —Afr. trop.  
*cyrtopoda*, Miq. Ann. Mus. Bot. Lugd. Bat. ii. 3. —Ins. Amboin.  
*dasychlamys*, Miq. l. c. 2. —Sumatra.  
*decandra*, Ruiz & Pav. ex G. Don, Gen. Syst. i. 100 = *Guatteria decandra*.  
*dioica*, Roxb. Hort. Beng. 94; Fl. Ind. ii. 659 = *Miliusa Roxburghiana*.  
*discolor*, C. Muell. in Walp. Ann. iv. 67 = *Unona Dasymaschala*.  
*diversifolia*, Span. in Linnaea, xv. (1841) 168. —Ins. Timor.  
*dulcis*, Dun. Mon. Anon. 90. t. 13. —Burma; Malaya.  
*ebracteolata*, Presl, Rel. Haenk. ii. 77. —Ins. Luzon.  
*elegans*, Wall. Cat. n. 6474 A = *Melodorum elegans*.  
*elliptica*, A. DC. in Mém. Soc. Phys. Genève. v. (1832) 202 = *Bocagea elliptica*.

**UVARIA:—**

*elongata*, Roxb. Hort. Beng. 43, nomen (Quid?). —Ind. or.  
*esculenta*, Roxb. ex Rottl. in Ges. Naturf. Fr. Neue Schr. iv. (1803) 201 = *Artabotrys odoratissimus*.  
*excelsa*, Vahl, ex Dun. Monog. Anon. 132 (= *Oxandra laurifolia*). —Ind. occ.  
*excelsa*, Wall. Cat. n. 6477. —Ind. or.; Malaya.  
*farcta*, Wall. Cat. n. 6460 = *Cananga odorata*.  
*fasciculata*, Steud. Nom. ed. II. ii. 738 = *Polyalthia simiarum*.  
*febrifuga*, Humb. & Bonpl. ex DC. Syst. i. 498 = *Unona xylopioides*.  
*ferruginea*, Buch.-Ham. ex Hook. f. & Thoms. Fl. Ind. i. 96. —Burma.  
*ferruginea*, Koen. ex Wall. Cat. n. 6485 D = *purpurea*.  
*flava*, Teysm. & Binn. in Tijdschr. Nederl. Ind. xxv. (1863) 419. —Ins. Banca.  
*flexuosa*, Heyne, ex Wall. Cat. n. 6473 B = *U. Narum*.  
*fluminensis*, Vell. Fl. Flum. 238; v. t. 121. —Bras.  
*foetida*, Ruiz & Pav. ex G. Don, Gen. Syst. i. 93. —Peruv.  
*fornicata*, Roxb. Hort. Beng. 94; Fl. Ind. ii. 662 = *Oxymitra fornicata*.  
*fulgens*, Wall. Cat. n. 6482 = *Melodorum fulgens*.  
*fulva*, Hook. f. & Thoms. in Hook. f. Fl. Brit. Ind. i. 79 = *Melodorum rubiginosum*.  
*furfuracea*, Baill. in Bull. Soc. Linn. Par. i. (1882) 338. —Madag.  
*furfuracea*, Walp. Rep. i. 79 = *Unona furfuracea*.  
*fusca*, Benth. in Trans. Linn. Soc. xxiii. (1862) 466. —Afr. trop.  
*Gaertneri*, DC. Syst. i. 482. —Zeylan.  
*gamopetala*, Zoll. in Linnaea, xxix. (1857-58) 810. —Java.  
*gigantea*, Wall. Cat. n. 6469 A, B = *Goniothalamus giganteus*.  
*glabra*, Span. in Linnaea, xv. (1841) 162. —Ins. Timor.  
*glaucia*, Hassk. Cat. Hort. Bog. Alt. 175. —Java?  
*globosa*, Hook. f. in Hook. Niger Fl. 210. —Afr. trop.  
*Goezeana*, F. Muell. Fragm. vii. 125. —Austral.  
*Gomesiana*, A. DC. in Mém. Soc. Phys. Genève. v. (1832) 203 = *bracteata*.  
*gracilis*, Hook. f. in Hook. Niger Fl. 210. —Afr. trop.  
*grandiflora*, Roxb. Hort. Beng. 43; Fl. Ind. ii. 665 = *purpurea*.  
*grandiflora*, Wall. Cat. n. 6485 E = *Hamiltonii*.  
*guatterioides*, A. DC. in Mém. Soc. Phys. Genève. v. (1832) 202. —Guian.  
*Hahniana*, Baill. Adansonia, viii. (1868) 347. —Mexic.  
*hamata*, Dun. Monog. Anon. 106. t. 27. —Zeylan.  
*hamata*, Roxb. Fl. Ind. ii. 666 = *Artabotrys odoratissimus*.  
*Hamiltonii*, Hook. f. & Thoms. Fl. Ind. i. 96. —Reg. Himal.  
*Hasselti*, Blume, Fl. Jav. Anon. 46. —Java.  
*heterocarpa*, Blume, l. c. 41. —Java.  
*heteroclita*, Roxb. Hort. Beng. 43; Fl. Ind. ii. 663 = *Kadsura Roxburghiana*.  
*heteropetala*, F. Muell. Fragm. iii. 1. —Austral.  
*Heyneana*, Wall. Cat. n. 6463 = *Mitrephora Heyneana*.  
*Heyneana*, Wight & Arn. Prod. 8 = *zeylanica*.  
*Hiran*, Buch.-Ham. ex Wall. Cat. n. 6443 B (= *Guatteria Badajamba*). —Ind. or.  
*hirsuta*, Jack, in Malay. Misc. i. (1820) n. v. 46. —Malaya.  
*hirsuta*, Vell. Fl. Flum. 238; v. t. 124 = *Trigynaea oblongifolia*.  
*Holtzei*, F. Muell. in Wing, South. Sc. Record, iii. (July 1883). —Austral.  
*hortensis*, Noronha, in Verh. Batav. Gen. v. (1790) ed. I. Art. iv. 28 = *Cananga odorata*.  
*humilis*, Blume, Bijdr. 17. —Java.  
*japonica*, Linn. Sp. Pl. 536 = *Kadsura japonica*.  
*javana*, Dun. Monog. Anon. 91. t. 14 = *dulcis*.  
*javanica*, Steud. Nom. ed. II. ii. 738 = *praeac*.  
*javanica*, Thunb. Fl. Javan. 19 = *Unona tripetaloidea*.  
*Kirkii*, Oliver, ex Hook. f. Bot. Mag. t. 6006. —Afr. trop.  
*Laha*, Miq. Fl. Ind. Bat. Suppl. 369 = *Ellipeia Laha*.

**UVARIA:—**

*lamponga*, Scheff. in Tijdschr. Nederl. Ind. xxxi. (1870) 22. —Sumatra.  
*lanceolata*, Scheff. in Ann. Jard. Buitenz. ii. (1885) 3. —Ins. Celebes.  
*lanceolata*, Sw. Prod. Veg. Ind. Occ. 87 (= *Oxandra virgata*). —Ind. occ.  
*Lanotan*, Blanco, Fl. Filip. ed. I. 464 = *Goniothalamus giganteus*.  
*lanuginosa*, Wall. Cat. n. 6454. —Ind. or.  
*Larep*, Miq. Fl. Ind. Bat. Suppl. 370. —Sumatra.  
*latifolia*, Blume, Fl. Jav. Anon. 37. t. 15 = *Melodorum latifolium*.  
*laurifolia*, Sw. Fl. Ind. Occ. ii. 1001 (= *Oxandra laurifolia*). —Ind. occ.  
*ligularis*, Lam. Encyc. i. 597 = *Unona ligularis*.  
*littoralis*, Blume, Fl. Jav. Anon. 26. —Ind. or.  
*Lobbiana*, Hook. f. & Thoms. Fl. Ind. i. 100. —Malaya.  
*longiflora*, Steud. Nom. ed. II. ii. 738, sphalm. = *Polyalthia longifolia*.  
*longifolia*, Blume, Bijdr. 13 = *Unona latifolia*.  
*longifolia*, Ruiz & Pav. ex G. Don, Gen. Syst. i. 100 = *Guatteria Pavonii*.  
*longifolia*, Sonner. Voy. Indes, iii. 260 = *Polyalthia longifolia*.  
*lucida*, Boj. ex Sweet, Hort. Brit. ed. II. 14; Benth. in Trans. Linn. Soc. xxiii. (1862) 465. —Afr. trop.  
*lurida*, Dalz. & Gibs. Bomb. Fl. 3 = *U. Narum*, Wall. *lurida*, Hook. f. & Thoms. Fl. Ind. i. 101. —Reg. Himal.  
*lutea*, Roxb. Pl. Corom. i. 32. t. 36 = *Alphonsea lutea*.  
*lutea*, Wall. Cat. n. 6462 = *zeylanica*.  
*lutea*, Wight & Arn. Prod. 8 = *Alphonsea zeylanica*, *Mitrephora Heyneana*.  
*mabiformis*, Griff. Notul. iv. 709 = *Melodorum piscocarpum*.  
*macrantha*, Hassk. Retzia, i. 116. —Java.  
*macrocarpa*, Vahl, ex DC. Syst. i. 489 = *U. Chamae*.  
*macrocarpa*, Warm. in Kjoeb. Vidensk. Meddel. (1873) 142. —Bras.  
*macrophylla*, Roxb. Hort. Beng. 43; Fl. Ind. ii. 663. —As. trop.  
*macropoda*, Hook. f. & Thoms. Fl. Ind. i. 101. —Zeylan.  
*mangattensis*, Dennst. Schlusss. Hort. Malab. 31 = *Alphonsea zeylanica*.  
*manubriata*, Wall. Cat. n. 6456 = *Melodorum manubriatum*.  
*Marenteria*, Baill. Adansonia, viii. (1868) 304; Hist. Pl. i. 200. —Madag.  
*Melodorum*, Raeusch. Nom. ed. III. 162 = *Unona sylvatica*.  
*membranacea*, Benth. Fl. Austral. i. 51. —Austral.  
*micrantha*, Hook. f. & Thoms. Fl. Ind. i. 103. —Burma; Malaya.  
*microcarpa*, Champ. ex Benth. in Hook. Kew Journ. iii. (1851) 257. —China.  
*mollis*, Wall. Cat. n. 6475 = *Unona pannosa*.  
*moluccana*, Kostel. Allg. Med. Pharm. Fl. v. 1707 = *Unona Musaria*.  
*monilifera*, Gaertn. Fruct. ii. 156 = *Unona discolor*, *discreta*.  
*monopetala*, A. Rich. in Guill. & Perr. Fl. Seneg. Tent. i. 8. t. 2 = *Hexalobus senegalensis*.  
*monosperma*, Lam. Encyc. i. 596 = *Guatteria Ouregou*.  
*monosperma*, Vell. Fl. Flum. 238; v. t. 123 = *Guatteria nigrescens*.  
*montana*, Blume, Fl. Jav. Anon. 45. —Java.  
*montana*, Dun. ex Wall. Cat. sub n. 6462 = *Alphonsea lutea*.  
*montana*, Noronha, in Verh. Batav. Gen. v. (1790) ed. I. Art. iv. 28 = *montana*.  
*monticola*, Miq. Ann. Mus. Bot. Lugd. Bat. ii. 5. —Borneo.  
*multiflora*, Teysm. & Binn. in Nederl. Kruidk. Arch. iii. (1855) 394. —Ins. Bantam.  
*Musaria*, A. DC. Mém. Anon. 29 = *Unona Musaria*.  
*Narum*, A. DC. l. c. 29. —Ind. or.  
*Narum*, Wall. Cat. n. 9 (sp. div.). —Ind. or.  
*neglecta*, A. Rich. Ess. Fl. Cub. 44. —Cuba.  
*nervosa*, Wall. Cat. n. 6479 = *Melodorum rubiginosum*.  
*nicaraguensis*, Baill. Hist. Pl. i. 195. —Nicaragua.  
*nitida*, Roxb. Hort. Beng. 94; Fl. Ind. ii. 667. —Ins. Molucc.  
*nutans*, Wall. Cat. n. 6481 = *Phaeanthus nutans*.

## UVARIA:—

- obovata*, Heyne, ex Wall. Cat. n. 6471 = *Goniothalamus cardiopetalus*.  
*obovata*, Torr. & Gray, Fl. N. Am. i. 45 = *Asimina grandiflora*.  
*obtusa*, Blume, Bijdr. 13 = *Mitrephora obtusa*.  
*ochroleuca*, Zoll. in *Linnaea*, xxix. (1856) 307.—Java.  
*odorata*, Lam. Encyc. i. 595 = *Cananga odorata*.  
*odoratissima*, Roxb. Hort. Beng. 43; Fl. Ind. ii. 666 = *Artabotrys odoratissimus*.  
*olens*, Buch.-Ham. ex Wall. Cat. sub n. 6441 = *Milusa velutina*.  
*ophthalmica*, Roxb. ex G. Don, Gen. Syst. i. 93 = *Phacanthus nutans*.  
*ossea*, Blanco, Fl. Filip. ed. II. 322 = *Unona discolor*.  
*ovalifolia*, Blume, Fl. Jav. Anon. 27.—Java.  
*ovata*, A. DC. in *Mém. Soc. Phys. Genève*. v. (1832) 205.—Afr. trop.  
*oxyantha*, Wall. Cat. n. 6478 = *Xylopia oxyantha*.  
*paracaroënsis*, Dennst. Schluess. Hort. Malab. 31 = *zeylanica*.  
*Parveana*, Zoll. ex Miq. Fl. Ind. Bat. i. II. 43 (= *Guatteria Parveana*).—Sumatra.  
*parviflora*, Hook. f. & Thoms. Fl. Ind. i. 103 (*Cyathostematis* sp.).—Ins. Penang.  
*parviflora*, A. Rich. in Guill. & Perr. Fl. Seneg. Tent. i. 9. t. 3. f. 1 = *Xylopia parviflora*.  
*parviflora*, Torr. & Gray, Fl. N. Am. i. 45 = *Asimina parviflora*.  
*pauciovulata*, Hook. f. & Thoms. in *Hook. f. Fl. Brit. Ind.* i. 51.—Malacca.  
*pilosa*, Roxb. Fl. Ind. ii. 665 = *hirsuta*.  
*platypetala*, Champ. ex Benth. in *Hook. Kew Journ.* iii. (1851) 257 = *purpurea*.  
*polyantha*, Wall. Cat. n. 6467 = *Melodorum polyanthum*.  
*polyprena*, Blume, Fl. Jav. Anon. 35.—Java.  
*prismatica*, Wall. Cat. n. 6455 = *Melodorum prismaticum*.  
*ptychocalyx*, Miq. Ann. Mus. Bot. Lugd. Bat. ii. 4.—Malaya.  
*purpurea*, Blume, Bijdr. 11.—As. trop.  
*pygmaea*, Torr. & Gray, Fl. N. Am. i. 45 = *Asimina pygmaea*.  
*pyrifolia*, Reinw. ex Blume, Fl. Jav. Schizand. 16 (= *Sphaerostema pyrifolium*).—Java.  
*reticulata*, Blume, Fl. Jav. Anon. 50. t. 24 = *Mitrephora reticulata*.  
*rhodantha*, Hance, in Walp. Ann. ii. 19 = *purpurea*.  
*Rosenbergiana*, Scheff. in Ann. Jard. Buitenz. i. (1876) 2 = *ovalifolia*?  
*Roxburghiana*, Wall. Cat. n. 6423 A = *Oxymitra fornicata*.  
*rubiginosa*, A. DC. in *Mém. Soc. Phys. Genève*. v. (1832) 202 = *Melodorum rubiginosum*.  
*rufa*, Blume, Fl. Jav. Anon. 19.—Java.  
*rufa*, Wall. Cat. n. 6455 = *Melodorum prismaticum*.  
*rufescens*, A. DC. in *Mém. Soc. Phys. Genève*. v. (1832) 202 = *macrophylla*.  
*rugosa*, Blume, Bijdr. 12.—Java.  
*Russelii*, Wall. Cat. n. 6464 = *Alphonsea lutea*.  
*scabra*, Miq. Ann. Mus. Bot. Lugd. Bat. ii. 3.—Ins. Molucc.  
*scabrida*, Oliver, Fl. Trop. Afr. i. 21.—Afr. trop.  
*sclerocarpa*, A. DC. in *Mém. Soc. Phys. Genève*. v. (1832) 203 = *Saccopetalum sclerocarpum*.  
*semecarpifolia*, Hook. f. & Thoms. Fl. Ind. i. 97.—Malaya.  
*sesquipedalis*, Colebr. ex Wall. Cat. sub n. 6446 = *Goniothalamus sesquipedalis*.  
*sessiliflora*, Zoll. in *Linnaea*, xxix. (1857-58) 312.—Malaya?  
*sessilis*, Vell. Fl. Flum. 238; v. t. 125 = *Duguetia bracteosa*.  
*setigera*, Blanco, Fl. Filip. ed. II. 323 = *purpurea*.  
*simiarum*, Buch.-Ham. ex Wall. Cat. sub n. 6440 = *Polyalthia simiarum*.  
*sinensis*, Blanco, Fl. Filip. ed. I. 465 = *Artabotrys odoratissimus*.  
*solanifolia*, Presl, Rel. Haenk. ii. 76.—Ins. Luzon.  
*sorzogonensis*, Presl, l. c.—Ins. Luzon.  
*spectabilis*, DC. Syst. i. 484.—Guian.  
*sphaerocarpa*, Blume, Bijdr. 12.—Java.  
*sphenocarpa*, Hook. f. & Thoms. Fl. Ind. i. 98.—Zeylan.  
*subcordata*, Miq. Ann. Mus. Bot. Lugd. Bat. ii. 9.—Ins. Molucc.?

VOL. II.

## UVARIA:—

- suberosa*, Roxb. Pl. Corom. i. 31. t. 34 = *Polyalthia suberosa*.  
*subrepanda*, Wall. Cat. n. 6483.—Singapore.  
*sumatrana*, Hook. f. & Thoms. in *Hook. f. Fl. Brit. Ind.* i. 51.—Malaya.  
*sumatrana*, Kurz, Andam. Rep. 29 = *micrantha*.  
*synsepala*, Miq. in *Fourn. Bot. Néerl.* i. (1861) 128.—China.  
*timoriensis*, Blume, Fl. Jav. Anon. 21.—Ins. Timor.  
*tomentosa*, Roxb. Pl. Corom. i. 31. t. 35 = *Saccopetalum tomentosum*.  
*tomentosa*, Vahl, ex DC. Syst. i. 504 (= *Guatteria rufa*).—Ind. occ.  
*tomentosa*, Wall. Cat. n. 6454 = *Melodorum lanuginosum*.  
*trichomalla*, Blume, Fl. Jav. Anon. 42. t. 18 = *hirsuta*.  
*trifoliata*, Gaertn. Fruct. ii. 156. t. 114. f. 2 = *Gaertneri*.  
*trigyna*, Mart. Fl. Bras. xiii. i. 40.—Bras.  
*triloba*, Torr. & Gray, Fl. N. Am. i. 45 = *Asimina triloba*.  
*tripetala*, Lam. Encyc. i. 597 = *Unona tripetaloidea*.  
*tripetala*, Roxb. Hort. Beng. 43; Fl. Ind. ii. 667 = *Phacanthus nutans*.  
*uncata*, Lour. Fl. Cochinch. 349 = *Artabotrys odoratissimus*.  
*uncata*, Vahl, ex DC. Syst. i. 492 = *Unona discolor*.  
*undulata*, Lam. Encyc. i. 595 = *Cananga odorata*.  
*undulata*, Roxb. Hort. Beng. 43 = *Unona discolor*.  
*Uregu*, Rausch. Nom. ed. III. 160 = *Guatteria Ouregou*.  
*velutina*, Blume, Bijdr. 13 = *hirsuta*.  
*velutina*, Dun. Monog. Anon. 91 = *Milusa velutina*.  
*ventricosa*, Roxb. Hort. Beng. 43; Fl. Ind. ii. 658 = *Alphonsea ventricosa*.  
*verrucosa*, Scheff. in Ann. Jard. Buitenz. ii. (1885) 3.—Borneo.  
*villosa*, Roxb. Hort. Beng. 43; Fl. Ind. ii. 664 = *Milusa velutina*.  
*virgata*, Blume, Fl. Jav. Anon. 43 = *Cananga virgata*.  
*virgata*, Sw. Fl. Ind. Occ. ii. 999 (= *Oxandra virgata*).—Ind. occ.  
*viridiflora*, Ruiz & Pav. ex G. Don, Gen. Syst. i. 100.—Peruv.  
*viridiflora*, Splitg. in *Nederl. Kruidk. Arch.* i. (1849) 224.—Guian.  
*Vogelii*, Hook. f. in *Hook. Ic. Pl.* t. 767.—Afr. trop.  
*zeylanica*, Aubl. Pl. Gui. ii. 605. t. 243 = *Unona concolor*.  
*zeylanica*, Deless. ex DC. Syst. i. 483 = *dulcis*.  
*zeylanica*, Domb. ex DC. l. c. 504 = *Guatteria eriopoda*.  
*zeylanica*, Lam. Encyc. i. 596 = *U. Narum*.  
*zeylanica*, Linn. Sp. Pl. 536.—Ind. or.  
*Zippeliana*, Miq. Ann. Mus. Bot. Lugd. Bat. ii. 4.—Ins. Amboin.

- UVA-URSI, Tourn. ex Moench, Meth. 470 (1794) = *Arctostaphylos*, Adans. (Ericac.).  
*alpina*, S. F. Gray, Nat. Arr. Brit. Pl. ii. 401 = *A. alpina*.  
*buxifolia*, S. F. Gray, l. c. 400 = *A. Uva-ursi*.  
*procumbens*, Moench, Meth. 470 = *A. Uva-ursi*.

- UVEDALIA, R. Br. Prod. 440 (1810) = *Mimulus*, Linn. (Scrophul.).  
*linearis*, R. Br. l. c. = *M. Uvedaliae*.  
*nana*, E. Mey. ex Benth. in DC. Prod. x. 412 = *Torenia nana*.

- UVIRANDRA, Jaime St. Hil. Expos. i. 52 (1805) = *Ouvirandra*, Thou. = *Aponogeton*, Thunb. (Naiad.).

- UVULANA, Rafin. in Am. Monthly Mag. (1811) 356, sphalm. = *Uvularia*, Linn. (Liliac.).  
*angulata*, Rafin. l. c. 356, nomen (Quid?).—Am. bor.

- UVULARIA, Linn. Gen. ed. I. 93 (1737). *LILIA-CEAE*, Benth. & Hook. f. iii. 830.  
BAIMO, Rafin. Fl. Tellur. iv. 27 (1836).  
OAKESSIA, S. Wats. in Proc. Am. Acad. xiv. (1879) 269.  
UVULANA, Rafin. in Am. Monthly Mag. (1811) 356.  
*acutifolia*, Rafin. in Am. Monthly Mag. (1817) 359, nomen (Quid?).—Am. bor.  
*amplexicaulis*, Mill. Gard. Dict. ed. VIII. n. 1 = *Streptopus distortus*.

## UVULARIA:—

- amplexifolia*, Linn. Sp. Pl. 304 = *Streptopus distortus*.  
*Betua*, Buch.-Ham. ex D. Don, in Proc. Linn. Soc. i. (1839) 45 = *Disporum calcaratum*.  
*calcarata*, Wall. Cat. n. 5087 = *Disporum calcaratum*.  
*chinensis*, Ker-Gawl. in Bot. Mag. t. 916 = *Disporum pullum*.  
*cirrrosa*, Thunb. Fl. Jap. 136. t. 2 = *Fritillaria verticillata*.  
*distorta*, Pers. Syn. i. 360 = *Streptopus distortus*.  
*flava*, Sm. Exot. Bot. i. 97. t. 50 = *perfoliata*.  
*floridana*, Chapm. Fl. S. U. St. 487.—Florida.  
*grandiflora*, Sm. Exot. Bot. i. 99. t. 51.—Am. bor.  
*grandifolia*, Pursh, Fl. Am. Sept. i. 231, sphalm. = *præc.*  
*Hamiltoniana*, Wall. Cat. n. 5088 = *Disporum calcaratum*.  
*hirta*, Thunb. Fl. Jap. 135 = *Tricyrtis hirta*.  
*lanceolata*, Ait. Hort. Kew. ed. I. i. 434 = *perfoliata*.  
*lanuginosa*, Pers. Syn. i. 360 = *Disporum lanuginosum*.  
*Leschenaultiana*, Wall. Cat. n. 5089 = *Disporum Leschenaultianum*.  
*multiflora*, Reinw. ex Kunth, Enum. Pl. iv. 207 = *Disporum pullum*.  
*oppositifolia*, Schlecht. ex Kunth, l. c. 254 = *Fritillaria camtschatcensis*.  
*parviflora*, Wall. in As. Res. xiii. (1820) 378 = *Disporum pullum*.  
*perfoliata*, Linn. Sp. Pl. 304.—Am. bor.  
*Pitsutu*, Buch.-Ham. ex D. Don, Prod. Fl. Nep. 50 = *Disporum pullum*.  
*puberula*, Michx. Fl. Bor. Am. i. 199.—Am. bor.  
*puberula*, Sm. in Rees, Cycl. xxxvii. n. 5 = *Disporum Menziesii*.  
*rosea*, Pers. Syn. i. 360 = *Streptopus roseus*.  
*sessiliflora*, J. F. Gmel. Syst. 1642, sphalm. = *seq.*  
*sessilifolia*, Linn. Sp. Pl. 304.—Am. bor.  
*sessilis*, Thunb. Fl. Jap. 135 = *Disporum sessile*.  
*Smithii*, Hook. Fl. Bor. Am. ii. 174. t. 189 = *Disporum Menziesii*.  
*umbellata*, Wall. in As. Res. xiii. (1820) 379 = *Disporum pullum*.  
*viridescens*, Maxim. Prim. Fl. Amur. 273 = *Disporum smilacinum*.

- UWAROWIA, Bunge, in Bull. Sc. Acad. Pétersb. vii. (1840) 278 = *Verbena*, Linn.  
*chrysanthemifolia*, Bunge, l. c. 279 = *V. sulphurea*.  
*sulphurea*, Schau. in DC. Prod. xi. 551 = *V. sulphurea*.

## V

- VACCARIA, Medic. Phil. Bot. i. 96 (1789) = *Saponaria*, Linn. (Caryoph.).  
*arvensis*, Link. Handb. ii. 240 = *S. Vaccaria*.  
*grandiflora*, Jaub. & Spach, Illustr. iii. 40. t. 231 = *S. Vaccaria*.  
*inclusa*, Ledeb. Fl. Ross. i. 776 = *S. Vaccaria*?  
*oxyodonta*, Boiss. Diagn. Ser. II. i. 68 = *S. Vaccaria*.  
*parviflora*, Moench, Meth. 63 = *S. Vaccaria*.  
*perfoliata*, Sweet, Hort. Brit. ed. II. 51 = *S. Vaccaria*.  
*pyramidata*, Medic. Phil. Bot. i. 96 = *S. Vaccaria*.  
*segetalis*, Garke, ex Aschers. Fl. Brandenb. i. 84 = *S. Vaccaria*.  
*sessiliflora*, Steud. Nom. ed. II. ii. 739, sphalm. = *seq.*  
*sessilifolia*, Sweet, Hort. Brit. ed. II. 51 = *S. Vaccaria*.  
*vulgaris*, Host, Fl. Austr. i. 518 = *S. Vaccaria*.

- VACCINIUM, Linn. Syst. ed. I (1735). *VACCINIA-CEAE*, Benth. & Hook. f. ii. 573.  
ACOSTA, Lour. Fl. Cochinch. 276 (1790).  
BATODENDRON, Nutt. in Trans. Am. Phil. Soc. N. S. viii. (1843) 261.  
CAVINIUM, Thou. Gen. Nov. Madag. 11 (1806).  
EPIGYNIUM, Klotzsch, in *Linnaea*, xxiv. (1851) 49.  
METAGONIA, Nutt. in Trans. Am. Phil. Soc. N. S. viii. (1843) 263.  
PICROCOCCLUS, Nutt. l. c. 262 (1843).  
POLYCODIUM, Rafin. in Am. Monthly Mag. (1818) 266.  
VITIS-IDAEA, Tourn. ex Moench, Meth. 47 (1794).  
Acosta, Rausch. Nom. ed. III. 109 (sp. dub.).—Cochinch.

**VACCINIUM:—**

*acuminatissimum*, *Miq. Ann. Mus. Bot. Lugd. Bat.* i. 36.—Malaya.  
*acuminatum*, Benth. *Pl. Hartw.* 222 = *staphelioides*.  
*acuminatum*, *H. B. & K. Nov. Gen. et Sp.* iii. 264.—N. Granat.  
*acuminatum*, Kurz, in *Journ. As. Soc. Beng.* xlv. (1877) ii. 214 = *Corallobotrys acuminata*.  
*adenandrum*, Decne. *Bot. Voy. Venus*, 23 = *cereum*.  
*affine*, *Klotzsch, in Linnaea*, xxiv. (1851) 61.—Peruv.  
*affine*, Wight, in *Calc. Journ. Nat. Hist.* viii. (1847) 173 = *Donianum*.  
*agathosmoides*, *Wedd. Chlor. And.* ii. 179.—N. Granat.  
*alaternoides*, *H. B. & K. Nov. Gen. et Sp.* iii. 265.—Peruv.  
*alaternoides*, Soland. ex Seem. *Fl. Vit.* 146 = *cereum*.  
*alatum*, Domb. ex Dun. in *DC. Prod.* vii. 562 (= *Proclesia alata*).—Peruv.  
*albiflorum*, Hook. *Bot. Mag.* t. 3428 = *corymbosum*.  
*album*, *Lam. Encyc.* i. 73 = *canadense*.  
*album*, *Linn. Sp. Pl.* 350 = *Lonicera ciliata*.  
*album*, Pursh, *Fl. Am. Sept.* i. 285 = *stamineum*.  
*amoenum*, Ait. *Hort. Kew.* ed. I. ii. 12 = *corymbosum*.  
*angulosum*, Dulac, *Fl. Hautes-Pyr.* 460 = *V. Myrtillus*.  
*angustifolium*, Ait. *Hort. Kew.* ed. I. ii. 11 = *pensylvanicum*.  
*angustifolium*, Benth. *Pl. Hartw.* 45.—Mexic.  
*arborescens*, Lesch. ex Dun. in *DC. Prod.* vii. 555 = *Leschenaultii*.  
*arborescens*, *Marsh. Arbust. Am.* 157.—Am. bor.  
*arbutoides*, *C. B. Clarke, in Hook. f. Fl. Brit. Ind.* iii. 453.—Reg. Himal.  
*Arctostaphylos*, *Linn. Sp. Pl.* 351.—Armen.; Reg. Cauc.  
*Arctostaphylos*, Willd. *Sp. Pl.* ii. 353 = *maderense*.  
*ardisioides*, *Hook. f. ex C. B. Clarke, in Hook. f. Fl. Brit. Ind.* iii. 452.—Burma.  
*assimile*, *Wright, in Sauv. Fl. Cub.* 85.—Cuba.  
*attenuatum*, Dun. in *DC. Prod.* vii. 571.—Peruv.  
*auriculatum*, Kurz, in *Journ. As. Soc. Beng.* xlv. (1877) ii. 214 = *Agapetes auriculata*.  
*bancanum*, *Miq. Fl. Ind. Bat. Suppl.* 587.—Burma; Malaya.  
*bicolor*, F. Muell. *Sel. Pl. Indust. Cult.* 249 = *Psammisia bicolor*.  
*brachycerum*, Michx. *Fl. Bor. Am.* i. 234 = *Gaylussacia brachycera*.  
*brachystachyum*, Benth. *Pl. Hartw.* 65 = *confertum*.  
*bracteatum*, *Thunb. Fl. Jap.* 156.—Japon.  
*brasiliense*, Spreng. *Nov. Prov.* 42 = *Gaylussacia Pseudo-vaccinium*.  
*Buergeri*, *Miq. Ann. Mus. Bot. Lugd. Bat.* i. 29.—Japon.  
*buxifolium*, Gilib. *Fl. Lituan.* i. 4 = *V. Vitis-Idaea*.  
*buxifolium*, *Hook. f. in Hook. Ic. Pl.* t. 891.—Borneo.  
*buxifolium*, Salisb. *Parad. Lond.* t. 4 = *Gaylussacia brachycera*.  
*caespitosum*, *Michx. Fl. Bor. Am.* i. 234.—Am. bor.  
*callosum*, Griseb. ex *Wedd. Chlor. And.* ii. 177 = *floribundum*.  
*calycinum*, Sm. in *Rees, Cyclop.* xxxvi. n. 7 = *penduliflorum*.  
*campanulatum*, Kurz, in *Journ. As. Soc. Beng.* xlv. (1873) ii. 85 = *Agapetes campanulata*.  
*canadense*, *Kalm, ex Richards. in Frankl. 1st Journ.* ed. II. 12.—Am. bor.  
*cantabricum*, Huds. *Fl. Angl.* ed. I. 143 = *Daboëcia polifolia*.  
*caracasana*, *H. B. & K. Nov. Gen. et Sp.* iii. 266.—Venezuela.  
*caracasana*, Mart. & Gal. in *Bull. Acad. Brux.* ix. (1842) 530 = *leucanthum*.  
*carnosum*, Pers. *Syn.* i. 479 = *crassifolium*.  
*cereum*, *Forst. f. Prod.* 28.—Ins. Amicor.  
*cereum*, Walp. in *Nov. Act. Nat. Cur.* xix. *Suppl.* i. (1843) 360 = *penduliflorum*.  
*Chamissonis*, Bong. in *Mém. Acad. Pétersb.* ii. (1833) 151 = *ovalifolium*.  
*chinense*, Champ. ex Benth. in *Hook. Kew Journ.* iv. (1852) 297 = *bracteatum*.  
*ciliatum*, Gilib. *Exercit.* i. 11 = *uliginosum*.  
*ciliatum*, *Thunb. Fl. Jap.* 156.—Japon.  
*confertum*, *H. B. & K. Nov. Gen. et Sp.* iii. 265.—Mexic.  
*consanguineum*, *Klotzsch, in Linnaea*, xxiv. (1851) 64.—Panama.

**VACCINIUM:—**

*Constablaei*, A. Gray, in *Am. Journ. Sc. Ser. I.* xlii. (1842) 42 = *corymbosum*.  
*cordatum*, *Hemsl. Biol. Centr. Am. Bot.* ii. 274.—Mexic.  
*coriaceum*, *Hook. f. in Hook. Ic. Pl.* t. 892.—Borneo.  
*coriaceum*, *Miq. Fl. Ind. Bat.* ii. 1062 = *Korthalsii*.  
*corymbiferum*, *Miq. l. c. Suppl.* 588.—Sumatra.  
*corymbodendron*, Dun. in *DC. Prod.* vii. 569.—Peruv.  
*corymbosum*, Frank, ex Dun. l. c. 566 = *Gaylussacia frondosa*.  
*corymbosum*, *Linn. Sp. Pl.* 350.—Am. bor.  
*crassifolium*, *Andr. Bot. Rep.* t. 105.—Am. bor.  
*crenulatum*, Dun. in *DC. Prod.* vii. 570.—Peruv.  
*croceum*, Steud. *Nom. ed. II.* ii. 739, in syn., *sphalm.* = *cereum*.  
*cubense*, *Griseb. in Mem. Am. Acad. N. S.* viii. (1860) 171.—Cuba.  
*cuneifolium*, *Miq. Fl. Ind. Bat.* ii. 1062.—Java.  
*cuspidatum*, *Planch. ex Wedd. Chlor. And.* ii. 180, in obs.—N. Granat.  
*cylindraceum*, Sm. in *Rees, Cyclop.* xxxvi. n. 23.—Ins. Azores.  
*cyrtodon*, *Miq. Fl. Ind. Bat.* ii. 1062.—Java.  
*decamerocarpon*, Dun. in *DC. Prod.* vii. 566, (excl. syn.) = *Gaylussacia frondosa*.  
*dempoense*, *Fawcett, in Journ. Bot.* xxiii. (1885) 254.—Sumatra.  
*dendrophilum*, Benth. *Pl. Hartw.* 219.—Ecuador.  
*densiflorum*, Benth. l. c. 222.—N. Granat.  
*dentatum*, Sm. in *Rees, Cyclop.* xxxvi. n. 31 = *cereum*.  
*dependens*, Ruiz & Pav. ex G. Don, *Gen. Syst.* iii. 859 = *Gaylussacia dependens*.  
*dichotomum*, Boj. ex Dun. in *DC. Prod.* vii. 570 = *secundiflorum*.  
*didymanthum*, Dun. l. c. 575.—Peruv.  
*diffusum*, Ait. *Hort. Kew.* ed. I. ii. 11 = *arborescens*.  
*discolor*, Mart. & Gal. in *Bull. Acad. Brux.* ix. (1842) 531.—Mexic.  
*disocarpon*, A. Gray, *Syn. Fl. N. Am.* ii. i. 23 = *corymbosum*.  
*disomorphum*, Michx. *Fl. Bor. Am.* i. 231 = *corymbosum*.  
*Donianum*, *Miq. Ann. Mus. Bot. Lugd. Bat.* ii. 161 = *bracteatum*.  
*Donianum*, Wight, in *Calc. Journ. Nat. Hist.* viii. (1847) 174.—Reg. Himal.  
*dumosum*, Andr. *Bot. Rep.* t. 112 = *Gaylussacia dumosa*.  
*Dunalianum*, Wight, in *Calc. Journ. Nat. Hist.* viii. (1847) 175 (Dunallianum).—Reg. Himal.  
*elevatum*, Banks & Soland. ex Wikstr. in *Vet. Akad. Handl. Stockh.* (1823) 281 = *stamineum*.  
*Elliotii*, Chapm. *Fl. S. U. St.* 260 = *virgatum*.  
*ellipticum*, *Miq. Fl. Ind. Bat.* ii. 1060.—Java.  
*elongatum*, Wats. *Dendrol. Brit.* t. 125 B = *corymbosum*.  
*emirnense*, *Hook. Ic. Pl.* t. 181.—Madag.  
*empetrifolium*, *H. B. & K. Nov. Gen. et Sp.* iii. 263 = *penaeoides*.  
*epacridifolium*, Benth. *Pl. Hartw.* 221 = *penaeoides*.  
*eriocladum*, Dun. in *DC. Prod.* vii. 571.—Mexic.  
*erythrinum*, *Hook. Bot. Mag.* t. 4688.—Java.  
*erythrocarpum*, *Michx. Fl. Bor. Am.* i. 227.—Am. bor.  
*exaristatum*, Kurz, in *Journ. As. Soc. Beng.* xlv. (1873) ii. 86 = *bancanum*.  
*fasciculatum*, Boj. ex Dun. in *DC. Prod.* vii. 570.—Madag.  
*fissum*, *Schrank, in Denkschr. Bot. Ges. Regensb.* i. ii. (1818) 15.—Labrador.  
*floribundum*, *H. B. & K. Nov. Gen. et Sp.* iii. 266.—Peruv.  
*floribundum*, *Miq. Fl. Ind. Bat.* ii. 1060 = *Teysmanni*.  
*floridanum*, Schwein. ex Nutt. in *Trans. Am. Phil. Soc. N. S.* viii. (1843) 262 = *stamineum*.  
*Forbesii*, Fawcett, in *H. O. Forbes, Nat. Wand. East. Archip.* 506 = *dempoense*.  
*Forbesii*, *Hook. Ic. Pl.* t. 345 = *emirnense*.  
*formosum*, Andr. *Bot. Rep.* t. 97.—Am. bor.  
*fragrans*, Wall. ex Voigt, *Hort. Suburb. Calc.* 333 = *Diospyros vaccinioides*.  
*frondosum*, Ait. *Hort. Kew.* ed. I. ii. 11 = *Gaylussacia dumosa*.  
*frondosum*, Linn. *Sp. Pl.* 351 = *Gaylussacia frondosa*.  
*fuscatum*, Ait. *Hort. Kew.* ed. I. ii. 11 = *corymbosum*.

**VACCINIUM:—**

*galegiformis*, C. Koch, *Dendrol.* ii. 99, *sphalm.* = *galegiformis*.  
*galeans*, Michx. *Fl. Bor. Am.* i. 232 = *virgatum*.  
*galiformis*, Sm. in *Rees, Cyclop.* xxxvi. n. 16 = *virgatum*.  
*geminiflorum*, *H. B. & K. Nov. Gen. et Sp.* iii. 267.—Mexic.  
*gilvum*, *Meerb. Pl. Sel.* t. 18.—Hab.?  
*glabrum*, Wats. *Dendrol. Brit.* t. 125 D = *Gaylussacia resinosa*?  
*glauco-album*, *Hook. f. ex C. B. Clarke, in Hook. f. Fl. Brit. Ind.* iii. 453.—Reg. Himal.  
*glaucum*, *Lam. Encyc.* i. 73; Michx. *Fl. Bor. Am.* i. 231 = *Gaylussacia frondosa*.  
*grandiflorum*, Herb. Par. ex Dun. in *DC. Prod.* vii. 553 = *Ceratostema grandiflorum*.  
*grandiflorum*, Wats. *Dendrol.* t. 125 A = *corymbosum*.  
*Griffithianum*, Wight, in *Calc. Journ. Nat. Hist.* viii. (1847) 174.—Reg. Himal.; China.  
*guadalupense*, Sw. ex Wikstr. in *Vet. Acad. Handl. Stockh.* (1827) 63 = *Hornemannia martinicensis*.  
*gualtheriaefolium*, *Hook. f. ex C. B. Clarke, in Hook. f. Fl. Brit. Ind.* iii. 453.—Reg. Himal.  
*gualtherioides*, Bigel. in *New Engl. Med. Journ.* v. (1816) 335 = *uliginosum*.  
*halleriaefolium*, *Lodd. Cat. ex G. Don, in Loud. Hort. Brit.* 156, nomen.—Am. bor.  
*Hasseltii*, *Miq. Ann. Mus. Bot. Lugd. Bat.* i. 40.—Java; Sumatra.  
*hatamense*, *Becc. Malesia*, i. (1878) 210.—N. Guin.  
*hirsutum*, *Buckl. in Am. Journ. Sc. Ser. I.* xlv. (1843) 175.—Am. bor.  
*hirsutum*, Wight, in *Calc. Journ. Nat. Hist.* viii. (1847) 170 = *Agapetes setigera*.  
*hirtellum*, Ait. *Hort. Kew.* ed. II. ii. 357 = *Gaylussacia dumosa*.  
*hirtum*, *Thunb. Fl. Jap.* 155.—Japon.  
*hispidulum*, Linn. *Sp. Pl.* 352 = *Chiogenes serpyllifolia*.  
*hispidulum*, Wangenh. *Beitr. Nordamer. Holzart.* 188. t. 30. f. 67 = *Oxycochos macrocarpus*.  
*Humboldtii*, *Klotzsch, in Linnaea*, xxiv. (1851) 57.—N. Granat.  
*humifusum*, R. Grah. in *Edinb. N. Phil. Journ.* (Apr.—June, 1831) 193 = *Gaultheria Myrsinites*.  
*humile*, Willd. *Enum. Hort. Berol. Suppl.* 21 = *pensylvanicum*.  
*Iduroei*, *Franch. & Sav. Enum. Pl. Jap.* ii. 425.—Japon.  
*Imrayi*, *Hook. Ic. Pl.* t. 292 = *Hornemannia martinicensis*.  
*intermedium* x, Ruthe, *Fl. Brandenb.* 377. t. 1.—Europ.  
*iteophyllum*, *Hance, in Ann. Sc. Nat. Sér. IV.* xviii. (1862) 223.—China.  
*japonicum*, *Miq. Ann. Mus. Bot. Lugd. Bat.* i. 28.—Japon.  
*javanicum*, *Hook. Ic. Pl.* t. 740.—Java.  
*jesoense*, *Miq. Ann. Mus. Bot. Lugd. Bat.* i. 28 = *V. Vitis-Idaea*.  
*Korthalsii*, *Miq. Ann. Mus. Bot. Lugd. Bat.* i. 40.—Java.  
*Kruhsianum*, Fisch. ex Herd. in *Act. Hort. Petrop.* i. (1871-72) 320 = *uliginosum*.  
*Kunthianum*, *Klotzsch, in Linnaea*, xxiv. (1851) 56.—Mexic.  
*laevigatum*, Boj. ex Dun. in *DC. Prod.* vii. 571.—Madag.  
*lanceolatum*, DC. ex Dun. l. c. 570 = *ovatum*.  
*latifolium*, Benth. & Hook. *f. Gen.* ii. 575.—Ind. occ.  
*latifolium*, *Hort. Angl.* ex Steud. *Nom. ed. II.* ii. 739 = *virgatum*.  
*laurifolium*, *Miq. Fl. Ind. Bat.* ii. 1061.—Java.  
*ledifolium*, Pohl, *Pl. Bras. Ic.* ii. 36. t. 123 = *Gaylussacia ledifolia*.  
*Lenneanum*, *Warss. in Otto & Dietr. Allg. Gartenz.* xx. (1852) 292, nomen.—Bolivia.  
*leptanthum*, *Miq. Ann. Mus. Bot. Lugd. Bat.* i. 37.—Java; Sumatra.  
*Leschenaultii*, Wight, *l. c.* 1188.—Ind. or.  
*leucanthum*, *Schlecht. in Linnaea*, viii. (1833) 524.—Mexic.  
*leucostomum*, *Lindl. in Gard. Chron.* (1848) 7.—Peruv.  
*ligustrinum*, Linn. *Sp. Pl.* 351 = *Lyonia paniculata*.  
*ligustrinum*, Michx. *Fl. Bor. Am.* i. 233; Pursh, *Fl. Am. Sept.* i. 288 = *virgatum*.

**VACCINIUM:—**

littoreum, *Miq. Fl. Ind. Bat. Suppl.* 587.—Sumatra.  
 longeracemosum, *Franch. & Sav. Enum. Pl. Jap.* ii. 425.—Japan.  
 longiflorum, *Wikstr. in Vet. Akad. Handl. Stockh.* (1823) 278.—Ins. Azor.  
 loranthiflorum, C. B. Clarke, in *Hook. f. Fl. Brit. Ind.* iii. 446 = *Agapetes loranthiflora*.  
 lucidum, *Miq. Fl. Ind. Bat. ii.* 1061 = *Rollisoni*.  
 Macgillivrayi, *Seem. in Journ. Bot.* ii. (1864) 77.—N. Hebrid.  
 Macraeanum, Klotzsch, in *Linnaea*, xxiv. (1851) 59 = *cereum*.  
 macrocarpon, *Ait. Hort. Kew. ed. I. ii.* 13 = *Oxycoccus macrocarpus*.  
 macrophyllum, *Domb. ex Dun. in DC. Prod.* vii. 564 = *Thibaudia punctatifolia*.  
 macrostemon, *Kurz, in Journ. As. Soc. Beng.* xlii. (1873) ii. 85 = *Agapetes macrostemon*.  
 maderense, *Link, Enum. Hort. Berol.* i. 375.—Ins. Mader.  
 malaccense, *Wight, in Calc. Journ. Nat. Hist.* viii. (1847) 172.—Malaya.  
 marginatum, *Dun. in DC. Prod.* vii. 570.—Peruv.  
 marianum, *Wats. Dendrol. Brit. t.* 124 = *corymbosum*.  
 marylandicum, *Hort. Angl. ex Steud. Nom. ed. II. ii.* 739 = *corymbosum*.  
 melliflorum, *F. Muell. Sel. Pl. Indust. Cult.* 249, in obs. = *Eurygania melliflora*.  
 membranaceum, *Dougl. ex Hook. Fl. Bor. Am.* ii. 32 = *myrtilloides*.  
 meridionale, *Sw. Prod. Veg. Ind. Occ.* 62.—Jamaic.  
 Merkkii, *Fisch. ex Herd. in Act. Hort. Petrop.* i. (1871-72) 323 = *Arctostaphylos alpina*.  
 Meyenianum, Klotzsch, in *Linnaea*, xxiv. (1851) 59 = *penduliflorum*.  
 micranthum, *Dun. in DC. Prod.* vii. 568.—Mexic.  
 microcarpum, *Hook. f. in Trans. Linn. Soc.* xxiii. (1861) 334, err. typ. = *Oxycoccus palustris*.  
 microphyllum, *Reinw. ex Blume, Bijdr.* 851 = *Diplycosia microphylla*.  
 miniatum, *Kurz, in Journ. As. Soc. Beng.* xlii. (1873) ii. 85 = *Agapetes miniata*.  
 minutiflorum, *Wats. Dendrol. Brit. t.* 125 C = *pensylvanicum*.  
 Miquelii, *Boerl. in Veth, Midden-Sumatra*, iv. *Nat. Hist.* 22.—Sumatra.  
 montanum, *Pohl, Pl. Bras. Ic.* ii. 38, t. 125.—Bras.  
 Moritzianum, Klotzsch, in *Linnaea*, xxiv. (1851) 63.—N. Granat.  
 Mortinia, *Benth. Pl. Hartw.* 221.—Ecuador.  
 mucronatum, *Linn. Sp. Pl.* 350 = *Nemopanthus fascicularis*.  
 multiflorum, *Dun. in DC. Prod.* vii. 572 = *pensylvanicum*.  
 muscicola, *Hook. Ic. Pl. t.* 717.—Ecuador.  
 Myrsinites, *Lam. Encyc. i.* 73.—Am. bor.  
 myrtifolium, *Michx. Fl. Bor. Am.* i. 229 = *crassifolium*.  
 myrtifolium, *Willd. ex Klotzsch, in Linnaea*, xxiv. (1851) 58 = *Humboldtii*.  
 myrtilloides, *Ell. Sketch.* i. 500 = *virgatum*.  
 myrtilloides, *Hook. Fl. Bor. Am.* ii. 32, partim; *A. Gray, Man. Bot. N. U. St.* ed. V. 291.—Am. bor.  
 myrtilloides, *Michx. Fl. Bor. Am.* i. 234 = *pensylvanicum*.  
 myrtilloides, *S. Wats. Bot. King's Exped.* 209 = *V. Myrtilus*.  
 myrtilloides, *St. Lag. in Ann. Soc. Bot. Lyon*, vii. (1880) 136 = *V. Myrtilus*.  
 Myrtilus, *Cham. & Schlecht. in Linnaea*, i. (1826) 525 = *ovalifolium*.  
 Myrtilus, *Linn. Sp. Pl.* 349.—Reg. bor. temp. et arct.  
 myrtoides, *Miq. Fl. Ind. Bat. ii.* 1062.—Ins. Molucc.; Sumatra.  
 neilgherrense, *Wight, in Calc. Journ. Nat. Hist.* viii. (1847) 173.—Ind. or.  
 nemorosum, *Salisb. Prod.* 291 = *V. Vitis-Idaea*.  
 nigrum, *Desf. Tabl. ed. II.* 274, nomen (Quid ?).—Hab. ?  
 nitidum, *Andr. Bot. Rep. t.* 480.—Am. bor.  
 Nummularia, *Hook. f. & Thoms. ex C. B. Clarke, in Hook. f. Fl. Brit. Ind.* iii. 451.—Reg. Himal.  
 oblongifolium, *Hort. ex Dun. in DC. Prod.* vii. 576 = *Oxycoccus macrocarpus*.  
 obovatum, *Wight, in Calc. Journ. Nat. Hist.* viii. (1847) 174 = *Agapetes obovata*.

**VACCINIUM:—**

obtusum, *Pursh, Fl. Am. Sept. i.* 290 = *Gaultheria Myrsinites* ?  
 obversum, *Miq. Ann. Mus. Bot. Lugd. Bat. i.* 220.—Java.  
 occidentale, *A. Gray, in Bot. Calif.* i. 451.—Calif.  
 odontocermum, *Kurz, in Journ. As. Soc. Beng.* xlii. (1877) ii. 214 = *Agapetes angulata*.  
 odontocermum, *Wight, in Calc. Journ. Nat. Hist.* viii. (1847) 173 = *Agapetes variegata*.  
 Oldhami, *Miq. Ann. Mus. Bot. Lugd. Bat. ii.* 161 = *bracteatum, ciliatum*.  
 orientale, *Sw. in Weber & Mohr, Beitr. i.* 6 = *V. Acosta*.  
 Ottonis, Klotzsch, in *Linnaea*, xxiv. (1851) 61 = *floribundum*.  
 ovalifolium, *Sm. in Rees, Cyclop.* xxxvi. n. 2.—Am. bor. occ.  
 ovatum, *Pursh, Fl. Am. Sept. i.* 290.—Am. bor. occ.  
 Oxycoccus, *Linn. Sp. Pl.* 351 = *Oxycoccus palustris*.  
 pachyphyllum, *Hemsl. Biol. Centr. Am. Bot. ii.* 275.—Costa Rica.  
 padifolium, *Hochst. ex Steud. Nom. ed. II. ii.* 740 = *longiflorum*.  
 padifolium, *Sm. in Rees, Cycl.* xxxvi. n. 22 = *maderense*.  
 pallidum, *Ait. Hort. Kew. ed. I. ii.* 10 = *corymbosum*.  
 palustre, *Salisb. Prod.* 291 = *Oxycoccus palustris*.  
 paradisearum, *Becc. Malesia*, i. (1878) 209.—N. Guin.  
 parviflorum, *Andr. Bot. Rep. t.* 125 = *Gaylussacia resinosa*.  
 parvifolium, *Sm. in Rees, Cyclop.* xxxvi. n. 3.—Am. bor. occ.  
 penaeoides, *H. B. & K. Nov. Gen. et Sp.* iii. 264.—Ecuador.  
 penduliflorum, *Gaudich. in Freyc. Voy. Bot. i.* 454, t. 68.—Ins. Sandvic.  
 pennsylvanicum, *Torr. Fl. N. U. St.* 416 = *vacillans*.  
 pensylvanicum, *Lam. Encyc. i.* 74 (*pensilvanicum*).—Am. bor.  
 pensylvanicum, *Mill. Gard. Dict. ed. VIII.* n. 3 = *Royena glabra*.  
 pernettyoides, *Griseb. ex Wedd. Chlor. And.* ii. 179.—Peruv.  
 polystachyum, *Benth. Pl. Hartw.* 140 = *floribundum*.  
 praestans, *Lamb. in Trans. Linn. Soc. x.* (1811) 264, t. 9.—Kamschat.  
 propinquum, *Salisb. Prod.* 291 = *Oxycoccus macrocarpus*.  
 prunifolium, *Lodd. Cat. ex Loud. Hort. Brit.* 156; et *Loud. Encyc. Pl.* 1546 = *ovatum*.  
 puberulum, *Klotzsch, ex Meissn. in Mart. Fl. Bras.* vii. 128.—Guian.  
 pubescens, *Wormsk. ex Hornem. in Fl. Dan.* t. 1516 = *uliginosum*.  
 pulchellum, *Fisch. ex Herd. in Act. Hort. Petrop.* i. (1871-72) 313 = *V. Vitis-Idaea*.  
 pumilum, *Kurz, in Journ. As. Soc. Beng.* xlii. (1873) ii. 85.—Burma.  
 punctatum, *Lam. Fl. Fr.* iii. 396 = *V. Vitis-Idaea*.  
 punctifolium, *Stokes, Bot. Mat. Med.* ii. 363 = *V. Vitis-Idaea*.  
 Ramonii, *Griseb. Cat. Pl. Cub.* 52.—Cuba.  
 ramosissimum, *Dun. in DC. Prod.* vii. 571.—Peruv.  
 ramulosum, *Willd. Enum. Hort. Berol. Suppl.* 20 = *pensylvanicum*.  
 reflexum, *Hook. f. Bot. Mag. t.* 5781.—Bolivia.  
 reflexum, *Klotzsch, in Linnaea*, xxiv. (1851) 60.—Madag.  
 resinosa, *Ait. Hort. Kew. ed. I. ii.* 12 = *Gaylussacia resinosa*.  
 reticulatum, *Sm. in Rees, Cyclop.* xxxvi. n. 30 = *cereum*.  
 retusum, *Hook. f. ex C. B. Clarke, in Hook. f. Fl. Brit. Ind.* iii. 451.—Reg. Himal.  
 Rollisoni, *Hook. Bot. Mag. t.* 4612.—Java.  
 rotundifolium, *Wight, Illustr. Ind. Bot. ii.* 119, t. 139 = *Leschenaultii*.  
 Roylei, *Kurz, in Journ. As. Soc. Beng.* xlii. (1877) ii. 214 = *Agapetes setigera*.  
 rubrum, *Dulac, Fl. Hautes-Pyr.* 460 = *V. Vitis-Idaea*.  
 rubrum, *Gilib. Fl. Lituan.* i. 4 = *uliginosum*.  
 rugosum, *Hook. f. & Thoms. ex Hook. Bot. Mag.* sub t. 5198 = *Pentapterygium rugosum*.  
 rugosum, *Hort. Angl. ex Steud. Nom. ed. II. ii.* 740, nomen (Quid ?).—Hab. ?  
 salicifolium, *Steud. Nom. ed. II. ii.* 740.—Am. bor.

**VACCINIUM:—**

salicinum, *Aschers. in Flora*, xliii. (1860) 370 = *pensylvanicum*.  
 salicinum, *Cham. & Schlecht. in Linnaea*, i. (1826) 525.—Unalaschk.  
 salicinum, *Lodd. ex Loud. Hort. Brit.* 156 = *salicifolium*.  
 salignum, *Hook. f. Illustr. Himal. Pl. t.* 15 A = *Agapetes saligna*.  
 salvifolium, *Hort. Angl. ex Steud. Nom. ed. II. ii.* 740, nomen (Quid ?).—Hab. ?  
 scabrum, *Pohl, Pl. Bras. Ic.* ii. 37, t. 124 = *Gaylussacia Pseudo-gaultheria*.  
 Schlechtendalii, *G. Don, Gen. Syst.* iii. 856.—Mexic.  
 secundiflorum, *Hook. Ic. Pl. t.* 134.—Madag.  
 secundum, *Klotzsch, in Linnaea*, xxiv. (1851) 62.—Am. centr.  
 sednense, *Pers. Syn. i.* 478 = *uliginosum*.  
 serpens, *Wight, in Calc. Journ. Nat. Hist.* viii. (1847) 171 = *Pentapterygium serpens*.  
 serratum, *Wight, l. c.*—Reg. Himal.  
 sibiricum, *Hort. ex Steud. Nom. ed. II. ii.* 740, nomen (Quid ?).—Sibir.  
 Sieboldi, *Miq. Ann. Mus. Bot. Lugd. Bat. i.* 29 = *ciliatum*.  
 sikkimense, *C. B. Clarke, in Hook. f. Fl. Brit. Ind.* iii. 451.—Reg. Himal.  
 Smallii, *A. Gray, in Mem. Am. Acad. N. S. vi.* (1859) 398 = *hirtum*.  
 smilacifolium, *Griseb. Fl. Brit. W. Ind.* 144 = *Homemannia smilacifolia*.  
 spicatum, *Poir. Encyc. Suppl. i.* 280 = *V. Acosta*.  
 splendens, *Rupr. in Beitr. Pfl. Russ. Reich.* iv. 56 = *uliginosum*.  
 Sprengelii, *Hort.—Cf. Gard. Chron.* (1883) i. 473 = *V. Myrsinites*.  
 Sprengelii, *Wall. Cat. n.* 6296 = *Agapetes obovata*.  
 stamineum, *Linn. Sp. Pl.* 350.—Am. bor.  
 staphelioides, *Planch. ex Wedd. Chlor. And.* ii. 180.—N. Granat.  
 stenophyllum, *Steud. Nom. ed. II. ii.* 740 = *angustifolium*.  
 suaveolens, *Boj. ex Dun. in DC. Prod.* vii. 570 = *emirnense*.  
 subcrenulatum, *Klotzsch, ex Meissn. in Mart. Fl. Bras.* vii. 128.—Guian.  
 sumatranum, *Jack, in Malay. Misc.* ii. (1822) n. vii. 18.—Sumatra.  
 tenellum, *Ait. Hort. Kew. ed. I. ii.* 12 = *virgatum*.  
 tenellum, *Pursh, Fl. Am. Sept. i.* 288 = *pensylvanicum*.  
 terniflorum, *Dun. in DC. Prod.* vii. 575.—Peruv.  
 Teysmanni, *Miq. Fl. Ind. Bat. ii.* 1062.—Java.  
 Thibautii, *Regel, Gartenfl.* xv. (1866) 357; et in *Ind. Sem. Hort. Petrop.* 1866 (1867) 96.—Am. trop.  
 thymifolium, *Klotzsch, in Linnaea*, xxiv. (1851) 62.—N. Granat.  
 timorensis, *Fawcett, in H. O. Forbes, Nat. Wand. East. Archip.* 509.—Ins. Timor.  
 tomentosum, *Pursh, ex A. Gray, Syn. Fl. N. Am.* ii. i. 19 = *Gaylussacia frondosa*.  
 trinerve, *Domb. ex Dun. in DC. Prod.* vii. 563 (= *Proclesia bracteata*).—Peruv.  
 uliginosum, *Linn. Sp. Pl.* 350.—Reg. bor. et arct.  
 ursinum, *M. A. Curt. in Am. Journ. Sc. Ser. I.* xlv. (1843) 82 = *Gaylussacia ursina*.  
 vacillans, *Soland. ex A. Gray, Man. Bot. N. U. St.* ed. I. 261.—Am. bor.  
 variegatum, *Kurz, in Journ. As. Soc. Beng.* xlii. (1873) ii. 84 = *Agapetes macrantha*.  
 varingiaefolium, *Miq. Fl. Ind. Bat. ii.* 1061.—Java.  
 venosum, *Wight, in Calc. Journ. Nat. Hist.* viii. (1847) 172.—Reg. Himal.  
 venustum, *Ait. Hort. Kew. ed. I. ii.* 11 = *Gaylussacia frondosa*.  
 verticillatum, *Kurz, in Journ. As. Soc. Beng.* xlii. (1873) ii. 83.—Burma.  
 verticillatum, *Wight, in Calc. Journ. Nat. Hist.* viii. (1847) 170 = *Agapetes setigera*.  
 villosum, *Sm. in Rees, Cyclop.* xxxvi. n. 29.—Mexic.  
 virgatum, *Ait. Hort. Kew. ed. I. ii.* 12.—Am. bor.  
 virgatum, *Bigel. Fl. Bost. ed. II.* 152 = *vacillans*.  
 virginicum, *J. F. Gmel. Syst.* 1643 (Index) = *Oxycoccus palustris* ?  
 Vitis-Idaea, *Linn. Sp. Pl.* 351.—Reg. bor. et arct.  
 Wallichianum, *Wight, in Calc. Journ. Nat. Hist.* viii. (1847) 171 = *Agapetes setigera*.  
 Watsoni, *Sweet, Hort. Brit. ed. II.* 330 = *Gaylussacia dumosa*.



**VACCINIUM:—**

- Wrightii*, A. Gray, in Mem. Am. Acad. N. S. vi. (1859) 398 = bracteatum.  
*Wrightii*, Griseb. Cat. Pl. Cub. 52 = assimile.  
*Zollingeri*, Miq. Fl. Ind. Bat. ii. 1061 = laurifolium.
- VACHELLIA**, Wight & Arn. Prod. 272 (1834) = **Acacia**, Tourn. (Legumin.).  
*Farnesiana*, Wight & Arn. l. c. = **A. Farnesiana**.
- VACHENDORFIA**, Adans. Fam. ii. 47 (1763) = **Wachendorfia**, Burm. f. (Haemod.).
- VADA-KODI**, Adans. Fam. ii. 701 (1763) = **Justicia**, Houst. (Acanth.).
- VAGARIA**, Herb. Amaryll. 226 (1837). **AMARYLLIDEAE**, Benth. & Hook. f. iii. 735.  
**VAGINARIA**, Kunth, Enum. Pl. v. 693 (1850).  
*parviflora*, Herb. Amaryll. 226.—Syria.
- VAGINARIA**, Kunth, Enum. Pl. v. 693 (1850) = praec.
- VAGINARIA**, Pers. Syn. i. 70 (1805) = **Fuirena**, Rottb. (Cyperac.).  
*Richardi*, Pers. l. c. = **F. scirpoidea**.
- VAGNERA**, Adans. Fam. ii. 496 (1763) = **Smilacina**, Desf. (Liliac.).
- VAHEA**, Lam. Illustr. ii. 292 (1798?) = **Landolphia**, Beauv. (1806) (Apocyn.).  
*angustifolia*, Miq. Fl. Ind. Bat. ii. 394.—Sumatra.  
*comorensis*, Boj. Hort. Maurit. 207; et ex A. DC. in DC. Prod. viii. 328.—Ins. Comor.  
*crassipes*, Radlk. in Bremen, Abh. viii. (1883) 399.—Madag.  
*florida*, F. Muell. Extra-trop. Pl. Indian ed. (1880) 344 = **L. florida**.  
*gummifera*, Lam. Illustr. 292. t. 169 = **Urceola elastica**.  
*Heudelotii*, F. Muell. Extra-trop. Pl. Indian ed. (1880) 344 = **L. Heudelotii**.  
*madagascariensis*, Boj. Hort. Maurit. 207 (excl. syn.); et ex A. DC. in DC. Prod. viii. 327.—Madag.  
*madagascariensis*, Boj. l. c., partim = **Urceola elastica**.  
*owariensis*, F. Muell. Extra-trop. Pl. Indian ed. (1880) 344 = **L. owariensis**.  
*senegalensis*, A. DC. in DC. Prod. viii. 328.—Afr. trop.
- VAHLBERGELLA**, Blytt, Norges Fl. iii. 1070 (1876) = **Wahlbergella**, Fries = **Lychnis**, Tourn. (Caryoph.).
- VAHLIA**, Dahl, Obs. Bot. 21 (1787) = **Dombeya**, Cav. (Sterculiac.).  
*fastuosa*, Dahl, l. c. (*tastuosa*).—Ins. Maurit.
- VAHLIA**, Thunb. Nov. Gen. ii. 36 (1782). **SAXIFRAGEAE**, Benth. & Hook. f. i. 637.  
**BISTELLA**, Delile, in Caill. Voy. Méroé (Cent. Pl. Afr.) 97. t. 63 (1826).  
**RUSSELLIA**, Linn. f. Suppl. 24 (1781).  
*capensis*, Thunb. Nov. Gen. ii. 36.—Afr. trop. et austr.  
*cordofana*, Hochst. in Flora, xxiv. (1841) i. Intell. 43 = **oldenlandioides**.  
*macrantha*, Klotzsch, in Peters, Reise Mossamb. Bot. 175 = **oldenlandioides**.  
*Oldenlandiae*, DC. Prod. iv. 54 = **oldenlandioides**.  
*oldenlandioides*, Roxb. Hort. Beng. 86; Fl. Ind. ii. 89.—As. et Afr. trop.  
*ramosissima*, A. DC. ex DC. Prod. iv. 54 = **oldenlandioides**.  
*sessiliflora*, DC. l. c. = **viscosa**.  
*silenoides*, A. DC. ex DC. l. c. = **oldenlandioides**.  
*tomentosa*, A. DC. ex DC. l. c.—Afr. trop.  
*verbasciflora*, Welw. ex Oliver, Fl. Trop. Afr. ii. 384, in obs. = **capensis**.  
*viscosa*, Roxb. Hort. Beng. 86; Fl. Ind. ii. 89.—As. et Afr. trop.  
*Weddenii*, Reichb. Ic. Bot. Exot. i. 62. t. 91 = **viscosa**.
- VAHLODEA**, Fries, in Bot. Notiser (1842), 141, 178 = **Deschampsia**, Beauv. (Gramin.).  
*atropurpurea*, Fries, l. c. 178; et Summa Veg. Scand. 243 = **D. atropurpurea**.

- VAILLANTIA**, Tourn. ex Linn. Syst. ed. I (1735) (*Valantia*); Gled. in Mém. Acad. Berl. v. (1751) 127. **RUBIACEAE**, Benth. & Hook. f. ii. 148.  
*aculeata*, Tenore, Fl. Neap. Prod. App. iv. 33 = **muralis**.  
*alpina*, Schur, in Verh. Siebenb. Ver. Naturw. iii. (1852) 86, nomen = **Galium vernum**.  
*Aparine*, J. F. Gmel. Syst. 241 = **Galium tricornis**.  
*Aparine*, Lam. Fl. Fr. iii. 383 = **Galium Aparine**.  
*Aparine*, Linn. Sp. Pl. 1051 = **Galium saccharatum**.  
*aprica*, Tausch, in Flora, xii. (1829) 647 = **Galium apricum**.  
*aristata*, Boiss. & Heldr. Diagn. Ser. I. vi. 65 = **Galium apricum**.  
*articulata*, Linn. Sp. Pl. 1052 = **Galium articulatum**.  
*aspera*, Hort. ex Roem. & Schult. Syst. iii. 219 = **Galium pedemontanum**.  
*Bauhini*, Schur, Enum. Pl. Transs. 287 = **Galium vernum**.  
*chersonensis*, Willd. Sp. Pl. iv. 951 = **Galium Cruciatum**.  
*ciliata*, Opiz, ex J. & C. Presl, Fl. Čech. 34; et Natural. vi. (1824) 45 = **Galium Cruciatum**.  
*ciliata*, [Soland. in] Russ. Aleppo, ed. II. ii. 266 = **hispidum**.  
*cordata*, Pers. Syn. i. 129 = **Galium articulatum**.  
*Cruciatum*, Linn. Sp. Pl. 1052 = **Galium Cruciatum**.  
*Cucullaria*, Linn. Cent. Pl. i. 32; Amoen. Acad. iv. 296 = **Callipeltis Cucullaria**.  
*cucullata*, Hill, Veg. Syst. vii. 27 = **praec.**?  
*filiformis*, Ait. Hort. Kew. ed. I. iii. 428 = **Galium filiforme**.  
*glabra*, Linn. Sp. Pl. ed. II. 491 = **Galium vernum**.  
*granularis*, Roem. & Schult. Syst. iii. 249, sphalm. = **granulata**, Spreng.  
*granulata*, Roth, ex Willd. Sp. Pl. iv. 949 = **Galium pedemontanum**.  
*granulata*, Spreng. in Schrad. Journ. (1800) II. 200 = **Galium saccharatum**?  
*hirsuta*, Gilib. Exercit. i. 25 = **Galium Cruciatum**.  
*hispidum*, Georgi, Besch. Russ. Reich. III. iv. 1366 = **Galium Cruciatum**.  
*hispidum*, Linn. Syst. ed. X. 1307.—Reg. Mediterr.  
*hispidum*, Lumnitz. Fl. Poson. 454 = **Galium pedemontanum**.  
*hispidum*, Pall. Tabl. Taur. 59 = **Galium coronatum**.  
*hispidum*, Viv. ex Coss. in Bull. Soc. Bot. Fr. xii. (1865) 278 = **lanata**.  
*humifusa*, Willd. Sp. Pl. iv. 949 = **Galium coronatum**.  
*hypocarpia*, Linn. Syst. ed. X. 1307 = **Relbunium hypocarpium**.  
*incrassata*, Pomel, Nouv. Mat. Fl. Atl. 78 = **hispidum**.  
*lanata*, Delile, ex Coss. in Bull. Soc. Bot. Fr. xii. (1865) 278 (Quid?).—Aegypt.  
*muralis*, Bieb. Fl. Taur. Cauc. ii. 435 = **Galium articulatum**.  
*muralis*, Linn. Sp. Pl. 1051.—Europ. austr.  
*pedemontana*, Bell. in Mém. Acad. Sc. Turin, v. 1790–1791 (1793) 252 = **Galium pedemontanum**.  
*persica*, C. Koch, in Linnaea, xxiv. (1851) 473 = **Galium coronatum**.  
*pusilla*, Stev. in Mém. Soc. Nat. Mosc. vii. (1829) 274 = **Galium articulatum**.  
*quadriflora*, Moench, Meth. 640 = **muralis**.  
*rediviva*, Hoffm. Hort. Mosq. (1808) n. 3387; ex Bieb. Fl. Taur. Cauc. iii. 640 = **Galium coronatum**.  
*rupestris*, Lam. Fl. Fr. iii. 384 = **Galium murale**.  
*saccharata*, C. C. Gmel. Fl. Bad. iii. 781 = **Galium saccharatum**.  
*Scopolii*, Bess. Enum. Pl. Volh. 51, 89 = **Galium vernum**.  
*spuria*, Pers. Syn. i. 129 = **Galium tricornis**.  
*taurica*, Pall. in Nov. Act. Acad. Petrop. x. (1797) 315 = **Galium coronatum**.  
*tricornis*, Roth, Neue Beytr. i. 142 = **Galium tricornis**.  
*triflora*, Lam. Fl. Fr. iii. 384 = **Galium tricornis**.  
*verna*, G. Don, in Loud. Hort. Brit. 411 = **Galium vernum**.

**VAINILLA**, Salisb. Parad. Lond. ii. II. sub t. 82 (1807) = **Vanilla**, Juss. (Orchid.).

**VALANTIA**, Linn. Syst. ed. I (1735) = **Vaillantia**, Tourn. (Rubiace.).

**VALARUM**, Schur, Enum. Pl. Transs. 54 (1866) = **Sisymbrium**, Tourn. (Crucif.).  
*officinale*, Schur, l. c. = **S. officinale**.

**VALCARCELIA**, Lag. ex Lindl. Introd. Nat. Syst. ed. II. 157 (1836). Genus ignotum **LEGUMINOSARUM**.—Cf. Benth. & Hook. f. i. 465.

**VALCARCELLA**, Steud. Nom. ed. II. 741 (1841), sphalm. = **praec.**

**VALDESIA**, Ruiz & Pav. Prod. 67 (1794) = **Blakea**, P. Br. (Melastom.).  
*latifolia*, Ruiz & Pav. Fl. Per. iv. t. 407 = **B. latifolia**.  
*ovalis*, Ruiz & Pav. Syst. Veg. 121 = **B. ovalis**.  
*repens*, Ruiz & Pav. l. c. = **B. repens**.  
*rosea*, Ruiz & Pav. Fl. Per. iv. t. 408 = **B. rosea**.  
*subconnata*, Tafalla, ex Triana, in Trans. Linn. Soc. xxviii. (1871) 148 = **B. subconnata**.

**VALDIA**, Plum. ex Adans. Fam. ii. 157 (1763) = **Clerodendron**, Linn. (Verben.).

**VALDIVIA**, Remy, in C. Gay, Fl. Chil. iii. 43. t. 29 (1847). **SAXIFRAGEAE**, Benth. & Hook. f. i. 644.  
*Gayana*, Remy, l. c. 44.—Chili.

**VALENTIANA**, Rafin. Speech. i. 87 (1814); ex DC. Prod. iv. 340. Genus dubium **CAPRIFOLIA-CEARUM**.—Cf. Benth. & Hook. f. ii. 2.  
*volubilis*, Rafin. l. c.—Abyss.

**VALENTINIA**, Neck. Elem. ii. 450 (1790) = **Tachigalia**, Aubl. (Legumin.).

**VALENTINIA**, Sw. Prod. Veg. Ind. Occ. 63 (1788) = **Casearia**, Jacq. (Samyd.).  
*coriacea*, Griseb. Cat. Pl. Cub. 9.—Cuba.  
*ilicifolia*, Sw. Prod. Veg. Ind. Occ. 63.—Ind. occ.  
*sylvestris*, Raeusch. Nom. ed. III. 109 = **Erystathes sylvestris**.

**VALENZUELA**, Mutis, ex Caldas, in Seman. Nuev. Gran. iii. (1810) 21 = **seq.**?

**VALENZUELIA**, Bert. ex Cambess. in Nouv. Ann. Mus. Par. iii. (1834) 236. t. 14. **SAPINDACEAE**, Benth. & Hook. f. i. 394.  
**GUINDILIA**, Gill. in Hook. Bot. Misc. iii. (1833) 170.  
*trinervis*, Bert. ex Cambess. in Nouv. Ann. Mus. Par. iii. (1834) 236.—Chili.

**VALERANDA**, Neck. Elem. ii. 33 (1790) = **Orphium**?, E. Mey. (Gentian.).

**VALERIANA**, Tourn. ex Linn. Syst. ed. I (1735). **VALERIANEAE**, Benth. & Hook. f. ii. 154.  
**ARETIASTRUM**, Spach, Hist. Veg. Phan. x. 304 (1841).  
**OLIGACOCE**, Willd. ex DC. Prod. iv. 632 (1830).  
**PHU**, Rupp. Fl. Jen. ed. Hall. 214 (1745).  
**VEXIBIA**, Rafin. Neogenyt. 3 (1825).  
*acuminata*, Royle, Illustr. Bot. Himal. 241 = **Hardwickii**.  
*adscendens*, Turcz. in Bull. Soc. Nat. Mosc. xxv. (1852) II. 173.—Ecuador.  
*aequiloba*, Clos, in C. Gay, Fl. Chil. iii. 223.—Chili.  
*affinis*, Mart. & Gal. in Bull. Acad. Brux. xi. I. (1844) 123.—Mexic.  
*affinis*, Opiz, Natural. n. x. (1825) 243 = **dioica**.  
*alba*, [Mazziari], in Ionios Anthol. ii. (1834) 450 = **Centranthus ruber**.  
*allianiaefolia*, Vahl, Enum. ii. 11.—Europ. or.; As. occ.  
*alpestris*, Stev. in Mém. Soc. Nat. Mosc. v. (1814) 342.—Reg. Cauc.  
*alpigena*, Schur, Enum. Pl. Transs. 290 = **montana**.  
*alpina*, Adam, in Weber & Mohr, Beitr. i. 45 = **alpestris**.  
*alpina*, Vell. Fl. Flum. 28; i. t. 68.—Bras.  
*alternifolia*, Ledeb. Fl. Alt. i. 52 = **officinalis**.  
*alternifolia*, Wall. ex Hook. f. Fl. Brit. Ind. iv. 291 = **Calorhabdos Brunonianus**.  
*altissima*, Hornem. Hort. Hafn. ii. 950 = **sambucifolia**.  
*altissima*, Mikan, ex Bess. Enum. Pl. Volh. 4 = **exaltata**.  
*alypifolia*, H. B. & K. Nov. Gen. et Sp. iii. 325.—Ecuador.  
*amoena*, Salisb. Prod. 56 = **tripteris**.

## VALERIANA:—

- Andonaegui, *Phil. in Anal. Univ. Chil.* (1872) 733.—Chili.  
*angustifolia*, Bieb. *Fl. Taur. Cauc.* i. 24 = *Centranthus longiflorus*.  
*angustifolia*, Mill. *Gard. Dict.* ed. VIII. n. 4 = *Centranthus angustifolius*.  
*angustifolia*, Sibth. & Sm. *Fl. Graec.* i. 22. t. 29 = *Centranthus Sibthorpii*.  
*angustifolia*, Tausch, ex Host, *Fl. Austr.* i. 36 = officinalis.  
*angustiloba*, DC. *Prod.* iv. 641.—Oriens.  
*annua*, S. F. Gray, *Nat. Arr. Brit. Pl.* ii. 478 = *Centranthus Calcitrapa*.  
*apula*, Pourr. in *Mém. Acad. Toul.* iii. (1788) 332.—Europ.  
*aquatica*, Schlecht. ex C. B. Clarke, in Hook. f. *Fl. Brit. Ind.* iii. 214 = *Leschenaultii*.  
*aretioides*, H. B. & K. *Nov. Gen. et Sp.* iii. 324 = *Phyllactis aretioides*.  
*arizonica*, A. Gray, in *Proc. Am. Acad.* xix. (1883) 81.—Arizona.  
*armeriaefolia*, Schlecht. in *Linnaea*, xxviii. (1856) 485.—Peruv.  
*Arnottiana*, Steud. *Nom.* ed. II. ii. 741 = *Hookeriana*.  
*Arnottiana*, Wight, Ic. t. 1045, 1046 = *Hardwickii*.  
*asarifolia*, Dufr. *Hist. Valér.* 44.—Ins. Creta.  
*astrephioides*, Hoeck, in *Engl. Bot. Jahrb.* iii. (1882) 53 = *Astrephia laxa*.  
*auriculata*, Tardent, *Ess. Hist. Nat. Bessar.* 65 = *Valerianella Auricula*?  
*barbareaefolia*, Mart. & Gal. in *Bull. Acad. Brux.* xi. i. (1844) 121.—Mexic.  
*Beddomei*, C. B. Clarke, in *Hook. f. Fl. Brit. Ind.* iii. 214.—Ind. or.  
*Berterii*, Colla, in *Mem. Acc. Torin.* xxxviii. (1835) 5 = V. *Papilla*.  
*Berteroniana*, Steud. & Hochst. ex Steud. *Nom.* ed. II. ii. 741 = *Bridgesii*.  
*Bertisea*, Pant. *Elench. Pl. Vasc. Crna-Gora*, 42.—Europ.  
*Bonplandiana*, Wedd. *Chlor. And.* ii. 19.—Ecuador.  
*brachialia*, Pers. *Syn.* i. 37 = *pinnatifida*.  
*bracteata*, Benth. *Pl. Hartw.* 195 = *Phyllactis bracteata*.  
*bracteata*, Boiss. *Fl. Orient.* iii. 91 = *leucophaea*.  
*bracteata*, Royle, *Illustr. Bot. Himal.* 241 = *pyrolaeifolia*.  
*bracteosa*, Phil. in *Linnaea*, xxxiii. (1864-65) 101.—Chili.  
*bractescens*, Hoeck, in *Engl. Bot. Jahrb.* iii. (1882) 57 = *Phyllactis bracteata*.  
*Bridgesii*, Hook. & Arn. in *Hook. Bot. Misc.* iii. (1833) 365.—Chili.  
*Brunoniana*, Wall. *Cat. n.* 405 = *Calorhabdos Brunoniana*.  
*Brunoniana*, Wight & Arn. *Prod.* 443 = *Leschenaultii*.  
*bulbosa*, Pall. *Reise*, i. 148 = *tuberosa*.  
*bulbosa*, Wedd. *Chlor. And.* ii. 24.—Bolivia.  
*Bustilloi*, Phil. in *Linnaea*, xxxiii. (1864-65) 104.—Chili.  
*caespitosa*, Rupr. *Sert. Tiansch.* 51.—As. centr.  
*Calcitrapa*, Linn. *Sp. Pl.* 31 = *Centranthus Calcitrapa*.  
*calthaefolia*, Sieber, ex Steud. *Nom.* ed. I. 868, nomen (Quid?).—Hab.?  
*Candolleana*, Gardn. in *Hook. Lond. Journ. Bot.* iv. (1845) 112 = *scandens*.  
*capensis*, Thunb. *Prod. Pl. Cap.* 7.—Afr. austr.  
*capitata*, Pall. ex Link, *Jahrb.* i. III. (1820) 66.—Reg. arct.  
*Cardamines*, Bieb. *Fl. Taur.-Cauc.* i. 24 = *sisymbriifolia*.  
*carnosa*, Sm. *Pl. Ic. Ined.* t. 52.—Reg. Magellan.  
*Catacata*, Asara, *Voy.* ii. 490.—Reg. Andin.  
*celtica*, Linn. *Sp. Pl.* 32.—Europ.  
*celtica*, Vill. *Hist. Pl. Dauph.* ii. 285 = *saliunca*.  
*cephalantha*, Schlecht. in *Linnaea*, xxviii. (1856) 483.—Peruv.  
*ceratophylla*, H. B. & K. *Nov. Gen. et Sp.* iii. 333.—Mexic.  
*chaerophylla*, Pers. *Syn.* i. 37 = *Astrephia chaerophylloides*.  
*chaerophylloides*, Sm. *Pl. Ic. Ined.* t. 53 = *Astrephia chaerophylloides*.  
*chamaedryfolia*, Cham. & Schlecht. in *Linnaea*, iii. (1828) 129 = *Valerianopsis chamaedryfolia*.  
*chinensis*, Linn. *Sp. Pl.* 33 = *Boerhaavia repanda*.  
*ciliata*, Torr. & Gray, *Fl. N. Am.* ii. 49 = *edulis*.  
*clarionaeifolia*, Phil. in *Linnaea*, xxviii. (1856) 702.—Chili.

## VALERIANA:—

- Clematidis*, H. B. & K. *Nov. Gen. et Sp.* iii. 327.—N. Granat.  
*coarctata*, Ruiz & Pav. *Fl. Per.* i. 40. t. 68. f. a.—Peruv.  
*colchaguensis*, Phil. in *Linnaea*, xxxiii. (1864-65) 104.—Chili.  
*collina*, Wallr. in *Linnaea*, xiv. (1840) 537 (*Beitr. Fl. Hercyn.* 167) = officinalis.  
*compacta*, Opiz, *Natural. n. x.* (1825) 244 = dioica.  
*connata*, Ruiz & Pav. *Fl. Per.* i. 39. t. 67. f. c.—Peruv.  
*cordata*, Griseb. in *Goett. Abh.* vi. (1854) 126; *Phil. in Linnaea*, xxviii. (1856) 697.—Chili.  
*cordifolia*, Hoeck, in *Engl. Bot. Jahrb.* iii. (1882) 54 = *Phyllactis cordifolia*.  
*Cornucopiae*, Linn. *Sp. Pl.* 31 = *Fedia Cornucopiae*.  
*coronata*, Mill. *Gard. Dict.* ed. VIII. n. 11 = *Valerianella discoidea*.  
*coronata*, Salisb. *Prod.* 56 = *Valerianella coronata*.  
*crassifolia*, H. B. & K. *Nov. Gen. et Sp.* iii. 328.—N. Granat.  
*crassipes*, Hoeck, in *Engl. Bot. Jahrb.* iii. (1882) 56 = *Phyllactis crassipes*.  
*Crinii*, Orph. in Boiss. *Diagn. Ser. II.* ii. 119 = *montana*.  
*crispa*, Hook. & Arn. *Bot. Beech. Voy.* 27 = *pterocarpa*.  
*crispa*, Ruiz & Pav. *Fl. Per.* i. 41 = *Astrephia crispa*.  
*cuspidata*, Bertol. ex DC. *Prod.* iv. 636 = *montana*.  
*dacica*, Porc. in *Magyar Növenyt. Lapok*, ix. (1885) 127 = *tripteris*.  
*daghestanica*, Rupr. ex Boiss. *Fl. Orient.* iii. 87.—Reg. Cauc.  
*decussata*, Bonpl. ex Wedd. *Chlor. And.* ii. 19 = *Bonplandiana*.  
*decussata*, Ruiz & Pav. *Fl. Per.* i. 42. t. 70. f. b.—Peruv.  
*densa*, Hoeck, in *Engl. Bot. Jahrb.* iii. (1882) 55 = *Phyllactis densa*.  
*densiflora*, Benth. *Pl. Hartw.* 39.—Mexic.  
*dentata*, All. *Fl. Pedem. i.* 4 = *Valerianella dentata*.  
*denudata*, Benth. *Pl. Hartw.* 20.—Mexic.  
*dichotoma*, [Moq. & Sesse], ex DC. *Prod.* iv. 640 = *ceratophylla*.  
*dinorrhiza*, Hoeck, in *Engl. Bot. Jahrb.* iii. (1882) 54 = *Phyllactis dinorrhiza*.  
*dioica*, Bess. *Prim. Fl. Galic.* i. 48 = *elongata*.  
*dioica*, Linn. *Sp. Pl.* 31.—Europ.  
*dioica*, Pursh, *Fl. Am. Sept.* ii. 727 = *sylvatica*.  
*Dioscoridis*, Sibth. & Sm. *Fl. Graec. Prod.* i. 21.—Graecia; As. Min.  
*discoidea*, Willd. *Sp. Pl.* i. 184 = *Valerianella discoidea*.  
*divaricata*, Hinter, in *Verh. Zool.-Bot. Ges. Wien*, viii. (1858) 333 = *exaltata*.  
*diversifolia*, Miq. *Ann. Mus. Bot. Lugd. Bat.* iii. 115.—Japan.  
*dubia*, Bunge, in *Ledeb. Fl. Alt.* i. 52 = officinalis.  
*dubia*, Turcz. ex Steud. *Nom.* ed. II. ii. 741 = *heterophylla*.  
*echinata*, Linn. *Syst. ed. X.* 861 = *Valerianella echinata*.  
*edulis*, Nutt. in *Torr. & Gray, Fl. N. Am.* ii. 48.—Am. bor. occ.  
*effusa*, Griseb. in *Goett. Abh.* xix. (1874) 162.—Reg. Argent.  
*elata*, D. Don, *Prod. Fl. Nep.* 159 = *Hardwickii*.  
*elegans*, C. B. Clarke, in *Hook. f. Fl. Brit. Ind.* iii. 212.—Reg. Himal.  
*elegans*, Clos, in C. Gay, *Fl. Chil.* iii. 236.—Chili.  
*elongata*, Geners. *Elench. Scepus.* n. 32; ex *Wahlenb. Fl. Carpat.* 11 = *tripteris*.  
*elongata*, Jacq. *Enum. Pl. Vindob.* 7, 205.—Austr.  
*Engleriana*, Hoeck, in *Engl. Bot. Jahrb.* iii. (1882) 54 = *Phyllactis pinnatifida*.  
*eriocephala*, Boiss. *Fl. Orient.* iii. 1031 (Index), sphalm. = *Valerianella hirsutissima*.  
*erysimoides*, Poepp. & Endl. *Nov. Gen. et Sp.* iii. 16.—Peruv.  
*exaltata*, Baumg. *Enum. Stirp. Transs.* 56 = *sambucifolia*.  
*exaltata*, Mikan, f. ex Pohl, *Tent. Fl. Bohem.* i. 41.—Rossia.  
*excelsa*, Poir. *Encyc.* viii. 301 = officinalis.  
*exscapa*, Griseb. in *Lechl. Berb. Am. Austr.* 57, nomen.—Peruv.  
*exscapa*, Willk. ex Willk. & Lange, *Prod. Fl. Hisp.* ii. 3 = *longiflora*, Willk.  
*ferax*, Hoeck, in *Engl. Bot. Jahrb.* iii. (1882) 55 = *Phyllactis ferax*.

## VALERIANA:—

- ficariaefolia*, Boiss. *Fl. Orient.* iii. 89.—Persia.  
*flaccidissima*, Maxim. in *Bull. Acad. Pétersb.* xii. (1868) 228.—Japon.  
*floribunda*, Phil. in *Linnaea*, xxviii. (1856) 701.—Chili.  
*florida*, Salisb. *Prod.* 55 = *Centranthus ruber*.  
*foliosa*, Phil. in *Linnaea*, xxviii. (1856) 698.—Chili.  
*Fonki*, Phil. l. c. 698.—Chili.  
*fragilis*, Clos, in C. Gay, *Fl. Chil.* iii. 226.—Chili.  
*Galeottianum*, Mart. & Gal. in *Bull. Acad. Brux.* xi. i. (1844) 124 = *Phyllactis pratensis*.  
*Gesneri* ×, Bruegg. in *Jahresb. Naturf. Ges. Graub.* II. xxiii-xxiv. (1880) 114.—Europ.  
*glaucula*, Lapeyr. *Hist. Abr. Pl. Pyr.* 19, in *syn.* = *apula*.  
*glaucula*, Poepp. ex DC. *Prod.* iv. 639.—Chili.  
*globifera*, Pers. *Syn.* i. 37 = seq.  
*globiflora*, Ruiz & Pav. *Fl. Per.* i. 43. t. 65. f. b.—Peruv.  
*globulariaefolia*, Ramond, ex DC. *Fl. Fr.* iv. 236 = *apula*.  
*globularis*, A. Gray, in *Proc. Am. Acad.* v. (1861) 322.—Peruv.  
*gracilipes*, Clos, in C. Gay, *Fl. Chil.* iii. 231.—Chili.  
*gracilis*, Benth. *Pl. Hartw.* 196.—Ecuador.  
*grandiflora*, Wall. *Cat. n.* 403, sphalm. = *Veronica himalensis*.  
*grandifolia*, Phil. in *Linnaea*, xxviii. (1856) 700.—Chili.  
*Grisiana*, Wedd. *Chlor. And.* ii. 19.—Peruv.  
*Hardwickiana*, Schult. *Mant.* i. 259 = *Hardwickii*.  
*Hardwickii*, D. Don, *Prod. Fl. Nep.* 159 = *Wallichii*.  
*Hardwickii*, Thw. *Enum. Pl. Zeyl.* 159 = *Moonii*.  
*Hardwickii*, Wall. in *Roxb. Fl. Ind. ed. Carey*, i. 166.—Reg. Himal.; Malaya.  
*hebecarpa*, DC. *Prod.* iv. 638.—Chili.  
*heterophylla*, Baumg. *Enum. Stirp. Transs.* 57 = *tripteris*.  
*heterophylla*, Loisel. *Fl. Gall.* ed. I. 21 = *apula*.  
*heterophylla*, Turcz. in *Bull. Soc. Nat. Mosc.* (1837) n. VII. 153, nomen; xviii. (1845) i. 321.—Sibir. baical.  
*hirtella*, H. B. & K. *Nov. Gen. et Sp.* iii. 327.—Ecuador.  
*hispidula*, Hoeck, in *Engl. Bot. Jahrb.* iii. (1882) 56 = *Phyllactis hispidula*.  
*hispidula*, Turcz. in *Bull. Soc. Nat. Mosc.* xxv. (1852) II. 172.—N. Granat.  
*hispidula*, Boiss. *Diagn. Ser. I.* iii. 56 = officinalis.  
*Hoffmeisteri*, Klotzsch, in *Bot. Ergeb. Waldem. Reise*, 84 = *Hardwickii*.  
*Hookeri*, Shutt. in *Flora*, xx. (1837) 450 = *sitchensis*.  
*Hookeriana*, Wight & Arn. *Prod.* 444.—Ind. or.  
*Hoppii*, Reichb. *Fl. Germ.* xii. 34 = *tripteris*.  
*Hornschuchiana*, Walp. in *Nov. Act. Nat. Cur.* xix. *Suppl.* i. (1843) 357.—Chili.  
*hortensis*, Lam. *Fl. Fr.* iii. 359 = V. *Phu*.  
*Humboldtii*, Hook. & Arn. in *Hook. Bot. Misc.* iii. (1833) 365.—Chili.  
*hyalinorrhiza*, H. B. & K. *Nov. Gen. et Sp.* iii. 331 = *Humboldtii*.  
*hyalinorrhiza*, Ruiz & Pav. *Fl. Per.* i. 41. t. 67. f. b.—Chili; Peruv.  
*inconspicua*, Hoeck, in *Engl. Bot. Jahrb.* iii. (1882) 55 = *Phyllactis inconspicua*.  
*incrassata*, Bory & Chaub. *Nouv. Fl. Pélop.* 2 = *Valerianella eriocarpa*.  
*intermedia*, Sternb. & Hoppe, in *Denkschr. Bot. Ges. Regensb.* i. II. (1818) 88, 89 = *montana*.  
*intermedia*, Vahl, *Enum.* ii. 9 = *tripteris*.  
*interrupta*, Ruiz & Pav. *Fl. Per.* i. 42. t. 67. f. a.—Peruv.  
*isophylla*, Arv. *Ess. Pl. Dauph.* 34 (Quid?).—Gallia.  
*italica*, Lam. *Illustr.* i. 92 = *Dioscoridis*.  
*Jaeschkii*, C. B. Clarke, in *Hook. f. Fl. Brit. Ind.* iii. 212.—Reg. Himal.  
*japonica*, Miq. *Ann. Mus. Bot. Lugd. Bat.* iii. 115.—Japan.  
*Jatamansi*, Jones, in *As. Res.* ii. (1790) 416; iv. (1795) 451 = *Wallichii*.  
*Jatamansi*, Wall. *Cat. n.* 431 = *Nardostachys Jatamansi*.  
*javanica*, Blume, *Bijdr.* 919 = *Hardwickii*.  
*Jetamansi*, Dufr. *Hist. Valér.* 43, sphalm. = V. *Jatamansi*.  
*laciniata*, Ruiz & Pav. *Fl. Per.* i. 42 = *Astrephia chaerophylloides*.  
*laciniata*, Salisb. *Prod.* 56 = *Centranthus Calcitrapa*.

**VALERIANA:—**

- laciniosa, *Mart. & Gal. in Bull. Acad. Brux.* xi. i. (1844) 121.—Mexic.  
*laeta*, Salisb. *Prod.* 56 = *V. Phu*.  
*laevicaulis*, Stokes, *Bot. Mat. Med.* i. 95 = *V. Phu*.  
*laevigata*, Willd. *ex Steud. Nom. ed. I.* 869, nomen (Quid?).—Am. austr.  
*lapathifolia*, *Vahl, Enum.* ii. 11.—Reg. Magellan.  
*lasiocarpa*, *Griseb. in Goett. Abh.* xxiv. (1879) 160.—Reg. Argent.  
*latifolia*, *Mart. & Gal. in Bull. Acad. Brux.* xi. i. (1844) 124.—Mexic.  
*laurifolia*, *H. B. & K. Nov. Gen. et Sp.* iii. 328.—N. Granat.  
*laxa*, *Phil. in Linnaea*, xxviii. (1856) 701.—Chili.  
*laxiflora*, *DC. Prod.* iv. 638.—Chili.  
*laxiflora*, *Phil. in Anal. Univ. Chil.* (1872) 734 = *sparsiflora*.  
*lepidota*, *Clos, in C. Gay, Fl. Chil.* iii. 230.—Chili.  
*Leschenaultii*, *DC. Prod.* iv. 640.—Ind. or.  
*leucocarpa*, *DC. l. c.* 638.—Chili.  
*leucophaea*, *DC. l. c.* 644.—As. Min.; Persia.  
*Lindleyana*, *Wall. Cat. n.* 404 = *Picrorhiza Kurroa*.  
*lobata*, *Hoeck, in Engl. Bot. Jahrb.* iii. (1882) 53 = *Astrephia lobata*.  
*Locusta*, *Linn. Sp. Pl.* 33 = *Valerianellae* spp. variae.  
*Locusta*, *Ucria, Hort. Reg. Panorm.* 46; *ex Guss. Fl. Sic. Prod.* i. 24 = *Fedia Cornucopiae*.  
*longiflora*, *Regel & Schmalh. in Act. Hort. Petrop.* vii. (1880) 384.—Turkestan.  
*longiflora*, *Willk. in Flora*, xxxiv. (1851) 733.—Hispan.  
*longifolia*, *H. B. & K. Nov. Gen. et Sp.* iii. 330.—N. Granat.  
*lucida*, *Hort. Par. ex DC. Prod.* iv. 641 = *officinalis*.  
*lutescens*, *Phil. in Linnaea*, xxviii. (1856) 699.—Chili.  
*lyrata*, *Phil. l. c.* xxxiii. (1864–65) 103.—Chili.  
*lyrata*, *Vahl, Enum.* ii. 4.—Peruv.  
*macrophylla*, *Bieb. Fl. Taur.-Cauc.* i. 25 = *alliarifolia*.  
*macrorrhiza*, *Poepp. ex DC. Prod.* iv. 635 = *Phyllactis macrorrhiza*.  
*macrocephala*, *Vilm. Fl. Pl. Terre, ed. I.* 916 = *Centranthus macrocephalus*.  
*magellanica*, *Homb. & Jacquinot, ex Decne. Bot. Voy. Astrol. et Zél.* 54.—Reg. Magellan.  
*magellanica*, *Lam. Illustr.* i. 93 = *carnosa*.  
*magna*, *Clos, in C. Gay, Fl. Chil.* iii. 227.—Chili.  
*major*, *Pall. Reise*, iii. 318 = *officinalis*.  
*Mandoniana*, *Hoeck, in Engl. Bot. Jahrb.* iii. (1882) 54 = *Phyllactis Mandoniana*.  
*mexicana*, *DC. Prod.* iv. 640.—Mexic.  
*microphylla*, *Bedd. in Madr. Journ. Sc. Ser. III.* i. (1864) 50 = *Beddomei*.  
*microphylla*, *H. B. & K. Nov. Gen. et Sp.* iii. 325.—Peruv.  
*micropterina*, *Wedd. Chlor. And.* ii. 26.—Bolivia.  
*Mikaniae*, *Lindl. in Journ. Hort. Soc.* iii. (1848) 316.—Guatemala.  
*mixta*, *Linn. Sp. Pl.* 34 = *Valerianella dentata*.  
*monandra*, *Vill. Hist. Pl. Dauph.* ii. 280 = *Centranthus angustifolius*.  
*monorrhiza*, *Dufr. Hist. Valér.* 44 = *tuberosa*.  
*montana*, *Bieb. Fl. Taur.-Cauc.* i. 25 = *alpestris*.  
*montana*, *Gener. Elench. Scep.* n. 31; *ex Wahlenb. Fl. Carpat.* 11 = *dioica*.  
*montana*, *Georgi, Besch. Russ. Reich.* III. iv. 662 = *capitata*.  
*montana*, *Linn. Sp. Pl.* 32.—Europ.  
*Montteana*, *Phil. in Linnaea*, xxx. (1859–60) 191.—Chili.  
*Moonii*, *Arn. ex C. B. Clarke, in Hook. f. Fl. Brit. Ind.* iii. 213.—Zeylan.  
*Morisoni*, *Mert. & Koch, Deutschl. Fl.* i. 397, in syn., *sphalm.* = *Valerianella dentata*.  
*multiceps*, *Wallr. in Linnaea*, xiv. (1840) 539 (*Beitr. Fl. Hercyn.* 169) = *exaltata*.  
*multifida*, *Roem. & Schult. Syst.* i. 363, in syn. = *Valerianella membranacea*.  
*muriculata*, *Phil. in Linnaea*, xxxiii. (1864–65) 102.—Chili.  
*Mutisiana*, *Hoeck, in Engl. Bot. Jahrb.* iii. (1882) 54 = *Phyllactis Mutisiana*.  
*Napus*, *Lindl. Bot. Reg.* (1840) *Misc.* 76.—Mexic.  
*nasturtiifolia*, *Lag. ex Willk. & Lange, Prod. Fl. Hisp.* ii. 4 = *dioica*.  
*navalis*, *Wedd. Chlor. And.* ii. 23.—Bolivia.

**VALERIANA:—**

- oblongifolia, *Ruiz & Pav. Fl. Per.* i. 40. t. 65. f. a.—Peruv.  
*obovata*, *Clos, in C. Gay, Fl. Chil.* iii. 221 = *obtusifolia*.  
*obovata*, *Schult. Mant.* i. 265 = *edulis*?  
*obtusifolia*, *DC. Prod.* iv. 635.—Chili.  
*officinalis*, *Linn. Sp.* 31.—Europ.; As. bor.  
*olenaea*, *Boiss. & Heldr. Diagn.* Ser. II. ii. 118.—Graecia.  
*oligantha*, *Boiss. & Heldr. l. c.* Ser. I. x. 72.—Graecia.  
*olitoria*, *Willd. Fl. Berol. Prod.* 19 = *Valerianella olitoria*.  
*orbiculata*, *Sibth. & Sm. Fl. Graec. Prod.* i. 21 = *Centranthus Calcitrapa*.  
*oreocharis*, *Phil. in Linnaea*, xxviii. (1856) 699.—Chili.  
*organensis*, *Gardn. in Hook. Lond. Journ. Bot.* iv. (1845) 112 = *Valerianopsis organensis*.  
*origanifolia*, *Turcz. in Bull. Soc. Nat. Mosc.* xxv. (1852) ii. 171.—Peruv.  
*paniculata*, *Ruiz & Pav. Fl. Per.* i. 41. t. 70. f. a.—Peruv.  
*Papilla*, *Bert. ex DC. Prod.* iv. 638.—Chili.  
*parviflora*, *Hoeck, in Engl. Bot. Jahrb.* iii. (1882) 57 (= *Porteria parviflora*).—Venezuela.  
*parviflora*, *Miegév. in Bull. Soc. Bot. Fr.* xiv. (1867) 145 = *Centranthus Calcitrapa*.  
*pauciflora*, *Hook. Fl. Bor. Am.* i. 292. t. 101 = *sitchensis*.  
*pauciflora*, *Michx. Fl. Bot. Am.* i. 18.—Am. bor.  
*Pavonii*, *Poepp. & Endl. Nov. Gen. et Sp.* iii. 16. t. 215.—Peruv.  
*Pearcei*, *Phil. in Linnaea*, xxxiii. (1864–65) 101.—Chili.  
*peltata*, *Clos, in C. Gay, Fl. Chil.* iii. 229.—Chili.  
*petrophila*, *Bunge, in Ledeb. Fl. Alt.* i. 54.—Afghan.; Sibir. altaic.  
*Phaseoli*, *A. Br. in Ind. Sem. Hort. Berol.* (1851) 13 (*App.* 2).—Mexic.  
*phellocarpa*, *Phil. in Linnaea*, xxxiii. (1864–65) 100.—Chili.  
*Phu*, *Lapeyr. Hist. Abr. Pl. Pyr.* 18 = *montana*.  
*Phu*, *Linn. Sp. Pl.* 32.—Europ.; Reg. Cauc.  
*pilosa*, *Phil. in Linnaea*, xxviii. (1856) 702.—Chili.  
*pilosa*, *Ruiz & Pav. Fl. Per.* i. 39. t. 66. f. a.—Peruv.  
*pilosuscula*, *Mart. & Gal. in Bull. Acad. Brux.* xi. i. (1844) 122.—Mexic.  
*pinnata*, *Gilib. Exercit.* ii. 454 = *officinalis*.  
*pinnatifida*, *Ruiz & Pav. Fl. Per.* i. 40. t. 69. f. b.—Peruv.  
*plantaginea*, *H. B. & K. Nov. Gen. et Sp.* iii. 329.—Ecuador.  
*polemonioides*, *H. B. & K. l. c.* 332.—Ecuador.  
*polybotrya*, *Hoeck, in Engl. Bot. Jahrb.* iii. (1882) 55 = *Phyllactis polybotrya*.  
*polygama*, *Bess. ex DC. Prod.* iv. 637 = *elongata*.  
*polystachya*, *Sm. Pl. Ic. Ined.* t. 51 = *Valerianopsis polystachya*.  
*pratensis*, *Steud. Nom. ed. II.* ii. 742 = *Phyllactis pratensis*.  
*procera*, *H. B. & K. Nov. Gen. et Sp.* iii. 329.—Mexic.  
*procurrens*, *Wallr. in Linnaea*, xiv. (1840) 540 (*Beitr. Fl. Hercyn.* 170) = *officinalis*.  
*pterocharis*, *Hook. & Arn. Bot. Beech. Voy.* 28, in nota.—Chili.  
*pubescens*, *Germann, in Bot. Zeit. Regensb.* iv. (1805) 359 = *Valerianella uncinata*.  
*pubescens*, *Phil. Fl. Atac.* 26.—Chili.  
*pulchella*, *Mart. & Gal. in Bull. Acad. Brux.* xi. i. (1844) 123.—Mexic.  
*pulchella*, *Phil. in Linnaea*, xxxiii. (1864–65) 102.—Chili.  
*pumila*, *Willd. Sp. Pl.* i. 184 = *Valerianella membranacea*.  
*pusilla*, *Royle, Illustr. Bot. Himal.* 241 = *dioica*.  
*pycnantha*, *A. Gray, in Proc. Am. Acad.* v. (1861) 322.—Peruv.  
*pygmaea*, *Turcz. in Bull. Soc. Nat. Mosc.* xxv. (1852) ii. 172.—Ecuador.  
*pyramidalis*, *H. B. & K. Nov. Gen. et Sp.* iii. 331.—Ecuador.  
*pyrenaica*, *Linn. Sp. Pl.* 33.—Mont. Pyren.  
*pyrolaeifolia*, *Decne. in Jacquem. Voy. Bot.* 85. t. 93.—Reg. Himal.  
*quadrangularis*, *H. B. & K. Nov. Gen. et Sp.* iii. 326.—Peruv.  
*radiata*, *Willd. Sp. Pl.* i. 184 = *Valerianella radiata*.  
*radialis*, *Clos, in C. Gay, Fl. Chil.* iii. 215.—Chili.  
*ramosissima*, *Mart. & Gal. in Bull. Acad. Brux.* xi. i. (1844) 122.—Mexic.

**VALERIANA:—**

- Regnellii*, *Sond. in Linnaea*, xxii. (1849) 573.—Bras.  
*regularis*, *Clos, in C. Gay, Fl. Chil.* iii. 225.—Chili.  
*remota*, *Ball, in Journ. Linn. Soc.* xxii. (1885) 42.—Peruv.  
*repens*, *Host, Fl. Austr.* i. 35 = *officinalis*.  
*repens*, *Wall. Cat. n.* 434; *et ex DC. Prod.* iv. 640.—Nepal.  
*rhizantha*, *A. Gray, in Proc. Am. Acad.* v. (1861) 322.—Peruv.  
*rigida*, *Ruiz & Pav. Fl. Per.* i. 39. t. 65. f. c = *Phyllactis rigida*.  
*ringens*, *Salisb. Prod.* 56 = *Fedia Cornucopiae*.  
*rotundifolia*, *Sibth. & Sm. Fl. Graec. t.* 31 = *Centranthus Calcitrapa*.  
*rotundifolia*, *Vill. Hist. Pl. Dauph.* ii. 283 = *montana*.  
*rotundiloba*, *Clos, in C. Gay, Fl. Chil.* iii. 233.—Chili.  
*Roylei*, *Klotzsch, in Bot. Ergeb. Waldem. Reise*, 83.—Reg. Himal.  
*rubra*, *Linn. Sp. Pl.* 31 = *Centranthus ruber*.  
*rumicoides*, *Wedd. Chlor. And.* ii. 22.—N. Granat.  
*rupestris*, *Pall. Reise*, iii. 266 = *Patrinia rupestris* (in *Addend.*).  
*rupestris*, *Phil. in Anal. Univ. Chil.* (1872) 734.—Chili.  
*rupestris*, *Uspenski, ex Ledeb. Fl. Ross.* ii. 426 = *Patrinia sibirica*.  
*rupicola*, *Lag. in Varied. Cienc.* ii. iv. (1805) 212 = *apula*.  
*rupicola*, *Poepp. & Endl. Nov. Gen. et Sp.* iii. 16. t. 217.—Chili.  
*ruthenica*, *Willd. Sp. Pl.* i. 181 = *Patrinia sibirica*.  
*salicariaefolia*, *Vahl, Enum.* ii. 16 = *Valerianopsis salicariaefolia*.  
*saliunca*, *All. Fl. Pedem.* i. 3. t. 70. f. 1.—Europ. austr.  
*sambucifolia*, *Eichw. Skizze*, 152 = *exaltata*.  
*sambucifolia*, *Mikan f. ex Pohl, Tent. Fl. Bohem.* i. 41.—Europ.  
*samolifolia*, *Bert. ex Colla, in Mem. Acc. Torin.* xxxviii. (1835) 4. t. 21 = *Valerianella samolifolia*.  
*Sanguisorbae*, *Pers. Syn.* i. 37 = *seq.*  
*sanguisorbaefolia*, *Cav. Ic.* v. 34.—Chili.  
*saxatilis*, *Georgi, Besch. Russ. Berol.* III. iv. 662 = *capitata*.  
*saxatilis*, *Linn. Sp. Pl.* 33.—Europ.  
*saxatilis*, *Vill. Hist. Pl. Dauph.* ii. 286 = *celtica*.  
*saxicola*, *C. A. Mey. Vers. Pfl. Cauc.* 49.—Reg. Cauc.  
*scandens*, *Forsk. Fl. Aegypt. Arab.* 12 = *Boerhaavia scandens*.  
*scandens*, *Loefl. It. Hisp.* 235.—Am. trop.  
*sciophila*, *Schur, Enum. Pl. Transs.* 289 = *sambucifolia*.  
*scorpioides*, *DC. Prod.* iv. 635.—Mexic.  
*scrophulariaefolia*, *Pourr. in Mém. Acad. Toul.* iii. (1788) 331 = *montana*.  
*sedifolia*, *Urv. in Mém. Soc. Linn. Par.* iv. (1826) 612 = *Phyllactis sedifolia*.  
*sedoides*, *Homb. & Jacquinot, ex Decne. Bot. Voy. Astrol. et Zél.* 53 = *Phyllactis sedifolia*.  
*senecioides*, *Phil. in Anal. Univ. Chil.* (1872) 735.—Chili.  
*serrata*, *Ruiz & Pav. Fl. Per.* i. 40. t. 68. f. c.—Peruv.  
*sibirica*, *Linn. Sp. Pl.* 34 = *Patrinia sibirica*.  
*sibirica*, *Willd. Sp. Pl.* i. 181 = *Patrinia rupestris* (in *Addend.*).  
*siifolia*, *C. Koch, in Linnaea*, xix. (1847) 32 = *Dioscoridis*.  
*simplex*, *Clos, in C. Gay, Fl. Chil.* iii. 224.—Chili.  
*simplicifolia*, *Kab.—Cf. Verh. Bot. Ver. Brandenb.* vi. (1864) 110 = *dioica*.  
*sinensis*, *J. F. Gmel. Syst.* 92 = *chinensis*.  
*sisymbriifolia*, *Schur, Enum. Pl. Transs.* 290 = *tripteris*.  
*sisymbriifolia*, *Urv. in Mém. Soc. Linn. Par.* i. (1822) 260 = *Dioscoridis*.  
*sisymbriifolia*, *Vahl, Enum.* ii. 7.—As. Min.; Persia.  
*sitchensis*, *Bong. in Mém. Acad. Pétersb. Sér.* VI. ii. (1833) 145.—Am. bor. occ.  
*sorbifolia*, *H. B. & K. Nov. Gen. et Sp.* iii. 332.—Mexic.  
*sparsiflora*, *Clos, in C. Gay, Fl. Chil.* iii. 218.—Chili.  
*spatulata*, *Phil. in Anal. Univ. Chil.* (1862) ii. 397.—Chili.  
*spatulata*, *Ruiz & Pav. Fl. Per.* i. 40. t. 68. f. b = *Phyllactis spatulata*.

**VALERIANA:—**

- speluncaria, Boiss. *Fl. Orient.* iii. 88.—Cilicia.  
 sphaerocarpa, Phil. in *Anal. Univ. Chil.* (1872) 730.—Chili.  
*Spica*, Vahl, *Enum.* ii. 13 = Wallichii.  
*Steveni*, Ledeb. *Fl. Ross.* ii. 436 = *Centranthus Calceitrapa*.  
*stolonifera*, Czern. in *Bull. Soc. Nat. Mosc.* xviii. (1845) ii. 133, in nota = officinalis.  
*Stracheyi*, C. B. Clarke, in *Hook. f. Fl. Brit. Ind.* iii. 212.—Reg. Himal.  
*striata*, Royle, *Illustr. Bot. Himal.* 241, nomen (Quid ?).—Cashmere.  
*stricta*, Clos, in C. Gay, *Fl. Chil.* iii. 235.—Chili.  
*subdentata*, Opiz, ex Mert. & Koch, *Deutschl. Fl.* i. 394 = dioica.  
*subincisa*, Benth. *Pl. Hartw.* 39.—Mexic.  
*supina*, DC. *Fl. Fr.* iv. 237 = salinca.  
*supina*, Linn. *Mant.* i. 27.—Austria.  
*sylvatica*, Banks, ex Richards. in *Frankl. 1st Journ.* ed. II. App. 2.—Am. bor.  
*sylvatica*, F. W. Schmidt, *Fl. Böem.* ii. 2 = dioica.  
*sylvestris*, S. F. Gray, *Nat. Arr. Brit. Pl.* ii. 478 = dioica.  
*sylvestris*, Groschke, in Keyserl. & Dersch. *Beschr. Prov. Kurland*, (1805) 110 = officinalis.  
*tenera*, Wall. ex DC. *Prod.* iv. 640 = Hardwickii.  
*tenuifolia*, Ruiz & Pav. *Fl. Per.* i. 39. t. 65. f. d = *Phyllactis tenuifolia*.  
*tenuissima*, Schur, *Enum. Pl. Transs.* 288 = officinalis.  
*toluccana*, DC. *Prod.* iv. 640.—Mexic.  
*tomentosa*, H. B. & K. *Nov. Gen. et Sp.* iii. 327.—Ecuador.  
*transsilvanica*, Schur, *Enum. Pl. Transs.* 290 = tripteris.  
*triloba*, Miq. *Ann. Mus. Bot. Lugd. Bat.* iii. 115.—Japan.  
*trinervis*, Viv. *Fl. Lib. Spec.* 67; *Fl. Cors.* 3 = *Centranthus nervosus*.  
*triphylla*, H. B. & K. *Nov. Gen. et Sp.* iii. 326.—N. Granat.  
*tripteris*, Linn. *Sp. Pl.* 32.—Europ.  
*tuberosa*, Linn. l. c. 33.—Europ. austr.; As. bor.  
*tuberosa*, Sprun. ex Nym. *Consp.* 336 = *Dioscoridis*.  
*uncinata*, Bieb. *Fl. Taur. Cauc.* i. 26 = *Valerianella uncinata*.  
*undulata*, Steud. *Nom. ed. II.* ii. 742, sphalm. = *Veronica Anagallis*?  
*urticaefolia*, H. B. & K. *Nov. Gen. et Sp.* iii. 330.—N. Granat.; Peruv.  
*vaga*, Clos, in C. Gay, *Fl. Chil.* iii. 227.—Chili.  
*vaginata*, H. B. & K. *Nov. Gen. et Sp.* iii. 331.—Mexic.  
*valdiviana*, Phil. in *Linnaea*, xxviii. (1856) 700.—Chili.  
*velutina*, Clos, in C. Gay, *Fl. Chil.* iii. 233.—Chili.  
*veronicaefolia*, Willd. ex Steud. *Nom. ed. I.* 870 = *urticaefolia*?  
*verticillata*, Clos, in C. Gay, *Fl. Chil.* iii. 223.—Chili.  
*vesicaria*, Mill. *Gard. Dict. ed. VIII.* n. 10 = *Valerianella vesicaria*.  
*Villarsii*, Timb. in *Mém. Acad. Toul. Sér. IV.* vi. (1856) 104 (Quid ?).—Gallia.  
*villosa*, Moon, *Cat. Pl. Ceyl.* 5 = Moonii.  
*villosa*, Thunb. *Fl. Jap.* 32 = *Patrinia villosa*.  
*villosa*, Wall. *Cat. n.* 433; et ex DC. *Prod.* iv. 640 = Wallichii.  
*violifolia*, Griff. *Notul.* iv. 213; *l.c.* Pl. *Asiat.* t. 465 = Wallichii.  
*virescens*, Clos, in C. Gay, *Fl. Chil.* iii. 222.—Chili.  
*virgata*, Ruiz & Pav. *Fl. Per.* i. 42. t. 66. f. b.—Peruv.  
*Volkmanni*, Phil. in *Anal. Univ. Chil.* (1872) 733.—Chili.  
*volubilis*, [Moç. & Sesse], ex DC. *Prod.* iv. 634 = scandens.  
 Wallichii, DC. l. c. 640.—Reg. Himal.

**VALERIANELLA**, Tourn. ex Hall. *Enum. Stirp. Helv.* 666 (1742); Moench, *Meth.* 493 (1794), partim. **VALERIANACEAE**, Benth. & Hook. f. ii. 156.  
 BETCKEA, DC. *Mém. Valer.* 18 (1829); *Prod.* iv. 642 (1830).  
 DUFRESNIA, DC. l. c. 8. t. 3 (1829); et *Prod.* l. c. 624 (1830).  
 FEDIA, Gaertn. *Fruct.* ii. 36. t. 86. f. 3 (1791), partim.

**VALERIANELLA:—**

- LOCUSTA, Riv. ex Medic. *Phil. Bot.* i. 55 (1789).  
 MASEMA, Dulac, *Fl. Hautes-Pyr.* 476 (1867).  
 ODONTOCARPA, Neck. *Elem.* i. 123 (1790).  
 PLECTRITIS, DC. *Mém. Valer.* 13 (1829); *Prod.* iv. 651 (1830).  
 POLYPREMUM, Adans. *Fam.* ii. 152 (1763).  
*abyssinica*, Fresen. in *Mus. Senckenb.* ii. (1837) 116 = dentata.  
*affinis*, Balf. f. in *Proc. Roy. Soc. Edinb.* xi. (1882) 837.—Ins. Socotra.  
*Amarella*, Krok, in *Vet. Akad. Handl. Stockh.* v. (1864) n. i. 31, 55.—Texas.  
*ambigua*, J. Lange, ex Krok, l. c. 56 = fallax.  
*amblyotis*, Fisch. & Mey. ex Hohen. in *Bull. Soc. Nat. Mosc.* (1838) 263.—Reg. Cauc.; Persia.  
*angulosa*, DC. ex W. Baxt. in *Loud. Hort. Brit. Suppl.* iii. 654, nomen (Quid ?).—Hab.?  
*anomala*, A. Gray, in *Proc. Am. Acad.* xix. (1883) 83.—Am. bor. occ.  
*aphanoptera*, A. Gray, l. c.—Am. bor. occ.  
*Aucheri*, Boiss. *Diagn. Ser. I.* iii. 58 = Szovitsiana.  
*Auricula*, DC. *Fl. Fr. Suppl.* 492 = rimosa.  
*Boissieri*, Krok, in *Vet. Akad. Handl. Stockh.* v. (1864) n. i. 32, 81.—Phrygia.  
*brachystephana*, Bertol. *Fl. Ital.* i. 193.—Ital.  
*bracteata*, Lowe, *Man. Fl. Mad.* i. 407.—Ins. Mader.  
*caerulea*, Eaton & Wright, *N. Am. Bot. ed. VIII.* 469 = olitoria.  
*calcarata*, Stev. ex Krok, in *Vet. Akad. Handl. Stockh.* v. (1864) n. i. 51 = sclerocarpa.  
*campanulata*, Bivona, *Stirp. Rar. Sicil. Manip.* iv. 18 = eriocarpa.  
*capitata*, Boiss. & Bal. *Diagn. Ser. II.* vi. 92.—Phrygia.  
*carinata*, Loisel. *Not. Pl. Fr.* 149.—Europ.; Oriens.  
*chenopodifolia*, DC. *Prod.* iv. 629.—Am. bor.  
*chlorodonta*, Coss. & Dur. ex Coss. in *Bull. Soc. Bot. Fr.* iii. (1856) 740.—Alger.  
*chlorostephana*, Boiss. & Bal. *Diagn. Ser. II.* vi. 93 = Boissieri.  
*chlorostephana*, Pomel, *Nouv. Mat. Fl. Atl.* 67.—Alger.  
*coerulea*, Auct. vide caerulea.  
*congesta*, Lindl. *Bot. Reg. t.* 1094.—Am. bor. occ.  
*conjungens*, Bunge, ex Boiss. *Fl. Orient.* iii. 109.—Persia.  
*corniculata*, C. A. Mey. *Verz. Pfl. Cauc.* 49.—Reg. Cauc.  
*Cornucopiae*, Loisel. *Fl. Gall. ed. I.* 23 = Fedia.  
*Cornucopiae*.  
*coronata*, DC. *Fl. Fr.* iv. 241.—Europ.; Oriens.  
*coronata*, DC. *Prod.* iv. 628 = discoidea.  
*corymbifera*, Boiss. *Fl. Orient.* iii. 107.—Pamphyl.  
*costata*, DC. *Prod.* iv. 626.—Europ.  
*cucullata*, Dufour, ex Krok, in *Vet. Akad. Handl. Stockh.* v. (1864) n. i. 40 = eriocarpa.  
*cymbaearca*, C. A. Mey. *Verz. Pfl. Cauc.* 49.—As. Min.; Persia.  
*dactylophylla*, Boiss. & Hohen. *Diagn. Ser. I.* x. 75.—Syria; Persia.  
*dasyacarpa*, Link, *Enum. Hort. Berol.* i. 63 = dentata.  
*dentata*, Loisel. *Fl. Gall. ed. I.* 21 = rimosa.  
*dentata*, Pollich, *Hist. Pl. Palat.* i. 30.—Europ.; As. bor.  
*dichotoma*, Gilib. *Exercit.* ii. 456 = olitoria.  
*diodon*, Boiss. *Diagn. Ser. I.* iii. 57.—As. Min.  
*diplusodon*, Boiss. l. c. x. 74.—Syria.  
*discoidea*, Loisel. *Not. Pl. Fr.* 148.—Graec.; As. Min.  
*divaricata*, Lange, in Kjoeb. *Vidensk. Meddel.* (1861) 61.—Hispan.  
*Dufresnia*, Bunge, ex Boiss. *Fl. Orient.* iii. 109.—As. Min.; Pers.; Afghan.  
*echinata*, DC. *Fl. Fr.* iv. 242.—Europ. austr.; As. Min.  
*eriocarpa*, Desv. *Journ. Bot.* ii. (1809) 314. t. 11. f. 2.—Europ.; Afr. bor.  
*eriocephala*, Hampe, in *Flora*, xxv. (1842) 64 = hirsutissima.  
*exscapa*, Stev. in *Mém. Soc. Nat. Mosc.* iii. (1812) 251 = *Hohenackeria bupleurifolia*.  
*Fagopyrum*, Walp. *Rep.* ii. 527 = chenopodifolia.  
*fallax*, Coss. & Dur. ex Coss. in *Ann. Sc. Nat. Sér. IV.* v. (1856) 32, nomen; Krok, in *Vet. Akad. Handl. Stockh.* v. (1864) n. i. 56.—Ital.; Afr. bor.  
*gibbosa*, DC. *Prod.* iv. 626 = costata.

**VALERIANELLA:—**

- gioelbaschiensis, Stapf, in *Denkschr. Akad. Wien*, l. (1885) 109.—Lycia.  
*glomerata*, Boiss. & Bal. *Diagn. Ser. II.* vi. 93.—As. Min.  
*gracilis*, Fisch. & Mey. *Ind. Sem. Hort. Petrop.* iv. 29 = membranacea.  
*gracilis*, Haberl. ex Heynh. *Nom.* i. 835 (Quid ?).—Tauria.  
*hamata*, DC. *Fl. Fr. Suppl.* 494 = coronata.  
*heterocarpa*, Bisch. *Hort. Heidelb.* (1851) 6.—Cf. *Linnaea*, xxv. (1852) 317 = membranacea.  
*hirsutissima*, Link, in *Linnaea*, ix. (1834) 580.—Graec.; As. Min.  
*hispidiuscula*, Méral, *Rev. Fl. Par.* 227 = dentata.  
*Huetii*, Boiss. *Fl. Orient.* iii. 101.—Armenia.  
*incrassata*, Nym. *Syll.* 62 = eriocarpa.  
*Kotschyi*, Boiss. *Diagn. Ser. I.* iii. 60.—Syria.  
*lasiocarpa*, Stev. ex Betcke, *Animad. Bot. Valer.* 26.—Reg. Cauc.; Mesopot.; Oriens.  
*lasioccephala*, Stev. ex Betcke, l. c. 21 = coronata.  
*laticuspis*, Bertol. *Fl. Ital.* i. 856 = membranacea.  
*laxa*, Boiss. & Bal. *Diagn. Ser. II.* ii. 121.—As. Min.; Syria.  
*laxa*, Presl, *Repert. Bot. Syst.* i. 11, in nota = *Astrephia laxa*.  
*laxiflora*, Dufur. *Hist. Valér.* 58. t. 3 = rimosa.  
*leiocarpa*, Auct. ex Steud. *Nom. ed. II.* ii. 743 = dentata.  
*leptocarpa*, Pomel, *Nouv. Mat. Fl. Atl.* 293.—Alger.  
*lingulata*, Presl, *Bot. Bemerk.* 88 = dentata.  
*Locusta*, Betcke, *Animad. Bot. Valer.* 10 = olitoria.  
*longiflora*, Regel & Schmalh. ex Regel, *Pl. Nov. Fedtsch.* 43.—Turkestan.  
*longiflora*, Walp. *Rep.* ii. 527.—Am. bor. occ.  
*lutea*, Moench, *Meth.* 493 = *Patrinia sibirica*.  
*macrocera*, A. Gray, in *Proc. Am. Acad.* xix. (1883) 83.—Am. bor. occ.  
*macrocyathus*, Pomel, *Nouv. Mat. Fl. Atl.* 69 = eriocarpa.  
*membranacea*, Loisel. *Not. Pl. Fr.* 150.—Europ.  
*microcarpa*, Loisel. l. c. 151 = dentata.  
*microcephala*, Krok, in *Vet. Akad. Handl. Stockh.* v. (1864) n. i. 77 = divaricata.  
*microcyathus*, Pomel, *Nouv. Mat. Fl. Atl.* 68 = eriocarpa.  
*microstephana*, Boiss. & Bal. *Diagn. Ser. II.* vi. 92 = lasiocarpa.  
*minuta*, Steud. *Nom. ed. II.* i. 626, sphalm. = seq.  
*mixta*, Dufur. *Hist. Valér.* 58. t. 3 = dentata.  
*monodon*, C. Koch, in *Linnaea*, xvii. (1843) 34 = cymbaearca.  
*Morisonii*, DC. *Prod.* iv. 627 = dentata.  
*multidentata*, Losc. & Pard. *Ser. Inconf. Pl. Arag. ed. Willk.* 49 = coronata.  
*muricata*, Bieb. ex W. Baxt. in *Loud. Hort. Brit. Suppl.* iii. 654, nomen (Quid ?).—Reg. Cauc.  
*muricata*, Heldr. ex Nym. *Consp.* 339 = eriocarpa.  
*mutica*, Kern. in *Oestr. Bot. Zeitschr.* xx. (1870) 357 = membranacea.  
*Nuttallii*, Walp. *Rep.* ii. 527.—Am. bor. occ.  
*obtusiloba*, Boiss. *Diagn. Ser. I.* iii. 59.—Graec.; As. Min.  
*olitoria*, Pollich, *Hist. Pl. Palat.* i. 30.—Europ.; Oriens.  
*orientalis*, Boiss. & Bal. *Diagn. Ser. II.* ii. 120.—As. Min.  
*otodonta*, Pomel, *Nouv. Mat. Fl. Atl.* 68 = dentata.  
*oxyrhyncha*, Fisch. & Mey. *Ind. Sem. Hort. Petrop.* iv. 51.—As. Min.; Persia.  
*parviflora*, Dougl. ex Torr. & Gray, *Fl. N. Am.* ii. 50 = congesta.  
*patellaria*, Wood, *Class-Book* (1861), 405 = Woodsiana.  
*persica*, Boiss. *Diagn. Ser. I.* iii. 58.—Persia.  
*petrophila*, Krok, in *Vet. Akad. Handl. Stockh.* v. (1864) n. i. 98 = *Valeriana petrophila*.  
*plagiocyathus*, Pomel, *Nouv. Mat. Fl. Atl.* 69 = eriocarpa.  
*plagiostephana*, Fisch. & Mey. *Ind. Sem. Hort. Petrop.* ii. 52.—Reg. Cauc.; Persia.  
*platyloba*, Dufur. *Hist. Valér.* 59. t. 3. f. 1.—Reg. Mediterr.  
*praecox*, Willk. in *Linnaea*, xxx. (1859–60) 104 = carinata.  
*pteroloba*, Steud. *Nom. ed. II.* ii. 743.—Iberia.  
*pterophila*, Steud. l. c. = *Valeriana petrophila*.  
*puberula*, DC. *Prod.* iv. 627 = dentata.  
*puberula*, Reichb. ex Nym. *Consp.* 339 = eriocarpa.  
*pubescens*, Krok, in *Vet. Akad. Handl. Stockh.* v. (1864) n. i. 48 = uncinata.



**VALERIANELLA** :—

- pubescens*, Mèrat, Nouv. Fl. Par. (1812) 13 = dentata.  
*pulchella*, Fisch. ex Krok, in Vet. Akad. Handl. Stockh. v. (1864) n. 1. 75 = membranacea.  
*pumila*, DC. Fl. Fr. Suppl. 494 = membranacea.  
*punctata*, Hort. Patav. ex Heynh. Nom. i. 836, nomen (Quid ?).—Hab. ?  
*pusilla*, Miègev. in Bull. Soc. Bot. Fr. x. (1863) 27 = olitoria.  
*quadrangularis*, Steud. Nom. ed. II. i. 626 = carinata.  
*radiata*, Dufr. Hist. Valér. 57.—Am. bor.  
*remota*, Boiss. & Hohen. Diagn. Ser. I. x. 75 = sclerocarpa.  
*rhombicarpa*, Aiken, ex Torr. & Gray, Fl. N. Am. ii. 51 = olitoria.  
*rimosa*, Bast. in Desv. Journ. Bot. iii. (1814) 20.—Hispan.  
*rotata*, Roem. & Schult. ex W. Baxt. in Loud. Hort. Brit. Suppl. iii. 654 (Quid ?).—Hab. ?  
*rugulosa*, Fisch. Hort. Gorenk. ed. II. (1812) 43 = eriocarpa.  
*samolifolia*, A. Gray, in Proc. Am. Acad. xix. (1883) 83.—Am. bor. occ.  
*sclerocarpa*, Fisch. & Mey. Ind. Sem. Hort. Petrop. ii. 53.—Reg. Cauc. ; Persia.  
*Sheilii*, Boiss. Fl. Orient. iii. 109 = membranacea.  
*sicula*, Link, in Linnaea, ix. (1834) 579 = discoidea.  
*Soyeri*, Buching. ex Boiss. Diagn. Ser. I. x. 74.—Graecia.  
*sphaerocarpa*, DC. Prod. iv. 628 = membranacea.  
*stenocarpa*, Krok, in Vet. Acad. Handl. Stockh. v. (1864) n. 1. 64.—Texas.  
*stephanodon*, Coss. & Dur. in Bull. Soc. Bot. Fr. iii. (1856) 741.—Alger.  
*Stockii*, Boiss. Fl. Orient. iii. 99.—Persia; Beluchist.  
*striata*, Stev. in Fisch. Cat. Hort. Gorenk. ed. II. (1812) 43 = olitoria.  
*Szovitsiana*, Fisch. & Mey. Ind. Sem. Hort. Petrop. iii. 48.—Arab. ; Syria; Persia.  
*trichocarpa*, Steud. Nom. ed. II. ii. 743, sphalm. = turgida.  
*tridentata*, Betcke, Animadv. Bot. Valer. 12; Reichb. Fl. Germ. Excurs. 198 = rimosa.  
*tridentata*, Gasp. in Il Progresso, iv. (1833) 169 = membranacea.  
*trigonocarpa*, DC. Prod. iv. 628 = turgida.  
*triparis*, Boiss. & Buhse, in Nouv. Mém. Soc. Nat. Mosc. xii. (1860) 111.—Persia; Afghan.  
*triquetra*, Shutt. in Flora, xx. (1837) 211 = chenopodifolia.  
*truncata*, Betcke, Animadv. Bot. Valer. 22; DC. Prod. iv. 627.—Europ. austr.; Oriens.  
*truncata*, Pett. ex Nym. Consp. 339 = eriocarpa.  
*tuberculata*, Boiss. Diagn. Ser. I. iii. 59.—Syria; Persia.  
*turgida*, Betcke, Animadv. Bot. Valer. 14; DC. Prod. iv. 626.—Reg. Mediterr. ; Tauria.  
*turkestanica*, Regel & Schmalh. ex Regel, Pl. Nov. Fedtsch. 43.—Turkestan.  
*umbilicata*, Wood, Class-Book (1861), 405 = Woodsiana.  
*uncinata*, Dufr. Hist. Valér. 60.—Reg. Cauc. ; Persia.  
*vesicaria*, Moench, Meth. 493.—Reg. Mediterr. ; Persia.  
*Woodsiana*, Walp. Rep. ii. 527.—Am. bor.

**VALERIANOIDES**, Medic. Phil. Bot. i. 177 (1789) = *Stachytarpheta*, Vahl (Verben.).  
*indica*, Medic. I. c. 178 = *S. indica*.  
*jamaicensis*, Medic. I. c. = *S. indica*.

**VALERIANOPSIS**, C. A. Muell. in Mart. Fl. Bras. vi. iv. 345 (1885). **VALERIANACEAE**.  
*angustifolia*, C. A. Muell. l. c. 346.—Bras.  
*chamaedryfolia*, C. A. Muell. l. c. 349.—Bras.  
*Eichleriana*, C. A. Muell. l. c. 348.—Bras.  
*foliosa*, C. A. Muell. l. c. 347.—Bras.  
*organensis*, C. A. Muell. l. c. 348.—Bras.  
*polystachya*, C. A. Muell. l. c. 350.—Bras.  
*salicariaefolia*, C. A. Muell. l. c. 347.—Bras.

**VALIKAHA**, Adans. Fam. ii. 84 (1763) = *Meme-cylon*, Linn. (Melastom.).

**VALISNERIA**, Scop. Introd. 68 (1777), sphalm. = *Vallisneria*, Mich. (Hydroch.).

**VALKERA**, Stokes, Bot. Mat. Med. i. 447 (1812) = *Walkera*, Schreb. (Inc. Sed.).

**VALLANTIA**, A. Dietr. Syn. Pl. i. 420 (1839) = *Vallantia*, Tourn. (Rubiace.).

**VALLARIS**, Burm. f. Fl. Ind. 51 (1768). **APOCYNACEAE**, Benth. & Hook. f. ii. 710.  
**EMERICIA**, Roem. & Schult. Syst. iv. 33, 401 (1819).  
**PELTANTHERA**, Roth, Nov. Pl. Sp. 132 (1821).  
*anceps*, Wall. Cat. n. 1622 (al. ordin. ?).—Burma.  
*assamensis*, Griff. Notul. iv. 77 = Heynii ?  
*clavata*, G. Don, Gen. Syst. iv. 79.—Ins. Molucc.  
*controversa*, Spreng. Syst. iv. Cur. Post. 65 = *Lepistemon* Wallichii.  
*dichotoma*, Wall. Cat. n. 1621; Griff. Notul. iv. 77 = Heynii.  
*divaricata*, G. Don, Gen. Syst. iv. 79 = *Strophanthes* divaricata.  
Heynii, Spreng. Syst. i. 635.—Ind. or. ; Burma.  
*indica*, J. F. Gmel. Syst. 391 = *V. Pergulana*.  
*lancifolia*, Hook. f. Fl. Brit. Ind. iii. 651.—Malacca.  
*laxiflora*, Blume, Bijdr. 1043 = *Pottisia cantonensis*.  
Maingayi, Hook. f. Fl. Brit. Ind. iii. 651.—Malacca.  
*ovalis*, Miq. Fl. Ind. Bat. ii. 427 = *V. Pergulana*.  
*Pergulana*, Burm. f. Fl. Ind. 51.—Ind. or. ; Malaya.  
*Pergularia*, Hook. Ic. Pl. t. 153, sphalm. = *praeac.*  
*sinensis*, G. Don, Gen. Syst. iv. 79.—China.

**VALLARIS**, Rafin. Fl. Tellur. iv. 114 (1836) = *Euphorbia*, Linn.  
*fimbriata*, Rafin. l. c. 115.—Hab. ?  
*Ipecacuana*, Rafin. l. c. = *E. Ipecacuana*.  
*missurica*, Rafin. l. c. (Quid ?).—Am. bor.  
*portulacoides*, Rafin. l. c. = *E. portulacoides*.  
*uniflora*, Rafin. l. c. = *E. uniflora*.

**VALLEA**, Mutis, ex Linn. f. Suppl. 42 (1781).  
**TILIACEAE**, Benth. & Hook. f. i. 238.  
*Calomala*, Blanco, Fl. Filip. ed. I. 439 = *Elaeocarpus* nitidus.  
*cernua*, Turcz. in Bull. Soc. Nat. Mosc. xxxi. (1858) 1. 236.—N. Granat.  
*cordifolia*, Ruiz & Pav. Syst. Veg. 132.—Peruv.  
*glabra*, Miers, in Ann. & Mag. Nat. Hist. Ser. IV. ii. (1868) 48.—Peruv.  
*macrophylla*, Turcz. in Bull. Soc. Nat. Mosc. xxxi. (1858) 1. 238.—N. Granat.  
*ovata*, Turcz. l. c. 237.—N. Granat.  
*pubescens*, H. B. & K. Nov. Gen. et Sp. v. 350.—N. Granat.  
*pyrifolia*, Turcz. in Bull. Soc. Nat. Mosc. xxxi. (1858) 1. 237.—Ecuador.  
*Schlimii*, Turcz. l. c. xxxvi. (1863) 1. 576.—N. Granat.  
*stipularis*, Linn. f. Suppl. 266.—N. Granat.

**VALLESIA**, Ruiz & Pav. Prod. 28. t. 5 (1794).  
**APOCYNACEAE**, Benth. & Hook. f. ii. 696.  
*chiococcoides*, H. B. & K. Nov. Gen. et Sp. iii. 233. t. 241 = *cymbaefolia*.  
*cymbaefolia*, Ortega, Hort. Matr. Dec. 58.—Am. trop.  
*dichotoma*, Ruiz & Pav. Fl. Per. ii. 26. t. 151 = *cymbaefolia*.  
*glabra*, Link, Enum. Hort. Berol. i. 207 = *cymbaefolia*.  
*hypoglauca*, Ernst, in Journ. Bot. viii. (1870) 375.—Venezuela.  
*mexicana*, Muell. Arg. in Linnaea, xxx. (1859–60) 393.—Mexic.  
*pubescens*, Anderss. in Vet. Akad. Handl. Stockh. 1853 (1855) 195.—Ins. Galapag.  
*punctata*, Spreng. Neue Entdeck. iii. 33.—Bras.

**VALLISNERIA**, Mich. ex Linn. Gen. ed. I. 300 (1737). **HYDROCHARIDEAE**, Benth. & Hook. f. iii. 451 [bis].  
**PHYSKIU**, Lour. Fl. Cochinch. 662 (1790).  
*aethiopica*, Fenzl, in Flora, xviii. (1844) 311, nomen; et in Sitzb. Akad. Wien, Math.-Nat. li. (1865) Abth. ii. 139.—Afr. trop.  
*alternifolia*, Roxb. Hort. Beng. 71; Fl. Ind. iii. 750 = *Lagarosiphon* Roxburghii.  
*americana*, Michx. Fl. Bor. Am. ii. 220 = spiralis.  
*bulbosa*, Poir. Encyc. viii. 321 = *Sagittaria sagittifolia*.  
*Jacquinii*, Savi, Oss. (1816) 12 = spiralis.  
*Jacquiniana*, Spreng. Syst. iii. 900 = *praeac.*  
*Linnei*, Bercht. & Presl, Rostl. i. Hydrochar. 7 = spiralis.  
*Micheliana*, Spreng. Syst. iii. 900 = seq.  
*Michelii*, Savi, Oss. (1816) 11 = spiralis.

**VALLISNERIA** :—

- nana*, R. Br. Prod. 345 = spiralis.  
*numidica*, Pomel, Nouv. Mat. Fl. Atl. 386.—Alger.  
*octandra*, Roxb. Pl. Corom. ii. 34 = *Blyxa* Roxburghii.  
*Physcium*, Fuss. ex Spreng. Syst. iii. 900.—Cochinch.  
*pusilla*, Barbieri, ex Bertol. Fl. Ital. x. 299, 300 = spiralis.  
*spiralis*, Linn. Sp. Pl. 1015.—Reg. temp. et calid.  
*spiraloides*, Roxb. Hort. Beng. 71; Fl. Ind. iii. 750 = spiralis.  
*verticillata*, Roxb. ll. cc. 71; 751 = *Hydrilla* verticillata.

**VALLOTA**, Herb. App. [Bot. Reg.] 29 (1821).  
**AMARYLLIDEAE**, Benth. & Hook. f. iii. 729.  
*elata*, M. Roem. Syn. Ens. 110 = purpurea.  
*eximia*, Hort. ex Flor. Mag. iv. (1865) t. 225 = purpurea.  
*grandiflora*, Carr. Rev. Hort. (1870) 50 = purpurea.  
*purpurea*, Herb. App. [Bot. Reg.] 29.—Afr. austr.

**VALLOTA**, Steud. Nom. ed. II. ii. 744 (1841), sphalm. = **VALOTA**, Adans. = **Panicum**, Linn. (Gramin.).

**VALORADIA**, Hochst. in Flora, xxiv. (1841) 1. Intell. 23; xxv. (1842) 239 = **Ceratostigma**, Bunge (Plumbag.).  
*abyssinica*, Hochst. ll. cc. 23; 239 = *C. abyssinicum*.  
*patula*, Hochst. l. c. xxiv. (1842) 240.—Abyss.  
*plumbaginoides*, Boiss. in DC. Prod. xii. 695 = *C. plumbaginoides*.

**VALOTA**, Adans. Fam. ii. 495 (1763) = **Panicum**, Linn. (Gramin.).

**VALOTA**, Dum. Anal. Fam. 58 (1829) = **Vallota**, Herb. (Amaryll.).

**VALSONICA**, Scop. Ann. iv. Hist. Nat. 97 (1770), sphalm. = **Watsonia**, Mill. (Irid.).

**VALTETA**, Rafin. Sylva Tellur. 53 (1838) = **Lochroma**, Benth. (1845) (Solnac.).  
*fuchsoides*, Rafin. l. c. = *I. fuchsoides*.  
*gesneroides*, Rafin. l. c. = *I. gesneroides*.

**VALVINTERLOBUS**, Dulac, Fl. Hautes-Pyr. 459 (1867) = **Wahlenbergia**, Schrad. (Campan.).  
*filiformis*, Dulac, l. c. = *W. hederacea*.

**VANALPHIMIA**, Lesch. ex DC. in Mém. Soc. Phys. Genève. i. (1821) 419 = **Saurauja**, Willd. (Ternstr.).  
*Djinote*, Lesch. ex DC. l. c. 424 = *S. crenulata*.  
*lanceolata*, Lesch. ex DC. l. c. 421 = *S. lanceolata*.

**VANALPIGHMIA**, Steud. Nom. ed. II. ii. 744 (1841), sphalm. = *praeac.*

**VANCOUVERIA**, C. Morr. & Decne. in Ann. Sc. Nat. Sér. II. ii. (1834) 351. **BERBERIDEAE**, Benth. & Hook. f. i. 44.  
**SCULERIA**, Rafin. Fl. Tellur. ii. 51 (1836).  
*chrysantha*, Greene, in Bull. Calif. Acad. i. ii. (1885) 66.—Oregon.  
*hexandra*, C. Morr. & Decne. in Ann. Sc. Nat. Sér. II. ii. (1834) 351.—Am. bor. occ.

**VANDA**, Jones, in As. Res. iv. (1795) 302; R. Br. in Bot. Reg. t. 506 (1820). **ORCHIDEAE**, Benth. & Hook. f. iii. 578.  
*alpina*, Lindl. Fol. Orch. Vanda, 10.—Reg. Himal.  
*Batemanni*, Lindl. Bot. Reg. (1846) t. 59 = *Staurospis* lissochiloides.  
*Bensoni*, Batem. in Bot. Mag. t. 5611; Veitch & Reichb. f. in Gard. Chron. (1867) 180, cum f.—Burma.  
*bicaudata*, Thw. Enum. Pl. Zeyl. 429 (= *Cottoniae* sp.).—Zeylan.  
*bicolor*, Griff. Notul. iii. 354; Ic. Pl. Asiat. t. 330.—Reg. Himal.  
*Boxallii*, Reichb. f. in Gard. Chron. (1881) 1. 366.—Ins. Philipp.  
*brunnea*, Reichb. f. Xenia Orch. ii. 138.—Burma.  
*Cathcarti*, Lindl. Fol. Orch. Vanda, 8; Hook. f. Illustr. Himal. Pl. t. 23 = *Arachnantha* *Cathcartii*.  
*clitellaria*, Reichb. f. in Flora, lv. (1872) 277.—Ins. Marian.

**VANDA** :—

- coerulea, *Griff. ex Lindl. Bot. Reg.* (1847) sub t. 30.—Reg. Himal.  
 coerulescens, *Griff. Notul.* iii. 352;  *Ic. Pl. Asiat.* t. 331.—Burma.  
 coerulescens, [Lindl.] in *Journ. Hort. Soc.* vi. (1857) p. viii, lapsu=coerulea.  
 concolor, *Blume, Rumphia*, iv. 49.—China.  
 congesta, *Lindl. Bot. Reg.* (1839) Misc. 61 = *Acampe congesta*.  
 crassiloba, *Teijsm. & Binn. Cat. Hort. Bog.* 48, nomen.—Ins. Buru.  
 cristata, *Lindl. in Wall. Cat. n.* 7328;  *et Gen. et Sp. Orch.* 216.—Reg. Himal.  
 cruenta, *Lodd. Cat. ex Sweet, Hort. Brit. ed. I.* 388 (Quid?).—China.  
 Cumingii, *Beer, Prakt. Orch.* 317 = *Angraecum falcatum*.  
 densiflora, *Lindl. in Lindl. & Paxt. Flow. Gard.* ii. (1851-52) 21, sub t. 42.—Burma.  
 falcata, *Beer, Prakt. Orch.* 317 = *Angraecum falcatum*.  
 fasciata, *Gardn. ex Lindl. Fol. Orch. Acampe*, 2 = *Acampe Wightiana*.  
 fimbriata, *Gardn. ex Thw. Enum. Pl. Zeyl.* 305 (= *Cleisostoma acaule*).—Zeylan.  
 furva, *Lindl. Bot. Reg.* (1844) Misc. 39, partim = concolor.  
 furva, *Lindl. Gen. et Sp. Orch.* 215.—Ins. Molucc.  
 fuscoviridis, *Lindl. in Gard. Chron.* (1848) 351 = furva.  
 gigantea, *Lindl. in Wall. Cat. n.* 7326 = *Stauropsis gigantea*.  
 Griffithii, *Lindl. in Lindl. & Paxt. Flow. Gard.* ii. (1851-52) 22 = alpina.  
 Guiberti, *Linden, ex Reichb. f. in Bot. Zeit.* xx. (1862) 375 = *Cleisostoma Guiberti*.  
 hastifera, *Reichb. f. in Linnaea*, xli. (1877) 30.—Hab.?  
 helvola, *Blume, Rumphia*, iv. 49.—Java.  
 Hindsii, *Lindl. in Hook. Lond. Journ. Bot.* ii. (1843) 237.—N. Guin.  
 Hookeri, *Hort.—Cf. Gard. Chron.* (1882) II 375, 558 = seq.  
 Hookeriana, *Reichb. f. in Bonplandia*, iv. (1856) 324.—Malaya.  
 insignis, *Blume, Rumphia*, iv. 49. t. 192.—Malaya.  
 lamellata, *Lindl. Bot. Reg.* (1838) Misc. 66.—Ins. Philipp.  
 lilacina, *Teijsm. & Binn. in Tijdschr. Nederl. Ind.* xxiv. (1862) 325.—Siam.  
 limbata, *Blume, Rumphia*, iv. 49.—Java.  
 Lindlayana, *Griff. Notul.* iii. 353, err. typ. = seq.  
 Lindleyana, *Griff. ex Lindl. & Paxt. Flow. Gard.* ii. (1851-52) 22 = *Stauropsis gigantea*.  
 lissochiloides, *Lindl. Gen. et Sp. Orch.* 216 = *Stauropsis lissochiloides*.  
 longifolia, *Lindl. in Wall. Cat. n.* 7322;  *et in Lindl. & Paxt. Flow. Gard.* ii. (1851-52) 21 = *Acampe longifolia*.  
 Lowe, *Lindl. in Gard. Chron.* (1847) 239 = *Arachnanthe Lowe*.  
 multiflora, *Lindl. Coll. Bot. t.* 38 = *Acampe longifolia*.  
 paniculata, *R. Br. in Bot. Reg.* sub t. 506;  *et Not. ad calcem tomi vi.* [3] = *Sarcanthus paniculatus*.  
 Parishii, *Reichb. f. Xenia Orch.* ii. 138.—Burma.  
 parviflora, *Lindl. Bot. Reg.* (1844) Misc. 45.—Ind. or.; Burma.  
 pauciflora, *Breda, Orch. Kuhl. Hass.* [t. 13] (*Sarcophilus* sp.).—Java.  
 peduncularis, *Lindl. Gen. et Sp. Orch.* 216 = *Cotonia macrostachya*.  
 pulchella, *Wight, Ic. t.* 1671 = *Saccolabium calceolare*.  
 pusilla, *Teijsm. & Binn. in Tijdschr. Nederl. Ind.* v. (1853) 493 = *Trichoglottis pusilla*.  
 recurva, *Hook. Exot. Fl.* iii. t. 187 = *Sarcanthus rostratus*.  
 rostrata, *Lodd. Bot. Cab. t.* 1008 = *Sarcanthus rostratus*.  
 Roxburghii, *R. Br. in Bot. Reg.* t. 506.—Ind. or.; Burma.  
 Sanderiana, *Reichb. f. in Gard. Chron.* (1882) I. 588.—Ins. Philipp.  
 scripta, *Spreng. Syst.* iii. 719 = *Grammatophyllum speciosum*.  
 spathulata, *Spreng. l. c.*—Ind. or.  
 Stangeana, *Reichb. f. in Bot. Zeit.* xvi. (1858) 351.—Assam.

VOL. II.

**VANDA** :—

- Storiei, *Storie, ex Reichb. f. in Gard. Chron.* (1880) II. 296 = *Renanthera Storiei*.  
 striata, *Reichb. f. Xenia Orch.* ii. 137 = cristata.  
 suaveolens, *Blume, Rumphia*, iv. 49 = tricolor.  
 suavis, *Lindl. in Gard. Chron.* (1848) 351.—Java.  
 suavis, *F. Muell. Fragm.* vii. 135 = Hindsii.  
 Sulingi, *Blume, Mus. Bot. Lugd. Bat. i.* 62 = *Renanthera Sulingi*.  
 teres, *Lindl. in Wall. Cat. n.* 7324.—Ind. or.; Burma.  
 teretifolia, *Lindl. Coll. Bot. t.* 6 = *Sarcanthus teretifolius*.  
 tessellata, *Hook. ex G. Don, in Loud. Hort. Brit.* 372;  *Lodd. ex Paxt. Mag. Bot. vii.* (1840) 265 = *Roxburghii*.  
 tesselloides, *Reichb. f. in Walp. Ann.* vi. 864 = *Roxburghii*.  
 testacea, *Reichb. f. in Gard. Chron.* (1877) II. 166 = parviflora.  
 trichorhiza, *Hook. Exot. Fl. i. t.* 72 = *Luisia trichorhiza*.  
 tricolor, *Hook. Bot. Mag. t.* 4432 = suavis.  
 tricolor, *Lindl. Bot. Reg.* (1847) sub t. 59.—Java.  
 undulata, *Lindl. in Journ. Linn. Soc.* iii. (1859) 42 (*Stauropsis* sp.).—Reg. Himal.  
 unicolor, *Steud. Nom. ed. II.* ii. 744 = lamellata, *Roxburghii*.  
 Vidalii, *Boxall, ex Naves, in Blanco, Fl. Philipp.* ed. III. Nov. App. 240 = lamellata.  
 violacea, *Lindl. Bot. Reg.* (1841) Misc. 12.—Ins. Philipp.  
 Vipanii, *Reichb. f. in Gard. Chron.* (1882) II. 134.—Burma.  
 Wightiana, *Lindl. ex Wight, Ic. t.* 1670 = *Acampe Wightiana*.  
 Wightii, *Reichb. f. in Walp. Ann.* vi. 932.—Ind. or.

VANDALEA, *Fourr. in Ann. Soc. Linn. Lyon, N. S.* xvi. (1868) 331 = *Sisymbrium*, *Tourn. (Crucif.)*.  
 rupestricola, *Fourr. l. c.* = *S. austriacum*.

VANDEA, *Griff. Notul.* iii. 352 (1851), sphalm. = Vanda, *R. Br. (Orchid.)*.

**VANDELLIA**, *Linn. Mant. i.* 12 (1767). *SCROPHULARINEAE*, *Benth. & Hook. f. ii.* 955.

- ANAGALLOIDES, *Krock. Fl. Siles.* ii. i. 398 (1790).  
 DICEROS, *Blume, Bijdr.* 751 (1826).  
 ELLOBUM, *Blume, l. c.* 746 (1826).  
 HORNEMANNIA, *Link & Otto, Ic. Pl. Sel.* 9. t. 3 (1820?).  
 ILVOGETON, *Endl. Gen.* 684 (1839).  
 LINDERNIA, *All. Misc. Taur.* iii. (1775) 178. t. 5.  
 MITRANTHUS, *Hochst. in Flora*, xxvii. (1844) 103.  
 PYXIDARIA, *Rupp. Fl. Jen. ed. Hall.* 237 (1745).  
 TITTMANNIA, *Reichb. Ic. Bot. Exot. i.* 27. t. 38 (1824).  
 VRIESEA, *Hassk. in Flora*, xxv. (1842) II. Beibl. 27.  
 alba, *Benth. Scroph. Ind.* 35 = crustacea.  
 alsinoides, *Benth. in DC. Prod. x.* 415.—Austral.  
 angustifolia, *Benth. Scroph. Ind.* 37.—As. trop.  
 arridens, *Hance, in Ann. Sc. Nat. Sér. IV.* xv. (1861) 226 = pedunculata.  
 Brownii, *Benth. in DC. Prod. x.* 413 = crustacea.  
 caespitosa, *Benth. l. c.* 415.—Java.  
 Chamaedrys, *G. Don, Gen. Syst. iv.* 549 = *Gratiola Chamaedrys*.  
 clausa, *F. Muell. in Trans. Phil. Inst. Vict.* iii. (1859) 60 = *Bonnaya clausa*.  
 cordifolia, *G. Don, Gen. Syst. iv.* 549 = pedunculata.  
 corymbosa, *Baker, in Journ. Bot.* xx. (1882) 221.—Madag.  
 crustacea, *Benth. Scroph. Ind.* 35.—Cosmop. trop.  
 cymulosa, *Miq. Ann. Mus. Bot. Lugd. Bat.* ii. 117.—Japon.  
 diffusa, *Blanco, Fl. Filip. ed. I.* 505 = *Torenia parviflora*.  
 diffusa, *Linn. Mant. i.* 89.—Am. trop.  
 diffusa, *Willd. Sp. Pl.* iii. 343 = pedunculata.  
 elata, *Benth. Scroph. Ind.* 36.—Burma.  
 Ellobum, *Benth. in DC. Prod. x.* 417.—Java.  
 erecta, *Benth. Scroph. Ind.* 36.—Europ.; Geront. trop. et subtrop.  
 erecta, *Benth. l. c.*, partim = multiflora.  
 glandulifera, *Benth. in DC. Prod. x.* 415.—Java.  
 hirsuta, *Buch.-Ham. ex Benth. Scroph. Ind.* 36.—As. trop.  
 hirta, *Buch.-Ham. ex Wall. Cat. sub n.* 3942 = mollis.

**VANDELLIA** :—

- Hookeri, *C. B. Clarke, ex Hook. f. Fl. Brit. Ind.* iv. 280.—Reg. Himal.  
 japonica, *Miq. Ann. Mus. Bot. Lugd. Bat.* ii. 118.—Japon.  
 latifolia, *Benth. in DC. Prod. x.* 415.—Java.  
 laxa, *Benth. Scroph. Ind.* 36 = scabra.  
 limosa, *Walp. in Nov. Act. Nat. Cur.* xix. Suppl. i. (1843) 394.—China.  
 lobelioides, *F. Muell. in Trans. Phil. Inst. Vict.* iii. (1859) 61 = *Ilysanthes lobelioides*.  
 lobelioides, *Oliver, in Trans. Linn. Soc.* xxix. (1875) 120.—Afr. trop.  
 Malurea, *Raesch. Nom. ed. III.* 180 = *Stemodia pusilla*.  
 Matourea, *Steud. Nom. ed. I.* 870, sphalm. = praec.  
 minima, *Royle, ex Benth. Scroph. Ind.* 37 = sessiliflora.  
 minuta, *Miq. Fl. Ind. Bat.* ii. 691.—Java.  
 mollis, *Benth. Scroph. Ind.* 37.—Reg. Himal.; China.  
 molluginoides, *Benth. l. c.* 35.—Burma.  
 monnerioides, *Buch.-Ham. ex Wall. Cat. sub n.* 3945 = scabra.  
 montana, *Benth. in DC. Prod. x.* 415.—Java.  
 multiflora, *Blanco, Fl. Filip. ed. I.* 505 = *Torenia asiatica*.  
 multiflora, *G. Don, Gen. Syst. iv.* 549.—Ind. or.  
 multiflora, *Naves, ex F. Villar, in Blanco, Fl. Philipp.* ed. III. Nov. App. 148 = hirsuta.  
 nervosa, *Benth. in DC. Prod. x.* 417.—Java.  
 nummularifolia, *D. Don, Prod. Fl. Nep.* 86.—Reg. Himal.; China.  
 oblonga, *Benth. Scroph. Ind.* 35 = *Torenia oblonga*.  
 obovata, *Walp. Rep. iii.* 294 = *Mazus rugosus*.  
 obtusa, *Miq. Fl. Ind. Bat.* ii. 691.—Java.  
 ovata, *Walp. in Nov. Act. Nat. Cur.* xix. Suppl. i. (1843) 394 = hirsuta.  
 pachypoda, *Franch. & Sav. Enum. Pl. Jap.* ii. 457.—Japon.  
 palustris, *Benth. in DC. Prod. x.* 417, sphalm. = pratensis.  
 pedunculata, *Benth. Scroph. Ind.* 37.—As. trop.  
 plantaginea, *F. Muell. in Trans. Vict. Inst. iii.* (1859) 62 = *Hemiarthra plantaginea*.  
 pratensis, *Vahl, Eclog. Am.* ii. 48 = *Beyrichia villosa*?  
 prostrata, *Klotzsch, in Schomb. Faun. Fl. Brit. Gui.* 966, nomen.—Guian.  
 pubescens, *Benth. in DC. Prod. x.* 415.—Austral.  
 Pyxidaria, *Maxim. in Bull. Acad. Pétersb.* xx. (1875) 449 = erecta.  
 racemosa, *Spreng. Neue Entdeck.* i. 262.—Bras.  
 repens, *Thou. ex Steud. Nom. ed. II.* ii. 744 = diffusa.  
 Roxburghii, *G. Don, Gen. Syst. iv.* 549 = pedunculata.  
 scabra, *Benth. Scroph. Ind.* 36.—As. et Afr. trop.  
 scapigera, *Benth. in DC. Prod. x.* 415.—Austral.  
 senegalensis, *Benth. l. c.* 416.—Afr. trop.  
 sessiliflora, *Benth. Scroph. Ind.* 37.—Reg. Himal.  
 Soriana, *Blanco, Fl. Filip. ed. I.* 506.—Ins. Philipp.  
 sphaerocarpa, *Benth. in DC. Prod. x.* 417.—Java.  
 stachydfolia, *Walp. Rep. iii.* 294.—China.  
 stemodioides, *Miq. Fl. Ind. Bat. Suppl.* 563.—Ins. Banca.  
 strigosa, *G. Don, Gen. Syst. iv.* 549 = *Gratiola strigosa*.  
 subcrenulata, *Miq. in Journ. Bot. Néerl.* i. (1861) 113.—China.  
 subulata, *Benth. in DC. Prod. x.* 415.—Austral.  
 sulcata, *Steud. Nom. ed. II.* ii. 744 = scabra.  
 urticifolia, *Hance, in Journ. Bot.* vi. (1868) 301.—China.  
 varians, *G. Don, Gen. Syst. iv.* 549 = crustacea.

VANDESIA, *Salisb. in Trans. Hort. Soc. i.* (1812) 332 = *Bomarea*, *Mirb. (Amaryll.)*.  
 edulis, *Salisb. l. c.* = *B. Salsilla*.

VANESSA, *Rafin. Fl. Tellur.* iii. 57 (1836) = *Manettia*, *Mutis (Rubiace.)*.  
 cordifolia, *Rafin. l. c.* = *M. cordifolia*.

**VANGUERIA**, *Juss. Gen.* 206 (1789). *RUBIACEAE*, *Benth. & Hook. f. ii.* 111.

- LAGYNIAS, *E. Mey. in Drège, Zwei Pfl. Docum.* 197 (1843).  
 MEYNA, *Roxb. ex Link, in Jahrb. i.* III. (1820) 32.  
 RYTIGYNIA, *Blume, Mus. Bot. Lugd. Bat. i.* 178 (1850).

**VANGUERIA**—

- VAVANGA, Rohr, in Skrivt. Nat. Selsk. ii. i. (1792) 207, 208. t. 7.  
 abyssinica, A. Rich. Tent. Fl. Abyss. i. 353.—Abyss. atroviridis, Wall. Cat. n. 8412 = *Plectronia glabra*.  
*Barnimiana*, Schweinf. Pl. Nilot. 30. t. 11 = abyssinica.  
*canthioides*, Benth. in Hook. Niger Fl. 408.—Afr. trop.  
*Commersonii*, Jacq. Hort. Schoenb. i. 20 = madagascariensis.  
*concolor*, Hiern, in Oliver, Fl. Trop. Afr. iii. 150.—Afr. trop.  
*crassa*, Schweinf. ex Hiern, l. c. 145 (= *Canthium crassum*).—Afr. trop.  
*cymosa*, Gaertn. f. Fruct. iii. 75. t. 193 = madagascariensis.  
*dicocca*, Miq. Fl. Ind. Bat. ii. 251 = *Plectronia didyma*.  
*edulis*, Miq. Fl. Ind. Bat. ii. 313 = spinosa.  
*edulis*, Vahl, Symb. Bot. iii. 36 = madagascariensis.  
*emirnisensis*, Baker, in Journ. Linn. Soc. xx. (1883) 168.—Madag.  
*euonymoides*, Schweinf. ex Hiern, in Oliver, Fl. Trop. Afr. iii. 150.—Afr. trop.  
*infausta*, Burch. Trav. ii. 258.—Afr. trop. et austr.  
*lasiantha*, Sond. in Harv. & Sond. Fl. Cap. iii. 14.—Afr. austr.  
*latifolia*, Sond. l. c. 15.—Afr. austr.  
*leiophylla*, Miq. Fl. Ind. Bat. ii. 250.—Java?  
*leucophloea*, Schweinf. ex Hiern, in Oliver, Fl. Trop. Afr. iii. 153 = *Fadogia leucophloea*.  
*lucidula*, Miq. Fl. Ind. Bat. Suppl. 544 = *Plectronia didyma*.  
*macrocalyx*, Sond. in Linnaea, xxiii. (1850) 59.—Afr. austr.  
*madagascariensis*, F. F. Gmel. Syst. 367.—Afr. trop.  
*membranacea*, Hiern, in Oliver, Fl. Trop. Afr. iii. 151.—Afr. trop.  
*Miqueliana*, Kurz, in Journ. As. Soc. Beng. xlv. (1877) ii. 153, in obs. = spinosa.  
*mollis*, Wall. Cat. n. 8411 = spinosa.  
*oligantha*, Miq. Fl. Ind. Bat. ii. 251.—Ins. Sunda.  
*palembanica*, Miq. Fl. Ind. Bat. Suppl. 544 = *Diplospora singularis*.  
*parvifolia*, Sond. in Linnaea, xxiii. (1850) 58.—Afr. austr.  
*pauciflora*, Schweinf. ex Hiern, in Oliver, Fl. Trop. Afr. iii. 151.—Afr. trop.  
*pubescens*, Kurz, in Journ. As. Soc. Beng. xli. (1872) ii. 314 = spinosa.  
*senegalensis*, Benth. & Hook. f. ex Hiern, in Oliver, Fl. Trop. Afr. iii. 149.—Afr. trop.  
*spinosa*, Roxb. Hort. Beng. 15; Fl. Ind. i. 536.—As. trop.  
*spirostylis*, Miq. Fl. Ind. Bat. ii. 250 = *Plectronia didyma*.  
*stellata*, Blanco, Fl. Filip. ed. I. 167 = spinosa.  
*tetraphylla*, Schweinf. ex Hiern, in Oliver, Fl. Trop. Afr. iii. 152.—Afr. trop.  
*tomentosa*, Hochst. in Flora, xxv. (1842) 238 = infausta.  
*umbellulata*, Hiern, in Oliver, Fl. Trop. Afr. iii. 150.—Afr. trop.  
*velutina*, Hiern, l. c. 151.—Afr. trop.  
*velutina*, Hook. Bot. Mag. t. 3014 = infausta.  
*venosa*, Hochst. ex A. Rich. Tent. Fl. Abyss. i. 353 = madagascariensis.  
*venosa*, Sond. in Harv. & Sond. Fl. Cap. iii. 14.—Afr. austr.  
*verrucosa*, Sieber, ex DC. Prod. iv. 455 (Quid?).—Ins. Maurit.  
*Zeyheri*, Sond. in Harv. & Sond. Fl. Cap. iii. 15 = *Fadogia Zeyheri*.

VANGUIERIA, Pers. Syn. i. 205 (1805) = praec.

VANHALLIA, Schult. f. Syst. vii. p. xviii. 166 (1829) = *Bragantia*, Lour. (Aristol.).  
*tomentosa*, Schult. f. l. c. 166 = *B. tomentosa*.

VAN-HOUTTEA, Lem. in Bull. Soc. Hort. Orléans, i. (1845) 346 = *Houttea*, Decne. (Gesner.).

VANIERIA, Lour. Fl. Cochinch. 564 (1790). Genus dubium *URTICACEARUM*.—Cf. Benth. & Hook. f. Gen. iii. 351.  
*alternifolia*, Stokes, Bot. Mat. Med. iv. 381 = *cochin-chinensis*.

**VANIERIA**—

*chinensis*, Lour. Fl. Cochinch. 564 (= *Procris cantoniensis*).—China.  
*cochinchinensis*, Lour. l. c. 565 (= *Procris cochinchinensis*).—China.

VANIERIA, Montr. in Mém. Acad. Lyon, x. (1860) 176 = *Trisema*, Hook. f. (Dillen.).  
*tomentosa*, Montr. l. c. = *T. coriacea*?

**VANILLA**, Plum. ex Mill. Gard. Dict. ed. VI. (1752); Juss. Gen. 66 (1789); Sw. in Nov. Act. Soc. Sc. Upsal. vi. (1799) 66. t. 5; et in Schrad. Journ. (1799) II. 208. *ORCHIDEAE*, Benth. & Hook. f. iii. 590.

MYROBOMA, Salisb. Parad. Lond. t. 82 (1807).  
 VANILLOPHORUM, Neck. Elem. iii. 134 (1790).  
*acutifolia*, Lodd. Cat. ex W. Baxt. in Loud. Hort. Brit. Suppl. iii. 655, nomen (Quid?).—Venezuela.  
*africana*, Lindl. in Journ. Linn. Soc. vi. (1862) 137.—Afr. trop.  
*albida*, Blume, Cat. Gew. Buitenz. 100; et Bijdr. 422.—Malaya.

*anaromatica*, Griseb. Fl. Brit. W. Ind. 638 = aromatica.  
*angustifolia*, Willd. Sp. Pl. iv. 121.—Java.  
*aphylla*, Blume, Bijdr. 422.—Java.  
*aphylla*, Wight, l. c. 931 = Wightii.  
*aromatica*, Sw. in Nov. Act. Soc. Sc. Upsal. vi. (1799) 66; et in Schrad. Journ. (1799) II. 208.—Am. trop.

*aromatica*, Willd. Sp. Pl. iv. 121, partim = planifolia.  
*axillaris*, Mill. Gard. Dict. ed. VIII. n. 2.—Mexic.  
*barbellata*, Reichb. f. in Flora, xlviii. (1865) 274 = claviculata.  
*bicolor*, Lindl. Bot. Reg. (1838) Misc. 37.—Guian.  
*calopogon*, Reichb. f. Otia Bot. Hamb. 40.—Ins. Philipp.

*Chamissonis*, Klotzsch, in Bot. Zeit. iv. (1846) 564.—Bras.?  
*claviculata*, Lindl. in Mem. Am. Acad. N. S. viii. (1861) 219, nomen = Wightii.  
*claviculata*, Sw. in Nov. Act. Soc. Sc. Upsal. vi. (1799) 66; et in Schrad. Journ. (1799) II. 209.—Ind. occ.

*Epidendrum*, Mirb. Hist. Pl. ed. II. ix. 249 = aromatica.  
*Fasciola*, Spreng. Pugill. ii. 83 = *Taeniophyllum Fasciola*.

*grandiflora*, Lindl. Gen. et Sp. Orch. 435 = *V. Pompona*.  
*grandifolia*, Lindl. in Journ. Linn. Soc. vi. (1862) 138.—Afr. trop.

*gratiosa*, Griseb. Cat. Pl. Cub. 267 = Wightii.  
*Griffithii*, Reichb. f. in Bonplandia, ii. (1854) 88.—Ind. or.

*guianensis*, Splitg. in Ann. Sc. Nat. Sér. II. xv. (1841) 279.—Guian.

*hamata*, Klotzsch, in Bot. Zeit. iv. (1846) 563.—Peruv.  
*Humboldtii*, Reichb. f. in Gard. Chron. (1885) I. 726; et in Flora, lxviii. (1885) 378.—Afr. trop.

*inodora*, Schiede, in Linnaea, iv. (1829) 574 = aromatica.

*lutea*, Wright, ex Griseb. Cat. Pl. Cub. 267 = palmarum.

*lutescens*, Moq. ex Dupuis, in Rev. Hort. Sér. IV. v. (1856) 121. f. 24 = *V. Pompona*.

*majajensis*, Blanco, Fl. Filip. ed. II. 593 = planifolia.

*Methonica*, Reichb. f. & Warsz. in Bonplandia, ii. (1854) 97.—N. Granat.

*mexicana*, Mill. Gard. Dict. ed. VIII. n. 1 = aromatica, planifolia.

*Moonii*, Thw. Enum. Pl. Zeyl. 312.—Zeylan.

*odorata*, Presl, Rel. Haenk. 101.—Ecuador.

*ovalis*, Blanco, Fl. Filip. ed. II. 448 = aromatica.

*palembanica*, Teijsm. & Binn. in Tijdschr. Nederl. Ind. xxix. (1867) 243.—Sumatra.

*palmarum*, Lindl. Gen. et Sp. Orch. 436.—Bras.

*Parishii*, Reichb. f. Otia Bot. Hamb. 39.—Burma.

*parvifolia*, Rodrig. Orch. Nov. ii. 271.—Bras.

*Pfaviania*, Reichb. f. in Gard. Chron. (1883) II. 230.—Mexic.

*phaeantha*, Reichb. f. in Flora, xlviii. (1865) 274.—Ind. occ.

*Phalaenopsis*, Reichb. f. ex Van Houtte, Fl. des Serres, xvii. (1867-68) 97. t. 1769-1770.—Ins. Seychelles.

*planifolia*, Andr. Bot. Rep. t. 538.—Ind. occ.

**VANILLA**—

*planifolia*, Griseb. Fl. Brit. W. Ind. 638 = *phaeantha*.

*Poiteaii*, Reichb. f. in Linnaea, xli. (1877) 65.—Ins. S. Doming.

*Pompona*, Schiede, in Linnaea, iv. (1829) 573.—Mexic.

*pterosperma*, Lindl. ex Wall. Cat. n. 7402 = *Galeola Hydra*.

*Roscheri*, Reichb. f. in Linnaea, xli. (1877) 65.—Afr. trop.

*rubiginosa*, Griff. Notul. iii. 246 = *Galeola Hydra*?

*Ruiziana*, Klotzsch, in Bot. Zeit. iv. (1846) 563.—Peruv.

*sativa*, Schiede, in Linnaea, iv. (1829) 573 = *planifolia*.

*speciosa*, Boxall, ex Naves, in Blanco, Fl. Philipp. ed. III. Nov. App. 248, nomen (Quid?).—Ins. Philipp.

*surinamensis*, Reichb. f. in Nederl. Kruidk. Arch. iv. (1859) 321 = *guianensis*.

*sylvestris*, Schiede, in Linnaea, iv. (1829) 573 = *planifolia*.

*viridiflora*, Blume, Bijdr. 422 = *planifolia*.

*Walkeria*, Wight, l. c. 932.—Ind. or.

*Wightii*, Lindl. ex Wight, l. c. sub t. 931.—Ind. or.

*Wrightii*, Reichb. f. in Flora, xlviii. (1865) 273.—Ind. occ.

VANILLOPHORUM, Neck. Elem. iii. 134 (1790) = praec.

VANILLOSMA, Spach, Hist. Vég. Phan. x. 39 (1841); xiv. 424 (1848) = *Piptocarpha*, R. Br. (Compos.).

*acuminatum*, Mart. ex Baker, in Mart. Fl. Bras. vi. II. 128 = *P. leprosa*.

*albidum*, Mart. ex Baker, l. c. = *P. leprosa*.

*argyrophyllum*, Mart. ex Baker, l. c. 121 = *P. lucida*.

*bicolor*, Mart. ex Baker, l. c. 131 = *P. Lundiana*.

*candicans*, Mart. ex Baker, l. c. 128 = *P. leprosa*.

*cinereum*, Mart. ex Baker, l. c. 23 = *Vernonia discolor*.

*firmum*, Mart. ex Sch. Bip. in Pollichia, xx-xxi. (1863) 424 = *P. rotundifolia*.

*multiflorum*, Mart. ex Baker, in Mart. Fl. Bras. vi. II. 21, 22 = *Vernonia oppositifolia*.

*obtusum*, Mart. ex Sch. Bip. in Pollichia, xx-xxi. (1863) 415 = *P. pyrifolia*.

*pyrifolium*, Mart. ex Sch. Bip. l. c. = *P. pyrifolia*.

*rufulum*, Mart. ex Sch. Bip. l. c. 417 = *P. axillaris*.

VANILLOSMOPHIS, Sch. Bip. in Pollichia, xviii-xix. (1861) 166; xx-xxi. (1863) 397. *COMPOSITAE*, Benth. & Hook. f. ii. 226.

ALBERTINIA, DC. Prod. v. (1836) 82, partim.

*albertinioides*, Sch. Bip. in Pollichia, xviii-xix. (1861) 168.—Bras.

*arborescens*, Baker, in Mart. Fl. Bras. vi. II. 16.—Bras.

*bicolor*, Sch. Bip. in Pollichia, xviii-xix. (1861) 168 = *Eremanthus bicolor*.

*brasiliensis*, Sch. Bip. l. c. xx-xxi. (1863) 401.—Bras.

*Candolleana*, Sch. Bip. l. c. xviii-xix. (1861) 168 = *erythropappa*.

*capitata*, Sch. Bip. l. c. 167, partim.—Bras.

*capitata*, Sch. Bip. l. c., partim = *discolor*.

*capitata*, Sch. Bip. l. c. xx-xxi. (1863) 399, partim = *arborescens*.

*discolor*, Benth. & Hook. f. Gen. ii. 226; Baker, in Mart. Fl. Bras. vi. II. 17.—Bras.

*erythropappa*, Sch. Bip. in Pollichia, xviii-xix. (1861) 167.—Bras.

*glomerata*, Sch. Bip. l. c. = *erythropappa*.

*Pohlil*, Baker, in Mart. Fl. Bras. vi. II. 18.—Bras.

*polycephala*, Sch. Bip. in Pollichia, xviii-xix. (1861) 168.—Bras.

*saligna*, Sch. Bip. l. c. = *polycephala*.

*syncephala*, Sch. Bip. l. c. = *Lychnophora reticulata*.

**VANTANEA**, Aubl. Pl. Gui. i. 572. t. 229 (1775). *HUMIRIACEAE*, Benth. & Hook. f. i. 246.

HELLERIA, Nees & Mart. in Nov. Act. Nat. Cur. xii. (1824) 38. t. 7.

LEMNISCIA, Schreb. Gen. 358 (1789).

*guianensis*, Aubl. Pl. Gui. i. 572. t. 229.—Guian.

*guianensis*, Poir. Encyc. viii. 334 = *parviflora*.

*minor*, Benth. in Hook. Kew Journ. v. (1853) 99.—Guian.

*obovata*, Benth. l. c.—Bras.

*ovalifolia*, Benth. l. c.—Bras.

**VANTANEA** :—

*paniculata*, Urban, in Mart. Fl. Bras. xii. II. 450.—Bras.  
*parviflora*, Lam. Journ. Hist. Nat. Par. i. (1792) 145.—Guian.

**VARASIA**, Phil. Fl. Atac. 35. t. 5 (1860) = **Gentiana**, Linn.

*podocarpa*, Phil. l. c. 36 = *G. podocarpa*.  
*sessilis*, Phil. in Anal. Univ. Chil. (1861) I. 534; et in Linnaea, xxxiii. (1864-65) 179.—Chili.

**VARECA**, Gaertn. Fruct. i. 290. t. 60 (1788) = **Casearia**, Jacq. (Samyd.).  
*zeylanica*, Gaertn. l. c. = *C. esculenta*.

**VARECA**, Roxb. Hort. Beng. 18 (1814); Fl. Ind. i. 647 (1832) = **Alsodeia**, Thou. (Violar.).  
*heteroclita*, Roxb. II. cc. 18; 648 = *A. Roxburghii*.  
*lanceolata*, Roxb. II. cc. 86; 648 = *A. lanceolata*.  
*molucaana*, Roxb. II. cc. 18; 647.—Ins. Molucc.

**VARENNEA**, DC. Prod. ii. 522 (1825) = **Eysenhardtia**, H. B. & K. (Legumin.).  
*polystachya*, DC. l. c. = *E. amorphoides*.

**VARGASIA**, Bert. ex Spreng. Syst. ii. 283 (1825) = **Thouinia**, Poit. (Sapind.).  
*glabra*, Bert. l. c. 388.—Ins. S. Doming.  
*tomentosa*, Bert. l. c.—Ins. S. Doming.

**VARGASIA**, DC. Prod. v. 676 (1836) = **Galinsoga**, Ruiz & Pav. (Compos.).  
*caracasana*, DC. l. c.—Venezuela.

**VARGASIA**, Ersnt, Várgas Consid. como Bot. 23 (1877). **TERNSTROEMACEAE**.  
*tremadena*, Ernst, l. c.—Venezuela.  
*viridiflora*, Ernst, l. c.—Venezuela.

**VARILLA**, A. Gray, in Mem. Am. Acad. N. S. iv. (1849) 106. **COMPOSITAE**, Benth. & Hook. f. ii. 363.  
*mexicana*, A. Gray, l. c.—Mexic.  
*texana*, A. Gray, Pl. Wright. i. 123.—Texas.

**VARINGA**, Rafn. Sylva Tellur. 58 (1838) = **Ficus**, Tourn. (Urtic.).  
*repens*, Rafn. l. c. = *F. pumila*.

**VARRONIA**, P. Br. Hist. Jamaica. 172 (1756); Linn. Syst. ed. X. 916 (1759) = **Cordia**, Linn. (Borag.).  
*abyssinica*, DC. Prod. ix. 469 = *C. Myxa*.  
*alba*, Jacq. Enum. Pl. Carib. 14; Select. Am. 41 = *C. alba*.  
*alnifolia*, Hornem. Hort. Hafn. i. 227 = *C. alnifolia*.  
*angustifolia*, West, Bidr. Ste-Croix, 2 = *C. angustifolia*.  
*Bonplandii*, Desv. Journ. Bot. i. (1808) 275 = *C. Bonplandii*.  
*bullata*, Linn. Syst. ed. X. 916 = *C. globosa*.  
*calyptrata*, DC. Prod. ix. 469 = *C. alba*.  
*canescens*, Anderss. in Vet. Akad. Handl. Stockh. 1853 (1855) 203.—Ins. Galapag.  
*chamaedryoides*, Willd. ex Roem. & Schult. Syst. iv. 801, in obs. = *C. chamaedryoides*.  
*corymbosa*, Desv. Journ. Bot. i. (1808) 275 = *C. ulmifolia*.  
*crenata*, Ruiz & Pav. Fl. Per. ii. 23 = *C. lantanoides*.  
*crenulata*, Pav. ex DC. Prod. ix. 492 = *C. crenulata*.  
*curassavica*, Bert. ex DC. l. c. 491; Mayc. Fl. Barb. 84 = *C. cylindristachya*.  
*curassavica*, Jacq. Enum. Pl. Carib. 14 = *C. curassavica*.  
*curassavica*, Lam. Illustr. i. 419 = *C. angustifolia*.  
*curassavica*, Vell. Fl. Flum. 79; ii. t. 85 = *C. salicina*.  
*cylindristachya*, Ruiz & Pav. Fl. Per. ii. 23 = *C. cylindristachya*.  
*dasycephala*, Desv. Journ. Bot. i. (1808) 274 = *C. dasycephala*.  
*dasycephala*, Spreng. ex DC. Prod. ix. 496 = *C. globosa*.  
*dichotoma*, Ruiz & Pav. Fl. Per. ii. 23 = *C. bifurcata*.  
*divaricata*, [Willd.] Roem. & Schult. Syst. iv. 802 = *C. divaricata*, dentata.  
*ferruginea*, Lam. Illustr. i. 418 = *C. ferruginea*.  
*flava*, Anderss. in Vet. Akad. Handl. Stockh. 1853 (1855) 201.—Ins. Galapag.  
*floribunda*, Desv. Journ. Bot. i. (1808) 267 = *C. floribunda*.  
*geniculata*, Pers. Syn. i. 167 = *C. mirabiloides*.

**VARRONIA** :—

*globosa*, Desv. Journ. Bot. i. (1808) 276 = *Cordia ulmifolia*.  
*globosa*, Jacq. Enum. Pl. Carib. 14; Select. Am. 41 = *C. globosa*.  
*globosa*, Vell. Fl. Flum. 79; ii. t. 84 (Quid?).—Bras.  
*globulifera*, Willd. ex Cham. in Linnaea, iv. (1829) 491 = *C. Bonplandii*.  
*grandiflora*, Desv. Journ. Bot. i. (1808) 273 = *C. grandiflora*.  
*guazumaefolia*, Desv. l. c. 276 (*guazumaefolia*) = *C. urticifolia*.  
*guianensis*, Desv. l. c. 270 = *C. guianensis*.  
*Humboldtii*, Willd. ex Roem. & Schult. Syst. iv. 801, in obs. = *C. floribunda*.  
*humilis*, Jacq. Enum. Pl. Carib. 14; Select. Am. 41 = *C. ulmifolia*.  
*integerrima*, Stokes, Bot. Mat. Med. i. 424 = *C. Loureiri*.  
*integrifolia*, Desv. Journ. Bot. i. (1808) 271 = *C. integrifolia*.  
*lanceolata*, Desv. l. c. 277 = *C. lanceolata*.  
*lanceolata*, Willd. ex Cham. in Linnaea, iv. (1829) 492 = *C. mariquitensis*.  
*lantanoides*, Willd. ex Cham. l. c. = *C. grandiflora*.  
*leucophlyctis*, Anderss. in Vet. Akad. Handl. Stockh. 1853 (1855) 203 = *C. leucophlyctis*.  
*Lima*, Desv. Journ. Bot. i. (1808) 278 = *C. Lima*.  
*linearis*, Anderss. in Vet. Akad. Handl. Stockh. 1853 (1855) 204 = *C. linearis*, Hook.  
*linearis*, Pav. ex DC. Prod. ix. 493 = *C. linearis*, A. DC.  
*lineata*, Linn. Syst. ed. X. 916 = *C. ulmifolia*.  
*macrocephala*, Desv. Journ. Bot. i. (1808) 273 = *C. macrocephala*.  
*macrocephala*, Nees & Mart. in Nov. Act. Nat. Cur. xi. (1823) 78 = *C. Neowediana*.  
*macrostachya*, Jacq. Enum. Pl. Carib. 14; Select. Am. 41 = *C. macrostachya*.  
*macrostachya*, Ruiz & Pav. Fl. Per. ii. t. 147 = *C. cylindristachya*.  
*martinicensis*, Aubl. Pl. Gui. i. 232 = *C. Aubletii*.  
*martinicensis*, Bert. ex DC. Prod. ix. 483 = *C. salvifolia*.  
*martinicensis*, Desf. Tabl. ed. I. 71 = *C. ferruginea*.  
*martinicensis*, Jacq. Enum. Pl. Carib. 14; Select. Am. 41 = *C. martinicensis*.  
*martinicensis*, Lam. Illustr. i. 419 = *C. curassavica*.  
*martinicensis*, Crantz, Inst. ii. 380, sphalm. = *martinicensis*, Jacq.  
*microcephala*, Willd. ex Roem. & Schult. Syst. iv. 801, in obs. = *C. microcephala*.  
*microphylla*, Desv. Journ. Bot. i. (1808) 275 = *C. microphylla*.  
*mirabiloides*, Jacq. Enum. Pl. Carib. 14; Select. Am. 41 = *C. mirabiloides*.  
*mollis*, Desf. Tabl. ed. I. 220 = *Melochiae* species?  
*mollis*, Vest. ex DC. Prod. ix. 491 = *C. cylindristachya*.  
*monosperma*, Jacq. Hort. Schoenb. i. 18 = *C. ulmifolia*.  
*obliqua*, Ruiz & Pav. Fl. Per. ii. 24 = *C. peruviana*.  
*paniculata*, Wikst. in Vet. Akad. Handl. Stockh. (1827) 59 = *C. ulmifolia*.  
*parviflora*, Ortega, Hort. Matr. Dec. 86 = *C. bifurcata*.  
*pilulifera*, Willd. ex Roem. & Schult. Syst. iv. 801, in obs. = *C. globosa*.  
*polycephala*, Lam. Illustr. i. 418 = *C. ulmifolia*.  
*pyrifolia*, Willd. ex Roem. & Schult. Syst. iv. 802 = *C. ferruginea*.  
*revoluta*, Anderss. in Vet. Akad. Handl. Stockh. 1853 (1855) 204 = *C. revoluta*.  
*rotundifolia*, A. DC. in DC. Prod. ix. 469 = *C. rotundifolia*.  
*rugosa*, Willd. ex Roem. & Schult. Syst. iv. 801, in obs. = *C. canescens*.  
*salvifolia*, Balb. Cat. Hort. Taur. (1813) 79 = *C. cylindristachya*.  
*scaberrima*, Anderss. in Vet. Akad. Handl. Stockh. 1853 (1855) 202.—Ins. Galapag.  
*scaberrima*, Bert. ex Spreng. Syst. i. 654 = *C. Lima*.  
*Scouleri*, Anderss. in Vet. Akad. Handl. Stockh. 1853 (1855) 204 = *C. Scouleri*.  
*sinensis*, Lour. Fl. Cochinch. 138 = *C. Loureiri*.  
*sphaerocephala*, Willd. ex Roem. & Schult. Syst. iv. 801, in syn. = *C. dasycephala*.  
*spicata*, Salz. ex DC. Prod. ix. 489 = *C. cylindristachya*.  
*tomentosa*, Lam. Illustr. i. 419 = *C. tomentosa*.  
*ulmifolia*, Dum.-Cours. Bot. Cult. ed. I. ii. 148, in obs. = *C. monosperma*.

**VARTHEIMIA**, Benth. & Hook. f. Gen. ii. 333 (1873), sphalm. = seq.

**VARTHEMIA**, DC. Prod. v. 473 (1836) = **Iphiona**, Cass. (Compos.).  
*arabica*, Boiss. Diagn. Ser. I. vi. 74 = *I. arabica*.  
*arabica*, Thoms. in Speke, Journ. App. 638 = *Pulicaria Grantii*.  
*candicans*, Boiss. Fl. Orient. iii. 212.—Egypt.  
*conyzoides*, Boiss. Diagn. Ser. II. iii. 10.—Arab.  
*iphionoides*, Boiss. & Blanche, l. c. 9 = *I. iphionoides*.  
*Kotschy*, Sch. Bip. in Schweinf. Beitr. Fl. Aethiop. 161, 307 = *Vicoa auriculata*.  
*montana*, Boiss. Fl. Orient. iii. 212 = *conyzoides*.  
*persica*, DC. Prod. v. 473 = *I. persica*.

**VASARGIA**, Steud. Nom. ed. II. 745 (1841), sphalm. = **VARGASIA**, DC. = **Galinsoga**, Ruiz & Pav. (Compos.).  
*caracasana*, Steud. l. c. (= *Vargasia caracasana*).—Venezuela.

**VASCOA**, DC. Mém. Légum. 186 (1825); Prod. ii. 119 (1825) = **Rafnia**, Thunb. (Legumin.).  
*acuminata*, E. Mey. in Linnaea, vii. (1832) 148 = *R. perfoliata*.  
*amplexicaulis*, DC. Mém. Légum. 187; Prod. ii. 119 = *R. amplexicaulis*.  
*perfoliata*, DC. II. cc. = *R. perfoliata*.

**VASCOA**, DC. Prod. i. 387, in obs. (1824) = **Mundtia**, H. B. & K. (Polygal.).

**VASCONCELLEA**, A. St. Hil. Mém. Réséd. ii. 12 (1837) = **Carica**, Linn. (Passifl.).  
*aurantiaca*, Regel, Gartenfl. xxv. (1876) 184.—N. Granat.  
*Boissieri*, A. DC. in DC. Prod. xv. i. 415 = *C. Boissieri*.  
*candicans*, A. DC. l. c. 417 = *C. candicans*.  
*cauliflora*, A. DC. l. c. 415 = *C. cauliflora*.  
*cestriflora*, A. DC. l. c. 418.—N. Granat.  
*chilensis*, Planch. in Ann. Sc. Nat. Sér. IV. ii. (1854) 259.—Chili.  
*glandulosa*, A. DC. in DC. Prod. xv. i. 417 = *C. glandulosa*.  
*Goudotiana*, Triana & Planch. in Ann. Sc. Nat. Sér. V. xvii. (1873) 192.—N. Granat.  
*heterophylla*, A. DC. in DC. Prod. xv. i. 417 = *C. heterophylla*.  
*Hookeri*, A. DC. l. c. 418.—Hab.?  
*lanceolata*, A. DC. l. c. 416 = *C. lanceolata* (in Addend.).  
*Manihot*, Triana & Planch. in Ann. Sc. Nat. Sér. V. xvii. (1873) 191.—N. Granat.  
*microcarpa*, A. DC. in DC. Prod. xv. i. 418 = *C. microcarpa*.  
*monoica*, A. DC. l. c. = *C. monoica*.  
*parviflora*, A. DC. l. c. 417.—Peruv.  
*peltata*, A. DC. l. c. 416 = *C. peltata*.  
*pubescens*, A. DC. l. c. 419.—Peruv.  
*quercifolia*, A. St. Hil. Mém. Réséd. ii. 13 = *C. quercifolia* (in Addend.).

**VASCONCELLIA**, Mart. in Flora, xxiv. (1841) II. Beibl. 12 (Herb. Fl. Bras. 252) = **Arrabidaea**, DC. (Bignon.).  
*acutifolia*, Mart. ex DC. Prod. ix. 185 = *A. acutifolia*.  
*desertorum*, Mart. l. c. = *A. desertorum*.  
*fasciculata*, Mart. l. c. = *A. fasciculata*.  
*florida*, Mart. l. c. 184 = *A. florida*.  
*Sego*, Mart. in Flora, xxiv. (1841) II. Beibl. 12 = *A. Agnus-castus*.  
*subincana*, Mart. ex DC. Prod. ix. 184 = *Bignonia subincana*.  
*tuberculata*, Mart. l. c. = *A. tuberculata*.

**VASCONCELLOSIA**, Caruel, in Nuov. Giorn. Bot. Ital. viii. (1876) 22. **PASSIFLOREAE**.  
*hastata*, Caruel, l. c.—Bras.

**VASCONELLA**, Regel, Gartenfl. xxv. (1876) 184 = **VASCONCELLEA**, A. St. Hil. = **Carica**, Linn. (Passifl.).

**VASEYA**, Thurb. in Proc. Acad. Nat. Sc. Philad. (1863) 79 = **Muehlenbergia**, Schreb. (Gramin.).  
*comata*, Thurb. l. c. = *M. comata*.



**VASIVAEA**, Baill. *Adansonia*, x. (1872) 193. *TILIA-CEAE*.  
alchorneoides, Baill. l. c. 194.—Am. trop.

**VASQUEZIA**, Phil. Fl. Atac. 31. t. 5 (1860) = **Villanova**, Lag. (Compos.).  
*bitermata*, Phil. l. c. 31.—Chili.

**VATAIREA**, Aubl. Pl. Gui. ii. 755. t. 302 (1775) = **Pterocarpus**, Linn. (Legumin.).  
*guianensis*, Aubl. l. c.—Guian.

**VATERIA**, Linn. Gen. ed. I. 153 (1737). *DIPTEROCARPEAE*, Benth. & Hook. f. i. 193.

*HEMIPHRACTUS*, Turcz. in Bull. Soc. Nat. Mosc. (1859) i. 262.

*STEMONOPORUS*, Thw. in Hook. Kew Journ. vi. (1854) 67. t. 2.

*acuminata*, Hayne, *Arzn. Gew.* xi. sub t. 5.—Ind. or.  
*acuminata*, Thw. Enum. Pl. Zeyl. 403 = *jucunda*.

*affinis*, Thw. l. c.—Zeylan.  
*canaliculata*, Thw. l. c. 403.—Zeylan.

*ceylanica*, Wight, *Illustr.* i. 88.—Zeylan.  
*cordifolia*, Thw. Enum. Pl. Zeyl. 404 = *Monoporandra cordifolia*.

*disticha*, Thw. l. c. = *Vatica disticha*.  
*elegans*, Thw. l. c. = *Monoporandra elegans*.

*flexuosa*, Lour. *Fl. Cochinch.* 334.—China.  
*Gardneri*, Thw. Enum. Pl. Zeyl. 403.—Zeylan.

*indica*, Gaertn. f. Fruct. iii. 53. t. 189 = *acuminata*.  
*indica*, Linn. *Sp. Pl.* 515.—Ind. or.

*jucunda*, Thw. ex Dyer, in Hook. f. *Fl. Brit. Ind.* i. 314.—Zeylan.

*lanceaeifolia*, A. DC. in DC. Prod. xvi. ii. 625, sphalm. = *nitida*.

*lanceaeifolia*, Roxb. Fl. Ind. ii. 601 = *Vatica lanceaeifolia*.  
*lanceolaria*, Roxb. Hort. Beng. 42 = *Vatica lanceaeifolia*.

*lanceolata*, Thw. Enum. Pl. Zeyl. 403.—Zeylan.  
*lanceolata*, Wight & Arn. Prod. 84; Wall. Cat. n. 4405 = *Vatica lanceaeifolia*.

*lanceifolia*, Thw. Enum. Pl. Zeyl. 404 = *nitida*.  
*malabarica*, Blume, Mus. Bot. Lugd. Bat. ii. 29 = *indica*.

*Moonii*, Thw. Enum. Pl. Zeyl. 403.—Zeylan.  
*nervosa*, Thw. ex Trimen, in Journ. Bot. xxiii. (1885) 206.—Zeylan.

*nitida*, Thw. Enum. Pl. Zeyl. 403.—Zeylan.  
*oblongifolia*, Thw. l. c.—Zeylan.

*papuana*, Dyer, ex Hemsl. Bot. Voy. Challenger, i. III. 123 = *Vatica papuana*.

*pauciflora*, Walp. Rep. v. 126 = *Vatica pauciflora*.  
*petiolaris*, Thw. Enum. Pl. Zeyl. 403.—Zeylan.

*Rassak*, Walp. Rep. v. 126 = *Vatica Rassak*.  
*reticulata*, Thw. Enum. Pl. Zeyl. 403.—Zeylan.

*rigida*, Thw. l. c.—Zeylan.  
*Roxburghiana*, Wight, ex Arn. in Ann. Nat. Hist. Ser. I. iii. (1839) 155 = *Vatica Roxburghiana*.

*scabriuscula*, Thw. Enum. Pl. Zeyl. 404 = *Vatica scabriuscula*.

*seychellarum*, Dyer, in Baker, *Fl. Maurit.* 526.—Ins. Seychelles.

*Wightii*, Thw. Enum. Pl. Zeyl. 403 = *ceylanica*.  
*zeylanica*, Walp. Rep. v. 126 = *ceylanica*.

**VATICA**, Linn. Mant. ii. 152 (1771). *DIPTEROCARPEAE*, Benth. & Hook. f. i. 192.

*ISAUXIS*, Reichb. Nom. 210 (1841).  
*PTERANTHERA*, Blume, Mus. Bot. Lugd. Bat. ii. 30. 1852 (1856).

*RETINODENDRON*, Korth. Verh. Nat. Gesch. Bot. 55. t. 8 (1839).

*SEIDLIA*, Kostel. Allg. Med. Pharm. Flora, v. 1945 (1836).

*SUNAPTEA*, Griff. Notul. iv. 56 (1854).  
*SYNAPTEA*, Kurz, in Journ. As. Soc. Beng. xxxix. (1870) II. 65.

*acuminata*, A. DC. in DC. Prod. xvi. ii. 622 = *Vateria jucunda*.

*affinis*, Thw. Enum. Pl. Zeyl. 404.—Zeylan.  
*africana*, Welw. in Trans. Linn. Soc. xxvii. (1869) 15. —Afr. trop.

*apteranthera*, Blanco, Fl. Filip. ed. II. 281 = *Shorea Mangachapoi*.

*astrotricha*, Hance, in Journ. Bot. xiv. (1876) 241.—Cambodia.

*bancana*, Scheff. in Tijdschr. Nederl. Ind. xxxi. (1870) 348.—Ins. Banca.

# **VATICA** :—

*bantamensis*, Benth. & Hook. f. Gen. i. 192.—Ins. Bantan.

*Canaca*, Buch.-Ham. ex Wall. Cat. n. 4405 B = *lanceaeifolia*.

*canaliculata*, A. DC. in DC. Prod. xvi. ii. 621 = *Vateria canaliculata*.

*chinensis*, Linn. Mant. ii. 242.—Ind. or.  
*cordifolia*, Thw. Enum. Pl. Zeyl. 404 (sp. dub.).—Zeylan.

*disticha*, A. DC. in DC. Prod. xvi. ii. 620.—Zeylan.  
*eximia*, Miq. Fl. Ind. Bat. Suppl. 486 = *Shorea eximia*.

*faginea*, Dyer, in Hook. f. *Fl. Brit. Ind.* i. 301.—Burma.

*Gardneri*, A. DC. in DC. Prod. xvi. ii. 622 = *Vateria Gardneri*.

*grandiflora*, Dyer, in Hook. f. *Fl. Brit. Ind.* i. 301.—Burma; Malaya.

*Helferi*, Dyer, l. c. 302.—Burma.  
*laccifera*, Wight & Arn. Prod. 84 = *Shorea Talura*.

*lanceaeifolia*, Blume, Mus. Bot. Lugd. Bat. ii. 31.—Reg. Himal.; Burma.

*lanceolata*, A. DC. in DC. Prod. xvi. ii. 621 = *Vateria lanceolata*.

*laurifolia*, Steud. Nom. ed. II. ii. 745, sphalm. = *Shorea laccifera*.

*lepidota*, Korth. Verh. Nat. Gesch. Bot. 73 = *Shorea lepidota*.

*Maingayi*, Dyer, in Hook. f. *Fl. Brit. Ind.* i. 302.—Malacca.

*Mangachapoi*, Blanco, Fl. Filip. ed. I. 401 = *Shorea Mangachapoi*.

*melanoxylon*, Benth. & Hook. f. Gen. i. 192.—Borneo.

*Moonii*, A. DC. in DC. Prod. xvi. ii. 622 = *Vateria Moonii*.

*nitida*, A. DC. l. c. = *Vateria nitida*.  
*oblonga*, A. DC. l. c. 621 = *Vateria oblongifolia*.

*oblongifolia*, Hook. f. in Trans. Linn. Soc. xxiii. (1860) 160.—Borneo.

*obscura*, Trimen, in Journ. Bot. xxiii. (1885) 203.—Zeylan.

*obtusa*, Steud. Nom. ed. II. ii. 745 = *Shorea obtusa*.  
*ovalis*, Korth. Verh. Nat. Gesch. Bot. 73 = *Shorea ovalis*.

*pallida*, Dyer, in Hook. f. *Fl. Brit. Ind.* i. 302.—Ins. Penang.

*papuana*, Dyer, in Journ. Bot. xvi. (1878) 100.—N. Guin.

*pauciflora*, Blume, Mus. Bot. Lugd. Bat. ii. 31. t. 7.—Sumatra.

*petiolaris*, A. DC. in DC. Prod. xvi. ii. 621 = *Vateria petiolaris*.

*Rassak*, Blume, Mus. Bot. Lugd. Bat. ii. 31.—Borneo.  
*reticulata*, A. DC. in DC. Prod. xvi. ii. 620 = *Vateria reticulata*.

*rigida*, A. DC. l. c. 621 = *Vateria rigida*.  
*robusta*, Steud. Nom. ed. II. ii. 745 = *Shorea robusta*.

*Roxburghiana*, Blume, Mus. Bot. Lugd. Bat. ii. 31. t. 7 = *chinensis*.

*scabriuscula*, A. DC. in DC. Prod. xvi. ii. 620.—Zeylan.

*Scaphula*, Dyer, in Hook. f. *Fl. Brit. Ind.* i. 301.—Burma.

*Scaphula*, F. Villar, in Blanco, Fl. Philipp. ed. III. Nov. App. 21 = *Shorea Mangachapoi*.

*Schouteniana*, Scheff. in Tijdschr. Nederl. Ind. xxxii. (1871) 408 = *bancana*.

*sinensis*, J. F. Gmel. Syst. 748 = *chinensis*.  
*stipulosa*, Miq. Fl. Ind. Bat. Suppl. 486 (*Shorea* sp.). —Sumatra.

*sublacunosa*, Miq. l. c. = *Shorea eximia*.  
*Thwaitesii*, A. DC. in DC. Prod. xvi. ii. 621 = *Vateria affinis*.

*trigyna*, Griff. Notul. iv. 514 = *Dipterocarpus Griffithii*.  
*Tumbagaia*, Wight & Arn. Prod. 84 = *Shorea Tumbagaia*.

*venulosa*, Blume, Mus. Bot. Lugd. Bat. ii. 32.—Borneo.

*Wightii*, A. DC. in DC. Prod. xvi. ii. 620 = *Vateria ceylanica*.

*Zollingeriana*, A. DC. l. c. 618.—Malaya.

**VATKEA**, Hildeb. & O. Hoffm. in Verh. Bot. Ver. Brandenb. xxii. (1880) 45, 78 = **Martynia**, Houst. (Pedal.).

*diandra*, O. Hoffm. in Linnaea, xliii. (1880–82) 554 (in indice) = *M. diandra*.

**VAUANTHES**, Haw. Rev. Pl. Succ. 18 (1821) = **Grammanthes**, DC. (1828) (Crassul.).

*chloraeiflora*, Haw. l. c. 19 = *G. gentianoides*.  
*chloraeifolia*, Steud. Nom. ed. II. 746, sphalm. = *praec.*

**VAUPELLIA**, Griseb. Fl. Brit. W. Ind. 460 (1861) = **Pentarthaphia**, Lindl. (Gesner.).

*calycina*, Griseb. l. c. = *P. calycina*.

**VAUQUELINIA**, Correa, ex Humb. & Bonpl. Pl. Aequin. i. 140. t. 40 (1808). *ROSACEAE*, Benth. & Hook. f. i. 615.

*corymbosa*, Correa, ex Humb. & Bonpl. l. c.—Mexic.  
*corymbosa*, Torr. Bot. Mex. Bound. 64 = *Torreyi*.

Karwinsky, Maxim. in Act. Hort. Petrop. vi. (1879) 236.—Mexic.

Torreyi, S. Wats. in Proc. Am. Acad. xi. (1876) 147.—Mexic.

**VAUTHIERA**, A. Rich. Ess. Fl. N. Zél. 106. t. 20 (1832) = **Cladium**, P. Br. (Cyperac.).

*australis*, R. Rich. l. c. 107. t. 20.—N. Zel.

**VAVAEA**, Benth. in Hook. Lond. Journ. Bot. ii. (1843) 212. *MELIACEAE*, Benth. & Hook. f. i. 331.

*amicorum*, Benth. in Hook. Lond. Journ. Bot. ii. (1843) 212.—Ins. Amicor.

Harvey, Seem. Fl. Vit. 35.—Ins. Fiji.  
*vitiensis*, Seem. l. c. = *amicorum*.

**VAVANGA**, Rohr, in Skrivt. Nat. Selsk. ii. i. (1792) 207, 208. t. 7 = **Vangueria**, Juss. (Rubiace.).

*chinensis*, Rohr, l. c. 207 = *Vangueria madagascariensis*.

*edulis*, Vahl, l. c. 208 = *Vangueria madagascariensis*.

**VAZQUEZIA**, Pritz. Ic. Ind. ii. 282 (1865), err. typ. = **VASQUEZIA**, Phil. = **Villanova**, Lag. (Compos.).

**VEATCHIA**, A. Gray, in Bull. Calif. Acad. i. n. i. (1884) 4; et in Proc. Am. Acad. xx. (1885) 290. *ANACARDIACEAE*.

*cedrosensis*, A. Gray, l. c. 4; 291.—Calif.

**VEATCHIA**, Kellogg, in Proc. Calif. Acad. ii. (1863) 11 = **Brodiaea**, Sm. (Liliac.).

*crystallina*, Kellogg, l. c. = *B. lactea*.

**VEDELA**, Adans. Fam. ii. 502 (1763) (Quid?).

**VEGELIA**, Neck. Elem. iii. 385 (1790) = **WEIGELA**, Thunb. = **Diervilla**, Tourn. (Caprifol.).

**VEITCHIA**, Lindl. in Gard. Chron. (1861) 265 = **Picea**, Link (Conif.).

*japonica*, Lindl. l. c. = *P. Alcockiana*.

**VEITCHIA**, H. Wendl. in Seem. Fl. Vit. 270. t. 81 (1868). *PALMAE*, Benth. & Hook. f. iii. 887.

*Canterburyana*, F. Muell. Fragm. vii. 101 = *Hedyscepe Canterburyana*.

Joannis, H. Wendl. in Seem. Fl. Vit. 271.—Ins. Fiji.

*spiralis*, H. Wendl. l. c. 270.—N. Hebrid.

Storckii, H. Wendl. l. c.—Ins. Fiji.

*subglobosa*, H. Wendl. l. c. 272.—Ins. Fiji.

**VELAEA**, DC. Mém. Ombell. 61 (1829); Prod. iv. 230 (1830) = **Arracacia**, Bancr. (Umbell.).

*decumbens*, Benth. Pl. Hartw. 38 = *A. decumbens*.  
*toluccensis*, DC. Prod. iv. 231 = *A. tolucensis*.

**VELAGA**, Adans. Fam. ii. 398 (1763); Gaertn. Fruct. ii. 245. t. 133 (1791) = **Pterospermum**, Schreb. (Stercul.).

*globosa*, Gaertn. l. c. 246 = *Lagerstroemia indica*.  
*locarpa*, Gaertn. l. c. 245 = *P. Heyneanum*.

**VELARUM**, Reichb. in Moessl. Handb. ed. II. ii. 1103, 1165 (1828) = **Sisymbrium**, Tourn. (Crucif.).

*officinale*, Reichb. l. c. 1165 = *S. officinale*.  
*polyceratum*, Reichb. l. c. = *S. polyceratum*.

*supinum*, Reichb. l. c. = *S. supinum*.

**VELASQUEZIA**, Pritz. Ic. Ind. 1147 (1855), sphalm. = **VELLASQUEZIA**, Bertol. = **Triplaris**, Linn. (Polygon.).

**VELEZIA**, Linn. Sp. Pl. ed. I. 332 (1753). *CARYOPHYLLEAE*, Benth. & Hook. f. i. 144.  
*arabica*, Hochst. & Steud. ex Steud. Nom. ed. II. ii. 746, nomen.—Arab.  
*clavata*, Urv. in Mém. Soc. Linn. Par. i. (1822) 284 = quadridentata.  
*fasciculata*, Boiss. Diagn. Ser. I. viii. 92.—Syria.  
*hispidia*, Boiss. et Bal. l. c. II. v. 57.—Phrygia.  
*latifolia*, Eschsch. in Mém. Acad. Pétersb. x. (1823) 286 = *Frankenia grandifolia*.  
*quadridentata*, Sibth. & Sm. Fl. Graec. Prod. i. 283; Fl. Graec. iv. 81. t. 391.—Graec.; As. Min.  
*rigida*, Linn. Sp. Pl. 332.—Reg. Mediterr.; Oriens.

**VELLA**, Linn. Coroll. Gen. 12 (1737). *CRUCIFERAE*, Benth. & Hook. f. i. 85.  
*annua*, Linn. Sp. Pl. 641 = *Carrichtera Vellae*.  
*aspera*, Pers. Syn. ii. 185 = *Boleum asperum*.  
*glabrescens*, Coss. Illustr. Fl. Atlant. i. 71. t. 48.—Alger.  
*hispidia*, Vahl, ex DC. Syst. ii. 641 = *Boleum asperum*.  
*integrifolia*, Salisb. Prod. 265 = *V. Pseudocytisus*.  
*Pseudocytisus*, Linn. Sp. Pl. 641.—Hispan.  
*spinosa*, Boiss. Elench. 14.—Hispan.  
*tatarica*, Pall. Reise, iii. 521 = *Euclidium tataricum*.  
*tenuissima*, Pall. l. c. 740 = *Euclidium tataricum*.

**VELLASQUEZIA**, Bertol. Fl. Guatim. 39. t. 11 (1840) = *Triplaris*, Loefl. (Polygon.).  
*melanodendron*, Bertol. l. c. 40. t. 11.—Guatemala.

**VELLEA**, D. Dietr. ex Steud. Nom. ed. II. ii. 746 (1841), sphalm. = *VELAEA*, DC. = *Arracacia*, Bancr. (Umbell.).

**VELLEIA**, Sm. in Trans. Linn. Soc. iv. (1798) 217. *GOODENOVIÆAE*, Benth. & Hook. f. ii. [II.] 538.  
*EUTHALES*, R. Br. Prod. 579 (1810).  
*MENOCERAS*, Lindl. Veg. Kingd. 695 (1847).  
*arguta*, R. Br. Prod. 580 = *paradoxa*.  
*connata*, F. Muell. in Trans. Phil. Soc. Vict. i. (1855) 18.—Austral.  
*cynopotamica*, F. Muell. Fragm. vi. 7.—Austral.  
*Daviesii*, F. Muell. l. c. x. 10.—Austral.  
*dichotoma*, Auct. ex DC. Prod. vii. 518 = *lyrata*.  
*discophora*, F. Muell. Fragm. x. 10.—Austral.  
*lanceolata*, Lindl. Swan River App. 26 = *Goodenia filiformis*.  
*lyrata*, R. Br. Prod. 580.—Austral.  
*macrocalyx*, De Vriese, in Mitch. Journ. Trop. Austral. 258.—Austral.  
*macrophylla*, Benth. Fl. Austral. iv. 47.—Austral.  
*macropectra*, F. Muell. Fragm. xii. 22.—Austral.  
*montana*, Hook. f. in Hook. Lond. Journ. Bot. vi. (1847) 265.—Austral.  
*panduriformis*, A. Cunn. ex Benth. Fl. Austral. iv. 46.—Austral.  
*paradoxa*, R. Br. Prod. 580.—Austral.  
*perfoliata*, R. Br. l. c. 581.—Austral.  
*pubescens*, R. Br. l. c.—Austral.  
*spatulata*, R. Br. l. c. 580.—Austral.  
*spatulata*, A. Juss. in Ann. Mus. Par. xviii. (1811) 17. t. 1 = *lyrata*.  
*trinervis*, Labill. Nov. Holl. Pl. i. 54. t. 77.—Austral.

**VELLEJA**, Schrad. Neues Journ. iii. i. (1809) 118 = *præc.*

**VELLERUCA**, Pomel, Mat. Fl. Atl. 12 (1860) = *Eruca*, Tourn. (Crucif.).  
*longistyla*, Pomel, l. c. = *E. longistyla*.  
*setulosa*, Pomel, l. c. = *E. setulosa*.  
*vesicaria*, Pomel, l. c. = *E. vesicaria*.

**VELLEYA**, Walp. Ann. i. 471 (1848–49) = *Velleia*, Sm. (Gooden.).

**VELLOSIA**, Spreng. Syst. iii. 338 (1826) = *seq.*

**VELLOZIA**, Vand. Fl. Lusit. 32. t. 2 (1788). *AMARYLLIDÆAE*, Benth. & Hook. f. iii. 739.  
*SCHNIZLEINIA*, Steud. ex Hochst. in Flora, xxvii. (1844) 31.  
*TALBOTIA*, Balf. in Trans. Bot. Soc. Edinb. ix. (1868) 190.  
*XEROPHYTA*, Juss. Gen. 50 (1789).  
*abietina*, Mart. Nov. Gen. et Sp. i. 14. t. 6.—Bras.  
*albiflora*, Pohl, Pl. Bras. Ic. i. 121. t. 96.—Bras.  
*aloaefolia*, Mart. Nov. Gen. et Sp. i. 15. t. 7.—Bras.  
*alutacea*, Pohl, Pl. Bras. Ic. i. 130 = *variabilis*?

**VELLOZIA** :—

*asperula*, Mart. Nov. Gen. et Sp. i. 15. t. 8.—Bras.  
*barbaceniaefolia*, Seub. in Mart. Fl. Bras. iii. i. 79.—Bras.  
*brevifolia*, Seub. l. c. 84. t. 10. f. 2.—Bras.  
*breviscapa*, Mart. in Schult. f. Syst. vii. 293.—Bras.  
*candida*, Mikan, Delect. Fl. et Faun. Bras. fasc. ii. [t. 7].—Bras.  
*capillaris*, Welw. ex Baker, in Trans. Linn. Soc. Ser. II. i. (1878) 264.—Afr. trop.  
*caruncularis*, Mart. ex Seub. in Mart. Fl. Bras. iii. i. 78. t. 8. f. 1.—Bras.  
*cinerascens*, Mart. ex Seub. l. c. 74.—Bras.  
*coerulescens*, Hort. Belg. ex Gumb. in Gard. Chron. (1874) II. 623, 657 = *Barbacenia purpurea*.  
*compacta*, Mart. in Schult. f. Syst. vii. 293.—Bras.  
*crassicaulis*, Mart. l. c. 292 = *albiflora*.  
*cryptantha*, Seub. in Mart. Fl. Bras. iii. i. 80.—Bras.  
*dasyptus*, Seub. l. c. 81.—Bras.  
*elegans*, Talbot, ex Balf. in Trans. Bot. Soc. Edinb. ix. (1868) 79, nomen; Oliver, ex Hook. f. Bot. Mag. t. 5803.—Afr. austr.  
*epidendroides*, Mart. in Schult. f. Syst. vii. 292.—Bras.  
*flavicans*, Mart. l. c. 293 = *squamata*.  
*glabra*, Mikan, ex Spreng. Syst. iii. 338 = *phalocarpa*.  
*glaucula*, Pohl, Pl. Bras. Ic. i. 125. t. 100.—Bras.  
*glochidea*, Pohl, l. c. 129.—Bras.  
*gracilis*, Seub. in Mart. Fl. Bras. iii. i. 81.—Bras.  
*graminea*, Pohl, Pl. Bras. Ic. i. 118. t. 93.—Bras.  
*hemisphaerica*, Seub. in Mart. Fl. Bras. iii. i. 80.—Bras.  
*incurvata*, Mart. in Schult. f. Syst. vii. 293.—Bras.  
*intermedia*, Seub. in Mart. Fl. Bras. iii. i. 78.—Bras.  
*lanata*, Pohl, Pl. Bras. Ic. i. 130.—Bras.  
*leptophylla*, Seub. in Mart. Fl. Bras. iii. i. 84.—Bras.  
*macrantha*, Lem. Illustr. Hort. xii. (1865) Misc. 44.—Bras.  
*maritima*, Vell. Fl. Flum. 219; v. t. 79.—Bras.  
*minima*, Pohl, Pl. Bras. Ic. i. 119. t. 94.—Bras.  
*ornata*, Mart. in Schult. f. Syst. vii. 293.—Bras.  
*papillosa*, Pohl, Pl. Bras. Ic. i. 128 = *asperula*.  
*phalocarpa*, Pohl, l. c. 123. t. 98.—Bras.  
*plicata*, Mart. Nov. Gen. et Sp. i. 16. t. 9.—Bras.  
*punctulata*, Seub. in Mart. Fl. Bras. iii. i. 82.—Bras.  
*pusilla*, Pohl, Pl. Bras. Ic. i. 122. t. 97.—Bras.  
*resinosa*, Mart. in Schult. f. Syst. vii. 293.—Bras.  
*scabra*, Spreng. Syst. iii. 338.—Bras.  
*Sellovii*, Seub. in Mart. Fl. Bras. iii. i. 75.—Bras.  
*Spekei*, Baker, in Trans. Linn. Soc. xxix. (1875) 156.—Afr. trop.  
*squalida*, Mart. in Schult. f. Syst. vii. 292.—Bras.  
*squamata*, Auct. ex Steud. Nom. ed. II. ii. 746 = *Veratrum Sabadilla*.  
*squamata*, Pohl, Pl. Bras. Ic. i. 124. t. 99.—Bras.  
*squarrosa*, Welw. ex Baker, in Trans. Linn. Soc. Ser. II. i. (1878) 264.—Afr. trop.  
*stenophylla*, Welw. ex Baker, l. c. 265.—Afr. trop.  
*sulphurea*, Pohl, Pl. Bras. Ic. i. 120. t. 95.—Bras.  
*Talboti*, Balf. in Trans. Bot. Soc. Edinb. ix. (1868) 190 = *elegans*.  
*taxifolia*, Mart. ex Seub. in Mart. Fl. Bras. iii. i. 75.—Bras.  
*tenella*, Mart. in Schult. f. Syst. vii. 293 = *graminea*.  
*tertia*, Spreng. Neue Entdeck. ii. 108 = *candida*.  
*tomentosa*, Pohl, Pl. Bras. Ic. i. 130.—Bras.  
*tragacantha*, Mart. ex Seub. in Mart. Fl. Bras. iii. i. 75.—Bras.  
*triquetra*, Pohl, Pl. Bras. Ic. i. 129.—Bras.  
*tubiflora*, H. B. & K. Nov. Gen. et Sp. vii. 155 = *Barbacenia tubiflora* (in Addend.).  
*variabilis*, Mart. in Schult. f. Syst. vii. 293.—Bras.  
*velutina*, Welw. ex Baker, in Trans. Linn. Soc. Ser. II. i. (1878) 265.—Afr. trop.  
*verruculosa*, Mart. in Schult. f. Syst. vii. 293.—Bras.

**VELLOZOA**, Lem. Jard. Fleur. iv. (1853), in obs. ad t. 390 = *præc.*

**VELPEAULIA**, Gaudich. Bot. Voy. Bonite, t. 109 (1844–52) = *Dolia*, Lindl. (Convolv.).  
*alibrexioides*, Gaudich. l. c.—Hab. ?

**VELTHAEIMIA**, Thunb. Fl. Cap. ii. 278 (1818), sphalm. = *seq.*

**VELTHEIMIA**, Gled. in Mém. Acad. Berl. 1769 (1771) 66. *LILIACEAE*, Benth. & Hook. f. iii. 811.  
*abyssinica*, [DC. in] Red. Lil. iv. t. 186 = *Kniphofia abyssinica*.  
*bracteata*, Harv. ex Baker, in Journ. Linn. Soc. xi. (1871) 411.—Afr. austr.  
*capensis*, [DC. in] Red. Lil. iv. t. 193 = *viridifolia*.  
*glaucula*, Jacq. Hort. Schoenb. i. 40. t. 77.—Afr. austr.  
*intermedia*, Sweet, Hort. Brit. ed. I. 409.—Afr. austr.  
*media*, Donn, Hort. Cantab. ed. IV. 74 = *Kniphofia sarmentosa*.  
*pumila*, Willd. Sp. Pl. ii. 182 = *Kniphofia pumila*.  
*repens*, [Ker-Gawl.] Recens. Pl. 18 = *Kniphofia sarmentosa*.  
*sarmentosa*, Willd. Enum. Hort. Berol. 380 = *Kniphofia sarmentosa*.  
*speciosa*, Roth, Nov. Pl. Sp. 190 = *Kniphofia aloides*.  
*undulata*, Moench, Meth. 631 = *viridifolia*.  
*Uvaria*, Willd. Sp. Pl. ii. 182 = *Kniphofia aloides*.  
*viridifolia*, Jacq. Hort. Schoenb. i. 41. t. 78.—Afr. austr.

**VELTIS**, Adans. Fam. ii. 116 (1763) = *Centaurea*, Linn. (Compos.).

**VEMONIA**, Edgew. in Journ. As. Soc. Beng. xvi. (1847) II. 1216, err. typ. = *Vernonia*, Schreb. (Compos.).

**VENANA**, Lam. Illustr. ii. 99. t. 131 (1800) = *Brexia*, Noronha (1806) (Saxifr.).  
*madagascariensis*, Lam. l. c. = *B. madagascariensis*.

**VENATRIS**, Rafin. Fl. Tellur. ii. 47 (1836) = *Aster*, Tourn. (Compos.).  
*falcata*, Rafin. l. c. = *A. falcatus*.  
*linifolius*, Rafin. l. c. = *A. acris*.  
*pauciflorus*, Rafin. l. c. = *A. pauciflorus*.  
*salicifolius*, Rafin. l. c. = *A. diffusus*?  
*tenuifolius*, Rafin. l. c. = *A. tenuifolius*.

**VENDREDIA**, Baill. Hist. Pl. viii. 264 (1882) = *Rhetinodendron*, Meissn. (Compos.).  
*Berterii*, Baill. l. c. 265 = *R. Berteroi*.

**VENEGASIA**, DC. Prod. vi. 43 (1837). *COMPOSITAE*, Benth. & Hook. f. ii. 397.  
*PARTHENOPSIS*, Kellogg, in Proc. Calif. Acad. v. (1875) 100.  
*carpesioides*, DC. Prod. vi. 43.—Calif.

**VENEGAZIA**, Benth. & Hook. f. Gen. ii. 397 (1873), sphalm. = *præc.*

**VENIDIUM**, Less. in Linnaea, vi. (1831) 91. *COMPOSITAE*, Benth. & Hook. f. ii. 459.  
*ANTROSPERMUM*, Sch. Bip. in Flora, xxvii. (1844) 773.  
*CLEITRIA*, Schrad. Ind. Sem. Hort. Gotting. (1831).  
—Cf. Linnaea, viii. (1833) Litt. 23.  
*angustifolium*, DC. Prod. vi. 492.—Afr. austr.  
*arctotoides*, Hort. Hamb. ex Harv. & Sond. Fl. Cap. iii. 463 = *hirsutum*.  
*arctotoides*, Less. Syn. Comp. 33.—Afr. austr.  
*aureum*, DC. Prod. vi. 494.—Afr. austr.  
*calendulaceum*, Less. Syn. Comp. 32 = *decurrens*.  
*canescens*, DC. Prod. vi. 493 = *decurrens*.  
*cinerarium*, DC. l. c. = *perfoliatum*.  
*decurrens*, Less. Syn. Comp. 32.—Afr. austr.  
*discolor*, Less. l. c. 31.—Afr. austr.  
*erosum*, Harv. in Harv. & Sond. Fl. Cap. iii. 462.—Afr. austr.  
*fugax*, Harv. l. c. 464.—Afr. austr.  
*hirsutum*, Harv. l. c. 463.—Afr. austr.  
*hispidulum*, DC. Prod. vi. 493 = *Kraussii*.  
*hispidulum*, Less. Syn. Comp. 34.—Afr. austr.  
*Kraussii*, Sch. Bip. in Flora, xxvii. (1844) 773.—Afr. austr.  
*macrocephalum*, DC. Prod. vi. 494.—Afr. austr.  
*macrosperrum*, DC. l. c. 492.—Afr. austr.  
*microcephalum*, DC. l. c. 493.—Afr. austr.  
*perfoliatum*, Less. Syn. Comp. 30.—Afr. austr.  
*plantagineum*, Less. l. c. = *semipapposum*.

**VENIDIUM** :—

- puberulum*, DC. Prod. vi. 493 = *hispidulum*.  
*ramosissimum*, Sch. Bip. in *Flora*, xxvii. (1844) 772.  
 —Afr. austr.  
*scabrum*, Less. Syn. Comp. 29 = *semipapposum*.  
*Schraderi*, DC. Prod. vi. 494. —Afr. austr.  
*semipapposum*, DC. l. c. 491. —Afr. austr.  
*spathuligerum*, DC. l. c. 493. —Afr. austr.  
*speciosum*, Regel, *Ind. Sem. Hort. Petrop.* (1857) 43.  
 —Afr. austr.  
*subcaule*, DC. Prod. vi. 493. —Afr. austr.  
*subcalvum*, DC. l. c. 492 = *semipapposum*.  
*Weyleyi*, Harv. in *Harv. & Sond. Fl. Cap.* iii. 463. —  
 Afr. austr.

VENIERA, Salisb. Gen. Pl. Fragm. 101 (1866) = **Nar-**  
**cissus**, Tourn. (Amaryll.).  
*tenuior*, Salisb. l. c. = *N. gracilis*.

VENILIA, Fourr. in Ann. Soc. Linn. Lyon, N. S. xvii.  
 (1869) 125 = **Scrophularia**, Tourn.  
*vernalis*, Fourr. l. c. = *S. vernalis*.

VENTENATA, Koel. Desc. Gram. 272 (1802).  
**GRAMINEAE**, Benth. & Hook. f. iii. 1159.

**HETERANTHUS**, Dum. ex Fourr. in Ann. Soc. Linn.  
 Lyon, N. S. xvii. (1869) 183.

- MALYA, Opiz, Seznam, 62 (1852).  
*avenacea*, Koel. Desc. Gram. 274. —Europ.  
*Blanchei*, Boiss. Fl. Orient. v. 539. —Syria.  
*bromoides*, Koel. Desc. Gram. 273 = *avenacea*.  
*dubia*, Coss. Expl. Algér. 104 = *avenacea*.  
*macra*, Balansa, ex Boiss. Fl. Orient. v. 540. —As.  
 Min.; Mesopot.  
*quercetorum*, Boiss. & Bal. Diagn. Ser. II. iv. 130. —  
 Phrygia.  
*subnervis*, Boiss. & Bal. in Bull. Soc. Bot. Fr. iv.  
 (1857) 305. —Phrygia.  
*triflora*, F. Schultz, ex Nym. Consp. 815 = *avenacea*.

VENTENATIA, Beauv. Fl. Owar. i. 29. t. 17 (1805) =  
**Oncoba**, Forsk. (Bixin).  
*glauca*, Beauv. l. c. 30 = *O. glauca*.

VENTENATIA, Cav. Ic. iv. 79 (1797), err. typ. =  
**VINTENATIA**, Cav.

VENTENATIA, Sm. Exot. Bot. ii. 13. tt. 66, 67  
 (1805) [1806?] = **Stylidium**, Sw. (Campan.).  
*major*, Sm. l. c. 13. t. 66 = *S. graminifolium*.  
*minor*, Sm. l. c. 15. t. 67 = *S. lineare*.

VENTENATIA, Tratt. Gen. Pl. Disp. 86 (1802) =  
**Pedilanthus**, Neck. (Euphorb.).  
*bracteata*, Tratt. l. c. 87 = *P. bracteatus*.

**VENTILAGO**, Gaertn. Fruct. i. 223. t. 49 (1788).  
**RHAMNEAE**, Benth. & Hook. f. i. 375.

ENRILA, Blanco, Fl. Filip. ed. I. 709 (1837).  
*bombaiensis*, Dalz. in Hook. Kew Journ. iii. (1851)  
 36. —Ind. or.

*bracteata*, Heyne, ex Wall. Cat. n. 4269 = *maderas-*  
*patana*.  
*buxoides*, Baill. *Adansonia*, xi. (1874) 268. —  
 N. Caled.

*calyculata*, Tul. in Ann. Sc. Nat. Sér. IV. viii. (1857)  
 124. —Ind. or.

*cernua*, Tul. l. c. 123. —Ins. Rawak.  
*cinerascens*, G. Don, Gen. Syst. ii. 28 = *Rhamnus*  
*cinerascens*.

*denticulata*, Willd. in Ges. Naturf. Fr. Neue Schr. iii.  
 (1801) 417 = *calyculata*.

*ecorollata*, F. Muell. in Wing, South. Sc. Record (July  
 1883). —Austral.

*lanceata*, Tul. in Ann. Sc. Nat. Sér. IV. viii. (1857) 121.  
 —Ins. Seychelles.

*leiocarpa*, Benth. in Journ. Linn. Soc. v. (1861) 77. —  
 As. or.

*leptadenia*, Tul. in Ann. Sc. Nat. Sér. IV. viii.  
 (1857) 124. —Madag.

*lucens*, Mig. Fl. Ind. Bat. Suppl. 330. —Sumatra.

*macrantha*, Tul. in Ann. Sc. Nat. Sér. IV. viii. (1857)  
 123 = *calyculata*.

*maderaspatana*, Benth. in Hook. Kew Journ. iv.  
 (1852) 42 = *leiocarpa*.

*maderaspatana*, Gaertn. Fruct. i. 223. t. 49. —Ind. or.

**VENTILAGO** :—

- maderaspatana*, Roxb. Pl. Corom. i. 55. t. 76 =  
*calyculata*.  
*Maingayi*, M. Laws. in Hook. f. Fl. Brit. Ind. i. 631.  
 —Malaya.  
*monica*, Blanco, Fl. Filip. ed. II. 124 = *madera-*  
*patana*.  
*oblongifolia*, Blume, Bijdr. 1144. —Java.  
*silhetiana*, M. Laws. in Hook. f. Fl. Brit. Ind. i. 631,  
 in syn. = *calyculata*.  
*Smithiana*, Tul. in Ann. Sc. Nat. Sér. IV. viii. (1857)  
 125 = *calyculata*.  
*sororia*, Hance, in Journ. Bot. xiv. (1876) 243. —  
 China.  
*sulphurea*, Tul. in Ann. Sc. Nat. Sér. IV. viii. (1857)  
 125 = *calyculata*.  
*viminialis*, Hook. in Mitch. Journ. Trop. Austral. 369.  
 —Austral.  
*vitiensis*, A. Gray, Bot. U. St. Expl. Exped. i. 274. —  
 Ins. Fiji.

**VEPRECELLA**, Naud. in Ann. Sc. Nat. Sér. III. xv.  
 (1851) 312. t. 15. **MELASTOMACEAE**, Benth.  
 & Hook. f. i. 752.

*hispidula*, Baker, in Journ. Linn. Soc. xxi. (1884) 342.  
 —Madag.

*laxiflora*, Naud. in Ann. Sc. Nat. Sér. III. xv. (1851)  
 314. —Madag.

*lutea*, Naud. l. c. 313. —Madag.

*macrophylla*, Naud. l. c. 314. —Madag.

*nigrescens*, Naud. l. c. 313. —Madag.

*schizocarpa*, Baker, in Journ. Bot. xx. (1882) 112. —  
 Madag.

*vestita*, Baker, in Journ. Linn. Soc. xx. (1883) 146. —  
 Madag.

VEPRIS, Comm. ex A. Juss. in Mém. Mus. Par. xii.  
 (1825) 509 = **Toddalia**, Juss. (Rutac.).

*inermis*, Comm. l. c. 538 = *T. paniculata*.

*lanceolata*, G. Don, Gen. Syst. i. 806 = *T. lanceolata*.

*obovata*, G. Don, l. c. = *T. paniculata*.

*querimbensis*, Klotzsch, in Peters, Reise Mossamb.  
 Bot. 87 = *T. lanceolata*.

*simplicifolia*, Endl. Prod. Fl. Norfolk. 89 = *Acronychia*  
*Endlicheri*.

VERATAXUS, [Nelson,] Senilis, Pinaceae, 168 (1866) =  
**Taxus**, Tourn. (Conif.).

*adpressa*, Carr. Conif. ed. II. 731 = *T. baccata*.

VERATRONIA, Miq. Fl. Ind. Bat. iii. 553 (1859) =  
**Susum**, Blume (Flagell.).

*malayana*, Miq. l. c. = *S. anthelminticum*.

**VERATRUM**, [Tourn.] Linn. Syst. ed. I (1737).  
**LILIACEAE**, Benth. & Hook. f. iii. 834.

**ACEDILANTHUS**, Benth. & Hook. f. Gen. iii. 834  
 (1883), sphalm.

**ACELIDANTHUS**, Trautv. & Mey. in Middend. Reise  
 (Fl. Ochot. 94) (1847).

**ANEPSA**, Rafin. Fl. Tellur. ii. 31 (1836).

*album*, Linn. Sp. Pl. 1044. —Europ.; As. bor.

*album*, Michx. Fl. Bor. Am. ii. 249 = *viride*.

*album*, S. Wats. Bot. King's Exped. 344 = *califor-*  
*nicum*.

*americanum*, Mill. Gard. Dict. ed. VIII. n. 4 =  
*Helonias bullata*.

*angustifolium*, Pursh, Fl. Am. Sept. i. 242 = *Stenan-*  
*thium angustifolium*.

*californicum*, Durand, in Journ. Acad. Nat. Sc. Philad.  
 Ser. II. iii. (1855) 103. —Am. bor. occ.

*caricifolium*, Schlecht. Ind. Sem. Hort. Hal. (1838)  
 8 = *Schoenocaulon officinale*.

*Dubouseti*, Hombr. & Jacquinet, ex Decne. Bot. Voy.  
 Astrol. et Zél. 17 = *Anthericum Rossii*.

*Eschscholtzii*, A. Gray, in Ann. Lyc. N. York, iv. (1837)  
 119 = *album*.

*fimbriatum*, A. Gray, in Proc. Am. Acad. vii. (1868)  
 391. —Calif.

*flavum*, Herb. ex Schult. f. Syst. vii. 1565 = *Chamae-*  
*lirium carolinianum*.

*frigidum*, Schlecht. & Cham. in Linnaea, vi. (1831)  
 46 = *Stenanthium frigidum*.

*Hoffmeisteri*, Klotzsch, in Bot. Ergeb. Waldem. Reise,  
 44. t. 96 = *Smilacina purpurea*.

*intermedium*, Chapm. Fl. S. U. St. 489. —Florida.

**VERATRUM** :—

*Lobelianum*, Bernh. in Schrad. Neues Journ. ii. II. (1807)  
 356 = *album*.

*luteum*, Linn. Sp. Pl. 1044 = *Chamaelirium caroli-*  
*nianum*.

*Maackii*, Regel, in Mém. Acad. Pétersb. Sér. VII. iv.  
 (1861) iv. 154. —Sibir. or.

*malayanum*, Jack, in Malay. Misc. i. (1820) v. n. II. 25  
 = *Susum anthelminticum*.

*Maximowiczii*, Baker, in Journ. Linn. Soc. xvii. (1879)  
 472. —Japon.

*nigrum*, Linn. Sp. Pl. 1044. —Europ.; As. bor.

*officinale*, Schlecht. & Cham. in Linnaea, vi. (1831) 45  
 = *Schoenocaulon officinale*.

*oxysepalum*, Turcz. in Bull. Soc. Nat. Mosc. (1840)  
 79 = *album*.

*parviflorum*, Bong. in Mém. Acad. Pétersb. Sér. VI.  
 ii. (1833) 166 = *album*.

*parviflorum*, Michx. Fl. Bor. Am. ii. 250. —Am. bor.

*polygamum*, Gilib. Exercit. ii. 463 = *album*.

*purpureum*, Salisb. Prod. 214 = *nigrum*.

*Sabadilla*, Retz. Obs. i. 31 (err. typ. 29) (sp. dub.). —  
 Mexic.

*stamineum*, Maxim. in Bull. Acad. Pétersb. xv. (1871)  
 230. —Japon.

*tenuifolium*, Mart. & Gal. in Bull. Acad. Brux. ix.  
 II. (1842) 380 = *Schoenocaulon officinale*.

*virescens*, Mart. & Gal. l. c. 381 = *Zygadenus mexi-*  
*canus*.

*virginicum*, Ait. Hort. Kew. ed. II. v. 426 = *Melan-*  
*thum virginicum*.

*viride*, Ait. l. c. ed. I. iii. 422. —Am. bor.

*viride*, Roehl. Deutschl. Fl. ed. II. ii. 237 = *album*.

*Woodii*, Robbins, ex A. Gray, Man. Bot. N. U. St.  
 ed. II. 477. —Am. bor.

**VERBASCUM**, Tourn. ex Linn. Syst. ed. I (1737).  
**SCROPHULARINEAE**, Benth. & Hook. f. ii. 928.

**BLATTARIA**, [Tourn.] Rupp. Fl. Jen. ed. Hall. 247  
 (1745).

**FLOMOSIA**, Rafin. Fl. Tellur. iv. 89 (1836).

**LASIAKE**, Rafin. l. c. (1836).

**LEOSANDRA**, Rafin. l. c. (1836).

**LYCHNITIS**, Fourr. in Ann. Soc. Linn. Lyon, N. S.  
 xvii. (1869) 125.

**THAPSUS**, Rafin. Fl. Tellur. iv. 89 (1836).

*abietinum*, Borb. in Verh. Bot. Ver. Brandenb. xvii.  
 (1875) 60 = *nigrum*.

*acuminatum*, Schrad. ex Steud. Nom. ed. I. 871  
 (Quid ?). —Hab. ?

*Adeliae*, Heldr. in Boiss. Diagn. Ser. II. iii. 145. —  
 Ins. Cyclad.

*adenocaulon*, Boiss. & Bal. l. c. vi. 128. —Cappadoc.

*adenophorum*, Boiss. & Bal. l. c. Ser. I. iv. 64. —Caria.

*adenophorum*, Godr. in Mém. Acad. Montp. (Sect.  
 Médic.) i. (1853) 442 = *glandulosum*.

*adulterinum* x, Koch, Syn. Fl. Germ. ed. I. 512. —  
 Europ.

*aethiopicum*, Ehrenb. ex Sweet, Hort. Brit. ed. II. 381.  
 —Mons Sinai.

*alatum*, Lam. Fl. Fr. ii. 259 = *V. Thapsus*.

*album*, Mill. Gard. Dict. ed. VIII. n. 3 = *V. Lychnitis*.

*alceoides*, Boiss. & Haussk. ex Boiss. Fl. Orient. iv.  
 306. —Kurdistan.

*alepense*, Benth. in DC. Prod. x. 241. —Syria.

*alopecuroides*, Bivona, ex Guss. Fl. Sic. Syn. i. 265. —  
 Sicilia.

*Alopecuros*, Delile, ex Godr. in Mém. Acad. Montp.  
 (Sect. Médic.) i. (1853) 440 = *eriphorum*.

*alopecurus*, Thuill. Fl. Par. ed. II. 110 = *nigrum*.

*alpestre*, Boiss. & Haussk. ex Boiss. Fl. Orient. iv. 317  
 = *erionrhodon*.

*alpestre*, Hegetschw. Fl. Schw. 13. —Europ.

*alpigenum*, C. Koch, in Linnaea, xxii. (1849) 724 =  
*pyramidatum*.

*alpinum*, Salisb. Prod. 105 = *Ramondia pyrenaica*.

*alpinum*, Turra, Fl. Ital. Prod. 64 = *nigrum*.

*alysifolium*, Boiss. Diagn. Ser. I. iv. 58. —Armenia.

*Amanum*, Boiss. Fl. Orient. iv. 310. —Syria.

*ambiguum*, Lej. Rev. Fl. Spa, 229 = *adulterinum*.

*amoenum*, Salisb. Prod. 105 = *Celsia Arcturus*.

*angustifolium*, Tenore, Fl. Nap. iii. 218. t. 122. —Ital.

*angustius*, Schrank, in Hoppe, Taschenb. (1809) 90; ex  
 Schrad. Monog. Verb. i. 18; ii. 57 = *V. Thapsus*.

*annuum*, Mill. Gard. Dict. ed. VIII. n. 11 = *vir-*  
*gatum*.

*Antinori*, Boiss. & Heldr. Diagn. Ser. II. iii. 144. —  
 As. Min.

**VERBASCUM :—**

*antiochium*, Boiss. & Heldr. *Diagn.* Ser. I. xii. 9.—Syria.  
*Arcturus*, Linn. Sp. Pl. 178 = *Celsia Arcturus*.  
*argentatum*, Delile, ex Godr. in *Mém. Acad. Montp.* (Sect. Médic.) i. (1853) 441.—Hab.?  
*argenteum*, Tenore, *Fl. Nap.* iii. 220. t. 215. f. 1.—Ital.  
*argyrostachyon*, Tenore, *Relaz. Viagg. Abruzz.* 52; Syll. Fl. Neap. 107 = *phlomoides*.  
*armeniaceum*, Boiss. *Fl. Orient.* iv. 361 = *Celsia aurea*.  
*armenum*, Boiss. & Kotschy, ex Boiss. l. c. 304.—Armenia.  
*asperulum*, Boiss. *Diagn.* Ser. I. iv. 57 = *cheiranthifolium*.  
*astrophyllum* ×, Boiss. & Heldr. *Diagn.* Ser. I. xii. 13.—As. Min.  
*atheniense*, Hort. Angl. ex Steud. *Nom. ed. II.* ii. 747 (Quid?).—Graecia?  
*auriculatum*, Sibth. & Sm. *Fl. Graec. Prod.* i. 149 = *mucronatum*.  
*auritum* ×, Franch. in *Mém. Soc. Acad. Maine-et-Loire*, xxii. (1868) 129.—Gallia.  
*australe*, Schrad. *Monog. Verb.* i. 28 = *phlomoides*.  
*austriacum*, Schott, ex Roem. & Schult. *Syst.* iv. 341 = *nigrum*.  
*bactrianum*, Bunge, in *Mém. Sav. Etr. Pétersb.* vii. (1851) 422.—Turkestan.  
*banaticum*, Schrad. *Monog. Verb.* ii. 28 = *nigrum*.  
*Barnadesii*, Vahl, *Symb. Bot.* ii. 39 = *Celsia Barnadesii*.  
*barradense*, Boiss. *Fl. Orient.* iv. 318 = *sinaiticum*.  
*basianicum*, Boiss. & Haussk. ex Boiss. l. c. 341.—Mesopot.  
*Bastardi*, Roem. & Schult. *Syst.* iv. 335 = *thapsiforme*.  
*beryeum*, Boiss. *Diagn.* Ser. I. xii. 28.—Syria.  
*betonicaefolium*, Desf. in *Ann. Mus. Par.* xi. (1808) 54 = *nigrum*?  
*bicelle*, Roem. & Schult. *Syst.* iv. 325 = V. *Thapsus*.  
*bicolle*, Schrank, Baier. *Fl.* i. 465 = *thapsiforme*?  
*bicolor*, Badaro, Osserv. 3; in Brugnat. *Giorn. Fis. Dec.* II. vii. (1824) 365 = Boerhavi.  
*Biebersteinii*, Bess. Ind. Sem. Hort. Crem. (1821); et in Enum. Pl. Volh. 53 = V. *Lychnitis*.  
*bipinnatifidum*, Sims, Bot. Mag. t. 1777 = *pinnatifidum*.  
*Bischoffii* ×, G. F. Koch, in Pollichia, (1849) 23.—Europ.  
*biscutellaefolium*, Benth. in DC. *Prod.* x. 241.—Armenia.  
*bithynicum*, Boiss. *Diagn.* Ser. I. iv. 63.—Bithynia.  
*Blancheanum*, Boiss. *Fl. Orient.* iv. 345.—Syria.  
*Blattaria*, Linn. Sp. Pl. 178.—Europ.; As. bor.  
*Blattaria*, J. A. Schmidt, in Journ. Bot. vi. (1868) 243 = V. *Thapsus*.  
*Blattaria*, Vell. Fl. Flum. 100; iii. t. 3 = *virgatum*.  
*blattariforme*, Griseb. in Wieg. Archiv, xviii. (1852) 321 = V. *Blattaria*.  
*blattarioides*, Gaud. Fl. Helv. ii. 127 = *Gaudini*.  
*blattarioides*, Lam. Encyc. iv. 225 = *virgatum*.  
*blattarioides*, Wahlenb. ex Griseb. *Spicil. Fl. Rumel.* ii. 43 = *xanthophoeniceum*.  
*blattarium*, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 137 = V. *Blattaria*.  
*Boerhavi*, Linn. Mant. i. 45.—Reg. Mediterr.  
*Boerhavi*, Frivald. ex Nym. *Consp.* 526 = *phlomoides*.  
*Boerhavi*, Pall. Reise, iii. 540 = *ovalifolium*.  
*bohemicum*, Borb. in Termész. Füzetek, ix. (1885) 276 = *phlomoides*.  
*bombyciferum*, Boiss. *Diagn.* Ser. I. iv. 52 = V. *Lagurus*.  
*bombyciferum*, Heuff. in Verh. Zool.-Bot. Ges. Wien, viii. (1858) 165 = *longifolium*.  
*bombyciforme*, Boiss. *Fl. Orient.* iv. 303 = V. *Lagurus*.  
*bracteatum*, Kickx, ex Dum. Fl. Belg. Prod. 38 = V. *Thapsus*.  
*bracteatum*, J. & C. Presl, Delic. Prag. 214 = V. *Lychnitis*.  
*bracteolatum*, Delile, Ind. Sem. Hort. Monsp. Suppl. (1840) 4; ex Godr. Fl. Juven. ed. II. 95.—Hab.?  
*brassicaefolium*, Crantz, Inst. ii. 323 = *Celsia Arcturus*.  
*Brauneanum* ×, Wirtg. Fl. Preuss. Rheinprov. 315, 318.—Europ.  
*brevidentis*, Benth. in DC. *Prod.* x. 235 = *lasianthum*.  
*Brockmuelleri* ×, Ruhm. in Eichl. Jahrb. Berl. (1881) 248.—Europ.  
*bugulaefolium*, Lam. Encyc. iv. 226 = *Celsia bugulifolia*.

**VERBASCUM :—**

*bulbosum*, Ehrenb. ex Boiss. *Fl. Orient.* iv. 345 = *beryeum*.  
*caesareum*, Boiss. *Diagn.* Ser. I. xii. 7.—Palaest.  
*calabricum*, Thom. & Rich. ex Bertol. *Fl. Ital.* ii. 601 = *angustifolium*.  
*calaurium*, Heldr. ex Boiss. *Fl. Orient.* iv. 313 = *plicatum*.  
*calvescens*, Schur, Enum. Pl. Transs. 481 = *phlomoides*.  
*calvum*, Boiss. & Kotschy, ex Boiss. *Fl. Orient.* iv. 338.—Kurdist.  
*calycinum*, Ball, in Journ. Bot. xiii. (1875) 172.—Marocc.  
*calyculatum* ×, Chaub. in St. Amans, *Fl. Agen.* 87.—Europ.  
*campestre*, Boiss. & Heldr. *Diagn.* Ser. I. xii. 5.—Anatolia.  
*candelabrum*, Kar. & Kir. in Bull. Soc. Nat. Mosc. (1841) 717.—Sibir. altaic.  
*candidissimum*, DC. Fl. Fr. Suppl. 413 = *mucronatum*.  
*canescens*, Jord. ex Bor. Fl. Centr. Fr. ed. III. ii. 470 = V. *Thapsus*.  
*Capusi*, Franch. in Ann. Sc. Nat. Sér. VI. xviii. (1884) 222.—Turkestan.  
*caucasicum*, Fisch. Cat. Hort. Gorenk. ed. II. (1812) 25 = *rubiginosum*.  
*caucasicum*, Hort. ex Schrad. *Monog. Verb.* ii. 48 = *pyramidatum*.  
*caucasicum*, Schult. Obs. Bot. 42 = *ferrugineum*.  
*Ceccarianum*, Boiss. & Heldr. ex Boiss. *Fl. Orient.* iv. 322 = *sinuatum*.  
*Cedreti*, Boiss. *Diagn.* Ser. I. xii. 19.—Syria.  
*Celsiae*, Boiss. Voy. Bot. Espagne, ii. 444 = *virgatum*.  
*celsioides*, Benth. in DC. *Prod.* x. 229.—Reg. Himal.  
*ceratophyllum*, Schrad. *Monog. Verb.* ii. 7 = *pinnatifidum*.  
*cerinum*, Boiss. & Heldr. *Diagn.* Ser. I. xii. 21.—Lycaonia.  
*cestroides*, Boiss. & Haussk. ex Boiss. *Fl. Orient.* iv. 331.—Mesopot.  
*Chaixi*, Vill. Prosp. 22; Hist. Pl. Dauph. ii. 491 = *nigrum*.  
*cheiranthifolium*, Boiss. *Diagn.* Ser. I. iv. 56.—As. Min.  
*chium*, Boiss. & Orph. ex Boiss. *Fl. Orient.* iv. 309 = *glomeratum*.  
*chryserium*, Schrad. *Monog. Verb.* ii. 9.—Palaestin.  
*chrysochaete*, Stapf, in Denkschr. Akad. Wien, 1. (1885) 89.—Lycia.  
*chrysorrhacis*, Boiss. *Diagn.* Ser. I. iv. 58.—Caria.  
*chrysostallostemum*, Steud. *Nom. ed. II.* ii. 748, sphalm. = *crystallostemum*.  
*cilicium*, Boiss. *Diagn.* Ser. II. iii. 149.—Cilicia.  
*cisalpium*, Bioli, in Brugnat. *Giorn. Fis. Dec.* II. iv. (1821) 284 = *phoeniceum*.  
*claudiopolitanum* ×, Simk. in Magyar Novénýt. Lapok, ii. (1878) 150.—Europ.  
*Claytoni*, Michx. Fl. Bor. Am. i. 148 = V. *Blattaria*.  
*coeruleum*, Schanz, Cat. Sem. Hort. Vindob. (1822); ex Schrad. *Monog. Verb.* ii. 13 = *speciosum*.  
*collinum*, Salisb. *Prod.* 104 = *phoeniceum*.  
*collinum*, Schrad. *Monog. Verb.* i. 35 = V. *Thapsus*.  
*commutatum* ×, Kern. ex Nym. *Consp.* 531.—Europ.  
*commutatum*, Tenore, *Relaz. Viagg. Abruzz.* 121, nomen; Syll. 108.—Europ. austr.  
*comosum* ×, Simk. in Termész. Füzetek, ii. (1878) 36.—Europ.  
*compactum*, Bieb. Fl. Taur. Cauc. i. 159 = *ovalifolium*.  
*compactum*, Hort. ex Reichb. Fl. Germ. Excurs. 384 = *montanum*.  
*condensatum*, Schrad. *Monog. Verb.* i. 31. t. 3 = *phlomoides*.  
*conocarpum*, Moris, Elench. Fl. Sard. ii. 7.—Ins. Sardoia.  
*cordatum*, Desf. Fl. Atlant. i. 186.—Alger.  
*cordifolium*, Stokes, Bot. Mat. Med. i. 381 = *nigrum*.  
*Cossonianum*, Ball, in Journ. Linn. Soc. xvi. (1878) 583.—Marocc.  
*cotoneum*, Delile, ex Godr. in Mém. Acad. Montp. (Sect. Médic.) i. (1853) 440 = *glomeratum*.  
*crassifolium*, DC. Fl. Fr. iii. 601 = *montanum*.  
*crassifolium*, Hoffmgg. & Link, Fl. Port. i. 213. t. 26.—Lusitan.  
*crenatifolium*, Boiss. *Diagn.* Ser. I. iv. 51.—Bulgar.  
*crispum*, Ehrenb. ex Boiss. *Fl. Orient.* iv. 341 = *Schimperianum*.  
*crystallostemon*, [Weinm.]. Cat. Sem. Hort. Dorpat. (1818); ex Schrad. *Monog. Verb.* ii. 45 = *virgatum*.  
*cupreum*, Sims. Bot. Mag. t. 1226 = *phoeniceum*.

**VERBASCUM :—**

*cuspidatum*, Schrad. *Monog. Verb.* i. 23 = V. *Thapsus*.  
*cyliandrocarpum*, Griseb. *Spicil. Fl. Rumel.* ii. 46.—Macedon.  
*daenense*, Boiss. *Diagn.* Ser. I. vii. 38.—Persia.  
*damascenum*, Boiss. l. c. xii. 19.—Syria.  
*danubiale* ×, Simk. in Termész. Füzetek, ii. (1878) 36.—Europ.  
*decalvans* ×, Borb. l. c. ix. (1885) 278.—Europ.  
*decurrens*, Stokes, Bot. Mat. Med. i. 378 = V. *Thapsus*.  
*Delileanum*, Franch. *Etud. Verb.* 68.—Europ.  
*delphicum*, Boiss. & Heldr. *Diagn.* Ser. II. iii. 146.—Graecia.  
*densiflorum*, Bertol. Pl. Rar. Ital. Dec. iii. 52 = *thapsiforme*.  
*dentatum*, Lapeyr. Hist. Abr. Pl. Pyr. i. 114 = *nigrum*.  
*dentifolium*, Delile, Ind. Sem. Hort. Monsp. (1836) 28.—Cf. Ann. Sc. Nat. Sér. II. vii. (1837) 287.—Alger.  
*denudatum*, Boiss. & Heldr. *Diagn.* Ser. I. xii. 23.—Lycia.  
*denudatum* ×, Pfund, *Monog. Verb. Prod.* 51; et Berch. & Opiz, Oek. Fl. Boehm. iii. 369, 397.—Europ.  
*detersile*, Boiss. & Heldr. *Diagn.* Ser. I. xii. 15.—Lycia.  
*digitalifolium*, Boiss. & Haussk. ex Boiss. *Fl. Orient.* iv. 342.—Mesopot.  
*dimorphum* ×, Franch. in Mém. Soc. Acad. Maine-et-Loire, xxii. (1868) 140.—Europ.  
*diphyon* ×, Franch. l. c. 193.—Europ.  
*divaricatum* ×, Kitt. Taschenb. ed. II. 352.—Europ.  
*diversifolium*, Hochst. in Lorent, *Wanderungen*, 335.—Mesopot.  
*dubium*, Roem. & Schult. *Syst.* iv. 330.—Lusitania.  
*elegans*, Boiss. & Heldr. *Diagn.* Ser. I. xii. 12.—As. Min.  
*elegans*, Salisb. *Prod.* 105 = *Celsia orientalis*.  
*elongatum*, Moench, Meth. 446 = Boerhavi.  
*elongatum*, Willd. Enum. Hort. Berol. 223 = V. *Thapsus*.  
*epixanthinum*, Boiss. & Heldr. *Diagn.* Ser. I. vii. 39.—Graecia.  
*erianthum*, Benth. in DC. *Prod.* x. 235.—Afghan.  
*eriphorum*, Godr. in Mém. Acad. Montp. (Sect. Médic.) i. (1853) 440.—Hab.?  
*eriorrhodon*, Boiss. in Tchihat. Asie Min. Bot. ii. 4.—As. Min.  
*eristachyum*, Buek, Ind. ad DC. *Prod.* iii. 492, sphalm. = *glabratum*.  
*erythrocaule*, Schur, Enum. Pl. Transs. 483 = *glabratum*.  
*erphaticum*, Benth. in DC. *Prod.* x. 241.—Cappadoc.  
*Euryale* ×, Franch. in Mém. Soc. Acad. Maine-et-Loire, xxii. (1868) 147.—Europ.  
*farinosum*, Pourr. ex Willk. & Lange, *Prod. Fl. Hisp.* ii. 542 = *pulverulentum*.  
*fasciculatum*, Ehrenb. ex Sweet, Hort. Brit. ed. II. 381 = *sinaiticum*.  
*ferrugineum*, Andr. Bot. Rep. t. 162 = *phoeniceum*.  
*ferrugineum*, Mill. Gard. Dict. ed. VIII. n. 10.—Europ. austr.  
*firmum*, Dulac, Fl. Hautes-Pyr. 384 = V. *Lychnitis*.  
*flagriforme* ×, Pfund, *Monog. Verb. Prod.* 49; Opiz, ex Bercht. & Opiz, Oek. Fl. Boehm. iii. 370, 399.—Europ.  
*floccosum*, Waldst. & Kit. Pl. Rar. Hung. i. 81 = *pulverulentum*.  
*foetidum*, Boiss. & Heldr. *Diagn.* Ser. II. iii. 141 (faetidum).—Graecia.  
*foliosum* ×, Franch. in Mém. Soc. Acad. Maine-et-Loire, xxii. (1868) 142.—Europ.  
*formosum*, Fisch. Cat. Hort. Gorenk. ed. II. (1812) 25, nomen; ex Schrad. *Monog. Verb.* ii. 37 = *ovalifolium*.  
*formosum*, Fisch. ex Schrank, Pl. Rar. Hort. Monac. t. 22 = *spectabile*.  
*Freynianum* ×, Borb. in Oestr. Bot. Zeitschr. xxvi. (1876) 88.—Europ.  
*Gaillardoti*, Boiss. *Diagn.* Ser. II. vi. 128 = *sinuatum*.  
*galilaeum*, Boiss. *Diagn.* Ser. I. xii. 8.—Syria; Palaestin.  
*gallicum*, Willd. Sp. Pl. i. 1005 = *nigrum*.  
*garganicum*, Tenore, *Relaz. Viagg. Abruzz.* 53.—Italia.  
*Gaudini* ×, Doell, ex Nym. *Consp.* 530.—Europ.



**VERBASCUM:—**

- geminatum* x, Freyn, in Oestr. Bot. Zeitschr. xxvi. (1876) 370.—Europ.  
*geminiflorum*, Hochst. in Lorent, Wanderungen, 336.—Mesopot.  
*georgicum*, Benth. in DC. Prod. x. 228.—As. Min.; Persia.  
*Germanicae*, Haussk. ex Boiss. Fl. Orient. iv. 334.—Cataonia.  
*germanum* x, Franch. Fl. Loir-et-Cher, 409.—Europ.  
*giganteum*, Willk. in Linnaea, xxv. (1852) 51 = V. Thapsus.  
*glabratum*, Frivald. in Flora, xix. (1836) 440.—Banat.  
*glabrum*, Delarbre, in Journ. Santé Bord. ii. 166; ex Schrad. Monog. Verb. ii. 55.—Gallia.  
*glabrum*, Mill. Gard. Dict. ed. VIII. n. 8 = V. Blattaria.  
*glabrum*, Willd. Enum. Hort. Berol. 225 = virgatum.  
*glanduligerum*, Velen. in Oestr. Bot. Zeitschr. xxxiv. (1884) 424.—Europ.  
*glandulosum*, Delile, Ind. Sem. Hort. Monsp. (1849).—Cf. Ann. Sc. Nat. Sér. III. xii. (1849) 367.—Europ.  
*glandulosum*, Thore, ex Roem. & Schult. Syst. iv. 348 = virgatum.  
*globiflorum*, Boiss. & Noé, Diagn. Ser. II. iii. 148.—Galatia.  
*glomeratum*, Boiss. l. c. Ser. I. iv. 52.—As. Min.  
*gnaphalodes*, Bieb. Fl. Taur. Cauc. iii. 152.—Tauria; Reg. Cauc.  
*Godronii* x, Bor. Fl. Centr. Fr. ed. III. ii. 472.—Gallia.  
*gossypinum*, Bieb. Fl. Taur. Cauc. iii. 152.—Beria.  
*graciliflorum*, Delile, ex Godr. in Mém. Acad. Montp. (Sect. Médic.) i. (1853) 443.—Hab.?  
*gracum*, Heldr. & Sart. in Boiss. Diagn. Ser. II. iii. 148.—Graecia.  
*gracum*, Pall. ex Bieb. Fl. Taur. Cauc. i. 161 = sinuatum.  
*granatense*, Boiss. Voy. Bot. Espagne, ii. 441.—Hispan.  
*grandiflorum*, Gueldenst. Reisen, ii. 65; ex Ledeb. Fl. Ross. iii. 203.—Ross. austr.  
*grandiflorum*, Mill. Gard. Dict. ed. VIII. n. 5 = phlomoides.  
*grandiflorum*, Poir. Encyc. Suppl. iii. 715 = montanum.  
*grandiflorum*, Schrad. Hort. Gotting. 19. t. 13 = virgatum.  
*grossum*, Schleich. Cat. Pl. Helv. ed. IV. 36 (Quid?).—Europ.  
*Guicciardii*, Heldr. ex Boiss. Diagn. Ser. II. vi. 127.—Graecia.  
*Gussonii*, Tineo, in Guss. Fl. Sic. Syn. ii. 797 = sinuatum.  
*haemorrhoidale*, Ait. Hort. Kew. ed. I. i. 236 = pulverulentum.  
*Haensleri*, Boiss. Voy. Bot. Espagne, ii. 442.—Reg. Mediterr. occ.  
*Hausmanni* x, Čelak, in Arch. Naturw. Landesd. Boehm. ii. (1873) 317.—Europ.  
*Haynaldianum* x, Borb. in Oestr. Bot. Zeitschr. xxv. (1875) 213.—Europ.  
*Heldreichii*, Boiss. Diagn. Ser. II. iii. 147.—Graecia.  
*heteromallum*, Panč. ex Boiss. Fl. Orient. iv. 305 = malacotrichum.  
*Henriquezii*, Lange, ex Henriq. in Soc. Geogr. Lisboa, Sec. Bot. (1183) 80.—Lusitan.  
*heterophyllum* x, Franch. in Mém. Soc. Acad. Maine-et-Loire, xxii. (1868) 136.—Europ.  
*heterophyllum*, Griseb. Spicil. Fl. Rumel. ii. 49 = garganicum.  
*heterophyllum*, J. Mill. Ic. t. 67 (Quid?).—Hab.?  
*heterophyllum*, Moretti, in Brugat. Giorn. Fis. Dec. II. v. (1822) 111 = pulverulentum.  
*Heuffelii*, Neir. Aufz. Ung. Slav. Gefaesspfl. Nachtr. 53 = longifolium.  
*Hinkei*, Frivald. in Flora, xix. (1836) 440 = nigrum.  
*Hohenackeri*, Fisch. & Mey. Ind. Sem. Hort. Petrop. v. 42.—Reg. Cauc.  
*Hookerianum*, Ball, in Journ. Linn. Soc. xvi. (1878) 584.—Marocc.  
*Hornemannii*, Wierzb. in Reichb. Ic. Fl. Germ. xx. 17 = glabratum.  
*Hornemannii*, Bess. ex Steud. Nom. ed. I. 872; ed. II. ii. 748.—Europ.  
*humile*, Bernh. ex Steud. l. c. 872 = nigrum.

**VERBASCUM:—**

- humile*, Fanka, in Oestr. Bot. Zeitschr. xxiii. (1873) 241.—Thracia.  
*Humnickii* x, Franch. in Mém. Soc. Acad. Maine-et-Loire, xxii. (1868) 110.—Europ.  
*hybridum* x, Brot. Fl. Lusit. i. 170.—Lusitan.  
*hybridum*, Lej. Fl. Spa, ii. 299 = nigrum.  
*hyoseridifolium*, Boiss. Fl. Orient. iv. 325 = seq.  
*hyoseridifolium*, Schrad. Monog. Verb. ii. 31. t. 3. f. 1 = speciosum.  
*hypoleucum*, Boiss. & Heldr. Diagn. Ser. II. iii. 147 = nigrum.  
*incanum*, Gaud. Fl. Helv. ii. 121 = Schottianum.  
*indicum*, Wall. in Roxb. Fl. Ind. ed. Carey, ii. 236 = V. Thapsus.  
*infidelium*, Boiss. & Haussk. ex Boiss. Fl. Orient. iv. 342.—Cataonia.  
*insigne*, Boiss. & Bal. Diagn. Ser. II. vi. 129 = Wiedemannianum.  
*insulare*, Boiss. & Heldr. l. c. Ser. I. xii. 14 = eriorrhodon.  
*integrifolium*, Rochel, Pl. Banat. Rar. 57, in textu = speciosum.  
*interjectum*, Pfund, Monog. Verb. Prod. 49.—Europ.  
*intermedium*, Léman, ex Roem. & Schult. Syst. iv. 326 = V. Thapsus.  
*intermedium*, Rupr. ex Pfund, Monog. Verb. Prod. 54 = nigrum?  
*isauricum*, Boiss. & Heldr. Diagn. Ser. I. xii. 22.—Phrygia.  
*italicum*, Moric. Fl. Venet. i. 116 = phlomoides.  
*Jernacha*, Hochst. ex Benth. in DC. Prod. x. 227 = phlomoides.  
*Juratzkae* x, Dichtl, in Deutsche Bot. Monatsschr. ii. (1884) 134.—Europ.  
*Kanitzianum*, Simk. & Walz. in Magyar Növényt. Lapok, ii. (1878) 148, 149.—Europ.  
*khorrassanicum*, Boiss. Fl. Orient. iv. 319.—Persia.  
*Kickxianum*, Dum. Fl. Belg. Prod. 38 = V. Thapsus.  
*Killasii* x, Bruegg, in Jahresb. Naturf. Ges. Graub. II. xxiii–xxiv. (1880) 101.—Europ.  
*Klotzschianum* x, Wirtg. Fl. Preuss. Rheinprov. 321.—Europ.  
*kochiaeforme*, Boiss. & Haussk. ex Boiss. Fl. Orient. iv. 335.—Persia.  
*Kochianum* x, Wirtg. Fl. Preuss. Rheinprov. 320.—Europ.  
*Koecheli*, Fenzl, ex Boiss. Fl. Orient. iv. 344 = lyratifolium.  
*Kotschy*, Boiss. & Hohen. Diagn. Ser. I. iv. 56 = syriacum.  
*laetum*, Boiss. & Haussk. ex Boiss. Fl. Orient. iv. 338.—Mesopot.  
*laevigatum*, Enum. Sem. Hort. Prag. (1822); ex Schrad. Monog. Verb. ii. 45 = virgatum.  
*Lagurus*, Fisch. & Mey. Ind. Sem. Hort. Petrop. v. 42.—Byzant.  
*Lagurus*, Noé, ex Nym. Consp. 526 = crenatifolium.  
*Lamottei* x, Franch. in Mém. Soc. Acad. Maine-et-Loire, xxii. (1868) 124.—Gallia.  
*lanatum*, Gilib. Fl. Lituan. i. 40 = V. Thapsus.  
*lanatum*, Schrad. Monog. Verb. ii. 28. t. 2. f. 1 = nigrum.  
*lanceolatum*, Kit. in Linnaea, xxxii. (1863) 442 = virgatum.  
*lasianthum*, Boiss. ex Benth. in DC. Prod. x. 234.—As. Min.  
*laxiflorum*, Presl, Delic. Prag. 76 = pulverulentum.  
*laxiflorum*, Stapf, in Denkschr. Akad. Wien, l. (1885) 90.—Caria.  
*leianthum*, Benth. in DC. Prod. x. 239.—Cilicia.  
*leiocaulon*, Heuff. in Oestr. Bot. Zeitschr. viii. (1858) 28 = glabratum.  
*leiotachyon*, Griseb. Spicil. Fl. Rumel. ii. 43 = glabratum.  
*Lemaitrei*, Bor. in Mém. Soc. Acad. Maine-et-Loire, xxii. (1868) 13.—Europ.  
*leptocladum*, Boiss. & Heldr. Diagn. Ser. I. xii. 10.—Pamphylia.  
*leptocladum*, Panč. Elench. Pl. Crna-Gora, 69 = glabratum.  
*leptostachyon*, DC. Fl. Fr. Suppl. 415 = simplex.  
*leucanthemum*, Duf. ex Gren. & Godr. Fl. Fr. ii. 552 = V. Lychnitis.  
*leuconeurum*, Boiss. & Heldr. Diagn. Ser. I. xii. 27.—Phrygia.  
*leucophyllum*, Griseb. Spicil. Fl. Rumel. ii. 46.—Macedon.

**VERBASCUM:—**

- Linnaei*, Opiz, ex Bercht. & Opiz, Oek. Fl. Boehm. iii. 366, 371; Pfund, ex Nym. Consp. 527 = V. Thapsus.  
*longifolium*, DC. Fl. Fr. Suppl. 414 = speciosum.  
*longifolium*, Tenore, Prod. Fl. Nap. p. xvi.—Europ. austr.  
*longiracemosum* x, Chaub. in St. Amans, Fl. Agen. 89.—Europ.  
*luridum*, Salisb. Prod. 104 = V. Blattaria.  
*luteum*, Mill. Gard. Dict. ed. VIII. n. 4 = Boerhavi.  
*lychnitideum*, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 137 = V. Lychnitis.  
*Lychnitis*, Linn. Sp. Pl. 177.—Europ.; Reg. Cauc.  
*Lychnitis*, Schultz, Prod. Fl. Starg. Suppl. i. 14 = V. Thapsus.  
*lycium*, Stapf, in Denkschr. Akad. Wien, l. (1885) 89.—Lycia.  
*lydium*, Boiss. Diagn. Ser. I. iv. 62.—Lydia.  
*lyratifolium*, [Roechel] Koch, ex Benth. in DC. Prod. x. 242.—Cilicia.  
*lyratum*, Lam. Encyc. iv. 223 = Celsia cretica.  
*lyratum*, Pourr. ex Nym. Consp. 530 = nigrum.  
*macilentum* x, Franch. in Mém. Soc. Acad. Maine-et-Loire, xxii. (1868) 176.—Europ.  
*macranthum*, Hoffmgg. & Link, Fl. Port. i. 215. t. 27 = phlomoides.  
*macrocarpum*, Boiss. Diagn. Ser. I. xii. 6.—Persia.  
*macrophyllum*, Boiss. & Buhse, in Nouv. Mém. Soc. Nat. Mosc. xii. (1860) 161.—Persia.  
*macrophyllum*, C. Koch, in Linnaea, xxii. (1849) 728 = nigrum.  
*macrophyllum*, Kotschy, ex Boiss. Fl. Orient. iv. 315 = galilaum.  
*macrosepalum*, Boiss. & Kotschy, ex Boiss. l. c. 317 = eriorrhodon.  
*macrostachyum*, Griseb. Spicil. Fl. Rumel. ii. 58, in textu = longifolium.  
*macrurum*, Tenore, Prod. Fl. Nap. App. v. 9 = thapsiforme.  
*magellense*, Tenore, Fl. Nap. iii. 218.—Ital.  
*majale*, DC. Fl. Fr. Suppl. 415 = Boerhavi.  
*malacotrichum*, Boiss. & Heldr. Diagn. Ser. II. iii. 142.—Graecia.  
*mallophorum*, Boiss. & Heldr. l. c. Ser. I. vii. 39.—Graecia.  
*Martini* x, Franch. in Mém. Soc. Acad. Maine-et-Loire, xxii. (1868) 172.—Europ.  
*medum*, Stapf, in Denkschr. Akad. Wien, l. (1885) 23.—Persia.  
*megaphyllum*, Boiss. & Heldr. Diagn. Ser. II. iii. 144 = speciosum.  
*mesopotamicum*, Boiss. Diagn. Ser. I. xii. 24.—Mesopot.  
*messanense*, Tineo, in Guss. Fl. Sic. Syn. ii. 887 = thapsiforme.  
*micranthum*, Moretti, in Brugat. Giorn. Fis. Dec. II. v. (1822) 111 = V. Lychnitis.  
*microcalycinum*, Fenzl, ex Boiss. Fl. Orient. iv. 338 = leianthum.  
*microcarpum*, Benth. in DC. Prod. x. 230.—Mesopot.  
*millelacium*, Boiss. in Tchihat. Asie Min. Bot. ii. 3 = pycnostachyum.  
*mixtum* x, Ram. ex DC. Fl. Fr. iii. 603.—Europ.  
*mixtum*, Thomas, Cat. Pl. Suiss. 31; et ex Gaud. Fl. Helv. ii. 121 = Schottianum.  
*Moenchii*, Schultz, Prod. Fl. Starg. Suppl. i. 14 = V. Lychnitis.  
*molle*, C. Koch, in Linnaea, xvii. (1843) 284 = georgicum.  
*monspessulanum*, Pers. Syn. i. 215 = nigrum.  
*montanum*, Griseb. Spicil. Fl. Rumel. ii. 49 = phlomoides.  
*montanum*, Schrad. Hort. Gotting. 18. t. 12.—Europ.  
*monticolum*, Boiss. & Haussk. ex Boiss. Fl. Orient. iv. 325 = cheiranthifolium.  
*mosellanum* x, Wirtg. Fl. Preuss. Rheinprov. 316, 319.—Europ.  
*mucronatum*, Lam. Encyc. iv. 218.—As. Min.; Creta.  
*Muhlenbeckii*, Godr. Bon Cult. Nancy (1846); ex Gren. & Godr. Fl. Fr. ii. 558 = V. Blattaria.  
*Myconi*, Linn. Sp. Pl. 178 = Ramondia pyrenaica.  
*myrianthum*, Boiss. Fl. Orient. iv. 330.—As. Min.  
*myriocarpum*, Boiss. & Heldr. Diagn. Ser. I. xii. 21.—Pamphylia.  
*napifolium*, Boiss. Diagn. Ser. I. iv. 60.—Caria.  
*neglectum*, Guss. Suppl. Fl. Sic. Prod. 59 = V. Thapsus.

**VERBASCUM:—**

*Neilreichii* ×, Reichardt, in Verh. Zool.-Bot. Ges. Wien, xi. (1861) 367.—Europ.  
*Neilreichii*, Schur, Enum. Pl. Transs. 484 = speciosum.  
*nemorosum*, Noë, ex Nym. Consp. 526 = crenatifolium.  
*nemorosum*, Schrad. Monog. Verb. i. 32 = phlomoides.  
*nevadense*, Boiss. Voy. Bot. Espagne, ii. 443.—Hispan.  
*nigrum*, Linn. Sp. Pl. 178.—Europ.; As. bor.  
*nigrum*, Pall. ex Bieb. Fl. Taur. Cauc. i. 160 = orientale.  
*Nisus* ×, Franch. in Mém. Soc. Acad. Maine-et-Loire, xxii. (1868) 150.—Europ.  
*nitidum*, Stokes, Bot. Mat. Med. i. 382 = V. Blattaria.  
*niveum*, Tenore, Prod. Fl. Nap. p. xvi.—Italia.  
*nothum* ×, Koch, Syn. Fl. Germ. ed. I. 512.—Europ.  
*Novae-Hollandiae*, Roem. Hort. Turic. ex Steud. Nom. ed. II. ii. 748 (Quid?).—Austral.?  
*numidicum*, Pomel, Nouv. Mat. Fl. Atl. 95.—Alger.  
*obovatum*, Hochst. in Lorent, Wanderungen, 336.—Mesopot.  
*officinarium*, Crantz, Inst. ii. 323 = V. Thapsus.  
*olympicum*, Boiss. Diagn. Ser. I. iv. 54.—Bithynia.  
*olympicum*, Bunyard, in Gard. Chron. (1885) ii. 19 (an praec.?).—Graecia?  
*orchideum*, Host, Fl. Austr. i. 288 = nigrum.  
*oreophilum*, C. Koch, in Linnaea, xxii. (1849) 726.—Armenia.  
*orgyale*, Boiss. & Heldr. Diagn. Ser. I. xii. 15.—Lycia.  
*orientale*, All. Fl. Pedem. i. 106 = Celsia orientalis.  
*orientale*, Bieb. Fl. Taur. Cauc. i. 160.—Reg. Cauc.  
*orientale*, Frivald. ex Griseb. Spicil. Fl. Rumel. ii. 44 = nigrum.  
*Osbeckii*, Linn. Sp. Pl. 179 = Celsia bugulifolia.  
*ovalifolium*, Donn, Hort. Cantab. ed. IV. 42, nomen;  
*Sims*, Bot. Mag. t. 1037.—Reg. Cauc.  
*ovatum*, Schrad. Hort. Gotting. 21. t. 15 = nigrum.  
*oxycarpum*, C. Koch, in Linnaea, xxii. (1849) 729 = eriorrhodon.  
*pallidum*, Nees, in Flora, ii. (1819) 296 = V. Thapsus.  
*pannosum*, Vis. & Panč. in Mem. Ist. Venet. xii. (1864) 475 = longifolium.  
*pariense*, Thuill. Fl. Par. ed. II. 110 = nigrum.  
*parviflorum*, Lam. Encyc. iv. 222.—As. Min.  
*parviflore*, Gilib. Fl. Lituan. i. 41 = V. Lychnitis.  
*peregrinum*, Fisch. ex Steud. Nom. ed. I. 872; ed. II. ii. 748 (Quid?).—Hab.?  
*Pestalozzae*, Boiss. Diagn. Ser. I. xii. 25.—Lycia.  
*petiolare*, Boiss. & Kotschy, ex Boiss. Fl. Orient. iv. 327.—Kurdistan.  
*phlomoides*, Auct. ex Benth. in DC. Prod. x. 237 = V. Lychnitis.  
*phlomoides*, Linn. Sp. Pl. 1194.—Europ.; As. Min.  
*phlomoides*, Russ. ex Benth. in DC. Prod. x. 233 = glomeratum.  
*phlomoides*, Sibth. & Sm. Fl. Graec. iii. 19. t. 224 = Boerhavi.  
*phlomoides*, Spreng. Fl. Hal. 73 = montanum.  
*phlomoides*, Thuill. Fl. Par. ed. II. 109 = pulverulentum.  
*phlomoides*, Urv. in Mém. Soc. Linn. Par. i. (1822) 281 = lasianthum.  
*phoeniceum*, Linn. Sp. Pl. 178.—Europ.; As. bor.  
*phoeniceum*, Wallr. Ann. Bot. 29 = Wallrothii.  
*phyllostachyum*, Boiss. & Haussk. ex Boiss. Fl. Orient. iv. 331.—Kurdistan.  
*pilematophorum*, C. Koch, in Linnaea, xxii. (1849) 721 = pycnostachyum.  
*pilosum* ×, Doell, in Flora, xxxii. (1849) 465.—Europ.  
*Pinardi*, Boiss. Diagn. Ser. I. iv. 62.—Caria.  
*pinnatifidum*, Vahl, Symb. Bot. ii. 39.—Graecia; Tauria; As. Min.  
*pisidicum*, Boiss. & Heldr. Diagn. Ser. I. xii. 16 = cheiranthifolium.  
*plantagineum*, Moris, Stirp. Sard. Elench. i. 33 = V. Thapsus.  
*plantaginifolium*, Schur, Enum. Pl. Transs. 484 = phoeniceum.  
*plicatum*, Sibth. & Sm. Fl. Graec. iii. 21. t. 226.—Graecia.  
*polystachyum*, Kar. & Kir. in Bull. Soc. Nat. Mosc. (1841) 716 = songaricum.  
*protractum*, Fenzl, in Tchihat. Asie Min. Bot. ii. 6 = V. Lychnitis.

VOL. II.

**VERBASCUM:—**

*prusianum*, Boiss. Diagn. Ser. I. vii. 37.—Banat.  
*Pseudo-blattaria*, Schleich. Cat. Pl. Helv. ed. IV. 36 = V. Blattaria.  
*Pseudo-lychnitis*, Schur, Enum. Pl. Transs. 483 = V. Lychnitis.  
*Pseudo-nigrum*, Bogenhard, in Flora, xxiv. (1841) 150 = nigrum.  
*Pseudo-phoeniceum* ×, Reichardt, in Verh. Zool.-Bot. Ges. Wien, xi. (1861) 403.—Europ.  
*pteroaulon* ×, Nym. Consp. 528.—Europ.  
*ptychophyllum*, Boiss. Diagn. Ser. I. xii. 8.—Syria.  
*pulverulentum*, Nicotra, Prod. Fl. Mess. 349, partim = sinuatum.  
*pulverulentum*, Salisb. Prod. 104; Bieb. Fl. Taur. Cauc. i. 160 = V. Lychnitis.  
*pulverulentum*, Spreng. Fl. Hal. 74 = phlomoides.  
*pulverulentum*, Vill. Prosp. 22; Hist. Pl. Dauph. 490.—Europ. austr.  
*pulvinatum*, Thuill. Fl. Par. ed. II. 109 = pulverulentum.  
*pumilum*, Boiss. & Heldr. Diagn. Ser. I. xii. 20.—As. Min.  
*punalense*, Boiss. & Buhse, in Nouv. Mém. Soc. Nat. Mosc. xii. (1860) 161.—Persia.  
*punicum*, Schrad. Hort. Gotting. 20. t. 14 = phoeniceum.  
*pycnostachyum*, Boiss. & Heldr. Diagn. Ser. I. xii. 11.—As. Min.  
*pycnostachyum*, Coss. in Bull. Soc. Bot. Fr. xxii. (1875) 64, nomen = Cossonianum?  
*pyramidale*, Host, Fl. Austr. i. 287.—Austria.  
*pyramidale*, March, ex Georgi, Besch. Russ. Reich. III. iv. 782 = seq.?  
*pyramidalum*, Bieb. Fl. Taur. Cauc. i. 161.—Reg. Cauc.  
*racemiferum*, Boiss. & Haussk. ex Boiss. Fl. Orient. iv. 332.—Assyria.  
*ramigerum*, Link, ex Schrad. Monog. Verb. i. 37.—Germania.  
*ramosissimum*, DC. Fl. Fr. Suppl. 416 = thapsiforme.  
*ramosissimum*, Lloyd, ex Bor. in Mém. Soc. Acad. Maine-et-Loire, xxii. (1868) 12 = V. Blattaria.  
*ramosissimum*, Poir. Encyc. Suppl. iii. 718 = V. Lychnitis.  
*Rascheyanum*, Boiss. Diagn. Ser. I. xii. 18 = Cedreti.  
*Regelianum* ×, Wirtg. Fl. Preuss. Rheinprov. 320.—Europ.  
*Reissekii* ×, Kern. ex Franch. in Mém. Soc. Acad. Maine-et-Loire, xxii. (1868) 195.—Europ.  
*repandum*, Rochel, Bot. Reise Banat, 86 = V. Lychnitis.  
*repandum*, Willd. Enum. Hort. Berol. 226 = V. Blattaria.  
*repens*, Noronha, in Verh. Batav. Gen. v. (1790) ed. I. Art. iv. 28 (Quid?).—Java.  
*rhombifolium*, Stokes, Bot. Mat. Med. i. 378 = V. Lychnitis.  
*rigidulum*, Delile, ex Godr. in Mém. Acad. Montp. (Sect. Médic.) i. (1853) 442.—Hab.?  
*rigidum*, Boiss. & Heldr. Diagn. Ser. II. iii. 143 = plicatum.  
*ringens* ×, Boiss. & Heldr. l. c. I. xii. 13.—Lycia.  
*Rollerianum*, Hort. ex Roem. & Schult. Syst. iv. 333 = phlomoides.  
*rotundifolium*, Tenore, Prod. Fl. Nap. p. lxvi = Boerhavi.  
*rubiginosum*, Diard, Cat. Pl. St. Calais, 151 = V. Blattaria.  
*rubiginosum* ×, Waldst. & Kit. Pl. Rar. Hung. ii. 216. t. 197.—Europ.; Reg. Cauc.  
*rubricaulis*, Boiss. & Heldr. Diagn. Ser. I. xii. 23.—Phrygia.  
*ruderales*, Pfeiff. in Bot. Zeit. iii. (1845) 329 = nigrum?  
*rugulosum*, Willd. Enum. Hort. Berol. 224 = phlomoides.  
*saccatum*, C. Koch, in Linnaea, xvii. (1843) 283 = ovalifolium.  
*salutans*, Delile, Ind. Sem. Hort. Monsp. (1847) 8 = bracteolatum.  
*salviaefolium*, Boiss. Diagn. Ser. I. iv. 55.—Caria.  
*Samaritanii*, Heldr. in Boiss. Diagn. Ser. II. vi. 127 = epixanthinum.  
*sammiticum*, Tenore, Relaz. Viagg. Abruzz. 54 = phlomoides.  
*Sartorii*, Boiss. & Heldr. Diagn. Ser. I. vii. 38 = phlomoides.

**VERBASCUM:—**

*saxatile*, Salisb. Prod. 104 = phlomoides.  
*scabrum*, Presl, Fl. Sic. p. xxxv = sinuatum.  
*scaposum*, Boiss. Diagn. Ser. I. xii. 26.—Syria.  
*Schiedeanum*, Koch, Syn. Fl. Germ. ed. II. 592 = nigrum.  
*Schimperianum*, Boiss. Diagn. Ser. I. xii. 11.—Arab.  
*Schmidli* ×, Kern. in Oestr. Bot. Zeitschr. xiii. (1863) 296.—Europ.  
*Schneideri*, Boiss. & Haussk. ex Boiss. Fl. Orient. iv. 317 = eriorrhodon.  
*Schottianum*, Koch, Syn. Fl. Germ. ed. II. 591 = Wirtgeni.  
*Schottianum*, Schrad. Monog. Verb. ii. 13 = speciosum.  
*Schraderi*, G. F. W. Mey. Chlor. Hannov. 326 = V. Thapsus.  
*Schultzeanum* ×, Wirtg. Fl. Preuss. Rheinprov. 316, 319.—Europ.  
*slavonicum*, Steud. Nom. ed. II. ii. 749, sphalm. = slavonicum.  
*semialbum* ×, Chaub. in St. Amans, Fl. Agen. 88.—Europ.  
*semidecurrens*, Kit. ex Nym. Consp. 526 = phlomoides.  
*semilanatum* ×, Borb. Vizsg. (1877) 68; ex Freyn, in Termész. Füzetek, iii. iv. (1879) 279.—Europ.  
*seminigrum*, Fries, Nov. Fl. Suec. 68 = V. Thapsus.  
*seytunense*, Boiss. & Haussk. ex Boiss. Fl. Orient. iv. 325 = cheiranthifolium.  
*simplex*, Hoffmgg. & Link, Fl. Port. i. 216 = dubium, thapsoides.  
*simplex*, Labill. Pl. Syr. Dec. iv. 10. t. 5.—Syria.  
*sinaiticum*, Benth. in DC. Prod. x. 236.—Arab.  
*sinuatum*, [Habl.] Desc. Phys. Taur. 156 = pinnatifidum.  
*sinuatum*, Lemaître, ex Bor. in Mém. Soc. Acad. Maine-et-Loire, xxii. (1868) 13 = Lemaîtrei.  
*sinuatum*, Linn. Sp. Pl. 178.—Reg. Mediterr.; Oriens.  
*sinuatum*, Schur, Enum. Pl. Transs. 482 = orientale.  
*slavonicum*, Kit. in Rochel, Pl. Banat. Rar. 26 = phlomoides.  
*Smithii*, Cf. Flora, ii. (1819) 628 = pulverulentum.  
*smyrnaeum*, Boiss. Diagn. Ser. I. iv. 61.—Lydia.  
*songaricum*, Schrenk, Enum. Pl. Nov. i. 26.—Soongaria.  
*speciosum*, Opiz, Seznam, 102 = denudatum, Pfund.  
*speciosum*, Schrad. Hort. Gotting. 22. t. 16.—Europ. austr.; As. Min.  
*spectabile*, Bieb. Fl. Taur. Cauc. iii. 158.—Tauria.  
*spectabile*, Salisb. Prod. 104 = V. Thapsus.  
*sphenandroides*, C. Koch, in Linnaea, xxii. (1849) 731.—As. Min.  
*spinosum*, Linn. Cent. Pl. ii. 10; Amoen. Acad. iv. 307.—Ins. Creta.  
*splendidum* ×, Boiss. Diagn. Ser. I. iv. 53.—As. Min.  
*spurium* ×, Koch, Syn. Fl. Germ. ed. I. 511.—Europ.  
*stachydidifolium*, Boiss. & Heldr. Diagn. Ser. I. xii. 25 = sphenandroides.  
*stachydidifolium*, Boiss. & Buhse, in Nouv. Mém. Soc. Nat. Mosc. xii. (1860) 159.—Reg. Cauc.  
*stenocarpum*, Boiss. & Heldr. Diagn. Ser. I. xii. 18.—Pamphylia.  
*stenophyllum*, Boiss. & Heldr. l. c. I. 17 = cheiranthifolium.  
*Stevani*, Boiss. & Buhse, in Nouv. Mém. Soc. Nat. Mosc. xii. (1860) 160.—Oriens.  
*Stevenii*, [Trev.] Cat. Hort. Vindob. (1821); ex Schrad. Monog. Verb. 15; Spreng. ex Hoffmgg. Verz. Pfl. Nachtr. 226 = gnaphalodes.  
*strictum*, Clarke, Trav. ii. 262.—Ins. Rhodus.  
*subalpinum* ×, Bruegg. in Jahresh. Naturf. Ges. Graub. II. xxiii-xxiv. (1880) 100.—Europ.  
*subalpinum*, Schur, Enum. Pl. Transs. 481 = V. Thapsus.  
*sublyratum* ×, Borb. in Termész. Füzetek, ix. (1885) 278.—Europ.  
*subniveale*, Boiss. & Haussk. ex Boiss. Fl. Orient. iv. 305.—Cataonia.  
*sulcatum*, Desf. Cat. Hort. Par. ed. III. 396.—Hab.?  
*syriacum*, Schrad. Monog. Verb. ii. 6. t. 1. f. 1.—Syria.  
*Szovitsianum*, Boiss. Fl. Orient. iv. 333.—Persia; Reg. Cauc.  
*tabsoides*, Krock, Fl. Siles. Suppl. i. 272, sphalm. = thapsoides.  
*talschense*, Boiss. & Buhse, in Nouv. Mém. Soc. Nat. Mosc. xii. (1860) 160.—Sibir.  
*Thapsus*, Neck, Delic. Gallo-Belg. i. 121 = V. Thapsus.  
*taraxacifolium*, Boiss. Diagn. Ser. I. iv. 59 = parviflorum.

7 L

**VERBASCUM:—**

- Tauri, Boiss. & Kotschy, *Diagn. Ser. II. iii.* 145.—Cilicia.
- tauricum*, Hook. Bot. Mag. t. 3799 = rubiginosum.
- tenellum, Hegetschw. Fl. Schw. 14.—Helvet.
- Ternacha*, Hochst. in A. Rich. Tent. Fl. Abyss. ii. 108 = phlomoides.
- Thapsi* x, Linn. Sp. Pl. ed. II. 1669.—Europ.
- thapsiforme*, Guss. Fl. Sic. Prod. i. 260 = V. Thapsus.
- thapsiforme*, Schrad. Monog. Verb. i. 21.—Europ.; As. Min.
- thapsoides*, Balb. ex Bluff & Fingerh. Comp. Fl. Germ. ed. I. ii. 282 = montanum.
- thapsoides*, Comolli, Prod. Fl. Com. 40 = thapsiforme.
- thapsoides*, Host, Syn. Pl. Austr. 115 = speciosum.
- thapsoides*, Linn. Syst. ed. XII. 169.—Europ.
- thapsoides*, Schrank, ex Schrad. Monog. Verb. 19 = V. Thapsus.
- thapsoides*, Vill. Hist. Pl. Dauph. ii. 490 = phlomoides.
- thapsus*, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 137 = V. Thapsus.
- Thapsus*, Brot. Fl. Lusit. i. 270 = crassifolium.
- Thapsus*, Linn. Sp. Pl. 177.—Europ.; Oriens; Reg. Himal.
- Thapsus*, Plenck, Pl. Offic. ii. 10. t. 109 = phlomoides.
- Thapsus*, Trev. Prosp. Fl. Eug. 24 = thapsiforme.
- Thomaeianum* x, Wirtg. Fl. Preuss. Rheinprov. 321.—Europ.
- thyrsoides*, Host, Fl. Austr. i. 289 = nigrum.
- Tiberiadis, Boiss. *Diagn. Ser. I. xii.* 26.—Syria.
- tolosanum* x, Timb. in Bull. Soc. Sc. Phys. et Nat. Toul. i. (1872-73) 132.—Europ.
- tomentosulum* x, Freyn, in Oestr. Bot. Zeitschr. xxvii. (1877) 397.—Europ.
- tomentosum*, Lam. Fl. Fr. ii. 260 = phlomoides.
- Tommasinianum* x, Freyn, in Termész. Füzetek, iii. iv. (1879) 279 = semilanaum.
- Tournefortii*, Crantz, Inst. ii. 323 = Celsia bugulifolia.
- tripolitanum*, Boiss. *Diagn. Ser. I. xii.* 9.—Syria.
- triste*, Sibth. & Sm. Fl. Graec. Prod. i. 151 = phoeniceum.
- turkesticum*, Franch. in Ann. Sc. Nat. Sér. VI. xviii. (1884) 221.—Turkestan.
- turriculatum*, Noronha, in Verh. Batav. Gen. v. (1790) ed. I. Art. iv. 28 = Blumea appendiculata?
- undulatum*, Bieb. Fl. Taur. Cauc. i. 161 = sinuatum.
- undulatum*, Lam. Encyc. iv. 221 = plicatum, ptychophyllum.
- urticaefolium*, Lam. l. c. 220 = nigrum.
- ustulatum*, Čelak, in Arch. Naturw. Landesd. Boehm. ii. (1873) 318 = commutatum.
- valentinum*, Burnat & Barbey, Voy. Bot. Baldares, 50.—Hispan.
- vernale*, Wierzb. ex Rochel, Bot. Reise Banat, 86 = nigrum.
- versicolor*, Wender. ex Steud. Nom. ed. II. ii. 749 (Quid?).—Hab.?
- versiflorum*, Schrad. Monog. Verb. i. 36.—Bohem.
- vestitum*, Franch. ex Borb. in Termész. Füzetek, ix. (1885) 277.—Europ.
- vidavense* x, Simk. l. c. v. (1881) 49.—Europ.
- villosum*, Bernh. ex Steud. Nom. ed. I. 873 = nigrum.
- viminale*, Guss. Pl. Rar. 101. t. 21 = phlomoides.
- virens*, Host, Fl. Austr. i. 290 = orientale.
- virens*, Reichb. ex Nym. Consp. 530 = nigrum?
- virgatum*, Spreng. Syst. i. 621 = V. Blattaria.
- virgatum*, Stokes, in With. Bot. Arr. Brit. Pl. ed. II. i. 227.—Europ.
- viscidulum*, Pers. Syn. i. 215 = virgatum.
- Visianianum*, Reichb. f. Ic. Fl. Germ. xx. 13 = V. Thapsus.
- vulcanicum*, Boiss. & Heldr. *Diagn. Ser. I. xii.* 6.—Lycaonia.
- Wallichianum*, Benth. in DC. Prod. x. 231 (sp. dub.).—Ind. or.
- Wallrothii*, Bluff & Fingerh. Comp. Fl. Germ. ed. I. i. 288.—Europ.
- Weldenii*, Braun, ex Moretti, in Brugnat. Giorn. Fis. Dec. II. v. (1822) 43 = V. Lychnitis.
- Wiedemannianum*, Fisch. & Mey. Ind. Sem. Hort. Petrop. iv. 51.—As. Min.
- Wiersbickii*, Heuff. in Verh. Zool.-Bot. Ges. Wien, viii. (1858) 167 = nigrum.
- Wilhelmsianum*, C. Koch, in Linnaea, xxii. (1849) 724 = orientale.

**VERBASCUM:—**

- Wirtgeni* x, Franch. in Mém. Soc. Acad. Maine-et-Loire, xxii. (1868) 160.—Europ.
- xanthophoeniceum*, Griseb. Spicil. Fl. Rumel. ii. 42.—Banat.
- Zuccarinii*, Nym. Consp. 531 = graecum.
- VERBENA**, Linn. Syst. ed. I (1737). *VERBENA-CEAE*, Benth. & Hook. f. ii. 1146.
- BILLARDIERA, Moench, Meth. 369 (1794).
- BURSERIA, Loeff. It. Hisp. 194 (1758).
- GLANDULARIA, J. F. Gmel. Syst. 920 (1791).
- OBLETIA, Rozier, in Journ. Phys. i. (1773) 367.
- PATYA, Neck. Elem. i. 296 (1790).
- SHUTTLEWORTHIA, Meissn. Gen. 290 (1840).
- STYLEURODON, Rafin. Fl. Tellur. ii. 104 (1836).
- STYLODON, Rafin. Neogenyt. 2 (1825).
- UWAROWIA, Bunge, in Bull. Sc. Acad. Pétersb. vii. (1840) 278.
- affinis*, Mart. & Gal. in Bull. Acad. Brux. xi. II. (1844) 322 = litoralis.
- alata*, Cham. in Linnaea, vii. (1832) 258.—Bras.
- alopecurioides*, Hort. ex Steud. Nom. ed. II. ii. 749 = stricta.
- Alopecurus*, Cav. Desc. 68.—Am. bor.
- alpigena*, Walp. in Nov. Act. Nat. Cur. xix. Suppl. i. (1843) 378 = Lippia scorodonioides.
- alternifolia*, Hort. ex Schau. in DC. Prod. xi. 544.—Chili.
- americana*, Mill. Gard. Dict. ed. VIII. n. 10.—Panama.
- amoena* x, Paxt. Mag. Bot. vii. (1840) t. ad p. 3.
- Andrieuxii, Schau. in DC. Prod. xi. 553.—Mexic.
- angustifolia*, Michx. Fl. Bor. Am. ii. 14.—Am. bor.
- angustifolia*, Mill. Gard. Dict. ed. VIII. n. 15 = Stachytarpheta angustifolia.
- aphylla*, Gill. & Hook. in Hook. Bot. Misc. i. (1830) 161. t. 46.—Chili.
- aracana*, Phil. in Anal. Univ. Chil. (1873) 520.—Chili.
- aristata*, Vahl, Eclog. Am. ii. 2 = Stachytarpheta orubica.
- arizonica*, A. Gray, in Proc. Am. Acad. xix. (1883) 95 = remota.
- Arraniana*, Hort. ex Steud. Nom. ed. II. ii. 749 = incisa.
- asparagoides*, Gill. & Hook. in Hook. Bot. Misc. i. (1830) 165.—Chili.
- aspera*, Gill. & Hook. l. c. 163.—Chili.
- aspera*, Kunze, ex Schau. in DC. Prod. xi. 540 = corymbosa.
- Aubletia*, Jacq. Hort. Vindob. ii. 82.—Am. bor.
- barbata*, R. Grah. in Edinb. N. Phil. Journ. (Oct.-Dec. 1827) 176.—Mexic.
- Berterii*, Schau. in DC. Prod. xi. 551.—Chili.
- bipinnatifida*, Schau. l. c. 553.—Am. bor.
- biserrata*, H. B. & K. Nov. Gen. et Sp. ii. 275 = Carolina.
- bonariensis*, Linn. Sp. Pl. 20.—Reg. trop.
- bracteata*, Cav. ex Lag. & Rodr. in Anal. Cienc. Nat. iv. (1801) 260.—Am. bor.; N. Mexic.
- bracteosa*, Michx. Fl. Bor. Am. ii. 13 = praec.
- brasiliensis*, Vell. Fl. Flum. 17; i. t. 40 = litoralis.
- bryoides*, Phil. Fl. Atac. 40.—Chili.
- Buchnera*, Vell. Fl. Flum. 17; i. t. 42 = lobata.
- caerulea*, Vathe, in Ind. Sem. Hort. Berol. (1876) App. 1 = xutha.
- caespitosa*, Gill. & Hook. in Hook. Bot. Misc. i. (1830) 165.—Chili.
- calicicola*, Walp. in Nov. Act. Nat. Cur. xix. Suppl. i. (1843) 378 = clavata.
- canescens*, Chapm. Fl. S. U. St. 307 = bracteata.
- canescens*, H. B. & K. Nov. Gen. et Sp. ii. 274. t. 136.—Mexic.
- cannabifolia*, Sieb. & Zucc. in Abh. Akad. Muench. iv. III. (1846) 152.—Japon.
- capensis*, Thunb. Prod. Pl. Cap. 96 = bonariensis.
- Lippia asperifolia*.
- capitata*, Forsk. Fl. Aegypt. Arab. 10 = Lippia nodiflora.
- caracasana*, H. B. & K. Nov. Gen. et Sp. ii. 275 = litoralis.
- carnea*, Medic. Beobacht. (1783) 131.—Am. bor.
- Carolina*, Linn. Syst. ed. X. 852; Mill. Gard. Dict. ed. VIII. n. 7.—Mexic.
- caroliniana*, Hort. ex Schau. in DC. Prod. xi. 545 = carnea.
- caroliniana*, Michx. Fl. Bor. Am. ii. 14.—Am. bor.

**VERBENA:—**

- caroliniana*, Willd. Sp. Pl. i. 119 = Carolina.
- Carroo, Speg. in Anal. Soc. Cient. Argent. xv. (1883) 112.—Patagon.
- caudata*, Salisb. Prod. 71 = Stachytarpheta indica.
- cayennensis*, Rich. in Act. Soc. Hist. Nat. Par. i. (1792) 105 = Stachytarpheta cajanensis.
- chamaedryfolia*, Fuss. in Ann. Mus. Par. vii. (1806) 73.—Am. trop.
- Chamissonis*, Walp. Rep. iv. 18 = intermedia.
- ciliata*, Benth. Pl. Hartw. 21.—Mexic.
- cinerascens*, Schau. in DC. Prod. xi. 545.—Chili.
- citriodora*, Cav. Desc. 68 = Lippia citriodora.
- clavata*, Ruiz & Pav. Fl. Per. i. 21. t. 33.—Peruv.
- colchaguensis*, Phil. in Anal. Univ. Chil. (1873) 521.—Chili.
- corymbosa*, Cham. in Linnaea, vii. (1832) 255 = lobata.
- corymbosa*, Ruiz & Pav. Fl. Per. i. 22. t. 33.—Chili.
- crithmifolia*, Gill. & Hook. in Hook. Bot. Misc. i. (1830) 169.—Chili.
- cuneata*, Willd. ex Spreng. Syst. ii. 752 = Lippia nodiflora.
- cuneifolia*, Rafin. in Med. Repos. N. York, II. v. (1808) 360 = stricta.
- cuneifolia*, Ruiz & Pav. Fl. Per. i. 22.—Peruv.
- cuneiformis*, Spreng. Syst. ii. 750 = praec.
- Cunha*, Vell. Fl. Flum. 17; i. t. 41 = phlogiflora.
- curassavica*, Linn. Sp. Pl. 19 = Tamonea spinosa.
- delicatula*, Mart. & Zucc. in Otto & Dietr. Allg. Gartens. ii. (1834) 245.—Mexic.
- dentata*, Vis. Ort. Bot. Padova, 150 = Lippia chamaedryfolia.
- deserticola*, Phil. Fl. Atac. 40.—Chili.
- Diceras*, Bert. ex Steud. Nom. ed. II. ii. 750 = sulphurea.
- dichotoma*, Ruiz & Pav. Fl. Per. i. 23 = Stachytarpheta dichotoma.
- diffusa*, Poir. Encyc. viii. 550 = urticifolia.
- dissecta*, Poepp. ex Schau. in DC. Prod. xi. 551 = sulphurea.
- dissecta*, Willd. ex Spreng. Syst. ii. 750.—Chili.
- Doniana*, Steud. Nom. ed. II. ii. 750 = venosa.
- Drummondii*, Hort. ex W. Baxt. in Loud. Hort. Brit. Suppl. ii. 680 = V. Aubletia.
- Echegarayi*, Hieron. in Bol. Acad. Nac. Córdoba, iv. (1881) 66.—Chili.
- echinata*, Phil. Sert. Mendoc. Alt. 33 = seriphioides.
- Ehrenbergiana*, Schau. in DC. Prod. xi. 548.—Mexic.
- elegans*, H. B. & K. Nov. Gen. et Sp. ii. 273.—Mexic.
- elliptica*, Willd. ex Spreng. Syst. ii. 751 = Lippia canescens.
- ellipticifolia*, Stokes, Bot. Mat. Med. i. 38 = Stachytarpheta indica.
- elongata*, Salisb. Prod. 71 = bonariensis.
- ephedroides*, Cham. in Linnaea, vii. (1832) 261.—Bras.
- erinacea*, Gill. & Hook. in Hook. Bot. Misc. i. (1830) 164. t. 48.—Chili.
- erinoides*, Lam. Illustr. i. 57.—Peruv.
- erinoides*, Poepp. ex Schau. in DC. Prod. xi. 551 = Berterii.
- exilis*, Schau. l. c. 553.—Mexic.
- fasciculata*, Benth. Bot. Voy. Sulph. 153.—Peruv.
- filicaulis*, Schau. in DC. Prod. xi. 549.—Bras.
- flava*, Gill. & Hook. in Hook. Bot. Misc. i. (1830) 170.—Chili.
- fluminensis*, Vell. Fl. Flum. 17; i. t. 38 = Bouchea Pseudo-gervao.
- foetida*, Phil. in Linnaea, xxix. (1857-58) 19.—Chili.
- Forskälai*, Vahl, Symb. Bot. iii. 6 = Priva leptostachya.
- fragrans*, Salisb. Prod. 71 = Lippia citriodora.
- fruticosa*, Mill. Gard. Dict. ed. VIII. n. 14.—Mexic.
- geraniaefolia*, Hort. ex Vilm. Fl. Pl. Terre, ed. III. 1198 = tenera.
- glabrata*, H. B. & K. Nov. Gen. et Sp. ii. 276 = litoralis.
- glabrata*, Phil. Sert. Mendoc. Alt. 32.—Chili.
- glandulosa*, Moris, in Ann. Stor. Nat. iv. (1830) 39 = hispida.
- glaucia*, Gill. & Hook. in Hook. Bot. Misc. i. (1830) 163.—Chili.
- globiflora*, L'Hérit. Stirp. Nov. 23. t. 12 = Lippia asperifolia.
- globiflora*, Nocca, ex Spreng. Syst. ii. 751 = Lippia reptans.
- globulifera*, Spreng. Syst. ii. 751, sphalm. = Lippia asperifolia.
- gracilis*, Cham. in Linnaea, vii. (1832) 262 = intermedia.

VERBENA:—

*gracilis*, Desf. Cat. Hort. Par. ed. III. 393 = canescens. *grandiflora*, Ortega, Hort. Matr. Dec. 2.—Cuba. *grandiflora*, Steud. Nom. ed. I. 873 = V. Aubletia. *gratissima*, Gill. & Hook. in Hook. Bot. Misc. i. (1830) 160 = Lippia lycioides. *gynobasis*, Wedd. Chlor. And. ii. 156.—Peruv. *hastata*, Linn. Sp. Pl. 20.—Am. bor. *heterophylla*, Willd. ex Spreng. Syst. ii. 749 = inflata. *hirsuta*, Mart. & Gal. in Bull. Acad. Brux. xi. II. (1844) 321 = Carolina. *hirta*, Spreng. Syst. ii. 749.—Reg. Argent. *hispida*, Ruiz & Pav. Fl. Per. i. 22. t. 34.—Am. austr. *humifusa*, Cham. in Linnaea, vii. (1832) 271.—Bras. *hybrida* x, Hort. ex Vilm. Fl. Pl. Terre, Suppl. 195. *hyderabadensis*, Rottl. ex Wall. Cat. n. 6318 = Bouchea hyderabadensis. *incarnata*, Rafin. Atl. Journ. 153 (Quid?).—Am. bor. *incisa*, Hook. Bot. Mag. t. 3628.—Panama. *indica*, Jacq. Obs. iv. 7. t. 86 = Stachytarpheta angustifolia. *indica*, Linn. Syst. ed. X. 851 = Stachytarpheta indica. *inflata*, H. B. & K. Nov. Gen. et Sp. ii. 273.—Ecuador. *integrifolia*, Michx. ex Walp. Rep. iv. 13 = angustifolia. *intermedia*, Gill. & Hook. in Hook. Bot. Misc. i. (1830) 166.—Chili. *intermedia* x, Penny, ex G. Don, in Loud. Hort. Brit. Suppl. i. 602. *jamaicensis*, Linn. Sp. Pl. 19 = Stachytarpheta indica. *jamaicensis*, Vell. Fl. Flum. 16; i. t. 37 = Stachytarpheta dichotoma. *javanica*, Burm. f. Fl. Ind. 12 = Lippia javanica. *juncea*, Gill. & Hook. in Hook. Bot. Misc. i. (1830) 162 = Baillonia juncea. *juniperina*, Lag. Gen. et Sp. Nov. 19.—Chili. *Lamberti*, Sims, Bot. Mag. t. 2200 = V. Aubletia. *lanata*, Willd. ex Walp. Rep. iv. 48 = Lippia canescens. *lanceolata*, Willd. ex Spreng. Syst. ii. 748 = litoralis. *lanceifolia*, Steud. Nom. ed. II. ii. 750 = Stachytarpheta indica. *Landbecki*, Phil. in Linnaea, xxxiii. (1864–65) 194.—Chili. *lantanoideis*, Willd. ex Spreng. Syst. ii. 763 = Lippia geminata. *lappulacea*, Linn. Sp. Pl. 19 = Priva echinata. *lasioctachys*, Link, Enum. Hort. Berol. ii. 122 = prostrata. *lavandulaefolia*, Phil. in Anal. Univ. Chil. (1873) 521.—Chili. *ligustrina*, Lag. Gen. et Sp. Nov. 18 = Lippia lycioides. *lilacina*, Greene, in Bull. Calif. Acad. i. IV. (1885) 210.—Ins. Cedros. *Lindleyana*, Walp. Ann. iii. 232 = Buddleia Lindleyana. *lipozygioides*, Walp. Rep. iv. 16.—Chili. *litoralis*, H. B. & K. Nov. Gen. et Sp. ii. 276. t. 137.—Am. trop. *lobata*, Vell. Fl. Flum. 18; i. t. 43.—Bras. *lobelioides*, R. Grah. in Edinb. N. Phil. Journ. xxix. (1840) 175 = Priva laevis. *longiflora*, Lam. Illustr. i. 57 = V. Aubletia. *longifolia*, Mart. & Gal. in Bull. Acad. Brux. xi. II. (1844) 323.—Mexic. *Lorentzii*, Niederl. ex Hieron. in Bol. Acad. Nac. Córdoba, iii. (1879) 370.—Reg. Argent. *Lucaeana*, Walp. Rep. iv. 23 = xutha. *macrostachya*, F. Muell. Fragm. i. 60 = officinalis. *Mahoneti*, Hort. ex Vilm. Fl. Pl. Terre, ed. I. 938 = tenera. *marrubiioides*, Cham. in Linnaea, vii. (1832) 266.—Bras. *Matthesii*, Turcz. in Bull. Soc. Nat. Mosc. xxxvi. (1863) II. 196.—Texas. *maysoarensis*, Wight, ex Wall. Cat. n. 6318 = Bouchea hyderabadensis. *megapotamica*, Spreng. Syst. iv. Cur. Post. 230 = phlogiflora. *melindres*, Gill. in Lindl. Bot. Reg. t. 1184 = chamaedryfolia. *melindroides*, Cham. in Linnaea, vii. (1832) 270 = chamaedryfolia.

VERBENA:—

*melissoides*, Sweet, ex Steud. Nom. ed. II. ii. 750 = chamaedryfolia. *mendocina*, Phil. Sert. Mendoc. Alt. 33.—Chili. *menthaefolia*, Benth. Pl. Hartw. 21 = officinalis. *mexicana*, Linn. Sp. Pl. 19 = Priva hispida. *microphylla*, H. B. & K. Nov. Gen. et Sp. ii. 272. t. 133.—Am. austr. *microphylla*, Phil. in Linnaea, xxix. (1857–58) 21.—Chili. *minima*, Meyen, Reise, i. 451.—Peruv. *mollis*, Mart. & Gal. in Bull. Acad. Brux. xi. II. (1844) 323 = Carolina. *mollis*, Rafin. Atl. Journ. 146 (Quid?).—Am. bor. *montevideensis*, Spreng. Syst. ii. 747 = stellarioides. *moravensis*, Willd. ex Spreng. l. c. 750 = elegans. *multifida*, Ruiz & Pav. Fl. Per. i. 21 = erinoides. *mutabilis*, Jacq. Coll. ii. 334 = Stachytarpheta mutabilis. *mysorensis*, Wight, ex Wall. Cat. n. 6318 A = Bouchea hyderabadensis. *Negundo*, Royle, Illustr. Bot. Himal. 466 (Index), sphalm. = Vitex Negundo. *nervosa*, Scheele, in Linnaea, xvii. (1843) 352 = Buchnera elongata. *Nivenii*, Hort. ex Vilm. Fl. Pl. Terre, ed. I. 938 = teucroides. *nodiflora*, Linn. Sp. Pl. 20 = Lippia nodiflora. *nodiflora*, Petagn. ex Spreng. Syst. ii. 752 = Lippia repens. *nudiflora*, Nutt. ex Turcz. in Bull. Soc. Nat. Mosc. xxxvi. (1863) II. 195.—Ins. Sandvic. *Oblætia*, Retz. in Vet. Akad. Nya Handl. Stockh. (1773) 143 = V. Aubletia. *Obletia*, Medic. in Act. Acad. Theod. Palat. iii. Phys. (1775) 194. t. 7 = praec. *odorata*, Desf. ex Steud. Nom. ed. I. 898, in syn. = Lippia asperifolia. *odorata*, Meyen, Reise, i. 480 = erinoides. *officinalis*, Linn. Sp. Pl. 20.—Amphig. temp. *orchinoides*, Hort. ex Walp. Rep. iv. 36 = Priva laevis. *origenes*, Phil. in Linnaea, xxix. (1857–58) 20.—Chili. *orubica*, Linn. Sp. Pl. 18 = Stachytarpheta orubica. *ovata*, Cham. in Linnaea, vii. (1832) 263.—Bras. *paniculata*, Lam. Encyc. viii. 548 = hastata. *parviflora*, Ruiz, ex Walp. Rep. iv. 25 = canescens. *patagonica*, Speg. in Anal. Soc. Cient. Argent. xv. (1883) 114.—Patagon. *pauciflora*, Walp. Rep. vi. 687 = seq. *paucifolia*, Mart. & Gal. in Bull. Acad. Brux. xi. II. (1844) 324 = Carolina. *paucifolia*, Turcz. in Bull. Soc. Nat. Mosc. xxxvi. (1863) II. 196.—Texas. *phlogiflora*, Cham. in Linnaea, vii. (1832) 266.—Bras. *pinnatifida*, Lam. Illustr. i. 57 = hastata. *pinnatisecta*, Schau. in DC. Prod. xi. 549.—Bras. *plattensis*, Spreng. Syst. ii. 748 = teucroides. *pogonostoma*, Klotzsch, ex Schau. in DC. Prod. xi. 550 = seq. *pogostoma*, Klotzsch, ex Walp. Rep. iv. 31.—Reg. Argent. *polyccephala*, Turcz. in Bull. Soc. Nat. Mosc. xxxvi. (1863) II. 194.—Chili. *polycnemoides*, Lag. Gen. et Sp. Nov. 18 = minima. *polystachya*, H. B. & K. Nov. Gen. et Sp. ii. 274 = Carolina. *porrigens*, Phil. in Linnaea, xxxiii. (1864–65) 195.—Chili. *prismatica*, Linn. Sp. Pl. 19 = Bouchea Ehrenbergii. *procumbens*, Forsk. Fl. Aegypt. Arab. 10 = supina. *prostrata*, R. Br. in Ait. Hort. Kew. ed. II. iv. 41.—Am. bor. *Pseudo-gervao*, A. St. Hil. Pl. Us. Brés. t. 40 = Bouchea Pseudo-gervao. *Pseudo-juncea*, C. Gay, Fl. Chil. v. 19.—Chili. *pulchella*, Sweet, Brit. Flow. Gard. Ser. I. iii. t. 295 = tenera. *pulcherrima*, Vilm. Fl. Pl. Terre, ed. I. 937 = erinoides. *quadrangularis*, Vell. Fl. Flum. 16; i. t. 39 = bonariensis. *radicans*, Gill. & Hook. in Hook. Bot. Misc. i. (1830) 170.—Chili. *radicans*, Moench, Meth. 369 = supina. *recta*, H. B. & K. Nov. Gen. et Sp. ii. 277 = Carolina. *remota*, Benth. Pl. Hartw. 21 = canescens. *repens*, Bertol. Rar. Ital. Pl. Dec. ii. 27 = Lippia nodiflora.

VERBENA:—

*repens*, Spreng. ex Steud. Nom. ed. II. ii. 750 = bracteata. *reptans*, Loisel. ex Spreng. Pugill. ii. 70 = Zapania reptans. *rhinanthifolia*, Mart. & Gal. in Bull. Acad. Brux. xi. II. (1844) 323.—Mexic. *ribifolia*, Walp. Rep. iv. 29.—Chili. *rigens*, Michx. Fl. Bor. Am. ii. 14 = stricta. *rigida*, Spreng. Syst. iv. Cur. Post. 230 = venosa. *Roemeriana*, Scheele, in Linnaea, xxi. (1848) 755 = canescens. *rubra*, Salisb. Prod. 71 = V. Aubletia. *rugosa*, D. Don, in Sweet, Brit. Flow. Gard. Ser. II. iv. t. 318 = venosa. *rugosa*, Mill. Gard. Dict. ed. VIII. n. 18.—Mexic. *rugosa*, Muhl. ex Willd. Enum. Hort. Berol. 633 = angustifolia. *Sabini*, Sweet, Brit. Flow. Gard. Ser. II. iv. sub t. 347 = erinoides. *sagittalis*, Cham. in Linnaea, vii. (1832) 259.—Bras. *salviaefolia*, Hook. & Arn. Bot. Beech. Voy. 42 = Lippia chilensis. *sarmentosa*, Willd. Enum. Hort. Berol. 632 = Lippia nodiflora. *scaberrima*, Cham. in Linnaea, vii. (1832) 267 = venosa. *scabra*, Muhl. ex Spreng. Syst. ii. 752 = Lippia lanceolata. *scabra*, Vahl, Eclog. Am. ii. 2 = urticifolia. *scoparia*, Gill. & Hook. in Hook. Bot. Misc. i. (1830) 161. t. 47.—Chili. *scoparia*, Tausch, in Flora, xix. (1836) 390 = stricta? *scordiioides*, Cham. in Linnaea, vii. (1832) 269 = teucroides. *scrobiculata*, Griseb. in Goett. Abh. xxiv. (1879) 275.—Reg. Argent. *selaginoides*, Kunth, ex Walp. Rep. iv. 15 = alternifolia. *Selloi*, Spreng. Syst. ii. 750 = erinoides. *seriphiioides*, Gill. & Hook. in Hook. Bot. Misc. i. (1830) 164.—Chili. *setosa*, Mart. & Gal. in Bull. Acad. Brux. xi. II. (1844) 321 = officinalis. *simplex*, Lehm. Ind. Sem. Hort. Hamb. (1825) 17.—Cf. Linnaea, iii. (1828) Litt. 10 = angustifolia. *sororia*, D. Don, Prod. Fl. Nep. 104 = officinalis. *sparitoides*, Turcz. in Bull. Soc. Nat. Mosc. xxxvi. (1863) II. 195.—Chili. *spathulata*, Gill. & Hook. in Hook. Bot. Misc. i. (1830) 162.—Chili. *spicata*, Gilib. Fl. Lituan. i. 92 = officinalis. *spuria*, Linn. Sp. Pl. 20 = officinalis. *squamosa*, Jacq. Hort. Schoenb. i. 3. t. 5 = Elytraria tridentata. *squarrosa*, Roth, Catalect. fasc. iii. 3 = bracteata. *stellarioides*, Cham. in Linnaea, vii. (1832) 264.—Bras. *stenophylla*, Scheele, in Linnaea, xvii. (1843) 352 = Buchnera rosea. *stoechadifolia*, Linn. Sp. Pl. 19 = Lippia stoechadifolia. *stricta*, Vent. Jard. Cels. 53. t. 53.—Am. bor. *strigosa*, Cham. in Linnaea, vii. (1832) 256.—Bras. *strigosa*, Hook. Comp. Bot. Mag. i. (1835) 176 = xutha. *Struthionum*, Speg. in Anal. Soc. Cient. Argent. xv. (1883) 116.—Reg. Argent. *subfruticosa*, Aubl. Pl. Gui. i. 16 = Lippia stoechadifolia. *suffruticosa*, Steud. Nom. ed. II. ii. 750 = praec. *sulphurea*, D. Don, in Sweet, Brit. Flow. Gard. Ser. II. iii. t. 221.—Am. austr. *supina*, Linn. Sp. Pl. 21.—Geront. trop. *tenera*, Spreng. Syst. ii. 750.—Reg. Argent. *tenuis*, Steud. Nom. ed. II. ii. 751 = intermedia. *tenuispicata*, Stapf, in Denkschr. Akad. Wien, l. (1885) 34.—Persia. *teucrifolia*, Mart. & Gal. in Bull. Acad. Brux. xi. II. (1844) 322.—Mexic. *teucroides*, Gill. & Hook. in Hook. Bot. Misc. i. (1830) 167.—Chili. *thymifolia*, Lag. Gen. et Sp. Nov. 19.—Paraguay. *thymoides*, Cham. in Linnaea, vii. (1832) 257.—Bras. *trichotoma*, Moench, Meth. Suppl. 131 = bonariensis.



**VERBENA** :—

- tridactylites, *Lag. Gen. et Sp. Nov.* 19.—Ins. Falkland.  
 tridens, *Lag. l. c.*—Paraguay.  
 trifida, *H. B. & K. Nov. Gen. et Sp.* ii. 273. t. 134.—Mexic.  
 trifurcata, *Phil. in Linnaea*, xxix. (1857–58) 21.—Chili.  
 triphylla, *L'Hérit. Stirp. Nov.* 21 = *Lippia citriodora*.  
 tuberosa, *R. Grah. in Edinb. N. Phil. Journ.* xxix. (1840) 174 = *Priva laevis*.  
 Tweediana, *Niven, ex Hook. Bot. Mag.* t. 3541 = phlogiflora.  
 uniflora, *Phil. in Linnaea*, xxix. (1857–58) 20.—Chili.  
 urticifolia, *Linn. Sp. Pl.* 20.—Am. temp. et trop.  
 valerianoides, *H. B. & K. Nov. Gen. et Sp.* ii. 277.—N. Granat.  
 venosa, *Gill. & Hook. in Hook. Bot. Misc.* i. (1830) 167.—Reg. Argent.  
 veronicaefolia, *H. B. & K. Nov. Gen. et Sp.* ii. 275 = *Carolina*.  
 veronicaefolia, *Sm. in Rees, Cycl.* xxxvi. n. 28 = chamaedryfolia.  
 virgata, *Ruiz & Pav. Fl. Per.* i. 20 = *Lippia urticoides*.  
 Wrightii, *A. Gray, Syn. Fl. N. Am.* ii. i. 337.—Mexic.  
 xutha, *Lehm. Del. Sem. Hort. Hamb.* (1834).—*Cf. Linnaea*, x. (1835–36) *Litt.* 115.—Am. bor.

**VERBESINA**, *Linn. Syst. ed. I* (1735). *COM-*

- POSITAE*, *Benth. & Hook. f. ii.* 379.  
 ABESINA, *Neck. Elem.* i. 33 (1790).  
 ANCISTROPHORA, *A. Gray, in Mem. Am. Acad. N. S. vi.* (1857) 457.  
 DITRICHUM, *Cass. in Bull. Soc. Philom.* (1817) 33.  
 HAMULIUM, *Cass. l. c.* (1820) 173; et in *Dict. Sc. Nat.* xx. 260 (1821).  
 HINGSTONIA, *Rafn. in Med. Repos. N. York*, II. v. (1808) 352.  
 LOCHERIA, *Neck. Elem.* i. 41 (1790).  
 OCHRONELIS, *Rafn. Atl. Journ.* 153 (1832).  
 PHAETHUSA, *Gaertn. Fruct.* ii. 425. t. 169 (1791).  
 PLATYPTERIS, *H. B. & K. Nov. Gen. et Sp.* iv. 200 (1820).  
 SAUBINETIA, *Remy, in C. Gay, Fl. Chil.* iv. 282. t. 49 (1849).  
 TEPION, *Adans. Fam.* ii. 131 (1763).  
 XIMENESIA, *Cav. Ic.* ii. 60. t. 178 (1793).  
 abscondita, *Klatt, in Leopoldina*, xx. (1884) 93.—Mexic.  
 abyssinica, *A. Rich. Tent. Fl. Abyss.* i. 409 = *Coreopsis abyssinica*.  
 Acmeia, *Linn. Sp. Pl.* 901 = *Spilanthes Acmeia*.  
 acuminata, *DC. Prod.* v. 614.—Venezuela.  
 aestuans, *Lam. Encyc.* iii. 262.—Am. trop.  
 alata, *Linn. Sp. Pl.* 901.—Am. trop.  
 alata, *Neuenh. in Roem. Arch.* i. II. (1797) 31 = *Rudbeckia alata*.  
 alba, *Linn. Sp. Pl.* 902 = *Eclipta erecta*.  
 Ancistrophora, *A. Gray, in Proc. Am. Acad.* xix. (1883) 14 = *Wrightii, Griseb.*  
 aquatica, *Noronha, in Verh. Batav. Gen. v.* (1790) ed. I. Art. IV. 28 = *Sesuvium Portulacastrum*.  
 arborea, *H. B. & K. Nov. Gen. et Sp.* iv. 202.—Ecuador.  
 argentea, *Bertol. Fl. Guatimal.* 35.—Guatemala.  
 argentea, *Gaud. in Freyc. Voy. Bot.* 463.—Ins. Marian.  
 Arnottii, *Baker, in Mart. Fl. Bras.* vi. III. 215.—Paraguay.  
 aspilioides, *Griseb. in Goett. Abh.* xxiv. (1879) 194.—Reg. Argent.  
 asteroides, *Linn. Sp. Pl.* 902 = *Amellus Lychnitis*.  
 atriplicifolia, *Poir. Encyc.* viii. 460 = *Montañoa arborescens*.  
 aurea, *DC. Prod.* v. 613 = *Zexmenia aurea*.  
 auriculata, *DC. l. c.* 617.—Mexic.  
 auriculata, *Hook. & Arn. in Hook. Journ. Bot.* iii. (1841) 315 = subcordata.  
 australis, *Baker, in Mart. Fl. Bras.* vi. III. 215.—Bras.  
 biflora, *Linn. Sp. Pl.* ed. II. 1272 = *Wedelia biflora*.  
 biflora, *Wall. Cat. n.* 3204 E = *Wedelia Wallichii*.  
 bipinnatifida, *Baker, in Mart. Fl. Bras.* vi. III. 213.—Bras.  
 Bosvalleae, *Linn. f. Suppl.* 379 = *Glossocardia linearifolia*.  
 Boswellia, *Roxb. Hort. Beng.* [101]; *Fl. Ind.* iii. 443 = *praec.*

**VERBESINA** :—

- brasiliiana, *Pers. Syn.* ii. 472 = *Adenostemma brasili-*  
*anum*.  
 bupththalmoides, *Link & Otto, Ic. Pl. Sel.* 105. t. 49 =  
*Spilanthes arnicoides*.  
 calendulacea, *Linn. Sp. Pl.* 902 = *Wedelia calendu-*  
*lacea*.  
 canescens, *Gaudich. in Freyc. Voy. Bot.* 463 = *Wedelia*  
*Chamissonis*.  
 Capitaneja, *Nees, in Linnaea*, xix. (1847) 729.—  
 Mexic.  
 ceanothifolia, *Hook. & Arn. Bot. Beech. Voy.* 299 =  
*Zexmenia ceanothifolia, Benth. & Hook. f.*  
*ceanothifolia, Willd. Sp. Pl.* iii. 2225 = *Zexmenia*  
*ceanothifolia, Sch. Bip.*  
*chinensis, Linn. Sp. Pl.* 901 = *Anisopappus chinensis*.  
 ciliata, *Schum. in Schum. & Thonn. Beskr. Guin. Pl.*  
 391.—Afr. trop.  
 Clauseni, *Sch. Bip. ex Baker, in Mart. Fl. Bras.* vi.  
 III. 211 = glabrata.  
 Clauseni, *Sch. Bip. ex Baker, l. c.* 212.—Bras.  
 coahuilensis, *A. Gray, ex S. Wats. in Proc. Am.*  
*Acad.* xviii. (1883) 106.—Am. bor. occ.  
 connata, *Gaudich. in Freyc. Voy. Bot.* 464 =  
*Lipochaeta connata*.  
 conyzoides, [*Moq. & Sesse,*] *ex DC. Prod.* v. 616 =  
*virgata*.  
 conyzoides, *Trew, Pl. Rar.* 8. t. 6.—Hab.?  
 Coreopsis, *Michx. Fl. Bor. Am.* ii. 134 = *Actinomeris*  
*squarrosa*.  
 Coulteri, *A. Gray, in Proc. Am. Acad.* xix. (1883) 13.  
 —Mexic.  
 crocata, *Less. Syn. Comp.* 232.—Mexic.  
 Cumingii, *Sch. Bip. in Linnaea*, xxxiv. (1865–66) 528,  
 nomen.—Bolivia.  
 debilis, *Spreng. Neue Entdeck.* ii. 137 = *Eclipta*  
*pusilla*.  
 decurrens, *Vell. Fl. Flum.* viii. t. 114.—Bras.  
 dentata, *H. B. & K. Nov. Gen. et Sp.* iv. 205.—  
 Ecuador.  
 dichotoma, *Murr. in Comm. Gotting.* (1779) 15. t. 4 =  
*Blainvillea rhomboidea*.  
 dichotoma, *Reinw. ex Miq. Fl. Ind. Bat.* ii. 75 =  
*Wollastonia moluccana*.  
 dichotoma, *Sieber, ex Steud. Nom. ed. II.* ii. 751 =  
*Synedrella nodiflora*.  
 dichotoma, *Wall. Cat. n.* 3204 = *Blainvillea rhom-*  
*boidea, Wedelia biflora*.  
 dissita, *A. Gray, in Proc. Am. Acad.* xx. (1885) 299.  
 —Calif.  
 diversifolia, *DC. Prod.* v. 615.—Bras.  
 elegans, *H. B. & K. Nov. Gen. et Sp.* iv. 204.—Ecuador.  
 encelioides, *Benth. & Hook. f. ex A. Gray, in Bot.*  
*Calif.* i. 350.—Am. bor. et austr.  
 floribunda, *Gardn. in Hook. Lond. Journ. Bot.* vii.  
 (1848) 407.—Bras.  
 foliacea, *Spreng. Syst.* iii. 578 = *Eleutheranthera*  
*ovata*.  
 Fraseri, *Hemsl. Biol. Centr. Am. Bot.* ii. 187.—  
 Mexic.  
 fruticosa, *Burm. ex Spreng. Syst.* iii. 602 = *Wulffia*  
*stenoglossa* ?  
 fruticosa, *Desf. Cat. Hort. Par. ed. III.* 185; et *ex*  
*DC. Prod.* v. 610 = *Zexmenia monocephala*.  
 fruticosa, *Linn. Syst. ed. X.* 1226 = *ilicifolia*.  
 fruticosa, *Willd. Sp. Pl.* iii. 577 = *tridentata*.  
 gigantea, *Jacq. Ic. Pl. Rar.* i. 17. t. 175.—Am. trop.  
 glabrata, *Hook. & Arn. in Hook. Journ. Bot.* iii.  
 (1841) 315.—Bras.  
 Grayi, *Benth. & Hook. f. ex Hemsl. Biol. Centr. Am.*  
*Bot.* ii. 188.—Mexic.  
 Grisebachii, *Baker, in Mart. Fl. Bras.* vi. III. 214.—  
 Reg. Argent.  
 guianensis, *Baker, l. c.* 211.—Guian.  
 hastata, *Kellogg, ex Curran, in Bull. Calif. Acad.* i.  
 III. (1885) 140 = *venosa*.  
 hastulata, *Hook. & Arn. Bot. Beech. Voy.* 87 =  
*Lipochaeta hastulata*.  
 helianthoides, *Gardn. in Hook. Lond. Journ. Bot.* vii.  
 (1848) 424 = *glabrata*.  
 helianthoides, *Griseb. in Goett. Abh.* xxiv. (1879) 194  
 = *Grisebachii*.  
 helianthoides, *Hook. & Arn. in Hook. Journ. Bot.* iii.  
 (1841) 316 = *Arnottii*.  
 helianthoides, *H. B. & K. Nov. Gen. et Sp.* iv. 204.—  
 Am. bor. et austr.  
 helianthoides, *Michx. Fl. Bor. Am.* ii. 135 = *Actino-*  
*meris helianthoides*.

**VERBESINA** :—

- heterophylla, *A. Gray, in Proc. Am. Acad.* xix. (1883)  
 12.—Am. bor.  
 heterosperma, *Griseb. in Goett. Abh.* xxiv. (1879) 193  
 = *encelioides*.  
 Hookerii, *Klatt, in Leopoldina*, xx. (1884) 92 =  
*Arnottii*.  
 Humboldtii, *Spreng. Syst.* iii. 577 = *helianthoides*.  
 hypoleuca, *A. Gray, in Proc. Am. Acad.* xv. (1880) 37.  
 —Mexic.  
 ilicifolia, *Poir. Encyc.* viii. 459.—Ins. S. Doming.  
 involucreta, *A. Rich. Tent. Fl. Abyss.* i. 409.—  
 Abyss.  
 laciniata, *Nutt. Gen. Am.* ii. 170 = *virginica*.  
 laciniata, *Walt. Fl. Carol.* 213 (Quid ?).—Am. bor.  
 lanceolata, *Poir. Encyc.* viii. 460 = *Blainvillea rhom-*  
*boidea*.  
 lancifolia, *Gardn. in Hook. Lond. Journ. Bot.* vii.  
 (1848) 406 = *diversifolia*.  
 lavarum, *Gaudich. in Freyc. Voy. Bot.* 464 =  
*Lipochaeta lavarum*.  
 Lavenia, *Linn. Sp. Pl.* 902 = *Adenostemma viscosum*.  
 Lavenia, *Roxb. Hort. Beng.* 62; *Fl. Ind.* iii. 442 =  
*Blainvillea rhomboidea*.  
 leprosa, *Klatt, in Leopoldina*, xx. (1884) 93.—Ins.  
 Martinic.  
 lineata, *A. Rich. Tent. Fl. Abyss.* i. 410 = *Coreopsis*  
*† Prestinaria*.  
 linifolia, *Linn. Syst. ed. X.* 1226.—Jamaic.  
 lobata, *Gaudich. in Freyc. Voy. Bot.* 464 = *Lipochaeta*  
*lobata*.  
 longifolia, *A. Gray, in Proc. Am. Acad.* xix. (1883) 12  
 = *Actinomeris longifolia*.  
 longipes, *Hemsl. Biol. Centr. Am. Bot.* ii. 188.—  
 Mexic.  
 macrantha, *A. Rich. Tent. Fl. Abyss.* i. 408 = *Coreopsis*  
*macrantha*.  
 mameana, *André, in Rev. Hort.* (1885) 14, 16. f. 5.—  
 Ecuador.  
 Mandonii, *Sch. Bip. in Linnaea*, xxxiv. (1865–66) 528,  
 nomen.—Bolivia.  
 megapotamica, *Spreng. Syst.* iii. 578.—Bras.  
 membranifolia, *Poir. Encyc. Suppl.* iii. 18 = *Wulffia*  
*stenoglossa*.  
 mexicana, *Cerv. ex DC. Prod.* v. 609 = *Perymenium*  
*Cervantesii*.  
 microcephala, *Benth. ex Oerst. in Kjoeb. Vidensk.*  
*Meddel.* (1852) 98.—Mexic.  
 microcephala, *Sch. Bip. ex A. Gray, in Proc. Am.*  
*Acad.* xix. (1883) 12 = *pinnatifida*.  
 microptera, *DC. Prod.* v. 616 = *virginica*.  
 mollis, *Alam. ex DC. l. c.* 588 = *Viguiera buddleiae-*  
*formis*.  
 mollis, *H. B. & K. Nov. Gen. et Sp.* iv. 203.—Mexic.  
 moluccana, *Blume, Bijdr.* 912 (= *Wollastonia moluc-*  
*cana*).—Ins. Molucc.  
 montana, *Blume, l. c.* 911 (= *Wollastonia montana*).  
 —Java.  
 montevidensis, *Spreng. Syst.* iii. 578 = *Aspilia buph-*  
*thalmiflora*.  
 monticola, *Hook. f. in Journ. Linn. Soc.* vii. (1864)  
 200 = *Coreopsis monticola*.  
 mutica, *Linn. Sp. Pl.* ed. II. 1273 = *Chrysanthellum*  
*procumbens*.  
 mutica, *Sieber, ex Steud. Nom. ed. II.* ii. 751 =  
*Wulffia stenoglossa*.  
 neriifolia, *Hemsl. Biol. Centr. Am. Bot.* ii. 188.—  
 Mexic.  
 nicaraguensis, *Benth. ex Oerst. in Kjoeb. Vidensk.*  
*Meddel.* (1852) 97 = *pinnatifida*.  
 nicotianaefolia, *Baker, in Mart. Fl. Bras.* vi. III. 212.  
 —Bras.  
 nodiflora, *Linn. Cent. Pl.* i. 28; *Amoen. Acad.* iv.  
 290 = *Synedrella nodiflora*.  
 nudicaulis, *A. Gray, in Proc. Am. Acad.* xix. (1883) 12.  
 —Am. bor.  
 oaxacana, *DC. Prod.* v. 614.—Mexic.  
 occidentalis, *Walt. Fl. Carol.* 213.—Am. bor.  
 Oerstediana, *Benth. ex Oerst. in Kjoeb. Vidensk.*  
*Meddel.* (1852) 96.—Costa Rica.  
 olivacea, *Klatt, in Leopoldina*, xx. (1884) 93.—  
 Mexic.  
 oppositiflora, *Poir. Encyc.* viii. 460 = *Wulffia steno-*  
*glossa*.  
 ovata, *A. Gray, in Proc. Am. Acad.* xix. (1883) 13 =  
*Actinomeris ovata*.  
 ovata, *Hort. Par. ex Poir. Encyc.* viii. 454 = *Heliopsis*  
*bupththalmoides*.

## VERBESINA:—

- ovatifolia, A. Gray, ex Hemsl. Biol. Centr. Am. Bot. ii. 189.—Mexic.  
 pallens, Benth. ex Oerst. in Kjoeb. Vidensk. Meddel. (1852) 97.—Mexic.  
 paniculata, Poir. Encyc. viii. 456 = virginica.  
 pauciflora, Hemsl. Biol. Centr. Am. Bot. ii. 189.—Mexic.  
 persicifolia, DC. Prod. v. 614.—Mexic.  
 Phaetusa, Cass. ex DC. l. c. 615 = occidentalis.  
 pinnata, Clark, ex DC. l. c.—Hab.?  
 pinnatifida, Cav. Ic. i. 67. t. 100.—Mexic.  
 pinnatifida, Sw. Prod. Veg. Ind. Occ. 114 = gigantea.  
 platyptera, Benth. & Hook. f. Gen. ii. 350, in obs.—Am. trop.  
 podocephala, A. Gray, Pl. Wright. ii. 92 = Zexmenia podocephala.  
 polycephala, DC. Prod. v. 616 = virginica.  
 populifolia, Hill, Hort. Kew. 31.—China.  
 prostrata, Hook. & Arn. Bot. Beech. Voy. 195.—China.  
 prostrata, Linn. Sp. Pl. 902 = Eclipta erecta.  
 Pseudo-acmella, Linn. l. c. 901 = Spilanthes Acmella.  
 pterocaula, [Moc. & Sesse.] ex DC. Prod. v. 616.—Mexic.  
 pusilla, Poir. Encyc. viii. 459 = Eclipta pusilla.  
 repanda, Pers. Syn. ii. 471 = Anthemis repanda.  
 Rueppellii, A. Rich. Tent. Fl. Abyss. i. 410 = Coreopsis chrysantha.  
 salicifolia, H. B. & K. Nov. Gen. et Sp. iv. 205.—Mexic.  
 Sartori, Hort. ex André, in Rev. Hort. (1885) 15 = pinnatifida.  
 sativa, Roxb. ex Sims, Bot. Mag. t. 1017; et Fl. Ind. iii. 441 = Guizotia abyssinica.  
 Saubinetia, Klatt, in Leopoldina, xx. (1884) 92.—Chili.  
 scaberrima, Wall. Cat. n. 3208 = Wedelia Wallichii.  
 scabra, Benth. Pl. Hartw. 41 = Actinomeris tetraptera.  
 scabra, Phil. Sert. Mendoc. Alt. 28 = encelioides.  
 scandens, Roxb. Hort. Beng. 62; Fl. Ind. iii. 441.—Ind. or.  
 Schomburgkii, Sch. Bip. in Schomb. Faun. Fl. Brit. Gui. 1078, nomen.—Guian.  
 Seemannii, Sch. Bip. in Seem. Bot. Voy. Herald, 306.—Mexic.  
 semiserrata, Sch. Bip. ex Baker, in Mart. Fl. Bras. vi. iii. 214 = sordescens.  
 sericea, Kunth & Bouché, Ind. Sem. Hort. Berol. (1848) 14.—Mexic.  
 serrata, Cav. Ic. iii. 7. t. 214.—Mexic.; Cuba.  
 Siegesbeckia, Michx. Fl. Bor. Am. ii. 134 = occidentalis.  
 sinensis, J. F. Gmel. Syst. 1256 = chinensis.  
 sinuata, Ell. Sketch, ii. 411 = virginica.  
 solitaria, Noronha, in Verh. Batav. Gen. v. (1790) ed. I. Art. iv. 28 (Wedeliae sp.).—Java.  
 Soratae, Sch. Bip. in Linnaea, xxxiv. (1865-66) 528, nomen.—Bolivia.  
 sordescens, DC. Prod. v. 613.—Bras.  
 sororia, A. Gray, in Proc. Am. Acad. xv. (1880) 37.—Mexic.  
 spicata, Lour. Fl. Cochinch. 507 = Eclipta spicata.  
 stricta, A. Gray, in Proc. Am. Acad. xix. (1883) 13 = Actinomeris stricta.  
 strigulosa, Gaudich. in Frey. Voy. Bot. 463 = Wedelia aristata.  
 subcordata, DC. Prod. v. 614.—Bras.  
 sublobata, Benth. Pl. Hartw. 76.—Mexic.  
 subpanduraeformis, Klatt, in Leopoldina, xx. (1884) 92 = subcordata.  
 succulenta, Hook. & Arn. Bot. Beech. Voy. 87 = Lipochaeta succulenta.  
 tetraptera, A. Gray, in Proc. Am. Acad. xix. (1883) 13 = Actinomeris tetraptera.  
 texana, Buckl. in Proc. Acad. Sc. Philad. 1861 (1862), 458 = virginica.  
 tomentosa, DC. Prod. v. 614.—Am. austr.  
 tridentata, Spreng. Syst. iii. 577.—Am. austr.  
 triplinervia, Vis. in Nuov. Sagg. Acc. Sc. Fis. Padov. v. (1840) 264.—Mexic.  
 triradiata, Vell. Fl. Flum. viii. t. 115.—Bras.  
 turbacensis, H. B. & K. Nov. Gen. et Sp. iv. 203.—N. Granat.  
 urticaefolia, Blume, Bijdr. 911 = Wedelia urticaefolia.  
 urticaefolia, Span. ex Miq. Fl. Ind. Bat. ii. 73 = Wedelia aristata.  
 venosa, Greene, in Bull. Torrey Bot. Club, ix. (1882) 110.—Ins. Cedros.  
 verbascifolia, Walp. in Bot. Zeit. ix. (1851) 63.—Venezuela.

## VERBESINA:—

- veris, A. Rich. Tent. Fl. Abyss. i. 407 = Coreopsis Prestinaria.  
 vignerioides, Baker, in Mart. Fl. Bras. vi. iii. 215.—Paraguay.  
 villosa, Nutt. in Trans. Am. Phil. Soc. N. S. vii. (1841) 370 = virginica.  
 virgata, Cav. Ic. iii. 38. t. 275.—Mexic.  
 virginica, Linn. Sp. Pl. 901.—Am. bor.  
 Warei, A. Gray, in Proc. Am. Acad. xix. (1883) 12.—Am. bor.  
 Wrightii, A. Gray, l. c.—Am. bor.  
 Wrightii, Griseb. Cat. Pl. Cub. 155.—Cuba.  
 VERBIASCUM, Fenzl, Diagn. Pl. Or. 47 (1880), sphalm. = Verbascum, Tourn. (Scrophul.).  
 VERA, Willd. Sp. Pl. ii. 471 (1799) = seq.  
 VEREIA, Andr. Bot. Rep. t. 21 (1797) = Kalanchoë, Adans. (Crassul.).  
 acutiflora, Andr. l. c. t. 560 = K. acutiflora.  
 aegyptiaca, Steud. Nom. ed. II. ii. 751 = K. crenata.  
 alternans, Spreng. Syst. ii. 260 = K. alternans.  
 ceratophylla, D. Dietr. Syn. Pl. ii. 1328 = K. ceratophylla.  
 crenata, Andr. Bot. Rep. t. 21 = K. Afzeliana.  
 floribunda, D. Dietr. Syn. Pl. ii. 1328 = K. floribunda, Wight & Arn.  
 grandiflora, D. Dietr. l. c. = K. grandiflora, Wight & Arn.  
 heterophylla, D. Dietr. l. c. = K. glandulosa.  
 laciniata, Willd. Enum. Hort. Berol. 433 = K. laciniata.  
 lanceolata, Spreng. Syst. ii. 260 = K. lanceolata.  
 nudicaulis, Spreng. l. c. = K. crenata.  
 pinnata, Spreng. l. c. = Bryophyllum calycinum.  
 rotundifolia, D. Dietr. Syn. Pl. ii. 1328 = K. rotundifolia.  
 spathulata, D. Dietr. l. c. 1327 = K. spathulata.  
 VERHUELLIA, Miq. Syst. Pip. 47 (1843). PIPERA-CEAE, Benth. & Hook. f. iii. 131.  
 MILDEA, Griseb. Cat. Pl. Cub. 63 (1866).  
 brasiliensis, Miq. Syst. Pip. 48 = Peperomia brasiliensis.  
 cordifolia, C. DC. in DC. Prod. xvi. i. 391.—Cuba.  
 elegans, Miq. Syst. Pip. 48.—Ind. occ.  
 Knoblocheriana, C. DC. in DC. Prod. xvi. i. 391.—Afr. trop.  
 serpens, Griseb. Fl. Brit. W. Ind. 164 = elegans.  
 serpens, Miq. Syst. Pip. 49.—Jamaic.  
 VERINEA, Pomel, Mat. Fl. Atl. 1 (1860) = Asphodelus, Tourn. (Liliac.).  
 fistulosa, Pomel, l. c. 2 = A. fistulosus.  
 tenuifolia, Pomel, l. c. = A. tenuifolius.  
 VERLANGIA, Neck. Elem. ii. 125 (1790); Rafin. Sylva Tellur. 33 (1838) = Argania, Roem. & Schult. (Sapot.).  
 Argan, Rafin. l. c. 34 = A. Sideroxylon.  
 indica, Rafin. l. c. = Flacourtia sepiaria.  
 sicula, Rafin. l. c. = A. Sideroxylon.  
 VERLOTIA, Fourn. in Mart. Fl. Bras. vi. iv. 324 (1885). ASCLEPIADEAE.  
 dracontea, Fourn. l. c. 325.—Bras.  
 heterophylla, Fourn. l. c.—Bras.  
 macrocalyx, Fourn. l. c.—Bras.  
 suberosa, Fourn. l. c. 324.—Bras.  
 virgultorum, Fourn. l. c.—Bras.  
 Weddellii, Fourn. l. c. 326.—Bras.  
 VERMICULARIA, Moench, Meth. Suppl. 150 (1802) = Stachytarpheta, Vahl (1805) (Verben.).  
 decurrens, Moench, l. c. = S. indica.  
 lancifolia, Moench, l. c. = S. indica.  
 VERMIFUGA, Ruiz & Pav. Prod. 114. t. 24 (1794) = Flaveria, Juss. (Compos.).  
 corymbosa, Ruiz & Pav. Syst. Veg. 216 = F. Contrayerba.  
 VERMONETA, Comm. ex Juss. Gen. 343, in obs. (1789) = Homalium, Jacq. (Samyd.).  
 decadenia, Comm. ex Juss. l. c. = H. paniculatum.

- VERMONIA, Edgew. in Journ. As. Soc. Beng. xxi. (1853) 172, err. typ. = Vernonia, Schreb. (Compos.).  
 VERMONTEA, Steud. Nom. ed. I. 111, 874 (1821), sphalm. = Homalium, Jacq. (Samyd.).  
 decandra, Steud. l. c. 111 = H. paniculatum.  
 VERNASOLIS, Rafin. Atl. Journ. 152 (1832) = Gailardia?, Fouger. (Compos.).  
 auriculata, glauca, heterophylla, Rafin. l. c. (Quid?).—Am. bor.  
 VERNICIA, Lour. Fl. Cochinch. 586 (1790) = Aleurites, Forst. (Euphorb.).  
 montana, Lour. l. c. = A. triloba.  
 VERNISECKIA, Steud. Nom. ed. II. ii. 752 (1841) = WERNISECKIA, Scop. = Humiria, Aubl.  
 VERNIX, Adans. Fam. ii. 347 (1763) = Rhus, Tourn. (Anacard.).  
 VERNONELLA, Sond. in Linnaea, xxiii. (1850) 62 = Vernonia, Schreb. (Compos.).  
 africana, Sond. l. c. = Vernonia Vernonella.  
 VERNONIA, Schreb. Gen. ii. 541 (1791). COMPOSITAE, Benth. & Hook. f. ii. 227.  
 ACHYROCOMA, Cass. in Dict. Sc. Nat. xxvi. 21 (1823); lvii. 341 (1828).  
 ACILEPIS, D. Don, Prod. Fl. Nep. 169 (1825).  
 AMBASSA, Steetz, in Peters, Reise Mossamb. Bot. 364 (1863).  
 ASCARICIDA, Cass. in Dict. Sc. Nat. iii. Suppl. 38 (1816).  
 BACCHAROIDES, Moench, Meth. 578 (1794).  
 BECHIUM, DC. Prod. v. 70 (1836).  
 BEHEN, Hill, Veg. Syst. iv. 41 (1762).  
 BRACHEILEMA, R. Br. in Salt, Abyss. App. 65 (1814).  
 CANDIDEA, Tenore, in Atti Acc. Nap. iv. (1839) 104. tt. 1, 2.  
 CENTRAPALUS, Cass. in Bull. Soc. Philom. (1817) 10; et in Dict. Sc. Nat. vii. 382 (1817).  
 CHELIUSIA, Sch. Bip. in Flora, xxiv. (1841) i. Intell. 26.  
 CLAOTRACHELUS, Zoll. in Nat. en Geneesk. Arch. Neêrl. Indie, ii. (1845) 565.  
 CRITONIOPSIS, Sch. Bip. in Pollichia, xx-xxi. (1863) 340.  
 CRYSTALLOPOLLEN, Steetz, in Peters, Reise Mossamb. Bot. 363 (1863).  
 CYANOPIS, Blume, Fl. Jav. Praef. p. vi. (1828); et in DC. Prod. v. 69 (1836).  
 CYANOPSIS, Endl. Ench. 232 (1841).  
 CYANTHILLIUM, Blume, Bijdr. 889 (1826).  
 DISTEPHANUS, Cass. in Bull. Soc. Philom. (1817) 151.  
 FLUSTULA, Rafin. Sylva Tellur. 116 (1838).  
 GYMANTHEMUM, Cass. in Bull. Soc. Philom. (1817) 10.  
 HOLOLEPIS, DC. in Ann. Mus. Par. xvi. (1810) 189. t. 6.  
 ISOMERIA, D. Don, ex DC. Prod. v. 24 (1836).  
 ISONEMA, Cass. in Bull. Soc. Philom. (1817) 152.  
 KERINGA, Rafin. Sylva Tellur. 144 (1838).  
 LEIBOLDIA, Schlecht. in Linnaea, xix. (1847) 742.  
 LEPIDAPLOA, Cass. in Bull. Soc. Philom. (1817) 66; et in Dict. Sc. Nat. xxvi. 16 (1823).  
 LEUCOMERIS, Blume, ex DC. Prod. v. 21 (1836).  
 LINZIA, Sch. Bip. in Flora, xxiv. (1841) i. Intell. 26.  
 LLERASIA, Triana, in Ann. Sc. Nat. Sér. IV. ix. (1858) 37.  
 LYSISTEMMA, Steetz, in Peters, Reise Mossamb. Bot. 340 (1863).  
 MONOSIS, DC. Prod. v. 77 (1836).  
 PLECTRECA, Rafin. Fl. Tellur. iv. 119 (1836).  
 POLYDORA, Fenzl, in Flora, xxvii. (1844) 312.  
 PUNDUANA, Steetz, in Peters, Reise Mossamb. Bot. 345 (1863).  
 STENGELIA, Sch. Bip. in Flora, xxiv. (1841) i. Intell. 26.  
 STENOCEPHALUM, Sch. Bip. in Pollichia, xx-xxi. (1863) 385.  
 STROBOCALYX, Sch. Bip. l. c. xviii-xix. (1861) 170.  
 SUPRAGO, Gaertn. Fruct. ii. 402. t. 166 (1791).

**VERNONIA:—**

- TEICHOSTEMMA, R. Br. in Salt, Abyss. App. 65 (1814).  
 TEPHROTHAMNUS, Sch. Bip. in Pollichia, xx-xxi. (1863) 431.  
 TRIANTHAEA, Spach, Hist. Vég. Phan. x. 39 (1841).  
 TURPINIA, La Llave & Lex. Nov. Veg. Desc. fasc. i. 24 (1824).  
 VERNONELLA, Sond. in Linnaea, xxiii. (1850) 62.  
 WEBBIA, DC. Prod. v. 72 (1836).  
 XIPHOLEPS, Steetz, in Peters, Reise Mossamb. Bot. 344 (1863).  
*abbreviata*, DC. Prod. v. 25 = cinerea.  
*abys-inica*, Sch. Bip. ex Hochst. in Flora, xxiv. (1841) 1. Intell. 26, nomen; et in Walp. Rep. ii. 947.—Abyss.  
*accedens*, Miq. Fl. Ind. Bat. ii. 18.—Java.  
*Achyrocoma*, Less. in Linnaea, iv. (1829) 313.—Am. bor.?  
*Acilepis*, Benth. ex Oerst. in Kjoeb. Vidensk. Meddel. (1852) 68.—Nicaragua.  
*acuminata*, DC. Prod. v. 32 = volkameriaefolia.  
*acuminata*, Less. in Linnaea, vi. (1831) 663.—Ind. occ.  
*acuminata*, Willd. ex Less. l. c. iv. (1829) 284 = canescens.  
*acutangula*, Gardn. in Hook. Lond. Journ. Bot. v. (1846) 225.—Bras.  
*acutangula*, Sch. Bip. ex Baker, in Mart. Fl. Bras. vi. ii. 123 = Piptocarpha macropoda.  
*acutifolia*, Hook. Bot. Mag. t. 3062 = sericea.  
*adamantium*, Gardn. in Hook. Lond. Journ. Bot. v. (1846) 222.—Bras.  
*adenophylla*, Mart. ex DC. Prod. v. 17.—Bras.  
*adenosicta*, Fenzl, ex Walp. Rep. vi. 98 = amygdalina.  
*adoensis*, Sch. Bip. ex Walp. l. c. ii. 946.—Abyss.  
*adproximata*, Less. in Linnaea, vi. (1831) 655 = diffusa.  
*affinis*, H. B. & K. Nov. Gen. et Sp. iv. 39.—Peruv.  
*affinis*, Sch. Bip. in Zoll. Syst. Verz. Ind. Archip. 119, nomen (Quid?).—Malaya.  
*Alamani*, DC. Prod. v. 61.—Mexic.  
*alata*, Heyne, ex DC. l. c. 448 = Laggera alata.  
*albicans*, DC. in Wight, Contrib. 6 = cinerea, chinensis.  
*albicaulis*, Vahl, ex Pers. Syn. ii. 404 = longifolia.  
*albicola*, Steud. Nom. ed. II. ii. 752, sphalm. = *alpicola*.  
*albiflora*, Gardn. in Hook. Lond. Journ. Bot. v. (1846) 224 = geminata.  
*albiflora*, Rafin. Herb. 29 (Quid?).—Am. bor.  
*alpestris*, Baker, in Mart. Fl. Bras. vi. ii. 55.—Bras.  
*alpicola*, Mart. ex DC. Prod. v. 17 = Piptolepis buxoides.  
*altissima*, Nutt. Gen. Am. ii. 134.—Am. bor.  
*altissima*, Walp. Rep. ii. 540 = angustifolia.  
*amara*, Stokes, Bot. Mat. Med. iv. 165 = Saussurea amara.  
*ambigua*, Kotschy & Peyr. Pl. Tinn. 35. t. 17 B.—Afr. trop.  
*ammophila*, Gardn. in Hook. Lond. Journ. Bot. v. (1846) 227.—Bras.  
*amygdalina*, Delile, Cent. Pl. Mèroë, 41.—Afr. trop.  
*anceps*, C. B. Clarke, ex Hook. f. Fl. Brit. Ind. iii. 233.—Zeylan.  
*Andersoni*, C. B. Clarke, Comp. Ind. 27 = Cumingi-ana.  
*Andrieuxii*, DC. Prod. v. 16 = Liabum Andrieuxii.  
*andromachioides*, Less. in Linnaea, vi. (1831) 397 = Liabum andromachioides.  
*angulifolia*, DC. Prod. v. 29.—Afr. austr.  
*angustifolia*, D. Don, ex Hook. & Arn. in Hook. Comp. Bot. Mag. i. (1835) 236 = nudiflora.  
*angustifolia*, Michx. Fl. Bor. Am. ii. 94.—Am. bor.  
*anisochaetoides*, Sond. in Linnaea, xxiii. (1850) 61.—Afr. austr.  
*anthelmintica*, Willd. Sp. Pl. iii. 1634.—Reg. Himal.  
*aphanantha*, Baker, in Journ. Linn. Soc. xx. (1883) 176.—Madag.  
*apiculata*, Mart. ex DC. Prod. v. 51.—Bras.  
*apocynifolia*, Baker, in Journ. Linn. Soc. xx. (1883) 175.—Madag.  
*appendiculata*, Less. in Linnaea, vi. (1831) 636.—Madag.  
*approximata*, Baker, in Mart. Fl. Bras. vi. ii. 23 = diffusa.  
*arabica*, Decne. ex Boiss. Fl. Orient. iii. 154 = atriplicifolia.

**VERNONIA:—**

- araneosa*, Baker, in Mart. Fl. Bras. vi. ii. 32.—Bras.  
*ararana*, Gardn. in Hook. Lond. Journ. Bot. v. (1846) 227.—Bras.  
*araripensis*, Gardn. l. c. 222.—Bras.  
*arbores*, Buch.-Ham. in Trans. Linn. Soc. xiv. (1824) 218.—As. trop.  
*arborescens*, Sw. Fl. Ind. Occ. ii. 1320.—Ind. occ.  
*Arbuscula*, Less. in Linnaea, vi. (1831) 664.—Ins. Maurit.  
*arbutifolia*, Baker, in Journ. Bot. xx. (1882) 169, in obs.—Madag.  
*arctioides*, Less. in Linnaea, vi. (1831) 400.—Mexic.  
*arcuata*, Gardn. in Hook. Lond. Journ. Bot. v. (1846) 220 = linearis.  
*arenaria*, Gardn. l. c. 221 = grisea.  
*arenaria*, Mart. ex DC. Prod. v. 54.—Bras.  
*argentea*, Gill. ex Hook. & Arn. in Hook. Comp. Bot. Mag. i. (1835) 103 = Hyalis argentea.  
*argentea*, Less. in Linnaea, vi. (1831) 672.—Bras.  
*arguta*, Baker, in Journ. Linn. Soc. xx. (1883) 175.—Madag.  
*argyropappa*, Buek, Index ad DC. Prod. ii. Praef. p. v = Salzmanni.  
*argyrophylla*, Less. in Linnaea, vi. (1831) 627.—Bras.  
*argyrotichia*, Sch. Bip. ex Baker, in Mart. Fl. Bras. vi. ii. 96.—Bras.  
*ariaefolia*, Mart. ex DC. Prod. v. 30 = argyrophylla.  
*aristata*, Less. in Linnaea, iv. (1829) 313.—Hab.?  
*aristata*, Reinw. ex De Vriese, Pl. Ind. Bat. Or. 130 = moluccensis.  
*aristata*, Sch. Bip. in Flora, xviii. (1844) 667 = natalensis.  
*arkansana*, DC. Prod. vii. 264.—Am. bor.  
*Arnottiana*, Thoms. ex C. B. Clarke, Comp. Ind. 20 = salvifolia.  
*Aschenborniana*, S. Schau. in Linnaea, xix. (1847) 714.—Mexic.  
*Aschersonii*, Sch. Bip. in Schweinf. Beitr. Fl. Aethiop. 161.—Afr. trop.  
*aspera*, Buch.-Ham. in Trans. Linn. Soc. xiv. (1824) 219, partim = divergens, Roxburghii.  
*aspera*, DC. Prod. v. 31 = Roxburghii.  
*aspera*, Less. in Linnaea, vi. (1831) 643 = divergens?  
*assans*, Mart. ex DC. Prod. v. 38 = scabra.  
*asteriflora*, Mart. l. c. 29.—Bras.  
*asterotrichia*, Benth. ex Baker, in Mart. Fl. Bras. vi. ii. 124 = Piptocarpha opaca.  
*asterotrichia*, Poepp. & Endl. Nov. Gen. et Sp. iii. 41. t. 247 = Piptocarpha asterotrichia.  
*atriplicifolia*, Fausl. & Spach, Illustr. iv. 94. t. 359.—Arab.  
*attenuata*, DC. Prod. v. 33.—Reg. Himal.; Burma.  
*aurea*, Mart. ex DC. l. c. 58.—Bras.  
*auriculata*, Griseb. in Goett. Abh. xxiv. (1879) 163.—Reg. Argent.  
*aurifodinarum*, Mart. ex DC. Prod. v. 48 = obscura.  
*axillaris*, Less. in Linnaea, iv. (1829) 256.—Bras.  
*axillaris*, Sch. Bip. in Pollichia, xx-xxi. (1863) 418 = Piptocarpha macropoda.  
*axilliflora*, Mart. ex Less. in Linnaea, iv. (1829) 297 = V. Cotoneaster.  
*baccharoides*, H. B. & K. Nov. Gen. et Sp. iv. 40.—N. Granat.  
*bahamensis*, Griseb. Fl. Brit. W. Ind. 352.—Ins. Baham.  
*Bainesii*, Oliver & Hiern, in Oliver, Fl. Trop. Afr. iii. 272.—Afr. trop.  
*Bakeri*, Vatke, in Bremen, Abh. ix. (1885) 119.—Madag.  
*Baldwini*, Torr. in Ann. Lyc. N. York, ii. (1828) 211.—Am. bor.  
*barbata*, Less. in Linnaea, iv. (1829) 287.—Bras.  
*barbinervis*, Sch. Bip. in Seem. Bot. Voy. Herald, 297.—Mexic.  
*bardanoides*, Less. in Linnaea, vi. (1831) 669.—Bras.  
*Baroni*, Baker, in Journ. Linn. Soc. xx. (1883) 173.—Madag.  
*Beddomei*, Hook. f. Fl. Brit. Ind. iii. 231.—Ind. or.  
*Benthamiana*, Oliver & Hiern, in Oliver, Fl. Trop. Afr. iii. 282.—Afr. trop.  
*Berteriana*, DC. Prod. v. 52 = arborescens.  
*Beyrichii*, Less. in Linnaea, iv. (1829) 275.—Bras.  
*Biafrae*, Oliver & Hiern, in Oliver, Fl. Trop. Afr. iii. 270.—Afr. trop.  
*bifrons*, Vahl, ex Less. in Linnaea, v. (1830) 261 = Anastrophia ilicifolia.  
*Bipontini*, Vatke, l. c. xxxix. (1875) 478 = Leopoldi.

**VERNONIA:—**

- Blanchetiana*, DC. Prod. v. 20 = Piptocarpha Lundiana.  
*blanda*, DC. l. c. 32.—Burma.  
*blandula*, C. B. Clarke, Comp. Ind. 26 = praec.  
*Blumeana*, DC. Prod. v. 22 = arbores.  
*blumeoides*, Hook. f. in Journ. Linn. Soc. vii. (1864) 198.—Afr. trop.  
*Bojeri*, Less. in Linnaea, vi. (1831) 676.—Afr. trop.  
*Bolleana*, Sch. Bip. in Seem. Bot. Voy. Herald, 297.—Mexic.  
*borneensis*, Miq. Fl. Ind. Bat. ii. 16.—Borneo.  
*Bottae*, Fausl. & Spach, Illustr. iv. 92.—Arab.  
*brachiata*, Benth. ex Oerst. in Kjoeb. Vidensk. Meddel. (1852) 67.—Costa Rica.  
*brachylepis*, Griseb. in Goett. Abh. xxiv. (1879) 164.—Reg. Argent.  
*brachyscypha*, Baker, in Journ. Linn. Soc. xx. (1883) 178.—Madag.  
*bracteata*, Wall. Cat. n. 2921.—Reg. Himal.  
*bracteolata*, DC. Prod. v. 62 = subsessilis.  
*brasiliensis*, Less. in Linnaea, vi. (1831) 682 = Albertinia brasiliensis.  
*brasiliensis*, Mart. ex DC. Prod. v. 39 = polyanthes.  
*brasiliensis*, Sch. Bip. in Pollichia, xviii-xix. (1861) 161 = Vanillosmopsis brasiliensis.  
*brevifolia*, Less. in Linnaea, iv. (1829) 285.—Bras.  
*brevifolia*, Rafin. New Fl. Am. iv. 77 (Quid?).—Am. bor.  
*brevipetiolata*, Sch. Bip. ex Baker, in Mart. Fl. Bras. vi. ii. 85.—Bras.  
*brunioides*, Less. in Linnaea, iv. (1829) 248 = Lychno-phora brunioides.  
*Buchingeri*, Sch. Bip. ex Steetz, in Peters, Reise Mossamb. Bot. 359.—Abyss.  
*buddleiaefolia*, Mart. ex DC. Prod. v. 45.—Bras.  
*bullata*, Benth. ex Oerst. in Kjoeb. Vidensk. Meddel. (1852) 67.—Nicaragua.  
*bupleurifolia*, Sch. Bip. ex Baker, in Mart. Fl. Bras. vi. ii. 87 = obtusata.  
*Burchelliana*, Gardn. in Hook. Lond. Journ. Bot. v. (1846) 209 = Piptolepis Oleaster.  
*Burtoni*, Oliver & Hiern, in Oliver, Fl. Trop. Afr. iii. 281.—Afr. trop.  
*buxifolia*, Less. in Linnaea, iv. (1829) 313.—Ins. S. Doming.  
*buxoides*, Less. l. c. 247 = Piptolepis buxoides.  
*caducissima*, Sch. Bip. ex Baker, in Mart. Fl. Bras. vi. ii. 73 = Salzmanni.  
*callicephala*, Sch. Bip. ex Baker, l. c. 32 = V. Radula.  
*Calvoana*, Hook. f. Bot. Mag. t. 5698.—Afr. trop.  
*calycina*, Wall. Cat. n. 2924.—Burma.  
*Camara*, Liai, Brés. 627.—Bras.  
*campestris*, DC. Prod. v. 43 = desertorum.  
*campestris*, Mart. ex DC. l. c. 45 = grandiflora.  
*cana*, Edgew. in Journ. As. Soc. Beng. xvi. ii. (1847) 1216 = atriplicifolia?  
*Candolleana*, Wight & Arn. in Nov. Act. Nat. Cur. xviii. (1836) 346.—Ind. or.  
*Candollei*, DC. Prod. v. 21.—Bras.  
*Candollei*, Vatke, in Bremen, Abh. ix. (1885) 119.—Madag.  
*canescens*, H. B. & K. Nov. Gen. et Sp. iv. 35.—Peruv.  
*canescens*, Sch. Bip. in Flora, xxvii. (1844) 667 = pinifolia.  
*capitata*, Less. in Linnaea, iv. (1829) 270 = Vanillosmopsis capitata.  
*capitellata*, DC. Prod. v. 20 = Piptocarpha leprosa.  
*capituliflora*, Miq. Fl. Ind. Bat. ii. 19.—Ins. Sunda.  
*carbonaria*, Sch. Bip. ex Baker, in Mart. Fl. Bras. vi. ii. 28 = megapotamica.  
*carduoides*, Baker, l. c. 34.—Bras.  
*celebica*, DC. Prod. v. 21 = arbores.  
*centaurioides*, Sch. Bip. in Linnaea, xxxiv. (1865-66) 536, nomen.—Bolivia.  
*centriflora*, Link & Otto, Ic. Pl. Sel. 117. t. 55 = scorpioides.  
*Cephalotes*, DC. Prod. v. 57.—Bras.  
*cernua*, Boj. ex DC. l. c. vii. 24 (= Moquinia Bojeri).—Afr. trop.  
*chalybaea*, Mart. ex DC. l. c. v. 54.—Bras.  
*Chamaedrys*, Less. in Linnaea, iv. (1829) 259.—Bras.  
*Chamaepeuces*, Sch. Bip. ex Baker, in Mart. Fl. Bras. vi. ii. 31.—Bras.  
*Chamissonis*, Less. in Linnaea, iv. (1829) 304.—Bras.  
*chilanthia*, Walp. l. c. xiv. (1840) 508.—Peruv.; Chili.  
*chinensis*, Less. l. c. vi. (1831) 105, 674.—Malaya; China.

## VERNONIA:—

- chromolepis*, Gardn. in Hook. Lond. Journ. Bot. v. (1846) 224 = rubricaulis.  
*chrysophylla*, Gardn. l. c. vi. (1847) 417 = obovata.  
*cincta*, Griseb. in Goett. Abh. xxiv. (1879) 162.—Reg. Argent.  
*cinerascens*, Sch. Bip. in Schweinf. Beitr. Fl. Aethiop. 162.—Ind. bor. occ.; Abyss.  
*cinerea*, Less. in Linnaea, iv. (1829) 291.—Amphig. trop.  
*cirsiflora*, Mart. ex Baker, in Mart. Fl. Bras. vi. II. 36 = bardanoides.  
*cirsifolia*, Steud. Nom. ed. II. ii. 753 = Pacourina cirsifolia.  
*clarencana*, Hook. f. in Journ. Linn. Soc. vi. (1862) 11 = Conyza clarencana.  
*clavata*, Gardn. in Hook. Lond. Journ. Bot. v. (1846) 220.—Bras.  
*clivorum*, Hance, in Journ. Bot. vii. (1869) 164.—China.  
*Cockburniana*, Balf. f. in Proc. Roy. Soc. Edinb. xi. (1882) 837.—Ins. Socotra.  
*coelestina*, Schrad. ex DC. Prod. v. 62 = pauciflora.  
*cognata*, Less. in Linnaea, vi. (1831) 670.—Bras.  
*collina*, Gardn. in Hook. Lond. Journ. Bot. v. (1846) 213 = mucronulata.  
*compacta*, Gardn. l. c. 216.—Bras.  
*compactiflora*, Mart. ex Baker, in Mart. Fl. Bras. vi. II. 44.—Bras.  
*complanata*, Sch. Bip. ex Baker, l. c. 104 = densiflora.  
*complicata*, Wright, ex Griseb. Cat. Pl. Cub. 143.—Cuba.  
*condensata*, Baker, in Journ. Bot. xiii. (1875) 202.—Bras.  
*conferta*, Benth. in Hook. Niger Fl. 427.—Afr. trop.  
*conferta*, Sch. Bip. ex Baker, in Mart. Fl. Bras. vi. II. 124 = Piptocarpha Riedelii.  
*congesta*, Benth. in Hook. Lond. Journ. Bot. i. (1842) 487 = Inula Cappa.  
*conyzoides*, DC. in Wight, Contrib. 6 = cinerea.  
*conyzoides*, Thw. Enum. Pl. Zeyl. 160 = Hookeriana.  
*conyzoides*, Wight, l. c. 829 = Candolleana.  
*corcovadensis*, Gardn. in Hook. Lond. Journ. Bot. v. (1846) 218 = polyanthes.  
*cordata*, H. B. & K. Nov. Gen. et Sp. iv. 39.—Mexic.  
*cordiaefolia*, H. B. & K. l. c. 38.—N. Granat.  
*cordifolia*, Willd. ex Less. in Linnaea, iv. (1829) 267 = cordata.  
*cordigera*, Mart. ex DC. Prod. v. 58.—Bras.  
*coriacea*, Less. in Linnaea, vi. (1831) 661.—Bras.  
*corymbiformis*, DC. Prod. v. 62.—Mexic.  
*corymbosa*, Less. in Linnaea, vi. (1831) 647.—Afr. austr.  
*corymbosa*, Schweinf. in Long, Exped. Winnep. ii. 394 = fasciculata.  
*corymbulosa*, Mart. ex Baker, in Mart. Fl. Bras. vi. II. 113 = viscidula.  
*Cotoneaster*, Less. in Linnaea, iv. (1829) 298.—Bras.  
*Coulonii*, Sch. Bip. ex Baker, in Mart. Fl. Bras. vi. II. 93.—Bras.  
*crenata*, Gardn. in Hook. Lond. Journ. Bot. v. (1846) 218 = ferruginea.  
*crenulata*, Sch. Bip. ex Baker, in Mart. Fl. Bras. vi. II. 96 = ignobilis.  
*crinita*, Rafin. New Fl. Am. iv. 77 (Quid?).—Am. bor.  
*crotonoides*, Sch. Bip. in Pollichia, xviii-xix. (1861) 166.—Bras.  
*cubensis*, Griseb. Cat. Pl. Cub. 144 = hieracioides.  
*cuiabensis*, Baker, in Mart. Fl. Bras. vi. II. 37.—Bras.  
*Cumingiana*, Benth. in Hook. Kew Journ. iv. (1852) 232.—Reg. Himal.; China.  
*cuneata*, Less. in Linnaea, vi. (1831) 644 = scandens.  
*cuneifolia*, Gardn. in Hook. Lond. Journ. Bot. v. (1846) 215.—Bras.  
*cuspidata*, Buek, Ind. ad DC. Prod. ii. p. v = volkameriaefolia.  
*cuspidata*, Steud. Nom. ed. II. ii. 753 = arborea?  
*cyanonioides*, Walp. in Linnaea, xiv. (1840) 509 = cinerea.  
*cyanopidea*, Hochst. ex Sch. Bip. in Schweinf. Beitr. Fl. Aethiop. 161 = Aschersonii.  
*cyanopioides*, Walp. Rep. ii. 541, sphalm. = cinerea.

## VERNONIA:—

- cylindrica*, A. Rich. Tent. Fl. Abyss. i. 374 = podocoma.  
*cylindrica*, Sch. Bip. ex Walp. Rep. ii. 945.—Afr. trop.  
*cymosa*, Blume, Bijdr. 894.—Java.  
*daphnoides*, Walp. in Linnaea, xiv. (1840) 510.—Bras.  
*davalliaefolia*, Gardn. in Hook. Lond. Journ. Bot. vi. (1847) 422 = obscura.  
*debilis*, Mart. ex DC. Prod. v. 54 = V. Cotoneaster.  
*decantha*, Sch. Bip. in Linnaea, xx. (1847) 512 = ehretifolia.  
*decumbens*, Gardn. in Hook. Lond. Journ. Bot. iv. (1845) 115.—Bras.  
*decussata*, Mart. ex DC. Prod. v. 58 = pycnostachya.  
*delapsa*, Baker, in Journ. Linn. Soc. xx. (1883) 172.—Madag.  
*demulans*, Vatke, in Oestr. Bot. Zeitschr. xxvii. (1877) 195.—Afr. trop.  
*dendigulensis*, DC. Prod. vii. 263 = Candolleana.  
*densevillosa*, Mart. ex DC. l. c. v. 43 = obovata.  
*densiflora*, Gardn. in Hook. Lond. Journ. Bot. iv. (1845) 114.—Bras.  
*denticulata*, DC. Prod. v. 36 = Beyrichii.  
*Deppiana*, Less. in Linnaea, vi. (1831) 398.—Mexic.  
*desertorum*, Mart. ex DC. Prod. v. 43.—Bras.  
*dichocarpa*, Less. in Linnaea, iv. (1829) 269.—Mexic.  
*dichotoma*, Sch. Bip. l. c. xxx. (1859-60) 173.—N. Granat.  
*diffusa*, Decne. in Nouv. Ann. Mus. Par. iii. (1834) 408 = cinerea.  
*diffusa*, Less. in Linnaea, iv. (1829) 272.—Bras.  
*discolor*, Less. l. c. 274.—Bras.  
*dissoluta*, Baker, in Journ. Linn. Soc. xx. (1883) 174.—Madag.  
*divaricata*, Less. in Linnaea, iv. (1829) 306 = arborescens.  
*divaricata*, Sw. Fl. Ind. Occ. iii. 1319 = arborescens, acuminata.  
*divergens*, Edgew. in Journ. As. Soc. Beng. xxi. (1853) 172, nomen; Benth. ex C. B. Clarke, Comp. Ind. 14.—Ind. or.; Burma.  
*diversifolia*, Boj. ex DC. Prod. v. 26.—Madag.  
*domingensis*, DC. l. c. 30 = buxifolia.  
*Doniana*, DC. l. c. 23.—Afr. trop.  
*Dregeana*, Sch. Bip. ex Walp. Rep. ii. 947.—Afr. austr.  
*dura*, Mart. ex DC. Prod. v. 59.—Bras.  
*Echinops*, Mart. ex Baker, in Mart. Fl. Bras. iv. II. 167 = Eremanthus sphaerocephalus.  
*echioides*, Less. in Linnaea, iv. (1829) 278.—Bras.  
*echitifolia*, Mart. ex DC. Prod. v. 60.—Bras.  
*edulis*, Steud. Nom. ed. II. ii. 753 = Pacourina edulis.  
*Ehrenbergiana*, Sch. Bip. in Linnaea, xx. (1847) 513.—Mexic.  
*ehretiaefolia*, Gardn. in Hook. Lond. Journ. Bot. vi. (1847) 420 = varroniaefolia.  
*ehretifolia*, Benth. in Hook. Journ. Bot. ii. (1840) 39.—Guian.  
*elaeagnifolia*, DC. Prod. v. 22.—Burma.  
*elaeagnoides*, H. B. & K. Nov. Gen. et Sp. iv. 42 = Piptocarpha elaeagnoides.  
*elaeagnoides*, Sch. Bip. in Flora, xxvii. (1844) 668 = Kraussii.  
*Elaeagnus*, Sch. Bip. in Pollichia, xviii-xix. (1861) 166 = Eremanthus Elaeagnus.  
*elegans*, Gardn. in Hook. Lond. Journ. Bot. vi. (1847) 421.—Bras.  
*elliptica*, DC. in Wight, Contrib. 5 = elaeagnifolia.  
*elongata*, Willd. ex Less. in Linnaea, iv. (1829) 302 = gracilis.  
*emarginata*, Wikstr. in Vet. Acad. Handl. Stockh. (1827) 73 = rigida.  
*eminens*, Bisch. Cat. Sem. Hort. Heidelb. (1847).—Cf. Ann. Sc. Nat. Sér. III. ix. (1848) 320.—Afr. bor.  
*ensifolia*, Mart. ex DC. Prod. v. 53 = glabrata.  
*eremophila*, Mart. ex DC. l. c. 54.—Bras.  
*ericaefolia*, Hook. & Arn. in Hook. Comp. Bot. Mag. i. (1835) 236 = brevifolia.  
*ericoides*, Less. in Linnaea, iv. (1829) 247 (excl. syn.) = Piptolepis ericoides.  
*erigeroides*, DC. Prod. v. 25 = cinerea.  
*Erigerontis*, Mart. ex DC. l. c. 43 = simplex.  
*eriolada*, DC. l. c. 44.—Bras.  
*erirolepis*, Gardn. in Hook. Lond. Journ. Bot. v. (1846) 224.—Bras.

## VERNONIA:—

- eriosematoides*, Walp. in Nov. Act. Nat. Cur. xix. Suppl. i. (1843) 254 = Inula Cappa.  
*erubescens*, Hochst. ex Oliver & Hiern, in Oliver, Fl. Trop. Afr. iii. 280 = Aschersonii.  
*Ervendbergii*, A. Gray, in Proc. Am. Acad. xvii. (1882) 203.—Mexic.  
*erythrophila*, DC. Prod. v. 57.—Bras.  
*erythrophiloides*, Sch. Bip. ex Baker, in Mart. Fl. Bras. vi. II. 52 = praec.  
*estrellensis*, Gardn. in Hook. Lond. Journ. Bot. v. (1846) 215 = puberula.  
*eupatoriifolia*, DC. Prod. v. 37.—Bras.  
*eupatorioides*, Blume, Bijdr. 894.—Java.  
*exaltata*, Hort. ex Kunth, Ind. Sem. Hort. Berol. (1848) 14 = Verbesina sericea.  
*exilis*, Mig. in Journ. Bot. Néerl. i. (1861) 98.—China.  
*exsucca*, Mart. ex DC. Prod. v. 85 = Eremanthus exsuccus.  
*extensa*, DC. l. c. 33.—Reg. Himal.  
*extraxillaris*, DC. l. c. 56 = linearis.  
*fagifolia*, Gardn. in Hook. Lond. Journ. Bot. v. (1846) 216.—Bras.  
*farinosa*, Baker, in Mart. Fl. Bras. vi. II. 84.—Bras.  
*fasciculata*, Blume, Bijdr. 893, in nota = cinerea.  
*fasciculata*, Michx. Fl. Bor. Am. ii. 94.—Am. bor.  
*fastigiata*, Oliver & Hiern, in Oliver, Fl. Trop. Afr. iii. 282.—Afr. trop.  
*ferruginea*, Less. in Linnaea, iv. (1829) 271.—Bras.  
*filifolia*, Mart. ex DC. Prod. v. 44 = brevifolia.  
*filigera*, Oliver & Hiern, in Oliver, Fl. Trop. Afr. iii. 288.—Afr. trop.  
*fimbrillifera*, Less. in Linnaea, iv. (1829) 313 (= Decaneurum fimbrilliferum).—Ins. Borbon.  
*firma*, Oliver & Hiern, in Oliver, Fl. Trop. Afr. iii. 290.—Afr. trop.  
*firma*, Mart. ex DC. Prod. v. 59 = dura.  
*flagellaris*, Vatke, in Linnaea, xxxix. (1875) 479 = urticaefolia.  
*flavescens*, Less. l. c. vi. (1831) 657 = scorpioides.  
*flexuosa*, Sims, Bot. Mag. t. 2477.—Bras.  
*floccosa*, Gardn. in Hook. Lond. Journ. Bot. v. (1846) 225.—Bras.  
*floribunda*, H. B. & K. Nov. Gen. et Sp. iv. 38.—Am. trop.  
*florida*, Gardn. in Hook. Lond. Journ. Bot. v. (1846) 212 = nitidula.  
*flotowioides*, Baker, in Mart. Fl. Bras. vi. II. 81.—Bras.  
*foliosa*, Gardn. in Hook. Lond. Journ. Bot. v. (1846) 210.—Bras.  
*foliosa*, Sch. Bip. in Pollichia, xviii-xix. (1861) 161.—Mexic.  
*Fortunei*, Sch. Bip. in Flora, xxxv. (1852) 48 = solanifolia.  
*fragrans*, La Llave, in La Llave & Lex. Nov. Veg. Desc. fasc. i. 24.—Mexic.  
*Francavillana*, Oliver & Hiern, in Oliver, Fl. Trop. Afr. iii. 296.—Afr. trop.  
*frangulaefolia*, H. B. & K. Nov. Gen. et Sp. iv. 37.—N. Granat.  
*frondosa*, Oliver & Hiern, in Oliver, Fl. Trop. Afr. iii. 294.—Afr. trop.  
*fruticosa*, Sw. Fl. Ind. Occ. iii. 1323 = rigida.  
*fruticulosa*, Mart. ex DC. Prod. v. 53.—Bras.  
*fulta*, Griseb. in Goett. Abh. xxiv. (1879) 164.—Reg. Argent.  
*fusco-pilosa*, Baker, in Journ. Linn. Soc. xx. (1883) 179.—Madag.  
*galamensis*, Less. in Linnaea, iv. (1829) 314 = pauciflora.  
*Gardneri*, Thw. Enum. Pl. Zeyl. 161.—Zeylan.  
*Garnieriana*, Klatt, in Linnaea, xxxvii. (1871-73) 508.—Madag.  
*Gaudichaudiana*, DC. Prod. v. 21 = Piptocarpha umbellulata.  
*geminata*, H. B. & K. Nov. Gen. et Sp. iv. 35 = canescens.  
*geminata*, Less. in Linnaea, iv. (1829) 303.—Bras.  
*geminiflora*, Poepp. in Poepp. & Endl. Nov. Gen. et Sp. iii. 42 = Salzmanni.  
*gerberaeformis*, Oliver & Hiern, in Oliver, Fl. Trop. Afr. iii. 285.—Afr. trop.  
*Gerrardi*, Harv. Thes. Cap. ii. 36.—Afr. austr.  
*glabra*, Vatke, in Oestr. Bot. Zeitschr. xxvii. (1877) 194.—Afr. trop.



**VERNONIA:—**

- glabrata, Less. in *Linnaea*, iv. (1829) 294.—Bras.  
 glandulosa, DC. *Prod.* v. 22.—Madag.  
 glauca, Willd. Sp. Pl. iii. 1633 = noveboracensis.  
 Glazioviana, Baker, in *Mart. Fl. Bras.* vi. II. 41.—Bras.  
 glomerata, Sch. Bip. in *Bot. Zeit.* iii. (1845) 155 = *Vanillosmopsis erythropappa*.  
 glomerulifera, Baker, in *Mart. Fl. Bras.* vi. II. 123 = seq.  
 glomeruliflora, Walp. in *Linnaea*, xiv. (1840) 311 = *Piptocarpa macropoda*.  
 glutinosa, DC. *Prod.* v. 18.—Madag.  
 gnaphaliifolia, A. Rich. *Fl. Cub. Fanerog.* ii. 34.—Cuba.  
 gnaphalioides, Sch. Bip. ex Baker, in *Mart. Fl. Bras.* vi. II. 78.—Bras.  
 gochnatioides, Hook. & Arn. ex DC. *Prod.* vii. 264.—Reg. Argent.  
 Gomphrena, Walp. in *Nov. Act. Nat. Cur.* xix. *Suppl.* i. (1843) 253.—China.  
 gracilis, H. B. & K. *Nov. Gen. et Sp.* iv. 34.—Am. trop.  
 gracilis, Poir. *Encyc. Suppl.* v. 465 = *Liatris gracilis*.  
 graminifolia, Gardn. in *Hook. Lond. Journ. Bot.* vi. (1847) 421.—Bras.  
 grandiflora, Less. in *Linnaea*, vi. (1831) 660.—Bras.  
 grandifolia, DC. *Prod.* v. 39 = serrata.  
 grandis, Boj. ex DC. l. c. 68 (= *Decaneurum grande*).—Madag.  
 Grantii, Oliver, in *Trans. Linn. Soc.* xxix. (1873) 92.—Afr. trop.  
 gratioiosa, Hance, in *Journ. Bot.* xx. (1882) 290.—China.  
 Greggii, A. Gray, in *Proc. Am. Acad.* xvii. (1882) 204.—Mexic.  
 grisea, Baker, in *Mart. Fl. Bras.* vi. II. 61.—Bras.  
 Grisebachii, Sch. Bip. in *Journ. Bot.* i. (1863) 231.—Cuba.  
 guineensis, Benth. in *Hook. Niger Fl.* 427.—Afr. trop.  
 Haenkeana, DC. *Prod.* v. 37.—Peruv.  
 hakeaefolia, Less. in *Linnaea*, iv. (1829) 249 = *Lychnophora hakeaefolia*.  
 halimifolia, Mart. ex DC. *Prod.* v. 150 = *Eupatorium halimifolium*.  
 Halimodendron, Mart. ex DC. l. c. 85 = *Eremanthus pycnocephalus*.  
 havanensis, DC. l. c. 37.—Cuba.  
 hebeclada, DC. l. c. 36 = *Westiniana*.  
 hecatantha, DC. l. c. 53 = *coriacea*.  
 Helfer, Hook. f. *Fl. Brit. Ind.* iii. 231.—Burma.  
 helophila, Mart. ex DC. *Prod.* v. 50.—Bras.  
 heptantha, DC. l. c. 42.—Peruv.  
 heterophylla, Poir. *Encyc. Suppl.* v. 465 = *Liatris scariosa*.  
 hexantha, Sch. Bip. ex Baker, in *Mart. Fl. Bras.* vi. II. 26.—Bras.  
 hieracioides, Griseb. in *Mem. Am. Acad. N. S.* viii. (1862) 511.—Cuba.  
 Hilairiana, Gardn. in *Hook. Lond. Journ. Bot.* iv. (1845) 113 = *petiolaris*.  
 Hildebrandtii, Vatke, in *Oestr. Bot. Zeitschr.* xxv. (1875) 323 = *Gongrothamnus Hildebrandtii*.  
 hirsuta, Sch. Bip. ex Walp. *Rep.* ii. 947.—Afr. austr.  
 hirsutiflora, Poir. *Encyc.* viii. 502 = *Liatris pycnostachya*?  
 hirtiflora, Sch. Bip. ex Baker, in *Mart. Fl. Bras.* vi. II. 70.—Bras.  
 Hochstetteri, Sch. Bip. ex Hochst. in *Flora*, xxiv. (1841) i. *Intell.* 26.—Abyss.  
 holosericea, Mart. ex DC. *Prod.* v. 48.—Bras.  
 Hookeriana, Arn. in *Nov. Act. Nat. Cur.* xviii. (1836) 346.—Zeylan.  
 hoveaefolia, Gardn. in *Hook. Lond. Journ. Bot.* vi. (1847) 423.—Bras.  
 hymenolepis, A. Rich. *Tent. Fl. Abyss.* i. 378.—Afr. trop.  
 hymenolepis, Vatke, in *Linnaea*, xxxix. (1875) 477 = *filigera*.  
 Hypochaeris, DC. *Prod.* v. 45.—Bras.  
 hypoleuca, DC. l. c. 27.—Mexic.  
 icosantha, DC. l. c. 49 = *arborescens*.  
 ignobilis, Less. in *Linnaea*, vi. (1831) 658.—Bras.  
 ilicifolia, Boj. ex Benth. & Hook. f. *Gen.* ii. 333 = *Iphiona ilicifolia*.

**VERNONIA:—**

- imbricata, Gardn. in *Hook. Lond. Journ. Bot.* v. (1846) 209 = *Piptolepis imbricata*.  
 immunis, Griseb. in *Goett. Abh.* xxiv. (1879) 163.—Reg. Argent.  
 imponens, Mart. ex DC. *Prod.* v. 46 = *sericea*.  
 inaequiserrata, Sch. Bip. in *Journ. Bot.* i. (1863) 232.—Cuba.  
 incana, DC. *Prod.* v. 82, sphalm. = *Eremanthus incanus*.  
 incana, Less. in *Linnaea*, iv. (1829) 277.—Bras.  
 incanescens, Mart. ex DC. *Prod.* v. 82 = *Vanillosmopsis capitata*.  
 inconspicua, Sch. Bip. ex Baker, in *Mart. Fl. Bras.* vi. II. 65 = *helophila*.  
 indica, Steud. *Nom. ed.* II. ii. 753, sphalm. = *Veronica Anagallis*.  
 indica, Wall. ex C. B. Clarke, *Comp. Ind.* 16.—Ind. or.  
 infundibularis, Oliver & Hiern, in *Oliver, Fl. Trop. Afr.* iii. 285.—Afr. trop.  
 insignis, Oliver & Hiern, l. c. 292.—Afr. trop.  
 interjecta, Baker, in *Mart. Fl. Bras.* vi. II. 28.—Bras.  
 intermedia, DC. *Prod.* v. 27.—Bras.  
 inulaefolia, Baker, in *Journ. Linn. Soc.* xx. (1883) 180 = *Bakeri*.  
 inulaefolia, Steud. *Nom. ed.* II. ii. 753; et ex A. Rich. *Tent. Fl. Abyss.* i. 375.—Abyss.  
 inuloides, DC. *Prod.* v. 62.—Mexic.  
 involucreta, Less. in *Linnaea*, iv. (1829) 246 = *pedunculata*.  
 iodopappa, Sch. Bip. in *Bot. Zeit.* iii. (1845) 155 = *crotonoides*.  
 isotrichia, DC. *Prod.* v. 18.—Bras.  
 isotrichia, Mart. in *Flora*, xx. (1837) II. Beibl. 126 = *Piptocarpa umbellulata*.  
 jaceaeoides, A. Rich. *Tent. Fl. Abyss.* i. 376 = *purpurea*.  
 Jamesii, Torr. & Gray, *Fl. N. Am.* ii. 58.—N. Mexic.  
 javanica, DC. *Prod.* v. 22 = *arborescens*.  
 jugalis, Oliver & Hiern, in *Oliver, Fl. Trop. Afr.* iii. 270.—Afr. trop.  
 karaguensis, Oliver & Hiern, in *Trans. Linn. Soc.* xxix. (1873) 91.—Afr. trop.  
 Karstenii, Sch. Bip. in *Linnaea*, xxx. (1859–60) 169.—N. Granat.  
 Karvinskiana, DC. *Prod.* v. 62.—Mexic.  
 Karvinskiana, Hort. ex Kunth, *Ind. Sem. Hort. Berol.* (1848) 14 = *Verbesina sericea*.  
 Kingii, C. B. Clarke, *Comp. Ind.* 12 = *clivorum*.  
 Kirkii, Oliver & Hiern, in *Oliver, Fl. Trop. Afr.* iii. 274.—Afr. trop.  
 Koestlini, Hochst. in *Flora*, xxiv. (1841) i. *Intell.* 26 = *Hochstetteri*.  
 Kotschyana, Sch. Bip. ex Walp. *Rep.* ii. 947.—Afr. trop.  
 Kotschy, Sch. Bip. ex Schweinf. *Beitr. Fl. Aethiop.* 287 = *pracc.*?  
 Kraussii, Sch. Bip. ex Walp. *Rep.* ii. 947.—Afr. austr. et trop.  
 Kroneana, Miq. in *Journ. Bot. Néerl.* i. (1861) 98.—China.  
 Kursii, C. B. Clarke, *Comp. Ind.* 24 = *solanifolia*.  
 lacunosa, Mart. ex DC. *Prod.* v. 56.—Bras.  
 laevigata, Mart. ex DC. l. c.—Bras.  
 lanceolaris, DC. l. c. 37.—Mexic.  
 lanuginosa, Gardn. in *Hook. Lond. Journ. Bot.* v. (1846) 219 = *scorpioides*.  
 lappoides, Baker, in *Mart. Fl. Bras.* vi. II. 35.—Bras.  
 latifolia, Lem. *Illustr. Hort.* ii. (1855) Misc. 39 = *argyrophylla*.  
 laurifolia, DC. *Prod.* v. 30.—Bras.  
 laxa, Gardn. in *Hook. Lond. Journ. Bot.* v. (1846) 214.—Bras.  
 laxiflora, Less. in *Linnaea*, vi. (1831) 646 = *cinerea*.  
 Lechleri, Sch. Bip. in *Bonplandia*, iii. (1855) 236.—Peruv.  
 Leiboldiana, Schlecht. in *Linnaea*, xix. (1847) 742.—Mexic.  
 leiocarpa, DC. *Prod.* v. 34.—Mexic.  
 Leopoldi, Vatke, in *Linnaea*, xxxix. (1875) 478.—Afr. trop.  
 lepidota, Griseb. *Cat. Pl. Cub.* 145.—Cuba.  
 leprosa, Less. in *Linnaea*, iv. (1829) 252 = *Piptocarpa leprosa*.

**VERNONIA:—**

- leptoclada, Sch. Bip. in *Journ. Bot.* i. (1863) 233.—Cuba.  
 leptophylla, DC. in *Wight, Contrib.* 6 = *cinerea*.  
 leptospermoides, Mart. ex Baker, in *Mart. Fl. Bras.* vi. II. 143 = *Piptolepis ericoides*.  
 leptospermoides, Mart. ex DC. *Prod.* v. 17 = *Piptolepis leptospermoides*.  
 Lessingiana, Mart. ex DC. l. c. 60 = *barbata*.  
 lessingoides, Sch. Bip. ex Baker, in *Mart. Fl. Bras.* vi. II. 92.—Bras.  
 Lettermanni, Engelm. ex A. Gray, in *Proc. Am. Acad.* xvi. (1881) 78.—Am. bor. occ.  
 leucophylla, Baker, in *Journ. Linn. Soc.* xx. (1883) 176.—Madag.  
 liatroides, DC. *Prod.* v. 34.—Mexic.  
 liatroides, A. Gray, in *Proc. Am. Acad.* v. (1861) 181, (excl. syn.) = *Ervendbergii*.  
 ligulaefolia, Mart. ex DC. *Prod.* v. 45.—Bras.  
 lilacina, Mart. ex DC. l. c. 48.—Bras.  
 linariaefolia, DC. l. c. 28 = *psilophylla*.  
 linarifolia, DC. l. c. 57, sphalm. = *linearifolia*.  
 Lindbergii, Baker, in *Mart. Fl. Bras.* vi. II. 105.—Bras.  
 Lindheimeri, Gray & Engelm. in *Proc. Am. Acad.* i. (1848) 46.—Texas.  
 linearifolia, Hook. & Arn. in *Hook. Comp. Bot. Mag.* i. (1835) 237 = *intermedia*.  
 linearifolia, Less. in *Linnaea*, iv. (1829) 287.—Bras.  
 linearis, D. Don, ex Hook. & Arn. in *Hook. Comp. Bot. Mag.* i. (1835) 237 = *rubricaulis*.  
 linearis, Spreng. *Syst.* iii. 437.—Bras.  
 linifolia, Blume, *Bijdr.* 893 = *cinerea*.  
 lithospermoides, Baker, in *Mart. Fl. Bras.* vi. II. 66.—Bras.  
 Livingstoniana, Oliver & Hiern, in *Oliver, Fl. Trop. Afr.* iii. 295.—Afr. trop.  
 Lobbii, Hook. f. *Fl. Brit. Ind.* iii. 231.—Burma.  
 lobelioides, Wall. *Cat. n.* 2927 = *Ainsliaea pteropoda*.  
 longeracemosa, Mart. ex DC. *Prod.* v. 42 = *scorpioides*.  
 longicaulis, DC. l. c. 33 = *saligna*.  
 longifolia, Pers. *Syn.* ii. 404.—Ind. occ.  
 lucida, Less. in *Linnaea*, iv. (1829) 260.—Bras.  
 Lundiana, Less. l. c. vi. (1831) 631 = *Piptocarpa Lundiana*.  
 Luschthiana, Walp. l. c. xiv. (1840) 312 = *Piptocarpa Lundiana*.  
 Lyallii, Baker, in *Journ. Linn. Soc.* xx. (1883) 174.—Madag.  
 macranthele, Mart. ex Baker, in *Mart. Fl. Bras.* vi. II. 83 = *elegans*.  
 macrocephala, Less. in *Linnaea*, iv. (1829) 298.—Bras.  
 macrocephala, A. Rich. *Tent. Fl. Abyss.* i. 377 = *adoensis*.  
 macrophylla, Boj. ex DC. *Prod.* v. 27 = *appendiculata*.  
 macrophylla, Less. in *Linnaea*, vi. (1831) 668.—Bras.  
 macropoda, DC. *Prod.* v. 19 = *Piptocarpa macropoda*.  
 madagascariensis, Less. in *Linnaea*, vi. (1831) 644.—Madag.  
 malabarica, Hook. f. *Fl. Brit. Ind.* iii. 230.—Ind. or.  
 Mandonii, Sch. Bip. in *Linnaea*, xxxiv. (1865–66) 534, nomen.—Bolivia.  
 Mannii, Hook. f. in *Journ. Linn. Soc.* vii. (1864) 198 = *Inula Mannii*.  
 Mansoana, Baker, in *Mart. Fl. Bras.* vi. II. 84.—Bras.  
 marginata, Oliver & Hiern, in *Oliver, Fl. Trop. Afr.* iii. 278.—Afr. trop.  
 marginata, Rafin. *Atl. Journ.* 146 (Quid?).—Am. bor.  
 Mariana, Mart. ex Baker, in *Mart. Fl. Bras.* vi. II. 107.—Bras.  
 Marrubiastrum, Mart. ex Baker, l. c. 77 = *lacunosa*.  
 Martiana, Gardn. in *Hook. Lond. Journ. Bot.* v. (1846) 210 = *Piptolepis Martiana*.  
 megapota, Spreng. *Syst.* iii. 437.—Bras.  
 melanopappa, Sch. Bip. ex Baker, in *Mart. Fl. Bras.* vi. II. 28 = *megapota*.  
 Melleri, Oliver & Hiern, in *Oliver, Fl. Trop. Afr.* iii. 282.—Afr. trop.  
 membranacea, Gardn. in *Hook. Lond. Journ. Bot.* v. (1846) 217 = *rufigoma*.  
 menthaefolia, Less. in *Linnaea*, iv. (1829) 268.—Cuba.  
 Merana, Baker, in *Journ. Bot.* xx. (1882) 139.—Madag.  
 mespilifolia, Less. in *Linnaea*, vi. (1831) 641.—Afr. austr.

## VERNONIA:—

- Metsiana*, Sch. Bip. ex Hook. f. Fl. Brit. Ind. iii. 234 = *divergens*.  
*mexicana*, Less. in *Linnaea*, vi. (1831) 680.—Mexic.  
*micans*, Benth. Pl. Hartw. 196 = *Piptocarpha elaeagnoides*.  
*micradenia*, DC. Prod. v. 38.—Am. austr.  
*micrantha*, H. B. & K. Nov. Gen. et Sp. iv. 37 = *canescens*.  
*microcephala*, DC. Prod. v. 39.—Am. trop.  
*microdonta*, Sch. Bip. ex Baker, in Mart. Fl. Bras. vi. ii. 76 = *glabrata*.  
*Miersiana*, Gardn. in Hook. Lond. Journ. Bot. iv. (1845) 115 = *Salzmanni*.  
*misera*, Oliver & Hiern, in Oliver, Fl. Trop. Afr. iii. 278.—Afr. trop.  
*missionis*, Gardn. in Hook. Lond. Journ. Bot. vi. (1847) 422.—Bras.  
*mollis*, H. B. & K. Nov. Gen. et Sp. iv. 36.—Am. austr.  
*mollissima*, D. Don, ex Hook. & Arn. in Hook. Comp. Bot. Mag. i. (1835) 237.—Reg. Argent.  
*moluccensis*, Miq. Fl. Ind. Bat. ii. 19.—Ins. Molucc.  
*monocephala*, Gardn. in Hook. Lond. Journ. Bot. vi. (1847) 418.—Bras.  
*monoccephala*, Harv. in Harv. & Sond. Fl. Cap. iii. 53.—Afr. austr.  
*Monosis*, Benth. ex C. B. Clarke, Comp. Ind. 24 = *arbores*.  
*Monosis*, Sch. Bip. in *Linnaea*, xx. (1847) 507.—Mexic.  
*montana*, Hook. f. Fl. Brit. Ind. iii. 234, sphalm. = *cinerea*.  
*montevicensis*, Nees, ex Otto & Dietr. Allg. Gartenz. i. (1833) 229.—Reg. Argent.  
*monticola*, Mart. ex DC. Prod. v. 18.—Bras.  
*moquinioides*, Baker, in Journ. Linn. Soc. xx. (1883) 177.—Madag.  
*moquinioides*, Mart. ex Baker, in Mart. Fl. Bras. vi. ii. 116 = *mucronulata*.  
*Moramballae*, Oliver & Hiern, in Oliver, Fl. Trop. Afr. iii. 278.—Afr. trop.  
*Moritziana*, Sch. Bip. in *Linnaea*, xx. (1847) 511.—Venezuela.  
*mossambiquensis*, Oliver & Hiern, in Oliver, Fl. Trop. Afr. iii. 292.—Afr. trop.  
*mucronifolia*, DC. Prod. v. 55.—Bras.  
*mucronulata*, Less. in *Linnaea*, iv. (1829) 266.—Bras.  
*multiflora*, Less. l. c. vi. (1831) 642 = *divergens*?  
*multiflosculosa*, Mart. ex DC. Prod. v. 50 = *macrophylla*.  
*muricata*, DC. l. c. 55.—Bras.  
*myriantha*, Hook. f. in Journ. Linn. Soc. vii. (1864) 198.—Afr. trop.  
*myriocephala*, DC. Prod. v. 40.—Peruv.?  
*myriocephala*, A. Rich. Tent. Fl. Abyss. i. 374.—Abyss.  
*natalensis*, Sch. Bip. ex Walp. Rep. ii. 947.—Afr. austr.  
*neilgherryensis*, Thw. Enum. Pl. Zeyl. 160 = *setigera*.  
*memoralis*, Thw. l. c. 161.—Zeylan.  
*neriifolia*, Gardn. in Hook. Lond. Journ. Bot. v. (1846) 217 = *ruficoma*.  
*nigrescens*, Mart. ex Baker, in Mart. Fl. Bras. vi. ii. 28 = *megapotamica*.  
*nigritiana*, Oliver & Hiern, in Oliver, Fl. Trop. Afr. iii. 288.—Afr. trop.  
*nilgherryensis*, DC. Prod. v. 32 = *divergens*.  
*nitens*, Gardn. in Hook. Lond. Journ. Bot. v. (1846) 221.—Bras.  
*nitens*, Steud. Nom. ed. I. 875 = *arborescens*.  
*nitidula*, Less. in *Linnaea*, iv. (1829) 260.—Bras.  
*notata*, Less. l. c. 256 = *Piptocarpha notata*.  
*noveboracensis*, Willd. Sp. Pl. iii. 1632.—Am. bor.  
*nudicaulis*, Less. in *Linnaea*, vi. (1831) 637.—Madag.  
*nudiflora*, Less. l. c. iv. (1829) 258.—Bras.  
*Nyassae*, Oliver, in Hook. Ic. Pl. t. 1349.—Afr. trop.  
*oaxacana*, Sch. Bip. ex Klatt, in *Leopoldina*, xx. (1884) 74.—Mexic.  
*obconica*, Oliver & Hiern, in Oliver, Fl. Trop. Afr. iii. 286.—Afr. trop.  
*oblonga*, Gardn. in Hook. Lond. Journ. Bot. v. (1846) 211 = *Piptocarpha oblonga*.  
*oblonga*, Sch. Bip. in *Pollichia*, xx-xxi. (1863) 416 = *Piptocarpha axillaris*.  
*oblongifolia*, Pohl, ex Mart. in Flora, xxiv. (1841) 11. Beibl. 107 = *Riedelii*, *geminata*.  
*obovata*, Less. in *Linnaea*, iv. (1829) 279.—Bras.  
*obscura*, Less. l. c. 296.—Bras.

VOL. II.

## VERNONIA:—

- obtusata*, Less. in *Linnaea*, vi. (1831) 662.—Bras.  
*obtusifolia*, Less. l. c. iv. (1829) 308.—Bras.  
*ochroleuca*, Baker, in Journ. Linn. Soc. xx. (1883) 179.—Madag.  
*octangularis*, Meyen, Reise, i. 444 = *Baccharis Meyeniana*.  
*octantha*, Sch. Bip. ex Baker, in Mart. Fl. Bras. vi. ii. 87.—Bras.  
*odoratissima*, H. B. & K. Nov. Gen. et Sp. iv. 41 = *scabra*.  
*Oleaster*, DC. Prod. v. 17 = *Piptolepis Oleaster*.  
*Oleaster*, Gardn. in Hook. Lond. Journ. Bot. v. (1846) 210 = *Piptolepis Gardneri*.  
*oligactoides*, Less. in *Linnaea*, vi. (1831) 648.—Bras.  
*oligocephala*, Edgew. in Trans. Linn. Soc. xx. (1846) 63 = *revoluta*.  
*oligocephala*, Gardn. in Hook. Lond. Journ. Bot. vi. (1847) 420 = *aurea*.  
*oligocephala*, Sch. Bip. ex Walp. Rep. ii. 947 = *Kraussii*.  
*oligolepis*, Sch. Bip. ex Baker, in Mart. Fl. Bras. vi. ii. 56.—Bras.  
*oligophylla*, Michx. Fl. Bor. Am. ii. 94.—Am. bor.  
*onopordioides*, Baker, in Mart. Fl. Bras. vi. ii. 36.—Bras.  
*opaca*, Benth. in Hook. Journ. Bot. ii. (1840) 39 = *Piptocarpha opaca*.  
*oppositifolia*, Less. in *Linnaea*, iv. (1829) 273.—Bras.  
*Ottonis*, Sch. Bip. l. c. xx. (1847) 508.—Cuba.  
*ovalifolia*, Torr. & Gray, Fl. N. Am. ii. 59 = *noveboracensis*.  
*ovata*, Less. in *Linnaea*, iv. (1829) 294.—Bras.  
*oxylepis*, Sch. Bip. ex Baker, in Mart. Fl. Bras. vi. ii. 70.—Bras.  
*oxyphylla*, DC. Prod. v. 19 = *Piptocarpha oxyphylla*.  
*pachyclada*, Baker, in Journ. Linn. Soc. xx. (1883) 178.—Madag.  
*pachensis*, Benth. Pl. Hartw. 134.—Peruv.  
*pallens*, Sch. Bip. in *Pollichia*, xviii-xix. (1861) 161.—Mexic.  
*paludosa*, Gardn. in Hook. Lond. Journ. Bot. iv. (1845) 113.—Bras.  
*palustris*, Gardn. l. c. v. (1846) 215 = *serrata*.  
*pandurata*, Hort. Vindob. ex Link, Enum. Hort. Berol. ii. 296.—Afr. trop.  
*paniculata*, DC. Prod. v. 23.—Mexic.  
*paradoxa*, Sch. Bip. in *Pollichia*, xx-xxi. (1863) 432, in syn.—Venezuela.  
*Parishii*, Hook. f. Fl. Brit. Ind. iii. 240.—Burma.  
*parviflora*, Klatt, in *Linnaea*, xxxvii. (1871-73) 508.—Madag.  
*parviflora*, Reinw. ex Blume, Bijdr. 893 = *cinerea*.  
*patens*, H. B. & K. Nov. Gen. et Sp. iv. 41.—Am. austr.  
*patens*, Less. in *Linnaea*, iv. (1829) 276, partim = *polyanthes*.  
*patula*, Mart. ex DC. Prod. v. 55 = *remotiflora*.  
*pauciflora*, Boj. ex DC. Prod. v. 18 = *glutinosa*.  
*pauciflora*, Less. in *Linnaea*, iv. (1829) 292.—Afr. trop.  
*pauciflora*, Poir. Encyc. Suppl. v. 465 = *Liatrix pauciflora*.  
*Paulina*, Mart. ex Steud. Nom. ed. II. ii. 754 = *psilophylla*.  
*pectinata*, DC. Prod. v. 31.—Ind. or.  
*pectiniformis*, DC. in Wight, Contrib. 6.—Ind. or.  
*pectoralis*, Baker, in Journ. Bot. xx. (1882) 139.—Madag.  
*pedunculata*, DC. Prod. v. 16.—Bras.  
*peguensis*, C. B. Clarke, Comp. Ind. 13.—Burma.  
*pellita*, H. B. & K. Nov. Gen. et Sp. iv. 36.—Venezuela.  
*pellucida*, Sch. Bip. ex Baker, in Mart. Fl. Bras. vi. ii. 128 = *Piptocarpha pellucida*.  
*peninsularis*, C. B. Clarke, ex Hook. f. Fl. Brit. Ind. iii. 233.—Ind. or.  
*pentacantha*, DC. Prod. v. 30 = *seq.*  
*pentacantha*, DC. l. c. 696.—Bras.  
*Perrottetii*, Sch. Bip. ex Walp. Rep. ii. 947.—Afr. trop.  
*persicifolia*, Desf. Cat. Hort. Par. ed. III. 400 = *sericea*.  
*Petersii*, Oliver & Hiern, ex Oliver, in Trans. Linn. Soc. xxxix. (1873) 90.—Afr. trop.  
*petiolaris*, DC. Prod. v. 37.—Bras.  
*Petitiana*, A. Rich. Tent. Fl. Abyss. i. 373 = *pauciflora*.

## VERNONIA:—

- philippinensis*, Rolfe, in Journ. Linn. Soc. xxi. (1884) 312.—Ins. Philipp.  
*phylicaeformis*, Walp. in Nov. Act. Nat. Cur. xix. Suppl. i. (1843) 252.—Peruv.  
*physalifolia*, DC. in Wight, Contrib. 6 = *cinerea*.  
*Pinaster*, Less. in *Linnaea*, iv. (1829) 249 = *Lychnophora ericoides*.  
*pinguis*, Griseb. in Goett. Abh. xxiv. (1879) 165.—Reg. Argent.  
*pinifolia*, Less. in *Linnaea*, iv. (1829) 257.—Afr. austr.  
*piptocarphoides*, Baker, in Journ. Linn. Soc. xx. (1883) 177.—Madag.  
*plantaginifolia*, Less. in *Linnaea*, iv. (1829) 251 = *Eremanthus plantaginifolius*.  
*plantaginoides*, DC. Prod. v. 27, in syn. = *squarrosa*.  
*platanensis*, Less. in *Linnaea*, iv. (1829) 312.—Bras.  
*platycephala*, Gardn. in Hook. Lond. Journ. Bot. v. (1846) 212 = *Albertinia brasiliensis*.  
*plumbaginifolia*, Fenzl, in Flora, xxvii. (1844) 312.—Afr. trop.  
*podocoma*, Sch. Bip. ex Schweinf. & Aschers. in Beitr. Fl. Aethiop. 287, nomen; et Oliver & Hiern, in Oliver, Fl. Trop. Afr. iii. 296.—Afr. trop.  
*Poeppigiana*, DC. Prod. v. 20 = *Piptocarpha Poeppigiana*.  
*Poeppigiana*, DC. l. c. 55 = *Salzmanni*.  
*Pohliana*, Sch. Bip. ex Baker, in Mart. Fl. Bras. vi. ii. 113 = *cuneifolia*.  
*polyantha*, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 137 = *seq.*  
*polyanthes*, Less. in *Linnaea*, vi. (1831) 651.—Bras.  
*polycephala*, DC. Prod. v. 39 = *ferruginea*.  
*polygalaeifolia*, Less. in *Linnaea*, vi. (1831) 628.—Madag.  
*polygalaeifolia*, Licht. ex Less. Syn. Comp. 200 = *Iphiaea polygalifolia*.  
*polymorpha*, Vatke, in *Linnaea*, xxxix. (1875) 476 = *abyssinica*, *tigrensis*, *adoënsis*, *mossambiquensis*.  
*polyphylla*, Sch. Bip. ex Baker, in Mart. Fl. Bras. vi. ii. 63.—Bras.  
*polytricholepis*, Baker, in Journ. Linn. Soc. xxi. (1885) 415.—Madag.  
*populifolia*, Spreng. Syst. iii. 434.—Ins. Maurit.  
*Poskeana*, Vatke & Hildeb. in Oestr. Bot. Zeitschr. xxv. (1875) 324.—Afr. trop.  
*praealta*, Michx. Fl. Bor. Am. ii. 95, partim; et DC. Prod. v. 63, partim = *altissima*.  
*praealta*, Willd. Sp. Pl. iii. 1633 = *noveboracensis*.  
*procumbens*, Boj. ex DC. Prod. v. 18 = *polygalaeifolia*.  
*profuga*, De Not. Ind. Sem. Hort. Genuen. (1840).—Cf. *Linnaea*, xv. (1841) Litt. 92.—Amer.?  
*prolifera*, Decne. in Nouv. Ann. Mus. Par. iii. (1834) 408.—Ins. Timor.  
*proteaeformis*, Less. in *Linnaea*, iv. (1829) 249 = *Lychnophora ericoides*.  
*Proteopsis*, DC. Prod. v. 16 = *Proteopsis argentea*.  
*Pseudomyrtus*, A. St. Hil. Voy. Distr. Diam. i. 94, 367 = *Piptolepis buxoides*.  
*psilophylla*, DC. Prod. v. 28.—Bras.  
*psilostachya*, DC. l. c. 43.—Bras.  
*psittacorum*, DC. l. c. 36 = *polyanthes*.  
*pterocaulon*, Baker, in Journ. Bot. xvi. (1878) 77.—Reg. Argent.  
*pteropoda*, Oliver & Hiern, in Oliver, Fl. Trop. Afr. iii. 283.—Afr. trop.  
*puberula*, Less. in *Linnaea*, vi. (1831) 649.—Bras.  
*pulverulenta*, Baker, in Mart. Fl. Bras. vi. ii. 42.—Bras.  
*pumila*, Kotschy & Peyr. Pl. Tinn. 37. t. 17 A.—Afr. trop.  
*punctata*, Sw. ex Wikstr. in Vet. Acad. Handl. Stockh. (1827) 72 = *longifolia*.  
*puncticulata*, DC. Prod. vii. 264 = *pectiniformis*.  
*punduana*, DC. l. c. v. 32 = *volkameriaefolia*.  
*pungens*, Gardn. in Hook. Lond. Journ. Bot. vi. (1847) 418.—Bras.  
*purpurascens*, Sch. Bip. ex Walp. Rep. ii. 945.—Mexic.  
*purpurea*, Sch. Bip. ex Walp. l. c. 946.—Afr. trop.  
*pyncnantha*, Benth. Pl. Hartw. 134.—Peruv.  
*pynnocephala*, Mart. ex DC. Prod. v. 85 = *Eremanthus pynnocephalus*.  
*pyncnostachya*, DC. l. c. 58.—Bras.  
*pyrifolia*, DC. l. c. 19 = *Piptocarpha pyrifolia*.  
*pyrifolia*, D. Don, ex Hook. & Arn. in Hook. Comp. Bot. Mag. i. (1835) 238.—Am. austr.  
*quadriflora*, Baker, in Journ. Linn. Soc. xx. (1883) 173.—Madag.

7 M

**VERNONIA :—**

- Quartiniiana, *A. Rich. Tent. Fl. Abyss.* i. 379.—Abyss.  
*quercifolia*, Vathe, in *Oestr. Bot. Zeitschr.* xxvii.  
 (1877) 194 = senegalensis.  
*quindecimflora*, *Sch. Bip. in Linnaea*, xxxiv. (1865–66)  
 535, nomen.—Bolivia.  
*quinqueflora*, *Less. l. c.* vi. (1831) 656.—Bras.  
*racemosa*, *Delponte, in Mem. Acc. Torin.* Ser. II.  
 xiv. (1854) 396.—Ins. S. Doming.  
*Radula*, *Gardn. in Hook. Lond. Journ. Bot.* vi. (1847)  
 428 = carduoides.  
*Radula*, *Mart. ex DC. Prod.* v. 52.—Bras.  
*ramiflora*, *Less. in Linnaea*, iv. (1829) 255 = Piptocarpha  
 Sellowii.  
*reflexa*, *Gardn. in Hook. Lond. Journ. Bot.* v. (1846)  
 223.—Bras.  
*Reinwardtiana*, *De Vriese & Miq. ex Miq. Fl. Ind.*  
*Bat.* ii. 15.—Ins. Celebes.  
*remotiflora*, *Rich. in Act. Soc. Hist. Nat. Par.* i.  
 (1792) 112 (err. typ. 105).—Bras.  
*resinosa*, *Gardn. in Hook. Lond. Journ. Bot.* vi. (1847)  
 419 = fruticulosa.  
*reticulata*, *Gardn. l. c.* v. (1846) 226 = bardanoides.  
*reticulata*, *Willd. ex Less. in Linnaea*, v. (1829) 284  
 = canescens.  
*revoluta*, *Buch.-Ham. in Trans. Linn. Soc.* xiv. (1824)  
 218.—Reg. Himal.  
*rhaponticoides*, *Baker, in Journ. Linn. Soc.* xx. (1883)  
 180.—Madag.  
*Rheedii*, *Kostel. Allg. Med. Pharm. Fl.* ii. 641 (Quid?).  
 —Ind. or.  
*rhodolepis*, *Baker, in Journ. Bot.* xx. (1882) 139.—  
 Madag.  
*rhomboidea*, *Edgew. in Trans. Linn. Soc.* xx. (1846) 62  
 = cinerea.  
*Riedeliana*, *Gardn. in Hook. Lond. Journ. Bot.* v.  
 (1846) 213 = Stilpnopappus bicolor.  
*Riedelii*, *Sch. Bip. ex Baker, in Mart. Fl. Bras.* vi. II.  
 64.—Bras.  
*rigida*, *Sw. Fl. Ind. Occ.* iii. 1322.—Ind. occ.  
*rigida*, *Wall. Cat. n.* 2925 = teres.  
*rigiophylla*, *DC. Prod.* v. 15 = teres.  
*rigiophylla*, *Sch. Bip. ex Baker, in Mart. Fl. Bras.* vi.  
 II. 118.—Bras.  
*riparia*, *Hook. f. Fl. Brit. Ind.* iii. 230, sphalm. = teres.  
*rosea*, *Mart. ex DC. Prod.* v. 59.—Bras.  
*rosmarinifolia*, *Less. in Linnaea*, iv. (1829) 286.—Bras.  
*Rothii*, *Oliver & Hiern, in Oliver, Fl. Trop. Afr.* iii.  
 293.—Afr. trop.  
*rotundifolia*, *Less. in Linnaea*, iv. (1829) 254 =  
 Piptocarpha rotundifolia.  
*Roxburghii*, *Less. l. c.* vi. (1831) 674.—Reg. Himal.  
*ruboides*, *Less. l. c.* iv. (1829) 290.—Bras.  
*rubricaulis*, *Humb. & Bonpl. Pl. Aequin.* ii. 66. t. 99.  
 —Am. trop.  
*rubricaulis*, *Less. in Linnaea*, iv. (1829) 299, partim =  
 squarrosa.  
*rubiramea*, *Mart. ex DC. Prod.* v. 38.—Bras.  
*Rueppellii*, *Sch. Bip. ex Walp. Rep.* ii. 946.—Abyss.  
*ruficoma*, *Schlecht. ex Mart. in Flora*, xxiv. (1841) II.  
*Beibl.* 110, nomen; et ex *Baker, in Mart. Fl. Bras.*  
 vi. II. 105.—Bras.  
*rufogrisea*, *A. St. Hil. Voy. Distr. Diam.* ii. 306, 453.  
 —Bras.  
*Rugeliana*, *Shuttl. ex A. Gray, Pl. Wright.* i. 82 =  
 noveboracensis.  
*rugosa*, *Blume, Bijdr.* 894.—Java.  
*rugulosa*, *Sch. Bip. ex Baker, in Mart. Fl. Bras.* vi. II.  
 83.—Bras.  
*rupestris*, *Gardn. in Hook. Lond. Journ. Bot.* iv.  
 (1845) 114.—Bras.  
*Sagraeana*, *DC. Prod.* v. 55 = rigida.  
*salicifolia*, *Gill. ex Hook. & Arn. in Hook. Comp. Bot.*  
*Mag.* i. (1835) 237 = rubricaulis.  
*salicifolia*, *Less. in Linnaea*, iv. (1829) 249 = Lychno-  
 phora salicifolia.  
*salicifolia*, *Sch. Bip. l. c.* xx. (1847) 507.—Mexic.  
*saligna*, *DC. Prod.* v. 33.—Reg. Himal.; Burma.  
*salvifolia*, *Wight, Ic. t.* 1079.—Ind. or.  
*Salviniae*, *Hemsl. Biol. Centr. Am. Bot.* ii. 73.—  
 Guatemala  
*Salzmanni*, *DC. Prod.* v. 55.—Bras.  
*Sancti-Antonii*, *Sch. Bip. ex Baker, in Mart. Fl. Bras.*  
 vi. II. 66 = adamantium.  
*Sarmentiana*, *Gardn. in Hook. Lond. Journ. Bot.* v.  
 (1846) 221 = arenaria.  
*saxicola*, *Sch. Bip. ex Baker, in Mart. Fl. Bras.* vi. II.  
 81.—Bras.

**VERNONIA :—**

- scaberrima*, *Nutt. Gen. Am.* ii. 134 = angustifolia.  
*scabra*, *Pers. Syn.* ii. 404.—Bras.  
*scandens*, *DC. Prod.* v. 32.—Reg. Himal.; Burma.  
*scandens*, *Less. ex Baker, in Mart. Fl. Bras.* vi. II. 124  
 = Piptocarpha Riedelii.  
*scapigera*, *Baker, l. c.* 55.—Bras.  
*scapigera*, *Less. in Linnaea*, iv. (1829) 250 = Eremanthus  
 scapigerus.  
*scariosa*, *Arn. in Nov. Act. Nat. Cur.* xviii. (1836) 346.  
 —Zeylan.  
*scariosa*, *Baker, in Journ. Bot.* xx. (1882) 169.—  
 Madag.  
*scariosa*, *Poir. Encyc.* viii. 502 = Liatris scariosa.  
*Schaffneri*, *A. Gray, in Proc. Am. Acad.* xvii. (1882)  
 204.—Mexic.  
*Schiedeana*, *Less. in Linnaea*, vi. (1831) 399, 663.—  
 Mexic.  
*Schimperi*, *DC. Prod.* vii. 264.—Arab.  
*Schimperi*, *Sch. Bip. ex Hochst. in Flora*, xxiv. (1841)  
 i. Intell. 26 = inulaefolia.  
*Schlechtendaliana*, *Mart. ex Baker, in Mart. Fl. Bras.*  
 vi. II. 41 = ligulaefolia.  
*Schomburgkiana*, *Sch. Bip. in Linnaea*, xx. (1847) 509  
 = ehretifolia.  
*Schultzii*, *Karst. ex Sch. Bip. l. c.* xxx. (1859–60) 168.  
 —N. Granat.  
*Schweinfurthii*, *Oliver & Hiern, in Oliver, Fl. Trop.*  
*Afr.* iii. 285.—Afr. trop.  
*Schweinifolia*, *Stend. Nom. ed.* II. ii. 755 = fasciculata.  
*schwenkiaefolia*, *Mart. ex DC. Prod.* v. 44.—Bras.  
*sclearaeifolia*, *Sch. Bip. in Linnaea*, xxx. (1859–60)  
 170.—N. Granat.  
*scorpioides*, *Pers. Syn.* ii. 404.—Am. trop.  
*sechellensis*, *Baker, Fl. Mauriti.* 162.—Ins. Sey-  
 chelles.  
*secunda*, *Sch. Bip. ex Baker, in Mart. Fl. Bras.* vi. II.  
 93.—Bras.  
*secundifolia*, *Boj. ex DC. Prod.* v. 22.—Madag.  
*Seemanniana*, *Steetz, in Seem. Bot. Voy. Herald*, 139.  
 —Panama.  
*Sellowii*, *Less. in Linnaea*, iv. (1829) 301.—Bras.  
*senecioides*, *Mart. ex DC. Prod.* v. 54 = cognata.  
*senegalensis*, *Desf. Cat. Hort. Par. ed.* III. 400 =  
 pauciflora.  
*senegalensis*, *Less. in Linnaea*, iv. (1829) 265; vi.  
 (1831) 641.—Afr. trop.  
*senescens*, *Mart. ex DC. Prod.* v. 59 = barbata.  
*sericea*, *Rich. in Act. Soc. Hist. Nat. Par.* i. (1792)  
 112 (err. typ. 105).—Bras.  
*serrata*, *Less. in Linnaea*, iv. (1829) 275.—Bras.  
*serruloides*, *H. B. & K. Nov. Gen. et Sp.* iv. 33.—  
 Mexic.  
*serrulata*, *Sch. Bip. ex Baker, in Mart. Fl. Bras.* vi. II.  
 22 = puberula.  
*sessiliflora*, *Willd. ex Less. in Linnaea*, iv. (1829) 309  
 = remotiflora.  
*sessilifolia*, *Less. l. c.* vi. (1831) 659.—Bras.  
*setigera*, *Arn. in Nov. Act. Nat. Cur.* xviii. (1836) 345.  
 —Zeylan.  
*shirensis*, *Oliver & Hiern, in Oliver, Fl. Trop. Afr.* iii.  
 291.—Afr. trop.  
*simplex*, *Less. in Linnaea*, iv. (1829) 280.—Bras.  
*Sinclairi*, *Benth. Bot. Voy. Sulph.* 109.—Mexic.  
*sinulata*, *Miq. Fl. Ind. Bat.* ii. 18.—Java.  
*Smithiana*, *Less. in Linnaea*, vi. (1831) 638.—Afr.  
 trop.  
*solanifolia*, *Benth. in Hook. Lond. Journ. Bot.* i.  
 (1842) 486.—Burma; China.  
*solidaginifolia*, *Boj. ex DC. Prod.* v. 30 = Gongro-  
 thamnus solidaginifolius.  
*somalensis*, *Franch. in Revoil, Çomali*, 34.—Afr.  
 trop.  
*sordida*, *Sch. Bip. ex Baker, in Mart. Fl. Bras.* vi. II.  
 107 = mariana.  
*Sorocabae*, *Sch. Bip. ex Baker, l. c.* 58 = oligac-  
 toides.  
*sororia*, *DC. Prod.* v. 40 = scorpioides.  
*sparsiflora*, *Baker, in Journ. Linn. Soc.* xx. (1883) 172.  
 —Madag.  
*spathulaefolia*, *Mart. ex DC. Prod.* v. 83 = Eremanthus  
 plantaginifolius.  
*spathulata*, *Hochst. ex Sch. Bip. in Schweinf. Beitr. Fl.*  
*Aethiop.* 162 = cinerascens.  
*spathulata*, *Sch. Bip. ex Aschers. in Schweinf. l. c.*, in  
 nota = atriplicifolia.  
*speciosa*, *Less. in Linnaea*, iv. (1829) 290 = Stilpnopappus  
 patulus.

**VERNONIA :—**

- sphaeroidea*, *Nutt. in Trans. Am. Phil. Soc. N. S.* vii.  
 (1841) 283 = Baldwinii.  
*Spixiana*, *Mart. ex DC. Prod.* v. 53.—Bras.  
*splendens*, *Less. in Linnaea*, iv. (1829) 252 = Piptocarpha  
 lucida.  
*Sprengeliana*, *Sch. Bip. in Journ. Bot.* i. (1863) 232.  
 —Ins. S. Doming.  
*squamosa*, *Gardn. in Hook. Lond. Journ. Bot.* vi.  
 (1847) 419 = buddleiaefolia.  
*squamulosa*, *Hook. & Arn. in Hook. Comp. Bot. Mag.*  
 ii. (1836) 44.—Reg. Argent.  
*squarrosa*, *Baill. Hist. Pl.* viii. 296 = Serratula Scor-  
 dium.  
*squarrosa*, *Less. in Linnaea*, vi. (1831) 627 = teres.  
*squarrosa*, *Less. l. c.* 678.—Bras.  
*staavioides*, *Less. l. c.* iv. (1829) 249 = Lychnophora  
 staavioides.  
*Stachyanthus*, *Mart. ex DC. Prod.* v. 84 = Eremanthus  
 Martii.  
*staehelinoides*, *Mart. ex Baker, in Mart. Fl. Bras.* vi. II.  
 75 = linearis.  
*stahelinoides*, *Harv. Thes. Cap.* ii. 36.—Afr. austr.  
*Steetziana*, *Oliver & Hiern, in Oliver, Fl. Trop. Afr.*  
 iii. 273.—Afr. trop.  
*Steetzii*, *Sch. Bip. in Seem. Bot. Voy. Herald*, 297.—  
 Mexic.  
*stellaris*, *La Llave, in La Llave & Lex. Nov. Veg.*  
*Desc. fasc.* i. 23.—Mexic.  
*stenocephala*, *Oliver, in Hook. Ic. Pl.* t. 1349.—Afr.  
 trop.  
*stenophylla*, *Less. in Linnaea*, vi. (1831) 667.—Ins.  
 S. Doming.  
*stictophylla*, *Wright, in Saww. Fl. Cub.* 74.—Cuba.  
*stoechadifolia*, *Sch. Bip. ex Walp. Rep.* vi. 98 =  
 Perrottetii.  
*Stoechas*, *Mart. ex Baker, in Mart. Fl. Bras.* vi. II.  
 49.—Bras.  
*streptoclada*, *Baker, in Journ. Linn. Soc.* xxi. (1885)  
 416.—Madag.  
*stricta*, *Gardn. in Hook. Lond. Journ. Bot.* v. (1846)  
 219.—Bras.  
*suaveolens*, *H. B. & K. Nov. Gen. et Sp.* iv. 38.—  
 N. Granat.  
*subcordata*, *Gardn. in Hook. Lond. Journ. Bot.* v.  
 (1846) 226 = helophila.  
*subrepanda*, *Pers. Syn.* ii. 404 = scorpioides.  
*subsessilis*, *DC. Prod.* v. 62.—Ind. or.  
*subsessilis*, *Walp. in Linnaea*, xiv. (1840) 312 = dura?  
*subsimplex*, *Miq. Fl. Ind. Bat. Suppl.* 535.—Sumatra.  
*subsquarrosa*, *DC. Prod.* v. 41 = geminata.  
*subulata*, *Baker, in Mart. Fl. Bras.* vi. II. 108.—  
 Bras.  
*subverticillata*, *Sch. Bip. ex Baker, l. c.* 99.—Bras.  
*Sutherlandii*, *Harv. in Harv. & Sond. Fl. Cap.* iii. 52.  
 —Afr. austr.  
*syncephala*, *Sch. Bip. ex Baker, in Mart. Fl. Bras.*  
 vi. II. 64.—Bras.  
*talaumifolia*, *Hook. f. & Thoms. ex C. B. Clarke,*  
*Comp. Ind.* 25.—Reg. Himal.  
*tanalensis*, *Baker, in Journ. Linn. Soc.* xviii. (1881)  
 271.—Madag.  
*tarchonanthisifolia*, *Sch. Bip. in Linnaea*, xx. (1847)  
 507.—Mexic.  
*Tenoreana*, *Oliver, in Trans. Linn. Soc.* xxix. (1873)  
 92.—Afr. trop.  
*teres*, *Wall. Cat. n.* 2926.—Reg. Himal.; Burma.  
*tereticaulis*, *DC. Prod.* v. 20 = Piptocarpha tereti-  
 caulis.  
*terniflora*, *Less. in Linnaea*, vi. (1831) 633.—Madag.  
*Teysmanniana*, *Miq. Fl. Ind. Bat.* ii. 14.—Java.  
*theophrastifolia*, *Schweinf. ex Oliver & Hiern, in*  
*Oliver, Fl. Trop. Afr.* iii. 294.—Afr. trop.  
*Thomae*, *Benth. ex Oerst. in Kjoeb. Vidensk. Meddel.*  
 (1852) 66.—Ins. S. Thomas.  
*Thomsoni*, *Hook. f. Fl. Brit. Ind.* iii. 232.—Burma.  
*Thomsoniana*, *Oliver & Hiern, ex Oliver, in Trans.*  
*Linn. Soc.* xxix. (1873) 91.—Afr. trop.  
*Thwaitesii*, *C. B. Clarke, Comp. Ind.* 11.—Zeylan.  
*tigrensii*, *Oliver & Hiern, in Oliver, Fl. Trop. Afr.* iii.  
 290.—Afr. trop.  
*toluccana*, *DC. Prod.* v. 30.—Mexic.  
*tomentella*, *Mart. ex DC. l. c.* 59.—Bras.  
*tomentosa*, *Ell. Sketch.* ii. 288 = noveboracensis.  
*tomentosa*, *Sinning, in Nees & Sinning, Amoen. Hort.*  
*Bonn.* ii. (1824) 10. t. 5 = arborescens.  
*tournefortioides*, *H. B. & K. Nov. Gen. et Sp.* iv. 34 =  
 scorpioides.

## VERNONIA:—

- tragiaefolia, DC. *Prod.* v. 60.—Bras.  
 travancorica, Hook. f. *Fl. Brit. Ind.* iii. 240.—Ind. or.  
 triantha, S. Schau. in *Linnaea*, xix. (1847) 714.—  
 Mexic.  
 tricephala, Gardn. in *Hook. Lond. Journ. Bot.* v.  
 (1846) 223.—Bras.  
 trichantha, Baker, in *Journ. Linn. Soc.* xxi. (1885)  
 416.—Madag.  
 trichocarpha, Spreng. *Syst.* iii. 437 = *Lychnophora*  
*trichocarpha*.  
 tricholepis, DC. *Prod.* v. 54 = *remotiflora*.  
 tricholepis, Griseb. *Fl. Brit. W. Ind.* 354 = *arari-*  
*pensis*.  
 triflosculosa, H. B. & K. *Nov. Gen. et Sp.* iv. 40.—  
 Mexic.  
 triplinervia, Spreng. *Syst.* iii. 435 = *Baccharis tripli-*  
*nervis*.  
 turbinata, Oliver & Hiern, ex Oliver, in *Trans. Linn.*  
*Soc.* xxix. (1873) 90. t. 56. f. B.—Afr. trop.  
 Tweediana, Baker, in *Mart. Fl. Bras.* vi. II. 99.—  
 Reg. Argent.  
 umbellata, Less. in *Linnaea*, iv. (1829) 255 = *Pipto-*  
*carpha ramiflora*.  
 uncinata, Oliver & Hiern, in *Oliver, Fl. Trop. Afr.*  
 iii. 277.—Afr. trop.  
 undulata, Oliver & Hiern, l. c. 276.—Afr. trop.  
 undulata, Steud. *Nom. ed. II.* ii. 753, in syn., sphalm.  
 = *Veronica Anagallis*.  
 uniflora, Sch. Bip. in *Linnaea*, xx. (1847) 506.—  
 Mexic.  
 unionis, Sch. Bip. ex Walp. *Rep.* ii. 945.—Abyss.  
 urticaefolia, A. Rich. *Tent. Fl. Abyss.* i. 378.—  
 Abyss.  
 vagans, DC. *Prod.* v. 32 = *scandens*.  
 Vahlana, Less. in *Linnaea*, iv. (1829) 306 = *longi-*  
*folia*.  
 Valenzuelana, A. Rich. *Fl. Cub. Fanerog.* ii. 33.—  
 Cuba.  
 varroniaefolia, DC. *Prod.* v. 56.—Bras.  
 Vauthierana, DC. l. c. 21 = *Piptocarpha Vauthieriana*.  
 venosissima, Sch. Bip. ex Baker, in *Mart. Fl. Bras.*  
 vi. II. 30.—Bras.  
 vepretorum, Mart. ex DC. *Prod.* v. 59.—Bras.  
 verbascifolia, Less. in *Linnaea*, iv. (1829) 310.—  
 Bras.  
 verbascoides, Walp. l. c. xiv. (1840) 313.—Bras.  
 verbenacea, DC. *Prod.* v. 35 = *ignobilis*.  
 Vernonella, Harv. in *Harv. & Sond. Fl. Cap.* iii. 53.—  
 Afr. austr.  
 vepretorum, Steud. *Nom. ed. II.* ii. 755, sphalm. =  
*vepretorum*.  
 vestita, Baker, in *Mart. Fl. Bras.* vi. II. 83.—Bras.  
 vialis, DC. *Prod.* v. 25.—Madag.  
 villosissima, Less. in *Linnaea*, iv. (1829) 249 = *Lychno-*  
*phora villosissima*.  
 vindex, Mart. ex DC. *Prod.* v. 160 = *Eupatorium*  
*vindex*.  
 violacea, Oliver & Hiern, ex Oliver, in *Trans. Linn.*  
*Soc.* xxix. (1873) 91.—Afr. trop.  
 virens, Sch. Bip. ex Baker, in *Mart. Fl. Bras.* vi. II.  
 71.—Bras.  
 virgulata, Mart. ex DC. *Prod.* v. 42.—Bras.  
 viscidula, Less. in *Linnaea*, iv. (1829) 289.—Bras.  
 Vogeliana, Benth. in *Hook. Niger Fl.* 427.—Afr.  
 trop.  
 Vogeliana, Thoms. in *Speke, Journ. App.* 637 = *Thom-*  
*soniana*.  
 volkameriaefolia, Bedd. *Fl. Sylv.* t. 225 = *travan-*  
*corica*.  
 volkameriaefolia, DC. *Prod.* v. 32.—Reg. Himal.;  
 Burma.  
 voluta, Baker, in *Journ. Linn. Soc.* xxi. (1885) 415.  
 —Madag.  
 vulgaris, Hook. f. *Fl. Brit. Ind.* iii. 240, sphalm. =  
*volkameriaefolia*.  
 Walpersiana, Steud. *Nom. ed. II.* ii. 755 = *dura*?  
 Warmingiana, Baker, in *Mart. Fl. Bras.* vi. II. 68.—  
 Bras.  
 Westiniana, Less. in *Linnaea*, vi. (1831) 650.—Bras.  
 Wightiana, Arn. in *Nov. Act. Nat. Cur.* xviii. (1836)  
 345.—Zeylan.  
 Wightiana, Wall. *Cat. n.* 2923 = *Laggera alata*.  
 Wrightii, Sch. Bip. in *Journ. Bot.* i. (1863) 234.—  
 Cuba.  
 xanthophylla, Mart. ex DC. *Prod.* v. 58.—Bras.  
 zanzibarensis, Less. in *Linnaea*, vi. (1831) 637.—  
 Afr. trop.

## VERNONIA:—

- zeylanica, Less. l. c. iv. (1829) 344.—Zeylan.; Madag.  
 Zollingeriana, Sch. Bip. in *Zoll. Syst. Verz. Ind. Archip.*  
 119 = *cinerea*.  
 zollingerianoides, Sch. Bip. l. c., nomen.—Java?  
 Zuccariniana, Mart. ex DC. *Prod.* v. 55.—Bras.

VERONICA, [Tourn.] Linn. *Syst. ed. I* (1735).

- SCROPHULARINEAE, Benth. & Hook. f. ii. 964.  
 AGERELLA, Fourr. in *Ann. Soc. Linn. Lyon*, N. S.  
 xvii. (1869) 129.  
 AIDELUS, Spreng. *Syst.* iv. *Cur. Post.* 17 (1827).  
 ALLOPLEIA, Rafin. *Med. Fl.* ii. 109 (1830).  
 AZURINIA, Fourr. in *Ann. Soc. Linn. Lyon*, N. S.  
 xvii. (1869) 128.  
 BECCABUNGA, Fourr. l. c. (1869).  
 CALISTACHYA, Rafin. in *Med. Repos. N. York*, II.  
 v. (1808) 60, 352.  
 CARDIA, Dulac, *Fl. Hautes-Pyr.* 387 (1867).  
 COCHLIDIOSPERMUM, Reichb. *Consp.* 121 (1828).  
 COERULINIA, Fourr. in *Ann. Soc. Linn. Lyon*, N. S.  
 xvii. (1869) 128.  
 CYMBOPHYLLUM, F. Muell. in *Hook. Kew Journ.*  
 xvii. (1856) 202.  
 DERWENTIA, Rafin. *Fl. Tellur.* iv. 55 (1836).  
 DIPLOPHYLLUM, Lehm. in *Ges. Naturf. Fr. Berl.*  
 Mag. viii. (1814) 310.  
 EUSTACHIA, Rafin. *Cat.* 14 (1824).  
 HEBE, Comm. ex Juss. *Gen.* 105 (1789).  
 HEDYSTACHYS, Fourr. in *Ann. Soc. Linn. Lyon*,  
 N. S. xvii. (1869) 128.  
 LEPTANDRA, Nutt. *Gen. Am.* i. 7 (1818).  
 LIMNASPIDIUM, Fourr. in *Ann. Soc. Linn. Lyon*,  
 N. S. xvii. (1869) 128.  
 ODICARDIS, Rafin. *Fl. Tellur.* iv. 55 (1836).  
 OMPHALOSPORA, Bartl. *Ord.* 171 (1830).  
 PANOXIS, Rafin. *Med. Fl.* ii. 109 (1830).  
 PETRODORA, Fourr. in *Ann. Soc. Linn. Lyon*, N. S.  
 xvii. (1869) 128.  
 POCILLA, Fourr. in *Ann. Soc. Linn. Lyon*, N. S.  
 xvii. (1869) 129.  
 PONARIA, Rafin. *Med. Fl.* ii. 109 (1830).  
 PSEUDOLYSIMACHION, Opiz, Seznam, 80 (1852).  
 PYGMAEA, Hook. f. *Handb. N. Zeal. Fl.* 217  
 (1864).  
 URANOSTACHYS, Fourr. in *Ann. Soc. Linn. Lyon*,  
 N. S. xvii. (1869) 128.  
 VERONICASTRUM, Heist. ex Fabr. *Hort. Helmst.*  
 111 (1759).  
 VERONICELLA, Fourr. in *Ann. Soc. Linn. Lyon*,  
 N. S. xvii. (1869) 128.  
 abrotanifolia, Link, ex Steud. *Nom. ed. II.* ii. 755  
 (Quid?).—Sibir.  
 abrotanifolia, Stokes, *Bot. Comment.* i. 58 = *multi-*  
*fida*.  
 abyssinica, Fresen. in *Bot. Zeit.* ii. (1844) 356.—  
 Abyss.  
 acinifolia, Linn. *Sp. Pl.* ed. II. 19.—Europ.; As.  
 Min.  
 acinifolia, F. W. Schmidt, *Fl. Boëm.* i. 31 = *arvensis*.  
 acinifolia, Willd. *Fl. Berol. Prod.* 11 = *praecox*.  
 acuminata, Link, *Jahrb.* i. III. (1820) 34 = *spicata*.  
 acuta, Mart. *Hort. Erlang.* (1814) 12 = *longifolia*.  
 acutiflora, Benth. in *DC. Prod.* x. 460 = *ligustri-*  
*folia*.  
 acutiflora, Lapeyr. ex Roem. & Schult. *Syst.* i. 112;  
*Suppl. Hist. Pl. Pyr.* 7.—Mont. Pyren.  
 acutifolia, Gilib. *Exercit.* i. 119 = *V. Anagallis*.  
 africana, Hook. f. in *Journ. Linn. Soc.* vii. (1864) 208.  
 —Afr. trop.  
 agrestis, Gouan, ex Nym. *Consp.* 548 = *didyma*.  
 agrestis, Linn. *Sp. Pl.* 13.—Europ.; As. et Afr. bor.  
 alba, [Mazziani,] in *Ionios, Anthol.* ii. (1834) 442 =  
 agrestis.  
 alba, Opiz, ex Schult. *Mant.* i. Add. II. 229, in syn. =  
 prostrata.  
 albanica, C. Koch, in *Linnaea*, xxii. (1849) 701 =  
 amoena.  
 aleppica, Boiss. *Diagn.* Ser. II. iii. 169.—As. Min.;  
 Assy.  
 Allionii, F. W. Schmidt, *Fl. Boëm.* i. 6 = *officinalis*.  
 Allionii, Vill. *Prosp.* 20; *Hist. Pl. Dauph.* ii. 8.—  
 Europ. austr.  
 alpestris, Schur, in *Verh. Siebenb. Ver. Naturw.* ii.  
 (1851) 170 = *serpyllifolia*.  
 alpina, Georgi, *Reise*, i. 195 = *ciliata*.  
 alpina, Linn. *Sp. Pl.* 11.—Reg. bor. et arct.  
 alpipila, Arv. *Ess. Pl. Dauph.* 55 (Quid?).—Gallia.

## VERONICA:—

- altaica, Fisch. *Cat. Hort. Gorenk.* ed. II. (1812) 19 =  
 spuria.  
 alternifolia, Lej. *Fl. Spa.* ii. 286 = *spicata*.  
 ambigua, Lucé, *Topog. Nachr. Oesel*, 4 = *V. Ana-*  
*gallis*.  
 ambigua, Mart. *Hort. Erlang.* (1814) 13 = *longifolia*.  
 americana, Schwein. ex Benth. in *DC. Prod.* x. 468.—  
 Am. bor.  
 amethystina, Willd. *Enum. Hort. Berol.* 17 = *spuria*.  
 amoena, Bieb. *Fl. Taur. Cauc.* i. 14.—Reg. Cauc.  
 amoena, Heldr. ex Nym. *Consp.* 548 = *glauc.*  
 amplexicaulis, Armst. in *Trans. N. Z. Inst.* xiii.  
 (1881) 352.—N. Zel.  
 Anagallis, Bong. in *Mém. Acad. Pétersb. Sér.* VI. ii.  
 (1833) 157 = *americana*.  
 Anagallis, Linn. *Sp. Pl.* 12 (*Anagallis-aquatica*).—  
 Reg. bor. temp.  
 anagaloides, Guss. *Pl. Rar.* 5. t. 3.—Graecia; Oriens.  
 Anarrhinum, Cat. *Hort. Dresd.*; ex Reichb. *Fl.*  
*Germ. Excurs.* 371 = *longifolia*.  
 Andersonii x, Lindl. & Paxt. *Flow. Gard.* ii. (1851-  
 52) 3.  
 angulata, Opiz, *Natural.* n. ix. (1825) 112, nomen =  
 latifolia.  
 angustata, Opiz, l. c. 111, nomen = *spicata*.  
 angustifolia, Bernh. Ehrenp. 35 = *austriaca*.  
 angustifolia, A. Cunn. in *Ann. Nat. Hist. Ser.* I. i.  
 (1838) 458 = *ligustifolia*.  
 angustifolia, Fisch. ex Link, *Enum. Hort. Berol.* i. 19  
 = *spuria*.  
 angustifolia, S. F. Gray, *Nat. Arr. Brit. Pl.* ii. 306 =  
 scutellata.  
 angustifolia, A. Rich. *Ess. Fl. N. Zél.* 187 = *parvi-*  
*flora*.  
 angustifolia, Steud. *Nom. ed. II.* ii. 756 = *tubiflora*.  
 anisophylla, C. Koch, in *Linnaea*, xvii. (1843) 287 =  
 orientalis.  
 anomala, Armstr. in *Trans. N. Z. Inst.* iv. (1872) 291.  
 —N. Zel.  
 apennina, Tausch, in *Syll. Ratisb.* ii. (1828) 247.—  
 Italia.  
 aphylla, Linn. *Sp. Pl.* 11.—Europ. austr.  
 aquatica, Benquerel, in *Neuch. Bull.* v. (1859-61)  
 449, nomen = *V. Anagallis*?  
 aquatica, S. F. Gray, *Nat. Arr. Brit. Pl.* ii. 306 =  
 V. Anagallis.  
 arborea, J. Buch. in *Trans. N. Z. Inst.* vi. (1874)  
 242.—N. Zel.  
 arbustula, Hassk. *Allg. Regist. Flora*, 864, sphalm. =  
 seq.  
 arbustulosa, Hoffmgg. *Preisverz.* (1841) 85; et ex  
 Reichb. *Pl. Crit.* x. 2 = *fruticulosa*.  
 arenaria, A. Cunn. ex Benth. in *DC. Prod.* x. 463.—  
 Austral.  
 arguta, Benth. l. c. 478 = *notabilis*.  
 arguta, R. Br. *Prod.* 435.—Austral.  
 arguta, Moretti, in *Syll. Ratisb.* i. (1824) 103 =  
 spicata.  
 arguta, Schrad. *Comm. Veron. Spic.* 22 = *longifolia*.  
 arguteserrata, Regel & Schmalh. in *Act. Hort. Petrop.*  
 v. (1877) 626 = *biloba*.  
 aristata, Walp. *Rep.* iv. 797, sphalm. = *Vernonia nata-*  
*lensis*.  
 armena, Boiss. & Huet, *Diagn.* Ser. II. iii. 166.—  
 Armenia.  
 Armstrongii, T. Kirk, in *Trans. N. Z. Inst.* xi. (1879)  
 464.—N. Zel.  
 arvensis, Linn. *Sp. Pl.* 13.—Europ.; As. et Afr. bor.  
 arvensis, Thunb. *Fl. Jap.* 20 = *agrestis*.  
 ascendens, G. Don, ex Sweet, *Hort. Brit.* ed. II. 397.  
 —Hab.?  
 aspera, Pritz.  *Ic. Ind.* i. 1153, sphalm. = *longifolia*.  
 Assoana, Willk. in *Linnaea*, xxx. (1859-60) 120.—  
 Hispan.  
 atlantica, Ball, in *Journ. Bot.* xiii. (1875) 174 = *cunei-*  
*folia*.  
 atlantica, Pers. *Syn.* i. 12 = *rosea*.  
 Aucheri, Boiss. *Diagn.* Ser. I. iv. 80.—Persia.  
 aurifolia, Dicks. ex Roem. & Usteri, *Mag.* iv. 10tes  
 St. 190 (Quid?).—Britan.  
 australis, Schrad. *Comm. Veron. Spic.* 24 = *spicata*.  
 austriaca, Linn. *Syst. ed. X.* 849.—Europ.; Reg. Cauc.  
 azurea, Link, *Enum. Hort. Berol.* i. 22 = *longifolia*.  
 Bachofenii, Heuff. in *Flora*, xviii. (1835) i. 253 =  
 grandis.  
 Barrelieri, Schott, ex Roem. & Schult. *Syst.* i. 94 =  
 spicata.



## VERONICA:—

- bartsiaefolia*, Boiss. Fl. Orient. iv. 464 = biloba.  
*Bastardi*, Bor. Fl. Centr. Fr. ed. III. ii. 487 = V. Teucrium.  
*Baumgartenii*, Roem. & Schult. Syst. i. 100.—Banat.  
*Beccabunga*, Aitch. in Journ. Linn. Soc. xix. (1882) 180 = V. Anagallis.  
*Beccabunga*, Auct. Am. ex A. Gray, Syn. Fl. Am. ii. 1. 287 = americana.  
*Beccabunga*, Linn. Sp. Pl. 12.—Reg. bor. temp.  
*Bellardi*, All. Fl. Pedem. i. 77 = arvensis.  
*bellidioides*, Linn. Sp. Pl. 11.—Europ. austr.  
*Benthami*, Hook. f. Fl. Antarct. i. 60.—Ins. Dom. Auckland.  
*Benthami*, C. Koch, ex Boiss. Fl. Orient. iv. 439 = peduncularis.  
*bibarbata*, Stokes, Bot. Mat. Med. i. 31 = V. Chamaedrys.  
*Bidwillii*, Hook. Ic. Pl. t. 814.—N. Zel.  
*Biebersteinii*, Hassk. Allg. Regist. Flora, 865 = *Verbasum Biebersteinii*.  
*Biebersteinii*, Richter, in Denkschr. Akad. Wien, 1. (1885) 24 = multifida.  
*bihariensis*, Kern. in Oestr. Bot. Zeitschr. xxxiii. (1873) 371 = austriaca.  
*Billardieri*, Kotschy, ex Benth. in DC. Prod. x. 480 = Kotschyana.  
*Billardieri*, Vahl, Enum. i. 70 = orientalis.  
*biloba*, Bourg. ex Boiss. Fl. Orient. iv. 464 = campylopoda.  
*biloba*, Linn. Mant. ii. 172.—Reg. Himal. et Cauc.; Sibir.  
*biserrata*, Schur, Enum. Pl. Transs. 497 = grandis.  
*Bodardi*, Jord. & Fourr. Brev. Pl. Nov. fasc. i. 41 = V. Cymbalaria.  
*bombycina*, Boiss. & Kotschy, Diagn. Ser. II. iii. 171.—Syria.  
*Bonarota*, Linn. Sp. Pl. 11 = Paederota Bonarota.  
*borealis*, Laest. ex Hook. f. in Trans. Linn. Soc. xxiii. (1861) 336 = serpyllifolia.  
*Brachtii*, Opiz, Natural. n. ix. (1825) 110 = longifolia.  
*brachyphylla*, Schult. Mant. i. 96 = spicata.  
*brachysepala*, Sch. Bip. in Pollichia, xvi-xvii. (1859) 43 = V. Teucrium.  
*brachystyla*, Rehm. in Spraw. Kom. Fis. Krakow, vii. (1873) 89 = V. Teucrium.  
*bracteata*, Opiz, Natural. n. x. (1825) 244 = longifolia.  
*bracteata*, Schult. Mant. i. 116 (Quid ?).—Hab. ?  
*bracteata*, Willd. ex Steud. Nom. ed. II. ii. 756.—Hungar. ?  
*brevicaulis*, Tausch, in Syll. Ratisb. ii. (1828) 247 = V. Teucrium.  
*brevifolia*, Bieb. Fl. Taur. Cauc. i. 6 = spuria.  
*brevifolia*, Link. Enum. Hort. Berol. i. 21 = spicata.  
*brevi-pedunculata*, Gilib. Fl. Litan. i. 119 = arvensis.  
*brevistyla*, Moris, in Mem. Acc. Torin. Ser. II. ii. (1840) 361.—Ins. Sardoia.  
*Brownei*, Roem. & Schult. Syst. i. 118 = arguta.  
*Brunoniana*, Wall. Cat. n. 405 = Calorhabdos Brunoniana.  
*Buchanani*, Hook. f. Handb. N. Zeal. Fl. 211.—N. Zel.  
*Bungabacca*, Janka, in Oestr. Bot. Zeitschr. xxiii. (1873) 241 = serpyllifolia.  
*Bungei*, Boiss. Fl. Orient. iv. 463.—Persia.  
*Buxbaumi*, F. W. Schmidt, in Mayer, Samml. Phys. Aufs. i. (1791) 187 = pectinata.  
*Buxbaumiana*, Pall. ex Bieb. Fl. Taur. Cauc. i. 9 = gentianoides.  
*Buxbaumii*, Tenore, Fl. Nap. i. 7. t. 1 = Tournefortii.  
*buxifolia*, Benth. in DC. Prod. x. 462.—N. Zel.  
*caesaraugustiana*, Echeand. Fl. Caesaraug. (1861) 21.—Hispan.  
*caespitosa*, Boiss. Diagn. Ser. I. iv. 79.—Graecia; As. Min.; Syria.  
*callistachya*, Ledeb. ex Loud. Hort. Brit. Suppl. iii. 555 (Quid ?).—Podolia.  
*Calvertii*, Boiss. Fl. Orient. iv. 450 = telephifolia.  
*calycida*, Fries, ex Reichb. Fl. Germ. Excurs. 365 = agrestis.  
*calycina*, R. Br. Prod. 435.—Austral.  
*calycina*, A. Cunn. in Bot. Mag. sub t. 3461 = plebeia.  
*campylopoda*, Boiss. Diagn. Ser. I. iv. 80.—Oriens.  
*camtschatica*, J. F. Gmel. Syst. 29 = kamtschatica.  
*cana*, Wall. Cat. n. 401; Benth. Scroph. Ind. 45.—Reg. Himal.; Japan; Formosa.  
*candida*, Lodd. Cat. (1823); ex Schult. Mant. i. Add. II. 228 (Quid ?).—Hab. ?

## VERONICA:—

- candidissima*, Hort. ex Vilm. Fl. Pl. Terre, ed. I. 932 = incana.  
*canescens*, Bast. Fl. Maine-et-Loire, Suppl. 21 = V. Teucrium.  
*canescens*, T. Kirk, in Trans. N. Z. Inst. ix. (1877) 503.—N. Zel.  
*canescens*, Presl, ex Schult. Mant. i. Add. II. 229, in syn. = prostrata.  
*canescens*, Schrad. Comm. Veron. Spic. 19 = incana.  
*canterburiensis*, Armst. in Trans. N. Z. Inst. xiii. (1881) 355.—N. Zel.  
*capensis*, Burm. f. Fl. Cap. Prod. 1 = serpyllifolia.  
*capensis*, Fenzl, in Linnaea, xvii. (1843) 332.—Afr. austr.  
*capitata*, Royle, ex Benth. Scroph. Ind. 45.—Reg. Himal.  
*capitulata*, Poir. Encyc. Suppl. v. 466 = spuria.  
*cardiocarpa*, Walp. Rep. iii. 335 = biloba.  
*cariensis*, Boiss. Diagn. Ser. I. iv. 75 = cuneifolia.  
*carnea*, Armst. in Trans. N. Z. Inst. xiii. (1881) 357.—N. Zel.  
*carnea*, DC. in Mém. Soc. Phys. Genève. i. (1822) 459 = longifolia.  
*carnea*, Opiz, ex Schult. Mant. i. Add. II. 229, in obs. = prostrata.  
*carnea*, Vitm. Summa Pl. i. 34 = alpina.  
*carnosula*, Hook. f. Bot. Mag. t. 6587 = pinguiifolia.  
*carnosula*, Hook. f. Handb. N. Zeal. Fl. 210.—N. Zel.  
*carnosula*, Lam. Illustr. i. 47 = peregrina.  
*caroliniana*, Poir. Encyc. viii. 520 = Mitreola petiolata.  
*caroliniana*, Walt. Fl. Carol. 61 = peregrina.  
*cartilaginea*, Ledeb. Fl. Alt. i. 28, in adnot. = spuria.  
*catarractae*, Forst. f. Prod. 3.—N. Zel.  
*caucasica*, Bieb. Fl. Taur. Cauc. i. 13.—Reg. Cauc.  
*čechica*, Opiz, in Lotos, iv. (1854) 105 (Quid ?).—Bohem.  
*ceratocarpa*, C. A. Mey. Verz. Pfl. Cauc. 106.—Reg. Casp.  
*cespitosa*, Boiss. Diagn. Ser. I. iv. 79 = caespitosa.  
*Chaixii*, Lapeyr. Suppl. Hist. Abr. Pl. Pyr. 6 = V. Teucrium.  
*chamaedrya*, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 137 = V. Chamaedrys.  
*chamaedryoides*, Bory & Chaub. Nouv. Fl. Pélop. i. t. 1 = V. Chamaedrys.  
*Chamaedrys*, Hohen. in Bull. Soc. Nat. Mosc. vi. (1833) 211 = melissaefolia.  
*Chamaedrys*, Linn. Sp. Pl. 13.—Europ.; As. Min.; Syria.  
*chamaepithyoides*, Desf. Tabl. ed. I. 50 = verna.  
*chamaepithyoides*, Lam. Illustr. i. 47 = digitata.  
*Chamaepitys*, Griseb. Spicil. Fl. Rumel. ii. 25.—Byzant.; As. Min.  
*Chamaepitys*, Pers. Syn. i. 13 = verna.  
*Chamedris*, Neck. Delic. Gallo-Belg. i. 9 = V. Chamaedrys.  
*chathamica*, F. Buch. in Trans. N. Z. Inst. vii. (1875) 338.—N. Zel.  
*Chaubardi*, Boiss. & Reut. Diagn. Ser. II. iii. 174.—Graecia.  
*Cheesmani*, Benth. in Hook. Ic. Pl. t. 1366. f. A.—N. Zel.  
*chillensis*, H. B. & K. Nov. Gen. et Sp. ii. 390 = peregrina.  
*cibiniensis*, Schur, Enum. Pl. Transs. 498 = longifolia.  
*ciliaris*, Hoffm. in Comm. Gotting. xv. (1804) 121. t. 5 = longifolia.  
*ciliata*, Fisch. in Mém. Soc. Nat. Mosc. iii. (1812) 56.—Reg. Himal.; As. bor.  
*ciliata*, Schloss. & Vukot. Syll. Fl. Croat. 90 = acinifolia.  
*cinerea*, Boiss. & Bal. Diagn. Ser. II. vi. 131.—As. Min.  
*cinerea*, Rafin. New Fl. Am. iv. 39 (Quid ?).—Am. bor.  
*circaeoides*, G. Don, ex Loud. Hort. Brit. 7 (Quid ?).—Helvet.  
*Clarkeana*, Schult. Mant. i. Add. II. 193 = alpina.  
*Clusii*, Schott, ex Roem. & Schult. Syst. i. 94 = spicata.  
*Colensoi*, Hook. f. Handb. N. Zeal. Fl. 209.—N. Zel.  
*collina*, Opiz, Natural. n. ix. (1825) 108 = triphyllus.  
*colocensis*, Menyh. Kalocsa Vidék. Növényt. 134.—Hungar.  
*commutata*, Seidl, ex Bercht. Oek. Fl. Boehm. i. 31 = longifolia.

## VERONICA:—

- comosa*, Richter, in Denkschr. Akad. Wien, 1. (1885) 24.—Persia.  
*complicata*, Hoffm. Phytog. Blaetter, i. (1803) 98 = longifolia.  
*condensata*, Hort. ex Reichb. Fl. Germ. Excurs. 372 = longifolia.  
*conferta*, Boiss. Fl. Orient. iv. 459 = glaberrima.  
*confusa*, Roem. & Schult. Syst. i. 95 = longifolia.  
*coniosperma*, Wallr. in Linnaea, xiv. (1840) 533 (Beitr. Fl. Hercyn. 163) = acinifolia.  
*connata*, Rafin. Med. Fl. ii. 110 = scutellata.  
*cordata*, Opiz, ex Schult. Mant. i. Add. II. 229, in syn. = prostrata.  
*corymbosa*, Hort. ex G. Don, in Loud. Hort. Brit. 6, nomen (Quid ?).—Hab. ?  
*Crantzii*, Schult. Obs. Bot. 3 = orchidea.  
*crassifolia*, Kit. ex Roem. & Schult. Syst. i. 16 = orchidea.  
*crassifolia*, Wierzb. ex Heuff. in Flora, xviii. (1835) 251 = spicata.  
*crassifolia*, Zeyh. ex Schrank, in Denkschr. Bot. Ges. Regensb. ii. (1822) 23.—Hungar.  
*crenata*, Lodd. Cat. (1823); ex Schult. Mant. i. Add. II. 228 (Quid ?).—Hab. ?  
*crenolata*, Hoffm. Phytog. Blaetter, i. (1803) 95 = longifolia.  
*cretica*, Willd. ex Link. Jahrb. i. III. (1820) 41 = thymifolia.  
*crinita*, Kit. in Schult. Oestr. Fl. ed. II. i. 26 = V. Teucrium.  
*crispa*, Hort. ex Reichb. Fl. Germ. Excurs. 368 = latifolia.  
*crispa*, Lodd. Cat. (1823); ex Schult. Mant. i. Add. II. 228 (Quid ?).—Hab. ?  
*Crista-galli*, Stev. in Trans. Linn. Soc. xi. (1815) 408. t. 31.—Reg. Cauc.  
*cristata*, Bernh. Ehrenp. 14 = orchidea.  
*cuneata*, Guss. Enum. Pl. Inar. 241. t. 3. f. 2 = V. Cymbalaria.  
*cuneifolia*, D. Don, in Fellows, Discov. in Lycia, 291; et in Ann. & Mag. Nat. Hist. Ser. I. vii. (1841) 457.—As. Min.  
*cupressoides*, Hook. f. Handb. N. Zeal. Fl. 212.—N. Zel.  
*Cusickii*, A. Gray, Syn. Fl. N. Am. ii. i. 288.—Am. bor. occ.  
*cuspidata*, Willd. ex Link. Jahrb. i. III. (1820) 36 = longifolia.  
*cynorum*, Miq. in Lehm. Pl. Preiss. i. 342 = calycina.  
*Cymbalaria*, Bodard, Mém. Vénérique Cymbalaire, 3; ex Bertol. Amoen. Ital. 56.—Reg. Mediterr.; As. Min.  
*cymbalariaefolia*, Vahl, Enum. i. 81 = V. Cymbalaria.  
*cymbalarifolia*, J. F. Gmel. Enum. Stirp. Tubing. 6 = hederæfolia.  
*cymbalarifolia*, F. W. Schmidt, Fl. Boëm. i. 26 = Tournefortii.  
*cymbalarioides*, Blanche, ex Boiss. Fl. Orient. iv. 468.—Syria; Mesopot.  
*Dabneyi*, Hochst. ex Seub. Fl. Azor. 39. t. 8. f. 1.—Ins. Azor.  
*daurica*, Stev. in Mém. Soc. Nat. Mosc. v. (1817) 339.—Dahuria.  
*decorosa*, F. Muell. in Linnaea, xxv. (1852) 430.—Austral.  
*decumbens*, Armst. in Trans. N. Z. Inst. xiii. (1881) 352.—N. Zel.  
*decussata*, Moench, Verz. 137.—Ins. Falkland.  
*decussata*, [Soland. in] Ait. Hort. Kew. ed. I. i. 20 = elliptica.  
*deflectans*, Krock. Fl. Siles. Suppl. i. 42 = V. Chamaedrys.  
*deltigera*, Wall. Cat. n. 402; Benth. Scroph. Ind. 45.—Reg. Himal.; Afghan.  
*deltoidea*, Spreng. Syst. iv. Cur. Post. 17 = plebeia.  
*densiflora*, Ledeb. Fl. Alt. i. 34.—Sibir. altaic.  
*densifolia*, F. Muell. Fragm. ii. 137.—Austral.  
*dentata*, F. W. Schmidt, Fl. Boëm. i. 20 = V. Teucrium.  
*dentosa*, Hort. ex Reichb. Fl. Germ. Excurs. 372 = longifolia.  
*depauperata*, Waldst. & Kit. Pl. Rar. Hung. iii. 272 = aphylla.  
*depressa*, Kit. in Schult. Oestr. Fl. ed. II. i. 32.—Hungar.  
*depressa*, Schur, Enum. Pl. Transs. 495 = officinalis.  
*Derwentia*, Andr. Bot. Rep. t. 531.—Austral.

VERONICA:—

*dianthifolia*, A. Cunn. in Loud. Hort. Brit. 467 = arenaria.  
*dichrus*, Schott & Kotschy, in Oestr. Bot. Wochenbl. vii. (1857) 205 = cuneifolia.  
*didyma*, Tenore, Prod. Fl. Nap. p. vi.—Europ.; Afr. bor.; Oriens.  
*Dieffenbachii*, Benth. in DC. Prod. x. 459.—N. Zel. diffusa, Hook. f. in Hook. Ic. Pl. t. 645.—N. Zel.  
*diffusa*, Rafin. New Fl. Am. iv. 38 (Quid?).—Am. bor. *digitata*, Lam. Fl. Fr. ii. 445 = triphyllus.  
*digitata*, Vahl, Symb. Bot. i. 2.—Gall. austr.; Hispan. *Dillenii*, Crantz, Stirp. Austr. ed. II. fasc. iv. 352 = verna.  
*diosmaefolia*, Knowles & Westc. Flor. Cab. iii. (1839) 65, t. 106 = formosa.  
*diosmifolia*, R. Cunn. in Bot. Mag. sub t. 3461.—N. Zel. distans, R. Br. Prod. 435.—Austral.  
*divaricata*, Boiss. & Bal. Diagn. Ser. II. iii. 173.—Cilicia.  
*divaricata*, Tausch, in Flora, iv. (1821) 561 = V. Chamaedrys.  
*diversifolia*, Pantoč, in Verh. Ver. Natur. Heilk. Presb. ii. (1871-72) 70 = prostrata.  
*diversifolia*, Steud. Nom. ed. I. 876 = virginica.  
*Drummondii*, Benth. in DC. Prod. x. 478 = distans.  
*Dryadis*, Schur, in Verh. Siebenb. Ver. Naturw. iv. (1853) 54 = officinalis.  
*Drymeja*, Schur, Enum. Pl. Transs. 495 = peduncularis.  
*dubia*, Chaix, ex Lapeyr. Suppl. Hist. Pl. Pyr. 6 = V. Teucrium.  
*dubia*, DC. Fl. Fr. iii. 462 = V. Chamaedrys.  
*elata*, Host, Fl. Austr. i. 3 = longifolia.  
*elator*, Ehrh. ex Willd. Enum. Hort. Berol. 17 = longifolia.  
*elbursensis*, Boiss. Diagn. Ser. I. xii. 46 = biloba.  
*elegans*, DC. Cat. Hort. Monsp. (1818) 154 = spuria.  
*elliptica*, Forst. f. Prod. 3.—N. Zel.; Reg. Magell.  
*elongata*, Benth. in DC. Prod. x. 478 = plebeia.  
*epacridea*, Hook. f. Handb. N. Zeal. Fl. 213.—N. Zel.  
*ericetorum*, Opiz, Natural. n. ix. (1825) 111, nomen = V. Chamaedrys.  
*erinoides*, Boiss. & Sprun. Diagn. Ser. I. iv. 78 = thessalica.  
*euphrasiaefolia*, Link, Jahrb. i. III. (1820) 41.—Persia.  
*exaltata*, Maund, Bot. Gard. iv. (1834-35) n. 543.—Sibir.  
*excelsa*, Desf. Cat. Hort. Par. ed. III. 391 = longifolia.  
*exilis*, Schott, ex Boiss. Fl. Orient. iv. 464 = biloba.  
*falcata*, Mart. Hort. Erlang. (1814) 10 = longifolia.  
*fallacina*, Jord. & Fourr. Brev. Pl. Nov. fasc. i. 42 = V. Cymbalaria.  
*filiformis*, DC. Fl. Fr. Suppl. 388 = Tournefortii.  
*filiformis*, Sm. in Trans. Linn. Soc. i. (1791) 195.—As. Min.  
*finastrina*, Hombr. & Jacquinot, ex Decne. Bot. Voy. Astrol. et Zél. 28 = Benthani.  
*fistulosa*, Krock. Fl. Siles. Suppl. i. 20 = longifolia.  
*flexuosa*, Host & Moretti, in Bibl. Ital. xii. (1818) 369 = longifolia.  
*floribunda*, R. Br. ex Walp. Rep. iii. 346 = parviflora.  
*florida*, Salisb. Prod. 92 = V. Teucrium.  
*florida*, F. W. Schmidt, Fl. Boëm. i. 23 = V. Chamaedrys.  
*fluminensis*, Vell. Fl. Flum. 11; i. t. 25.—Bras.  
*foliosa*, Waldst. & Kit. Pl. Rar. Hung. ii. 106 = spuria.  
*Fonki*, Phil. in Linnaea, xxix. (1857-58) 110.—Chili.  
*fontana*, Willd. ex Link, Jahrb. i. III. (1820) 41 = serpyllifolia.  
*fontinalis*, Salisb. Prod. 91 = V. Beccabunga.  
*formosa*, R. Br. Prod. 434.—Tasmania.  
*fragilis*, Boiss. & Haussk. ex Boiss. Fl. Orient. iv. 446.—Persia.  
*Friesiana*, Knaf, in Flora, xxix. (1846) 305 = agrestis.  
*Friesii*, Nem. ex Chaub. in Act. Linn. Soc. Bord. xix. (1853) 232.—Gallia.  
*Froelichiana*, Reichb. Fl. Germ. Excurs. 367 = V. Chamaedrys.  
*frutescens*, Scop. Fl. Carn. ed. II. i. 19 = fruticulosa.  
*fruticans*, Jacq. Enum. Stirp. Vindob. 2, 200 = fruticulosa.  
*fruticulosa*, Wulf. ex Steud. Nom. ed. II. ii. 757 = seq.

VERONICA:—

*fruticulosa*, Linn. Sp. Pl. ed. II. 15.—Europ.; Groenland.  
*gadensis*, Gueldenst. Reisen, i. 426; ex Ledeb. Fl. Ross. iii. 256.—Reg. Cauc.  
*galactites*, Hance, in Ann. Sc. Nat. Sér. V. v. (1866) 232 = spuria.  
*galathica*, Boiss. Fl. Orient. iv. 448.—Reg. Cauc.  
*galeopsifolia*, Gilib. Fl. Lituan. i. 104 = spicata.  
*Gebhardiana*, Vest, ex Schult. Mant. i. 104 = alpina.  
*geniculata*, Host, Fl. Austr. i. 5 = longifolia.  
*gentianifolia*, Sweet, Hort. Brit. ed. II. 397 = gentianoides.  
*gentianoides*, Vahl, Symb. Bot. i. 1.—Reg. Cauc.; As. Min.  
*glaberrima*, Boiss. & Bal. Diagn. Ser. II. iii. 172.—Cilicia.  
*glabra*, Ehrh. ex Schrad. Comm. Veron. Spic. 25 = longifolia.  
*glabriuscula*, Opiz, Natural. n. ix. (1825) 111, nomen = V. Chamaedrys.  
*glandulifera*, Freyn, in Oestr. Bot. Zeitschr. xxvi. (1876) 371 = V. Cymbalaria?  
*glandulifera*, Opiz, Natural. n. ix. (1825) 111 = spicata.  
*glandulosa*, Hochst. ex Benth. in DC. Prod. x. 482.—Abys.  
*glauca*, Sibth. & Sm. Fl. Graec. Prod. i. 9.—Graecia.  
*glauca*, Ung. ex Nym. Consp. 548 = peloponnesiaca.  
*glauco-caerulea*, Armst. in Trans. N. Z. Inst. xiii. (1881) 353 = pimeleoides.  
*gorumsensis*, Boiss. & Kotschy, ex Boiss. Fl. Orient. iv. 458 = acinifolia.  
*Gouani*, Moretti, in Brugnat. Giorn. Fis. Dec. II. v. (1822) 41, in obs. = Ponae.  
*gracilis*, R. Br. Prod. 435.—Austral.  
*graeaca*, Sprun. ex Benth. in DC. Prod. x. 484 = glauca.  
*graminea*, [Mazzari], in Ionios, Anthol. ii. (1834) 442 = V. Anagallis.  
*grandiflora*, D. Don, in Fellows, Discov. in Lycia, 292; et in Ann. & Mag. Nat. Hist. Ser. I. vii. (1841) 458.—Caria.  
*grandiflora*, Gaertn. in Comm. Acad. Petrop. xiv. (1770) 531, t. 18, f. 1 = kamtschatica.  
*grandiflora*, Wall. Cat. n. 403 = himalensis.  
*grandifolia*, Vest, ex Schult. Mant. i. 103 = alpina.  
*grandis*, Fisch. ex Spreng. Neue Entdeck. ii. 122.—Europ.  
*Grayi*, Armst. in Trans. N. Z. Inst. xiii. (1881) 354.—N. Zel.  
*Griffithii*, Benth. in DC. Prod. x. 485 = biloba.  
*grossa*, Mart. Hort. Erlang. (1814) 12 = longifolia.  
*Guentheri*, Opiz, Natural. n. ix. (1825) 111, nomen = officinalis.  
*Gunnii*, Benth. in DC. Prod. x. 477 = calycina.  
*Haastii*, Hook. f. Handb. N. Zeal. Fl. 213.—N. Zel.  
*Haussknechtii*, Boiss. Fl. Orient. iv. 438.—Mesopot.  
*Hectori*, Hook. f. Handb. N. Zel. Fl. 212.—N. Zel.  
*hederaefolia*, Linn. Sp. Pl. 13.—Europ.; Oriens; As. bor.  
*hederaefolia*, Miq. ex Maxim. in Bull. Acad. Pétersb. xxvii. (1881) 510 = agrestis.  
*hederifolia*, St. Lag. in Ann. Soc. Bot. Lyon, viii. (1881) 190 = hederaefolia.  
*herniarioides*, Pourr. ex Lapeyr. Suppl. Hist. Pl. Pyr. 4 = alpina.  
*Henningii*, Opiz, ex Walp. Rep. iii. 363, in nota, sphalm. = Neningii.  
*heterophylla*, Salisb. Ic. Stirp. Rar. 7 = orientalis.  
*heterophylla*, Steud. Nom. ed. II. ii. 757 = latifolia.  
*heterophyllos*, Boeber, ex Ledeb. Fl. Ross. iii. 256, sphalm. = tetraphyllos.  
*Hillebrandi*, F. Muell. in Trans. Phil. Soc. Vict. i. (1855) 49 = distans.  
*himalensis*, D. Don, Prod. Fl. Nep. 92.—Reg. Himal.  
*hirsuta*, Hopkirk, Fl. Glott. 9 = officinalis.  
*hirsuta*, Lucé, Topog. Nachr. Oesel, 5 = arvensis.  
*hirsuta*, Vukot. ex Nym. Consp. 548 = acinifolia.  
*hirsutissima*, Opiz, Natural. n. ix. (1825) 111, nomen = V. Chamaedrys.  
*hispanica*, Meerb. Pl. Rar. t. 11 = pinnata.  
*hispanica*, Pourr. ex Willk. & Lange, Prod. Fl. Hisp. ii. 601 = Assoana.  
*hispidula*, Boiss. & Huet, Diagn. Ser. II. iii. 173.—Armenia.  
*Hookeriana*, Walp. Rep. iii. 341.—N. Zel.

VERONICA:—

*hortensis*, Opiz, Natural. n. ix. (1825) 111, nomen = V. Chamaedrys.  
*hospita*, Mert. & Koch, Deutschl. Fl. i. 332 = Tournefortii.  
*Hostii*, Moretti, in Bibl. Ital. xii. (1818) 369 = longifolia.  
*Hulkeana*, F. Muell. ex Hook. f. Handb. N. Zeal. Fl. 213.—N. Zel.  
*humifusa*, Dicks. ex With. Bot. Arr. Brit. Pl. ed. III. ii. 15 = serpyllifolia.  
*humile*, Janka, in Termész. Füzetek, iv. (1880) 294.—Europ.  
*hybrida*, Bieb. Fl. Taur. Cauc. i. 8 = orchidea.  
*hybrida*, Georgi, Besch. Russ. Reich. Nachtr. 256 = longifolia.  
*hybrida*, Linn. Sp. Pl. 11 = spicata.  
*hyssopifolia*, Schur, Enum. Pl. Transs. 493 = austriaca.  
*imbricata*, Woerlein, in Ber. Bot. Ver. Landshut, viii. (1882) 199.—Europ.  
*imperfoliata*, Benth. in DC. Prod. x. 463 = perfoliata.  
*incana*, Linn. Sp. Pl. 10.—Europ. austr. or.; As. bor.  
*incana*, F. W. Schmidt, Fl. Boëm. i. 5 = longifolia.  
*incana*, Waldst. & Kit. Pl. Rar. Hung. iii. 271, t. 244 = spicata.  
*incarnata*, Lodd. ex Loud. Hort. Brit. 6 = spuria.  
*incarnata*, Stokes, Bot. Comm. i. 85 = longifolia.  
*incisa*, Opiz, Natural. n. ix. (1825) 111, nomen = latifolia.  
*incisa*, [Soland. in] Ait. Hort. Kew. ed. I. i. 19 = spuria.  
*indica*, Roxb. ex A. Dietr. Sp. Pl. i. 522 = V. Anagallis.  
*integrifolia*, Opiz, ex Schult. Mant. i. Add. II. 229, in syn. = V. Teucrium.  
*integrifolia*, Schrank, Prim. Fl. Salisb. 20 = alpina.  
*intermedia*, Schwein. in Am. Journ. Sc. Ser. I. viii. (1824) 268 = americana.  
*intermedia*, Sternb. ex Schult. Mant. i. 110 = V. Chamaedrys.  
*intermedia*, Terrac. ex Ann. Acc. Asp. Napol. Ser. III. vi. (1866).—Cf. Bull. Soc. Bot. Fr. xvi. (1869) Bibl. 57.—Europ. austr.  
*irregularis*, Lapeyr. Hist. Abr. Pl. Pyr. i. 6 = nummularia.  
*irrigans*, T. Kirk, in Trans. N. Z. Inst. ii. (1870) 94.—N. Zel.  
*ixodes*, Boiss. & Bal. Diagn. Ser. II. iii. 172.—Cappadoc.  
*Jacquinii*, Baumg. Enum. Stirp. Transs. i. 26 = austriaca.  
*japonica*, Steud. Nom. ed. II. ii. 757 = virginica.  
*javanica*, Blume, Bijdr. 742.—Reg. Himal.; Malaya.  
*Jungbaueri*, Opiz, Natural. n. ix. (1825) 110 = longifolia.  
*kamtschatica*, Linn. f. Suppl. 83.—Kamtchat.; Ins. Aleut.  
*kermesina*, Loud. Encyc. Pl. 1546 = speciosa.  
*Kirkii*, Armst. in Trans. N. Z. Inst. xiii. (1881) 356.—N. Zel.  
*Koeleri*, Roem. & Schult. Syst. i. 127 (sp. dub.).—Hab.?  
*Kosteleckii*, Opiz, Natural. n. ix. (1825) 109 = longifolia.  
*Kotschyana*, Benth. in DC. Prod. x. 480.—Cilicia.  
*kurdica*, Benth. l. c. 473.—As. Min.; Persia.  
*labiata*, R. Br. Prod. 434 = V. Derwentia.  
*laciniata*, Moench, Meth. 435 = austriaca.  
*laciniata*, [Soland. in] Ait. Hort. Kew. ed. I. i. 19 = spuria.  
*laeta*, Hort. ex Reichb. Fl. Germ. Excurs. 370 = spicata.  
*laeta*, Kar. & Kir. in Bull. Soc. Nat. Mosc. xv. (1842) 414.—Sibir.  
*laevis*, Benth. in DC. Prod. x. 461.—N. Zel.  
*laevis*, Lam. Fl. Fr. ii. 444 = peregrina.  
*lamiifolia*, Hayne, in Ges. Naturf. Fr. Berl. Mag. vii. (1813) 132 = V. Chamaedrys.  
*lanceolata*, Benth. in DC. Prod. x. 462.—N. Zel.  
*lanceolata*, Opiz, Natural. n. ix. (1825) 111, nomen = officinalis.  
*lanosa*, Royle, ex Benth. Scroph. Ind. 45 = deltigera.  
*lanuginosa*, Benth. ex Hook. f. Fl. Brit. Ind. iv. 293.—Reg. Himal.  
*Lappago*, Schrank, Baier. Fl. i. 218 = hederaefolia.  
*latifolia*, Linn. Herb. ex Nym. Consp. 545 = V. Teucrium.  
*latifolia*, Linn. Sp. Pl. 13.—Europ.; Reg. Cauc.

## VERONICA:—

- Lavaudiana, *Raoul, Choix Pl. Nouv. Zél.* 16. t. 10.—N. Zel.  
 laxa, *Benth. Scroph. Ind.* 45.—Reg. Himal.; Japan.  
 laxiflora, *Lej. Rev. Fl. Spa.* 4.—Belgium.  
 leiocarpa, *Boiss. Diagn. Ser. I. xii.* 45=stenobotrys.  
 leptostachya, *Hort. ex Reichb. Fl. Germ. Excurs.* 371=spuria.  
 leucantha, *Helm, in Mém. Soc. Nat. Mosc.* ii. (1809) 104. t. 8=spuria.  
 Lewisii, *Armst. in Trans. N. Z. Inst.* xiii. (1881) 357.—N. Zel.  
 ligustrifolia, *A. Cunn. in Bot. Mag.* sub t. 3461.—N. Zel.  
 lilacina, *Towns. in Bull. Soc. Bot. Fr.* xxv. (1878) 16=bellidioides.  
 limosa, *Lej. Rev. Fl. Spa.* 2=V. Beccabunga.  
 linariaefolia, *Pall. ex Link, Jahrb.* i. III. (1820) 35=spuria.  
 linariaefolia, *Vis. in Att. Ist. Venet.* Ser. III. iv. (1858-59) 134.—Hab.?  
 Linastrum, *Arv. Ess. Pl. Dauph.* 55 (Quid?).—Gallia.  
 Lindleyana, *Paxt. Mag. Bot.* xii. (1846) 247=salici-folia.  
 Lindleyana, *Wall. Cat. n.* 404=Pierorhiza Kurroa.  
 linifolia, *Hook. f. Handb. N. Zeal. Fl.* 214.—N. Zel.  
 litoralis, *Vell. Fl. Flum.* 10; i. t. 24.—Bras.  
 liwanensis, *C. Koch, in Linnaea*, xxii. (1849) 698=telephiifolia.  
 loganioides, *Armst. in Trans. N. Z. Inst.* xiii. (1881) 359.—N. Zel.  
 longebracteata, *Link, Enum. Hort. Berol.* i. 20=spicata.  
 longe-pedunculata, *Gilib. Fl. Lituan.* i. 118=agrestis.  
 longiflora, *Roem. & Schult. Syst.* i. 95.—Hab.?  
 longifolia, *Hoffm. Phytog. Blaetter*, i. (1803) 92=spicata?  
 longifolia, *Linn. Sp. Pl.* 10.—Europ.; As. Min.; Sibir.  
 longifolio-repens, *Gilib. Fl. Lituan.* i. 117=V. Anagallis.  
 longipes, *Jord. & Fourr. Brev. Pl. Nov. fasc.* i. 41=V. Cymbalaria.  
 longistyla, *Ball, in Ann. & Mag. Nat. Hist. Ser. II.* v. (1850) 47=aphylla.  
 lucens, *T. Kirk, ex Armst. in Trans. N. Z. Inst.* xiii. (1881) 355=canterburiensis.  
 lucida, *Schur, in Verh. Siebenb. Ver. Naturw.* iii. (1852) 88=serpyllifolia.  
 Luetkeana, *Rupr. Ser. Tiansch.* 62.—Turkestan.  
 lutetiana, *Schult. Mant.* i. 109=V. Teucrium.  
 luxurians, *Ledeb. Fl. Alt.* i. 27, in *Adnot.*=longifolia.  
 Lyallii, *Hook. f. Fl. N. Zel.* i. 196.—N. Zel.  
 lycopodioides, *Hook. f. Handb. N. Zeal. Fl.* 211.—N. Zel.  
 lysimachioides, *Boiss. Diagn. Ser. II. iii.* 165.—Lydia.  
 macrantha, *Hook. f. Handb. N. Zeal. Fl.* 213.—N. Zel.  
 macrocalyx, *Armst. in Trans. N. Z. Inst.* xiii. (1881) 353.—N. Zel.  
 macrocarpa, *Hort. ex Reichb. Fl. Germ. Excurs.* 371=longifolia.  
 macrocarpa, *Turcz. ex Steud. Nom. ed. II. ii.* 758=ciliata.  
 macrocarpa, *Vahl, Symb. Bot.* iii. 4.—N. Zel.  
 macrodonta, *Borb. in Oestr. Bot. Zeitschr.* xxxiv. (1884) 73=prostrata.  
 macropoda, *Boiss. Diagn. Ser. I. iv.* 79.—Persia.  
 macrostachya, *Vahl, Enum.* i. 71=polifolia.  
 macrostemon, *Bunge, ex Ledeb. Fl. Alt.* i. 35.—Reg. Himal.; As. bor.  
 macroura, *Hook. f. ex Benth. in DC. Prod.* x. 459.—N. Zel.  
 Maddenii, *Edgew. ex Hook. f. Fl. Brit. Ind.* iv. 296=javanica.  
 major, *Presl, ex Schult. Mant.* i. Add. II. 229, in syn.=serpyllifolia.  
 Mannii, *Hook. f. in Journ. Linn. Soc.* vi. (1862) 19.—Afr. trop.  
 marilandica, *Linn. Sp. Pl.* 14=Polypremum procumbens.  
 marilandica, *Murr. in Comm. Gotting.* (1782) 11. t. 3=peregrina.  
 maritima, *Linn. Sp. Pl.* 10=longifolia.  
 maxima, *Mill. Gard. Dict. ed. VIII.* n. 11=latifolia.  
 maxima, *Stev. in Mém. Soc. Nat. Mosc.* ii. (1809) 179=melissaeifolia.

## VERONICA:—

- media, *Lej. Rev. Fl. Spa.* 4=spicata.  
 media, *Schrad. Comm. Veron. Spic.* 23=longifolia.  
 melancholica, *Desf. ex Sweet, Hort. Brit. ed. II.* 397=seq.  
 melincolica, *Hort. Par. ex Schult. Mant.* i. 117 (Quid?).—Hab.?  
 melissaeifolia, *Poir. Encyc.* viii. 526.—As. Min.; Reg. Cauc.  
 menthaefolia, *Schott, ex Roem. & Schult. Syst.* i. 94=spicata.  
 Menziesii, *Benth. in DC. Prod.* x. 461=elliptica.  
 mesotipa, *Link, Handb.* i. 522.—Europ.  
 Michauxii, *Lam. Illustr.* i. 44.—Persia.  
 micrantha, *Hoffm. & Link, Fl. Port.* i. 286=V. Chamaedrys.  
 micrantha, *Schur, Enum. Pl. Transs.* 978 (Index)=arvensis.  
 microcarpa, *Boiss. Diagn. Ser. I. iv.* 76.—Armen.; Persia.  
 microcoma, *Borb. in Oestr. Bot. Zeitschr.* xxix. (1879) 134.—Europ.  
 microphylla, *Kit. in Schult. Oestr. Fl. ed. II.* i. 20=serpyllifolia.  
 microtheca, *Boiss. & Bal. Diagn. Ser. II. vi.* 131=biloba.  
 minima, *Echeand. Fl. Caesaraug.* (1861) 21.—Hispan.  
 minima, *C. Koch, in Linnaea*, xxii. (1849) 700=hispidula.  
 minor, *Vahl, ex Mert. & Koch, Deutschl. Fl.* i. 317=V. Anagallis.  
 minuta, *Krock. Fl. Siles. Suppl.* i. 47 (Quid?).—Europ.  
 minuta, *C. A. Mey. Verz. Pfl. Cauc.* 105.—Reg. Cauc.  
 missurica, *Rafin. in Am. Monthly Mag.* (1818) 175.—Am. bor.  
 mollis, *Rafin. New Fl. Am.* iv. 38 (Quid?).—Am. bor.  
 mollis, *Willd. ex Link, Jahrb.* i. III. (1820) 39=spuria.  
 mollis, *Zea, ex Roem. & Schult. Syst.* i. 112=V. Chamaedrys.  
 mollissima, *Hornem. Suppl. Hort. Hafn.* 3=praec.  
 mollissima, *Link, Handb.* i. 527; *Hort. ex Steud.* Nom. ed. II. ii. 758=V. Chamaedrys.  
 monstrosa, *Hort. ex Schult. Mant.* i. 100=orchidea.  
 monstrosa, *Opiz, ex Schult. Mant.* i. Add. II. 229, in syn.=officinalis.  
 montana, *Linn. Cent. Pl.* i. 3; *Amoen. Acad.* iv. 263.—Europ.  
 montana, *Pall. Reise*, ii. 522=austriaca.  
 monticola, *Armst. in Trans. N. Z. Inst.* xiii. (1881) 354.—N. Zel.  
 monticola, *x, Trautv. in Bull. Acad. Pétersb.* x. (1866) 398.—Reg. Cauc.  
 montioides, *Boiss. Diagn. Ser. I. vii.* 43=V. Anagallis.  
 Muellieri, *f. Buch. in Trans. N. Z. Inst.* xiv. (1882) 351.—N. Zel.  
 Muellieri, *Mart, ex Walp. Rep.* iii. 361=longifolia.  
 Muellieri, *Vest, ex Schrank, in Flora*, vii. (1824) II. Beibl. 8=seq.  
 Muellieriana, *Vest, ex Schult. Mant.* i. 107=officinalis.  
 multicaulis, *Bernh. ex Walp. Rep.* iii. 362=longifolia.  
 multifida, *Colm. Cat. Pl. Catalun.* 118=Assoana.  
 multifida, *Jacq. Fl. Austr.* iv. 15=austriaca.  
 multifida, *Linn. Sp. Pl.* 13.—As. Min.; As. bor.  
 murorum, *Maxim. in Bull. Acad. Pétersb.* xxvii. (1881) 508.—Japon.  
 muscosa, *Hort. ex Schult. Mant.* i. 117=orchidea.  
 myrtifolia, *Banks & Soland. ex Benth. in DC. Prod.* x. 460=macrocarpa.  
 neglecta, *Kit. ex Schult. Oestr. Fl. ed. II.* i. 17=spicata.  
 neglecta, *F. W. Schmidt, Fl. Boëm.* i. 12=serpyllifolia.  
 neglecta, *Vahl, Enum.* i. 59=incana.  
 nemorosa, *Kastropp, in Oestr. Bot. Zeitschr.* xvii. (1867) 107.—Europ.  
 nemorum, *Pall. ex Link, Jahrb.* i. III. (1820) 42, in textu=peduncularis.  
 Nennigii, *Opiz, Natural. n.* ix. (1825) 110=longifolia.  
 nigricans, *C. Koch, in Linnaea*, xvii. (1843) 288=peduncularis.  
 Nimrodi, *Richter, ex Stapf, in Denkschr. Akad. Wien*, l. (1885) 91.—Mesopot.

## VERONICA:—

- nitens, *Host, Fl. Austr.* i. 7=spicata.  
 nitens, *Schult. Mant.* i. 97=longifolia.  
 nitida, *Ehrh. ex Roem. & Schult. Syst.* i. 87=spuria.  
 nitida, *Hort. ex Poir. Encyc. Suppl.* v. 467=V. Teucrium.  
 nitida, *Link, Enum. Hort. Berol.* i. 20=longifolia.  
 nitidula, *Reichb. ex Steud. Nom. ed. II. ii.* 755, in syn.=agrestis.  
 nitidula, *Reichb. ex Walp. Rep.* iii. 336=didyma.  
 nivalis, *Benth. in DC. Prod.* x. 477, sphalm.=Hookeriana.  
 nivalis, *Schur, in Verh. Siebenb. Ver. Naturw.* iv. (1853) 55; x. (1859) 139=alpina.  
 nivea, *Hook. f. in Hook. Ic. Pl.* t. 640=Hookeriana.  
 nivea, *Lindl. Bot. Reg.* (1842) Misc. 42.—Austral.  
 nodiflora, *Pritz. Ic. Ind.* i. 1155=Verbena nodiflora.  
 Noëana, *Boiss. Diagn. Ser. II. iii.* 168=orientalis.  
 notabilis, *F. Muell. ex Benth. Fl. Austral.* iv. 511.—Austral.  
 nova, *Koel. ex Roem. Collect.* 306=Koeleri.  
 Novae-Hollandiae, *Poir. Encyc.* viii. 526=distans?  
 nudicaulis, *Kar. & Kir. in Bull. Soc. Nat. Mosc.* xv. (1842) 415.—Persia; Soongar.  
 nudicaulis, *Lam. Fl. Fr.* ii. 437=aphylla.  
 Nummularia, *Gouan, Illustr.* 1. t. 1. f. 2.—Mont. Pyren.  
 nummulariaefolia, *Nym. Consp.* 547=V. Nummularia.  
 nummulariaefolia, *Thuill. Fl. Par. ed. II.* 6=serpyllifolia.  
 nutans, *Bong. in Mém. Acad. Pétersb.* ii. (1833) 157=alpina.  
 obliqua, *Kit. in Linnaea*, xxxii. (1863) 445 (Quid?).—Hungar.  
 obovata, *T. Kirk, in Trans. N. Z. Inst.* ix. (1877) 502.—N. Zel.  
 obscura, *Dum. Fl. Belg.* 35=agrestis.  
 obtusiuscula, *Opiz, Natural. n.* ix. (1825) 110, nomen=spicata.  
 ocymifolia, *Thuill. Fl. Par.* (1824) 10=praecox.  
 odora, *Hook. f. Fl. Antarct.* i. 62. t. 41=buxifolia.  
 officinalis, *Linn. Sp. Pl.* 11.—Europ.; As. Min.; As. bor.  
 officinarum, *Crantz, Stirp. Austr. ed. II. fasc.* iv. 336=praec.  
 olympica, *Pall. ex Link, Jahrb.* i. III. (1820) 40=gentianoides.  
 Onoei, *Franch. & Sav. Enum. Pl. Jap.* ii. 457.—Japon.  
 opaca, *Fries, Novit. Fl. Suec.* ed. II. 3=agrestis.  
 oppositifolia, *Gilib. Exercit.* i. 107=spicata.  
 orbicularis, *Fisch. ex Trautv. in Bull. Acad. Pétersb.* x. (1866) 397=telephiifolia.  
 orbiculata, *Kern. ex Nym. Consp.* 545=prostrata.  
 orchidea, *Crantz, Stirp. Austr. ed. II. fasc.* iv. 333.—Reg. Danub. et Cauc.  
 orientalis, *Mill. Gard. Dict. ed. VIII.* n. 10; *Ait. Hort. Kew.* ed. I. i. 23.—As. Min.; Persia.  
 orientalis, *Willd. Enum. Hort. Berol.* i. 22=austriaca.  
 Orsiniana, *Tenore, App.* v. 4; et *Succ. Relaz.* 43=prostrata.  
 osiliensis, *Lucé, Topog. Nachr. Oesel*, 4=V. Anagallis.  
 ossetica, *Stev. in Mém. Soc. Nat. Mosc.* ii. (1809) 180=caucasica.  
 ovalifolia, *Schur, Enum. Pl. Transs.* 496=spicata.  
 oxycarpa, *Boiss. Diagn. Ser. I. vii.* 44=V. Anagallis.  
 oxyphylla, *Stev. ex Bess. Enum. Pl. Volh.* 48=longifolia.  
 Paederotae, *Boiss. Diagn. Ser. I. iv.* 78.—Persia.  
 pallens, *Host, Fl. Austr.* i. 6=spicata.  
 pallescens, *Gater. Desc. Pl. Montaub.* 27=peregrina.  
 pallida, *Hornem. Hort. Hafn.* i. 17=gentianoides.  
 palmatiloba, *Miégev. in Bull. Soc. Bot. Fr.* xiv. (1867) 146=verna.  
 paludosa, *Lej. Fl. Spa.* i. 22=spicata.  
 palustris, *Salisb. Prod.* 92=V. Anagallis.  
 paniculata, *Linn. Syst. ed. X.* 849=spuria.  
 paniculata, *Willd. Sp. Pl.* i. 71=V. Teucrium.  
 pannonica, *Mill. Gard. Dict. ed. VIII.* n. 5=orchidea.  
 panormitana, *Tineo, in Guss. Suppl. Fl. Sic. Prod.* 4=V. Cymbalaria.  
 parmlularia, *Poit. & Turp. Fl. Par.* 16. t. 14=scutellata.  
 parviflora, *Vahl, Symb. Bot.* iii. 4.—N. Zel.  
 parviflora, *Vahl, Enum.* i. 72, sphalm.=seq.  
 parvifolia, *Vahl, l. c.* 362=orientalis.

## VERONICA:—

- pauciflora*, Kit. ex Link, Jahrb. i. III. (1820) 42 = Baumgartenii.  
*pectinata*, Georgi, Besch. Russ. Reich. III. iv. 652 = orientalis.  
*pectinata*, Linn. Mant. i. 24.—Oriens.  
*pectinata*, Opiz, ex Schult. Mant. i. Add. II. 229 = prostrata.  
*peduncularis*, Bieb. Fl. Taur. Cauc. i. 11.—As. Min.; Reg. Cauc.  
*peduncularis*, Bory & Chaub. Nouv. Fl. Pélop. 1 = Chaubardi.  
*peduncularis*, Stev. ex Reichb. Fl. Germ. Excurs. 369, in obs. = caucasia.  
*pedunculata*, Labill. Ic. Pl. Syn. Dec. v. 8 = syriaca.  
*pedunculata*, Vahl, Enum. i. 77 = V. Chamaedrys.  
*peloponnesiaca*, Boiss. & Orph. in Boiss. Fl. Orient. iv. 462.—Graecia.  
*peregrina*, Linn. Sp. Pl. 14.—Am. bor.  
*perfoliata*, R. Br. Prod. 434.—Austral.  
*perfoliata*, Rafin. New Fl. Am. iv. 37 (Quid ?).—Am. bor.  
*perpusilla*, Boiss. Diagn. Ser. I. vii. 43 = nudicaulis.  
*persica*, Hort. ex Poir. Encyc. viii. 542 = Tournefortii.  
*persicifolia*, Schott, ex Link, Enum. Hort. Berol. i. 21 = longifolia.  
*peruviana*, Willd. ex A. Dietr. Sp. Pl. i. 534 = peregrina.  
*Petersii*, Opiz, in Weitenw. Beitr. i. (1836) 67 (err. typ. 76) = *Petersii*.  
*petiolaris*, Lapeyr. Hist. Abr. Pl. Pyren. i. 5 = longifolia.  
*petiolata*, Opiz, Natural. n. ix. (1825) 111, nomen = V. Chamaedrys.  
*Petitiana*, A. Rich. Tent. Fl. Abyss. ii. 127.—Abyss.  
*petraea*, Baumg. Enum. Stirp. Transs. i. 21 = Baumgartenii.  
*petraea*, Stev. in Mém. Soc. Nat. Mosc. iii. (1812) 250.—Reg. Cauc.  
*Petersii*, Opiz, Natural. n. ix. (1825) 109; et x. (1825) 245 = longifolia.  
*phoenicantha*, C. Koch, in Linnaea, xxii. (1849) 690 = peduncularis.  
*pilocarpa*, Link, Enum. Hort. Berol. i. 25 = austriaca.  
*pilosa*, Linn. Sp. Pl. ed. II. 1663 = V. Chamaedrys.  
*pimeleoides*, Hook. f. Fl. N. Zel. i. 195.—N. Zel.  
*pinguifolia*, Hook. f. Handb. N. Zeal. Fl. 210.—N. Zel.  
*pinnata*, Linn. Mant. i. 24.—Sibir. altaic.  
*pinnata*, Schur, Enum. Pl. Transs. 494 = multifida.  
*pinnatifida*, Lam. Illustr. i. 47 = verna.  
*pinnatifida*, Pohl, Tent. Fl. Bohem. i. 17 = austriaca.  
*pinnatifida*, Salisb. Prod. 90 = pinnata.  
*pinnatifida*, Willd. ex Schult. Mant. i. 117 (Quid ?).—Hab. ?  
*plebeia*, R. Br. Prod. 435.—Austral.  
*plena*, Opiz, ex Schult. Mant. i. Add. II. 229, in syn. = officinalis.  
*plicata*, Pohl, Tent. Fl. Bohem. i. 15. f. 1 = V. Chamaedrys.  
*polifolia*, Benth. in DC. Prod. x. 473.—As. Min.; Syria.  
*polita*, Fries, Novit. Fl. Suec. ed. II. 1 = didyma.  
*polyanthos*, Thuill. Fl. Par. ed. II. 9 = arvensis.  
*polygonoides*, Lam. Illustr. i. 47 = verna.  
*polymorpha*, Willd. Enum. Hort. Berol. Suppl. 2 = austriaca.  
*polystachya*, Link, Enum. Hort. Berol. i. 23 = longifolia.  
*Ponae*, Gouan, Illustr. i. 1. t. 1. f. 1.—Europ.  
*praealta*, Lodd. Cat. (1823); Sweet, Hort. Brit. ed. II. 397 (Quid ?).—Hab. ?  
*praecox*, All. Auct. Fl. Pedem. 5. t. 1. f. 1.—Reg. Medit.  
*praetutiana*, Moretti, in Bibl. Ital. lxii. (1833) 217 = officinalis.  
*prasifolia*, Desf. Cat. Hort. Par. ed. III. 82 = longifolia.  
*pratensis*, Crantz, Stirp. Austr. ed. II. fasc. iv. 344 = prostrata.  
*precox*, Rafin. Atl. Journ. 79 (Quid ?).—Am. bor.  
*procerior*, Presl, ex Schult. Mant. i. Add. II. 229 = verna.  
*procumbens*, Clarke, Trav. i. 747, nomen.—Tauria.  
*prostrata*, Linn. Sp. Pl. ed. II. 22.—Europ.  
*prostrata*, Sibth. & Sm. Fl. Graec. Prod. i. 7 = V. Teucrium.  
*Pseudo-arvensis*, Tineo, Pl. Rar. Sicil. 34 = arvensis.

## VERONICA:—

- Pseudo-chamaedrys*, Jacq. Fl. Austr. i. 37. t. 60 = V. Teucrium.  
*Pseudo-incana*, Schur, Enum. Pl. Transs. 496 = spicata.  
*pubescens*, Banks & Soland. ex Benth. in DC. Prod. x. 461.—N. Zel.  
*pulchella*, Bast. Fl. Maine-et-Loire, 144 = agrestis.  
*pulchella*, Bernh. ex Roem. & Schult. Syst. i. 126.—Hab. ?  
*pulchella*, Salisb. Prod. 92 = V. Chamaedrys.  
*pulchra*, G. Don, in Loud. Hort. Brit. 7 = arenaria.  
*pumila*, All. Fl. Pedem. i. 75 = alpina.  
*pumila*, Clarke, Trav. iv. 554, 559.—Bulgaria.  
*punctata*, Buch.-Ham. ex D. Don, Prod. Fl. Nep. 93 = V. Anagallis.  
*purpurea*, Steud. Nom. ed. II. ii. 759 = virginica.  
*Purshii*, G. Don, Gen. Syst. iv. 573 (an generis ?).—Am. bor.  
*pusilla*, Benth. in DC. Prod. x. 468 = V. Anagallis.  
*pusilla*, Hohen. & Boiss. ex Benth. in DC. Prod. x. 490 = nudicaulis.  
*pusilla*, Kit. in Linnaea, xxxii. (1863) 449 (Quid ?).—Hungar.  
*pygmaea*, Schrank, Prim. Fl. Salisb. 20 = alpina.  
*pyrenaica*, All. Fl. Pedem. i. 73 = Allionii.  
*quadrifolia*, Schkuhr, Handb. i. 9 = longifolia.  
*quinquefida*, Gilib. Fl. Lituan. i. 120 = triphyllus.  
*quinquefolia*, Stokes, Bot. Mat. Med. i. 28 = virginica.  
*racemifolia*, Peres-Lara, in Anal. Soc. Esp. Hist. Nat. xi. (1882) 401.—Hispan.  
*rakaiensis*, Armst. in Trans. N. Z. Inst. xiii. (1881) 356.—N. Zel.  
*ramosa*, Pall. ex Link, Jahrb. i. III. (1820) 38 = spuria.  
*Raoulii*, Hook. f. Handb. N. Zeal. Fl. 214.—N. Zel.  
*recta*, Benth. in DC. Prod. x. 474 = austriaca.  
*reniformis*, Pursh, Fl. Am. Sept. i. 10 = Purshii.  
*reniformis*, Rafin. in Med. Repos. N. York, v. (1808) 360; Journ. Bot. i. (1808) 11. 228.—Am. bor.  
*repens*, All. ex Roem. & Schult. Syst. i. 110 = Allionii.  
*repens*, Boiss. Voy. Bot. Espagne, ii. 469 = apennina.  
*repens*, DC. Fl. Fr. iii. 727.—Ins. Corsic.  
*repens*, Gilib. Fl. Lituan. i. 108 = officinalis.  
*reticulata*, C. Koch, in Linnaea, xxii. (1849) 702 = ceratocarpa.  
*Reuteriana*, Boiss. Diagn. Ser. I. xii. 46.—Mesopot.  
*rigens*, Mart. Hort. Erlang. (1814) 13 = longifolia.  
*ringens*, Steud. Nom. ed. II. ii. 759, sphalm. = praec.  
*riparia*, Seidl, ex Bercht. Oek. Fl. Boehm. i. 30 = longifolia.  
*romana*, All. Fl. Pedem. i. 79 = verna.  
*romana*, Linn. Sp. Pl. 14 = peregrina.  
*romana*, F. W. Schmidt, Fl. Boëm. i. 31 = arvensis.  
*rosea*, Desf. Fl. Atlant. i. 13.—Alger.  
*rotundifolia*, Gilib. Exercit. i. 120 = V. Beccabunga.  
*rotundifolia*, Lucé, Fl. Osil. 3 = serpyllifolia.  
*rotundifolia*, Ruiz & Pav. Fl. Per. i. 6 = Sibthorpia pichinchensis.  
*rotundifolia*, Schrank, Prim. Fl. Salisb. 21 = alpina.  
*rotundifolia-erecta*, Gilib. Fl. Lituan. i. 116 = V. Anagallis.  
*rubella*, Willd. ex Link, Jahrb. i. III. (1820) 38 = spuria.  
*rubicunda*, Ledeb. Fl. Alt. i. 28, in Adnot. = spuria.  
*rubrifolia*, Boiss. Diagn. Ser. I. xii. 46.—Persia.  
*ruderalis*, Vahl, Enum. i. 66 = serpyllifolia.  
*Rudolphiana*, Hayne, in Ges. Naturf. Fr. Berl. Mag. vii. (1813) 133 = V. Chamaedrys.  
*rugosa*, Hort. ex Reichb. Fl. Germ. Excurs. 370 = spicata.  
*rupestris*, Aitch. & Hemsl. in Journ. Linn. Soc. xix. (1882) 180. t. 25 = deltigera.  
*rupestris*, Salisb. Prod. 91 = fruticulosa.  
*rupestris*, Tardent, Ess. Hist. Nat. Bessarab. 49.—Ross. austr.  
*ruthenica*, Roem. & Schult. Syst. i. 96 = longifolia.  
*ruthenica*, Spreng. ex Schrank, in Denkschr. Bot. Ges. Regensb. ii. (1822) 22, 23 = praec. ?  
*salicifolia*, A. Cunn. ex Hook. f. Handb. N. Zeal. Fl. 207 = macrocarpa.  
*salicifolia*, Forst. f. Prod. 3.—N. Zel.  
*salicoides*, Hook. f. Handb. N. Zeal. Fl. 212.—N. Zel.  
*salina*, Schur, Enum. Pl. Transs. 492 = anagalloides.  
*Sartoriana*, Boiss. & Heldr. Diagn. Ser. II. iii. 171.—Graecia.  
*satureiaefolia*, Poit. & Turp. Fl. Par. 18. t. 17 = prostrata.

## VERONICA:—

- satureioides*, Vis. Fl. Dalm. ii. 168. t. 33. f. 2.—Dalmat.  
*saxatilis*, Scop. Fl. Carn. ed. II. i. 11 = fruticulosa.  
*scardica*, Griseb. Spicil. Fl. Rumel. ii. 31 = V. Beccabunga.  
*Schmidtiana*, Regel, Ind. Sem. Hort. Petrop. (1864) 22.—Ins. Sachalin.  
*Schmidtii*, Pohl, ex Schult. Mant. i. 108 = V. Chamaedrys.  
*Schmidtii*, Roem. & Schult. Syst. i. 115 = V. Teucrium.  
*Schreberi*, Baumg. Fl. Lips. 6 = longifolia.  
*Schreberiana*, Reichb. Fl. Germ. Excurs. 371 = praec.  
*sciaphila*, Menyh. Kalocsa Vidék. Növényf. 131.—Hungar.  
*scrophularioides*, Wall. Cat. sub n. 401 = cana.  
*scutellata*, Linn. Sp. Pl. 12.—Reg. bor. temp.  
*secundiflora*, C. Koch, in Linnaea, xvii. (1843) 288 = peduncularis.  
*segetalis*, Pers. in Usteri, Ann. Bot. xiv. (1795) 38 = praecox.  
*sempervirens*, Lam. Fl. Fr. ii. 436 = Ponae.  
*serotina*, Hort. ex Roem. & Schult. Syst. i. 89 = longifolia.  
*serpyllifolia*, Bourg. ex Willk. & Lange, Prod. Fl. Hisp. ii. 598 = apennina.  
*serpyllifolia*, Linn. Sp. Pl. 12.—Reg. bor. temp.  
*serpylloides*, Regel, in Act. Hort. Petrop. vi. (1879) 345.—Turkestan.  
*serrulata*, Willd. ex Link, Jahrb. i. III. (1820) 38 = spuria.  
*sessiliflora*, Bunge, in Ledeb. Fl. Atl. i. 32.—Sibir. altaic.  
*sessilifolia*, Opiz, Natural. n. ix. (1825) 111, nomen = spicata, V. Chamaedrys.  
*setigera*, D. Don, in Mem. Wern. Soc. iii. (1821) 297 = officinalis.  
*sibirica*, Linn. Sp. Pl. ed. II. 12 = virginica.  
*sibthorpieifolia*, Chaub. in Act. Linn. Soc. Bord. xix. (1853) 233.—Gallia.  
*Sieboldiana*, Miq. Ann. Mus. Bot. Lugd. Bat. ii. 119.—Japon.  
*simensis*, Fresen. in Bot. Zeit. ii. (1844) 356 = violae-folia.  
*simplex*, Opiz, ex Schult. Mant. i. Add. II. 229 = hederifolia, arvensis.  
*Simpsoni*, Phil. in Anal. Univ. Chil. (1873) 526.—Chili.  
*spadana*, Lej. Fl. Spa, i. 22 = officinalis.  
*sparsiflora*, Rafin. Atl. Journ. 79 (Quid ?).—Am. bor.  
*spathulata*, Benth. in DC. Prod. x. 477.—N. Zel.  
*speciosa*, R. Cunn. in Bot. Mag. sub t. 3461.—N. Zel.  
*spicata*, Linn. Sp. Pl. 10.—Europ.; As. bor.  
*spicato-racemosa*, Gilib. Fl. Lituan. i. 107 = serpyllifolia.  
*spuria*, Linn. Sp. Pl. 10.—Europ.  
*spuria*, Schkuhr, Handb. i. 9 = longifolia.  
*squamosa*, J. & C. Presl, Fl. Čech. 2 = spicata.  
*stachyoides*, Schur, Enum. Pl. Transs. 497 = spicata.  
*stenobotrys*, Boiss. & Blanche, Diagn. Ser. II. iii. 166.—Cilicia; Syria.  
*stenophylla*, Steud. Nom. ed. II. ii. 760 = parviflora.  
*Stephaniana*, Roem. & Schult. Syst. i. Mant. 96 = spuria.  
*Stelleri*, Pall. ex Link, Jahrb. i. III. (1820) 40.—Ins. Aleut.  
*Sternbergiana*, Bernh. Ehrenp. 21 = spicata.  
*stolonifera*, Lehm. Sem. Hort. Hamb. (1820); (1824) 20; et Pl. Preiss. i. 342 = calycina.  
*stricta*, Banks & Soland. ex Benth. in DC. Prod. x. 459 = salicifolia.  
*stricta*, Lodd. Cat. (1823); ex Schult. Mant. i. Add. II. 228 (Quid ?).—Hab. ?  
*strictiflora*, Steud. Nom. ed. I. 879 = nummularia.  
*subacaulis*, Lam. Illustr. i. 44 = aphylla.  
*subarctica*, Schur, Enum. Pl. Transs. 495 = officinalis.  
*subbiscutata*, Crantz, Stirp. Austr. ed. II. fasc. iv. 343 = montana.  
*subincana*, Hoffm. in Comm. Gotting. xv. (1804) 125. t. 7.—Europ.  
*sublaciniata*, G. Don, Gen. Syst. iv. 567 = spuria.  
*succulenta*, All. Fl. Pedem. i. 78 = verna.  
*surculosa*, Boiss. & Bal. Diagn. Ser. II. iii. 170.—Cilicia.  
*syriaca*, Roem. & Schult. Syst. i. 116.—As. Min.; Syria.



**VERONICA** :—

*sympirensis*, C. Koch, in *Linnaea*, xxii. (1849) 698 = *kurdica*.  
*taurica*, Willd. *Sp. Pl.* i. 70 = *orientalis*.  
*telephifolia*, Vahl, *Enum.* i. 65.—Reg. Cauc.  
*tenella*, All. *Fl. Pedem.* i. 75 = *serpyllifolia*.  
*tenella*, Jan, ex Ces. Passer. & Gib. Comp. *Fl. Ital.* 350 = *anagalloides*.  
*tenella*, Viv. *Fl. Cors. Spec. Nov.* 3 = *repens*.  
*tenerima*, F. W. Schmidt, in Mayer, *Samml. Phys.* Auf. i. (1791) 198 = *V. Anagallis*.  
*tenuifolia*, Asso, *Syn. Stirp. Arag.* 2. t. 1 = *Assoana*.  
*tenuifolia*, Bieb. *Fl. Taur. Cauc.* i. 13 = *multifida*.  
*tenuifolia*, Desf. ex Steud. *Nom. ed. I.* 879 (Quid ?).—Hab. ?  
*tenuis*, Ledeb. *Fl. Alt.* i. 38 = *anagalloides*.  
*ternifolia*, Opiz, ex Schult. *Mant. i. Add. II.* 229, in *syn.* = *V. Teucrium*.  
*tetragona*, Hook. *Jc. Pl.* t. 580.—N. Zel.  
*tetraphyllos*, Boeber, ex Georgi, *Beschr. Russ. Reich.* III. iv. 653 (Quid ?).—Ross. austr.  
*tetasticha*, Hook. *f. Handb. N. Zeal. Fl.* 212.—N. Zel.  
*teucroides*, Boiss. & Heldr. *Diagn. Ser. II.* iii. 169 = *thymifolia*.  
*teucrophylla*, St. Lag. in *Ann. Soc. Bot. Lyon*, vii. (1880) 137 = *V. Teucrium*.  
*Teucrium*, Brot. *Fl. Lusit.* i. 13 = *V. Chamaedrys*.  
*Teucrium*, Crantz, *Stirp. Austr. ed. II. fasc. iv.* 337, *partim* = *alpina*.  
*Teucrium*, Linn. *Sp. Pl. ed. II.* 16.—Europ.; As. bor.  
*Teucrium*, Pollich, *Hist. Pl. Palat.* i. 12 = *latifolia*.  
*Teucrium*, Savi, *Due Cent.* 5 = *prostrata*.  
*thessalica*, Benth. in *DC. Prod.* x. 480.—Graecia.  
*Thunbergii*, A. Gray, in *Mem. Am. Acad. N. S.* vi. (1859) 402 = *laxa*.  
*thymifolia*, Sibth. & Sm. *Fl. Graec. Prod.* i. 6.—Graecia; Creta.  
*thymifolia*, Willd. ex Link, *Jahrb. i. III.* (1820) 41 = *euphrasiaefolia*.  
*thyrsiflora*, Wall. *Cat. n.* 6393 = *Scrophularia calycina*.  
*ticinensis*, Pollini, *Fl. Veron.* iii. App. 768 = *longifolia*.  
*Tournefortii*, C. C. Gmel. *Fl. Bad.* i. 39.—Europ.; As. temp.; Afr. bor.  
*Tournefortii*, Vill. *Prosp.* 20; *Hist. Pl. Dauph.* ii. 9 = *officinalis*.  
*Townsendi*, Gremli, ex Dalla Torre, *Atl. Alpenfl.* 174 = *bellidioides*.  
*transilvanica*, Schur, in *Verh. Siebenb. Ver. Naturw.* iv. (1853) 55 = *longifolia*.  
*Traversii*, Hook. *f. Handb. N. Zeal. Fl.* 208.—N. Zel.  
*trichadena*, Jord. & Fourr. *Brev. Pl. Nov. fasc. i.* 42 = *V. Cymbalaria*.  
*trichocarpa*, Schult. *Mant. i.* 106 = *austriaca*.  
*trifida*, Gilib. *Fl. Lituan.* i. 121 = *verna*.  
*triloba*, Opiz, *Natural.* 108; et in *Lotos*, iv. (1854) 157 = *hederaefolia*.  
*triphyllus*, Gouan, ex Nym. *Consp.* 547 = *verna*.  
*triphyllus*, Linn. *Sp. Pl.* 14.—Europ.; Afr. bor.; As. Min.  
*triquetra*, Kit. ex Walp. *Rep.* iii. 363 = *spuria*.  
*triseptala*, Colenso, in *Trans. N. Z. Inst.* xv. (1883) 324.—N. Zel.  
*tubiflora*, Fisch. & Mey. *Ind. Sem. Hort. Petrop.* ii. 53.—Dahuria.  
*tymphrestea*, Boiss. & Sprun. *Diagn. Ser. I.* iv. 77 = *thymifolia*.  
*uliginosa*, Rafin. in *Am. Monthly Mag.* (1818) 175 = *scutellata*.  
*umbrosa*, Bieb. *Fl. Taur. Cauc.* i. 11 = *peduncularis*.  
*umbrosa*, Reichb. ex Schult. *Mant. i. Add. II.* 229, in *syn.* = *hederaefolia*.  
*undulata*, Wall. in *Roxb. Fl. Ind. ed. Carey*, i. 147 = *V. Anagallis*.  
*upsaliensis*, Hort. ex Schult. *Mant. i.* 95 = *spuria*.  
*urticaefolia*, Jacq. *Fl. Austr.* i. 37 = *latifolia*.  
*urticifolia*, St. Lag. in *Ann. Soc. Bot. Lyon*, viii. (1881) 190 = *praecox*.  
*Vaillantii*, Reichb. ex Nym. *Consp.* 544 = *spicata*.  
*variegata*, Hort. ex Vis. in *Att. Ist. Venet. Sc. Ser. III.* iv. (1858–59) 135 = *versicolor*.  
*Verbenae*, Hort. ex Schult. *Mant. i.* 95 = *spuria*.  
*verna*, Linn. *Sp. Pl.* 14.—Europ.; Oriens; As. bor.  
*vernica*, Hook. *f. Handb. N. Zeal. Fl.* 208.—N. Zel.  
*versicolor*, Drej. in *Fl. Dan.* t. 2221 = *agrestis*.

**VERONICA** :—

*versicolor*, Vis. in *Att. Ist. Venet. Sc. Ser. III.* iv. (1858–59) 134 (an hybr. ?).—Hab. ?  
*verticillata*, Gilib. *Fl. Lituan.* i. 97 = *longifolia*.  
*Vestiana*, Schult. *Mant. i.* 111 = *melissaefolia*.  
*villosa*, Schrad. *Comm. Veron. Spic.* 31 = *longifolia*.  
*villosa*, Steud. *Nom. ed. I.* 879 = *scutellata*.  
*villosa*, Wormsk. ex Roem. & Schult. *Syst. i.* 101 = *alpina*.  
*villosiuscula*, Krock. *Fl. Siles. Suppl. i.* 31 = *serpyllifolia*.  
*violaeefolia*, Hochst. ex Benth. in *DC. Prod.* x. 488.—Abyss.  
*virgata*, Krock. *Fl. Siles. Suppl. 22* (Quid ?).—Europ.  
*virgata*, Willd. ex Link, *Jahrb. i. III.* (1820) 39 = *spuria*.  
*virgata*, Menyh. *Kalocsa Vidék. Növényt.* 134 = *hederaefolia*.  
*virginica*, Linn. *Sp. Pl.* 9.—Am. bor.  
*viridis*, Presl, ex Schult. *Mant. i. Add. II.* 229, in *syn.* = *prostrata*.  
*viscida*, Waldst. ex Roem. & Schult. *Syst. i.* 124 = *praecox*.  
*viscosa*, Boiss. *Diagn. Ser. I.* xii. 47.—Syria; Mesopot.  
*viscosa*, Kit. ex A. Dietr. *Sp. Pl. i.* 529 = *praecox*.  
*viscosa*, Willd. ex Link, *Jahrb. i. III.* (1820) 34 = *spicata*.  
*vitifolia*, Sm. ex Walp. *Rep.* iii. 367 = *plebeia*.  
*vogerensis*, Walp. *Ann.* iii. 196 = *wogerensis*.  
*vilgaris*, Opiz, *Natural.* n. ix. (1825) 111, *nomen* = *officinalis*, *V. Chamaedrys*.  
*Waldsteiniana*, Schott, ex Schult. *Mant. i.* 117 (Quid ?).—Europ.  
*Wolfiana*, Schur, in *Verh. Siebenb. Ver. Naturw.* iv. (1853) 55 = *serpyllifolia*.  
*wogerensis*, Hochst. ex A. Rich. *Tent. Fl. Abyss.* ii. 126.—Abyss.  
*Wormskoldi*, Roem. & Schult. *Syst. i.* 101 = *alpina*.  
*xalapensis*, H. B. & K. *Nov. Gen. et Sp.* ii. 389 = *peregrina*.  
*yedoensis*, Franch. & Sav. *Enum. Pl. Jap.* ii. 458.—Japan.

**VERONICASTRUM**, Heist. ex Fabr. *Hort. Helmst.* 111 (1759) = **Veronica**, Tourn. (*Scrophul.*).  
*album*, Moench, *Meth.* 437 = *Veronica virginica*.  
*alpinum*, Fourr. in *Ann. Soc. Linn. Lyon*, N. S. xvii. (1869) 128 = *Veronica alpina*.  
*dentatum*, Opiz, *Seznam*, 102 = *Veronica Teucrium*.  
*diversifolium*, Moench, *Meth. Suppl.* 158 = *Veronica virginica*.  
*incisum*, Moench, l. c. = *Veronica spuria*.  
*laciniatum*, Moench, l. c. = *Veronica spuria*.  
*latifolium*, Opiz, *Seznam*, 103 (err. typ. 203) = *Veronica latifolia*.  
*prostratum*, Opiz, l. c. 102 = *Veronica prostrata*.  
*rubellum*, Moench, *Meth.* 437 = *Veronica virginica*.  
*serpyllifolium*, Fourr. in *Ann. Soc. Linn. Lyon*, N. S. xvii. (1869) 128 = *Veronica serpyllifolia*.

**VERONICELLA**, Fourr. in *Ann. Soc. Linn. Lyon*, N. S. xvii. (1869) 128 = **Veronica**, Tourn. (*Scrophul.*).  
*Chamaedrys*, Fourr. l. c. = *Veronica Chamaedrys*.  
*urticaefolia*, Fourr. l. c. = *Veronica latifolia*.

**VERREAUXIA**, Benth. *Fl. Austral.* iv. 105 (1869).  
**GOODENOVIEAE**, Benth. & Hook. f. ii. [II.] 540.  
*paniculata*, Benth. *Fl. Austral.* iv. 105.—Austral.  
*Reinwardtii*, Benth. l. c.—Austral.

**VERRUCARIA**, Medic. *Malv.* 103 (1787) = **Tournefortia**, Linn. (*Borag.*).  
*volubilis*, Medic. l. c. 104 = *T. volubilis*.

**VERRUCULARIA**, A. Juss. in *Ann. Sc. Nat. Sér.* II. xiii. (1840) 327. **MALPIGHIACEAE**, Benth. & Hook. f. i. 255.  
*glaucophylla*, Fuss. l. c.—Bras.

**VERSCHAFFELTIA**, H. Wendl. in *Illustr. Hortic.* xii. (1865) Misc. 5. **PALMAE**, Benth. & Hook. f. iii. 908.  
**REGELIA**, Hort. ex H. Wendl. in *Illustr. Hortic.* xii. (1865) Misc. 6.  
*melanochaetes*, H. Wendl. ex André, l. c. xviii. (1871) 54. t. 54 = *Roscheria melanochaetes*.  
*splendida*, H. Wendl. l. c. xii. (1865) Misc. 6.—Ins. Seychelles.

**VERTICILLARIA**, Ruiz & Pav. *Prod.* 81. t. 15 (1794) = **Rhedia**, Linn. (*Guttif.*).  
*acuminata*, Ruiz & Pav. *Syst. Veg.* 140 = *R. acuminata*.  
*peruviana*, G. Don, *Gen. Syst.* i. 615 = *R. acuminata*.

**VERTICORDIA**, DC. in *Dict. Class.* xi. 400 (1826).  
**MYRTACEAE**, Benth. & Hook. f. i. 697.

**CHRYSORHOË**, Lindl. in *Hook. Comp. Bot. Mag.* ii. (1836) 357.  
**DIPLACHNE**, R. Br. ex Desf. in *Mém. Mus. Par. v.* (1819) 272.  
*acerosa*, Lindl. *Swan River App.* 6.—Austral.  
*brachypoda*, Turcz. in *Bull. Soc. Nat. Mosc.* xx. (1847) i. 158 = *multiflora*.  
*brachystylis*, F. Muell. *Fragm.* i. 164 = *habrantha*.  
*Brownii*, DC. *Prod.* iii. 209.—Austral.  
*callitricha*, Meissn. in *Journ. Linn. Soc.* i. (1856) 39 = *monadelphae*.  
*carinata*, Turcz. in *Bull. Soc. Nat. Mosc.* xxii. (1849) ii. 19 = *Drummondii*.  
*cespitosa*, Turcz. l. c. xx. (1847) i. 157 = *densiflora*.  
*chrysantha*, Endl. in *Ann. Wien. Mus.* ii. (1838) 195.—Austral.  
*chrysostachys*, Meissn. in *Journ. Linn. Soc.* i. (1856) 41.—Austral.  
*compta*, Endl. in *Ann. Wien. Mus.* ii. (1838) 194 = *insignis*.  
*conferta*, Benth. *Fl. Austral.* iii. 22 = *fastigiata*.  
*Cunninghamii*, Schau. in *Nov. Act. Nat. Cur.* xix. *Suppl.* ii. (1841) 207.—Austral.  
*cuspidata*, A. Cunn. ex Schau. l. c. 212 = *pennigera*.  
*demissa*, F. Muell. ex Benth. *Fl. Austral.* iii. 25 = *oxylepis*.  
*densiflora*, Lindl. *Swan River App.* 6.—Austral.  
*Drummondii*, Schau. in *Nov. Act. Nat. Cur.* xix. *Suppl.* ii. (1841) 208.—Austral.  
*Endlicheriana*, Schau. in *Lehm. Pl. Preiss.* i. 101 = *Preissii*.  
*fastigiata*, Turcz. in *Bull. Phys.-Math. Acad. Pétersb.* x. (1852) 327.—Austral.  
*fimbriolepis*, Turcz. in *Bull. Soc. Nat. Mosc.* xx. (1847) i. 158.—Austral.  
*fimbriopetala*, Turcz. l. c. xxii. (1849) ii. 19 = *Huegelii*.  
*Fontanesii*, DC. *Prod.* iii. 209.—Austral.  
*Forrestii*, F. Muell. in *Wing, South. Sc. Record*, iii. (March, 1883).—Austral.  
*Gilbertii*, Turcz. in *Bull. Soc. Nat. Mosc.* xx. (1847) i. 160 = *chrysantha*.  
*grandiflora*, Endl. in *Ann. Wien. Mus.* ii. (1838) 195.—Austral.  
*grandis*, Drum. in *Hook. Kew Journ.* v. (1853) 119.—Austral.  
*habrantha*, Schau. in *Lehm. Pl. Preiss.* i. 99.—Austral.  
*Harveyi*, Benth. *Fl. Austral.* iii. 22.—Austral.  
*heliantha*, Lindl. *Swan River App.* 6 = *grandiflora*.  
*helichrysantha*, F. Muell. ex Benth. *Fl. Austral.* iii. 21.—Austral.  
*hirta*, Turcz. in *Bull. Phys.-Math. Acad. Pétersb.* x. (1852) 327 = *Preissii*.  
*Huegelii*, Endl. in *Enum. Pl. Hueg.* 46.—Austral.  
*Hughani*, F. Muell. *Fragm.* xi. 10.—Austral.  
*humilis*, Benth. *Fl. Austral.* iii. 26.—Austral.  
*insignis*, Endl. in *Enum. Pl. Hueg.* 47.—Austral.  
*integriseptala*, F. Muell. *Fragm.* iv. 57; et ex Benth. *Fl. Austral.* iii. 15 = *Darwinia verticordina*.  
*Jamiesonii*, F. Muell. in *Wing, South. Sc. Record*, iii. (March, 1883).—Austral.  
*Lehmanni*, Schau. in *Lehm. Pl. Preiss.* i. 99.—Austral.  
*lepidophylla*, F. Muell. *Fragm.* i. 228.—Austral.  
*Lindleyi*, Schau. in *Nov. Act. Nat. Cur.* xix. *Suppl.* ii. (1841) 210 = *Drummondii*.  
*minutiflora*, F. Muell. *Fragm.* iv. 58.—Austral.  
*monadelphae*, Turcz. in *Bull. Soc. Nat. Mosc.* xx. (1847) i. 158.—Austral.  
*multiflora*, Turcz. l. c. 159.—Austral.  
*nitens*, Schau. in *Nov. Act. Nat. Cur.* xix. *Suppl.* ii. (1841) 223.—Austral.  
*nobilis*, Meissn. in *Journ. Linn. Soc.* i. (1856) 39 = *grandiflora*.  
*oculata*, Meissn. l. c. 41.—Austral.  
*ovalifolia*, Meissn. l. c. 40.—Austral.  
*oxylepis*, Turcz. in *Bull. Phys.-Math. Acad. Pétersb.* x. (1852) 327.—Austral.

**VERTICORDIA** :—

- pectinata, Turcz. in Bull. Acad. Pétersb. x. (1852) 327.—Austral.  
 penicillaris, F. Muell. Fragm. i. 226.—Austral.  
 pennigera, Endl. in Enum. Pl. Hueg. 46.—Austral.  
 pentandra, Turcz. in Bull. Soc. Nat. Mosc. xx. (1847) i. 157 = picta.  
 pholidophylla, F. Muell. Fragm. i. 227.—Austral.  
 picta, Endl. in Ann. Wien. Mus. ii. (1838) 194.—Austral.  
 platystigma, A. Cunn. ex Schau. in Nov. Act. Nat. Cur. xix. Suppl. ii. (1841) 214 = Huegelii.  
 polytricha, Benth. Fl. Austral. iii. 25.—Austral.  
 Preissii, Schau. in Lehm. Pl. Preiss. i. 101.—Austral.  
 Roei, Endl. in Ann. Wien. Mus. ii. (1838) 194 = insignis.  
 serrata, Schau. in Nov. Act. Nat. Cur. xix. Suppl. ii. (1841) 222.—Austral.  
 setigera, Lindl. Swan River App. 7 = pennigera.  
 Sieberi, Dies. ex Schau. in Nov. Act. Nat. Cur. xix. Suppl. ii. (1841) 201 = Fontanesii.  
 spicata, F. Muell. Fragm. i. 226.—Austral.  
 stelluligera, Meissn. in Journ. Linn. Soc. i. (1857) 38.—Austral.  
 stylosa, Turcz. in Bull. Soc. Nat. Mosc. xx. (1847) i. 160 = Huegelii.  
 umbellata, Turcz. l. c. 159 = habrantha.  
 Wilhelmii, F. Muell. in Trans. Vict. Inst. i. (1855) 122.—Austral.

VERULAMIA, DC. ex Poir. Encyc. viii. 543 (1808) = **Pavetta**, Linn. (Rubiaceae).  
 corymbosa, DC. ex Poir. l. c. = P. Baconia.

VERUTINA, Cass. in Dict. Sc. Nat. xlv. 38 (1826); lviii. 8 (1829) = **Centaurea**, Linn. (Compos.).  
 heterophylla, Cass. l. c. lviii. 9 = C. Verutum.

VERZINUM, Rafin. Sylva Tellur. 23 (1838) = **Cytisus**, Linn. (Legumin.).  
 arboreum, Rafin. l. c. = C. arboreus.  
 patens, Rafin. l. c. = C. patens.

VESALEA, Mart. & Gal. in Bull. Acad. Brux. xi. i. (1844) 242 = **Abelia**, R. Br. (Caprifol.).  
 floribunda, Mart. & Gal. l. c. = A. floribunda.  
 hirsuta, Mart. & Gal. l. c. = A. speciosa.

**VESICARIA**, Tourn. ex Adans. Fam. ii. 420 (1763).  
**CRUCIFERAE**, Benth. & Hook. f. i. 73.  
 ALYSSOIDES, Tourn. ex Adans. Fam. ii. 419 (1763).  
 CISTOCARPIUM, Spach, Hist. Vég. Phan. vi. 471 (1838).  
 CLASTOPUS, Boiss. Fl. Orient. i. 261 (1867).  
 PHYLOPTYCHIS, Boiss. l. c. 260 (1867).  
 alpina, Nutt. in Torr. & Gray, Fl. N. Am. i. 102.—Am. bor. occ.  
 andicola, Gill. ex Hook. & Arn. in Hook. Bot. Misc. iii. (1833) 138 = arctica.  
 angustifolia, A. Gray, Pl. Wright. ii. 13, partim = Gordoni.  
 angustifolia, Nutt. in Torr. & Gray, Fl. N. Am. i. 101 = gracilis.  
 angustifolia, Scheele, in Linnaea, xxi. (1848) 584 = recurvata.  
 arctica, Barn. in C. Gay, Fl. Chil. i. 161 = mendocina.  
 arctica, Coulter, in Hayden, Rep. (1872) 760 = ludoviciana?  
 arctica, A. Gray, in Mem. Am. Acad. N. S. iv. (1849) 9 = Fendleri.  
 arctica, Richards. in Frankl. Narr. 1st Journ. App. 743; et App. ed. II. 26.—Am. bor. et arct.  
 arenosa, Richards. ll. cc. = arctica.  
 argentea, Schau. in Linnaea, xx. (1847) 720.—Mexic.  
 argyrea, A. Gray, in Bost. Journ. Nat. Hist. vi. (1850) 146.—Texas.  
 auriculata, Engelm. & Gray, l. c. v. (1847) 240.—Texas.  
 Barrelieri, Parl. Enum. Sem. Hort. Bot. Florent. (1863) 25 = graeca.  
 Berlandieri, A. Gray, in S. Wats. Bibliog. Ind. N. Am. Bot. i. 75.—Texas.  
 brevistyla, Torr. & Gray, Fl. N. Am. i. 101 = grandiflora.  
 canescens, Schrank, in Syll. Ratisb. ii. (1828) 63.—Podolia.  
 VOL. II.

**VESICARIA** :—

- cochlearioides, Spreng. Syst. ii. 872 = Cochlearia flava.  
 corymbosa, Nym. Syll. 202 = Alyssum corymbosum.  
 cretica, Poir. Encyc. viii. 570 = Alyssum creticum.  
 dasycarpa, Poir. l. c. 571 = Alyssum dasycarpum.  
 deltoidea, Poir. l. c. 572 = Aubrietia deltoidea.  
 densiflora, A. Gray, in Bost. Journ. Nat. Hist. vi. (1850) 145.—Texas.  
 dentata, Sm. in Rees, Cycl. xxxvii. n. 1 = Coluteo-carpus reticulatus.  
 didymocarpa, Hook. Fl. Bor. Am. i. 49 = Physaria didymocarpa.  
 digitata, C. A. Mey. Verz. Pfl. Cauc. 180.—Reg. Cauc.  
 edentula, Poir. Encyc. viii. 572 = Alyssum gemonense.  
 Engelmanni, A. Gray, Gen. Am. Bor. Or. Illustr. i. 162. t. 70.—Texas.  
 Fendleri, A. Gray, in Mem. Am. Acad. N. S. iv. (1849) 9.—N. Mexic.  
 frigida, Turcz. in Bull. Soc. Nat. Mosc. xxvii. (1854) ii. 296.—Venezuela.  
 fruticulosa, Desv. Journ. Bot. iii. (1814) 171 = Alyssum corymbosum?  
 gemonensis, Poir. Encyc. viii. 571 = Alyssum gemonense.  
 Geyeri, Hook. Lond. Journ. Bot. vi. (1847) 70. t. 5 = Physaria Geyeri.  
 glabrescens, Boiss. Diagn. Ser. II. v. 32.—Cilicia.  
 globosa, Desv. Journ. Bot. iii. (1814) 171, 184 = ludoviciana.  
 gnaphalodes, Boiss. in Ann. Sc. Nat. Sér. II. xvii. (1842) 161.—Persia.  
 Gordoni, A. Gray, in Bost. Journ. Nat. Hist. vi. (1850) 149.—Am. bor. occ.  
 gracilis, Hook. Bot. Mag. t. 3533.—Am. bor. occ.  
 graeca, Reut. in Cat. Hort. Genèv. (1858); ex Boiss. Fl. Orient. i. 262.—Ital.; Graec.  
 grandiflora, Hook. l. c. t. 3464.—Texas; Mexic.  
 incana, Desv. Journ. Bot. iii. (1814) 171 = Alyssum incanum.  
 Kingii, S. Wats. in Proc. Am. Acad. xx. (1885) 353.—Calif.  
 lanuginosa, Poir. Encyc. viii. 572 = Clypeola eriocarpa.  
 lasiocarpa, Hook. Bot. Mag. sub t. 3464.—Texas.  
 Lescurii, A. Gray, Man. Bot. N. U. St. ed. II. 38 = Alyssum Lescurii.  
 Lindheimeri, A. Gray, in Bost. Journ. Nat. Hist. vi. (1850) 145.—Texas.  
 ludoviciana, DC. Syst. ii. 297.—Am. bor. occ.  
 mendocina, Phil. in Linnaea, xxxiii. (1864-65) 12.—Chili.  
 microcarpa, Vis. Fl. Dalm. ii. t. 32. f. 2 = Alyssum gemonense.  
 montana, A. Gray, in Proc. Acad. Sc. Philad. 1863 (1864), 58.—Am. bor. occ.  
 montevicensis, Eichl. in Mart. Fl. Bras. xiii. i. 302 = mendocina.  
 Newberryi, A. Gray, Colorado Expl. Surv. (1861) Bot. 6 = Physaria Newberryi.  
 Nuttallii, Torr. & Gray, Fl. N. Am. i. 101.—Am. bor. occ.  
 occidentalis, S. Wats. in Proc. Am. Acad. xx. (1885) 353.—Calif.  
 pallida, Torr. & Gray, Fl. N. Am. i. 668.—Am. bor. paniculata, Desv. Journ. Bot. iii. (1814) 171.—Ins. Creta.  
 physiphora, Andr. ex DC. Syst. ii. 300.—Hab.?  
 polyantha, Schlecht. in Bot. Zeit. xi. (1853) 620 = gracilis?  
 pulchella, Kunth & Bouché, Ind. Sem. Hort. Berol. (1848) 15 = Engelmanni.  
 purpurea, A. Gray, Pl. Wright. ii. 14.—N. Mexic.  
 recurvata, Engelm. in Bost. Journ. Nat. Hist. vi. (1850) 147.—Am. bor. occ.  
 repanda, Nutt. in Torr. & Gray, Fl. N. Am. i. 101.—Am. bor. occ.  
 reticulata, Lam. ex Poir. Encyc. viii. 572 = Coluteo-carpus reticulatus.  
 Schaffneri, S. Wats. in Proc. Am. Acad. xvii. (1882) 320.—Mexic.  
 Shortii, Torr. & Gray, Fl. N. Am. i. 102.—Am. bor. occ.  
 sinuata, Cav. Desc. 404; Poir. Encyc. viii. 570 = Alyssum sinuatum.  
 stenophylla, A. Gray, in Bost. Journ. Nat. Hist. vi. (1850) 149 = Fendleri.  
 utriculata, DC. Fl. Fr. iv. 696; Poir. Encyc. viii. 571.—Europ.  
 utriculata, Puccin. Syn. Fl. Lucens. 335, partim = graeca.  
 vestita, Desv. Journ. Bot. iii. (1814) 171.—Persia.

**VESICULINA**, Rafin. Fl. Tellur. iv. 109 (1836) = **Utricularia**, Linn. (Lentib.).  
 albiflora, Rafin. l. c. = U. albiflora?  
 compressa, Rafin. l. c. = U. compressa.  
 gibba, Rafin. l. c. = U. gibba.  
 graminifolia, Rafin. l. c. = U. cyanea.  
 purpurea, Rafin. l. c. = U. purpurea.  
 pygmaea, Rafin. l. c. = U. pygmaea.  
 saccata, Rafin. l. c. = U. purpurea.  
 setacea, Rafin. l. c. = U. subulata.  
 tenella, Rafin. l. c. = Polypompholyx tenella.

**VESLINGIA**, Heist. Syst. 11 (1748); Fabric. Hort. Helmst. 363 (1759) = **Aizoon**, Linn. (Ficoid.).  
 cauliflora, Moench, Meth. Suppl. 299 = A. canariense.  
 Heisteri, Fabric. ex Willd. Sp. Pl. ii. 1053 = A. canariense.

**VESLINGIA**, Vis. in Nuov. Sagg. Acc. Sc. Padov. v. (1840) 269 = **Guizotia**, Cass. (Compos.).  
 scabra, Vis. l. c. = G. abyssinica.

**VESPUCCIA**, Parl. Nuov. Gen. e Spec. 55 (1854) = **Hydrocleys**, Rich. (Alismac.).  
 Humboldtii, Parl. l. c. 56 = H. Commersonii.

**VESTIA**, Willd. Enum. Hort. Berol. 208 (1809) **SOLANACEAE**, Benth. & Hook. f. ii. 906.  
 foetida, Hoffmgg. Verz. Pfl. 119 = lycioides.  
 lycioides, Willd. Enum. Hort. Berol. 208.—Chili.

**VETIVERIA**, Thou. ex Virey, in Journ. Pharm. Sér. I. xiii. (1827) 499 = **Andropogon**, Linn. (Gramin.).  
 arundinacea, Griseb. Fl. Brit. W. Ind. 559 = A. squarrosus.  
 muricata, Griseb. l. c. 560 = A. squarrosus.  
 odorata, Virey, in Journ. Pharm. Sér. I. xiii. (1827) 499 = A. squarrosus.

**VETRIX**, Rafin. Alsog. Am. 13 (1838) = **Salix**, Tourn.  
 Forbiana, Rafin. l. c. = S. purpurea.  
 Helix, Rafin. l. c. = S. purpurea.  
 Lambertiana, Rafin. l. c. = S. purpurea.  
 linearifolia, Rafin. l. c. 17 = S. purpurea?  
 purpurea, Rafin. l. c. 13 = S. purpurea.  
 sicala, Rafin. l. c. = S. purpurea?

**VEXIBIA**, Rafin. Neogenyt. 3 (1825) = **Valeriana**, Tourn.

**VEXILLARIA**, Hoffmgg. Verz. Pfl. 119 (1824); Benth. in Ann. Wien. Mus. ii. (1838) 117 = **Centrosema**, DC. (Legumin.).  
 arborea, Hoffmgg. ex Benth. l. c. 115 = Clitoria Hoffmansseggii.  
 brasiliensis, Hoffmgg. Verz. Pfl. 119 = C. brasilianum.  
 glycinoides, Benth. in Ann. Wien. Mus. ii. (1838) 117 = Clitoria glycinoides.  
 grandiflora, Benth. l. c. = C. platycarpum.  
 laurifolia, Benth. l. c. = Clitoria cajanifolia.  
 rubiginosa, Benth. l. c. = Clitoria glycinoides.  
 triquetra, Hoffmgg. ex Benth. l. c. 122 = C. triquetrum (in Addend.).  
 villosa, Benth. l. c. 117 = Clitoria glycinoides.

**VEXILLARIA**, Rafin. in Am. Monthly Mag. (1818) 268 = **Clitoria**, Linn. (Legumin.).  
 Mariana, Rafin. l. c. = C. Mariana.

**VIALIA**, Vis. Ind. Sem. Hort. Patav. (1840).—Cf. Linnaea, xv. (1841) Litt. 103 = **Melhania**, Forsk. (Stercul.).  
 macrophylla, Vis. l. c. = M. macrophylla.

**VIBEXIA**, Rafin. Atl. Journ. 144 (1832) = **Sophora**, Linn. (Legumin.).  
 sericea, Rafin. l. c. = S. sericea.

**VIBO**, Medic. Phil. Bot. i. 178 (1789) = **Emex**, Neck. (Polygon.).  
 spinosa, Medic. l. c. = E. spinosa.

**VIBONES**, Rafin. Fl. Tellur. iii. 45 (1836) = **Rumex**, Tourn. (Polygon.).  
 auratus, Rafin. l. c. = R. sanguineus.

**VIBORGIA**, Moench, Meth. 132 (1794) = **Cytisus**, Linn. (Legumin.).  
 austriaca, Moench, l. c. 133 = C. austriacus.  
 capitata, Moench, Meth. Suppl. 43 = C. capitatus.  
 hirsuta, Moench, Meth. 132 = C. biflorus.  
 purpurea, Moench, Meth. Suppl. 43 = C. purpureus.  
 supina, Moench, Meth. 132 = C. supinus.

VIBORGIA, Spreng. Anleit. ii. 11. 748 (1818) = **Wiborgia**, Thunb. &c.

VIBORGIA, Spreng. Nachr. i. Bot. Gart. Halle, 41 (1801) = WIBORGIA, Roth = **Galinsoga** Ruiz & Pav. (Compos.).

VIBORQUIA, Ortega, Hort. Matr. Dec. 66 (1798) = **Eysenhardtia**, H. B. & K. (Legumin.). *polystachya*, Ortega, l. c. = *E. amorphoides*.

**VIBURNUM**, Linn. Syst. ed. I (1735); Gen. ed. I. 86 (1737). **CAPRIFOLIACEAE**, Benth. & Hook. f. ii. 3.

IRAUPALOS, Rafin. in Ann. Gén. Sc. Phys. vi. (1820) 87.

LENTAGO, Rafin. l. c. (1820) 87.

MICROTINUS, Oerst. in Kjoeb. Vidensk. Meddel. (1860) 293.

OPULUS, Tourn. ex Linn. Gen. ed. I. 86 (1737).

OREINOTUS, Oerst. in Kjoeb. Vidensk. Meddel. (1860) 281.

SOLENOTINUS, Spach, Hist. Vég. Phan. viii. 305 (1839).

THYRSOSMA, Rafin. Sylva Tellur. 130 (1838).

TINUS, [Tourn.] Linn. Syst. ed. I (1735).

TYNUS, J. S. Presl, Rostl. ii. 93 (1823).

*acerifolium*, Bong. in Mém. Acad. Pétersb. ii. (1833) 144 = *pauciflorum*.

*acerifolium*, Gueldenst. ex Ledeb. Fl. Ross. ii. 385 = *orientale*.

*acerifolium*, Linn. Sp. Pl. 268.—Am. bor.

*acuminatum*, Hort. ex Steud. Nom. ed. I. 880 = *dentatum*.

*acuminatum*, Wall. Cat. n. 465; et ex DC. Prod. iv. 325 = *punctatum*.

*acutifolium*, Benth. Pl. Hartw. 59.—Mexic.

*adenophyllum*, Wall. ex Voigt, Hort. Suburb. Calc. 398, nomen (Quid?).—Hab.?

*alnifolium*, Marsh. Arbust. Am. 162 = *lantanoides*.

*alpinum*, Macfad. Fl. Jamaic. ii. 201 = *glabratum*.

*alternifolium*, Zoll. & Mor. Syst. Verz. Zoll. 59.—Java.

*ambloides*, Rafin. Alsog. Am. 55 (Quid?).—Am. bor.

*americanum*, Mill. Gard. Dict. ed. VIII. n. 8 = *V. Opulus*.

*atro-cyanum*, C. B. Clarke, in Hook. f. Fl. Brit. Ind. iii. 7.—Reg. Himal.

*Awabuki*, Hort. Berol. ex C. Koch, Wochenschr. x. (1867) 109 = *odoratissimum*.

*ayavacense*, H. B. & K. Nov. Gen. et Sp. iii. 428.—Peruv.

*Buergeri*, Miq. Ann. Mus. Bot. Lugd. Bat. ii. 263.—Japan.

*burejaeticum*, Regel & Herd. in Gartenfl. (1862) 407.—China.

*burejanum*, Herd. in Bull. Soc. Nat. Mosc. liii. (1878) i. 11 = *praece*.

*capitatum*, Rafin. Alsog. Am. 56 (Quid?).—Am. bor.

*capitulatum*, Wight & Arn. Prod. 388 = *coriaceum*.

*cassinoides*, Linn. Sp. Pl. ed. II. 384.—Am. bor.

*cassinoides*, Willd. Sp. Pl. i. 1491 = *obovatum*, Walt.

*chinense*, Hook. & Arn. Bot. Beech. Voy. 190 = *Premna integrifolia*.

*chinense*, Zeyh. ex Steud. Nom. ed. I. 880 = *odoratissimum*.

*Colebrookianum*, Wall. Cat. n. 460; et ex DC. Prod. iv. 325.—Reg. Himal.

*cordifolium*, Hook. f. & Thoms. in Journ. Linn. Soc. ii. (1858) 175, partim = *furcatum*.

*cordifolium*, Wall. Cat. n. 462; et ex DC. Prod. iv. 327.—Reg. Himal.

*coriaceum*, Blume, Bijdr. 656.—Reg. Himal.; Malaya.

*corylifolium*, Hook. f. & Thoms. in Journ. Linn. Soc. ii. (1858) 174.—Reg. Himal.

*costaricanum*, Hemsl. Biol. Centr. Am. Bot. ii. 2.—Costa Rica.

*cotinifolium*, D. Don, Prod. Fl. Nep. 141.—Reg. Himal.

*cuspidatum*, Sieb. & Zucc. in Abh. Akad. Muench. iv. 111. (1846) 171 = *tomentosum*.

*cuspidatum*, Thunb. Fl. Jap. 125 = *Hydrangea cuspidata*.

*cylindricum*, Buch.-Ham. ex D. Don, Prod. Fl. Nep. 142 = *coriaceum*.

*davuricum*, Maxim. in Mém. Sav. Etr. Pétersb. ix. (1859) 135 = *burejaeticum*.

*davuricum*, Pall. Fl. Ross. i. 11. 30.—Dahuria.

*delicatulum*, Vatke, in Bot. Zeit. xxx. (1872) 718.—Montenegro.

*densiflorum*, Chapm. Fl. S. U. St. Suppl. 624.—Florida.

## VIBURNUM:—

*densum*, Benth. Pl. Hartw. 59.—Mexic.

*dentatum*, Linn. Sp. Pl. 268.—Am. bor.

*dentatum*, Thunb. Fl. Jap. 122 = *tomentosum*.

*dichotomum*, Buch.-Ham. ex D. Don, Prod. Fl. Nep. 142 = *Viscum articulatum*.

*dilatatum*, Thunb. Fl. Jap. 124.—China; Japon.

*discolor*, Benth. Pl. Hartw. 83.—Guatemala.

*divaricatum*, Benth. l. c. 132.—Peruv.

*dubium*, Steud. Nom. ed. II. ii. 762.—Hab.?

*edule*, Rafin. in Med. Repos. N. York, II. v. (1808) 354; Pursh, Fl. Am. Sept. i. 203 = *V. Opulus*.

*elatum*, Benth. Pl. Hartw. 59.—Mexic.

*elegans*, Jungh. in Nat. en Geneesk. Arch. Neêrl. Indie, ii. (1845) 36 = *monogynum*?

*ellipticum*, Hook. Fl. Bor. Am. i. 280.—Am. bor. occ.

*erosum*, A. Gray, in Perry, Jap. Exped. ii. 313 = *dilatatum*.

*erosum*, Thunb. Fl. Jap. 124.—China; Japon.

*erubescens*, Wall. Cat. n. 459, 7474; et ex DC. Prod. iv. 329.—Reg. Himal.; Ind. or.

*farinosum*, Stokes, Bot. Mat. Med. ii. 168 = *V. Lantana*.

*ferrugineum*, Rafin. Alsog. Am. 52 (Quid?).—Am. bor.

*foetens*, Decne. in Jacquem. Voy. Bot. 75. t. 84.—Reg. Himal.

*foetidum*, Wall. Cat. n. 466; Pl. As. Rar. i. 49.—Reg. Himal.; Burma.

*Forbesii*, Fawc. in Forbes, Wander. Natural. 506.—Ins. Timor.

*Fordiae*, Hance, in Journ. Bot. xxi. (1883) 321.—China.

*fragrans*, Bunge, in Mém. Sav. Etr. Pétersb. ii. (1835) 107.—China.

*fragrans*, Loisel. Herb. Amat. vii. 466 = *dubium*.

*furcatum*, Blume, ex Hook. f. & Thoms. in Journ. Linn. Soc. ii. (1858) 175, in syn.; et ex Maxim. in Bull. Acad. Pétersb. xxvi. (1880) 483.—China; Japon.

*fuscum*, Hemsl. Biol. Centr. Am. Bot. ii. 2.—Mexic.

*glabratum*, H. B. & K. Nov. Gen. et Sp. iii. 428.—Am. trop.

*glabrum*, Willd. ex Schult. Syst. vi. 639 = *glabratum*.

*glandulosum*, Salisb. Prod. 172 = *V. Opulus*.

*glaucum*, Rafin. Alsog. Am. 53 (Quid?).—Am. bor.

*glomeratum*, Maxim. in Bull. Acad. Pétersb. xxvi. (1880) 483.—China.

*grandiflorum*, Wall. Cat. n. 464; et ex DC. Prod. iv. 329 = *nervosum*.

*grandifolium*, Sm. in Rees, Cyclop. xxxvii. n. 14 = *lantanoides*.

*Griffithianum*, C. B. Clarke, in Hook. f. Fl. Brit. Ind. iii. 4.—Reg. Himal.

*Hanceanum*, Maxim. in Bull. Acad. Pétersb. xxvi. (1880) 487.—China.

*Hartwegi*, Benth. Pl. Hartw. 84.—Mexic.; Guatemala.

*Hasseltii*, Miq. Fl. Ind. Bat. ii. 123.—Java.

*hebanthum*, Thw. Enum. Pl. Zeyl. 136, partim = *coriaceum*.

*hebanthum*, Wight & Arn. Prod. 388.—Ind. or.

*heterophyllum*, Rafin. Alsog. Am. 52 (Quid?).—Am. bor.

*hirtum*, Thunb. Fl. Jap. 124 = *Hydrangea hirta*.

*hyemale*, Salisb. Prod. 172 = *V. Tinus*.

*integerrimum*, Wall. Cat. n. 457; et ex DC. Prod. iv. 324 = *sambucinum*.

*involutum*, Chapm. in Coult. Bot. Gaz. iii. (1878) 5.—Florida.

*involutum*, Wall. Cat. n. 458; et ex DC. Prod. iv. 327 = *stellatum*.

*Irabutha*, Blume, ex Hook. f. & Thoms. in Journ. Linn. Soc. ii. (1858) 177 = *odoratissimum*.

*Jacquemontii*, Planch. Hort. Donat. 29.—Reg. Himal.

*japonicum*, Spreng. Syst. i. 934 = *Cornus japonica*.

*Junghuhnii*, Miq. Fl. Ind. Bat. ii. 123.—Java.

*Kanbok*, Siebold, in Verh. Batav. Gen. xii. (1830) 70.—Japan.

*Keteleeri*, Carr. in Rev. Hort. (1863) 269 = *macrocephalum*.

*laevigatum*, Ait. Hort. Kew. ed. I. i. 371 = *obovatum*, Walt.

*laevigatum*, Willd. Berl. Baumz. 401 = *nudum*.

*lanceolatum*, Hill, Hort. Kew. 457; Veg. Syst. xiii. 64 = *obovatum*, Walt.

*Lantana*, Linn. Sp. Pl. 268.—Europ.; Reg. Cauc.; Afr. bor.

*Lantana*, Wall. ex D. Don, Prod. Fl. Nep. 141 = *nervosum*.

*lantanoides*, Michx. Fl. Bor. Am. i. 179.—Am. bor.

*lantanoides*, Miq. Ann. Mus. Bot. Lugd. Bat. i. 265 = *furcatum*.

## VIBURNUM:—

*lasiophyllum*, Benth. Pl. Hartw. 189.—N. Granat.

*latifolium*, Hort. ex Schult. Syst. vi. 630 = *rigidum*.

*laurifolium*, C. Koch, Dendrol. ii. 1. 63 = *V. Tinus*.

*laurifolium*, Rafin. Alsog. Am. 52 = *nudum*.

*lauriforme*, Lam. Fl. Fr. iii. 863 = *V. Tinus*.

*lentaginum*, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 136 = *V. Lentago*.

*Lentago*, Duroi, Harbk. Baumz. ii. 485 = *prunifolium*.

*Lentago*, Linn. Sp. Pl. 268.—Am. bor.

*lentagoides*, Rafin. in Med. Repos. N. York, II. v. (1808) 354 = *V. Lentago*.

*lentum*, S. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 136 = *V. Lantana*.

*lobatum*, Lam. Fl. Fr. iii. 363 = *V. Opulus*.

*longifolium*, Lodd. ex C. Koch, Dendrol. ii. 1. 67 = *pubescens*.

*longifolium*, Rafin. Alsog. Am. 56 (Quid?).—Am. bor.

*lucidum*, Mill. Gard. Diet. ed. VIII. n. 5 = *V. Tinus*.

*lutescens*, Blume, Bijdr. 655.—Java.

*lutescens*, Hook. f. & Thoms. in Journ. Linn. Soc. ii. (1858) 176 = *Colebrookianum*.

*luzonicum*, Rolfe, in Journ. Linn. Soc. xxi. (1884) 310.—Ins. Philipp.

*macrocephalum*, Fortune, in Journ. Hort. Soc. ii. (1847) 244; et in Lindl. Bot. Reg. (1847) t. 43.—China.

*macrodon*, Rafin. Atl. Journ. 17 (Quid?).—Am. bor.

*macrophyllum*, Thunb. Fl. Jap. 125.—Japon.

*macrophyllum*, Van Hall, in Fl. Jard. Roy. Pays-Bas, ii. (1859) 97 = *Buergeri*.

*maculatum*, Pantoë, in Oestr. Bot. Zeitschr. xxiii. (1873) 266 = *V. Lantana*.

*medium*, Hort. Belv. ex Steud. Nom. ed. I. 880. nomen (Quid?).—Hab.?

*membranaceum*, Hemsl. in Biol. Centr. Am. Bot. ii. 2.—Mexic.

*membranaceum*, Rafin. Alsog. Am. 51 (Quid?).—Am. bor.

*microcarpum*, Schlecht. & Cham. in Linnaea, v. (1830) 170.—Mexic.

*microphyllum*, Hemsl. Biol. Centr. Am. Bot. ii. 3.—Mexic.

*molle*, Michx. Fl. Bor. Am. i. 180.—Am. bor.

*monogynum*, Blume, Bijdr. 655.—Java.

*Mullaha*, Buch.-Ham. ex D. Don, Prod. Fl. Nep. 141 = *stellatum*.

*multistratum*, x, Hort. ex C. Koch, Dendrol. ii. 1. 54.

*nervosum*, D. Don, Prod. Fl. Nep. 141.—Reg. Himal.

*nervosum*, Hook. & Arn. Bot. Beech. Voy. 190 = *sempervirens*.

*nitidum*, Ait. Hort. Kew. ed. I. i. 371 = *nudum*.

*nudum*, Linn. Sp. Pl. 268.—Am. bor.

*obliquatum*, Rafin. Alsog. Am. 54 (Quid?).—Am. bor.

*obovatum*, Ruiz & Pav. ex Oerst. in Kjoeb. Vidensk. Meddel. (1860) 286 (err. typ. 386).—Peruv.

*obovatum*, Walt. Fl. Carol. 116.—Am. bor.

*odoratissimum*, Ker-Gawl. in Bot. Reg. t. 456.—Reg. Himal.; China.

*oleaefolium*, Tausch, in Flora, xxi. (1838) 733 = *nudum*.

*opuloides*, Muhl. Cat. 32 = *V. Opulus*.

*Opulus*, Linn. Sp. Pl. 268.—Europ.; As. et Am. bor.

*orientale*, Pall. Fl. Ross. i. 11. 31.—As. Min.

*Oxyccocos*, Pursh, Fl. Am. Sept. i. 203 = *V. Opulus*.

*pallidum*, Salisb. Prod. 172 = *V. Lantana*.

*palustre*, Rafin. Alsog. Am. 56 = *V. Opulus*?

*parviflorum*, Mart. & Gal. in Bull. Acad. Brux. xi. 1. (1844) 243.—Mexic.

*pauciflorum*, La Pylaie, ex Torr. & Gray, Fl. N. Am. ii. 17.—Am. bor.

*pauciflorum*, Rafin. Alsog. Am. 58 (Quid?).—Am. bor.

*phlebotrichum*, Sieb. & Zucc. in Abh. Akad. Muench. iv. 111. (1846) 173.—Japan.

*pinchinense*, Benth. Pl. Hartw. 188.—Ecuador.

*pinnina*, Rafin. Alsog. Am. 57 = *V. Opulus*.

*plicatum*, A. Gray, in Perry, Jap. Exped. ii. 313 = *furcatum*.

*plicatum*, Thunb. in Trans. Linn. Soc. ii. (1794) 332 = *tomentosum*.

*polycarpum*, Wall. Cat. n. 455; et ex DC. Prod. iv. 328 = *cotinifolium*.

*premnaceum*, Wall. ll. cc. 461; 325 = *foetidum*.

*primina*, Rafin. in Med. Repos. N. York, ii. v. (1808) 354 = *V. Opulus*.

*prunifolium*, Linn. Sp. Pl. 268.—Am. bor.

*pubescens*, Pursh, Fl. Am. Sept. i. 202.—Am. bor.

*pubigerum*, Wight & Arn. Prod. 389 = *erubescens*.

**VIBURNUM** :—

*pubinerve*, Blume, ex Miq. Ann. Mus. Bot. Lugd. Bat. ii. 265 = phlebotrichum.  
*punctatum*, Buch-Ham. ex D. Don, Prod. Fl. Nep. 142.—Reg. Himal.  
*punctatum*, Rafin. ex DC. Prod. iv. 326 = cassinoides.  
*punicifolium*, Desf. Hist. Arb. i. 345 = nudum.  
*pyrifolium*, Poir. Encyc. viii. 653 = prunifolium.  
*pyrifolium*, Pursh, Fl. Am. Sept. i. 201 = cassinoides.  
*Rafinesquianum*, Schult. Syst. vi. 630 = pubescens.  
*repandum*, Rafin. Alsog. Am. 53 (Quid ?).—Am. bor.  
*reticulatum*, Ruiz & Pav. ex Oerst. in Kjoeb. Vidensk. Meddel. (1860) 286 (err. typ. 386).—Peruv.  
*retusum*, Rafin. Alsog. Am. 53 (Quid ?).—Am. bor.  
*rhombifolium*, Hemsl. Biol. Centr. Am. Bot. ii. 3.—Mexico.  
*rigidum*, Vent. Gard. Malm. 98.—Ins. Canar.  
*rosaceum*, Hort. ex Steud. Nom. ed. II. ii. 762 = seq.  
*roseum*, Steud. l. c. ed. I. 880 = V. Opulus.  
*rotundifolium*, Rafin. Alsog. Am. 54 (Quid ?).—Am. bor.  
*rufidulum*, Rafin. l. c. 56 (Quid ?).—Am. bor.  
*rugosum*, Pers. Syn. i. 326 = rigidum.  
*sambucinum*, Reinw. ex Blume, Bijdr. 656.—Malaya.  
*Sandankwa*, Hassk. Retzia, i. 37.—China.  
*scabrellum*, Chapm. Fl. S. U. St. 172 = molle.  
*scandens*, Linn. f. Suppl. 184 = Hydrangea virens.  
*schensianum*, Maxim. in Bull. Acad. Petersb. xxvi. (1880) 480.—China.  
*sempervirens*, C. Koch, Hort. Dendr. 300; Wochenschr. x. (1867) 109.—China.  
*serratum*, Thunb. Fl. Jap. 124 = Hydrangea hortensis.  
*setigerum*, Hance, in Journ. Bot. xx. (1882) 261.—China.  
*sibiricum*, Nois. ex Steud. Nom. ed. I. 880, nomen.—(Quid ?).—Sibir.?  
*Sieboldii*, Miq. Ann. Mus. Bot. Lugd. Bat. ii. 267.—Japan.  
*Simonsii*, Hook. f. & Thoms. in Journ. Linn. Soc. ii. (1858) 177.—Reg. Himal.  
*sinensis*, Zeyh. ex Colla, Hort. Ripul. 145 = odoratissimum.  
*squamatum*, Muhl. ex Willd. Enum. Hort. Berol. 327 = cassinoides.  
*stellato-pilosum*, Polak. in Linnaea, xli. (1877) 564.—Costa Rica.  
*stellato-tomentosum*, Hemsl. Biol. Centr. Am. Bot. ii. 3.—Costa Rica.  
*stellatum*, Hemsl. l. c.—Mexico.  
*stellulatum*, Wall. Cat. n. 463; et ex DC. Prod. iv. 327.—Reg. Himal.  
*stenocalyx*, Hemsl. Biol. Centr. Am. Bot. ii. 3.—Mexico.  
*strictum*, Link, Enum. Hort. Berol. i. 288 = rigidum.  
*strictum*, Sweet, Hort. Brit. ed. I. 195 = V. Tinus.  
*strigosum*, Regel, Cat. Pl. Hort. Aksakov. 145, nomen (Quid ?).—Hab.?  
*sulcatum*, Hemsl. Biol. Centr. Am. Bot. ii. 3.—Mexico.  
*sumatranum*, Miq. Fl. Ind. Bat. Suppl. 537.—Sumatra.  
*sundaicum*, Miq. Fl. Ind. Bat. ii. 121 = lutescens.  
*suspensum*, Lindl. in Journ. Hort. Soc. viii. (1853) 130.—Hab.?  
*tiliaefolium*, Hemsl. Biol. Centr. Am. Bot. ii. 3.—Mexico.  
*tinoides*, Linn. f. Suppl. 184.—Am. austr.  
*tinoides*, Mutis, ex H. B. & K. Nov. Gen. et Sp. iii. 428 = ayavacense?  
*Tinus*, Linn. Sp. Pl. 267.—Reg. Mediterr.  
*tomentosum*, Hance, in Journ. Bot. viii. (1870) 273 = Hanceanum.  
*tomentosum*, Lam. Fl. Fr. iii. 363 = V. Lantana.  
*tomentosum*, Rafin. in Med. Repos. N. York, II. v. (1808) 354 = pubescens.  
*tomentosum*, Thunb. Fl. Jap. 123.—China; Japon.  
*trilobum*, Marsh. Arbust. Am. 162 = V. Opulus.  
*triphyllum*, Benth. Pl. Hartw. 188.—N. Granat.  
*urceolatum*, Sieb. & Zucc. in Abh. Akad. Muench. iv. III. (1846) 172.—Japan.  
*venulosum*, Benth. Fl. Hongk. 142 = sempervirens.  
*villosum*, Rafin. in Med. Repos. N. York, II. v. (1808) 361 = pubescens.  
*villosum*, Sw. Prod. Veg. Ind. Occ. 54.—Am. trop.  
*virens*, Thunb. Fl. Jap. 123 = Hydrangea virens.  
*Wendlandii*, Hemsl. Biol. Centr. Am. Bot. ii. 3.—Costa Rica.  
*Wightianum*, Hohen. ex C. B. Clarke, in Hook. f. Fl. Brit. Ind. iii. 5 = punctatum.  
*Wightianum*, Wall. Cat. n. 3729; Pl. As. Rar. ii. 29 = erubescens.

**VIBURNUM** :—

*Wrightii*, Miq. Ann. Mus. Bot. Lugd. Bat. ii. 267 = phlebotrichum.  
*zeylanicum*, Gardn. ex Oerst. in Kjoeb. Vidensk. Meddel. (1860) 300 = coriaceum.  
*Zippelii*, Miq. Fl. Ind. Bat. ii. 122.—N. Guin.?

VICARYA, Stocks, in Proc. Linn. Soc. i. (1848) 367, nomen (Malvac.).

VICARYA, Wall. ex Voigt, Hort. Suburb. Calc. 544 (1845) = **Myriopterion**, Griff. (Asclep.).  
*cristata*, Wall. l. c. = M. paniculatum.

VICATIA, DC. Prod. iv. 243 (1830). **UMBELLIFERAE**, Benth. & Hook. f. i. 883.  
*coniifolia*, DC. l. c.—Reg. Himal.  
*millefolia*, C. B. Clarke, in Hook. f. Fl. Brit. Ind. ii. 671.—Reg. Himal.  
*Stewartii*, C. B. Clarke, l. c.—Reg. Himal.

VICENTIA, Allem. Diss. cum tab. (1844).—Cf. Bot. Zeit. xii. (1854) 435 = **Terminalia**, Linn. (Combret.).  
*acuminata*, Allem. l. c.—Bras.

VICIA, Tourn. ex Linn. Syst. ed. I (1735). **LEGUMINOSAE**, Benth. & Hook. f. i. 524.  
*ABACOSA*, Alef. in Bonplandia, ix. (1861) 102.  
*ATOSIA*, Alef. l. c. (1861) 100.  
*COPPOLERIA*, Todaro, in Atti Acc. Sc. Palermo, N. S. i. (1845) 14.  
*CRACCA*, [Riv.] Medic. in Vorles. Churpf. Phys. Ges. ii. (1787) 359.  
*CUJUNIA*, Alef. in Bonplandia, ix. (1861) 101.  
*ENDIUSA*, Alef. in Oestr. Bot. Zeitschr. ix. (1859) 359.  
*ERVILIA*, Link, Enum. Hort. Berol. ii. 240 (1822).  
*ERVUM*, Tourn. ex Linn. Gen. ed. I. 217 (1737).  
*FABA*, Tourn. ex Linn. Syst. ed. I (1735).  
*HYECHUSA*, Alef. in Bot. Zeit. xviii. (1860) 164.  
*OROBELLA*, Presl, in Weitenw. Beitr. ii. (1837) 27. t. 4.  
*PARALLOSA*, Alef. in Oestr. Bot. Zeitschr. ix. (1859) 359.  
*RYNCHIMUM*, Dulac, Fl. Hautes-Pyr. 290 (1767).  
*SELLUNIA*, Alef. in Oestr. Bot. Zeitschr. ix. (1859) 358.  
*SWANTIA*, Alef. l. c. (1859) 365.  
*TUAMINA*, Alef. in Bonplandia, ix. (1861) 102.  
*VICILLA*, Schur, Enum. Pl. Transs. 170 (1866).  
*VICIOIDES*, Moench, Meth. 135 (1794).  
*WIGGERSIA*, Gaertn. Mey. & Scherb. Fl. Wett. iii. 6, 33 (1801).  
*abbreviata*, Fisch. ex Spreng. Pugill. i. 50.—Reg. Cauc.  
*abbreviata*, C. A. Mey. Verz. Pfl. Cauc. 146 = cassubica.  
*abyssinica*, Alef. in Bonplandia, ix. (1861) 72 = sativa.  
*acerosa*, Clos, in C. Gay, Fl. Chil. ii. 137.—Chili.  
*acutifolia*, Ell. Sketch, ii. 225.—Am. bor.  
*agrigentinum*, Link, Handb. ii. 190 = V. Bivonea.  
*aintabensis*, Boiss. & Haussk. ex Boiss. Fl. Orient. ii. 577.—Syria; Mesopot.  
*alba*, Medic. in Vorles. Churpf. Phys. Gen. ii. (1787) 359 = sativa?  
*alba*, Moench, Meth. 148 = sativa.  
*albicans*, Lowe, in Trans. Camb. Phil. Soc. iv. (1831) 33 = atropurpurea.  
*alpestris*, Stev. in Mém. Soc. Nat. Mosc. iv. (1813) 93.—Reg. Cauc.; As. Min.  
*alpina*, Pall. Reise, ii. 568 = multicaulis.  
*alternans*, Kit. in Linnaea, xxxii. (1863) 631.—Banat.  
*alternifolia*, Kit. l. c. = alternans.  
*altissima*, Desf. Fl. Atlant. ii. 163.—Reg. Mediterr. occ.  
*ambigua*, Guss. Fl. Sic. Prod. ii. 435 = varia.  
*americana*, Muhl. ex Willd. Sp. Pl. iii. 1096.—Am. bor.  
*amoena*, Fisch. ex Ser. in DC. Prod. ii. 355.—Sibir.  
*amphicarpa*, Dorthes, in Journ. Phys. xxxv. (1789) 131 = sativa.  
*amphicarpos*, Gouan, Herbor. 48 = Lathyrus setifolius.  
*andicola*, H. B. & K. Nov. Gen. et Sp. vi. 498 = graminea.  
*andina*, Phil. in Anal. Univ. Chil. (1872) 692.—Chili.  
*angulata*, Bout. ex Willk. in Bot. Zeit. v. (1847) 429 = calcarata.  
*angulosa*, Gater. Desc. Pl. Montaub. 129 = bithynica.

**VICIA** :—

*angustifolia*, Clos, in C. Gay, Fl. Chil. ii. 135.—Chili.  
*angustifolia*, Hohen. in Bull. Soc. Nat. Mosc. vi. (1833) 249 = lathyroides.  
*angustifolia*, Linn. Amoen. Acad. iv. 105; Reich. Fl. Moeno-Franc. ii. 44 = sativa.  
*angustifolia*, Moench, Meth. 148 = calcarata.  
*anisodonta*, Boiss. & Huet, Diagn. Ser. II. ii. 41 = alpestris.  
*anomala*, Boenn. Prod. Fl. Monast. 218 = sepium.  
*aphylla*, C. Sm. in Buch, Besch. Canar. Ins. 157 = Lathyrus aphyllus.  
*aquitana*, Clav. in Act. Linn. Soc. Bord. xxxvii. (1883) p. vi, 554 = atropurpurea.  
*araucana*, Phil. in Anal. Univ. Chil. (1872) 693.—Chili.  
*arenivaga*, Lamotte, Prod. Fl. Centr. Fr. i. 214 = lathyroides.  
*argentea*, Lapeyr. Hist. Abr. Pl. Pyr. 417.—Hispan.  
*aristata*, Dulac, Fl. Hautes-Pyr. 287 = V. Orobis.  
*armena*, Boiss. Diagn. Ser. I. ii. 102 = persica.  
*articulata*, Hornem. Enum. Pl. Hort. Hafn. (1807) 41; Hort. Hafn. ii. 690.—Hab.?  
*articulata*, Willd. Enum. Hort. Berol. 764 = monanthos.  
*assyriaca*, Boiss. Diagn. Ser. I. ix. 123.—Armenia.  
*astragaloides*, Willd. ex Ledeb. Fl. Ross. i. 637 = Astragalus striatellus.  
*atlantica*, Pomel, Nouv. Mat. Fl. Atl. 193.—Alger.  
*atropurpurea*, Desf. Fl. Atlant. ii. 164.—Algeria.  
*atropurpurea*, Steud. Nom. ed. II. ii. 763 = Nissoliana.  
*Aucherii*, Jaub. & Spach, Illustr. i. 80. t. 41 = variegata.  
*aurantia*, Boiss. Fl. Orient. ii. 578.—As. Min.  
*australis*, Tenore, Fl. Nap. v. 112 = Gerardi.  
*azurea*, C. Koch, in Linnaea, xix. (1847) 66 = alpestris.  
*azurea*, Schur, in Verh. Naturf. Ver. Bruenn, xv. 11. (1877) 191 = V. Cracca.  
*Bacla*, Moench, Meth. 148.—Hab.?  
*bactra*, Zuccagni, in Roem. Collect. 151.—Hab.?  
*baetica*, Lange, ex Willk. & Lange, Prod. Fl. Hisp. iii. 306.—Hispan.  
*baetica*, Schousb. ex Willk. l. c. 298 = lutea.  
*Balansae*, Boiss. Fl. Orient. ii. 569.—Reg. Cauc.  
*Barbazitae*, Guss. & Tenore, Ind. Sem. Hort. Neap. (1839) 12. n. 15.—Cf. Ann. Sc. Nat. Sér. II. xiii. (1840) 381.—Graecia; Sicil.  
*benghalensis*, Hort. ex Link, Enum. Hort. Berol. ii. 239 = Nissoliana.  
*benghalensis*, Linn. Sp. Pl. 736 = atropurpurea?  
*Berteroana*, Phil. in Linnaea, xxviii. (1856) 622.—Chili.  
*bicolor*, Willd. Enum. Hort. Berol. Suppl. 51, nomen; et ex Hornem. Suppl. Hort. Hafn. 81.—Hab.?  
*bidentata*, Hook. Bot. Misc. ii. (1831) 215 = graminea.  
*Biebersteini*, Guss. Fl. Sic. Syn. ii. 297 = pubescens.  
*Biebersteini*, Bess. ex Bieb. Fl. Taur. Cauc. iii. 472 = grandiflora.  
*Biebersteini*, C. A. Mey. Verz. Pl. Cauc. 147 = hyrcanica.  
*biennis*, Linn. Sp. Pl. 736.—Sibir.  
*biflora*, Desf. Fl. Atlant. ii. 166. t. 197.—Afr. bor.  
*biflora*, C. A. Mey. Verz. Pfl. Cauc. 147 = calcarata.  
*biflora*, Webb & Berth. Phyt. Canar. ii. 105. t. 65 B = atropurpurea.  
*bifoliolata*, Rodrig. in Bull. Soc. Bot. Fr. xxv. (1878) 239.—Ins. Minorc.  
*bijuga*, Guill. ex Hook. Bot. Misc. iii. (1833) 197.—Chili.  
*bipartita*, Moench, Meth. 149.—Hab.?  
*bithynica*, Linn. Syst. ed. X. 1166.—Reg. Mediterr.  
*Bivonea*, Ser. in DC. Prod. ii. 357 = V. Pseudo-cracca.  
*Bivonea*, Rafin. Préc. Découv. 37.—Sicilia.  
*Bobartii*, E. Forst. in Trans. Linn. Soc. xvi. (1830) 442 = sativa.  
*boetica*, Fisch. ex Ser. in DC. Prod. ii. 365, nomen (Quid ?).—Hab.?  
*boetica*, Schousb. ex Nym. Consp. 209 = lutea.  
*bohemia*, F. F. Gmel. Syst. 1110.—Bohem.  
*Boissierii*, Heldr. & Sart. in Boiss. Diagn. Ser. II. ii. 40 = villosa.  
*branchitropis*, Kar. & Kir. in Bull. Soc. Nat. Mosc. (1841) 412.—Sibir. altaic.  
*Broteriana*, Ser. in DC. Prod. ii. 357 = atropurpurea.  
*bythynica*, Schrank, Baier. Fl. ii. 262 = bithynica.  
*caesarea*, Boiss. & Bal. Diagn. Ser. II. vi. 69.—Cappadoc.  
*calcarata*, Desf. Fl. Atlant. ii. 166.—Reg. Medit.; Persia.  
*campestris*, Schur, Enum. Pl. Transs. 169 = sativa.



**VICIA :—**

- canadensis*, Zuccagni, in Roem. Collect. 151 = sativa.  
*canariensis*, Alef. in *Bonplandia*, ix. (1861) 72.—Ins. Canar.  
*Candolleana*, Tenore, Fl. Nap. v. 111 = Gerardi.  
*canescens*, Labill. Ic. Pl. Syr. Dec. i. 17. t. 7.—Syria.  
*canescens*, Sibth. & Sm. Fl. Graec. Prod. ii. 71 = Gerardi.  
*capensis*, Berg. Desc. Pl. Cap. 215 = Lessertia pulchra.  
*cappadocica*, Boiss. Diagn. Ser. II. vi. 68.—Cappadoc.  
*capreolata*, Lowe, in Trans. Camb. Phil. Soc. vi. (1838), reimpr. 23.—Ins. Mader.  
*carnea*, Kotschy, in Unger & Kotschy, Cypern, 386 = Michauxii.  
*caroliniana*, Walt. Fl. Carol. 182.—Am. bor.  
*Cassia*, Boiss. Diagn. Ser. I. ix. 119.—Syria; Ins. Cyprus.  
*cassubica*, Bieb. Fl. Taur. Cauc. iii. 466 = truncatula.  
*cassubica*, Lapeyr. Hist. Abr. Pl. Pyr. ii. 417 = Gerardi.  
*cassubica*, Linn. Sp. Pl. 735.—Europ.  
*cassubica*, Oeder, in Fl. Dan. t. 98 = V. Orobus.  
*chaetocalyx*, Webb & Berth. Phyt. Canar. ii. 106.—Ins. Canar.  
*chilensis*, D. Dietr. Syn. Pl. iv. 1107 = pallida, Hook. & Arn.  
*chlorantha*, Heuff. ex Nym. Consp. 209 = truncatula.  
*ciceroides*, Boiss. Diagn. Ser. I. vi. 47.—Persia.  
*ciliaris*, Phil. in Linnaea, xxviii. (1856) 621.—Chili.  
*ciliaris*, Sibth. & Sm. Fl. Graec. Prod. ii. 71.—As. Min.  
*ciliata*, Schur, in Verh. Siebenb. Ver. Naturw. iv. (1853) 20 = lutea.  
*cilicia*, Boiss. Diagn. Ser. I. ix. 122 = canescens.  
*cinerea*, Bieb. Fl. Taur. Cauc. iii. 470 = calcarata.  
*cirrhosa*, C. Sm. ex Webb & Berth. Phyt. Canar. ii. 103.—Ins. Canar.  
*Closiana*, Phil. f. Cat. Pl. Vasc. Chil. 62 = angustifolia.  
*Clymenum*, S. G. Gmel. Reise, iii. 306. t. 33. f. 1.—Sibir.  
*consentina*, Reichb. ex Nym. Consp. 207 = V. Pseudocracca.  
*consentina*, Spreng. Pugill. ii. 74 = variegata.  
*consobrina*, Pomel, Nouv. Mat. Fl. Atl. 192.—Alger.  
*conspicua*, Lowe, in Trans. Camb. Phil. Soc. vi. (1838) reimpr. 22.—Ins. Mader.  
*cordata*, Wulf. ex Hoppe, in Sturm, Deutschl. Fl. Heft 32 = sativa.  
*Coris*, Thouin, ex Mart. Hort. Erlang. (1814) 156, nomen (Quid?).—Hab.?  
*cornigera*, Chaub. in St. Amans, Fl. Agen. 294.—Gallia.  
*corsica*, Nym. Syll. 310, in syn.; *Fanka*, in Termész. Füzetek, ix. (1885) 137.—Ins. Corsic.  
*Cosentini*, Guss. Fl. Sic. Prod. ii. 426 = sativa.  
*costata*, Ledeb. Fl. Alt. iii. 346.—Sibir. altaic.  
*Cracca*, Benth. in Royle, Illustr. Bot. Himal. 200 = tenuifolia.  
*Cracca*, Linn. Sp. Pl. 735.—Europ.; As. et Am. bor.  
*craccoides*, Rafn. in Am. Monthly Mag. (1819) 194 (*craceoides*) = caroliniana.  
*cretica*, Boiss. & Heldr. Diagn. Ser. I. ix. 118.—Graecia.  
*cuneata*, Guss. Fl. Sic. Prod. ii. 428.—Sicil.  
*cuspidata*, Boiss. Diagn. Ser. I. ii. 104.—As. Min.; Syria.  
*cypria*, Kotschy, in Unger & Kotschy, Cypern, 384.—Ins. Cyprus.  
*dasycarpa*, Tenore, Viagg. Abruzz. (1829) 81 = varia.  
*davurica*, Willd. ex Ledeb. Fl. Ross. i. 674 = megalotropis.  
*debilis*, Perez Lara, in Anal. Soc. Esp. Hist. Nat. xi. (1882) 402.—Hispan.  
*debilis*, Steud. Nom. ed. II. ii. 763 = graminea.  
*Dennesiana*, H. C. Wats. in Godman, Nat. Hist. Azor. 154, 155.—Ins. Azor.  
*dentata*, Fisch. ex Hornem. Suppl. Hort. Hafn. 80 = dumetorum.  
*dentata*, Gill. ex Hook. Bot. Misc. iii. (1833) 197.—Reg. Argent.  
*depauperata*, Clos, in C. Gay, Fl. Chil. ii. 132 = accerosa.  
*desertorum*, Link, Enum. Hort. Berol. ii. 238 = dumetorum.  
*Diomedis*, Gren. ex Nym. Consp. 210 = sativa.  
*disperma*, DC. Cat. Hort. Monsp. (1813) 154.—Gall. austr.  
*disticha*, Jacq. Enum. Pl. Carib. 27 (Quid?).—Ind. occ.

**VICIA :—**

- djamilensis*, C. Koch, ex Boiss. Fl. Orient. ii. 569 = Balansae.  
*Douglasii*, Torr. in Am. Journ. Sc. Ser. I. iv. (1822) 66 (*Douglasii*) = V. Cracca?  
*Drymeja*, Schur, Enum. Pl. Transs. 167 = sepium.  
*dubia*, Schult. Obs. Bot. 149 = articulata.  
*dumetorum*, Benth. in Royle, Illustr. Bot. Himal. 200 = rigidula.  
*dumetorum*, Linn. Sp. Pl. 734.—Europ.; Sibir.  
*dumetorum*, Thuill. Fl. Par. ed. II. 366 = sepium.  
*dumicola*, Dulac, Fl. Hautes-Pyr. 288 = dumetorum.  
*Durandi*, Boiss. Diagn. Ser. I. ix. 116.—Mauritan.  
*ecirrhosa*, Rupr. ex Boiss. Fl. Orient. ii. 583.—Reg. Caucas.  
*elegans*, Guss. Fl. Sic. Prod. ii. 438 = tenuifolia.  
*equina*, Steud. Nom. ed. I. 881; Reichb. Fl. Germ. Excurs. 532 = V. Faba.  
*erecta*, Perez Lara, in Anal. Soc. Esp. Hist. Nat. xi. (1882) 402.—Hispan.  
*erviformis*, Boiss. Voy. Bot. Espagne, ii. 191.—Reg. Medit. occ.  
*erviformis*, Winkl. ex Willk. & Lange, Prod. Fl. Hisp. iii. 306 = baetica.  
*Ervilia*, Willd. Sp. Pl. iii. 1103.—Europ.; Afr. bor.  
*Ervilla*, Medic. Beobacht. (1783) 179 = praec.?  
*ervoides*, Hampe, in Flora, xxv. (1842) 61 = pubescens.  
*esculenta*, Salisb. Prod. 339 = V. Faba.  
*excisa*, Schur, Enum. Pl. Transs. 169 = sativa.  
*exigua*, Nutt. in Torr. & Gray, Fl. N. Am. i. 272.—Am. bor. occ.  
*exigua*, Torr. & Gray, in Pacif. Rail. Rep. ii. 162 = pulchella.  
*exstipulata*, S. G. Gmel. Reise, iii. 307. t. 33. f. 2 = Lathyrus Aphaca.  
*Faba*, Linn. Sp. Pl. 737.—Hab.?  
*Fagonii*, Lapeyr. Hist. Abr. Pl. Pyr. 419 = pyrenaica.  
*ferruginea*, [Bess.], ex Mart. Hort. Erlang. (1814) 156, nomen (Quid?).—Hab.?  
*filicalis*, Webb & Berth. Phyt. Canar. ii. 102.—Ins. Canar.  
*fimbriata*, Auch. ex Boiss. Fl. Orient. ii. 237 = Astragalus conculpatius.  
*Fischeri*, Steud. Nom. ed. II. ii. 763 = dumetorum.  
*flavida*, Schur, in Verh. Siebenb. Ver. Naturw. iv. (1853) 20 = lutea.  
*Fleischeri*, Hochst. & Steud. ex Boiss. Fl. Orient. ii. 592 = palaestina.  
*floridana*, S. Wats. in Proc. Am. Acad. xiv. (1879) 292.—Florida.  
*fodinarum*, Phil. in Anal. Univ. Chil. (1872) 692.—Chili.  
*foetens*, Gilib. Fl. Lituan. ii. 103 = sylvatica.  
*Fontanesiana*, Tenore, ex Nym. Consp. 207 = Gerardi.  
*Forsteri*, Jord. ex Bor. Fl. Centr. Fr. ed. III. ii. 172 = sativa.  
*frutescens*, Gilib. Fl. Lituan. ii. 104 = cassubica.  
*fulgens*, Battand. in Bull. Soc. Bot. Fr. xxxii. (1885) 338.—Afr. bor.  
*galeata*, Boiss. Diagn. Ser. I. ii. 103.—Syria.  
*galegifolia*, Andr. Bot. Rep. t. 319 = Swainsona coronillaefolia.  
*galloprovincialis*, Poir. Encyc. Suppl. v. 471 = Gerardi.  
*Gayi*, Phil. in Linnaea, xxviii. (1856) 623.—Chili.  
*gemella*, Crantz, Stirp. Austr. ed. II. fasc. v. 389.—Europ.; Oriens.  
*geminiflora*, Trautv. in Act. Hort. Petrop. iii. 1. (1875) 42.—Dahuria.  
*Gerardi*, Jacq. Fl. Austr. iii. 16 = cassubica.  
*Gerardi*, A. St. Hil. in Bull. Soc. Agric. Orléans, i. (1810) 281 (Not. 43) = V. Cracca.  
*Gerardi*, Vill. Hist. Pl. Dauph. i. 256.—Europ. austr.  
*Gerardi*, Willd. Fl. Berol. Prod. 239 = tenuifolia.  
*gigantea*, Bunge, in Mém. Sav. Etr. Pétersb. ii. (1835) 93.—China.  
*gigantea*, Hook. Fl. Bor. Am. i. 157.—Am. bor. occ.  
*glabra*, Schleich. Cat. Pl. Helv. ed. IV. 37 = sativa.  
*glauca*, Presl, Delic. Prag. 37.—Reg. Mediterr.  
*globosa*, Retz. Obs. iii. 39.—Hab.?  
*Graccha*, Lepech. Reisen, iii. 42, sphalm. = V. Cracca.  
*gracilis*, Loisel. Fl. Gall. ed. I. 460.—Europ.; Syria.  
*gracilis*, Soland. ex Lowe, in Trans. Camb. Phil. Soc. iv. (1831) 34 = Loweanum.  
*gracilis*, [Soland. in] Russ. Aleppo, ed. II. ii. 259 (Quid?).—Syria.  
*graminea*, Sm. in Rees, Cyclop. xxxvii. n. 27.—Chili; Bras.

**VICIA :—**

- grandiflora*, Scop. Fl. Carn. ed. II. ii. 65.—Europ. austr.; Oriens.  
*grandiflora*, Sm. in Rees, Cyclop. xxxvii. n. 7 = Menziesii.  
*grata*, Phil. in Linnaea, xxviii. (1856) 622.—Chili.  
*gregaria*, Boiss. & Heldr. Diagn. Ser. I. ix. 121.—As. Min.  
*Griffithii*, Baker, in Hook. f. Fl. Brit. Ind. ii. 178.—Ind. bor. occ.  
*Halleri*, Crantz, Inst. ii. 30 = sylvatica?  
*hedysaroides*, Fisch. ex Ledeb. Fl. Ross. i. 672 = amoena.  
*helvetica*, Hort. Prag. ex Ser. in DC. Prod. ii. 361 = sativa.  
*heterophylla*, Presl, Delic. Prag. 37 = sativa.  
*heterophylla*, Reichb. Fl. Germ. Excurs. 531 = narbonensis.  
*Hexameri*, Alef. in Bot. Zeit. xvii. (1859) 231 = caroliniana.  
*hirsuta*, Fisch. ex Ser. in DC. Prod. ii. 365, nomen (Quid?).—Hab.?  
*hirsuta*, S. F. Gray, Nat. Arr. Brit. Pl. ii. 614.—Europ.; As. et Afr. bor.  
*hirsutissima*, Cyrilli, ex Mart. Hort. Erlang. (1814) 154, nomen; et ex Tenore, Fl. Nap. v. 119.—Ital.  
*hirta*, Balb. ex Pers. Syn. ii. 308 = lutea.  
*hirta*, Tenore, Fl. Med. i. 578 = hirsutissima.  
*Hookeri*, G. Don, Gen. Syst. ii. 319.—Chili.  
*Hookeriana*, Presl, Repert. Bot. Syst. i. 8, in nota = Hookeri.  
*Hookeriana*, Walp. Rep. i. 715 = gigantea, Hook.  
*humilis*, H. B. & K. Nov. Gen. et Sp. vi. 498.—Mexic.  
*hungarica*, Heuff. in Oestr. Bot. Zeitschr. viii. (1858) 26.—Hungar.  
*hybrida*, Georgi, Besch. Russ. Reich. III. iv. 1169 = pannonica.  
*hybrida*, Huds. Fl. Angl. ed. II. 319 = lutea.  
*hybrida*, Linn. Sp. Pl. 737.—Europ.; Syria; Afr. bor.  
*hypoleuca*, Boiss. Diagn. Ser. II. v. 92 = alpestris.  
*hyrcanica*, Fisch. & Mey. Ind. Sem. Hort. Petrop. ii. 53.—Reg. Caucas.  
*imbricata*, Gilib. Fl. Lituan. ii. 104 = V. Cracca.  
*incana*, Lam. Fl. Fr. ii. 560 = atropurpurea.  
*incana*, Thuill. Fl. Par. ed. II. 367 = V. Cracca.  
*incana*, Vill. Hist. Pl. Dauph. iii. 449 = Gerardi.  
*incisa*, Bieb. Fl. Taur. Cauc. iii. 471 = sativa.  
*incisa*, Orph. ex Boiss. Fl. Orient. ii. 574 = V. Barbazitae.  
*inconspicua*, Phil. in Linnaea, xxviii. (1856) 623.—Chili.  
*incurva*, Roth, Beytr. ii. 98 = Lathyrus incurvus.  
*intermedia*, Viv. Fl. Lib. Spec. 42. t. 19. f. 1 = sativa.  
*iranica*, Boiss. Fl. Orient. ii. 581.—Persia.  
*japonica*, A. Gray, in Mem. Am. Acad. N. S. vi. (1859) 385 = pallida, Turcz.  
*Jauberti*, Boiss. & Buhse, in Nouv. Mém. Soc. Nat. Mosc. xii. (1860) 71 = hyrcanica.  
*jeniseensis*, Willd. ex Ledeb. Fl. Ross. i. 672 = amoena.  
*Keatingi*, Steud. Nom. ed. II. ii. 764 = americana.  
*Kingii*, Hook. f. Fl. Antarct. ii. 258 = graminea.  
*Kitabeliana*, Schur, Enum. Pl. Transs. 168 = grandiflora.  
*Kitabelii*, Reichb. ex Nym. Consp. 206 = V. Cracca.  
*kokanica*, Regel & Schmalh. in Regel, Pl. Nov. Fedtsch. 20.—Turkestan.  
*Kotschyana*, Boiss. Diagn. Ser. I. vi. 47.—Persia.  
*laeta*, Cesati, in Friderichst. Reise Griech. 280 = V. Barbazitae.  
*laevigata*, Sm. Engl. Bot. t. 483 = lutea.  
*Lagopus*, Pomel, Nouv. Mat. Fl. Atl. 193.—Alger.  
*lanceolata*, Phil. in Linnaea, xxxiii. (1864–65) 51.—Chili.  
*lanciformis*, Lange, in Kjoeb. Vidensk. Meddel. (1865) 183 = sativa.  
*lathyroides*, All. Fl. Pedem. i. 326 = sativa.  
*lathyroides*, Linn. Sp. Pl. 736.—Europ.; As. Min.; Afr. austr.  
*latifolia*, Moench, Meth. 149 = narbonensis.  
*laxiflora*, Boiss. Fl. Orient. ii. 586 = tenuifolia.  
*laxiflora*, Brot. Phyt. Lusit. i. 125. t. 52 = gracilis.  
*Leavenworthii*, Torr. & Gray, Fl. N. Am. i. 271.—Am. bor. occ.

## VICIA :—

- Lens*, Coss. & Germ. Fl. Par. ed. I. 143 = *Lens esculenta*.  
*Lenticula*, Janka, in Termész. Füzetek, ix. (1885) 138 = *Lens Lenticula*.  
*lentiformis*, Schur, Enum. Pl. Transs. 168 = *lutea*.  
*leptocarpa*, Bianca, in Atti Acc. Gioen. Sc. Nat. Ser. II. xiv. (1858) 51. — Sicil.  
*leptophylla*, Rafin. Caratteri, 71. — Sicil.  
*Lerchenfeldiana*, Schur, Enum. Pl. Transs. 168 = *lutea*.  
*leucantha*, Bivona, Stirp. Rar. Sicil. i. [9] = V. Bivonea.  
*leucophaea*, Greene, in Coult. Bot. Gaz. vi. (1881) 217. — N. Mexic.  
*leucosperma*, Moench, Meth. 148 = *sativa*.  
*Leyboldi*, Phil. in Linnaea, xxxiii. (1864–65) 51. — Chili.  
*lilacina*, Ledeb. Fl. Alt. iii. 348. — Sibir. altaic.  
*linearifolia*, Hook. & Arn. Bot. Beech. Voy. 20. — Chili.  
*lineata*, Bieb. Fl. Taur. Cauc. iii. 473 = *pannonica*.  
*littoralis*, Jacq. Enum. Pl. Carib. 27 = *Tephrosia cinerea*.  
*littoralis*, Salzm. in Flora, iv. (1821) 110 = V. *Pseudo-cracca*.  
*littoralis*, Tenore, Fl. Nap. iv. 103 = *varia*.  
*Loiseleurii*, Boiss. Fl. Orient. ii. 595, sphalm. = Meyer.  
*longifolia*, Poir. Encyc. viii. 557. — Syria.  
*longifolia*, Schur, Enum. Pl. Transs. 169 = *sativa*.  
*Loweana*, Steud. Nom. ed. II. ii. 764. — Ins. Mader.  
*ludoviciana*, Nutt. in Torr. & Gray, Fl. N. Am. i. 271. — Am. bor.  
*luganensis*, Schleich. Cat. Pl. Helv. ed. III. 31 = *sativa*.  
*lunata*, Boiss. & Bal. ex Boiss. Fl. Orient. ii. 594. — Lydia.  
*lutea*, Linn. Sp. Pl. 736. — Reg. Medit. ; Oriens.  
*lutea*, Pall. ex Bieb. Fl. Taur. Cauc. ii. 162 = *grandiflora*.  
*lutescens*, Muhl. Cat. 68 = *acutifolia*.  
*Macraei*, Hook. & Arn. in Hook. Bot. Misc. iii. (1833) 195. — Chili.  
*macrocarpa*, Bertol. Fl. Ital. vii. 511. — Europ. austr.  
*maculata*, Pomel, Nouv. Mat. Fl. Atl. 191. — Alger.  
*maculata*, Piesl, Fl. Sic. p. xxiii = *sativa*.  
*magellanica*, Hook. f. Fl. Antarct. ii. 257. — Reg. Magellan.  
*magnifolia*, Clos, in C. Gay, Fl. Chil. ii. 135. — Chili.  
*Martini*, Gren. ex Nym. Consp. 210 = *sativa*.  
*Matthewsii*, A. Gray, Bot. U. St. Expl. Exped. i. 419. — Peruv.  
*media*, Host, Fl. Austr. ii. 335. — Europ.  
*megalosperma*, Bieb. Fl. Taur. Cauc. ii. 161 = *peregrina*.  
*megalotropis*, Ledeb. Fl. Alt. iii. 344. — Sibir. altaic.  
*melanops*, Sibth. & Sm. Fl. Grace. Prod. ii. 72. — Europ. austr.  
*Menziesii*, Spreng. Syst. iii. 267. — Ins. Sandvic.  
*mexicana*, Hemsl. Diagn. Pl. Nov. 47. — Mexic.  
*Meyeri*, Boiss. Fl. Orient. ii. 595. — Reg. Casp.  
*Michauxii*, Schrank, ex Steud. Nom. ed. I. 882, nomen (Quid ?). — Am. bor. ?  
*Michauxii*, Spreng. Fl. Hal. Mant. 48. — Syria ; Persia.  
*Michelli*, Desv. Journ. Bot. iv. (1814) 269, sphalm. = *Mitchelli*.  
*micrantha*, Hook. & Arn. in Hook. Bot. Misc. iii. (1833) 197 = *Hookeri*.  
*micrantha*, Lowe, in Trans. Camb. Phil. Soc. iv. (1833) 33 = *Loweana*.  
*micrantha*, Nutt. ex Torr. & Gray, Fl. N. Am. i. 271. — Am. bor. occ.  
*microphylla*, Urv. in Mém. Soc. Linn. Par. i. (1822) 343. — Graecia.  
*milans*, Crantz, Stirp. Austr. ed. II. fasc. v. 388 = *cassubica*.  
*minima*, Gilib. Fl. Lituan. ii. 106 = *lathyroides*.  
*minuta*, Moench, Meth. Suppl. 50 = *bithynica*.  
*minutiflora*, D. Dietr. Syn. Pl. iv. 1107 = *micrantha*.  
*Mitchelli*, Rafin. Préc. Découv. 37 = *hirsuta*.  
*modesta*, Phil. in Linnaea, xxxiii. (1864–65) 49. — Chili.  
*mollis*, Benth. ex Baker, in Hook. f. Fl. Brit. Ind. ii. 177. — Reg. Himal.  
*mollis*, Boiss. & Haussk. ex Boiss. Fl. Orient. ii. 576. — Syria.  
*monadelpha*, Roth, Catalecta, fasc. ii. 97 = *narbonensis*.

## VICIA :—

- monantha*, Retz. Obs. iii. 39 = *calcarata*.  
*monanthos*, Desf. Fl. Atlant. ii. 165. — Reg. Mediterr.  
*monanthos*, Ucria, in Roem. Arch. i. i. (1796) 69 (Quid ?). — Sicil. ?  
*monanthos*, Viv. Fl. Lib. Spec. 42 = *peregrina*.  
*Monardi*, Boiss. & Reut. Pugill. Pl. Nov. (1852) 131. — Alger.  
*monosperma*, C. Koch, in Linnaea, xv. (1841) 721 = *cassubica*.  
*montana*, Froel. ex Koch, Syn. Fl. Germ. ed. II. 215 = *sepium*.  
*Montbreti*, Fisch. & Mey. Ind. Sem. Hort. Petrop. x. 59. — Mesopot.  
*montevidensis*, Benth. in Mart. Fl. Bras. xv. i. 110 = *obscura*.  
*montevidensis*, Vog. in Linnaea, xiii. (1839) 34 = *dentata*.  
*Morisiana*, Jord. ex Bor. Fl. Cent. Fr. ed. III. ii. 172, in obs. = *macrocarpa*.  
*mucronata*, Clos, in C. Gay, Fl. Chil. ii. 139. — Chili.  
*multicaulis*, Ledeb. Fl. Alt. iii. 345. — Sibir. altaic.  
*multicaulis*, Wallr. in Linnaea, xiv. (1840) 625 (Beitr. Fl. Hercyn. 255) = *lathyroides*.  
*multifida*, Wallr. Ann. Bot. 85 = *monanthos*.  
*multiflora*, Lam. Fl. Fr. ii. 560 = V. *Cracca*, Gerardi.  
*multiflora*, Pollich, Hist. Pl. Palat. ii. 307 = *cassubica*.  
*Musquinea*, Bosc, ex Steud. Nom. ed. I. 882, nomen (Quid ?). — Europ.  
*nana*, Kellogg, in Proc. Calif. Acad. vii. i. (1877) 89 = *Lathyrus nevadensis*.  
*nana*, Vog. in Linnaea, xiii. (1839) 37. — Reg. Argent.  
*narbonensis*, Linn. Sp. Pl. 737. — Reg. Mediterr. ; Oriens.  
*nebrodensis*, Huet, ex Nym. Consp. 210 = *cuneata*.  
*nemoralis*, Steud. Nom. ed. I. 882 = *sativa*.  
*nigra*, Steud. l. c. = *sativa*.  
*nigricans*, Hook. & Arn. Bot. Beech. Voy. 20. — Chili.  
*Nissoliana*, Gouan, Herbor. 51 (excl. syn.) = *pannonica*.  
*Nissoliana*, Linn. Sp. Pl. 735. — Europ.  
*nodosa*, Fisch. ex Ser. in DC. Prod. ii. 365, nomen (Quid ?). — Hab. ?  
*nodosa*, Gaertn. Fruct. ii. t. 151 = *globosa* ?  
*Noëana*, Boiss. & Reut. ex Boiss. Fl. Orient. ii. 572. — Syria.  
*Nordmanniana*, Ower, ex Trautv. in Act. Hort. Petrop. viii. (1883) 251 = *Balansae* ?  
*notata*, Gilib. Fl. Lituan. ii. 105 = *sativa*.  
*obcordata*, Reichb. Fl. Germ. Excurs. 530 = *sativa*.  
*obscura*, Vog. in Linnaea, xiii. (1839) 36. — Bras.  
*occulta*, Lehm. ex G. Don, in Sweet, Hort. Brit. ed. III. 184, nomen (Quid ?). — Europ.  
*ochroleuca*, Gilib. Fl. Lituan. ii. 102 = *pisiformis*.  
*ochroleuca*, Tenore, Prod. Fl. Nap. p. xlii. — Italia.  
*olbiensis*, Reut. ex Timb. in Bull. Soc. Bot. Fr. xiii. (1866) p. cli = *cuneata*.  
*onobrychioides*, Linn. Sp. Pl. 735. — Reg. Mediterr.  
*onusta*, Wallr. in Linnaea, xiv. (1840) 623 (Beitr. Fl. Hercyn. 253) = *tenuifolia*.  
*oregana*, Nutt. in Torr. & Gray, Fl. N. Am. i. 270 = *americana*.  
*oroboides*, Wulf. in Jacq. Coll. iv. 323. — Europ. austr.  
*Orobis*, DC. Fl. Fr. Suppl. 577. — Europ.  
*oxyphylla*, Schur, Enum. Pl. Transs. 167 = *sepium*.  
*palaestina*, Boiss. Diagn. Ser. I. ix. 116. — Syria ; Mesopot.  
*pallens*, Reichb. Fl. Germ. Excurs. 529 (Quid ?). — Helvet.  
*pallida*, Hook. & Arn. in Hook. Bot. Misc. iii. (1833) 196. — Chili.  
*pallida*, Jacquem. ex Baker, in Hook. f. Fl. Brit. Ind. ii. 178 = *sativa*.  
*pallida*, Turcz. in Bull. Soc. Nat. Mosc. xv. (1842) 789. — Dahuria ; Reg. Himal.  
*pannonica*, Crantz, Stirp. Austr. ed. II. fasc. v. 393. — Europ. austr. ; Oriens.  
*paposana*, Phil. Fl. Atac. 15. — Chili.  
*parviflora*, Cav. in Anal. Cienc. Nat. iv. (1801) 73. — Maroc.  
*parviflora*, Hook. & Arn. Bot. Beech. Voy. 20 = *Hookeri*.  
*parviflora*, Lapeyr. Hist. Abr. Pl. Pyr. 418 = *hirsuta*.  
*parviflora*, Loisel. Fl. Gall. ed. I. 460 = *disperma*.  
*parviflora*, Michx. Fl. Bor. Am. ii. 69 = *caroliniana*.  
*patagonica*, Hook. f. Fl. Antarct. ii. 259. — Patagon.  
*patula*, Moench, Meth. 147 = *dumetorum*.

## VICIA :—

- pauciflora*, Gill. ex Hook. & Arn. in Hook. Bot. Misc. iii. (1833) 196 = *graminea*.  
*pauciflora*, Presl, Fl. Sic. p. xxii. — Sicil.  
*paucifolia*, Baker, in Oliver, Fl. Trop. Afr. ii. 173. — Afr. trop.  
*pectinata*, Lowe, Man. Fl. Mad. i. 205. — Ins. Mader.  
*peduncularis*, Rojas Clem. Pl. Espont. Titag. 16. — Hispan.  
*pedunculata*, Gueldenst. Reisen, i. 195 ; ex Ledeb. Fl. Ross. i. 679 (Quid ?). — Russia.  
*pedunculata*, Peyr. in Linnaea, xxx. (1859–60) 80. — Mexic.  
*pedunculata*, Shuttlew. ex Roux, in Bull. Soc. Bot. et Hort. Prov. iii. (1881) 124. — Hab. ?  
*pellucida*, Jacq. Hort. Schoenb. ii. 50 = *Lessertia falci-formis*.  
*peregrina*, Linn. Sp. Pl. 737. — Reg. Mediterr. ; Oriens ; Ind. bor. occ.  
*perennis*, DC. Cat. Hort. Monsp. (1813) 155 = *atro-purpurea*.  
*persepolitana*, Boiss. Diagn. Ser. I. vi. 48 = *Michauxii*.  
*persica*, Boiss. l. c. ii. 103. — As. Min.  
*picta*, Fisch. & Mey. Ind. Sem. Hort. Petrop. i. 41. — Armenia.  
*piliensis*, Aschers. & Janka, in Aschers. & Kanitz, Cat. Corm. Serb. 105 (= *Orobis ochroleucus*). — Hungar.  
*pilosa*, Bieb. Fl. Taur. Cauc. ii. 161 = *sativa*.  
*pimpinelloides*, Mauri, Pl. Rom. Cent. xiii. 35 = *sativa*.  
*Pinardi*, Boiss. Diagn. Ser. I. ix. 120. — As. Min.  
*pinetorum*, Boiss. & Sprun. l. c. ii. 104. — Graecia.  
*Piscidia*, Forst. ex DC. Prod. ii. 379 (= *Orobis Piscidia*). — N. Caled.  
*pisiformis*, Linn. Sp. Pl. 734. — Europ.  
*platycarpus*, Roth, Bot. Abh. 10. t. 1. — Hab. ?  
*plumosa*, Martr. Fl. Tarn, 179 = *varia*.  
*podocarpa*, Boiss. & Haussk. ex Boiss. Fl. Orient. ii. 571 = *sericocarpa*.  
*polymorpha*, Godr. Fl. Lorr. ed. I. i. 179 = *sativa*.  
*polyphylla*, Desf. Fl. Atlant. ii. 162 = *tenuifolia*.  
*polyphylla*, Jan. ex Nym. Consp. 207 = *Gerardi*.  
*polyphylla*, Moç. & Sesse, ex G. Don, Gen. Syst. ii. 318 = *Sessei*.  
*polyphylla*, Reichb. Fl. Germ. Excurs. 527 = *varia*.  
*polyphylla*, Sibth. & Sm. Fl. Graec. vii. 86. t. 699 = *Sibthorpii*.  
*polyphylla*, Waldst. & Kit. Pl. Rar. Hung. iii. 282. t. 254 = *villosa*.  
*polysperma*, Tenore, Fl. Neap. Prod. App. v. 22 = *altissima*.  
*pontica*, Willd. Sp. Pl. iii. 1094 = V. *Cracca*.  
*porphyrea*, Reichb. Fl. Germ. Excurs. 532, in obs. — Hab. ?  
*pratensis*, Wallr. in Linnaea, xiv. (1840) 626 (Beitr. Fl. Hercyn. 256) = *sepium* ?  
*Pseudo-cracca*, Bertol. Rar. Ital. Pl. Dec. iii. 58. — Italia.  
*Pseudo-cracca*, Fritze, ex Willk. & Lange, Prod. Fl. Hisp. iii. 306 = *baetica*.  
*Pseudo-cracca*, Méral, Fl. Par. ed. III. t. 2 = *varia*.  
*Pseudo-lutea*, Schur, in Verh. Naturf. Ver. Bruenn, xv. II. (1877) 189. — Europ.  
*Pseudo-orobis*, Fisch. & Mey. Ind. Sem. Hort. Petrop. i. 41. — Dahuria.  
*Pseudo-sepium*, Nym. in Linnaea, xviii. (1844) 648. — Sicil.  
*Pseudo-villosa*, Schur, Enum. Pl. Transs. 166 = *varia*.  
*pubescens*, Link, Handb. ii. 190 ; Boiss. Fl. Orient. ii. 596. — Reg. Mediterr.  
*pulchella*, H. B. & K. Nov. Gen. et Sp. vi. 499. — Am. bor. occ.  
*punctata*, Schleich. ex Pers. Syn. ii. 307 = *onobrychioides*.  
*purpurascens*, DC. Cat. Hort. Monsp. (1813) 155 = *pannonica*.  
*purpurea*, Stev. in Mém. Soc. Nat. Mosc. iv. (1813) 93 = *alpestris*.  
*pusilla*, Muhl. ex Willd. Sp. Pl. iii. 1106 = *gemella*.  
*pygmaea*, Link, Handb. ii. 191 = *sativa*.  
*pyrenaica*, Pourr. in Mém. Acad. Toul. iii. (1788) 333. — Mont. Pyren.  
*quinqueneria*, Mig. Ann. Mus. Bot. Lugd. Bat. iii. 50. — Japon.  
*Rapunculus*, Debeaux, in Act. Linn. Soc. Bord. xxxi. (1877) 144 = *amoena*.  
*repens*, Urv. in Mém. Soc. Linn. Par. i. (1822) 344. — Ins. Cyclad.

**VICIA** :—

*remrevillensis*, Hussenot, Chard. Nanc. 98; ex Godr. Fl. Lorr. ed. II. i. 196 = sativa.  
*retusa*, Steud. Nom. ed. II. ii. 764.—Chili.  
*Reuteriana*, Boiss. & Buhse, in Nouv. Mém. Soc. Nat. Mosc. xii. (1860) 73 = villosa.  
*Reverchoni*, S. Wats. in Proc. Am. Acad. xiv. (1879) 291.—Texas.  
*rigida*, Herbach, Stirp. Rar. Bucov. 50 = cassubica.  
*rigidula*, Royle, Illustr. Bot. Himal. 200.—Reg. Himal.  
*Rosani*, Tenore, Fl. Nap. v. 115.—Ital.  
*rotundifolia*, Gilib. Fl. Lituan. ii. 106 = sepium.  
*salamina*, Heldr. & Sart. in Boiss. Diagn. Ser. II. ii. 39.—Graecia.  
*Salisii*, J. Gay, ex Nym. Consp. 212 = pubescens.  
*Saliei*, Timb. in Bull. Soc. Bot. Fr. xiii. (1866) p. cxlix = cuneata.  
*sativa*, Guss. Fl. Sic. Prod. ii. 425 = macrocarpa.  
*sativa*, Linn. Sp. Pl. 736.—Europ.; Afr. bor.; Oriens.  
*scepusiensis*, Kit. in Linnaea, xxxii. (1863) 629.—Europ.  
*segetalis*, Thuill. Fl. Par. ed. II. 367 = sativa.  
*Seguenzae*, Huet, ex Nym. Consp. 208 = sicula.  
*Selloi*, Vog. in Linnaea, xiii. (1839) 33 = graminea.  
*semiglabra*, Rupr. ex Boiss. Fl. Orient. ii. 583.—Reg. Caucas.  
*separia*, Dulac, Fl. Hautes-Pyr. 287 = sepium.  
*sepium*, Linn. Sp. Pl. 737.—Europ.; As. bor.; Reg. Himal.  
*sericea*, Moench, Meth. 147 = Nissoliana.  
*sericocarpa*, Fenzl, Pugill. Pl. Nov. Syr. 4.—As. Min.; Persia.  
*serrata*, Pantoč. in Oestr. Bot. Zeitschr. xxiii. (1873) 80 = grandiflora.  
*serratifolia*, Jacq. Fl. Austr. v. 30 = narbonensis.  
*Sessei*, G. Don, Gen. Syst. ii. 318.—Mexic.  
*sessiliflora*, Clos, in C. Gay, Fl. Chil. ii. 129.—Chili.  
*setifolia*, H. B. & K. Nov. Gen. et Sp. vi. 500 = graminea.  
*Sibthorpii*, Boiss. Diagn. Ser. I. ix. 122.—Graecia.  
*sicula*, Guss. Fl. Sic. Syn. ii. 292.—Ins. Sicil.  
*singarensis*, Boiss. & Haussk. ex Boiss. Fl. Orient. ii. 594.—Mesopot.  
*sitchensis*, Bong. in Mém. Acad. Pétersb. ii. (1833) 129 = gigantea, Hook.  
*smyrnaca*, Boiss. Diagn. Ser. II. ii. 38.—As. Min.  
*Solisi*, Phil. in Anal. Univ. Chil. (1865) ii. 326.—Chili.  
*sordida*, Salisb. Prod. 339 = sepium.  
*sordida*, Walldt. & Kit. Pl. Rar. Hung. ii. 133 = grandiflora.  
*sparsiflora*, Tenore, Fl. Nap. v. 110.—Ital.  
*sparsifolia*, Nutt. ex Torr. & Gray, Fl. N. Am. i. 270 = americana.  
*Spruneri*, Boiss. Diagn. Ser. I. ix. 119 = cretica.  
*spuria*, Rafin. Caratteri, 72 = hybrida.  
*Stabiana*, Tenore, Fl. Nap. v. 112 = Gerardi.  
*stenophylla*, Bianca, in Atti Acc. Gioen. Sc. Nat. Ser. II. xiv. (1858) 56.—Sicil.  
*stenophylla*, Schur, Enum. Pl. Transs. 169 = sativa.  
*stenophylla*, Vog. in Linnaea, xiii. (1839) 35.—Reg. Argent.  
*stipulacea*, Pursh, Fl. Am. Sept. ii. 739 = Lathyrus polymorphus.  
*striata*, Bieb. Fl. Taur. Cauc. ii. 162 = pannonica.  
*subrotunda*, Schur, Enum. Pl. Transs. 167 = sepium.  
*subserata*, Phil. in Linnaea, xxviii. (1856) 624.—Chili.  
*subulata*, Moç. & Sesse, ex Steud. Nom. ed. II. ii. 765, nomen (Quid?).—Mexic.  
*subvillosa*, Boiss. Fl. Orient. ii. 580.—Persia.  
*sylvatica*, Benth. in Royle, Illustr. Bot. Himal. 200 = pallida, Turcz.  
*sylvatica*, Linn. Sp. Pl. 734.—Europ.  
*sylvatica*, Nutt. Gen. Am. ii. 97 = americana.  
*syriaca*, Medic. Beobacht. (1783) 178 = seq.?  
*syriaca*, Weinm. Hort. Dorp. (1810) 162 = calcarata.  
*syrtica*, Duby, Bot. Gall. ed. II. i. 151.—Hispan.  
*Talpa*, Raym. ex Poir. Encyc. viii. 563 = pyrenaica.  
*Tanaka*, Franch. & Sav. Enum. Pl. Jap. i. 103; ii. 326 = V. Pseudo-orobus.  
*tenera*, R. Grah. in Wall. Cat. n. 5928.—Reg. Himal.  
*Tenoreana*, Martr. Pl. Crit. Tarn. 20 = gracilis, Loisel.  
*tenuifolia*, Roth, Tent. Fl. Germ. i. 309.—Europ.; Oriens; As. bor.  
*tenuifolia*, Tenore, Fl. Nap. v. 113 = varia.  
*tephrosioides*, Vog. in Linnaea, xiii. (1839) 32.—Reg. Argent.

**VICIA** :—

*Terronii*, Steud. Nom. ed. II. ii. 765, sphalm. = hirsuta.  
*tetragona*, Desf. Cat. Hort. Par. ed. III. 410.—Hab.?  
*tetrasperma*, Moench, Meth. 148 = gemella.  
*tetrasperma*, Moris, Fl. Sard. i. 567 = pubescens.  
*thessala*, Sprun. ex Boiss. Fl. Orient. ii. 574 = V. Barbazitae.  
*Thouini*, Mart. Hort. Erlang. (1814) 156, nomen (Quid?).—Hab.?  
*Timbali*, Loret, in Loret & Barr. Fl. Monsp. 187, 804 = cuneata.  
*tomentosa*, Hort. ex Steud. Nom. ed. I. 883; ed. II. ii. 765 = Coursetia tomentosa.  
*torulosa*, Boiss. Fl. Orient. ii. 589 = caesarea.  
*torulosa*, Desf. Tabl. ed. I. 196, nomen (Quid?).—Hab.?  
*torulosa*, Jord. ex Bor. Fl. Cent. Fr. ed. III. ii. 173 = sativa.  
*trichocalyx*, Moris, Stirp. Sard. Elench. Fasc. iii. 7 = atropurpurea.  
*trichomera*, Alef. in Bonplandia, ix. (1861) 70 = truncatula.  
*tricolor*, Schur, Enum. Pl. Transs. 167 = sepium.  
*tricolor*, Sebast. & Mauri, Fl. Rom. Prod. 245. t. 4 = melanops.  
*tricuspidata*, Stev. in Bull. Soc. Nat. Mosc. xxix. (1856) ii. 158.—Tauria.  
*tridentata*, Bunge, in Mém. Sav. Etr. Pétersb. ii. (1835) 93.—China.  
*tridentata*, Gater. Desc. Pl. Montaub. 129 = lutea.  
*tridentata*, Schwein. in Long, Exped. Winnep. ii. 392 = americana.  
*trifida*, D. Dietr. Syn. Pl. iv. 1112 = americana.  
*triflora*, Sieber, in Ind. Sem. Hort. Pesth. (1825); ex Tenore, Syll. Fl. Neap. 357 (Quid?).—Hab.?  
*triflora*, Tenore, Prod. Fl. Nap. p. xlii = calcarata.  
*trijuga*, A. Br. & Bouché, in Ind. Sem. Hort. Berol. (1853) App. 13.—Hab.?  
*truncata*, Nutt. in Torr. & Gray, Fl. N. Am. i. 270 = americana.  
*truncata*, Phil. in Linnaea, xxxiii. (1864-65) 50.—Chili.  
*truncatula*, Fisch. Cat. Hort. Gorenk. ed. II. (1812) 72; Bieb. Fl. Taur. Cauc. iii. 473.—Bannat; Reg. Caucas.; Persia.  
*ucrainica*, Andrz. ex Trautv. in Act. Hort. Petrop. iii. i. (1874) 44 (sp. dub).—Ross.  
*uncinata*, Desf. ex Nym. Consp. 210 = sativa.  
*uncinata*, Reichb. Fl. Germ. Excurs. 530 = pannonica.  
*unguiculata*, Clav. in Act. Linn. Soc. Bord. xxxvii. (1833) p. vi, 552.—Gallia.  
*unijuga*, A. Br. in Ind. Sem. Hort. Berol. (1853) App. 12.—Sibir.  
*valdiviana*, Phil. in Linnaea, xxviii. (1856) 681.—Chili.  
*varia*, Host, Fl. Austr. ii. 332.—Europ.; Oriens; Afr. bor.  
*variegata*, Gilib. Fl. Lituan. ii. 103 = dumetorum.  
*variegata*, Sibth. & Sm. Fl. Graec. Prod. ii. 69 = villosa.  
*variegata*, Willd. Sp. Pl. iii. 1096.—As. Min.; Persia.  
*venosa*, Maxim. in Bull. Acad. Pétersb. xviii. (1873) 395.—Sibir.  
*venulosa*, Boiss. & Hohen. Diagn. Ser. I. ix. 123.—Persia.  
*versicolor*, Salisb. Prod. 339 = V. Cracca.  
*vestita*, Boiss. Elench. 39 = lutea.  
*vestita*, Clos, in C. Gay, Fl. Chil. ii. 134.—Chili.  
*vicina*, Clos, l. c. 138.—Chili.  
*villosa*, Brot. Fl. Lusit. ii. 150 = atropurpurea.  
*villosa*, Roth, Tent. Fl. Germ. ii. 182.—Europ.; Oriens.  
*violacea*, Dulac, Fl. Hautes-Pyr. 287 = onobrychioides.  
*virginica*, Mart. Hort. Erlang. (1814) 156, nomen (Quid?).—Hab.?  
*vulcanica*, Huet, ex Nym. Consp. 207 = V. Pseudo-cracca.  
*vulgaris*, S. F. Gray, Nat. Arr. Brit. Pl. ii. 617 = V. Faba.  
*vulgaris*, Uspensky, in Bull. Soc. Nat. Mosc. vii. (1834) 378 = sativa.

**VICILLA**, Schur, Enum. Pl. Transs. 170 (1866) = **Vicia**, Tourn. (Legumin.).  
*cassubica*, Schur, l. c. = **Vicia** cassubica.  
*Orobis*, Schur, l. c. 171 = **Vicia** Orobis.  
*pisiformis*, Schur, l. c. 170 = **Vicia** pisiformis.  
*sylvatica*, Schur, l. c. = **Vicia** sylvatica.

**VICIOIDES**, Moench, Meth. 135 (1794) = **Vicia**, Tourn. (Legumin.).

*hirsuta*, Moench, l. c. 137 = **Vicia** pannonica.  
*hybrida*, Moench, l. c. 136 = **Vicia** hybrida.  
*lutea*, Moench, l. c. = **Vicia** lutea.  
*sepium*, Moench, l. c. = **Vicia** sepium.  
*striata*, Moench, l. c. 137 = **Vicia** pannonica.  
*sylvatica*, Moench, l. c. 136 = **Vicia** sylvatica.  
*uncinata*, Moench, l. c. = **Vicia** pannonica.

**VICOA**, Cass. in Ann. Sc. Nat. Sér. I. xvii. (1829) 418.

**COMPOSITAE**, Benth. & Hook. f. ii. 334.  
**PENTANEMA**, Cass. in Bull. Soc. Philom. (1818) 74.  
*appendiculata*, DC. Prod. v. 474 = auriculata.  
*auriculata*, Cass. in Ann. Sc. Nat. Sér. I. xvii. (1829) 418.—Ind. or.; Burma.  
*aurita*, DC. Prod. v. 474 = auriculata.  
*cernua*, Dalz. in Dalz. & Gibs. Bomb. Fl. 126.—Ind. or.  
*chrysopsioides*, Benth. & Hook. f. Gen. ii. 335 (chrysophthalmoides) = Pulicaria petiolaris.  
*divaricata*, Benth. & Hook. f. Gen. l. c.; Oliver & Hiern, in Oliver, Fl. Trop. Afr. iii. 362.—Afr. trop.  
*indica*, DC. in Wight, Contrib. 10 = auriculata.  
*Kotschyi*, Benth. & Hook. f. Gen. ii. 335.—Afr. trop.  
*multicaule*, Benth. & Hook. f. l. c.—Persia.  
*radiata*, Benth. & Hook. f. l. c. = seq.  
*vestita*, Benth. & Hook. f. l. c.—Ind. or.

**VICTORIA**, Lindl. Monog. 3 (1837). **NYMPHAE-**

**CEAE**, Benth. & Hook. f. i. 47.  
*amazonica*, Sowerby, in Ann. & Mag. Nat. Hist. Ser. II. vi. (1850) 310 = regia.  
*Amazonum*, Klotzsch, in Bot. Zeit. v. (1847) 245 = regia.  
*Cruziana*, Orbig. in Ann. Sc. Nat. Sér. II. xiii. (1840) 57 = regia.  
*Fitzroyana*, Hort. ex Loud. Encyc. Pl. Suppl. ii. 1388 = Nymphaea gigantea.  
*regalis*, Schomb. in Mag. Zool. & Bot. xi. (1837) t. 12 = regia.  
*regia*, Lindl. Monog. 3; et Bot. Reg. (1838) Misc. 9.—Guian.  
*Regina*, J. E. Gray, in Mag. Zool. & Bot. ii. (1837) p. iv; Schomb. in Proc. Bot. Soc. Lond. i. (1839) 44 = regia.  
*Reginae*, Hook. Kew Journ. ii. (1850) 314, in nota = praec.

**VICTORIPERREA**, Homb. & Jacquinot, ex Decne. Bot. Voy. Astrol. & Zél. 83 (1853) = **Freycinetia**, Gaudich. (Pandani.).  
*impavida*, Homb. l. c. 83.—Hab.?

**VIDALIA**, F. Villar, in Blanco, Fl. Philipp. ed. III. Nov. App. 17 (1880) = **Kayea**, Wall. (Guttif.).  
*Garciae*, F. Villar, l. c. 18.—Ins. Philipp.  
*lepidota*, F. Villar, l. c. = K. lepidota.  
*Navesii*, F. Villar, l. c.—Ins. Philipp.

**VIEILLARDIA**, Brongn. & Gris, in Bull. Soc. Bot. Fr. viii. (1861) 375 = **Timeroylea**, Montr. (Nyctag.).  
*austro-caledonica*, Brongn. & Gris, l. c. 376.—N. Caled.

**VIEILLARDIA**, Montr. in Mém. Acad. Lyon, x. (1860) 196 = **Castanospermum**, A. Cunn. (Legumin.).  
*grandiflora*, Montr. l. c.—N. Caled.

**VIELLARDIA**, Benth. & Hook. f. Gen. 556 (1865); et iii. 10 (1880), sphalm. = **VIEILLARDIA**, Montr., et **VIEILLARDIA**, Brongn. & Gris.

**VIERAEA**, Sch. Bip. in Webb & Berth. Phyt. Canar. ii. 225 (1835-41). **COMPOSITAE**, Benth. & Hook. f. ii. 334.

**VIERIA**, Webb & Berth. l. c. t. 84 (1835-41).  
*laevigata*, Webb & Berth. l. c. 226 [t. 84].—Ins. Canar.

**VIEREYA**, Steud. Nom. ed. II. ii. 774 (1841), sphalm. = **VIREYA**, Blume = **Rhododendron**, Linn. (Ericac.); et **VIREYA**, Rafin. = **Alloplectus**, Mart. (Gesner.).

**VIERIA**, Webb & Berth. Phyt. Canar. Ic. t. 84 (1836-41) = **Vieraea**, Sch. Bip. (Compos.).

**VIEUSSEUXIA** D. Delar. Desc. Pl. Nov. 31. t. 5 (1766) = **Moraea**, Mill. (Irid.).  
*angustifolia*, Eckl. Top. Verz. 12.—Afr. austr.  
*aristata*, D. Delar. Desc. Pl. Nov. 33 = M. edulis.  
*aristata*, Houtt. Handleid. xii. 105. t. 80 = M. tricuspis.

## VIEUSSEUXIA:—

- aurantiaca*, Eckl. Top. Verz. 13 = *Moraea aurantiaca*.  
*Bellenderi*, Sweet, Hort. Brit. ed. I. 395 = *M. Pavonia*.  
*bituminosa*, Eckl. Top. Verz. 14 = *M. viscaria*.  
*Brehmii*, Eckl. l. c. 12.—Afr. austr.  
*ciliata*, Eckl. l. c. 11 = *M. papilionacea*.  
*collina*, Eckl. l. c. 12 = *Homeria collina*.  
*crispa*, Eckl. l. c. = *M. fimbriata*, *crispa*.  
*curvata*, Eckl. l. c. 13.—Afr. austr.  
*edulis*, Link, Enum. Hort. Berol. i. 56 = *M. edulis*.  
*Freuchenia*, Steud. Nom. ed. II. ii. 765 = *M. ramosa*.  
*fugax*, D. Delar. Desc. Pl. Nov. 33 = *M. fugax*.  
*fugax*, Roem. & Schult. Syst. i. 489 = *M. edulis*.  
*geniculata*, Eckl. Top. Verz. 12.—Afr. austr.  
*glaucopsis*, DC. in Ann. Mus. Par. ii. (1803) 141 = *M. glaucopsis*.  
*gracilis*, Eckl. Top. Verz. 12 = *M. gracilis*.  
*graminifolia*, Eckl. l. c. 11 = *M. polyanthos*.  
*grandiflora*, Eckl. l. c. 14 = *M. grandiflora*.  
*intermedia*, Eckl. l. c. 12.—Afr. austr.  
*iridioides*, [Delar. in] Red. Lil. vi. t. 340 = *M. Candolleana*.  
*iridioides*, Link, Enum. Hort. Berol. i. 56 = *M. iridioides*.  
*junceae*, Eckl. ex Steud. Nom. ed. II. ii. 765.—Afr. austr.  
*longifolia*, Eckl. Top. Verz. 14 = *M. edulis*.  
*lurida*, Sweet, Hort. Brit. ed. I. 395 = *M. lurida*.  
*lutea*, Eckl. Top. Verz. 14.—Afr. austr.  
*martinicensis*, DC. in Ann. Mus. Par. ii. (1803) 138 = *Trimeza lurida*.  
*multiflora*, Eckl. Top. Verz. 12 = *M. multiflora*.  
*multiflora*, Eckl. l. c.—Afr. austr.  
*mutila*, Eckl. l. c.; A. Dietr. Sp. Pl. ii. 494 = *Iris mutila*.  
*mutila*, Klatt, in Linnaea, xxxiv. (1865–66) 621 = *M. tripetala*.  
*nervosa*, Eckl. Top. Verz. 12 = *M. papilionacea*.  
*pauciflora*, Eckl. l. c. = *M. pauciflora*.  
*Pavonia*, DC. in Ann. Mus. Par. ii. (1803) 139 = *M. Pavonia*.  
*plumaria*, Eckl. Top. Verz. 14 = *M. iriopetala*.  
*polystachya*, Eckl. ex Baker, in Journ. Linn. Soc. xvi. (1877) 131 = *M. polystachya*.  
*pulchra*, Eckl. Top. Verz. 13.—Afr. austr.  
*ramosa*, Eckl. l. c. 12 = *M. ramosa*.  
*rivularis*, Eckl. l. c. 11.—Afr. austr.  
*Schimperi*, Hochst. ex A. Rich. Tent. Fl. Abyss. ii. 305 = *M. diversifolia*.  
*serrata*, Eckl. ex Steud. Nom. ed. II. ii. 765.—Afr. austr.  
*setacea*, Eckl. Top. Verz. 13 = *M. setacea*.  
*spiralis*, D. Delar. Desc. Pl. Nov. 31. t. 5 = *M. Pavonia*.  
*tabularis*, Eckl. Top. Verz. 13.—Afr. austr.  
*tenuifolia*, Eckl. ex Steud. Nom. ed. II. ii. 765.—Afr. austr.  
*tenuis*, Roem. & Schult. Syst. i. 491 = *M. tenuis*.  
*tricuspis*, Fisch. Cat. Hort. Gorenk. ex Spreng. Syst. i. 165 = *M. tricuspis*.  
*tridentata*, Hochst. ex A. Rich. Tent. Fl. Abyss. ii. 305 = *M. diversifolia*.  
*tripetaloides*, DC. in Ann. Mus. Par. ii. (1803) 138 = *M. tripetala*.  
*tristis*, Eckl. Top. Verz. 11 = *M. tristis*.  
*unguicularis*, Roem. & Schult. Syst. i. 491 = *M. unguicularis*.  
*villosa*, Spreng. Syst. i. 166 = *M. Pavonia*.  
*viscaria*, Eckl. Top. Verz. 12 = *M. viscaria*.

VIGIA, Vell. Fl. Flum. ix. t. 128 (1827) = **Plukenetia**, Linn. (Euphorb.).  
*serrata*, Vell. l. c. (= *Fragariopsis scandens*).—Bras.

VIGIERA, Benth. & Hook. f. Gen. i. 644 (1865), err. typ. = seq.

VIGIERIA, Vell. Fl. Flum. 76 (1825); ii. tt. 73, 74 (1827) = **Escallonia**, Linn. (Saxifr.).  
*hispida*, Vell. l. c. 76; ii. t. 73.—Bras.  
*laevis*, Vell. l. c. 77; ii. t. 74.—Bras.

VIGINEIXIA, Pomel, Nouv. Mat. Fl. Atl. 12 (1874) = **Pieris**, Linn. (Compos.).  
*Balansae*, Pomel, l. c. (= *Helminthia Balansae*, Coss. & Dur.).—Afr. bor.

- VIGNA, Savi, Mem. Phas. iii. 7 (1826?). **LEGU-MINOSAE**, Benth. & Hook. f. i. 539.  
**CALLICYSTHUS**, Endl. Prod. Fl. Norf. 90 (1833).  
**OTOPTERA**, DC. Prod. ii. 240 (1825).  
**PLECTROTROPIS**, Schum. & Thonn. Beskr. Guin. Pl. 338 (1827).  
**SCYTALIS**, E. Mey. Comm. Pl. Afr. Austr. 144 (1835).  
**SPHENOSTYLIS**, E. Mey. l. c. 148 (1835).  
**STROPHOSTYLES**, E. Mey. l. c. 147 (1835).  
*Azelii*, Baker, in Oliver, Fl. Trop. Afr. ii. 202.—Afr. trop.  
*ambacensis*, Welw. ex Baker, l. c. 201.—Afr. trop.  
*andongensis*, Baker, l. c. 197.—Afr. trop.  
*angivensis*, Baker, in Journ. Bot. xx. (1882) 69.—Madag.  
*angustifolia*, Benth. ex Harv. & Sond. Fl. Cap. ii. 240.—Afr. austr.  
*angustifolia*, Hook. f. in Hook. Niger Fl. 311 = *capensis*.  
*anomala*, Walp. Rep. i. 779 = *retusa*.  
*Benthami*, Vatke, in Oestr. Bot. Zeitschr. xxviii (1878) 262.—Afr. trop.  
*brachycarpa*, Kurz, in Journ. As. Soc. Beng. xliii. ii. (1874) 185.—Burma.  
*brachystachys*, Benth. Bot. Voy. Sulph. 86 = *glabra*.  
*brasilensis*, Mart. ex Benth. in Mart. Fl. Bras. xv. i. 194 = *glabra*.  
*Burchellii*, Harv. in Harv. & Sond. Fl. Cap. ii. 239.—Afr. austr.  
*calcarata*, Kurz, in Journ. As. Soc. Beng. xlv. (1876) ii. 247 = *Phaseolus calcaratus*.  
*capensis*, Walp. in Linnaea, xliii. (1839) 533.—Geront. trop.  
*carinalis*, Benth. Bot. Voy. Sulph. 86 = *capensis*.  
*Catjang*, Walp. in Linnaea, xliii. (1839) 533.—Cosmop. trop.  
*coerulea*, Baker, in Oliver, Fl. Trop. Afr. ii. 203.—Afr. trop.  
*comosa*, Baker, l. c. 202.—Afr. trop.  
*crinita*, A. Rich. Tent. Fl. Abyss. i. 217.—Abyss.  
*decipiens*, Harv. in Harv. & Sond. Fl. Cap. ii. 241 (excl. syn.).—Afr. austr.  
*decipiens*, Harv. l. c., partim = *triloba*.  
*dolichoides*, Baker, in Hook. f. Fl. Brit. Ind. ii. 206.—Reg. Himal.; Java.  
*Donii*, Baker, in Oliver, Fl. Trop. Afr. ii. 202.—Afr. trop.  
*frutescens*, A. Rich. Tent. Fl. Abyss. i. 218.—Abyss.  
*gangetica*, Kurz, in Journ. As. Soc. Beng. xliii. (1874) ii. 185 = *glabra*.  
*glabra*, Savi, Mem. Phas. iii. 8.—Cosmop. trop.  
*golungensis*, Baker, in Oliver, Fl. Trop. Afr. ii. 199.—Afr. trop.  
*gracilis*, Hook. f. in Hook. Niger Fl. 311.—Afr. trop.  
*hastata*, Blume, ex Miq. Fl. Ind. Bat. i. i. 187 = *V. Catjang*.  
*hastifolia*, Baker, in Oliver, Fl. Trop. Afr. ii. 200.—Afr. trop.  
*helicopus*, Walp. in Linnaea, xliii. (1839) 534 = *glabra*.  
*heterophylla*, A. Rich. Tent. Fl. Abyss. i. 218.—Abyss.  
*hirsuta*, Feay, ex Wood, Bot. & Fl. 96 = *glabra*?  
*hirta*, Hook. Ic. Pl. t. 637 = *capensis*.  
*hispida*, Walp. in Linnaea, xliii. (1839) 534.—Afr. austr.  
*holosericea*, Welw. ex Baker, in Oliver, Fl. Trop. Afr. ii. 200.—Afr. trop.  
*huillensis*, Welw. ex Baker, l. c. 204.—Afr. trop.  
*Kotschyi*, Schweinf. Reliq. Kotschy. (1863) 29. t. 22.—Afr. trop.  
*lanceolata*, Benth. in Mitch. Journ. Trop. Austral. 350.—Austral.  
*lancifolia*, A. Rich. Tent. Fl. Abyss. i. 221.—Abyss.  
*linearifolia*, Hook. f. in Hook. Niger Fl. 309 = *reticulata*.  
*lobata*, Endl. ex Miq. Fl. Ind. Bat. i. i. 188.—Afr. austr.; Ins. Timor?  
*lobatifolia*, Baker, in Oliver, Fl. Trop. Afr. ii. 199.—Afr. trop.  
*lobelifolia*, Baker, l. c. 613, sphalm. = *praec.*  
*lucens*, Baker, in Hook. f. Fl. Brit. Ind. ii. 207.—Burma.  
*lutea*, A. Gray, Bot. U. St. Expl. Exped. i. 452 = *retusa*.  
*luteola*, Benth. in Mart. Fl. Bras. xv. i. 194. t. 50. f. 2 = *glabra*.  
*marginata*, Benth. ex Harv. & Sond. Fl. Cap. ii. 240.—Afr. austr.  
*membranacea*, A. Rich. Tent. Fl. Abyss. i. 219.—Abyss.

## VIGNA:—

- monachalis*, Endl. ex Hassk. Cat. Hort. Bog. Alt. 279 = *V. Catjang*.  
*multiflora*, Hook. f. in Hook. Niger Fl. 308.—Afr. trop.  
*nigritia*, Hook. f. l. c. 310 = *glabra*.  
*nilotica*, Hook. f. l. c. 311.—Afr. trop.  
*oahuensis*, A. Gray, Bot. U. St. Expl. Exped. i. 450 = *owahuensis*.  
*oblonga*, Benth. Bot. Voy. Sulph. 86.—Am. trop.; Afr. trop.  
*oblongifolia*, A. Rich. Tent. Fl. Abyss. i. 220.—Abyss.  
*opistotricha*, A. Rich. l. c. = *Phaseolus Mungo*.  
*ornata*, Welw. ex Baker, in Oliver, Fl. Trop. Afr. ii. 203.—Afr. trop.  
*owahuensis*, Vog. in Linnaea, x. (1836) 585.—Ins. Sandvic.  
*paraguariensis*, Benth. in Mart. Fl. Bras. xv. i. 195.—Am. austr.  
*Parkeri*, Baker, in Journ. Bot. xx. (1882) 69.—Madag.  
*parviflora*, Welw. ex Baker, in Oliver, Fl. Trop. Afr. ii. 201.—Afr. trop.  
*parvifolia*, Planch. ex Baker, l. c. 206.—Afr. trop.  
*phaseoloides*, Baker, l. c. 200.—Afr. trop.  
*pilosa*, Baker, in Hook. f. Fl. Brit. Ind. ii. 207.—Ind. or.  
*pubigera*, Baker, in Oliver, Fl. Trop. Afr. ii. 201.—Afr. trop.  
*radicans*, Welw. ex Baker, l. c. 198.—Afr. trop.  
*repens*, Baker, in Hook. f. Fl. Brit. Ind. ii. 205.—Burma.  
*reticulata*, Hook. f. in Hook. Niger Fl. 310.—Afr. trop.  
*retusa*, Walp. in Linnaea, xliii. (1839) 534.—Cosmop. trop.  
*rotundifolia*, Hassk. Cat. Hort. Bog. Alt. 279.—Java.  
*sandwicensis*, A. Gray, Bot. U. St. Expl. Exped. i. 451.—Ins. Sandvic.  
*scabra*, Sond. in Linnaea, xxiii. (1850) 32 = *capensis*.  
*Schimperi*, Baker, in Oliver, Fl. Trop. Afr. ii. 201.—Abyss.  
*sinensis*, Endl. ex Hassk. Pl. Jav. Rar. 386 = *V. Catjang*.  
*suberecta*, Benth. in Mitch. Journ. Trop. Austral. 388.—Austral.  
*syndwicensis*, C. Muell. in Walp. Ann. iv. 563, sphalm. = *sandwicensis*.  
*tenuis*, D. Dietr. Syn. Pl. iv. 1197.—Afr. austr.  
*tenuis*, Franch. in Revoil. Comali, 29.—Afr. trop.  
*Thonningii*, Hook. f. in Hook. Niger Fl. 311 = *capensis*.  
*tranquebarica*, D. Dietr. Syn. Pl. iv. 1198 = *V. Catjang*.  
*triloba*, Walp. in Linnaea, xliii. (1839) 534.—Afr. trop. et austr.  
*tuberosa*, A. Rich. Tent. Fl. Abyss. i. 217. t. 42 = *capensis*.  
*unguiculata*, Walp. Rep. i. 779 = *V. Catjang*.  
*venulosa*, Baker, in Oliver, Fl. Trop. Afr. ii. 203.—Afr. trop.  
*vexillata*, A. Rich. Ess. Fl. Cub. 440 = *capensis*.  
*villosa*, Hook. & Arn. Bot. Beech. Voy. 81 = *owahuensis*.  
*villosa*, Savi, Mem. Phas. iii. 9 = *glabra*.  
*Wightii*, Benth. ex Bedd. in Trans. Linn. Soc. xxv. (1865) 215.—Ind. or.

VIGNALDIA, A. Rich. Tent. Fl. Abyss. i. 357 (1847) = **Pentas**, Benth. (Rubiace.).  
*luteola*, Schweinf. Beitr. Fl. Aethiop. 282 = *Mussaenda luteola*.  
*occidentalis*, Hook. f. in Journ. Linn. Soc. vii. (1864) 197 = *P. occidentalis*.  
*Quartiniana*, A. Rich. Tent. Fl. Abyss. i. 357 = *P. carnea*.  
*Schimperi*, A. Rich. l. c. 358 = *P. Schimperiana*.  
*Schimperiana*, Hiern, in Oliver, Fl. Trop. Afr. iii. 45 = *praec.*

VIGNANTHA, Schur, Enum. Pl. Trans. 705 (1866) = **Carex**, Dill. (Cyperac.).  
*acuta*, Schur, Enum. Pl. Trans. 706 = *C. acuta*.  
*dacica*, Schur, l. c. 705 = *C. caespitosa*.  
*Dreyeri*, Schur, l. c. 706 = *C. caespitosa*.  
*Moenchiana*, Schur, l. c. = *C. acuta*.  
*mucronata*, Schur, l. c. 705 = *C. mucronata*.  
*prolixa*, Fourr. in Ann. Soc. Linn. Lyon, N. S. xvii. (1869) 176 = *C. acuta*.



## VIGNANTHA :—

- rigida*, Schur, Enum. Pl. Transs. 705 = *Carex caespitosa*.  
*stricta*, Schur, l. c. 707 = *C. stricta*.  
*touranginiana*, Fourr. in Ann. Soc. Linn. Lyon, N. S. xvii. (1869) 176 = *C. acuta*.  
*vulgaris*, Schur, Enum. Pl. Transs. 706 = *C. vulgaris*.

VIGNAUDIA, Schweinf. Beitr. Fl. Aethiop. 282 (1867)  
 sphalm. = VIGNALDIA, A. Rich. = *Pentas*, Benth.  
 (Rubiace.).

VIGNEA, Beauv. in Lestib. Essai Fam. Cyp. 22 (1819);

et in Flora, iv. (1821) 17 = *Carex*, Dill. (Cyperac.).  
*acroandra*, Schur, Enum. Pl. Transs. 699 = *C. acroandra*.

*acuta*, Reichb. in Moessl. Handb. ed. II. iii. 1626 = *C. acuta*.

*altissima*, Schur, in Verh. Siebenb. Ver. Naturw. iv. (1858) 79 = *C. muricata*.

*ammophila*, Reichb. in Moessl. Handb. ed. II. iii. 1615 = *C. divisa*.

*appressa*, Reichb. l. c. 1621 = *C. paniculata*.

*aquatilis*, Reichb. l. c. 1624 = *C. aquatilis*.

*arenaria*, Reichb. l. c. 1618 = *C. arenaria*.

*argyroglochis*, Reichb. l. c. 1612 = *C. leporina*.

*axillaris*, Reichb. l. c. 1617 = *C. axillaris*.

*Bertolonii*, Reichb. l. c. 1608 = *C. divisa*.

*bicolor*, Reichb. l. c. 1624 = *C. bicolor*.

*Boenninghausiana*, Reichb. l. c. 1616 = *C. axillaris*.

*bracteosa*, Reichb. l. c. 1619 = *C. bracteosa*.

*brizoides*, Reichb. l. c. 1611 = *C. brizoides*.

*caespitosa*, Reichb. l. c. 1625 = *C. caespitosa*.

*canescens*, Reichb. l. c. 1612 = *C. canescens*.

*capitata*, Reichb. l. c. 1606 = *C. capitata*.

*cephalophora*, Reichb. l. c. 1607 = *C. cephalophora*.

*cerina*, Reichb. Fl. Germ. Excurs. 140<sup>7</sup> = *C. vulgaris*.

*chlorocarpa*, Schur, in Verh. Siebenb. Ver. Naturw. x. (1859) 193 = *C. vulgaris*.

*chordorrhiza*, Reichb. in Moessl. Handb. ed. II. iii. 1608 = *C. chordorrhiza*.

*compacta*, Reichb. l. c. 1623 = *C. vulgaris*.

*conjugata*, Reichb. l. c. 1622 = *C. brunnea*.

*crassinervis*, Schur, Enum. Pl. Transs. 704 = *C. vulgaris*.

*curta*, Opiz, Seznam, 103 (err. typ. 203) = *C. canescens*.

*curvula*, Opiz, l. c.; Schur, in Verh. Siebenb. Ver. Naturw. iv. (1858) 78 = *C. Schreberi*.

*cyperoides*, Peterm. Fl. Lips. Excurs. 49 = *C. cyperoides*.

*dacica*, Fuss, Fl. Transs. 681 = *C. caespitosa*.

*Davalliana*, Reichb. in Moessl. Handb. ed. II. iii. 1605 = *C. Davalliana*.

*dioica*, Reichb. l. c. 1604 = *C. dioica*.

*disticha*, Peterm. Fl. Bienitz, 16 = *C. disticha*.

*divisa*, Reichb. in Moessl. Handb. ed. II. iii. 1615 = *C. divisa*.

*divulsa*, Reichb. l. c. 1619 = *C. divulsa*.

*Drejeri*, Fuss, Fl. Transs. 680 = *C. caespitosa*.

*echinata*, Fourr. in Ann. Soc. Linn. Lyon, N. S. xvii. (1869) 176 = *C. echinata*.

*elongata*, Reichb. in Moessl. Handb. ed. II. iii. 1617 = *C. elongata*.

*festuacea*, Reichb. l. c. 1614 = *C. straminea*.

*foenea*, Reichb. l. c. = *C. straminea*.

*foetida*, Reichb. l. c. 1607 = *C. foetida*.

*Gaudiniana*, Pritz. Ic. Ind. i. 1161 = *C. Gaudiniana*.

*Gebhardi*, Reichb. in Moessl. Handb. ed. II. iii. 1613 = *C. elongata*.

*glareosa*, Reichb. l. c. 1626 = *C. glareosa*.

*grypos*, Reichb. l. c. 1608 = *C. echinata*.

*guestphalica*, Reichb. Fl. Germ. Excurs. 140<sup>7</sup> = *C. muricata*.

*Heleonastes*, Reichb. in Moessl. Handb. ed. II. iii. 1609 = *C. Heleonastes*.

*hydrophila*, Reichb. Fl. Germ. Excurs. 140<sup>7</sup> = *C. echinata*.

*incurva*, Reichb. in Moessl. Handb. ed. II. iii. 1607 = *C. incurva*.

*intermedia*, Reichb. l. c. 1618 = *C. disticha*.

*juncoides*, Opiz, Seznam, 104 = *C. juncoides*.

*lagopina*, Reichb. in Moessl. Handb. ed. II. iii. 1609 = *C. lagopina*.

*lagopodioides*, Reichb. l. c. 1614 = *C. lagopodioides* (cf. Addend.).

*leiorhyncha*, Pritz. Ic. Ind. i. 1161 = *C. leiorhyncha*.

*leporina*, Reichb. in Moessl. Handb. ed. II. iii. 1613 = *C. leporina*.

*liolicea*, Reichb. l. c. 1610 = *C. liolicea*.

*lucorum*, Reichb. l. c. 1614 = *C. lucorum*.

## VIGNEA :—

*maritima*, Reichb. in Moessl. Handb. ed. II. iii. 1623 = *Carex maritima*.

*microstachya*, Reichb. l. c. = *C. microstachya*.

*microstylis*, Reichb. Fl. Germ. Excurs. 140<sup>6</sup> = *C. microstylis*.

*Moenchiana*, Reichb. in Moessl. Handb. ed. II. iii. 1626 = *C. acuta*.

*mucronata*, Reichb. Fl. Germ. Excurs. 140<sup>7</sup> = *C. mucronata*.

*multiflora*, Reichb. in Moessl. Handb. ed. II. iii. 1621 = *C. vulpinoidea*.

*muricata*, Reichb. l. c. 1611 = *C. muricata*.

*neglecta*, Peterm. Fl. Bienitz, 17 = *C. caespitosa*.

*memorosa*, Reichb. in Moessl. Handb. ed. II. iii. 1620 = *C. vulpina*.

*Nenningiana*, Opiz, Seznam, 103 (err. typ. 203) = *C. Nenningiana* (in Addend.).

*norvegica*, Reichb. in Moessl. Handb. ed. II. iii. 1610 = *C. norvegica*.

*Ohmuelleriana*, Pritz. Ic. Ind. i. 1161 = *C. arenaria*.

*pacifica*, Reichb. ex Nym. Consp. 777 = *C. vulgaris*.

*paniculata*, Reichb. in Moessl. Handb. ed. II. iii. 1622 = *C. paniculata*.

*paradoxa*, Reichb. l. c. 1621 = *C. paradoxa*.

*Persoonii*, Schur, in Verh. Siebenb. Ver. Naturw. iv. (1853) 78 = *C. canescens*.

*psammophila*, Schur, Enum. Pl. Transs. 700 = *C. brizoides*.

*Pseudo-arenaria*, Reichb. Ic. Fl. Germ. viii. t. 208 = *C. arenaria*.

*Pseudo-brizoides*, Schur, Enum. Pl. Transs. 700 = *C. Pseudo-brizoides*.

*Pseudo-Schreberi*, Schur, l. c. = *C. brizoides*.

*pulicaris*, Reichb. in Moessl. Handb. ed. II. iii. 1606 = *C. pulicaris*.

*pulla*, Reichb. l. c. 1624 = *C. saxatilis*.

*remota*, Reichb. l. c. 1616 = *C. remota*.

*repens*, Reichb. l. c. 1618 = *C. repens*.

*repens*, Schur, Enum. Pl. Transs. 701 = *C. arenaria*.

*retroflexa*, Reichb. in Moessl. Handb. ed. II. iii. 1610 = *C. rosea*.

*rigida*, Fuss, Fl. Transs. 681 = *C. vulgaris*.

*rivularis*, Schur, in Verh. Siebenb. Ver. Naturw. iv. (1853) 78 = *C. divisa*.

*rosea*, Reichb. in Moessl. Handb. ed. II. iii. 1611 = *C. rosea*.

*salina*, Reichb. l. c. 1623 = *C. salina*.

*saxatilis*, Reichb. l. c. 1624 = *C. saxatilis*.

*Schreberi*, Reichb. l. c. 1614 = *C. Schreberi*.

*scirpoides*, Reichb. l. c. 1611 = *C. echinata*.

*scoparia*, Reichb. l. c. 1613 = *C. scoparia*.

*setifolia*, Fourr. in Ann. Soc. Linn. Lyon, N. S. xvii. (1869) 175 = *C. divisa*.

*squarrosa*, Reichb. in Moessl. Handb. ed. II. iii. 1606 = *C. squarrosa*.

*stellulata*, Reichb. l. c. 1610 = *C. echinata*.

*stenophylla*, Reichb. l. c. 1607 = *C. stenophylla*.

*stipata*, Reichb. l. c. 1620 = *C. stipata*.

*striata*, Reichb. l. c. 1625 = *C. lacistoma*.

*stricta*, Reichb. l. c. 1624 = *C. stricta*.

*strictifolia*, Opiz, Seznam, 103 (err. typ. 203) = *C. acuta*.

*tenuissima*, Schur, Enum. Pl. Transs. 979 (Index) = *C. muricata*.

*teretiuncula*, Reichb. in Moessl. Handb. ed. II. iii. 1621 = *C. paniculata*.

*trinervis*, Reichb. l. c. 1625 = *C. trinervis*.

*tripartita*, Reichb. l. c. 1609 = *C. curvula*.

*virens*, Reichb. l. c. 1611 = *C. muricata*.

*vulgaris*, Fuss, Fl. Transs. 680 = *C. vulgaris*.

*vulpina*, Reichb. in Moessl. Handb. ed. II. iii. 1620 = *C. vulpina*.

VIGOLINA, Poir. Encyc. viii. 613 (1808) = *Galinsoga*, Ruiz & Pav. (Compos.).

*Acmella*, Poir. l. c. = *G. parviflora*.

*Armella*, Steud. Nom. ed. II. i. 656, in syn. sphalm. = *praec*.

VIGUIERA, H. B. & K. Nov. Gen. et Sp. iv. 224. t. 379 (1820). *COMPOSITAE*, Benth. & Hook. f. ii. 375.

BAHTOPSIS, Kellogg, in Proc. Calif. Acad. ii. (1863) 35.

HARPALIMUM, DC. Prod. v. 583 (1836).

LEIGHIA, Cass. in Dict. Sc. Nat. xxv. 435 (1822).

## VIGUIERA :—

*acuminata*, Benth. ex Oerst. in Kjoeb. Vidensk. Meddel. (1852) 91 = *Oyedaea acuminata*.

*anchusaefolia*, Baker, in Mart. Fl. Bras. vi. III. 222.—Bras.

*arenaria*, Baker, l. c. 226.—Bras.

*asperima*, Gardn. in Hook. Lond. Journ. Bot. vii. (1848) 401.—Bras.

*aspilioides*, Baker, in Mart. Fl. Bras. vi. III. 228.—Bras.

*attenuata*, Gardn. in Hook. Lond. Journ. Bot. vii. (1848) 400 = *Aspilia asperima*.

*blepharolepis*, A. Gray, in Proc. Am. Acad. xix. (1883) 5.—N. Mexic.

*Bonplandiana*, Gardn. in Hook. Lond. Journ. Bot. vii. (1848) 399 = *Oyedaea Bonplandiana*.

*bracteata*, Gardn. l. c. 404.—Bras.

*brevipes*, DC. Prod. v. 579 = *helianthoides*.

*buddleiaeformis*, Benth. & Hook. f. ex Hemsl. Biol. Centr. Am. Bot. ii. 177.—Mexic.

*calva*, Benth. & Hook. f. Gen. ii. 375.—Bolivia.

*canescens*, DC. Prod. v. 579.—Mexic.

*cordifolia*, A. Gray, Pl. Wright. i. 107.—Mexic.

*decurrens*, A. Gray, in Proc. Am. Acad. xix. (1883) 5.—Am. bor.

*deltoidea*, A. Gray, l. c. v. (1859) 161.—Calif.

*densifolia*, Baker, in Mart. Fl. Bras. vi. III. 219.—Paraguay.

*dentata*, Spreng. Syst. iii. 615 = *helianthoides*.

*discolor*, Baker, in Mart. Fl. Bras. vi. III. 228.—Bras.

*dissitifolia*, Baker, l. c. 225.—Bras.

*elegans*, Gardn. in Hook. Lond. Journ. Bot. vii. (1848) 398 = *Aspilia foliacea*.

*elliptica*, Sch. Bip. ex Baker, in Mart. Fl. Bras. vi. III. 194 = *Aspilia Burchellii*.

*excelsa*, Benth. & Hook. f. Gen. ii. 375; et ex Hemsl. Biol. Centr. Am. Bot. ii. 177.—Mexic.

*filifolia*, Sch. Bip. ex Baker, in Mart. Fl. Bras. vi. III. 219.—Bras.

*floribunda*, Gardn. in Hook. Lond. Journ. Bot. vii. (1848) 401 = *Aspilia floribunda*.

*foliacea*, Spreng. Syst. iii. 616 = *Aspilia foliacea*.

*Gardneri*, Baker, in Mart. Fl. Bras. vi. III. 224.—Bras.

*Ghiesbreghtii*, A. Gray, in Proc. Am. Acad. xix. (1883) 6.—Mexic.

*Gilliesii*, Hieron. in Bol. Acad. Nac. Cordova, iv. (1881) 39.—Chili.

*glabra*, Gardn. in Hook. Lond. Journ. Bot. vii. (1848) 398 = *Aspilia glabra*.

*glandulosa*, Bertol. Misc. Bot. vii. 45 = *Baldwinia uniflora*.

*gracilis*, Gardn. in Hook. Lond. Journ. Bot. vii. (1848) 402 = *Aspilia gracilis*.

*grammatoglossa*, DC. Prod. v. 580.—Mexic.

*grandiflora*, Gardn. in Hook. Lond. Journ. Bot. vii. (1848) 404.—Bras.

*helianthoides*, H. B. & K. Nov. Gen. et Sp. iv. 226. t. 379.—Mexic.; Ind. occ.

*hirsuta*, Gardn. in Hook. Lond. Journ. Bot. vii. (1848) 397 = *Aspilia foliacea*.

*hispida*, Baker, in Mart. Fl. Bras. vi. III. 220.—Bras.

*Humboldtiana*, Gardn. in Hook. Lond. Journ. Bot. vii. (1848) 398 = *Oyedaea Humboldtiana*.

*imbricata*, Baker, in Mart. Fl. Bras. vi. III. 220.—Bras.

*Kunthiana*, Gardn. in Hook. Lond. Journ. Bot. vii. (1848) 399.—Bras.

*laciniata*, A. Gray, in Torr. Bot. Mex. Bound. 89.—Calif.

*lanata*, A. Gray, in Proc. Am. Acad. xvii. (1881–82) 218.—Calif.

*laxa*, Baker, in Mart. Fl. Bras. vi. III. 222.—Bras.

*laxa*, DC. Prod. v. 580 = *helianthoides*.

*linearis*, Sch. Bip. ex Hemsl. in Biol. Centr. Am. Bot. ii. 178.—Mexic.

*macrophylla*, Benth. ex Oerst. in Kjoeb. Vidensk. Meddel. (1852) 92 = *Oyedaea macrophylla*.

*macrorhiza*, Baker, in Mart. Fl. Bras. vi. III. 225.—Bras.

*Mandonii*, Sch. Bip. in Linnaea, xxxiv. (1865–66) 528, nomen.—Bolivia.

*microcline*, DC. Prod. v. 579 = *helianthoides*?

*mollis*, Griseb. in Goett. Abh. xix. (1874) 183.—Reg. Argent.

*nervosa*, Gardn. in Hook. Lond. Journ. Bot. vii. (1848) 403.—Bras.

## VIGUIERA:—

- nivea*, Benth. & Hook. f. Gen. ii. 378, in nota sub Encelia = tephrodes.  
*nonneaeifolia*, Baker, in Mart. Fl. Bras. vi. III. 222.—Bras.  
*nudicaulis*, Baker, l. c. 228.—Bras.  
*oblonga*, Benth. & Hook. f. Gen. ii. 374, in nota sub Oyedaea = Aspilila oblonga.  
*oblongifolia*, Gardn. in Hook. Lond. Journ. Bot. vii. (1848) 402.—Bras.  
*obtusifolia*, Baker, in Mart. Fl. Bras. vi. III. 226.—Bras.  
*oppositipes*, DC. Prod. v. 580.—Mexic.  
*ovalifolia*, Baker, in Mart. Fl. Bras. vi. III. 226.—Bras.  
*pachycephala*, Hemsl. Biol. Centr. Am. Bot. ii. 178.—Mexic.  
*Parishii*, Greene, in Bull. Torrey Bot. Club, ix. (1882) 15.—Arizona.  
*peruviana*, A. Gray, in Proc. Am. Acad. iv. (1859) 124.—Peruv.  
*pilosa*, Baker, in Mart. Fl. Bras. vi. III. 223.—Bras.  
*platyphylla*, Baker, l. c. 227.—Bras.  
*Poeppigii*, A. Gray, in Proc. Am. Acad. xix. (1883) 6.—Am. bor.  
*Pohlana*, Sch. Bip. ex Baker, in Mart. Fl. Bras. vi. III. 202 = *Aspilila laevis*.  
*prostrata*, DC. Prod. v. 579 = *Helianthus trachelifolius*.  
*pusilla*, Less. ex Baker, in Mart. Fl. Bras. vi. III. 194 = *Aspilila pusilla*.  
*Radula*, Baker, l. c. 223.—Bras.  
*ramosissima*, Gardn. in Hook. Lond. Journ. Bot. vii. (1848) 402 = *Aspilila floribunda*.  
*reflexa*, Sch. Bip. ex Baker, in Mart. Fl. Bras. vi. III. 196 = *Aspilila reflexa*.  
*reticulata*, S. Wats. in Am. Natural. vii. (1873) 301.—Am. bor. occ.  
*retifolia*, Sch. Bip. ex Baker, in Mart. Fl. Bras. vi. III. 223.—Bras.  
*rigida*, Hort.—Cf. Gard. Chron. (1881) II. 396 = *Helianthus rigidus*.  
*robusta*, Gardn. in Hook. Lond. Journ. Bot. vii. (1848) 403.—Bras.  
*rugosa*, Benth. & Hook. f. Gen. ii. 375; et ex Hemsl. Biol. Centr. Am. Bot. ii. 178.—Mexic.  
*Sagraana*, DC. Prod. v. 579 = *Helianthoides*.  
*scabra*, Pohl, ex Baker, in Mart. Fl. Bras. vi. III. 227 = *robusta*.  
*Seemannii*, Sch. Bip. in Seem. Bot. Voy. Herald, 305.—Mexic.  
*sessilifolia*, DC. Prod. v. 579.—Mexic.  
*sphaerocephala*, Hemsl. Biol. Centr. Am. Bot. ii. 179.—Mexic.  
*stenophylla*, Griseb. in Goett. Abh. xxiv. (1879) 193.—Reg. Argent.  
*subincisa*, Benth. Bot. Voy. Sulph. 27.—Calif.  
*tenuifolia*, Gardn. in Hook. Lond. Journ. Bot. vii. (1848) 399.—Bras.  
*tephrodes*, A. Gray, in Proc. Am. Acad. xvii. (1882) 218.—Calif.  
*texana*, Torr. & Gray, Fl. N. Am. ii. 318 = *Helianthoides*.  
*tomentosa*, A. Gray, in Proc. Am. Acad. v. (1862) 161.—Calif.  
*tripinervis*, Less. ex Baker, in Mart. Fl. Bras. vi. III. 191 = *Aspilila glabra*.  
*triquetra*, DC. Prod. v. 579 = *Helianthoides*.  
*tuberosa*, Benth. & Hook. f. Gen. ii. 388.—Bolivia.  
*tuberosa*, Griseb. in Goett. Abh. xxiv. (1879) 193.—Reg. Argent.  
*tucumanensis*, Griseb. l. c. xix. (1874) 183.—Reg. Argent.  
*urticiformis*, Hemsl. Biol. Centr. Am. Bot. ii. 179.—Mexic.  
*vernonioides*, Baker, in Mart. Fl. Bras. vi. III. 223.—Bras.  
*wedelioides*, Baker, in Journ. Bot. xx. (1882) 226.—Madag.

VILARIA, Guett. Mém. Minéral. Dauph. i. Pref. 108; ii. t. 19 (1779) = *Berardia*, Vill. (Compos.).  
*subacaulis*, Guett. l. c. 170 = *B. subacaulis*.

VILFA, Adans. Fam. ii. 495 (1763) = *Agrostis*, Linn. (Gramin.).

VILFA, Beauv. Agrost. 16. t. 5. f. 8 (1812) = *Sporobolus*, R. Br. (Gramin.).  
*actinoclada*, F. Muell. Fragm. vi. 84 = *S. actinoclada*.

VOL. II.

## VILFA:—

- acuminata*, Trin. Sp. Gram. iii. t. 348.—Bras.  
*acutigluma*, Steud. in Lechl. Berb. Am. Austr. 56.—Peruv.  
*adusta*, Trin. in Mém. Acad. Pétersb. Sér. VI. Sc. Nat. v. II. (1840) 80.—Bras.  
*aemula*, Beauv. Agrost. 16 = *Deyeuxia Forsteri*.  
*aenea*, Trin. Sp. Gram. i. t. 23 = *Sporobolus aeneus*.  
*affinis*, Steud. Nom. ed. II. ii. 766 = *S. affinis*, Kunth.  
*africana*, Beauv. Agrost. 16 = *S. capensis*.  
*agrostidea*, Buckl. in Proc. Acad. Sc. Philad. 1862 (1863) 88 = *S. cryptandrus*.  
*airoides*, Trin. ex Steud. Nom. ed. II. ii. 766 = *S. airoides*.  
*alba*, Beauv. Agrost. 16 = *Agrostis alba*.  
*alba*, Buckl. in Proc. Acad. Sc. Philad. 1862 (1863) 89 = *Eatonia obtusata*.  
*albicans*, Nees, ex Trin. in Mém. Acad. Pétersb. Sér. VI. Sc. Nat. v. II. (1840) 101 = *S. albicans*.  
*algida*, Trin. Gram. Unifl. 159 = *Phippsia algida*.  
*alopecuroides*, Beauv. Agrost. 16 = *Polypogon monspeliensis*.  
*alpicola*, Steud. Syn. Pl. Gram. 154 = *S. alpicola*.  
*angustifolia*, Steud. l. c. 160 = *S. angustifolius*.  
*arabica*, Steud. l. c. 421 = *S. arabicus*.  
*arachnoidea*, Beauv. Agrost. 147 = *Muehlenbergia expansa*.  
*arenaria*, Trin. Gram. Unifl. 160 = *S. pungens*.  
*arguta*, Nees, Agrost. Bras. 395 = *S. argutus*.  
*arkansana*, Trin. in Mém. Acad. Pétersb. Sér. VI. Sc. Nat. v. II. (1840) 64 = *S. argutus*.  
*articulata*, Beauv. Agrost. 16 = *Chaeturus fasciculatus*.  
*arundinacea*, Trin. Gram. Unifl. 157 = *Arctagrostis latifolia*.  
*aspera*, Beauv. Agrost. 16 = *S. asper*.  
*asperifolia*, Meyen, Reise, i. 349, 408 = *S. asperifolius*.  
*atrovirens*, H. B. & K. Nov. Gen. et Sp. vii. t. 685 = *S. atrovirens*.  
*atrovirens*, H. B. & K. l. c. i. 138 = *S. atrovirens*.  
*australis*, Beauv. Agrost. 16 = *Agrostis australis*.  
*barbata*, Beauv. l. c. = *S. virginicus*.  
*Berteroana*, Trin. in Mém. Acad. Pétersb. Sér. VI. Sc. Nat. v. II. (1840) 100 = *Ins. S. Doming.*  
*Billardieri*, Beauv. Agrost. 16 = *Deyeuxia Billardieri*.  
*brachystachys*, Presl, Fl. Sic. p. xlv = *Agrostis brachystachys*.  
*brevifolia*, Nees, in Linnaea, vii. (1832) 294 = *S. tenellus*.  
*Brongniartii*, Steud. Nom. ed. II. ii. 766 = *S. durus*.  
*caespitosa*, Trin. in Mém. Acad. Pétersb. Sér. VI. Sc. Nat. v. II. (1840) 72 = *S. caespitosus*.  
*capensis*, Beauv. Agrost. 16 = *S. capensis*.  
*capillaris*, Arn. ex Miq. Anal. Bot. Ind. ii. 25 = *S. pulchellus*.  
*capillaris*, Beauv. Agrost. 147 = *Agrostis delicatula*.  
*Carmichaeli*, Steud. Nom. ed. II. ii. 767 = *Agrostis Carmichaeli*.  
*centrifuga*, Nees, ex Trin. in Mém. Acad. Pétersb. Sér. VI. Sc. Nat. v. II. (1840) 57 = *S. centrifugus*.  
*ciliata*, Beauv. Agrost. 16 = *Festuca Thunbergii*.  
*ciliata*, Trin. in Mém. Acad. Pétersb. Sér. VI. Sc. Nat. v. II. (1840) 63 = *S. ciliatus*.  
*clandestina*, Nees, ex Steud. Nom. ed. II. ii. 767 = *S. asper*.  
*coarctata*, Beauv. Agrost. 16 = *Agrostis alba*.  
*commutata*, Trin. Gram. Unifl. 156 = *S. commutatus*.  
*composita*, Beauv. Agrost. 16 = *Agrostis composita*.  
*compressa*, Beauv. l. c. = *S. compressus*.  
*conferta*, Steud. Syn. Pl. Gram. 160 = *S. confertus*.  
*confertiflora*, Steud. l. c. 155 = *S. confertiflorus*.  
*confinis*, Steud. l. c. 160 = *S. affinis*, A. Rich.  
*consimilis*, Steud. Nom. ed. II. ii. 767 = *S. consimilis*.  
*coromandelina*, Beauv. Agrost. 16 = *S. coromandelianus*.  
*crinita*, Beauv. l. c. = *Dichelachne crinita*.  
*cruciata*, Beauv. l. c. = *Chloris cruciata*.  
*cryptandra*, Trin. in Mém. Acad. Pétersb. Sér. VI. Sc. Nat. v. II. (1840) 69 = *S. cryptandrus*.  
*cuspidata*, Torr. ex Hook. Fl. Bor. Am. ii. 238 = *S. cuspidatus*.  
*cylindrica*, Beauv. Agrost. 16 = *Deyeuxia cylindrica*.  
*debilis*, Beauv. l. c. = *Deyeuxia Forsteri*.  
*decipiens*, Beauv. l. c. = *Deyeuxia scabra*.  
*decumbens*, Beauv. l. c. = *Agrostis alba*?  
*densa*, Beauv. l. c. = *Agrostis verticillata*.  
*depauperata*, Torr. ex Hook. Fl. Bor. Am. ii. 257. t. 236 = *S. depauperatus*.

## VILFA:—

- diandra*, Trin. Gram. Unifl. 154 = *Sporobolus orientalis*.  
*dianthera*, Steud. Syn. Pl. Gram. 162 = *Agrostis dianthera*.  
*discospora*, Nees, ex Trin. in Mém. Acad. Pétersb. Sér. VI. Sc. Nat. v. II. (1840) 59 = *S. commutatus*.  
*dispar*, Beauv. Agrost. 16 = *Agrostis elata*?  
*distichophylla*, Trin. Gram. Unifl. 160 = *Agrostis distichophylla*.  
*divaricata*, S. F. Gray, Nat. Arr. Brit. Pl. ii. 146 = *Agrostis vulgaris*?  
*domingensis*, Trin. in Spreng. Neue Entdeck. ii. 59 = *S. domingensis*.  
*Drummondii*, Trin. in Mém. Acad. Pétersb. Sér. VI. Sc. Nat. v. II. (1840) 106 = *S. Drummondii*.  
*dulcis*, Beauv. Agrost. 16 = *Agrostis verticillata*.  
*dura*, Trin. in Mém. Acad. Pétersb. Sér. VI. Sc. Nat. v. II. (1840) 54 = *S. virginicus*?  
*elator*, Nees, Agrost. Bras. 396 = *S. Sprengelii*.  
*elegans*, H. B. & K. Nov. Gen. et Sp. i. 139 = *Agrostis Humboldtiana*.  
*elongata*, Beauv. Agrost. 16 = *S. indicus*.  
*eminens*, Steud. Nom. ed. II. ii. 767 = *S. eminens*.  
*erosa*, Trin. in Mém. Acad. Pétersb. Sér. VI. Sc. Nat. v. II. (1840) 86 = *S. diander*.  
*exilis*, Trin. l. c. 89 = *S. indicus*.  
*eximia*, Nees, ex Trin. l. c. 77.—Bras.  
*familiaris*, Steud. in Lechl. Berb. Am. Austr. 56.—Peruv.  
*fasciculata*, H. B. & K. Nov. Gen. et Sp. i. 139 = *Agrostis fasciculata*.  
*fastigiata*, [Nees, in] Meyen, Reise, i. 484 = *S. fastigiatus*.  
*festiva*, Steud. Syn. Pl. Gram. 158 = *S. festivus*.  
*filiculmis*, Thurb. ex Vasey, Cat. Gr. U. St. 44 = *S. filiculmis*.  
*fimbriata*, Nees, ex Trin. in Mém. Acad. Pétersb. Sér. VI. Sc. Nat. v. II. (1840) 69 = *S. fimbriatus*.  
*frondosa*, Beauv. Agrost. 16 = *Muehlenbergia mexicana*.  
*frondosa*, Presl, Cyp. et Gram. Sic. 23 = *Agrostis vulgaris*.  
*fulvescens*, Trin. in Mém. Acad. Pétersb. Sér. VI. Sc. Nat. v. II. (1840) 76.—Am. bor.  
*Funckii*, Steud. Syn. Pl. Gram. 159.—Venezuela.  
*gaditana*, Steud. l. c. 154 = *S. pungens*.  
*Gaudichaudii*, Steud. Nom. ed. II. ii. 767.—Ins. Falkland.  
*gavana*, Steud. in Lechl. Berb. Am. Austr. 56.—Peruv.  
*geniculata*, Nees, ex Steud. Syn. Pl. Gram. 156.—Ind. or.  
*gigantea*, Beauv. Agrost. 16 = *Agrostis alba*.  
*gigantea*, Turcz. ex Griseb. in Ledeb. Fl. Ross. iv. 435 = *Arctagrostis latifolia*.  
*Gigas*, Steud. Syn. Pl. Gram. 160 = *S. Gigas*.  
*glaucia*, Trin. in Mém. Acad. Pétersb. Sér. VI. Sc. Nat. v. II. (1840) 52 = *helvola*.  
*glaucescens*, Presl, Cyp. et Gram. Sic. 23 = *Agrostis scicula*.  
*glaucifolia*, Steud. Syn. Pl. Gram. 154 = *S. glaucifolius*.  
*glomerata*, J. Presl, in Rel. Haenk. i. 239 = *Agrostis glomerata*.  
*gracilis*, Trin. in Mém. Acad. Pétersb. Sér. VI. Sc. Nat. v. II. (1840) 104.—Am. bor.  
*gracilis*, Trin. l. c. 74 = *subetacea*.  
*gracillima*, Thurb. in Bot. Calif. ii. 268 = *S. gracillimus*.  
*grandiflora*, Nees, ex Steud. Syn. Pl. Gram. 158.—Chili.  
*helvola*, Trin. in Mém. Acad. Pétersb. Sér. VI. Sc. Nat. v. II. (1840) 52.—Arab.; Abyss.  
*heterolepis*, A. Gray, in Ann. Lyc. N. York, iii. (1835) 233 = *S. heterolepis*.  
*heterolepis*, Lapham, in Trans. Wisconsin St. Agric. Soc. iii. 1853 (1854) 426, sphalm. = *praec.*  
*hispida*, Beauv. Agrost. 16 = *Agrostis vulgaris*.  
*Hookeri*, Trin. in Mém. Acad. Pétersb. Sér. VI. Sc. Nat. v. II. (1840) 106 = *S. asper*.  
*humifusa*, H. B. & K. Nov. Gen. et Sp. i. 137 = *S. humifusus*.  
*humilis*, Steud. Nom. ed. II. ii. 767 = *S. humilis*.  
*hybrida*, Beauv. Agrost. 16 = *Agrostis canina*.  
*indica*, Trin. ex Steud. Nom. ed. II. ii. 767 = *S. indicus*.  
*insularis*, Steud. Syn. Pl. Gram. 156 = *S. insularis*.  
*intermedia*, Trin. Gram. Unifl. 156.—Ind. occ.  
*involuta*, Beauv. Agrost. 16 = *Agrostis involuta*.  
*ioclados*, Nees, ex Trin. in Mém. Acad. Pétersb. Sér. VI. Sc. Nat. v. II. (1840) 65 = *S. ioclados*.  
*Jacquemontii*, Trin. l. c. 92 = *S. Jacquemontii*.

7 O

## VILFA:—

- juncea*, Trin. Gram. Unifl. 157 = *Sporobolus junceus*.  
*laterifolia*, Beauv. Agrost. 16 = *Muehlenbergia mexicana*.  
*laxiflora*, Beauv. l. c. = *Agrostis laxiflora*.  
*lenta*, Beauv. l. c. = *Panicum filiforme*.  
*Lindleyi*, Steud. Syn. Pl. Gram. 162 = *S. Lindleyi*.  
*linearis*, Beauv. Agrost. 16 = *Cynodon Dactylon*.  
*littoralis*, Beauv. l. c. = *S. virginicus*.  
*lobata*, Beauv. l. c. = *Deyeuxia quadriseta*.  
*longifolia*, Torr. ex Trin. in Mém. Acad. Pétersb. Sér. VI. Sc. Nat. v. II. (1840) 107 = *S. asper*.  
*Ludwigii*, Steud. Syn. Pl. Gram. 155 = *S. Ludwigii*.  
*lutosa*, Beauv. Agrost. 16 = *Polypogon littoralis*.  
*luxurians*, Steud. in Lechl. Berb. Am. Austr. 56.—Peruv.  
*macra*, Trin. in Mém. Acad. Pétersb. Sér. VI. Sc. Nat. v. II. (1840) 79.—Am. bor.  
*macusaniensis*, Steud. in Lechl. Berb. Am. Austr. 56.—Peruv.  
*magellanica*, Beauv. Agrost. 16 = *Agrostis magellanica*.  
*mangalorica*, Hochst. ex Miq. Anal. Bot. Ind. ii. 24 = *S. minutiflorus*.  
*marginata*, Steud. Syn. Pl. Gram. 155 = *S. marginatus*.  
*maritima*, Beauv. Agrost. 16 = *Agrostis alba*.  
*Matrella*, Nees, Agrost. Bras. 400 = *S. Matrella*.  
*mauritanica*, Steud. Syn. Pl. Gram. 157.—Ins. Maurit.  
*mexicana*, Beauv. Agrost. 16 = *Muehlenbergia mexicana*.  
*minima*, Trin. ex Steud. Syn. Pl. Gram. 162 = *Agrostis minima*.  
*minima*, Vasey, in Monthly Rep. U. St. Dep. Agric. 1874 (1875) 155; et in Rothr. Rep. Bot. U. St. Surv. vi. 282 = *S. Wolfii*.  
*minuta*, Trin. in Mém. Acad. Pétersb. Sér. VI. Sc. Nat. v. II. (1840) 84 = *S. minutus*.  
*minutiflora*, Trin. Gram. Unifl. 158 = *S. minutiflorus*.  
*Mitchellii*, Trin. in Mém. Acad. Pétersb. Sér. VI. Sc. Nat. v. II. (1840) 53.—Austral.  
*monandra*, Trin. Gram. Unifl. 159 = *Phippsia algida*.  
*montana*, Beauv. Agrost. 16; Hook. f. in Journ. Linn. Soc. vii. (1864) 228 = *Deyeuxia montana*.  
*Muehlenbergii*, Steud. Nom. ed. II. ii. 767 = *S. Muehlenbergii*.  
*muricata*, J. Presl, in Rel. Haenk. i. 240 = *Agrostis muricata*.  
*murina*, Sieber, ex Steud. Syn. Pl. Gram. 157 = *S. virginicus*.  
*myriantha*, Steud. l. c. 158 = *S. myrianthus*.  
*natalensis*, Steud. l. c. 154.—Afr. austr.  
*neglecta*, Beauv. ex Steud. Nom. ed. II. ii. 767 = *Agrostis alba*.  
*nigra*, S. F. Gray, Nat. Arr. Brit. Pl. ii. 145 = *Agrostis vulgaris*.  
*noterophila*, Rupr. in Bull. Acad. Brux. ix. II. (1842) 227 = *S. noterophila*.  
*Novae-Hollandiae*, Beauv. Agrost. 181 = *Deyeuxia Forsteri*.  
*nutans*, Beauv. l. c. = *Ichnanthus pallens*.  
*orientalis*, Nees, ex Trin. in Mém. Acad. Pétersb. Sér. VI. Sc. Nat. v. II. (1840) 65 = *S. orientalis*.  
*Orizabae*, Rupr. in Bull. Acad. Brux. ix. II. (1842) 227.—Mexic.  
*pallida*, Nees, ex Trin. in Mém. Acad. Pétersb. Sér. VI. Sc. Nat. v. II. (1840) 62 = *S. arabicus*.  
*palustris*, Beauv. Agrost. 16 = *Agrostis alba*.  
*panicea*, Beauv. l. c. = *Gastridium australe*.  
*panicoides*, Beauv. ex Steud. Nom. ed. II. ii. 768 = *Panicum Lamarckii*.  
*paniculata*, Trin. in Mém. Acad. Pétersb. Sér. VI. Sc. Nat. v. II. (1840) 67.—Afr. trop.  
*parviflora*, Beauv. Agrost. 16 = *S. parviflorus*.  
*parvula*, Steud. Nom. ed. II. ii. 768 = *S. minutus*.  
*patula*, Beauv. Agrost. 16 = *Agrostis alba*.  
*pilifera*, Trin. Gram. Unifl. 157 = *S. piliferus*.  
*pilosa*, Beauv. Agrost. 16 = *Calamagrostis tenella*.  
*plebeia*, Beauv. l. c. = *Deyeuxia plebeia*.  
*plumbea*, Trin. in Mém. Acad. Pétersb. Sér. VI. Sc. Nat. v. II. (1840) 98 = *S. plumbeus*.  
*Preslii*, Steud. Nom. ed. II. ii. 768 = *S. ciliatus*.  
*procera*, Beauv. Agrost. 16 = *Agrostis procera*.  
*pulchella*, Presl, Cyp. et Gram. Sic. 23 = *Agrostis elegans*.  
*pulchella*, Trin. Gram. Unifl. 160 = *S. pulchellus*.  
*pumila*, Beauv. Agrost. 16 = *Agrostis vulgaris*.  
*pungens*, Beauv. l. c. = *S. pungens*.  
*pungens*, Trin. Sp. Gram. i. t. 47 = *S. virginicus*.

## VILFA:—

- purpurascens*, Beauv. Agrost. 16 = *Sporobolus purpurascens*.  
*pyramidalis*, Trin. ex Steud. Nom. ed. II. ii. 768 = *S. pyramidalis*.  
*racemosa*, Beauv. Agrost. 16 = *Muehlenbergia glomerata*.  
*ramosissima*, Trin. in Mém. Acad. Pétersb. Sér. VI. Sc. Nat. v. II. (1840) 58 = *S. ramosissimus*.  
*ramulosa*, H. B. & K. Nov. Gen. et Sp. i. 137 = *S. ramulosus*.  
*rara*, Beauv. Agrost. 16 = *Dichelachne sciurea*.  
*repens*, Trin. in Mém. Acad. Pétersb. Sér. VI. Sc. Nat. v. II. (1840) 102 = *S. repens*.  
*retrofracta*, Beauv. Agrost. 16 = *Deyeuxia Forsteri*.  
*Retzii*, Steud. Nom. ed. II. ii. 768 = *S. diander*.  
*rhizomatosa*, Steud. Syn. Pl. Gram. 421.—Madag.  
*Richardi*, Steud. l. c. 153.—Ind. occ.  
*Richardsonis*, Trin. in Mém. Acad. Pétersb. Sér. VI. Sc. Nat. v. II. (1840) 103.—Am. bor.  
*Riehlui*, Steud. Syn. Pl. Gram. 154.—Am. bor.  
*rigens*, Trin. Sp. Gram. iii. t. 250 = *S. rigens*.  
*rigida*, Buckl. in Proc. Acad. Sc. Philad. 1862 (1863) 89 = *Ammophila longifolia*?  
*rigidifolia*, Trin. in Mém. Acad. Pétersb. Sér. VI. Sc. Nat. v. II. (1840) 80.—Ind. or.  
*robusta*, Trin. l. c. 54 = *S. robustus*.  
*Roxburghiana*, Nees, ex Steud. Nom. ed. II. ii. 768 = *S. commutatus*.  
*Roxburghii*, Nees, ex Trin. in Mém. Acad. Pétersb. Sér. VI. Sc. Nat. v. II. (1840) 59 = *S. commutatus*.  
*rupestris*, Trin. l. c. 66 = *S. rupestris*.  
*rupestris*, Trin. Gram. Panic. 22 = *S. indicus*.  
*Ruppelliana*, Steud. Nom. ed. II. ii. 768 = *S. Ruppelliana*.  
*sabeana*, Buckl. in Proc. Acad. Sc. Philad. 1862 (1863) 90 = *S. coromandelianus vel argutus*.  
*scabra*, Beauv. Agrost. 16 = *Deyeuxia scabra*.  
*Schiedeana*, Trin. in Mém. Acad. Pétersb. Sér. VI. Sc. Nat. v. II. (1840) 73.—Am. bor.  
*sciurea*, Beauv. Agrost. 16 = *Dichelachne sciurea*.  
*scoparia*, Steud. Nom. ed. II. ii. 768 = *S. scoparius*.  
*serotina*, Torr. ex Trin. Sp. Gram. iii. t. 251 = *S. serotinus*.  
*setacea*, Beauv. Agrost. 16 = *Agrostis setacea*.  
*setulosa*, Trin. in Mém. Acad. Pétersb. Sér. VI. Sc. Nat. v. II. (1840) 55.—Arab.  
*sicula*, Steud. Nom. ed. II. ii. 768 = *Festuca sicula*.  
*Spartinae*, Trin. in Mém. Acad. Pétersb. Sér. VI. Sc. Nat. v. II. (1840) 82.—Texas.  
*spicata*, Beauv. Agrost. 16 = *S. spicatus*.  
*Sporobolus*, Trin. Gram. Unifl. 160 = *S. Sprengelii*.  
*squarrosa*, Trin. in Mém. Acad. Pétersb. Sér. VI. Sc. Nat. v. II. (1840) 100.—Am. bor.  
*stachydanthia*, Steud. Syn. Pl. Gram. 156 = *S. stachydanthus*.  
*stellata*, Beauv. Agrost. 16 = *Cynodon Dactylon*.  
*stolonifera*, Beauv. l. c. = *Agrostis stolonifera*.  
*stolonifera*, Presl, Cyp. et Gram. Sic. 22 = *Agrostis verticillata*.  
*subpyramidalis*, Trin. in Mém. Acad. Pétersb. Sér. VI. Sc. Nat. v. II. (1840) 61.—Texas.  
*subsetacea*, Trin. l. c. 133, in nota.—Am. bor.  
*subtilis*, Trin. in Mém. Acad. Pétersb. Sér. VI. Sc. Nat. v. II. (1840) 88 = *S. subtilis*.  
*sylvatica*, Beauv. Agrost. 182 = *Agrostis alba*.  
*tenacissima*, H. B. & K. Nov. Gen. et Sp. i. 138 = *S. indicus*.  
*tenera*, Trin. in Mém. Acad. Pétersb. Sér. VI. Sc. Nat. v. II. (1840) 87 = *S. serotinus*.  
*tenuissima*, Schult. Mant. ii. 479 = *S. minutiflorus*.  
*tremula*, Trin. Gram. Unifl. 155 = *S. tremulus*.  
*trichodes*, H. B. & K. Nov. Gen. et Sp. i. 139 = *Agrostis trichodes*.  
*tricholepis*, Torr. in Pacif. Rail. Rep. iv. 155 = *S. tricholepis*.  
*Triniana*, Steud. Syn. Pl. Gram. 156 = *S. rupestris*?  
*truncatella*, Steud. l. c. 159 = *S. truncatella*.  
*utilis*, Torr. in Pacif. Rail. Rep. v. 365 = *S. depauperatus*.  
*vaginiflora*, Torr. ex Trin. in Mém. Acad. Pétersb. Sér. VI. Sc. Nat. v. II. (1840) 56 = *S. vaginaeflorus*.  
*varians*, Buckl. in Proc. Acad. Sc. Philad. 1862 (1863) 89 (Quid?).—Am. bor.  
*verticillata*, Beauv. Agrost. 16 = *Agrostis verticillata*.  
*verticillata*, Steud. Syn. Pl. Gram. 158 = *S. verticillatus*.  
*Villarsii*, Beauv. Agrost. 16 = *Agrostis verticillata*.  
*villifera*, Steud. Syn. Pl. Gram. 159 = *S. ciliatus*.

## VILFA:—

- villosa*, Trin. Sp. Gram. iii. t. 252 = *Sporobolus villosus*.  
*vinealis*, Beauv. Agrost. 182 = *Agrostis canina*.  
*Vincenti*, Steud. Syn. Pl. Gram. 155.—Texas.  
*virginica*, Beauv. Agrost. 16 = *S. virginicus*.  
*vulgaris*, Beauv. l. c. = *Agrostis vulgaris*.  
*vulgaris*, Wight, ex Steud. Syn. Pl. Gram. 168 = *Agrostis Wightii*.  
*xerampelina*, Trin. in Mém. Acad. Pétersb. Sér. VI. Sc. Nat. v. II. (1840) 103.—Hab.?

**VILLAMILLA**, Ruiz & Pav. [Fl. Per. et Chil. Ic. Ined. t. 402] ex Moq. in DC. Prod. xiii. II. 10 (1849).  
**PHYTOLACCACEAE**, Benth. & Hook. f. iii. 81.  
**TRICHOSTIGMA**, A. Rich. Ess. Fl. Cub. ii. 306 (1845).  
*octandra*, Hook. f. in Benth. & Hook. f. Gen. iii. 81.—Am. trop.  
*peruviana*, Hook. f. l. c.—Peruv.  
*tinctoria*, Ruiz & Pav. [Fl. Per. et Chil. Ic. Ined. t. 402] ex Moq. in DC. Prod. xiii. II. 10.—Peruv.

**VILLANOVA**, Lag. Gen. et Sp. Nov. 31 (1816).  
**COMPOSITAE**, Benth. & Hook. f. ii. 404.  
**CHLAMYSFERMA**, Less. Syn. Comp. 256 (1832).  
**UNXIA**, H. B. & K. Nov. Gen. et Sp. iv. 279. tt. 401, 402 (1820).  
**VASQUEZIA**, Phil. Fl. Atac. 31. t. 5 (1860).  
*achillaeoides*, Less. Syn. Comp. 256.—Mexic.  
*alternifolia*, Lag. Gen. et Sp. Nov. 21.—Peruv.  
*anemonefolia*, Less. Syn. Comp. 256 = *oppositifolia*.  
*chrysanthemoides*, A. Gray, Pl. Wright. ii. 96.—N. Mexic.  
*dissecta*, DC. Prod. v. 75.—Peruv.  
*oppositifolia*, Lag. Gen. et Sp. Nov. 21.—Mexic.  
*pinnatifida*, Lag. l. c.—Reg. Magellan.  
*pratensis*, Benth. & Hook. f. Gen. ii. 405.—Mexic.  
*titicacensis*, Walp. in Nov. Act. Nat. Cur. xix. Suppl. i. (1843) 296.—Peruv.

**VILLANOVA**, Ortega, Hort. Matr. Dec. 47 (1789) = **Parthenium**, Linn. (Compos.).  
*bipinnatifida*, Ortega, l. c. = *P. Hysterophorus*.

**VILLANOVA**, Pourr. ex Cutanda, Comp. Fl. Madr. 595 (1861) = **Securinega**, Comm. (Euphorb.).  
*buxifolia*, Pourr. l. c. = *S. buxifolia*.

**VILLAREZIA**, Ruiz & Pav. Prod. 35 (1794).  
**OLACINEAE**, Benth. & Hook. f. i. 353.  
**CHARIASSA**, Miq. Fl. Ind. Bat. i. 794 (1855).  
**CITRONELLA**, D. Don, in Edinb. N. Phil. Journ. xiii. (1832) 243.  
**PLEUROPETALON**, Blume, Mus. Bot. Lugd. Bat. i. 248 (1850).  
**VILLAREZIA**, Roem. & Schult. Syst. p. xxvii. 331, sphalm. (1819).  
*Congonha*, Miers, in Ann. & Mag. Nat. Hist. Ser. III. ix. (1862) 112; Contrib. ii. 117. t. 69.—Bras.  
*cuspidata*, Miers, in Ann. & Mag. Nat. Hist. Ser. III. ix. (1862) 113.—Bras.  
*dichotoma*, Miers, l. c. 114.—Bras.  
*emarginata*, Ruiz & Pav. Syst. Veg. 64.—Peruv.  
*Gonghona*, C. Muell. in Walp. Ann. vii. 569, sphalm. = *V. Congonha*.  
*grandiflora*, Fisch. ex Regel, Gartenfl. (1856) 61; (1857) l. t. 180.—Bras.  
*grandifolia*, Fisch. & Mey. ex Engl. in Mart. Fl. Bras. xii. II. 54 = *megaphylla*.  
*macrocarpa*, Scheff. in Ann. Jard. Buitenz. i. (1876) 13 = *Gonocarpum macrocarpum*.  
*megaphylla*, Miers, in Ann. & Mag. Nat. Hist. Ser. III. ix. (1862) 114.—Bras.  
*Moorei*, F. Muell. ex Benth. Fl. Austral. i. 396.—Austral.  
*mucronata*, Reiss. in Mart. Fl. Bras. xii. II. 75. t. 22 = *V. Congonha*.  
*mucronata*, Ruiz & Pav. Fl. Per. iii. 9. t. 231 = *emarginata*.  
*paniculata*, Miers, in Ann. & Mag. Nat. Hist. Ser. III. ix. (1862) 114.—Bras.  
*pungens*, Miers, l. c. 112.—Chili.  
*ramiflora*, Miers, l. c. 116.—Bras.  
*scandens*, Hassk. Retzia, i. 152 = *Chaillietia timoriensis*.  
*Smythii*, F. Muell. Fragm. v. 156.—Austral.  
*virescens*, Miers, in Ann. & Mag. Nat. Hist. Ser. III. ix. (1862) 115.—Bras.

VILLAREZIA, Roem. & Schult. Syst. v. p. xxvii. 331 (1819), sphalm. = praec.

VILLARIA, Bally, Notice Hist. sur Villar (1858).—Cf. Bull. Soc. Bot. Fr. v. (1858) 309 = **Villarsia**, Vent. (Gentian.).

VILLARIA, DC. Prod. vi. 542 (1837) = **VILARIA**, Guett. = **Berardia**, Vill. (Compos.).

**VILLARIA**, Rolfe, in Journ. Linn. Soc. xxi. (1884) 311. **RUBIACEAE**.  
*littoralis*, Vidal, Phan. Cuming. Philipp. 180.—Ins. Philipp.  
*philippinensis*, Rolfe, in Journ. Linn. Soc. xxi. (1884) 311.—Ins. Philipp.  
 Rolfe, Vidal, Phan. Cuming. Philipp. 180.—Ins. Philipp.

VILLARSIA, J. F. Gmel. Syst. 447 (1791) = **Limnanthemum**, S. T. Gmel. (Gentian.).  
*aquatica*, J. F. Gmel. l. c. = *L. lacunosum*.

VILLARSIA, Neck. Elem. ii. 110 (1790) = **Cabomba**, Aubl. (Nymph.).

**VILLARSIA**, Vent. Choix, t. 9 (1803), partim. **GENTIANEAE**, Benth. & Hook. f. ii. 819.  
 RENEALMIA, Houtt. Handleid. viii. 335. t. 47. f. 1 (1777).  
 VILLARIA, Bally, Notice Hist. sur Villar (1858).—Cf. Bull. Soc. Bot. Fr. v. (1858) 309.  
*albiflora*, F. Muell. Fragm. ii. 21.—Austral.  
*calthifolia*, F. Muell. l. c. vi. 140.—Austral.  
*cambodiana*, Hance, in Journ. Bot. xv. (1877) 335.—Cambodia.  
*capitata*, Nees, in Lehm. Pl. Preiss. i. 365.—Austral.  
*chilensis*, Lodd. Bot. Cab. t. 1994 = *parnassifolia*?  
*communis*, A. St. Hil. Voy. Distr. Diam. ii. 413 = *Limnanthemum Humboldtianum*.  
*congestiflora*, F. Muell. Fragm. vi. 141.—Austral.  
*cordata*, Ell. Sketch, i. 230 = *Limnanthemum lacunosum*.  
*crenata*, F. Muell. Fragm. iv. 127 = *Limnanthemum crenatum*.  
*Crista-galli*, Hook. Fl. Bor. Am. ii. 70; Griseb. Gen. et Sp. Gent. 338 = *Menyanthes Crista-galli*.  
*cristata*, Spreng. Syst. i. 582 = *Limnanthemum cristatum*.  
*eglandulosa*, Griff. Ic. Pl. Asiat. t. 385 = *Limnanthemum indicum*.  
*exaltata*, G. Don, Gen. Syst. iv. 169 = *parnassifolia*.  
*exaltata*, F. Muell. Fragm. vi. 140 = *reniformis*.  
*excelsa*, Loisel. Herb. Gén. Amat. v. t. 292 = *parnassifolia*.  
*exigua*, F. Muell. Fragm. vi. 137 = *Limnanthemum exiguum*.  
*exiliflora*, F. Muell. l. c. v. 46 = *Limnanthemum exiliflorum*.  
*geminata*, R. Br. Prod. 457 = *Limnanthemum geminatum*.  
*glandulosa*, Griff. Notul. iv. 89 = *Limnanthemum indicum*.  
*grandifolia*, Fisch. & Mey. in Ind. Sem. Hort. Petrop. xi. Suppl. 78.—Bras.  
*Gunnii*, Hook. f. Fl. Tasm. ii. 368 = *Liparophyllum Gunnii*.  
*Humboldtiana*, H. B. & K. Nov. Gen. et Sp. iii. 187 = *Limnanthemum Humboldtianum*.  
*hydrocharoides*, F. Muell. Fragm. vi. 139 = *Limnanthemum hydrocharoides*.  
*Hydrophyllum*, Roem. & Schult. Syst. iv. 181 = *Limnanthemum Hydrophyllum*.  
*indica*, Vent. Choix, sub t. 9 = *Limnanthemum indicum*.  
*indica*, Wall. Cat. n. 4352 = *Limnanthemum cristatum*.  
*innolucrata*, Hook. Ic. Pl. t. 725 = *capitata*.  
*lacunosa*, Vent. Choix, sub t. 9 = *Limnanthemum lacunosum*.  
*lasiosperma*, F. Muell. Fragm. vi. 137.—Austral.  
*latifolia*, Benth. in Enum. Pl. Hueg. 81.—Austral.  
*macrophylla*, Roem. & Schult. Syst. iv. 180 = *Limnanthemum indicum*.  
*microphylla*, A. St. Hil. Voy. Distr. Diam. ii. 413 = *Limnanthemum microphyllum*.  
*minima*, F. Muell. Fragm. iv. 128 = *Limnanthemum minimum*.  
*minor*, D. Don, ex G. Don, Gen. Syst. iv. 168.—Ind. or.  
*nymphaeifolia*, Fras. in Hook. Bot. Misc. i. (1830) 257 = *Limnanthemum indicum*.

**VILLARSIA** :—

*Nymphoides*, Vent. Choix, sub t. 9 = *Limnanthemum peltatum*.  
*orbiculata*, G. Don, Gen. Syst. iv. 169 = *Limnanthemum indicum*?  
*ovata*, Vent. Choix, t. 9.—Afr. austr.  
*parnassifolia*, R. Br. ex Griseb. in DC. Prod. ix. 136 = *reniformis*.  
*parnassifolia*, R. Br. Prod. 457.—Austral.  
*parviflora*, G. Don, Gen. Syst. iv. 169, sphalm. = seq.  
*parvifolia*, Wall. Cat. n. 4351 = *Limnanthemum parvifolium*.  
*peltata*, Roem. & Schult. Syst. iv. 178 = *Limnanthemum peltatum*.  
*platiphylla*, A. St. Hil. Voy. Distr. Diam. ii. 413 = *Limnanthemum Humboldtianum*.  
*pumila*, Hook. Fl. Bor. Am. ii. 70. t. 157; Griseb. Gen. et Sp. Gent. 338 = *Hesperochiron californicus*.  
*reniformis*, R. Br. Prod. 437.—Austral.  
*reniformis*, Nees, in Lehm. Pl. Preiss. i. 364 = *albiflora*.  
*Rheedii*, Kostel. Allg. Med.-Pharm. Fl. iii. 1031 = *Limnanthemum indicum*?  
*rotundifolia*, Hort. ex Griseb. in DC. Prod. ix. 136 = *parnassifolia*.  
*sarmentosa*, Sims, Bot. Mag. t. 1328 = *Limnanthemum geminatum*.  
*senegalensis*, G. Don, Gen. Syst. iv. 169 = *Limnanthemum indicum*.  
*Simsii*, G. Don, l. c. = *Limnanthemum indicum*.  
*Swarzii*, G. Don, l. c. = *Limnanthemum indicum*.  
*trachysperma*, Ell. Sketch, i. 230 = *Limnanthemum trachyspermum*.  
*trachysperma*, F. Muell. Fragm. vi. 136 = *Limnanthemum indicum*.  
*violifolia*, F. Muell. l. c. 138.—Austral.

**VILLEBRUNEA**, Gaudich. Bot. Voy. Bonite, tt. 91, 92 (1844–66). **URTICACEAE**, Benth. & Hook. f. iii. 390.

**OREOCNIDE**, Miq. Pl. Jungh. i. 39. (1851).  
*appendiculata*, Wedd. in DC. Prod. xvi. i. 235<sup>90</sup> = *integrifolia*.  
*crenulata*, Gaudich. Bot. Voy. Bonite, t. 92.—Hab.? frutescens, Blume, Mus. Bot. Lugd. Bat. ii. 168.—Reg. Himal.; China; Japon.  
*glomerata*, Blume, l. c. 167.—Java.  
*integrifolia*, Gaudich. Bot. Voy. Bonite, t. 91.—Ind. or.; Malaya.  
*murina*, Blume, Mus. Bot. Lugd. Bat. ii. 168.—N. Guin.  
*pilosula*, Blume, l. c. = *glomerata*.  
*rhodopleura*, Blume, l. c. (al. gen. ?).—N. Guin.  
*rubescens*, Blume, l. c. 167 = *scabra*.  
*rufescens*, Blume, l. c. 166.—N. Guin.  
*scabra*, Wedd. in Ann. Sc. Nat. Sér. IV. i. (1854) 196.—Java.  
*semicrenata*, Blume, Mus. Bot. Lugd. Bat. ii. 167.—Ins. Amboin.  
*sylvatica*, Blume, l. c. 167. f. 15 = *integrifolia*.  
*trinervis*, Wedd. in Ann. Sc. Nat. Sér. IV. i. (1854) 195.—Ins. Philipp.

**VILLEMETIA**, Moq. in Ann. Sc. Nat. Sér. II. i. (1834) 206. t. 9 = **VILLEMETIA**, Maerkl. = **Chenolea**, Thunb. (Chenop.).

**VILMORINIA**, DC. Prod. ii. 239 (1825). **LEGUMINOSAE**, Benth. & Hook. f. i. 499.  
*multiflora*, DC. l. c.—Ins. S. Doming.

**VILSHENICA**, Thou. ex Reichb. Consp. 212<sup>d</sup> (1828) (Quid?).

**VIMEN**, P. Br. Hist. Jamaic. 369. t. 22. f. 5 (1756) (Quid?).

**VIMEN**, Rafin. Alsog. Am. 13 (1838) = **Salix**, Tourn.  
*acuminata*, Rafin. l. c. 14 = *S. cinerea*.  
*Andersoniana*, Rafin. l. c. = *S. nigricans*.  
*bicolor*, Rafin. l. c. = *S. phlyicifolia*.  
*cinerea*, Rafin. l. c. = *S. cinerea*.  
*cotinifolia*, Rafin. l. c. = *S. nigricans*.  
*discolor*, Rafin. l. c. = *S. discolor*.  
*Fosteriana*, Rafin. l. c. = *S. nigricans*.

**VIMEN** :—

*hastata*, Rafin. Alsog. Am. 14 = *Salix hastata*.  
*involutea*, Rafin. l. c. (Quid?).—Hab.? *malifolia*, Rafin. l. c. = *S. hastata*.  
*Muhlenbergiana*, Rafin. l. c. = *S. tristis*?  
*myricoides*, Rafin. l. c. = *S. cordata*.  
*parvifolia*, Rafin. l. c. = *S. repens*.  
*phlyicifolia*, Rafin. l. c. = *S. chlorophylla*?  
*prinoides*, Rafin. l. c. = *S. brachystachys*.  
*prostrata*, Rafin. l. c. = *S. repens*?  
*pyrenaica*, Rafin. l. c. = *S. pyrenaica*.  
*repens*, Rafin. l. c. = *S. repens*.  
*retusa*, Rafin. l. c. = *S. retusa*.  
*Russelliana*, Rafin. l. c. = *S. fragilis*.  
*silesiaca*, Rafin. l. c. = *S. silesiaca*.  
*Starkeana*, Rafin. l. c. = *S. livida*.  
*Uva-ursi*, Rafin. l. c. = *S. Cutleri*.  
*violacea*, Rafin. l. c. (Quid?).—Hab.? *Wulfeniana*, Rafin. l. c. = *S. phlyicifolia*?

**VIMINARIA**, Sm. in Kon. & Sims, Ann. Bot. i. (1805) 507. **LEGUMINOSAE**, Benth. & Hook. f. i. 469.  
*denudata*, Sm. l. c.—Austral.  
*juncea*, Hoffmgg. Verz. Pfl. 200 = *denudata*.  
*lateriflora*, Link, Enum. Hort. Berol. i. 403 = *Jacksonia scoparia*.  
*Preissii*, Meissn. in Lehm. Pl. Preiss. i. 57 (Quid?).—Austral.

**VINCA**, Linn. Syst. ed. I (1735). **APOCYNACEAE**, Benth. & Hook. f. ii. 703.

**CATHARANTHUS**, G. Don, Gen. Syst. iv. 95 (1837).  
**LOCHNERA**, Reichb. Consp. 134 (1828).  
**PERVINCA**, Tourn. ex Adans. Fam. ii. 172 (1763).  
*acutiflora*, Bertol. ex Koch, Syn. Fl. Germ. ed. II. 557 = *minor*.  
*acutiflora*, Bertol. Fl. Ital. ii. 751 = *difformis*.  
*alba*, Noronha, in Verh. Batav. Gen. v. (1790) ed. I. Art. iv. 28 = *Tabernaemontana coronaria*.  
*Bottae*, Jaub. & Spach, Illustr. ii. 104. t. 186 = *libanotica*.  
*difformis*, Pourr. in Mém. Acad. Toul. iii. (1788) 333.—Lusitan.  
*elegantissima*, Hort. ex Pasq. Cat. Ort. Bot. Nap. 107, nomen (Quid?).—Hab.? *ellipticifolia*, Stokes, Bot. Mat. Med. i. 495 = *minor*.  
*erecta*, Regel & Schmalh. in Act. Hort. Petrop. vi. (1879) 330.—Turkestan.  
*foetida*, Noronha, in Verh. Batav. Gen. v. (1790) ed. I. Art. iv. 28 = *Voacanga foetida*.  
*grandiflora*, Salisb. Prod. 146 = *major*.  
*Gulielmi-Waldemarii*, Klotzsch, in Bot. Ergeb. Waldem. Reise, 89 = *rosea*.  
*herbacea*, Waldst. & Kit. Pl. Rar. Hung. i. 8. t. 9.—Europ. or.; As. Min.  
*humilis*, Salisb. Prod. 146 = *minor*.  
*intermedia*, Tausch, in Flora, xix. (1836) 386 = *minor*.  
*lancea*, Boj. ex A. DC. in DC. Prod. viii. 382.—Madag.  
*libanotica*, Zucc. in Denkschr. Akad. Muench. iii. (1840) 247. t. 8.—As. Min.; Persia.  
*lutea*, Linn. Cent. Pl. ii. 12; Amoen. Acad. iv. 309 = *Gonolobus carolinensis*.  
*major*, Brot. Fl. Lusit. i. 280 = *difformis*.  
*major*, Linn. Sp. Pl. 209.—Reg. Mediterr.  
*media*, Hoffmgg. & Link, Fl. Port. i. 376. t. 70 = *difformis*.  
*minor*, Linn. Sp. Pl. 209.—Europ.  
*minor*, Sm. Fl. Graec. Prod. i. 164 = *herbacea*.  
*ovatifolia*, Stokes, Bot. Mat. Med. i. 497 = *major*.  
*parviflora*, Retz. Obs. ii. 14 = *pusilla*.  
*pubescens*, Urv. in Mém. Soc. Linn. Par. i. (1822) 282 = *major*.  
*pumila*, Clarke, Trav. iv. 555 = *herbacea*.  
*pusilla*, Murr. in Comm. Gotting. iii. 1772 (1773) 66. t. 2. f. 1.—Ind. or.  
*rosea*, Linn. Syst. ed. X. 944.—Cosmop. trop.  
*Schottii*, Mikan, ex Steud. Nom. ed. I. 884 (Quid?).—Hab.? *sessilifolia*, A. DC. in DC. Prod. viii. 383 = *libanotica*.  
*speciosa*, Salisb. Prod. 147 = *rosea*.  
*sterilis*, Noronha, in Verh. Batav. Gen. v. (1790) ed. I. Art. iv. 28 (Nerii sp.).—Java.  
*trichophylla*, Baker, in Journ. Linn. Soc. xx. (1883) 204.—Madag.



VINCENTIA, Boj. in Hook. Bot. Misc. i. (1830) 293. t. 62 = *Grewia*, Linn. (Tiliac.).  
*triflora*, Boj. = *G. triflora*.

VINCENTIA, Gaudich. in Freyc. Voy. Bot. 417 (1826) = *Cladium*, P. Br. (Cyperac.).  
*anceps*, Kunth, Enum. Pl. ii. 315 = *C. iridifolium*.  
*angustifolia*, Gaudich. in Freyc. Voy. Bot. 417.—Ins. Sandvic.  
*gladiata*, Boeck. in Linnaea, xxxviii. (1874) 250 = *C. Sinclairii*.  
*latifolia*, Kunth, Enum. Pl. ii. 314 = *C. iridifolium*.  
*scirpoidea*, Boeck. in Linnaea, xxxviii. (1874) 250 = *C. scirpoideum*.

VINCETOXICUM, Rupp. Fl. Jen. ed. Hall. 25 (1745). *ASCLEPIADEAE*, Benth. & Hook. f. ii. 761.  
ALEXITOXICON, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 67.  
AMPHISTELMA, Griseb. Fl. Brit. W. Ind. 417 (1861).  
BLYTTIA, Arn. in Mag. Zool. & Bot. ii. (1837) 420.  
BUNBURIA, Harv. Gen. S. Afr. Pl. ed. I. 416 (1838).  
CYATHELLA, Decne. in Ann. Sc. Nat. Sér. II. ix. (1838) 332. t. 12.  
CYNCTONUM, E. Mey. Comm. Pl. Afr. Austr. 215 (1837).  
HAPLOSTEMMA, Endl. Gen. Suppl. iii. 75 (1843).  
LYONIA, Ell. Sketch, i. 316 (1817).  
ORTHOSIA, Decne. in DC. Prod. viii. 526 (1844).  
SCHIZOSTEPHANUS, Hochst. ex Benth. & Hook. f. Gen. ii. 762 (1876).  
SEUTERA, Reichb. Consp. 131 (1828).  
*acanthocarpus*, Walt. Fl. Carol. 104 = *Gonolobus hirsutus*.  
*acuminatum*, C. Morr. & Decne. in DC. Prod. viii. 524.—Japon.  
*albidum*, Jord. & Fourr. Brev. Pl. Nov. fasc. i. 38 = officinale.  
*album*, Aschers. Fl. Brandenb. i. 421 = officinale.  
*alpicolum*, Jord. & Fourr. Brev. Pl. Nov. fasc. i. 39 = officinale.  
*alpinum*, Schott, ex Boiss. Fl. Orient. iv. 56 = fuscum.  
*ambiguum*, Maxim. in Bull. Acad. Pétersb. xxiii. (1877) 366.—Japon.  
*amplexicaule*, Sieb. & Zucc. in Abh. Akad. Muench. iv. iii. (1846) 162.—Japon.  
*amplifolium*, C. Koch, in Linnaea, xxiii. (1850) 592 = nigrum.  
*anatolicum*, Boiss. Diagn. Ser. I. iv. 39.—As. Min.; Persia; Afghan.  
*aristolochoides*, Franch. & Sav. Enum. Pl. Jap. ii. 445.—Japon.  
*arnottianum*, Wight, Ic. t. 1614 = *Cynanchum Arnottianum*.  
*atratum*, Morr. & Decne. in Bull. Acad. Brux. (1836) 17.—China; Japon.  
*atrum*, Jord. & Fourr. Brev. Pl. Nov. fasc. i. 40 = nigrum.  
*beugesiacum*, Jord. & Fourr. l. c. 38 = officinale.  
*Brandtii*, Franch. & Sav. Enum. Pl. Jap. ii. 440.—Japon.  
*canescens*, Decne. in DC. Prod. viii. 523 = *Cynanchum glaucum*.  
*carnosum*, Benth. Fl. Austral. iv. 331.—Austral.  
*chinense*, S. Moore, in Journ. Bot. xiii. (1875) 228.—China.  
*contiguum*, Gren. & Godr. Fl. Fr. ii. 480 = officinale.  
*corymbosum*, Benth. & Hook. f. Gen. ii. 762.—Ind. or.  
*croaticum*, Jord. & Fourr. Brev. Pl. Nov. fasc. i. 37 = officinale.  
*dumeticolum*, Jord. & Fourr. l. c. 38 = officinale.  
*elegans*, Benth. Fl. Austral. iv. 330.—Austral.  
*floribundum*, Franch. & Sav. Enum. Pl. Jap. ii. 444.—Japon.  
*Fradini*, Pomel, Nouv. Mat. Fl. Atl. 82 = officinale.  
*fruticulosum*, Decne. in DC. Prod. viii. 525.—Arab.  
*funebre*, Boiss. & Kotschy, Diagn. Ser. I. xi. 79 = medium.  
*fuscatum*, Reichb. Ic. Fl. Germ. xvii. 17.—Europ. or.; As. Min.  
*gonocarpus*, Walt. Fl. Carol. 104 = *Gonolobus carolinensis*.  
*Guilleminianum*, Decne. in DC. Prod. viii. 526 (= *Orthosia virgata*).—Bras.  
*heterophyllum*, Vathe, in Linnaea, xl. (1876) 212.—Afr. trop.

# VINCETOXICUM:—

*hirundinaria*, Medic. in Act. Acad. Theod. Palat. vi. Phys. (1790) 404 = officinale.  
Huteri, Vis. & Aschers. in Oestr. Bot. Zeitschr. xix. (1869) 67.—Europ.  
*inamoenum*, Maxim. in Bull. Acad. Pétersb. xxiii. (1877) 361.—Manchur.  
*japonicum*, C. Morr. & Decne. in Bull. Acad. Brux. (1836) 17.—Japon.  
*kenourienne*, Wight, Contrib. 58 = officinale.  
Krameri, Franch. & Sav. Enum. Pl. Jap. ii. 440.—Japon.  
Kunthii, Hemsl. Biol. Centr. Am. Bot. ii. 328.—Mexic.  
*latifolium*, C. Koch, in Linnaea, xxiii. (1850) 591 = medium.  
*latifolium*, Stev. in Bull. Soc. Nat. Mosc. xxx. (1857) i. 331.—Tauria.  
*laxum*, C. Koch, in Linnaea, xxiii. (1850) 590, in obs.; Gren. & Godr. Fl. Fr. ii. 480 = officinale.  
*leptocladum*, Decne. in DC. Prod. viii. 526.—Am. austr.  
*leptolepis*, Benth. Fl. Austral. iv. 331.—Austral.  
*linifolium*, Balf. f. in Proc. Roy. Soc. Edinb. xii. (1884) 79.—Ins. Socotra.  
*luridum*, Stocks, ex Hook. f. Fl. Brit. Ind. iv. 22 = *Cynanchum Arnottianum*.  
*luteolum*, Jord. & Fourr. Brev. Pl. Nov. fasc. i. 39 = officinale.  
*luteum*, Hoffm. & Link, Fl. Port. i. 381.—Lusitan.  
*luteum*, Sieber, ex Boiss. Fl. Orient. iv. 52 = *Cynanchum glaucum*.  
*macrophyllum*, Sieb. & Zucc. in Abh. Akad. Muench. iv. iii. (1846) 162.—Japon.  
*mandschuricum*, Hance, in Ann. Sc. Nat. Sér. V. v. (1866) 227.—Manchuria.  
*medium*, Decne. in DC. Prod. viii. 523.—Reg. Cauc.; Persia.  
*medium*, Kostel. Allg. Med.-Pharm. Fl. iii. 1093 = nigrum.  
*melanthum*, Decne. in DC. Prod. viii. 526.—Bras.  
*melanthum*, Jord. & Fourr. Brev. Pl. Nov. fasc. i. 40 = nigrum.  
*mexicanum*, S. Wats. in Proc. Am. Acad. xviii. (1883) 115.—Mexic.  
Meyeri, Benth. & Hook. f. Gen. ii. 762.—Afr. austr.  
*microphyllum*, Decne. in DC. Prod. viii. 525.—Am. trop.  
*minus*, Walp. Rep. vi. 483 = fuscum.  
*mongolicum*, Maxim. in Bull. Acad. Pétersb. xxiii. (1877) 356.—Mongol.  
*montanum*, Decne. in DC. Prod. viii. 525 = *Cynanchum Arnottianum vel Tylophora Govanii*.  
*multinerve*, Franch. & Sav. Enum. Pl. Jap. i. 319.—Japon.  
*nigrescens*, Jord. ex Nym. Consp. 496 = nigrum.  
*nigricans*, Jord. & Fourr. Brev. Pl. Nov. fasc. ii. 133 = melanthum.  
*nigrum*, Moench, Meth. Suppl. 313.—Europ. austr.; As. Min.  
*nikoense*, Franch. & Sav. Enum. Pl. Jap. ii. 445.—Japon.  
*nivale*, Boiss. & Heldr. Diagn. Ser. I. vii. 20.—Graecia.  
*ochroleucum*, Jord. & Fourr. Brev. Pl. Nov. fasc. i. 38 = officinale.  
*officinale*, Moench, Meth. 717.—Europ.; Reg. Cauc.  
*ovatum*, Benth. Fl. Austral. iv. 330.—Austral.  
*palustre*, A. Gray, Syn. Fl. N. Am. ii. i. 102.—Am. bor.  
*parviflorum*, Decne. in DC. Prod. viii. 525.—As. Min.  
*pauciflorum*, Mig. Ann. Mus. Bot. Lugd. Bat. ii. 127.—Japon.  
*petrophilum*, Jord. & Fourr. Brev. Pl. Nov. fasc. i. 39 = officinale.  
*pisidicum*, Boiss. & Heldr. Diagn. Ser. I. xi. 79 = fuscum.  
*pubens*, Timb. in Bull. Soc. Sc. Phys. et Nat. Toul. i. (1872-73) 97 = officinale?  
*puberulum*, Timb. l. c. 386 = officinale.  
*pumilum*, Decne. in DC. Prod. viii. 525.—Persia.  
*purpurascens*, C. Morr. & Decne. in Bull. Acad. Brux. (1836) 17.—Japon.  
*pyrenaicum*, Timb. & Jeanb. ex Nym. Consp. 496 = officinale.  
*racemosum*, Timb. in Bull. Soc. Sc. Phys. et Nat. Toul. i. (1872-73) 97 = officinale?  
Rehmanni, Boiss. Fl. Orient. iv. 53.—Reg. Cauc.  
*roseum*, Benth. & Hook. f. Gen. ii. 762.—Dahuria.  
*rubellum*, Franch. & Sav. Enum. Pl. Jap. ii. 442.—Japon.

# VINCETOXICUM:—

*ruscimonensis*, Timb. in Bull. Soc. Sc. Phys. et Nat. Toul. i. (1872-73) 97 = officinale?  
*Rutenbergianum*, Vathe, in Bremen, Abh. ix. (1885) 126.—Afr. trop.  
*salinarum*, Benth. & Hook. f. Gen. ii. 762.—Cuba.  
*scoparium*, A. Gray, Syn. Fl. N. Am. ii. i. 102.—Ind. occ.; Mexic.  
*sepium*, Decne. in DC. Prod. viii. 526.—Mexic.  
*sibiricum*, Decne. l. c. 525.—Sibir.; China.  
Sieboldii, Franch. & Sav. Enum. Pl. Jap. ii. 444.—Japon.  
*speciosum*, Boiss. & Heldr. Diagn. Ser. I. iv. 39.—Graecia.  
*stelliflorum*, Boiss. & Kotschy, l. c. Ser. II. iii. 120 = parviflorum.  
*sublanceolatum*, Maxim. in Bull. Acad. Pétersb. xxiii. (1877) 367.—Japon.  
Tanakae, Franch. & Sav. Enum. Pl. Jap. ii. 444.—Japon.  
*Thirkeanum*, C. Koch, in Linnaea, xxiii. (1850) 591 = speciosum.  
*tmoleum*, Boiss. Diagn. Ser. I. iv. 38.—As. Min.  
*triste*, Griseb. Spicil. Fl. Rumel. ii. 68 = speciosum.  
*undulatum*, Heldr. in Boiss. Diagn. Ser. II. vi. 121 = nivale.  
Verreyi, Franch. & Sav. Enum. Pl. Jap. ii. 438.—Japon.  
*versicolor*, Decne. in DC. Prod. viii. 524.—China.  
*volubile*, Maxim. Prim. Fl. Amur. 195.—Manchuria.  
*vulgare*, Bernh. Syst. Verz. Erf. 311 = officinale.  
Wilfordi, Franch. & Sav. Enum. Pl. Jap. ii. 445 = *Cynanchum Wilfordi*.

VINDICTA, Rafin. Fl. Tellur. ii. 51 (1836) = *Jeffersonia*, Bart. (Berber.).  
*begonifolia*, Rafin. l. c. = *J. binata*.

VINSONIA, Gaudich. Bot. Voy. Bonite, tt. 17, 23, 31 (1844-66) = *Pandanus*, Rumph.  
*acuminata*, Gaudich. ex Balf. f. in Journ. Linn. Soc. xvii. (1878) 40 = *P. acuminatus*.  
*consanguinea*, Gaudich. ex Balf. f. l. c. 65 = *P. utilis*.  
*drupacea*, Gaudich. Bot. Voy. Bonite, t. 31 = *P. purpurascens*.  
*elegans*, Gaudich. l. c. t. 17 = *P. sylvestris*.  
*humilis*, Gaudich. l. c. t. 17. f. 12, 13 = *P. sylvestris*.  
*lucida*, Gaudich. l. c. t. 17. f. 14, 15 = *P. sylvestris*.  
*macrostigma*, Gaudich. ex Balf. f. in Journ. Linn. Soc. xvii. (1878) 65 = *P. utilis*.  
*media*, Gaudich. ex Balf. f. l. c. = *P. utilis*.  
*palustris*, Gaudich. Bot. Voy. Bonite, t. 17. f. 18-23 = *P. utilis*.  
*Pervilleana*, Gaudich. l. c. t. 31. f. 1-7 = *P. Boucheanus*.  
*propinqua*, Gaudich. ex Balf. f. in Journ. Linn. Soc. xvii. (1878) 65 = *P. utilis*.  
*purpurascens*, Gaudich. Bot. Voy. Bonite, t. 17 = *P. purpurascens*.  
*stephanocarpa*, Gaudich. l. c. t. 23. f. 2-5, 7, 8 = *P. utilis*.  
*striata*, Gaudich. ex Balf. f. in Journ. Linn. Soc. xvii. (1878) 65 = *P. utilis*.  
*sylvestris*, Gaudich. Bot. Voy. Bonite, t. 17. ff. 16, 17 = *P. Barkleyi*.  
*Thouarsii*, Gaudich. ex Balf. f. in Journ. Linn. Soc. xvii. (1878) 65 = *P. utilis*.  
*utilis*, Gaudich. Bot. Voy. Bonite, t. 17. f. 1-5 = *P. utilis*.

VINTENATIA, Cav. Ic. iv. 28. t. 349. f. 1 (1797), *postea* VENTENATIA, l. c. 79 = *Astroloma*, R. Br. et Melichrus, R. Br. (Epacrid.).  
*humifusa*, Cav. l. c. = *A. humifusum*.  
*procumbens*, Cav. l. c. = *M. rotatus*.

VINTERA, Humb. & Bonpl. Pl. Aequin. i. t. 58 (1805) = WINTERA, Humb. & Bonpl. = *Drimys*, Forst. (Magnol.).

VINTICENA, Steud. Nom. ed. II. ii. 769 (1841) = *Grewia*, Linn. (Tiliac.).  
*triflora*, Steud. l. c. = *G. triflora*.

VIOLA, Tourn. ex Linn. Syst. ed. I (1735); Gen. ed. I. 267 (1737). *VIOLARIEAE*, Benth. & Hook. f. i. 117.  
CHRYSION, Spach, Hist. Vég. Phan. v. 509 (1836).  
DISCHIDIUM, Reichb. Handb. 269 (1837).

VIOLA:—

ERPETION, DC. ex Sweet, Brit. Flow. Gard. ii. t. 170 (1826).  
 ION, Medic. Malv. 102 (1787).  
 JONIUM, Reichb. ex Steud. Nom. ed. II. i. 815 (1840).  
 LOPHION, Spach, Hist. Vég. Phan. v. 516 (1836).  
 MNEMON, Spach, l. c. 510 (1836).  
*abortiva*, Jord. Pugill. Pl. Nov. 14 = hirta.  
*abyssinica*, Steud. ex Oliver, Fl. Trop. Afr. i. 105. — Abyss.  
*acaulis*, Roem. & Schult. Syst. v. 389, in syn. = cornuta.  
*acuminata*, Ledeb. Fl. Ross. i. 252 = canina.  
*acuta*, Bigel. Fl. Bost. ed. II. 95 = primulifolia.  
*adriatica*, Freyn, in Flora, lxvii. (1884) 679. — Europ. austr.  
*adulterina*, Godr. Thèse Hybrid. 18 = alba.  
*adulterina* ×, Schur, in Verh. Naturf. Ver. Bruenn, xv. II. (1877) 108. — Europ.  
*adunca*, Sm. in Rees, Cyclop. xxxvii. n. 63 = canina.  
*aetolica*, Boiss. & Heldr. Diagn. Ser. II. vi. 24. — Graecia.  
*affinis*, Le Conte, in Ann. Lyc. N. York, ii. (1828) 138 = cucullata.  
*agrestis*, Jord. Obs. Pl. Crit. ii. (1846) 15 = tricolor.  
*alata*, Burgersdyk, in Miq. Pl. Jungh. 121. — Java.  
*alba*, Bess. Prim. Fl. Galic. i. 171. — Europ.  
*albiflora*, Link, Enum. Hort. Berol. i. 241 = canadensis.  
*algida*, Humb. & Bonpl. ex Roem. & Schult. Syst. v. 391 = Lysipomia reniformis.  
*allegghanensis*, Roem. & Schult. l. c. 360 = sagittata.  
*Allionii*, Pio, Viola Spec. Bot. Med. 20 = arenaria.  
*alpestris*, Hegetschw. Fl. Schw. 245. — Helvet.  
*alpestris*, Jord. Obs. Pl. Crit. ii. (1846) 32, in textu = tricolor.  
*alpina*, All. Fl. Pedem. ii. 98 = canisia.  
*alpina*, Huds. Fl. Angl. ed. I. 331 = canina.  
*alpina*, Jacq. Enum. Stirp. Vindob. 159, 291. — Carinth.  
*alpina*, Ruiz & Pav. ex Ging. in DC. Prod. i. 300 = pygmaea.  
*alpina*, Salisb. Prod. 130 = calcarata.  
*altaica*, [Ker-Gawl.] Bot. Reg. t. 54; Pall. ex Sims, Bot. Mag. t. 1776. — As. Min.; Reg. Cauc.; Sibir.  
*ambigua*, Barc. Fl. Balear. 53 (Quid?). — Ins. Balear.  
*ambigua*, Waldest. & Kit. Pl. Rar. Hung. ii. 208 = campestris.  
*amoena*, T. F. Forst. in Symons, Syn. 198 = lutea.  
*amoena*, Le Conte, in Ann. Lyc. N. York, ii. (1828) 144 = blanda, Willd.  
*angustifolia*, Banks, ex Ging. in DC. Prod. i. 307 = Ionidium heterophyllum.  
*angustifolia*, Phil. in Linnaea, xxviii. (1856) 612. — Chili.  
*apetala*, Gilib. Fl. Lituan. ii. 124 = mirabilis.  
*apetala*, Roxb. Hort. Beng. 18; Fl. Ind. i. 650 = Patrinii.  
*apetala*, F. W. Schmidt, in Neue Abh. Boehm. Ges. i. (1791) 61 = canina.  
*appendiculata*, Steud. Nom. ed. II. ii. 770 = occulta.  
*aprica*, Spreng. Syst. i. 800 = arenaria.  
*arboorea*, Forsk. Fl. Aegypt. Arab. p. cxx. — Arab.  
*arboorea*, Linn. Syst. ed. X. 1239 = Corynostylis Loefflingii.  
*arborescens*, Linn. Sp. Pl. 935. — Reg. Mediterr. occ.  
*arborescens*, Loeffl. ex Ging. in DC. Prod. i. 289 = Corynostylis Loefflingii.  
*arcuata*, Blume, Bijdr. 58. — Java.  
*arenaria*, DC. Fl. Fr. iv. 806. — Europ.; As. bor.; Am. bor.  
*arenicola*, Chabert, in Bull. Soc. Bot. Fr. xviii. (1871) 196 = sylvestris.  
*arguta*, Humb. & Bonpl. ex Roem. & Schult. Syst. v. 391. — Am. austr.  
*armena*, Boiss. & Huet, Diagn. Ser. II. v. 48. — Reg. Cauc.; Persia.  
*aratica*, Jord. Pugill. Pl. Nov. 24 = tricolor.  
*arvensioides*, Strobl, in Oestr. Bot. Zeitschr. xxvii. (1877) 224. — Italia.  
*arvensis*, Murr. Prod. Stirp. Gotting. 73 = tricolor.  
*asarifolia*, Pursh, Fl. Am. Sept. ii. 732 = cucullata.  
*asarifolia*, Schreb. ex Muhl. in Trans. Am. Phil. Soc. iii. (1793) 178 = canina.  
*aspera*, Ging. in DC. Prod. i. 295 = serpens.  
*Asterias*, Hook. & Arn. in Hook. Bot. Misc. iii. (1833) 145. t. 99. — Chili.  
*atlantica*, Pomel, Nouv. Mat. Fl. Atl. 215 = tricolor.

VIOLA:—

*atropurpurea*, Leybold, in Anal. Univ. Chil. (1858) 159. — Chili.  
*atropurpurea*, Rafin. ex Ging. in DC. Prod. i. 291 = pedata.  
*attenuata*, Steud. Nom. ed. I. 884 = Ionidium oppositifolium.  
*attenuata*, Sweet, Hort. Brit. ed. III. 54 = lanceolata.  
*Aubletii*, G. F. W. Mey. Prim. Fl. Esseq. 123 = Corynostylis Hybanthus.  
*aurantiaca*, Leybold, in Flora, xlvii. (1864) 41. — Chili.  
*aurasiaca*, Pomel, Nouv. Mat. Fl. Atl. 342 = gracilis.  
*aurea*, Kellogg, in Proc. Calif. Acad. ii. (1863) 185. f. 54. — Calif.  
*Auricula*, Leybold, in Flora, xlvii. (1864) 40. — Chili.  
*auriculata*, Leybold, in Anal. Univ. Chil. (1863) II. 672; ex Phil. f. Cat. Pl. Vasc. Chil. 20 = praec.  
*austriaca*, A. & J. Kern. in Ber. Nat. Verh. Innsbr. iii. (1872) 71 = odorata.  
*Averyi*, Kellogg, in Pacif. Rural Press (May 1879); ex Curran, in Bull. Calif. Acad. i. III. (1885) 131 = Patrinii.  
*badensis* ×, Wiesb. in Oestr. Bot. Zeitschr. xxiv. (1874) 225. — Europ.  
*Balbisi*, Re, Fl. Segus. 73 = arenaria.  
*balsaminoides*, Gardn. in Hook. Ic. Pl. t. 217 = cerasifolia.  
*banatica*, Kit. ex Roem. & Schult. Syst. v. 382 = tricolor.  
*barbata*, Muhl. Cat. 25; Willd. ex Roem. & Schult. Syst. v. 356 = cucullata.  
*Barroetana*, Schaffn. ex Hemsl. Diagn. Pl. Nov. 20. — Mexic.  
*Baumgarteniana*, Schur, Enum. Pl. Transs. 87 = alpina.  
*bavarica*, Schrank, Baier. Fl. i. 491. — Bavaria.  
*Beckwithii*, Torr. & Gray, in Pacif. Rail. Rep. ii. 119. t. 1. — Am. bor. occ.  
*begoniaefolia*, Benth. Pl. Hartw. 161. — Peruv.  
*bella*, Gren. ex Gren. & Godr. Fl. Fr. i. 184 = tricolor.  
*Beraudii*, Bor. Fl. Centr. Fr. ed. III. ii. 76 = sepincola.  
*Berteroniana*, Steud. in Flora, xxxix. (1856) 422 = V. Portalesia.  
*Bertoloni*, Pio, Viola Spec. Bot. Med. 34 = gracilis.  
*Bertoloni*, De Salis, in Ann. Sc. Nat. Sér. II. v. (1836) 116. — Corsica.  
*Besseri*, Rupr. Fl. Cauc. 151. — Reg. Cauc.  
*betonicaefolia*, Boj. ex Baker, Fl. Maurit. 10 = Patrinii.  
*betonicifolia*, Sm. in Rees, Cycl. xxxvii. n. 7. — Austral.; Ins. Norfolk.  
*bicolor*, Gilib. Fl. Lituan. ii. 123; Pursh, Fl. Am. Sept. i. 175 = tricolor.  
*Bielziana*, Schur, Enum. Pl. Transs. 86. — Transsylv.  
*biflora*, Linn. Sp. Pl. 936. — Reg. bor. temp.  
*Billotiana*, F. Schultz, ex Nym. Consp. 77 = seq.  
*Billotii*, F. Schultz, in Flora, xxiii. (1840) 120 = persicifolia.  
*Bisetti*, Maxim. in Bull. Soc. Nat. Mosc. liv. (1879) I. 5. — Japon.  
*biturigenis*, Bor. ex Déségl. in Mém. Soc. Acad. Maine-et-Loire, xiv. (1863) 104 (Quid?). — Gallia.  
*blanda*, Salisb. Prod. 130 = cornuta?  
*blanda*, Schott, in Oestr. Bot. Wochenbl. vii. (1857) 166. — Montenegr.  
*blanda*, Willd. Hort. Berol. t. 24. — Am. bor.  
*Blumii*, Korth. in Miq. Ann. Mus. Bot. Lugd. Bat. iii. 76 = serpens.  
*borealis*, Weinm. in Linnaea, x. (1835–36) 66 = Selkirkii.  
*brachyceras*, Turcz. in Bull. Soc. Nat. Mosc. xv. (1842) 301 = blanda.  
*brachypetala*, C. Gay, Fl. Chil. i. 212. — Chili.  
*brachysepala*, Maxim. Prim. Fl. Amur. 50. — Reg. Amur.  
*brevicaulis*, Raensch. Nom. ed. III. 258 (Quid?). — Siles.  
*Brooksii*, Kellogg, in Calif. Hort. ix. (1879) 281; ex Bot. Calif. ii. 433. — Calif.  
*Broussonetiana*, Roem. & Schult. Syst. v. 371. — Ins. Canar.  
*Bruneauiana*, Hort. ex Vilm. Fl. Pl. Terre, ed. I. 946 = odorata.  
*Bubanii*, Timb. in Congr. Sc. Fr. xix. (1852) 280 = tricolor.  
*Buchaniana*, DC. ex D. Don, Prod. Fl. Nep. 206 = serpens.  
*bulbosa*, Maxim. in Bull. Acad. Pétersb. xxiii. (1877) 334. — China.  
*Bungeana*, Rupr. Fl. Cauc. 147, in textu. — Reg. Cauc.

VIOLA:—

*Burgersdijkii*, Oudem. in Miq. Ann. Mus. Bot. Lugd. Bat. iii. 77. — Java.  
*bustillosia*, C. Gay, Fl. Chil. i. 211. — Chili.  
*buxifolia*, Poir. Encyc. viii. 646 = Ionidium buxifolium.  
*caespitosa*, D. Don, Prod. Fl. Nep. 205 = Patrinii.  
*caespitosa*, Lange, in Willk. & Lange, Prod. Fl. Hisp. iii. 701. — Hispan.  
*calabra*, Huet, ex Nym. Consp. 77 = arenaria.  
*calamaria*, Steud. Nom. ed. II. ii. 770, sphalm. = seq.  
*calaminaria*, Lej. Rev. Fl. Spa, 49 = tricolor.  
*calcarata*, Linn. Sp. Pl. 935. — Europ.  
*calcarata*, Munby, Fl. Algér. 99 = gracilis.  
*calcarata*, Sibth. & Sm. Fl. Graec. Prod. i. 147 = Clementiana.  
*calcarata*, Vill. Hist. Pl. Dauph. i. 238; ii. 666; Robs. Brit. Fl. 107 = tricolor.  
*Calceolaria*, Linn. Sp. Pl. ed. II. 1327 = Ionidium Ipecacuanha.  
*Caleyana*, G. Don, Gen. Syst. i. 329. — Austral.  
*callosa*, Benth. Hartw. 161, in nota. — Peruv.  
*calthaefolia*, Poir. Pl. Encyc. viii. 627. — Hab.?  
*calycina*, Boiss. & Heldr. Diagn. Ser. I. viii. 53. — Pisidia.  
*campestris*, Bieb. Fl. Taur. Cauc. i. 171. — Europ.; As. Min.  
*canadensis*, Linn. Sp. Pl. 936. — Am. bor.  
*canariensis*, Berth. in Mém. Soc. Linn. Par. v. (1827) 420 = teydea.  
*canescens*, Wall. in Roxb. Fl. Ind. ed. Carey, ii. 450 = serpens.  
*canina*, Cham. & Schlecht. in Linnaea, ii. (1827) 146 = sylvestris.  
*canina*, Linn. Sp. Pl. 935. — Reg. bor. temp.  
*cano-barbata*, Leybold, in Flora, xlix. (1866) 285. — Chili.  
*capensis*, Thunb. Prod. Pl. Cap. 40 = Ionidium capense.  
*capillaris*, Pers. Syn. i. 256. — N. Granat.  
*cassinensis*, Strobl, in Oestr. Bot. Zeitschr. xxvii. (1877) 228. — Ital.  
*caulescens*, Molina, ex Phil. f. Cat. Pl. Vasc. Chil. 20 = rubella?  
*celtica*, Sauzé & Maillard, ex Nym. Consp. 78 = canina.  
*canisia*, Lag. & Rodr. in Anal. Cienc. v. (1802) 270 = nevadensis.  
*canisia*, Linn. Sp. Pl. ed. II. 1325. — Europ. austr.  
*canisia*, Schangin, in Pall. N. Nord. Beitr. vi. 103 = tricolor.  
*cerasifolia*, A. St. Hil. Pl. Rem. Brés. 277. — Bras.  
*chamaedrifolia*, Ruiz & Pav. ex Ging. in DC. Prod. i. 306 = rubella.  
*Chamaedrys*, Leybold, in Flora, xlvii. (1864) 41. — Chili.  
*Chamissoniana*, Ging. in Linnaea, i. (1826) 408. — Ins. Sandvic.  
*cheiranthifolia*, Humb. & Bonpl. Pl. Aequin. i. 111. t. 32. — Ins. Canar.  
*chelmea*, Boiss. Diagn. Ser. II. i. 54. — Graecia.  
*chinensis*, G. Don, Gen. Syst. i. 322 = Patrinii.  
*Christii*, Wolf, in Bull. Soc. Murith. x. (1881) 43. — Helvet.  
*chrysantha*, Fisch. ex Steud. Nom. ed. II. ii. 770 = altaica.  
*chrysantha*, Hook. Ic. Pl. t. 49. — Am. bor. occ.  
*chrysantha*, Phil. in Linnaea, xxxiii. (1864–65) 15. — Chili.  
*chrysantha* ×, Schrad. ex Reichb. Fl. Germ. Excurs. 709. — Europ.  
*ciliata*, Muhl. Cat. ed. I. 25 = sagittata.  
*ciliata*, Schlecht. in Linnaea, xii. (1838) 202. — Mexic.  
*ciliata*, Willd. ex Roem. & Schult. Syst. v. 360 = cucullata.  
*cinerascens*, Kern. in Oestr. Bot. Zeitschr. xviii. (1868) 20 = arenaria.  
*cinerea*, Boiss. Diagn. Ser. I. i. 7. — Arab.; Persia.  
*circaeoides*, Steud. Nom. ed. I. 885 = Ionidium circaeoides.  
*clandestina*, Pursh, Fl. Am. Sept. i. 173 = blanda.  
*claytonioides*, Steud. Nom. ed. I. 885 = Ionidium claytonioides.  
*Clementiana*, Boiss. Diagn. Ser. II. i. 55. — Macedon.  
*collina*, Bess. Enum. Pl. Volh. 10. — Europ.  
*Commersonii*, DC. ex Ging. in DC. Prod. i. 297. — Reg. Magellan.  
*Comollia*, Messara, Prod. Fl. Valtell. 203. — Ital.  
*concolor*, Forst. in Trans. Linn. Soc. vi. (1802) 309 = Ionidium concolor.  
*conferta*, A. St. Hil. Pl. Rem. Brés. 279 = cerasifolia.

**VIOLA:**

*confinis*, Jord. ex Nym. Consp. 80 = tricolor.  
*confusa*, Champ. ex Benth. in Hook. Kew Journ. iii. (1851) 260 = serpens.  
*congener*, Le Conte, in Ann. Lyc. N. York, ii. (1828) 140 = cucullata.  
*congesta*, Gill. in Hook. Bot. Misc. iii. (1833) 144. t. 97.—Peruv.  
*Conilii*, Franch. & Sav. Enum. Pl. Jap. ii. 285.—Japon.  
*consanguinea*, Schott, in Oestr. Bot. Wochenbl. vii. (1857) 166.—Dalmat.  
*consimilis*, Jord. Pugill. Pl. Nov. 18 = odorata.  
*conspersa*, Reichb. Pl. Crit. i. 44 = canina.  
*contempta*, Jord. Pugill. Pl. Nov. 24 = tricolor.  
*corallensis*, Phil. in Linnaea, xxxiii. (1864-65) 16.—Chili.  
*corchorifolia*, Domb. ex Ging. in DC. Prod. i. 304.—Peruv.  
*cordata*, Walt. Fl. Carol. 219 = cucullata.  
*cordata*, Willd. Enum. Hort. Berol. 264 = Broussonetiana.  
*cordifolia*, Schur, in Verh. Naturf. Ver. Bruenn, xv. ii. (1877) 114 = arenaria.  
*cordifolia*, Schwein. in Am. Journ. Sc. Ser. I. v. (1822) 62 = cucullata.  
*cornuta*, Desf. Fl. Atlant. ii. 313 = gracilis.  
*cornuta*, Linn. Sp. Pl. ed. II. 1325.—Europ. austr.  
*coralensis*, Phil. in Linnaea, xxxiii. (1864-65) 16.—Chili.  
*corsica*, Jord. in Mém. Soc. Acad. Maine-et-Loire, i. (1857) 86 (nomen) = seq.?  
*corsica*, Nym. Syll. 228 = Bertolonii.  
*Cotyledon*, Ging. in DC. Prod. i. 300.—Chili.  
*crassifolia*, Fenzl, Pugill. Pl. Nov. Syr. 12.—As. Min.  
*crassiuscula*, Bory, in Ann. Gén. Sc. Phys. iii. (1820) 16 = nevadensis.  
*cretica*, Boiss. & Heldr. Diagn. Ser. I. viii. 51.—Ins. Creta.  
*cucullata*, Ait. Hort. Kew. ed. I. iii. 288.—Am. bor.  
*cucullata*, Bigel. ex Ging. in DC. Prod. i. 294 = palustris.  
*cucullata*, Moç. & Sessé, ex Ging. l. c. 289 = Corynostylis Berterii.  
*cucullifolia*, Wender. ex Steud. Nom. ed. II. ii. 771 (Quid ?).—Hab.?  
*cuneata*, S. Wats. in Proc. Am. Acad. xiv. (1879) 290.—Am. bor.  
*Cunninghamii*, Hook. f. Fl. N. Zel. i. 16.—Tasman.; N. Zel.  
*Curtisii*, E. Forst. in Engl. Bot. Suppl. t. 2693 = tricolor.  
*cyanea*, Čelak. in Oestr. Bot. Zeitschr. xxii. (1872) 349 = odorata.  
*dactyloides*, Roem. & Schult. Syst. v. 351.—Sibir.  
*debilis*, Michx. Fl. Bor. Am. i. 150 = striata.  
*debilis*, Pursh, Fl. Am. Sept. i. 174 = canina.  
*declinata*, Waldest. & Kit. Pl. Rar. Hung. iii. 248.—Hungar.  
*decora*, Kellogg, in Pacif. Rural Press (May 1879); ex Curran, in Bull. Calif. Acad. i. iii. (1885) 131 = Beckwithii.  
*decumbens*, J. F. Gmel. Syst. 413 = brevicaulis.  
*decumbens*, Linn. f. Suppl. 397.—Afr. austr.  
*decumbens*, Moench, Meth. Suppl. 73 = calcarata.  
*degener*, Schweigg. ex Mert. & Koch, Deutschl. Fl. ii. 264 = sylvestris.  
*Dehnhardtii*, Tenore, Ind. Sem. Hort. Neap. (1830) 12; ex ej. Syll. 117 = odorata.  
*delphinantha*, Boiss. Diagn. Ser. I. i. 7.—Graecia.  
*delphinensis*, Jord. Obs. Pl. Crit. vii. (1849) 3 = sciaphila.  
*delphinifolia*, Nutt. in Torr. & Gray, Fl. N. Am. i. 136.—Am. bor.  
*Demetria*, Prologo, ex Boiss. Voy. Bot. Espagne, ii. 73 = tricolor.  
*deminuta*, Schur, Enum. Pl. Transs. 87 = tricolor.  
*dentata*, Pursh, Fl. Am. Sept. i. 172 = sagittata.  
*derelecta*, Jord. in Billot, Annot. Fl. Fr. et Allem. 101 = tricolor.  
*Deseglisei*, Jord. ex Bor. Fl. Cent. Fr. ed. III. ii. 82 = tricolor.  
*diandra*, Murr. Syst. ed. XIII. 669 = Corynostylis diandra.  
*dichotoma*, [Moç. & Sessé,] ex Ging. in DC. Prod. i. 297 = scandens.  
*dichroa*, Boiss. Diagn. Ser. II. v. 48.—Armen.  
*diffusa*, Ging. in DC. Prod. i. 298.—Reg. Himal.; China.

**VIOLA:**

*diffusa*, Vell. Fl. Flum. viii. t. 163 = cerasifolia.  
*digitata*, Pursh, Fl. Am. Sept. i. 171 = pedata.  
*digitata*, Willd. ex Roem. & Schult. Syst. v. 352 = dactyloides.  
*dissecta*, Ledeb. Fl. Alt. i. 255 = pinnata.  
*distans*, Wall. Cat. n. 4022.—Ind. or.; Malaya.  
*Dombeyana*, DC. ex Ging. in DC. Prod. i. 305.—Am. austr.  
*Domeikoana*, C. Gay, Fl. Chil. i. 220.—Chili.  
*Douglasii*, Steud. Nom. ed. II. ii. 771 = chrysantha, Hook.  
*Drymeia*, Schur, Enum. Pl. Transs. 79 = hirta.  
*dubia*, Wall. Cat. n. 1450 = serpens?  
*dumetorum*, Jord. Pugill. Pl. Nov. 16 = alba.  
*dumetorum*, Phil. in Linnaea, xxviii. (1856) 612.—Chili.  
*ebracteolata*, Fenzl, Illustr. Taur. 49.—Syria; Persia.  
*edulis*, Spach, Hist. Vég. Phan. v. 508 = palmata.  
*Einseleana*, F. Schultz, ex Nym. Consp. 77 = Schultzii.  
*elata*, Gueldest. Reisen, i. 421; ex Ledeb. Fl. Ross. i. 258 (Quid ?).—Rossia.  
*elator*, Fries, Mant. iii. 126.—Europ.; As. bor.; Oriens.  
*elator*, Wimm. Fl. Schles. (1841) 46 = canina.  
*elegantula*, Schott, in Oestr. Bot. Wochenbl. vii. (1857) 167 = gracilis.  
*elongata*, Huet, ex Nym. Consp. 80 = gracilis.  
*elongata*, Poir. Encyc. viii. 644.—'Am.'  
*emarginata*, Le Conte, in Ann. Lyc. N. York, ii. (1828) 142 = sagittata.  
*emirnenis*, Boj. ex Oliver, Fl. Trop. Afr. i. 105 = abyssinica.  
*enneasperma*, Linn. Sp. Pl. 937 = Ionidium heterophyllum.  
*epipsila*, Fries, ex Nym. Consp. 79 = suecica.  
*epipsila*, Ledeb. Ind. Sem. Hort. Dorpat. (1820) 5 = palustris.  
*erecta*, Gilib. Fl. Lituan. ii. 124 = elatior.  
*erecta*, Roth, Nov. Pl. Sp. 165 = Ionidium heterophyllum.  
*erictorum*, Schrad. ex Link, Enum. Hort. Berol. i. 240 = sylvestris.  
*eriocarpa*, Schwein. in Am. Journ. Sc. Ser. I. v. (1822) 75 = pubescens.  
*esculenta*, Ell. Sketch, i. 300 = palmata.  
*etbaica*, Schweinf. in Verh. Zool.-Bot. Ges. Wien, xviii. (1868) 665.—Afr. trop.  
*Eugeniae*, Parl. in Nuov. Giorn. Bot. Ital. vii. (1875) 68 = calcarata.  
*excelsa*, Humb. & Bonpl. ex Roem. & Schult. Syst. v. 391 = Corynostylis Hybanthus.  
*excisa*, Hance, in Journ. Bot. vi. (1868) 296 = verecunda.  
*exigua*, Vell. Fl. Flum. viii. 164.—Bras.  
*exilis*, Phil. in Linnaea, xxviii. (1856) 672.—Chili.  
*Falconeri*, Hook. f. & Thoms. in Hook. f. Fl. Brit. Ind. i. 185.—Reg. Himal.  
*fennica*, Nyland. Spicil. Pl. Fenn. Cent. i. 28 = palustris.  
*fennica*, Steph. ex Nym. Consp. 79 = uliginosa.  
*ferrariensis*, Campana, Cat. Pl. Ferrar.; ex Pio, Viola Spec. Bot. Med. 22 = canina.  
*filicaulis*, Hook. f. Fl. N. Zel. i. 16.—N. Zel.  
*filiformis*, Ruiz & Pav. ex DC. Prod. i. 310 = Ionidium glutinosum.  
*fimbriata*, Steud. in Flora, xxxix. (1856) 423.—Chili.  
*fimbriatula*, Sm. in Rees, Cyclop. xxxvii. n. 16 = sagittata.  
*Fischeri*, Sweet, Hort. Brit. ed. II. 44 = Gmeliniana.  
*flabellifolia*, Lodd. Bot. Cab. t. 777 = pedata.  
*flagelliformis*, Hemsl. Diagn. Pl. Nov. 20.—Mexic.  
*flavicans*, Wedd. in Ann. Sc. Nat. Sér. V. i. (1864) 292.—Bolivia.  
*flavicornis*, E. Forst. ex Nym. Consp. 77 = sylvestris.  
*flavicornis*, Sm. Engl. Fl. i. 304 = canina.  
*flavida*, Jord. Pugill. Pl. Nov. 25 = tricolor.  
*flavida*, Schur, in Verh. Naturf. Ver. Bruenn, xv. ii. (1877) 119.—Europ.  
*flexuosa*, Moretti, ex Roem. & Schult. Syst. v. 370 = persicifolia.  
*floribunda*, Jord. Pugill. Pl. Nov. 19 = odorata.  
*Flos-Idae*, Hieron. in Bol. Acad. Nac. Córdoba, iv. (1881) 5.—Reg. Argent.  
*Flos-Mariae*, Hieron. l. c. 8.—Reg. Argent.  
*foliosa*, Čelak. in Arch. Naturw. Landesd. Boehm. iii. (1875) 477 = odorata.  
*formosa*, Vukot. in Rad Jugos. Akad. Zagreb. lxvi. (1883) 20 = sylvestris.  
*Foucaudii*, Sav. Cat. Pl. Charente-Inf. 49 = tricolor.

**VIOLA:**

*Foudrasi*, Jord. Obs. Pl. Crit. vii. (1849) 4 = hirta.  
*fragrans*, Sieber, Reise Kreta, ii. 320.—Ins. Creta.  
*fragrans*, Wiesb. ex Sabransky, in Oestr. Bot. Zeitschr. xxxiv. (1884) 133 = Wiesbaurii.  
*fraterna*, Hegetschw. Fl. Schw. 241.—Helvet.  
*frigida*, Phil. Fl. Atac. 9.—Chili.  
*frutescens*, Roth, Nov. Pl. Sp. 166 = Ionidium suffruticosum.  
*frutescens*, Ruiz & Pav. ex Ging. in DC. Prod. i. 308 = Ionidium oppositifolium.  
*fusiformis*, Sm. in Rees, Cyclop. xxxvii. n. 9 = Gmeliniana.  
*Ganderi*, Hausm. ex Nym. Consp. 79 = campestris.  
*garganica*, Strobl, in Oestr. Bot. Zeitschr. xxvii. (1877) 224 = tricolor.  
*gibbosa*, Rafin. in Am. Monthly Mag. (1811) 356, nomen = hastata.  
*glabella*, Nutt. in Torr. & Gray, Fl. N. Am. i. 142.—Am. bor. occ.  
*glacialis*, Poepp. & Endl. Nov. Gen. et Sp. ii. 49. t. 165.—Chili.  
*glandulifera*, Hook. Ic. Pl. t. 67.—Ecuador.  
*glandulifera*, Wall. in Roxb. Fl. Ind. ed. Carey, ii. 452 = serpens.  
*\*glandulosa*, Domb. ex Ging. in DC. Prod. i. 297 = maculata.  
*glaucia*, Bieb. Fl. Taur. Cauc. iii. 165 = arenaria.  
*glaucescens*, Oudem. in Miq. Ann. Mus. Bot. Lugd. Bat. iii. 74 = distans.  
*glechomoides*, Leybold, in Flora, xlvi. (1864) 40.—Chili.  
*glutinosa*, Poir. Encyc. viii. 647 = Ionidium glutinosum.  
*Gmeliniana*, Roem. & Schult. Syst. v. 354.—Sibir.  
*gracilescens*, Jord. Obs. Pl. Crit. ii. (1846) 20 = tricolor.  
*gracilis*, Bivona, Stirp. Rar. Sicil. iv. 25 = calcarata.  
*gracilis*, R. Br. ex Ging. in DC. Prod. i. 305 = hederacea.  
*gracilis*, Clem. Sert. Orient. 16 = Clementiana.  
*gracilis*, Mart. ex Nym. Consp. 88 = tricolor.  
*gracilis*, Reichb. Fl. Germ. Excurs. 709 = declinata.  
*gracilis*, Sibth. & Sm. Fl. Graec. Prod. i. 146.—Graecia.  
*gracillima*, A. St. Hil. Pl. Rem. Brés. 275.—Bras.  
*Grahami*, Benth. Pl. Hartw. 35.—Mexic.  
*grandiflora*, Griseb. Spicil. Fl. Rumel. i. 238 = Clementiana.  
*grandiflora*, 'Linn.' Herb. ex Steud. Nom. ed. II. ii. 771 = altaica.  
*grandiflora*, Linn. Mant. ii. 518 = tricolor.  
*grandifolia*, Wall. Cat. n. 1447 = Patrinii.  
*granulosa*, Wedd. in Ann. Sc. Nat. Sér. V. i. (1864) 292.—Bolivia.  
*Grayi*, Franch. & Sav. Enum. Pl. Jap. ii. 288 = sylvestris.  
*Griffithiana*, Boiss. Diagn. Ser. II. i. 54 = serpens.  
*Grisebachiana*, Vis. in Mem. Ist. Venet. x. (1861) 436.—Serbia.  
*Gronovii*, Willd. ex Roem. & Schult. Syst. v. 359, in textu = primulifolia.  
*grypoceras*, A. Gray, in Perry, Jap. Exped. ii. 308 = sylvestris.  
*guineensis*, Schum. & Thonn. Beskr. Guin. Pl. 133 = Ionidium heterophyllum.  
*gymnocarpa*, Janka, in Linnaea, xxx. (1859-60) 559 = collina.  
*Hallii*, A. Gray, in Proc. Am. Acad. viii. (1872) 377.—Am. bor. occ.  
*Hamiltoniana*, D. Don, Prod. Fl. Nep. 206 = serpens.  
*hastata*, Michx. Fl. Bor. Am. ii. 149.—Am. bor.  
*hebecarpa*, Schur, Enum. Pl. Transs. 79 = hirta.  
*hederacea*, Labill. Nov. Holl. Pl. i. 66. t. 91.—Austral.  
*Heldreichiana*, Boiss. Diagn. Ser. I. viii. 53.—As. Min.  
*helvetica* x, Bruegg. in Jahresb. Naturf. Ges. Graub. II. xxiii-xxiv. (1880) 72.—Europ.  
*heterophylla*, Bertol. Rar. Ital. Pl. Dec. iii. 53 = gracilis, calcarata.  
*heterophylla*, Muhl. Cat. 25 = palmata.  
*heterophylla*, Poir. Encyc. viii. 646 = Ionidium heterophyllum.  
*heterosepala*, Boiss. & Heldr. Diagn. Ser. II. vi. 23 = aetolica.  
*hirsuta*, Crantz, Inst. ii. 430; Roem. & Schult. Syst. v. 361 = hirta.  
*hirta*, Linn. Sp. Pl. 934.—Europ.; As. bor.

**VIOLA:—**

- hirta*, Schwein. in Am. Journ. Sc. Ser. I. v. (1822) 50 = hastata.  
*hirtaeformis* x, Wiesb. in Oestr. Bot. Zeitschr. xxx. (1880) 190.—Europ.  
*hirtipes*, S. Moore, in Journ. Linn. Soc. xvii. (1879) 379. t. 16.—China.  
*hirta-alba*, Gren. & Godr. Fl. Fr. i. 176 = *hirta*.  
*hispida*, Lam. Fl. Fr. ii. 679 = rothomagensis.  
*hispida*, Lapeyr. Hist. Abr. Pl. Pyr. 123 = *lutea*.  
*Hladnikii*, Reichb. ex Nym. Consp. 77 = Schultzi.  
*Holubyi*, Schur, in Verh. Naturf. Ver. Bruenn, xv. ii. (1877) 107.—Europ.  
*Hookeri*, Thoms. ex Hook. f. Fl. Brit. Ind. i. 183.—Reg. Himal.  
*Hookeriana*, H. B. & K. Nov. Gen. et Sp. v. 369.—Mexic.  
*Hornemanniana*, Roem. & Schult. Syst. v. 370 = canina.  
*hortensis*, Schur, Enum. Pl. Transs. 82 = odorata.  
*Huidobrii*, C. Gay, Fl. Chil. i. 214.—Chili.  
*Humboldtii*, Triana & Planch. in Ann. Sc. Nat. Sér. IV. xvii. (1862) 121.—N. Granat.  
*humifusa*, Vukot. in Rad Jugos. Akad. Zagreb. lxvi. (1883) 16.—Europ.  
*humilis*, H. B. & K. Nov. Gen. et Sp. v. 369.—Mexic.  
*Hybanthus*, Aubl. Pl. Gui. ii. 811. t. 319 = *Corynostylis Hybanthus*.  
*Hybanthus*, Linn. Sp. Pl. ed. II. 1325 = *Corynostylis Loeflingii*.  
*hybrida*, Krock. Fl. Siles. Suppl. i. 291 (Quid?).—Europ.  
*hybrida*, Schur, Enum. Pl. Transs. 79 = odorata.  
*hybrida*, Wulf. ex Roem. & Schult. Syst. v. 357 = uliginosa.  
*hydrocotyloides*, Armst. in Trans. N. Z. Inst. xiv. (1882) 360.—N. Zel.  
*hymettia*, Boiss. & Heldr. Diagn. Ser. II. i. 57 = tricolor.  
*ignobilis*, Rupr. Fl. Cauc. 148.—Reg. Cauc.  
*imberbis*, Ledeb. Fl. Alt. i. 257 = Selkirkii.  
*incisa*, Turcz. in Bull. Soc. Nat. Mosc. xv. (1842) 302.—Sibir.  
*incomparabilis*, Schur, in Verh. Naturf. Ver. Bruenn, xv. ii. (1877) 99.—Europ.  
*incompta*, Jord. Obs. Pl. Crit. vii. (1849) 11 = odorata.  
*inconspicua*, Blume, Cat. Gew. Buitenz. 57; Bijdr. 58.—Java.  
*ingrica*, Bieb. ex Rupr. in Beitr. Pfl. Russ. Reich. iv. 48.—Rossia.  
*inodora*, Gilib. Fl. Lituan. ii. 123 = palustris.  
*insularis*, Gren. & Godr. Fl. Fr. i. 178 = sylvestris.  
*insularis*, Gren. & Godr. l. c. 185 = Bertolonii.  
*integerrima*, Phil. in Linnaea, xxviii. (1856) 672.—Chili.  
*integerrima*, Spreng. Pugill. i. 21.—Hab.?  
*integrifolius*, Dulac, Fl. Hautes-Pyr. 179 = *cenisia*.  
*intermedia*, Krock. Fl. Siles. Suppl. i. 289 (Quid?).—Europ.  
*intermedia*, Lej. Rev. Fl. Spa, 51 = rothomagensis.  
*intricata*, Arv. in Bull. Soc. Dauph. vii. (1880) 264.—Gallia.  
*Ipecacuanha*, Linn. Mant. ii. 484 = *Ionidium Ipecacuanha*.  
*ircutiana*, Turcz. in Bull. Soc. Nat. Mosc. xv. (1842) 298.—Sibir.  
*italica*, Voigt, ex Vilm. Fl. Pl. Terre, ed. III. 1206 = odorata.  
*Itoubou*, Aubl. Pl. Gui. ii. 808 = *Ionidium Ipecacuanha*.  
*Jacquiniana*, Steud. Nom. ed. I. 885 = *Ionidium Jacquinianum*.  
*japonica*, Korth. in Nederl. Kruidk. Arch. i. (1848) 357 (sp. dub.).—Java (cult.).  
*japonica*, Langsd. ex Ging. in DC. Prod. i. 295.—Japon.  
*Jaubertiana*, Maré & Vigin. Cat. Pl. Baléar. 37. t. 2.—Ins. Balear.  
*Jooi*, Fanka, in Oestr. Bot. Wochenbl. vii. (1857) 198.—Transsylv.  
*jucunda*, Jord. Pugill. Pl. Nov. 20 = odorata.  
*Julia* x, Bruegg. in Zeitschr. Ferdinand. Tirol. III. ix. (1860) 62.—Europ.  
*Juressi*, Link, ex Steud. Nom. ed. I. 885 (Quid?).—Hab.?  
*kalksburgensis* x, Wiesb. in Oestr. Bot. Zeitschr. xxvii. (1877) 153.—Europ.  
*kamtschatica*, Ging. in Linnaea, i. (1826) 406 = Selkirkii.

**VIOLA:—**

- kanaaensis*, A. Gray, Bot. U. St. Expl. Exped. i. 85.—Ins. Sandvic.  
*kauensis*, A. Gray, in Proc. Am. Acad. ii. (1852) 325 = praec.  
*Keiskei*, Miq. Ann. Mus. Bot. Lugd. Bat. ii. 153.—Japon.  
*Kernerii* x, Wiesb. in Oestr. Bot. Zeitschr. xxx. (1880) 189.—Europ.  
*Kitaibeliana*, Roem. & Schult. Syst. v. 383 = tricolor.  
*Kochii*, Kirschl. in Mém. Strassb. iii. n. II. (1840) 12. t. 1.—Europ.  
*Krockeri*, J. F. Gmel. Syst. 412 = arenaria.  
*kunawurensis*, Royle, Illustr. Bot. Himal. 75. t. 18. f. 3.—Reg. Himal.  
*labiosa*, Sm. in Rees, Cycl. xxxvii. n. 48.—Austral.  
*labradorica*, Schrank, in Denkschr. Bot. Ges. Regensb. i. II. (1818) 12 = canina.  
*laciniosa*, A. Gray, in Perry, Jap. Exped. ii. 308.—Japon.  
*lactea*, Koch & Ziz, Cat. Pl. Palat. 6; Fries, Nov. Fl. Suec. 86 = pratenis.  
*lactea*, Reichb. Fl. Germ. Excurs. 707 = persicifolia.  
*lactea*, Sm. Fl. Brit. i. 247.—Europ.  
*lamiifolia*, Pritz. Ic. Ind. 1163 = *lancifolia*, Thore.  
*lancea*, Poir. Encyc. viii. 635 = pratenis.  
*lanceifolia*, Schum. & Thonn. Beskr. Guin. Pl. 134 = *Ionidium enneaspermum*?  
*lanceolata*, Linn. Sp. Pl. 934.—Am. bor.  
*lanceolata*, Pall. Reise, iii. 223 = Gmeliniana.  
*lancifolia*, Bess. Prim. Fl. Galic. i. 173 = canina.  
*lancifolia*, Bieb. Fl. Taur.-Cauc. iii. 165 = *Ruppii*.  
*lancifolia*, Steud. Nom. ed. II. ii. 772, sphalm. = *Corynostylis Hybanthus*.  
*lancifolia*, Thore, Chlor. Land. 357 = *lactea*.  
*Langsdorffii*, Fisch. ex Ging. in DC. Prod. i. 296.—Sibir. or.; Am. bor. occ.  
*latistipula*, Griseb. in Goett. Abh. vi. (1854) 116.—Chili.  
*Leconteana*, G. Don, Gen. Syst. i. 324 = blanda.  
*Lejeunii*, Jord. Pugill. Pl. Nov. 27 = tricolor.  
*lepida*, Jord. l. c. 28 = tricolor.  
*leptoceras*, Schur, Enum. Pl. Transs. 87 = tricolor.  
*leucantha*, Schur, l. c. 82 = odorata.  
*Lewisiana*, Ging. in DC. Prod. i. 298 = striata.  
*Leyboldiana*, Phil. in Linnaea, xxxiii. (1864–65) 16.—Chili.  
*libanotica*, Boiss. Diagn. Ser. I. viii. 52.—Syria.  
*lilascens*, Heldr. ex Boiss. Fl. Orient. i. 466 = tricolor.  
*linarifolia*, Vahl, Eclog. Am. ii. 18 = *Ionidium strictum*.  
*Lindeniana*, Turcz. in Bull. Soc. Nat. Mosc. xxvii. (1854) 11. 336.—N. Granat.  
*lineariaefolia*, Poir. Encyc. viii. 648 = *Ionidium strictum*.  
*linearifolia*, Vahl, in West, Bidr. Ste-Croix, 303 = *Ionidium strictum*.  
*lineata*, Ortega, Hort. Matr. Dec. 49 = *Ionidium lineatum*.  
*linguaeifolia*, Nutt. in Torr. & Gray, Fl. N. Am. i. 141 = Nuttallii.  
*linifolia*, Juss. in Poir. Encyc. viii. 647 = *Ionidium linifolium*.  
*litoralis*, Phil. Fl. Atac. 9.—Chili.  
*litoralis*, Spreng. Nov. Prov. 43 = pratenis.  
*livida*, Kit. ex Roem. & Schult. Syst. v. 363 = arenaria.  
*Lloydii*, Jord. ex Bor. Fl. Centr. Fr. ed. III. ii. 80 = tricolor.  
*lobata*, Benth. Pl. Hartw. 298.—Calif.  
*Loeflingiana*, Steud. Nom. ed. I. 885 = *Ionidium Ipecacuanha*.  
*longepedunculata*, Franch. & Sav. Enum. Pl. Jap. ii. 286.—Japon.  
*longicaulis*, Krock. Fl. Siles. Suppl. i. 295 (Quid?).—Europ.  
*longifolia*, R. Br. ex Ging. in DC. Prod. i. 294 = betonicifolia.  
*longifolia*, Poir. Encyc. viii. 649 = *Noisetia longifolia*.  
*longipes*, Nutt. in Torr. & Gray, Fl. N. Am. i. 140 = canina.  
*longiscapa*, DC. ex G. Don, Gen. Syst. i. 322 = betonicifolia.  
*longivivida*, Pourr. ex Roem. & Schult. Syst. v. 380 = arborescens.  
*lucorum*, Lange, in Willk. & Lange, Prod. Fl. Hisp. iii. 698 = canina.

**VIOLA:—**

- ludovicea*, Jan, ex Ging. in DC. Prod. i. 303 = prostrata.  
*lusitana*, Brot. Fl. Lusit. i. 306 = *lactea*.  
*lutea*, Comm. ex Ging. in DC. Prod. i. 297 = maculata.  
*lutea*, Huds. Fl. Angl. ed. I. 331; Sm. Fl. Brit. i. 248 = tricolor.  
*lutea*, Lam. Fl. Fr. ii. 680 = biflora.  
*lutea*, Vell. Fl. Flum. viii. t. 162.—Bras.  
*luteola*, Jord. Pugill. Pl. Nov. 27 = tricolor.  
*Lyallii*, Hook. f. Handb. N. Zeal. Fl. 16.—N. Zel.  
*macedonica*, Boiss. & Heldr. Diagn. Ser. II. i. 56.—Macedon.  
*macrantha*, Huet, ex Nym. Consp. 81 = calcarata.  
*macroceras*, Bunge, in Ledeb. Fl. Alt. i. 256.—Sibir.  
*macrostipulata*, Schur, Enum. Pl. Transs. 84 = Schultzi.  
*maculata*, Cav. Ic. vi. 20. t. 539.—Chili.  
*maculata*, Patr. ex Ging. in DC. Prod. i. 293 = variegata.  
*maderensis*, Lowe, in Trans. Camb. Phil. Soc. iv. (1831) 36.—Ins. Mader.  
*madonia*, Presl, ex Reichb. Pl. Crit. iii. 60 = calcarata.  
*magellanica*, Forst. f. in Comm. Gotting. ix. (1789) 41. t. 8.—Reg. Magellan.  
*magellensis*, Porta & Rigo, ex Strobl, in Oestr. Bot. Zeitschr. xxvii. (1877) 228 = *cenisia*.  
*magniflora*, Molina, Sagg. Chile, ed. II. 283 = *magellanica*.  
*marina*, Vilm. Fl. Pl. Terre, ed. III. 205 = *Campanula Medium*.  
*maritima*, Spreng. ex Mert. & Koch, Deutschl. Fl. ii. 272 = tricolor.  
*martia*, Gilib. Fl. Lituan. ii. 122; S. T. Gmel. Reise, i. 65 = odorata.  
*Martii* x, Wiesb. in Oestr. Bot. Zeitschr. xxx. (1880) 190.—Europ.  
*Massoni*, Banks, ex Ging. in DC. Prod. i. 308 = *Ionidium capense*.  
*Mauritii*, Hemsl. in Bull. Soc. Oural. Amat. Sc. Nat. vii. III. 37.—Rossia.  
*maviensis*, H. Mann, in Proc. Am. Acad. vii. (1867) 150.—Ins. Sandvic.  
*media*, Chaillet, ex Roem. & Schult. Syst. v. 382 = tricolor.  
*meduanensis*, Bor. Fl. Centr. Fr. ed. III. ii. 80 = tricolor.  
*melanosperma*, Bert. ex Ging. in DC. Prod. i. 308 = *Ionidium oppositifolium*.  
*mendanca*, Vell. Fl. Flum. viii. t. 160 = *Schweiggeria fruticosa*.  
*mentita*, Jord. in Billot, Annot. Fl. Fr. et Allem. 101 tricolor.  
*Metziana*, Hohen. ex Hook. f. Fl. Brit. Ind. i. 184 = distans.  
*micrantha*, Albert, in Bull. Soc. Sc. Draguign. (1884) (reimpr. 6).—Gallia.  
*micrantha*, Bertol. Misc. Bot. i. 15 = tricolor.  
*micrantha*, Presl, Delic. Prag. 27 = parvula.  
*micrantha*, Turcz. in Bull. Soc. Nat. Mosc. v. (1832) 183 = canina.  
*micranthella*, Wedd. in Ann. Sc. Nat. Sér. V. i. (1864) 291.—Bolivia.  
*microceras*, Rupr. Beitr. Pfl. Russ. Reich. ii. 22. t. 1. f. 2.—Sibir.  
*microceras*, Schur, Enum. Pl. Transs. 80 = collina.  
*microphylla*, Phil. in Linnaea, xxviii. (1856) 611.—Chili.  
*microphylla*, Schur, in Oestr. Bot. Zeitschr. viii. (1858) 394 = alpina.  
*microphylla*, Willd. ex Roem. & Schult. Syst. v. 391 = *Ionidium glutinosum*.  
*microphyllus*, Poir. Encyc. viii. 628.—Reg. Magellan.  
*Miersii*, Bert. ex Steud. Nom. ed. II. ii. 772 = V. Asterias.  
*Minae*, Strobl, in Oestr. Bot. Zeitschr. xxvii. (1877) 225 = calcarata.  
*minuta*, Bieb. Fl. Taur. Cauc. i. 173.—Reg. Cauc.  
*mirabilis*, Linn. Sp. Pl. 936.—Europ.; As. bor.  
*mixta*, Kern. in Oestr. Bot. Zeitschr. xviii. (1868) 21.—Europ.  
*modesta*, Ball, in Journ. Bot. xi. (1873) 300 = tezensis.  
*modesta*, Fenzl, Pugill. Pl. Nov. Syr. 12.—Syria.  
*mongolica*, Franch. Pl. Davidian. i. (1884) 42.—China.  
*monopetala*, Roem. & Schult. Syst. v. 400 = *Ionidium filiforme*.  
*Montagnei*, C. Gay, Fl. Chil. i. 222.—Chili.  
*montana*, DC. Fl. Fr. iv. 807 = elatior.  
*montana*, Kellogg, in Proc. Calif. Acad. i. ed. II. (1873) 55 = lobata.



**VIOLA:—**

*montana*, Ledeb. Fl. Alt. i. 261 = *pratensis*.  
*montana*, Linn. Sp. Pl. 935 = *canina*.  
*montana*, Plan. Ens. Fl. Gallega, 206 = *persicifolia*.  
*monticola*, Jord. Obs. Pl. Crit. ii. (1846) 37 = *tricolor*.  
*Mucuzii*, Orph. ex Nym. Consp. 80 = *tricolor*.  
*Muhlenbergiana*, Ging. in DC. Prod. i. 297 = *canina*.  
*Muhlenbergii*, Torr. Fl. U. St. i. 256 = *canina*.  
*multicaulis*, Jord. Pugill. Pl. Nov. 15 = *odorata*.  
*multifida*, Mill. Gard. Dict. ed. VIII. n. 5 = *pedata*.  
*multifida*, Willd. ex Roem. & Schult. Syst. v. 352 = *pinnata*.  
*Munbyana*, Boiss. & Reut. Pugill. Pl. Nov. 15 = *gracilis*.  
*muscoides*, Phil. in *Linnaea*, xxviii. (1856) 672. — Chili.  
*mutabilis*, Rochel, Pl. Banat. Rar. (Index) = *tricolor*.  
*mysurensis*, Heyne, ex Wall. Cat. n. 1446 = *Patrinii*.  
*nana*, Godr. in Mém. Soc. Sc. Nat. Cherb. xix. (1875) 166 = *tricolor*.  
*Nannei*, Polak. in *Linnaea*, xli. (1877) 547. — Costa Rica.  
*nebrodensis*, Presl, Delic. Prag. 26 = *calcarata*.  
*neglecta*, Bieb. Fl. Taur. Cauc. i. 172 = *sylvestris*.  
*neglecta*, F. W. Schmidt, Fl. Boëm. iii. 55 = *canina*.  
*nemausensis*, Jord. Obs. Pl. Crit. ii. (1846) 18 = *tricolor*.  
*nemoralis*, Jord. Pugill. Pl. Nov. 21 = *sylvestris*.  
*nemoralis*, Kuetz. in *Linnaea*, vii. (1832) 46 = *Ruppii*.  
*nepaulensis*, DC. ex D. Don, Prod. Fl. Nep. 205 = *Patrinii*.  
*nephrodes*, Rafin. in Am. Monthly Mag. (1811) 356, nomen (Quid?). — Am. bor.  
*nevadensis*, Boiss. *Elench.* 26. — Hispan.  
*Nicolai*, Pantoë, in Oestr. Bot. Zeitschr. xxiii. (1873) 4 = *Orphanidis*.  
*nigricans*, Schur, ex Nym. Consp. 78 = *alba*.  
*nilagrica*, Turcz. in Bull. Soc. Nat. Mosc. xxxvi. (1863) i. 556 = *Patrinii*.  
*nitens*, Host, ex Reichb. Fl. Germ. Excurs. 705 = *uliginosa*.  
*nivalis*, Benth. Pl. Hartw. 160. — Bolivia.  
*nivalis*, Phil. in *Linnaea*, xxviii. (1856) 611. — Chili.  
*nivalis*, Vest, ex Roem. & Schult. Syst. v. 365. — Hab.?  
*Notoniana*, Wall. Cat. n. 1449 = *distans*.  
*nubigena*, Leybold, in *Flora*, xlvii. (1864) 40. — Chili.  
*nummularia*, Vukot. in Rad. Jugos. Akad. Zagreb. lxvi. (1883) 16 = *nummularifolia*?  
*nummulariaefolia*, Vill. Prosp. 26 = *seq.*?  
*nummularifolia*, All. Fl. Pedem. ii. 98. t. 9. f. 4. — Europ.  
*nummularifolia*, Panč. Verz. Serb. Phan. n. 438 = *Grisebachiana*.  
*nummularifolia*, Schleich. ex Link, Enum. Hort. Berol. i. 240 = *arenaria*.  
*nummularifolia*, F. W. Schmidt, Fl. Boëm. iii. 47 = *canina*.  
*Nuttallii*, Benth. Pl. Hartw. 298 = *aurea*.  
*Nuttallii*, Pursh, Fl. Am. Sept. i. 174. — Am. bor. occ.  
*obliqua*, Ait. Hort. Kew. ed. I. iii. 288 = *cucullata*.  
*obliqua*, Pursh, Fl. Am. Sept. i. 172 = *blanda*.  
*obliquifolia*, Turcz. in Bull. Soc. Nat. Mosc. xxvii. (1854) ii. 337. — Venezuela.  
*obscura*, Schur, in Verh. Siebenb. Ver. Naturw. iv. (1853) 10 = *collina*.  
*occulta*, Hort. Argent. ex Otto, in Ind. Sem. Hort. Hamb. (1853) 8 = *tricolor*.  
*occulta*, Lehm. l. c. (1829). — Cf. *Linnaea*, v. (1830) Litt. 46. — As. occ. et bor.  
*ocellata*, Torr. & Gray, Fl. N. Am. i. 142. — Calif.  
*ochroleuca*, Schwein. in Am. Journ. Sc. Ser. I. v. (1822) 69 = *striata*.  
*odontocalycina*, Boiss. Fl. Orient. i. 461. — Armen.  
*odora*, Neck. Delic. Gallo-Belg. ii. 367 = *seq.*  
*odorata*, Linn. Sp. Pl. 934. — Europ.; Afr. et As. bor.  
*odorata*, Thunb. Fl. Jap. 326 = *japonica*, *Langsd.*  
*oetolica*, Boiss. Fl. Orient. i. 464, err. typ. = *aetolica*.  
*officinalis*, Crantz, Inst. ii. 431 = *odorata*.  
*olimpia*, Beggiat. in Att. Soc. Ital. Sc. Nat. viii. (1865) 174. t. 1 = *olympica*?  
*olonnensis*, Genev. in Mém. Soc. Acad. Maine-et-Loire, viii. (1860) 178 = *tricolor*.  
*olympica*, Boiss. *Diagn.* Ser. II. i. 55. — As. Min.  
*Opizii*, Knaf, ex Nym. Consp. 78 = *collina*.  
*oppositifolia*, Linn. Sp. Pl. ed. II. 1327 = *Ionidium oppositifolium*.  
*orbélica*, Panč. *Elem.* 16. — Europ. austr.

**VIOLA:—**

*orbiculata*, Geyer, ex A. Gray, in Mem. Am. Acad. N. S. iv. (1849) 11. — Am. bor. occ.  
*Orbignyana*, Remy, in Ann. Sc. Nat. Sér. III. vi. (1846) 353. — Chili.  
*orchidiflora*, Rudge, Pl. Gui. i. 11. t. 10 = *Noisetia longifolia*.  
*Oreades*, Bieb. Fl. Taur. Cauc. iii. 167 = *altaica*.  
*Orphanidis*, Boiss. Fl. Orient. i. 464. — Macedon.  
*orthoceras*, Ledeb. Fl. Ross. i. 258. — Reg. Cauc.  
*ovata*, Nutt. Gen. Am. i. 148 = *sagittata*.  
*ovata*, Rafin. ex Ging. in DC. Prod. i. 293 = *primulifolia*.  
*pachyrhiza*, Franch. in Bull. Soc. Bot. Fr. xxvi. (1879) 84. — Japon.  
*pachyrhiza*, Boiss. & Hohen. *Diagn.* Ser. I. vi. 21. — Kurdistan.  
*Paillouxii*, Jord. Obs. Pl. Crit. ii. (1846) 36 = *tricolor*.  
*Pallasii*, Fisch. ex Steud. Nom. ed. I. 886 = *altaica*.  
*pallens*, Forst. ex Roem. & Schult. Syst. v. 359 = *blanda*.  
*pallescent*, Jord. Obs. Pl. Crit. ii. (1846) 10 = *tricolor*.  
*pallda*, Salisb. Prod. 130 = *hirta*.  
*pallidiflora*, Huett. ex Nym. Consp. 81 = *calcarata*.  
*palmaesii*, Knowles & Westc. Flor. Cab. ii. (1838) 165 = *palmensis*.  
*palmaris*, Buch.-Ham. ex Ging. in DC. Prod. i. 298 = *distans*.  
*palmata*, Linn. Sp. Pl. 933. — Am. bor.  
*palmata*, Patrin, ex Ging. in DC. Prod. i. 293 = *dactyloides*.  
*palmensis*, Webb & Berth. *Phyt. Canar.* i. 112, in syn. — Ins. Canar.  
*paludosa*, [Clairv.] Man. Herb. 67 = *seq.*  
*palustris*, Linn. Sp. Pl. 934. — Reg. bor. temp.  
*papilionacea*, Pursh, Fl. Am. Sept. i. 173 = *cucullata*.  
*papillaris*, Boiss. & Hohen. *Diagn.* Ser. I. viii. 52 = *spatulata*.  
*paradoxa*, Lowe, in Trans. Camb. Phil. Soc. vi. (1838) reimp. 28. — Ins. Mader.  
*pariaetariaefolia*, Banks, ex Ging. in DC. Prod. i. 308 = *Ionidium oppositifolium*.  
*Parkeri*, Champ. ex Benth. in Hook. Kew Journ. iii. (1851) 261 = *diffusa*.  
*parmensis*, Hort. ex Vilm. Fl. Pl. Terre, ed. I. 946 = *odorata*.  
*parviflora*, Kit. ex Roem. & Schult. Syst. v. 383 = *tricolor*.  
*parviflora*, Linn. f. Suppl. 360 = *Ionidium glutinosum*.  
*parvifolia*, Benth. Pl. Hartw. 161. — Ecuador.  
*parvifolia*, Roem. & Schult. Syst. v. 391 = *Ionidium glutinosum*.  
*parvula*, Opiz, Boehm. Gew. (1823) 32; Natural. n. vi. (1824) 45 = *hirta*.  
*parvula*, Tineo, Pl. Rar. Sicil. Pugill. i. 5. — Europ. austr.; Syria.  
*Patrinii*, Ging. in DC. Prod. i. 293. — Russia; As. bor.; Reg. Himal.  
*pedata*, Linn. Sp. Pl. 933. — Am. bor.  
*pedatifida*, G. Don, Gen. Syst. i. 320 = *delphinifolia*?  
*peduncularis*, Langsd. ex Ging. in DC. Prod. i. 297 = *Langsdorfii*.  
*pedunculata*, Torr. & Gray, Fl. N. Am. i. 141. — Am. bor. occ.  
*pedunculata*, Torr. in Pacif. Rail. Rep. iv. 68, partim = *aurea*.  
*pensylvanica*, Michx. Fl. Bor. Am. ii. 149 = *pubescens*.  
*pentadactyla*, Fenzl, Pugill. Pl. Nov. Syr. 12. — Syria.  
*peregrina*, Jord. ex Bor. Fl. Centr. Fr. ed. III. ii. 82 = *tricolor*.  
*perennis*, Miegév. in Bull. Soc. Bot. Fr. xii. (1865) 340 = *odorata*?  
*perennis*, Vilm. Fl. Pl. Terre, ed. I. 949 = *tricolor*.  
*perexigua*, Colenso, in Trans. N. Z. Inst. xvi. (1884) 326. — N. Zel.  
*permixta* x, Jord. Obs. Pl. Crit. vii. (1849) 6. — Europ.  
*perplexa*, Gremli, Excurs. Schweiz, ed. II. 106 = *odorata*.  
*persicaefolia*, Kirschl. in Mém. Strasb. iii. n. II. (1840) 13 = *persicifolia*?  
*persicariaefolia*, Poir. Encyc. viii. 628 = *stipularis*.  
*persicifolia*, Ledeb. Fl. Alt. i. 260 = *elatiar*.  
*persicifolia*, Roth, Tent. Fl. Germ. ii. i. 271. — Europ.  
*Pesneau*, Lloyd, Fl. Ouest Fr. ed. III. 43 = *rothomagensis*.  
*phalacrocarpa*, Maxim. in Bull. Acad. Pétersb. xxiii. (1877) 318. — Japon.

**VIOLA:—**

*philippica*, Cav. Ic. vi. 19. t. 529. f. 2. — Ins. Philipp.  
*Philippii*, Leybold, in Anal. Univ. Chil. (1859) 681 = *microphylla*.  
*phyteumaefolia*, DC. ex G. Don, Gen. Syst. i. 322 = *betonifolia*.  
*pichinchensis*, Turcz. in Bull. Soc. Nat. Mosc. xxvii. (1854) ii. 335. — Ecuador.  
*picta*, Gillot, in Bull. Soc. Bot. Fr. xxxii. (1885) 241. — Gallia.  
*pilosa*, Blume, Bijdr. 57 = *serpens*.  
*pilosa*, Pers. Syn. i. 255 = *rothomagensis*.  
*pinnata*, Linn. Sp. Pl. 934. — Europ.; As. bor.  
*pinnata*, Richards. in Frankl. 1st Journ. App. 734 = *pedata*.  
*pinnatifida*, All. Misc. Taur. iii. t. 5. — Europ.  
*podolica*, Andrzej. ex Trautv. in Act. Hort. Petrop. viii. (1883) 124, nomen (Quid?). — Europ.  
*poëtica*, Boiss. & Sprun. *Diagn.* Ser. I. vi. 21. — Graecia.  
*polychroma*, Kern. Sched. Fl. Exsicc. ii. 89. — Austria.  
*polygalaefolia*, Poir. Encyc. viii. 647 = *Ionidium polygalaefolium*.  
*polypoda*, Turcz. in Bull. Soc. Nat. Mosc. xxxvi. (1863) i. 555. — Chili.  
*porphyrea*, Uechtritz, ex Garcke, Fl. Deutschl. ed. XIII. 51 = *sciaphila*.  
*Portalesia*, C. Gay, Fl. Chil. i. 209. t. 6. — Chili.  
*portulacae*, Leybold, in *Flora*, xlviii. (1865) 381. — Chili.  
*praecox*, Heuff. ex Fuss, Fl. Transs. 81 = *alba*.  
*praemorsa*, Dougl. in Bot. Reg. t. 1254 = *aurea*.  
*pratensis*, Mert. & Koch, Deutschl. Fl. ii. 267. — Europ.  
*primulifolia*, Linn. Sp. Pl. 934. — Am. bor.  
*primulifolia*, Lour. Fl. Cochinch. 513 = *Patrinii*.  
*primulifolia*, Pursh, Fl. Am. Sept. i. 173 = *sagittata*.  
*primulifolia*, Schult. Obs. Bot. 48 = *uliginosa*.  
*prionantha*, Bunge, in Mém. Sav. Etr. Pétersb. ii. (1835) 82 = *Patrinii*.  
*procera*, Pall. ex Ledeb. Fl. Ross. i. 251 = *elatiar*.  
*procumbens*, Gilib. Fl. Lituan. ii. 123 = *canina*.  
*procumbens*, J. F. Gmel. Syst. 413 = *decumbens*.  
*propera*, Jord. Obs. Pl. Crit. vii. (1849) 6 = *collina*.  
*propinqua*, Jord. Pugill. Pl. Nov. 18 = *odorata*.  
*prostrata*, Roem. & Schult. Syst. v. 382. — Ital.; Ins. Canar.  
*Provostii*, Bor. Fl. Cent. Fr. ed. III. ii. 82 = *tricolor*.  
*prunellaefolia*, Fisch. ex Ging. in DC. Prod. i. 293 = *Patrinii*.  
*prunellaefolia*, H. B. & K. Nov. Gen. et Sp. v. 370. — N. Granat.  
*prunifolia*, Humb. & Bonpl. ex Roem. & Schult. Syst. v. 391 = *Ionidium anomalum*.  
*psammophila*, Phil. in *Linnaea*, xxxiii. (1864-65) 14. — Chili.  
*Pseudo-canina*, Schur, in Verh. Naturf. Ver. Bruenn, xv. II. (1877) 113 = *canina*.  
*Pseudo-gracilis*, Strobl, in Oestr. Bot. Zeitschr. xxvii. (1877) 227 = *gracilis*.  
*Pseudo-lutea*, Schur, Enum. Pl. Transs. 87 = *tricolor*.  
*Pseudo-suavis*, Schur, in Verh. Naturf. Ver. Bruenn, xv. II. (1877) 103 = *odorata*.  
*pteropoda*, Hemsl. *Diagn.* Pl. Nov. 20. — Mexic.  
*puberula*, Lange, in Kjoeb. Vidensk. Meddel. (1831) 102. — Hispan.  
*pubescens*, Ait. Hort. Kew. ed. I. iii. 290. — Am. bor.  
*pulchella*, Salisb. Prod. 130 = *canina*.  
*pumila*, Chaix, in Vill. Hist. Pl. Dauph. i. 339 = *pratensis*.  
*pumila*, Fries, ex Nym. Consp. 78 = *canina*.  
*pumila*, Schur, in Verh. Naturf. Ver. Bruenn, xv. II. (1877) 114 = *arenaria*.  
*punctata*, Humb. ex Roem. & Schult. Syst. v. 391 = *Polygala glandulosa*.  
*punctata*, Schwein. in Am. Journ. Sc. Ser. I. v. (1822) 67 = *canina*.  
*punica*, Ruiz & Pav. ex Ging. in DC. Prod. i. 304 = *corchorifolia*.  
*purpurascens*, F. W. Schmidt, Fl. Boëm. iii. 49 = *arenaria*.  
*purpurea*, Kellogg, in Proc. Calif. Acad. i. ed. II. (1873) 55 = *aurea*.  
*purpurea*, Stev. in Bull. Soc. Nat. Mosc. xxix. (1856) i. 310, in textu. — Reg. Cauc.  
*pusilla*, Hook. & Arn. ex Hook. Bot. Misc. iii. (1833) 145. — Chili.  
*pusilla*, Schleich. Cat. Pl. Helv. ed. IV. 61 = *arenaria*.  
*pusillima*, Wedd. in Ann. Sc. Nat. Sér. V. i. (1864) 291. — Bolivia.

**VIOLA:—**

pyncophylla, Franch. & Sav. Enum. Pl. Jap. ii. 285.—Japon.  
 pygmaea, Juss. ex Poir. Encyc. viii. 630.—Peruv.  
 pyrenaica, Ram. ex DC. Fl. Fr. iv. 803.—Mont. Pyren.  
 pyrenaica, Willk. ex Willk. & Lange, Prod. Fl. Hisp. iii. 697 = Willkommii.  
 pyrolaefolia, Poir. Encyc. viii. 636 = maculata.  
 Raddeana, Regel, in Bull. Soc. Nat. Mosc. xxxiv. (1861) ii. 463, 501.—Reg. Amur.; China.  
 radicans, DC. ex Ging. in DC. Prod. i. 297 = canina.  
 ramosissima, Turcz. in Bull. Soc. Nat. Mosc. xxvii. (1854) ii. 336.—Ecuador.  
 ranunculifolia, Juss. ex Poir. Encyc. viii. 626 = palmata.  
 recta, Garcke, Fl. Deutschl. ed. III. 47 = persicifolia.  
 Reichenbachiana, Jord. ex Bor. Fl. Centr. Fr. ed. III. ii. 78 = sylvestris.  
 renifolia, A. Gray, in Proc. Am. Acad. viii. (1870) 288.—Am. bor.  
 reniformis, R. Br. ex Ging. in DC. Prod. i. 305.—Austral.  
 reniformis, Wall. Cat. n. 1443 = biflora.  
 repens, Buch.-Ham. ex Ging. in DC. Prod. i. 296 = serpens.  
 repens, Domb. ex Ging. l. c. 305 = Dombeyana.  
 repens, Schwein. in Am. Journ. Sc. Ser. I. v. (1822) 70 = striata.  
 repens, Turcz. in Bull. Soc. Nat. Mosc. (1838) 88 = palustris.  
 reptans, Presl, ex Reichb. Fl. Germ. Excurs. 705 = odorata.  
 resupinata, Moench, Meth. 230 = cucullata.  
 reticulata, Schlecht. in Linnaea, xii. (1838) 201.—Mexic.  
 revoluta, Henff. ex Reichb. Fl. Germ. Excurs. 705 = campestris.  
 rhombifolia, Leybold, in Anal. Univ. Chil. (1859) 680.—Chili.  
 riparia, Hartm. f. Handb. 128; ex Nym. Syll. Suppl. 41 = uliginosa.  
 riphaea, J. F. Gmel. Syst. 413; Roem. & Schult. Syst. v. 368, in textu = arenaria.  
 Riviniana, Reichb. Pl. Crit. i. 81 = sylvestris.  
 Rogovicii, Andr. ex Trautv. in Act. Hort. Petrop. viii. (1883) 125, nomen (Quid?).—Rossia.  
 rostrata, Muhl. Cat. 26; Pursh, Fl. Am. Sept. i. 174.—Am. bor.  
 rosulata, Poepp. & Endl. Nov. Gen. et Sp. ii. 49. t. 166.—Chili.  
 rothomagensis, Desf. Tabl. ed. I. 153.—Europ.  
 rotundifolia, Hook. Lond. Journ. Bot. vi. (1847) 73 = sarmentosa.  
 rotundifolia, Michx. Fl. Bor. Am. ii. 150.—Am. bor.  
 Roxburghiana, Voigt, Hort. Suburb. Calc. 76 = Patrini.  
 Royleana, Wall. Cat. n. 1448 = serpens.  
 rubella, Cav. Ic. vi. 20. t. 351. f. 1.—Chili.  
 rubella, Hook. & Arn. in Hook. Bot. Misc. iii. (1833) 144 = V. Portalesia.  
 rubra, Aubl. ex Steud. Nom. ed. II. ii. 773 = hirta.  
 rupestris, F. W. Schmidt, in Neue Abh. Boehm. Ges. i. (1791) 60 = arenaria.  
 Ruppii, All. Fl. Pedem. ii. 99.—Europ.  
 Ruppii, J. & C. Presl, Fl. Čech. 53 = pratensis.  
 Ruppii, Reichb. Fl. Germ. Excurs. 707 = canina.  
 ruralis, Jord. ex Bor. Fl. Centr. Fr. ed. III. ii. 81 = tricolor.  
 sabulosa, Bor. Not. 3; Dum. in Bull. Soc. Bot. Belg. vii. (1868) 353 = tricolor.  
 sagittaeifolia, Salisb. Prod. 130 = seq.  
 sagittata, Ait. Hort. Kew. ed. I. iii. 287.—Am. bor.  
 Sagoti, Jord. Obs. Pl. Crit. ii. (1846) 34 = tricolor.  
 salina, Turcz. in Bull. Soc. Nat. Mosc. xv. (1842) 299 = Selkirkii.  
 sarmentosa, Bieb. Fl. Taur.-Cauc. i. 172 = odorata.  
 sarmentosa, Burgersdijk, in Miq. Pl. Jungh. 120 = Burgersdijkii.  
 sarmentosa, Dougl. in Hook. Fl. Bor. Am. i. 80.—Am. bor. occ.  
 saxatilis, Hoffmgg. ex Roem. & Schult. Syst. v. 380 = saxicola.  
 saxatilis, F. W. Schmidt, Fl. Boem. iii. 60 = tricolor.  
 saxicola, Roem. & Schult. Syst. v. 380.—Reg. Mediterr. occ.  
 saxigena, Schur, Enum. Pl. Transs. 84 = arenaria.  
 scabra, Braun, in Flora. iii. (1820) 469 = hirta?  
 scandens, Bert. ex DC. Prod. i. 289 = Corynostylis Berterii.

VOL. II.

**VIOLA:—**

scandens, Humb. & Bonpl. ex Roem. & Schult. Syst. v. 391; H. B. & K. Nov. Gen. et Sp. v. 371. t. 493.—Mexic.  
 scanica, Fries, Summa Veg. Scand. 35, 153 = palustris.  
 scardica, Nym. Consp. 81 = cenisia.  
 scaturiginosa, Wallr. Sched. Crit. 97 = uliginosa.  
 Schleideniana, Bogenh. Taschenb. Fl. Jena, 162.—Europ.  
 Schmidtiana, Roem. & Schult. Syst. v. 363 = canina.  
 Schultzei, Billot, ex F. W. Schultz, in Flora, xxiii. (1840) 121.—Europ.  
 sciaphila, Joo, ex Janka, in Oestr. Bot. Wochenbl. vii. (1857) 198 = Jooi.  
 sciaphila, Koch, Syn. Fl. Germ. ed. II. 90.—Europ.  
 scorpiuroides, Coss. in Bull. Soc. Bot. Fr. xix. (1872) 80.—Tropoli.  
 scotophylla, Jord. Obs. Pl. Crit. vii. (1849) 9 = odorata.  
 Scouleri, Dougl. ex Steud. Nom. ed. II. ii. 773 = canadensis.  
 scrotiformis, DC. ex Ging. in DC. Prod. i. 299.—Afr. austr.  
 segetalis, Jord. Obs. Pl. Crit. ii. (1846) 12; Schur, Enum. Pl. Transs. 85 = tricolor.  
 Selkirkii, Pursh, ex Goldie, in Edinb. Phil. Journ. vi. (Apr. 1822) 324.—Reg. bor. et frigid.  
 semperflorens, Hort. ex Steud. Nom. ed. I. 887 = odorata.  
 Sempervivum, C. Gay, Fl. Chil. i. 226.—Chili.  
 sepicola, Jord. Obs. Pl. Crit. vii. (1849) 8.—Europ.  
 septemloba, Le Conte, in Ann. Lyc. N. York, ii. (1828) 141 = palmata.  
 sequoiensis, Kellogg, in Proc. Calif. Acad. ii. (1863) 185 = lobata.  
 serpens, Wall. in Roxb. Fl. Ind. ed. Carey, ii. 449.—Ind. or.; Malaya; China.  
 serpyllifolia, Humb. & Bonpl. ex Roem. & Schult. Syst. v. 391.—Am. austr.  
 setosa, Sm. in Rees, Cycl. xxxvii. n. 60.—Chili.  
 Sheltonii, Torr. in Pacif. Rail. Rep. iv. 67. t. 2.—Calif.  
 sicula, Schur, Enum. Pl. Transs. 86 = Bielziana.  
 Sieberi, Hook. Comp. Bot. Mag. i. (1835) 274.—Austral.  
 Sieberiana, Spreng. Syst. iv. Cur. Post. 96 = hederacea.  
 Sieboldi, Maxim. in Bull. Acad. Pétersb. xxiii. (1877) 320.—Japon.  
 silvatica, Fries, ex Hartm. f. in Bot. Notiser (1841), 81 = sylvestris.  
 somchetica, C. Koch, in Linnaea, xv. (1841) 251 = uliginosa.  
 soongorica, Fisch. ex Ledeb. Fl. Ross. i. 257 = tricolor.  
 sororia, Willd. Hort. Berol. i. 72 = cucullata.  
 spathulata, Willd. ex Roem. & Schult. Syst. v. 353.—Reg. Casp.; Persia.  
 speciosa, Pantoč. in Oestr. Bot. Zeitschr. xxiii. (1873) 79.—Serbia.  
 speciosa, Schrad. ex Reichb. Fl. Germ. Excurs. 708 = altaica.  
 spectabilis, C. Richt. in Oestr. Bot. Zeitschr. xxxv. (1885) 419 = odorata.  
 Sprengeliana, Steud. Nom. ed. I. 887 = Ionidium concolor.  
 spuria x, Čelak. in Arch. Naturw. Landesd. Boehm. iii. (1875) 478.—Europ.  
 stagnina, Kit. in Schult. Oestr. Fl. ed. II. i. 426 = persicifolia.  
 stellata, Miers, Trav. ii. 531 = V. Asterias.  
 Steveni, Bess. ex Faucon. Excurs. Bot. Valais, 96 = odorata.  
 stipularis, Cav. Ic. vi. 21 = capillaris, setosa.  
 stipularis, Sw. Prod. Veg. Ind. Occ. 117.—Ind. occ.  
 Stocksii, Boiss. Fl. Orient. i. 453.—Afghan.; Beluch.  
 stolonifera, Rodrig. in Bull. Soc. Bot. Fr. xxv. (1878) 238.—Ins. Balear.  
 striata, Ait. Hort. Kew. ed. I. iii. 290.—Am. bor.  
 striata, Hook. Lond. Journ. Bot. vi. (1847) 72 = glabella.  
 stricta, Hornem. Hort. Hafn. ii. 958, Add. = Ruppii.  
 stricta, Muhl. in Trans. Am. Phil. Soc. iii. (1793) 178; et ex Pursh, Fl. Am. Sept. i. 175 = Ionidium concolor.  
 stricta, Poir. Encyc. viii. 648 = Ionidium strictum.  
 suaveolens, Perrier & Songeon, in Billot, Annot. Fl. Fr. et Allem. 183 = ambigua.  
 suaveolens, Schur, in Verh. Naturf. Ver. Bruenn, xv. II. (1877) 107 = odorata?  
 suaveolens x, Wiesb. in Oestr. Bot. Zeitschr. xxx. (1880) 190.—Europ.  
 suavis, Bieb. Fl. Taur. Cauc. iii. 164 = odorata.

**VIOLA:—**

suavis, Fisch. ex Ging. in DC. Prod. i. 294 = Gmeliniana.  
 suavisissima, Jord. Pugill. Pl. Nov. 21 = odorata.  
 subcarnea, Jord. l. c. 17 = odorata.  
 subdimidiata, A. St. Hil. Pl. Rem. Brés. 276.—Bras.  
 suberosa, Desf. Fl. Atlant. ii. 313 = arborescens.  
 subtilis, Jord. in Billot, Annot. Fl. Fr. et Allem. 101 = tricolor.  
 sudetica, Willd. Enum. Hort. Berol. Suppl. 12 = tricolor.  
 suecica, Fries, Summa Veg. Scand. 556.—Europ. bor.  
 suffruticosa, Linn. Sp. Pl. 937 = Ionidium heterophyllum.  
 sulfurea, Çariot, Etud. des Fleurs, ed. VII. ii. 81 = odorata.  
 sumatrana, Miq. Fl. Ind. Bat. Suppl. 389.—Sumatra.  
 summa, Vell. Fl. Flum. viii. t. 161 = Anchieta salutaris.  
 sylvatica, Auct. = seq.  
 sylvestris, Lam. Fl. Fr. ii. 680.—Europ.; As. temp.  
 Symei, Baker, in Thirsk, Bot. Exch. Rep. (1859) 8 = tricolor.  
 taurica, C. A. Mey. ex Regel, Ind. Sem. Hort. Petrop. (1860) 44.—Tauria.  
 tenella, Muhl. Cat. 25; Schwein. in Am. Journ. Sc. Ser. I. v. (1822) 78 = tricolor.  
 tenella, Poir. Encyc. viii. 644 = parvula?  
 tenella, Rafin. in Med. Repos. N. York, v. (1808) 354, nomen; et in Am. Monthly Mag. (1819) 191 (Quid?).—Am. bor.  
 tenerima, Wiesb. ex Nym. Consp. 78 = hirta.  
 tenuis, Benth. in Hook. Lond. Journ. Bot. i. (1842) 482 = diffusa.  
 tetrapetala, Molina, Sagg. Chile, ed. II. 133 = maculata.  
 teucrifolia, Humb. & Bonpl. ex Roem. & Schult. Syst. v. 391 = rubella.  
 teydea, Berth. in Mém. Soc. Linn. Par. v. (1827) 420. t. 7.—Ins. Canar.  
 tezensis, Ball, in Journ. Linn. Soc. xvi. (1877) 350.—Marocc.  
 thesiifolia, Juss. ex Poir. Encyc. viii. 649 = Ionidium heterophyllum.  
 thessala, Boiss. & Sprun. Diagn. Ser. I. viii. 51 = alba.  
 thessala, Heldr. ex Nym. Consp. 78 = odorata.  
 thianschanica, Maxim. in Bull. Acad. Pétersb. xxvi. (1880) 427.—As. centr.  
 Thibaudieri, Franch. & Sav. Enum. Pl. Jap. ii. 290.—Japon.  
 Thomasiana, Songeon & Perrier, in Billot, Annot. Fl. Fr. et Allem. 183 = campestris.  
 Thomsoni, Oudem. in Miq. Ann. Mus. Bot. Lugd. Bat. iii. 74.—Ind. or.  
 Timbali, Jord. Pugill. Pl. Nov. 22 = tricolor.  
 tolosana, Timb. Et. Hist. Bot. Viola (1854), 6 = sepicola.  
 tracheliifolia, Ging. in Linnaea, i. (1826) 409 = Chamissoniana.  
 transsilvanica, Schur, in Oestr. Bot. Zeitschr. x. (1860) 184 = Jooi.  
 tricolor, Linn. Sp. Pl. 935.—Europ.; As. et Am. bor.  
 tridentata, Sm. in Rees, Cycl. xxxvii. n. 76.—Reg. Magellan.  
 trifida, Spreng. Pugill. i. 22 = hastata.  
 triloba, Schwein. in Am. Journ. Sc. Ser. I. v. (1822) 57 = palmata.  
 trinervis, Korth. in Nederl. Kruidk. Arch. i. (1848) 357 = inconspicua.  
 tripartita, G. Don, ex W. Baxt. in Loud. Hort. Brit. Suppl. iii. 657, nomen = seq.?  
 tripartita, Ell. Sketch. i. 302 = hastata.  
 truncata, Meyen, Reise, i. 314 = volcanica.  
 tuberosa, Auct. ex Steud. Nom. ed. II. ii. 773 = arborescens.  
 turfosa, Kirschl. ex F. Schultz, in Flora, xxiii. (1840) 121 = Schultzei.  
 turkestanica, Regel & Schmalh. ex Regel, Pl. Nov. Fedsch. 12.—Turkestan.  
 uliginosa, Bess. Prim. Fl. Galic. i. 169; Schrad. Neues Journ. iv. (1810) 80.—Europ.  
 uliginosa, Muhl. Cat. 25 = canina.  
 umbraticola, H. B. & K. Nov. Gen. et Sp. v. 370.—Mexic.  
 umbrosa, Fries, Novit. 271 = Selkirkii.  
 umbrosa, Hoppe, in Flora, xi. (1828) 648 = collina.  
 umbrosa, Saut. in Flora, xxii. (1839) 259 = sciaphila.  
 uniflora, Linn. Sp. Pl. 936.—Sibir.

7 P

**VIOLA** :—

- uniflora*, Vand. ex Roem. Script. 147 (Quid ?).—Bras.  
*vaginata*, Maxim. in Bull. Acad. Pétersb. xxiii. (1877) 324.—Japon.  
*Valderia*, All. Fl. Pedem. ii. 98 = *cenisia*.  
*Valderia*, Reichb. Fl. Germ. Excurs. 709 = *gracilis*.  
*variata*, Jord. in Billot, Annot. Fl. Fr. et Allem. 166 = *tricolor*.  
*variegata*, Fisch. ex Link, Enum. Hort. Berol. i. 240.—Dahur.; China.  
*variegata*, Vukot. in Rad Jugos. Akad. Zagreb. xlv. (1878) 198 = *tricolor*?  
*vegetalis*, C. Muell. in Walp. Ann. vii. 215, sphalm. = *segetalis*.  
*verecunda*, A. Gray, in Mem. Acad. Am. N. S. vi. (1858) 382.—Japon.  
*veronicaefolia*, Planch. & Linden, ex Triana & Planch. in Ann. Sc. Nat. Sér. IV. xvii. (1862) 121.—N. Granat.  
*versicolor*, Salisb. Prod. 130 = *tricolor*.  
*verticillata*, Cerv. in Anal. Cienc. Nat. vi. (1803) 195.—Chili.  
*verticillata*, Ortega, Hort. Matr. Dec. 50 = *Ionidium polygalaeifolium*.  
*vicina*, Mart. Fl. Tarn. 80 = *sylvestris*.  
*Villarsiana*, Roem. & Schult. Syst. v. 388 = *tricolor*.  
*villosa*, Walt. Fl. Carol. 219 = *cucullata*.  
*vindobonensis* x, Wiesb. in Oestr. Bot. Zeitschr. xxx. (1880) 191.—Europ.  
*vinealis*, Bor. Fl. Centr. Fr. ed. III. ii. 75 = *odorata*.  
*violacea*, Wiesb. ex Dichtl, in Deutsche Bot. Monatsschr. iii. (1885) 45 = *alba*.  
*virescens*, Jord. ex Bor. Fl. Centr. Fr. ed. III. ii. 77 = *alba*.  
*virgata*, Gren. in Gren. & Godr. Fl. Fr. i. 184 = *tricolor*.  
*vivariensis*, Jord. Obs. Pl. Crit. i. (1846) 17 = *tricolor*.  
*volcanica*, Gill. in Hook. Bot. Misc. iii. (1833) 145. t. 98.—Peruv.  
*vulgaris*, Rupr. Fl. Ingr. 135 = *sylvestris*.  
*Wahlenbergii*, Beurl. ex Nym. Consp. 77 = *canina*.  
*Walkerii*, Wight, Illustr. Ind. Bot. i. 42 = *Patrinii*.  
*Wallichiana*, Ging. in DC. Prod. i. 300 = *biflora*.  
*Wiedemanni*, Boiss. Fl. Orient. i. 457.—Anatolia.  
*Wiesbauriana*, Dichtl, in Deutsche Bot. Monatsschr. iii. (1885) 45 = *seq.*  
*Wiesbaurii* x, Sabransky, in Oestr. Bot. Zeitschr. xxxiv. (1884) 131. in nota.—Europ.  
*Wightiana*, Wall. Cat. n. 4021 = *serpens*.  
*Willkommii*, De Roem. ex Willk. in Linnaea, xxv. (1852) 10.—Hispan.  
*Willkommii*, Teplouchow, in Bull. Soc. Oural. Amat. Sc. Nat. vii. II. 24 (Quid ?).—Rossia.  
*Wrightiana*, Watt, in Journ. Linn. Soc. xviii. (1881) 379.—Reg. Himal.  
*yezoënsis*, Maxim. in Bull. Acad. Pétersb. xxiii. (1877) 325.—Japon.  
*Zongia*, Tul. in Ann. Sc. Nat. Sér. V. ix. (1868) 300.—Madag.  
*Zoysii*, Wulf. in Jacq. Coll. iv. 297 = *calcarata*.

**VIOLAEOLIDES**, Michx. ex DC. Prod. i. 280 (1824) = **Noisetia**, H. B. & K. (Violar.).

**VIONAEA**, Neck. Elem. i. 107 (1790) = **Leucadendron**, Berg. (Proteac.).

**VIORNA**, Reichb. Handb. 277 (1837) = **Clematis**, Dill. (Ranunc.).  
*urnigera*, Spach, Hist. Vég. Phan. vii. 270 = *C. Viorna*.

**VIRAEA**, 'Vahl,' ex Benth. & Hook. f. Gen. ii. 512 (1873), sphalm. = **VIREA**, Adans. = **Leontodon**, Linn. (Compos.).

**VIRAYA**, Gaudich. in Freyc. Voy. Bot. 466. t. 89 (1826) = **Waitzia**, Wendl. (Compos.).  
*Podolepis*, Gaudich. l. c. = *W. Podolepis*.

**VIRCHOWIA**, Schenk, Sel. Sem. Wirceb. Adn. Crit. (1852) 1; ex Urban, in Ber. Deutsch. Bot. Ges. ii. (1884) 432. **SCROPHULARINEAE**.  
*cubensis*, Bartl. & Schenk, l. c.—Hab. ?

**VIRDIKA**, Adans. Fam. ii. (19) (1763) = **Albuca**, Linn. (Liliac.).

**VIREA**, Adans. Fam. ii. 112 (1763) = **Leontodon**, Linn. (Compos.).  
*asplenoides*, Vahl, ex Hornem. Hort. Hafn. 759 = *Picris asplenoides*.  
*autumnalis*, S. F. Gray, Nat. Arr. Brit. Pl. ii. 430 = *L. autumnalis*.  
*hastilis*, Gaertn. Fruct. ii. 365. t. 159. f. 3 = *L. hastilis*.  
*hispida*, S. F. Gray, Nat. Arr. Brit. Pl. ii. 429 = *L. hispidus*.  
*incana*, S. F. Gray, l. c. = *L. incanus*.  
*pyrenaica*, S. F. Gray, l. c. = *L. pyrenaicus*.  
*scabra*, Scop. Delic. Insubr. ii. 25. t. 13 = *Picris asplenoides*.

**VIRECTA**, Afzel. ex Sm. in Rees, Cycl. xxxvii. partim (1817). **RUBIACEAE**, Benth. & Hook. f. ii. 55.

**PHYTEUMOIDES**, Smeathm. ex DC. Prod. iv. 414 (1830).  
*angustifolia*, Hiern, in Oliver, Fl. Trop. Afr. iii. 48.—Afr. trop.  
*carnea*, Baill. Hist. Pl. vii. 331 = *Pentas carnea*.  
*elatiior*, DC. Prod. iv. 415 = *procumbens*?  
*fasciculata*, Buch.-Ham. ex D. Don, Prod. Fl. Nep. 136 = *Ophiorrhiza fasciculata*.  
*lanceolata*, Baill. Hist. Pl. vii. 380 = *Mussaenda luteola*.  
*lutea*, G. Don, Gen. Syst. iv. 52.—Afr. trop.  
*multiflora*, Sm. in Rees, Cycl. xxxvii. n. 4.—Afr. trop.  
*paniculata*, G. Don, Gen. Syst. iv. 521.—Afr. trop.  
*procumbens*, Sm. in Rees, Cycl. xxxvii. n. 2.—Afr. trop.  
*prostrata*, Buch.-Ham. ex D. Don, Prod. Fl. Nep. 136 = *Ophiorrhiza Harrisiana*.  
*setigera*, Hiern, in Oliver, Fl. Trop. Afr. iii. 48.—Afr. trop.  
*suffruticosa*, Buch.-Ham. ex D. Don, Prod. Fl. Nep. 136 = *Ophiorrhiza fasciculata*.

**VIRECTA**, Linn. f. Suppl. 17 (1781) = **Sipanea**, Aubl. (Rubiace.).  
*biflora*, Linn. f. l. c. 134 = *S. biflora*.  
*dichotoma*, Spreng. Syst. i. 702 = *S. pratensis*.  
*erythraeoides*, Steud. Nom. ed. II. ii. 774 = *S. erythraeoides*.  
*glomerata*, Spreng. Syst. i. 702 = *S. glomerata*.  
*pratensis*, Vahl, Ecol. Am. ii. 11 = *S. pratensis*.  
*radicans*, Steud. Nom. ed. II. ii. 774 = *S. biflora*.  
*virens*, Vahl, Symb. Bot. ii. 38 = *S. biflora*.

**VIREYA**, Blume, Bijdr. 854 (1826) = **Rhododendron**, Linn. (Ericac.).  
*alba*, Blume, l. c. 855 = *R. album*.  
*celebica*, Blume, l. c. = *R. malayanum*.  
*javanica*, Blume, l. c. 854 = *R. javanicum*.  
*retusa*, Blume, l. c. 856 = *R. retusum*.  
*tubiflora*, Blume, l. c. 855 = *R. malayanum*.

**VIREYA**, Rafin. Specch. i. 194 (1814) = **Alloplectus**, Mart. (1829) (Gesner.).  
*sanguinolenta*, Rafin. l. c. = *A. sanguineus*.

**VIRGA**, Hill, Veg. Syst. v. 12 (1763) = **Dipsacus**, Linn.  
*pilosa*, Hill, Hort. Kew. 75 = *D. pilosus*.

**VIRGA-AUREA**, [Tourn.] Rupp. Fl. Jen. ed. Hall. 181 (1745) = **Solidago**, Vaill. (Compos.).

**VIRGARIA**, Rafin. ex DC. Prod. v. 243 (1836) = **Aster**, Tourn. (Compos.).  
*concolor*, Rafin. ex DC. l. c. = *A. concolor*.

**VIRGAUREA**, Rupp. Fl. Jen. ed. Hall. 178 (1745) = **Erigeron**, Linn. (Compos.).

**VIRGILIA**, Lam. Illustr. ii. 454. t. 326 (1793). **LEGUMINOSAE**, Benth. & Hook. f. i. 554.  
**ANDRASTIS**, Rafin. ex Benth. in Ann. Mus. Wien. ii. (1838) 86.

**APHORA**, Neck. Elem. iii. 50 (1790).  
*argentea*, Poir. Encyc. viii. 679 = *Ammodendrum Sieversii*.  
*aurea*, Lam. Illustr. ii. 454 = *Calpurnia lasiogyne*.  
*capensis*, Lam. l. c.—Afr. austr.  
*genistoides*, Poir. Encyc. viii. 679 = *Cyclopia genistoides*.

**VIRGILIA** :—

*grandis*, E. Mey. Comm. Pl. Afr. Austr. 1 (Quid ?).—Afr. austr.  
*intrusa*, R. Br. in Ait. Hort. Kew. ed. II. iii. 4 = *Calpurnia intrusa*.  
*lasiogyne*, D. Dietr. Syn. Pl. ii. 1501 = *Calpurnia lasiogyne*.  
*lutea*, Michx. f. Hist. Arb. Am. iii. 266. t. 3 = *Cladrastis tinctoria*.  
*robinoides*, DC. Prod. ii. 98 = *Calpurnia robinoides*.  
*rubiginosa*, DC. in Ann. Sc. Nat. Sér. I. iv. (1825) 98 (Quid ?).—Ins. Guadaloup.  
*secundiflora*, Cav. Ic. v. 1 = *Sophora secundiflora*.  
*sylvatica*, DC. Prod. ii. 98 = *Calpurnia sylvatica*.

**VIRGILIA**, L'Hérit. Diss. [1788 ?].—Cf. Dryand. Cat. Bibl. Banks, iii. 313 = **Gaillardia**, Foug. (Compos.).  
*grandiflora*, [Nutt.] in Fras. Cat. (1813) n. 87 = *G. bicolor*.  
*heloides*, L'Hérit. Diss. [1788 ?]; et ex DC. Prod. v. 652 = *G. bicolor*.

**VIRGULARIA**, Ruiz & Pav. Prod. 92. t. 19 (1794) = **Gerardia**, Linn. (Scrophul.).  
*alpestris*, Mart. Nov. Gen. et Sp. iii. 10. t. 205 = *G. brachyphylla*.  
*campestris*, Mart. l. c. 7. t. 203 = *Esterhazyia splendida*.  
*genistifolia*, Mart. l. c. 11 = *G. genistifolia*.  
*lanceolata*, Ruiz & Pav. Syst. Veg. 161.—Peruv.  
*Mansonii*, Lhotzky, ex J. A. Schmidt, in Mart. Fl. Bras. viii. 276 = *Esterhazyia splendida*.  
*montana*, Mart. Nov. Gen. et Sp. iii. 9. t. 204 = *Esterhazyia splendida*.  
*revoluta*, Ruiz & Pav. Syst. Veg. 161.—Peruv.  
*sebifera*, Pritz. Ic. Ind. 1167, sphalm. = *Virola sebifera*.  
*splendida*, Mart. Nov. Gen. et Sp. iii. 11 = *Esterhazyia splendida*.

**VIRGULUS**, Rafin. Fl. Tellur. ii. 46 (1836) = **Aster**, Tourn. (Compos.).  
*concolor*, Rafin. l. c. = *A. concolor*.

**VIRLETIA**, Sch. Bip. ex Benth. & Hook. f. Gen. ii. 402 (1873) = **Bahia**, Lag. (Compos.).

**VIROLA**, Aubl. Pl. Gui. ii. 904. t. 345 (1775) = **Myristica**, Linn.  
*sebifera*, Aubl. l. c. = *M. sebifera*.

**VISCAGO**, Hall. Enum. Stirp. Helv. i. 373 (1742) = **Silene**, Linn. (Caryoph.).  
*aspera*, Hornem. Hort. Hafn. 409 = *S. apetala*?  
*baccifera*, Vest. Man. Bot. 668 = *Cucubalus bacciferus*.  
*Behen*, Hornem. Hort. Hafn. 409; Baumg. Enum. Stirp. Transs. i. 395 = *S. inflata*.  
*catholica*, Hornem. l. c. 410 = *S. catholica*.  
*chlorantha*, Moench, Meth. 704 = *S. chlorantha*.  
*clavata*, Moench, l. c. = *S. italica*.  
*Fabaria*, Hornem. Hort. Hafn. 409 = *S. Fabaria*.  
*fimbriata*, Hornem. l. c. = *S. fimbriata*.  
*fusca*, Moench, Meth. 704 = *S. catholica*.  
*gigantea*, Moench, l. c. 705 = *S. gigantea*.  
*glutinosa*, Baumg. Enum. Stirp. Transs. i. 395 = *S. viscosa*.  
*italica*, Hornem. Hort. Hafn. 410 = *S. italica*.  
*maritima*, Hornem. in Fl. Dan. t. 857 = *S. maritima*.  
*mollissima*, Baumg. Enum. Stirp. Transs. i. 396 = *S. italica*.  
*mollissima*, Moench, Meth. Suppl. 303 = *S. mollissima*.  
*multiflora*, Hornem. Hort. Hafn. 410; Baumg. Enum. Stirp. Transs. i. 396 = *S. multiflora*.  
*nutans*, Fourr. in Ann. Soc. Linn. Lyon, N. S. xvi. (1868) 344 = *S. nutans*.  
*Otites*, Hornem. Hort. Hafn. 411 = *S. Otites*.  
*paradoxa*, Fourr. in Ann. Soc. Linn. Lyon, N. S. xvi. (1868) 344 = *S. paradoxa*.  
*parviflora*, Hornem. Hort. Hafn. 411 = *S. Otites*.  
*pilosa*, Hornem, l. c. 410 = *S. italica*.  
*polygama*, Stokes, Bot. Mat. Med. ii. 533 = *S. Otites*.  
*sibirica*, Hornem. Hort. Hafn. 410 = *S. sibirica*.  
*stellata*, Reichb. Ic. Desc. Pl. t. 27 = *S. stellata*.  
*tartarica*, Hornem. Hort. Hafn. 410 = *S. tatarica*.  
*unilateralis*, Moench, Meth. 704 = *S. tatarica*.  
*viscosa*, Moench, Meth. Suppl. 303 = *S. viscosa*.  
*vulgaris*, Mert. & Koch, Deutschl. Fl. iii. 325 = *Lychnis Viscaria*.  
*wolgensis*, Hornem. Suppl. Hort. Hafn. 48 = *S. wolgensis*.

**VISCARIA**, Riv. ex Rupp. Fl. Jen. ed. Hall. 126 (1745) = *Lychnis*, Tourn. (Caryoph.).  
*acutata*, Walp. Ann. vii. 290, sphalm. = *oculata*.  
*alba*, Hort. ex G. Don, in Loud. Hort. Brit. 186 = *L. Viscaria*.  
*albiflora*, Sweet, Hort. Brit. ed. II. 54; ed. III. 66 = *L. Viscaria*.  
*alpina*, G. Don, Gen. Syst. i. 415 = *L. alpina*.  
*aspera*, Poir. Encyc. Suppl. iii. 537 = *L. Coeli-rosa*.  
*atropurpurea*, Griseb. Spicil. Fl. Rumel. i. 166 = *L. atropurpurea*.  
*Burridgii*, Hort. ex Vilm. Fl. Pl. Terre, ed. I. 957 = *L. Coeli-rosa*.  
*cardinalis*, Hort. ex Vilm. l. c. ed. III. 302 = *L. Coeli-rosa*.  
*Dunnetti*, Hort. ex Vilm. l. c. 1220 = *L. Coeli-rosa*.  
*elegans*, Hort. ex Vilm. l. c. 301 = *L. Coeli-rosa*.  
*helvetica*, G. Don, Gen. Syst. i. 415 = *L. alpina*.  
*intermedia*, Ledeb. Fl. Ross. i. 329. — Sibir.  
*Lagrangei*, Coss. in Bull. Soc. Bot. Fr. xx. (1873) 243 = *L. Lagrangei* (in Addend.).  
*magellanica*, G. Don, Gen. Syst. i. 415 = *L. magellanica*.  
*neglecta*, G. Don, l. c. = *L. Viscaria*.  
*oculata*, Lindl. Bot. Reg. (1843) t. 53 = *L. Coeli-rosa*.  
*purpurea*, Wimm. Fl. Schles. (1841) 67 = *L. Viscaria*.  
*Sartorii*, Boiss. Diagn. Ser. II. i. 79. — Graecia.  
*Sigeri*, Griseb. & Schenk, in Wiegmann. Archiv, xviii. (1852) i. 299 = *Silene nivalis*?  
*suecica*, Sweet, Hort. Brit. ed. III. 66 = *L. alpina*.  
*viscosa*, Aschers. Fl. Brandenb. i. 85 = *L. viscosa*.  
*vulgaris*, Roehl. Deutschl. Fl. ed. II. ii. 275 = *L. Viscaria*.

**VISCOIDES**, Jacq. Select. Am. 73. t. 51 (1763) = *Psychotria*, Linn. (Rubiaceae).  
*pendulum*, Jacq. l. c. = *P. parasitica*.

**VISCUM**, Tourn. ex Linn. Gen. ed. I. 284 (1737).  
**LORANTHACEAE**, Benth. & Hook. f. iii. 213.  
*affine*, Pohl, ex DC. Prod. iv. 281 = *Phoradendron rubrum*.  
*album*, Linn. Sp. Pl. 1023. — Europ.; As. temp.  
*album*, Thunb. Fl. Jap. 64 = *Kaempferi*.  
*album*, Walt. Fl. Carol. 241 = *Phoradendron flavescens*.  
*album*, Webb, Iter Hisp. 42 = *cruciatum*.  
*ambiguum*, Hook. & Arn. in Hook. Bot. Misc. iii. (1833) 356 = *Eubranchion Arnottii*.  
*anceps*, E. Mey. in Drège, Zwei Pfl. Docum. 229 = *articulatum*.  
*anceps*, Spreng. Syst. i. 487 = *Phoradendron hexastichon*?  
*angulatum*, Heyne, ex DC. Prod. iv. 283. — As. et Austral. trop.  
*angustifolium*, Bert. ex Spreng. Syst. i. 487 = *Phoradendron rubrum*.  
*angustifolium*, DC. Prod. iv. 281 = *Phoradendron angustifolium*.  
*antarcticum*, Forst. f. Prod. 70 = *Tupeia antarctica*.  
*aoraiense*, Nadeaud, Enum. Pl. Tahiti, 64 = *articulatum*.  
*aphyllum*, Griff. Notul. iv. 634 = *articulatum*.  
*apodum*, Baker, in Journ. Linn. Soc. xxi. (1885) 439. — Madag.  
*articulatum*, Burm. f. Fl. Ind. 311. — As. et Austral. trop.  
*articulatum*, Miq. Ann. Mus. Bot. Lugd. Bat. iii. 133 = *japonicum*.  
*articulatum*, Pohl, ex DC. Prod. iv. 284 = *Phoradendron tunaeforme*.  
*attenuatum*, DC. Prod. iv. 284 = *articulatum*.  
*austriacum*, Wiesb. ex Dichtl, in Deutsche Bot. Monatsschr. ii. (1884) 154 = *album*.  
*benghalense*, Roxb. ex Wight & Arn. Prod. 379 = *monoicum*.  
*Berterianum*, DC. Prod. iv. 281 = *Phoradendron Berterianum*.  
*Bolleianum*, Seem. Bot. Voy. Herald, 295. t. 63 = *Phoradendron Bolleanum*.  
*brachystachyum*, DC. Prod. iv. 280 = *Phoradendron brachystachyum*.  
*buxifolium*, Lam. Encyc. iii. 56 = *Dendrophthora buxifolia*.  
*buxifolium*, Spreng. Syst. i. 488 = *torulosum*.  
*capense*, Bory, Voy. i. 320 = *triflorum*.  
*capense*, Linn. f. Suppl. 426. — Afr. austr.  
*capillare*, Blume, Bijdr. 667 (Psiloti sp. — CRYPT.).  
*capitellatum*, Sm. in Rees, Cycl. xxxvii. n. 18. — Ind. or.

**VISCUM** :—  
*caucasicum*, Steud. Nom. ed. I. 888 = *Arceuthobium Oxycedri*.  
*chilense*, Hook. & Arn. Bot. Beech. Voy. 28. — Chili.  
*chrysostachyum*, Presl, Epim. Bot. 254 = *Phoradendron chrysostachyum*.  
*clavatum*, Benth. Pl. Hartw. 189 = *Phoradendron clavatum*.  
*compressum*, Poir. Encyc. Suppl. ii. 861 = *articulatum*.  
*confertum*, Roxb. Hort. Beng. [105]; Fl. Ind. iii. 764 = *monoicum*.  
*continuum*, E. Mey. in Drège, Zwei Pfl. Docum. 229, nomen. — Afr. austr.  
*cordifolium*, Presl, Epim. Bot. 253. — Panama.  
*cornifolium*, A. Cunn. ex Oliver, in Journ. Linn. Soc. vii. (1864) 103 = *Notothixos cornifolius*.  
*cornifolium*, Presl, Epim. Bot. 254 = *Phoradendron Schottii*?  
*crassifolium*, Pohl, ex DC. Prod. iv. 280 = *Phoradendron crassifolium*.  
*Crassulae*, Eckl. & Zeyh. Enum. 357. — Afr. austr.  
*crassuloides*, Presl, Epim. Bot. 252 = *Phoradendron crassuloides*.  
*cruciatum*, Sieber, ex Spreng. Syst. i. 488, in syn.; Boiss. Voy. Bot. Espagne, ii. 274. — Hispan.  
*cryptophlebium*, Baker, in Journ. Bot. xx. (1882) 245. — Madag.  
*Cumingianum*, Presl, Epim. Bot. 255 = *Ginalloa Cumingiana*.  
*cuneifolium*, Baker, in Journ. Linn. Soc. xxi. (1885) 438. — Madag.  
*cupressoides*, Macfad. Fl. Jamaic. ii. 197 = *Dendrophthora cupressoides*.  
*cupulatum*, DC. Prod. iv. 285 = *Dendrophthora cupulata*.  
*dichotomum*, Bert. ex Spreng. Syst. i. 488 = *Phoradendron Berterianum*.  
*dichotomum*, D. Don, Prod. Fl. Nep. 147 = *articulatum*.  
*dichotomum*, Gilib. Exercit. ii. 394 = *album*.  
*dimidiatum*, Miq. in Linnaea, xviii. (1844) 58. — Guian.  
*dimidiatum*, Sagot, ex Eichl. in Mart. Fl. Bras. v. II. 126 = *Phoradendron Schottii*.  
*distichum*, Endl. Prod. Fl. Norfolk. 61. — Ins. Norfolk.  
*domingense*, Spreng. Syst. i. 487 = *Dendrophthora domingensis*.  
*echinocarpum*, Baker, in Journ. Linn. Soc. xx. (1883) 248. — Madag.  
*ellipticum*, Gardn. in Hook. Lond. Journ. Pot. iv. (1845) 106 = *Phoradendron ellipticum*.  
*elongatum*, Wall. Cat. n. 495; DC. Prod. iv. 284 = *articulatum*.  
*ensifolium*, Pohl, ex DC. l. c. 281 = *Phoradendron ensifolium*.  
*Eucleae*, Eckl. & Zeyh. Enum. 357. — Afr. austr.  
*Euphorbiae*, E. Mey. in Drège, Zwei Pfl. Docum. 229 = *V. Crassulae*.  
*falcatum*, Cham. & Schlecht. in Linnaea, v. (1830) 172 = *Phoradendron angustifolium*.  
*falcatum*, Hook. Ic. Pl. t. 368 = *Phoradendron falcatum*.  
*falcatum*, Wall. Cat. n. 492; DC. Prod. iv. 278 = *monoicum*.  
*falcifrons*, Hook. & Arn. in Hook. Bot. Misc. iii. (1833) 356. — Uruguay.  
*flagelliforme*, Descourt. Fl. Antill. v. 204 = *Dendrophthora gracilis*.  
*flavens*, Sw. Prod. Veg. Ind. Occ. 32 = *Phoradendron chrysocladon*.  
*flavescens*, Comm. ex DC. Prod. iv. 286 = *Myzodendron punctulatum*.  
*flavescens*, Pursh, Fl. Am. Sept. i. 114 = *Phoradendron flavescens*.  
*floccosum*, Thw. Enum. Pl. Zeyl. 418 = *Notothixos floccosus*.  
*florianum*, Anderss. in Vet. Akad. Handl. Stockh. 1853 (1855) 219. — Ins. Galapag.  
*Fockeanum*, Miq. in Linnaea, xviii. (1844) 60 = *Phoradendron Schottii*.  
*Fockeanum*, Sagot, ex Eichl. in Mart. Fl. Bras. v. II. 89, 90 (= *Oryctanthus botryostachys*) = *Loranthus ruficaulis*.  
*fragile*, Wall. Cat. n. 498; DC. Prod. iv. 284 = *articulatum*.  
*galapageium*, Hook. f. in Trans. Linn. Soc. xx. (1847) 216. — Ins. Galapag.

**VISCUM** :—  
*geminatum*, Korth. in Verh. Batav. Gen. xvii. (1839) 259. — Borneo.  
*glandulosum*, Miq. in Linnaea, xviii. (1844) 60. — Guian.  
*glaucum*, Eckl. & Zeyh. in South. Afr. Journ. (1830) 375; ex eor. Enum. 357 = *rotundifolium*.  
*globuliflorum*, Presl, Epim. Bot. 251. — Peruv.  
*gracile*, DC. Prod. iv. 285 = *Dendrophthora gracilis*.  
*granulosum*, Baker, in Journ. Linn. Soc. xxi. (1885) 438. — Madag.  
*grossum*, Wight, in Wall. Cat. n. 6879. — Ind. or.  
*guyanense*, Klotzsch, in Schomb. Faun. Fl. Brit. Gui. 1161 (= *Phthirusa guyanensis*). — Guian.  
*Helperi*, Presl, Epim. Bot. 256 = *Ginalloa Helperi*.  
*Henslovii*, Hook. f. in Trans. Linn. Soc. xx. (1847) 216. — Ins. Galapag.  
*heteranthum*, Wall. Cat. n. 488; DC. Prod. iv. 279 = *Henslowia heterantha*.  
*hexastichum*, DC. l. c. 282 = *Phoradendron hexastichon*.  
*Heyneanum*, DC. l. c. 278 = *orientale*.  
*incanum*, Hook. Ic. Pl. t. 73 = *Notothixos incanus*.  
*interruptum*, DC. Prod. iv. 282 = *Phoradendron interruptum*.  
*jamaicense*, Macfad. Fl. Jamaic. ii. 195 = *Phoradendron trinervium*.  
*japonicum*, Thunb. in Trans. Linn. Soc. ii. (1794) 329. — As.; Afr.; Austral. trop. et subtrop.  
*Kaempferi*, DC. Prod. iv. 285. — Japon.  
*Kunthianum*, DC. l. c. 283 = *Phoradendron rubrum*.  
*lanceolato-ellipticum*, Pohl, ex DC. l. c. 282 = *Phoradendron interruptum*.  
*latifolium*, Buch.-Ham. ex D. Don, Prod. Fl. Nep. 142 = *Henslowia heterantha*.  
*latifolium*, Lam. Encyc. iii. 57 = *Phoradendron hexastichon*.  
*latifolium*, Sw. Fl. Ind. Occ. i. 268 = *Phoradendron Schottii*.  
*laurifolium*, Presl, Epim. Bot. 255 = *Phoradendron laurifolium*.  
*laxum*, Boiss. & Reut. Diagn. Pl. Nov. Hisp. 16. — Hispan.  
*leptostachyum*, DC. Prod. iv. 280 = *Dendrophthora leptostachya*.  
*leucarpum*, Rafin. Fl. Ludov. 79 = *Phoradendron flavescens*.  
*leucocarpum*, DC. Prod. iv. 280, in syn. = *praec.*  
*Liga*, Gill, ex Hook. & Arn. in Hook. Bot. Misc. iii. (1833) 355. — Chili.  
*ligulatum*, Blume, Bijdr. 667 (Psiloti sp. — CRYPT.).  
*ligustrinum*, Presl, Epim. Bot. 252. — Mexic.  
*Lindsayi*, Oliver, ex Hook. f. Handb. N. Zeal. Fl. 108. — N. Zel.  
*linifolium*, Presl, Epim. Bot. 251. — Mexic.  
*lophiocladum*, Baker, in Journ. Linn. Soc. xxi. (1885) 437. — Madag.  
*macrophyllum*, Macfad. Fl. Jamaic. ii. 195 = *Phoradendron chrysocladon*.  
*macrophyllum*, Spreng. Syst. i. 488 = *Phoradendron hexastichon*?  
*macrostachyon*, Jacq. Coll. ii. 109. t. 5. f. 3 = *Dendrophthora macrostachya*.  
*macrostachyon*, Spreng. Syst. i. 487 = *Dendrophthora leptostachya*.  
*Mangiferae*, Wight, in Wall. Cat. n. 6878 = *capitellatum*.  
*martinicense*, DC. Prod. iv. 280 = *Phoradendron hexastichon*?  
*microphyllum*, Pohl, ex DC. l. c. 283 = *Phoradendron rubrum*.  
*microstachyum*, Presl, Epim. Bot. 252 = *Phoradendron rubrum*?  
*minimum*, Harv. in Harv. & Sond. Fl. Cap. ii. 581. — Afr. austr.  
*moniliforme*, Blume, Bijdr. 667 = *articulatum*.  
*moniliforme*, Wight & Arn. Prod. 380 = *japonicum*.  
*monoicum*, Roxb. Hort. Beng. [105]; Fl. Ind. iii. 763. — Ind. or.; Burma.  
*monoicum*, Wight, ex Wall. Cat. n. 6875 = *verruculosum*.  
*monstrosum*, Bert. ex DC. Prod. iv. 284 = *Dendrophthora opuntioides*.  
*montanum*, Zoll. & Mor. Syst. Verz. Zoll. 39 = *orientale*.  
*mucronatum*, DC. Prod. iv. 282 = *Phoradendron rubrum*.  
*multicostatum*, Baker, in Journ. Linn. Soc. xx. (1883) 248. — Madag.



**VISCUM** :—

- myriophlebium, *Baker, in Journ. Linn. Soc.* xx. (1883) 248.—Madag.  
*myrtilloides*, Willd. Sp. Pl. i. 739 = *Phoradendron rubrum*.  
*navicellatum*, Korth. in Verh. Batav. Gen. xvii. (1839) 256 = orientale.  
*nepalense*, Spreng. Syst. iv. Cur. Post. 47 = articulatum.  
*nervosum*, Hochst. ex A. Rich. Tent. Fl. Abyss. i. 388 = triflorum.  
*nitidum*, Gardn. in Hook. Lond. Journ. Bot. iv. (1845) 105 = *Phoradendron nitidum*.  
*obliquum*, Presl, *Epim. Bot.* 253.—Mexic.  
*oblongifolium*, DC. Prod. iv. 283.—Ins. Guadaloup.  
*oblongifolium*, Rafin. New Fl. Am. iii. 23 = *Phoradendron rubrum*?  
*obovatum*, Harv. in Harv. & Sond. Fl. Cap. ii. 579.—Afr. austr.  
*obscurum*, Thunb. Prod. Pl. Cap. 31 (sp. dub.).—Afr. austr.  
*obtusatum*, Wall. Cat. n. 494; DC. Prod. iv. 279 = ovalifolium.  
*obtusissimum*, Miq. in Linnaea, xviii. (1844) 602.—Bras.  
*ochroleucum*, Rafin. in New Fl. Am. iii. 23 = *Phoradendron flavescens*.  
*oliganthum*, Presl, Bot. Bemerk. 75 = obscurum?  
*Opuntia*, Thunb. Fl. Jap. 64 = japonicum.  
*opuntioides*, Heyne, ex DC. Prod. iv. 284; Roxb. Fl. Ind. iii. 764 = articulatum.  
*opuntioides*, Linn. Sp. Pl. 1023 = *Dendrophthora opuntioides*.  
*orbiculatum*, Wight, Ic. t. 1016.—Ind. or.  
*orientale*, DC. Prod. iv. 278 = cruciatum.  
*orientale*, Willd. Sp. Pl. iv. 737.—As. et Austral. trop.  
*ovalifolium*, Wall. Cat. n. 489; DC. Prod. iv. 278.—Burma; China; Malaya.  
*Oxycedri*, DC. Fl. Fr. iv. 274 = *Arceuthobium Oxycedri*.  
*Pamattonis*, Korth. in Verh. Batav. Gen. xvii. (1839) 255 = orientale.  
*pauciflorum*, Linn. f. Suppl. 246 (sp. dub.).—Afr. austr.  
*pauciflorum*, E. Mey. in Drège, Zwei Pfl. Docum. 229 = obscurum.  
*penninervium*, Steud. Nom. ed. II. ii. 775, sphalm. = seq.  
*penninervium*, DC. Prod. iv. 282 = *Phoradendron penninervium*.  
*pentanthum*, Baker, in Journ. Linn. Soc. xx. (1883) 249.—Madag.  
*Perrottetii*, DC. Prod. iv. 280 = *Phoradendron Perrottetii*.  
*philippense*, Llanos, Fragn. 52 = articulatum.  
*piperoideis*, DC. Prod. iv. 281 = *Phoradendron Schottii*.  
*platycaulon*, Bert. ex A. Gray, Bot. U. St. Expl. Exped. i. 744 = articulatum.  
*platyphyllum*, Spreng. Syst. iv. Cur. Post. 47 = *Henslowia heterantha*.  
*portulacoides*, Presl, *Epim. Bot.* 252.—Ecuador.  
*pubigerum*, A. Cunn. in Ann. Nat. Hist. Ser. I. ii. (1839) 208; R. Cunn. ex Miq. in Linnaea, xviii. (1844) 86 = *Tupeia antarctica*.  
*purpureum*, Linn. Sp. Pl. 1023 = *Loranthus uniflorus*.  
*quadrangulare*, DC. Prod. iv. 283 = *Phoradendron rubrum*?  
*quernum*, Auct. ex Reichb. Fl. Germ. Excurs. 203 = *Loranthus europaeus*.  
*racemosum*, Aubl. Pl. Gui. ii. 895 = *Phoradendron hexastichon*.  
*Radula*, Baker, in Journ. Linn. Soc. xxi. (1885) 439.—Madag.  
*ramosissimum*, Wall. Cat. n. 6876.—Ind. or.  
*ramosissimum*, Wight, Ic. t. 1017 = angulatum.  
*Randia*, Bello, in Anal. Soc. Esp. Hist. Nat. x. (1881) 278.—Porto Rico.  
*Reichenbachianum*, Seem. Bot. Voy. Herald, 294. t. 62 = *Phoradendron Reichenbachianum*.  
*rhytidocarpum*, Baker, in Journ. Linn. Soc. xxi. (1885) 438.—Madag.  
*robustum*, Eckl. & Zeyh. Enum. 358.—Afr. austr.  
*rotundifolium*, Bory, Voy. i. 320 = triflorum.  
*rotundifolium*, Eckl. & Zeyh. Enum. 357 = obscurum.  
*rotundifolium*, Linn. f. Suppl. 426.—Afr. austr.  
*Roxburghianum*, Korth. in Verh. Batav. Gen. xvii. (1839) 257 = orientale.  
*rubrum*, Burm. f. Fl. Ind. 311 (*Hederae* sp.).—Ind. or.  
*rubrum*, Griseb. ex Eichl. in Mart. Fl. Bras. v. II. 115 = *Phoradendron corynarthron*.

**VISCUM** :—

- rubrum*, Linn. Sp. Pl. 1023 = *Phoradendron rubrum*.  
*rugosum*, Rafin. New Fl. Am. iii. 24 = *Loranthus uniflorus*?  
*salicifolium*, Presl, *Epim. Bot.* 254 = *Phoradendron salicifolium*.  
*salicornioides*, A. Cunn. in Ann. Nat. Hist. Ser. I. ii. (1839) 208 = articulatum.  
*saururoides*, DC. Prod. iv. 280 (excl. syn.) = *Phoradendron Schottii*.  
*Schiedeanum*, DC. l. c. 670 = *Phoradendron angustifolium*.  
*Schottii*, Pohl, ex DC. l. c. 281 = *Phoradendron Schottii*.  
*serotinum*, Rafin. New Fl. Am. iii. 22 (Quid?).—Am. bor.  
*Sertularia*, Presl, Bot. Bemerk. 75 = articulatum.  
*spathulifolium*, Thw. Enum. Pl. Zeyl. 136 = *Ginalloa spathulifolia*.  
*squamigerum*, Benth. Pl. Hartw. 190 = *Phoradendron squamigerum*.  
*stellatum*, Buch.-Ham. ex D. Don, Prod. Fl. Nep. 142 = album.  
*stenophyllum*, Spreng. Syst. i. 487 = *Phoradendron angustifolium*.  
*subaureum*, F. Muell. ex Oliver, in Journ. Linn. Soc. vii. (1864) 103 = *Notothixos subaureus*.  
*surinamense*, G. W. Schilling, Desc. Pl. Leprae, 201. t. 3.—Guian.  
*taenioides*, Comm. ex Thou. Obs. Pl. Afr. in Mélang. 43 = japonicum.  
*tereticaule*, DC. Prod. iv. 280 = *Phoradendron Schottii*.  
*teretifolium*, Hemsl. Biol. Centr. Am. Bot. iii. 85, sphalm. = praec.  
*terrestre*, Linn. Sp. Pl. 1023 = *Lysimachia stricta*.  
*tetragonum*, DC. Prod. iv. 282 = *Phoradendron rubrum*.  
*thymifolium*, Presl, *Epim. Bot.* 251.—Afr. austr.  
*tomentosum*, DC. Prod. iv. 670 = *Phoradendron tomentosum*.  
*toruloides*, Eichl. in Mart. Fl. Bras. v. II. 107, in nota = torulosum.  
*torulosum*, DC. Prod. iv. 279.—Ecuador.  
*trachycarpum*, Baker, in Journ. Linn. Soc. xxi. (1885) 439.—Madag.  
*tricostatum*, E. Mey. in Drège, Zwei Pfl. Docum. 229, nomen; et ex Harv. in Harv. & Sond. Fl. Cap. ii. 580.—Afr. austr.  
*triflorum*, DC. Prod. iv. 279.—Ins. Maurit.  
*trigonum*, D. Dietr. Syn. Pl. i. 546 = *Phoradendron rubrum*.  
*trinervium*, Lam. Encyc. iii. 57 = *Phoradendron trinervium*.  
*trinervium*, Spreng. Syst. i. 488 = *Phoradendron rubrum*.  
*tuberculatum*, A. Rich. Tent. Fl. Abyss. i. 338.—Abyss.  
*tunaefolium*, Steud. Nom. ed. II. ii. 775, sphalm., in syn. = seq.  
*tunaeforme*, DC. Prod. iv. 284 = *Phoradendron tunaeforme*.  
*umbellatum*, Blume, Bijdr. 666.—Java.  
*undulatum*, Pohl, ex DC. Prod. iv. 282 = *Phoradendron undulatum*.  
*vaginatum*, Humb. & Bonpl. ex Willd. Sp. Pl. iv. 740 = *Arceuthobium vaginatum*.  
*vaginatum*, Spreng. Syst. i. 487 = *Dendrophthora cupulata*.  
*velutinum*, DC. Prod. iv. 281 = *Phoradendron velutinum*.  
*venosum*, DC. l. c. 279 = triflorum.  
*verrucosulum*, Steud. Nom. ed. II. ii. 776, sphalm. = verruculosum.  
*verrucosum*, Harv. in Harv. & Sond. Fl. Cap. ii. 581.—Afr. austr.  
*verruculosum*, Wight & Arn. Prod. 379.—Ind. or.  
*verticillatum*, Lam. Encyc. iii. 57 (*Rhipsalidis* sp.?).—Jamaic.  
*verticillatum*, Linn. Sp. Pl. 1023 = *Phoradendron trinervium*.  
*verticillatum*, Nutt. Gen. Am. ii. 235, partim = *Phoradendron flavescens*.  
*verticillatum*, Roxb. Hort. Beng. [105]; Fl. Ind. iii. 764 = orientale.  
*verticilliflorum*, Royle, Illustr. Bot. Himal. 235 = orientale?  
*villosum*, Nutt. in Torr. & Gray, Fl. N. Am. i. 654 = *Phoradendron flavescens*.  
*Wallichianum*, Wight & Arn. Prod. 379.—Ind. or.  
*Wightianum*, Wall. Cat. n. 6877 = japonicum.  
*Wightianum*, Wight & Arn. Prod. 380.—Ind. or.

**VISCUM** :—

- Willdenowianum*, Molkenb. in Miq. Pl. Fungh. 108.—Palaestin.  
*xanthophyllum*, A. Cunn. ex Oliver, in Journ. Linn. Soc. vii. (1864) 103 = *Notothixos cornifolius*.

VISENA, Schult. Syst. vi. 736 (1820), sphalm. = seq.

VISENIA, Hoult. Handleid. viii. 308 (1777) = **Melochia**, Dill. (Stercul.).

- alba*, Endl. ex Walp. Rep. i. 351.—Java.  
*Berteriana*, Spreng. Syst. iii. 30 = *Walteria glabra*.  
*caracasana*, Spreng. l. c. = M. caracasana.  
*concatenata*, Spreng. l. c. 31 = M. corchorifolia.  
*corchorifolia*, Spreng. l. c. 30 = M. corchorifolia.  
*corymbosa*, Spreng. l. c. 29 = M. corymbosa (in Addend.).  
*crenata*, Spreng. l. c. 30 = M. tomentosa.  
*depressa*, Spreng. l. c. = M. depressa.  
*graminifolia*, Spreng. l. c. iv. Cur. Post. 248 = M. graminifolia.  
*hirsuta*, Spreng. l. c. iii. 30 = M. hirsuta, Cav.  
*indica*, J. F. Gmel. Syst. 515 = M. odorata.  
*inflata*, Spreng. Syst. iii. 30 = M. lupulina.  
*javanica*, Jungh. in Hoef. & De Vriese, Tijdschr. vii. (1840) 302 = M. odorata.  
*lupulina*, Spreng. Syst. iii. 31 = M. lupulina.  
*madagascariensis*, Spreng. l. c. 30.—Madag.  
*mollis*, Spreng. l. c. = M. mollis.  
*nodiflora*, Spreng. l. c. = M. nodiflora.  
*polystachya*, Spreng. l. c. = M. venosa.  
*sericea*, Spreng. l. c. iv. Cur. Post. 248 = M. venosa.  
*serrata*, Spreng. l. c. iii. 30 = M. hirsuta, Cav.  
*supina*, Spreng. l. c. 31 = M. corchorifolia.  
*tomentosa*, Miq. Anal. Bot. Ind. iii. 4 = M. arborea.  
*Ulmariae*, Spreng. Syst. iv. Cur. Post. 248 = M. ulmarioides.  
*umbellata*, Hoult. Handleid. viii. 309. t. 46. f. 3 = M. odorata.  
*umbellata*, Wight, Ic. 509 = M. arborea.  
*velutina*, Turcz. in Bull. Soc. Nat. Mosc. xxxi. (1858) i. 212 (= *Riedlea velutina*).—Ind. or.  
*venosa*, Spreng. Syst. iii. 30 = M. venosa.

VISIANIA, DC. Prod. viii. 289 (1844) = **Ligustrum**, Tourn. (Oleac.).

- glomerata*, Miq. Fl. Ind. Bat. ii. 549 = L. glomeratum.  
*grandiflora*, DC. Prod. viii. 289 = L. nepalense.  
*paniculata*, DC. l. c. = L. glomeratum.  
*phyllothyrsa*, Miq. Fl. Ind. Bat. Suppl. 558.—Sumatra.  
*pubinervis*, Miq. Fl. Ind. Bat. ii. 548 = L. robustum.  
*robusta*, DC. Prod. viii. 289 = L. robustum.  
*robusta*, Wight, Ic. t. 1242 = L. Roxburghii.  
*sumatrana*, Miq. Fl. Ind. Bat. ii. 549.—Sumatra.  
*undulata*, Miq. l. c. 548 = L. undulatum.

VISIANIA, Gasp. Nov. Gen. Fici, 9 (1844) = **Ficus**, Tourn. (Urtic.).  
*elastica*, Gasp. l. c. = F. elastica.

VISINIA, Turcz. in Bull. Soc. Nat. Mosc. xxxi. (1858) i. 382, sphalm. = seq.

**VISMIA**, Vand. Fl. Lusit. 51. t. 3. f. 24 (1788).

- HYPERICINEAE**, Benth. & Hook. f. i. 166.  
**ACROSSANTHES**, Presl, Bot. Bemerk. 22 (1844).  
**CASPIA**, Pison. ex Scop. Introd. 276 (1777).  
*acuminata*, Kunth, ex Spreng. Syst. iii. 350 = glabra.  
*acuminata*, Pers. Syn. ii. 86.—Guian.  
*affinis*, Oliver, Fl. Trop. Afr. i. 161.—Afr. trop.  
*alternifolia*, Turcz. in Bull. Soc. Nat. Mosc. xxxvi. (1863) i. 579 (Psorospermi sp.?).—Sumatra.  
*angusta*, Miq. in Linnaea, xviii. (1844) 27 = ferruginea.  
*arborescens*, Choisy, Prod. Hyp. 36 = *Cratoxylon Blancoi*.  
*baccifera*, Planch. & Triana, in Ann. Sc. Nat. Sér. IV. xviii. (1862) 300 = dealbata.  
*baccifera*, H. G. Reich. in Mart. Fl. Bras. xii. i. 204.—Bras.  
*Billbergiana*, Beurl. in Vet. Akad. Handl. Stockh. 1854 (1856) 117.—Panama.  
*brasiliensis*, Choisy, Prod. Hyp. 35. t. 2.—Bras.  
*Caparosa*, H. B. & K. Nov. Gen. et Sp. v. 182 = acuminata.  
*cayennensis*, Pers. Syn. ii. 86.—Am. trop.  
*cochinchinensis*, Spreng. Syst. iii. 350 = *Cratoxylon polyanthum*.  
*confertiflora*, Spruce, ex H. G. Reich. in Mart. Fl. Bras. xii. i. 205.—Bras.

**VISMIA** :—

- cuspidata*, Steud. Nom. ed. II. i. 787, in syn. = *ferruginea*.  
*dealbata*, H. B. & K. Nov. Gen. et Sp. v. 184. t. 454.—N. Granat.  
*decipiens*, Cham. & Schlecht. in Linnaea, iii. (1828) 116.—Bras.  
*ferruginea*, Billb. ex Beurl. in Vet. Akad. Handl. Stockh. 1854 (1856) 117 = *Billbergiana*.  
*ferruginea*, H. B. & K. Nov. Gen. et Sp. v. 183.—Am. trop.  
*frondosa*, Oliver, Fl. Trop. Afr. i. 161.—Afr. trop.  
*glabra*, Ruiz & Pav. Syst. Veg. 183.—Am. trop.  
*guianensis*, DC. Prod. i. 542.—Am. trop.  
*guianensis*, Seem. Bot. Voy. Herald, 88 = *viridiflora*.  
*guineensis*, Choisy, Prod. Hyp. 36.—Afr. trop.  
*guttifera*, Pers. Syn. ii. 86; Salzm. ex Turcz. in Bull. Soc. Nat. Mosc. xxxi. (1858) i. 382 = *baccifera*.  
*Hilairii*, Gardn. in Hook. Lond. Journ. Bot. ii. (1843) 334 = *magnoliaefolia*.  
*japurensis*, H. G. Reich. in Mart. Fl. Bras. xii. i. 209.—Bras.  
*laccifera*, Mart. Reise Bras. i. 552 = *brasiliensis*.  
*laevis*, Planch. & Triana, in Ann. Sc. Nat. Sér. IV. xviii. (1862) 303.—N. Granat.  
*lanceolata*, Pers. Syn. ii. 86; Salzm. ex Turcz. in Bull. Soc. Nat. Mosc. xxxi. (1858) i. 382 = *baccifera*.  
*lasiantha*, Klotzsch, ex H. G. Reich. in Mart. Fl. Bras. xii. i. 198 = *brasiliensis*.  
*latifolia*, Choisy, Prod. Hyp. 36.—Guian.  
*latifolia*, H. B. & K. Nov. Gen. et Sp. v. 183 = *ferruginea vel dealbata*.  
*laurifolia*, Pers. Syn. ii. 86.—Bras.  
*lauriformis*, Choisy, Prod. Hyp. 35.—N. Granat.  
*laxiflora*, H. G. Reich. in Mart. Fl. Bras. xii. i. 203.—Guian.  
*leonensis*, Hook. f. in Hook. Niger Fl. 243.—Afr. trop.  
*Lindeniana*, Decne. ex Turcz. in Bull. Soc. Nat. Mosc. xxxi. (1858) i. 381.—N. Granat.  
*longifolia*, A. St. Hil. Fl. Bras. Mer. i. 326. t. 68 = *brasiliensis*.  
*macrophylla*, H. B. & K. Nov. Gen. et Sp. v. 184.—Venezuela.  
*macrophylla*, Salzm. ex Griseb. Fl. Brit. W. Ind. 111 = *ferruginea*.  
*magnoliaefolia*, Cham. & Schlecht. in Linnaea, iii. (1828) 118.—Bras.  
*Martiana*, H. G. Reich. in Mart. Fl. Bras. xii. i. 204.—Bras.  
*mexicana*, Schlecht. in Linnaea, x. (1828) 245.—Mexic.  
*micrantha*, Mart. Reise Bras. i. 552 = *parviflora*.  
*micrantha*, A. St. Hil. Fl. Bras. Mer. i. 327.—Bras.  
*obtus*, Spruce, ex H. G. Reich. in Mart. Fl. Bras. xii. i. 207.—Bras.  
*panamensis*, Duchass. & Walp. in Linnaea, xxiii. (1850) 748 = *ferruginea*.  
*parviflora*, Cham. & Schlecht. l. c. iii. (1828) 119.—Bras.  
*petiolata*, Choisy, Prod. Hyp. 36 = *laurifolia*.  
*ramuliflora*, Miq. Stirp. Surin. Sel. 88 = *cayennensis*.  
*reticulata*, Choisy, Prod. Hyp. 34 = *latifolia*.  
*rubescens*, Oliver, Fl. Afr. trop. i. 160.—Afr. trop.  
*rufescens*, Pers. Syn. ii. 86.—Guian.  
*Sellowiana*, Klotzsch, ex H. G. Reich. in Mart. Fl. Bras. xii. i. 198 = *brasiliensis*.  
*sessilifolia*, Choisy, Prod. Hyp. 34 = *rufescens*.  
*sessilifolia*, DC. Prod. i. 542.—Guian.  
*Sieberiana*, Klotzsch, in Schomb. Faun. Fl. Brit. Gui. 999, nomen.—Guian.  
*tomentosa*, Ruiz & Pav. Syst. Veg. 183.—Peruv.  
*viridiflora*, Duchass. ex Triana & Planch. in Ann. Sc. Nat. Sér. IV. xviii. (1862) 302.—N. Granat.

**VISNAGA**, Gaertn. Fruct. i. 92. t. 21 (1788) = **Ammi**, Tourn. (Umbell.).

*daucoides*, Gaertn. l. c. = A. Visnaga.  
*meoides*, Rafin. New Fl. Am. iv. 23 = A. anethifolium?  
*vera*, Rafin. l. c. = A. Visnaga.

**VISNEA**, Linn. f. Suppl. 36 (1781). **TERNSTROE-MIACEAE**, Benth. & Hook. f. i. 182.  
*Mocanera*, Juss. Gen. 318 (1789).  
*Mocanera*, Linn. f. Suppl. 251.—Ins. Canar.

**VISNEA**, Steud. ex Endl. Gen. 173 (1836) = **Barbacenia**, Vand. (Amaryll.).

**VISSADALI**, Adans. Fam. ii. 145 (1763) = **Knoxia**, Linn. (Rubiace.).

**VISTNU**, Adans. Fam. ii. 245 (1763) = **Evolvulus**, Linn. (Convolv.).

**VITELARIA**, Gaertn. f. Fruct. iii. 131. t. 205 (1805) = **Lucuma**, Juss. (Sapot.).

*Casaretti*, Radlk. in Sitzb. Math.-Phys. Akad. Muench. xii. (1882) 326 = L. Casaretti.  
*curvifolia*, Radlk. l. c. = L. curvifolia.  
*glabrescens*, Radlk. l. c. = L. glabrescens.  
*grandiflora*, Radlk. l. c. = L. grandiflora.  
*littoralis*, Radlk. l. c. = L. littoralis.  
*mammosa*, Radlk. l. c. 321, 323, 325 = L. mammosa.  
*marginata*, Radlk. l. c. 326 = L. marginata.  
*multiflora*, Radlk. l. c. 320, 326 = L. multiflora.  
*nervosa*, Radlk. l. c. 326 = L. Rivicoa.  
*paradoxa*, Gaertn. f. Fruct. iii. 131. t. 205 = L. paradoxa.  
*pauciflora*, Radlk. in Sitzb. Math.-Phys. Akad. Muench. xii. (1882) 320, 326 = L. pauciflora.  
*procera*, Radlk. l. c. 325, 326 = L. procera.  
*pulverulenta*, Radlk. l. c. 326 = L. pulverulenta.  
*retusa*, Radlk. l. c. = L. retusa.  
*Rivicoa*, Radlk. l. c. 323, 326 = L. Rivicoa.  
*serpentaria*, Radlk. l. c. 320, 326 = L. serpentaria.  
*sphaerocarpa*, Radlk. l. c. 326 = L. sphaerocarpa.  
*Valenzuelana*, Radlk. l. c. 320, 326 = L. Valenzuelana.  
*venosa*, Radlk. l. c. 326 = L. venosa.

**VITENIA**, Noronha, ex Cambess. in Mém. Mus. Par. xviii. (1829) 10.—Cf. **UITENIA**, Noronha = **Erioglossum**, Blume (Sapind.).  
*edulis*, Steud. Nom. ed. II. ii. 776 = E. edule.  
*stilaginea*, Noronha, ex Cambess. in Mém. Mus. Par. xviii. (1829) 10.—Hab. ?

**VITEX**, Tourn. ex Linn. Syst. ed. I (1735). **VER-BENACEAE**, Benth. & Hook. f. ii. 1154.  
*CASARETTOA*, Walp. Rep. iv. 91 (1844).  
*CHRYSOMALLUM*, Thou. Gen. Nov. Madag. 8 (1806).  
*EPHALIS*, Banks & Soland. ex A. Cunn. in Ann. Nat. Hist. Ser. I. i. (1838) 461.  
*LIMIA*, Vand. Fl. Lusit. 42. t. 3. f. 21 (1788).  
*NEPHRANDRA*, Willd. in Cothen. Disp. Veg. 8 (1790).  
*PSILOGYNE*, DC. in Bibl. Univ. Genève. xvii. (1838) 132 (Rev. Bign. 16).  
*PYROSTOMA*, G. F. W. Mey. Prim. Fl. Esseq. 219 (1818).

*WALLROTHIA*, Roth, Nov. Pl. Sp. 317 (1821).  
*acuminata*, R. Br. Prod. 512.—Austral.  
*Agnus*, Stokes, Bot. Mat. Med. ii. 413 = V. Agnus-castus.  
*Agnus-castus*, Kurz, For. Fl. Brit. Burma, ii. 269, partim = trifolia.  
*Agnus-castus*, Linn. Sp. Pl. 638.—Reg. Mediterr.; Oriens.  
*alata*, Roxb. Hort. Beng. 46; Fl. Ind. iii. 72 = peduncularis.  
*alata*, Schau. in DC. Prod. xi. 685 = limonifolia.  
*alata*, Willd. in Ges. Naturf. Fr. Neue Schr. iv. (1803) 203; Heyne, ex Roth, Nov. Pl. Sp. 316.—Ind. or.  
*altissima*, Linn. f. Suppl. 294.—Ind. or.  
*altissima*, Naves, ex F. Villar, in Blanco, Fl. Philipp. ed. III. Nov. App. 160 = littoralis, Decne.  
*appendiculata*, Rottl. ex C. B. Clarke, in Hook. f. Fl. Brit. Ind. iv. 584 = alata.  
*arborea*, Desf. Cat. Hort. Par. ed. III. 391 = V. Negundo.  
*arborea*, Roxb. Hort. Beng. 46; Fl. Ind. iii. 73 = pubescens.  
*articulata*, Steud. Nom. ed. II. ii. 777 = pubescens.  
*avicennioides*, A. Rich. Fl. Cub. Fanerog. ii. 149.—Cuba.  
*axillaris*, Wall. Cat. n. 1760.—Burma.  
*Babula*, Buch.-Ham. ex Wall. l. c. n. 1745 = heterophylla.  
*bahiensis*, Schau. in DC. Prod. xi. 687.—Bras.  
*Balbisi*, Spreng. Syst. ii. 756.—Ins. S. Doming.  
*beraviensis*, Vatke, in Linnaea, xliii. (1880–82) 535.—Madag.  
*bicolor*, Willd. Enum. Hort. Berol. 660 = V. Negundo.  
*bignonioides*, H. B. & K. Nov. Gen. et Sp. ii. 246.—Venezuela.  
*Bojeri*, Schau. in DC. Prod. xi. 694.—Madag.  
*bombacifolia*, Wall. Cat. n. 1749 = glabrata.  
*bracteata*, Herb. Horsf. ex Miq. Fl. Ind. Bat. ii. 862 = pubescens.  
*brasiliensis*, Juss. ex Steud. Nom. ed. I. 888.—Bras.  
*brasiliensis*, Mart. ex Schau. in DC. Prod. xi. 690 = Sellowiana.

**VITEX** :—

- californica*, Benth. Bot. Voy. Sulph. 10, sphalm. = *Vitis californica*.  
*canescens*, Kurz, in Journ. As. Soc. Beng. xlii. (1873) ii. 101.—Burma.  
*canescens*, Wall. Cat. n. 1757 (= an praec. ?).—Burma.  
*cannabifolia*, Sieb. & Zucc. in Abh. Akad. Muench. iv. iii. (1846) 152 (Fl. Jap. Fam. Nat. ii. 28).—Japon.  
*capitata*, Vahl, Eclog. Am. ii. 50. t. 18.—Am. trop.  
*caribaea*, Benth. Bot. Voy. Sulph. 10, sphalm. = *Vitis californica*.  
*chinensis*, Mill. Gard. Dict. ed. VIII. n. 5 = V. Negundo.  
*chrysocarpa*, Planch. in Hook. Niger Fl. 486.—Afr. trop.  
*chrysoclada*, Boj. in Ann. Sc. Nat. Sér. II. iv. (1835) 268.—Afr. trop.  
*Chrysomallum*, Steud. Nom. ed. II. ii. 777.—Madag.  
*Cienkowski*, Kotschy & Peyr. Pl. Tinn. 27. n. 42. t. 12.—Afr. trop.  
*Cofassus*, Reinw. ex Blume, Bijdr. 813.—Ins. Molucc.  
*compressa*, Turcz. in Bull. Soc. Nat. Mosc. xxxvi. (1863) ii. 224.—N. Granat.  
*coriacea*, C. B. Clarke, in Hook. f. Fl. Brit. Ind. iv. 586.—Malacca.  
*cuneata*, Schum. & Thonn. Beskr. Guin. Pl. 289.—Afr. trop.  
*Cunninghami*, Schau. in DC. Prod. xi. 691 = glabrata.  
*cymosa*, Bert. ex Spreng. Syst. ii. 757.—Bras.  
*Dalrympleana*, F. Muell. Fragm. iv. 128 = *Gmelina macrophylla*.  
*dentata*, Klotzsch, in Peters, Reise Mossamb. Bot. 265.—Afr. trop.  
*digitata*, Wight, ex Steud. Nom. ed. II. ii. 777 = pubescens.  
*divaricata*, Sw. Prod. Veg. Ind. Occ. 93.—Ind. occ.; Guian.  
*diversifolia*, Kurz, Andam. Rep. App. A 45; B 14.—Ins. Andaman.  
*Doniana*, Sweet, Hort. Brit. ed. I. 323.—Afr. trop.  
*elegans*, Griff. Notul. iv. 740.—Burma (cult.).  
*ferruginea*, Boj. ex Schau. in DC. Prod. xi. 694 = Bojeri.  
*ferruginea*, Schum. & Thonn. Beskr. Guin. Pl. 288.—Afr. trop.  
*Finlaysoniana*, Wall. Cat. n. 6314 = vestita.  
*flavens*, H. B. & K. Nov. Gen. et Sp. ii. 246.—Peruv.  
*floridula*, Duchass. & Walp. in Walp. Ann. iii. 240.—Panama.  
*gamosepala*, Griff. Notul. iv. 178.—Malacca.  
*Gardneriana*, Schau. in DC. Prod. xi. 687.—Bras.  
*geniculata*, Blanco, Fl. Filip. ed. I. 514.—Ins. Philipp.  
*gigantea*, H. B. & K. Nov. Gen. et Sp. ii. 245.—Ecuador.  
*glaberrima*, Zipp. ex Span. in Linnaea, xv. (1841) 330 = littoralis, Decne.  
*glabrata*, R. Br. Prod. 512.—As. et Austral. trop.  
*glabrata*, F. Muell. Fragm. v. 35 = littoralis, A. Cunn.  
*gracilis*, Salisb. Prod. 107 = V. Negundo.  
*grandiflora*, Turcz. in Bull. Soc. Nat. Mosc. xxxvi. (1863) ii. 223.—N. Granat.  
*Haynga*, Roxb. Hort. Beng. 46, nomen.—Ind. or.  
*heptaphylla*, A. Juss. in Ann. Mus. Par. vii. (1806) 77.—Ins. Dominic.  
*heterophylla*, Blume, ex Miq. Fl. Ind. Bat. ii. 862 = pubescens.  
*heterophylla*, Roxb. Hort. Beng. 46; Fl. Ind. iii. 75.—Assam; Burma; Malaya.  
*heterophylla*, Schau. in DC. Prod. xi. 686, partim = urceolata.  
*Hildebrandtii*, Vatke, in Linnaea, xliii. (1880–82) 534.—Afr. trop.  
*hypoleuca*, Schau. in DC. Prod. xi. 690.—Bras.  
*ibarensis*, Baker, in Journ. Linn. Soc. xx. (1883) 226.—Madag.  
*ilicifolia*, A. Rich. Fl. Cub. Fanerog. ii. 148.—Cuba.  
*inaequifolia*, Turcz. in Bull. Soc. Nat. Mosc. xxxvi. (1863) ii. 223 = pubescens.  
*incisa*, Lam. Encyc. ii. 612 = V. Negundo.  
*incisa*, Wall. Cat. n. 1746, partim = trifolia.  
*indica*, Mill. Gard. Dict. ed. VIII, in errat. = trifolia.  
*integerrima*, Mill. l. c. n. 3 = trifolia.  
*integra*, Medic. Beobacht. (1782) 313 = V. Agnus-castus.  
*involutus*, Presl, Bot. Bemerk. 148 = *Sphenodesme unguiculata*.  
*laciniata*, Hort. ex Schau. in DC. Prod. xi. 684 = V. Negundo.

**VITEX:—**

- laciniosa, Turcz. in Bull. Soc. Nat. Mosc. xxxvi. (1863) ii. 225.—Bras.  
*laevigata*, Herb. Madr. ex Wight & Arn. Prod. 433 = *Psychotria connata*.  
*lanceolata*, Turcz. in Bull. Soc. Nat. Mosc. xxxvi. (1863) ii. 224.—Java.  
*lanigera*, Schau. in DC. Prod. xi. 695.—Madag.  
*lasiophylla*, Benth. Bot. Voy. Sulph. 155 = *mollis*.  
*latifolia*, Lam. Encyc. ii. 613 = *pubescens*.  
*latifolia*, Mill. Gard. Dict. ed. VIII. n. 2 = *V. Agnus-castus*.  
*latifolia*, Wight, ex Steud. Nom. ed. II. ii. 777 = *altissima*.  
*Leichhardtii*, F. Muell. Fragm. iii. 58 = *Gmelina Leichhardtii*.  
*lepidota*, Turcz. in Bull. Soc. Nat. Mosc. xxxvi. (1863) ii. 225.—Bras.  
*Leucoxydon*, Blanco, Fl. Filip. ed. I. 516 = *V. Negundo*.  
*Leucoxydon*, Linn. f. Suppl. 293.—Ind. or.  
*Leucoxydon*, Schau. in DC. Prod. xi. 692, partim = *glabrata*.  
*Leucoxydon*, Span. ex Miq. Fl. Ind. Bat. ii. 863 = *littoralis*, Decne.  
*Lignum-vitae*, A. Cunn. ex Schau. in DC. Prod. xi. 692.—Austral.  
*limonifolia*, Wall. Cat. n. 1754.—Burma; Siam.  
*Lindenii*, Hook. f. Bot. Mag. t. 6230.—N. Granat.  
*littoralis*, A. Cunn. in Ann. Nat. Hist. Ser. I. i. (1838) 461.—N. Zel.  
*littoralis*, Decne. in Nouv. Ann. Mus. Par. iii. (1834) 401 (cf. *timoriensis*).—Ins. Timor.  
*Loureirii*, Hook. & Arn. Bot. Beech. Voy. 206. t. 48.—China.  
*Loureirii*, Wight, ex C. B. Clarke, in Hook. f. Fl. Brit. Ind. iv. 585 = *urceolata*.  
*lupinifolia*, Salisb. Prod. 106 = *V. Agnus-castus*.  
*macrophylla*, R. Br. Prod. 512 = *Gmelina macrophylla*.  
*mediensis*, Oliver, in Trans. Linn. Soc. xxix. (1875) 134.—Afr. trop.  
*melicopea*, F. Muell. Fragm. v. 35 = *acuminata*.  
*Melleri*, Baker, in Journ. Linn. Soc. xx. (1883) 227.—Madag.  
*mollis*, H. B. & K. Nov. Gen. et Sp. ii. 245.—Mexic.  
*moluccana*, Blume, Bijdr. 813.—Ins. Molucc.  
*Mombassae*, Vatke, in Linnaea, xliii. (1880–82) 533.—Afr. trop.  
*montevidensis*, Cham. l. c. vii. (1832) 373.—Bras.  
*Morava*, Buch.-Ham. ex Wall. Cat. n. 1752 = *peduncularis*.  
*multiflora*, Miq. in Linnaea, xviii. (1844) 739 = *divaricata*.  
*multinervis*, Schau. in DC. Prod. xi. 688.—Bras.  
*Negundo*, Linn. Sp. Pl. 638.—As. trop. et subtrop.  
*Negundo*, Noronha, in Verh. Batav. Gen. v. (1790) ed. I. Art. iv. 86 = *pubescens*.  
*obovata*, E. Mey. Comm. Pl. Afr. Austr. i. 273.—Afr. austr.  
*orinocensis*, H. B. & K. Nov. Gen. et Sp. ii. 247.—Venezuela.  
*ovata*, Thunb. Fl. Jap. 257 = *trifolia*.  
*pachyclada*, Baker, in Journ. Linn. Soc. xx. (1883) 227.—Madag.  
*pallida*, Wall. Cat. n. 1751 = *glabrata*.  
*paludosa*, Vatke, in Linnaea, xliii. (1880–82) 534.—Afr. trop.  
*paniculata*, Lam. Encyc. ii. 612 = *V. Negundo*.  
*parviflora*, A. Fuss. in Ann. Mus. Par. vii. (1806) 76.—Ins. Philip.  
*peduncularis*, Wall. Cat. n. 1753.—Ind. or.; Burma.  
*Pervillei*, Baker, Fl. Maurit. 256.—Ins. Seychelles.  
*Petersiana*, Klotzsch, in Peters, Reise Mossamb. Bot. 264.—Afr. trop.  
*phillyraefolia*, Baker, in Journ. Linn. Soc. xx. (1883) 226.—Madag.  
*pinnata*, Linn. Sp. Pl. 638 = *Aglaia odorata*.  
*polygama*, Cham. in Linnaea, vii. (1832) 371.—Bras.  
*pteropoda*, Miq. Fl. Ind. Bat. Suppl. 567.—Malaya.  
*pubescens*, Heyne, ex Wall. Cat. n. 1755 = *altissima*.  
*pubescens*, Vahl, Symb. Bot. iii. 85.—As. trop.  
*punctata*, Schau. in DC. Prod. xi. 687.—Ins. Molucc.  
*repens*, Blanco, Fl. Filip. ed. I. 513 = *trifolia*.  
*Rheidi*, Kostel. Allg. Med.-Pharm. Fl. iii. 826 = *V. Leucoxydon* ?  
*rigens*, Griseb. Cat. Pl. Cub. 216.—Cuba.  
*robusta*, Lebas, in Rev. Hort. (1869) 30 = *V. Agnus-castus*.  
*rotundifolia*, Linn. f. Suppl. 294 = *trifolia*.

**VITEX:—**

- rufescens*, A. Fuss. in Ann. Mus. Par. vii. (1806) 77.—Bras.  
*saligna*, Roxb. Hort. Beng. 46; Fl. Ind. iii. 75 = *V. Leucoxydon*.  
*Sampsoni*, Hance, in Journ. Bot. vi. (1868) 115.—China.  
*scabra*, Wall. Cat. n. 1758.—Burma.  
*Schomburgkiana*, Schau. in DC. Prod. xi. 690.—Guian.  
*Sellowiana*, Cham. in Linnaea, vii. (1832) 108.—Bras.  
*sexdentata*, Wall. Cat. n. 1759 = *Caryopteris grata*.  
*simplicifolia*, C. B. Clarke, in Hook. f. Fl. Brit. Ind. iv. 586.—Malacca.  
*simplicifolia*, Oliver, in Trans. Linn. Soc. xxix. (1875) 133.—Afr. trop.  
*sinuata*, Medic. in Act. Acad. Theod. Palat. iv. Phys. (1780) 202. t. 8 = *V. Agnus-castus* ?  
*spicata*, Lour. Fl. Cochinch. 390.—China; Cochinch.  
*Strickeri*, Vatke & Hildebr. in Linnaea, xliii. (1880–82) 532.—Afr. trop.  
*sumatrana*, Miq. Fl. Ind. Bat. Suppl. 567.—Sumatra.  
*Taruma*, Mart. Syst. Mat. Med. Bras. 55 = *montevidensis*.  
*tettensis*, Klotzsch, in Peters, Reise Mossamb. Bot. 264.—Afr. trop.  
*timoriensis*, Walp. Rep. iv. 84 = *littoralis*, Decne.  
*Tracyana*, F. Muell. Fragm. v. 61 = *Clerodendron Tracyanum*.  
*trichantha*, Baker, in Journ. Linn. Soc. xxi. (1885) 434.—Madag.  
*triflora*, Vahl, Eclog. Am. ii. 49.—Guian.  
*tiifolia*, Linn. Sp. Pl. 638.—As. et Austral. trop.  
*triphylla*, Royle, Illustr. Bot. Himal. 299 = *praec.*  
*umbrosa*, G. Don, ex Sabine, in Trans. Hort. Soc. v. (1824) 455 = *Doniana*.  
*umbrosa*, Sw. Prod. Veg. Ind. Occ. 93.—Ind. occ.  
*undulata*, Wall. Cat. n. 1756 = *heterophylla*.  
*uniflora*, Baker, in Journ. Bot. xx. (1882) 221.—Madag.  
*urceolata*, C. B. Clarke, in Hook. f. Fl. Brit. Ind. iv. 585.—Malacca.  
*variifolia*, Salisb. Prod. 107 = *trifolia*.  
*Vauthieri*, DC. ex Schau. in DC. Prod. xi. 690.—Bras.  
*verticillata*, Lam. Fl. Fr. ii. 363 = *V. Agnus-castus*.  
*vestita*, Wall. Cat. n. 1750.—Malaya.  
*vitiensis*, Seem. Fl. Vit. 190.—Ins. Fiji.  
*Wimberleyi*, Kurz, For. Fl. Brit. Burma, ii. 271.—Ins. Andaman.  
*zanzibarensis*, Vatke, in Linnaea, xliii. (1880–82) 533.—Afr. trop.  
*Zeyheri*, Sond. ex Schau. in DC. Prod. xi. 693.—Afr. austr.  
*zeylanica*, Burm. f. Fl. Ind. 138 (*Stereospermi* sp. ?).—Zeylan.  
*zeylanica*, Turcz. in Bull. Soc. Nat. Mosc. xxxvi. (1863) ii. 223 = *altissima*.
- VITICASTRUM**, Presl, Bot. Bemerk. 147 (1844) = **Sphenodesme**, Jack (Verben.).  
*racemosum*, Presl, l. c. 148 = *S. barbata*.
- VITICELLA**, Dill. ex Moench, Meth. 296 (1794) = **Clematis**, Dill. (Ranunc.).  
*campaniflora*, Bercht. & Presl, Rostl. i. Ranunc. 11 = *C. campaniflora*.  
*crispa*, Bercht. & Presl, l. c. = *C. crispa*.  
*deltoides*, Moench, Meth. 297 = *C. Viticella*.  
*florida*, Bercht. & Presl, Rostl. i. Ranunc. 10 = *C. florida*.
- VITICELLA**, Mitch. in Act. Phys. Med. Acad. Nat. Cur. viii. (1748) App. 220 = **Hydrophyllum**, Linn.
- VITICENA**, Benth. in Journ. Linn. Soc. v. Suppl. ii. (1861) 57, sphalm. = **VITICENA**, Steud. = **Grewia**, Linn. (Tiliac.).
- VITIPHONIX**, Becc. in Ann. Jard. Buitenz. ii. (1885) 91, 126. **PALMAE**.  
*filifera*, Becc. l. c. — Ins. Fiji.
- VITIS**, [Tourn.] Linn. Syst. ed. I (1735); Gen. ed. I. 56 (1737). **AMPELIDEAE**, Benth. & Hook. f. i. 387.  
**ADENOPELALUM**, Turcz. in Bull. Soc. Nat. Mosc. (1858) i. 417.  
**ALLOSAMPELA**, Rafin. Med. Fl. ii. 122 (1830).  
**AMPELOPSIS**, [Rich. in] Michx. Fl. Bor. Am. i. 159 (1803), ex parte.  
**BOTRIA**, Lour. Fl. Cochinch. 153 (1790).

**VITIS:—**

- CAUSONIS**, Rafin. Med. Fl. ii. 122 (1830).  
**CAYRATIA**, Juss. ex Guill. in Dict. Class. Hist. Nat. iv. 346 (1823).  
**CISSUS**, Linn. Diss. Dass. 6 (1747); Amoen. Acad. i. 389 (1749).  
**COLUMELLA**, Lour. Fl. Cochinch. 85 (1790).  
**GONOLOMA**, Rafin. Sylva Tellur. 86 (1838).  
**INGENHOUSIA**, Dennst. Schluess. Hort. Malab. 33 (1818).  
**IRSIOLA**, P. Br. Hist. Jamaic. 147. t. 4. f. 2 (1756).  
**ITUTERION**, Rafin. Sylva Tellur. 86 (1838).  
**KEMOXIS**, Rafin. l. c. (1838).  
**NEKEMIAS**, Rafin. l. c. 87 (1838).  
**PEDASTIS**, Rafin. l. c. (1838).  
**QUINARIA**, Rafin. Med. Fl. ii. 122 (1830).  
**RINXOSTYLIS**, Rafin. Sylva Tellur. 87 (1838).  
**SAELANTHUS**, Forsk. Fl. Aegypt. Arab. 33 (1775).  
**SPINOVITIS**, Romanet, in Compt. Rend. Par. xcii. (1881) 1096.  
**SPONDYLANTHA**, Presl, Rel. Haenk. ii. 35. t. 53 (1834).  
*abyssinica*, Hochst. ex A. Rich. Tent. Fl. Abyss. i. 112.—Abyss.  
*acapulcensis*, H. B. & K. Nov. Gen. et Sp. vii. 230.—Mexic.  
*acerifolia*, Rafin. Med. Fl. ii. 130 = *riparia*, *rotundifolia*.  
*acetosa*, F. Muell. Pl. Vict. i. 94, in textu.—Austral.  
*acida*, Chapm. Fl. S. U. St. 70.—Am. bor.  
*acida*, Thunb. Fl. Javan. 11 (Quid ?).—Java.  
*aconitifolia*, Hance, in Journ. Linn. Soc. xiii. (1873) 77 = *serjanaefolia*.  
*acris*, F. Muell. Fragm. ii. 75.—Austral.  
*aculeata*, Miq. Ann. Mus. Bot. Lugd. Bat. i. 88.—Ins. Timor.  
*acuminata*, Oerst. in Kjoeb. Vidensk. Meddel. (1856) 37 = *caribaea*.  
*acuminata*, Seem. in Bonplandia, ix. (1861) 255.—Ins. Fiji.  
*adenantha*, Baker, in Oliver, Fl. Trop. Afr. i. 403.—Afr. trop.  
*adenocaulis*, Miq. Ann. Mus. Bot. Lugd. Bat. i. 79.—Abyss.  
*adnata*, Wall. Cat. n. 5998.—As. et Austral. trop.  
*adstricta*, Hance, in Journ. Bot. xx. (1882) 258 = *vinifera*.  
*aeiophylla*, Boiss. Fl. Orient. i. 956.—Turkestan.  
*aestivalis*, Michx. Fl. Bor. Am. ii. 230.—Am. bor.  
*aestivalis*, Torr. in Pacif. Rail. Rep. vii. 9 = *arizonica*.  
*africana*, Spreng. Syst. i. 778.—Afr. trop.  
*Afzelii*, Baker, in Oliver, Fl. Trop. Afr. i. 389.—Afr. trop.  
*albida*, Baker, in Mart. Fl. Bras. xiv. ii. 212.—Bras.  
*alexandrina*, Fisch. Hort. Gorenk. ed. II. (1812) 53 = *vinifera* ?  
*amara*, Rafin. Med. Fl. ii. 132 = *cordifolia*.  
*amboinensis*, Miq. Ann. Mus. Bot. Lugd. Bat. i. 76.—Ins. Amboin.  
*amplexa*, Baker, in Oliver, Fl. Trop. Afr. i. 403.—Afr. trop.  
*amurensis*, Rupr. in Bull. Phys.-Math. Acad. Pétersb. xv. (1857) 266 = *vinifera*.  
*anamalayana*, Bedd. in Trans. Linn. Soc. xxv. (1865) 213.—Ind. or.  
*andongensis*, Welw. ex Baker, in Oliver, Fl. Trop. Afr. i. 406.—Afr. trop.  
*anemonifolia*, Miq. Ann. Mus. Bot. Lugd. Bat. i. 80.—Ins. Timor.  
*angolensis*, Baker, in Oliver, Fl. Trop. Afr. i. 410.—Afr. trop.  
*angulata*, Kurz, in Journ. As. Soc. Beng. xlv. (1875) ii. 176, in nota = *repanda*.  
*angulata*, Rafin. Med. Fl. ii. 133 = *rotundifolia*.  
*angustifolia*, Benth. Fl. Hongk. 54 = *corniculata*.  
*angustifolia*, Wall. Cat. n. 6033.—Reg. Himal.; Malaya; China.  
*angustissima*, F. Muell. Fragm. i. 141.—Austral.  
*antarctica*, Benth. Fl. Austral. i. 447; Miq. in Ann. Mus. Bot. Lugd. Bat. i. 83.—Austral.  
*apiana*, Rafin. Med. Fl. ii. 140 = *vinifera*.  
*apiifolia*, Hort. ex Steud. Nom. ed. II. ii. 777 = *vinifera*.  
*apyrena*, Hort. ex Roem. & Schult. Syst. v. 300 = *vinifera*.  
*aquosa*, Wall. Cat. n. 6000 = *repanda*.  
*arachnoidea*, Oerst. in Kjoeb. Vidensk. Meddel. (1856) 37 = *caribaea*.  
*aralioides*, Welw. ex Baker, in Oliver, Fl. Trop. Afr. i. 411.—Afr. trop.

## VITIS:—

araneosa, *Dalz. & Gibs. Bomb. Fl.* 41.—Ind. or.  
 araneosa, *Le Conte, in Proc. Acad. Philad.* 1852-53 (1854) 272.—Am. bor.  
 araneosa, *Miq. Ann. Mus. Bot. Lugd. Bat.* i. 94.—Sumatra.  
 arborea, *Linn. Sp. Pl.* 203.—Oriens; Am. bor.  
 arcuata, *Welw. ex Baker, in Oliver, Fl. Trop. Afr.* i. 414.—Afr. trop.  
 arguta, *Baker, in Oliver, Fl. Trop. Afr.* i. 392.—Afr. trop.  
 arizonensis, [Parry,] in Rep. Commiss. Agric. 1870 (1871) 416=seq.  
 arizonica, *Engelm. in Am. Natural.* ii. (1869) 321; ix. (1875) 268.—Am. bor.  
 articulata, *Miq. Ann. Mus. Bot. Lugd. Bat.* i. 76.—Borneo.  
 asarifolia, *Baker, in Oliver, Fl. Trop. Afr.* i. 396.—Afr. trop.  
 asperifolia, *Baker, in Mart. Fl. Bras.* xiv. ii. 207.—Bras.  
 assamica, *M. Laws. in Hook. f. Fl. Brit. Ind.* i. 648.—Assam.  
 assimilis, *Kurz, in Journ. As. Soc. Beng.* xli. (1872) ii. 302=lanceolaria.  
 atroviridis, *Wall. Cat. n.* 6040=Gynostemma pedatum.  
 augustissima, *F. Muell. Census*, 24, err. typ.=angustissima.  
 auriculata, *Wall. Cat. n.* 6031.—Reg. Himal.; Burma; Java.  
 Bainesii, *Hook. Bot. Mag. t.* 5472.—Afr. trop.  
 barbata, *Wall. in Roxb. Fl. Ind. ed. Carey*, ii. 478.—Reg. Himal.; Burma.  
 Barteri, *Baker, in Oliver, Fl. Trop. Afr.* i. 390.—Afr. trop.  
 Baudiniana, *F. Muell. Fragm.* iv. 136=antarctica.  
 Berlanderi, *Planch. in Compt. Rend. Par.* xci. (1880) 425.—Texas; N. Mexic.  
 bicolor, *Rafin. Med. Fl.* ii. 140; *Le Conte, in Proc. Acad. Philad.* 1852-53 (1854) 272=aestivalis.  
 bifida, *Rafin. l. c.* 123=aestivalis?  
 bipinnata, *Torr. & Gray, Fl. N. Am.* i. 243=arborea.  
 biternata, *Baker, in Journ. Bot.* xx. (1882) 51.—Madag.  
 blanda, *Rafin. Med. Fl.* ii. 128=V. Labrusca.  
 blanda, *Sweet, Hort. Brit. ed. I.* 73.—Am. bor.  
 Blumeana, *F. Muell. Sel. Pl. Indust. Cult.* 255=pallida.  
 bombycina, *Baker, in Oliver, Fl. Trop. Afr.* i. 399.—Afr. trop.  
 bororensis, *Baker, in Oliver, Fl. Trop. Afr.* i. 411.—Afr. trop.  
 brachypoda, *F. Muell. Fragm.* ix. 125.—Austral.  
 bracteata, *Noronha, in Verh. Batav. Gen. v.* (1790) ed. I. Art. iv. 28=discolor?  
 bracteata, *Rafin. Med. Fl.* ii. 125; *Le Conte, in Proc. Acad. Sc. Philad.* 1852-53 (1854) 271=V. Labrusca?  
 bracteolata, *Wall. in Roxb. Fl. Ind. ed. Carey*, ii. 483.—Reg. Himal.  
 bryoniaefolia, *Bunge, in Mém. Sav. Etr. Pétersb.* ii. (1835) 85=vinifera.  
 Burchellii, *Baker, in Mart. Fl. Bras.* xiv. ii. 201.—Bras.  
 caesia, *Sabine, in Trans. Hort. Soc. v.* (1824) 447.—Afr. trop.  
 californica, *Benth. Bot. Voy. Sulph.* 10 (sphalm. Vitex).—Calif.  
 californica, [Parry] in Rep. Commiss. Agric. 1870 (1871) 415=arizonica.  
 callosa, *Rafin. Med. Fl.* ii. 125=rotundifolia.  
 campestris, *Baker, in Mart. Fl. Bras.* xiv. ii. 200.—Bras.  
 campestris, [Nutt.] in *Fras. Cat.* (1813) n. 88=riparia?  
 campylocarpa, *Kurz, in Journ. As. Soc. Beng.* xli. (1872) ii. 302.—Assam; Burma.  
 cana, *Rafin. Med. Fl.* ii. 140=V. Labrusca?  
 canarensis, *Dalz. in Hook. Kew Journ.* iii. (1851) 123.—Ind. or.  
 candicans, *Engelm. ex A. Gray, in Bost. Journ. Nat. Hist.* vi. (1850) 166.—Am. bor.  
 canina, *Rafin. Med. Fl.* ii. 127=V. Labrusca.  
 cantoniensis, *Seem. Bot. Voy. Herald*, 370.—Malacca; China.  
 capensis, *Burm. f. Fl. Cap. Prod.* 7; *Thunb. Prod. Pl. Cap.* 44.—Afr. austr.  
 capreolata, *D. Don, Prod. Fl. Nep.* 188.—Reg. Himal.  
 cardiophylla, *F. Muell. Fragm.* ii. 73=repens.

## VITIS:—

caribaea, *DC. Prod.* i. 634.—Am. bor.; Ind. occ.  
 caribaea, *Hook. & Arn. Bot. Beech. Voy.* 327=californica.  
 carnosa, *Wall. Cat. n.* 6018=trifolia.  
 Catawba, *Hort. ex C. Koch, Dendrol.* i. 551=V. Labrusca.  
 cavicaulis, *Baker, in Oliver, Fl. Trop. Afr.* i. 400.—Afr. trop.  
 cebennensis, *Jord. ex Nym. Consp.* 136=vinifera.  
 cerasiformis, *Teijsm. & Binn. in Tijdschr. Nederl. Ind.* xxix. (1867) 251.—Java.  
 cerifera, *Teijsm. & Binn. Cat. Hort. Bog.* 168, sphalm.=praec.  
 Chantini, *Lécard, ex Carr. in Rev. Hort.* (1881) 457.—Afr. trop.  
 chloroleuca, *Welw. ex Baker, in Oliver, Fl. Trop. Afr.* i. 406.—Afr. trop.  
 chontalensis, *Seem. in Journ. Bot.* vii. (1869) 332.—Nicaragua.  
 ciliata, *Rafin. Med. Fl.* ii. 129=V. Labrusca?  
 cinerea, *Noronha, in Verh. Batav. Gen. v.* (1790) ed. I. Art. iv. 28 (cineracea)=flexuosa.  
 cinnamomea, *Wall. Cat. n.* 5989 C=tomentosa.  
 cinnamomea, *Wall. in Roxb. Fl. Ind. ed. Carey*, ii. 483.—Malaya.  
 cirrhosa, *Thunb. Prod. Pl. Cap.* 44.—Afr. austr.  
 clematidea, *F. Muell. Fragm.* ii. 74.—Austral.  
 coccinea, *Baker, in Mart. Fl. Bras.* xiv. ii. 216.—Bras.  
 coffeaeacarpa, *Teijsm. & Binn. Cat. Hort. Bog.* 168, nomen.—Java.  
 Coignetiae, *Pulliat, ex Planch. in Journ. Vigne Amér.* (1883) 186.—Japon.  
 columbina, *Rafin. Med. Fl.* ii. 131=riparia.  
 Commersoni, *Baker, Fl. Maur.* 54.—Ins. Maurit.  
 compositifolia, *M. Laws. in Hook. f. Fl. Brit. Ind.* i. 659.—Penang; Malacca.  
 concinna, *Baker, in Oliver, Fl. Trop. Afr.* i. 413.—Afr. trop.  
 concolor, *Rafin. Med. Fl.* ii. 130=riparia.  
 congesta, *Baker, in Oliver, Fl. Trop. Afr.* i. 412.—Afr. trop.  
 constricta, *Baker, l. c.* 409.—Afr. trop.  
 coralloides, *Hook. f. ex M. Laws. in Hook. f. Fl. Brit. Ind.* i. 659=elegans.  
 cordata, *Dum.-Cours. Bot. Cult. ed. II.* iv. 619=indivisa.  
 cordata, *Wall. Cat. n.* 6001; *Voigt, Hort. Suburb. Calc.* 28=repens.  
 cordifolia, *Darlingt. Fl. Cestr.* 151=riparia?  
 cordifolia, *Lam. Illustr.* ii. 134.—Am. bor.  
 cordifolia, *Michx. Fl. Bor. Am.* ii. 231=praec.?  
 cordifolia, *Roth, ex Roem. & Schult. Syst.* v. 318=lanata.  
 coriacea, *Miq. Ann. Mus. Bot. Lugd. Bat.* i. 78.—Ins. Celebes.  
 coriacea, *Shuttl. ex C. Koch, Dendrol.* i. 550=can-dicans.  
 corinthiaca, *Rafin. Med. Fl.* ii. 141=vinifera.  
 corniculata, *Benth. Fl. Hongk.* 54.—Ins. Hongkong.  
 cornifolia, *Baker, in Oliver, Fl. Trop. Afr.* i. 390.—Afr. trop.  
 corylifolia, *Baker, l. c.* 396.—Afr. trop.  
 costata, *Wall. Cat. n.* 6011=discolor?  
 crassifolia, *Baker, in Oliver, Fl. Trop. Afr.* i. 391.—Afr. trop.  
 crassiuscula, *Baker, l. c.* 406.—Afr. trop.  
 crenata, *Thunb. ex Sw. in Vet. Akad. Nya Handl. Stockh.* (1825) 428.—Ind. occ.  
 crenata, *Wall. Cat. n.* 6021=trifolia.  
 Cumingiana, *Turcz. in Bull. Soc. Nat. Mosc.* xxxi. (1858) i. 416.—Ins. Philipp.  
 Curreri, *Baker, in Oliver, Fl. Trop. Afr.* i. 401.—Afr. trop.  
 curvipoda, *Baker, l. c.* 413.—Afr. trop.  
 cuspidata, *Lynch, in Proc. Linn. Soc.* (1875-80) 38=inconstans.  
 cuspidifera, *Miq. Ann. Mus. Bot. Lugd. Bat.* i. 91, in adnot.—Reg. Himal.  
 cylindrica, *Rafin. Med. Fl.* ii. 141=vinifera.  
 cymosa, *Blume, Bijdr.* 195.—Java.  
 cymosa, *Wall. Cat. n.* 6017=japonica.  
 cyphopetala, *Baker, in Oliver, Fl. Trop. Afr.* i. 407.—Afr. trop.  
 dapsilis, [Roxas Clem. in] *Herrera, Agric.* (1818) i. 327=orientalis.  
 debilis, *Baker, in Oliver, Fl. Trop. Afr.* i. 403.—Afr. trop.

## VITIS:—

dentata, *Link. Enum. Hort. Berol.* i. 236.—Hab.?  
 denticulata, *Rafin. Ann. Nat.* 11 (Quid?).—Am. bor.  
 dichotoma, *Miq. Ann. Mus. Bot. Lugd. Bat.* i. 77.—Java.  
 Diepenhorstii, *Miq. l. c.* 77, in textu.—Sumatra.  
 diffusa, *Miq. l. c.* 83.—Malaya.  
 diffusiflora, *Baker, in Oliver, Fl. Trop. Afr.* i. 390.—Afr. trop.  
 digitata, *Rafin. Med. Fl.* ii. 125=V. Labrusca?  
 dimidiata, *Rafin. l. c.* 129=riparia.  
 discolor, *Dalz. in Hook. Kew Journ.* ii. (1850) 39.—Ind. or.; Malaya.  
 dissecta, *Baker, in Oliver, Fl. Trop. Afr.* i. 414.—Afr. trop.  
 divaricata, *Wall. Cat. n.* 5994=lanata, indica.  
 diversifolia, *Wall. Cat. n.* 5996=discolor.  
 Duarteana, *Baker, in Mart. Fl. Bras.* xiv. ii. 204.—Bras.  
 dubia, *M. Laws. in Hook. f. Fl. Brit. Ind.* i. 661.—Reg. Himal.  
 Durandii, *Lécard, ex Carr. in Rev. Hort.* (1881) 456=rufescens.  
 elegans, *C. Koch, in Ind. Sem. Hort. Berol.* (1855) App. 16=heterophylla.  
 elegans, *Kurz, in Tijdschr. Nederl. Ind.* xxviii. (1865) 166.—Singapore.  
 elliptica, *Hemsl. Biol. Centr. Am. Bot.* i. 203.—Mexic.  
 elongata, *Wall. Cat. n.* 6016.—Ind. or.  
 enneaphylla, *Eichl. in Mart. Fl. Bras.* xiv. ii. 217.—Bras.  
 erioclada, *Wight & Arn. Prod.* 130.—Ind. or.  
 eriopoda, *Miq. Ann. Mus. Bot. Lugd. Bat.* i. 95.—Sumatra.  
 erosa, *Baker, in Mart. Fl. Bras.* xiv. ii. 210.—Am. trop.  
 erythroclada, *Kurz, in Journ. As. Soc. Beng.* xli. (1872) ii. 301.—Burma.  
 erythrodes, *Fresen. in Mus. Senckenb.* ii. (1837) 284.—Abyss.  
 Faidherbii, *Lécard, ex Carr. in Rev. Hort.* (1881) 457.—Afr. trop.  
 farinosa, *Rafin. Med. Fl.* ii. 140=vinifera.  
 farinosa, *Welw. ex Baker, in Oliver, Fl. Trop. Afr.* i. 394.—Afr. trop.  
 ferruginea, *Rafin. Med. Fl.* ii. 128=V. Labrusca.  
 ficifolia, *Bunge, in Mém. Sav. Etr. Pétersb.* ii. (1835) 86=V. Labrusca.  
 Figariana, *Baker, in Oliver, Fl. Trop. Afr.* i. 415.—Afr. trop.  
 filiformis, *Lam. Illustr.* ii. 135=pentaphylla.  
 flavicans, *Baker, in Oliver, Fl. Trop. Afr.* i. 413.—Afr. trop.  
 flexuosa, *Hort.—Cf. Gard. Chron.* (1882) ii. 491=V. Labrusca.  
 flexuosa, *Thunb. in Trans. Linn. Soc.* ii. (1794) 332.—Ind. or.; China; Japon.  
 floribunda, *Baker, in Journ. Bot.* xx. (1882) 50.—Madag.  
 floridana, *Rafin. Med. Fl.* ii. 133=vulpina?  
 fluminicola, *Steud. Nom. ed. II.* ii. 777=repanda.  
 Forsteniana, *Miq. Ann. Mus. Bot. Lugd. Bat.* i. 86.—Ins. Amboin.  
 fulva, *Rafin. Med. Fl.* ii. 124=aestivalis?  
 furcata, *M. Laws. in Hook. f. Fl. Brit. Ind.* i. 646.—Malaya.  
 Gardneri, *M. Laws. l. c.* 656.—Zeylan.  
 geniculata, *Miq. Ann. Mus. Bot. Lugd. Bat.* i. 81.—Java.  
 Gibertii, *Baker, in Mart. Fl. Bras.* xiv. ii. 211.—Uruguay.  
 gigantea, *Bedd. in Trans. Linn. Soc.* xxv. (1865) 212.—Ind. or.  
 glaberrima, *Wall. Cat. n.* 5991, partim=bastata.  
 glaberrima, *Wall. in Roxb. Fl. Ind. ed. Carey*, ii. 476.—Malaya.  
 glabrata, *Heyne, ex Roth, Nov. Pl. Sp.* 156=latifolia.  
 glandulosa, *Wall. in Roxb. Fl. Ind. ed. Carey*, ii. 479.—Reg. Himal.  
 glauca, *Rafin. Med. Fl.* ii. 126=aestivalis.  
 glauca, *Wall. Cat. n.* 5990=repens.  
 glauca, *Wight & Arn. Prod.* 126.—Ind. or.  
 glaucophylla, *Baker, in Oliver, Fl. Trop. Afr.* i. 392.—Afr. trop.  
 glomerata, *Rafin. Med. Fl.* ii. 142=caribaea.  
 glyptocarpa, *M. Laws. in Hook. f. Fl. Brit. Ind.* i. 645.—Zeylan.



**VITIS:—**

- gongyloides, *Baker, in Mart. Fl. Bras.* xiv. II. 209.—Bras.; Peruv.  
 gorgonobotrys, *Webb, in Hook. Kew Journ.* ii. (1850) 313.—Afr. trop.  
 gracilis, *Baker, in Oliver, Fl. Trop. Afr.* i. 404.—Afr. trop.  
 gracilis, *Wall. in Roxb. Fl. Ind. ed. Carey*, ii. 477.—Singapore.  
 Grantii, *Baker, in Oliver, Fl. Trop. Afr.* i. 400.—Afr. trop.  
 granulosa, *Miq. Ann. Mus. Bot. Lugd. Bat.* i. 80.—Peruv.  
 grisea, *Baker, in Oliver, Fl. Trop. Afr.* i. 395.—Afr. trop.  
 Hancockii, *Hance, in Journ. Bot.* xx. (1882) 4.—China.  
 Hardyi, *Lécard, ex Carr. in Rev. Hort.* (1881) 458.—Afr. trop.  
 hastata, *Miq. Ann. Mus. Bot. Lugd. Bat.* i. 85, in adnot.—Ind. or.; Java.  
 havanica, *Regel, Cat. Pl. Hort. Aksakov.* 146 = caribaea?  
 hederacea, *Ehrh. Beitr.* vi. (1791) 85.—Am. bor.  
 hederacea, *Wall. Cat.* n. 6019 = obtecta, capreolata.  
 Helferii, *M. Laws. in Hook. f. Fl. Brit. Ind.* i. 662.—Burma.  
 helvola, [*Roxas Clem. in*] *Herrera, Agric.* (1818) i. 327 = orientalis.  
 heptaphylla, *Linn. Mant.* ii. 212.—Ind. or.  
 heracleifolia, *Welw. ex Baker, in Oliver, Fl. Trop. Afr.* i. 398.—Afr. trop.  
 heterophylla, *Thunb. Fl. Jap.* 103.—China; Japon.  
 heterophylla, *Wall. Cat.* n. 6036 = Rheedei.  
 Heyneana, *Roem. & Schult. Syst.* v. 318; *DC. Prod.* i. 634 = lanata.  
 Heyneana, *Wall. Cat.* n. 5988.—Ind. or.  
 hiemalis, *Auct. = hyemalis.*  
 himalayana, *Brandis, For. Fl.* 100.—Ind. or.  
 hispida, *Eckl. & Zeyh. Enum.* 56.—Afr. austr.  
 Hochstetteri, *Miq. Ann. Mus. Bot. Lugd. Bat.* i. 83.—Abyss.  
 Hookeri, *M. Laws. in Hook. f. Fl. Brit. Ind.* i. 661.—Reg. Himal.  
 humulifolia, *Hort.—Cf. Gard. Chron.* (1882) II. 491 = heterophylla.  
 hyemalis, *Dum.-Cours. Bot. Cult. ed. II. iv.* 619 = cordifolia?  
 hyemalis, *Rafin. Med. Fl.* ii. 125 = rotundifolia.  
 hypoglaucula, *F. Muell. Pl. Vict.* i. 94.—Austral.  
 ibuensii, *Baker, in Oliver, Fl. Trop. Afr.* i. 402.—Afr. trop.  
 imperialis, *Miq. Fl. Ind. Bat. Suppl.* 518.—Sumatra.  
 inaequalis, *Wall. Cat.* n. 6010 = discolor.  
 incarnata, *Teijsm. & Binn. Cat. Hort. Bog.* 168, nomen.—Sumatra.  
 incisa, *Jacq. Hort. Schoenb.* iv. 14 = riparia.  
 incisa, *Nutt. in Torr. & Gray, Fl. N. Am.* i. 243.—Texas.  
 inconstans, *Miq. Ann. Mus. Bot. Lugd. Bat.* i. 91.—Japon.  
 indica, *Hook. & Arn. Bot. Beech. Voy.* 260 = lanata.  
 indica, *Linn. Sp. Pl.* 202.—Ind. or.  
 indica, *Sw. Obs. Bot.* 95 (excl. syn.) = caribaea.  
 indica, *Thunb. Fl. Jap.* 103 = flexuosa.  
 indica, *Thw. Enum. Pl. Zeyl.* 63 = erioclada.  
 indivisa, *Willd. Berl. Baumz.* ii. 538.—Am. bor.  
 integrifolia, *Baker, in Oliver, Fl. Trop. Afr.* i. 391.—Afr. trop.  
 integrifolia, *Rafin. Fl. Ludov.* 89 (Quid?).—Am. bor.  
 intermedia, *Muhl. Cat.* 26 = aestivalis.  
 intricata, *Baker, in Oliver, Fl. Trop. Afr.* i. 404.—Afr. trop.  
 inundata, *Baker, in Mart. Fl. Bras.* xiv. II. 205.—Bras.  
 ipomoeifolia, *Baker, in Oliver, Fl. Trop. Afr.* i. 395.—Afr. trop.  
 irawadyana, *Steud. Nom. ed. II. ii.* 778 = japonica.  
 Isabella, *Otto & Dietr. Allg. Gartenz.* x. (1842) 353 = vinifera?  
 japonica, *Thunb. Fl. Jap.* 104.—China; Japon.; Malaya.  
 jatrophioides, *Welw. ex Baker, in Oliver, Fl. Trop. Afr.* i. 400.—Afr. trop.  
 javalensis, *Seem. in Journ. Bot.* vii. (1869) 332.—Nicaragua.  
 javanica, *Spreng. Syst.* iv. *Cur. Post.* 90.—Java.

**VITIS:—**

- junceae, *Baker, in Oliver, Fl. Trop. Afr.* i. 401.—Afr. trop.  
 Kanguruh, *Hort. ex DC. Prod.* i. 629 = antarctica.  
 Kleinii, *Wall. Cat.* n. 6008 = glauca, latifolia.  
 Labrusca, *Linn. Sp. Pl.* 203.—Am. bor.  
 Labrusca, *Linn. l. c.*, partim = caribaea.  
 Labrusca, *Lour. Fl. Cochinch.* 155 = triloba?  
 Labrusca, *Scop. Fl. Carn. ed. II. i.* 169 = vinifera.  
 Labrusca, *Thunb. Fl. Jap.* 103 = Coignetiae.  
 Labrusca, *Walt. Fl. Carol.* 242 = aestivalis.  
 labruscoides, *Muhl. Cat.* 26 = aestivalis.  
 labruscoides, *Muhl. & Rafin. in Rafin. Med. Fl.* ii. 127 = V. Labrusca.  
 laciniola, *Linn. Sp. Pl.* 203 = vinifera.  
 laciniola, *Marsh. Arbust. Am.* 165 = aestivalis.  
 laeta, *Wall. Cat.* n. 6002 = repanda.  
 laevigata, *F. Muell. Sel. Pl. Indust. Cult.* 255 = auriculata.  
 lanata, *Roxb. ex Wall. Cat.* n. 5995 C, D = barbata.  
 lanata, *Roxb. Hort. Beng.* 18; *Fl. Ind.* i. 660.—Ind. or.; China.  
 lanata, *Wall. Cat.* n. 5995 A? = tomentosa.  
 lanceolaria, *Wall. Cat.* n. 6013, partim.—Ind. or.; Malaya.  
 lanceolaria, *Wall. l. c. H* = rumicisperma.  
 lanceolaria, *Wight, Ic. t.* 28 = sulcata.  
 Landuk, *Miq. Ann. Mus. Bot. Lugd. Bat.* i. 90.—Java.  
 latifolia, *Buch.-Ham. ex Wall. Cat.* n. 5994 G = barbata.  
 latifolia, *Lam. ex Steud. Nom. ed. II. ii.* 778 = glauca.  
 latifolia, *Rafin. Med. Fl.* ii. 126 = V. Labrusca.  
 latifolia, *Roxb. Hort. Beng.* 18; *Fl. Ind.* i. 661.—Ind. or.  
 latifolia, *Vahl, ex Steud. Nom. ed. II. ii.* 778 = adnata.  
 Lecardii, *Carr. in Rev. Hort.* (1881) 456.—Afr. trop.  
 leeooides, *Maxim. in Bull. Acad. Pétersb.* xix. (1874) 158 = cantoniensis.  
 lenticellata, *Baker, in Journ. Linn. Soc.* xx. (1883) 122.—Madag.  
 leonensis, *Baker, in Oliver, Fl. Trop. Afr.* i. 398.—Afr. trop.  
 leucostaphyla, *Dennst. Schluess. Hort. Malab.* 33 = lanceolaria.  
 leucostyla, *Steud. Nom. ed. II. ii.* 778, sphalm. = praec.  
 Linnaei, *Kurz, in Journ. As. Soc. Beng.* xlv. (1875) II. 176 = repanda.  
 Linnaei, *Wall. Cat.* n. 5987.—Ind. or.  
 Linsecomii, *Buckl. in Proc. Acad. Sc. Philad.* 1861 (1862) 451 = aestivalis.  
 Ionchiphyla, *M. Laws. in Hook. f. Fl. Brit. Ind.* i. 646.—Zeylan.  
 longepedunculata, *Teijsm. & Binn. Cat. Hort. Bog.* 168.—Ins. Ceram.  
 longifolia, *Rafin. Med. Fl.* ii. 129 = cordifolia?  
 Lowii, *Hook. f. in Trans. Linn. Soc.* xxiii. (1860) 165.—Borneo.  
 lucida, *Fisch. ex Steud. Nom. ed. II. ii.* 778 = antarctica.  
 luteola, *Rafin. Med. Fl.* ii. 127 = V. Labrusca.  
 macrophylla, *Royle, Illustr. Bot. Himal.* 145 = himalayana.  
 macropus, *Hook. Bot. Mag. t.* 5479.—Afr. trop.  
 macrostachya, *Miq. Ann. Mus. Bot. Lugd. Bat.* i. 94.—Malaya.  
 Mannii, *Baker, in Oliver, Fl. Trop. Afr.* i. 412.—Afr. trop.  
 Mappia, *Baker, Fl. Maurit.* 54.—Ins. Maurit.  
 maritima, *Rafin. Med. Fl.* ii. 142 = caribaea.  
 mauria, *Rafin. l. c.* 141 (Quid?).—Marocc.  
 Metziana, *Miq. Ann. Mus. Bot. Lugd. Bat.* i. 84.—Sumatra.  
 mexicana, *Hemsl. Biol. Centr. Am. Bot.* i. 203.—Mexico.  
 microdiptera, *Baker, in Journ. Linn. Soc.* xviii. (1881) 266.—Madag.  
 microdonta, *Baker, in Journ. Bot.* xx. (1882) 50.—Madag.  
 Miqueliana, *Baker, in Mart. Fl. Bras.* xiv. II. 210.—Am. trop.  
 modesta, *Miq. Ann. Mus. Bot. Lugd. Bat.* i. 84.—Sumatra.  
 mollis, *Baker, in Oliver, Fl. Trop. Afr.* i. 413 = serpens.  
 mollis, *Wall. Cat.* n. 6025.—Reg. Himal.; Malaya.  
 mollissima, *Wall. in Roxb. Fl. Ind. ed. Carey*, ii. 482.—Malaya.  
 monosperma, *Noronha, in Verh. Batav. Gen.* v. (1790) ed. I. Art. iv. 28 = adnata.

**VITIS:—**

- montana, *M. Laws. in Hook. f. Fl. Brit. Ind.* i. 652.—Reg. Himal.  
 montana, *Rafin. Med. Fl.* ii. 130 = riparia.  
 monticola, *Buckl. in Proc. Acad. Sc. Philad.* 1861 (1862) 450 = aestivalis.  
 mossambicensis, *Klotzsch, in Peters, Reise Mossamb. Bot.* 180.—Afr. trop.  
 Motleyi, *Hook. f. in Trans. Linn. Soc.* xxiii. (1860) 165.—Borneo.  
 mucronata, *Wall. ex Steud. Nom. ed. II. ii.* 778 = lanceolaria.  
 multiloba, *Rafin. Med. Fl.* ii. 125 = aestivalis.  
 multistriata, *Baker, in Oliver, Fl. Trop. Afr.* i. 410.—Afr. trop.  
 muricata, *Wall. Cat.* n. 6015 = lanceolaria.  
 muscadina, *Rafin. Med. Fl.* ii. 132 = rotundifolia.  
 mustangensis, *Buckl. in Proc. Acad. Sc. Philad.* 1861 (1862) 451 = candicans.  
 mutabilis, *Miq. Ann. Mus. Bot. Lugd. Bat.* i. 75.—Java.  
 neilgherrensis, *Wight, Ic. t.* 965 = himalayana.  
 nepalensis, *Royle, Illustr. Bot. Himal.* 149 = capreolata.  
 nervosa, *M. Laws. in Hook. f. Fl. Brit. Ind.* i. 650.—Reg. Himal.  
 nervosa, *Kurz, in Journ. As. Soc. Beng.* xlv. (1875) II. 204 = planicaulis.  
 nitens, *F. Muell. Fragm.* ii. 73.—Austral.  
 nitida, *M. Laws. in Hook. f. Fl. Brit. Ind.* i. 662.—Malaya.  
 nodosa, *Miq. Ann. Mus. Bot. Lugd. Bat.* i. 87.—Malaya.  
 novemfolia, *Wall. Cat.* n. 6030.—Singapore.  
 nymphaeifolia, *Welw. ex Baker, in Oliver, Fl. Trop. Afr.* i. 393.—Afr. trop.  
 obliqua, *Rafin. Med. Fl.* ii. 128 = V. Labrusca?  
 oblonga, *Benth. Fl. Austral.* i. 447.—Austral.  
 obovata, *Baker, in Mart. Fl. Bras.* xiv. II. 207, in obs.—Guatemala.  
 obovata, *M. Laws. in Hook. f. Fl. Brit. Ind.* i. 658.—Reg. Himal.  
 obovata, *Rafin. Med. Fl.* ii. 135 = V. Labrusca.  
 obtecta, *Wall. Cat.* n. 6026.—Reg. Himal.; Burma; China.  
 obtusata, *Welw. ex Baker, in Oliver, Fl. Trop. Afr.* i. 414.—Afr. trop.  
 obtusifolia, *Buch.-Ham. ex Wall. Cat.* sub n. 6004 = tomentosa.  
 occidentalis, *Bartram, ex Le Conte, in Rep. Commiss. Patents (Agric.)*, 1857 (1858) 229 = V. Labrusca.  
 ochracea, *Teijsm. & Binn. Cat. Hort. Bog.* 388.—Ins. Celebes.  
 odoratissima, *Doan, Cat. Hort. Cantab. ed. IX.* 71 = riparia.  
 opaca, *F. Muell. ex Benth. Fl. Austral.* i. 450.—Austral.  
 oppositifolia, *Buch.-Ham. ex Steud. Nom. ed. II. ii.* 778 = tomentosa.  
 orientalis, *Boiss. Fl. Orient.* i. 956 = arborea.  
 orientalis, [*Roxas Clem. in*] *Herrera, Agric.* (1818) i. 327.—Hispan. (cult.).  
 oxydonta, *Baker, in Journ. Bot.* xx. (1882) 50.—Madag.  
 oxyphylla, *A. Rich. Tent. Fl. Abyss.* i. 114.—Abyss.  
 oxyphylla, *Wall. Cat.* n. 6035 = bracteolata.  
 Pagnuccii, *Romanet, in Congr. Géog. Toul.* (1884); *et in Journ. Vigne Amér.* (1885) 283, nomen.—China.  
 pallida, *Wight & Arn. Prod.* 125.—As. et Afr. trop.  
 palmata, *Baker, in Mart. Fl. Bras.* xiv. II. 216.—Bras.  
 palmata, *Le Conte, in Proc. Acad. Sc. Philad.* 1852-53 (1854) 274 = V. Labrusca.  
 palmata, *Vahl, Symb. Bot.* iii. 42 = aestivalis.  
 palmatifida, *Baker, in Oliver, Fl. Trop. Afr.* i. 397.—Afr. trop.  
 paniculata, *Balf. f. in Proc. Roy. Soc. Edinb.* xi. (1882) 507.—Ins. Socotra.  
 paniculata, *Heyne, ex Wall. Cat.* n. 6022 = japonica, repanda.  
 pannosa, *Baker, in Mart. Fl. Bras.* xiv. II. 206.—Bras.  
 pannosa, *Baker, in Oliver, Fl. Trop. Afr.* i. 402.—Afr. trop.  
 papillata, *Hance, in Journ. Bot.* xvi. (1878) 226.—China.  
 papuana, *Miq. Ann. Mus. Bot. Lugd. Bat.* i. 74.—N. Guin.  
 Parkeri, *Baker, in Mart. Fl. Bras.* xiv. II. 209.—Guian.

## VITIS:—

- parviflora*, Baker, in Oliver, Fl. Trop. Afr. i. 392, sphalm. = seq.  
*parvifolia*, Roxb. Hort. Beng. 18; Fl. Ind. i. 662 = flexuosa.  
*patens*, Colmeiro, Enum. Pl. Hisp.-Lusit. i. 545, sphalm. = seq.  
*patiens*, [Roxas Clem. in] Herrera, Agric. (1818) i. 327 = orientalis.  
*paucidentata*, Baker, in Oliver, Fl. Trop. Afr. i. 410. —Afr. trop.  
*pedata*, Vahl, ex Wall. Cat. n. 6027. —As. trop.  
*pedicellata*, M. Laws. in Hook. f. Fl. Brit. Ind. i. 650. —Reg. Himal.  
*peduncularis*, Wall. Cat. n. 6024. —Malaya.  
*peltata*, Rafin. Med. Fl. ii. 133 = rotundifolia, riparia?  
*pendula*, Welw. ex Baker, in Oliver, Fl. Trop. Afr. i. 407. —Afr. trop.  
*penninervis*, F. Muell. Fragm. vi. 177. —Austral.  
*pentagona*, Buch.-Ham. ex Wall. Cat. n. 5994 F = lanata.  
*pentagona*, Voigt, Hort. Suburb. Calc. 28. —Burma.  
*pentaphylla*, Guill. & Perr. Fl. Seneg. Tent. i. 135 = multistriata.  
*pentaphylla*, Miq. Ann. Mus. Bot. Lugd. Bat. i. 91 = serjanaefolia.  
*pentaphylla*, Thunb. Fl. Jap. 105. —Japon.  
*pergamacea*, Miq. Ann. Mus. Bot. Lugd. Bat. i. 73. —Ins. Celebes.  
*persica*, Boiss. Fl. Orient. i. 955. —Persia; Afghan.  
*Piasezkii*, Maxim. in Bull. Acad. Pétersb. xxvii. (1881) 461. —China.  
*pinnata*, Vahl, Symb. Bot. iii. 43. —Hab.?  
*pisicarpa*, Miq. Ann. Mus. Bot. Lugd. Bat. i. 79. —N. Guin.  
*planicaulis*, Hook. f. Bot. Mag. t. 5685. —Reg. Himal.  
*platanifolia*, Baker, in Oliver, Fl. Trop. Afr. i. 398. —Afr. trop.  
*Pohlili*, Baker, in Mart. Fl. Bras. xiv. II. 205. —Bras.  
*Poiretiana*, Rafin. Med. Fl. ii. 134 = rotundifolia, riparia?  
*polita*, Miq. Ann. Mus. Bot. Lugd. Bat. i. 95 = Pterisanthes polita.  
*polydactyla*, Miq. l. c. 80. —Sumatra.  
*polystachya*, Wall. Cat. n. 6028, partim. —Burma; Malaya.  
*polystachya*, Wall. l. c., partim, et n. 9031 = nitida.  
*polythysa*, Miq. Ann. Mus. Bot. Lugd. Bat. i. 89. —Sumatra.  
*populifolia*, Lindh. ex A. Gray, in Bost. Journ. Nat. Hist. vi. (1850) 165 = rupestris.  
*populifolia*, Rafin. Med. Fl. ii. 131 = riparia.  
*populnea*, Miq. Ann. Mus. Bot. Lugd. Bat. i. 83. —Afr. trop.  
*producta*, Baker, in Oliver, Fl. Trop. Afr. i. 389. —Afr. trop.  
*prolifera*, Rafin. Med. Fl. ii. 134 = V. Labrusca.  
*pruriens*, Welw. ex Baker, in Oliver, Fl. Trop. Afr. i. 408. —Afr. trop.  
*psoralifolia*, F. Muell. Fragm. ii. 75 = trifolia.  
*pterisantha*, Miq. Ann. Mus. Bot. Lugd. Bat. i. 94 = Pterisanthes cissoides.  
*pterophora*, Baker, in Mart. Fl. Bras. xiv. II. 213. —Bras.  
*pubescens*, Miq. Ann. Mus. Bot. Lugd. Bat. i. 90. —Mexic.  
*pubiflora*, Miq. l. c. 74. —Sumatra.  
*pulcherrima*, Eichl. in Mart. Fl. Bras. xiv. II. 217. —Bras.  
*pullaria*, Le Conte, in Proc. Acad. Sc. Philad. 1852-53 (1854), 273. —Am. bor.  
*punctata*, Rafin. Med. Fl. ii. 140 (Quid?). —Hab.?  
*Purani*, Buch.-Ham. ex D. Don, Prod. Fl. Nep. 188 = flexuosa.  
*quadrangularis*, Wall. Cat. n. 5992. —As. et Afr. trop.  
*quadricornuta*, Miq. Ann. Mus. Bot. Lugd. Bat. i. 85. —Java.  
*quinquefolia*, Lam. Illustr. ii. 135 = hederacea.  
*quinquefolia*, Noronha, in Verh. Batav. Gen. v. (1790) ed. I. Art. iv. 28 = japonica.  
*racemifera*, Jack, in Malay. Misc. ii. (1822) n. VII. 94. —Sumatra.  
*radiata*, Zipp. ex Span. in Linnaea, xv. (1841) 184, nomen = adnata.  
*Raffesia*, Miq. Ann. Mus. Bot. Lugd. Bat. i. 76. —Sumatra.  
*repanda*, Wight & Arn. Prod. 125. —Ind. or.  
*repens*, Wall. Cat. n. 5999 B = adnata.  
*repens*, Wight & Arn. Prod. 125. —Ind. or.; Austral.

VOL. II.

## VITIS:—

- reticulata*, M. Laws. in Hook. f. Fl. Brit. Ind. i. 655. —Zeylan.  
*Rheedei*, Wight & Arn. Prod. 127. —Ind. or.  
*rhombifolia*, Baker, in Mart. Fl. Bras. xiv. II. 207. —Am. trop.  
*riparia*, A. Gray, in Mem. Am. Acad. N. S. iv. (1849) 30 = arizonica.  
*riparia*, Michx. Fl. Bor. Am. ii. 231. —Am. bor.  
*riparia*, Wall. Cat. n. 6038 = repanda.  
*Romaneti*, Romanet, in Compt. Rend. Par. (1881) 1096. —China.  
*rosea*, Royle, Illustr. Bot. Himal. 149 = repanda.  
*rostrata*, Miq. Ann. Mus. Bot. Lugd. Bat. i. 85. —Borneo.  
*rotundifolia*, Michx. Fl. Bor. Am. ii. 231. —Am. bor.; Mexic.  
*Roxburghii*, Wight & Arn. Prod. 127. —Ind. or.  
*Royleana*, Hort. ex C. Koch, Dendrol. i. 556 = capreolata.  
*rubifolia*, Wall. in Roxb. Fl. Ind. ed. Carey, ii. 480. —Reg. Himal.  
*rubiginosa*, Welw. ex Baker, in Oliver, Fl. Trop. Afr. i. 394. —Afr. trop.  
*rubra*, Desf. Tabl. ed. I. 140 = riparia.  
*rufa*, Rafin. Med. Fl. ii. 140 = V. Labrusca?  
*rufescens*, Miq. Ann. Mus. Bot. Lugd. Bat. i. 83. —Afr. trop.  
*rufula*, Miq. l. c. 94. —Sumatra.  
*rugosa*, Hook. f. & Thoms. ex M. Laws. in Hook. f. Fl. Brit. Ind. i. 650 = nervosa.  
*rugosa*, Rafin. Med. Fl. ii. 127 = V. Labrusca.  
*rugosa*, Wall. in Roxb. Fl. Ind. ed. Carey, ii. 480 = lanata, indica.  
*rumicisperma*, M. Laws. in Hook. f. Fl. Brit. Ind. i. 661. —Reg. Himal.  
*rupestris*, Scheele, in Linnaea, xxi. (1848) 591. —Texas.  
*saccharina*, Rafin. Med. Fl. ii. 140 = vinifera?  
*sagittifolia*, M. Laws. in Hook. f. Fl. Brit. Ind. i. 645 = hastata.  
*salmonea*, Baker, in Oliver, Fl. Trop. Afr. i. 394. —Afr. trop.  
*salutaris*, Baker, in Mart. Fl. Bras. xiv. II. 211. —Am. trop.  
*saponaria*, Seem. in Bonplandia, ix. (1861) 254. —Austral.; Ins. Pacif.  
*sarcocephala*, Schweinf. ex Oliver, in Hook. Ic. Pl. t. 1253. —Afr. trop.  
*saxatilis*, Rafin. Med. Fl. ii. 124 = aestivalis.  
*scabra*, Baker, in Mart. Fl. Bras. xiv. II. 202. —Bras.  
*scabricaulis*, Baker, l. c. 213. —Bras.  
*scabriuscula*, Wall. ex Steud. Nom. ed. II. ii. 778 (Quid?). —Ind. or.  
*Schimperiana*, Hochst. ex A. Rich. Tent. Fl. Abyss. i. 112. —Abyss.  
*Selloana*, Baker, in Mart. Fl. Bras. xiv. II. 204. —Bras.  
*semicordata*, Wall. in Roxb. Fl. Ind. ed. Carey, ii. 481 = himalayana.  
*semiglaba*, Sond. in Linnaea, xxiii. (1850) 24. —Afr. austr.  
*serjanaefolia*, Maxim. in Bull. Acad. Pétersb. xix. (1874) 159. —Japon.  
*serotina*, Rafin. Med. Fl. ii. 126 = aestivalis?  
*serpens*, Baker, in Oliver, Fl. Trop. Afr. i. 412. —Afr. trop.  
*serratifolia*, Wight & Arn. Prod. 128 = lanceolaria.  
*serrulata*, Wall. Cat. n. 6034 = capreolata.  
*sessilifolia*, Baker, in Mart. Fl. Bras. xiv. II. 205. —Bras.  
*setosa*, Wall. Cat. n. 6009. —Ind. or.  
*sicyoides*, Miq. Ann. Mus. Bot. Lugd. Bat. i. 83. —Am. trop.  
*Sieboldii*, Hort. ex C. Koch, Dendrol. i. 549 = V. Labrusca.  
*sikkimensis*, M. Laws. in Hook. f. Fl. Brit. Ind. i. 650. —Reg. Himal.  
*silvestris*, Roth, Enum. Pl. Phan. Germ. i. 746 = vinifera.  
*Simsiana*, Baker, in Mart. Fl. Bras. xiv. II. 214. —Bras.  
*sinica*, Miq. in Journ. Bot. Néerl. i. (1861) 125 = heterophylla.  
*sinuata*, G. Don, Gen. Syst. i. 711 = aestivalis.  
*sinuosa*, Bosc, ex [Roxas Clem. in] Herrera, Agric. (1818) i. 326 = vinifera?

## VITIS:—

- Smithiana*, Baker, in Oliver, Fl. Trop. Afr. i. 390. —Afr. trop.  
*spectabilis*, Kurz, in Journ. Bot. xii. (1874) 196. —Reg. Himal.  
*spinosa*, Baker, in Mart. Fl. Bras. xiv. II. 204. —Bras.  
*stenoloba*, Welw. ex Baker, in Oliver, Fl. Trop. Afr. i. 408. —Afr. trop.  
*stercoracea*, Noronha, in Verh. Batav. Gen. v. (1790) ed. I. Art. iv. 28 = indica.  
*sterculifolia*, F. Muell. ex Benth. Fl. Austral. i. 450. —Austral.  
*stipulacea*, Baker, in Oliver, Fl. Trop. Afr. i. 408. —Afr. trop.  
*striata*, Miq. Ann. Mus. Bot. Lugd. Bat. i. 79. —Chili.  
*subaphylla*, Balf. f. in Proc. Roy. Soc. Edinb. xi. (1882) 506. —Ins. Socotra.  
*subciliata*, Baker, in Oliver, Fl. Trop. Afr. i. 409. —Afr. trop.  
*suberecta*, Baker, in Mart. Fl. Bras. xiv. II. 206. —Bras.  
*suberosa*, Welw. ex Baker, in Oliver, Fl. Trop. Afr. i. 392. —Afr. trop.  
*subrhomboidea*, Baker, in Mart. Fl. Bras. xiv. II. 208. —Bras.  
*succinea*, Rafin. Med. Fl. ii. 140 = vinifera?  
*succisa*, Hance, ex Walp. Ann. ii. 231 = flexuosa.  
*sulcata*, M. Laws. in Hook. f. Fl. Brit. Ind. i. 661. —Ind. or.  
*sulcicaulis*, Baker, in Mart. Fl. Bras. xiv. II. 208. —Bras.  
*sylvestris*, Bartram, ex Le Conte, in Rep. Commiss. Patents (Agric.), 1857 (1858), 229 = V. Labrusca.  
*sylvestris*, Blume, Bijdr. 194 = flexuosa.  
*sylvestris*, C. C. Gmel. Fl. Bad. i. 543 = vinifera.  
*taurina*, Walt. Fl. Carol. 242 = V. Labrusca.  
*tenuicaulis*, Baker, in Oliver, Fl. Trop. Afr. i. 404. —Afr. trop.  
*tenuifolia*, Le Conte, in Proc. Acad. Sc. Philad. 1852-53 (1854) 271 = V. Labrusca.  
*tenuifolia*, Wight & Arn. Prod. 129 = japonica.  
*ternata*, Baker, in Mart. Fl. Bras. xiv. II. 216. —Bras.  
*ternata*, Roth, ex Roem. & Schult. Syst. v. 319 = tomentosa.  
*tetragnya*, Miq. Ann. Mus. Bot. Lugd. Bat. i. 78. —Ins. Celebes.  
*Teysmanni*, Miq. l. c. 82. —Java.  
*Thomsoni*, M. Laws. in Hook. f. Fl. Brit. Ind. i. 657. —Reg. Himal.  
*Thonningii*, Baker, in Oliver, Fl. Trop. Afr. i. 407. —Afr. trop.  
*Thunbergii*, Regel, Gartenfl. (1864) 34. t. 424 = vinifera.  
*Thunbergii*, Sieb. & Zucc. in Abh. Akad. Muench. iv. II. (1843) 198 = V. Labrusca.  
*thyrsiflora*, Miq. Ann. Mus. Bot. Lugd. Bat. i. 88. —Sumatra.  
*tiliacea*, Hemsl. Biol. Centr. Am. Bot. i. 204. —Mexic.  
*tiliaefolia*, Humb. & Bonpl. ex Roem. & Schult. Syst. v. 320 = caribaea.  
*tomentosa*, Heyne, ex Roth, Nov. Pl. Sp. 157. —Ind. or.  
*trichophora*, Wall. Cat. n. 6039 = Gynostemma pedatum.  
*tricuspidata*, Lynch, in Journ. Linn. Soc. xvi. (1879) 308 = inconstans.  
*tricuspis*, Baker, in Mart. Fl. Bras. xiv. II. 209. —Bras.  
*trifida*, Roth, Nov. Pl. Sp. 157 = tomentosa.  
*trifolia*, Linn. Sp. Pl. 203. —As. et Austral. trop.  
*trifoliata*, Baker, in Mart. Fl. Bras. xiv. II. 212. —Am. trop.  
*trifoliata*, Thunb. Fl. Javan. 11 (Quid?). —Java.  
*triloba*, Roth, Nov. Pl. Sp. 157 = tomentosa.  
*triphylla*, Noronha, in Verh. Batav. Gen. v. (1790) ed. I. Art. iv. 28 = Vitex trifolia.  
*trternata*, Baker, in Journ. Linn. Soc. xx. (1883) 123. —Madag.  
*truncata*, Blume, Bijdr. 195 = flexuosa.  
*truncata*, Wall. Cat. n. 6032 = tenuifolia.  
*tuberculata*, M. Laws. in Hook. f. Fl. Brit. Ind. i. 656. —Burma; Java.  
*tuberculata*, Wall. Cat. n. 6014 = rumicisperma.  
*tuberosa*, Hemsl. Biol. Centr. Am. Bot. i. 204. —Mexic.  
*turbinata*, Rafin. Med. Fl. ii. 140 = vinifera?  
*Tweedieana*, Baker, in Mart. Fl. Bras. xiv. II. 214. —Reg. Argent.

7 Q

**VITIS:—**

- ulmifolia, *Baker, in Mart. Fl. Bras.* xiv. II. 213.—Peruv.  
 ursina, *Rafin. Med. Fl.* ii. 124 = aestivalis.  
 uvifera, *Baker, in Oliver, Fl. Trop. Afr.* i. 391.—Afr. trop.  
 Veitchii, *Lynch, in Journ. Linn. Soc.* xvii. (1879) 308 = inconstans.  
 verrucaria, *Noronha, in Verh. Batav. Gen. v.* (1790) ed. I. Art. iv. 28 = nodosa.  
 verrucosa, *Rafin. Med. Fl.* ii. 133 = rotundifolia.  
 Vicaryana, *Kurz, in Journ. As. Soc. Beng.* xlv. (1875) II. 204.—Reg. Himal.  
 vinifera, *Linn. Sp. Pl.* 202.—Oriens.; Ind. bor. occ.  
 vinifera, *Marsh. Arbust. Am.* 166 = aestivalis.  
 virginiana, *Hort. ex Poir. Encyc.* viii. 608 = riparia.  
 virginiana, *Poir. l. c.* 808 = aestivalis.  
 vitensis, *Seem. Mission Viti, 434; Fl. Vit.* 44.—Ins. Fiji.  
 Vogelii, *Baker, in Oliver, Fl. Trop. Afr.* i. 409.—Afr. trop.  
 vulpina, *Bartram, ex Le Conte, in Rep. Commiss. Patents (Agric.).* 1857 (1858) 229 = V. Labrusca.  
 vulpina, *Jacq. Hort. Schoenb.* iv. 13. t. 425 = aestivalis.  
 vulpina, *Linn. Sp. Pl.* 203 = riparia, rotundifolia.  
 vulpina, *Muhl. Cat.* 26 = cordifolia.  
 Wallichii, *DC. Prod.* i. 634 = flexuosa.  
 Wallichii, *Kurz, in Journ. As. Soc. Beng.* xli. (1872) II. 302 = pallida.  
 Warmingii, *Baker, in Mart. Fl. Bras.* xiv. II. 201.—Bras.  
 Welwitschii, *Baker, in Oliver, Fl. Trop. Afr.* i. 363.—Afr. trop.  
 Wightiana, *Wall. Cat. n.* 6003 = repanda.  
 zeylanica, *Russ. ex Wall. Cat. sub n.* 5993 D = latifolia.

VITIS-IDAEA, *Tourn. ex Moench, Meth.* 47 (1794) = *Vaccinium*, *Linn. (Vaccin.)*.  
 alba, *Moench, l. c.* = *Lonicera ciliata*.  
 Kablikiana, *Opiz, Seznam*, 104 = *Vacc. intermedium*.  
 Myrtillus, *Moench, Meth.* 47 = *Vacc. Myrtillus*.  
 punctata, *Moench, l. c.* = *Vacc. Vitis-Idaea*.  
 punctifolia, *S. F. Gray, Nat. Arr. Brit. Pl.* ii. 406 = *Vacc. Vitis-Idaea*.

VITMANIA, *Turra, ex Cav. Ic.* iii. 53, in obs. (1794) = *Oxybaphus*, *Vahl (Nyctag.)*.  
 viscosa, *Turra, ex Steud. Nom. ed. I.* 140, in syn.; 889 = *O. viscosus*.

VITMANNIA, *Vahl, Symb. Bot.* iii. 51. t. 60 (1794) = *Samadera*, *Gaertn. (Simarub.)*.  
 elliptica, *Vahl, l. c.* = *S. indica*.  
 lucida, *Steud. Nom. ed. II.* ii. 779 = *S. lucida*.  
 polyandra, *Steud. l. c.* = *Brownlowia lanceolata*.

VITMANNIA, *Wight & Arn. Prod.* 166 (1834) = *Noltea*, *Reichb. (Simarub.)*.  
 africana, *Wight & Arn. l. c.* = *N. africana*.

VITTADENIA, *Steud. Nom. ed. II.* ii. 779 (1841), sphalm. = seq.

VITTADINIA, *A. Rich. Ess. Fl. Nouv.-Zél.* 250 (1832). *COMPOSITAE*, *Benth. & Hook. f.* ii. 281.  
 EURYBIOPSIS, *DC. Prod.* v. 260 (1836).  
 MICROGYNE, *Less. Syn. Comp.* 190 (1832).  
 arenaria, *A. Gray, in Proc. Am. Acad.* v. (1861) 120.—Ins. Sandvic.  
 australis, *A. Rich. Ess. Fl. Nouv.-Zél.* 251.—Austral.; N. Zél.  
 brachycomoides, *F. Muell. Fragm.* v. 86.—Austral.  
 Chamissonis, *A. Gray, in Proc. Am. Acad.* v. (1861) 119.—Ins. Sandvic.  
 consanguinea, *A. Gray, l. c.* 120.—Ins. Sandvic.  
 conyzoides, *A. Gray, l. c.* 120.—Ins. Sandvic.  
 cuneata, *DC. Prod.* v. 281 = australis.  
 dentata, *DC. l. c.* = australis?  
 hispidula, *F. Muell. ex A. Gray, in Proc. Am. Acad.* v. (1861) 118 = scabra.  
 humilis, *A. Gray, l. c.*—Ins. Sandvic.  
 lobata, *Hort. ex Vilm. Fl. Pl. Terre, ed. I.* 959 = australis?  
 macrorrhiza, *A. Gray, in Proc. Am. Acad.* v. (1861) 118.—Austral.  
 multifida, *Griseb. in Goett. Abh.* xix. (1874) 171.—Reg. Argent.  
 Remyi, *A. Gray, in Proc. Am. Acad.* v. (1861) 119.—Ins. Sandvic.

**VITTADINIA:—**

- scabra, *DC. Prod.* v. 281.—Austral.  
 scabra, *Hook. f. Fl. Tasman.* i. 181 = australis.  
 spatulata, *F. Muell. ex Sond. in Linnaea*, xxv. (1852) 457.—Austral.  
 tenerrima, *A. Gray, in Proc. Am. Acad.* v. (1861) 119.—Ins. Sandvic.  
 trifurcata, *Griseb. in Goett. Abh.* xxiv. (1879) 178.—Reg. Argent.  
 triloba, *DC. Prod.* v. 281 = australis.

VITMANNIA, *Turra, ex Endl. Gen.* 311 (1837) = *Oxybaphus*, *Vahl (Nyctag.)*.

VIVIANIA, *Cav. in Anal. Cienc. Nat.* vii. (1804) 211. t. 49. *GERANIACEAE*, *Benth. & Hook. f.* i. 275.  
 CAESAREA, *Cambess. in Mém. Mus. Par.* xviii. (1829) 373. t. 18.  
 CISSAROBRYON, *Kunze, ex Poepp. Fragm. Syn. Pl.* Chile, 29 (1833).  
 LINOSTIGMA, *Klotzsch, in Linnaea*, x. (1836) 438.  
 MACRAEA, *Lindl. in Brand. Journ.* xxv. (1828) 104.  
 XEROPETALON, *Hook. Bot. Misc.* i. (1830) 174.  
 aristulatum, *Phil. in Anal. Univ. Chil.* (1872) 687.—Chili.  
 australis, *Phil. l. c.* 683.—Chili.  
 brevipedunculata, *Phil. in Linnaea*, xxxiii. (1864–65) 33.—Chili.  
 calycina, *Griseb. in Goett. Abh.* xix. 104 = *Wendtia calycina*.  
 crenata, *G. Don, ex Hook. Bot. Misc.* iii. (1833) 149.—Chili.  
 grandiflora, *G. Don, ex W. Baxt. in Loud. Hort. Brit. Suppl.* iii. 657, sphalm. = seq.  
 grandifolia, *Hook. & Arn. Bot. Misc.* iii. (1833) 149.—Chili.  
 marifolia, *Cav. in Anal. Cienc. Nat.* vii. (1804) 212.—Chili.  
 ovata, *Phil. in Linnaea*, xxviii. (1856) 677.—Chili.  
 parviflora, *G. Don, ex W. Baxt. in Loud. Hort. Brit. Suppl.* iii. 657, sphalm. = seq.  
 parvifolia, *Klotzsch, in Linnaea*, x. (1836) 435.—Chili.  
 petiolata, *Hook. & Arn. in Hook. Bot. Misc.* iii. (1833) 149.—Chili.  
 rosea, *Klotzsch, in Linnaea*, x. (1836) 435 = marifolia.  
 spinescens, *Presl, Symb. Bot.* ii. 7.—Chili.  
 tenuicaulis, *Barn. in C. Gay, Fl. Chil.* i. 402. t. 12.—Chili.

VIVIANIA, *Colla, in Mém. Soc. Linn. Par.* iv. (1826) 25 = *Billiottia*, *DC. (Rubiace.)*.  
 psychotrioides, *Colla, l. c.* = *B. psychotrioides*.

VIVIANIA, *Rafin. Specch.* i. 117 (1814); ex *DC. Prod.* iv. 458 = *Guettarda*, *Linn. (Rubiace.)*.  
 domingensis, *Rafin. l. c.* = *G. coriacea*?

VIVIANIA, *Willd. ex Less. in Linnaea*, iv. (1829) 318; *DC. Prod.* v. 95 (1836) = *Liabum*, *Adans. (Compos.)*.  
 bicolor, *Willd. ex Less. l. c.* = *L. melastomoides*.

VLAMINGIA, *De Vriese, in Lehm. Pl. Preiss.* i. 398 (1845) = *Ionidium*, *Vent. (Violar.)*.  
 australasica, *De Vriese, l. c.* 399 = *I. calycinum*.

VLECKIA, *Rafin. in Med. Repos. N. York*, v. (1808) 352 = *Lophanthus*, *Benth. (Labiata.)*.  
 anisata, *Rafin. Fl. Tellur.* iii. 89 = *L. anisatus*.  
 bracteata, *Rafin. New Fl. Am.* iv. 94 = *L. anisatus*?  
 chinensis, *Rafin. Fl. Tellur.* iii. 89.—*L. chinensis*.  
 multiflora, *Rafin. l. c.* = *Nepeta lavandulacea*?  
 nepetoides, *Rafin. in Med. Repos. N. York*, v. (1808) 352 = *L. nepetoides*.  
 scrophularifolia, *Rafin. Fl. Tellur.* iii. 89 = *L. scrophulariaefolius*.  
 urticaefolia, *Rafin. l. c.* = *L. urticifolius*.

VOACANGA, *Thou. Gen. Nov. Madag.* 10 (1806).  
 APOCYNACEAE, [*Benth. & Hook. f.* ii. 707].  
 ANNULARIA, *Hochst. in Flora*, xxiv. (1841) 670.  
 CYCLOSTIGMA, *Hochst. ex Endl. Gen. Suppl.* ii. 56 (1842); et in *Flora*, xxvii. (1844) 828.  
 DICRUS, *Reinw. in Blume, Cat. Hort. Buitenz.* 47 (1823).  
 ORCHIPEDA, *Blume, Bijdr.* 1026 (1826).  
 PIPTOLAENA, *Harv. in Hook. Lond. Journ. Bot.* i. 25 (1842).  
 POOTIA, *Miq. in Versl. en Med. Kon. Akad. Wetensch.* vi. (1857) 192; *Fl. Ind. Bat.* ii. 417 ('1856').

**VOACANGA:—**

- Cumingiana, *Rolfe, in Journ. Linn. Soc.* xxi. (1884) 313.—Ins. Philipp.  
 Dregei, *E. Mey. Comm. Pl. Afr. Austr.* 189.—Afr. austr.  
 foetida, *Rolfe, in Journ. Bot.* xxi. (1883) 202.—Java.  
 grandifolia, *Rolfe, l. c.*—Java.  
 Thouarsii, *Roem. & Schult. Syst.* iv. 439.—Madag.

VOANDZEIA, *Thou. Gen. Nov. Madag.* 23 (1806).  
 LEGUMINOSAE, *Benth. & Hook. f.* i. 539.  
 CRYPTOLOBUS, *Spreng. Syst.* iii. 152 (1826).  
 GEOLOBUS, *Rafin. New Fl. Am.* i. 81 (1836).  
 subterranea, *Thou. Gen. Nov. Madag.* 23.—Afr. trop. et austr.

VOCHISIA, *Juss. Gen.* 424 (1789). *VOCHYSIACEAE*, *Benth. & Hook. f.* i. 976.  
 CUCULLARIA, *Schreb. Gen.* 6 (1789).  
 SALMONIA, *Scop. Introd.* 209 (1777).  
 STRUKERIA, *Vell. Fl. Flum.* i. t. 20 (1827).  
 VOCHY, *Aubl. Pl. Gui.* i. 18 (1775), nomen prius.  
 VOCHYA, *Vell. ex Vand. Fl. Lusit.* i. t. 1. f. 1 (1788); et in *Roem. Script.* 69. t. 6 (1796).  
 VOCHYSIA, *Poir. Encyc.* viii. 681 (1808).  
 acuminata, *Bong. in Mém. Acad. Pétersb. Sér. VI. Sc. Nat.* iii. II. (1839) 5 (sp. dub.).—Am. trop.  
 alpestris, *Mart. Nov. Gen. et Sp.* i. 145. t. 87.—Bras.  
 arcuata, *Garcke, in Linnaea*, xxii. (1849) 58.—Guian.  
 bifalcata, *Warm. in Mart. Fl. Bras.* xiii. II. 84.—Bras.  
 calophylla, *Spruce, ex Warm. l. c.* 98.—Bras.  
 cayennensis, *Warm. l. c.* 80.—Guian.  
 cinnamomea, *Pohl, Pl. Bras. Ic.* ii. 29.—Bras.  
 citrifolia, *Poir. Encyc. Suppl.* v. 491.—Bras.  
 costata, *Warm. in Mart. Fl. Bras.* xiii. II. 100.—Guian.  
 crassifolia, *Warm. l. c.* 77.—Guian.  
 cuiabensis, *Liais, Brésil*, 601.—Bras.  
 cuneata, *Pohl, Pl. Bras. Ic.* ii. 26 = *thyrsoides*.  
 curvata, *Klotzsch, in Schomb. Faun. Fl. Brit. Gui.* 1099, nomen (Quid?).—Guian.  
 dasyantha, *Warm. in Mart. Fl. Bras.* xiii. II. 95.—Bras.  
 densiflora, *Spruce, ex Warm. l. c.* 101.—Bras.  
 discolor, *Warm. l. c.* 81.—Bras.  
 divergens, *Pohl, Pl. Bras. Ic.* ii. 19.—Bras.  
 elliptica, *Mart. Nov. Gen. et Sp.* i. 141. t. 84.—Bras.  
 elongata, *Pohl, Pl. Bras. Ic.* ii. 25.—Bras.  
 emarginata, *Vahl, ex Poir. Encyc.* viii. 682.—Bras.  
 excelsa, *A. Dietr. Sp. Pl.* i. 103 = *guianensis*.  
 fastigiata, *Warm. in Mart. Fl. Bras.* xiii. II. 91.—Bras.  
 ferruginea, *Mart. Nov. Gen. et Sp.* i. 151. t. 92.—Bras.  
 ferruginea, *Pohl, Pl. Bras. Ic.* ii. 31 = *pyramidalis*.  
 floribunda, *Mart. Nov. Gen. et Sp.* i. 149. t. 91.—Bras.  
 Fontanesii, *Zucc. ex Warm. in Mart. Fl. Bras.* xiii. II. 104 = *emarginata*.  
 Gardneri, *Warm. l. c.* 70.—Bras.  
 glaberrima, *Warm. l. c.* 78.—Guian.  
 glabrescens, *Klotzsch, in Schomb. Faun. Fl. Brit. Gui.* 1099, nomen (Quid?).—Guian.  
 Glazioviana, *Warm. in Mart. Fl. Bras.* xiii. II. 86.—Bras.  
 grandis, *Mart. Nov. Gen. et Sp.* i. 146. t. 88.—Bras.  
 guianensis, *Aubl. Pl. Gui.* i. 18. t. 6 (*Vochy guianensis*).—Guian.  
 gummifera, *Mart. ex Warm. in Mart. Fl. Bras.* xiii. II. 82.—Bras.  
 Haenkeana, *Mart. Nov. Gen. et Sp.* i. 147. t. 89.—Am. trop.  
 herbacea, *Pohl, Pl. Bras. Ic.* ii. 27.—Bras.  
 laurifolia, *Warm. in Mart. Fl. Bras.* xiii. II. 96.—Bras.  
 lucida, *Presl, Rel. Haenk.* ii. 12.—Am. trop.  
 magnifica, *Warm. in Mart. Fl. Bras.* xiii. II. 85.—Bras.  
 maliformis, *Klotzsch, ex Warm. l. c.* 24 = *Callisthene fasciculata*.  
 micrantha, *Pohl, Pl. Bras. Ic.* ii. 20.—Bras.  
 oblongifolia, *Warm. in Mart. Fl. Bras.* xiii. II. 84.—Bras.  
 obscura, *Warm. l. c.* 73.—Bras.

**VOCHISIA** :—

- opaca*, Pohl, ex Warm. in Mart. Fl. Bras. xiii. II. 91, in obs. = *tucanorum*.  
*oppugnata*, Warm. l. c. 87.—Bras.  
*parviflora*, Spruce, ex Warm. l. c. 75.—Bras.  
*petraea*, Warm. l. c. 63.—Bras.  
*pruinosa*, Pohl, Pl. Bras. Ic. ii. 22.—Bras.  
*pumila*, Pohl, l. c. 21.—Bras.  
*punctata*, Spruce, ex Warm. in Mart. Fl. Bras. xiii. II. 102.—Bras.  
*pygmaea*, Bong. in Mém. Acad. Pétersb. Sér. VI. Sc. Nat. iii. II. (1839) 7. t. 4.—Am. trop.  
*pyramidalis*, Mart. Nov. Gen. et Sp. i. 148. t. 90.—Bras.  
*quadrangulata*, Warm. in Kjoeb. Vidensk. Meddel. (1867) 39; et in Mart. Fl. Bras. xiii. II. 97.—Bras.  
*racemosa*, Poir. Encyc. viii. 682.—Guian.  
*rectiflora*, Warm. in Mart. Fl. Bras. xiii. II. 96.—Bras.  
*rotundifolia*, Mart. Nov. Gen. et Sp. i. 140. t. 83.—Bras.  
*rufa*, Mart. l. c. 144. t. 86.—Bras.  
*Schomburgkiana*, Klotzsch, in Schomb. Faun. Fl. Brit. Gui. 1013, nomen (Quid?).—Guian.  
*Schomburgkii*, Warm. in Mart. Fl. Bras. xiii. II. 78.—Guian.  
*Selloi*, Warm. l. c. 86.—Bras.  
*sericea*, Pohl, Pl. Bras. Ic. ii. 28 = *rufa*.  
*sessilifolia*, Warm. in Mart. Fl. Bras. xiii. II. 67.—Bras.  
*speciosa*, Warm. l. c. 79.—Guian.  
*splendens*, Spruce, ex Warm. l. c. 101.—Bras.  
*Sprucei*, Warm. l. c. 99.—Peruv.  
*tetraphylla*, DC. Prod. iii. 27.—Guian.  
*thyrsoides*, Pohl, Pl. Bras. Ic. ii. 24.—Bras.  
*tomentosa*, DC. Prod. iii. 26 = *ferruginea*.  
*tucanorum*, Mart. Nov. Gen. et Sp. i. 142. t. 85.—Bras.  
*venulosa*, Warm. in Mart. Fl. Bras. xiii. II. 74.—Bras.  
*verticillata*, A. Dietr. Syn. Pl. i. 22.—Bras.  
*vismiaefolia*, Spruce, ex Warm. in Mart. Fl. Bras. xiii. II. 99.—Peruv.
- VOCHY, Aubl. Pl. Gui. i. 18 (1775) = *praec*.
- VOCHYA, Vell. ex Vand. Fl. Lusit. 1. t. 1. f. i (1788); et in Roem. Script. 69. t. 6 (1796) = *praec*.
- VOCHYSIA, Poir. Encyc. viii. 681 (1808) = *praec*.
- VOELCKERIA, Klotzsch & Karst. in Endl. Gen. Suppl. iv. 66 (1850) = *Ternstroemia*, Linn.
- VOGELIA, J. F. Gmel. Syst. 107 (1791) = *Burmannia*, Linn.  
*capitata*, J. F. Gmel. l. c. = *B. capitata*.
- VOGELIA**, Lam. Illustr. ii. 147. t. 149 (1792).  
*PLUMBAGINEAE*, Benth. & Hook. f. ii. 628.  
*africana*, Lam. l. c. 149.—Afr. austr.  
*arabica*, Boiss. in DC. Prod. xii. 696 = *indica*.  
*indica*, Gibs. ex Wight, in Calc. Journ. Nat. Hist. vii. (1847) 17; Ic. t. 1075.—Ind. or.; Arab.  
*pendula*, Balf. f. in Proc. Roy. Soc. Edinb. xii. (1884) 76.—Ins. Socotra.  
*perfoliata*, Stocks, ex Wight, in Calc. Journ. Nat. Hist. vii. (1847) 17 = *indica*.
- VOGELIA, Medic. Pflanzeng. 32. t. 1. f. 6 (1792) = *Neslia*, Desv. (Crucif.).  
*paniculata*, Hornem. Hort. Hafn. ii. 594 = *N. paniculata*.  
*sagittata*, Medic. Pflanzeng. 32; Bernh. Syst. Verz. Erf. 190 = *N. paniculata*.
- VOGLERA, Gaertn. Mey. & Scherb. Fl. Wett. ii. 480 (1800) = *Genista*, Linn. (Legumin.).  
*germanica*, Fourr. in Ann. Soc. Linn. Lyon, N. S. xvii. (1869) 195 = *G. germanica*.  
*hispanica*, Fourr. l. c. = *G. hispanica*.  
*spinosa*, Gaertn. Mey. & Scherb. Fl. Wett. ii. 500 = *G. germanica*.
- VOHIRIA, Juss. Gen. 141 (1789) = *Voyria*, Aubl. (Gentian.).

- VOIGTIA, Klotzsch, in Hayne, Arnz. Gew. xiv. adnot. ad t. 15 (1846) = *Bathysa*, Presl (Rubiace.).  
*australis*, Klotzsch, l. c.—Bras.
- VOIGTIA, Roth, in Roem. & Usteri, Mag. iv. St. x. (1790) 17 = *Andryala*, Linn. (Compos.).  
*tomentosa*, Roth, l. c. = *A. Rothia*.
- VOIGTIA, Spreng. Syst. iii. 673 (1826) = *Barnadesia*, Mutis (Compos.).  
*laurifolia*, Spreng. l. c. (= *Fulcaldea laurifolia*).—Peruv.
- VOLKAMERIA, P. Br. Hist. Jamaic. 214. t. 21. f. 1 (1756) = *Clethra*, Gronov. (Ericac.).
- VOLKAMERIA, Linn. Syst. ed. I (1735); Gen. ed. I. 347 (1737) = *Clerodendron*, Linn. (Verben.).  
*Acerbiana*, Vis. Pl. Aegypt. 23. t. 4. f. 1 = *C. Acerbiana*.  
*aculeata*, Linn. Sp. Pl. 637 = *C. aculeatum*.  
*alternifolia*, Burm. f. Fl. Ind. 137 = *C. calamitosum*.  
*angulata*, Lour. Fl. Cochinch. 389 = *C. paniculatum*.  
*angustifolia*, Andr. Bot. Rep. t. 554 = *C. heterophyllum*.  
*angustifolia*, Poir. Encyc. viii. 688 = *C. angustifolium*.  
*Buchanani*, Roxb. Hort. Beng. 46; Fl. Ind. iii. 60 = *C. foetidum*.  
*buxifolia*, Willd. Enum. Hort. Berol. 658 = *C. buxifolium*.  
*capensis*, Burm. f. Fl. Cap. Prod. 17 = *Capparis Volkameriae*.  
*capitata*, Willd. Sp. Pl. iii. 384 = *C. capitatum*?  
*Casopanguii*, Blanco, Fl. Filip. ed. II. 356 = *C. intermedium*.  
*coccinea*, Herb. Amat. ex Schau. in DC. Prod. xi. 669 = *C. squamatum*.  
*Commersonii*, Poir. Encyc. viii. 688 = *C. Commersonii*.  
*cordifolia*, Hochst. in Flora, xxv. (1842) 227, in nota = *C. cordifolium*.  
*dentata*, Roxb. Hort. Beng. 46; Fl. Ind. iii. 61 = *C. squamatum*.  
*diversifolia*, Vahl, Symb. Bot. ii. 75 = *C. paniculatum*.  
*farinosa*, Roxb. Hort. Beng. 46; Fl. Ind. iii. 64 = *C. venosum*.  
*foetida*, Buch.-Ham. ex D. Don, Prod. Fl. Nep. 103 = *C. foetidum*.  
*fragrans*, Vent. Jard. Malm. 70 = *C. fragrans*.  
*grandiflora*, Blanco, Fl. Filip. ed. I. 512 = *C. macrostegium*.  
*herbacea*, Roxb. Hort. Beng. 46 = *C. serratum*.  
*heterophylla*, Poir. Encyc. viii. 687 = *C. heterophyllum*.  
*inermis*, Blanco, Fl. Filip. ed. I. 511 = *C. intermedium*.  
*inermis*, Linn. Sp. Pl. 637 = *C. nereifolium*.  
*inermis*, Reinw. ex Blume, Mus. Bot. Lugd. Bat. i. 239 = *Geniostoma rupestre*.  
*infortunata*, Roxb. Hort. Beng. 46; Fl. Ind. iii. 59 = *C. infortunatum*.  
*japonica*, Thunb. Fl. Jap. 255 = *C. fragrans*.  
*Kaempferi*, Jacq. Ic. Pl. Rar. iii. t. 500 = *C. squamatum*.  
*laurifolia*, Hort. ex Steud. Nom. ed. I. 890 = *C. viscosum*.  
*ligustrina*, Jacq. Coll. Suppl. 118. t. 5. f. 1 = *C. ligustrinum*.  
*Madaeera*, Roxb. Hort. Beng. 46, nomen = *C. Madaeera*.  
*multiflora*, Burm. f. Fl. Ind. 137 = *C. phlomoides*.  
*nereifolia*, Roxb. Hort. Beng. 46; Fl. Ind. iii. 64 = *C. nereifolium*.  
*obovata*, Roxb. ll. ec. [95]; 62 = *C. obovatum*.  
*odorata*, [Buch.-Ham.] Roxb. Hort. Beng. 46 = *Caryopteris Wallichiana*.  
*odoratissima*, Fisch. ex Steud. Nom. ed. I. 890.—Hab.?  
*Petasites*, Lour. Fl. Cochinch. 388.—China.  
*pumila*, Lour. l. c. = *C. pumilum*.  
*scandens*, Linn. f. Suppl. 292.—Zeylan.  
*serrata*, Linn. Mant. i. 90 = *C. serratum*.  
*spinosa*, Juss. in Ann. Mus. Par. fasc. 37. p. 76; ex Pers. Syn. ii. 144.—Peruv.  
*tomentosa*, Vent. Jard. Malm. t. 84 = *C. tomentosum*.  
*urticifolia*, Roxb. Hort. Beng. 46; Fl. Ind. iii. 61 = *C. squamatum*.  
*verticillata*, Ruiz & Pav. ex Walp. Rep. iv. 73.—Peruv.
- VOLKMANNIA, Jacq. Hort. Schoenb. iii. 48. t. 338 (1798) = *Clerodendron*, Linn. (Verben.).  
*japonica*, Jacq. l. c. = *C. fragrans*.

- VOLUTARELLA**, Cass. in Dict. Sc. Nat. xlv. 36 (1826). *COMPOSITAE*, Benth. & Hook. f. ii. 476.  
*AMBERBOA*, Less. Syn. Comp. 8 (1832).  
*AMBERBOI*, Adans. Fam. ii. 117 (1763), nomen prius.  
*CYANASTRUM*, Cass. in Dict. Sc. Nat. xlv. 39 (1826).  
*CYANOPSIS*, Cass. in Bull. Soc. Philom. (1817) 200.  
*LACELLIA*, Viv. Fl. Lib. Spec. 58. t. 22. f. 2 (1824).  
*OLIGOCHAETA*, C. Koch, in Linnaea, xvii. (1843) 42.  
*PARAPHYSIS*, Steud. Nom. ed. II. ii. 267 (1841).  
*PHAENOPAPPUS*, DC. ex Steud. Nom. ed. II. ii. 313 (1841).  
*STEPHANOCHILUS*, Coss. & Dur. ex Benth. & Hook. f. Gen. ii. 477 (1873).  
*VOLUTARIA*, Cass. in Bull. Soc. Philom. (1816) 200.  
*abyssinica*, Vatke, in Oestr. Bot. Zeitschr. xxvii. (1877) 198.—Abyss.  
*bicolor*, Cass. in Dict. Sc. Nat. l. 250.—Afr. bor.  
*crupinoides*, Ball, in Journ. Linn. Soc. xvi. (1878) 525 = *bicolor*.  
*divaricata*, Benth. & Hook. f. Gen. ii. 476.—Ind. or.; Afghan.  
*erucifolia*, Cass. in Dict. Sc. Nat. lviii. 453.—Hab.?  
*leucantha*, Ball, in Journ. Linn. Soc. xvi. (1878) 526.—Marocc.  
*Lippii*, Cass. in Dict. Sc. Nat. xlv. 39.—Am. austr.; Ins. Canar.  
*muricata*, Benth. & Hook. f. Gen. ii. 476; Ball, in Journ. Linn. Soc. xvi. (1878) 526.—Marocc.  
*omphalodes*, Benth. & Hook. f. l. c. 477.—Alger.
- VOLUTARIA, Cass. in Bull. Soc. Philom. (1816) 200 = *Volutarella*, Cass. (1826) (Compos.).  
*Lippii*, Cass. l. c. = *Volutarella Lippii*.
- VOLUTELLA, Forsk. Fl. Aegypt. Arab. 84 (1775) = *Cassytha*, Linn. (Laurin.).  
*aphylla*, Forsk. l. c. = *C. filiformis*.
- VOLVULUS, Medic. in Staatsw. Vorles. Churpf. Phys. Oek. Ges. i. (1791) 202 = *Calystegia*, R. Br. (Convolv.).  
*sepium*, Medic. Phil. Bot. ii. 42 = *C. sepium*.
- VORMIA, Adans. Fam. ii. 284 (1763) = *Selago*, Linn.
- VOSACAN, Adans. Fam. ii. 130 (1763) = *Helianthus*, Linn. (Compos.).
- VOSAKAN, Adans. Fam. ii. 619 (Index) (1763) = *praec*.
- VOSSIA**, Wall. & Griff. in Journ. As. Soc. Beng. v. (1836) 572. t. 23. *GRAMINEAE*, Benth. & Hook. f. iii. 1131.  
*EREMOCHLOA*, Buese, in Miq. Pl. Jungh. 357 (1854).  
*cuspidata*, Griff. Ic. Pl. Asiat. t. 153.—Ind. or.  
*hordeoides*, Munro, in Harv. Gen. S. Afr. Pl. ed. II. 442.—Afr. austr.  
*procera*, Wall. & Griff. in Journ. As. Soc. Beng. v. (1836) 573. t. 23.—Ind. or.; Afr. trop.  
*speciosa*, Benth. in Journ. Linn. Soc. xix. (1881) 70.—Ind. or.
- VOTOMITA**, Aubl. Pl. Gui. i. 90. t. 35 (1775). Genus dubium *RUBIACEARUM*.—Cf. Benth. & Hook. f. ii. 29.  
*GLOSSOCOMA*, Endl. Gen. 799, in syn. (1839).  
*GUILLEMINIA*, Neck. Elem. ii. 132 (1790).  
*guianensis*, Aubl. Pl. Gui. i. 90. t. 35.—Guian.
- VOUACAPOUA, Aubl. Pl. Gui. Suppl. 9. t. 373 (1775) = *Andira*, Lam. (1783) (Legumin.).  
*americana*, Aubl. l. c. = *A. excelsa*.
- VOUAPA, Aubl. Pl. Gui. i. 25. t. 7 (1775) = *Macrolobium*, Schreb. (1789) (Legumin.).  
*acaciaefolia*, Baill. Hist. Pl. ii. 109 = *M. acaciaefolium*.  
*angustifolia*, Benth. in Hook. Kew Journ. ii. (1850) 239 = *M. chrysostachyum*.  
*bifolia*, Aubl. Pl. Gui. i. 25. t. 7 = *M. Vuapa*.  
*chrysostachya*, Miq. Stirp. Surin. Sel. 11 = *M. chrysostachyum*.  
*crassifolia*, Baill. Adansonia, vi. (1865) 179 (= *Anthonia crassifolia*).—Afr. trop.  
*demonstrans*, Baill. l. c. 180. t. 3 = *M. demonstrans*.  
*elegans*, Miq. in Ann. Sc. Nat. Sér. III. i. (1844) 40 = *M. Vuapa*.  
*explicans*, Baill. Adansonia, vi. (1865) 181 = *M. Heudelotii*.  
*macrophylla*, Baill. l. c. 178 = *M. Palisoti*.



## VOUAPA:—

*phaseolaecarpa*, Hayne, Arzn. Gew. xi. t. 20 = *Cynometra racemosa*.  
*Simira*, Aubl. Pl. Gui. i. 27. t. 8 = *Macrolobium Simira*.  
*staminea*, DC. Prod. ii. 511 = *M. Vuapa*.  
*violacea*, [Lam.] Poir. Encyc. viii. 700 = *M. Simira*.

VOUARANA, Aubl. Pl. Gui. Suppl. 12. t. 374 (1775) = **Cupania**, Plum. (Sapind.).  
*guianensis*, Aubl. l. c. = *C. Voua-rana*.

VOUAY, Aubl. Pl. Gui. ii. App. 99 (1775) = **Geonoma**, Willd. (Palm.).

VOUCAPOUA, Steud. Nom. ed. II. ii. 780 (1841), sphalm. = VOUCAPOUA, Aubl. = **Andira**, Lam. (Legumin.).

VOYARA, Aubl. Pl. Gui. Suppl. 26 (1775) (Quid?).  
*montana*, Aubl. l. c. = Guian.

VOYRA, Reichb. Consp. 133 (1828) = seq.

**VOYRIA**, Aubl. Pl. Gui. i. 208. t. 83 (1775). *GEN-TIANEAE*, Benth. & Hook. f. ii. 806.  
*CIMINALIS*, Rafin. Fl. Tellur. iii. 19 (1836).  
*DISADENA*, Miq. Stimp. Surin. Sel. 150 (1850).  
*HUMBOLDTIA*, Neck. Elem. ii. 16 (1790).  
*LEIANTHOSTEMON*, Miq. Stimp. Surin. Sel. 147 (1850).  
*LEIPHAIMOS*, Cham. & Schlecht. in Linnaea, vi. (1831) 387.  
*LITA*, Schreb. Gen. 795 (1791).  
*PNEUMONANTHOPSIS*, Miq. Stimp. Surin. Sel. 150 (1850).  
*acuminata*, Benth. in Hook. Journ. Bot. ii. (1840) 46. —Guian.  
*angustiflora*, Steud. in Flora, xxvi. (1843) 765 = *aurantiaca*.  
*angustiloba*, Spruce, ex Benth. in Hook. Kew Journ. vi. (1854) 197. —Bras.  
*aphylla*, Pers. Syn. i. 284. —Am. trop.  
*araguensis*, Karst. in Linnaea, xxviii. (1856) 415. —Venezuela.  
*aurantiaca*, Splitg. in Hoev. & De Vriese, Tijdschr. vii. (1840) 135. —Guian.  
*brachyloba*, Griseb. Cat. Pl. Cub. 181. —Cuba.  
*breviflora*, Lam. Illustr. i. 491. —Guian.  
*caerulea*, Aubl. Pl. Gui. i. 211. t. 83. f. 2. —Guian.  
*calycina*, Splitg. ex A. DC. in DC. Prod. ix. 562, in obs. —Guian.  
*chionea*, Benth. in Hook. Kew Journ. vi. (1854) 197. —Bras.  
*clavata*, Splitg. in Hoev. & De Vriese, Tijdschr. vii. (1840) 133. —Guian.  
*coerulea*, Auct. = *caerulea*.  
*corymbosa*, Splitg. in Hoev. & De Vriese, Tijdschr. vii. (1840) 136. —Guian.  
*disadenantha*, Griseb. Cat. Pl. Cub. 181. —Cuba.  
*flavescens*, Griseb. in DC. Prod. ix. 85. —Bras.  
*leucantha*, Miq. in Tijdschr. Wetensch. ii. (1849) 124. —Guian.  
*mexicana*, Griseb. Gen. et Sp. Gent. 208. —Mexic.  
*nivea*, Miq. in Linnaea, xix. (1847) 140. —Guian.  
*nivea*, Spruce, ex Prog. in Mart. Fl. Bras. vi. i. 223 = *chionea*.  
*nuda*, Splitg. in Hoev. & De Vriese, Tijdschr. vii. (1840) 134. —Guian.  
*obconica*, Prog. in Mart. Fl. Bras. vi. i. 221. —Bras.  
*pallida*, Garcke, in Linnaea, xxii. (1849) 65 = *aphylla*.  
*parviflora*, Miq. in Tijdschr. Wetensch. ii. (1849) 123. —Guian.  
*rosea*, Aubl. Pl. Gui. i. 209. t. 83. f. 1. —Guian.  
*simplex*, Griseb. in Seem. Bot. Voy. Herald, 170. —Panama.  
*spathacea*, Lam. Illustr. i. 491; Poir. Encyc. viii. 771. —Guian.  
*spathacea*, Splitg. in Hoev. & De Vriese, Tijdschr. vii. (1840) 137 = *calycina*.  
*Spruceana*, Benth. in Hook. Kew Journ. vi. (1854) 197. —Bras.  
*sulphurea*, Prog. in Mart. Fl. Bras. vi. i. 221. —Bras.  
*tenella*, Guild. ex Hook. Bot. Misc. i. (1830) 47. —Ins. S. Vincent.  
*tenera*, Hook. l. c. t. 25 B, sphalm. = *praec.*  
*tenuiflora*, Griseb. in DC. Prod. ix. 85. —Guian.

## VOYRIA:—

*trinitensis*, Griseb. Fl. Brit. W. Ind. 425. —Ins. Trinit.  
*uniflora*, Pers. Syn. i. 284 = *aphylla*.

**VOYRIELLA**, Miq. Stimp. Surin. Sel. 146 (1850).  
*GENTIANEAE*, Benth. & Hook. f. ii. 806.  
*parviflora*, Miq. l. c. 147. —Guian.

VRENA, Noronha, in Verh. Batav. Gen. v. (1790) ed. I. Art. iv. 27, err. typ. = **Urena**, Dill. (Malvac.).

VRIESEA, Beer, Bromel. 91 (1857) = **VRIESIA**, Lindl. = **Tillandsia**, Linn. (Bromel.).

VRIESEA, Hassk. in Flora, xxv. (1842) II. Beibl. 27 = **Vandellia**, Linn. (Scrophul.).  
*monticola*, Hassk. l. c. = *Ilysanthes refracta*.  
*nervosa*, Hassk. l. c. 28 = *Vand. nervosa*.  
*sphaerocarpa*, Hassk. l. c. 27 = *Vand. sphaerocarpa*.

VRIESIA, Lindl. Bot. Reg. (1843) t. 10 = **Tillandsia**, Linn. (Bromel.).  
*aloefolia*, Beer, Bromel. 95 = *T. flexuosa*.  
*amethystina*, E. Morr. Belg. Hort. xxxiv. (1884) 330. t. 15–16. —Bras.  
*anceps*, Lem. in Fl. des Serres, v. (1849) sub t. 432 = *T. anceps*.  
*Barilleti*, E. Morr. Belg. Hort. xxxiii. (1883) 33. t. 3. —Ecuador.  
*bellula*, Linden, Cat. n. 109 (1883) 7; et in Gard. Chron. (1884) i. 140 = *heliconioides*.  
*Billbergiae*, Lem. Illustr. Hort. xvi. (1869) Misc. 91. —Mexic.  
*billbergioides*, E. Morr. ex Antoine, Bromel. 17. —Bras.  
*bituminosa*, Wawra, in Oestr. Bot. Zeitschr. xii. (1862) 347 = *T. platynema*.  
*Botteri*, Hort. ex Regel, Gartenfl. xxxiii. (1884) 293 = *T. xiphostachys*.  
*brachystachys*, Regel, Gartenfl. xv. (1866) 258. t. 518 = *carinata*.  
*bracteosa*, Beer, Bromel. 263 = *T. bracteosa*.  
*carinata*, Wawra, in Oestr. Bot. Zeitschr. xii. (1862) 349. —Bras.  
*chrysostachys*, E. Morr. Belg. Hort. xxxi. (1881) 87. —Peruv.  
*conferta*, Gaudich. Bot. Voy. Bonite, t. 65 = *T. ensiformis*.  
*corallina*, Regel, Gartenfl. xix. (1870) 354. t. 671 = *T. corallina*.  
*Duvaliana*, E. Morr. Belg. Hort. xxxiv. (1884) 105. tt. 7, 8. —Bras.  
*ensiformis*, Beer, Bromel. 92 = *T. ensiformis*.  
*Falkenbergii*, Hort. Bull. —Cf. Gard. Chron. (1880) i. 759 = *T. heliconioides*.  
*fenestralis*, Linden & André, in Illustr. Hort. xxii. (1875) 124. t. 215. —Bras.  
*geniculata*, Wawra, Bot. Ergeb. Reise Bras. 156. t. 25 = *T. Regina*.  
*gigantea*, Gaudich. Bot. Voy. Bonite, t. 70. —Bras.  
*gigantea*, Lem. Illustr. Hort. xiv. (1867) t. 516 = *T. Regina*.  
*gladioliflora*, Antoine, in Wien. Illustr. Garten-Zeit. v. (1880) 97. t. 1; et Bromel. 23. t. 15 = *T. gladioliflora*.  
*glaucophylla*, Hook. Bot. Mag. t. 4415. —N. Granat.  
*Glaziouana*, Lem. Illustr. Hort. xiv. (1867) Misc. 43 = *T. Regina*.  
*glutinosa*, Lindl. in Gard. Chron. (1856) 388 = *T. glutinosa*.  
*gracilis*, Gaudich. Bot. Voy. Bonite, t. 67 = *T. procera*.  
*guttata*, Linden & André, in Illustr. Hort. xxii. (1875) 43. t. 200. —Bras.  
*heliconioides*, Lindl. Bot. Reg. (1843) t. 10, in obs.; et ex E. Morr. in Illustr. Hort. xxx. (1883) t. 490 = *T. heliconioides*.  
*hieroglyphica*, E. Morr. Illustr. Hort. xxxi. (1884) 41. t. 514. —Bras.  
*imbricata*, Beer, Bromel. 94 = *T. imbricata*.  
*incurvata*, Gaudich. Bot. Voy. Bonite, t. 68 = *T. caespitosa*.  
*incurvata*, E. Morr. Belg. Hort. xxxii. (1882) 52. t. 2 = *inflata*.  
*inflata*, Wawra, Itin. Princ. Coburgi, i. 161. —Bras.  
*Itatiaiae*, Wawra, in Oestr. Bot. Zeitschr. xxx. (1880) 221. —Bras.  
*Jonghei*, E. Morr. Belg. Hort. xxviii. (1878) 257 = *T. Jonghei*.

## VRIESIA:—

*Krameri*, E. Morr. Belg. Hort. xxxiv. (1884) 369 = *Tillandsia psittacina*.  
*Lindenii*, Lem. Illustr. Hort. xvi. (1869) t. 610. —Peruv.  
*maculata*, Beer, Bromel. 98 = *T. maculata*.  
*Malzinei*, E. Morr. Belg. Hort. xxiv. (1874) 313. t. 14 = *T. Malzinei*.  
*Morreni*, Wawra, in Oestr. Bot. Zeitschr. xxx. (1880) 219. —Bras.  
*Morreniana*, Hort. ex E. Morr. Belg. Hort. xxxii. (1882) 287 = *T. psittacina*.  
*musaica*, Cogn. & March. Pl. Ornament. ii. (1874) t. 39. —N. Granat.  
*paraibica*, Wawra, Itin. Princ. Coburgi, i. 160. —Bras.  
*Philippocoburgi*, Wawra, in Oestr. Bot. Zeitschr. xxx. (1880) 219. —Bras.  
*platynema*, Gaudich. Bot. Voy. Bonite, t. 66 = *T. platynema*.  
*Platzmanni*, E. Morr. Belg. Hort. xxv. (1875) 349. t. 23. —Bras.  
*Princeps*, E. Morr. ex Regel, Gartenfl. xxvi. (1877) 158. —Bras.  
*prodigiosa*, Lem. Illustr. Hort. xvi. (1869) Misc. 92. —Mexic.  
*psittacina*, Lindl. Bot. Reg. (1843) t. 10 = *T. psittacina*.  
*ramosa*, Beer, Bromel. 265 = *T. utriculata*.  
*recurvata*, Gaudich. Bot. Voy. Bonite, t. 69. —Bras.  
*Regina*, Beer, Bromel. 97 = *T. Regina*.  
*Rodigasiana*, E. Morr. Illustr. Hort. xxix. (1882) 171. t. 467. —Bras.  
*rubra*, Beer, Bromel. 98 = *T. rubra*.  
*sanguinolenta*, Cogn. & March. Pl. Ornament. ii. (1874) t. 52; et ex André, in Illustr. Hort. xxii. (1875) 44. —N. Granat.  
*Saundersi*, E. Morr. Belg. Hort. xxv. (1875) 350. nomen. —Hab.?  
*scalaris*, E. Morr. l. c. xxix. (1879) 301; xxx. (1880) 309. t. 15. —Bras.  
*simplex*, Beer, Bromel. 97 = *T. simplex*.  
*speciosa*, Hook. Bot. Mag. t. 4382 = *T. splendens*.  
*splendens*, Lem. in Fl. des Serres, vi. (1850–51) 162 = *T. splendens*.  
*tenuifolia*, Beer, Bromel. 96 = *T. flexuosa*.  
*tessellata*, E. Morr. Belg. Hort. xxxii. (1882) 381. t. 14–16 = *T. tessellata*.  
*utriculata*, Regel, in Ind. Sem. Hort. Petrop. (1869) 34 = *T. utriculata*.  
*viminialis*, E. Morr. Belg. Hort. xxviii. (1878) 257. t. 14–15 = *T. viminialis*.  
*Warmingii*, E. Morr. l. c. xxxiv. (1884) 260. t. 12–13. —Bras.  
*Wawraea*, Antoine, Bromel. l. t. 1, 2. —Bras.  
*Xiphion*, Platzmann, ex Antoine, l. c. 25 = *T. Jonghei*.  
*xiphostachys*, Hook. Bot. Mag. t. 5287 = *T. xiphostachys*.

VROLICKIA, Steud. Nom. ed. II. ii. 780 (1841), sphalm. = seq.

VROLIKIA, Spreng. Syst. iii. 149 (1826) = **Heteranthia**, Nees (Scrophul.).  
*polygaloides*, Spreng. l. c. 157 = *H. decipiens*.

VRTICA, Noronha, in Verh. Batav. Gen. v. (1790) ed. I. Art. iv. 28 = **Urtica**, Tourn.

VRYDAGZENIA, Benth. & Hook. f. Gen. iii. 598 (1883), err. typ. = seq.

**VRYDAGZYNEA**, Blume, Orch. Archip. Ind. 71. tt. 17, 19, 20 (1858). *ORCHIDEAE*, Benth. & Hook. f. Gen. iii. 598.  
*albida*, Blume, l. c. 75. —Malaya.  
*elongata*, Blume, l. c. 74. —N. Guin.  
*gracilis*, Blume, l. c. 72. —Malaya.  
*nuda*, Blume, l. c. 74. —Java.  
*purpurea*, Blume, l. c. 73. —Java.  
*sandwicensis*, Benth. & Hook. f. Gen. iii. 599. —Ins. Sandvic.  
*uncinata*, Blume, Orch. Archip. Ind. 76. —Java.  
*vitiensis*, Reichb. f. Otia Bot. Hamb. 51. —Ins. Fiji.

VULNERARIA, Tourn. ex Hall. Enum. Stirp. Helv. ii. 569 (1742) = **Anthyllis**, Riv. (Legumin.).  
*Anthyllis*, Scop. Fl. Carn. ed. II. ii. 55 = *A. Vulneraria*.  
*argentea*, Lam. Fl. Fr. ii. 651 = *A. Barba-Jovis*.

## VULNERARIA :—

- Barba-Jovis*, Link, Handb. ii. 194 = *Anthyllis Barba-Jovis*.  
*cornicina*, Link, l. c. 195 = *A. cornicina*.  
*Dillenii*, Fourr. in Ann. Soc. Linn. Lyon, N. S. xvi. (1868) 359 = *A. Vulneraria*.  
*hamosa*, Link, Handb. ii. 195 = *A. hamosa*.  
*heterophylla*, Moench, Meth. 146 = *A. Vulneraria*.  
*lagopodium*, Medic. in Vorles. Churpf. Phys. Ges. ii. (1787) 348 = *A. Vulneraria*.  
*lotoides*, Link, Handb. ii. 195 = *A. lotoides*.  
*montana*, Scop. Fl. Carn. ed. II. ii. 56 = *A. montana*.  
*nudiflora*, Lam. Fl. Fr. ii. 650 = *A. Gerardi*.  
*polyphylla*, Link, Handb. ii. 195 = *A. Vulneraria*.  
*rubriflora*, Link, l. c. = *A. Vulneraria*.  
*rustica*, Lam. Fl. Fr. ii. 649 = *A. Vulneraria*.  
*sericea*, Link, Handb. ii. 194 = *A. sericea*.  
*tetraphylla*, Moench, Meth. 146 = *A. tetraphylla*.  
*vesicaria*, Lam. Fl. Fr. ii. 650 = *A. tetraphylla*.

VULPIA, C. C. Gmel. Fl. Bad. i. 8 (1805) = **Festuca**, Tourn. (Gramin.).

- aetnensis*, Tineo, Pl. Rar. Sicil. (1846) 22 = *F. ciliata*.  
*agrestis*, Duval-Jouve, in Rev. Sc. Nat. (Juin, 1880) 49 = *F. bromoides*.  
*alopecura*, Dum. Obs. Gram. Belg. 100 = *F. Alopecu-ros*.  
*ambigua*, A. G. More, in Journ. Linn. Soc. v. (1861) 190 = *F. Myuros*.  
*antucensis*, Trin. in Linnaea, x. (1836) 303 = *F. antucensis*.  
*attenuata*, Parl. Giorn. Bot. i. II. (1844) 349 = *F. attenuata*.  
*Brauniana*, Nees, in Hook. Lond. Journ. Bot. ii. (1843) 419 = *Agropyrum scabrum*.  
*brevis*, Boiss. & Kotschy, Diagn. Ser. II. 139 = *F. inops*.  
*bromoides*, S. F. Gray, Nat. Arr. Brit. Pl. ii. 124 = *F. bromoides*.  
*Broteri*, Boiss. & Reut. Pugill. Pl. Nov. (1852) 128 = *F. Myuros*.  
*Browniana*, Nees, in Lehm. Pl. Preiss. ii. 107 = *Agropyrum scabrum*.  
*ciliata*, Link, Hort. Berol. i. 147; Dum. Obs. Gram. Belg. 100 = *F. ciliata*.  
*cynosuroides*, Coss. ex Battand. & Trab. Fl. Alger. (1884) 92 = *F. cynosuroides*.  
*delicatula*, Dum. Obs. Gram. Belg. 100 = *F. delicatula*.  
*geniculata*, Link, Hort. Berol. i. 148 = *F. clavata*.  
*gypsophila*, Nym. Consp. 821 = *F. gypsophila*.  
*hirtiglumis*, Boiss. & Haussk. in Boiss. Fl. Orient. v. 629.—Mesopot.  
*hispidula*, De Not. ex Parl. Fl. Ital. i. 429 = *F. ligustica*.  
*incrassata*, Parl. in Ann. Sc. Nat. Sér. II. xv. (1841) 298 = *F. clavata*.  
*inops*, Hack. in Flora, lxiii. (1880) 476 = *F. inops*.  
*Lachenalii*, Heynh. Nom. i. 853 = *F. Poa*.  
*ligustica*, Link, Hort. Berol. i. 148 = *F. ligustica*.  
*ligustica*, Reichb. Ic. Fl. Germ. i. 25 = *F. clavata*.  
*Linneana*, Parl. in Giorn. Bot. Ital. i. I. (1844) 346 = *F. bromoides*.  
*longiseta*, Hack. Cat. Gram. Portugal, 24 = *F. bromoides*.  
*longiaginata*, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 137 = *F. Myuros*.  
*maritima*, S. F. Gray, Nat. Arr. Brit. Pl. ii. 124 = *F. bromoides*.  
*megastachya*, Nees, Fl. Afr. Austr. 441.—Afr. austr.  
*membranacea*, Dum. Obs. Gram. Belg. 100 = *F. bromoides*.  
*Michelii*, Reichb. Fl. Germ. Excurs. 140<sup>3</sup> = *Avellinia Michelii*.  
*microstachya*, Munro, in Benth. Pl. Hartw. 342 = *F. microstachya*.  
*muralis*, Nees, in Linnaea, xix. (1847) 694 = *F. muralis*.  
*murorum*, S. F. Gray, Nat. Arr. Brit. Pl. ii. 123 = *F. Myuros*.  
*Myuros*, Reichb. Fl. Germ. Excurs. 37 = *F. ciliata*.  
*Myurus*, C. C. Gmel. Fl. Bad. i. 8 = *F. Myuros*.  
*Nardus*, Dum. Fl. Belg. 159 = *F. tenuiflora*.  
*panormitana*, Parl. Fl. Palerm. i. 188 = *F. bromoides*.  
*patens*, Boiss. Diagn. Ser. I. xiii. 62 = *F. pectinella*.  
*pectinata*, Nees, in Hook. Lond. Journ. Bot. ii. (1843) 419 = *Agropyrum pectinatum*.  
*pectinella*, Boiss. Fl. Orient. v. 631 = *F. pectinella*.  
*pilosa*, C. C. Gmel. Fl. Bad. i. 9, in obs. = *F. Myuros*.

## VULPIA :—

- Pseudomyurus*, Reichb. Fl. Germ. Excurs. 37 = *Festuca Myuros*.  
*quadriflora*, Trin. ex Steud. Nom. II. ii. 780 = *F. quadriflora*.  
*reclinata*, Dum. in Bull. Soc. Bot. Belg. xii. (1873) 204 = *F. Myuros*?  
*rectiseta*, Nees, in Lehm. Pl. Preiss. ii. 107 = *Agropyrum scabrum*.  
*scabra*, Nees, in Hook. Lond. Journ. Bot. ii. (1843) 419 = *Agropyrum scabrum*.  
*sciuroides*, C. C. Gmel. Fl. Bad. i. 9, in obs. = *F. bromoides*.  
*setacea*, Parl. in Ann. Sc. Nat. Sér. II. xv. (1841) 297 = *F. setacea*.  
*sicula*, Link, Hort. Berol. ii. 272 = *F. sicula*.  
*stipoides*, Dum. Obs. Gram. Belg. 100.—Belgium.  
*subciliata*, Link, in Linnaea, xvii. (1843) 402 = *F. subciliata*.  
*tenella*, Heynh. Nom. i. 854 = *F. tenella*, Willd.  
*tenuicula*, Boiss. & Reut. Diagn. Pl. Nov. Hisp. 27 = *Avellinia tenuicula*.  
*tenuiflora*, Heynh. Nom. i. 854 = *F. tenuiflora*.  
*tenuis*, Parl. in Ann. Sc. Nat. Sér. II. xv. (1841) 299 = *F. tenuis*, Nym.  
*ulochaeta*, Nees, ex Steud. Syn. Pl. Gram. 305 = *F. ulochaeta*.  
*uniglumis*, Dum. Obs. Gram. Belg. 101 = *F. bromoides*.

VVARIA, Noronha, in Verh. Batav. Gen. v. (1790) ed. I. Art. IV. 28, err. typ. = **Uvaria**, Linn. (Anonac.).VYENOMUS, Presl, Bot. Bemerck. 32 (1844) (in Abh. Boehm. Ges. V. iii. (1845) 462) = **Euonymus**, Linn. (Celastr.).  
*pendula*, Presl, l. c. = *E. pendulus*.

## W

## WACCHENDORFIA, Burm. f. Fl. Cap. Prod. 2 (1768), sphalm. = seq.

WACHENDORFIA, Burm. Wachend. (1757); et ex Linn. Syst. ed. X. 864 (1759). **HAEMODORACEAE**, Benth. & Hook. f. iii. 673.

## PEDILONIA, Presl, Pedil. Nov. Pl. Gen. (1829); et in Flora, xii. (1829) 568.

*brevifolia*, Soland. ex Ker-Gawl. in Bot. Mag. t. 1066 = *hirsuta*.

- Breyniana*, D. Dietr. Syn. Pl. i. 170 = *hirsuta*.  
*corymbosa*, Burm. f. Fl. Cap. Prod. 3.—Afr. austr.  
*elata*, Salisb. Prod. 45 = *thyrsiflora*.  
*graminea*, Thunb. Prod. Pl. Cap. 12 = *graminifolia*.  
*graminifolia*, Linn. f. Suppl. 101.—Afr. austr.  
*Herberti*, Sweet, Hort. Brit. ed. I. 400 = *paniculata*.  
*Hibberti*, Loud. Hort. Brit. 18, sphalm. = *praece*.  
*hirsuta*, Linn. Syst. ed. XII. 735 = *Dilatis corymbosa*.  
*hirsuta*, Thunb. Prod. Pl. Cap. 12.—Afr. austr.  
*humilis*, Salisb. Prod. 45 = *paniculata*.  
*lugubris*, Salisb. l. c. (Quid ?)—Hab. ?  
*orinocensis*, H. B. & K. Nov. Gen. et Sp. i. 319.—Venezuela.  
*pallida*, Salisb. Prod. 45.—Afr. austr.  
*paniculata*, Linn. Syst. ed. X. 864.—Afr. austr.  
*tenella*, Thunb. Prod. Pl. Cap. 12.—Afr. austr.  
*thyrsiflora*, Linn. Syst. ed. X. 864.—Afr. austr.  
*umbellata*, Linn. Mant. ii. 320 = *Dilatis corymbosa*.  
*villosa*, Andr. Bot. Rep. t. 398 = *hirsuta*.  
*villosa*, Linn. Syst. ed. X. 864 (Quid ?)—Hab. ?

WACHENDORFIA, Loeffl. It. Hisp. 177 (1758) = **Callisia**, Linn. (Commel.).WADAPUS, Rafn. Fl. Tellur. iii. 77 (1836) = **Gomphrena**, Linn. (Amarant.).WADDINGTONIA, Phil. Fl. Atac. 41. t. 5 (1860) = **Petunia**, Juss. (Solan.).  
*floribunda*, Phil. l. c. = *P. parviflora*.WADEA, Rafn. Sylva Tellur. 56 (1838) = **Cestrum**, Linn. (Solan.).  
*latifolia*, Rafn. l. c. = *C. latifolium*.**WAGATEA**, Dalz. in Hook. Kew Journ. iii. (1851) 90. **LEGUMINOSAE**, Benth. & Hook. f. i. 568.  
*spicata*, Dalz. l. c.—Cf. 89.—Ind. or.WAGENERIA, Klotzsch, in Abh. Akad. Berl. 1854 (1855) 112. t. 10 C = **Begonia**, Tourn.*brasiliensis*, Klotzsch, in Monatsb. Berl. Acad. (Maerz, 1854) 126; et in Abh. Akad. Berl. 1854 (1855), 119 = *B. polygonifolia*.*convolvulacea*, Klotzsch, ll. cc. 126; 116 = *B. convolvulacea*.*deflexa*, Klotzsch, ll. cc. 126; 113 = *B. scandens*.*dichotoma*, Klotzsch, ll. cc. 126; 117 = *B. dichotoma*.*fagifolia*, Klotzsch, ll. cc. 126; 113 = *B. fagifolia*.*glabra*, Klotzsch, ll. cc. 126; 115 = *B. scandens*.*glandulosa*, Klotzsch, ex A. DC. in DC. Prod. xv. i. 339 = *B. glandulosa*.*hispida*, Klotzsch, ex A. DC. l. c. 363 = *B. hispida*.*Huegelii*, Klotzsch, in Ind. Sem. Hort. Berol. (1855) App. 2 = *B. Huegelii*.*inciso-serrata*, A. DC. in Mart. Fl. Bras. iv. i. 374, sphalm. = *B. inciso-serrata*.*longiceps*, Klotzsch, in Monatsb. Berl. Acad. (Maerz, 1854) 126 = *B. longipes*.*longipes*, Klotzsch, in Abh. Akad. Berl. 1854 (1855), 117 = *B. longipes*.*lucida*, Klotzsch, in Monatsb. Berl. Acad. (Maerz, 1854) 126; et in Abh. Akad. Berl. 1854 (1855), 114 = *B. scandens*.*montana*, Klotzsch, ll. cc. 126; 115 = *B. scandens*.*Moritziana*, Klotzsch, in Monatsb. Berl. Acad. (Maerz, 1854) 126 = *B. meridensis*.*reniformis*, Klotzsch, l. c.; et in Abh. Akad. Berl. 1854 (1855), 118 = *B. longipes*.*rugosa*, Klotzsch, in Monatsb. Berl. Acad. (Maerz, 1854) 126 = *B. rugosa*.*scabrida*, Klotzsch, ex A. DC. in DC. Prod. xv. i. 367 = *B. scabrida*.*scandens*, Klotzsch, in Monatsb. Berl. Acad. (Maerz, 1854) 126, nomen = *B. scandens*?*Schottiana*, Klotzsch, l. c. = *B. convolvulacea*.*tomentosa*, Klotzsch, l. c. = *B. tomentosa*.*vitifolia*, Klotzsch, l. c.; et in Abh. Akad. Berl. 1854 (1855), 116 = *B. vitifolia*.*Wagneria*, Klotzsch, in Monatsb. Berl. Acad. (Maerz, 1854) 126 = *praece*.*Wagneria*, Lem. Illustr. Hort. iv. (1857) sub t. 115 = **Diervilla**, Tourn. (Caprifol.).*Middendorffiana*, Lem. l. c. = *D. Middendorffiana*.*Wahabia*, Fenzl, in Flora, xxvii. (1844) 312, nomen = **Barleria**, Linn. (Acanth.).*longiflora*, Fenzl, l. c., nomen = *B. acanthoides*.*Wahlbergella*, Fries, in Bot. Notiser (1843), 143 = **Lychnis**, Tourn. (Caryoph.).*affinis*, Fries, l. c. = *L. affinis*.*albiflora*, Rupr. in Hofm. Noerdl. Ural. ii. Anhang, 30 = *L. apetala*?*angustiflora*, Rupr. Beitr. Pfl. Russ. Reich. ii. 24 = *L. affinis*.*apetala*, Fries, Summa Veg. Scand. 155 = *L. apetala*.*involuta*, Rupr. Beitr. Pfl. Russ. Reich. ii. 24 (= *Gasterolochnis involuta*).—Reg. Ural.*macropetala*, Rupr. in Hofm. Noerdl. Ural. ii. Anhang, 30 = *L. apetala*?*triflora*, Fries, Summa Veg. Scand. 155, in obs. = *L. affinis*.*uniflora*, Fries, in Bot. Notiser (1843), 143.—Europ.?*uralensis*, Rupr. in Hofm. Noerdl. Ural. ii. Anhang, 17, 31 (= *Gasterolochnis uralensis*).—Reg. Ural.*Vahlia*, Rupr. Beitr. Pfl. Russ. Reich. ii. 24 = *L. affinis*.*Wahlbomia*, Thunb. in Vet. Akad. Handl. Stockh. (1790) 215. t. 9 = **Tetracera**, Linn. (Dilleniac.).*indica*, Thunb. l. c. = *T. Wahlbomia*.*Wahlenbergia*, Blume, Cat. Gew. Buitenz. 14 (1823) = **Tarenna**, Gaertn. (Rubiace.).*fragrans*, Blume, l. c. 15 (= *Webera fragrans*).—Malaya.*Wahlenbergia*, R. Br. in Wall. Cat. p. 262.—Cf. n. 4342 (1831) = **Chailletia**, DC.

**WAHLENBERGIA**, Schrad. Cat. Hort. Gotting. (1814); et in Comm. Gotting. vi. (1823-27) 123. **CAMPANULACEAE**, Benth. & Hook. f. ii. 555. **AIKINIA**, Salisb. ex A. DC. Monog. Camp. 135, 141 (1830). **CERVICINA**, Delile, Fl. Egypte, 150. t. 5. f. 2 (1813). **EDRAIANTHUS**, A. DC. in DC. Prod. vii. 448 (1839). **HECALE**, Rafin. Fl. Tellur. ii. 79 (1836). **HEDRAEANTHUS**, Griseb. Spicil. Fl. Rumel. ii. 292 (1844). **PETALOSTIMA**, Rafin. Fl. Tellur. ii. 79 (1836). **PILOREA**, Rafin. l. c. 80 (1836). **SCHULTESIA**, Roth, Enum. Pl. Phan. Germ. i. 690 (1827). **STRELESKIA**, Hook. f. in Hook. Lond. Journ. Bot. vi. (1847) 226. **VALVINTERLOBUS**, Dulac, Fl. Hautes-Pyr. 459 (1867). *acaulis*, E. Mey. in Drège, Cat. Pl. Exsicc. Afr. Austr. (1837) 9, nomen; A. DC. in DC. Prod. vii. 430.—Afr. austr. *adpressa*, Sond. in Harv. & Sond. Fl. Cap. iii. 583.—Afr. austr. *agrestis*, A. DC. Monog. Camp. 145 = *gracilis*. *albomarginata*, Hook. Ic. Pl. t. 818 = *saxicola*. *androsacea*, A. DC. Monog. Camp. 150. t. 19. f. 1.—Afr. austr. *angustifolia*, A. DC. l. c. 162.—Ins. S. Helen. *annularis*, A. DC. in DC. Prod. vii. 437.—Afr. austr. *arenaria*, A. DC. l. c. 436 = *androsacea*. *arguta*, Hook. f. in Journ. Linn. Soc. vi. (1862) 15.—Afr. trop. *arida*, Griseb. in Goett. Abh. xix. (1874) 200.—Reg. Argent. *arvatica*, Sweet, Hort. Brit. ed. II. 593 = *hederacea*. *Banksiana*, A. DC. Monog. Camp. 154.—Afr. austr. *Berteroi*, Hook. & Arn. in Hook. Journ. Bot. i. (1834) 279.—Ins. J. Fernand. *bilocularis*, A. DC. in DC. Prod. vii. 439 = *undulata*. *Bojeri*, A. DC. l. c. 435.—Ins. Madag. *Bowkeriae*, Sond. in Harv. & Sond. Fl. Cap. iii. 577.—Afr. austr. *brasiliensis*, Cham. in Linnaea, viii. (1833) 318.—Bras. *Burchellii*, A. DC. in DC. Prod. vii. 438.—Ins. S. Helen. *caffra*, A. DC. l. c. 432.—Afr. austr. *caledonica*, Sond. in Harv. & Sond. Fl. Cap. iii. 579.—Afr. austr. *californica*, Kellogg, in Proc. Calif. Acad. ii. (1863) 158 = *Campanula linnaefolia*. *calycina*, Schlecht. in Lechl. Berb. Am. Austr. 58, nomen.—Peruv. *campanuloides*, Vatke, in Linnaea, xxxviii. (1874) 700 = *W. Cervicina*. *capensis*, A. DC. Monog. Camp. 136. t. 18.—Afr. austr. *capillacea*, A. DC. l. c. 156.—Afr. austr. *capillaris*, G. Don, in Sweet, Hort. Brit. ed. III. 419 = *gracilis*. *capillifolia*, E. Mey. in Drège, Cat. Pl. Exsicc. Afr. Austr. (1837) 8, nomen (Quid?).—Afr. austr. *cartilaginea*, Hook. f. Handb. N. Zeal. Fl. 170.—N. Zel. *cernua*, A. DC. Monog. Camp. 148.—Afr. austr. *cernua*, E. Mey. in Drège, Cat. Pl. Exsicc. Afr. Austr. (1837) 9; et ex A. DC. in DC. Prod. vii. 439 = *Meyeri*. *Cervicina*, A. DC. Monog. Camp. 156.—Afr. bor. *Chamissoniana*, G. Don, Gen. Syst. iii. 740 = *undulata*. *chondrophylla*, Buek, in Eckl. & Zeyh. Enum. 381 = *Lobelia aspera*. *ciliolata*, A. DC. in DC. Prod. vii. 436 = *cernua*. *claviculata*, E. Mey. in Drège, Cat. Pl. Exsicc. Afr. Austr. (1837) 9, nomen; et ex A. DC. in DC. Prod. vii. 432 = *exilis*. *clematidea*, Schrenk, Enum. Pl. Nov. 38 = *Codonopsis ovata*. *clivosa*, A. DC. Monog. Camp. 161 = *angustifolia*. *corymbosa*, E. Mey. in Drège, Cat. Pl. Exsicc. Afr. Austr. (1837) 8, nomen; et ex A. DC. in DC. Prod. vii. 432 = *Lightfootia capillaris*. *costata*, A. DC. in DC. Prod. vii. 427.—Afr. austr. *crispa*, Nees, Del. Sem. Hort. Vratisl. (1850) 3.—Cf. *Linnaea*, xxiv. (1851) 237.—Armenia. *dalmatica*, A. DC. Monog. Camp. 134.—Dalmat.

**WAHLENBERGIA** :—*debilis*, Buek, in Eckl. & Zeyh. Enum. 378.—Afr. austr. *decipiens*, A. DC. in DC. Prod. vii. 427.—Afr. austr. *dehiscens*, A. DC. Monog. Camp. 145 = *gracilis*. *denticulata*, A. DC. l. c. 152. t. 16 = *Lightfootia capillaris*. *denudata*, A. DC. l. c. 147.—Afr. austr. *dicentrifolia*, C. B. Clarke, in Hook. f. Fl. Brit. Ind. iii. 430.—Reg. Himal. *dichotoma*, A. DC. in DC. Prod. vii. 437 = *androsacea*. *diffusa*, A. DC. Monog. Camp. 137 = *Microcodon lineare*. *divaricata*, E. Mey. in Drège, Cat. Pl. Exsicc. Afr. Austr. (1837) 8, nomen; et ex A. DC. in DC. Prod. vii. 432 = *paniculata*, *ingrata*. *divergens*, A. DC. in DC. Prod. vii. 427.—Afr. austr. *diversifolia*, A. DC. Monog. Camp. 139 = *procumbens*. *Dregeana*, A. DC. in DC. Prod. vii. 428 = *Ecklonii*. *Dunantii*, A. DC. Monog. Camp. 152 = *paniculata*. *Ecklonii*, Buek, in Eckl. & Zeyh. Enum. 380.—Afr. austr. *Elatines*, Link, Handb. i. 631 = *Campanula Elatines*. *elongata*, Schrad. Cat. Hort. Gotting. (1814); ex Roth, Nov. Sp. Pl. 399 = *capensis*. *emirnenis*, A. DC. in DC. Prod. vii. 432.—Madag. *ensifolia*, A. DC. Monog. Camp. 162.—Ins. Bourbon. *epacridea*, Sond. in Harv. & Sond. Fl. Cap. iii. 584.—Afr. austr. *Erinus*, Link, Handb. i. 631 = *Campanula Erinus*. *etbaica*, Vatke, in Linnaea, xxxviii. (1874) 700.—Afr. trop. *exilis*, A. DC. Monog. Camp. 151. t. 16.—Afr. austr. *fernandeziana*, A. DC. l. c. 160.—Ins. J. Fernand. *flaccida*, A. DC. l. c. 138.—Afr. austr. *flaccida*, Presl, Symb. Bot. 29. t. 18 = *Campanula garganica*. *foliosa*, A. DC. Monog. Camp. 160 = *linifolia*. *garganica*, G. Don, Gen. Syst. iii. 738 = *Campanula garganica*. *gracilis*, E. Mey. in Drège, Cat. Pl. Exsicc. Afr. Austr. (1837) 8, nomen; et ex A. DC. in DC. Prod. vii. 435 = *cernua*. *gracilis*, Schrad. Blumenb. 38, in obs.; A. DC. Monog. Camp. 142.—Geront. trop. et temp. austr. *Grahamae*, Hemsl. Bot. Voy. Challenger, i. III. 46.—Ins. J. Fernand. *graminifolia*, A. DC. Monog. Camp. 130.—Italia. *grandiflora*, Schrad. Cat. Hort. Gotting. (1814); et ej. Blumenb. 38, in obs. = *Platycodon grandiflorum*. *hederacea*, Reichb. Pl. Crit. v. 47; A. DC. Monog. Camp. 140.—Europ. *Hilsenbergii*, A. DC. in DC. Prod. vii. 429.—Madag. *hirsuta*, Steud. Nom. ed. II. ii. 782.—Chili. *hispidula*, Eckl. & Zeyh. Enum. 381 = *paniculata*. *hispidula*, Schrad. Blumenb. 38, in obs.; A. DC. Monog. Camp. 155 = *Microcodon depressum*. *hispidula*, Schrad. ex A. DC. Monog. Camp. 128 = *Microcodon sparsiflorum*. *homallanthina*, A. DC. in DC. Prod. vii. 425.—Sibir. or. *huillana*, A. DC. in Ann. Sc. Nat. Sér. V. vi. (1866) 333.—Afr. trop. *humilis*, A. DC. Monog. Camp. 147.—Afr. trop. *inconspicua*, A. DC. in DC. Prod. vii. 430.—Afr. austr. *indica*, A. DC. Monog. Camp. 146 = *gracilis*. *ingrata*, A. DC. in DC. Prod. vii. 432.—Afr. austr. *inhambanensis*, Klotzsch, in Peters, Reise Mossamb. Bot. 308.—Afr. trop. *integrifolia*, A. DC. in DC. Prod. vii. 428 = *stellarioides*. *Kitaibelii*, A. DC. Monog. Camp. 131.—Banat; Transsylv. *Krebsii*, Cham. in Linnaea, viii. (1833) 195 = *Zeyheri*. *Kruhsiana*, Fisch. ex A. DC. Monog. Camp. 126 = *homallanthina*. *Larrainii*, A. DC. in DC. Prod. vii. 438, sphalm., in syn. = *fernandeziana*. *lavandulaefolia*, A. DC. Monog. Camp. 144 = *gracilis*. *linarioides*, A. DC. l. c. 158.—Am. austr. *linearis*, A. DC. l. c. 137 = *Microcodon lineare*. *linearis*, E. Mey. in Drège, Cat. Pl. Exsicc. Afr. Austr. (1837) 8, nomen (Quid?).—Afr. austr. *linifolia*, A. DC. Monog. Camp. 162.—Ins. S. Helen. *lobelioides*, Link, Handb. i. 632; A. DC. l. c. 157 = *pendula*. *lurida*, Schouw. Hort. Haun.—Cf. *Linnaea*, xxiv. (1851) 161 = *Codonopsis lurida*.

**WAHLENBERGIA** :—*madagascariensis*, A. DC. Monog. Camp. 139.—Madag. *Mannii*, Vatke, in Linnaea, xxxviii. (1874) 700.—Afr. trop. *marginata*, A. DC. Monog. Camp. 143 = *gracilis*. *Massonii*, A. DC. l. c. 158 = *paniculata*. *Meyeri*, A. DC. in DC. Prod. vii. 439.—Afr. austr. *micrantha*, E. Mey. in Drège, Cat. Pl. Exsicc. Afr. Austr. (1837) 9; et ex A. DC. in DC. Prod. vii. 411 = *Laurentia micrantha*. *montana*, A. DC. in DC. l. c. 430.—Afr. austr. *multicaulis*, Benth. in Enum. Pl. Hueg. 75 = *gracilis*. *namaquana*, Sond. in Harv. & Sond. Fl. Cap. iii. 582 = *annularis*. *nudicaulis*, A. DC. Monog. Camp. 149.—Afr. austr. *nudicaulis*, Eckl. & Zeyh. Enum. 380 = *androsacea*. *nutabunda*, A. DC. Monog. Camp. 151.—Ital. *oocarpa*, Sond. in Harv. & Sond. Fl. Cap. iii. 576.—Afr. austr. *oppositifolia*, A. DC. in DC. Prod. vii. 429.—Afr. austr. *ovata*, D. Don, Prod. Fl. Nep. 156.—Nepal. *oxyphylla*, A. DC. in DC. Prod. vii. 427.—Afr. austr. *paniculata*, Eckl. & Zeyh. Enum. 380 = *Ecklonii*. *paniculata*, Schrad. Blumenb. 38, in obs.; A. DC. Monog. Camp. 153.—Afr. austr. *parviflora*, A. DC. in DC. Prod. vii. 437 = *androsacea*. *patula*, A. DC. l. c. 436.—Afr. austr. *pauciflora*, A. DC. l. c. 437.—Afr. austr. *peduncularis*, Hook. f. & Thoms. in Journ. Linn. Soc. ii. (1858) 22.—Reg. Himal. *pendula*, Schrad. Cat. Hort. Gotting. (1814) 3, nomen; et ej. Blumenb. 38, in obs.—Ins. Mader. et Canar. *pentamera*, A. DC. in DC. Prod. vii. 428 = *Ecklonii*. *perotifolia*, Wight & Arn. Prod. 405 = *Cephalostigma Schimperii*. *peruviana*, A. Gray, in Proc. Am. Acad. v. (1861) 152.—Peruv. *pilosa*, Buek, in Eckl. & Zeyh. Enum. 381.—Afr. austr. *pilosa*, DC. in DC. Prod. vii. 431 = *polyclada*. *polyclada*, A. DC. l. c. 789.—Afr. austr. *polyclada*, Hook. f. in Journ. Linn. Soc. vi. (1862) 15 = *Mannii*. *Preissii*, De Vriese, in Lehm. Pl. Preiss. ii. 241 = *gracilis*? *procumbens*, A. DC. Monog. Camp. 140. t. 15.—Afr. austr. *prostrata*, E. Mey. in Drège, Cat. Pl. Exsicc. Afr. Austr. (1837) 9, nomen; et ex A. DC. in DC. Prod. vii. 431.—Afr. austr. *Pumilio*, A. DC. Monog. Camp. 134.—Dalmatia. *purpurea*, A. DC. in DC. Prod. vii. 425 = *Codonopsis purpurea*. *pusilla*, Hochst. ex A. Rich. Tent. Fl. Abyss. ii. 2.—Abyss. *quadrifida*, A. DC. Monog. Camp. 144 = *gracilis*. *ramulosa*, E. Mey. in Drège, Cat. Pl. Exsicc. Afr. Austr. (1837) 8, nomen; et ex A. DC. in DC. Prod. vii. 432.—Afr. austr. *reflexa*, Steud. Nom. ed. II. ii. 782.—Chili. *repens*, Schrad. Blumenb. 37 = *procumbens*. *rigida*, Bernh. in Flora, xxvii. (1844) 820.—Afr. austr. *riparia*, A. DC. Monog. Camp. 146.—Afr. trop. *robusta*, Sond. in Harv. & Sond. Fl. Cap. iii. 584 = *rigida*. *rotundifolia*, A. DC. in DC. Prod. vii. 425 = *Codonopsis rotundifolia*. *Roxburghii*, A. DC. Monog. Camp. 162.—Ins. S. Helen. *Roylei*, A. DC. in DC. Prod. vii. 425 = *Codonopsis ovata*. *rudis*, E. Mey. in Drège, Cat. Pl. Exsicc. Afr. Austr. (1837) 8, nomen; et ex A. DC. in DC. Prod. vii. 431 = *paniculata*. *Rutenbergiana*, Vatke, in Bremen, Abh. ix. (1885) 123.—Madag. *saxicola*, A. DC. Monog. Camp. 144.—Austral.; N. Zel. *Saxifraga*, A. DC. in DC. Prod. vii. 427 = *Ecklonii*. *Schimperii*, Hochst. ex Hemsl. in Oliver, Fl. Trop. Afr. iii. 472 = *Cephalostigma hirsutum*. *semiglabra*, A. DC. in DC. Prod. vii. 437 = *androsacea*. *Sieberi*, A. DC. Monog. Camp. 144 = *gracilis*. *silenooides*, Hochst. ex A. Rich. Tent. Fl. Abyss. ii. 3.—Abyss. *simplicicaulis*, De Vriese, in Lehm. Pl. Preiss. ii. 241 = *gracilis*.

**WAHLENBERGIA** :—

- sphaerocarpa*, A. DC. in DC. Prod. vii. 436 = androsacea.  
*spicata*, E. Mey. in Drège, Cat. Pl. Exsicc. Afr. Austr. (1837) 8, nomen; A. DC. in DC. Prod. vii. 441 = Lightfootia juncea.  
*spinulosa*, A. DC. Monog. Camp. 155.—Afr. austr.  
*stellarioides*, Cham. in Linnaea, viii. (1833) 196.—Afr. austr.  
*striata*, A. DC. in DC. Prod. vii. 439 = undulata.  
*stricta*, Sweet, Hort. Brit. ed. II. 593 = gracilis.  
*swellendamensis*, Buek, in Eckl. & Zeyh. Enum. 381 = Ecklonii.  
*tenuifolia*, A. DC. Monog. Camp. 133.—Croatia.  
*tenuis*, A. DC. in DC. Prod. vii. 440 = debilis.  
*thalictrifolia*, A. DC. l. c. 425 = Codonopsis thalictrifolia.  
*tuberosa*, Hook. f. Bot. Mag. t. 6155.—Ins. J. Fernand.  
*turbinata*, A. DC. in DC. Prod. vii. 427 = Ecklonii.  
*undulata*, A. DC. Monog. Camp. 148.—Afr. austr.  
*variabilis*, E. Mey. in Drège, Cat. Pl. Exsicc. Afr. Austr. (1837) 8, nomen; et ex A. DC. in DC. Prod. vii. 436.—Afr. austr.  
*Verreauxii*, A. DC. in DC. Prod. vii. 436 = androsacea.  
*vincaeflora*, Decne. in Rev. Hort. Sér. III. iii. (1849) 41 = gracilis.  
*viridis*, A. DC. in DC. Prod. vii. 424 = Codonopsis viridis.  
Wyleyana, Sond. in Harv. & Sond. Fl. Cap. iii. 583.—Afr. austr.  
Zeyheri, Buek, in Eckl. & Zeyh. Enum. 379.—Afr. austr.

WAHLENBERGIA, Schum. in Schum. & Thonn. Beskr. Guin. Pl. 387 (1827) = **Enhydra**, Lour. (Compos.).  
*globularis*, Schum. in Schum. & Thonn. l. c. = E. fluctuans.  
*glomerata*, DC. Prod. v. 497, in syn., sphalm. = praec.

WAILESIA, Lindl. in Journ. Hort. Soc. iv. (1849) 261 = **Dipodium**, R. Br. (Orchid.).  
*paludosa*, Reichb. f. in Bonplandia, ii. (1854) 92 = D. paludosum.  
*picta*, Lindl. in Journ. Hort. Soc. iv. (1849) 261 = D. pictum.

WAITZIA, Reichb. Consp. 60 (1828) = **Tritonia**, Ker-Gawl. (Irid.).  
*aequimaculata*, Heynh. Nom. i. 854 (= *Montbretia aequimaculata*).—Hab. ?  
*anigozanthiflora*, Heynh. l. c. = T. anigozanthiflora.  
*concolor*, Heynh. l. c. = Ixia paniculata.  
*crispa*, Heynh. l. c. = T. crispa.  
*crocata*, Hoffm. Verz. Pfl. Nachtr. iii. 14 = T. crocata.  
*deusta*, Heynh. Nom. i. 854 = T. deusta.  
*fenestrata*, Heynh. l. c. = T. fenestrata.  
*flava*, Heynh. l. c. = T. flava.  
*fucata*, Heynh. l. c. = Antholyza fucata.  
*lineata*, Heynh. l. c. = T. lineata.  
*longiflora*, Heynh. l. c. = Ixia paniculata.  
*miniata*, Heynh. l. c. = T. crocata.  
*odorata*, Heynh. l. c. = Freesia refracta.  
*pallida*, Heynh. l. c. 855 = T. pallida.  
*pectinata*, Heynh. l. c. = T. crispa.  
*refracta*, Heynh. l. c. = Freesia refracta.  
*Rochensis*, Heynh. l. c. = Ixia paniculata.  
*rosea*, Heynh. l. c. = T. capensis.  
*squalida*, Heynh. l. c. = T. squalida.  
*striata*, Heynh. l. c. = Gladiolus striatus.  
*tenuiflora*, Heynh. l. c. = Ixia paniculata.  
*viridis*, Heynh. l. c. = T. viridis.  
*xanthospila*, Heynh. l. c. (= *Anomatheca xanthospila*).—Afr. austr.

WAITZIA, Wendl. Coll. Pl. ii. 13. t. 42 (1808).  
**COMPOSITAE**, Benth. & Hook. f. ii. 307.  
MORNA, Lindl. Bot. Reg. t. 1941 (1837); et (1838) t. 9.  
**PTEROCHAETA**, Steetz, in Lehm. Pl. Preiss. i. 455 (1845).  
VIRAYA, Gaudich. in Freyc. Voy. Bot. 466. t. 89 (1826).  
*acuminata*, Steetz, in Lehm. Pl. Preiss. i. 453 = corymbosa.  
*aurea*, Steetz, l. c. 452.—Austral.  
*brachyrrhyncha*, F. Muell. in Linnaea, xxv. (1852) 407 = Helipterum incanum.

**WAITZIA** :—

- brevirostris*, Steetz, in Lehm. Pl. Preiss. i. 451 = Steetziana.  
*citrina*, Steetz, l. c. = Steetziana.  
*corymbosa*, Wendl. Coll. Pl. ii. 13. t. 42.—Austral.  
*dasycarpa*, Turcz. in Bull. Soc. Nat. Mosc. xxiv. (1851) II. 77 = Steetziana.  
*discolor*, Turcz. l. c. (1851) I. 194 = corymbosa.  
*grandiflora*, Naud. in Rev. Hort. (1865) 185.—Austral.  
*nivea*, Benth. Fl. Austral. iii. 636 = odontolepis.  
*odontolepis*, Turcz. in Bull. Soc. Nat. Mosc. xxiv. (1851) II. 77.—Austral.  
*paniculata*, F. Muell. ex Benth. Fl. Austral. iii. 637.—Austral.  
*Podolepis*, Steetz, in Lehm. Pl. Preiss. i. 450.—Austral.  
Steetziana, Lehm. ex Steetz, l. c. 454.—Austral.  
*sulphurea*, Steetz, l. c. 453 = Steetziana.  
*tenella*, Hook. Bot. Mag. t. 5342 = Steetziana.

WALAFRIDA, E. Mey. Comm. Pl. Afr. Austr. 272 (1837) = **Selago**, Linn.  
*nitida*, E. Mey. l. c.—Afr. austr.  
*trimeria*, Hochst. in Flora, xxviii. (1845) 70.—Afr. austr.

WALAFRIDA, Endl. Gen. 642 (1839) = praec.

WALCOTTIA, F. Muell. Fragm. i. 241 (1859) = **Lachnostachys**, Hook. (Verben.).  
*eriobotrya*, F. Muell. l. c. = L. Walcottii.

WALCUFFA, J. F. Gmel. Syst. 1029 (1791) = **Dombea**, Cav. (Stercul.).  
*Pentapetes*, Bruce, ex Steud. Nom. ed. I. 891 = D. Bruceana.  
*torrida*, J. F. Gmel. Syst. 1029 = D. Bruceana.

WALDEMARIA, Klotzsch, in Bot. Ergeb. Waldem. Reise, 99 (1862) = **Rhododendron**, Linn. (Ericac.).  
*argentea*, Klotzsch, l. c. = R. grande.

WALDHEIMIA, Kar. & Kir. in Bull. Soc. Nat. Mosc. xv. (1842) 125 = **Allardia**, Decne. (Compos.).  
*glabra*, Regel, in Act. Hort. Petrop. vi. (1879) 308, 309 = A. glabra.  
*Korolkowi*, Regel & Schmalh. l. c. 308, 310.—Turkestan.  
*nivea*, Regel, l. c. 308, 309 = A. nivea.  
*Stracheyana*, Regel, l. c.—Reg. Himal.  
*tomentosa*, Regel, l. c. 308, 310 = A. tomentosa.  
*tridactylites*, Kar. & Kir. in Bull. Soc. Nat. Mosc. xv. (1842) 126 = A. glabra.

WALDSCHMIDIA, [Weber, in] Wigg. Prim. Fl. Holsat. 19 (1780) = **Limnanthemum**, S. T. Gmel. (Gentian.).  
*nymphoides*, [Weber, in] Wigg. l. c. 20 = L. nymphoides.

WALDSCHMIDTIA, Bluff & Fingerh. Comp. Fl. Germ. i. 265 (err. typ. 465) (1825) = praec.

WALDSCHMIDTIA, Scop. Introd. 100 (1777) = **Crudia**, Schreb. (1789) (Legumin.).

WALDSTEINIA, Willd. in Ges. Naturf. Fr. Neue Schr. ii. (1799) 105. t. 4. **ROSACEAE**, Benth. & Hook. f. i. 619.  
**COMAROPSIS**, Rich. in Nestl. Potent. 16. t. 1 (1816).  
*Doniana*, Tratt. Ros. Monog. iii. 109 = fragarioides.  
*fragarioides*, Tratt. l. c. 107.—Am. bor.  
*geoides*, Willd. in Ges. Naturf. Fr. Neue Schr. ii. (1799) 106.—Hungar.; Tauria.  
*lobata*, Torr. & Gray, Fl. N. Am. i. 426.—Am. bor.  
*Moenchii*, Tratt. Ros. Monog. iii. 106.—Hab. ?  
*sibirica*, Tratt. l. c. 108.—Sibir. baical.  
*trifolia*, Rochel, ex Koch, in Linnaea, xiii. (1839) 337, 338 = sibirica.  
*trifoliata*, Steud. Nom. ed. II. ii. 783, sphalm. = praec.

WALKERA, Schreb. Gen. 378 (1789) = **Gomphia**, Schreb. (Ochnac.).  
*integrifolia*, DC. Prod. i. 737.—Guian.  
*serrata*, Willd. Sp. Pl. i. 1145 = G. angustifolia.  
*zeylonensis*, Hort. ex DC. in Ann. Mus. Par. xvii. (1811) 421 = G. angustifolia.

WALKERIA, Mill. ex Ehret, in Phil. Trans. liii. (1763) 130 = **Nolana**, Linn. (Convolv.).

WALKUFFA, Bruce, ex Steud. Nom. ed. I. 891 (1821) = **WALCUFFA**, J. F. Gmel. = **Dombea**, Cav. (Stercul.).

**WALLACEA**, Spruce, ex Benth. & Hook. f. Gen. i. 320 (1862). **OCHNACEAE**, Benth. & Hook. f. l. c. insignis, Spruce, ex Benth. & Hook. f. l. c. 321.—Bras.

**WALLERIA**, Sw. Prod. Veg. Ind. Occ. 31 (1788).  
**MYRSINEAE**, Benth. & Hook. f. ii. 643.  
**PETESIOIDES**, Jacq. Stirp. Am. 17 (1763).  
*angularis*, Jacq. Hort. Schoenb. i. t. 30 = seq.  
*angulata*, Jacq. l. c. i. 13.—Hab. ?  
*angustifolia*, Nees & Mart. in Nov. Act. Nat. Cur. xi. (1823) 87 = Ardisia semicrenata.  
*clusiifolia*, Griseb. Fl. Brit. W. Ind. 394.—Ind. occ.  
*laurifolia*, Balb. ex Griseb. Fl. Brit. W. Ind. 394 = clusiifolia.  
*laurifolia*, Sw. Prod. Veg. Ind. Occ. 31.—Ind. occ.  
*laxiflora*, Mart. Nov. Gen. et Sp. iii. 89. t. 237 = Conomorpha laxiflora.  
*myrianthos*, Reichb. ex A. DC. in Trans. Linn. Soc. xvii. (1834) 102 = Cybianthus myrianthos.  
*nemoralis*, Mart. in Flora, xxiv. (1841) II. Beibl. 21.—Bras.  
*venosa*, Griseb. Fl. Brit. W. Ind. 394.—Jamaica.

**WALLERIA**, J. Kirk, in Trans. Linn. Soc. xxiv. (1864) 497. t. 52. **LILIACEAE**, Benth. & Hook. f. iii. 831.  
*angolensis*, Baker, l. c. Ser. II. i. (1878) 262 = Mackenzii.  
Mackenzii, J. Kirk, l. c. Ser. I. xxiv. (1864) 497. t. 52. f. 2.—Afr. trop.  
*nutans*, J. Kirk, l. c. t. 52. f. 1 = Mackenzii.

WALLIA, Alef. in Bonplandia, ix. (1861) 335 = **Juglans**, Linn.  
*cinerea*, Alef. l. c. 336 = J. cinerea.  
*fraxinifolia*, Alef. l. c. = Pterocarya caucasica.  
*nigra*, Alef. l. c. = J. nigra.  
*pyriformis*, Alef. l. c. = J. pyriformis.  
*regia*, C. DC. in DC. Prod. xvi. II. 136, in syn., sphalm. = J. regia.

WALLICHIA, DC. in Mém. Mus. Par. x. (1823) 104. t. 6 = **Eriolaena**, DC. (Stercul.).  
*quinquelocularis*, Steud. Nom. ed. II. ii. 783 = E. quinquelocularis.  
*spectabilis*, DC. in Mém. Mus. Par. x. (1823) 104. t. 6 = E. spectabilis.

WALLICHIA, Reinw. ex Blume, in Cat. Gew. Buitenz. 11 (1823) = **Urophyllum**, Wall. (Rubiace.).  
*arborea*, Reinw. l. c. = U. glabrum.  
*porphyracea*, Mart. ex Rosenth. Syn. Pl. Diaphor. 333 = U. porphyraceum.

**WALLICHIA**, Roxb. Pl. Corom. iii. 91. t. 295 (1819).  
**PALMAE**, Benth. & Hook. f. iii. 916.  
HARINA, Buch.-Ham. in Mem. Wern. Soc. v. (1826) 317.  
**WRIGHTIA**, Roxb. Hort. Beng. 68 (1814); Fl. Ind. iii. 621 (1832).  
*caryotoides*, Roxb. Pl. Corom. iii. 91. t. 295.—Reg. Himal.  
*caryotoides*, Wall. Cat. n. 8596 B = densiflora.  
*caudata*, Mart. Hist. Nat. Palm. iii. 315 = Didymosperma caudatum.  
*densiflora*, Mart. l. c. 190.—Reg. Himal.  
*disticha*, T. Anders. in Journ. Linn. Soc. xi. (1871) 6.—Reg. Himal.  
*excelsa*, Karst. ex Linden, in Illustr. Hort. xxviii. (1881) 32, nomen (Quid ?).—N. Granat.  
*Horsfieldii*, Blume, Rumphia, ii. 112, in obs. = Didymosperma Horsfieldii.  
*nana*, Griff. in Calc. Journ. Nat. Hist. v. (1845) 488 = Didymosperma nanum.  
*oblongifolia*, Griff. l. c. 486 = densiflora.  
*Oranii*, Blume, Rumphia, ii. 113 = Didymosperma porphyrocarpum.  
*porphyrocarpa*, Mart. Hist. Nat. Palm. iii. 190, 315 = Didymosperma porphyrocarpum.



**WALLICHIA** :—

*Reinwardtiana*, Miq. Pl. Jungh. 157 = *Didymosperma Reinwardtiana*.  
*tremula*, Mart. Hist. Nat. Palm. iii. 315 = *Didymosperma tremula*.  
*Yomae*, Kurz, For. Fl. Brit. Burma, ii. 533 = *disticha*.  
*zebrina*, Hort. Williams.—Cf. Gard. Chron. (1880) i. 759 (Quid?).—Hab. ?

WALLINIA, Moq. in DC. Prod. xiii. ii. 143 (1849) = *Lophiocarpus*, Turcz. (Chenop.).  
*polystachya*, Moq. l. c. = *L. polystachyus*.

WALLISIA, E. Morr. in Belg. Hort. (1870) 97. t. 5 = *Tillandsia*, Linn. (Bromel.).  
*Hamaleana*, E. Morr. l. c. = *T. Hamaleana*.

WALLISIA, Regel, Gartenfl. xxiv. (1875) 230. t. 839 = *Lisianthus*, Aubl. (Gentian.).  
*Princeps*, Regel, l. c. = *L. Princeps*.

WALLROTHIA, Roth, Nov. Pl. Sp. 317 (1821) = *Vitex*, Tourn. (Verben.).  
*articulata*, Roth, l. c. 317 = *V. pubescens*.  
*Leucoxydon*, Roth, l. c. 319 = *V. Leucoxydon*.

WALLROTHIA, Spreng. Pugill. ii. 52 (1815) = *Seseli*, Linn. (Umbellif.).  
*divaricata*, Presl, Delic. Prag. 134 = *Carum alpinum*.  
*splendens*, Spreng. in Schult. Syst. vi. 557.—Mont. Pyren.  
*tenuifolia*, DC. Prod. iv. 162 = *splendens*.  
*tuberosa*, Spreng. Pugill. ii. 52 = *Carum alpinum*.

WALPERSIA, Harv. & Sond. Fl. Cap. ii. 26 (1861).  
*LEGUMINOSAE*, Benth. & Hook. f. i. 473.  
*burtonioides*, Harv. & Sond. l. c. = *Afr. austr.*

WALPERSIA, Meissn. ex Krauss. in Flora, xxvii. (1844) 357 = *Rhynchosia*, Lour. (Legumin.).  
*villosa*, Meissn. ex Krauss. l. c. = *R. sigmodes*.

WALPERSIA, Reiss. in Endl. Gen. 1100 (1840) = *Phyllia*, Linn. (Rhamnac.).  
*capitata*, Presl, Bot. Bemerk. 37, 38 = *P. spicata*.  
*curvifolia*, Presl, l. c. 33 = *P. reclinata*.  
*Dregeana*, Presl, l. c. = *P. stipularis*.  
*hirtifolia*, Presl, l. c. —Afr. austr.  
*rhipophora*, Presl, l. c. 37 = *P. stipularis*.  
*rigida*, Presl, l. c. 38 = *P. rigida*.  
*spicata*, Reiss. in Endl. Gen. 1100 = *P. spicata*.  
*squarrosa*, Presl, Bot. Bemerk. 38 = *P. plumosa*.  
*stipularis*, Reiss. in Endl. Gen. 1100 = *P. stipularis*.

WALSURA, Roxb. Hort. Beng. 32 (1814); Fl. Ind. ii. 386 (1832). *MELIACEAE*, Benth. & Hook. f. i. 336.

*MONOCYCLIS*, Wall. ex Voigt, Hort. Suburb. Calc. 135 (1845).

SURWALA, M. Roem. Syn. Hesper. 108 (1846).  
*Antila*, Wight & Arn. Prod. 120 = *ternata*.  
Gardneri, Thw. Enum. Pl. Zeyl. 61.—Zeylan.  
*hypoleuca*, Kurz, Rep. Veget. Andam. ed. II. 33, nomen; et in Journ. As. Soc. Beng. xli. (1872) ii. 296.—Ins. Andaman.  
*lanceolata*, Wall. Cat. n. 4886 = *Aglaiia Roxburghiana*.  
*neurodes*, Hiern, in Hook. f. Fl. Brit. Ind. i. 564.—Malacca.

*oxycarpa*, Kurz, in Journ. As. Soc. Beng. xli. (1875) ii. 200.—Ins. Andaman.  
*pinnata*, Hassk. Retzia, i. 147.—Java.  
*piscidia*, Roxb. Hort. Beng. 32; Fl. Ind. ii. 387.—Ind. or.

*pubescens*, Kurz, in Journ. As. Soc. Beng. xli. (1872) ii. 297 = *Heynea trijuga*.  
*robusta*, Roxb. Hort. Beng. 32; Fl. Ind. ii. 386.—Reg. Himal.; Burma.

*ternata*, Roxb. Hort. Beng. [90]; Fl. Ind. ii. 389.—Ind. or.

*Thwaitesii*, C. DC. in DC. Monog. Phan. i. 635 = *W. Piscidia*.

*trichostemon*, Miq. Ann. Mus. Bot. Lugd. Bat. iv. 60.—Burma; Siam.

*trijuga*, Kurz, in Journ. As. Soc. Beng. xli. (1875) ii. 148 = *Heynea trijuga*.

*tubulata*, Hiern, in Hook. Fl. Brit. Ind. i. 563.—Reg. Himal.

**WALSURA** :—

*villosa*, Kurz, in Journ. As. Soc. Beng. xxxix. ii. (1870) 72 = *trichostemon*.  
*villosa*, Wall. Cat. n. 1264; Wight & Arn. Prod. 120.—Burma.

WALTERIANA, Fraser, ex Endl. Gen. 1413 (1841) = *Cliftonia*, Banks (Cyrill.).

WALTHERIA, Linn. Gen. ed. I. 203 (1737). *STERCULIACEAE*, Benth. & Hook. f. i. 224.

*ASTROPUS*, Spreng. Neue Entdeck. iii. 64 (1822).

*LOPHANTHUS*, Forst. Char. Gen. 27. t. 14 (1776).

*africana*, Schum. & Thonn. Beskr. Guin. Pl. 296 = *indica*.

*albicans*, Turcz. in Bull. Soc. Nat. Mosc. xxxi. (1858) i. 214.—Bras.

*americana*, Linn. Sp. Pl. 673 = *indica*.

*angustifolia*, Linn. Syst. ed. X. 1140; H.B. & K. Nov. Gen. et Sp. v. 332 = *indica*.

*arborescens*, Cav. Diss. vi. 316 = *indica*.

*Astropus*, Spreng. Syst. iii. 31.—Bras.

*boliviensis*, Turcz. in Bull. Soc. Nat. Mosc. xxxvi. (1863) i. 571.—Bolivia.

*brachypetalum*, Turcz. l. c. xxxi. (1858) i. 215 = *ferruginea*.

*bracteosa*, A. St. Hil. & Naud. in Ann. Sc. Nat. Sér. II. xviii. (1842) 37.—Bras.

*brevipes*, Turcz. in Bull. Soc. Nat. Mosc. xxxi. (1858) i. 213.—Mexic.

*capitata*, Vell. Fl. Flum. 274; vii. t. 4.—Bras.

*caroliniana*, Walt. Fl. Carol. 175 = *Piriqueta fulva*.

*carpinifolia*, A. St. Hil. & Naud. in Ann. Sc. Nat. Sér. II. xviii. (1842) 38.—Bras.

*cinerascens*, A. St. Hil. Fl. Bras. Mer. i. 152.—Bras.

*communis*, A. St. Hil. l. c. 155.—Bras.

*cordata*, Pers. Syn. ii. 216 = *indica*.

*cordata*, Sm. in Rees, Cycl. xxxvii. n. 8.—Ind. occ.

*debilis*, Boj. Hort. Maurit. 39, nomen (Quid?).—Ins. Comor.

*detonsa*, A. Gray, Pl. Wright. ii. 24.—N. Mexic.

*Douradinha*, A. St. Hil. Fl. Us. Bras. t. 36.—Bras.

*elliptica*, Cav. Diss. vi. 316. t. 171. f. 2 = *indica*.

*eriolada*, DC. Prod. i. 493 = *indica*.

*excelsa*, Turcz. in Bull. Soc. Nat. Mosc. xxxi. (1858) i. 215.—Bras.

*ferruginea*, A. St. Hil. Fl. Bras. Mer. i. 150.—Bras.

*fruticosa*, Rottb. in Act. Lit. Univ. Hafn. i. (1778) 296.—Guian.

*glabra*, Poir. Encyc. viii. 325.—Ins. Guadeloup.

*glabriuscula*, A. St. Hil. Fl. Bras. Mer. i. 155 = *communis*.

*glomerata*, Presl, Rel. Haenk. ii. 152.—Panama.

*gracilis*, A. St. Hil. Fl. Bras. Mer. i. 154 = *communis*.

*guineensis*, Schum. & Thonn. Beskr. Guin. Pl. 295 = *indica*.

*Haenkeana*, D. Dietr. Syn. Pl. iv. 756 = *Preslii*.

*hirsuta*, Presl, Rel. Haenk. ii. 152.—Mexic.

*indica*, Linn. Sp. Pl. 673.—Cosmop. trop.

*intricata*, Turcz. in Bull. Soc. Nat. Mosc. xxxi. (1858) i. 214.—Cuba.

*involuta*, Benth. in Hook. Journ. Bot. iv. (1842) 125.—Guian.

*laevis*, D. Wolf, ex Schrank, Pl. Rar. Hort. Monac. t. 55 = *glabra*.

*lanata*, A. St. Hil. Fl. Bras. Mer. i. 154 = *communis*.

*lanceolata*, R. Br. ex Mast. in Oliver, Fl. Trop. Afr. i. 235.—Afr. trop.

*lantanaefolia*, A. St. Hil. & Naud. in Ann. Sc. Nat. Sér. II. xviii. (1842) 38.—Bras.

*longifolia*, DC. Prod. i. 493.—Ind. occ.

*longiramea*, Turcz. in Bull. Soc. Nat. Mosc. xxxvi. (1863) i. 571.—Ind. or.

*lophantha*, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 137 = *seq.*

*Lophanthus*, Forst. f. Prod. 47.—Ins. Marques.

*macropoda*, Turcz. in Bull. Soc. Nat. Mosc. xxxi. (1858) i. 216.—Bras.

*maritima*, A. St. Hil. Fl. Bras. Mer. i. 153.—Bras.

*microphylla*, Cav. Diss. vi. 317. t. 170. f. 2 = *indica*.

*microphylla*, Miq. ex C. B. Clarke, in Hook. f. Fl. Brit. Ind. iv. 144 = *Coldenia procumbens*.

*monogynia*, Vell. Fl. Flum. 274; vii. t. 6.—Bras.

*obtusata*, Willd. ex Steud. Nom. ed. II. ii. 783 = *indica*.

*ovata*, Cav. Diss. vi. 317. t. 171. f. 1 = *indica*.

*paniculata*, Benth. in Hook. Journ. Bot. iv. (1842) 126.—Guian.

**WALTHERIA** :—

*pauciflora*, Hochst. ex Mast. in Oliver, Fl. Trop. Afr. i. 235 = *indica*.

*pedunculata*, Willd. ex Steud. Nom. ed. II. ii. 783 = *indica*.

*pentagynia*, Vell. Fl. Flum. 274; vii. t. 5.—Bras.

*Preslii*, Walp. Rep. i. 340.—Mexic.

*pyrolaeifolia*, A. Gray, Bot. U. St. Expl. Exped. i. 190.—Ins. Sandvic.

*reticulata*, Hook. f. in Trans. Linn. Soc. xx. (1847) 231.—Ins. Galapag.

*rotundifolia*, Presl, Rel. Haenk. ii. 151 = *Preslii*.

*rotundifolia*, Schrank, in Syll. Ratisb. ii. (1828) 65.—Bras.

*sericea*, Turcz. in Bull. Soc. Nat. Mosc. xxxi. (1858) i. 214.—Ecuador.

*surinamensis*, Turcz. l. c. xxxvi. (1863) i. 571.—Guian.

*terminalis*, Vell. Fl. Flum. 275; vii. t. 7 = *Turnera ulmifolia*.

*viscosissima*, A. St. Hil. Fl. Bras. Mer. i. 150.—Bras.

WANGENHEIMIA, F. G. Dietr. Vollst. Lexik. Gaertn. x. 536 (1810) = *Gilibertia*, Ruiz & Pav. (Araliac.).  
*umbellata*, F. G. Dietr. l. c. 537 = *G. umbellata*.

WANGENHEIMIA, Moench, Meth. 200 (1794). *GRAMINEAE*, Benth. & Hook. f. iii. 1170.

*disticha*, Moench, l. c. —Hispan.

*Lima*, Trin. Fund. Agrost. 132 = *disticha*.

WARBURTONIA, F. Muell. Fragm. i. 229 t. 9 (1859) = *Hibbertia*, Andr. (Dillen.).

*potentillina*, F. Muell. l. c. 230. t. 9 = *H. grossulariaefolia*.

WARCZEWICZELLA, Reichb. f. in Bot. Zeit. x. (1852) 635 = *Zygopetalum*, Hook. (Orchid.).

*amazonica*, Reichb. f. & Warsz. in Bonplandia, ii. (1854) 97 = *Z. amazonicum*.

*aromatica*, Reichb. f. in Walp. Ann. vi. 654 = *Z. aromaticum*.

*candida*, Reichb. f. in Bot. Zeit. x. (1852) 636 = *Z. candidum*.

*cochlearis*, Reichb. f. l. c. 714 = *Z. cochleare*.

*discolor*, Reichb. f. l. c. 636 = *Z. discolor*.

*Lueddemanniana*, Reichb. f. in Hamb. Gartenz. xvi. (1860) 179 = *Z. Lueddemanniana*.

*marginata*, Reichb. f. in Bot. Zeit. x. (1852) 636 = *Z. marginatum*.

*picta*, Reichb. f. in Gard. Chron. (1883) ii. 8 = *Z. pictum*.

*velata*, Reichb. f. & Warsz. in Bonplandia, ii. (1854) 97 = *Z. velatum*.

*vittata*, Gard. Chron. (1878) ii. 627, sphalm. = *praec.*

*Wailiesiana*, E. Morr. Belg. Hort. xxviii. (1878) 183. t. 10. f. 1 = *Z. Wailiesianum*.

WARCZEWITZIA, Skinner, in Lindl. & Paxt. Flow. Gard. i. (1850–51) 45 = *Catasetum*, Rich. (Orchid.).

WAREA, C. B. Clarke, in Journ. Linn. Soc. xv. (1876) 127 = *Biswarea*, Cogn. (Cucurb.).

*tonglensis*, C. B. Clarke, l. c. 129 = *B. tonglensis*.

WAREA, Nutt. in Journ. Acad. Philad. vii. (1834) 83. t. 10. *CRUCIFERAE*, Benth. & Hook. f. i. 80.

*amplexifolia*, Nutt. l. c. —Am. bor.

*cuneifolia*, Nutt. l. c. 84.—Am. bor.

WARIA, Aubl. Pl. Gui. i. 604. t. 243 (1775) = *Uvaria*, Linn. (Anonac.).

*zeylanica*, Aubl. l. c. 604 = *Uvaria zeylanica*.

*zeylanica*, Aubl. l. c. t. 243 = *Unona discolor*.

WARIONIA, Benth. & Coss. in Bull. Soc. Bot. Fr. xix. (1872) 165. *COMPOSITAE*, Benth. & Hook. f. ii. 474.

*Saharae*, Benth. & Coss. l. c. 166.—Afr. bor.

WARMINGIA, Engl. in Mart. Fl. Bras. xii. ii. 281 (1874) = *Spondias*, Linn. (Anacard.).

*pauciflora*, Engl. l. c. = *S. purpurea*.

**WARMINGIA**, Reichb. f. *Otia Bot. Hamb.* 87 (1881).  
*ORCHIDEAE*, Benth. & Hook. f. iii. 477.  
 Eugenii, Reichb. f. l. c.—Bras.

**WARNERA**, Mill. Gard. Dict. ed. VIII. (1768) = **Hydrastis**, Ellis (Ranunc.).  
*canadensis*, Mill. l. c. = *H. canadensis*.  
*diphylla*, Rafin. Med. Fl. i. 253 = *H. canadensis*.  
*tinctoria*, Rafin. l. c. = *H. canadensis*.

**WARREA**, Lindl. Bot. Reg. (1843) Misc. 14. *ORCHIDEAE*, Benth. & Hook. f. iii. 545.  
*bahiensis*, Hort. ex Reichb. f. in Bot. Zeit. x. (1852) 931 = *Paradisanthus bahiensis*.  
*bidentata*, Lindl. Bot. Reg. (1844) Misc. 76; et in Lindl. & Paxt. Flow. Gard. i. (1850-51) 73.—N. Granat.  
*candida*, Lindl. & Paxt. l. c. 32 = *Zygopetalum candidum*.  
*cinerea*, Benth. in Journ. Linn. Soc. xviii. (1881) 321, sphalm. = *Aganisia cyanea* (in Addend.).  
*cyanea*, Lindl. Bot. Reg. (1844) Misc. 2; (1845) t. 23 = *Aganisia cyanea* (in Addend.).  
*digitata*, Lem. Illustr. Hort. iii. (1856) Misc. 70; iv. (1857) t. 152 = *Zygopetalum Wailesianum*.  
*discolor*, Lindl. in Journ. Hort. Soc. iv. (1849) 265 = *Zygopetalum discolor*.  
*Lindeniana*, Henfrey, in Moore & Ayres, Gard. Mag. Bot. i. (1850) 177 = *bidentata*.  
*marginata*, Reichb. f. in Bot. Zeit. x. (1852) 636 = *Zygopetalum marginatum*.  
*quadrata*, Lindl. in Gard. Chron. (1853) 647 = *Zygopetalum marginatum*.  
*tricolor*, Lindl. Bot. Reg. (1843) Misc. 14.—Bras.  
*unijugata*, Regel, Ind. Sem. Hort. Petrop. (1855) 22 = *tricolor*.  
*Wailesiana*, Lindl. in Journ. Hort. Soc. iv. (1849) 264 = *Zygopetalum Wailesianum*.

**WARSCIEWICZELLA**, Reichb. f. *Xenia Orch.* i. 61, in obs. (1858) = **WARCZEWICZELLA**, Reichb. f. = *Zygopetalum*, Hook. (Orchid.).

**WARSEWICZELLA**, Benth. & Hook. f. Gen. iii. 543 (1880) = *praec.*

**WARSZEWICZIA**, Klotzsch, in Monatsb. Akad. Berl. (1853) 496. *RUBIACEAE*, Benth. & Hook. f. ii. 48.  
*coccinea*, Klotzsch, l. c. 497.—Am. trop.  
*macrophylla*, Wedd. in Ann. Sc. Nat. Sér. IV. i. (1854) 72 = *coccinea*.  
*maynensis*, Wedd. l. c. = *coccinea*.  
*peltata*, Wedd. l. c. 73.—N. Granat.  
*Poeppigiana*, Klotzsch, in Monatsb. Akad. Berl. (1853) 497 = *coccinea*.  
*pulcherrima*, Klotzsch, l. c. = *coccinea*.  
*Schomburgkiana*, Klotzsch, l. c. = *coccinea*.  
*splendens*, Wedd. in Ann. Sc. Nat. Sér. IV. i. (1854) 72 = *coccinea*.

**WARTHEMIA**, Boiss. Diagn. Ser. I. vi. 74 (1845) = **WARTHEMIA**, DC. = **Iphia**, Cass. (Compos.).

**WARTMANNIA**, Muell. Arg. in Linnaea, xxxiv. (1865-66) 218 = **Homalanthus**, A. Juss. (Euphorb.).  
*stillingiaefolia*, Muell. Arg. l. c. 219 = *H. stillingiaefolia*.

**WASHINGTONIA**, H. Wendl. in Bot. Zeit. xxxvii. (1879) 68. *PALMAE*, Benth. & Hook. f. iii. 923.  
*filifera*, H. Wendl. l. c.—Calif.  
*robusta*, H. Wendl. in Berl. Garten-Zeit. ii. (1883) 198; et in Rev. Hort. (1885) 401. f. 73 = *filifera*?

**WASHINGTONIA**, Winsl. in Calif. Farm. (Sept. 1854); ex Hook. Kew Journ. vii. (1855) 29 = **Sequoia**, Endl. (Conif.).  
*americana*, Hort. ex Gord. Pinet. Suppl. 106 = *S. gigantea*.  
*californica*, Winsl. in Calif. Farm. (Sept. 1854); ex Hook. Kew Journ. vii. (1855) 29 = *S. gigantea*.  
*gigantea*, Hort. ex Carr. Conif. ed. II. 217 = *S. gigantea*.

VOL. II.

**WATSONIA**, Mill. Gard. Dict. ed. VII (1759). *IRIDEAE*, Benth. & Hook. f. iii. 705.  
*BEILIA*, Eckl. Top. Verz. 43 (1827).  
*LOMENIA*, Pourr. in Mém. Acad. Toul. iii. (1788) 74. t. 5.  
*MERIANA*, Trew, Pl. Sel. Ehret. 11. t. 40 (1750).  
*NEUBERIA*, Eckl. Top. Verz. 37 (1827).  
*VALSONICA*, Scop. Ann. iv. Hist. Nat. 97 (1770).  
*aletroides*, Ker-Gawl. in Bot. Mag. t. 533.—Afr. austr.  
*amoena*, Pers. Syn. i. 43 = *Gladiolus hirsutus*.  
*angusta*, Ker-Gawl. in Kon. & Sims, Ann. Bot. i. (1804) 230.—Afr. austr.  
*atrosanguinea*, Klatt, in Linnaea, xxxii. (1863) 738 = *angusta*.  
*brevifolia*, Ker-Gawl. in Bot. Mag. t. 601.—Afr. austr.  
*campanulata*, Klatt, in Abh. Naturf. Ges. Halle, xv. (1882) 354 = *Ixia columellaris*.  
*coccinea*, Herb. ex Baker, in Journ. Linn. Soc. xvi. (1877) 158.—Afr. austr.  
*compacta*, Lodd. Bot. Cab. t. 1577 = *Micranthus alopecuroideus*.  
*cylindrica*, Baker, in Journ. Bot. xiv. (1876) 336.—Madag.  
*densiflora*, Baker, l. c.—Afr. austr.  
*dubia*, Eckl. Top. Verz. 36 = *W. Meriana*.  
*erubescens*, Banks, ex Ker-Gawl. in Bot. Mag. sub t. 631 = *humilis*.  
*filifolia*, E. Mey. ex Baker, in Journ. Linn. Soc. xvi. (1877) 159 = *punctata*.  
*fulgens*, Pers. Syn. i. 42 = *W. Meriana*.  
*fulgida*, Salisb. in Trans. Hort. Soc. i. (1812) 323 = *angusta*.  
*humilis*, Mill. Gard. Dict. ed. VIII. n. 2.—Afr. austr.  
*humilis*, Pers. Syn. i. 42 = *Antholyza Merianella*.  
*hyacinthoides*, Pers. l. c. 43 = *brevifolia*.  
*iridifolia*, Eckl. Top. Verz. 35, nomen (Quid?).—Afr. austr.  
*iridifolia*, Ker-Gawl. in Bot. Mag. t. 600 = *W. Meriana*.  
*Jacquini*, Pers. Syn. i. 42 = *aletroides*.  
*laccata*, Ker-Gawl. in Bot. Mag. sub t. 631; Pers. Syn. i. 43 = *humilis*.  
*Lamarkii*, A. Dietr. Sp. Pl. ii. 570.—Afr. austr.  
*litura*, Klatt, in Abh. Naturf. Ges. Halle, xv. (1882) 353 = *W. Meriana*.  
*longifolia*, Steud. Nom. ed. II. ii. 784 = *Gladiolus Ecklonii*.  
*lucens*, Pers. Syn. i. 42 = *Antholyza lucidior*.  
*lucidior*, Eckl. Top. Verz. 36 = *Antholyza lucidior*.  
*maculata*, Klatt, in Abh. Naturf. Ges. Halle, xv. (1882) 352 = *humilis*.  
*marginata*, Ker-Gawl. in Bot. Mag. t. 608.—Afr. austr.  
*Meriana*, Mill. Gard. Dict. ed. VIII. n. 1; Ker-Gawl. in Kon. & Sims, Ann. Bot. i. (1804) 230.—Afr. austr.  
*Merianella*, Eckl. Top. Verz. 36 = *Gladiolus hirsutus*.  
*minuta*, Klatt, in Abh. Naturf. Ges. Halle, xv. (1882) 353.—Afr. austr.  
*natalensis*, Eckl. Top. Verz. 34 = *Gladiolus psittacinus*.  
*palustris*, Pers. Syn. i. 43 = *Dierama ensifolium*.  
*pellucida*, Eckl. Top. Verz. 36 = *coccinea*.  
*pilosa*, Klatt, in Trans. S. Afr. Phil. Soc. iii. (1885) 200 = *Antholyza Merianella*.  
*plantaginea*, Ker-Gawl. in Bot. Mag. t. 553 = *Micranthus alopecuroideus*.  
*pottbergensis*, Eckl. Top. Verz. 36, nomen (Quid?).—Afr. austr.  
*praecox*, Pers. Syn. i. 42 = *Antholyza revoluta*.  
*punctata*, Ker-Gawl. in Kon. & Sims, Ann. Bot. i. (1804) 229.—Afr. austr.  
*racemosa*, Klatt, in Abh. Naturf. Ges. Halle, xv. (1882) 354 = *Ixia columellaris*?  
*recurva*, Pers. Syn. i. 43 = *Antholyza revoluta*.  
*retusa*, Klatt, in Abh. Naturf. Ges. Halle, xv. (1882) 354.—Afr. austr.  
*revoluta*, Pers. Syn. i. 42 = *Antholyza revoluta*.  
*rosea*, Ker-Gawl. in Kon. & Sims, Ann. Bot. i. (1804) 230.—Afr. austr.  
*roseo-alba*, Ker-Gawl. in Bot. Mag. t. 537 = *W. Meriana*.  
*rubens*, Ker-Gawl. l. c. t. 1072 = *punctata*.  
*spicata*, Ker-Gawl. in Kon. & Sims, Ann. Bot. i. (1804) 229 = *Micranthus alopecuroideus*.  
*striata*, Klatt, in Abh. Naturf. Ges. Halle, xv. (1882) 352 = *rosea*.  
*stricta*, Spreng. Nov. Prov. 43.—Afr. austr.  
*strictiflora*, Ker-Gawl. in Bot. Mag. t. 1406.—Afr. austr.  
*subulata*, Klatt, in Abh. Naturf. Ges. Halle, xv. (1882) 353 = *punctata*.

**WATSONIA** :—  
*tabularis*, Eckl. Top. Verz. 35, nomen (Quid?).—Afr. austr.  
*tigrina*, Eckl. l. c. 36, nomen (Quid?).—Afr. austr.  
*triticea*, Spreng. Syst. i. 150 = *punctata*, *Micranthus alopecuroideus*.  
*tubulosa*, Drège, ex Baker, in Journ. Linn. Soc. xvi. (1877) 158 = *humilis*.  
*tubulosa*, Eckl. Top. Verz. 36 = *marginata*.  
*tubulosa*, Pers. Syn. i. 42 = *aletroides*.

**WATTAKAKA**, Hassk. in Flora, xl. (1857) 99 = **Dregea**, E. Mey. (Asclep.).  
*pubescens*, Miq. Fl. Ind. Bat. ii. 496.—Java.  
*viridiflora*, Hassk. in Flora, xl. (1887) 99 = *D. volubilis*.

**WEBBIA**, DC. Prod. v. 72 (1836) = **Vernonia**, Schreb. (Compos.).  
*aristata*, DC. l. c. 73 = *V. natalensis*.  
*elaegnoides*, DC. l. c. = *V. Kraussii*.  
*hirsuta*, DC. l. c. = *V. hirsuta*.  
*nudicaulis*, DC. l. c. = *V. Dregeana*.  
*oligocephala*, DC. l. c. = *V. Kraussii*.  
*pinifolia*, DC. l. c. 72 = *V. pinifolia*.  
*serratuloides*, DC. l. c. = *V. Perrottetii*.  
*Smithiana*, DC. l. c. = *V. Smithiana*.

**WEBBIA**, Sch. Bip. in Walp. Rep. ii. 970 (1843) = **Conyza**, Linn. (Compos.).  
*Kraussii*, Sch. Bip. l. c. 971 = *C. obscura*.

**WEBBIA**, Spach, in Ann. Sc. Nat. Sér. II. v. (1836) 356 = **Hypericum**, Tourn.  
*canariensis*, Webb & Berth. Phyt. Canar. i. 48 = *H. canariense*.  
*floribunda*, Spach, in Ann. Sc. Nat. Sér. II. v. (1836) 356 = *H. floribundum*.  
*heterophylla*, Spach, Hist. Vég. Phan. v. 409 = *H. canariense*.  
*platypetala*, Spach, l. c. 410, sphalm. = *seq.*  
*platypetala*, Spach, in Ann. Sc. Nat. Sér. II. v. (1836) 356 = *H. canariense*.

**WEBERA**, Cramer, Disp. Syst. 38 (1803) = **Plectronia**, Linn. (Rubiace.).

**WEBERA**, J. F. Gmel. Syst. 820 (1791) = **Bellucia**, Neck. (Melastom.).  
*quinquenervia*, J. F. Gmel. l. c. = *B. Aubletii*.

**WEBERA**, Schreb. Gen. 794 (1791) = **Tarenna**, Gaertn. (Rubiace.).  
*asiatica*, Bedd. Forest. Man. Bot. 133 = *T. zeylanica*.  
*attenuata*, Hook. f. Fl. Brit. Ind. iii. 104.—China.  
*auriculata*, Wall. in Roxb. Fl. Ind. ed. Carey, ii. 537 = *Anomanthodia auriculata*.  
*bispinosa*, Kurz, For. Fl. Brit. Burma, ii. 49 = *Randia longiflora*.  
*campaniflora*, Hook. f. Fl. Brit. Ind. iii. 106.—Ind. or.  
*canarica*, Hook. f. l. c.—Ind. or.  
*cerifera*, Moon, Cat. Pl. Ceyl. 19 = *T. zeylanica*.  
*coriacea*, Wall. ex Steud. Nom. ed. II. ii. 784 = *grandifolia*.  
*corymbosa*, Sm. ex Wight & Arn. Prod. 429 = *Ixora parviflora*.  
*corymbosa*, Willd. Sp. Pl. i. 1224 = *T. zeylanica*.  
*costata*, Hook. f. Fl. Brit. Ind. iii. 103.—Malaya.  
*Cumingiana*, Vidal, Phan. Cuming. Philipp. 178.—Ins. Philipp.  
*cymosa*, Willd. Sp. Pl. i. 1224 = *Plectronia didyma*.  
*Dallachiana*, F. Muell. ex Benth. Fl. Austral. iii. 412.—Austral.  
*densiflora*, Wall. in Roxb. Fl. Ind. ed. Carey, ii. 536 = *Randia densiflora*.  
*disperma*, Hook. f. Fl. Brit. Ind. iii. 102.—Reg. Himal.  
*expandens*, F. Muell. Fragm. vi. 25.—Austral.  
*fasciculata*, Kurz, For. Fl. Brit. Burma, ii. 49 = *Randia fasciculata*.  
*fragrans*, Hook. f. Fl. Brit. Ind. iii. 103.—Malaya.  
*glomeriflora*, Kurz, in Journ. As. Soc. Beng. xli. (1872) ii. 311 = *T. zeylanica*.  
*grandifolia*, Hook. f. Fl. Brit. Ind. iii. 105.—Malaya.  
*Helferi*, Hook. f. l. c. 107.—Burma.  
*hispidula*, Baker, in Journ. Bot. xx. (1882) 137.—Madag.

## WEBERA:—

- Kurzii*, Hook. f. Fl. Brit. Ind. iii. 105.—Ins. Andam. et Nicobar.  
*lanceolata*, Moon, Cat. Pl. Ceyl. 19 = *Plectronia didyma*.  
*longiflora*, Kurz, For. Fl. Brit. Burma, ii. 48 = *Randia longiflora*.  
*longifolia*, Hook. f. Fl. Brit. Ind. iii. 105.—Ins. Penang.  
*lucens*, Hook. f. l. c. 106.—Ind. or.  
*luzoniensis*, Vidal, Phan. Cuming. Philipp. 179.—Ins. Philipp.  
*macrophylla*, Roxb. Hort. Beng. 85; Fl. Ind. i. 697 = *odorata*.  
*Maingayi*, Hook. f. Fl. Brit. Ind. iii. 103.—Malacca.  
*mollis*, Hook. f. l. c. 104.—Malaya.  
*mollissima*, Benth. ex Hance, in Journ. Linn. Soc. xiii. (1873) 105.—China.  
*monosperma*, Hook. f. Fl. Brit. Ind. iii. 103.—Ind. or.  
*myrtifolia*, Kurz, For. Fl. Brit. Burma, ii. 49.—Burma.  
*nilagirica*, Hook. f. Fl. Brit. Ind. iii. 106.—Ind. or.  
*odorata*, Roxb. Hort. Beng. 15; Fl. Ind. i. 699.—Reg. Himal.; Penang.  
*oppositifolia*, Roxb. II. cc. 85; 698 = *Randia densiflora*.  
*pavettoides*, Benth. & Hook. f. Gen. ii. 95, in nota sub *Kraussia*.—Afr. trop.  
*pumila*, Hook. f. Fl. Brit. Ind. iii. 103.—Reg. Himal.  
*scandens*, Roxb. Hort. Beng. 15; Fl. Ind. i. 698 = *Randia longiflora*.  
*sechellensis*, Baker, Fl. Maurit. 139.—Ins. Seychelles.  
*siamensis*, Kurz, For. Fl. Brit. Burma, ii. 48 = *Randia longiflora*.  
*stellulata*, Hook. f. Fl. Brit. Ind. iii. 104.—Malaya.  
*subsessilis*, Maxim. in Bull. Acad. Pétersb. xxix. (1883) 166.—Ins. Bonin.  
*sumatrana*, Boerl. in Veth, Midden-Sumatra, iv. II. Flora, 21.—Sumatra.  
*tetrandra*, Wall. Cat. n. 8265 = *Plectronia Rheedii*.  
*tetrandra*, Willd. Sp. Pl. i. 1224 = *Plectronia parviflora*.  
*thyrsoides*, Roth, Nov. Pl. Sp. 149 = *Wendlandia Notoniana*.  
*truncata*, Wall. in Roxb. Fl. Ind. ed. Carey, ii. 538 = *Trisciadia truncata*.  
*Wallichii*, Hook. f. Fl. Brit. Ind. iii. 105.—Ins. Penang.

**WEDDELLINA**, Tul. in Ann. Sc. Nat. Sér. III. xi (1849) 113. *PODOSTEMACEAE*, Benth. & Hook. f. iii. 109.  
*squamulosa*, Tul. l. c.—Guian.  
*uaupensis*, Benth. in Benth. & Hook. f. Gen. iii. 109.—Bras.

**WEDELA**, Steud. Nom. ed. II. ii. 784 (1841), sphalm. = **VEDELA**, Adans. = **Ardisia**, Sw. (Myrsin.).

**WEDELIA**, Jacq. Enum. Pl. Carib. 8 (1760); Select. Am. 217 (1763). *COMPOSITAE*, Benth. & Hook. f. ii. 370.  
**ANTHEMIOPSIS**, Boj. ex DC. Prod. v. 547, 548 (1836).  
**MENOTRICHE**, Steetz, in Peters, Reise Mossamb. Bot. 472 (1863).  
**NIEBUHRIA**, Neck. Elem. i. 30 (1790).  
**STEMMODONTIA**, Cass. in Bull. Soc. Philom. (1817) 11.  
**TRICHOSTEMMA**, Cass. in Dict. Sc. Nat. xlv. (1827) 399, 409.  
**TRICHOSTEPHIUM**, Cass. l. c. lv. 266, in obs. (1828).  
**TRICHOSTEPHUS**, Cass. l. c. lx. 618 (1830).  
**WOLLASTONIA**, DC. ex Decne. in Nouv. Ann. Mus. Par. iii. (1834) 414 (Herb. Tim. Desc. 86).  
*abyssinica*, Vathek, in Oestr. Bot. Zeitschr. xxv. (1875) 327.—Afr. trop.  
*acapulcensis*, H. B. & K. Nov. Gen. et Sp. iv. 215.—Mexic.  
*acuminata*, DC. Prod. v. 541.—Cuba.  
*affinis*, DC. l. c.—Ins. S. Thomas (Ind. occ.).  
*africana*, Beauv. Fl. Owar. ii. 19. t. 69.—Afr. trop.  
*alagoënsis*, Baker, in Mart. Fl. Bras. vi. III. 187.—Bras.  
*alutacea*, Pohl, ex Baker, l. c. 200 = *Aspilia asperima*.

## WEDELIA:—

- ambigua*, DC. Prod. v. 541.—Ins. Guadaloup.  
*aristata*, Less. in Linnaea, vi. (1831) 160.—Ins. Molucc.  
*asperima*, Benth. Fl. Austral. iii. 539.—Austral.  
*aurea*, D. Don, ex Hook. Bot. Mag. t. 3384 = *Zexmenia aurea*.  
*bengalensis*, Rich. in Pers. Syn. ii. 490 = *calendulacea*.  
*biflora*, C. B. Clarke, Comp. Ind. 137 = *Wallichii*.  
*biflora*, DC. in Wight, Contrib. 18.—Geront. trop.  
*brachycarpa*, Baker, in Mart. Fl. Bras. vi. III. 181.—Paraguay.  
*brachylepis*, Griseb. in Goett. Abh. xxiv. (1879) 190.—Reg. Argent.  
*buphtalmiflora*, Lor. in Roca, Exped. Rio-Negro, ii. 237.—Patagon.  
*buphtalmoides*, Griseb. in Goett. Abh. vii. (1857) 235.—Ind. occ.  
*calendulacea*, Less. Syn. Comp. 222.—As. et Austral. trop.  
*calendulacea*, Rich. in Pers. Syn. ii. 490 = *hispida*.  
*calycina*, Rich. l. c. = *affinis vel acapulcensis*.  
*calycina*, Spreng. Syst. iii. 580 = *ambigua*.  
*caracasana*, DC. Prod. v. 541 = *Zexmenia caracasana*.  
*caribaea*, Spreng. Syst. iii. 580 = *cruciana*.  
*carnosa*, Pers. Syn. ii. 490.—Am. trop.  
*Chamissonis*, Less. in Linnaea, vi. (1831) 161.—Ins. Guahan.  
*chrysostephana*, Griseb. in Goett. Abh. xxiv. (1879) 190.—Reg. Argent.  
*cordata*, Hook. & Arn. Bot. Beech. Voy. 435 = *Gymnolomia patens*.  
*cordifolia*, Mart. ex Baker, in Mart. Fl. Bras. vi. III. 261 = *Calea hispida*.  
*crenata*, Rich. in Pers. Syn. ii. 490 = *carnosa*.  
*cruciana*, Rich. in Pers. l. c.—Ind. occ.  
*Cunninghami*, DC. Prod. v. 540 = *urticifolia*.  
*discoidea*, Less. in Linnaea, vi. (1831) 728 = *Eleutheranthera ovata*.  
*ecliptoides*, F. Muell. Pl. Vict. sub t. 39 = *Eclipta platyglossa*.  
*Ehrenbergii*, Less. in Linnaea, vi. (1831) 729.—Ins. S. Doming.  
*elongata*, Vathek, in Bremen, Abh. ix. (1885) 121.—Madag.  
*equatorialis*, Benth. & Hook. f. Gen. ii. 350, in obs.—Am. trop.  
*filipes*, Hemsl. Biol. Centr. Am. Bot. ii. 170.—Guatemala.  
*Forsteriana*, Endl. Prod. Fl. Norf. 51.—Ins. Norfolk.  
*fruticosa*, Jacq. Enum. Pl. Carib. 28 = *frutescens*.  
*frutescens*, Hook. f. ex Benth. in Journ. Linn. Soc. xiii. (1873) 439 (an *tenuicaulis*?).—Ins. Galapag.  
*frutescens*, Jacq. Select. Am. 217. t. 130.—N. Granat.  
*frutescens*, Sieber, ex Griseb. Fl. Brit. W. Ind. 372 = *Sieberi*.  
*frutescens*, Spreng. ex DC. Prod. v. 541 = *reticulata*.  
*Gaudichaudii*, DC. Prod. v. 542.—Peruv.  
*goyazensis*, Gardn. in Hook. Lond. Journ. Bot. vii. (1848) 288.—Bras.  
*gracilis*, Rich. in Pers. Syn. ii. 490.—Ind. occ.  
*grandiflora*, Benth. Bot. Voy. Sulph. 115.—Ecuador.  
*helianthoides*, H. B. & K. Nov. Gen. et Sp. iv. 216 = *Zexmenia helianthoides*, Benth. & Hook. f. hispida, H. B. & K. l. c. 215.—Mexic.  
*Hookeriana*, Gardn. in Hook. Lond. Journ. Bot. vii. (1848) 289.—Bras.  
*Horsfieldiana*, Benth. & Hook. f. Gen. ii. 371.—Java.  
*humilis*, Schweigg. Enum. Pl. Hort. Regiom. 79.—Hab.?  
*Jacquini*, Rich. in Pers. Syn. ii. 490 = *reticulata*.  
*laevissima*, Less. ex Baker, in Mart. Fl. Bras. vi. III. 202 = *Aspilia laevissima*.  
*lanceolata*, DC. Prod. v. 541.—Ins. Porto Rico.  
*latifolia*, DC. l. c. 542.—Am. austr.  
*linearifolia*, Baker, in Mart. Fl. Bras. vi. III. 182.—Bras.  
*linearis*, Zoll. in Flora, xxx. (1847) 534.—Java.  
*longifolia*, Mart. ex Baker, in Mart. Fl. Bras. vi. III. 182.—Bras.  
*Lundii*, DC. Prod. v. 539.—Bras.  
*macrodonata*, DC. l. c.—Bras.  
*Menotriche*, Oliver & Hiern, in Oliver, Fl. Trop. Afr. iii. 377.—Afr. trop.  
*minor*, Hornem. Hort. Hafn. 855 = *Melampodium paludosum*.  
*modesta*, Baker, in Mart. Fl. Bras. vi. III. 185.—Bras.  
*mollis*, Pers. Syn. ii. 490.—Am. austr.

## WEDELIA:—

- mossambicensis*, Oliver, in Trans. Linn. Soc. xxix. (1873) 97.—Afr. trop.  
*natalensis*, Sond. in Linnaea, xxiii. (1850) 63.—Afr. austr.  
*oblongifolia*, Pohl, ex Baker, in Mart. Fl. Bras. vi. III. 256 = *Calea Candolleana*.  
*oligocephala*, Baker, l. c. 182.—Bras.  
*ovatifolia*, Willd. Enum. Hort. Berol. Suppl. 61 = *Melampodium paludosum*.  
*pallida*, Gardn. in Hook. Lond. Journ. Bot. vii. (1848) 288 = *macrodonata*.  
*paludicola*, Poepp. & Endl. Nov. Gen. et Sp. iii. 50.—Cuba.  
*paludosa*, DC. Prod. v. 538.—Bras.  
*paniculata*, Turcz. in Bull. Soc. Nat. Mosc. xxiv. (1851) II. 69.—Ecuador.  
*parviflora*, Rich. in Pers. Syn. ii. 490.—Ins. Guadaloup.  
*pedunculosa*, DC. Prod. v. 484, sphalm. = *paludosa*.  
*perfoliata*, Willd. Sp. Pl. iii. 2335 = *Melampodium perfoliatum*.  
*phyllocephala*, Hemsl. Biol. Centr. Am. Bot. ii. 170.—Guatemala.  
*pilosa*, Baker, in Mart. Fl. Bras. vi. III. 181.—Bras.  
*Pohlui*, Sch. Bip. ex Baker, in Mart. Fl. Bras. vi. III. 183 = *Vauthieri*.  
*populifolia*, Hook. & Arn. Bot. Beech. Voy. 435.—Nicaragua.  
*pratensis*, Vathek, in Bremen, Abh. ix. (1885) 121.—Madag.  
*psammophila*, Poepp. & Endl. Nov. Gen. et Sp. iii. 50.—Bras.  
*puberula*, DC. Prod. v. 540.—Bras.  
*pulchella*, H. B. & K. Nov. Gen. et Sp. iv. 214.—Am. austr.  
*pumila*, Pohl, ex Baker, in Mart. Fl. Bras. vi. III. 194 = *Aspilia procumbens*.  
*radiosa*, Ker-Gawl. in Bot. Reg. t. 610.—Bras.  
*reticulata*, DC. Prod. v. 540.—Ins. Porto Rico.  
*reticulata*, Griseb. Cat. Pl. Cub. 154 = *Zexmenia reticulata*.  
*rudis*, Benth. ex Baker, in Mart. Fl. Bras. vi. III. 189 = *Zexmenia rudis*.  
*scaberrima*, Benth. in Ann. Nat. Hist. Ser. I. ii. (1839) 110.—Guian.  
*scaberrima*, Hook. f. Fl. Brit. Ind. iii. 307, sphalm., in syn. = *Wallichii*.  
*scaberrima*, Pohl, ex Baker, in Mart. Fl. Bras. vi. III. 255 = *Calea elongata*.  
*scandens*, C. B. Clarke, Comp. Ind. 136 (excl. syn.) = *biflora*.  
*scandens*, Gardn. in Hook. Lond. Journ. Bot. iv. (1845) 125 = *subvelutina*.  
*Schultziana*, Mig. Fl. Ind. Bat. ii. 69.—Ins. Bali.  
*Serra*, Pohl, ex Baker, in Mart. Fl. Bras. vi. III. 184 = *macrodonata*.  
*serrata*, Rich. in Pers. Syn. ii. 490.—Ins. S. Doming.  
*sessilifolia*, Mart. ex Baker, in Mart. Fl. Bras. vi. III. 196 = *Aspilia reflexa*.  
*sessilifolia*, Pohl, ex Baker, l. c. 180 = *paludosa*.  
*Sieberi*, Griseb. Fl. Brit. W. Ind. 372, in obs.—Ind. occ.  
*spilanthoides*, F. Muell. Fragm. v. 64.—Austral.  
*strigosa*, Hook. & Arn. Bot. Beech. Voy. 435 = *Aspilia strigosa*.  
*subflexuosa*, Hook. & Arn. l. c. = *Gymnolomia subflexuosa*.  
*subvelutina*, DC. Prod. v. 540.—Bras.  
*tenuicaulis*, Hook. f. in Trans. Linn. Soc. xx. (1847) 213 = *Blainvillea tenuicaulis*.  
*titicacensis*, Meyen & Walp. in Nov. Act. Nat. Cur. xix. Suppl. i. (1843) 269 = *Villanova titicacensis*.  
*Trichostemma*, Steud. Nom. ed. II. ii. 703, in syn., sphalm. = seq.  
*Trichostephia*, DC. Prod. v. 540.—Bras.  
*urticaefolia*, DC. in Wight, Contrib. 18.—Ind. or.  
*Vauthieri*, DC. Prod. v. 539.—Bras.  
*verbesinoides*, F. Muell. ex Benth. Fl. Austral. iii. 538.—Austral.  
*veronicaefolia*, A. Rich. Fl. Cub. Fanerog. ii. 53.—Cuba.  
*villosa*, Gardn. in Hook. Lond. Journ. Bot. vii. (1848) 289, partim.—Bras.  
*villosa*, Gardn. l. c., partim = *alagoënsis*.  
*Wallichii*, Less. in Linnaea, vi. (1831) 162.—Reg. Himal.; Java.  
*Zollingeriana*, Sch. Bip. ex C. B. Clarke, Comp. Ind. 136 = *calendulacea*.

WEDELIA, Loeffl. It. Hisp. 180 (1758) = **Allionia**, Loeffl. (Nyctag.).  
*incarnata*, Linn. Syst. ed. X. 890.—Am. bor. et austr.  
*malachroides*, Benth. Bot. Voy. Sulph. 114=incarnata.  
*violacea*, Linn. Syst. ed. X. 890.—Venezuela.

WEDELIOPSIS, Planch. ex Benth. in Hook. Niger Fl. 351 (1849) = **Dissotis**, Benth. (Melastom.).

WEHLIA, F. Muell. Fragm. x. 22 (1876). MYRTACEAE.  
*coarctata*, F. Muell. l. c. 23.—Austral.  
*staminosa*, F. Muell. in Wing, South. Sc. Record, iii. (1884) 282.—Austral.  
*thryptomenoides*, F. Muell. Fragm. x. 22.—Austral.

WEIGELA, Thunb. in Vet. Acad. Handl. Stockh. (1780) 137. t. 5 = **Diervilla**, Tourn. (Caprifol.).  
*alba*, Carr. in Rev. Hort. (1861) 331 = D. florida.  
*amabilis*, Hort. ex Carr. l. c. Sér. IV. ii. (1853) 305 = D. florida.  
*biformis*, Hort. ex C. Koch, Dendrol. ii. i. 42 = D. coraeënsis.  
*candida*, Carr. in Rev. Hort. (1879) 130.—Hab. ?  
*coraeënsis*, Thunb. in Trans. Linn. Soc. ii. (1794) 331 = D. coraeënsis.  
*Desboisii*, Carr. in Rev. Hort. (1861) 332 = D. coraeënsis.  
*excelsa*, Carr. l. c. (1873) 279.—Hab. ?  
*fallax*, Miq. Fl. Ind. Bat. ii. 128.—Java.  
*floribunda*, C. A. Mey. in Bull. Phys.-Math. Pétersb. xiii. (1855) 219 = D. floribunda.  
*florida*, A. DC. in Ann. Sc. Nat. Sér. II. xi. (1839) 241 = D. florida.  
*Groenewegenii*, Carr. in Rev. Hort. (1861) 332 = D. coraeënsis.  
*hortensis*, C. A. Mey. in Bull. Phys.-Math. Pétersb. xiii. (1855) 219 = D. hortensis.  
*intermedia*, Hort. ex C. Koch, Dendrol. ii. i. 42 = D. coraeënsis.  
*Isolinae*, Van Houtte, in Fl. des Serres, xiv. (1861) t. 1445 = D. rosea.  
*japonica*, Thunb. Fl. Jap. 90 = D. japonica.  
*Lavallei* x, Lescuyer, in Hérincq, L'Hort. Franç. (1870) 145. [t. 5].  
*Lowii* x, Hort. ex Hérincq, l. c. 232.  
*Metelerkampii*, Hort. ex C. Koch, Dendrol. ii. i. 42 = D. coraeënsis.  
*Middendorffiana*, Hort. ex Carr. in Rev. Hort. Sér. IV. ii. (1853) 306 = D. Middendorffiana.  
*pauciflora*, A. DC. in Ann. Sc. Nat. Sér. II. xi. (1839) 241 = D. florida.  
*rosea*, Lindl. in Journ. Hort. Soc. i. (1846) 65, 189. t. 6 = D. florida.  
*splendens*, Hort. ex Carr. in Fl. des Serres, viii. (1852-53) 292 = D. sessilifolia.  
*Stelsneri*, Van Houtte, l. c. xiv. (1861) 142 = D. rosea ?

WEIGELIA, Pers. Syn. i. 176 (1805) = praec.

WEIGELTIA, A. DC. in Trans. Linn. Soc. xvii. (1834) 102 = **Cybianthus**, Mart. (Myrsin.).  
*Blanchetii*, A. DC. in DC. Prod. viii. 115.—Bras.  
*capitellata*, Miq. in Mart. Fl. Bras. x. 300 = C. myrianthos.  
*detergens*, Mart. Pl. Med. Bras. Ined. t. 43 = C. detergens.  
*Gardneri*, A. DC. in DC. Prod. viii. 115.—Bras.  
*longifolia*, Benth. ex Miq. in Mart. Fl. Bras. x. 299 = C. longifolius.  
*myrianthos*, A. DC. in Trans. Linn. Soc. xvii. (1834) 102 = C. myrianthos.  
*obovata*, Mart. in Flora, xxiv. (1841) II. Beibl. 21 = C. obovatus.

WEIGELTIA, Reichb. Consp. 155 (1828), nomen. LEGUMINOSAE.

WEIHEA, Eckl. Top. Verz. 22 (1827) = **Geissorhiza**, Ker-Gawl. (Irid.).  
*elatiior*, Eckl. l. c. = G. excisa.  
*excisa*, Eckl. l. c. = G. excisa.

WEIHEA, Reichb. Consp. 212<sup>b</sup> (1828) = **Burtonia**, R. Br. (Legumin.).

WEIHEA, Spreng. Syst. ii. 559 (1825). RHIZOPHOREAE, Benth. & Hook. f. i. 681.

ANSTRUTHERIA, Gardn. in Calc. Journ. Nat. Hist. vi. (1846) 344. t. 4.

RICHAEIA, Thou. Gen. Nov. Madag. 25 (1806). africana, Benth. ex Oliver, Fl. Trop. Afr. ii. 410.—Afr. trop.

Azelii, Oliver, l. c. 411.—Afr. trop.  
*ceylanica*, Hensl. in Hook. f. Fl. Brit. Ind. ii. 441 = zeylanica.

lanceolata, Baill. Adansonia, iii. (1862-63) 39.—Ins. Comor.

leptoclada, Baill. l. c.—Madag.  
*madagascariensis*, Spreng. Syst. ii. 594.—Madag.  
*microphylla*, Baill. Adansonia, iii. (1862-63) 39.—Madag.

myriocarpa, Baill. l. c.—Madag.  
*ovata*, Baill. l. c.—Ins. Comor.

phocotricha, Baill. l. c.—Madag.  
*plumosa*, Oliver, Fl. Trop. Afr. ii. 411.—Afr. trop.

sessiliflora, Baker, in Journ. Linn. Soc. xxi. (1884) 341.—Madag.

zeylanica, Baill. Adansonia, iii. (1862-63) 38.—Zeylan.

WEILBACHIA, Klotzsch & Oerst. in Abh. Akad. Berl. 1854 (1855) 119. t. 11 A = **Begonia**, Tourn.

pustulata, Klotzsch, l. c. 121 = B. pustulata.  
*reptans*, Klotzsch & Oerst. l. c. 120 = B. reptans.

WEINGAERTNERIA, Bernh. Syst. Verz. Erf. 23, 51 (1800) = **Corynephorus**, Beauv. (1812) (Gramin.).  
*canescens*, Bernh. l. c. 51 = C. canescens.

WEINGARTNERIA, Benth. in Journ. Linn. Soc. xix. (1881) 95, sphalm. = praec.

WEINMANNIA, Linn. Syst. ed. X. 1005 (1759). SAXIFRAGEAE, Benth. & Hook. f. i. 653.

ARNOLDIA, Blume, Bijdr. 868 (1826).  
 LEOSPERMUM, D. Don, in Edinb. N. Phil. Journ. (Apr.—June, 1830) 91.

PTEROPHYLLA, D. Don, l. c. 93 (1830).  
 WINDMANNIA, P. Br. Hist. Jamaica. 212 (1756).

affinis, A. Gray, Bot. U. St. Expl. Exped. i. 674.—Ins. Fiji.

alnifolia, Dombey, ex Engl. in Linnaea, xxxvi. (1869-70) 597 = heterophylla.

alpestris, Macfad. Fl. Jamaica. ii. 183 = pinnata.  
*arborea*, Sm. in Rees, Cycl. xxxviii. sub n. 3 = tinctoria.

Arnoldia, A. Gray, Bot. U. St. Expl. Exped. i. 676, in obs. = Blumei.

auriculata, D. Don, in Edinb. N. Phil. Journ. (Apr.—June, 1830) 87 = dryadifolia.

australis, A. Cunn. in Field, N. S. Wales, 353 = Acrophyllum venosum.

Balbisaniana, H. B. & K. Nov. Gen. et Sp. vi. 51.—Peruv.

Benthani, F. Muell. Fragm. v. 180 = Geissois Benthani.

betulina, A. Cunn. in Ann. Nat. Hist. Ser. I. ii. (1839) 357 = sylvicola.

Biagiana, F. Muell. Fragm. v. 16.—Austral.  
*bifida*, Poepp. ex Engl. in Linnaea, xxxvi. (1869-70) 608.—Peruv.

biglandulosa, A. Cunn. in Hook. Ic. Pl. t. 301 = Anodopetalum biglandulosum.

Blumei, A. Gray, Bot. U. St. Expl. Exped. i. 676, in obs. = sundana.

Blumei, Planch. in Hook. Lond. Journ. Bot. vi. (1847) 470.—Java.

Boiviniana, Tul. in Ann. Sc. Nat. Sér. IV. viii. (1857) 154 (Biviniana) = tinctoria.

Bojeriana, Tul. l. c. 155.—Madag.

brachystachya, Willd. ex Engl. in Linnaea, xxxvi. (1869-70) 606 = microphylla.

caripensis, H. B. & K. Nov. Gen. et Sp. vi. 58 = pinnata.

chilensis, DC. Prod. iv. 665 = Calcluvia paniculata.

cinerea, Ruiz & Pav. Fl. Per. iv. t. 332.—Peruv.  
*comorensis*, Tul. in Ann. Sc. Nat. Sér. IV. viii. (1857) 153.—Ins. Comor.

cordata, D. Don, in Edinb. N. Phil. Journ. (Apr.—June, 1830) 87.—Am. austr.

corymbosa, Ruiz & Pav. Fl. Per. iv. t. 330 = Calcluvia paniculata.

crassifolia, Ruiz & Pav. l. c. t. 331.—Am. austr.

crenata, Presl, Rel. Haenk. ii. 51.—Peruv.

## WEINMANNIA:—

decora, Tul. in Ann. Sc. Nat. Sér. IV. viii. (1857) 154.—Madag.

Denhami, Seem. Fl. Vit. 109.—N. Hebrid.

dentata, Ruiz & Pav. Fl. Per. iv. t. 334 = trichosperma.

dichotoma, Brongn. & Gris, in Bull. Soc. Bot. Fr. ix. (1862) 73.—N. Caled.

dioica, Spreng. f. Tent. Suppl. Syst. 13 = Hippobromus alatus.

discolor, Gardn. in Hook. Lond. Journ. Bot. iv. (1845) 104.—Bras.

diversifolia, Moric. ex Ser. in DC. Prod. iv. 10 = cinerea ?

dryadifolia, Moric. ex Ser. l. c. 9.—Peruv.

elliptica, H. B. & K. Nov. Gen. et Sp. vi. 50.—Peruv.

eriocarpa, Tul. in Ann. Sc. Nat. Sér. IV. viii. (1857) 156.—Madag.

fagaroides, H. B. & K. Nov. Gen. et Sp. vi. 54.—Peruv.

floribunda, Baker, in Journ. Linn. Soc. xx. (1883) 138.—Madag.

fraxinea, Sm. ex D. Don, in Edinb. N. Phil. Journ. (Apr.—June, 1830) 93.—Ins. Molucc.

fraxinifolia, Baker, in Journ. Linn. Soc. xxi. (1884) 339.—Madag.

fraxinifolia, Miq. Fl. Ind. Bat. i. i. 1095.—Java.

fuchsoides, A. Cunn. in Ann. Nat. Hist. Ser. I. ii. (1839) 357 = sylvicola.

glabra, Lam. Encyc. vii. 578 = tinctoria.

glabra, Linn. f. Suppl. 228 = pinnata.

glabra, Sieber, ex Engl. in Linnaea, xxxvi. (1869-70) 618 = hirta.

glomerata, Presl, Rel. Haenk. ii. 52.—Peruv.

guyanensis, Klotzsch, ex Engl. in Linnaea, xxxvi. (1869-70) 605.—Guian.

Haenkeana, Engl. l. c. 632.—Peruv.

heterophylla, H. B. & K. Nov. Gen. et Sp. vi. 53.—N. Granat.

heterophylla, Ruiz & Pav. Fl. Per. iv. t. 331 = cordata.

Hildebrandtii, Baill. in Bull. Soc. Linn. Par. i. (1885) 475.—Madag.

hirsuta, D. Don, in Edinb. N. Phil. Journ. (Apr.—June, 1830) 89, sphalm. = seq.

hirta, Sw. Prod. Veg. Ind. Occ. 63.—Jamaic.

hirtella, H. B. & K. Nov. Gen. et Sp. vi. 56.—N. Granat.

Horsfieldii, Miq. Fl. Ind. Bat. i. i. 718.—Java.

Humblotii, Baill. in Bull. Soc. Linn. Par. i. (1885) 475.—Madag.

humilis, Engl. in Linnaea, xxxvi. (1869-70) 620.—Bras.

intermedia, Schlecht. & Cham. in Linnaea, v. (1836) 555.—Mexic.

Itatiaiae, Wawra, in Oestr. Bot. Zeitschr. xxxi. (1881) 280.—Bras.

Kunthiana, D. Don, in Edinb. N. Phil. Journ. (Apr.—June, 1830) 86 = ovata.

lachnocarpa, F. Muell. Fragm. viii. 7.—Austral.

Lansbergiana, Engl. in Linnaea, xxxvi. (1869-70) 628.—Venezuela.

Lantziana, Baill. in Bull. Soc. Linn. Par. i. (1885) 472.—Madag.

latifolia, Presl, Rel. Haenk. ii. 51.—Peruv.

latifolia, Willd. ex Engl. in Linnaea, xxxvi. (1869-70) 602 = macrophylla.

laurina, H. B. & K. Nov. Gen. et Sp. vi. 51.—Am. austr.

Lechleriana, Engl. in Linnaea, xxxvi. (1869-70) 630.—Peruv.

lentiscifolia, Presl, Rel. Haenk. ii. 52.—Peruv.

lucens, Baker, in Journ. Bot. xx. (1882) 70.—Madag.

Macgillivrayi, Seem. Fl. Vit. 109.—N. Hebrid.

macrophylla, H. B. & K. Nov. Gen. et Sp. vi. 52.—Ecuador.

macrostachya, DC. ex Ser. in DC. Prod. iv. 10 = tinctoria.

madagascariensis, DC. ex Ser. l. c. 9 = mauritiana.

marginata, Moric. ex Ser. l. c. 10.—Peruv.

mauritiana, D. Don, in Edinb. N. Phil. Journ. (Apr.—June, 1830) 88.—Ins. Maurit.

microphylla, H. B. & K. Nov. Gen. et Sp. vi. 54.—Peruv.

microphylla, Ruiz & Pav. Fl. Per. iv. t. 334 = parvifolia.

minutiflora, Baker, in Journ. Linn. Soc. xxi. (1884) 339.—Madag.

nitida, D. Don, in Edinb. N. Phil. Journ. (Apr.—June, 1830) 89 = hirta.



**WEINMANNIA** :—

- oppositifolia*, Willd. ex Engl. in *Linnaea*, xxxvi. (1869-70) 600 = ovata.  
*organensis*, *Gardn. in Hook. Lond. Journ. Bot.* iv. (1845) 104.—Bras.  
*ovalis*, DC. ex Engl. in *Linnaea*, xxxvi. (1869-70) 600 = ovata.  
*ovalis*, Ruiz & Pav. *Fl. Per. iv. t. 333* = elliptica.  
*ovata*, *Cav. Ic. vi. 45. t. 566*.—Peruv.  
*ovata*, Ruiz & Pav. *Fl. Per. iv. t. 333* = dryadifolia.  
*paniculata*, Cav. *Ic. vi. 44* = Calcluvia paniculata.  
*paniculata*, F. Muell. *Fragm. ii. 83* = Ackama Muelleri.  
*paniculosa*, F. Muell. l. c. 175 = Ackama Muelleri.  
*parviflora*, *Forst. f. Prod. 26*.—Ins. Tahiti.  
*parviflora*, Pers. *Syn. i. 438* = Clethra guianensis.  
*parvifolia*, Ruiz, ex D. Don, in *Edinb. N. Phil. Journ.* (Apr.-June, 1830) 89.—Peruv.  
*paullinaefolia*, Pohl, ex Ser. in *DC. Prod. iv. 11*.—Bras.  
*pentaphylla*, Ruiz & Pav. *Fl. Per. iv. t. 330*.—Peruv.  
*pinnata*, Linn. *Syst. ed. X. 1005*.—Am. trop.  
*pinnata*, Ruiz, ex Engl. in *Linnaea*, xxxvi. (1869-70) 611 = cinerea.  
*polyphylla*, Moric. ex Ser. in *DC. Prod. iv. 11*.—Peruv.  
*polystachia*, Ruiz, ex D. Don, in *Edinb. N. Phil. Journ.* (Apr.-June, 1830) 90 = subsessiliflora.  
*producta*, Moric. ex Ser. in *DC. Prod. iv. 11*.—Peruv.  
*pubescens*, H. B. & K. *Nov. Gen. et Sp. vi. 56*.—Venezuela.  
*pubescens*, Ruiz, ex D. Don, in *Edinb. N. Phil. Journ.* (Apr.-June, 1830) 89 = reticulata.  
*racemosa*, Linn. *f. Suppl. 227*; *Forst. f. Prod. 29*.—N. Zel.  
*reticulata*, Ruiz & Pav. *Fl. Per. iv. t. 332*.—Peruv.  
*rhodoxylon*, Tul. in *Ann. Sc. Nat. Sér. IV. viii. (1857) 152*.—Ins. Marian.  
*Richii*, A. Gray, *Bot. U. St. Expl. Exped. i. 675. t. 85*.—Ins. Fiji.  
*Riviniiana*, Engl. in *Linnaea*, xxxvi. (1869-70) 635, sphalm. = tinctoria.  
*rosaefolia*, A. Cunn. in *Ann. Nat. Hist. Ser. I. ii. (1839) 358*; A. Gray, *Bot. U. St. Expl. Exped. i. 671* = Ackama rosaefolia.  
*rubifolia*, Benth. *Fl. Austral. iii. 445*.—Austral.  
*rugosa*, Benth. Pl. Hartw. 132 = latifolia.  
*Rutenbergii*, Engl. in *Bremen, Abh. vii. (1880) 16*.—Madag.  
*sambucina*, Ruiz, ex D. Don, in *Edinb. N. Phil. Journ.* (Apr.-June, 1830) 90 = cinerea.  
*samoensis*, A. Gray, *Bot. U. St. Expl. Exped. i. 677*.—Ins. Pacif.  
*serrata*, Brongn. & Gris, in *Bull. Soc. Bot. Fr. ix. (1862) 73*.—N. Caled.  
*sessiliflora*, Pav. ex Ser. in *DC. Prod. iv. 11* = producta.  
*sorbifolia*, H. B. & K. *Nov. Gen. et Sp. vi. 57*.—N. Granat.  
*spatiola*, Hook. f. *Fl. N. Zel. i. 80*, err. typ. = seq.  
*speciosa*, Banks & Soland. ex A. Cunn. in *Ann. Nat. Hist. Ser. I. ii. (1839) 358* = racemosa.  
*spiraeoides*, A. Gray, *Bot. U. St. Expl. Exped. i. 677*.—Ins. Fiji.  
*Spruceana*, Engl. in *Linnaea*, xxxvi. (1869-70) 607. —Ecuador.  
*subcordata*, Moric. ex Ser. in *DC. Prod. iv. 8*.—Peruv.  
*subsessiliflora*, Ruiz & Pav. *Fl. Per. iv. t. 334*.—Am. austr.  
*sulcata*, Engl. in *Linnaea*, xxxvi. (1869-70) 624. —Ecuador.  
*sundana*, Miq. *Fl. Ind. Bat. i. 1. 718*.—Java.  
*sylvicola*, Soland. ex A. Cunn. in *Ann. Nat. Hist. Ser. I. ii. (1839) 357*.—N. Zel.  
*ternata*, Engl. in *Linnaea*, xxxvi. (1869-70) 603. —Peruv.  
*tinctoria*, Sm. in *Rees, Cyclop. xxxviii. n. 2*.—Ins. Mascar.  
*tomentosa*, Linn. *f. Suppl. 227*.—N. Granat.  
*Trianaea*, Wedd. *Chlor. And. ii. 211. t. 72*.—N. Granat.  
*trichosperma*, Cav. *Ic. vi. 45. t. 567*.—Peruv.; Chili.  
*trifoliata*, Lam. *Encyc. vii. 579* = mauritiana.  
*trifoliata*, Linn. *f. Suppl. 227* = Platylophus trifolius.  
*trigyna*, Baker, in *Journ. Bot. xx. (1882) 109*.—Madag.  
*venosa*, Knowles & Westc. *Flor. Cab. ii. (1838) 81* = Acrophyllum venosum.  
*vitiensis*, Seem. *Fl. Vit. 110*.—Ins. Fiji.

WEINREICHIA, Reichb. *Consp. 152 (1828)* = *Pterocarpus*, Linn. (Legumin.).

WEITENWEBERA, Opiz, *Seznam, 104 (1852)* = *Campanula*, Tourn.  
*Cervicaria*, Opiz, l. c. 105 = *C. Cervicaria*.  
*glomerata*, Opiz, l. c. = *C. glomerata*.

WELDANIA, Schult. f. in *Flora*, xii. (1829) 3. t. 1 A. *COMMELINACEAE*, Benth. & Hook. f. iii. 856.  
*LAMPRA*, Benth. Pl. Hartw. 95 (1842).  
*RUGENDASIA*, Schiede, ex Schlecht. *Hort. Halens. 14 (1841)*.  
*candida*, Schult. f. in *Flora*, xii. (1829) 3. t. 1 A. —Mexic.  
*Schultesii*, Schlecht. *Hort. Halens. 14* = *candida*.

WELEZIA, Neck. *Elem. iii. 394 (1790)*, sphalm. = *Velezia*, Linn. (Caryoph.).

WELFIA, H. Wendl.—Cf. *Gard. Chron. (1869) 1236*; et ex André, *Illustr. Hort. xviii. (1871) 93. t. 62*.  
*PALMAE*, Benth. & Hook. f. iii. 915.  
*Georgii*, H. Wendl. ex André, l. c. 94. —Costa Rica.  
*regia*, H. Wendl.—Cf. *Gard. Chron. (1869) 1236*; et ex André, l. c. 93. t. 62. —N. Granat.

WELLINGTONIA, Lindl. in *Gard. Chron. (1853) 819, 823* = *Sequoia*, Endl. (Conif.).  
*californica*, Sargent, *Rep. For. N. Am. (U. St. Census, ix.) 184* = *S. gigantea*.  
*gigantea*, Lindl. in *Gard. Chron. (1853) 819, 823* = *S. gigantea*.

WELLINGTONIA, Meissn. *Gen. Comm. 207*, in nota (1840) = *Meliosma*, Blume (Sabiace.).  
*Arnottiana*, Meissn. l. c. = *M. Arnottiana*.

WELLSTEDIA, Balf. f. in *Proc. Roy. Soc. Edinb. xii. (1884) 407*. *BORAGINEAE*.  
*socotrana*, Balf. f. l. c. 408. —Ins. Socotra.

WELWITSCHIA, Hook. f. in *Gard. Chron. (1862) 71*; et in *Trans. Linn. Soc. xxiv. (1863) 6. tt. 1-14*.  
*GNETACEAE*, Benth. & Hook. f. iii. 418.  
*TOUMBOA*, Naud. in *Rev. Hort. (1862) 186*.  
*TUMBOA*, Welw.—Cf. *Gard. Chron. (1861) 75*, nomen prius.  
*Bainesii*, Carr. *Conif. ed. II. 783* = *mirabilis*.  
*mirabilis*, Hook. f. in *Trans. Linn. Soc. xxiv. (1863) 7*. —Afr. trop.

WELWITSCHIA, Reichb. *Handb. 194 (1837)* = *Gilia*, Ruiz & Pav. (Polemon.).

WENDEROTHIA, Schlecht. in *Linnaea*, xii. (1838) 330 = *Canavalia*, DC. (Legumin.).  
*discolor*, Schlecht. l. c. 331 = *C. villosa*.  
*glabra*, Mart. & Gal. in *Bull. Acad. Brux. x. II. (1843) 193*.—Mexic.  
*hirsuta*, Mart. & Gal. l. c. 192. —Mexic.  
*pilosa*, Mart. & Gal. l. c. 191. —Mexic.

WENDIA, Hoffm. *Gen. Pl. Umbell. ed. I. 136 (1814)* = *Heracleum*, Linn. (Umbell.).  
*alpina*, Schur, *Enum. Pl. Transs. 268* = *H. alpinum*.  
*austriaca*, Schur, l. c. = *H. austriacum*.  
*Chorodanum*, Hoffm. *Gen. Pl. Umbell. ed. I. 139. t. 1* = *H. Chorodanum*.  
*siifolia*, Schur, *Enum. Pl. Transs. 268* = *H. austriacum*.

WENDLANDIA, Bartl. *Ord. 211 (1830)*; et ex DC. *Prod. iv. 411*. *RUBIACEAE*, Benth. & Hook. f. ii. 50.

SESTINIA, Boiss. & Hohen. *Diagn. Ser. I. iii. 55 (1843)*.  
*angustifolia*, Wight, ex Hook. f. *Fl. Brit. Ind. iii. 40*. —Ind. or.

*appendiculata*, Wall. ex Hook. f. l. c. 38 = *puberula*.  
*bicuspidata*, Wight & Arn. *Prod. 403* = *Notoniana*.  
*bifaria*, Wall. *Cat. n. 6278* = *Urophyllum hirsutum*.  
*budleoides*, Wall. in *Wight & Arn. Prod. 402* = *tinctoria*.

*cinerea*, DC. *Prod. iv. 412*; Wall. *Cat. n. 6268* = *exserta*.  
*coriacea*, DC. l. c. —Reg. Himal.  
*corymbosa*, DC. l. c. 413; Wall. *Cat. n. 6276* = *Greenea* Jackii.

**WENDLANDIA** :—

- dasythyrsa*, Miq. *Fl. Ind. Bat. ii. 159*.—Java.  
*densiflora*, DC. *Prod. iv. 412* (dentiflora).—Java.  
*exserta*, Blanco, *Fl. Filip. ed. II. 104* = *paniculata*.  
*exserta*, DC. *Prod. iv. 411*.—Ind. or.  
*glabrata*, DC. l. c. —As. trop.  
*glomerulata*, Kurz, in *Journ. As. Soc. Beng. xli. (1872) II. 310*.—Burma.  
*Heyneana*, Wall. *Cat. n. 6274*; et ex Wight & Arn. *Prod. 403* = *glabrata*.  
*Junghuhniana*, Miq. *Fl. Ind. Bat. ii. 159*.—Java.  
*Kotschyi*, Boiss. & Hohen. *Diagn. Ser. I. iii. 55*.—Kurdist.  
*laevigata*, Miq. *Fl. Ind. Bat. ii. 346* = *glabrata*.  
*Lawii*, Hook. f. *Fl. Brit. Ind. iii. 40*.—Ind. or.  
*Lawsoniae*, DC. *Prod. iv. 413*.—Cochinch.  
*ligustrina*, Wall. *Cat. n. 6272*.—Burma.  
*longifolia*, DC. *Prod. iv. 412* = *Adenosacme longifolia*.  
*luzoniensis*, DC. l. c. = *paniculata*.  
*malayana*, G. Don, *Gen. Syst. iii. 519* = *Adenosacme longifolia*.  
*multiflora*, Bartl. ex DC. *Prod. iv. 412* = *paniculata*.  
*nitens*, Wall. *Cat. n. 6271*.—Burma.  
*Notoniana*, Wall. l. c. n. 6273; et ex Wight & Arn. *Prod. 403*.—Ind. or.  
*paniculata*, DC. *Prod. iv. 411*.—Ind. or.; Malaya.  
*pendula*, DC. l. c. 412. —Reg. Himal.  
*pilosa*, G. Don, *Gen. Syst. iii. 519* = *Bertiera africana*.  
*proxima*, DC. *Prod. iv. 411* = *tinctoria*.  
*puberula*, DC. l. c. 412. —Reg. Himal.; Burma.  
*racemosa*, G. Don, *Gen. Syst. iii. 519* = *Bertiera macrocarpa*.  
*rufescens*, Miq. *Fl. Ind. Bat. ii. 160*.—Java.  
*scabra*, Kurz, in *Journ. As. Soc. Beng. xli. (1872) II. 310* = *puberula*.  
*scandens*, G. Don, *Gen. Syst. iii. 520* = *Rondeletia scandens*.  
*secunda*, Griff. *Notul. iv. 266* = *Greenea Wightiana*.  
*spicata*, DC. *Prod. iv. 412* = *Greenea* Jackii.  
*sulcata*, G. Don, *Gen. Syst. iii. 519*.—Afr. trop.  
*sumatrana*, Miq. *Fl. Ind. Bat. ii. 159* = *glabrata*.  
*tenuiflora*, Miq. ex Hook. f. *Fl. Brit. Ind. iii. 39* = *glabrata*.  
*tetrandra*, DC. *Prod. iv. 412* = *Hedyotis macrophylla*.  
*Teysmanniana*, Miq. *Fl. Ind. Bat. ii. 346*.—Sumatra.  
*thyrsoides*, Steud. *Nom. ed. II. ii. 786* = *Notoniana*.  
*tinctoria*, DC. *Prod. iv. 411*.—Reg. Himal.; Burma.  
*trichantha*, Miq. *Fl. Ind. Bat. ii. 347*.—Java.  
*uvatifolia*, Hance, in *Journ. Bot. viii. (1870) 73* = *paniculata*.  
*virgata*, G. Don, *Gen. Syst. iii. 519* = *Pouchetia africana*.  
*Wallichii*, Wight & Arn. *Prod. 402*, in obs.—Reg. Himal.  
*Wightiana*, Wall. *Cat. n. 6277* = *Greenea Wightiana*.

WENDLANDIA, Willd. *Sp. Pl. ii. 275 (1799)* = *Cocculus*, DC. (1818) (Menisip.).  
*caroliniana*, Nutt. *Gen. Am. i. 241* = *C. carolinus*.  
*populifolia*, Willd. *Sp. Pl. ii. 275* = *carolinus*.

WENDTIA, Ledeb. *Fl. Ross. ii. 328 (1844)* = WENDIA, Hoffm. = *Heracleum*, Linn. (Umbellif.).

WENDTIA, Meyen, *Reise, i. 307 (1834)*. *GERANIACEAE*, Benth. & Hook. f. i. 275.  
*HYPERUM*, Presl, *Epim. Bot. 211 (1850)*.  
*MARTINIERA*, Guill. in *Deless. Ic. Sel. iii. 23. t. 40 (1837)*.

*aphanifolia*, Griseb. in *Goett. Abh. xxiv. (1879) 71*. —Reg. Argent.  
*argentea*, Griseb. l. c. 70 = *calycina*.  
*calycina*, Griseb. l. c. —Reg. Argent.  
*gracilis*, Meyen, *Reise, i. 308*.—Chili.  
*Poeppigiana*, Klotzsch, in *Linnaea, x. (1835-36) 432*. —Chili.  
*Reynoldsii*, Endl. in *Walp. Rep. i. 460*.—Chili.

WENSEA, Wendl. *Coll. Pl. iii. 24. t. 84 (1819)* = *Pogostemon*, Desf. (Labiata).  
*pyramidata*, Wendl. l. c. 26. t. 84 = *P. plectrantoides*.

WERNERIA, H. B. & K. *Nov. Gen. et Sp. iv. 189. tt. 368, 369 (1820)*. *COMPOSITAE*, Benth. & Hook. f. ii. 451.  
*ORESIGONIA*, Willd. ex DC. *Prod. vi. 323 (1837)*.  
*ORIBASIA*, Moq. & Sesse, ex DC. l. c. (1837).  
*africana*, Oliver & Hiern, in *Oliver, Fl. Trop. Afr. iii. 422*.—Abyss.

**WERNERIA:**—

- apiculata*, Sch. Bip. in Bonplandia, iv. (1856) 55, nomen = pygmaea.  
*aretioides*, Wedd. *Chlor. And.* i. 86.—Bolivia.  
*brachypappa*, Phil. in *Anal. Univ. Chil.* (1873) 501.—Chili.  
*brachypappa*, Sch. Bip. in Bonplandia, iv. (1856) 53, 55, nomen = pygmaea.  
*caespitosa*, Wedd. *Chlor. And.* i. 83.—Peruv.  
*calyculata*, Turcz. in *Bull. Soc. Nat. Mosc.* xxiv. (1851) i. 204.—Ecuador.  
*canaliculata*, Sch. Bip. in Bonplandia, iv. (1856) 52, 53, 55, nomen = staticaefolia, pumila.  
*carnulosa*, A. Gray, in *Proc. Am. Acad.* v. (1861) 140.—Peruv.  
*caulescens*, Griseb. in *Goett. Abh.* xxiv. (1879) 208.—Reg. Argent.  
*celmisoides*, Sch. Bip. ex Wedd. *Chlor. And.* i. 82 = staticaefolia.  
*cherlerioides*, Sch. Bip. l. c. 84 = pygmaea.  
*ciliata*, Wedd. ex Sch. Bip. in Linnaea, xxxiv. (1865–66) 530 = ciliolata.  
*ciliolata*, A. Gray, in *Proc. Am. Acad.* v. (1861) 140.—Peruv.  
*cochlearis*, Griseb. in *Goett. Abh.* xxiv. (1879) 208.—Reg. Argent.  
*cortusifolia*, Griseb. l. c. xix. (1874) 194 = Senecio werneroides.  
*dactylophylla*, Sch. Bip. in Bonplandia, iv. (1856) 53, 55, nomen; et ex Wedd. *Chlor. And.* i. 87.—Peruv.  
*densa*, Benth. *Pl. Hartw.* 211.—N. Granat.  
*digitata*, Wedd. *Chlor. And.* i. 86.—Peruv.  
*disticha*, H. B. & K. *Nov. Gen. et Sp.* iv. 193. t. 369.—Ecuador.  
*Ellisii*, Hook. f. *Fl. Brit. Ind.* iii. 357.—Reg. Himal.  
*frigida*, DC. *Prod.* vi. 323, sphalm. = rigida.  
*glandulosa*, Wedd. *Chlor. And.* i. 85.—Peruv.  
*graminifolia*, Benth. *Pl. Hartw.* 211 = pygmaea.  
*graminifolia*, H. B. & K. *Nov. Gen. et Sp.* iv. 192. t. 368. f. 1.—Ecuador.  
*Haenkei*, Sch. Bip. ex Wedd. *Chlor. And.* i. 83, in obs. = caespitosa.  
*heteroloba*, Wedd. l. c. 88.—Peruv.  
*humilis*, H. B. & K. *Nov. Gen. et Sp.* iv. 191.—Ecuador.  
*Lechleri*, Sch. Bip. in *Lechl. Berb. Am. Austr.* 57.—Peruv.  
*Mandoniana*, Wedd. ex Sch. Bip. in *Bull. Soc. Bot. Fr.* xii. (1865) 80, nomen.—Bolivia.  
*melanandra*, Wedd. *Chlor. And.* i. 88.—Bolivia.  
*minima*, Walp. in *Nov. Act. Nat. Cur.* xix. Suppl. i. (1843) 277 = pygmaea.  
*Mocinniana*, DC. *Prod.* vi. 324.—Mexic.  
*nana*, Benth. & Hook. f. *Gen.* ii. 451.—Reg. Himal.  
*nubigena*, H. B. & K. *Nov. Gen. et Sp.* iv. 193.—Ecuador.  
*nuda*, A. Gray, in *Proc. Am. Acad.* v. (1861) 139 = Orbignyana.  
*Orbignyana*, Wedd. *Chlor. And.* i. 85.—Bolivia; Peruv.  
*pinnatifida*, Remy, in C. Gay, *Fl. Chil.* iv. 216.—Chili.  
*plantaginifolia*, Wedd. ex Sch. Bip. in *Bull. Soc. Bot. Fr.* xii. (1865) 80, nomen.—Bolivia.  
*pumila*, H. B. & K. *Nov. Gen. et Sp. Am.* iv. 192. t. 368. f. 2.—Ecuador.  
*pygmaea*, Gill. ex Hook. ex Arn. in *Hook. Journ. Bot.* iii. (1841) 348.—Chili; Peruv.  
*rhizoma*, Remy, in C. Gay, *Fl. Chil.* iv. 215 = pygmaea.  
*rigida*, H. B. & K. *Nov. Gen. et Sp.* iv. 191.—Ecuador.  
*setosa*, Wedd. ex Sch. Bip. in Linnaea, xxxiv. (1865–66) 530 = strigosissima.  
*solivaefolia*, Sch. Bip. in Bonplandia, iv. (1856) 53, 55, nomen; et ex Wedd. *Chlor. And.* i. 87.—Peruv.  
*spathulata*, Wedd. l. c. 85.—Bolivia.  
*staticaefolia*, Sch. Bip. in Bonplandia, iv. (1856) 53, 55, nomen; et ex Wedd. l. c. 81.—Peruv.  
*strigosissima*, A. Gray, in *Proc. Am. Acad.* v. (1861) 140.—Peruv.  
*villosa*, A. Gray, l. c. 139.—Peruv.

WERNISEKIA, Scop. *Introd.* 273 (1777) = **Humiria** Aubl.

WERRINUWA, Heyne, *Tracts on India*, 49 (1814) = **Guizotia**, Cass. (Compos.).

**WESTIA**, Vahl, in *Skrivt. Nat. Selsk.* vi. (1810) 117. **LEGUMINOSAE**, Benth. & Hook. f. i. 583.  
*grandiflora*, Vahl, l. c. 118.—Afr. trop.  
*parviflora*, Vahl, l. c. 119.—Afr. trop.

**WESTONIA**, Spreng. *Syst.* iii. 152, 230 (1826) = **Rothia**, Pers. (Legumin.).  
*humifusa*, Spreng. l. c. 230 = R. trifoliata.

**WESTRINGIA**, Sm. in *Vet. Akad. Handl. Stockh.* (1797) 171; et *Tracts*, 279. t. 3 (1798). **LABIATAE**, Benth. & Hook. f. ii. 1219.

*angustifolia*, R. Br. *Prod.* 501 = rigida.  
*brevifolia*, Benth. *Lab. Gen. et Sp.* 459.—Tasman.  
*capitata*, Bartl. in *Lehm. Pl. Preiss.* i. 362 = Microcorys capitata.  
*cephalantha*, F. Muell. *Fragm.* vi. 110.—Austral.  
*cinerea*, R. Br. *Prod.* 501 = rigida.  
*Dampieri*, R. Br. l. c.—Austral.  
*eremicola*, A. Cunn. ex Benth. *Lab. Gen. et Sp.* 459.—Austral.  
*glabra*, R. Br. *Prod.* 501.—Austral.  
*grandifolia*, F. Muell. ex Benth. *Fl. Austral.* v. 128.—Austral.  
*grevillina*, F. Muell. in *Trans. Phil. Soc. Vict.* i. (1855) 49 = rigida.  
*longifolia*, R. Br. *Prod.* 501.—Austral.  
*longifolia*, Lindl. *Bot. Reg.* t. 1481 = eremicola.  
*rigida*, R. Br. *Prod.* 501.—Austral.  
*rosmarinacea*, Andr. *Bot. Rep.* t. 214 = rosmariniformis.  
*rosmariniformis*, Labill. ex Benth. in DC. *Prod.* xii. 570 = Dampieri.  
*rosmariniformis*, Sm. in *Vetensk. Akad. Handl. Stockh.* (1797) 171; et *Tracts*, 277. t. 3.—Austral.  
*rubiaefolia*, R. Br. *Prod.* 501.—Tasman.  
*senifolia*, F. Muell. in *Trans. Phil. Soc. Vict.* i. (1855) 49.—Austral.  
*serpyllifolia*, Bartl. in *Lehm. Pl. Preiss.* i. 362 = Microcorys purpurea?  
*triphylla*, Ait. ex W. Baxt. in *Loud. Hort. Brit. Suppl.* ii. 681, nomen (Quid ?)—Austral.  
*violacea*, F. Muell. in *Trans. Phil. Soc. Vict.* i. (1855) 49 = glabra.

**WETRIA**, Baill. *Etud. Gén. Euph.* 409 (1858) = **Alchornea**, Sw. (Euphorb.).  
*trewioides*, Baill. l. c. = A. Blumeana.

**WETTINIA**, Poepp. ex Endl. *Gen.* 243 (1837). **PALMAE**, Benth. & Hook. f. iii. 902.  
*augusta*, Poepp. & Endl. *Nov. Gen. et Sp.* ii. 39. t. 153.—Peruv.  
*illaqueans*, Spruce, in *Journ. Linn. Soc.* iii. (1859) 191 = Catoblastus maynensis.  
*maynensis*, Spruce, l. c. = Catoblastus maynensis.  
*Poeppigii*, Kunth, *Enum. Pl.* iii. 109 = augusta.

**WHIPPLEA**, Torr. in *Pacif. Rail. Rep.* iv. 90 (1856). **SAXIFRAGEAE**, Benth. & Hook. f. i. 644.  
*modesta*, Torr. l. c.—Calif.  
*utahensis*, S. Wats. in *Am. Natural.* vii. (1873) 300 = Fendlera utahensis (in Addend.).

**WHITEFIELDIA**, Nees, in DC. *Prod.* xi. 220 (1847), sphalm. = **Whitfieldia**, Hook. (Acanth.).

**WHITEHEADIA**, Harv. *Gen. S. Afr. Pl.* ed. II. 396 (1868). **LILIACEAE**, Benth. & Hook. f. iii. 807.  
*bifolia*, Baker, in *Journ. Linn. Soc.* xiii. (1873) 226 = latifolia.  
*latifolia*, Harv. *Gen. S. Afr. Pl.* ed. II. 396.—Afr. austr.

**WHITFIELDIA**, Hook. *Bot. Mag.* t. 4155 (1845). **ACANTHACEAE**, Benth. & Hook. f. ii. 1085.  
*lateritia*, Hook. l. c.—Afr. trop.  
*longifolia*, T. Anders. in *Journ. Linn. Soc.* vii. (1864) 27.—Afr. trop.

**WHITIA**, Blume, *Cat. Gew. Buitenz.* 16 (1823) = **Cyrtandra**, Forst. (Gesner.).  
*carnosa*, Blume, *Bijdr.* 775 = C. carnosa.  
*longifolia*, Blume, *Cat. Gew. Buitenz.* 86 = C. oblongifolia.  
*oblongifolia*, Blume, l. c. 17 = C. oblongifolia.  
*pilosa*, Zipp. ex C. B. Clarke, in DC. *Monog. Phan.* v. 206 = C. oblongifolia.

**WHITLAVIA**, Harv. in *Hook. Lond. Journ. Bot.* v. (1846) 311 = **Phacelia**, Juss. (Hydroph.).  
*gloxinioides*, Hort. ex Vilm. *Fl. Pl. Terre*, ed. III. 1226 = P. Whitlavia.  
*grandiflora*, Harv. in *Hook. Lond. Journ. Bot.* v. (1846) 312 = P. Whitlavia.  
*minor*, Harv. l. c. = P. Whitlavia.

**WHITLEYA**, D. Don, in *News Lit. and Fashion*, iii. 108; ex Sweet, *Brit. Flow. Gard. Ser. I.* t. 125 (1825) = **Scopolia**, Jacq. (Solan.).  
*stramonifolia*, D. Don, l. c. = S. lurida.

**WHITNEYA**, A. Gray, in *Proc. Am. Acad.* vi. (1865) 549. **COMPOSITAE**, Benth. & Hook. f. ii. 400.  
*dealbata*, A. Gray, l. c. 550.—Calif.

**WIASEMSKYA**, Klotzsch, in *Bot. Zeit.* iv. (1847) 594, absque desc. **RUBIACEAE** (Quid ?).

**WIBELIA**, Gaertn. Mey. & Scherb. *Fl. Wett.* iii. i. 97 (1801) = **Crepis**, Vail. (Compos.).  
*chondrilloides*, Hoppe & Hornsch. *Tageb.* 278; et ex Bluff & Fingerh. *Comp. Fl. Germ.* ed. I. ii. 304 = C. chondrilloides.  
*foetida*, Sch. Bip. *Cich.* 64 = C. foetida.  
*graveolens*, Gaertn. Mey. & Scherb. *Fl. Wett.* iii. i. 144 = C. foetida.

**WIBELIA**, Pers. *Syn.* i. 210 (1805) = **Pappayrola**, Aubl. (Violar.).  
*brasiliensis*, Spreng. *Neue Entdeck.* iii. 63 = P. brasiliensis.  
*guianensis*, Pers. *Syn.* i. 210 = P. guianensis.

**WIBELIA**, Roehl. *Deutschl. Fl.* ed. II. ii. 426 (1813) = **Chondrilla**, Tourn. (Compos.).  
*apargioides*, Roehl. l. c. = C. Peltidium, stipitata.  
*hieracioides*, Roehl. l. c. 427 = Crepis tectorum?  
*setosa*, Roehl. l. c. 582 = Crepis setosa.

**WIBORGIA**, Roth, *Catalect. fasc.* ii. 112 (1800) = **Galinsoga**, Ruiz & Pav. (Compos.).  
*Acmelea*, Roth, l. c. = G. parviflora.  
*armella*, Steud. *Nom. ed.* II. i. 656, in syn., sphalm. = praec.  
*brachystephana*, Heynh. *Nom.* ii. 767 = G. brachystephana.  
*oblongifolia*, Hook. *Bot. Misc.* ii. (1831) 226 = G. oblongifolia.  
*parviflora*, H. B. & K. *Nov. Gen. et Sp.* iv. 256 = G. parviflora.  
*triloba*, Spreng. *Nachtr.* i. *Bot. Gart. Halle*, 41 = Tridax trilobata.  
*urticaefolia*, H. B. & K. *Nov. Gen. et Sp.* iv. 257. t. 389 = Sabazia urticaefolia.

**WIBORGIA**, Thunb. *Nov. Gen.* x. 137 (1800). **LEGUMINOSAE**, Benth. & Hook. f. i. 477.  
**LOETHAINIA**, Heynh. *Nom.* i. 883 (1840), sine char.  
**PELTARIA**, Burm. ex DC. *Prod.* ii. 420 (1825).  
*angustifolia*, Benth. in *Hook. Lond. Journ. Bot.* iii. (1844) 365 = tenuifolia.  
*armata*, Harv. in *Harv. & Sond. Fl. Cap.* ii. 91 = spinescens.  
*cuspidata*, Benth. in *Hook. Lond. Journ. Bot.* iii. (1844) 364.—Afr. austr.  
*flexuosa*, E. Mey. *Comm. Pl. Afr. Austr.* 28.—Afr. austr.  
*floribunda*, E. Mey. l. c. = obcordata.  
*fusca*, Eckl. & Zeyh. *Enum.* 194 = obcordata.  
*fusca*, Thunb. *Nov. Gen.* x. 138.—Afr. austr.  
*fusca*, Willd. ex Walp. in Linnaea, xiii. (1839) 464 = Ralfia cuneifolia.  
*grandiflora*, E. Mey. *Comm. Pl. Afr. Austr.* 31 = Lebeckia sessilifolia.  
*heteroclados*, E. Mey. l. c. 29 = spinescens.  
*incurvata*, E. Mey. l. c. 31.—Afr. austr.  
*lanceolata*, E. Mey. l. c. 29 = sericea.  
*monoptera*, E. Mey. l. c. 30 = spinescens.  
*obcordata*, Thunb. *Nov. Gen.* x. 137.—Afr. austr.  
*obcordata*, Willd. ex Steud. *Nom. ed.* II. ii. 787 = Loddigesia oxalidifolia.  
*oblongata*, E. Mey. *Comm. Pl. Afr. Austr.* 31 = fusca.  
*parviflora*, Benth. in *Hook. Lond. Journ. Bot.* iii. (1844) 364, sphalm. = parvifolia.  
*parvifolia*, E. Mey. *Comm. Pl. Afr. Austr.* 31.—Afr. austr.  
*sericea*, Eckl. & Zeyh. *Enum.* 194 = obcordata.  
*sericea*, Thunb. *Nov. Gen.* x. 139.—Afr. austr.

**WIBORGIA** :—

*spinescens*, Eckl. & Zeyh. Enum. 194.—Afr. austr.  
*tenuifolia*, E. Mey. in Linnaea, vii. (1832) 153.—  
 Afr. austr.  
*tetraptera*, E. Mey. Comm. Pl. Afr. Austr. 29 = *tenui-*  
*folia*.

**WICHURAEA**, Nees, in Lehm. Pl. Preiss. ii. 290 (1847)  
 = **Cryptandra**, Sm. (Rhamn.).  
*arbutiflora*, Nees, l. c. = *C. arbutiflora*.  
*tubulosa*, Nees, l. c. = *C. arbutiflora*.

**WICHURAEA**, M. Roem. Syn. Ens. 277 (1847) =  
**Bomarea**, Mirb. (Amaryll.).  
*acicularis*, M. Roem. l. c. 280 = *B. glaucescens*.  
*andimarcana*, M. Roem. l. c. 279 = *B. andimarcana*.  
*dulcis*, M. Roem. l. c. 278 = *B. glaucescens*.  
*glaucescens*, M. Roem. l. c. 279 = *B. glaucescens*.  
*involuta*, M. Roem. l. c. 278 = *B. glaucescens*.  
*parvifolia*, M. Roem. l. c. 279 = *B. glaucescens*.  
*puberula*, M. Roem. l. c. = *B. glaucescens*.

**WICHUREA**, Benth. & Hook. f. Gen. i. 383 (1862),  
 sphalm. = **WICHURAEA**, Nees = **Cryptandra**, Sm.  
 (Rhamn.).

**WICKSTROEMIA**, Reichb. Consp. 209 (1828), sphalm.  
 = **Wikstroemia**, Schrad. (Thymel.).

**WIDDRINGTONIA**, Endl. Cat. Hort. Vindob. i. 209  
 (1842); Syn. Conif. 31 (1842) = **Callitris**, Vent.  
 (Conif.).  
*Commersonii*, Endl. Syn. Conif. 34.—Madag.  
*cupressoides*, Endl. Cat. Hort. Vindob. i. 209 =  
*C. cupressoides*.  
*ericoides*, Knight, Syn. Conif. 13 = *Thuya sphaeroidalis*.  
*glauca*, Carr. Conif. ed. II. 61 = *Thuya orientalis*.  
*juniperoides*, Endl. Syn. Conif. 32 = *C. arborea*.  
*natalensis*, Endl. l. c. 34.—Afr. austr.  
*Wallichiana*, Gord. Pinet. Suppl. 107 = seq.  
*Wallichii*, Endl. Syn. Conif. 34.—Afr. austr.

**WIEDEMANNIA**, Fisch. & Mey. Ind. Sem. Hort.  
 Petrop. iv. 51 (1837). **LABIATAE**, Benth. & Hook. f.  
 ii. 1210.  
*erythroricha*, Benth. in DC. Prod. xii. 503 = *orientalis*.  
*multifida*, Benth. l. c. —Armenia.  
*orientalis*, Fisch. & Mey. Ind. Sem. Hort. Petrop. iv.  
 52.—Armenia.

**WIEGMANNIA**, Hochst. & Steud. ex Steud. Nom. ed.  
 II. ii. 787 (1841) = **Maerua**, Forsk. (Cappar.).  
*arabica*, Hochst. & Steud. l. c. = *M. crassifolia*.

**WIEGMANNIA**, Meyen, Reise, ii. 129 (1835) = **Kadua**,  
 Cham. & Schlecht. (Rubiace.).  
*glauca*, Meyen, l. c. = *K. cordata*.

**WIELANDIA**, Baill. Etud. Gén. Euph. 568. t. 22  
 (1858). **EUPHORBIACEAE**, Benth. & Hook. f.  
 iii. 270.  
*elegans*, Baill. l. c. 569. t. 22.—Ins. Seychelles.  
*oblongifolia*, Baill. l. c. = *Savia oblongifolia*.

**WIERZBICKIA**, Reichb. Nom. 205 (1841) = **Arenaria**,  
 Rupp. (Caryoph.).  
*laricifolia*, Reichb. Ic. Fl. Germ. v. 30. t. 212 =  
*A. laricifolia*.  
*liniflora*, Fourn. in Ann. Soc. Linn. Lyon, N. S. xvi.  
 (1868) 347 = *A. laricifolia*.  
*macrocarpa*, Reichb. Ic. Fl. Germ. v. 30. t. 211 =  
*A. laricifolia*.  
*striata*, Reichb. l. c. 30 = *A. capillacea*, etc.

**WIESTIA**, Boiss. Fl. Orient. v. 559 (1884) = **Boissiera**,  
 Hochst. (Gramin.).

**WIESTIA**, Sch. Bip. in Herb. & Winckl. Jahrb. Pharm.  
 iv. (1841) 154, in nota = **Lactuca**, Tourn. (Compos.).  
*acuminata*, Sch. Bip. l. c. = *L. acuminata*.  
*canadensis*, Sch. Bip. l. c. = *L. canadensis*.  
*elongata*, Sch. Bip. l. c. = *L. canadensis*.  
*floridana*, Sch. Bip. l. c. = *L. floridana*.  
*graminifolia*, Sch. Bip. l. c. = *L. graminifolia*.  
*spectabilis*, Sch. Bip. l. c. = *L. Scariola*?  
*tatarica*, Sch. Bip. l. c. = *L. tatarica*.  
*tenerrima*, Sch. Bip. l. c. = *L. tenerrima*.  
*tuberosa*, Sch. Bip. l. c. = *L. tuberosa*.  
*virosa*, Sch. Bip. l. c. = *L. virosa*.

**WIGANDA**, St. Lag. in Ann. Soc. Bot. Lyon, viii. (1881)  
 177 = seq.

**WIGANDIA**, H. B. & K. Nov. Gen. et Sp. iii. 126  
 (1818). **HYDROPHYLLACEAE**, Benth. & Hook. f.  
 ii. 831.  
*COHIBA*, Rafin. Fl. Tellur. iii. 75 (1836).  
*californica*, Hook. & Arn. Bot. Beech. Voy. 364 =  
*Eriodictyon glutinosum*.  
*caracasana*, Hort. ex Vilms. Fl. Pl. Terre, ed. III.  
 1225 = *urens*, H. B. & K.  
*caracasana*, H. B. & K. Nov. Gen. et Sp. iii. 128.—  
 Mexic.; Venezuela.  
*crispa*, H. B. & K. l. c. 129.—Ecuador.  
*herbacea*, Choisy, in Mém. Soc. Phys. Genève. vi. (1833)  
 117.—Reg. Argent.  
*Kunthii*, Choisy, in Ann. Sc. Nat. Sér. I. xxx. (1823)  
 246 = *urens*, H. B. & K.  
*leucocephala*, Sch. Bip. in Pollichia, xviii-xix. (1861)  
 180 = *Stoebe leucocephala*.  
*macrophylla*, Cham. & Schlecht. in Linnaea, vii.  
 (1832) 382 = *urens*, H. B. & K.  
*pruritiva*, Spreng. Syst. i. 865 = *crispa*.  
*scorpioides*, Choisy, in Ann. Sc. Nat. Sér. I. xxx.  
 (1833) 249.—Mexic.; Nicarag.  
*urens*, Choisy, l. c. 246.—Mexic.  
*urens*, H. B. & K. Nov. Gen. et Sp. iii. 127.—  
 Mexic.  
*Vigieri*, Carr. in Rev. Hort. (1866) 340.—Hab. ?

**WIGANDIA**, Neck. Elem. i. 95 (1790) = **Disparago**,  
 Gaertn. (Compos.).  
*disparaginoides*, Less. Syn. Comp. 362 = *D. lasio-*  
*carpa*.

**WIGGERSIA**, Gaertn. Mey. & Scherb. Fl. Wett. iii.  
 i. 6, 33 (1801) = **Vicia**, Tourn. (Legumin.).  
*cuspidata*, Alef. in Bonplandia, ix. (1861) 69 = *V.*  
*cuspidata*.  
*lathyroides*, Gaertn. Mey. & Scherb. Fl. Wett. iii. i.  
 34 = *V. lathyroides*.  
*lutea*, Gaertn. Mey. & Scherb. l. c. 36 = *V. lutea*.  
*minima*, Alef. in Bonplandia, ix. (1861) 69 = *V. lathy-*  
*roides*.  
*sepium*, Gaertn. Mey. & Scherb. Fl. Wett. iii. i. 34 =  
*V. sepium*.  
*sylvatica*, Gaertn. Mey. & Scherb. l. c. = *V. sylvatica*.

**WIGHTIA**, Spreng. ex DC. Prod. v. 67 (1836) =  
**Centratherum**, Cass. (Compos.).  
*formosa*, Spreng. l. c. = *C. molle*.

**WIGHTIA**, Wall. Pl. As. Rar. i. 71. t. 81 (1830).  
**SCROPHULARINEAE**, Benth. & Hook. f. ii. 938.  
*borneensis*, Hook. f. in Hook. Ic. Pl. t. 1444.—  
 Borneo.  
*gigantea*, Wall. Pl. As. Rar. i. 71.—Reg. Himal.  
*madagascariensis*, Boj. ex Decne. in DC. Prod. viii.  
 500 = *Pentopetia androsaemifolia*.

**WIGMANNIA**, Walp. Rep. vi. 27 (1847), sphalm.  
 = **WIEGMANNIA**, Meyen = **Kadua**, Cham. &  
 Schlecht. (Rubiace.).

**WIKSTROEMIA**, Endl. Prod. Fl. Norf. 47 (1833).  
**THYMELAEACEAE**, Benth. & Hook. f. iii. 193.  
*CAPURA*, Linn. Mant. ii. 149 (1771).  
*DIPLOMORPHA*, Meissn. in Denkschr. Bot. Ges.  
 Regensb. iii. (1841) 289.  
*androsaemifolia*, Decne. in Jacquem. Voy. Bot. 146.—  
 Java.  
*australis*, Endl. Prod. Fl. Norf. 47.—Ins. Norfolk.  
*buxifolia*, A. Gray, in Journ. Bot. iii. (1865) 304 =  
*W. Uva ursi*.  
*Candolleana*, Meissn. in DC. Prod. xiv. 544.—Java.  
*canescens*, Meissn. in Denkschr. Bot. Ges. Regensb. iii.  
 (1841) 288.—Reg. Himal.; Zeylan.; China.  
*Chamaedaphne*, Meissn. in DC. Prod. xiv. 547.—  
 China.  
*chinensis*, Meissn. l. c. 546 = *canescens*?  
*coriacea*, Seem. Fl. Vit. 206 = *viridiflora*.  
*Cunninghamii*, Meissn. in DC. Prod. xiv. 545.—Ins.  
 Norfolk.  
*elongata*, A. Gray, in Journ. Bot. iii. (1865) 303.—  
 Ins. Sandvic.  
*foetida*, A. Gray, l. c. 302 = *viridiflora*.

**WIKSTROEMIA** :—

*Forsteri*, Decne. in Jacquem. Voy. Bot. 145 = *viridi-*  
*flora*.  
*hypericifolia*, Meissn. in Denkschr. Bot. Ges. Regensb.  
 iii. (1841) 287 = *Stellera Chamaejasme*.  
*inamoena*, Meissn. in DC. Prod. xiv. 547 = *canescens*.  
*indica*, C. A. Mey. in Bull. Phys.-Math. Acad. Pétersb.  
 i. (1843) 357 = *viridiflora*.  
*japonica*, Miq. Ann. Mus. Bot. Lugd. Bat. iii. 134.—  
 Japon.  
*Junghuhniana*, Miq. Fl. Ind. Bat. i. i. 879.—Java.  
*Monnula*, Hance, in Journ. Bot. xvi. (1878) 13.—  
 China.  
*nutans*, Champ. ex Benth. in Hook. Kew Journ. v.  
 (1853) 195.—Ins. Hongkong.  
*ovalifolia*, Decne. in Jacquem. Voy. Bot. 146.—Afr.  
 austr.  
*ovata*, C. A. Mey. in Bull. Phys.-Math. Acad. Pétersb.  
 i. (1843) 357.—Ins. Philipp.  
*ovata*, F. Villar, in Blanco, Fl. Philipp. ed. III. Nov.  
 App. 182 = *viridiflora*.  
*pauciflora*, Franch. & Sav. Enum. Pl. Jap. i. 406 =  
*canescens*.  
*phillyreaefolia*, A. Gray, in Journ. Bot. iii. (1865)  
 304.—Ins. Sandvic.  
*retusa*, A. Gray, l. c. 303.—Ins. Luchu.  
*rotundifolia*, C. A. Mey. in Bull. Phys.-Math. Acad.  
 Pétersb. i. (1843) 357.—Ins. Pacif.  
*salicifolia*, Decne. in Jacquem. Voy. Bot. 144. t. 149 =  
*canescens*.  
*sandwichensis*, Meissn. in DC. Prod. xiv. 545.—Ins.  
 Sandvic.  
*Shuttleworthiana*, Meissn. l. c. 544 = seq.  
*Shuttleworthii*, Meissn. in Denkschr. Bot. Ges. Regensb.  
 iii. (1841) 287 = *viridiflora*.  
*sikokiana*, Franch. & Sav. Enum. Pl. Jap. ii. 481.—  
 Japon.  
*Spanoghii*, Decne. in Jacquem. Voy. Bot. 146.—Ins.  
 Timor.; China?  
*subspicata*, Meissn. in DC. Prod. xiv. 547.—Afr. austr.  
*tenuiramis*, Miq. Fl. Ind. Bat. Suppl. 141, 354.—  
 Ins. Banca.  
*Uva-ursi*, A. Gray, in Journ. Bot. iii. (1865) 304.—  
 Ins. Sandvic.  
*virgata*, Meissn. in Denkschr. Bot. Ges. Regensb. iii.  
 (1841) 289 = *canescens*.  
*viridiflora*, Meissn. l. c. 286.—As. trop.; Austral.

**WIKSTROEMIA**, Schrad. in Goett. Gel. Anz. (1821) II.  
 710 (Wickstroemia) = **Laplacea**, H. B. & K.  
 (Ternstr.).  
*fruticosa*, Schrad. l. c. 711 = *L. semiserrata*.  
*fruticosa*, Spreng. in Vet. Akad. Handl. Stockh. (1821)  
 168, in obs. = *prae*.

**WIKSTROEMIA**, Spreng. in Vet. Acad. Handl. Stockh.  
 (1821) 167. t. 3; Syst. iii. 434 (1826) = **Eupatorium**,  
 Tourn. (Compos.).  
*glandulosa*, Spreng. II. cc. = *E. Dalea*.

**WILBERFORCIA**, Hook. f. ex Planch. in Hook. Ic. Pl.  
 t. 796 (1848) = **Breweria**, R. Br. (Convolv.).

**WILBRANDIA**, Presl, in Oken, Isis, xxi. (1828)  
 273. **BORAGINEAE**.  
*paniculata*, Berl. l. c. —Ins. Martinic.

**WILBRANDIA**, Silva Manso, Enum. 30 (1836).  
**CUCURBITACEAE**, Benth. & Hook. f. i. 831.  
*drastica*, Mart. Syst. Mat. Med. Bras. 80 = Riedeli.  
*ebracteata*, Cogn. in Mart. Fl. Bras. vi. IV. 33.—  
 Bras.  
*fluminensis*, Wawra, in Oestr. Bot. Zeitschr. xiii.  
 (1863) 109 = Riedeli.  
*hibiscoides*, Silva Manso, Enum. 30.—Bras.  
*linearis*, Cogn. in Mart. Fl. Bras. vi. IV. 34.—Bras.  
*longibracteata*, Cogn. l. c. 32.—Bras.  
*Riedeli*, Silva Manso, Enum. 50.—Bras.  
*sagittifolia*, Griseb. in Goett. Abh. xix. (1874) 145 =  
*villosa*.  
*scabra*, Mart. Syst. Mat. Med. Bras. 81 = Riedeli.  
*verticillata*, Cogn. in Mart. Fl. Bras. vi. IV. 30 =  
 Riedeli.  
*villosa*, Cogn. l. c. 34. t. 7.—Bras.

**WILCKEA**, Scop. Introd. 170 (1777) = **Vitis**? Linn.  
 (Ampel.).

WILCKIA, Scop. Introd. 317 (1777) = **Malcomia**, R. Br. (1812) (Crucif.).  
*africana*, F. Muell. Nat. Pl. Vict. i. 33 = *M. africana*.  
*maritima*, Scop. Introd. 317 = *M. maritima*.

WILDENOWIA, Thunb. in Vet. Akad. Handl. Stockh. xi. (1790) 26. t. 2, sphalm. = **Willdenowia**, Thunb. (Restiac.).

WILHELMSIA, C. Koch, in Linnaea, xxi. (1848) 400 = **Koeleria**, Pers. (Gramin.).  
*caucasica*, C. Koch, l. c. = *K. phleoides*.

WILHELMSIA, Reichb. Consp. 206 (1828) = **Arenaria**, Rupp. (Caryoph.).

WILIBALDA, Sternb. in Flora, ii. (1819) 6 = **Coleanthus**, Seid. (Gramin.).  
*subtilis*, Roth, Enum. Pl. Phan. Germ. i. 92 = *C. subtilis*.

WILKESIA, A. Gray, in Proc. Am. Acad. ii. (1852) 160. *COMPOSITAE*, Benth. & Hook. f. ii. 393.  
*Gymnoxiphium*, A. Gray, l. c. — Ins. Sandvic.

WILKIA, F. Muell. Census, 5 (1882), sphalm. = WILCKIA, Scop. = **Malcomia**, R. Br. (Crucif.).

WILKIEA, F. Muell. in Trans. Phil. Inst. Vict. ii. (1858) 64 = **Kibara**, Endl. (Monim.).  
*calyptrocalyx*, Muell. l. c. = *K. macrophylla*.  
*Hugeliana*, A. DC. in DC. Prod. xvi. ii. 669 = *Mollinedia Hugeliana*.  
*macrophylla*, A. DC. l. c. = *K. macrophylla*.

WILDENOVIA, J. F. Gmel. Syst. 362 (1791) = **Rondeletia**, Linn. (Rubiace.).  
*Schreberi*, J. F. Gmel. l. c. — Hab. ?

WILDENOVIA, Thunb. Fl. Cap. i. 312 (1807) = **Willdenowia**, Thunb. (Restiac.).

WILDENOWA, Cav. Ic. i. 61. t. 89 (1791) = **Adenophyllum**, Pers. (Compos.).  
*glandulosa*, Cav. l. c. 89 = *A. coccineum*.

WILDENOWIA, Steud. Nom. ed. I. 892 (1821) = *prae*.

WILDENOWIA, Steud. Nom. ed. I. 892 (1821) = **Rondeletia**, Linn. (Rubiace.).

WILDENOWIA, Thunb. in Vet. Akad. Handl. Stockh. xi. (1790) 26. t. 2 (Willdenowia); Willd. Sp. Pl. iv. 717 (1805). *RESTIACEAE*, Benth. & Hook. f. iii. 1036.

ANTOCHORTUS, Nees, in Lindl. Introd. Nat. Syst. ed. II. 451 (1836).  
 NEMATANTHUS, Nees, in Linnaea, v. (1830) 661.  
 SPIROSTYLIS, Nees, ex Mast. in Journ. Linn. Soc. x. (1869) 271.

*arescens*, Kunth, Enum. Pl. iii. 454. — Afr. austr.  
*brevis*, Nees, ex Mast. in Journ. Linn. Soc. x. (1869) 269. — Afr. austr.

*compressa*, Steud. in Flora, xii. (1829) 134 = *Chrysitrix capensis*.

*compressa*, Thunb. in Vet. Akad. Handl. Stockh. xi. (1790) t. 2. f. 3 = *Cannamois Cephalotes*.

*cuspidata*, Mast. in Journ. Linn. Soc. x. (1869) 271. — Afr. austr.

*Ecklonii*, Kunth, Enum. Pl. iii. 456 = *striata*.  
*fimbriata*, Kunth, l. c. 455. — Afr. austr.

*humilis*, Nees, ex Mast. in Journ. Linn. Soc. x. (1869) 272. — Afr. austr.

*Lucaeana*, Kunth, Enum. Pl. iii. 455. — Afr. austr.  
*neglecta*, Steud. Syn. Pl. Cyp. 263 = *striata*.

*striata*, Spreng. Syst. i. 188 = *Hypodiscus Willdenovia*.

*striata*, Thunb. in Vet. Akad. Handl. Stockh. xi. (1790) 57. t. 2. f. 1. — Afr. austr.

*sulcata*, Mast. in Journ. Linn. Soc. x. (1869) 270. — Afr. austr.

*teres*, Thunb. in Vet. Akad. Handl. Stockh. xi. (1790) 28. t. 2. f. 2. — Afr. austr.

*tristachya*, Spreng. ex Kunth, Enum. Pl. iii. 410 = *Restio bifidus*.

WILLEMETIA, Brongn. in Ann. Sc. Nat. Ser. I. x. (1827) 370. t. 16. f. 1 = **Noltea**, Reichb. (Rhamn.).  
*africana*, Brongn. l. c. 371 = *N. africana*.  
*scandens*, Eckl. & Zeyh. Enum. 130 = *N. africana*.

WILLEMETIA, Maerkl. in Schrad. Journ. iii. i. (1800) 329 = **Chenolea**, Thunb. (Chenop.).  
*arenaria*, Maerkl. l. c. 330 = *Kochia arenaria*.  
*caspica*, Lehm. ex Bunge, in Mém. Sav. Etr. Pétersb. vi. (1857) 279 (= *Echinopsilon caspicus*). — Reg. Casp.  
*eriphora*, Moq. in Ann. Sc. Nat. Sér. II. i. (1834) 209 = *Kochia eriphora*.  
*hirsuta*, Moq. l. c. 210 = *Kochia hirsuta*.  
*lanata*, Maerkl. in Schrad. Journ. iii. i. (1800) 330 = *Kochia hyssopifolia*.  
*muricata*, Moq. in Ann. Sc. Nat. Sér. II. i. (1834) 208 = *Kochia muricata*.  
*sedoides*, Moq. l. c. 210 = *Kochia sedoides*.

WILLEMETIA, Neck. Elem. i. 50 (1790) = **Chondrilla**, Tourn. (Compos.).  
*apargioides*, Cass. in Dict. Sc. Nat. xlviii. 428 = *C. Peltidium*, stipitata.  
*hieracioides*, Monn. Ess. Hierac. 80 = *C. stipitata*.  
*prenanthoides*, Gren. & Godr. Fl. Fr. ii. 315 = *C. prenanthoides*.  
*stipitata*, Cass. in Dict. Sc. Nat. xlviii. 428 = *C. stipitata*.  
*tuberosa*, Fisch. & Mey. ex DC. Prod. vii. 150. — Reg. Casp.

WILLIAMIA, Baill. Etud. Gén. Euph. 559. t. 27 (1858) = **Phyllanthus**, Linn. (Euphorb.).  
*pruinosa*, Baill. l. c. 560. t. 27 = *P. discolor*.

WILLIBALDA, Steud. Nom. ed. II. ii. 787 (1841), sphalm. = WILIBALDA, Sternb. = **Coleanthus**, Seid. (Gramin.).

WILLICHIA, Mutis, ex Linn. Mant. ii. 553 (1737) = **Sibthorpia**, Linn. (Scrophul.).  
*callitrichoides*, Spreng. Syst. iv. Cur. Post. 26 = *Hydrantheum callitrichoides*.  
*repens*, Mutis, ex Linn. Mant. ii. 558 = *S. pichinchensis* ?

WILLISELLUS, S. F. Gray, Nat. Arr. Brit. Pl. ii. 736 (1821) = **Elatine**, Linn.

WILLKOMMIA, Sch. Bip. ex Nym. Consp. 357 (1879) = **Senecio**, Tourn. (Compos.).  
*minuta*, Sch. Bip. l. c. = *S. minutus*.

WILLOUGHBEIA, Hook. f. Fl. Brit. Ind. iii. 623 (1883), sphalm. = **Willughbeia**, Roxb. (Apocyn.).

WILLUGBAEYA, Neck. Elem. i. 82 (1790) = **Mikania**, Willd. (Compos.).

WILLUGHBEIA, Klotzsch, in Peters, Reise Mossamb. Bot. 281 (1861) = **Landolphia**, Beauv. (Apocyn.).  
*cordata*, Klotzsch, l. c. 283 = *L. florida* ?  
*Petersiana*, Klotzsch, l. c. 281 = *L. Petersiana*.  
*senensis*, Klotzsch, l. c. 282. — Afr. trop.

WILLUGHBEIA, Roxb. Pl. Corom. iii. 77. t. 280 (1819). *APOCYNACEAE*, Benth. & Hook. f. ii. 691.

ANCYLOCLADUS, Wall. Pl. As. Rar. iii. 45 (1832).  
*apiculata*, Miq. Fl. Ind. Bat. Suppl. 551. — Sumatra.  
*Burbridgei*, [Dyer,] in Kew Gard. Rep. (1880) 44 = *firma*.

*celebica*, Blume, Bijdr. 1024. — Ins. Celebes.  
*ceylanica*, Thw. Enum. Pl. Zeyl. 191. — Zeylan.

*coriacea*, Wall. Cat. n. 1620. — Malaya.  
*drupacea*, Blanco, Fl. Filip. ed. I. 132 = *Ardisia humilis*.

*edulis*, Roxb. Hort. Beng. 20; Fl. Ind. ii. 57. — Reg. Himal.; Burma; Malaya.

*firma*, Blume, Mus. Bot. Lugd. Bat. i. 154. — Malaya.

*flavescens*, [Dyer,] in Kew Gard. Rep. (1881) 45; et ex Hook. f. Fl. Brit. Ind. iii. 624. — Singapore.

*grandiflora*, Dyer, ex Hook. f. Fl. Brit. Ind. iii. 625. — Malaya.

*Gudara*, Steud. Nom. ed. II. ii. 787 = *edulis*.

WILLUGHBEIA:—

*javanica*, Blume, Bijdr. 1024. — Java.  
*martabanica*, Wall. Cat. n. 1619; Pl. As. Rar. iii. 45. t. 272 = *edulis*.  
*multilocularis*, Blanco, Fl. Filip. ed. I. 131. — Ins. Philipp.  
*oblonga*, Dyer, ex Hook. f. Fl. Brit. Ind. iii. 625. — Malacca.  
*pubescens*, Mart. Reise Bras. ii. 789 = *Hancornia speciosa*.  
*rufescens*, Dyer, ex Hook. f. Fl. Brit. Ind. iii. 626. — Malacca.  
*tenuiflora*, Dyer, l. c. 625. — Malacca.  
*Treacheri*, [Dyer,] in Kew Rep. (1880) 44, nomen. — Borneo.  
*umbrosa*, Blume, Mus. Bot. Lugd. Bat. i. 154. — Java.

WILLUGHBEIA, Scop. in Schreb. Gen. 162 (1789) = **Ambelania**, Aubl. (Apocyn.).

*acida*, J. F. Gmel. Syst. 434 = *A. acida*.  
*auriculata*, Spreng. Syst. iv. Cur. Post. 71 = *Fagraea auriculata*.  
*elliptica*, Spreng. l. c. = *Fagraea elliptica*.  
*fragrans*, Spreng. l. c. = *Fagraea fragrans*.  
*guianensis*, J. F. Gmel. Syst. 434 (= *Pacouria guianensis*). — Guian.  
*obovata*, Spreng. Syst. iv. Cur. Post. 71 = *Fagraea obovata*.  
*racemosa*, Spreng. l. c. = *Fagraea racemosa*.  
*scandens*, Willd. Sp. Pl. i. 1231 (= *Pacouria guianensis*). — Guian.  
*volubilis*, Spreng. Syst. iv. Cur. Post. 71 = *Fagraea racemosa*.  
*zeylanica*, Spreng. Syst. i. 672 = *Fagraea ceilanica*.

WILSONIA, R. Br. Prod. 490 (1810). *CONVOLVULACEAE*, Benth. & Hook. f. ii. 880.

*Backhousii*, Hook. f. in Hook. Lond. Journ. Bot. vi. (1847) 275. — Austral.

*humilis*, R. Br. Prod. 490. — Austral.  
*rotundifolia*, Hook. Ic. Pl. t. 410. — Austral.

WILSONIA, Gill. & Hook. in Hook. Bot. Misc. i. (1830) 172. t. 49 = **Dipyrena**, Hook. (Verben.).  
*glaberrima*, Gill. & Hook. l. c. 173 = *D. glaberrima*.

WIMMERIA, Nees, ex Meissn. in DC. Prod. xv. i. 65 (1864) = **Beilschmiedia**, Nees (Laurin.).  
*thomaea*, Nees, l. c. = *B. thomaea*.

WIMMERIA, Schlecht. in Linnaea, vi. (1831) 427. *CELASTRINEAE*, Benth. & Hook. f. 369.

*concolor*, Cham. & Schlecht. l. c. 428. — Mexic.  
*confusa*, Hemsl. Diagn. Pl. Nov. 6. — Mexic.  
*discolor*, Cham. & Schlecht. in Linnaea, vi. (1837) 428. — Mexic.

*integerrima*, Turcz. in Bull. Soc. Nat. Mosc. xxxi. (1858) i. 451 = *Zinowiewia integerrima*.

*pallida*, Radlk. in Sitzb. Math.-Phys. Akad. Muench. viii. (1878) 379 = *confusa*.

*persicifolia*, Radlk. l. c. — Mexic.  
*pubescens*, Radlk. l. c. 378. — Mexic.

*serrulata*, Radlk. l. c. 379. — Reg. Argent.

WINCHIA, A. DC. in DC. Prod. viii. 326 (1844).

*APOCYNACEAE*, Benth. & Hook. f. ii. 695.  
*atroviridis*, Kurz, For. Fl. Brit. Burma, ii. 170 = *Chilocarpus atroviridis*.

*calophylla*, A. DC. in DC. Prod. viii. 326. — Burma.  
*cirrifer*, Gardn. ex Thw. Enum. Pl. Zeyl. 191 = *Willughbeia ceylanica*.

WINDMANNIA, P. Br. Hist. Jamaic. 212 (1756) = **Weinmannia**, Linn. (Saxifr.).

WINDSORIA, Nutt. Gen. Am. i. 70 (1818) = **Triodia**, R. Br. (Gramin.).

*ambigua*, Nutt. l. c. = *T. ambigua*.  
*pallida*, Torr. Cat. Pl. N. York, 91 = *Glyceria pallida*.

*poaeformis*, Nutt. Gen. Am. i. 70 = *T. cuprea*.  
*stricta*, Nutt. in Trans. Am. Phil. Soc. v. (1837) 147. — Am. bor.

WINKLERIA, Reichb. Nom. 236 (1841) = **Mertensia**, Roth (Borag.).



WINTERA, Murr. Syst. ed. XIV. 507 (1784) = **Drimys**, Forst. (Magnol.).  
*aromatica*, Murr. l. c. = D. Winteri.  
*axillaris*, J. F. Gmel. Syst. 852; Willd. Sp. Pl. ii. 1239 = D. axillaris.  
*granadensis*, J. F. Gmel. l. c. 853; Willd. l. c. 1240 = seq.  
*granatensis*, Murr. Syst. ed. XIV. 507 = D. Winteri.

WINTERANA, Linn. Syst. ed. X. 1045 (1759) = seq.

WINTERANIA, Linn. Hort. Cliff. 488 (1737) = **Canella**, P. Br.  
*Canella*, Linn. Syst. ed. X. 1045 = C. alba.  
*lanceolata*, Poir. Encyc. viii. 799 = Drimys aromatica.

WINTERLIA, Dennst. Schlus. Hort. Malab. 27 (1818) = **Limonia**, Linn. (Rutac.).  
*aromatica*, Dennst. l. c. = L. Winterlia.

WINTERLIA, Moench, Meth. 74 (1794) = **Ilex**, Tourn.  
*glabra*, C. Koch, Dendrol. ii. i. 225 = I. glabra.  
*triflora*, Moench, Meth. 74 = I. glabra.

WINTERLIA, Spreng. Syst. i. 519 (1825) = **Amman-**  
**nia**, Linn. (Lythrar.).  
*uliginosa*, Spreng. l. c. 788 = A. pentandra.

WIRTGENIA, Jungh. ex Hassk. in Flora, xxvii. (1844) 624 = **Spondias**, Linn. et Odina, Roxb. (Anacard.).  
*decandra*, Jungh. l. c. 625 = S. Mangifera.  
*octandra*, Jungh. l. c. 624 = Odina Wodier.

WIRTGENIA, Nees, ex Doell, in Mart. Fl. Bras. ii. ii. 40 (1877) = **Paspalum**, Linn. (Gramin.).  
*paspaloides*, Nees, ex Doell, l. c. = P. malacophyllum.

WIRTGENIA, Sch. Bip. in Flora, xxv. (1842) 433 = **Aspilia**, Thou. (Compos.).  
*abyssinica*, Sch. Bip. ex Walp. Rep. vi. 146 = A. abyssinica.  
*frutescens*, Sch. Bip. in Schweinf. Beitr. Fl. Aethiop. 287 = Wedelia abyssinica.  
*Kotschyii*, Sch. Bip. in Flora, xxv. (1842) 435 = A. Kotschyana.  
*longeradiata*, Hochst. ex Schweinf. Beitr. Fl. Aethiop. 287 = A. Kotschyana?  
*mexicana*, Sch. Bip. in Seem. Bot. Voy. Herald, 304 = A. mexicana.  
*multiflora*, Fenzl, in Flora, xxvii. (1844) 312 = A. multiflora.  
*Schimperi*, Sch. Bip. ex A. Rich. Tent. Fl. Abyss. i. 412 = A. Schimperi.  
*texana*, Sch. Bip. in Seem. Bot. Voy. Herald, 304 = Wedelia hispida.

WISENIA, J. F. Gmel. Syst. 515 (1791) = **WISENIA**, Houtt. = **Melochia**, Dill. (Stercul.).

**WISLIZENIA**, Engelm. in Wisliz. Tour N. Mexico, 99 (1848). **CAPPARIDAE**, Benth. & Hook. f. i. 106.  
 Palmeri, A. Gray, in Proc. Am. Acad. viii. (1873) 622. —Am. bor. occ.  
*refracta*, Engelm. in Wisliz. Tour N. Mexico, 99. —Texas.

**WISNERIA**, M. Micheli, in DC. Monog. Phan. iii. 82 (1881). **ALISMACEAE**, Benth. & Hook. f. iii. 1007.  
*filifolia*, Hook. f. in Benth. & Hook. f. Gen. iii. 1007. —Madag.  
*Schweinfurthii*, Hook. f. l. c. —Afr. trop.  
*triandra*, M. Micheli, in DC. Monog. Phan. iii. 82. —Ind. or.

**WISSADULA**, Medic. Malv. 24 (1787). **MALVA-**  
**CEAE**, Benth. & Hook. f. i. 204.  
*divergens*, Benth. in Benth. & Hook. f. Gen. i. 204. —Am. trop.  
*excelsior*, Presl, Rel. Haenk. ii. 118 = zeylanica.  
*gymnostachya*, Turcz. in Bull. Soc. Nat. Mosc. xxxi. (1858) i. 202 = spicata.  
*heterosperma*, Hochst. ex Mast. in Oliver, Fl. Trop. Afr. i. 182 = rostrata.  
*hirsuta*, Presl, Rel. Haenk. ii. 118. —Bras.  
*Jamesonii*, Turcz. in Bull. Soc. Nat. Mosc. xxxi. (1858) i. 202 = spicata.

# WISSADULA :—

*Leschenaultiana*, Mast. in Hook. f. Fl. Brit. Ind. i. 325 = rostrata.  
*mucronulata*, A. Gray, ex Torr. Bot. Mex. Bound. 89. —Am. bor. occ.  
*nudiflora*, Benth. Bot. Voy. Sulph. 69. —Am. centr.  
*periplocifolia*, Griseb. Cat. Pl. Cub. 25, partim = mucronulata.  
*periplocifolia*, Thw. Enum. Pl. Zeyl. 27 = zeylanica.  
*rostrata*, Planch. in Hook. Niger Fl. 229. —Cosmop. trop.  
*rostrata*, Planch. l. c., partim = zeylanica.  
*scabra*, Presl, Rel. Haenk. ii. 117. t. 69. f. 1-14. —Mexic.  
*spicata*, Presl, l. c. 117. —Am. trop.  
*zeylanica*, Medic. Malv. 25. —Cosmop. trop.

**WISTARIA**, Nutt. Gen. Am. ii. 115 (1818) (Wisteria); Spreng. Syst. iii. 255 (1826). **LEGUMI-**  
**NOSAE**, Benth. & Hook. f. i. 499.  
 BRADBURYA, Rafin. Fl. Ludov. 104 (1817).  
 DIPLONYX, Rafin. l. c. 108, ex desc. (1817).  
 KRAUNHIA, Rafin. in Med. Repos. N. York, v. (1808) 352, nomen prius.  
 THYRSANTHUS, Ell. in Journ. Acad. Philad. i. (1817) 371.  
*australis*, F. Muell. in Journ. Bot. xxii. (1884) 290. —Austral.  
*Barkhausiana*, Hort. Cels, ex Pasq. Cat. Orto Bot. Nap. 108. —Hab.?  
*brachybotrys*, Sieb. & Zucc. Fl. Jap. i. 92. —Japon.  
*chinensis*, DC. Prod. ii. 390. —China.  
*consequana*, Loud. ex G. Don, in Loud. Hort. Brit. 315 = chinensis.  
*dubia*, Walp. in Nov. Act. Nat. Cur. xix. Suppl. i. (1843) 324. —China.  
*floribunda*, DC. Prod. ii. 390 = chinensis.  
*frutescens*, Poir. in Lam. Illustr. iii. 674 = speciosa.  
*japonica*, Sieb. & Zucc. Fl. Jap. i. 88 = Millettia japonica.  
*macrostachya*, Nutt. in Torr. & Gray, Fl. N. Am. i. 283 = speciosa.  
*megasperma*, F. Muell. Fragm. i. 13 = Millettia megasperma.  
*multijuga*, Van Houtte, in Fl. des Serres, xix. (1869-70) 126 = chinensis.  
*pallida*, Dalz. & Gibs. Bomb. Fl. 61 = Millettia racemosa.  
*racemosa*, Dalz. & Gibs. l. c. = Millettia racemosa.  
*sinensis*, Sweet, Hort. Brit. ed. i. 121 = chinensis.  
*speciosa*, Nutt. Gen. Am. ii. 116. —Am. bor.

WISTERIA, Nutt. Gen. Am. ii. 115 (1818) = praec.

**WITHANIA**, Pauq. Diss. Bellad. (1824) 14. **SOLANACEAE**, Benth. & Hook. f. ii. 893.  
 DEPREA, Rafin. Sylva Tellur. 57 (1838).  
 EPLATEIA, Rafin. l. c. (1838).  
 HYPNOTICUM, Rodrig. ex Meissn. Gen. Comm. 184 (1840).  
 OPSAGO, Rafin. Sylva Tellur. 54 (1838).  
 PHYSALOIDES, Moench, Meth. 473 (1794).  
 PUNEERIA, Stocks, in Journ. As. Soc. Bombay, iii. (1849) 55.  
 SCLEROMPHALOS, Griff. Notul. iv. 96 (1854).  
*adpressa*, Coss. in Bull. Soc. Bot. Fr. xxii. (1875) 64, nomen. —Afr. bor.  
*anonacea*, Dun. in DC. Prod. xxii. i. 463 = Athenaea anonacea.  
*arborescens*, Dun. l. c. 455. —Hab.?  
*aristata*, Pauq. Diss. Bellad. (1824) 15. —Ins. Canar.  
*coagulans*, Dun. in DC. Prod. xiii. i. 685. —Afghan.  
*Coronopus*, Torr. Bot. Mex. Bound. 155 = Chamaesarachia Coronopus.  
*frutescens*, Pauq. Diss. Bellad. (1824) 15. —Hispan.  
*hirsuta*, Dun. in DC. Prod. xiii. i. 463 = Athenaea hirsuta.  
*Martiana*, Dun. l. c. 462 = Athenaea Martiana.  
*micrantha*, Dun. l. c. 460 = Athenaea micrantha.  
*mollis*, Dun. l. c. 460. —Bras.  
*Morisoni*, Dun. l. c. 454 = somnifera.  
*novo-friburgensis*, Dun. l. c. 462. —Bras.  
*oocarpa*, Dun. l. c. 463. —Bras.  
*orinocensis*, Dun. l. c. 455. —Venezuela.  
*picta*, Dun. l. c. 458 = Athenaea picta.  
*pogogena*, Dun. l. c. 459 = Athenaea pogogena.  
*Pohlana*, Dun. l. c. 461 = Athenaea Pohlana.  
*pulvinata*, Dun. l. c. 457. —Bras.

# WITHANIA :—

*pyrifolia*, Dun. in DC. Prod. xiii. i. 461. —Bras.  
*ramosa*, Dun. l. c. 456. —Honduras.  
*Riebeckii*, Schweinf. ex Balf. f. in Proc. Roy. Soc. Edinb. xii. (1884) 83. —Ins. Socotra.  
*Schottiana*, Dun. in DC. Prod. xiii. i. 461 = Athenaea Schottiana.  
*somnifera*, Dun. l. c. 453. —Reg. Mediterr.; Oriens.  
*sordida*, Dun. l. c. 456 = Chamaesaracha sordida.  
*suberosa*, Endl. Gen. 666 = frutescens.  
*subtriflora*, Dun. in DC. Prod. xiii. i. 455. —Peruv.  
*villosa*, Pauq. Diss. Bellad. (1824) 15 = frutescens.  
*xalapensis*, Dun. in DC. Prod. xiii. i. 455 = Athenaea xalapensis.

WITHARIA, Reichb. Consp. 126 (1828), sphalm. = praec.

WITHERINGIA, L'Hérit. Sert. Angl. 1, 83. t. 1 (1788) = **Bassovia**, Aubl. (Solan.).  
*acuminata*, Dun. in DC. Prod. xiii. i. 403. —Bras.  
*acutifolia*, Miers, in Ann. & Mag. Nat. Hist. Ser. II. xi. (1853) 92 (= *Saracha acutifolia*). —Am. austr.  
*alata*, Miers, l. c. = Saracha alata.  
*allogona*, Miers, l. c. = Saracha allogona.  
*angustifolia*, Dun. Syn. Solan. 2; H. B. & K. Nov. Gen. et Sp. iii. 17 = Solanum cotopaxense.  
*aspera*, Spreng. Neue Entdeck. i. 266. —Bras.  
*auriculata*, Miers, in Ann. & Mag. Nat. Hist. Ser. II. xi. (1853) 22 = Saracha auriculata.  
*Berteroana*, Remy, in C. Gay, Fl. Chil. v. 65 = Solanum Berterianum.  
*biflora*, Miers, in Ann. & Mag. Nat. Hist. Ser. II. xi. (1853) 92 = Hebecladus biflorus.  
*Candollii*, Miers, l. c. = Saracha laxa.  
*chenopodioides*, Remy, in C. Gay, Fl. Chil. iv. 69 = Solanum nigrum.  
*ciliata*, H. B. & K. Nov. Gen. et Sp. iii. 15 = Brachistus ciliatus.  
*ciliata*, Miers, in Ann. & Mag. Nat. Hist. Ser. II. xi. (1853) 92 = Saracha ciliata.  
*conica*, Steud. Nom. ed. II. ii. 788. —Bras.  
*conspersa*, Miers, in Ann. & Mag. Nat. Hist. Ser. II. ix. (1853) 92 = Saracha conspersa.  
*contorta*, Miers, l. c. = Saracha contorta.  
*crassifolia*, Dun. Hist. Solan. 108 = Solanum crassifolium.  
*crispa*, Remy, in C. Gay, Fl. Chil. v. 66 = Solanum crispum.  
*dentata*, Miers, in Ann. & Mag. Nat. Hist. Ser. II. xi. (1853) 92 = Saracha dentata.  
*diffusa*, Miers, l. c. = Saracha laxa.  
*diploconos*, Mart. Nov. Gen. et Sp. iii. 76. t. 229 = Cyphomandra diploconos.  
*divaricata*, Mart. l. c. 75. t. 228 = Cyphomandra divaricata.  
*diversifolia*, Klotzsch, in Walp. Rep. iii. 29 = Brachistus diversifolius.  
*dumetorum*, Dun. Syn. Solan. 1; H. B. & K. Nov. Gen. et Sp. iii. 16 = Brachistus dumetorum.  
*flexuosa*, Remy, in C. Gay, Fl. Chil. v. 70 = Solanum flexuosum Phil. f. (in Addend.).  
*Fournieri*, Heurck & Muell. Arg. in Heurck, Obs. Bot. 91. —Mexic.  
*furcata*, Remy, in C. Gay, Fl. Chil. iv. 67 = Solanum furcatum.  
*Gaudichaudiana*, Remy, l. c. 71 = Solanum Gaudichaudi.  
*Gayana*, Remy, l. c. 67 = Solanum Gayanum.  
*glabrata*, Miers, in Ann. & Mag. Nat. Hist. Ser. II. xi. (1853) 92 = Saracha glabrata.  
*glandulosa*, Miers, l. c. = Saracha glandulosa.  
*hirsuta*, Gardn. in Hook. Lond. Journ. Bot. i. (1842) 541 = B. Gardneri.  
*Jaltomata*, Miers, in Ann. & Mag. Nat. Hist. Ser. xi. (1853) 92 = Saracha Jaltomata.  
*lanceolata*, Dun. in DC. Prod. xiii. i. 404. —Bras.  
*laxa*, Miers, in Ann. & Mag. Nat. Hist. Ser. II. xi. (1853) 92 = Saracha laxa.  
*macrophylla*, Dun. Syn. Solan. 1; H. B. & K. Nov. Gen. et Sp. iii. 14 = Brachistus macrophyllus.  
*maritima*, Remy, in C. Gay, Fl. Chil. iv. 72 = Solanum maritimum.  
*Menziesii*, Dun. in DC. Prod. xiii. i. 159 = Solanum Menziesii.  
*microphylla*, Griseb. in Lechl. Berb. Am. Austr. 58. —Peruv.  
*mollis*, Dun. in DC. Prod. xiii. i. 459 = Athenaea picta.

## WITHERINGIA:—

- mollis*, H. B. & K. Nov. Gen. et Sp. iii. 15 = *Brachisthus mollis*.  
*montana*, Dun. Syn. Solan. 24 = *Solanum montanum*.  
*multifida*, Dun. l. c. 3 = *Solanum multifidum*.  
*pendula*, Roem. & Schult. Syst. iii. 522 = *aspera*.  
*phyllantha*, Dun. Syn. Solan. 2 = *Solanum phyllanthum*.  
*picta*, Mart. Nov. Gen. et Sp. iii. 74. t. 227 = *Athenaea picta*.  
*pinnata*, Remy, in C. Gay, Fl. Chil. iv. 72 = *Solanum pinnatum*.  
*pinnatifida*, Dun. Syn. Solan. 2 = *Solanum pinnatifidum*.  
*pogonandra*, Lem. Illustr. Hort. vii. (1860) t. 242; et in Rev. Hort. Sér. IV. ix. (1860) 587. —Mexic.  
*procumbens*, Miers, in Ann. & Mag. Nat. Hist. Ser. II. xi. (1853) 92 = *Saracha procumbens*.  
*propinqua*, Miers, l. c. = *Saracha propinqua*.  
*purpurea*, Lodd. Bot. Cab. t. 1892. —Chili.  
*rhomboidea*, Dun. Syn. Solan. 13; H. B. & K. Nov. Gen. et Sp. iii. 15 = *Brachisthus rhomboideus*.  
*riparia*, H. B. & K. l. c. 16 = *Brachisthus riparius*.  
*rubra*, Remy, in C. Gay, Fl. Chil. iv. 68 = *Solanum nigrum*.  
*ruderalis*, Remy, l. c. 69 = *Solanum ruderale*.  
*salicifolia*, Hook. Bot. Misc. ii. (1831) 231 = *Capraria biflora*.  
*Selloviana*, Sendt. in Mart. Fl. Bras. x. 123 = *Saracha Sellowiana*.  
*solanacea*, L'Hérit. Sert. Angl. 1, 33. t. 1 = *Brachisthus solanaceus*.  
*solanacea*, Miers, ex Benth. & Hook. f. Gen. ii. 891, in nota = *Bassovia solanacea*.  
*stramonifolia*, H. B. & K. Nov. Gen. et Sp. iii. 13 = *Brachisthus stramonifolius*.  
*Tomatillo*, Remy, in C. Gay, Fl. Chil. v. 64 = *Solanum Tomatillo*.  
*tomentosa*, Remy, l. c. 71 = *Solanum tomentosum*, Phil. f.  
*umbellata*, Dun. Syn. Solan. 2 = *Solanum umbellatum*.  
*umbellata*, Miers, in Ann. & Mag. Nat. Hist. Ser. II. xi. (1853) 92 = *Saracha umbellata*.  
*vestita*, Miers, l. c. = *Saracha vestita*.  
*villosa*, Miers, l. c. = *Saracha villosa*.  
*viscosa*, Miers, l. c. = *Saracha viscosa*.  
*Zuccagniana*, Miers, l. c. = *Saracha Zuccagniana*.

WITHERINGIA, Miers, in Ann. & Mag. Nat. Hist. Ser. II. iii. (1849) 145 = *Athenaea*, Sendt. (Solan.).

- anonacea*, Miers, l. c. 146 = *A. anonacea*.  
*hirsuta*, Miers, l. c. = *A. hirsuta*.  
*Martiana*, Miers, l. c. = *A. Martiana*.  
*micrantha*, Miers, l. c. 145 = *A. micrantha*.  
*pogogena*, Miers, l. c. = *A. pogogena*.  
*Pohlana*, Miers, l. c. 146 = *A. Pohlana*.  
*Schottiana*, Miers, l. c. = *A. Schottiana*.

WITSENIA, Thunb. Gen. Nov. ii. 34. t. 17 (1782) (Witsena); Prod. Pl. Cap. i. 7 (1794). *IRIDEAE*, Benth. & Hook. f. iii. 701.

- capitata*, Klatt, in Linnaea, xxxiv. (1865-66) 546 = *Aristea fruticosa*.  
*corymbosa*, Ker-Gawl. in Bot. Mag. t. 895 = *Aristea corymbosa* (in Addend.).  
*fruticosa*, Ker-Gawl. in Kon. & Sims, Ann. Bot. i. (1804) 237 = *ramosa*.  
*magellanica*, Pers. Syn. i. 42 = *Tapeinia magellanica*.  
*maura*, Thunb. Nov. Gen. ii. 34. —Afr. austr.  
*partita*, Ker-Gawl. in Kon. & Sims, Ann. Bot. i. (1804) 237 = *Klattia partita*.  
*pumila*, Vahl, Enum. ii. 48 = *Tapeinia magellanica*.  
*pyramidalis*, Pers. Syn. i. 42 = *Lapeyrouisia compressa*.  
*ramosa*, Vahl, Enum. ii. 47. —Afr. austr.  
*spicata*, E. Mey. ex Baker, in Journ. Bot. xiv. (1876) 267 = *Aristea racemosa*.  
*tomentosa*, Salisb. in Trans. Hort. Soc. i. (1812) 312 = *maura*.

WITTELSBACHIA, Mart. Nov. Gen. et Sp. i. 80. t. 55 (1824) = *Cochlospermum*, Kunth (Bixin.).

- Gossypium*, Mart. l. c. 82 = *C. Gossypium*.  
*insignis*, Mart. l. c. 81. t. 55 = *C. insignis*.  
*orinocensis*, Mart. l. c. 83 = *C. orinoccense*.  
*vitifolia*, Mart. l. c. 82 = *C. vitifolium*.

VOL. II.

WITTSTEINIA, F. Muell. Fragm. ii. 136 (1861); iii. 166. *VACCINIACEAE*, Benth. & Hook. f. ii. 577.  
*vacciniacea*, F. Muell. l. c. 136. —Austral.

WOEHLERIA, Griseb. in Goett. Abh. ix. (1861) 11. *AMARANTACEAE*, Benth. & Hook. f. iii. 39. *serpyllifolia*, Griseb. l. c. —Cuba.

WOLFFIA, Horkel, ex Schleid. in Linnaea, xiii. (1839) 389. *LEMNACEAE*, Benth. & Hook. f. iii. 1001.

BRUNIERA, Franch. in Billotia (1864), 25.  
 GRANTIA, Griff. ex Voigt, Hort. Suburb. Calc. 632 (1845); et Notul. iii. 233 (1851).

HORKELIA, Reichb. ex Bartl. Ord. Nat. 76 (1830).  
*arrhiza*, Wimm. Fl. Schles. (1857) 140 = *Michellii*.  
*brasiliensis*, Wedd. in Ann. Sc. Nat. Sér. III. xii. (1849) 170. —Bras.

columbiana, Karst. Bot. Unters. i. (1865) 103. —Mexic.

*conguensis*, Welw. ex Trimen, in Journ. Bot. iv. (1866) 223, nomen = *Welwitschii*.

cylindracea, Hegelm. Lemnac. 123. —Afr. trop.

*Delilii*, Miq. in Nederl. Kruidk. Arch. iii. (1855) 429 = *Michellii*.

*Delilii*, Schleid. in Linnaea, xiii. (1839) 390. —Aegypt.

denticulata, Hegelm. Lemnac. 133. —Afr. austr.

*gladiata*, Hegelm. l. c. t. 3. f. 24. —Mexic.

*hyalina*, Hegelm. l. c. 128 = *Delilii*.

lingulata, Hegelm. l. c. 132. t. 4. f. 31, 32. —Bras.

*Michellii*, Schleid. Beitr. Bot. 233. —Geront. temp.; Austral.

microscopica, Kurz, in Journ. Linn. Soc. ix. (1867) 265. —Ind. or.

oblonga, Hegelm. Lemnac. 131. —Chili.

*punctata*, Griseb. Fl. Brit. W. Ind. 512 = *brasiliensis*.

*repanda*, Hegelm. in Journ. Bot. iii. (1865) 114. —Afr. trop.

*Schleideni*, Miq. in Nederl. Kruidk. Arch. iii. (1855) 428 = *Michellii*.

*Welwitschii*, Hegelm. in Journ. Bot. iii. (1865) 113. —Afr. trop.

WOLFIA, Dennst. Schluess. Hort. Malab. 38 (1818). *SCITAMINEAE*.

*spectabilis*, Dennst. l. c. (an *Renealmia* sp.?) —Ind. or.

WOLFIA, Kunth, Enum. Pl. iii. 4 (1841), sphalm. = *Wolffia*, Horkel (Lemnac.).

WOLFIA, Spreng. Syst. i. 808 (1825) (Quid?).

*brasiliensis*, Spreng. l. c. —Bras.

WOLKENSTEINIA, Regel, Ind. Sem. Hort. Petrop. (1864) 19; Gartenfl. xiv. (1865) 131. t. 471 = *Gomphia*, Schreb. (Ochnac.).

*Theophrasta*, Regel, ll. cc. = *G. gigantophylla*.

WOLLASTONIA, DC. ex Decne. in Nouv. Ann. Mus. Par. iii. (1834) 414; (Herb. Tim. Desc. 86) = *Wedelia*, Jacq. (Compos.).

*asperima*, Decne. l. c. = *Wedelia asperima*.

*biflora*, Dalz. & Gibs. Bomb. Fl. 128 = *Wedelia urticaefolia*.

*biflora*, DC. Prod. v. 546 = *Wedelia biflora*.

*canescens*, DC. l. c. 547 = *Wedelia Chamissonis*.

*ecliptoides*, F. Muell. Pl. Vict. ii. sub t. 39 = *Eclipta platyglossa*.

*elongata*, DC. Prod. v. 548 = *Wedelia elongata*.

*Forsteriana*, DC. l. c. = *Wedelia Forsteriana*.

*glabrata*, DC. Coll. Mém. ix. t. 7. —Ins. Timor.

*Horsfieldiana*, Miq. Fl. Ind. Bat. ii. 72 = *Wedelia Horsfieldiana*.

*insularis*, DC. Prod. v. 548. —Ins. Pacif.

*javana*, Turcz. in Bull. Soc. Nat. Mosc. xxiv. (1851) 70. —Java.

*javanica*, Miq. Fl. Ind. Bat. ii. 1078 = *praeac*.

*Junghuhniana*, Miq. Pl. Jungh. 502. —Java.

*lantanoideus*, DC. Prod. v. 548. —Ind. occ.

*moluccana*, DC. l. c. 547. —Ins. Molucc.

*montana*, DC. l. c. —Java.

*peduncularis*, Turcz. in Bull. Soc. Nat. Mosc. xxiv. (1851) 71. —Java.

*procumbens*, DC. Prod. v. 548 = *Chrysogonum procumbens*.

*prostrata*, DC. l. c. 549. —Bras.

## WOLLASTONIA:—

*prostrata*, Hook. & Arn. Bot. Beech. Voy. 195. —Mexic.  
*scaberrima*, C. B. Clarke, Comp. Ind. 138 = *Wedelia Wallichii*.

*scabriuscula*, DC. ex Decne. in Nouv. Ann. Mus. Par. iii. (1834) 414 = *Wedelia biflora*.

*scabriuscula*, Sch. Bip. ex Miq. Fl. Ind. Bat. ii. 70 = *Wedelia Schultziana*.

*serrulata*, Miq. l. c. 74. —Sumatra.

*strigulosa*, DC. ex Decne. in Nouv. Ann. Mus. Par. iii. (1834) 414 = *Wedelia aristata*.

*urticaefolia*, Hassk. Cat. Hort. Bog. Alt. 99 = *Wedelia urticaefolia*.

*zanzibarensis*, DC. Prod. v. 547 = *Wedelia biflora*.

*Zollingeriana*, Sch. Bip. in Zoll. Syst. Verz. Ind. Archip. 123, nomen. —Ins. Sunda.

WOODFORDIA, Salisb. Parad. Lond. t. 42 (1806). *LYTHRARIEAE*, Benth. & Hook. f. i. 778.

*floribunda*, Salisb. l. c. —As. et Afr. trop.

*fruticosa*, Kurz, in Journ. As. Soc. Beng. xl. (1871) 56 = *floribunda*.

*tomentosa*, Bedd. Fl. Sylv. Madr. 117 = *floribunda*.

*uniflora*, Koehne, in Engl. Bot. Jahrb. i. (1881) 334. —Afr. trop.

WOODVILLEA, DC. Prod. v. 318 (1836) = *Erigeron*, Linn. (Compos.).

*calendulacea*, DC. l. c. = *E. glaucus*.

WOOLLSIA, F. Muell. Fragm. viii. 52, 55 (1872) = *Lysinema*, R. Br. (Epacrid.).

*pungens*, F. Muell. l. c. 55 = *L. pungens*.

WORMIA, Rottb. in Nye Samml. Vidensk. Selsk. Skrift. ii. (1783) 532. *DILLENIACEAE*, Benth. & Hook. f. i. 13.

CAPELLIA, Blume, Bijdr. 5 (1825).

LENIDIA, Thou. Gen. Nov. Madag. 17 (1806).

*alata*, R. Br. ex DC. Syst. i. 434. —Austral.; N. Guin.

*apetala*, Gaudich. in Freyc. Voy. Bot. 476. t. 99. —Ins. Molucc.

*artocarpifolia*, Baker, in Journ. Linn. Soc. xx. (1883) 88. —Madag.

*augusta*, Steud. Nom. ed. II. ii. 789 = *Dillenia pentagyna*.

*biflora*, Seem. Fl. Vit. 3. —Ins. Fiji.

*bracteata*, Hook. f. & Thoms. Fl. Ind. i. 68 = *Dillenia bracteata*.

*Burbidgei*, Hook. f. Bot. Mag. t. 6531. —Borneo.

*castaneaefolia*, Miq. Ann. Mus. Bot. Lugd. Bat. iv. 78. —N. Guin.

*coromandelina*, Spreng. Syst. ii. 631 = *Dillenia pentagyna*.

*dentata*, DC. Syst. i. 434 = *triquetra*.

*excelsa*, Hook. f. & Thoms. Fl. Ind. i. 67 = *suffruticosa*.

*excelsa*, Jack, in Malay. Misc. ii. (1822) n. vii. 69. —Sumatra.

*ferruginea*, Baill. Adansonia, vi. (1865-66) 268. —Ins. Seychelles.

*floribunda*, Steud. Nom. ed. II. ii. 789 = *Dillenia floribunda*.

*grandiflora*, Miq. Fl. Ind. Bat. Suppl. 619. —Sumatra.

*integra*, Hook. f. & Thoms. Fl. Ind. i. 68 = *Dillenia retusa*.

*madagascariensis*, DC. Syst. i. 433. —Madag.

*membranifolia*, Seem. Fl. Vit. 4. —Ins. Fiji.

*oblonga*, Wall. Cat. n. 951. —Malaya.

*obovata*, Spreng. Syst. iv. Cur. Post. 213 = *Dillenia aurea*.

*ochreatea*, Miq. Ann. Mus. Bot. Lugd. Bat. iv. 77. —Ins. Celebes.

*pteropoda*, Miq. l. c. —Ins. Molucc.

*pulchella*, Jack, in Malay. Misc. ii. (1820) vii. 70. —Malaya.

*retusa*, Hook. f. & Thoms. Fl. Ind. i. 68 = *Dillenia retusa*.

*revoluta*, Hort. Bog. ex Miq. Journ. Bot. Néerl. i. (1861) 364 = *suffruticosa*.

*scabrella*, Spreng. Syst. iv. Cur. Post. 213 = *Dillenia scabrella*.

*subsessilis*, Miq. Fl. Ind. Bat. Suppl. 619 = *suffruticosa*.

*suffruticosa*, Griff. Notul. iv. 706. —Malaya.

*triquetra*, Rottb. in Nye Samml. Vidensk. Selsk. Skrift. ii. (1783) 532. t. 1. —Zeylan.

WORMIA, Vahl, in Skrift. Nat. Selsk. Kjoeb. vi. (1810) 104 = *Ancistrocladus*, Wall. (Dipteroc.).

*hamata*, Vahl, l. c. = *A. Vahlia*.

**WORMSKIOLDIA**, Thonn. in Schum & Thonn. Beskr. Guin. Pl. 165 (1827). *TURNERACEAE*, Benth. & Hook. f. i. 807.

*SCHUMACHERIA*, Spreng. Gen. 232 (1830).

*TRICLICERAS*, Thonn. ex DC. Pl. Rar. Jard. Genève. 56 (1829).

*TRICLISIA*, Thonn. ex DC. l. c. 50 (1829).

*abyssinica*, A. Rich. Tent. Fl. Abyss. i. 299 = *Streptopetalum serratum*.

*Biviniana*, Tul. in Ann. Sc. Nat. Sér. V. ix. (1868) 324.—Madag.

*brevicaulis*, Urban, in Eichl. Jahrb. Bot. Berl. ii. (1883) 51.—Afr. trop.

*diversifolia*, A. Rich. in Guill. & Perr. Fl. Seneg. Tent. i. 36. t. 11 = *heterophylla*.

*glandulifera*, Klotzsch, in Peters, Reise Mossamb. Bot. 146. t. 26.—Afr. trop.

*heterophylla*, Schum. & Thonn. Beskr. Guin. Pl. 165.—Afr. trop.

*Hildebrandtii*, Urban & Rolfe, ex Urban, in Eichl. Jahrb. Bot. Berl. ii. (1883) 57 = *Streptopetalum Hildebrandtii*.

*lobata*, Urb. l. c. 52.—Afr. trop.

*longepedunculata*, Mast. in Oliver, Fl. Trop. Afr. ii. 502.—Afr. trop.

*pilosa*, Schweinf. ex Urban, in Eichl. Jahrb. Bot. Berl. ii. (1883) 54 = *heterophylla*.

*serrata*, Hochst. in Flora, xxiv. (1841) 666 = *Streptopetalum serratum*.

*tanacetifolia*, Klotzsch, in Peters, Reise Mossamb. Bot. 147.—Afr. trop.

**WORNIA**, J. F. Gmel. Syst. 1646 (Index), sphalm. = **Wormia**, Rottb. (Dilleniace.).

**WREDOWIA**, Eckl. Top. Verz. 16 (1827) = **Aristea**, Soland. (Irid.).

*pulchella*, Steud. Nom. ed. II. ii. 789, sphalm. = seq.

*pulchra*, Eckl. Top. Verz. 16 = *A. Wredowia*.

**WRENCIALA**, A. Gray, Bot. U. St. Expl. Exped. i. 150, in obs. (1854) = **Plagianthus**, Forst. (Malvac.).

**WRIGHTIA**, Roxb. Hort. Beng. 68 (1814); Fl. Ind. iii. 621 (1832) = **Wallichia**, Roxb. (Palm.).

*caryotoides*, Roxb. ll. cc. = *Wallichia caryotoides*.

**WRIGHTIA**, Tussac, Fl. Antill. sub t. 78 (1808) = **Meriania**, Sw. (Melastom.).

*rosea*, Tussac, l. c. = *Meriania leucantha*.

**WRIGHTIA**, R. Br. in Mem. Wern. Soc. i. (1809) 73. *APOCYNACEAE*, Benth. & Hook. f. ii. 712.

*BALFOURIA*, R. Br. in Mem. Wern. Soc. i. (1809) 70. *angustifolia*, Thw. Enum. Pl. Zeyl. 193.—Zeylan.

*antidysenterica*, R. Br. in Mem. Wern. Soc. i. (1809) 73 = *zeylanica*.

*antidysenterica*, J. Grah. Cat. Bomb. Pl. 114 = *Holarrhena antidysenterica*.

*calycina*, A. DC. in DC. Prod. viii. 406.—Java.

*Candollei*, Vidal, Phan. Cuming. Philipp. 186 (Cadollei).—Ins. Philipp.

*coalita*, Buch.-Ham. ex Pritz. Ic. Ind. i. 1175 (= *Periploca arborea*).—Ind. or.

*coccinea*, Sims, Bot. Mag. t. 2696.—Reg. Himal.; Ins. Philipp.

*Coraia*, Wall. Cat. n. 1615 = *tomentosa*.

*Cunninghamii*, Benth. Fl. Austral. iv. 317.—Austral.

*dubia*, Spreng. Syst. i. 638.—Ind. or.?

*flavido-rosea*, Trimen, Syst. Cat. Fl. Pl. Ceyl. 54 = seq. *flavo-rosea*, Trimen, in Journ. Bot. xxiii. (1885) 238.—Zeylan.

*Hamiltoniana*, Wall. Cat. n. 4461 = *tomentosa*.

*javanica*, A. DC. in DC. Prod. viii. 405.—Java.

*lacinata*, A. DC. l. c. 406.—Hab.?

*laevis*, Hook. f. Fl. Brit. Ind. iii. 654.—Malacca.

*madagascariensis*, Boj. ex A. DC. in DC. Prod. viii. 408.—Madag.

*mollissima*, Hort. Pondich. ex A. DC. l. c. 406 = *tinctoria*.

*mollissima*, Wall. Cat. n. 1627 = *tomentosa*.

*multiflora*, Zipp. ex Span. in Linnaea, xv. (1841) 325 = *tinctoria*.

*ovata*, A. DC. in DC. Prod. viii. 405.—Ins. Philipp.

*Piscidia*, G. Don, Gen. Syst. iv. 86 = *Melodinus monogynus*.

*pubescens*, Blume, Bijdr. 1045 = *javanica*.

*pubescens*, R. Br. in Mem. Wern. Soc. i. (1809) 73.—Malaya; Austral.

**WRIGHTIA**—

*pubescens*, Roth, Nov. Pl. Sp. 120, 397 = *tomentosa*.

*religiosa*, Benth. & Hook. f. Gen. ii. 713.—Siam.

*Rothii*, G. Don, Gen. Syst. iv. 86 = *tinctoria*.

*saligna*, F. Muell. ex Benth. Fl. Austral. iv. 316.—Austral.

*Spanogheana*, Miq. Fl. Ind. Bat. ii. 434.—Ins. Timor. timorensis, Miq. l. c. 433.—Ins. Timor.

*tinctoria*, R. Br. in Mem. Wern. Soc. i. (1809) 73.—Ind. or.

*tomentosa*, Roem. & Schult. Syst. iv. 414.—Ind. or.

*Wallichii*, A. DC. in DC. Prod. viii. 405 = *tomentosa*.

*zeylanica*, R. Br. in Mem. Wern. Soc. i. (1809) 73.—Zeylan.

**WRIGHTIA**, Soland. ex Naud. in Ann. Sc. Nat. Sér. III. xviii. (1852) 124 = **Meriania**, Sw. (Melastom.).

*alba*, Soland. ex Triana, in Trans. Linn. Soc. xxviii. (1871) 65 = *M. leucantha*.

*coccinea*, Soland. ex Naud. in Ann. Sc. Nat. Sér. III. xviii. (1852) 126 = *M. leucantha*.

*nana*, Soland. ex Naud. l. c. = *M. leucantha*.

*superba*, Soland. ex Triana, in Trans. Linn. Soc. xxviii. (1871) 65 = *M. purpurea*.

**WRIXONIA**, F. Muell. Fragm. x. 18 (1876). **LABIATAE**.

*prostantheroides*, F. Muell. l. c.—Austral.

**WUERSCHMITTIA**, Sch. Bip. ex Hochst. in Flora, xxiv. (1841) i. Intell. 27 = **Melanthera**, Rohr (Compos.).

*abyssinica*, Sch. Bip. ex Hochst. l. c. = *M. abyssinica*.

**WUERTHIA**, Regel, in Bot. Zeit. ix. (1851) 595 = **Ixia**, Linn. (Irid.).

*elegans*, Regel, l. c. 596 = *I. columellaris*.

**WULFENIA**, Jacq. Misc. ii. 62 (1781). **SCROPHULARINEAE**, Benth. & Hook. f. ii. 963.

*Ageria*, Sm. in Trans. Linn. Soc. vi. (1802) 96 = *Paederota Ageria*.

*Amherstiana*, Benth. Scroph. Ind. 46.—Reg. Himal.

*Bonarota*, Sm. in Trans. Linn. Soc. vi. (1802) 96 = *Paederota Bonarota*.

*carinthiaca*, Jacq. Misc. ii. 62. t. 8. f. 1; Ic. Pl. Rar. i. 1. t. 2.—Carinth.

*chamaedrifolia*, Host, Fl. Austr. i. 19 = *Paederota Bonarota*.

*intermedia*, Wall. Cat. n. 408 = *Rhyncoglossum obliquum*.

*lutea*, Host, Fl. Austr. i. 19 = *Paederota Ageria*.

*Notoniana*, Wall. Cat. n. 409 = *Klugia Notoniana*.

*obliqua*, Wall. Cat. n. 407 = *Rhyncoglossum obliquum*.

*orientalis*, Boiss. Diagn. Ser. I. iv. 75.—Syria.

*reniformis*, Dougl. ex Benth. Scroph. Ind. 46; et in Hook. Fl. Bor. Am. ii. 102. t. 71.—Am. bor. occ.

**WULFFIA**, Neck. Elem. i. 35 (1790). **COMPOSITAE**, Benth. & Hook. f. ii. 367.

*CHATIAKELLA*, Cass. in Dict. Sc. Nat. xxix. 491 (1823).

*CHYLODIA*, Rich. ex Cass. l. c. (1823).

*CRODISPERMA*, Poit. ex Cass. l. c. xlv. 403 (1827).

*TIlesia*, G. F. W. Mey. Prim. Fl. Esseq. 251 (1818).

*Blanchetii*, DC. Prod. v. 564.—Bras.

*capitata*, Sch. Bip. in Linnaea, xxi. (1848) 246 = *stenoglossa*.

*elongata*, Miq. Stirp. Surin. Sel. 193 = *stenoglossa*.

*havanensis*, DC. Prod. v. 563 = *stenoglossa*.

*longifolia*, Gardn. in Hook. Lond. Journ. Bot. vii. (1848) 293 = *stenoglossa*.

*maculata*, DC. Prod. v. 563 = *stenoglossa*.

*oblongifolia*, DC. l. c. 564 = *stenoglossa*.

*platyglossa*, DC. l. c. 563 = *stenoglossa*.

*quitensis*, Turcz. in Bull. Soc. Nat. Mosc. xxiv. (1851) i. 182.—Ecuador.

*Salzmanni*, DC. Prod. v. 563 = *stenoglossa*.

*scandens*, DC. l. c. 564.—Peruv.

*stenoglossa*, DC. l. c. 563.—Am. trop.

*strigosa*, Sch. Bip. ex Baker, in Mart. Fl. Bras. vi. III. 174 = *stenoglossa*.

*suffruticosa*, Gardn. in Hook. Lond. Journ. Bot. vii. (1848) 292 = *stenoglossa*.

**WULLSCHLAEGELIA**, Reichb. f. in Bot. Zeit. xxi. (1868) 131. **ORCHIDEAE**, Benth. & Hook. f. iii. 594.

*aphylla*, Reichb. f. l. c.—Jamaic.

*calcarata*, Benth. in Journ. Linn. Soc. xviii. (1881) 342.—Bras.

**WUNDERLICHIA**, Riedel, ex Benth. & Hook. f. Gen. ii. 489 (1873). **COMPOSITAE**, Benth. & Hook. f. ii. 489.

*Glaziovii*, Baker, in Journ. Bot. xx. (1882) 225.—Bras.

*insignis*, Baill. in Bull. Soc. Linn. Par. i. (1881) 285.—Bras.

*mirabilis*, Riedel, ex Baker, in Mart. Fl. Bras. vi. III. 343.—Bras.

**WURFBAEINIA**, Steud. Nom. ed. II. ii. 789 (1841), sphalm. = seq.

**WURFBAINIA**, Giseke, Prael. Linn. 199, 206 (1792) = **Amomum**, Linn. (Scitam.).

*'uliginosa*, Giseke. l. c. 199 = *A. uliginosum*.

**WURMBAEA**, Steud. Nom. ed. II. ii. 789 (1841), sphalm. = seq.

**WURMBEA**, Thunb. Nov. Gen. i. 18. t. 1 (1781). **LILIACEAE**, Benth. & Hook. f. iii. 823.

*SKIZIMA*, Rafin. Fl. Tellur. ii. 32 (1836).

*bullata*, Willd. Hort. Berol. i. 8 = *Aletris aurea*.

*campanulata*, Willd. Sp. Pl. ii. 265 = *capensis*.

*capensis*, Thunb. Nov. Gen. i. 18.—Afr. austr.

*dioica*, F. Muell. Fragm. x. 119.—Austral.

*Drummondii*, Benth. Fl. Austral. vii. 28.—Austral.

*inusta*, Banks, ex Ker-Gawl. in Bot. Mag. sub t. 694.—Afr. austr.

*Kraussii*, Baker, in Journ. Linn. Soc. xvii. (1879) 437.—Afr. austr.

*longiflora*, Willd. Sp. Pl. ii. 266 = *capensis*.

*pumila*, Willd. l. c. 265 = *capensis*.

*purpurea*, Banks, ex Ker-Gawl. in Bot. Mag. sub t. 694; [Dryand. in] Ait. Hort. Kew. ed. II. ii. 326 = *capensis*.

*purpurea*, Drège, ex Kunth, Enum. Pl. iv. 156 = *Dipidax ciliata*.

*pygmaea*, Benth. Fl. Austral. vii. 28.—Austral.

*remota*, Banks, ex Ker-Gawl. in Bot. Mag. sub t. 694 = *capensis*.

*revoluta*, Banks, l. c. = *capensis*.

*stigmosa*, Banks, l. c.—Afr. austr.

*tenella*, Benth. Fl. Austral. vii. 28.—Austral.

*tenuis*, Baker, in Journ. Linn. Soc. xvii. (1879) 436.—Afr. trop.

*truncata*, Schlecht. in Linnaea, i. (1826) 93 = *capensis*.

*tubulosa*, Benth. Fl. Austral. vii. 28.—Austral.

**WURMSCHNITTIA**, Benth. in Journ. Linn. Soc. xiii. (1873) 441, sphalm. = **WUERSCHMITTIA**, Sch. Bip.

= **Melanthera**, Rohr (Compos.).

**WURTZIA**, Baill. Adansonia, i. (1860–61) 186. t. 7 = **Phyllanthus**, Linn. (Euphorb.).

*tetracocca*, Baill. l. c. 187 = *P. virens*.

**WYDLERIA**, DC. Coll. Mém. v. 36. t. 7 (1829); Prod. iv. 103 (1830) = **Carum**, Rupp. (Umbell.).

*chilensis*, Fisch. & Trautv. Ind. Sem. Hort. Petrop. vii. 58.—Chili.

*humilis*, Phil. in Linnaea, xxxiii. (1864–65) 92.—Chili.

*portoricensis*, DC. Coll. Mém. v. 36. t. 7 = *C. Petroselinum*.

**WYETHIA**, Nutt. in Journ. Acad. Philad. vii. (1834) 39. t. 5. **COMPOSITAE**, Benth. & Hook. f. ii. 374.

*ALARCONIA*, DC. Prod. v. 537 (1836).

*MELARHIZA*, Kellogg, in Proc. Calif. Acad. i. ed. II. (1873) 37.

*amplexicaulis*, Nutt. in Trans. Am. Phil. Soc. N. S. vii. (1841) 352.—Am. bor. occ.

*angustifolia*, Nutt. l. c.—Am. bor. occ.

*arizonica*, A. Gray, in Proc. Am. Acad. viii. (1873) 655.—Am. bor. occ.

*californica*, Nutt. ex Walp. Rep. ii. 608, nomen.—Calif.

**WYETHIA:—**

- coriacea, *A. Gray, in Proc. Am. Acad.* xi. (1876) 77.—Calif.  
glabra, *A. Gray, l. c.* vi. (1865) 543.—Calif.  
helenioides, *Nutt. in Trans. Am. Phil. Soc. N. S.* vii. (1841) 353.—Calif.  
helianthoides, *Nutt. in Journ. Acad. Philad.* vii. (1834) 38.—Am. bor. occ.  
longicaulis, *A. Gray, in Proc. Am. Acad.* xix. (1883) 4.—Calif.  
mollis, *A. Gray, l. c.* vi. (1865) 544.—Calif.  
ovata, *Torr. & Gray, ex Torr. in Emory, Notes Mil. Reconnois.* 143.—Calif.  
reticulata, *Greene, in Bull. Calif. Acad.* i. i. (1884) 9.—Calif.  
robusta, *Nutt. in Trans. Am. Phil. Soc. N. S.* vii. (1841) 352 = angustifolia.  
scabra, *Hook. Lond. Journ. Bot.* vi. (1847) 245.—Am. bor. occ.

WYLIA, Hoffm. Gen. Umb. ed. I. 3. t. 2 (1814) = **Scandix**, Tourn. (Umbell.).  
australis, Hoffm. l. c. 5. t. 2. f. 1 = *S. australis*.  
grandiflora, Hoffm. l. c. 15. t. 2. f. 3 = *S. grandiflora*.  
iberica, Hoffm. l. c. i. 19. t. 2. f. 4 = *S. iberica*.  
radians, Hoffm. l. c. 11. t. 2. f. 2 = *S. grandiflora*.

**X**

XAIASME, Rafin. Fl. Tellur. iv. 106 (1836) = **Stellera**, Linn. (Thymel.).  
bicolor, Rafin. l. c. = *S. Chamaejasme*.

XALKITIS, Rafin. New Fl. Am. iv. 71 (1836) = **Aster**, Tourn. (Compos.).  
ciliata, Rafin. l. c. = *A. ciliatus, Walt.*

XAMACRISTA, Rafin. Sylva Tellur. 127 (1838) = **Cassia**, Linn. (Legumin.).  
triflora, Rafin. l. c. = *C. Chamaecrista*.

XAMESIKE, Rafin. Fl. Tellur. iv. 115 (1836) = **Euphorbia**, Linn.  
scordifolia, Rafin. l. c. = *E. scordifolia*.  
vulgaris, Rafin. l. c. = *E. Chamaesyce*.  
xamobala, Rafin. l. c. = *E. Chamaesyce*?

XANTHAEA, Reichb. Nom. 132 (1841) = **Erythraea**, Renealm. (Gentian.).

XANTHANTHOS, St. Lag. in Ann. Soc. Bot. Lyon, viii. (1881) 189 = **Anthoxanthum**, Linn. (Gramin.).

XANTHE, Schreb. Gen. 710 (1791) = **Clusia**, Linn. (Guttif.).  
oblonga, Raeusch. Nom. ed. III. 292 = *C. macrocarpa*.  
parviflora, Willd. Sp. Pl. iv. 877 = *C. macrocarpa*.  
scandens, Willd. l. c. = *C. microcarpa*.

XANTHIDIUM, Delpino, Studi sopra Artemis. 62 (1871) = **Franseria**, Cav. (Compos.).  
ambrosioides, Delpino, l. c. 63 = *F. ambrosioides*.  
artemisioides, Delpino, l. c. = *F. artemisioides*.  
discolor, Delpino, l. c. = *F. discolor*.  
rhombophyllum, Delpino, l. c. 64.—Peruv.  
tenuifolium, Delpino, l. c. 62 = *F. tenuifolia*.

XANTHISMA, DC. Prod. v. 94 (1836). **COMPOSITAE**, Benth. & Hook. f. ii. 253.  
CENTAURIDIUM, Torr. & Gray, Fl. N. Am. ii. 246 (1840).  
Drummondii, Hook. f. Bot. Mag. sub t. 6275 = texanum.  
texanum, DC. Prod. v. 95; Torr. in Marcy, Rep. (1852) 303. t. 10.—Texas.

XANTHIUM, [Tourn.] Linn. Syst. ed. I (1735); Gen. ed. I. 286 (1737). **COMPOSITAE**, Benth. & Hook. f. ii. 355.  
ACANTHAXANTHIUM, Fourr. in Ann. Soc. Linn. Lyon, N. S. xvii. (1869) 110.  
LAPPARIA, Heist. Syst. 11 (1748).  
STRUMARIUM, Rafin. in Ann. Gén. Sc. Phys. vi. (1820) 89.

**XANTHIUM:—**

- abyssinicum, Wallr. Beitr. Bot. i. (1842) 230 = *X. Strumarium*.  
ambrosioides, Hook. & Arn. in Hook. Journ. Bot. iii. (1841) 310.—Chili.  
americanum, Walt. Fl. Carol. 231 = canadense.  
anatolicum, Boiss. & Heldr. Diagn. Ser. I. xi. 32, in nota = *X. Strumarium*.  
annuum, Georgi, Reise, ii. 713 = *X. Strumarium*.  
antiquorum, Wallr. Beitr. Bot. i. (1842) 229 = *X. Strumarium*.  
arenarium, Lasche, in Bot. Zeit. xiv. (1856) 411.—Am.?  
armatum, Humb. & Bonpl. ex Wallr. Beitr. Bot. i. (1842) 242 = spinosum.  
brachyacanthum, Wallr. l. c. 244 = spinosum.  
brasilicum, Vell. Fl. Flum. x. t. 23 = *X. Strumarium*.  
brevirostre, Hochst. ex A. Rich. Tent. Fl. Abyss. i. 405.—Abyss.  
brevirostre, Wallr. Beitr. Bot. i. (1842) 235 = *X. Strumarium*.  
canadense, Mill. Gard. Dict. ed. VIII. n. 2.—Am. bor. et austr.  
canadense, Sabbat. ex Nym. Consp. 475 = spinosum.  
catharticum, H. B. & K. Nov. Gen. et Sp. iv. 274 = spinosum.  
Cavanillesii, Schouw, Ind. Sem. Hort. Haun. (1849) 14.—Cf. Ann. Sc. Nat. Sér. III. xii. (1849) 357 = canadense.  
chinense, Mill. Gard. Dict. ed. VIII. n. 4 = *X. Strumarium*.  
cordifolium, Stokes, Bot. Mat. Med. iv. 380 = *X. Strumarium*.  
cuneatum, Moench, Meth. Suppl. 300 = canadense.  
discolor, Wallr. Beitr. Bot. i. (1842) 232 = *X. Strumarium*.  
echinatum, Murr. in Comm. Gotting. vi. (1783–84) 32. t. 4 = canadense.  
eriocarpum, Wallr. Beitr. Bot. i. (1842) 242 = ambrosioides.  
fruticosum, Linn. f. Suppl. 418 = *Franseria artemisioides*.  
fuscescens, Jord. & Fourr. Brev. Pl. Nov. fasc. i. 36 = *X. Strumarium*.  
homothalamum, Spreng. Neue Entdeck. i. 259.—Bras.  
humile, Heynh. Nom. i. 858 (Quid?).—Am. austr.?  
inaequilaterum, DC. Prod. v. 523 = *X. Strumarium*.  
indicum, Koen. ex Roxb. Hort. Beng. 67; Fl. Ind. iii. 601 = *X. Strumarium*.  
italicum, Moretti, in Brugnati Giorn. Fis. Dec. II. v. (1822) 326 = orientale.  
laevigatum, Muhl. ex Wallr. Beitr. Bot. i. (1842) 231 = *X. Strumarium*.  
longirostre, Wallr. l. c. 237 = canadense.  
macrocarpum, DC. Fl. Fr. Suppl. 356 = canadense.  
maculatum, Rafin. in Am. Monthly Mag. (1818) 344; Am. Journ. Sc. Ser. I. i. (1819) 151 = canadense.  
monoicum, Gilib. Fl. Lituan. i. 170 = *X. Strumarium*.  
numidicum, Jord. & Fourr. Brev. Pl. Nov. fasc. i. 37 = *X. Strumarium*.  
occidentale, Bertol. Lucub. 38 = canadense.  
orientale, Blume, Bijdr. 915 = *X. Strumarium*.  
orientale, Cav. Ic. iii. 11. t. 221 = canadense.  
orientale, Linn. Sp. Pl. ed. II. 1400.—China; Japon.; Zeylan.  
oviforme, Wallr. Beitr. Bot. i. (1842) 240 = orientale.  
parvifolium, DC. Prod. v. 524.—Am. austr.  
pennsylvanicum, Wallr. Beitr. Bot. i. (1842) 236.—Am. bor.  
pungens, Wallr. l. c. 231 = *X. Strumarium*.  
Revelieri, Jord. & Fourr. Brev. Pl. Nov. fasc. i. 36 = orientale.  
riparium, Lasche, in Bot. Zeit. xiv. (1856) 412 = orientale.  
Roxburghii, Wallr. Beitr. Bot. i. (1842) 233 = *X. Strumarium*.  
saccharatum, Wallr. l. c. 238 = orientale.  
sphaerocephalum, Salzm. ex Ball, in Journ. Linn. Soc. xvi. (1878) 503 = *X. Strumarium*.  
spinosum, Linn. Sp. Pl. 987.—Cosmop.  
Strumarium, Ell. Sketch, ii. 479; Bigel. Fl. Bost. ed. II. 342 = canadense.  
Strumarium, Linn. Sp. Pl. 987.—Cosmop.  
vulgare, Lam. Fl. Fr. ii. 56 = *X. Strumarium*.  
xanthocarpum, Wallr. Beitr. Bot. i. (1842) 241 = spinosum.

XANTHO, Remy, in Ann. Sc. Nat. Sér. III. xii. (1849) 191 = **Lasthenia**, Cass. (Compos.).  
glabrata, Remy, l. c. 192 = *L. glabrata*.

**XANTHOCEPHALUM**, Willd. in Ges. Naturf. Fr. Berl. Mag. i. (1807) 140. **COMPOSITAE**, Benth. & Hook. f. ii. 249.  
GRINDELIOPSIS, Sch. Bip. in Bonplandia, vi. (1858) 356.  
GUENTHERA, Regel, Ind. Sem. Hort. Petrop. (1857) 42; et Gartenfl. (1858) 44.  
XANTHOCOMA, H. B. & K. Nov. Gen. et Sp. iv. 310. t. 412 (1820).  
Alamani, Benth. & Hook. f. Gen. ii. 249.—Mexic.  
Benthianum, Hemsl. Biol. Centr. Am. Bot. ii. 110.—Mexic.  
Bonplandianum, Benth. Pl. Hartw. 16 = Benthianum.  
Bonplandianum, DC. Prod. vi. 44 = centauroides.  
centauroides, Willd. in Ges. Naturf. Fr. Berl. Mag. i. (1807) 140.—Am. austr.  
conoideum, Hemsl. Biol. Centr. Am. Bot. ii. 110.—Mexic.  
dentatum, Schau. ex Hemsl. l. c. 111.—Mexic.  
gymnospermoides, Benth. & Hook. f. Gen. ii. 249.—Mexic.  
humile, Benth. & Hook. f. l. c.; Sch. Bip. ex Hemsl. Biol. Centr. Am. Bot. ii. 111.—Mexic.  
microglossum, Spruce, ex Benth. & Hook. f. Gen. ii. 249.—Bras.?  
sericocarpum, A. Gray, in Proc. Am. Acad. xv. (1880) 31.—Mexic.  
suffruticosum, DC. Prod. vi. 44.—Mexic.  
Wrightii, A. Gray, in Proc. Am. Acad. viii. (1873) 632.—Am. bor. occ.

**XANTHOCERAS**, Bunge, (Enum. Pl. Chin. Bor. 11) in Mém. Sav. Etr. Pétersb. ii. (1834) 85. **SAPINDACEAE**, Benth. & Hook. f. i. 408.  
sorbifolia, Bunge, l. c.—China.

**XANTHOCERCIS**, Baill. Adansonia, ix. (1870) 293. **LEGUMINOSAE**.  
madagascariensis, Baill. l. c. 294.—Madag.

XANTHOCHRYSUM, Turcz. in Bull. Soc. Nat. Mosc. xxiv. (1851) i. 199 = **Helichrysum**, Vaill. (Compos.).  
filifolium, Turcz. l. c. = *H. filifolium*.

XANTHOCHYMUS, Roxb. Pl. Corom. ii. 51. t. 196 (1798) = **Garcinia**, Linn. (Guttif.).  
dubius, Roxb. ex Steud. Nom. ed. II. ii. 790 (Quid?).—Ind. or.  
dulcis, Roxb. Hort. Beng. 42; Fl. Ind. ii. 631 = *G. dulcis*.  
elegans, Zipp. ex Span. in Linnaea, xv. (1841) 178.—Ins. Timor.  
guineensis, G. Don, in Loud. Hort. Brit. 320, nomen (Quid?).—Afr. trop.  
javanensis, Blume, Bijdr. 216 = *G. dulcis*.  
luteus, Lodd. ex G. Don, in Loud. Hort. Brit. 320, nomen (Quid?).—Ind. or.  
macrophyllum, Lodd. l. c. (Quid?).—Ind. or.  
madagascariensis, Planch. & Triana, in Ann. Sc. Nat. Sér. IV. xiv. (1860) 305 = *G. madagascariensis*.  
ovalifolius, Bedd. Fl. Syn. Gen. p. xxi = *G. spicata*.  
ovalifolius, Roxb. Hort. Beng. 42; Fl. Ind. ii. 632 = *G. ovalifolia*.  
pictorius, Roxb. Pl. Corom. ii. 51. t. 196 = *G. Xanthochymus*.  
purpureus, Lodd. ex Loud. Hort. Brit. 320 (Quid?).—Ind. or.  
quadrifarius, Oliver, Fl. Trop. Afr. i. 168 = *G. quadrifaria*.  
spicatus, Wight & Arn. Prod. 102 = *G. ovalifolia*.  
tinctorius, DC. Prod. i. 562 = *G. Xanthochymus*.

XANTHOCOMA, H. B. & K. Nov. Gen. et Sp. iv. 310. t. 412 (1820) = **Xanthocephalum**, Willd. (Compos.).  
dentata, Schau. in Linnaea, xix. (1847) 723.—Mexic.  
gymnospermoides, Benth. & Hook. f. Gen. ii. 250, lapsu = *Xanthocephalum gymnospermoides*.  
humilis, H. B. & K. Nov. Gen. et Sp. iv. 311. t. 112 = *Xanthocephalum humile*.

XANTHOCROMYON, Karst. in Bot. Zeit. v. (1847) 694 = **Trimeza**, Salisb. (Irid.).  
Herberti, Karst. l. c. = *T. lurida*.



XANTHO GALUM, Avé-Lall. in Fisch. & Mey. Ind. Sem. Hort. Petrop. viii. 73 (1842) = **Dorema**, D. Don (Umbell.).  
*purpurascens*, Avé-Lall. l. c. = D. Aucheri.

XANTHOLEPIS, Willd. ex Less. in Linnaea, iv. (1829) 338 = **Cacosmia**, H. B. & K. (Compos.).  
*tomentosa*, Willd. ex Less. l. c. = C. rugosa.

XANTHOLINUM, Reichb. Handb. 306 (1837) = **Linum**, Tourn.  
*arborescens*, Reichb. l. c. 307 = L. arborescens.  
*campanulatum*, Reichb. l. c. = L. campanulatum.  
*capitatum*, Reichb. l. c. = L. capitatum.  
*flavum*, Reichb. l. c. = L. flavum.  
*nodiflorum*, Reichb. l. c. = L. nodiflorum.  
*tauricum*, Reichb. l. c. = L. tauricum.

XANTHONANTHOS, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 119; viii. (1881) 189 = **Anthoxanthum**, Linn. (Gramin.).  
*odoratum*, St. Lag. l. c. = A. odoratum.

XANTHOPHTHALMUM, Sch. Bip. Tanacet. 17 (1844) = **Chrysanthemum**, Tourn. (Compos.).  
*macrocephalum*, Sch. Bip. in Bonplandia, viii. (1860) 369 = C. trifurcatum.  
*segetum*, Sch. Bip. Tanacet. 17 = C. segetum.  
*trifurcatum*, Sch. Bip. in Bonplandia, viii. (1860) 369 = C. trifurcatum.

XANTHOPHYLLON, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 70 = **Zanthoxylum**, Linn. (Rutac.).  
*Clava-Herculis*, St. Lag. l. c. = Z. Clava-Herculis.  
*clavatum*, St. Lag. l. c. = X. Clava-Herculis.

**XANTHOPHYLLUM**, Roxb. Hort. Beng. [28] (1814); Pl. Corom. iii. 81. t. 284 (1819). **POLY-GALEAE**, Benth. & Hook. f. i. 139.  
**JACKIA**, Blume, Bijdr. 60 (1825).  
**KAULFUSSIA**, Dennst. Schluess. Hort. Malab. 30 (1818).  
**MACINTYRIA**, F. Muell. Fragm. v. 8 (1865).  
**SKAPHIUM**, Miq. Fl. Bat. Ind. Suppl. 357 (1860).  
*acuminatissimum*, Miq. Ann. Mus. Bot. Lugd. Bat. i. 276.—Sumatra.  
*adenopodum*, Miq. Fl. Ind. Bat. Suppl. 393.—Sumatra.  
*adenotus*, Miq. l. c.—Sumatra.  
*affine*, Korth. ex Miq. Ann. Mus. Bot. Lugd. Bat. i. 271.—Burma; Malaya.  
*ancolanum*, Miq. Fl. Ind. Bat. Suppl. 394.—Sumatra.  
*angustifolium*, Wight, Illustr. Ind. Bot. i. 50 = flaves-cens.  
*Arnottianum*, Wight, l. c. = flaves-cens.  
*borneense*, Miq. Ann. Mus. Bot. Lugd. Bat. i. 277.—Borneo.  
*cordatum*, Korth. ex Miq. Ann. Mus. Bot. Lugd. Bat. i. 274.—Borneo.  
*eglandulosum*, Griff. Notul. iv. 537.—Burma.  
*ellipticum*, Korth. ex Miq. Ann. Mus. Bot. Lugd. Bat. i. 276.—Malaya.  
*eurbynchum*, Miq. l. c. 277.—Sumatra.  
*excelsum*, Blume, ex Miq. Fl. Ind. Bat. i. 11. 129.—Java.  
*flaves-cens*, Roxb. Hort. Beng. [88]; Fl. Ind. ii. 222.—Ind. or.; Malaya.  
*flaves-cens*, Wall. Cat. n. 4198 = affine.  
*glaucescens*, Miq. Fl. Ind. Bat. Suppl. 394.—Sumatra.  
*glaucum*, Wall. Cat. n. 4199.—Burma.  
*Griffithii*, Hook. f. ex A. W. Benn. in Hook. f. Fl. Brit. Ind. i. 210.—Burma; Malaya.  
*insigne*, A. W. Benn. l. c. 211.—Malacca.  
*Korthalsianum*, Miq. Ann. Mus. Bot. Lugd. Bat. i. 277.—Borneo.  
*lateriflorum*, Miq. l. c. 318.—Sumatra.  
*longifolium*, D. Dietr. Syn. Pl. ii. 1277.—Java.  
*Macintyrii*, F. Muell. Fragm. v. 57.—Austral.  
*Maingayi*, Hook. f. ex A. W. Benn. in Hook. f. Fl. Brit. Ind. i. 210.—Malacca.  
*obscurum*, A. W. Benn. l. c. 211.—Singapore.  
*palembanicum*, Miq. Ann. Mus. Bot. Lugd. Bat. i. 317.—Sumatra.  
*paniculatum*, Miq. Fl. Ind. Bat. Suppl. 393 = flaves-cens.

# **XANTHOPHYLLUM** :—

*Roxburghianum*, Wight, Illustr. Ind. Bot. i. 50 = flaves-cens.  
*rufum*, A. W. Benn. in Hook. f. Fl. Brit. Ind. i. 210.—Malacca.  
*stipitatum*, A. W. Benn. l. c.—Malacca.  
*sumatranum*, Miq. Ann. Mus. Bot. Lugd. Bat. i. 275.—Sumatra.  
*undulatum*, Wight, Illustr. Ind. Bot. i. 50 = flaves-cens.  
*virens*, Roxb. Hort. Beng. [28]; Fl. Ind. ii. [221] = flaves-cens.  
*virens*, D. Dietr. Syn. Pl. ii. 1277 = excelsum.  
*vitellinum*, D. Dietr. l. c.—Java.

**XANTHOPHYTUM**, Reinw. ex Blume, Cat. Gew. Buitenz. 57 (1823); et Bijdr. 989. **RUBIACEAE**, Benth. & Hook. f. ii. 53.  
*calycinum*, Benth. & Hook. f. l. c.—Ins. Pacif.  
*fruticulosum*, Reinw. ex Blume, Cat. Gew. Buitenz. 57; et Bijdr. 989.—Java.  
*spicatum*, Blume, ex DC. Prod. iv. 413.—Java.

**XANTHOPSIS**, C. Koch, in Linnaea, xxiv. (1851) 422 = **Centaura**, Linn. (Compos.).  
*xanthocephala*, C. Koch, l. c. = C. xanthocephala.

**XANTHORIZA**, Woodhouse, in Med. Repos. N. York, v. (1802) 160, sphalm. = seq.

**XANTHORRHIZA**, Marsh. Arbust. Am. 167 (1785) = **Zanthorhiza**, L'Hérit. (Ranunc.).

**XANTHORRHOEA**, Sm. in Trans. Linn. Soc. iv. (1798) 219. **FUNCACEAE**, Benth. & Hook. f. iii. 865.  
*arborea*, R. Br. Prod. 288.—Austral.  
*australis*, R. Br. l. c.—Austral.  
*bracteata*, R. Br. l. c.—Austral.  
*Brunonis*, Endl. in Lehm. Pl. Preiss. ii. 39 = Preissii.  
*Drummondii*, Harv. in Hook. Kew Journ. vii. (1855) 57 = Preissii.  
*gracilis*, Endl. in Lehm. Pl. Preiss. ii. 39.—Austral.  
*hastilis*, R. Br. Prod. 288.—Austral.  
*hastilis*, Sm. in Trans. Linn. Soc. iv. (1798) 219 = media.  
*humilis*, Steud. Nom. ed. II. ii. 790, sphalm. = X. Pumilio.  
*macronema*, F. Muell. Fragm. iv. 112.—Austral.  
*media*, R. Br. Prod. 288.—Austral.  
*minor*, R. Br. l. c.—Austral.  
*pecoris*, F. Muell. Fragm. iv. 110 = Preissii.  
*Preissii*, Endl. in Lehm. Pl. Preiss. ii. 39.—Austral.  
*Pumilio*, R. Br. Prod. 288.—Austral.  
*quadrangulata*, F. Muell. Fragm. iv. 111.—Austral.  
*quadrangulata*, Tate, in Trans. Roy. Soc. Austral. vi. (1882-83) 168 = Tateana.  
*resinosa*, Pers. Syn. i. 370 = media.  
*simiplana*, F. Muell. Fragm. iv. 111.—Austral.  
*Tateana*, F. Muell. in Zeitschr. Oesterr. Apoth. Ver. xxiii. (1888) 294.—Austral.

**XANTHOSELINUM**, Schur, Enum. Pl. Transs. 264 (1866) = **Peucedanum**, Tourn. (Umbell.).  
*alsaticum*, Schur, l. c. = P. alsaticum.

**XANTHOSIA**, Rudge, in Trans. Linn. Soc. x. (1811) 301. t. 22. **UMBELLIFERAE**, Benth. & Hook. f. i. 874.  
**CRUCIELLA**, Leschen. ex DC. Prod. ii. 74 (1830).  
**LEUCOLAENA**, R. Br. App. Flind. Voy. 557 (1814).  
**PENTAPELTIS**, Bunge, in Lehm. Pl. Preiss. i. 292 (1845).  
**SCHOENOLAENA**, Bunge, l. c. 289 (1845).  
*Atkinsoniana*, F. Muell. Fragm. ii. 127.—Austral.  
*candida*, Steud. Nom. ed. II. ii. 790; Bunge, in Lehm. Pl. Preiss. i. 291.—Austral.  
*ciliata*, Hook. Ic. Pl. t. 726.—Austral.  
*dissecta*, Hook. f. in Hook. l. c. t. 302.—Austral.  
*fruticulosa*, Benth. Fl. Austral. iii. 361.—Austral.  
*glabrata*, Bunge, in Lehm. Pl. Preiss. i. 290 = pusilla.  
*hederifolia*, Benth. Fl. Austral. iii. 359.—Austral.  
*hirsuta*, DC. Prod. iv. 74 = pilosa.  
*Huegelii*, Steud. Nom. ed. II. ii. 791; Bunge, in Lehm. Pl. Preiss. i. 291.—Austral.  
*junceae*, Benth. Fl. Austral. iii. 359.—Austral.  
*leiophylla*, F. Muell. ex Klatt, in Linnaea, xxix. (1857-58) 710 = dissecta.  
*montana*, Sieber, ex DC. Prod. iv. 74 = pilosa.  
*pannosa*, Steud. Nom. ed. II. ii. 791 = pilosa.  
*peduncularis*, Benth. Fl. Austral. iii. 362.—Austral.

# **XANTHOSIA** :—

*peltigera*, Steud. Nom. ed. II. ii. 791; Benth. Fl. Austral. iii. 359.—Austral.  
*pilosa*, Rudge, in Trans. Linn. Soc. x. (1811) 301. t. 22. f. 1.—Austral.  
*pinnatisecta*, F. Muell. ex Klatt, in Linnaea, xxix. (1857-58) 711 = dissecta.  
*pusilla*, Bunge, in Lehm. Pl. Preiss. i. 291.—Austral.  
*rhomboidea*, Turcz. in Bull. Soc. Nat. Mosc. xxii. (1849) 11. 32 = Actinotus rhomboideus.  
*rotundifolia*, DC. Prod. iv. 75.—Austral.  
*singuliflora*, F. Muell. Fragm. iv. 184.—Austral.  
*tenuior*, Benth. Fl. Austral. iii. 359.—Austral.  
*tridentata*, DC. Prod. iv. 75.—Austral.  
*vestita*, Benth. Fl. Austral. iii. 363.—Austral.  
*villosa*, Turcz. in Bull. Soc. Nat. Mosc. xxii. (1849) 11. 32 = pusilla.

**XANTHOSOMA**, Schott, Melet. i. 19 (1832).  
**AROIDEAE**, Benth. & Hook. f. iii. 976.  
**ACONTIAS**, Schott, Melet. i. 19 (1832).  
**PHYLLOTAENIUM**, André, in Illustr. Hort. ix. (1872) 3. t. 88.  
*appendiculatum*, Schott, in Oestr. Bot. Wochenbl. iv. (1854) 417 = atrovirens.  
*atrovirens*, C. Koch & Bouché, in Ind. Sem. Hort. Berol. (1854) App. 3.—Venezuela.  
*auriculatum*, Regel, Ind. Sem. Hort. Petrop. 1868 (1869) 81.—Bras.  
*Barilleti*, Carr. in Rev. Hort. (1882) 259. f. 58.—Bras.?  
*belophyllum*, Kunth, Enum. Pl. iii. 44; Schott, in Oestr. Bot. Wochenbl. iii. (1853) 369.—Am. trop.  
*blandum*, Schott, in Bonplandia, x. (1862) 346 = X. Mafaffa.  
*caracasana*, Schott, Syn. Aroid. 60 = belophyllum.  
*Caracu*, C. Koch & Bouché, in Ind. Sem. Hort. Berol. (1854) App. 3.—Am. austr.  
*conspurcatum*, Schott, Syn. Aroid. 61.—Guian.  
*cubense*, Schott, in Oestr. Bot. Zeitschr. xv. (1865) 33, nomen; Engl. in DC. Monog. Phan. ii. 485.—Cuba.  
*edule*, Hort. ex Schott, Syn. Aroid. 70 = Syngonium affine.  
*edule*, Schott, Melet. i. 19.—Guian.  
*gracile*, Miq. Hort. Amstelod. (1853); et ex Schott, Syn. Aroid. 70 = Syngonium affine.  
*hastatum*, Eggers, Fl. Ste-Croix (1879), 99 (sp. dub.).—Ind. occ.  
*hastifolium*, C. Koch, in Ind. Sem. Hort. Berol. (1854) App. 2.—Bras.  
*helleborifolium*, Schott, in Oestr. Bot. Zeitschr. xv. (1865) 33.—Am. trop.  
*Hoffmanni*, Schott, l. c.—Costa Rica.  
*Holtonianum*, Schott, l. c. xix. (1859) 39.—N. Granat.  
*ianthinum*, C. Koch & Bouché, in Ind. Sem. Hort. Berol. (1854) App. 2 = violaceum.  
*Jacquinii*, Schott, Melet. i. 19.—Venezuela.  
*Lindenii*, S. Moore, in Flor. & Pom. (1872) 4; Engl. in DC. Monog. Phan. ii. 482.—N. Granat.  
*Mafaffa*, Schott, Araceae, ii. (1855) 5.—Bras.  
*Maximilianum*, Schott, in Bonplandia, x. (1882) 322.—Bras.  
*mexicanum*, Liebm. in Kjoeb. Vidensk. Meddel. (1849) 15.—Mexic.  
*mirabile*, Mast. in Gard. Chron. (1874) 258. f. 53 (an gen.?).—Am. trop.  
*mucronatum*, Schott, Syn. Aroid. 63 = Alocasia macrorrhiza.  
*pedatum*, Hemsl. Biol. Centr. Am. Bot. iii. 418.—Guatemala.  
*pentaphyllum*, Schott, in Oestr. Bot. Zeitschr. xv. (1865) 33, nomen; Engl. in DC. Monog. Phan. ii. 484.—Bras.  
*peregrinum*, Griseb. Fl. Brit. W. Ind. 511 = atrovirens.  
*pilosum*, C. Koch & August. in Ind. Sem. Hort. Berol. (1855) App. 2.—Costa Rica.  
*platylobum*, Schott, in Oestr. Bot. Zeitschr. xv. (1865) 33, nomen; Engl. in Mart. Fl. Bras. iii. 11. 196. t. 45.—Bras.  
*Plumieri*, Schott, l. c.—Ind. occ.  
*Poeppigii*, Schott, in Oestr. Bot. Wochenbl. iv. (1854) 417 = X. Mafaffa.  
*pubescens*, Poepp. & Endl. Nov. Gen. et Sp. iii. 89. t. 299.—Peruv.  
*Riedelianum*, Schott, in Oestr. Bot. Zeitschr. xv. (1865) 33.—Bras.  
*robustum*, Schott, in Oestr. Bot. Wochenbl. iii. (1853) 370.—Mexic.

**XANTHOSOMA** :—

- roseum, Schott, in *Oestr. Bot. Zeitschr.* viii. (1858) 178.—Costa Rica.  
*sagittifolium*, C. Koch, in *Ind. Sem. Hort. Berol.* (1854) App. 2=X. Mafaffa.  
*sagittifolium*, Liebm. in *Kjoeb. Vidensk. Meddel.* (1849) 15=Jacquini.  
*sagittifolium*, Schott, *Melet.* i. 19.—Am. trop.  
*striolatum*, Schott, *Syn. Aroid.* 61.—Bras.  
*subandinum*, Schott, l. c. 60=X. Mafaffa.  
*sylvestre*, Bello, in *Anal. Soc. Esp. Hist. Nat.* xii. (1888) 114.—Ins. Porto Rico.  
*undipes*, C. Koch, in *Bonplandia*, iv. (1856) 4=Jacquini.  
*utile*, C. Koch & Bouché, in *Ind. Sem. Hort. Berol.* (1854) App. 2=sagittifolium.  
*variegatum*, Schott, in *Oestr. Bot. Zeitschr.* xv. (1865) 33=helleborifolium.  
*violaceum*, Schott, *Ind. Sem. Hort. Berol.* (1853) 370.—Ind. occ.  
*Wallisi*, Hort.—*Cf. Gard. Chron.* (1869) 587 (sphalm. *Wallichi*).—N. Granat.  
*Wendlandii*, Schott, in *Oestr. Bot. Zeitschr.* xv. (1865) 33, nomen=Hoffmanni.  
*xanthorrhizon*, C. Koch, in *Bonplandia*, iv. (1856) 4=sagittifolium.

- XANTHOSTEMON**, F. Muell. in Hook. *Kew Journ.* ix. (1857) 17. *MYRTACEAE*, Benth. & Hook. f. i. 711.  
*DRAPARNAUDIA*, Montr. in *Mem. Acad. Lyon*, x. (1860) 205.  
*FREMYA*, Brongn. & Gris, in *Bull. Soc. Bot. Fr.* x. (1863) 372.  
*SALISIA*, Panch. ex Brongn. & Gris, l. c. 373 (1863).  
*chrysanthus*, F. Muell. ex Benth. *Fl. Austral.* iii. 268.—Austral.  
*eucalyptoides*, F. Muell. *Fragm.* i. 81=Metrosideros eucalyptoides.  
*Pancheri*, Panch. & Sebert, *Not. Bois N. Caléd.* 253.—N. Caléd.  
*paradoxus*, F. Muell. in Hook. *Kew Journ.* ix. (1857) 18.—Austral.  
*ruber*, Panch. & Sebert, *Not. Bois N. Caléd.* 252=Metrosideros rubra.  
*Verdugonianus*, Naves, ex F. Villar, in *Blanco, Fl. Philipp.* ed. III. *Nov. App.* 82.—Ins. Philipp.

- XANTHOXYLON**, Spreng. *Anleit.* ii. II. 655 (1818)=seq.

- XANTHOXYLUM**, J. F. Gmel. *Syst.* 509 (1791)=*Zanthoxylum*, Linn. (*Rutac.*).

- XANTIUM**, Gilib. *Fl. Lituan.* i. 170 (1781), sphalm.=*Xanthium*, Linn. (*Compos.*).

- XANTOLIS**, Rafin. *Sylva Tellur.* 35 (1838)=*Sideroxylon*, Dill. (*Sapot.*).  
*tomentosa*, Rafin. l. c.=S. tomentosum.

- XANTOPHTALMUM**, Sang. in *Att. Acc. Pont. Lincei*, Ser. I. xvii. (1862) 41, 199=*Chrysanthemum*, Tourn. (*Compos.*).

- XARITONIA**, Rafin. *Fl. Tellur.* iv. 9 (1836)=*Oncidium*, Sw. (*Orchid.*).  
*elegans*, Rafin. l. c.=O. quadripetalum.

- XATARDIA**, Meissn. *Gen.* 145 (1838). *UMBELLIFERAE*, Benth. & Hook. f. i. 902.  
*PETITIA*, J. Gay, in *Ann. Sc. Nat. Sér. I.* xxvi. (1832) 219.  
*scabra*, Meissn. *Gen.* 145.—Mont. Pyren.

- XATARTA**, St. Lag. in *Ann. Soc. Bot. Lyon*, viii. (1881) 176=praec.

- XATATIA**, Bubani, in *Nouv. Ann. Sc. Nat. Bologn.* ix. (1843) 92, sphalm.=*Xatardia*, Meissn. (*Umbell.*).  
*pyrenaica*, Bubani, l. c.=Xatardia scabra.

- XAVERIA**, Endl. *Gen. Suppl.* iv. III. 30 (1850)=*Anemonopsis*, Sieb. & Zucc. (*Ranunc.*).  
*macrophylla*, Endl. ex Walp. *Ann.* ii. 12=A. macrophylla.

- XELLYATHUM**, Rafin. *Fl. Tellur.* ii. 62 (1836)=*Oncidium*, Sw. (*Orchid.*).  
*altissimum*, Rafin. l. c.=O. altissimum.

- XENIATRUM**, Salisb. *Gen. Pl. Fragn.* 58 (1866)=*Clintonia*, Rafin. (*Liliac.*).  
*umbellatum*, Salisb. l. c.=C. umbellata.

- XENISMIA**, DC. *Prod.* v. 509 (1836)=*Oligocarpus*, Less. (*Compos.*).  
*acanthosperma*, DC. l. c.—Afr. austr.

- XENOCARPUS**, Cass. in *Dict. Sc. Nat.* lix. 108 (1829)=*Cineraria*, Linn. (*Compos.*).  
*geifolius*, Cass. l. c. 109=Senecio geifolius.

- XENOCHLOA**, Licht. in *Roem. & Schult. Syst.* ii. 29, 501 (1817). Genus *GRAMINEARUM* delendum.—*Cf. Benth. & Hook. f. iii.* 1096.  
*arundinacea*, Licht. l. c. 501 (=Phragmites Xenochloa).—Afr. austr.

- XENOPHONTA**, Benth. & Hook. f. *Gen.* ii. 484 (1873), err. typ.=seq.

- XENOPHONTIA**, Vell. *Fl. Flum.* 346 (1825); *Ic.* viii. t. 85 (1827)=*Barnadesia*, Mutis (*Compos.*).  
*caryophylla*, Vell. II. cc. 347; t. 85=B. rosea.  
*obovata*, Regel, *Cat. Pl. Hort. Aksakov.* 147 (Quid?).—Hab. ?

- XENOPHYA**, Schott, in *Miq. Ann. Mus. Bot. Lugd.* Bat. i. 124 (1863-64). *AROIDEAE*, Benth. & Hook. f. iii. 972.  
*brancaefolia*, Schott, l. c.—N. Guin.

- XENOPOMA**, Willd. in *Ges. Naturf. Fr. Berl. Mag.* v. (1811) 399=*Micromeria*, Benth. (1829) (*Labi.*).  
*bolivianum*, Griseb. in *Goett. Abh.* xxiv. (1879) 272=M. boliviana.  
*eugenoides*, Griseb. l. c. xix. (1874) 237=M. eugenoides.  
*obovatum*, Willd. in *Ges. Naturf. Fr. Berl. Mag.* v. (1811) 399=M. obovata.  
*odorum*, Griseb. in *Goett. Abh.* xix. (1874) 236=M. odora.  
*verticillatum*, Griseb. l. c. 237=Bystropogon mollis.

- XEODOLON**, Salisb. *Gen. Pl. Fragn.* 18 (1866)=*Scilla*, Linn. (*Liliac.*).  
*revolutum*, Salisb. l. c.=S. revoluta.

- XERACINA**, Rafin. *Sylva Tellur.* 98 (1838)=*Adelobotrys*, DC. etc. (*Melastom.*).  
*aquatica*, Rafin. l. c.=Nepsera aquatica.  
*scandens*, Rafin. l. c.=A. scandens.  
*villosa*, Rafin. l. c.=Desmoscelis villosa.

- XERALIS**, Rafin. *Sylva Tellur.* 82 (1838)=*Charachera*, Forsk. (*Inc. sed.*).

- XERALSINE**, Fourr. in *Ann. Soc. Linn. Lyon*, N. S. xvi. (1868) 347=*Arenaria*, Rupp. (*Caryoph.*).  
*fasciculata*, Fourr. l. c.=A. fasciculata.  
*mucronata*, Fourr. l. c.=A. mucronata.

- XERANDRA**, Rafin. *Fl. Tellur.* iii. 43 (1836)=*Iresine*, P. Br. (*Amarant.*).  
*celosoides*, Rafin. l. c.=I. celosoides.  
*elator*, Rafin. l. c.=I. elator.

- XERANTHEMUM**, Tourn. ex Linn. *Syst. ed. I* (1735). *COMPOSITAE*, Benth. & Hook. f. ii. 463.  
*HARRISONIA*, Neck. *Elem.* i. 84 (1790).  
*XEROLOMA*, Cass. in *Dict. Sc. Nat.* lix. 120 (1829).  
*angustifolium*, Lam. *Encyc.* iii. 241=Helichrysum paniculatum.  
*Annettae*, Kalen. in *Bull. Soc. Nat. Mosc.* (1834) 194=squarrosus.  
*annuum*, Asso, *Syn. Pl. Arag.* 118=inapertum.  
*annuum*, Linn. *Sp. Pl.* 957.—Europ. austr.  
*annuum*, Scop. *Fl. Carn.* ed. II. ii. 180=cylindraceum.  
*argenteum*, Thunb. *Prod. Pl. Cap.* 152=Helichrysum argenteum.  
*australe*, Pomel, *Nouv. Mat. Fl. Atl.* 33=inapertum.  
*bellidoides*, Forst. f. *Prod.* 55=Helichrysum bellidoides.  
*bracteatum*, Vent. *Jard. Malm.* 2=Helichrysum bracteatum.  
*caespitosum*, Thou. *Fl. Tristan d'Acugn.* 39. t. 8 (*caespitosum*)=Chevreulia stolonifera.  
*canescens*, Linn. *Pl. Afr. Rar.* 20; *Amoen. Acad.* vi. 100=Helipterum canescens.

**XERANTHEMUM** :—

- chinense, Lour. *Fl. Cochinch.* 498.—China.  
*ciliatum*, Linn. *Sp. Pl.* 859=Cullumia decurrens.  
*corymbosum*, Lam. *Encyc.* iii. 242=Helichrysum fulgidum.  
*crucifolium*, Hill, *Veg. Syst.* ii. 95, sphalm.=erucifolium.  
*cylindraceum*, Colm. *Apunt. Fl. Castell.* 85=inapertum.  
*cylindraceum*, Sm. *Fl. Graec. Prod.* ii. 172.—Europ. austr.; As. Min.  
*cylindricum*, Spreng. *Syst.* iii. 485=praec.  
*erectum*, Presl, *Delic. Prag.* 106=inapertum.  
*ericoides*, Lam. *Encyc.* iii. 240=Helichrysum ericoides.  
*erucifolium*, Linn. *Sp. Pl.* 858=Serratula xeranthemoides.  
*fasciculatum*, Andr. *Bot. Rep.* t. 242=Helichrysum sesamoides.  
*ferrugineum*, Lam. *Encyc.* iii. 237=Helipterum ferrugineum.  
*foetidum*, Moench, *Meth.* 582=inapertum.  
*fragrans*, Andr. *Bot. Rep.* t. 561.—Afr. austr.  
*frigidum*, Labill. *Ic. Pl. Syr. Dec.* ii. 9=Helichrysum frigidum.  
*fulgidum*, Linn. f. *Suppl.* 365=Helichrysum fulgidum.  
*herbaceum*, Andr. *Bot. Rep.* t. 487=Helichrysum squamosum.  
*heterophyllum*, Lam. *Encyc.* iii. 239=Helichrysum sesamoides.  
*humile*, Andr. *Bot. Rep.* t. 652=Helichrysum humile.  
*imbricatum*, Burm. f. *Fl. Cap. Prod.* 25=Metasalia uniflora.  
*imbricatum*, Linn. *Pl. Rar. Afr.* 20; *Amoen. Acad.* vi. 100=Helipterum canescens.  
*inapertum*, Bieb. *Fl. Taur. Cauc.* ii. 302=cylindraceum.  
*inapertum*, Mill. *Gard. Dict.* ed. VIII. n. 2; Willd. *Sp. Pl.* iii. 1902.—Reg. Mediterr. et Cauc.  
*incanum*, Crantz, *Inst.* i. 290=Helipterum canescens.  
*incomptum*, Cass. in *Dict. Sc. Nat.* lix. 115=inapertum.  
*inodorum*, Moench, *Meth.* 582=annuum.  
*lancifolium*, Thunb. *Prod. Pl. Cap.* 152=Helichrysum lancifolium.  
*leucanthemifolium*, Burm. f. *Fl. Cap. Prod.* 26=Conyza pinnatilobata.  
*longepapposum*, Fisch. & Mey. in *Nouv. Mém. Soc. Nat. Mosc.* iv. (1835) 337.—As. Min.; Persia.  
*modestum*, Ball, in *Journ. Bot.* xi. (1873) 368.—Marocce.  
*moniliforme*, Houtt. ex DC. *Prod.* vi. 172=Helichrysum ericoides.  
*Neumayeri*, Baill. in *Bull. Soc. Linn. Par.* i. (1880) 266.—Europ. austr.  
*nobile*, Grauer, *Dec.* 16.—Afr. austr.  
*orientale*, Mill. *Gard. Dict.* ed. VIII. n. 3=Chardinia xeranthemoides.  
*ornatum*, Cass. in *Dict. Sc. Nat.* lix. 114=annuum.  
*paniculatum*, Linn. *Sp. Pl.* 859=Helichrysum paniculatum.  
*pinifolium*, Lam. *Encyc.* iii. 240=Helichrysum humile.  
*polyfolium*, Crantz, *Inst.* i. 290=Helichrysum retortum.  
*proliferum*, Linn. *Sp. Pl.* 858=Phaenocoma prolifera.  
*pungens*, Lam. *Encyc.* iii. 236=Siebera pungens.  
*pungens*, Steud. *Nom. ed. II.* ii. 791=Serratula xeranthemoides.  
*radiatum*, Lam. *Fl. Fr.* ii. 48=annuum.  
*radicans*, Thunb. *Prod. Pl. Cap.* 153=Helichrysum retortum.  
*ramosum*, Burm. f. *Fl. Cap. Prod.* 26 (Quid?).—Afr. austr.  
*recurvatum*, Linn. f. *Suppl.* 366=Helichrysum recurvatum.  
*regale*, Salisb. *Prod.* 193=Phaenocoma prolifera.  
*retortum*, Linn. *Sp. Pl.* 858=Helichrysum retortum.  
*retortum*, Lour. *Fl. Cochinch.* 498=Helichrysum cochinchinense.  
*rigidum*, Andr. *Bot. Rep.* t. 387=Helichrysum striatum.  
*serpyllifolium*, Lam. *Encyc.* iii. 238=Helipterum canescens.  
*sesamoides*, J. Gay, ex Willk. & Lange, *Prod. Fl. Hisp.* ii. 128=cylindraceum.  
*sesamoides*, Linn. *Sp. Pl.* 859=Helichrysum sesamoides.

**XERANTHEMUM** :—

- speciosissimum*, Linn. Sp. Pl. 858 = *Helipterum speciosissimum*.  
*speciosum*, L'Hérit. ex DC. Prod. vi. 530 = *Chardinia xeranthemoides*.  
*speciosum*, Thunb. Prod. Pl. Cap. 153 = *Helipterum speciosissimum*.  
*spinosum*, Linn. Sp. Pl. 859 = *Dicoma Burmanni*.  
*spirale*, Andr. Bot. Reg. t. 262 = *Helipterum variegatum*.  
*squamosum*, Thunb. Prod. Pl. Cap. 152 = *Helichrysum squamosum*.  
*squarrosus*, Boiss. Diagn. Ser. I. vi. 101.—As. Min.; Persia.  
*squarrosus*, Lam. Encyc. iii. 241 = *Metalasia umbellata*.  
*Stachelina*, DC. Prod. vi. 212, sphalm. = *Helipterum virgatum*.  
*Stachelina*, Linn. Syst. ed. XII. 546; Thunb. Prod. Pl. Cap. 153.—Afr. austr.  
*stoloniferum*, Linn. f. Suppl. 366 = *Helichrysum stoloniferum*.  
*striatum*, Thunb. Prod. Pl. Cap. 152.—Afr. austr.  
*tenuifolium*, Burm. f. Fl. Cap. Prod. 26 = *Helichrysum mucronatum*.  
*variegatum*, Berg. Desc. Pl. Cap. 271 = *Helichrysum vestitum*.  
*vermiculatum*, Lam. Encyc. iii. 240 = *Metalasia uniflora*.  
*vestitum*, Linn. Sp. Pl. 858 = *Helichrysum vestitum*.  
*vestitum*, Steud. Nom. ed. II. ii. 791 = *Helipterum variegatum*.  
*virgatum*, Berg. Desc. Pl. Cap. 275 = *Helipterum virgatum*.

**XERANTHIUM**, Lepech. Reise Russ. i. 240 (1774) = **Xanthium**, Linn. (Compos.).

**XERANTHUS**, Miers, Trav. Chil. ii. 529 (1826), nomen = **Grahamia**, Gill. (Portulac.).  
*salicosus*, Miers, l. c. = *G. bracteata*.

**XERIS**, Medic. in Staatsw. Vorles. Churpf. Phys-Oek. Ges. i. (1791) 256 = **Iris**, Tourn.

**XEROBIUS**, Cass. in (Bull. Soc. Philom. (1817) 153; fide Pfeiff. Nom. ii. 1629) Dict. Sc. Nat. lix. 127 (1829) = **Egletes**, Cass. (Compos.).  
*lanatus*, Cass. l. c. 128 = *E. bellidiflora*.

**XEROBOTRYS**, Nutt. in Trans. Am. Phil. Soc. N. S. viii. (1843) 267 = **Arctostaphylos**, Adans. (Ericac.).  
*argutus*, Nutt. l. c. 268 = *A. tomentosa*.  
*cordifolius*, Nutt. l. c. = *A. tomentosa*.  
*glaucus*, Nutt. l. c. = *A. glauca*.  
*tomentosus*, Nutt. l. c. 267 = *A. tomentosa*.  
*venulosus*, Nutt. l. c. 268 = *A. Hookeri*.

**XEROCARPA**, Spach, Hist. Vég. Phan. ix. 583 (1840) = **Scaevola**, Linn. (Gooden.).

**XEROCARPUS**, Guill. & Perr. Fl. Seneg. Tent. 169. t. 44 (1832) = **Rothia**, Pers. (Legumin.).  
*abyssinicus*, Schweinf. Beitr. Pl. Aethiop. 21 = *Lotononis Leobordea*.  
*hirsutus*, Guill. & Perr. Fl. Seneg. Tent. 170 = *R. hirsuta*.

**XEROCHLAMYS**, Baker, in Journ. Bot. xx. (1882) 45. **CHLAENACEAE**.  
*pilosa*, Baker, l. c.—Madag.

**XEROCHLOA**, R. Br. Prod. 196 (1810). **GRAMINEAE**, Benth. & Hook. f. iii. 1108.  
*barbata*, R. Br. l. c. 197.—Austral.  
*imberbis*, R. Br. l. c.—Austral.  
*laniflora*, Benth. Fl. Austral. vii. 502.—Austral.  
*latifolia*, Hassk. in Flora, xxv. (1842) II. Beibl. 2; Cat. Hort. Bog. Alt. 21.—Java.

**XEROCLADIA**, Harv. in Harv. & Sond. Fl. Cap. ii. 278 (1861-62). **LEGUMINOSAE**, Benth. & Hook. f. i. 591.  
*Zeyheri*, Harv. l. c.—Afr. austr.

**XEROCOCCUS**, Oerst. in Kjoeb. Vidensk. Meddel. (1852) 52. **RUBIACEAE**, Benth. & Hook. f. ii. 70.  
*congestus*, Oerst. l. c. 52.—Costa Rica.

**XERODERA**, Fourr. in Ann. Soc. Linn. Lyon, N. S. xvi. (1868) 324 = **Ranunculus**, Tourn.  
*graminea*, Fourr. l. c. = *R. gramineus*.

**XEROGONA**, Rafin. Fl. Tellur. iv. 103 (1836) = **Passiflora**, Linn.  
*biloba*, Rafin. l. c. = *P. capsularis*.

**XEROLOPHUS**, Dulac, Fl. Hautes-Pyr. 160 (1867) = **Thesium**, Linn. (Santal.).  
*alpinus*, Dulac, l. c. 161 = *T. alpinum*.  
*pratense*, Dulac, l. c. = *T. pratense*.  
*trinervis*, Dulac, l. c. = *T. intermedium*.

**XEROLOMA**, Cass. in Dict. Sc. Nat. lix. 120 (1829) = **Xeranthemum**, Tourn. (Compos.).  
*foetidum*, Cass. l. c. 121 = *Xeranth. cylindraceum*.  
*inapertum*, Fourr. in Ann. Soc. Linn. Lyon, N. S. xvii. (1869) 93 = *Xeranth. inapertum*?

**XEROMALON**, Rafin. New Fl. Am. iii. 11 (1836) = **Amelanchier**, Medic. (Rosac.).  
*obovatum*, Rafin. l. c. 12 = *A. canadensis*.

**XEROMPHIS**, Rafin. Sylva Tellur. 21 (1838) = **Randia**, Houtt. (Rubiace.).  
*Retzi*, Rafin. l. c. = *A. dumetorum*.

**XERONEMA**, Brongn. & Gris, in Bull. Soc. Bot. Fr. xi. (1864) 316. **LILIACEAE**, Benth. & Hook. f. iii. 781.  
**SCLERONEMA**, Brongn. & Gris, in Ann. Sc. Nat. Sér. V. ii. (1864) 166.  
*Moorei*, Brongn. & Gris, in Bull. Soc. Bot. Fr. xi. (1864) 317.—N. Caled.

**XEROPAPPUS**, Wall. Cat. n. 2980 (1830?) = **Dicoma**, Cass. (Compos.).  
*lanuginosus*, Wall. l. c. = *D. tomentosa*.

**XEROPETALON**, Hook. Bot. Misc. i. (1830) 174 = **Viviania**, Cav. (Geran.).

**XEROPETALUM**, Delile, Cent. Pl. Méroé, 84 (1826) = **Dombeya**, Cav. (Stercul.).  
*Brucei*, Hochst. in Flora, xxiv. (1841) i. Intell. 29, nomen = *D. Bruceana*.  
*hirsutum*, Hochst. ex A. Rich. Tent. Fl. Abyss. i. 78 = *D. Schimperiana*.  
*minus*, Endl. Nov. Stirp. Dec. 37 = *D. multiflora*.  
*multiflorum*, Endl. l. c. 36 = *D. multiflora*.  
*quinquesetum*, Delile, Cent. Pl. Méroé, 84 = *D. multiflora*?  
*rotundifolium*, Hochst. in Flora, xxvii. (1844) 295 = *D. rotundifolia*.  
*tiliaceum*, Endl. Nov. Stirp. Dec. 37 = *D. tiliacea*.

**XEROPETALUM**, Reichb. Consp. 154 (1828) = **Dillwynia**, Sm. (Legumin.).  
*cinerascens*, Steud. Nom. ed. II. ii. 791 = *D. cinerascens*.

**XEROPHYLLUM**, Michx. Fl. Bor. Am. i. 210 (1803). **LILIACEAE**, Benth. & Hook. f. iii. 826.  
*asphodeloides*, Nutt. Gen. Am. i. 235.—Am. bor.  
*asphodeloides*, Spreng. Syst. ii. 144 = *setifolium*.  
*Douglasii*, S. Wats. in Proc. Am. Acad. xiv. (1879) 284.—Am. bor. occ.  
*gramineum*, Nutt. Gen. Am. i. 235 = *Stenanthium angustifolium*.  
*Sabadilla*, D. Don, ex Sweet, Hort. Brit. ed. III. 712 = *Veratrum Sabadilla*.  
*setifolium*, Michx. Fl. Bor. Am. i. 211.—Am. bor.  
*tenax*, Nutt. Gen. Am. i. 235 = *setifolium*.

**XEROPHYSA**, Stev. in Bull. Soc. Nat. Mosc. xxix. (1856) II. 150 = **Astragalus**, Tourn. (Legumin.).  
*physodes*, Stev. l. c. = *A. physodes*.

**XEROPHYTA**, Juss. Gen. 50 (1789) = **Vellozia**, Vand. (Amaryll.).  
*abietina*, Spreng. Syst. iv. Cur. Post. 137 = *V. abietina*.  
*capillaris*, Baker, in Trans. Linn. Soc. Ser. II. i. (1878) 264 = *V. capillaris*.  
*cinerascens*, Mart. ex Schult. f. Syst. vii. 292 = *V. cinerascens*.  
*clavata*, Baker, in Journ. Bot. xiii. (1875) 233.—Afr. austr.

**XEROPHYTA** :—

- dasyliroides*, Baker, in Journ. Bot. xiii. (1875) 235.—Madag.  
*elegans*, Baker, l. c. 234 = *V. elegans*.  
*equisetoides*, Baker, l. c. 233.—Afr. austr.  
*madagascariensis*, J. F. Gmel. Syst. 530.—Madag.  
*Melleri*, Baker, in Journ. Bot. xiii. (1875) 234.—Afr. trop.  
*minima*, Baker, l. c. 235 = *V. minima*.  
*minuta*, Baker, l. c. 234.—Afr. austr.  
*neglecta*, Schult. f. Syst. vii. 289.—Ins. Franciae.  
*pectinata*, Baker, in Journ. Bot. xx. (1882) 270.—Madag.  
*pinifolia*, Lam. ex Poir. Encyc. viii. 804 = *madagascariensis*.  
*plicata*, Spreng. Syst. iv. Cur. Post. 137 = *V. plicata*.  
*Pohlana*, Schult. f. Syst. vii. Add. 1666 = *V. minima*.  
*retinervis*, Baker, in Journ. Bot. xiii. (1875) 233.—Afr. austr.  
*Schnitzleinia*, Baker, l. c. 235.—Abyss.  
*Selloi*, Baker, l. c. 236 = *V. Sellovi*.  
*sessiliflora*, Baker, l. c. xx. (1882) 271.—Madag.  
*Spekei*, Baker, l. c. xiii. (1875) 234.—Afr. trop.  
*spinulosa*, Ridl. in Journ. Linn. Soc. xx. (1883) 333.—Madag.  
*squarrosa*, Baker, in Trans. Linn. Soc. Ser. II. i. (1878) 264 = *V. squarrosa*.  
*stenophylla*, Baker, l. c. 265 = *V. stenophylla*.  
*taxifolia*, Mart. ex Schult. f. Syst. vii. 291 = *V. pusilla*?  
*tragacantha*, Mart. ex Schult. f. l. c. 290 = *V. tragacantha*.  
*triquetra*, Baker, in Journ. Bot. xiii. (1875) 236 = *V. triquetra*.  
*velutina*, Baker, in Trans. Linn. Soc. Ser. II. i. (1878) 265 = *V. velutina*.  
*viscosa*, Baker, in Journ. Bot. xiii. (1875) 235.—Afr. austr.

**XEROSIPHON**, Turcz. in Bull. Soc. Nat. Mosc. xvi. (1843) 55 = **Gomphrena**, Linn. (Amarant.).  
*gracilis*, Turcz. l. c. = *G. angustiflora*.

**XEROSOLLYA**, Turcz. in Bull. Soc. Nat. Mosc. xxvii. (1854) II. 362 = **Sollya**, Lindl. (Pittosp.).  
*Gilbertii*, Turcz. l. c. = *S. parviflora*?

**XEROSPERMUM**, Blume, Rumphia, iii. 99 (1850). **SAPINDACEAE**, Benth. & Hook. f. i. 405.  
*acuminatum*, Radlk. in Act. Congr. Bot. Amst. 1877 (1879) 95.—Borneo.  
*glabratum*, Radlk. in Sitzb. Math.-Phys. Akad. Muench. viii. (1878) 300, 310; ix. (1879) 516 = *Noronhianum*.  
*laevigatum*, Radlk. l. c. 305, 310 (*Sapindi* sp.?).—Ind. or.  
*lanceolatum*, Radlk. in Act. Congr. Bot. Amst. 1877 (1879) 95.—Borneo.  
*muricatum*, Radlk. l. c.—Ind. or.  
*Noronhianum*, Blume, Rumphia, iii. 100.—Malaya.

**XEROTES**, R. Br. Prod. 252 (1810). **ŒUNCACEAE**, Benth. & Hook. f. iii. 863.  
**LOMANDRA**, Labill. Nov. Holl. Pl. i. 92 (1804), nomen prius.  
*aemula*, R. Br. Prod. 262 = *multiflora*.  
*arenaria*, R. Br. l. c. = *longifolia*.  
*asparagoides*, Endl. in Lehm. Pl. Preiss. ii. 49 = *pauciflora*.  
*Banksii*, R. Br. Prod. 263.—Austral.  
*Brownii*, F. Muell. Fragm. viii. 206 = *multiflora*.  
*caespitosa*, Benth. Fl. Austral. vii. 104.—Austral.  
*collina*, R. Br. Prod. 260.—Austral.  
*decomposita*, R. Br. l. c. 262 = *multiflora*.  
*denticulata*, R. Br. l. c. 261 = *filiformis*.  
*distans*, R. Br. l. c. 262 = *multiflora*.  
*Drummondii*, F. Muell. ex Benth. Fl. Austral. vii. 99.—Austral.  
*dura*, F. Muell. in Trans. Vict. Inst. i. (1855) 42.—Austral.  
*echinata*, A. Cunn. ex Benth. Fl. Austral. vii. 112 = *Acanthocarpus Preissii*.  
*effusa*, Lindl. in Mitch. Three Exped. ii. 101.—Austral.  
*elongata*, Benth. Fl. Austral. vii. 106.—Austral.  
*Endlicheri*, F. Muell. Fragm. viii. 205.—Austral.  
*filamentosa*, Brongn. in Duper. Voy. Coq. Bot. 183. t. 35 = *leucocephala*.  
*filiformis*, R. Br. Prod. 261.—Austral.  
*fimbriata*, F. Muell. Fragm. viii. 211 = *Chamaexeros fimbriata*.

**XEROTES** :—

- flexifolia*, R. Br. *Prod.* 260.—Austral.  
*fluviatilis*, R. Br. l. c. 262 = longifolia.  
*fragrans*, F. Muell. ex Sond. in *Linnaea*, xxviii. (1856) 219 = effusa.  
*glauca*, R. Br. *Prod.* 260.—Austral.  
*gracilis*, R. Br. l. c. 261 = filiformis.  
*graminea*, Endl. in *Lehm. Pl. Preiss.* ii. 48 = pauciflora.  
*hastilis*, R. Br. *Prod.* 263.—Austral.  
*Hystris*, R. Br. l. c. 262 = longifolia.  
*juncea*, F. Muell. in *Trans. Vict. Inst.* i. (1855) 135.—Austral.  
*latifolia*, Steud. *Nom. ed. II.* ii. 65, in syn., sphalm. = longifolia.  
*laxa*, R. Br. *Prod.* 261 = filiformis.  
*leucocephala*, R. Br. l. c. 260.—Austral.  
*longifolia*, R. Br. l. c. 262.—Austral.  
*media*, R. Br. l. c. = multiflora.  
*micrantha*, Endl. in *Lehm. Pl. Preiss.* ii. 49.—Austral.  
*montana*, R. Br. *Prod.* 262 = longifolia.  
*mucronata*, R. Br. l. c. 260 = Acanthocarpus Preissii?  
*mucronata*, Sieber, ex Benth. *Fl. Austral.* vii. 106 = glauca.  
*multiflora*, R. Br. *Prod.* 262.—Austral.  
*odora*, Endl. in *Lehm. Pl. Preiss.* ii. 50.—Austral.  
*Ordii*, F. Muell. *Fragm.* xi. 23.—Austral.  
*pauciflora*, R. Br. *Prod.* 261.—Austral.  
*Preissii*, Endl. in *Lehm. Pl. Preiss.* ii. 50.—Austral.  
*purpurea*, Endl. l. c. 49.—Austral.  
*rigida*, R. Br. *Prod.* 261.—Austral.  
*rigida*, Endl. in *Lehm. Pl. Preiss.* ii. 50 = Sonderi.  
*rupestris*, Endl. l. c.—Austral.  
*sericea*, Endl. l. c. 51.—Austral.  
*Serra*, Endl. l. c. 49 = Chamaexeros Serra.  
*Sonderi*, F. Muell. *Fragm.* viii. 206.—Austral.  
*sororia*, F. Muell. *First Gen. Rep.* 15; Benth. *Fl. Austral.* vii. 100.—Austral.  
*spartea*, Endl. in *Lehm. Pl. Preiss.* ii. 51.—Austral.  
*suaveolens*, Endl. l. c. 50.—Austral.  
*tenuifolia*, R. Br. *Prod.* 261 = filiformis.  
*tenuifolia*, Endl. in *Lehm. Pl. Preiss.* ii. 49 = Endlicheri.  
*Thunbergii*, F. Muell. *Fragm.* viii. 208 = filiformis.  
*turbinata*, Endl. in *Lehm. Pl. Preiss.* ii. 51.—Austral.  
*typhina*, Lindl. in *Mitch. Three Exped.* ii. 41 = leucocephala.  
*umbrosa*, Endl. in *Lehm. Pl. Preiss.* ii. 50 = suaveolens.

**XEROTHAMNUS**, DC. *Prod.* v. 311 (1836) = **Osteospermum**, Linn. (Compos.).  
*Ecklonianus*, DC. l. c. = O. scabrum.

**XEROTIS**, Hoffm. *Verz. Pfl. Nachtr.* ii. 38 (1826) = **Xerotes**, R. Br. (Juncac.).

**XEROTIUM**, Bluff & Fingerh. *Comp. Fl. Germ. ed. I.* ii. 343 (1825) = **Filago**, Linn. (Compos.).  
*gallicum*, Bluff & Fingerh. l. c. 344 = F. gallica.  
*minimum*, Bluff & Fingerh. l. c. 345 = F. minima.  
*montanum*, Bluff & Fingerh. l. c. 344 = F. minima.  
*subulatum*, Dulac, *Fl. Hautes-Pyr.* 514 = F. gallica.

**XESTAEA**, Griseb. in *Linnaea*, xxii. (1849) 35 = **Schultesia**, Mart. (Gentian.).  
*lisianthoides*, Griseb. l. c. 36 = S. lisianthoides.

**XETOLA**, Rafn. *Fl. Tellur.* iv. 95 (1836) = **Cephalaria**, Schrad. (Dipsac.).  
*transylvanica*, Rafn. l. c. = C. transylvanica.  
*trenta*, Rafn. l. c. = C. transylvanica.

**XETOLIGUS**, Rafn. *New Fl. Am.* iv. 74 (1836) = **Stevia**, Cav. (Compos.).  
*brevifolius*, Rafn. l. c.—Am. bor.  
*salicifolius*, Rafn. l. c. = S. salicifolia.

**XILOPIA**, Juss. *Gen.* 284 (1789) = **Xylopiia**, Linn. (Anonac.).

**XIMENESIA**, Cav. *IC.* ii. 60. t. 178 (1793) = **Verbesina**, Linn. (Compos.).  
*australis*, Hook. & Arn. ex DC. *Prod.* vii. 291 = V. australis.  
*Cavanillesii* Spreng. *Syst.* iii. 605 = Iostephane heterophylla.

**XIMENESIA** :—

- cordata*, H. B. & K. *Nov. Gen. et Sp.* iv. 228 = Encelia cordata.  
*encelioides*, Cav. *IC.* ii. 60. t. 178 = Verbesina encelioides.  
*foetida*, Spreng. *Syst.* iii. 606 = Encelia foetida.  
*heterophylla*, H. B. & K. *Nov. Gen. et Sp.* iv. 227. t. 280 = Encelia heterophylla.  
*hirta*, Mart. ex DC. *Prod.* v. 578 = Encelia mexicana.  
*hispida*, H. B. & K. *Nov. Gen. et Sp.* iv. 227 = Encelia hispida.  
*microptera*, DC. *Prod.* v. 627 = V. australis.  
*procumbens*, Boj. ex DC. l. c. 561 = Aspilia Bojeri.

**XIMENIA**, Plum. ex Linn. *Gen. ed. I.* 361 (1737).

- OLACINEAE**, Benth. & Hook. f. i. 346.  
 HEYMASOLI, Aubl. *Pl. Gui.* 324. t. 125 (1775).  
 PIMECARIA, Rafn. *Alsog. Am.* 64 (1838).  
 ROTTOBELIA, Scop. *Introd.* 233 (1777).  
*aculeata*, Crantz, *Inst.* ii. 381 = americana.  
*aeegyptiaca*, Juss. *Gen.* 260 = Balanites Roxburghii.  
*aeegyptiaca*, Linn. *Sp. Pl.* 1194 = Balanites aeegyptiaca.  
*Aghalid*, Mill. *Gard. Dict.* ed. VIII. n. 2 = Balanites aeegyptiaca.  
*americana*, Linn. *Sp. Pl.* 1193.—Cosmop. trop.  
*arboorea*, Royle, *Illustr. Bot. Himal.* 154 = Zygophyllum arboreum.  
*arborescens*, Tussac, ex Walp. *Rep.* i. 377, sphalm. = americana.  
*borneensis*, Baill. *Adansonia*, xi. (1873-76) 271 = Scorodocarpus borneensis.  
*caffra*, Sond. in *Linnaea*, xxiii. (1850) 21.—Afr. austr.  
*coriacea*, Engl. in *Mart. Fl. Bras.* xii. II. 10.—Bras.  
*elliptica*, Forst. f. *Prod.* 27 = americana.  
*elliptica*, Spreng. *Syst.* ii. 217, partim = verrucosa.  
*exarmata*, F. Muell. in *Trans. Phil. Inst. Vict.* iii. (1859) 22.—Austral.  
*ferox*, Poir. *Encyc.* viii. 805 = Balanites aeegyptiaca.  
*fluminensis*, M. Roem. *Syn. Hesper.* 22 = americana.  
*inermis*, Linn. *Sp. Pl.* ed. II. 497 = americana.  
*lanceolata*, DC. *Prod.* i. 533 = Acronychia laurifolia.  
*laurina*, Delile, in *Ann. Sc. Nat. Sér.* II. xx. (1843) 89 = americana.  
*loranthifolia*, Span. in *Linnaea*, xv. (1841) 177 = americana.  
*montana*, Macfad. *Fl. Jamaic.* i. 121 = americana.  
*multiflora*, Jacq. *Enum. Pl. Carib.* 19 = americana.  
*oblonga*, Lam. ex Hemsl. *Biol. Centr. Am. Bot.* i. 185 = americana.  
*oblongifolia*, Steud. *Nom. ed. II.* ii. 792.—Austral.  
*olacoides*, Wight & Arn. *Prod.* 89 = Opilia amentacea.  
*parviflora*, Benth. *Pl. Hartw.* 7.—Mexic.  
*rigidum*, Royle, *Illustr. Bot. Himal.* 154, 466 = Zygophyllum rigidum.  
*Russelliana*, Wall. *Cat. n.* 6784 = americana.  
*spinosa*, Salisb. *Prod.* 276 = americana.  
*subscandens*, Griff. *Notul.* iv. 691.—Ind. or.  
*verrucosa*, M. Roem. *Syn. Hesper.* 23.—Ins. S. Doming.

**XIPHIDIUM**, Loeffl. *It. Hisp.* 179 (1758); Aubl. *Pl. Gui.* 33. t. 11 (1775). **HAEMODORACEAE**, Benth. & Hook. f. iii. 675.  
*albidum*, Lam. *Illustr.* i. 131 = caeruleum.  
*album*, Willd. *Sp. Pl.* i. 248 = caeruleum.  
*angustifolium*, Willd. ex Link. *Jahrb.* i. III. (1820) 73 = Wachendorfia orinocensis.  
*coeruleum*, Aubl. *Pl. Gui.* i. 33. t. 11.—Am. trop.  
*floribundum*, Sw. *Prod. Veg. Ind. Occ.* 17 = caeruleum.  
*giganteum*, Lindl. *Bot. Reg.* (1846) t. 66 = caeruleum.  
*rubrum*, D. Don, in *Edinb. N. Phil. Journ.* (Oct. 1832) 235.—Peruv.  
*xanthorrhizon*, Wright, ex Griseb. *Cat. Pl. Cub.* 252.—Cuba.

**XIPHION**, Tourn. ex Mill. *Gard. Dict.* ed. VI (1752) = **Iris**, Tourn.  
*acroides*, Alef. in *Bot. Zeit.* xxi. (1863) 297 = I. Pseudacorus.  
*Aitchisoni*, Baker, in *Journ. Bot.* xiii. (1875) 108 = I. Aitchisoni.  
*alatum*, Baker, l. c. ix. (1871) 108 = I. alata.  
*Aucherii*, Baker, l. c. 110 = I. fumosa.  
*brachycuspis*, Alef. in *Bot. Zeit.* xxi. (1863) 297 = I. setosa.

**XIPHION** :—

- caucasicum*, Baker, in *Journ. Bot.* ix. (1871) 109 = Iris caucasica.  
*Danfordiae*, Baker, l. c. xiv. (1876) 265 = I. Danfordiae.  
*diversifolium*, Klatt, in *Linnaea*, xxxiv. (1865-66) 572 = Moraea diversifolia.  
*Donianum*, Alef. in *Bot. Zeit.* xxi. (1863) 297 = I. ensata.  
*filifolium*, Klatt, in *Linnaea*, xxxiv. (1865-66) 571 = I. filifolia.  
*fimbriatum*, Alef. in *Bot. Zeit.* xxi. (1863) 297 = I. japonica.  
*flaccidum*, Alef. l. c. = I. versicolor.  
*flexuosum*, Alef. l. c. = I. sibirica.  
*foetidissimum*, Parl. *Nuov. Gen. e Spec.* 45 = I. foetidissima.  
*Fontanesii*, Baker, in *Gard. Chron.* (1876) 559 = I. Fontanesii.  
*gramineum*, Schrank, in *Flora*, vii. (1824) II. Beibl. 17 = I. graminea.  
*Gueldenstedtii*, Schrank, l. c. 18 = I. Gueldenstaediana.  
*Histrio*, Hook. f. *Bot. Mag.* t. 6033 = I. Histrio.  
*Jacquinii*, Schrank, in *Flora*, vii. (1824) II. Beibl. 17 = I. xiphoides.  
*juncea*, Klatt, in *Linnaea*, xxxiv. (1865-66) 570 = I. juncea.  
*Kolpakowskianum*, Baker, in *Bot. Mag.* t. 6489 = I. Kolpakowskiana.  
*Krelagi*, Klatt, in *Abh. Naturf. Ges. Halle*, xv. (1882) 361 = I. reticulata.  
*latifolium*, Mill. *Gard. Dict.* ed. VIII. n. 3; Alef. in *Bot. Zeit.* xxi. (1863) 297 = I. xiphoides.  
*lusitanicum*, Alef. l. c. = I. juncea.  
*mellifluum*, Medic. in *Act. Acad. Theod. Palat. vi. Phys.* (1790) 419, nomen (Quid?).—Hab.?  
*Monnieri*, Alef. in *Bot. Zeit.* xxi. (1863) 297 = I. Monnieri.  
*nothum*, Alef. l. c. = I. spuria.  
*ochroleucum*, Alef. l. c. = I. ochroleucum.  
*ochroleucum*, Schrank, in *Flora*, vii. (1824) II. Beibl. 18 = I. Gueldenstaediana.  
*orientale*, Schrank, l. c. 19 = I. sibirica.  
*palaestinum*, Baker, in *Journ. Bot.* ix. (1871) 108 = I. palaestina.  
*Pallasii*, Alef. in *Bot. Zeit.* xxi. (1863) 297 = I. ensata.  
*papilionaceum*, Schrank, in *Denkschr. Bot. Ges. Regensb.* ii. (1822) 174 = Moraea papilionacea.  
*persicum*, Mill. *Gard. Dict.* ed. VIII. n. 1 = I. persica.  
*planifolium*, Mill. l. c. n. 4 = I. alata.  
*pratense*, Parl. *Nuov. Gen. e Spec.* 45 = I. sibirica.  
*Pseudo-acorus*, Schrank, *Fl. Monac.* i. t. 99 = I. Pseudoacorus.  
*reticulatum*, Klatt, in *Linnaea*, xxxiv. (1865-66) 572 = I. reticulata.  
*ruthenicum*, Alef. in *Bot. Zeit.* xxi. (1863) 297 = I. ruthenica.  
*sibiricum*, Schrank, in *Flora*, vii. (1824) II. Beibl. 19 = I. sibirica.  
*Sisyrinchium*, Baker, in *Journ. Bot.* ix. (1871) 42 = I. Sisyrinchium.  
*sordidum*, Salisb. in *Trans. Hort. Soc.* i. (1812) 303 = I. juncea.  
*spurium*, Alef. in *Bot. Zeit.* xxi. (1863) 297 = I. spuria.  
*stenogynum*, Alef. l. c. 297 = I. Gueldenstaediana.  
*Stocksii*, Baker, in *Gard. Chron.* (1876) 723 = I. Stocksii.  
*tenuifolium*, Schrank, in *Flora*, vii. (1824) II. Beibl. 19, 20 = I. tenuifolia.  
*tingitanum*, Baker, in *Journ. Bot.* ix. (1871) 13 = I. tingitana.  
*tingitanum*, Hook. f. *Bot. Mag.* t. 5981 = I. filifolia.  
*triflorum*, Alef. in *Bot. Zeit.* xxi. (1863) 297 = I. ensata.  
*tripetalum*, Alef. l. c. = I. tripetala.  
*versicolor*, Alef. l. c. = I. versicolor.  
*verum*, Schrank, in *Flora*, vii. (1824) II. Beibl. 16 = I. Xiphium.  
*virginicum*, Alef. in *Bot. Zeit.* xxi. (1863) 297 = I. versicolor.  
*vulgare*, Mill. *Gard. Dict.* ed. VIII. n. 2 = I. Xiphium.

**XIPHIIUM**, Mill. *Gard. Dict.* ed. VII. (1759) = prae.



XIPHIZUSA, Reichb. f. in Bot. Zeit. ix. (1852) 919 = **Bulbophyllum**, Thou. (Orchid.).  
*chloroptera*, Reichb. f. l. c. 919 = B. meridense.  
*gladiata*, Reichb. f. l. c. = B. meridense.  
*Weddellii*, Reichb. f. l. c. = B. Weddellii.

XIPHOCARPUS, Presl, Symb. Bot. i. 13. t. 7 (1830) = **Tephrosia**, Pers. (Legumin.).  
*candidus*, Endl. Gen. 1273; Zoll. & Mor. in Nat. en Geneesk. Arch. Neêrl. Indie, iii. (1846) 76 = T. candida.  
*martinicensis*, Presl, Symb. Bot. i. 14. t. 7 = T. candida.  
*minor*, Zoll. & Mor. in Nat. en Geneesk. Arch. Neêrl. Indie, iii. (1846) 76.—Java.

XIPHOCHAETA, Poepp. & Endl. Nov. Gen. et Sp. iii. 44. t. 250 (1842) = **Stilpopappus**, Mart. (Compos.).  
*aquatica*, Poepp. & Endl. l. c. = S. viridis.

XIPHOCOMA, Stev. in Bull. Soc. Nat. Mosc. xxi. (1848) II. 270, in textu; xxv. (1852) I. 537. t. 7 = **Ranunculus**, Tourn.  
*dasycarpa*, Stev. l. c. (1852) 539. t. 7. f. 3 = R. dasy-carpus.  
*heterophylla*, Stev. l. c. f. 2 = R. orientalis.  
*leptalea*, Stev. l. c. 541 = R. leptaleus.  
*orientalis*, Stev. l. c. 538 = R. orientalis.  
*tenuifolia*, Stev. l. c. 540. t. 7. f. 4 = R. orientalis.

XIPHOLEPIS, Steetz, in Peters, Reise Mossamb. Bot. 344 (1863) = **Vernonia**, Schreb. (Compos.).  
*aspera*, Steetz, l. c. = V. Roxburghii.  
*silhetensis*, Steetz, l. c. 345 = V. bracteata.

XIPHOPHYLLUM, Ehrh. Beitr. iv. 148 (1789) = **Cephalanthera**, Rich. (Orchid.).

XIPHOSIUM, Griff. in Calc. Journ. Nat. Hist. v. 364 (1845) = **Eria**, Lindl. (Orchid.).  
*acuminatum*, Griff. l. c. = E. carinata.  
*roseum*, Griff. l. c. = E. rosea.

XIPHOTHECA, Eckl. & Zeyh. Enum. 166 (1836) = **Priestleya**, DC. (Legumin.).  
*axillaris*, Eckl. & Zeyh. l. c. 167 = Amphithalea cuneifolia.  
*lanceolata*, Eckl. & Zeyh. l. c. = P. sericea?  
*polycarpa*, Eckl. & Zeyh. l. c. 166 = P. tecta.  
*rotundifolia*, Eckl. & Zeyh. l. c. = P. tecta.  
*sericea*, Eckl. & Zeyh. l. c. 167 = P. sericea.  
*tomentosa*, Eckl. & Zeyh. l. c. 166 = P. villosa.  
*villosa*, Eckl. & Zeyh. l. c. = P. villosa.

XOLANTHA, Rafin. Caratteri, 73 (1810) = **Helianthemum**, Tourn. (Cistin.).  
*racemosa*, Rafin. l. c. = H. variabile.

XOLANTHES, Rafin. Sylva Tellur. 132 (1838) = **Helianthemum**, Tourn. (Cistin.).  
*guttatus*, Rafin. l. c. = H. guttatum.  
*racemosa*, Rafin. l. c. = H. variabile.

XOLEMIA, Rafin. Fl. Tellur. iii. 22 (1836) = **Gentiana**, Tourn.  
*acuminata*, Rafin. l. c. (Quid?).—Hab.?  
*albiflora*, Rafin. l. c. = G. albiflora.  
*axillaris*, Rafin. l. c. = G. axillaris.  
*Catesbei*, Rafin. l. c. = G. Saponaria.  
*clausa*, Rafin. l. c. = G. Andrewsii.  
*Collinsiana*, Rafin. l. c. = G. Collinsiana.  
*Elliottea*, Rafin. l. c. = G. Elliottea.  
*enervis*, Rafin. l. c. (Quid?).—Hab.?  
*fistulosa*, Rafin. l. c. (Quid?).—Hab.?  
*heterophylla*, Rafin. l. c. = G. ochroleuca.  
*latifolia*, Rafin. l. c. (Quid?).—Hab.?  
*longiflora*, Rafin. l. c. = G. altaica.  
*obovata*, Rafin. l. c. (Quid?).—Hab.?  
*palustris*, Rafin. l. c. = Erythraea ramosissima.  
*rotundifolia*, Rafin. l. c. = G. bavarica.  
*rubella*, Rafin. l. c. (Quid?).—Hab.?  
*serpentaria*, Rafin. l. c. = G. ochroleuca.  
*Shortiana*, Rafin. l. c. = G. Shortiana.  
*striata*, Rafin. l. c. (Quid?).—Hab.?  
*terniflora*, Rafin. l. c. (Quid?).—Hab.?  
*trachiloma*, Rafin. l. c. (Quid?).—Hab.?

XOLISMA, Rafin. in Am. Monthly Mag. (1819) 193 = **Andromeda**, Linn. (Ericac.).

XUAREZIA, Pers. Syn. i. 176 (1805) = seq.

XUAREZIA, Ruiz & Pav. Prod. 24. t. 4 (1794) = **Capraria**, Tourn. (Scrophul.).  
*biflora*, Ruiz & Pav. Fl. Per. ii. 13 = C. biflora.

XURIS, Adans. Fam. ii. (20) (1763) = **Xyris**, Gronov.  
*fistulosa*, Rafin. Fl. Tellur. ii. 14 (Quid?).—Hab.?

XYLADENIUS, Desv. in Ham. Prod. Pl. Ind. Occ. 41 (1825) = **Banara**, Aubl. (Samyd.).  
*glandulosus*, Desv. ex Ham. l. c. = B. guianensis.

XYLANTHEMA, Neck. Elem. i. 67 (1790) = **Cnicus**, Linn. (Compos.).

**XYLIA**, Benth. in Hook. Journ. Bot. iv. (1842) 417. **LEGUMINOSAE**, Benth. & Hook. f. i. 594.  
*dolabriformis*, Benth. in Hook. Journ. Bot. iv. (1842) 417.—Burma; Malaya.  
*Hildebrandtii*, Baill. in Bull. Soc. Linn. Par. i. (1883) 353.—Madag.  
*longipes*, Baill. l. c. 354.—Madag.

**XYLOBIUM**, Lindl. Bot. Reg. sub t. 897 (1825). **ORCHIDEAE**, Benth. & Hook. f. iii. 547.  
*ONKERIPUS*, Rafin. Fl. Tellur. iv. 42 (1836).  
*PENTULOPS*, Rafin. l. c. (1836).  
*brachypus*, Hemsl. Biol. Centr. Am. Bot. iii. 252.—Nicaragua.  
*concaum*, Hemsl. l. c.—Guatemala.  
*elongatum*, Hemsl. l. c.—Am. centr.  
*longifolium*, Lindl. ex Spreng. Syst. iii. 733.—N. Granat.  
*squalens*, Lindl. Bot. Reg. sub t. 897.—Bras.  
*stachyobium*, Hemsl. Biol. Centr. Am. Bot. iii. 252.—Nicaragua.

**XYLOCALYX**, Balf. f. in Proc. Roy. Soc. Edinb. xii. (1884) 84. **SCROPHULARINEAE**.  
*asper*, Balf. f. l. c.—Ins. Socotra.

XYLOCARPUS, Koen. in Naturf. xx. (1784) 2; et ex A. Juss. in Mém. Mus. Par. xix. (1830) 243 = **Carapa**, Aubl. (Meliac.).  
*Antila*, Buch.-Ham. ex Wall. Cat. n. 4893 = Walsura ternata.  
*Carapa*, Spreng. Syst. ii. 213 = C. guianensis.  
*carnulosus*, Zoll. & Mor. in Nat. en Geneesk. Arch. Neêrl. Indie, ii. (1845) 582.—Java.  
*Forstenii*, Miq. Ann. Mus. Bot. Lugd. Bat. iv. 62.—Ins. Celebes.  
*Granatum*, Koen. in Naturf. xx. (1784) 2 = C. moluccensis.  
*guineensis*, M. Roem. Syn. Hesper. 124 = C. procera, moluccensis.  
*moluccensis*, M. Roem. l. c. = C. moluccensis.  
*obovatus*, A. Juss. in Mém. Mus. Par. xix. (1830) 244 = C. moluccensis.  
*procerus*, Steud. Nom. ed. II. ii. 793 = C. procera.  
*Touloucouna*, Steud. l. c. 793 = C. procera.

XYLOCOCCUS, Nutt. in Trans. Am. Phil. Soc. N. S. viii. (1843) 258 = **Arctostaphylos**, Adans. (Ericac.).  
*bicolor*, Nutt. l. c. 259 = A. bicolor.

XYLOLAENA, Baill. in Bull. Soc. Linn. Par. i. (1884) 410 = XYLOOLAENA = **Scleroolaena**, Baill. (Chlaen.).

**XYLOMELUM**, Sm. in Trans. Linn. Soc. iv. (1798) 214. **PROTEACEAE**, Benth. & Hook. f. iii. 179.  
*angustifolium*, Kipp. ex Meissn. in Hook. Journ. Bot. (1852) 209.—Austral.  
*occidentale*, R. Br. Prot. Nov. 31.—Austral.  
*pyriforme*, Knight, Prot. 105; R. Br. in Trans. Linn. Soc. x. (1811) 189.—Austral.  
*salicinum*, A. Cunn. ex R. Br. Prot. Nov. 31.—Austral.  
*Scottianum*, F. Muell. Fragm. v. 174 = salicinum.

XYLON, Linn. Gen. ed. I. 53 (1737) = **Bombax**, Linn. (Malvac.).

XYLON, [Tourn.] Medic. Malv. 43 (1787) = **Gossypium**, Linn. (Malv.).  
*hirsutum*, Medic. l. c. = G. herbaceum.  
*indicum*, Medic. l. c. = G. herbaceum.  
*leominum*, Medic. l. c. = G. herbaceum.  
*religiosum*, Moench, Meth. 616 = G. herbaceum.  
*strictum*, Medic. Malv. 43 = G. herbaceum.

XYLOOLAENA, Baill. Dict. ii. 2, in obs. (1879) = **Scleroolaena**, Baill. (Chlaen.).  
*Richardi*, Baill. in Bull. Soc. Linn. Par. i. (1884) 412 = S. Richardi.

XYLOPHYLLA, Linn. Mant. ii. 147 (1771); Schreb. Gen. 200 (1789) = **Phyllanthus**, Linn. (Euphorb.).  
*angustifolia*, Sw. Prod. Veg. Ind. Occ. 28 = P. angustifolius.  
*Arbuscula*, Sw. l. c. = P. speciosus.  
*artensis*, Montr. in Mém. Acad. Lyon, x. (1860) 250 (Exocarpi sp.).—N. Caled.  
*asplenifolia*, Salisb. Prod. 390 = P. latifolius.  
*elongata*, Jacq. Hort. Schoenb. iii. 53 = P. angustifolius.  
*ensifolia*, Boj. ex Baker, in Journ. Linn. Soc. xx. (1883) 249 = Exocarpus xylophyllodes.  
*falcata*, Sw. Prod. Veg. Ind. Occ. 28 = P. epiphyllanthus.  
*latifolia*, Linn. Mant. ii. 221 = P. latifolius.  
*latifolia*, Sims, Bot. Mag. t. 1021 = P. speciosus.  
*latifolia*, Sw. Prod. Veg. Ind. Occ. 28 = P. montanus.  
*linearis*, Steud. Nom. ed. II. ii. 793 = P. linearis.  
*longifolia*, Linn. Mant. ii. 221 = Exocarpus ceramicus.  
*Lucena*, Roth, Nov. Pl. Sp. 185 = Fluggia Leucopyrus.  
*media*, Lodd. Cat. ex G. Don, in Loud. Hort. Brit. 391, nomen.—Jamaic.  
*montana*, Sims, Bot. Mag. t. 2652 = P. angustifolius.  
*montana*, Sw. Prod. Veg. Ind. Occ. 28 = P. montanus.  
*obovata*, Willd. Enum. Hort. Berol. 329 = Fluggia microcarpa.  
*obtusata*, Thunb. Pl. Bras. Dec. i. 12 = P. obtusatus.  
*ramiflora*, Ait. Hort. Kew. ed. I. i. 376 = Securinega ramiflora.  
*speciosa*, Sweet, Hort. Brit. ed. I. 360 = P. speciosus.

**XYLOPIA**, Linn. Syst. ed. X. 1250 (1759). **ANONACEAE**, Benth. & Hook. f. i. 28.  
*BULLIARDA*, Neck. Elem. ii. 321 (1790).  
*COELOCLINE*, A. DC. in Mém. Soc. Phys. Genève. v. (1832) 208.  
*HABZELIA*, A. DC. l. c. 207 (1832).  
*KROCKERIA*, Neck. Elem. ii. 317 (1790).  
*PARARTABOTRYS*, Miq. Fl. Ind. Bot. Suppl. 154 (1860).  
*PATONIA*, Wight, Illustr. Ind. Bot. i. 18 (1838).  
*XYLOPICRUM*, P. Br. Hist. Jamaica. 250 (1756).  
*acuminata*, Dun. Mon. Anon. 122. t. 16.—Ind. occ.  
*acutiflora*, Benth. in Trans. Linn. Soc. xxiii. (1862) 478 = Dunaliana.  
*acutiflora*, A. Rich. Ess. Fl. Cub. 55, in adnot.—Afr. trop.  
*aethiopica*, A. Rich. l. c. 53.—Afr. trop.  
*africana*, Oliver, Fl. Trop. Afr. i. 30.—Afr. trop.  
*amplexicaulis*, Baill. Adansonia, iv. (1863-64) 142.—Madag.  
*aromatica*, Baill. Hist. Pl. i. 278 = Unona concolor.  
*barbata*, Hoffm. ex Mart. in Mart. Fl. Bras. xiii. i. 43.—Bras.  
*Blancoi*, Vidal, Sinops. Atlas, p. xii. t. 5. f. C.—Ins. Philipp.  
*brasiliensis*, Spreng. Neue Entdeck. iii. 50.—Bras.  
*buxifolia*, Baill. Adansonia, iv. (1863-64) 143.—Madag.  
*Cacanes*, Warm. in Kjoeb. Vidensk. Meddel. (1873) 155.—Bras.  
*caudata*, Hook. f. & Thoms. Fl. Ind. i. 125.—Malaya.  
*Championii*, Hook. f. & Thoms. l. c. 126.—Zeylan.  
*cubensis*, A. Rich. Ess. Fl. Cub. 36.—Cuba.  
*dicarpa*, Hook. f. & Thoms. in Hook. f. Fl. Brit. Ind. i. 85.—Singapore.  
*Dunaliana*, Vallot, in Bull. Soc. Bot. Fr. xxix. (1883) 219.—Afr. trop.  
*elliptica*, Maing. ex Hook. f. Fl. Brit. Ind. i. 86.—Malacca.  
*emarginata*, Mart. Fl. Bras. xiii. i. 42.—Bras.  
*ferruginea*, Baill. Hist. Pl. i. 225.—Malacca.  
*frutescens*, Aubl. Pl. Gu. ii. 602. t. 292.—Am. trop.

**XYLOPIA** :—

- frutescens*, Gaertn. Fruct. i. 339. t. 69. f. 7 = *muricata*.  
*frutescens*, Sieber, ex Presl, in Oken, Isis, xxi. (1828) 273 = *Anona cinerea*.  
*fusca*, Maing. ex Hook. f. *Fl. Brit. Ind.* i. 83.—Malacca.  
*glabra*, Linn. Syst. ed. X. 1250.—Jamaica.  
*grandiflora*, A. St. Hil. *Fl. Bras. Mer.* i. 40. t. 8.—Bras.  
*Humboldtiana*, Baill. in *Bull. Soc. Linn. Par.* i. (1882) 340.—Madag.  
*jamaicensis*, Griseb. *Fl. Brit. W. Ind.* 6.—Jamaica.  
*javanica*, Steud. *Nom.* ed. II. ii. 793.—Java.  
*Lamarckii*, Baill. *Adansonia*, iv. (1863–64) 142.—Madag.  
*Langsdorffiana*, A. St. Hil. & Tul. in *Ann. Sc. Nat. Sér. II.* xvii. (1842) 133.—Bras.  
*Lastelliana*, Baill. *Adansonia*, iv. (1863–64) 144.—Madag.  
*ligustrifolia*, Dun. *Mon. Anon.* 121. t. 18.—Ecuador.  
*longifolia*, A. DC. in *Mém. Soc. Phys. Genève.* v. (1832) 210.—Panama.  
*lucida*, Baill. *Hist. Pl.* i. 278.—Bras.  
*Maccraei*, F. Muell. *Fragm.* vi. 176 = *Melodorum Maccraei*.  
*macrantha*, Planch. & Triana, in *Ann. Sc. Nat. Sér. IV.* xvii. (1862) 38.—N. Granat.  
*magna*, Maing. ex Hook. f. *Fl. Brit. Ind.* i. 84.—Malacca.  
*Maingayi*, Hook. f. & Thoms. l. c. 85.—Malacca.  
*malayana*, Hook. f. & Thoms. *Fl. Ind.* i. 125.—Malaya.  
*martinicensis*, Spreng. *Syst.* ii. 636.—Ins. Martinic.  
*micrantha*, Scheff. in *Ann. Jard. Buitenz.* ii. (1885) 27.—N. Guin.  
*muricata*, Linn. Syst. ed. X. 1250.—Jamaica.  
*muricata*, Vell. *Fl. Flum.* ix. t. 127 = *frutescens*.  
*nigricans*, Hook. f. & Thoms. *Fl. Ind.* i. 125.—Zeylan.  
*nitida*, Dun. *Mon. Anon.* 122. t. 20.—Guian.  
*obtusifolia*, Hook. f. & Thoms. in *Hook. f. Fl. Brit. Ind.* i. 83.—Malacca.  
*obtusifolia*, A. Rich. *Ess. Fl. Cub.* 39.—Cuba.  
*ochrantha*, Mart. *Fl. Bras.* xiii. i. 43.—Bras.  
*odoratissima*, Welw. ex Oliver, *Fl. Afr. Trop.* i. 31.—Afr. trop.  
*orientalis*, Spreng. *Syst.* ii. 636 = *Unona selanica*.  
*oxyantha*, Hook. f. & Thoms. in *Hook. f. Fl. Brit. Ind.* i. 83.—Singapore.  
*pallenscens*, Baill. *Adansonia*, xi. (1873–76) 178.—N. Caled.  
*Pancheri*, Baill. l. c. 177.—N. Caled.  
*parviflora*, Benth. in *Trans. Linn. Soc.* xxiii. (1862) 479 = *Dunaliana*.  
*parviflora*, Spruce, in *Journ. Linn. Soc.* v. (1861) 6.—Bras.  
*parviflora*, Valtot, in *Bull. Soc. Bot. Fr.* xxix. (1882) 219.—Afr. trop.  
*parvifolia*, Hook. f. & Thoms. *Fl. Ind.* i. 125.—Zeylan.  
*parvifolia*, Schlecht. in *Linnaea*, ix. (1834) 327 = *brasilensis*.  
*Pierrei*, Hance, in *Journ. Bot.* xv. (1877) 328.—Cambodia.  
*polycarpa*, Oliver, *Fl. Trop. Afr.* i. 32.—Afr. trop.  
*prinoides*, Dun. *Mon. Anon.* 122. t. 15.—Guian.  
*pustulata*, Hook. f. & Thoms. in *Hook. f. Fl. Brit. Ind.* i. 85.—Malacca.  
*pygmaea*, Warm. in *Kjoeb. Vidensk. Meddel.* (1873) 151.—Bras.  
*Richardi*, Boiv. ex Baill. *Adansonia*, iv. (1863–64) 145.—Ins. Mascar.  
*rubescens*, Oliver, *Fl. Trop. Afr.* i. 30.—Afr. trop.  
*ruscifolia*, Humb. & Bonpl. ex DC. *Syst.* i. 500 = *ligustrifolia*.  
*salicifolia*, H. B. & K. *Nov. Gen. et Sp.* v. 63.—Am. austr.  
*sericea*, A. St. Hil. *Pl. Us. Bras.* t. 33.—Bras.  
*setosa*, Poir. *Encyc.* viii. 812 = *frutescens*.  
*Spruceana*, Benth. ex Spruce, in *Journ. Linn. Soc.* v. (1861) 5.—Bras.  
*Thomsoni*, Oliver, *Fl. Trop. Afr.* i. 31.—Afr. trop.  
*Tooropiana*, Scheff. in *Tijdschr. Nederl. Ind.* xxxii. (1871) 392.—Malaya.  
*trunciflora*, Cham. & Schlecht. in *Linnaea*, vi. (1831) 417.—Mexic.  
*undulata*, Beauv. *Fl. Owar.* i. 27. t. 16.—Afr. trop.  
*Vieillardii*, Baill. *Adansonia*, viii. (1867–68) 202.—N. Caled.  
*Vielana*, Pierre, *Fl. For. Cochinch.* t. 34.—Cochinch.

VOL. II.

XYLOPICRON, Adans. Fam. ii. 365 (1763) = *Xylopia*, Linn. (Anonac.).

*glabrum*, Crantz, *Inst.* ii. 202 = *Xylopia glabra*.  
*muricatum*, Crantz, l. c. = *Xylopia muricata*.

XYLOPICRUM, P. Br. *Hist. Jamaic.* 250 (1756) = praec.

XYLOPLEURUM, Spach, *Hist. Vég. Phan.* iv. 378 (1835) = *Oenothera*, Linn. (Onagrar.).  
*Berlandieri*, Spach, in *Nouv. Ann. Mus. Par.* iv. (1835) 370 = *O. Delessertiana*.  
*Drummondii*, Spach, l. c. 371 = *O. speciosa*.  
*hirsutum*, Spach, l. c. 370 = *O. hirsuta*.  
*Nuttallii*, Spach, l. c. 371 = *O. speciosa*.  
*obtusifolium*, Spach, l. c. 372 = *O. speciosa*.

XYLORHIZA, Nutt. in *Trans. Am. Phil. Soc. N. S.* vii. (1841) 297 = *Aster*, Tourn. (Compos.).  
*glabriuscula*, Nutt. l. c. = *A. Xylorhiza*.  
*villosa*, Nutt. l. c. 298 = *A. Xylorhiza*.

XYLORHIZA, Salisb. *Gen. Pl. Fragm.* 89 (1866) = *Allium*, Tourn. (Liliac.).  
*angulosa*, Salisb. l. c. = *A. angulosum*.  
*senescens*, Salisb. l. c. = *A. senescens*.

XYLOSMA, Forst. f. *Prod.* 72 (1786). *BIXINEAE*, Benth. & Hook. f. i. 128.  
 BESSERA, Spreng. *Pugill.* ii. 90 (1815).  
 CRAEPALOPRUMNON, Karst. *Fl. Columb.* 123. t. 61, 62 (1859?).  
 HISINGERA, Hellen. in *Vet. Akad. Handl. Stockh.* (1792) 32. t. 2.  
 KOELERA, Willd. *Sp. Pl.* iv. 750 (1805).  
 LIMACIA, F. G. Dietr. *Vollst. Lexik. Gaertn. Nachtr.* iv. 383 (1818).  
 MYROXYLON, Forst. *Char. Gen.* 125 (1776).  
 RUMEA, Poit. in *Mém. Mus. Par.* i. (1815) 62. t. 4.  
 Benthami, Griseb. in *Goett. Abh.* ix. (1861) 27.—Am. trop.  
*buxifolium*, A. Gray, in *Mem. Am. Acad. N. S.* viii. (1860) 155.—Cuba.  
*calophyllum*, Griseb. in *Goett. Abh.* ix. (1861) 27.—Bras.  
*ciliatifolium*, Eichl. in *Mart. Fl. Bras.* xiii. i. 449.—Bras.  
*cinereum*, Hemsl. *Biol. Centr. Am. Bot.* i. 57.—Mexic.  
*conicarpum*, Clos, in *Ann. Sc. Nat. Sér. IV.* viii. (1857) 232 = *suaveolens*.  
*controversum*, Clos, l. c. 231.—Reg. Himal.  
 Cumingii, Clos, l. c.—Ins. Philipp.  
*digynum*, Eichl. in *Mart. Fl. Bras.* xiii. i. 447.—Bras.  
*elegans*, Planch. & Triana, in *Ann. Sc. Nat. Sér. IV.* xvii. (1862) 97.—N. Granat.  
*ellipticum*, Hemsl. *Biol. Centr. Am. Bot.* i. 57.—Mexic.  
*ellipticum*, Tul. in *Ann. Sc. Nat. Sér. V.* ix. (1868) 343.—Madag.  
*flexuosum*, Hemsl. *Biol. Centr. Am. Bot.* i. 57.—Mexic.  
*fragrans*, Decne. in *Bot. Voy. Venus*, t. 25.—Hab.?  
*hawaïense*, Seem. *Fl. Vit.* 7.—Ins. Sandvic.  
 Hillebrandii, Wawra, in *Flora*, lvi. (1873) 171.—Ins. Sandvic.  
*infestum*, Griseb. in *Mem. Am. Acad. N. S.* viii. (1860) 155.—Cuba.  
*integrifolium*, Clos, in *Ann. Sc. Nat. Sér. IV.* viii. (1857) 230 = *orbiculatum*.  
*intermedium*, Griseb. in *Goett. Abh.* ix. (1861) 27; *Triana & Planch. l. c.* xvii. (1861) 100.—Veraguas.  
*japonicum*, A. Gray, in *Mem. Am. Acad. N. S.* vi. (1859) 381 = *racemosum*.  
*lanceolatum*, Turcz. in *Bull. Soc. Nat. Mosc.* xxxvi. (1863) i. 553.—Mexic.  
*latifolium*, Hook. f. & Thoms. in *Hook. f. Fl. Brit. Ind.* i. 194.—Ind. or.  
*Lepinei*, Clos, in *Ann. Sc. Nat. Sér. IV.* viii. (1857) 233 = *suaveolens*.  
*leprosipes*, Clos, l. c. 230.—Java.  
*longifolium*, Clos, l. c.—Reg. Himal.  
*luzonensis*, Clos, l. c. 231.—Ins. Philipp.  
*molle*, Planch. & Triana, in *Ann. Sc. Nat. Sér. IV.* xvii. (1862) 98.—N. Granat.  
*monospora*, Harv. *Thes. Cap.* ii. 52.—Afr. austr.  
*nitidum*, A. Gray, ex Griseb. in *Fl. Brit. W. Ind.* 21.—Am. trop.  
*obovatum*, Triana & Planch. in *Ann. Sc. Nat. Sér. IV.* xvii. (1862) 97.—N. Granat.  
*orbiculatum*, Forst. f. *Prod.* 72.—Ins. Amicor.

**XYLOSMA** :—

*ovatum*, Benth. *Fl. Austral.* i. 108.—Austral.  
*panamensis*, Turcz. in *Bull. Soc. Nat. Mosc.* xxxvi. (1863) i. 554.—Panama.  
*prunifolium*, Griseb. in *Goett. Abh.* ix. (1861) 27; *Planch. & Triana*, in *Ann. Sc. Nat. Sér. IV.* xvii. (1862) 98.—N. Granat.  
*pubescens*, Griseb. l. c. xxiv. (1879) 20.—Reg. Argent.  
*racemosum*, Miq. *Ann. Mus. Bot. Lugd. Bat.* ii. 155.—Ind. or.  
*Salzmanni*, Eichl. in *Mart. Fl. Bras.* xiii. i. 448.—Bras.  
*schaefferioides*, A. Gray, in *Mem. Am. Acad. N. S.* viii. (1860) 155.—Cuba.  
*Seemannii*, Triana & Planch. in *Ann. Sc. Nat. Sér. IV.* xvii. (1862) 99.—Panama.  
*senticosum*, Hance, in *Journ. Bot.* vi. (1868) 328.—China.  
*spiculiferum*, Triana & Planch. in *Ann. Sc. Nat. Sér. IV.* xvii. (1862) 96.—N. Granat.  
*suaveolens*, Forst. f. *Prod.* 72.—Ins. Pacif.  
*velutinum*, Triana & Karst. in *Karst. Fl. Columb.* i. 123. t. 97.—N. Granat.

XYLOSTEON, Tourn. ex Adans. Fam. ii. 157, 501 (1763) = *Lonicera*, Linn. (Caprif.).  
*alpigenum*, Fuss, *Fl. Transs.* 284 = *L. alpigena*.  
*alpinum*, Dum.-Cours. *Bot. Cult. ed. II.* iv. 336 = *L. alpigena*.  
*arborescens*, Webb, *Iter Hisp.* 42 = *L. arborescens*.  
*asperifolium*, Decne. in *Jacquem. Voy. Bot.* 77. t. 85 = *L. asperifolia*.  
*caeruleum*, Dum.-Cours. *Bot. Cult. ed. II.* iv. 336 = *L. caerulea*.  
*campaniflorum*, Lodd. *Bot. Cab.* t. 1361 = *L. nigra*.  
*canadense*, Duham. ex DC. *Prod.* iv. 337 = *L. caerulea*.  
*ciliatum*, Pursh, *Fl. Am. Sept.* 161 = *L. ciliata*.  
*ciliolum*, Steud. *Nom.* ed. II. ii. 793 = *L. ciliosa*.  
*coeruleum*, Auct. = *caerulea*.  
*cordatum*, Moench, *Meth.* 502 = *L. tatarica*.  
*dumetorum*, Moench, l. c. = *L. Xylosteum*.  
*gibbiflorum*, Rupr. & Maxim. in *Bull. Phys.-Math. Acad. Pétersb.* xv. (1856) 136 = *L. chrysanthra*.  
*ibericum*, Fisch. *Cat. Hort. Gorenk.* ed. II. (1812) 44 = *L. iberica*.  
*involutum*, Richards. in *Frankl. Narr. 1st Journ.* App. 733 = *L. involutata*.  
*Karelini*, Rupr. *Sert. Tiansch.* 50 = *L. Karelini*.  
*ligustrinum*, D. Don, *Prod. Fl. Nep.* 140 = *L. ligustrina*.  
*Loureirii*, Hook. f. & Thoms. in *Journ. Linn. Soc.* ii. (1858) 172 = *L. acuminata*.  
*Maackii*, Rupr. in *Bull. Phys.-Math. Acad. Pétersb.* xv. (1857) 369 = *L. Maackii*.  
*Maximowiczii*, Rupr. l. c. (1856) 136 = *L. Maximowiczii*.  
*mexicanum*, H. B. & K. *Nov. Gen. et Sp.* iii. 426. t. 297 = *L. gibbosa*.  
*Naisoca*, Buch.-Ham. ex D. Don, *Prod. Fl. Nep.* 140 = *L. ligustrina*.  
*nigrum*, Medic. *Pfl. Anat.* 97; Roehl. *Deutschl. Fl.* ed. II. ii. 176 = *L. nigra*.  
*oblongifolium*, Goldie, in *Edinb. Phil. Journ.* vi. (Apr. 1822) 323 = *L. caerulea*.  
*puniceum*, Rafin. *New Fl. Am.* iii. 21 = *Symphoricarpos puniceus*.  
*purpurascens*, Jacquem. *Voy. Bot.* 79. t. 87 = *L. purpurascens*.  
*pyrenaicum*, Dum.-Cours. *Bot. Cult. ed. II.* iv. 336 = *L. pyrenaica*.  
*scandens*, Buch.-Ham. ex D. Don, *Prod. Fl. Nep.* 140 = *L. macrantha*.  
*Solonis*, Eaton, *Man. Bot. N. Am.* ed. VI. 398; ed. VII. 518 = *L. caerulea*.  
*spinosa*, Decne. in *Jacquem. Voy. Bot.* 78. t. 86 = *L. spinosa*.  
*tartaricum*, Medic. *Pfl. Anat.* 97 = *L. tatarica*.  
*tataricum*, Michx. *Fl. Am. Bor.* i. 106 = *L. ciliata*.  
*villosum*, Michx. l. c. = *L. caerulea*.  
*vulgare*, Roehl. *Deutschl. Fl.* ed. II. ii. 176 = *L. Xylosteum*.

XYLOSTEUM, Rupp. *Fl. Jen.* ed. Hall. 250 (1745) = praec.

XYLOTHECA, Hochst. in *Flora*, xxvi. (1848) 69 = *Oncoba*, Forsk. (Bixin.).  
*Kraussiana*, Hochst. l. c. = *O. Kraussiana*.

XYNOPHYLLA, Montr. in Mém. Acad. Lyon, x. (1860) 250 = *Exocarpus*, Labill. (Santal.).  
*artensis*, Montr. l. c. = *N. Caled.*

XYOMALOBIMUM, Weale, in Journ. Linn. Soc. xiii. (1873) 50, err. typ. = *Xysmalobium*, R. Br. (Asclep.).

XYPHANTHUS, Rafin. Fl. Ludov. 103 (1817) = *Erythrina*, Linn. (Legumin.).  
*hederifolius*, Rafin. l. c. = *Am. bor.*

XYPHIDIUM, Neck. Elem. iii. 168 (1790) = *Xiphidium*, Aubl. (Haemod.).

XYPHIDIUM, Steud. Nom. ed. II. ii. 793 (1841) = XIPHION, Tourn. = *Iris*, Tourn.  
*sordidum*, Steud. l. c. = *I. juncea*.

XYPHION, Medic. in Act. Acad. Theod. Palat. vi. Phys. (1790) 418 = XIPHION, Tourn. = *Iris*, Tourn.

XYPHOSTYLIS, Rafin. Fl. Tellur. iv. 52 (1836) = *Canna*, Linn. (Scitam.).  
*angustifolia*, Rafin. l. c. = *C. angustifolia*.  
*lutea*, Rafin. l. c. = *C. lutea*.

XYRIDANTHE, Lindl. Swan River App. 23 (1839) = *Helipterum*, DC. (Compos.).  
*stricta*, Lindl. l. c. = *H. strictum*.

XYRIDION, Fourr. in Ann. Soc. Linn. Lyon, N. S. xvii. (1869) 163 = *Iris*, Tourn.  
*acoroideum*, Klatt, in Bot. Zeit. xxx. (1872) 500 = *I. Pseudacorus*.

*aureum*, Klatt, l. c. 501 = *I. aurea*.  
*flexuosum*, Klatt, l. c. 500 = *I. sibirica*.  
*foetidissimum*, Klatt, l. c. = *I. foetidissima*.  
*gramineum*, Klatt, l. c. = *I. graminea*.  
*Gueldenstaedtianum*, Klatt, l. c. 501 = *I. Gueldenstaediana*.

*halophilum*, Klatt, l. c. 500 = *I. Gueldenstaediana*.

*laevigatum*, Klatt, l. c. = *I. laevigata*.

*Monnieri*, Klatt, l. c. = *I. Monnieri*.

*nothum*, Klatt, l. c. = *I. spuria*.

*ochroleucum*, Klatt, l. c. = *I. ochroleuca*.

*Pseudacorus*, Klatt, l. c. = *I. Pseudacorus*.

*Reichenbachianum*, Klatt, l. c. = *I. spuria*.

*setosum*, Klatt, l. c. = *I. setosa*.

*sibiricum*, Klatt, l. c. = *I. sibirica*.

*spurium*, Fourr. in Ann. Soc. Linn. Lyon, N. S. xvii. (1869) 163 = *I. spuria*.

*stenogynum*, Klatt, in Bot. Zeit. xxx. (1872) 500 = *I. Gueldenstaediana*.

*tridentatum*, Klatt, l. c. = *I. tridentata*.

*ventricosum*, Klatt, l. c. = *I. ventricosa*.

*violaceum*, Klatt, l. c. = *I. laevigata*.

XYRIDIMUM, Steud. Nom. ed. II. ii. 793 (1841) = *praec.*

XYRIS, Gronov. ex Linn. Gen. ed. I. 11 (1737).

XYRIDEAE, Benth. & Hook. f. iii. 842.

JUPICA, Rafin. Fl. Tellur. ii. 15 (1836).

KOTSJILETTI, Adans. Fam. ii. 60 (1763).

RAMOTHA, Rafin. Fl. Tellur. ii. 15 (1836).

SCHISMASON, Steud. in Bot. Zeit. xvi. (1856) 391.

SYNOLIGA, Rafin. Fl. Tellur. ii. 15 (1836).

XYROIDES, Thou. Nov. Gen. Madag. 4 (1806).

*acuminata*, Miq. ex Steud. Syn. Pl. Cyp. 284 = *communis*.

*aemula*, Endl. in Lehm. Pl. Preiss. ii. 54 = *flexifolia*.

*altissima*, Lodd. Bot. Cab. t. 1900 = *Bobartia indica*.

*ambigua*, Beyr. ex Kunth, Enum. Pl. iv. 13. — *Am. bor.*

*americana*, Aubl. Pl. Gui. i. 40. — *Am. trop.*

*americana*, Poepp. ex Kunth, Enum. Pl. iv. 12 = *laxifolia*.

*americana*, Vahl, Enum. ii. 205 = *glabrata*.

*anceps*, Lam. Illustr. i. 132. — *Ind. or.*; *Malaya*.

*anceps*, Pers. Syn. i. 56 = *caroliniana*.

*anceps*, Vahl, Enum. ii. 204 = *complanata*.

*aphylla*, Vell. Fl. Flum. 29; i. t. 72 (sp. dub.). — *Bras.*

*arescens*, Kunth, Enum. Pl. iv. 3 = *hymenachne*.

*asperata*, Kunth, l. c. 6 = *trachyphylla*.

*asperula*, Mart. in Flora, xxiv. (1841) II. Beibl. 57. — *Bras.*

*asperula*, Seub. in Mart. Fl. Bras. iii. i. 219. — *Bras.*

*asterocephala*, Seub. l. c. = *involuta*.

## XYRIS :—

*bahiensis*, Steud. Syn. Pl. Cyp. 287 = *anceps*.

*Baldwiniana*, Schult. Mant. i. 351. — *Am. bor.*

*bancana*, Miq. Fl. Ind. Bat. Suppl. 608. — *Malaya*.

*bicarinata*, Griseb. Cat. Pl. Cub. 223. — *Cuba*.

*blepharophylla*, Kunth, Enum. Pl. iv. 5 = *pterygoblephara*.

*blepharophylla*, Mart. in Flora, xxiv. (1841) II. Beibl. 56. — *Bras.*

*bracteata*, R. Br. Prod. 256 = *operculata*?

*brasiliensis*, Spreng. Nov. Prov. 48 = *Fimbristylis monostachya*.

*brevifolia*, Ell. Sketch, i. 52 = *Elliottii*.

*brevifolia*, Michx. Fl. Bor. Am. i. 23. — *Am. bor.*

*brevifolia*, A. St. Hil. Voy. Distr. Diam. i. 390. — *Bras.*

*Brownei*, Kunth, Enum. Pl. iv. 22. — *Austral.*

*bulbosa*, Kunth, l. c. 11 = *flexuosa*.

*caerulea*, Lam. Illustr. i. 132 = *americana*.

*calocephala*, Miq. Fl. Ind. Bat. iii. 527. — *Java*.

*canadensis*, Schnizl. Ic. i. t. 47 = *caroliniana*.

*capensis*, Baker, in Journ. Linn. Soc. xx. (1883) 276. — *Madag.*

*capensis*, Thunb. Prod. Pl. Cap. 12. — *Afr. austr.*

*capensis*, Willd. ex Kunth, Enum. Pl. iv. 16 = *humilis*.

*Capito*, Hance, in Journ. Bot. xiv. (1876) 262. — *Cambodia*.

*caroliniana*, Walt. Fl. Carol. 69. — *Am. bor.*

*castanea*, Klotzsch, ex Seub. in Mart. Fl. Bras. iii. i. 220 = *rigida*.

*caulescens*, Klotzsch, in Schomb. Faun. Fl. Brit. Gui. 1064, nomen. — *Guian.*

*ciliata*, Thunb. Pl. Bras. Dec. iii. 27. — *Bras.*

*communis*, Kunth, Enum. Pl. iv. 12. — *Am. trop.*

*complanata*, R. Br. Prod. 256. — *Austral.*

*compressa*, Willd. ex A. Dietr. Sp. Pl. ii. 372 = *anceps*.

*conocephala*, Wright, in Sauv. Fl. Cub. 159 (an torta?). — *Cuba*.

*consanguinea*, Kunth, Enum. Pl. iv. 8. — *Bras.*

*denticulata*, R. Br. Prod. 256 = *pauciflora*.

*desertorum*, Pohl, ex Seub. in Mart. Fl. Bras. iii. i. 214 = *rupicola*.

*difformis*, Chapm. Fl. S. U. St. 500. — *Florida*.

*elata*, Chapm. l. c. 501. — *Florida*.

*Elliottii*, Chapm. l. c. 500. — *Am. bor.*

*elongata*, Rudge, in Trans. Linn. Soc. x. (1811) 289. t. 15 = *complanata*.

*eriphora*, Klotzsch, in Schomb. Faun. Fl. Brit. Gui. 1117 = *Fimbristylis lanata*.

*eriphophylla*, Reichb. ex Kunth, Enum. Pl. iv. 4. — *Guian.*

*Falx*, Griseb. Cat. Pl. Cub. 223. — *Cuba*.

*filiformis*, Lam. Illustr. i. 132. — *Afr. trop.*

*fimbriata*, Beyr. ex Kunth, Enum. Pl. iv. 12 = *caroliniana*.

*fimbriata*, Ell. Sketch, i. 52. — *Am. bor.*

*flabelliformis*, Chapm. Fl. S. U. St. 499. — *Florida*.

*flexifolia*, R. Br. Prod. 256. — *Austral.*

*flexuosa*, Muhl. Cat. 5 (1813); ex Ell. Sketch, i. 51 = *platylepis*.

*Fontanesiana*, Kunth, Enum. Pl. iv. 10 = *anceps*.

*glabrata*, Griseb. Fl. Brit. W. Ind. 525. — *Am. trop.*

*gracilis*, R. Br. Prod. 256. — *Austral.*

*gracillima*, F. Muell. Fragm. viii. 203. — *Austral.*

*graminosa*, Pohl, ex Mart. in Flora, xxiv. (1841) II. Beibl. 55. — *Bras.*

*grandiceps*, Griseb. Cat. Pl. Cub. 223. — *Cuba*.

*guianensis*, Klotzsch, in Schomb. Faun. Fl. Brit. Gui. 896, nomen = *communis*.

*guianensis*, Steud. Syn. Pl. Cyp. 285. — *Guian.*

*gymnoptera*, Griseb. Cat. Pl. Cub. 223 = *communis*.

*humilis*, Kunth, Enum. Pl. iv. 15. — *Ins. Mascar.*

*hymenachne*, Mart. in Flora, xxiv. (1841) II. Beibl. 55. — *Bras.*

*Hystrix*, Seub. in Mart. Fl. Bras. iii. i. 219. — *Bras.*

*indica*, Linn. Sp. Pl. 42. — *Ind. or.*; *Malaya*.

*indica*, Pursh, Fl. Am. Sept. i. 33 = *flexuosa*.

*indica*, Vell. Fl. Flum. 29; i. t. 71 = *communis*.

*indica*, Willd. ex Kunth, Enum. Pl. iv. 19 = *anceps*.

*insularis*, Steud. Syn. Pl. Cyp. 288 (sp. dub.). — *Madag.*

*involuta*, Nees, in Hook. Journ. Bot. ii. (1840) 397. — *Guian.*

*iridifolia*, Chapm. Fl. S. U. St. 501. — *Am. bor.*

*juncea*, Baldw. in Ell. Sketch, i. 53 = *Baldwiniana*.

*juncea*, R. Br. Prod. 256 = *gracilis*.

*Jupicai*, Michx. Fl. Bor. Am. i. 23 = *caroliniana*.

## XYRIS :—

*Jupicai*, Rich. in Act. Soc. Hist. Nat. Par. i. (1792) 106 = *americana*.

*lacera*, R. Br. Prod. 257. — *Austral.*

*lacerata*, Pohl, ex Seub. in Mart. Fl. Bras. iii. i. 216. — *Bras.*

*laevis*, R. Br. Prod. 256 = *complanata*.

*laevis*, Nees, ex Benth. Fl. Austral. vii. 380 = *Mesomelaena sphaerocephala*.

*lanata*, R. Br. Prod. 257. — *Austral.*

*lanuginosa*, Seub. in Mart. Fl. Bras. iii. i. 214. — *Bras.*

*lappacea*, Heyne, ex Mart. in Wall. Pl. As. Rar. iii. 30 = *anceps*?

*laxiflora*, F. Muell. Fragm. viii. 203. — *Austral.*

*laxifolia*, Mart. in Flora, xxiv. (1841) II. Beibl. 53 = *communis*.

*lomatophylla*, Mart. l. c. 57. — *Bras.*

*longifolia*, Mart. l. c. 54. — *Bras.*

*macrocephala*, Vahl, Enum. ii. 204. — *Guian.*

*malaccensis*, Steud. Syn. Pl. Cyp. 287 = *complanata*.

*Martiana*, Seub. in Mart. Fl. Bras. iii. i. 216 = *blepharophylla*.

*melanocephala*, Miq. Fl. Ind. Bat. iii. 528. — *Java*; *Sumatra*.

*metallica*, Klotzsch, ex Seub. in Mart. Fl. Bras. iii. i. 213. — *Bras.*

*microcephala*, Hassk. in Hoev. & De Vriese, Tijdschr. x. (1843) 119 (sp. dub.). — *Java*.

*Minarum*, Seub. in Mart. Fl. Bras. iii. i. 215. — *Bras.*

*minima*, Steud. Syn. Pl. Cyp. 288 = *humilis*.

*montivaga*, Kunth, Enum. Pl. iv. 7. — *Bras.*

*navicularis*, Griseb. Cat. Pl. Cub. 223. — *Cuba*.

*nilagiriensis*, Steud. Syn. Pl. Cyp. 288 = *capensis*.

*nitida*, Willd. ex A. Dietr. Sp. Pl. ii. 372 = *anceps*.

*nubigena*, Kunth, Enum. Pl. iv. 3. — *Bras.*

*oligantha*, Steud. Syn. Pl. Cyp. 288 = *pauciflora*.

*operculata*, R. Br. Prod. 257 = *Brownei*.

*operculata*, Labill. Nov. Holl. Pl. i. 14. t. 10. — *Austral.*

*orysetorum*, Miq. ex Steud. Syn. Pl. Cyp. 288 = *pauciflora*.

*pallida*, Mart. in Flora, xxiv. (1841) II. Beibl. 57 = *anceps*.

*paludosa*, R. Br. Prod. 256 = *pauciflora*.

*paraensis*, Poepp. ex Kunth, Enum. Pl. iv. 9. — *Bras.*; *Guian.*

*pauciflora*, Wall. Cat. n. 6083 = *Wallichii*.

*pauciflora*, Willd. Phytogr. i. 2. t. 1. — *As. et Austral. trop.*

*Perrottetii*, Steud. Syn. Pl. Cyp. 319 = *anceps*.

*pilosa*, Kunth, Enum. Pl. iv. 6. — *Bras.*

*plantaginea*, Mart. in Flora, xxiv. (1841) II. Beibl. 514. — *Bras.*

*platicaulis*, Poir. Encyc. viii. 820 = *anceps*.

*platylepis*, Chapm. Fl. S. U. St. 501. — *Am. bor.*

*pterygoblephara*, Steud. Syn. Pl. Cyp. 285. — *Bras.*

*pubescens*, Poir. Encyc. viii. 819 (sp. dub.). — *Ind. occ.*

*pumila*, Pohl, ex Seub. in Mart. Fl. Bras. iii. i. 217 = *savanensis*.

*Purshii*, Sweet, Hort. Brit. ed. II. 546 = *torta vel flexuosa*.

*pusilla*, R. Br. Prod. 256 = *pauciflora*.

*restiacea*, Mart. in Flora, xxiv. (1841) II. Beibl. 57 = *ciliata*.

*rhomboipetala*, Wright, in Sauv. Fl. Cub. 160 = *ambigua*.

*rigida*, Kunth, Enum. Pl. iv. 15. — *Bras.*

*robusta*, Mart. in Wall. Pl. As. Rar. iii. 30; et in Cat. n. 6087. — *Reg. Himal.*

*rupicola*, Kunth, Enum. Pl. iv. 5. — *Bras.*

*savanensis*, Miq. in Linnaea, xviii. (1844) 605. — *Am. trop.*

*scabra*, R. Br. Prod. 256 = *complanata*.

*scabra*, Engelm. in Bost. Journ. Nat. Hist. v. (1845) 235 = *flexuosa*.

*schizachne*, Mart. in Flora, xxiv. (1841) II. Beibl. 56. — *Bras.*

*schoenoides*, Mart. in Wall. Pl. As. Rar. iii. 30 = *capensis*.

*Sellowiana*, Kunth, Enum. Pl. iv. 13 = *macrocephala*.

*semifusca*, Boj. ex Baker, in Journ. Linn. Soc. xx. (1883) 277 = *capensis*.

*serotina*, Chapm. Fl. S. U

**XYRIS:**—

- spiralis*, Pohl, ex Seub. in Mart. Fl. Bras. iii. 1. 213 = tortula.  
*stricta*, Chapm. Fl. S. U. St. 500.—Florida.  
*strobilifera*, Kunth, Enum. Pl. iv. 4 = ciliata.  
*subulata*, Ruiz & Pav. Fl. Per. i. 46. t. 7. f. 6.—Peruv.  
*surinamensis*, Miq. in Linnaea, xvii. (1843) 58 = communis.  
*surinamensis*, Spreng. f. Tent. Suppl. Syst. 2 (sp. dub.).—Guian.  
*tenella*, Kunth, Enum. Pl. iv. 9.—Bras.  
*tenuifolia*, Chapm. Fl. S. U. St. 502 = Baldwiniana.  
*tenuis*, Rafin. in Med. Repos. N. York, v. (1808) 352, nomen (Quid ?).—Am. bor.  
*teretifolia*, R. Br. Prod. 257 = lacera ?  
*torta*, Sm. in Rees, Cyclop. xxxix. n. 11.—Am. bor.  
*tortula*, Mart. in Flora, xxiv. (1841) II. Beibl. 55.—Bras.  
*trachyphylla*, Mart. l. c. 56.—Bras.  
*vaginata*, Spreng. Syst. i. 183 = Abolboda brasiliensis.  
*vivipara*, H. B. & K. Nov. Gen. et Sp. i. 255 (sp. dub.).—Venezuela.  
*Walkeri*, Wight, ex Kunth, Enum. Pl. iv. 19 = complanata.  
*Wallichii*, Kunth, l. c. 16.—Reg. Himal. ; Burma.

XYROIDES, Thou. Gen. Nov. Madag. 4 (1806) = praec.

XYROPLEURUM, Auct. ex Steud. Nom. ed. II. ii. 794 (1841), err. typ. = XYLOPLEURUM, Spach = Oenothera, Linn. (Onagrar.).

**XYSMALOBIMUM**, R. Br. in Mem. Wern. Soc. i. (1809) 38. *ASCLEPIADEAE*, Benth. & Hook. f. ii. 752.

- albens*, D. Dietr. Syn. Pl. ii. 902 = Gomphocarpus albens.  
*appendiculatum*, D. Dietr. l. c. = Gomphocarpus appendiculatus.  
*concolor*, D. Dietr. l. c. = Gomphocarpus concolor.  
*coronarium*, D. Dietr. l. c. = Gomphocarpus coronarius.  
*crispum*, D. Dietr. l. c. = Gomphocarpus crispus.  
*dealbatum*, D. Dietr. l. c. = Gomphocarpus dealbatus.  
*gomphocarpoides*, D. Dietr. l. c. (sp. dub.).—Afr. austr.  
*grandiflorum*, R. Br. in Mem. Wern. Soc. i. (1809) 39 = Gomphocarpus grandiflorus.  
*Heudelotianum*, Decne. in DC. Prod. viii. 520.—Afr. trop.  
*humile*, D. Dietr. Syn. Pl. ii. 902 = Gomphocarpus humilis.  
*involutum*, Decne. in DC. Prod. viii. 520.—Afr. austr.  
*lapathifolium*, Decne. l. c. 519 = undulatum.  
*ligulatum*, D. Dietr. Syn. Pl. ii. 902 = Gomphocarpus dealbatus.  
*linguaeforme*, Harv. ex Weale, in Journ. Linn. Soc. xiii. (1873) 50.—Afr. austr.  
*marginatum*, D. Dietr. Syn. Pl. ii. 902 = Gomphocarpus marginatus.  
*orbiculare*, D. Dietr. l. c.—Afr. austr.  
*pedunculatum*, Harv. Thes. Cap. ii. 8. t. 112.—Afr. austr.  
*prunelloides*, Turcz. in Bull. Soc. Nat. Mosc. xxi. (1848) 1. 254.—Afr. austr.  
*reflectens*, D. Dietr. Syn. Pl. ii. 902 = Gomphocarpus reflectens.  
*rigidum*, D. Dietr. l. c. = Gomphocarpus rigidus.  
*sessile*, Decne. in DC. Prod. viii. 519.—Afr. austr.  
*undulatum*, R. Br. in Mem. Wern. Soc. i. (1809) 39.—Afr. austr.  
*veixillare*, D. Dietr. Syn. Pl. ii. 902 = Gomphocarpus dealbatus.  
*viridiflorum*, D. Dietr. l. c. = Gomphocarpus viridiflorus.

XYSTIDIUM, Trin. Fund. Agrost. 102 (1820) = **Perotis**, Ait. (Gramin.).  
*barbatum*, J. Presl, in Rel. Haenk. i. 228 = P. latifolia.  
*maritimum*, Trin. Fund. Agrost. 102. t. 2 = P. rara.

XYSTRIS, Schreb. Gen. i. 138 (1789) (Quid ?).  
*Schreberi*, J. F. Gmel. Syst. 390.—Hab. ?

**Y**

YAMALA, Rafin. Fl. Tellur. ii. 75 (1836) = **Heuchera**, Linn. (Saxifr.).  
*cylindrica*, Rafin. l. c. = H. cylindrica.

YANGAPA, Rafin. Sylva Tellur. 20 (1838) = **Gardenia**, Ellis (Rubiace.).  
*flava*, Rafin. l. c. = G. coronaria.

YANGUA, Spruce, in Journ. Linn. Soc. iii. (1859) 197 = **Cybastax**, Mart. (Bignon.).  
*tinctoria*, Spruce, l. c. 198.—Peruv.

YERMOLOFFIA, Bélanger. Voy. Ind. or. t. absque num. (1838 ?) = **Lagochilus**, Bunge (Labiat.).  
*hispida*, Bélanger. l. c. = L. hispidus, Boiss.  
*insignis*, Bélanger. l. c. = L. insignis.

YERMOLOFIA, Endl. Gen. 625 (1838) = praec.

YGRAMELA, Rafin. Atl. Journ. 199 (1833) = **Limosella**, Linn. (Scrophul.).  
*maritima*, Rafin. l. c. = L. maritima.

YMNOSTEMA, Neck. Elem. i. 132 (1790) = **Lobelia**, Flum. (Campan.).

YMNOSTEMMA, Steud. Nom. ed. II. ii. 794 (1841) sphalm. = praec.

**YOANIA**, Maxim. in Bull. Acad. Pétersb. xviii. (1873) 68. *ORCHIDEAE*, Benth. & Hook. f. iii. 617.  
*japonica*, Maxim. l. c. 69.—Reg. Himal. ; Japon.

YODES, Kurz, in Journ. As. Soc. Beng. xli. (1872) ii. 298, err. typ. = **Iodes**, Blume (Olacin.).

- YOUNGIA, Cass. in Ann. Sc. Nat. Sér. I. xxiii. (1831) 88 = **Crepis**, Vaill. (Compos.).  
*acaulis*, DC. Prod. vii. 193 = C. acaulis.  
*affinis*, Zoll. & Mor. in Nat. en Geneesk. Arch. Néerl. Ind. ii. (1845) 566 = Prenanthes affinis.  
*ambigua*, DC. Prod. vii. 193 = C. japonica.  
*aspera*, Steud. Nom. ed. II. ii. 393, in syn. = Chondrilla aspera.  
*chinensis*, DC. Prod. vii. 194 = Lactuca Fischeriana.  
*chrysantha*, Maxim. Prim. Fl. Amur. 181 = Lactuca denticulata.  
*debilis*, DC. Prod. vii. 194 = Lactuca debilis.  
*dentata*, DC. l. c. 193 (excl. syn.) = Lactuca denticulata.  
*diversifolia*, Ledeb. Fl. Ross. ii. 837 = C. tenuifolia.  
*fastigiata*, DC. Prod. vii. 193 = C. japonica.  
*flexuosa*, Ledeb. Fl. Ross. ii. 838 = C. nana.  
*fuscipappa*, Thw. Enum. Pl. Zeyl. 168 = C. fuscipappa.  
*glauca*, Edgew. in Trans. Linn. Soc. xx. (1846) 79 = C. flexuosa.  
*gracilis*, Miq. in Journ. Bot. Néerl. i. (1861) 106 = C. japonica ?  
*hastata*, DC. Prod. vii. 194 = Lactuca denticulata.  
*humilis*, DC. l. c. 194.—Japon.  
*humilis*, Miq. in Journ. Bot. Néerl. i. (1861) 106.—China.  
*integra*, A. Gray, in Mem. Am. Acad. N. S. vi. (1859) 396 = C. integra.  
*integrifolia*, Cass. in Ann. Sc. Nat. Sér. I. xxiii. (1831) 89 = C. japonica.  
*japonica*, DC. Prod. vii. 194 = C. japonica.  
*Kochiana*, Ledeb. Fl. Ross. ii. 837 = Phacelium lampsanoides.  
*lanceolata*, DC. Prod. vii. 193 = C. integra.  
*lyrata*, Cass. in Ann. Sc. Nat. Sér. I. xxiii. (1831) 88 = C. japonica.  
*mauritanica*, DC. Prod. vii. 192 = C. japonica.  
*multiflora*, DC. l. c. 194 = C. japonica.  
*napiifolia*, DC. l. c. 193 = C. japonica.  
*Paosia*, Steud. Nom. ed. II. ii. 794, sphalm. = seq.  
*Paosia*, DC. Prod. vii. 193 = C. japonica.  
*procumbens*, DC. l. c. = Launaea nudicaulis.  
*pygmaea*, Ledeb. Fl. Ross. ii. 838 = C. nana.  
*runcinata*, DC. Prod. vii. 192 = C. japonica.  
*serotina*, Maxim. Prim. Fl. Amur. 180 = Lactuca denticulata.  
*sonchifolia*, Maxim. l. c. = Lactuca denticulata.  
*Stenoma*, Ledeb. Fl. Ross. ii. 837 = C. Stenoma.  
*striata*, DC. Prod. vii. 193 = C. japonica.  
*Thunbergiana*, DC. l. c. 192 = C. japonica.

YPOMAEA, Robin. Voy. Louis. iii. 402 (1807), sphalm. = **Ipomoea**, Linn. (Convolv.).

**YUCCA**, Dill. ex Linn. Gen. ed. I. 99 (1737). *LILIACEAE*, Benth. & Hook. f. iii. 778.

- CODONOCRINUM*, Willd. ex Schult. f. Syst. vii. 718 (1829).  
*acaulis*, H. B. & K. Nov. Gen. et Sp. i. 289.—Venezuela.  
*acrotricha*, Schiede, in Linnaea, iv. (1829) 230 = Dasyllirion acrotrichum.  
*acuminata*, Hort. ex Carr. in Rev. Hort. Sér. IV. viii. (1859) 398 = flexilis.  
*acuminata*, Sweet, Brit. Flow. Gard. Ser. I. t. 195 = gloriosa.  
*acutifolia*, Truff. in Rev. Hort. (1869) 320.—Hab. ?  
*agavoides*, Hort. ex Carr. l. c. Sér. IV. vii. (1858) 580 = Treculeana.  
*albo-spica*, Hort. ex Van Houtte, in Fl. des Serres, xvii. (1867–68) 110. f. 1612 = constricta.  
*aletriformis*, Haw. in Phil. Mag. (1831) 415 (al. gen.).—Afr. austr.  
*aloifolia*, Linn. Sp. Pl. 319.—Am. bor. ; Ind. occ.  
*aloifolia*, Torr. in Pacif. Rail. Rep. iv. 147 = Whipplei.  
*angustifolia*, Carr. in Rev. Hort. Sér. IV. ix. (1860) 20. f. 3, 4 = constricta.  
*angustifolia*, Hort. ex Carr. l. c. viii. (1859) 398 = flexilis.  
*angustifolia*, Karw. ex G. Don, in Sweet, Hort. Brit. ed. III. 707, nomen = stenophylla.  
*angustifolia*, Pursh, Fl. Am. Sept. i. 227 = glauca.  
*antwerpensis*, Hort. ex Baker, in Journ. Linn. Soc. xviii. (1880) 228 = filamentosa.  
*arcuata*, Haw. Suppl. Pl. Succ. 33 = aloifolia.  
*argospatha*, Verlot, in Rev. Hort. (1868) 393.—Hab. ?  
*armata*, Steud. Nom. ed. II. ii. 795 = aloifolia.  
*aspera*, Regel, Ind. Sem. Hort. Petrop. (1858) 24 ; Gartenfl. (1859) 14 = Treculeana.  
*Atkinsi*, Hort. ex Baker, in Journ. Linn. Soc. xviii. (1880) 221 = aloifolia.  
*baccata*, Torr. Bot. Mex. Bound. 221.—Am. bor. occ. ; Mexic.  
*Barrancasecca*, Hort. ex Pasq. Cat. Orto Bot. Nap. 108, nomen (Quid ?).—Hab. ?  
*Boerhaavii*, Baker, in Gard. Chron. (1870) 1217.—Mexic.  
*Boschii*, Desf. Tabl. ed. II. 28 = Agave geminiflora.  
*brevifolia*, Engelm. in S. Wats. Bot. King's Exped. 496.—Calif.  
*brevifolia*, Schott, ex Torr. Bot. Mex. Bound. 221 = Schottii.  
*californica*, Lem. Illustr. Hort. x. (1863) sub t. 372 = Whipplei.  
*canaliculata*, Hook. Bot. Mag. t. 5201 = Treculeana.  
*circinata*, Baker, in Gard. Chron. (1870) 1088 = baccata.  
*concaua*, Haw. Suppl. Pl. Succ. 34 = filamentosa.  
*concaua*, Hort. ex Baker, in Journ. Linn. Soc. xviii. (1880) 226 = Treculeana.  
*conspicua*, Haw. Suppl. Pl. Succ. 32 = aloifolia.  
*conspicua*, Hort. ex Regel, Gartenfl. xx. (1871) 149.—Hab. ?  
*constricta*, Buckl. in Proc. Acad. Sc. Philad. 1862 (1863), 8.—Mexic.  
*contorta*, Hort. ex Carr. in Rev. Hort. Sér. IV. vii. (1858) 579, 580 = rupicola, Treculeana.  
*cornuta*, Hort. ex Baker, in Journ. Linn. Soc. xviii. (1880) 226 = Treculeana.  
*crassifolia*, Engelm. in Trans. Acad. Sc. St. Louis, iii. (1873) 44 = baccata.  
*crenulata*, Haw. Suppl. Pl. Succ. 33 = aloifolia.  
*De-Smetiana*, Baker, in Gard. Chron. (1870) 1217.—Mexic.  
*Draco*, Carr. in Rev. Hort. Sér. IV. viii. (1859) 389 = Dracaena Draco ?  
*Draconis*, Linn. Amoen. Acad. iii. 407 = Dracaena Draco.  
*Draconis*, Linn. Sp. Pl. 319 = aloifolia.  
*Ehrenbergii*, Baker, in Journ. Linn. Soc. xiv. (1875) 538, nomen.—Hab. ?  
*elata*, Engelm. in Coult. Bot. Gaz. vii. (1881) 17.—Am. bor. occ.  
*Ellacombei*, Hort. ex Baker, in Saund. Refug. Bot. t. 317 = gloriosa.  
*Engelmanni*, Mast. in Gard. Chron. (1880) II. 43, sphalm. = Whipplei.  
*ensifolia*, Baker, in Saund. Refug. Bot. t. 318 = flexilis vel gloriosa.



**YUCCA:**—

- exigua*, Baker, in Saund. Refug. Bot. t. 314 = filamentosa.  
*Eylesii*, Hort. Peacock, ex Baker, in Journ. Linn. Soc. xviii. (1880) 224 = flexilis.  
*falcata*, Hort. Peacock, ex Baker, l. c. = flexilis.  
*filamentosa*, Linn. Sp. Pl. 319.—Am. bor.  
*filamentosa*, Wood, in Proc. Acad. Sc. Philad. (1868) 167 = baccata.  
*filifera*, Hort. ex Engelm. in Trans. Acad. Sc. St. Louis, iii. (1873) 46; Chabaud. in Rev. Hort. (1876) 432. f. 97 = baccata.  
*flaccida*, Haw. Suppl. Pl. Succ. 34 = filamentosa.  
*flexilis*, Carr. in Rev. Hort. Sér. IV. viii. (1859) 398. f. 89.—Mexic.  
*fragilifolia*, Baker, in Gard. Chron. (1870) 1088 = baccata.  
*funifera*, Lem. Illustr. Hort. xiii. (1866) Misc. 99.—Mexic.  
*Ghiesbreghtii*, Hort. ex Baker, in Journ. Linn. Soc. xviii. (1880) 222 = guatemalensis.  
*gigantea*, Lem. Illustr. Hort. vi. (1859) Misc. 91.—Mexic.  
*glauca*, Nois. ex Sims, Bot. Mag. t. 2662 = filamentosa.  
*glauca*, [Nutt.] in Fras. Cat. (1813) n. 89.—Am. bor.  
*glaucescens*, Haw. Suppl. Pl. Succ. 35 = filamentosa.  
*gloriosa*, Linn. Sp. Pl. 319.—Am. bor.  
*gracilis*, Link. ex Sweet, Hort. Brit. ed. II. 597 (Quid ?).—Mexic.  
*graminifolia*, Wood, in Proc. Acad. Sc. Philad. (1868) 167 = Whipplei.  
*graminifolia*, Zucc. in Cat. Hort. Monac. (1837); et in Abh. Akad. Muench. iii. (1837-43) 226 = Dasy-lirion graminifolium.  
*guatemalensis*, Baker, in Saund. Refug. Bot. t. 313.—Guatemala; Mexic.  
*Haruckiana*, Crantz, Duab. Drac. Arbor. 29 = aloifolia.  
*horrida*, Humb. ex Steud. Nom. ed. II. ii. 795 = spinosa.  
*integerrima*, Stokes, Bot. Mat. Med. ii. 267 = gloriosa.  
*japonica*, Hort. ex Carr. in Rev. Hort. Sér. IV. viii. (1859) 488 = gloriosa.  
*laetevirens*, Karw. ex G. Don, in Sweet, Hort. Brit. ed. III. 707, nomen (Quid ?).—Mexic.  
*Lenneana*, Baker, in Journ. Linn. Soc. xiv. (1875) 538.—Hab. ?  
*longifolia*, [Engelm.] ex Buckl. in Proc. Acad. Sc. Philad. 1862 (1863) 8 = Treculeana.  
*longifolia*, Hort. ex Carr. in Rev. Hort. Sér. IV. iii. (1859) 398 = flexilis.  
*longifolia*, Karw. ex Schult. f. Syst. vii. 1715 = Nolina longifolia.  
*lutescens*, Carr. in Rev. Hort. Sér. IV. vii. (1858) 579 = rupicola.  
*macrocarpa*, Engelm. in Coult. Bot. Gaz. vi. (1881) 224.—Arizona.  
*mexicana*, Hort. ex Baker, in Journ. Linn. Soc. xviii. (1880) 224 = flexilis.  
*Mooreana*, Hort. Peacock, ex Baker, l. c. 222 = guatemalensis.  
*nobilis*, Hort. Peacock, ex Baker, l. c. 224 = flexilis.  
*obliqua*, Haw. Syn. Pl. Succ. 69 = gloriosa.  
*orchioidea*, Carr. in Rev. Hort. (1861) 369. t. 89 = filamentosa.  
*Parmentieri*, Hort. ex Carr. l. c. Sér. IV. viii. (1859) 389 = aloifolia.  
*parviflora*, Torr. Bot. Mex. Bound. 221 = Hesperaloe yuccaeifolia.  
*patens*, André, Illustr. Hort. xvii. (1870) 120 = gloriosa.  
*Peacockii*, Baker, in Journ. Linn. Soc. xviii. (1880) 223.—Mexic.  
*pendula*, Sieber, ex Carr. in Rev. Hort. Sér. IV. viii. (1859) 488. t. 104 = gloriosa.  
*periculosa*, Baker, in Gard. Chron. (1870) 1088 = baccata.  
*pitcairniifolia*, Karw. ex G. Don, in Sweet, Hort. Brit. ed. III. 707, nomen (Quid ?).—Mexic.  
*plicata*, Hort. ex C. Koch, Dendrol. ii. II. 345 = gloriosa.  
*plicatilis*, Hort. ex C. Koch, l. c. = gloriosa.  
*polyphylla*, Baker, in Gard. Chron. (1870) 1088 = constricta.  
*pruinosa*, Baker, l. c. 1122 = gloriosa.  
*puberula*, Haw. in Phil. Mag. (1828) 186 = filamentosa.  
*puberula*, Torr. Bot. Mex. Bound. 221 = Schottii.  
*purpurea*, Hort. ex Baker, in Journ. Linn. Soc. xviii. (1880) 221 = aloifolia.

**YUCCA:**—

- quadrifolia*, Hort. ex Baker, in Journ. Linn. Soc. xviii. (1880) 221 = aloifolia.  
*recurva*, Haw. Syn. Pl. Succ. 69 = gloriosa.  
*recurvata*, Hort. ex Carr. in Rev. Hort. Sér. IV. vii. (1858) 580 = Treculeana.  
*recurvifolia*, Salisb. Parad. Lond. t. 31 = gloriosa.  
*revoluta*, Hort. ex Carr. in Rev. Hort. Sér. IV. vii. (1858) 580 = Treculeana.  
*Roesslii*, Hort. ex Baker, in Journ. Linn. Soc. xviii. (1880) 222 = guatemalensis.  
*rufocincta*, Haw. Suppl. Pl. Succ. 37 = gloriosa.  
*rupicola*, Scheele, in Linnaea, xxiii. (1850) 143.—Texas.  
*scabrifolia*, Baker, in Gard. Chron. (1870) 1088 = baccata.  
*Schottii*, Engelm. in Trans. Acad. Sc. St. Louis, iii. (1873) 46.—Arizona.  
*semicylindrica*, Baker, in Gard. Chron. (1870) 1217 = flexilis.  
*serratifolia*, Karw. ex Schult. f. Syst. vii. 1716.—Mexic.  
*serrulata*, Haw. Syn. Pl. Succ. 70 = aloifolia.  
*spinosa*, H. B. & K. Nov. Gen. et Sp. i. 289.—Mexic.  
*stenophylla*, Hort. ex Carr. in Rev. Hort. Sér. IV. viii. (1859) 398 = flexilis.  
*stenophylla*, Steud. Nom. ed. II. ii. 795.—Mexic.  
*striata*, Hort.—Cf. Gard. Chron. (1865) 365 (Quid ?).—Hab. ?  
*stricta*, Sims, Bot. Mag. t. 2222 = glauca.  
*superba*, Haw. Suppl. Pl. Succ. 36 = gloriosa.  
*superba*, Roxb. Hort. Beng. 25 = Furcraea tuberosa.  
*tenuifolia*, Haw. Suppl. Pl. Succ. 34 = aloifolia.  
*Toneliana*, Lem. Illustr. Hort. xii. (1865) Misc. 52.—Mexic.  
*tortifolia*, Lindheimer, ex Torr. in Bot. Mex. Bound. 221 = rupicola.  
*tortilis*, Hort. ex Carr. in Rev. Hort. Sér. IV. vii. (1858) 579 = rupicola.  
*tortulata*, Baker, in Gard. Chron. (1870) 1122 = gloriosa.  
*Treculeana*, Carr. in Rev. Hort. Sér. IV. vii. (1858) 580; et ex Héring, Hort. Franç. (1864) 235. t. 16.—Mexic.  
*tricolor*, Hort. ex Baker, in Journ. Linn. Soc. xviii. (1880) 221 = aloifolia.  
*undulata*, Hort. ex Carr. in Rev. Hort. Sér. IV. vii. (1858) 580 = Treculeana.  
*Whipplei*, Torr. in Bot. Mex. Bound. 222, in textu.—Calif.  
*yucatanica*, Engelm. in Trans. Acad. Sc. St. Louis, iii. (1873) 37.—Mexic.

- YULANIA**, Spach, Hist. Vég. Phan. vii. 462 (1839) = **Magnolia**, Linn.  
*conspicua*, Spach, l. c. 464 = M. Yulan.  
*japonica*, Spach, l. c. 466 = M. obovata.  
*Lenneana*, Lem. Illustr. Hort. i. (1854) t. 37 = M. Lennei.

**Z**

- ZACINTHA**, [Tourn.] Linn. Syst. ed. I (1735); Gaertn. Fruct. ii. 358. t. 157 (1791). **COMPOSITAE**, Benth. & Hook. f. ii. 511.  
*pendula*, Raesch. Nom. ed. III. 229 = verrucosa.  
*verrucosa*, Gaertn. Fruct. ii. 358. t. 157. f. 7.—Europ. austr.; As. Min.

- ZACINTHA**, Vell. Fl. Flum. 276; vii. t. 9 (1825) = **Clavija**, Ruiz & Pav. (Myrsin.).  
*nutans*, Vell. ll. cc. = C. integrifolia ?

- ZACYNTHA**, Adans. Fam. ii. 112 (1763) = **Zacantha**, Tourn. (Compos.).

- ZAGA**, Rafin. Fl. Tellur. ii. 33 (1836) = **Abrus**, Linn. (Legumin.).  
*latifolia*, Rafin. l. c. = A. precatorius.  
*parvifolia*, Rafin. l. c. = A. precatorius.

- ZAHLEBRUCKERA**, Steud. Nom. ed. II. ii. 795 (1841), sphalm. = **Zahlbrucknera**, Reichb. (Saxifrag.).

- ZAHLEBRUCKNERA**, Pohl, ex Nees, in Mart. Fl. Bras. ix. 16, etc. (1847) (Acanthac.).  
*achyranthoidea*, Pohl, ex Nees, l. c. 73 (= *Teliostachya microcarpa*).—Bras.  
*conferta*, Pohl, ex Nees, l. c. 21 = *Hygrophila conferta*.  
*fruticosa*, Pohl, ex Nees, l. c. 16 = *Ebermaiera mandiocana*.  
*longifolia*, Pohl, ex Nees, l. c. 21 = *Hygrophila costata*.  
*lutea*, Pohl, ex Nees, in DC. Prod. xi. 210 (= *Arrhoxylum glabrum*).—Bras.  
*Maranhonis*, Pohl, ex Nees, in Mart. Fl. Bras. ix. 25 = *Calophanes Maranhonis*.  
*micrantha*, Pohl, ex Nees, l. c. 22 = *Hygrophila costata*.  
*oblongifolia*, Pohl, ex Nees, in DC. Prod. xi. 86 = *Hygrophila costata*.  
*pilosa*, Pohl, ex Nees, l. c. 113 (= *Homotropium erythrorhizum*).—Bras.  
*repens*, Pohl, ex Nees, l. c. 66 = *Nelsonia campestris*.  
*salicifolia*, Pohl, ex Nees, l. c. 214 = *Ruellia costata*.

- ZAHLEBRUCKNERA**, Reichb. Fl. Germ. Excurs. 551 (1832). **SAXIFRAGEAE**, Benth. & Hook. f. i. 636.  
**OREOSPLENIUM**, Zahlb. ex Endl. Gen. 814, 1446 (1841).  
*paradoxa*, Reichb. Fl. Germ. Excurs. 551.—Europ.

- ZALA**, Lour. Fl. Cochinch. 405 (1790) = **Pistia**, Linn.  
*asiatica*, Lour. l. c. = P. Stratiotes.

- ZALACCA**, Rumph. Amboin. v. 57. t. 2 (1747).  
**PALMAE**, Benth. & Hook. f. iii. 932.  
**SALACCA**, Reinw. in Syll. Ratisb. ii. (1828) 3.  
**SALAKKA**, Reinw. ex Blume, Cat. Gew. Buitenz. 112 (1823).  
*affinis*, Griff. in Calc. Journ. Nat. Hist. v. (1845) 9.—Malaya.  
*Blumeana*, Mart. Hist. Nat. Palm. iii. 201. t. 123 = *edulis*.  
*conferta*, Griff. in Calc. Journ. Nat. Hist. v. (1845) 16.—Malaya.  
*edulis*, Blume, in Schult. f. Syst. vii. 1334; Mart. in Wall. Pl. As. Rar. iii. 14.—Burma; Malaya.  
*glabrescens*, Griff. in Calc. Journ. Nat. Hist. v. (1845) 14.—Ins. Penang.  
*macrostachya*, Griff. l. c. 13 = *edulis*.  
*Rumphii*, Wall. Pl. As. Rar. iii. t. 223, 224 = *edulis*.  
*secunda*, Griff. in Calc. Journ. Nat. Hist. v. (1845) 12.—Assam.  
*Wagneri*, Hort. ex H. Wendl. in Kerch. Palm. 258, nomen (Quid ?).—Hab. ?  
*Wallichiana*, Mart. Hist. Nat. Palm. iii. 200. tt. 118, 119, 136 = *edulis*.

- ZALEIA**, Steud. Nom. ed. II. ii. 795 (1841) = seq.

- ZALEIJA**, Burm. f. Fl. Ind. 110. t. 31 (1768) = **Trianthema**, Sauv. (Ficoid.).  
*decandra*, Burm. l. c. = T. decandra.

- ZALITEA**, Rafin. New Fl. Am. iv. 98 (1836) = **Euphorbia**, Linn.  
*linearis*, Rafin. l. c. 99 (Quid ?).—Am. bor.

- ZALLIA**, Roxb. Fl. Ind. iii. 74 (1832) = **ZALEIJA**, Burm. f. = **Trianthema**, Sauv. (Ficoid.).

- ZALMARIA**, Rafin. in Ann. Gén. Sc. Phys. vi. (1820) 85 = **Rondeletia**, Linn. (Rubiace.).

- ZALUCANIA**, Steud. Nom. ed. II. ii. 795 (1841), sphalm. = **Zaluzania**, Pers. (Compos.).

- ZALUZANIA**, Comm. ex Gaertn. f. Fruct. iii. 74. t. 192 (1805) = **Bertiera**, Aubl. (Rubiace.).

- ZALUZANIA**, Pers. Syn. ii. 473 (1807). **COMPOSITAE**, Benth. & Hook. f. ii. 362.  
**CHILIOPHYLLUM**, DC. Prod. v. 554 (1836).  
**CHRYSOPHANIA**, Kunth, ex Less. Syn. Comp. 224 (1832).  
**FERDINANDA**, Lag. Gen. et Sp. Nov. 31 (1816).  
**HYBRIDEA**, Cass. in Bull. Soc. Philom. (1817) 12; et in Dict. Sc. Nat. xxii. 86 (1821).  
*angusta*, Benth. & Hook. f. Gen. ii. 362, sphalm. = *angusta*.  
*asperima*, Sch. Bip. in Flora, xlvii. (1864) 218.—Mexic.  
*angusta*, Sch. Bip. l. c. xlv. (1861) 562.—Mexic.  
*cinerascens*, Sch. Bip. l. c. xlvii. (1864) 218, 219 = *Gymnolomia cinerascens*.

**ZALUZANIA:—**

- Coulteri, *Hemsl. Diagn. Sp. Nov.* 33.—Mexic.  
*ensifolia*, Sch. Bip. in *Flora*, xlvii. (1864) 216 = *Gymnolomia ensifolia*.  
*globosa*, Sch. Bip. l. c. xlv. (1861) 564.—Mexic.  
*indica*, Reinw. ex Blume, Mus. Bot. Lugd. Bat. i. 239 = *Geniostoma rupestre*.  
*megacephala*, Sch. Bip. in *Flora*, xlv. (1861) 563 = *angusta*.  
*mollissima*, A. Gray, in *Proc. Am. Acad.* xv. (1880) 35.—Mexic.  
*montagnaefolia*, Sch. Bip. in *Flora*, xlv. (1861) 563.—Mexic.  
*myriophylla*, Sch. Bip. l. c. 565 = *globosa*.  
*oppositifolia*, Sch. Bip. l. c. 562 = *Calea scabrifolia*.  
*pinnatifolia*, Sch. Bip. l. c. xlvii. (1864) 218, 219 = *Gymnolomia pinnatifolia*.  
*squarrosa*, Sch. Bip. l. c. 216, 217 = *Gymnolomia squarrosa*.  
*triloba*, Pers. Syn. ii. 473.—Mexic.  
*trilobata*, Hoffm. Verz. Pfl. Nachtr. II. 231 = *præc.*

ZALUZIANSKIA, Benth. & Hook. f. Gen. ii. 944 (1876), sphalm. = seq.

ZALUZIANSKYA, F. W. Schmidt, Neue u. Selt. Pfl. II (1793). *SCROPHULARINEAE*, Benth. & Hook. f. ii. 944.

NYCTERINIA, D. Don, in Sweet, Brit. Flow. Gard. Ser. II. t. 239 (1834).

- Benthiana, *Walp. Rep.* iii. 309.—Afr. austr.  
*capensis*, *Walp. l. c.* 307.—Afr. austr.  
*coriacea*, *Walp. l. c.* 306.—Afr. austr.  
*dentata*, *Walp. l. c.* 307.—Afr. austr.  
*divaricata*, *Walp. l. c.* 308.—Afr. austr.  
*longiflora*, *Walp. l. c.* 307.—Afr. austr.  
*lychnidea*, *Walp. l. c.*—Afr. austr.  
*maritima*, *Walp. l. c.*—Afr. austr.  
*natalensis*, *Bernh. in Flora*, xxvii. (1844) 834.—Afr. austr.  
*ovata*, *Walp. Rep.* iii. 307.—Afr. austr.  
*peduncularis*, *Walp. l. c.* 308.—Afr. austr.  
*pumila*, *Walp. l. c.* 307.—Afr. austr.  
*pusilla*, *Walp. l. c.* 308.—Afr. austr.  
*selaginoides*, *Walp. l. c.*—Afr. austr.  
*spathacea*, *Walp. l. c.* 306.—Afr. austr.  
*villosa*, F. W. Schmidt, Neue u. Selt. Pfl. II.—Afr. austr.

ZAMARIA, Rafin. in Ann. Gén. Sc. Phys. vi. (1820) 85 = *Randia*, Houst. (Rubiace).

ZAMIA, Linn. Sp. Pl. ed. II. 1659 (1763). *CYCADACEAE*, Benth. & Hook. f. iii. 447.

- AULACOPHYLLUM, Regel, Gartenfl. xxv. (1876) 140.  
*acuminata*, Oerst. ex Dyer, in *Hemsl. Biol. Centr. Am. Bot.* iii. 194.—Nicaragua.  
*Altensteinii*, Heynh. Nom. i. 862 = *Encephalartos Altensteinii*.  
*amplifolia*, Hort. Bull. ex Mast. in Gard. Chron. (1878) II. 810 = *Wallisii*.  
*angustifolia*, Jacq. Coll. iii. 263.—Ins. Baham.  
*angustissima*, Miq. in Verh. Nederl. Inst. III. iv. (1851) 184 = *angustifolia*.  
*atropurpurea*, Parment. ex Miq. Prod. Syst. Cycad. 23 = *Ceratozamia mexicana*.  
*aurea*, Hort. ex Miq. in Tijdschr. Wetensch. i. (1848) 297 = *Encephalartos horridus*.  
*Baraquiniana*, Hort.—Cf. Gard. Chron. (1868) 349; et Regel, Gartenfl. xxvii. (1878) 7.—Hab.?  
*Beeldsnijderiana*, Beelds. Cat. t. 1; ex Pritz. Ic. Ind. i. 1179 (Quid?).—Hab.?  
*boliviana*, A. DC. in DC. Prod. xvi. II. 540 = *Brongniartii*.  
*Brongniartii*, Wedd. in Ann. Sc. Nat. Sér. III. xiii. (1850?) 249. t. 4.—Bolivia; Bras.  
*caffra*, Thunb. Prod. Pl. Cap. 92 = *Encephalartos caffra*.  
*calocoma*, Miq. in Fl. des Serres, vii. (1851–52) Misc. 141 = *Microcycas calocoma*.  
*caracasana*, Lodd. Cat. ex Miq. in Linnaea, xvii. (1843) 738 = *Loddigesii*.  
*Chigua*, Seem. Bot. Voy. Herald, 201. t. 43.—N. Granat.  
*concinna*, Hort. Booth, ex Regel, Gartenfl. xxvii. (1878) 9 = *pumila*.  
*concinna*, Hort. Par. ex H. Wendl. Ind. Palm. 52, nomen (Quid?).—Hab.?  
*corallipes*, J. Versch. Cat. n. 17 (1873–74) 5, 7 = *Macrozamia spiralis*.

**ZAMIA:—**

- Corsoniana*, G. Don, in Loud. Gard. Mag. xviii. (1842) 371 = *Cycas Rumphii*.  
*crassifolia*, Hort. ex T. Moore, Fl. & Pom. (1877) 14, 15.—Hab.?  
*cycadifolia*, S. Brunn. in Flora, viii. (1825) 733 = *Macrozamia Fraseri*.  
*cycadifolia*, Dyer, in Hemsl. Biol. Centr. Am. Bot. iii. 195.—Mexic.  
*cycadifolia*, Jacq. Fragm. 27 = *Encephalartos cycadifolius*.  
*cycadifolia*, Lodd. ex Miq. in Linnaea, xvii. (1843) 719 = *Encephalartos caffer*.  
*Cycadis*, Linn. f. Suppl. 443 = *Encephalartos caffer*.  
*cylindrica*, Hort. Booth, ex Regel, Gartenfl. xxvii. (1878) 9 = *pumila*.  
*cylindrica*, Liebm. ex Dyer, in Hemsl. Biol. Centr. Am. Bot. iii. 195 = *Leiboldii*.  
*debilis*, Ait. Hort. Kew. ed. I. iii. 478.—Ind. occ.  
*debilis*, Linn. f. ex Salisb. Prod. 400 = *laeta*.  
*debilis*, Lodd. Bot. Cat. t. 155 = *angustifolia*.  
*dentata*, Hort. Angl. ex Link. Enum. Hort. Berol. ii. 432, nomen (Quid?).—Hab.?  
*dentata*, Voigt, in Syll. Ratisb. ii. (1828) 53 = *tenuis*.  
*elegans*, Hort. ex Yates, in Proc. Linn. Soc. ii. (1849) 18, 19 = *Encephalartos caffer*.  
*elliptica*, Lodd. ex Miq. in Linnaea, xvii. (1843) 723 = *Encephalartos caffer*.  
*elongata*, Heynh. Nom. i. 862 = *Encephalartos elongatus*.  
*erilepis*, Hort. ex Dyer, in Hemsl. Biol. Centr. Am. Bot. iii. 195 = *Leiboldii*.  
*Fischeri*, Miq. in Hort. Houttean. 20; et in Tijdschr. Wetensch. i. (1848) 201.—Am. caled.  
*floridana*, A. DC. in DC. Prod. xvi. II. 544 = *angustifolia*.  
*Fraseri*, Van Houtte, ex Regel, Gartenfl. xxv. (1876) 229 = *Macrozamia spiralis*.  
*Friderici-Guilielmi*, Hort. Parment. ex Miq. Prod. Syst. Cycad. 22 = *Dioon edule*.  
*furfuracea*, Ait. Hort. Kew. ed. I. iii. 477.—Mexic.  
*fusca*, Hort. Paull. ex Regel, Gartenfl. xxv. (1876) 261 = *Ceratozamia Katzeriana*.  
*Galeotti*, De Vriese, in Hoëv. & De Vriese, Tijdschr. xii. (1845) 24 = *Ceratozamia mexicana*.  
*gleina*, Hort. ex Miq. in Linnaea, xvii. (1843) 729 = *Encephalartos horridus*.  
*grandis*, Hort.—Cf. Gard. Chron. (1865) 365 (Quid?).—Hab.?  
*Gutierrezii*, Sauv. Anal. Acad. Cienc. Nat. Haban. (1868) (reimp. 2).—Cuba.  
*horrida*, Jacq. Fragm. 27 = *Encephalartos horridus*.  
*horrida*, Lodd. ex Miq. in Linnaea, xvii. (1843) 725 = *Encephalartos lanuginosus*.  
*humilis*, Salisb. Prod. 400 = *pumila*.  
*integrifolia*, Ait. Hort. Kew. ed. I. iii. 478.—Ind. occ.  
*integrifolia*, A. Gray, ex A. DC. in DC. Prod. xvi. II. 544 = *angustifolia*.  
*integrifolia*, Pursh, Fl. Am. Sept. ii. 648 = *pumila*.  
*integrifolia*, Rich. Conif. et Cycad. 191. t. 27 = *media*.  
*Kickxii*, Miq. Monog. Cycad. 71. t. 8.—Cuba.  
*laeta*, Salisb. Prod. 400 (sp. dub.).—Hab.?  
*lanuginosa*, Jacq. Fragm. 28 = *Encephalartos lanuginosus*.  
*latifolia*, Lodd. Cat. n. 187; ex Miq. in Linnaea, xvii. (1843) 733.—Honduras.  
*Lawsoniana*, Dyer, in Hemsl. Biol. Centr. Am. Bot. iii. 195.—Mexic.  
*Lehmanniana*, Eckl. & Zeyh. ex Eckl. in Otto & Dietr. Allg. Gartenz. i. (1833) 158; et ex Lehm. Pugill. vi. 7 = *Encephalartos Lehmanni*.  
*Leiboldii*, Miq. in Linnaea, xix. (1847) 425.—Mexic.  
*Lindenii*, Regel, ex André, in Illustr. Hortic. xxii. (1875) 23. t. 195.—Ecuador.  
*Lindleyana*, H. Wendl. Ind. Palm. 53 = *Z. Chigua*.  
*Lindleyi*, Warsz. in Otto & Dietr. Allg. Gartenz. xix. (1851) 146 = *Z. Chigua*.  
*linearifolia*, Linden, in Illustr. Hortic. xxviii. (1881) 32, nomen (Quid?).—Cuba.  
*linifolia*, Hort. Pawl. ex Regel, Gartenfl. xxvii. (1878) 12 = *angustifolia*.  
*Loddigesii*, Miq. in Hoëv. & De Vriese, Tijdschr. x. (1843) 72.—Mexic.  
*longifolia*, Jacq. Fragm. 28 = *Encephalartos longifolius*.  
*Mackenzii*, Hort. ex Miq. in Verh. Kon. Akad. Wetensch. II. iii. (1869) 55 = *Macrozamia Pauli-Guilielmi*.

**ZAMIA:—**

- Macleani*, Regel, Gartenfl. xxv. (1876) 371, sphalm. = *Maeleni*.  
*macrophylla*, Parment. ex Miq. Prod. Syst. Cycad. 23 = *Ceratozamia mexicana*.  
*Maeleni*, Miq. in Linnaea, xvii. (1844) 97 = *Dioon edule*.  
*manicata*, Linden, ex Regel, Gartenfl. (1878) 8; et in Illustr. Hortic. xxviii. (1881) 32, nomen.—Bras.  
*media*, Jacq. Hort. Schoenb. iii. 77. tt. 397, 398.—Ind. occ.  
*media*, Sims, Bot. Mag. t. 1838 = *pumila*.  
*mexicana*, Miq. Prod. Cycad. 13, 23 = *Loddigesii*.  
*Miqueli*, Hort. Adelaide, ex Regel, Gartenfl. xxv. (1876) 230 = *Macrozamia Miquelii*.  
*montana*, A. Br. in Monatsb. Akad. Berl. (1875) 376.—N. Granat.  
*multifoliolata*, A. DC. in DC. Prod. xvi. II. 545.—Cuba.  
*muricata*, Willd. Sp. Pl. iv. 847.—Am. trop.  
*nana*, Hort. ex Miq. in Linnaea, xvii. (1843) 729 = *Encephalartos horridus*.  
*obliqua*, A. Br. in Monatsb. Akad. Berl. (1875) 376; Regel, in Illustr. Hortic. xxiv. (1877) 140. t. 289.—N. Granat.  
*occidentalis*, Lodd. Cat. n. 177; ex Miq. in Linnaea, xvii. (1843) 711 = *Encephalartos pungens*.  
*Otonis*, Miq. in Linnaea, xvii. (1843) 740.—Cuba.  
*pallida*, Salisb. Prod. 401 (sp. dub.).—Hab.?  
*parasitica*, Poepp. ex Eichl. in Mart. Fl. Bras. iv. t. 414 = *Poeppigiana*.  
*picta*, Dyer, in Hemsl. Biol. Centr. Am. Bot. iii. 194.—Mexic.?  
*Poeppigiana*, Mart. & Eichl. in Mart. Fl. Bras. iv. t. 414. t. 109.—Peruv.  
*Potemkini*, Hort. ex Miq. in Verh. Kon. Akad. Wetensch. II. iv. (1870) 30.—Hab.?  
*prasina*, Bull. Cat. (1882) 20; ex Dyer, in Hemsl. Biol. Centr. Am. Bot. iii. 194 = *latifolia*.  
*Princeps*, Hort. Bull. ex Dyer, l. c. = *Z. Chigua*.  
*prunifera*, Lodd. Cat. ex G. Don, in Loud. Hort. Brit. 403, nomen = *Encephalartos pruniferus*.  
*Pseudo-parasitica*, Yates, in Seem. Bot. Voy. Herald, 202, 253.—Panama.  
*pumila*, Hort. ex Regel, Gartenfl. xxvii. (1878) 11 = *pygmaea*.  
*pumila*, Linn. Sp. Pl. ed. II. 1659.—Ind. occ.  
*pungens*, Ait. Hort. Kew. ed. I. iii. 478 = *Encephalartos pungens*.  
*pungens*, Hort. ex Miq. in Linnaea, xvii. (1843) 725 = *Encephalartos lanuginosus*.  
*pungens*, Linn. f. ex Salisb. Prod. 401 = *pallida*.  
*pungens*, Lodd. ex Miq. in Linnaea, xvii. (1843) 725 = *Encephalartos elongatus*.  
*pygmaea*, Sims, Bot. Mag. t. 1741.—Ind. occ.  
*repanda*, Lodd. Cat. ex G. Don, in Loud. Hort. Brit. 403, nomen.—Hab.?  
*Roesli*, Regel, in Linden, Cat. n. 90 (1873) 10; et in Illustr. Hortic. xx. (1873) 126. t. 133–134 = *Pseudo-parasitica*.  
*serrulata*, Lodd. Cat. ex Miq. in Linnaea, xvii. (1843) 738 = *Loddigesii*.  
*Sieboldi*, Cf. Gard. Chron. (1878) II. 594, sphalm. = *Leiboldii*.  
*Skinneri*, Warsz. in Otto & Dietr. Allg. Gartenz. xix. (1851) 146.—Am. centr.  
*spartea*, A. DC. in DC. Prod. xvi. II. 539.—Mexic.  
*spinosa*, Lodd. Cat. n. 168; ex Miq. in Linnaea, xvii. (1843) 721 = *Encephalartos Altensteinii*.  
*spinosissima*, Hort. ex Miq. l. c. = *præc.*  
*spinulosa*, Heynh. Nom. i. 862 = *Encephalartos Lehmanni*.  
*spinulosa*, Hort. ex Miq. in Linnaea, xvii. (1843) 721 = *Encephalartos Altensteinii*.  
*spiralis*, R. Br. Prod. 348 = *Macrozamia spiralis*, *Fraseri*.  
*spiralis*, Salisb. Prod. 401 = *Macrozamia spiralis*.  
*stricta*, Griseb. Cat. Pl. Cub. 217 = *multifoliolata*.  
*stricta*, Miq. in Verh. Nederl. Inst. III. iv. (1851) 183 = *angustifolia*.  
*tenuifolia*, Fisch. ex Miq. in Linnaea, xix. (1847) 429 = *Fischeri*.  
*tenuis*, Willd. Sp. Pl. iv. 846.—Ins. Baham.  
*terrestris*, Hort. ex Dyer, in Hemsl. Biol. Centr. Am. Bot. iii. 195 = *Loddigesii*.  
*tonkinensis*, Linden & Rodigas, in Illustr. Hortic. xxxii. (1885) 27. t. 547.—Tonkin.

**ZAMIA** :—

- tricuspidata*, Hort. in Verh. Ver. Bef. Gartenb. v. 186 = *Encephalartos horridus*.  
*tridentata*, Willd. Sp. Pl. iv. 846 = *Encephalartos tridentatus*.  
*unidentata*, Hort. ex Miq. in Linnaea, xvii. (1843) 715 = *Encephalartos tridentatus*.  
*variegata*, Warsz. in Otto & Dietr. Allg. Gartenz. xiii. (1845) 253, nomen.—Hab.?  
*vernica*, Hort.—Cf. Gard. Chron. (1868) 349 (Quid?).—Hab.?  
*Verschaffeltii*, Miq. in Arch. Néerl. v. (1870) 82; et in Verh. Kon. Akad. Wetensch. II. iv. (1870) 31.—Mexic.  
*vestita*, Van Houtte, Cat. 10; ex Miq. in Tijdschr. Wetensch. iii. (1849) 300.—Am. centr.  
*villosa*, Gaertn. Fruct. i. t. 3 = *Encephalartos cycadifolius*.  
*villosa*, Herb. Van Royen, ex A. DC. in DC. Prod. xvi. II. 546 = *Encephalartos cafier*.  
*Wallisii*, Hort. Veitch, ex A. Br. in Monatsb. Akad. Berl. (1875) 376.—N. Granat.  
*Yatesii*, Miq. in Verh. Nederl. Inst. III. iv. (1851) 182 = *angustifolia*.

- ZAMIOCULCAS**, Schott, Syn. Aroid. 71 (1856).  
*AROIDEAE*, Benth. & Hook. f. iii. 993.  
*GONATOPUS*, Engl. in DC. Monog. ii. 208 (1879).  
*Boivini*, Decne. in Bull. Soc. Bot. Fr. xvii. (1870) 321.—Afr. trop.  
*Loddigesii*, Schott, Syn. Aroid. 71.—Afr. trop.

- ZAMZELA**, Rafin. Sylva Tellur. 90 (1838) = *Hirtella*, Linn. (Rosac.).  
*racemosa*, Rafin. l. c. = *H. americana*?  
*rugosa*, Rafin. l. c. = *H. rugosa*.

- ZANICHELIA**, Gilib. Exercit. ii. 419 (1792), sphalm. = seq.

- ZANICHELLIA**, Roth, Tent. Fl. Germ. ii. II. 420 (1793), err. typ. = seq.

- ZANNICHALLIA**, Reut. in Compt. Rend. Soc. Hallér. (1854–56) 129, sphalm. = seq.

- ZANNICHELLA**, Linn. Syst. ed. I. (1735) = seq.

- ZANNICHELLIA**, Mich. ex Linn. Syst. ed. I (1735); Gen. ed. I. 278 (1737). *NAIADACEAE*, Benth. & Hook. f. iii. 1016.

- PELTA*, Dulac, Fl. Hautes-Pyr. 43 (1867).  
*aculeata*, Schur, in Oestr. Bot. Zeitschr. xx. (1870) 203 = palustris.  
*brachystemon*, J. Gay, ex Reut. Cat. Gr. Jard. Genève. (1854) 4 = palustris.  
*contorta*, Cham. in Linnaea, ii. (1827) 231 = palustris.  
*cylindrocarpa*, Koern. ex C. Muell. in Walp. Ann. vi. 3 = *Lepilaena cylindrocarpa*.  
*dentata*, Willd. Sp. Pl. iv. 181 = palustris.  
*digyna*, J. Gay, ex Bréb. Fl. Norm. ed. II. 252; ed. III. 289 = palustris.  
*geniculata*, Gilib. Exercit. ii. 419 = palustris.  
*gibberosa*, Reichb. in Moessl. Handb. ed. II. iii. 1591 = palustris.  
*graminifolia*, Gilib. Exerc. Bot. in Schola Princip. Univ. Vln. (1772) 31 = palustris?  
*intermedia*, Nielsen, in Bot. Tidsskr. Ser. II. i. (1872) 205 = seq.?  
*intermedia*, Torr. in Beck, Bot. N. & M. St. 385 = palustris.  
*laevis*, Presl, Bot. Bemerk. 112.—Afr. austr.  
*indica*, Rottl. ex Royle, Illustr. Bot. Himal. 404 (Quid?).—Ind. or.  
*macrostemon*, J. Gay, ex Willk. & Lange, Prod. Fl. Hisp. i. 26 = palustris.  
*major*, Boenn. ex Reichb. in Moessl. Handb. ed. II. iii. 1591 = palustris.  
*marina*, Nielsen, in Bot. Tidsskr. Ser. II. i. (1872) 204 = palustris.  
*maritima*, Nolte, Novit. Fl. Holsat. 75 = palustris.  
*palustris*, Linn. Sp. Pl. 969.—Europ.; Am. bor.  
*pedicellata*, Buch.-Ham. ex Wall. Cat. n. 5185; Fries, Mant. iii. 133 = palustris.  
*pedunculata*, Fuss, Ber. Phan. Fl. Siebenb. (1854) 13 = *Ruppia rostellata*.

**ZANNICHELLIA** :—

- pedunculata*, Reichb. in Moessl. Handb. ed. II. iii. 1591 = palustris.  
*pelata*, Bertol. Fl. Ital. x. 10 = palustris.  
*polycarpa*, Nolte, Novit. Fl. Holsat. 75 = palustris.  
*Preissii*, Lehm. Fl. Preiss. ii. 3 = *Lepilaena Preissii*.  
*pumila*, Le Gall, Fl. Morb. 568 (Quid?).—Gallia.  
*radicans*, Wallm. in Liter. Bot. Ges. Regensb. xi. (1841) 20 = palustris.  
*repens*, Boenn. Prod. Fl. Monast. 272 = palustris.  
*Rosenii*, Wallm. in Liter. Bot. Ges. Regensb. xi. (1841) 18 = palustris.  
*stylaris*, Presl, Bot. Bemerk. 112.—Afr. austr.  
*tenuis*, Reut. Cat. Gr. Jard. Genève. (1854) 4; et in Compt. Rend. Soc. Hallér. (1854–56) 129 = palustris.  
*tuberosa*, Lour. Fl. Cochinch. 543.—Cochinch.  
*vaginalis*, Delile, ex Kunth, Enum. Pl. iii. 126 = *Althenia filiformis*.

- ZANONIA**, Linn. Coroll. Gen. 19 (1737). *CUCURBITACEAE*, Benth. & Hook. f. i. 839.  
*angulata*, Wall. Pl. As. Rar. ii. 28 = indica.  
*capricornica*, F. Muell. Fragm. vii. 61 = *Alsomitra capricornica*.  
*cissoides*, Wall. Pl. As. Rar. ii. 28 = *Gynostemma pedatum*.  
*clavigera*, Wall. l. c. = *Alsomitra clavigera*.  
*heterosperma*, Wall. l. c. 29 = *Gomphogyne heterosperma*.  
*Hookeri*, F. Muell. Census, 76 = *Alsomitra Hookeri*.  
*indica*, Linn. Sp. Pl. ed. II. 1457.—Ind. or.; Malaya.  
*integerrima*, Wall. ex Cogn. in DC. Monog. Phan. iii. 931 = *Alsomitra clavigera*.  
*laxa*, Wall. Pl. As. Rar. ii. 29 = *Gynostemma Wightianum*.  
*macrocarpa*, Blume, Bijdr. 937.—Java.  
*oblonga*, Wall. ex Steud. Nom. ed. II. ii. 796, nomen (Quid?).—Ind. or.  
*pedata*, Miq. Fl. Ind. Bat. i. I. 683 = *Gynostemma pedatum*.  
*sarcophylla*, Wall. Pl. As. Rar. ii. 28 = *Alsomitra sarcophylla*.  
*Stephensiana*, F. Muell. Fragm. viii. 181 = *Alsomitra Stephensiana*.  
*timorana*, Span. in Linnaea, xv. (1841) 205 = *Alsomitra timorana*.  
*timorensis*, Walp. Rep. ii. 194, sphalm. = praec.  
*Wightiana*, Arn. in Nov. Act. Nat. Cur. xviii. (1836) 356 B = *Gynostemma Wightianum*.

- ZANONIA**, [Plum.] Cram. Disp. Syst. 75 (1803) = *Campelia*, Rich. (Commel.).  
*bibracteata*, Cram. l. c. = *C. Zanonina*.

- ZANTEDESCHIA**, C. Koch, Ind. Sem. Hort. Berol. (1854) App. 9, partim = *Schismatoglottis*, Zoll. & Mor. (Aroid.).  
*alba*, C. Koch, l. c. = *Homalomena alba*.  
*calyptrata*, C. Koch, l. c. = *S. calyptrata*.  
*cordata*, C. Koch, l. c. = *Homalomena aromatica*.  
*foetida*, C. Koch, l. c. = *Homalomena aromatica*.  
*rubens*, C. Koch, l. c. = *Homalomena rubescens*.  
*virosa*, C. Koch, l. c. = *Colocasia virosa*.

- ZANTEDESCHIA**, Spreng. Syst. iii. 765 (1826) = *Richardia*, Kunth (Aroid.).  
*aethiopica*, Spreng. l. c. = *R. africana*.  
*albo-maculata*, Baill. in Bull. Soc. Linn. Par. i. (1880) 254; et ex Engl. Bot. Jahrb. iv. (1883) 64 = *R. albo-maculata*.  
*angustiloba*, Engl. l. c. = *R. angustiloba*.  
*aromatica*, Spreng. Syst. iii. 765 = *Homalomena aromatica*.  
*asperata*, C. Koch, in Ind. Sem. Hort. Berol. (1853) App. 5 = *Philodendron asperatum*.  
*hastata*, Engl. Bot. Jahrb. iv. (1883) 64 = *R. hastata*.  
*macrocarpa*, Engl. l. c. = Afr. austr.  
*melanoleuca*, Engl. l. c. = *R. melanoleuca*.  
*occulta*, Spreng. Syst. iii. 765 = *Homalomena aromatica*.  
*Rehmanni*, Engl. Bot. Jahrb. iv. (1883) 63.—Afr. austr.

- ZANTHORHIZA**, L'Hérit. Stirp. Nov. 79. t. 38 (1784). *RANUNCULACEAE*, [Benth. & Hook. f. i. 9.].  
*XANTHORHIZA*, Marsh. Arbust. 167 (1785).

**ZANTHORHIZA** :—

- apiifolia*, L'Hérit. Stirp. Nov. 79. t. 38.—Am. bor.  
*simplicissima*, Marsh. Arbust. 168 = *apiifolia*.  
*tinctoria*, Woodh. in Med. Repos. N. York, v. (1802) 160 = *apiifolia*.

- ZANTHOXILON**, Franch. & Sav. Enum. Pl. Jap. i. 72 (1875), sphalm. = seq.

- ZANTHOXYLON**, Walt. Fl. Carol. 52, 243 (1788) = seq.

**ZANTHOXYLUM**, Linn. Hort. Cliff. 487 (1737).

- RUTACEAE*, Benth. & Hook. f. i. 297.  
*AUBERTIA*, Bory. Voy. i. 356. t. 18 (1804).  
*BLACKBURNIA*, Forst. Char. Gen. t. 6 (1776).  
*CURTISIA*, Schreb. Gen. 199 (1789).  
*DORATIUM*, Soland. ex Jaume St. Hil. Expos. ii. 267 (1805).  
*FAGARA*, Linn. Syst. ed. X. 897 (1759).  
*LACURIS*, Buch.-Ham. ex Wall. Cat. n. 7119 (1849).  
*LANGSDORFIA*, Leand. Sacram. in Denkschr. Akad. Muench. (1819) 229.  
*MIOTRILA*, Rafin. Am. Man. Mulb. 37 (1839).  
*OCHROXYLUM*, Schreb. Gen. 826 (1791).  
*PENTANOME*, [Moq. & Sesse,] ex DC. Prod. i. 725, in syn.  
*POHLANA*, Leand. Sacram. in Denkschr. Akad. Muench. (1819) 229.  
*PSEUDOPETALON*, Rafin. Fl. Ludov. 107 (1817).  
*PTEROTA*, P. Br. Hist. Jamaic. 146. t. 5 (1756).  
*TENOREA*, Rafin. Specch. i. 193 (1814).  
*TIPALIA*, Dennst. Schluess. Hort. Malab. 31 (1818).  
*TOBINIA*, Desv. in Ham. Prod. Pl. Ind. Occ. 56 (1825).  
*XANTHOXYLON*, Spreng. Anleit. ii. II. 655 (1818).  
*acanthopodium*, DC. Prod. i. 727.—Reg. Himal.  
*accedens*, Miq. Fl. Ind. Bat. i. II. 671 = *Evodia accedens*.  
*aculeatissimum*, Engl. in Mart. Fl. Bras. xii. II. 176.—Bolivia.  
*aculeatum*, Macfad. Fl. Jamaica. i. 191 = *acuminatum*.  
*acuminatum*, Macfad. l. c. 192 = *coriaceum*.  
*acuminatum*, Sw. Fl. Ind. Occ. i. 575.—Jamaic.  
*acutifolium*, Engl. in Mart. Fl. Bras. xii. II. 170.—Bras.  
*affine*, H. B. & K. Nov. Gen. et Sp. vi. 3.—Mexic.  
*ailanthoides*, Sieb. & Zucc. in Abh. Akad. Muench. iv. II. (1846) 138.—Formosa; Japon.  
*alatum*, Roxb. Hort. Beng. 72; Fl. Ind. iii. 768.—Reg. Himal.; China.  
*alatum*, Steud. Nom. ed. II. ii. 796.—Afr. austr.  
*alatum*, Wall. Cat. n. 1209, partim = *acanthopodium*.  
*album*, Vahl, Eclog. Am. iii. 47.—Am. austr.  
*alveolatum*, Shuttl. ex S. Wats. Bibl. Ind. N. Am. Bot. 156 = *Z. Clava-Herculis*.  
*americanum*, Mill. Gard. Dict. ed. VIII. n. 2.—Am. bor.  
*amoyense*, Tul. in Ann. Sc. Nat. Sér. III. vii. (1847) 277.—N. Granat.  
*andamanicum*, Kurz, in Journ. As. Soc. Beng. xlv. (1875) II. 199.—Ins. Andaman.  
*araliaceum*, Turcz. in Bull. Soc. Nat. Mosc. xxxii. (1859) I. 274 = *Casimiroa edulis*.  
*arenarium*, Engl. in Mart. Fl. Bras. xii. II. 164.—Bras.  
*argenteum*, Lodd. Cat. ex G. Don, in Loud. Hort. Brit. 398, nomen (Quid?).—Hab.?  
*armatum*, DC. Prod. i. 727, sphalm. = *alatum*.  
*Arnottianum*, Maxim. in Bull. Acad. Pétersb. xvii. (1872) 146.—Ins. Bonin.  
*aromaticum*, Griseb. Fl. Brit. W. Ind. 138 = *cari-baeum*.  
*aromaticum*, Miq. Fl. Ind. Bat. i. II. 670 = *Evodia glabra*.  
*aromaticum*, Willd. Sp. Pl. iv. 755 = *Z. Clava-Herculis*.  
*articulatum*, Engl. in Mart. Fl. Bras. xii. II. 161.—Bras.  
*Aubertia*, DC. Prod. i. 725.—Ins. Borbon.  
*Aubertianum*, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 137 = praec.  
*australasicum*, A. Juss. in Mém. Mus. Par. xii. (1825) 503 = *Geijera parviflora*.  
*australe*, G. Don, in Loud. Hort. Brit. 398.—Austral.  
*Avicennae*, DC. Prod. i. 726.—China.  
*Bajamandia*, Wall. Cat. n. 7118 (sp. dub.).—Assam.  
*Balansae*, Baill. Adansonia, xi. (1875) 300.—Ins. Loyalt.

**ZANTHOXYLUM:—**

- Blackburnia, *Benth. Fl. Austral.* i. 363.—Austral.  
bombacifolium, *A. Rich. Ess. Fl. Cub.* 329. t. 35.—Cuba.  
borbonicum, *Turcz. in Bull. Soc. Nat. Mosc.* xxxi. (1858) i. 440.—Ins. Borbon.  
brachyacanthum, *F. Muell. in Trans. Phil. Inst. Vict.* ii. (1858) 65.—Austral.  
Bretschneideri, *Maxim. in Bull. Acad. Pétersb.* xxix. (1883) 73.—China.  
Budrunga, *DC. Prod.* i. 728 (=seq. ?).—Ind. or.  
Budrunga, *Wall. Cat. n.* 1211.—Reg. Himal.; Burma.  
Bungeanum, *Maxim. in Bull. Acad. Pétersb.* xvi. (1871) 212.—Bungei.  
Bungei, *Hance, in Ann. Sc. Nat. Sér. V. v.* (1866) 209 = alatum.  
Bungei, *Planch. l. c. Sér. III. xix.* (1853) 82.—China.  
camphoratum, *Planch. & Linden, l. c.*—Venezuela.  
capense, *Harv. in Harv. & Sond. Fl. Cap.* i. 446.—Afr. austr.  
caribaeum, *Gaertn. Fruct. i.* 333 = americanum.  
caribaeum, *Lam. Encyc. ii.* 39.—N. Granat.  
carolinianum, *Gaertn. Fruct. i.* 333 = caribaeum.  
carolinianum, *Lam. Encyc. ii.* 39 = Z. Clava-Herculis.  
Catesbianum, *Rafin. Med. Fl. ii.* 114 = Z. Clava-Herculis.  
cauliflorum, *Steud. Nom. ed. I.* 897 = americanum.  
Chiloperone, *Mart. ex Engl. in Mart. Fl. Bras.* xii. ii. 170.—Bras.  
ciliatum, *Engl. l. c.* 180.—Venezuela.  
cinereum, *Engl. l. c.* 172.—Bras.  
Clava-Herculis, *DC. Prod. i.* 727 = caribaeum.  
Clava-Herculis, *Lam. Encyc. ii.* 38 = americanum.  
Clava-Herculis, *Linn. Sp. Pl.* 270.—Ins. Carib.  
Clava-Herculis, *Lour. Fl. Cochinch.* 659 = Avicennae.  
clavatum, *St. Lag. in Ann. Soc. Bot. Lyon.* vii. (1880) 137 = Z. Clava-Herculis.  
Coco, *Gill. ex Hook. & Arn. in Hook. Bot. Misc.* iii. (1833) 168.—Reg. Argent.  
connaroides, *Wight & Arn. Prod.* 148 = Heynea trijuga.  
coriaceum, *A. Rich. Ess. Fl. Cub.* 326. t. 34 = emarginatum.  
coriaceum, *Walp. Rep. i.* 521.—Jamaic.  
coriaceum, *Wright, ex A. Gray, Pl. Wright.* i. 31 = Z. Clava-Herculis.  
corymbosum, *DC. Prod. i.* 726.—Ind. occ.  
crenatum, *Wall. Cat. n.* 1216 = Z. Budrunga.  
cribrosus, *Spreng. Syst. i.* 946.—Ins. S. Doming.  
cuiabense, *Engl. in Mart. Fl. Bras.* xii. ii. 163.—Bras.  
Culantrillo, *H. B. & K. Nov. Gen. et Sp.* vi. 2.—Am. trop.  
cuspidatum, *Champ. ex Benth. in Hook. Kew Journ.* iii. (1851) 329.—China.  
Danielli, *Benn. in Ann. & Mag. Nat. Hist. Ser. III.* x. (1862) 201. t. 5 (Evodiae sp.).—China.  
digynum, *Engelm. ex A. Gray, Pl. Wright.* i. 31 = Z. Clava-Herculis.  
dipetalum, *H. Mann, in Proc. Bost. Soc. Nat. Hist.* x. (1866) 319.—Ins. Sandvic.  
dumosum, *A. Rich. Ess. Fl. Cub.* 327.—Cuba.  
duplicipunctatum, *Wright, ex Griseb. Cat. Pl. Cub.* 49.—Cuba.  
elegans, *Engl. in Mart. Fl. Bras.* xii. ii. 159.—Bras.  
elegans, *A. St. Hil. & Tul. in Ann. Sc. Nat. Sér. II.* xvii. (1842) 141.—Bras.  
elephantiasis, *Macfad. Fl. Jamaic.* i. 193 = caribaeum.  
emarginatum, *Sw. Fl. Ind. Occ. i.* 572.—Ind. oc.  
emarginellum, *Miq. Ann. Mus. Bot. Lugd. Bat.* iii. 22.—Japon.  
euneuron, *Miq. Fl. Ind. Bat. Suppl.* 532 = Evodia euneura.  
Finlaysonianum, *Wall. Cat. n.* 7114.—Siam ?  
flavum, *Vahl, Eclog. Am.* iii. 48.—Am. austr.  
floribundum, *Wall. Cat. n.* 1206 = Toddalia aculeata.  
floridanum, *Nutt. Sylva.* iii. 14. t. 85 = caribaeum.  
fraxineum, *Willd. Sp. Pl.* iv. 757 = americanum.  
fraxinifolium, *Marsh. Arbust.* 167 = americanum.  
fraxinifolium, *Walt. Fl. Carol.* 243 = Z. Clava-Herculis.  
furfuraceum, *Tul. in Ann. Sc. Nat. Sér. III.* vii. (1847) 272.—N. Granat.  
Gardneri, *Engl. in Mart. Fl. Bras.* xii. ii. 165.—Bras.  
Ghisbreghtii, *Turcz. in Bull. Soc. Nat. Mosc.* xxxii. (1859) i. 274.—Mexic.

**ZANTHOXYLUM:—**

- glandulosum, *Teijsm. & Binn. Cat. Hort. Bog.* 234, nomen.—Java.  
gracile, *Wright, in Sauv. Fl. Cub.* 19.—Cuba.  
grandifolium, *Tul. in Ann. Sc. Nat. Sér. III.* vii. (1847) 273.—N. Granat.  
guianense, *Klotzsch, in Schomb. Faun. Fl. Brit. Gui.* 1189, nomen.—Guian.  
Hamiltonianum, *Wall. Cat. n.* 7117.—Reg. Himal.  
hastile, *Steud. Nom. ed. II.* ii. 796, sphalm. = hostile.  
hermaphroditum, *Willd. Sp. Pl.* iv. 756.—Guian.  
heterophyllum, *Sm. in Rees, Cycl.* xxxix. n. 14.—Ins. Mascar.  
hirsutum, *Buckl. in Proc. Acad. Sc. Philad.* 1861 (1862) 450 = Z. Clava-Herculis.  
horridum, *DC. Prod. i.* 728.—Japon.  
Horsfieldii, *Turcz. in Bull. Soc. Nat. Mosc.* xxxvi. (1863) i. 597.—Java.  
hostile, *Wall. Cat. n.* 1210 = alatum, acanthopodium.  
hyemale, *A. St. Hil. Pl. Us. Bras.* t. 37.—Bras.  
javanicum, *Walp. Rep. i.* 519 = Picrasma javanica.  
juglandifolia, *Willd. Sp. Pl.* iv. 756.—Ins. S. Doming.  
juniperinum, *Poepp. & Endl. Nov. Gen. et Sp.* iii. 77.—Am. trop.  
kauaense, *A. Gray, Bot. U. St. Expl. Exped.* i. 354.—Ins. Sandvic.  
khasianum, *Hook. f. Fl. Brit. Ind.* i. 494.—Reg. Himal.  
Kibada, *Siebold, in Verh. Batav. Gen.* xii. (1830) 48 = alatum ?  
Lamarckianum, *Cham. in Linnaea.* v. (1830) 58 = Evodia triphylla.  
lanceolatum, *Poir. Encyc. Suppl. ii.* 293 = Z. Clava-Herculis.  
Langsdorffii, *Mart. in Flora.* xx. (1837) ii. Beibl. 97 = rhoifolium.  
lanuginosum, *Kostel. Allg. Med.-Pharm. Flora.* v. 1783 = Evodia latifolia.  
latespinosum, *Engl. in Mart. Fl. Bras.* xii. ii. 173.—Bras.  
latifolium, *G. Don, Gen. Syst. i.* 804 = Evodia latifolia.  
lentiscifolium, *Champ. ex Benth. in Hook. Kew Journ.* iii. (1851) 329 = Z. Avicennae.  
Leprieurii, *Guill. & Perr. Fl. Seneg. Tent.* 141.—Afr. trop.  
Limoncello, *Planch. & Oerst. ex Triana & Planch. in Ann. Sc. Nat. Sér. V.* xiv. (1872) 312.—N. Granat.  
limonifolium, *Wall. ex Voigt, Hort. Suburb. Calc.* 185, nomen.—Reg. Himal.  
longifolium, *Wall. Cat. n.* 7115 = myriacanthum.  
lucidum, *Miq. Fl. Ind. Bat. Suppl.* 532 = Evodia lucida.  
lucidum, *A. St. Hil. Fl. Bras. Mer.* i. 92, in nota.—Bras.  
lucidum, *Wall. Cat. n.* 1212 = ovalifolium.  
macrocarpum, *C. Muell. in Walp. Ann.* vii. 527, sphalm. = microcarpum.  
macrophyllum, *Miq. Fl. Ind. Bat.* i. ii. 670 = Evodia accedens.  
macrophyllum, *Nutt. Sylva.* iii. 10 = Z. Clava-Herculis.  
macrophyllum, *Oliver, Fl. Trop. Afr.* i. 304.—Afr. trop.  
macrophyllum, *Ryan, ex Eggers, Fl. St. Croix* (1879), 38 = Z. Ochroxylum.  
macrosperrum, *Tul. in Ann. Sc. Nat. Sér. III.* vii. (1847) 276.—N. Granat.  
mantchuricum, *Benn. in Ann. & Mag. Nat. Hist. Ser. III.* x. (1862) 200 = schinifolium.  
Marambong, *Miq. Fl. Ind. Bat. Suppl.* 533 = Evodia Roxburghiana.  
martinicense, *DC. Prod. i.* 726.—Ins. Martinic.  
maviense, *H. Mann, in Proc. Bost. Soc. Nat. Hist.* x. (1866) 319.—Ins. Sandvic.  
Mayu, *Bert. in Ann. Sc. Nat. Sér. I.* xxi. (1830) 345.—Ins. J. Fernand.  
melanacanthum, *Planch. l. c. Sér. III.* xix. (1853) 82; et ex *Oliver, Fl. Trop. Afr.* i. 305.—Afr. trop.  
melanostictum, *Schlecht. & Cham. in Linnaea.* v. (1830) 231.—Mexic.  
microcarpum, *Griseb. Fl. Brit. W. Ind.* 138.—Ins. Dominic.  
microphyllum, *Desf. Cat. Hort. Par. ed. III.* 256, nomen (Quid ?).—Hab. ?  
minutiflorum, *Tul. in Ann. Sc. Nat. Sér. III.* vii. (1847) 278.—N. Granat.  
mite, *Willd. Enum. Hort. Berol.* 1013 = americanum.  
monogynum, *A. St. Hil. in Bull. Soc. Philom.* (1823) 129.—Bras.

**ZANTHOXYLUM:—**

- montanum, *Blume, Bijdr.* 248.—Java.  
myriacanthum, *Wall. Cat. n.* 1214.—Malaya.  
Naranjillo, *Griseb. in Goett. Abh.* xxiv. (1879) 76.—Reg. Argent.  
natalense, *Hochst. in Flora.* xxvii. (1844) 304 = Cnestis natalensis.  
nemorale, *Mart. in Flora.* xxiv. (1841) ii. Beibl. 92.—Bras.  
nigrum, *Mart. l. c.* xxii. (1839) i. Beibl. 11.—Bras.  
nilagiricum, *Miq. Anal. Bot. Ind.* iii. 6 = Evodia Roxburghiana.  
nitidum, *Bunge, Enum. Pl. Chin. Bor.* 13 = Bungei.  
nitidum, *DC. Prod. i.* 727.—China.  
nitidum, *A. St. Hil. Fl. Bras. Mer.* i. 77 = lucidum.  
nitidum, *Wall. Cat. n.* 1207 = Toddalia aculeata.  
Novae-Zelandiae, *A. Rich. Ess. Fl. N. Zél.* 291 = Hedycarya arborea.  
oblongum, *Wall. Cat. n.* 1218 = Z. Rhetsa.  
obscurum, *Engl. in Mart. Fl. Bras.* xii. ii. 169.—Bras.  
obtusifolium, *G. Don, Gen. Syst. i.* 804 = Evodia obtusifolia.  
obtusifolium, *Poir. Encyc. Suppl. ii.* 293.—Ind. or.  
Ochroxylum, *DC. Prod. i.* 725.—Am. trop.  
oppositifolium, *DC. l. c.* 728 = Boronia alata.  
ovalifolium, *Wight, Illustr.* i. 169.—Ind. or.  
oxyphyllum, *Edgew. in Trans. Linn. Soc.* xx. (1846) 42.—Reg. Himal.  
paniculatum, *Balf. f. in Journ. Linn. Soc.* xvi. (1877) 12.—Ins. Rodriguez.  
parviflorum, *Benth. Fl. Austral.* i. 363.—Austral.  
pauciflorum, *Engl. in Mart. Fl. Bras.* xii. ii. 164.—Bras.  
Peckoltianum, *Engl. l. c.* 155.—Bras.  
peltophorum, *Turcz. in Bull. Soc. Nat. Mosc.* xxxi. (1858) i. 442 = rhoifolium.  
Pentanome, *DC. Prod. i.* 725.—Mexic.  
Perrottetii, *DC. l. c.* 726 = rhoifolium ?  
petiolare, *A. St. Hil. & Tul. in Ann. Sc. Nat. Sér. II.* xvii. (1842) 140.—Bras.  
phyllopterum, *Wright, in Sauv. Fl. Cub.* 19.—Cuba.  
pimpinelloides, *DC. Prod. i.* 726.—Ins. S. Doming.  
piperitum, *Benn. in Ann. & Mag. Nat. Hist. Ser. III.* x. (1862) 200 = Avicennae.  
piperitum, *DC. Prod. i.* 725.—China; Japon.  
piperitum, *Hook. & Arn. Bot. Beech. Voy.* 261 = Arnottianum.  
pistacifolium, *Griseb. Cat. Pl. Cub.* 49.—Cuba.  
planispinum, *Sieb. & Zucc. in Abh. Akad. Muench.* iv. ii. (1846) 138 = alatum.  
Pohlmanum, *Engl. in Mart. Fl. Bras.* xii. ii. 166.—Bras.  
polyacanthum, *Turcz. in Bull. Soc. Nat. Mosc.* xxxi. (1858) i. 443 = stelligerum.  
polygamum, *Schum. & Thonn. Beskr. Guin. Pl.* 433 = senegalense.  
praecox, *A. St. Hil. Fl. Bras. Mer.* i. 76.—Bras.  
pteleaefolium, *Champ. ex Benth. in Hook. Kew Journ.* iii. (1851) 330 = Evodia triphylla.  
Pterota, *H. B. & K. Nov. Gen. et Sp.* vi. 3.—Ind. occ.  
Pterota, *Seem. Bot. Voy. Herald.* 94 = Z. Limoncello.  
pterotum, *St. Lag. in Ann. Soc. Bot. Lyon.* vii. (1880) 137 = Z. Pterota.  
pubescens, *A. St. Hil. & Tul. in Ann. Sc. Nat. Sér. II.* xvii. (1842) 141 = rhoifolium.  
pumilum, *Zipp. ex Span. in Linnaea.* xv. (1841) 185, nomen (Quid ?).—Ins. Timor.  
punctatum, *Vahl, in West, Bidr. Ste-Croix.* 310.—Ind. occ.  
quinduense, *Tul. in Ann. Sc. Nat. Sér. III.* vii. (1847) 275.—N. Granat.  
ramiflorum, *Michx. Fl. Bor. Am.* ii. 235 = americanum.  
Regnellianum, *Engl. in Mart. Fl. Bras.* xii. ii. 174.—Bras.  
Rhetsa, *DC. Prod. i.* 728.—Ind. or.  
rhetsum, *St. Lag. in Ann. Soc. Bot. Lyon.* vii. (1880) 137 = praec.  
rhizinoïdes, *Blume, Bijdr.* 248.—Java.  
rhoifolium, *Lam. Encyc. ii.* 39.—Am. trop.  
ricinoides, *Walp. Rep. i.* 520, sphalm. = rhizinoïdes.  
Riedelianum, *Engl. in Mart. Fl. Bras.* xii. ii. 162.—Bras.  
rigidum, *Humb. & Bonpl. ex Willd. Sp. Pl.* iv. 756.—Am. austr.  
Roxburghianum, *Cham. in Linnaea.* v. (1830) 58 = Evodia Roxburghiana.  
rubescens, *Planch. ex Hook. Niger Fl.* 270.—Afr. trop.



**ZANTHOXYLUM** :—

- rufescens*, Desf. *Cat. Hort. Par.* ed. III. 407.—Hab. ?  
*rugosum*, A. St. Hil. & Tul. in *Ann. Sc. Nat. Sér. II.*  
 xvii. (1842) 140.—Bras.  
*Ruizianum*, Klotzsch, ex Engl. in *Mart. Fl. Bras.* xii.  
 II. 170 = *obscurum*.  
*Rumphianum*, Cham. in *Linnaea*, v. (1830) 58 =  
*Evodia latifolia*.  
*sapindifolium*, Wall. *Cat.* n. 1215.—Burma.  
*sapindoides*, DC. *Prod.* i. 728 = *emarginatum*.  
*scandens*, Blume, *Bijdr.* 249.—Java.  
*schinifolium*, Sieb. & Zucc. in *Abh. Akad. Muench.*  
 iv. II. (1846) 137.—China; Japon.  
*Selloi*, Spreng. *Syst.* i. 947.—Bras.  
*senegalense*, DC. *Prod.* i. 726.—Afr. trop.  
*sepiarium*, Wight, *Illustr. Ind. Bot.* i. 169 = *ovalifolium*.  
*Serra*, Turcz. in *Bull. Soc. Nat. Mosc.* xxxi. (1858) i.  
 440 = *Saurauja napaulensis*.  
*serrulatum*, Blume, *Bijdr.* 249.—Java.  
*simplicifolium*, Vahl, *Eclog. Am.* iii. 45 = *Z. Ochro-*  
*xylum*.  
*simulans*, Hance, in *Ann. Sc. Nat. Sér. V.* v. (1866)  
 208 = Bungei.  
*sorbifolium*, A. St. Hil. *Fl. Bras. Mer.* i. 75 = *rhoi-*  
*folium*.  
*Spinifex*, DC. *Prod.* i. 728.—Ind. occ.; Venezuela.  
*spinosum*, Sw. *Fl. Ind. Occ.* i. 574.—Ind. occ.  
*spondiaefolium*, Wall. *Cat.* n. 1217.—Burma.  
*Sprucei*, Engl. in *Mart. Fl. Bras.* xii. II. 167.—  
 Peruv.  
*stelligerum*, Turcz. in *Bull. Soc. Nat. Mosc.* xxxi.  
 (1858) i. 442.—Bras.  
*stenopterum*, Wright, in *Sauv. Fl. Cub.* 19.—Cuba.  
*stipitatum*, Engl. in *Mart. Fl. Bras.* xii. II. 161.—  
 Bolivia.  
*subseriatum*, Engl. l. c. 160.—Bras.  
*Sumach*, Griseb. *Fl. Brit. W. Ind.* 138, in obs.—Ins.  
 Guadeloup.  
*Sumach*, Macfad. *Fl. Jamaica.* i. 195 = *Brunellia como-*  
*cladifolia*.  
*syncarpum*, Tul. in *Ann. Sc. Nat. Sér. III.* vii. (1847)  
 279.—N. Granat.  
*taediosum*, A. Rich. *Ess. Fl. Cub.* 330.—Cuba.  
*tenuifolium*, Engl. in *Mart. Fl. Bras.* xii. II. 160.—  
 Bras.  
*terebinthoides*, Bertol. f. in *Mem. Acad. Sc. Bologn.* v.  
 (1854) 470.—Afr. trop.  
*ternatum*, Sw. *Fl. Ind. Occ.* i. 570.—Ind. occ.  
*tetraspermum*, Wight & Arn. *Prod.* 148.—Ind. or.  
*texanum*, Buckl. in *Bull. Torrey Bot. Club*, x. (1883)  
 90.—Texas.  
*Thunbergii*, DC. *Prod.* i. 726.—Afr. austr.  
*tidorensis*, Miq. *Ann. Mus. Bot. Lugd. Bat.* iii. 246.—  
 Ins. Molucc.  
*Timbor*, Wall. *Cat.* n. 7116 = *acanthopodium*.  
*timoriense*, Span. in *Linnaea*, xv. (1841) 185.—Ins.  
 Timor.  
*Tingoassuiba*, A. St. Hil. *Fl. Bras. Mer.* i. 78.—Bras.  
*tomentellum*, Hook. f. *Fl. Brit. Ind.* i. 493.—Reg.  
 Himal.  
*torvum*, F. Muell. *Fragm.* vii. 140.—Austral.  
*tragodes*, DC. *Prod.* i. 725.—Ins. S. Doming.  
*tricarpum*, Hook. *Fl. Bor. Am.* i. 118 = *americanum*.  
*tricarpum*, Michx. *Fl. Bor. Am.* ii. 235 = *Z. Clava-*  
*Herculis*.  
*triflorum*, Turcz. in *Bull. Soc. Nat. Mosc.* xxxvi. (1863)  
 i. 597 = *Melicope indica* ?  
*trifoliatum*, Linn. *Sp. Pl.* 270 = *Acanthopanax*  
*aculeatum*.  
*triphyllum*, G. Don, *Gen. Syst.* i. 804 = *Evodia*  
*triphylla*.  
*triphyllum*, Wight, *l. c.* 204 = *Evodia Roxburghiana*.  
*triplineve*, Turcz. in *Bull. Soc. Nat. Mosc.* xxxvi.  
 (1863) i. 597.—Ins. Philipp.  
*tuberculatum*, Engl. in *Mart. Fl. Bras.* xii. II. 166.—  
 Bras.  
*undulatum*, Wall. *Cat.* n. 1208 = *Toddalia lanceolata*.  
*varians*, Benth. in *Hook. Lond. Journ. Bot.* ii. (1843)  
 214.—Ins. Fiji.  
*velutinum*, Benth. *Pl. Hartw.* 167 = *rigidum*.  
*violaceum*, Wall. *Cat.* n. 1213 = *oxyphyllum*.  
*Wallichianum*, Steud. *Nom. ed. II.* ii. 797 = *ovalif-*  
*olium*.  
*zeylanicum*, DC. *Prod.* i. 728 = *Evodia Roxburghiana*.

**ZANTHYRSIS**, Rafn. *New Fl. Am.* iii. 84 (1836) =  
*Sophora*, Linn. (*Legumin.*).  
*paniculata*, Rafn. l. c. = *S. tomentosa*.

**ZANTORRHIZA**, Steud. *Nom. ed. II.* ii. 796 (1841) =  
*Zanthorrhiza*, L'Herit. (*Ranunc.*).

**ZAPAMIA**, Steud. *Nom. ed. II.* ii. 796 (1841), sphalm.  
 = seq.

- ZAPANIA**, Lam. *Illustr.* i. 58. t. 17. n. 42 (1791) =  
*Lippia*, Houtt. (*Verben.*).  
*angustifolia*, Poir. *Encyc.* viii. 841 = *Stachytarpheta*  
*angustifolia*.  
*arabica*, Poir. l. c. 844 = *Priva leptostachya*.  
*aristata*, Mirb. *Hist. Nat. Pl. ed. II.* xv. 240 = *Stachy-*  
*tarpheta orubica*.  
*bracteosa*, Poir. *Encyc.* viii. 843 = *Verbena bracteata*.  
*cajenensis*, Mirb. *Hist. Nat. Pl. ed. II.* xv. 241 =  
*Stachytarpheta cajenensis*.  
*canescens*, Gibert, *Enum. Pl. Montev.* 44 = *L. canescens*.  
*citriodora*, Lam. *Illustr.* i. 59 = *L. citriodora*.  
*corymbosa*, Poir. *Encyc.* viii. 844 = *Verbena corymbosa*.  
*cuneifolia*, Torr. in *Ann. Lyc. N. York*, ii. (1828) 234  
 = *L. cuneifolia*.  
*curassavica*, Lam. *Illustr.* i. 59 = *Tamonea spinosa*.  
*dichotoma*, Mirb. *Hist. Nat. Pl. ed. II.* xv. 240 =  
*Stachytarpheta dichotoma*.  
*Echinus*, Nees & Mart. in *Nov. Act. Nat. Cur.* xi.  
 (1823) 71. t. 5 = *Hyptis Sideritis*.  
*geminata*, Gibert, *Enum. Pl. Montev.* 44 = *L. gemi-*  
*nata*.  
*globiflora*, Juss. in *Ann. Mus. Par.* vii. (1806) 72 =  
*L. asperifolia*.  
*hispida*, Zuccagni, in *Roem. Collect.* 118 = *Priva*  
*hispida*.  
*indica*, Lam. *Illustr.* i. 59 = *Stachytarpheta indica*.  
*jamaicensis*, Lam. l. c. = *Stachytarpheta dichotoma*.  
*javanica*, Lam. l. c. = *L. javanica*.  
*lanceolata*, Juss. in *Ann. Mus. Par.* vii. (1806) 72 =  
*L. lanceolata*.  
*lantanoides*, Lam. *Illustr.* i. 58 = *L. asperifolia*.  
*lappulacea*, Lam. l. c. 59 = *Priva echinata*.  
*marginata*, Mirb. *Hist. Nat. Pl. ed. II.* xv. 240 =  
*Stachytarpheta indica*.  
*mexicana*, Lam. *Illustr.* i. 59 = *Priva hispida*.  
*mutabilis*, Lam. l. c. = *Stachytarpheta mutabilis*.  
*nodiflora*, Lam. l. c. = *L. nodiflora*.  
*nudiflora*, Spreng. *Pugill.* ii. 70, in obs., sphalm. =  
*præc.*  
*odorata*, Pers. *Syn.* ii. 140 = *L. asperifolia*.  
*odoratissima*, Scop. *Delic. Insub.* i. 34 = *L. asperi-*  
*folia*.  
*orubica*, Mirb. *Hist. Nat. Pl. ed. II.* xv. 241 = *Stachy-*  
*tarpheta orubica*.  
*prismatica*, Lam. *Illustr.* i. 59 = *Bouchea Ehrenbergii*.  
*reclinata*, Lam. l. c. 58 = *L. stoechadifolia*.  
*repens*, Bertol. *Rar. Ital. Pl. Dec.* iii. 27 = *L. nodi-*  
*flora*.  
*reptans*, Spreng. *Pugill.* ii. 70, in obs. = *L. reptans*.  
*scaberrima*, Juss. ex Pers. *Syn.* ii. 140.—Hab. ?  
*squamosa*, Mirb. *Hist. Nat. Pl. ed. II.* xv. 241 =  
*Elytraria tridentata*.  
*staechadifolia*, Juss. in *Ann. Mus. Par.* vii. (1806) 72 =  
*L. stoechadifolia*.  
*strigosa*, Mirb. *Hist. Nat. Pl. ed. II.* xv. 241 = *Stachy-*  
*tarpheta strigosa*.  
*suberosa*, Spreng. *Pugill.* ii. 69 = *L. reptans*.  
*urticifolia*, Poir. *Encyc. Suppl.* v. 520 = *Stachytarpheta*  
*dichotoma*.  
*virgata*, Poir. *Encyc.* viii. 845 = *L. urticoides*.

**ZAPPANIA**, Zuccagni, in *Roem. Collect.* 117 (1809),  
 sphalm. = *præc.*

**ZARA**, Benth. & Hook. f. *Gen.* iii. 964 (1883), err. typ. =  
*ZALA*, Lour. = *Pistia*, Linn.

**ZARABELLIA**, Cass. in *Dict. Sc. Nat.* lix. 240 (1829) =  
*Melampodium*, Linn. (*Compos.*).  
*rhomboidea*, Cass. l. c. = *M. paludosum*.

**ZARABELLIA**, Neck. *Elem.* i. 10 (1790) = *Berkheya*,  
 Ehrh. (*Compos.*).

**ZARCOA**, Llanos, in *Bot. Zeit.* xv. (1857) 423 = *Bridelia*,  
 Willd. (*Euphorb.*).  
*philippica*, Llanos, l. c. = *Glochidion philippense*.

**ZATARENDIA**, Rafn. *Fl. Tellur.* iii. 86 (1836) =  
*Origanum*, Tourn. (*Labi.*).  
*egyptiaca*, Rafn. l. c. = *O. Maru*.

**ZATARIA**, Boiss. *Diagn. Ser. I.* v. 18 (1844). *LABIA-*  
*TAE*, Benth. & Hook. f. ii. 1186.  
*bracteata*, Boiss. l. c. Ser. II. iv. 12 = *multiflora*.  
*humilis*, Benth. in *DC. Prod.* xii. 183 = *Nepeta*  
*bracteata*.  
*multiflora*, Boiss. *Diagn. Ser. I.* v. 18.—Persia.

**ZAUSCHERIA**, Steud. *Nom. ed. II.* ii. 797 (1841),  
 sphalm. = seq.

**ZAUSCHNERIA**, Presl, *Rel. Haenk.* ii. 28. t. 52  
 (1831). *ONAGRARIEAE*, Benth. & Hook. f. i. 788.  
*californica*, Presl, l. c.—Calif.  
*mexicana*, Presl, l. c. 29 = *californica*.

**ZAZINTHA**, Hall. in *Rupp. Fl. Jen.* 209 (1745),  
 sphalm. = *Zacintha*, Tourn. (*Compos.*).

**ZEA**, Linn. *Gen. ed. I.* 279 (1737). *GRAMINEAE*,  
 Benth. & Hook. f. iii. 1114.  
*MAYS*, Tourn. ex Gaertn. *Fruct.* i. 6. t. 1 (1788).  
*THALYSIA*, Linn. *Syst. ed. I.* (1735).

*alba*, Mill. *Gard. Dict.* ed. VIII. n. 2 = *Z. Mays*.  
*altissima*, Gmel. ex Steud. *Nom. ed. I.* 898 =  
*Z. Mays*.

*americana*, Mill. *Gard. Dict.* ed. VIII. n. 1 = *Z. Mays*.  
*amylacea*, Sturtev.—Cf. *Gard. Chron.* (1883) II. 443 =  
*Z. Mays*.

*Caragua*, Steud. *Nom. ed. II.* ii. 797, sphalm. =  
*Z. Curagua*.

*cryptosperma*, Bonaf. *Hist. Nat. Mais.* 30. t. 5 bis =  
*Z. Mays*.

*Curagua*, Molina, *Sagg. Chil.* 129, 354.—Chili.  
*erythrolepis*, Bonaf. *Hist. Nat. Mais.* 30. t. 5.—Am.  
 bor. (cult.).

*everta*, Sturtev.—Cf. *Gard. Chron.* (1883) II. 443 =  
*Z. Mays*.

*hirta*, Bonaf. in *Ann. Sc. Nat. Sér. I.* xvii. (1829) 158.  
 —Calif.

*indentata*, Sturtev.—Cf. *Gard. Chron.* (1883) II. 443  
 = *Z. Mays*.

*indurata*, Sturtev. l. c. = *Z. Mays*.  
*japonica*, Van Houtte, *Fl. des Serres*, xvi. (1865–67)  
 121. t. 1673–74.—Japon.

*macrosperma*, Klotzsch, in *Bot. Zeit.* ix. (1851) 718.—  
 Peruv.

*Mais*, Vell. *Fl. Flum.* x. t. 3 = seq.  
*Mays*, Linn. *Sp. Pl.* 971.—Paraguay.

*minor*, Gmel. ex Steud. *Nom. ed. I.* 898 = *Z. Mays*.  
*mucronata*, Poit. ex Vilm. in *Rev. Hort.* Sér. II. i.  
 (1843) 246, in nota = *rostrata*.

*praecox*, Steud. *Nom. ed. I.* 898 = *Z. Mays*.  
*rostrata*, Bonaf. in *Ann. Soc. Agric. Lyon*, v. (1842)  
 197; et ex Vilm. in *Rev. Hort.* Sér. II. i. (1843)  
 245.—Peruv.

*saccharata*, Sturtev.—Cf. *Gard. Chron.* (1883) II. 443  
 = *Z. Mays*.

*segetalis*, Salisb. *Prod.* 28 = *Z. Mays*.  
*vaginata*, Sturtev.—Cf. *Gard. Chron.* (1883) II. 443 =  
*Z. Mays*.

*vulgaris*, Mill. *Gard. Dict.* ed. VIII. n. 3 = *Z. Mays*.

**ZEBRINA**, Schnizl. in *Bot. Zeit.* vii. (1849) 870.  
*COMMELINACEAE*, Benth. & Hook. f. iii. 856.

*leandra*, C. B. Clarke, in *DC. Monog. Phan.* iii. 318.  
 —Mexic.

*pendula*, Schnizl. in *Bot. Zeit.* vii. (1849) 870.—  
 Mexic.

**ZEDOARIA**, Rafn. *Fl. Tellur.* iv. 53 (1836) = *Amomum*,  
 Linn. (*Scitam.*).

**ZEDUBA**, Ham. ex Meissn. *Gen. Comm.* 280 (1842) =  
*Calanthe*, R. Br. (*Orchid.*).

**ZEHNERIA**, Endl. *Prod. Fl. Norfolk.* 69 (1833) =  
*Melothria*, Linn. (*Cucurb.*).

*affinis*, Endl. ex Walp. *Rep.* ii. 196 = *M. punctata*.  
*angolensis*, Hook. f. in *Oliver, Fl. Trop. Afr.* ii. 559 =  
*M. angolensis*.

*Baueriana*, C. B. Clarke, in *Hook. f. Fl. Brit. Ind.* ii.  
 624 = *M. mucronata*.

*Baueriana*, Endl. *Prod. Fl. Norfolk.* 69 = *M. Baue-*  
*riana*.

*cerasiformis*, Stocks, in *Hook. Kew Journ.* iv. (1852)  
 149 = *Blastania fimbriatipula*.

*connivens*, Miq. *Fl. Ind. Bat.* i. r. 656 = *M. hetero-*  
*phylla*.

## ZEHNERIA:—

- cordata*, Sond. in Harv. & Sond. Fl. Cap. ii. 486 = *Melothria cordata*.  
*Cunninghamii*, F. Muell. in Hook. Kew Journ. viii. (1856) 50 = M. Cunninghamii.  
*cuspidata*, Endl. ex Walp. Rep. ii. 196 = M. punctata.  
*debilis*, Sond. in Harv. & Sond. Fl. Cap. ii. 488 = *Trochomeria debilis*.  
*deltoidea*, Hook. f. in Oliver, Fl. Trop. Afr. ii. 560 = M. Mannii.  
*deltoidea*, Miq. Pl. Jungh. 397 = M. Rauwenhoffii.  
*dilatata*, Endl. ex Walp. Rep. ii. 196 = M. cordata.  
*Ecklonis*, Endl. ex Walp. l. c. = M. punctata.  
*erythrocarpa*, F. Muell. in Hook. Kew Journ. viii. (1856) 51 = *Bryonopsis laciniosa*.  
*exasperata*, Miq. Fl. Ind. Bat. i. r. 655 = M. punctata.  
*filiformis*, Miq. l. c. = M. heterophylla.  
*Garcini*, Sond. in Harv. & Sond. Fl. Cap. ii. 487 = *Trochomeria Garcini*.  
*Garcini*, Stocks, in Hook. Kew Journ. iv. (1852) 149 = *Blastania Garcini*.  
*hastata*, Miq. Pl. Jungh. 398; Fl. Ind. Bat. i. r. 656 = M. heterophylla.  
*hederacea*, Sond. in Harv. & Sond. Fl. Cap. ii. 487 = M. hederacea.  
*Hookeriana*, Arn. in Hook. Journ. Bot. iii. (1841) 275 = M. perpusilla.  
*Hookeriana*, Miq. Ann. Mus. Bot. Lugd. Bat. ii. 80 = M. japonica.  
*longepedunculata*, Hochst. ex Cogn. in DC. Monog. Phan. iii. 612 = M. longepedunculata.  
*longepedunculata*, A. Rich. Tent. Fl. Abyss. i. 287 = M. scrobiculata.  
*lucida*, Hook. f. in Oliver, Fl. Trop. Afr. ii. 559 = M. lucida.  
*macrocarpa*, Sond. in Harv. & Sond. Fl. Cap. ii. 488 = *Trochomeria macrocarpa*.  
*maysurensis*, Arn. in Hook. Journ. Bot. iii. (1841) 275 = M. mucronata.  
*membranacea*, Endl. ex Walp. Rep. ii. 196 = M. punctata.  
*micrantha*, Hook. f. in Oliver, Fl. Trop. Afr. ii. 560 = M. minutiflora.  
*micrantha*, F. Muell. Fragm. i. 182 = M. Muellieri.  
*microsperma*, Hook. f. in Oliver, Fl. Trop. Afr. ii. 559 = M. microsperma.  
*mucronata*, Miq. Fl. Ind. Bat. i. r. 656 = M. mucronata.  
*mysorensis*, Wight, in Ann. & Mag. Nat. Hist. Ser. I. viii. (1842) 268 = M. mucronata.  
*obtusiloba*, Sond. in Harv. & Sond. Fl. Cap. ii. 487 = M. obtusiloba.  
*pectinata*, Sond. l. c. = *Trochomeria pectinata*.  
*racemosa*, Hook. f. in Oliver, Fl. Trop. Afr. ii. 561 = M. racemosa.  
*scabra*, Sond. in Harv. & Sond. Fl. Cap. ii. 486 = M. punctata.  
*scrobiculata*, Hochst. ex A. Rich. Tent. Fl. Abyss. i. 287 = M. scrobiculata.  
*suavis*, Endl. ex Walp. Rep. ii. 196 = M. punctata.  
*umbellata*, Thw. Enum. Pl. Zeyl. 125 = M. heterophylla.  
*velutina*, Arn. in Hook. Journ. Bot. iii. (1841) 275; Endl. ex Walp. Rep. ii. 196 = M. velutina.  
*velutina*, A. Rich. Tent. Fl. Abyss. i. 287 = M. tomentosa.  
*Wyleyana*, Sond. in Harv. & Sond. Fl. Cap. ii. 488 = *Trochomeria Wyleyana*.

ZELEA, Hort. ex Tenore, Atti 3<sup>a</sup> Reun. Sc. Ital. (1841) 504 = *Carapa*, Aubl. (Meliac.).  
*splendens*, Hort. ex Tenore, l. c. = C. procera.

ZELKOVA, Spach, in Ann. Sc. Nat. Sér. II. xv. (1841) 356. *URTICACEAE*, Benth. & Hook. f. iii. 353.

ABELICEA, Reichb. Consp. 84 (1828); Baill. Hist. Pl. vi. 185 (1875).

HEMIPTELEA, Planch. in Compt. Rend. Acad. Par. lxxiv. (1872) 131.

Abelicea, Boiss. Fl. Orient. iv. 1159 = cretica.

acuminata, Planch. in Compt. Rend. Acad. Par. lxxiv. (1872) 1496; et in DC. Prod. xvii. 166. — Japon.

crenata, Spach, in Ann. Sc. Nat. Sér. II. xv. (1841) 358. — Reg. Cauc.

cretica, Spach, Hist. Vég. Phan. xi. 121. — Ins. Creta.

Keaki, Maxim. in Bull. Acad. Pétersb. xviii. (1873) 288 = acuminata.

stipulacea, Franch. & Sav. Enum. Pl. Jap. ii. 489 (err. typ. 984). — Japon.

VOL. II.

ZELMIRA, Rafin. Fl. Tellur. iv. 50 (1836) = *Calathea*, G. F. W. Mey. (Scitam.).  
*violacea*, Rafin. l. c. = C. violacea.

ZELONOPS, Rafin. Fl. Tellur. ii. 102 (1836) = *Phoenix*, Linn. (Palm.).  
*pusilla*, Rafin. l. c. = P. farinifera.

ZENKERIA, Arn. in Mag. Zool. & Bot. ii. (1838) 548 = *Apuleia*, Mart. (Legumin.).  
*dalbergioides*, Arn. l. c. = A. praecox.  
*Lundii*, F. Didr. in Kjoeb. Viddensk. Meddel. (1853) 88 = A. praecox.

ZENKERIA, Reichb. Nom. 236 (1841) = *Parmentiera*, DC. (Bignon.).

ZENKERIA, Trin. in Linnaea, xi. (1837) 150. t. 3. *GRAMINEAE*, Benth. & Hook. f. iii. 1155.  
*AMPHIDONAX*, Nees, ex Steud. Syn. Pl. Gram. 196 (1855).

*elegans*, Trin. in Linnaea, xi. (1837) 150. t. 3. — Ind. or.  
*obtusiflora*, Benth. in Journ. Linn. Soc. xix. (1881) 93. — Zeylan.

ZENOBLA, D. Don, in Edinb. N. Phil. Journ. xvii. (1834) 158. *ERICACEAE*, Benth. & Hook. f. ii. 587.  
*dealbata*, D. Don, ex Steud. Nom. ed. II. i. 89, in syn.; ii. 797 = speciosa.  
*floribunda*, DC. Prod. vii. 598 = *Pieris floribunda*.  
*racemosa*, DC. l. c. = *Leucothoe racemosa*.  
*speciosa*, D. Don, in Edinb. N. Phil. Journ. xvii. (1834) 158. — Am. bor.

ZENOPOGON, Link, Handb. ii. 481 (1831) = *Anthyllis*, Riv. (Legumin.).  
*cytisoides*, Link, l. c. 481, 146 = A. cytisoides.  
*Genistae*, Link, ll. cc. = A. Genistae.  
*Herrmanniae*, Link, ll. cc. = A. Hermanniae.

ZEOCRITON, Beauv. Agrost. 114. t. 21. f. 2 (1812) = *Hordeum*, Tourn. (Gramin.).  
*commune*, Beauv. l. c. 182 = H. Zeocriton.  
*complanatum*, Beauv. l. c. 115 = H. complanatum.  
*distichum*, Beauv. l. c. = H. distichon.  
*Hystrix*, Beauv. l. c. = H. maritimum.  
*maritimum*, Beauv. l. c. = H. maritimum.  
*murinum*, Beauv. l. c. = H. murinum.  
*nodosum*, Beauv. l. c. = H. pratense.  
*pratense*, Beauv. l. c. = H. secalinum.  
*rigidum*, Beauv. l. c. = H. maritimum.  
*secalinum*, Beauv. l. c. = H. capense.  
*strictum*, Beauv. l. c. = H. bulbosum.  
*vulgare*, S. F. Gray, Nat. Arr. Brit. Pl. ii. 90 = H. Zeocriton.

ZEPHYRA, D. Don, in Edinb. N. Phil. Journ. (Oct. 1832) 236. *HAEMODORACEAE*, Benth. & Hook. f. iii. 680.  
*DICOLUS*, Phil. in Anal. Univ. Chil. (1873) 550; (Desc. Pl. Nuev. ii. 74).  
*amoena*, Miers, in Trans. Linn. Soc. xxiv. (1864) 503 = elegans.  
*elegans*, D. Don, in Edinb. N. Phil. Journ. (Oct. 1832) 236. — Peruv.; Chili.

ZEPHYRANTHES, Herb. App. [Bot. Reg.] 36 (1821). *AMARYLLIDAE*, Benth. & Hook. f. iii. 723.

ARGYROPSIS, M. Roem. Syn. Ens. 125 (1847).

ARVIELA, Salisb. Gen. Pl. Fragm. 135 (1866).

HABRANTHUS, Herb. in Bot. Mag. t. 2464 (1824); et in Bot. Reg. t. 1345 (1830), partim.

MESOCHLOA, Rafin. Fl. Tellur. iv. 10 (1836).

PLECTRONEMA, Rafin. l. c. (1836).

POGONEMA, Rafin. l. c. (1836).

PYROLIRION, Herb. App. [Bot. Reg.] 37 (1821).

Ackermannia, M. Roem. Syn. Ens. 124 = verecunda.

acuminata, Herb. in Bot. Reg. sub t. 1345 = mesochloa.

Akermanniana, Herb. ex G. Don, in Sweet, Hort. Brit. ed. III. 671, nomen (Quid?). — Mexic.

Andersoniana, Benth. & Hook. f. Gen. iii. 724. — Reg. Argent.

Andersonii, Nichols. Dict. Gard. ii. 107 = praecox.

Atamasco, Herb. App. [Bot. Reg.] 36. — Amer. aurea, Benth. & Hook. f. Gen. iii. 724. — Peruv.

## ZEPHYRANTHES:—

*aurea*, S. Wats. in Proc. Am. Acad. xviii. (1883) 161 = longifolia.

*bifolia*, M. Roem. Syn. Ens. 125 = rosea.

*candida*, Herb. in Bot. Mag. t. 2607. — Reg. Argent.

*carinata*, Herb. l. c. t. 2594. — Am. centr.; Jamaic.

*carnea*, D. Dietr. Syn. Pl. ii. 1175 = rosea.

*chloroleuca*, Herb. App. [Bot. Reg.] 36. — Afr. austr.?

*chlorosolen*, D. Dietr. Syn. Pl. ii. 1176 = *Cooperia Drummondii*.

*citrina*, Baker, in Bot. Mag. t. 6605. — Guian.

*Commersoniana*, Herb. Amaryll. 174. t. 29. f. 3. — Reg. Argent.

*concolor*, Benth. & Hook. f. Gen. iii. 724, in nota. — Mexic.

*depauperata*, Herb. Amaryll. 171. — Chili.

*Drummondii*, D. Don, in Sweet, Brit. Flow. Gard. Ser. II. t. 328 = *Cooperia pedunculata*.

*flava*, Ind. Kew. i. 102 (perperam citata, post 1885 publici juris facta).

*flavescens*, Herb. in Lindl. in Bot. Reg. sub t. 1345 = mesochloa.

*gracilifolia*, Nichols. Dict. Gard. ii. 107. — Reg. Argent.

*gracilis*, Herb. Amaryll. 172. t. 29. f. 1. — Peruv.

*Grahamiana*, Herb. l. c. 175. t. 29. f. 2 = verecunda.

*grandiflora*, Lindl. Bot. Reg. t. 902 = carinata.

*Herbertiana*, D. Dietr. Syn. Pl. ii. 1176 = *Cooperia Drummondii*.

*lilacina*, Liebm. Ind. Sem. Hort. Haun. (1844). — Cf. Linnaea, xviii. (1844) 509 = verecunda?

*Lindleyana*, Herb. Amaryll. 174. t. 35. f. 5. — Mexic.

*longifolia*, Hemsl. Diagn. Pl. Nov. 55. — Mexic.

*lutea*, Herb. App. [Bot. Reg.] 36 = *Hippeastrum chilense*.

*macrosiphon*, Baker, in Gard. Chron. (1881) II. 70. — Mexic.

*mesochloa*, Herb. in Bot. Reg. sub t. 1345; et t. 1361. — Reg. Argent.

*minima*, Herb. Amaryll. 172. t. 24. f. 3. — Bras.

*minuta*, D. Dietr. Syn. Pl. ii. 1176 = *Amaryllis minuta*.

*nervosa*, D. Dietr. l. c. = verecunda.

*nervosa*, Herb. Amaryll. 172 = tubispatha.

*nervosa*, Mart. & Gal. in Bull. Acad. Brux. x. II. (1843) 114 = *Lindleyana*.

*nivea*, D. Dietr. Syn. Pl. ii. 1176 = candida.

*pallida*, M. Roem. Syn. Ens. 124 = verecunda.

*pudica*, D. Dietr. Syn. Pl. ii. 1176 = *Amaryllis Bella-donna*.

*pumila*, M. Roem. Syn. Ens. 122. — Hab.?

*purpurea*, Phil. in Linnaea, xxix. (1857-58) 65 = *Hippeastrum roseum*.

*pusilla*, D. Dietr. Syn. Pl. ii. 1176 = *Haylockia pusilla*.

*rosea*, Lindl. in Bot. Reg. t. 821. — Cuba.

*sessilis*, Herb. Amaryll. 175 = verecunda.

*spofforthiana* ×, Herb. in Bot. Reg. t. 1746.

*striata*, Herb. in Bot. Mag. t. 2593 = verecunda.

*texana*, Herb. l. c. sub t. 3482. — Texas.

*Treatiae*, S. Wats. in Proc. Am. Acad. xiv. (1879) 300. — Florida.

*tubispatha*, Herb. App. [Bot. Reg.] 36. — Am. trop.

*verecunda*, Herb. in Bot. Mag. t. 2583. — Mexic.

*versicolor*, Nichols. Dict. Gard. ii. 107. — Uruguay.

ZERDANA, Boiss. in Ann. Sc. Nat. Sér. II. xvii. (1842) 84. *CRUCIFERAE*, Benth. & Hook. f. i. 80.

*anchonioides*, Boiss. l. c. — Persia.

ZERNA, Panz. in Denkschr. Akad. Muench. 1813 (1814) 296 = *Bromus*, Dill. et *Festuca*, Tourn. (Gramin.).

*angustifolia*, Bess. in Mém. Soc. Nat. Mosc. vi. (1823) 203 = B. erectus.

*aspera*, Panz. in Denkschr. Akad. Muench. 1813 (1814) 297 = B. asper.

*bromoides*, Panz. l. c. = *Festuca bromoides*.

*distachyos*, Panz. l. c. = *Brachypodium distachyum*.

*erecta*, Panz. l. c. = B. erectus.

*gigantea*, Panz. l. c. = B. giganteus.

*ligustica*, Panz. l. c. = B. rubens, scoparius, *Festuca clavata*.

*macrostachys*, Panz. l. c. = B. macrostachys.

*madritensis*, Panz. l. c. = B. madritensis.

*Myuros*, Panz. l. c. = *Festuca Myuros*.

*sterilis*, Panz. l. c. = B. sterilis.

*tectorum*, Panz. l. c. = B. tectorum.

ZERUMBET, Lestib. in Ann. Sc. Nat. Sér. II. xv. (1841) 329 = *Zingiber*, Adans. (Scitam.).

*Zingiber*, Lestib. l. c. = *Zingiber Zerumbet*.

ZERUMBET, Wendl. Sert. Hannov. fasc. iv. 3. t. 19 (1798) = *Alpinia*, Linn. (Scitam.).  
*speciosum*, Wendl. l. c. = *A. nutans*.

ZETOCAPNIA, Link & Otto, Ic. Pl. Rar. i. t. 18 (1828), sphalm. = COETOCAPNIA, Link & Otto = *Bravoa*, Lex. (Amaryll.).  
*geminiflora*, Link & Otto, l. c. = *B. geminiflora*.

ZEUGITES, P. Br. Hist. Jamaica. 341 (1756); Schreb. Gen. 810 (1791): GRAMINEAE, Benth. & Hook. f. iii. 1191.

DESPRETZIA, Kunth, Rév. Gram. ii. 485. t. 157 (1830).

GALEOTTIA, Rupr. ex Gal. in Bull. Acad. Brux. ix. II. (1842) 247.

KROMBOLZIA, Rupr. in Bull. Acad. Brux. ix. II. (1842) 247.

SENITES, Adans. Fam. ii. 39 (1763).

*americana*, Rupr. in Bull. Acad. Brux. ix. II. (1842) 247 = *mexicana*.

*americana*, Willd. Sp. Pl. iv. 204.—Jamaic.

*colorata*, Griseb. Fl. Brit. W. Ind. 536, in obs.—Venezuela.

*Galeottiana*, Hemsl. Biol. Centr. Am. Bot. iii. 577.—Mexico.

*Hartwegi*, Fourn. ex Hemsl. l. c.—Guatemala.

*jamaicensis*, Racusch. Nom. ed. III. 270 = *americana*.

*latifolia*, Hemsl. Biol. Centr. Am. Bot. iii. 577.—Mexico.

*mexicana*, Trin. ex Steud. Nom. ed. II. ii. 798.—Mexico.

*Munroana*, Hemsl. Biol. Centr. Am. Bot. iii. 577.—Guatemala.

ZEUXINE, Lindl. Orchid. Scel. 9 (1826) (Zeuxina); Reichb. Consp. 67 (1828). ORCHIDEAE, Benth. & Hook. f. iii. 599.

ADENOSTYLIS, Blume, Bijdr. 414 (1825).

HAPLOCHILUS, Endl. Ench. 113 (1841); Gen. Suppl. ii. 20 (1842).

MONOCHILUS, Wall. ex Lindl. Gen. et Sp. Orch. 486 (1840).

PSYCHECHILUS, Breda, Orch. Kuhl. et Hass. [t. 9] (1827).

STRATEUMA, Rafin. Fl. Tellur. ii. 89 (1836).

TRIPLEURA, Lindl. in Wall. Cat. n. 7391 (1832); et Bot. Reg. sub t. 1618 (1833).

*africana*, Reichb. f. in Flora, l. (1867) 103.—Afr. trop.

*bracteata*, Wight, Ic. t. 1724, bis. = *sulcata*.

*brevifolia*, Wight, Ic. t. 1725 = *sulcata*.

*clandestina*, Blume, Orch. Archip. Ind. 70.—Java.

*emarginata*, Lindl. Gen. et Sp. Orch. 485 = *sulcata*.

*flava*, Trimen, Cat. Pl. Ceyl. 90.—Ind. or.; Malaya.

*Godefroyi*, Reichb. f. Otia Bot. Hamb. 34.—Cambodia.

*goodyeroides*, Lindl. Gen. et Sp. Orch. 486.—Reg. Himal.; Burma.

*gracilis*, Blume, Orch. Archip. Ind. 69.—Java.

*integerrima*, Lindl. Gen. et Sp. Orch. 486 = *sulcata*.

*longilabris*, Trimen, Cat. Pl. Ceyl. 90.—Ind. or.

*membranacea*, Lindl. Gen. et Sp. Orch. 486 = *sulcata*.

*moniliformis*, Griff. Notul. iii. 397 = *Cheirostylis pusilla*.

*nervosa*, Trimen, Cat. Pl. Ceyl. 90.—Reg. Himal.

*procumbens*, Blume, Orch. Archip. Ind. 68 = *sulcata*.

*purpurascens*, Blume, l. c. 71.—Sumatra; Borneo.

*regia*, Trimen, Cat. Pl. Ceyl. 90.—Zeylan.

*robusta*, Wight, Ic. t. 1726 = *sulcata*.

*sulcata*, Lindl. Gen. et Sp. Orch. 485.—Ind. or.; Malaya; China.

*Tripleura*, Lindl. in Journ. Linn. Soc. i. (1857) 186 = *sulcata*.

ZEXMENIA, La Llave, in La Llave & Lex. Nov. Veg. Desc. fasc. i. 13 (1824). COMPOSITAE, Benth. & Hook. f. ii. 373.

LASIANTHAEA, DC. Prod. v. 607 (1836).

LASIANTHUS, Zucc. ex DC. l. c. (1836).

TELESIA, Rafin. Fl. Tellur. ii. 41 (1836).

*aurea*, Benth. & Hook. f. Gen. ii. 371, in nota sub *Wedelia*.—Mexico.

*brevifolia*, A. Gray, Pl. Wright. i. 112.—Mexico.

*caracasana*, Benth. & Hook. f. Gen. ii. 371, in nota sub *Wedelia*.—Venezuela.

*ceanothifolia*, Sch. Bip. in Seem. Bot. Voy. Herald, 305.—Mexico.

#### ZEXMENIA:—

*crocea*, A. Gray, Pl. Wright. i. 114.—Mexic.  
*elegans*, Sch. Bip. ex Benth. & Hook. f. Gen. ii. 373.—Hab.?

*fasciculata*, Hemsl. Biol. Centr. Am. Bot. ii. 172.—Mexic.

*Ghiesbreghtii*, A. Gray, Pl. Wright. i. 113.—Mexic.

*gnaphalioides*, A. Gray, in Proc. Am. Acad. xv. (1880) 36.—Mexic.

*goyazensis*, Benth. & Hook. f. Gen. ii. 373.—Bras.

*Grayi*, Sch. Bip. in Seem. Bot. Voy. Herald, 305 = *Verbesina Grayi*.

*Greggii*, A. Gray, Pl. Wright. i. 113.—Mexic.

*helianthoides*, Benth. & Hook. f. Gen. ii. 373.—Ecuador.

*helianthoides*, A. Gray, Pl. Wright. i. 113.—Mexic.

*hispidula*, A. Gray, in Proc. Am. Acad. xix. (1883) 10 = *Wedelia hispida*.

*hispidula*, Buckl. in Proc. Acad. Sc. Philad. 1861 (1862) 458 = *Blainvillea tampicana*.

*imbricata*, Sch. Bip. in Seem. Bot. Voy. Herald, 306.—Mexic.

*lantaniifolia*, Sch. Bip. l. c.—Mexic.

*Lindenii*, Sch. Bip. l. c.—Mexic.

*longipes*, Benth. ex Oerst. in Kjoeb. Vidensk. Meddel. (1852) 95.—Costa Rica.

*macrocephala*, Benth. & Hook. f. Gen. ii. 373; Hemsl. Biol. Centr. Am. Bot. ii. 173.—Mexic.

*microcephala*, Hemsl. l. c.—Mexic.

*monocephala*, Heynh. Nom. i. 863; ii. 772; Sch. Bip. in Seem. Bot. Voy. Herald, 306.—Mexic.

*nicaraguensis*, C. Muell. in Walp. Ann. v. 226, sphalm. = *costaricensis*.

*ovata*, Benth. & Hook. f. Gen. ii. 373.—Mexic.

*podocephala*, A. Gray, Syn. Fl. N. Am. i. II. 286.—Arizona.

*reticulata*, Benth. & Hook. f. Gen. ii. 373.—Cuba.

*rudis*, Baker, in Mart. Fl. Bras. vi. III. 188.—Bras.

*salmeoides*, Sch. Bip. ex Benth. & Hook. f. Gen. ii. 381 = *Otopappus curviflorus*.

*Salvinii*, Hemsl. Biol. Centr. Am. Bot. ii. 173.—Guatemala.

*scaberrima*, Benth. & Hook. f. Gen. ii. 373.—Guian.

*scandens*, Hemsl. Biol. Centr. Am. Bot. ii. 174.—Mexic.

*Seemannii*, A. Gray, Pl. Wright. i. 114.—Mexic.

*serrata*, La Llave, in La Llave & Lex. Nov. Veg. Desc. fasc. i. 13.—Mexic.

*stenantha*, Hemsl. Biol. Centr. Am. Bot. ii. 174.—Mexic.

*strigosa*, Sch. Bip. in Seem. Bot. Voy. Herald, 306.—Mexic.

*tagetiflora*, D. Don, ex Sweet, Hort. Brit. ed. II. 309, nomen.—Mexic.

*texana*, A. Gray, Pl. Wright. i. 112 = *Wedelia hispida*.

*trachylepis*, Hemsl. Biol. Centr. Am. Bot. ii. 175.—Mexic.

*umbellata*, Benth. & Hook. f. Gen. ii. 373 = *ceanothifolia*.

*villosa*, Polak, in Linnaea, xli. (1877) 579.—Costa Rica.

*wedelioides*, Klatt, in Abh. Naturf. Ges. Halle, xv. (1882) 328.—Peruv.

*zinniioides*, Hemsl. Biol. Centr. Am. Bot. ii. 175.—Mexic.

ZEYHERA, DC. in Bibl. Univ. Genève. xvii. (1838) 123; Prod. ix. 211 = *Zeyheria*, Mart. (Bignon.).

ZEYHERA, Less. Syn. Comp. 199 (1832) = ZEYHERIA, Spreng. f. = *Geigeria*, Griessel. (Compos.).

ZEYHERIA, Mart. Nov. Gen. et Sp. ii. 65. t. 159 (1826). BIGNONIACEAE, Benth. & Hook. f. ii. 1043.

*barbata*, Miq. in Flora, xxv. (1842) 430 = *Tecoma barbata*.

*digitata*, Miq. l. c. 431 = *Tecoma Meyeriana*.

*fluvialis*, Miq. l. c. 428 = *Tabebuia fluvialis*.

*montana*, Mart. Nov. Gen. et Sp. ii. 66. t. 159.—Bras.

*surinamensis*, Miq. in Linnaea, xviii. (1844) 250.—Guian.

*tuberculosa*, Bur. ex Verlot, in Rev. Hort. (1868) 154 = *montana*.

*Velloziana*, Miers, in Proc. Roy. Hort. Soc. iii. (1863) 201, in obs. = *montana*.

ZEYHERIA, Spreng. f. Tent. Suppl. Syst. 26 (1828) = *Geigeria*, Griessel. (Compos.).

*acaulis*, Spreng. f. l. c. = *G. africana*.

ZICHIA, Steud. Nom. ed. II. ii. 798 (1841), sphalm. = seq.

ZICHYA, Hueg. Bot. Archiv, t. 1 (1837) = *Kennedya*, Vent. (Legumin.).

*angustifolia*, Lindl. Bot. Reg. (1839) sub t. 52 = *K. coccinea*.

*coccinea*, Benth. in Ann. Wien. Mus. ii. (1838) 123 = *K. coccinea*.

*dilatata*, Pritz. Ic. Ind. i. 1181 = *K. coccinea*.

*glabrata*, Benth. in Ann. Wien. Mus. ii. (1838) 123 = *K. glabrata*.

*glabrata*, Meissn. in Lehm. Pl. Preiss. i. 92 = *K. coccinea*.

*heterophylla*, G. Don, in Sweet, Hort. Brit. ed. III. 187 = *K. coccinea*.

*inophylla*, Benth. in Ann. Wien. Mus. ii. (1838) 123 = *K. coccinea*.

*Latrobeana*, Meissn. in Lehm. Pl. Preiss. i. 94 = *Glycine Latrobeana*.

*microphylla*, W. Baxt, in Loud. Hort. Brit. Suppl. iii. 659, nomen = *K. microphylla*?

*Molly*, Hueg. Bot. Archiv, t. 1 = *K. coccinea*.

*pannosa*, Paxt. Mag. Bot. viii. (1841) 147 = *K. coccinea*.

*sericea*, Benth. in Ann. Wien. Mus. ii. (1838) 123 = *K. coccinea*.

*tricolor*, Lindl. Bot. Reg. (1839) t. 52 = *K. coccinea*.

*villosa*, Lindl. l. c. (1841) Misc. 41 = *K. coccinea*.

ZIEGERA, Rafin. Sylva Tellur. 94 (1838) = *Miconia*, Ruiz & Pav. (Melast.).

*levigata*, Rafin. l. c. = *M. laevigata*.

ZIERIA, Sm. in Trans. Linn. Soc. iv. (1798) 216. *RUTACEAE*, Benth. & Hook. f. i. 291.

*arborescens*, Sims, Bot. Mag. sub t. 1395 = *Smithii*.

*aspalathoides*, A. Cunn. ex Benth. Fl. Austral. i. 305.—Austral.

*canescens*, R. Br. ex Benth. l. c. = *pilosa*.

*commutata*, Schult. Mant. iii. 324.—Austral.

*cytisoides*, Sm. in Rees, Cycl. xxxix. n. 4.—Austral.

*Frankliniae*, Millig. ex Kipp. in Proc. Linn. Soc. ii. (1852) 201 = *Acradenia Frankliniae*.

*Fraseri*, Hook. in Mitch. Journ. Trop. Austral. 339.—Austral.

*furfuracea*, R. Br. ex Benth. Fl. Austral. i. 306.—Austral.

*granulata*, C. Moore, ex Benth. l. c. 307.—Austral.

*hirsuta*, DC. Prod. i. 723 = *pilosa*.

*involuta*, R. Br. ex Benth. Fl. Austral. i. 306.—Austral.

*laevigata*, Sm. in Rees, Cycl. xxxix. n. 2.—Austral.

*lanceolata*, R. Br. ex Sm. l. c. n. 1 = *Smithii*.

*macrophylla*, Bonpl. Desc. Pl. Rar. Malm. 64 = *Smithii*.

*microphylla*, Bonpl. l. c.—Austral.

*mutata*, Sieber, ex Schult. Mant. iii. 324 = *commutata*.

*obcordata*, A. Cunn. in Field, N. S. Wales, 330.—Austral.

*octandra*, Sweet, ex G. Don, Gen. Syst. i. 794.—Austral.

*pauciflora*, Sm. in Rees, Cycl. xxxix. n. 3 = *pilosa*.

*pilosa*, Rudge, in Trans. Linn. Soc. x. (1811) 293. t. 17. f. 2.—Austral.

*revoluta*, A. Cunn. in Field, N. S. Wales, 330 = *laevigata*.

*Smithii*, Andr. Bot. Rep. t. 606.—Austral.

*trifoliata*, Loisel. Herb. Amat. iii. t. 190 = *Smithii*.

*veronica*, F. Muell. in Trans. Phil. Soc. Vict. i. (1855) 11.—Austral.

ZIERIDIUM, Baill. Adansonia, x. (1872) 303. *RUTACEAE*.

*gracile*, Baill. l. c. 304.—N. Caled.

ZIERVOGLIA, Neck. Elem. i. 254 (1790) = *Cynanchum*, Linn. (Asclep.).

ZIETENIA, Gled. Syst. 185 (1764) = *Stachys*, Tourn. (Labi.).

*lavandulifolia*, Link, Enum. Hort. Berol. ii. 110 = *S. lavandulaefolia*.

*orientalis*, Gled. in Mém. Acad. Berl. (1766) 3 = *S. lavandulaefolia*.

ZIGADENUS, Michx. Fl. Bor. Am. i. 213. t. 22 (1803) = *Zygadenus*, Michx.

**ZIGMALOBA**, Rafn. *Sylva Tellur.* 120 (1838) = *Acacia*, Willd. (Legumin.).  
*sulcata*, Rafn. l. c. = *A. sulcata*.

**ZILLA**, Forsk. *Fl. Aegypt. Arab.* 121 (1775). *CRUCIFERAE*, Benth. & Hook. f. i. 98.  
*Chamaerapistrum*, Boiss. in Ann. Sc. Nat. Sér. II. xvii. (1842) 381 = *Physorhynchus brahuicus*.  
*macrocarpa*, D. Dietr. Syn. Pl. iii. 678 = *myagroides*.  
*macroptera*, Coss. in Bull. Soc. Bot. Fr. iii. (1856) 670.—Alger.  
*microcarpa*, Vis. in Bibl. Ital. lxxxiii. (1836) 67 = *myagroides*.  
*myagroides*, Forsk. *Fl. Aegypt. Arab.* 121.—Aegypt.; Arab.  
*schouwvioides*, Boiss. in Ann. Sc. Nat. Sér. II. xvii. (1842) 382 = *Physorhynchus brahuicus*.

**ZINGIBER**, Adans. Fam. ii. 66 (1763). *SCITAMINEAE*, Benth. & Hook. f. iii. 646.  
*CASSUMUNAR*, Colla, Nov. Scit. Gen. Comm. Taur. 9 (1830).  
*DIETRICHIA*, Giseke, Prael. Linn. 208 (1792).  
*DYMCZEWICZIA*, Horan, Prod. Scitam. 26 (1862).  
*JAEGERA*, Giseke, Prael. Linn. 203 (1792).  
*LAMPUJANG*, Koen. in Retz. Obs. iii. 62 (1783).  
*THUMUNG*, Koen. l. c. (1783).  
*ZERUMBET*, Lestib. in Ann. Sc. Nat. Sér. II. xv. (1841) 329.  
*amaricans*, Noronha, in Verh. Batav. Gen. v. (1790) ed. I. Art. iv. 28; *Blume*, Enum. Pl. Fav. 43.—Java.  
*Anthorrhiza*, Hort. Hafn. ex Horan, Prod. Scitam. 27 = *Z. Cassumunar*.  
*aquosum*, Noronha, in Verh. Batav. Gen. v. (1790) ed. I. Art. iv. 28; *Blume*, Enum. Pl. Fav. 43.—Java.  
*aromaticum*, Noronha, l. c. = officinale.  
*barbatum*, Wall. Pl. As. Rar. i. 46. t. 55.—Burma.  
*Blancoi*, Hassk. in Flora, xlvi. (1864) 20.—Ins. Philipp.  
*capitatum*, Roxb. in As. Res. xi. (1810) 348.—As. trop.  
*Cassumunar*, Roxb. l. c. 347.—As. trop.  
*cernuum*, Dalz. in Hook. Kew Journ. iv. (1852) 342.—Ind. or.  
*chrysanthum*, Rosc. Scitam. t. 86.—Reg. Himal.  
*Clarkii*, King, ex Benth. & Hook. f. Gen. iii. 646.—Reg. Himal.  
*Cliffordiae*, Andr. Bot. Rep. ix. t. 555 = *Z. Cassumunar*.  
*coloratum*, N. E. Br. in Gard. Chron. (1879) II. 166.—Borneo.  
*confine*, Miq. in Journ. Bot. Néerl. i. (1861) 94.—China.  
*corallinum*, Hance, in Journ. Bot. xviii. (1880) 301.—China.  
*corynostachyum*, Steud. Nom. ed. II. ii. 798 = *Amomum corynostachyum*.  
*cylindricum*, Moon, Cat. Pl. Ceyl. 1, nomen; *Thw. Enum. Pl. Zeyl.* 315.—Zeylan.  
*dubium*, Afzel. Remed. Guin. ii. 9.—Afr. trop.  
*elatum*, Roxb. Hort. Beng. 1; Fl. Ind. i. 57 = *capitatum*.  
*Ensal*, Gaertn. Fruct. i. 35 = *Elettaria major*.  
*flavescens*, Link, ex A. Dietr. Sp. Pl. i. 54 = *chrysanthum*?  
*Galanga*, Stokes, Bot. Mat. Med. i. 72 = *Alpinia galanga*.  
*globosum*, Stokes, l. c. = *Alpinia globosa*.  
*gracile*, Jack, in Malay. Misc. i. (1820) n. i. 1.—Ins. Penang.  
*gramineum*, Noronha, in Verh. Batav. Gen. v. (1790) ed. I. Art. iv. 28; *Blume*, Enum. Pl. Fav. 45.—Java.  
*inflexum*, *Blume*, l. c. 43.—Java.  
*insipidum*, Noronha, in Verh. Batav. Gen. v. (1790) ed. I. Art. iv. 28 = *Elettaria paludosa*.  
*integrilabrum*, Hance, in Journ. Bot. xx. (1882) 80.—China.  
*ligulatum*, Roxb. in As. Res. xi. (1810) 348.—Ind. or.  
*ligulatum*, Wall. Cat. n. 6566 = *chrysanthum*.  
*luridum*, Salisb. in Trans. Hort. Soc. i. (1812) 284 = *Z. Cassumunar*.  
*macrostachyum*, Dalz. in Hook. Kew Journ. iv. (1852) 342.—Ind. or.  
*marginatum*, Roxb. in As. Res. xi. (1810) 349.—Reg. Himal.  
*medium*, Stokes, Bot. Mat. Med. i. 72 = *Alpinia alba*.

**ZINGIBER** :—  
*Meleguetta*, Gaertn. Fruct. i. 34. t. 12. f. 11 = *Amomum angustifolium*.  
*Mijooka*, Siebold, in Verh. Batav. Gen. xii. (1830) 18 = *Z. Mioga*.  
*minus*, Gaertn. l. c. 35 = *Amomum Cardamon*.  
*Mioga*, Rosc. in Trans. Linn. Soc. viii. (1807) 348.—Japan.  
*missionis*, Wall. Cat. n. 6565 = officinale.  
*montanum*, Link, ex A. Dietr. Sp. Pl. i. 52 = *Z. Cassumuna*.  
*nigrum*, Gaertn. Fruct. i. 35 = *Alpinia Allughas*.  
*Nimmonii*, Dalz. in Hook. Kew Journ. iv. (1852) 341.—Ind. or.  
*odoriferum*, *Blume*, Enum. Pl. Fav. 44.—Java.  
*officinale*, Rosc. in Trans. Linn. Soc. viii. (1807) 348.—Trop. cult.  
*ovoideum*, *Blume*, Enum. Pl. Fav. 43.—Java.  
*panduratum*, Roxb. Hort. Beng. 1; Fl. Ind. i. 55.—Burma.  
*pardochellum*, Wall. ex Voigt, Hort. Suburb. Calc. 562, nomen.—Burma.  
*Parishii*, Hook. f. Bot. Mag. t. 6019.—Burma.  
*purpureum*, Rosc. in Trans. Linn. Soc. viii. (1807) 348 = *Z. Cassumunar*.  
*Railletii*, T. Durand, in Bull. Soc. Linn. Par. i. (1883) 401.—Hab.?  
*ramosum*, Noronha, in Verh. Batav. Gen. v. (1790) ed. I. Art. iv. 28 = *Alpinia Pinanga*.  
*roseum*, Rosc. in Trans. Linn. Soc. viii. (1807) 348.—Ind. or.  
*rubens*, Roxb. in As. Res. xi. (1810) 348.—Ind. or.  
*Sjooka*, Siebold, in Verh. Batav. Gen. xii. (1830) 18.—Japan.  
*spectabile*, Griff. Notul. iii. 413.—Malaya.  
*spurium*, Koen. in Retz. Obs. iii. 60 = *Z. Zerumbet*.  
*squarrosus*, Roxb. in As. Res. xi. (1810) 348.—Burma.  
*squarrosus*, Wight, Ic. t. 2004 = *Wightianum*.  
*sylvestre*, Gaertn. Fruct. i. 34 = *Alpinia alba*.  
*truncatum*, Stokes, Bot. Mat. Med. i. 68 = *Z. Zerumbet*.  
*uncinatum*, Stokes, l. c. 73 = *Renealmia racemosa*.  
*Wightianum*, Thw. Enum. Pl. Zeyl. 315.—Ind. or.  
*xanthorrhizon*, Hort. Hafn. ex Steud. Nom. ed. II. ii. 799 = *Z. Cassumunar*.  
*Zerumbet*, Rosc. ex Sm. Exot. Bot. ii. 105. t. 112; et in Trans. Linn. Soc. viii. (1807) 348.—As. trop.

**ZINNIA**, Linn. Syst. ed. X. 1221 (1759). *COMPOSITAE*, Benth. & Hook. f. ii. 357.  
*CRASSINA*, Scep. in Sched. Acid. Veget. 42 (1758).  
*DIPLOTHRIX*, DC. Prod. v. 611 (1836).  
*LEJICA*, DC. Prod. v. 534, in syn. (1836).  
*LEPIA*, Hill, Veg. Syst. ii. 97 (1761).  
*SANVITALIOPSIS*, Sch. Bip. ex Benth. & Hook. f. Gen. ii. 357 (1873).  
*acerosa*, A. Gray, Pl. Wright. i. 105, 106.—Texas; Mexic.  
*ambigua*, Hort. Berol. ex Salm-Dyck, Hort. Dyck. (1834) 293 (Quid ?)—Hab.?  
*angustifolia*, H. B. & K. Nov. Gen. et Sp. iv. 251.—Mexic.  
*anomala*, A. Gray, Pl. Wright. i. 106.—Texas.  
*aurea*, Hort. ex Vilm. Fl. Pl. Terre, ed. I. 971 = *Haageana*?  
*bicolor*, Hemsl. Biol. Centr. Am. Bot. ii. 153.—Mexic.  
*bicuspidis*, [Moç. & Sesse,] ex DC. Prod. v. 535 = *Tragoceros zinnoides*.  
*bidens*, Retz. Obs. v. 28 = *Glossocardia linearifolia*.  
*Darwinii*, Haage & Schmidt.—Cf. Gard. Chron. (1875) II. 782 = *Glossogyne pinnatifida*.  
*discolor*, Hort. Hal. ex Heynh. Nom. i. 864, nomen (Quid ?)—Hab.?  
*elegans*, Jacq. Coll. iii. 152.—Mexic.  
*florida*, Salisb. Prod. 205 = *pauciflora*.  
*floridana*, Rafn. New Fl. Am. iv. 70 (Quid ?)—Am. bor.  
*fulva*, Schrank, in Denkschr. Bot. Ges. Regensb. i. (1815) 146 = *pauciflora*.  
*Ghiesbreghtii*, Verlot, in Rev. Hort. (1862) 368.—Mexic.  
*grandiflora*, Hort. ex DC. Prod. v. 536 = *hybrida*.  
*grandiflora*, Nutt. in Trans. Am. Phil. Soc. N. S. vii. (1841) 348.—Am. bor. occ.  
*Haageana*, Regel, Gartenfl. x. (1861) 355.—Am. trop.  
*hybrida*, Hort. Par. ex Poir. Encyc. viii. 862 = *verticillata*.

**ZINNIA** :—  
*hybrida*, Roem. & Usteri, Mag. Bot. i. ltes St. (1787) 49; Sims, Bot. Mag. t. 2123.—Am. austr.  
*intermedia*, Engelm. in Wislitz. Tour N. Mexic. 107 = *pauciflora*.  
*juniperifolia*, A. Gray, Pl. Wright. i. 105.—Mexic.  
*leptopoda*, DC. Prod. v. 535 = *pauciflora*.  
*linearifolia*, Moench, Meth. Suppl. 261 = *pauciflora*.  
*linearis*, Benth. Pl. Hartw. 17.—Mexic.  
*lutea*, Gaertn. Fruct. ii. 459. t. 172 = *pauciflora*.  
*maritima*, H. B. & K. Nov. Gen. et Sp. iv. 251.—Mexic.  
*mendocina*, Phil. Sert. Mendoc. Alt. 27.—Chili.  
*mexicana*, Hort. ex Vilm. Fl. Pl. Terre, ed. I. 971 = *Haageana*?  
*multiflora*, Linn. Sp. Pl. ed. II. 1239 = *pauciflora*.  
*pauciflora*, Linn. l. c.—Am. bor. et austr.  
*peruviana*, Linn. Syst. ed. X. 1221 = *pauciflora*.  
*pumila*, A. Gray, in Mem. Am. Acad. N. S. iv. (1849) 81.—Am. bor. occ.  
*revoluta*, Cav. Ic. iii. 26 = *pauciflora*.  
*Roetzlii*, Hort.—Cf. Gard. Chron. (1872) 1392.—Mexic.  
*tenuiflora*, Jacq. Ic. Pl. Rar. iii. 15. t. 590 = *pauciflora*.  
*verticillata*, Andr. Bot. Rep. iii. t. 189.—Mexic.  
*verticillata*, Cav. Desc. 209 = *pauciflora*.  
*violacea*, Cav. Ic. i. 57 = *elegans*.

**ZINOWIEWIA**, Turcz. in Bull. Soc. Nat. Mosc. xxxii. (1859) I. 275. *CELASTRINEAE*, Benth. & Hook. f. i. 364.  
*integerrima*, Turcz. l. c. 276.—Mexic.

**ZIPANIA**, Pers. Syn. ii. 140 (1807), sphalm. = **ZAPANIA**, Scop. = **Lippia**, Linn. (Verben.).

**ZIPPELIA**, Blume, in Schult. f. Syst. vii. 1614 (1830). *PIPERACEAE*, Benth. & Hook. f. iii. 128.  
*begoniaefolia*, Blume, l. c. 1651.—Java.  
*lappacea*, Benn. Pl. Jav. Rar. 76 = *begoniaefolia*.

**ZIPPELIA**, Reichb. ex Endl. Gen. Suppl. ii. 6 (1842) = **Brugmansia**, Blume (Cytinac.).

**ZIZANIA**, Gronov. ex Linn. Gen. ed. II. 455 (1742). *GRAMINEAE*, Benth. & Hook. f. iii. 1115.  
*ELYMUS*, Mitchell, in Act. Phys. Med. Acad. Nat. Cur. viii. (1748) App. 210.  
*FARTIS*, Adans. Fam. ii. 37 (1763).  
*HYDROPHYRUM*, Link, Hort. Berol. i. 252 (1827).  
*MELINUM*, Link, Handb. i. 96 (1829).  
*ZIZANIOPSIS*, Doell & Aschers. in Mart. Fl. Bras. ii. 12. t. 3 (1871).  
*aquatica*, Linn. Sp. Pl. 991.—Am. bor.  
*aristata*, Kunth, Rév. Gram. i. 8 = *Hygroryza aristata*.  
*bonariensis*, Balansa & Poitrass. in Bull. Soc. Hist. Nat. Toul. xii. (1878) 228.—Reg. Argent.  
*ciliata*, Spreng. Syst. ii. 136 (Quid ?) = *Leersia hexandra*.  
*clavulosa*, Michx. Fl. Bor. Am. i. 75 = *aquatica*.  
*dahurica*, Turcz. ex Steud. Syn. Pl. Gram. 4.—Dahuria.  
*effusa*, Herb. Linn. ex Munro, in Journ. Linn. Soc. vi. (1862) 52 = *aquatica*.  
*fluitans*, Michx. Fl. Bor. Am. i. 75 = *Hydrochloa carolinensis*.  
*latifolia*, Turcz. in Bull. Soc. Nat. Mosc. (1838) 105; xxix. (1856) I. 2 = *aquatica*.  
*lenticularis*, Michx. ex Steud. Nom. ed. I. 898, nomen (Quid ?)—Am. bor.  
*microstachya*, Nees, ex Trin. in Mém. Acad. Pétersb. Sér. VI. v. Sc. Nat. ii. (1839) 183 = *miliacea*.  
*miliacea*, Michx. Fl. Bor. Am. i. 74.—Am. bor.; Ind. occ.  
*natans*, Bosc, ex Trin. in Mém. Acad. Pétersb. Sér. VI. v. Sc. Nat. ii. (1839) 186 = *Hydrochloa carolinensis*?  
*nutans*, Steud. Nom. ed. II. ii. 799, sphalm. = *præc.*  
*palustris*, Linn. Mant. ii. 295 = *aquatica*.  
*Retzii*, Spreng. Syst. ii. 136 = *aristata*.  
*subtilis*, Rasp. in Ann. Sc. Nat. Sér. I. v. (1825) 452 = *Coleanthus subtilis*.  
*terrestris*, Linn. Sp. Pl. 991 (Quid ? al. ord.)—Ind. or.

**ZIZANIOPSIS**, Doell & Aschers. in Mart. Fl. Bras. ii. 12. t. 3 (1871) = **Zizania**, Gronov. (Gramin.).  
*microstachya*, Doell & Aschers. l. c. 13 = *Zizania miliacea*.



ZIZIA, Koch, in Nov. Act. Nat. Cur. xii. i. (1824) 128 = *Carum*, Rupp. (Umbell.).  
*aurea*, Koch, l. c. 129 = *Thaspium aureum*.  
*cordata*, Koch, ex DC. Prod. iv. 100 = *Thaspium trifoliatum*.  
*integerrima*, DC. in Mém. Soc. Phys. Genève. iv. (1828) 493 = *Pimpinella integerrima*.  
*parvifolia*, Rafin. New Fl. Am. iv. 31 = *Thaspium trifoliatum*.  
*pinnatifida*, Buckl. in Am. Journ. Sc. Ser. I. xlv. (1843) 175 = *Thaspium Walteri*.

ZIZIPHORA, Linn. Hort. Cliff. 305 (1737). *LABIATAE*, Benth. & Hook. f. ii. 1198.  
 FALDERMANNIA, Trautv. in Bull. Sc. Acad. Pétersb. vi. (1840) 185.

HEDYOSMOS, Mitchell, in Act. Phys. Med. Acad. Nat. Cur. viii. (1748) App. 211.  
*acinoides*, Linn. Sp. Pl. 22.—Hispan.  
*acinoides*, Pall. Reise, iii. 362 = *clinopodioides*.  
*acutifolia*, Montbr. & Auch. ex Benth. in Ann. Sc. Nat. Sér. II. vi. (1836) 43.—Syria.  
*alpina*, Mill. Gard. Dict. ed. VIII. n. 4 = *capitata*.  
*bracteolata*, Schult. Mant. i. 179 = *Micromeria bracteolata*.

*Brantii*, C. Koch, in Linnaea, xvii. (1843) 294 = *clinopodioides*.

*canescens*, Benth. Lab. Gen. et Sp. 321 = *clinopodioides*.  
*capitata*, Falk, Beitr. ii. 98 = *clinopodioides*.  
*capitata*, Linn. Sp. Pl. 21.—Reg. Mediterr.; Oriens.  
*cleonioides*, Boiss. Diagn. Ser. I. v. 14.—As. Min.  
*clinopodioides*, Lam. Illustr. i. 63; Bieb. Fl. Taur. Cauc. i. 17.—As. Min.; Persia; Sibir.

*compacta*, Frivald. in Flora, xviii. (1835) 336 = *capitata*.

*Cunila*, Desf. Tabl. ed. I. 55 = *clinopodioides*.  
*dasyantha*, Bieb. Fl. Taur. Cauc. i. 18 = *clinopodioides*.

*fasciculata*, C. Koch, ex Boiss. Fl. Orient. iv. 586 = *clinopodioides*.

*glabella*, Roem. & Schult. Syst. i. 209 = *Calamintha glabella*.

*glomerata*, Frivald. ex Ledeb. Fl. Ross. iii. 370 = *capitata*.

*Gundelsheimeri*, C. Koch, in Linnaea, xvii. (1843) 293 = *clinopodioides*.

*hispanica*, Linn. Cent. Pl. i. 3; Amoen. Acad. iv. 262.—Reg. Mediterr.

*hispida*, Schult. Mant. i. 179 = *Hedeoma hispida*.  
*javanica*, Bume, Bijdr. 822.—Java.

*lanceolata*, Boiss. Fl. Orient. iv. 588 = *taurica*.  
*Mariana*, Roem. & Schult. Syst. i. 208 = *Cunila Mariana*.

*media*, Link, Enum. Hort. Berol. i. 17 = *clinopodioides*.  
*Mussini*, Adam, in Weber & Mohr, Beitr. i. (1805) 43 = *clinopodioides*.

*nummularia*, Fisch. & Mey. in Ann. Sc. Nat. Sér. IV. i. (1854) 33 = *clinopodioides*.

*odoratissima*, Lodd. ex Schult. Mant. i. 178 = *clinopodioides*.

*persica*, Bunge, Lab. Pers. 39 = *tenuior*.

*pulegioides*, Desf. Tabl. ed. I. 55, nomen; ed. II. 66 = *Hedeoma pulegioides*.

*pungens*, Bunge, ex Ledeb. Fl. Atl. i. 23 = *Nepeta pungens*.

*Puschkini*, Adam, in Weber & Mohr, Beitr. i. (1805) 42 = *clinopodioides*.

*serpyllacea*, Bieb. Fl. Taur. Cauc. i. 18 = *clinopodioides*.

*serpyllacea*, Tenore, Syll. Fl. Neap. 16 = *tenuior*.  
*siliquosa*, Lour. Fl. Cochinch. 27 = *Justicia diffusa*?

*spicata*, Cav. Desc. Prod. 20 = *hispanica*.  
*spicata*, Lag. & Rodr. in Anal. Cienc. Nat. iv. (1801) 259 = *tenuior*.

*taurica*, Bieb. Fl. Taur. Cauc. i. 414; iii. 21.—As. Min.; Persia.

*taurica*, C. Koch, in Linnaea, xvii. (1843) 294 = *tenuior*.

*tenuior*, Falk, Beitr. ii. 98 = *clinopodioides*.  
*tenuior*, Linn. Sp. Pl. 21.—As. occ.

*thymifolia*, Salisb. Prod. 72 = *acinoides*.  
*thymoides*, Roem. & Schult. Syst. i. 209 = *Thymus Serpyllum*.

*verticillata*, Steud. Nom. ed. I. 899 = *Cunila verticillata*.

ZIZIPHUS, Tourn. ex Linn. Syst. ed. I. (1735) = *Zizyphus*, Tourn. (Rhamn.).

ZIZYPHON, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 70, 137 = *Zizyphus*, Tourn. (Rhamn.).  
*jujubum*, St. Lag. l. c. = *Zizyphus Jujuba*.

ZIZYPHORA, Dum. Anal. Fam. 22 (1829), sphalm. = *Ziziphora*, Linn. (Labiata.).

ZIZYPHUS, Tourn. ex Linn. Syst. ed. I (1735) (*Ziziphus*); Adans. Fam. ii. 304 (1763). *RHAMNEAE*, Benth. & Hook. f. i. 375.

*DECORIMA*, Rafin. Sylva Tellur. 31 (1838).  
*JUJUBA*, Burm. Thes. Zeyl. 131. t. 61 (1737).

*MANSANA*, J. F. Gmel. Syst. 580 (1791).  
*abyssinica*, Hochst. ex A. Rich. Tent. Fl. Abyss. i. 136 = *Z. Jujuba*.

*acuminata*, Benth. Bot. Voy. Sulph. 78.—Mexic.  
*acuminata*, Royle, Illustr. Bot. Himal. 168, nomen = *oxyphylla*.

*adelensis*, Delile, in Rochet, Sec. Voy. Choa, 341.—Afr. trop.

*africana*, Mill. Gard. Dict. ed. VIII. n. 4 = *Z. Spina-Christi*.

*agrestis*, Roem. & Schult. Syst. v. 341.—China.  
*albans*, Roxb. Hort. Beng. 17; Fl. Ind. i. 607 = *Z. Oenoplia*.

*angulata*, Lam. Encyc. iii. 320.—Hab.?

*apetala*, Hook. f. Fl. Brit. Ind. i. 635.—Reg. Himal.  
*Aubletii*, D. Dietr. Syn. Pl. i. 810 = *Paliurus ramosissimus*.

*Aucherii*, Boiss. Diagn. Ser. I. ii. 5.—Persia.  
*Baclei*, DC. Prod. ii. 20 = *mucronata*.

*Baenchia*, Buch.-Ham. ex Wall. Cat. n. 4249 (Quid?).  
 —Ind. or.

*Bhunder*, Royle, Illustr. Bot. Himal. 168, nomen = *horrida*?

*bubalina*, Licht. ex Roem. & Schult. Syst. v. 334 = *mucronata*.

*Buraea*, Buch.-Ham. ex Wall. Cat. n. 4240 G = *rugosa*.

*Burmänniana*, D. Dietr. Syn. Pl. i. 810 = *Berchemia Burmanniana*.

*calophylla*, Wall. in Roxb. Fl. Ind. ed. Carey, ii. 366. —Malaya.

*capensis*, Thunb. ex Poir. Encyc. Suppl. iii. 193 = *Scutia Commersonii*.

*Caracutta*, Buch.-Ham. ex Roxb. Hort. Beng. 17; Fl. Ind. i. 612 = *Z. Xylopyrus*.

*celtidifolia*, DC. Prod. ii. 20 = *Z. Oenoplia*.  
*chinensis*, Spreng. Syst. i. 770 = *sativa*.

*Cinnamomum*, Triana & Planch. in Ann. Sc. Nat. Sér. V. xvi. (1872) 380.—N. Granat.

*commutata*, Roem. & Schult. Syst. v. 336 = *Celtis aculeata*.

*cotinifolia*, Reiss. in Mart. Fl. Bras. xi. i. 87.—Bras.  
*cuneata*, Wall. Cat. n. 7268 = *Z. Xylopyrus*.

*Dalanta*, Blanco, Fl. Filip. ed. II. 121.—Ins. Philipp.  
*domingensis*, Duham. Arb. ed. Nov. iii. 56 = *Ceanothus reclinatus*.

*elegans*, Wall. in Roxb. Fl. Ind. ed. Carey, ii. 366.—Singapore.

*elliptica*, Roxb. Hort. Beng. 17; Fl. Ind. i. 610 = *Z. Xylopyrus*.

*emarginata*, Sw. Fl. Ind. Occ. iii. 1954 = *Scutia ferrea*.  
*exserta*, DC. Prod. ii. 21.—Ins. Philipp.

*ferruginea*, Heyne, ex Wall. Cat. n. 4246 B, partim = *Z. Oenoplia*.

*flavescens*, Wall. in Roxb. Fl. Ind. ed. Carey, ii. 367 = *Berchemia flavescens*.

*flexuosa*, Wall. l. c. 365 = *sativa*.

*floribunda*, Wall. l. c. 368 = *Berchemia floribunda*.  
*funiculosa*, Buch.-Ham. ex Wall. Cat. n. 4234.—Ind. or.; Malaya.

*Gardenii*, Steud. Nom. ed. II. ii. 800, sphalm. = seq.

*Gardneri*, Reiss. in Endl. Nov. Stirp. Dec. 30 = *Z. Joazeiro*.

*glabra*, Roxb. Hort. Beng. 17; Fl. Ind. i. 614 = *rugosa*.

*glabrata*, Heyne, ex Roth, Nov. Pl. Sp. 159.—Ind. or.  
*Glaziovii*, Warm. in Kjoeb. Vidensk. Meddel. (1880) 373.—Bras.

*globularis*, Wall. Cat. n. 4248.—Burma.  
*guatemalensis*, Hemsl. Diagn. Pl. Nov. 6.—Guatemala.

*hamosa*, Wall. in Roxb. Fl. Ind. ed. Carey, ii. 369 = *Sageretia hamosa*.

*havanensis*, H. B. & K. Nov. Gen. et Sp. vii. 57 = *Sarcophalus havanensis*.

## ZIZYPHUS:—

*helvola*, Sond. in Harv. & Sond. Fl. Cap. i. 476.—Afr. austr.

*heterogenea*, Poir. Encyc. Suppl. iii. 193 = *Z. Spina-Christi*.

*heterogenea*, Russ. ex Wall. Cat. sub n. 4239 = *Z. Xylopyrus*.

*heteroneura*, Griseb. in Bonplandia, vi. (1858) 3.—Panama.

*horrida*, Roth, Nov. Pl. Sp. 159.—Ind. or.  
*Horsfieldii*, Miq. Fl. Ind. Bat. i. i. 643 = *rugosa*.

*Iguanea*, Lam. Encyc. iii. 318 = *Celtis aculeata*.  
*illucida*, C. Muell. in Walp. Ann. vii. 587, sphalm. = *lucida*.

*incurva*, Roxb. Hort. Beng. 17; Fl. Ind. i. 614.—Ind. or.

*insularis*, C. Sm. in Tuckey, Congo, 250, nomen.—Ins. Cap. Verd.

*javanensis*, Blume, Bijdr. 1142.—Java.  
*Joazeiro*, Mart. Reise Bras. ii. 581.—Bras.

*Jujuba*, Lam. Encyc. iii. 318.—Ind. or.; Malaya.  
*latifolia*, Blanco, Fl. Filip. ed. II. 121 = *Z. Oenoplia*.

*latifolia*, Roxb. Hort. Beng. 17; Fl. Ind. i. 607 = *rugosa*.

*lineata*, Willd. Sp. Pl. i. 1102 = *Berchemia lineata*.  
 Linnaei, M. Laws. in Hook. f. Fl. Brit. Ind. i. 635.—Zeylan.

*lotoidea*, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 137 = *Z. Lotus*.

*Lotus*, Aitch. Cat. Pl. Punjab. 33 = *rotundifolia*.  
*Lotus*, Blanco, Fl. Filip. ed. II. 121 = *Z. Oenoplia*.

*Lotus*, Lam. Encyc. iii. 317.—Reg. Mediterr.  
*Loureiriana*, D. Dietr. Syn. Pl. i. 811 = *Berchemia Loureiriana*.

*lucida*, Moench, Meth. Suppl. 101 = *Rhamnus prino-*  
*ides*.

*lucida*, Moon, Cat. Pl. Ceyl. 17, nomen; Thw. Enum. Pl. Zeyl. 74.—Zeylan.

*lycioides*, A. Gray, in Bost. Journ. Nat. Hist. vi. (1850) 168.—Am. bor.; Mexic.

*mauritanica*, Lam. Encyc. iii. 319 = *Z. Jujuba*.  
*melanogona*, Boj. Hort. Maurit. 69 = *Z. Jujuba*?

*melastomoides*, A. Cunn. ex Steud. Nom. ed. II. ii. 800, nomen (*Celtidis* sp.).—Austral.

*microphylla*, Roxb. Hort. Beng. 17; Fl. Ind. i. 613 = *rotundifolia*.

*mirtoides*, Ortega, Hort. Matr. Dec. 119 = *Condalia microphylla*.

*mirzapuriensis*, Royle, Illustr. Bot. Himal. 168, nomen (Quid?).—Reg. Himal.

*Mistol*, Griseb. in Goett. Abh. xix. (1874) 99.—Reg. Argent.

*mitis*, A. Rich. Tent. Fl. Abyss. i. 137 = *mucronata*.

*mucronata*, Willd. Enum. Hort. Berol. 251.—Afr. trop. et austr.

*myrtoides*, Auct. = *mirtoides*.  
*Nabeca*, Edgew. in Journ. Linn. Soc. vi. (1862) 200 sphalm. = seq.

*Nabeca*, Lam. Encyc. iii. 320 = *Z. Spina-Christi*.  
*Nabeca*, Linn. Herb. ex M. Laws. in Hook. f. Fl. Brit. Ind. i. 635 = Linnaei.

*Nabeca*, Roxb. Fl. Ind. i. 612 = *Z. Oenoplia*.  
*Nabeca*, Willd. Sp. Pl. i. 1104.—Zeylan.?

*Nats'me*, Siebold, in Verh. Batav. Gen. xii. (1830) 48 = *sativa*.

*nitida*, Roxb. Hort. Beng. 17; Fl. Ind. i. 609 = *sativa*.

*nummularia*, DC. Prod. ii. 21, in syn.; Wight & Arn. Prod. 162 = *rotundifolia*.

*obliqua*, Heyne, ex Roth, Nov. Pl. Sp. 160 = *rugosa*.  
*obtusifolia*, A. Gray, Gen. Illustr. ii. 170.—Texas.

*Oenoplia*, Mill. Gard. Dict. ed. VIII. n. 3.—As. et Austral. trop.

*officinatum*, Medic. Bot. Beobacht. (1782) 333 = *sativa*.

*oppositifolia*, Wall. in Roxb. Fl. Ind. ed. Carey, ii. 370 = *Sageretia oppositifolia*.

*orbicularis*, Roem. & Schult. Syst. v. 338 = *Z. Xylopyrus*.

*ornata*, Miq. Fl. Ind. Bat. i. i. 642.—Ins. Banca.

*orthacantha*, DC. Prod. ii. 21 = *Z. Jujuba*.  
*oxycarpa*, DC. l. c.—Malaya.

*oxyphylla*, Edgew. in Trans. Linn. Soc. xx. (1846) 43.—Reg. Himal.

*Paliurus*, Willd. Berl. Baumz. 415; Host, Fl. Austr. i. 306 = *Paliurus Spina-Christi* (cf. Addend.).

*pallens*, Wall. Cat. n. 4247 = *Z. Oenoplia*.

**ZIZYPHUS** :—

- paniculata*, Buch.-Ham. ex D. Don, Prod. Fl. Nep. 190 = incurva.  
*paniculata*, Roth, Nov. Pl. Sp. 161 = rugosa.  
*Parryi*, Torr. Bot. Mex. Bound. 46.—Calif.  
*parvifolia*, Delile, Cent. Pl. Méroé, 89.—Aegypt.  
*pedicellata*, Wall. Cat. n. 4243 = *Z. Oenoplia*.  
*peruviana*, Lam. Encyc. iii. 320 = *Maytenus octogona*.  
*platyphylla*, Reiss. in Mart. Fl. Bras. xi. i. 87.—Bras.  
*Poiretiana*, D. Dietr. Syn. Pl. i. 811 = *Berchemia racemosa*.  
*Poiretii*, G. Don, Gen. Syst. ii. 26.—Ins. S. Doming.  
*podaderoides*, Fenzl, in Enum. Pl. Hueg. 20 = *Alphitonia excelsa*.  
*pubiflora*, Decne. in Nouv. Ann. Mus. Par. iii. (1834) 479.—Ins. Timor.  
*quadriculularis*, F. Muell. Fragm. iii. 57.—Austral.  
*racemosa*, Wall. Cat. n. 7878 D = *Bridelia stipularis*.  
*ramosissima*, Spreng. Syst. i. 771 = *Paliurus ramosissimus*.  
*reticulata*, DC. Prod. ii. 20.—Am. austr.  
*Rignonii*, Delpon, in Mem. Acc. Tor. xiv. (1854) 404.—Hab. ?  
*rotundata*, DC. Prod. ii. 21 = *Z. Jujuba*.  
*rotundifolia*, Lam. Encyc. iii. 319.—Persia ; Ind. or.  
*rotundifolia*, Roth, Nov. Pl. Sp. 160 = *Z. Xylopyrus*.  
*Roxburghiana*, Voigt, Hort. Suburb. Calc. 146 = *rugosa*.  
*rufa*, Mart. in Flora, xxiv. (1841) ii. Beibl. 65 = *Rhamnus ruffa* ?  
*rufula*, Miq. Fl. Ind. Bat. i. i. 643 = *Z. Oenoplia*.  
*rugosa*, Lam. Encyc. iii. 319.—Ind. or. ; Burma.  
*ruminata*, Buch.-Ham. ex Wall. Cat. n. 4236 = *Z. Xylopyrus*.  
*sativa*, Gaertn. Fruct. i. 202.—Reg. Mediterr. ; As. temp.  
*scandens*, Roxb. Hort. Beng. 17 ; et in Wall. Cat. n. 7269 = *Z. Oenoplia*.  
*sinensis*, Lam. Encyc. iii. 317 = *sativa*.  
*soporifera*, Roem. & Schult. Syst. v. 340 = *sativa*.  
*Sororia*, Roem. & Schult. l. c. 337 = *Z. Jujuba*.  
*sphaerocarpa*, Tul. in Ann. Sc. Nat. Sér. IV. viii. (1857) 119.—Ins. Mascari.  
*Spina-Christi*, Georgi, Besch. Russ. Reich. III. iv. 795 = *Paliurus aculeatus*.  
*Spina-Christi*, Willd. Sp. Pl. i. 1105.—Afr. bor. ; Oriens.  
*spinosa*, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 70 = *praec.*  
*strychnifolia*, Triana & Planch. in Ann. Sc. Nat. Sér. V. xvi. (1872) 380.—N. Granat.  
*subquinenervia*, Miq. Fl. Ind. Bat. Suppl. 330.—Sumatra.  
*sylvestris*, Mill. Gard. Dict. ed. VIII. n. 2 = *Z. Lotus*.  
*thyrsiflora*, Benth. Bot. Voy. Sulph. 78.—Ecuador.  
*timoriensis*, DC. Prod. ii. 20.—Ins. Timor.  
*tomentosa*, Poir. Encyc. Suppl. iii. 192 = *Poiretii*.  
*tomentosa*, Roxb. Hort. Beng. 17 ; Fl. Ind. i. 611 = *rugosa*.  
*trinervia*, Poir. Encyc. Suppl. iii. 192 = *exserta*.  
*trinervia*, Roth, Nov. Pl. Sp. 168 = *Z. Jujuba*.  
*trinervia*, Roxb. Hort. Beng. 17 ; Fl. Ind. i. 606 = *glabrata*.  
*tripartita*, Roem. & Schult. Syst. v. 342 = *Rhus albida*.  
*umbellata*, Poir. Encyc. Suppl. iii. 193 = *Karwinskia Humboldtiana*.  
*undulata*, Reiss. in Mart. Fl. Bras. xi. i. 88.—Bras.  
*venulosa*, Wall. Cat. n. 4235 = *funiculosa*.  
*virgata*, D. Dietr. Syn. Pl. i. 810 = *incurva*.  
*volubilis*, Willd. Berl. Baumz. 415 = *Berchemia volubilis*.  
*vulgaris*, Lam. Encyc. iii. 316 = *sativa*.  
*wynadensis*, Bedd. in Madr. Journ. Sc. Ser. III. i. (1864) 42.—Ind. or.  
*Xylopyrus*, Hochst. ex A. Rich. Tent. Fl. Abyss. i. 136 = *Z. Jujuba*.  
*Xylopyrus*, Willd. Sp. Pl. i. 1104.—Ind. or.  
*Zeyheriana*, Sond. in Harv. & Sond. Fl. Cap. i. 476.—Afr. austr.  
*zonulatus*, Blanco, Fl. Filip. ed. II. 120 = *Z. Xylopyrus*.

**ZIZZIA**, Roth, Man. Bot. ii. 896 (1830) (Crucif.).  
*pyrenaica*, Roth, l. c. = *Draba pyrenaica*.  
*tortuosa*, Roth, l. c. 897 = *Alyssum tortuosum*.

**ZODUBA**, Buch.-Ham. ex D. Don, Prod. Fl. Nep. 30 (1825) = *Calanthe*, R. Br. (Orchid.).  
*Masuca*, Buch.-Ham. l. c. = *C. Masuca*.

**ZOEGEA**, Linn. Mant. i. 15 (1767). *COMPOSITAE*, Benth. & Hook. f. ii. 477.  
*aleppica*, Jacq. Coll. i. 89.—Hab. ?  
*aristata*, DC. Prod. vi. 562 = *purpurea*.  
*capensis*, Linn. f. Suppl. 382 = *Relbania pedunculata*.  
*crinita*, Boiss. Diagn. Ser. II. iii. 63.—Persia ; Afghan.  
*deluensis*, Bunge, ex Boiss. Fl. Orient. iii. 698 = *crinita*.  
*Leptaurea*, Linn. Mant. i. 117.—Syria ; Mesopot.  
*mianensis*, Bunge, ex Boiss. Fl. Orient. iii. 697.—Persia.  
*purpurea*, Fresen. in Mus. Senckenb. i. (1833) 86. t. 5.—Persia ; Afghan. ; Arab.

**ZOLLERNIA**, Maximil. & Nees, in Nov. Act. Nat. Cur. xiii. ii. (1827) praef. p. xiii. t. C. D. *LEGUMINOSAE*, Benth. & Hook. f. i. 560.  
*COQUEBERTIA*, Brongn. in Ann. Sc. Nat. Sér. I. xxx. (1833) 111.  
*discolor*, Vog. in Linnaea, xi. (1837) 166 = *falcata*.  
*falcata*, Maximil. & Nees, in Nov. Act. Nat. Cur. xiii. ii. (1827) praef. p. xvi.—Bras.  
*Houlletiana*, Tul. in Arch. Mus. Par. iv. (1844) 190 = *ilicifolia*.  
*ilicifolia*, Vog. in Linnaea, xi. (1837) 166.—Bras.  
*latifolia*, Benth. in Mart. Fl. Bras. xv. ii. 9.—Bras.  
*securidacifolia*, Benth. l. c.—Bras.  
*splendens*, Maximil. & Nees, in Nov. Act. Nat. Cur. xiii. ii. (1827) praef. p. xv.—Bras.  
*Vogelii*, Tul. in Arch. Mus. Par. iv. (1844) 192 = *ilicifolia*.

**ZOLLIKOFERIA**, DC. Prod. vii. 183. (1838) = *Launaea*, Cass. (Compos.).  
*acanthodes*, Boiss. Fl. Orient. iii. 827.—Persia.  
*angustifolia*, Coss. & Dur. in Bull. Soc. Bot. Fr. ii. (1855) 254 = *arabica*.  
*arabica*, Boiss. Diagn. Ser. I. vii. 12.—Afr. bor.  
*Candolleana*, Coss. ex Pomel, Nouv. Mat. Fl. Atl. 8 = *L. chondrilloides*.  
*Cassiniana*, Boiss. Fl. Orient. iii. 822.—Aegypt. ; Arab.  
*chondrilloides*, DC. Prod. vii. 183 = *L. chondrilloides*.  
*fallax*, Boiss. Fl. Orient. iii. 824.—Aegypt. ; Persia ; Afghan.  
*glomerata*, Boiss. l. c. 826 = *L. glomerata*.  
*leucodon*, Fisch. & Mey. ex Boiss. l. c. 824 = *fallax*.  
*longiloba*, Boiss. & Reut. Pugill. Pl. Nov. (1852) 70 = *resedifolia*.  
*massavensis*, Boiss. Fl. Orient. iii. 825.—Afr. bor. ; Arab.  
*mucronata*, Boiss. Diagn. Ser. I. vii. 12 = *L. chondrilloides*.  
*nudicaulis*, Boiss. Fl. Orient. iii. 824 = *L. nudicaulis*.  
*polyclada*, Boiss. l. c. 827.—Persia ; Beluchist.  
*prenanthoides*, Hochst. ex Oliver & Hiern, in Oliver, Fl. Trop. Afr. iii. 459 = *Sonchus prenanthoides*.  
*pumila*, DC. Prod. vii. 183.—Hispan. ; Arab.  
*quercifolia*, Coss. & Kral. in Bull. Soc. Bot. Fr. iv. (1857) 369 = *Sonchus quercifolius*.  
*resedifolia*, Coss. Notes Crit. 120 = *Sonchus chondrilloides*.  
*spinosa*, Boiss. Fl. Orient. iii. 826 = *L. spinosa*.  
*stenocephala*, Boiss. l. c. 823.—Beluchist.  
*Stockiana*, Boiss. l. c. 825.—Beluchist.  
*tenuiloba*, Boiss. Diagn. Ser. I. xi. 50.—Syria ; Arab.

**ZOLLIKOFERIA**, Nees, in Bluff & Fingerh. Comp. Fl. Germ. ed. I. ii. 305 (1825) = *Chondrilla*, (Compos.).  
*hieracioides*, Nees, l. c. = *C. Peltidium*.  
*Peltidium*, Gaud. Fl. Helvet. v. 143 = *C. Peltidium*.

**ZOLLINGERIA**, Kurz, in Journ. As. Soc. Beng. xli. (1872) ii. 303. *SAPINDACEAE*.  
*macrocarpa*, Kurz, l. c.—Burma.  
*macrocarpa*, F. Villar, in Blanco, Fl. Filip. ed. III. Nov. App. 53 = *Tristira triptera*.  
*triptera*, Rolfe, in Journ. Linn. Soc. xxi. (1884) 309 = *Tristira triptera*.

**ZOLLINGERIA**, Sch. Bip. in Flora, xxxvii. (1854) 273 = *Rhychospermum*, Reinw. (Compos.).  
*scandens*, Sch. Bip. l. c. 275 = *R. verticillatum*.

**ZOMICARPA**, Schott, Syn. Aroid. 33 (1856).  
*AROIDEAE*, Benth. & Hook. f. iii. 970.  
*Pythonium*, Schott, l. c.—Bras.  
*Riedelianum*, Schott, Gen. Aroid. t. 23. f. 18, 34.—Bras.  
*Steigeriana*, Ferd. Maxim. ex Schott, in Bonplandia, x. (1862) 86.—Bras.

**ZOMICARPELLA**, N. E. Br. in Gard. Chron. (1881) ii. 266. *AROIDEAE*, Benth. & Hook. f. iii. 970.  
*maculata*, N. E. Br. l. c.—N. Granat.

**ZONABLEPHIS**, Rafin. Sylva Tellur. 143 (1838) = *Acanthus*, Tourn.  
*polistachys*, Rafin. l. c. 144 = *A. polystachyus*.

**ZONANTHUS**, Griseb. in Journ. Linn. Soc. vi. (1862) 145. *GENTIANAEAE*, Benth. & Hook. f. ii. 813.  
*cubensis*, Griseb. l. c.—Cuba.

**ZONARIA**, Steud. Nom. ed. II. i. 101 (1840), sphalm. = *Zornia*, J. F. Gmel. (Legumin.).

**ZOOPHORA**, Bernh. Syst. Verz. Erf. 308 (1800) = *Orchis*, Tourn.  
*atropurpurea*, Bernh. l. c. 311 = *O. militaris*.  
*rubella*, Bernh. l. c. = *O. militaris*.

**ZOOPHTHALMUM**, P. Br. Hist. Jamaica. 295. t. 31 (1756) = *Mucuna*, Adans. (1763) (Legumin.).

**ZORNIA**, J. F. Gmel. Syst. 1076, 1096 (1791).  
*LEGUMINOSAE*, Benth. & Hook. f. i. 518.  
*MYRIADENUS*, Desv. Journ. Bot. iii. (1813) 121. t. 4.  
*andicola*, Griseb. in Goett. Abh. xxiv. (1879) 106.—Reg. Argent.  
*angustifolia*, Sm. in Rees, Cycl. xxxix, n. 1 = *diphylla*.  
*barbata*, Desv. in Mém. Soc. Linn. Par. iv. (1826) 325.—Peruv.  
*biarticulata*, G. Don, Gen. Syst. ii. 280 = *diphylla*.  
*brachycarpa*, Walp. Rep. i. 726, sphalm. = *trachycarpa*.  
*bracteata*, J. F. Gmel. Syst. 1096.—Am. bor. ; Afr. austr.  
*brasiliensis*, Vog. in Linnaea, xii. (1838) 62.—Bras.  
*capensis*, Pers. Syn. ii. 318 = *bracteata*.  
*ceylanica*, Heyn. Nom. i. 865 = *diphylla*.  
*chaetophora*, F. Muell. in Trans. Phil. Inst. Vict. iii. (1859) 56 = *diphylla*.  
*conjugata*, Sm. in Rees, Cycl. xxxix, n. 3 = *diphylla*.  
*diphylla*, Pers. Syn. ii. 318.—Cosmop. trop.  
*disperma*, R. Grah. in Wall. Cat. n. 5663 = *Geissaspis cristata*.  
*dyctiocarpa*, DC. Prod. ii. 317 = *diphylla*.  
*echinocarpa*, Benth. in Mart. Fl. Bras. xv. i. 85.—Bras.  
*elegans*, Pers. Syn. ii. 318 = *Desmodium elegans*.  
*flemmingioides*, Moric. Pl. Nouv. Am. 127. t. 76.—Bras.  
*Gardneriana*, Moric. l. c. 129. t. 77.—Bras.  
*gemella*, Vog. in Linnaea, xii. (1838) 61 = *diphylla*.  
*gibbosa*, Span. l. c. xv. (1841) 192 = *diphylla*.  
*glabella*, Span. l. c. = *diphylla*.  
*glabra*, Desv. in Mém. Soc. Linn. Par. iv. (1826) 325.—Bras.  
*glauca*, Zipp. ex Miq. Fl. Ind. Bat. i. i. 228 = *Phylacium bracteosum*.  
*glochidiata*, Reichb. ex DC. Prod. ii. 316 = *diphylla*.  
*gracilis*, DC. l. c. 316 = *diphylla*.  
*graminea*, Span. in Linnaea, xv. (1841) 192 = *diphylla*.  
*havanensis*, A. Rich. Ess. Fl. Cub. 423.—Cuba.  
*heterophylla*, Sm. in Rees, Cycl. xxxix, n. 5 = *bracteata*.  
*inermis*, Desv. in Mém. Soc. Linn. Par. iv. (1826) 325.—Hab. ?  
*laevis*, Schlecht. & Cham. in Linnaea, v. (1830) 582 = *diphylla*.  
*latifolia*, DC. Prod. ii. 317 = *diphylla*.  
*linearis*, E. Mey. Comm. Pl. Afr. Austr. 122 = *bracteata*.  
*lutescens*, Steud. Nom. ed. I. 900 = *Desmodium lutescens*.  
*maranhamensis*, G. Don, Gen. Syst. ii. 280.—Bras.  
*microphylla*, Desv. in Mém. Soc. Linn. Par. iv. (1826) 325 = *diphylla*.  
*myriadena*, Benth. in Mart. Fl. Bras. xv. i. 85.—Bras.  
*nuda*, Vog. in Linnaea, x. (1836) 587 = *diphylla*.

**ZORNIA** :—

- ovata*, Vog. in Linnaea, xii. (1838) 58 = diphylla.  
*perforata*, Vog. l. c. 59 = diphylla.  
*pubescens*, H. B. & K. Nov. Gen. et Sp. vi. 515 = diphylla.  
*pulchella*, Pers. Syn. ii. 318 = Desmodium pulchellum.  
*reticulata*, Sm. in Rees, Cycl. xxxix. n. 2 = diphylla.  
*sericea*, Moric. Pl. Nouv. Am. 126. t. 75 = diphylla.  
 Sloanei, Griseb. Fl. Brit. W. Ind. 709.—Cuba.  
*strobilifera*, Pers. Syn. ii. 319 = Flemingia strobilifera.  
*surinamensis*, Miq. in Ann. & Mag. Nat. Hist. Ser. I. xi. (1843) 14 = diphylla.  
*tenuifolia*, Moric. Pl. Nouv. Am. 132. t. 79.—Bras.  
*tetraphylla*, Michx. Fl. Bor. Am. ii. 76. t. 41 = bracteata.  
*thymifolia*, H. B. & K. Nov. Gen. et Sp. vi. 514 = diphylla.  
*trachycarpa*, Vog. in Linnaea, xii. (1838) 60 = diphylla.  
*venusta*, Wall. ex Steud. Nom. ed. II. ii. 801, nomen (Quid ?).—Ind. or.  
*virgata*, Moric. Pl. Nouv. Am. 131. t. 78.—Bras.  
*Walkeri*, Arn. in Nov. Act. Nat. Cur. xviii. (1836) 330 = diphylla.  
*zeylonensis*, Pers. Syn. ii. 318 = diphylla.

**ZORNIA**, Moench, Meth. 410 (1794) = **Lallemantia**, Fisch. (Legumin.).  
*canescens*, Moench, l. c. 411 = *L. canescens*.  
*linearifolia*, Moench, Meth. Suppl. 139 = *Dracocephalum Ruyschiana*.  
*nutans*, Moench, Meth. 411 = *Dracocephalum nutans*.  
*partita*, Moench, Meth. Suppl. 139 = *Dracocephalum austriacum*.  
*parviflora*, Moench, Meth. 411 = *Dracocephalum thymiflorum*.  
*peltata*, Moench, l. c. = *L. peltata*.

**ZOROXUS**, Rafin. New Fl. Am. iv. 88 (1836) = **Polygala**, Tourn.

**ZOSIMA**, Hoffm. Gen. Umbell. ed. I. 145. t. 4 (1814).  
*UMBELLIFERAE*, Benth. & Hook. f. i. 924.  
*absinthifolia*, Link, Enum. Hort. Berol. i. 274 (*apsinthifolia*); DC. Prod. iv. 195 = *orientalis*.  
*anethifolia*, DC. l. c. 196 = *Ducrosia anethifolia*.  
*dichotoma*, Boiss. Diagn. Ser. I. vi. 63.—Persia.  
*frigida*, Boiss. & Haussk. ex Boiss. Fl. Orient. ii. 1038.—Persia.  
*humilis*, Fenzl, ex Boiss. l. c. 1062 (= *Pastinaca sozimioides*).—Cilicia.  
*lasiocarpa*, Boiss. l. c. 1038.—Afghan.  
*Nuttallii*, D. Dietr. Syn. Pl. ii. 973 = *Polytaenia Nuttallii*.  
*orientalis*, Hoffm. Gen. Umbell. ed. I. 148. t. 4.—As. occ.  
*radians*, Boiss. & Hohen. Diagn. Ser. I. x. 43 = *orientalis*.  
*tragiodides*, Boiss. in Ann. Sc. Nat. Sér. III. i. (1844) 341.—Persia.

**ZOSIMA**, Phil. Sert. Mendoc. Alt. 29 (1871) = **Philibertia**, H. B. & K. (Asclep.).  
*violacea*, Phil. l. c. = *P. solanoides*.

**ZOSIMIA**, Bieb. Fl. Taur. Cauc. iii. 229 (1819) = **Zosima**, Hoffm. (Umbellif.).

**ZOSTER**, St. Lag. in Ann. Soc. Bot. Lyon, viii. (1881) 159 = seq.

**ZOSTERA**, Linn. Diss. Dass. 27 (1747); Amoen. Acad. i. 411 (1749). **NAIADACEAE**, Benth. & Hook. f. iii. 1017.

- ALGA, Lam. Fl. Fr. iii. 539 (1778).  
*angustifolia*, Loser, in Oestr. Bot. Zeitschr. xiii. (1863) 383 = nana.  
*angustifolia*, Reichb. Ic. Fl. Germ. vii. 3 = marina.  
*bullata*, Delile, Fl. Egypte, 289. t. 53. f. 6 = *Halophila stipulacea*?  
*ciliata*, Forsk. Fl. Aegypt. Arab. 157 = *Cymodocea ciliata*.  
*emarginata*, Ehrenb. & Hempr. ex Aschers. in Linnaea, xxxv. (1867–68) 167 = nana.  
*marina*, R. Br. Prod. 338 = *tasmanica*.  
*marina*, Linn. Sp. Pl. 968.—Europ.  
*marina*, Targ. Tozz. Cat. Veg. Marin. (1826) 87 = *Cymodocea aequorea*.  
*marina*, Vis. Stirp. Dalm. Spec. 51 = *Posidonia Caulini*.

**ZOSTERA** :—

- maritima*, Gaertn. Fruct. i. 76. t. 19 = marina.  
*mediterranea*, DC. Fl. Fr. iii. 154 = *Cymodocea aequorea*.  
*minor*, Nolte, ex Reichb. Ic. Fl. Germ. vii. 2 = nana.  
*Muelleri*, Irmsch, ex Aschers. in Linnaea, xxxv. (1867–68) 168 = nana.  
 nana, Roth, Enum. Pl. Phaen. Germ. i. 8.—Reg. temp.  
*nodosa*, Guss. Pl. Sic. Syn. ii. 565 = nana.  
*nodosa*, Ucria, in Roem. Arch. i. i. (1796) 70 = *Cymodocea aequorea*.  
*Noltii*, Hornem. in Fl. Dan. t. 2041 = nana.  
*oceanica*, Linn. Mant. i. 123 = *Posidonia Caulini*.  
*oceanica*, [Weber,] in Wigg. Prim. Fl. Holsat. 65 = marina.  
*pumila*, Le Gall, in Congr. Sc. Fr. xvi. i. (1850) 96, 144 = nana.  
*serrulata*, Bertol. Fl. Ital. x. 5 = marina.  
*serrulata*, Targ. Tozz. Cat. Veg. Marin. (1826), 85 = *Cymodocea aequorea*.  
*stenophylla*, Rafin. in Am. Monthly Mag. (1818) 175 = marina.  
*stipulacea*, Forsk. Fl. Aegypt. Arab. 158 = *Halophila ovata*.  
*tasmanica*, Martens, ex Aschers. in Linnaea, xxxv. (1867–68) 168.—Austral.  
*tridentata*, Solms, in Schweinf. Beitr. Fl. Aethiop. 196 = *Halodule australis*.  
*trinervis*, Stokes, Bot. Mat. Med. iv. 319 = marina.  
*uninervis*, Forsk. Fl. Aegypt. Arab. 157 = *Halodule australis*.  
*uninervis*, Vahl, ex Reichb. Fl. Germ. Excurs. 137 = nana.

**ZOSTEROSPERMUM**, Beauv. in Lestib. Essai Fam. Cyp. 28 (1819) = **Rynchospora**, Vahl (Cyperac.).  
*gracile*, Desv. ex Ham. Prod. Pl. Ind. Occ. 14 = *R. glauca*?

**ZOSTEROSTYLIS**, Blume, Bijdr. 418. t. 32 (1825) = **Cryptostylis**, R. Br. (Orchid.).  
*Arachnites*, Blume, l. c. 419. t. 32 = *C. Arachnites*.  
*filiformis*, Miq. Fl. Ind. Bat. iii. 721 = *C. filiformis*.  
*Walkeriae*, Wight, Ic. t. 1748 = *C. Arachnites*.  
*zeylanica*, Lindl. Gen. et Sp. Orch. 446 = *C. Arachnites*.

**ZOUCHIA**, Rafin. Fl. Tellur. iv. 22 (1836) = **Pancreaticum**, Dill. (Amaryll.).  
*illyrica*, Rafin. l. c. = *P. illyricum*.

**ZOZIMA**, DC. Prod. iv. 195 (1830), sphalm. = **Zosima**, Hoffm. (Umbellif.).

**ZOZIMIA**, DC. Prod. iv. 195 (1830) = praec.

**ZOYSIA**, Willd. in Ges. Naturf. Fr. Neue Schr. iii. (1801) 440. **GRAMINEAE**, Benth. & Hook. f. iii. 1124.

- MATRELLA, Pers. Syn. i. 73 (1805).  
 OSTERDAMIA, Neck. Elem. iii. 218 (1790).  
*aristata*, C. Muell. in Bot. Zeit. xiii. (1855) 272 = pungens.  
*Brownii*, C. Muell. l. c. = pungens.  
*Griffithiana*, C. Muell. l. c. 273 = pungens.  
*japonica*, Steud. Syn. Pl. Gram. 414 = pungens.  
*macrantha*, Desv. Opusc. 54 = pungens.  
*macrostachya*, Franch. & Sav. Enum. Pl. Jap. ii. 608 = pungens?  
*pungens*, Willd. in Ges. Naturf. Fr. Neue Schr. iii. (1801) 441.—As. or.; Austral.; Ins. Mascar.; Maurit.  
*rigida*, Willd. ex Kunth, Rév. Gram. i. 156 = *Leptothrium rigidum*.  
*sedoides*, C. Muell. in Bot. Zeit. xiii. (1855) 273 = pungens.  
*setacea*, Nees, ex Steud. Nom. ed. II. ii. 801 = pungens.  
*sinica*, Hance, in Journ. Bot. vii. (1869) 168 = pungens.  
*tenuifolia*, Trin. in Mém. Acad. Pétersb. Sér. VI. iv. Sc. Nat. ii. (1836) 96 = pungens.  
*tremula*, Beauv. Agrost. 148 = *Sporobolus virginicus*.

**ZSCHOKKEA**, Muell. Arg. in Mart. Fl. Bras. vi. i. 20. t. 6, 7 (1860) = **Lacmellia**, Karst. (Apocyn.).  
*arborescens*, Muell. Arg. l. c. 22.—Bras.  
*floribunda*, Muell. Arg. l. c. 23 = *L. floribunda*.  
*gracilis*, Muell. Arg. l. c. 21.—Bras.

**ZSCHOKKEA** :—

- guyanensis*, Muell. Arg. in Linnaea, xxx. (1859–60) 391 = *Lacmellia floribunda*.  
*microcarpa*, Muell. Arg. in Mart. Fl. Bras. vi. i. 23.—Bras.  
*monosperma*, Muell. Arg. l. c. 22.—Bras.  
*ramosissima*, Muell. Arg. l. c. 21.—Bras.

**ZSCHOKKIA**, Benth. & Hook. f. Gen. ii. 694 (1876), sphalm. = praec.

**ZUCCA**, Comm. ex Juss. Gen. 398 (1789) = **Momordica**, Tourn. (Cucurb.).  
*Commersoniana*, Ser. in DC. Prod. iii. 319 = *M. cochinchinensis*.

**ZUCCAGNIA**, Cav. Ic. v. 2. t. 403 (1799). **LEGU-MINOSAE**, Benth. & Hook. f. i. 587.

- angulata*, Hook. & Arn. Bot. Beech. Voy. 22.—Chili.  
*eremophila*, Phil. Fl. Atac. 17. t. 1 B.—Chili.  
*microphylla*, Vog. in Nov. Act. Nat. Cur. xix. Suppl. i. (1843) 38.—Chili.  
*mucronata*, Phil. Fl. Atac. 17.—Chili.  
*punctata*, Cav. Ic. v. 2. t. 403.—Chili.

**ZUCCAGNIA**, Thunb. Nov. Gen. ix. 127 (1798) (*Zuccagnia*) = **Dipeadi**, Medic. (Liliac.).  
*viridis*, Thunb. l. c. = *D. filamentosum*.

**ZUCCARINIA**, Blume, Bijdr. 1006 (1826). **RUBIA-CEAE**, Benth. & Hook. f. ii. 97.  
*macrophylla*, Blume, l. c. 1007.—Java.

**ZUCCARINIA**, Maerckl. in Ann. Ges. Wetterau, ii. (1811) 252 (Gen. dub.).  
*verbenacea*, Maerckl. l. c. 253 (Quid ?).—Hab.?

**ZUCCARINIA**, Spreng. Syst. iv. Cur. Post. 50, 81 (1827) = **Jackia**, Wall. (Rubiace.).  
*ornata*, Spreng. l. c. 81 = *J. ornata*.

**ZUCHELIA**, Buek, Index, in DC. Prod. iii. 508 (1858), sphalm. = seq.

**ZUCHELLIA**, Decne. in DC. Prod. viii. 492 (1844) = **Raphionacme**, Harv. (Asclep.).  
*angolensis*, Decne. l. c. —Afr. trop.

**ZUCKERTIA**, Baill. Etud. Gén. Euph. 495. t. 4 (1858) = **Tragia**, Plum. (Euphorb.).  
*cordata*, Baill. l. c. 496 = *T. Bailloniana*.

**ZUELANIA**, A. Rich. Ess. Fl. Cub. 88. t. 12 (1845) = **Casearia**, Jacq. (Samyd.).  
*crenata*, Griseb. Cat. Pl. Cub. 9.—Cuba.  
*icosandra*, Clos, in Ann. Sc. Nat. Sér. IV. viii. (1857) 242, in obs. = *C. icosandra*.  
*laetioides*, A. Rich. Ess. Fl. Cub. 89 = *C. icosandra*.  
*tremula*, Griseb. Cat. Pl. Cub. 9.—Cuba.

**ZUGILUS**, Rafin. Fl. Ludov. 159 (1817) = **Ostrya**, Mich. (Cupul.).  
*virginica*, Rafin. l. c. 159 = *O. virginica*.

**ZULATIA**, Neck. Elem. ii. 117 (1790) = **Miconia**, Ruiz & Pav. (Melastom.).  
*alata*, Rafin. Sylva Tellur. 97 = *M. alata*.  
*grandiflora*, Rafin. l. c. = *Rhynchanthera grandiflora*.  
*levigata*, Rafin. l. c. = *M. laevigata*.

**ZURLOA**, Tenore, Atti 3ª Riun. Sc. Ital. 503 (1841) = **Carapa**, Aubl. (Meliac.).  
*insignis*, Tenore, l. c. = *C. procera*.  
*splendens*, Tenore, Cat. Orto Bot. Nap. (1845) 99 = *C. procera*.

**ZWAARDEKRONIA**, Korth. in Ned. l. Kruidk. Arch. ii. ii. (1851) 252 = **Psychotria**, Linn. (Rubiace.).  
*lurida*, Korth. l. c. = *Chasalia curviflora*.

**ZWACKHIA**, Sendt. in Reichb. Ic. Fl. Germ. xviii. 65. t. 115, 1316 (1858). **BORAGINEAE**, Benth. & Hook. f. ii. 862.  
*aurea*, Sendt. l. c. —Banat.

ZWARDEKRONIA, Hook. f. Fl. Brit. Ind. iii. 177 (1880), err. typ., in syn. = ZWAARDEKRONIA, Korth. = *Psychotria*, Linn. (Rubiace.).

ZWINGERA, Neck. Elem. iii. 385 (1790) = *Nolina*, Linn. (Convolv.).

ZWINGERA, Schreb. Gen. ii. 802 (1791) = *Simaba*, Aubl. (Simarub.).  
*amara*, Willd. Sp. Pl. ii. 569 = *Simaruba amara*.  
*Aruba*, Spreng. Syst. ii. 319 = *Simaba guianensis*.  
*bahiensis*, Steud. Nom. ed. II. ii. 802 = *Simaba ferruginea*?  
*bicolor*, Steud. l. c. = *Simaba bicolor*.  
*ferruginea*, Spreng. Syst. ii. 319 = *Simaba ferruginea*.  
*floribunda*, Spreng. l. c. = *Simaba floribunda*.  
*orinocensis*, Spreng. l. c. = *Simaba orinocensis*.  
*quassioideis*, Spreng. Syst. iv. Cur. Post. 163 = *Picrasma quassioideis*.  
*suaveolens*, Spreng. Syst. ii. 319. — Bras.  
*trichilioides*, Spreng. l. c. = *Simaba trichilioides*.  
*undulata*, Steud. Nom. ed. II. ii. 802 = *Simaba undulata*.

**ZYGADENUS**, Michx. Fl. Bor. Am. i. 213. t. 22 (1803) (*Zigadenus*). **LILIACEAE**, Benth. & Hook. f. iii. 835.  
*AMANTANTHIUM*, Kunth, Enum. Pl. iv. 179 (1843).  
*AMANTHUM*, Rafin. Fl. Tellur. iv. 27 (1836).  
*ANTICLEA*, Kunth, Enum. Pl. iv. 191 (1843).  
*CHITONIA*, Salisb. Gen. Pl. Fragm. 51 (1866).  
*CHROSPERMA*, Rafin. Neogenyt. 3 (1825).  
*ENDOCLES*, Salisb. Gen. Pl. Fragm. 51 (1866).  
*GEISELERIA*, Kunth, in Abh. Berl. Akad. (1842) 3.  
*GOMPHOSTYLIS*, Rafin. Fl. Tellur. ii. 30 (1836).  
*MONADENUS*, Salisb. Gen. Pl. Fragm. 51 (1866).  
*angustifolius*, S. Wats. in Proc. Am. Acad. xiv. (1879) 280. — Am. bor.  
*bracteatus*, Sweet, Hort. Brit. ed. I. 429; Schult. f. Syst. vii. 1559 = *elegans*.  
*canadensis*, Hort. ex Baker, in Journ. Linn. Soc. xvii. (1879) 482 = *elegans*.  
*chloranthus*, Richards. in Frankl. Narr. 1st Journ. App. 736 = *elegans*.  
*commutatus*, Schult. f. Syst. vii. 1560 = *elegans*.  
*Douglasii*, Torr. in Pacif. Rail. Rep. vii. 20 = *Fremontii*.  
*elegans*, Pursh. Fl. Am. Sept. i. 241. — Am. bor.  
*Fremontii*, Torr. ex S. Wats. Bot. King's Exped. 343. — Calif.  
*frigidus*, D. Don, in Edinb. N. Phil. Journ. (Oct. 1832) 233 = *Stenanthium frigidum*.  
*fuscatus*, Rafin. Fl. Tellur. ii. 30 (Quid?). — Hab.?  
*glaberrimus*, Hook. & Arn. Bot. Beech. Voy. 160 = *Fremontii*.  
*glaberrimus*, Michx. Fl. Bor. Am. i. 214. t. 22. — Am. bor.  
*glaucus*, Nutt. ex Baker, in Journ. Linn. Soc. xvii. (1879) 480 = *Fremontii*.  
*glaucus*, Nutt. in Journ. Acad. Philad. vii. (1834) 56 = *elegans*.  
*hybridus*, Endl. ex Kunth, Enum. Pl. iv. 196 = *Melanthium virginicum*.  
*japonicus*, Miq. in Verh. Kon. Akad. Wetensch. II. ii. (1868) 88 = *Veratrum Maackii*.  
*leimanthoides*, A. Gray, Man. Bot. N. U. St. ed. II. 476. — Am. bor.  
*mexicanus*, Hemsl. Biol. Centr. Am. Bot. iii. 382. — Mexic.  
*monoecus*, Kunth, Enum. Pl. iv. 196 = *Veratrum parviflorum*.  
*muscitoxicum*, Regel, Gartenfl. xxxii. (1883) 164. — Am. bor.  
*Nuttallii*, A. Gray, Man. Bot. N. U. St. ed. II. 476, in obs. — Calif.  
*Nuttallii*, S. Wats. in Bot. King's Exped. 343, partim = *venenosus*.  
*paniculatus*, S. Wats. l. c. — Am. bor. occ.  
*porrifolius*, Greene, in Bull. Torrey Bot. Club, viii. (1881) 123. — N. Mexic.  
*sachalinensis*, F. Schmidt, Reisen Amurl. 88 = *Stenanthium sachalinense*.  
*sibiricus*, A. Gray, in Ann. Lyc. N. York, iv. (1837) 112. — Sibir.  
*speciosus*, Dougl. ex Hook. Fl. Bor. Am. ii. 177 = *elegans*.  
*venenosus*, S. Wats. in Proc. Am. Acad. xiv. (1879) 279. — Am. bor. occ.

**ZYGADENUS** :—

*virginicus*, Endl. ex Kunth, Enum. Pl. iv. 195 = *Melanthium virginicum*.  
*volcanicus*, Benth. Pl. Hartw. 96. — Guatemala.  
*volcanicus*, S. Wats. in Proc. Am. Acad. xviii. (1883) 165 = *mexicanus*.

ZYGIA, Benth. & Hook. f. Gen. ii. 1188 (1876), err. typ. = ZYGIS, Desv. = *Micromeria*, Benth. (Labiata.).

ZYGIA, P. Br. Hist. Jamaic. 279. t. 22 (1789) = *Pithecolobium*, Mart. (Legumin.).

ZYGIA, Walp. Rep. i. 928 (1842); Benth. in Hook. Lond. Journ. Bot. iii. (1844) 92 = *Albizia*, Durazz. (Legumin.).  
*Brownei*, Schweinf. Rel. Kotsch. 10. t. 10 = A. Welwitschii.  
*Brownei*, Walp. Rep. i. 928 = A. Brownei.  
*fastigiata*, E. Mey. Comm. Pl. Afr. Austr. 165 = A. fastigiata.  
*Petersiana*, Bolle, in Peters, Reise Mossamb. Bot. t. 1 = A. Petersiana.  
*Sassa*, Benth. in Hook. Lond. Journ. Bot. iii. (1844) 93, in obs. = A. fastigiata.  
*virgultosa*, E. Mey. ex Walp. Rep. i. 928 (Ingae sp.). — Afr. austr.

ZYGIS, Desv. in Ham. Prod. Pl. Ind. Occ. 46 (1825) = *Micromeria*, Benth. (Labiata.).  
*aromatica*, Desv. l. c. = M. obovata.

**ZYGODIA**, Benth. in Benth. & Hook. f. Gen. ii. 716 (1876). **APOCYNACEAE**, Benth. & Hook. f. l. c. axillaris, Benth. in Hook. Ic. Pl. t. 1184. — Afr. trop.  
*myrtifolia*, Benth. l. c. xii. 73. — Afr. trop.  
*subsessilis*, Benth. l. c. — Afr. trop.

ZYGOGLOSSUM, Reinw. ex Blume, Cat. Gew. Buitenz. 100 (1823), nomen; et in Syll. Ratisb. ii. (1828) 4 = *Cirrhopetalum*, Lindl. (Orchid.).  
*umbellatum*, Reinw. ll. cc. 100; 5 = C. Thouarsii.

**ZYGOGYNUM**, Baill. Adansonia, vii. (1867) 298. **MAGNOLIACEAE**.  
*pomiferum*, Baill. l. c. x. (1872) 334. — N. Caled.  
*stipitatum*, Baill. l. c. — N. Caled.  
*Vieillardii*, Baill. l. c. vii. (1867) 298. — N. Caled.

ZYGOLEPIS, Turcz. in Bull. Soc. Nat. Mosc. xxi. (1848) 1. 573 = *Ratonia*, DC. (Sapind.).  
*rufescens*, Turcz. l. c. 574 = R. Zygolepis.

ZYGOMENES, Salisb. in Trans. Hort. Soc. i. (1812) 271 = *Cyanotis*, D. Don (Commel.).  
*abyssinica*, Hassk. in Schweinf. Beitr. Fl. Aethiop. 211 = C. hirsuta.  
*axillaris*, Salisb. in Trans. Hort. Soc. i. (1812) 271 = C. axillaris.  
*caespitosa*, Kotschy & Peyr. Pl. Tinn. t. 22<sup>d</sup> = C. longifolia.  
*parasitica*, Hassk. in Schweinf. Beitr. Fl. Aethiop. 214 = C. parasitica.  
*pauciflora*, Hassk. l. c. 213 = C. pauciflora.  
*polyrrhiza*, Hassk. l. c. 214 = C. polyrrhiza.

ZYGOMERIS, [Moq. & Sesse,] ex DC. Prod. ii. 315 (1825) = *Amicia*, H. B. & K. (Legumin.).  
*flava*, [Moq. & Sesse,] ex DC. l. c. = A. Zygomeris.

**ZYGOON**, Hiern, in Oliver, Fl. Trop. Afr. iii. 113 (1877). **RUBIACEAE**.  
*graveolens*, Hiern, l. c. 114. — Afr. trop.

ZYGOPELTIS, Fenzl, ex Endl. Gen. Suppl. ii. 107 (1842) = *Heldreichia*, Boiss. (Crucif.).

ZYGOPETALON, Reichb. Consp. 69 (1828) = seq.

**ZYGOPETALUM**, Hook. Bot. Mag. t. 2748 (1827). **ORCHIDEAE**, Benth. & Hook. f. iii. 542.  
*BOLLEA*, Reichb. f. in Bot. Zeit. x. (1852) 667.  
*CHAUBARDIA*, Reichb. f. l. c. (1852) 671.  
*COCHLEANTHES*, Rafin. Fl. Tellur. iv. 45 (1836).  
*GALEOTIA*, A. Rich. in Ann. Sc. Nat. Sér. III. iii. (1845) 25.  
*HUNTLEYA*, Batem. ex Lindl. Bot. Reg. (1837) sub t. 1991.

**ZYGOPETALUM** :—

*KEFERSTEINIA*, Reichb. f. in Bot. Zeit. x. (1852) 633.  
*MENADENIUM*, Rafin. Fl. Tellur. iv. 45 (1836).  
*PESCATORIA*, Reichb. f. in Bot. Zeit. x. (1852) 667.  
*PROMENAEA*, Lindl. Bot. Reg. (1843) Misc. 13.  
*WARCZEWICZELLA*, Reichb. f. in Bot. Zeit. x. (1852) 635.  
*ZYGOSEPALUM*, Reichb. f. in Walp. Ann. vi. 665 (1863).  
*africanum*, Hook. Bot. Mag. t. 3812 = *Odontoglossum biconiense*.  
*amazonicum*, Reichb. f. in Walp. Ann. vi. 655. — Am. trop.  
*aromaticum*, Reichb. f. in Bot. Zeit. x. (1852) 668. — Panama.  
*Backhousianum*, Reichb. f. in Gard. Chron. (1877) II. 456, in syn. — Ecuador?  
*bellum*, Reichb. f. l. c. (1878) I. 492, in nota. — N. Granat.  
*bicallosum*, Reichb. f. Otia Bot. Hamb. 9. — Ecuador.  
*bidentatum*, Reichb. f. ex Hemsl. Biol. Centr. Am. Bot. iii. 251. — Mexic.  
*brachypetalum*, Lindl. Bot. Reg. (1844) Misc. 9. — Bras.  
*brachystalix*, Reichb. f. in Walp. Ann. vi. 660. — Ins. Trinit.  
*Burkei*, Reichb. f. in Gard. Chron. (1883) II. 684. — Guian.  
*Burtii*, Benth. & Hook. f. ex Hemsl. Biol. Centr. Am. Bot. iii. 251. — Costa Rica.  
*candidum*, Reichb. f. in Walp. Ann. vi. 656. — Bras.  
*cerinum*, Reichb. f. l. c. 651. — Panama.  
*Clayi* x, Reichb. f. in Gard. Chron. (1877) I. 684.  
*cochleare*, Lindl. in Bot. Reg. t. 1857. — Am. trop.  
*cochleata*, Paxt. Mag. Bot. iv. (1838) 279 (Index), err. typ. = *praec*.  
*coeleste*, Reichb. f. in Linnaea, xli. (1877) 5. — N. Granat.  
*coloratum*, Linden & Reichb. f. in Walp. Ann. vi. 662. — N. Granat.  
*conchaceum*, Hoffm. ex Reichb. f. l. c. 653 = *cochleare*.  
*coronarium*, Reichb. f. in Linnaea, xli. (1877) 108. — N. Granat.  
*crinitum*, Lodd. Bot. Cab. t. 1687. — Bras.  
*Dayanum*, Reichb. f. in Gard. Chron. (1872) 1618, in syn. — N. Granat.  
*discolor*, Reichb. f. in Walp. Ann. vi. 655. — Costa Rica.  
*euglossum*, Reichb. f. in Gard. Chron. (1876) II. 808, in syn. = *intermedium*.  
*expansum*, Reichb. f. l. c. (1878) I. 168. — Ecuador?  
*flabelliforme*, Reichb. f. in Walp. Ann. vi. 652 = *cochleare*.  
*flaveolum*, Linden & Reichb. f. in Walp. l. c. 662. — N. Granat.  
*forcipatum*, Hort. — Cf. Gard. Chron. (1885) II. 70 = *laminatum*.  
*forcipatum*, Reichb. f. l. c. (1883) II. 360. — Hab.?  
*fragrans*, Linden, Cat. n. 6 (1851) 9 = *marginatum*.  
*Gairianum*, Reichb. f. in Gard. Chron. (1879) I. 684, in syn. — Hab.?  
*Gautieri*, Lem. Illustr. Hort. xiv. (1867) t. 535. — Bras.  
*Gemma*, Reichb. f. in Gard. Chron. (1874) I. 406, in syn. — Hab.?  
*gramineum*, Lindl. Bot. Reg. (1844) Misc. 10. — N. Granat.  
*grandiflorum*, Benth. & Hook. f. ex Hemsl. Biol. Centr. Am. Bot. iii. 251. — Mexic.  
*guttatum*, Reichb. f. in Walp. Ann. vi. 659. — Hab.?  
*intermedium*, Hort. Petrop. ex Regel, Ind. Sem. Hort. Petrop. (1855) 22, 23 = *Mackaii*.  
*intermedium*, Lodd. Cat. n. 1136; ex Lindl. Bot. Reg. (1844) Misc. 9. — Bras.  
*ionoleucum*, Reichb. f. in Bot. Zeit. xxiii. (1865) 99. — N. Granat.  
*Kegelii*, Reichb. f. l. c. x. (1852) 668. — Guian.  
*Klabochii*, Reichb. f. in Gard. Chron. (1885) II. 391. — N. Granat.  
*Klabochorum*, Reichb. f. l. c. (1879) I. 684. — Hab.?  
*lacteum*, Reichb. f. l. c. (1872) 1290. — Panama.  
*Lalindei*, Reichb. f. l. c. (1874) II. 33, in nota. — N. Granat.  
*lamellosum*, Reichb. f. l. c. (1875) II. 225, in nota. — N. Granat.  
*laminatum*, Reichb. f. l. c. (1885) II. 70. — Hab.?  
*Lawrenceanum*, Reichb. f. l. c. (1878) II. 266, in nota. — Hab.?



**ZYGOPETALUM** :—

- Lehmanni, *Reichb. f. in Gard. Chron.* (1879) II. 424, in syn.—Reg. Andin.  
 lentiginosum, *Reichb. f. in Walp. Ann.* vi. 659.—Bras. Lueddemannianum, *Reichb. f. l. c.* 653.—Am. trop.  
 Mackaii, *Hook. Bot. Mag.* t. 2748.—Bras.  
 mandibulare, *Reichb. f. in Gard. Chron.* (1877) I. 684 = maxillare.  
 marginatum, *Reichb. f. in Walp. Ann.* vi. 654.—Am. centr.  
 Massangei, *Hort.—Cf. Gard. Chron.* (1876) I. 603.—Hab. ?  
 maxillare, *Lodd. Bot. Cab.* t. 1776; *Paxt. Mag. Bot.* iv. (1838) 271.—Bras.  
 Meleagris, *Benth. in Journ. Linn. Soc.* xviii. (1880) 321; *Benth. & Hook. f. Gen.* iii. 546, in nota.—Bras.  
 micranthum, *Rodrig. Orch. Nov.* i. 109 = *Paradisanthus paranaënsis*.  
 microphytum, *Rodrig. l. c.*—Bras.  
 micropterum, *Reichb. f. in Gard. Chron.* (1881) II. 134, in nota.—Hab. ?  
 microtus, *Hoffmgg. ex Reichb. f. in Walp. Ann.* vi. 661 = crinitum.  
 Moritzii, *Reichb. f. l. c.* 658.—Am. centr.  
 Mosenianum, *Rodrig. Orch. Nov.* i. 108.—Bras.  
 Murrayanum, *Gardn. ex Hook. Bot. Mag.* t. 3674.—Bras.  
 Mystacinum, *Reichb. f. in Gard. Chron.* (1881) I. 530, in nota.—N. Granat.  
 obtusatum, *Reichb. f. l. c.* (1878) II. 300.—Hab. ?  
 pardinum, *Reichb. f. in Walp. Ann.* vi. 662.—Reg. And.  
 Patini, *Reichb. f. in Gard. Chron.* (1874) II. 34, in nota.—Hab. ?  
 pentachromum x, *Reichb. f. l. c.* (1885) I. 532.  
 pictum, *Reichb. f. l. c.* (1883) II. 8, in nota.—Am. trop.  
 pubescens, *Hoffmgg. Verz. Orch.—Cf. Bot. Zeit.* i. (1843) 835 = crinitum.  
 pulvinare, *Reichb. f. in Linnaea*, xli. (1877) 107.—N. Granat.  
 quadratum, *Pfizer, Vergl. Morph. Orch.* 58 = marginatum.  
 Rivieri, *Carr. in Rev. Hortie.* (1873) 191, cum ic. = intermedium.  
 Roelsii, *Reichb. f. in Gard. Chron.* (1877) I. 620 = intermedium.  
 Rollissonii, *Reichb. f. in Walp. Ann.* vi. 659.—Bras.  
 rostratum, *Hook. Bot. Mag.* t. 2819.—Guian.  
 Russelianum, *Reichb. f. in Gard. Chron.* (1878) II. 524, in syn.—Hab. ?  
 sanguinolentum, *Reichb. f. in Walp. Ann.* vi. 658.—Venezuela.  
 Sedeni x, *Reichb. f. in Gard. Chron.* (1874) II. 290.  
 Sellowii, *Reichb. f. in Walp. Ann.* vi. 660.—Bras.  
 stapelioides, *Reichb. f. l. c.* 658.—Bras.  
 stenochilum, *Lodd. Bot. Cab.* t. 1923 = crinitum.  
 taurinum, *Reichb. f. in Linnaea*, xlii. (1877) 5.—N. Granat.  
 tricolor, *Lindl. Bot. Reg.* (1846) t. 64 = *Acacallis cyanea*.  
 triste, *Rodrig. Orch. Nov.* i. 108.—Bras.  
 triumphans, *Reichb. f. in Walp. Ann.* vi. 652.—N. Granat.  
 velatum, *Reichb. f. l. c.* 655.—N. Granat.  
 velutinum, *Hoffmgg. Verz. Orch.—Cf. Bot. Zeit.* i. (1843) 835 = intermedium.  
 violaceum, *Reichb. f. in Walp. Ann.* vi. 650.—Guian.  
 Wailesianum, *Reichb. f. l. c.* 656.—Bras.  
 Wallisii, *Reichb. f. in Gard. Chron.* (1869) 710, in syn.; et *Van Houtte, in Fl. des Serres*, xviii. (1869) 17. t. 1828.—Ecuador.  
 Wendlandi, *Reichb. f. Beitr. Orch. Centr. Am.* 74.—Costa Rica.  
 xanthinum, *Reichb. f. in Walp. Ann.* vi. 659.—Bras.

ZYGOPHYLLON, *St. Lag. in Ann. Soc. Bot. Lyon*, vii. (1880) 137 = seq.

**ZYGOPHYLLUM**, *Linn. Syst. ed. I* (1735). *ZYGOPHYLLEAE*, *Benth. & Hook. f. i.* 266.  
*AGOPHYLLUM*, *Neck. Elem.* ii. 227 (1790).  
*AGOPHYLLUM*, *Endl. Gen.* 1164 (1841).  
 FABAGO, *Tourn. ex Adans. Fam.* ii. 507 (1763).  
 ROEPERA, *A. Juss. in Mém. Mus. Par.* xii. (1825) 454. t. 5. f. 3.

**ZYGOPHYLLUM** :—

- aestuans, *Linn. Sp. Pl. ed. II.* 552 (Quid ?).—Guian.  
 alatum, *E. Mey. in Drège, Zwei Pfl. Docum.* 230 = fulvum.  
 album, *Linn. Sp. Pl. ed. II.* 552.—Cilicia; Afr. bor.; Ins. Canar.  
 altaicum, *Steph. ex Ledeb. Fl. Ross.* i. 484 = pterocarpum.  
 ammophilum, *F. Muell. in Linnaea*, xxv. (1852) 376 = Billardierii.  
 apiculatum, *F. Muell. l. c.* 373.—Austral.  
 arboreum, *Jacq. Enum. Pl. Carib.* 20; *Select. Am.* 130 = *Guaiacum arboreum*.  
 arboreum, *Royle, Illustr. Bot. Himal.* 154 (Quid ?).—Reg. Himal.  
 atriplicoides, *Fisch. & Mey. Ind. Sem. Hort. Petrop.* i. 41.—Armen.; Persia.  
 aurantiacum, *F. Muell. in Linnaea*, xxv. (1852) 376, in nota = fruticosum.  
 australasicum, *Miq. in Lehm. Pl. Preiss.* i. 164 = *Nitraria Schoberi*.  
 Billardierii, *DC. Prod.* i. 705.—Austral.  
 brachypterum, *Kar. & Kir. in Bull. Soc. Nat. Mosc.* (1841) 397.—Persia; Soongar.  
 capense, *Lam. Encyc.* ii. 443 = microphyllum.  
 carnosum, *Wall. Cat. n.* 1192 (Quid ?).—Ind. or.  
 coccineum, *Lepech. It. ed. Germ.* i. 310 = *Eichwaldi*.  
 coccineum, *Linn. Sp. Pl.* 386.—Afr. bor.; Arab.; Sind.  
 Commelini, *Eckl. & Zeyh. Enum.* 97 = sessilifolium, flexuosum.  
 connaroides, *Wight & Arn. ex Hiern, in Hook. f. Fl. Brit. Ind.* i. 565 = *Heynea trijuga*.  
 cordatum, *Burm. f. Fl. Cap. Prod.* 12 (Quid ?).—Afr. austr.  
 cordifolium, *Linn. f. Suppl.* 232.—Afr. austr.  
 cornutum, *Coss. in Bull. Soc. Bot. Fr.* ii. (1855) 364.—Alger.  
 crenatum, *F. Muell. in Linnaea*, xxv. (1852) 374 = glaucescens.  
 cuneifolium, *Eckl. & Zeyh. Enum.* 97.—Afr. austr.  
 debile, *Cham. in Linnaea*, v. (1830) 45.—Afr. austr.  
 decumbens, *Delile, Fl. Egypte*, 221. t. 27. f. 3.—Aegypt.  
 desertorum, *Forsk. Fl. Aegypt. Arab.* 87. t. 11 = coccineum.  
 dichotomum, *Licht. ex Cham. in Linnaea*, v. (1830) 48.—Afr. austr.  
 divaricatum, *Eckl. & Zeyh. Enum.* 97.—Afr. austr.  
 Dregeanum, *Presl, Bot. Bemerk.* 30 = simplex.  
 Dregeanum, *Sond. in Harv. & Sond. Fl. Cap.* i. 365.—Afr. austr.  
 dumosum, *Boiss. Diagn. Ser. I.* viii. 125.—Arab.  
 Eichwaldi, *C. A. Mey. in Eichw. Pl. Casp.-Cauc.* 15.—Reg. Casp.  
 eurypterum, *Boiss. & Buhse, in Nouv. Mém. Soc. Nat. Mosc.* xii. (1860) 49.—Syria; Persia; Afghan.  
 fabagifolium, *Baill. Hist. Pl.* iv. 417 = fruticosum.  
 fabagineum, *St. Lag. in Ann. Soc. Bot. Lyon*, vii. (1880) 137 = seq.  
 Fabago, *Linn. Sp. Pl.* 385.—Hispan.; Afr. bor.; As. occ.  
 Fabago, *Thunb. Fl. Cap. ed. Schult.* 543 = foetidum.  
 fasciculatum, *Licht. ex Cham. in Linnaea*, v. (1830) 48, nomen (al. gen.).—Afr. austr.  
 flexuosum, *Eckl. & Zeyh. Enum.* 97.—Afr. austr.  
 foetidum, *Eckl. & Zeyh. l. c.* 96 = debile.  
 foetidum, *E. Mey. in Drège, Zwei Pfl. Docum.* 230 = Meyeri.  
 foetidum, *Schrad. & Wendl. Sert. Hanov.* 17. t. 9.—Afr. austr.  
 Fontanesii, *Webb & Berth. Phyt. Canar.* i. 17.—Ins. Canar.; Afr. bor.  
 fruticosum, *DC. Prod.* i. 705.—Austral.  
 fulvum, *Linn. Sp. Pl.* 386.—Afr. austr.  
 fulvum, *Mill. Gard. Dict. ed. VIII.* n. 4 = sessilifolium.  
 furcatum, *C. A. Mey. in Ledeb. Fl. Alt.* ii. 106.—Sibir. altaic.  
 garipense, *E. Mey. in Drège, Zwei Pfl. Docum.* 230 = microcarpum.  
 Geslini, *Coss. in Bull. Soc. Bot. Fr.* iii. (1856) 705.—Alger.  
 glaucescens, *F. Muell. Pl. Vict.* i. 228.—Austral.  
 glaucum, *E. Mey. in Drège, Zwei Pfl. Docum.* 230, nomen; et *ex Harv. & Sond. Fl. Cap.* i. 362.—Afr. austr.  
 glaucum, *F. Muell. in Trans. Vict. Inst.* i. (1855) 29 = glaucescens.

**ZYGOPHYLLUM** :—

- horridum, *Cham. in Linnaea*, v. (1830) 46 = microphyllum.  
 horridum, *Eckl. & Zeyh. Enum.* 98 = retrofractum.  
 Howittii, *F. Muell. Fragm.* iii. 150.—Austral.  
 incrustatum, *E. Mey. in Drège, Zwei Pfl. Docum.* 230, nomen; et *ex Harv. & Sond. Fl. Cap.* i. 362.—Afr. austr.  
 insuave, *Eckl. & Zeyh. Enum.* 96 = uitenhagense.  
 insuave, *Sims, Bot. Mag.* t. 372 = foetidum.  
 iodicarpum, *F. Muell. in Linnaea*, xxv. (1852) 372.—Austral.  
 Karelini, *Fisch. ex Karel. in Bull. Soc. Nat. Mosc.* (1839) 149, nomen; *Boiss. Fl. Orient.* i. 910.—Reg. Casp.  
 lanatum, *Willd. Sp. Pl.* ii. 564 = *Seetzenia africana* ?  
 latifolium, *Schrenk, in Bull. Phys.-Math. Acad. Pétersb.* ii. (1844) 198.—Soongar.  
 Lehmannianum, *Bunge, in Arb. Naturf. Ver. Riga*, i. ii. (1847) 202 = Karelini.  
 leptopetalum, *E. Mey. in Drège, Zwei Pfl. Docum.* 230, nomen; et *ex Harv. & Sond. Fl. Cap.* i. 363.—Afr. austr.  
 Lichtensteinianum, *Cham. in Linnaea*, v. (1830) 47.—Afr. austr.  
 Lichtensteinianum, *Eckl. & Zeyh. Enum.* 96 = *Z. Morgsana*, foetidum.  
 limosum, *Eckl. & Zeyh. l. c.* = sessilifolium.  
 macrophyllum, *Regel & Schmalh. ex Regel, Pl. Nov. Fedsch.* 16.—Turkestan.  
 macropterum, *C. A. Mey. in Ledeb. Fl. Alt.* ii. 102.—Persia; Soongar.  
 maculatum, *Ait. Hort. Kew.* ed. I. ii. 60.—Afr. austr.  
 maritimum, *Eckl. & Zeyh. Enum.* 96 = fulvum, uitenhagense.  
 Melongena, *Bunge, in Ledeb. Fl. Alt.* ii. 104.—Sibir. altaic.  
 Meyeri, *Sond. in Harv. & Sond. Fl. Cap.* i. 364.—Afr. austr.  
 microcarpum, *Eckl. & Zeyh. Enum.* 98 = retrofractum.  
 microcarpum, *Licht. ex Cham. in Linnaea*, v. (1830) 46.—Afr. austr.  
 microcarpum, *E. Mey. in Drège, Zwei Pfl. Docum.* 230 = simplex.  
 micronatum, *Opiz, Natural.* n. vi. (1824) 42 = *Z. Fabago* ?  
 microphyllum, *G. Don, Gen. Syst.* i. 771, in syn., sphalm. = microcarpum.  
 microphyllum, *Eckl. & Zeyh. Enum.* 98 = simplex.  
 microphyllum, *Linn. f. Suppl.* 232.—Afr. austr.  
 miniatum, *Cham. in Linnaea*, v. (1830) 49.—Turkestan.  
 Morgsana, *Linn. Sp. Pl.* 385.—Afr. austr.  
 mucronatum, *Maxim. in Bull. Acad. Pétersb.* xxvii. (1881) 438.—China.  
 Nitraria, *Linn. in Amoen. Acad.* iii. 409 = *Nitraria Schoberi* ?  
 Novae-Zeelandiae, *Steud. Nom. ed. II.* ii. 802, sphalm. = *Zanthoxylum Novae-Zeelandiae* ?  
 obtusum, *Vicary, in Proc. Linn. Soc.* i. (1848) 367 = simplex.  
 orbiculatum, *Welw. ex Oliver, Fl. Trop. Afr.* i. 285.—Afr. trop.  
 ovigerum, *Fisch. & Mey. ex Karel. in Bull. Soc. Nat. Mosc.* (1839) 142, nomen; *Boiss. Fl. Orient.* i. 914.—Reg. Casp.  
 parvifolium, *G. Don, Gen. Syst.* i. 771 = microcarpum.  
 pinnatum, *Cham. in Linnaea*, v. (1830) 48 = macropterum.  
 portulacoides, *Cham. l. c.* 50 = *Miltanthus portulacoides*.  
 portulacoides, *Forsk. Fl. Aegypt. Arab.* 88 = simplex.  
 Potanini, *Maxim. in Bull. Acad. Pétersb.* xxvii. (1881) 438.—Soongar.  
 prismaticum, *E. Mey. in Drège, Zwei Pfl. Docum.* 230, nomen = prismatocarpum.  
 prismatocarpum, *Sond. in Harv. & Sond. Fl. Cap.* i. 357.—Afr. austr.  
 prismatothecum, *F. Muell. in Linnaea*, xxv. (1852) 375.—Austral.  
 proliferum, *Forsk. Fl. Aegypt. Arab.* 87 = album.  
 propinquum, *Decne. in Ann. Sc. Nat. Sér.* II. iii. (1835) 283 = coccineum.  
 prostratum, *E. Mey. in Drège, Zwei Pfl. Docum.* 230 = microcarpum.  
 prostratum, *Thunb. Prod. Pl. Cap.* 189 = *Seetzenia africana*.  
 pterocarpum, *Bunge, in Ledeb. Fl. Alt.* ii. 103.—Sibir. altaic.

**ZYGOPHYLLUM:—**

pygmaeum, *Eckl. & Zeyh. Enum.* 97.—Afr. austr.  
*Retama*, *Gill. ex Hook. & Arn. in Hook. Bot. Misc.*  
 iii. (1833) 166.—Chili.  
*retrofractum*, *Eckl. & Zeyh. Enum.* 96 = foetidum.  
*retrofractum*, *Jacq. Hort. Schoenb.* t. 354 = flexuosum.  
*retrofractum*, *Thunb. Prod. Pl. Cap.* 80.—Afr. austr.  
*rigescens*, *F. Mey. in Drège, Zwei Pfl. Docum.* 230 =  
 cuneifolium.  
*rigidum*, *Royle, Illustr. Bot. Himal.* 154 (Quid?).—  
 Ind. bor. occ.  
*Rosowii*, *Bunge, in Linnaea*, xvii. (1843) 5.—  
 Mongol.  
*semiteres*, *Eckl. & Zeyh. Enum.* 97 = fulvum.  
*sessilifolium*, *Linn. Sp. Pl.* 385.—Afr. austr.  
*sessilifolium*, *Sims, Bot. Mag.* t. 2184 = fulvum.  
*Sieversianum*, *Steph. ex Ledeb. Fl. Ross.* i. 484 =  
 macropterum.  
*simplex*, *Linn. Mant.* i. 68.—Afr. bor. et austr.; As.  
 occ.  
*spatulatum*, *D. Don, Gen. Syst.* i. 771.—Afr. austr.  
*spinosum*, *Linn. Sp. Pl.* 386.—Afr. austr.  
*stellulatum*, *C. Sm. in Tuckey, Congo*, 250, nomen.  
 —Ins. Cap. Virid.  
*steropterum*, *Schrenk, in Bull. Phys.-Math. Acad.*  
*Petersb.* iii. (1845) 308.—Soongar.  
*subtrijugum*, *C. A. Mey. in Ledeb. Fl. Alt.* ii. 105.—  
 Sibir. altaic.  
*succulentum*, *Salisb. Prod.* 319 = *Z. Morgsana*.  
*terminale*, *Turcz. in Bull. Soc. Nat. Mosc.* xxxi. (1858)  
 i. 437 = apiculatum.

**ZYGOPHYLLUM:—**

*Thunbergianum*, *Eckl. & Zeyh. Enum.* 97 = *Lichten-*  
*steinianum*.  
*tridentatum*, [*Moç. & Sesse*,] ex *DC. Prod.* i. 706 =  
*Larrea mexicana*.  
*turcomanicum*, *Fisch. ex Kavel. in Bull. Soc. Nat.*  
*Mosc.* (1839) 149, nomen; *Boiss. Fl. Orient.* i. 914.  
 —Reg. Casp.  
*uitenhagense*, *Sond. in Harv. & Sond. Fl. Cap.* i. 361.  
 —Afr. austr.  
*Webbianum*, *Coss. in Bull. Soc. Bot. Fr.* ii. (1855)  
 365, in obs. = *Fontanesii*.  
*ZYGOSEPALUM*, *Reichb. f. in Walp. Ann.* vi. 665  
 (1863) = *Zygopetalum*, *Hook. (Orchid.)*.  
*Kegelii*, *Reichb. f. l. c.* 666 = *Zygopetalum Kegelii*.  
*rostratum*, *Reichb. f. l. c.* = *Zygopetalum rostratum*.  
*ZYGOSPERMUM*, *Thw. ex Baill. Etud. Gén. Euph.* 620.  
 t. 27 (1858) = *Phyllanthus*, *Linn. (Euphorb.)*.  
*zeylanicum*, *Thw. ex Baill. l. c.* = *P. cyanospermus*.  
*ZYGOSTATES*, *Lindl. Bot. Reg. sub t.* 1927 (1837).  
*ORCHIDEAE*, *Benth. & Hook. f. iii.* 569.  
*DACTYLOSTYLES*, *Scheidw. in Otto & Dietr. Allg.*  
*Gartenz.* vii. (1839) 405.  
*cornuta*, *Lindl. Bot. Reg. sub t.* 1927.—Bras.  
*Greeniana*, *Reichb. f. in Gard. Chron.* (1869) 988.—  
 Bras.  
*lunata*, *Lindl. Bot. Reg. sub t.* 1927.—Bras.  
*pellucida*, *Reichb. f. in Walp. Ann.* vi. 564.—Bras.

**ZYGOSTELMA**, *Benth. in Benth. & Hook. f. Gen. ii.*  
 740 (1876). *ASCLEPIADEAE*, *Benth. & Hook. f. l. c.*

**ZYGOSTELMA**, *Fourn. in Mart. Fl. Bras. vi. iv.* 232  
 (1885). *ASCLEPIADEAE*.  
*calcaratum*, *Fourn. l. c.*—Bras.

**ZYGOSTIGMA**, *Griseb. Gen. et Sp. Gent.* 150 (1839).  
*GENTIANEAE*, *Benth. & Hook. f. ii.* 810.  
*australe*, *Griseb. l. c.*—Bras.  
*uniflorum*, *Griseb. l. c.* 151.—Reg. Argent.

*ZYMUM*, *Noronha, ex Thou. Hist. Vég. Isles Afr.*  
*Austr.* 69. t. 23 (1806) = *Tristellateia*, *Thou.*  
*(Malpig.)*.  
*madagascarense*, *Juss. ex Spreng. Syst.* ii. 329 =  
*T. madagascariensis*.  
*tristellatum*, *Noronha, ex Thou. Hist. Vég. Isles Afr.*  
*Austr.* 69. t. 23 = *T. madagascariensis*.

*ZYRPHELIS*, *Cass. in Ann. Sc. Nat. Ser. I. xvii.* (1829)  
 420 = *Mairia*, *Nees (Compos.)*.  
*amoena*, *Cass. l. c.* 421 = *M. taxifolia*.  
*microcephala*, *Nees, Gen. et Sp. Aster.* 252 = *M.*  
*microcephala*.  
*taxifolia*, *Nees, l. c.* 250 = *M. taxifolia*.

*ZYZOPHYLLUM*, *Salisb. Prod.* 319 (1796), err. typ. =  
**Zygophyllum**, *Linn. (Rutac.)*.

*ZYZYGIUM*, *Brongn. Enum. Genr.* 123 (1843), sphalm. =  
**SYZYGIUM**, *Gaertn. = Eugenia*, *Mich. (Myrtac.)*.



# APPENDIX





# ADDENDA ET EMENDANDA GRAVIORA

## HACTENUS NOTATA

### VOLUME I

(MENDA NON COMMEMORATA LECTOR BENEVOLENS IPSE CORRIGET)

a. = adde. d. = dele. l. = lege. p. = pone.

PAG.

#### ABELMOSCHUS.

- 1<sup>3</sup>. l. *aculeatus*, Walp. . . = H. *surattensis*, cannabina.  
*angustifolius*, Walp. Rep. i. 308 = H. *angustifolius*.  
*cryptocarpus*, Walp. . . = H. *Abelmoschus*.  
*cubensis*, Walp. . . = H. *Abelmoschus*.

#### ABIES.

- 2<sup>3</sup>. l. *Khutrow*, Royle, Illustr. Bot. Himal. 353; Loud. etc.  
 3<sup>1</sup>. *Pindrow*, Royle (l. c.) 350. t. 86; *Spach*, etc.

#### ABILDGAARDIA.

- 3<sup>2</sup>. l. *polygama*, Spreng. . . = *Pharus angustifolius*.

#### ABRONIA.

- 3<sup>3</sup>. a. *TRIPTEROCALYX*, Hook. Kew Journ. v. (1853) 261.

#### ABRUS.

- 4<sup>1</sup>. a. *HULTHENIA*, Blume, ex Miq. Fl. Ind. Bat. i. I. 160 (1855).

#### ABSINTHIUM.

- 4<sup>2</sup>. l. *camphoratum*, Roehl. Deutschl. Fl. ed. II. ii. 451; Bess. etc.  
*grandiflorum*, Roehl. (l. c.) = *Mutellina*, Steud.  
 a. *mutellinum*, Roehl. (l. c.) 450 =

#### ABUTILON.

- 4<sup>3</sup>. a. *BOGENHARDIA*, Reichb. Nom. 200 (1841). *asiaticum*, G. Don, Gen. Syst. i. 503.—Reg. trop.  
 5<sup>1</sup>. l. *australe*, Presl, Bot. Bemerk. 20; *Garcke*, etc.  
 a. *Berlandieri*, A. Gray, in Proc. Am. Acad. xx. (1885) 358, in obs.—Mexic.  
 l. *ceratocarpum*, C. Gay, Fl. Chil. i. 331.—Chili. *depauperatum*, Anderss. in Vet. Akad. Handl. Stockh. 1853 (1855) 230.—Ins. Galapag.  
 5<sup>3</sup>. l. *oxyphyllum*, Presl, Bot. Bemerk. 20; *Edgew.* etc.

#### ACACIA.

- 6<sup>1</sup>. a. *PHYLLODOCE*, Link, Handb. ii. 132 (1831).  
 6<sup>2</sup>. a. *adenanthera*, Zeyh. ex Steud. Nom. ed. I. 532.—Hab. ?  
 7<sup>1</sup>. a. *biglobosa*, Royle, Illustr. Bot. Himal. 182 = *Parkia Roxburghii*, africana.  
 l. *brevipes*, A. Cunn. . . t. 3358, etc.  
 7<sup>2</sup>. l. *Cebil*, Griseb. . . 136 = *Piptadenia Cebil*.  
 8<sup>1</sup>. l. *decussata*, Tenore, . . (1845) 77, etc.  
 8<sup>3</sup>. l. *gigantea*, Noronha, etc.

PAG.

#### ACACIA. —

- 8<sup>3</sup>. a. *Kaeringa*, Royle, Illustr. Bot. Himal. 153 = A. *leucophyloea*.  
 10<sup>2</sup>. post lineam 49 insere, *melanoceroideis*, Beurl. l. c. = *praec.* ?  
 12<sup>2</sup>. a. *stipulacea*, Royle, (l. c.) (Quid ?).—Ind. or.  
 13<sup>1</sup>. *tamariscifolia*, Steud. Nom. ed. II. ii. 149, *sphalm.* = *tamarindifolia*.  
 l. *tomentella*, Zipp. etc.  
*tortilis*, Hayne, Arzn. Gew. x.  
 a. post lin. 68 insere, *tortuosa*, Billb. ex Beurl. in Vet. Akad. Handl. Stockh. 1854 (1856) 124 = *Prosopis dulcis*.

#### ACALYPHA.

- 14<sup>3</sup>. l. *boehmerioides*, Miq. . . 459 = *fallax*.  
 15<sup>1</sup>. *Commersoniana*, Baill. . . = *integrifolia*.  
 15<sup>3</sup>. *hispida*, Blume, . . = *fallax*.  
*indica*, Hort. ex Steud. Nom. ed. II. i. 10; Herb. Linn. ex Muell. Arg. in DC. Prod. xv. II. 872 = *fallax*.  
*leptostachya*, H. B. & K. etc.  
 16<sup>1</sup>. a. *Macafeana*, Hort.—Cf. Gard. Chron. (1878) I. 10 = *Wilkesiana*.  
*musaica*, Hort. (l. c.) (1877) I. 520; (1878) I. 10 = *Wilkesiana*.  
 17<sup>1</sup>. *tenera*, Royle, Illustr. Bot. Himal. 327 (Quid ?).—Reg. Himal.  
 17<sup>2</sup>. l. *ACAMPTOPAPPUS* . . . = *Aplopappus*, Cass. (Compos.).

#### ACANTHODIUM.

- 17<sup>3</sup>. l. *grossum*, Nees, . . 274 = B. *grossa*.  
*hirtum*, Hochst. . . = B. *linearifolia*.

#### ACANTHOLIPPIA.

- 18<sup>2</sup>. l. *salsoloides*, Griseb. . . = L. *salsoloides*.

#### ACANTHOMINTHA.

- l. *lanceolata*, Curran, . . i. I. (1884), etc.

#### ACANTHOPHOENIX.

- 18<sup>3</sup>. l. *crinita*, H. Wendl. etc.  
*rubra*, H. Wendl. etc.

- 19<sup>3</sup>. l. *ACANTHYLLIS*, Pomel.

*ACARNA*, Boehm. in Ludw. Def. Gen. Pl. 195 (1760); All. etc.  
*gummifera*, Willd. . . = *Atractylis gummifera*.  
*macrocephala*, Willd. . . = *Atr. macrocephala*.  
*macrophylla*, Willd. . . = *Atr. macrophylla*.

PAG.

#### ACER.

- 20<sup>2</sup>. a. *lactescens*, Steud. Nom. ed. II. i. 11 = *platanoides*.  
*Leopoldi*, Hort. ex C. Koch, Dendrol. i. 528 = A. *Pseudo-platanus*.  
*liburnicum*, Hort. ex C. Koch, (l. c.) 539 = *monspessulanum*.  
 20<sup>3</sup>. *lobatum*, Hort. ex Steud. Nom. ed. II. ii. 11 = *platanoides*.  
 l. *lobatum*, Rafin. . . 48 = *Negundo aceroides* ?  
 a. *microphyllum*, Hort. ex C. Koch, Dendrol. i. 536 = *italum*.  
*nanum*, Steud. Nom. ed. II. i. 11 = *campestre*.  
*Pavia*, Hort. ex C. Koch, Dendrol. i. 541 = *dasycarpum*.  
 21<sup>1</sup>. *pulverulentum*, Hort. ex C. Koch, (l. c.) 535 = *campestre*.  
*splendens*, Hort. ex C. Koch, (l. c.) 543 = *rubrum*.  
*tomentosum*, Hort. ex Steud. Nom. ed. II. i. 12 = *dasycarpum*.  
 l. *trifoliatum*, Rafin. . . 48 = *Negundo aceroides* ?

#### ACERAS.

- 21<sup>2</sup>. l. *angustifolia*, Lindl. . . = *Herminium longicrura*.  
*longicruris*, C. Wright, . . = *Herminium longicrura*.

#### ACETOSA.

- 21<sup>3</sup>. a. *arvensis*, Montand. Guide Bot. 269 = R. *Acetosella*.

#### ACHAETA.

- l. *geniculata*, Fourn. . . 553 = *Koehleria cristata*.

#### ACHILLEA.

- 22<sup>1</sup>. l. *alpina*, Linn. . . 899.—Europ.  
 22<sup>3</sup>. a. *firma*, Loisell. in Mém. Soc. Linn. Par. vi. (1827) 430 (Quid ?).—Gallia.  
 23<sup>3</sup>. l. *pectinata*, Willd. etc.  
 24<sup>1</sup>. *sylvatica*, Tenore, Ind. Sem. Hort. Neap. (1827); Fl. Nap. etc.

#### ACHIMENES.

- 24<sup>2</sup>. a. *alba*, Hort. Padov. ex Walp. Ann. ii. 1067 = *Niphaea oblonga*.  
*atrosanguinea*, Hort. ex Regel, in Flora, xxxii. (1849) 180 = *amoena*.  
 l. *magnifica*, Lindl. . . 116.—Am. centr.  
 a. *Kleei*, E. Otto, ex Regel, in Flora, xxxii. (1849) 182 = *hirsuta*.  
 24<sup>3</sup>. l. *picta*, Benth. . . t. 4126 = *Isoloma picta*.  
*viscida*, Lindl. & Paxt. Flow. Gard. ii. (1851) 59 = *Heppiella atrosanguinea*.

- PAG. **ACHRAS.**  
25<sup>1</sup>. 1. *Caimito*, Ruiz & Pav. . . . 18 = *Lucuma Caimito*.  
a. *occidentalis*, Hort. Cels, ex Tenore, Cat. Ort. Nap. (1845) 77 (Quid?).—Hab.?  
1. *Pohlmaniana*, F. Muell. . . . 184 = *Sideroxylon Pohlmanianum*.  
a. *Tchicomame*, Perr. in Mém. Soc. Linn. Par. iii. (1825) 95 = *A. Sapota*.
- ACHYRANTHES.**  
25<sup>2</sup>. d. *CODIVALIA*, et *ECLOTORIPA*, Rafin. (nunc *Pupalia*).
- ACHYROCLINE.**  
26<sup>3</sup>. 1. *satureoides*, Gardn. . . . = *Stenoclinesatureoides*.
- 26<sup>3</sup>. 1. **ACHYROCHOMA**, Cass. in Dict. Sc. Nat. xxvi. 21 (1823); lvii. 341 (1828) =  
1. *ACHYROMA*, Wendl. Bot. Beobacht. ; etc.
- ACHYROPAPPUS.**  
26<sup>3</sup>. a. *ambiguus*, Steud. Nom. ed. II. i. 437, in syn. = *Achyrophorus ambiguus*.
- ACHYROPHORUS.**  
27<sup>1</sup>. 1. *albiflorus*, Sch. Bip.  
*cryptocephalus*, Sch. Bip. . . . 57 = *Werneria ambigua*.  
a. *Gayii*, Sch. Bip. in Nov. Act. Nat. Cur. xxi. i. (1845) 116 = *H. chrysantha*.  
d. *helveticus*, Less.  
1. *Hohenackeri*, Sch. Bip. (l. c.) 57 = *Werneria ambigua*.  
27<sup>2</sup>. a. *taraxacoides*, Steud. Nom. ed. II. ii. 226, in syn. = *H. Scorzonerae*.  
1. *taraxacoides*, Walp. (l. c.) 336 = *H. taraxacoides*.  
*uniflorus*, F. W. Schmidt, . . . Aufs.
- 27<sup>3</sup>. 1. **ACICALYPTUS.**
- ACIDANTHERA.**  
27<sup>3</sup>. a. *SOLENANTHUS*, Steud. teste Klatt, ex Baker, in Journ. Linn. Soc. xvi. (1877) 159.  
*capensis*, Benth. & Hook. f. Gen. iii. 706 = *Tritonia capensis*.  
28<sup>1</sup>. a. *pauciflora*, Benth. & Hook. f. (l. c.) = *Tritonia pauciflora*.  
28<sup>1</sup>. 1. *ACINODENDRUM*, Linn. . . . = *Miconia*, Ruiz & Pav. (1794) (*Melastom.*).
- ACINOS.**  
28<sup>2</sup>. a. *Siso*, Siebold, in Verh. Batav. Gen. xii. (1830) 32 = *Perilla arguta*?
- ACIPHYLLA.**  
28<sup>3</sup>. 1. *GINGIDIUM*, F. Muell. in Trans. Phil. Soc. etc. quoad glacialis, procumbens, simplicifolia, dele *F. Muell. ex*
- ACMENA.**  
29<sup>3</sup>. a. *pendula*, G. Benn. Gather. Natural. 327, nomen.—Austral.
- ACOKANTHERA.**  
30<sup>1</sup>. a. *oblongifolia*, Benth. & Hook. f. Gen. ii. 696.—Afr. trop.  
*Schimperi*, Benth. & Hook. f. (l. c.)—Abyssin.
- 30<sup>1</sup>. a. *ACOME*, Baker, in Journ. Bot. xx. (1882) 18, sphalm. = *Cleome*, Linn. (Cappar.).
- ACORUS.**  
32<sup>1</sup>. a. *CALAMUS*, Auct. ex Linn. Gen. ed. I. 104 (1737).  
1. *cochinchinensis*, Schott, . . . 22 = *A. Calamus*.
- 32<sup>1</sup>. 1. *ACOSTA*, Lour. . . . = *Vaccinium*, Linn.
- 32<sup>3</sup>. insere, *ACRIVIOLOA*, Boerh. ex Ludw. Def. Gen. Pl. 192 (1747) = *Tropaeolum*, Linn.
- ACRIDOCARPUS.**  
32<sup>3</sup>. 1. *orientalis*, A. Juss. . . .—Arab.
- ACRODICLIDIUM.**  
33<sup>2</sup> 1. *Ita-uba*, Meissn. . . . = *Endiandra Ita-uba*.
- PAG. **ACROELYTRUM.**  
33<sup>2</sup>. a. *Urville*, Steud. ex Miq. Fl. Ind. Bat. iii. 400 = *L. gracile*.
- 33<sup>2</sup>. 1. **ACROLOBUS**, Klotzsch, in Abh. etc.
- 34<sup>1</sup>. 1. **ACROSSANTHES**, Presl, Bot. Bemerk. 22 (1844) = *Vismia*, Vand. (Hypericin.).
- 34<sup>1</sup>. 1. **ACROTAPHROS**, Steud. ex Hochst. in Flora, xxix. (1846) 599 ; et ex A. Rich. etc.
- ACROTREMA.**  
34<sup>2</sup>. 1. *Wightianum*, Wall. . . . = *Arnottianum*.  
a. *Wightianum*, Wight & Arn. Prod. 6 = *costatum*.
- ACTAEA.**  
34<sup>2</sup>. 1. *dahurica*, Turcz. . . . = *Cimicifuga dahurica* (in Addend.).  
*daurica*, Franch. . . . = *praeac.*  
34<sup>3</sup>. *pterosperma*, Fisch. & Mey. . . . = *Cimicifuga dahurica* (in Addend.).  
*racemosa*, Walt. ex Pursh, Fl. Am. Sept. ii. 373, etc.
- ACTINELLA.**  
35<sup>1</sup>. a. *californica*, Benth. & Hook. f. Gen. ii. 415, in nota = *Baeria coronaria*.  
1. *Richardsonii*, A. Gray, in Bot. Calif. i. 394, partim = *biennis*.  
*Richardsonii*, Nutt. . . . 379.—Am. bor. occ.
- ACTINOLEPIS.**  
35<sup>3</sup>. 1. *anthemoides*, A. Gray, . . . 378 = *Baeria coronaria*.  
*coronaria*, A. Gray, . . . 197 = *Baeria coronaria*.  
*lanosa*, A. Gray, l. c. = *Eriophyllum lanosum*.  
*mutica*, A. Gray, . . . 197 = *Baeria mutica*.  
*tenella*, A. Gray, l. c. = *Baeria tenella*.  
*Wallacei*, A. Gray, l. c. = *Eriophyllum Wallacei*.
- ACTINOMERIS.**  
35<sup>3</sup>. 1. *alternifolia*, DC. . . . 575 = *helianthoides*, Nutt. . . . 181 = *Verbesina helianthoides*.  
36<sup>1</sup>. *Wrightii*, A. Gray, . . . 85 = *Verbesina Wrightii*.  
36<sup>1</sup>. post lineam 19 insere
- ACTINOPHLOEUS**, Becc. in Ann. Jard. Buitenz. ii. (1885) 126, in obs. *PALMAE*.  
*ambiguus*, Becc. l. c.—N. Guinea.  
*propinquus*, Becc. l. c.—Ins. Arn.
- ACTINOPHYLLUM.**  
36<sup>1</sup>. 1. *pedicellatum*, Pav. . . . 195, etc.
- ACTINOSPORA.**  
36<sup>1</sup>. 1. *dahurica*, Turcz. . . . = *C. dahurica*.  
*pterosperma*, Walp. . . . = *C. dahurica*.
- ACTINOSTEMON.**  
36<sup>2</sup>. 1. *acuminatus*, Baill. . . . = *caribaeus*.  
*angustifolius*, Klotzsch, . . . = *caribaeus*.
- 36<sup>2</sup>. 1. **ACTINOSTIGMA**, Welw. . . . [1859] = *Symphonia*, Linn. f. (Guttif.).
- ACTINOTUS.**  
36<sup>2</sup>. 1. *leucocephalus*, Benth. etc.
- ADELSTIGMA.**  
37<sup>3</sup>. a. *CANCELLARIA*, Sch. Bip. ex Oliver, Fl. Trop. Afr. iii. 32 (1877).
- ADENANDRA.**  
37<sup>3</sup>. 1. *GLANDULIFOLIA*, Wendl. Collect. 35. t. 10 (1808).
- 38<sup>2</sup>. a. **ADENOBIUM**, Steud. Nom. ed. II. ii. 346 (1841), sphalm. = **ADENOBASium**, Presl.
- ADENOGRYUS.**  
39<sup>2</sup>. 1. *Braunii*, Klotzsch, ll. cc. (= *Phoberos Mundtii*).—Afr. austr.
- ADENONCOS.**  
39<sup>3</sup>. 1. *virens*, Blume, etc.
- PAG. **ADENOPHYLLUM.**  
40<sup>1</sup>. a. *Cavanillesii*, Steud. Nom. ed. II. i. 534, sphalm. = *coccineum*.
- 40<sup>1</sup>. a. **ADENOPOGON**, Welw. Synopse, 27 (1862) = *Swertia*, Linn. (Gentian.).  
*stellaroides*, Welw. l. c.—Afr. trop.
- ADENOROPHIUM.**  
40<sup>2</sup>. a. *coccinea*, Steud. Nom. ed. II. i. 799, in syn. = *J. coccinea*.
- d. **ADENOSTEMMA**, Forst.
- 41<sup>1</sup>. d. *glandulosum*, Benth. (vide infra).
- a. **ADENOSTEMMA**, Hook. f. Fl. Brit. Ind. i. 242 (1874), sphalm. = **ODONTOSTEMMA**, Benth. = *Arenaria*, Rupp. (Caryoph.).  
*glandulosum*, Hook. f. l. c. = *A. Benthami*.
- ADENOSTEPHANUS.**  
41<sup>1</sup>. 1. *austro-caledonicus*, Brongn. & Gris, . . . 229 = *Kermadecia austro-caledonica*.  
*Bleasdalii*, Benth. . . . 417 = *Roupala Bleasdalii*.  
*incanus*, Klotzsch, etc.  
*laxiflorus*, Meissn. etc.
- ADESMIA.**  
41<sup>2</sup>. a. **HETEROLOMA**, Desv. ex Reichb. Consp. 152 (1828).  
42<sup>1</sup>. 1. *glabriuscula*, Vog. . . . 592.—Chili.  
42<sup>2</sup>. *radicans*, Bert. . . . l. c. = *glabriuscula*.
- ADHATODA.**  
42<sup>3</sup>. 1. *chrysotrichoma*, Nees, . . . 408 = *Justicia chrysotrichoma*.  
43<sup>1</sup>. 1. *Gilliesii*, Nees, l. c. 395 = *Justicia Gilliesii*.  
*orchioides*, Nees, l. c. 393 = *Justicia orchioides*.  
43<sup>2</sup>. *Tweediana*, Nees, l. c. 395 = *Justicia Tweediana*.
- ADONIS.**  
44<sup>2</sup>. a. *Walsiana* ×, Simk. in Magyar Növényt. Lapok, ii. (1878) 151.—Hungar.
- ADRIANA.**  
44<sup>3</sup>. a. *MEALISA*, Rafin. Sylva Tellur. 63 (1838).
- 44<sup>3</sup>. 1. **ADUPLA**, Bosc, . . . (1805) = *Mariscus*, Ehrh. (Cyperac.).
- AECHMEA.**  
45<sup>1</sup>. a. *CHEVALIERIA*, Gaudich. Bot. Voy. Bonite, tt. 61, 62 (1852?).
- AEGOPOGON.**  
47<sup>2</sup>. a. **ATHEROPHORA**, Willd. ex Steud. Nom. ed. II. i. 167 (1840).
- AELUROPUS.**  
47<sup>2</sup>. a. *niloticus*, Edgew. ex Aitch. Cat. Punj. Pl. 169, sphalm. = *niliacus*.
- 48<sup>1</sup>. 1. **AERANTHES**, . . . *ORCHIDEAE*, Benth. & Hook. f. iii. 576.  
*Arachnitis*, Lindl. . . . sub t. 817, etc.  
*filiformis*, Griseb. etc.
- AERANTHUS.**  
48<sup>1</sup>. 1. *jamaicensis*, Reichb. f. . . . = *Angraecum jamaicense*.
- AERIDES.**  
48<sup>3</sup>. 1. *latifolium*, Thw. . . . 429 = *Doritis latifolia*.
- AERVA.**  
49<sup>2</sup>. 1. *brachiata*, Mart. in Nov. Act. Nat. Cur. xiii. (1826) 291 ; etc.  
*incana*, Mart. (l. c.).  
*Monsonia*, Mart. (l. c.).  
*pubescens*, Mart. (l. c.).  
*setacea*, Mart. (l. c.).
- AESCHYNOMENE.**  
50<sup>2</sup>. a. *aculeata*, Royle, Illustr. Bot. Himal. 191, nomen (Quid?).—Ind. or.  
*cassioides*, Desv. in Mém. Soc. Linn. Par. iv. (1826) 327.—Guian.  
50<sup>3</sup>. *falcata*, Desv. (l. c.) 323.—Ind. or.

PAG.

- AESCHYNOMENE**.—  
 51<sup>1</sup>. *microphylla*, Desv. (l. c.).—Ind. or.  
 1. *miniata*, Ortega, . . . = *Piscidia Sesbania*.  
 a. *monosperma*, Desv. (l. c.).—Bras.  
*muricata*, Desv. (l. c.) 326 = *Adesmia muricata*.  
*onobrychifolia*, Desv. (l. c.) = *Adesmia bicolor*.  
 1. *patagonica*, Hort. ex Link, Enum. Hort. Berol. ii. 249; etc.  
 a. *pimpinellaefolia*, Desv. (l. c.) = *Adesmia muricata*.  
 1. *platycarpa*, Michx. . . = *Sesbania platycarpa*.  
**AESCULUS**.  
 51<sup>2</sup>. 1. *PAVIA*, Boerh. ex Linn. Syst. ed. I (1735); etc.  
 51<sup>3</sup>. a. *octandra*, Marsh. Arbust. 4 = flava.  
**AETHIONEMA**.  
 52<sup>1</sup>. 1. *Diastrophis* (non *diastrophis*).  
 52<sup>2</sup>. a. *AETHULIA*, A. Gray, Syn. Fl. i. II. 92, in syn. (1884), sphalm. = *Ethulia*, Linn. (Compos.).  
**AFZELIA**.  
 52<sup>3</sup>. 1. *INTSIA*, Thou. . . (1806).  
 a. *MACROLOBIUM*, Zipp. ex Miq. Fl. Ind. Bat. i. 1. 80 (1855).  
**AGANISEA**.  
 53<sup>1</sup>. a. *cinerea*, Benth. in Journ. Linn. Soc. xviii. (1880) 321; Benth. & Hook. f. Gen. iii. 544, sphalm. = *cyanea*.  
*cyanea*, Benth. & Hook. f. Gen. iii. 545.—N. Granat.  
*graminea*, Benth. & Hook. f. l. c. = *Zygopetalum gramineum*.  
 53<sup>3</sup>. 1. *AGARISTA*, DC. . . (1836) = *Leptosyne*, DC. (Compos.).  
*calliopsidea*, DC. l. c. = *L. calliopsidea*.  
**AGARISTA**.  
 53<sup>3</sup>. 1. *eriphylla*, G. Don, l. c. = *Gaultheria ferruginea*.  
 54<sup>1</sup>. a. *AGASTACHYS*, Ehrh. Beitr. iv. 146 (1789) = *Carex*, Dill. (Cyperac.).  
**AGATHAEA**.  
 54<sup>1</sup>. 1. *spathulata*, Fisch. . . Sem. Hort. Petrop. etc.  
**AGATHOSMA**.  
 54<sup>2</sup>. 1. *acerosa*, Eckl. & Zeyl.  
 54<sup>3</sup>. *apiculata*, G. F. W. Mey.  
*bifida*, Bartl. & Wendl. f. . . —Afr. austr.  
 55<sup>1</sup>. *hybrida*, Bartl. & Wendl. f. . . = *pubescens*.  
*mollis*, Bartl. & Wendl. f. . . = *pubescens*.  
**AGAVE**.  
 57<sup>2</sup>. a. *sebastiana*, Greene, in Bull. Calif. Acad. i. III. (1885) 214.—Calif.  
**AGERATUM**.  
 58<sup>1</sup>. 1. *domingense*, Spreng.  
 58<sup>3</sup>. 1. *AGGEIANTHUS*, Wight,  
**AGLAIJA**.  
 59<sup>1</sup>. 1. *inequalis*, Teijsm. & Binn. in Nederl. Kruidk. Arch. iii. (1885) 409;  
 59<sup>2</sup>. *Sipannas*, Miq. . . Suppl. 506.  
**AGLAODORUM**.  
 59<sup>2</sup>. 1. *Griffithii*, . . . = *Aglaonema Griffithii*.  
 59<sup>2</sup>. 1. *AGLAONEMA*, Schott, in Wien. Zeitschr. iii. (1829) 892; ex Endl. in Linnaea, vi. (1831) Litt. 53.  
 1. *acutispathum*, N. E. Br. . . 39 = *modestum*.  
 a. *Griffithii*, Schott, Syn. Aroid. 123.—Malacca.  
 1. *integrifolium*, Schott, . . . 20 = *oblongifolium*.  
*marantifolium*, Blume, . . . 66 = *oblongifolium*.  
*nitidum*, Kunth, . . . 56 = *oblongifolium*.  
*oblongifolium*, Schott, in Wien. Zeitschr. iii. (1829) 892; ex Endl. in Linnaea, vi. (1831) Litt. 53.—Malaya.  
*palustre*, Teijsm. & Binn. . . 399 = *Griffithii*.  
**AGONIS**.  
 59<sup>3</sup>. 1. *glabra*, Turcz. in Bull. Phys. Math. etc.  
**AGRIMONIA**.  
 60<sup>1</sup>. 1. *Eupatoria*, Thw.  
 60<sup>2</sup>. *javanica*, Jungh. Java, i. 664; et ex Miq. etc.  
*zeylanica*, Moon, Cat. Pl. Ceyl. 37 = *Alchemilla indica*.

PAG.

- AGROPYRON**.  
 60<sup>3</sup>. a. *CYNOPHA*, Ehrh. Phytophyl. n. 72 (1780); Beitr. iv. (1789) 148.  
*KRATZMANNIA*, Opiz, Seznam, 56 (1852).  
 1. *attenuatum*, Roem. & Schult.  
*Caldesii*, Goiran, etc.  
 61<sup>1</sup>. a. *Goiranicum*, Vis. ex Goiran, Pl. Vasc. Nov. Veron. (1874) 21.—Italia.  
 1. *Roegnerii*, Boiss. . . (Raegnerii).  
 61<sup>2</sup>. a. *trachycaulon*, Hort. ex Steud. Syn. Pl. Gram. 344 = *Richardsoni*.  
 1. *violaceum*, Vasey, . . . = *Richardsoni*.  
**AGROSTEMMA**.  
 61<sup>2</sup>. a. *infesta*, Salisb. Prod. 304 = *L. Agrostemma*.  
**AGROSTIS**.  
 61<sup>3</sup>. a. *abyssinica*, Ehrenb. & Hempr. ex Trin. in Mém. Acad. Pétersb. Sér. VI. v. II. (1840) 54 = *Sporobolus robustus*.  
*aequalis*, Ehrenb. & Hempr. (l. c.) 52 (= *Vilfa helvola*).—Arab.  
 1. *altissima*, Tuckerm.  
 62<sup>1</sup>. 1. *brachystachys*, Schult. . . ii.  
 62<sup>2</sup>. *Carmichaeli*, Schult. . . ii.  
 62<sup>3</sup>. a. *collina*, Schleich. Cat. Pl. Helv. ed. IV. 6 (Quid ?).—Helv.  
 1. *composita*, Poir. Encyc. Suppl.  
*congesta*, Schum. & Thonn. Beskr. Guin. Pl. 46.—Afr. trop.  
 1. *crinita*, R. Br. . . = *Dichelachne crinita*.  
*cylindrica*, R. Br. . . = *Deyeuxia cylindrica*.  
 63<sup>1</sup>. *divaricata*, Hort. ex DC. Cat. Hort. Monsp. (1813) 93, etc.  
 a. *elatior*, Ehrenb. & Hempr. ex Trin. in Mém. Acad. Pétersb. Sér. VI. v. II. (1840) 55 (= *Vilfa setulosa*).—Arab.  
*extensa*, Schum. & Thonn. Beskr. Guin. Pl. 45.—Afr. trop.  
 63<sup>2</sup>. 1. *glutinosa*, Fisch. ex Schrank, Pl. Rar. Hort. Monac. t. 58, etc.  
 63<sup>3</sup>. *koelerioides*, E. Desv. . . 317 = *Deyeuxia anomala* ?  
 64<sup>1</sup>. a. *Novae-Angliae*, Tuckerm. in Am. Journ. Sc. Ser. I. xlv. (1843) 44 = *elata*.  
 64<sup>2</sup>. 1. *patula*, Gaud. in Alpina, iii. (1808) 14;  
 64<sup>3</sup>. *purpurea*, Gaud. (l. c.) 11;  
*Royleana*, Trin. . . 125 = *Deyeuxia Royleana* (in Addend.).  
 65<sup>1</sup>. 1. *sciurea*, R. Br. . . = *Dichelachne sciurea*.  
*sesquiflora*, E. Desv. . . 318 = *Deyeuxia sesquiflora*.  
 a. *sesquivalvis*, Benth. in Journ. Linn. Soc. xix. (1881) 91, sphalm. = *prae*.  
 65<sup>2</sup>. a. *subspicata*, Arv. Ess. Pl. Dauph. 67 (Quid ?).—Gallia.  
 65<sup>3</sup>. 1. *zeylanica*, Klein, . . . 83 = *Panicum sparsicomum*.  
**AICHRYSON**.  
 66<sup>2</sup>. 1. *pulchellum*, C. A. Mey. . . 55 = *S. pulchellum*.  
**AILANTHUS**.  
 66<sup>3</sup>. a. *simplex*, Panch. ex Brongn. & Gris, in Ann. Sc. Nat. Sér. V. iii. (1865) 231 = *Soulamea Pancheri*.  
**AINSLIAEA**.  
 66<sup>3</sup>. 1. *glumacea*, Sch. Bip. . . ; Klatt, in Sitzb. Akad. Muench. (1878) I. 97, etc.  
**AIRA**.  
 67<sup>1</sup>. a. *CARYOPHYLLEA*, Opiz, Seznam, 27 (1852).  
 d. *PERIBALLIA*, Trin. (nunc *Deschampsia*).  
 a. *SALMASIA*, Bubani, in Nuov. Giorn. Bot. Ital. v. (1873) 317.  
 67<sup>2</sup>. 1. *atropurpurea*, Wahlenb. . . 87 = *Deschampsia atropurpurea*.  
 a. *brachyphylla*, Steud. Nom. ed. II. i. 766, in syn. = *Sporobolus tenellus*.  
 1. *chinensis*, Retz. . . 10 = *Panicum megalanthum*.  
 67<sup>3</sup>. *distichophylla*, Spreng. Nov. Prov. 47.  
*filiformis*, Roxb. Hort. Beng. 8; Fl. Ind. i. 326.  
 68<sup>1</sup>. *hirsuta*, Schleich. ex Gaud. in Alpina, iii. (1808) 48.  
*Kingii*, Hook. f. . . t. 135.

PAG.

- AIRA**.—  
 68<sup>2</sup>. *neutralis*, Walp. Ann. i. 932, sphalm. = *australis*, Raoul.  
 68<sup>3</sup>. *spicata*, Linn. . . 63 = *Panicum indicum*.  
*spicata*, Linn. . . 64 = *Trisetum subspicatum*.  
*subtriflora*, Lag. . . ii. IV. (1805).  
 a. *subviolaceum*, Ehrenb. ex Trin. in Mém. Acad. Pétersb. Sér. VI. v. II. (1840) 84 = *Sporobolus minutus*.  
 1. *viatica*, Griff. . . 54 = *Panicum semialatum*.  
**AJUGA**.  
 69<sup>3</sup>. 1. *BUGULA*, Tourn. ex Linn. Syst. ed. I (1735).  
 a. *BULGA*, Linn. l. c. (1735).  
 70<sup>1</sup>. a. *caespitosa*, Schleich. Cat. Pl. Helv. ed. IV. 6 = *pyramidalis*.  
 1. *Chamaepitys*, Guss.  
*Chamaepitys*, Schreb.  
*chia*, Schreb.  
*humilis*, Miq. . . 114 = *Lamium humile*.  
 a. *laxa*, Buch-Ham. ex D. Don, Prod. Fl. Nep. 109 = *Teucrium laxum*.  
 70<sup>2</sup>. *microphylla*, Hegetschw. Fl. Schw. 561 = *reptans* ?  
 1. *rupestris*, Schleich. Cat. Pl. Helv. ed. IV. 6 = *pyramidalis*.  
**AKENTRA**.  
 70<sup>3</sup>. 1. *inflata*, Benj. l. c. = *U. Benjaminiana*.  
**ALAFIA**.  
 70<sup>3</sup>. a. *landolphioides*, Benth. & Hook. f. Gen. ii. 708, in obs.—Afr. trop.  
**ALANGIUM**.  
 70<sup>3</sup>. 1. *cordifolium*, Zoll. & Mor. . . 63 = *Marlea virgata*.  
**ALATERNUS**.  
 71<sup>1</sup>. 1. *sempervirens*, Roehl. Deutschl. Fl. ed. II. ii. 176 =  
**ALBERTA**.  
 71<sup>1</sup>. a. *isosepala*, Baker, in Journ. Bot. xix. (1882) 138.—Madag.  
 1. *laurifolia*, Baker, . . . 271 = *minor*.  
 71<sup>2</sup>. 1. *ALBINEA*, Hombr. & Jacquinot, Bot. Voy. Astrol. et Zél. Dicot. Phan. t. 4 (1845); et ex Decne. etc.  
*oresigenesa*, . . . = *P. criniferum*.  
**ALBUCA**.  
 72<sup>2</sup>. 1. *VIRDIKA*, Adans.  
**ALBUCEA**.  
 72<sup>3</sup>. a. *neapolitana*, Montand. Guide Bot. 315 = *O. nutans*.  
**ALCHEMILLA**.  
 73<sup>2</sup>. a. *splendens* x, Christ, ex Gremli, Excurs. Fl. Schw. ed. II. 179.—Helvet.  
 73<sup>3</sup>. a. *ALCHIMILLA*, Tourn. ex Hall. Enum. Stirp. Helv. i. 184 (1742) = *prae*.  
 74<sup>2</sup>. a. *ALEPYRUM*, Hieron. Centrolep. 103 (1873) = *Gaimardia*, Gaudich. (Centrol.).  
**ALISMA**.  
 75<sup>3</sup>. d. *BALDELLIA*, Parl. (nunc *Echinodorus*).  
*NECTALISMA*, Fourr. (nunc *Elisma*).  
**ALKANNA**.  
 76<sup>3</sup>. 1. *syriaca*, Boiss. & Hohen.  
**ALLARDIA**.  
 77<sup>2</sup>. 1. *incana*, Klatt, . . . (1878) I. 88.  
**ALLIUM**.  
 77<sup>3</sup>. d. *PERILOBA*, Rafin. . . 87 (nunc *Nothoscordum*).  
 78<sup>1</sup>. 1. *atropurpureum*, Waldst. & Kit. . . 17.—Hungar.; Reg. Cauc.; As. centr.  
 78<sup>2</sup>. *borbonicum*, Regel, . . . 218 = *Nothoscordum fragrans*.  
 a. *calcareum*, Montand. Guide Bot. 317 = *ochroleucum*.  
 79<sup>1</sup>. 1. *Cyrtilli*, Tenore, . . . Graecia



PAG.

**ALLIUM** :—

- 79<sup>3</sup>. *Gardinia*, Bert. . . . 664 (= *Triteleia violacea*).—Chili.  
 a. *graminifolium*, Montand. Guide Bot. 320 = rotundum.  
 80<sup>1</sup>. 1. *Grayi*, Regel,  
 80<sup>2</sup>. a. *lilacinum*, Royle, Illustr. Bot. Himal. 392 = rubens.  
     *longistamineum*, Royle (l. c.) (Quid?).—Reg. Himal.  
 80<sup>3</sup>. 1. *montanum*, F. W. Schmidt, . . . = angulosum.  
 81<sup>2</sup>. a. *ovatum*, Arv. Ess. Pl. Dauph. 65 (Quid?).—Gallia.  
 81<sup>3</sup>. *pratense*, Montand. Guide Bot. 317 = fallax.  
     *Rakkjoo*, Siebold, in Verh. Batav. Gen. xii. (1830) 16 = Bakeri.  
     1. *reticulatum*, [Nutt. in] *Fras. Cat.* (1813) n. 1, nomen; et  
 82<sup>1</sup>. a. *rubrifolium*, Arv. Ess. Pl. Dauph. 65 (Quid?).—Gallia.  
 82<sup>2</sup>. 1. *stellatum*, [Nutt. in] *Fras. Cat.* (1813) n. 2; et

**ALLMANIA**.

- 83<sup>2</sup>. a. *BELUTTA*, Rafin. Fl. Tellur. iii. 39 (1836).

**ALLOPLECTUS**.

- 84<sup>2</sup>. a. *splendens*, G. Don, ex Loud. Encyc. Pl. ii. 1402 = dichrous.

**ALNUS**.

- 84<sup>3</sup>. a. *DUSCHEKIA*, Opiz, Seznam, 38 (1852).  
 85<sup>1</sup>. *elongata*, Royle, Illustr. Bot. Himal. 343, nomen (Quid?).—Reg. Himal.  
     1. *microphylla*, Arv. Add. Monog. Pilos. 20.—Cf.  
     a. *obtusifolia*, Royle, Illustr. Bot. Himal. 343, nomen (Quid?).—Himal.  
     *ovata*, Lange, ex Kjellm. in Nordensk. Vega-Exped. Vidensk. Iatt. i. 555 = viridis.

**ALOCASIA**.

- 85<sup>2</sup>. a. *SCHIZOCASIA*, Schott, in Bonplandia, x. (1862) 148.  
     *illustris*, Bull. Cat. (1873) 4; Flor. Mag. (1874) 107 = *Colocasia antiquorum*.  
 85<sup>3</sup>. 1. *Regina*, N. E. Br. . . . 711; et in *Illustr. Hort.* (1885) 11. t. 544.  
     a. *singaporensis*, Linden, ex Regel, *Gartenfl.* (1865) 252 (Quid?).—Singapore.

**ALOXYLUM**.

- 88<sup>1</sup>. 1. = Aq. *Agallocha* (bis in syn.).

**ALOMIA**.

- 88<sup>1</sup>. d. *ORSINIA*, Bertol. (nunc *Clibadium*).  
     1. *Armani*, Baker, . . . 191 = *Clibadium rotundifolium*.

**ALONA**.

- 88<sup>1</sup>. 1. *tomentosa*, Lindl. . . . 46 = *Dolia tomentosa*.

**ALOPECURUS**.

- 88<sup>2</sup>. a. *CERDOSURUS*, Ehrh. Beitr. iv. 148 (1789).  
 88<sup>3</sup>. 1. *caesius*, Schur, . . . syn. = aristulatus.  
     *fulvus*, Sm. . . . t. 1467 = aristulatus.  
 89<sup>1</sup>. *otiporensis*, Griff. . . . 94 = *Phalaris minor*.  
     *paludosus*, Beauv. . . . 481 = aristulatus.

**ALOYSIA**.

- 89<sup>2</sup>. a. *triphylla*, Royle, Illustr. Bot. Himal. 299 = *Lippia citriodora*.

**ALPHITONIA**.

- 89<sup>3</sup>. 1. *zizyphoides*, A. Gray, . . . 278 = excelsa.

**ALPHONSEA**.

- 89<sup>3</sup>. a. *verrucosa*, Baill. Hist. Pl. i. 215 = ventricosa.

**ALPINIA**.

- 89<sup>3</sup>. d. *BOJERIA*, Rafin. (nunc *Amomum*).  
     1. *CENOLOPHON*, Blume, . . . Jav. i. 60 (1827).  
     *alata*, A. Dietr. . . . China; Java.  
 90<sup>2</sup>. a. *vittata*, Hort. Bull. ex Dallièr, Pl. Ornament. i. t. 29.—Hab.?

**ALSEODAPHNE**.

- 90<sup>3</sup>. 1. *semecarpifolia*, Nees.

PAG.

**ALSINASTRUM**.

- 90<sup>3</sup>. a. *americanum*, Torr. & Gray, ex Rupr. Fl. Ingr. 197, in obs. = *E. americanus*.

**ALSINE**.

- 92<sup>1</sup>. a. *subnivalis*, Hegetschw. Fl. Schw. 422 (Quid?).—Europ.

**ALSODEIA**.

- 92<sup>3</sup>. a. *DRIPAX*, Noronha, ex Thou. Hist. Vég. Afr. ii. 58 (1807).  
 93<sup>1</sup>. 1. *Physiphora*, Mart.

**ALSTROEMERIA**.

- 94<sup>1</sup>. 1. *exserens*, Meyen, Reise, i. 311.  
 94<sup>2</sup>. *montana*, Ker-Gawl. in [Quart.] Journ. Roy. Inst. i. (1816) 183;  
     *pulchella*, Sims, . . . t. 2353.  
     *pulchra*, Sims,

**ALTENSTEINIA**.

- 94<sup>3</sup>. 1. *nubigena*, Reichb. f. . . .—Ecuador.  
 95<sup>1</sup>. *pilifera*, H. B. & K. . . . 73 (*Stenopterae* sp.).—Ecuador.

**ALTERNANTHERA**.

- 95<sup>1</sup>. a. *EVERION*, Rafin. Sylva Tellur. 124 (1838).  
     1. *argentata*, Moq. . . . 352 = *Hebanthe parviflora*?  
     *dubia*, H. B. & K. . . . 209 = *Iresine canescens*.  
     *frutescens*, R. Br. . . . syn. = *Telanthera frutescens*?  
     *glabra*, Moq. . . . 361 = *nodiflora*?  
     a. *grandiflora*, Moq. ex Benth. & Hook. f. Gen. iii. 41 = *Hebanthe decipiens*.

**ALTHAEA**.

- 95<sup>3</sup>. 1. *Froloviana*, Fisch. . . . 467 = *ficifolia*.  
     *Kraussiana*, Buching. . . . xxvii.

**ALTINGIA**.

- 96<sup>1</sup>. 1. *chinensis*, Oliver, etc.  
     *caerulea*, Poir. . . . = excelsa.

**ALVARDIA**.

- 96<sup>2</sup>. a. *arbores*, Welw. Apont. 590 = seq.  
 96<sup>2</sup>. a. *ALWISIA*, Thw. ex Lindl. in Journ. Linn. Soc. iii. (1838) 42, in obs. = *Taeniophyllum*, Blume (Orchid.).  
     *minuta*, Thw. ex Lindl. l. c. = *T. Alwisii*.

**ALYSICARPUS**.

- 96<sup>2</sup>. 1. *cylindricus*, Desv. in Mém. . . . = rugosus.

**ALYSSOPSIS**.

- 96<sup>3</sup>. 1. *sagittata*, Boiss. . . . = deflexa.

**ALYSSUM**.

- 97<sup>1</sup>. 1. *Besseri*, Stev.  
 97<sup>3</sup>. *filifolium*, Wahlenb. in Bergg. Resor. ii. Bihang, 54.

**ALYXIA**.

- 99<sup>1</sup>. 1. *actinophylla*, A. Cunn. . . . = *Alstonia verticillata*.

**AMAIOUA**.

- 99<sup>2</sup>. a. *fusifera*, *genipoides*, *oocarpa*, *pallens*, *petiolaris*, Spruce, ex Benth. & Hook. f. Gen. ii. 82 = *Duroia* spp.?  
     1. *saccifera*, Mart. . . . 91 = *Duroia saccifera*.  
     *surinamensis*, Steud. . . . 763 = *Duroia surinamensis*.

**AMALIA**, Reichb.

- 99<sup>2</sup>. a. *acuminata*, *albida*, *anceps*, *aurantiaca*, *autumnalis*, *cinnabarina*, *flava*, *fulva*, *furfuracea*, *Galeottiana*, *gigantea*, *grandiflora*, *majalis*, *peduncularis*, *Perrinii*, *purpurea*, *rubescens*, *superbiens*, Heynh. Nom. ii. 29, omnes *Laeliae* homonymae.

**AMANOA**.

- 99<sup>3</sup>. 1. *brasiliensis*, Baill. . . . (= *Gonatogyne brasiliensis*).—Bras.

**AMARANTHUS**.

- 100<sup>1</sup>. a. *Berchtholdi*, Hort. ex Mart. in Nov. Act. Nat. Cur. xiii. (1826) 290 (Quid?).—Hab.?  
 100<sup>2</sup>. 1. *emarginatus*, Salzmann.  
 100<sup>3</sup>. a. *miniatus*, Hort. Avign. ex Hook. f. Fl. Brit. Ind. iv. 721 = *A. Blitum*.

PAG.

**AMARYLLIS**.

- 101<sup>2</sup>. 1. *andicola*, Poepp. . . .—Chili.  
     a. *Carnarvoniana* x, DC. Pl. Rar. Hort. Genev. t. 9.  
 102<sup>2</sup>. *Harrisonii*, Bury, Hexand. Pl. 27 = *Hippeastrum solandriiflorum*.  
     *Johnsoni*, Bury, (l. c.) t. 1 = *Hippeastrum solandriiflorum*.  
     *marmorata* x, Hort. ex C. Morr. Ann. Bot. Gand, i. (1845) 148. t. 16.  
     *Mendeli*, Hort. ex Flor. Mag. (1875) t. 167 = *Hippeastrum Reginae*.  
 102<sup>3</sup>. *picta*, Bury, Hexand. Pl. t. 5 = *Hippeastrum solandriiflorum*.

**AMBERBOA**.

- 103<sup>2</sup>. 1. *xanthocephala*, DC. l. c. 561 = *Centaurea xanthocephala*.

**AMBLYOPOGON**.

- 104<sup>2</sup>. a. *aristata*, Boiss. Diagn. Ser. II. iii. 66 = *Cent. aristata*.  
     *integrifolia*, Boiss. (l. c.) = *Cent. integrifolia*.  
     *microcephala*, Boiss. (l. c.) = *Cent. microcephala*.

**AMBROSIA**.

- 105<sup>1</sup>. a. *purpurascens*, Tenore, Ind. Sep. Hort. Neap. (1825) 1.—Hab.?

**AMBULIA**.

- 105<sup>1</sup>. a. *ebracteata*, Buch.-Ham. ex Hook. f. Fl. Brit. Ind. iv. 268 = *L. hirsuta*.

**AMELANCHIER**.

- 105<sup>2</sup>. 1. *PERAPHYLLUM*, Nutt. (nunc genus proprium).  
 105<sup>3</sup>. 1. *AMERIMNON*, P. Br. . . . = *Dalbergia*, Linn. f. (Legumin.).

- 105<sup>3</sup>. a. *AMERIMNUM*, Scop. Introd. 305 (1777) = praec.

**AMIANTHIUM**.

- 106<sup>1</sup>. in syn. lege *Z. muscitoxicus* (bis).

**AMMANNIA**.

- 106<sup>2</sup>. a. *DITHECA*, Miq. Fl. Ind. Bat. i. 615 (1855).  
     *EUTELIA*, R. Br. ex DC. Prod. iii. 76, in syn. (1828).  
     *MIRKOOA*, Wight, Ic. i. t. 217, in textu (1840).  
     *NESOEIA*, Wight, (l. c.) (1840).  
     *auriculata*, Rafin. Atl. Journ. 146 (Quid?).—Am. bor.

**AMMI**.

- 107<sup>2</sup>. a. *paucifolium*, Steud. Nom. ed. II. ii. 592, in syn., sphalm. = *indicum*.  
     1. *trachycarpum*, C. A. Mey. ex Boiss.

**AMOGETON**.

- 108<sup>1</sup>. 1. = *Aponogeton*, Linn. (Naiad.).

**AMOMUM**.

- 108<sup>1</sup>. a. *BOJERIA*, Rafin. Fl. Tellur. iv. 50 (1836).  
     1. *DIRACODES*, Blume, . . . (1827).  
     *GEANTHUS*, Reinw. in Blume, Cat. Gew. Buitenz. 29 (1823); et  
 108<sup>2</sup>. *echinatum*, Willd. Sp. Pl.  
     *medium*, Lour. . . . 4 = *Alpinia alba*.

**AMORPHA**.

- 109<sup>2</sup>. a. *BONAFIDIA*, Neck. Elem. iii. 46 (1790).  
     1. *canescens*, [Nutt. in] *Fras. Cat.* (1813) n. 4, nomen.  
     *nana*, [Nutt. in] . . . n. 5, nomen.

**AMORPHOPHALLUS**.

- 109<sup>3</sup>. a. *DUNALIA*, Montr. in Act. Soc. Linn. Bord. xxvi. (1866) 576.  
     1. *difformis*, Blume, . . . 149 = *Anchomanes Hookeri*.  
     *Konjac*, C. Koch, . . . 166.—Cochinch.; Japon.  
     *Lacourii*, Linden & André, . . . 90. t. 316 = *Pseudodracontium Lacourii*.  
     *Peyri*, Linden.—Cf.  
     *Rivieri*, Dur. . . . 15 = *A. Konjac*.

**AMPHIBOLIS**.

- 110<sup>3</sup>. d. *GRAUMUELLERA*, Reichb. (nunc *Cymodocea*).

PAG.

- AMPHIDONAX.**  
111<sup>1</sup>. 1. *tenella*, Wight & Arn. . . 197 = *Z. elegans*.
- 111<sup>2</sup>. 1. **AMPHISTELMA**, Griseb. . . (1861).  
*salinarum*, Wright, . . . 175 = *V. salinarum*.
- AMPHITHALIA.**  
112<sup>1</sup>. 1. *spinosa*, Steud. . . = *Coelidium spinosum* (in Addend.).
- AMYGDALUS.**  
112<sup>2</sup>. 1. *arabica*, Olivier, Voy. Atlas, t. 47.—Arab.
- AMYRIS.**  
113<sup>1</sup>. 1. *acuminata*, DC. Prod. ii. 78, in syn. (= *Icica acuminata*).—Guian.
- ANABASIS.**  
114<sup>1</sup>. a. *ramosissima*, Boiss. ex Benth. & Hook. f. Gen. iii. 70 = *Haloxylon ramosissimum*.
- ANACAMPSEOS.**  
114<sup>2</sup>. 1. *paucidens*, Haw. . . 242 = *S. paucidens*.
- ANACHARIS.**  
115<sup>1</sup>. 1. *callitrichoides*, Rich. . . 2 = *E. callitrichoides chilensis*, Planch. l. c. = *E. chilensis*.  
*Matthewsii*, Planch. . . 73 = *E. chilensis*.
- ANADENIA.**  
115<sup>2</sup>. 1. *Manglesii*, R. Grah. . . 337 = *G. glabrata*.
- ANAGALLIS.**  
116<sup>1</sup>. 1. *caerulea*, Schreb. Fl. Lips. (1771) 5; Lam. *parviflora*, Loisel. . . 401.
- ANALECTIS.**  
116<sup>2</sup>. a. *speciosa*, Vahl, in Danske Nat. Selsk. Skrivt. vi. (1810) 94 = *S. involucreatum*.
- ANAMIRTA.**  
116<sup>2</sup>. 1. *Baueriana*, Endl. . . = *paniculata*.  
*flavescens*, Miq. . . = *paniculata*.
- 116<sup>2</sup>. 1. **ANAMOMIS**, Griseb. . . (1860).
- ANANTHERIX.**  
116<sup>3</sup>. 1. *Nuttalliana*, G. Don,  
*pumila*, Nutt. . . l. c. = *Podostigma pubescens*.
- ANAPHALIS.**  
117<sup>1</sup>. a. **MARGARITARIA**, Opiz, Seznam, 63 (1852).  
1. *aristata*, DC. l. c. 274.
- ANARRHINUM.**  
117<sup>2</sup>. 1. *pedicellatum*, T. Anders. . . 26 = *Schwein-furthia pedicellata*.
- ANAXAGOREA.**  
118<sup>2</sup>. a. *canescens*, Benth. & Hook. f. Gen. ii. 314, 315.—Afr. trop.
- 119<sup>1</sup>. 1. *ciliata*, Cham. . . 400 = *Moritzia ciliata*.  
a. *confertiflora*, DC. Prod. x. 55 = *Lycopsis confertiflora*.  
1. *dasyantha*, Cham. l. c. 437 = *Moritzia dasyantha*.
- ANCHUSA.**  
119<sup>1</sup>. 1. *flava*, Forsk. . . 40.—Arab.
- 119<sup>2</sup>. 1. *Sellowiana*, Cham. . . 115 = *Moritzia Sellowiana*.
- 119<sup>3</sup>. 1. **ANCISTROCARPHUS**, A. Gray, . . . 355 = *Stylocline*, Nutt. (Compos.).  
*flagineus*, A. Gray, . . . 356 = *S. filaginea*.
- ANCYLOGYNE.**  
120<sup>2</sup>. 1. *longiflora*, Hook. . . t. 5588 = *S. longiflora munita*, Nees, l. c. = *S. munita*.
- ANDERSONIA.**  
120<sup>2</sup>. 1. *Homalostoma* (non *homalostoma*).  
120<sup>3</sup>. *subsessilis*, Panch. . . 67 = *Leucopogon subsessilis*.
- ANDERSONIA**, Roxb.  
120<sup>3</sup>. a. *Rohitoca*, Griff. Notul. iv. 507, err. typ. = seq.
- ANDRACHNE.**  
121<sup>1</sup>. 1. *fruticosa*, Linn. Sp. Pl. 1014 (= *Melanthesopsis fruticosa*).—China.
- 121<sup>2</sup>. *rotundifolia*, Eichw. . . = *A. Telephioides*.  
*Telephioides*, Linn. (non *telephioides*).

VOL. II.

PAG.

- ANDRIAPETALUM.**  
121<sup>2</sup>. 1. *polystachyum*, Schott.
- ANDRIEUXIA.**  
121<sup>2</sup>. 1. *quitensis*, Benth. . . 206 = *Gymnolomia quitensis*.
- ANDROMACHIA.**  
122<sup>1</sup>. 1. *sessiliflora*, H. B. & K. etc.  
*sessilifolia*, DC. Prod. v. 96, sphalm. = praec.
- ANDROMEDA.**  
122<sup>1</sup>. 1. *campanulata*, Miq. . . = *Enkianthus campanulatus*.
- 122<sup>2</sup>. a. *cordata*, Royle, Illustr. Bot. Himal. 258 = *Pieris ovalifolia*?
1. *coriifolia*, Thunb. Pl. Bras., etc.
- 122<sup>3</sup>. 1. *japonica*, Thunb. . . = *Pieris ovalifolia littoralis*, Steud. . . 88 (*Agauriae* sp.).—Malaya.
- 123<sup>1</sup>. 1. *revoluta*, Bouton, . . . 603 = (*Agauriae* sp.).—Madag.
- a. *rupestris*, R. Cunn. ex A. Cunn. in Ann. Nat. Hist. ii. (1839) 49 = *Gaultheria antipoda*.
- ANDROPOGON.**  
123<sup>3</sup>. 1. *anthistirioides*, et *anthistirioides*.
- 124<sup>1</sup>. *aristulatus*, Hochst.
- 125<sup>3</sup>. d. *guineensis*, Steud.
- 126<sup>1</sup>. 1. *Iwarancusa*, Jones, in As. Res. iv. (1795) 109.—Ind. or.; Afr. trop.
- 126<sup>2</sup>. *montanus*, Roxb.
- 126<sup>3</sup>. *nutans*, Linn.
- peduncularis*, Baker, . . . 444.—Ins. Borbon.
- pilosus*, Klein, . . . 920 = *Ischaemum pilosum*.  
*Pseudograyi*, *Pseudohirtus*, *Pseudoischaemum*.
- 127<sup>1</sup>. d. *Schoenanthus*, Benth.
- 127<sup>2</sup>. d. *Schoenanthus*, Benth.
- 127<sup>3</sup>. a. *stypticus*, Welw. Synopse, 27 (Quid ?).—Afr. trop.
1. *speciosus*, Steud. . . 375 (*Rottbollaie* sp.).—Reg. Himal.
- 128<sup>1</sup>. a. *Trachypogon*, Royle, Illustr. Bot. Himal. 417, nomen (Quid ?).—Reg. Himal.
- tristis*, Royle, (l. c.) nomen (Quid ?).—Reg. Himal.
- 128<sup>2</sup>. 1. *virginicus*, Linn.
- ANDROSACE.**  
128<sup>2</sup>. a. *aretioides*, Hegetschw. Fl. Helv. 187.—Helvet.
- 129<sup>1</sup>. *nidulans*, Royle, Illustr. Bot. Himal. 310, nomen (Quid ?).—Reg. Himal.
- reptans*, Royle, (l. c.) nomen (Quid ?).—Reg. Himal.
- ANDROSAEMUM.**  
129<sup>2</sup>. 1. *Cambessedesii*, Cass. . . 181 = *H. Cambessedesii*.
- ANDROTICHUM.**  
129<sup>2</sup>. a. *montevidense*, Steud. Nom. ed. II. i. 587, in syn. = seq.
- ANDRYALA.**  
129<sup>3</sup>. a. *rosea*, Steud. Nom. ed. II. ii. 779, in syn., sphalm. = *A. Rothia*.
- ANEILEMA.**  
130<sup>3</sup>. 1. *tacazezanum* (bis).
- ANEMONE.**  
131<sup>2</sup>. d. *ambigua*, (sphalm. pro *Pulsatilla*).
- 132<sup>2</sup>. 1. *thalictroides*, Linn. . . 542 = *Thalictrum anemonoides*.
- 132<sup>3</sup>. a. *Zichyi*, Schur, in Oestr. Bot. Zeitschr. (1863) 317 = *pratensis*.
- 132<sup>3</sup>. 1. **ANEMONOPSIS**, Pritz. . . = **ANEMOPSIS**, Hook. = *Houttuynia*, Thunb. (Piperac.).
- 132<sup>3</sup>. a. **ANEMONOSPERMOS**, Boerh. ex Boehm. in Ludw. Def. Gen. Pl. 192 (1760); Adans.
- ANETANTHUS.**  
133<sup>1</sup>. 1. *alata*, Benth. & Hook. f.
- ANGELICA.**  
133<sup>2</sup>. a. **PHYSOLOPHIUM**, Turcz. in Bull. Soc. Nat. Mosc. xvii. (1844) II. 728.
- 133<sup>3</sup>. *decursiva*, Franch. & Sav. Enum. Pl. Jap. i. 187 = *Peucedanum decursivum*.

PAG.

- ANGELONIA.**  
134<sup>2</sup>. 1. *lobelioides*, Mart. Reise Bras. i. 397, nomen;
- ANGIANTHUS.**  
134<sup>2</sup>. 1. *Pleuropappus*, Benth. (non *pleuropappus*).
- 134<sup>3</sup>. 1. **ANGOSTURA**, Roem. & Schult. . . (1819) = **Cusparia**, Humb. (Rutac.).  
*Cuspare*, Roem. & Schult. l. c. = *C. febrifuga*.
- ANGRAECUM.**  
135<sup>1</sup>. a. **GUSSONEA**, A. Rich. in Mém. Soc. Hist. Nat. Par. iv. (1828) 67.  
*crenatum*, Reichb. f. ex Williams, Man. Orchid. ed. VI. 115.—Afr. trop.
- crystallinum*, Henshall, Pract. Treat. Orchid. 106 (*chrysalinum*), nomen.—Afr. trop.
1. *falcatum*, Lindl. Gen. et Sp. Orch. 237, in obs.
- 135<sup>2</sup>. *jamaicense*, Reichb. f. & Wullschl.
- a. *Leonii*, André in Rev. Hort. (1885) 294 = *Humblotii*.  
*Leonis*, Hort. . . *Humblotii*.
- ANGULO.**  
136<sup>1</sup>. 1. *squalida*, Poepp. & Endl. . . 74 = *Lycomormium squalidum*.
- ANGURIA.**  
136<sup>2</sup>. d. *Warmingii*, Cogn. l. c.—Bras.
- ANHALONIUM.**  
136<sup>2</sup>. 1. *areolosum*, Lem. . . 35 = *M. areolosa*.  
*fissipedum*, Monv. . . = *sulcatum*.  
*Kotchubeyi*, Lem. . . = *M. sulcata*.
- ANIA.**  
136<sup>3</sup>. 1. *angustifolia*, Lindl. . . n. 3740 = *Tainia angustifolia*.
- 136<sup>3</sup>. 1. **ANIBA**, Aubl. Pl. Gui. 327 (1775). **LAURINEAE**.  
*guianensis*, Aubl. l. c.—Guian.
- 136<sup>3</sup>. insere, **ANIL**, March. ex Ludw. Defin. Pl. 117 (1737) = *Indigofera*, Linn. (Legumin.).
- ANISANTHUS.**  
137<sup>1</sup>. 1. *abyssinicus*, Klatt, . . . xv. (non xii).  
*huillensis*, Klatt, . . . xv.
- ANISEIA.**  
137<sup>1</sup>. 1. *aurea*, Kellogg, . . . 83 = *I. aurea* (in Addend.).
- 139<sup>2</sup>. 1. **ANNESORHIZA**.  
a. *caffra*, Benth. & Hook. f. Gen. i. 902.—Afr. austr.
1. *capensis*, Cham. & Schlecht. in Linnaea, i. (1826) 399.—Afr. austr.
- ANOECTOCHILUS.**  
140<sup>2</sup>. 1. *sandwicensis*, Lindl. . . 500 = *Vrydagzynea sandwicensis*.
- ANOMATHECA.**  
140<sup>3</sup>. 1. *calamifolia*, Klatt, . . . xv.  
*xanthospila*, Ker-Gawl. in [Quart.] Journ. Roy. Inst. i. (1816) 171 = *Freesia xanthospila*.
- ANOMOCARPUS.**  
140<sup>3</sup>. 1. *tenuifolius*, Miers, . . . = *C. tenuifolia*.
- ANONA.**  
141<sup>1</sup>. 1. *conophylla*, C. Muell. in Walp. Ann. vii. 58, sphalm. = *ionophylla*.
- 141<sup>2</sup>. a. *Kraussiana*, Hochst. in Flora, xxvi. (1843) 69 = *Oncoba Kraussiana*.  
1. *polycarpa*, Oliver, Fl. Trop. Afr. i. 32 = *Xylopia polycarpa*.
- 141<sup>3</sup>. a. *uncata*, Baill. Hist. Pl. i. 232 = *Artabotrys odoratissimus*.
- 143<sup>1</sup>. 1. **ANSERINA**, Dum. . . *Chenopodium*, Tourn.  
a. *betaefolia*, Montand. Guide Bot. 264 = *C. polyspermum*.  
*candicans*, Montand. (l. c.) 262 = *C. album*.  
*ficifolia*, Montand. l. c. 264 = *C. ficifolium*.  
*foetida*, Montand. l. c. = *C. Vulvaria*.  
*muralis*, Montand. (l. c.) 263 = *C. murale*.  
*opulifolia*, Montand. l. c. = *C. opulifolium*.  
*stramonifolia*, Montand. l. c. = *C. hybridum*.  
*urbica*, Montand. l. c. = *C. urticum*.

7 Y

- PAG. **ANTENNARIA.**  
 143<sup>1</sup>. 1. *andina*, A. Gray, . . . 138 = *Mniodes andina*.  
*linearifolia*, Wedd. . . 150 = *Leontopodium*  
*linearifolium*.  
*magellanica*, Sch. Bip. . . 117 = chilensis.  
 143<sup>2</sup>. 1. *monoica*, Wedd. . . 150 = *Leontopodium monoi-*  
*cum*.  
 143<sup>3</sup>. 1. **ANTHÉEISCHIMA.**
- ANTHEMIS.**  
 144<sup>1</sup>. 1. *LYONNETIA*, Cass. . . xxxiv. 166 (1825).  
 144<sup>2</sup>. a. *comosa*, Peterm. Fl. Bienitz, 42 (Quid ?).—  
 Europ.  
*coronata*, Peterm. (l. c.) 43 (Quid ?).—Europ.  
 144<sup>3</sup>. 1. *discoidea*, Willd.  
 145<sup>2</sup>. *parthenoides*, Bernh.  
 145<sup>3</sup>. *salvifolia*, Boj. . . 3 = *Sphacophyllum mada-*  
*gascariense*.
- ANTHERICUM.**  
 146<sup>2</sup>. 1. *LILIAGO*, [Caesalp.] Linn. Class. Pl. 22  
 (1747); Salisb., etc.  
 d. *BLEPHANTHERA*, Rafin. (nunc *Bulbine*).  
 147<sup>2</sup>. 1. *pomeridianum*, Ker-Gawl. in [Quart.] Journ.  
 Roy. Inst. i. (1816) 181; et Bot. Reg.  
 147<sup>3</sup>. *Rossii*, Hook. f.  
 a. *striatellum*, Steud. Nom. ed. II. ii. 228, sphalm.  
 = *Allium striatellum*.  
 l. *subtrigynum*, Jacq. . . = *Zygadenus musci-*  
*toxicus*.
- ANTHISTIRIA.**  
 148<sup>2</sup>. 1. *anathera*, Nees, in *Royle, Illustr. Bot. Himal.*  
 417.—Ind. or.  
 Forskålili, Kunth, . . . 162.—Arab.  
 148<sup>3</sup>. a. *semiberbis*, Nees, Fl. Afr. Austr. 125 = ciliata.
- ANTHOCEPHALUS.**  
 148<sup>3</sup>. a. *PLATANOCEPHALUS*, Vaill. ex Crantz, Inst. i.  
 349 (1766).  
 149<sup>1</sup>. post **ANTHOCHLAMYDAM**, pone
- ANTHOCHLOA**, Nees & Meyen, Reise, ii. 14  
 (1845); et in Lindl. Introd. Nat. Syst. ed. II. 450  
 (1836). *GRAMINEAE*, Benth. & Hook. f. iii.  
 1189.  
*lepida*, Nees & Meyen, in *Nov. Act. Nat. Cur.*  
 xix. Suppl. i. (1843) 165.—Peruv.; Boliv.  
*lepidula*, Nees & Meyen, Reise, ii. 14 = praec.  
*rupestris*, Remy, in *Ann. Sc. Nat. Sér. III.*  
 vi. (1846) 347.—Bolivia.
- ANTHOCOMA.**  
 149<sup>1</sup>. 1. *flavescens*, Zoll. & Mor. . . 570 = *Cymaria*  
*acuminata*.
- ANTHODON.**  
 149<sup>2</sup>. 1. *Selloanum*, Schult. . . 411 = *S. brasiliensis*.  
 a. *Wrightianum*, Miers, ex Triana & Planch. in  
*Ann. Sc. Nat. Sér. V. xvi.* (1872) 372, in  
 nota = *H. malpighiaefolia*?
- ANTHOLYZA.**  
 149<sup>2</sup>. 1. *bicolor*, Gasparr. in *Ann. Civ. i.* (1833) 118, etc.
- ANTHOSPERMUM.**  
 150<sup>1</sup>. 1. *Crocylis*, Sond. . . 32 = *Crocylis antho-*  
*spermoides*.
- ANTHURIUM.**  
 152<sup>1</sup>. a. *laciniatum*, C. Koch, Ind. Sem. Hort. Berol.  
 (1855) 4 = *podophyllum*.  
 153<sup>1</sup>. a. post **ANTHURIUM** pone  
*ANTHYLLIS*, Adans. Fam. ii. 271 (1763) =  
*Polycarpaea*, Lam. et *Polycarpon*, Loeff.  
 (Caryoph.).
- ANTHYLLIS.**  
 153<sup>2</sup>. a. *rubriflora*, Hegetschw. Fl. Schw. 693.—Helvet.  
 153<sup>3</sup>. lin. lma l. **ANTHYLLIS.**
- ANTIARIS.**  
 153<sup>3</sup>. a. *TOXICARIA*, Aepnel. ex Steud. Nom. ed. I.  
 434, in syn. (1821).
- ANTICHARIS.**  
 153<sup>3</sup>. a. *scoparia*, Hiern, ex Benth. & Hook. f. Gen. ii.  
 928.—Afr. austr.
- PAG. **ANTIDESMA.**  
 154<sup>1</sup>. a. *glabella*, Koen. ex Benn. Pl. Jav. Rar. 192  
 (Quid ?).—Java.  
 155<sup>1</sup>. **ANTIRRHOEA** (ponitur post **ANTIRRHI-**  
**NUM**).  
 155<sup>2</sup>. 1. *borbonica*, J. F. Gmel. ex C. DC. in DC. Monog.  
 Phan. i. 43 = *Quivisia Sieberi*.  
 a. *borbonica*, J. F. Gmel. Syst. i. 244.—Ins.  
 Borbon.
- ANTIRRHINUM.**  
 155<sup>1</sup>. a. *SACCCULARIA*, Kellogg, in Proc. Calif. Acad.  
 ii. (1863) 17.  
 155<sup>3</sup>. 1. *elatiniflorum*, Wahlenb. in Bergg. Resor. ii.  
 Bihang, 37;  
*glandulosum*, Kellogg, ex Curran, in Bull.  
 Calif. Acad. i. iii. (1885) 144 = *vexillo-*  
*calyculatum*.  
 a. *glutinosum*, Brot. Phyt. Lusit. i. 129 = *Linaria*  
*filifolia*.  
 156<sup>2</sup>. 1. *Nuttallianum*, Benth.
- ANTITAXIS.**  
 157<sup>1</sup>. 1. *longifolia*, Miers, . . . 357 = *Pycnarrhena longi-*  
*folia*.  
 157<sup>1</sup>. a. *ANTOCHLOA*, Nees & Meyen, in Lindl. Introd.  
 Nat. Syst. ed. II. 450 (1836) = *Anthochloa*,  
 Nees & Meyen (Gramin.).  
 157<sup>2</sup>. 1. *ANTONIANA*, Tuss. Fl. Antill. ii. 62. t. 16  
 (1818) = *Faramaea*, Aubl. (Rubiace.).
- ANTROLEPIS.**  
 157<sup>2</sup>. 1. *leucocephala*, Welw.
- ANYCHIA.**  
 157<sup>2</sup>. d. *BUINALIS*, Rafin. (nunc *Paronychia*).
- APALOCHLAMYS.**  
 157<sup>3</sup>. a. *spectabilis*, Steud. Nom. ed. II. i. 255, in syn.,  
 sphalm. = *Cassinia spectabilis*.
- APERA.**  
 158<sup>3</sup>. a. *Liebmanni*, Benth. & Hook. f. Gen. iii. 1153,  
 sphalm. = *Deyeuxia Liebmanni*.
- APERULA.**  
 159<sup>1</sup>. a. *lucida*, Blume, . . . 366 (= *Litsea lucida*).—  
 Java.  
 l. *oxyphylla*, Blume, l. c.—Ins. Penang.
- 159<sup>3</sup>. 1. *APHANOCHAETA*, A. Gray, . . . (1857) =  
*Pentachaeta*, Nutt. (Compos.).  
*exilis*, A. Gray, l. c. 100 = *P. exilis*.
- APHELANDRA.**  
 159<sup>3</sup>. d. *HEMITOME*, Nees, et *SYNANDRA*, Schrad.  
 (nunc *Stenandrium*).  
 l. *Hydromestus*, Hemsl.  
 160<sup>1</sup>. 1. *mediaurata*, Cogn. & March. in *Dallière*,  
*pumila*, Bull. Cat. n. 143 (1878) 4; *Bot. Mag.*  
 t. 6467.—Bras.
- APHYLLOCLADUS.**  
 160<sup>2</sup>. 1. *spartioides*, Wedd. l. c. = *H. spartioides*.
- APHYLLON.**  
 160<sup>3</sup>. 1. *GYMNOCAULIS*, Nutt. in Journ. Acad. Philad.  
 N. S. i. (1847) 180.
- APIUM.**  
 161<sup>2</sup>. 1. *CICLOSPERMUM*, Lag. . . (1821).  
 a. *decumbens*, Soland. ex Forst. f. in Comm.  
 Gotting. ix. (1789) 45 (Quid ?).—Reg.  
 Magell.
- APLOPAPPUS.**  
 162<sup>1</sup>. 1. *ACAMPTOPAPPUS*, A. Gray,  
 a. *ERICAMERIA*, Nutt. in Trans. Am. Phil. Soc.  
 N. S. vii. (1841) 318.  
 162<sup>2</sup>. 1. *ericoides*, DC. . . 346.  
 162<sup>3</sup>. 1. *juncus*, Greene, . . . iv. (1884).  
*nevadensis*, Kellogg, . . . 9 = *acaulis*.
- APODYTES.**  
 164<sup>3</sup>. a. *HEMILOBIUM*, Welw. Synopse, 20 (1862).
- APOLLONIAS.**  
 165<sup>1</sup>. 1. *Barbusana*, R. Br.
- PAG. 166<sup>1</sup>. 1. **APOZIA**, Willd. ex Benth. in Linnaea, xi.  
 (1837) 328.  
*chamaedryoides*, *herniarioides*, *serpyllacea*,  
 Willd. ex Benth. l. c.
- APPENDICULA.**  
 166<sup>1</sup>. 1. *membranacea*, *Teijsm. & Binn. in Tijdschr.*  
*Nederl. Ind. v.* (1853) 491; et in *Nederl.*  
*Kruidk.*
- ARABIS.**  
 168<sup>1</sup>. d. *PILOSELLA*, Kostel. (nunc *Sisymbrium*).  
 168<sup>3</sup>. d. *Dregeana*, C. Muell. in Walp. Ann. vii. 103 =  
*perfoliata*.  
 168<sup>3</sup>. a. *Ermani*, Kjellm. in Nordensk. Vega-Exped.  
 Vidensk. Iakt. i. 537 = *Parrya Ermani*.  
 169<sup>2</sup>. a. *parryoides*, Kjellm. (l. c.) = *Parrya Ermani*.
- ARACHNITES.**  
 170<sup>3</sup>. a. *limbata*, Link, Handb. i. 247 = *O. limbata*.  
 l. *ARACHNOPOGON*, Berg, . . . = *Hypo-*  
*choeris*, Linn. (Compos.).  
 l. *heterospermum*, Berg, l. c. = *H. glabra*.
- 171<sup>1</sup>. a. **ARAGALLUS**, Neck. Elem. iii. 12 (1790) =  
*Astragalus*, Tourm. (Legumin.).  
 171<sup>1</sup>. a. **ARAGO**, Endl. Ench. 340 (1841), sphalm. =  
 seq.  
 171<sup>1</sup>. a. **ARAGOA**, H. B. & K. Nov. Gen. et Sp. iii.  
 154 (1818). *SCROPHULARINEAE*, Benth.  
 & Hook. f. ii. 975.  
*abietina*, H. B. & K. Nov. Gen. et Sp. iii. 156.  
 t. 217.—N. Granat.  
*cupressina*, H. B. & K. l. c. 156. t. 216.—  
 N. Granat.  
*juniperina*, H. B. & K. ex Steud. Nom. ed. II.  
 i. 118 = *cupressina*.  
*lycopodioides*, Benth. ex Oliver, in Hook. Ic.  
 Pl. t. 1325.—N. Granat.
- ARALIA.**  
 171<sup>1</sup>. a. **GINSENG**, Wood, Am. Bot. & Flor. 142 (1871).  
 171<sup>2</sup>. *elegans*, Linden, ex Decne. & Planch. in Rév.  
*Hortic. Sér. IV. iii.* (1854) 108 = *Oreopanax*  
*elegans*.  
 171<sup>3</sup>. *parasitica*, Buch.-Ham. ex D. Don, Prod. Fl.  
 Nep. 138 = *Pentapanax parasiticum*.  
*Reginae*, Linden, ex André, *Illustr. Hortic.*  
 (1879) 25. t. 337.—N. Caled.  
 172<sup>1</sup>. 1. *trigyna*, Gaudich. . . = *Panax Gaudichaudii*.
- ARCTIUM.**  
 173<sup>3</sup>. 1. *nemorosum*, Lej. in Court. Mag. Hortic. 289;  
 ex Lej. & Court. Comp. Fl. Belg. iii. 129.—  
 Europ.
- ARCTOSTAPHYLOS.**  
 174<sup>1</sup>. 1. *alpina*, Spreng. . . Reg. bor. et arct.
- ARCTOTIS.**  
 174<sup>2</sup>. 1. *ANEMONOSPERMOS*, Boerh. ex Boehm. in  
 Ludw. Def. Gen. Pl. 192 (1760); Adans.  
 a. *acaulis*, Brot. Fl. Lusit. i. 401 = *Cryptostemma*  
*calendulaceum*.
- ARDISIA.**  
 175<sup>2</sup>. a. *STRANGULA*, Noronha, in Verh. Batav. Gen. v.  
 (1790) ed. I. Art. IV. 4.  
 175<sup>3</sup>. 1. *Blumei*, DC.  
 176<sup>1</sup>. 1. *fuliginosa*, Blume, . . . 692 = *Pimelandra fuli-*  
*ginosa*.  
 177<sup>1</sup>. 1. *scrobiculata*, Seem. . . 150.—N. Hebr.; N.  
 Caled.  
 177<sup>2</sup>. 1. *Teysmanniana*, Scheff. . . 253 = *Pimelandra*  
*Teysmanniana*.
- ARECA.**  
 177<sup>2</sup>. 1. *Alicae*, F. Muell. in Gard. Chron. (1879) i.  
 760; et in *Gartenfl.*  
 177<sup>3</sup>. a. *gigantea*, Reinw. Reise Ind. Arch. 500 = *Gulubia*  
*moluccana*.  
*minor*, W. Hill, ex F. Muell. Fragm. viii. 235  
 = *Kentia minor*.
- ARENARIA.**  
 178<sup>2</sup>. a. *DUFOUREA*, Gren. in Act. Soc. Linn. Bord. ix.  
 (1837) 25.  
*Allionii*, Raeusch. Nom. ed. III. 130, nomen  
 (Quid ?).—Italia.

PAG.

- ARENARIA** :—  
 179<sup>1</sup>. 1. *Cerviana*, Cham. & Schlecht.  
 180<sup>1</sup>. a. *massiliensis*, Fenzl, ex Gren. & Godr. Fl. Fr. i. 262 = A. Gouffea.  
*miquelonensis*, La Pylaie, ex Lebel, in Bull. Soc. Bot. Fr. xv. (1868) 58 = *Spergularia miquelonensis*.  
 181<sup>1</sup>. 1. *sedoides*, Froel. ex Reichb. Fl. Germ. Excurs. 794, in syn.—Tyrol.  
 181<sup>2</sup>. a. *Spergula*, Borkh. in Rhein. Mag. i. (1793) 538 = *Spergula arvensis*.  
*sperguloides*, Mutel, Fl. Fr. 165.—Europ.  
 1. *triandra*, Schrank, . . . t. 30.  
 181<sup>3</sup>. 1. *viscida*, Hall. f. ex Loisel.  
**ARGITHAMNIA**.  
 182<sup>3</sup>. a. *ODOTALON*, Rafin. Sylva Tellur. 66 (1838).  
**ARGOSTEMMA**.  
 183<sup>1</sup>. a. *javanicum*, Wawra, Itin. Princ. Coburgi, i. 117. t. 39. f. D.—Jav.  
 183<sup>3</sup>. 1. *ARGUSIA*, Amm. ex Linn. Hort. Upsal. 36 (1748) = seq.  
 183<sup>2</sup>. 1. *ARGUZIA*, Rafin. Sylva Tellur. 167 (1836); Stev. in Bull. Soc. Nat. Mosc. (1851) i. 558 = *Tournefortia*, Linn. (Borag.).  
**ARGYLIA**.  
 183<sup>2</sup>. a. *OXYMITUS*, Presl, Bot. Bemerk. 92 (1844).  
*tenuifolia*, Presl, (l. c.) 93, in obs. = *canescens*.  
**ARGYREIA**.  
 183<sup>3</sup>. 1. *festiva*, Wall. . . 76 = *Lettsomia festiva*.  
**ARGYROLOBIUM**.  
 184<sup>2</sup>. a. *LOTOPHYLLUS*, Link, Handb. ii. 156 (1831), nomen prius.  
**ARISAEMA**.  
 185<sup>3</sup>. a. *Dioscoridis*, Royle, Illustr. Bot. Himal. 407 = *Arum Dioscoridis*.  
 1. *nepenthoides*, Mart. in Flora, xv. (1831) II. 458, 459; et ex  
*speciosum*, Mart. (l. c.); et ex  
*utile*, Hook. f. ex Schott, Prod. Aroid. 30.  
**ARISARUM**.  
 186<sup>1</sup>. a. *multicarinatum*, Wall. ex Royle, Illustr. Bot. Himal. 406.—Reg. Himal.  
**ARISTEA**.  
 186<sup>1</sup>. a. *corymbosa*, Benth. & Hook. f. Gen. iii. 701.—Afr. austr.  
**ARISTIDA**.  
 181<sup>2</sup>–188<sup>1</sup>. 1. *passim*, Trin. & Rupr. in Mém. Acad. Pétersb. Sér. VI. vii. (1843).  
 186<sup>2</sup>. 1. *barbicollis*, Trin. & Rupr. . . 152.—Afr. austr.  
 186<sup>3</sup>. *cyanantha*, Steud. Nom. ed. II. ii. 131; *Syn. divaricata*, Lag. Gen. & Sp. Nov. 3.  
 187<sup>1</sup>. 1. *hirtigluma*, Steud. . . VI. Sc. Nat. v. (1842) 171.—Afr. trop.  
*hystricula*, Edgew. in Journ. Linn. Soc. vi. (1862) 208.—Ind. or.  
 187<sup>2</sup>. a. *longiflora*, Schum. & Thonn. Beskr. Guin. Pl. 48.—Afr. trop.  
 187<sup>2</sup>. a. *mallica*, Edgew. in Journ. Linn. Soc. vi. (1862) 209 = *funiculata*.  
 188<sup>1</sup>. a. *submucronata*, Schum. & Thonn. Beskr. Guin. Pl. 47.—Afr. trop.  
 1. *trichodes*, Steud. Syn. Pl. Gram. 140 = *Cumin-giana*.  
**ARISTOLOCHIA**.  
 188<sup>2</sup>. 1. *aethiopica*, Welw. . . 548 = *albida*.  
 a. *arborea*, Linden, Cat. n. 13 (1858) 6; Hook. f. Bot. Mag. t. 5295.—N. Granat.  
 1. *Bonplandii*, Tenore, in Rendic. Acc. Sc. Nap. i. (1842) 345; et ex  
 188<sup>3</sup>. a. *dodecandra*, Rafin. Med. Fl. i. 62 = A. *Serpentaria*?  
 189<sup>1</sup>. a. *hyperborea*, Paxt. Mag. Bot. vi. (1839) 53.—Hab.?  
 190<sup>1</sup>. 1. *ringens*, Vahl, . . . —Ind. occ.  
 190<sup>2</sup>. insere *ARISTOTELIA*, Comm. ex Lam. Encyc. i. 349 (1784) = *Terminalia*, Linn. (Combret.).

PAG.

- ARMENIACA**.  
 190<sup>3</sup>. 1. *Mume*, Siebold, in Verh. Batav. Gen. xii. (1830) 69; De Vriese,  
**ARMERIA**.  
 191<sup>1</sup>. 1. *Pseudo-armeria*, Willk. & Lange, Prod. Fl. Hisp. ii. 365 = *latifolia*.  
 191<sup>3</sup>. a. *ARMOLA*, Montand. Guide Bot. 261 (1868) = *Atriplex*, Tourn. (Chenop.).  
*campestris*, Montand. l. c. = *Atr. patula*.  
*deltoidea*, Montand. l. c. = *Atr. hastata*.  
*mixta*, Montand. l. c. = *Atr. patula*.  
**ARMORACIA**.  
 191<sup>3</sup>. a. *americana*, Hook. & Arn. Brit. Fl. ed. VI. 28, in nota = *Nasturtium lacustre*.  
*natans*, Hook. & Arn. l. c. = *Nasturtium natans*.  
**ARNEBIA**.  
 192<sup>1</sup>. a. *tetrastigma*, Auct. ex Steud. Nom. ed. II. ii. 56 = *tinctoria*.  
**ARNICA**.  
 192<sup>1</sup>. 1. *ausriaca*, [Hoppe] Roehl. Deutschl. Fl. ed. II. ii. 462 =  
**ARRACACIA**.  
 193<sup>3</sup>. a. *arguta*, Benth. & Hook. f. ex S. Wats. Bibliog. Ind. Bot. N. Am. 419.—Am. bor.  
 193<sup>3</sup>. insere *ARRASCHKOOLIA*, Sch. Bip. ex Hochst. in Flora, xxv. (1842) i. Beibl. 144 = *ARASCHCOOLIA*, Sch. Bip. = *Geigeria*, Griessel. (Compos.).  
**ARRHENATHERUM**.  
 193<sup>3</sup>. 1. *kentuckense*, Torr. Fl. U. St. 131, in nota.  
**ARRHOSTOXYLUM**.  
 194<sup>1</sup>. a. *grandiflorum*, Nees, in DC. Prod. xi. 158 = *R. grandiflora*.  
**ARROZIA**.  
 194<sup>1</sup>. 1. *micrantha*, Schrad. l. c. = *L. micrantha*.  
**ARTEMISIA**.  
 195<sup>3</sup>. a. *DRACUNCULUS*, [Rupp.] Ledeb. Fl. Ross. ii. 566, in syn., cum cit. falsa (1846).  
 196<sup>1</sup>. 1. *Absinthium*, Linn. . . —Geront. temp.  
 196<sup>2</sup>. d. *campestris*, Ledeb.  
 196<sup>3</sup>. a. *doonense*, Royle, Illustr. Bot. Himal. 250 = *A. Absinthium*.  
 197<sup>2</sup>. a. *Ibukijomogi*, Siebold, in Verh. Batav. Gen. xii. (1830) 70 = *vulgaris*.  
 197<sup>3</sup>. 1. *kohatica*, Klatt, . . . (1878) i. 91.  
 198<sup>3</sup>. 1. *pedemontana*, Balb. in Mém. Acad. Taur. (1810) reimpr. 21. t. 3;  
 199<sup>1</sup>. 1. *Schlagintweitiana*, Klatt, . . . (1878) i. 90.  
 199<sup>3</sup>. a. *trifida*, Pav. ex Delpino, Studi Artemis. 64 (= *Xanthidium rhombophyllum*).—Peruv.  
**ARTHRAOXON**.  
 200<sup>1</sup>. 1. *PSILOPOGON*, Hochst. in Flora, xxiv. (1841) i. Intell. 20.  
**ARTHROSOLEN**.  
 200<sup>3</sup>. a. *TRIMEIANDRA*, Rafin. Fl. Tellur. iv. 105 (1836).  
**ARTHROSTEMA**.  
 201<sup>1</sup>. a. *Humboldtianum*, Kunth, Ind. Sem. Hort. Berol. (1844) 11.—Cf. Linnaea, xviii. (1844) 504 = *Monochaetum Humboldtianum*.  
**ARTOCARPUS**.  
 201<sup>3</sup>. 1. *exculpta*, Hort. . . 84 = *Ficus exculpta*.  
**ARTROLOBIUM**.  
 202<sup>1</sup>. a. *parviflorum*, Desv. in Mém. Soc. Linn. Par. iv. (1826) 304 = *Coronilla parviflora*.  
*repandum*, Desv. (l. c.) = *Coronilla repanda*.  
**ARUBA**.  
 202<sup>2</sup>. 1. *guianensis*, Aubl. l. c. = *S. guianensis*.  
**ARUM**.  
 202<sup>2</sup>. 1. *bulbiferum*, Roxb. . . = *Amorphophallus bulbifer*.  
 202<sup>3</sup>. a. *compressum*, G. Don, in Edinb. Phil. Journ. xi. (1824) 344 (= *Corynophallus Afzelii*?).—Afr. trop.

PAG.

- ARUM** :—  
 202<sup>3</sup>. a. *crinitum*, Ait. . . = *Helicodiceros crinitus*.  
 203<sup>1</sup>. *hastatum*, Royle, Illustr. Bot. Himal. 406, nomen (Quid?).—Ind. or.  
*insignifolium*, Royle, l. c. nomen (Quid?).—Ind. or.  
 1. *integrifolium*, Link, . . . 394 = *Aglaonema oblongifolium*.  
**ARUNDINA**.  
 204<sup>1</sup>. 1. *pulchella*, Teysm. & Binn. in Tijdschr. Nederl. Ind. v. (1853) 492; et in  
*speciosa*, Blume, . . . 73 = *densa*.  
**ARUNDINELLA**.  
 204<sup>2</sup>. 1. *flammida*, Trin. . . 267 = *Trichopteryx flammida*.  
 a. *gigantea*, Dalz. & Gibs. Bomb. Fl. 293 (Quid?).—Ind. or.  
 204<sup>3</sup>. 1. *holcoides*, Trin. . . 71.—Burma.  
 a. *miliacea*, Nees, ex Royle, Illustr. Bot. Himal. 417, nomen (Quid?).—Reg. Himal.  
 1. *nervosa*, Nees, . . . 237.—China.  
**ARUNDO**.  
 205<sup>1</sup>. 1. *australis*, Cav. . . = *Phragmites communis*.  
 205<sup>2</sup>. *festucoides*, Desf. . . = *Ampelodesma tenax*.  
*madagascariensis*, Kunth, . . . 48.—Geront. trop.  
 a. *montana*, Gaud. in Alpina, iii. (1808) 19; Agrost. Helv. i. 91 = *Deyeuxia acutifolia*.  
 205<sup>3</sup>. *nigricans*, Mérat, Fl. Par. ed. II. 33 = *Phragmites communis*.  
*Pseudo-arundinacea*, Schleich. ex Gaud. in Alpina, iii. (1808) 19 = *Deyeuxia acutiflora*.  
 206<sup>1</sup>. 1. *ARUNGANA*, Pers. . . = *Haronga*, Thou. . . (1806).  
*crenata*, Pers. . . = *Psorospermum cordiaefolium*.  
*mollusca*, Pers. . . = *Psorospermum cuspidatum*.  
**ARYTERA**.  
 206<sup>2</sup>. 1. *littoralis*, Blume, . . . 170 = *Ratonia littoralis* (in Addend.).  
**ASCLEPIAS**.  
 207<sup>2</sup>. a. *amoena*, Ruiz & Pav. ex Hemsl. Biol. Centr. Am. Bot. ii. 325 = *neglecta*.  
 1. *acornuta*, Kellogg, . . . 54 = *Gomphocarpus cordifolius*.  
 208<sup>1</sup>. a. *filiformis*, Benth. & Hook. f. Gen. ii. 753, in nota sub *Schizoglossa*.—Afr. austr.  
 1. *filiformis*, Jacq. . . —Afr. austr.  
*fragrans*, Rafin. . . = *A. syriaca* (syn. *Cornuti*).  
 208<sup>2</sup>. *lanceolata*, Walt. . . 105.—Am. bor.  
*longicornis*, Kellogg, . . . 65 = *Gomphocarpus cordifolius*.  
 208<sup>3</sup>. a. *odoratissima*, Breon, ex Brongn. in Ann. Sc. Nat. Sér. II. vii. (1837) 30 = *Stephanotis floribunda*.  
 1. *paupercula*, Michx. . . 118 = *lanceolata*.  
 209<sup>1</sup>. *pseudosarsa*, Roxb.  
*scandens*, Beauv. . . 56 = *Daemia scandens*.  
**ASCOLEPIS**.  
 209<sup>3</sup>. 1. *ericauloides*, Nees,  
**ASCYRUM**.  
 209<sup>3</sup>. 1. *HYPERICOIDES*, Plum. ex Adans.  
 210<sup>1</sup>. *nummularifolium*, Banks, ex Pursh, Fl. Am. Sept. ii. 273 =  
**ASPALATHUS**.  
 210<sup>2</sup>. d. *NEFRAKIS*, Rafin. (nunc *Brya*).  
**ASPARAGUS**.  
 212<sup>3</sup>. 1. *cuscutoides*, Burch. . . 606 = *Schizobasis cuscutoides*.  
*davuricus*, Fisch. . . 340.  
 213<sup>2</sup>. a. *ramosus*, Royle, Illustr. Bot. Himal. 447 (Index) sphalm. = *racemosus*.  
 213<sup>3</sup>. *sarmentosus*, [Delile, in] Red. Liliac. t. 460, quoad fig.; Herb. Linn. ex Baker, in Journ. Linn. Soc. xvi. (1875) 625.—Afr. austr.  
 1. *sarmentosus*, Linn. . . 314.—Zeylan.  
**ASPERELLA**.  
 214<sup>1</sup>. a. *californica*, Benth. ex Vasey, Cat. Gr. U. St. 46.—Calif.  
 1. *Hystrix*, Humb. in Roem. & Ust. Mag. iii. vii. (1790) 5.—Am. bor.



- PAG. **ASPERULA.**  
214<sup>3</sup>. 1. involucreta, *Wahlenb. in Bergg. Resor.* ii. *Bihang*, 21; et in
- ASPHODELINE.**  
215<sup>2</sup>. 1. liburnica, *Reichb.*
- ASPHODELUS.**  
216<sup>1</sup>. a. pyramidalis, *Royle, Illustr. Bot. Himal.* 392, nomen.—Reg. Himal.
- ASPIDOSPERMA.**  
216<sup>2</sup>. a. THYROMA, *Miers, Apocyn. S. Am.* 22 (1878).
- ASPILIA.**  
217<sup>1</sup>. d. abyssinica, *Oliver & Hiern* (=seq.).  
1. *Gayana*, *Benth. & Hook. f.* . . . 372 = helianthoides.  
*Prieureana*, *Benth. & Hook. f.* . . . 372 = Kotschyana.
- ASTELIA.**  
217<sup>3</sup>. 1. grandis, *Hook. f.* . . . i. ed. II. (1871).  
*trinervia*, *T. Kirk*, . . . i. ed. II. (1871).
- ASTER.**  
218<sup>2</sup>. a. COELESTINA, *Hill, Hort. Kew.* 8 (1769).  
GALATELLA, *Cass. in Dict. Sc. Nat.* xxxvii. 463 (1825).  
d. HOMOSTYLUM, *Nees (nunc Microglossa)*.  
a. *acer*, *Rochl. Deutschl. Fl. ed. II. ii.* 462 = acris.  
218<sup>3</sup>. 1. andinus, *Nutt.* . . . 290.—Reg. Andin.  
219<sup>1</sup>. 1. Bellidiastrum, *Meyen, Reise*, i. 311, nomen; *Nees*, etc.  
219<sup>3</sup>. a. confusus, *Harv. ex Harv. & Sond. Fl. Cap.* iii. 75.—Afr. austr.  
220<sup>1</sup>. 1. diplostephioides, *Benth. ex C. B. Clarke, Comp. Ind.* 45.  
220<sup>3</sup>. 1. Gerlachii, *Hance, glabriusculus*, *Torr. & Gray*, . . . = A. Xylorrhiza.  
221<sup>1</sup>. *Heterochaeta*, *C. B. Clarke*.  
imbricatus, *Walp.* . . . 574.—Chili.  
222<sup>3</sup>. 1. Pseudamellus, Pseudodifusus, Pseudodumosus, etc.  
223<sup>1</sup>. a. *Rivesii*, *Hort.*—Cf. *Linnaea*, xxiv. (1851) 235 = Felicia Reevesii.  
223<sup>2</sup>. 1. scaposus, *Klatt*, . . . (1878) i. 84.  
*scorzonerifolius*, *Regel*, . . . 308 = Andersoni, *A. Gray*.  
224<sup>1</sup>. 1. tenuis, *Kellogg*, . . . 114 = exilis?  
a. tuberosus, *Less. ex Baker, in Mart. Fl. Bras.* vi. III. 22.—Bras.  
224<sup>2</sup>. 1. Xylorrhiza, *Torr. & Gray*,
- ASTEROCHAETE.**  
225<sup>2</sup>. 1. arundinacea, *Kunth*, . . . = Schoenus arundinaceus.  
*nitens*, *Kunth*, . . . = Cyclocampe nitens.
- ASTRAGALUS.**  
226<sup>2</sup>. a. ASTRAGALOIDES, *Adans. Fam.* ii. 323 (1763).  
226<sup>3</sup>. PHYLLOLOBUM, *Fisch. ex Spreng. Nov. Prov.* 33 (1818).  
d. SPIESIA, *Neck. (nunc Oxytropis)*.  
a. TRAGACANTHA, *Tourn. ex Linn. Syst. ed.* I. (1735); *Mill. Gard. Dict. ed. VI.* (1752).  
227<sup>2</sup>. 1. anemophilus, *Greene*, . . . *Acad. i.* IV. (1885).  
227<sup>3</sup>. 1. Arnacantha, *Bieb.*  
228<sup>3</sup>. *Candolleanus*, *Royle*, . . . 199.—Reg. Himal.  
229<sup>2</sup>. clandestinus, *Roth, ex Spreng. in Schrad. Journ.* (1800) II. 195 =  
229<sup>3</sup>. crassicaulus, [Nutt. in] *Fras. Cat.* (1813) n. 6, nomen; et  
230<sup>1</sup>. dasyglottis, *Fisch.* . . . = hypoglottis.  
230<sup>2</sup>. Dipelta, *Bunge*,  
231<sup>1</sup>. fastidiosus, *Greene*, . . . i. IV. (1885).  
233<sup>1</sup>. Kentrophyta, *A. Gray*,  
233<sup>3</sup>. a. longipes, *Arv. Ess. Pl. Dauph.* 23 (Quid?)—Gallia.  
236<sup>1</sup>. 1. Pattersoni, *A. Gray*, . . . 235.  
a. phacaceus, *Arv. (l. c.)* 24 (Quid?)—Gallia.  
236<sup>2</sup>. prusianus, *Boiss.* . . . 88.—As. Min.  
1. Pseudaustralis, Pseudocaspicus, Pseudocicer, Pseudonobrychis, Pseudopentaglottis, Pseudostella.  
236<sup>3</sup>. Pseudotragacantha, (bis).  
237<sup>1</sup>. rotundifolius, *J. & C. Presl, Fl. Čech.* 151 =  
238<sup>2</sup>. a. subverticillaris, *R. Grah. ex Fisch. & Mey. Ind. Sem. Hort. Petrop.* vi. 62, in obs.—Hab.?
- PAG. **ASTRANTIA.**  
240<sup>1</sup>. 1. pallida, *J. & C. Presl, Fl. Čech.* 62 = major.
- ASTREPHIA.**  
240<sup>1</sup>. d. OLIGACOCE, *Willd. (nunc Valeriana)*.
- ASTROCARPUS.**  
240<sup>2</sup>. a. SESAMOIDES, *Tourn. ex Reichb. Consp.* 186 (1828).  
1. Sesamoides, *Colm.*  
Sesamoides, *DC.*
- ASTROCARYUM.**  
240<sup>3</sup>. a. pictum, *Hort. ex Balf. f. in Baker, Fl. Maurit.* 388 = Stevensonia grandifolia.
- ASTRONIUM.**  
241<sup>2</sup>. a. MYRACRODRUON, *Allem. in Trab. Comm. Sc. Expl. Cearà*; *Secc. Bot. 3. tt. 1, 2* (1862).  
241<sup>2</sup>. 1. gracile et macrocalyx . . . 45.
- 241<sup>2</sup>. 1. ASTROPHYTUM, *Lem. Cact. Gen. Nov. et Sp.* 3
- ASYSTASIA.**  
241<sup>3</sup>. a. bella, *Benth. & Hook. f. Gen.* ii. 1095.—Afr. austr.  
242<sup>1</sup>. 1. Thyrsacanthus, *Klotzsch*,
- ATALAYA.**  
242<sup>2</sup>. a. australis, *F. Muell. ex Baill. Hist. Pl.* v. 419 = multiflora.  
242<sup>2</sup>. 1. ATAXIA, *R. Br. in Parry, 1st Voy. App.* 193 (non 202).
- ATHAMANTA.**  
243<sup>2</sup>. 1. sicala, *Linn. l. c.* = Tinguarra sicala.
- ATHANASIA.**  
243<sup>3</sup>. 1. parviflora, *J. F. Gmel. Syst.* 1207; *Thunb.*
- ATHENAEA.**  
244<sup>1</sup>. a. viscosa, *Benth. & Hook. f. Gen.* ii. 891, in nota (Physalidis sp.).—Mexic.  
244<sup>1</sup>. 1. ATHEROLEPIS, *Hook. f.*
- ATHRIXIA.**  
244<sup>2</sup>. 1. rosmarinifolia, *Oliver & Hiern*,
- ATRAPHAXIS.**  
245<sup>2</sup>. a. ACARNA, *Boehm. in Ludw. Def. Gen. Pl.* 195 (1760); *All. Fl. Pedem. i.* 153 (1785).
- ATRIPLEX.**  
245<sup>3</sup>. a. ARMOLA, *Montand. Guide Bot.* 261 (1868).  
246<sup>1</sup>. 1. Babingtonii, *Woods, Tourists' Fl.* 316 =  
246<sup>2</sup>. deltoidea, *Bab. Prim. Fl. Sarn.* 82;  
247<sup>3</sup>. a. uenica, *Arv. Ess. Pl. Dauph.* 59 (Quid?)—Gallia.
- ATROPA.**  
248<sup>2</sup>. 1. spinosa, *Meyen*, . . . 469 =
- ATTALEA.**  
248<sup>2</sup>. 1. Humboldtiana, *Spruce, in Journ. Linn. Soc.* xi. (1869) 163.  
248<sup>3</sup>. racemosa, *Spruce (l. c.)* 166 =
- AUBRIETIA.**  
249<sup>1</sup>. a. Campbellii, *Hort.*—Cf. *Gard. Chron.* (1864) 1133; *Lem. Illustr. Hort.* xii. (1865) t. 455 = deltoidea.
- AUDIBERTIA.**  
249<sup>2</sup>. 1. Dorrii, *Kellogg*, . . . 190 = incana.
- AUGEA.**  
249<sup>2</sup>. a. PIOTES, *Soland. ex Britt. in Journ. Bot.* xxii. (1884) 147.  
249<sup>3</sup>. 1. AULACOPHYLLUM, *Regel*, . . . 140 =
- AULAYA.**  
250<sup>1</sup>. 1. capensis, *Harv. l. c.* 250.—Afr. austr. (non = H. capensis).  
*scarlatina*, . . . = H. scarlatina.
- AUSTRALINA.**  
251<sup>3</sup>. 1. flaccida, *Wedd.* . . . ix. (1856).  
*Muelleri, Wedd.* . . . ix. (1856).
- PAG. **AVENA.**  
252<sup>1</sup>. a. PREISSIA, *Opiz, Seznam*, 79 (1852).  
252<sup>3</sup>. deusta, *Ball, in Journ. Linn. Soc.* xvi. (1878) 719, in obs. = barbata.  
1. elatior, *Linn.* . . . = Arrhenatherum avenaceum.  
253<sup>1</sup>. hybrida, *Peterm. Fl. Bienitz*, 13 =  
253<sup>2</sup>. Loeftingiana, *Cav.* . . . 1 = Trisetum Cavanillesii.  
*longifolia*, *Thore, Promen. Gascogne*, 92 =  
*mysorensis*, *Spreng.* . . . 337 = Enteropogon melicoides.  
253<sup>3</sup>. pilosa, *J. Presl*, . . . 253 = Preslii.  
254<sup>2</sup>. 1. spicata, *Linn.* . . . = Danthonia spicata.  
a. spicata, *Willk. & Lange, Prod. Fl. Hisp. i.* 71 = Trisetum subspicatum.  
254<sup>3</sup>. a. AVENASTRUM, *Jess. Deutschl. Graes.* 214 (1863). (Gramin.)  
*caryophyllum*, *Jess. l. c.* 217 = Aira caryophyllaea.  
*elatius*, *Jess. l. c.* 215 = Arrhenatherum avenaceum.  
*flavescens*, *Jess. l. c.* = Trisetum flavescens.  
*planiculme*, *Jess. l. c.* 216 = Avena planiculmis.  
*praecox*, *Jess. l. c.* 217 = Aira praecox.  
*pratense*, *Jess. l. c.* 216 = Avena pratensis.  
*pubescens*, *Jess. l. c.* = Avena pubescens.
- AVERRHOA.**  
254<sup>3</sup>. a. minima, *Perr. in Mém. Soc. Linn. Par.* iii. (1825) 101 (Quid?)—China.  
255<sup>2</sup>. insere, AXINOPUS, *Kunth, Enum. Pl. i.* 48 (1833), sphalm. = AXONOPUS, *Beauv. = Paspalum*, *Linn. (Gramin.)*.
- AXYRIS.**  
255<sup>2</sup>. 1. villosa, *Moq.* . . . 117 = Kirilowia villosa.
- AZALEA.**  
256<sup>1</sup>. a. alticlarensis x, *Lindl. Bot. Reg.* (1842) t. 27.  
*balsaminaeflora*, *Hort. ex Carr. in Rev. Hort.* (1882) 432, cum tab.—Hab.?  
1. bullata, *Forst. ex Hook. Ic. Pl.* t. 30.  
256<sup>2</sup>. a. Laetitiae, *Herb. in Bot. Reg.* (1845) t. 51.  
*marginata* x, *Paxt. Mag. Bot. ii.* (1842) 121.  
*pulchra*, *Paxt. (l. c.) i.* (1841) 126.  
*rosea*, *Hort. ex Loisel. in Duham. Arb. ed. Nov.* v. 224. t. 64 = R. nudiflorum.
- AZORELLA.**  
257<sup>2</sup>. 1. reniformis, *Pers. Syn.*
- BABIANA.**  
257<sup>3</sup>. 1. densiflora, *Ecklonii, lineolata, parviflora, punctata, quadripartita, scabra, et undulato-venosa*, . . . xv.  
a. longiflora, *Steud. Nom. ed. II. i.* 683, in syn. = Ixia paniculata.
- BACCAUREA.**  
258<sup>1</sup>. 1. pyrrhodasya, *Muell. Arg.*
- BACCHARIS.**  
260<sup>1</sup>. 1. Myrsinites, *Pers.*  
261<sup>2</sup>. a. tomentosa, *Thunb. Pl. Bras. Dec.* iii. 38.—Bras.
- BACTRIS.**  
262<sup>1</sup>. a. leptocarpa, *Trail, ex im Thurn, in Timehri*, iii. (1884) 253.—Guian.  
262<sup>2</sup>. megalocarpa, *Trail, ex im Thurn, (l. c.) i.* (1882) 242; iii. (1884) 256.—Guian.
- BADUSA.**  
263<sup>1</sup>. 1. corymbifera, *A. Gray*,
- BAECKEA.**  
263<sup>1</sup>. a. DROSODENDRON, *M. Roem. Syn. Hesper.* 140 (1846).  
264<sup>1</sup>. a. BAECHORTUS, *Ehrh. Beitr.* iv. 149 (1789) = Carex, *Dill. (Cyperac.)*.
- BAEOMETRA.**  
264<sup>1</sup>. a. EPIONIX, *Rafin. Fl. Tellur. ii.* 31 (1836).
- BAHIA.**  
264<sup>3</sup>. 1. Woodhousei, *A. Gray*,
- BAHIOPSIS.**  
264<sup>3</sup>. 1. lanata, *Kellogg*, l. c. = V. lanata.

PAG.

**BALANITES.**

- 265<sup>1</sup>. a. *arborescens*, Royle, Illustr. Bot. Himal. 447 (Index). (= *Zygophyllum arborescens*).—Reg. Himal.  
*rigidum*, Royle, (l. c.) (= *Zygophyllum rigidum*).—Reg. Himal.

- 265<sup>3</sup>. 1. **BALDELLIA**, Parl. . . . = *Echinodorus*, Rich. (Alismac.).  
*ranunculoides*, Parl. . . . = *E. ranunculoides*.

**BALLOTA.**

- 266<sup>1</sup>. 1. *frutescens*, Steud. Nom. ed. II. ii. 155 = *integri-folia*.  
 266<sup>2</sup>. a. *royleoides*, Benth. . . . 520 = *Lasiocorys arabica rupestris*, Vis. . . . 216 = *hirsuta*?

**BALSAMEA.**

- 266<sup>2</sup>. a. *Commiphora*, Engl. l. c. 41, nomen. = *C. Agallocha*.  
 1. *caudata*, Engl. l. c. 42 =  
 a. *erythraea*, Engl. Bot. Jahrb. i. (1881) 42 = *C. erythraea*.  
 1. *Harveyi*, Engl. l. c. = *C. Harveyi*.  
 a. *Kataf*, Engl. l. c. = *C. Kataf*.  
*mossambicensis*, Engl. l. c. = *C. mossambicensis*.  
*pubescens*, Engl. l. c. = *C. pubescens*.  
*Playfairii*, Engl. l. c., nomen. = *C. Myrrha*.

**BALSAMODENDRUM.**

- 267<sup>1</sup>. a. *Commiphora*, Royle, Illustr. Bot. Himal. 175 = *C. Agallocha*.

**BALTIMORA.**

- 267<sup>2</sup>. 1. *Scolospermum*, Steetz,

**BAMBUSA.**

- 268<sup>1</sup>. a. *Matake*, *Metake*, Siebold, in Verh. Batav. Gen. xii. (1830) 4; *Hatsik*, *Fataki*, *Kantsik*, *Kin-meitsik*, *Kurotake*, *Moosoo*, *Narihiratke*, *Nigamatake*, *Sinotake*, *Suwootsik*, *Tootsik*, Siebold, (l. c.) 5; *Ginmeisasa*, *Hoteitsik*, *Kumasasa*, *Sikak'take*, Siebold, (l. c.) 6.—Japon.

**BANARA.**

- 268<sup>3</sup>. 1. *XYLADENIUS*, Desv. . . . Pl.  
 269<sup>1</sup>. *brevifolia*, . . . *Scolopia Dasyanthera*.  
*ibaguensis*, Tul. . . . 290.

**BANISTERIA.**

- 269<sup>2</sup>. a. *brachiata*, Billb. ex Beurl. in Vet. Akad. Handl. Stockh. 1854 (1856) 118 = *Billbergiana*.

**BANKSIA.**

- 270<sup>3</sup>. 1. *ISOSTYLIS*, Spach, Hist. Vég. Phan. x. 402 (1840).

**BARBACENIA.**

- 272<sup>1</sup>. 1. *squamata*, Lindl. . . . 64 = *Vellozia squamata*.  
 a. *tubiflora*, Benth. & Hook. f. Gen. iii. 740.—Bras.

**BARKHAUSIA.**

- 273<sup>1</sup>. 1. *Clausonis*, Pomel, . . . = *C. Clausonis*.  
 273<sup>2</sup>. *juvencalis*, Delile, . . . —Cf. Ann. Sc. Nat. Sér. II. vii. (1837) 286 . . .  
 273<sup>3</sup>. *Roylei*, DC. . . . 157 = *Pterotheca bifida*.

**BARLAEA.**

- 273<sup>3</sup>. 1. *calcarata*, Reichb. f. l. c. = *H. calcarata* (in Addend.).

**BARLERIA.**

- 273<sup>3</sup>. a. *alba*, Lodd. Bot. Cab. t. 360.—Ins. Maurit.  
 274<sup>1</sup>. *elegans*, S. Moore, in Journ. Bot. xviii. (1880) 269.—Afr. austr.

- 274<sup>2</sup>. 1. *limnogeton*, S. Moore, . . . Afr. trop.  
 274<sup>3</sup>. a. *polyphylla*, Steud. Nom. ed. II. i. 386, sphalm. = *Barbieria polyphylla*.

1. *pyramidalis*, Lam. . . . Prod. xi.  
 a. *pyramidata*, Lam. ex Steud. Nom. ed. II. i. 209, in syn., sphalm. = *praece*.

**BARRINGTONIA.**

- 275<sup>3</sup>. a. *COMMERSONA*, Sonner. Voy. tt. 8, 9 (1782).  
*MICHELIA*, Linn. Syst. ed. I (1735).  
*acutangula*, Blume, Bijdr. 1097 = *insignis*.  
*acutangula*, Korth. in Nederl. Kruidk. Arch. i. (1848) 206 = *reticulata*.  
*acutangula*, Zoll. ex Miq. Fl. Ind. Bat. i. i. 488 = *serrata*.

PAG.

**BARRINGTONIA :—**

- 275<sup>3</sup>. 1. *augusta*, Kurz,  
 d. *Butonica*, Forst.

- 276<sup>1</sup>. a. *calyptrata*, R. Br. ex Benth. Fl. Austral. iii. 288, in nota.—Austral.

1. *elongata*, Korth. . . . 206 = *macrocarpa*.  
 a. *Levequii*, Jardin, in Mém. Soc. Sc. Cherb. v. (1857) 296, 311 = *speciosa*.

1. *luzonensis*, Vidal, . . . 43, 113.  
*luzonensis*, Vidal, l. c. 13 = *praece*.

- a. *racemosa*, Hort. ex Miq. Fl. Ind. Bat. i. i. 488 = *insignis*.

1. *speciosa*, Forst. Char. Gen. 76. t. 38; Linn. f. . . . 312.—Ins. Pacif.

- 276<sup>1</sup>. 1. **BARROTIA**, Gaudich. . . . (1848?).

- 276<sup>2</sup>. a. **BARTERIA**, Welw. in Bibl. Univ. Genève. (1861) 200 = *Brasenia*, Schreb. (Nymphac.).  
*africana*, Welw. l. c. = *Brasenia Schreberi*.

**BASELLA.**

- 277<sup>2</sup>. d. *cananifolia*, (err. typ. loco *crassifolia*).

**BASILIMA.**

- 277<sup>2</sup>. 1. *pygmaea*, Rafin. l. c. 76 = *S. sorbifolia*?

**BASSIA.**

- 277<sup>3</sup>. d. *Ersckineana*, F. Muell. (vide infra.).

**BASSIA.**

- 277<sup>3</sup>. 1. *albescens*, Griseb. . . . 164 = *Labourdonnaisia albescens*.  
 a. *Ersckineana*, F. Muell. in Melb. Chem. & Drug. (Apr. 1885).—N. Guin.

- 278<sup>1</sup>. *Jungluhniana*, De Vriese, Pl. Reinw. 62 = *Payena Jungluhniana*.  
*retusa*, Rich. ex A. Gray, in Proc. Am. Acad. v. (1861–62) 327 = *Isonandra Richii*.

**BASSOVIA.**

- 278<sup>1</sup>. a. *anonacea*, Miers, in Ann. & Mag. Nat. Hist. Ser. II. xi. (1853) 94, in obs. = *Athenaea anonacea*.

- hirsuta*, Miers, (l. c.) = *Athenaea hirsuta*.  
*Martiana*, Miers, (l. c.) = *Athenaea Martiana*.  
*micrantha*, Miers, l. c. = *Athenaea micrantha*.  
*mollis*, Miers, l. c. = *Withania mollis*.  
*novo-friburgensis*, Miers, l. c. = *Withania novo-friburgensis*.  
*oocarpa*, Miers, l. c. = *Withania oocarpa*.  
*pogogena*, Miers, l. c. = *Athenaea picta*.  
*Pohlana*, Miers, l. c. = *Athenaea Pohlana*.  
*pyrifolia*, Miers, (l. c.) = *Withania pyrifolia*.  
*Schottiana*, Miers, (l. c.) = *Athenaea Schottiana*.

**BATATAS.**

- 278<sup>2</sup>. 1. *incurva*, Benth. . . . = *I. carnosa*.

**BATEMANNIA.**

- 278<sup>3</sup>. 1. *Meleagris*, Reichb. f. . . . = *Zygopetalum Meleagris*.

**BATRACHIUM.**

- 278<sup>3</sup>. a. *argutum*, Opiz, Seznam, 21 = *R. aquatilis*.

- 279<sup>1</sup>. 1. *oleucos*, Bossch, . . . 6 =

- 279<sup>2</sup>. *trichophyllum*, Bossch, . . . 5;

**BATSCHIA.**

- 279<sup>2</sup>. a. *fimbriata*, [Nutt. in] Fras. Cat. n. 11, nomen = *L. angustifolium*.

**BAUHINIA.**

- 279<sup>3</sup>. 1. *armata*, Thunb. Pl. Bras. Dec. iii. 33.

- 280<sup>3</sup>. a. *inermis*, Perr. in Mém. Soc. Linn. Par. iii. (1825) 102 (Quid?).—Archip. Ind.

**BEAUFORTIA.**

- 282<sup>2</sup>. a. *MANGLESIA*, Lindl. Swan River App. t. 3 (1839).

**BECKMANNIA.**

- 282<sup>3</sup>. 1. *BRUCHMANNIA*, Nutt.

**BEGONIA.**

- 283<sup>2</sup>. 1. *AUGUSTIA*, . . . Berl. 1854 (1855).

- 283<sup>3</sup>. a. *Ameliae* x, André, in Rev. Hort. (1885) 512. f. 89, 90.

1. *anemonoides*, Azara, Voy. ii. 503.—Reg. Andin.

PAG.

**BEGONIA :—**

- 284<sup>1</sup>. a. *Chelsoni* x, Hort. ex T. Moore, Flor. et Pom. (1871) 234, cum fig.

- 284<sup>2</sup>. 1. *Cumingiana*, A. DC. . . . 320.—Ins. Philipp.

- 285<sup>2</sup>. *incarnata*, Link & Otto, Ic. Pl. Rar.

- a. *Ingramii* x, T. Moore & Ayres, Gard. Mag. Bot. ii. (1850) 153.

- intermedia* x, Veitch, ex Van Houtte, in Fl. des Serres, xix. (1873) 39, cum fig.

- Leopoldii* x, Lem. Illustr. Hort. vi. (1859) t. 205.

- 285<sup>3</sup>. 1. *Lindleyana*, Warsz.

- magnifica*, Warsz. ex Klotzsch, in Abh. Akad. Berl. 1854 (1855) 129 =

- Martiana*, Link & Otto, Ic. Pl. Rar.

- platanifolia*, Schott,

- a. *prestoniensis* x, T. Moore, ex Planch. in Fl. des Serres, viii. (1852–53) 189, t. 819.

- 287<sup>1</sup>. 1. *rubro-nervia*, Hort. . . . 40 = *rubro-venia*.

- rufa*, Thunb. Pl. Bras. Dec. i. 11.

- semperflorens*, Link & Otto, . . . 9. t. 5.

- 287<sup>3</sup>. a. *stipularis*, Spreng. in Schrad. Journ. (1800) II. 195.—Hab.?

- Teysmanniana*, Miq. Fl. Ind. Bat. i. i. 1092, in obs.—Sumatra.

- 288<sup>1</sup>. *Worthiana* x, Carr. in Rev. Hort. (1874) 117. f. 15.

- zeylanica*, Van Houtte, ex Klotzsch, in Otto & Dietr. Allg. Gartenz. xxiv. (1856) 204.—Zeylan.

**BEHEN, Moench.**

- 288<sup>2</sup>. 1. *angustifolius*, Link, Handb. 245; Schott, etc.

- a. *fabarius*, Link, l. c. = *S. Cucubalus*.

- fimbriatus*, Link, l. c. = *S. fimbriata*.

- lanuginosus*, Link, (l. c.) = *S. lanuginosa*.

- maritimus*, Link, l. c. = *S. maritima*.

- Pumilio*, Link, (l. c.) = *S. Pumilio*.

- uniflorus*, Link, (l. c.) = *S. maritima*.

**BEILSCHMIEDIA.**

- 288<sup>2</sup>. a. *WIMMERIA*, Nees, ex Meissn. in DC. Prod. xv. i. 65 (1864).

- gaboonensis*, Benth. & Hook. f. Gen. iii. 158.—Afr. trop.

- Mannii*, Benth. & Hook. f. (l. c.)—Afr. trop.

- minutiflora*, Benth. & Hook. f. (l. c.)—Afr. trop.

- 289<sup>1</sup>. 1. **BELLENDENIA**, Rafin. in Loud. Gard. Mag. viii. (1832) 245 =

**BELLUCIA.**

- 290<sup>1</sup>. 1. **WEBERA**, J. F. Gmel. . . . (1791).

**BELOPERONE.**

- 290<sup>3</sup>. 1. *longepetiolata*, Nees.

**BERARDIA.**

- 291<sup>3</sup>. 1. *phylicoides*, Brongn. l. c. = *Raspalia phylicoides*.

**BERBERIS.**

- 292<sup>2</sup>. a. *Chirisigui*, Azara, Voy. ii. 514.—Boliv.

- 292<sup>3</sup>. 1. *laurina*, Thunb. Pl. Bras. Dec.

- 293<sup>2</sup>. *Roemeriana*, Scheele, . . . 154, 352 =

- 294<sup>3</sup>. **BERINIA**, . . . I. 30 (non 50).

1. *andryaloides*, Brignol. . . . 30 (non 50).

**BERKHEYA.**

- 295<sup>1</sup>. a. *incana*, Spreng. ex Sch. Bip. in Flora, xxvii. (1844) 774 (= *Stobaea adenocarpa*).—Afr. austr.

1. *Zeyheri*, Oliver & Hiern, in Oliver, Fl. Trop. Afr. iii. 429 = *subulata*.

**BERNIERA.**

- 295<sup>3</sup>. 1. *nepalensis*, DC. l. c. = *G. nepalensis*.

**BESLERIA.**

- 296<sup>3</sup>. d. **DRUPINA**, Linn. (nunc *Curanga*).

- 297<sup>1</sup>. 1. *crassifolia*, Schott, in Flora, iv. (1821) 198.—Bras.

- grandifolia*, Schott, (l. c.) 197.—Bras.

- mollissima*, Spreng. in Schrad. Journ. (1800) II. 196.—Am. austr.

- 297<sup>2</sup>. *serrulata*, Jacq. . . . 21 = *Drymonia serrulata*.

- PAG.  
297<sup>3</sup>. 1. BETCKEA, DC. ... (1829) et Prod. iv. 642 (1830) = *Valerianella*, Tourn. (Rubiaceae). *major*, Fisch. & Mey. ... V. *samolifolia*. *samolifolia*, DC. ... V. *samolifolia*. *samolifolia*, Gill. ... = *Gilliesii*.
- BETONICA.  
298<sup>1</sup>. 1. *pradica*, Zanted. in Comm. Ateneo Brescia, 1815 (1818), 88
- BETULA.  
298<sup>2</sup>. 1. *antarctica*, Forst. f.  
299<sup>1</sup>. a. *resinifera*, Royle, Illustr. Bot. Himal. 343, 345 = *utilis*?
- BEZANILLA.  
299<sup>3</sup>. 1. *chilensis*, Remy, ... 110 = *P. chilensis*.
- BIASOLETTA.  
300<sup>1</sup>. 1. *tuberosa*, Koch, ... xix.  
300<sup>2</sup>. 1. *BICORNELLA*, Lindl. ... (1835) ... Benth. & Hook. f. iii. 624.
- BIDENS.  
300<sup>3</sup>. 1. *Bandana*, Wall. *Bardana*, Steud. Nom. ed. II. ii. 202, sphalm. = *praec.*  
301<sup>1</sup>. *graveolens*, Mart. Reise Bras. i. 286.  
301<sup>2</sup>. *pulcherrima*, Sch. Bip. ... nomen = *Cosmos diversifolius*.  
301<sup>3</sup>. a. *serratula*, Jardin, in Mém. Soc. Sc. Cherb. v. (1857) 296, sphalm. = *serrata*.  
301<sup>3</sup>. 1. *tuberosa*, Sch. Bip. ... = *Viguiera tuberosa*, Benth. & Hook. f.
- BIFORA.  
302<sup>1</sup>. a. *ANIDRUM*, Neck. Elem. i. 188 (1790), nomen prius.
- BIGELOWIA.  
302<sup>2</sup>. 1. *Bigelovii*, A. Gray, l. c. 642; xvii. *Douglasii*, A. Gray, l. c. 645 = *oppositifolia*, A. Gray, ... 32 = *Eupatorium mygindaefolium*.
- BIGNONIA.  
303<sup>1</sup>. d. *HIERANTHES*, Rafin. (*nunc Stereospermum*). *ODISCA*, Rafin. (*nunc Colea*).  
1. *alba*, Aubl. ... = *Macfadyena bracteosa*.  
a. *alliaeca*, Billb. ex Beurl. in Vet. Akad. Handl. Stockh. 1854 (1856) 138 = *Sagraeana*.  
303<sup>2</sup>. 1. *binata*, Thunb. Pl. Bras. Dec. iii. 35,  
303<sup>3</sup>. *Coito*, Vell. ... = *Macfadyena Coito*.  
304<sup>1</sup>. 1. *elliptica*, Thunb. (l. c.) 34. *Ferdinandii*, Welw. ... 584 (= *Ferdinandia superba*).—Afr. trop.  
304<sup>2</sup>. a. *lanata*, R. Br. ex Fresen. in Flora, xxi. (1838) 607 = *discolor*.  
304<sup>3</sup>. 1. *myriantha*, Cham. in Linnaea, vii. (1832) 684.  
305<sup>1</sup>. *populifolia*, DC. ... 159 = *Melloa populifolia*.  
305<sup>2</sup>. *Telfairiae*, Boj. ... t. 2976 = *Colea Telfairiae*.
- BIKKIA.  
306<sup>1</sup>. a. *tetrandra*, A. Gray, in Proc. Am. Acad. iv. (1860) 307 = *grandiflora*.  
306<sup>2</sup>. 1. *BILLARDIERIA*, Vahl,
- BILLBERGIA.  
307<sup>1</sup>. 1. *speciosa*, Thunb. Pl. Bras. Dec. iii. 30.  
307<sup>2</sup>. a. *BINIA*, Noronha, ex Thou. Gen. Nov. Madag. 8 (1806) = *Noronhia*, Stadm. (Oleaceae).
- BIOPHYTUM.  
307<sup>3</sup>. 1. *Umbraculum*, Welw. ... 590 = *sensitivum*.
- BIPINNULA.  
307<sup>2</sup>. a. *biplumata*, Reichb. f. Xenia Orch. 62, in obs. = *bonariensis*.
- BIXA.  
309<sup>1</sup>. a. *ORLEANIA*, Commel. ex Boehm. in Ludw. Def. Gen. Pl. 380 (1760).
- BLAKEA.  
310<sup>3</sup>. 1. *Pyxidanthus*, Triana,
- BLENNOSPERMA.  
311<sup>2</sup>. 1. *UNXIA*, Bert. ex Colla,
- PAG.  
312<sup>1</sup>. post BLEPHARISTEMMA, Benth. pone BLEPHARIZONIA, Greene, in Bull. Calif. Acad. i. n. iv. (1885) 279. COMPOSITAE. *laxa*, Greene, l. c.—Calif. *plumosa*, Greene, l. c.—Calif.
- BLEPHAROCALYX.  
312<sup>1</sup>. 1. *cisplatensis*, Griseb. ... = *Eugenia cisplatensis*.
- BLETIA.  
312<sup>3</sup>. d. *DILOMILIS*, Rafin. (*nunc Octadesmia*). *HECABE*, Rafin. (*nunc Phaius*).  
1. *fulgens*, Linden & Reichb. f.  
313<sup>1</sup>. 1. *guineensis*, G. Don, in Edinb. Phil. Journ. xi. (1824) 344 (*guineense*), nomen = *Eulophia guineensis*.  
a. *Jongheana*, Reichb. f. in Flora, lv. (1872) 158 = *Laelia Jongheana*.  
313<sup>2</sup>. 1. *Wageneri*, Reichb. f.
- BLETILLA.  
313<sup>3</sup>. a. *striata*, Reichb. f. in Bot. Zeit. xxxvi. (1878) 75 = *Bletia hyacinthina*.
- BLIGHIA.  
313<sup>2</sup>. a. *BONANNIA*, Rafin. Specchio, xv. 115 (1814).  
313<sup>2</sup>. a. *BLISMUS*, Montand. Guide Bot. 346 (1868), sphalm. = *BLYSMUS*, Panz. = *Scirpus*, Tourn. (Cyperaceae).
- BLOOMERIA.  
313<sup>3</sup>. a. *montana*, Greene, in Bull. Calif. Acad. i. iv. (1885) 281.—Calif.
- BLUFFIA.  
313<sup>3</sup>. 1. *Eckloniana*, Nees, ... 447 = *P. semialatum*.
- BLUMENBACHIA.  
314<sup>3</sup>. a. *contorta*, Benth. & Hook. f. ex Hieron. Pl. Diaphor. 120.—Reg. Argent. *contorta*, Hook. f. Bot. Mag. t. 6134 = *lateritia*, Benth. & Hook. f. ex Hieron. (l. c.) = *Loasa compressa*.
- BLYSMUS.  
315<sup>1</sup>. a. *distichus*, Montand. Guide Bot. 346 = *S. Caricis*.
- BLYXA.  
315<sup>1</sup>. a. *HYDROTROPHUS*, C. B. Clarke, in Journ. Linn. Soc. xiv. (1873) 8. t. 1.
- BOBEA.  
315<sup>2</sup>. a. *ferruginea*, Korth. in Nederl. Kruidk. Arch. ii. (1851) II. 211, nomen.—Malaya. *Forsteri*, Korth. l. c. 211, 212 = *Timonius Forsteri*. *fusca*, Korth. l. c. 213.—Malaya. *Gaertneri*, Korth. l. c. = *Timonius Forsteri*. *setosa*, Korth. (l. c.).—Malaya.
- BOEA.  
316<sup>1</sup>. 1. *flocculosa*, C. B. Clarke,
- BOEHMERIA.  
316<sup>3</sup>. 1. *Didymogyne*, Wedd. *Janagi-itsigo*, Siebold,
- BOERHAAVIA.  
317<sup>3</sup>. a. *DANTIA*, Lipp. ex Choisy, in DC. Prod. xiii. II. 449 (1849).  
318<sup>1</sup>. 1. *plicata*, Boj. ... *Maurit.* (1841) 43.  
318<sup>2</sup>. *spicata*, Choisy, ... 456 = *Senkenbergia erecta*.
- BOJERIA.  
318<sup>3</sup>. a. *lanceolata*, Benth. & Hook. f. Gen. ii. 334.—Afr. austr.
- BOLDUS.  
319<sup>2</sup>. 1. *chilensis*, Schult. f. l. c. 56 = *P. Boldus*.
- BOLTONIA.  
319<sup>3</sup>. 1. *incisa*, Benth. ... 173.—As. or. *indica*, Benth. ... 174.—Malaya; China.
- BOMBYCELLA.  
320<sup>3</sup>. 1. *bicolor*, Welw. ... 589 = *H. micranthus*.
- BONAMIA.  
321<sup>1</sup>. 1. *Menziesii*, A. Gray, l. c. = *Breweria Menziesii*.
- PAG.  
BONATEA.  
321<sup>2</sup>. a. *benghalensis*, Griff. in Calc. Journ. Nat. Hist. vi. (1844) 382 = *H. digitata*.
- 322<sup>1</sup>. 1. *BONPLANDIA*, Willd. ... = *Cusparia*, Humb. (Rutac.). *Angostura*, Rich. ... 10 = *C. febrifuga*. *Candolleana*, Spreng. l. c. = *C. Candolleana*. *cuneifolia*, Spreng. l. c. = *C. cuneifolia*. *Erythrochiton*, Spreng. l. c. = *C. pentandra*. *Fontanesiana*, Spreng. l. c. = *C. Fontanesiana*. *heterophylla*, Spreng. l. c. = *C. heterophylla*. *Lasiostemon*, Spreng. l. c. = *C. silvestris*. *pentagyna*, Spreng. l. c. = *C. pentagyna*. *resinosa*, Spreng. l. c. = *Rauia resinosa*. *trifoliata*, Spreng. l. c. = *C. febrifuga*.
- BORAGO.  
322<sup>3</sup>. 1. *cretica*, Willd. ... 778 = *Trachystemon creticum*. *orientalis*, Linn. ... 138 = *Trachystemon orientale*.
- BORRERIA.  
324<sup>3</sup>. 1. *simplex*, Griseb. ... 350 = *S. simplex*. *strictissima*, DC. ... 547 = *S. strumphioides*.
- 326<sup>2</sup>. 1. *BOTRYANTHE*, Klotzsch, ... vii.
- BOTRYANTHUS.  
326<sup>2</sup>. 1. *Kernerii*, Marches. in Boll. Adriat. Soc. Sc. Trieste, vii. (1882) 266 = *speciosa*, Marches. (l. c.) 267 =
- BOURRERIA.  
327<sup>3</sup>. 1. *domingensis*, Griseb. Fl. Brit. W. Ind. 482.
- BOUVARDIA.  
328<sup>3</sup>. a. *semperflorens* x, Joly, in Wien. Garten-Zeit. (1885) 149. t. 1.
- BOWLESIA.  
329<sup>1</sup>. 1. *diversifolia*, Meyen, Reise, i. 447 =
- BRACHIARIA.  
329<sup>2</sup>. 1. *eruciformis*, Griseb. l. c. = *P. eruciforme*.
- BRACHYCOME.  
330<sup>2</sup>. 1. *xanthocomoides*, Less. Syn. Comp. 192; et in
- BRACHYLOMA.  
331<sup>1</sup>. a. *leucomallon*, Hanst. in Linnaea, xxix. (1857-58) 528.—N. Granat. *Moritzianum*, Hanst. l. c. 524.—N. Granat. *rhodomallon*, Hanst. (l. c.) 526.—Venezuela. *ventricosum*, Hanst. (l. c.) 528.—Hab.?
- BRACHYPODIUM.  
331<sup>2</sup>. d. *HEMIBROMUS*, Steud. (*nunc Glyceria*).
- BRACHYRAMPHUS.  
332<sup>1</sup>. a. *Schimperi*, Sch. Bip. ex Schweinf. Beitr. Fl. Aethiop. 283, 307 = *Sonchus Spachii*.
- BRACHYRHYNCHOS.  
332<sup>1</sup>. 1. *eupatorioides*, DC. ... 439 = *S. eupatorioides*. a. *pinceus*, Sch. Bip. in Flora, xxvii. (1844) 702, sphalm. = *juncus*.
- BRACHYSPATHA.  
332<sup>2</sup>. 1. *Konjac*, C. Koch, ... (1855) 166, etc.
- BRAGANTIA, Vand.  
333<sup>2</sup>. 1. *Vandelli*, Mart. Reise Bras. 280.
- BRANDESIA.  
333<sup>3</sup>. 1. *elongata*, Mart. in Nov. Act. Nat. Cur. xiii. (1826) 313 = *porrigens*, Mart. (l. c.) 314 = *serpyllifolia*, Mart. (l. c.) =
- BRASENIA.  
333<sup>3</sup>. a. *BARTERIA*, Welw. in Bibl. Univ. Genève. (1861) 20.
- BRASSAVOLA.  
334<sup>1</sup>. 1. *grandiflora*, Lindl. l. c. 16.—Ind. occ.  
334<sup>2</sup>. a. *stricta*, Hort.—Cf. Gard. Chron. (1885) I. 501. f. 92 (sp. dub.).—Hab.?

PAG.

**BRASSIA.**

- 334<sup>3</sup>. 1. *spathacea*, Linden & Reichb. f. in *Bonplandia*, ii. (1854) 279.

**BRASSICA.**

- 334<sup>3</sup>. a. *CONIROSTRUM*, Dulac, Fl. Hautes-Pyr. 195 (1867).  
 1. *antarctica*, Molina, ... 292 = *Sisymbrium magellanicum*.  
*apula*, Janka, l. c. 180 = *Diploaxis apula*.  
 335<sup>1</sup>. a. *corsica*, Jord. Esp. Vég. Affin. 7 = *insularis*.  
 335<sup>2</sup>. 1. *foliosa*, Hook. f. & Anders. in Hook. f. Fl. Brit. Ind. i. 157 = *alba*.  
*fragilis*, Sieber, ... = *Diploaxis Sieberi*.  
*magellanica*, Pers. ... 207 = *Sisymbrium magellanicum*.  
 335<sup>3</sup>. *nigra*, Koch, ... 713 = *sinapoides*.  
*oxyrrhina*, Willk. & Lange, *Prod. Fl. Hisp.* iii. 854.  
 a. *patens*, Murr. ex Moench, Meth. 251 = *Sisymbrium patens*?  
 1. *Pseudoerucastrum*, Brot.  
 336<sup>1</sup>. a. *sinapioides*, Roth, Man. ii. 957; et ex Mert. & Koch, *Deutschl. Fl.* iv. 713.—Orb. vet. (Cosmop. cult.).  
*Sinapis*, Noul. Fl. Sous-Pyr. 32 = *sinapioides*.  
 1. *Sinapis*, Vis. Fl. Dalm. iii. 136 = *B. Sinapistrium*.  
**BREWERIA.**  
 337<sup>2</sup>. a. *intermedia*, Hochst. in *Flora*, xxvii. (1844) *Bes. Beil.* 8.—Arab.  
 1. *latifolia*, Hochst. (l. c.); Benth.  
 337<sup>3</sup>. *minima*, A. Gray, ... 228 = *Convolvulus pentapetaloides*.  
*virgata*, Hochst. (l. c.); Vatke,

**BREYNIA.**

- 338<sup>1</sup>. a. *patens*, Rolfe, in *Fourn. Bot.* xx. (1882) 359.—Ins. Formosa.

**BRICKELLIA.**

- 338<sup>2</sup>. a. *reticulata*, A. Gray, *Pl. Wright.* i. 84.—Mexic.

**BRIZOPYRUM.**

- 339<sup>3</sup>. a. *mucronatum*, Aitch. Cat. Punj. Pl. 169 (*Aeluropi* sp.).—Ind. or.  
*mucronatum*, Nees, in Wall. Cat. n. 8898 = *Eragrostis mucronata*, Benth. & Hook. f.  
 1. *obtusiflorum*, Fourn. ... 579 = *Uniola paniculata*.  
 a. *unioloides*, Munro, in *Journ. Linn. Soc.* vi. (1861) 45 = *Eragrostis Uniolae*.

**BRODIAEA.**

- 340<sup>1</sup>. a. *TULOPHOS*, Rafin. Fl. Tellur. iii. 71 (1836).

**BROMELIA.**

- 340<sup>2</sup>. a. *Forsstroemii*, Beurl. in *Vet. Akad. Handl. Stockh.* 1854 (1856), 110, in nota.—Ins. Guadeloup.  
 340<sup>3</sup>. *Pigna*, Perr. in *Mém. Soc. Linn. Par.* iii. (1825) 103 = *Ananas sativa*.  
*Mai-pouri*, Perr. (l. c.) = *Ananas sativa*.  
*strobilina*, Beurl. (l. c.).—Panama.

**BROMIDIUM.**

- 341<sup>1</sup>. 1. *anomalum*, Doell, ... 103 = *Deyeuxia anomala*.

**BROMUS.**

- 341<sup>1</sup>. a. *CALLIAGROSTIS*, Ehrh. Beitr. iv. 146 (1789).  
 341<sup>2</sup>. 1. *bohemicus*, F. W. Schmidt, in Meyer, *Samml. Phys. Aufs.* i. (1791) 189 =  
 341<sup>3</sup>. *decumbens*, Koel. ... = *Triodia decumbens*.

**BROSIMUM.**

- 344<sup>2</sup>. 1. *Galactodendron*, D. Don, in *Edinb. N. Phil. Journ.* (Oct.-Dec. 1829) 171.—  
*spurius*, Sw. ... 12 = *Pseudolmedia havanensis*.

**BROTERA.**

- 344<sup>2</sup>. 1. *Leprieurii*, Guill. & Perr. l. c. = *M. abyssinica*.

**BROWALLIA.**

- 345<sup>1</sup>. 1. *humifusa*, Forsk. ... = *Cynium humifusum*.  
*Jamesonii*, Benth. ... = *Streptosolen Jamesonii*.

**BRUCEA.**

- 345<sup>2</sup>. d. *NIMA*, Buch.-Ham. (nunc *Picrasma*).

PAG.

**BRUNFELSIA.**

- 345<sup>3</sup>. a. *MARTIA*, Lacerda, ex J. A. Schmidt, in *Mart. Fl. Bras.* viii. 26 (1862).

- 346<sup>3</sup>. 1. *BRUNSVIGIA*, Heist. Disc. *Brunsvig.* 1 (1753); *Beschr.*

**BRYA.**

- 347<sup>1</sup>. a. *NEFRAKIS*, Rafin. *Sylva Tellur.* 69 (1838).

**BRYANTHUS.**

- 347<sup>1</sup>. a. *PHYLLODOCE*, Salisb. *Parad. Lond.* t. 36 (1806).

**BRYONIA.**

- 348<sup>2</sup>. a. *Tajuja*, [Mart.] Hort. Reg. Monac. *Seminifer*, (1836).—Cf. *Linnaea*, xii. (1838) Litt. 86 = seq.

**BUBON.**

- 348<sup>3</sup>. 1. *hypoleucus*, Meissn. ... 536 = *S. hypoleucus*.  
*pimpinellifolius*, Eckl. & Zeyh. ... 353 (*Annesorhizae* sp.).  
 a. *tortuosus*, Hoffmgg. & Link, *Fl. Port.* ii. 452 = *Pimpinella villosa*.

**BUCHNERA.**

- 349<sup>3</sup>. 1. *MICALIA*, Rafin. (nunc *Escobedia*).  
 350<sup>1</sup>. 1. *humifusa*, Vahl, ... 81 = *Cynium humifusum*.

**BUCHOLZIA.**

- 350<sup>3</sup>. 1. *lupulina*, Mart. in *Nov. Act. Nat. Cur.* xiii. (1826) 315 =  
*philoxeroides*, Mart. (l. c.) 316 =

**BUCKLEYA.**

- 350<sup>3</sup>. a. *lanceolata*, Miq. *Cat. Mus. Bot. Lugd. Bat.* 79. —China; Japon.  
*Quadriala*, Benth. & Hook. f. *Gen.* iii. 227 = *lanceolata*.

**BUDDLEIA.**

- 351<sup>1</sup>. a. *TOXINA*, Noronha, in *Verh. Batav. Gen.* v. (1790) ed. I. Art. IV. 4.

- 352<sup>1</sup>. 1. *BUEKIA*, Nees, ... 300 = *Tetraria*, Beauv. (Cyperac.).  
*punctoria*, Nees, l. c. (= *Elynanthus punctorius*) (in *Addend.*).

**BUETTNERIA.**

- 352<sup>2</sup>. a. *WATSONIA*, Boehm. in *Ludw. Def. Gen.* Pl. 278 (1760).  
 1. *dasyphylla*, J. Gay, in *Mém. Mus. Par.* x. (1823) 200;  
*hermanniaefolia*, J. Gay, (l. c.) 204;  
 353<sup>3</sup>. a. *triplinervia*, Bivona, ex Baill. *Adansonia*, x. (1871) 106 = *Ropalocarpus triplinervius*.

- 353<sup>2</sup>. 1. *BUGULA*, Tourn. ex Linn. *Syst. ed. I* (1735); et ex

**BULBOCODIUM.**

- 354<sup>1</sup>. 1. *autumnale*, Lapeyr.  
*dentatum*, Schur, ... 166 = *ruthenicum*.  
*Fontanesii*, Heynh. ... 81 = *Merendera filifolia*.  
*lusitanicum*, Heynh. ... 81 = *Merendera Bulbocodium*.  
*persicum*, Regel, ... t. 1058 = *Merendera persica*.  
*robustum*, Bunge, ... 491 = *Merendera robusta*.  
*vernum*, Linn. *Sp. Pl.* 294.—Europ.

**BULBOPHYLLUM.**

- 354<sup>2</sup>. a. *SARCOPODIUM*, Lindl. in *Lindl. & Paxt. Flow. Gard.* i. (1850) 155, partim.  
 1. *biflorum*, *Teysm. & Binn. in Tijdschr. Nederl. Ind.* v. (1853) 488; et ... 397.  
 355<sup>1</sup>. *lasiochilum*, Par. ... 153 = *Cirrhopetalum lasiochilum*.  
 355<sup>2</sup>. 1. *membranaceum*, *Teysm. & Binn. (ut supra)* 481; et ... 397.

**BULBOSTYLIS.**

- 356<sup>3</sup>. a. *stenophyllus*, Nees, ex Boeck. in *Linnaea*, xxxvi. (1869-70) 752.—Am. bor.?

- 356<sup>2</sup>. insere *BULGA*, Linn. *Syst. ed. I* (1735) = *BUGULA*, Tourn. = *Ajuga*, Linn. (*Labiata*).

PAG.

**BULLIARDA.**

- 356<sup>2</sup>. 1. *brevifolia*, Eckl. & Zeyh. ... 290 = *T. brevifolia*.  
*elatinoides*, Eckl. & Zeyh. (l. c.) = *T. elatinoides*.  
 356<sup>3</sup>. *trichotoma*, Eckl. & Zeyh. (l. c.) = *T. trichotoma*.

**BUMELIA.**

- 356<sup>3</sup>. a. *ROBERTIA*, Scop. *Introduct.* 154 (1777).  
 d. *SPONDOGONA*, Rafin. (nunc *Dipholis*).  
 a. *Berterii*, Balb. ex Griseb. *Cat. Pl. Cub.* 56 = *Schefferia Berterii*.  
*confertiflora*, [Nutt. in] *Fras. Cat.* (1813) n. 12, nomen (Quid ?)—Am. bor.

**BUPHTHALMUM.**

- 359<sup>1</sup>. 1. *stenophyllum*, Link, ... = *Odontospermum stenophyllum*.

**BUPLEURUM.**

- 359<sup>2</sup>. a. *brassicacfolium*, Arv. *Monog. Pilos.* 50 (Quid ?). —Gallia.  
 1. *difforme*, Linn. ... 238 = *Rhyticarpus difformis*.

**BURMANNIA.**

- 361<sup>2</sup>. a. *bifaria*, Royle, *Illustr. Bot. Himal.* 373 = *coelestis*?

**BURSA.**

- 361<sup>3</sup>. 1. *Pastoris*, [Weber, in]

**BURSERA.**

- 362<sup>1</sup>. 1. *Alœxylon*, bicolor, bipinnata, cuneata, jorullensis, penicillata, Schiedeana, (omnes) *Engl. Bot. Jahrb.* i. (1881) 44; et  
*Galeottiana*, grandifolia, Karsteniana, lancifolia, ovalifolia, (omnes) *Engl. Bot. Jahrb.* i. (1881) 43; et  
*obovata*, Turcz. ... 614 = *Protium Copal*.  
*Sellowii*, Turcz. ... 613 = *Protium Icariba*.

**BURSINOPETALUM.**

- 362<sup>2</sup>. a. *Gardnerianum*, Baill. *Adansonia*, iii. (1862-63) 83 = *M. arborea*.

**BUTOMOPSIS.**

- 363<sup>1</sup>. 1. *lanceolata*, Kunth, ... 165.—Geront. trop.; Austral.

**BUTONICA.**

- 363<sup>1</sup>. 1. *Rumphiana*, Miers, ... = *Barringt. speciosa*.

**BUXUS.**

- 363<sup>2</sup>. 1. *cordifolia*, *Spreng. l. c.*—Ind. occ.  
 a. *fruticosa*, Borkh. in *Rhein. Mag.* i. (1793) 544 = *sempervirens*.  
 1. *Harlandi*, Hance, ... 123 = *sempervirens*.  
*japonica*, Muell. Arg. ... 23 = *microphylla*.  
*microphylla*, Sieb. & Zucc. ... 142.—China; Japon.  
*stenophylla*, Hance, ... 331 = *sempervirens*.

**BYBLIS.**

- 363<sup>2</sup>. a. *DROSANTHUS*, R. Br. ex Planch. in *Ann. Sc. Nat. Sér. III.* ix. (1848) 305.  
*DROSOPHORUS*, R. Br. ex Planch. (l. c.) 306 (1848).  
 1. *caerulea*, R. Br. ... = *liniflora*.  
*filifolia*, Planch. ... = *liniflora*.

**CACALIA.**

- 365<sup>2</sup>. 1. *Arbuscula*, Thunb. ... = *Othonna Arbuscula*.  
*candicans*, Vell. ... = *S. candicans*.  
 365<sup>3</sup>. a. *flava*, Buch.-Ham. ex Hook. f. *Fl. Brit. Ind.* iii. 333 = *Gynura nepalensis*.  
 366<sup>1</sup>. 1. *ilicifolia*, H. B. & K. ... 163 = *Gynoxys ilicifolia*.

**CACHRYS.**

- 367<sup>2</sup>. 1. *pterochlaena*, DC. ... 237 = *Hippomarathrum siculum*?

**CACOUCIA.**

- 367<sup>3</sup>. a. *coccinea*, M. Laws. in *Oliver, Fl. Trop. Afr.* ii. 434 = *velutina*.  
*racemosa*, Steud. *Nom. ed. II.* i. 836, sphalm. = *Lumnitzera racemosa*.

**CACTUS.**

- 367<sup>3</sup>. a. *Ayrampe*, Azara, *Voy.* ii. 526.—Reg. Andin.  
*Berteri*, Colla, in *Mem. Acc. Torin.* xxxvii. (1834) 77. t. 17. f. 2 = *Echinocactus Berterii*.



## PAG.

## CACTUS:—

- 368<sup>1</sup>. 1. *ferox*, [Nutt. in] Fras. Cat. (1813) n. 23, nomen; Nutt.  
 368<sup>2</sup>. 1. *fragilis*, [Nutt. in] Fras. Cat. (1813) n. 24, nomen; Nutt.  
     a. *horridus*, Colla, (ut supra) 76. t. 17. f. 1 = *Echinocactus horridus*.  
 369<sup>2</sup>. *viviparus*, [Nutt. in] Fras. Cat. (1813) n. 22, nomen; Nutt.

## CADABA.

- 369<sup>3</sup>. a. *farinosa*, Fenzl, in Webb, Fragm. Fl. Aethiop. 24 (= *Streblanthus Fenzlii*).—Afr. trop.

## CADIA.

- 369<sup>3</sup>. a. MOZAMBE, Rafin. Sylva Tellur. 112 (1838).  
 370<sup>1</sup>. a. CAELA, Adans. Fam. ii. 209 (1763) = *Torenia*, Linn. (Scrophul.).

## CAESALPINIA.

- 370<sup>2</sup>. 1. *Berterii*, Spreng. . . . 370 = bijuga.  
 370<sup>3</sup>. a. *laevigata*, Perr. in Mém. Soc. Linn. Par. iii. (1825) 104 (Quid?).—Ins. Philipp.  
 371<sup>1</sup>. 1. *pectinata*, Cav. Desc. 467 = tinctoria.  
     a. *pilosa*, Ruiz, ex G. Don, Gen. Syst. ii. 434 = *Hoffmanseggia pilosa*.

## CAIOPHORA.

- 371<sup>2</sup>. 1. *lateritia*, Benth. . . . iii. t. 119 = *B. lateritia*?  
 372<sup>1</sup>. 1. CALACANTHUS, T. Anders.

## CALADIUM.

- 373<sup>2</sup>. 1. *petiolatum*, Hook. . . . t. 3728

## CALAMAGROSTIS.

- 374<sup>3</sup>. 1. *Humboldtiana*, Steud. . . . 250 = *Deyeuxia stricta*.  
     *montana*, Host, Gram. iv. t. 46.  
 375<sup>1</sup>. *pumila*, Hook. f. . . . 176 = *Leptochloa Lindleyana*.  
 375<sup>2</sup>. *sylvatica*, Host, . . . 48; DC. . . . Suppl. 253 = varia.

## CALAMINTHA.

- 375<sup>3</sup>. 1. *Clinopodium*, Spenn. Handb. ii. 429; Benth. *Fenzlii*, Vis. . . . 7 = *Mentha Pulegium*.  
 376<sup>1</sup>. a. *pauciflora*, Lange, in Kjoeb. Vidensk. Meddel. (1863) 10 = officinalis.

## CALAMOSAGUS.

- 376<sup>2</sup>. 1. in syn. K. polystachya (bis) et K. scaphigera.

## CALAMUS.

- 377<sup>3</sup>. a. *Regis-Daniae*, *Kamphoev. ex Rink, Nicob. Ins.* 132, nomen.—Ins. Nicobar.

## CALANTHE.

- 379<sup>2</sup>. 1. *speciosa*, Vieill. . . . 44 = *Phaius grandifolius*.  
 379<sup>2</sup>. a. CALANTHEA, Miers, in Proc. Roy. Hort. Soc. iv. (1864) 161 = *Capparis*, Tourn.  
     *pulcherrima*, Miers, l. c. = *Capp. pulcherrima*.

## CALATHEA.

- 379<sup>3</sup>. a. Baraquin, *Regel, Gartenfl.* xviii. (1869) 99.—Bras.  
     *Baraquiniana*, Regel, l. c. xxviii. (1879) 301 = praec.  
 380<sup>1</sup>. 1. *macilenta*, Lindl. . . . t. 1210 = *Myrosma cannaefolium*.  
     *Myrosma*, Koern. . . . 87 = *Myrosma cannaefolium*.  
     a. *strobilacea*, Koern. in Bull. Soc. Nat. Mosc. xxxv. (1862) l. 111, sphalm. = praec.  
 380<sup>2</sup>. *varians*, Koern. (l. c.) 136.—Am. trop.

## CALCEOLARIA.

- 381<sup>1</sup>. 1. *fuchsiaefolia*, Hems. in *The Garden* (1879), 258.—Hab.?  
 381<sup>3</sup>. *nudicaulis*, Meyen, Reise, i. 355, nomen; et  
 382<sup>1</sup>. *verbascifolia*, Bert. . . . nomen = andina.  
 382<sup>1</sup>. insere CALCEOLARIA, Loeffl. It. Hisp. 183 (1758) = *Ionidium*, Vent. (1803) (Violar.).

## CALCITRAPA.

- 382<sup>2</sup>. a. *Jacea*, Peterm. Fl. Bienitz, 48 = Cent. *Jacea pratensis*, Peterm. (l. c.) 49 = Cent. *pratensis tinctoria*, Roehl. Deutschl. Fl. ed. II. ii. 436, in obs. = *Carthamus tinctorius*.

## PAG.

## CALEA.

- 383<sup>1</sup>. 1. *spectabilis*, Labill. . . . 186 = *Cassinia spectabilis*.  
     *Suriani*, Cass. . . . 33 = *Neurolaena lobata*.  
 383<sup>2</sup>. a. CALEATIA, Mart. ex Steud. Nom. ed. II. ii. 76, in syn. (1841) = *Lucuma*, Molina (Sapotac.).  
     *Caimito*, Mart. l. c. = *L. Caimito*.

## CALIMERIS.

- 384<sup>2</sup>. 1. *flexuosa*, Royle, Illustr. Bot. Himal. 251. t. 58. f. 2 =

## CALINEA.

- 384<sup>2</sup>. a. *Bentegeati*, Walp. & Duchass. ex Eichl. in Mart. Fl. Bras. xiii. l. 71 (= *Pinzona calineoides*).—Ins. Guadeloup.

## CALIPHURIA.

- 384<sup>3</sup>. 1. *subdentata*, Baker,

## CALLA.

- 384<sup>3</sup>. a. CALLAION, Rafin. New Fl. Am. ii. 90 (1836).  
     1. *nitida*, Jack, . . . 24 = *Aglanema oblongifolia oblongifolia*, Roxb. . . . 516 = *Aglanema oblongifolia*.

- 385<sup>1</sup>. a. CALLAION, Rafin. New Fl. Am. ii. 90 (1836) = *Calla*, Linn. (Aroid.).  
     *bispatha, brevis, heterophylla, palustris*, Rafin. l. c. = *Calla palustris*.

- 385<sup>1</sup>. a. CALLIAGROSTIS, Ehrh. Beitr. iv. (1789) 146 = *Bromus*, Dill. (Gramin.).

## CALLICOMA.

- 387<sup>1</sup>. 1. *Stutzeri*, F. Muell. . . . 31

## CALLIGONUM.

- 387<sup>1</sup>. d. TRAXILISA, Rafin. (nunc *Tetracera*).  
 387<sup>2</sup>. a. WACHENDORFIA, Loeffl. It. Hisp. 177 (1758).  
 388<sup>3</sup>. a. CALLITHRONUM, Ehrh. Beitr. iv. (1789) 148 = *Cephalanthera*, Rich. (Orchid.).

## CALLITRICHE.

- 389<sup>1</sup>. 1. *intermedia*, Hoppe,  
 389<sup>2</sup>. *spuria*, Rafin. . . . 354 = *verna*.

- 389<sup>3</sup>. 1. CALLITRIS, Endl. Cat. Hort. Vindob. i. 209 (1842); et

- 389<sup>3</sup>. a. CALLOBUXUS, Panch. ex Brongn. & Gris, in Bull. Soc. Bot. Fr. x. (1863) 372 = *Tristania*, R. Br. (Myrtac.).

## CALODENDRUM.

- 390<sup>2</sup>. 1. *capense*, Thunb.

## CALODRACON.

- 390<sup>2</sup>. 1. *Sieberi*, Planch. . . . 132 = *Cord. terminalis*.

## CALOGYNE.

- 390<sup>3</sup>. 1. *Distylis*, F. Muell.

## CALONYCTION.

- 390<sup>3</sup>. 1. *comospermum*, Boj.

## CALOPHANES.

- 391<sup>1</sup>. 1. *Hildebrandtii*, S. Moore, . . . (1880) 8.—  
 391<sup>2</sup>. *thunbergiaeflora*, S. Moore, . . . (1880) 8.—

## CALOPHYLLUM.

- 391<sup>2</sup>. 1. *Bintagor*, Roxb.

## CALOSCORDUM.

- 392<sup>3</sup>. a. *exsertum*, Herb. l. c. (1847) sub t. 5 = *Allium Bakeri*.  
     1. *neriniflorum*, Herb. l. c. (1844) Misc. 67.

## CALTHA.

- 394<sup>1</sup>. a. *nepalensis*, Royle, Illustr. Bot. Himal. 22 = *palustris himalayanus*, Royle, (l. c.) 44 = *himalensis pusilla*, Herb. Lamb. ex Pursh, Fl. Am. Sept. ii. 390 = *natans*.

## CALYCADENIA.

- 394<sup>2</sup>. 1. *plumosa*, Kellogg, . . . 49 = *Blepharizonia plumosa*.

## PAG.

## CALYCERA.

- 394<sup>2</sup>. a. *andina*, Miers, Trav. Chil. ii. 531; et in Ann. & Mag. Nat. Hist. Ser. III. iv. (1860) 186 (= *Nastanthus agglomeratus*).—Chili.  
     1. herbacea, Cav.  
     a. *lanata*, Benth. & Hook. f. Gen. iii. 102.—Chili.

## CALYCOPTERIS.

- 395<sup>2</sup>. a. Joan, Siebold, in Verh. Batav. Gen. xii. (1830) 23.—Japon.

## CALYPTRANTHES.

- 396<sup>3</sup>. *nitida*, Raesch. . . . 144 = *Eugenia lucida*, Banks.

## CALYSTEGIA.

- 398<sup>2</sup>. 1. *villosa*, Kellogg, . . . 17 = *Convolvulus villosus*.

## CAMASSIA.

- 399<sup>2</sup>. 1. CYANOTRIS, Rafin. . . . Mag. (1818) 356; QUAMASIA, Rafin. in Am. Monthly Mag. (1818) 265;

## CAMELINA.

- 399<sup>3</sup>. a. *incana*, J. & C. Presl, Fl. Čech. 134.—Europ.

## CAMELLIA.

- 400<sup>1</sup>. 1. *oleifolia*, Wall.

- 400<sup>2</sup>. a. CAMERARIA, Boehm. in Ludw. Def. Gen. Pl. 56 (1760) = *Hemerocallis*, Linn. (Liliac).

## CAMERARIA.

- 400<sup>2</sup>. a. *havanensis*, Benth. & Hook. f. Gen. ii. 705.—Cuba.

## CAMOENSIA.

- 400<sup>2</sup>. a. GIGANTHEMUM, Welw. Apont. 585 [1859], nomen prius.

## CAMPANULA.

- 401<sup>3</sup>. 1. *clivosa*, Banks, . . . = *Wahlenbergia angustifolia*.  
 404<sup>2</sup>. *nitida*, [Soland.] . . . 346 = *pyramidalis*?  
 405<sup>1</sup>. *porosa*, Thunb. . . . 39 = *Samolus porosus*.  
 406<sup>1</sup>. a. *Smithii* x, T. Moore, Flor. & Pomol. (1875) 209.  
 406<sup>3</sup>. *thalictriflora*, Steud. Nom. ed. II. ii. 271, sphalm. = seq.  
     1. *thalictrifolia*, Spreng.

## CAMPANUMOEIA.

- 407<sup>2</sup>. 1. *lanceolata*, Sieb. & Zucc. . . . 91 = *Codonopsis lanceolata*.

- 407<sup>3</sup>. 1. CAMPHORATA, Tourn. ex Ludw. Def. Gen. Pl. 230 (1747) = *Camphorosma*, Linn. (Chenop.).

## CAMPHOROSMA.

- 407<sup>3</sup>. 1. CAMPHORATA, Tourn. ex Ludw. Def. Gen. Pl. 230 (1747).

## CAMPNOSPERMA.

- 408<sup>1</sup>. a. CYRTOSPERMUM, Benth. in Hook. Kew Journ. iv. (1852) 13.  
     DREPANOSPERMUM, Benth. in Benth. & Hook. f. Gen. i. 425 (1862).

## CAMPSIDIUM.

- 408<sup>2</sup>. 1. *chilense*, Reiss. & Seem. . . . 147 = *T. valdiviana*.

- 410<sup>1</sup>. a. CANANGIUM, Baill. Hist. Pl. i. 213, in nota (1868) = praec.

## CANARIUM.

- 410<sup>2</sup>. a. STRANIA, Noronha, in Verh. Batav. Gen. v. (1790) ed. I. Art. IV. 4.

## CANAVALLIA.

- 411<sup>1</sup>. d. *incurva*, DC.  
     1. *Moneta*, Welw. . . . 62 = *obtusifolia*.

## CANNA.

- 412<sup>2</sup>. a. *Annaei*, Hort. Par.—Cf. Rev. Hort. (1861) 470. f. 111 = *indica*.  
 413<sup>1</sup>. a. *textoria*, Noronha, Prod. Phytol. (in Thou. Mélang.) (1811).—Madag.

- 413<sup>1</sup>. 1. CANNABINA, Tourn. ex Linn. Amoen. Acad. i. 415 (1749) = *Datisca*, Linn.

PAG.

**CANSCORA.**

- 413<sup>2</sup>. 1. *FLEMINGIA*, Roxb. ex Wall. Cat. sub nn. 4 61, 4364 (1830?).

**CANTHAROSPERMUM.**

- 413<sup>3</sup>. a. *paucifolium*, Royle, Illustr. Bot. Himal. 192, sphalm. = *pauciflorum*.

- 413<sup>3</sup>. 1. *CANTHIOPSIS*, Seem. . . . (1866)

**CANTHIUM.**

- 413<sup>3</sup>. 1. *acuminatum*, D. Dietr. . . . 779 (= *Gynopachis acuminata*).—Java.  
414<sup>3</sup>. a. *sinense*, Steud. Nom. ed. II. i. 663, in syn. = *chinense*.

**CAPELLENIA.**

- 415<sup>1</sup>. 1. *moluccana*, Teysm. & Binn. . . . 1. c. = *E. moluccanum*.

- 415<sup>3</sup>. 1. *CAPNOREA*, Rafin. . . . = *Hesperochiron*, S. Wats. (1871) (Hydrophyll.).  
*nana*, Rafin. 1. c. = *H. californicus*.

**CAPPARIS.**

- 415<sup>3</sup>. a. *CALANTHEA*, Miers, in Proc. Roy. Hort. Soc. iv. (1864) 161.  
d. *TRICLANTHERA*, Rafin. (*nunc Crataeva*).

**CAPRIFOLIUM.**

- 418<sup>2</sup>. 1. *germanicum*, Roehl. Deutschl. Fl. ed. II. ii. 176 =  
*perfoliatum*, Roehl. (1. c.) ed. II. ii. 176 =

**CAPSELLA.**

- 418<sup>3</sup>. 1. *Berengeriana*, Hort. . . . 234 = elliptica.  
elliptica, *C. A. Mey.* . . . 199.—Reg. temp.  
*procumbens*, Fries, . . . 14 = elliptica.

- 419<sup>2</sup>. 1. *CAPURA*, Blanco, . . . 264 (1837).  
d. *OTOPHORA*, Blume, (*nunc genus proprium*).  
a. *alata*, Teijsm. & Binn. Cat. Hort. Bogor. 214 =  
*Otophora alata*.  
a. *multijuga*, Benth. & Hook. f. Gen. i. 405.—  
Borneo.  
*spectabilis*, Teijsm. & Binn. 1. c. = *Otophora*  
*spectabilis*.  
*Zollingerianus*, Teijsm. & Binn. 1. c. 215 =  
*Otophora Zollingeriana*.

**CARAGANA.**

- 419<sup>3</sup>. *sylvatica*, Hoffmgg. Nachtr. Preisverz. (1842) 28.  
—Cf. *Linnaea*, xvi. (1842) Litt. 282 = frutescens?

**CARALLIA.**

- 420<sup>2</sup>. 1. *Symmetria*, Blume,

- 420<sup>2</sup>. 1. *CARAMANICA*, Tineo, Pl. Rar. Sic. fasc. i. 3 (1846).

**CARDAMINE.**

- 421<sup>1</sup>. 1. *bracteata*, S. Moore, . . . 130 = *Eutrema*  
*Wasabi*.  
*chelidonioides*, S. Moore, . . . 130 = *C. Tanakae*.  
421<sup>3</sup>. *Heyneana*, Welw. . . . 676 (*Hayneana*).  
421<sup>3</sup>. *javanica*, Miq. . . . 17. t. 10.  
422<sup>2</sup>. a. *rotundifolia*, Michx. Fl. Bor. Am. ii. 30.—  
Am. bor.

- 423<sup>2</sup>. a. *CARDIOPHYLLUM*, Ehrh. Beitr. iv. (1789)  
148 = *Listera*, R. Br. (Orchid.).

**CARDIOSPERMUM.**

- 423<sup>3</sup>. a. *RHODIOLA*, Lour. Fl. Cochinch. 627 (1790).  
1. *triphyllum*, Vell. . . . 25 = *Urvillea triphylla*.

**CARDUNCCELLUS.**

- 424<sup>1</sup>. a. *lanatus*, Moris, Fl. Sard. ii. 439 = *Carthamus*  
*lanatus*.

**CARDUUS.**

- 424<sup>2</sup>. 1. *arenarius*, DC. . . . 457 = *Decandollei*.  
424<sup>3</sup>. *Candollei*, DC. Prod. vi. 625 = *Decandollei*.  
425<sup>1</sup>. *Decandollei*, Moretti, in Brugn. Giorn. Fis.  
Dec. II. v. (1822) 45.—Europ.  
425<sup>3</sup>. *litigiosus*, Nocca & Balb. . . . 12 = *Decandollei*.  
*montanus*, Suffr. . . . 625 = *Decandollei*.  
426<sup>2</sup>. *Sanctae-Balmae*, Loisel. in Mém. Soc. Linn. Par.  
vi. (1827) 426 = *Decandollei*.

VOL. II.

PAG.

- 427<sup>1</sup>. insere *CARELIA*, Cav. in Anal. Cienc. Nat. vi.  
(1802) 317 = *Mikania*, Willd. (1803)  
(Compos.).  
*saturiaefolia*, Cav. 1. c. = *M. amara*.

**CAREX.**

- 427<sup>1</sup>. a. *AGASTACHYS*, Ehrh. Beitr. iv. (1789) 146.  
*BAEOCHORTUS*, Ehrh. (1. c.) 149 (1789).  
*CHORDORRHIZA*, Ehrh. (1. c.) 148 (1789).  
1. *PHYLLOSTACHYS*, Torr. in Ann. Lyc. N. York,  
iii. (1836) 404, in obs.  
428<sup>2</sup>. a. *bengalensis*, Thw. Enum. Fl. Zeyl. 355 =  
*indica*.  
1. *Benthamiana*, Boott, . . . Himal. 412 = *notha*.  
428<sup>3</sup>. *brevicaulis*, Thou. Fl. Trist. d' Acugn. 35 =  
*Uncinia brevicaulis*.  
429<sup>1</sup>. *Brownii*, Tuckerm. . . . 15 (non 21).  
430<sup>3</sup>. *divisa*, Oed. . . . = *Oederi*.  
431<sup>1</sup>. *excurva*, Boott, . . . 57 = *nemostachys*.  
431<sup>2</sup>. *ferruginea*, Stev. . . . Nat.  
*filifolia*, Nutt. . . . 204.—Am. bor.  
*flacca*, Schreb. Spicil. App. n. 669.  
431<sup>3</sup>. *fusca*, All. . . . 269.—Europ.  
432<sup>2</sup>. *Halleriana*, Asso, Stirp. Arag. 133. t. 9.  
a. *hamosa*, Thou. Fl. Trist. Acugn. 35 = *Uncinia*  
*brevicaulis*.  
433<sup>2</sup>. 1. *lagopodioides*, Schkuhr, . . . 20.  
434<sup>1</sup>. *lithosperma*, Linn. . . . XII. 618; Murr. Syst. ed.  
XIII. 706.  
a. *longiaristata*, Boott, ex Kurz, in Journ. As.  
Soc. Beng. xlv. (1876) II. 350 = *indica*.  
435<sup>1</sup>. *Moritzii*, Steud. in Zoll. Verz. Ind. Archip. ii.  
60; Miq. Fl. Ind. Bat. iii. 350 = *indica*.  
435<sup>2</sup>. *Nenningiana*, Opiz, Seznam, 103 (err. typ. 203)  
(Quid?).—Europ.  
436<sup>2</sup>. *parasitica*, Kunze, in Schkuhr, Riedgr. Suppl.  
i. i. 83, in nota.—Abyss.  
*pendula*, Schreb. Spicil. 62 = *glauca*.  
437<sup>1</sup>. *Pseudo- et Pseudo- (passim)*.  
437<sup>2</sup>. *psilochloa*, Wall. Cat. n. 3534.—Burma.  
438<sup>3</sup>. 1. *simpliciuscula*, Wahlenb. . . . 141 = *Kobresia*  
*caricina*.  
439<sup>1</sup>. a. *stramentitia*, Boott, ex Boeck. in Linnaea, xl.  
(1876) 351.—Reg. Himal.  
1. *strictifolia*, Opiz, Seznam, 103 (err. typ. 203) =  
*acuta*.  
439<sup>3</sup>. a. *tenuissima*, Schur, Enum. Pl. Transs. 704 =  
*muricata*.  
1. *tribuloides*, Wahlenb. . . . 145.—Am. bor.  
440<sup>3</sup>. a. *xanthosperma*, Dewey, in Am. Journ. Sc. Ser. II.  
xlii. (1866) 334 = *flaccosperma*.

**CARICA.**

- 441<sup>1</sup>. 1. *VASCONCELLEA*, A. St. Hil. . . . 12.  
a. *hastata*, Brign. in Mem. Soc. Ital. Mod. Ser. II.  
i. (1862) 77.—Bras.  
*lanceolata*, Benth. & Hook. f. ex Hieron. Pl.  
*Diaph.* 122.—Reg. Argent.  
1. *Posoposa*, Linn.  
a. *quercifolia*, Benth. & Hook. f. ex Hieron. (1. c.).  
—Reg. Argent.

**CARISSA.**

- 441<sup>2</sup>. 1. *oblongifolia*, Hochst. . . . 827 = *Acokanthera*  
*oblongifolia*.  
*Schimperi*, A. DC. . . . 675 = *Acokanthera*  
*Schimperi* (in Addend.).  
a. *sepiaria*, Royle, Illustr. Bot. Himal. 15, nomen =  
*C. spinarum*.

**CARLUDOVICA.**

- 442<sup>1</sup>. 1. *angustifolia*, Ruiz & Pav. 1. c. 292 = *Cyclanthus*  
*Plumierii*.  
a. *angustifolia*, Seem. ex Griseb. Fl. Brit. W. Ind.  
513 = *Oerstedii*?  
a. *gracilis*, Liebm. ex Griseb. Fl. Brit. W. Ind. 513.  
—Ind. occ.; Mexic.  
442<sup>2</sup>. *jamaicensis*, Lodd. ex Sweet, Hort. Brit. ed. III.  
630 (sp. dub.).—Ind. occ.  
*palmaefolia*, Sweet, (1. c.) = *Plumierii*.  
*Plumierii*, Griseb. in Goett. Abh. vii. (1857) 259  
= *gracilis*.  
1. *Plumieri*, Griseb. . . . 513 = *Plumierii*.

**CARPINUS.**

- 443<sup>3</sup>. a. *lacera*, Royle, Illustr. Bot. Himal. 449, sphalm.  
= *Corylus lacera*.

PAG.

**CARPOPOGON.**

- 444<sup>2</sup>. 1. *anguineum*, Roxb. ex Sweet, Hort. Brit. ed. I.  
119, nomen; et

**CARRICHTERA.**

- 444<sup>3</sup>. 1. *Vellae*, DC.

- 445<sup>2</sup>. 1. *CARUM*, Rupp.

- a. *TRAGIOPSIS*, Pomel, Nouv. Mat. Fl. Atl. 139.  
(1874).

- 445<sup>3</sup>. 1. *Lomatocarum*, Boiss.

- a. *nigrum*, Royle, Illustr. Bot. Himal. 229 (Quid?).  
—Reg. Himal.

- 446<sup>1</sup>. 1. *Panatjan*, Baill. . . . = *Pimpinella Pruatjan*.

**CARYA.**

- 446<sup>2</sup>. 1. *texana*, Buckl. in Proc. Acad. Sc. Philad.  
1860 (1861) 444; C. DC.

**CARYOPHYLLUS, Linn.**

- 447<sup>1</sup>. 1. *pterocarpus*, Vieill. . . . 256 = *E. pterocarpa*.  
a. *rugosus*, Blume, ex Miq. Fl. Ind. Bat. i. i. 437 =  
*E. zeylanica*.

**CARYOSPERMUM.**

- 447<sup>1</sup>. 1. *arborescens*, F. Muell. Fragm. vi. 202; viii.  
279.

**CARYOTA.**

- 447<sup>1</sup>. a. *THUESSINKIA*, Korth. ex Miq. Fl. Ind. Bat. iii.  
41 (1855).  
447<sup>2</sup>. 1. *mitis*, Lour. . . . 569; ed. Willd. 697.

**CASEARIA.**

- 447<sup>3</sup>. 1. *GUIDONIA*, Plum. ex Adans. Fam. ii. 305  
(1763).  
448<sup>1</sup>. *Cheela*, Royle, Illustr. Bot. Himal. 170 = *tomen-*  
*tosa*.  
448<sup>3</sup>. *pauciflora*, Royle, (1. c.) = *tomentosa*.  
*piscidia*, Buch.-Ham. ex Royle, (1. c.) = *tomen-*  
*tosa*.

- 449<sup>2</sup>. 1. *CASPIA*, Pison. ex Scop. . . . = *Vismia*, Vand.

**CASSIA.**

- 449<sup>3</sup>. 1. *GRIMALDIA*, Schrank, in Allg. Bot. Biblioth.  
iv. (1805) 184.  
a. *acacalis*, Royle, in Journ. As. Soc. Beng. i.  
(1832) 462 (err. typ. 452) = *C. Absus*.  
445<sup>1</sup>. *artemisioefolia*, R. Br. in Sturt, Centr. Austral.  
ii. App. 77 = *artemisioides*.  
1. *aversiflora*, Hook. . . . t. 2638 =  
450<sup>2</sup>. *canaliculata*, R. Br. . . . ii. App. 77 =  
450<sup>3</sup>. 1. *conspicua*, G. Don, in Edinb. Phil. Journ. xi.  
(1824) 344; Vog.  
451<sup>3</sup>. a. *glaucescens*, A. Cunn. ex R. Br. in Sturt, Centr.  
Austral. ii. App. 77 = *artemisioides*?  
453<sup>1</sup>. 1. *phyllodinea*, R. Br. . . . ii. App. 78.  
*platypoda*, R. Br. . . . ii. App. 78 =  
454<sup>1</sup>. *Sturtii*, R. Br. . . . ii. App. 77.

**CASSIPOUREA.**

- 455<sup>2</sup>. 1. *gummifera*, Tul. . . . 123 = *Dactylopetalum*  
*sessiliflorum*.  
*lanceolata*, Tul. 1. c. 121 = *Weihea lanceolata*.  
*leptoclada*, Tul. 1. c. 125 = *Weihea leptoclada*.  
*madagascariensis*, DC. 1. c. = *Weihea mada-*  
*gascariensis*.  
*microphylla*, Tul. . . . 124 = *Weihea microphylla*.  
*myriocarpa*, Tul. . . . 162 = *Weihea myriocarpa*.  
*ovata*, Tul. . . . 121 = *Weihea ovata*.  
*phaeotricha*, Tul. 1. c. 122 = *Weihea phaeotricha*.  
*serrata*, Benth. . . . 223 = *macrophylla*.

**CASSYTHA.**

- 455<sup>2</sup>. a. *SPIRONEMA*, Rafin. 1. c. (1836).

**CASTANEA.**

- 456<sup>1</sup>. a. *cochinchinensis*, Steud. Nom. ed. II. i. 624, in  
syn. = *sativa*.  
*sinensis*, Perr. in Mém. Soc. Linn. Par. iii.  
(1825) 108 = *sativa*?

**CATALPA.**

- 458<sup>2</sup>. 1. *cordifolia*, Faume St. Hil. . . . 5.—Am. bor.  
*speciosa*, Warder, . . . 1 = *cordifolia*.

**CATAPODIUM.**

- 458<sup>3</sup>. a. *filiforme*, Nees, in Royle, Illustr. Bot. Himal.  
417 = *F. filiformis*, Steud.

7 Z

- PAG. **CATASETUM.**  
459<sup>1</sup>. 1. *purum*, Nees & Sinning, *Amoen. Bot. Bonn.* ii. (1824) i. t. 1.
- CATESBAEA.**  
459<sup>2</sup>. 1. *macracantha*, Wright,
- CATHA.**  
459<sup>3</sup>. 1. *campestris*, Presl, . . . 34 = *Putterlickia pyracantha*.
- CATTLEYA.**  
461<sup>3</sup>. a. *violacea*, Reichb. f. in *Gard. Chron.* (1877) ii. 424, in nota.—Guian.
- CAUCALIS.**  
462<sup>2</sup>. a. *grandiflora*, Benth. & Hook. f. *Gen.* i. 929.—Oriens.  
1. *grandiflora*, Linn. . . . =  
*siifolia*, Roehl. *Deutschl. Fl.* ed. II. ii. 214 =
- CAULINIA**, Willd.  
462<sup>1</sup>. 1. *composita*, Buch.-Ham. . . . n. 5184 = *Cerato-phyllum demersum*.
- CAYAPONIA.**  
463<sup>2</sup>. a. *ARKEZOSTIS*, Rafin. *New Fl. Am.* iv. 100 (1836).
- CEANOTHUS.**  
464<sup>1</sup>. a. *DIPLISCA*, Rafin. *Sylva Tellur.* 31 (1838).  
1. *azureus*, Kellogg, . . . 54 =  
*californicus*, Kellogg, . . . 54 =  
a. *divergens*, Poepp. ex Endl. *Gen.* 1099 = *Sageretia divergens*.  
464<sup>2</sup>. *riparius*, Poepp. ex Endl. (l. c.) = *Sageretia riparia*.  
464<sup>3</sup>. 1. *thyrsiflora*, Eschscholtz,  
a. *venosus*, Royle, *Illustr. Bot. Himal.* 169, nomen (Quid ?).—Reg. Himal.
- CECROPIA.**  
465<sup>1</sup>. a. *peltata*, Billb. ex Beurl. in *Vet. Akad. Handl.* Stockh. 1854 (1856), 148 = *Humboldtiana*.
- CEDRELA.**  
465<sup>1</sup>. 1. *Cedro*, M. Roem. *Syn. Hesper.* 136, in syn. =  
465<sup>2</sup>. *Rosmarinus*, Lour. . . . = *Baeckea cochinchinensis*.
- CEDRUS.**  
465<sup>2</sup>. 1. *Deodara*, Loud. *Hort. Brit.* 338; *Arbor.* Libani, *Loud. Hort. Brit.* 338.—
- CELASTRUS.**  
465<sup>2</sup>. a. *EUONYMIDES*, Isnard, ex *Medic. Phil. Bot.* i. 173 (1789).  
1. *campestris*, Eckl. & Zeyh. . . . = *Putterlickia pyracantha*.  
*Colpoon*, Hort. . . . = *Putterlickia pyracantha*.  
466<sup>1</sup>. *integer*, Thunb. . . . = *Putterlickia pyracantha*.  
466<sup>2</sup>. *linearis*, Linn. f. . . . (Gymnosporiae sp.).—Afr. austr.  
*obtusius*, Thunb. . . . = *Putterlickia pyracantha*.  
466<sup>3</sup>. *pyracanthus*, Linn. . . . 197 = *Putterlickia pyracantha*.  
*quadrangulatus*, Schrad. . . . 716 = *Elaeodendron quadrangulatum*.  
467<sup>1</sup>. a. *venustus*, Soland. ex Forst. f. in *Comm. Gotting.* ix. (1789) 44 (Quid ?).—Reg. Magell.  
1. *verrucosus*, E. Mey. . . . 453 (*Putterlickia* sp.).
- CELOSIA.**  
467<sup>2</sup>. 1. *gnaphalioides*, Linn. f. . . . 161 = *Pfaffia gnaphalioides*.  
*laxa*, Schum. & Thonn.
- CELSIA.**  
468<sup>1</sup>. a. *DITOXIA*, Rafin. *Préc. Découv.* 39 (1814); et in *Desv. Journ. Bot.* iv. (1814) 270.
- CELTIS.**  
468<sup>3</sup>. a. *alpina*, Royle, *Illustr. Bot. Himal.* 341 = *australis* ?  
1. *biflora*, Ruiz, ex Klotzsch, l. c. 539.  
469<sup>1</sup>. 1. *dichotoma*, Ruiz, ex Klotzsch, in *Linnaea*, xx. (1847) 539.  
a. *Inglisii*, Royle, (l. c.) = *australis* ?  
469<sup>2</sup>. *Muku*, Siebold, in *Verh. Batav. Gen.* xii. (1830) 28 = *Aphananthe aspera*.  
469<sup>3</sup>. 1. *pubescens*, Spreng. *Syst.* i. 931.  
*spinosa*, Ruiz, ex Klotzsch, in *Linnaea*, xx. (1847) 539 =
- PAG. **CENCHRUS.**  
470<sup>2</sup>. 1. *macrostachyus*, Hochst. . . . 109 = *Pennisetum Prieurii*.
- 470<sup>3</sup>. 1. *CENOLOPHON*, Blume, . . . i. 60 (1827).
- CENTAUREA.**  
471<sup>2</sup>. 1. *acromaura*, Hoffmgg. *Nachtr. Preisverz.* (1842) 30.—Cf. *Linnaea*, xvi. (1842) *Litt.* 283.  
471<sup>3</sup>. *armena*, Boiss.  
472<sup>2</sup>. *cerinthifolia*, Sibth. & Sm.  
a. *chlorosperma*, Arv. *Ess. Pl. Dauph.* 39 = *serratula*.  
473<sup>1</sup>. 1. *cyanooides*, Wahlenb. in *Bergg. Resor.* ii. *Bihang*, 65; et in *Isis*, xxi.  
*Debeauxii*, Gren. & Godr.  
474<sup>1</sup>. *horrida*, Badaro, . . . *Fis.* Dec. II. vii. (1824) 367  
474<sup>3</sup>. a. *microcephala*, Steud. *Nom. ed. II.* ii. 568, in syn., sphalm. = *aspera*.  
475<sup>2</sup>. 1. *napulifera*, Rochel, ex Frivald. in *Magyar Tud. Társ. Evkôn.* ii. (1835) 250  
475<sup>3</sup>. *Picris*, Pall.  
*Pseudo-behen*, *Pseudo-collina*; *Pseudo-crupina*, *Pseudo-philostizus*, *Pseudo-phrygia*, *Pseudo-scabiosa*, *Pseudo-uniflora*.  
476<sup>2</sup>. a. *serratula*, Arv. *Ess. Pl. Dauph.* 38 (Quid ?).—*Gallia*.  
476<sup>3</sup>. *spinoso-ciliata*, Seenus, *Reise Istrien*, 65 = *nigra*.  
*stemoncarpa*, Arv. *Ess. Pl. Dauph.* 39 (Quid ?).—*Gallia*.  
477<sup>3</sup>. insere *CENTINODIUM*, Montand. *Guide Bot.* 270 (1868) = *Polygonum*, Tourn.  
*axillare*, Montand. l. c. = *P. aviculare*.
- CENTRATHERUM.**  
478<sup>2</sup>. a. *frutescens*, Benth. ex C. B. Clarke, *Comp. Ind.* 5.—Java.
- CENTROPOGON.**  
479<sup>1</sup>. a. *barbatus*, Benth. & Hook. f. *Gen.* ii. 547.—Peruv.; N. Granat.  
*erianthus*, Benth. & Hook. f. (l. c.).—Ecuador.  
479<sup>2</sup>. *Hartwegi*, Benth. & Hook. f. (l. c.).—Ecuador.  
*popayanensis*, Benth. & Hook. f. (l. c.).—N. Granat.
- CENTROSEMA.**  
479<sup>3</sup>. a. *triquetrum*, Spruce, ex Benth. & Hook. f. *Gen.* i. 528.—Peruv.
- CENTUNCULUS.**  
480<sup>1</sup>. a. *indicus*, Royle, *Illustr. Bot. Himal.* 310 = *tenellus*.
- CEPHAELIS.**  
480<sup>2</sup>. d. *IPECACUANHA*, Arruda (*nunc Psychotria*).  
1. *EVEA*, Aubl. . . . i. 100.  
*TAPOGOMEA*, Aubl. . . . i. 157.  
a. *asthmatica*, Baill. *Hist. Pl.* vii. 376, in adnot.—Hab. ?  
*guianensis*, Baill. (l. c.).—Guian.
- CEPHALANTHERA.**  
481<sup>1</sup>. a. *LORCHOPHYLLUM*, Ehrh. *Beitr.* iv. (1789) 148.  
*XIPHOPHYLLUM*, Ehrh. l. c. (1789).
- CEPHALARIA.**  
481<sup>2</sup>. a. *XETOLA*, Rafin. *Fl. Tellur.* iv. 95 (1836).  
*graminifolia*, Steud. *Nom. ed. II.* ii. 651, in syn., sphalm. = *Scabiosa graminifolia*.  
481<sup>3</sup>. 1. *CEPHALIDIUM*, A. Rich. . . . 290 =  
a. *citrifolium*, A. Rich. l. c. = *A. morindaefolius*.
- CEPHALOSCHOENUS.**  
482<sup>2</sup>. a. *longirostris*, Nees, in *Nov. Act. Nat. Cur.* xix. *Suppl.* i. (1843) 101, in obs. = seq.  
1. *longisetis*, Nees, in *Linnaea*, ix. (1834) 296.
- CERASTIUM.**  
483<sup>2</sup>. a. *DOERRIENA*, Borkh. in *Rhein. Mag.* i. (1793) 528.  
d. *DUFUREA*, Gren. (*nunc Arenaria*).  
a. *acutifolium*, Dufour, *Lettr. Mont. Maudit.* 372 = *alpinum*.
- PAG. **CERASTIUM.**—  
484<sup>1</sup>. *dahuricum*, Schrank, *Pl. Rar. Hist. Monac.* t. 75 = *davuricum* ?  
485<sup>1</sup>. *microcarpum*, Arv. *Ess. Pl. Dauph.* 22 (Quid ?).—*Gallia*.  
485<sup>2</sup>. *Ramondi*, Fenzl, ex Benth. & Hook. f. *Gen.* i. 149 = *Arenaria purpurascens*.
- CERASUS.**  
486<sup>2</sup>. 1. *Hixa*, C. Sm. . . . = *P. lusitanica*.
- CERATANDRA.**  
487<sup>1</sup>. a. *atrata*, Steud. *Nom. ed. II.* ii. 415, sphalm. = *chloroleuca*.
- CERATOSTEMA.**  
488<sup>2</sup>. a. *coronaria*, Hort. Linden, ex Hook. f. *Bot. Mag.* sub t. 5575 = *Themistoclesia coronilla*.
- CERATOZAMIA.**  
488<sup>3</sup>. 1. *boliviana*, Brongn. . . . 9 = *Zamia Brongniarti*.  
*muricata*, Miq. . . . nomen = *Zamia muricata*.
- CERBERA.**  
489<sup>1</sup>. d. *NEIOSPERMA*, Rafin. (*nunc Ochrosia*).  
1. *chinensis*, Spreng. l. c. (*Rauwolfia* sp.).—China.  
*fruticosa*, Roxb. . . . Ker-Gawl. . . . =  
489<sup>3</sup>. insere *CERDOSURUS*, Ehrh. *Beitr.* iv. (1789) 148 = *Alopecurus*, Linn. (*Gramin.*).
- CERESIA.**  
489<sup>2</sup>. a. *biflora*, Rasp. in *Ann. Sc. Nat. Sér. I.* v. (1825) 301 = *Paspalum biflorum*.
- CEREUS.**  
491<sup>1</sup>. a. *Hermannianus*, Suring. in *Versl. en Meddel. Kon. Akad.* III. ii. (1885) 194.—Ind. occ.  
491<sup>2</sup>. 1. *lumbrioides*, Lem. . . . 60 = *Rhipsalis sarmen-tosa*.  
491<sup>3</sup>. a. *Martini*, Dupuis, in *Rev. Hort. Sér. IV.* ix. (1860) 657. f. 123 = *Martinianus*.  
1. *obtusius*, Haw. . . . 70.—Afr. austr.  
493<sup>1</sup>. *variabilis*, Pfeiff. . . . 105 = *obtusius*.
- CERINTHE.**  
493<sup>2</sup>. a. *pyrenaica*, Arv. *Ess. Pl. Dauph.* 52 (Quid ?).—*Gallia*.
- CESTRUM.**  
495<sup>2</sup>. a. *macrophyllum*, Billb. ex Beurl. in *Vet. Akad. Handl.* Stockh. 1854 (1858), 140 = *Billbergianum*.  
496<sup>1</sup>. 1. *thyrsoides*, H. B. & K.
- CHAENOSTOMA.**  
497<sup>2</sup>. 1. *SUTERA*, Roth, . . . (1807).  
a. *gilanicum*, Steud. *Nom. ed. II.* ii. 175, in syn., sphalm. = *macrosperrum*.
- CHAEROPHYLLUM.**  
498<sup>2</sup>. 1. *Sphallerocarpus*, Kar. & Kir.
- CHAETACHME.**  
498<sup>2</sup>. 1. *nitida*, Planch. & Harv. . . . 16 = *aristata*.
- CHAETANTHERA.**  
498<sup>3</sup>. 1. *dealbata*, Hook. & Arn. . . . 104 = *Trichocline dealbata*.
- CHAETARIA.**  
499<sup>1</sup>. 1. *Forskollii*, Nees, . . . = *A. barbicollis*.
- CHAETOCALYX.**  
499<sup>2</sup>. 1. *acutifolia*, Benth.  
*latisiliqua*, Hemsl. *Biol. Centr. Am. Bot.* i. 268.
- CHAETOSPORA.** R. Br.  
500<sup>3</sup>. 1. *Burmanni*, Schrad. . . . 4 = *S. Burmanni*.  
501<sup>1</sup>. d. *pterosperma*, H. B. & K.
- CHAETOSPORA.** H. B. & K. (post praec. ponitur).  
500<sup>2</sup>. a. *pterosperma*, Nees, in *Mart. Fl. Bras.* ii. i. 128 = praec.
- CHAETOTHYLAX.**  
501<sup>2</sup>. a. *eustachiana*, Benth. & Hook. f. *Gen.* ii. 1110.—Ind. occ.

- PAG. **CHAILLETIA.**  
501<sup>2</sup>. 1. *Bojeri*, Tul. . . . Madag.  
501<sup>3</sup>. *gelonioides*, Hook. f. . . . 570 = *sumatrana*.  
*reflexa*, Oliver, Fl. Trop. Afr. i. 343, sphalm. =  
*deflexa*.  
*sumatrana*, Miq. . . . 328. — Ind. or. ; Malaya.
- CHALCANTHUS.**  
501<sup>3</sup>. 1. *renifolius*, . . . = *H. renifolia*.
- 502<sup>1</sup>. 1. *CHALEPOA*, Hook. f. in Hook. Ic.
- 502<sup>2</sup>. 1. *CHAMAECLEMA*, Boerh. ex Boehm. in Ludw.  
Def. Gen. Pl. 115 ; Moench,
- CHAMAECYPARIS.**  
502<sup>2</sup>. 1. *breviramea*, Maxim. . . . = *Cupressus obtusa*.  
*Keteleri*, Stand. . . . = *Cupressus obtusa*.  
502<sup>3</sup>. *nana*, Hort. . . . = *Cupressus thuyoides*.  
*pendula*, Maxim. . . . = *Cupressus pendula*.  
*Pseudo-squarrosa*, Parl. . . . = *Cupressus thuyoides*.  
*pumila*, Hort. . . . = *Cupressus thuyoides*.  
*sphaeroidea*, Spach. . . . = *Cupressus thuyoides*.  
*squarrosa*, Hort. . . . = *Cupressus thuyoides*.  
*variegata*, Hort. . . . = *Cupressus thuyoides*.
- CHAMAEDOREA.**  
503<sup>1</sup>. 1. *Ghiesbreghtii*, Hort. . . . 239, nomen = *Gaussia*  
*Ghiesbreghtii*.
- CHAMAEMELUM**, Vis.  
504<sup>1</sup>. 1. *auriculatum*, Boiss. . . . 23 = *M. auriculatum*.
- 504<sup>2</sup>. insere *CHAMAEMORUS*, Ehrh. Beitr. iv. (1789)  
147 = *Rubus*, Tourn. (Rosac.).
- CHAMAEPUCE.**  
504<sup>3</sup>. a. *cretica*, Steud. Nom. ed. II. ii. 630, in syn.,  
sphalm. = *mutica*.  
1. *Diacantha*, DC. l. c. = *Cn. Diacantha*.
- CHAMAERAPHIS.**  
504<sup>3</sup>. a. *PSEUDORAPHIS*, Griff. Notul. iii. 29 (1851).
- CHAMAEROPS.**  
505<sup>1</sup>. 1. *Birao*, Siebold, in Verh. Batav. Gen. xii. (1830)  
11 ;  
*excelsa*, Thunb. . . . 130 =
- 505<sup>2</sup>. insere *CHAMAESCHOENUS*, Ehrh. Beitr. iv.  
(1789) 147 = *Scirpus*, Tourn. (Cyperac.).
- CHAMAESPACOS.**  
505<sup>2</sup>. a. *TAPEINANTHUS*, Boiss. ex Benth. in DC. Prod.  
xii. 436 (1848).
- CHAMITIS.**  
506<sup>1</sup>. 1. *complicata*, Soland. ex Forst. f. in Comm.  
Gotting. ix. (1789) 45 ;
- 506<sup>2</sup>. 1. *CHAPTALIA*, Royle, . . . Himal. 251.
- CHAPTALIA.**  
506<sup>2</sup>. d. *piloselloides*, Baker, . . . — Bras.
- CHASALIA.**  
507<sup>1</sup>. 1. *amicorum*, A. Gray, . . . 43 = *Ixora carnea*.
- CHAVICA.**  
508<sup>2</sup>. 1. *petiolata*, C. DC. . . . 389 = *P. reticulatum*.
- 510<sup>2</sup>. 1. *CHEIRISANTHERA*, Hort. ex Lindl. & Paxt.  
Flow. Gard. ii. (1851) 59 ;  
*atrosanguinea*, Hort. ex Lindl. & Paxt. l. c. ;
- CHELIDONIUM.**  
510<sup>3</sup>. 1. *hybridum*, Linn. . . . = *Roemeria violacea*.  
511<sup>1</sup>. *violaceum*, Lam. . . . = *Roemeria violacea*.
- CHENOPODIUM.**  
512<sup>1</sup>. 1. *Atriplicis*, Linn. f. . . . = *album* ?
- CHILOCHLOA.**  
514<sup>1</sup>. 1. *dentata*, Trin. . . . = *Prionanthium rigidum*.
- CHIMARRHIS.**  
515<sup>1</sup>. a. *cyrrhosa*, Steud. Nom. ed. II. ii. 88, in syn.,  
sphalm. = *cymosa*.
- CHIONANTHUS.**  
515<sup>3</sup>. 1. *Ghaeri*, Gaertn. . . . 190 = *Scirpodendron costa-*  
*tum*.

- PAG. **CHIONANTHUS.**  
515<sup>3</sup>. 1. *angustifolia*, Rafin. ante *chinensem*, Maxim.  
ponenda.
- CHIONOLAENA.**  
516<sup>1</sup>. 1. *Arbuscula*, DC.  
*larandulacea*, Hemsl.  
*lavandulifolia*, Benth. & Hook. f.
- CHIRONIA.**  
517<sup>2</sup>. a. *purpurascens*, Benth. & Hook. f. Gen. ii. 805. —  
Afr. austr.
- CHLAMYDOSTYLUS.**  
518<sup>1</sup>. 1. *Medusa*, Baker, l. c. = *N. Medusa*.
- CHLORAEA.**  
518<sup>3</sup>. 1. *densa*, A. Rich. . . . 454 = *membranacea*.
- CHLORIS.**  
519<sup>2</sup>. a. *LANGSDORFFIA*, Fisch. ex Regel, Ind. Sem.  
Hort. Petrop. (1863) 26.  
520<sup>2</sup>. 1. *Roxburghiana*, Schult. . . . 339.
- CHLOROPHORA.**  
520<sup>3</sup>. a. *excelsa*, Benth. & Hook. f. Gen. iii. 363. — Afr.  
trop.
- 520<sup>3</sup>. insere *CHLOROPHYLLUM*, Liai, Brés. 613  
(1872), sphalm. = *Chrysophyllum*, Linn.  
(Sapotac.).
- CHLOROPHYTUM.**  
521<sup>1</sup>. 1. *Schidospermum*, Baker.
- CHONDRILLA.**  
522<sup>2</sup>. 1. *PELTIDIUM*, Zollikof. in Nat. Anz. Schw. Ges.  
iv. (1820) 13.
- 522<sup>3</sup>. 1. *CHONDROLAENA*, Nees, . . . = *Prionan-*  
*thium*, Desv. (Gramin.).  
*phalaroides*, Nees, . . . *P. rigidum*.
- CHONDRORHYNCHA.**  
522<sup>3</sup>. 1. *fimbriata*, Reichb. f. in Gard. Chron. (1879) II.,  
648, in nota ;
- 523<sup>2</sup>. insere *CHORDORRHIZA*, Ehrh. Beitr. iv.  
(1789) 148 = *Carex*, Dill. (Cyperac.).
- CHORIZANTHE.**  
524<sup>1</sup>. a. *insignis*, Curran, in Bull. Calif. Acad. i. iv.  
(1885) 275. — Calif.
- CHRISTOPHORIANA.**  
525<sup>2</sup>. 1. *spicata*, Borkh. in Rhein. Mag. i. (1793) 458 ;  
Moench,
- CHRYSANTHELLUM.**  
525<sup>3</sup>. 1. *HINTERHUBERA*, Sch. Bip. in Flora, xxiv.  
(1841) i. Intell. 42.
- CHRYSANTHEMUM.**  
526<sup>1</sup>. d. *OTOSPERMUM*, Willk. (nunc *Matricaria*).  
1. *artemisiaefolium*, Klatt, . . . (1878) i.  
526<sup>3</sup>. *Hermintii*, Hoffmgg. & Link, . . . ii. 331. t.  
102.  
*larvatum*, Griseb. . . . 266 = *coronopifolium*.  
527<sup>2</sup>. *setabense*, Dufour, . . . = *paludosum*.  
*sylvaticum*, Hoffmgg. & Link, Fl. Port. ii.  
329 =  
*trichophyllum*, Boiss. . . . 10 = *Matricaria tricho-*  
*phylla*.  
*Turreanum*, Vis. Stirp. Dalm. Rev.  
*viscidum*, Steud. Nom. ed. II. i. 755, in syn. =  
*viscosum*.
- 527<sup>2</sup>. insere *CHRYSASTRUM*, Willd. ex Wedd.  
Chlor. And. i. 211, in nota (1855) = *Liabum*,  
Adans. (Compos.).  
*sagittatum*, Willd. ex Wedd. l. c. (= *Munnozia*  
*sagittata*). — Reg. Andin.
- CHRYSOCOMA.**  
528<sup>2</sup>. a. *GUNDLACHIA*, A. Gray, in Proc. Am. Acad. xvi.  
(1881) 100.
- 529<sup>3</sup>. 1. *CHRYSOPHTHALMUM*, Sch. Bip.
- CHRYSOPHYLLUM.**  
530<sup>2</sup>. a. *philippense*, Perr. in Mém. Soc. Linn. Par. iii.  
(1825) 109 (Quid ?). — Ins. Philipp.

- PAG. **CHRYSOPOGON.**  
530<sup>2</sup>. a. *DIPOGON*, Willd. in Steud. Nom. ed. II. i. 518  
(1840).
- CHRYSURUS.**  
531<sup>3</sup>. 1. *Lamarkia*, Moench,
- 531<sup>3</sup>. insere *CHRYSIS*, Renealm. ex DC. Prod. v. 585  
(1836) = *Helianthus*, Linn. (Compos.).
- CIMICIFUGA.**  
535<sup>2</sup>. d. *PITYROSPERMA*, Sieb. & Zucc. . . . iii. iv.  
a. *dahurica*, Maxim. Prim. Fl. Amur. 28. — Reg.  
Amur. ; China.  
1. *japonica*, Spreng.
- CINCHONA.**  
536<sup>2</sup>. 1. *macrophylla*, Karst. . . . 151 = *Remija macro-*  
*phylla*.  
536<sup>3</sup>. *prismatostylis*, Karst. . . . 7 = *Remija primato-*  
*stylis*.
- CINERARIA.**  
537<sup>2</sup>. 1. *aurita*, Andr. . . . = *Senecio cruentus*.  
a. *cladobotrys*, Griseb. & Schenk, in Wieg. Archiv,  
xviii. (1852) 343, in obs. = *Senecio cladobo-*  
*trys*.  
537<sup>3</sup>. 1. *cruenta*, Mass. . . . = *Senecio cruentus*.  
a. *elegantissima*, Hoffmgg. Nachtr. Preisverz.  
(1842) 26. — Cf. *Linnaea*, xvi. (1842) Litt. 280  
(an hybr. ?). — Hab. ?  
1. *Fussii*, Nym. Syll. 2 =  
538<sup>1</sup>. *lanata*, Link, . . . = *Senecio cruentus*.  
538<sup>2</sup>. a. *longifolia*, Griseb. & Schenk, (ut supra) 343 =  
*Senecio cladobotrys*.  
539<sup>1</sup>. 1. *Webberiana* ×, Paxt. . . . 125.
- CINNAMOMUM.**  
539<sup>3</sup>. 1. *Maruba*, Siebold, in Verh. Batav. Gen. xii. (1830)  
24 ; Meissn. . . . — Japon.
- CIPURA.**  
540<sup>2</sup>. 1. *Northiana*, Endl. . . . 6 = *Marica Northiana*.
- CIRSIIUM.**  
541<sup>2</sup>. 1. *acanthifolium*, Arv. Monog. Pilos. 52 ; et in  
Bull.  
a. *angustatum*, Peterm. Fl. Bienitz, 56 (Quid ?). —  
Europ.  
*bifrons*, Arv. Monog. Pilos. 52 (Quid ?). — Gallia.  
*bracteosum*, Arv. Add. Monog. Pilos. 18 (Quid ?).  
— Gallia.  
541<sup>3</sup>. *capitatum*, Arv. Monog. Pilos. Suppl. 36 =  
*variegatum*.  
*carduophilum*, Arv. Ess. Pl. Dauph. 38, in obs.  
(Quid ?). — Gallia.  
*cenisium*, Arv. Monog. Pilos. Suppl. 38 (Quid ?).  
— Gallia.  
*cirsioophilum*, Arv. Ess. Pl. Dauph. 38, in obs.  
(Quid ?). — Gallia.  
542<sup>1</sup>. 1. *dentatum*, DC. . . . 654 = *Carthamus dentatus*.  
542<sup>3</sup>. a. *laceratum*, Arv. Monog. Pilos. Suppl. 37 (Quid ?).  
— Gallia.  
543<sup>2</sup>. *orophilum*, Arv. Ess. Pl. Dauph. 37 (Quid ?). —  
Gallia.  
544<sup>2</sup>. *variegatum*, Arv. Monog. Pilos. 51 (Quid ?). —  
Gallia.
- CISSAMPELOS.**  
544<sup>3</sup>. 1. *discolor*, DC. . . . = *Stephania discolor*.  
*glabra*, Buch.-Ham. . . . = *Stephania discolor*,  
*rotunda*.  
*hernandifolia*, Willd. . . . = *Stephania discolor*.  
545<sup>1</sup>. *umbellata*, E. Mey. . . . = *Stephania discolor*.
- CISSUS.**  
546<sup>1</sup>. 1. *hederacea*, Royle, Illustr. Bot. Himal. 149 =  
547<sup>1</sup>. *quinquefolia*, Borkh. in Rhein. Mag. i. (1793)  
595 ; Desf.  
*rosea*, Royle, Illustr. Bot. Himal. 145, 149.  
t. 26. f. 1 = *V. repanda*.  
547<sup>2</sup>. a. *Tweediania*, Hieron. Pl. Diaph. 66 = *V. Twee-*  
*dieana*.
- CISTANCHE.**  
547<sup>2</sup>. a. *violacea*, Hoffmgg. & Link, Fl. Pont. i. 320. —  
Reg. Mediterr.
- CISTUS.**  
548<sup>1</sup>. 1. *corsicus*, Loisel. in Mém. Soc. Linn. Par. vi.  
(1827) 416.  
549<sup>2</sup>. *strigosus*, Fisch. ex Link, Enum. Hort. Berol.  
ii. 75.



- PAG. **CITRIOBATUS.**  
550<sup>2</sup>. 1. *pauciflorus*, A. Cunn.
- CITRULLUS.**  
550<sup>3</sup>. a. **COLOCYNTHIS**, [Tourn.] Linn. Syst. ed. I (1735).
- CITRUS.**  
551<sup>1</sup>. 1. *Daidai*, Siebold, in Verh. Batav. Gen. xii. (1830) 59  
Kunep, Siebold,  
551<sup>2</sup>. *Papeda*, Miq.  
a. *Sabou*, Siebold, (l. c.) (Quid?).—Japon.  
*Toomikan*, Siebold, (l. c.) (Quid?).—Japon.  
*Sarcodactylus*, Siebold, (l. c.); Nooten, Fleurs  
Fr. Java, t. [29] = C. Medica.
- CLADIUM.**  
551<sup>1</sup>. a. VAUTHIERA, A. Rich. Fl. N. Zel. 106. t. 20 (1830).  
552<sup>2</sup>. insere CLADOSPERMA, Griff. Notul. iii. 165 (1851) = Pinanga, Blume (Palm.).
- CLARKIA.**  
553<sup>2</sup>. 1. *Eiseneana*, Kellogg, . . . 94 = pulchella.
- CLAUSENA.**  
553<sup>3</sup>. 1. *COOKIA*, Sonner. Voy. Ind. iii. 258. t. 130 (1782).
- CLAVIJA.**  
554<sup>1</sup>. a. *pungens*, Decne. in Ann. Sc. Nat. Sér. VI. iii. (1876) 145, in obs. = ornata.  
554<sup>3</sup>. 1. **CLEACHNE**, Roland. ex Rottb. in Act. Lit. Univ. Hafn. i. (1778) 285 =
- CLEISTES.**  
555<sup>3</sup>. a. *bella*, Reichb. f. & Warm. Otia Bot. Hamb. 81 = P. bella.  
*caloptera*, Reichb. f. & Warm. l. c. = P. caloptera.  
1. *lutea*, Lindl. . . 409 = P. grandiflora.  
a. *Mantiqueirae*, Reichb. f. & Warm. Otia Bot. Hamb. 81 = P. Mantiqueirae.  
*paludosa*, Benth. ex Griseb. Fl. Brit. W. Ind. 637 = P. tenuis.  
1. *parviflora*, Lindl. . . 410 = P. parviflora.
- CLEMATIS.**  
556<sup>1</sup>. 1. **SIEBOLDIA**, Hoffmgg. Preisverz. (1842) Nachtr. 28.—Cf. Linnaea, xvi. (1842) Litt. 281.  
a. *atroviolacea* ×, Carr. in Rev. Hort. (1879) 350.  
556<sup>2</sup>. 1. *depauperata*, Colenso, . . . (1868) ed. I. *Essays*, n. iv. 18; ed. II. (1871) 248.  
556<sup>3</sup>. d. *glauca*, Claus,  
557<sup>1</sup>. 1. *Jackmanni* ×, Hort.—Cf. Gard. Chron. (1864) 773, 823; et ex Lem. Illustr. Hort. xi. (1864) t. 414;  
558<sup>1</sup>. 1. *sibirica*, Mill. . . 12 = C. Flammula.  
d. *tubulosa*, Hook.
- CLEOME.**  
558<sup>3</sup>. d. **MOZAMBE**, Rafin. (*nunc* Cadaba).  
**PODOGYNE**, Hoffmgg. (*nunc* Gynandropsis).  
1. *aphylla*, Thunb. . . = Cadaba juncea.  
559<sup>1</sup>. a. *dumosa*, Baker, in Journ. Bot. xx. (1882) 18.—Madag.  
559<sup>2</sup>. *micrantha*, Baker, (l. c.)—Madag.  
560<sup>1</sup>. 1. *semitetrandra*, Sond. . . (semitetrandra).  
*stenophylla*, Klotzsch, . . . 1164 = Guian.; Bras.
- CLERODENDRON.**  
561<sup>2</sup>. 1. *hemiderma*, F. Muell. . . 61 = Glossocarya hemiderma.  
*Kaempferi*, Siebold, in Verh. Batav. Gen. xii. (1830) 31 (err. typ. 51); Fisch.  
*Linnaei*, F. Muell. . . 151 = Glossocarya hemiderma.  
562<sup>1</sup>. a. *violaceum*, Zeyh. Hort. Schwetzing. 54; ex Link, Enum. Hort. Berol. ii. 127.—Hab. ?  
562<sup>2</sup>. post CLETHROSPERUM pone
- CLEVELANDIA**, Greene, in Bull. Calif. Acad. i. n. iv. (1885) 182 (Scrophul.).  
Bildingi, Greene, l. c. = Calif.
- PAG. **CLIBADIUM.**  
563<sup>1</sup>. 1. *neriifolium*, DC. . . 507 = Espeletia neriifolia.
- CLIDEMIA.**  
563<sup>3</sup>. 1. *Epibaterium*, DC. . . = Ossaea Epibaterium.  
564<sup>2</sup>. *Xantholasia*, DC. = Oxymeria Xantholasia.  
*Xantholasia*, Gardn.
- CLINOGYNE.**  
565<sup>2</sup>. a. **ILYTHURIA**, Rafin. Fl. Tellur. iv. 51 (1836).  
Blumei, Benth. & Hook. f. Gen. iii. 650.—Java.
- CLITORIA.**  
566<sup>3</sup>. a. *philippensis*, Perr. in Mém. Soc. Linn. Par. iii. (1825) 110 (Quid?).—Ins. Philipp.
- CLUSIA.**  
567<sup>2</sup>. a. *Galactodendron*, Desv. in Ann. Sc. Nat. Sér. II. xviii. (1842) 315. t. 8.—Venezuela.  
567<sup>3</sup>. *longifolia*, Rich. . . 113 = Tovomita clusiae-folia.
- CLUYTIA.**  
568<sup>2</sup>. 1. *hirta*, Linn. f. . . = Lachnostylis capensis.  
568<sup>3</sup>. a. *vaccinioides*, Muell. Arg. in DC. Prod. xv. ii. 436 = heterophylla.
- CLYPEA.**  
568<sup>3</sup>. 1. *hernandifolia*, Wight & Arn. . . = S. discolor.  
*venosa*, Blume, l. c. = S. rotunda.
- CNEMIDOSTACHYS.**  
569<sup>2</sup>. 1. *Vahlui*, Spreng.
- CNIDIUM.**  
572<sup>1</sup>. a. *tortuosum*, Benth. & Hook. f. Gen. i. 902 = Foeniculum tortuosum.
- COBAEA.**  
572<sup>1</sup>. a. *campanulata*, Hemsl. in The Garden, xvii. (1880) 352.—N. Granat.  
1. *gracilis*, Hemsl. l. c.—Costa Rica.  
572<sup>2</sup>. a. *Trianae*, Hemsl. (l. c.) 353.—N. Granat.
- COCCOCYPSELUM.**  
573<sup>1</sup>. 1. *violaceum*, Desf. . . 404 = campanuliflorum.
- COCCOLOBA.**  
573<sup>2</sup>. a. **GUAIBARA**, Plum. ex Boehm. in Ludw. Def. Gen. Pl. 402 (1760).
- COCCULUS.**  
574<sup>1</sup>. d. **LEGNEPHORA**, Miers, (*nunc* Pericampylus).  
574<sup>2</sup>. 1. *coriaceus*, Blume,  
a. *diversifolius*, Miq. Ann. Mus. Bot. Lugd. Bat. iii. 10.—Japon.  
1. *Forsteri*, DC. 517 = Stephania discolor.  
a. *indicus*, Royle, Illustr. Bot. Himal. 61 = Anamirta paniculata ?  
1. *longifolius*, Decne. . . 84 = Pycnarrhena longifolia.  
574<sup>3</sup>. *planiflorus*, Wall. . . = Pycnarrhena planiflorus.  
*planifolius*, Miers, in Ann. & Mag. Nat. Hist. Ser. II. vii. (1851) 44, sphalm. = planiflorus.
- COCHLEARIA.**  
575<sup>1</sup>. 1. **IONOPSIDIUM**, Reichb. Ic. Fl. Germ. vii. 26. t. 649 (1829) (an genus proprium?).  
*flava*, Roxb. . . nomen; et ex Royle, Illustr. Bot. Himal. 72.—Ind. or.  
575<sup>2</sup>. *polysperma*, Costa, . . . 86.—Hispan.  
575<sup>3</sup>. a. *Wasabi*, Siebold, in Verh. Batav. Gen. xii. (1830) 54 = Eutrema Wasabi.
- COCHLIODA.**  
575<sup>3</sup>. a. *rosea*, Benth. & Hook. f. Gen. iii. 560.—Ecuador.  
*sanguinea*, Benth. & Hook. f. l. c.—Peruv. Ecuador.
- COCOS.**  
576<sup>2</sup>. a. *indica*, Royle, Illustr. Bot. Himal. 395 = nucifera.
- CODIAEUM.**  
576<sup>3</sup>. 1. *Inophyllum*, Muell. Arg.  
a. *undulatum*, Cogn. & March. in Dallièrè, Pl. Ornament. i. (1873) t. 15 = Croton undulatus Weismanni, Cogn. & March. (l. c.) t. 22.—Hab. ?
- PAG. **CODONOPHORA.**  
577<sup>2</sup>. a. *Selloi*, Hanst. ex Benth. & Hook. f. Gen. ii. 1003 = praec.
- CODONOPSIS.**  
577<sup>2</sup>. a. *cashmeriana*, Royle, Illustr. Bot. Himal. 450 (Index), sphalm. = Campanula cashmiriana.
- COELIDIUM.**  
578<sup>1</sup>. a. *spinosum*, Harv. in Harv. & Sond. Fl. Cap. ii. 25.—Afr. austr.
- COELOGYNE.**  
578<sup>2</sup>. d. *angustifolia*, Wight,  
579<sup>1</sup>. 1. *Lowii*, Paxt.  
*rhombophora*, Reichb. f. . . 116 = Pholidota rhombophora.
- COFFEA.**  
579<sup>3</sup>. a. *herbacea*, Aubl. ex Rich. in Mém. Soc. Hist. Nat. Par. v. (1834) 176, in syn. = Faramaea herbacea.
- COIX.**  
581<sup>1</sup>. 1. *cryptoides*, C. Muell. . . 334 = Polytoca barbata. in syn. passim = C. Lacryma-Jobi.
- COLAX.**  
581<sup>1</sup>. 1. *jugosus*, Lindl. . . 51 = Lycaste jugosa.  
*Puydtii*, Linden & André, . . . 369 = Lycaste Puydtii.
- COLBERTIA.**  
581<sup>2</sup>. 1. *coromandeliana*, DC.
- COLCHICUM.**  
581<sup>2</sup>. a. **EUDESMIS**, Rafin. Fl. Tellur. iii. 80 (1836).
- COLDENIA.**  
582<sup>1</sup>. 1. *angolensis*, Welw. . . 591 = procumbens.
- COLEA.**  
582<sup>1</sup>. a. **ODISCA**, Rafin. Fl. Tellur. 80 (1838).  
582<sup>2</sup>. 1. *Telfairiae*, Boj.
- COLEANTHERA.**  
582<sup>2</sup>. 1. *myrtoides*, Stschégl.
- COLEBROOKIA.**  
582<sup>2</sup>. a. **SUSSODIA**, Buch.-Ham. ex D. Don, Prod. Fl. Nep. 104 (1825).
- COLEUS.**  
583<sup>1</sup>. 1. *africanus*, Benth. . . 54 = Solenostemon ocymoides.  
a. *Marshallii* ×, T. Moore, in Gard. Chron. (1868) 376; et in Floral World (1878), 353.  
*Veitchii* ×, Hort. ex Dombr. Flor. Mag. vi. (1867) t. 345.
- COLLADONIA**, DC.  
583<sup>3</sup>. 1. *anisoptera*, Boiss. . . 946 = P. anisopetala ?  
*microcarpa*, Boiss. . . 946.—Syria.
- COLLETIA.**  
584<sup>1</sup>. 1. *Ephedra*, Bert. . . = Trevoa Frutilla.  
*Ephedra*, Vent. . . 16 = Retanilla Ephedra.  
584<sup>2</sup>. *obcordata*, Vent. . . 92 = Retanilla obcordata.
- COLLINSIA.**  
584<sup>3</sup>. 1. *divaricata*, Kellogg, . . . 36 = sparsiflora.
- COLLOMIA.**  
584<sup>3</sup>. 1. *coccinea*, Lehm. . . t. 1622 = Gilia coccinea.  
585<sup>1</sup>. *grandiflora*, Dougl. . . t. 1174 = Gilia grandiflora.
- COLOBANTHUS.**  
585<sup>1</sup>. 1. *Benthamianus*, Fenzl, . . . 49.—Ins. Antarct.  
585<sup>2</sup>. *pulvinatus*, F. Muell. . . = Benthamianus.  
*subulatus*, Hook. f. . . 13 = Benthamianus.
- COLOCASIA.**  
585<sup>2</sup>. a. *himalensis*, Royle, Illustr. Bot. Himal. 407 = antiquorum.  
1. *humilis*, Hassk. in Hoen. . . 160; Cat. Hort. Bog. Alt. 56.  
*indica*, Engl. in DC. Monog. Phan. ii. 494.—Malaya.  
*neo-guineensis*, André, . . . 68 = Schismatoglottis neo-guineensis.

PAG.

**COLOCASIA** :—

- 585<sup>2</sup>. 1. *odorata*, Hook. Bot. Mag. t. 3935 = *Alocasia macrorrhiza*.  
*prunipes*, C. Koch. & Bouché, . . . = *anti-quorum*.  
 585<sup>3</sup>. 1. *ramosa*, Schott, . . . = *Alocasia cucullata*.  
*rapiformis*, Kunth, . . . 40 = *Alocasia rapiformis*.  
*vivipara*, Thw. . . 336 = *Remusatia vivipara*.

**COLPODIUM**.

- 586<sup>1</sup>. 1. *latifolium*, R. Br. . . p. clxxxvi = *Arctagrostis latifolia*.

**COLPOON**.

- 586<sup>1</sup>. 1. *RHOIACARPOS*, A. DC. in DC. Prod.  
 586<sup>1</sup>. insere *COLUBRINA*, Brun. ex Montand. Guide Bot. 268 (1868) = *Polygonum*, Tourn.  
*intorta*, Montand. l. c. = *P. Bistorta*.  
*vivipara*, Montand. l. c. = *P. vivipara*.

**COLUBRINA**.

- 586<sup>1</sup>. d. *DIPDISCA*, Rafin. (*nunc Ceanothus*).

**COLUMNEA**.

- 586<sup>3</sup>. a. *bicolor*, Rafin. Fl. Tellur. ii. 57 = *hirsuta*.  
 587<sup>1</sup>. 1. *scabrosa*, Soland. . . = *Rhabdothermus Solandri*.  
 587<sup>2</sup>. *trifoliata*, Link, . . . = *Stemodia trifoliata*.  
 Warszewicziana, Klotzsch & Hanst.

**COLURIA**.

- 587<sup>2</sup>. 1. *LAXMANNIA*, Fisch. Hort. Gorenk. ed. II. (1812) 67.

**COMATOGLOSSUM**.

- 588<sup>2</sup>. 1. *strictum*, Karst. & Triana, l. c. 437 = *T. stricta*.

**COMBRETUM**.

- 589<sup>1</sup>. 1. *ferrugineum*, Hoffmgg. ex Mart. in Flora, xxii (1839) i. Beibl. 64, in obs. =

**COMMELINA**.

- 590<sup>3</sup>. a. *angustifolia*, Kellogg, ex Curran, in Bull. Calif. Acad. i. III. (1885) 150 = *dianthifolia*?

**COMPARETTIA**.

- 594<sup>1</sup>. 1. *saccata*, Poepp. & Endl. . . 72 = *Scelochilus saccatus*.

**CONANTHERA**.

- 594<sup>2</sup>. a. *biflora*, Phil. f. Cat. Pl. Vasc. Chil. 282, in syn., sphalm. = *bifolia*.

**CONCEVEIBA**.

- 594<sup>2</sup>. 1. *africana*, Muell. Arg. . . 530 = *Neoboutonia Mannii*.  
*Martiana*, Baill. . . 221 = *Alchornea Martiana terminalis*, Muell. Arg. . . 167 = *Gavarretia terminalis*.

**CONOCARPUS**.

- 596<sup>3</sup>. d. *RHIZAERIS*, Rafin. (*nunc Laguncularia*).

**CONOPODIUM**.

- 597<sup>3</sup>. 1. *SPHALLEROCARPUS*, Bess. ex DC. Mém. Ombell. 60 (1829); et Prod.

**CONRADIA**.

- 599<sup>1</sup>. 1. *exserta*, Mart. . . . = *P. catalpiflora*.

**CONRINGIA**.

- 599<sup>1</sup>. 1. *orientalis*, Dum. . . 123 = *perfoliata*.  
*perfoliata*, Link, . . . 172.—Europ.; Oriens.

**CONVALLARIA**.

- 599<sup>2</sup>. d. *GLOBERIA*, Rafin. (*nunc Liriope*).  
 1. *bifolia*, Linn. . . = *Maianthemum Convallaria*.

**CONVOLVULUS**.

- 599<sup>3</sup>. d. *PENTANTHUS*, Rafin. (*nunc Jacquemontia*).  
 600<sup>2</sup>. 1. *angulatus*, Salzm. . . Genév. viii. (1838) 59 =  
 600<sup>3</sup>. *bifidus*, Vell. . . = *Jacquemontia grandiflora*.  
 601<sup>2</sup>. *cirrhusus*, R. Br. . . 475 = *arvensis*.  
*congestus*, R. Br. . . 64 = *glomeratus*, Choisy.  
 601<sup>3</sup>. *cymosus*, Roem. & Schult. . . = *Ipomoea Senegambiae*.  
 602<sup>1</sup>. *elongatus*, Willd. . . —Ins. Canar.; Afr. bor.  
 602<sup>2</sup>. a. *fruticulosus*, Bolle, in Bonplandia, ix. (1861) 54 = *Perraudieri* (in Addend.).  
 1. *fulcratus*, Greene, . . . i. IV.

PAG.

**CONVOLVULUS** :—

- 602<sup>3</sup>. a. *hirtus*, Mill. Gard. Dict. ed. VIII. n. 10.—Jamaica.  
 603<sup>1</sup>. 1. *Imperati*, Vahl, . . . = *Ipomoea carnosa*.  
 603<sup>3</sup>. *macrostegius*, Greene, . . . i. IV.  
*mauritanicus*, Boiss. . . t. 122 = *elongatus*.  
 604<sup>2</sup>. a. *ovatifolius*, Hook. & Arn. Bot. Beech. Voy. 90 = *Jacquemontia sandwicensis*, et *Breweriae* sp. (= *Bonamia Menziesii*).  
 604<sup>3</sup>. *Perraudieri*, Coss. in Bull. Soc. Bot. Fr. iii. (1856) 58.—Ins. Canar.  
 606<sup>2</sup>. *tenuis*, Tenore, Ind. Hort. Sem. Neap. (1839) II. n. 3, nomen.—Hab.?  
 1. *translucens*, Hance, in Journ.

**CONYZA**.

- 607<sup>1</sup>. 1. *ambigua*, DC. . . = *Erigeron linifolius*.  
 607<sup>2</sup>. *aspera*, Bory.  
 607<sup>3</sup>. a. *calophylla*, Willd. ex Sch. Bip. in Pollichia, xx-xxi. (1863) 432 (= *Tephrothamnus calophyllus*).—Venezuela.  
 608<sup>1</sup>. 1. *dichotoma*, Pers. . . = *Allagopappus dichotomus*.  
 608<sup>2</sup>. a. *florida*, Steud. Nom. ed. II. i. 583, in syn., sphalm. = *falcata*?  
 608<sup>3</sup>. 1. *inuloides*, [Dryand.] . . = *Allagopappus dichotomus*.  
 609<sup>1</sup>. *Mursa*, Steud. Nom. ed. II. i. 414, sphalm. = seq.  
*Mursa*, Buch.-Ham. ex Wall. Cat. n. 3095.  
 609<sup>3</sup>. *salicina*, Kellogg, . . 36 = *Baccharis viminea*.

**COOPERIA**.

- 610<sup>3</sup>. 1. *SCEPTRANTHES*, R. Grah. . . (1836).  
*chlorosolen*, Herb. . . = *Drummondii*.

**COPERNICIA**.

- 611<sup>1</sup>. a. *campestris*, Burmeister. Reise La Plata Staaten, ii. 48 = *Trithrinax campestris*.  
 1. *hospita*, Mart. l. c. 243.

**COPISMA**.

- 611<sup>1</sup>. 1. *trichodes*, E. Mey. . . = *R. totta*.

**CORALLORHIZA**.

- 612<sup>2</sup>. a. *occidentalis*, La Pilaye, in Mém. Soc. Linn. Par. iv. (1826) 502 = *innata*.

**CORCHORUS**.

- 613<sup>1</sup>. a. *prostratus*, Royle, Illustr. Bot. Himal. 103, nomen (Quid?).—Ind. or.  
*sloanoides*, Soland. ex A. Cunn. in Ann. Nat. Hist. Ser. I. iv. (1840) 23 = *Entelea arborescens*.

**CORDIA**.

- 613<sup>2</sup>. a. *americana*, Steud. Nom. ed. II. ii. 309, in syn. = *Patagonula americana*.  
 613<sup>3</sup>. 1. *geraschanthoides*, Rich. . . = *C. Gerascanthus*.  
*Geraschanthus*, Sw. . . 478 = *geraschanthoides*.  
 614<sup>1</sup>. *Geraschanthus*, Jacq. . . = *C. Gerascanthus*.  
 614<sup>3</sup>. *Perrottetii*, A. DC. . . 482 = *Premna tomentosa*.  
 a. *Perrottetii*, Wight, Ic. t. 1381.—Ind. or.  
 615<sup>1</sup>. d. *ulmifolia*, Fuss.

**CORDYLINE**.

- 615<sup>3</sup>. a. *EUPHYLEIA*, Rafin. Fl. Tellur. iv. 16 (1836).  
*amabilis* ×, Cogn. & March. in Dallière, Pl. Ornament. i. (1873) t. 49.  
*Baptisti* ×, Cogn. & March. (l. c.) t. 37.  
*Hendersoni* ×, Cogn. & March. (l. c.) t. 31.  
 616<sup>1</sup>. 1. *spectabilis*, Kunth & Bouché, . . (1847) 11 =  
 616<sup>2</sup>. a. *Weismanni* ×, Cogn. & March. in Dallière, Pl. Ornament. i. (1873) t. 14.

**COREOPSIS**.

- 616<sup>3</sup>. 1. *HETERODONTA*, Nutt. ex Benth. & Hook. f. Gen. ii. 385 (1873).  
 617<sup>1</sup>. *hirta*, Rafin. . . 15 = *Rudbeckia triflora*?

**CORETHROGYNE**.

- 617<sup>3</sup>. a. *cana*, Greene, in Bull. Calif. Acad. i. IV. (1885) 223 = *Diplostephium canum*.

**CORMUS**.

- 618<sup>3</sup>. a. *florentina*, Decne. in Nouv. Arch. Mus. Par. Sér. I. x. (1874) 157 = *P. crataegifolia*.  
*trilobata*, Decne. l. c. = *P. trilobata*.

PAG.

**CORNUS**.

- 619<sup>2</sup>. d. *florentina*, Decne. (*quae* *Cornus*).  
 a. *nervosa*, Royle, Illustr. Bot. Himal. 234, nomen (Quid?).—Ind. or.  
 d. *trilobata*, Decne. (*quae* *Cornus*).  
 619<sup>3</sup>. post **COROKIAM** pone  
**CORONA**, Fisch. ex R. Grah. in Edinb. N. Phil. Journ. xxi. (1836) 157 = *Fritillaria*, Tourn. (Liliac.).  
*leucantha*, Fisch. ex R. Grah. l. c. 158 = *F. ruthenica*.  
*verticillata*, Fisch. ex R. Grah. l. c. 159 = *F. verticillata*.

**CORONILLA**.

- 620<sup>2</sup>. 1. *Securigera*, Salisb. . . 341 = *praec.*

**CORONOPUS**.

- 620<sup>2</sup>. 1. *Raddii*, Savi, . . 33 = *S. Raddii*.

**CORREA**.

- 620<sup>2</sup>. a. *Harrisii* ×, Paxt. Mag. Bot. vii. (1840) 79.  
*longiflora* ×, Paxt. (l. c.) 195.

**CORTIA**.

- 621<sup>1</sup>. 1. *Lindleyi*, DC. . . 187 (Lindleyi).

**CORVISARTIA**.

- 621<sup>1</sup>. 1. *indica*, DC. in Royle, Illustr. Bot. Himal. 234; et

**CORYANTHES**.

- 621<sup>1</sup>. 1. *elegantissima*, Mast.

**CORYDALIS**.

- 621<sup>2</sup>. a. *ODOPTERA*, Rafin. Cat. 15 (1824).  
 622<sup>2</sup>. *parviflora*, Royle, Illustr. Bot. Himal. 374 (Quid?).—Ind. or.  
*Pseudocava*, *Pseudo-pumila*.

- 623<sup>2</sup>. 1. **CORYNANTHE**, Welw. Apont. 590, nomen [1859]; et in

**CORYNELLA**.

- 623<sup>2</sup>. a. *domingensis*, Steud. Nom. ed. II. ii. 461, in syn. = *paucifolia*.

**CORYTHOLOMA**.

- 624<sup>2</sup>. 1. *gracile*, Brongn. . . 466 = *G. punctata*.

**COSMANTHUS**.

- 624<sup>2</sup>. a. *Purshii*, Wood, Class-Book (1861), 566 = *P. Purshii*.

**COSTUS**.

- 625<sup>1</sup>. a. *PYXA*, Noronha, in Verh. Batav. Gen. v. (1790) ed. I. Art. iv. 3.

**COTINUS**.

- 625<sup>3</sup>. a. *radicans*, Borkh. in Rhein. Mag. i. (1793) 592 = *R. Toxicodendron*.  
*Toxicodendron*, Borkh. l. c. = *R. Toxicodendron*.

**COTONEASTER**.

- 625<sup>3</sup>. 1. *emarginata* ×, Hoffmgg. Nachtr. Preisverz. (1842) 29;—Cf. *Linnaea*, xvi. (1842) Litt. 282;

**COTULA**.

- 626<sup>2</sup>. 1. *Featherstonii*, F. Muell. Veg. Chath. Isl. 27, in syn.—  
 626<sup>3</sup>. *Gymnogyne*, F. Muell.  
 627<sup>1</sup>. *tridentata*, Benth. & Hook. f. . . 429.

**COTYLEDON**.

- 627<sup>2</sup>. a. *caliculata*, Soland. ex Sims, Bot. Mag. sub t. 1409 = *praec.*  
 627<sup>3</sup>. 1. *hybrida*, Hort. Par. ex DC. Pl. Grass. t. 65; et *libanotica*, Labill.

**COUMA**.

- 628<sup>3</sup>. a. *oblonga*, Benth. ex Muell. Arg. in *Linnaea*, xxx. (1859–60) 390.—Venezuela.

**COUSSAPOA**.

- 630<sup>3</sup>. 1. *dealbata*, . . 17 (non 16).

**COVELLIA**.

- 631<sup>3</sup>. a. *ulmifolia*, Gasp. Nov. Gen. Fici (1844), 10 = *F. ulmifolia*.

PAG.

**CRAMBE.**

- 632<sup>1</sup>. 1. *Tataria*, *Schölk. in Jacq.*  
a. *tatarica*, Willd. Sp. Pl. iii. 418 = praec.

**CRANIOIARIA.**

- 633<sup>1</sup>. 1. *unibracteata*, Nees & Mart. . . 67 = Martynia  
spathacea.

**CRASSULA.**

- 633<sup>3</sup>. a. *conspicua*, *Harv. Rev. Pl. Succ.* 204.—Afr.  
austr.  
634<sup>1</sup>. 1. *decumbens*, *Harv. in Harv. & Sond. Fl. Cap.*  
ii. 353.—Afr. austr.

**CRATAEGUS.**

- 635<sup>1</sup>. a. *OXYACANTHA*, Medic. Phil. Bot. i. 150 (1789).  
635<sup>2</sup>. 1. *brachyacantha*, *Sargent & Engelm.*  
a. *Carrierei* ×, Carr. in *Rev. Hort.* (1883) 108,  
cum ic.  
*caucasica*, C. Koch, in *Verh. Ver. Bef. Gartenb.*  
II. i. (1853) 286 = C. *Oxyacantha*, *pectinata*.  
*Cosansasi*, Herb. Lugd. Bat. ex C. Koch,  
*Wochenschr.* v. (1862) 396 = sanguinea.  
635<sup>2</sup>. a. *flabellata*, Bosc, ex M. Roem. Syn. Rosifl. 136  
= coccinea.  
*germanica*, Hort. ex C. Koch, in *Verh. Ver.*  
*Bef. Gartenb.* II. i. (1853) 225 = *Pyrus ger-*  
*manica*.  
1. *grandiflora*, C. Koch, (l. c.) 226; *et in*  
a. *Lambertiana*, C. Koch, (l. c.) 229 = mexi-  
cana.  
*Loddigesiana*, C. Koch, (l. c.) 228 = mexi-  
cana.  
636<sup>1</sup>. *media*, Bechst. Forstbot. 150 = C. *Oxyacantha*.  
*microphylla*, C. Koch, (l. c.) 288.—Reg. Cauc.  
*peruviana*, C. Koch, (l. c.) 297.—Peruv.  
1. *pontica*, C. Koch, . . . II. i. (1853)  
636<sup>2</sup>. a. *rivularis*, Brew. & S. Wats. in *Bot. Calif.* i. 189  
= Douglasii.  
*sicula*, C. Koch, (l. c.) 288.—Sicil.  
*songarica*, C. Koch, (l. c.) 287 = *laciniata*.  
636<sup>3</sup>. *suecica*, Auct. ex Steud. Nom. ed. II. ii. 423, in  
syn. = *Pyrus intermedia*.  
1. *uniflora*, Muenchh. . . v. II. (1770) 566 =

**CRATAEVA.**

- 636<sup>3</sup>. a. *TRICLANTHERA*, Rafin. Sylva Tellur. 108  
(1838).

**CRAWFURDIA.**

- 637<sup>2</sup>. a. *speciosa*, C. B. Clarke, in *Journ. Linn. Soc.* xiv.  
(1875) 442, partim = *campanulacea*.

**CREMANIUM.**

- 637<sup>3</sup>. 1. *Sieberi*, Griseb.

**CREPIS.**

- 639<sup>2</sup>. 1. *bulbosa*, *Tausch*, . . . (1828).  
639<sup>3</sup>. a. *curiensis* ×, Bruegg, in *Jahresb. Naturf. Ges.*  
Graub. II. xxiii-xxiv. (1880) 110.—Europ.  
1. *djilimensis*, Boiss. *Fl. Orient.* iii. 833.—Reg.  
Cauc.  
640<sup>1</sup>. a. *helvetica* ×, Bruegg, (l. c.)—Europ.  
640<sup>2</sup>. 1. *hieracioides*, Ledeb. . . 126 = *lyrata*.  
*hieracioides*, *Waldst. & Kit. Pl. Rar. Hung.* i.  
42. t. 70; *Willd.*  
*hispidissima*, Bartl. in *Bartl. & Wendl. f. Beitr.*  
ii. 125  
640<sup>3</sup>. a. *Muretiana* ×, Bruegg, (l. c.)—Europ.  
1. *Novae-Zelandiae*, Hook. f. . . 164 = *Sonchus*  
*Novae-Zelandiae*.  
641<sup>2</sup>. *Stenoma*, Turcz.  
641<sup>3</sup>. a. *turicensis* ×, Bruegg, (l. c.)—Europ.

**CRINUM.**

- 642<sup>2</sup>. 1. *anomalum*, Herb. in *Bot. Mag.* sub t. 2121; *et*  
642<sup>3</sup>. a. *Binsii*, *Hoffmgg. Preisverz.* (1841) 77.—Cf.  
*Linnaea*, xvi. (1842) *Litt.* 267.—Bras.  
643<sup>1</sup>. *himalense*, Royle, *Illustr. Bot. Himal.* 374 =  
*amoenum*?  
643<sup>2</sup>. *Roxburghii*, Dalz. & Gibs. *Bomb. Fl.* 275 =  
*defixum*.  
644<sup>2</sup>. post **CROCKERIAM** insere  
**CROCOCYLUM**, Steud. Nom. ed. II. i. 803,  
sphalm. = **CROCOXYLON**, Eckl. & Zeyh. =  
*Elaeodendron*, Jacq. (Tiliac.).

PAG.

**CROCUS.**

- 646<sup>1</sup>. 1. *vitellinus*, *Wahlenb. in Bergg. Resor.* ii. Bihang,  
59; *et*

**CROTALARIA.**

- 647<sup>1</sup>. a. *arida*, Royle, *Illustr. Bot. Himal.* 191 =  
C. *Burhia*?  
647<sup>2</sup>. *cannabinus*, Royle, (l. c.) 82 = *juncea*?  
647<sup>3</sup>. 1. *cytisifolia*, *Hoffmgg. Nachtr. Preisverz.* (1842)  
25.—Cf. *Linnaea*, xvi. (1842) *Litt.* 279.—  
Peruv.

**CROTON.**

- 651<sup>2</sup>. d. *MEIALISA*, Rafin. (*quae Adriana*).  
*ODOTALON*, Rafin. (*nunc Argithamnia*).  
1. *PALANOSTIGMA*, Mart.  
651<sup>3</sup>. a. *appendiculatus*, *Hort. Veitch. ex Rev. Hort.*  
(1877) 87. f. 13.—Polynes.  
652<sup>1</sup>. *Bergmani* ×, Chantrier, ex André, in *Illustr.*  
*Hortic.* xxvii. (1880) 102. t. 389.  
*Camaza*, Perr. in *Mém. Soc. Linn. Par.* iii.  
(1825) 112 = C. *Tigilium*?  
652<sup>3</sup>. 1. *crassifolius*, *Geisel.* . . 19.—China.  
654<sup>1</sup>. a. *imperialis*, *Hort.—Cf. Gard. Chron.* (1875) II.  
192; *et ex T. Moore, Flor. & Pomol.* (1876)  
209.—N. Hebrid.  
*interruptus*, Hort. (l. c.) (1871) f. 31 = *Codiaeum*  
*variegatum*.  
*Johannis*, Veitch, ex Regel, *Gartenfl.* xxii.  
(1873) 251 = *Codiaeum variegatum*.  
655<sup>1</sup>. *multicolor*, Veitch, ex André, *Illustr. Hort.* xix.  
(1872) 120 = *Codiaeum variegatum*?  
*musaicus* ×, André, in *Rev. Hort.* (1882) 240.  
655<sup>2</sup>. 1. *Palanostigma*, *Klotzsch*,  
655<sup>3</sup>. *philippensis*, Lam.  
656<sup>1</sup>. a. *polystachyus*, Hook. & Arn. *Bot. Beech. Voy.*  
270 = *Cumingii*.  
656<sup>2</sup>. 1. *ricinocarpus*, Linn. . . = *Leidesia capensis*.  
656<sup>3</sup>. *Siraki*, Siebold, in *Verh. Batav. Gen. xii.* (1830)  
30; Sieb. & Zucc.  
657<sup>3</sup>. a. *Weismanni*, Cogn. & March. in *Dallière, Pl.*  
*Ornament. i.* (1873) t. 22 = *Codiaeum Weis-*  
*manni*.

**CRUCIANELLA.**

- 658<sup>1</sup>. a. *MAPPA*, Habl. ex Ledeb. *Fl. Ross.* ii. 403 (1844).  
*RUBEOLA*, [Tourn.] *Ludw. Def. Pl.* 2 (1737).  
658<sup>2</sup>. 1. *stylosa*, Trin. . . = *Phuopsis stylosa*.  
658<sup>2</sup>. 1. *CRUCIATA*, [Tourn.] *Ludw. Def. Pl.* 2 (1737) =

**CRUPINA.**

- 659<sup>1</sup>. 1. *alpestris*, Arv. *Add. Monog. Pilos.* 19 = vul-  
garis.

**CRYPTANGIUM.**

- 660<sup>2</sup>. a. *LERISCA*, Schlecht. in *Bot. Zeit.* iii. (1845)  
476.

**CRYPTOCARYA.**

- 661<sup>1</sup>. a. *kawaiensis*, *Benth. & Hook. f. Gen.* iii. 158.—  
Ins. Sandvic.

**CTENIUM.**

- 662<sup>2</sup>. 1. *americanum*, Spreng.  
*sechellense*, Baker, . . . = *Enteropogon meli-*  
*coides*.

**CUCUBALUS.**

- 663<sup>2</sup>. a. *SCRIBAEA*, Borkh. in *Rhein. Mag.* i. (1793)  
591.  
663<sup>3</sup>. 1. *saxifragus*, Schreb.  *Ic. Pl. Desc. Dec.* i. 9. t. 5;  
Linn.

**CUCUMIS.**

- 664<sup>1</sup>. 1. *ambiguus*, Fenzl.  
664<sup>2</sup>. *Bicirra*, Forst.  
*chrysocarpus*, Welw. . . 63, sphalm. = seq.  
*cognatus*, Fenzl,  
a. *himalensis*, Royle, *Illustr. Bot. Himal.* 218,  
*nomen* (Quid?)—Reg. Himal.  
664<sup>3</sup>. *Melopepo*, Steud. Nom. ed. II. ii. 303, in syn. =  
C. *Melo*.  
665<sup>1</sup>. *verrucosus*, Hort. ex Steud. Nom. ed. I. 244 =  
C. *Melo*.

**CUCURBITELLA.**

- 665<sup>3</sup>. a. *PRASOPEPON*, Naud. in *Ann. Sc. Nat. Sér. V.*  
v. (1866) 26.

PAG.

**CUMINUM.**

- 666<sup>3</sup>. a. *aethiopicum*, Royle, *Illustr. Bot. Himal.* 230 =  
*Ammi majus*.  
*regium*, Royle, (l. c.) = *Ammi majus*.

**CUNONIA.**

- 667<sup>1</sup>. d. *OOSTERDYKIA*, Burm. *Rar. Pl. Afr.*  
1. *celebica*, Blume, . . . 868 = *Spiraeopsis celebica*.

**CUPANIA.**

- 667<sup>3</sup>. 1. *cupanioides*, Cambess. . . 29 = *laevis*.

**CUPRESSUS.**

- 671<sup>1</sup>. 1. *breviramis*, F. Muell. . . [ed. II.] 64, in obs. =  
obtusa.  
a. *Corneyana*, Knight, *Syn. Conif.* 19 = *torulosa*.  
671<sup>2</sup>. 1. obtusa, C. Koch, . . . 168.—Japon.  
*pendens*, F. Muell. . . [ed. II.] 64, in obs. =  
obtusa.  
*pisifera*, C. Koch, . . . 170.—Japon.  
*squarrosa*, Laws. . . = *pisifera*.  
*thyoides*, Linn. . . 1003.—Am. bor.

**CURCULIGO.**

- 671<sup>3</sup>. 1. *latifolia*, [Dryand.]  
a. *petiolata*, Royle, *Illustr. Bot. Himal.* 376 =  
*orchioides*?

**CURCUMA.**

- 672<sup>1</sup>. 1. *KUA*, Rheede, ex Medic.  
a. *Kuchoor*, Royle, *Illustr. Bot. Himal.* 357, 359 =  
*caesia*.

**CURTIA.**

- 672<sup>2</sup>. a. *HACKELIA*, Pohl, ex Griseb. in *DC. Prod.* ix.  
56 (1845).

- 674<sup>3</sup>. 1. *CUSSAMBIUM*, Rumph. ex Lam. *Encyc.* ii.  
230 (1786); Buch.-Ham.

**CUSSONIA.**

- 675<sup>1</sup>. a. *quercifolia*, Hort. Cels, ex Colla, *Hort. Ripul.*  
43 = triptera.

- 676<sup>2</sup>. 1. *CYANOTRIS*, Rafin. . . (1818) 356;

- 676<sup>3</sup>. 1. *CYATHIDIUM*, Lindl. . . (1835).

- 677<sup>1</sup>. post **CYATHOGYNEM** pone

**CYATHOMISCUS**, Turcz. in *Bull. Soc. Nat.*  
*Mosc.* (1863) i. 562, in obs. = **Marianthus**.  
Hueg. (Pittosp.).

**CYATHULA.**

- 677<sup>2</sup>. 1. *angustifolia*, Moq. l. c. 328 = *Sericocoma*  
*angustifolia*.

**CYCAS.**

- 677<sup>3</sup>. 1. *circinalis*, Linn.  
d. *circinalis*, Thou.  
a. *circinnalis*, Auct. = *circinalis*.  
*hypoleuca*, Presl, . . . (al. ord.).

**CYCLANTHUS.**

- 678<sup>3</sup>. a. *bifolius*, Perr. in *Mém. Soc. Linn. Par.* iii.  
(1825) 112, sphalm. = seq.

**CYCLEA.**

- 678<sup>3</sup>. d. *PERAPHORA*, Miers (*nunc Lophophyllum*).

**CYCLOSTIGMA.**

- 680<sup>2</sup>. 1. *tenuis*, Phil. l. c. = L. *tenuis*.

**CYCNOCHES.**

- 680<sup>3</sup>. a. *Lindleyi*, Hort. ex Linden, *Pescatorea* (1860),  
sub t. 22 = *Luëddemannia Pescatorei*.

**CYMBIDIUM.**

- 682<sup>1</sup>. d. *OLGASIS*, Rafin. (*nunc Oncidium*).  
*TRICHORHIZA*, Lindl. (*nunc Limia*).  
682<sup>2</sup>. 1. *grandiflora*, Sw. l. c. 76 = *Pogonia grandiflora*.  
683<sup>1</sup>. *stapelioides*, Link & Otto, . . . 111. t. 52.  
683<sup>3</sup>. 1. *CYMELONEMA*, Presl, . . . = *Urophyllum*,  
Wall. (Rubiaceae).  
*memecyloides*, Presl, l. c. = U. *memecyloides*.

**CYMODOCEA.**

- 683<sup>3</sup>. d. *HALODULE*, Endl. (genus proprium).  
a. *australis*, Trimen, *Cat. Pl. Ceyl.* 99 = *Halodule*  
*australis*.  
1. *ciliata*, *Ehrenb.* . . 3.—Mar. Ind. et Pacif.  
*isoetifolia*, *Aschers. l. c.*—Mar. Ind. et Pacif.

PAG.

**CYNANCHUM.**

- 684<sup>1</sup>. a. *SARCOCYPHULA*, Harv. Thes. Cap. ii. 58. t. 191 (1863).  
 684<sup>2</sup>. 1. *aphyllum*, Vell. . . = *Amphistelma*  
 685<sup>1</sup>. a. *kunawurenses*, Royle, Illustr. Bot. Himal. 274, nomen (Quid ?).—Ind or.  
 1. *molle*, Steud. . . 905 = *Anisotoma cordifolia* ?  
 685<sup>2</sup>. 1. *pendulum*, Poir. . . 429 = *Daemia extensa*.

**CYNOCTONUM.**

- 686<sup>2</sup>. 1. *molle*, E. Mey. . . 216 = *Anisotoma cordifolia* ?  
 a. *tuberculatum*, Blume, ex Miq. Fl. Ind. Bat. ii. 478.—Java.

**CYNOGLOSSUM.**

- 686<sup>3</sup>. 1. *Berteri*, Colla, . . . 153 = *Selkirkia Berteroi*.  
 687<sup>1</sup>. *glomeratum*, [Nutt. in] Fras. Cat. (1813) n. 18, nomen; et ex  
 687<sup>2</sup>. *javanicum*, Lehm. in Neue Schr. Naturf. Ges. Halle, iii. ii. (1817) 21 =  
*macrophyllum*, Royle, Illustr. Bot. Himal. 305 =  
*Paracaryum glochidiatum*.  
 688<sup>1</sup>. *zeylanicum*, Thunb. ex Lehm. (ut supra) 20 =

**CYNOSORCHIS.**

- 688<sup>3</sup>. a. *arnottioides*, Reichb. f. in Bonplandia, iii. (1853) 213.—Ins. Borbon.  
*Commersoni*, Reichb. f. (l. c.), in obs.—Hab. ?  
*parviflora*, Reichb. f. (l. c.).—Ins. Borbon.

**CYNOSURUS.**

- 688<sup>3</sup>. 1. *capillaceus*, Beauv. . . = *Leptochloa capillacea*.  
*capillaris*, Hort. . . = praec.

**CYPERORCHIS.**

- 689<sup>2</sup>. a. *Wallichii*, Blume, Orch. Ind. Archip. 92 =  
*Cymbidium cyperifolium* ?

**CYPERUS.**

- 689<sup>2</sup>. d. *OPETIOLA*, Gaertn. (*nunc Mariscus*).  
*TORULINIUM*, Desv. (*nunc Mariscus*).  
 a. *UNGERIA*, Nees, ex C. B. Clarke, in Journ. Linn. Soc. xxi. (1884) 34.  
 689<sup>3</sup>. 1. *aequalis*, Vahl, . . . 320 = prolifer.  
 a. *Amane*, Siebold, in Verh. Batav. Gen. xii. (1830) 384 = *Fimbristylis aestivalis*.  
 691<sup>2</sup>. 1. *consocius*, Steud. . . 299, 324 = *ferax*.  
 693<sup>2</sup>. a. *frondosus*, Salisb. Prod. 30 = *alternifolius*.  
 1. *Ginge*, Welw. . . 586 = *flabelliformis*.  
 694<sup>1</sup>. a. *horizontalis*, Salisb. Prod. 30 = *Schoenus compressus*.  
 695<sup>2</sup>. 1. *macreilema*, Steud. . . 298, 324 = *Mariscus albens*.  
 696<sup>1</sup>. *niger*, Salisb. Prod. 30 = *Schoenus nigricans*.  
 696<sup>2</sup>. *ovatus*, Baldw. in Trans. Am. Phil. Soc. Philad. ii. (1825) 168 = *Mariscus uniflorus*.  
 697<sup>1</sup>. *politus*, Welw. ex Ridl. in Trans. Linn. Soc. Ser. II. ii. (18 ) 125 = *flavescens*.  
 697<sup>2</sup>. 1. prolifer, *Lam.* . . 147.—Afr. austr.; Ins. Mascar.  
*Pseudo-bromoides*, *Pseudo-giganteus*, *Pseudo-strigosus*, *Pseudo-vegetus*.  
 697<sup>3</sup>. *puncticulatus*, Aitch. in Journ. Linn. Soc. xix. (1882) 189 =  
*Renschii* (non Reinschii).  
 698<sup>1</sup>. a. *riparius*, Salisb. Prod. 30 = *pannonicus*.  
 698<sup>2</sup>. *scirpinus*, Salz. ex Steud. in Flora, xxxiii. (1850) 229, nomen; et Syn. Pl. Cyp. 108 =  
*Fimbristylis bahiensis*.  
 698<sup>3</sup>. 1. *soongoricus*, Kar. & Kir. . . = *difformis*.  
 a. *sparsiflorus*, Baldw. in Trans. Am. Phil. Soc. Philad. ii. (1825) 168 = *Mariscus glomeratus*.  
 699<sup>3</sup>. 1. *umbellatus*, Benth.  
 700<sup>2</sup>. 1. *Wolfii*, Wood, in Bull. Torrey Bot. Club, vi. (1876) 72; et in

**CYPHOMATTIA.**

- 701<sup>1</sup>. 1. *lanata*, Boiss. l. c. = *R. lanata*.

- 701<sup>2</sup>. a. *CYPRIPEDILUM*, Aschers. Fl. Brandenb. 700 (1864) = seq.

**CYPRIPEDIUM.**

- 701<sup>2</sup>. a. *Ainsworthii*, Reichb. f. in Gard. Chron. (1879) i. 748 = *Selenipedium Ainsworthii*.  
*albo-purpureum*, Reichb. f. (l. c.) (1877) ii. 38 = *Selenipedium albo-purpureum*.  
*Arthurianum* ×, Reichb. f. (l. c.) (1874) ii. 676.

PAG.

**CYPRIPEDIUM:—**

- 701<sup>2</sup>. a. *Ashburtoniae* ×, Reichb. f. (l. c.) (1871) 1647. f. 348.  
*calanthum* ×, Reichb. f. (l. c.) (1880) ii. 652.  
*calophyllum* ×, Reichb. f. (l. c.) (1881) i. 169.  
*calurum* ×, Reichb. f. (l. c.) 41; et T. Moore, Flor. & Pomol. (1884) 145, cum ic.  
*Chantini*, Hort.—Cf. Gard. Chron. (1882) ii. 750 = insigne.  
*chloroneurum* ×, Reichb. f. (l. c.) (1880) ii. 525.  
*conchiferum* ×, Reichb. f. (l. c.) (1881) i. 330.  
*Crossianum* ×, Reichb. f. (l. c.) (1873) 877.  
*Dauthieri* ×, Reichb. f. (l. c.) (1882) i. 218, nomen; Kittel, in Berl. Garten-Zeit. (1885) 272, 273 = *Harrisianum*.  
*Dominianum*, Reichb. f. (l. c.) (1870) 1181 = *Selenipedium Dominicanum*.  
*discolor* ×, Reichb. f. (l. c.) (1882) i. 218.  
*elatum*, Poit. ex Perr. in Mém. Soc. Linn. Par. iii. (1825) (Quid ?).—Guian.  
*euryandrum* ×, Reichb. f. (l. c.) (1875) ii. 772.  
 701<sup>3</sup>. *gemmiferum* ×, Reichb. f. (l. c.) (1881) i. 814.  
*Godefroyae*, Hort. ex Godefr.-Lebeuf, Orchidoph. (1883) 830, cum ic.—Malaya.  
 1. *hirsutum*, Mill. . . 3 = *pubescens*.  
*humile*, *Salisb.* . . (1791).  
 a. *Leeanum* ×, Reichb. f. in Gard. Chron. (1884) i. 50, 140.  
*leucorrhodum* ×, Reichb. f. (l. c.) (1885) i. 270.  
*lucidum* ×, Reichb. f. (l. c.) (1877) ii. 521.  
*macropterum* ×, Reichb. f. (l. c.) (1882) ii. 552.  
*marmorophyllum* ×, Reichb. f. (l. c.) (1876) ii. 130.  
*Maulei*, Hort.—Cf. Gard. Chron. (1882) ii. 750 = insigne.  
*Meirax* ×, Reichb. f. (l. c.) (1880) ii. 524.  
*melanophthalmum* ×, Reichb. f. (l. c.) 525.  
*Morganiae* ×, Reichb. f. (l. c.) (1880) ii. 184.  
*nitens* ×, Reichb. f. (l. c.) (1878) i. 398.  
 1. *palmifolium*, Lindl. . . 527 = *Selenipedium palmifolium*.  
*paulistanum*, Rodrig. . . 263 = *Selenipedium vitatum*.  
 a. *porphyreum* ×, Reichb. f. in Gard. Chron. (1878) i. 366 = *Selenipedium porphyrium*.  
*porphyrospilum* ×, Reichb. f. (l. c.) (1879) ii. 489.  
*pycnopterum* ×, Reichb. f. (l. c.) (1876) i. 622.  
*radiosum* ×, Reichb. f. (l. c.) (1885) ii. 424 (*radissum*).  
*Reichenbachii*, Bull. Cat. n. 48 (1869–70) 4 = *Selenipedium longifolium*.  
 702<sup>1</sup>. *Sedeni*, Reichb. f. in Gard. Chron. (1873) 1431 = *Selenipedium Sedeni*.  
*selligerum* ×, [Reichb. f.] in Rev. Hort. (1877) 88; Gard. Chron. (1880) i. 776.  
*stenophyllum*, Reichb. f. in Gard. Chron. (1876) i. 461 = *Selenipedium stenophyllum*.  
*superciliare* ×, Reichb. f. (l. c.) ii. 795.  
*Swanianum* ×, Reichb. f. (l. c.) (1876) ii. 36.  
*tessellatum* ×, Reichb. f. (l. c.) (1875) ii. 614.  
*vernixium* ×, Reichb. f. (l. c.) (1879) i. 398.  
*vexillarium* ×, Reichb. f. (l. c.) (1870) 1373.  
*Williamsonianum* ×, Reichb. f. (l. c.) (1882) i. 218.  
 702<sup>1</sup>. post CYRBASIUM pone  
 CYRETHRUM, Boiss. Diagn. Ser. I. xi. 25 (1879), err. typ. = PYRETHRUM, Hall. = *Chrysanthemum*, Tourn. (Compos.).

**CYRTANTHUS.**

- 704<sup>1</sup>. 1. *sanguineus*, Walp.  
*striatus*, Herb. . . t. 2534.

**CYRTOPODIUM.**

- 705<sup>1</sup>. 1. *plantagineum*, Benth.

**CYSTACANTHUS.**

- 705<sup>2</sup>. 1. *turgidus*, Nichols.

- 705<sup>3</sup>. 1. CYSTOGYNE, Gasp. Nov. Gen. Fici (1844); et Ricerch.  
*leucosticta*, Gasp. ll. cc.

PAG.

**CYTINUS.**

- 706<sup>1</sup>. 1. *HYPOCISTIS*, [Tourn.] Adans.

**CYTISUS.**

- 706<sup>2</sup>. 1. *cinereus*, Vis. Fl. Dalmat. iii. 270, in obs.; Vukot.  
 707<sup>1</sup>. 1. *Laburnum*, Linn. . . = *Laburnum anagyroides*.  
 a. *longissimus*, Hoffm. *Preisverz.* (1841) 83.  
 —Cf. *Linnaea*, xvi. (1841) *Litt.* 276.—Hab. ?  
 708<sup>1</sup>. 1. *Weldenii*, Vis. . . = *Petteria ramentacea*.  
*virgatus*, Steud. Nom. ed. II. i. 478 = *grandiflorus*.

**CZACKIA.**

- 708<sup>1</sup>. a. *liliflora*, Montand. Guide Bot. 316 = *P. Liliastrum*.

- 708<sup>2</sup>. post DACTIPHYLLUM pone

DACTYLADENIA, Welw. Apont. 572 [1859] = *Griffonia*, Hook. f. (1865) (Rosac.).  
*floribunda*, Welw. l. c. = *G. Bellayana*.

- 708<sup>3</sup>. 1. DACTYLANTHERA, Welw. . . [1859] = *Symphonia*, Linn. f. ? (Guttif.) (*vel* *Garcinia punctata*, Oliver).

- 708<sup>3</sup>. a. DACTYLETHRIA, Ehrh. Beitr. iv. (1789) 148 = *Digitalis*, Tourn. (Scrophul.).

**DACTYLIS.**

- 708<sup>3</sup>. a. *disticha*, Ball, in Ann. & Mag. Nat. Hist. xi. (1843) 348 = *Wangenheimia disticha*.

**DAEDALACANTHUS.**

- 709<sup>3</sup>. a. UPUDALIA, Rafin. Fl. Tellur. iv. 66 (1836), nomen prius.

**DAEMIA.**

- 709<sup>3</sup>. 1. *aethiopica*, Decne. . . 544 = *extensa*.  
*guineensis*, G. Don, . . . = *extensa*.  
*Kempeana*, F. Muell. . . 94 = *Pentatropis Kempeana*.  
*scandens*, G. Don, . . . 94 = *extensa*.

**DAEMONORHOPS.**

- 710<sup>1</sup>. a. *plumosus*, Hort. Bull.—Cf. Gard. Chron. (1870) 1086. f. 206 (an *Sagus* sp. ?).—Hab. ?

**DAHLIA.**

- 710<sup>2</sup>. a. *lutea*, Hort.—Cf. Gard. Chron. (1879) ii. 521. f. 83.—Hab. ?

**DAIS.**

- 710<sup>2</sup>. 1. *disperma*, Forst. f. . . 33 = *Phaleria disperma*.  
*octandra*, Linn. . . 2 = *Phaleria octandra*.

**DALBERGIA.**

- 711<sup>3</sup>. 1. *Thomsoni*, Benth.

**DALEA.**

- 712<sup>1</sup>. 1. *aurea*, [Nutt. in] Fras. Cat. (1813) n. 29, nomen; et ex ej.  
 712<sup>2</sup>. *enneandra*, [Nutt. in] (l. c.) n. 30; et ex

**DALRYMPELEA.**

- 714<sup>1</sup>. a. *nepalensis*, Royle, Illustr. Bot. Himal. 166 = *T. pomifera* ?

**DAMMARA, Rumph.**

- 714<sup>2</sup>. a. *Brownii*, Hort. Angl. ex Lem. Illustr. Hort. ii. (1855) Misc. 60 = *A. australis* ?

**DANTHONIA.**

- 715<sup>3</sup>. 1. *flaccida*, T. Kirk, . . . 224 = *Agrostis avenoides*.  
 716<sup>2</sup>. 1. *Thouarsii*, Nees, . . . 337 = *tortuosa*.  
*Thuarii*, Desv. . . 99 = *praec.*

**DAPHNE.**

- 716<sup>3</sup>. d. GASTRILIA, Rafin. (*nunc* *Thymelaea*).  
 a. *canescens*, Wikstr. in Vet. Akad. Handl. Stockh. (1818) 308 = *Thymelaea canescens*.  
 717<sup>1</sup>. 1. *euphorbioides*, Pusch. ex Wikstr. (l. c.) 307  
 717<sup>2</sup>. *osyroides*, Vahl, ex Wikstr. (l. c.) 328  
 a. *pubescens*, Roehl. Deutschl. Fl. ed. II. ii. 247 = *alpina* ?  
 717<sup>3</sup>. *tinctoria*, Wikstr. (l. c.) 308 = *Passerina tinctoria*.

**DAPHNIDIUM.**

- 717<sup>3</sup>. 1. *bibracteatum*, Nees, . . . 615 = *Litsaea tenuiramis* ?



- PAG. **DASISTOMA.**  
719<sup>1</sup>. a. *flava*, Wood, Class-Book (1861), 529 = G. *flava*.  
*grandiflora*, Wood, Am. Bot. & Flor. 231 =  
G. *grandiflora*, Benth.
- 719<sup>3</sup>. 1. **DATISCA**, Linn.  
a. **CANNABINA**, Tourn. ex Linn. Amoen. Acad.  
i. 415 (1749).
- DATURA.**  
720<sup>1</sup>. 1. *dubia*, Bianca, in Atti Acc. Gioen. Ser. II. i.  
(1844) 330; et
- DAUCUS.**  
720<sup>2</sup>. a. **POMELIA**, Durando, ex Pomel, Mat. Fl. Atl.  
7 (1860).
- DECAISNEA.**  
722<sup>3</sup>. a. **SLACKIA**, Griff. Itin. Notes, 187 (1848).
- DECAISNEA**, Lindl.  
722<sup>3</sup>. 1. *angulosa*, Lindl. l. c. = T. *angulosa*.
- 723<sup>1</sup>. post **DECALOPHIUM** pone  
**DECAMERIA**, Welw. Apont. 579, in obs.  
[1859] = **Gardenia**, Ellis (Rubiaceae).  
*Jovis-tonantis*, Welw. l. c. = G. *Jovis-tonantis*.
- DECANEURUM.**  
723<sup>1</sup>. 1. *frutescens*, DC. l. c. 66.—Java.
- DELPHINIUM.**  
725<sup>2</sup>. a. *Actaea*, Royle, Illustr. Bot. Himal. 452 (Index),  
sphalm., nomen delendum.  
725<sup>3</sup>. *distichum*, Geyer, ex Hook. Lond. Journ. Bot.  
vi. (1847) 68.—Am. bor. occ.  
726<sup>1</sup>. 1. *flammeum*, Kellogg, . . . 22 = *cardinale*.
- DEMAZERIA.**  
727<sup>1</sup>. a. *tuberculosa*, Battand. & Trab. Fl. Algér. (1884)  
100.—Alger.
- 727<sup>2</sup>. 1. **DENDRIUM**, Desv. . . . iii. (1814)
- DENDROBIUM.**  
727<sup>3</sup>. 1. *alpestre*, Lindl. in Royle, . . . 370. t. 88. f. 2.  
728<sup>3</sup>. a. *denudatum*, Royle, Illustr. Bot. Himal. 371,  
sphalm. = *denudans*.  
729<sup>1</sup>. *grandiflorum*, Sw. Adnot. Bot. 54 = *Stanhopea*  
*Bucephalus*.
- DENDROMECON.**  
732<sup>2</sup>. 1. *Harfordii*, Kellogg, . . . 102 = *rigidum*.
- DENDROPTHOË.**  
733<sup>1</sup>. 1. *verticillata*, Scheff. . . . 27 = L. *verticillatus*,  
Benth. & Hook. f.
- DENDROPTHORA.**  
733<sup>1</sup>. a. *squamigera*, Benth. & Hook. f. Gen. iii. 214 =  
*Phoradendron squamigerum*.
- DEROEMERA.**  
734<sup>2</sup>. a. *unifolia*, Reichb. f. in Bonplandia, iii. (1855)  
213.—Abyss.
- DERRIS.**  
734<sup>2</sup>. a. **NOTHODERRIS**, Blume, ex Miq. Fl. Ind. Bat. i.  
i. 148 (1855).  
734<sup>3</sup>. *nobilis*, Welw. ex Baker, in Oliver, Fl. Trop.  
Afr. ii. 245.—Afr. trop.  
*oblonga*, Hance, in Journ. Bot. xvii. (1879)  
10.—China.
- DESCHAMPSIA.**  
735<sup>1</sup>. 1. *grandis*, Bess. . . . = *caespitosa*.  
*montana*, Parl. . . . = *caespitosa*.  
735<sup>2</sup>. a. *versicolor*, Arv. Ess. Pl. Dauph. 68 = *caespitosa*.  
1. *Wahlenbergiana*, Scheele, l. c. = *caespitosa*.
- DESMANTHUS.**  
735<sup>2</sup>. a. **ACUAN**, Medic. Theod. 62 (1786).  
*flavescens*, Steud. Nom. ed. II. ii. 418, sphalm.  
(= *Desmochaete flavescens*) = *Pupalia lap-*  
*pacea*.  
735<sup>3</sup>. 1. **DESMAZERIA**, . . . = **Demazeria**,
- DESMODIUM.**  
736<sup>1</sup>. d. **HETEROLOMA**, Desv. (*nunc Adesmia*).
- PAG. **DESMODIUM.**  
736<sup>3</sup>. 1. *diffusum*, DC. in Ann. Sc. Nat. Sér. I. iv. (1825)  
100; et Prod. ii. 335 = *laxiflorum*.  
*diffusum*, DC. Prod. ii. 336.—Ind. or.; Burma.  
737<sup>1</sup>. a. *heterocarpum*, Endl. in Ann. Wien. Mus. i.  
(1836) 185.—Ins. Societ.  
*lagopodioides*, Endl. (l. c.).—N. Caled.  
737<sup>2</sup>. 1. *macrophyllum*, Desv. . . . nomen; et in Mém.  
Linn. Soc. Par. iv. (1826) 306.—Ind. or.  
737<sup>3</sup>. a. *peripterum*, Zipp. ex Miq. Fl. Ind. Bat. i. i. 172  
= *Pseudarthria viscida*.
- DESMONCUS.**  
738<sup>3</sup>. a. *macrantha*, im Thurn, in Timehri, iii. (1884)  
259, sphalm. = seq.
- DEUTZIA.**  
739<sup>3</sup>. a. *californica*, Hort. ex Carr. in Rev. Hort. (1866)  
339 = *Philadelphus Gordonianus*.
- DEYEUXIA.**  
740<sup>3</sup>. a. *Royleana*, Trimen, Syst. Cat. Pl. Ceyl. 108.—  
Ind. or.
- DIANELLA.**  
741<sup>3</sup>. 1. *RHUACOPHILA*, Blume, . . . (1827).  
a. *philippensis*, Perr. in Mém. Soc. Linn. Par. iii.  
(1825) 112 (Quid ?).—Ins. Philipp.
- DIANTHERA.**  
741<sup>3</sup>. a. **JUNGIA**, Boehm. in Ludw. Def. Gen. Pl. 92  
(1760).  
742<sup>1</sup>. *ensiformis*, Wood, Am. Bot. Flor. 234 = *crassi-*  
*folia*.  
*humilis*, Wood, (l. c.) 235 = *ovata*.
- DIANTHUS.**  
744<sup>1</sup>. 1. *Faurei*, Arv. Monog. Pilos. 49; et in.  
745<sup>1</sup>. *obcordatus*, Reut. . . . 281 = *Tunica glumacea*.  
*Oreades*, Ball,  
745<sup>2</sup>. *ponticus*, Wahlenb. in Bergg. Resor. ii. Bihang,  
29; et in Isis,  
745<sup>3</sup>. *pusillus*, F. W. Schmidt, . . . (1790).  
a. *saxatilis*, F. W. Schmidt, in Neue Abb. Boehm.  
Ges. i. (1790) 28 (Quid ?).—Europ.  
746<sup>1</sup>. *splendidissimus*, Hoffmgg. Nachtr. Preisverz.  
(1842) 27.—Cf. Linnaea, xvi. (1842) Litt. 280  
= *barbatus*.  
746<sup>2</sup>. 1. **DIAPEDIUM**, Kon. in Kon. & Sims, Ann.  
Bot. ii. (1805) 189 = *Dicliptera*, Juss.  
(Acanth.).  
a. *chinense*, Kon. l. c. = *Dicl. chinensis*.  
*cuspidatum*, Kon. l. c. = *Dicl. micranthes*.  
*frondosum*, Kon. l. c. = *Dicl. frondosa*.  
*martinicense*, Kon. l. c. = *Dicl. martinicensis*.  
*pubescens*, Kon. l. c. = *Dicl. pubescens*.
- DIASTEMA.**  
747<sup>1</sup>. 1. *caracasana*, Klotzsch & Hanst. l. c. xxvii.  
(1854) 720; et
- DICERATELLA.**  
748<sup>1</sup>. 1. *floccosa*, Boiss.
- 748<sup>2</sup>. 1. **DICEROS**, Blume, Bijdr. 751
- DICHOSTYLIS.**  
750<sup>1</sup>. a. *Torresiana*, Gaudich. in Freyc. Voy. Bot. 413 =  
*Fimbristylis globosa*.  
750<sup>2</sup>. 1. **DICHROLEPIS**, Welw. . . . [1859] (an  
*Eriocaulon*? Linn.).
- DICHROMENA.**  
751<sup>1</sup>. a. *Reverchoni*, S. H. Wright, in Bull. Torrey Bot.  
Club, ix. (1882) 86.—Texas.
- 753<sup>2</sup>. a. **DICROCEPHALA**, Royle, Illustr. Bot. Himal.  
249 (1835), sphalm. = **Dichrocephala**,  
L'Hérit. (Compos.).
- DICTAMNUS.**  
753<sup>2</sup>. a. *altaica*, Fisch. ex Royle, Illustr. Bot. Himal. 156  
= D. *Fraxinella*.
- DICTYOCARYUM.**  
753<sup>3</sup>. 1. *Wallisii*, Hort. Bull. ex Seem. in Gard. Chron.  
(1870) 698;
- PAG. 755<sup>1</sup>. 1. **DIDYMELES**, Thou. . . .—Cf. Benth. &  
Hook. f. iii. 397.
- DIDYMOCARPUS.**  
755<sup>3</sup>. a. *venosus*, Royle, Illustr. Bot. Himal. 294 (Quid ?).  
—Reg. Himal.
- DIDYMOSPERMA.**  
756<sup>1</sup>. a. *distichum*, Hook. f. in Kew Gard. Rep. 1882  
(1884), 61.—Reg. Himal.
- 756<sup>3</sup>. lin. 1<sup>ma</sup> 1. **DIEFFENBACHIA.**  
*nobilis*, Hort. Bull. ex Cogn. & March. in  
Dallière, Pl. Ornament. i. (1873) t. 4;
- DIERVILLA.**  
757<sup>1</sup>. 1. *rosea*, Planch. in Fl. des Serres, ix. (1854) 247,  
in obs.; Mast.
- DIGITALIS.**  
757<sup>2</sup>. a. **DACTYLETHRIA**, Ehrh. Beitr. iv. 148 (1789).
- DIGITARIA.**  
758<sup>3</sup>. a. *sanguinalis*, Royle, Illustr. Bot. Himal. 418,  
sphalm. = P. *sanguinale*.
- DIMACRIA.**  
760<sup>1</sup>. 1. *fulgens*, Colv. ex Sweet, Hort. Brit. ed. I. 77;
- DIMORPHOSTACHYS.**  
761<sup>1</sup>. 1. *Drummondii*, Fourn. . . . l. c. = *Paspalum*  
*lentiginosum*.  
761<sup>1</sup>. 1. **DINEBA**, Beauv. . . . = *Dinebra*, Jacq.  
(Gramin.).
- DIODIA.**  
762<sup>1</sup>. 1. *simplex*, Sw. . . . 29 = *Spermacoe simplex*.
- 762<sup>2</sup>. post **DIODIAM**, pone  
**DIODIOIDES**, Loefl. It. Hisp. 201 (1758) =  
*Spermacoe*, Dill. (Rubiaceae).
- DIOSCOREA.**  
763<sup>3</sup>. a. *illustrata*, Bull. Cat. (1873) 6; Gard. Chron.  
(1873) 1730, 1731.—Bras.  
764<sup>2</sup>. *sagittata*, Royle, Illustr. Bot. Himal. 378, 379 =  
*glabra*.  
766<sup>3</sup>. a. **DIOSPERMUM**, Hook. f. Fl. Brit. Ind. iii. 227,  
228 (1881), err. typ. = *Oiospermum*, Less.  
(Compos.).
- DIOSPYROS.**  
766<sup>2</sup>. a. *amara*, Perr. in Mém. Soc. Linn. Par. iii. (1825)  
112 (Quid ?).—China.  
767<sup>2</sup>. 1. *mabacea*, F. Muell.  
767<sup>3</sup>. *nigra*, Perr. (ut supra) 113; Blanco,
- DIPHOLIS.**  
769<sup>2</sup>. a. **SPONDOGONA**, Rafin. Sylva Tellur. 35 (1838).
- DIPLADENIA.**  
770<sup>1</sup>. a. **HOMALADENIA**, Miers, Apocyn. S. Am. 163  
(1878).
- DIPLOCHONIUM.**  
771<sup>1</sup>. 1. = **Trianthema**, Sauv.  
a. *uvarioides*, Edgew. in Trans. Linn. Soc. vi.  
(1862) 204, sphalm. = T. *hyaspica*.
- 773<sup>1</sup>. 1. **DIPLOPYRAMIS**, Welw. Apont. 591 [1859] =  
*Oxygonum*, Burch. (Polygon.).  
*aethiopica*, Welw. l. c. (= *Ceratogonon atripli-*  
*cifolium*).—Afr. trop.
- 773<sup>1</sup>. insere **DIPLORRHIZA**, Ehrh. Beitr. iv. (1789)  
147 = *Habenaria*, Willd. (Orchid.).
- DIPILOTAXIS.**  
773<sup>3</sup>. 1. *Barrelieri*, DC.
- DIPSACUS.**  
775<sup>1</sup>. a. **TRICHOCEPHALUM**, Schur, Enum. Pl. Transs.  
293 (1866).  
*fallax* ×, Simk. in Termész. Füzetek, ii. (1878)  
150.—Europ.  
*levis*, Royle, Illustr. Bot. Himal. 245, nomen  
(Quid ?).—Ind. or.
- DISCARIA.**  
778<sup>2</sup>. 1. *articulata*, Miers, . . . errat. = *Retanilla*  
*articulata*.

PAG.

## DISEMMA.

- 779<sup>3</sup>. 1. *caerulescens*, Seem. . . . 366.—Ins. Amicor.

## DISSORHYNCHIUM.

- 781<sup>1</sup>. 1. *muricatum*, Schau. l. c. = *H. muricata*, Vidal.

## DISSOTIS.

- 781<sup>1</sup>. a. *HEDUSA*, Rafin. Sylva Tellur. 101 (1838).  
KADALIA, Rafin. (l. c.) (1838).

## DISTEGANTHUS.

- 781<sup>2</sup>. a. *Morrenianus*, Linden, ex Linden & André, in Illustr. Hort. (1874) 120 = *Ronnbergia Morreniana*.

- 784<sup>1</sup>. a. *DODONAEA*, Boehm. in Ludw. Def. Gen. Pl. 212 (1760) = *Ptelea*, Linn. (Rutac.).

## DOLICHANDRA.

- 785<sup>1</sup>. 1. *cynanchoides*, Cham. l. c. 658 = *M. Dolichandra*.  
a. *Fenzliana*, Miq. in Linnaea, xviii. (1844) 251 = *Spathodea Fenzliana*.

## DOLICHLASIUM.

- 785<sup>1</sup>. 1. *glanduliferum*, Lag. . . . = *T. glandulifera*.

## DOLICHOS.

- 785<sup>3</sup>. a. *decipiens*, Burch. ex Harv. & Sond. Fl. Cap. ii. 241 = *Vigna triloba*.

## DOMBEYA.

- 787<sup>3</sup>. 1. *HILSENBERGIA*, Boj. in Rapp. Soc. Hist. Nat. Maurice, xii. (1841) 44; et in  
a. Boivini, Baill. in Bull. Soc. Linn. Par. i. (1885) 496.—Madag.  
1. *cannabina*, Hilsenb. & Boj. in Rapp. Soc. Hist. Nat. Maurice, xii. (1841) 45.—Madag.  
a. *crassipes*, Baill. l. c. 495.—Madag.  
1. *elliptica*, Boj. (ut supra) 46; et in  
erythroclada, Boj. ll. cc. 47; 191.  
hirsuta, Boj. (ut supra) 46; et in  
modesta, Hook. . . . t. 4578.—Madag.  
788<sup>1</sup>. a. *opulifolia*, Boj. (l. c.) 49 = *viburniflora*.  
1. *platanifolia*, Boj. (l. c.) 46; et in  
Pseudo-populus, Baill.  
a. Richardi, Baill. in Bull. Soc. Linn. Par. i. (1885) 500.—Madag.  
1. *spectabilis*, Boj. (ut supra) 46; et in  
a. Thoursii, Baill. (l. c.)—Madag.  
1. *triumfettaefolia*, Boj. (l. c.) 47; et in  
a. *viburniflora*, Boj. (l. c.) 47; et in  
788<sup>1</sup>. 1. *DOMBEYA*, L'Hérit. . . . = *Tourretia*, Fouger.  
*lappacea*, L'Hérit. l. c. = *T. volubilis*.

## DONATIA.

- 788<sup>2</sup>. a. *ORITES*, Banks & Soland. ex Hook. f. Fl. Antarct. 282 (1847).

## DOODIA.

- 789<sup>1</sup>. 1. *simplicifolia*, Roxb. l. c. 366 = *U. prunellae-folia*?

## DOREMA.

- 789<sup>2</sup>. a. *XANTHOALUM*, Avé-Lall. in Fisch. & Mey. Ind. Sem. Hort. Petrop. viii. 73 (1842).

## DORIA.

- 789<sup>3</sup>. 1. *nodulosa*, Sch.-Bip. in Flora, xxvii. (1844) 769, sphalm. = *O. perfoliata*.  
*ramosa*, DC. . . . 472 = *O. ramosa*.  
a. *undulata*, DC. Prod. vi. 483, sphalm. = *undulosa*.

## DORSTENIA.

- 790<sup>3</sup>. 1. *Barnimiana*, Schweinf.  
791<sup>1</sup>. a. *rugosa*, Banks & Soland. ex A. Cunn. in Ann. Nat. Hist. Ser. I. i. (1839) 215 = *Elatostema rugosum*.

## DORYCNIMUM.

- 791<sup>2</sup>. a. *ORTHOLOTUS*, Fourr. in Ann. Soc. Linn. Lyon, N. S. xvi. (1868) 363.

## DRACAENA.

- 795<sup>2</sup>. a. *amabilis* x, Hort.—Cf. Gard. Chron. (1871) 841; Flor. & Pomol. (1874) 75.  
*aurantiaca* x, T. Moore, in Gard. Chron. (1876) i. 689.  
*Baptistii* x, Hort. ex Gard. Chron. (1874) i. 92; Flor. & Pomol. (1875) 52.

VOL. II.

PAG.

## DRACAENA:—

- 795<sup>2</sup>. a. *Chelsoni*, Veitch.—Cf. Gard. Chron. (1868) 349 = *Cordylina terminalis*.  
*cuprea* x, T. Moore, in Gard. Chron. (1876) i. 690.  
795<sup>3</sup>. *Goldieana* x, Hort. Bull. ex Flor. & Pomol. (1873) 187.—Afr. trop.  
*Hendersoni* x, Veitch.—Cf. Gard. Chron. (1874) i. 531; Flor. & Pomol. (1875) 53.  
*hybrida* x, Hort.—Cf. Gard. Chron. (1875) i. 551; Flor. & Pomol. (1876) 17.  
*jaspidea* x, Linden, Cat. n. 93 (1875) 37.  
796<sup>1</sup>. *lentiginosa* x, Hort.—Cf. Gard. Chron. (1867) 461; Illustr. Hort. (1870) 179.  
*Lindeni* x, Hort. Linden, ex André, in Illustr. Hort. xxvii. (1880) 85. t. 384.  
*Macleani*, Hort. ex Regel, Gartenfl. (1871) 149 = *Cordylina terminalis*.  
*Massangeana*, Hort. ex E. Morr. in Belg. Hort. x xi. (1881) 327 = *fragrans*.  
*metallica*, Bull. Cat. (1872) 5; Flor. Mag. N. S. (1872) t. 24 = *Cordylina terminalis*.  
*Reginae* x, Hort.—Cf. Gard. Chron. (1868) 26; T. Moore, in Flor. & Pomol. (1872) 63.  
*Regis* x, André, in Illustr. Hort. xxvi. (1879) 153. t. 360.  
*Salviati* x, Linden, Cat. n. 93 (1875) 37.  
796<sup>2</sup>. a. *serrulata*, Perr. in Mém. Soc. Linn. Par. iii. (1825) 113 = *angustifolia*?  
*Thomsoni* x, Hort.—Cf. Gard. Chron. (1880) ii. 656, 690; T. Moore, in Flor. Mag. N. S. (1881) t. 441.

## DRACOCEPHALUM.

- 796<sup>3</sup>. a. *cuspidatum*, [Nutt. in] Fras. Cat. (1813) n. 28, nomen (Quid?).—Am. bor.  
797<sup>1</sup>. *punctatum*, Steud. Nom. ed. II. ii. 153, in syn. sphalm. = *D. Moldavica*.

## DRACOPHYLLUM.

- 797<sup>3</sup>. 1. *cosmelioides*, Panch. . . . 156 = *gracile*.  
d. *gracile*, Brongn. & Gris, etc.  
a. *rosmariniforme*, R. Cunn. ex A. Cunn. in Ann. Nat. Hist. Ser. I. ii. (1839) 49 = *Urvilleanum*.

## DRACUNCULUS.

- 797<sup>3</sup>. a. *paludosus*, Montand. Guide Bot. 309 = *Calla palustris*.

## DREPANOCARPUS.

- 798<sup>2</sup>. a. *lanatus*, Steud. Nom. ed. II. ii. 610, in syn. sphalm. = *seq.*

- 798<sup>3</sup>. 1. *DRIESSENIA*, . . . (1842?).  
*bulbosa*, Triana,

## DRIMYSPERMUM.

- 799<sup>2</sup>. 1. *Burmanni*, Decne. l. c. 40 = *P. octandra*.  
*Forsteri*, Meissn. l. c. = *P. disperma*.

## DROSERA.

- 800<sup>1</sup>. a. *muscipula*, Royle, Illustr. Bot. Himal. 75 = *peltata*.  
800<sup>2</sup>. 1. *peltata*, Sm. . . . 1546.—As. trop.; Austral.  
d. *peltata*, Wight & Arn.

## DRYANDRA.

- 801<sup>1</sup>. 1. *cordata*, Thunb. l. c. = *A. cordata*.  
801<sup>2</sup>. *oleifera*, Lam. . . . = *Aleurites cordata*.  
*Vernicia*, Correa, . . . = *A. cordata*.  
a. *verrucosa*, Royle, Illustr. Bot. Himal. 328, 452 = *A. cordata*.

## DRYMARIA.

- 801<sup>2</sup>. 1. *diandra*, Blume, Bijdr. 62.—Malaya?

## DRYMOPHLOEUS.

- 802<sup>1</sup>. 1. *punicus*, Becc.

## DRYPETES.

- 802<sup>2</sup>. 1. *bengalensis*, Spreng. . . . = *Fluggea microcarpa*.  
*crocea*, Poit. ex Spreng. Syst. iii. 902 = *Xylosma nitidum*.  
*crocea*, Poit. in Mém. . . . t. 8; Muell. Arg. in DC. Prod. xv. ii. 456.—Ind. occ.  
a. *laevigata*, Griseb. ex Eggers, Fl. St. Croix, (1879) 90 = *Gymnanthes polyandra*.

## DUBOISIA.

- 802<sup>3</sup>. 1. *Hopwoodii*, F. Muell. Fragm. x. 20.

PAG.

## DUBRUEILIA.

- 802<sup>3</sup>. 1. *microphylla*, Gaudich. . . . = *P. muscosa*.

## DUFOUREA.

- 803<sup>2</sup>. 1. *glabra*, H. B. & K.  
a. *velutina*, Mart. & Gal. in Bull. Acad. Brux. xii. ii. (1845) 259.—Mexic.

## DUHAMELIA.

- 803<sup>3</sup>. a. *pauciflora*, Humb. & Bonpl. ex Roem. & Schult. Syst. v. 267 = *H. ventricosa*.

- 803<sup>3</sup>. 1. *DUNALIA*, R. Br. in Salt, Abyss. App. 64 (1814) =

## DYPISIS.

- 805<sup>3</sup>. 1. *nodifera*, Mart. l. c. 312 = *Phloga polystachia*.

## DYSODIA.

- 805<sup>3</sup>. a. *chrysanthemifolia*, Steud. Nom. ed. II. ii. 660, in syn. sphalm. = *seq.*  
1. *grandiflora*, DC.

## DYSOXYLUM.

- 806<sup>2</sup>. 1. *Blancoi*, Vidal,

## EBERMAIERA.

- 808<sup>1</sup>. 1. *nitida*, S. Moore, in Gard. Chron.

- 808<sup>2</sup>. 1. *ECCOILOPUS*, Steud. . . . = *Miscanthus*, Anderss.  
*andropogonoides*, . . . = *M. cotulifer*.

## ECHINACEA.

- 809<sup>3</sup>. a. *Porteri*, Wood, Am. Bot. & Flor. [445], in Add. —Am. bor.

## ECHINOCACTUS.

- 812<sup>2</sup>. 1. *rinconensis*, Poselg. in Otto & Dietr. Allg. Gartenz. xxiii. (1855) 18.—  
a. *rufispinus*, Bertol. in Ann. Stor. Nat. iii. (1830) 223 = *Melocactus rufispinus*.  
1. *Sickmanni*, [Lehm.] Del. Sem. Hort. Hamb. (1837); ex Linnaea, xii. (1838) Litt. 83. —Am. austr.  
812<sup>3</sup>. *tubiflorus*, Hort. Angl.

## ECHINOCHLOA.

- 813<sup>3</sup>. a. *aristata*, Rasp. in Ann. Sc. Nat. Sér. I. v. (1825) 299 = *P. aristatum*?  
*hispidula*, Nees, in Royle, Illustr. Bot. Himal. 416, 420 = *P. Crus-galli*.

## ECHINODORUS.

- 814<sup>1</sup>. a. *BALDELIA*, Parl. Nuov. Gen. e Spec. 57 (1854).

## ECHINOLOBium.

- 814<sup>2</sup>. a. *alpinum*, Desv. in Mém. Soc. Linn. Par. iv. (1826) 310 = *H. alpinum*.  
*argenteum*, Desv. l. c. 312 = *H. candidum*.  
*biarticulatum*, Desv. l. c. 310 = *Desmodium biarticulatum*.  
*carnosum*, Desv. l. c. 313 = *H. pallidum*.  
*caucasicum*, Desv. l. c. 312 = *H. obscurum*.  
*coronarium*, Desv. l. c. 313 = *H. coronarium*.  
*flexuosum*, Desv. l. c. = *H. flexuosum*.  
*fruticosum*, Desv. l. c. 311 = *H. fruticosum*.  
*humile*, Desv. l. c. 313 = *H. humile*.  
*incarnatum*, Desv. l. c. 311 = *H. incarnatum*.  
*nitidum*, Desv. l. c. 312 = *H. nitidum*.  
*obscurum*, Desv. l. c. 310 = *H. obscurum*.  
*pallidum*, Desv. l. c. 313 = *H. pallidum*.  
*sennoides*, Desv. l. c. = *Ormocarpum sennoides*.  
*spinosissimum*, Desv. l. c. = *H. spinosissimum*.  
*tauricum*, Desv. l. c. 311 = *H. tauricum*.  
*trichocarpum*, Desv. l. c. 312 = *H. trichocarpum*.  
*varium*, Desv. l. c. = *H. varium*.

## ECHINOSPERMUM.

- 816<sup>2</sup>. a. *HACKELIA*, Opiz, in Bercht. Oekon. Fl. Boehm. ii. 147 (1838).

- 816<sup>3</sup>. 1. *laevigatum*, Kar. & Kir.

## ECHITES.

- 817<sup>2</sup>. a. *RHAPTOCARPUS*, Miers, Apocyn. S. Am. 151 (1878).

1. *bicolor*, Mig.

- 817<sup>3</sup>. a. *Browni*, Griseb. Fl. Brit. W. Ind. 414 = *torulosa*.

- 818<sup>2</sup>. *guayaquilensis*, Miers, Apocyn. S. Am. 233.—Ecuador.

- 819<sup>1</sup>. 1. *nutans*, Anders. . . . *Haemadictyon*

- PAG. **ECHIUM.**  
820<sup>1</sup>. d. ISORIUM, Rafin. (*nunc Lobostemon*).
- EGLITES.**  
823<sup>1</sup>. a. *bellidifolia*, Steud. Nom. ed. II. ii. 420, in syn., sphalm. = praec.
- EHRETIA.**  
823<sup>1</sup>. a. LUTROSTYLIS, G. Don, Gen. Syst. iv. 391 (1837).  
824<sup>2</sup>. l. EICHLERIA, Hartog, ... = *Labourdonnaisia*, Boj. (Sapotac.).
- ELAEAGNUS.**  
825<sup>1</sup>. l. *edulis*, Siebold, ex Carr. in Rev. Hort. (1869) 300 = multiflora.  
a. *Ghuwacen*, Royle, Illustr. Bot. Himal. 323 = umbellata?  
l. *Perrottetii*, Schlecht. ... 613 = latifolia.  
a. *philippensis*, Perr. in Mém. Soc. Linn. Par. iii. (1825) 114 = latifolia.  
*Rhamnoides*, Royle, Illustr. Bot. Himal. 453 (Index) = *Hippophaë Rhamnoides*.
- ELAEIS.**  
825<sup>2</sup>. a. *guianensis*, Steud. Nom. ed. II. ii. 249, in syn., sphalm. = *guineensis*.
- ELAEOCARPUS.**  
825<sup>3</sup>. l. *ceylanicus*, Mast. in Hook. f. Fl. Brit. Ind. i. 406. — Zeylan.  
826<sup>3</sup>. l. ELAEOCHYTRIS, Fenzl, ... = *Ferula*, Tourn. (Umbell.).  
*cachroides*, Fenzl, ... = *F. Schlechtendalii*.  
*meifolia*, Fenzl, ... = *F. meifolia*.
- ELAEODENDRON.**  
826<sup>3</sup>. a. *dichotomum*, Royle, Illustr. Bot. Himal. 167 = glaucum.  
827<sup>1</sup>. l. *papillosa*, Hochst. ... 305 = capense.  
829<sup>1</sup>. l. ELECTRA, Panz. ... 1813 (1814)  
*calycina*, Panz. (l. c.), in obs. = *S. brevifolius*.
- ELEGIA.**  
829<sup>1</sup>. d. LAMPROCAULOS, Mast. (genus retinendum).
- ELEOCHARIS.**  
829<sup>3</sup>. a. TRICHOPHYLLUM, Ehrh. Beitr. iv. (1789) 147. *austro-caledonica*, Vieill. in Ann. Sc. Nat. Sér. IV. xvi. (1861) 38 = plantaginea.  
830<sup>3</sup>. l. *Robbinsii*, Oakes, in Hovey. Mag. Hort. vii.
- ELEUSINE.**  
832<sup>1</sup>. a. *brevifolia*, Wall. Cat. n. 3815. — Ind. or.  
l. *dura*, Lam. ... = *Sclerochloa dura*.  
832<sup>2</sup>. a. *Luco*, Welw. Apont. 591 = coracana.  
*stolonifera*, R. Br. ... 63, nomen. — Abyss.  
*textilis*, Welw. in Murray, Journ. Trav. (1858) i. 31 = indica.  
l. *verticillata*, Roxb. etc.
- ELISMA.**  
833<sup>1</sup>. a. NECTALISMA, Fourr. in Ann. Soc. Linn. Lyon, N. S. xvii. (1869) 156.
- ELLIOTTIA.**  
833<sup>2</sup>. a. *bracteata*, Benth. & Hook. f. Gen. ii. 598. — Japon.  
*paniculata*, Benth. & Hook. f. (l. c.) — Japon.
- ELLIPEIA.**  
833<sup>3</sup>. l. *ferruginea*, Hook. f. & Thoms. ... 52 = *Uvaria ferruginea*.  
Laha, Mig.
- ELODEA.**  
833<sup>3</sup>. a. *canadensis*, Fras. f. ex Spach, in Ann. Sc. Nat. Sér. II. v. (1836) 168 = *H. virginicum*.  
*petiolata*, Le Conte, ex Spach, (l. c.) 162 = *H. paludosum*.
- ELODEA.**  
834<sup>1</sup>. a. LUCHIA, Steud. Nom. ed. II. ii. 75 (1841).  
SERPICULA, Pursh, Fl. Am. Sept. i. 33 (1817).  
l. *granatensis*, Humb. & Bonpl.
- 834<sup>2</sup>. l. ELUTHERIA, P. Br. ... = *Trichilia*, P. Br. (Meliac.).

- PAG. **ELUTHERIA.**  
834<sup>2</sup>. a. *nobilis*, Triana & Planch. in Ann. Sc. Nat. Sér. V. xv. (1872) 376 = microphylla.
- ELYMUS.**  
834<sup>3</sup>. l. *dahuricus*, Turcz. ... ; et xxix. (1856) i. 61. — Dahuria.  
835<sup>1</sup>. *glaucus*, Regel, ... 585 = dasystachys.
- ELYNANTHUS.**  
835<sup>3</sup>. a. *punctorius*, Benth. & Hook. f. Gen. iii. 1064. — Afr. austr.
- EMBELIA.**  
836<sup>2</sup>. l. *abyssinica*, Baker, ... 497 = Schimper.
- ENCELIA.**  
838<sup>3</sup>. a. *procumbens*, Steud. Nom. ed. II. ii. 249, in syn. = parvifolia.
- ENCEPHALARTOS.**  
838<sup>3</sup>. l. *Acantha*, Mast. ... 810 = cycadifolius.
- 839<sup>1</sup>. l. ENCHIDIUM, Jack, ... 257 = *Trigonostemon*, Blume (1825).
- 839<sup>2</sup>. l. ENCHYSIA, Presl, ... = *Laurentia*, Michx.
- ENCLIANDRA.**  
839<sup>2</sup>. l. *parviflora*, Zucc. l. c. 337 = *F. Eucliandra*.
- ENDLIANDRA.**  
839<sup>3</sup>. a. *Ita-uba*, Benth. in Benth. & Hook. f. Gen. iii. 154. — Bras.  
*Navalium*, Benth. l. c. — Bras.
- 840<sup>1</sup>. l. ENDOGONIA, Lindl. ... = *Trigonotis*, Stev. (1851).
- ENGELHARDTIA.**  
841<sup>1</sup>. a. *aurifolia*, Steud. Nom. ed. II. ii. 412, sphalm. = praec.  
l. *Oreomunea*, C. DC.  
a. *Oreomunnea*, C. DC. in DC. Prod. xvi. ii. 142, err typ. = praec.
- 842<sup>2</sup>. l. ENULA, Caesalp. ex Boehm. in Ludw. Def. Gen. Pl. 184 (1760); Neck.
- EPACRIS.**  
842<sup>3</sup>. a. *incarnata*, Hoffm. Preisvers. ed. X. 81. — Cf. *Linnaea*, xvi. (1842) Litt. 274. — Hab.?
- EPICARPURUS.**  
844<sup>3</sup>. l. *microphyllus*, Raoul, ... 14 = *Paratrophis heterophylla*.
- EPIDENDRUM.**  
845<sup>1</sup>. a. LAELIOPSIS, Lindl. in Paxt. Flow. Gard. iii. (1852-53) 155. t. 105.  
845<sup>2</sup>. *anisatum*, Lindl. Fol. Orch. Epid. 55 = *Juergensenii*.  
846<sup>2</sup>. l. *cochleatum*, Curt. ... t. 152  
847<sup>3</sup>. a. *Juergensenii*, Reicheb. f. in Gard. Chron. (1880) ii. 524, in obs. — Mexic.
- 851<sup>2</sup>. l. EPIGYNIUM, Klotzsch, ... (1851).  
*Leschenaultii*, et *serratum* (etiam 1851).
- EPIGYNUM.**  
851<sup>3</sup>. l. LEGOUXIA, Heurck & Muell. Arg. in Heurck, Obs. Bot. 145 (1871).
- EPILOBIUM.**  
852<sup>2</sup>. a. *decussatum*, Royle, Illustr. Bot. Himal. 211, nomen (Quid?). — Reg. Himal.  
852<sup>3</sup>. l. *flaccidum*, Soland. ex A. Cunn. in Ann. Nat. Hist. Ser. I. iii. (1839) 32 =  
853<sup>1</sup>. *Herbertianum*, Royle, Illustr. Bot. Himal. 211, nomen (Quid?). — Reg. Himal.  
*heterophyllum*, Hegetsch. ... Beitr. Crit. Schw. 345 =  
a. *hybridum*, Arv. Ess. Pl. Dauph. 28 (Quid?). — Gallia.  
*hyssopifolium*, Arv. (l. c.) 29 (Quid?). — Gallia.  
*intermedium*, Bory, ex Thore, Promen. Gasc. 24 (Quid?). — Gallia.  
l. *intermedium*, Hegetsch. ... Beitr. Crit. Schw. 345 =  
a. *laeve*, Royle, Illustr. Bot. Himal. 211 = mon-  
tanum?

- PAG. **EPILOBIUM.** —  
853<sup>3</sup>. l. *pauciflorum*, Schrank, in Denkschr. Bot. Ges. Regensb. i. ii. (1818) 15 =  
a. *pendulum*, Soland. ex A. Cunn. in Ann. Nat. Hist. Ser. I. iii. (1839) 31 = nummularifolium.  
854<sup>1</sup>. l. *ramiflorum*, Hegetsch. ... Beitr. Crit. Schw. 345 =  
854<sup>2</sup>. a. *scutellariaefolium*, Arv. Ess. Pl. Dauph. 29 (Quid?). — Gallia.  
l. *tetragonum*, Aitch.  
854<sup>3</sup>. *thymifolium*, R. Cunn. ex A. Cunn. etc.
- EPIPACTIS.**  
855<sup>1</sup>. a. LIMONIAS, Ehrh. Beitr. iv. (1789) 147.  
l. *atorubens*, Roehl. Deutschl. Fl. ed. II. ii. 481; Schult.  
*babianifolia*, Roxb. ... nomen = *Pogonia babianifolia*.  
855<sup>2</sup>. a. *Gutta-sanguinis*, Arv. Ess. Pl. Dauph. 64 (Quid?). — Gallia.  
855<sup>3</sup>. *trinervia*, Roxb. ... 455 = *Pogonia trinervia*.  
l. *viridiflora*, Roehl. (l. c.); Reichb.
- EPIPHYLLUM.**  
856<sup>1</sup>. a. *cruentum*, Hort. — Cf. Flor. Mag. N. S. (1880) t. 413 = *Phyllocactus Ackermanni*.
- EPISCIA.**  
856<sup>3</sup>. l. *subacaulis*, Griseb. ... 462 = *Napeanthus subacaulis*.
- 856<sup>3</sup>. l. EPISIPHIS, Rafin. ... *Hypericum*, Tourn.
- EPISTEPHIUM.**  
856<sup>3</sup>. a. *Cruegeri*, Reichb. f. ex Griseb. Fl. Brit. W. Ind. 637 = parviflorum.  
l. *racemosum*, Rodrig. l. c. = sclerophyllum.
- ERAGROSTIS.**  
857<sup>2</sup>. a. *Amherstiana*, Nees, in Royle, Illustr. Bot. Himal. 417, nomen (Quid?). — Ind. or.  
l. *aurea*, Steud. in Flora, xxix. (1846) 20; et  
857<sup>3</sup>. *caudata*, Tourn. ... 573 = capillaris.  
*cuspidata*, Link. ... = Vahl.  
*elegantula*, Nees, in Royle, Illustr. Bot. Himal. 417 =  
858<sup>1</sup>. *Frankii*, Steud.  
*infirmia*, Steud.  
858<sup>2</sup>. *mexicana*, Link. ... 190 = capillaris.  
*mucronata*, Benth. & Hook. f. Gen. iii. 1187. — Ind. or.  
*nigra*, Nees, in Royle, Illustr. Bot. Himal. 417; et ex  
858<sup>3</sup>. *rhachitricha*, Hochst. ex Steud. Syn. Pl. Gram. 267 =  
859<sup>1</sup>. *rufescens*, Schult. Mant. ii. 319 = Vahl.  
*solida*, Nees, ... = Vahl.  
*spectabilis*, Steud. ... 564 = pectinacea?  
a. *thalassica*, Steud. Nom. ed. II. ii. 111, in. syn. = *Poa thalassica*.  
859<sup>2</sup>. l. *unioloides*, Nees, ... 264. — As. trop.
- ERANTHEMUM.**  
859<sup>2</sup>. d. UPUDALIA, Rafin. (*nunc Daedalacanthus*).
- ERECHTITES.**  
860<sup>3</sup>. l. *bathurstiana*, DC.
- EREMURUS.**  
862<sup>3</sup>. a. *soogdiana*, Benth. & Hook. f. Gen. iii. 787. — Sibir.
- ERIA.**  
864<sup>2</sup>. l. *vestita*, Lindl. ... 76
- ERIANTHUS.**  
865<sup>1</sup>. l. *versicolor*, Nees, in Royle, Illustr. Bot. Himal. 416, nomen; et ex  
a. *vulpinus*, Nees, (l. c.) 417, nomen (Quid?). — Reg. Himal.
- ERICA.**  
865<sup>1</sup>. a. ERICOIDES, Ludw. Def. Pl. 38 (1737); ed. II. 34 (1747).  
866<sup>1</sup>. *Burnettii* ×, Hort. ex Planch. in Fl. des Serres, viii. (1852-53) 261. t. 845.  
*Cavendishiana* ×, Paxt. Mag. Bot. xiii. (1847) 3.  
*Cavendishii* ×, Paxt. l. c. t. [2] = praec.  
867<sup>1</sup>. *Douglasiae* ×, T. Moore, in Moore & Ayres, Mag. Bot. iii. (1851) 9. t. [1] f. 1.

PAG.

- ERICA**.—  
 868<sup>3</sup>. *laxifolia*, Steud. Nom. ed. II. ii. 7, in syn., sphalm. = *taxifolia*.  
 869<sup>1</sup>. *Marnockiana* ×, T. Moore, (ut supra) f. 2. *minima*, Pritz. Ic. Ind. i. 417 = *hirtiflora*.  
 869<sup>2</sup>. *Murrayana* ×, Turnb. ex Paxt. Mag. Bot. xi. (1844) 77.  
*nigrescens*, Steud. Nom. ed. II. ii. 7, in syn. = *nigrita*.  
 870<sup>1</sup>. *pauciflora*, Steud. Nom. ed. II. ii. 656, in syn., sphalm. = *sacciflora*.  
 871<sup>2</sup>. *simulata* ×, T. Moore, (ut supra) f. 3. *Spenceriana* ×, Planch. in Fl. des Serres, xxii. (1877) 111. t. 2323.  
 873<sup>1</sup>. a. **ERICOIDES**, Ludw. Def. Pl. 38 (1737); ed. II. 34 (1747) = *Erica*, Tourn.

- ERIGERON**.  
 873<sup>3</sup>. 1. *asteroides*, Hort. Angl. . . . 324 = *glaucus*.  
 875<sup>2</sup>. *mixtus* ×, Arv. Add. Monog. Pilos. 19.—Cf.

- ERINUS**.  
 877<sup>1</sup>. a. *pulchellus*, *Jarosz*, Pl. Nov. Cap. 20.—Afr. austr.  
 1. *villosus*, Thunb. . . . = *Zaluzianskya Ben-thamiana*.

- ERIOBOTRYA**.  
 877<sup>1</sup>. a. *elliptica*, Hook. f. & Thoms. in Hook. f. Fl. Brit. Ind. ii. 370 = *petiolata*.

- ERIOCAULON**.  
 878<sup>2</sup>. a. *hexangulare*, Royle, Illustr. Bot. Himal. 409, sphalm. = *sexangulare*.  
 879<sup>1</sup>. 1. *nepalense*, *Presc. ex Bong.*  
 879<sup>2</sup>. *viride*, Koern. l. c. 637 = *nepalense*.  
*Wallichianum*, Mart. . . . 249 = *sexangulare*.  
 880<sup>1</sup>. d. *Wallichianum*, Thw.

- ERIOCHAETA**.  
 880<sup>1</sup>. 1. *densiflora, reversa, secundiflora*, Fig. & De Not. . . . (omnes) = *P. penicellatum*.

- ERIOPHORUM**.  
 882<sup>2</sup>. a. *Cannabina*, Royle, Illustr. Bot. Himal. 415 = *comosum*, *Spodiopogon angustifolius*.  
*depauperatum*, Arv. Ess. Pl. Dauph. 66 (Quid?). —Gallia.

- ERIOPHYLLUM**.  
 883<sup>1</sup>. 1. *multicaule*, A. Gray, . . . 24 = *Actinolepis multicaulis*.

- 883<sup>2</sup>. insere **ERIOPIUS**, Sch. Bip. ex Baker, in Mart. Fl. Bras. vi. III. 376 (1884) = *Trichocline*, Cass. (Compos.).  
*acaulis*, Sch. Bip. ex Baker, l. c. = *T. Eriopus*.

- ERIOSEMA**.  
 883<sup>3</sup>. 1. *Guienzii*, *Sond.* . . . (1850).  
*heterophyllum*, *Benth. l. c.* xxii. (1849) 520. —Bras.

- 885<sup>1</sup>. insere **ERIOSTOMA**, Boiv. ex Baill. *Adansonia*, xii. (1878) 208 = *Hypobathrum*, Blume (Rubiace.).  
*albicaulis*, Boiv. ex Baill. l. c. = *H. albicaule*.

- ERUCAGO**.  
 889<sup>1</sup>. 1. *glandulosa*, Roehl. Deutschl. Fl. ed. II. ii. 355 =

- ERUCARIA**.  
 889<sup>2</sup>. 1. *latifolia*, DC. l. c. 675 = *Brassica adpressa*.

- ERVUM**.  
 889<sup>3</sup>. 1. *cyaneum*, Boiss. & Hohen. . . . 115 = *Lens cyanea*.  
*dalmaticum*, Presl, . . . 31 = *Lens nigricans*.

- ERYSIMUM**.  
 894<sup>1</sup>. 1. *Strophades*, Boiss.

- ERYTHRAEA**.  
 895<sup>1</sup>. 1. *Pickeringii*, Oakes, . . . Mag. Hort. vii. (1841) 179 =

- ERYTHRINA**.  
 895<sup>2</sup>. a. *alba*, *Cogn. & March. in Dallièrè, Pl. Ornament. i.* (1873) t. 56.—Hab.?  
 895<sup>3</sup>. *horrida*, *Eggers, Fl. St. Croix*, (1879) 45.—Ins. S. Croix; Virgin.  
 896<sup>1</sup>. *suberosa*, Welw. Synopse, 30. n. 73 = *suberifera*.

PAG.

- ERYTHRONIUM**.  
 896<sup>3</sup>. a. *hyacinthoides*, Royle, Illustr. Bot. Himal. 453 (Index), sphalm. = *Scilla indica*.

- ERYTHRORCHIS**.  
 897<sup>1</sup>. a. *Lindleyana*, Reichb. f. in Bonplandia, v. (1857) 37 = *G. Lindleyana*.

- ERYTHROXYLUM**.  
 897<sup>3</sup>. 1. *discolor* *Boj. in Rapp. Soc. Hist. Nat. Maurice*, xii. (1841) 38; *et jossinoides*, *Boj. (l. c.)* 38; *et lanceum*, *Boj. (l. c.)* 39; *et myrtoides*, *Boj. (l. c.)* 39; *et platyclados*, *Boj. (l. c.)* 40; *et*  
 898<sup>1</sup>.

- ESCALLONIA**.  
 898<sup>2</sup>. 1. *bifida*, Link & Otto, Ic. Pl. Rar. 45. t. 23 =

- ESCOBEDIA**.  
 899<sup>2</sup>. a. *MICALIA*, Rafin. Fl. Tellur. ii. 104 (1836).

- ETHULIA**.  
 900<sup>2</sup>. 1. *alata*, Sond. . . . 60 = *Epaltes alata*.

- EUCLIDIUM**.  
 904<sup>1</sup>. 1. **ORNITHORHYNCHIUM**, Roehl. . . . (1812).

- EUCNIDE**.  
 904<sup>1</sup>. a. *cordata*, Kellogg, ex Curran, in Bull. Calif. Acad. i. iv. (1885) 137 = *M. cordata*.

- EUGEISSONA**.  
 904<sup>3</sup>. *minor et insignis, transponuntur*.

- EUGENIA**.  
 905<sup>1</sup>. 1. **SIPHONEUGENA**, Berg,  
 905<sup>2</sup>. a. *aromatica*, *Sond. ex Berg, in Mart. Fl. Bras.* xiv. II. 379, in syn.—Bras.

- 905<sup>3</sup>. *Billardiana*, Steud. Nom. ed. II. ii. 177, sphalm. = *Myrcia Billardiana*.

- 906<sup>2</sup>. 1. *confertiflora*, A. Gray,  
 907<sup>2</sup>. *frondosa*, *Wall. Cat. sub n.* 3590.

- 908<sup>2</sup>. a. *lasiopus*, Mart. ex DC. Prod. iii. 253 = *Myrcia lasiopus*.

- 910<sup>1</sup>. *polyantha*, *Miq. in Linnaea*, xviii. (1844) 741. —Guian.

- 911<sup>1</sup>. 1. *Schaueriana*, *Miq. in Linnaea*, xxii. (1849) 174; *et*  
 911<sup>2</sup>. a. *Tatna*, *Wall. Cat. sub n.* 3555 (Quid?)—Ind. or.

- 911<sup>3</sup>. *trunciflora*, *Rich. ex Berg, in Linnaea*, xxx. (1859–60) 702, in syn.—Ind. occ.

- 912<sup>2</sup>. 1. **EULALIA**, Trin. . . . = *Miscanthus*, Anderss.

- EULOPHIA**.  
 913<sup>2</sup>. a. *vera*, Royle, Illustr. Bot. Himal. 28, 366 = *herbacea*?

- 913<sup>3</sup>. a. **EUONYMOIDES**, Soland. ex A. Cunn. in Ann. Nat. Hist. Ser. I. iii. (1839) 318 = *Alectryon*, Gaertn. (Sapindac.).  
*excelsa*, Soland. ex A. Cunn. l. c. = *A. excelsum*.

- EUONYMUS**.  
 914<sup>1</sup>. a. *Carrieri*, Vauv. ex Carr. in Rev. Hort. (1885) 296. f. 50 = *radicans*.

- 914<sup>2</sup>. *radicans*, *Siebold, ex Miq. Ann. Bot. Mus. Lugd. Bat. i.* 86, in obs.; *et ex C. Koch, Dendrol. i.* 632.—Japon.  
*repens*, Carr. in Rev. Hort. (1885) 296. f. 51 = *radicans*.

- EUPATORIUM**.  
 919<sup>3</sup>. a. *salicinum*, Spreng. Syst. iii. 412 = *Vernonia Sprengeliana*.

- 920<sup>3</sup>. 1. *Torreyanum*, Short & Peter, in Transylv. Journ. Med. n. xxxii. (1836) 575 =

- EUPHORBIA**.  
 922<sup>2</sup>. a. *austriaca*, *Kern. in Oestr. Bot. Zeitschr.* xxv. (1875) 397, in obs.—Europ.

- 924<sup>3</sup>. 1. *fragifera*, *Jan, Cat. Pl. Phan.* (1818) 76; *et ex* 929<sup>1</sup>. *Rapulm*, *Kar. & Kir.*

- 930<sup>2</sup>. a. *tessellata*, Steud. Nom. ed. II. ii. 111 = *E. Caput-Medusae*.

- EUPHORIA**.  
 931<sup>2</sup>. 1. *Gardneri*, Benth. & Hook. f.  
 a. *rimosa*, Royle, Illustr. Bot. Himal. 138 (Quid?). —Reg. Himal.

PAG.

- EUPHRASIA**.  
 931<sup>3</sup>. a. *gyroflexa*, Arv. Ess. Pl. Dauph. 56 (Quid?).—Gallia.

- 932<sup>2</sup>. *squamosa*, Presl, Bot. Bemer. 91, sphalm. = *squarrosa*.  
*Veronicastrum*, Arv. Ess. Pl. Dauph. 57 (Quid?).—Gallia.  
*viscida*, Arv. (l. c.) (Quid?).—Gallia.

- EURYA**.  
 933<sup>2</sup>. a. *latifolia*, Hort. . . . = *Cleyera japonica*.

- 933<sup>3</sup>. 1. **EURYALE**, Salisb. . . . (1805).  
*ferox*, Salisb. . . . ii. (1805).

- EURYBIA**.  
 933<sup>3</sup>. a. *argyrophylla*, Sch. Bip. in Pollichia, xviii–xix. (1861) 173, sphalm. = *præc.*

- 934<sup>1</sup>. 1. *corymbosa*, Cass. . . . = *Aster corymbosus*.

- EURYGANIA**.  
 934<sup>3</sup>. 1. *melliflora*, *Benth. & Hook. f. (ponitur post E. bifloram)*.  
*multiflora*, Klotzsch, . . . = *præc.*

- EURYLOBIUM**.  
 934<sup>3</sup>. 1. *serrulatum*, *Hochst. l. c.* 229.

- 935<sup>3</sup>. 1. **EUSIDEROXYLON**, Teysm. & Binn.  
 a. *borneense*, F. Villar, in Blanco, Fl. Philipp. ed. III. Nov. App. 179 = *Zwageri*.

1. *Zwageri*, *Teysm. & Binn. in Tijdschr. Nederl. Ind.* xxv. (1863) 292.—Borneo.

- EUTERPE**.  
 936<sup>3</sup>. a. *stenophylla*, *Trail, ex im Thurn, in Timehri*, iii. (1884) 229.—Guian.

- 937<sup>1</sup>. 1. **EUTHODON**, Griff. Notul. iv. 84; Ic. Pl. Asiat. t.

- EUTOCA**.  
 937<sup>1</sup>. 1. *Cumingii*, Benth. . . . 276 = *P. Cumingii*.

- EUXOLUS**.  
 937<sup>3</sup>. 1. *crispus*, Lespin. . . .—Hab.?

- EVELYNA**.  
 938<sup>3</sup>. 1. *Caravata*, Lindl. Fol. Orch. Evel. 9; ex Hook. Bot. Mag. t. 5141; *et ex longibracteata*, Lindl. ex Griseb. Fl. Brit. W. Ind. 623.—Am. trop.

- EVODIA**.  
 939<sup>1</sup>. 1. *fraxinifolia*, *Hook. f. ex Benth. Fl. Hongk.* 59, in nota; *et*  
 939<sup>2</sup>. *Marambong*, *Miq.*  
*rutaecarpa*, *Hook. f. ex Benth. Fl. Hongk.* 59, in nota; *et*

- EVOLVULUS**.  
 939<sup>3</sup>. 1. *discolor*, *Benth. Pl. Hartw.* 6.—Mexic.

- 940<sup>1</sup>. *Glechoma*, Welw. Apont. 589 = *Ipomoea reniformis*.

- EXCOECARIA**.  
 941<sup>3</sup>. 1. *brachyandra*, Muell. Arg. usque ad *Chamelaea*, Baill., antependendae cochinchinensi, *Lour.*

- EXOgonium**.  
 942<sup>3</sup>. 1. *Purga*, Benth. Pl. Hartw. 46; Lindl.

- FACELIS**.  
 944<sup>2</sup>. 1. *plumosa*, Sch. Bip. . . . nomen = *Lucilia plumosa*.

- FADOgia**.  
 944<sup>2</sup>. 1. *Zeyheri*, *Hiern, l. c.* 153 (cum cit. falsa).

- FAGARA**.  
 944<sup>3</sup>. 1. *Pterota*, Linn.

- FAUREA**.  
 948<sup>2</sup>. a. **TRICHOSTACHYS**, Welw. Synopse, 19 (1862).

- FENDLERA**.  
 949<sup>2</sup>. a. *cymosa*, Greene, in Bull. Torrey Bot. Club, viii. (1881) 26 = *utahensis*.  
*utahensis*, *Greene, l. c.* 25.—Utah; Arizona.

- FERDINANDA**.  
 949<sup>3</sup>. 1. *angusta*, Hems. Biol. Centr. Am. Bot. ii. 159, sphalm. = *seq.*  
*angusta*, Lag. Gen. & Sp. Nov. 31. t. 2 = *Z. angusta*.



- PAG. **FERULA.**  
 950<sup>2</sup>. a. ELAEOCHYTRIS, Fenzl, in Russegg. Reise, i. 957. t. 19 (1848) (Illustr. Pl. Syr. 71).  
 LEPTOTAENIA, Nutt. ex Torr. & Gray, Fl. N. Am. i. 629 (1840).  
 POLYCYRTUS, Schlecht. in Linnaea, xvii. (1843) 126.  
 950<sup>3</sup>. d. XANTHOGALUM, Avé-Lall. (*nunc* Dorema).  
 951<sup>1</sup>. a. Hooshee, Lindl. Fl. Med. 46 = F. Assa-foetida ?  
 951<sup>2</sup>. 1. *Opopanax*, Spreng. . . = *Opopanax hispidum*.  
 a. *setifolia*, C. Koch, in Linnaea, xix. (1847) 39 = pauciflora.  
 951<sup>3</sup>. 1. *sylvatica*, Szov. ex C. Koch, (l. c.) = pauciflora.  
**FESTUCA.**  
 952<sup>1</sup>. a. LEUCOPOA, Griseb. in Ledeb. Fl. Ross. iv. 383 (1853).  
 TRAGUS, Panz. in Denkschr. Akad. Muench. 1813 (1814) 296.  
 952<sup>2</sup>. *Amherstiana*, Royle, Illustr. Bot. Himal. 417, nomen = *Poa persica*.  
 953<sup>1</sup>. *ciliata*, Heyne, ex Wall. Cat. n. 3826 = virgata.  
*curvata*, All. ex Beauv. Agrost. 99, nomen. — Europ.  
 953<sup>3</sup>. Gerardi, All. ex Beauv. (l. c.), nomen. — Europ.  
 954<sup>1</sup>. *gracillima*, Thurb. in Bot. Calif. ii. 318 (non Hook. f.). — Calif.  
 1. Hemipoa, Delile,  
 954<sup>3</sup>. *mysorensis*, Heyne, . . . = *Enteropogon melioides*.  
 955<sup>1</sup>. a. *pauciflora*, Thurb. in Bot. Calif. ii. 318 = occidentalis, etc.  
 955<sup>3</sup>. 1. *reptatrix*, Linn. Sp. Pl. ed. II. 108 = *Rohlfiana*, Coss. . . 83 = *Sclerochloa philistaea*.  
*scabrella*, Thurb. in Bot. Calif. ii. 318 (non Torr.). — Calif.  
 956<sup>1</sup>. a. *sterilis*, Jess. Deutschl. Graes. 170 = *Bromus sterilis*.  
 956<sup>2</sup>. *tectorum*, Jess. (l. c.) = *Bromus tectorum*.  
 956<sup>3</sup>. 1. violacea, [Clairv.]  
 956<sup>3</sup>. insere (ante *Fialarem*, Rafin.) FEVILLAEA, Linn. Syst. ed. I (1735) = *Inga*, Scop. (Legumin.).  
**FICINIA.**  
 957<sup>1</sup>. a. HELLMUTHIA, Steud. in Flora, xxxiii. (1850) 229, nomen; et Syn. Pl. Cyp. 90 (1855).  
**FICUS.**  
 957<sup>3</sup>. 1. CYSTOGYNE, Gasp. l. c. 9 (1844); et in  
 959<sup>1</sup>. a. Chauvieri, Hort. — Cf. Nichols. Dict. Gard. ii. 12. — Hab. ?  
 1. chiriquiana, Miq.  
 960<sup>1</sup>. a. *Forsteriana*, Endl. in Ann. Wien. Mus. i. (1836) 166 = proluxa.  
 960<sup>2</sup>. *habrophylla*, G. Benn. Gather. Natural. 341. — Ins. Tanna.  
 1. *haematocarpa*, Decne.  
 961<sup>1</sup>. a. *laurifolia*, Royle, Illustr. Bot. Himal. 336, nomen (Quid ?). — Reg. Himal.  
 963<sup>2</sup>. 1. *Reinwardti*, Link & Otto, . . . 61. t. 31 =  
 964<sup>2</sup>. a. *tannensis*, G. Benn. Gather. Natural. 341, nomen (Quid ?). — Ins. Tanna.  
**FIMBRISTYLIS.**  
 966<sup>2</sup>. a. *bisumbellata*, Bubani, Dodecanth. 30 = dichotoma.  
 966<sup>3</sup>. *bulbosa*, Steud. Nom. ed. II. i. 828, in syn., sphalm. = *Ficinia bulbosa*.  
 967<sup>2</sup>. 1. *marquesana*, Steud. (post *marianam* ponitur).  
 968<sup>1</sup>. *rigida*, Kunth,  
*Scherardi*, Bubani, Dodecanth. 29 =  
*separanda*, Steud. . . nomen = *diphylla*.  
 968<sup>2</sup>. a. *Steudelii*, Steud. Nom. ed. II. i. 827; ii. 539, sphalm. = *Ficinia Ecklonia*.  
 1. *tenella*, Schult.  
**FISCHERIA.**  
 969<sup>1</sup>. a. *hispidia*, Benth. & Hook. f. Gen. ii. 766. — Am. austr.  
*setosa*, Benth. & Hook. f. (l. c.). — N. Granat.  
 969<sup>1</sup>. a. FISTULARIA, Linn. Syst. ed. I (1735) = *Rhinanthus*, Linn. (Scrophul.).
- PAG. **FLACOURTIA.**  
 969<sup>2</sup>. a. SATANIA, Noronha, in Verh. Batav. Gen. v. (1790) ed. I. Art. iv. 3.  
**FLAVERIA.**  
 970<sup>1</sup>. 1. *trinervata*, Steud. Nom. ed. II. ii. 186, in syn., sphalm.; Baill.  
**FLINDERSIA.**  
 971<sup>1</sup>. 1. *maculata*, F. Muell. in Journ. Pharm. Vict. ii. (1858) 44, sphalm. = seq.  
*maculosa*, F. Muell. ex Benth. Fl. Austral. i. 389. — Austral.  
**FLUEGGEA**, Rich.  
 971<sup>3</sup>. a. *dracaenoides*, Baker, in Journ. Bot. xii. (1874) 174. — Reg. Himal.  
**FLUGGEA.**  
 971<sup>3</sup>. a. *retusa*, Royle, Illustr. Bot. Himal. 327 = microcarpa ?  
**FOENICULUM.**  
 972<sup>1</sup>. a. *Webbii*, Benth. & Hook. f. Gen. i. 902 = tortuosum.  
**FONTANESIA.**  
 972<sup>2</sup>. 1. *chinensis*, Hance, . . . 136 = *phyllyraeoides*.  
*phyllyraeoides*, Labill. . . Syria; China.  
**FOUQUIERIA.**  
 973<sup>3</sup>. a. IDRIA, Kellogg, in Proc. Calif. Acad. ii. (1863) 34.  
*columnaris*, Kellogg, ex Curran, in Bull. Calif. Acad. i. III. (1885) 133 = spinosa.  
 975<sup>1</sup>. insere FRANCA, Mich. ex Ludw. Def. Gen. Pl. 169 (1747) = seq.  
**FRANKENIA.**  
 975<sup>2</sup>. 1. FRANCA, Mich. ex Ludw. Def. Gen. Pl. 169 (1747).  
**FRANQUEVILLEA.**  
 976<sup>1</sup>. a. *major*, Zoll. ex Kurz, in Journ. As. Soc. Beng. xxxix. (1870) II. 84 = *Curculigo orchioides*.  
**FREGIRARDIA.**  
 977<sup>3</sup>. 1. *luteiflora*, Dun. . . (1849) = *B. diversifolius*.  
*Spina-alba*, Dun. l. c. 507 = *Bassovia Spina-alba*.  
**FREMYA.**  
 977<sup>3</sup>. 1. *ciliata*, Brongn. & Gris, . . . 374 = *Metrosideros ciliata*.  
 978<sup>1</sup>. *pubescens*, Brongn. & Gris, . . . = *Metrosideros pubescens*.  
*rubra*, Brongn. & Gris, . . . = *Metrosideros rubra*.  
**FRITILLARIA.**  
 979<sup>2</sup>. 1. RHINOPETALUM, Fisch. . . [viii.] (1829).  
*aurea*, Schott, . . . = *lutea* ?  
 a. *Corona-imperialis*, Gaertn. Fruct. i. 64. t. 7 = *F. Imperialis*.  
**FUCHSIA.**  
 981<sup>1</sup>. 1. Kirkii, Hook. f. . . i. ed. II. (1871) 92.  
 981<sup>3</sup>. 1. FULCALDEA post **FUIRENA** ad p. 982<sup>1</sup> ponitur.  
**FUIRENA.**  
 981<sup>3</sup>. a. PENTASTICHA, Turcz. in Bull. Soc. Nat. Mosc. (1862) II. 330.  
*annua*, Royle, Illustr. Bot. Himal. 411 = pubescens.  
*cylindrica*, Steud. Nom. ed. II. ii. 539, sphalm. = *Fimbristylis spadicea*.  
**GAGEA.**  
 985<sup>2</sup>. a. *Haeckelii* x, Dufft & Schulze, ex Hausskn. in Mitth. Geogr. Soc. Jena, ii. (1885) 224. — Europ.  
**GAHNIA.**  
 986<sup>1</sup>. 1. pauciflora, T. Kirk, . . . i. ed. II. (1871) 94.  
**GAILLARDIA.**  
 986<sup>2</sup>. a. *grandiflora* x, Hort. ex Fl. des Serres, xiii. (1857) l. t. 1183.  
*perennis*, Loisel. Herb. Gén. Amat. v. t. 328. — Am. bor.
- PAG. **GALATELLA.**  
 988<sup>1</sup>. a. *collina*, Jord. & Fourr. ex Nym. Consp. 386 = *A. acris*.  
*fugax*, Nym. (l. c.) = *A. aragonensis*.  
*pinetorum*, Jord. & Fourr. ex Nym. (l. c.) = *A. acris*.  
*sedifolia*, Nym. (l. c.) = *A. acris*.  
*tatarica*, Nym. (l. c.) = *A. dracunculoides*.  
**GALEANDRA.**  
 988<sup>3</sup>. 1. *nivalis* [T. Moore ? in]  
**GALEOPSIS.**  
 990<sup>1</sup>. 1. *glaucescens*, Reut. ex Ardoino, . . . 299 = *G. Ladanum*.  
 990<sup>2</sup>. *neptaeifolia*, Timb. . . 19 = *G. Ladanum*.  
 990<sup>2</sup>. 1. GALEOTTIA, Rupr. . . (1842).  
**GALINIERA.**  
 990<sup>3</sup>. 1. *coffeoides*, Delile,  
**GALINSOGA.**  
 990<sup>3</sup>. a. *Acmella*, Steud. Nom. ed. II. ii. 766, in syn. = parviflora.  
**GALIPEA.**  
 991<sup>1</sup>. a. SYSTEMON, Regel, Ind. Sem. Hort. Petrop. (1856) 38; Gartenfl. vi. (1857) 81.  
**GALIUM.**  
 991<sup>2</sup>. 1. CRUCIATA, [Tourn.] Ludw. Def. Pl. 2 (1737).  
 991<sup>3</sup>. *aphyllum*, [Mazzari]  
 992<sup>1</sup>. Brandegei, A. Gray, in Bull. U. St. Geol. & Geogr. Surv. ii. (1876) 237; et in  
 a. *cenisium*, Arv. Ess. Pl. Dauph. 33 (Quid ?). — Gallia.  
 992<sup>2</sup>. *chilense*, Endl. ex C. Gay, Fl. Chil. iii. 180. — Chili.  
 992<sup>3</sup>. *decolorans*, Bourg. ex Marès, Cat. Pl. Balear. 139 = *Crespanum*.  
*delphinense*, Arv. Ess. Pl. Dauph. 33 (Quid ?). — Gallia.  
*ericoides*, Arv. (l. c.) 32 (Quid ?). — Gallia.  
 995<sup>1</sup>. *Pseudo-myrianthum*, Gennari, in Mem. Acc. Torin. II. xvii. (1858) 466. — Hab. ?  
 995<sup>2</sup>. *simplex*, Arv. Ess. Pl. Dauph. 31 (Quid ?). — Gallia.  
**GALVEZIA.**  
 996<sup>3</sup>. d. SACCULARIA, Kellogg (*nunc* *Antirrhinum*).  
**GANOPHYLLUM.**  
 997<sup>2</sup>. 1. *falcatum*, Blume, . . . Malacca; Austral.; N. Guin.  
**GARCINIA.**  
 997<sup>3</sup>. 1. MANGOSTANA, Rumph. ex Gaertn.  
 a. STALAGMITIS, Murr. in Comm. Gottin. ix. (1789) 173.  
*XANTHOCHYMUS*, Roxb. Pl. Corom. ii. 51. t. 196 (1798).  
 998<sup>1</sup>. 1. *collina*, Vieill. . . 223 = *corallina*.  
 998<sup>2</sup>. Kola, Heckel, in Journ. Pharm. et Chim. viii. (1883) 88. — Afr. trop.  
**GARDENIA.**  
 999<sup>1</sup>. a. DECAMERIA, Welw. Apont. 579, in obs. [1859].  
 999<sup>2</sup>. 1. *bignoniaceflora*, Welw. . . 13 = *Sherbournia foliosa*.  
*Devoniana*, Lindl. . . 663 = *Randia Devoniana*.  
 1000<sup>2</sup>. *Pseudo-psidium*, Naves, in Blanco, Fl. Philipp. ed. III. Nov. App. 109 (sp. dub.).  
**GARDOQUIA.**  
 1001<sup>1</sup>. a. *obovata*, Griseb. ex Wedd. Chlor. And. ii. 150 = *Micromeria boliviana*.  
 1. *organoides*, Reichb. ex Cham. in Linnaea, vii. (1832) 226.  
**GARIDELLA.**  
 1001<sup>1</sup>. 1. *anethifolia*, Salisb. . . = *N. Garidella*.  
*Nigellastrum*, Linn. . . = *N. Garidella*.  
*unguicularis*, Lam. . . 2] = *N. unguicularis*.  
 1001<sup>2</sup>. 1. GARRETIA, Welw. . . (1858) = *Khaya*, Juss. (Meliac.).  
*anthoteca*, Welw. l. c. = *K. anthoteca*.

PAG.

- GARRYA.**  
1001<sup>1</sup>. 1. *Veatchii*, Kellogg, . . . 40 = *flavescens*.
- 1001<sup>3</sup>. 1. GASOUL, Adans.
- GASTONIA.**  
1002<sup>1</sup>. 1. *aculeata*, Thunb. ex Decne. & Planch. in Rev. Hort. Sér. IV. iii. (1854) 109; Hort.
- GASTRIDIVM.**  
1002<sup>2</sup>. 1. *scabrum*, Presl, Cyp. & Gram. Sic. 21 =
- GAULTHERIA.**  
1003<sup>2</sup>. 1. *Acosta*, Steud. . . . 665 = *Vaccinium Acosta*.  
1003<sup>3</sup>. *fluviatilis*, A. Cunn. in Ann. Nat. Hist. Ser. I. ii. (1839) 49 =
- GAYA.**  
1004<sup>3</sup>. a. TETRAPTERA, Phil. in Bot. Zeit. xxviii. (1870) 169.  
calyptrata, H. B. & K. Nov. Gen. et Sp. v. 268, in obs.—Peruv.  
1005<sup>1</sup>. a. *occidentalis*, H. B. & K. Nov. Gen. et Sp. v. 268, in obs.—Am. trop.
- GAZANIA.**  
1005<sup>3</sup>. 1. *armerioides*, DC. Prod. vi.
- GEIGERIA.**  
1006<sup>1</sup>. 1. *africana*, Griessell.
- GEMELLA**, Lour.  
1007<sup>2</sup>. 1. *trifolia*, Lour.  
a. *trifoliata*, DC. Prod. i. 610 = *praec.*
- GENISTA.**  
1009<sup>1</sup>. 1. *aprutia*, Nym. Consp. 151 =  
1009<sup>2</sup>. a. *compressa*, Soland. ex A. Cunn. in Ann. Nat. Hist. Ser. I. iii. (1839) 246 = *Carmichaelia australis*.
- GENTIANA.**  
1013<sup>1</sup>. 1. *exaltata*, Linn. . . . = *Eustoma silenifolium*.  
1014<sup>1</sup>. a. *media* ×, Arv. Ess. Pl. Dauph. 51.—Gallia.
- GEOFFRAEA.**  
1016<sup>1</sup>. 1. *surinamensis*, Bondt,
- GEOPHILA.**  
1017<sup>2</sup>. d. *reniformis*, Cham. & Schlecht. etc.
- GERANIUM.**  
1020<sup>2</sup>. a. *odoriferum*, G. Don, Gen. Syst. i. 739, in syn. = *Pelargonium odoratissimum*.  
1020<sup>3</sup>. *patulum*, Soland. ex Forst. f. Prod. 91 = *dissectum*.  
1. *pilosum*, Soland. ex Forst. f.
- GERARDIA.**  
1022<sup>3</sup>. 1. *Nigrina*, Linn. f.  
*Nigrina*, Thunb.  
*nuda*, Wood, Am. Bot. & Flor. 231 = *filicaulis sessiliflora*, Vahl, . . . 79 = *Alectra melampyroides*.  
*Skinneriana*, Wood, Class-book (1847), 176; Am. Bot. & Flor. 231.  
1023<sup>1</sup>. *strictiflora*, A. Gray, . . . 294 = *seq.* (i. e. *strictifolia*, Benth.)
- GESNERIA.**  
1024<sup>2</sup>. 1. *corymbosa*, Balb. & Bert. . . . 525 = *Pentaraphia longiflora*.  
*elatior*, H. B. & K. . . . 393 = *Isoloma elatius*.  
*exserta*, Sw. . . . 90 = *Pentaraphia catalpiflora*.  
1025<sup>2</sup>. *verticillata*, Cav. . . . 585 = *Isoloma verticillatum*.
- GETHYLLIS.**  
1025<sup>3</sup>. a. *bivaginata*, Mass. ex Baker, in Journ. Bot. xxiii. (1885) 227 = *Britteniana*.  
*cuspidata*, Thunb. ex Baker, (l. c.) = *ciliaris*.  
*polyanthera*, Soland. ex Baker, (l. c.) xxii. (1884) 148 = *ciliaris*.
- GHINIA.**  
1027<sup>1</sup>. 1. *spinosa*, Willd. l. c. = *T. spinosa*.  
*verbenacea*, Sw. Fl. Ind. Occ. ii. 1089 = *T. spinosa*.
- 1027<sup>1</sup>. 1. GIGANTHEMUM, Welw. Apont. 585 [1859] = *Camoensia*, Welw. (1865) (Legumin.).  
*scandens*, Welw. l. c. = *C. maxima*.

PAG.

- GILIA.**  
1027<sup>3</sup>. 1. *Dunnii*, Kellogg, . . . 142 = *Loeselia effusa*.
- 1029<sup>1</sup>. a. GINSENG, Wood, Am. Bot. & Flor. 142 (1871) = *Aralia*, Tourn.  
*quinquefolium*, Wood, l. c. = *A. quinquefolium trifolium*, Wood, l. c. = *A. trifolia*.
- GIRARDINIA.**  
1029<sup>1</sup>. 1. *condensata*, Wedd. . . . ix. (1856).
- GLADIOLUS.**  
1029<sup>3</sup>. a. TILESIA, Thunb. ex Steud. Nom. ed. II. ii. 686 (1841).  
1030<sup>1</sup>. 1. *Andrewsii*, Klatt, . . . xv. (*sic etiam corrigatur apud brevicollem, citrinum, Gawleri, lunulatum, rachidiflorum, uniflorum*).  
1030<sup>2</sup>. *communis*, Thunb.  
1030<sup>3</sup>. a. *hybridus* ×, C. Morr. in Ann. Soc. Bot. Gand, iii. (1847) t. 518.  
1. *illyricus*, Koch, Syn. Fl. Germ. ed. I. 699; ed. II. 806.  
1031<sup>2</sup>. a. *odoratus* ×, Herb. ex Baker, in Journ. Linn. Soc. xvi. (1877) 117.
- GLOBBA.**  
1033<sup>3</sup>. 1. *crispa*, Retz.  
a. *secunda*, Royle, Illustr. Bot. Himal. 357, nomen (Quid ?).—Reg. Himal.
- GLOBULARIA.**  
1034<sup>1</sup>. 1. *nana*, Lam. . . . —Europ.
- GLOCHIDION.**  
1034<sup>2</sup>. a. *bifarium*, Royle, Illustr. Bot. Himal. 327, nomen (Quid ?).—Reg. Himal.  
1034<sup>3</sup>. 1. *Fagueti*, Muell. Arg. . . . 71.  
*flexuosum*, Muell. Arg. ex Miq. . . . 128 = *Phyllanthus japonicus*.  
1035<sup>1</sup>. *philippinense*, Benth.
- GLOSSOGYNE.**  
1035<sup>3</sup>. 1. *brasiliensis*, Gardn. . . . 408 = *Isostigma brasiliense*.
- GLOXINIA.**  
1036<sup>2</sup>. 1. SALISIA, Regel, in Flora, xxxii. (1849) 179.  
a. *diversiflora* ×, May, in Rev. Hort. (1883) 247. f. 45.  
*maxima* ×, Paxt. Mag. Bot. v. (1838) 219.
- GLYCERIA.**  
1037<sup>1</sup>. a. HEMIBROMUS, Steud. Syn. Pl. Gram. 317 (1855).  
1. *aquatica*, Wahlb.  
*capillaris*, Wahlb.  
a. *Catabrosa*, Klatt & Reichb. Fl. Leipz. 96 = *Catabrosa aquatica*.
- GLYCINE.**  
1038<sup>1</sup>. a. *glutinosa*, Hoffm. Preisverz. (1841) 78.—*Cf. Linnaea*, xvi. (1842) Litt. 269.—Hab.?  
1038<sup>2</sup>. *pendula*, Blume, ex Miq. Fl. Ind. Bat. i. I. 224.—Java.  
1038<sup>3</sup>. 1. *totta*, Thunb. . . . = *Rhynchosia totta*.
- GLYCOSMIS.**  
1039<sup>1</sup>. a. *parvifolia*, Steud. Nom. ed. II. ii. 47, in syn., sphalm. = *pentaphylla*.
- GLYCYRRHIZA.**  
1039<sup>2</sup>. 1. *lepidota*, Nutt. in Fras. Cat. (1813); ex Pursh,
- GMEIINA.**  
1039<sup>3</sup>. 1. *Leichhardtii*, F. Muell.
- GNAPHALIVM.**  
1040<sup>2</sup>. a. *argenteum*, Vell. Fl. Flum. viii. t. 97 (Quid ?).—Bras.  
1042<sup>1</sup>. *ferrugineum*, Wendl. Sert. Hannov. t. 23 = *Helipterum ferrugineum*.  
1043<sup>1</sup>. 1. *keriense*, A. Cunn. in Ann. Nat. Hist. Ser. I. ii. (1839).  
1043<sup>3</sup>. *nevadense*, Kellogg, . . . 45 = *Antennaria dioica*.
- GNIDIA.**  
1047<sup>1</sup>. a. *ciliata*, Meissn. in DC. Prod. xiv. 563 = *Struthiola lucens*?

PAG.

- GOCHNATIA.**  
1047<sup>3</sup>. 1. *glutinosa*, Klatt, . . . xv.
- GOMESA.**  
1048<sup>3</sup>. a. *densiflora*, Hoffm. Preisverz. (1841) 78.—*Cf. Linnaea*, xvi. (1842) 265.—Hab.?
- GOMPHIA.**  
1049<sup>3</sup>. a. *nitida*, Vahl, Symb. Bot. ii. 49.—Ind. occ.
- GOMPHOCARPUS.**  
1050<sup>2</sup>. 1. *asperifolius*, Walp. Rep. vi. 486.—Afr. austr. Gerrardi, Harv. . . . t. 193.  
1050<sup>3</sup>. M'Kenii, Harv. . . . t. 194.
- GONOLOBUS.**  
1054<sup>2</sup>. 1. *cynanchoides*, Engelm. & Gray, . . . 251 = *Lachnostoma cynanchoides* (in Addend.).  
a. *exilis*, Miers, in Proc. Roy. Hort. Soc. iv. (1864) 161 = *Metastelma stenolobus*.  
1054<sup>3</sup>. 1. *hispidus*, Hook. & Arn. . . . 295 = *Fischeria hispida*.  
*maritimus*, R. Br. . . . 35 = *Lachnostoma maritimum*.  
1055<sup>1</sup>. *setosus*, Benth. . . . 216 = *Fischeria setosa*.
- GONZALEA.**  
1055<sup>3</sup>. 1. *Petesia*, Griseb. Fl. Brit. W. Ind. 321; et in
- GOODYERA.**  
1056<sup>3</sup>. 1. TUSSACA, Rafin. Préc. Découv. 42 (1814); et in  
*secundiflora*, Lindl. . . . 182; Griff. Notul. iii. 393 = *Schlechtendalia*.  
*similis*, Blume, . . . 39 = *Schlechtendalia*.
- GOSSYPIVM.**  
1058<sup>1</sup>. 1. *siamense*, Tenore, . . . 193
- GOVINDOOIA.**  
1059<sup>1</sup>. 1. *nervosa*, Wight, l. c. = *T. angulosa*.
- 1059<sup>2</sup>. 1. GRACILEA, Koen. . . . 218 = *Melanocenchris*, Nees (Gramin.).  
*nutans*, Koen. l. c. = *M. Rothiana*.
- GRAMMATOCARPUS.**  
1059<sup>3</sup>. a. OCHETOCARPUS, Meyen, Reise, i. 310 (1834).
- 1060<sup>2</sup>. insere GRANDIERA, Lef. ex Baill. Adansonia, x. (1871) 164 = *Sindora*, Miq. (Legumin.).  
*cochinchinensis*, Lef. l. c. = *S. cochinchinensis*.
- GRATIOLA.**  
1061<sup>1</sup>. 1. *sexdentata*, R. Cunn. ex A. Cunn.
- GRIFFONIA.**  
1066<sup>1</sup>. a. DACTYLADENIA, Welw. Apont. 572 [1859].
- GRINDELIA.**  
1066<sup>2</sup>. a. THURARIA, [Nutt. in] Fras. Cat. (1813) n. 85.  
1. *glutinosa*, Dun. . . . 49.—Peruv.  
*humilis*, Hook. & Arn. l. c. = *cuneifolia*.  
*inuloides*, Willd. . . . 261.—Texas; Mexic.
- 1066<sup>3</sup>. 1. GRISCHOWIA, Karst. Ausw. Neuer Gew. Venez.
- 1067<sup>2</sup>. 1. GROSOURDYA, Reichb. f.  
a. *appendiculata*, Reichb. f. Xenia Orch. ii. 123 = *S. pusillus*.  
*emarginata*, Reichb. f. (l. c.) = *S. emarginatus*.  
*Zollingeri*, Reichb. f. l. c. = *S. Zollingeri*.
- GRUMILEA.**  
1067<sup>3</sup>. a. *vaginans*, Dalz. in Dalz. & Gibs. Bomb. Fl. 111 = *P. truncata*.
- 1068<sup>1</sup>. a. GUAIABARA, Plum. ex Boehm. in Ludw. Def. Gen. Pl. 402 (1760) = *Coccoloba*, Linn. (Polygon.).
- GUAIACUM.**  
1068<sup>1</sup>. 1. *dubium*, Forst. f. Prod. 32 = *Ratonia stipitata*.
- GUETTARDA.**  
1070<sup>3</sup>. 1. *aromatica*, Poepp. & Endl.  
*putaminosa*, F. Muell.  
1071<sup>1</sup>. *resinosa*, Pers. . . . 200 = *Langeria resinosa*.  
a. *setosa*, Zipp. ex Korth. in Nederl. Kruidk. Arch. ii. II. (1851) 211 = *Bobea setosa*.

## PAG.

## GUILANDINA.

- 1071<sup>2</sup>. a. *melanosperma*, Eggers, Fl. St. Croix (1879), 46 = C. Bonducella?

- 1072<sup>2</sup>. 1. GUNDLACHIA, A. Gray, . . . 100 = *Chrysocoma*, Linn. (Compos.) fide E. L. Greene.

## GUNNERA.

- 1072<sup>2</sup>. 1. *sonchifolia*, Mirb. . . = *Francoa sonchifolia*.  
a. *umbraculifera*, Linden, Cat. n. 93 (1875) 5, cum ic.—N. Granat.

## GUSTAVIA.

- 1073<sup>1</sup>. a. JAPARANDIBA, [Marcgr.] Adans. Fam. ii. 448 (1763).

## GYMNADENIA.

- 1074<sup>2</sup>. 1. *cucullata*, Rich. . . 57 = *Habenaria cucullata*.

- 1075<sup>1</sup>. 1. GYMANTHUS, Endl. Gen. Suppl. iv. III.

## GYMNEMA.

- 1075<sup>3</sup>. 1. *nitidum*, Benth. . . 456 (*Salacia* sp.).—Afr. trop.

## GYMNOBALANUS.

- 1076<sup>1</sup>. 1. *Fendleri*, Meissn.

## GYMNOPOGON.

- 1077<sup>1</sup>. 1. *digitatus*, Nees, . . . 713 = *Chloris digitatus*.

## GYNANDROPSIS.

- 1078<sup>3</sup>. a. PEDICELLARIA, Schrank, in Roem. & Usteri, Mag. Bot. iii. VIII. (1790) 10.  
PODOGYNE, Hoffmgg. Verz. Pfl. 101, 185 (1824).

## GYNERIUM.

- 1079<sup>1</sup>. a. *dioicum*, Dallièr, Pl. Ornament. i. (1873) t. 42 = *argenteum*.

- 107<sup>1</sup>. insere GYNICIDIA, Neck. Elem. ii. 81 (1790) = *Mesembryanthemum*, Dill. (Ficoid.).

## GYNOPACHIS.

- 1079<sup>2</sup>. 1. *deflectens*, Miq. . . 222 = *Petunga rufidula*.  
*rufidula*, Miq. l. c. = *Petunga rufidula*.

## GYNOPOGON.

- 1079<sup>2</sup>. 1. *Hunterii*, Roxb.

## GYNOSTEMMA.

- 1079<sup>2</sup>. a. *trigynum*, M. Laws. in Hook. f. Fl. Brit. Ind. i. 663, lapsu = *pedatum*.

## HABENARIA.

- 1082<sup>2</sup>. a. DIPLORRHIZA, Ehrh. Beitr. iv. (1789) 147.  
MESICERA, Rafin. Neogenyt. 4 (1825).  
TRIPLORHIZA, Ehrh. Beitr. iv. (1789) 149.  
1. *aestivalis*, Rodrig. . . 258 = *brevidens*.  
*anaplectron*, Reichb. f. . . 81 = *cryptophila*.

- 1082<sup>3</sup>. a. *Bennettiana*, Reichb. f. *Otia Bot. Hamb.* 104. — Abyss

1. *biflora*, Rodrig. . . 151 = *flexuosa*.  
a. *bractescens*, Griseb. in Goett. Abh. xxiv. (1879) 340 = *Gourlieana*.

- calcarata*, Benth. & Hook. f. Gen. iii. 622. — Afr. trop.

- 1083<sup>1</sup>. 1. *crucifera*, Reichb. f. & Warm. l. c. 80 = *aphylla*.

- a. *demerarensis*, Reichb. f. in Schomb. Faun. Fl. Brit. Gui. 1123 = *parviflora*.

1. *estrellensis*, Reichb. f. . . 813 = *secunda*.  
*gracilis*, S. Wats. . . 277.

- 1083<sup>3</sup>. *johannensis*, Rodrig. . . 251 = *Vaupellii*.  
a. *Lindenii*, Reichb. f. in Nederl. Kruidk. Arch. iv. (1859) 319 = *obtusata*.

- 1084<sup>1</sup>. 1. *macroceratitis*, Willd.

- nasuta*, Reichb. f. & Warm. . . 80 = *nuda*.  
*Pseudo-stylites*, Reichb. f. & Warm. l. c. 79 = *hamata*.

- 1084<sup>3</sup>. a. *radicans*, Griseb. ex Wright, in Sauv. Fl. Cub. 233 = *repens*.

- 1085<sup>1</sup>. *speciosa*, Poepp. & Endl. . . 44 = *maculosa*.  
*subcalcarata*, Rodrig. . . 159 = *Guillemini*.  
*trichoceras*, Rodrig. . . 256 = *nuda*.  
*tricuspis*, A. Rich. . . 249 = *repens*.

## HABRANTHUS.

- 1085<sup>3</sup>. 1. *advena*, Herb. . . = *Hipp. advena*.

## PAG.

## HAEMADICTYON.

- 1086<sup>2</sup>. 1. *parviflorum*, Benth. . . 355 = *Prestonia parviflora*.

*suberectum*, G. Don, . . . 83. — Ind. occ.

## HAEMOSPERMUM.

- 1087<sup>2</sup>. 1. *arborescens*, Reinw. . . = *G. rupestre*.

## HALENIA.

- 1089<sup>2</sup>. a. *reflexa*, Griseb. in DC. Prod. ix. 135, sphalm. = *deflexa*.

- 1089<sup>2</sup>. insere HALEZIA, Loeffl. It. Hisp. 188 (1758) = *Trichilia*, P. Br. (Meliac.).

## HALESIA.

- 1089<sup>2</sup>. a. *HILLIA*, Boehm. in Ludw. Def. Gen. Pl. 71 (1760).

## HALOGETON.

- 1090<sup>2</sup>. 1. *arachnoideus*, Moq.

## HAPALOSIA.

- 1093<sup>1</sup>. 1. *Loeflingiae*, Wall. . . = *P. Loeflingii*.

## HAPLOSTYLIS.

- 1093<sup>3</sup>. a. *Wightianus*, Nees, in Nov. Act. Nat. Cur. xix. Suppl. i. (1843) 101 = *R. Wightiana*.

## HARRISONIA.

- 1095<sup>1</sup>. 1. *paucijuga*, Oliver,

## HAUYA.

- 1096<sup>1</sup>. a. *arborescens*, Kellogg, ex Curran, in Bull. Calif. Acad. i. III. (1885) 137 = *Oenothera arborescens*.

- 1096<sup>3</sup>. 1. HAXTONIA, Caley, ex D. Don, in Edinb. N. Phil. Journ. (Jul.-Sept. 1881) 273 = *Olearia*, Moench (Compos.).

## HEBEPETALUM.

- 1097<sup>3</sup>. 1. *humirifolium*, Benth.  
*latifolium*, Benth.

## HEDEOMA.

- 1098<sup>2</sup>. 1. *purpurea*, Kellogg, . . . = *Mentha Pulegium*.

## HEDERA.

- 1098<sup>2</sup>. a. *arborescens*, Roehl. Deutschl. Fl. ed. II. ii. 182 = *H. Helix*.

- 1098<sup>3</sup>. *humirepens*, Roehl. (l. c.) = *H. Helix*.

## HEDYOTIS.

- 1100<sup>2</sup>. a. PANETOS, Rafin. in Ann. Gén. Sc. Phys. v. (1820) 227; vi. (1820) 81.

- d. PELTOSPERMUM, Benth. (*nunc Oldenlandia*).  
1101<sup>1</sup>. 1. *caracasana*, H. B. & K. . . = *Mallostoma caracasana*.

- conferta*, Ruiz & Pav. . . = *Mallostoma confertum*.

- 1101<sup>2</sup>. *filiformis*, Ruiz & Pav. . . = *Mallostoma filiforme*.

- 1101<sup>3</sup>. *hyssopifolia*, Cav. . . = *Mallostoma hyssopifolium*.

- juniperifolia*, Ruiz & Pav. . . = *Mallostoma juniperifolium*.

- laricifolia*, Cav. . . = *Mallostoma laricifolium*.

- 1103<sup>1</sup>. *thymifolia*, Ruiz & Pav. . . = *Mallostoma thymifolium*.

- tillaeacea*, F. Muell. . . 39 = *Synaptantha tillaeacea*.

## HEDYSARUM.

- 1105<sup>2</sup>. a. *hamatum*, Reinw. ex Miq. Fl. Ind. Bat. i. i. 224 = *Glycine pendula* (in Addend.).

- 1105<sup>3</sup>. 1. *lansum*, Noronha,

- 1108<sup>1</sup>. a. HEINCHENIA, Webb, ex Hook. f. Bot. Mag. sub t. 6733 (1884), sphalm. = seq.

## HEINEKENIA.

- 1108<sup>1</sup>. 1. *peliorhyncha*, Masf.

## HEKORIMA.

- 1108<sup>2</sup>. a. *atropurpurea*, Fisch. ex Regel & Tiling, Fl. Ajan. 122 = *S. roseus*.

## HELIANTHEMUM.

- 1111<sup>2</sup>. a. *sericeum*, Dufour, Lettr. Mont. Maudit. 301 = *marifolium*?

- 1111<sup>3</sup>. 1. *Teneriffae*, Coss. . . 56.

## PAG.

## HELIAETHUS.

- 1112<sup>1</sup>. 1. *calvus*, Sch. Bip. . . , nomen = *Viguiera calva*.  
*decapetalus*, Linn.

- 1112<sup>2</sup>. *Mandonii*, Sch. Bip. . . , nomen = *Vangueria Mandonii*.

- 1112<sup>3</sup>. *microphyllus*, H. B. & K. . . 220. — Peruv.

## HELICHRYSUM.

- 1113<sup>2</sup>. a. STOECHAS, Gueldenst. Reisen (1787); ex Ledeb. Fl. Ross. ii. 607 (1846).

- 1113<sup>3</sup>. *asperum*, DC. Prod. vi. 264, sphalm. = *ericaefolium*.

## HELICOSTYLIS.

- 1117<sup>2</sup>. 1. *affinis*, Steud. ex Miq. . . 118 = *Poeppigiana*.

## HELIOSPERMA.

- 1119<sup>3</sup>. 1. *Veselskyi*, Janka, . . . 65 = *S. eriophylla*.

## HELIOTROPION.

- 1120<sup>2</sup>. 1. *Claussenii*, DC.

- 1120<sup>3</sup>. *fruticosum*, Benth. & Hook. f. Gen. ii. 843 = *Tournefortia fruticosa*, Ker-Gawl.

- gracile*, R. Br. in Salt, . . . = *zeylanicum*.  
a. *helianthemoides*, Shuttl. ex A. DC. in DC. Prod. x. 78, 85 = *Lithospermum angustifolium*?

- 1121<sup>3</sup>. 1. *Saltianum*, Steud. . . 744 = *zeylanicum*.

- 1122<sup>1</sup>. *tenuis*, Willd.

- a. *Volaterrae*, Hort. ex Vilm. Fl. Pl. Terre, ed. III. 499, sphalm. = seq.

- Voltaireanum* x, Hort. — Cf. Paxt. Mag. Bot. xvi. (1849) t. 99. f. 1.

1. *zeylanicum*, Lam. . . 94. — Ind. or.; Afr. trop.

## HELIPTERUM.

- 1122<sup>2</sup>. 1. *Dimorpholepis*, Benth.

## HELMINTHIA.

- 1123<sup>3</sup>. 1. *Balansae*, Coss. & Dur. . . 744 = *P. Balansae*.  
*comosa*, Boiss. . . 62 = *P. comosa*.

- 1124<sup>1</sup>. *lusitanica*, Welw. . . 515 = *P. comosa*.

- 1124<sup>1</sup>. a. HELMINTHOTHECA, Vaill. ex Boehm. in Ludw. Def. Gen. Pl. 173 (1760) = seq.

## HELOPUS.

- 1124<sup>3</sup>. 1. *sanguinalis*, Nees, l. c. 17 = *Panicum sanguinale*.

## HELOSCIADIUM.

- 1124<sup>3</sup>. a. *heterophyllum*, Steud. Nom. ed. II. ii. 592, in syn., sphalm. = *leptophyllum*.

## HEMEROCALLIS.

- 1125<sup>2</sup>. a. CAMERARIA, Boehm. in Ludw. Def. Gen. Pl. 56 (1760).

## HEMIANTHUS.

- 1125<sup>3</sup>. 1. *adenander*, Wright, . . . 185 = *M. adenandrum* (in Addend.).

- erosus*, Wright, ex Griseb. l. c. 984 = *M. multiflorum* (in Addend.).

- multiflorus*, Wright, . . . 185 = *M. multiflorum* (in Addend.).

- punctatus*, Wright, . . . 184 = *M. punctatum* (in Addend.).

- trisetosus*, Wright, . . . 185 = *M. trisetosum*.

- 1126<sup>3</sup>. insere HEMILOBIUM, Welw. Synopse, 20 (1862) = *Apodytes*, E. Mey. (Olacin).

- ficifolium*, Welw. l. c. = *A. dimidiata*.

- 1128<sup>2</sup>. a. HENNA, Ludw. Def. Gen. Pl. 134 (1747) = *Lawsonia*, Linn. (Lythrar.).

## HEPPIELLA.

- 1129<sup>2</sup>. 1. CHEIRISANTHERA, Hort. ex Lindl. & Paxt. Flow. Gard. ii. (1851) 59.

## HERACLEUM.

- 1130<sup>1</sup>. a. TORDYLOIDES, Wall. ex DC. Prod. iv. 199 (1830).

- 1130<sup>2</sup>. 1. *Chorodanum*, DC.

## HERITIERA.

- 1131<sup>3</sup>. a. SUTHERLANDIA, J. F. Gmel. Syst. 1027 (1791).

PAG.

**HERNIARIA.**

- 1134<sup>2</sup>. a. *cashmeriana*, Royle, Illustr. Bot. Himal. 222 = incana ?  
 1134<sup>3</sup>. l. *setigera*, Gill. . . . 337 (Paronychia sp.).

**HERPESTIS.**

- 1134<sup>2</sup>. l. MONNIERA, B. Juss. ex P. Br.

**HESPEROCHIRON.**

- 1137<sup>2</sup>. a. CAPNOREA, Rafin. Fl. Tellur. iii. 74 (1838), nomen prius.  
 l. *latifolius*, Kellogg, . . . 44 = californicus.

**HETERANTHERA.**

- 1038<sup>2</sup>. a. *virginicus*, Steud. Nom. ed. II. ii. 29, in syn. = reniformis.

- 1139<sup>2</sup>. l. HETEROMORPHA, Cass. . . . Philom.

**HETEROPOGON.**

- 1140<sup>1</sup>. a. SPIROTHEROS, Rafin. in Ser. Bull. Bot. i. (1830) 221.

**HETEROTHRIX.**

- 1141<sup>2</sup>. l. *Vanheurckii*, Muell. Arg. . . . 164 = Mandevilla Vanheurckii.

- 1142<sup>1</sup>. l. **HETEROTRICHUM**,

- a. OCTONUM, Rafin. Sylva Tellur. 95 (1838).  
 l. Octonum, DC.

**HEWITTIA.**

- 1142<sup>2</sup>. a. *linifolia*, Ind. Kew. p. 600<sup>3</sup>. perperam sub C. caespitosa cit. = Ipomoea linifolia.

**HIBISCUS.**

- 1145<sup>1</sup>. l. *abutiloides*, Willd. . . . 736 = tiliaceus.  
*affinis*, H. B. & K. . . . 289 (Cienfugosiae sp.).  
*angustifolius*, Hook. & Arn. . . . 152 = Lambertianus.

- 1145<sup>2</sup>. *bicornis*, G. F. W. Mey. . . . 231 = bifurcatus.  
 1146<sup>1</sup>. *crenatus*, Splitg. . . . 336 = sororius.  
*cruentus*, Bertol. . . . 10 = H. Sabdariffa.  
*decipiens*, A. St. Hil. . . . 247 = bifurcatus.  
*digitatus*, Cav. . . . 2 = H. Sabdariffa.  
*Diodon*, DC. . . . 449 = furcellatus.

- elatus*, Sw. . . . 1218 = tiliaceus.  
 1146<sup>2</sup>. *fluminensis*, Vell. . . . 34 = bifurcatus.  
*fraternus*, Linn. . . . 260 = H. Sabdariffa.  
 a. *grandiflorus*, Juss. ex DC. Prod. i. 456 = Thespesia grandiflora.

- 1146<sup>3</sup>. l. Kokio, Hilleb.  
*multiformis*, A. St. Hil. . . . 246 = furcellatus.  
 1147<sup>2</sup>. *pernambucensis*, Bertol. . . . 229 = tiliaceus.  
 1148<sup>1</sup>. *salviaefolius*, A. St. Hil. . . . 249 = Lambertianus.

- 1148<sup>2</sup>. *sulphureus*, H. B. & K. . . . 289 (Cienfugosiae sp.).  
*surattensis*, Linn.  
*tampicensis*, Moric. . . . 14 = Kosteletzkya sagittata.

- 1148<sup>3</sup>. *trilobatus*, Vell. . . . 29 = furcellatus.  
*unidens*, Lindl. . . . t. 878 = radiatus.

- a. *verbasciformis*, Klotzsch, in Schomb. Faun. Fl. Brit. Gui. 991, nomen = spatulatus.

- 1149<sup>1</sup>. *Youngianus*, Gaudich. . . . 91 = furcellatus.

**HIERACIUM.**

- 1149<sup>2</sup>. a. *anserinum*, *araneosum*, *bifrons*, *cirritum*, *coronariaefolium*, *dasytrichum*, *doronicoideis*, *eriphyllum*, *falcatum*, *fastidiosum*, *grandifolium*, *heterodon*, *isatifolium*, *jaceoides*, *lactucaefolium*, *lansicum*, *leuochloma*, *lychnoides*, *melandrifolium*, *Pamphilii*, *parcepilosum*, *pulchellum*, *Ravaudii*, *Sausei*, *spicatifolium*, *thapsifolium*, *thapsoides*, *trichocladum*, *ustulatum*, Arv. Monog. Pilos. 22-46 (Quid ?).—Gallia.  
*armerioides*, *aurantiacoides*, *biflorum* x, *capitatum*, *chamaeaurantiacum*, *chlorae-folium*, *cirrocephalum*, *corymbuliferum*, *corymbuloides*, *fistulosum*, *florentoides* x, *Grenierianum*, *intertextum*, *lanatellum*, *multiflorum*, *nigritellum*, *palmatum*, *paniculatum*, *Pseudo-lanatum*, *squalidum*, *umbelluliferum*, *villosiforme*, *viride*, Arv. Ess. Pl. Dauph. 30, 40-50 (Quid ?).—Gallia.

PAG.

**HIERACIUM:—**

- 1149<sup>3</sup>. a. *brunellaeforme*, *caeruleum*, *caesioides*, *calycinum*, *cephalodes*, *cichoraceum*, *Didieri*, *elegans*, *erythrospermum*, *floccosum*, *Guil-lonianum*, *heterospermum*, *hypericifolium*, *intricatum*, *laureolum*, *leiopogon*, *oleovirens*, *oligocephalum*, *Pseudo-juranum*, *Pseudo-viride*, *rapunculoides*, *Reboudianum*, *salicifolium*, *saxetanum*, *sonchoides*, *subalpinum*, *subrude*, *subsecundum*, *subvirens*, *taraxaci-forme*, *tenuis*, *urticaceum*, *virgultatum*, *viscosum*, Arv. Monog. Pilos. Suppl. 5-32 (Quid ?).—Gallia.

- 1151<sup>1</sup>. a. vell. *callianthum*, *fragile*, *lividum*, *oleosum* (= *oleovirens*), *subluridum*, *succisoides*, Arv. Add. Monog. Pilos. 8-13 (Quid ?).—Gallia.

- 1152<sup>2</sup>. *dichotomum*, Schrank, Baier. Reise, 13 (Quid ?).—Germania.

- 1161<sup>3</sup>. a. HILLIA, Boehm. in Ludw. Def. Gen. Pl. 71 (1760) = Halesia, Linn. (Syrac.).

- 1161<sup>3</sup>. l. HILSENBERGIA, Boj. . . . (1837); in Rapp. Soc. Hist. Nat. Maurice, xii. (1841) 44.

**HIMANTOGLOSSUM.**

- 1161<sup>2</sup>. l. *cucullatum*, Reichb. . . . 120 = Habenaria cucullata.

**HIPPEASTRUM.**

- 1162<sup>2</sup>. l. *advena*, Herb.  
 a. *Hendersoni* x, Hort. ex Flor. Mag. N. S. (1874) t. 117.

- 1162<sup>3</sup>. *Tweedianum*, Herb. Amaryll. 425 (Index) = aulicum.

**HIPPOCRATEA.**

- 1163<sup>2</sup>. a. PRIONOSTEMMA, Miers, in Trans. Linn. Soc. xxviii. (1872) 354.

- 1163<sup>3</sup>. *lanceifolia*, Wils. ex Triana & Planch. in Ann. Sc. Nat. Sér. V. xvi. (1872) 372, in nota.—Jamaica.

**HIPPOCREPIS.**

- 1164<sup>1</sup>. a. *alpestris*, Arv. Ess. Pl. Dauph. 25 (Quid ?).—Gallia.

**HIRAEA.**

- 1165<sup>2</sup>. l. *chlorocarpa*, A. Fuss. in Ann. Sc. Nat. Sér. II. xviii. (1840) 259.  
*chrysophylla*, A. Fuss. in Arch. Mus. Par. iii. (1843).

- 1166<sup>1</sup>. l. HIRNELLIA, Cass. . . . = Myriocephalus, Benth. (1837).

**HIRTELLA.**

- 1166<sup>1</sup>. l. ZAMZELA, Rafin.

**HITCHENIA.**

- 1167<sup>1</sup>. l. *glauca*, Wall. . . . 216.

**HOFFMANNIA.**

- 1167<sup>3</sup>. l. *lanceolata*, Griseb. . . . 504 = Lasianthus Moralesii.

**HOFFMANSEGGIA.**

- 1168<sup>1</sup>. a. LARREA, Orteg. Hort. Matr. Dec. 15. t. 2 (1797).

**HOLCUS.**

- 1169<sup>1</sup>. l. *ciliatus*, Roxb. . . . 318 = Arundinella holcoides.  
*nervosus*, Roxb. . . . 318 = Arundinella brasiliensis.

- 1169<sup>2</sup>. d. *saccharatus*, Griseb.

**HOLIGARNA.**

- 1169<sup>2</sup>. a. KATOUTSJEROE, Adans. Fam. ii. 84, 534 (1763).

**HOLOSTEMMA.**

- 1170<sup>2</sup>. l. *tuberculatum*, Blume, . . . (= Cynoctonum

**HOMOEATHERUM.**

- 1172<sup>1</sup>. l. *chinense*, Nees, l. c. = A. fastigiatus.

- 1173<sup>1</sup>. l. HOOREBEKIA, Corneliss. . . . 12;  
*chiloensis*, Corneliss. l. c. 13, cum ic. =

**HOPEA, Linn.**

- 1173<sup>1</sup>. a. *lucida*, Thunb. Ic. Jap. t. 14 = S. japonica ?

PAG.

**HOPEA.**

- 1173<sup>1</sup>. a. *conduplicata*, Buch.-Ham. in Mem. Wern. Soc. vi. (1832) 299 = Dipterocarpus alatus.

- laevis*, Buch.-Ham. (l. c.) = Dipterocarpus turbinatus.  
 d. *lucida*, Thunb.

- a. *scabra*, Buch.-Ham. (l. c.) 300 = Dipterocarpus scaber.

- trinervis*, Buch.-Ham. (l. c.) = Dipterocarpus turbinatus.

**HORDEUM.**

- 1173<sup>3</sup>. l. *Aegiceras*, Nees, in Royle, Illustr. Bot. Himal. 418. t. 97. f. 2 =

- 1174<sup>1</sup>. *himalayense*, Schult. . . . 481 = vulgare.

- a. *hymalayense*, Hort. Monsp. ex Irmisch, in Linnaea, xiii. (1839) 125 = praec.

- l. *ithaburensis*, Boiss. . . . 70 = spontaneum.

- 1174<sup>2</sup>. *marinum*, Huds. . . . 57.—Europ.; Afr. bor.; Oriens.

- maritimum*, With. . . . ed. III. 172 = marinum.  
*spontaneum*, C. Koch, . . . 430.—As. Min.; Oriens.

- villosum*, 'Bertol.' ex Steud.

**HORSFIELDIA.**

- 1175<sup>1</sup>. a. *aculeata*, Benn. Pl. Jav. Rar. 123. t. 26 = peltata.

- peltata*, Benth. & Hook. f. Gen. i. 937.—Java.

**HOULLETIA.**

- 1176<sup>1</sup>. l. Landsbergi, Linden & Reichb. f. . . . 2.—Costa Rica.

**HOUMIRI.**

- 1176<sup>2</sup>. l. *gabonensis*, Baill. . . . 52 = Aubrya gabonensis.

**HOVEA.**

- 1176<sup>3</sup>. a. PHUSICARPOS, Poir. Encyc. Suppl. iv. 399 (1816).

**HOWARDIA, Wedd.**

- 1177<sup>2</sup>. l. *febrifuga*, Wedd. l. c. 67 = P. febrifugus.

**HOYA.**

- 1177<sup>3</sup>. l. *cochinchinensis*, Schult. . . . 52 (Ceropegia sp. ?).

**HUERNIA.**

- 1178<sup>3</sup>. l. *ocellata*, Schult.

**HUGONIA.**

- 1179<sup>1</sup>. l. *angolensis*, Welw. . . . 271 = macrocarpa.  
*macrocarpa*, Welw. . . . 21 = Afzelii.

**HUTCHINSIA.**

- 1180<sup>2</sup>. l. *tibetica*, Thoms. . . . 900 = Capsella Thomsoni.

**HYALIS.**

- 1181<sup>2</sup>. a. *spartioides*, Benth. & Hook. f. ex Hieron. Pl. Diaph. 164.—Bolivia.

**HYDRILLA.**

- 1183<sup>1</sup>. a. IXIA, Muhl. ex Spreng. Syst. i. 171 (1825).  
*subulata*, Royle, Illustr. Bot. Himal. 376 = verticillata ?  
 l. *verticillata*, Royle, (l. c.) 376; Presl,

**HYDROLEA.**

- 1185<sup>1</sup>. l. *auriculata*, Moç. & Sesse, ex Choisy, in Ann. Sc. Nat. Sér. I. xxx. (1833) 239 =

- decurrens*, Moç. & Sesse, ex Choisy, (l. c.) 243 =

- 1185<sup>2</sup>. *ovata*, Nutt. ex Choisy, (l. c.) 239 =

- radians*, Moç. & Sesse, ex Choisy, (l. c.) 242 =

- rupicola*, Moç. & Sesse, ex Choisy, (l. c.) 242 =

- scorpioides*, Moç. & Sesse, ex Choisy (l. c.) 249 =

- tenella*, Moç. & Sesse, ex Choisy, (l. c.) 244 =

- violacea*, Moç. & Sesse, ex Choisy, (l. c.) 245 =

- 1185<sup>3</sup>. a. HYDROPHILA, Ehrh. Beitr. iv. 146 (1789) = Tillaea, Mich. (Crassul.).

**HYDROPHYLLUM.**

- 1185<sup>3</sup>. l. *hispidum*, Riddell, . . . 84 = macrophyllum.

**HYMENANTHERA.**

- 1187<sup>2</sup>. l. *oblongifolia*, A. Cunn. . . . 124.—Ins. Norfolk.

**HYMENOCALLIS**

- 1187<sup>3</sup>. a. TROXISTEMON, Rafin. l. c. (1836).



- PAG. **HYMENODICTYON.**  
 1188<sup>3</sup>. 1. KURRIA, Hochst. & Steud. in Flora, xxiv. (1841) i. Intell. 28; xxv.  
 1188<sup>3</sup>. a. HYMENOGONIUM, Rich. ex Lebel, in Mém. Soc. Sc. Cherb. xiv. (1868) 30 = *Spergularia*, J. & C. Presl (Caryophyll.).
- HYOSCYAMUS.**  
 1189<sup>3</sup>. 1. *Datura*, Forsk. . . = muticus.  
 1190<sup>1</sup>. *physaloides*, Linn. . . 180 = *Scopolia physaloides*.
- HYPERICUM.**  
 1195<sup>2</sup>. 1. *Thymopsis*, Boiss.
- HYPHAENE.**  
 1195<sup>3</sup>. a. *coriacea*, Welw. Apont. 584 = *benguellensis*. 1. Schatan, *Boj.* . . . 308.—Madag.
- HYPOBATHRUM.**  
 1195<sup>3</sup>. a. ERIOSTOMA, Boiss. ex Baill. *Adansonia*, xii. (1878) 208.
- HYPOCYRTA.**  
 1197<sup>1</sup>. 1. *gracilis*, Mart. . . 219 =
- HYPOESTES.**  
 1197<sup>2</sup>. a. *purpurascens*, Royle, Illustr. Bot. Himal. 298, sphalm. = *purpurea*.
- HYPOLEPIS.** Pers.  
 1198<sup>1</sup>. 1. *sanguinea*, Pers. l. c. = *C. dioicus*.
- HYPOXIS.**  
 1199<sup>1</sup>. a. *barbacenioides*, Harv. ex Baker, l. c. xiii. (1875) 234 = *Vellozia elegans*.  
 1199<sup>3</sup>. *vellosioides*, Harv. ex Baker, (l. c.) xiii. (1875) 233 (= *Xerophyta clavata*).—Afr. austr.
- HYPSELA.**  
 1199<sup>3</sup>. 1. *reniformis*, Presl, . . . 45 = *Lysipomia reniformis*.
- HYPTIS.**  
 1201<sup>1</sup>. 1. *menthodora*, Schrank, in Syll. Ratisb. ii. (1828) 56 = *nepalensis*, Lehm. ex Benth. Lab. Gen. et Sp. 141 =
- HYSSOPUS.**  
 1202<sup>1</sup>. a. *anthiodorus*, [Nutt. in] Fras. Cat. (1813) n. 41 = *Lophanthus anisatus*.  
 1204<sup>1</sup>. a. ICHTHYOMETHIA, P. Br. Hist. Jamaica. 296 (1756) = *Piscidia*, Linn.
- IGUANURA.**  
 1205<sup>1</sup>. 1. SLACKIA, Griff. . . (1854).
- ILEX.**  
 1205<sup>3</sup>. a. *Congonhas*, Liai, Brésil, 563 = *paraguayensis*.  
 1207<sup>1</sup>. 1. *rotunda*, Buch.-Ham. ex Wall. a. *serrata*, Royle, Illustr. Bot. Himal. 167, nomen (Quid?).—Reg. Himal.
- ILLAIREA.**  
 1207<sup>2</sup>. 1. *canarinoides*, Lenné & C. Koch, l. c. = *L. canarinoides*.
- IMPATIENS.**  
 1209<sup>3</sup>. a. *Inglisii*, Royle, Illustr. Bot. Himal. 150, nomen (Quid?).—Reg. Himal.  
 1210<sup>2</sup>. *pumila*, Royle, (l. c.) 151, nomen (Quid?).—Reg. Himal.  
*speciosa*, Royle, (l. c.) nomen (Quid?).—Reg. Himal.
- INCARVILLEA.**  
 1211<sup>2</sup>. 1. *Koopmanni*, Lauché, in Deutsch. Gart. 1880 (1881), 39, cum ic. =
- INDIGOFERA.**  
 1211<sup>2</sup>. a. ANIL, March. ex Ludw. Def. Pl. 117 (1737).  
 1211<sup>3</sup>. *Arghawan*, Royle, Illustr. Bot. Himal. 193 = *Sophora mollis*.  
 1212<sup>1</sup>. 1. *bracteolata*, DC.  
 1212<sup>3</sup>. *disperma*, Linn. . . 232 = *tinctoria*.
- PAG. **INDIGOFERA :—**  
 1214<sup>2</sup>. *pinifolia*, Baker, (ante *platyphyllum* ponenda). *platyphylla*, Miq. . . 292 = *Tephrosia senoides*.  
 a. *plicaeifolia*, Steud. Nom. ed. II. ii. 710, in syn. = *Psoralea obtusifolia*.
- INGA.**  
 1215<sup>2</sup>. a. FEVILLAEA, Linn. Syst. ed. I (1735).  
 1215<sup>3</sup>. 1. Bourgoni, DC.  
 1216<sup>1</sup>. *Diadema*, Mart.
- 1218<sup>3</sup>. 1. INGENHOUIA, Bert. ex DC. in Guill. Arch. Bot. ii. (1833) 333 = *Rhetinodendron*, Meissn. (Compos.).
- INOCARPUS.**  
 1218<sup>3</sup>. a. RENIA, Noronha, in Verh. Batav. Gen. v. (1790) ed. I. Art. IV. 3.
- INULA.**  
 1219<sup>1</sup>. 1. ENULA, Caesalp. ex Boehm. in Ludw. Def. Gen. Pl. 184 (1760); Neck.  
 a. MYRIADENUS, Cass. in Bull. Soc. Philom. (1817) 138.  
 ORSINA, Bertol. in Ann. Stor. Nat. Bologn. I. ii. (1829) 362.  
 1219<sup>3</sup>. 1. *intermixta*, Kern.  
 a. *lanigera*, Burm. f. Fl. Cap. Prod. 27 (Quid?).—Afr. austr.
- IONIDIUM.**  
 1221<sup>2</sup>. 1. *concolor*, Steud. Nom. ed. II. ii. 770, in syn.; Benth. & Hook. f.
- 1222<sup>1</sup>. 1. IONOPSIDIUM, forsan retinendum, cum spp. 2, scilicet I. acaule, albiflorum.
- IPOMOEA.**  
 1223<sup>2</sup>. 1. *arachnosperma*, Welw. Apont. 588 = *pilosa*.  
 a. *aurea*, Kellogg, ex Curran, in Bull. Calif. Acad. i. iii. (1885) 143.—Calif.  
 1224<sup>1</sup>. 1. *Clappertoni*, R. Br. . . . 240 = *aquatica*.  
 1224<sup>2</sup>. *decora*, Vathe & Hildeb. . . (1869).  
 1224<sup>3</sup>. *flavescens*, Steud. . . 816 = *Lepistemon flavescens*.  
 a. *Forsteri*, A. Gray, ex H. Mann, in Proc. Am. Acad. vii. (1866) 195.—Ins. Sandvic.  
 1225<sup>2</sup>. 1. *humilis*, G. Don, . . . 267 = *carnosa*.  
*incurva*, G. Don, . . . = *carnosa*.  
 1225<sup>3</sup>. *lanceolata*, G. Don, . . . = *martinicensis*.  
*lilacina*, Hemsl. Biol. Centr. Am. Bot. ii. 389 (an praec.?).—Mexic.  
 1226<sup>1</sup>. *Mendesii*, Welw. Apont. 584 = *tuberculata*.  
*multiseeta*, Welw. Apont. 589 = *coptica*.  
 1226<sup>2</sup>. *oblonga*, Hemsl. Biol. Centr. Am. Bot. ii. 391.—Mexic.  
 a. *obscura*, Guill. in Ann. Sc. Nat. Sér. II. vii. (1837) 244 = *Forsteri*.  
 1227<sup>1</sup>. 1. *radiatifolia*, Kellogg, . . . 163 = *leptotoma*.  
 1227<sup>2</sup>. *Schiedeana*, Ham.  
 a. *sepiaria*, Seem. in Bonplandia, ix. (1861) 258 = *Forsteri*.  
 1227<sup>3</sup>. *splendens*, G. Don, in Edinb. Phil. Journ. xi. (1824) 343, nomen = *digitata*.  
 1228<sup>1</sup>. 1. *teretistigma*, Choisy, l. c. 376 = *Hewittia bicolor*.  
 a. *tragulifera*, Miers, in Proc. Roy. Hort. Soc. iv. (1864) 160.—N. Granat.  
 1228<sup>2</sup>. 1. *umbellifera*, Choisy, . . . 389 = *umbellata*? Linn.
- IRINA.**  
 1229<sup>2</sup>. 1. *alnifolia*, Blume, . . . 117 = *P. eximia*.  
*tomentosa*, Blume, l. c. = *P. eximia*.
- IRIS.**  
 1229<sup>3</sup>. 1. Aitchisoni, Boiss. Fl. Orient. v. 123.—Afghan.  
 1230<sup>3</sup>. *Helena*, Boiss. (l. c.) 132, in syn. =  
 1232<sup>2</sup>. *tuberosa*, Linn. . . 40 = *Hermodactylus tuberosus*.
- IRLBACHIA.**  
 1232<sup>3</sup>. 1. *recurva*, Prog. . . 229 = *Pagaea recurva*.  
*subcordata*, Prog. l. c. = *Pagaea recurva*.
- PAG. **ISACHNE.**  
 1233<sup>1</sup>. a. *multiflora*, Trimen, Cat. Pl. Ceyl. 104.—Zeylan.  
 1. *tricarinata*, Roth, . . . 57 = *Panicum ovalifolium*.
- ISATIS.**  
 1233<sup>2</sup>. 1. *Djurdjurae*, Coss. & Dur.
- ISCHAEMUM.**  
 1234<sup>1</sup>. a. *dactyloideum*, Montand. Guide Bot. 353 = *Andropogon Ischaemum*.  
 1234<sup>2</sup>. 1. *pilosum*, Wight, in Madr. Journ. Sc. Ser. I. ii. (1835) 139; Trimen,
- ISOLEPIS.**  
 1237<sup>3</sup>. 1. *podocarpa*, Boeck. . . 179 = *Hemichlaena angustifolia*.
- ISOPOGON.**  
 1239<sup>3</sup>. a. *anemifolius*, Steud. Nom. ed. II. ii. 401, in syn., sphalm. = seq.
- ISOPYRUM.**  
 1240<sup>1</sup>. 1. *Clarkii*, Kellogg, . . . 131 = *stipitatum*.
- ITEA.**  
 1240<sup>3</sup>. a. REINIA, Franch. & Sav. Enum. Pl. Jap. ii. 314 (1876).  
 1243<sup>2</sup>. 1. IXINA, Rafin. . . = IXINE, Loeffl.  
 1243<sup>2</sup>. insere IXINE, Loeffl. St. Hisp. 195 (1758) = *Krameria*, Linn. (Polygal.).
- IXORA.**  
 1244<sup>3</sup>. a. *Pilgrimi* ×, Hort.—Cf. Flor. Mag. N. S. (1880) t. 428.  
 1245<sup>1</sup>. *Williamsii* ×, Hort.—Cf. Gard. Chron. (1872) 642. f. 162.
- JACOBINIA.**  
 1246<sup>3</sup>. a. *ramosissima*, Benth. & Hook. f. Gen. ii. 1119, in obs.—Bras.
- JACQUEMONTIA.**  
 1246<sup>3</sup>. a. PENTANTHUS, Rafin. Fl. Tellur. iv. 70.  
 1249<sup>1</sup>. insere JANTHURANDIBA, [Marcgr.] Adans. Fam. ii. 448 (1763) = *Gustavia*, Linn. (1785) (Myrtac.).
- JASIONE.**  
 1249<sup>2</sup>. 1. *humilis*, Loisel.
- JASMINUM.**  
 1250<sup>2</sup>. d. *humile*, Heyne, etc.
- JASONIA.**  
 1251<sup>1</sup>. d. MYRIADENUS, Cass., et ORSINA, Bertol. (nunc Inula).  
 1252<sup>3</sup>. 1. JEFFERSONIA, Bart. . . (1793) 342.  
*binata*, Bart. . . (1793) 342.
- JUGLANS.**  
 1254<sup>3</sup>. 1. *baccata*, Linn. . . 1272 = *Picrodendron arboreum*.  
 1255<sup>1</sup>. a. *dissecta*, Hort. Taur. 910; ex C. DC. in DC. Prod. xvi. ii. 136 = *regia*.  
 1255<sup>3</sup>. 1. JUNCAGO, Tourn.
- JUNCUS.**  
 1255<sup>3</sup>. a. STYGIARIA, Ehrh. Beitr. iv. (1789) 146.  
 1260<sup>1</sup>. a. JUNGIA, Boehm. in Ludw. Def. Gen. Pl. 92 (1760) = *Dianthera*, Gronov. (Acanth.).
- JUNIPERUS.**  
 1260<sup>3</sup>. 1. *gracilis*, Hort. . . = *Cupressus torulosa*.  
 1261<sup>1</sup>. a. *nana*, Willd. Sp. Pl. iv. 854 = *communis*.  
*plochyderma*, Sargens, in Rep. Tor. N. Am. (U. St. 10th Census, ix.) (1864) 181, sphalm. = *pachyphlaea*.
- JURINEA.**  
 1262<sup>1</sup>. 1. *heterophylla*, Boiss. Fl. Orient. iii. 571.
- JUSTICIA.**  
 1265<sup>1</sup>. 1. *elegans*, Pohl, . . . 382.—Bras.  
 1265<sup>2</sup>. *flexibilis*, Boj. . . = *Hypoestes flexibilis*.  
 1267<sup>1</sup>. a. *obscura*, Vahl, ex Benth. Lab. Gen. et Sp. 323, sphalm. = *diffusa*?  
 1267<sup>2</sup>. 1. *procumbens*, Blume, . . . = *Blumeana*.  
 1267<sup>3</sup>. *salicifolia*, Blume, Bijdr. 787 = *Peristrophe salicifolia*.

## TOMUS II.

PAG.

**KADSURA.**

- 1<sup>1</sup>. a. *PULCHERIA*, Noronha, in Verh. Batav. Gen. v. (1790) Art. IV. 3.

**KAKOSMANTHUS.**

- 2<sup>1</sup>. l. *macrophyllus*, Hassk. . . 578 = *P. macrophylla*.

- 2<sup>1</sup>. l. *KALABOTIS*, Rafin.

- 2<sup>3</sup>. l. *KALI*, Tourn. ex Ludw. Def. Gen. Pl. 231 (1747) =

- 3<sup>3</sup>. insere *KATAKIDOZAMIA*, Haage & Schmidt, ex Regel, Gartenfl. (1876) 5 = *CATAKIDOZAMIA*, T. Hill = *Macrozamia*, Miq. (Cycad.).

- 3<sup>3</sup>. insere *KATOUTSJEROE*, Adans. Fam. ii. 84, 534 (1763) = *Holigarna*, Buch.-Ham. (Anacard.).

**KAYEA.**

- 4<sup>1</sup>. a. *PLINIA*, Blanco, Fl. Filip. ed. I. 423 (1837).  
*VIDALIA*, F. Villar, in Blanco, Fl. Philipp. ed. III. Nov. App. 17 (1880).

- l. *lepidota*, *Pierre*, l. c. — Cochinch. ; Ins. Philipp.

**KENTIA.**

- 5<sup>1</sup>. l. *foennis*, F. Muell. Fragm. vii. 101 = *Storckii*, F. Muell. (l. c.) = *subglobosa*, F. Muell. l. c. =

- 5<sup>2</sup>. l. *KENTROPHYLLUM* . . . = *Carthamus*, Linn.

**KERATEPHORUS.**

- 5<sup>3</sup>. l. *Leerii*, Hassk. . . 579 = *P. Leerii*.

**KHAYA.**

- 6<sup>2</sup>. a. *GARRETIA*, Welw. Apont. 587 [1859].

**KIESERA.**

- 6<sup>3</sup>. l. *gracilis*, Miq. . . 291 = *T. sennoides*.

**KIGELIA.**

- 6<sup>3</sup>. l. *SOTOR*, Fenzl, . . . Versamml.

**KIPPISTIA.**

- 7<sup>1</sup>. l. *suaedifolia*, F. Muell. = *M. Kippistiana*.

**KLEINIA.**

- 8<sup>1</sup>. a. *Mandaliscae*, Tineo, in Ann. Agr. Sicil. ; ex Lojac. Isole Eolie, 111. — Hab. ?

**KNAUTIA.**

- 8<sup>2</sup>. a. *alpina*, Arv. Ess. Pl. Dauph. 35 (Quid ?). — Gallia.

- 8<sup>3</sup>. *glandulosa*, Arv. (l. c.) (Quid ?). — Gallia.  
*latifolia*, Arv. (l. c.) (Quid ?). — Gallia.

- l. *lyrophylla*, Panč. . . 128 = *S. macedonica* ?  
*macedonica*, Griseb. . . 178 = *S. macedonica*.

**KOBRESIA.**

- 9<sup>3</sup>. l. *laxa*, Royle, Illustr. Bot. Himal. 411 ; Boeck.

- 10<sup>2</sup>. l. *KODDA-PAIL*, Adans. Fam. ii. 75 (non 25)

**KOELERIA.**

- 11<sup>1</sup>. a. *Philippiana*, E. Desv. in C. Gay, Fl. Chil. vi. 353, in nota. — Chili.

- 11<sup>3</sup>. l. *KOELREUTERIA* . . . = *Marsdensia*, R. Br. (Asclep.).

**KOPSIA.** Dum.

- 12<sup>3</sup>. l. *aegyptiaca*, Caruel, . . . = *O. aegyptiaca*.  
*arenaria*, Dum. . . = *O. arenaria*.  
*Borkhauseni*, Caruel, . . . = *O. arenaria*.  
*lavandulacea*, Caruel, . . . = *O. lavandulacea*.  
*longiflora*, Dum. . . = *O. aegyptiaca*.  
*ramosa*, Dum. . . = *O. ramosa*.  
a. *stricta*, Caruel, in Parl. Fl. Ital. vi. 356 = *O. Schulzii*.

**KRAMERIA.**

- 13<sup>2</sup>. a. *IXINE*, Loefl. It. Hisp. 195 (1758).

VOL. II.

PAG.

**KREMERIA.**

- 14<sup>1</sup>. l. *Cordylocarpus*, Coss. & Dur. l. c. 672 = *M. Cordylocarpus*.

- 14<sup>2</sup>. l. *KROMBHOLZIA*, Rupr. . . (1842).

- 14<sup>3</sup>. l. *KTENOSACHNE*, Steud. . . = *Prionanthium*, Desv. (Gramin.).

**KYLLINGA.**

- 16<sup>1</sup>. l. *aphylla*, Kunth, . . . 127 = *peruviana*.

**LABOURDONNAISIA.**

- 17<sup>2</sup>. a. *EICHLERIA*, Hartog, in Journ. Bot. xvi. (1873) 72.  
*MURIEA*, Hartog, l. c. 145 (1873).

**LACHENALIA.**

- 18<sup>2</sup>. l. *pallida*, Soland.

**LACHNOPETALUM.**

- 19<sup>1</sup>. l. *glabrum*, Turcz. l. c. = *R. lachnopenetala*.

**LACHNOSTOMA.**

- 19<sup>2</sup>. a. *cynanchoides*, Benth. & Hook. f. Gen. ii. 766. — Am. bor. occ.  
l. *maritimum*, Benth. & Hook. f. (l. c.) ; Nichols.

- 19<sup>2</sup>. l. *LACINARIA*, Hill,

- a. *LACINIARIA*, Hill, Hort. Kew. 70 (1768) = *praec.*

**LACMELLIA.**

- 19<sup>3</sup>. l. *floribunda*, Benth. & Hook. f. . . 694.

**LACTUCA.**

- 20<sup>3</sup>. l. *muralis*, Fresen. . . ; G. F. W. Mey.

- 21<sup>1</sup>. *Schimperi*, Jaub. & Spach,

**LAETIA.**

- 22<sup>2</sup>. a. *THAMNIA*, P. Br. Hist. Jamaic. 245 (1756).

**LAGENOPHORA.**

- 23<sup>3</sup>. l. *Emphysopus*, Hook. f.

**LAGERSTROEMIA.**

- 23<sup>2</sup>. a. *anisontera*, Koehne, in Engl. Bot. Jahrb. iv. (1883) 407. — Cochinch.

**LAGGERA.**

- 24<sup>1</sup>. l. *pterodonta*, Sch. Bip. . . = *purpurascens*.

**LAGUNCULARIA.**

- 25<sup>1</sup>. a. *RHIZAERIS*, Rafin. Sylva Tellur. 90 (1838).

**LAMARCKIA.** Vahl,

- 25<sup>2</sup>. a. *coccinea*, Vahl, l. c. = *M. coccinea*.

**LANNEOMA.**

- 28<sup>2</sup> a. *triphylla*, March. Rev. Anacard. 157, sphalm. = seq.

- 28<sup>2</sup>. l. *LANSBERGIA* . . . = *Trimeza*, Salisb.

**LANSIUM.**

- 28<sup>3</sup>. a. *PLUTEA*, Noronha, in Verh. Batav. Gen. v. (1790) ed. I. Art. IV. 3.

- 28<sup>3</sup>. l. *montanum*, Royle, Illustr. Bot. Himal. 140 ; Steud.

**LANTANA.**

- 28<sup>3</sup>. l. *dubia*, Wall. Cat. n. 1823 =

- 29<sup>1</sup>. a. *Gochana*, Buch.-Ham. ex Wall. Cat. p. 87. n. 1821 = *alba*.

**LAPATHUM.**

- 29<sup>3</sup>. a. *bononiense*, Montand. Guide Bot. 265 = *R. pulcher*.

- obtusatum*, Montand. (l. c.) = *R. obtusifolius*.

- rotundifolium*, Montand. (l. c.) 267 = *R. alpinus*.

**LARIX.**

- 31<sup>3</sup>. l. *Deodara*, Royle, Illustr. Bot. Himal. 457 (Index) ; C. Koch,

PAG.

**LASERPITIUM.**

- 32<sup>2</sup>. a. *alpestre*, Arv. Ess. Pl. Dauph. 31 (Quid ?). — Gallia.

**LASIAGROSTIS.**

- 33<sup>2</sup>. l. *tremula*, Rupr. . . 35. — Kashgar.

**LASIANTHERA.**

- 34<sup>1</sup>. a. *malaccensis*, Mast. l. c. 584. — Malacca.

**LASIOLYTRUM.**

- 35<sup>2</sup>. l. *pilosum*, Steud. ex Jardin, . . . 299 = *Panicum sanguinale*.

- 36<sup>3</sup>. insere *LASSONIA*, Buc'hoz, Pl. Nouv. Découv. t. 19 (1779). Genus spurium *MAGNOLIA-CEARUM*.

- heptapeta*, Buc'hoz, l. c. — China.

- quinquepeta*, Buc'hoz, l. c. — China.

**LATHYRUS.**

- 37<sup>3</sup>. l. *ensifolius*, Badaro,

- 38<sup>1</sup>. *macrorrhizus*, Wimm. . . = *montanus*.

- 39<sup>1</sup>. a. *Tommasinii*, Sprun. ex Marches. in Boll. Soc. Adriat. Sc. Nat. Trieste, v. (1880) p. xxviii, nomen. — Europ.

**LAUNAEA.**

- 39<sup>2</sup>. l. *ZOLLIKOFERIA*, DC. . . (1838).

**LAURIDIA.**

- 40<sup>1</sup>. l. *rupicola*, Eckl. & Zeyh. . . (= *Mystroxydon reticulatum*). — Afr. austr.

**LAURUS.**

- 41<sup>3</sup>. l. *lucida*, Thunb. Fl. Jap. 174 = *Symplocos japonica* ?

- 42<sup>3</sup>. *semecarpifolia*, Wall. . . = *Alseodaphne semecarpifolia*.

- 43<sup>1</sup>. l. *LAVALLEA*, Baill. . . (1862) 361 =

**LAVANDULA.**

- 43<sup>2</sup>. l. *rotundifolia*, Benth.

**LAVATERA.**

- 43<sup>3</sup>. d. *hispida*, Sims, etc.

- 44<sup>1</sup>. l. *rotundata*, Láz. . . (1881),

**LAWSONIA.**

- 44<sup>3</sup>. a. *HENNA*, Ludw. Def. Gen. Pl. 134 (1747).

**LAVIA.**

- 45<sup>1</sup>. l. *galardioides*, Hook. & Arn.

- 46<sup>1</sup>. l. *LEBRETONIA*, Schrank,  
a. *candida*, Hort. ex Lem. Jard. Fleur. iii. (1852)  
sub t. 281 = *Urena stelligila*.

**LECHEA.**

- 46<sup>2</sup>. a. *maritima*, Leggett, ex Britton, Prel. Cat. N. Jersey (1881), 13. — Am. bor.

- l. *Novae-Cesareae*, C. F. Austin, . . . 81 = *minor*.

- thesioides*, Spach, . . . 285 = *tenuifolia*.

- thymifolia*, Michx. . . 77 = *minor*.

- a. *thymifolia*, Pursh, Fl. Am. Sept. 91 = *maritima*.

**LECONTEA.**

- 46<sup>3</sup>. a. *SIPHOMERIS*, Boj. Hort. Maurit. 170 (1837).

**LEDUM.**

- 47<sup>3</sup>. l. *californicum*, Kellogg, . . . 14 = *glandulosum*.

**LEIANTHUS.**

- 49<sup>1</sup>. l. *OMPHALOSTIGMA*, Reichb. Nom. 132 (1841).

**LEIDESIA.**

- 49<sup>2</sup>. a. *Sonderiana*, Muell. Arg. in DC. Prod. xv. II. 699 = *capensis*.

**LEMNA.**

- 50<sup>2</sup>. a. *LENTICULARIA*, Mich. ex Montand. Guide Bot. 308 (1868).

- PAG.  
51<sup>1</sup>. insere **LENTICULARIA**, Mich. ex Montand.  
Guide Bot. 308 (1868) = **Lemna**, Linn.  
*monorhiza*, Montand. l. c. = *Lemna minor*.
- LEOCHILUS**.  
51<sup>2</sup>. a. *pygmaeus*, Benth. & Hook. f. Gen. iii. 565.—  
Guatemala.
- LEONTICE**.  
51<sup>3</sup>. l. **LEONTOPETALON**, Tourn. ex Ludw. Def. Gen.  
Pl. 192 (1747).
- LEONTODON**.  
52<sup>1</sup>. l. *bessarabicus*, Fisch. ex Link, Enum. Hort.  
Berol. ii. 283 =  
52<sup>2</sup>. *nudicaulis*, Banks, . . . 535 = *saxatilis*.  
53<sup>1</sup>. *taraxacoides*, Hoppe & Hornsch. Tageb. 174;  
et ex  
*tenuifolius*, Hoppe & Hornsch. (l. c.) 173;  
et ex
- 53<sup>2</sup>. l. **LEONTOPETALON**, Tourn. ex Ludw. Def.  
Gen. Pl. 192 (1747).
- LEPERIZA**.  
55<sup>1</sup>. l. *eucrosioides*, Baker, . . . 170 = *Phaedranassa*  
*eucrosioides*.
- LEPIDADENIA**.  
55<sup>2</sup>. l. *Seloang*, Miq.
- LEPIDAGATHIS**.  
55<sup>2</sup>. l. *alopecurioides*, R. Br.  
*ceylanica*, Nees,  
55<sup>3</sup>. *nervosa*, Wight,  
56<sup>1</sup>. *subuninervia*, C. B. Clarke,
- LEPIDIDIUM**.  
56<sup>2</sup>. a. *bipinnatum*, Gibert, Enum. Pl. Montev. 66 =  
præc.  
l. *brevicaule*, Hoppe & Hornsch. Tageb. 278,  
nomen; et ex
- LEPIDOTHECA**.  
59<sup>1</sup>. a. *Santolina*, Walp. Rep. ii. 639, sphalm. = seq.  
l. *suaveolens*, Nutt. in Am. Phil. Trans. vii. (1841)  
[455] 397 =
- LEPIGNUM**.  
59<sup>2</sup>. a. *roseum*, Rafin. Fl. Tellur. iii. 81 = *Arenaria*  
*geniculata*?
- LEPTADENIA**.  
60<sup>2</sup>. l. = *L. Spartium* (pluries in synon. ).
- LEPTOCHLOA**.  
62<sup>1</sup>. l. *coerulescens*, Steud. . . 209.—Afr. trop.  
62<sup>2</sup>. *gracilis*, Nees, . . . 4.—Am. austr.  
*mutica*, Steud. . . = *virgata*, Beauv.  
*obtusiflora*, Hochst.
- 62<sup>3</sup>. l. **LEPTOCODON**, Sond. in Harv. & Sond.  
63<sup>2</sup>. l. **LEPTOPAETIA**, Harv. Gen. S. Afr. Pl.
- LEPTOTHERIUM**.  
65<sup>2</sup>. a. *Royleanum*, Nees, in Royle, Illustr. Bot. Himal.  
417, nomen (Quid?).—Reg. Himal.
- LERCHEA**.  
66<sup>2</sup>. l. *calycina*, A. Gray, . . . 311 = *Xanthophyllum*  
*calycinum*.
- 66<sup>3</sup>. a. **LERISCA**, Schlecht. in Bot. Zeit. iii. (1845)  
476 = *Cryptangium*, Schrad. (Cyperac.).
- LESSERTIA**.  
67<sup>2</sup>. l. *astragalina*, Pappe,  
67<sup>3</sup>. *pauciflora*, Harv. l. c. 222.  
*polystachya*, Harv. . . 216.
- LETTESOMIA**.  
68<sup>2</sup>. l. *sumatrana*, . . . = *Ipomoea staphylina*.
- LEUCADENDRON**.  
68<sup>2</sup>. a. *conocarpum*, Steud. Nom. ed. II. ii. 399, in  
syn. = *Leucospermum conocarpum*.  
68<sup>3</sup>. *ellipticum*, Steud. (l. c.) = *Leucospermum*  
*ellipticum*.
- LEUCANTHEMUM**.  
69<sup>2</sup>. a. *laciniosum*, Arv. Ess. Pl. Dauph. 36 (Quid?).  
—Gallia.

- PAG.  
**LEUCAS**.  
70<sup>1</sup>. l. *affinis*, R. Br. . . nomen = *urticifolia*.  
*dimidiata*, Benth. in Wall. Cat. n. 2521; et in  
DC.  
70<sup>2</sup>. a. *pallida*, Steud. Nom. ed. II. ii, in syn. = *Leonotis*  
*pallida*.
- LEUCERIA**.  
70<sup>3</sup>. l. *eriochlaena*, Remy,
- 71<sup>2</sup>. l. **LEUCOGLOCHIN**, Ehrh. Beitr. iv. (1789) 146;  
Heuff.
- LEUCOJUM**.  
71<sup>3</sup>. a. *aestivale*, Steud. Nom. ed. II. ii. 196, in syn.  
= seq.
- LEUCOMERIS**.  
71<sup>3</sup>. a. *scandens*, Sch. Bip. in Flora, xxxvi. (1854) 275  
= *Erigeron scandens*.
- 72<sup>1</sup>. a. **LEUCONOCARPUS**, Spruce, ex Planch. &  
Triana, in Ann. Sc. Nat. Sér. IV. xiv. (1860)  
295 = *Moronobea*, Aubl. (Guttif.).  
*riparius*, Spruce, l. c. = *M. riparia*.
- 72<sup>1</sup>. l. **LEUCOPHAE**, Webb & Berth.
- LEUCOPOGON**.  
72<sup>2</sup>. l. *exolasius*, F. Muell.  
*fimbriatus*, Stschegl.
- LEUCOSPERMUM**.  
74<sup>1</sup>. l. *involutum*, Roem. & Schult.  
a. *tortum*, Steud. Nom. ed. II. ii. 401, in syn.,  
sphalm. = *Leucadendron tortum*.
- 74<sup>2</sup>. linea prima l. **LEUCOSYKE**.
- LIATRIS**.  
76<sup>1</sup>. l. *cordata*, D. Don, ex Royle, Illustr. Bot. Himal.  
247; et ex
- LIBANOTIS**.  
76<sup>2</sup>. a. *athamantina*, Roehl. Deutschl. Fl. ed. II. ii.  
215 = *S. Libanotis*.  
l. *condensata*, Fisch. . . 724 = *S. condensatum*.  
*filifolia*, Roehl. (l. c.) =
- LIBIDIBIA**.  
76<sup>3</sup>. l. *coriaria*, Schlecht. . . = *C. coriaria*.
- LIBONIA**.  
77<sup>1</sup>. l. *floribunda*, C. Koch,  
a. *penrhosiensis* ×, Hort. ex Carr. in Rev. Hortic.  
(1876) 50, cum ic.
- LICANIA**.  
77<sup>1</sup>. a. *floribunda*, Benth. ex Hook. f. in Mart. Fl. Bras.  
xiv. II. 24 = *Moquilea utilis*.
- 78<sup>1</sup>. a. **LIEUTAUTIA**, Buc'hoz, Pl. Nouv. Découv.  
t. 7. (1779) = *Miconia*, Ruiz & Pav. (1794)  
(Melastom.).
- LIGHTFOOTIA**.  
78<sup>2</sup>. l. *capillaris*, Buek,
- 79<sup>1</sup>. l. **LIGIA**, Fasano, in Att. Acc. Nap. 1787 (1788),  
245 [t. 18. f. 2].
- LIGUSTICUM**.  
79<sup>2</sup>. l. *Ajawan*, Roxb. . . 170 =  
a. *Ajowan*, Royle, Illustr. Bot. Himal. 230 =  
præc.  
l. *angustilobum*, Phil. . . 95 = *Pimpinella angusti-*  
*loba*.
- LILIORHIZA**.  
81<sup>2</sup>. a. *Piattiana*, Kellogg, ex Curran, in Bull. Calif.  
Acad. i. iv. (1885) 150 = *F. pluriflora*?  
*viridis*, Kellogg, in Proc. Calif. Acad. ii. (1863)  
48 = *F. lanceolata*.
- LILIUM**.  
81<sup>2</sup>. l. *andinum*, [Nutt. in] Fras.  
82<sup>1</sup>. *giganteum*, Wall. . . t. 12.—Reg. Himal.  
83<sup>1</sup>. a. *umpquense*, A. Murr. Oreg. Circ. I (Quid?).—  
Am. bor.
- 83<sup>2</sup>. l. **LIMNANTHEMUM**, S. T. Gmel.  
83<sup>3</sup>. *Nymphoides*, Hoffm. & Link,  
a. *sarmentosum*, Steud. Nom. ed. II. ii. 769, in  
syn., sphalm. = *geminatum*.

- PAG.  
84<sup>2</sup>. l. **LIMNOGENNETON**, Sch. Bip. . . = *Sieges-*  
*beckia*, Linn.
- LIMNOSIPANEA**.  
84<sup>3</sup>. a. **SIPANIA**, Seem. in Bot. Voy. Herald, 136 (1853).
- LIMODORUM**.  
85<sup>2</sup>. a. *mauritanicum*, Sw. Adnot. Bot. 59 = *Angraecum*  
*gladiifolium*?
- LIMONIA**.  
85<sup>3</sup>. l. *pusilla*, Gaertn. l. c. 279 = *S. Schreberi*.
- 86<sup>1</sup>. insere **LIMONIAS**, Ehrh. Beitr. iv. (1789) 147 =  
*Epipactis*, Adans. (Orchid.).
- LIMOSELLA**.  
86<sup>2</sup>. a. *lacustris*, Steud. Nom. ed. II. ii. 350, in syn.,  
sphalm. = *Littorella juncea*.
- LINARIA**.  
86<sup>1</sup>. a. *affinis*, Arv. Hist. Pl. Dauph. 56 (Quid?).—  
Gallia.  
86<sup>3</sup>. *Aristides*, Battand. in Bull. Soc. Bot. Fr. xxxii.  
(1885) 337.—Alger.  
87<sup>2</sup>. l. *italica*, Trevir. Ind. Sem. Hort. Vratisl. App.  
ii. (1820) 2; et in
- LINDERNIA**.  
89<sup>2</sup>. a. *inaperta*, Thore, ex Maxim. in Bull. Acad.  
Petersb. xx. (1875) 449 = *V. erecta*.
- LINOCIERA**.  
90<sup>1</sup>. l. *cotinifolia*, Vahl, . . . 46 = *Chionanthus virginica*.
- LIPARIS**.  
93<sup>2</sup>. a. *diphyllus*, Nimmo, in J. Grah. Cat. Bomb. Pl.  
252 = *Habenaria diphylla*.  
l. *Galeottiana*, Hemsl. . . 559.—Mexic.
- LIPOCARPHA**.  
94<sup>2</sup>. l. *sphacelata*, Kunth, l. c. = *triceps*.  
*triceps*, Nees, . . . 93.—Amphig. trop.
- LIPOCHAETA**.  
94<sup>3</sup>. l. *hastata*, Kellogg, . . . = *Verbesina remota*.
- LIQUIDAMBAR**.  
96<sup>2</sup>. l. *peregrina*, . . . = *Myrica asplenifolia*.
- QUIKITA**.  
96<sup>2</sup>. l. *lepidota*, [Nutt. in] Fras. Cat. (1813) n. 45; DC.
- LISTERA**.  
98<sup>1</sup>. a. *multinervia*, Peterm. in Flora, xxvii. (1844)  
369 = *ovata*.
- 98<sup>2</sup>. insere **LITHOCARDIUM**, Linn. Syst. ed. I (1735)  
= *Cordia*, Linn. (Borag.).
- LITHOCARPUS**.  
98<sup>2</sup>. a. *Benzoin*, Royle, Illustr. Bot. Himal. 457 = *Styrax*  
*Benzoin*.
- LITSEA**.  
100<sup>2</sup>. a. **QUINQUEDULA**, Noronha, in Verh. Batav. Gen.  
v. (1790) ed. I. Art. iv. 3.
- 101<sup>3</sup>. lin. prima, l. **LIVISTONA**,
- LOASA**.  
102<sup>1</sup>. l. *aurantiaca*, Hort. ex Lilja, in Linnaea, xv.  
(1841) 263, etc.  
*contorta*, Lam. . . 579 = *Blumenbachia contorta*  
(in Addend.).  
*lateritia*, Gill. . . 275 = *Blumenbachia lateritia*.  
*punica*, Phil. . . (1884)
- LOBELIA**.  
102<sup>3</sup>. l. *adenophora*, Roem. & Schult. . . = *Lysipomia*  
*aretoides*.  
103<sup>2</sup>. *cinerea*, Thunb. . . = *Lightfootia albicaulis*.  
104<sup>1</sup>. *elliptica*, Willd. . . 57 = *Siphocampylus ellip-*  
*ticus*.  
104<sup>2</sup>. *glandulosa*, Willd. . . = *Lysipomia aretioides*.  
104<sup>3</sup>. *limoselloides*, Willd. . . = *Lysipomia aretioides*.  
*littoralis*, R. Cunn. . . 50 = *Pratia angulata*.  
*nivea*, Willd. . . 58 = *Siphocampylus niveus*.  
105<sup>1</sup>. *reticulata*, Willd. . . 58 = *Siphocampylus*  
*reticulatus*.  
*retrorsa*, Willd. . . 57 = *Siphocampylus re-*  
*trorsus*.  
*Rhynchopetalum*, Hemsl.  
106<sup>2</sup>. *subulata*, Benth. . . 137 = *Rhizocephalum*  
*subulatum*.  
*syphilitica*, Linn. . . —Am. bor.

- PAG. **LOLIUM.**  
108<sup>3</sup>. 1. *echicum*, Opiz, Oekon. *Coelorachis*, Forst. ex Kunth, Enum. Pl. i. Suppl. i. 375 =
- LOMATIA.**  
109<sup>2</sup>. 1. *chilensis*, C. Gay, . . . 310 = *Orites myrtoidea*.
- LONCHOCARPUS.**  
110<sup>1</sup>. 1. *Neuroscapha*, Benth.  
110<sup>2</sup>. 1. *Pterocarpus*, DC. . . . 260 = *Phyllocarpus Pterocarpus*.  
a. *scandens*, Steud. Nom. ed. II. ii. 461, in syn., sphalm. = L. Nicou.  
110<sup>2</sup>. insere **LONCHOPHYLLUM**, Ehrh. Beitr. iv. (1789) 148 = *Cephalanthera*, Rich. (Orchid.).
- LONICERA.**  
111<sup>3</sup>. 1. *obovata*, Royle, Illustr. Bot. Himal. 236.—  
112<sup>1</sup>. *Symphoricarpos*, Linn. . . = *Symphoricarpos orbiculatus*.
- LOPHIOCARPUS.**  
113<sup>1</sup>. 1. *guyanensis*, Micheli . . . = *S. guayanensis*.
- LOPHOPHYLLUM.**  
113<sup>2</sup>. a. *PERAPHORA*, Miers, in Ann. & Mag. Nat. Hist. Ser. III. xviii. (1866) 20.  
1. *bicristatum*, Griff.
- LORANTHUS.**  
116<sup>2</sup>. 1. *montanus*, Macfad. Fl. Jamaic. ii. 198; et ex
- LOROGLOSSUM.**  
118<sup>1</sup>. a. *longibracteatum*, Moris, ex Ardoino, Fl. Alpes-Marit. 351 = *O. longibracteata*.
- LOTUS.**  
119<sup>1</sup>. d. *ORTHOLOTUS*, Tourn. (*nunc Doryenium*).  
120<sup>1</sup>. a. *peliorhynchus*, Hook. f. Bot. Mag. t. 6733 = *Bertholetii*.
- LUDOLFIA.**  
122<sup>3</sup>. 1. *falcata*, Nees, in Royle, Illustr. Bot. Himal. 417, nomen; et ex
- LUDWIGIA.**  
123<sup>1</sup>. 1. *polycarpa*, Short & Peter, in Transylv. Journ. Med. n. xxxii. (1836) 577; et ex
- LUFFA.**  
123<sup>3</sup>. a. *tenera*, Royle, Illustr. Bot. Himal. 219 = *acutangula*?
- LUISIA.**  
123<sup>3</sup>. a. *TRICHOHIZA*, Lindl. ex Steud. Nom. ed. II. ii. 702 (1841).
- LUMNITZERA.**  
124<sup>2</sup>. 1. *PETALOMA*, Roxb. Hort. Beng. [90] (1814); Fl. Ind.  
*coccinea*, Wight & Arn. Prod. 316, etc.
- LUNDIA.**  
124<sup>3</sup>. 1. *monachantha*, Schum. & Thonn. . . . = *O. spinosa*.
- LUPINUS.**  
125<sup>1</sup>. a. *affinis*, Kellogg, ex Curran, in Bull. Calif. Acad. i. III. (1885) 135 = *microcarpus*.  
126<sup>2</sup>. 1. *rupestris*, H. B. & K. . . . 474.
- LYCHNIS.**  
129<sup>1</sup>. 1. *chalconica*, Linn. . . . 436.—*Rossia*; Sibir.  
129<sup>2</sup>. a. *Fortunei*, Hort. ex Vis. in Linnaea, xxiv. (1851) 181 = *Silene Fortunei*.  
*Lagrangei*, Coss. in Bull. Soc. Bot. Fr. xx. (1873) 243.—*Marocc*.  
1. *magellanica*, Desr.
- LYCOPUS.**  
132<sup>2</sup>. 1. *laciniatus*, Rouy, in Le Natural. ii. (1882) (Matér. Fl. Portug.) 507 = *europaeus*.
- LYGODISODEA.**  
133<sup>1</sup>. 1. *Lingua*, Boj. . . = *Lecontea Bojeriana*.
- LYSIMACHIA.**  
134<sup>2</sup>. a. *NEMORELLA*, Ehrh. Beitr. iv. (1789) 147.
- LYTHRUM.**  
136<sup>1</sup>. 1. *cashmerianum*, Royle, . . . 213

- PAG. **MACROCENTRUM.**  
141<sup>2</sup>. 1. *mendocinum*, Phil. l. c. 43 = *H. Gourlieana*.
- MACROCENMUM.**  
141<sup>3</sup>. 1. *exsertum*, Oerst. . . . 45 = *Pogonopus exsertus*.
- 142<sup>2</sup>. insere **MACROLOBIUM**, Zipp. ex Miq. Fl. Ind. Bat. i. I. 80 (1855) = *Azelia*, Sm. (Legumin.).
- 143<sup>1</sup>. lin. prima, 1. **MAGRORHYNCHUS.**
- 143<sup>1</sup>. a. **MACROSCAPA**, Kellogg, ex Curran, in Bull. Calif. Acad. i. III. (1885) 148 = *Stropholirion*, Torr. (Liliac.).  
*volubilis*, Kellogg, l. c. = *S. californicum*.
- MACROZAMIA.**  
144<sup>1</sup>. a. *Mackenzii*, Hort. ex Mast. in Gard. Chron. (1877) i. 665. f. 109 = *Miquelii*.
- MAERUA.**  
144<sup>3</sup>. 1. *pubescens*, C. Muell. in Walp. Ann. vii. 188 = *nervosa*.  
*scandens*, C. Muell. (l. c.) = *nervosa*.
- MAGNOLIA.**  
146<sup>1</sup>. a. *Simi*, Siebold, ex Miq. Ann. Mus. Bot. Lugd. Bat. ii. 257 = *Talauma stellata*.
- MAHERNIA.**  
146<sup>2</sup>. 1. *gracilis*, Harv. . . . 215 = *linnaeoides*.  
a. *linnaeoides*, Harv. in Harv. & Sond. Fl. Cap. i. 215 = *rotundata*.  
146<sup>3</sup>. 1. *rotundata*, E. Mey. . . . 192.—*Afr. austr.*
- MAIANthemum.**  
147<sup>1</sup>. 1. *Bifolium*, DC. Fl. Fr. iii. 177; [DC.]  
a. *smilacinum*, Montand. Guide Bot. 310 = *M. Convallaria*.
- MAIETA.**  
147<sup>1</sup>. 1. *heterophylla*, DC. . . . 166 = *Calophysa heterophylla*.
- MALACHRA.**  
148<sup>1</sup>. a. *diversifolia*, Hassk. in Hov. & De Vriese, Tijdschr. x. (1843) 184; xii. (1845) 79 = *Pavonia diversifolia*.
- MALESHERBIA.**  
150<sup>1</sup>. 1. *paniculata*, D. Don, . . . 323
- MALLOTUS.**  
150<sup>2</sup>. 1. *Apelta*, Muell. Arg.  
*chinensis*, Muell. Arg. in DC. Prod. xv. II. 965, in syn. =  
*japonicus*, Muell. Arg. . . . —*Japon*.  
150<sup>3</sup>. *micranthus*, Muell. Arg.  
*tiliaefolius*, Muell. Arg.
- MALUS.**  
152<sup>2</sup>. 1. *Torrino*, Siebold, ex De Vriese, Tuinb. Fl. iii. (1856) 368; Carr. . . = *P. Sieboldii*.
- MALVA.**  
153<sup>3</sup>. 1. *Munroana*, Otto & Dietr. . . = *Sphaeralcea Munroana*.  
154<sup>1</sup>. *Munroana*, Dougl. . . = *Sphaeralcea Munroana*.
- MAMMILLARIA.**  
157<sup>3</sup>. 1. *Goodrichii*, Scheer, in Seem. Bot. Voy. Herald, 286, sphalm. = *praec*.  
159<sup>1</sup>. 1. *pectinata*, Engelm. . . . 10 = *radians*.  
*rhapidacantha*, Hemsl. Biol. Centr. Am. Bot. ii. 520, sphalm. = *rhapidacantha*.  
159<sup>2</sup>. *rhodantha*, Link & Otto, Ic. Pl. Rar.  
160<sup>1</sup>. *tetrancistra*, Engelm. . . . partim.—*Am. bor. occ.*; Mexic.  
*tetrancistra*, Engelm. l. c. partim =  
160<sup>2</sup>. *tuberculosa*, Engelm. (non *tuberculata*).
- MANDEVILLA.**  
160<sup>2</sup>. a. *Wrightiana*, Benth. & Hook. f. Gen. ii. 727.—*Cuba*.
- MANISURIS.**  
162<sup>3</sup>. a. *RYTILIX*, Rafin. in Ser. Bull. Bot. i. (1830) 219.
- MAPPA.**  
164<sup>3</sup>. 1. *peltata*, Wight,

- PAG. **MAPPIA.**  
164<sup>3</sup>. 1. *montana*, Miers, l. c. 398 (*Apodytis* sp.).—*Java*.
- MARAH.**  
165<sup>1</sup>. 1. *muricata*, Kellogg.
- MARANTA.**  
165<sup>2</sup>. a. *discolor*, Welw. Synopse, 43 (al. gen.).—*Afr. trop.*  
*Makoyana*, E. Morr. ex Flor. Mag. N. S. (1873) t. 53.—*Am. trop.*  
165<sup>3</sup>. 1. *Moritziana*, Koern. . . . 66 = *Myrosma cannaefolium*.  
a. *nobilis*, Royle, Illustr. Bot. Himal. 356, nomen (Quid?).—*Ind. occ.*  
166<sup>1</sup>. 1. *olivaris*, Hort. ex Flor. Mag. N. S. (1873) sub t. 53 = *Makoyana*.  
166<sup>2</sup>. *unilateralis*, D. Dietr. Syn. Pl. i. 6 = *Myrosma unilateralis*.
- 168<sup>1</sup>. 1. **MARIANA**, Hill, . . . = *Silybum*, Vaill. (1763).
- MARIANTHUS.**  
168<sup>1</sup>. a. **CYATHOMISCUS**, Turcz. in Bull. Soc. Nat. Mosc. (1863) i. 562, in obs.  
1. **ONCOPORUM**, Putterl. in Endl. Nov. Stirp. Dec. 9 (1839).
- 169<sup>1</sup>. 1. **MARISCUS**, Ehrh. Beitr. iv. (1789) 146; Gaertn.  
a. **OPETIOLA**, Gaertn. Fruct. i. 14. t. 2. (1788).  
**TORULINIUM**, Desv. in Ham. Prod. Pl. Ind. Occ. 15 (1825).
- MARLEA.**  
170<sup>1</sup>. a. **STELANTHES**, Stokes, Bot. Mat. Med. ii. 339 (1812), nomen prius.
- MARSDENIA.**  
171<sup>2</sup>. 1. *longiflora*, A. Rich. . . . 100 = *Stephanotis longiflora*.  
171<sup>3</sup>. *tinctoria*, R. Br. . . . 30.—*As. trop.* (non *Afr.*).  
*vinciflora*, Griseb. . . . 170 = *Stephanotis vincaeflora*.
- MARTYNIA.**  
172<sup>3</sup>. 1. *Proboscidea*, Glox.
- MASSONIA.**  
174<sup>3</sup>. a. *nivea*, Burch. ex Salisb. Gen. Pl. Fragm. 17 = *jasminiflora*?
- MATRICARIA.**  
176<sup>1</sup>. a. **OTOSPERMUM**, Willk. in Bot. Zeit. xxii. (1864) 251.
- MAURIA.**  
178<sup>2</sup>. a. *bijuga*, March. Rév. Anacard. 162, sphalm. = *subbijuga*.
- MAXILLARIA.**  
178<sup>3</sup>. d. **ONKERIPUS**, et **PENTULOPS**, Rafin. (*nunc Xylobium*).  
179<sup>1</sup>. 1. *crocea*, Lindl. l. c. t. 1799.  
a. *cyanocheile*, Hoffm. Preisverz. ed. X. 30.—*Cf. Linnaea*, xvi. (1842) Litt. 272.—*Bras*.  
180<sup>1</sup>. *nasalis*, Reichb. f. in Saund. Refug. Bot. ii. t. 103, sphalm. = *seq.*  
*pallidiflora*, Reichb. f. in Rodrig. Orch. Nov. ii. 201 = *liliacea*.  
180<sup>2</sup>. 1. *Warreana*, Lodd. Bot. Cab. t. 1884 = *Warrea tricolor*.
- MAXIMILIANA.**  
180<sup>3</sup>. 1. *insignis*, Mart. . . . 94 = *Scheelia insignis*.
- 182<sup>1</sup>. post **MECONELLAM** insere **MECONIA**, Hook. f. & Thoms. Fl. Ind. i. 275, in obs. (1855), sphalm. = *praec*.
- MECONOPSIS.**  
182<sup>1</sup>. 1. *horridula*, Hook. f. & Thoms. . . .—*Reg. Himal.*; *China*.  
*napaulensis*, DC.  
a. *napaulensis*, Hook. f. & Thoms. Fl. Ind. i. 253 = *praec*.  
1. *racemosa*, Maxim. . . . = *horridula*.  
*robusta*, Hook. f. & Thoms. . . . 253 = *napaulensis*.  
*simplicifolia*, Walp. Rep. i. 110.—*Reg. Himal.*  
a. *Wollastoni*, Regel, Gartenfl. (1876) 291, lapsu = *napaulensis*.



- PAG.  
182<sup>2</sup>. 1. **MEDICA**, Cothen. . . = **Tourretia**, Fougér.
- MEDICAGO**.  
182<sup>3</sup>. a. **TRIFILLIUM**, Medic. in Vorles. Churpf. Phys. Ges. ii. (1787) 333.  
**TRIPHYLLUM**, Medic. Phil. Bot. i. 202 (1789).
- 185<sup>3</sup>. a. **MEGAPHYLLUM**, Spruce, ex Baill. Hist. Pl. vii. 457, in nota (1880) = **Pentagonia**, Benth. (Rubiaceae).
- MELALEUCA**.  
187<sup>3</sup>. 1. **lateriflora**, Benth.
- 189<sup>2</sup>. 1. **MELANDRIUM**, . . . ed. II. ii. 37, 274 (1812).  
*Flos-cuculi*, . . . ed. II. ii. 275 =  
189<sup>3</sup>. *pratense*, . . . ed. II. ii. 274 =  
*sylvestre*, . . . ed. II. ii. 274 =
- MELANOCENCHRIS**.  
190<sup>1</sup>. a. **GRACILEA**, Koen. ex Rottl. in Ges. Naturf. Fr. Neue Schr. iv. (1803) 218 nomen prius,  
**ROYLEA**, Nees, ex Steud. Nom. ed. II. ii. 475 (1841).  
1 *Jacquemontii*, Jaub. & Spach, . . . = **Royleana**.  
*Perrottetii*, Jaub. & Spach, . . . = **Rothiana**.
- MELANOSINAPIS**.  
190<sup>2</sup>. 1. **communis**, Spenn. l. c. 945 = **B. sinapioides**.
- MELANTHESOPSIS**.  
190<sup>3</sup>. 1. **fruticosa**, Muell. Arg. . . 437 = **Andrachne fruticosa**?
- MELANTHIUM**.  
191<sup>2</sup>. a. **hyacinthoides**, Royle, Illustr. Bot. Himal. 384 = **Scilla indica**.
- MELASMA**.  
191<sup>2</sup>. 1. **hispidum**, Benth.
- MELASTOMA**.  
191<sup>2</sup>. d. **OCTONUM**, Rafin. (*nunc* **Heterotrichum**).  
192<sup>2</sup>. 1. **chulesis**, Buch.-Ham. . . = **Osbeckia nepalensis**.
- MELHANIA**.  
196<sup>3</sup>. 1. **laurifolia**, Boj. in Rapp. Soc. Nat. Maurice, xii. (1841) 48; et in
- MELIA**.  
197<sup>1</sup>. 1. **Bambolo**, C. DC. in DC. Monog. i. 767 err. typ. = seq.  
**Bombolo**, Welw.
- MELICA**.  
197<sup>2</sup>. 1. **arundinacea**, Raeusch. . . = **Molinia caerulea**.  
197<sup>3</sup>. **Geyeri**, Boland. . . = **bromoides**.  
**Geyeri**, Munro, ex Boland. l. c. = **bulbosa**.
- MELICOCCA**.  
198<sup>3</sup>. a. **javanica**, Hassk. Hort. Bog. Desc. i. 138 = **Otophora javanica**.
- 200<sup>2</sup>. insere **MELIOTUS**, Steud. Nom. ed. II. ii. 704, in syn., err. typ. = **Melilotus**, Tourn. (Legumin.).
- MELOCACTUS**.  
201<sup>2</sup>. a. **approximatus**, Suring. in Versl. en Med. Kon. Akad. Wetensch. III. ii. (1885) 187.—Ind. occ.  
**cornutus**, Suring. (l. c.) 191.—Ind. occ.  
**Evertzianus**, Suring. (l. c.) 190.—Ind. occ.  
**ferox**, Suring. (l. c.) 185 = **rubellus**.  
**hexacanthus**, Suring. (l. c.) = **rubellus**.  
201<sup>3</sup>. **intermedius**, Suring. (l. c.) 192.—Ind. occ.  
**Koolwijkianus**, Suring. (l. c.) 184.—Ind. occ.  
**parvispinus**, Suring. (l. c.) 183.—Ind. occ.  
**patens**, Suring. (l. c.) 190.—Ind. occ.  
**pusillus**, Suring. (l. c.) 192.—Ind. occ.  
**rectiusculus**, Suring. (l. c.) 187.—Ind. occ.  
**reversus**, Suring. (l. c.)—Ind. occ.  
**rubellus**, Suring. (l. c.) 184.—Ind. occ.  
**spatanginus**, Suring. (l. c.) 193.—Ind. occ.  
**stramineus**, Suring. (l. c.) 185.—Ind. occ.  
202<sup>1</sup>. **trichacanthus**, Suring. (l. c.) 186 = **stramineus**?
- MELOCHIA**.  
202<sup>2</sup>. a. **corymbosa**, Hemsl. Biol. Centr. Am. Bot. i. 130.—Mexic.
- MENTHA**.  
210<sup>2</sup>. 1. **Welwitschii**, Rouy, in Le Natural. ii. (1882) (*Matér. Rév. Fl. Portug.*) 47.—Europ.

- PAG.  
**MEOSCHIUM**.  
211<sup>2</sup>. 1. **Royleanum**, Nees, in Royle, Illustr. Bot. Himal. 417 =
- 212<sup>3</sup>. 1. **MERIDIANA**, [Linn. ex] Linn. f. etc.
- MERTENSIA**.  
213<sup>2</sup>. 1. **virginica**, Link, . . . = **pulmonarioides**.
- MESPILUS**.  
218<sup>3</sup>. a. **media**, Bechst. Forstbot. 150, 334 = **Crataegus Oxyacantha**.
- METACHILUM**.  
220<sup>1</sup>. 1. **cyathiferum**, Lindl. l. c.  
*cyathiforme*, Steud. Nom. ed. II. ii. 136, sphalm. = **praece**.
- METROSIDEROS**.  
221<sup>3</sup>. 1. **leptopetala**, F. Muell. = **Syncarpia leptopetala**.  
222<sup>2</sup>. **ternifolia**, F. Muell. = **Lysicarpus ternifolius**.
- 222<sup>2</sup>. insere **METROXILON**, Welw. Apont. 584 [1859] = seq.
- METROXYLON**.  
222<sup>2</sup>. 1. **Pigafettia**, in synon. passim.—Cf. *elatum*, *filare*, *microcarpum*, *microspermum*.  
a. **textile**, Welw. Apont. 584 = **Raphia Welwitschii**.  
1. **METROXYLON**, Spreng. . . = **Raphia**, Beauv. (Palm.).
- MICHELIA**.  
223<sup>3</sup>. a. **PHELIMA**, Noronha, in Verh. Batav. Gen. v. (1790) ed. I. Art. iv. 3.  
223<sup>3</sup>. insere **MICHELIA**, Linn. Syst. ed. I (1735) = **Barringtonia**, Forst. (1776) (Myrtac.).
- MICONIA**.  
223<sup>3</sup>. a. **ACINODENDRUM**, Linn. Gen. ed. I. 129 (1737).  
224<sup>1</sup>. **LIEUTAUTIA**, Buc'hoz, Pl. Nouv. Découv. t. 7 (1779), nomen prius.  
224<sup>3</sup>. 1. **corallina**, Spring.
- MICRANTHEMUM**.  
228<sup>1</sup>. a. **adenandrum**, Wright, in Sauv. Fl. Cub. 101.—Cuba.  
**multiflorum**, Wright, (l. c.)—Cuba.  
**punctatum**, Wright, (l. c.)—Cuba.  
1. **rotundatum**, Wright, ex Griseb.  
a. **trisetosum**, Wright, in Sauv. Fl. Cub. 101.—Cuba.
- MICRANTHUS**.  
228<sup>1</sup>. 1. **oppositifolius**, Wendl.
- MICROCARPAEA**.  
228<sup>2</sup>. a. **chamaedrifolia**, Steud. Nom. ed. II. ii. 246, in syn. = seq.
- 228<sup>3</sup>. 1. **MICROCHAETA**, Reichb.
- MICROCHAETE**.  
228<sup>3</sup>. 1. **corymbosa**, Benth. l. c. 196 = **S. Microchaete**.
- MICROCHLAENA**.  
228<sup>3</sup>. 1. **quinquelocularis**, Wight & Arn.
- MICROCHLOA**.  
228<sup>3</sup>. 1. **elongata**, R. Br. . . n. 3807 = **setacea**.
- MICROGLOSSA**.  
229<sup>2</sup>. 1. **altissima**, DC. . . = **Psiadia altissima**.  
**hispida**, DC. . . = **Psiadia hispida**.
- MICROLICIA**.  
230<sup>3</sup>. a. **thymifolia**, Steud. Nom. ed. II. ii. 447, in syn., sphalm. = **serpyllifolia**.
- MICROLOMA**.  
230<sup>3</sup>. a. **hastatum**, Decne. in DC. Prod. viii. 499 = **sagittatum**.  
231<sup>1</sup>. 1. **pyrotechnicum**, Spreng. . . = **Leptadenia Spartium**.
- MICROPUS**.  
232<sup>3</sup>. d. **ANCISTROCARPHUS**, A. Gray, (*nunc* **Stylocline**).

- PAG.  
**MICROSTYLIS**.  
233<sup>3</sup>. 1. **bella**, Reichb. f. . . (1885) 187. t. 581
- MILIUM**.  
236<sup>3</sup>. 1. **capillare**, Roth, . . . = **Panicum subglume**.  
237<sup>2</sup>. a. **nepalense**, Nees, in Royle, Illustr. Bot. Himal. 417 = **effusum**?  
237<sup>2</sup>. 1. **sanguinale**, Roxb. . . = **Paspalum pedicellare**.
- MILLA**.  
237<sup>3</sup>. d. **TULOPHOS**, Rafin. (*nunc* **Brodiaea**).
- MILLETTIA**.  
238<sup>2</sup>. 1. **speciosa**, Welw. . . 23 = **Lonchocarpus sericeus**.
- MIMULUS**.  
245<sup>3</sup>. 1. **barbatus**, Greene, . . . 9 = **montioides**.  
a. **Langsdorffii**, Donn, ex Sims, Bot. Mag. sub t. 1501 = **guttatus**.  
246<sup>1</sup>. 1. **punctatus**, Loisel. Herb. Amat. t. 152; Miers,
- MIMUSOPS**.  
246<sup>2</sup>. a. **RADIA**, Noronha, in Verh. Batav. Gen. v. (1790) ed. I. Art. iv. 3.  
247<sup>1</sup>. insere **MINTHOSTACHYS**, Bunge, Lab. Pers. 13 (1873) = **Bystropogon**, L'Hérit. (Labiata).  
**mollis**, Griseb. in Goett. Abh. xix. (1874) 235 = **B. mollis**.
- MINURIA**.  
247<sup>1</sup>. a. **Kippistiana**, F. Muell. Pl. Vict. i. sub t. 35.—Austral.  
1. **suaedifolia**, F. Muell. . . 499 = **Kippistiana**.
- 247<sup>1</sup>. 1. **MINYRANTHES**, Turcz. . . = **Siegesbeckia**, Linn.
- MIRASOLIA**.  
247<sup>3</sup>. a. **scabra**, Benth. & Hook. f. l. c. 375 = **Tithonia scabra**.
- 247<sup>3</sup>. a. **MIRKOOA**, Wight, Ic. i. t. 217, in textu (1840) = **Ammannia**, Houst. (Lythrar.).  
**rotundifolia**, Wight, l. c. = **A. rotundifolia**.
- MISCHOPHLOEUS**.  
248<sup>1</sup>. 1. **paniculatus**, Scheff.
- MITCHELLA**.  
248<sup>2</sup>. a. **PERDICESCA**, Provand. Fl. Canad. 291 (1862).
- MITRANTHES**.  
249<sup>2</sup>. 1. **Riedeliana**, Berg,
- MITREOLA**.  
250<sup>1</sup>. a. **lanceolata**, Torr. ex Croom, Cat. Pl. New Bern, 45 = **petiolata**.
- MITREPHORA**.  
250<sup>1</sup>. 1. **excelsa**, Hook. f. & Thoms. . . 114 = **Uvaria excelsa**.
- MNASIUM**, Schreb.  
250<sup>2</sup>. 1. **sphaerocephalum**, Rudge, . . . = **Thurnia sphaerocephala**.  
**unilateralis**, Rudge, . . . = **Spathanthus unilateralis**.
- 250<sup>3</sup>. 1. **MNIARUM**, Forst. Char. Gen. 1. t. 1.
- MOEHRINGIA**.  
251<sup>3</sup>. a. **sedifolia**, Freyn, in Oestr. Bot. Zeitschr. xxvi. (1876) 227 = **papulosa**.  
1. **Tommasinii**, Marches.
- MOLINAEA**.  
252<sup>3</sup>. a. **arborescens**, J. F. Gmel. Syst. 611 = **C. alternifolia**, laevis.
- MOLLINEDIA**.  
252<sup>2</sup>. a. **PARACELSIA**, Mart. ex Tul. in Mart. Fl. Bras. iv. 1. 314, 316 (1857).
- MOLLUGO**.  
254<sup>1</sup>. 1. **Trigastrotheca**, F. Muell.
- MONANTHES**.  
256<sup>1</sup>. 1. **polyphylla**, Haw.
- 256<sup>1</sup>. insere **MONANTHIUM**, Ehrh. Beitr. iv. (1789) 148 = **Moneses**, Salisb. (Pyrolac.).

- PAG. **MONESSES.**  
257<sup>1</sup>. a. *MONANTHIUM*, Ehrh. Beitr. iv. (1789) 148.
- MONIZIA.**  
257<sup>1</sup>. l. *edulis*, Lowe, l. c. = T. Moniza?
- MONNIERA.**  
257<sup>2</sup>. a. *longifolia*, Steud. Nom. ed. II. ii. 373, sphalm. = *Monnina longifolia*.
- MONNIERIA.**  
257<sup>2</sup>. a. *trifoliata*, Baill. Adansonia, xi. (1875) 276 = praec.
- MONOCHAETUM.**  
258<sup>2</sup>. a. *ROEZLIA*, Regel, in Act. Hort. Petrop. i. (1871) 98.
- MONODORA.**  
259<sup>1</sup>. l. *angolensis*, Welw. in Journ. Linn. Soc. iii. (1859) 151, 154; *Apont.*
- MOQUILEA.**  
262<sup>2</sup>. l. *floribunda*, Hook. f. in Mart. Fl. Bras. xiv. 11. 21.—Bras.  
pendula, Hook. f.  
sclerophylla, Hook. f.  
262<sup>3</sup>. *turbinata*, Hook. f.
- MORAEA.**  
263<sup>1</sup>. l. *chinensis*, Thunb. . . = *Belamcanda punctata*.
- MORICANDIA.**  
264<sup>1</sup>. a. *cinerea*, Coss. ex Tourn. Thèse Crucif. 143 = *Ammosperma cinerea*.
- MORINDA.**  
264<sup>3</sup>. a. *ternifolia*, Royle, Illustr. Bot. Himal. 238, nomen (Quid?).—Ind. or.
- MORUS.**  
266<sup>1</sup>. a. *cashmeriana*, Royle, Illustr. Bot. Himal. 337 = *indica*?  
*dulcis*, Royle, (l. c.) = *alba*?  
266<sup>2</sup>. *parvifolia*, Royle, (l. c.) = *indica*?
- MUCUNA.**  
268<sup>2</sup>. a. *dichroa*, Hoffm. Preisvers. ed. X. 80.—Cf. *Linnaea*, xvi. (1842) Litt. 272.—Hab.?
- MUEHLENBECKIA.**  
268<sup>3</sup>. l. *Benthamii*, Endl. Gen. Suppl. iv. 11. 51  
*quadrangulata*, Endl. (l. c.)  
*volcanica*, Endl. (l. c.)
- MUEHLENBERGIA.**  
268<sup>3</sup>. a. *SERICROSTIS*, Rafin. Neogenyt. 4 (1825).  
269<sup>1</sup>. l. *filipes*, M. A. Curt.  
a. *maritima*, Ind. Kew. ii. p. 60<sup>1</sup>. in syn., lapsu = *Polypogon maritimus*.  
269<sup>2</sup>. l. *setifolia*, [Vasey, in] Coult.  
*subalpina*, Vasey, . . . 40 = *gracilis*.
- MULGEDIUM.**  
270<sup>1</sup>. l. *leucophaeum*, DC. l. c. 250 = *L. alpina*.
- MURALTIA.**  
271<sup>1</sup>. a. *ericoides*, Steud. Nom. ed. II. ii. 371, in syn. sphalm. = *Burmanni*.  
l. *laxa*, DC. etc.
- MURICARIA.**  
271<sup>3</sup>. l. *Cordyllocarpus*, C. Muell.  
271<sup>3</sup>. l. *MUROCOA*, . . . *Maripa*, Sw. (Convolv.).  
271<sup>3</sup>. l. *MURUCOA*, J. F. Gmel. . . . *Maripa*, Sw. (Convolv.).
- MUSA.**  
272<sup>1</sup>. a. *Charlloi*, E. Hill, Rep. Brisbane Bot. Gard. (1874) 7.—Hab.?  
*Rhinoserotis*, Kurz, in Journ. Agr. Hort. Soc. Ind. N. S. v. (1878) 64 = *nana*?
- MUSCARI.**  
272<sup>2</sup>. d. *botryoides*, Steud.  
272<sup>3</sup>. a. *inodorum*, Montand. Guide Bot. 313 = *botryoides*.  
*odoratum*, Montand (l. c.) = *racemosum*.
- PAG. 275<sup>2</sup>. l. *MYCETIA*, Reinw. . . = *Adenosacme*, Wall.  
a. *javonica*, Hook. f. Fl. Brit. Ind. iii. 95, sphalm. = praec.
- MYRICA.**  
281<sup>2</sup>. d. *PIMECARIA*, Rafin. (nunc *Ximenia*).  
a. *elegans*, Royle, Illustr. Bot. Himal. 459 (Index), sphalm. = *Myricaria elegans*.  
281<sup>3</sup>. l. *obovata*, [Champ.] ex C. DC. l. c. 150 = *inodora*.
- MYRISTICA.**  
282<sup>3</sup>. a. *angolensis*, Welw. Synopse, 51. (Quid?).—Afr. trop.
- MYROSMA.**  
284<sup>3</sup>. l. *unilaterale*, Benth. & Hook. f.
- MYROXYLON.**  
284<sup>3</sup>. l. *Toluifera*, H. B. & K.  
a. *toluiferum*, G. Don, Gen. Syst. ii. 109, in syn. = praec.
- 286<sup>3</sup>. post *MYRTOBIUM* insere *MYRTOLOBIUM*, Chalon, in Mém. Soc. Hainant, Sér. III. v. (1790) 324, sphalm. = praec.
- NAEGELIA.**  
291<sup>2</sup>. a. *achimenesoides* ×, Bárlik, in Wien. Garten-Zeit. x. (1885) 239. t. 2.
- NAMA.**  
292<sup>3</sup>. l. *tetrandrum*, Pav. ex Choisy, in Ann. Sc. Nat. Sér. I. xxx. (1833) 243 =
- NARCISSUS.**  
293<sup>2</sup>. a. *bitermaceus*, Salisb. Gen. Pl. Fragm. 100 = *incomparabilis*?
- NASSELLA.**  
295<sup>1</sup>. a. *aemulans*, Phil. f. Cat. Pl. Vasc. Chil. 328.—Chili.
- NASTURTIIUM.**  
296<sup>1</sup>. l. *acaule*, Welw. Apont. 589 = *humifusum*.
- NECTANDRA.**  
299<sup>2</sup>. a. *decandra*, Roxb. Fl. Ind. i. 425 = *Linostoma decandrum*.  
300<sup>1</sup>. l. *staminea*, Griseb. . . 282 (= *Oreodaphne fragrans*).—Ind. occ.
- 302<sup>3</sup>. insere *NEMOLAPATHUM*, Ehrh. Beitr. iv. (1789) 149 = *Polygonum*, Tourn.
- 303<sup>1</sup>. insere *NEMORELLA*, Ehrh. Beitr. iv. (1789) 147 = *Lysimachia*, Tourn. (Primul.).
- NEOTIA.**  
303<sup>3</sup>. l. *aphylla*, Hook.  
304<sup>1</sup>. a. *colorata*, Blume, Bijdr. 409 = *Spiranthes colorata*, Hassk.  
*grandis*, Blume, (l. c.) 407 = *Spiranthes grandis longifolia*, Blume, (l. c.) 406 = *Spiranthes longifolia*.  
*parvifolia*, Blume, (l. c.) 408 = *Spiranthes parviflora*.  
304<sup>2</sup>. *reticulata*, Blume, (l. c.) 409.—Java.  
l. *vaginata*, H. B. & K. . . 331 = *Spiranthes vaginata*.
- NEPETA.**  
305<sup>1</sup>. l. *CHAMAECLEMA*, Boerh. ex Boehm. in Ludw. Def. Gen. Pl. 115; Moench,  
305<sup>3</sup>. *dasyangula*, Lenné & C. Koch, . . . 12.—Reg. Himal.  
Everardi, S. Moore,
- NEPHELIUM.**  
307<sup>2</sup>. l. *acuminatum*, Hook. f. . . 164 = *Pometia acuminata*.  
307<sup>3</sup>. *Maingayi*, Hiern,  
a. *muricatum*, Herb. Kew. ex Radlk. in Act. Congr. Bot. Amst. 1877 (1879) 93 = *Xerospermum mucronatum*.
- 309<sup>3</sup>. a. *NESOEIA*, Wight, Ic., in textu sub t. 217 (1840) = *Ammannia*, Houst. (Lythrar.).  
*octandra*, Wight, l. c. = *A. octandra*.
- NICANDRA.**  
311<sup>2</sup>. a. *PHYSALODES*, Boehm. in Ludw. Def. Gen. Pl. 41 (1760).
- PAG. **NICOTIANA.**  
312<sup>1</sup>. l. *diversifolia*, Nees, in Nov. Act. Nat. Cur. xix. Suppl. i. (1843) 384; et
- NIDORELLA.**  
313<sup>1</sup>. l. *altissima*, Benth. & Hook. f. . . = *Psiadia altissima*.  
*hispida*, Benth. & Hook. f. . . = *Psiadia hispida*.
- NIDULARIUM.**  
313<sup>1</sup>. l. *caeruleum*, Lem.
- NIVENIA.**  
315<sup>3</sup>. l. *PARANOMUS*, Salisb. . . (1807).  
*Lagopus*, R. Br.
- NOLANA.**  
316<sup>2</sup>. l. *triquetra*, C. Koch & Bouché, . . . App. 12.
- NONNEA.**  
317<sup>1</sup>. a. *PHANERANTHERA*, DC. ex Meissn. Gen. Comm. 189 (1840).
- NOTHITES.**  
318<sup>2</sup>. l. *breviflora*, Cass. . . 165 = *S. aristata*?  
*latifolia*, Cass. l. c. 163 = *S. melissaefolia*.  
*melissaefolia*, DC. . . 186 = *S. melissaefolia*.  
*petiolata*, Cass. . . 166 = *S. petiolata*.
- NOTHOSCORDUM.**  
319<sup>1</sup>. a. *PERILOBA*, Rafin. Fl. Tellur. iv. 87 (1836), nomen prius.
- NYCTAGO.**  
320<sup>3</sup>. l. *angulata*, DC. . . (= *Quamoclidion angulatum*).—Mexic.
- NYMPHAEA.**  
321<sup>2</sup>. l. *Fenzliana*, Lehm. . . = *Rudgeana*.  
321<sup>3</sup>. *Kosteletzkii*, Palliardi,  
322<sup>1</sup>. *stellata*, Willd. . . As. et Afr. trop.; Austral.
- NYMPHOIDES.**  
322<sup>2</sup>. l. *europaea*, Fisch. . . = *L. Nymphoides*.  
*orbiculata*, Gilib. . . = *L. Nymphoides*.
- 322<sup>3</sup>. l. *OAKESIA*, S. Wats. . . 269 = *Uvularia*, Linn. (Liliac.).  
*puberula*, S. Wats. l. c. = *U. puberula*.  
*sessilifolia*, S. Wats. l. c. = *U. sessilifolia*.
- OCHNA.**  
324<sup>1</sup>. l. *nitida*, Sw. . . = *Gomphia nitida* (in Addend.).
- OCHROSIA.**  
324<sup>3</sup>. l. *sandwicensis*, A. DC. . . 357 = *Rauwolfia sandwicensis*.  
a. *sandwicensis*, A. Gray, in Proc. Am. Acad. v. (1862) 333.—Ins. Sandvic.
- OCOTEA.**  
326<sup>2</sup>. l. *Bofo*, H. B. & K.
- OCTADESMIA.**  
327<sup>1</sup>. l. *monophylla*, Benth. & Hook. f. l. c. 526 = *Laelia monophylla*.
- ODINA.**  
328<sup>1</sup>. a. *caffra*, Hook. ex March. Rév. Anacard. 162 = *Harpephyllum caffrum*.
- ODONTADENIA.**  
328<sup>2</sup>. a. *PERICTENIA*, Miers, Apocyn. S. Am. 182 (1878).
- ODONTOGLOSSUM.**  
330<sup>3</sup>. l. *pygmaeum*, Lindl. . . = *Leochilus pygmaeus*.
- OENANTHE.**  
331<sup>3</sup>. l. *amoena*, Sweet, Hort. Brit. ed. II. 247, sphalm. = *Oenothera amoena*.
- OENOTHERA.**  
333<sup>1</sup>. l. *albicaulis*, [Nutt. in] Fras. Cat. (1813) n. 54, nomen; et ex *caespitosa*, [Nutt. in] Fras. Cat. (1813) n. 53; et ex *campylocalyx*, C. Koch & Bouché . . . (1855) App. 17.  
333<sup>3</sup>. *epilobioides*, Nutt. . . 511 = *strigulosa*.  
*erosa*, Lehm. Sem. Hort. Hamb. (1824) 20; et in *macrocarpa*, [Nutt. in] Fras. Cat. (1813) n. 56; Pursh,

- PAG.  
**OGIERA.**  
 335<sup>2</sup>. a. *portoricensis*, Steud. Nom. ed. II. ii. 582, sphalm. = *E. ovata*.  
**OLEARIA.**  
 338<sup>1</sup>. l. *Allomii*, T. Kirk, . . . i. ed. II. (1871) 92;  
**OLINIA.**  
 339<sup>2</sup>. a. *PLECTRONIA*, Buching. ex Krauss, in Flora, xxvii. (1844) 348.  
**ONCIDIUM.**  
 341<sup>2</sup>. l. *acrobotryum*, Klotzsch, . . . = *Harrisonianum*.  
 343<sup>1</sup>. *festatum*, Reichb. f. & Warsz.  
 343<sup>2</sup>. *hemichrysus*, Reichb. f. & Warsz. in Bonplandia, ii. (1854) 100 =  
 344<sup>2</sup>. *pantherinum*, Hoffing. Preisverz. ed. X. 80. — Cf. *Linnaea*, xvi. (1842) Litt. 272 =  
**ONOBRYCHIS.**  
 346<sup>3</sup>. a. *alpicola*, Arv. Ess. Pl. Dauph. 25 (Quid?). — Gallia.  
**ONOSERIS.** Willd. Sp. Pl. iii. 1702 (1804); DC.  
 350<sup>2</sup>. a. *nepalensis*, Royle, Illustr. Bot. Himal. 277, nomen (Quid?). — Nepal.  
**ONOSMA.**  
 351<sup>1</sup>. l. *saxatile*, Lehm. . . . 371 (= *Stenosolenium saxatile*). — Sibir.  
**OPHELIA.**  
 352<sup>2</sup>. l. *angustifolia*, D. Don, ex Royle, Illustr. Bot. Himal. 277; et ex G. Don,  
**OPHIORRHIZA.**  
 353<sup>1</sup>. l. *fruticulosa*, Nadeaud, . . . 53 = *subumbellata*.  
 353<sup>2</sup>. *torrentium*, Nadeaud, . . . 54 = *Solandri*.  
**OPHYROSPOREUS.**  
 354<sup>1</sup>. l. *Pachyhaeta*, Baker,  
**OPHRYS.**  
 354<sup>2</sup>. l. *atrata*, Lindl. . . . t. 1087.  
**OPILIA.**  
 355<sup>2</sup>. a. *TETRANOSIA*, Rich. ex M. Roem. Syn. Hesper. 23 (1846).  
**OPLISMENUS.**  
 355<sup>3</sup>. l. *PANICULUM*, Ard.  
**ORBIGNYA.**  
 359<sup>2</sup>. a. *Sagotii*, Trail, ex im Thurn, in *Timehri*, iii. (1884) 276. — Guian.  
 359<sup>2</sup>. l. *ORCHIDIUM*, [Sw.] Summa Veg. Scand. 32 (1814); et in  
 l. *arcticum*, [Sw.] (l. c.).  
**ORCHIS.**  
 359<sup>3</sup>. a. *angustata*, Arv. Ess. Pl. Dauph. 62 (Quid?). — Gallia.  
*biloba*, Arv. (l. c.) 61 = *laxiflora*.  
 360<sup>1</sup>. *Burmänniana*, Sw. in Weber & Mohr, Arch. i. (1804) 55. — Afr. austr.  
 361<sup>2</sup>. l. *macronectar*, Vell. . . . 45 = *Habenaria Sartor?*  
 a. *nemorosa*, Montand. Guide Bot. 294 = *maculata*.  
 362<sup>1</sup>. *rosea*, Arv. Ess. Pl. Dauph. 63 (Quid?). — Gallia.  
 363<sup>2</sup>. l. *OREOC DE*, Miq.  
**OREODAPHNE.**  
 364<sup>2</sup>. l. *Teleiandra*, Meissn.  
 367<sup>1</sup>. insere *ORLEANIA*, Commel. ex Boehm. in Ludw. Def. Gen. Pl. 380 (1760) = *Bixa*, Linn.  
**ORMOCARPUM.**  
 367<sup>2</sup>. l. *coccineum*, G. Don,  
**ORNITHOGALUM.**  
 368<sup>2</sup>. d. *SIMIRA*, Rafin. (nunc *Scilla*).  
 370<sup>1</sup>. a. *ochroleucum*, Montand. Guide Bot. 315 = *pyrenaicum*.  
 371<sup>2</sup>. l. *ORNITHORHYNCHIUM*, Roehl. . . . (1812).

- PAG.  
**OROBANCHE.**  
 373<sup>2</sup>. a. *Lactucae*, Arv. Ess. Pl. Dauph. 54 (Quid?). — Gallia.  
**OROBUS.**  
 375<sup>2</sup>. d. *flaccidus*, Kit.  
**ORTHOPOGON.**  
 377<sup>3</sup>. a. *Funghuhnii*, Nees, ex Steud. Syn. Pl. Gram. 45; et ex Miq. Fl. Ind. Bot. iii. 444 = *Oplismenus compositus*.  
**ORTHOSPERMUM.**  
 378<sup>2</sup>. a. *unctuosum*, Montand. Guide Bot. 262 = *C. Bonus-Henricus*.  
**ORYZA.**  
 378<sup>3</sup>. a. *SCLEROPHYLLUM*, Griff. Notul. iii. 8 (1851).  
**ORYZOPSIS.**  
 379<sup>1</sup>. l. *canadensis*, Torr. . . . 583 = *parviflora*.  
 379<sup>2</sup>. *parviflora*, Nutt. l. c. 126. — Am. bor.  
**OSBECKIA.**  
 379<sup>3</sup>. a. *pendulifolia*, Steud. Nom. ed. II. ii. 447, in syn. = *Aciotis pendulifolia*.  
**OSMOXYLON.**  
 381<sup>1</sup>. a. *borneense*, Seem. Rev. Heder. 104. — Borneo. Cumingii, Seem. (l. c.). — Ins. Phillip. pulcherrimum, Vidal, Sin. Fam. Leñ. Atlas, p. xxviii. — Ins. Philipp.  
**OSYRIS.**  
 382<sup>3</sup>. l. *nepalensis*, D. Don, ex Royle, Illustr. Bot. Himal. 322; Griff.  
**OTHONNA.**  
 383<sup>3</sup>. l. *nodulosa*, Sch. Bip. l. c. 769 = *perfoliata*.  
 385<sup>2</sup>. l. *OURAGOGA*, Linn. . . . = *URAGOGA*, Linn. = *Psychotria*, Linn. (Rubiace.).  
**OURATEA.**  
 385<sup>2</sup>. l. *nitida*, Engl l. c. 310 = *G. nitida* (in Addend.).  
*nitida*, Engl. l. c. 314, in adnot. = *G. guyanensis*.  
**OXALIS.**  
 387<sup>2</sup>. l. *Cummingi*, Herb. . . . t. 1545. — Chili.  
 388<sup>3</sup>. *leucotricha*, Turcz. . . . Afr. austr.  
 389<sup>1</sup>. a. *microphylla*, Phil. in *Linnaea*, xxxiii. (1864-65) 35 (sp. diversa). — Chili.  
 390<sup>2</sup>. l. *rubella*, Jacq.  
 390<sup>3</sup>. *sulphurea*, Jacq. . . . 63 = *pulchella*.  
**OXYGONUM.**  
 392<sup>2</sup>. a. *DIPLOPYRAMIS*, Welw. Apont. 591 [1859].  
 393<sup>2</sup>. l. *OXYMITRA* ante *OXYMITUM* ponenda.  
**OXYPETALUM.**  
 393<sup>3</sup>. l. *integrifolium*, Fourn. . . . 372, sphalm. = *integrilobum*.  
*integrilobum*, Fourn. . . . 279  
**OXYSTELMA.**  
 394<sup>2</sup>. a. *aegyptiacum*, Decne. in DC. Prod. viii. 504, sphalm. = *Alpini*.  
**OXYTROPIS.**  
 395<sup>1</sup>. a. *SPIESIA*, Neck. Elem. iii. 13 (1790), nomen prius.  
*amethystea*, Arv. Ess. Pl. Dauph. 24 (Quid?). — Gallia.  
*amethystina*, Arv. Monog. Pilos. 49 = *praec.*?  
 396<sup>1</sup>. l. *Middendorffii*, Trautv. in *Middend. Sibir. Reise* (Fl. Taimyr. 49. t. 7). — Sibir.  
 396<sup>3</sup>. *Trautvetteri*, Meinsh. . . . = *Middendorffii*.  
**PACHYCARPUS.**  
 398<sup>1</sup>. l. *gomphocarpoides*, E. Mey. l. c. 213 (= *Xysmalobium gomphocarpoides*). — Afr. austr.  
**PACHYGONE.**  
 398<sup>2</sup>. l. *pubescens*, Benth. . . . 58 = *Trichocalyx pubescens*.  
**PAEDERIA.**  
 400<sup>2</sup>. l. *Lingun*, Boj. ex Sweet, Hort. Brit. ed. I. 487 =

- PAG.  
 400<sup>3</sup>. l. **PAEONIA**  
*albiflos*, Sabine, . . . = *corallina*.  
**PALICOUREA.**  
 404<sup>1</sup>. a. *Gudara*, Steud. Nom. ed. II. ii. 787, in syn. sphalm. (= *Pacuria Gudara*) = *Willughbeia edulis*.  
 l. *quadrifolia*, DC. Prod. iv. 526. — Guian.  
**PALIURUS.**  
 404<sup>2</sup>. l. *aculeatus*, Lam. . . . 611 = *P. Spina-Christi*.  
*australis*, Gaertn. . . . 43 = *P. Spina-Christi*.  
*clypeiformis*, Medic. . . . = *P. Spina-Christi*.  
 404<sup>3</sup>. *solitarius*, Stokes, . . . *P. Spina-Christi*.  
*Spina-Christi*, Mill. . . . VIII. — Europ. austr.; As. or.  
*vulgaris*, Steud. . . . = *P. Spina-Christi*.  
**PANAX.**  
 406<sup>1</sup>. l. *micranthum*, Wall. Cat. n. 4938 = *Leschenaultii*.  
 a. *odora*, Royle, Illustr. Bot. Himal. 13, nomen (Quid?). — Ind. or.  
**PANCRATIUM.**  
 406<sup>3</sup>. d. *TROXISTEMON*, Rafin. (nunc *Hymenocallis*).  
**PANDANUS.**  
 407<sup>3</sup>. a. *SOULEVETIA*, Gaudich. Bot. Voy. Bonite, t. 19 (1844-49).  
 l. *SUSSEA*, Gaudich. (l. c.) tt. 24, 25, 38 (1844-57?).  
**PANICUM.**  
 409<sup>3</sup>. d. *PSEUDORAPHIS*, Griff. (nunc *Setaria*).  
 410<sup>2</sup>. a. *angustatum*, Edgew. in Fourn. As. Soc. Beng. xxi. (1852) 157, nomen. — Ind. or.  
 l. *barbinode*, Trin. . . . = *muticum*.  
 411<sup>2</sup>. l. *bidentulum*, Steud.  
 411<sup>1</sup>. *capillaceum*, Lam. . . . = *brevifolium*, Linn.  
 412<sup>1</sup>. a. *conjugatum*, Dalz. & Gibs. Bomb. Fl. 291 = *cimicinum*.  
 412<sup>2</sup>. l. *decompositum*, R. Br. Prod. 191. — Austral.  
 412<sup>3</sup>. a. *dentispica*, Kunth, Rév. Gram. i. sub t. 39, err. typ. = *densispica*.  
 412<sup>3</sup>. l. *distichum*, Gaud. ex  
 413<sup>1</sup>. *elegans*, Wight & Arn. ex Steud. l. c. = *Isachne pulchella*.  
*equinum*, Salz. . . . = *muticum*.  
 413<sup>2</sup>. a. *floridum*, Royle, Illustr. Bot. Himal. 420 = *flavidum*.  
 413<sup>3</sup>. l. *fluitans*, Retz. . . . 8 = *punctatum*.  
*fugax*, Koen. in Naturf. xxiii. (1788) 209 (ex Roem. & Schult. Syst. ii. 467);  
*Gardneri*, Thw. . . . = *Isachne Gardneri*.  
 414<sup>2</sup>. *hirtum*, Nees, . . . = *brevifolium*, Linn.  
 414<sup>3</sup>. *insulicola*, Steud. . . . = *auritum*.  
 a. *intermedium*, Griff. Notul. iii. 29 (*Chamaeraphidis* sp.). — Ind. or.  
 415<sup>2</sup>. l. *lanuginosum*, J. & C. Presl. . . . = *mollicomum*.  
 416<sup>1</sup>. *molle*, Sw. . . . — Am. trop. (dele As. trop. inquil.).  
*mollicomum*, Kunth,  
 416<sup>2</sup>. *muricatum*, Retz. . . . 18 (Quid?). — Ind. or.  
 416<sup>3</sup>. *numidianum*, Lam. . . . — Afr. bor.; Syria; As. trop.; Am. trop.  
 417<sup>1</sup>. d. *oryzoides*, Nees,  
 a. *panis*, Jess. Deutschl. Graes. 240 = *Setaria italica*.  
 l. *paractenoides*, Trin. . . . 219 = *flavescens*.  
*paspaloides*, Pers. . . . (= *paspalodes*).  
 a. *patens*, Roxb. Fl. Ind. i. 305 = *Isachne miliacea*.  
 417<sup>2</sup>. d. *plicatum*, Roxb.  
 l. *polystachion*, Linn. . . . = *setosum*.  
 418<sup>1</sup>. *punctatum*, Burm. f. . . . Geront. trop.  
*punctulatum*, Arn. . . . = *muticum*.  
*purpurascens*, Opiz, . . . 266 = *Setaria viridis*.  
*purpurascens*, Raddi, . . . 240 = *muticum*.  
 a. *ramosum*, Heyne, ex Roth, Nov. Pl. Sp. 53 (Quid?). — Ind. or.  
 418<sup>2</sup>. l. *Roxburghianum*, Schult. . . . = *repens*.  
*Royleanum*, Nees, in Royle Illustr. Bot. Himal. 417, nomen; et ex . . . 47. — Ind. or.; Afr. trop.  
 418<sup>3</sup>. a. *sanguinolentum*, Edgew. ex Aitch. Cat. Pl. Punjab, 161 = *sanguinale*.  
 419<sup>1</sup>. l. *sericeum*, [Soland.] . . . Ind. occ.  
 d. *simplicissimum*, Koen.  
 419<sup>2</sup>. l. *Streptostachys*, Spreng.  
*taitense*, Steud. . . . 418 = *prostratum*.

PAG.

**PANICUM** :—

- 419<sup>3</sup>. a. *tenuiculmum*, Chapm. Fl. S. U. St. 572 = Chapmani.  
 1. *ternatum*, *Hodist.* . . . 40.—Ind. or.; Abyss.  
 1. *tomentosum*, Roxb. . . . Fl. Ind. i. 301 = *Setaria verticillata*.

**PAPAVER**.

- 421<sup>2</sup>. 1. *armeniaceum*, *Lam. Encyc.* i. 247; et ex *Lestib. Bot. Belg.* III. ii. 132.—Reg. Cauc.  
*causasicum*, Bieb. . . . 5 = *armeniaceum*.  
 421<sup>3</sup>. *pavoninum*, *Schrenk, ex Fisch. & Mey. Enum. Pl. Schrenk*, ii. 64; et  
 422<sup>1</sup>. *pyrenaicum*, *Lam. Encyc.* i. 247; Willd.

**PARAPANAX**.

- 424<sup>1</sup>. 1. *littorale*, Miq. l. c. 339 = *T. littoralis*.

**PARAPOTTISIA**.

- 424<sup>1</sup>. 1. in syn. = *Pottisia cantonensis* (bis).

**PARIETARIA**.

- 425<sup>3</sup>. 1. *microphylla*, Linn. . . . = *Pilea muscosa*.

**PARINARIUM**.

- 426<sup>1</sup>. a. *amazonicum*, Mart. ex Hook. f. in Mart. Fl. Bras. xiv. II. 52 = *brachystachyum*.  
 1. *brachystachyum*, *Benth.* . . . 213.—Am. trop.

**PASPALUM**.

- 429<sup>3</sup>. 1. *arundinaceum*, *Poir.* . . . Am. bor.  
 430<sup>2</sup>. *ctenostachyum*, Trin. . . . = *Eriochloa grandiflora*.  
 431<sup>1</sup>. *humifusum*, Poir.  
 431<sup>2</sup>. *longiflorum*, *Retz.* . . . 279.—Reg. trop.  
 431<sup>3</sup>. *nematodes*, Schult. . . . 171  
*sanguinale*, Schult. . . . 171.—Java.

**PASSERINA**.

- 433<sup>1</sup>. d. *STEIROCTIS*, Rafin. (vide tom. ii. p. 983).  
*TRIMEIANDRA*, Rafin. (*nunc Arthrosolen*).

**PASSIFLORA**.

- 434<sup>1</sup>. a. *TETRASTYLIS*, Rodrig. in Rev. Engenh. (Nov. 14, 1882) reimpr. 1.  
 436<sup>2</sup>. *racemosa*, Brot.

- 437<sup>2</sup>. Nota.—*PATAGONICA*, Dill. usque ad *PATAMONGETON*, Honck. post *PATAGNANA*, Steud. p. 438 ponuntur.

**PATRINIA**.

- 438<sup>2</sup>. a. *rupestris*, *Dufr. Hist. Valér.* 54.—Sibir.  
 438<sup>2</sup>. 1. *scabiosaefolia*, *Fisch. ex Trevir. Ind. Sem. Hort. Vratisl. App.* ii. (1820) 2.—*Dahuria*.

**PATRISIA**.

- 438<sup>1</sup>. 1. *bicolor*, DC. . . . = *R. Candollei*.  
*parviflora*, DC. . . . = *R. Patrisii*.

**PAULLINIA**.

- 438<sup>3</sup>. 1. *africana*, G. Don. . . . = *pinnata*.  
*barbadensis*, A. Gray,  
*brachystachys*, Griseb. . . . 109 = *Serjania glabrata*.  
 439<sup>1</sup>. *curassavica*, Linn. *Sp. Pl.* 366, partim; *Jacq.*  
 a. *Cururu*, Linn. *Sp. Pl.* 365, partim.—Am. trop.  
 1. *Cururu*, Linn. l. c., partim. = *Serjania nodosa*.  
*diversifolia*, Jacq. . . . = *pinnata*.  
*elegans*, Griseb. . . . xxiv. (1879) 80, nomen = *eriantha*, *Benth.*  
 439<sup>2</sup>. *Hostmanni*, Steud. . . . = *pinnata*.  
 a. *longipes*, St. Lag. in Ann. Soc. Bot. Lyon, vii. (1880) 181 (Quid?).—Hab.?  
 1. *nitida*, Steud. . . . = *pinnata*.  
 a. *pinnata*, Griseb. in Goett. Abh. xxiv. (1879) 80 = *Serjania marginata*.  
*pinnata*, Linn. *Sp. Pl.* 366, partim.—Afr. & Am. trop.  
 1. *pinnata*, Linn. l. c., partim = *Serjania curassavica*.  
 a. *pinnata*, Pasq. Cat. Hort. Nap. (1867) 76 = *Serjania confertiflora*.  
 a. *quassiaefolia*, Linden, Cat. n. 17 (1862), 8. (Quid?).—N. Granat.  
 439<sup>3</sup>. 1. *riparia*, H. B. & K. . . . = *P. Cururu*.  
*senegalensis*, Juss. . . . = *pinnata*.  
*Tamuya*, Vell. . . . 34 = *Serjania glabrata*.  
*uvata*, Schum. & Thonn. . . . = *pinnata*.

**PÄVETTA**.

- 440<sup>2</sup>. 1. *Gerrardi*, Harv.

PAG.

- 441<sup>2</sup>. 1. *PAVIA*, Boerh. ex Linn. Syst. ed. I (1735) et ex a. *indica*, Royle, Illustr. Bot. Himal. 135 = seq.?

**PAVONIA**.

- 441<sup>3</sup>. 1. *cordifolia*, Wright, . . . 27 = *speciosa*.  
 442<sup>1</sup>. *cymbalaria*, A. St. Hil. & Naud. . . . 42 = *hastata*.  
*diuretica*, A. St. Hil. . . . t. 53 = *sidaefolia*.  
*grandifolia*, Walp. . . . 300 = *sepium*.  
*Hostmanni*, Miq. . . . 469 = *speciosa*.  
 442<sup>2</sup>. *laxifolia*, A. St. Hil.  
*modesta*, Mart. . . . 59 = *cancellata*.  
*nudicaulis*, A. St. Hil. . . . 231 = *speciosa*.  
*paraibica*, Wawra, . . . 39 = *monatherica*.  
*prostrata*, Moric. . . . t. 72 = *humifusa*.  
 442<sup>3</sup>. *Regnelliana*, Miq. . . . 551 = *spinifex*, *sepium*?  
*subpandurata*, Wright, . . . 26 = *speciosa*.  
 443<sup>1</sup>. 1. *PAYANELIA*, Kurz, For. Fl. Brit. Burma, ii. 236 (1877) =

**PEDALIMUM**.

- 444<sup>2</sup>. 1. *filiforme*, Pav. . . . 267 (= *Ischnia verbenacea*).—Mexic.

**PELARGONIUM**.

- 450<sup>2</sup>. 1. *dasycaule*, Haw. Syn. Pl. Succ. discipes, Haw. (l. c.)  
 452<sup>1</sup>. *iocastum*, Steud. . . . = *australe*.

**PELEXIA**.

- 456<sup>1</sup>. 1. *corymbosa*, Lindl. . . . 482 (*Spirantheos* sp.).—Peruv.  
*foliosa*, Poepp. & Endl. . . . 17 = *Physurus foliosus*.  
*laxa*, Lindl. . . . 482 (= *Spirantheos* sp.).—Peruv.  
*pauciflora*, Poepp. & Endl. . . . t. 124 = *Physurus pauciflorus*.  
*repens*, Poepp. & Endl. . . . a-c. = *Physurus repens*.

**PELIOSTOMUM**.

- 456<sup>2</sup>. 1. *scoparium*, . . . *Anticharis scoparia* (in Addend.).

**PENICILLARIA**.

- 457<sup>3</sup>. a. *elongata*, Schrad. ex Schlecht. in Linnaea, xxv. (1852) 560, 563 = *Pennis. typhoideum*.

**PENNISETUM**.

- 458<sup>1</sup>. a. *aristoides*, Willd. ex Spreng. Syst. i. 302, in syn. = *hordeiforme*.  
 458<sup>2</sup>. 1. *identicum*, Steud. . . . 299 = *articulare*.  
*lanuginosum*, Hochst. . . . nomen; xxvii. (1844) 252;  
 458<sup>3</sup>. *plumosum*, Hochst. & Steud. . . . syn. = *Melanocenchris Rothiana*.  
*scandens*, Jacq. f. . . . ex Schult. Mant. ii. 279 = *Setaria scandens*.  
 459<sup>1</sup>. *triflorum*, Nees, in Royle, Illustr. Bot. Himal. 417 =

**PENTAGONIA**.

- 459<sup>3</sup>. 1. *MEGAPHYLLUM*, Spruce, . . . 457, etc.

**PENTANEMA**.

- 460<sup>2</sup>. 1. *divaricatum*, Cass. . . . 75 = *V. divaricata*.  
*multicaule*, Boiss. . . . 75 = *V. multicaule*.

**PENTAPTERYGIIUM**.

- 461<sup>1</sup>. 1. *flavum*, Hook. f. in Hook.

**PENTARHAPHIA**.

- 461<sup>2</sup>. 1. *Craniolaria*, Decne.

**PENTSTEMON**.

- 462<sup>2</sup>. 1. *angustifolius*, [Nutt. in] Fras. Cat. (1813) n. 63, nomen; Pursh,  
 462<sup>3</sup>. *cristatus*, [Nutt. in] Fras. Cat. (1813) n. 65, nomen; Nutt.  
*erianthera*, [Nutt. in] Fras. Cat. (1813) n. 67; Nutt.  
 463<sup>1</sup>. *grandiflorus*, [Nutt. in] Fras. Cat. (1813) n. 64; Nutt.  
 463<sup>2</sup>. *teretiflorus*, [Nutt. in] Fras. Cat. (1813) n. 66, nomen; Nutt.

- 463<sup>3</sup>. 1. *PENTSTEIRA* et *PENTSTERIA*, Griff. . . . 118.

PAG.

- 468<sup>1</sup>. insere *PERDICESCA*, Provanch. Fl. Canad. 291 (1862) = *Mitchella*, Linn. (Rubiaceae).  
*repens*, Provanch. l. c. = *M. repens*.

- 469<sup>3</sup>. 1. *PERIANDRA*, Cambess. . . . 27 (1844).

- 470<sup>2</sup>. 1. *PERICTENIA*, Miers, . . . (1878) = *Odontadenia*, Benth. (Apocyn.).  
*stipellaris*, Miers, l. c. (= *Anisobolus anomalus*).—Peruv.

**PERIPILOCA**.

- 471<sup>1</sup>. a. *cordata*, L'ennst. Schluess. Hort. Malab. 14 = *Cosmostigma racemosa*.  
 471<sup>2</sup>. 1. *Secamone*, Linn. . . . = *Oxystelma esculentum*.

**PERISTYLUS**.

- 472<sup>1</sup>. 1. *cordatus*, Lindl. . . . = *Habenaria cordata*.

- 473<sup>1</sup>. a. *PEROSTIS*, Beauv. Agrost. 5 (1812) = *Picrotis*, Ait. (Gramin.).  
*laxifolia*, Beauv. l. c. 6 = *Perotis latifolia*.

**PERSEA**.

- 473<sup>2</sup>. a. *australis*, Linden, Cat. n. 23 (1869) 27.—Bras.  
 473<sup>3</sup>. *frigida*, Linden, l. c.—Reg. Andin.  
*jitotolensis*, Linden, l. c.—Am. trop.

**PERSICA**.

- 474<sup>2</sup>. a. *saligna*, Royle, Illustr. Bot. Himal. 204 = *Prunus Persica*.

**PERSICARIA**.

- 474<sup>2</sup>. a. *fluitans*, Montand. Guide Bot. 268 = *Polyg. amphibium*.  
 474<sup>3</sup>. *pulicarioides*, Montand. (l. c.) 269 = *Polyg. Persicaria*.  
*pumila*, Montand. (l. c.) = *Polyg. minus*.  
 474<sup>3</sup>. *urens*, Montand. (l. c.) = *Polyg. Hydropiper*.

**PETALIDIUM**.

- 476<sup>2</sup>. a. *Currori*, Benth. ex S. Moore, l. c. 223.—Afr. austr.

**PETUNIA**.

- 479<sup>2</sup>. d. *STIMOMPHIS*, Rafin. (*nunc Salpiglossis*).

**PEUCEDANUM**.

- 479<sup>3</sup>. 1. *TIEDEMANNIA*, DC.

**PFAFFIA**.

- 482<sup>2</sup>. 1. *SERTUERNERA*, Mart.

**PHACA**.

- 483<sup>2</sup>. 1. *vesicaria*, Schreb. Ic. Pl. Desc. Dec. i. 5. t. 3; Linn.

**PHACELIA**.

- 483<sup>3</sup>. 1. *ENDIPLUS*, Rafin. . . . (1818) 356;  
 484<sup>1</sup>. *invenusta*, A. Gray, . . . 303 = *caerulea*.

- 485<sup>1</sup>. insere *PHAEOCEPHALUM*, Ehrh. Beitr. iv. (1789) 146 = *Rynchospora*, Vahl (Cyperac.).

- 485<sup>1</sup>. insere *PHAEOLORUM*, Ehrh. Beitr. iv. (1789) 149 = *Carex*, Dill. (Cyperac.).

- 485<sup>1</sup>. nota, *PHAEOCARPUS*, Mart. . . . post *PHAENOSTOMA*, Steud. ponitur.

**PHALANGIUM**.

- 487<sup>1</sup>. 1. *esculentum*, [Nutt. in] Fras. Cat. (1813) n. 11; Nutt.

**PHALARIS**.

- 487<sup>3</sup>. a. *PHLEOIDES*, Ehrh. Beitr. iv. (1789) 148.  
 1. *dentata*, Linn. f. . . . 106 = *Prionanthium rigidum*.

- 490<sup>1</sup>. insere *PHASEOLOIDES*, Mill. Gard. Dict. ed. III. (1737) = *Wistaria*, Nutt. (1818) (Legumin.).

**PHASEOLUS**.

- 490<sup>2</sup>. a. *albus*, Hoffmgg. Preisverz. ed. X. 81.—Cf. Linnaea, xvi. (1842) 272 = *multiflorus*?  
 490<sup>3</sup>. *cuneatus*, Royle, Illustr. Bot. Himal. 190 (Quid?).—Ind. or.  
 491<sup>3</sup>. *sativus*, Royle, (l. c.) 460 (Index), sphalm. = *Medicago sativa*.

**PHILODENDRON**.

- 496<sup>1</sup>. 1. *nervosum*, Kunth,



PAG.  
498<sup>1</sup>. insere PHLEOIDES, Ehrh. Beitr. iv. (1789) 148 = *Phalaris*, Linn. (Gramin.).

# PHLEUM.

498<sup>2</sup>. 1. *dentatum*, Pers. . . = *Prionanthium rigidum*.

# PHOEBE.

501<sup>1</sup>. 1. *barbusana*, Webb & Berth. . . = *Apollonia canariensis*.

# PHRAGMITES.

503<sup>3</sup>. 1. *Xenochloa*, Trin.

# PHYLLANTHUS.

508<sup>1</sup>. a. *cordatus*, Royle, Illustr. Bot. Himal. 327, nomen (Quid ?).—Reg. Himal.

516<sup>1</sup>. a. PHYSALODES, Boehm. in Ludw. Def. Gen. Pl. 41 (1760) = *Nicandra*, Gaertn. (Solan.).

# PHYSEDRA.

516<sup>1</sup>. a. STAPHYLOSCE, Hook. f. in Benth. & Hook. f. Gen. i. 828 (1867).

# PHYSIANTHUS.

516<sup>1</sup>. 1. *auricomus*, R. Grah. in Edinb. N. Phil. Journ. (1840-41) 207; et in

# PHYSOCALYX.

516<sup>2</sup>. a. *edulis*, Linden, Cat. n. 23 (1869) 27.—Bras.

# PHYSURUS.

517<sup>2</sup>. 1. *argenteus*, Hort. . . 5 = *pictus*.  
a. *finbrillaris*, Hort. ex De Buys. in Orchidoph. (1878) 192 = *pictus*.

517<sup>3</sup>. *roseus*, Reichb. f. *Linnaea*, xli. (1877) 125.—Guian.

# PHYTEUMA.

518<sup>3</sup>. 1. *Scheuchzeri*, All.

# PHYTOLACCA.

519<sup>2</sup>. 1. *thyrsiflora*, Fenzl. . . Bras. xiv.

# PICRAMNIA.

520<sup>2</sup>. a. *brasiliensis*, Linden, Cat. n. 17 (1862) 8.—Bras.

# PILEA.

522<sup>3</sup>. 1. *anisophylla*, Wedd. . . ix. (1856) (sic etiam aliis in locis).

524<sup>1</sup>. *ternifolia*, Wedd.

# PILIOCALYX.

524<sup>3</sup>. 1. *robustus*, Brongn. & Gris,

# PILOSELLA.

525<sup>2</sup>. 1. *anchusoides*, Arv. Monog. Pilos. 19; et in *biflora*, Arv. (l. c.) 14; et

a. *carisina*, Arv. (l. c.) = seq.  
*communis*, Arv. (l. c.) 13 = H. Pilosella.

525<sup>3</sup>. 1. *fallax*, Arv. (l. c.) 17; et in *Faurei*, Arv. (l. c.) 15;

a. *flagellaris*, Arv. (l. c.) 13 = H. Pilosella.  
*hypoleuca*, Arv. (l. c.) 16 (Quid ?).—Gallia.

1. *junciformis* x, Arv. Add. Monog. Pilos. 6.—*primulaeformis*, Arv. Monog. Pilos. 5; et in

a. *saurureoides*, Arv. (l. c.) 13 = H. Pilosella.  
*Smithii*, Arv. (l. c.) (Quid ?).—Gallia.

*subrubens*, Arv. (l. c.) (Quid ?).—Gallia.

526<sup>3</sup>. 1. PIMECARIA, Rafin. . . = *Ximenia*, Plum. (Olacin.).

*odorata*, Rafin. l. c. = X. americana.

# PIMPINELLA.

528<sup>1</sup>. d. TRAGIOPSIS, Pomel (*nunc* Carum).

528<sup>2</sup>. a. *dissecta*, Sieber, ex Presl, Bot. Bemerck. 74 = *Seseli creticum*.

529<sup>1</sup>. 1. *ramosissima*, Fisch. . . Hort. Vratisl. (1819) 3

# PINANGA.

529<sup>2</sup>. a. *caudata*, Becc. *Malesia*, i. (1877) 101, in obs.—N. Guin.

# PINGUICULA.

530<sup>1</sup>. a. *auriculor*, Arv. Ess. Pl. Dauph. 50 (Quid ?).—Gallia.

# PINUS.

531<sup>3</sup>. a. *Ginkgo*, Royle, Illustr. Bot. Himal. 461 (Index) = *Ginkgo biloba*.

532<sup>2</sup>. 1. *nepalensis*, Royle, (l. c.) 353 =

PAG.  
534<sup>3</sup>. insere PIOTES, Soland. ex Britt. in Journ. Bot. xxii. (1884) 147 = *Augea*, Thunb. (Zygo-phyll.).  
*teretifolia*, Soland. ex Britt. l. c. = A. capensis.

# PIPER.

538<sup>1</sup>. a. *inebrians*, Bert. ex Miq. Comm. Phyt. 36 = methysticum.

*inebrians*, Royle, Illustr. Bot. Himal. 333 = majusculum ?

*Kava*, Royle, (l. c.) 461 (Index) = methysticum.

539<sup>3</sup>. *Peperomia*, Royle, (l. c.) (Index), sphalm. = *Peperomia saxatilis*.

541<sup>1</sup>. 1. *Schizonephos*, C. DC.

541<sup>2</sup>. a. *spurium*, Forst. ex Miq. Comm. Phyt. 36 = methysticum.

# PIPTATHERUM.

542<sup>3</sup>. a. *fusculum*, Lindl. ex Steud. Syn. Pl. Gram. 123 (= *Urachne fusca*).—Chili.

# PIRCUNIA.

544<sup>1</sup>. a. *saponacea*, Welw. Apont. 588 = Phyt. abyssinica.

# PISCIDIA.

544<sup>3</sup>. a. ICHTHYOMETHIA, P. Br. Hist. Jamaic. 296 (1756).

# PISTACIA.

545<sup>2</sup>. a. TERMINTHOS, St. Lag. in Ann. Soc. Bot. Lyon, viii. (1881) 203.

TERMINTHOS, St. Lag. l. c. vii. (1880) 133.

# PITTOSPORUM.

548<sup>3</sup>. a. SCHOUTENSIA, Endl. Prod. Fl. Norf. 79, in obs. (1833).

# PLANTAGO.

552<sup>2</sup>. 1. *capitata*, Hoppe & Hornsch. Tageb. 261, 278; *capitata*, Tenore,

# PLECTRANTHUS.

559<sup>3</sup>. 1. *Concan*, err. typ. . . Ind. iv. 618 =

560<sup>3</sup>. 1. PLECTRITIS, DC. . . 13 (1829); Prod. iv. 631

# PLEURANTHIUM.

563<sup>1</sup>. 1. *Adendrobium*, Benth. & Hook. f.

# PLEUROTHALLIS.

566<sup>2</sup>. a. *minutiflora*, Hoffm. g. Preisverz. ed. X. 81.—Cf. *Linnaea*, xvi. (1841) Litt. 273.—Bras.

567<sup>1</sup>. *Saundersiana*, Reichb. f. in Gard. Chron. (1866) 74; et in Saund. Refug. Bot. t. 120.—N. Granat. ?

# POA.

572<sup>2</sup>. a. *Djurdjurae*, Battand. & Trab. Fl. Algér. (1884) 207.—Alger.

573<sup>1</sup>. *glumaris*, Thurb. in Bot. Calif. ii. 313 = *Festuca confinis*.

1. *hansiana*, Nees, . . . 416.

573<sup>2</sup>. *Kingii*, S. Wats. . . = *Festuca confinis*.

576<sup>2</sup>. a. *Thurmanniana*, Montand. Guide Bot. 370.—Europ.

577<sup>1</sup>. 1. POARCHON, Allem. . . (1846) = *Trimeza*, Salisb.

# POGOMESIA.

581<sup>3</sup>. 1. *Tinantia*, Scheidw. (1839).

# POGONATHERUM.

581<sup>3</sup>. a. *panicum*, Rasp. in Ann. Sc. Nat. Sér. I. v. (1825) 306 = *saccharoideum*.

# POGONOPUS.

582<sup>3</sup>. a. *febrifugus*, Benth. & Hook. f. ex Hieron. Pl. Diaph. 139.—Bolivia.

# POLEMONIUM.

584<sup>3</sup>. 1. *sibiricum*, D. Don, . . . = *lactum*.

# POLYALTHIA.

586<sup>3</sup>. 1. *Kentii*, Blume, . . . 77 = *Melodorum Kentii*.

# POLYGALA.

592<sup>2</sup>. a. *pilifera*, Hoffm. g. Preisverz. ed. X. 82.—Cf. *Linnaea*, xvi. (1842) Litt. 275.—Hab. ?

PAG.  
POLYGONATUM.

594<sup>1</sup>. a. SIGILLUM, Trag. ex Montand. Guide Bot. 310 (1868).

*angulosum*, Montand. (l. c.) 311 = *officinale*.

594<sup>2</sup>. *Salamonis*, Montand. (l. c.) = *multiflora*.

# POLYGONUM.

594<sup>3</sup>. a. CENTINODIUM, Montand. Guide Bot. 270 (1868).

COLUBRINA, Brun. ex Montand. (l. c.) 268 (1868).

NEMOLAPATHUM, Ehrh. Beitr. iv. (1789) 149.

595<sup>1</sup>. 1. *bulbiferum*, Royle, Illustr. Bot. Himal. 314 =

596<sup>1</sup>. a. *fluitans*, Eaton, Man. ed. VI. 274 = *amphibium*.

# POLYPOGON.

601<sup>1</sup>. 1. *simplex*, Spreng. . . = *maritimus* ?

601<sup>2</sup>. *zeylanicus*, Nees, . . . 183 = *monspeliensis*.

# POLYSTORTHIA.

602<sup>2</sup>. a. *arboresum*, Hassk. in Hoev. & De Vriese, Tijdschr. xi. (1844) 226 = *Pyg. parviflorum*.

# POMETIA.

603<sup>2</sup>. d. PROSTEA, Cambess. (*nunc* *Deinbollia*).

603<sup>2</sup>. a. *acuminata*, Radlk. in Act. Congr. Bot. Amst. 1877 (1879) 2, 79, 100.—Borneo.

1. *eximia*, Hook. f. ex Thw. Enum. Pl. Zeyl. 408; *Bedd.*

# POMMEREULA.

603<sup>2</sup>. d. ROYLEA, Nees (*nunc* *Melanocenchris*).

604<sup>2</sup>. a. PONNA, [Rheede,] ex Boehm. in Ludw. Def. Gen. Pl. 239 (1760) = *Calophyllum*, Linn. (Guttif.).

# PONTEDERIA.

604<sup>2</sup>. 1. UNISEMA, Rafin.

604<sup>3</sup>. a. *vaginata*, Royle, Illustr. Bot. Himal. 116 = *Monochoria vaginalis*.

# PONTHIEVA.

605<sup>1</sup>. 1. *multiflora*, Poepp. & Endl. . . t. 123 = *Crani-chis foliosa*.

a. *parvilabris*, Benth. ex Griseb. in Goett. Abb. xxiv. (1879) 337 = *Mandonii*.

# POPULUS.

605<sup>2</sup>. a. *Arbeel*, Curt. Cat. (1783) 84 = *alba*.

605<sup>3</sup>. 1. *euphratica*, Oliv. . . tt. 45, 46.

# PORTLANDIA.

607<sup>3</sup>. 1. *gypsophila*, Macfad. Fl. Jamaic. ii. 216; et ex

# PORTULACA.

608<sup>2</sup>. a. *sylvestris*, Montand. Guide Bot. 109 = *oleracea*.

# POTAMOGETON.

610<sup>1</sup>. a. *lactucaceus*, Montand. Guide Bot. 305 = *crispum*.

# POTENTILLA.

611<sup>1</sup>. 1. TRICHOHALAMUS, Spreng. Anleit. ii. 864 (1818); *Lehm.*

615<sup>3</sup>. *soongorica*, Bunge,

616<sup>1</sup>. a. *subnitens*, Arv. Ess. Pl. Dauph. 26 (Quid ?).—Gallia.

# POTERIUM.

617<sup>1</sup>. a. *decandrum*, Benth. & Hook. f. Gen. i. 624, sphalm. = *diandrum*.

*dodecandrum*, Benth. & Hook. f. (l. c.).—Europ.

# PRESCOTTIA.

623<sup>2</sup>. 1. *gigantea*, Lodd. . . nomen = *stachyodes*.

*longipetiolata*, Rodrig. . . 177 = *stachyodes*.

# PRIMULA.

625<sup>1</sup>. 1. *decipiens*, Duby, . . . = *magellanica*.

625<sup>2</sup>. a. *glabrescens*, Arv. Ess. Pl. Dauph. 51 (Quid ?).—Gallia.

627<sup>2</sup>. 1. PRIONACHNE, Nees, . . . = *Prionanthium*, Desv. (Gramin.).

*Ecklonii*, Nees, . . . 448 = *Prionanthium rigidum*.

# PROSARTES.

629<sup>3</sup>. a. *maculata*, A. Gray, in Am. Journ. Sc. Ser. I. xlvii. (1844) 201.—Am. bor.

- PAG.  
630<sup>3</sup>. 1. PROSTEA, Cambess. . . = *Deinbollia*, Schum. & Thonn.  
*pinnata*, Cambess. . . = *D. pinnata*.
- PROTEA.**  
631<sup>1</sup>. 1. *abrotanifolia*, Salisb. . . = *Serruria fasciculiflora*.  
*argentiflora*, Andr. . . = *Serruria anethiflora*.  
631<sup>2</sup>. *congesta*, Poir. . . = *Serruria millefolia*.  
631<sup>3</sup>. *cyanoides*, Linn. l. c. 118 = *Serruria pulchella*.  
632<sup>3</sup>. *parilis*, Buek. . . = *Serruria barbiger*.  
633<sup>1</sup>. *phyllicoides*, F. W. Schmidt, . . . = *Serruria millefolia*.  
633<sup>2</sup>. *serraria*, Thunb. . . = *Serruria fasciflora*.  
*Serruria*, Linn. . . = *Serruria fasciflora*.  
*sphaerocephala*, Houtt. . . = *Serruria hirsuta*,  
*artemisiaefolia*, scariosa.  
633<sup>3</sup>. *thyrsoides*, Lam. . . = *Serruria crithmifolia*.  
*triternata*, Thunb. . . = *Serruria anethifolia*.
- PRUNUS.**  
636<sup>3</sup>. a. *mespilifolia*, Arv. Ess. Pl. Dauph. 25 (Quid?).  
—Gallia.
- 639<sup>3</sup>. 1. PSEUDORAPHIS, Griff. . . = *Chamaeraphis*,  
R. Br.  
*Brunoniana*, Griff. l. c. = *C. spinescens*.
- PSEUDORYZA.**  
639<sup>3</sup>. 1. *ciliata*, Griff. l. c. =
- 640<sup>1</sup>. insere PSEUDOTRECUlia, Baill. Adansonia, xi.  
(1875) 292, in obs. = *Treculia*, Decne.  
(Urtic.).
- PSIDIUM.**  
640<sup>2</sup>. 1. *argenteum*, Berg,
- PSILOCARYA.**  
642<sup>1</sup>. 1. *corymbifolia*, Benth. & Hook. f. . . 1048 =  
R. ignorata.  
*Sellowiana*, Nees, . . . = *R. Sellowiana*, Griseb.
- PSOPHOCARPUS.**  
643<sup>2</sup>. 1. *Mabala*, Welw. Apont. 589 = *palustris*.
- PSORALEA.**  
643<sup>2</sup>. a. *annua*, Mill. Gard. Dict. ed. VIII. n. 6 = *Dalea*  
*alopecurioides*.
- PSYCHOTRIA.**  
645<sup>2</sup>. a. CODONOCALYX, Miers, in Lindl. Veg. Kingd.  
764 (1847).  
OURAGOGA, Linn. Hort. Cliff. 486 (1737).  
SUTERIA, DC. Prod. iv. 536 (1830).  
TREVIRANIA, Heynh. Nom. ii. 736 (1846).  
URAGOGA, Linn. Gen. ed. I. 378, et Index  
(1737).  
646<sup>3</sup>. 1. *Dodda-Ferrane*, Schlecht. . . 171 (*Dodda-*  
*Ferrum*).  
647<sup>2</sup>. a. *Grosourdyana*, Baill. Adansonia, xii. (1876-  
79) 328, in obs.—Porto Rico.
- PSYLLOPHORA.**  
651<sup>2</sup>. a. *puliciformis*, Montand. Guide Bot. 341 =  
*C. pulicaris*.
- PTELEA.**  
651<sup>3</sup>. a. DODONAEA, Boehm. in Ludw. Def. Gen. Pl. 195  
(1760).
- PTYCHOCILUS.**  
658<sup>2</sup>. 1. *septemnervis*, Schau. l. c. = *T. septemnervis*.
- PTYCHOSPERMA.**  
659<sup>1</sup>. 1. *tenella*, H. Wendl. . . 63 = *Pinanga tenella*.
- PULSATILLA.**  
660<sup>3</sup>. d. *apiifolia*, Reichb.  
1. *apiifolia*, Roehl. Deutschl. Fl. ed. II. ii. 313;  
Sweet,
- PUPALIA.**  
662<sup>2</sup>. 1. *remotiflora*, Moq. . . 333 = *Sericocoma remotiflora*.
- 662<sup>3</sup>. 1. PURGOSEA, Haw. . . = *Crassula*, Dill.
- PYRETHRUM.**  
666<sup>3</sup>. a. *tenuisectum*, Bertol. Fl. Ital. ix. 339 = *Chrysanthemum coronopifolium*, Vill.

VOL. II.

- PAG.  
**PYRRHOPAPPUS.**  
667<sup>3</sup>. 1. *taraxacoides*, DC. l. c. 145 = *Taraxacum capense*.  
670<sup>2</sup>. insere PYXIDARIA, Rupp. Fl. Jen. ed. Hall.  
237 (1745) = *Vandellia*, Linn. (Scrophul.).
- PYXIDIUM.**  
670<sup>2</sup>. a. *retroflexum*, Montand. Guide Bot. 261 = *A. retroflexus*.  
*sylvestre*, Montand. l. c. = *A. albus*.
- QUASSIA.**  
671<sup>2</sup>. 1. *undulata*, D. Dietr. l. c. = *Simaba undulata*.
- QUEBRACHIA.**  
671<sup>3</sup>. a. SCHINOPSIS, Engl. in Mart. Fl. Bras. xii. ii.  
403 (1876).
- QUERCUS.**  
675<sup>1</sup>. 1. *Jordanae*, Laguna, Apuntes
- QUILLAJA.**  
678<sup>2</sup>. a. SMEGMARIA, Willd. Sp. Pl. iv. 1123 (1806).
- RANDIA.**  
681<sup>2</sup>. 1. THIOLLIEREA, Montr.  
a. ZAMARIA, Rafin. in Ann. Gén. Sc. Phys. vi.  
(1820) 85.  
681<sup>3</sup>. *coffeoides*, Benth. & Hook. f. Gen. ii. 88.—  
Ins. Pacif.
- RAPHANUS.**  
690<sup>2</sup>. 1. *arvensis*, Steud. Nom. ed. II. ii. 590, in syn.;  
Wallr.
- RAPHIA.**  
690<sup>3</sup>. 1. *textilis*, Welw. . . 2 = *Welwitschii*.
- RATONIA.**  
692<sup>3</sup>. a. *littoralis*, Teijsm. & Binn. Cat. Hort. Bogor.  
216.—Malaya.
- RECHSTEINERIA.**  
694<sup>1</sup>. a. *Claussenii*, Brongn. ex Decne. in Rev. Hort.  
Sér. III. ii. (1848) 468 = *G. Clausseniana*.  
*montevicensis*, Decne. (l. c.)—Reg. Argent.
- 695<sup>3</sup>. 1. REMACLEA, C. Morr. . . = *Trimeza*, Salisb.
- RESEDA.**  
697<sup>2</sup>. 1. *Sesamoides*, Linn. . . = *Astrocarpus Sesamoides*.  
d. *sesamoides*, Sieber,
- 700<sup>2</sup>. insere REVATOPHYLLUM, Roehl. Deutschl.  
Fl. ed. II. ii. 514 (1812), err. typ. = *Cerato-*  
*phyllum*, Linn.
- REYNOLDSIA.**  
700<sup>2</sup>. 1. *pleiosperma*, A. Gray, . . . t. 93 = *T. pleiosperma*.  
*sandwicensis*, A. Gray, . . . t. 92 = *T. sandwicensis*.
- RHAMNUS.**  
702<sup>1</sup>. a. *globulariaefolia*, Arv. Ess. Pl. Dauph. 22  
(Quid?).—Gallia.
- RHINANTHUS.**  
708<sup>1</sup>. a. FISTULARIA, Linn. Syst. ed. I (1735).  
708<sup>2</sup>. a. *medius*, Arv. Ess. Pl. Dauph. 57 (Quid?).—  
Gallia.
- RHIPSALIS.**  
708<sup>3</sup>. 1. *aethiopica*, Welw. . . nomen = *R. Cassytha*.
- RHODODENDRON.**  
710<sup>3</sup>. 1. *camtschaticum*, Pall. . . i. 48.—  
a. *kamtschaticum*, Pall. . . t. 33 = *camtschaticum*.
- RHODORA.**  
712<sup>3</sup>. a. *deflexa*, Griff. Itin. Note, 187.—Ind. or.
- RHODOTHAMNUS.**  
713<sup>1</sup>. a. ADODENDRUM, Neck. Elem. i. 214 (1790).
- RHYNCHOSIA.**  
717<sup>1</sup>. a. WALPERSIA, Meissn. ex Krauss, in Flora, xxvii.  
(1844) 357.
- RICHAEIA.**  
721<sup>3</sup>. 1. *madagascariensis*, Poir. . . = *W. madagascariensis*.

- PAG.  
**RICHARDSONIA.**  
722<sup>1</sup>. 1. *muricata*, Griseb. . . 143 = *Spermacoe richardsonioides*.
- 726<sup>2</sup>. 1. ROCAMA, Forsk. . . = *Trianthema*, Sauv.
- RODRIGUEZIA.**  
727<sup>2</sup>. 1. *stenochila*, Lindl. . . 23 = *Scelochilus Lindenii*.
- 728<sup>1</sup>. 1. ROETTLERA, Vahl, . . . 87
- RONDELETIA.**  
729<sup>3</sup>. a. ZALMARIA, Rafin. in Ann. Gén. Sc. Phys. vi.  
(1820) 85.
- ROSA.**  
732<sup>2</sup>. 1. *Candolleana*, Thory, Ros. 6  
733<sup>2</sup>. a. *diracantha*, Arv. Ess. Pl. Dauph. 26 (Quid?).  
—Gallia.  
737<sup>1</sup>. 1. *pellucina*, Arv. (l. c.) 27 =
- 743<sup>2</sup>. 1. ROTTLEA, Vahl, . . . 87
- 745<sup>2</sup>. 1. RUBEOLA, [Tourn.] Ludw. Def. Gen. Pl. 2  
(1737) =
- RUBUS.**  
746<sup>2</sup>. a. CHAMAEMORUS, Ehrh. Beitr. iv. (1789) 147.  
748<sup>1</sup>. *cariensis*, Ripart & Genev. in Genev. Monog.  
ed. II. 265 = seq.
- RUELLIA.**  
762<sup>3</sup>. 1. *repens*, Linn.
- RUMEX.**  
766<sup>2</sup>. 1. *Steudeliana*, Meissn. . . = seq.  
*Steudelii*, Hochst. . . = *nepalensis*.
- RUYSCHIA.**  
768<sup>3</sup>. a. *clusiaefolia*, Linden, ex Delp. in Nuov. Giorn.  
Bot. Ital. i. (1869) 277 = *R. Souroubea*.
- RYNCHOSPORA.**  
769<sup>2</sup>. a. PHAEOCEPHALUM, Ehrh. Beitr. iv. (1789) 146.
- SAGINA.**  
775<sup>3</sup>. a. *affinis*, Arv. Ess. Pl. Dauph. 21 (Quid?).—  
Gallia.
- SALACIA.**  
778<sup>1</sup>. a. *accedens*, Pav. ex Miers, in Trans. Linn. Soc.  
xxviii. (1872) 401 = *multiflora*.
- SALIX.**  
781<sup>1</sup>. 1. *buxifolia*, Trev. ex Trautv. in Nouv. Mém. Soc.  
Nat. Mosc. ii. (1832) 301 =  
781<sup>3</sup>. a. *divestita*, Arv. Ess. Pl. Dauph. 60 (Quid?).—  
Gallia.  
782<sup>1</sup>. *frigens*, Arv. (l. c.) = *hastata*?  
785<sup>3</sup>. 1. *rotundifolia*, Trautv. in Nouv. Mém. Soc. Nat.  
Mosc.  
786<sup>2</sup>. a. *torulosa*, Ledeb. ex Trautv. in Nouv. Mém.  
Soc. Nat. Mosc. ii. (1832) 309 = *arctica*.
- SALPIGLOSSIS.**  
787<sup>3</sup>. a. STIMOMPHIS, Rafin. Fl. Tellur. iii. 76 (1836).
- SALSOLA.**  
788<sup>1</sup>. 1. KALI, Tourn. ex Ludw. Def. Gen. Pl. 231 (1747).  
*altissima*, Dryand. ex Moq. Chenop. Enum.  
131 =
- SALVIA.**  
790<sup>2</sup>. a. *Bethelli* ×, Hort.—Cf. Gard. Chron. (1881) i.  
50. f. 10.  
792<sup>3</sup>. *Kanitziana* ×, Simk. in Magyar Növenyt.  
Lapok, ii. (1878) 151.—Hungar.
- SAPINDUS.**  
799<sup>3</sup>. a. THRAULOCOCCUS, Radlk. in Sitzb. Math.-Phys.  
Akad. Muench. viii. (1878) 246.
- SARCOCHILUS.**  
803<sup>2</sup>. a. *Freemanii*, Reichb. f. in Gard. Chron. (1877) i.  
750.—Assam.  
803<sup>3</sup>. *Moorei*, Hort. ex Reichb. f. (l. c.) (1880) i. 104.  
—Ins. Salamon.  
*muriculatus*, Hort. ex Reichb. (l. c.) (1881) i. 198.  
—Ind. or.

- PAG. **SARCOGLOTTIS.**  
804<sup>2</sup>. a. *Allemanii*, Rodrig. Orch. Nov. ii. (Index) p. xiv = *Sp. picta*?  
*lithophila*, Rodrig. (l. c.) i. (Index) p. x = *Sp. lithophila*.  
*multiflora*, Rodrig. (l. c.) ii. (Index) p. xiv = *Sp. balanophorostachya*.  
*ornithocephala*, Rodrig. (l. c.) = *Sp. acutata*.  
*rupestris*, Rodrig. (l. c.) i. (Index) p. x = *Sp. rupestris*.  
*uliginosa*, Rodrig. (l. c.) = *Sp. uliginosa*.
- SARCOPIRAMIS.**  
804<sup>3</sup>. l. *napalensis*, Wall. Tent. Fl. Nap.
- SAUSSUREA.**  
810<sup>2</sup>. l. *chenopodiifolia*, Klatt, . . . (1878) i. (idem quoad *Schlagintweitii*, *setifolia*, *stemma-phora*).  
811<sup>1</sup>. a. *saxatilis*, Arv. Ess. Pl. Dauph. 39 (Quid?)—Gallia.
- SAXIFRAGA.**  
812<sup>1</sup>. a. *TRISTYLEA*, Jord. & Fourr. Ic. Pl. Europ. ii. 5 (1870).  
816<sup>3</sup>. a. *Serra*, Hoffmgg. Preisverz. ed. X. 84.—Cf. Linnaea, xvi. (1842) Litt. 277 = *umbrosa*.  
817<sup>1</sup>. *sulphurea*, Arv. Ess. Pl. Dauph. 29 (Quid?)—Gallia.
- SCABIOSA.**  
817<sup>2</sup>. d. *XETOLA*, Rafin. (*nunc Cephalaria*).
- SCANDIX.**  
821<sup>2</sup>. l. *aromatica*, Roehl. Deutschl. Fl. ed. II. ii. 213; Wahlenb.
- SCAPHYGLOTTIS.**  
822<sup>1</sup>. a. *arundinacea*, Hort. Petrop. ex Regel, in Ann. Sc. Nat. Sér. IV. vi. (1856) 376 (*Ponerac* sp.).—N. Granat.  
822<sup>2</sup>. insere *SCEPANIUM*, Ehrh. Beitr. iv. (1789) 148 = *Pedicularis*, Tourn. (*Scrophul.*).
- SCHIEKIA.**  
824<sup>2</sup>. l. *TROSCHELIA*, Klotzsch, in Schomb. Faun. Fl. Brit. Gui.
- SCHISMUS.**  
825<sup>2</sup>. l. *ELECTRA*, Panz. . . Muench. 1813 (1814). *fasciculatus*, Beauv. . . = *marginatus*.  
826<sup>2</sup>. l. *SCHIZOCASIA*, Schott, . . . 148 = *Alocasia*, Neck. (Aroid.).  
*acuta*, Engl.  
*Portei*, Schott, . . . 148 = *A. Portei*.
- SCHKUHRIA.**  
827<sup>3</sup>. l. *TETRACARPUM*, Moench, . . . 240.
- SCHLEICHERA.**  
827<sup>3</sup>. l. *CUSSAMBIUM*, Rumph. ex Lam. Encyc. ii. 230 (1786); Buch.-Ham.
- SCHOMBURGKIA.**  
833<sup>1</sup>. l. *Galeottiana*, A. Rich. & Gal.
- SCILLA.**  
836<sup>1</sup>. a. *SIMIRA*, Rafin. Fl. Tellur. iv. 28 (1836).  
837<sup>2</sup>. *vernalis*, Montand. Guide Bot. 316 = *bifolia*.  
838<sup>2</sup>. insere *SCIRPOCYPERUS*, Mich. ex Montand. Guide Bot. 346 (1868) = *Scirpus*, Tourn. (*Cyperac.*).  
*septentrionalis*, Montand. l. c. = *Scirpus maritimus*.
- SCIRPUS.**  
838<sup>2</sup>. a. *CHAMAESCHOENUS*, Ehrh. Beitr. iv. (1789) 147.  
*SCIRPOCYPERUS*, Mich. ex Montand. Guide Bot. 346 (1868).  
*TAPHROGITON*, Montand. (l. c.) (1868).  
841<sup>2</sup>. l. *laxiflorus*, Thw.  
843<sup>2</sup>. a. *ternatus*, Wall. Cat. n. 3462 = *erectus*.  
844<sup>1</sup>. *trifidus*, Hance, in Journ. Bot. xvi. (1878) 112 = *Fimbristylis capillaris*.
- SCLERIA.**  
845<sup>3</sup>. a. *axillaris*, Moon, Cat. Pl. Ceyl. 62 = *caricina*.  
847<sup>2</sup>. *villosula*, Wall. Cat. n. 3414 = *hebecarpa*.
- PAG. **SCLEROCHLOA.**  
848<sup>1</sup>. a. *californica*, Munro, ex Benth. Pl. Hartw. 342, nomen.—Calif.  
848<sup>3</sup>. ante *SCLEROPOAM*, insere  
*SCLEROPHYLLUM*, Griff. Notul. iii. 8 (1851) = *Oryza*, Linn. (Gramin.).  
*coarctatum*, Griff. l. c. = *O. coarctata*.  
849<sup>1</sup>. post *SCLEROSPERMA*, pone *SCLEROSTEMMA*, Schott (col. 2).
- SCOPOLIA.**  
850<sup>1</sup>. l. *Boveana*, Dun.
- SCUTELLARIA.**  
855<sup>2</sup>. a. *hirsuta*, Short & Peter, in Transylv. Journ. Med. n. xxxiii. (1836) 578.—Am. bor.
- SCUTIA.**  
856<sup>2</sup>. a. *ADOLIA*, Lam. Encyc. i. 44 (1783), nomen prius.  
l. *obcordata*, Boivin,
- SCYTALIA.**  
857<sup>1</sup>. l. *rubra*, Roxb.
- SECAMONE.**  
858<sup>3</sup>. l. *acutifolia*, Sond. . . 76 = *Ectadiopsis acutifolia*.  
a. *Gerrardi*, Harv. ex Benth. & Hook. f. Gen. ii. 746.—Natal.
- SECURINEGA.**  
860<sup>1</sup>. a. *VILLANOVA*, Pourr. ex Cutanda, Comp. Fl. Madr. 595 (1861).
- SEDUM.**  
862<sup>3</sup>. l. *quitense*, H. B. & K. . . . 46 = *Cotyledon quitensis*.
- SELINUM.**  
866<sup>2</sup>. a. *pratense*, Roehl. Deutschl. Fl. ed. II. ii. 199 = *S. Carvifolia*.  
*silvaticum*, Roehl. (l. c.) = *S. Carvifolia*.
- SEMPERVIVUM.**  
868<sup>2</sup>. l. *Maitrei*, Lamotte,  
868<sup>3</sup>. *Pomelii*, Lamotte, Ann. Auv. 27; ex in *Mém.*  
869<sup>1</sup>. *vellarum*, Lamotte,  
*Verlotii*, Lamotte,
- SENECIO.**  
871<sup>1</sup>. a. *Aronicum*, Arv. Ess. Pl. Dauph. Suppl. 10; ex ej. Monog. Pilos. 51 (Quid?)—Gallia.  
878<sup>1</sup>. *obovatus*, Arv. Ess. Pl. Dauph. 36 (Quid?)—Gallia.  
879<sup>1</sup>. l. *Petasitis*, DC. . . —Mexic.  
880<sup>3</sup>. *Scopolii*, Hoppe & Hornsch. Tageb. 278; et ex
- SERAPIAS.**  
883<sup>3</sup>. l. *aphylla*, Vell. . . . 57 = *Sp. Arrabidae*.  
*congesta*, Vell. . . . 54 = *Sp. micrantha*.
- SERICOCOMA.**  
884<sup>3</sup>. l. *Chrysurus*, Meissn.
- SERRAFALCUS.**  
887<sup>2</sup>. a. *mollissimus*, Arv. Ess. Pl. Dauph. 68 = *B. squarrosus*.
- SESBANIA.**  
890<sup>3</sup>. l. *sphaerocarpa*, Welw. Apont. 590.—Afr. trop.  
a. *sphaerosperma*, Baker, in Oliver, Fl. Trop. Afr. ii. 135, sphalm. = *praec.*
- SESELI.**  
890<sup>3</sup>. a. *athamanticum*, Arv. Ess. Pl. Dauph. 31 (Quid?)—Gallia.
- SESUVIUM.**  
892<sup>3</sup>. l. *crithmoides*, Welw. . . . 586 = *S. Portulacastrum*.
- SHOREA.**  
894<sup>3</sup>. l. *camphorifera*, Roxb. . . . 616 = *Dryobalanops aromatica*.  
*lepidota*, Blume,  
895<sup>1</sup>. *subpeltata*, Miq. . . . 488.
- SICYOS.**  
896<sup>1</sup>. a. *MICRAMPELIS*, Rafin. in Med. Repos. N. York, v. (1808) 350.
- PAG. **SIEGESBECKIA.**  
903<sup>3</sup>. l. *TRIMERANTHES*, Cass. . . . xlix. 115 (1827); lxx.  
904<sup>2</sup>. insere *SIGILLUM*, Trag. ex Montand. Guide Bot. 310 (1868) = *Polygonatum*, Tourn. (Liliac.).  
*verticillatum*, Montand. l. c. = *P. verticillatum*.
- SILENE.**  
904<sup>3</sup>. l. *alba*, Muhl. Cat. 45, nomen; et ex  
909<sup>1</sup>. a. *oenantha*, Arv. Ess. Pl. Dauph. 21 (Quid?)—Gallia.
- SIPANEA.**  
915<sup>1</sup>. l. *carnea*, Neumann, . . . 445 = *Pentas carnea*.
- SIPHOCAMPYLUS.**  
915<sup>3</sup>. a. *canus*, Hort. Belg. ex Hook. Bot. Mag. t. 4505 (= *Tupa crassicaulis*).—Hab.?
- SISYMBRIUM.**  
917<sup>3</sup>. a. *STENOPHRAGMA*, Čelak. in Arch. Naturw. Landesd. Boehm. iii. (1875) 445.  
*VELARUM*, Reichb. in Moessl. Handb. ed. II. ii. 1103, 1165 (1828).
- SLOANEA.**  
924<sup>2</sup>. a. *sinemariensis*, Griseb. Fl. Brit. W. Ind. 99 = *Purdiei*.
- SMILACINA.**  
924<sup>3</sup>. l. *TOVARIA*, Neck. Elem. iii.  
a. *VAGNERA*, Adans. Fam. ii. 496 (1763).  
925<sup>1</sup>. *Rossii*, Maxim. in Bull. Acad. Pétersb. xxix. (1883) 214 = *japonica*.
- SOLANUM.**  
933<sup>1</sup>. a. *flexuosum*, Phil. f. Cat. Pl. Vasc. Chil. 228.—Chili.
- SOLIDAGO.**  
942<sup>1</sup>. a. *VIRGA-AUREA*, [Tourn.] Rupp. Fl. Jen. ed. Hall. 181 (1745).
- SONERILA.**  
946<sup>2</sup>. a. *CASSEBERIA*, Dennst. Schluess. Hort. Malab. 35 (1818).  
946<sup>3</sup>. l. *Hookeriana*, Arn. . . . = *Wightiana*.  
*Rheedii*, Wall. Cat. n. 4096 = *Wallichii*.  
*Rheedii*, Wight & Arn.
- SPERMACOCE.**  
957<sup>1</sup>. a. *DIOIDOIDES*, Loeffl. It. Hisp. 201 (1758).
- 960<sup>1</sup>. insere *SPHAEROCARPUM*, Nees, ex Steud. Nom. ed. II. ii. 256, in syn., sphalm. (1841) = *SPHAEROCARYUM*, Nees (Gramin.)  
genus retinendum.
- 962<sup>3</sup>. l. *SPIESIA*, Neck. . . . = *Oxytropis*, DC. (1802) (Legumin.).
- SPINIFEX.**  
963<sup>3</sup>. a. *dioicus*, Buch.-Ham. ex Pritz. Ic. Ind. i. 1058 = *squarrosus*.
- SPIRAEA.**  
964<sup>2</sup>. l. *bracteata*, Zabel, . . . 496.—Japon.
- SPLITGERBERA.**  
968<sup>1</sup>. a. *scabrella*, Dalz. & Gibs. Bomb. Fl. 239 = *B. platyphylla*.
- SPODIOPOGON.**  
968<sup>2</sup>. l. *pilosus*, Nees, . . . = *Ischaemum pilosum*.
- 990<sup>2</sup>. l. *STENOPHRAGMA*, Čelak. . . . 445 = *Sisymbrium*, Linn. (Crucif.).  
*Thalianum*, Čelak. l. c. = *Sisymb. Thalianum*.
- STREPTOCARPUS.**  
1004<sup>1</sup>. l. *benguellensis*, Welw. . . . 150 = *monophylla*.
- 1011<sup>1</sup>. insere *STYGIARIA*, Ehrh. Beitr. iv. (1789) 146 = *Juncus*, Tourn.
- STYLOCORYNA.**  
1012<sup>2</sup>. l. *breviflora*, Schlecht.  
*corymbosa*, Labill. . . . (Tarennae sp.).—N. Guin.
- 1015<sup>1</sup>. insere *STYPHORRHIZA*, Ehrh. Beitr. iv. (1789) 147 = *Polygonum*, Tourn.

PAG.	<b>SWERTIA.</b>	PAG.	<b>TOLUIFERA.</b>	PAG.	<b>TYPHA.</b>
1019 <sup>1</sup> .	a. ADENOPOGON, Welw. Synopse. 27. n. 59 (1862).	1087 <sup>2</sup> .	l. <i>Balsamum</i> , Linn. . . = M. Toluifera. <i>punctata</i> , Baill. . . = M. Toluifera.	1142 <sup>1</sup> .	a. <i>lugdunensis</i> , Chabert, in Bull. Soc. Hortic. Rhône (1850), 149, 151 = Laxmanni.
	<b>SWIETENIA.</b>		<b>TRICHOPODIUM</b> , Lindl.		<b>TYPHONIUM.</b>
1020 <sup>1</sup> .	a. SOTROPHOLA, Buch.-Ham. ex Wall. Cat. p. 214. n. 1269 = Chickrassia tabularis.	1108 <sup>3</sup> .	a. <i>intermedium</i> , Lindl. l. c. = Trichopus zeylanicus.	1142 <sup>2</sup> .	l. Motleyanum, Schott,
	<b>SYMPHONIA.</b>		<b>TRICHOSANTHES.</b>		<b>UROSTIGMA.</b>
1021 <sup>1</sup> .	a. DACTYLANThERA, Welw. Apont. 560 [1859]	1109 <sup>1</sup> .	a. ANGUINA, Michx. ex Linn. Syst. ed. I (1735).	1152 <sup>1</sup> .	l. <i>euneuron</i> , Miq.
	<b>TABERNAEMONTANA.</b>	1120 <sup>3</sup> .	a. TRIOSTEOSPERMUM, Dill. ex Ludw. Def. Gen. Pl. 80 (1747) = Triosteum, Linn. (Caprifol.).		<b>VAHLIA.</b>
1029 <sup>1</sup> .	d. <i>divaricata</i> , G. Don,		<b>TRIOSTEUM.</b>	1164 <sup>1</sup> .	l. <i>Weldenii</i> , Reichb.
	<b>TEPHROSIA.</b>	1120 <sup>3</sup> .	a. TRIOSTEOSPERMUM, Dill. ex Ludw. Def. Gen. Pl. 80 (1747).		<b>VANDELLIA.</b>
1044 <sup>2</sup> .	l. <i>elongata</i> , Hook. f. . . . 298 = fasciculata.		<b>TRIXIS.</b>	1169 <sup>3</sup> .	l. <i>monnieroides</i> , Buch.-Ham.
	<b>TETRACOMIA.</b>	1131 <sup>1</sup> .	a. Pipitzahuac, Schaffn. ex Herrera, in La Naturaleza, iii. (1876) 407.—Mexic.	1225 <sup>1</sup> .	insere WATSONIA, Boehm. in Ludw. Def. Gen. Pl. 278 (1760) = Buettneria, Linn.
1049 <sup>3</sup> .	a. Beccarii, Hook. f. l. c., in obs.—Borneo.		<b>TROPAEOLUM.</b>		<b>WEIHEA.</b>
	<b>TETRANTHERA.</b>	1132 <sup>1</sup> .	a. ACRIVIOLA, Boerh. ex Ludw. Def. Gen. Pl. 192 (1747).	1227 <sup>2</sup> .	l. phaeotricha, Baill.
1052 <sup>1</sup> .	l. <i>iteodaphne</i> , Nees,		<b>TROSCHELIA</b> , Klotzsch & Schomb. . . = Schiekia, Meissn. (Haemod.).		<b>WISTARIA.</b>
1061 <sup>1</sup> .	a. THAMNIA, P. Br. Hist. Jamaic. 245 (1756) = <i>Laetia</i> , Loeßl. (1758) (Bixin.).	1133 <sup>2</sup> .	l. TROSCHELIA, Klotzsch & Schomb. . . = Schiekia, Meissn. (Haemod.).	1232 <sup>2</sup> .	a. PHASEOLOIDES, Mill. Gard. Dict. ed. III. (1737).
	<b>TILLANDSIA.</b>		<b>TUPISTRA.</b>		<b>WOLLASTONIA.</b>
1082 <sup>1</sup> .	l. splendens, Brongn.	1137 <sup>2</sup> .	l. Stoliczkana, Kurz,	1233 <sup>2</sup> .	l. <i>prostrata</i> , Hook. f. & Arn. . . . 295.—China.
	<b>TITHONIA.</b>			1237 <sup>2</sup> .	insere XERAEA, Linn. Syst. ed. I (1735) = Gomphrena, Linn. (Amarant.).
1084 <sup>1</sup> .	l. tagetiflora, Desf. . . . 49.				

## NOTATIONES GENERALES.

- Nota i. Florae Corcyrae in Ionios, Anthologia, auctor est D. Mazziari, non Pieri, quo errore passim tribuitur.  
 ii. Klatt, in Abh. Naturf. Ges. Halle, *lege* xv. (non xii.) pp. 333–355.  
 iii. Welw. Apontamentos datum anni 1858 gaudet, tantum ad finem anni 1859 publici iuris factum.

FINIS.





















